




Illinois State Cancer Mortality Review and Update, 1986-2020

Epidemiologic Report Series 23:07

April 2023

Illinois State Cancer Mortality Review and Update, 1986-2020



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

April 2023

Prepared by

Kyle Garner
Cancer Epidemiologist

Jane Fornoff, D.Phil.
Division Chief

Acknowledgements

The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers of Disease Control and Prevention or the National Institutes of Health.

The Illinois State Cancer Registry has been funded in whole or in part with federal funds from the National Cancer Institute (NCI); National Institutes of Health; U.S. Department of Health and Human Services, under Contract No. 75N91021D00006; the National Program of Cancer Registries; Centers for Disease Control and Prevention under cooperative agreement 1NU58DP007162-01-00; and the state of Illinois.

Suggested citation

Garner K., Fornoff J. Illinois Cancer Mortality Review and Update, 1986-2020. Epidemiologic Report Series 23:07. Springfield, Ill.: Illinois Department of Public Health, April 2023.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health (IDPH), Illinois State Cancer Registry, makes these data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

TABLE OF CONTENTS

| | |
|--|--------|
| Overview and Technical Notes..... | 1 |
| SECTION I | |
| Cancer Mortality by Race, Illinois, 1986-2020..... | I-1 |
| All Sites Combined..... | I-2 |
| Oral Cavity and Pharynx..... | I-8 |
| Digestive System..... | I-14 |
| Respiratory System..... | I-50 |
| Skin Excluding Basal and Squamous..... | I-68 |
| Breast..... | I-80 |
| Female Genital System..... | I-86 |
| Male Genital System..... | I-94 |
| Urinary System..... | I-100 |
| Brain and Other Nervous System..... | I-118 |
| Endocrine System..... | I-124 |
| Lymphoma..... | I-136 |
| Myeloma..... | I-154 |
| Leukemia..... | I-160 |
| Other, Ill-defined and Unknown Sites..... | I-166 |
| SECTION II | |
| Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2020..... | II-1 |
| All Sites Combined..... | II-2 |
| Oral Cavity and Pharynx..... | II-8 |
| Digestive System..... | II-14 |
| Respiratory System..... | II-50 |
| Skin Excluding Basal and Squamous..... | II-68 |
| Breast..... | II-80 |
| Female Genital System..... | II-86 |
| Male Genital System..... | II-94 |
| Urinary System..... | II-100 |
| Brain and Other Nervous System..... | II-118 |
| Endocrine System..... | II-124 |
| Lymphoma..... | II-136 |
| Myeloma..... | II-154 |
| Leukemia..... | II-160 |
| Other, Ill-defined and Unknown Sites..... | II-166 |
| Appendix A: Illinois Populations Used for Rate Calculations, 1986-2020..... | A-1 |
| Appendix B: SEER Site Groups for Mortality Data Based on ICD-9 and ICD-10..... | B-1 |
| Appendix C: Formulas for Rates..... | C-1 |

ILLINOIS CANCER MORTALITY REVIEW AND UPDATE 1986-2020

OVERVIEW

This is the 30th release of the annual Illinois state cancer mortality statistics. This report presents Illinois' cancer mortality for 1986 through 2020 for all races combined, Whites, Blacks, and Asian/other races and for 1990 through 2020 for Hispanics (any race), non-Hispanics (any race), non-Hispanic Whites, and non-Hispanic Blacks. All rates in this report were age-adjusted to the 2000 U.S. standard million population.

Cancer group definitions for major and minor sites are those established by the Surveillance, Epidemiology, and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR), and the United States Cancer Statistics (USCS) of the Centers for Disease Control and Prevention (CDC). These standardized classification schemes allow direct comparisons of Illinois cancer statistics with international, national, and state publications.¹⁻⁶

The mortality data are tabulated for each major or minor cancer site for four race groups and four ethnicity/race groups. Counts, age-adjusted rates, standard errors, and 95% confidence intervals for rates are displayed for the combined 1986-2020 time period (1990-2020 time period for ethnicity/race groups), as well as for individual years. For cancers occurring in both genders, separate tables are presented for both sexes, and for males and females.

MORTALITY HIGHLIGHTS

- From 1986 through 2020, 852,792 Illinois residents died from cancer. The race distribution for these deaths was 83.7% among Whites, 14.9% in the Black population, and the remainder occurring among the Asian/other race population group (1.4%).
- From 1990 through 2020, 759,161 Illinois residents died from cancer. The distribution for these deaths was 3.2% Hispanic (any race) and 96.8% non-Hispanics (any race). Among non-Hispanic deaths, 83% were non-Hispanic Whites and 15.5% non-Hispanic Blacks.
- Black males had the highest overall age-adjusted mortality rates from cancer during the 1986-2020 time period, about 41% higher than the rate for White males and three times the rate for males identified as Asian or other races. Similarly, Illinois' cancer mortality rates for Black females exceeded those for White females by about 26% and were more than two and a half times those observed among females identified as Asian or other races in Illinois. Non-Hispanic males and females (any race) had mortality rates that were roughly one and a half times that of their Hispanic (any race) counterparts.

- Based on age-adjusted cancer mortality rates, covering 1986-2020, lung cancer remains the leading cause of death from cancer for both Illinois males and females, followed by prostate cancer for males, and breast cancer for females. The third leading cause of cancer death is from cancers of the colon and rectum for both males and females.
- From 1986 through 2020, among males of all races, over one-third of all cancer deaths were from cancer of the lung and bronchus (30.2%), 10.5% from prostate cancer, and 10.3% from cancer of the colon and rectum. These three cancers accounted for more than half of all cancer deaths (51%).
- From 1986 through 2020, 23.3% of all cancer deaths among females of all races were due to cancer of the lung and bronchus, 16.2% due to cancer of the breast, and 10.9% due to cancer of the colon and rectum; these three cancers made up 50.4% of all cancer deaths in females.

TECHNICAL NOTES

Mortality Data Sources

Underlying mortality data for 1986 to 2020 by race and for 1990 to 2020 by ethnicity/race were obtained from the CDC's National Center for Health Statistics (NCHS), as provided to the SEER program of NCI. The data were made available in June 2022.⁷

Data Use Agreement

By using these data, you signify your agreement to comply with the Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12). Data collected by the Illinois State Cancer Registry are made available to the public; however, the identification or contact of individuals is prohibited.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made. Uses of these data do not constitute an endorsement of the user's opinion or conclusions by IDPH, and none should be inferred.

Population Estimates

The population estimates of the sex- and race-specific, as well as sex- and ethnicity/race-specific groups in five-year age categories were used as denominators in the formulation of rates. These population estimates of Illinois for all races, Whites, Blacks, and Asian/other races from 1986 through 2020 and for Hispanics, non-Hispanics, non-Hispanic White, and non-Hispanic Black for 1990 through 2020 were obtained from the SEER program based on U.S. Census Bureau population estimates.⁸ They represent a modification of both the intercensal and Vintage 2020 annual time series of July 1 county population estimates by age, sex, race, and Hispanic origin produced by the U.S. Census Bureau Population Estimates Program (<https://www.census.gov/programs-surveys/popest.html>), in collaboration with the National Center for Health Statistics, and with support from NCI through an interagency

agreement. The population estimates incorporate intercensal (for July 1, 2000-2009) and Vintage 2020 (for July 1, 2010-2020) bridged single-race estimates derived from the original multiple race categories in the 2000 census (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm). The population estimates are displayed in Appendix A.

Key Measures

Cancer Site Coding for Mortality Data. Underlying cause of death was coded using the *International Classification of Diseases (ICD-9)*⁹ for all deaths for years 1986 through 1998 and the *International Classification of Diseases (ICD-10)*¹⁰ for all deaths for year 1999 and later. In the present report, the SEER mortality recode scheme based on ICD-9 and ICD-10 was used to classify cancer deaths sites (Appendix B: SEER site groups for mortality data based on ICD-9 and ICD-10).

Cancer Mortality. Because of many changes in ICD-10 as compared to ICD-9, discontinuities in trends for many causes of death, including cancer, may arise. Compared to using ICD-9 coding, overall, approximately 0.7% more deaths are assigned to cancer when ICD-10 is used, leading to a higher mortality rate for all cancers combined.¹¹ But this pattern does not hold for specific cancer sites, where rates may be higher or lower using ICD-10. These discontinuities are relatively small, and the changes in mortality rates across the years of the ICD-9/ICD-10 boundary are still interpretable, especially for major cancer sites.⁵ Cancer deaths among non-residents and deaths of unknown sex or age were omitted from all calculations.

Mortality Rates. Mortality rates were calculated using the SEER*Stat[®] software package,¹² developed for NCI by the Information Management Services Inc. Rates are expressed per 100,000 population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. Rates are rounded to the nearest tenth and very small rates (e.g., 0.04) are shown as 0.0. They are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.¹³ Algorithms used for the calculation of standard errors and 95% confidence intervals are displayed in Appendix C.

Beginning with the release of the 1969-2008 mortality database (October 2011), NCHS suppressed the number of deaths if fewer than 10. This change also was made to all the previously released mortality databases available through SEER*Stat. The suppressed cases are, however, included in counts and rates for the aggregate time periods (1986-2020 or 1990-2020), as well as counts and rates for All Cancer Sites.

Race-specific Rates. The race-specific categories in this report are all races combined, Whites, Blacks and Asian/other races. Cases reported as unknown race were included in the "all races" category, but not in any race-specific group.

Ethnicity/Race Rates. Hispanic ethnicity was used as defined in the database. Because there were a large number of cancer deaths with unknown Hispanic ethnicity in the mortality database, the mortality rates calculated for Hispanics may be underestimated. To be consistent with all national reports, categories are reported as Hispanic (any race), non-Hispanic (any race), non-Hispanic Whites, and non-Hispanic Blacks.

DATA INTERPRETATION

Observed variations and differences over years and across sex and race groups in cancer mortality may be real, reflecting changes in cancer incidence, or changes in early detection and treatment. Such changes or differences, however, may not be real, but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual mortality rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of mortality counts (i.e., less than 16).
- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990, 2000, and 2010, the years of the U.S. decennial census, are the most accurate for all age-, race-, ethnicity-, and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts, but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Mortality rates based on these population estimates would be expected to be less accurate than those for 1990, 2000, or 2010.
- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex, race, and ethnicity/race groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95% probability where the “true” rate may fall. The overlap of two sets of confidence intervals is approximately equivalent to being statistically insignificant for differences between two rates and may be more conservative than the standard significance test when the null hypothesis is true.¹⁴

REFERENCES

1. Thornton M, (ed). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Version 23*. Twenty Fourth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, August 2022.
2. Hoffercomp, J (Ed). *Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data*. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
3. Sherman R, Firth R, Kahl A, et al (eds). *Cancer in North America: 2015-2019. Volume One: Combined Cancer Incidence for the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
4. Sherman R, Firth R, Kahl A, et al (eds). *Cancer in North America: 2015-2019. Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
5. Sherman R, Firth R, Kahl A, et al (eds). *Cancer In North America, 2015-2019. Volume Three: Registry-specific Cancer Mortality in the United States and Canada*. Springfield, IL: North American Association of Central Cancer Registries, Inc. May 2022.
6. SEER*Explorer: An interactive website for SEER cancer statistics [Internet]. Surveillance Research Program, National Cancer Institute. [Accessed March 20, 2023]. Available from <https://seer.cancer.gov/statistics-network/explorer/>.
7. Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database: Mortality – All COD, Aggregated With State (1969-2020) <Katrina/Rita Population Adjustment> , National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released June 2022. Underlying mortality provided by NCHS.
8. Surveillance, Epidemiology, and End Results (SEER) Program (www.seer.cancer.gov) SEER*Stat Database: Populations - Total U.S. (1969-2020) < Katrina/Rita Adjustment> - Linked To County Attributes - Total U.S., 1969-2020 Counties, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released January 2022.
9. Percy C, Van Holten V, and Muir C (eds). *International Classification of Diseases for Oncology*. 2nd edition. Geneva: World Health Organization, 1990.
10. Fritz A, Percy C, Jack A, et al (eds). *International Classification of Diseases for Oncology*. Third edition. Geneva: World Health Organization, 2000.

11. Anderson RN, Minino AM, Hoyert DL, Rosenberg HM. Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports* 2001; 49:1-32.
12. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) Version 8.4.0, March 31, 2022.
13. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.
14. Schenke N and Gentleman JF On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I
Cancer Mortality by Race
Illinois, 1986-2020

Invasive Cancer Mortality by Race, Illinois 1986-2020

| All Sites Combined | | | | | | | | | | |
|--------------------|---------|-------|------|-------|-------|---------|-------|------|-------|-------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 852,792 | 191.7 | 0.21 | 191.3 | 192.1 | 713,542 | 187.5 | 0.22 | 187.1 | 188.0 |
| 1986 | 23,022 | 218.7 | 1.46 | 215.8 | 221.6 | 19,728 | 210.9 | 1.52 | 207.9 | 213.9 |
| 1987 | 23,182 | 218.6 | 1.45 | 215.8 | 221.5 | 19,852 | 210.9 | 1.52 | 208.0 | 213.9 |
| 1988 | 23,495 | 220.0 | 1.45 | 217.1 | 222.8 | 19,995 | 211.3 | 1.51 | 208.4 | 214.3 |
| 1989 | 23,932 | 222.8 | 1.45 | 220.0 | 225.7 | 20,287 | 213.6 | 1.52 | 210.6 | 216.6 |
| 1990 | 24,440 | 225.5 | 1.46 | 222.7 | 228.4 | 20,762 | 216.6 | 1.52 | 213.6 | 219.6 |
| 1991 | 24,416 | 222.4 | 1.43 | 219.6 | 225.2 | 20,836 | 214.8 | 1.50 | 211.9 | 217.8 |
| 1992 | 24,622 | 221.0 | 1.42 | 218.2 | 223.8 | 20,914 | 213.2 | 1.48 | 210.3 | 216.1 |
| 1993 | 25,269 | 224.4 | 1.42 | 221.7 | 227.2 | 21,365 | 216.0 | 1.48 | 213.1 | 218.9 |
| 1994 | 25,144 | 221.1 | 1.40 | 218.4 | 223.9 | 21,334 | 213.9 | 1.47 | 211.0 | 216.8 |
| 1995 | 25,101 | 218.6 | 1.38 | 215.9 | 221.3 | 21,292 | 211.9 | 1.46 | 209.0 | 214.8 |
| 1996 | 24,785 | 214.6 | 1.37 | 211.9 | 217.3 | 20,816 | 206.3 | 1.43 | 203.5 | 209.2 |
| 1997 | 24,479 | 210.0 | 1.34 | 207.4 | 212.6 | 20,609 | 202.9 | 1.42 | 200.1 | 205.7 |
| 1998 | 24,638 | 209.1 | 1.33 | 206.4 | 211.7 | 20,695 | 201.9 | 1.41 | 199.1 | 204.7 |
| 1999 | 25,024 | 210.3 | 1.33 | 207.7 | 212.9 | 21,085 | 204.0 | 1.41 | 201.3 | 206.8 |
| 2000 | 25,365 | 211.4 | 1.33 | 208.8 | 214.0 | 21,284 | 205.0 | 1.41 | 202.2 | 207.7 |
| 2001 | 24,778 | 204.8 | 1.30 | 202.3 | 207.4 | 20,782 | 199.0 | 1.38 | 196.3 | 201.7 |
| 2002 | 24,737 | 202.7 | 1.29 | 200.2 | 205.3 | 20,702 | 197.0 | 1.37 | 194.3 | 199.7 |
| 2003 | 24,464 | 198.2 | 1.27 | 195.7 | 200.7 | 20,437 | 192.5 | 1.35 | 189.9 | 195.2 |
| 2004 | 24,289 | 194.9 | 1.25 | 192.5 | 197.4 | 20,299 | 190.1 | 1.34 | 187.5 | 192.7 |
| 2005 | 24,250 | 192.4 | 1.24 | 190.0 | 194.8 | 20,226 | 187.6 | 1.33 | 185.0 | 190.2 |
| 2006 | 24,083 | 188.9 | 1.22 | 186.5 | 191.3 | 20,070 | 184.6 | 1.31 | 182.0 | 187.1 |
| 2007 | 24,113 | 186.6 | 1.21 | 184.2 | 189.0 | 20,020 | 182.0 | 1.30 | 179.5 | 184.5 |
| 2008 | 24,298 | 185.0 | 1.20 | 182.7 | 187.4 | 20,305 | 182.0 | 1.29 | 179.5 | 184.6 |
| 2009 | 24,182 | 181.7 | 1.18 | 179.4 | 184.0 | 20,205 | 179.4 | 1.28 | 177.0 | 182.0 |
| 2010 | 24,070 | 177.8 | 1.16 | 175.6 | 180.1 | 19,894 | 174.1 | 1.25 | 171.6 | 176.5 |
| 2011 | 24,006 | 174.5 | 1.14 | 172.3 | 176.8 | 19,944 | 172.2 | 1.24 | 169.8 | 174.6 |
| 2012 | 24,562 | 174.9 | 1.13 | 172.7 | 177.1 | 20,401 | 173.0 | 1.23 | 170.6 | 175.5 |
| 2013 | 24,491 | 171.3 | 1.11 | 169.1 | 173.5 | 20,231 | 169.0 | 1.21 | 166.6 | 171.4 |
| 2014 | 24,501 | 168.4 | 1.09 | 166.2 | 170.5 | 20,243 | 166.6 | 1.19 | 164.3 | 169.0 |
| 2015 | 24,713 | 166.8 | 1.08 | 164.7 | 169.0 | 20,281 | 164.7 | 1.18 | 162.4 | 167.1 |
| 2016 | 24,389 | 162.3 | 1.06 | 160.2 | 164.4 | 19,982 | 160.3 | 1.16 | 158.0 | 162.6 |
| 2017 | 24,150 | 158.5 | 1.04 | 156.5 | 160.6 | 19,843 | 157.4 | 1.14 | 155.2 | 159.7 |
| 2018 | 23,885 | 153.8 | 1.01 | 151.8 | 155.8 | 19,581 | 152.9 | 1.11 | 150.7 | 155.1 |
| 2019 | 23,902 | 151.9 | 1.00 | 150.0 | 153.9 | 19,477 | 150.4 | 1.10 | 148.2 | 152.5 |
| 2020 | 24,015 | 150.5 | 0.99 | 148.6 | 152.5 | 19,765 | 151.1 | 1.10 | 148.9 | 153.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| All Sites Combined | | | | | | | | | | |
|---------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 127,168 | 248.0 | 0.71 | 246.6 | 249.4 | 12,076 | 87.9 | 0.85 | 86.3 | 89.6 |
| 1986 | 3,189 | 298.1 | 5.48 | 287.4 | 309.0 | 104 | 85.6 | 9.75 | 67.6 | 106.4 |
| 1987 | 3,231 | 297.8 | 5.42 | 287.2 | 308.6 | 98 | 78.1 | 9.13 | 61.3 | 97.7 |
| 1988 | 3,368 | 301.8 | 5.38 | 291.4 | 312.6 | 132 | 95.1 | 9.54 | 77.4 | 115.3 |
| 1989 | 3,491 | 311.6 | 5.45 | 301.0 | 322.4 | 152 | 104.7 | 9.79 | 86.4 | 125.3 |
| 1990 | 3,539 | 313.3 | 5.44 | 302.7 | 324.1 | 138 | 98.9 | 9.83 | 80.6 | 119.6 |
| 1991 | 3,416 | 298.2 | 5.26 | 288.0 | 308.6 | 163 | 103.2 | 9.30 | 85.8 | 122.7 |
| 1992 | 3,536 | 299.6 | 5.19 | 289.5 | 309.9 | 172 | 101.4 | 8.80 | 84.9 | 119.8 |
| 1993 | 3,739 | 311.9 | 5.24 | 301.7 | 322.3 | 165 | 93.1 | 8.22 | 77.7 | 110.3 |
| 1994 | 3,606 | 295.9 | 5.06 | 286.1 | 306.0 | 204 | 105.0 | 8.35 | 89.3 | 122.4 |
| 1995 | 3,599 | 289.4 | 4.95 | 279.8 | 299.3 | 210 | 100.7 | 7.88 | 85.8 | 117.1 |
| 1996 | 3,753 | 297.9 | 4.98 | 288.2 | 307.8 | 216 | 97.0 | 7.35 | 83.1 | 112.3 |
| 1997 | 3,635 | 282.4 | 4.79 | 273.1 | 291.9 | 235 | 100.0 | 7.28 | 86.2 | 115.1 |
| 1998 | 3,694 | 280.6 | 4.72 | 271.4 | 290.0 | 249 | 97.5 | 6.95 | 84.4 | 111.9 |
| 1999 | 3,681 | 277.9 | 4.68 | 268.8 | 287.2 | 258 | 93.5 | 6.45 | 81.2 | 106.8 |
| 2000 | 3,764 | 277.8 | 4.62 | 268.9 | 287.0 | 317 | 110.3 | 6.82 | 97.3 | 124.3 |
| 2001 | 3,697 | 271.1 | 4.55 | 262.3 | 280.2 | 299 | 94.2 | 5.99 | 82.9 | 106.6 |
| 2002 | 3,713 | 266.9 | 4.47 | 258.2 | 275.8 | 322 | 98.5 | 6.00 | 87.1 | 110.9 |
| 2003 | 3,670 | 259.0 | 4.37 | 250.5 | 267.7 | 357 | 106.7 | 6.13 | 95.0 | 119.3 |
| 2004 | 3,672 | 253.9 | 4.28 | 245.5 | 262.4 | 318 | 89.0 | 5.40 | 78.7 | 100.1 |
| 2005 | 3,661 | 249.3 | 4.21 | 241.2 | 257.7 | 363 | 97.8 | 5.60 | 87.2 | 109.3 |
| 2006 | 3,655 | 244.7 | 4.14 | 236.6 | 252.9 | 358 | 91.7 | 5.23 | 81.8 | 102.5 |
| 2007 | 3,729 | 243.9 | 4.08 | 235.9 | 252.0 | 364 | 86.4 | 4.90 | 77.0 | 96.4 |
| 2008 | 3,614 | 233.5 | 3.97 | 225.7 | 241.4 | 379 | 83.6 | 4.65 | 74.7 | 93.1 |
| 2009 | 3,549 | 222.0 | 3.82 | 214.6 | 229.6 | 428 | 92.8 | 4.84 | 83.5 | 102.7 |
| 2010 | 3,712 | 228.4 | 3.84 | 220.9 | 236.0 | 464 | 95.0 | 4.73 | 85.9 | 104.6 |
| 2011 | 3,585 | 215.2 | 3.68 | 208.0 | 222.5 | 477 | 90.9 | 4.43 | 82.5 | 100.0 |
| 2012 | 3,670 | 215.2 | 3.64 | 208.1 | 222.4 | 491 | 87.3 | 4.19 | 79.3 | 95.8 |
| 2013 | 3,718 | 213.2 | 3.58 | 206.2 | 220.3 | 542 | 92.4 | 4.19 | 84.4 | 100.9 |
| 2014 | 3,746 | 210.3 | 3.52 | 203.5 | 217.3 | 512 | 84.7 | 3.91 | 77.2 | 92.7 |
| 2015 | 3,865 | 210.2 | 3.46 | 203.5 | 217.1 | 567 | 83.6 | 3.66 | 76.6 | 91.0 |
| 2016 | 3,816 | 205.0 | 3.40 | 198.4 | 211.8 | 591 | 82.0 | 3.50 | 75.3 | 89.1 |
| 2017 | 3,768 | 198.6 | 3.31 | 192.2 | 205.2 | 539 | 72.5 | 3.21 | 66.4 | 79.1 |
| 2018 | 3,709 | 191.9 | 3.22 | 185.7 | 198.3 | 595 | 73.7 | 3.10 | 67.8 | 80.1 |
| 2019 | 3,800 | 192.8 | 3.19 | 186.6 | 199.1 | 625 | 75.5 | 3.08 | 69.6 | 81.8 |
| 2020 | 3,578 | 177.3 | 3.03 | 171.4 | 183.3 | 672 | 77.7 | 3.04 | 71.9 | 83.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| All Sites Combined | | | | | | | | | | |
|---------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 437,940 | 237.3 | 0.37 | 236.6 | 238.0 | 366,024 | 230.9 | 0.39 | 230.2 | 231.7 |
| 1986 | 12,128 | 285.6 | 2.72 | 280.3 | 290.9 | 10,304 | 273.6 | 2.82 | 268.1 | 279.2 |
| 1987 | 12,064 | 282.3 | 2.69 | 277.1 | 287.7 | 10,164 | 268.6 | 2.78 | 263.2 | 274.1 |
| 1988 | 12,457 | 290.8 | 2.72 | 285.5 | 296.2 | 10,478 | 276.9 | 2.82 | 271.4 | 282.5 |
| 1989 | 12,547 | 290.3 | 2.70 | 285.0 | 295.6 | 10,527 | 275.9 | 2.79 | 270.4 | 281.4 |
| 1990 | 12,716 | 292.8 | 2.70 | 287.6 | 298.2 | 10,678 | 278.6 | 2.80 | 273.1 | 284.1 |
| 1991 | 12,775 | 290.6 | 2.67 | 285.4 | 295.9 | 10,794 | 278.1 | 2.77 | 272.7 | 283.6 |
| 1992 | 12,802 | 286.8 | 2.62 | 281.7 | 292.0 | 10,750 | 273.1 | 2.71 | 267.8 | 278.5 |
| 1993 | 13,069 | 290.1 | 2.62 | 285.0 | 295.2 | 10,944 | 276.5 | 2.72 | 271.2 | 281.9 |
| 1994 | 13,037 | 285.7 | 2.57 | 280.7 | 290.8 | 10,987 | 274.3 | 2.68 | 269.1 | 279.6 |
| 1995 | 12,985 | 281.9 | 2.54 | 277.0 | 286.9 | 10,921 | 270.7 | 2.65 | 265.6 | 276.0 |
| 1996 | 12,735 | 274.7 | 2.49 | 269.9 | 279.6 | 10,598 | 261.4 | 2.59 | 256.4 | 266.6 |
| 1997 | 12,559 | 267.2 | 2.43 | 262.4 | 272.0 | 10,512 | 256.4 | 2.54 | 251.5 | 261.5 |
| 1998 | 12,616 | 265.3 | 2.41 | 260.6 | 270.0 | 10,558 | 255.0 | 2.52 | 250.1 | 260.0 |
| 1999 | 12,697 | 264.7 | 2.39 | 260.0 | 269.4 | 10,675 | 255.7 | 2.51 | 250.8 | 260.6 |
| 2000 | 12,816 | 263.7 | 2.36 | 259.1 | 268.3 | 10,711 | 253.9 | 2.48 | 249.0 | 258.8 |
| 2001 | 12,730 | 259.3 | 2.33 | 254.8 | 263.9 | 10,676 | 250.9 | 2.45 | 246.1 | 255.8 |
| 2002 | 12,577 | 252.9 | 2.29 | 248.5 | 257.5 | 10,583 | 246.2 | 2.42 | 241.5 | 251.0 |
| 2003 | 12,451 | 247.2 | 2.25 | 242.8 | 251.6 | 10,379 | 238.9 | 2.37 | 234.3 | 243.6 |
| 2004 | 12,344 | 240.9 | 2.20 | 236.6 | 245.2 | 10,349 | 234.6 | 2.33 | 230.0 | 239.2 |
| 2005 | 12,241 | 236.4 | 2.17 | 232.2 | 240.7 | 10,213 | 229.3 | 2.30 | 224.8 | 233.8 |
| 2006 | 12,181 | 231.1 | 2.13 | 227.0 | 235.3 | 10,181 | 225.1 | 2.26 | 220.7 | 229.5 |
| 2007 | 12,119 | 225.9 | 2.09 | 221.9 | 230.1 | 10,050 | 218.7 | 2.21 | 214.4 | 223.1 |
| 2008 | 12,331 | 225.2 | 2.06 | 221.2 | 229.3 | 10,339 | 220.7 | 2.20 | 216.4 | 225.0 |
| 2009 | 12,344 | 220.4 | 2.02 | 216.4 | 224.4 | 10,348 | 216.6 | 2.16 | 212.3 | 220.8 |
| 2010 | 12,219 | 214.4 | 1.98 | 210.6 | 218.4 | 10,142 | 209.0 | 2.11 | 204.9 | 213.2 |
| 2011 | 12,163 | 208.9 | 1.94 | 205.1 | 212.7 | 10,123 | 204.8 | 2.07 | 200.8 | 208.9 |
| 2012 | 12,578 | 210.6 | 1.92 | 206.9 | 214.4 | 10,524 | 207.8 | 2.07 | 203.8 | 211.9 |
| 2013 | 12,520 | 204.7 | 1.87 | 201.0 | 208.4 | 10,412 | 201.5 | 2.01 | 197.6 | 205.5 |
| 2014 | 12,553 | 201.9 | 1.84 | 198.3 | 205.5 | 10,426 | 198.8 | 1.99 | 194.9 | 202.7 |
| 2015 | 12,807 | 200.5 | 1.82 | 197.0 | 204.1 | 10,537 | 196.6 | 1.96 | 192.8 | 200.5 |
| 2016 | 12,449 | 191.9 | 1.76 | 188.5 | 195.4 | 10,305 | 189.5 | 1.91 | 185.7 | 193.2 |
| 2017 | 12,381 | 188.0 | 1.73 | 184.6 | 191.4 | 10,236 | 185.8 | 1.88 | 182.2 | 189.5 |
| 2018 | 12,184 | 180.2 | 1.67 | 176.9 | 183.5 | 10,122 | 179.6 | 1.82 | 176.0 | 183.2 |
| 2019 | 12,340 | 179.9 | 1.65 | 176.6 | 183.1 | 10,170 | 178.2 | 1.80 | 174.6 | 181.7 |
| 2020 | 12,425 | 177.6 | 1.63 | 174.5 | 180.9 | 10,308 | 177.5 | 1.79 | 174.0 | 181.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| All Sites Combined | | | | | | | | | | |
|--------------------|--------|-------|-------|-------|-------|----------------------|-------|-------|-------|-------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 65,541 | 324.6 | 1.34 | 322.0 | 327.2 | 6,374 | 107.4 | 1.47 | 104.6 | 110.3 |
| 1986 | 1,761 | 407.9 | 10.48 | 387.6 | 428.9 | 63 | 119.6 | 17.97 | 87.0 | 158.9 |
| 1987 | 1,844 | 424.3 | 10.63 | 403.7 | 445.6 | 56 | 99.3 | 16.16 | 70.2 | 134.9 |
| 1988 | 1,898 | 425.8 | 10.49 | 405.5 | 446.8 | 81 | 138.5 | 18.16 | 105.2 | 177.7 |
| 1989 | 1,935 | 435.9 | 10.64 | 415.3 | 457.2 | 84 | 112.5 | 14.15 | 86.4 | 143.2 |
| 1990 | 1,949 | 437.0 | 10.66 | 416.4 | 458.3 | 89 | 144.5 | 18.28 | 110.9 | 183.8 |
| 1991 | 1,892 | 422.2 | 10.42 | 402.0 | 443.0 | 89 | 145.0 | 18.00 | 111.9 | 183.5 |
| 1992 | 1,958 | 431.5 | 10.52 | 411.1 | 452.5 | 94 | 132.5 | 15.89 | 103.2 | 166.5 |
| 1993 | 2,033 | 435.0 | 10.36 | 414.9 | 455.6 | 92 | 126.4 | 15.36 | 98.1 | 159.2 |
| 1994 | 1,945 | 410.8 | 9.98 | 391.5 | 430.7 | 105 | 117.0 | 13.33 | 92.3 | 145.5 |
| 1995 | 1,953 | 402.5 | 9.76 | 383.6 | 422.0 | 111 | 123.4 | 13.90 | 97.6 | 153.0 |
| 1996 | 2,024 | 415.5 | 9.88 | 396.3 | 435.2 | 113 | 113.9 | 12.49 | 90.7 | 140.5 |
| 1997 | 1,904 | 377.6 | 9.21 | 359.7 | 396.0 | 143 | 147.5 | 14.33 | 120.8 | 177.7 |
| 1998 | 1,941 | 374.9 | 9.05 | 357.4 | 393.0 | 117 | 110.3 | 11.93 | 88.2 | 135.7 |
| 1999 | 1,891 | 369.2 | 9.02 | 351.7 | 387.2 | 131 | 120.2 | 12.24 | 97.4 | 146.1 |
| 2000 | 1,923 | 367.3 | 8.91 | 350.1 | 385.2 | 182 | 148.8 | 12.74 | 124.8 | 175.4 |
| 2001 | 1,890 | 357.4 | 8.76 | 340.4 | 374.9 | 164 | 121.6 | 11.08 | 100.9 | 144.9 |
| 2002 | 1,818 | 334.6 | 8.33 | 318.5 | 351.3 | 176 | 124.7 | 10.76 | 104.5 | 147.2 |
| 2003 | 1,876 | 337.9 | 8.32 | 321.8 | 354.5 | 196 | 138.5 | 11.19 | 117.5 | 161.8 |
| 2004 | 1,837 | 327.4 | 8.16 | 311.6 | 343.7 | 158 | 102.1 | 9.22 | 84.9 | 121.5 |
| 2005 | 1,851 | 326.3 | 8.11 | 310.6 | 342.5 | 177 | 114.9 | 9.89 | 96.4 | 135.6 |
| 2006 | 1,819 | 314.0 | 7.87 | 298.8 | 329.7 | 181 | 112.7 | 9.42 | 95.0 | 132.4 |
| 2007 | 1,888 | 320.5 | 7.86 | 305.3 | 336.3 | 181 | 99.3 | 8.27 | 83.7 | 116.6 |
| 2008 | 1,808 | 302.2 | 7.55 | 287.5 | 317.3 | 184 | 94.6 | 7.88 | 79.8 | 111.1 |
| 2009 | 1,761 | 282.1 | 7.14 | 268.3 | 296.4 | 235 | 121.9 | 8.94 | 105.0 | 140.4 |
| 2010 | 1,839 | 290.5 | 7.19 | 276.6 | 304.9 | 238 | 114.5 | 8.30 | 98.8 | 131.7 |
| 2011 | 1,810 | 274.9 | 6.82 | 261.6 | 288.5 | 230 | 102.6 | 7.43 | 88.5 | 118.0 |
| 2012 | 1,794 | 267.6 | 6.66 | 254.7 | 280.9 | 260 | 110.3 | 7.58 | 95.9 | 126.0 |
| 2013 | 1,832 | 264.4 | 6.51 | 251.8 | 277.5 | 276 | 109.8 | 7.20 | 96.1 | 124.7 |
| 2014 | 1,876 | 268.6 | 6.52 | 255.9 | 281.6 | 251 | 96.4 | 6.53 | 84.1 | 109.9 |
| 2015 | 1,960 | 268.8 | 6.38 | 256.5 | 281.6 | 310 | 104.5 | 6.34 | 92.4 | 117.6 |
| 2016 | 1,843 | 249.4 | 6.09 | 237.6 | 261.6 | 301 | 96.9 | 5.91 | 85.6 | 109.1 |
| 2017 | 1,849 | 246.5 | 6.00 | 234.9 | 258.5 | 296 | 91.5 | 5.56 | 80.9 | 103.0 |
| 2018 | 1,753 | 227.7 | 5.68 | 216.7 | 239.1 | 309 | 86.2 | 5.09 | 76.5 | 96.7 |
| 2019 | 1,832 | 232.4 | 5.65 | 221.5 | 243.8 | 338 | 92.1 | 5.17 | 82.2 | 102.7 |
| 2020 | 1,754 | 218.1 | 5.41 | 207.6 | 229.0 | 363 | 94.6 | 5.08 | 84.9 | 105.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| All Sites Combined | | | | | | | | | | |
|--------------------|---------|-------|------|-------|-------|---------|-------|------|-------|-------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 414,852 | 162.4 | 0.25 | 161.9 | 162.9 | 347,518 | 159.6 | 0.27 | 159.1 | 160.1 |
| 1986 | 10,894 | 178.4 | 1.74 | 175.1 | 181.9 | 9,424 | 174.0 | 1.83 | 170.5 | 177.7 |
| 1987 | 11,118 | 180.9 | 1.74 | 177.5 | 184.3 | 9,688 | 177.6 | 1.84 | 174.1 | 181.3 |
| 1988 | 11,038 | 177.7 | 1.72 | 174.3 | 181.1 | 9,517 | 173.3 | 1.81 | 169.8 | 176.9 |
| 1989 | 11,385 | 182.5 | 1.73 | 179.1 | 185.9 | 9,760 | 177.3 | 1.83 | 173.7 | 180.9 |
| 1990 | 11,724 | 185.6 | 1.74 | 182.2 | 189.0 | 10,084 | 180.6 | 1.83 | 177.0 | 184.2 |
| 1991 | 11,641 | 181.5 | 1.70 | 178.1 | 184.8 | 10,042 | 177.5 | 1.80 | 174.0 | 181.1 |
| 1992 | 11,820 | 181.9 | 1.69 | 178.6 | 185.3 | 10,164 | 177.8 | 1.79 | 174.3 | 181.3 |
| 1993 | 12,200 | 185.3 | 1.69 | 182.0 | 188.6 | 10,421 | 180.6 | 1.80 | 177.1 | 184.1 |
| 1994 | 12,107 | 182.2 | 1.67 | 179.0 | 185.6 | 10,347 | 177.8 | 1.77 | 174.4 | 181.4 |
| 1995 | 12,116 | 180.5 | 1.65 | 177.2 | 183.7 | 10,371 | 177.0 | 1.76 | 173.5 | 180.5 |
| 1996 | 12,050 | 178.4 | 1.64 | 175.2 | 181.7 | 10,218 | 173.8 | 1.75 | 170.4 | 177.2 |
| 1997 | 11,920 | 175.2 | 1.62 | 172.0 | 178.4 | 10,097 | 170.7 | 1.72 | 167.4 | 174.2 |
| 1998 | 12,022 | 174.8 | 1.61 | 171.7 | 178.0 | 10,137 | 170.0 | 1.71 | 166.7 | 173.4 |
| 1999 | 12,327 | 177.0 | 1.61 | 173.8 | 180.2 | 10,410 | 172.4 | 1.71 | 169.1 | 175.8 |
| 2000 | 12,549 | 179.3 | 1.61 | 176.1 | 182.5 | 10,573 | 175.0 | 1.73 | 171.6 | 178.4 |
| 2001 | 12,048 | 171.1 | 1.57 | 168.0 | 174.2 | 10,106 | 167.1 | 1.69 | 163.8 | 170.4 |
| 2002 | 12,160 | 171.3 | 1.57 | 168.3 | 174.4 | 10,119 | 166.2 | 1.68 | 162.9 | 169.5 |
| 2003 | 12,013 | 167.3 | 1.54 | 164.3 | 170.3 | 10,058 | 163.4 | 1.65 | 160.2 | 166.7 |
| 2004 | 11,945 | 165.6 | 1.53 | 162.6 | 168.7 | 9,950 | 161.5 | 1.64 | 158.3 | 164.7 |
| 2005 | 12,009 | 165.0 | 1.52 | 162.0 | 168.0 | 10,013 | 161.5 | 1.64 | 158.3 | 164.8 |
| 2006 | 11,902 | 162.1 | 1.50 | 159.2 | 165.1 | 9,889 | 158.6 | 1.62 | 155.5 | 161.9 |
| 2007 | 11,994 | 161.7 | 1.50 | 158.8 | 164.7 | 9,970 | 158.7 | 1.62 | 155.5 | 161.9 |
| 2008 | 11,967 | 158.9 | 1.47 | 156.0 | 161.8 | 9,966 | 156.6 | 1.60 | 153.5 | 159.8 |
| 2009 | 11,838 | 156.3 | 1.46 | 153.5 | 159.2 | 9,857 | 154.8 | 1.59 | 151.7 | 157.9 |
| 2010 | 11,851 | 153.8 | 1.44 | 151.0 | 156.7 | 9,752 | 150.8 | 1.56 | 147.7 | 153.9 |
| 2011 | 11,843 | 151.5 | 1.42 | 148.7 | 154.3 | 9,821 | 150.1 | 1.55 | 147.1 | 153.2 |
| 2012 | 11,984 | 150.9 | 1.41 | 148.2 | 153.7 | 9,877 | 149.2 | 1.54 | 146.2 | 152.3 |
| 2013 | 11,971 | 148.0 | 1.38 | 145.4 | 150.8 | 9,819 | 146.1 | 1.51 | 143.1 | 149.1 |
| 2014 | 11,948 | 145.5 | 1.36 | 142.8 | 148.2 | 9,817 | 144.4 | 1.50 | 141.5 | 147.3 |
| 2015 | 11,906 | 143.4 | 1.35 | 140.8 | 146.1 | 9,744 | 142.3 | 1.48 | 139.4 | 145.2 |
| 2016 | 11,940 | 141.8 | 1.33 | 139.2 | 144.4 | 9,677 | 139.7 | 1.46 | 136.9 | 142.6 |
| 2017 | 11,769 | 138.3 | 1.31 | 135.8 | 140.9 | 9,607 | 137.7 | 1.45 | 134.9 | 140.6 |
| 2018 | 11,701 | 135.1 | 1.28 | 132.6 | 137.6 | 9,459 | 133.5 | 1.41 | 130.7 | 136.3 |
| 2019 | 11,562 | 132.4 | 1.26 | 129.9 | 134.9 | 9,307 | 130.6 | 1.39 | 127.9 | 133.3 |
| 2020 | 11,590 | 131.2 | 1.25 | 128.8 | 133.7 | 9,457 | 131.8 | 1.40 | 129.1 | 134.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| All Sites Combined | | | | | | | | | | |
|--------------------|--------|-------|------|-------|-------|----------------------|------|-------|------|-------|
| Females | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 61,627 | 201.4 | 0.82 | 199.8 | 203.0 | 5,702 | 73.7 | 1.02 | 71.7 | 75.7 |
| 1986 | 1,428 | 226.9 | 6.15 | 215.0 | 239.2 | 41 | 60.1 | 10.73 | 40.9 | 84.2 |
| 1987 | 1,387 | 217.2 | 5.95 | 205.7 | 229.2 | 42 | 61.6 | 10.58 | 42.6 | 85.2 |
| 1988 | 1,470 | 222.1 | 5.91 | 210.6 | 233.9 | 51 | 62.7 | 9.97 | 44.7 | 84.9 |
| 1989 | 1,556 | 233.3 | 6.03 | 221.6 | 245.4 | 68 | 97.4 | 13.31 | 73.0 | 126.2 |
| 1990 | 1,590 | 236.6 | 6.04 | 224.9 | 248.7 | 49 | 64.9 | 10.67 | 45.7 | 88.5 |
| 1991 | 1,524 | 222.0 | 5.78 | 210.8 | 233.6 | 74 | 74.5 | 9.75 | 56.6 | 95.7 |
| 1992 | 1,578 | 222.0 | 5.67 | 211.0 | 233.4 | 78 | 79.4 | 10.06 | 60.9 | 101.2 |
| 1993 | 1,706 | 236.6 | 5.81 | 225.4 | 248.3 | 73 | 69.9 | 9.07 | 53.3 | 89.6 |
| 1994 | 1,661 | 226.9 | 5.63 | 215.9 | 238.1 | 99 | 95.3 | 10.63 | 75.6 | 117.9 |
| 1995 | 1,646 | 221.0 | 5.51 | 210.3 | 232.0 | 99 | 84.7 | 9.36 | 67.3 | 104.7 |
| 1996 | 1,729 | 227.3 | 5.53 | 216.6 | 238.4 | 103 | 83.9 | 8.95 | 67.2 | 103.0 |
| 1997 | 1,731 | 224.0 | 5.44 | 213.5 | 234.9 | 92 | 67.2 | 7.64 | 53.0 | 83.6 |
| 1998 | 1,753 | 222.0 | 5.35 | 211.6 | 232.7 | 132 | 89.2 | 8.52 | 73.3 | 107.3 |
| 1999 | 1,790 | 223.5 | 5.33 | 213.2 | 234.2 | 127 | 76.8 | 7.34 | 63.1 | 92.4 |
| 2000 | 1,841 | 225.3 | 5.29 | 215.0 | 235.8 | 135 | 82.8 | 7.65 | 68.5 | 99.0 |
| 2001 | 1,807 | 219.6 | 5.21 | 209.5 | 230.1 | 135 | 75.2 | 6.90 | 62.2 | 89.8 |
| 2002 | 1,895 | 225.9 | 5.23 | 215.8 | 236.4 | 146 | 79.7 | 7.00 | 66.6 | 94.5 |
| 2003 | 1,794 | 210.9 | 5.02 | 201.2 | 221.0 | 161 | 84.0 | 7.03 | 70.8 | 98.8 |
| 2004 | 1,835 | 211.0 | 4.97 | 201.4 | 221.0 | 160 | 79.5 | 6.64 | 67.0 | 93.5 |
| 2005 | 1,810 | 205.0 | 4.86 | 195.6 | 214.8 | 186 | 87.0 | 6.76 | 74.3 | 101.1 |
| 2006 | 1,836 | 204.6 | 4.82 | 195.3 | 214.3 | 177 | 78.2 | 6.19 | 66.6 | 91.2 |
| 2007 | 1,841 | 200.5 | 4.72 | 191.3 | 209.9 | 183 | 76.7 | 6.01 | 65.4 | 89.3 |
| 2008 | 1,806 | 193.6 | 4.60 | 184.7 | 202.8 | 195 | 76.1 | 5.77 | 65.3 | 88.2 |
| 2009 | 1,788 | 187.2 | 4.48 | 178.5 | 196.2 | 193 | 72.9 | 5.53 | 62.5 | 84.5 |
| 2010 | 1,873 | 192.7 | 4.51 | 183.9 | 201.7 | 226 | 81.3 | 5.68 | 70.6 | 93.1 |
| 2011 | 1,775 | 178.7 | 4.30 | 170.3 | 187.3 | 247 | 82.9 | 5.51 | 72.5 | 94.4 |
| 2012 | 1,876 | 184.4 | 4.32 | 176.0 | 193.0 | 231 | 71.8 | 4.95 | 62.4 | 82.1 |
| 2013 | 1,886 | 181.8 | 4.24 | 173.6 | 190.3 | 266 | 80.4 | 5.12 | 70.7 | 91.0 |
| 2014 | 1,870 | 175.6 | 4.13 | 167.6 | 183.9 | 261 | 76.3 | 4.88 | 67.0 | 86.4 |
| 2015 | 1,905 | 175.0 | 4.08 | 167.1 | 183.2 | 257 | 67.8 | 4.35 | 59.5 | 76.8 |
| 2016 | 1,973 | 177.9 | 4.07 | 170.0 | 186.0 | 290 | 71.0 | 4.29 | 62.9 | 79.9 |
| 2017 | 1,919 | 170.3 | 3.96 | 162.7 | 178.3 | 243 | 57.8 | 3.78 | 50.6 | 65.7 |
| 2018 | 1,956 | 170.8 | 3.93 | 163.2 | 178.7 | 286 | 64.0 | 3.86 | 56.7 | 72.0 |
| 2019 | 1,968 | 169.0 | 3.88 | 161.5 | 176.8 | 287 | 62.7 | 3.76 | 55.6 | 70.5 |
| 2020 | 1,824 | 153.1 | 3.65 | 146.0 | 160.4 | 309 | 64.4 | 3.70 | 57.3 | 72.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Oral Cavity and Pharynx

Both Sexes

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|--------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 12,624 | 2.8 | 0.03 | 2.8 | 2.9 | 10,009 | 2.6 | 0.03 | 2.6 | 2.7 |
| 1986 | 384 | 3.6 | 0.19 | 3.3 | 4.0 | 307 | 3.2 | 0.19 | 2.9 | 3.6 |
| 1987 | 384 | 3.6 | 0.19 | 3.3 | 4.0 | 314 | 3.3 | 0.19 | 3.0 | 3.7 |
| 1988 | 378 | 3.6 | 0.19 | 3.2 | 3.9 | 298 | 3.2 | 0.18 | 2.8 | 3.5 |
| 1989 | 380 | 3.6 | 0.18 | 3.2 | 3.9 | 286 | 3.0 | 0.18 | 2.7 | 3.4 |
| 1990 | 427 | 4.0 | 0.20 | 3.6 | 4.4 | 325 | 3.5 | 0.19 | 3.1 | 3.9 |
| 1991 | 421 | 3.9 | 0.19 | 3.5 | 4.2 | 315 | 3.3 | 0.19 | 2.9 | 3.6 |
| 1992 | 365 | 3.3 | 0.18 | 3.0 | 3.7 | 281 | 2.9 | 0.18 | 2.6 | 3.3 |
| 1993 | 363 | 3.3 | 0.17 | 2.9 | 3.6 | 282 | 2.9 | 0.17 | 2.6 | 3.3 |
| 1994 | 354 | 3.1 | 0.17 | 2.8 | 3.5 | 271 | 2.8 | 0.17 | 2.4 | 3.1 |
| 1995 | 370 | 3.2 | 0.17 | 2.9 | 3.6 | 284 | 2.8 | 0.17 | 2.5 | 3.2 |
| 1996 | 368 | 3.2 | 0.17 | 2.9 | 3.6 | 307 | 3.1 | 0.18 | 2.8 | 3.5 |
| 1997 | 339 | 2.9 | 0.16 | 2.6 | 3.3 | 257 | 2.6 | 0.16 | 2.3 | 2.9 |
| 1998 | 341 | 2.9 | 0.16 | 2.6 | 3.2 | 268 | 2.7 | 0.16 | 2.3 | 3.0 |
| 1999 | 301 | 2.5 | 0.15 | 2.3 | 2.8 | 231 | 2.3 | 0.15 | 2.0 | 2.6 |
| 2000 | 329 | 2.8 | 0.15 | 2.5 | 3.1 | 258 | 2.5 | 0.16 | 2.2 | 2.8 |
| 2001 | 302 | 2.5 | 0.14 | 2.2 | 2.8 | 233 | 2.3 | 0.15 | 2.0 | 2.6 |
| 2002 | 310 | 2.5 | 0.14 | 2.3 | 2.8 | 242 | 2.3 | 0.15 | 2.0 | 2.6 |
| 2003 | 334 | 2.7 | 0.15 | 2.4 | 3.0 | 253 | 2.4 | 0.15 | 2.1 | 2.7 |
| 2004 | 336 | 2.7 | 0.15 | 2.4 | 3.0 | 267 | 2.5 | 0.15 | 2.2 | 2.8 |
| 2005 | 294 | 2.3 | 0.14 | 2.1 | 2.6 | 227 | 2.1 | 0.14 | 1.8 | 2.4 |
| 2006 | 309 | 2.4 | 0.14 | 2.1 | 2.7 | 250 | 2.3 | 0.15 | 2.0 | 2.6 |
| 2007 | 319 | 2.4 | 0.14 | 2.2 | 2.7 | 261 | 2.4 | 0.15 | 2.1 | 2.7 |
| 2008 | 358 | 2.7 | 0.14 | 2.4 | 3.0 | 295 | 2.6 | 0.15 | 2.3 | 2.9 |
| 2009 | 299 | 2.2 | 0.13 | 2.0 | 2.5 | 252 | 2.2 | 0.14 | 1.9 | 2.5 |
| 2010 | 303 | 2.2 | 0.13 | 2.0 | 2.5 | 247 | 2.2 | 0.14 | 1.9 | 2.4 |
| 2011 | 344 | 2.4 | 0.13 | 2.2 | 2.7 | 273 | 2.3 | 0.14 | 2.1 | 2.6 |
| 2012 | 367 | 2.5 | 0.13 | 2.3 | 2.8 | 297 | 2.5 | 0.15 | 2.2 | 2.8 |
| 2013 | 345 | 2.4 | 0.13 | 2.1 | 2.6 | 262 | 2.1 | 0.13 | 1.9 | 2.4 |
| 2014 | 396 | 2.7 | 0.14 | 2.4 | 3.0 | 321 | 2.6 | 0.15 | 2.4 | 3.0 |
| 2015 | 391 | 2.6 | 0.13 | 2.3 | 2.9 | 310 | 2.5 | 0.14 | 2.2 | 2.8 |
| 2016 | 437 | 2.8 | 0.14 | 2.6 | 3.1 | 359 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2017 | 412 | 2.6 | 0.13 | 2.4 | 2.9 | 335 | 2.6 | 0.14 | 2.3 | 2.9 |
| 2018 | 423 | 2.7 | 0.13 | 2.4 | 2.9 | 344 | 2.6 | 0.14 | 2.4 | 2.9 |
| 2019 | 409 | 2.5 | 0.13 | 2.3 | 2.8 | 332 | 2.5 | 0.14 | 2.2 | 2.8 |
| 2020 | 432 | 2.6 | 0.13 | 2.4 | 2.9 | 365 | 2.7 | 0.15 | 2.5 | 3.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Oral Cavity and Pharynx

Both Sexes

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,312 | 4.2 | 0.09 | 4.0 | 4.3 | 303 | 2.0 | 0.12 | 1.8 | 2.2 |
| 1986 | 75 | 6.7 | 0.80 | 5.2 | 8.4 | * | * | * | * | * |
| 1987 | 68 | 6.0 | 0.74 | 4.6 | 7.6 | * | * | * | * | * |
| 1988 | 76 | 6.3 | 0.74 | 4.9 | 7.9 | * | * | * | * | * |
| 1989 | 90 | 7.3 | 0.77 | 5.8 | 8.9 | * | * | * | * | * |
| 1990 | 101 | 8.1 | 0.82 | 6.6 | 9.9 | * | * | * | * | * |
| 1991 | 100 | 8.0 | 0.81 | 6.4 | 9.7 | * | * | * | * | * |
| 1992 | 78 | 5.9 | 0.68 | 4.6 | 7.4 | * | * | * | * | * |
| 1993 | 77 | 5.8 | 0.67 | 4.6 | 7.2 | * | * | * | * | * |
| 1994 | 80 | 5.9 | 0.66 | 4.6 | 7.3 | * | * | * | * | * |
| 1995 | 82 | 6.2 | 0.70 | 4.9 | 7.7 | * | * | * | * | * |
| 1996 | 56 | 4.2 | 0.57 | 3.2 | 5.5 | * | * | * | * | * |
| 1997 | 74 | 5.2 | 0.61 | 4.0 | 6.5 | * | * | * | * | * |
| 1998 | 67 | 4.8 | 0.59 | 3.7 | 6.1 | * | * | * | * | * |
| 1999 | 63 | 4.4 | 0.57 | 3.4 | 5.7 | * | * | * | * | * |
| 2000 | 66 | 4.4 | 0.55 | 3.4 | 5.6 | * | * | * | * | * |
| 2001 | 60 | 4.0 | 0.53 | 3.1 | 5.2 | * | * | * | * | * |
| 2002 | 63 | 4.0 | 0.51 | 3.1 | 5.1 | * | * | * | * | * |
| 2003 | 74 | 4.7 | 0.56 | 3.7 | 6.0 | * | * | * | * | * |
| 2004 | 64 | 4.0 | 0.50 | 3.1 | 5.1 | * | * | * | * | * |
| 2005 | 57 | 3.6 | 0.48 | 2.7 | 4.6 | 10 | 2.1 | 0.71 | 0.9 | 4.0 |
| 2006 | 53 | 3.2 | 0.45 | 2.4 | 4.2 | * | * | * | * | * |
| 2007 | 48 | 2.9 | 0.42 | 2.1 | 3.8 | 10 | 2.5 | 0.86 | 1.1 | 4.7 |
| 2008 | 54 | 3.2 | 0.44 | 2.4 | 4.1 | * | * | * | * | * |
| 2009 | 42 | 2.3 | 0.37 | 1.7 | 3.2 | * | * | * | * | * |
| 2010 | 47 | 2.6 | 0.39 | 1.9 | 3.5 | * | * | * | * | * |
| 2011 | 57 | 3.0 | 0.40 | 2.3 | 3.9 | 14 | 2.6 | 0.74 | 1.3 | 4.4 |
| 2012 | 57 | 3.0 | 0.40 | 2.3 | 3.9 | 13 | 1.8 | 0.54 | 0.9 | 3.2 |
| 2013 | 64 | 3.4 | 0.43 | 2.6 | 4.4 | 19 | 2.5 | 0.58 | 1.5 | 3.9 |
| 2014 | 66 | 3.5 | 0.44 | 2.7 | 4.5 | * | * | * | * | * |
| 2015 | 64 | 3.3 | 0.42 | 2.5 | 4.2 | 17 | 2.4 | 0.60 | 1.3 | 3.8 |
| 2016 | 62 | 3.2 | 0.41 | 2.4 | 4.1 | 16 | 2.3 | 0.59 | 1.3 | 3.7 |
| 2017 | 57 | 2.8 | 0.38 | 2.1 | 3.7 | 20 | 2.8 | 0.63 | 1.7 | 4.3 |
| 2018 | 60 | 3.0 | 0.40 | 2.3 | 3.9 | 19 | 2.1 | 0.48 | 1.2 | 3.2 |
| 2019 | 58 | 2.7 | 0.36 | 2.0 | 3.5 | 19 | 2.1 | 0.50 | 1.3 | 3.4 |
| 2020 | 52 | 2.4 | 0.34 | 1.8 | 3.2 | 15 | 1.7 | 0.44 | 0.9 | 2.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Oral Cavity and Pharynx

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 8,616 | 4.4 | 0.05 | 4.3 | 4.5 | 6,690 | 4.0 | 0.05 | 3.9 | 4.1 |
| 1986 | 262 | 5.8 | 0.37 | 5.1 | 6.6 | 207 | 5.2 | 0.37 | 4.5 | 5.9 |
| 1987 | 256 | 5.7 | 0.37 | 5.0 | 6.5 | 209 | 5.3 | 0.38 | 4.6 | 6.1 |
| 1988 | 273 | 6.0 | 0.38 | 5.3 | 6.8 | 212 | 5.3 | 0.38 | 4.6 | 6.1 |
| 1989 | 251 | 5.4 | 0.35 | 4.8 | 6.2 | 184 | 4.5 | 0.35 | 3.9 | 5.3 |
| 1990 | 300 | 6.6 | 0.40 | 5.9 | 7.5 | 221 | 5.7 | 0.39 | 4.9 | 6.5 |
| 1991 | 282 | 6.1 | 0.37 | 5.4 | 6.9 | 203 | 5.0 | 0.36 | 4.3 | 5.8 |
| 1992 | 237 | 5.1 | 0.34 | 4.4 | 5.8 | 179 | 4.5 | 0.34 | 3.8 | 5.2 |
| 1993 | 261 | 5.4 | 0.34 | 4.8 | 6.1 | 199 | 4.8 | 0.34 | 4.1 | 5.5 |
| 1994 | 243 | 5.0 | 0.33 | 4.4 | 5.7 | 175 | 4.3 | 0.33 | 3.6 | 4.9 |
| 1995 | 248 | 5.1 | 0.33 | 4.4 | 5.8 | 187 | 4.4 | 0.33 | 3.8 | 5.1 |
| 1996 | 261 | 5.4 | 0.34 | 4.7 | 6.1 | 213 | 5.1 | 0.35 | 4.4 | 5.8 |
| 1997 | 236 | 4.7 | 0.31 | 4.1 | 5.3 | 176 | 4.1 | 0.31 | 3.5 | 4.8 |
| 1998 | 242 | 4.9 | 0.32 | 4.3 | 5.5 | 187 | 4.4 | 0.32 | 3.8 | 5.1 |
| 1999 | 216 | 4.2 | 0.29 | 3.6 | 4.8 | 167 | 3.8 | 0.30 | 3.2 | 4.4 |
| 2000 | 210 | 4.0 | 0.28 | 3.5 | 4.6 | 156 | 3.5 | 0.28 | 3.0 | 4.1 |
| 2001 | 222 | 4.2 | 0.28 | 3.7 | 4.8 | 171 | 3.8 | 0.29 | 3.2 | 4.4 |
| 2002 | 202 | 3.8 | 0.27 | 3.2 | 4.3 | 156 | 3.4 | 0.28 | 2.9 | 4.0 |
| 2003 | 233 | 4.3 | 0.29 | 3.8 | 4.9 | 166 | 3.7 | 0.29 | 3.1 | 4.3 |
| 2004 | 239 | 4.3 | 0.28 | 3.8 | 4.9 | 184 | 3.9 | 0.29 | 3.4 | 4.5 |
| 2005 | 194 | 3.5 | 0.25 | 3.0 | 4.0 | 137 | 2.9 | 0.25 | 2.4 | 3.4 |
| 2006 | 187 | 3.3 | 0.24 | 2.8 | 3.8 | 149 | 3.1 | 0.26 | 2.6 | 3.6 |
| 2007 | 215 | 3.7 | 0.26 | 3.2 | 4.2 | 171 | 3.5 | 0.27 | 3.0 | 4.0 |
| 2008 | 233 | 3.9 | 0.26 | 3.4 | 4.5 | 193 | 3.9 | 0.28 | 3.4 | 4.5 |
| 2009 | 195 | 3.1 | 0.23 | 2.7 | 3.6 | 158 | 3.0 | 0.24 | 2.6 | 3.5 |
| 2010 | 205 | 3.5 | 0.25 | 3.0 | 4.0 | 165 | 3.3 | 0.26 | 2.8 | 3.9 |
| 2011 | 240 | 3.8 | 0.25 | 3.3 | 4.3 | 190 | 3.6 | 0.27 | 3.1 | 4.2 |
| 2012 | 254 | 3.9 | 0.25 | 3.4 | 4.4 | 203 | 3.7 | 0.27 | 3.2 | 4.3 |
| 2013 | 243 | 3.7 | 0.24 | 3.2 | 4.2 | 176 | 3.2 | 0.25 | 2.7 | 3.7 |
| 2014 | 273 | 4.2 | 0.26 | 3.7 | 4.7 | 219 | 4.0 | 0.28 | 3.5 | 4.6 |
| 2015 | 260 | 3.8 | 0.24 | 3.4 | 4.3 | 206 | 3.7 | 0.26 | 3.2 | 4.2 |
| 2016 | 291 | 4.1 | 0.25 | 3.6 | 4.6 | 236 | 4.0 | 0.27 | 3.5 | 4.5 |
| 2017 | 279 | 4.0 | 0.25 | 3.5 | 4.5 | 228 | 3.9 | 0.26 | 3.4 | 4.5 |
| 2018 | 298 | 4.2 | 0.25 | 3.7 | 4.7 | 238 | 4.0 | 0.27 | 3.5 | 4.6 |
| 2019 | 288 | 3.9 | 0.23 | 3.4 | 4.4 | 230 | 3.7 | 0.25 | 3.3 | 4.3 |
| 2020 | 287 | 3.8 | 0.23 | 3.4 | 4.3 | 239 | 3.9 | 0.26 | 3.4 | 4.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Oral Cavity and Pharynx

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|------|------|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,718 | 7.3 | 0.18 | 6.9 | 7.6 | 208 | 2.9 | 0.22 | 2.5 | 3.4 |
| 1986 | 54 | 11.2 | 1.60 | 8.3 | 14.7 | * | * | * | * | * |
| 1987 | 46 | 9.4 | 1.44 | 6.8 | 12.6 | * | * | * | * | * |
| 1988 | 58 | 11.3 | 1.54 | 8.5 | 14.8 | * | * | * | * | * |
| 1989 | 63 | 11.8 | 1.51 | 9.1 | 15.2 | * | * | * | * | * |
| 1990 | 78 | 14.9 | 1.76 | 11.6 | 18.7 | * | * | * | * | * |
| 1991 | 73 | 14.0 | 1.73 | 10.8 | 17.8 | * | * | * | * | * |
| 1992 | 54 | 9.6 | 1.35 | 7.2 | 12.6 | * | * | * | * | * |
| 1993 | 59 | 10.6 | 1.44 | 8.0 | 13.8 | * | * | * | * | * |
| 1994 | 66 | 11.2 | 1.38 | 8.6 | 14.2 | * | * | * | * | * |
| 1995 | 57 | 10.6 | 1.48 | 7.9 | 13.8 | * | * | * | * | * |
| 1996 | 43 | 7.3 | 1.14 | 5.3 | 9.9 | * | * | * | * | * |
| 1997 | 56 | 9.3 | 1.31 | 6.9 | 12.2 | * | * | * | * | * |
| 1998 | 52 | 9.1 | 1.33 | 6.7 | 12.1 | * | * | * | * | * |
| 1999 | 44 | 7.3 | 1.14 | 5.3 | 9.9 | * | * | * | * | * |
| 2000 | 50 | 7.8 | 1.15 | 5.7 | 10.4 | * | * | * | * | * |
| 2001 | 45 | 7.2 | 1.11 | 5.2 | 9.7 | * | * | * | * | * |
| 2002 | 43 | 6.2 | 0.96 | 4.5 | 8.4 | * | * | * | * | * |
| 2003 | 61 | 9.2 | 1.24 | 7.0 | 12.0 | * | * | * | * | * |
| 2004 | 51 | 7.3 | 1.07 | 5.4 | 9.7 | * | * | * | * | * |
| 2005 | 50 | 7.2 | 1.05 | 5.3 | 9.6 | * | * | * | * | * |
| 2006 | 35 | 5.0 | 0.87 | 3.4 | 7.0 | * | * | * | * | * |
| 2007 | 39 | 5.6 | 0.94 | 3.9 | 7.7 | * | * | * | * | * |
| 2008 | 35 | 4.5 | 0.80 | 3.1 | 6.4 | * | * | * | * | * |
| 2009 | 33 | 4.2 | 0.76 | 2.8 | 5.9 | * | * | * | * | * |
| 2010 | 33 | 4.4 | 0.79 | 3.0 | 6.2 | * | * | * | * | * |
| 2011 | 41 | 4.9 | 0.79 | 3.5 | 6.7 | * | * | * | * | * |
| 2012 | 43 | 5.4 | 0.85 | 3.8 | 7.3 | * | * | * | * | * |
| 2013 | 52 | 6.7 | 0.98 | 4.9 | 8.9 | 15 | 4.0 | 1.07 | 2.2 | 6.8 |
| 2014 | 48 | 6.1 | 0.91 | 4.4 | 8.1 | * | * | * | * | * |
| 2015 | 47 | 5.5 | 0.83 | 4.0 | 7.4 | * | * | * | * | * |
| 2016 | 44 | 5.5 | 0.87 | 4.0 | 7.5 | 11 | 3.3 | 1.05 | 1.6 | 6.0 |
| 2017 | 38 | 4.4 | 0.73 | 3.0 | 6.1 | 13 | 4.0 | 1.15 | 2.1 | 6.9 |
| 2018 | 43 | 5.2 | 0.84 | 3.7 | 7.1 | 17 | 4.1 | 1.04 | 2.4 | 6.7 |
| 2019 | 50 | 5.7 | 0.84 | 4.2 | 7.6 | * | * | * | * | * |
| 2020 | 34 | 3.8 | 0.67 | 2.6 | 5.4 | 14 | 3.5 | 0.95 | 1.9 | 5.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Oral Cavity and Pharynx

Females

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 4,008 | 1.6 | 0.02 | 1.5 | 1.6 | 3,319 | 1.5 | 0.03 | 1.5 | 1.6 |
| 1986 | 122 | 2.0 | 0.18 | 1.6 | 2.4 | 100 | 1.8 | 0.18 | 1.4 | 2.1 |
| 1987 | 128 | 2.1 | 0.19 | 1.8 | 2.5 | 105 | 1.9 | 0.19 | 1.6 | 2.4 |
| 1988 | 105 | 1.8 | 0.17 | 1.4 | 2.1 | 86 | 1.6 | 0.18 | 1.3 | 2.0 |
| 1989 | 129 | 2.1 | 0.19 | 1.8 | 2.5 | 102 | 1.9 | 0.19 | 1.5 | 2.3 |
| 1990 | 127 | 2.0 | 0.18 | 1.7 | 2.4 | 104 | 1.8 | 0.18 | 1.5 | 2.2 |
| 1991 | 139 | 2.2 | 0.19 | 1.9 | 2.6 | 112 | 2.0 | 0.20 | 1.7 | 2.5 |
| 1992 | 128 | 2.0 | 0.18 | 1.7 | 2.4 | 102 | 1.8 | 0.19 | 1.5 | 2.2 |
| 1993 | 102 | 1.6 | 0.16 | 1.3 | 1.9 | 83 | 1.4 | 0.16 | 1.1 | 1.8 |
| 1994 | 111 | 1.6 | 0.16 | 1.4 | 2.0 | 96 | 1.6 | 0.16 | 1.3 | 2.0 |
| 1995 | 122 | 1.8 | 0.16 | 1.5 | 2.2 | 97 | 1.6 | 0.17 | 1.3 | 2.0 |
| 1996 | 107 | 1.6 | 0.16 | 1.3 | 1.9 | 94 | 1.6 | 0.17 | 1.3 | 2.0 |
| 1997 | 103 | 1.5 | 0.15 | 1.3 | 1.9 | 81 | 1.4 | 0.15 | 1.1 | 1.7 |
| 1998 | 99 | 1.5 | 0.15 | 1.2 | 1.8 | 81 | 1.4 | 0.15 | 1.1 | 1.7 |
| 1999 | 85 | 1.2 | 0.13 | 1.0 | 1.5 | 64 | 1.0 | 0.13 | 0.8 | 1.3 |
| 2000 | 119 | 1.7 | 0.16 | 1.4 | 2.0 | 102 | 1.7 | 0.17 | 1.4 | 2.1 |
| 2001 | 80 | 1.1 | 0.13 | 0.9 | 1.4 | 62 | 1.0 | 0.13 | 0.8 | 1.3 |
| 2002 | 108 | 1.5 | 0.15 | 1.3 | 1.9 | 86 | 1.4 | 0.15 | 1.1 | 1.7 |
| 2003 | 101 | 1.4 | 0.14 | 1.1 | 1.7 | 87 | 1.4 | 0.15 | 1.1 | 1.7 |
| 2004 | 97 | 1.3 | 0.14 | 1.1 | 1.6 | 83 | 1.3 | 0.15 | 1.1 | 1.7 |
| 2005 | 100 | 1.4 | 0.14 | 1.1 | 1.7 | 90 | 1.4 | 0.16 | 1.2 | 1.8 |
| 2006 | 122 | 1.7 | 0.15 | 1.4 | 2.0 | 101 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2007 | 104 | 1.4 | 0.14 | 1.2 | 1.7 | 90 | 1.5 | 0.16 | 1.2 | 1.8 |
| 2008 | 125 | 1.7 | 0.15 | 1.4 | 2.0 | 102 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2009 | 104 | 1.4 | 0.14 | 1.1 | 1.7 | 94 | 1.4 | 0.15 | 1.2 | 1.8 |
| 2010 | 98 | 1.3 | 0.13 | 1.0 | 1.5 | 82 | 1.2 | 0.14 | 1.0 | 1.6 |
| 2011 | 104 | 1.4 | 0.14 | 1.1 | 1.7 | 83 | 1.3 | 0.14 | 1.0 | 1.6 |
| 2012 | 113 | 1.4 | 0.14 | 1.2 | 1.7 | 94 | 1.4 | 0.15 | 1.2 | 1.8 |
| 2013 | 102 | 1.3 | 0.13 | 1.0 | 1.5 | 86 | 1.3 | 0.14 | 1.0 | 1.6 |
| 2014 | 123 | 1.5 | 0.14 | 1.2 | 1.8 | 102 | 1.5 | 0.15 | 1.2 | 1.8 |
| 2015 | 131 | 1.6 | 0.14 | 1.3 | 1.9 | 104 | 1.5 | 0.15 | 1.2 | 1.9 |
| 2016 | 146 | 1.7 | 0.15 | 1.5 | 2.0 | 123 | 1.8 | 0.16 | 1.5 | 2.1 |
| 2017 | 133 | 1.5 | 0.14 | 1.3 | 1.8 | 107 | 1.5 | 0.15 | 1.2 | 1.9 |
| 2018 | 125 | 1.4 | 0.13 | 1.2 | 1.7 | 106 | 1.5 | 0.15 | 1.2 | 1.8 |
| 2019 | 121 | 1.4 | 0.13 | 1.1 | 1.6 | 102 | 1.4 | 0.14 | 1.1 | 1.7 |
| 2020 | 145 | 1.6 | 0.14 | 1.4 | 1.9 | 126 | 1.7 | 0.16 | 1.4 | 2.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Oral Cavity and Pharynx

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 594 | 1.9 | 0.08 | 1.7 | 2.0 | 95 | 1.2 | 0.13 | 1.0 | 1.5 |
| 1986 | 21 | 3.4 | 0.76 | 2.1 | 5.2 | * | * | * | * | * |
| 1987 | 22 | 3.4 | 0.75 | 2.1 | 5.2 | * | * | * | * | * |
| 1988 | 18 | 2.6 | 0.62 | 1.5 | 4.1 | * | * | * | * | * |
| 1989 | 27 | 3.8 | 0.73 | 2.5 | 5.5 | * | * | * | * | * |
| 1990 | 23 | 3.2 | 0.68 | 2.0 | 4.8 | * | * | * | * | * |
| 1991 | 27 | 3.7 | 0.72 | 2.4 | 5.4 | * | * | * | * | * |
| 1992 | 24 | 3.1 | 0.65 | 2.0 | 4.7 | * | * | * | * | * |
| 1993 | 18 | 2.4 | 0.56 | 1.4 | 3.7 | * | * | * | * | * |
| 1994 | 14 | 1.8 | 0.49 | 1.0 | 3.1 | * | * | * | * | * |
| 1995 | 25 | 3.2 | 0.65 | 2.1 | 4.8 | * | * | * | * | * |
| 1996 | 13 | 1.8 | 0.50 | 0.9 | 3.0 | * | * | * | * | * |
| 1997 | 18 | 2.2 | 0.51 | 1.3 | 3.4 | * | * | * | * | * |
| 1998 | 15 | 1.8 | 0.47 | 1.0 | 3.0 | * | * | * | * | * |
| 1999 | 19 | 2.3 | 0.54 | 1.4 | 3.6 | * | * | * | * | * |
| 2000 | 16 | 1.9 | 0.49 | 1.1 | 3.1 | * | * | * | * | * |
| 2001 | 15 | 1.8 | 0.46 | 1.0 | 2.9 | * | * | * | * | * |
| 2002 | 20 | 2.3 | 0.51 | 1.4 | 3.5 | * | * | * | * | * |
| 2003 | 13 | 1.5 | 0.42 | 0.8 | 2.6 | * | * | * | * | * |
| 2004 | 13 | 1.5 | 0.42 | 0.8 | 2.6 | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | 18 | 1.9 | 0.45 | 1.1 | 3.0 | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | 19 | 2.1 | 0.47 | 1.2 | 3.2 | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | 14 | 1.3 | 0.36 | 0.7 | 2.2 | * | * | * | * | * |
| 2011 | 16 | 1.6 | 0.40 | 0.9 | 2.6 | * | * | * | * | * |
| 2012 | 14 | 1.3 | 0.35 | 0.7 | 2.2 | * | * | * | * | * |
| 2013 | 12 | 1.1 | 0.33 | 0.6 | 2.0 | * | * | * | * | * |
| 2014 | 18 | 1.7 | 0.40 | 1.0 | 2.7 | * | * | * | * | * |
| 2015 | 17 | 1.5 | 0.38 | 0.9 | 2.5 | 10 | 2.6 | 0.85 | 1.2 | 4.9 |
| 2016 | 18 | 1.6 | 0.39 | 0.9 | 2.6 | * | * | * | * | * |
| 2017 | 19 | 1.6 | 0.37 | 0.9 | 2.5 | * | * | * | * | * |
| 2018 | 17 | 1.4 | 0.36 | 0.8 | 2.3 | * | * | * | * | * |
| 2019 | * | * | * | * | * | 11 | 2.3 | 0.69 | 1.1 | 4.1 |
| 2020 | 18 | 1.4 | 0.33 | 0.8 | 2.3 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Digestive System | | | | | | | | | | |
|------------------|---------|------|------|------|------|---------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 215,204 | 48.3 | 0.10 | 48.1 | 48.5 | 176,528 | 46.2 | 0.11 | 46.0 | 46.5 |
| 1986 | 6,022 | 57.7 | 0.75 | 56.3 | 59.2 | 5,113 | 54.9 | 0.78 | 53.3 | 56.4 |
| 1987 | 6,144 | 58.5 | 0.76 | 57.1 | 60.0 | 5,221 | 55.8 | 0.78 | 54.3 | 57.4 |
| 1988 | 6,026 | 56.8 | 0.74 | 55.4 | 58.3 | 5,037 | 53.4 | 0.76 | 51.9 | 54.9 |
| 1989 | 5,959 | 55.9 | 0.73 | 54.4 | 57.3 | 4,997 | 52.7 | 0.75 | 51.2 | 54.2 |
| 1990 | 6,179 | 57.3 | 0.73 | 55.9 | 58.8 | 5,158 | 53.8 | 0.76 | 52.4 | 55.3 |
| 1991 | 6,059 | 55.5 | 0.72 | 54.1 | 56.9 | 5,096 | 52.6 | 0.74 | 51.1 | 54.0 |
| 1992 | 6,049 | 54.5 | 0.70 | 53.2 | 55.9 | 5,078 | 51.8 | 0.73 | 50.4 | 53.2 |
| 1993 | 6,114 | 54.5 | 0.70 | 53.1 | 55.9 | 5,059 | 51.1 | 0.72 | 49.7 | 52.5 |
| 1994 | 6,165 | 54.4 | 0.69 | 53.0 | 55.8 | 5,168 | 51.7 | 0.72 | 50.3 | 53.1 |
| 1995 | 6,111 | 53.3 | 0.68 | 52.0 | 54.6 | 5,140 | 51.0 | 0.71 | 49.6 | 52.4 |
| 1996 | 5,981 | 51.9 | 0.67 | 50.6 | 53.2 | 4,913 | 48.6 | 0.69 | 47.2 | 50.0 |
| 1997 | 5,995 | 51.5 | 0.67 | 50.2 | 52.8 | 4,955 | 48.6 | 0.69 | 47.3 | 50.0 |
| 1998 | 6,115 | 51.9 | 0.66 | 50.6 | 53.2 | 5,068 | 49.3 | 0.69 | 48.0 | 50.7 |
| 1999 | 6,108 | 51.3 | 0.66 | 50.0 | 52.6 | 5,073 | 48.9 | 0.69 | 47.6 | 50.3 |
| 2000 | 6,258 | 52.1 | 0.66 | 50.8 | 53.4 | 5,157 | 49.4 | 0.69 | 48.1 | 50.8 |
| 2001 | 6,173 | 51.0 | 0.65 | 49.7 | 52.3 | 5,075 | 48.3 | 0.68 | 47.0 | 49.7 |
| 2002 | 6,105 | 50.0 | 0.64 | 48.7 | 51.2 | 5,016 | 47.5 | 0.67 | 46.2 | 48.8 |
| 2003 | 5,999 | 48.5 | 0.63 | 47.3 | 49.7 | 4,881 | 45.7 | 0.66 | 44.4 | 47.0 |
| 2004 | 6,001 | 48.1 | 0.62 | 46.9 | 49.3 | 4,898 | 45.6 | 0.65 | 44.4 | 46.9 |
| 2005 | 5,980 | 47.3 | 0.61 | 46.1 | 48.5 | 4,890 | 45.1 | 0.65 | 43.8 | 46.4 |
| 2006 | 6,010 | 47.0 | 0.61 | 45.8 | 48.2 | 4,883 | 44.6 | 0.64 | 43.3 | 45.9 |
| 2007 | 5,945 | 45.8 | 0.60 | 44.6 | 47.0 | 4,831 | 43.5 | 0.63 | 42.3 | 44.8 |
| 2008 | 6,086 | 46.1 | 0.60 | 44.9 | 47.3 | 4,928 | 43.9 | 0.63 | 42.7 | 45.1 |
| 2009 | 6,022 | 44.9 | 0.58 | 43.7 | 46.0 | 4,903 | 43.1 | 0.62 | 41.9 | 44.4 |
| 2010 | 6,094 | 44.7 | 0.58 | 43.6 | 45.9 | 4,932 | 42.8 | 0.62 | 41.6 | 44.0 |
| 2011 | 6,022 | 43.5 | 0.57 | 42.4 | 44.6 | 4,822 | 41.4 | 0.61 | 40.2 | 42.6 |
| 2012 | 6,114 | 43.3 | 0.56 | 42.2 | 44.4 | 4,906 | 41.4 | 0.60 | 40.2 | 42.6 |
| 2013 | 6,247 | 43.3 | 0.56 | 42.2 | 44.4 | 5,050 | 41.9 | 0.60 | 40.7 | 43.1 |
| 2014 | 6,188 | 42.2 | 0.55 | 41.2 | 43.3 | 5,016 | 41.1 | 0.59 | 39.9 | 42.2 |
| 2015 | 6,499 | 43.6 | 0.55 | 42.6 | 44.7 | 5,180 | 41.9 | 0.59 | 40.7 | 43.0 |
| 2016 | 6,393 | 42.1 | 0.54 | 41.1 | 43.2 | 5,155 | 40.9 | 0.58 | 39.8 | 42.1 |
| 2017 | 6,433 | 41.9 | 0.53 | 40.9 | 43.0 | 5,152 | 40.6 | 0.58 | 39.5 | 41.8 |
| 2018 | 6,546 | 42.0 | 0.53 | 40.9 | 43.0 | 5,275 | 41.1 | 0.58 | 40.0 | 42.2 |
| 2019 | 6,453 | 40.8 | 0.52 | 39.8 | 41.9 | 5,171 | 39.7 | 0.56 | 38.7 | 40.9 |
| 2020 | 6,609 | 41.3 | 0.52 | 40.3 | 42.4 | 5,331 | 40.7 | 0.57 | 39.6 | 41.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Digestive System | | | | | | | | | | |
|------------------|--------|------|------|------|------|----------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 34,392 | 67.6 | 0.37 | 66.9 | 68.3 | 4,282 | 31.5 | 0.51 | 30.5 | 32.5 |
| 1986 | 863 | 84.6 | 3.00 | 78.8 | 90.6 | 45 | 33.0 | 5.62 | 22.9 | 45.6 |
| 1987 | 887 | 84.1 | 2.92 | 78.5 | 90.0 | 36 | 27.3 | 5.26 | 18.0 | 39.2 |
| 1988 | 942 | 86.3 | 2.91 | 80.7 | 92.2 | 47 | 34.8 | 5.90 | 24.2 | 48.0 |
| 1989 | 899 | 83.5 | 2.88 | 78.0 | 89.3 | 62 | 47.7 | 7.04 | 34.9 | 63.0 |
| 1990 | 960 | 87.3 | 2.91 | 81.7 | 93.2 | 61 | 44.7 | 6.76 | 32.4 | 59.4 |
| 1991 | 904 | 81.3 | 2.78 | 75.9 | 86.9 | 59 | 44.0 | 6.48 | 32.3 | 58.2 |
| 1992 | 897 | 77.9 | 2.68 | 72.7 | 83.3 | 74 | 43.3 | 5.69 | 32.9 | 55.6 |
| 1993 | 987 | 85.1 | 2.78 | 79.7 | 90.7 | 68 | 41.0 | 5.56 | 30.8 | 53.0 |
| 1994 | 911 | 75.9 | 2.58 | 70.9 | 81.1 | 86 | 46.2 | 5.63 | 35.9 | 58.3 |
| 1995 | 887 | 73.6 | 2.53 | 68.7 | 78.7 | 84 | 45.9 | 5.54 | 35.7 | 57.8 |
| 1996 | 987 | 79.7 | 2.60 | 74.7 | 85.0 | 81 | 38.6 | 4.79 | 29.8 | 48.9 |
| 1997 | 945 | 75.4 | 2.51 | 70.5 | 80.4 | 95 | 42.0 | 4.82 | 33.1 | 52.3 |
| 1998 | 969 | 74.9 | 2.46 | 70.2 | 79.8 | 78 | 31.9 | 4.06 | 24.5 | 40.7 |
| 1999 | 927 | 71.8 | 2.41 | 67.2 | 76.7 | 108 | 41.3 | 4.39 | 33.1 | 50.6 |
| 2000 | 986 | 73.7 | 2.39 | 69.0 | 78.5 | 115 | 41.8 | 4.29 | 33.8 | 50.9 |
| 2001 | 985 | 72.4 | 2.36 | 67.9 | 77.2 | 113 | 36.2 | 3.73 | 29.3 | 44.2 |
| 2002 | 981 | 71.4 | 2.33 | 66.9 | 76.1 | 108 | 35.9 | 3.72 | 29.0 | 43.8 |
| 2003 | 979 | 70.2 | 2.29 | 65.8 | 74.8 | 139 | 42.8 | 3.95 | 35.4 | 51.1 |
| 2004 | 1,008 | 70.4 | 2.27 | 66.0 | 75.0 | 95 | 27.1 | 2.98 | 21.6 | 33.5 |
| 2005 | 976 | 67.1 | 2.19 | 62.8 | 71.5 | 114 | 32.5 | 3.28 | 26.3 | 39.4 |
| 2006 | 1,000 | 67.5 | 2.18 | 63.3 | 71.9 | 127 | 32.2 | 3.07 | 26.5 | 38.7 |
| 2007 | 990 | 64.9 | 2.11 | 60.9 | 69.2 | 124 | 28.5 | 2.77 | 23.3 | 34.3 |
| 2008 | 1,043 | 68.1 | 2.15 | 63.9 | 72.4 | 115 | 25.2 | 2.53 | 20.5 | 30.5 |
| 2009 | 955 | 59.5 | 1.97 | 55.7 | 63.5 | 164 | 36.3 | 3.05 | 30.6 | 42.7 |
| 2010 | 999 | 61.5 | 1.99 | 57.6 | 65.5 | 163 | 34.3 | 2.88 | 28.9 | 40.3 |
| 2011 | 1,028 | 61.5 | 1.97 | 57.7 | 65.5 | 172 | 32.9 | 2.68 | 27.9 | 38.6 |
| 2012 | 1,036 | 60.5 | 1.92 | 56.8 | 64.4 | 172 | 29.9 | 2.43 | 25.4 | 35.0 |
| 2013 | 1,031 | 58.5 | 1.87 | 54.9 | 62.2 | 166 | 28.4 | 2.32 | 24.0 | 33.2 |
| 2014 | 1,015 | 56.0 | 1.80 | 52.6 | 59.7 | 157 | 26.3 | 2.19 | 22.2 | 30.9 |
| 2015 | 1,118 | 60.6 | 1.86 | 57.0 | 64.3 | 201 | 29.5 | 2.16 | 25.4 | 34.1 |
| 2016 | 1,026 | 54.3 | 1.74 | 50.9 | 57.8 | 212 | 29.7 | 2.11 | 25.7 | 34.1 |
| 2017 | 1,089 | 57.0 | 1.77 | 53.6 | 60.6 | 192 | 25.4 | 1.89 | 21.9 | 29.4 |
| 2018 | 1,062 | 54.4 | 1.70 | 51.1 | 57.8 | 209 | 26.0 | 1.84 | 22.5 | 29.8 |
| 2019 | 1,084 | 54.7 | 1.70 | 51.5 | 58.2 | 198 | 24.5 | 1.77 | 21.1 | 28.2 |
| 2020 | 1,036 | 50.8 | 1.61 | 47.7 | 54.1 | 242 | 27.5 | 1.79 | 24.1 | 31.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Digestive System | | | | | | | | | | |
|-------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 116,122 | 62.2 | 0.19 | 61.8 | 62.5 | 95,289 | 59.6 | 0.20 | 59.2 | 59.9 |
| 1986 | 3,177 | 75.8 | 1.41 | 73.1 | 78.6 | 2,685 | 72.3 | 1.46 | 69.5 | 75.2 |
| 1987 | 3,169 | 75.5 | 1.40 | 72.7 | 78.3 | 2,654 | 71.6 | 1.45 | 68.8 | 74.5 |
| 1988 | 3,208 | 75.9 | 1.40 | 73.1 | 78.6 | 2,645 | 71.1 | 1.44 | 68.3 | 74.0 |
| 1989 | 3,155 | 74.8 | 1.39 | 72.1 | 77.5 | 2,638 | 70.8 | 1.43 | 68.0 | 73.7 |
| 1990 | 3,202 | 74.2 | 1.36 | 71.6 | 76.9 | 2,660 | 69.9 | 1.40 | 67.2 | 72.7 |
| 1991 | 3,225 | 73.8 | 1.35 | 71.2 | 76.5 | 2,707 | 70.2 | 1.40 | 67.5 | 73.0 |
| 1992 | 3,204 | 72.2 | 1.32 | 69.6 | 74.8 | 2,662 | 68.1 | 1.36 | 65.4 | 70.8 |
| 1993 | 3,148 | 70.2 | 1.29 | 67.7 | 72.8 | 2,591 | 65.6 | 1.32 | 63.1 | 68.3 |
| 1994 | 3,235 | 71.2 | 1.29 | 68.7 | 73.7 | 2,697 | 67.6 | 1.34 | 65.1 | 70.3 |
| 1995 | 3,227 | 70.3 | 1.27 | 67.8 | 72.8 | 2,689 | 66.8 | 1.32 | 64.2 | 69.4 |
| 1996 | 3,159 | 68.4 | 1.25 | 66.0 | 70.9 | 2,595 | 64.5 | 1.29 | 62.0 | 67.0 |
| 1997 | 3,180 | 67.8 | 1.23 | 65.4 | 70.3 | 2,605 | 63.9 | 1.27 | 61.4 | 66.4 |
| 1998 | 3,235 | 67.4 | 1.21 | 65.1 | 69.9 | 2,682 | 64.4 | 1.26 | 62.0 | 66.9 |
| 1999 | 3,191 | 66.2 | 1.19 | 63.9 | 68.6 | 2,660 | 63.4 | 1.24 | 61.0 | 65.9 |
| 2000 | 3,253 | 66.4 | 1.18 | 64.1 | 68.8 | 2,672 | 63.0 | 1.23 | 60.6 | 65.5 |
| 2001 | 3,247 | 65.5 | 1.17 | 63.2 | 67.8 | 2,679 | 62.6 | 1.22 | 60.2 | 65.0 |
| 2002 | 3,235 | 64.5 | 1.15 | 62.3 | 66.8 | 2,684 | 62.0 | 1.21 | 59.7 | 64.4 |
| 2003 | 3,309 | 65.4 | 1.15 | 63.1 | 67.7 | 2,684 | 61.7 | 1.20 | 59.4 | 64.1 |
| 2004 | 3,203 | 61.8 | 1.11 | 59.6 | 64.0 | 2,616 | 58.9 | 1.16 | 56.6 | 61.2 |
| 2005 | 3,216 | 61.1 | 1.10 | 59.0 | 63.3 | 2,631 | 58.3 | 1.15 | 56.1 | 60.6 |
| 2006 | 3,163 | 59.1 | 1.07 | 57.0 | 61.2 | 2,592 | 56.6 | 1.13 | 54.4 | 58.8 |
| 2007 | 3,143 | 57.7 | 1.05 | 55.7 | 59.8 | 2,546 | 54.8 | 1.10 | 52.7 | 57.0 |
| 2008 | 3,322 | 59.0 | 1.04 | 57.0 | 61.1 | 2,691 | 56.0 | 1.10 | 53.9 | 58.2 |
| 2009 | 3,360 | 58.6 | 1.03 | 56.6 | 60.7 | 2,745 | 56.4 | 1.09 | 54.3 | 58.6 |
| 2010 | 3,349 | 57.2 | 1.01 | 55.3 | 59.2 | 2,720 | 54.7 | 1.07 | 52.6 | 56.8 |
| 2011 | 3,287 | 54.9 | 0.98 | 53.0 | 56.8 | 2,661 | 52.6 | 1.04 | 50.6 | 54.7 |
| 2012 | 3,449 | 56.2 | 0.98 | 54.3 | 58.1 | 2,786 | 53.7 | 1.04 | 51.6 | 55.7 |
| 2013 | 3,497 | 55.8 | 0.97 | 53.9 | 57.7 | 2,841 | 54.0 | 1.03 | 52.0 | 56.0 |
| 2014 | 3,495 | 54.7 | 0.95 | 52.8 | 56.6 | 2,849 | 53.1 | 1.02 | 51.2 | 55.2 |
| 2015 | 3,649 | 55.8 | 0.95 | 54.0 | 57.7 | 2,930 | 53.6 | 1.01 | 51.6 | 55.6 |
| 2016 | 3,588 | 53.6 | 0.92 | 51.8 | 55.4 | 2,901 | 51.8 | 0.99 | 49.8 | 53.7 |
| 2017 | 3,569 | 52.9 | 0.91 | 51.2 | 54.7 | 2,898 | 51.6 | 0.98 | 49.7 | 53.5 |
| 2018 | 3,611 | 51.9 | 0.89 | 50.2 | 53.7 | 2,942 | 50.9 | 0.96 | 49.1 | 52.9 |
| 2019 | 3,670 | 52.1 | 0.88 | 50.4 | 53.9 | 2,970 | 50.7 | 0.95 | 48.9 | 52.6 |
| 2020 | 3,792 | 53.0 | 0.88 | 51.3 | 54.7 | 3,081 | 52.1 | 0.96 | 50.2 | 54.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Digestive System | | | | | | | | | | |
|-------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 18,348 | 88.5 | 0.69 | 87.2 | 89.9 | 2,484 | 40.6 | 0.89 | 38.9 | 42.4 |
| 1986 | 465 | 109.3 | 5.48 | 98.8 | 120.5 | 27 | 38.7 | 8.31 | 24.1 | 58.4 |
| 1987 | 491 | 112.0 | 5.39 | 101.7 | 123.0 | 24 | 33.2 | 7.65 | 19.9 | 51.5 |
| 1988 | 530 | 117.6 | 5.47 | 107.2 | 128.8 | 33 | 54.3 | 11.15 | 34.7 | 79.7 |
| 1989 | 482 | 111.2 | 5.46 | 100.7 | 122.3 | 34 | 43.6 | 8.48 | 28.6 | 63.2 |
| 1990 | 496 | 109.6 | 5.27 | 99.6 | 120.4 | 46 | 77.1 | 13.90 | 52.3 | 107.9 |
| 1991 | 481 | 105.6 | 5.15 | 95.7 | 116.1 | 37 | 62.9 | 11.82 | 41.9 | 89.3 |
| 1992 | 496 | 110.7 | 5.34 | 100.4 | 121.6 | 46 | 60.2 | 10.12 | 42.0 | 82.7 |
| 1993 | 516 | 111.7 | 5.28 | 101.6 | 122.5 | 41 | 62.6 | 11.16 | 42.7 | 87.3 |
| 1994 | 491 | 102.8 | 4.96 | 93.3 | 112.9 | 47 | 53.7 | 9.15 | 37.3 | 74.0 |
| 1995 | 490 | 102.9 | 4.98 | 93.4 | 113.0 | 48 | 59.5 | 9.94 | 41.7 | 81.5 |
| 1996 | 520 | 103.2 | 4.85 | 93.9 | 113.0 | 44 | 45.0 | 8.05 | 30.6 | 63.0 |
| 1997 | 509 | 98.7 | 4.63 | 89.8 | 108.1 | 66 | 67.7 | 9.81 | 49.9 | 89.1 |
| 1998 | 516 | 97.7 | 4.55 | 89.0 | 107.0 | 37 | 32.9 | 6.10 | 22.0 | 46.7 |
| 1999 | 476 | 92.9 | 4.52 | 84.3 | 102.1 | 55 | 55.9 | 8.77 | 40.1 | 75.1 |
| 2000 | 518 | 96.0 | 4.46 | 87.5 | 105.1 | 63 | 51.3 | 7.60 | 37.5 | 68.0 |
| 2001 | 496 | 89.9 | 4.31 | 81.6 | 98.6 | 72 | 50.7 | 6.88 | 38.1 | 65.7 |
| 2002 | 485 | 88.1 | 4.23 | 80.0 | 96.7 | 66 | 51.2 | 7.01 | 38.3 | 66.4 |
| 2003 | 542 | 94.8 | 4.33 | 86.5 | 103.6 | 83 | 56.6 | 7.22 | 43.3 | 72.2 |
| 2004 | 533 | 90.5 | 4.18 | 82.5 | 99.0 | 54 | 31.2 | 4.71 | 22.7 | 41.7 |
| 2005 | 525 | 89.0 | 4.15 | 81.0 | 97.4 | 60 | 36.9 | 5.42 | 27.0 | 48.8 |
| 2006 | 502 | 83.5 | 3.95 | 75.9 | 91.5 | 69 | 41.6 | 5.55 | 31.4 | 53.6 |
| 2007 | 530 | 86.3 | 3.99 | 78.7 | 94.4 | 67 | 31.7 | 4.35 | 23.7 | 41.2 |
| 2008 | 561 | 91.3 | 4.09 | 83.5 | 99.7 | 70 | 35.0 | 4.71 | 26.4 | 45.3 |
| 2009 | 522 | 79.0 | 3.67 | 72.0 | 86.5 | 93 | 47.0 | 5.41 | 37.0 | 58.6 |
| 2010 | 540 | 81.5 | 3.72 | 74.3 | 89.0 | 89 | 41.1 | 4.86 | 32.1 | 51.5 |
| 2011 | 535 | 78.5 | 3.58 | 71.6 | 85.8 | 91 | 39.4 | 4.60 | 30.9 | 49.2 |
| 2012 | 552 | 79.7 | 3.58 | 72.9 | 87.0 | 111 | 44.1 | 4.62 | 35.5 | 53.9 |
| 2013 | 559 | 77.4 | 3.47 | 70.8 | 84.5 | 97 | 36.2 | 4.00 | 28.7 | 44.7 |
| 2014 | 557 | 74.6 | 3.33 | 68.2 | 81.4 | 89 | 32.6 | 3.69 | 25.8 | 40.5 |
| 2015 | 600 | 79.9 | 3.43 | 73.3 | 86.9 | 119 | 39.0 | 3.79 | 31.9 | 47.0 |
| 2016 | 561 | 72.4 | 3.20 | 66.2 | 78.9 | 126 | 40.3 | 3.81 | 33.2 | 48.4 |
| 2017 | 561 | 72.2 | 3.20 | 66.1 | 78.8 | 110 | 32.1 | 3.20 | 26.1 | 38.9 |
| 2018 | 557 | 69.6 | 3.08 | 63.7 | 75.9 | 112 | 31.2 | 3.07 | 25.5 | 37.8 |
| 2019 | 582 | 70.8 | 3.05 | 64.9 | 77.0 | 118 | 32.8 | 3.11 | 27.0 | 39.4 |
| 2020 | 571 | 67.4 | 2.93 | 61.8 | 73.4 | 140 | 34.8 | 3.01 | 29.2 | 41.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Digestive System | | | | | | | | | | |
|-------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 99,082 | 38.0 | 0.12 | 37.8 | 38.2 | 81,239 | 36.2 | 0.13 | 36.0 | 36.5 |
| 1986 | 2,845 | 45.6 | 0.87 | 44.0 | 47.4 | 2,428 | 43.3 | 0.89 | 41.6 | 45.1 |
| 1987 | 2,975 | 47.1 | 0.87 | 45.4 | 48.9 | 2,567 | 45.4 | 0.91 | 43.7 | 47.2 |
| 1988 | 2,818 | 44.2 | 0.84 | 42.5 | 45.8 | 2,392 | 41.8 | 0.87 | 40.1 | 43.5 |
| 1989 | 2,804 | 43.5 | 0.83 | 41.9 | 45.1 | 2,359 | 40.9 | 0.85 | 39.2 | 42.6 |
| 1990 | 2,977 | 45.7 | 0.85 | 44.1 | 47.4 | 2,498 | 42.9 | 0.87 | 41.2 | 44.7 |
| 1991 | 2,834 | 42.9 | 0.81 | 41.4 | 44.6 | 2,389 | 40.4 | 0.84 | 38.8 | 42.1 |
| 1992 | 2,845 | 42.4 | 0.80 | 40.9 | 44.0 | 2,416 | 40.4 | 0.83 | 38.8 | 42.1 |
| 1993 | 2,966 | 43.8 | 0.81 | 42.3 | 45.5 | 2,468 | 41.2 | 0.84 | 39.6 | 42.9 |
| 1994 | 2,930 | 42.8 | 0.80 | 41.2 | 44.4 | 2,471 | 40.6 | 0.83 | 39.0 | 42.2 |
| 1995 | 2,884 | 41.6 | 0.78 | 40.1 | 43.2 | 2,451 | 40.0 | 0.82 | 38.4 | 41.6 |
| 1996 | 2,822 | 40.6 | 0.77 | 39.1 | 42.2 | 2,318 | 37.8 | 0.80 | 36.3 | 39.4 |
| 1997 | 2,815 | 40.1 | 0.76 | 38.6 | 41.6 | 2,350 | 38.1 | 0.80 | 36.5 | 39.7 |
| 1998 | 2,880 | 40.7 | 0.77 | 39.3 | 42.3 | 2,386 | 38.5 | 0.80 | 37.0 | 40.1 |
| 1999 | 2,917 | 40.8 | 0.76 | 39.3 | 42.3 | 2,413 | 38.5 | 0.79 | 36.9 | 40.1 |
| 2000 | 3,005 | 41.7 | 0.77 | 40.2 | 43.2 | 2,485 | 39.4 | 0.80 | 37.9 | 41.0 |
| 2001 | 2,926 | 40.4 | 0.75 | 38.9 | 41.9 | 2,396 | 37.9 | 0.79 | 36.4 | 39.5 |
| 2002 | 2,870 | 39.3 | 0.74 | 37.9 | 40.8 | 2,332 | 36.7 | 0.77 | 35.2 | 38.2 |
| 2003 | 2,690 | 36.5 | 0.71 | 35.1 | 37.9 | 2,197 | 34.4 | 0.75 | 33.0 | 35.9 |
| 2004 | 2,798 | 37.8 | 0.72 | 36.4 | 39.3 | 2,282 | 35.6 | 0.76 | 34.2 | 37.1 |
| 2005 | 2,764 | 37.1 | 0.71 | 35.7 | 38.5 | 2,259 | 35.2 | 0.76 | 33.8 | 36.8 |
| 2006 | 2,847 | 37.9 | 0.72 | 36.5 | 39.4 | 2,291 | 35.5 | 0.76 | 34.0 | 37.0 |
| 2007 | 2,802 | 36.8 | 0.71 | 35.4 | 38.2 | 2,285 | 34.9 | 0.75 | 33.5 | 36.4 |
| 2008 | 2,764 | 36.0 | 0.70 | 34.7 | 37.4 | 2,237 | 34.2 | 0.74 | 32.8 | 35.7 |
| 2009 | 2,662 | 34.5 | 0.68 | 33.2 | 35.8 | 2,158 | 33.0 | 0.73 | 31.6 | 34.4 |
| 2010 | 2,745 | 35.1 | 0.68 | 33.7 | 36.4 | 2,212 | 33.5 | 0.73 | 32.1 | 35.0 |
| 2011 | 2,735 | 34.5 | 0.67 | 33.2 | 35.8 | 2,161 | 32.3 | 0.71 | 30.9 | 33.7 |
| 2012 | 2,665 | 33.1 | 0.65 | 31.8 | 34.4 | 2,120 | 31.4 | 0.70 | 30.1 | 32.8 |
| 2013 | 2,750 | 33.4 | 0.65 | 32.1 | 34.7 | 2,209 | 32.1 | 0.70 | 30.8 | 33.5 |
| 2014 | 2,693 | 32.5 | 0.64 | 31.2 | 33.7 | 2,167 | 31.4 | 0.69 | 30.1 | 32.8 |
| 2015 | 2,850 | 33.9 | 0.65 | 32.6 | 35.2 | 2,250 | 32.3 | 0.70 | 30.9 | 33.7 |
| 2016 | 2,805 | 32.6 | 0.63 | 31.4 | 33.9 | 2,254 | 31.8 | 0.69 | 30.4 | 33.2 |
| 2017 | 2,864 | 33.2 | 0.63 | 31.9 | 34.4 | 2,254 | 31.7 | 0.69 | 30.4 | 33.1 |
| 2018 | 2,935 | 33.7 | 0.64 | 32.4 | 34.9 | 2,333 | 32.6 | 0.69 | 31.2 | 34.0 |
| 2019 | 2,783 | 31.6 | 0.61 | 30.4 | 32.8 | 2,201 | 30.6 | 0.67 | 29.3 | 31.9 |
| 2020 | 2,817 | 31.8 | 0.61 | 30.6 | 33.1 | 2,250 | 31.3 | 0.68 | 30.0 | 32.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Digestive System | | | | | | | | | | |
|-------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 16,044 | 53.3 | 0.42 | 52.5 | 54.2 | 1,798 | 24.3 | 0.60 | 23.2 | 25.5 |
| 1986 | 398 | 67.6 | 3.46 | 60.9 | 74.6 | 18 | 27.6 | 7.38 | 15.1 | 45.3 |
| 1987 | 396 | 64.5 | 3.31 | 58.2 | 71.3 | 12 | 21.6 | 6.94 | 10.2 | 38.5 |
| 1988 | 412 | 64.7 | 3.25 | 58.5 | 71.4 | 14 | 19.9 | 6.16 | 9.8 | 35.0 |
| 1989 | 417 | 65.3 | 3.26 | 59.1 | 72.0 | 28 | 49.1 | 10.29 | 31.0 | 72.3 |
| 1990 | 464 | 71.6 | 3.38 | 65.1 | 78.5 | 15 | 20.2 | 6.03 | 10.2 | 34.7 |
| 1991 | 423 | 64.6 | 3.18 | 58.5 | 71.1 | 22 | 30.1 | 7.23 | 17.6 | 46.8 |
| 1992 | 401 | 57.8 | 2.93 | 52.2 | 63.8 | 28 | 30.5 | 6.49 | 19.1 | 45.4 |
| 1993 | 471 | 67.8 | 3.16 | 61.7 | 74.2 | 27 | 26.0 | 5.50 | 16.4 | 38.7 |
| 1994 | 420 | 58.7 | 2.90 | 53.2 | 64.6 | 39 | 39.9 | 7.04 | 27.4 | 55.7 |
| 1995 | 397 | 55.1 | 2.79 | 49.8 | 60.8 | 36 | 35.9 | 6.43 | 24.4 | 50.2 |
| 1996 | 467 | 63.7 | 2.98 | 58.0 | 69.8 | 37 | 33.3 | 5.88 | 22.8 | 46.4 |
| 1997 | 436 | 58.6 | 2.83 | 53.2 | 64.4 | 29 | 23.6 | 4.75 | 15.2 | 34.4 |
| 1998 | 453 | 58.9 | 2.79 | 53.6 | 64.6 | 41 | 30.5 | 5.24 | 21.1 | 42.2 |
| 1999 | 451 | 58.1 | 2.75 | 52.8 | 63.7 | 53 | 32.7 | 4.79 | 24.0 | 43.3 |
| 2000 | 468 | 58.6 | 2.73 | 53.4 | 64.2 | 52 | 34.7 | 5.10 | 25.4 | 45.9 |
| 2001 | 489 | 60.6 | 2.76 | 55.3 | 66.2 | 41 | 24.8 | 4.13 | 17.4 | 34.1 |
| 2002 | 496 | 60.2 | 2.72 | 55.0 | 65.8 | 42 | 24.9 | 4.04 | 17.6 | 33.9 |
| 2003 | 437 | 53.0 | 2.55 | 48.1 | 58.2 | 56 | 32.2 | 4.52 | 24.0 | 42.2 |
| 2004 | 475 | 56.3 | 2.60 | 51.3 | 61.6 | 41 | 22.9 | 3.72 | 16.2 | 31.2 |
| 2005 | 451 | 52.6 | 2.50 | 47.8 | 57.7 | 54 | 28.5 | 4.05 | 21.1 | 37.4 |
| 2006 | 498 | 56.4 | 2.55 | 51.6 | 61.7 | 58 | 25.6 | 3.54 | 19.2 | 33.4 |
| 2007 | 460 | 50.9 | 2.40 | 46.3 | 55.8 | 57 | 25.2 | 3.51 | 18.8 | 32.9 |
| 2008 | 482 | 52.6 | 2.42 | 48.0 | 57.6 | 45 | 17.8 | 2.80 | 12.8 | 24.1 |
| 2009 | 433 | 46.0 | 2.24 | 41.8 | 50.6 | 71 | 28.3 | 3.52 | 21.8 | 35.9 |
| 2010 | 459 | 47.8 | 2.26 | 43.4 | 52.4 | 74 | 28.5 | 3.47 | 22.1 | 36.0 |
| 2011 | 493 | 49.9 | 2.28 | 45.6 | 54.6 | 81 | 28.3 | 3.28 | 22.2 | 35.4 |
| 2012 | 484 | 47.5 | 2.19 | 43.3 | 52.0 | 61 | 19.1 | 2.56 | 14.4 | 24.7 |
| 2013 | 472 | 45.5 | 2.12 | 41.4 | 49.8 | 69 | 22.2 | 2.77 | 17.2 | 28.3 |
| 2014 | 458 | 43.2 | 2.05 | 39.3 | 47.4 | 68 | 21.0 | 2.62 | 16.2 | 26.7 |
| 2015 | 518 | 47.7 | 2.13 | 43.6 | 52.0 | 82 | 21.8 | 2.47 | 17.3 | 27.2 |
| 2016 | 465 | 41.4 | 1.95 | 37.7 | 45.4 | 86 | 21.8 | 2.42 | 17.3 | 27.0 |
| 2017 | 528 | 46.9 | 2.07 | 42.9 | 51.1 | 82 | 19.7 | 2.23 | 15.6 | 24.6 |
| 2018 | 505 | 44.0 | 1.99 | 40.1 | 48.0 | 97 | 22.0 | 2.28 | 17.8 | 27.0 |
| 2019 | 502 | 43.2 | 1.96 | 39.4 | 47.2 | 80 | 17.8 | 2.02 | 14.1 | 22.3 |
| 2020 | 465 | 39.3 | 1.85 | 35.7 | 43.1 | 102 | 21.2 | 2.12 | 17.2 | 25.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Esophagus | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 20,166 | 4.5 | 0.03 | 4.4 | 4.6 | 16,499 | 4.3 | 0.03 | 4.3 | 4.4 |
| 1986 | 479 | 4.4 | 0.21 | 4.0 | 4.9 | 330 | 3.4 | 0.19 | 3.1 | 3.8 |
| 1987 | 510 | 4.8 | 0.22 | 4.4 | 5.2 | 378 | 4.0 | 0.21 | 3.6 | 4.4 |
| 1988 | 483 | 4.5 | 0.21 | 4.1 | 4.9 | 341 | 3.5 | 0.19 | 3.2 | 3.9 |
| 1989 | 493 | 4.6 | 0.21 | 4.2 | 5.1 | 367 | 3.9 | 0.21 | 3.5 | 4.3 |
| 1990 | 479 | 4.4 | 0.20 | 4.0 | 4.8 | 340 | 3.5 | 0.19 | 3.2 | 3.9 |
| 1991 | 527 | 4.8 | 0.21 | 4.4 | 5.2 | 384 | 3.9 | 0.20 | 3.6 | 4.4 |
| 1992 | 535 | 4.8 | 0.21 | 4.4 | 5.2 | 419 | 4.3 | 0.21 | 3.9 | 4.7 |
| 1993 | 510 | 4.5 | 0.20 | 4.1 | 4.9 | 383 | 3.8 | 0.20 | 3.5 | 4.3 |
| 1994 | 552 | 4.9 | 0.21 | 4.5 | 5.3 | 417 | 4.2 | 0.21 | 3.8 | 4.6 |
| 1995 | 557 | 4.9 | 0.21 | 4.5 | 5.3 | 433 | 4.3 | 0.21 | 3.9 | 4.8 |
| 1996 | 554 | 4.8 | 0.20 | 4.4 | 5.2 | 432 | 4.3 | 0.21 | 3.9 | 4.8 |
| 1997 | 551 | 4.8 | 0.20 | 4.4 | 5.2 | 435 | 4.3 | 0.21 | 3.9 | 4.8 |
| 1998 | 576 | 4.9 | 0.20 | 4.5 | 5.3 | 475 | 4.7 | 0.22 | 4.3 | 5.1 |
| 1999 | 515 | 4.3 | 0.19 | 4.0 | 4.7 | 416 | 4.1 | 0.20 | 3.7 | 4.5 |
| 2000 | 592 | 5.0 | 0.20 | 4.6 | 5.4 | 479 | 4.7 | 0.21 | 4.2 | 5.1 |
| 2001 | 589 | 4.9 | 0.20 | 4.5 | 5.3 | 466 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2002 | 564 | 4.6 | 0.19 | 4.3 | 5.0 | 469 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2003 | 562 | 4.5 | 0.19 | 4.2 | 4.9 | 468 | 4.4 | 0.21 | 4.0 | 4.9 |
| 2004 | 561 | 4.5 | 0.19 | 4.2 | 4.9 | 470 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2005 | 607 | 4.8 | 0.20 | 4.4 | 5.2 | 514 | 4.8 | 0.21 | 4.4 | 5.2 |
| 2006 | 568 | 4.5 | 0.19 | 4.1 | 4.8 | 482 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2007 | 618 | 4.7 | 0.19 | 4.4 | 5.1 | 528 | 4.8 | 0.21 | 4.4 | 5.2 |
| 2008 | 633 | 4.7 | 0.19 | 4.4 | 5.1 | 535 | 4.7 | 0.21 | 4.3 | 5.2 |
| 2009 | 602 | 4.4 | 0.18 | 4.1 | 4.8 | 514 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2010 | 622 | 4.5 | 0.18 | 4.2 | 4.9 | 537 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2011 | 588 | 4.2 | 0.18 | 3.9 | 4.6 | 484 | 4.2 | 0.19 | 3.8 | 4.6 |
| 2012 | 631 | 4.4 | 0.18 | 4.1 | 4.8 | 531 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2013 | 646 | 4.4 | 0.18 | 4.1 | 4.8 | 563 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2014 | 647 | 4.4 | 0.17 | 4.0 | 4.7 | 565 | 4.6 | 0.20 | 4.2 | 5.0 |
| 2015 | 622 | 4.1 | 0.17 | 3.8 | 4.4 | 559 | 4.4 | 0.19 | 4.1 | 4.8 |
| 2016 | 637 | 4.2 | 0.17 | 3.8 | 4.5 | 551 | 4.4 | 0.19 | 4.0 | 4.7 |
| 2017 | 622 | 4.0 | 0.16 | 3.7 | 4.4 | 531 | 4.2 | 0.18 | 3.8 | 4.6 |
| 2018 | 605 | 3.8 | 0.16 | 3.5 | 4.1 | 533 | 4.1 | 0.18 | 3.8 | 4.5 |
| 2019 | 652 | 4.1 | 0.16 | 3.8 | 4.4 | 573 | 4.4 | 0.19 | 4.0 | 4.7 |
| 2020 | 677 | 4.1 | 0.16 | 3.8 | 4.4 | 597 | 4.4 | 0.18 | 4.1 | 4.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Esophagus | | | | | | | | | | |
|------------|-------|------|------|------|------|----------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,446 | 6.3 | 0.11 | 6.1 | 6.5 | 221 | 1.6 | 0.11 | 1.4 | 1.8 |
| 1986 | 149 | 12.9 | 1.08 | 10.9 | 15.2 | * | * | * | * | * |
| 1987 | 131 | 11.6 | 1.04 | 9.7 | 13.8 | * | * | * | * | * |
| 1988 | 141 | 11.9 | 1.02 | 10.0 | 14.0 | * | * | * | * | * |
| 1989 | 125 | 10.6 | 0.97 | 8.8 | 12.7 | * | * | * | * | * |
| 1990 | 134 | 11.3 | 1.00 | 9.5 | 13.5 | * | * | * | * | * |
| 1991 | 139 | 11.3 | 0.98 | 9.5 | 13.4 | * | * | * | * | * |
| 1992 | 110 | 8.8 | 0.85 | 7.2 | 10.6 | * | * | * | * | * |
| 1993 | 124 | 9.9 | 0.91 | 8.2 | 11.8 | * | * | * | * | * |
| 1994 | 132 | 10.2 | 0.91 | 8.5 | 12.2 | * | * | * | * | * |
| 1995 | 119 | 9.1 | 0.85 | 7.5 | 10.9 | * | * | * | * | * |
| 1996 | 116 | 8.5 | 0.81 | 7.0 | 10.3 | * | * | * | * | * |
| 1997 | 110 | 8.1 | 0.79 | 6.7 | 9.8 | * | * | * | * | * |
| 1998 | 101 | 7.2 | 0.72 | 5.8 | 8.7 | * | * | * | * | * |
| 1999 | 95 | 6.9 | 0.71 | 5.5 | 8.4 | * | * | * | * | * |
| 2000 | 111 | 7.8 | 0.75 | 6.4 | 9.4 | * | * | * | * | * |
| 2001 | 117 | 8.2 | 0.77 | 6.7 | 9.8 | * | * | * | * | * |
| 2002 | 88 | 6.1 | 0.66 | 4.8 | 7.5 | * | * | * | * | * |
| 2003 | 89 | 5.7 | 0.62 | 4.6 | 7.1 | * | * | * | * | * |
| 2004 | 89 | 5.9 | 0.64 | 4.7 | 7.3 | * | * | * | * | * |
| 2005 | 91 | 5.8 | 0.61 | 4.6 | 7.1 | * | * | * | * | * |
| 2006 | 79 | 5.1 | 0.59 | 4.0 | 6.4 | * | * | * | * | * |
| 2007 | 82 | 5.1 | 0.58 | 4.1 | 6.4 | * | * | * | * | * |
| 2008 | 92 | 5.5 | 0.59 | 4.4 | 6.8 | * | * | * | * | * |
| 2009 | 80 | 4.8 | 0.55 | 3.8 | 6.0 | * | * | * | * | * |
| 2010 | 76 | 4.3 | 0.50 | 3.3 | 5.4 | * | * | * | * | * |
| 2011 | 96 | 5.4 | 0.56 | 4.3 | 6.6 | * | * | * | * | * |
| 2012 | 92 | 5.1 | 0.55 | 4.1 | 6.3 | * | * | * | * | * |
| 2013 | 69 | 3.8 | 0.47 | 2.9 | 4.8 | 14 | 2.8 | 0.78 | 1.5 | 4.7 |
| 2014 | 67 | 3.5 | 0.44 | 2.7 | 4.5 | 15 | 2.2 | 0.58 | 1.2 | 3.6 |
| 2015 | 57 | 2.9 | 0.39 | 2.2 | 3.8 | * | * | * | * | * |
| 2016 | 75 | 3.9 | 0.46 | 3.0 | 4.9 | 11 | 1.7 | 0.51 | 0.8 | 3.0 |
| 2017 | 79 | 3.9 | 0.45 | 3.1 | 4.9 | 12 | 1.7 | 0.50 | 0.8 | 2.9 |
| 2018 | 58 | 2.9 | 0.38 | 2.2 | 3.7 | 14 | 1.8 | 0.48 | 0.9 | 3.0 |
| 2019 | 67 | 3.2 | 0.41 | 2.5 | 4.1 | 12 | 1.4 | 0.40 | 0.7 | 2.4 |
| 2020 | 66 | 3.2 | 0.40 | 2.4 | 4.0 | 14 | 1.5 | 0.39 | 0.8 | 2.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Esophagus | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 15,556 | 8.0 | 0.07 | 7.9 | 8.1 | 12,960 | 7.8 | 0.07 | 7.7 | 8.0 |
| 1986 | 367 | 8.0 | 0.43 | 7.1 | 8.8 | 252 | 6.2 | 0.41 | 5.4 | 7.1 |
| 1987 | 379 | 8.4 | 0.44 | 7.5 | 9.3 | 286 | 7.1 | 0.43 | 6.3 | 8.0 |
| 1988 | 370 | 8.1 | 0.44 | 7.3 | 9.0 | 260 | 6.5 | 0.42 | 5.7 | 7.4 |
| 1989 | 359 | 8.0 | 0.43 | 7.1 | 8.9 | 275 | 7.0 | 0.43 | 6.1 | 7.9 |
| 1990 | 347 | 7.6 | 0.42 | 6.8 | 8.4 | 248 | 6.2 | 0.41 | 5.4 | 7.0 |
| 1991 | 394 | 8.5 | 0.44 | 7.6 | 9.4 | 290 | 7.2 | 0.43 | 6.3 | 8.1 |
| 1992 | 398 | 8.4 | 0.43 | 7.6 | 9.3 | 309 | 7.5 | 0.43 | 6.6 | 8.4 |
| 1993 | 384 | 8.0 | 0.42 | 7.2 | 8.8 | 294 | 7.0 | 0.41 | 6.2 | 7.8 |
| 1994 | 403 | 8.5 | 0.43 | 7.7 | 9.4 | 312 | 7.5 | 0.44 | 6.7 | 8.4 |
| 1995 | 421 | 8.6 | 0.43 | 7.8 | 9.5 | 332 | 7.8 | 0.43 | 7.0 | 8.7 |
| 1996 | 419 | 8.5 | 0.42 | 7.7 | 9.4 | 338 | 7.9 | 0.44 | 7.1 | 8.9 |
| 1997 | 414 | 8.4 | 0.42 | 7.6 | 9.3 | 333 | 7.8 | 0.43 | 7.0 | 8.7 |
| 1998 | 442 | 8.9 | 0.43 | 8.1 | 9.8 | 367 | 8.6 | 0.45 | 7.7 | 9.5 |
| 1999 | 404 | 8.0 | 0.40 | 7.2 | 8.9 | 338 | 7.8 | 0.42 | 6.9 | 8.6 |
| 2000 | 441 | 8.7 | 0.42 | 7.9 | 9.5 | 353 | 8.0 | 0.43 | 7.2 | 8.9 |
| 2001 | 452 | 8.9 | 0.42 | 8.1 | 9.7 | 368 | 8.4 | 0.44 | 7.6 | 9.3 |
| 2002 | 417 | 8.1 | 0.40 | 7.3 | 8.9 | 353 | 8.0 | 0.43 | 7.2 | 8.9 |
| 2003 | 431 | 8.1 | 0.40 | 7.4 | 9.0 | 360 | 8.0 | 0.42 | 7.2 | 8.9 |
| 2004 | 425 | 8.0 | 0.39 | 7.2 | 8.8 | 368 | 8.1 | 0.42 | 7.3 | 8.9 |
| 2005 | 487 | 8.8 | 0.41 | 8.1 | 9.7 | 421 | 9.0 | 0.44 | 8.1 | 9.9 |
| 2006 | 434 | 7.9 | 0.39 | 7.2 | 8.7 | 375 | 8.0 | 0.42 | 7.2 | 8.9 |
| 2007 | 489 | 8.8 | 0.40 | 8.0 | 9.6 | 423 | 8.9 | 0.44 | 8.1 | 9.8 |
| 2008 | 501 | 8.5 | 0.39 | 7.8 | 9.3 | 431 | 8.6 | 0.42 | 7.8 | 9.5 |
| 2009 | 488 | 8.3 | 0.38 | 7.6 | 9.1 | 420 | 8.4 | 0.42 | 7.6 | 9.3 |
| 2010 | 474 | 7.9 | 0.37 | 7.2 | 8.6 | 414 | 8.2 | 0.41 | 7.4 | 9.0 |
| 2011 | 465 | 7.5 | 0.36 | 6.8 | 8.3 | 395 | 7.6 | 0.39 | 6.9 | 8.4 |
| 2012 | 488 | 7.9 | 0.37 | 7.2 | 8.7 | 422 | 8.1 | 0.40 | 7.4 | 9.0 |
| 2013 | 507 | 7.9 | 0.36 | 7.2 | 8.6 | 455 | 8.4 | 0.40 | 7.6 | 9.2 |
| 2014 | 513 | 7.8 | 0.35 | 7.1 | 8.5 | 454 | 8.2 | 0.39 | 7.5 | 9.0 |
| 2015 | 510 | 7.5 | 0.34 | 6.8 | 8.2 | 463 | 8.1 | 0.39 | 7.4 | 8.9 |
| 2016 | 504 | 7.3 | 0.34 | 6.7 | 8.0 | 442 | 7.7 | 0.38 | 7.0 | 8.5 |
| 2017 | 487 | 7.1 | 0.33 | 6.5 | 7.8 | 430 | 7.5 | 0.37 | 6.8 | 8.3 |
| 2018 | 464 | 6.5 | 0.31 | 5.9 | 7.2 | 413 | 7.0 | 0.35 | 6.3 | 7.7 |
| 2019 | 525 | 7.3 | 0.33 | 6.7 | 8.0 | 469 | 7.8 | 0.37 | 7.1 | 8.6 |
| 2020 | 553 | 7.5 | 0.32 | 6.8 | 8.1 | 497 | 8.1 | 0.37 | 7.4 | 8.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Esophagus | | | | | | | | | | |
|-----------|-------|------|------|------|------|----------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,439 | 10.8 | 0.23 | 10.3 | 11.2 | 157 | 2.4 | 0.21 | 2.0 | 2.9 |
| 1986 | 115 | 23.6 | 2.30 | 19.3 | 28.5 | * | * | * | * | * |
| 1987 | 93 | 19.5 | 2.13 | 15.6 | 24.1 | * | * | * | * | * |
| 1988 | 109 | 21.3 | 2.10 | 17.4 | 25.8 | * | * | * | * | * |
| 1989 | 83 | 17.1 | 1.99 | 13.4 | 21.4 | * | * | * | * | * |
| 1990 | 94 | 18.5 | 1.98 | 14.8 | 22.7 | * | * | * | * | * |
| 1991 | 101 | 19.6 | 2.02 | 15.8 | 23.9 | * | * | * | * | * |
| 1992 | 85 | 16.7 | 1.90 | 13.2 | 20.8 | * | * | * | * | * |
| 1993 | 88 | 16.8 | 1.88 | 13.4 | 20.9 | * | * | * | * | * |
| 1994 | 88 | 16.8 | 1.89 | 13.4 | 20.9 | * | * | * | * | * |
| 1995 | 86 | 15.8 | 1.77 | 12.6 | 19.7 | * | * | * | * | * |
| 1996 | 79 | 13.6 | 1.60 | 10.7 | 17.1 | * | * | * | * | * |
| 1997 | 76 | 13.7 | 1.63 | 10.6 | 17.2 | * | * | * | * | * |
| 1998 | 75 | 12.8 | 1.53 | 10.0 | 16.2 | * | * | * | * | * |
| 1999 | 62 | 10.9 | 1.46 | 8.3 | 14.2 | * | * | * | * | * |
| 2000 | 87 | 15.2 | 1.72 | 12.0 | 18.9 | * | * | * | * | * |
| 2001 | 79 | 13.1 | 1.54 | 10.3 | 16.4 | * | * | * | * | * |
| 2002 | 61 | 10.2 | 1.35 | 7.7 | 13.1 | * | * | * | * | * |
| 2003 | 67 | 10.3 | 1.30 | 7.9 | 13.1 | * | * | * | * | * |
| 2004 | 57 | 9.6 | 1.35 | 7.1 | 12.5 | * | * | * | * | * |
| 2005 | 65 | 9.6 | 1.23 | 7.3 | 12.3 | * | * | * | * | * |
| 2006 | 54 | 8.8 | 1.28 | 6.5 | 11.6 | * | * | * | * | * |
| 2007 | 59 | 9.1 | 1.28 | 6.8 | 12.0 | * | * | * | * | * |
| 2008 | 66 | 9.9 | 1.30 | 7.6 | 12.8 | * | * | * | * | * |
| 2009 | 60 | 9.0 | 1.22 | 6.7 | 11.7 | * | * | * | * | * |
| 2010 | 54 | 7.2 | 1.02 | 5.3 | 9.4 | * | * | * | * | * |
| 2011 | 66 | 9.0 | 1.16 | 6.9 | 11.5 | * | * | * | * | * |
| 2012 | 62 | 8.4 | 1.12 | 6.3 | 10.9 | * | * | * | * | * |
| 2013 | 46 | 5.9 | 0.92 | 4.2 | 8.0 | * | * | * | * | * |
| 2014 | 46 | 6.0 | 0.92 | 4.4 | 8.1 | 13 | 3.9 | 1.13 | 2.0 | 6.8 |
| 2015 | 41 | 5.1 | 0.83 | 3.6 | 7.0 | * | * | * | * | * |
| 2016 | 54 | 6.7 | 0.95 | 5.0 | 8.8 | * | * | * | * | * |
| 2017 | 49 | 6.1 | 0.92 | 4.4 | 8.2 | * | * | * | * | * |
| 2018 | 41 | 4.9 | 0.79 | 3.4 | 6.7 | 10 | 2.9 | 0.96 | 1.3 | 5.4 |
| 2019 | 46 | 5.5 | 0.83 | 4.0 | 7.3 | 10 | 2.6 | 0.85 | 1.2 | 4.8 |
| 2020 | 45 | 5.2 | 0.81 | 3.8 | 7.0 | 11 | 2.5 | 0.77 | 1.3 | 4.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Esophagus | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 4,610 | 1.8 | 0.03 | 1.7 | 1.8 | 3,539 | 1.6 | 0.03 | 1.5 | 1.7 |
| 1986 | 112 | 1.8 | 0.18 | 1.5 | 2.2 | 78 | 1.4 | 0.16 | 1.1 | 1.7 |
| 1987 | 131 | 2.2 | 0.19 | 1.8 | 2.6 | 92 | 1.7 | 0.18 | 1.3 | 2.1 |
| 1988 | 113 | 1.8 | 0.17 | 1.5 | 2.1 | 81 | 1.4 | 0.15 | 1.1 | 1.7 |
| 1989 | 134 | 2.1 | 0.19 | 1.8 | 2.5 | 92 | 1.6 | 0.16 | 1.3 | 1.9 |
| 1990 | 132 | 2.1 | 0.18 | 1.7 | 2.5 | 92 | 1.6 | 0.17 | 1.3 | 2.0 |
| 1991 | 133 | 2.0 | 0.18 | 1.7 | 2.4 | 94 | 1.6 | 0.17 | 1.3 | 2.0 |
| 1992 | 137 | 2.1 | 0.18 | 1.7 | 2.5 | 110 | 1.9 | 0.18 | 1.5 | 2.2 |
| 1993 | 126 | 1.9 | 0.17 | 1.6 | 2.2 | 89 | 1.5 | 0.16 | 1.2 | 1.9 |
| 1994 | 149 | 2.3 | 0.19 | 1.9 | 2.7 | 105 | 1.8 | 0.17 | 1.4 | 2.2 |
| 1995 | 136 | 2.0 | 0.18 | 1.7 | 2.4 | 101 | 1.7 | 0.17 | 1.4 | 2.1 |
| 1996 | 135 | 2.0 | 0.17 | 1.7 | 2.4 | 94 | 1.5 | 0.16 | 1.2 | 1.9 |
| 1997 | 137 | 2.1 | 0.18 | 1.7 | 2.4 | 102 | 1.8 | 0.18 | 1.4 | 2.1 |
| 1998 | 134 | 1.9 | 0.17 | 1.6 | 2.3 | 108 | 1.8 | 0.17 | 1.5 | 2.2 |
| 1999 | 111 | 1.6 | 0.15 | 1.3 | 1.9 | 78 | 1.3 | 0.15 | 1.0 | 1.6 |
| 2000 | 151 | 2.1 | 0.17 | 1.8 | 2.5 | 126 | 2.0 | 0.18 | 1.7 | 2.4 |
| 2001 | 137 | 1.9 | 0.17 | 1.6 | 2.3 | 98 | 1.6 | 0.16 | 1.3 | 1.9 |
| 2002 | 147 | 2.0 | 0.17 | 1.7 | 2.4 | 116 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2003 | 131 | 1.8 | 0.16 | 1.5 | 2.2 | 108 | 1.7 | 0.17 | 1.4 | 2.1 |
| 2004 | 136 | 1.9 | 0.17 | 1.6 | 2.3 | 102 | 1.7 | 0.17 | 1.3 | 2.0 |
| 2005 | 120 | 1.7 | 0.15 | 1.4 | 2.0 | 93 | 1.5 | 0.16 | 1.2 | 1.9 |
| 2006 | 134 | 1.9 | 0.16 | 1.6 | 2.2 | 107 | 1.8 | 0.17 | 1.4 | 2.2 |
| 2007 | 129 | 1.7 | 0.15 | 1.4 | 2.0 | 105 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2008 | 132 | 1.8 | 0.16 | 1.5 | 2.1 | 104 | 1.7 | 0.17 | 1.4 | 2.0 |
| 2009 | 114 | 1.5 | 0.14 | 1.2 | 1.8 | 94 | 1.5 | 0.15 | 1.2 | 1.8 |
| 2010 | 148 | 1.9 | 0.16 | 1.6 | 2.3 | 123 | 1.9 | 0.18 | 1.6 | 2.3 |
| 2011 | 123 | 1.6 | 0.14 | 1.3 | 1.9 | 89 | 1.3 | 0.15 | 1.1 | 1.7 |
| 2012 | 143 | 1.8 | 0.15 | 1.5 | 2.1 | 109 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2013 | 139 | 1.7 | 0.15 | 1.4 | 2.0 | 108 | 1.6 | 0.16 | 1.3 | 1.9 |
| 2014 | 134 | 1.6 | 0.14 | 1.4 | 1.9 | 111 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2015 | 112 | 1.3 | 0.12 | 1.1 | 1.6 | 96 | 1.3 | 0.14 | 1.1 | 1.7 |
| 2016 | 133 | 1.6 | 0.14 | 1.3 | 1.9 | 109 | 1.5 | 0.15 | 1.3 | 1.9 |
| 2017 | 135 | 1.5 | 0.13 | 1.3 | 1.8 | 101 | 1.4 | 0.14 | 1.1 | 1.7 |
| 2018 | 141 | 1.6 | 0.14 | 1.4 | 1.9 | 120 | 1.7 | 0.16 | 1.4 | 2.0 |
| 2019 | 127 | 1.4 | 0.13 | 1.2 | 1.7 | 104 | 1.4 | 0.14 | 1.2 | 1.8 |
| 2020 | 124 | 1.4 | 0.13 | 1.1 | 1.7 | 100 | 1.4 | 0.14 | 1.1 | 1.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Esophagus | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,007 | 3.2 | 0.10 | 3.0 | 3.4 | 64 | 0.9 | 0.12 | 0.7 | 1.2 |
| 1986 | 34 | 5.2 | 0.91 | 3.6 | 7.3 | * | * | * | * | * |
| 1987 | 38 | 5.9 | 0.98 | 4.2 | 8.1 | * | * | * | * | * |
| 1988 | 32 | 4.7 | 0.85 | 3.2 | 6.7 | * | * | * | * | * |
| 1989 | 42 | 6.1 | 0.96 | 4.4 | 8.3 | * | * | * | * | * |
| 1990 | 40 | 6.0 | 0.97 | 4.3 | 8.2 | * | * | * | * | * |
| 1991 | 38 | 5.4 | 0.89 | 3.8 | 7.4 | * | * | * | * | * |
| 1992 | 25 | 3.4 | 0.69 | 2.2 | 5.1 | * | * | * | * | * |
| 1993 | 36 | 5.0 | 0.84 | 3.5 | 6.9 | * | * | * | * | * |
| 1994 | 44 | 5.8 | 0.87 | 4.2 | 7.7 | * | * | * | * | * |
| 1995 | 33 | 4.4 | 0.77 | 3.0 | 6.1 | * | * | * | * | * |
| 1996 | 37 | 4.9 | 0.81 | 3.4 | 6.7 | * | * | * | * | * |
| 1997 | 34 | 4.3 | 0.75 | 3.0 | 6.0 | * | * | * | * | * |
| 1998 | 26 | 3.2 | 0.63 | 2.1 | 4.7 | * | * | * | * | * |
| 1999 | 33 | 4.1 | 0.71 | 2.8 | 5.7 | * | * | * | * | * |
| 2000 | 24 | 2.9 | 0.59 | 1.8 | 4.3 | * | * | * | * | * |
| 2001 | 38 | 4.6 | 0.75 | 3.3 | 6.3 | * | * | * | * | * |
| 2002 | 27 | 3.2 | 0.62 | 2.1 | 4.6 | * | * | * | * | * |
| 2003 | 22 | 2.5 | 0.54 | 1.6 | 3.8 | * | * | * | * | * |
| 2004 | 32 | 3.6 | 0.64 | 2.5 | 5.1 | * | * | * | * | * |
| 2005 | 26 | 3.0 | 0.58 | 1.9 | 4.3 | * | * | * | * | * |
| 2006 | 25 | 2.8 | 0.56 | 1.8 | 4.1 | * | * | * | * | * |
| 2007 | 23 | 2.5 | 0.53 | 1.6 | 3.8 | * | * | * | * | * |
| 2008 | 26 | 2.7 | 0.53 | 1.7 | 3.9 | * | * | * | * | * |
| 2009 | 20 | 2.0 | 0.46 | 1.2 | 3.2 | * | * | * | * | * |
| 2010 | 22 | 2.2 | 0.47 | 1.4 | 3.3 | * | * | * | * | * |
| 2011 | 30 | 2.8 | 0.52 | 1.9 | 4.1 | * | * | * | * | * |
| 2012 | 30 | 2.9 | 0.54 | 1.9 | 4.2 | * | * | * | * | * |
| 2013 | 23 | 2.3 | 0.48 | 1.4 | 3.4 | * | * | * | * | * |
| 2014 | 21 | 1.8 | 0.40 | 1.1 | 2.8 | * | * | * | * | * |
| 2015 | 16 | 1.4 | 0.35 | 0.8 | 2.2 | * | * | * | * | * |
| 2016 | 21 | 1.9 | 0.42 | 1.2 | 2.9 | * | * | * | * | * |
| 2017 | 30 | 2.5 | 0.46 | 1.7 | 3.6 | * | * | * | * | * |
| 2018 | 17 | 1.4 | 0.35 | 0.8 | 2.3 | * | * | * | * | * |
| 2019 | 21 | 1.6 | 0.36 | 1.0 | 2.5 | * | * | * | * | * |
| 2020 | 21 | 1.8 | 0.40 | 1.1 | 2.8 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Stomach | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 19,848 | 4.5 | 0.03 | 4.4 | 4.6 | 14,959 | 4.0 | 0.03 | 3.9 | 4.0 |
| 1986 | 715 | 7.0 | 0.26 | 6.5 | 7.5 | 583 | 6.4 | 0.27 | 5.9 | 6.9 |
| 1987 | 710 | 6.8 | 0.26 | 6.3 | 7.4 | 555 | 6.0 | 0.26 | 5.5 | 6.6 |
| 1988 | 656 | 6.3 | 0.25 | 5.8 | 6.8 | 499 | 5.4 | 0.24 | 4.9 | 5.9 |
| 1989 | 730 | 6.9 | 0.26 | 6.4 | 7.4 | 585 | 6.2 | 0.26 | 5.7 | 6.7 |
| 1990 | 688 | 6.4 | 0.25 | 5.9 | 6.9 | 546 | 5.7 | 0.25 | 5.3 | 6.2 |
| 1991 | 697 | 6.4 | 0.24 | 5.9 | 6.9 | 560 | 5.8 | 0.24 | 5.3 | 6.3 |
| 1992 | 622 | 5.6 | 0.22 | 5.2 | 6.0 | 477 | 4.9 | 0.22 | 4.4 | 5.3 |
| 1993 | 684 | 6.1 | 0.24 | 5.7 | 6.6 | 517 | 5.3 | 0.23 | 4.8 | 5.8 |
| 1994 | 645 | 5.7 | 0.23 | 5.3 | 6.2 | 513 | 5.2 | 0.23 | 4.7 | 5.6 |
| 1995 | 659 | 5.8 | 0.22 | 5.3 | 6.2 | 520 | 5.2 | 0.23 | 4.7 | 5.6 |
| 1996 | 602 | 5.2 | 0.21 | 4.8 | 5.7 | 452 | 4.5 | 0.21 | 4.1 | 4.9 |
| 1997 | 579 | 5.0 | 0.21 | 4.6 | 5.4 | 448 | 4.4 | 0.21 | 4.0 | 4.8 |
| 1998 | 642 | 5.5 | 0.22 | 5.0 | 5.9 | 485 | 4.7 | 0.21 | 4.3 | 5.2 |
| 1999 | 601 | 5.1 | 0.21 | 4.7 | 5.5 | 461 | 4.4 | 0.21 | 4.1 | 4.9 |
| 2000 | 556 | 4.6 | 0.20 | 4.2 | 5.0 | 412 | 3.9 | 0.19 | 3.6 | 4.3 |
| 2001 | 599 | 4.9 | 0.20 | 4.5 | 5.3 | 453 | 4.3 | 0.20 | 3.9 | 4.7 |
| 2002 | 544 | 4.5 | 0.19 | 4.1 | 4.8 | 414 | 3.9 | 0.19 | 3.6 | 4.3 |
| 2003 | 571 | 4.6 | 0.19 | 4.2 | 5.0 | 417 | 3.9 | 0.19 | 3.5 | 4.3 |
| 2004 | 578 | 4.6 | 0.19 | 4.3 | 5.0 | 431 | 4.0 | 0.19 | 3.7 | 4.4 |
| 2005 | 525 | 4.2 | 0.18 | 3.8 | 4.6 | 393 | 3.6 | 0.18 | 3.3 | 4.0 |
| 2006 | 505 | 4.0 | 0.18 | 3.6 | 4.3 | 376 | 3.5 | 0.18 | 3.1 | 3.8 |
| 2007 | 485 | 3.8 | 0.17 | 3.4 | 4.1 | 337 | 3.1 | 0.17 | 2.7 | 3.4 |
| 2008 | 508 | 3.9 | 0.17 | 3.5 | 4.2 | 371 | 3.3 | 0.17 | 3.0 | 3.7 |
| 2009 | 541 | 4.1 | 0.18 | 3.7 | 4.4 | 408 | 3.6 | 0.18 | 3.3 | 4.0 |
| 2010 | 460 | 3.4 | 0.16 | 3.1 | 3.7 | 327 | 2.9 | 0.16 | 2.6 | 3.2 |
| 2011 | 507 | 3.7 | 0.17 | 3.4 | 4.0 | 371 | 3.2 | 0.17 | 2.9 | 3.6 |
| 2012 | 513 | 3.7 | 0.17 | 3.4 | 4.0 | 359 | 3.1 | 0.16 | 2.7 | 3.4 |
| 2013 | 486 | 3.4 | 0.16 | 3.1 | 3.7 | 348 | 2.9 | 0.16 | 2.6 | 3.3 |
| 2014 | 475 | 3.3 | 0.15 | 3.0 | 3.6 | 341 | 2.8 | 0.16 | 2.5 | 3.2 |
| 2015 | 488 | 3.4 | 0.16 | 3.1 | 3.7 | 357 | 3.0 | 0.16 | 2.7 | 3.3 |
| 2016 | 481 | 3.3 | 0.15 | 3.0 | 3.6 | 342 | 2.8 | 0.16 | 2.5 | 3.1 |
| 2017 | 486 | 3.2 | 0.15 | 2.9 | 3.5 | 346 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2018 | 418 | 2.8 | 0.14 | 2.5 | 3.0 | 299 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2019 | 443 | 2.9 | 0.14 | 2.6 | 3.2 | 328 | 2.6 | 0.15 | 2.3 | 2.9 |
| 2020 | 449 | 2.9 | 0.14 | 2.6 | 3.2 | 328 | 2.6 | 0.15 | 2.3 | 2.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Stomach | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 4,170 | 8.4 | 0.13 | 8.1 | 8.6 | 719 | 5.3 | 0.21 | 4.9 | 5.7 |
| 1986 | 117 | 12.2 | 1.18 | 10.0 | 14.7 | 15 | 12.6 | 3.92 | 6.1 | 22.2 |
| 1987 | 148 | 14.0 | 1.19 | 11.8 | 16.5 | * | * | * | * | * |
| 1988 | 143 | 13.4 | 1.17 | 11.2 | 15.9 | 14 | 10.8 | 3.46 | 5.1 | 19.3 |
| 1989 | 132 | 12.5 | 1.13 | 10.4 | 14.9 | 13 | 10.1 | 3.16 | 4.9 | 17.9 |
| 1990 | 128 | 11.9 | 1.09 | 9.9 | 14.2 | 14 | 9.5 | 3.15 | 4.4 | 17.2 |
| 1991 | 127 | 11.8 | 1.08 | 9.8 | 14.1 | 10 | 8.0 | 2.91 | 3.3 | 15.2 |
| 1992 | 129 | 11.1 | 1.01 | 9.2 | 13.3 | 16 | 8.2 | 2.33 | 4.3 | 13.9 |
| 1993 | 150 | 13.1 | 1.10 | 11.0 | 15.4 | 17 | 11.4 | 2.98 | 6.3 | 18.4 |
| 1994 | 111 | 9.4 | 0.92 | 7.7 | 11.4 | 21 | 10.1 | 2.47 | 5.9 | 16.0 |
| 1995 | 118 | 9.7 | 0.92 | 8.0 | 11.7 | 21 | 10.7 | 2.56 | 6.3 | 16.7 |
| 1996 | 137 | 11.1 | 0.97 | 9.2 | 13.1 | 13 | 5.3 | 1.58 | 2.7 | 9.3 |
| 1997 | 109 | 9.0 | 0.88 | 7.3 | 10.9 | 22 | 8.8 | 2.13 | 5.2 | 13.8 |
| 1998 | 141 | 11.1 | 0.95 | 9.3 | 13.1 | 16 | 5.7 | 1.55 | 3.1 | 9.5 |
| 1999 | 118 | 9.2 | 0.87 | 7.6 | 11.1 | 22 | 6.8 | 1.56 | 4.1 | 10.6 |
| 2000 | 119 | 9.2 | 0.86 | 7.6 | 11.0 | 25 | 8.8 | 1.97 | 5.4 | 13.4 |
| 2001 | 121 | 8.9 | 0.83 | 7.4 | 10.7 | 25 | 7.8 | 1.72 | 4.8 | 11.8 |
| 2002 | 110 | 8.0 | 0.78 | 6.5 | 9.7 | 20 | 7.1 | 1.73 | 4.1 | 11.1 |
| 2003 | 128 | 9.5 | 0.86 | 7.9 | 11.3 | 26 | 8.9 | 1.90 | 5.6 | 13.3 |
| 2004 | 132 | 9.2 | 0.82 | 7.7 | 10.9 | 15 | 4.8 | 1.29 | 2.6 | 7.9 |
| 2005 | 111 | 7.7 | 0.75 | 6.3 | 9.3 | 21 | 5.9 | 1.40 | 3.5 | 9.2 |
| 2006 | 110 | 7.5 | 0.73 | 6.2 | 9.1 | 19 | 4.9 | 1.21 | 2.9 | 7.8 |
| 2007 | 124 | 8.2 | 0.75 | 6.8 | 9.8 | 24 | 5.5 | 1.22 | 3.4 | 8.4 |
| 2008 | 123 | 8.5 | 0.78 | 7.0 | 10.1 | 14 | 2.7 | 0.77 | 1.4 | 4.6 |
| 2009 | 107 | 6.7 | 0.66 | 5.5 | 8.1 | 26 | 5.6 | 1.17 | 3.5 | 8.3 |
| 2010 | 113 | 7.0 | 0.67 | 5.7 | 8.4 | 20 | 5.0 | 1.18 | 3.0 | 7.8 |
| 2011 | 109 | 6.8 | 0.67 | 5.6 | 8.3 | 27 | 5.6 | 1.15 | 3.6 | 8.3 |
| 2012 | 125 | 7.8 | 0.71 | 6.4 | 9.3 | 29 | 4.9 | 0.97 | 3.2 | 7.1 |
| 2013 | 118 | 6.9 | 0.65 | 5.6 | 8.2 | 20 | 3.4 | 0.80 | 2.0 | 5.3 |
| 2014 | 110 | 6.4 | 0.62 | 5.2 | 7.7 | 24 | 4.4 | 0.93 | 2.8 | 6.6 |
| 2015 | 110 | 6.2 | 0.61 | 5.1 | 7.5 | 21 | 3.3 | 0.73 | 2.0 | 5.0 |
| 2016 | 104 | 5.7 | 0.57 | 4.6 | 6.9 | 35 | 4.6 | 0.79 | 3.1 | 6.4 |
| 2017 | 104 | 5.6 | 0.56 | 4.6 | 6.8 | 36 | 5.0 | 0.87 | 3.5 | 7.0 |
| 2018 | 94 | 4.9 | 0.52 | 4.0 | 6.1 | 25 | 3.0 | 0.61 | 1.9 | 4.5 |
| 2019 | 95 | 5.0 | 0.52 | 4.1 | 6.2 | 20 | 2.5 | 0.57 | 1.5 | 3.9 |
| 2020 | 95 | 4.8 | 0.50 | 3.9 | 5.9 | 26 | 3.1 | 0.62 | 2.0 | 4.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Stomach | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 11,652 | 6.3 | 0.06 | 6.2 | 6.4 | 8,762 | 5.5 | 0.06 | 5.4 | 5.6 |
| 1986 | 410 | 10.1 | 0.52 | 9.1 | 11.1 | 346 | 9.5 | 0.54 | 8.5 | 10.6 |
| 1987 | 399 | 9.6 | 0.50 | 8.6 | 10.6 | 298 | 8.2 | 0.50 | 7.3 | 9.3 |
| 1988 | 401 | 9.6 | 0.50 | 8.6 | 10.6 | 293 | 8.1 | 0.49 | 7.2 | 9.1 |
| 1989 | 448 | 10.8 | 0.53 | 9.8 | 11.9 | 353 | 9.7 | 0.54 | 8.7 | 10.8 |
| 1990 | 390 | 9.2 | 0.48 | 8.2 | 10.2 | 310 | 8.3 | 0.49 | 7.4 | 9.3 |
| 1991 | 428 | 9.7 | 0.48 | 8.7 | 10.7 | 337 | 8.7 | 0.49 | 7.7 | 9.7 |
| 1992 | 371 | 8.3 | 0.44 | 7.4 | 9.2 | 284 | 7.3 | 0.44 | 6.4 | 8.2 |
| 1993 | 394 | 8.8 | 0.46 | 8.0 | 9.8 | 284 | 7.3 | 0.44 | 6.5 | 8.2 |
| 1994 | 342 | 7.5 | 0.42 | 6.7 | 8.4 | 265 | 6.7 | 0.42 | 5.9 | 7.6 |
| 1995 | 393 | 8.6 | 0.45 | 7.8 | 9.6 | 316 | 8.0 | 0.46 | 7.1 | 8.9 |
| 1996 | 358 | 8.0 | 0.44 | 7.2 | 8.9 | 272 | 7.0 | 0.44 | 6.2 | 7.9 |
| 1997 | 357 | 7.7 | 0.42 | 6.9 | 8.5 | 274 | 6.8 | 0.42 | 6.0 | 7.6 |
| 1998 | 376 | 7.9 | 0.41 | 7.1 | 8.7 | 282 | 6.8 | 0.41 | 6.0 | 7.7 |
| 1999 | 337 | 7.0 | 0.39 | 6.3 | 7.8 | 258 | 6.2 | 0.39 | 5.4 | 7.0 |
| 2000 | 331 | 6.8 | 0.38 | 6.1 | 7.6 | 250 | 6.0 | 0.38 | 5.3 | 6.8 |
| 2001 | 333 | 6.6 | 0.37 | 5.9 | 7.4 | 255 | 5.9 | 0.37 | 5.2 | 6.6 |
| 2002 | 321 | 6.5 | 0.37 | 5.8 | 7.2 | 254 | 5.9 | 0.38 | 5.2 | 6.7 |
| 2003 | 338 | 6.7 | 0.37 | 6.0 | 7.4 | 256 | 5.9 | 0.37 | 5.2 | 6.7 |
| 2004 | 348 | 6.7 | 0.37 | 6.0 | 7.5 | 257 | 5.8 | 0.37 | 5.1 | 6.6 |
| 2005 | 285 | 5.6 | 0.34 | 5.0 | 6.3 | 212 | 4.9 | 0.34 | 4.2 | 5.6 |
| 2006 | 287 | 5.3 | 0.32 | 4.7 | 6.0 | 219 | 4.8 | 0.32 | 4.1 | 5.4 |
| 2007 | 290 | 5.4 | 0.32 | 4.8 | 6.0 | 198 | 4.3 | 0.31 | 3.7 | 5.0 |
| 2008 | 293 | 5.2 | 0.31 | 4.6 | 5.8 | 207 | 4.3 | 0.30 | 3.7 | 5.0 |
| 2009 | 313 | 5.4 | 0.31 | 4.8 | 6.1 | 229 | 4.7 | 0.31 | 4.1 | 5.3 |
| 2010 | 280 | 4.9 | 0.30 | 4.3 | 5.5 | 202 | 4.1 | 0.30 | 3.6 | 4.7 |
| 2011 | 301 | 5.1 | 0.30 | 4.6 | 5.8 | 221 | 4.4 | 0.30 | 3.8 | 5.0 |
| 2012 | 314 | 5.2 | 0.30 | 4.6 | 5.8 | 223 | 4.3 | 0.29 | 3.7 | 4.9 |
| 2013 | 303 | 4.9 | 0.29 | 4.4 | 5.5 | 221 | 4.3 | 0.30 | 3.7 | 4.9 |
| 2014 | 278 | 4.5 | 0.27 | 3.9 | 5.0 | 201 | 3.8 | 0.28 | 3.3 | 4.4 |
| 2015 | 286 | 4.6 | 0.28 | 4.0 | 5.1 | 203 | 3.9 | 0.28 | 3.3 | 4.4 |
| 2016 | 279 | 4.2 | 0.26 | 3.8 | 4.8 | 201 | 3.7 | 0.26 | 3.2 | 4.2 |
| 2017 | 287 | 4.3 | 0.26 | 3.8 | 4.8 | 208 | 3.7 | 0.26 | 3.2 | 4.3 |
| 2018 | 250 | 3.7 | 0.24 | 3.2 | 4.2 | 180 | 3.2 | 0.25 | 2.8 | 3.8 |
| 2019 | 262 | 3.8 | 0.24 | 3.3 | 4.3 | 193 | 3.4 | 0.25 | 2.9 | 3.9 |
| 2020 | 269 | 3.9 | 0.24 | 3.4 | 4.4 | 200 | 3.5 | 0.25 | 3.0 | 4.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Stomach | | | | | | | | | | |
|----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,484 | 12.4 | 0.26 | 11.9 | 12.9 | 406 | 6.7 | 0.36 | 6.0 | 7.5 |
| 1986 | 57 | 15.0 | 2.18 | 11.0 | 19.7 | * | * | * | * | * |
| 1987 | 96 | 21.6 | 2.36 | 17.2 | 26.6 | * | * | * | * | * |
| 1988 | 97 | 21.9 | 2.40 | 17.5 | 27.1 | 11 | 18.1 | 6.62 | 7.6 | 34.9 |
| 1989 | 87 | 20.3 | 2.35 | 16.0 | 25.4 | * | * | * | * | * |
| 1990 | 69 | 15.3 | 1.94 | 11.7 | 19.5 | 11 | 15.8 | 6.02 | 6.3 | 31.1 |
| 1991 | 83 | 18.3 | 2.15 | 14.3 | 22.9 | * | * | * | * | * |
| 1992 | 78 | 17.0 | 2.07 | 13.2 | 21.5 | * | * | * | * | * |
| 1993 | 100 | 21.9 | 2.36 | 17.5 | 26.9 | 10 | 16.3 | 5.50 | 7.3 | 29.9 |
| 1994 | 63 | 12.9 | 1.72 | 9.7 | 16.6 | 14 | 16.2 | 5.14 | 7.7 | 28.8 |
| 1995 | 66 | 14.0 | 1.86 | 10.6 | 18.1 | 11 | 14.5 | 4.97 | 6.4 | 26.7 |
| 1996 | 80 | 16.5 | 1.97 | 12.8 | 20.7 | * | * | * | * | * |
| 1997 | 71 | 15.1 | 1.92 | 11.6 | 19.2 | 12 | 10.0 | 3.60 | 4.2 | 19.2 |
| 1998 | 85 | 17.0 | 1.96 | 13.3 | 21.2 | * | * | * | * | * |
| 1999 | 70 | 14.4 | 1.83 | 11.0 | 18.3 | * | * | * | * | * |
| 2000 | 66 | 12.5 | 1.65 | 9.5 | 16.1 | 15 | 12.0 | 3.71 | 5.9 | 21.1 |
| 2001 | 67 | 12.5 | 1.65 | 9.5 | 16.1 | 11 | 7.6 | 2.78 | 3.1 | 14.7 |
| 2002 | 55 | 9.9 | 1.41 | 7.4 | 13.0 | 12 | 10.9 | 3.61 | 5.0 | 19.7 |
| 2003 | 69 | 12.2 | 1.55 | 9.3 | 15.6 | 13 | 8.5 | 2.70 | 4.1 | 15.2 |
| 2004 | 81 | 13.4 | 1.59 | 10.5 | 16.8 | 10 | 7.0 | 2.36 | 3.2 | 13.0 |
| 2005 | 61 | 11.2 | 1.53 | 8.4 | 14.5 | 12 | 7.1 | 2.32 | 3.3 | 12.9 |
| 2006 | 59 | 9.9 | 1.36 | 7.4 | 12.9 | * | * | * | * | * |
| 2007 | 82 | 13.8 | 1.63 | 10.8 | 17.4 | 10 | 5.0 | 1.78 | 2.1 | 9.6 |
| 2008 | 75 | 13.0 | 1.60 | 10.1 | 16.5 | 11 | 4.2 | 1.37 | 1.9 | 7.8 |
| 2009 | 74 | 11.4 | 1.39 | 8.8 | 14.4 | 10 | 4.7 | 1.62 | 2.1 | 8.9 |
| 2010 | 67 | 10.9 | 1.41 | 8.3 | 14.0 | 11 | 7.6 | 2.41 | 3.6 | 13.4 |
| 2011 | 68 | 10.9 | 1.38 | 8.3 | 13.9 | 12 | 5.7 | 1.84 | 2.7 | 10.3 |
| 2012 | 69 | 11.3 | 1.42 | 8.7 | 14.3 | 22 | 8.9 | 2.09 | 5.3 | 13.8 |
| 2013 | 68 | 9.9 | 1.27 | 7.6 | 12.7 | 14 | 5.2 | 1.50 | 2.7 | 8.9 |
| 2014 | 65 | 9.5 | 1.24 | 7.2 | 12.2 | 12 | 5.0 | 1.52 | 2.5 | 8.8 |
| 2015 | 71 | 10.1 | 1.25 | 7.8 | 12.8 | 12 | 4.2 | 1.26 | 2.1 | 7.3 |
| 2016 | 57 | 7.8 | 1.08 | 5.9 | 10.2 | 21 | 6.2 | 1.45 | 3.7 | 9.7 |
| 2017 | 59 | 8.1 | 1.10 | 6.1 | 10.5 | 20 | 6.1 | 1.44 | 3.7 | 9.6 |
| 2018 | 57 | 7.3 | 1.00 | 5.4 | 9.5 | 13 | 3.3 | 0.94 | 1.7 | 5.7 |
| 2019 | 57 | 7.2 | 0.99 | 5.4 | 9.4 | 12 | 3.4 | 1.01 | 1.7 | 5.9 |
| 2020 | 55 | 6.9 | 0.97 | 5.2 | 9.1 | 14 | 3.8 | 1.04 | 2.1 | 6.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Stomach | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 8,196 | 3.2 | 0.04 | 3.1 | 3.2 | 6,197 | 2.8 | 0.04 | 2.7 | 2.9 |
| 1986 | 305 | 4.9 | 0.29 | 4.4 | 5.5 | 237 | 4.3 | 0.28 | 3.7 | 4.9 |
| 1987 | 311 | 5.0 | 0.28 | 4.4 | 5.6 | 257 | 4.6 | 0.29 | 4.1 | 5.2 |
| 1988 | 255 | 4.0 | 0.25 | 3.5 | 4.6 | 206 | 3.6 | 0.26 | 3.1 | 4.2 |
| 1989 | 282 | 4.3 | 0.26 | 3.9 | 4.9 | 232 | 4.0 | 0.26 | 3.5 | 4.6 |
| 1990 | 298 | 4.6 | 0.27 | 4.1 | 5.2 | 236 | 4.1 | 0.27 | 3.6 | 4.7 |
| 1991 | 269 | 4.0 | 0.24 | 3.5 | 4.5 | 223 | 3.7 | 0.25 | 3.2 | 4.2 |
| 1992 | 251 | 3.7 | 0.24 | 3.3 | 4.2 | 193 | 3.2 | 0.23 | 2.8 | 3.7 |
| 1993 | 290 | 4.3 | 0.25 | 3.8 | 4.8 | 233 | 3.9 | 0.26 | 3.4 | 4.5 |
| 1994 | 303 | 4.4 | 0.26 | 4.0 | 5.0 | 248 | 4.1 | 0.27 | 3.6 | 4.7 |
| 1995 | 266 | 3.9 | 0.24 | 3.4 | 4.4 | 204 | 3.4 | 0.24 | 2.9 | 3.9 |
| 1996 | 244 | 3.5 | 0.23 | 3.1 | 4.0 | 180 | 3.0 | 0.22 | 2.5 | 3.4 |
| 1997 | 222 | 3.1 | 0.21 | 2.7 | 3.6 | 174 | 2.8 | 0.21 | 2.4 | 3.2 |
| 1998 | 266 | 3.7 | 0.23 | 3.3 | 4.2 | 203 | 3.2 | 0.23 | 2.8 | 3.7 |
| 1999 | 264 | 3.7 | 0.23 | 3.3 | 4.2 | 203 | 3.2 | 0.23 | 2.8 | 3.7 |
| 2000 | 225 | 3.1 | 0.21 | 2.7 | 3.5 | 162 | 2.6 | 0.20 | 2.2 | 3.0 |
| 2001 | 266 | 3.7 | 0.23 | 3.2 | 4.1 | 198 | 3.1 | 0.22 | 2.7 | 3.6 |
| 2002 | 223 | 3.1 | 0.21 | 2.7 | 3.5 | 160 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2003 | 233 | 3.1 | 0.20 | 2.7 | 3.5 | 161 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2004 | 230 | 3.1 | 0.21 | 2.8 | 3.6 | 174 | 2.8 | 0.21 | 2.4 | 3.2 |
| 2005 | 240 | 3.3 | 0.21 | 2.9 | 3.7 | 181 | 2.9 | 0.22 | 2.5 | 3.3 |
| 2006 | 218 | 3.0 | 0.20 | 2.6 | 3.4 | 157 | 2.5 | 0.21 | 2.1 | 3.0 |
| 2007 | 195 | 2.6 | 0.19 | 2.3 | 3.0 | 139 | 2.2 | 0.19 | 1.8 | 2.6 |
| 2008 | 215 | 2.9 | 0.20 | 2.5 | 3.3 | 164 | 2.6 | 0.21 | 2.2 | 3.0 |
| 2009 | 228 | 3.0 | 0.20 | 2.6 | 3.4 | 179 | 2.8 | 0.21 | 2.4 | 3.2 |
| 2010 | 180 | 2.3 | 0.18 | 2.0 | 2.7 | 125 | 2.0 | 0.18 | 1.6 | 2.4 |
| 2011 | 206 | 2.6 | 0.19 | 2.3 | 3.0 | 150 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2012 | 199 | 2.5 | 0.18 | 2.2 | 2.9 | 136 | 2.1 | 0.18 | 1.7 | 2.4 |
| 2013 | 183 | 2.2 | 0.17 | 1.9 | 2.6 | 127 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2014 | 197 | 2.5 | 0.18 | 2.1 | 2.8 | 140 | 2.1 | 0.18 | 1.7 | 2.5 |
| 2015 | 202 | 2.5 | 0.18 | 2.2 | 2.9 | 154 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2016 | 202 | 2.5 | 0.18 | 2.1 | 2.9 | 141 | 2.1 | 0.19 | 1.8 | 2.5 |
| 2017 | 199 | 2.4 | 0.17 | 2.0 | 2.7 | 138 | 2.0 | 0.18 | 1.7 | 2.4 |
| 2018 | 168 | 2.0 | 0.16 | 1.7 | 2.3 | 119 | 1.7 | 0.17 | 1.4 | 2.1 |
| 2019 | 181 | 2.1 | 0.16 | 1.8 | 2.5 | 135 | 2.0 | 0.18 | 1.7 | 2.4 |
| 2020 | 180 | 2.1 | 0.16 | 1.8 | 2.5 | 128 | 1.9 | 0.17 | 1.6 | 2.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Stomach | | | | | | | | | | |
|----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,686 | 5.7 | 0.14 | 5.4 | 6.0 | 313 | 4.2 | 0.25 | 3.7 | 4.7 |
| 1986 | 60 | 10.5 | 1.38 | 7.9 | 13.5 | * | * | * | * | * |
| 1987 | 52 | 8.7 | 1.23 | 6.4 | 11.4 | * | * | * | * | * |
| 1988 | 46 | 7.7 | 1.16 | 5.6 | 10.3 | * | * | * | * | * |
| 1989 | 45 | 7.4 | 1.13 | 5.4 | 9.9 | * | * | * | * | * |
| 1990 | 59 | 9.4 | 1.24 | 7.1 | 12.1 | * | * | * | * | * |
| 1991 | 44 | 7.2 | 1.10 | 5.2 | 9.7 | * | * | * | * | * |
| 1992 | 51 | 7.4 | 1.05 | 5.5 | 9.7 | * | * | * | * | * |
| 1993 | 50 | 7.4 | 1.06 | 5.5 | 9.8 | * | * | * | * | * |
| 1994 | 48 | 7.0 | 1.01 | 5.1 | 9.2 | * | * | * | * | * |
| 1995 | 52 | 7.1 | 0.99 | 5.3 | 9.3 | 10 | 8.4 | 2.82 | 3.8 | 15.6 |
| 1996 | 57 | 7.6 | 1.02 | 5.7 | 9.9 | * | * | * | * | * |
| 1997 | 38 | 5.3 | 0.86 | 3.7 | 7.2 | 10 | 7.8 | 2.64 | 3.5 | 14.5 |
| 1998 | 56 | 7.3 | 0.98 | 5.5 | 9.5 | * | * | * | * | * |
| 1999 | 48 | 6.2 | 0.90 | 4.6 | 8.2 | 13 | 6.3 | 1.81 | 3.3 | 11.0 |
| 2000 | 53 | 6.8 | 0.95 | 5.1 | 8.9 | 10 | 6.5 | 2.21 | 2.9 | 12.1 |
| 2001 | 54 | 6.7 | 0.91 | 5.0 | 8.7 | 14 | 7.9 | 2.26 | 4.1 | 13.5 |
| 2002 | 55 | 6.7 | 0.90 | 5.0 | 8.7 | * | * | * | * | * |
| 2003 | 59 | 7.4 | 0.97 | 5.6 | 9.5 | 13 | 8.6 | 2.49 | 4.4 | 14.6 |
| 2004 | 51 | 6.2 | 0.87 | 4.6 | 8.1 | * | * | * | * | * |
| 2005 | 50 | 5.8 | 0.82 | 4.3 | 7.6 | * | * | * | * | * |
| 2006 | 51 | 5.9 | 0.83 | 4.4 | 7.7 | 10 | 4.4 | 1.47 | 2.1 | 8.2 |
| 2007 | 42 | 4.7 | 0.73 | 3.4 | 6.4 | 14 | 5.9 | 1.66 | 3.1 | 10.0 |
| 2008 | 48 | 5.6 | 0.81 | 4.1 | 7.4 | * | * | * | * | * |
| 2009 | 33 | 3.5 | 0.62 | 2.4 | 5.0 | 16 | 6.3 | 1.64 | 3.5 | 10.2 |
| 2010 | 46 | 4.6 | 0.69 | 3.4 | 6.2 | * | * | * | * | * |
| 2011 | 41 | 4.3 | 0.67 | 3.1 | 5.8 | 15 | 5.5 | 1.48 | 3.0 | 9.1 |
| 2012 | 56 | 5.7 | 0.77 | 4.3 | 7.4 | * | * | * | * | * |
| 2013 | 50 | 4.8 | 0.69 | 3.6 | 6.4 | * | * | * | * | * |
| 2014 | 45 | 4.4 | 0.67 | 3.2 | 6.0 | 12 | 3.8 | 1.13 | 2.0 | 6.7 |
| 2015 | 39 | 3.7 | 0.60 | 2.6 | 5.1 | * | * | * | * | * |
| 2016 | 47 | 4.3 | 0.63 | 3.1 | 5.7 | 14 | 3.4 | 0.93 | 1.8 | 5.7 |
| 2017 | 45 | 4.1 | 0.62 | 3.0 | 5.5 | 16 | 4.1 | 1.03 | 2.3 | 6.6 |
| 2018 | 37 | 3.4 | 0.56 | 2.4 | 4.6 | 12 | 2.8 | 0.82 | 1.4 | 4.9 |
| 2019 | 38 | 3.4 | 0.56 | 2.4 | 4.7 | * | * | * | * | * |
| 2020 | 40 | 3.4 | 0.55 | 2.4 | 4.7 | 12 | 2.6 | 0.74 | 1.3 | 4.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Colon and Rectum | | | | | | | | | | |
|-------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 89,822 | 20.2 | 0.07 | 20.1 | 20.4 | 74,743 | 19.6 | 0.07 | 19.4 | 19.7 |
| 1986 | 2,965 | 28.6 | 0.53 | 27.6 | 29.7 | 2,614 | 28.2 | 0.56 | 27.1 | 29.3 |
| 1987 | 2,987 | 28.6 | 0.53 | 27.6 | 29.7 | 2,638 | 28.3 | 0.56 | 27.2 | 29.4 |
| 1988 | 3,057 | 28.9 | 0.53 | 27.9 | 30.0 | 2,642 | 28.1 | 0.55 | 27.0 | 29.2 |
| 1989 | 2,891 | 27.2 | 0.51 | 26.2 | 28.2 | 2,514 | 26.5 | 0.53 | 25.4 | 27.5 |
| 1990 | 3,014 | 28.1 | 0.52 | 27.1 | 29.1 | 2,577 | 27.0 | 0.54 | 25.9 | 28.0 |
| 1991 | 2,853 | 26.2 | 0.49 | 25.3 | 27.2 | 2,479 | 25.6 | 0.52 | 24.6 | 26.6 |
| 1992 | 2,903 | 26.2 | 0.49 | 25.3 | 27.2 | 2,501 | 25.5 | 0.51 | 24.5 | 26.5 |
| 1993 | 2,938 | 26.2 | 0.48 | 25.3 | 27.2 | 2,518 | 25.4 | 0.51 | 24.4 | 26.4 |
| 1994 | 2,863 | 25.3 | 0.47 | 24.4 | 26.3 | 2,475 | 24.8 | 0.50 | 23.8 | 25.8 |
| 1995 | 2,847 | 24.9 | 0.47 | 24.0 | 25.8 | 2,454 | 24.3 | 0.49 | 23.3 | 25.3 |
| 1996 | 2,670 | 23.1 | 0.45 | 22.3 | 24.0 | 2,252 | 22.2 | 0.47 | 21.2 | 23.1 |
| 1997 | 2,751 | 23.6 | 0.45 | 22.8 | 24.5 | 2,325 | 22.7 | 0.47 | 21.8 | 23.7 |
| 1998 | 2,708 | 23.0 | 0.44 | 22.1 | 23.8 | 2,270 | 22.0 | 0.46 | 21.1 | 22.9 |
| 1999 | 2,760 | 23.2 | 0.44 | 22.3 | 24.0 | 2,327 | 22.3 | 0.46 | 21.4 | 23.3 |
| 2000 | 2,802 | 23.3 | 0.44 | 22.4 | 24.2 | 2,352 | 22.4 | 0.46 | 21.5 | 23.4 |
| 2001 | 2,722 | 22.4 | 0.43 | 21.6 | 23.3 | 2,280 | 21.6 | 0.45 | 20.7 | 22.5 |
| 2002 | 2,705 | 22.1 | 0.43 | 21.3 | 23.0 | 2,257 | 21.2 | 0.45 | 20.4 | 22.1 |
| 2003 | 2,618 | 21.1 | 0.41 | 20.3 | 22.0 | 2,141 | 19.9 | 0.43 | 19.1 | 20.8 |
| 2004 | 2,512 | 20.1 | 0.40 | 19.3 | 20.9 | 2,074 | 19.2 | 0.42 | 18.4 | 20.0 |
| 2005 | 2,363 | 18.7 | 0.39 | 17.9 | 19.5 | 1,935 | 17.8 | 0.41 | 17.0 | 18.6 |
| 2006 | 2,502 | 19.5 | 0.39 | 18.7 | 20.2 | 2,028 | 18.3 | 0.41 | 17.5 | 19.1 |
| 2007 | 2,468 | 19.0 | 0.38 | 18.2 | 19.7 | 2,010 | 18.0 | 0.40 | 17.2 | 18.8 |
| 2008 | 2,392 | 18.2 | 0.38 | 17.5 | 18.9 | 1,925 | 17.2 | 0.40 | 16.4 | 18.0 |
| 2009 | 2,283 | 17.0 | 0.36 | 16.3 | 17.7 | 1,863 | 16.3 | 0.38 | 15.6 | 17.1 |
| 2010 | 2,298 | 16.8 | 0.35 | 16.1 | 17.5 | 1,861 | 16.0 | 0.38 | 15.3 | 16.8 |
| 2011 | 2,178 | 15.7 | 0.34 | 15.1 | 16.4 | 1,734 | 14.8 | 0.36 | 14.1 | 15.5 |
| 2012 | 2,216 | 15.7 | 0.34 | 15.1 | 16.4 | 1,773 | 15.0 | 0.36 | 14.3 | 15.7 |
| 2013 | 2,265 | 15.7 | 0.33 | 15.1 | 16.4 | 1,828 | 15.1 | 0.36 | 14.4 | 15.8 |
| 2014 | 2,161 | 14.9 | 0.33 | 14.3 | 15.5 | 1,735 | 14.3 | 0.35 | 13.6 | 15.0 |
| 2015 | 2,342 | 15.8 | 0.33 | 15.2 | 16.5 | 1,838 | 14.9 | 0.36 | 14.2 | 15.6 |
| 2016 | 2,176 | 14.3 | 0.31 | 13.7 | 14.9 | 1,707 | 13.4 | 0.33 | 12.8 | 14.1 |
| 2017 | 2,223 | 14.7 | 0.32 | 14.0 | 15.3 | 1,740 | 13.8 | 0.34 | 13.2 | 14.5 |
| 2018 | 2,177 | 14.1 | 0.31 | 13.5 | 14.7 | 1,742 | 13.7 | 0.33 | 13.0 | 14.4 |
| 2019 | 2,141 | 13.7 | 0.30 | 13.1 | 14.3 | 1,688 | 13.1 | 0.32 | 12.4 | 13.7 |
| 2020 | 2,071 | 13.3 | 0.30 | 12.7 | 13.9 | 1,646 | 12.9 | 0.33 | 12.3 | 13.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Colon and Rectum | | | | | | | | | | |
|-------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 13,831 | 27.7 | 0.24 | 27.2 | 28.2 | 1,248 | 9.3 | 0.28 | 8.8 | 9.9 |
| 1986 | 341 | 34.7 | 1.95 | 31.0 | 38.7 | 10 | 7.1 | 2.26 | 3.4 | 13.1 |
| 1987 | 340 | 33.2 | 1.87 | 29.6 | 37.0 | * | * | * | * | * |
| 1988 | 400 | 37.2 | 1.93 | 33.5 | 41.2 | 15 | 10.9 | 3.15 | 5.6 | 18.6 |
| 1989 | 356 | 34.3 | 1.89 | 30.7 | 38.2 | 21 | 15.3 | 3.81 | 8.7 | 24.3 |
| 1990 | 420 | 39.5 | 1.99 | 35.6 | 43.5 | 17 | 14.9 | 4.20 | 7.8 | 24.8 |
| 1991 | 357 | 33.0 | 1.80 | 29.5 | 36.6 | 17 | 14.3 | 3.90 | 7.7 | 23.4 |
| 1992 | 386 | 34.4 | 1.81 | 31.0 | 38.1 | 16 | 10.3 | 2.97 | 5.4 | 17.5 |
| 1993 | 403 | 35.8 | 1.83 | 32.3 | 39.6 | 17 | 9.2 | 2.38 | 5.1 | 14.9 |
| 1994 | 363 | 30.8 | 1.66 | 27.6 | 34.2 | 25 | 15.5 | 3.49 | 9.4 | 23.5 |
| 1995 | 369 | 31.3 | 1.67 | 28.1 | 34.7 | 24 | 15.2 | 3.47 | 9.2 | 23.1 |
| 1996 | 398 | 32.7 | 1.68 | 29.5 | 36.1 | 20 | 8.6 | 2.18 | 4.9 | 13.8 |
| 1997 | 404 | 33.5 | 1.70 | 30.2 | 37.0 | 22 | 9.7 | 2.33 | 5.7 | 15.1 |
| 1998 | 408 | 32.3 | 1.63 | 29.1 | 35.6 | 30 | 13.8 | 2.83 | 8.8 | 20.2 |
| 1999 | 407 | 32.3 | 1.64 | 29.2 | 35.7 | 26 | 11.9 | 2.58 | 7.4 | 17.8 |
| 2000 | 418 | 31.8 | 1.59 | 28.8 | 35.1 | 32 | 11.8 | 2.31 | 7.7 | 17.0 |
| 2001 | 399 | 29.9 | 1.53 | 27.0 | 33.0 | 43 | 14.7 | 2.44 | 10.3 | 20.1 |
| 2002 | 415 | 30.7 | 1.54 | 27.8 | 33.9 | 33 | 11.3 | 2.10 | 7.6 | 16.1 |
| 2003 | 443 | 32.4 | 1.57 | 29.4 | 35.6 | 34 | 10.0 | 1.88 | 6.6 | 14.3 |
| 2004 | 419 | 29.8 | 1.49 | 27.0 | 32.9 | 19 | 5.6 | 1.40 | 3.2 | 9.0 |
| 2005 | 391 | 27.4 | 1.42 | 24.7 | 30.3 | 37 | 10.8 | 1.90 | 7.4 | 15.1 |
| 2006 | 422 | 29.0 | 1.44 | 26.2 | 31.9 | 52 | 13.2 | 1.98 | 9.6 | 17.6 |
| 2007 | 423 | 27.8 | 1.38 | 25.1 | 30.6 | 35 | 8.3 | 1.48 | 5.6 | 11.6 |
| 2008 | 423 | 27.8 | 1.38 | 25.2 | 30.7 | 44 | 9.6 | 1.55 | 6.8 | 13.1 |
| 2009 | 368 | 23.4 | 1.25 | 21.0 | 25.9 | 52 | 12.0 | 1.78 | 8.7 | 15.9 |
| 2010 | 387 | 24.0 | 1.25 | 21.6 | 26.6 | 50 | 10.9 | 1.65 | 7.9 | 14.5 |
| 2011 | 395 | 24.2 | 1.24 | 21.8 | 26.7 | 49 | 9.6 | 1.47 | 7.0 | 12.9 |
| 2012 | 392 | 23.0 | 1.19 | 20.8 | 25.5 | 51 | 9.4 | 1.39 | 6.9 | 12.5 |
| 2013 | 387 | 22.7 | 1.18 | 20.4 | 25.1 | 50 | 8.3 | 1.24 | 6.1 | 11.1 |
| 2014 | 392 | 22.2 | 1.15 | 20.0 | 24.6 | 34 | 6.2 | 1.10 | 4.2 | 8.7 |
| 2015 | 437 | 24.0 | 1.17 | 21.8 | 26.4 | 67 | 9.6 | 1.22 | 7.3 | 12.2 |
| 2016 | 403 | 21.7 | 1.11 | 19.6 | 24.0 | 66 | 9.0 | 1.16 | 6.9 | 11.6 |
| 2017 | 426 | 22.9 | 1.13 | 20.7 | 25.2 | 57 | 7.5 | 1.02 | 5.6 | 9.8 |
| 2018 | 381 | 19.7 | 1.03 | 17.7 | 21.8 | 54 | 6.7 | 0.93 | 5.0 | 8.8 |
| 2019 | 399 | 20.6 | 1.05 | 18.6 | 22.8 | 54 | 6.7 | 0.93 | 5.0 | 8.8 |
| 2020 | 359 | 18.1 | 0.97 | 16.3 | 20.1 | 66 | 7.6 | 0.95 | 5.8 | 9.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Colon and Rectum

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|------|------|--------|------|------|------|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 45,070 | 24.7 | 0.12 | 24.5 | 24.9 | 37,594 | 24.0 | 0.13 | 23.7 | 24.2 |
| 1986 | 1,473 | 36.2 | 0.99 | 34.3 | 38.2 | 1,311 | 36.1 | 1.05 | 34.1 | 38.2 |
| 1987 | 1,452 | 35.6 | 0.98 | 33.7 | 37.6 | 1,286 | 35.5 | 1.03 | 33.5 | 37.6 |
| 1988 | 1,499 | 36.3 | 0.98 | 34.4 | 38.3 | 1,297 | 35.5 | 1.03 | 33.5 | 37.6 |
| 1989 | 1,466 | 35.7 | 0.98 | 33.8 | 37.7 | 1,276 | 35.0 | 1.02 | 33.0 | 37.0 |
| 1990 | 1,501 | 35.7 | 0.96 | 33.8 | 37.6 | 1,289 | 34.5 | 1.00 | 32.6 | 36.5 |
| 1991 | 1,419 | 33.4 | 0.92 | 31.6 | 35.3 | 1,248 | 33.1 | 0.97 | 31.3 | 35.1 |
| 1992 | 1,469 | 33.9 | 0.92 | 32.1 | 35.7 | 1,269 | 33.1 | 0.96 | 31.2 | 35.0 |
| 1993 | 1,414 | 32.2 | 0.88 | 30.4 | 33.9 | 1,223 | 31.4 | 0.92 | 29.6 | 33.2 |
| 1994 | 1,443 | 32.5 | 0.88 | 30.8 | 34.3 | 1,257 | 32.1 | 0.93 | 30.3 | 33.9 |
| 1995 | 1,389 | 31.2 | 0.86 | 29.5 | 32.9 | 1,197 | 30.5 | 0.91 | 28.8 | 32.4 |
| 1996 | 1,303 | 28.9 | 0.82 | 27.3 | 30.5 | 1,111 | 28.1 | 0.86 | 26.4 | 29.8 |
| 1997 | 1,353 | 29.6 | 0.82 | 28.0 | 31.3 | 1,144 | 28.6 | 0.86 | 27.0 | 30.4 |
| 1998 | 1,348 | 28.7 | 0.80 | 27.2 | 30.3 | 1,133 | 27.7 | 0.84 | 26.1 | 29.4 |
| 1999 | 1,358 | 28.9 | 0.80 | 27.4 | 30.5 | 1,149 | 28.0 | 0.84 | 26.4 | 29.7 |
| 2000 | 1,349 | 28.2 | 0.78 | 26.7 | 29.7 | 1,127 | 27.1 | 0.82 | 25.5 | 28.7 |
| 2001 | 1,352 | 28.0 | 0.77 | 26.5 | 29.5 | 1,137 | 27.1 | 0.81 | 25.5 | 28.7 |
| 2002 | 1,326 | 26.9 | 0.75 | 25.5 | 28.5 | 1,115 | 26.2 | 0.79 | 24.6 | 27.8 |
| 2003 | 1,358 | 27.7 | 0.76 | 26.2 | 29.2 | 1,115 | 26.3 | 0.80 | 24.7 | 27.9 |
| 2004 | 1,235 | 24.5 | 0.71 | 23.2 | 26.0 | 1,021 | 23.5 | 0.75 | 22.1 | 25.0 |
| 2005 | 1,190 | 23.2 | 0.68 | 21.9 | 24.6 | 973 | 22.1 | 0.72 | 20.7 | 23.5 |
| 2006 | 1,211 | 23.2 | 0.68 | 21.9 | 24.6 | 992 | 22.1 | 0.71 | 20.8 | 23.6 |
| 2007 | 1,170 | 22.0 | 0.66 | 20.8 | 23.4 | 952 | 21.0 | 0.69 | 19.7 | 22.4 |
| 2008 | 1,211 | 22.2 | 0.65 | 20.9 | 23.5 | 979 | 20.9 | 0.68 | 19.6 | 22.3 |
| 2009 | 1,173 | 21.0 | 0.63 | 19.8 | 22.3 | 965 | 20.3 | 0.66 | 19.0 | 21.7 |
| 2010 | 1,159 | 20.1 | 0.60 | 19.0 | 21.3 | 936 | 19.1 | 0.63 | 17.9 | 20.4 |
| 2011 | 1,079 | 18.3 | 0.57 | 17.2 | 19.5 | 865 | 17.3 | 0.60 | 16.1 | 18.5 |
| 2012 | 1,186 | 19.9 | 0.59 | 18.8 | 21.1 | 956 | 19.0 | 0.62 | 17.8 | 20.2 |
| 2013 | 1,153 | 18.8 | 0.57 | 17.8 | 20.0 | 942 | 18.3 | 0.61 | 17.1 | 19.5 |
| 2014 | 1,136 | 18.4 | 0.56 | 17.3 | 19.5 | 903 | 17.4 | 0.59 | 16.2 | 18.6 |
| 2015 | 1,213 | 19.0 | 0.56 | 17.9 | 20.1 | 967 | 18.1 | 0.60 | 17.0 | 19.3 |
| 2016 | 1,123 | 17.0 | 0.52 | 16.0 | 18.0 | 862 | 15.6 | 0.54 | 14.5 | 16.7 |
| 2017 | 1,146 | 17.4 | 0.53 | 16.4 | 18.5 | 903 | 16.5 | 0.56 | 15.4 | 17.6 |
| 2018 | 1,149 | 16.8 | 0.51 | 15.9 | 17.9 | 908 | 16.1 | 0.54 | 15.0 | 17.2 |
| 2019 | 1,134 | 16.5 | 0.50 | 15.6 | 17.6 | 899 | 15.8 | 0.54 | 14.7 | 16.8 |
| 2020 | 1,130 | 16.3 | 0.50 | 15.4 | 17.3 | 887 | 15.6 | 0.54 | 14.6 | 16.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Colon and Rectum

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|------|------|----------------------|------|------|------|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 6,791 | 34.2 | 0.44 | 33.4 | 35.1 | 685 | 11.8 | 0.49 | 10.8 | 12.7 |
| 1986 | 154 | 39.0 | 3.40 | 32.6 | 46.1 | * | * | * | * | * |
| 1987 | 160 | 38.2 | 3.23 | 32.1 | 45.0 | * | * | * | * | * |
| 1988 | 193 | 45.4 | 3.53 | 38.7 | 52.8 | * | * | * | * | * |
| 1989 | 178 | 44.3 | 3.60 | 37.5 | 51.8 | 12 | 14.2 | 4.32 | 7.1 | 25.6 |
| 1990 | 201 | 48.3 | 3.66 | 41.4 | 55.9 | 11 | 25.3 | 8.67 | 11.2 | 46.3 |
| 1991 | 164 | 38.2 | 3.23 | 32.1 | 45.0 | * | * | * | * | * |
| 1992 | 191 | 43.7 | 3.41 | 37.3 | 50.8 | * | * | * | * | * |
| 1993 | 179 | 41.6 | 3.37 | 35.3 | 48.6 | 12 | 16.6 | 5.22 | 8.0 | 29.5 |
| 1994 | 176 | 39.4 | 3.20 | 33.4 | 46.1 | 10 | 12.2 | 4.09 | 5.6 | 22.7 |
| 1995 | 182 | 40.4 | 3.22 | 34.4 | 47.2 | 10 | 12.4 | 4.60 | 5.1 | 24.0 |
| 1996 | 181 | 37.6 | 3.01 | 31.9 | 43.9 | 11 | 11.6 | 4.23 | 4.8 | 22.2 |
| 1997 | 193 | 38.9 | 2.97 | 33.3 | 45.1 | 16 | 18.2 | 5.48 | 9.1 | 31.3 |
| 1998 | 202 | 39.7 | 2.97 | 34.1 | 45.9 | 13 | 12.0 | 3.88 | 5.6 | 21.6 |
| 1999 | 198 | 40.6 | 3.07 | 34.8 | 47.0 | 11 | 15.7 | 5.36 | 7.0 | 28.6 |
| 2000 | 204 | 39.7 | 2.95 | 34.1 | 45.8 | 18 | 16.3 | 4.40 | 8.9 | 26.7 |
| 2001 | 189 | 35.8 | 2.79 | 30.6 | 41.7 | 26 | 20.6 | 4.58 | 12.7 | 31.2 |
| 2002 | 190 | 35.1 | 2.69 | 30.0 | 40.7 | 21 | 16.2 | 3.95 | 9.4 | 25.4 |
| 2003 | 225 | 42.4 | 3.01 | 36.7 | 48.6 | 18 | 12.7 | 3.50 | 6.8 | 21.0 |
| 2004 | 203 | 36.6 | 2.76 | 31.4 | 42.4 | 11 | 6.9 | 2.37 | 3.1 | 12.9 |
| 2005 | 201 | 35.6 | 2.70 | 30.5 | 41.2 | 16 | 11.4 | 3.22 | 6.0 | 19.1 |
| 2006 | 195 | 34.1 | 2.58 | 29.3 | 39.5 | 24 | 15.2 | 3.47 | 9.2 | 23.2 |
| 2007 | 204 | 33.6 | 2.51 | 28.8 | 38.8 | 14 | 6.9 | 2.06 | 3.5 | 12.0 |
| 2008 | 210 | 35.4 | 2.60 | 30.5 | 40.9 | 22 | 11.6 | 2.82 | 6.8 | 18.3 |
| 2009 | 176 | 27.4 | 2.20 | 23.3 | 32.0 | 32 | 16.1 | 3.15 | 10.6 | 23.3 |
| 2010 | 202 | 31.7 | 2.38 | 27.2 | 36.6 | 21 | 9.5 | 2.35 | 5.5 | 15.1 |
| 2011 | 190 | 29.2 | 2.24 | 25.0 | 33.9 | 24 | 11.5 | 2.59 | 7.0 | 17.5 |
| 2012 | 195 | 29.0 | 2.19 | 24.9 | 33.6 | 35 | 15.3 | 2.84 | 10.3 | 21.7 |
| 2013 | 181 | 26.6 | 2.10 | 22.7 | 31.0 | 30 | 10.9 | 2.21 | 7.0 | 16.0 |
| 2014 | 214 | 30.0 | 2.16 | 25.9 | 34.5 | 19 | 7.9 | 1.90 | 4.6 | 12.3 |
| 2015 | 215 | 29.5 | 2.12 | 25.5 | 34.0 | 31 | 10.4 | 1.98 | 6.9 | 14.9 |
| 2016 | 224 | 29.5 | 2.07 | 25.6 | 33.8 | 37 | 12.1 | 2.12 | 8.3 | 16.9 |
| 2017 | 205 | 27.5 | 2.00 | 23.7 | 31.7 | 38 | 10.6 | 1.79 | 7.4 | 14.7 |
| 2018 | 211 | 27.1 | 1.95 | 23.4 | 31.2 | 30 | 8.7 | 1.66 | 5.8 | 12.5 |
| 2019 | 202 | 25.9 | 1.89 | 22.3 | 29.8 | 33 | 9.8 | 1.75 | 6.6 | 13.8 |
| 2020 | 203 | 24.6 | 1.80 | 21.2 | 28.4 | 40 | 10.1 | 1.64 | 7.2 | 13.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Colon and Rectum

Females

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|------|------|--------|------|------|------|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 44,752 | 17.0 | 0.08 | 16.9 | 17.2 | 37,149 | 16.4 | 0.09 | 16.2 | 16.6 |
| 1986 | 1,492 | 24.0 | 0.63 | 22.7 | 25.2 | 1,303 | 23.2 | 0.65 | 22.0 | 24.5 |
| 1987 | 1,535 | 24.3 | 0.63 | 23.1 | 25.6 | 1,352 | 23.9 | 0.66 | 22.7 | 25.3 |
| 1988 | 1,558 | 24.4 | 0.62 | 23.2 | 25.7 | 1,345 | 23.5 | 0.65 | 22.2 | 24.8 |
| 1989 | 1,425 | 21.9 | 0.59 | 20.8 | 23.1 | 1,238 | 21.3 | 0.61 | 20.1 | 22.5 |
| 1990 | 1,513 | 23.1 | 0.60 | 22.0 | 24.3 | 1,288 | 22.0 | 0.62 | 20.8 | 23.2 |
| 1991 | 1,434 | 21.7 | 0.58 | 20.5 | 22.8 | 1,231 | 20.7 | 0.60 | 19.6 | 21.9 |
| 1992 | 1,434 | 21.3 | 0.57 | 20.2 | 22.5 | 1,232 | 20.6 | 0.59 | 19.4 | 21.8 |
| 1993 | 1,524 | 22.4 | 0.58 | 21.2 | 23.5 | 1,295 | 21.4 | 0.60 | 20.2 | 22.6 |
| 1994 | 1,420 | 20.7 | 0.55 | 19.6 | 21.8 | 1,218 | 19.9 | 0.58 | 18.8 | 21.1 |
| 1995 | 1,458 | 20.9 | 0.55 | 19.8 | 22.0 | 1,257 | 20.3 | 0.58 | 19.2 | 21.5 |
| 1996 | 1,367 | 19.5 | 0.53 | 18.5 | 20.6 | 1,141 | 18.4 | 0.55 | 17.3 | 19.5 |
| 1997 | 1,398 | 19.7 | 0.53 | 18.7 | 20.8 | 1,181 | 19.0 | 0.56 | 17.9 | 20.1 |
| 1998 | 1,360 | 19.0 | 0.52 | 18.0 | 20.1 | 1,137 | 18.2 | 0.55 | 17.1 | 19.3 |
| 1999 | 1,402 | 19.4 | 0.52 | 18.4 | 20.4 | 1,178 | 18.6 | 0.55 | 17.5 | 19.7 |
| 2000 | 1,453 | 19.9 | 0.53 | 18.9 | 21.0 | 1,225 | 19.2 | 0.56 | 18.1 | 20.3 |
| 2001 | 1,370 | 18.7 | 0.51 | 17.7 | 19.7 | 1,143 | 17.8 | 0.54 | 16.8 | 18.9 |
| 2002 | 1,379 | 18.6 | 0.51 | 17.7 | 19.7 | 1,142 | 17.6 | 0.53 | 16.6 | 18.7 |
| 2003 | 1,260 | 17.0 | 0.48 | 16.0 | 17.9 | 1,026 | 15.9 | 0.50 | 14.9 | 16.9 |
| 2004 | 1,277 | 17.1 | 0.48 | 16.1 | 18.0 | 1,053 | 16.2 | 0.51 | 15.2 | 17.2 |
| 2005 | 1,173 | 15.5 | 0.46 | 14.6 | 16.4 | 962 | 14.7 | 0.49 | 13.8 | 15.7 |
| 2006 | 1,291 | 16.8 | 0.47 | 15.9 | 17.7 | 1,036 | 15.5 | 0.49 | 14.6 | 16.5 |
| 2007 | 1,298 | 16.8 | 0.47 | 15.8 | 17.7 | 1,058 | 15.8 | 0.50 | 14.9 | 16.8 |
| 2008 | 1,181 | 15.3 | 0.45 | 14.4 | 16.2 | 946 | 14.3 | 0.48 | 13.4 | 15.3 |
| 2009 | 1,110 | 14.2 | 0.44 | 13.4 | 15.1 | 898 | 13.5 | 0.46 | 12.6 | 14.5 |
| 2010 | 1,139 | 14.3 | 0.43 | 13.4 | 15.1 | 925 | 13.6 | 0.46 | 12.7 | 14.6 |
| 2011 | 1,099 | 13.7 | 0.42 | 12.9 | 14.6 | 869 | 12.8 | 0.45 | 12.0 | 13.7 |
| 2012 | 1,030 | 12.5 | 0.40 | 11.8 | 13.4 | 817 | 11.9 | 0.43 | 11.0 | 12.7 |
| 2013 | 1,112 | 13.3 | 0.41 | 12.5 | 14.1 | 886 | 12.6 | 0.44 | 11.8 | 13.5 |
| 2014 | 1,025 | 12.3 | 0.39 | 11.5 | 13.1 | 832 | 11.9 | 0.43 | 11.1 | 12.8 |
| 2015 | 1,129 | 13.4 | 0.41 | 12.6 | 14.2 | 871 | 12.4 | 0.43 | 11.5 | 13.2 |
| 2016 | 1,053 | 12.0 | 0.38 | 11.3 | 12.8 | 845 | 11.6 | 0.41 | 10.8 | 12.5 |
| 2017 | 1,077 | 12.5 | 0.39 | 11.7 | 13.3 | 837 | 11.7 | 0.42 | 10.9 | 12.5 |
| 2018 | 1,028 | 11.8 | 0.38 | 11.1 | 12.6 | 834 | 11.6 | 0.42 | 10.8 | 12.5 |
| 2019 | 1,007 | 11.4 | 0.37 | 10.7 | 12.2 | 789 | 10.9 | 0.40 | 10.1 | 11.7 |
| 2020 | 941 | 10.8 | 0.36 | 10.1 | 11.5 | 759 | 10.7 | 0.40 | 9.9 | 11.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Colon and Rectum

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|------|------|----------------------|------|------|-----|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 7,040 | 23.5 | 0.28 | 22.9 | 24.1 | 563 | 7.5 | 0.33 | 6.9 | 8.2 |
| 1986 | 187 | 32.1 | 2.40 | 27.6 | 37.1 | * | * | * | * | * |
| 1987 | 180 | 29.7 | 2.26 | 25.4 | 34.4 | * | * | * | * | * |
| 1988 | 207 | 32.3 | 2.29 | 28.0 | 37.1 | * | * | * | * | * |
| 1989 | 178 | 28.2 | 2.16 | 24.2 | 32.8 | * | * | * | * | * |
| 1990 | 219 | 34.0 | 2.34 | 29.6 | 38.8 | * | * | * | * | * |
| 1991 | 193 | 29.7 | 2.17 | 25.6 | 34.3 | 10 | 14.2 | 5.08 | 6.0 | 26.8 |
| 1992 | 195 | 28.6 | 2.08 | 24.7 | 33.0 | * | * | * | * | * |
| 1993 | 224 | 32.5 | 2.20 | 28.4 | 37.1 | * | * | * | * | * |
| 1994 | 187 | 26.2 | 1.94 | 22.5 | 30.3 | 15 | 17.4 | 5.00 | 9.0 | 29.3 |
| 1995 | 187 | 26.1 | 1.93 | 22.4 | 30.1 | 14 | 16.4 | 4.75 | 8.5 | 27.7 |
| 1996 | 217 | 29.7 | 2.03 | 25.8 | 33.9 | * | * | * | * | * |
| 1997 | 211 | 29.0 | 2.01 | 25.2 | 33.1 | * | * | * | * | * |
| 1998 | 206 | 27.1 | 1.90 | 23.5 | 31.1 | 17 | 14.6 | 3.83 | 8.1 | 23.7 |
| 1999 | 209 | 27.2 | 1.90 | 23.6 | 31.2 | 15 | 10.2 | 2.83 | 5.4 | 17.1 |
| 2000 | 214 | 26.9 | 1.85 | 23.4 | 30.7 | 14 | 8.6 | 2.52 | 4.4 | 14.8 |
| 2001 | 210 | 26.1 | 1.81 | 22.6 | 29.8 | 17 | 10.3 | 2.67 | 5.8 | 16.7 |
| 2002 | 225 | 27.6 | 1.85 | 24.1 | 31.4 | 12 | 7.7 | 2.30 | 3.9 | 13.4 |
| 2003 | 218 | 26.2 | 1.79 | 22.8 | 29.9 | 16 | 8.2 | 2.17 | 4.5 | 13.4 |
| 2004 | 216 | 25.5 | 1.75 | 22.2 | 29.2 | * | * | * | * | * |
| 2005 | 190 | 22.3 | 1.63 | 19.2 | 25.7 | 21 | 10.6 | 2.40 | 6.4 | 16.2 |
| 2006 | 227 | 25.5 | 1.71 | 22.3 | 29.1 | 28 | 12.2 | 2.43 | 7.9 | 17.8 |
| 2007 | 219 | 23.9 | 1.64 | 20.8 | 27.4 | 21 | 9.3 | 2.10 | 5.6 | 14.2 |
| 2008 | 213 | 23.1 | 1.60 | 20.1 | 26.5 | 22 | 8.4 | 1.88 | 5.2 | 12.9 |
| 2009 | 192 | 20.6 | 1.50 | 17.7 | 23.7 | 20 | 8.6 | 1.99 | 5.1 | 13.3 |
| 2010 | 185 | 19.2 | 1.43 | 16.5 | 22.2 | 29 | 11.6 | 2.24 | 7.6 | 16.7 |
| 2011 | 205 | 20.9 | 1.48 | 18.1 | 24.0 | 25 | 8.4 | 1.77 | 5.3 | 12.6 |
| 2012 | 197 | 19.1 | 1.38 | 16.5 | 22.0 | 16 | 5.1 | 1.34 | 2.8 | 8.4 |
| 2013 | 206 | 20.1 | 1.41 | 17.4 | 23.0 | 20 | 6.4 | 1.49 | 3.9 | 10.0 |
| 2014 | 178 | 16.9 | 1.29 | 14.5 | 19.7 | 15 | 4.8 | 1.26 | 2.6 | 7.9 |
| 2015 | 222 | 20.6 | 1.40 | 18.0 | 23.6 | 36 | 9.0 | 1.53 | 6.2 | 12.5 |
| 2016 | 179 | 16.2 | 1.23 | 13.9 | 18.8 | 29 | 6.8 | 1.31 | 4.5 | 9.9 |
| 2017 | 221 | 20.0 | 1.37 | 17.4 | 22.9 | 19 | 4.8 | 1.11 | 2.8 | 7.5 |
| 2018 | 170 | 14.9 | 1.16 | 12.7 | 17.4 | 24 | 5.4 | 1.12 | 3.4 | 8.1 |
| 2019 | 197 | 17.0 | 1.23 | 14.7 | 19.6 | 21 | 4.4 | 0.98 | 2.7 | 6.8 |
| 2020 | 156 | 13.6 | 1.11 | 11.5 | 16.0 | 26 | 5.5 | 1.09 | 3.6 | 8.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Liver | | | | | | | | | | |
|------------|--------|------|------|-----|-----|--------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 17,679 | 4.0 | 0.03 | 3.9 | 4.0 | 13,495 | 3.5 | 0.03 | 3.5 | 3.6 |
| 1986 | 297 | 2.8 | 0.17 | 2.5 | 3.2 | 233 | 2.5 | 0.17 | 2.2 | 2.9 |
| 1987 | 333 | 3.1 | 0.17 | 2.8 | 3.5 | 257 | 2.7 | 0.17 | 2.4 | 3.1 |
| 1988 | 305 | 2.8 | 0.16 | 2.5 | 3.2 | 246 | 2.6 | 0.17 | 2.3 | 2.9 |
| 1989 | 359 | 3.3 | 0.18 | 3.0 | 3.7 | 278 | 2.9 | 0.17 | 2.6 | 3.3 |
| 1990 | 391 | 3.6 | 0.18 | 3.2 | 4.0 | 307 | 3.2 | 0.18 | 2.8 | 3.5 |
| 1991 | 365 | 3.3 | 0.17 | 3.0 | 3.7 | 289 | 3.0 | 0.18 | 2.6 | 3.3 |
| 1992 | 381 | 3.4 | 0.18 | 3.1 | 3.8 | 295 | 3.0 | 0.18 | 2.7 | 3.4 |
| 1993 | 409 | 3.6 | 0.18 | 3.3 | 4.0 | 322 | 3.2 | 0.18 | 2.9 | 3.6 |
| 1994 | 424 | 3.7 | 0.18 | 3.4 | 4.1 | 323 | 3.2 | 0.18 | 2.9 | 3.6 |
| 1995 | 473 | 4.1 | 0.19 | 3.7 | 4.5 | 359 | 3.6 | 0.19 | 3.2 | 4.0 |
| 1996 | 465 | 4.1 | 0.19 | 3.7 | 4.4 | 358 | 3.6 | 0.19 | 3.2 | 4.0 |
| 1997 | 469 | 4.0 | 0.19 | 3.7 | 4.4 | 351 | 3.5 | 0.19 | 3.1 | 3.9 |
| 1998 | 452 | 3.8 | 0.18 | 3.5 | 4.2 | 344 | 3.4 | 0.18 | 3.0 | 3.7 |
| 1999 | 464 | 3.9 | 0.18 | 3.6 | 4.3 | 344 | 3.3 | 0.18 | 3.0 | 3.7 |
| 2000 | 453 | 3.8 | 0.18 | 3.5 | 4.2 | 347 | 3.4 | 0.18 | 3.0 | 3.7 |
| 2001 | 444 | 3.7 | 0.17 | 3.3 | 4.0 | 322 | 3.1 | 0.17 | 2.8 | 3.5 |
| 2002 | 432 | 3.5 | 0.17 | 3.2 | 3.9 | 324 | 3.1 | 0.17 | 2.8 | 3.5 |
| 2003 | 477 | 3.9 | 0.18 | 3.5 | 4.2 | 365 | 3.4 | 0.18 | 3.1 | 3.8 |
| 2004 | 490 | 3.9 | 0.18 | 3.6 | 4.3 | 358 | 3.4 | 0.18 | 3.0 | 3.7 |
| 2005 | 507 | 4.0 | 0.18 | 3.6 | 4.3 | 402 | 3.7 | 0.19 | 3.4 | 4.1 |
| 2006 | 499 | 3.9 | 0.17 | 3.5 | 4.2 | 393 | 3.6 | 0.18 | 3.3 | 4.0 |
| 2007 | 495 | 3.8 | 0.17 | 3.5 | 4.2 | 371 | 3.4 | 0.18 | 3.0 | 3.8 |
| 2008 | 521 | 3.9 | 0.17 | 3.6 | 4.3 | 388 | 3.4 | 0.18 | 3.1 | 3.8 |
| 2009 | 539 | 4.0 | 0.17 | 3.6 | 4.3 | 415 | 3.7 | 0.18 | 3.3 | 4.0 |
| 2010 | 585 | 4.3 | 0.18 | 3.9 | 4.6 | 448 | 3.9 | 0.18 | 3.5 | 4.2 |
| 2011 | 592 | 4.2 | 0.17 | 3.8 | 4.5 | 441 | 3.7 | 0.18 | 3.4 | 4.1 |
| 2012 | 607 | 4.2 | 0.17 | 3.9 | 4.6 | 472 | 4.0 | 0.18 | 3.6 | 4.3 |
| 2013 | 678 | 4.6 | 0.18 | 4.3 | 5.0 | 509 | 4.2 | 0.19 | 3.9 | 4.6 |
| 2014 | 686 | 4.5 | 0.18 | 4.2 | 4.9 | 515 | 4.1 | 0.19 | 3.8 | 4.5 |
| 2015 | 707 | 4.6 | 0.18 | 4.3 | 5.0 | 524 | 4.1 | 0.18 | 3.8 | 4.5 |
| 2016 | 695 | 4.5 | 0.17 | 4.1 | 4.8 | 531 | 4.2 | 0.18 | 3.8 | 4.6 |
| 2017 | 648 | 4.1 | 0.16 | 3.8 | 4.4 | 483 | 3.7 | 0.17 | 3.4 | 4.1 |
| 2018 | 682 | 4.3 | 0.17 | 4.0 | 4.6 | 535 | 4.1 | 0.18 | 3.7 | 4.5 |
| 2019 | 667 | 4.1 | 0.16 | 3.8 | 4.4 | 522 | 3.9 | 0.18 | 3.6 | 4.3 |
| 2020 | 688 | 4.2 | 0.16 | 3.9 | 4.5 | 524 | 3.9 | 0.17 | 3.6 | 4.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Liver | | | | | | | | | | |
|------------|-------|------|------|-----|-----|----------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,358 | 6.3 | 0.11 | 6.1 | 6.5 | 826 | 5.8 | 0.21 | 5.4 | 6.2 |
| 1986 | 54 | 4.7 | 0.67 | 3.5 | 6.2 | 10 | 5.4 | 1.89 | 2.4 | 10.7 |
| 1987 | 68 | 6.2 | 0.78 | 4.8 | 7.9 | * | * | * | * | * |
| 1988 | 51 | 4.6 | 0.67 | 3.4 | 6.1 | * | * | * | * | * |
| 1989 | 69 | 5.9 | 0.73 | 4.6 | 7.5 | 12 | 6.5 | 1.97 | 3.2 | 11.7 |
| 1990 | 70 | 6.2 | 0.76 | 4.8 | 7.9 | 14 | 7.8 | 2.49 | 3.7 | 14.0 |
| 1991 | 65 | 5.5 | 0.70 | 4.2 | 7.0 | 11 | 6.7 | 2.16 | 3.2 | 12.2 |
| 1992 | 63 | 5.4 | 0.70 | 4.1 | 6.9 | 23 | 12.8 | 3.01 | 7.6 | 19.9 |
| 1993 | 75 | 6.3 | 0.74 | 4.9 | 7.9 | 12 | 6.0 | 1.86 | 3.0 | 10.7 |
| 1994 | 85 | 6.9 | 0.77 | 5.5 | 8.6 | 16 | 6.5 | 1.72 | 3.6 | 10.8 |
| 1995 | 97 | 8.0 | 0.83 | 6.4 | 9.7 | 17 | 9.7 | 2.59 | 5.3 | 15.8 |
| 1996 | 91 | 7.3 | 0.78 | 5.8 | 8.9 | 16 | 8.1 | 2.25 | 4.3 | 13.4 |
| 1997 | 92 | 7.0 | 0.75 | 5.6 | 8.6 | 26 | 10.8 | 2.36 | 6.7 | 16.3 |
| 1998 | 96 | 7.3 | 0.76 | 5.9 | 9.0 | 12 | 4.3 | 1.39 | 2.1 | 7.9 |
| 1999 | 96 | 7.1 | 0.74 | 5.8 | 8.7 | 24 | 7.3 | 1.59 | 4.6 | 11.1 |
| 2000 | 80 | 5.7 | 0.65 | 4.5 | 7.1 | 26 | 8.6 | 1.82 | 5.4 | 12.8 |
| 2001 | 101 | 7.0 | 0.71 | 5.7 | 8.6 | 21 | 5.7 | 1.36 | 3.4 | 9.0 |
| 2002 | 90 | 6.4 | 0.69 | 5.1 | 7.9 | 18 | 6.1 | 1.51 | 3.5 | 9.7 |
| 2003 | 85 | 5.9 | 0.65 | 4.7 | 7.3 | 27 | 8.2 | 1.70 | 5.2 | 12.1 |
| 2004 | 103 | 6.9 | 0.69 | 5.6 | 8.4 | 29 | 6.8 | 1.34 | 4.4 | 9.9 |
| 2005 | 84 | 5.3 | 0.59 | 4.2 | 6.6 | 21 | 5.8 | 1.37 | 3.4 | 9.0 |
| 2006 | 85 | 5.2 | 0.58 | 4.1 | 6.4 | 21 | 4.6 | 1.06 | 2.8 | 7.2 |
| 2007 | 103 | 6.4 | 0.64 | 5.2 | 7.8 | 21 | 4.6 | 1.11 | 2.7 | 7.3 |
| 2008 | 114 | 7.2 | 0.69 | 5.9 | 8.6 | 19 | 3.8 | 0.94 | 2.2 | 6.1 |
| 2009 | 94 | 5.5 | 0.58 | 4.4 | 6.8 | 30 | 6.8 | 1.34 | 4.5 | 9.9 |
| 2010 | 106 | 6.1 | 0.61 | 5.0 | 7.4 | 31 | 6.7 | 1.27 | 4.5 | 9.6 |
| 2011 | 114 | 6.2 | 0.59 | 5.1 | 7.5 | 37 | 6.5 | 1.13 | 4.5 | 9.1 |
| 2012 | 112 | 6.1 | 0.59 | 5.0 | 7.4 | 23 | 4.0 | 0.89 | 2.5 | 6.1 |
| 2013 | 139 | 7.2 | 0.62 | 6.0 | 8.5 | 30 | 4.9 | 0.94 | 3.2 | 7.1 |
| 2014 | 135 | 6.7 | 0.59 | 5.6 | 8.0 | 36 | 5.8 | 1.00 | 4.0 | 8.0 |
| 2015 | 138 | 7.0 | 0.61 | 5.8 | 8.3 | 45 | 6.4 | 0.99 | 4.6 | 8.6 |
| 2016 | 128 | 6.0 | 0.54 | 5.0 | 7.2 | 36 | 5.2 | 0.89 | 3.6 | 7.2 |
| 2017 | 132 | 6.3 | 0.56 | 5.2 | 7.5 | 33 | 4.3 | 0.78 | 3.0 | 6.1 |
| 2018 | 112 | 5.5 | 0.53 | 4.5 | 6.6 | 35 | 4.3 | 0.74 | 2.9 | 6.0 |
| 2019 | 115 | 5.3 | 0.50 | 4.4 | 6.4 | 30 | 3.7 | 0.69 | 2.5 | 5.3 |
| 2020 | 116 | 5.5 | 0.52 | 4.5 | 6.6 | 48 | 5.4 | 0.78 | 3.9 | 7.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Liver | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 11,796 | 6.1 | 0.06 | 6.0 | 6.2 | 8,966 | 5.4 | 0.06 | 5.3 | 5.6 |
| 1986 | 188 | 4.3 | 0.33 | 3.7 | 5.0 | 140 | 3.7 | 0.33 | 3.1 | 4.4 |
| 1987 | 217 | 5.0 | 0.35 | 4.3 | 5.7 | 160 | 4.2 | 0.34 | 3.5 | 4.9 |
| 1988 | 194 | 4.5 | 0.33 | 3.8 | 5.2 | 155 | 4.1 | 0.34 | 3.5 | 4.8 |
| 1989 | 217 | 4.9 | 0.34 | 4.3 | 5.6 | 173 | 4.5 | 0.35 | 3.8 | 5.2 |
| 1990 | 238 | 5.4 | 0.36 | 4.7 | 6.1 | 185 | 4.7 | 0.35 | 4.0 | 5.4 |
| 1991 | 213 | 4.7 | 0.33 | 4.0 | 5.4 | 164 | 4.1 | 0.33 | 3.5 | 4.8 |
| 1992 | 237 | 5.3 | 0.35 | 4.6 | 6.0 | 184 | 4.7 | 0.35 | 4.0 | 5.4 |
| 1993 | 243 | 5.4 | 0.35 | 4.7 | 6.1 | 194 | 4.9 | 0.36 | 4.2 | 5.7 |
| 1994 | 252 | 5.3 | 0.34 | 4.6 | 6.0 | 188 | 4.5 | 0.34 | 3.9 | 5.2 |
| 1995 | 296 | 6.3 | 0.38 | 5.6 | 7.1 | 219 | 5.3 | 0.37 | 4.6 | 6.1 |
| 1996 | 300 | 6.3 | 0.37 | 5.6 | 7.1 | 231 | 5.6 | 0.37 | 4.9 | 6.4 |
| 1997 | 291 | 6.0 | 0.36 | 5.3 | 6.7 | 214 | 5.1 | 0.35 | 4.4 | 5.8 |
| 1998 | 290 | 5.8 | 0.35 | 5.2 | 6.5 | 219 | 5.1 | 0.35 | 4.4 | 5.8 |
| 1999 | 286 | 5.7 | 0.34 | 5.0 | 6.4 | 211 | 4.9 | 0.34 | 4.2 | 5.6 |
| 2000 | 282 | 5.5 | 0.33 | 4.9 | 6.2 | 218 | 5.0 | 0.34 | 4.3 | 5.7 |
| 2001 | 280 | 5.5 | 0.33 | 4.8 | 6.2 | 205 | 4.7 | 0.33 | 4.1 | 5.4 |
| 2002 | 289 | 5.5 | 0.33 | 4.9 | 6.2 | 217 | 4.9 | 0.33 | 4.2 | 5.6 |
| 2003 | 333 | 6.3 | 0.35 | 5.7 | 7.1 | 256 | 5.7 | 0.36 | 5.0 | 6.5 |
| 2004 | 307 | 5.6 | 0.32 | 4.9 | 6.2 | 224 | 4.8 | 0.32 | 4.2 | 5.5 |
| 2005 | 355 | 6.4 | 0.35 | 5.7 | 7.1 | 280 | 6.0 | 0.36 | 5.3 | 6.7 |
| 2006 | 339 | 6.0 | 0.33 | 5.4 | 6.7 | 263 | 5.5 | 0.35 | 4.9 | 6.3 |
| 2007 | 333 | 5.8 | 0.32 | 5.2 | 6.4 | 244 | 5.0 | 0.33 | 4.4 | 5.7 |
| 2008 | 361 | 6.1 | 0.33 | 5.5 | 6.7 | 275 | 5.5 | 0.33 | 4.8 | 6.1 |
| 2009 | 397 | 6.6 | 0.34 | 6.0 | 7.3 | 309 | 6.1 | 0.36 | 5.5 | 6.9 |
| 2010 | 419 | 6.9 | 0.34 | 6.2 | 7.6 | 326 | 6.3 | 0.36 | 5.6 | 7.1 |
| 2011 | 435 | 6.9 | 0.34 | 6.2 | 7.6 | 320 | 6.0 | 0.35 | 5.4 | 6.8 |
| 2012 | 422 | 6.4 | 0.32 | 5.8 | 7.1 | 327 | 5.9 | 0.34 | 5.3 | 6.6 |
| 2013 | 473 | 7.1 | 0.34 | 6.5 | 7.8 | 343 | 6.2 | 0.35 | 5.6 | 7.0 |
| 2014 | 485 | 7.1 | 0.33 | 6.5 | 7.8 | 368 | 6.5 | 0.35 | 5.9 | 7.3 |
| 2015 | 494 | 7.0 | 0.33 | 6.4 | 7.7 | 366 | 6.2 | 0.33 | 5.6 | 6.9 |
| 2016 | 489 | 6.9 | 0.32 | 6.3 | 7.6 | 376 | 6.4 | 0.34 | 5.8 | 7.1 |
| 2017 | 450 | 6.3 | 0.31 | 5.7 | 7.0 | 333 | 5.7 | 0.32 | 5.1 | 6.4 |
| 2018 | 448 | 6.2 | 0.30 | 5.6 | 6.8 | 356 | 5.9 | 0.32 | 5.3 | 6.6 |
| 2019 | 462 | 6.2 | 0.30 | 5.7 | 6.8 | 361 | 5.9 | 0.32 | 5.3 | 6.6 |
| 2020 | 481 | 6.4 | 0.30 | 5.9 | 7.1 | 362 | 5.8 | 0.31 | 5.2 | 6.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Liver | | | | | | | | | | |
|--------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,225 | 9.9 | 0.22 | 9.4 | 10.3 | 605 | 9.1 | 0.40 | 8.3 | 9.9 |
| 1986 | 41 | 8.4 | 1.40 | 5.9 | 11.6 | * | * | * | * | * |
| 1987 | 50 | 11.0 | 1.67 | 8.0 | 14.8 | * | * | * | * | * |
| 1988 | 32 | 6.7 | 1.24 | 4.5 | 9.6 | * | * | * | * | * |
| 1989 | 35 | 7.3 | 1.28 | 5.0 | 10.2 | * | * | * | * | * |
| 1990 | 41 | 9.0 | 1.51 | 6.3 | 12.4 | 12 | 14.5 | 5.49 | 5.8 | 28.6 |
| 1991 | 40 | 8.1 | 1.36 | 5.6 | 11.1 | * | * | * | * | * |
| 1992 | 36 | 8.0 | 1.43 | 5.5 | 11.2 | 17 | 19.8 | 5.29 | 10.8 | 32.7 |
| 1993 | 43 | 8.3 | 1.33 | 5.9 | 11.3 | * | * | * | * | * |
| 1994 | 52 | 10.6 | 1.56 | 7.8 | 14.0 | 12 | 10.5 | 3.23 | 5.1 | 19.0 |
| 1995 | 64 | 13.0 | 1.74 | 9.8 | 16.8 | 13 | 18.6 | 6.01 | 8.7 | 33.1 |
| 1996 | 57 | 10.7 | 1.49 | 7.9 | 14.0 | 12 | 12.0 | 4.16 | 5.3 | 22.4 |
| 1997 | 58 | 10.5 | 1.46 | 7.8 | 13.7 | 19 | 15.8 | 3.89 | 9.1 | 25.2 |
| 1998 | 63 | 11.6 | 1.53 | 8.8 | 14.9 | * | * | * | * | * |
| 1999 | 59 | 10.6 | 1.43 | 7.9 | 13.7 | 16 | 11.3 | 3.10 | 6.0 | 19.0 |
| 2000 | 49 | 8.5 | 1.26 | 6.2 | 11.3 | 15 | 9.4 | 2.98 | 4.5 | 16.9 |
| 2001 | 55 | 9.2 | 1.32 | 6.8 | 12.1 | 20 | 12.3 | 3.24 | 6.8 | 20.2 |
| 2002 | 60 | 10.3 | 1.41 | 7.7 | 13.4 | 12 | 8.8 | 2.74 | 4.2 | 15.6 |
| 2003 | 57 | 9.2 | 1.28 | 6.9 | 12.1 | 20 | 12.9 | 3.33 | 7.2 | 20.8 |
| 2004 | 62 | 9.7 | 1.29 | 7.3 | 12.5 | 21 | 10.3 | 2.45 | 6.1 | 16.2 |
| 2005 | 61 | 8.9 | 1.19 | 6.8 | 11.6 | 14 | 6.9 | 2.06 | 3.5 | 12.1 |
| 2006 | 60 | 8.6 | 1.19 | 6.5 | 11.3 | 16 | 7.7 | 2.06 | 4.2 | 12.8 |
| 2007 | 74 | 10.9 | 1.33 | 8.5 | 13.8 | 15 | 6.4 | 1.93 | 3.2 | 11.3 |
| 2008 | 71 | 10.4 | 1.30 | 8.0 | 13.3 | 15 | 7.3 | 2.04 | 3.8 | 12.3 |
| 2009 | 66 | 8.8 | 1.16 | 6.7 | 11.4 | 22 | 12.1 | 2.88 | 7.1 | 18.8 |
| 2010 | 73 | 10.0 | 1.24 | 7.7 | 12.7 | 20 | 8.9 | 2.19 | 5.1 | 14.1 |
| 2011 | 85 | 10.8 | 1.23 | 8.5 | 13.5 | 30 | 11.7 | 2.34 | 7.6 | 17.1 |
| 2012 | 75 | 9.3 | 1.13 | 7.3 | 11.8 | 20 | 8.4 | 2.08 | 4.9 | 13.3 |
| 2013 | 106 | 12.7 | 1.28 | 10.3 | 15.4 | 24 | 8.7 | 1.92 | 5.3 | 13.2 |
| 2014 | 94 | 10.9 | 1.18 | 8.7 | 13.4 | 23 | 8.0 | 1.81 | 4.9 | 12.3 |
| 2015 | 93 | 11.3 | 1.23 | 9.0 | 13.9 | 35 | 10.5 | 1.90 | 7.2 | 14.9 |
| 2016 | 83 | 9.5 | 1.08 | 7.5 | 11.9 | 30 | 9.6 | 1.86 | 6.3 | 13.9 |
| 2017 | 96 | 10.8 | 1.15 | 8.7 | 13.3 | 21 | 6.4 | 1.47 | 3.9 | 9.9 |
| 2018 | 69 | 7.9 | 0.99 | 6.1 | 10.1 | 23 | 6.2 | 1.34 | 3.9 | 9.4 |
| 2019 | 81 | 8.8 | 1.01 | 6.9 | 11.0 | 20 | 4.9 | 1.11 | 3.0 | 7.6 |
| 2020 | 84 | 9.7 | 1.10 | 7.7 | 12.1 | 35 | 8.5 | 1.47 | 5.9 | 11.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Liver | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 5,883 | 2.3 | 0.03 | 2.2 | 2.3 | 4,529 | 2.0 | 0.03 | 2.0 | 2.1 |
| 1986 | 109 | 1.8 | 0.17 | 1.4 | 2.1 | 93 | 1.7 | 0.17 | 1.3 | 2.1 |
| 1987 | 116 | 1.8 | 0.17 | 1.5 | 2.2 | 97 | 1.7 | 0.17 | 1.4 | 2.1 |
| 1988 | 111 | 1.8 | 0.17 | 1.4 | 2.1 | 91 | 1.6 | 0.17 | 1.3 | 2.0 |
| 1989 | 142 | 2.2 | 0.19 | 1.9 | 2.6 | 105 | 1.9 | 0.19 | 1.5 | 2.3 |
| 1990 | 153 | 2.4 | 0.19 | 2.0 | 2.8 | 122 | 2.1 | 0.19 | 1.8 | 2.5 |
| 1991 | 152 | 2.3 | 0.19 | 2.0 | 2.7 | 125 | 2.2 | 0.20 | 1.8 | 2.6 |
| 1992 | 144 | 2.2 | 0.18 | 1.8 | 2.6 | 111 | 1.9 | 0.18 | 1.6 | 2.3 |
| 1993 | 166 | 2.5 | 0.19 | 2.1 | 2.9 | 128 | 2.1 | 0.19 | 1.8 | 2.5 |
| 1994 | 172 | 2.5 | 0.20 | 2.2 | 3.0 | 135 | 2.3 | 0.20 | 1.9 | 2.7 |
| 1995 | 177 | 2.6 | 0.20 | 2.2 | 3.0 | 140 | 2.4 | 0.20 | 2.0 | 2.8 |
| 1996 | 165 | 2.4 | 0.19 | 2.0 | 2.8 | 127 | 2.1 | 0.19 | 1.8 | 2.5 |
| 1997 | 178 | 2.6 | 0.20 | 2.2 | 3.0 | 137 | 2.3 | 0.20 | 1.9 | 2.7 |
| 1998 | 162 | 2.3 | 0.18 | 2.0 | 2.7 | 125 | 2.0 | 0.18 | 1.7 | 2.4 |
| 1999 | 178 | 2.5 | 0.19 | 2.2 | 2.9 | 133 | 2.2 | 0.19 | 1.8 | 2.6 |
| 2000 | 171 | 2.4 | 0.19 | 2.1 | 2.8 | 129 | 2.1 | 0.19 | 1.7 | 2.5 |
| 2001 | 164 | 2.3 | 0.18 | 2.0 | 2.7 | 117 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2002 | 143 | 2.0 | 0.16 | 1.6 | 2.3 | 107 | 1.7 | 0.16 | 1.4 | 2.0 |
| 2003 | 144 | 2.0 | 0.16 | 1.7 | 2.3 | 109 | 1.7 | 0.17 | 1.4 | 2.1 |
| 2004 | 183 | 2.5 | 0.19 | 2.2 | 2.9 | 134 | 2.1 | 0.18 | 1.7 | 2.5 |
| 2005 | 152 | 2.0 | 0.16 | 1.7 | 2.4 | 122 | 1.9 | 0.17 | 1.5 | 2.2 |
| 2006 | 160 | 2.2 | 0.17 | 1.9 | 2.6 | 130 | 2.1 | 0.19 | 1.7 | 2.5 |
| 2007 | 162 | 2.2 | 0.18 | 1.9 | 2.6 | 127 | 2.0 | 0.18 | 1.7 | 2.4 |
| 2008 | 160 | 2.1 | 0.17 | 1.8 | 2.4 | 113 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2009 | 142 | 1.9 | 0.16 | 1.6 | 2.2 | 106 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2010 | 166 | 2.1 | 0.17 | 1.8 | 2.5 | 122 | 1.9 | 0.17 | 1.5 | 2.2 |
| 2011 | 157 | 2.0 | 0.17 | 1.7 | 2.4 | 121 | 1.9 | 0.17 | 1.5 | 2.2 |
| 2012 | 185 | 2.4 | 0.18 | 2.0 | 2.7 | 145 | 2.2 | 0.19 | 1.9 | 2.7 |
| 2013 | 205 | 2.5 | 0.18 | 2.2 | 2.9 | 166 | 2.5 | 0.19 | 2.1 | 2.9 |
| 2014 | 201 | 2.4 | 0.17 | 2.1 | 2.8 | 147 | 2.2 | 0.18 | 1.8 | 2.6 |
| 2015 | 213 | 2.5 | 0.18 | 2.2 | 2.9 | 158 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2016 | 206 | 2.4 | 0.17 | 2.1 | 2.8 | 155 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2017 | 198 | 2.2 | 0.16 | 1.9 | 2.6 | 150 | 2.1 | 0.17 | 1.7 | 2.4 |
| 2018 | 234 | 2.7 | 0.18 | 2.3 | 3.1 | 179 | 2.5 | 0.19 | 2.2 | 2.9 |
| 2019 | 205 | 2.3 | 0.16 | 2.0 | 2.7 | 161 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2020 | 207 | 2.3 | 0.16 | 2.0 | 2.7 | 162 | 2.3 | 0.18 | 1.9 | 2.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Liver | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,133 | 3.7 | 0.11 | 3.5 | 3.9 | 221 | 3.1 | 0.21 | 2.7 | 3.5 |
| 1986 | 13 | 2.1 | 0.60 | 1.1 | 3.6 | * | * | * | * | * |
| 1987 | 18 | 2.9 | 0.68 | 1.7 | 4.5 | * | * | * | * | * |
| 1988 | 19 | 3.1 | 0.72 | 1.9 | 4.8 | * | * | * | * | * |
| 1989 | 34 | 4.9 | 0.87 | 3.4 | 6.9 | * | * | * | * | * |
| 1990 | 29 | 4.4 | 0.82 | 2.9 | 6.2 | * | * | * | * | * |
| 1991 | 25 | 3.6 | 0.74 | 2.3 | 5.4 | * | * | * | * | * |
| 1992 | 27 | 3.8 | 0.74 | 2.5 | 5.5 | * | * | * | * | * |
| 1993 | 32 | 4.6 | 0.83 | 3.1 | 6.5 | * | * | * | * | * |
| 1994 | 33 | 4.5 | 0.80 | 3.1 | 6.3 | * | * | * | * | * |
| 1995 | 33 | 4.7 | 0.82 | 3.2 | 6.5 | * | * | * | * | * |
| 1996 | 34 | 4.7 | 0.81 | 3.3 | 6.6 | * | * | * | * | * |
| 1997 | 34 | 4.5 | 0.79 | 3.1 | 6.3 | * | * | * | * | * |
| 1998 | 33 | 4.3 | 0.76 | 3.0 | 6.1 | * | * | * | * | * |
| 1999 | 37 | 4.7 | 0.78 | 3.3 | 6.5 | * | * | * | * | * |
| 2000 | 31 | 3.8 | 0.68 | 2.5 | 5.3 | 11 | 7.8 | 2.38 | 3.8 | 13.7 |
| 2001 | 46 | 5.5 | 0.82 | 4.1 | 7.4 | * | * | * | * | * |
| 2002 | 30 | 3.7 | 0.68 | 2.5 | 5.2 | * | * | * | * | * |
| 2003 | 28 | 3.4 | 0.64 | 2.2 | 4.9 | * | * | * | * | * |
| 2004 | 41 | 4.8 | 0.76 | 3.4 | 6.5 | * | * | * | * | * |
| 2005 | 23 | 2.6 | 0.55 | 1.6 | 3.9 | * | * | * | * | * |
| 2006 | 25 | 2.7 | 0.55 | 1.8 | 4.1 | * | * | * | * | * |
| 2007 | 29 | 3.2 | 0.60 | 2.1 | 4.6 | * | * | * | * | * |
| 2008 | 43 | 4.7 | 0.73 | 3.4 | 6.4 | * | * | * | * | * |
| 2009 | 28 | 3.0 | 0.58 | 2.0 | 4.4 | * | * | * | * | * |
| 2010 | 33 | 3.4 | 0.59 | 2.3 | 4.7 | 11 | 4.9 | 1.50 | 2.4 | 8.6 |
| 2011 | 29 | 2.9 | 0.55 | 1.9 | 4.2 | * | * | * | * | * |
| 2012 | 37 | 3.6 | 0.60 | 2.5 | 5.0 | * | * | * | * | * |
| 2013 | 33 | 3.1 | 0.55 | 2.1 | 4.4 | * | * | * | * | * |
| 2014 | 41 | 3.7 | 0.58 | 2.6 | 5.0 | 13 | 4.0 | 1.13 | 2.1 | 6.8 |
| 2015 | 45 | 3.9 | 0.60 | 2.9 | 5.3 | 10 | 2.9 | 0.94 | 1.4 | 5.3 |
| 2016 | 45 | 3.5 | 0.53 | 2.6 | 4.8 | * | * | * | * | * |
| 2017 | 36 | 3.0 | 0.50 | 2.1 | 4.1 | 12 | 2.8 | 0.82 | 1.4 | 4.9 |
| 2018 | 43 | 3.6 | 0.56 | 2.6 | 4.9 | 12 | 2.6 | 0.78 | 1.3 | 4.7 |
| 2019 | 34 | 2.8 | 0.48 | 1.9 | 3.9 | 10 | 2.5 | 0.79 | 1.2 | 4.5 |
| 2020 | 32 | 2.6 | 0.47 | 1.8 | 3.7 | 13 | 2.7 | 0.76 | 1.4 | 4.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Pancreas | | | | | | | | | | |
|------------|-----------|------|------|------|------|--------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Year | All Races | | | | | White | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 50,018 | 11.2 | 0.05 | 11.1 | 11.3 | 41,689 | 10.9 | 0.05 | 10.8 | 11.0 |
| 1986 | 1,183 | 11.1 | 0.33 | 10.5 | 11.8 | 1,007 | 10.7 | 0.34 | 10.0 | 11.3 |
| 1987 | 1,192 | 11.3 | 0.33 | 10.6 | 11.9 | 1,016 | 10.8 | 0.34 | 10.1 | 11.5 |
| 1988 | 1,134 | 10.6 | 0.32 | 10.0 | 11.2 | 967 | 10.2 | 0.33 | 9.5 | 10.8 |
| 1989 | 1,129 | 10.5 | 0.32 | 9.9 | 11.2 | 940 | 9.9 | 0.32 | 9.2 | 10.5 |
| 1990 | 1,237 | 11.4 | 0.33 | 10.8 | 12.1 | 1,054 | 11.0 | 0.34 | 10.4 | 11.7 |
| 1991 | 1,244 | 11.4 | 0.33 | 10.8 | 12.1 | 1,055 | 10.9 | 0.34 | 10.3 | 11.6 |
| 1992 | 1,209 | 10.9 | 0.32 | 10.3 | 11.6 | 1,028 | 10.5 | 0.33 | 9.9 | 11.2 |
| 1993 | 1,209 | 10.8 | 0.31 | 10.2 | 11.4 | 997 | 10.1 | 0.32 | 9.5 | 10.7 |
| 1994 | 1,251 | 11.0 | 0.31 | 10.4 | 11.6 | 1,057 | 10.5 | 0.32 | 9.9 | 11.2 |
| 1995 | 1,183 | 10.3 | 0.30 | 9.7 | 10.9 | 1,020 | 10.1 | 0.32 | 9.5 | 10.8 |
| 1996 | 1,280 | 11.1 | 0.31 | 10.5 | 11.7 | 1,061 | 10.5 | 0.32 | 9.9 | 11.2 |
| 1997 | 1,267 | 10.9 | 0.31 | 10.3 | 11.5 | 1,067 | 10.5 | 0.32 | 9.9 | 11.1 |
| 1998 | 1,298 | 11.0 | 0.31 | 10.4 | 11.6 | 1,106 | 10.8 | 0.32 | 10.2 | 11.4 |
| 1999 | 1,349 | 11.4 | 0.31 | 10.8 | 12.0 | 1,154 | 11.1 | 0.33 | 10.5 | 11.8 |
| 2000 | 1,354 | 11.3 | 0.31 | 10.7 | 11.9 | 1,123 | 10.8 | 0.32 | 10.2 | 11.5 |
| 2001 | 1,377 | 11.4 | 0.31 | 10.8 | 12.0 | 1,166 | 11.2 | 0.33 | 10.5 | 11.8 |
| 2002 | 1,392 | 11.4 | 0.31 | 10.8 | 12.0 | 1,158 | 11.0 | 0.32 | 10.4 | 11.7 |
| 2003 | 1,332 | 10.8 | 0.30 | 10.2 | 11.4 | 1,111 | 10.5 | 0.31 | 9.8 | 11.1 |
| 2004 | 1,424 | 11.4 | 0.30 | 10.8 | 12.0 | 1,190 | 11.1 | 0.32 | 10.5 | 11.8 |
| 2005 | 1,482 | 11.7 | 0.31 | 11.1 | 12.3 | 1,212 | 11.1 | 0.32 | 10.5 | 11.8 |
| 2006 | 1,463 | 11.5 | 0.30 | 10.9 | 12.1 | 1,193 | 10.9 | 0.32 | 10.3 | 11.6 |
| 2007 | 1,424 | 11.0 | 0.29 | 10.5 | 11.6 | 1,188 | 10.8 | 0.31 | 10.1 | 11.4 |
| 2008 | 1,521 | 11.6 | 0.30 | 11.0 | 12.2 | 1,268 | 11.3 | 0.32 | 10.7 | 12.0 |
| 2009 | 1,518 | 11.4 | 0.29 | 10.8 | 11.9 | 1,251 | 11.0 | 0.32 | 10.4 | 11.7 |
| 2010 | 1,544 | 11.4 | 0.29 | 10.9 | 12.0 | 1,286 | 11.2 | 0.32 | 10.6 | 11.9 |
| 2011 | 1,560 | 11.4 | 0.29 | 10.8 | 12.0 | 1,296 | 11.2 | 0.32 | 10.6 | 11.9 |
| 2012 | 1,541 | 10.9 | 0.28 | 10.3 | 11.5 | 1,261 | 10.6 | 0.30 | 10.0 | 11.2 |
| 2013 | 1,566 | 10.9 | 0.28 | 10.4 | 11.5 | 1,294 | 10.8 | 0.30 | 10.2 | 11.4 |
| 2014 | 1,595 | 10.8 | 0.28 | 10.3 | 11.4 | 1,326 | 10.8 | 0.30 | 10.2 | 11.4 |
| 2015 | 1,643 | 11.0 | 0.28 | 10.5 | 11.6 | 1,331 | 10.8 | 0.30 | 10.2 | 11.4 |
| 2016 | 1,737 | 11.5 | 0.28 | 11.0 | 12.1 | 1,456 | 11.6 | 0.31 | 11.0 | 12.2 |
| 2017 | 1,734 | 11.3 | 0.28 | 10.8 | 11.8 | 1,448 | 11.4 | 0.31 | 10.8 | 12.0 |
| 2018 | 1,880 | 12.0 | 0.28 | 11.4 | 12.5 | 1,540 | 11.9 | 0.31 | 11.3 | 12.5 |
| 2019 | 1,823 | 11.5 | 0.27 | 10.9 | 12.0 | 1,471 | 11.2 | 0.30 | 10.7 | 11.8 |
| 2020 | 1,943 | 12.0 | 0.28 | 11.5 | 12.5 | 1,591 | 12.0 | 0.31 | 11.4 | 12.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Pancreas | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 7,536 | 14.9 | 0.18 | 14.6 | 15.3 | 791 | 6.1 | 0.23 | 5.6 | 6.5 |
| 1986 | 169 | 16.6 | 1.33 | 14.1 | 19.3 | * | * | * | * | * |
| 1987 | 170 | 16.1 | 1.27 | 13.7 | 18.7 | * | * | * | * | * |
| 1988 | 161 | 15.0 | 1.21 | 12.7 | 17.5 | * | * | * | * | * |
| 1989 | 175 | 16.2 | 1.27 | 13.9 | 18.9 | 13 | 12.6 | 4.11 | 5.9 | 22.5 |
| 1990 | 174 | 15.4 | 1.21 | 13.1 | 18.0 | * | * | * | * | * |
| 1991 | 177 | 16.0 | 1.24 | 13.7 | 18.6 | 12 | 9.2 | 3.06 | 4.2 | 16.7 |
| 1992 | 172 | 15.1 | 1.18 | 12.8 | 17.5 | * | * | * | * | * |
| 1993 | 200 | 17.1 | 1.24 | 14.7 | 19.7 | 12 | 7.0 | 2.38 | 3.1 | 12.9 |
| 1994 | 181 | 15.3 | 1.16 | 13.1 | 17.7 | 13 | 8.6 | 2.69 | 4.2 | 15.1 |
| 1995 | 150 | 12.9 | 1.08 | 10.9 | 15.2 | 13 | 6.3 | 1.86 | 3.2 | 10.9 |
| 1996 | 201 | 16.7 | 1.20 | 14.4 | 19.2 | 18 | 10.2 | 2.66 | 5.7 | 16.5 |
| 1997 | 188 | 14.6 | 1.08 | 12.5 | 16.9 | 12 | 6.6 | 2.13 | 3.1 | 11.8 |
| 1998 | 180 | 13.9 | 1.06 | 11.9 | 16.1 | 12 | 5.3 | 1.66 | 2.6 | 9.4 |
| 1999 | 172 | 13.2 | 1.02 | 11.3 | 15.4 | 23 | 10.1 | 2.29 | 6.2 | 15.4 |
| 2000 | 209 | 15.7 | 1.10 | 13.6 | 18.0 | 22 | 8.8 | 2.01 | 5.3 | 13.5 |
| 2001 | 198 | 14.7 | 1.07 | 12.7 | 17.0 | 13 | 5.0 | 1.47 | 2.5 | 8.5 |
| 2002 | 220 | 16.0 | 1.10 | 13.9 | 18.3 | 14 | 4.6 | 1.33 | 2.4 | 7.9 |
| 2003 | 194 | 13.9 | 1.02 | 12.0 | 16.0 | 27 | 8.2 | 1.68 | 5.2 | 12.0 |
| 2004 | 213 | 14.9 | 1.04 | 12.9 | 17.0 | 21 | 6.3 | 1.48 | 3.8 | 9.8 |
| 2005 | 248 | 17.2 | 1.11 | 15.1 | 19.5 | 22 | 6.8 | 1.57 | 4.1 | 10.5 |
| 2006 | 251 | 17.0 | 1.09 | 14.9 | 19.3 | 19 | 4.9 | 1.19 | 2.8 | 7.7 |
| 2007 | 212 | 14.5 | 1.01 | 12.6 | 16.6 | 24 | 5.4 | 1.20 | 3.3 | 8.2 |
| 2008 | 230 | 15.3 | 1.03 | 13.3 | 17.4 | 23 | 6.0 | 1.33 | 3.7 | 9.0 |
| 2009 | 236 | 15.0 | 1.00 | 13.1 | 17.1 | 31 | 7.0 | 1.35 | 4.6 | 10.1 |
| 2010 | 225 | 14.5 | 0.99 | 12.6 | 16.5 | 33 | 6.4 | 1.22 | 4.3 | 9.2 |
| 2011 | 233 | 14.2 | 0.95 | 12.4 | 16.2 | 31 | 6.2 | 1.17 | 4.1 | 8.8 |
| 2012 | 241 | 14.2 | 0.94 | 12.4 | 16.2 | 39 | 6.7 | 1.15 | 4.7 | 9.3 |
| 2013 | 249 | 14.1 | 0.91 | 12.4 | 16.0 | 23 | 4.4 | 0.95 | 2.7 | 6.6 |
| 2014 | 244 | 13.5 | 0.89 | 11.8 | 15.4 | 25 | 4.2 | 0.89 | 2.7 | 6.3 |
| 2015 | 273 | 15.0 | 0.93 | 13.2 | 16.9 | 39 | 6.1 | 1.02 | 4.3 | 8.4 |
| 2016 | 242 | 13.1 | 0.86 | 11.5 | 14.9 | 39 | 5.7 | 0.94 | 4.0 | 7.8 |
| 2017 | 250 | 13.1 | 0.85 | 11.5 | 14.9 | 36 | 4.6 | 0.79 | 3.2 | 6.4 |
| 2018 | 295 | 15.2 | 0.91 | 13.5 | 17.1 | 45 | 5.9 | 0.90 | 4.3 | 7.9 |
| 2019 | 304 | 15.1 | 0.89 | 13.4 | 17.0 | 48 | 6.0 | 0.88 | 4.4 | 7.9 |
| 2020 | 299 | 14.4 | 0.85 | 12.8 | 16.2 | 53 | 6.1 | 0.84 | 4.5 | 7.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Pancreas | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 24,561 | 13.1 | 0.08 | 12.9 | 13.2 | 20,625 | 12.8 | 0.09 | 12.6 | 13.0 |
| 1986 | 582 | 13.4 | 0.58 | 12.3 | 14.6 | 497 | 12.9 | 0.61 | 11.8 | 14.2 |
| 1987 | 561 | 13.1 | 0.58 | 12.0 | 14.3 | 479 | 12.7 | 0.60 | 11.5 | 13.9 |
| 1988 | 572 | 13.2 | 0.57 | 12.1 | 14.4 | 495 | 12.8 | 0.60 | 11.7 | 14.1 |
| 1989 | 526 | 12.1 | 0.55 | 11.0 | 13.2 | 440 | 11.4 | 0.57 | 10.4 | 12.6 |
| 1990 | 570 | 13.0 | 0.56 | 11.9 | 14.1 | 486 | 12.6 | 0.59 | 11.5 | 13.8 |
| 1991 | 619 | 14.1 | 0.58 | 12.9 | 15.2 | 532 | 13.7 | 0.61 | 12.5 | 14.9 |
| 1992 | 567 | 12.7 | 0.55 | 11.6 | 13.8 | 468 | 11.8 | 0.56 | 10.7 | 12.9 |
| 1993 | 568 | 12.6 | 0.55 | 11.6 | 13.8 | 473 | 11.9 | 0.56 | 10.9 | 13.1 |
| 1994 | 622 | 13.5 | 0.55 | 12.4 | 14.6 | 521 | 12.8 | 0.57 | 11.7 | 14.0 |
| 1995 | 563 | 11.9 | 0.51 | 10.9 | 12.9 | 476 | 11.5 | 0.53 | 10.4 | 12.6 |
| 1996 | 614 | 13.0 | 0.54 | 12.0 | 14.1 | 505 | 12.3 | 0.56 | 11.2 | 13.4 |
| 1997 | 601 | 12.6 | 0.52 | 11.6 | 13.7 | 501 | 12.1 | 0.55 | 11.1 | 13.2 |
| 1998 | 614 | 12.7 | 0.52 | 11.7 | 13.8 | 527 | 12.5 | 0.55 | 11.5 | 13.7 |
| 1999 | 630 | 12.9 | 0.52 | 11.9 | 13.9 | 543 | 12.8 | 0.55 | 11.7 | 13.9 |
| 2000 | 646 | 13.0 | 0.52 | 12.0 | 14.1 | 541 | 12.6 | 0.55 | 11.6 | 13.7 |
| 2001 | 649 | 12.9 | 0.51 | 11.9 | 14.0 | 558 | 12.8 | 0.55 | 11.8 | 14.0 |
| 2002 | 673 | 13.3 | 0.52 | 12.3 | 14.4 | 574 | 13.1 | 0.55 | 12.0 | 14.2 |
| 2003 | 663 | 12.9 | 0.51 | 11.9 | 13.9 | 539 | 12.2 | 0.53 | 11.2 | 13.3 |
| 2004 | 713 | 13.6 | 0.52 | 12.6 | 14.7 | 591 | 13.2 | 0.55 | 12.1 | 14.3 |
| 2005 | 700 | 13.3 | 0.51 | 12.3 | 14.3 | 572 | 12.7 | 0.54 | 11.6 | 13.8 |
| 2006 | 708 | 13.0 | 0.50 | 12.1 | 14.1 | 580 | 12.5 | 0.53 | 11.5 | 13.6 |
| 2007 | 672 | 12.3 | 0.48 | 11.4 | 13.3 | 567 | 12.1 | 0.51 | 11.1 | 13.1 |
| 2008 | 740 | 13.2 | 0.50 | 12.3 | 14.3 | 622 | 13.0 | 0.53 | 12.0 | 14.1 |
| 2009 | 770 | 13.4 | 0.49 | 12.5 | 14.4 | 647 | 13.2 | 0.53 | 12.2 | 14.3 |
| 2010 | 751 | 13.0 | 0.48 | 12.0 | 13.9 | 629 | 12.7 | 0.52 | 11.7 | 13.8 |
| 2011 | 768 | 13.0 | 0.48 | 12.1 | 14.0 | 658 | 13.2 | 0.53 | 12.2 | 14.3 |
| 2012 | 770 | 12.4 | 0.46 | 11.5 | 13.3 | 637 | 12.1 | 0.49 | 11.1 | 13.1 |
| 2013 | 788 | 12.7 | 0.46 | 11.8 | 13.6 | 645 | 12.3 | 0.50 | 11.4 | 13.4 |
| 2014 | 816 | 12.7 | 0.46 | 11.8 | 13.6 | 696 | 12.9 | 0.50 | 12.0 | 14.0 |
| 2015 | 857 | 13.2 | 0.46 | 12.3 | 14.2 | 698 | 12.9 | 0.50 | 11.9 | 13.9 |
| 2016 | 893 | 13.6 | 0.47 | 12.7 | 14.5 | 768 | 13.9 | 0.51 | 12.9 | 14.9 |
| 2017 | 888 | 13.2 | 0.45 | 12.3 | 14.1 | 760 | 13.6 | 0.50 | 12.6 | 14.6 |
| 2018 | 950 | 13.7 | 0.45 | 12.8 | 14.6 | 800 | 13.8 | 0.50 | 12.8 | 14.8 |
| 2019 | 947 | 13.3 | 0.44 | 12.5 | 14.2 | 772 | 13.1 | 0.48 | 12.2 | 14.1 |
| 2020 | 990 | 13.7 | 0.45 | 12.8 | 14.6 | 828 | 13.9 | 0.49 | 12.9 | 14.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Pancreas | | | | | | | | | | |
|-----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,555 | 17.2 | 0.30 | 16.6 | 17.8 | 380 | 6.5 | 0.36 | 5.8 | 7.2 |
| 1986 | 82 | 18.9 | 2.23 | 14.7 | 23.7 | * | * | * | * | * |
| 1987 | 79 | 18.1 | 2.15 | 14.2 | 22.8 | * | * | * | * | * |
| 1988 | 74 | 17.3 | 2.15 | 13.4 | 22.0 | * | * | * | * | * |
| 1989 | 81 | 18.0 | 2.14 | 14.0 | 22.6 | * | * | * | * | * |
| 1990 | 78 | 16.2 | 1.97 | 12.6 | 20.5 | * | * | * | * | * |
| 1991 | 79 | 17.9 | 2.12 | 14.0 | 22.5 | * | * | * | * | * |
| 1992 | 93 | 22.5 | 2.51 | 17.8 | 27.8 | * | * | * | * | * |
| 1993 | 89 | 19.9 | 2.25 | 15.8 | 24.8 | * | * | * | * | * |
| 1994 | 95 | 19.7 | 2.15 | 15.7 | 24.3 | * | * | * | * | * |
| 1995 | 78 | 16.8 | 2.03 | 13.1 | 21.2 | * | * | * | * | * |
| 1996 | 101 | 20.3 | 2.15 | 16.3 | 24.8 | * | * | * | * | * |
| 1997 | 92 | 17.0 | 1.84 | 13.6 | 21.0 | * | * | * | * | * |
| 1998 | 81 | 15.1 | 1.76 | 11.9 | 18.9 | * | * | * | * | * |
| 1999 | 76 | 14.5 | 1.74 | 11.3 | 18.2 | 11 | 11.7 | 4.09 | 5.1 | 21.8 |
| 2000 | 96 | 17.4 | 1.87 | 13.9 | 21.4 | * | * | * | * | * |
| 2001 | 85 | 15.1 | 1.74 | 11.9 | 18.8 | * | * | * | * | * |
| 2002 | 91 | 16.9 | 1.88 | 13.4 | 20.9 | * | * | * | * | * |
| 2003 | 108 | 18.4 | 1.88 | 14.9 | 22.4 | 16 | 11.4 | 3.21 | 6.0 | 19.2 |
| 2004 | 112 | 18.0 | 1.78 | 14.7 | 21.8 | 10 | 5.8 | 2.00 | 2.6 | 11.0 |
| 2005 | 115 | 19.4 | 1.91 | 15.9 | 23.5 | 13 | 9.0 | 2.82 | 4.3 | 15.8 |
| 2006 | 118 | 19.1 | 1.85 | 15.7 | 23.1 | 10 | 6.1 | 2.16 | 2.6 | 11.6 |
| 2007 | 93 | 15.7 | 1.73 | 12.5 | 19.4 | 12 | 6.0 | 1.97 | 2.8 | 11.0 |
| 2008 | 104 | 17.2 | 1.78 | 13.9 | 21.0 | 14 | 8.3 | 2.47 | 4.2 | 14.3 |
| 2009 | 107 | 16.7 | 1.71 | 13.5 | 20.4 | 16 | 8.2 | 2.26 | 4.4 | 13.7 |
| 2010 | 103 | 15.9 | 1.64 | 12.9 | 19.5 | 19 | 8.4 | 2.13 | 4.7 | 13.5 |
| 2011 | 99 | 14.2 | 1.51 | 11.4 | 17.5 | 11 | 5.2 | 1.74 | 2.4 | 9.5 |
| 2012 | 116 | 16.6 | 1.62 | 13.6 | 20.1 | 17 | 6.3 | 1.66 | 3.5 | 10.4 |
| 2013 | 132 | 18.5 | 1.70 | 15.3 | 22.1 | 11 | 5.0 | 1.62 | 2.4 | 9.0 |
| 2014 | 110 | 14.7 | 1.47 | 11.9 | 17.8 | 10 | 3.5 | 1.22 | 1.6 | 6.7 |
| 2015 | 135 | 17.9 | 1.61 | 14.8 | 21.3 | 24 | 8.0 | 1.73 | 5.0 | 12.1 |
| 2016 | 110 | 14.9 | 1.48 | 12.1 | 18.1 | 15 | 5.1 | 1.37 | 2.8 | 8.5 |
| 2017 | 115 | 14.7 | 1.44 | 12.0 | 17.7 | 13 | 3.7 | 1.08 | 1.9 | 6.5 |
| 2018 | 131 | 16.7 | 1.52 | 13.9 | 20.0 | 19 | 5.2 | 1.23 | 3.1 | 8.2 |
| 2019 | 156 | 18.4 | 1.53 | 15.5 | 21.6 | 19 | 5.6 | 1.32 | 3.3 | 8.8 |
| 2020 | 141 | 16.2 | 1.42 | 13.5 | 19.2 | 21 | 5.0 | 1.10 | 3.1 | 7.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Pancreas | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 25,457 | 9.8 | 0.06 | 9.7 | 9.9 | 21,064 | 9.4 | 0.07 | 9.3 | 9.6 |
| 1986 | 601 | 9.5 | 0.39 | 8.8 | 10.4 | 510 | 9.1 | 0.41 | 8.3 | 9.9 |
| 1987 | 631 | 10.0 | 0.40 | 9.2 | 10.8 | 537 | 9.5 | 0.41 | 8.7 | 10.3 |
| 1988 | 562 | 8.7 | 0.37 | 8.0 | 9.5 | 472 | 8.2 | 0.38 | 7.5 | 9.0 |
| 1989 | 603 | 9.4 | 0.39 | 8.7 | 10.2 | 500 | 8.8 | 0.40 | 8.1 | 9.6 |
| 1990 | 667 | 10.3 | 0.40 | 9.5 | 11.1 | 568 | 9.8 | 0.42 | 9.0 | 10.7 |
| 1991 | 625 | 9.6 | 0.39 | 8.8 | 10.4 | 523 | 9.0 | 0.40 | 8.2 | 9.8 |
| 1992 | 642 | 9.6 | 0.38 | 8.8 | 10.4 | 560 | 9.4 | 0.40 | 8.6 | 10.2 |
| 1993 | 641 | 9.6 | 0.38 | 8.8 | 10.3 | 524 | 8.8 | 0.39 | 8.1 | 9.6 |
| 1994 | 629 | 9.2 | 0.37 | 8.4 | 9.9 | 536 | 8.8 | 0.38 | 8.1 | 9.6 |
| 1995 | 620 | 8.9 | 0.36 | 8.2 | 9.7 | 544 | 8.9 | 0.39 | 8.2 | 9.7 |
| 1996 | 666 | 9.6 | 0.38 | 8.9 | 10.4 | 556 | 9.2 | 0.39 | 8.4 | 10.0 |
| 1997 | 666 | 9.5 | 0.37 | 8.8 | 10.2 | 566 | 9.2 | 0.39 | 8.4 | 9.9 |
| 1998 | 684 | 9.8 | 0.38 | 9.1 | 10.5 | 579 | 9.5 | 0.40 | 8.7 | 10.3 |
| 1999 | 719 | 10.1 | 0.38 | 9.4 | 10.9 | 611 | 9.8 | 0.40 | 9.0 | 10.6 |
| 2000 | 708 | 9.9 | 0.38 | 9.2 | 10.7 | 582 | 9.4 | 0.39 | 8.6 | 10.2 |
| 2001 | 728 | 10.2 | 0.38 | 9.4 | 11.0 | 608 | 9.8 | 0.40 | 9.1 | 10.7 |
| 2002 | 719 | 10.0 | 0.38 | 9.3 | 10.8 | 584 | 9.4 | 0.39 | 8.6 | 10.2 |
| 2003 | 669 | 9.2 | 0.36 | 8.5 | 9.9 | 572 | 9.1 | 0.39 | 8.4 | 9.9 |
| 2004 | 711 | 9.6 | 0.37 | 8.9 | 10.4 | 599 | 9.4 | 0.39 | 8.7 | 10.2 |
| 2005 | 782 | 10.5 | 0.38 | 9.8 | 11.3 | 640 | 10.0 | 0.40 | 9.3 | 10.9 |
| 2006 | 755 | 10.2 | 0.38 | 9.5 | 11.0 | 613 | 9.7 | 0.40 | 8.9 | 10.5 |
| 2007 | 752 | 10.0 | 0.37 | 9.3 | 10.8 | 621 | 9.6 | 0.39 | 8.9 | 10.5 |
| 2008 | 781 | 10.1 | 0.37 | 9.4 | 10.9 | 646 | 9.9 | 0.40 | 9.1 | 10.7 |
| 2009 | 748 | 9.7 | 0.36 | 9.0 | 10.5 | 604 | 9.3 | 0.39 | 8.6 | 10.1 |
| 2010 | 793 | 10.2 | 0.37 | 9.5 | 11.0 | 657 | 10.1 | 0.40 | 9.3 | 10.9 |
| 2011 | 792 | 10.0 | 0.36 | 9.3 | 10.7 | 638 | 9.5 | 0.39 | 8.8 | 10.3 |
| 2012 | 771 | 9.7 | 0.35 | 9.0 | 10.4 | 624 | 9.3 | 0.38 | 8.6 | 10.1 |
| 2013 | 778 | 9.5 | 0.35 | 8.8 | 10.2 | 649 | 9.5 | 0.38 | 8.8 | 10.3 |
| 2014 | 779 | 9.3 | 0.34 | 8.7 | 10.0 | 630 | 9.1 | 0.37 | 8.4 | 9.9 |
| 2015 | 786 | 9.2 | 0.34 | 8.6 | 9.9 | 633 | 9.0 | 0.37 | 8.3 | 9.8 |
| 2016 | 844 | 9.9 | 0.35 | 9.2 | 10.6 | 688 | 9.7 | 0.38 | 9.0 | 10.5 |
| 2017 | 846 | 9.8 | 0.34 | 9.1 | 10.5 | 688 | 9.7 | 0.38 | 9.0 | 10.5 |
| 2018 | 930 | 10.5 | 0.35 | 9.8 | 11.2 | 740 | 10.2 | 0.38 | 9.4 | 11.0 |
| 2019 | 876 | 9.9 | 0.34 | 9.2 | 10.6 | 699 | 9.6 | 0.37 | 8.9 | 10.4 |
| 2020 | 953 | 10.5 | 0.35 | 9.9 | 11.2 | 763 | 10.4 | 0.38 | 9.6 | 11.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Pancreas | | | | | | | | | | |
|-----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,981 | 13.3 | 0.21 | 12.9 | 13.7 | 411 | 5.7 | 0.29 | 5.1 | 6.3 |
| 1986 | 87 | 14.7 | 1.62 | 11.7 | 18.2 | * | * | * | * | * |
| 1987 | 91 | 14.6 | 1.56 | 11.7 | 17.9 | * | * | * | * | * |
| 1988 | 87 | 13.5 | 1.47 | 10.8 | 16.7 | * | * | * | * | * |
| 1989 | 94 | 14.8 | 1.56 | 11.9 | 18.2 | * | * | * | * | * |
| 1990 | 96 | 14.6 | 1.51 | 11.8 | 17.8 | * | * | * | * | * |
| 1991 | 98 | 14.8 | 1.52 | 12.0 | 18.1 | * | * | * | * | * |
| 1992 | 79 | 11.1 | 1.27 | 8.8 | 13.9 | * | * | * | * | * |
| 1993 | 111 | 15.5 | 1.49 | 12.8 | 18.7 | * | * | * | * | * |
| 1994 | 86 | 12.2 | 1.33 | 9.7 | 15.1 | * | * | * | * | * |
| 1995 | 72 | 10.3 | 1.23 | 8.1 | 13.0 | * | * | * | * | * |
| 1996 | 100 | 14.0 | 1.41 | 11.3 | 17.0 | 10 | 10.0 | 3.35 | 4.5 | 18.3 |
| 1997 | 96 | 12.6 | 1.29 | 10.2 | 15.3 | * | * | * | * | * |
| 1998 | 99 | 12.9 | 1.30 | 10.4 | 15.7 | * | * | * | * | * |
| 1999 | 96 | 12.3 | 1.26 | 9.9 | 15.0 | 12 | 9.3 | 2.78 | 4.6 | 16.1 |
| 2000 | 113 | 14.3 | 1.35 | 11.8 | 17.2 | 13 | 9.2 | 2.68 | 4.7 | 15.8 |
| 2001 | 113 | 14.2 | 1.35 | 11.7 | 17.1 | * | * | * | * | * |
| 2002 | 129 | 15.6 | 1.38 | 13.0 | 18.5 | * | * | * | * | * |
| 2003 | 86 | 10.6 | 1.15 | 8.5 | 13.1 | 11 | 5.8 | 1.83 | 2.8 | 10.5 |
| 2004 | 101 | 12.1 | 1.22 | 9.9 | 14.7 | 11 | 6.4 | 2.00 | 3.1 | 11.3 |
| 2005 | 133 | 15.6 | 1.36 | 13.0 | 18.5 | * | * | * | * | * |
| 2006 | 133 | 15.2 | 1.33 | 12.7 | 18.0 | * | * | * | * | * |
| 2007 | 119 | 13.6 | 1.26 | 11.3 | 16.3 | 12 | 4.8 | 1.49 | 2.4 | 8.6 |
| 2008 | 126 | 13.8 | 1.24 | 11.5 | 16.5 | * | * | * | * | * |
| 2009 | 129 | 13.7 | 1.22 | 11.4 | 16.4 | 15 | 6.1 | 1.64 | 3.3 | 10.1 |
| 2010 | 122 | 13.1 | 1.20 | 10.9 | 15.7 | 14 | 4.8 | 1.37 | 2.5 | 8.2 |
| 2011 | 134 | 13.8 | 1.21 | 11.6 | 16.4 | 20 | 7.2 | 1.65 | 4.3 | 11.1 |
| 2012 | 125 | 12.5 | 1.13 | 10.3 | 14.9 | 22 | 6.9 | 1.55 | 4.2 | 10.6 |
| 2013 | 117 | 11.2 | 1.05 | 9.3 | 13.5 | 12 | 3.9 | 1.16 | 2.0 | 6.8 |
| 2014 | 134 | 12.6 | 1.10 | 10.5 | 14.9 | 15 | 4.8 | 1.27 | 2.6 | 7.9 |
| 2015 | 138 | 12.8 | 1.10 | 10.7 | 15.1 | 15 | 4.5 | 1.18 | 2.5 | 7.4 |
| 2016 | 132 | 11.8 | 1.04 | 9.8 | 14.0 | 24 | 6.2 | 1.31 | 3.9 | 9.3 |
| 2017 | 135 | 12.0 | 1.05 | 10.0 | 14.2 | 23 | 5.1 | 1.10 | 3.2 | 7.8 |
| 2018 | 164 | 14.1 | 1.12 | 12.0 | 16.5 | 26 | 6.2 | 1.23 | 4.0 | 9.1 |
| 2019 | 148 | 12.7 | 1.06 | 10.7 | 14.9 | 29 | 6.4 | 1.20 | 4.2 | 9.2 |
| 2020 | 158 | 13.0 | 1.05 | 11.0 | 15.3 | 32 | 6.8 | 1.21 | 4.6 | 9.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Respiratory System | | | | | | | | | | |
|--------------------|---------|------|------|------|------|---------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 236,297 | 52.8 | 0.11 | 52.6 | 53.0 | 198,028 | 51.9 | 0.12 | 51.7 | 52.1 |
| 1986 | 6,263 | 58.1 | 0.74 | 56.6 | 59.5 | 5,351 | 56.0 | 0.78 | 54.5 | 57.5 |
| 1987 | 6,407 | 59.1 | 0.75 | 57.6 | 60.6 | 5,429 | 56.5 | 0.78 | 55.0 | 58.0 |
| 1988 | 6,510 | 59.7 | 0.75 | 58.2 | 61.1 | 5,515 | 57.1 | 0.78 | 55.6 | 58.7 |
| 1989 | 6,615 | 60.4 | 0.75 | 58.9 | 61.9 | 5,557 | 57.5 | 0.78 | 56.0 | 59.1 |
| 1990 | 6,736 | 61.1 | 0.75 | 59.6 | 62.5 | 5,664 | 58.2 | 0.78 | 56.7 | 59.7 |
| 1991 | 6,780 | 60.8 | 0.74 | 59.4 | 62.3 | 5,780 | 58.8 | 0.78 | 57.3 | 60.4 |
| 1992 | 6,844 | 60.7 | 0.74 | 59.2 | 62.1 | 5,758 | 58.0 | 0.77 | 56.5 | 59.5 |
| 1993 | 7,114 | 62.7 | 0.75 | 61.2 | 64.1 | 6,005 | 60.3 | 0.78 | 58.8 | 61.9 |
| 1994 | 7,168 | 62.6 | 0.74 | 61.1 | 64.1 | 6,071 | 60.6 | 0.78 | 59.1 | 62.2 |
| 1995 | 7,203 | 62.5 | 0.74 | 61.0 | 63.9 | 6,037 | 60.0 | 0.77 | 58.5 | 61.5 |
| 1996 | 7,130 | 61.6 | 0.73 | 60.2 | 63.1 | 5,916 | 58.7 | 0.77 | 57.2 | 60.2 |
| 1997 | 6,891 | 59.1 | 0.71 | 57.7 | 60.6 | 5,824 | 57.5 | 0.75 | 56.0 | 59.0 |
| 1998 | 7,003 | 59.5 | 0.71 | 58.2 | 61.0 | 5,853 | 57.4 | 0.75 | 55.9 | 58.8 |
| 1999 | 6,941 | 58.6 | 0.70 | 57.2 | 59.9 | 5,838 | 56.9 | 0.75 | 55.5 | 58.4 |
| 2000 | 7,045 | 59.1 | 0.70 | 57.7 | 60.5 | 5,880 | 57.2 | 0.75 | 55.7 | 58.6 |
| 2001 | 6,999 | 58.3 | 0.70 | 56.9 | 59.6 | 5,913 | 57.2 | 0.74 | 55.7 | 58.7 |
| 2002 | 7,050 | 58.2 | 0.69 | 56.8 | 59.6 | 5,911 | 56.9 | 0.74 | 55.4 | 58.3 |
| 2003 | 7,076 | 57.8 | 0.69 | 56.5 | 59.2 | 5,960 | 56.9 | 0.74 | 55.5 | 58.4 |
| 2004 | 6,979 | 56.4 | 0.68 | 55.1 | 57.7 | 5,861 | 55.5 | 0.73 | 54.1 | 57.0 |
| 2005 | 6,800 | 54.5 | 0.66 | 53.2 | 55.8 | 5,682 | 53.5 | 0.71 | 52.1 | 54.9 |
| 2006 | 6,873 | 54.4 | 0.66 | 53.1 | 55.7 | 5,722 | 53.4 | 0.71 | 52.0 | 54.8 |
| 2007 | 7,108 | 55.5 | 0.66 | 54.2 | 56.8 | 5,905 | 54.5 | 0.72 | 53.1 | 55.9 |
| 2008 | 6,994 | 53.6 | 0.65 | 52.4 | 54.9 | 5,874 | 53.3 | 0.70 | 51.9 | 54.7 |
| 2009 | 6,858 | 51.9 | 0.63 | 50.7 | 53.1 | 5,792 | 52.0 | 0.69 | 50.7 | 53.4 |
| 2010 | 6,836 | 51.0 | 0.63 | 49.8 | 52.3 | 5,696 | 50.6 | 0.68 | 49.3 | 52.0 |
| 2011 | 6,802 | 49.8 | 0.61 | 48.6 | 51.0 | 5,693 | 49.7 | 0.67 | 48.4 | 51.0 |
| 2012 | 6,880 | 49.2 | 0.60 | 48.0 | 50.4 | 5,754 | 49.2 | 0.66 | 47.9 | 50.5 |
| 2013 | 6,743 | 47.3 | 0.58 | 46.2 | 48.5 | 5,577 | 46.8 | 0.64 | 45.6 | 48.1 |
| 2014 | 6,851 | 47.1 | 0.58 | 46.0 | 48.2 | 5,693 | 47.0 | 0.63 | 45.7 | 48.2 |
| 2015 | 6,603 | 44.5 | 0.56 | 43.4 | 45.6 | 5,456 | 44.3 | 0.61 | 43.1 | 45.5 |
| 2016 | 6,439 | 42.9 | 0.54 | 41.8 | 44.0 | 5,307 | 42.7 | 0.60 | 41.6 | 43.9 |
| 2017 | 6,202 | 40.4 | 0.52 | 39.4 | 41.4 | 5,150 | 40.6 | 0.58 | 39.5 | 41.7 |
| 2018 | 5,931 | 37.8 | 0.50 | 36.9 | 38.8 | 4,962 | 38.4 | 0.55 | 37.3 | 39.5 |
| 2019 | 5,925 | 37.2 | 0.49 | 36.2 | 38.2 | 4,894 | 37.3 | 0.54 | 36.3 | 38.4 |
| 2020 | 5,698 | 35.0 | 0.47 | 34.1 | 36.0 | 4,748 | 35.6 | 0.52 | 34.6 | 36.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Respiratory System | | | | | | | | | | |
|---------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 35,658 | 68.2 | 0.37 | 67.5 | 68.9 | 2,611 | 19.7 | 0.41 | 18.9 | 20.5 |
| 1986 | 887 | 78.9 | 2.73 | 73.7 | 84.4 | 25 | 25.4 | 5.94 | 15.1 | 39.0 |
| 1987 | 951 | 83.2 | 2.77 | 77.9 | 88.8 | 27 | 24.7 | 5.42 | 15.2 | 37.1 |
| 1988 | 962 | 83.0 | 2.75 | 77.7 | 88.6 | 33 | 26.2 | 5.08 | 17.2 | 37.7 |
| 1989 | 1,031 | 88.4 | 2.82 | 82.9 | 94.1 | 27 | 17.9 | 3.84 | 11.2 | 26.8 |
| 1990 | 1,035 | 88.1 | 2.81 | 82.7 | 93.8 | 37 | 29.0 | 5.45 | 19.3 | 41.2 |
| 1991 | 968 | 81.6 | 2.69 | 76.5 | 87.1 | 32 | 21.4 | 4.26 | 13.8 | 31.0 |
| 1992 | 1,055 | 86.7 | 2.73 | 81.4 | 92.2 | 31 | 21.0 | 4.29 | 13.4 | 30.7 |
| 1993 | 1,079 | 87.6 | 2.73 | 82.3 | 93.1 | 30 | 16.4 | 3.46 | 10.3 | 24.3 |
| 1994 | 1,055 | 84.0 | 2.64 | 78.9 | 89.3 | 42 | 21.8 | 3.65 | 15.3 | 30.0 |
| 1995 | 1,119 | 86.8 | 2.65 | 81.7 | 92.1 | 47 | 22.7 | 3.70 | 16.0 | 30.9 |
| 1996 | 1,167 | 90.8 | 2.71 | 85.6 | 96.3 | 47 | 23.0 | 3.60 | 16.5 | 31.0 |
| 1997 | 1,030 | 78.6 | 2.49 | 73.8 | 83.6 | 37 | 17.0 | 3.09 | 11.5 | 23.9 |
| 1998 | 1,096 | 80.9 | 2.49 | 76.1 | 86.0 | 54 | 20.9 | 3.10 | 15.3 | 27.7 |
| 1999 | 1,054 | 77.6 | 2.43 | 72.9 | 82.4 | 49 | 18.2 | 2.77 | 13.2 | 24.4 |
| 2000 | 1,086 | 78.3 | 2.41 | 73.6 | 83.2 | 79 | 29.4 | 3.59 | 22.8 | 37.1 |
| 2001 | 1,029 | 74.8 | 2.37 | 70.2 | 79.5 | 57 | 20.4 | 2.87 | 15.2 | 26.7 |
| 2002 | 1,069 | 75.2 | 2.34 | 70.7 | 79.9 | 70 | 24.3 | 3.15 | 18.5 | 31.1 |
| 2003 | 1,046 | 72.0 | 2.27 | 67.6 | 76.6 | 70 | 21.1 | 2.69 | 16.2 | 27.0 |
| 2004 | 1,042 | 70.4 | 2.22 | 66.1 | 74.9 | 76 | 22.7 | 2.80 | 17.6 | 28.8 |
| 2005 | 1,041 | 70.0 | 2.21 | 65.8 | 74.5 | 77 | 20.0 | 2.48 | 15.5 | 25.4 |
| 2006 | 1,050 | 68.7 | 2.16 | 64.6 | 73.1 | 101 | 26.1 | 2.80 | 20.9 | 32.1 |
| 2007 | 1,119 | 72.1 | 2.20 | 67.9 | 76.5 | 84 | 22.0 | 2.56 | 17.3 | 27.5 |
| 2008 | 1,023 | 65.7 | 2.10 | 61.7 | 70.0 | 97 | 21.7 | 2.39 | 17.3 | 26.8 |
| 2009 | 979 | 60.3 | 1.97 | 56.5 | 64.2 | 87 | 19.1 | 2.21 | 15.0 | 23.9 |
| 2010 | 1,033 | 63.1 | 2.01 | 59.2 | 67.2 | 107 | 22.8 | 2.36 | 18.4 | 27.8 |
| 2011 | 1,013 | 60.2 | 1.94 | 56.5 | 64.1 | 96 | 18.3 | 1.99 | 14.7 | 22.6 |
| 2012 | 1,021 | 59.1 | 1.89 | 55.4 | 62.9 | 105 | 18.9 | 1.97 | 15.3 | 23.1 |
| 2013 | 1,037 | 58.9 | 1.87 | 55.3 | 62.7 | 129 | 23.1 | 2.14 | 19.1 | 27.7 |
| 2014 | 1,036 | 57.6 | 1.83 | 54.1 | 61.3 | 122 | 21.5 | 2.03 | 17.7 | 25.8 |
| 2015 | 1,022 | 55.3 | 1.77 | 51.9 | 58.9 | 125 | 18.8 | 1.75 | 15.5 | 22.5 |
| 2016 | 1,010 | 53.7 | 1.73 | 50.3 | 57.2 | 122 | 17.3 | 1.62 | 14.3 | 20.8 |
| 2017 | 954 | 50.0 | 1.66 | 46.8 | 53.4 | 98 | 13.4 | 1.39 | 10.8 | 16.4 |
| 2018 | 862 | 44.2 | 1.54 | 41.3 | 47.4 | 107 | 13.3 | 1.32 | 10.9 | 16.2 |
| 2019 | 873 | 43.6 | 1.51 | 40.7 | 46.7 | 158 | 19.4 | 1.57 | 16.4 | 22.7 |
| 2020 | 824 | 40.3 | 1.43 | 37.5 | 43.2 | 126 | 14.7 | 1.33 | 12.2 | 17.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Respiratory System | | | | | | | | | | |
|---------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 137,954 | 72.7 | 0.20 | 72.3 | 73.1 | 114,870 | 70.6 | 0.21 | 70.2 | 71.0 |
| 1986 | 4,310 | 96.8 | 1.53 | 93.8 | 99.8 | 3,647 | 92.4 | 1.59 | 89.3 | 95.6 |
| 1987 | 4,305 | 95.6 | 1.51 | 92.6 | 98.6 | 3,597 | 90.2 | 1.56 | 87.2 | 93.3 |
| 1988 | 4,354 | 96.7 | 1.52 | 93.7 | 99.7 | 3,687 | 92.5 | 1.58 | 89.4 | 95.6 |
| 1989 | 4,304 | 94.3 | 1.48 | 91.5 | 97.3 | 3,593 | 89.2 | 1.53 | 86.2 | 92.2 |
| 1990 | 4,351 | 95.8 | 1.50 | 92.8 | 98.7 | 3,623 | 90.4 | 1.55 | 87.4 | 93.5 |
| 1991 | 4,406 | 96.1 | 1.49 | 93.2 | 99.1 | 3,719 | 91.9 | 1.55 | 88.9 | 95.0 |
| 1992 | 4,306 | 92.2 | 1.44 | 89.4 | 95.1 | 3,577 | 86.9 | 1.49 | 84.0 | 89.9 |
| 1993 | 4,463 | 94.8 | 1.45 | 92.0 | 97.7 | 3,721 | 90.2 | 1.51 | 87.3 | 93.2 |
| 1994 | 4,485 | 94.5 | 1.44 | 91.7 | 97.3 | 3,778 | 90.8 | 1.50 | 87.9 | 93.8 |
| 1995 | 4,415 | 92.3 | 1.42 | 89.5 | 95.1 | 3,668 | 87.7 | 1.47 | 84.9 | 90.7 |
| 1996 | 4,294 | 89.5 | 1.39 | 86.8 | 92.3 | 3,509 | 83.7 | 1.43 | 81.0 | 86.6 |
| 1997 | 4,137 | 85.6 | 1.35 | 82.9 | 88.3 | 3,453 | 82.0 | 1.41 | 79.3 | 84.8 |
| 1998 | 4,129 | 84.5 | 1.33 | 81.9 | 87.2 | 3,435 | 81.0 | 1.40 | 78.3 | 83.8 |
| 1999 | 4,097 | 83.0 | 1.31 | 80.5 | 85.6 | 3,396 | 79.4 | 1.37 | 76.7 | 82.1 |
| 2000 | 4,137 | 83.1 | 1.31 | 80.5 | 85.6 | 3,428 | 79.6 | 1.37 | 76.9 | 82.3 |
| 2001 | 4,120 | 82.4 | 1.30 | 79.8 | 84.9 | 3,431 | 79.3 | 1.36 | 76.6 | 82.0 |
| 2002 | 4,033 | 79.5 | 1.27 | 77.1 | 82.1 | 3,392 | 77.7 | 1.35 | 75.1 | 80.4 |
| 2003 | 4,001 | 77.5 | 1.24 | 75.1 | 79.9 | 3,338 | 75.3 | 1.31 | 72.7 | 77.9 |
| 2004 | 3,972 | 76.1 | 1.22 | 73.7 | 78.5 | 3,314 | 74.0 | 1.30 | 71.5 | 76.6 |
| 2005 | 3,813 | 72.3 | 1.19 | 70.0 | 74.7 | 3,181 | 70.4 | 1.26 | 68.0 | 72.9 |
| 2006 | 3,858 | 72.1 | 1.18 | 69.8 | 74.4 | 3,192 | 69.9 | 1.25 | 67.4 | 72.4 |
| 2007 | 3,885 | 71.1 | 1.16 | 68.8 | 73.4 | 3,202 | 68.7 | 1.23 | 66.3 | 71.2 |
| 2008 | 3,850 | 69.5 | 1.14 | 67.2 | 71.7 | 3,223 | 68.1 | 1.22 | 65.8 | 70.6 |
| 2009 | 3,725 | 65.6 | 1.10 | 63.4 | 67.8 | 3,135 | 64.9 | 1.18 | 62.6 | 67.3 |
| 2010 | 3,709 | 64.3 | 1.08 | 62.2 | 66.5 | 3,095 | 63.4 | 1.16 | 61.1 | 65.7 |
| 2011 | 3,716 | 63.2 | 1.06 | 61.1 | 65.3 | 3,069 | 61.6 | 1.13 | 59.4 | 63.9 |
| 2012 | 3,729 | 61.7 | 1.03 | 59.7 | 63.8 | 3,114 | 61.0 | 1.12 | 58.9 | 63.3 |
| 2013 | 3,662 | 58.9 | 1.00 | 56.9 | 60.8 | 3,020 | 57.6 | 1.07 | 55.5 | 59.7 |
| 2014 | 3,698 | 58.7 | 0.99 | 56.8 | 60.7 | 3,066 | 57.7 | 1.07 | 55.7 | 59.9 |
| 2015 | 3,610 | 55.6 | 0.95 | 53.7 | 57.5 | 2,947 | 54.1 | 1.02 | 52.2 | 56.2 |
| 2016 | 3,399 | 51.9 | 0.91 | 50.1 | 53.7 | 2,811 | 51.2 | 0.99 | 49.3 | 53.2 |
| 2017 | 3,303 | 49.1 | 0.88 | 47.4 | 50.9 | 2,736 | 48.6 | 0.95 | 46.7 | 50.5 |
| 2018 | 3,199 | 46.4 | 0.84 | 44.8 | 48.1 | 2,681 | 46.7 | 0.92 | 44.9 | 48.5 |
| 2019 | 3,135 | 44.6 | 0.81 | 43.0 | 46.2 | 2,581 | 44.2 | 0.89 | 42.5 | 46.0 |
| 2020 | 3,044 | 42.5 | 0.79 | 40.9 | 44.0 | 2,511 | 42.1 | 0.86 | 40.4 | 43.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Respiratory System | | | | | | | | | | |
|---------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 21,430 | 101.3 | 0.73 | 99.9 | 102.7 | 1,654 | 28.7 | 0.77 | 27.2 | 30.2 |
| 1986 | 641 | 138.4 | 5.79 | 127.3 | 150.2 | 22 | 47.8 | 12.19 | 27.0 | 76.2 |
| 1987 | 688 | 147.5 | 5.95 | 136.1 | 159.6 | 20 | 42.4 | 11.17 | 23.5 | 68.6 |
| 1988 | 644 | 136.8 | 5.74 | 125.8 | 148.5 | 23 | 43.2 | 10.55 | 25.1 | 67.7 |
| 1989 | 694 | 147.1 | 5.91 | 135.7 | 159.1 | 17 | 22.6 | 6.22 | 12.1 | 37.9 |
| 1990 | 702 | 148.4 | 5.94 | 137.0 | 160.4 | 26 | 44.2 | 9.87 | 27.0 | 66.9 |
| 1991 | 663 | 139.5 | 5.74 | 128.4 | 151.1 | 24 | 38.4 | 9.16 | 22.6 | 59.6 |
| 1992 | 708 | 145.9 | 5.82 | 134.7 | 157.6 | 21 | 34.3 | 8.73 | 19.4 | 54.6 |
| 1993 | 723 | 144.1 | 5.64 | 133.2 | 155.5 | 19 | 25.3 | 6.85 | 13.7 | 41.5 |
| 1994 | 679 | 134.6 | 5.44 | 124.2 | 145.7 | 28 | 29.7 | 6.11 | 19.0 | 43.9 |
| 1995 | 723 | 138.7 | 5.45 | 128.3 | 149.8 | 24 | 27.2 | 6.51 | 16.0 | 42.4 |
| 1996 | 756 | 147.8 | 5.67 | 136.9 | 159.3 | 29 | 33.3 | 6.69 | 21.5 | 48.6 |
| 1997 | 656 | 124.7 | 5.10 | 114.9 | 135.1 | 28 | 30.1 | 6.42 | 18.8 | 44.8 |
| 1998 | 661 | 121.2 | 4.96 | 111.7 | 131.3 | 33 | 28.9 | 5.84 | 18.6 | 42.3 |
| 1999 | 664 | 122.6 | 4.98 | 113.1 | 132.8 | 37 | 31.2 | 5.43 | 21.5 | 43.5 |
| 2000 | 649 | 115.7 | 4.76 | 106.6 | 125.4 | 60 | 51.3 | 7.46 | 37.7 | 67.6 |
| 2001 | 650 | 118.7 | 4.89 | 109.3 | 128.6 | 39 | 35.2 | 6.31 | 23.9 | 49.3 |
| 2002 | 604 | 103.5 | 4.41 | 95.0 | 112.4 | 37 | 29.0 | 5.64 | 19.0 | 41.7 |
| 2003 | 610 | 103.4 | 4.40 | 95.0 | 112.3 | 53 | 36.4 | 5.49 | 26.4 | 48.5 |
| 2004 | 610 | 102.2 | 4.34 | 93.9 | 111.1 | 48 | 33.4 | 5.39 | 23.6 | 45.3 |
| 2005 | 580 | 98.0 | 4.30 | 89.8 | 106.8 | 52 | 31.0 | 4.88 | 22.2 | 41.8 |
| 2006 | 597 | 96.7 | 4.18 | 88.7 | 105.2 | 69 | 45.9 | 6.20 | 34.6 | 59.3 |
| 2007 | 634 | 102.0 | 4.28 | 93.8 | 110.7 | 49 | 32.0 | 4.99 | 23.0 | 43.0 |
| 2008 | 578 | 93.6 | 4.11 | 85.7 | 102.0 | 49 | 25.4 | 4.13 | 18.0 | 34.6 |
| 2009 | 531 | 82.0 | 3.76 | 74.8 | 89.6 | 59 | 30.0 | 4.40 | 22.0 | 39.7 |
| 2010 | 554 | 84.1 | 3.78 | 76.9 | 91.9 | 60 | 30.3 | 4.36 | 22.4 | 39.8 |
| 2011 | 591 | 87.1 | 3.78 | 79.9 | 94.8 | 56 | 24.7 | 3.59 | 18.2 | 32.6 |
| 2012 | 554 | 79.8 | 3.57 | 73.0 | 87.1 | 61 | 26.5 | 3.75 | 19.6 | 34.7 |
| 2013 | 569 | 79.3 | 3.49 | 72.6 | 86.4 | 73 | 30.8 | 3.88 | 23.6 | 39.2 |
| 2014 | 560 | 78.6 | 3.50 | 71.9 | 85.7 | 72 | 29.8 | 3.74 | 23.0 | 37.9 |
| 2015 | 584 | 79.0 | 3.43 | 72.4 | 86.0 | 79 | 26.9 | 3.25 | 21.0 | 34.0 |
| 2016 | 515 | 67.9 | 3.13 | 61.9 | 74.3 | 73 | 23.6 | 2.91 | 18.2 | 29.9 |
| 2017 | 501 | 65.7 | 3.07 | 59.8 | 72.0 | 66 | 21.1 | 2.72 | 16.1 | 27.0 |
| 2018 | 451 | 57.7 | 2.84 | 52.2 | 63.5 | 67 | 18.4 | 2.31 | 14.2 | 23.5 |
| 2019 | 456 | 56.1 | 2.74 | 50.9 | 61.8 | 98 | 26.7 | 2.77 | 21.5 | 32.6 |
| 2020 | 450 | 55.5 | 2.71 | 50.3 | 61.0 | 83 | 21.5 | 2.41 | 17.0 | 26.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Respiratory System | | | | | | | | | | |
|---------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 98,343 | 38.7 | 0.12 | 38.4 | 38.9 | 83,158 | 38.5 | 0.13 | 38.2 | 38.8 |
| 1986 | 1,953 | 31.9 | 0.74 | 30.5 | 33.4 | 1,704 | 31.7 | 0.79 | 30.2 | 33.3 |
| 1987 | 2,102 | 34.6 | 0.77 | 33.1 | 36.1 | 1,832 | 34.1 | 0.82 | 32.5 | 35.7 |
| 1988 | 2,156 | 34.8 | 0.76 | 33.4 | 36.4 | 1,828 | 33.7 | 0.80 | 32.1 | 35.3 |
| 1989 | 2,311 | 37.2 | 0.79 | 35.7 | 38.8 | 1,964 | 36.1 | 0.83 | 34.5 | 37.8 |
| 1990 | 2,385 | 37.9 | 0.79 | 36.4 | 39.5 | 2,041 | 36.9 | 0.83 | 35.3 | 38.6 |
| 1991 | 2,374 | 37.3 | 0.78 | 35.8 | 38.8 | 2,061 | 37.0 | 0.83 | 35.4 | 38.6 |
| 1992 | 2,538 | 39.4 | 0.79 | 37.9 | 41.0 | 2,181 | 38.6 | 0.84 | 36.9 | 40.3 |
| 1993 | 2,651 | 40.7 | 0.80 | 39.2 | 42.3 | 2,284 | 40.2 | 0.85 | 38.6 | 41.9 |
| 1994 | 2,683 | 40.9 | 0.80 | 39.3 | 42.5 | 2,293 | 40.1 | 0.85 | 38.5 | 41.8 |
| 1995 | 2,788 | 42.1 | 0.80 | 40.5 | 43.7 | 2,369 | 41.1 | 0.86 | 39.4 | 42.8 |
| 1996 | 2,836 | 42.7 | 0.81 | 41.1 | 44.3 | 2,407 | 41.9 | 0.86 | 40.2 | 43.6 |
| 1997 | 2,754 | 41.1 | 0.79 | 39.6 | 42.7 | 2,371 | 40.8 | 0.85 | 39.2 | 42.5 |
| 1998 | 2,874 | 42.5 | 0.80 | 41.0 | 44.1 | 2,418 | 41.3 | 0.85 | 39.7 | 43.0 |
| 1999 | 2,844 | 41.6 | 0.79 | 40.1 | 43.2 | 2,442 | 41.4 | 0.85 | 39.8 | 43.1 |
| 2000 | 2,908 | 42.5 | 0.79 | 41.0 | 44.1 | 2,452 | 41.8 | 0.85 | 40.1 | 43.5 |
| 2001 | 2,879 | 41.7 | 0.78 | 40.1 | 43.2 | 2,482 | 42.0 | 0.85 | 40.4 | 43.7 |
| 2002 | 3,017 | 43.4 | 0.80 | 41.9 | 45.0 | 2,519 | 42.5 | 0.86 | 40.9 | 44.3 |
| 2003 | 3,075 | 43.8 | 0.80 | 42.3 | 45.4 | 2,622 | 43.8 | 0.87 | 42.1 | 45.5 |
| 2004 | 3,007 | 42.6 | 0.78 | 41.0 | 44.1 | 2,547 | 42.5 | 0.85 | 40.8 | 44.2 |
| 2005 | 2,987 | 42.0 | 0.78 | 40.5 | 43.6 | 2,501 | 41.6 | 0.84 | 40.0 | 43.3 |
| 2006 | 3,015 | 42.0 | 0.77 | 40.5 | 43.6 | 2,530 | 41.8 | 0.84 | 40.2 | 43.5 |
| 2007 | 3,223 | 44.5 | 0.79 | 43.0 | 46.1 | 2,703 | 44.4 | 0.87 | 42.7 | 46.1 |
| 2008 | 3,144 | 42.4 | 0.77 | 40.9 | 44.0 | 2,651 | 42.6 | 0.84 | 41.0 | 44.3 |
| 2009 | 3,133 | 42.2 | 0.76 | 40.7 | 43.7 | 2,657 | 42.7 | 0.84 | 41.1 | 44.4 |
| 2010 | 3,127 | 41.5 | 0.75 | 40.1 | 43.0 | 2,601 | 41.4 | 0.83 | 39.8 | 43.1 |
| 2011 | 3,086 | 40.2 | 0.74 | 38.8 | 41.7 | 2,624 | 41.1 | 0.82 | 39.5 | 42.7 |
| 2012 | 3,151 | 40.2 | 0.73 | 38.8 | 41.6 | 2,640 | 40.6 | 0.81 | 39.0 | 42.2 |
| 2013 | 3,081 | 38.7 | 0.71 | 37.3 | 40.1 | 2,557 | 38.7 | 0.78 | 37.2 | 40.3 |
| 2014 | 3,153 | 38.7 | 0.70 | 37.4 | 40.1 | 2,627 | 39.1 | 0.78 | 37.6 | 40.7 |
| 2015 | 2,993 | 36.1 | 0.67 | 34.8 | 37.5 | 2,509 | 36.8 | 0.75 | 35.4 | 38.3 |
| 2016 | 3,040 | 36.2 | 0.67 | 34.9 | 37.5 | 2,496 | 36.3 | 0.74 | 34.9 | 37.8 |
| 2017 | 2,899 | 33.8 | 0.64 | 32.6 | 35.1 | 2,414 | 34.5 | 0.72 | 33.1 | 35.9 |
| 2018 | 2,732 | 31.3 | 0.61 | 30.1 | 32.5 | 2,281 | 31.9 | 0.68 | 30.6 | 33.3 |
| 2019 | 2,790 | 31.5 | 0.61 | 30.4 | 32.7 | 2,313 | 32.0 | 0.68 | 30.7 | 33.3 |
| 2020 | 2,654 | 29.3 | 0.58 | 28.2 | 30.5 | 2,237 | 30.4 | 0.65 | 29.2 | 31.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Respiratory System | | | | | | | | | | |
|--------------------|--------|------|------|------|------|----------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 14,228 | 46.2 | 0.39 | 45.5 | 47.0 | 957 | 12.9 | 0.43 | 12.1 | 13.8 |
| 1986 | 246 | 37.7 | 2.44 | 33.0 | 42.7 | * | * | * | * | * |
| 1987 | 263 | 39.6 | 2.48 | 34.9 | 44.7 | * | * | * | * | * |
| 1988 | 318 | 46.7 | 2.66 | 41.6 | 52.2 | 10 | 13.2 | 4.40 | 6.1 | 24.5 |
| 1989 | 337 | 49.0 | 2.71 | 43.8 | 54.5 | 10 | 14.0 | 4.81 | 6.2 | 26.2 |
| 1990 | 333 | 48.1 | 2.67 | 43.0 | 53.6 | 11 | 17.9 | 6.09 | 8.0 | 32.8 |
| 1991 | 305 | 43.6 | 2.53 | 38.8 | 48.9 | * | * | * | * | * |
| 1992 | 347 | 48.4 | 2.62 | 43.4 | 53.8 | 10 | 11.5 | 4.07 | 4.9 | 21.7 |
| 1993 | 356 | 49.4 | 2.65 | 44.4 | 54.8 | 11 | 10.1 | 3.49 | 4.4 | 18.9 |
| 1994 | 376 | 50.5 | 2.63 | 45.5 | 55.9 | 14 | 15.3 | 4.34 | 8.0 | 25.8 |
| 1995 | 396 | 52.3 | 2.65 | 47.2 | 57.7 | 23 | 19.5 | 4.43 | 11.8 | 29.8 |
| 1996 | 411 | 53.7 | 2.67 | 48.6 | 59.2 | 18 | 15.5 | 3.87 | 8.8 | 24.7 |
| 1997 | 374 | 48.3 | 2.52 | 43.5 | 53.5 | * | * | * | * | * |
| 1998 | 435 | 54.5 | 2.63 | 49.5 | 59.9 | 21 | 14.8 | 3.43 | 8.9 | 22.9 |
| 1999 | 390 | 48.2 | 2.46 | 43.5 | 53.3 | 12 | 8.2 | 2.54 | 4.0 | 14.5 |
| 2000 | 437 | 53.4 | 2.57 | 48.5 | 58.7 | 19 | 13.3 | 3.25 | 7.7 | 20.9 |
| 2001 | 379 | 46.3 | 2.40 | 41.8 | 51.3 | 18 | 10.7 | 2.61 | 6.2 | 16.9 |
| 2002 | 465 | 55.9 | 2.61 | 50.9 | 61.2 | 33 | 21.1 | 3.80 | 14.3 | 29.6 |
| 2003 | 436 | 51.0 | 2.46 | 46.3 | 56.0 | 17 | 9.5 | 2.41 | 5.4 | 15.3 |
| 2004 | 432 | 49.4 | 2.39 | 44.8 | 54.3 | 28 | 15.0 | 2.97 | 9.7 | 21.8 |
| 2005 | 461 | 52.2 | 2.45 | 47.5 | 57.2 | 25 | 11.9 | 2.51 | 7.5 | 17.8 |
| 2006 | 453 | 50.4 | 2.39 | 45.8 | 55.3 | 32 | 13.2 | 2.43 | 8.8 | 18.8 |
| 2007 | 485 | 53.1 | 2.43 | 48.4 | 58.0 | 35 | 15.1 | 2.70 | 10.3 | 21.2 |
| 2008 | 445 | 47.9 | 2.30 | 43.5 | 52.6 | 48 | 19.1 | 2.91 | 13.9 | 25.6 |
| 2009 | 448 | 46.6 | 2.23 | 42.4 | 51.2 | 28 | 11.3 | 2.24 | 7.3 | 16.4 |
| 2010 | 479 | 49.7 | 2.30 | 45.3 | 54.4 | 47 | 17.8 | 2.70 | 12.9 | 23.8 |
| 2011 | 422 | 42.5 | 2.10 | 38.5 | 46.8 | 40 | 13.3 | 2.20 | 9.4 | 18.3 |
| 2012 | 467 | 45.7 | 2.15 | 41.6 | 50.1 | 44 | 13.7 | 2.16 | 9.8 | 18.6 |
| 2013 | 468 | 45.3 | 2.13 | 41.3 | 49.7 | 56 | 17.5 | 2.41 | 13.1 | 22.8 |
| 2014 | 476 | 44.5 | 2.07 | 40.5 | 48.7 | 50 | 15.4 | 2.25 | 11.3 | 20.4 |
| 2015 | 438 | 40.1 | 1.95 | 36.4 | 44.1 | 46 | 12.5 | 1.89 | 9.1 | 16.8 |
| 2016 | 495 | 43.9 | 2.01 | 40.0 | 48.0 | 49 | 12.5 | 1.83 | 9.1 | 16.6 |
| 2017 | 453 | 39.6 | 1.89 | 36.0 | 43.5 | 32 | 7.7 | 1.40 | 5.3 | 11.0 |
| 2018 | 411 | 35.9 | 1.80 | 32.5 | 39.6 | 40 | 8.9 | 1.45 | 6.3 | 12.2 |
| 2019 | 417 | 35.6 | 1.77 | 32.2 | 39.3 | 60 | 13.5 | 1.77 | 10.3 | 17.4 |
| 2020 | 374 | 30.3 | 1.59 | 27.3 | 33.6 | 43 | 9.4 | 1.45 | 6.8 | 12.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Larynx | | | | | | | | | | |
|------------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Year | All Races | | | | | White | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 6,101 | 1.4 | 0.02 | 1.3 | 1.4 | 4,554 | 1.2 | 0.02 | 1.2 | 1.2 |
| 1986 | 192 | 1.8 | 0.13 | 1.5 | 2.1 | 155 | 1.6 | 0.13 | 1.4 | 1.9 |
| 1987 | 173 | 1.6 | 0.12 | 1.4 | 1.9 | 135 | 1.4 | 0.12 | 1.2 | 1.7 |
| 1988 | 194 | 1.8 | 0.13 | 1.5 | 2.0 | 148 | 1.5 | 0.12 | 1.3 | 1.8 |
| 1989 | 168 | 1.6 | 0.12 | 1.3 | 1.8 | 133 | 1.4 | 0.12 | 1.2 | 1.7 |
| 1990 | 180 | 1.7 | 0.12 | 1.4 | 1.9 | 138 | 1.4 | 0.12 | 1.2 | 1.7 |
| 1991 | 203 | 1.8 | 0.13 | 1.6 | 2.1 | 140 | 1.4 | 0.12 | 1.2 | 1.7 |
| 1992 | 195 | 1.7 | 0.13 | 1.5 | 2.0 | 136 | 1.4 | 0.12 | 1.2 | 1.6 |
| 1993 | 222 | 2.0 | 0.13 | 1.7 | 2.3 | 167 | 1.7 | 0.13 | 1.4 | 2.0 |
| 1994 | 185 | 1.6 | 0.12 | 1.4 | 1.9 | 132 | 1.3 | 0.12 | 1.1 | 1.6 |
| 1995 | 198 | 1.7 | 0.12 | 1.5 | 2.0 | 150 | 1.5 | 0.12 | 1.3 | 1.8 |
| 1996 | 209 | 1.8 | 0.13 | 1.6 | 2.1 | 146 | 1.5 | 0.12 | 1.3 | 1.7 |
| 1997 | 170 | 1.5 | 0.11 | 1.3 | 1.7 | 122 | 1.2 | 0.11 | 1.0 | 1.5 |
| 1998 | 191 | 1.6 | 0.12 | 1.4 | 1.9 | 138 | 1.4 | 0.12 | 1.1 | 1.6 |
| 1999 | 180 | 1.5 | 0.11 | 1.3 | 1.8 | 136 | 1.3 | 0.12 | 1.1 | 1.6 |
| 2000 | 178 | 1.5 | 0.11 | 1.3 | 1.7 | 129 | 1.3 | 0.11 | 1.1 | 1.5 |
| 2001 | 168 | 1.4 | 0.11 | 1.2 | 1.6 | 120 | 1.2 | 0.11 | 1.0 | 1.4 |
| 2002 | 166 | 1.4 | 0.11 | 1.2 | 1.6 | 135 | 1.3 | 0.11 | 1.1 | 1.6 |
| 2003 | 185 | 1.5 | 0.11 | 1.3 | 1.7 | 142 | 1.4 | 0.11 | 1.2 | 1.6 |
| 2004 | 145 | 1.2 | 0.10 | 1.0 | 1.4 | 106 | 1.0 | 0.10 | 0.8 | 1.2 |
| 2005 | 151 | 1.2 | 0.10 | 1.0 | 1.4 | 116 | 1.1 | 0.10 | 0.9 | 1.3 |
| 2006 | 168 | 1.3 | 0.10 | 1.1 | 1.5 | 122 | 1.1 | 0.10 | 1.0 | 1.4 |
| 2007 | 171 | 1.3 | 0.10 | 1.1 | 1.5 | 127 | 1.1 | 0.10 | 1.0 | 1.4 |
| 2008 | 155 | 1.2 | 0.10 | 1.0 | 1.4 | 116 | 1.1 | 0.10 | 0.9 | 1.3 |
| 2009 | 182 | 1.3 | 0.10 | 1.1 | 1.5 | 136 | 1.2 | 0.10 | 1.0 | 1.4 |
| 2010 | 137 | 1.0 | 0.09 | 0.8 | 1.2 | 105 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2011 | 162 | 1.2 | 0.09 | 1.0 | 1.4 | 117 | 1.0 | 0.09 | 0.8 | 1.2 |
| 2012 | 165 | 1.2 | 0.09 | 1.0 | 1.3 | 119 | 1.0 | 0.09 | 0.8 | 1.2 |
| 2013 | 181 | 1.3 | 0.10 | 1.1 | 1.5 | 147 | 1.3 | 0.10 | 1.1 | 1.5 |
| 2014 | 172 | 1.1 | 0.09 | 1.0 | 1.3 | 118 | 0.9 | 0.09 | 0.8 | 1.1 |
| 2015 | 161 | 1.1 | 0.09 | 0.9 | 1.3 | 130 | 1.1 | 0.09 | 0.9 | 1.3 |
| 2016 | 161 | 1.1 | 0.08 | 0.9 | 1.2 | 120 | 1.0 | 0.09 | 0.8 | 1.1 |
| 2017 | 152 | 1.0 | 0.08 | 0.8 | 1.2 | 109 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2018 | 161 | 1.0 | 0.08 | 0.8 | 1.2 | 125 | 1.0 | 0.09 | 0.8 | 1.1 |
| 2019 | 179 | 1.1 | 0.08 | 0.9 | 1.3 | 131 | 1.0 | 0.09 | 0.8 | 1.2 |
| 2020 | 141 | 0.9 | 0.07 | 0.7 | 1.0 | 108 | 0.8 | 0.08 | 0.7 | 1.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Larynx | | | | | | | | | | |
|------------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,507 | 2.8 | 0.07 | 2.6 | 2.9 | 40 | 0.3 | 0.05 | 0.2 | 0.4 |
| 1986 | 37 | 3.3 | 0.56 | 2.3 | 4.6 | * | * | * | * | * |
| 1987 | 37 | 3.0 | 0.51 | 2.1 | 4.2 | * | * | * | * | * |
| 1988 | 46 | 3.8 | 0.57 | 2.8 | 5.1 | * | * | * | * | * |
| 1989 | 35 | 3.0 | 0.52 | 2.1 | 4.2 | * | * | * | * | * |
| 1990 | 42 | 3.6 | 0.57 | 2.6 | 4.9 | * | * | * | * | * |
| 1991 | 61 | 4.9 | 0.64 | 3.7 | 6.3 | * | * | * | * | * |
| 1992 | 58 | 4.6 | 0.61 | 3.4 | 5.9 | * | * | * | * | * |
| 1993 | 55 | 4.4 | 0.61 | 3.3 | 5.8 | * | * | * | * | * |
| 1994 | 51 | 4.0 | 0.57 | 3.0 | 5.3 | * | * | * | * | * |
| 1995 | 46 | 3.4 | 0.51 | 2.5 | 4.6 | * | * | * | * | * |
| 1996 | 63 | 4.5 | 0.57 | 3.5 | 5.8 | * | * | * | * | * |
| 1997 | 47 | 3.5 | 0.52 | 2.6 | 4.7 | * | * | * | * | * |
| 1998 | 52 | 3.7 | 0.52 | 2.7 | 4.8 | * | * | * | * | * |
| 1999 | 43 | 3.0 | 0.46 | 2.1 | 4.0 | * | * | * | * | * |
| 2000 | 46 | 3.2 | 0.48 | 2.3 | 4.3 | * | * | * | * | * |
| 2001 | 47 | 3.4 | 0.50 | 2.5 | 4.5 | * | * | * | * | * |
| 2002 | 31 | 2.2 | 0.40 | 1.5 | 3.1 | * | * | * | * | * |
| 2003 | 39 | 2.7 | 0.45 | 1.9 | 3.7 | * | * | * | * | * |
| 2004 | 39 | 2.6 | 0.42 | 1.8 | 3.5 | * | * | * | * | * |
| 2005 | 34 | 2.2 | 0.38 | 1.5 | 3.0 | * | * | * | * | * |
| 2006 | 46 | 2.8 | 0.41 | 2.0 | 3.7 | * | * | * | * | * |
| 2007 | 44 | 2.7 | 0.42 | 2.0 | 3.6 | * | * | * | * | * |
| 2008 | 38 | 2.4 | 0.39 | 1.7 | 3.3 | * | * | * | * | * |
| 2009 | 45 | 2.6 | 0.40 | 1.9 | 3.5 | * | * | * | * | * |
| 2010 | 31 | 1.8 | 0.33 | 1.2 | 2.5 | * | * | * | * | * |
| 2011 | 45 | 2.5 | 0.39 | 1.8 | 3.4 | * | * | * | * | * |
| 2012 | 44 | 2.4 | 0.37 | 1.7 | 3.2 | * | * | * | * | * |
| 2013 | 32 | 1.8 | 0.33 | 1.2 | 2.6 | * | * | * | * | * |
| 2014 | 52 | 2.7 | 0.39 | 2.0 | 3.6 | * | * | * | * | * |
| 2015 | 31 | 1.7 | 0.32 | 1.2 | 2.5 | * | * | * | * | * |
| 2016 | 38 | 2.0 | 0.33 | 1.4 | 2.7 | * | * | * | * | * |
| 2017 | 42 | 2.1 | 0.33 | 1.5 | 2.8 | * | * | * | * | * |
| 2018 | 35 | 1.6 | 0.28 | 1.1 | 2.3 | * | * | * | * | * |
| 2019 | 43 | 2.0 | 0.31 | 1.5 | 2.8 | * | * | * | * | * |
| 2020 | 32 | 1.6 | 0.28 | 1.1 | 2.2 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Larynx | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 4,843 | 2.5 | 0.04 | 2.4 | 2.6 | 3,645 | 2.2 | 0.04 | 2.1 | 2.3 |
| 1986 | 163 | 3.7 | 0.30 | 3.1 | 4.3 | 134 | 3.4 | 0.31 | 2.8 | 4.1 |
| 1987 | 136 | 2.9 | 0.26 | 2.4 | 3.5 | 104 | 2.6 | 0.26 | 2.1 | 3.1 |
| 1988 | 157 | 3.4 | 0.28 | 2.9 | 4.0 | 120 | 3.0 | 0.28 | 2.4 | 3.6 |
| 1989 | 134 | 3.0 | 0.27 | 2.5 | 3.6 | 108 | 2.7 | 0.27 | 2.2 | 3.3 |
| 1990 | 142 | 3.1 | 0.26 | 2.6 | 3.6 | 107 | 2.6 | 0.26 | 2.1 | 3.1 |
| 1991 | 161 | 3.5 | 0.28 | 3.0 | 4.1 | 115 | 2.9 | 0.28 | 2.4 | 3.5 |
| 1992 | 156 | 3.3 | 0.27 | 2.8 | 3.8 | 110 | 2.7 | 0.26 | 2.2 | 3.2 |
| 1993 | 173 | 3.6 | 0.28 | 3.1 | 4.2 | 128 | 3.1 | 0.28 | 2.6 | 3.7 |
| 1994 | 162 | 3.4 | 0.27 | 2.9 | 3.9 | 115 | 2.7 | 0.26 | 2.2 | 3.3 |
| 1995 | 161 | 3.4 | 0.27 | 2.8 | 3.9 | 122 | 2.9 | 0.27 | 2.4 | 3.5 |
| 1996 | 160 | 3.2 | 0.26 | 2.8 | 3.8 | 114 | 2.7 | 0.26 | 2.2 | 3.2 |
| 1997 | 140 | 2.8 | 0.24 | 2.4 | 3.3 | 99 | 2.3 | 0.24 | 1.9 | 2.8 |
| 1998 | 148 | 3.0 | 0.25 | 2.5 | 3.5 | 106 | 2.5 | 0.25 | 2.0 | 3.0 |
| 1999 | 138 | 2.7 | 0.23 | 2.3 | 3.2 | 108 | 2.5 | 0.24 | 2.0 | 3.0 |
| 2000 | 140 | 2.8 | 0.24 | 2.3 | 3.3 | 106 | 2.5 | 0.24 | 2.0 | 3.0 |
| 2001 | 136 | 2.7 | 0.23 | 2.2 | 3.2 | 95 | 2.2 | 0.23 | 1.8 | 2.7 |
| 2002 | 136 | 2.6 | 0.22 | 2.2 | 3.1 | 110 | 2.4 | 0.23 | 2.0 | 3.0 |
| 2003 | 134 | 2.5 | 0.22 | 2.1 | 3.0 | 103 | 2.2 | 0.22 | 1.8 | 2.7 |
| 2004 | 112 | 2.1 | 0.20 | 1.7 | 2.5 | 79 | 1.7 | 0.20 | 1.4 | 2.2 |
| 2005 | 123 | 2.3 | 0.21 | 1.9 | 2.7 | 97 | 2.1 | 0.22 | 1.7 | 2.6 |
| 2006 | 129 | 2.3 | 0.20 | 1.9 | 2.7 | 91 | 1.9 | 0.20 | 1.6 | 2.4 |
| 2007 | 139 | 2.5 | 0.21 | 2.1 | 2.9 | 101 | 2.1 | 0.21 | 1.7 | 2.6 |
| 2008 | 121 | 2.1 | 0.20 | 1.7 | 2.5 | 90 | 1.9 | 0.20 | 1.5 | 2.3 |
| 2009 | 143 | 2.3 | 0.20 | 2.0 | 2.8 | 104 | 2.0 | 0.20 | 1.7 | 2.5 |
| 2010 | 112 | 1.9 | 0.18 | 1.5 | 2.3 | 90 | 1.8 | 0.19 | 1.4 | 2.2 |
| 2011 | 124 | 2.0 | 0.19 | 1.7 | 2.4 | 92 | 1.8 | 0.19 | 1.4 | 2.2 |
| 2012 | 130 | 2.1 | 0.19 | 1.8 | 2.5 | 96 | 1.9 | 0.20 | 1.5 | 2.3 |
| 2013 | 158 | 2.6 | 0.21 | 2.2 | 3.0 | 131 | 2.5 | 0.22 | 2.1 | 3.0 |
| 2014 | 132 | 2.0 | 0.17 | 1.6 | 2.3 | 91 | 1.6 | 0.17 | 1.3 | 2.0 |
| 2015 | 124 | 1.9 | 0.18 | 1.6 | 2.3 | 100 | 1.8 | 0.19 | 1.5 | 2.2 |
| 2016 | 121 | 1.8 | 0.16 | 1.5 | 2.1 | 92 | 1.6 | 0.17 | 1.3 | 2.0 |
| 2017 | 118 | 1.7 | 0.16 | 1.4 | 2.1 | 90 | 1.6 | 0.17 | 1.3 | 2.0 |
| 2018 | 126 | 1.7 | 0.16 | 1.4 | 2.1 | 103 | 1.7 | 0.17 | 1.4 | 2.1 |
| 2019 | 137 | 1.8 | 0.16 | 1.5 | 2.2 | 102 | 1.6 | 0.17 | 1.3 | 2.0 |
| 2020 | 117 | 1.6 | 0.15 | 1.3 | 1.9 | 92 | 1.5 | 0.16 | 1.2 | 1.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Larynx | | | | | | | | | | |
|---------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,165 | 5.3 | 0.16 | 4.9 | 5.6 | 33 | 0.6 | 0.11 | 0.4 | 0.8 |
| 1986 | 29 | 6.5 | 1.31 | 4.2 | 9.6 | * | * | * | * | * |
| 1987 | 31 | 6.0 | 1.10 | 4.0 | 8.5 | * | * | * | * | * |
| 1988 | 37 | 7.3 | 1.24 | 5.1 | 10.1 | * | * | * | * | * |
| 1989 | 26 | 5.6 | 1.19 | 3.5 | 8.3 | * | * | * | * | * |
| 1990 | 35 | 7.4 | 1.30 | 5.1 | 10.4 | * | * | * | * | * |
| 1991 | 44 | 8.8 | 1.39 | 6.3 | 11.9 | * | * | * | * | * |
| 1992 | 46 | 8.6 | 1.33 | 6.2 | 11.6 | * | * | * | * | * |
| 1993 | 45 | 8.7 | 1.37 | 6.3 | 11.8 | * | * | * | * | * |
| 1994 | 45 | 8.8 | 1.39 | 6.3 | 11.9 | * | * | * | * | * |
| 1995 | 37 | 6.7 | 1.15 | 4.7 | 9.3 | * | * | * | * | * |
| 1996 | 46 | 7.9 | 1.20 | 5.7 | 10.6 | * | * | * | * | * |
| 1997 | 40 | 7.2 | 1.18 | 5.1 | 9.9 | * | * | * | * | * |
| 1998 | 41 | 6.9 | 1.12 | 4.9 | 9.4 | * | * | * | * | * |
| 1999 | 30 | 5.1 | 0.99 | 3.4 | 7.4 | * | * | * | * | * |
| 2000 | 32 | 5.5 | 1.00 | 3.7 | 7.8 | * | * | * | * | * |
| 2001 | 40 | 7.1 | 1.16 | 5.0 | 9.7 | * | * | * | * | * |
| 2002 | 26 | 4.5 | 0.93 | 2.8 | 6.6 | * | * | * | * | * |
| 2003 | 28 | 4.9 | 0.98 | 3.2 | 7.2 | * | * | * | * | * |
| 2004 | 33 | 5.1 | 0.92 | 3.4 | 7.2 | * | * | * | * | * |
| 2005 | 25 | 3.9 | 0.82 | 2.5 | 5.8 | * | * | * | * | * |
| 2006 | 38 | 5.3 | 0.91 | 3.7 | 7.4 | * | * | * | * | * |
| 2007 | 38 | 5.7 | 0.99 | 3.9 | 8.0 | * | * | * | * | * |
| 2008 | 30 | 4.5 | 0.86 | 3.0 | 6.5 | * | * | * | * | * |
| 2009 | 38 | 5.6 | 0.96 | 3.9 | 7.8 | * | * | * | * | * |
| 2010 | 21 | 3.1 | 0.71 | 1.8 | 4.8 | * | * | * | * | * |
| 2011 | 32 | 4.4 | 0.83 | 3.0 | 6.3 | * | * | * | * | * |
| 2012 | 33 | 4.3 | 0.78 | 2.9 | 6.1 | * | * | * | * | * |
| 2013 | 26 | 3.9 | 0.79 | 2.5 | 5.7 | * | * | * | * | * |
| 2014 | 39 | 5.2 | 0.88 | 3.6 | 7.2 | * | * | * | * | * |
| 2015 | 24 | 3.5 | 0.75 | 2.2 | 5.3 | * | * | * | * | * |
| 2016 | 26 | 3.3 | 0.68 | 2.1 | 4.9 | * | * | * | * | * |
| 2017 | 27 | 3.2 | 0.66 | 2.1 | 4.8 | * | * | * | * | * |
| 2018 | 22 | 2.6 | 0.59 | 1.6 | 4.0 | * | * | * | * | * |
| 2019 | 31 | 3.7 | 0.70 | 2.5 | 5.3 | * | * | * | * | * |
| 2020 | 24 | 2.8 | 0.58 | 1.7 | 4.2 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Larynx | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,258 | 0.5 | 0.01 | 0.5 | 0.5 | 909 | 0.4 | 0.01 | 0.4 | 0.5 |
| 1986 | 29 | 0.5 | 0.08 | 0.3 | 0.7 | 21 | 0.4 | 0.08 | 0.2 | 0.6 |
| 1987 | 37 | 0.6 | 0.10 | 0.4 | 0.9 | 31 | 0.6 | 0.11 | 0.4 | 0.8 |
| 1988 | 37 | 0.6 | 0.10 | 0.4 | 0.8 | 28 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1989 | 34 | 0.6 | 0.10 | 0.4 | 0.8 | 25 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1990 | 38 | 0.6 | 0.10 | 0.4 | 0.8 | 31 | 0.6 | 0.10 | 0.4 | 0.8 |
| 1991 | 42 | 0.7 | 0.11 | 0.5 | 0.9 | 25 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1992 | 39 | 0.6 | 0.10 | 0.5 | 0.9 | 26 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1993 | 49 | 0.7 | 0.11 | 0.6 | 1.0 | 39 | 0.7 | 0.11 | 0.5 | 0.9 |
| 1994 | 23 | 0.4 | 0.08 | 0.2 | 0.5 | 17 | 0.3 | 0.07 | 0.2 | 0.5 |
| 1995 | 37 | 0.6 | 0.09 | 0.4 | 0.8 | 28 | 0.5 | 0.10 | 0.3 | 0.8 |
| 1996 | 49 | 0.7 | 0.11 | 0.5 | 1.0 | 32 | 0.6 | 0.10 | 0.4 | 0.8 |
| 1997 | 30 | 0.5 | 0.08 | 0.3 | 0.7 | 23 | 0.4 | 0.09 | 0.3 | 0.6 |
| 1998 | 43 | 0.6 | 0.10 | 0.5 | 0.9 | 32 | 0.6 | 0.10 | 0.4 | 0.8 |
| 1999 | 42 | 0.7 | 0.10 | 0.5 | 0.9 | 28 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2000 | 38 | 0.6 | 0.10 | 0.4 | 0.8 | 23 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2001 | 32 | 0.5 | 0.08 | 0.3 | 0.7 | 25 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2002 | 30 | 0.4 | 0.08 | 0.3 | 0.6 | 25 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2003 | 51 | 0.7 | 0.10 | 0.5 | 1.0 | 39 | 0.6 | 0.10 | 0.5 | 0.9 |
| 2004 | 33 | 0.5 | 0.08 | 0.3 | 0.7 | 27 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2005 | 28 | 0.4 | 0.08 | 0.3 | 0.6 | 19 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2006 | 39 | 0.6 | 0.09 | 0.4 | 0.8 | 31 | 0.5 | 0.10 | 0.4 | 0.8 |
| 2007 | 32 | 0.4 | 0.08 | 0.3 | 0.6 | 26 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2008 | 34 | 0.5 | 0.08 | 0.3 | 0.7 | 26 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2009 | 39 | 0.5 | 0.08 | 0.4 | 0.7 | 32 | 0.5 | 0.09 | 0.4 | 0.7 |
| 2010 | 25 | 0.3 | 0.07 | 0.2 | 0.5 | 15 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2011 | 38 | 0.5 | 0.08 | 0.3 | 0.7 | 25 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2012 | 35 | 0.4 | 0.08 | 0.3 | 0.6 | 23 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2013 | 23 | 0.3 | 0.06 | 0.2 | 0.5 | 16 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2014 | 40 | 0.5 | 0.08 | 0.4 | 0.7 | 27 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2015 | 37 | 0.4 | 0.07 | 0.3 | 0.6 | 30 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2016 | 40 | 0.5 | 0.07 | 0.3 | 0.6 | 28 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2017 | 34 | 0.4 | 0.07 | 0.3 | 0.6 | 19 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2018 | 35 | 0.4 | 0.07 | 0.3 | 0.6 | 22 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2019 | 42 | 0.5 | 0.07 | 0.3 | 0.7 | 29 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2020 | 24 | 0.3 | 0.06 | 0.2 | 0.4 | 16 | 0.2 | 0.06 | 0.1 | 0.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Larynx | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|----|-----|-----|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 342 | 1.1 | 0.06 | 1.0 | 1.2 | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 17 | 2.3 | 0.56 | 1.3 | 3.7 | * | * | * | * | * |
| 1992 | 12 | 1.7 | 0.49 | 0.9 | 2.9 | * | * | * | * | * |
| 1993 | 10 | 1.4 | 0.46 | 0.7 | 2.6 | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 17 | 2.1 | 0.51 | 1.2 | 3.3 | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | 11 | 1.4 | 0.42 | 0.7 | 2.5 | * | * | * | * | * |
| 1999 | 13 | 1.5 | 0.42 | 0.8 | 2.6 | * | * | * | * | * |
| 2000 | 14 | 1.6 | 0.44 | 0.9 | 2.7 | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | 11 | 1.3 | 0.39 | 0.6 | 2.3 | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | 10 | 1.0 | 0.30 | 0.5 | 1.8 | * | * | * | * | * |
| 2011 | 13 | 1.3 | 0.35 | 0.7 | 2.2 | * | * | * | * | * |
| 2012 | 11 | 1.0 | 0.31 | 0.5 | 1.8 | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | 13 | 1.1 | 0.32 | 0.6 | 1.9 | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | 12 | 1.1 | 0.31 | 0.5 | 1.9 | * | * | * | * | * |
| 2017 | 15 | 1.3 | 0.34 | 0.7 | 2.2 | * | * | * | * | * |
| 2018 | 13 | 1.0 | 0.29 | 0.5 | 1.8 | * | * | * | * | * |
| 2019 | 12 | 1.0 | 0.29 | 0.5 | 1.8 | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lung and Bronchus | | | | | | | | | | |
|--------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 228,779 | 51.2 | 0.11 | 51.0 | 51.4 | 192,248 | 50.4 | 0.12 | 50.1 | 50.6 |
| 1986 | 6,001 | 55.6 | 0.73 | 54.2 | 57.1 | 5,137 | 53.7 | 0.76 | 52.2 | 55.2 |
| 1987 | 6,187 | 57.0 | 0.73 | 55.6 | 58.5 | 5,250 | 54.6 | 0.76 | 53.1 | 56.1 |
| 1988 | 6,251 | 57.3 | 0.73 | 55.9 | 58.7 | 5,312 | 55.1 | 0.76 | 53.6 | 56.6 |
| 1989 | 6,403 | 58.4 | 0.74 | 57.0 | 59.9 | 5,389 | 55.8 | 0.77 | 54.3 | 57.3 |
| 1990 | 6,502 | 58.9 | 0.74 | 57.5 | 60.4 | 5,478 | 56.3 | 0.77 | 54.8 | 57.8 |
| 1991 | 6,531 | 58.6 | 0.73 | 57.2 | 60.0 | 5,599 | 57.0 | 0.77 | 55.5 | 58.5 |
| 1992 | 6,604 | 58.5 | 0.72 | 57.1 | 60.0 | 5,581 | 56.2 | 0.76 | 54.7 | 57.7 |
| 1993 | 6,847 | 60.3 | 0.73 | 58.9 | 61.7 | 5,801 | 58.3 | 0.77 | 56.8 | 59.8 |
| 1994 | 6,925 | 60.5 | 0.73 | 59.0 | 61.9 | 5,889 | 58.8 | 0.77 | 57.3 | 60.3 |
| 1995 | 6,965 | 60.4 | 0.73 | 59.0 | 61.8 | 5,854 | 58.1 | 0.76 | 56.7 | 59.7 |
| 1996 | 6,877 | 59.4 | 0.72 | 58.0 | 60.8 | 5,733 | 56.9 | 0.75 | 55.4 | 58.3 |
| 1997 | 6,680 | 57.3 | 0.70 | 56.0 | 58.7 | 5,667 | 55.9 | 0.74 | 54.5 | 57.4 |
| 1998 | 6,774 | 57.6 | 0.70 | 56.2 | 59.0 | 5,680 | 55.7 | 0.74 | 54.2 | 57.1 |
| 1999 | 6,713 | 56.6 | 0.69 | 55.3 | 58.0 | 5,657 | 55.1 | 0.73 | 53.7 | 56.6 |
| 2000 | 6,828 | 57.2 | 0.69 | 55.9 | 58.6 | 5,718 | 55.6 | 0.74 | 54.1 | 57.0 |
| 2001 | 6,793 | 56.5 | 0.69 | 55.2 | 57.9 | 5,762 | 55.7 | 0.74 | 54.3 | 57.2 |
| 2002 | 6,847 | 56.5 | 0.68 | 55.2 | 57.9 | 5,743 | 55.3 | 0.73 | 53.8 | 56.7 |
| 2003 | 6,854 | 56.0 | 0.68 | 54.7 | 57.4 | 5,784 | 55.2 | 0.73 | 53.8 | 56.7 |
| 2004 | 6,804 | 55.0 | 0.67 | 53.7 | 56.3 | 5,729 | 54.3 | 0.72 | 52.9 | 55.7 |
| 2005 | 6,613 | 53.0 | 0.65 | 51.7 | 54.3 | 5,536 | 52.1 | 0.70 | 50.7 | 53.5 |
| 2006 | 6,671 | 52.8 | 0.65 | 51.5 | 54.1 | 5,568 | 51.9 | 0.70 | 50.6 | 53.3 |
| 2007 | 6,902 | 54.0 | 0.65 | 52.7 | 55.3 | 5,749 | 53.1 | 0.71 | 51.7 | 54.5 |
| 2008 | 6,809 | 52.2 | 0.64 | 51.0 | 53.5 | 5,732 | 52.0 | 0.69 | 50.6 | 53.3 |
| 2009 | 6,646 | 50.3 | 0.62 | 49.1 | 51.6 | 5,631 | 50.6 | 0.68 | 49.3 | 51.9 |
| 2010 | 6,671 | 49.9 | 0.62 | 48.7 | 51.1 | 5,567 | 49.5 | 0.67 | 48.2 | 50.9 |
| 2011 | 6,616 | 48.5 | 0.60 | 47.3 | 49.7 | 5,555 | 48.5 | 0.66 | 47.2 | 49.8 |
| 2012 | 6,678 | 47.8 | 0.59 | 46.6 | 48.9 | 5,601 | 47.9 | 0.65 | 46.6 | 49.2 |
| 2013 | 6,532 | 45.8 | 0.58 | 44.7 | 47.0 | 5,404 | 45.4 | 0.63 | 44.2 | 46.6 |
| 2014 | 6,650 | 45.8 | 0.57 | 44.7 | 46.9 | 5,550 | 45.8 | 0.63 | 44.6 | 47.1 |
| 2015 | 6,406 | 43.1 | 0.55 | 42.1 | 44.2 | 5,294 | 43.0 | 0.60 | 41.8 | 44.2 |
| 2016 | 6,242 | 41.6 | 0.54 | 40.5 | 42.6 | 5,157 | 41.5 | 0.59 | 40.4 | 42.7 |
| 2017 | 6,009 | 39.1 | 0.51 | 38.1 | 40.2 | 5,002 | 39.4 | 0.57 | 38.3 | 40.5 |
| 2018 | 5,735 | 36.6 | 0.49 | 35.7 | 37.6 | 4,807 | 37.2 | 0.54 | 36.1 | 38.3 |
| 2019 | 5,703 | 35.8 | 0.48 | 34.9 | 36.8 | 4,729 | 36.1 | 0.53 | 35.1 | 37.2 |
| 2020 | 5,510 | 33.9 | 0.46 | 33.0 | 34.8 | 4,603 | 34.5 | 0.52 | 33.5 | 35.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lung and Bronchus | | | | | | | | | | |
|--------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 33,971 | 65.1 | 0.36 | 64.4 | 65.8 | 2,560 | 19.3 | 0.40 | 18.5 | 20.1 |
| 1986 | 839 | 74.7 | 2.65 | 69.6 | 80.0 | 25 | 25.4 | 5.94 | 15.1 | 39.0 |
| 1987 | 911 | 79.9 | 2.72 | 74.7 | 85.4 | 26 | 24.1 | 5.39 | 14.7 | 36.5 |
| 1988 | 906 | 78.4 | 2.68 | 73.2 | 83.8 | 33 | 26.2 | 5.08 | 17.2 | 37.7 |
| 1989 | 987 | 84.5 | 2.76 | 79.2 | 90.1 | 27 | 17.9 | 3.84 | 11.2 | 26.8 |
| 1990 | 987 | 84.1 | 2.75 | 78.8 | 89.6 | 37 | 29.0 | 5.45 | 19.3 | 41.2 |
| 1991 | 902 | 76.2 | 2.60 | 71.2 | 81.5 | 30 | 20.0 | 4.14 | 12.7 | 29.5 |
| 1992 | 993 | 81.8 | 2.66 | 76.7 | 87.2 | 30 | 20.5 | 4.26 | 13.0 | 30.2 |
| 1993 | 1,016 | 82.5 | 2.65 | 77.4 | 87.8 | 30 | 16.4 | 3.46 | 10.3 | 24.3 |
| 1994 | 996 | 79.3 | 2.56 | 74.3 | 84.4 | 40 | 20.5 | 3.51 | 14.2 | 28.3 |
| 1995 | 1,066 | 82.8 | 2.59 | 77.8 | 88.0 | 45 | 21.6 | 3.62 | 15.1 | 29.7 |
| 1996 | 1,097 | 85.7 | 2.64 | 80.6 | 91.0 | 47 | 23.0 | 3.60 | 16.5 | 31.0 |
| 1997 | 978 | 74.7 | 2.43 | 70.0 | 79.6 | 35 | 16.2 | 3.04 | 10.8 | 23.0 |
| 1998 | 1,041 | 77.1 | 2.43 | 72.4 | 82.0 | 53 | 20.5 | 3.08 | 14.9 | 27.3 |
| 1999 | 1,008 | 74.4 | 2.38 | 69.8 | 79.2 | 48 | 17.8 | 2.74 | 12.9 | 23.9 |
| 2000 | 1,034 | 74.7 | 2.36 | 70.2 | 79.5 | 76 | 28.4 | 3.54 | 21.8 | 36.0 |
| 2001 | 975 | 70.9 | 2.31 | 66.4 | 75.5 | 56 | 20.2 | 2.87 | 15.0 | 26.5 |
| 2002 | 1,035 | 72.9 | 2.30 | 68.4 | 77.5 | 69 | 24.1 | 3.14 | 18.4 | 30.9 |
| 2003 | 1,004 | 69.0 | 2.22 | 64.7 | 73.5 | 66 | 19.8 | 2.59 | 15.0 | 25.4 |
| 2004 | 999 | 67.6 | 2.18 | 63.4 | 71.9 | 76 | 22.7 | 2.80 | 17.6 | 28.8 |
| 2005 | 1,001 | 67.5 | 2.17 | 63.3 | 71.8 | 76 | 19.8 | 2.47 | 15.3 | 25.2 |
| 2006 | 1,002 | 65.9 | 2.12 | 61.8 | 70.2 | 101 | 26.1 | 2.80 | 20.9 | 32.1 |
| 2007 | 1,069 | 69.0 | 2.15 | 64.8 | 73.3 | 84 | 22.0 | 2.56 | 17.3 | 27.5 |
| 2008 | 982 | 63.2 | 2.06 | 59.2 | 67.3 | 95 | 21.4 | 2.38 | 17.0 | 26.5 |
| 2009 | 929 | 57.3 | 1.92 | 53.6 | 61.2 | 86 | 19.0 | 2.20 | 14.9 | 23.7 |
| 2010 | 998 | 61.1 | 1.98 | 57.3 | 65.1 | 106 | 22.6 | 2.35 | 18.2 | 27.6 |
| 2011 | 965 | 57.5 | 1.90 | 53.8 | 61.3 | 96 | 18.3 | 1.99 | 14.7 | 22.6 |
| 2012 | 974 | 56.5 | 1.85 | 52.9 | 60.3 | 103 | 18.4 | 1.93 | 14.8 | 22.5 |
| 2013 | 1,001 | 56.9 | 1.84 | 53.3 | 60.6 | 127 | 22.8 | 2.12 | 18.8 | 27.2 |
| 2014 | 980 | 54.7 | 1.79 | 51.2 | 58.3 | 120 | 21.2 | 2.02 | 17.5 | 25.5 |
| 2015 | 987 | 53.4 | 1.74 | 50.0 | 56.9 | 125 | 18.8 | 1.75 | 15.5 | 22.5 |
| 2016 | 967 | 51.3 | 1.69 | 48.1 | 54.8 | 118 | 16.8 | 1.60 | 13.8 | 20.2 |
| 2017 | 910 | 47.8 | 1.62 | 44.7 | 51.1 | 97 | 13.3 | 1.39 | 10.7 | 16.3 |
| 2018 | 825 | 42.5 | 1.51 | 39.6 | 45.6 | 103 | 12.8 | 1.29 | 10.4 | 15.6 |
| 2019 | 824 | 41.3 | 1.47 | 38.5 | 44.3 | 150 | 18.3 | 1.53 | 15.5 | 21.6 |
| 2020 | 783 | 38.2 | 1.39 | 35.5 | 41.0 | 124 | 14.5 | 1.32 | 12.0 | 17.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Lung and Bronchus

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|------|------|---------|------|------|------|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 132,217 | 69.7 | 0.20 | 69.4 | 70.1 | 110,448 | 67.9 | 0.21 | 67.5 | 68.3 |
| 1986 | 4,100 | 92.0 | 1.49 | 89.1 | 94.9 | 3,474 | 87.9 | 1.55 | 84.9 | 91.0 |
| 1987 | 4,138 | 92.0 | 1.48 | 89.1 | 94.9 | 3,464 | 87.0 | 1.53 | 84.0 | 90.0 |
| 1988 | 4,161 | 92.4 | 1.48 | 89.5 | 95.4 | 3,537 | 88.7 | 1.54 | 85.7 | 91.8 |
| 1989 | 4,142 | 90.8 | 1.46 | 87.9 | 93.7 | 3,464 | 86.0 | 1.50 | 83.1 | 89.0 |
| 1990 | 4,175 | 91.9 | 1.47 | 89.1 | 94.9 | 3,485 | 87.0 | 1.52 | 84.1 | 90.1 |
| 1991 | 4,221 | 92.1 | 1.46 | 89.2 | 95.0 | 3,582 | 88.5 | 1.52 | 85.5 | 91.5 |
| 1992 | 4,123 | 88.3 | 1.41 | 85.6 | 91.1 | 3,442 | 83.7 | 1.46 | 80.8 | 86.6 |
| 1993 | 4,265 | 90.7 | 1.42 | 87.9 | 93.5 | 3,572 | 86.6 | 1.48 | 83.7 | 89.6 |
| 1994 | 4,286 | 90.3 | 1.41 | 87.6 | 93.1 | 3,633 | 87.4 | 1.48 | 84.6 | 90.4 |
| 1995 | 4,228 | 88.4 | 1.39 | 85.7 | 91.1 | 3,525 | 84.3 | 1.44 | 81.5 | 87.2 |
| 1996 | 4,104 | 85.7 | 1.36 | 83.0 | 88.4 | 3,372 | 80.5 | 1.41 | 77.8 | 83.3 |
| 1997 | 3,970 | 82.2 | 1.32 | 79.6 | 84.9 | 3,331 | 79.2 | 1.39 | 76.5 | 81.9 |
| 1998 | 3,956 | 81.1 | 1.31 | 78.5 | 83.7 | 3,305 | 77.9 | 1.37 | 75.3 | 80.7 |
| 1999 | 3,936 | 79.9 | 1.29 | 77.3 | 82.4 | 3,267 | 76.4 | 1.35 | 73.8 | 79.1 |
| 2000 | 3,971 | 79.8 | 1.28 | 77.3 | 82.3 | 3,298 | 76.6 | 1.34 | 74.0 | 79.3 |
| 2001 | 3,960 | 79.2 | 1.27 | 76.7 | 81.8 | 3,316 | 76.6 | 1.34 | 74.0 | 79.3 |
| 2002 | 3,864 | 76.3 | 1.24 | 73.9 | 78.8 | 3,253 | 74.6 | 1.32 | 72.1 | 77.3 |
| 2003 | 3,843 | 74.5 | 1.22 | 72.1 | 76.9 | 3,212 | 72.5 | 1.29 | 70.0 | 75.1 |
| 2004 | 3,840 | 73.6 | 1.20 | 71.2 | 76.0 | 3,217 | 71.8 | 1.28 | 69.4 | 74.4 |
| 2005 | 3,664 | 69.5 | 1.16 | 67.2 | 71.8 | 3,063 | 67.8 | 1.24 | 65.4 | 70.3 |
| 2006 | 3,706 | 69.4 | 1.16 | 67.2 | 71.7 | 3,080 | 67.5 | 1.23 | 65.1 | 70.0 |
| 2007 | 3,723 | 68.2 | 1.14 | 66.0 | 70.5 | 3,081 | 66.2 | 1.21 | 63.8 | 68.6 |
| 2008 | 3,708 | 66.9 | 1.12 | 64.8 | 69.2 | 3,115 | 65.9 | 1.20 | 63.5 | 68.3 |
| 2009 | 3,563 | 62.9 | 1.07 | 60.8 | 65.1 | 3,015 | 62.6 | 1.16 | 60.3 | 64.9 |
| 2010 | 3,575 | 62.1 | 1.06 | 60.0 | 64.2 | 2,986 | 61.2 | 1.14 | 59.0 | 63.5 |
| 2011 | 3,581 | 60.9 | 1.04 | 58.9 | 63.0 | 2,966 | 59.6 | 1.12 | 57.5 | 61.9 |
| 2012 | 3,576 | 59.2 | 1.01 | 57.2 | 61.2 | 2,996 | 58.7 | 1.09 | 56.5 | 60.9 |
| 2013 | 3,485 | 56.0 | 0.97 | 54.1 | 57.9 | 2,872 | 54.8 | 1.04 | 52.8 | 56.9 |
| 2014 | 3,546 | 56.5 | 0.97 | 54.6 | 58.4 | 2,959 | 55.8 | 1.05 | 53.8 | 57.9 |
| 2015 | 3,469 | 53.4 | 0.93 | 51.6 | 55.2 | 2,830 | 52.0 | 1.00 | 50.0 | 54.0 |
| 2016 | 3,251 | 49.7 | 0.89 | 48.0 | 51.5 | 2,697 | 49.3 | 0.97 | 47.4 | 51.2 |
| 2017 | 3,161 | 47.0 | 0.86 | 45.3 | 48.7 | 2,624 | 46.6 | 0.93 | 44.8 | 48.4 |
| 2018 | 3,056 | 44.5 | 0.82 | 42.9 | 46.1 | 2,563 | 44.7 | 0.90 | 42.9 | 46.5 |
| 2019 | 2,972 | 42.4 | 0.79 | 40.8 | 44.0 | 2,456 | 42.1 | 0.87 | 40.5 | 43.9 |
| 2020 | 2,898 | 40.4 | 0.77 | 38.9 | 42.0 | 2,396 | 40.2 | 0.84 | 38.5 | 41.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Lung and Bronchus

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|--------|-------|------|-------|-------|----------------------|------|-------|------|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 20,154 | 95.5 | 0.71 | 94.1 | 96.9 | 1,615 | 28.0 | 0.76 | 26.6 | 29.6 |
| 1986 | 604 | 130.4 | 5.62 | 119.6 | 141.8 | 22 | 47.8 | 12.19 | 27.0 | 76.2 |
| 1987 | 655 | 141.2 | 5.84 | 129.9 | 153.0 | 19 | 41.2 | 11.10 | 22.4 | 67.3 |
| 1988 | 601 | 128.2 | 5.57 | 117.5 | 139.5 | 23 | 43.2 | 10.55 | 25.1 | 67.7 |
| 1989 | 661 | 140.1 | 5.76 | 129.0 | 151.8 | 17 | 22.6 | 6.22 | 12.1 | 37.9 |
| 1990 | 664 | 140.3 | 5.78 | 129.2 | 152.1 | 26 | 44.2 | 9.87 | 27.0 | 66.9 |
| 1991 | 617 | 130.4 | 5.56 | 119.7 | 141.7 | 22 | 35.3 | 8.83 | 20.1 | 55.8 |
| 1992 | 660 | 136.9 | 5.66 | 126.0 | 148.4 | 21 | 34.3 | 8.73 | 19.4 | 54.6 |
| 1993 | 674 | 134.3 | 5.45 | 123.9 | 145.4 | 19 | 25.3 | 6.85 | 13.7 | 41.5 |
| 1994 | 627 | 124.2 | 5.21 | 114.2 | 134.8 | 26 | 26.3 | 5.58 | 16.6 | 39.5 |
| 1995 | 681 | 130.9 | 5.30 | 120.8 | 141.7 | 22 | 24.8 | 6.25 | 14.1 | 39.5 |
| 1996 | 703 | 138.4 | 5.51 | 127.8 | 149.6 | 29 | 33.3 | 6.69 | 21.5 | 48.6 |
| 1997 | 613 | 117.1 | 4.96 | 107.6 | 127.1 | 26 | 28.2 | 6.29 | 17.3 | 42.7 |
| 1998 | 619 | 114.2 | 4.83 | 104.9 | 124.0 | 32 | 28.1 | 5.79 | 17.9 | 41.4 |
| 1999 | 632 | 117.2 | 4.88 | 107.9 | 127.2 | 37 | 31.2 | 5.43 | 21.5 | 43.5 |
| 2000 | 615 | 110.1 | 4.65 | 101.2 | 119.5 | 58 | 49.7 | 7.37 | 36.3 | 65.8 |
| 2001 | 606 | 110.9 | 4.74 | 101.8 | 120.5 | 38 | 34.8 | 6.29 | 23.5 | 48.8 |
| 2002 | 575 | 98.6 | 4.31 | 90.3 | 107.4 | 36 | 28.7 | 5.64 | 18.8 | 41.4 |
| 2003 | 581 | 98.3 | 4.28 | 90.1 | 107.0 | 50 | 33.6 | 5.22 | 24.1 | 45.1 |
| 2004 | 575 | 96.9 | 4.24 | 88.7 | 105.5 | 48 | 33.4 | 5.39 | 23.6 | 45.3 |
| 2005 | 550 | 93.3 | 4.20 | 85.2 | 101.8 | 51 | 30.5 | 4.86 | 21.8 | 41.3 |
| 2006 | 557 | 91.1 | 4.07 | 83.3 | 99.4 | 69 | 45.9 | 6.20 | 34.6 | 59.3 |
| 2007 | 593 | 95.8 | 4.15 | 87.8 | 104.2 | 49 | 32.0 | 4.99 | 23.0 | 43.0 |
| 2008 | 545 | 88.6 | 4.01 | 80.9 | 96.8 | 48 | 25.1 | 4.12 | 17.7 | 34.3 |
| 2009 | 490 | 76.0 | 3.63 | 69.1 | 83.4 | 58 | 29.7 | 4.39 | 21.7 | 39.3 |
| 2010 | 530 | 80.7 | 3.71 | 73.6 | 88.3 | 59 | 29.9 | 4.34 | 22.0 | 39.4 |
| 2011 | 559 | 82.7 | 3.68 | 75.7 | 90.2 | 56 | 24.7 | 3.59 | 18.2 | 32.6 |
| 2012 | 520 | 75.4 | 3.48 | 68.7 | 82.5 | 60 | 25.7 | 3.67 | 19.0 | 33.7 |
| 2013 | 541 | 75.1 | 3.39 | 68.6 | 82.0 | 72 | 30.1 | 3.81 | 23.1 | 38.3 |
| 2014 | 517 | 72.9 | 3.37 | 66.4 | 79.8 | 70 | 29.2 | 3.71 | 22.4 | 37.2 |
| 2015 | 560 | 75.5 | 3.35 | 69.1 | 82.3 | 79 | 26.9 | 3.25 | 21.0 | 34.0 |
| 2016 | 484 | 63.8 | 3.03 | 58.0 | 70.0 | 70 | 22.8 | 2.87 | 17.5 | 29.0 |
| 2017 | 472 | 62.1 | 2.99 | 56.4 | 68.3 | 65 | 20.7 | 2.70 | 15.8 | 26.6 |
| 2018 | 429 | 55.0 | 2.78 | 49.7 | 60.8 | 64 | 17.5 | 2.25 | 13.4 | 22.5 |
| 2019 | 423 | 52.2 | 2.64 | 47.2 | 57.7 | 93 | 25.1 | 2.68 | 20.1 | 30.9 |
| 2020 | 421 | 52.0 | 2.63 | 47.0 | 57.4 | 81 | 21.0 | 2.39 | 16.6 | 26.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lung and Bronchus | | | | | | | | | | |
|--------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 96,562 | 38.0 | 0.12 | 37.7 | 38.2 | 81,800 | 37.9 | 0.13 | 37.6 | 38.1 |
| 1986 | 1,901 | 31.1 | 0.73 | 29.7 | 32.5 | 1,663 | 30.9 | 0.78 | 29.4 | 32.5 |
| 1987 | 2,049 | 33.7 | 0.76 | 32.2 | 35.2 | 1,786 | 33.2 | 0.81 | 31.7 | 34.8 |
| 1988 | 2,090 | 33.8 | 0.75 | 32.3 | 35.3 | 1,775 | 32.7 | 0.79 | 31.2 | 34.3 |
| 1989 | 2,261 | 36.4 | 0.78 | 34.9 | 38.0 | 1,925 | 35.4 | 0.82 | 33.8 | 37.0 |
| 1990 | 2,327 | 37.0 | 0.78 | 35.5 | 38.5 | 1,993 | 36.0 | 0.82 | 34.4 | 37.7 |
| 1991 | 2,310 | 36.3 | 0.76 | 34.8 | 37.8 | 2,017 | 36.2 | 0.82 | 34.6 | 37.8 |
| 1992 | 2,481 | 38.5 | 0.78 | 37.0 | 40.1 | 2,139 | 37.8 | 0.83 | 36.2 | 39.5 |
| 1993 | 2,582 | 39.7 | 0.79 | 38.2 | 41.3 | 2,229 | 39.3 | 0.84 | 37.7 | 41.0 |
| 1994 | 2,639 | 40.2 | 0.79 | 38.7 | 41.8 | 2,256 | 39.5 | 0.84 | 37.8 | 41.2 |
| 1995 | 2,737 | 41.3 | 0.80 | 39.8 | 42.9 | 2,329 | 40.4 | 0.85 | 38.7 | 42.1 |
| 1996 | 2,773 | 41.7 | 0.80 | 40.2 | 43.3 | 2,361 | 41.1 | 0.86 | 39.4 | 42.8 |
| 1997 | 2,710 | 40.4 | 0.78 | 38.9 | 42.0 | 2,336 | 40.2 | 0.84 | 38.6 | 41.9 |
| 1998 | 2,818 | 41.7 | 0.79 | 40.2 | 43.3 | 2,375 | 40.6 | 0.84 | 39.0 | 42.3 |
| 1999 | 2,777 | 40.6 | 0.78 | 39.1 | 42.2 | 2,390 | 40.5 | 0.84 | 38.9 | 42.2 |
| 2000 | 2,857 | 41.7 | 0.79 | 40.2 | 43.3 | 2,420 | 41.2 | 0.85 | 39.6 | 42.9 |
| 2001 | 2,833 | 41.0 | 0.78 | 39.5 | 42.5 | 2,446 | 41.4 | 0.85 | 39.8 | 43.1 |
| 2002 | 2,983 | 42.9 | 0.79 | 41.4 | 44.5 | 2,490 | 42.1 | 0.85 | 40.4 | 43.8 |
| 2003 | 3,011 | 42.9 | 0.79 | 41.4 | 44.5 | 2,572 | 43.0 | 0.86 | 41.3 | 44.7 |
| 2004 | 2,964 | 42.0 | 0.78 | 40.4 | 43.5 | 2,512 | 41.9 | 0.85 | 40.2 | 43.6 |
| 2005 | 2,949 | 41.5 | 0.77 | 40.0 | 43.0 | 2,473 | 41.1 | 0.84 | 39.5 | 42.8 |
| 2006 | 2,965 | 41.3 | 0.77 | 39.8 | 42.9 | 2,488 | 41.1 | 0.84 | 39.5 | 42.8 |
| 2007 | 3,179 | 44.0 | 0.79 | 42.4 | 45.5 | 2,668 | 43.9 | 0.86 | 42.2 | 45.6 |
| 2008 | 3,101 | 41.8 | 0.76 | 40.4 | 43.4 | 2,617 | 42.1 | 0.84 | 40.4 | 43.7 |
| 2009 | 3,083 | 41.5 | 0.76 | 40.0 | 43.0 | 2,616 | 42.0 | 0.83 | 40.4 | 43.7 |
| 2010 | 3,096 | 41.1 | 0.75 | 39.7 | 42.6 | 2,581 | 41.1 | 0.82 | 39.5 | 42.7 |
| 2011 | 3,035 | 39.5 | 0.73 | 38.1 | 41.0 | 2,589 | 40.5 | 0.81 | 38.9 | 42.1 |
| 2012 | 3,102 | 39.6 | 0.72 | 38.2 | 41.0 | 2,605 | 40.1 | 0.80 | 38.5 | 41.7 |
| 2013 | 3,047 | 38.2 | 0.70 | 36.9 | 39.6 | 2,532 | 38.3 | 0.78 | 36.8 | 39.9 |
| 2014 | 3,104 | 38.1 | 0.70 | 36.8 | 39.5 | 2,591 | 38.6 | 0.77 | 37.1 | 40.1 |
| 2015 | 2,937 | 35.5 | 0.67 | 34.2 | 36.8 | 2,464 | 36.2 | 0.74 | 34.7 | 37.7 |
| 2016 | 2,991 | 35.6 | 0.66 | 34.3 | 36.9 | 2,460 | 35.8 | 0.74 | 34.4 | 37.3 |
| 2017 | 2,848 | 33.2 | 0.63 | 32.0 | 34.5 | 2,378 | 33.9 | 0.71 | 32.6 | 35.4 |
| 2018 | 2,679 | 30.7 | 0.60 | 29.5 | 31.9 | 2,244 | 31.4 | 0.68 | 30.1 | 32.8 |
| 2019 | 2,731 | 30.9 | 0.60 | 29.7 | 32.1 | 2,273 | 31.4 | 0.67 | 30.1 | 32.7 |
| 2020 | 2,612 | 28.8 | 0.57 | 27.7 | 30.0 | 2,207 | 30.0 | 0.65 | 28.8 | 31.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lung and Bronchus | | | | | | | | | | |
|--------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 13,817 | 44.9 | 0.39 | 44.2 | 45.7 | 945 | 12.8 | 0.43 | 11.9 | 13.7 |
| 1986 | 235 | 36.0 | 2.39 | 31.4 | 40.9 | * | * | * | * | * |
| 1987 | 256 | 38.6 | 2.44 | 33.9 | 43.7 | * | * | * | * | * |
| 1988 | 305 | 44.9 | 2.61 | 39.9 | 50.3 | 10 | 13.2 | 4.40 | 6.1 | 24.5 |
| 1989 | 326 | 47.2 | 2.66 | 42.2 | 52.7 | 10 | 14.0 | 4.81 | 6.2 | 26.2 |
| 1990 | 323 | 46.7 | 2.64 | 41.7 | 52.2 | 11 | 17.9 | 6.09 | 8.0 | 32.8 |
| 1991 | 285 | 40.8 | 2.44 | 36.1 | 45.9 | * | * | * | * | * |
| 1992 | 333 | 46.4 | 2.57 | 41.5 | 51.7 | * | * | * | * | * |
| 1993 | 342 | 47.5 | 2.59 | 42.5 | 52.8 | 11 | 10.1 | 3.49 | 4.4 | 18.9 |
| 1994 | 369 | 49.5 | 2.60 | 44.5 | 54.9 | 14 | 15.3 | 4.34 | 8.0 | 25.8 |
| 1995 | 385 | 50.9 | 2.62 | 45.9 | 56.2 | 23 | 19.5 | 4.43 | 11.8 | 29.8 |
| 1996 | 394 | 51.7 | 2.63 | 46.7 | 57.1 | 18 | 15.5 | 3.87 | 8.8 | 24.7 |
| 1997 | 365 | 47.1 | 2.48 | 42.4 | 52.2 | * | * | * | * | * |
| 1998 | 422 | 52.9 | 2.59 | 48.0 | 58.2 | 21 | 14.8 | 3.43 | 8.9 | 22.9 |
| 1999 | 376 | 46.6 | 2.42 | 41.9 | 51.5 | 11 | 7.4 | 2.44 | 3.5 | 13.6 |
| 2000 | 419 | 51.3 | 2.52 | 46.5 | 56.5 | 18 | 12.7 | 3.20 | 7.2 | 20.2 |
| 2001 | 369 | 45.1 | 2.36 | 40.6 | 49.9 | 18 | 10.7 | 2.61 | 6.2 | 16.9 |
| 2002 | 460 | 55.2 | 2.59 | 50.3 | 60.6 | 33 | 21.1 | 3.80 | 14.3 | 29.6 |
| 2003 | 423 | 49.5 | 2.42 | 44.8 | 54.4 | 16 | 9.1 | 2.37 | 5.0 | 14.8 |
| 2004 | 424 | 48.4 | 2.37 | 43.8 | 53.2 | 28 | 15.0 | 2.97 | 9.7 | 21.8 |
| 2005 | 451 | 51.1 | 2.43 | 46.4 | 56.1 | 25 | 11.9 | 2.51 | 7.5 | 17.8 |
| 2006 | 445 | 49.5 | 2.37 | 45.0 | 54.3 | 32 | 13.2 | 2.43 | 8.8 | 18.8 |
| 2007 | 476 | 52.1 | 2.41 | 47.5 | 57.0 | 35 | 15.1 | 2.70 | 10.3 | 21.2 |
| 2008 | 437 | 47.0 | 2.27 | 42.7 | 51.7 | 47 | 18.9 | 2.90 | 13.6 | 25.3 |
| 2009 | 439 | 45.7 | 2.21 | 41.5 | 50.3 | 28 | 11.3 | 2.24 | 7.3 | 16.4 |
| 2010 | 468 | 48.7 | 2.28 | 44.3 | 53.3 | 47 | 17.8 | 2.70 | 12.9 | 23.8 |
| 2011 | 406 | 41.0 | 2.06 | 37.0 | 45.2 | 40 | 13.3 | 2.20 | 9.4 | 18.3 |
| 2012 | 454 | 44.5 | 2.12 | 40.4 | 48.8 | 43 | 13.3 | 2.12 | 9.5 | 18.1 |
| 2013 | 460 | 44.6 | 2.11 | 40.6 | 49.0 | 55 | 17.2 | 2.40 | 12.8 | 22.5 |
| 2014 | 463 | 43.3 | 2.05 | 39.4 | 47.5 | 50 | 15.4 | 2.25 | 11.3 | 20.4 |
| 2015 | 427 | 39.1 | 1.92 | 35.4 | 43.0 | 46 | 12.5 | 1.89 | 9.1 | 16.8 |
| 2016 | 483 | 42.8 | 1.98 | 39.0 | 46.9 | 48 | 12.1 | 1.80 | 8.9 | 16.2 |
| 2017 | 438 | 38.3 | 1.86 | 34.8 | 42.2 | 32 | 7.7 | 1.40 | 5.3 | 11.0 |
| 2018 | 396 | 34.7 | 1.77 | 31.4 | 38.4 | 39 | 8.7 | 1.42 | 6.1 | 11.9 |
| 2019 | 401 | 34.3 | 1.74 | 30.9 | 37.8 | 57 | 12.9 | 1.73 | 9.7 | 16.7 |
| 2020 | 362 | 29.3 | 1.56 | 26.3 | 32.5 | 43 | 9.4 | 1.45 | 6.8 | 12.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Skin excluding Basal and Squamous

Both Sexes

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|--------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 13,575 | 3.1 | 0.03 | 3.0 | 3.1 | 12,991 | 3.5 | 0.03 | 3.4 | 3.5 |
| 1986 | 298 | 2.9 | 0.17 | 2.6 | 3.3 | 283 | 3.1 | 0.19 | 2.8 | 3.5 |
| 1987 | 304 | 2.9 | 0.17 | 2.6 | 3.3 | 286 | 3.1 | 0.19 | 2.8 | 3.5 |
| 1988 | 330 | 3.2 | 0.18 | 2.8 | 3.5 | 311 | 3.4 | 0.19 | 3.0 | 3.8 |
| 1989 | 306 | 2.9 | 0.17 | 2.6 | 3.2 | 286 | 3.1 | 0.18 | 2.7 | 3.5 |
| 1990 | 341 | 3.2 | 0.17 | 2.9 | 3.5 | 317 | 3.4 | 0.19 | 3.0 | 3.8 |
| 1991 | 329 | 3.0 | 0.17 | 2.7 | 3.4 | 311 | 3.3 | 0.19 | 2.9 | 3.7 |
| 1992 | 336 | 3.0 | 0.17 | 2.7 | 3.4 | 320 | 3.3 | 0.19 | 3.0 | 3.7 |
| 1993 | 370 | 3.3 | 0.17 | 3.0 | 3.7 | 356 | 3.7 | 0.20 | 3.3 | 4.1 |
| 1994 | 346 | 3.0 | 0.16 | 2.7 | 3.4 | 331 | 3.3 | 0.18 | 3.0 | 3.7 |
| 1995 | 350 | 3.1 | 0.16 | 2.8 | 3.4 | 337 | 3.4 | 0.19 | 3.1 | 3.8 |
| 1996 | 358 | 3.1 | 0.16 | 2.8 | 3.5 | 341 | 3.4 | 0.19 | 3.1 | 3.8 |
| 1997 | 358 | 3.1 | 0.16 | 2.8 | 3.4 | 341 | 3.4 | 0.18 | 3.0 | 3.8 |
| 1998 | 368 | 3.1 | 0.16 | 2.8 | 3.5 | 354 | 3.5 | 0.19 | 3.2 | 3.9 |
| 1999 | 366 | 3.1 | 0.16 | 2.8 | 3.4 | 358 | 3.5 | 0.18 | 3.1 | 3.9 |
| 2000 | 373 | 3.1 | 0.16 | 2.8 | 3.4 | 356 | 3.4 | 0.18 | 3.1 | 3.8 |
| 2001 | 341 | 2.8 | 0.15 | 2.5 | 3.1 | 329 | 3.2 | 0.17 | 2.8 | 3.5 |
| 2002 | 408 | 3.3 | 0.17 | 3.0 | 3.7 | 389 | 3.7 | 0.19 | 3.4 | 4.1 |
| 2003 | 387 | 3.1 | 0.16 | 2.8 | 3.4 | 374 | 3.5 | 0.18 | 3.2 | 3.9 |
| 2004 | 408 | 3.3 | 0.16 | 3.0 | 3.6 | 396 | 3.8 | 0.19 | 3.4 | 4.1 |
| 2005 | 433 | 3.4 | 0.16 | 3.1 | 3.7 | 412 | 3.8 | 0.19 | 3.5 | 4.2 |
| 2006 | 412 | 3.2 | 0.16 | 2.9 | 3.5 | 390 | 3.6 | 0.18 | 3.2 | 4.0 |
| 2007 | 419 | 3.2 | 0.16 | 2.9 | 3.5 | 402 | 3.6 | 0.18 | 3.3 | 4.0 |
| 2008 | 390 | 3.0 | 0.15 | 2.7 | 3.3 | 377 | 3.4 | 0.18 | 3.1 | 3.8 |
| 2009 | 446 | 3.4 | 0.16 | 3.1 | 3.7 | 431 | 3.9 | 0.19 | 3.5 | 4.3 |
| 2010 | 402 | 3.0 | 0.15 | 2.7 | 3.3 | 394 | 3.4 | 0.18 | 3.1 | 3.8 |
| 2011 | 413 | 3.0 | 0.15 | 2.7 | 3.3 | 397 | 3.5 | 0.18 | 3.1 | 3.8 |
| 2012 | 451 | 3.3 | 0.16 | 3.0 | 3.6 | 434 | 3.7 | 0.18 | 3.4 | 4.1 |
| 2013 | 495 | 3.5 | 0.16 | 3.2 | 3.8 | 471 | 4.0 | 0.19 | 3.6 | 4.3 |
| 2014 | 479 | 3.3 | 0.15 | 3.0 | 3.6 | 458 | 3.8 | 0.18 | 3.4 | 4.1 |
| 2015 | 430 | 2.9 | 0.14 | 2.7 | 3.2 | 411 | 3.4 | 0.17 | 3.1 | 3.8 |
| 2016 | 445 | 3.0 | 0.14 | 2.7 | 3.3 | 425 | 3.4 | 0.17 | 3.1 | 3.8 |
| 2017 | 430 | 2.9 | 0.14 | 2.6 | 3.2 | 413 | 3.3 | 0.17 | 3.0 | 3.7 |
| 2018 | 401 | 2.6 | 0.13 | 2.3 | 2.9 | 383 | 3.0 | 0.16 | 2.7 | 3.4 |
| 2019 | 380 | 2.4 | 0.12 | 2.2 | 2.7 | 365 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2020 | 472 | 3.0 | 0.14 | 2.7 | 3.3 | 452 | 3.5 | 0.17 | 3.2 | 3.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Skin excluding Basal and Squamous

Both Sexes

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 507 | 1.0 | 0.04 | 0.9 | 1.0 | 77 | 0.5 | 0.06 | 0.4 | 0.7 |
| 1986 | 14 | 1.3 | 0.34 | 0.7 | 2.1 | * | * | * | * | * |
| 1987 | 17 | 1.5 | 0.38 | 0.9 | 2.5 | * | * | * | * | * |
| 1988 | 19 | 1.7 | 0.39 | 1.0 | 2.6 | * | * | * | * | * |
| 1989 | 20 | 1.7 | 0.39 | 1.0 | 2.6 | * | * | * | * | * |
| 1990 | 23 | 1.9 | 0.40 | 1.2 | 2.8 | * | * | * | * | * |
| 1991 | 18 | 1.5 | 0.36 | 0.9 | 2.3 | * | * | * | * | * |
| 1992 | 15 | 1.2 | 0.31 | 0.6 | 1.9 | * | * | * | * | * |
| 1993 | 12 | 0.9 | 0.27 | 0.5 | 1.6 | * | * | * | * | * |
| 1994 | 15 | 1.3 | 0.34 | 0.7 | 2.1 | * | * | * | * | * |
| 1995 | 11 | 0.8 | 0.26 | 0.4 | 1.5 | * | * | * | * | * |
| 1996 | 15 | 1.0 | 0.26 | 0.5 | 1.6 | * | * | * | * | * |
| 1997 | 15 | 1.1 | 0.29 | 0.6 | 1.8 | * | * | * | * | * |
| 1998 | 12 | 0.8 | 0.25 | 0.4 | 1.5 | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | 14 | 1.0 | 0.26 | 0.5 | 1.6 | * | * | * | * | * |
| 2001 | 10 | 0.8 | 0.25 | 0.4 | 1.4 | * | * | * | * | * |
| 2002 | 19 | 1.3 | 0.31 | 0.8 | 2.1 | * | * | * | * | * |
| 2003 | 12 | 0.9 | 0.26 | 0.4 | 1.5 | * | * | * | * | * |
| 2004 | 11 | 0.8 | 0.23 | 0.4 | 1.4 | * | * | * | * | * |
| 2005 | 16 | 1.0 | 0.26 | 0.6 | 1.7 | * | * | * | * | * |
| 2006 | 18 | 1.2 | 0.29 | 0.7 | 1.9 | * | * | * | * | * |
| 2007 | 14 | 0.9 | 0.24 | 0.5 | 1.5 | * | * | * | * | * |
| 2008 | 11 | 0.7 | 0.21 | 0.3 | 1.2 | * | * | * | * | * |
| 2009 | 13 | 0.8 | 0.22 | 0.4 | 1.3 | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | 15 | 0.9 | 0.23 | 0.5 | 1.5 | * | * | * | * | * |
| 2012 | 13 | 0.8 | 0.22 | 0.4 | 1.4 | * | * | * | * | * |
| 2013 | 19 | 1.0 | 0.24 | 0.6 | 1.6 | * | * | * | * | * |
| 2014 | 19 | 1.1 | 0.26 | 0.7 | 1.8 | * | * | * | * | * |
| 2015 | 13 | 0.6 | 0.16 | 0.3 | 1.0 | * | * | * | * | * |
| 2016 | 17 | 0.9 | 0.21 | 0.5 | 1.4 | * | * | * | * | * |
| 2017 | 14 | 0.8 | 0.22 | 0.4 | 1.4 | * | * | * | * | * |
| 2018 | 15 | 0.7 | 0.19 | 0.4 | 1.2 | * | * | * | * | * |
| 2019 | 12 | 0.6 | 0.17 | 0.3 | 1.0 | * | * | * | * | * |
| 2020 | 13 | 0.6 | 0.18 | 0.3 | 1.1 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Skin excluding Basal and Squamous

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 8,609 | 4.6 | 0.05 | 4.5 | 4.7 | 8,256 | 5.2 | 0.06 | 5.1 | 5.3 |
| 1986 | 175 | 3.9 | 0.31 | 3.3 | 4.5 | 166 | 4.2 | 0.34 | 3.5 | 4.9 |
| 1987 | 191 | 4.4 | 0.33 | 3.8 | 5.1 | 178 | 4.7 | 0.36 | 4.0 | 5.4 |
| 1988 | 205 | 4.6 | 0.34 | 4.0 | 5.3 | 190 | 4.9 | 0.37 | 4.2 | 5.6 |
| 1989 | 184 | 4.2 | 0.33 | 3.6 | 4.9 | 171 | 4.5 | 0.36 | 3.8 | 5.2 |
| 1990 | 202 | 4.5 | 0.33 | 3.9 | 5.2 | 181 | 4.6 | 0.35 | 3.9 | 5.3 |
| 1991 | 205 | 4.4 | 0.31 | 3.8 | 5.0 | 190 | 4.6 | 0.35 | 4.0 | 5.4 |
| 1992 | 215 | 4.7 | 0.33 | 4.1 | 5.4 | 204 | 5.1 | 0.37 | 4.4 | 5.9 |
| 1993 | 229 | 4.8 | 0.33 | 4.2 | 5.5 | 221 | 5.3 | 0.37 | 4.6 | 6.1 |
| 1994 | 215 | 4.6 | 0.32 | 4.0 | 5.3 | 205 | 5.0 | 0.36 | 4.3 | 5.8 |
| 1995 | 215 | 4.6 | 0.32 | 4.0 | 5.2 | 207 | 5.0 | 0.36 | 4.4 | 5.8 |
| 1996 | 219 | 4.4 | 0.31 | 3.9 | 5.1 | 208 | 4.9 | 0.34 | 4.2 | 5.6 |
| 1997 | 227 | 4.6 | 0.31 | 4.0 | 5.2 | 216 | 5.0 | 0.35 | 4.4 | 5.8 |
| 1998 | 237 | 4.8 | 0.32 | 4.2 | 5.5 | 229 | 5.4 | 0.36 | 4.7 | 6.1 |
| 1999 | 233 | 4.8 | 0.32 | 4.2 | 5.4 | 228 | 5.4 | 0.36 | 4.7 | 6.1 |
| 2000 | 224 | 4.5 | 0.30 | 3.9 | 5.1 | 215 | 5.0 | 0.34 | 4.3 | 5.7 |
| 2001 | 202 | 4.1 | 0.29 | 3.5 | 4.7 | 196 | 4.5 | 0.33 | 3.9 | 5.2 |
| 2002 | 264 | 5.1 | 0.32 | 4.5 | 5.8 | 251 | 5.7 | 0.36 | 5.0 | 6.4 |
| 2003 | 247 | 4.8 | 0.31 | 4.2 | 5.4 | 243 | 5.4 | 0.35 | 4.8 | 6.2 |
| 2004 | 253 | 4.7 | 0.30 | 4.1 | 5.3 | 246 | 5.3 | 0.34 | 4.7 | 6.1 |
| 2005 | 268 | 5.0 | 0.31 | 4.5 | 5.7 | 256 | 5.6 | 0.35 | 4.9 | 6.3 |
| 2006 | 263 | 4.8 | 0.30 | 4.2 | 5.4 | 251 | 5.3 | 0.34 | 4.7 | 6.1 |
| 2007 | 265 | 4.9 | 0.31 | 4.3 | 5.5 | 255 | 5.5 | 0.35 | 4.8 | 6.2 |
| 2008 | 267 | 4.9 | 0.30 | 4.3 | 5.5 | 264 | 5.6 | 0.35 | 4.9 | 6.3 |
| 2009 | 283 | 5.0 | 0.30 | 4.5 | 5.7 | 274 | 5.7 | 0.35 | 5.0 | 6.4 |
| 2010 | 262 | 4.6 | 0.29 | 4.1 | 5.2 | 260 | 5.3 | 0.34 | 4.7 | 6.0 |
| 2011 | 278 | 4.8 | 0.30 | 4.3 | 5.4 | 269 | 5.5 | 0.34 | 4.8 | 6.2 |
| 2012 | 281 | 4.8 | 0.29 | 4.2 | 5.4 | 271 | 5.4 | 0.33 | 4.8 | 6.1 |
| 2013 | 329 | 5.4 | 0.31 | 4.9 | 6.1 | 314 | 6.1 | 0.35 | 5.5 | 6.9 |
| 2014 | 301 | 4.8 | 0.28 | 4.3 | 5.4 | 291 | 5.5 | 0.33 | 4.9 | 6.2 |
| 2015 | 279 | 4.5 | 0.27 | 3.9 | 5.0 | 270 | 5.1 | 0.32 | 4.5 | 5.8 |
| 2016 | 304 | 4.7 | 0.28 | 4.2 | 5.3 | 291 | 5.4 | 0.32 | 4.8 | 6.1 |
| 2017 | 263 | 4.2 | 0.26 | 3.7 | 4.7 | 252 | 4.8 | 0.31 | 4.2 | 5.4 |
| 2018 | 252 | 3.8 | 0.24 | 3.3 | 4.3 | 242 | 4.3 | 0.28 | 3.8 | 4.9 |
| 2019 | 253 | 3.7 | 0.24 | 3.3 | 4.2 | 245 | 4.3 | 0.28 | 3.8 | 4.9 |
| 2020 | 319 | 4.7 | 0.27 | 4.2 | 5.2 | 306 | 5.4 | 0.31 | 4.8 | 6.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Skin excluding Basal and Squamous

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 313 | 1.4 | 0.08 | 1.2 | 1.5 | 40 | 0.6 | 0.10 | 0.4 | 0.8 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 13 | 2.7 | 0.76 | 1.4 | 4.6 | * | * | * | * | * |
| 1988 | 15 | 2.9 | 0.78 | 1.6 | 4.9 | * | * | * | * | * |
| 1989 | 13 | 2.5 | 0.73 | 1.2 | 4.3 | * | * | * | * | * |
| 1990 | 21 | 3.9 | 0.89 | 2.4 | 6.1 | * | * | * | * | * |
| 1991 | 15 | 2.9 | 0.82 | 1.5 | 4.9 | * | * | * | * | * |
| 1992 | 11 | 1.9 | 0.59 | 0.9 | 3.4 | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 10 | 2.2 | 0.72 | 1.0 | 4.0 | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | 13 | 2.2 | 0.66 | 1.1 | 3.9 | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | 11 | 1.7 | 0.57 | 0.8 | 3.2 | * | * | * | * | * |
| 2006 | 12 | 1.9 | 0.60 | 0.9 | 3.4 | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | 11 | 1.3 | 0.41 | 0.6 | 2.4 | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | 11 | 1.3 | 0.42 | 0.6 | 2.4 | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Skin excluding Basal and Squamous

| Females | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 4,966 | 2.0 | 0.03 | 1.9 | 2.0 | 4,735 | 2.2 | 0.03 | 2.2 | 2.3 |
| 1986 | 123 | 2.2 | 0.20 | 1.8 | 2.6 | 117 | 2.3 | 0.22 | 1.9 | 2.8 |
| 1987 | 113 | 1.9 | 0.18 | 1.6 | 2.3 | 108 | 2.1 | 0.20 | 1.7 | 2.5 |
| 1988 | 125 | 2.1 | 0.19 | 1.7 | 2.5 | 121 | 2.3 | 0.22 | 1.9 | 2.8 |
| 1989 | 122 | 2.0 | 0.18 | 1.6 | 2.4 | 115 | 2.2 | 0.21 | 1.8 | 2.6 |
| 1990 | 139 | 2.3 | 0.20 | 1.9 | 2.7 | 136 | 2.6 | 0.22 | 2.1 | 3.0 |
| 1991 | 124 | 2.0 | 0.18 | 1.6 | 2.3 | 121 | 2.2 | 0.20 | 1.8 | 2.6 |
| 1992 | 121 | 1.9 | 0.18 | 1.6 | 2.3 | 116 | 2.1 | 0.20 | 1.8 | 2.6 |
| 1993 | 141 | 2.2 | 0.19 | 1.9 | 2.6 | 135 | 2.5 | 0.22 | 2.1 | 2.9 |
| 1994 | 131 | 2.0 | 0.17 | 1.7 | 2.4 | 126 | 2.2 | 0.20 | 1.8 | 2.6 |
| 1995 | 135 | 2.0 | 0.18 | 1.7 | 2.4 | 130 | 2.3 | 0.20 | 1.9 | 2.7 |
| 1996 | 139 | 2.1 | 0.18 | 1.8 | 2.5 | 133 | 2.3 | 0.21 | 2.0 | 2.8 |
| 1997 | 131 | 1.9 | 0.17 | 1.6 | 2.3 | 125 | 2.1 | 0.19 | 1.8 | 2.6 |
| 1998 | 131 | 2.0 | 0.17 | 1.7 | 2.3 | 125 | 2.2 | 0.20 | 1.8 | 2.7 |
| 1999 | 133 | 1.9 | 0.17 | 1.6 | 2.3 | 130 | 2.2 | 0.20 | 1.8 | 2.6 |
| 2000 | 149 | 2.1 | 0.18 | 1.8 | 2.5 | 141 | 2.4 | 0.20 | 2.0 | 2.8 |
| 2001 | 139 | 2.0 | 0.17 | 1.7 | 2.3 | 133 | 2.2 | 0.20 | 1.9 | 2.7 |
| 2002 | 144 | 2.0 | 0.17 | 1.7 | 2.4 | 138 | 2.3 | 0.20 | 1.9 | 2.7 |
| 2003 | 140 | 1.9 | 0.16 | 1.6 | 2.3 | 131 | 2.1 | 0.19 | 1.8 | 2.6 |
| 2004 | 155 | 2.2 | 0.18 | 1.9 | 2.6 | 150 | 2.5 | 0.21 | 2.1 | 3.0 |
| 2005 | 165 | 2.2 | 0.18 | 1.9 | 2.6 | 156 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2006 | 149 | 2.0 | 0.17 | 1.7 | 2.3 | 139 | 2.2 | 0.19 | 1.9 | 2.6 |
| 2007 | 154 | 2.1 | 0.17 | 1.8 | 2.5 | 147 | 2.4 | 0.20 | 2.0 | 2.9 |
| 2008 | 123 | 1.6 | 0.15 | 1.3 | 1.9 | 113 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2009 | 163 | 2.2 | 0.18 | 1.9 | 2.6 | 157 | 2.6 | 0.21 | 2.2 | 3.0 |
| 2010 | 140 | 1.8 | 0.16 | 1.5 | 2.1 | 134 | 2.1 | 0.19 | 1.7 | 2.5 |
| 2011 | 135 | 1.8 | 0.16 | 1.5 | 2.1 | 128 | 2.0 | 0.18 | 1.7 | 2.4 |
| 2012 | 170 | 2.2 | 0.17 | 1.9 | 2.5 | 163 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2013 | 166 | 2.0 | 0.16 | 1.7 | 2.4 | 157 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2014 | 178 | 2.2 | 0.17 | 1.9 | 2.5 | 167 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2015 | 151 | 1.8 | 0.15 | 1.5 | 2.1 | 141 | 2.1 | 0.18 | 1.7 | 2.5 |
| 2016 | 141 | 1.7 | 0.14 | 1.4 | 2.0 | 134 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2017 | 167 | 2.0 | 0.16 | 1.7 | 2.3 | 161 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2018 | 149 | 1.8 | 0.15 | 1.5 | 2.1 | 141 | 2.1 | 0.18 | 1.7 | 2.4 |
| 2019 | 127 | 1.4 | 0.13 | 1.2 | 1.7 | 120 | 1.7 | 0.16 | 1.4 | 2.0 |
| 2020 | 153 | 1.8 | 0.15 | 1.5 | 2.1 | 146 | 2.1 | 0.18 | 1.8 | 2.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Skin excluding Basal and Squamous

| Females | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 194 | 0.6 | 0.05 | 0.6 | 0.7 | 37 | 0.5 | 0.08 | 0.3 | 0.6 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | 10 | 1.0 | 0.31 | 0.5 | 1.8 | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Melanoma of the Skin | | | | | | | | | | |
|-----------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 10,214 | 2.3 | 0.02 | 2.3 | 2.4 | 9,964 | 2.7 | 0.03 | 2.6 | 2.7 |
| 1986 | 216 | 2.1 | 0.15 | 1.8 | 2.4 | 212 | 2.4 | 0.16 | 2.0 | 2.7 |
| 1987 | 212 | 2.1 | 0.14 | 1.8 | 2.4 | 207 | 2.3 | 0.16 | 2.0 | 2.6 |
| 1988 | 261 | 2.5 | 0.16 | 2.2 | 2.8 | 256 | 2.8 | 0.18 | 2.5 | 3.2 |
| 1989 | 220 | 2.1 | 0.14 | 1.8 | 2.4 | 214 | 2.3 | 0.16 | 2.0 | 2.7 |
| 1990 | 253 | 2.4 | 0.15 | 2.1 | 2.7 | 248 | 2.7 | 0.17 | 2.3 | 3.0 |
| 1991 | 241 | 2.2 | 0.14 | 1.9 | 2.5 | 236 | 2.5 | 0.16 | 2.2 | 2.8 |
| 1992 | 266 | 2.4 | 0.15 | 2.1 | 2.7 | 261 | 2.7 | 0.17 | 2.4 | 3.1 |
| 1993 | 282 | 2.5 | 0.15 | 2.2 | 2.8 | 276 | 2.9 | 0.17 | 2.6 | 3.2 |
| 1994 | 267 | 2.4 | 0.14 | 2.1 | 2.6 | 263 | 2.7 | 0.16 | 2.4 | 3.0 |
| 1995 | 263 | 2.3 | 0.14 | 2.0 | 2.6 | 257 | 2.6 | 0.16 | 2.3 | 3.0 |
| 1996 | 282 | 2.4 | 0.15 | 2.2 | 2.8 | 276 | 2.8 | 0.17 | 2.5 | 3.1 |
| 1997 | 270 | 2.3 | 0.14 | 2.0 | 2.6 | 264 | 2.6 | 0.16 | 2.3 | 3.0 |
| 1998 | 291 | 2.5 | 0.15 | 2.2 | 2.8 | 287 | 2.9 | 0.17 | 2.5 | 3.2 |
| 1999 | 281 | 2.4 | 0.14 | 2.1 | 2.7 | 276 | 2.7 | 0.16 | 2.4 | 3.0 |
| 2000 | 280 | 2.3 | 0.14 | 2.1 | 2.6 | 273 | 2.7 | 0.16 | 2.4 | 3.0 |
| 2001 | 259 | 2.1 | 0.13 | 1.9 | 2.4 | 254 | 2.5 | 0.15 | 2.2 | 2.8 |
| 2002 | 304 | 2.5 | 0.14 | 2.2 | 2.8 | 296 | 2.9 | 0.17 | 2.5 | 3.2 |
| 2003 | 285 | 2.3 | 0.14 | 2.0 | 2.6 | 277 | 2.6 | 0.16 | 2.3 | 3.0 |
| 2004 | 334 | 2.7 | 0.15 | 2.4 | 3.0 | 327 | 3.1 | 0.17 | 2.8 | 3.5 |
| 2005 | 336 | 2.7 | 0.14 | 2.4 | 3.0 | 326 | 3.0 | 0.17 | 2.7 | 3.4 |
| 2006 | 333 | 2.6 | 0.14 | 2.3 | 2.9 | 319 | 3.0 | 0.17 | 2.6 | 3.3 |
| 2007 | 338 | 2.6 | 0.14 | 2.3 | 2.9 | 332 | 3.0 | 0.17 | 2.7 | 3.4 |
| 2008 | 297 | 2.3 | 0.13 | 2.0 | 2.5 | 290 | 2.6 | 0.16 | 2.3 | 3.0 |
| 2009 | 359 | 2.7 | 0.15 | 2.4 | 3.0 | 350 | 3.2 | 0.17 | 2.8 | 3.5 |
| 2010 | 308 | 2.3 | 0.13 | 2.0 | 2.5 | 303 | 2.7 | 0.16 | 2.4 | 3.0 |
| 2011 | 322 | 2.4 | 0.13 | 2.1 | 2.6 | 314 | 2.8 | 0.16 | 2.5 | 3.1 |
| 2012 | 356 | 2.6 | 0.14 | 2.3 | 2.9 | 346 | 3.0 | 0.16 | 2.7 | 3.3 |
| 2013 | 384 | 2.7 | 0.14 | 2.5 | 3.0 | 369 | 3.1 | 0.17 | 2.8 | 3.5 |
| 2014 | 350 | 2.4 | 0.13 | 2.2 | 2.7 | 339 | 2.8 | 0.16 | 2.5 | 3.2 |
| 2015 | 312 | 2.2 | 0.12 | 1.9 | 2.4 | 302 | 2.5 | 0.15 | 2.2 | 2.8 |
| 2016 | 303 | 2.0 | 0.12 | 1.8 | 2.3 | 295 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2017 | 300 | 2.0 | 0.12 | 1.8 | 2.3 | 292 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2018 | 267 | 1.8 | 0.11 | 1.5 | 2.0 | 258 | 2.1 | 0.13 | 1.8 | 2.3 |
| 2019 | 266 | 1.7 | 0.11 | 1.5 | 1.9 | 262 | 2.0 | 0.13 | 1.8 | 2.3 |
| 2020 | 316 | 2.1 | 0.12 | 1.8 | 2.3 | 307 | 2.5 | 0.14 | 2.2 | 2.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Melanoma of the Skin | | | | | | | | | | |
|-----------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 198 | 0.4 | 0.03 | 0.3 | 0.5 | 52 | 0.3 | 0.05 | 0.2 | 0.4 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | 10 | 0.7 | 0.22 | 0.3 | 1.2 | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | 11 | 0.6 | 0.19 | 0.3 | 1.1 | * | * | * | * | * |
| 2014 | 10 | 0.6 | 0.20 | 0.3 | 1.1 | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Melanoma of the Skin | | | | | | | | | | |
|-----------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 6,297 | 3.3 | 0.04 | 3.3 | 3.4 | 6,190 | 3.8 | 0.05 | 3.7 | 3.9 |
| 1986 | 118 | 2.6 | 0.25 | 2.1 | 3.1 | 116 | 2.9 | 0.28 | 2.4 | 3.5 |
| 1987 | 123 | 2.8 | 0.26 | 2.3 | 3.3 | 122 | 3.1 | 0.29 | 2.6 | 3.8 |
| 1988 | 156 | 3.5 | 0.29 | 3.0 | 4.1 | 153 | 3.9 | 0.33 | 3.3 | 4.6 |
| 1989 | 129 | 2.9 | 0.27 | 2.4 | 3.5 | 124 | 3.2 | 0.30 | 2.6 | 3.8 |
| 1990 | 139 | 3.1 | 0.27 | 2.5 | 3.6 | 136 | 3.4 | 0.30 | 2.8 | 4.0 |
| 1991 | 144 | 3.0 | 0.26 | 2.5 | 3.5 | 142 | 3.4 | 0.29 | 2.8 | 4.0 |
| 1992 | 165 | 3.6 | 0.29 | 3.1 | 4.2 | 163 | 4.1 | 0.33 | 3.4 | 4.8 |
| 1993 | 166 | 3.5 | 0.28 | 2.9 | 4.0 | 165 | 4.0 | 0.31 | 3.4 | 4.6 |
| 1994 | 161 | 3.4 | 0.28 | 2.9 | 4.0 | 159 | 3.9 | 0.31 | 3.3 | 4.5 |
| 1995 | 155 | 3.1 | 0.26 | 2.7 | 3.7 | 153 | 3.6 | 0.29 | 3.0 | 4.2 |
| 1996 | 173 | 3.5 | 0.27 | 3.0 | 4.0 | 171 | 3.9 | 0.31 | 3.4 | 4.6 |
| 1997 | 159 | 3.1 | 0.25 | 2.6 | 3.6 | 158 | 3.6 | 0.29 | 3.0 | 4.2 |
| 1998 | 189 | 3.8 | 0.28 | 3.2 | 4.4 | 187 | 4.3 | 0.32 | 3.7 | 5.0 |
| 1999 | 172 | 3.4 | 0.26 | 2.9 | 4.0 | 169 | 3.9 | 0.30 | 3.3 | 4.5 |
| 2000 | 166 | 3.3 | 0.26 | 2.8 | 3.8 | 165 | 3.8 | 0.29 | 3.2 | 4.4 |
| 2001 | 155 | 3.0 | 0.25 | 2.6 | 3.6 | 152 | 3.5 | 0.28 | 2.9 | 4.1 |
| 2002 | 186 | 3.6 | 0.26 | 3.1 | 4.1 | 182 | 4.0 | 0.30 | 3.5 | 4.7 |
| 2003 | 176 | 3.3 | 0.25 | 2.8 | 3.9 | 173 | 3.8 | 0.29 | 3.2 | 4.4 |
| 2004 | 205 | 3.8 | 0.27 | 3.3 | 4.3 | 202 | 4.3 | 0.31 | 3.8 | 5.0 |
| 2005 | 203 | 3.8 | 0.27 | 3.3 | 4.4 | 199 | 4.3 | 0.31 | 3.7 | 5.0 |
| 2006 | 204 | 3.7 | 0.26 | 3.2 | 4.2 | 198 | 4.2 | 0.30 | 3.6 | 4.8 |
| 2007 | 207 | 3.8 | 0.27 | 3.3 | 4.3 | 204 | 4.3 | 0.31 | 3.8 | 5.0 |
| 2008 | 205 | 3.7 | 0.26 | 3.2 | 4.2 | 205 | 4.3 | 0.31 | 3.7 | 5.0 |
| 2009 | 227 | 4.0 | 0.27 | 3.5 | 4.5 | 223 | 4.6 | 0.31 | 4.0 | 5.2 |
| 2010 | 190 | 3.3 | 0.24 | 2.8 | 3.8 | 189 | 3.9 | 0.28 | 3.3 | 4.4 |
| 2011 | 210 | 3.6 | 0.25 | 3.1 | 4.1 | 206 | 4.1 | 0.29 | 3.6 | 4.7 |
| 2012 | 216 | 3.6 | 0.25 | 3.1 | 4.1 | 211 | 4.1 | 0.29 | 3.6 | 4.7 |
| 2013 | 258 | 4.3 | 0.27 | 3.7 | 4.8 | 248 | 4.9 | 0.31 | 4.3 | 5.5 |
| 2014 | 220 | 3.5 | 0.24 | 3.0 | 4.0 | 215 | 4.0 | 0.28 | 3.5 | 4.6 |
| 2015 | 196 | 3.1 | 0.23 | 2.7 | 3.6 | 193 | 3.7 | 0.27 | 3.2 | 4.2 |
| 2016 | 200 | 3.1 | 0.22 | 2.7 | 3.6 | 195 | 3.6 | 0.26 | 3.1 | 4.2 |
| 2017 | 183 | 2.9 | 0.22 | 2.5 | 3.4 | 180 | 3.4 | 0.26 | 2.9 | 4.0 |
| 2018 | 157 | 2.3 | 0.19 | 2.0 | 2.7 | 153 | 2.7 | 0.22 | 2.3 | 3.2 |
| 2019 | 176 | 2.5 | 0.19 | 2.2 | 2.9 | 175 | 3.0 | 0.23 | 2.6 | 3.5 |
| 2020 | 208 | 3.0 | 0.21 | 2.6 | 3.5 | 204 | 3.6 | 0.26 | 3.1 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Melanoma of the Skin

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 87 | 0.4 | 0.05 | 0.3 | 0.5 | 20 | 0.3 | 0.06 | 0.2 | 0.4 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Melanoma of the Skin | | | | | | | | | | |
|-----------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,917 | 1.6 | 0.03 | 1.5 | 1.6 | 3,774 | 1.8 | 0.03 | 1.8 | 1.9 |
| 1986 | 98 | 1.7 | 0.18 | 1.4 | 2.1 | 96 | 1.9 | 0.20 | 1.6 | 2.4 |
| 1987 | 89 | 1.5 | 0.16 | 1.2 | 1.9 | 85 | 1.7 | 0.19 | 1.3 | 2.1 |
| 1988 | 105 | 1.8 | 0.18 | 1.4 | 2.2 | 103 | 2.0 | 0.20 | 1.6 | 2.5 |
| 1989 | 91 | 1.5 | 0.16 | 1.2 | 1.9 | 90 | 1.8 | 0.19 | 1.4 | 2.2 |
| 1990 | 114 | 1.9 | 0.18 | 1.6 | 2.3 | 112 | 2.2 | 0.21 | 1.8 | 2.6 |
| 1991 | 97 | 1.5 | 0.16 | 1.3 | 1.9 | 94 | 1.7 | 0.18 | 1.4 | 2.1 |
| 1992 | 101 | 1.6 | 0.16 | 1.3 | 2.0 | 98 | 1.8 | 0.19 | 1.5 | 2.2 |
| 1993 | 116 | 1.9 | 0.17 | 1.5 | 2.2 | 111 | 2.1 | 0.20 | 1.7 | 2.5 |
| 1994 | 106 | 1.6 | 0.16 | 1.3 | 2.0 | 104 | 1.8 | 0.18 | 1.5 | 2.2 |
| 1995 | 108 | 1.7 | 0.16 | 1.4 | 2.0 | 104 | 1.9 | 0.19 | 1.5 | 2.3 |
| 1996 | 109 | 1.7 | 0.16 | 1.4 | 2.0 | 105 | 1.9 | 0.18 | 1.5 | 2.3 |
| 1997 | 111 | 1.6 | 0.16 | 1.3 | 2.0 | 106 | 1.8 | 0.18 | 1.5 | 2.2 |
| 1998 | 102 | 1.6 | 0.16 | 1.3 | 1.9 | 100 | 1.8 | 0.18 | 1.5 | 2.2 |
| 1999 | 109 | 1.6 | 0.16 | 1.3 | 2.0 | 107 | 1.9 | 0.18 | 1.5 | 2.3 |
| 2000 | 114 | 1.7 | 0.16 | 1.4 | 2.0 | 108 | 1.9 | 0.18 | 1.5 | 2.3 |
| 2001 | 104 | 1.5 | 0.15 | 1.2 | 1.8 | 102 | 1.8 | 0.18 | 1.5 | 2.2 |
| 2002 | 118 | 1.7 | 0.16 | 1.4 | 2.0 | 114 | 2.0 | 0.19 | 1.6 | 2.4 |
| 2003 | 109 | 1.5 | 0.15 | 1.3 | 1.9 | 104 | 1.8 | 0.17 | 1.4 | 2.1 |
| 2004 | 129 | 1.8 | 0.16 | 1.5 | 2.2 | 125 | 2.1 | 0.19 | 1.8 | 2.5 |
| 2005 | 133 | 1.8 | 0.16 | 1.5 | 2.2 | 127 | 2.1 | 0.19 | 1.8 | 2.5 |
| 2006 | 129 | 1.7 | 0.16 | 1.5 | 2.1 | 121 | 2.0 | 0.18 | 1.6 | 2.4 |
| 2007 | 131 | 1.8 | 0.16 | 1.5 | 2.2 | 128 | 2.2 | 0.19 | 1.8 | 2.6 |
| 2008 | 92 | 1.3 | 0.13 | 1.0 | 1.5 | 85 | 1.4 | 0.15 | 1.1 | 1.7 |
| 2009 | 132 | 1.8 | 0.16 | 1.5 | 2.2 | 127 | 2.2 | 0.20 | 1.8 | 2.6 |
| 2010 | 118 | 1.5 | 0.14 | 1.3 | 1.8 | 114 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2011 | 112 | 1.5 | 0.14 | 1.2 | 1.8 | 108 | 1.8 | 0.17 | 1.4 | 2.1 |
| 2012 | 140 | 1.8 | 0.16 | 1.5 | 2.2 | 135 | 2.1 | 0.19 | 1.8 | 2.6 |
| 2013 | 126 | 1.6 | 0.14 | 1.3 | 1.9 | 121 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2014 | 130 | 1.6 | 0.15 | 1.4 | 2.0 | 124 | 1.9 | 0.18 | 1.6 | 2.3 |
| 2015 | 116 | 1.4 | 0.14 | 1.2 | 1.7 | 109 | 1.7 | 0.16 | 1.3 | 2.0 |
| 2016 | 103 | 1.2 | 0.12 | 1.0 | 1.5 | 100 | 1.4 | 0.15 | 1.2 | 1.8 |
| 2017 | 117 | 1.4 | 0.14 | 1.2 | 1.7 | 112 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2018 | 110 | 1.3 | 0.13 | 1.1 | 1.6 | 105 | 1.6 | 0.16 | 1.3 | 1.9 |
| 2019 | 90 | 1.0 | 0.11 | 0.8 | 1.3 | 87 | 1.3 | 0.14 | 1.0 | 1.6 |
| 2020 | 108 | 1.3 | 0.13 | 1.1 | 1.6 | 103 | 1.6 | 0.16 | 1.3 | 2.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Melanoma of the Skin | | | | | | | | | | |
|-----------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 111 | 0.4 | 0.04 | 0.3 | 0.4 | 32 | 0.4 | 0.07 | 0.3 | 0.6 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Breast | | | | | | | | | | |
|------------|-----------|------|------|------|------|--------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Year | All Races | | | | | White | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 67,927 | 15.3 | 0.06 | 15.2 | 15.5 | 55,743 | 14.8 | 0.06 | 14.7 | 14.9 |
| 1986 | 2,114 | 20.5 | 0.45 | 19.7 | 21.4 | 1,831 | 20.1 | 0.48 | 19.2 | 21.1 |
| 1987 | 2,101 | 20.3 | 0.45 | 19.4 | 21.2 | 1,824 | 19.9 | 0.47 | 19.0 | 20.8 |
| 1988 | 2,108 | 20.1 | 0.44 | 19.3 | 21.0 | 1,840 | 20.0 | 0.47 | 19.1 | 20.9 |
| 1989 | 2,172 | 20.6 | 0.45 | 19.8 | 21.5 | 1,901 | 20.5 | 0.48 | 19.6 | 21.5 |
| 1990 | 2,194 | 20.7 | 0.45 | 19.9 | 21.6 | 1,903 | 20.4 | 0.47 | 19.5 | 21.4 |
| 1991 | 2,284 | 21.1 | 0.45 | 20.3 | 22.0 | 1,978 | 20.9 | 0.47 | 19.9 | 21.8 |
| 1992 | 2,164 | 19.8 | 0.43 | 18.9 | 20.6 | 1,890 | 19.7 | 0.46 | 18.8 | 20.6 |
| 1993 | 2,181 | 19.7 | 0.42 | 18.9 | 20.5 | 1,850 | 19.1 | 0.45 | 18.3 | 20.0 |
| 1994 | 2,156 | 19.2 | 0.42 | 18.4 | 20.0 | 1,814 | 18.6 | 0.44 | 17.7 | 19.4 |
| 1995 | 2,149 | 18.9 | 0.41 | 18.1 | 19.8 | 1,818 | 18.4 | 0.43 | 17.6 | 19.3 |
| 1996 | 2,121 | 18.5 | 0.40 | 17.7 | 19.3 | 1,802 | 18.1 | 0.43 | 17.3 | 19.0 |
| 1997 | 2,053 | 17.7 | 0.39 | 17.0 | 18.5 | 1,685 | 16.8 | 0.41 | 16.0 | 17.6 |
| 1998 | 1,997 | 17.0 | 0.38 | 16.2 | 17.7 | 1,681 | 16.5 | 0.40 | 15.8 | 17.4 |
| 1999 | 2,030 | 17.1 | 0.38 | 16.3 | 17.8 | 1,648 | 16.0 | 0.40 | 15.3 | 16.8 |
| 2000 | 2,067 | 17.2 | 0.38 | 16.4 | 17.9 | 1,701 | 16.4 | 0.40 | 15.6 | 17.2 |
| 2001 | 1,869 | 15.4 | 0.36 | 14.7 | 16.1 | 1,527 | 14.6 | 0.37 | 13.9 | 15.4 |
| 2002 | 1,916 | 15.6 | 0.36 | 14.9 | 16.3 | 1,545 | 14.7 | 0.37 | 14.0 | 15.4 |
| 2003 | 1,887 | 15.1 | 0.35 | 14.5 | 15.8 | 1,509 | 14.2 | 0.37 | 13.5 | 14.9 |
| 2004 | 1,851 | 14.6 | 0.34 | 14.0 | 15.3 | 1,457 | 13.5 | 0.36 | 12.8 | 14.2 |
| 2005 | 1,883 | 14.8 | 0.34 | 14.1 | 15.5 | 1,509 | 13.9 | 0.36 | 13.2 | 14.6 |
| 2006 | 1,785 | 13.8 | 0.33 | 13.1 | 14.4 | 1,442 | 13.1 | 0.35 | 12.4 | 13.8 |
| 2007 | 1,825 | 13.9 | 0.33 | 13.3 | 14.6 | 1,454 | 13.1 | 0.35 | 12.4 | 13.8 |
| 2008 | 1,794 | 13.4 | 0.32 | 12.8 | 14.1 | 1,436 | 12.7 | 0.34 | 12.0 | 13.4 |
| 2009 | 1,731 | 12.8 | 0.31 | 12.2 | 13.4 | 1,402 | 12.3 | 0.33 | 11.7 | 13.0 |
| 2010 | 1,755 | 12.8 | 0.31 | 12.2 | 13.4 | 1,394 | 12.0 | 0.33 | 11.4 | 12.7 |
| 2011 | 1,829 | 13.1 | 0.31 | 12.5 | 13.7 | 1,474 | 12.5 | 0.33 | 11.9 | 13.2 |
| 2012 | 1,827 | 12.8 | 0.30 | 12.2 | 13.4 | 1,448 | 12.1 | 0.32 | 11.5 | 12.8 |
| 2013 | 1,783 | 12.4 | 0.30 | 11.8 | 13.0 | 1,411 | 11.8 | 0.32 | 11.2 | 12.4 |
| 2014 | 1,769 | 12.2 | 0.29 | 11.6 | 12.8 | 1,423 | 11.8 | 0.32 | 11.1 | 12.4 |
| 2015 | 1,806 | 12.1 | 0.29 | 11.6 | 12.7 | 1,422 | 11.6 | 0.31 | 11.0 | 12.2 |
| 2016 | 1,715 | 11.5 | 0.28 | 11.0 | 12.1 | 1,327 | 10.8 | 0.30 | 10.2 | 11.4 |
| 2017 | 1,730 | 11.4 | 0.28 | 10.9 | 12.0 | 1,361 | 10.9 | 0.30 | 10.3 | 11.5 |
| 2018 | 1,776 | 11.6 | 0.28 | 11.0 | 12.2 | 1,344 | 10.7 | 0.30 | 10.1 | 11.3 |
| 2019 | 1,772 | 11.5 | 0.28 | 10.9 | 12.0 | 1,346 | 10.6 | 0.30 | 10.0 | 11.2 |
| 2020 | 1,733 | 11.1 | 0.27 | 10.6 | 11.7 | 1,346 | 10.6 | 0.30 | 10.0 | 11.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Breast | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 11,255 | 21.4 | 0.21 | 21.0 | 21.8 | 929 | 5.8 | 0.20 | 5.4 | 6.2 |
| 1986 | 277 | 25.0 | 1.55 | 22.1 | 28.2 | * | * | * | * | * |
| 1987 | 271 | 24.2 | 1.52 | 21.4 | 27.4 | * | * | * | * | * |
| 1988 | 259 | 22.2 | 1.42 | 19.5 | 25.1 | * | * | * | * | * |
| 1989 | 264 | 23.0 | 1.46 | 20.2 | 26.0 | * | * | * | * | * |
| 1990 | 288 | 24.7 | 1.50 | 21.9 | 27.9 | * | * | * | * | * |
| 1991 | 292 | 24.4 | 1.47 | 21.6 | 27.4 | 14 | 5.5 | 1.51 | 2.9 | 9.5 |
| 1992 | 263 | 21.0 | 1.33 | 18.4 | 23.7 | 11 | 4.6 | 1.56 | 2.0 | 8.7 |
| 1993 | 321 | 25.6 | 1.47 | 22.8 | 28.6 | 10 | 5.0 | 1.92 | 2.0 | 10.0 |
| 1994 | 320 | 25.7 | 1.47 | 22.9 | 28.7 | 22 | 8.6 | 2.26 | 4.8 | 14.1 |
| 1995 | 316 | 24.4 | 1.41 | 21.7 | 27.3 | 15 | 5.2 | 1.41 | 2.8 | 8.8 |
| 1996 | 304 | 22.3 | 1.31 | 19.8 | 25.0 | 15 | 4.9 | 1.34 | 2.7 | 8.3 |
| 1997 | 352 | 25.7 | 1.40 | 23.1 | 28.6 | 16 | 4.9 | 1.32 | 2.7 | 8.2 |
| 1998 | 295 | 21.5 | 1.28 | 19.0 | 24.1 | 21 | 6.2 | 1.45 | 3.7 | 9.8 |
| 1999 | 354 | 26.0 | 1.41 | 23.3 | 28.9 | 28 | 8.5 | 1.81 | 5.3 | 12.8 |
| 2000 | 346 | 24.5 | 1.35 | 21.9 | 27.3 | 20 | 5.2 | 1.28 | 3.0 | 8.3 |
| 2001 | 320 | 22.7 | 1.30 | 20.2 | 25.4 | 22 | 5.6 | 1.35 | 3.3 | 8.9 |
| 2002 | 346 | 24.0 | 1.32 | 21.4 | 26.7 | 25 | 6.1 | 1.36 | 3.7 | 9.3 |
| 2003 | 346 | 23.4 | 1.29 | 21.0 | 26.1 | 32 | 7.4 | 1.40 | 4.9 | 10.7 |
| 2004 | 358 | 23.2 | 1.25 | 20.8 | 25.8 | 36 | 8.5 | 1.56 | 5.7 | 12.1 |
| 2005 | 343 | 22.4 | 1.24 | 20.1 | 25.0 | 31 | 6.4 | 1.26 | 4.2 | 9.4 |
| 2006 | 320 | 20.1 | 1.15 | 17.9 | 22.5 | 23 | 4.5 | 1.00 | 2.7 | 6.9 |
| 2007 | 342 | 21.2 | 1.17 | 19.0 | 23.6 | 29 | 6.2 | 1.26 | 4.0 | 9.2 |
| 2008 | 325 | 20.0 | 1.13 | 17.8 | 22.3 | 33 | 6.0 | 1.12 | 4.1 | 8.6 |
| 2009 | 306 | 18.6 | 1.09 | 16.6 | 20.9 | 23 | 4.2 | 0.91 | 2.6 | 6.3 |
| 2010 | 327 | 19.4 | 1.10 | 17.3 | 21.6 | 34 | 5.7 | 1.05 | 3.9 | 8.2 |
| 2011 | 319 | 18.8 | 1.08 | 16.7 | 21.0 | 36 | 5.9 | 1.03 | 4.0 | 8.3 |
| 2012 | 348 | 20.0 | 1.10 | 17.9 | 22.2 | 31 | 4.7 | 0.88 | 3.1 | 6.7 |
| 2013 | 327 | 18.2 | 1.03 | 16.3 | 20.4 | 45 | 6.8 | 1.06 | 4.9 | 9.2 |
| 2014 | 294 | 16.5 | 0.99 | 14.7 | 18.6 | 52 | 7.6 | 1.10 | 5.6 | 10.0 |
| 2015 | 344 | 18.3 | 1.01 | 16.3 | 20.3 | 40 | 5.4 | 0.88 | 3.8 | 7.4 |
| 2016 | 347 | 18.6 | 1.02 | 16.7 | 20.8 | 41 | 4.9 | 0.78 | 3.5 | 6.7 |
| 2017 | 327 | 17.3 | 0.98 | 15.4 | 19.3 | 42 | 5.1 | 0.81 | 3.6 | 6.9 |
| 2018 | 382 | 19.9 | 1.04 | 17.9 | 22.1 | 50 | 5.8 | 0.83 | 4.3 | 7.6 |
| 2019 | 377 | 19.2 | 1.01 | 17.3 | 21.3 | 49 | 5.7 | 0.83 | 4.2 | 7.6 |
| 2020 | 335 | 16.9 | 0.95 | 15.1 | 18.9 | 52 | 5.7 | 0.81 | 4.3 | 7.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Breast | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 598 | 0.3 | 0.01 | 0.3 | 0.4 | 468 | 0.3 | 0.01 | 0.3 | 0.3 |
| 1986 | 12 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 1987 | 11 | 0.3 | 0.09 | 0.1 | 0.5 | 11 | 0.3 | 0.10 | 0.2 | 0.6 |
| 1988 | 12 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 1989 | 23 | 0.5 | 0.11 | 0.3 | 0.8 | 19 | 0.5 | 0.11 | 0.3 | 0.7 |
| 1990 | 12 | 0.3 | 0.08 | 0.1 | 0.5 | 10 | 0.3 | 0.08 | 0.1 | 0.5 |
| 1991 | 14 | 0.4 | 0.10 | 0.2 | 0.6 | 11 | 0.4 | 0.11 | 0.2 | 0.6 |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 19 | 0.4 | 0.10 | 0.3 | 0.6 | 16 | 0.4 | 0.10 | 0.2 | 0.7 |
| 1994 | 17 | 0.3 | 0.08 | 0.2 | 0.5 | 13 | 0.3 | 0.08 | 0.2 | 0.5 |
| 1995 | 23 | 0.5 | 0.11 | 0.3 | 0.8 | 20 | 0.5 | 0.12 | 0.3 | 0.8 |
| 1996 | 13 | 0.3 | 0.07 | 0.1 | 0.4 | 11 | 0.3 | 0.08 | 0.1 | 0.5 |
| 1997 | 15 | 0.3 | 0.09 | 0.2 | 0.6 | 10 | 0.3 | 0.08 | 0.1 | 0.5 |
| 1998 | 18 | 0.4 | 0.10 | 0.2 | 0.7 | 14 | 0.4 | 0.10 | 0.2 | 0.6 |
| 1999 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | 14 | 0.3 | 0.09 | 0.2 | 0.6 |
| 2000 | 22 | 0.5 | 0.10 | 0.3 | 0.7 | 14 | 0.3 | 0.09 | 0.2 | 0.5 |
| 2001 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | 19 | 0.4 | 0.10 | 0.3 | 0.7 |
| 2002 | 19 | 0.4 | 0.08 | 0.2 | 0.6 | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2003 | 15 | 0.3 | 0.08 | 0.2 | 0.5 | 12 | 0.3 | 0.08 | 0.1 | 0.5 |
| 2004 | 21 | 0.4 | 0.09 | 0.3 | 0.7 | 19 | 0.4 | 0.10 | 0.3 | 0.7 |
| 2005 | 18 | 0.4 | 0.09 | 0.2 | 0.6 | 15 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2006 | 14 | 0.3 | 0.07 | 0.1 | 0.4 | 11 | 0.3 | 0.08 | 0.1 | 0.4 |
| 2007 | 19 | 0.4 | 0.08 | 0.2 | 0.6 | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2008 | 14 | 0.2 | 0.07 | 0.1 | 0.4 | 11 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2009 | 12 | 0.2 | 0.06 | 0.1 | 0.4 | * | * | * | * | * |
| 2010 | 15 | 0.3 | 0.07 | 0.2 | 0.4 | 12 | 0.3 | 0.08 | 0.1 | 0.5 |
| 2011 | 14 | 0.3 | 0.07 | 0.1 | 0.4 | 10 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2012 | 17 | 0.3 | 0.07 | 0.2 | 0.4 | 16 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2013 | 22 | 0.4 | 0.08 | 0.2 | 0.6 | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2014 | 13 | 0.2 | 0.06 | 0.1 | 0.4 | * | * | * | * | * |
| 2015 | 25 | 0.4 | 0.08 | 0.3 | 0.6 | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2016 | 15 | 0.2 | 0.06 | 0.1 | 0.4 | 10 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2017 | 22 | 0.3 | 0.07 | 0.2 | 0.5 | 18 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2018 | 22 | 0.3 | 0.07 | 0.2 | 0.5 | 17 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2019 | 14 | 0.2 | 0.05 | 0.1 | 0.3 | 10 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2020 | 22 | 0.3 | 0.07 | 0.2 | 0.5 | 20 | 0.4 | 0.08 | 0.2 | 0.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Breast | | | | | | | | | | |
|---------------|-------|------|------|-----|-----|-----------------------------|------|----|-----|-----|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 123 | 0.6 | 0.06 | 0.5 | 0.8 | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Breast | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 67,329 | 27.0 | 0.11 | 26.8 | 27.2 | 55,275 | 26.2 | 0.11 | 25.9 | 26.4 |
| 1986 | 2,102 | 35.6 | 0.79 | 34.1 | 37.2 | 1,822 | 35.0 | 0.84 | 33.4 | 36.7 |
| 1987 | 2,090 | 35.2 | 0.79 | 33.7 | 36.8 | 1,813 | 34.5 | 0.83 | 32.9 | 36.2 |
| 1988 | 2,096 | 35.0 | 0.78 | 33.5 | 36.5 | 1,831 | 34.9 | 0.84 | 33.2 | 36.5 |
| 1989 | 2,149 | 35.7 | 0.78 | 34.2 | 37.3 | 1,882 | 35.7 | 0.84 | 34.1 | 37.4 |
| 1990 | 2,182 | 35.9 | 0.78 | 34.4 | 37.5 | 1,893 | 35.6 | 0.84 | 33.9 | 37.2 |
| 1991 | 2,270 | 36.7 | 0.78 | 35.2 | 38.3 | 1,967 | 36.4 | 0.84 | 34.8 | 38.1 |
| 1992 | 2,156 | 34.4 | 0.75 | 32.9 | 35.9 | 1,884 | 34.4 | 0.81 | 32.9 | 36.1 |
| 1993 | 2,162 | 34.0 | 0.74 | 32.5 | 35.5 | 1,834 | 33.1 | 0.79 | 31.5 | 34.7 |
| 1994 | 2,139 | 33.3 | 0.73 | 31.9 | 34.7 | 1,801 | 32.3 | 0.77 | 30.8 | 33.9 |
| 1995 | 2,126 | 32.7 | 0.72 | 31.3 | 34.1 | 1,798 | 31.9 | 0.77 | 30.4 | 33.5 |
| 1996 | 2,108 | 32.1 | 0.71 | 30.8 | 33.5 | 1,791 | 31.5 | 0.76 | 30.0 | 33.0 |
| 1997 | 2,038 | 31.0 | 0.69 | 29.6 | 32.4 | 1,675 | 29.5 | 0.73 | 28.1 | 31.0 |
| 1998 | 1,979 | 29.5 | 0.67 | 28.2 | 30.8 | 1,667 | 28.9 | 0.72 | 27.5 | 30.3 |
| 1999 | 2,007 | 29.5 | 0.66 | 28.2 | 30.8 | 1,634 | 27.9 | 0.70 | 26.5 | 29.3 |
| 2000 | 2,045 | 29.6 | 0.66 | 28.4 | 31.0 | 1,687 | 28.5 | 0.70 | 27.1 | 29.9 |
| 2001 | 1,846 | 26.6 | 0.62 | 25.4 | 27.9 | 1,508 | 25.5 | 0.67 | 24.2 | 26.8 |
| 2002 | 1,897 | 27.1 | 0.63 | 25.9 | 28.4 | 1,531 | 25.7 | 0.67 | 24.4 | 27.1 |
| 2003 | 1,872 | 26.5 | 0.62 | 25.3 | 27.7 | 1,497 | 24.9 | 0.65 | 23.6 | 26.2 |
| 2004 | 1,830 | 25.6 | 0.60 | 24.4 | 26.8 | 1,438 | 23.6 | 0.63 | 22.4 | 24.9 |
| 2005 | 1,865 | 25.8 | 0.60 | 24.6 | 27.0 | 1,494 | 24.4 | 0.64 | 23.1 | 25.7 |
| 2006 | 1,771 | 24.3 | 0.58 | 23.2 | 25.5 | 1,431 | 23.3 | 0.63 | 22.1 | 24.5 |
| 2007 | 1,806 | 24.6 | 0.59 | 23.5 | 25.8 | 1,440 | 23.3 | 0.62 | 22.1 | 24.5 |
| 2008 | 1,780 | 23.8 | 0.57 | 22.7 | 24.9 | 1,425 | 22.6 | 0.61 | 21.4 | 23.9 |
| 2009 | 1,719 | 22.8 | 0.56 | 21.7 | 23.9 | 1,394 | 22.1 | 0.61 | 20.9 | 23.3 |
| 2010 | 1,740 | 22.6 | 0.55 | 21.5 | 23.7 | 1,382 | 21.3 | 0.59 | 20.2 | 22.5 |
| 2011 | 1,815 | 23.2 | 0.56 | 22.1 | 24.3 | 1,464 | 22.4 | 0.60 | 21.2 | 23.6 |
| 2012 | 1,810 | 22.8 | 0.55 | 21.8 | 23.9 | 1,432 | 21.8 | 0.59 | 20.6 | 23.0 |
| 2013 | 1,761 | 22.0 | 0.54 | 21.0 | 23.1 | 1,392 | 21.1 | 0.58 | 19.9 | 22.3 |
| 2014 | 1,756 | 21.7 | 0.53 | 20.7 | 22.8 | 1,416 | 21.2 | 0.58 | 20.1 | 22.4 |
| 2015 | 1,781 | 21.7 | 0.53 | 20.6 | 22.7 | 1,403 | 20.9 | 0.58 | 19.7 | 22.0 |
| 2016 | 1,700 | 20.8 | 0.52 | 19.8 | 21.8 | 1,317 | 19.6 | 0.56 | 18.5 | 20.7 |
| 2017 | 1,708 | 20.4 | 0.51 | 19.4 | 21.5 | 1,343 | 19.7 | 0.55 | 18.6 | 20.8 |
| 2018 | 1,754 | 20.7 | 0.51 | 19.8 | 21.8 | 1,327 | 19.3 | 0.55 | 18.2 | 20.4 |
| 2019 | 1,758 | 20.7 | 0.51 | 19.7 | 21.8 | 1,336 | 19.3 | 0.55 | 18.3 | 20.5 |
| 2020 | 1,711 | 20.0 | 0.50 | 19.1 | 21.0 | 1,326 | 19.2 | 0.55 | 18.1 | 20.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Breast | | | | | | | | | | |
|----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 11,132 | 35.8 | 0.34 | 35.1 | 36.5 | 922 | 10.5 | 0.36 | 9.8 | 11.2 |
| 1986 | 274 | 42.3 | 2.60 | 37.3 | 47.7 | * | * | * | * | * |
| 1987 | 271 | 41.6 | 2.57 | 36.7 | 47.0 | * | * | * | * | * |
| 1988 | 256 | 37.5 | 2.39 | 33.0 | 42.5 | * | * | * | * | * |
| 1989 | 260 | 38.3 | 2.42 | 33.7 | 43.3 | * | * | * | * | * |
| 1990 | 286 | 41.7 | 2.50 | 36.9 | 46.8 | * | * | * | * | * |
| 1991 | 289 | 40.9 | 2.44 | 36.3 | 46.0 | 14 | 10.5 | 2.87 | 5.6 | 18.0 |
| 1992 | 262 | 35.6 | 2.23 | 31.4 | 40.2 | 10 | 7.8 | 2.71 | 3.4 | 15.0 |
| 1993 | 318 | 42.7 | 2.43 | 38.1 | 47.8 | 10 | 8.9 | 3.27 | 3.7 | 17.3 |
| 1994 | 316 | 42.5 | 2.42 | 37.9 | 47.5 | 22 | 15.7 | 3.88 | 9.0 | 25.0 |
| 1995 | 313 | 40.8 | 2.33 | 36.3 | 45.6 | 15 | 9.6 | 2.57 | 5.3 | 16.2 |
| 1996 | 302 | 37.8 | 2.20 | 33.6 | 42.3 | 15 | 9.1 | 2.42 | 4.9 | 15.2 |
| 1997 | 347 | 43.2 | 2.34 | 38.7 | 48.0 | 16 | 9.1 | 2.39 | 5.1 | 15.1 |
| 1998 | 291 | 35.6 | 2.11 | 31.6 | 40.0 | 21 | 11.5 | 2.62 | 6.9 | 17.8 |
| 1999 | 345 | 42.3 | 2.30 | 38.0 | 47.1 | 28 | 15.4 | 3.14 | 9.8 | 22.7 |
| 2000 | 339 | 40.2 | 2.20 | 36.0 | 44.7 | 19 | 8.7 | 2.10 | 5.1 | 13.9 |
| 2001 | 316 | 37.4 | 2.12 | 33.4 | 41.8 | 22 | 10.1 | 2.31 | 6.1 | 15.7 |
| 2002 | 341 | 39.5 | 2.15 | 35.4 | 43.9 | 25 | 11.0 | 2.35 | 6.9 | 16.6 |
| 2003 | 343 | 39.0 | 2.12 | 34.9 | 43.3 | 32 | 13.6 | 2.51 | 9.1 | 19.4 |
| 2004 | 356 | 39.3 | 2.10 | 35.3 | 43.6 | 36 | 15.2 | 2.70 | 10.4 | 21.4 |
| 2005 | 340 | 37.3 | 2.04 | 33.4 | 41.5 | 31 | 11.7 | 2.21 | 7.8 | 16.9 |
| 2006 | 317 | 33.8 | 1.92 | 30.2 | 37.8 | 23 | 8.2 | 1.79 | 5.1 | 12.5 |
| 2007 | 337 | 35.6 | 1.96 | 31.8 | 39.6 | 29 | 11.1 | 2.19 | 7.3 | 16.2 |
| 2008 | 322 | 33.6 | 1.89 | 30.0 | 37.5 | 33 | 11.1 | 2.02 | 7.5 | 15.8 |
| 2009 | 303 | 31.1 | 1.81 | 27.7 | 34.8 | 22 | 7.1 | 1.57 | 4.4 | 10.9 |
| 2010 | 325 | 32.7 | 1.84 | 29.2 | 36.5 | 33 | 10.2 | 1.86 | 6.9 | 14.5 |
| 2011 | 316 | 31.5 | 1.80 | 28.1 | 35.2 | 35 | 10.6 | 1.86 | 7.2 | 14.8 |
| 2012 | 347 | 33.6 | 1.83 | 30.1 | 37.4 | 31 | 8.6 | 1.59 | 5.7 | 12.3 |
| 2013 | 324 | 30.6 | 1.73 | 27.3 | 34.2 | 45 | 12.5 | 1.93 | 9.0 | 16.8 |
| 2014 | 289 | 27.4 | 1.64 | 24.3 | 30.8 | 51 | 13.5 | 1.95 | 9.9 | 17.8 |
| 2015 | 339 | 30.6 | 1.69 | 27.3 | 34.1 | 39 | 9.5 | 1.56 | 6.7 | 13.1 |
| 2016 | 342 | 31.3 | 1.73 | 28.0 | 34.9 | 41 | 9.1 | 1.45 | 6.5 | 12.4 |
| 2017 | 323 | 29.0 | 1.64 | 25.9 | 32.4 | 42 | 9.2 | 1.46 | 6.6 | 12.6 |
| 2018 | 377 | 33.2 | 1.74 | 29.8 | 36.8 | 50 | 10.5 | 1.50 | 7.8 | 13.9 |
| 2019 | 373 | 32.6 | 1.72 | 29.3 | 36.2 | 49 | 10.3 | 1.49 | 7.6 | 13.7 |
| 2020 | 333 | 28.7 | 1.61 | 25.6 | 32.0 | 52 | 10.5 | 1.47 | 7.8 | 13.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Female Genital System | | | | | | | | | | |
|-----------------------|--------|------|------|------|------|--------|------|------|------|------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 43,230 | 17.2 | 0.08 | 17.1 | 17.4 | 35,566 | 16.8 | 0.09 | 16.6 | 16.9 |
| 1986 | 1,225 | 20.3 | 0.59 | 19.2 | 21.5 | 1,056 | 19.8 | 0.63 | 18.6 | 21.1 |
| 1987 | 1,217 | 19.8 | 0.58 | 18.7 | 21.0 | 1,057 | 19.5 | 0.62 | 18.4 | 20.8 |
| 1988 | 1,132 | 18.4 | 0.56 | 17.3 | 19.5 | 961 | 17.7 | 0.58 | 16.6 | 18.9 |
| 1989 | 1,176 | 19.2 | 0.57 | 18.1 | 20.3 | 984 | 18.2 | 0.59 | 17.1 | 19.4 |
| 1990 | 1,224 | 19.6 | 0.57 | 18.5 | 20.8 | 1,060 | 19.3 | 0.61 | 18.2 | 20.6 |
| 1991 | 1,206 | 19.1 | 0.56 | 18.0 | 20.2 | 1,005 | 18.2 | 0.59 | 17.1 | 19.4 |
| 1992 | 1,191 | 18.6 | 0.55 | 17.6 | 19.7 | 978 | 17.5 | 0.57 | 16.4 | 18.6 |
| 1993 | 1,209 | 18.6 | 0.54 | 17.5 | 19.7 | 1,011 | 17.8 | 0.57 | 16.7 | 19.0 |
| 1994 | 1,192 | 18.3 | 0.53 | 17.2 | 19.3 | 1,007 | 17.8 | 0.57 | 16.7 | 18.9 |
| 1995 | 1,168 | 17.7 | 0.52 | 16.7 | 18.8 | 997 | 17.4 | 0.56 | 16.4 | 18.6 |
| 1996 | 1,218 | 18.3 | 0.53 | 17.2 | 19.3 | 1,035 | 18.0 | 0.57 | 16.9 | 19.1 |
| 1997 | 1,204 | 18.0 | 0.52 | 17.0 | 19.0 | 1,001 | 17.4 | 0.56 | 16.3 | 18.5 |
| 1998 | 1,213 | 17.9 | 0.52 | 16.9 | 18.9 | 1,020 | 17.5 | 0.55 | 16.4 | 18.6 |
| 1999 | 1,202 | 17.7 | 0.51 | 16.7 | 18.7 | 1,017 | 17.4 | 0.55 | 16.3 | 18.5 |
| 2000 | 1,264 | 18.5 | 0.52 | 17.5 | 19.5 | 1,062 | 18.2 | 0.57 | 17.1 | 19.4 |
| 2001 | 1,170 | 17.1 | 0.50 | 16.1 | 18.1 | 948 | 16.3 | 0.53 | 15.3 | 17.4 |
| 2002 | 1,218 | 17.6 | 0.51 | 16.6 | 18.6 | 1,011 | 17.2 | 0.55 | 16.1 | 18.3 |
| 2003 | 1,177 | 16.7 | 0.49 | 15.8 | 17.7 | 972 | 16.2 | 0.53 | 15.2 | 17.3 |
| 2004 | 1,186 | 16.8 | 0.49 | 15.8 | 17.8 | 963 | 16.1 | 0.53 | 15.1 | 17.2 |
| 2005 | 1,227 | 17.1 | 0.49 | 16.1 | 18.1 | 1,006 | 16.5 | 0.53 | 15.5 | 17.6 |
| 2006 | 1,226 | 16.9 | 0.49 | 15.9 | 17.8 | 1,014 | 16.5 | 0.53 | 15.5 | 17.5 |
| 2007 | 1,205 | 16.4 | 0.48 | 15.5 | 17.4 | 1,008 | 16.4 | 0.53 | 15.4 | 17.5 |
| 2008 | 1,215 | 16.4 | 0.48 | 15.5 | 17.4 | 1,008 | 16.2 | 0.52 | 15.2 | 17.3 |
| 2009 | 1,178 | 15.8 | 0.47 | 14.9 | 16.7 | 945 | 15.2 | 0.50 | 14.2 | 16.2 |
| 2010 | 1,266 | 16.7 | 0.48 | 15.7 | 17.6 | 1,022 | 16.1 | 0.52 | 15.1 | 17.1 |
| 2011 | 1,264 | 16.4 | 0.47 | 15.5 | 17.4 | 1,020 | 16.0 | 0.51 | 15.0 | 17.1 |
| 2012 | 1,275 | 16.1 | 0.46 | 15.2 | 17.1 | 1,035 | 15.8 | 0.50 | 14.8 | 16.8 |
| 2013 | 1,298 | 16.3 | 0.46 | 15.4 | 17.2 | 1,049 | 16.0 | 0.51 | 15.0 | 17.0 |
| 2014 | 1,267 | 15.6 | 0.45 | 14.7 | 16.5 | 994 | 14.8 | 0.48 | 13.9 | 15.8 |
| 2015 | 1,325 | 16.2 | 0.46 | 15.3 | 17.2 | 1,059 | 15.8 | 0.50 | 14.8 | 16.8 |
| 2016 | 1,403 | 16.9 | 0.46 | 16.0 | 17.8 | 1,110 | 16.3 | 0.51 | 15.4 | 17.4 |
| 2017 | 1,312 | 15.8 | 0.45 | 14.9 | 16.7 | 1,036 | 15.2 | 0.49 | 14.3 | 16.2 |
| 2018 | 1,293 | 15.1 | 0.43 | 14.3 | 16.0 | 1,017 | 14.8 | 0.48 | 13.8 | 15.7 |
| 2019 | 1,342 | 15.5 | 0.44 | 14.7 | 16.4 | 1,030 | 14.8 | 0.47 | 13.8 | 15.7 |
| 2020 | 1,342 | 15.5 | 0.43 | 14.6 | 16.3 | 1,068 | 15.3 | 0.48 | 14.4 | 16.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Female Genital System | | | | | | | | | | |
|------------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 7,004 | 22.6 | 0.27 | 22.1 | 23.2 | 657 | 7.9 | 0.32 | 7.3 | 8.5 |
| 1986 | 165 | 25.3 | 2.01 | 21.5 | 29.5 | * | * | * | * | * |
| 1987 | 153 | 23.6 | 1.95 | 19.9 | 27.7 | * | * | * | * | * |
| 1988 | 166 | 25.1 | 1.99 | 21.3 | 29.3 | * | * | * | * | * |
| 1989 | 183 | 27.1 | 2.04 | 23.3 | 31.4 | * | * | * | * | * |
| 1990 | 156 | 22.4 | 1.82 | 19.0 | 26.3 | * | * | * | * | * |
| 1991 | 191 | 27.5 | 2.03 | 23.7 | 31.8 | * | * | * | * | * |
| 1992 | 201 | 28.2 | 2.02 | 24.4 | 32.4 | 12 | 9.3 | 2.81 | 4.6 | 16.7 |
| 1993 | 190 | 25.5 | 1.88 | 21.9 | 29.4 | * | * | * | * | * |
| 1994 | 180 | 24.5 | 1.85 | 21.0 | 28.4 | * | * | * | * | * |
| 1995 | 164 | 21.8 | 1.72 | 18.5 | 25.4 | * | * | * | * | * |
| 1996 | 168 | 22.1 | 1.72 | 18.8 | 25.7 | 15 | 12.4 | 3.52 | 6.5 | 21.0 |
| 1997 | 192 | 24.5 | 1.79 | 21.2 | 28.3 | 11 | 8.2 | 2.58 | 3.9 | 14.7 |
| 1998 | 176 | 22.2 | 1.69 | 19.0 | 25.8 | 17 | 11.8 | 3.23 | 6.3 | 19.6 |
| 1999 | 175 | 21.3 | 1.62 | 18.3 | 24.7 | 10 | 4.8 | 1.59 | 2.2 | 9.1 |
| 2000 | 188 | 22.9 | 1.68 | 19.7 | 26.4 | 14 | 7.3 | 2.08 | 3.8 | 12.5 |
| 2001 | 204 | 24.5 | 1.73 | 21.2 | 28.1 | 18 | 9.4 | 2.33 | 5.4 | 15.0 |
| 2002 | 186 | 21.5 | 1.59 | 18.5 | 24.9 | 21 | 10.1 | 2.33 | 6.1 | 15.7 |
| 2003 | 188 | 21.5 | 1.58 | 18.5 | 24.8 | 17 | 7.8 | 2.03 | 4.4 | 12.8 |
| 2004 | 207 | 23.7 | 1.66 | 20.5 | 27.1 | 16 | 6.7 | 1.74 | 3.7 | 11.0 |
| 2005 | 198 | 22.2 | 1.59 | 19.2 | 25.5 | 23 | 9.2 | 2.05 | 5.7 | 14.1 |
| 2006 | 192 | 21.7 | 1.58 | 18.7 | 25.0 | 20 | 9.1 | 2.14 | 5.4 | 14.2 |
| 2007 | 181 | 19.2 | 1.44 | 16.5 | 22.3 | 16 | 5.7 | 1.50 | 3.2 | 9.5 |
| 2008 | 183 | 19.4 | 1.45 | 16.7 | 22.4 | 24 | 9.3 | 2.03 | 5.8 | 14.1 |
| 2009 | 209 | 21.0 | 1.47 | 18.2 | 24.1 | 24 | 9.3 | 2.01 | 5.8 | 14.0 |
| 2010 | 218 | 22.2 | 1.53 | 19.3 | 25.4 | 26 | 8.5 | 1.74 | 5.5 | 12.6 |
| 2011 | 220 | 22.0 | 1.51 | 19.2 | 25.2 | 24 | 7.3 | 1.55 | 4.6 | 11.0 |
| 2012 | 216 | 20.9 | 1.45 | 18.2 | 24.0 | 24 | 7.5 | 1.61 | 4.7 | 11.3 |
| 2013 | 212 | 20.2 | 1.41 | 17.6 | 23.2 | 37 | 10.2 | 1.75 | 7.0 | 14.2 |
| 2014 | 244 | 22.2 | 1.45 | 19.5 | 25.3 | 29 | 7.6 | 1.45 | 5.0 | 11.0 |
| 2015 | 239 | 21.8 | 1.44 | 19.1 | 24.8 | 27 | 6.9 | 1.36 | 4.5 | 10.1 |
| 2016 | 254 | 22.8 | 1.46 | 20.0 | 25.9 | 39 | 9.4 | 1.54 | 6.6 | 12.9 |
| 2017 | 246 | 21.7 | 1.42 | 19.0 | 24.7 | 30 | 7.0 | 1.30 | 4.7 | 10.0 |
| 2018 | 248 | 21.1 | 1.36 | 18.5 | 24.0 | 28 | 6.0 | 1.16 | 4.0 | 8.8 |
| 2019 | 270 | 22.6 | 1.40 | 19.9 | 25.5 | 42 | 8.5 | 1.34 | 6.1 | 11.6 |
| 2020 | 241 | 19.9 | 1.31 | 17.5 | 22.7 | 33 | 6.7 | 1.17 | 4.6 | 9.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Cervix Uteri | | | | | | | | | | |
|--------------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 6,890 | 2.9 | 0.04 | 2.9 | 3.0 | 4,832 | 2.5 | 0.04 | 2.4 | 2.6 |
| 1986 | 236 | 4.1 | 0.27 | 3.6 | 4.7 | 170 | 3.3 | 0.26 | 2.8 | 3.9 |
| 1987 | 217 | 3.9 | 0.27 | 3.3 | 4.4 | 162 | 3.3 | 0.27 | 2.8 | 3.9 |
| 1988 | 225 | 4.0 | 0.27 | 3.4 | 4.5 | 158 | 3.2 | 0.26 | 2.7 | 3.7 |
| 1989 | 223 | 3.9 | 0.27 | 3.4 | 4.5 | 150 | 3.1 | 0.26 | 2.6 | 3.6 |
| 1990 | 213 | 3.7 | 0.26 | 3.2 | 4.3 | 159 | 3.2 | 0.26 | 2.7 | 3.8 |
| 1991 | 243 | 4.1 | 0.27 | 3.6 | 4.7 | 153 | 3.0 | 0.25 | 2.6 | 3.6 |
| 1992 | 218 | 3.6 | 0.25 | 3.1 | 4.1 | 137 | 2.6 | 0.23 | 2.2 | 3.1 |
| 1993 | 234 | 3.8 | 0.25 | 3.3 | 4.3 | 159 | 3.0 | 0.24 | 2.6 | 3.6 |
| 1994 | 205 | 3.3 | 0.23 | 2.9 | 3.8 | 142 | 2.8 | 0.23 | 2.3 | 3.3 |
| 1995 | 201 | 3.2 | 0.23 | 2.8 | 3.7 | 128 | 2.4 | 0.21 | 2.0 | 2.8 |
| 1996 | 200 | 3.2 | 0.23 | 2.8 | 3.7 | 138 | 2.7 | 0.23 | 2.2 | 3.2 |
| 1997 | 231 | 3.6 | 0.24 | 3.2 | 4.2 | 167 | 3.2 | 0.25 | 2.7 | 3.7 |
| 1998 | 219 | 3.4 | 0.23 | 3.0 | 3.9 | 156 | 2.9 | 0.24 | 2.5 | 3.4 |
| 1999 | 218 | 3.3 | 0.23 | 2.9 | 3.8 | 165 | 3.0 | 0.24 | 2.5 | 3.5 |
| 2000 | 214 | 3.3 | 0.23 | 2.9 | 3.8 | 156 | 2.9 | 0.23 | 2.4 | 3.4 |
| 2001 | 183 | 2.8 | 0.21 | 2.4 | 3.2 | 122 | 2.3 | 0.21 | 1.9 | 2.7 |
| 2002 | 206 | 3.1 | 0.22 | 2.7 | 3.6 | 144 | 2.6 | 0.22 | 2.2 | 3.1 |
| 2003 | 185 | 2.8 | 0.21 | 2.4 | 3.2 | 122 | 2.2 | 0.20 | 1.8 | 2.7 |
| 2004 | 196 | 2.9 | 0.21 | 2.5 | 3.3 | 139 | 2.5 | 0.21 | 2.1 | 2.9 |
| 2005 | 183 | 2.7 | 0.20 | 2.3 | 3.1 | 124 | 2.2 | 0.20 | 1.8 | 2.6 |
| 2006 | 173 | 2.5 | 0.19 | 2.1 | 2.9 | 120 | 2.1 | 0.19 | 1.7 | 2.5 |
| 2007 | 189 | 2.7 | 0.20 | 2.3 | 3.1 | 143 | 2.5 | 0.21 | 2.1 | 2.9 |
| 2008 | 200 | 2.8 | 0.20 | 2.4 | 3.2 | 146 | 2.5 | 0.21 | 2.1 | 2.9 |
| 2009 | 178 | 2.5 | 0.19 | 2.1 | 2.9 | 120 | 2.1 | 0.19 | 1.7 | 2.5 |
| 2010 | 186 | 2.6 | 0.19 | 2.2 | 3.0 | 127 | 2.2 | 0.20 | 1.8 | 2.6 |
| 2011 | 195 | 2.7 | 0.19 | 2.3 | 3.1 | 133 | 2.2 | 0.20 | 1.9 | 2.7 |
| 2012 | 167 | 2.2 | 0.17 | 1.9 | 2.6 | 108 | 1.8 | 0.17 | 1.4 | 2.1 |
| 2013 | 171 | 2.2 | 0.17 | 1.9 | 2.6 | 119 | 2.0 | 0.19 | 1.6 | 2.4 |
| 2014 | 184 | 2.4 | 0.18 | 2.1 | 2.8 | 137 | 2.2 | 0.20 | 1.9 | 2.7 |
| 2015 | 184 | 2.5 | 0.19 | 2.1 | 2.9 | 137 | 2.3 | 0.21 | 2.0 | 2.8 |
| 2016 | 172 | 2.4 | 0.19 | 2.0 | 2.7 | 124 | 2.2 | 0.20 | 1.8 | 2.6 |
| 2017 | 157 | 2.1 | 0.17 | 1.8 | 2.4 | 112 | 1.9 | 0.19 | 1.6 | 2.3 |
| 2018 | 170 | 2.2 | 0.18 | 1.9 | 2.6 | 129 | 2.1 | 0.20 | 1.8 | 2.6 |
| 2019 | 151 | 2.0 | 0.17 | 1.7 | 2.4 | 108 | 1.8 | 0.19 | 1.5 | 2.2 |
| 2020 | 163 | 2.1 | 0.17 | 1.8 | 2.5 | 118 | 2.0 | 0.19 | 1.6 | 2.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Cervix Uteri | | | | | | | | | | |
|--------------|-------|------|------|-----|------|----------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,941 | 6.2 | 0.14 | 5.9 | 6.4 | 116 | 1.3 | 0.13 | 1.1 | 1.6 |
| 1986 | 65 | 9.8 | 1.25 | 7.5 | 12.6 | * | * | * | * | * |
| 1987 | 53 | 8.0 | 1.12 | 6.0 | 10.5 | * | * | * | * | * |
| 1988 | 65 | 9.3 | 1.19 | 7.1 | 11.9 | * | * | * | * | * |
| 1989 | 72 | 10.2 | 1.23 | 7.9 | 12.9 | * | * | * | * | * |
| 1990 | 51 | 7.2 | 1.02 | 5.3 | 9.4 | * | * | * | * | * |
| 1991 | 85 | 11.4 | 1.27 | 9.1 | 14.2 | * | * | * | * | * |
| 1992 | 78 | 10.8 | 1.25 | 8.5 | 13.5 | * | * | * | * | * |
| 1993 | 72 | 9.6 | 1.15 | 7.5 | 12.1 | * | * | * | * | * |
| 1994 | 63 | 8.1 | 1.04 | 6.2 | 10.4 | * | * | * | * | * |
| 1995 | 71 | 9.2 | 1.11 | 7.2 | 11.6 | * | * | * | * | * |
| 1996 | 57 | 7.1 | 0.95 | 5.3 | 9.2 | * | * | * | * | * |
| 1997 | 60 | 7.3 | 0.95 | 5.5 | 9.4 | * | * | * | * | * |
| 1998 | 58 | 6.9 | 0.92 | 5.3 | 9.0 | * | * | * | * | * |
| 1999 | 52 | 6.1 | 0.84 | 4.5 | 7.9 | * | * | * | * | * |
| 2000 | 52 | 5.8 | 0.81 | 4.3 | 7.6 | * | * | * | * | * |
| 2001 | 57 | 6.6 | 0.88 | 5.0 | 8.5 | * | * | * | * | * |
| 2002 | 58 | 6.4 | 0.84 | 4.9 | 8.3 | * | * | * | * | * |
| 2003 | 60 | 6.4 | 0.83 | 4.9 | 8.3 | * | * | * | * | * |
| 2004 | 56 | 6.1 | 0.82 | 4.6 | 7.9 | * | * | * | * | * |
| 2005 | 54 | 5.7 | 0.79 | 4.3 | 7.5 | * | * | * | * | * |
| 2006 | 50 | 5.4 | 0.77 | 4.0 | 7.2 | * | * | * | * | * |
| 2007 | 45 | 4.6 | 0.70 | 3.4 | 6.2 | * | * | * | * | * |
| 2008 | 52 | 5.2 | 0.73 | 3.9 | 6.9 | * | * | * | * | * |
| 2009 | 54 | 5.3 | 0.73 | 4.0 | 6.9 | * | * | * | * | * |
| 2010 | 58 | 5.7 | 0.76 | 4.3 | 7.4 | * | * | * | * | * |
| 2011 | 54 | 5.3 | 0.73 | 4.0 | 6.9 | * | * | * | * | * |
| 2012 | 59 | 5.6 | 0.74 | 4.2 | 7.2 | * | * | * | * | * |
| 2013 | 45 | 4.2 | 0.64 | 3.1 | 5.7 | * | * | * | * | * |
| 2014 | 41 | 3.9 | 0.62 | 2.7 | 5.3 | * | * | * | * | * |
| 2015 | 42 | 3.9 | 0.62 | 2.8 | 5.4 | * | * | * | * | * |
| 2016 | 42 | 4.0 | 0.63 | 2.8 | 5.4 | * | * | * | * | * |
| 2017 | 43 | 3.7 | 0.58 | 2.7 | 5.1 | * | * | * | * | * |
| 2018 | 36 | 3.2 | 0.54 | 2.2 | 4.5 | * | * | * | * | * |
| 2019 | 40 | 3.5 | 0.57 | 2.5 | 4.8 | * | * | * | * | * |
| 2020 | 41 | 3.5 | 0.56 | 2.5 | 4.8 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Corpus and Uterus, NOS

| Females | | | | | | | | | | |
|-----------|--------|------|------|-----|-----|-------|------|------|-----|-----|
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 12,629 | 4.9 | 0.04 | 4.8 | 5.0 | 9,934 | 4.5 | 0.05 | 4.5 | 4.6 |
| 1986 | 307 | 4.9 | 0.28 | 4.3 | 5.4 | 265 | 4.7 | 0.29 | 4.1 | 5.3 |
| 1987 | 324 | 5.1 | 0.28 | 4.5 | 5.7 | 270 | 4.8 | 0.29 | 4.2 | 5.4 |
| 1988 | 309 | 4.8 | 0.28 | 4.3 | 5.4 | 270 | 4.8 | 0.29 | 4.2 | 5.4 |
| 1989 | 292 | 4.5 | 0.27 | 4.0 | 5.1 | 246 | 4.3 | 0.27 | 3.7 | 4.8 |
| 1990 | 310 | 4.8 | 0.27 | 4.2 | 5.3 | 263 | 4.5 | 0.28 | 4.0 | 5.1 |
| 1991 | 314 | 4.9 | 0.28 | 4.3 | 5.5 | 265 | 4.7 | 0.29 | 4.1 | 5.3 |
| 1992 | 268 | 4.0 | 0.25 | 3.5 | 4.5 | 216 | 3.7 | 0.25 | 3.2 | 4.2 |
| 1993 | 302 | 4.5 | 0.26 | 4.0 | 5.0 | 248 | 4.2 | 0.27 | 3.7 | 4.7 |
| 1994 | 308 | 4.6 | 0.26 | 4.1 | 5.1 | 250 | 4.2 | 0.27 | 3.7 | 4.8 |
| 1995 | 304 | 4.5 | 0.26 | 4.0 | 5.0 | 253 | 4.3 | 0.27 | 3.7 | 4.8 |
| 1996 | 295 | 4.3 | 0.25 | 3.8 | 4.8 | 245 | 4.1 | 0.26 | 3.6 | 4.6 |
| 1997 | 297 | 4.3 | 0.25 | 3.8 | 4.8 | 246 | 4.1 | 0.27 | 3.6 | 4.7 |
| 1998 | 332 | 4.7 | 0.26 | 4.2 | 5.3 | 268 | 4.4 | 0.27 | 3.9 | 5.0 |
| 1999 | 307 | 4.4 | 0.25 | 3.9 | 5.0 | 255 | 4.2 | 0.27 | 3.7 | 4.8 |
| 2000 | 335 | 4.8 | 0.26 | 4.3 | 5.4 | 270 | 4.5 | 0.28 | 4.0 | 5.1 |
| 2001 | 321 | 4.6 | 0.26 | 4.1 | 5.1 | 263 | 4.4 | 0.27 | 3.8 | 4.9 |
| 2002 | 322 | 4.6 | 0.26 | 4.1 | 5.1 | 252 | 4.2 | 0.27 | 3.7 | 4.8 |
| 2003 | 301 | 4.2 | 0.24 | 3.8 | 4.7 | 247 | 4.0 | 0.26 | 3.6 | 4.6 |
| 2004 | 317 | 4.4 | 0.25 | 3.9 | 4.9 | 237 | 3.9 | 0.25 | 3.4 | 4.4 |
| 2005 | 330 | 4.5 | 0.25 | 4.0 | 5.1 | 260 | 4.2 | 0.26 | 3.7 | 4.7 |
| 2006 | 351 | 4.8 | 0.26 | 4.3 | 5.3 | 273 | 4.4 | 0.27 | 3.9 | 4.9 |
| 2007 | 331 | 4.5 | 0.25 | 4.0 | 5.0 | 269 | 4.4 | 0.27 | 3.9 | 5.0 |
| 2008 | 334 | 4.5 | 0.25 | 4.0 | 5.0 | 265 | 4.2 | 0.26 | 3.7 | 4.7 |
| 2009 | 365 | 4.9 | 0.26 | 4.4 | 5.4 | 272 | 4.4 | 0.27 | 3.9 | 4.9 |
| 2010 | 405 | 5.3 | 0.27 | 4.8 | 5.9 | 312 | 4.9 | 0.28 | 4.4 | 5.5 |
| 2011 | 389 | 5.0 | 0.26 | 4.5 | 5.5 | 310 | 4.8 | 0.28 | 4.2 | 5.3 |
| 2012 | 423 | 5.3 | 0.26 | 4.8 | 5.8 | 338 | 5.0 | 0.28 | 4.5 | 5.6 |
| 2013 | 417 | 5.2 | 0.26 | 4.7 | 5.7 | 315 | 4.7 | 0.27 | 4.2 | 5.3 |
| 2014 | 447 | 5.3 | 0.26 | 4.8 | 5.8 | 322 | 4.6 | 0.26 | 4.1 | 5.2 |
| 2015 | 473 | 5.7 | 0.27 | 5.2 | 6.3 | 351 | 5.2 | 0.28 | 4.6 | 5.8 |
| 2016 | 515 | 6.0 | 0.27 | 5.5 | 6.5 | 375 | 5.3 | 0.28 | 4.8 | 5.9 |
| 2017 | 469 | 5.6 | 0.26 | 5.1 | 6.1 | 334 | 4.8 | 0.27 | 4.3 | 5.4 |
| 2018 | 490 | 5.6 | 0.26 | 5.1 | 6.1 | 350 | 5.0 | 0.27 | 4.5 | 5.5 |
| 2019 | 516 | 5.8 | 0.26 | 5.3 | 6.4 | 377 | 5.3 | 0.28 | 4.8 | 5.9 |
| 2020 | 509 | 5.7 | 0.26 | 5.2 | 6.3 | 382 | 5.4 | 0.28 | 4.8 | 5.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Corpus and Uterus, NOS

| Females | | | | | | | | | | |
|-----------|-------|------|------|-----|------|----------------------|------|------|-----|-----|
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,510 | 8.1 | 0.16 | 7.8 | 8.4 | 183 | 2.3 | 0.18 | 2.0 | 2.7 |
| 1986 | 41 | 6.3 | 0.99 | 4.5 | 8.5 | * | * | * | * | * |
| 1987 | 53 | 8.1 | 1.13 | 6.0 | 10.6 | * | * | * | * | * |
| 1988 | 38 | 6.1 | 1.00 | 4.3 | 8.3 | * | * | * | * | * |
| 1989 | 44 | 6.7 | 1.03 | 4.9 | 9.0 | * | * | * | * | * |
| 1990 | 47 | 6.9 | 1.02 | 5.1 | 9.2 | * | * | * | * | * |
| 1991 | 47 | 7.1 | 1.04 | 5.2 | 9.4 | * | * | * | * | * |
| 1992 | 50 | 7.0 | 1.01 | 5.2 | 9.3 | * | * | * | * | * |
| 1993 | 53 | 7.2 | 1.00 | 5.4 | 9.4 | * | * | * | * | * |
| 1994 | 58 | 8.1 | 1.07 | 6.1 | 10.4 | * | * | * | * | * |
| 1995 | 50 | 7.0 | 1.00 | 5.2 | 9.2 | * | * | * | * | * |
| 1996 | 45 | 6.0 | 0.91 | 4.4 | 8.1 | * | * | * | * | * |
| 1997 | 48 | 6.6 | 0.96 | 4.9 | 8.7 | * | * | * | * | * |
| 1998 | 58 | 7.7 | 1.02 | 5.8 | 9.9 | * | * | * | * | * |
| 1999 | 50 | 6.2 | 0.89 | 4.6 | 8.2 | * | * | * | * | * |
| 2000 | 62 | 7.8 | 1.00 | 6.0 | 10.0 | * | * | * | * | * |
| 2001 | 55 | 6.6 | 0.89 | 4.9 | 8.5 | * | * | * | * | * |
| 2002 | 61 | 7.2 | 0.93 | 5.5 | 9.3 | * | * | * | * | * |
| 2003 | 51 | 6.0 | 0.85 | 4.5 | 7.9 | * | * | * | * | * |
| 2004 | 75 | 8.8 | 1.02 | 6.9 | 11.0 | * | * | * | * | * |
| 2005 | 67 | 7.5 | 0.92 | 5.8 | 9.5 | * | * | * | * | * |
| 2006 | 73 | 8.5 | 1.00 | 6.7 | 10.7 | * | * | * | * | * |
| 2007 | 58 | 6.3 | 0.83 | 4.7 | 8.1 | * | * | * | * | * |
| 2008 | 63 | 6.7 | 0.85 | 5.1 | 8.5 | * | * | * | * | * |
| 2009 | 86 | 8.8 | 0.96 | 7.0 | 10.9 | * | * | * | * | * |
| 2010 | 82 | 8.4 | 0.94 | 6.7 | 10.5 | 11 | 3.5 | 1.06 | 1.7 | 6.2 |
| 2011 | 76 | 7.7 | 0.90 | 6.0 | 9.7 | * | * | * | * | * |
| 2012 | 80 | 8.0 | 0.90 | 6.3 | 10.0 | * | * | * | * | * |
| 2013 | 91 | 8.6 | 0.91 | 6.9 | 10.6 | 11 | 2.7 | 0.84 | 1.3 | 5.0 |
| 2014 | 116 | 10.2 | 0.97 | 8.4 | 12.3 | * | * | * | * | * |
| 2015 | 112 | 10.0 | 0.97 | 8.2 | 12.1 | 10 | 2.4 | 0.78 | 1.1 | 4.5 |
| 2016 | 125 | 10.9 | 0.99 | 9.1 | 13.1 | 15 | 3.4 | 0.91 | 1.9 | 5.8 |
| 2017 | 124 | 11.1 | 1.01 | 9.2 | 13.2 | 11 | 2.8 | 0.86 | 1.4 | 5.0 |
| 2018 | 127 | 10.5 | 0.95 | 8.7 | 12.5 | 13 | 2.8 | 0.79 | 1.5 | 4.8 |
| 2019 | 127 | 10.3 | 0.93 | 8.6 | 12.3 | 12 | 2.5 | 0.74 | 1.3 | 4.5 |
| 2020 | 117 | 9.5 | 0.89 | 7.8 | 11.4 | 10 | 2.1 | 0.68 | 1.0 | 4.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Ovary | | | | | | | | | | |
|-----------|--------|------|------|-----|------|--------|------|------|-----|------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 21,115 | 8.4 | 0.06 | 8.3 | 8.5 | 18,517 | 8.7 | 0.06 | 8.6 | 8.8 |
| 1986 | 619 | 10.3 | 0.42 | 9.5 | 11.2 | 567 | 10.8 | 0.47 | 9.9 | 11.8 |
| 1987 | 610 | 9.9 | 0.41 | 9.1 | 10.7 | 569 | 10.5 | 0.45 | 9.6 | 11.4 |
| 1988 | 551 | 8.9 | 0.39 | 8.2 | 9.7 | 493 | 9.0 | 0.42 | 8.2 | 9.9 |
| 1989 | 617 | 10.1 | 0.41 | 9.3 | 10.9 | 549 | 10.2 | 0.45 | 9.4 | 11.1 |
| 1990 | 635 | 10.2 | 0.41 | 9.4 | 11.0 | 577 | 10.6 | 0.45 | 9.7 | 11.5 |
| 1991 | 589 | 9.2 | 0.39 | 8.5 | 10.0 | 532 | 9.5 | 0.42 | 8.7 | 10.4 |
| 1992 | 640 | 10.0 | 0.40 | 9.3 | 10.9 | 571 | 10.3 | 0.44 | 9.5 | 11.2 |
| 1993 | 595 | 9.2 | 0.38 | 8.4 | 10.0 | 531 | 9.4 | 0.42 | 8.6 | 10.3 |
| 1994 | 625 | 9.6 | 0.39 | 8.8 | 10.3 | 568 | 10.0 | 0.43 | 9.2 | 10.9 |
| 1995 | 599 | 9.2 | 0.38 | 8.4 | 9.9 | 558 | 9.9 | 0.42 | 9.0 | 10.7 |
| 1996 | 659 | 9.9 | 0.39 | 9.2 | 10.7 | 595 | 10.4 | 0.43 | 9.5 | 11.2 |
| 1997 | 619 | 9.2 | 0.37 | 8.5 | 10.0 | 537 | 9.3 | 0.41 | 8.5 | 10.1 |
| 1998 | 605 | 8.9 | 0.37 | 8.2 | 9.7 | 547 | 9.4 | 0.41 | 8.6 | 10.2 |
| 1999 | 604 | 8.9 | 0.36 | 8.2 | 9.6 | 530 | 9.1 | 0.40 | 8.3 | 9.9 |
| 2000 | 634 | 9.2 | 0.37 | 8.5 | 10.0 | 566 | 9.7 | 0.41 | 8.9 | 10.5 |
| 2001 | 594 | 8.7 | 0.36 | 8.0 | 9.4 | 509 | 8.8 | 0.39 | 8.0 | 9.6 |
| 2002 | 619 | 8.9 | 0.36 | 8.2 | 9.7 | 553 | 9.4 | 0.40 | 8.6 | 10.2 |
| 2003 | 627 | 8.8 | 0.36 | 8.2 | 9.6 | 547 | 9.1 | 0.39 | 8.3 | 9.9 |
| 2004 | 624 | 8.8 | 0.36 | 8.1 | 9.5 | 545 | 9.1 | 0.40 | 8.4 | 9.9 |
| 2005 | 657 | 9.1 | 0.36 | 8.4 | 9.8 | 570 | 9.4 | 0.40 | 8.6 | 10.2 |
| 2006 | 630 | 8.6 | 0.35 | 8.0 | 9.3 | 563 | 9.2 | 0.39 | 8.4 | 10.0 |
| 2007 | 620 | 8.4 | 0.34 | 7.7 | 9.1 | 536 | 8.6 | 0.38 | 7.9 | 9.4 |
| 2008 | 595 | 8.1 | 0.33 | 7.4 | 8.7 | 520 | 8.4 | 0.37 | 7.7 | 9.2 |
| 2009 | 578 | 7.7 | 0.32 | 7.0 | 8.3 | 500 | 7.9 | 0.36 | 7.2 | 8.7 |
| 2010 | 594 | 7.8 | 0.32 | 7.1 | 8.4 | 512 | 8.0 | 0.36 | 7.3 | 8.7 |
| 2011 | 606 | 7.9 | 0.33 | 7.2 | 8.5 | 512 | 8.1 | 0.36 | 7.4 | 8.8 |
| 2012 | 590 | 7.5 | 0.32 | 6.9 | 8.2 | 502 | 7.8 | 0.36 | 7.1 | 8.5 |
| 2013 | 619 | 7.7 | 0.32 | 7.1 | 8.4 | 534 | 8.1 | 0.36 | 7.4 | 8.8 |
| 2014 | 556 | 6.9 | 0.30 | 6.4 | 7.6 | 463 | 7.0 | 0.33 | 6.4 | 7.7 |
| 2015 | 550 | 6.6 | 0.29 | 6.1 | 7.2 | 467 | 6.8 | 0.32 | 6.2 | 7.5 |
| 2016 | 618 | 7.4 | 0.31 | 6.8 | 8.0 | 522 | 7.6 | 0.34 | 7.0 | 8.3 |
| 2017 | 597 | 7.1 | 0.30 | 6.6 | 7.8 | 512 | 7.5 | 0.34 | 6.8 | 8.2 |
| 2018 | 532 | 6.2 | 0.27 | 5.6 | 6.7 | 453 | 6.5 | 0.31 | 5.9 | 7.1 |
| 2019 | 556 | 6.3 | 0.27 | 5.8 | 6.9 | 444 | 6.2 | 0.30 | 5.7 | 6.9 |
| 2020 | 552 | 6.3 | 0.28 | 5.8 | 6.9 | 463 | 6.6 | 0.31 | 6.0 | 7.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Ovary | | | | | | | | | | |
|-----------|-------|------|------|-----|------|----------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,267 | 7.4 | 0.16 | 7.1 | 7.7 | 331 | 3.9 | 0.22 | 3.5 | 4.4 |
| 1986 | 50 | 7.6 | 1.09 | 5.6 | 10.0 | * | * | * | * | * |
| 1987 | 37 | 5.9 | 0.99 | 4.1 | 8.2 | * | * | * | * | * |
| 1988 | 56 | 8.6 | 1.17 | 6.4 | 11.2 | * | * | * | * | * |
| 1989 | 62 | 9.5 | 1.22 | 7.2 | 12.1 | * | * | * | * | * |
| 1990 | 54 | 7.8 | 1.07 | 5.8 | 10.1 | * | * | * | * | * |
| 1991 | 54 | 8.3 | 1.15 | 6.2 | 10.9 | * | * | * | * | * |
| 1992 | 62 | 8.7 | 1.12 | 6.7 | 11.2 | * | * | * | * | * |
| 1993 | 60 | 8.1 | 1.06 | 6.1 | 10.4 | * | * | * | * | * |
| 1994 | 53 | 7.5 | 1.04 | 5.6 | 9.8 | * | * | * | * | * |
| 1995 | 37 | 4.8 | 0.80 | 3.4 | 6.6 | * | * | * | * | * |
| 1996 | 59 | 8.1 | 1.06 | 6.1 | 10.4 | * | * | * | * | * |
| 1997 | 78 | 9.9 | 1.13 | 7.8 | 12.3 | * | * | * | * | * |
| 1998 | 53 | 6.7 | 0.92 | 5.0 | 8.7 | * | * | * | * | * |
| 1999 | 67 | 8.3 | 1.03 | 6.5 | 10.6 | * | * | * | * | * |
| 2000 | 64 | 8.0 | 1.01 | 6.1 | 10.2 | * | * | * | * | * |
| 2001 | 74 | 9.1 | 1.07 | 7.1 | 11.4 | 11 | 5.3 | 1.66 | 2.5 | 9.6 |
| 2002 | 58 | 6.8 | 0.90 | 5.2 | 8.8 | * | * | * | * | * |
| 2003 | 70 | 8.2 | 0.98 | 6.3 | 10.3 | 10 | 4.6 | 1.59 | 2.1 | 8.8 |
| 2004 | 70 | 8.1 | 0.97 | 6.3 | 10.2 | * | * | * | * | * |
| 2005 | 72 | 8.4 | 0.99 | 6.5 | 10.5 | 15 | 5.8 | 1.58 | 3.2 | 9.8 |
| 2006 | 55 | 6.2 | 0.84 | 4.7 | 8.1 | 12 | 5.5 | 1.68 | 2.7 | 9.7 |
| 2007 | 74 | 7.9 | 0.93 | 6.2 | 9.9 | 10 | 3.5 | 1.15 | 1.6 | 6.5 |
| 2008 | 60 | 6.6 | 0.86 | 5.0 | 8.5 | 15 | 5.8 | 1.60 | 3.1 | 9.8 |
| 2009 | 66 | 6.7 | 0.83 | 5.1 | 8.5 | 12 | 4.2 | 1.28 | 2.1 | 7.4 |
| 2010 | 70 | 7.2 | 0.87 | 5.6 | 9.1 | 12 | 3.8 | 1.14 | 1.9 | 6.8 |
| 2011 | 81 | 8.1 | 0.91 | 6.4 | 10.1 | 13 | 4.1 | 1.18 | 2.1 | 7.0 |
| 2012 | 70 | 6.7 | 0.81 | 5.2 | 8.5 | 18 | 5.2 | 1.29 | 3.0 | 8.4 |
| 2013 | 67 | 6.5 | 0.80 | 5.0 | 8.2 | 18 | 5.4 | 1.33 | 3.1 | 8.6 |
| 2014 | 79 | 7.4 | 0.85 | 5.9 | 9.3 | 14 | 3.7 | 1.01 | 2.0 | 6.3 |
| 2015 | 74 | 6.8 | 0.80 | 5.3 | 8.6 | * | * | * | * | * |
| 2016 | 78 | 7.0 | 0.81 | 5.5 | 8.8 | 18 | 4.4 | 1.07 | 2.6 | 7.0 |
| 2017 | 69 | 6.1 | 0.75 | 4.7 | 7.8 | 16 | 3.6 | 0.90 | 2.0 | 5.8 |
| 2018 | 72 | 6.3 | 0.75 | 4.9 | 8.0 | * | * | * | * | * |
| 2019 | 91 | 7.7 | 0.82 | 6.2 | 9.5 | 21 | 4.0 | 0.88 | 2.5 | 6.2 |
| 2020 | 71 | 6.0 | 0.73 | 4.6 | 7.6 | 18 | 3.5 | 0.83 | 2.1 | 5.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Male Genital System

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|------|------|--------|------|------|------|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 46,952 | 28.2 | 0.13 | 27.9 | 28.5 | 36,785 | 25.4 | 0.13 | 25.2 | 25.7 |
| 1986 | 1,226 | 33.5 | 1.01 | 31.6 | 35.6 | 992 | 30.5 | 1.02 | 28.6 | 32.6 |
| 1987 | 1,310 | 35.4 | 1.02 | 33.4 | 37.4 | 1,057 | 31.8 | 1.02 | 29.8 | 33.9 |
| 1988 | 1,379 | 36.5 | 1.03 | 34.6 | 38.6 | 1,115 | 33.2 | 1.04 | 31.2 | 35.3 |
| 1989 | 1,423 | 37.7 | 1.04 | 35.6 | 39.7 | 1,131 | 33.6 | 1.04 | 31.6 | 35.7 |
| 1990 | 1,562 | 41.4 | 1.09 | 39.3 | 43.6 | 1,267 | 37.6 | 1.10 | 35.5 | 39.9 |
| 1991 | 1,555 | 40.4 | 1.07 | 38.4 | 42.6 | 1,250 | 36.5 | 1.07 | 34.4 | 38.6 |
| 1992 | 1,523 | 38.9 | 1.03 | 36.9 | 41.0 | 1,208 | 34.4 | 1.02 | 32.4 | 36.5 |
| 1993 | 1,637 | 41.6 | 1.07 | 39.5 | 43.7 | 1,308 | 37.4 | 1.07 | 35.3 | 39.5 |
| 1994 | 1,533 | 38.5 | 1.02 | 36.5 | 40.5 | 1,221 | 34.4 | 1.01 | 32.4 | 36.4 |
| 1995 | 1,513 | 37.5 | 0.99 | 35.6 | 39.5 | 1,239 | 34.6 | 1.01 | 32.7 | 36.7 |
| 1996 | 1,518 | 36.9 | 0.97 | 35.0 | 38.9 | 1,212 | 33.2 | 0.98 | 31.3 | 35.2 |
| 1997 | 1,491 | 35.8 | 0.95 | 34.0 | 37.7 | 1,190 | 32.3 | 0.96 | 30.5 | 34.3 |
| 1998 | 1,515 | 35.8 | 0.94 | 34.0 | 37.7 | 1,211 | 32.4 | 0.95 | 30.5 | 34.3 |
| 1999 | 1,447 | 33.7 | 0.90 | 31.9 | 35.5 | 1,160 | 30.6 | 0.91 | 28.8 | 32.4 |
| 2000 | 1,436 | 33.3 | 0.89 | 31.6 | 35.1 | 1,128 | 29.6 | 0.89 | 27.9 | 31.4 |
| 2001 | 1,427 | 32.5 | 0.87 | 30.8 | 34.2 | 1,139 | 29.4 | 0.88 | 27.7 | 31.1 |
| 2002 | 1,353 | 30.1 | 0.83 | 28.5 | 31.8 | 1,045 | 26.5 | 0.83 | 24.9 | 28.2 |
| 2003 | 1,249 | 27.7 | 0.79 | 26.1 | 29.3 | 977 | 24.7 | 0.80 | 23.1 | 26.3 |
| 2004 | 1,256 | 27.3 | 0.78 | 25.8 | 28.9 | 966 | 23.9 | 0.78 | 22.4 | 25.5 |
| 2005 | 1,290 | 27.4 | 0.77 | 25.9 | 29.0 | 993 | 24.2 | 0.77 | 22.7 | 25.8 |
| 2006 | 1,244 | 26.2 | 0.75 | 24.7 | 27.7 | 952 | 22.8 | 0.74 | 21.4 | 24.3 |
| 2007 | 1,285 | 26.3 | 0.74 | 24.9 | 27.8 | 993 | 23.3 | 0.74 | 21.8 | 24.8 |
| 2008 | 1,205 | 24.2 | 0.71 | 22.9 | 25.6 | 948 | 21.9 | 0.72 | 20.5 | 23.3 |
| 2009 | 1,211 | 23.9 | 0.69 | 22.5 | 25.3 | 913 | 20.8 | 0.69 | 19.4 | 22.2 |
| 2010 | 1,200 | 23.1 | 0.67 | 21.8 | 24.4 | 905 | 20.0 | 0.67 | 18.7 | 21.4 |
| 2011 | 1,134 | 21.3 | 0.64 | 20.1 | 22.6 | 892 | 19.4 | 0.66 | 18.1 | 20.7 |
| 2012 | 1,171 | 21.5 | 0.64 | 20.3 | 22.8 | 910 | 19.3 | 0.65 | 18.0 | 20.6 |
| 2013 | 1,119 | 19.8 | 0.60 | 18.6 | 21.0 | 878 | 18.1 | 0.62 | 16.9 | 19.3 |
| 2014 | 1,193 | 20.7 | 0.61 | 19.5 | 21.9 | 909 | 18.4 | 0.62 | 17.2 | 19.6 |
| 2015 | 1,216 | 20.6 | 0.60 | 19.4 | 21.8 | 926 | 18.4 | 0.61 | 17.2 | 19.6 |
| 2016 | 1,274 | 20.9 | 0.60 | 19.8 | 22.2 | 955 | 18.6 | 0.61 | 17.4 | 19.8 |
| 2017 | 1,307 | 21.2 | 0.60 | 20.0 | 22.4 | 989 | 19.1 | 0.61 | 17.9 | 20.3 |
| 2018 | 1,210 | 19.2 | 0.56 | 18.1 | 20.3 | 898 | 17.0 | 0.57 | 15.9 | 18.1 |
| 2019 | 1,236 | 19.2 | 0.55 | 18.1 | 20.3 | 924 | 17.2 | 0.57 | 16.1 | 18.4 |
| 2020 | 1,304 | 19.7 | 0.55 | 18.6 | 20.8 | 984 | 17.8 | 0.58 | 16.7 | 19.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Male Genital System

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|------|------|----------------------|------|------|-----|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 9,788 | 59.2 | 0.63 | 57.9 | 60.4 | 379 | 8.4 | 0.46 | 7.5 | 9.3 |
| 1986 | 232 | 66.3 | 4.66 | 57.5 | 75.9 | * | * | * | * | * |
| 1987 | 251 | 74.0 | 5.02 | 64.5 | 84.4 | * | * | * | * | * |
| 1988 | 262 | 73.2 | 4.82 | 64.1 | 83.2 | * | * | * | * | * |
| 1989 | 290 | 81.9 | 5.10 | 72.2 | 92.3 | * | * | * | * | * |
| 1990 | 294 | 83.7 | 5.24 | 73.8 | 94.5 | * | * | * | * | * |
| 1991 | 300 | 84.4 | 5.18 | 74.6 | 95.1 | * | * | * | * | * |
| 1992 | 307 | 88.3 | 5.37 | 78.1 | 99.3 | * | * | * | * | * |
| 1993 | 324 | 88.0 | 5.22 | 78.1 | 98.7 | * | * | * | * | * |
| 1994 | 309 | 84.6 | 5.11 | 74.9 | 95.1 | * | * | * | * | * |
| 1995 | 270 | 70.3 | 4.54 | 61.7 | 79.6 | * | * | * | * | * |
| 1996 | 298 | 78.5 | 4.81 | 69.4 | 88.4 | * | * | * | * | * |
| 1997 | 292 | 73.1 | 4.54 | 64.5 | 82.5 | * | * | * | * | * |
| 1998 | 295 | 71.9 | 4.42 | 63.5 | 81.0 | * | * | * | * | * |
| 1999 | 281 | 67.5 | 4.24 | 59.5 | 76.2 | * | * | * | * | * |
| 2000 | 297 | 72.8 | 4.45 | 64.3 | 81.9 | 11 | 11.7 | 3.90 | 5.4 | 21.3 |
| 2001 | 283 | 67.2 | 4.22 | 59.2 | 75.9 | * | * | * | * | * |
| 2002 | 298 | 68.2 | 4.15 | 60.3 | 76.7 | 10 | 7.3 | 2.51 | 3.2 | 13.7 |
| 2003 | 261 | 58.8 | 3.84 | 51.5 | 66.8 | 11 | 11.3 | 3.47 | 5.5 | 19.7 |
| 2004 | 280 | 64.3 | 4.05 | 56.6 | 72.6 | 10 | 10.2 | 3.43 | 4.6 | 18.5 |
| 2005 | 286 | 62.3 | 3.92 | 54.8 | 70.3 | 11 | 9.9 | 3.31 | 4.6 | 17.9 |
| 2006 | 286 | 63.6 | 3.96 | 56.1 | 71.8 | * | * | * | * | * |
| 2007 | 281 | 59.8 | 3.75 | 52.6 | 67.5 | 11 | 8.2 | 2.70 | 3.8 | 14.7 |
| 2008 | 246 | 50.3 | 3.36 | 44.0 | 57.3 | 11 | 7.1 | 2.44 | 3.2 | 13.1 |
| 2009 | 276 | 54.1 | 3.41 | 47.6 | 61.1 | 22 | 14.9 | 3.53 | 8.8 | 23.0 |
| 2010 | 281 | 54.7 | 3.40 | 48.2 | 61.7 | 14 | 10.8 | 3.00 | 5.8 | 17.8 |
| 2011 | 229 | 41.7 | 2.87 | 36.3 | 47.7 | 13 | 7.4 | 2.18 | 3.7 | 12.6 |
| 2012 | 247 | 44.9 | 2.96 | 39.3 | 51.1 | 14 | 7.5 | 2.18 | 3.9 | 12.7 |
| 2013 | 226 | 39.0 | 2.69 | 33.9 | 44.5 | 15 | 7.9 | 2.15 | 4.3 | 13.0 |
| 2014 | 266 | 45.3 | 2.87 | 39.8 | 51.2 | 18 | 7.0 | 1.78 | 4.0 | 11.3 |
| 2015 | 272 | 43.7 | 2.75 | 38.4 | 49.3 | 18 | 8.0 | 2.00 | 4.6 | 12.7 |
| 2016 | 305 | 46.9 | 2.79 | 41.6 | 52.7 | 14 | 4.8 | 1.37 | 2.5 | 8.2 |
| 2017 | 296 | 44.3 | 2.68 | 39.2 | 49.8 | 22 | 7.9 | 1.75 | 4.9 | 12.0 |
| 2018 | 292 | 42.7 | 2.59 | 37.8 | 48.1 | 20 | 6.8 | 1.56 | 4.1 | 10.4 |
| 2019 | 287 | 40.0 | 2.45 | 35.4 | 45.1 | 25 | 7.1 | 1.47 | 4.5 | 10.5 |
| 2020 | 288 | 39.6 | 2.42 | 35.0 | 44.6 | 32 | 10.1 | 1.81 | 6.9 | 14.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Prostate | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 46,076 | 27.8 | 0.13 | 27.5 | 28.0 | 36,018 | 24.9 | 0.13 | 24.7 | 25.2 |
| 1986 | 1,203 | 33.1 | 1.00 | 31.1 | 35.1 | 973 | 30.1 | 1.01 | 28.1 | 32.1 |
| 1987 | 1,274 | 34.6 | 1.02 | 32.7 | 36.7 | 1,023 | 31.0 | 1.01 | 29.0 | 33.0 |
| 1988 | 1,362 | 36.2 | 1.02 | 34.2 | 38.3 | 1,099 | 32.8 | 1.03 | 30.8 | 34.9 |
| 1989 | 1,395 | 37.0 | 1.04 | 35.0 | 39.1 | 1,107 | 33.1 | 1.04 | 31.1 | 35.1 |
| 1990 | 1,545 | 41.0 | 1.09 | 38.9 | 43.2 | 1,252 | 37.3 | 1.10 | 35.2 | 39.5 |
| 1991 | 1,533 | 40.0 | 1.06 | 37.9 | 42.1 | 1,230 | 36.0 | 1.07 | 33.9 | 38.2 |
| 1992 | 1,502 | 38.5 | 1.03 | 36.5 | 40.5 | 1,192 | 34.1 | 1.02 | 32.1 | 36.1 |
| 1993 | 1,609 | 41.1 | 1.06 | 39.0 | 43.2 | 1,284 | 36.9 | 1.06 | 34.8 | 39.0 |
| 1994 | 1,517 | 38.2 | 1.01 | 36.3 | 40.3 | 1,206 | 34.1 | 1.01 | 32.1 | 36.1 |
| 1995 | 1,499 | 37.2 | 0.99 | 35.3 | 39.2 | 1,226 | 34.4 | 1.01 | 32.4 | 36.4 |
| 1996 | 1,502 | 36.6 | 0.97 | 34.7 | 38.6 | 1,196 | 32.9 | 0.97 | 31.0 | 34.8 |
| 1997 | 1,465 | 35.3 | 0.95 | 33.5 | 37.2 | 1,167 | 31.8 | 0.95 | 30.0 | 33.7 |
| 1998 | 1,492 | 35.4 | 0.93 | 33.6 | 37.2 | 1,191 | 31.9 | 0.94 | 30.1 | 33.8 |
| 1999 | 1,423 | 33.2 | 0.90 | 31.5 | 35.0 | 1,140 | 30.2 | 0.91 | 28.4 | 32.0 |
| 2000 | 1,409 | 32.8 | 0.89 | 31.1 | 34.6 | 1,105 | 29.1 | 0.89 | 27.4 | 30.9 |
| 2001 | 1,402 | 32.0 | 0.87 | 30.3 | 33.7 | 1,116 | 28.8 | 0.87 | 27.1 | 30.6 |
| 2002 | 1,331 | 29.7 | 0.83 | 28.1 | 31.4 | 1,026 | 26.1 | 0.82 | 24.5 | 27.8 |
| 2003 | 1,234 | 27.4 | 0.79 | 25.9 | 29.0 | 966 | 24.4 | 0.79 | 22.9 | 26.1 |
| 2004 | 1,228 | 26.8 | 0.77 | 25.3 | 28.4 | 940 | 23.4 | 0.77 | 21.9 | 24.9 |
| 2005 | 1,270 | 27.1 | 0.77 | 25.6 | 28.6 | 975 | 23.8 | 0.77 | 22.3 | 25.4 |
| 2006 | 1,220 | 25.7 | 0.74 | 24.3 | 27.2 | 933 | 22.4 | 0.74 | 21.0 | 23.9 |
| 2007 | 1,261 | 25.9 | 0.74 | 24.5 | 27.4 | 974 | 22.9 | 0.74 | 21.4 | 24.4 |
| 2008 | 1,174 | 23.7 | 0.70 | 22.3 | 25.1 | 923 | 21.4 | 0.71 | 20.0 | 22.8 |
| 2009 | 1,189 | 23.5 | 0.69 | 22.2 | 24.9 | 897 | 20.4 | 0.69 | 19.1 | 21.8 |
| 2010 | 1,171 | 22.6 | 0.67 | 21.3 | 23.9 | 878 | 19.5 | 0.66 | 18.2 | 20.8 |
| 2011 | 1,117 | 21.0 | 0.64 | 19.8 | 22.3 | 876 | 19.1 | 0.65 | 17.8 | 20.4 |
| 2012 | 1,152 | 21.2 | 0.63 | 20.0 | 22.5 | 892 | 18.9 | 0.64 | 17.7 | 20.2 |
| 2013 | 1,087 | 19.3 | 0.59 | 18.2 | 20.5 | 851 | 17.6 | 0.61 | 16.4 | 18.8 |
| 2014 | 1,166 | 20.2 | 0.60 | 19.1 | 21.4 | 886 | 17.9 | 0.61 | 16.7 | 19.1 |
| 2015 | 1,190 | 20.1 | 0.59 | 19.0 | 21.3 | 902 | 17.9 | 0.60 | 16.7 | 19.1 |
| 2016 | 1,239 | 20.4 | 0.59 | 19.3 | 21.6 | 923 | 17.9 | 0.60 | 16.8 | 19.2 |
| 2017 | 1,273 | 20.7 | 0.59 | 19.5 | 21.8 | 959 | 18.5 | 0.60 | 17.3 | 19.7 |
| 2018 | 1,173 | 18.6 | 0.55 | 17.6 | 19.7 | 866 | 16.4 | 0.56 | 15.3 | 17.5 |
| 2019 | 1,208 | 18.7 | 0.55 | 17.7 | 19.9 | 899 | 16.8 | 0.57 | 15.7 | 17.9 |
| 2020 | 1,261 | 19.0 | 0.54 | 18.0 | 20.1 | 945 | 17.1 | 0.56 | 16.0 | 18.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Prostate | | | | | | | | | | |
|-----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 9,688 | 58.7 | 0.62 | 57.5 | 60.0 | 370 | 8.3 | 0.46 | 7.4 | 9.2 |
| 1986 | 228 | 65.7 | 4.65 | 56.9 | 75.3 | * | * | * | * | * |
| 1987 | 249 | 73.8 | 5.02 | 64.3 | 84.1 | * | * | * | * | * |
| 1988 | 261 | 73.2 | 4.82 | 64.0 | 83.1 | * | * | * | * | * |
| 1989 | 286 | 80.7 | 5.06 | 71.1 | 91.1 | * | * | * | * | * |
| 1990 | 292 | 83.1 | 5.21 | 73.2 | 93.8 | * | * | * | * | * |
| 1991 | 298 | 84.1 | 5.17 | 74.2 | 94.7 | * | * | * | * | * |
| 1992 | 302 | 87.1 | 5.34 | 77.0 | 98.0 | * | * | * | * | * |
| 1993 | 320 | 87.2 | 5.21 | 77.3 | 97.9 | * | * | * | * | * |
| 1994 | 308 | 84.5 | 5.11 | 74.8 | 95.0 | * | * | * | * | * |
| 1995 | 269 | 70.2 | 4.54 | 61.6 | 79.5 | * | * | * | * | * |
| 1996 | 298 | 78.5 | 4.81 | 69.4 | 88.4 | * | * | * | * | * |
| 1997 | 289 | 72.7 | 4.53 | 64.1 | 82.0 | * | * | * | * | * |
| 1998 | 292 | 71.6 | 4.42 | 63.2 | 80.6 | * | * | * | * | * |
| 1999 | 277 | 67.0 | 4.23 | 59.0 | 75.7 | * | * | * | * | * |
| 2000 | 293 | 72.3 | 4.44 | 63.8 | 81.4 | 11 | 11.7 | 3.90 | 5.4 | 21.3 |
| 2001 | 281 | 67.0 | 4.22 | 58.9 | 75.6 | * | * | * | * | * |
| 2002 | 295 | 67.6 | 4.14 | 59.8 | 76.1 | 10 | 7.3 | 2.51 | 3.2 | 13.7 |
| 2003 | 257 | 58.2 | 3.83 | 51.0 | 66.1 | 11 | 11.3 | 3.47 | 5.5 | 19.7 |
| 2004 | 278 | 64.1 | 4.05 | 56.4 | 72.4 | 10 | 10.2 | 3.43 | 4.6 | 18.5 |
| 2005 | 285 | 62.1 | 3.92 | 54.7 | 70.2 | 10 | 9.5 | 3.28 | 4.2 | 17.5 |
| 2006 | 281 | 63.0 | 3.95 | 55.5 | 71.2 | * | * | * | * | * |
| 2007 | 276 | 59.0 | 3.74 | 51.9 | 66.7 | 11 | 8.2 | 2.70 | 3.8 | 14.7 |
| 2008 | 242 | 49.8 | 3.35 | 43.4 | 56.7 | * | * | * | * | * |
| 2009 | 271 | 53.5 | 3.40 | 47.0 | 60.5 | 21 | 14.6 | 3.52 | 8.5 | 22.7 |
| 2010 | 279 | 54.5 | 3.39 | 48.0 | 61.5 | 14 | 10.8 | 3.00 | 5.8 | 17.8 |
| 2011 | 228 | 41.6 | 2.87 | 36.2 | 47.6 | 13 | 7.4 | 2.18 | 3.7 | 12.6 |
| 2012 | 247 | 44.9 | 2.96 | 39.3 | 51.1 | 13 | 7.3 | 2.17 | 3.7 | 12.5 |
| 2013 | 222 | 38.5 | 2.68 | 33.4 | 44.0 | 14 | 7.6 | 2.13 | 4.0 | 12.7 |
| 2014 | 262 | 44.8 | 2.86 | 39.3 | 50.7 | 18 | 7.0 | 1.78 | 4.0 | 11.3 |
| 2015 | 270 | 43.5 | 2.75 | 38.2 | 49.1 | 18 | 8.0 | 2.00 | 4.6 | 12.7 |
| 2016 | 302 | 46.5 | 2.78 | 41.2 | 52.2 | 14 | 4.8 | 1.37 | 2.5 | 8.2 |
| 2017 | 292 | 43.7 | 2.66 | 38.6 | 49.2 | 22 | 7.9 | 1.75 | 4.9 | 12.0 |
| 2018 | 288 | 42.3 | 2.58 | 37.4 | 47.6 | 19 | 6.5 | 1.54 | 3.8 | 10.1 |
| 2019 | 284 | 39.6 | 2.44 | 35.0 | 44.6 | 25 | 7.1 | 1.47 | 4.5 | 10.5 |
| 2020 | 286 | 39.3 | 2.41 | 34.7 | 44.3 | 30 | 9.5 | 1.75 | 6.4 | 13.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Testis | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 493 | 0.2 | 0.01 | 0.2 | 0.3 | 441 | 0.3 | 0.01 | 0.2 | 0.3 |
| 1986 | 10 | 0.2 | 0.06 | 0.1 | 0.3 | * | * | * | * | * |
| 1987 | 22 | 0.4 | 0.08 | 0.2 | 0.6 | 21 | 0.4 | 0.10 | 0.3 | 0.7 |
| 1988 | 11 | 0.2 | 0.05 | 0.1 | 0.3 | 10 | 0.2 | 0.06 | 0.1 | 0.4 |
| 1989 | 15 | 0.3 | 0.09 | 0.2 | 0.5 | 14 | 0.4 | 0.10 | 0.2 | 0.6 |
| 1990 | 11 | 0.2 | 0.06 | 0.1 | 0.4 | 10 | 0.2 | 0.07 | 0.1 | 0.4 |
| 1991 | 16 | 0.3 | 0.08 | 0.2 | 0.5 | 16 | 0.4 | 0.09 | 0.2 | 0.6 |
| 1992 | 11 | 0.2 | 0.06 | 0.1 | 0.4 | 10 | 0.2 | 0.07 | 0.1 | 0.4 |
| 1993 | 20 | 0.3 | 0.08 | 0.2 | 0.5 | 18 | 0.4 | 0.09 | 0.2 | 0.6 |
| 1994 | 11 | 0.2 | 0.05 | 0.1 | 0.3 | 10 | 0.2 | 0.06 | 0.1 | 0.4 |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 10 | 0.2 | 0.06 | 0.1 | 0.3 | 10 | 0.2 | 0.07 | 0.1 | 0.4 |
| 1997 | 12 | 0.2 | 0.06 | 0.1 | 0.4 | 10 | 0.2 | 0.07 | 0.1 | 0.4 |
| 1998 | 15 | 0.3 | 0.07 | 0.1 | 0.4 | 13 | 0.3 | 0.08 | 0.1 | 0.5 |
| 1999 | 12 | 0.2 | 0.06 | 0.1 | 0.3 | 10 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2000 | 16 | 0.3 | 0.07 | 0.2 | 0.4 | 13 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2001 | 12 | 0.2 | 0.06 | 0.1 | 0.3 | 11 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2002 | 14 | 0.2 | 0.07 | 0.1 | 0.4 | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | 17 | 0.3 | 0.07 | 0.2 | 0.5 | 16 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2005 | 15 | 0.3 | 0.07 | 0.1 | 0.4 | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2006 | 14 | 0.2 | 0.06 | 0.1 | 0.4 | 11 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2007 | 13 | 0.2 | 0.06 | 0.1 | 0.4 | 11 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2008 | 22 | 0.4 | 0.08 | 0.2 | 0.6 | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2009 | 13 | 0.2 | 0.06 | 0.1 | 0.4 | 11 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2010 | 17 | 0.3 | 0.06 | 0.1 | 0.4 | 16 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | 16 | 0.2 | 0.06 | 0.1 | 0.4 | 15 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2014 | 14 | 0.2 | 0.06 | 0.1 | 0.4 | 12 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2015 | 11 | 0.2 | 0.05 | 0.1 | 0.3 | * | * | * | * | * |
| 2016 | 21 | 0.3 | 0.08 | 0.2 | 0.5 | 20 | 0.4 | 0.09 | 0.3 | 0.7 |
| 2017 | 18 | 0.3 | 0.07 | 0.2 | 0.5 | 17 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2018 | 15 | 0.2 | 0.06 | 0.1 | 0.4 | 12 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2019 | 12 | 0.2 | 0.06 | 0.1 | 0.4 | 11 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2020 | 25 | 0.4 | 0.08 | 0.2 | 0.6 | 22 | 0.4 | 0.09 | 0.3 | 0.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Testis | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|----|-----|-----|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 45 | 0.2 | 0.02 | 0.1 | 0.2 | * | * | * | * | * |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary System | | | | | | | | | | |
|----------------|--------|------|------|-----|------|--------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 39,516 | 8.9 | 0.04 | 8.8 | 9.0 | 34,883 | 9.1 | 0.05 | 9.0 | 9.2 |
| 1986 | 975 | 9.5 | 0.31 | 8.9 | 10.1 | 870 | 9.5 | 0.33 | 8.9 | 10.1 |
| 1987 | 967 | 9.3 | 0.30 | 8.7 | 9.9 | 873 | 9.4 | 0.32 | 8.8 | 10.0 |
| 1988 | 943 | 8.9 | 0.29 | 8.4 | 9.5 | 827 | 8.8 | 0.31 | 8.2 | 9.5 |
| 1989 | 964 | 9.0 | 0.29 | 8.5 | 9.6 | 859 | 9.1 | 0.31 | 8.5 | 9.7 |
| 1990 | 1,010 | 9.4 | 0.30 | 8.8 | 10.0 | 895 | 9.4 | 0.32 | 8.7 | 10.0 |
| 1991 | 985 | 9.1 | 0.29 | 8.5 | 9.7 | 877 | 9.1 | 0.31 | 8.5 | 9.7 |
| 1992 | 1,028 | 9.3 | 0.29 | 8.8 | 9.9 | 924 | 9.4 | 0.31 | 8.8 | 10.1 |
| 1993 | 1,066 | 9.5 | 0.29 | 8.9 | 10.1 | 961 | 9.7 | 0.31 | 9.1 | 10.4 |
| 1994 | 1,124 | 9.9 | 0.30 | 9.4 | 10.5 | 993 | 9.9 | 0.32 | 9.3 | 10.6 |
| 1995 | 1,047 | 9.1 | 0.28 | 8.6 | 9.7 | 942 | 9.4 | 0.31 | 8.8 | 10.0 |
| 1996 | 1,018 | 8.8 | 0.28 | 8.3 | 9.4 | 891 | 8.8 | 0.29 | 8.2 | 9.4 |
| 1997 | 1,035 | 8.9 | 0.28 | 8.4 | 9.5 | 898 | 8.8 | 0.29 | 8.2 | 9.4 |
| 1998 | 1,094 | 9.3 | 0.28 | 8.7 | 9.9 | 973 | 9.4 | 0.30 | 8.9 | 10.0 |
| 1999 | 1,068 | 9.0 | 0.27 | 8.4 | 9.5 | 943 | 9.1 | 0.30 | 8.5 | 9.7 |
| 2000 | 1,140 | 9.5 | 0.28 | 8.9 | 10.0 | 1,006 | 9.6 | 0.30 | 9.0 | 10.2 |
| 2001 | 1,110 | 9.2 | 0.27 | 8.6 | 9.7 | 980 | 9.3 | 0.30 | 8.7 | 9.9 |
| 2002 | 1,071 | 8.8 | 0.27 | 8.3 | 9.3 | 952 | 9.0 | 0.29 | 8.5 | 9.6 |
| 2003 | 1,153 | 9.3 | 0.28 | 8.8 | 9.9 | 1,014 | 9.5 | 0.30 | 8.9 | 10.1 |
| 2004 | 1,135 | 9.1 | 0.27 | 8.6 | 9.6 | 1,008 | 9.4 | 0.30 | 8.8 | 10.0 |
| 2005 | 1,143 | 9.0 | 0.27 | 8.5 | 9.5 | 1,023 | 9.4 | 0.29 | 8.8 | 9.9 |
| 2006 | 1,134 | 8.9 | 0.26 | 8.4 | 9.4 | 998 | 9.1 | 0.29 | 8.5 | 9.7 |
| 2007 | 1,150 | 8.9 | 0.26 | 8.4 | 9.4 | 997 | 9.0 | 0.29 | 8.4 | 9.6 |
| 2008 | 1,226 | 9.3 | 0.27 | 8.8 | 9.9 | 1,101 | 9.8 | 0.30 | 9.2 | 10.4 |
| 2009 | 1,179 | 8.8 | 0.26 | 8.3 | 9.4 | 1,034 | 9.1 | 0.29 | 8.5 | 9.6 |
| 2010 | 1,169 | 8.6 | 0.25 | 8.1 | 9.1 | 1,011 | 8.8 | 0.28 | 8.2 | 9.3 |
| 2011 | 1,176 | 8.5 | 0.25 | 8.1 | 9.0 | 1,060 | 9.1 | 0.28 | 8.5 | 9.6 |
| 2012 | 1,218 | 8.7 | 0.25 | 8.2 | 9.2 | 1,092 | 9.2 | 0.28 | 8.6 | 9.7 |
| 2013 | 1,279 | 9.0 | 0.25 | 8.5 | 9.5 | 1,114 | 9.2 | 0.28 | 8.7 | 9.8 |
| 2014 | 1,295 | 8.9 | 0.25 | 8.4 | 9.4 | 1,106 | 9.0 | 0.27 | 8.5 | 9.6 |
| 2015 | 1,363 | 9.1 | 0.25 | 8.7 | 9.7 | 1,194 | 9.6 | 0.28 | 9.0 | 10.1 |
| 2016 | 1,276 | 8.5 | 0.24 | 8.0 | 9.0 | 1,094 | 8.6 | 0.27 | 8.1 | 9.2 |
| 2017 | 1,260 | 8.3 | 0.24 | 7.8 | 8.8 | 1,097 | 8.6 | 0.26 | 8.1 | 9.2 |
| 2018 | 1,218 | 7.9 | 0.23 | 7.4 | 8.3 | 1,060 | 8.2 | 0.26 | 7.7 | 8.7 |
| 2019 | 1,267 | 8.1 | 0.23 | 7.6 | 8.5 | 1,124 | 8.6 | 0.26 | 8.1 | 9.1 |
| 2020 | 1,230 | 7.6 | 0.22 | 7.2 | 8.1 | 1,092 | 8.2 | 0.25 | 7.7 | 8.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary System | | | | | | | | | | |
|----------------|-------|------|------|-----|------|----------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 4,244 | 8.6 | 0.13 | 8.3 | 8.8 | 389 | 3.1 | 0.16 | 2.8 | 3.4 |
| 1986 | 102 | 9.7 | 1.01 | 7.8 | 11.9 | * | * | * | * | * |
| 1987 | 91 | 8.5 | 0.93 | 6.8 | 10.5 | * | * | * | * | * |
| 1988 | 114 | 10.6 | 1.02 | 8.7 | 12.8 | * | * | * | * | * |
| 1989 | 102 | 9.3 | 0.95 | 7.5 | 11.4 | * | * | * | * | * |
| 1990 | 112 | 10.6 | 1.04 | 8.7 | 12.8 | * | * | * | * | * |
| 1991 | 105 | 9.7 | 0.97 | 7.9 | 11.8 | * | * | * | * | * |
| 1992 | 103 | 9.1 | 0.92 | 7.3 | 11.0 | * | * | * | * | * |
| 1993 | 101 | 8.5 | 0.88 | 6.9 | 10.4 | * | * | * | * | * |
| 1994 | 122 | 10.1 | 0.94 | 8.4 | 12.1 | * | * | * | * | * |
| 1995 | 103 | 8.7 | 0.88 | 7.1 | 10.6 | * | * | * | * | * |
| 1996 | 120 | 9.8 | 0.92 | 8.1 | 11.8 | * | * | * | * | * |
| 1997 | 130 | 10.2 | 0.92 | 8.5 | 12.2 | * | * | * | * | * |
| 1998 | 111 | 8.4 | 0.82 | 6.9 | 10.2 | 10 | 3.4 | 1.15 | 1.5 | 6.4 |
| 1999 | 119 | 9.1 | 0.85 | 7.5 | 10.9 | * | * | * | * | * |
| 2000 | 127 | 9.8 | 0.89 | 8.2 | 11.7 | * | * | * | * | * |
| 2001 | 123 | 9.2 | 0.85 | 7.6 | 11.0 | * | * | * | * | * |
| 2002 | 110 | 8.5 | 0.83 | 6.9 | 10.2 | * | * | * | * | * |
| 2003 | 131 | 9.5 | 0.85 | 7.9 | 11.2 | * | * | * | * | * |
| 2004 | 118 | 8.1 | 0.76 | 6.7 | 9.8 | * | * | * | * | * |
| 2005 | 109 | 7.6 | 0.75 | 6.2 | 9.2 | 11 | 4.2 | 1.30 | 2.1 | 7.3 |
| 2006 | 124 | 8.4 | 0.77 | 6.9 | 10.0 | 12 | 3.1 | 0.96 | 1.5 | 5.5 |
| 2007 | 138 | 9.4 | 0.82 | 7.9 | 11.1 | 15 | 3.5 | 0.97 | 1.9 | 5.9 |
| 2008 | 114 | 7.6 | 0.73 | 6.2 | 9.1 | 11 | 3.0 | 0.97 | 1.4 | 5.4 |
| 2009 | 131 | 8.7 | 0.78 | 7.3 | 10.4 | 14 | 2.9 | 0.83 | 1.5 | 4.9 |
| 2010 | 143 | 9.1 | 0.78 | 7.6 | 10.7 | 15 | 3.3 | 0.92 | 1.8 | 5.6 |
| 2011 | 103 | 6.6 | 0.66 | 5.4 | 8.0 | 13 | 2.9 | 0.84 | 1.5 | 5.0 |
| 2012 | 106 | 6.4 | 0.64 | 5.2 | 7.8 | 20 | 4.0 | 0.95 | 2.4 | 6.3 |
| 2013 | 144 | 8.7 | 0.73 | 7.3 | 10.2 | 21 | 4.0 | 0.93 | 2.4 | 6.2 |
| 2014 | 163 | 9.4 | 0.75 | 8.0 | 11.0 | 26 | 4.6 | 0.94 | 3.0 | 6.8 |
| 2015 | 156 | 8.7 | 0.71 | 7.3 | 10.2 | 13 | 1.9 | 0.55 | 1.0 | 3.3 |
| 2016 | 160 | 9.0 | 0.73 | 7.6 | 10.5 | 22 | 3.2 | 0.71 | 2.0 | 4.9 |
| 2017 | 146 | 8.0 | 0.67 | 6.7 | 9.4 | 17 | 2.5 | 0.61 | 1.4 | 4.0 |
| 2018 | 131 | 7.1 | 0.63 | 5.9 | 8.5 | 27 | 3.5 | 0.70 | 2.3 | 5.2 |
| 2019 | 118 | 6.3 | 0.58 | 5.2 | 7.5 | 25 | 3.1 | 0.62 | 2.0 | 4.5 |
| 2020 | 114 | 5.7 | 0.54 | 4.7 | 6.9 | 24 | 2.8 | 0.57 | 1.8 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary System | | | | | | | | | | |
|----------------|--------|------|------|------|------|--------|------|------|------|------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 25,543 | 14.3 | 0.09 | 14.1 | 14.5 | 22,870 | 14.8 | 0.10 | 14.6 | 15.0 |
| 1986 | 625 | 15.8 | 0.66 | 14.5 | 17.1 | 569 | 16.1 | 0.71 | 14.8 | 17.6 |
| 1987 | 603 | 15.0 | 0.64 | 13.7 | 16.3 | 548 | 15.3 | 0.68 | 14.0 | 16.7 |
| 1988 | 605 | 14.8 | 0.63 | 13.6 | 16.1 | 524 | 14.6 | 0.66 | 13.3 | 15.9 |
| 1989 | 594 | 14.4 | 0.61 | 13.2 | 15.6 | 541 | 14.7 | 0.66 | 13.5 | 16.1 |
| 1990 | 623 | 15.1 | 0.63 | 13.9 | 16.4 | 566 | 15.4 | 0.67 | 14.1 | 16.8 |
| 1991 | 627 | 15.0 | 0.62 | 13.8 | 16.3 | 562 | 15.2 | 0.67 | 14.0 | 16.6 |
| 1992 | 638 | 15.0 | 0.62 | 13.8 | 16.3 | 586 | 15.6 | 0.67 | 14.4 | 17.0 |
| 1993 | 682 | 15.7 | 0.62 | 14.5 | 17.0 | 622 | 16.3 | 0.67 | 15.0 | 17.7 |
| 1994 | 715 | 16.2 | 0.63 | 15.0 | 17.5 | 646 | 16.7 | 0.67 | 15.4 | 18.1 |
| 1995 | 663 | 14.7 | 0.59 | 13.6 | 15.9 | 594 | 15.0 | 0.63 | 13.8 | 16.3 |
| 1996 | 639 | 14.3 | 0.58 | 13.2 | 15.5 | 574 | 14.6 | 0.62 | 13.4 | 15.9 |
| 1997 | 646 | 14.1 | 0.57 | 13.0 | 15.3 | 572 | 14.3 | 0.61 | 13.2 | 15.6 |
| 1998 | 686 | 14.9 | 0.58 | 13.8 | 16.1 | 619 | 15.4 | 0.63 | 14.2 | 16.7 |
| 1999 | 661 | 14.2 | 0.56 | 13.1 | 15.3 | 585 | 14.4 | 0.60 | 13.2 | 15.6 |
| 2000 | 713 | 15.1 | 0.58 | 14.0 | 16.3 | 642 | 15.6 | 0.62 | 14.4 | 16.9 |
| 2001 | 691 | 14.3 | 0.55 | 13.2 | 15.4 | 627 | 14.9 | 0.60 | 13.8 | 16.1 |
| 2002 | 681 | 13.9 | 0.54 | 12.9 | 15.0 | 620 | 14.6 | 0.59 | 13.4 | 15.8 |
| 2003 | 749 | 15.1 | 0.56 | 14.0 | 16.3 | 672 | 15.6 | 0.61 | 14.5 | 16.9 |
| 2004 | 721 | 14.2 | 0.54 | 13.2 | 15.3 | 655 | 15.0 | 0.59 | 13.8 | 16.2 |
| 2005 | 754 | 14.8 | 0.55 | 13.8 | 15.9 | 680 | 15.4 | 0.60 | 14.2 | 16.6 |
| 2006 | 735 | 14.3 | 0.54 | 13.2 | 15.4 | 658 | 14.8 | 0.58 | 13.7 | 16.0 |
| 2007 | 736 | 13.8 | 0.52 | 12.8 | 14.9 | 649 | 14.1 | 0.56 | 13.0 | 15.3 |
| 2008 | 784 | 14.9 | 0.54 | 13.8 | 16.0 | 715 | 15.7 | 0.59 | 14.6 | 16.9 |
| 2009 | 779 | 14.3 | 0.52 | 13.3 | 15.3 | 694 | 14.7 | 0.57 | 13.6 | 15.9 |
| 2010 | 745 | 13.3 | 0.50 | 12.4 | 14.3 | 656 | 13.7 | 0.54 | 12.6 | 14.8 |
| 2011 | 791 | 14.0 | 0.51 | 13.0 | 15.0 | 723 | 14.8 | 0.56 | 13.8 | 16.0 |
| 2012 | 806 | 13.9 | 0.50 | 12.9 | 14.9 | 732 | 14.8 | 0.55 | 13.7 | 15.9 |
| 2013 | 832 | 14.1 | 0.50 | 13.1 | 15.1 | 738 | 14.6 | 0.55 | 13.6 | 15.7 |
| 2014 | 833 | 13.7 | 0.48 | 12.7 | 14.7 | 713 | 13.8 | 0.53 | 12.8 | 14.9 |
| 2015 | 934 | 14.9 | 0.50 | 13.9 | 15.9 | 829 | 15.7 | 0.55 | 14.6 | 16.8 |
| 2016 | 852 | 13.6 | 0.48 | 12.7 | 14.6 | 741 | 14.0 | 0.52 | 13.0 | 15.0 |
| 2017 | 868 | 13.5 | 0.47 | 12.6 | 14.5 | 762 | 14.0 | 0.52 | 13.1 | 15.1 |
| 2018 | 807 | 12.4 | 0.45 | 11.6 | 13.3 | 706 | 12.9 | 0.49 | 12.0 | 13.9 |
| 2019 | 879 | 13.3 | 0.46 | 12.4 | 14.2 | 787 | 14.2 | 0.51 | 13.2 | 15.2 |
| 2020 | 846 | 12.4 | 0.43 | 11.5 | 13.3 | 763 | 13.3 | 0.49 | 12.4 | 14.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary System | | | | | | | | | | |
|----------------|-------|------|------|------|------|----------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,424 | 12.4 | 0.27 | 11.9 | 13.0 | 249 | 4.6 | 0.31 | 4.0 | 5.2 |
| 1986 | 54 | 12.8 | 1.90 | 9.4 | 17.0 | * | * | * | * | * |
| 1987 | 53 | 12.5 | 1.86 | 9.2 | 16.6 | * | * | * | * | * |
| 1988 | 79 | 18.1 | 2.18 | 14.1 | 22.8 | * | * | * | * | * |
| 1989 | 50 | 12.0 | 1.83 | 8.7 | 16.1 | * | * | * | * | * |
| 1990 | 55 | 13.8 | 2.01 | 10.1 | 18.2 | * | * | * | * | * |
| 1991 | 65 | 14.7 | 1.95 | 11.1 | 18.9 | * | * | * | * | * |
| 1992 | 51 | 10.5 | 1.56 | 7.6 | 13.9 | * | * | * | * | * |
| 1993 | 57 | 11.8 | 1.67 | 8.8 | 15.5 | * | * | * | * | * |
| 1994 | 64 | 13.1 | 1.74 | 9.9 | 16.9 | * | * | * | * | * |
| 1995 | 67 | 14.2 | 1.85 | 10.8 | 18.2 | * | * | * | * | * |
| 1996 | 61 | 12.3 | 1.68 | 9.3 | 16.0 | * | * | * | * | * |
| 1997 | 70 | 13.1 | 1.67 | 10.0 | 16.7 | * | * | * | * | * |
| 1998 | 63 | 11.5 | 1.55 | 8.7 | 14.9 | * | * | * | * | * |
| 1999 | 73 | 14.0 | 1.75 | 10.8 | 17.8 | * | * | * | * | * |
| 2000 | 67 | 13.6 | 1.77 | 10.4 | 17.5 | * | * | * | * | * |
| 2001 | 61 | 10.8 | 1.49 | 8.1 | 14.1 | * | * | * | * | * |
| 2002 | 53 | 10.6 | 1.57 | 7.7 | 14.0 | * | * | * | * | * |
| 2003 | 72 | 12.9 | 1.65 | 9.9 | 16.5 | * | * | * | * | * |
| 2004 | 61 | 10.5 | 1.44 | 7.9 | 13.7 | * | * | * | * | * |
| 2005 | 70 | 13.6 | 1.76 | 10.3 | 17.4 | * | * | * | * | * |
| 2006 | 74 | 13.0 | 1.66 | 9.9 | 16.6 | * | * | * | * | * |
| 2007 | 75 | 13.8 | 1.72 | 10.7 | 17.5 | 12 | 6.5 | 2.03 | 3.1 | 11.5 |
| 2008 | 63 | 10.5 | 1.40 | 7.9 | 13.5 | * | * | * | * | * |
| 2009 | 73 | 12.6 | 1.58 | 9.7 | 16.0 | 12 | 6.0 | 1.93 | 2.9 | 10.9 |
| 2010 | 79 | 13.3 | 1.58 | 10.4 | 16.7 | 10 | 5.1 | 1.80 | 2.2 | 9.6 |
| 2011 | 61 | 10.1 | 1.36 | 7.7 | 13.1 | * | * | * | * | * |
| 2012 | 62 | 9.8 | 1.32 | 7.3 | 12.7 | 12 | 6.7 | 2.10 | 3.3 | 11.8 |
| 2013 | 81 | 12.5 | 1.46 | 9.8 | 15.6 | 13 | 6.1 | 1.83 | 3.1 | 10.6 |
| 2014 | 102 | 15.2 | 1.58 | 12.3 | 18.6 | 18 | 7.4 | 1.85 | 4.2 | 11.7 |
| 2015 | 96 | 13.4 | 1.44 | 10.8 | 16.6 | * | * | * | * | * |
| 2016 | 97 | 13.9 | 1.48 | 11.1 | 17.1 | 14 | 4.7 | 1.32 | 2.5 | 8.0 |
| 2017 | 96 | 13.4 | 1.42 | 10.7 | 16.4 | 10 | 3.4 | 1.13 | 1.6 | 6.3 |
| 2018 | 81 | 11.2 | 1.30 | 8.9 | 14.1 | 20 | 6.0 | 1.39 | 3.6 | 9.3 |
| 2019 | 72 | 10.1 | 1.23 | 7.9 | 12.8 | 20 | 5.8 | 1.34 | 3.5 | 9.0 |
| 2020 | 66 | 8.3 | 1.06 | 6.3 | 10.6 | 17 | 4.1 | 1.01 | 2.4 | 6.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary System | | | | | | | | | | |
|----------------|--------|------|------|-----|-----|--------|------|------|-----|-----|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 13,973 | 5.3 | 0.05 | 5.2 | 5.4 | 12,013 | 5.3 | 0.05 | 5.2 | 5.4 |
| 1986 | 350 | 5.6 | 0.30 | 5.0 | 6.2 | 301 | 5.4 | 0.31 | 4.8 | 6.0 |
| 1987 | 364 | 5.8 | 0.31 | 5.2 | 6.4 | 325 | 5.8 | 0.32 | 5.1 | 6.4 |
| 1988 | 338 | 5.3 | 0.29 | 4.7 | 5.9 | 303 | 5.3 | 0.31 | 4.7 | 5.9 |
| 1989 | 370 | 5.8 | 0.31 | 5.3 | 6.5 | 318 | 5.6 | 0.32 | 5.0 | 6.3 |
| 1990 | 387 | 6.0 | 0.31 | 5.4 | 6.6 | 329 | 5.7 | 0.32 | 5.1 | 6.4 |
| 1991 | 358 | 5.4 | 0.29 | 4.9 | 6.0 | 315 | 5.4 | 0.31 | 4.8 | 6.0 |
| 1992 | 390 | 5.8 | 0.30 | 5.3 | 6.4 | 338 | 5.7 | 0.31 | 5.1 | 6.3 |
| 1993 | 384 | 5.7 | 0.29 | 5.1 | 6.3 | 339 | 5.6 | 0.31 | 5.1 | 6.3 |
| 1994 | 409 | 6.0 | 0.30 | 5.4 | 6.6 | 347 | 5.7 | 0.31 | 5.1 | 6.4 |
| 1995 | 384 | 5.6 | 0.29 | 5.1 | 6.2 | 348 | 5.8 | 0.32 | 5.2 | 6.5 |
| 1996 | 379 | 5.4 | 0.28 | 4.8 | 6.0 | 317 | 5.1 | 0.29 | 4.6 | 5.7 |
| 1997 | 389 | 5.5 | 0.28 | 5.0 | 6.1 | 326 | 5.3 | 0.30 | 4.7 | 5.9 |
| 1998 | 408 | 5.7 | 0.29 | 5.2 | 6.3 | 354 | 5.7 | 0.31 | 5.1 | 6.3 |
| 1999 | 407 | 5.6 | 0.28 | 5.1 | 6.2 | 358 | 5.7 | 0.31 | 5.1 | 6.3 |
| 2000 | 427 | 5.9 | 0.29 | 5.3 | 6.5 | 364 | 5.8 | 0.31 | 5.2 | 6.4 |
| 2001 | 419 | 5.7 | 0.28 | 5.2 | 6.3 | 353 | 5.6 | 0.30 | 5.0 | 6.2 |
| 2002 | 390 | 5.3 | 0.27 | 4.8 | 5.9 | 332 | 5.3 | 0.29 | 4.7 | 5.9 |
| 2003 | 404 | 5.5 | 0.27 | 4.9 | 6.0 | 342 | 5.3 | 0.29 | 4.8 | 6.0 |
| 2004 | 414 | 5.6 | 0.28 | 5.1 | 6.2 | 353 | 5.5 | 0.30 | 4.9 | 6.1 |
| 2005 | 389 | 5.2 | 0.27 | 4.7 | 5.7 | 343 | 5.3 | 0.29 | 4.8 | 5.9 |
| 2006 | 399 | 5.3 | 0.27 | 4.8 | 5.9 | 340 | 5.2 | 0.29 | 4.7 | 5.8 |
| 2007 | 414 | 5.4 | 0.27 | 4.9 | 6.0 | 348 | 5.3 | 0.29 | 4.8 | 5.9 |
| 2008 | 442 | 5.7 | 0.27 | 5.1 | 6.2 | 386 | 5.8 | 0.30 | 5.2 | 6.5 |
| 2009 | 400 | 5.1 | 0.26 | 4.6 | 5.6 | 340 | 5.1 | 0.28 | 4.5 | 5.6 |
| 2010 | 424 | 5.3 | 0.26 | 4.8 | 5.8 | 355 | 5.2 | 0.29 | 4.7 | 5.8 |
| 2011 | 385 | 4.8 | 0.25 | 4.3 | 5.3 | 337 | 4.9 | 0.28 | 4.4 | 5.5 |
| 2012 | 412 | 5.0 | 0.25 | 4.6 | 5.6 | 360 | 5.2 | 0.28 | 4.7 | 5.8 |
| 2013 | 447 | 5.4 | 0.26 | 4.9 | 5.9 | 376 | 5.3 | 0.28 | 4.8 | 5.9 |
| 2014 | 462 | 5.4 | 0.25 | 4.9 | 5.9 | 393 | 5.5 | 0.28 | 4.9 | 6.1 |
| 2015 | 429 | 5.0 | 0.25 | 4.5 | 5.5 | 365 | 5.1 | 0.27 | 4.5 | 5.6 |
| 2016 | 424 | 4.9 | 0.24 | 4.4 | 5.4 | 353 | 4.8 | 0.26 | 4.3 | 5.4 |
| 2017 | 392 | 4.5 | 0.23 | 4.0 | 5.0 | 335 | 4.6 | 0.26 | 4.1 | 5.1 |
| 2018 | 411 | 4.6 | 0.23 | 4.2 | 5.1 | 354 | 4.7 | 0.26 | 4.2 | 5.3 |
| 2019 | 388 | 4.3 | 0.22 | 3.9 | 4.8 | 337 | 4.5 | 0.25 | 4.0 | 5.1 |
| 2020 | 384 | 4.2 | 0.22 | 3.7 | 4.6 | 329 | 4.3 | 0.24 | 3.9 | 4.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Urinary System

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|------|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,820 | 6.1 | 0.14 | 5.8 | 6.4 | 140 | 2.0 | 0.17 | 1.7 | 2.4 |
| 1986 | 48 | 7.7 | 1.14 | 5.6 | 10.2 | * | * | * | * | * |
| 1987 | 38 | 6.0 | 1.00 | 4.2 | 8.2 | * | * | * | * | * |
| 1988 | 35 | 5.6 | 0.97 | 3.9 | 7.8 | * | * | * | * | * |
| 1989 | 52 | 7.8 | 1.10 | 5.8 | 10.3 | * | * | * | * | * |
| 1990 | 57 | 8.9 | 1.19 | 6.7 | 11.5 | * | * | * | * | * |
| 1991 | 40 | 6.3 | 1.01 | 4.5 | 8.6 | * | * | * | * | * |
| 1992 | 52 | 7.8 | 1.10 | 5.8 | 10.3 | * | * | * | * | * |
| 1993 | 44 | 6.3 | 0.96 | 4.5 | 8.4 | * | * | * | * | * |
| 1994 | 58 | 8.1 | 1.08 | 6.1 | 10.5 | * | * | * | * | * |
| 1995 | 36 | 5.2 | 0.87 | 3.6 | 7.2 | * | * | * | * | * |
| 1996 | 59 | 7.9 | 1.04 | 6.0 | 10.2 | * | * | * | * | * |
| 1997 | 60 | 8.1 | 1.05 | 6.1 | 10.4 | * | * | * | * | * |
| 1998 | 48 | 6.3 | 0.91 | 4.6 | 8.3 | * | * | * | * | * |
| 1999 | 46 | 6.0 | 0.88 | 4.4 | 7.9 | * | * | * | * | * |
| 2000 | 60 | 7.6 | 0.99 | 5.8 | 9.8 | * | * | * | * | * |
| 2001 | 62 | 7.8 | 1.00 | 6.0 | 10.0 | * | * | * | * | * |
| 2002 | 57 | 7.2 | 0.96 | 5.4 | 9.3 | * | * | * | * | * |
| 2003 | 59 | 7.1 | 0.94 | 5.4 | 9.2 | * | * | * | * | * |
| 2004 | 57 | 6.7 | 0.89 | 5.0 | 8.6 | * | * | * | * | * |
| 2005 | 39 | 4.4 | 0.71 | 3.1 | 6.1 | * | * | * | * | * |
| 2006 | 50 | 5.7 | 0.82 | 4.3 | 7.6 | * | * | * | * | * |
| 2007 | 63 | 7.0 | 0.89 | 5.4 | 9.0 | * | * | * | * | * |
| 2008 | 51 | 5.6 | 0.79 | 4.2 | 7.4 | * | * | * | * | * |
| 2009 | 58 | 6.4 | 0.84 | 4.8 | 8.2 | * | * | * | * | * |
| 2010 | 64 | 6.7 | 0.84 | 5.1 | 8.5 | * | * | * | * | * |
| 2011 | 42 | 4.3 | 0.68 | 3.1 | 5.9 | * | * | * | * | * |
| 2012 | 44 | 4.5 | 0.68 | 3.3 | 6.0 | * | * | * | * | * |
| 2013 | 63 | 6.4 | 0.81 | 4.9 | 8.2 | * | * | * | * | * |
| 2014 | 61 | 5.7 | 0.74 | 4.4 | 7.4 | * | * | * | * | * |
| 2015 | 60 | 5.7 | 0.74 | 4.3 | 7.3 | * | * | * | * | * |
| 2016 | 63 | 6.0 | 0.76 | 4.6 | 7.7 | * | * | * | * | * |
| 2017 | 50 | 4.7 | 0.67 | 3.5 | 6.2 | * | * | * | * | * |
| 2018 | 50 | 4.6 | 0.66 | 3.4 | 6.1 | * | * | * | * | * |
| 2019 | 46 | 4.0 | 0.60 | 2.9 | 5.4 | * | * | * | * | * |
| 2020 | 48 | 4.0 | 0.58 | 2.9 | 5.3 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary Bladder | | | | | | | | | | |
|------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 19,557 | 4.4 | 0.03 | 4.4 | 4.5 | 17,487 | 4.6 | 0.03 | 4.5 | 4.6 |
| 1986 | 485 | 4.8 | 0.22 | 4.4 | 5.3 | 439 | 4.8 | 0.23 | 4.4 | 5.3 |
| 1987 | 460 | 4.5 | 0.21 | 4.1 | 4.9 | 412 | 4.5 | 0.22 | 4.1 | 4.9 |
| 1988 | 469 | 4.5 | 0.21 | 4.1 | 4.9 | 416 | 4.4 | 0.22 | 4.0 | 4.9 |
| 1989 | 447 | 4.3 | 0.20 | 3.9 | 4.7 | 396 | 4.2 | 0.21 | 3.8 | 4.7 |
| 1990 | 498 | 4.6 | 0.21 | 4.2 | 5.1 | 440 | 4.6 | 0.22 | 4.2 | 5.0 |
| 1991 | 464 | 4.3 | 0.20 | 3.9 | 4.7 | 413 | 4.3 | 0.21 | 3.9 | 4.7 |
| 1992 | 516 | 4.7 | 0.21 | 4.3 | 5.1 | 462 | 4.7 | 0.22 | 4.3 | 5.2 |
| 1993 | 503 | 4.5 | 0.20 | 4.1 | 4.9 | 462 | 4.6 | 0.22 | 4.2 | 5.1 |
| 1994 | 525 | 4.6 | 0.20 | 4.3 | 5.1 | 471 | 4.7 | 0.22 | 4.3 | 5.1 |
| 1995 | 501 | 4.4 | 0.20 | 4.0 | 4.8 | 462 | 4.5 | 0.21 | 4.1 | 5.0 |
| 1996 | 512 | 4.4 | 0.20 | 4.1 | 4.8 | 452 | 4.4 | 0.21 | 4.0 | 4.8 |
| 1997 | 505 | 4.3 | 0.19 | 4.0 | 4.7 | 453 | 4.4 | 0.21 | 4.0 | 4.8 |
| 1998 | 519 | 4.4 | 0.19 | 4.0 | 4.8 | 468 | 4.5 | 0.21 | 4.1 | 4.9 |
| 1999 | 560 | 4.7 | 0.20 | 4.3 | 5.1 | 501 | 4.8 | 0.21 | 4.4 | 5.2 |
| 2000 | 541 | 4.5 | 0.19 | 4.1 | 4.9 | 486 | 4.6 | 0.21 | 4.2 | 5.0 |
| 2001 | 520 | 4.3 | 0.19 | 3.9 | 4.7 | 467 | 4.4 | 0.20 | 4.0 | 4.8 |
| 2002 | 511 | 4.2 | 0.19 | 3.8 | 4.6 | 463 | 4.4 | 0.20 | 4.0 | 4.8 |
| 2003 | 557 | 4.5 | 0.19 | 4.2 | 4.9 | 510 | 4.8 | 0.21 | 4.4 | 5.2 |
| 2004 | 574 | 4.6 | 0.19 | 4.2 | 5.0 | 521 | 4.8 | 0.21 | 4.4 | 5.2 |
| 2005 | 560 | 4.4 | 0.19 | 4.1 | 4.8 | 508 | 4.6 | 0.21 | 4.2 | 5.0 |
| 2006 | 579 | 4.5 | 0.19 | 4.2 | 4.9 | 522 | 4.7 | 0.21 | 4.3 | 5.1 |
| 2007 | 574 | 4.5 | 0.19 | 4.1 | 4.8 | 504 | 4.5 | 0.20 | 4.1 | 5.0 |
| 2008 | 615 | 4.7 | 0.19 | 4.3 | 5.1 | 562 | 5.0 | 0.21 | 4.5 | 5.4 |
| 2009 | 597 | 4.5 | 0.19 | 4.1 | 4.9 | 531 | 4.6 | 0.20 | 4.3 | 5.1 |
| 2010 | 589 | 4.4 | 0.18 | 4.0 | 4.7 | 518 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2011 | 579 | 4.2 | 0.18 | 3.9 | 4.6 | 515 | 4.4 | 0.20 | 4.0 | 4.8 |
| 2012 | 596 | 4.2 | 0.18 | 3.9 | 4.6 | 540 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2013 | 621 | 4.4 | 0.18 | 4.0 | 4.7 | 552 | 4.6 | 0.20 | 4.2 | 5.0 |
| 2014 | 646 | 4.5 | 0.18 | 4.1 | 4.8 | 551 | 4.5 | 0.19 | 4.1 | 4.9 |
| 2015 | 697 | 4.7 | 0.18 | 4.4 | 5.1 | 621 | 5.0 | 0.20 | 4.6 | 5.4 |
| 2016 | 665 | 4.4 | 0.17 | 4.1 | 4.8 | 579 | 4.6 | 0.19 | 4.2 | 5.0 |
| 2017 | 672 | 4.4 | 0.17 | 4.1 | 4.8 | 602 | 4.7 | 0.19 | 4.3 | 5.1 |
| 2018 | 626 | 4.0 | 0.16 | 3.7 | 4.4 | 550 | 4.2 | 0.18 | 3.9 | 4.6 |
| 2019 | 677 | 4.3 | 0.17 | 4.0 | 4.7 | 603 | 4.6 | 0.19 | 4.2 | 5.0 |
| 2020 | 597 | 3.7 | 0.15 | 3.4 | 4.0 | 535 | 3.9 | 0.17 | 3.6 | 4.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary Bladder | | | | | | | | | | |
|------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,901 | 4.1 | 0.09 | 3.9 | 4.2 | 169 | 1.5 | 0.12 | 1.3 | 1.7 |
| 1986 | 45 | 4.6 | 0.71 | 3.3 | 6.2 | * | * | * | * | * |
| 1987 | 47 | 4.8 | 0.72 | 3.5 | 6.4 | * | * | * | * | * |
| 1988 | 52 | 5.0 | 0.72 | 3.7 | 6.6 | * | * | * | * | * |
| 1989 | 49 | 5.0 | 0.73 | 3.6 | 6.6 | * | * | * | * | * |
| 1990 | 56 | 5.7 | 0.78 | 4.2 | 7.4 | * | * | * | * | * |
| 1991 | 50 | 5.0 | 0.73 | 3.7 | 6.6 | * | * | * | * | * |
| 1992 | 53 | 5.0 | 0.70 | 3.7 | 6.5 | * | * | * | * | * |
| 1993 | 39 | 3.6 | 0.59 | 2.5 | 4.9 | * | * | * | * | * |
| 1994 | 51 | 4.6 | 0.65 | 3.4 | 6.0 | * | * | * | * | * |
| 1995 | 38 | 3.4 | 0.57 | 2.4 | 4.7 | * | * | * | * | * |
| 1996 | 57 | 5.0 | 0.68 | 3.8 | 6.5 | * | * | * | * | * |
| 1997 | 49 | 4.1 | 0.59 | 3.0 | 5.4 | * | * | * | * | * |
| 1998 | 51 | 4.1 | 0.58 | 3.0 | 5.4 | * | * | * | * | * |
| 1999 | 56 | 4.6 | 0.62 | 3.4 | 5.9 | * | * | * | * | * |
| 2000 | 53 | 4.5 | 0.63 | 3.3 | 5.9 | * | * | * | * | * |
| 2001 | 51 | 4.1 | 0.59 | 3.0 | 5.4 | * | * | * | * | * |
| 2002 | 47 | 3.8 | 0.57 | 2.8 | 5.1 | * | * | * | * | * |
| 2003 | 44 | 3.5 | 0.55 | 2.6 | 4.8 | * | * | * | * | * |
| 2004 | 48 | 3.4 | 0.50 | 2.5 | 4.5 | * | * | * | * | * |
| 2005 | 46 | 3.5 | 0.53 | 2.5 | 4.7 | * | * | * | * | * |
| 2006 | 55 | 4.1 | 0.56 | 3.1 | 5.3 | * | * | * | * | * |
| 2007 | 64 | 4.6 | 0.58 | 3.5 | 5.8 | * | * | * | * | * |
| 2008 | 49 | 3.5 | 0.51 | 2.6 | 4.6 | * | * | * | * | * |
| 2009 | 64 | 4.5 | 0.57 | 3.5 | 5.8 | * | * | * | * | * |
| 2010 | 63 | 4.3 | 0.55 | 3.3 | 5.5 | * | * | * | * | * |
| 2011 | 56 | 3.7 | 0.51 | 2.8 | 4.8 | * | * | * | * | * |
| 2012 | 42 | 2.7 | 0.42 | 1.9 | 3.6 | 14 | 3.0 | 0.83 | 1.6 | 5.0 |
| 2013 | 60 | 3.7 | 0.49 | 2.8 | 4.8 | * | * | * | * | * |
| 2014 | 80 | 4.7 | 0.54 | 3.7 | 5.9 | 15 | 2.6 | 0.71 | 1.4 | 4.4 |
| 2015 | 69 | 4.0 | 0.49 | 3.1 | 5.1 | * | * | * | * | * |
| 2016 | 80 | 4.6 | 0.52 | 3.6 | 5.7 | * | * | * | * | * |
| 2017 | 61 | 3.4 | 0.44 | 2.6 | 4.4 | * | * | * | * | * |
| 2018 | 64 | 3.5 | 0.45 | 2.7 | 4.5 | 12 | 1.7 | 0.50 | 0.9 | 3.0 |
| 2019 | 61 | 3.3 | 0.43 | 2.5 | 4.2 | 13 | 1.7 | 0.48 | 0.9 | 2.9 |
| 2020 | 51 | 2.6 | 0.37 | 1.9 | 3.5 | 11 | 1.3 | 0.39 | 0.6 | 2.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Urinary Bladder

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|--------|------|------|-----|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 13,292 | 7.8 | 0.07 | 7.7 | 7.9 | 12,184 | 8.2 | 0.08 | 8.1 | 8.4 |
| 1986 | 322 | 8.8 | 0.51 | 7.8 | 9.9 | 300 | 9.2 | 0.55 | 8.1 | 10.3 |
| 1987 | 307 | 8.1 | 0.48 | 7.2 | 9.1 | 281 | 8.3 | 0.52 | 7.3 | 9.4 |
| 1988 | 310 | 8.0 | 0.48 | 7.1 | 9.0 | 277 | 8.1 | 0.50 | 7.1 | 9.1 |
| 1989 | 288 | 7.4 | 0.45 | 6.5 | 8.3 | 262 | 7.5 | 0.48 | 6.6 | 8.5 |
| 1990 | 322 | 8.3 | 0.49 | 7.4 | 9.3 | 294 | 8.5 | 0.52 | 7.5 | 9.6 |
| 1991 | 318 | 8.2 | 0.48 | 7.3 | 9.2 | 286 | 8.2 | 0.51 | 7.3 | 9.3 |
| 1992 | 339 | 8.5 | 0.48 | 7.6 | 9.5 | 319 | 9.0 | 0.52 | 8.0 | 10.0 |
| 1993 | 354 | 8.7 | 0.48 | 7.8 | 9.7 | 330 | 9.1 | 0.52 | 8.1 | 10.2 |
| 1994 | 355 | 8.5 | 0.47 | 7.6 | 9.5 | 331 | 9.0 | 0.51 | 8.0 | 10.0 |
| 1995 | 350 | 8.1 | 0.45 | 7.3 | 9.1 | 324 | 8.5 | 0.48 | 7.6 | 9.5 |
| 1996 | 318 | 7.6 | 0.44 | 6.7 | 8.5 | 295 | 7.9 | 0.47 | 7.0 | 8.9 |
| 1997 | 338 | 7.7 | 0.43 | 6.9 | 8.6 | 312 | 8.1 | 0.47 | 7.2 | 9.0 |
| 1998 | 338 | 7.7 | 0.43 | 6.9 | 8.5 | 312 | 8.0 | 0.46 | 7.1 | 9.0 |
| 1999 | 360 | 8.1 | 0.43 | 7.3 | 9.0 | 330 | 8.4 | 0.47 | 7.5 | 9.4 |
| 2000 | 355 | 7.9 | 0.43 | 7.1 | 8.8 | 331 | 8.3 | 0.46 | 7.4 | 9.3 |
| 2001 | 339 | 7.4 | 0.41 | 6.6 | 8.2 | 317 | 7.8 | 0.44 | 7.0 | 8.7 |
| 2002 | 342 | 7.4 | 0.40 | 6.6 | 8.2 | 322 | 7.9 | 0.44 | 7.0 | 8.8 |
| 2003 | 378 | 8.0 | 0.42 | 7.2 | 8.9 | 358 | 8.7 | 0.46 | 7.8 | 9.6 |
| 2004 | 382 | 7.8 | 0.41 | 7.0 | 8.6 | 359 | 8.4 | 0.45 | 7.6 | 9.3 |
| 2005 | 370 | 7.6 | 0.40 | 6.8 | 8.4 | 345 | 8.0 | 0.44 | 7.2 | 8.9 |
| 2006 | 383 | 7.8 | 0.41 | 7.1 | 8.7 | 353 | 8.3 | 0.44 | 7.4 | 9.2 |
| 2007 | 391 | 7.7 | 0.39 | 6.9 | 8.5 | 350 | 7.9 | 0.43 | 7.1 | 8.8 |
| 2008 | 428 | 8.4 | 0.41 | 7.6 | 9.3 | 402 | 9.1 | 0.46 | 8.2 | 10.0 |
| 2009 | 413 | 7.9 | 0.39 | 7.1 | 8.7 | 375 | 8.2 | 0.43 | 7.4 | 9.1 |
| 2010 | 407 | 7.6 | 0.38 | 6.8 | 8.3 | 367 | 7.9 | 0.42 | 7.1 | 8.7 |
| 2011 | 398 | 7.3 | 0.37 | 6.6 | 8.0 | 364 | 7.7 | 0.41 | 6.9 | 8.5 |
| 2012 | 420 | 7.5 | 0.37 | 6.8 | 8.3 | 388 | 8.1 | 0.42 | 7.3 | 8.9 |
| 2013 | 419 | 7.3 | 0.36 | 6.7 | 8.1 | 382 | 7.8 | 0.40 | 7.0 | 8.6 |
| 2014 | 450 | 7.6 | 0.37 | 6.9 | 8.4 | 396 | 7.9 | 0.40 | 7.1 | 8.7 |
| 2015 | 486 | 8.1 | 0.37 | 7.4 | 8.9 | 443 | 8.7 | 0.42 | 7.9 | 9.5 |
| 2016 | 469 | 7.8 | 0.36 | 7.1 | 8.5 | 422 | 8.2 | 0.41 | 7.5 | 9.1 |
| 2017 | 477 | 7.7 | 0.36 | 7.0 | 8.4 | 428 | 8.1 | 0.40 | 7.3 | 8.9 |
| 2018 | 450 | 7.2 | 0.34 | 6.5 | 7.9 | 398 | 7.5 | 0.38 | 6.8 | 8.3 |
| 2019 | 501 | 7.9 | 0.36 | 7.2 | 8.6 | 454 | 8.4 | 0.40 | 7.7 | 9.2 |
| 2020 | 415 | 6.3 | 0.31 | 5.7 | 6.9 | 377 | 6.7 | 0.35 | 6.1 | 7.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary Bladder | | | | | | | | | | |
|------------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,005 | 5.7 | 0.19 | 5.4 | 6.1 | 103 | 2.1 | 0.23 | 1.7 | 2.6 |
| 1986 | 21 | 5.9 | 1.38 | 3.5 | 9.1 | * | * | * | * | * |
| 1987 | 26 | 7.1 | 1.50 | 4.5 | 10.6 | * | * | * | * | * |
| 1988 | 32 | 8.1 | 1.55 | 5.4 | 11.6 | * | * | * | * | * |
| 1989 | 24 | 6.6 | 1.42 | 4.1 | 9.8 | * | * | * | * | * |
| 1990 | 27 | 7.6 | 1.58 | 4.9 | 11.2 | * | * | * | * | * |
| 1991 | 32 | 8.5 | 1.60 | 5.7 | 12.1 | * | * | * | * | * |
| 1992 | 19 | 4.7 | 1.17 | 2.7 | 7.5 | * | * | * | * | * |
| 1993 | 23 | 5.1 | 1.15 | 3.1 | 7.8 | * | * | * | * | * |
| 1994 | 23 | 5.1 | 1.12 | 3.1 | 7.7 | * | * | * | * | * |
| 1995 | 25 | 5.8 | 1.23 | 3.6 | 8.6 | * | * | * | * | * |
| 1996 | 23 | 5.2 | 1.16 | 3.2 | 7.9 | * | * | * | * | * |
| 1997 | 25 | 5.1 | 1.08 | 3.2 | 7.6 | * | * | * | * | * |
| 1998 | 26 | 5.3 | 1.11 | 3.3 | 7.8 | * | * | * | * | * |
| 1999 | 28 | 6.1 | 1.21 | 3.9 | 8.9 | * | * | * | * | * |
| 2000 | 23 | 5.7 | 1.25 | 3.5 | 8.6 | * | * | * | * | * |
| 2001 | 21 | 4.4 | 1.04 | 2.6 | 6.8 | * | * | * | * | * |
| 2002 | 19 | 4.1 | 0.99 | 2.4 | 6.4 | * | * | * | * | * |
| 2003 | 18 | 4.1 | 1.05 | 2.3 | 6.6 | * | * | * | * | * |
| 2004 | 21 | 3.3 | 0.76 | 2.0 | 5.1 | * | * | * | * | * |
| 2005 | 24 | 5.7 | 1.22 | 3.5 | 8.5 | * | * | * | * | * |
| 2006 | 30 | 6.5 | 1.28 | 4.2 | 9.3 | * | * | * | * | * |
| 2007 | 36 | 7.2 | 1.29 | 4.9 | 10.1 | * | * | * | * | * |
| 2008 | 24 | 4.6 | 0.99 | 2.9 | 6.9 | * | * | * | * | * |
| 2009 | 36 | 7.0 | 1.23 | 4.8 | 9.7 | * | * | * | * | * |
| 2010 | 35 | 6.7 | 1.18 | 4.6 | 9.3 | * | * | * | * | * |
| 2011 | 31 | 5.5 | 1.02 | 3.7 | 7.8 | * | * | * | * | * |
| 2012 | 23 | 4.0 | 0.88 | 2.5 | 6.0 | * | * | * | * | * |
| 2013 | 33 | 5.6 | 1.01 | 3.8 | 7.9 | * | * | * | * | * |
| 2014 | 43 | 6.7 | 1.06 | 4.8 | 9.0 | 11 | 4.5 | 1.48 | 2.1 | 8.2 |
| 2015 | 38 | 5.8 | 0.98 | 4.0 | 8.0 | * | * | * | * | * |
| 2016 | 44 | 6.7 | 1.05 | 4.8 | 9.0 | * | * | * | * | * |
| 2017 | 44 | 6.3 | 1.00 | 4.5 | 8.6 | * | * | * | * | * |
| 2018 | 41 | 6.1 | 0.99 | 4.3 | 8.3 | 11 | 3.8 | 1.19 | 1.9 | 6.8 |
| 2019 | 38 | 5.6 | 0.92 | 3.9 | 7.6 | * | * | * | * | * |
| 2020 | 29 | 4.0 | 0.76 | 2.6 | 5.7 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Urinary Bladder | | | | | | | | | | |
|------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 6,265 | 2.3 | 0.03 | 2.3 | 2.4 | 5,303 | 2.3 | 0.03 | 2.2 | 2.3 |
| 1986 | 163 | 2.6 | 0.20 | 2.2 | 3.0 | 139 | 2.4 | 0.20 | 2.0 | 2.8 |
| 1987 | 153 | 2.4 | 0.20 | 2.0 | 2.8 | 131 | 2.3 | 0.20 | 1.9 | 2.7 |
| 1988 | 159 | 2.4 | 0.19 | 2.1 | 2.8 | 139 | 2.3 | 0.20 | 2.0 | 2.8 |
| 1989 | 159 | 2.4 | 0.20 | 2.1 | 2.9 | 134 | 2.3 | 0.20 | 1.9 | 2.7 |
| 1990 | 176 | 2.6 | 0.20 | 2.3 | 3.1 | 146 | 2.4 | 0.20 | 2.1 | 2.9 |
| 1991 | 146 | 2.1 | 0.18 | 1.8 | 2.5 | 127 | 2.1 | 0.18 | 1.7 | 2.5 |
| 1992 | 177 | 2.6 | 0.20 | 2.2 | 3.0 | 143 | 2.3 | 0.19 | 1.9 | 2.7 |
| 1993 | 149 | 2.1 | 0.17 | 1.8 | 2.5 | 132 | 2.1 | 0.18 | 1.7 | 2.5 |
| 1994 | 170 | 2.4 | 0.19 | 2.1 | 2.8 | 140 | 2.2 | 0.19 | 1.9 | 2.6 |
| 1995 | 151 | 2.1 | 0.17 | 1.8 | 2.5 | 138 | 2.2 | 0.19 | 1.8 | 2.6 |
| 1996 | 194 | 2.7 | 0.19 | 2.3 | 3.1 | 157 | 2.4 | 0.20 | 2.1 | 2.9 |
| 1997 | 167 | 2.3 | 0.18 | 2.0 | 2.7 | 141 | 2.2 | 0.18 | 1.8 | 2.6 |
| 1998 | 181 | 2.5 | 0.18 | 2.1 | 2.8 | 156 | 2.4 | 0.19 | 2.0 | 2.8 |
| 1999 | 200 | 2.7 | 0.19 | 2.3 | 3.1 | 171 | 2.6 | 0.20 | 2.2 | 3.0 |
| 2000 | 186 | 2.5 | 0.18 | 2.1 | 2.8 | 155 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2001 | 181 | 2.4 | 0.18 | 2.0 | 2.8 | 150 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2002 | 169 | 2.2 | 0.17 | 1.9 | 2.6 | 141 | 2.2 | 0.18 | 1.8 | 2.5 |
| 2003 | 179 | 2.4 | 0.18 | 2.0 | 2.8 | 152 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2004 | 192 | 2.5 | 0.18 | 2.2 | 2.9 | 162 | 2.4 | 0.19 | 2.0 | 2.8 |
| 2005 | 190 | 2.5 | 0.18 | 2.1 | 2.9 | 163 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2006 | 196 | 2.5 | 0.18 | 2.2 | 2.9 | 169 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2007 | 183 | 2.3 | 0.18 | 2.0 | 2.7 | 154 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2008 | 187 | 2.3 | 0.17 | 2.0 | 2.7 | 160 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2009 | 184 | 2.3 | 0.17 | 2.0 | 2.7 | 156 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2010 | 182 | 2.2 | 0.17 | 1.9 | 2.6 | 151 | 2.1 | 0.18 | 1.8 | 2.5 |
| 2011 | 181 | 2.2 | 0.17 | 1.9 | 2.6 | 151 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2012 | 176 | 2.1 | 0.16 | 1.8 | 2.4 | 152 | 2.1 | 0.17 | 1.7 | 2.4 |
| 2013 | 202 | 2.4 | 0.17 | 2.1 | 2.8 | 170 | 2.4 | 0.19 | 2.0 | 2.8 |
| 2014 | 196 | 2.3 | 0.17 | 2.0 | 2.6 | 155 | 2.1 | 0.18 | 1.8 | 2.5 |
| 2015 | 211 | 2.4 | 0.17 | 2.1 | 2.8 | 178 | 2.4 | 0.19 | 2.1 | 2.8 |
| 2016 | 196 | 2.2 | 0.16 | 1.9 | 2.6 | 157 | 2.1 | 0.17 | 1.8 | 2.5 |
| 2017 | 195 | 2.2 | 0.16 | 1.9 | 2.5 | 174 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2018 | 176 | 1.9 | 0.15 | 1.6 | 2.2 | 152 | 2.0 | 0.16 | 1.7 | 2.3 |
| 2019 | 176 | 1.9 | 0.15 | 1.7 | 2.3 | 149 | 2.0 | 0.16 | 1.6 | 2.3 |
| 2020 | 182 | 1.9 | 0.14 | 1.6 | 2.2 | 158 | 2.0 | 0.16 | 1.7 | 2.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Urinary Bladder

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 896 | 3.1 | 0.10 | 2.9 | 3.3 | 66 | 1.0 | 0.13 | 0.8 | 1.3 |
| 1986 | 24 | 3.9 | 0.82 | 2.5 | 5.9 | * | * | * | * | * |
| 1987 | 21 | 3.5 | 0.77 | 2.1 | 5.3 | * | * | * | * | * |
| 1988 | 20 | 3.2 | 0.73 | 1.9 | 4.9 | * | * | * | * | * |
| 1989 | 25 | 4.0 | 0.82 | 2.6 | 5.9 | * | * | * | * | * |
| 1990 | 29 | 4.6 | 0.87 | 3.1 | 6.6 | * | * | * | * | * |
| 1991 | 18 | 3.0 | 0.71 | 1.8 | 4.7 | * | * | * | * | * |
| 1992 | 34 | 5.1 | 0.89 | 3.5 | 7.2 | * | * | * | * | * |
| 1993 | 16 | 2.5 | 0.63 | 1.4 | 4.0 | * | * | * | * | * |
| 1994 | 28 | 4.1 | 0.78 | 2.7 | 5.9 | * | * | * | * | * |
| 1995 | 13 | 2.0 | 0.55 | 1.0 | 3.3 | * | * | * | * | * |
| 1996 | 34 | 4.7 | 0.81 | 3.2 | 6.5 | * | * | * | * | * |
| 1997 | 24 | 3.3 | 0.68 | 2.1 | 4.9 | * | * | * | * | * |
| 1998 | 25 | 3.3 | 0.67 | 2.2 | 4.9 | * | * | * | * | * |
| 1999 | 28 | 3.7 | 0.70 | 2.4 | 5.3 | * | * | * | * | * |
| 2000 | 30 | 3.9 | 0.72 | 2.6 | 5.6 | * | * | * | * | * |
| 2001 | 30 | 3.9 | 0.72 | 2.6 | 5.6 | * | * | * | * | * |
| 2002 | 28 | 3.6 | 0.69 | 2.4 | 5.2 | * | * | * | * | * |
| 2003 | 26 | 3.3 | 0.65 | 2.2 | 4.8 | * | * | * | * | * |
| 2004 | 27 | 3.3 | 0.63 | 2.2 | 4.8 | * | * | * | * | * |
| 2005 | 22 | 2.6 | 0.55 | 1.6 | 3.9 | * | * | * | * | * |
| 2006 | 25 | 3.0 | 0.60 | 1.9 | 4.4 | * | * | * | * | * |
| 2007 | 28 | 3.2 | 0.61 | 2.1 | 4.6 | * | * | * | * | * |
| 2008 | 25 | 2.9 | 0.57 | 1.8 | 4.2 | * | * | * | * | * |
| 2009 | 28 | 3.2 | 0.60 | 2.1 | 4.6 | * | * | * | * | * |
| 2010 | 28 | 3.1 | 0.59 | 2.0 | 4.4 | * | * | * | * | * |
| 2011 | 25 | 2.6 | 0.53 | 1.7 | 3.9 | * | * | * | * | * |
| 2012 | 19 | 2.0 | 0.47 | 1.2 | 3.1 | * | * | * | * | * |
| 2013 | 27 | 2.7 | 0.52 | 1.8 | 3.9 | * | * | * | * | * |
| 2014 | 37 | 3.5 | 0.58 | 2.4 | 4.8 | * | * | * | * | * |
| 2015 | 31 | 3.0 | 0.55 | 2.0 | 4.3 | * | * | * | * | * |
| 2016 | 36 | 3.4 | 0.57 | 2.4 | 4.7 | * | * | * | * | * |
| 2017 | 17 | 1.6 | 0.39 | 0.9 | 2.5 | * | * | * | * | * |
| 2018 | 23 | 2.1 | 0.43 | 1.3 | 3.1 | * | * | * | * | * |
| 2019 | 23 | 2.0 | 0.43 | 1.3 | 3.1 | * | * | * | * | * |
| 2020 | 22 | 1.8 | 0.39 | 1.1 | 2.8 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Kidney and Renal Pelvis

Both Sexes

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|--------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 18,935 | 4.3 | 0.03 | 4.2 | 4.3 | 16,483 | 4.3 | 0.03 | 4.3 | 4.4 |
| 1986 | 463 | 4.4 | 0.21 | 4.0 | 4.8 | 408 | 4.4 | 0.22 | 4.0 | 4.8 |
| 1987 | 485 | 4.6 | 0.21 | 4.2 | 5.0 | 442 | 4.7 | 0.23 | 4.3 | 5.2 |
| 1988 | 457 | 4.3 | 0.20 | 3.9 | 4.7 | 396 | 4.2 | 0.22 | 3.8 | 4.7 |
| 1989 | 501 | 4.7 | 0.21 | 4.2 | 5.1 | 448 | 4.7 | 0.23 | 4.3 | 5.2 |
| 1990 | 495 | 4.6 | 0.21 | 4.2 | 5.0 | 441 | 4.6 | 0.22 | 4.2 | 5.1 |
| 1991 | 495 | 4.5 | 0.21 | 4.1 | 5.0 | 444 | 4.6 | 0.22 | 4.2 | 5.1 |
| 1992 | 489 | 4.4 | 0.20 | 4.0 | 4.8 | 441 | 4.5 | 0.22 | 4.1 | 5.0 |
| 1993 | 530 | 4.7 | 0.20 | 4.3 | 5.1 | 470 | 4.8 | 0.22 | 4.4 | 5.2 |
| 1994 | 571 | 5.0 | 0.21 | 4.6 | 5.5 | 495 | 5.0 | 0.23 | 4.6 | 5.5 |
| 1995 | 526 | 4.6 | 0.20 | 4.2 | 5.0 | 461 | 4.6 | 0.22 | 4.2 | 5.1 |
| 1996 | 494 | 4.3 | 0.19 | 3.9 | 4.7 | 428 | 4.3 | 0.21 | 3.9 | 4.7 |
| 1997 | 509 | 4.4 | 0.19 | 4.0 | 4.8 | 428 | 4.3 | 0.21 | 3.9 | 4.7 |
| 1998 | 550 | 4.7 | 0.20 | 4.3 | 5.1 | 483 | 4.7 | 0.22 | 4.3 | 5.2 |
| 1999 | 490 | 4.1 | 0.19 | 3.8 | 4.5 | 425 | 4.1 | 0.20 | 3.8 | 4.6 |
| 2000 | 575 | 4.8 | 0.20 | 4.4 | 5.2 | 498 | 4.8 | 0.22 | 4.4 | 5.3 |
| 2001 | 565 | 4.7 | 0.20 | 4.3 | 5.1 | 489 | 4.7 | 0.21 | 4.3 | 5.1 |
| 2002 | 540 | 4.4 | 0.19 | 4.1 | 4.8 | 472 | 4.5 | 0.21 | 4.1 | 5.0 |
| 2003 | 566 | 4.6 | 0.19 | 4.2 | 5.0 | 474 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2004 | 537 | 4.3 | 0.19 | 3.9 | 4.7 | 466 | 4.4 | 0.20 | 4.0 | 4.8 |
| 2005 | 554 | 4.4 | 0.19 | 4.0 | 4.7 | 488 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2006 | 530 | 4.2 | 0.18 | 3.8 | 4.5 | 454 | 4.2 | 0.20 | 3.8 | 4.6 |
| 2007 | 543 | 4.2 | 0.18 | 3.8 | 4.5 | 466 | 4.2 | 0.20 | 3.8 | 4.6 |
| 2008 | 581 | 4.4 | 0.19 | 4.1 | 4.8 | 510 | 4.6 | 0.21 | 4.2 | 5.0 |
| 2009 | 545 | 4.1 | 0.18 | 3.7 | 4.4 | 473 | 4.2 | 0.19 | 3.8 | 4.6 |
| 2010 | 547 | 4.0 | 0.17 | 3.7 | 4.4 | 464 | 4.0 | 0.19 | 3.7 | 4.4 |
| 2011 | 556 | 4.0 | 0.17 | 3.7 | 4.4 | 509 | 4.4 | 0.20 | 4.0 | 4.8 |
| 2012 | 582 | 4.1 | 0.17 | 3.8 | 4.5 | 514 | 4.3 | 0.19 | 4.0 | 4.7 |
| 2013 | 625 | 4.4 | 0.18 | 4.0 | 4.7 | 533 | 4.4 | 0.19 | 4.0 | 4.8 |
| 2014 | 602 | 4.1 | 0.17 | 3.7 | 4.4 | 511 | 4.1 | 0.19 | 3.8 | 4.5 |
| 2015 | 620 | 4.1 | 0.17 | 3.8 | 4.5 | 530 | 4.2 | 0.19 | 3.9 | 4.6 |
| 2016 | 577 | 3.8 | 0.16 | 3.5 | 4.2 | 488 | 3.9 | 0.18 | 3.5 | 4.2 |
| 2017 | 548 | 3.6 | 0.16 | 3.3 | 3.9 | 457 | 3.6 | 0.17 | 3.3 | 4.0 |
| 2018 | 552 | 3.6 | 0.15 | 3.3 | 3.9 | 474 | 3.7 | 0.17 | 3.4 | 4.0 |
| 2019 | 547 | 3.5 | 0.15 | 3.2 | 3.8 | 487 | 3.8 | 0.17 | 3.4 | 4.1 |
| 2020 | 588 | 3.7 | 0.15 | 3.4 | 4.0 | 516 | 3.9 | 0.18 | 3.6 | 4.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Kidney and Renal Pelvis

Both Sexes

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,239 | 4.3 | 0.09 | 4.1 | 4.5 | 213 | 1.6 | 0.11 | 1.4 | 1.8 |
| 1986 | 53 | 4.7 | 0.68 | 3.5 | 6.2 | * | * | * | * | * |
| 1987 | 41 | 3.5 | 0.57 | 2.5 | 4.8 | * | * | * | * | * |
| 1988 | 60 | 5.3 | 0.71 | 4.0 | 6.9 | * | * | * | * | * |
| 1989 | 52 | 4.3 | 0.61 | 3.2 | 5.6 | * | * | * | * | * |
| 1990 | 53 | 4.7 | 0.66 | 3.5 | 6.2 | * | * | * | * | * |
| 1991 | 49 | 4.1 | 0.60 | 3.0 | 5.5 | * | * | * | * | * |
| 1992 | 48 | 3.9 | 0.58 | 2.9 | 5.2 | * | * | * | * | * |
| 1993 | 58 | 4.6 | 0.61 | 3.4 | 5.9 | * | * | * | * | * |
| 1994 | 70 | 5.5 | 0.67 | 4.2 | 6.9 | * | * | * | * | * |
| 1995 | 64 | 5.2 | 0.67 | 4.0 | 6.7 | * | * | * | * | * |
| 1996 | 62 | 4.7 | 0.61 | 3.6 | 6.0 | * | * | * | * | * |
| 1997 | 77 | 5.8 | 0.69 | 4.6 | 7.3 | * | * | * | * | * |
| 1998 | 57 | 4.1 | 0.56 | 3.1 | 5.4 | 10 | 3.4 | 1.15 | 1.5 | 6.4 |
| 1999 | 62 | 4.5 | 0.58 | 3.4 | 5.8 | * | * | * | * | * |
| 2000 | 73 | 5.3 | 0.63 | 4.1 | 6.7 | * | * | * | * | * |
| 2001 | 71 | 5.0 | 0.61 | 3.9 | 6.3 | * | * | * | * | * |
| 2002 | 60 | 4.4 | 0.59 | 3.4 | 5.7 | * | * | * | * | * |
| 2003 | 87 | 5.9 | 0.65 | 4.7 | 7.3 | * | * | * | * | * |
| 2004 | 67 | 4.5 | 0.56 | 3.5 | 5.8 | * | * | * | * | * |
| 2005 | 61 | 4.0 | 0.52 | 3.0 | 5.1 | * | * | * | * | * |
| 2006 | 66 | 4.1 | 0.52 | 3.2 | 5.2 | 10 | 2.4 | 0.81 | 1.1 | 4.5 |
| 2007 | 69 | 4.5 | 0.56 | 3.5 | 5.8 | * | * | * | * | * |
| 2008 | 64 | 4.0 | 0.51 | 3.0 | 5.1 | * | * | * | * | * |
| 2009 | 62 | 3.9 | 0.50 | 3.0 | 5.0 | 10 | 1.9 | 0.62 | 0.8 | 3.5 |
| 2010 | 76 | 4.6 | 0.54 | 3.6 | 5.8 | * | * | * | * | * |
| 2011 | 42 | 2.6 | 0.41 | 1.9 | 3.5 | * | * | * | * | * |
| 2012 | 62 | 3.6 | 0.47 | 2.8 | 4.7 | * | * | * | * | * |
| 2013 | 81 | 4.7 | 0.54 | 3.8 | 5.9 | 11 | 2.3 | 0.72 | 1.1 | 4.1 |
| 2014 | 81 | 4.6 | 0.52 | 3.6 | 5.7 | 10 | 1.8 | 0.57 | 0.8 | 3.2 |
| 2015 | 84 | 4.5 | 0.50 | 3.6 | 5.6 | * | * | * | * | * |
| 2016 | 74 | 4.1 | 0.48 | 3.2 | 5.1 | 15 | 2.1 | 0.56 | 1.2 | 3.5 |
| 2017 | 83 | 4.5 | 0.50 | 3.6 | 5.6 | * | * | * | * | * |
| 2018 | 63 | 3.4 | 0.43 | 2.6 | 4.4 | 15 | 1.8 | 0.48 | 1.0 | 3.0 |
| 2019 | 48 | 2.5 | 0.37 | 1.9 | 3.4 | 12 | 1.4 | 0.40 | 0.7 | 2.4 |
| 2020 | 59 | 2.9 | 0.39 | 2.2 | 3.8 | 13 | 1.5 | 0.42 | 0.8 | 2.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Kidney and Renal Pelvis

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|--------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 11,699 | 6.2 | 0.06 | 6.1 | 6.3 | 10,182 | 6.3 | 0.06 | 6.2 | 6.4 |
| 1986 | 291 | 6.7 | 0.41 | 5.9 | 7.5 | 257 | 6.7 | 0.43 | 5.8 | 7.6 |
| 1987 | 286 | 6.6 | 0.41 | 5.9 | 7.5 | 259 | 6.8 | 0.44 | 6.0 | 7.7 |
| 1988 | 288 | 6.6 | 0.41 | 5.9 | 7.5 | 241 | 6.3 | 0.42 | 5.5 | 7.2 |
| 1989 | 296 | 6.8 | 0.41 | 6.0 | 7.6 | 269 | 7.0 | 0.44 | 6.1 | 7.9 |
| 1990 | 291 | 6.6 | 0.40 | 5.8 | 7.4 | 262 | 6.7 | 0.42 | 5.9 | 7.6 |
| 1991 | 297 | 6.6 | 0.40 | 5.9 | 7.4 | 266 | 6.8 | 0.43 | 5.9 | 7.6 |
| 1992 | 288 | 6.3 | 0.38 | 5.5 | 7.1 | 257 | 6.4 | 0.41 | 5.6 | 7.3 |
| 1993 | 314 | 6.7 | 0.39 | 6.0 | 7.5 | 279 | 6.8 | 0.42 | 6.0 | 7.7 |
| 1994 | 346 | 7.4 | 0.41 | 6.6 | 8.2 | 302 | 7.4 | 0.43 | 6.6 | 8.3 |
| 1995 | 302 | 6.4 | 0.37 | 5.6 | 7.1 | 260 | 6.3 | 0.39 | 5.5 | 7.1 |
| 1996 | 314 | 6.6 | 0.38 | 5.9 | 7.4 | 273 | 6.6 | 0.40 | 5.8 | 7.4 |
| 1997 | 297 | 6.1 | 0.36 | 5.5 | 6.9 | 250 | 6.0 | 0.38 | 5.3 | 6.8 |
| 1998 | 334 | 6.9 | 0.38 | 6.2 | 7.7 | 294 | 7.0 | 0.41 | 6.2 | 7.9 |
| 1999 | 294 | 6.0 | 0.35 | 5.3 | 6.7 | 249 | 5.8 | 0.37 | 5.1 | 6.6 |
| 2000 | 343 | 6.9 | 0.38 | 6.2 | 7.7 | 297 | 6.9 | 0.41 | 6.2 | 7.8 |
| 2001 | 336 | 6.6 | 0.37 | 5.9 | 7.4 | 295 | 6.8 | 0.40 | 6.0 | 7.6 |
| 2002 | 330 | 6.3 | 0.35 | 5.7 | 7.1 | 290 | 6.5 | 0.38 | 5.7 | 7.3 |
| 2003 | 360 | 6.8 | 0.37 | 6.1 | 7.6 | 303 | 6.7 | 0.39 | 6.0 | 7.5 |
| 2004 | 326 | 6.2 | 0.35 | 5.5 | 6.9 | 284 | 6.2 | 0.37 | 5.5 | 7.0 |
| 2005 | 365 | 6.9 | 0.36 | 6.2 | 7.6 | 317 | 6.9 | 0.39 | 6.2 | 7.7 |
| 2006 | 340 | 6.2 | 0.34 | 5.5 | 6.9 | 293 | 6.3 | 0.37 | 5.6 | 7.1 |
| 2007 | 324 | 5.7 | 0.32 | 5.1 | 6.4 | 281 | 5.8 | 0.35 | 5.1 | 6.5 |
| 2008 | 340 | 6.1 | 0.34 | 5.5 | 6.8 | 297 | 6.3 | 0.37 | 5.6 | 7.0 |
| 2009 | 350 | 6.1 | 0.33 | 5.4 | 6.7 | 304 | 6.2 | 0.36 | 5.5 | 6.9 |
| 2010 | 319 | 5.4 | 0.31 | 4.8 | 6.1 | 270 | 5.4 | 0.33 | 4.8 | 6.1 |
| 2011 | 371 | 6.3 | 0.33 | 5.7 | 7.0 | 340 | 6.8 | 0.37 | 6.1 | 7.5 |
| 2012 | 358 | 5.9 | 0.32 | 5.3 | 6.5 | 318 | 6.1 | 0.35 | 5.5 | 6.8 |
| 2013 | 394 | 6.4 | 0.33 | 5.8 | 7.1 | 338 | 6.5 | 0.36 | 5.8 | 7.2 |
| 2014 | 361 | 5.6 | 0.30 | 5.1 | 6.3 | 297 | 5.5 | 0.32 | 4.9 | 6.2 |
| 2015 | 418 | 6.3 | 0.32 | 5.7 | 6.9 | 357 | 6.4 | 0.35 | 5.7 | 7.1 |
| 2016 | 362 | 5.5 | 0.30 | 4.9 | 6.1 | 303 | 5.5 | 0.32 | 4.8 | 6.1 |
| 2017 | 368 | 5.5 | 0.29 | 4.9 | 6.1 | 313 | 5.6 | 0.32 | 4.9 | 6.2 |
| 2018 | 335 | 4.9 | 0.27 | 4.4 | 5.5 | 289 | 5.1 | 0.30 | 4.5 | 5.7 |
| 2019 | 354 | 5.1 | 0.28 | 4.6 | 5.7 | 312 | 5.4 | 0.31 | 4.8 | 6.1 |
| 2020 | 407 | 5.8 | 0.29 | 5.2 | 6.4 | 366 | 6.2 | 0.33 | 5.6 | 6.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Kidney and Renal Pelvis

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|------|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,376 | 6.5 | 0.18 | 6.1 | 6.9 | 141 | 2.3 | 0.21 | 1.9 | 2.8 |
| 1986 | 33 | 7.0 | 1.31 | 4.6 | 10.0 | * | * | * | * | * |
| 1987 | 25 | 5.1 | 1.07 | 3.2 | 7.6 | * | * | * | * | * |
| 1988 | 46 | 9.6 | 1.49 | 6.9 | 12.9 | * | * | * | * | * |
| 1989 | 26 | 5.5 | 1.15 | 3.4 | 8.1 | * | * | * | * | * |
| 1990 | 28 | 6.1 | 1.24 | 4.0 | 9.0 | * | * | * | * | * |
| 1991 | 31 | 5.8 | 1.07 | 3.9 | 8.2 | * | * | * | * | * |
| 1992 | 31 | 5.6 | 1.03 | 3.8 | 8.0 | * | * | * | * | * |
| 1993 | 33 | 6.4 | 1.17 | 4.3 | 9.1 | * | * | * | * | * |
| 1994 | 40 | 7.6 | 1.27 | 5.3 | 10.5 | * | * | * | * | * |
| 1995 | 41 | 8.2 | 1.37 | 5.7 | 11.3 | * | * | * | * | * |
| 1996 | 37 | 6.8 | 1.17 | 4.7 | 9.4 | * | * | * | * | * |
| 1997 | 44 | 7.8 | 1.27 | 5.5 | 10.6 | * | * | * | * | * |
| 1998 | 36 | 6.0 | 1.06 | 4.1 | 8.5 | * | * | * | * | * |
| 1999 | 44 | 7.8 | 1.25 | 5.5 | 10.6 | * | * | * | * | * |
| 2000 | 44 | 7.9 | 1.26 | 5.7 | 10.7 | * | * | * | * | * |
| 2001 | 39 | 6.3 | 1.06 | 4.4 | 8.7 | * | * | * | * | * |
| 2002 | 33 | 6.2 | 1.18 | 4.1 | 8.9 | * | * | * | * | * |
| 2003 | 54 | 8.9 | 1.28 | 6.5 | 11.7 | * | * | * | * | * |
| 2004 | 39 | 7.0 | 1.21 | 4.8 | 9.7 | * | * | * | * | * |
| 2005 | 45 | 7.5 | 1.21 | 5.4 | 10.2 | * | * | * | * | * |
| 2006 | 44 | 6.5 | 1.06 | 4.6 | 8.9 | * | * | * | * | * |
| 2007 | 36 | 6.2 | 1.11 | 4.2 | 8.7 | * | * | * | * | * |
| 2008 | 39 | 5.8 | 0.99 | 4.1 | 8.1 | * | * | * | * | * |
| 2009 | 37 | 5.7 | 0.99 | 3.9 | 7.9 | * | * | * | * | * |
| 2010 | 44 | 6.6 | 1.05 | 4.7 | 9.0 | * | * | * | * | * |
| 2011 | 27 | 4.2 | 0.84 | 2.7 | 6.1 | * | * | * | * | * |
| 2012 | 37 | 5.6 | 0.97 | 3.8 | 7.8 | * | * | * | * | * |
| 2013 | 48 | 6.9 | 1.05 | 5.0 | 9.2 | * | * | * | * | * |
| 2014 | 58 | 8.4 | 1.16 | 6.3 | 10.9 | * | * | * | * | * |
| 2015 | 57 | 7.5 | 1.04 | 5.6 | 9.8 | * | * | * | * | * |
| 2016 | 49 | 6.5 | 0.98 | 4.7 | 8.7 | 10 | 3.5 | 1.15 | 1.6 | 6.4 |
| 2017 | 50 | 6.8 | 1.00 | 5.0 | 9.1 | * | * | * | * | * |
| 2018 | 37 | 4.8 | 0.82 | 3.4 | 6.7 | * | * | * | * | * |
| 2019 | 31 | 4.2 | 0.78 | 2.8 | 6.0 | 11 | 2.8 | 0.86 | 1.4 | 5.0 |
| 2020 | 33 | 3.9 | 0.70 | 2.6 | 5.5 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Kidney and Renal Pelvis

Females

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 7,236 | 2.8 | 0.03 | 2.7 | 2.9 | 6,301 | 2.9 | 0.04 | 2.8 | 2.9 |
| 1986 | 172 | 2.8 | 0.22 | 2.4 | 3.2 | 151 | 2.8 | 0.23 | 2.3 | 3.3 |
| 1987 | 199 | 3.2 | 0.23 | 2.8 | 3.7 | 183 | 3.3 | 0.25 | 2.8 | 3.8 |
| 1988 | 169 | 2.7 | 0.21 | 2.3 | 3.1 | 155 | 2.8 | 0.23 | 2.4 | 3.3 |
| 1989 | 205 | 3.3 | 0.23 | 2.9 | 3.8 | 179 | 3.2 | 0.25 | 2.8 | 3.8 |
| 1990 | 204 | 3.3 | 0.23 | 2.8 | 3.7 | 179 | 3.2 | 0.24 | 2.7 | 3.7 |
| 1991 | 198 | 3.1 | 0.22 | 2.7 | 3.5 | 178 | 3.1 | 0.24 | 2.7 | 3.6 |
| 1992 | 201 | 3.1 | 0.22 | 2.6 | 3.5 | 184 | 3.2 | 0.24 | 2.7 | 3.7 |
| 1993 | 216 | 3.3 | 0.22 | 2.8 | 3.7 | 191 | 3.3 | 0.24 | 2.9 | 3.8 |
| 1994 | 225 | 3.4 | 0.23 | 2.9 | 3.8 | 193 | 3.3 | 0.24 | 2.8 | 3.8 |
| 1995 | 224 | 3.4 | 0.23 | 3.0 | 3.9 | 201 | 3.5 | 0.25 | 3.0 | 4.1 |
| 1996 | 180 | 2.6 | 0.20 | 2.3 | 3.1 | 155 | 2.6 | 0.21 | 2.2 | 3.0 |
| 1997 | 212 | 3.1 | 0.21 | 2.7 | 3.6 | 178 | 3.0 | 0.23 | 2.6 | 3.5 |
| 1998 | 216 | 3.1 | 0.21 | 2.7 | 3.6 | 189 | 3.1 | 0.23 | 2.7 | 3.6 |
| 1999 | 196 | 2.8 | 0.20 | 2.4 | 3.3 | 176 | 2.9 | 0.22 | 2.5 | 3.4 |
| 2000 | 232 | 3.3 | 0.22 | 2.9 | 3.8 | 201 | 3.3 | 0.24 | 2.9 | 3.8 |
| 2001 | 229 | 3.2 | 0.22 | 2.8 | 3.7 | 194 | 3.2 | 0.23 | 2.8 | 3.7 |
| 2002 | 210 | 2.9 | 0.20 | 2.6 | 3.4 | 182 | 3.0 | 0.22 | 2.6 | 3.4 |
| 2003 | 206 | 2.8 | 0.20 | 2.5 | 3.3 | 171 | 2.7 | 0.21 | 2.3 | 3.2 |
| 2004 | 211 | 2.9 | 0.20 | 2.6 | 3.4 | 182 | 3.0 | 0.22 | 2.5 | 3.4 |
| 2005 | 189 | 2.6 | 0.19 | 2.2 | 3.0 | 171 | 2.7 | 0.21 | 2.3 | 3.2 |
| 2006 | 190 | 2.6 | 0.19 | 2.2 | 3.0 | 161 | 2.6 | 0.21 | 2.2 | 3.0 |
| 2007 | 219 | 2.9 | 0.20 | 2.5 | 3.4 | 185 | 2.9 | 0.22 | 2.5 | 3.4 |
| 2008 | 241 | 3.2 | 0.21 | 2.8 | 3.6 | 213 | 3.3 | 0.23 | 2.9 | 3.8 |
| 2009 | 195 | 2.5 | 0.18 | 2.2 | 2.9 | 169 | 2.6 | 0.20 | 2.2 | 3.0 |
| 2010 | 228 | 2.9 | 0.20 | 2.6 | 3.4 | 194 | 3.0 | 0.22 | 2.6 | 3.4 |
| 2011 | 185 | 2.3 | 0.17 | 2.0 | 2.7 | 169 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2012 | 224 | 2.8 | 0.19 | 2.5 | 3.2 | 196 | 3.0 | 0.22 | 2.6 | 3.4 |
| 2013 | 231 | 2.8 | 0.19 | 2.5 | 3.2 | 195 | 2.8 | 0.21 | 2.4 | 3.2 |
| 2014 | 241 | 2.8 | 0.18 | 2.5 | 3.2 | 214 | 3.0 | 0.21 | 2.6 | 3.5 |
| 2015 | 202 | 2.4 | 0.17 | 2.1 | 2.8 | 173 | 2.5 | 0.19 | 2.1 | 2.9 |
| 2016 | 215 | 2.5 | 0.17 | 2.2 | 2.9 | 185 | 2.6 | 0.20 | 2.2 | 3.0 |
| 2017 | 180 | 2.1 | 0.16 | 1.8 | 2.5 | 144 | 2.1 | 0.17 | 1.7 | 2.4 |
| 2018 | 217 | 2.5 | 0.17 | 2.2 | 2.8 | 185 | 2.5 | 0.19 | 2.2 | 2.9 |
| 2019 | 193 | 2.2 | 0.16 | 1.9 | 2.5 | 175 | 2.4 | 0.19 | 2.1 | 2.8 |
| 2020 | 181 | 2.0 | 0.15 | 1.7 | 2.3 | 150 | 2.0 | 0.17 | 1.7 | 2.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Kidney and Renal Pelvis

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 863 | 2.8 | 0.10 | 2.7 | 3.0 | 72 | 1.0 | 0.12 | 0.8 | 1.2 |
| 1986 | 20 | 3.1 | 0.71 | 1.8 | 4.8 | * | * | * | * | * |
| 1987 | 16 | 2.4 | 0.61 | 1.3 | 3.8 | * | * | * | * | * |
| 1988 | 14 | 2.2 | 0.61 | 1.2 | 3.7 | * | * | * | * | * |
| 1989 | 26 | 3.7 | 0.73 | 2.4 | 5.4 | * | * | * | * | * |
| 1990 | 25 | 3.8 | 0.77 | 2.5 | 5.6 | * | * | * | * | * |
| 1991 | 18 | 2.8 | 0.65 | 1.6 | 4.3 | * | * | * | * | * |
| 1992 | 17 | 2.6 | 0.63 | 1.5 | 4.1 | * | * | * | * | * |
| 1993 | 25 | 3.4 | 0.68 | 2.2 | 4.9 | * | * | * | * | * |
| 1994 | 30 | 4.0 | 0.74 | 2.7 | 5.7 | * | * | * | * | * |
| 1995 | 23 | 3.2 | 0.68 | 2.0 | 4.8 | * | * | * | * | * |
| 1996 | 25 | 3.2 | 0.65 | 2.1 | 4.7 | * | * | * | * | * |
| 1997 | 33 | 4.3 | 0.76 | 3.0 | 6.1 | * | * | * | * | * |
| 1998 | 21 | 2.7 | 0.60 | 1.7 | 4.1 | * | * | * | * | * |
| 1999 | 18 | 2.3 | 0.54 | 1.3 | 3.6 | * | * | * | * | * |
| 2000 | 29 | 3.6 | 0.67 | 2.4 | 5.1 | * | * | * | * | * |
| 2001 | 32 | 3.9 | 0.70 | 2.7 | 5.5 | * | * | * | * | * |
| 2002 | 27 | 3.3 | 0.65 | 2.2 | 4.8 | * | * | * | * | * |
| 2003 | 33 | 3.8 | 0.68 | 2.6 | 5.4 | * | * | * | * | * |
| 2004 | 28 | 3.1 | 0.60 | 2.1 | 4.5 | * | * | * | * | * |
| 2005 | 16 | 1.8 | 0.44 | 1.0 | 2.9 | * | * | * | * | * |
| 2006 | 22 | 2.4 | 0.52 | 1.5 | 3.7 | * | * | * | * | * |
| 2007 | 33 | 3.6 | 0.63 | 2.5 | 5.1 | * | * | * | * | * |
| 2008 | 25 | 2.6 | 0.53 | 1.7 | 3.9 | * | * | * | * | * |
| 2009 | 25 | 2.7 | 0.54 | 1.7 | 4.0 | * | * | * | * | * |
| 2010 | 32 | 3.2 | 0.58 | 2.2 | 4.6 | * | * | * | * | * |
| 2011 | 15 | 1.6 | 0.41 | 0.9 | 2.6 | * | * | * | * | * |
| 2012 | 25 | 2.5 | 0.50 | 1.6 | 3.7 | * | * | * | * | * |
| 2013 | 33 | 3.4 | 0.59 | 2.3 | 4.7 | * | * | * | * | * |
| 2014 | 23 | 2.2 | 0.46 | 1.4 | 3.3 | * | * | * | * | * |
| 2015 | 27 | 2.5 | 0.49 | 1.6 | 3.7 | * | * | * | * | * |
| 2016 | 25 | 2.4 | 0.48 | 1.5 | 3.5 | * | * | * | * | * |
| 2017 | 33 | 3.1 | 0.55 | 2.1 | 4.4 | * | * | * | * | * |
| 2018 | 26 | 2.4 | 0.48 | 1.6 | 3.6 | * | * | * | * | * |
| 2019 | 17 | 1.5 | 0.36 | 0.9 | 2.4 | * | * | * | * | * |
| 2020 | 26 | 2.2 | 0.43 | 1.4 | 3.2 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Brain and Other Nervous System

Both Sexes

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|--------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 18,638 | 4.2 | 0.03 | 4.1 | 4.3 | 16,914 | 4.6 | 0.04 | 4.5 | 4.6 |
| 1986 | 491 | 4.6 | 0.21 | 4.2 | 5.0 | 451 | 4.8 | 0.23 | 4.4 | 5.3 |
| 1987 | 442 | 4.1 | 0.20 | 3.7 | 4.5 | 414 | 4.4 | 0.22 | 4.0 | 4.9 |
| 1988 | 473 | 4.4 | 0.20 | 4.0 | 4.8 | 440 | 4.7 | 0.23 | 4.3 | 5.2 |
| 1989 | 527 | 4.9 | 0.21 | 4.5 | 5.3 | 471 | 5.0 | 0.23 | 4.6 | 5.5 |
| 1990 | 505 | 4.6 | 0.21 | 4.2 | 5.0 | 467 | 4.9 | 0.23 | 4.5 | 5.4 |
| 1991 | 489 | 4.4 | 0.20 | 4.0 | 4.8 | 446 | 4.7 | 0.22 | 4.2 | 5.1 |
| 1992 | 537 | 4.7 | 0.21 | 4.4 | 5.2 | 489 | 5.0 | 0.23 | 4.6 | 5.5 |
| 1993 | 531 | 4.7 | 0.20 | 4.3 | 5.1 | 490 | 5.0 | 0.23 | 4.6 | 5.5 |
| 1994 | 519 | 4.5 | 0.20 | 4.1 | 4.9 | 478 | 4.9 | 0.22 | 4.4 | 5.3 |
| 1995 | 479 | 4.2 | 0.19 | 3.8 | 4.6 | 432 | 4.4 | 0.21 | 4.0 | 4.8 |
| 1996 | 471 | 4.1 | 0.19 | 3.7 | 4.4 | 438 | 4.4 | 0.21 | 4.0 | 4.9 |
| 1997 | 505 | 4.3 | 0.19 | 3.9 | 4.7 | 476 | 4.8 | 0.22 | 4.4 | 5.2 |
| 1998 | 475 | 4.0 | 0.18 | 3.7 | 4.4 | 438 | 4.4 | 0.21 | 4.0 | 4.8 |
| 1999 | 527 | 4.4 | 0.19 | 4.0 | 4.8 | 493 | 4.9 | 0.22 | 4.4 | 5.3 |
| 2000 | 502 | 4.2 | 0.19 | 3.8 | 4.6 | 458 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2001 | 553 | 4.6 | 0.19 | 4.2 | 5.0 | 498 | 4.9 | 0.22 | 4.5 | 5.3 |
| 2002 | 467 | 3.8 | 0.18 | 3.5 | 4.2 | 421 | 4.1 | 0.20 | 3.7 | 4.5 |
| 2003 | 501 | 4.1 | 0.18 | 3.7 | 4.4 | 464 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2004 | 511 | 4.1 | 0.18 | 3.7 | 4.5 | 467 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2005 | 445 | 3.5 | 0.17 | 3.2 | 3.9 | 401 | 3.8 | 0.19 | 3.5 | 4.2 |
| 2006 | 510 | 4.0 | 0.18 | 3.7 | 4.4 | 469 | 4.5 | 0.21 | 4.1 | 4.9 |
| 2007 | 497 | 3.8 | 0.17 | 3.5 | 4.2 | 449 | 4.2 | 0.20 | 3.8 | 4.6 |
| 2008 | 501 | 3.8 | 0.17 | 3.5 | 4.1 | 458 | 4.2 | 0.20 | 3.8 | 4.6 |
| 2009 | 570 | 4.3 | 0.18 | 3.9 | 4.7 | 511 | 4.6 | 0.21 | 4.2 | 5.1 |
| 2010 | 545 | 4.0 | 0.18 | 3.7 | 4.4 | 488 | 4.4 | 0.20 | 4.0 | 4.8 |
| 2011 | 550 | 4.0 | 0.17 | 3.7 | 4.3 | 492 | 4.3 | 0.20 | 4.0 | 4.7 |
| 2012 | 594 | 4.2 | 0.18 | 3.9 | 4.6 | 533 | 4.6 | 0.20 | 4.2 | 5.0 |
| 2013 | 583 | 4.1 | 0.17 | 3.8 | 4.5 | 524 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2014 | 612 | 4.2 | 0.17 | 3.9 | 4.6 | 545 | 4.6 | 0.20 | 4.2 | 5.0 |
| 2015 | 605 | 4.2 | 0.17 | 3.8 | 4.5 | 538 | 4.5 | 0.20 | 4.2 | 4.9 |
| 2016 | 626 | 4.3 | 0.18 | 4.0 | 4.7 | 558 | 4.7 | 0.21 | 4.3 | 5.1 |
| 2017 | 611 | 4.1 | 0.17 | 3.8 | 4.4 | 552 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2018 | 608 | 4.0 | 0.17 | 3.7 | 4.4 | 539 | 4.4 | 0.20 | 4.0 | 4.8 |
| 2019 | 616 | 4.1 | 0.17 | 3.8 | 4.4 | 533 | 4.3 | 0.19 | 4.0 | 4.7 |
| 2020 | 660 | 4.3 | 0.17 | 4.0 | 4.7 | 593 | 4.8 | 0.20 | 4.4 | 5.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Brain and Other Nervous System

Both Sexes

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,449 | 2.6 | 0.07 | 2.5 | 2.7 | 275 | 1.7 | 0.11 | 1.5 | 1.9 |
| 1986 | 39 | 3.1 | 0.52 | 2.1 | 4.2 | * | * | * | * | * |
| 1987 | 28 | 2.3 | 0.44 | 1.5 | 3.3 | * | * | * | * | * |
| 1988 | 29 | 2.3 | 0.44 | 1.5 | 3.3 | * | * | * | * | * |
| 1989 | 54 | 4.3 | 0.61 | 3.2 | 5.6 | * | * | * | * | * |
| 1990 | 35 | 2.7 | 0.48 | 1.8 | 3.8 | * | * | * | * | * |
| 1991 | 37 | 2.7 | 0.47 | 1.9 | 3.8 | * | * | * | * | * |
| 1992 | 47 | 3.3 | 0.50 | 2.4 | 4.4 | * | * | * | * | * |
| 1993 | 37 | 2.6 | 0.44 | 1.8 | 3.6 | * | * | * | * | * |
| 1994 | 41 | 2.9 | 0.47 | 2.1 | 4.0 | * | * | * | * | * |
| 1995 | 43 | 3.2 | 0.51 | 2.3 | 4.3 | * | * | * | * | * |
| 1996 | 29 | 2.0 | 0.37 | 1.3 | 2.8 | * | * | * | * | * |
| 1997 | 28 | 2.0 | 0.38 | 1.3 | 2.9 | * | * | * | * | * |
| 1998 | 33 | 2.1 | 0.38 | 1.5 | 3.0 | * | * | * | * | * |
| 1999 | 32 | 2.1 | 0.39 | 1.4 | 3.0 | * | * | * | * | * |
| 2000 | 34 | 2.3 | 0.40 | 1.6 | 3.2 | 10 | 2.8 | 0.94 | 1.3 | 5.3 |
| 2001 | 49 | 3.5 | 0.51 | 2.5 | 4.6 | * | * | * | * | * |
| 2002 | 39 | 2.5 | 0.40 | 1.7 | 3.4 | * | * | * | * | * |
| 2003 | 27 | 1.7 | 0.34 | 1.1 | 2.5 | 10 | 2.5 | 0.85 | 1.1 | 4.7 |
| 2004 | 34 | 2.4 | 0.41 | 1.6 | 3.3 | 10 | 2.3 | 0.81 | 1.0 | 4.4 |
| 2005 | 36 | 2.4 | 0.41 | 1.7 | 3.3 | * | * | * | * | * |
| 2006 | 37 | 2.3 | 0.38 | 1.6 | 3.1 | * | * | * | * | * |
| 2007 | 39 | 2.3 | 0.38 | 1.6 | 3.2 | * | * | * | * | * |
| 2008 | 35 | 1.9 | 0.32 | 1.3 | 2.6 | * | * | * | * | * |
| 2009 | 51 | 3.0 | 0.43 | 2.2 | 4.0 | * | * | * | * | * |
| 2010 | 47 | 2.6 | 0.39 | 1.9 | 3.5 | 10 | 1.5 | 0.49 | 0.7 | 2.9 |
| 2011 | 45 | 2.4 | 0.36 | 1.7 | 3.2 | 13 | 1.9 | 0.54 | 1.0 | 3.3 |
| 2012 | 42 | 2.4 | 0.38 | 1.7 | 3.3 | 19 | 2.9 | 0.71 | 1.7 | 4.7 |
| 2013 | 43 | 2.3 | 0.36 | 1.6 | 3.1 | 16 | 2.5 | 0.65 | 1.4 | 4.1 |
| 2014 | 58 | 3.2 | 0.42 | 2.4 | 4.1 | * | * | * | * | * |
| 2015 | 44 | 2.3 | 0.35 | 1.6 | 3.1 | 23 | 3.2 | 0.68 | 2.0 | 4.8 |
| 2016 | 53 | 2.7 | 0.38 | 2.0 | 3.6 | 15 | 2.0 | 0.52 | 1.1 | 3.3 |
| 2017 | 49 | 2.5 | 0.36 | 1.8 | 3.3 | 10 | 1.3 | 0.43 | 0.6 | 2.5 |
| 2018 | 51 | 2.6 | 0.37 | 1.9 | 3.4 | 18 | 2.2 | 0.53 | 1.3 | 3.5 |
| 2019 | 71 | 3.7 | 0.45 | 2.9 | 4.7 | 12 | 1.2 | 0.35 | 0.6 | 2.2 |
| 2020 | 53 | 2.7 | 0.38 | 2.0 | 3.5 | 14 | 1.5 | 0.41 | 0.8 | 2.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Brain and Other Nervous System

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 10,271 | 5.2 | 0.05 | 5.1 | 5.3 | 9,348 | 5.6 | 0.06 | 5.5 | 5.7 |
| 1986 | 269 | 5.8 | 0.37 | 5.1 | 6.5 | 250 | 6.1 | 0.40 | 5.4 | 7.0 |
| 1987 | 231 | 4.8 | 0.33 | 4.2 | 5.5 | 214 | 5.1 | 0.36 | 4.5 | 5.9 |
| 1988 | 248 | 5.3 | 0.35 | 4.7 | 6.0 | 231 | 5.6 | 0.38 | 4.9 | 6.4 |
| 1989 | 291 | 6.2 | 0.38 | 5.5 | 7.0 | 261 | 6.4 | 0.41 | 5.7 | 7.3 |
| 1990 | 277 | 5.6 | 0.34 | 4.9 | 6.3 | 259 | 6.0 | 0.38 | 5.3 | 6.8 |
| 1991 | 268 | 5.5 | 0.34 | 4.8 | 6.2 | 247 | 5.9 | 0.38 | 5.1 | 6.6 |
| 1992 | 300 | 6.0 | 0.36 | 5.3 | 6.7 | 274 | 6.3 | 0.39 | 5.6 | 7.1 |
| 1993 | 285 | 5.8 | 0.35 | 5.1 | 6.5 | 261 | 6.1 | 0.39 | 5.4 | 6.9 |
| 1994 | 269 | 5.3 | 0.33 | 4.7 | 6.0 | 246 | 5.7 | 0.37 | 5.0 | 6.4 |
| 1995 | 265 | 5.2 | 0.33 | 4.6 | 5.9 | 237 | 5.4 | 0.36 | 4.8 | 6.2 |
| 1996 | 261 | 5.0 | 0.31 | 4.4 | 5.6 | 253 | 5.7 | 0.36 | 5.0 | 6.4 |
| 1997 | 298 | 5.7 | 0.33 | 5.1 | 6.4 | 283 | 6.3 | 0.38 | 5.6 | 7.1 |
| 1998 | 262 | 5.0 | 0.32 | 4.4 | 5.7 | 239 | 5.4 | 0.35 | 4.7 | 6.1 |
| 1999 | 291 | 5.5 | 0.33 | 4.9 | 6.2 | 272 | 6.1 | 0.37 | 5.4 | 6.8 |
| 2000 | 265 | 4.9 | 0.31 | 4.3 | 5.6 | 246 | 5.4 | 0.34 | 4.7 | 6.1 |
| 2001 | 309 | 5.8 | 0.33 | 5.1 | 6.5 | 282 | 6.2 | 0.37 | 5.5 | 6.9 |
| 2002 | 263 | 4.8 | 0.30 | 4.2 | 5.4 | 239 | 5.1 | 0.33 | 4.5 | 5.8 |
| 2003 | 237 | 4.3 | 0.28 | 3.7 | 4.8 | 217 | 4.6 | 0.31 | 4.0 | 5.3 |
| 2004 | 277 | 5.0 | 0.31 | 4.4 | 5.7 | 253 | 5.4 | 0.34 | 4.7 | 6.1 |
| 2005 | 240 | 4.3 | 0.28 | 3.8 | 4.9 | 217 | 4.6 | 0.31 | 4.0 | 5.2 |
| 2006 | 291 | 5.1 | 0.30 | 4.5 | 5.7 | 271 | 5.6 | 0.35 | 5.0 | 6.4 |
| 2007 | 258 | 4.4 | 0.28 | 3.8 | 5.0 | 233 | 4.7 | 0.31 | 4.1 | 5.3 |
| 2008 | 284 | 4.8 | 0.29 | 4.2 | 5.4 | 262 | 5.3 | 0.33 | 4.6 | 6.0 |
| 2009 | 314 | 5.1 | 0.30 | 4.6 | 5.8 | 283 | 5.5 | 0.33 | 4.9 | 6.2 |
| 2010 | 304 | 5.0 | 0.29 | 4.5 | 5.6 | 270 | 5.3 | 0.33 | 4.7 | 6.0 |
| 2011 | 299 | 4.8 | 0.28 | 4.3 | 5.4 | 267 | 5.2 | 0.32 | 4.6 | 5.8 |
| 2012 | 347 | 5.4 | 0.29 | 4.8 | 6.0 | 308 | 5.7 | 0.33 | 5.0 | 6.4 |
| 2013 | 328 | 5.1 | 0.29 | 4.6 | 5.7 | 296 | 5.6 | 0.33 | 4.9 | 6.2 |
| 2014 | 340 | 5.1 | 0.28 | 4.6 | 5.7 | 311 | 5.6 | 0.33 | 5.0 | 6.3 |
| 2015 | 344 | 5.2 | 0.29 | 4.7 | 5.8 | 306 | 5.6 | 0.33 | 5.0 | 6.3 |
| 2016 | 335 | 5.1 | 0.28 | 4.5 | 5.7 | 303 | 5.6 | 0.33 | 4.9 | 6.3 |
| 2017 | 344 | 5.1 | 0.28 | 4.5 | 5.7 | 307 | 5.5 | 0.32 | 4.9 | 6.1 |
| 2018 | 340 | 4.9 | 0.27 | 4.4 | 5.5 | 299 | 5.3 | 0.31 | 4.7 | 5.9 |
| 2019 | 372 | 5.4 | 0.29 | 4.9 | 6.0 | 324 | 5.7 | 0.33 | 5.1 | 6.4 |
| 2020 | 365 | 5.3 | 0.28 | 4.7 | 5.9 | 327 | 5.8 | 0.33 | 5.1 | 6.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Brain and Other Nervous System

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 769 | 3.2 | 0.12 | 3.0 | 3.5 | 154 | 2.0 | 0.18 | 1.7 | 2.4 |
| 1986 | 19 | 3.4 | 0.85 | 2.0 | 5.5 | * | * | * | * | * |
| 1987 | 17 | 3.1 | 0.76 | 1.8 | 5.0 | * | * | * | * | * |
| 1988 | 14 | 3.1 | 0.92 | 1.6 | 5.4 | * | * | * | * | * |
| 1989 | 29 | 5.4 | 1.08 | 3.5 | 7.9 | * | * | * | * | * |
| 1990 | 16 | 2.4 | 0.66 | 1.3 | 4.1 | * | * | * | * | * |
| 1991 | 20 | 3.5 | 0.83 | 2.1 | 5.5 | * | * | * | * | * |
| 1992 | 26 | 4.4 | 0.96 | 2.7 | 6.7 | * | * | * | * | * |
| 1993 | 22 | 3.6 | 0.82 | 2.2 | 5.6 | * | * | * | * | * |
| 1994 | 23 | 3.8 | 0.85 | 2.3 | 5.8 | * | * | * | * | * |
| 1995 | 24 | 4.2 | 0.94 | 2.5 | 6.4 | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 14 | 2.4 | 0.67 | 1.3 | 4.1 | * | * | * | * | * |
| 1998 | 20 | 2.9 | 0.67 | 1.7 | 4.5 | * | * | * | * | * |
| 1999 | 17 | 2.3 | 0.58 | 1.3 | 3.8 | * | * | * | * | * |
| 2000 | 15 | 2.5 | 0.69 | 1.3 | 4.2 | * | * | * | * | * |
| 2001 | 25 | 4.2 | 0.89 | 2.6 | 6.3 | * | * | * | * | * |
| 2002 | 19 | 3.2 | 0.76 | 1.8 | 5.0 | * | * | * | * | * |
| 2003 | 15 | 2.2 | 0.62 | 1.2 | 3.8 | * | * | * | * | * |
| 2004 | 17 | 2.8 | 0.73 | 1.6 | 4.6 | * | * | * | * | * |
| 2005 | 18 | 3.1 | 0.76 | 1.8 | 5.0 | * | * | * | * | * |
| 2006 | 17 | 2.3 | 0.59 | 1.3 | 3.8 | * | * | * | * | * |
| 2007 | 22 | 3.1 | 0.71 | 1.9 | 4.8 | * | * | * | * | * |
| 2008 | 17 | 2.0 | 0.50 | 1.1 | 3.2 | * | * | * | * | * |
| 2009 | 27 | 3.4 | 0.69 | 2.2 | 5.1 | * | * | * | * | * |
| 2010 | 27 | 3.3 | 0.68 | 2.1 | 5.0 | * | * | * | * | * |
| 2011 | 28 | 3.4 | 0.67 | 2.2 | 5.0 | * | * | * | * | * |
| 2012 | 25 | 3.3 | 0.69 | 2.1 | 4.9 | 14 | 5.2 | 1.55 | 2.6 | 9.1 |
| 2013 | 22 | 2.8 | 0.63 | 1.7 | 4.3 | 10 | 3.4 | 1.20 | 1.5 | 6.6 |
| 2014 | 27 | 3.3 | 0.67 | 2.2 | 4.9 | * | * | * | * | * |
| 2015 | 22 | 2.6 | 0.59 | 1.6 | 4.0 | 16 | 4.8 | 1.27 | 2.6 | 7.9 |
| 2016 | 28 | 3.7 | 0.73 | 2.4 | 5.4 | * | * | * | * | * |
| 2017 | 31 | 3.6 | 0.67 | 2.4 | 5.2 | * | * | * | * | * |
| 2018 | 30 | 3.4 | 0.65 | 2.3 | 5.0 | 11 | 3.0 | 0.93 | 1.4 | 5.4 |
| 2019 | 39 | 4.8 | 0.79 | 3.4 | 6.6 | * | * | * | * | * |
| 2020 | 30 | 3.8 | 0.71 | 2.5 | 5.4 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Brain and Other Nervous System

Females

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 8,367 | 3.4 | 0.04 | 3.4 | 3.5 | 7,566 | 3.7 | 0.04 | 3.6 | 3.8 |
| 1986 | 222 | 3.7 | 0.25 | 3.2 | 4.2 | 201 | 3.9 | 0.28 | 3.3 | 4.5 |
| 1987 | 211 | 3.5 | 0.25 | 3.1 | 4.0 | 200 | 3.9 | 0.28 | 3.3 | 4.4 |
| 1988 | 225 | 3.7 | 0.25 | 3.3 | 4.3 | 209 | 4.0 | 0.28 | 3.5 | 4.6 |
| 1989 | 236 | 4.0 | 0.26 | 3.5 | 4.5 | 210 | 4.1 | 0.29 | 3.6 | 4.7 |
| 1990 | 228 | 3.8 | 0.25 | 3.3 | 4.3 | 208 | 4.0 | 0.28 | 3.4 | 4.6 |
| 1991 | 221 | 3.5 | 0.24 | 3.1 | 4.0 | 199 | 3.6 | 0.26 | 3.1 | 4.2 |
| 1992 | 237 | 3.7 | 0.24 | 3.2 | 4.2 | 215 | 3.9 | 0.27 | 3.4 | 4.5 |
| 1993 | 246 | 3.9 | 0.25 | 3.4 | 4.4 | 229 | 4.2 | 0.28 | 3.7 | 4.8 |
| 1994 | 250 | 3.9 | 0.25 | 3.4 | 4.4 | 232 | 4.2 | 0.28 | 3.7 | 4.8 |
| 1995 | 214 | 3.3 | 0.23 | 2.9 | 3.8 | 195 | 3.5 | 0.26 | 3.0 | 4.1 |
| 1996 | 210 | 3.3 | 0.23 | 2.8 | 3.7 | 185 | 3.4 | 0.25 | 2.9 | 3.9 |
| 1997 | 207 | 3.2 | 0.22 | 2.7 | 3.6 | 193 | 3.5 | 0.25 | 3.0 | 4.0 |
| 1998 | 213 | 3.2 | 0.22 | 2.8 | 3.7 | 199 | 3.6 | 0.26 | 3.1 | 4.1 |
| 1999 | 236 | 3.5 | 0.23 | 3.1 | 4.0 | 221 | 3.9 | 0.27 | 3.4 | 4.5 |
| 2000 | 237 | 3.6 | 0.23 | 3.1 | 4.1 | 212 | 3.8 | 0.26 | 3.3 | 4.3 |
| 2001 | 244 | 3.6 | 0.23 | 3.2 | 4.1 | 216 | 3.9 | 0.27 | 3.4 | 4.4 |
| 2002 | 204 | 3.0 | 0.21 | 2.6 | 3.5 | 182 | 3.2 | 0.24 | 2.8 | 3.7 |
| 2003 | 264 | 3.9 | 0.24 | 3.4 | 4.4 | 247 | 4.4 | 0.28 | 3.8 | 4.9 |
| 2004 | 234 | 3.4 | 0.22 | 3.0 | 3.9 | 214 | 3.8 | 0.26 | 3.3 | 4.3 |
| 2005 | 205 | 2.9 | 0.21 | 2.5 | 3.4 | 184 | 3.2 | 0.24 | 2.7 | 3.7 |
| 2006 | 219 | 3.2 | 0.22 | 2.8 | 3.6 | 198 | 3.5 | 0.25 | 3.0 | 4.0 |
| 2007 | 239 | 3.4 | 0.22 | 3.0 | 3.9 | 216 | 3.7 | 0.26 | 3.2 | 4.2 |
| 2008 | 217 | 3.0 | 0.20 | 2.6 | 3.4 | 196 | 3.2 | 0.23 | 2.8 | 3.7 |
| 2009 | 256 | 3.6 | 0.23 | 3.1 | 4.0 | 228 | 3.9 | 0.26 | 3.4 | 4.4 |
| 2010 | 241 | 3.3 | 0.21 | 2.9 | 3.7 | 218 | 3.6 | 0.25 | 3.1 | 4.1 |
| 2011 | 251 | 3.3 | 0.21 | 2.9 | 3.8 | 225 | 3.7 | 0.25 | 3.2 | 4.2 |
| 2012 | 247 | 3.3 | 0.21 | 2.9 | 3.7 | 225 | 3.6 | 0.25 | 3.2 | 4.2 |
| 2013 | 255 | 3.3 | 0.21 | 2.9 | 3.7 | 228 | 3.6 | 0.24 | 3.1 | 4.1 |
| 2014 | 272 | 3.4 | 0.21 | 3.0 | 3.9 | 234 | 3.7 | 0.25 | 3.2 | 4.2 |
| 2015 | 261 | 3.4 | 0.21 | 3.0 | 3.8 | 232 | 3.7 | 0.25 | 3.2 | 4.2 |
| 2016 | 291 | 3.7 | 0.22 | 3.3 | 4.2 | 255 | 4.1 | 0.26 | 3.6 | 4.6 |
| 2017 | 267 | 3.3 | 0.21 | 2.9 | 3.7 | 245 | 3.7 | 0.24 | 3.2 | 4.2 |
| 2018 | 268 | 3.3 | 0.21 | 2.9 | 3.7 | 240 | 3.7 | 0.24 | 3.2 | 4.2 |
| 2019 | 244 | 3.0 | 0.20 | 2.6 | 3.4 | 209 | 3.2 | 0.23 | 2.7 | 3.6 |
| 2020 | 295 | 3.5 | 0.21 | 3.1 | 4.0 | 266 | 4.0 | 0.25 | 3.5 | 4.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Brain and Other Nervous System

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 680 | 2.1 | 0.08 | 2.0 | 2.3 | 121 | 1.4 | 0.13 | 1.2 | 1.7 |
| 1986 | 20 | 2.7 | 0.64 | 1.6 | 4.3 | * | * | * | * | * |
| 1987 | 11 | 1.6 | 0.51 | 0.8 | 2.9 | * | * | * | * | * |
| 1988 | 15 | 1.9 | 0.50 | 1.0 | 3.1 | * | * | * | * | * |
| 1989 | 25 | 3.5 | 0.73 | 2.3 | 5.2 | * | * | * | * | * |
| 1990 | 19 | 2.7 | 0.64 | 1.6 | 4.2 | * | * | * | * | * |
| 1991 | 17 | 2.2 | 0.54 | 1.3 | 3.5 | * | * | * | * | * |
| 1992 | 21 | 2.6 | 0.57 | 1.6 | 3.9 | * | * | * | * | * |
| 1993 | 15 | 1.8 | 0.49 | 1.0 | 3.0 | * | * | * | * | * |
| 1994 | 18 | 2.3 | 0.55 | 1.3 | 3.6 | * | * | * | * | * |
| 1995 | 19 | 2.5 | 0.58 | 1.5 | 3.9 | * | * | * | * | * |
| 1996 | 22 | 2.7 | 0.57 | 1.6 | 4.0 | * | * | * | * | * |
| 1997 | 14 | 1.7 | 0.46 | 0.9 | 2.9 | * | * | * | * | * |
| 1998 | 13 | 1.5 | 0.43 | 0.8 | 2.6 | * | * | * | * | * |
| 1999 | 15 | 1.8 | 0.48 | 1.0 | 3.0 | * | * | * | * | * |
| 2000 | 19 | 2.2 | 0.51 | 1.3 | 3.4 | * | * | * | * | * |
| 2001 | 24 | 2.9 | 0.59 | 1.8 | 4.3 | * | * | * | * | * |
| 2002 | 20 | 2.1 | 0.48 | 1.3 | 3.3 | * | * | * | * | * |
| 2003 | 12 | 1.4 | 0.39 | 0.7 | 2.4 | * | * | * | * | * |
| 2004 | 17 | 2.0 | 0.49 | 1.2 | 3.2 | * | * | * | * | * |
| 2005 | 18 | 1.9 | 0.45 | 1.1 | 3.0 | * | * | * | * | * |
| 2006 | 20 | 2.1 | 0.48 | 1.3 | 3.3 | * | * | * | * | * |
| 2007 | 17 | 1.8 | 0.43 | 1.0 | 2.8 | * | * | * | * | * |
| 2008 | 18 | 1.8 | 0.42 | 1.1 | 2.8 | * | * | * | * | * |
| 2009 | 24 | 2.5 | 0.52 | 1.6 | 3.8 | * | * | * | * | * |
| 2010 | 20 | 2.0 | 0.44 | 1.2 | 3.0 | * | * | * | * | * |
| 2011 | 17 | 1.6 | 0.38 | 0.9 | 2.5 | * | * | * | * | * |
| 2012 | 17 | 1.8 | 0.43 | 1.0 | 2.8 | * | * | * | * | * |
| 2013 | 21 | 1.9 | 0.43 | 1.2 | 3.0 | * | * | * | * | * |
| 2014 | 31 | 2.9 | 0.53 | 2.0 | 4.2 | * | * | * | * | * |
| 2015 | 22 | 2.1 | 0.45 | 1.3 | 3.2 | * | * | * | * | * |
| 2016 | 25 | 2.2 | 0.45 | 1.4 | 3.3 | 11 | 2.7 | 0.81 | 1.3 | 4.8 |
| 2017 | 18 | 1.6 | 0.38 | 0.9 | 2.5 | * | * | * | * | * |
| 2018 | 21 | 1.9 | 0.43 | 1.2 | 3.0 | * | * | * | * | * |
| 2019 | 32 | 2.8 | 0.51 | 1.9 | 4.0 | * | * | * | * | * |
| 2020 | 23 | 2.1 | 0.44 | 1.3 | 3.1 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Endocrine System | | | | | | | | | | |
|------------------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,568 | 0.8 | 0.01 | 0.8 | 0.8 | 3,016 | 0.8 | 0.01 | 0.8 | 0.8 |
| 1986 | 71 | 0.7 | 0.08 | 0.5 | 0.8 | 61 | 0.6 | 0.08 | 0.5 | 0.8 |
| 1987 | 87 | 0.8 | 0.09 | 0.6 | 1.0 | 75 | 0.8 | 0.09 | 0.6 | 1.0 |
| 1988 | 84 | 0.8 | 0.08 | 0.6 | 1.0 | 73 | 0.8 | 0.09 | 0.6 | 1.0 |
| 1989 | 97 | 0.9 | 0.09 | 0.7 | 1.1 | 86 | 0.9 | 0.10 | 0.7 | 1.2 |
| 1990 | 91 | 0.8 | 0.09 | 0.7 | 1.0 | 80 | 0.8 | 0.09 | 0.7 | 1.0 |
| 1991 | 89 | 0.8 | 0.09 | 0.6 | 1.0 | 79 | 0.8 | 0.09 | 0.6 | 1.0 |
| 1992 | 98 | 0.9 | 0.09 | 0.7 | 1.0 | 85 | 0.9 | 0.09 | 0.7 | 1.1 |
| 1993 | 108 | 0.9 | 0.09 | 0.8 | 1.1 | 97 | 1.0 | 0.10 | 0.8 | 1.2 |
| 1994 | 87 | 0.8 | 0.08 | 0.6 | 0.9 | 76 | 0.8 | 0.09 | 0.6 | 1.0 |
| 1995 | 81 | 0.7 | 0.08 | 0.6 | 0.9 | 72 | 0.7 | 0.09 | 0.6 | 0.9 |
| 1996 | 88 | 0.8 | 0.08 | 0.6 | 0.9 | 76 | 0.8 | 0.09 | 0.6 | 1.0 |
| 1997 | 112 | 1.0 | 0.09 | 0.8 | 1.1 | 95 | 0.9 | 0.10 | 0.8 | 1.2 |
| 1998 | 93 | 0.8 | 0.08 | 0.6 | 1.0 | 79 | 0.8 | 0.09 | 0.6 | 1.0 |
| 1999 | 94 | 0.8 | 0.08 | 0.6 | 1.0 | 78 | 0.8 | 0.09 | 0.6 | 1.0 |
| 2000 | 90 | 0.8 | 0.08 | 0.6 | 0.9 | 76 | 0.7 | 0.08 | 0.6 | 0.9 |
| 2001 | 95 | 0.8 | 0.08 | 0.6 | 1.0 | 77 | 0.8 | 0.09 | 0.6 | 0.9 |
| 2002 | 99 | 0.8 | 0.08 | 0.7 | 1.0 | 86 | 0.8 | 0.09 | 0.7 | 1.0 |
| 2003 | 106 | 0.9 | 0.08 | 0.7 | 1.0 | 90 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2004 | 107 | 0.9 | 0.08 | 0.7 | 1.0 | 93 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2005 | 105 | 0.8 | 0.08 | 0.7 | 1.0 | 93 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2006 | 107 | 0.8 | 0.08 | 0.7 | 1.0 | 93 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2007 | 89 | 0.7 | 0.07 | 0.5 | 0.8 | 71 | 0.6 | 0.08 | 0.5 | 0.8 |
| 2008 | 96 | 0.8 | 0.08 | 0.6 | 0.9 | 79 | 0.7 | 0.08 | 0.6 | 0.9 |
| 2009 | 111 | 0.9 | 0.08 | 0.7 | 1.0 | 91 | 0.9 | 0.09 | 0.7 | 1.0 |
| 2010 | 111 | 0.8 | 0.08 | 0.7 | 1.0 | 91 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2011 | 109 | 0.8 | 0.08 | 0.7 | 1.0 | 104 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2012 | 131 | 0.9 | 0.08 | 0.8 | 1.1 | 104 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2013 | 103 | 0.8 | 0.07 | 0.6 | 0.9 | 81 | 0.7 | 0.08 | 0.6 | 0.9 |
| 2014 | 95 | 0.7 | 0.07 | 0.5 | 0.8 | 74 | 0.6 | 0.08 | 0.5 | 0.8 |
| 2015 | 122 | 0.9 | 0.08 | 0.7 | 1.0 | 101 | 0.9 | 0.09 | 0.7 | 1.0 |
| 2016 | 132 | 0.9 | 0.08 | 0.7 | 1.1 | 96 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2017 | 115 | 0.8 | 0.07 | 0.6 | 0.9 | 92 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2018 | 113 | 0.8 | 0.07 | 0.6 | 0.9 | 97 | 0.8 | 0.08 | 0.7 | 1.0 |
| 2019 | 133 | 0.9 | 0.08 | 0.7 | 1.1 | 117 | 0.9 | 0.09 | 0.8 | 1.1 |
| 2020 | 119 | 0.8 | 0.07 | 0.7 | 1.0 | 98 | 0.8 | 0.08 | 0.7 | 1.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Endocrine System | | | | | | | | | | |
|------------------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 449 | 0.8 | 0.04 | 0.8 | 0.9 | 103 | 0.8 | 0.08 | 0.6 | 0.9 |
| 1986 | 10 | 0.8 | 0.26 | 0.3 | 1.5 | * | * | * | * | * |
| 1987 | 11 | 0.8 | 0.25 | 0.4 | 1.5 | * | * | * | * | * |
| 1988 | 10 | 0.7 | 0.25 | 0.3 | 1.4 | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | 13 | 0.8 | 0.25 | 0.4 | 1.5 | * | * | * | * | * |
| 1993 | 10 | 0.9 | 0.28 | 0.4 | 1.6 | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | 10 | 0.7 | 0.22 | 0.3 | 1.2 | * | * | * | * | * |
| 1997 | 15 | 1.0 | 0.28 | 0.6 | 1.7 | * | * | * | * | * |
| 1998 | 12 | 0.9 | 0.26 | 0.4 | 1.5 | * | * | * | * | * |
| 1999 | 13 | 0.7 | 0.20 | 0.4 | 1.2 | * | * | * | * | * |
| 2000 | 11 | 0.8 | 0.24 | 0.4 | 1.4 | * | * | * | * | * |
| 2001 | 15 | 1.0 | 0.26 | 0.5 | 1.6 | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | 15 | 1.0 | 0.28 | 0.6 | 1.7 | * | * | * | * | * |
| 2004 | 12 | 0.7 | 0.22 | 0.4 | 1.3 | * | * | * | * | * |
| 2005 | 10 | 0.6 | 0.21 | 0.3 | 1.2 | * | * | * | * | * |
| 2006 | 12 | 0.8 | 0.23 | 0.4 | 1.4 | * | * | * | * | * |
| 2007 | 15 | 0.9 | 0.24 | 0.5 | 1.5 | * | * | * | * | * |
| 2008 | 14 | 0.9 | 0.26 | 0.5 | 1.6 | * | * | * | * | * |
| 2009 | 15 | 1.0 | 0.25 | 0.5 | 1.6 | * | * | * | * | * |
| 2010 | 16 | 0.9 | 0.24 | 0.5 | 1.5 | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | 20 | 1.1 | 0.25 | 0.7 | 1.7 | * | * | * | * | * |
| 2013 | 18 | 1.0 | 0.25 | 0.6 | 1.7 | * | * | * | * | * |
| 2014 | 18 | 1.1 | 0.26 | 0.6 | 1.7 | * | * | * | * | * |
| 2015 | 15 | 0.8 | 0.22 | 0.5 | 1.4 | * | * | * | * | * |
| 2016 | 29 | 1.6 | 0.30 | 1.1 | 2.3 | * | * | * | * | * |
| 2017 | 15 | 0.8 | 0.21 | 0.4 | 1.3 | * | * | * | * | * |
| 2018 | 13 | 0.7 | 0.20 | 0.4 | 1.2 | * | * | * | * | * |
| 2019 | 12 | 0.6 | 0.19 | 0.3 | 1.1 | * | * | * | * | * |
| 2020 | 16 | 0.9 | 0.22 | 0.5 | 1.4 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Endocrine System | | | | | | | | | | |
|------------------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,577 | 0.8 | 0.02 | 0.8 | 0.9 | 1,358 | 0.8 | 0.02 | 0.8 | 0.9 |
| 1986 | 25 | 0.5 | 0.11 | 0.3 | 0.8 | 23 | 0.5 | 0.12 | 0.3 | 0.8 |
| 1987 | 37 | 0.8 | 0.14 | 0.6 | 1.1 | 33 | 0.8 | 0.15 | 0.6 | 1.2 |
| 1988 | 37 | 0.8 | 0.14 | 0.6 | 1.1 | 31 | 0.8 | 0.15 | 0.5 | 1.1 |
| 1989 | 42 | 1.0 | 0.15 | 0.7 | 1.3 | 38 | 1.0 | 0.17 | 0.7 | 1.4 |
| 1990 | 37 | 0.8 | 0.14 | 0.6 | 1.2 | 32 | 0.8 | 0.15 | 0.6 | 1.2 |
| 1991 | 39 | 0.8 | 0.13 | 0.6 | 1.1 | 32 | 0.7 | 0.13 | 0.5 | 1.1 |
| 1992 | 41 | 0.8 | 0.12 | 0.5 | 1.0 | 36 | 0.8 | 0.13 | 0.6 | 1.1 |
| 1993 | 43 | 0.9 | 0.14 | 0.6 | 1.2 | 39 | 0.9 | 0.15 | 0.6 | 1.3 |
| 1994 | 37 | 0.8 | 0.13 | 0.5 | 1.0 | 31 | 0.7 | 0.13 | 0.5 | 1.0 |
| 1995 | 31 | 0.6 | 0.12 | 0.4 | 0.9 | 28 | 0.7 | 0.13 | 0.5 | 1.0 |
| 1996 | 32 | 0.6 | 0.11 | 0.4 | 0.9 | 29 | 0.7 | 0.12 | 0.4 | 1.0 |
| 1997 | 60 | 1.2 | 0.15 | 0.9 | 1.5 | 53 | 1.2 | 0.17 | 0.9 | 1.6 |
| 1998 | 40 | 0.8 | 0.13 | 0.6 | 1.1 | 35 | 0.8 | 0.14 | 0.6 | 1.1 |
| 1999 | 48 | 0.9 | 0.13 | 0.7 | 1.2 | 45 | 1.0 | 0.15 | 0.7 | 1.4 |
| 2000 | 36 | 0.7 | 0.11 | 0.5 | 0.9 | 33 | 0.7 | 0.13 | 0.5 | 1.0 |
| 2001 | 34 | 0.6 | 0.11 | 0.4 | 0.9 | 28 | 0.6 | 0.12 | 0.4 | 0.9 |
| 2002 | 42 | 0.8 | 0.13 | 0.6 | 1.1 | 38 | 0.9 | 0.14 | 0.6 | 1.2 |
| 2003 | 54 | 1.0 | 0.14 | 0.7 | 1.3 | 47 | 1.0 | 0.15 | 0.8 | 1.4 |
| 2004 | 38 | 0.6 | 0.11 | 0.5 | 0.9 | 34 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2005 | 48 | 0.9 | 0.13 | 0.7 | 1.2 | 42 | 0.9 | 0.15 | 0.7 | 1.3 |
| 2006 | 37 | 0.7 | 0.12 | 0.5 | 1.0 | 34 | 0.8 | 0.13 | 0.5 | 1.1 |
| 2007 | 39 | 0.7 | 0.11 | 0.5 | 0.9 | 32 | 0.7 | 0.12 | 0.4 | 0.9 |
| 2008 | 39 | 0.7 | 0.11 | 0.5 | 0.9 | 32 | 0.7 | 0.12 | 0.5 | 0.9 |
| 2009 | 40 | 0.7 | 0.10 | 0.5 | 0.9 | 34 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2010 | 41 | 0.7 | 0.11 | 0.5 | 1.0 | 32 | 0.7 | 0.12 | 0.4 | 0.9 |
| 2011 | 55 | 0.9 | 0.12 | 0.7 | 1.2 | 52 | 1.0 | 0.14 | 0.7 | 1.3 |
| 2012 | 59 | 0.9 | 0.12 | 0.7 | 1.2 | 44 | 0.8 | 0.12 | 0.6 | 1.1 |
| 2013 | 45 | 0.7 | 0.11 | 0.5 | 1.0 | 37 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2014 | 51 | 0.8 | 0.11 | 0.6 | 1.1 | 44 | 0.8 | 0.13 | 0.6 | 1.1 |
| 2015 | 61 | 0.9 | 0.12 | 0.7 | 1.2 | 51 | 1.0 | 0.14 | 0.7 | 1.3 |
| 2016 | 67 | 1.0 | 0.13 | 0.8 | 1.3 | 52 | 0.9 | 0.13 | 0.7 | 1.3 |
| 2017 | 65 | 1.0 | 0.13 | 0.8 | 1.3 | 52 | 1.0 | 0.14 | 0.7 | 1.3 |
| 2018 | 51 | 0.7 | 0.10 | 0.5 | 1.0 | 45 | 0.8 | 0.12 | 0.6 | 1.0 |
| 2019 | 65 | 1.0 | 0.12 | 0.8 | 1.3 | 59 | 1.1 | 0.14 | 0.8 | 1.4 |
| 2020 | 61 | 0.9 | 0.12 | 0.7 | 1.2 | 51 | 0.9 | 0.13 | 0.7 | 1.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Endocrine System

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 170 | 0.7 | 0.06 | 0.6 | 0.8 | 49 | 0.8 | 0.12 | 0.5 | 1.0 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | 10 | 1.4 | 0.46 | 0.6 | 2.5 | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | 10 | 1.4 | 0.45 | 0.6 | 2.6 | * | * | * | * | * |
| 2016 | 12 | 1.5 | 0.46 | 0.8 | 2.7 | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Endocrine System | | | | | | | | | | |
|------------------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,991 | 0.8 | 0.02 | 0.8 | 0.8 | 1,658 | 0.8 | 0.02 | 0.8 | 0.8 |
| 1986 | 46 | 0.7 | 0.11 | 0.5 | 1.0 | 38 | 0.7 | 0.11 | 0.5 | 0.9 |
| 1987 | 50 | 0.8 | 0.12 | 0.6 | 1.1 | 42 | 0.8 | 0.13 | 0.6 | 1.1 |
| 1988 | 47 | 0.8 | 0.11 | 0.6 | 1.0 | 42 | 0.8 | 0.12 | 0.6 | 1.0 |
| 1989 | 55 | 0.9 | 0.12 | 0.7 | 1.2 | 48 | 0.9 | 0.13 | 0.7 | 1.2 |
| 1990 | 54 | 0.8 | 0.11 | 0.6 | 1.1 | 48 | 0.8 | 0.12 | 0.6 | 1.1 |
| 1991 | 50 | 0.8 | 0.11 | 0.6 | 1.0 | 47 | 0.8 | 0.13 | 0.6 | 1.1 |
| 1992 | 57 | 0.9 | 0.12 | 0.7 | 1.1 | 49 | 0.9 | 0.13 | 0.7 | 1.2 |
| 1993 | 65 | 1.0 | 0.13 | 0.8 | 1.3 | 58 | 1.1 | 0.14 | 0.8 | 1.4 |
| 1994 | 50 | 0.7 | 0.11 | 0.6 | 1.0 | 45 | 0.8 | 0.12 | 0.6 | 1.0 |
| 1995 | 50 | 0.7 | 0.10 | 0.5 | 1.0 | 44 | 0.7 | 0.11 | 0.5 | 1.0 |
| 1996 | 56 | 0.8 | 0.11 | 0.6 | 1.1 | 47 | 0.8 | 0.12 | 0.6 | 1.1 |
| 1997 | 52 | 0.8 | 0.11 | 0.6 | 1.0 | 42 | 0.7 | 0.11 | 0.5 | 1.0 |
| 1998 | 53 | 0.8 | 0.11 | 0.6 | 1.0 | 44 | 0.8 | 0.12 | 0.6 | 1.1 |
| 1999 | 46 | 0.7 | 0.10 | 0.5 | 0.9 | 33 | 0.6 | 0.10 | 0.4 | 0.8 |
| 2000 | 54 | 0.8 | 0.11 | 0.6 | 1.0 | 43 | 0.7 | 0.11 | 0.5 | 1.0 |
| 2001 | 61 | 0.9 | 0.12 | 0.7 | 1.2 | 49 | 0.9 | 0.12 | 0.6 | 1.1 |
| 2002 | 57 | 0.8 | 0.11 | 0.6 | 1.1 | 48 | 0.8 | 0.12 | 0.6 | 1.1 |
| 2003 | 52 | 0.7 | 0.10 | 0.6 | 1.0 | 43 | 0.7 | 0.11 | 0.5 | 1.0 |
| 2004 | 69 | 1.0 | 0.12 | 0.7 | 1.2 | 59 | 1.0 | 0.13 | 0.7 | 1.3 |
| 2005 | 57 | 0.8 | 0.11 | 0.6 | 1.0 | 51 | 0.8 | 0.12 | 0.6 | 1.1 |
| 2006 | 70 | 1.0 | 0.12 | 0.8 | 1.2 | 59 | 1.0 | 0.13 | 0.7 | 1.3 |
| 2007 | 50 | 0.7 | 0.10 | 0.5 | 0.9 | 39 | 0.6 | 0.10 | 0.5 | 0.9 |
| 2008 | 57 | 0.8 | 0.10 | 0.6 | 1.0 | 47 | 0.8 | 0.11 | 0.6 | 1.0 |
| 2009 | 71 | 1.0 | 0.12 | 0.8 | 1.2 | 57 | 0.9 | 0.13 | 0.7 | 1.2 |
| 2010 | 70 | 0.9 | 0.11 | 0.7 | 1.2 | 59 | 0.9 | 0.12 | 0.7 | 1.2 |
| 2011 | 54 | 0.7 | 0.10 | 0.5 | 0.9 | 52 | 0.8 | 0.11 | 0.6 | 1.1 |
| 2012 | 72 | 1.0 | 0.11 | 0.7 | 1.2 | 60 | 1.0 | 0.13 | 0.7 | 1.3 |
| 2013 | 58 | 0.8 | 0.10 | 0.6 | 1.0 | 44 | 0.7 | 0.11 | 0.5 | 0.9 |
| 2014 | 44 | 0.6 | 0.09 | 0.4 | 0.8 | 30 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2015 | 61 | 0.8 | 0.10 | 0.6 | 1.0 | 50 | 0.7 | 0.11 | 0.6 | 1.0 |
| 2016 | 65 | 0.8 | 0.10 | 0.6 | 1.0 | 44 | 0.6 | 0.10 | 0.5 | 0.9 |
| 2017 | 50 | 0.6 | 0.09 | 0.5 | 0.8 | 40 | 0.6 | 0.10 | 0.4 | 0.9 |
| 2018 | 62 | 0.8 | 0.10 | 0.6 | 1.0 | 52 | 0.8 | 0.12 | 0.6 | 1.1 |
| 2019 | 68 | 0.8 | 0.10 | 0.6 | 1.0 | 58 | 0.8 | 0.11 | 0.6 | 1.1 |
| 2020 | 58 | 0.7 | 0.09 | 0.5 | 0.9 | 47 | 0.7 | 0.11 | 0.5 | 1.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Endocrine System | | | | | | | | | | |
|------------------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 279 | 0.9 | 0.05 | 0.8 | 1.0 | 54 | 0.8 | 0.11 | 0.6 | 1.0 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | 11 | 1.1 | 0.34 | 0.6 | 2.0 | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | 10 | 1.2 | 0.37 | 0.6 | 2.1 | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | 11 | 1.2 | 0.37 | 0.6 | 2.2 | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | 10 | 1.1 | 0.36 | 0.5 | 2.0 | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | 10 | 1.0 | 0.31 | 0.5 | 1.8 | * | * | * | * | * |
| 2013 | 11 | 1.2 | 0.35 | 0.6 | 2.1 | * | * | * | * | * |
| 2014 | 13 | 1.3 | 0.36 | 0.7 | 2.2 | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | 17 | 1.6 | 0.39 | 0.9 | 2.6 | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Thyroid | | | | | | | | | | |
|-------------------|------------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | All Races | | | | | White | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,120 | 0.5 | 0.01 | 0.5 | 0.5 | 1,821 | 0.5 | 0.01 | 0.5 | 0.5 |
| 1986 | 39 | 0.4 | 0.06 | 0.3 | 0.5 | 36 | 0.4 | 0.06 | 0.3 | 0.5 |
| 1987 | 48 | 0.5 | 0.07 | 0.3 | 0.6 | 42 | 0.5 | 0.07 | 0.3 | 0.6 |
| 1988 | 42 | 0.4 | 0.06 | 0.3 | 0.6 | 38 | 0.4 | 0.07 | 0.3 | 0.6 |
| 1989 | 51 | 0.5 | 0.07 | 0.4 | 0.7 | 45 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1990 | 54 | 0.5 | 0.07 | 0.4 | 0.7 | 48 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1991 | 53 | 0.5 | 0.07 | 0.4 | 0.6 | 50 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1992 | 52 | 0.5 | 0.06 | 0.4 | 0.6 | 47 | 0.5 | 0.07 | 0.4 | 0.6 |
| 1993 | 54 | 0.5 | 0.07 | 0.4 | 0.6 | 51 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1994 | 55 | 0.5 | 0.07 | 0.4 | 0.6 | 50 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1995 | 49 | 0.4 | 0.06 | 0.3 | 0.6 | 45 | 0.5 | 0.07 | 0.3 | 0.6 |
| 1996 | 52 | 0.5 | 0.06 | 0.3 | 0.6 | 43 | 0.4 | 0.07 | 0.3 | 0.6 |
| 1997 | 58 | 0.5 | 0.07 | 0.4 | 0.6 | 50 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1998 | 55 | 0.5 | 0.06 | 0.4 | 0.6 | 47 | 0.5 | 0.07 | 0.3 | 0.6 |
| 1999 | 41 | 0.3 | 0.05 | 0.3 | 0.5 | 36 | 0.4 | 0.06 | 0.2 | 0.5 |
| 2000 | 54 | 0.5 | 0.06 | 0.3 | 0.6 | 48 | 0.5 | 0.07 | 0.3 | 0.6 |
| 2001 | 53 | 0.4 | 0.06 | 0.3 | 0.6 | 46 | 0.4 | 0.07 | 0.3 | 0.6 |
| 2002 | 62 | 0.5 | 0.06 | 0.4 | 0.7 | 57 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2003 | 57 | 0.5 | 0.06 | 0.4 | 0.6 | 48 | 0.5 | 0.07 | 0.3 | 0.6 |
| 2004 | 65 | 0.5 | 0.06 | 0.4 | 0.7 | 55 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2005 | 64 | 0.5 | 0.06 | 0.4 | 0.7 | 58 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2006 | 75 | 0.6 | 0.07 | 0.5 | 0.7 | 63 | 0.6 | 0.07 | 0.4 | 0.7 |
| 2007 | 56 | 0.4 | 0.06 | 0.3 | 0.6 | 43 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2008 | 56 | 0.4 | 0.06 | 0.3 | 0.6 | 46 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2009 | 69 | 0.5 | 0.07 | 0.4 | 0.7 | 56 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2010 | 64 | 0.5 | 0.06 | 0.4 | 0.6 | 53 | 0.5 | 0.06 | 0.3 | 0.6 |
| 2011 | 72 | 0.5 | 0.06 | 0.4 | 0.7 | 70 | 0.6 | 0.07 | 0.5 | 0.8 |
| 2012 | 74 | 0.5 | 0.06 | 0.4 | 0.7 | 64 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2013 | 65 | 0.5 | 0.06 | 0.4 | 0.6 | 52 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2014 | 57 | 0.4 | 0.05 | 0.3 | 0.5 | 40 | 0.3 | 0.05 | 0.2 | 0.5 |
| 2015 | 70 | 0.5 | 0.06 | 0.4 | 0.6 | 58 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2016 | 87 | 0.6 | 0.06 | 0.5 | 0.7 | 68 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2017 | 75 | 0.5 | 0.06 | 0.4 | 0.6 | 62 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2018 | 79 | 0.5 | 0.06 | 0.4 | 0.7 | 65 | 0.5 | 0.06 | 0.4 | 0.7 |
| 2019 | 90 | 0.6 | 0.06 | 0.5 | 0.7 | 81 | 0.6 | 0.07 | 0.5 | 0.8 |
| 2020 | 73 | 0.5 | 0.05 | 0.4 | 0.6 | 60 | 0.5 | 0.06 | 0.4 | 0.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Thyroid | | | | | | | | | | |
|------------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 230 | 0.5 | 0.03 | 0.4 | 0.5 | 69 | 0.6 | 0.07 | 0.4 | 0.7 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | 10 | 0.7 | 0.21 | 0.3 | 1.2 | * | * | * | * | * |
| 2007 | 10 | 0.7 | 0.21 | 0.3 | 1.2 | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | 11 | 0.7 | 0.20 | 0.3 | 1.2 | * | * | * | * | * |
| 2014 | 14 | 0.9 | 0.24 | 0.5 | 1.5 | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | 14 | 0.8 | 0.22 | 0.4 | 1.3 | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | 11 | 0.6 | 0.19 | 0.3 | 1.1 | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Thyroid | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 843 | 0.5 | 0.02 | 0.4 | 0.5 | 750 | 0.5 | 0.02 | 0.4 | 0.5 |
| 1986 | 14 | 0.3 | 0.09 | 0.2 | 0.5 | 14 | 0.4 | 0.10 | 0.2 | 0.6 |
| 1987 | 18 | 0.4 | 0.10 | 0.2 | 0.6 | 16 | 0.4 | 0.10 | 0.2 | 0.6 |
| 1988 | 16 | 0.4 | 0.11 | 0.2 | 0.7 | 13 | 0.4 | 0.11 | 0.2 | 0.7 |
| 1989 | 19 | 0.5 | 0.12 | 0.3 | 0.8 | 18 | 0.5 | 0.13 | 0.3 | 0.8 |
| 1990 | 17 | 0.4 | 0.11 | 0.3 | 0.7 | 15 | 0.4 | 0.12 | 0.2 | 0.7 |
| 1991 | 20 | 0.5 | 0.10 | 0.3 | 0.7 | 17 | 0.4 | 0.10 | 0.2 | 0.7 |
| 1992 | 15 | 0.3 | 0.08 | 0.2 | 0.5 | 14 | 0.3 | 0.09 | 0.2 | 0.6 |
| 1993 | 20 | 0.4 | 0.10 | 0.3 | 0.7 | 20 | 0.5 | 0.11 | 0.3 | 0.8 |
| 1994 | 20 | 0.4 | 0.10 | 0.3 | 0.7 | 18 | 0.4 | 0.10 | 0.3 | 0.7 |
| 1995 | 15 | 0.3 | 0.09 | 0.2 | 0.5 | 14 | 0.4 | 0.10 | 0.2 | 0.6 |
| 1996 | 17 | 0.3 | 0.08 | 0.2 | 0.6 | 15 | 0.4 | 0.09 | 0.2 | 0.6 |
| 1997 | 27 | 0.6 | 0.11 | 0.4 | 0.8 | 23 | 0.5 | 0.11 | 0.3 | 0.8 |
| 1998 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | 22 | 0.5 | 0.11 | 0.3 | 0.8 |
| 1999 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | 22 | 0.5 | 0.11 | 0.3 | 0.8 |
| 2000 | 20 | 0.4 | 0.09 | 0.2 | 0.6 | 20 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2001 | 14 | 0.3 | 0.08 | 0.2 | 0.5 | 13 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2002 | 27 | 0.6 | 0.11 | 0.4 | 0.8 | 26 | 0.6 | 0.12 | 0.4 | 0.9 |
| 2003 | 20 | 0.4 | 0.09 | 0.2 | 0.6 | 17 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2004 | 15 | 0.3 | 0.07 | 0.2 | 0.4 | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2005 | 26 | 0.5 | 0.10 | 0.3 | 0.8 | 24 | 0.6 | 0.11 | 0.4 | 0.8 |
| 2006 | 23 | 0.4 | 0.09 | 0.3 | 0.7 | 20 | 0.4 | 0.10 | 0.3 | 0.7 |
| 2007 | 23 | 0.4 | 0.09 | 0.3 | 0.6 | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2008 | 20 | 0.4 | 0.08 | 0.2 | 0.6 | 17 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2009 | 19 | 0.3 | 0.07 | 0.2 | 0.5 | 17 | 0.3 | 0.08 | 0.2 | 0.6 |
| 2010 | 21 | 0.4 | 0.08 | 0.2 | 0.6 | 18 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2011 | 32 | 0.5 | 0.10 | 0.4 | 0.8 | 30 | 0.6 | 0.11 | 0.4 | 0.8 |
| 2012 | 35 | 0.6 | 0.10 | 0.4 | 0.8 | 27 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2013 | 29 | 0.5 | 0.08 | 0.3 | 0.7 | 25 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2014 | 28 | 0.5 | 0.09 | 0.3 | 0.7 | 22 | 0.4 | 0.09 | 0.3 | 0.7 |
| 2015 | 30 | 0.4 | 0.08 | 0.3 | 0.6 | 26 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2016 | 42 | 0.6 | 0.10 | 0.5 | 0.9 | 36 | 0.6 | 0.11 | 0.4 | 0.9 |
| 2017 | 42 | 0.6 | 0.10 | 0.5 | 0.9 | 36 | 0.7 | 0.11 | 0.5 | 0.9 |
| 2018 | 34 | 0.5 | 0.08 | 0.3 | 0.7 | 29 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2019 | 45 | 0.7 | 0.10 | 0.5 | 0.9 | 43 | 0.8 | 0.12 | 0.5 | 1.0 |
| 2020 | 34 | 0.5 | 0.08 | 0.3 | 0.7 | 30 | 0.5 | 0.09 | 0.3 | 0.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Thyroid | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 59 | 0.3 | 0.04 | 0.2 | 0.4 | 34 | 0.6 | 0.11 | 0.4 | 0.8 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Thyroid | | | | | | | | | | |
|-----------|-------|------|------|-----|-----|-------|------|------|-----|-----|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,277 | 0.5 | 0.01 | 0.5 | 0.5 | 1,071 | 0.5 | 0.01 | 0.5 | 0.5 |
| 1986 | 25 | 0.4 | 0.08 | 0.3 | 0.6 | 22 | 0.4 | 0.08 | 0.2 | 0.6 |
| 1987 | 30 | 0.5 | 0.09 | 0.3 | 0.7 | 26 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1988 | 26 | 0.4 | 0.08 | 0.3 | 0.6 | 25 | 0.4 | 0.09 | 0.3 | 0.6 |
| 1989 | 32 | 0.5 | 0.09 | 0.4 | 0.7 | 27 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1990 | 37 | 0.6 | 0.09 | 0.4 | 0.8 | 33 | 0.6 | 0.10 | 0.4 | 0.8 |
| 1991 | 33 | 0.5 | 0.09 | 0.4 | 0.7 | 33 | 0.6 | 0.11 | 0.4 | 0.8 |
| 1992 | 37 | 0.6 | 0.09 | 0.4 | 0.8 | 33 | 0.6 | 0.10 | 0.4 | 0.8 |
| 1993 | 34 | 0.5 | 0.09 | 0.4 | 0.7 | 31 | 0.5 | 0.10 | 0.4 | 0.8 |
| 1994 | 35 | 0.5 | 0.09 | 0.4 | 0.7 | 32 | 0.5 | 0.09 | 0.4 | 0.7 |
| 1995 | 34 | 0.5 | 0.08 | 0.3 | 0.7 | 31 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1996 | 35 | 0.5 | 0.09 | 0.4 | 0.7 | 28 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1997 | 31 | 0.4 | 0.08 | 0.3 | 0.6 | 27 | 0.4 | 0.09 | 0.3 | 0.7 |
| 1998 | 32 | 0.5 | 0.08 | 0.3 | 0.7 | 25 | 0.4 | 0.08 | 0.3 | 0.6 |
| 1999 | 18 | 0.3 | 0.06 | 0.2 | 0.4 | 14 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2000 | 34 | 0.5 | 0.08 | 0.3 | 0.7 | 28 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2001 | 39 | 0.6 | 0.09 | 0.4 | 0.8 | 33 | 0.5 | 0.10 | 0.4 | 0.8 |
| 2002 | 35 | 0.5 | 0.08 | 0.3 | 0.7 | 31 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2003 | 37 | 0.5 | 0.09 | 0.4 | 0.7 | 31 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2004 | 50 | 0.7 | 0.09 | 0.5 | 0.9 | 41 | 0.6 | 0.10 | 0.4 | 0.9 |
| 2005 | 38 | 0.5 | 0.09 | 0.4 | 0.7 | 34 | 0.5 | 0.09 | 0.4 | 0.8 |
| 2006 | 52 | 0.7 | 0.10 | 0.5 | 1.0 | 43 | 0.7 | 0.11 | 0.5 | 1.0 |
| 2007 | 33 | 0.5 | 0.08 | 0.3 | 0.6 | 24 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2008 | 36 | 0.5 | 0.08 | 0.3 | 0.7 | 29 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2009 | 50 | 0.7 | 0.10 | 0.5 | 0.9 | 39 | 0.6 | 0.10 | 0.4 | 0.9 |
| 2010 | 43 | 0.5 | 0.08 | 0.4 | 0.7 | 35 | 0.5 | 0.09 | 0.4 | 0.7 |
| 2011 | 40 | 0.5 | 0.08 | 0.4 | 0.7 | 40 | 0.6 | 0.09 | 0.4 | 0.8 |
| 2012 | 39 | 0.5 | 0.08 | 0.4 | 0.7 | 37 | 0.6 | 0.09 | 0.4 | 0.8 |
| 2013 | 36 | 0.5 | 0.08 | 0.3 | 0.6 | 27 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2014 | 29 | 0.4 | 0.07 | 0.2 | 0.5 | 18 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2015 | 40 | 0.5 | 0.08 | 0.3 | 0.7 | 32 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2016 | 45 | 0.5 | 0.08 | 0.4 | 0.7 | 32 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2017 | 33 | 0.4 | 0.07 | 0.3 | 0.6 | 26 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2018 | 45 | 0.5 | 0.08 | 0.4 | 0.7 | 36 | 0.5 | 0.09 | 0.4 | 0.7 |
| 2019 | 45 | 0.5 | 0.08 | 0.4 | 0.7 | 38 | 0.5 | 0.08 | 0.4 | 0.7 |
| 2020 | 39 | 0.5 | 0.07 | 0.3 | 0.6 | 30 | 0.4 | 0.08 | 0.3 | 0.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Thyroid | | | | | | | | | | |
|----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 171 | 0.6 | 0.04 | 0.5 | 0.7 | 35 | 0.5 | 0.09 | 0.4 | 0.7 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | 10 | 1.0 | 0.32 | 0.5 | 1.9 | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | 11 | 1.0 | 0.32 | 0.5 | 1.9 | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lymphoma | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 33,306 | 7.6 | 0.04 | 7.5 | 7.6 | 30,065 | 8.0 | 0.05 | 7.9 | 8.0 |
| 1986 | 838 | 7.9 | 0.28 | 7.3 | 8.4 | 774 | 8.2 | 0.30 | 7.6 | 8.8 |
| 1987 | 836 | 7.8 | 0.28 | 7.3 | 8.4 | 759 | 8.1 | 0.30 | 7.5 | 8.7 |
| 1988 | 893 | 8.4 | 0.28 | 7.8 | 8.9 | 817 | 8.7 | 0.31 | 8.1 | 9.3 |
| 1989 | 937 | 8.6 | 0.29 | 8.1 | 9.2 | 860 | 9.0 | 0.31 | 8.4 | 9.6 |
| 1990 | 935 | 8.6 | 0.28 | 8.1 | 9.2 | 851 | 8.9 | 0.31 | 8.3 | 9.5 |
| 1991 | 1,002 | 9.1 | 0.29 | 8.5 | 9.6 | 918 | 9.5 | 0.31 | 8.9 | 10.1 |
| 1992 | 1,032 | 9.2 | 0.29 | 8.7 | 9.8 | 945 | 9.6 | 0.32 | 9.0 | 10.3 |
| 1993 | 1,041 | 9.2 | 0.29 | 8.7 | 9.8 | 945 | 9.6 | 0.31 | 9.0 | 10.2 |
| 1994 | 1,092 | 9.6 | 0.29 | 9.0 | 10.2 | 981 | 9.9 | 0.32 | 9.3 | 10.5 |
| 1995 | 1,138 | 9.9 | 0.29 | 9.3 | 10.5 | 1,030 | 10.2 | 0.32 | 9.6 | 10.9 |
| 1996 | 1,118 | 9.6 | 0.29 | 9.1 | 10.2 | 1,009 | 10.0 | 0.31 | 9.4 | 10.6 |
| 1997 | 1,099 | 9.4 | 0.28 | 8.8 | 10.0 | 1,001 | 9.8 | 0.31 | 9.2 | 10.5 |
| 1998 | 1,080 | 9.1 | 0.28 | 8.6 | 9.7 | 970 | 9.4 | 0.30 | 8.8 | 10.0 |
| 1999 | 1,118 | 9.4 | 0.28 | 8.8 | 10.0 | 1,026 | 9.9 | 0.31 | 9.3 | 10.5 |
| 2000 | 1,065 | 8.9 | 0.27 | 8.3 | 9.4 | 977 | 9.4 | 0.30 | 8.8 | 10.0 |
| 2001 | 1,041 | 8.6 | 0.27 | 8.1 | 9.1 | 950 | 9.1 | 0.29 | 8.5 | 9.7 |
| 2002 | 1,008 | 8.2 | 0.26 | 7.7 | 8.8 | 911 | 8.6 | 0.29 | 8.1 | 9.2 |
| 2003 | 979 | 7.9 | 0.25 | 7.4 | 8.4 | 895 | 8.4 | 0.28 | 7.8 | 8.9 |
| 2004 | 991 | 8.0 | 0.25 | 7.5 | 8.5 | 908 | 8.5 | 0.28 | 8.0 | 9.1 |
| 2005 | 1,000 | 8.0 | 0.25 | 7.5 | 8.5 | 905 | 8.3 | 0.28 | 7.8 | 8.9 |
| 2006 | 943 | 7.4 | 0.24 | 7.0 | 7.9 | 855 | 7.9 | 0.27 | 7.3 | 8.4 |
| 2007 | 868 | 6.7 | 0.23 | 6.3 | 7.2 | 783 | 7.1 | 0.26 | 6.6 | 7.6 |
| 2008 | 904 | 6.9 | 0.23 | 6.5 | 7.4 | 817 | 7.3 | 0.26 | 6.8 | 7.9 |
| 2009 | 952 | 7.2 | 0.24 | 6.7 | 7.7 | 838 | 7.4 | 0.26 | 6.9 | 8.0 |
| 2010 | 882 | 6.6 | 0.22 | 6.2 | 7.0 | 793 | 7.0 | 0.25 | 6.5 | 7.5 |
| 2011 | 883 | 6.5 | 0.22 | 6.1 | 6.9 | 786 | 6.8 | 0.25 | 6.3 | 7.3 |
| 2012 | 853 | 6.2 | 0.21 | 5.8 | 6.6 | 775 | 6.7 | 0.24 | 6.2 | 7.2 |
| 2013 | 869 | 6.1 | 0.21 | 5.7 | 6.6 | 774 | 6.5 | 0.24 | 6.0 | 6.9 |
| 2014 | 839 | 5.9 | 0.21 | 5.5 | 6.3 | 745 | 6.2 | 0.23 | 5.8 | 6.7 |
| 2015 | 897 | 6.1 | 0.21 | 5.7 | 6.5 | 796 | 6.5 | 0.23 | 6.0 | 6.9 |
| 2016 | 820 | 5.5 | 0.20 | 5.2 | 5.9 | 729 | 5.9 | 0.22 | 5.5 | 6.3 |
| 2017 | 824 | 5.5 | 0.19 | 5.1 | 5.9 | 717 | 5.7 | 0.22 | 5.3 | 6.2 |
| 2018 | 842 | 5.5 | 0.19 | 5.1 | 5.9 | 736 | 5.8 | 0.22 | 5.4 | 6.2 |
| 2019 | 872 | 5.6 | 0.19 | 5.3 | 6.0 | 769 | 6.0 | 0.22 | 5.6 | 6.4 |
| 2020 | 815 | 5.2 | 0.18 | 4.8 | 5.5 | 720 | 5.5 | 0.21 | 5.1 | 5.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lymphoma | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,745 | 5.2 | 0.10 | 5.0 | 5.4 | 496 | 3.8 | 0.18 | 3.5 | 4.2 |
| 1986 | 60 | 5.3 | 0.71 | 4.0 | 6.9 | * | * | * | * | * |
| 1987 | 72 | 6.0 | 0.74 | 4.6 | 7.6 | * | * | * | * | * |
| 1988 | 65 | 5.1 | 0.65 | 3.9 | 6.6 | 11 | 8.7 | 3.06 | 3.8 | 16.4 |
| 1989 | 68 | 5.3 | 0.67 | 4.1 | 6.8 | * | * | * | * | * |
| 1990 | 81 | 6.8 | 0.79 | 5.4 | 8.5 | * | * | * | * | * |
| 1991 | 79 | 6.0 | 0.71 | 4.7 | 7.6 | * | * | * | * | * |
| 1992 | 85 | 6.6 | 0.75 | 5.2 | 8.2 | * | * | * | * | * |
| 1993 | 91 | 7.0 | 0.76 | 5.6 | 8.6 | * | * | * | * | * |
| 1994 | 101 | 7.7 | 0.79 | 6.2 | 9.4 | 10 | 5.5 | 1.90 | 2.4 | 10.3 |
| 1995 | 98 | 7.4 | 0.78 | 6.0 | 9.1 | 10 | 5.5 | 1.94 | 2.4 | 10.3 |
| 1996 | 102 | 7.6 | 0.78 | 6.2 | 9.3 | * | * | * | * | * |
| 1997 | 83 | 6.0 | 0.68 | 4.8 | 7.5 | 15 | 5.7 | 1.61 | 3.0 | 9.7 |
| 1998 | 101 | 7.4 | 0.76 | 6.0 | 9.1 | * | * | * | * | * |
| 1999 | 86 | 6.2 | 0.68 | 4.9 | 7.7 | * | * | * | * | * |
| 2000 | 75 | 5.3 | 0.63 | 4.1 | 6.7 | 13 | 3.6 | 1.16 | 1.7 | 6.6 |
| 2001 | 80 | 5.5 | 0.62 | 4.3 | 6.8 | 11 | 2.6 | 0.84 | 1.2 | 4.9 |
| 2002 | 82 | 5.6 | 0.63 | 4.4 | 6.9 | 15 | 4.3 | 1.19 | 2.3 | 7.2 |
| 2003 | 65 | 4.4 | 0.56 | 3.4 | 5.7 | 19 | 6.9 | 1.72 | 4.0 | 10.9 |
| 2004 | 67 | 4.4 | 0.55 | 3.4 | 5.7 | 16 | 4.2 | 1.12 | 2.3 | 6.9 |
| 2005 | 77 | 5.1 | 0.59 | 4.0 | 6.4 | 18 | 5.5 | 1.38 | 3.2 | 8.8 |
| 2006 | 76 | 5.0 | 0.58 | 3.9 | 6.2 | 12 | 3.1 | 0.93 | 1.5 | 5.4 |
| 2007 | 69 | 4.5 | 0.56 | 3.5 | 5.7 | 16 | 3.9 | 1.04 | 2.1 | 6.4 |
| 2008 | 74 | 4.9 | 0.58 | 3.8 | 6.1 | 13 | 3.0 | 0.87 | 1.5 | 5.1 |
| 2009 | 94 | 5.8 | 0.61 | 4.6 | 7.1 | 20 | 4.6 | 1.10 | 2.7 | 7.2 |
| 2010 | 76 | 4.5 | 0.53 | 3.6 | 5.7 | 13 | 2.4 | 0.71 | 1.2 | 4.2 |
| 2011 | 83 | 4.9 | 0.55 | 3.9 | 6.1 | 14 | 2.9 | 0.83 | 1.6 | 5.0 |
| 2012 | 66 | 3.9 | 0.49 | 3.0 | 4.9 | 12 | 2.5 | 0.76 | 1.2 | 4.4 |
| 2013 | 70 | 4.0 | 0.49 | 3.1 | 5.1 | 25 | 4.5 | 0.95 | 2.8 | 6.7 |
| 2014 | 72 | 4.1 | 0.49 | 3.2 | 5.2 | 22 | 3.7 | 0.83 | 2.3 | 5.6 |
| 2015 | 75 | 4.1 | 0.48 | 3.2 | 5.1 | 26 | 3.9 | 0.79 | 2.5 | 5.8 |
| 2016 | 64 | 3.4 | 0.44 | 2.6 | 4.4 | 27 | 4.0 | 0.80 | 2.6 | 5.9 |
| 2017 | 84 | 4.5 | 0.50 | 3.6 | 5.6 | 23 | 3.3 | 0.70 | 2.1 | 5.0 |
| 2018 | 81 | 4.1 | 0.47 | 3.3 | 5.2 | 25 | 3.4 | 0.69 | 2.2 | 5.0 |
| 2019 | 79 | 4.2 | 0.48 | 3.3 | 5.3 | 24 | 2.9 | 0.60 | 1.8 | 4.3 |
| 2020 | 64 | 3.4 | 0.43 | 2.6 | 4.3 | 31 | 3.9 | 0.71 | 2.7 | 5.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lymphoma | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 17,667 | 9.7 | 0.07 | 9.5 | 9.8 | 15,871 | 10.1 | 0.08 | 10.0 | 10.3 |
| 1986 | 422 | 9.4 | 0.48 | 8.5 | 10.4 | 382 | 9.7 | 0.51 | 8.7 | 10.7 |
| 1987 | 431 | 9.6 | 0.48 | 8.7 | 10.6 | 380 | 9.7 | 0.51 | 8.7 | 10.7 |
| 1988 | 457 | 10.4 | 0.51 | 9.4 | 11.5 | 417 | 10.9 | 0.55 | 9.8 | 12.0 |
| 1989 | 488 | 10.8 | 0.51 | 9.8 | 11.8 | 442 | 11.2 | 0.55 | 10.1 | 12.3 |
| 1990 | 527 | 11.8 | 0.53 | 10.7 | 12.9 | 481 | 12.2 | 0.58 | 11.1 | 13.4 |
| 1991 | 520 | 11.3 | 0.51 | 10.3 | 12.3 | 472 | 11.7 | 0.56 | 10.7 | 12.9 |
| 1992 | 550 | 12.0 | 0.53 | 10.9 | 13.0 | 495 | 12.3 | 0.57 | 11.2 | 13.5 |
| 1993 | 513 | 11.0 | 0.50 | 10.1 | 12.1 | 461 | 11.4 | 0.54 | 10.3 | 12.5 |
| 1994 | 571 | 12.2 | 0.53 | 11.2 | 13.3 | 508 | 12.5 | 0.57 | 11.4 | 13.7 |
| 1995 | 585 | 12.4 | 0.52 | 11.4 | 13.4 | 529 | 12.8 | 0.57 | 11.7 | 14.0 |
| 1996 | 581 | 12.1 | 0.52 | 11.2 | 13.2 | 515 | 12.3 | 0.55 | 11.3 | 13.5 |
| 1997 | 560 | 11.5 | 0.50 | 10.6 | 12.5 | 496 | 11.8 | 0.54 | 10.7 | 12.9 |
| 1998 | 584 | 12.2 | 0.51 | 11.2 | 13.2 | 519 | 12.5 | 0.56 | 11.4 | 13.6 |
| 1999 | 603 | 12.4 | 0.51 | 11.4 | 13.5 | 551 | 13.1 | 0.56 | 12.0 | 14.2 |
| 2000 | 570 | 11.5 | 0.49 | 10.5 | 12.4 | 520 | 12.1 | 0.54 | 11.1 | 13.2 |
| 2001 | 547 | 10.9 | 0.47 | 10.0 | 11.9 | 502 | 11.6 | 0.52 | 10.6 | 12.7 |
| 2002 | 513 | 10.4 | 0.47 | 9.5 | 11.3 | 468 | 10.9 | 0.51 | 9.9 | 12.0 |
| 2003 | 494 | 9.8 | 0.45 | 8.9 | 10.7 | 446 | 10.2 | 0.49 | 9.3 | 11.2 |
| 2004 | 515 | 10.1 | 0.45 | 9.3 | 11.1 | 474 | 10.8 | 0.50 | 9.9 | 11.9 |
| 2005 | 517 | 10.2 | 0.46 | 9.3 | 11.1 | 467 | 10.6 | 0.50 | 9.7 | 11.7 |
| 2006 | 515 | 9.8 | 0.44 | 8.9 | 10.7 | 465 | 10.3 | 0.48 | 9.4 | 11.3 |
| 2007 | 456 | 8.8 | 0.42 | 8.0 | 9.6 | 416 | 9.3 | 0.46 | 8.4 | 10.2 |
| 2008 | 467 | 8.8 | 0.41 | 8.0 | 9.6 | 422 | 9.3 | 0.46 | 8.4 | 10.2 |
| 2009 | 480 | 8.8 | 0.41 | 8.0 | 9.6 | 424 | 9.1 | 0.45 | 8.2 | 10.0 |
| 2010 | 482 | 8.7 | 0.40 | 7.9 | 9.5 | 430 | 9.1 | 0.45 | 8.3 | 10.0 |
| 2011 | 475 | 8.5 | 0.40 | 7.8 | 9.3 | 422 | 8.9 | 0.44 | 8.1 | 9.8 |
| 2012 | 482 | 8.4 | 0.39 | 7.6 | 9.2 | 438 | 9.0 | 0.43 | 8.1 | 9.9 |
| 2013 | 464 | 7.8 | 0.37 | 7.1 | 8.6 | 414 | 8.2 | 0.41 | 7.4 | 9.0 |
| 2014 | 459 | 7.8 | 0.37 | 7.1 | 8.5 | 412 | 8.3 | 0.41 | 7.5 | 9.1 |
| 2015 | 513 | 8.2 | 0.37 | 7.5 | 8.9 | 455 | 8.6 | 0.41 | 7.8 | 9.4 |
| 2016 | 438 | 7.0 | 0.34 | 6.4 | 7.7 | 400 | 7.6 | 0.39 | 6.9 | 8.4 |
| 2017 | 477 | 7.5 | 0.35 | 6.8 | 8.2 | 402 | 7.5 | 0.38 | 6.8 | 8.3 |
| 2018 | 491 | 7.5 | 0.35 | 6.9 | 8.3 | 437 | 8.1 | 0.39 | 7.3 | 8.9 |
| 2019 | 488 | 7.4 | 0.34 | 6.8 | 8.1 | 422 | 7.7 | 0.38 | 7.0 | 8.5 |
| 2020 | 432 | 6.4 | 0.31 | 5.8 | 7.0 | 387 | 6.8 | 0.35 | 6.2 | 7.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lymphoma | | | | | | | | | | |
|-----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,518 | 6.8 | 0.19 | 6.5 | 7.2 | 278 | 4.9 | 0.32 | 4.3 | 5.5 |
| 1986 | 37 | 7.7 | 1.30 | 5.3 | 10.6 | * | * | * | * | * |
| 1987 | 48 | 9.2 | 1.43 | 6.6 | 12.4 | * | * | * | * | * |
| 1988 | 34 | 6.0 | 1.07 | 4.1 | 8.5 | * | * | * | * | * |
| 1989 | 40 | 7.0 | 1.19 | 4.9 | 9.8 | * | * | * | * | * |
| 1990 | 44 | 8.7 | 1.44 | 6.1 | 11.9 | * | * | * | * | * |
| 1991 | 44 | 7.8 | 1.28 | 5.5 | 10.7 | * | * | * | * | * |
| 1992 | 55 | 10.3 | 1.52 | 7.5 | 13.7 | * | * | * | * | * |
| 1993 | 49 | 8.6 | 1.32 | 6.2 | 11.5 | * | * | * | * | * |
| 1994 | 56 | 9.7 | 1.38 | 7.2 | 12.8 | * | * | * | * | * |
| 1995 | 52 | 9.0 | 1.35 | 6.5 | 12.0 | * | * | * | * | * |
| 1996 | 62 | 11.8 | 1.65 | 8.8 | 15.4 | * | * | * | * | * |
| 1997 | 51 | 8.2 | 1.21 | 6.0 | 11.0 | 13 | 11.4 | 3.56 | 5.6 | 20.4 |
| 1998 | 58 | 10.0 | 1.38 | 7.4 | 13.0 | * | * | * | * | * |
| 1999 | 48 | 8.2 | 1.26 | 5.9 | 11.0 | * | * | * | * | * |
| 2000 | 41 | 6.8 | 1.15 | 4.7 | 9.4 | * | * | * | * | * |
| 2001 | 39 | 6.2 | 1.04 | 4.3 | 8.5 | * | * | * | * | * |
| 2002 | 35 | 5.7 | 1.02 | 3.8 | 8.0 | 10 | 5.4 | 1.95 | 2.3 | 10.6 |
| 2003 | 38 | 6.2 | 1.10 | 4.3 | 8.7 | 10 | 8.3 | 2.91 | 3.6 | 15.5 |
| 2004 | 34 | 5.5 | 1.01 | 3.7 | 7.8 | * | * | * | * | * |
| 2005 | 42 | 6.7 | 1.10 | 4.8 | 9.2 | * | * | * | * | * |
| 2006 | 41 | 6.3 | 1.04 | 4.4 | 8.6 | * | * | * | * | * |
| 2007 | 35 | 6.0 | 1.10 | 4.0 | 8.5 | * | * | * | * | * |
| 2008 | 38 | 5.9 | 1.03 | 4.1 | 8.2 | * | * | * | * | * |
| 2009 | 44 | 6.8 | 1.10 | 4.8 | 9.2 | 12 | 7.3 | 2.30 | 3.5 | 13.0 |
| 2010 | 46 | 6.3 | 0.98 | 4.6 | 8.6 | * | * | * | * | * |
| 2011 | 45 | 6.4 | 1.00 | 4.6 | 8.6 | * | * | * | * | * |
| 2012 | 41 | 5.8 | 0.95 | 4.1 | 7.9 | * | * | * | * | * |
| 2013 | 38 | 5.3 | 0.91 | 3.7 | 7.4 | 12 | 5.1 | 1.62 | 2.5 | 9.1 |
| 2014 | 36 | 4.9 | 0.85 | 3.4 | 6.9 | 11 | 5.0 | 1.61 | 2.4 | 9.0 |
| 2015 | 43 | 5.6 | 0.90 | 4.0 | 7.6 | 15 | 5.1 | 1.39 | 2.7 | 8.5 |
| 2016 | 28 | 3.5 | 0.69 | 2.3 | 5.1 | 10 | 3.4 | 1.15 | 1.5 | 6.3 |
| 2017 | 56 | 7.1 | 0.99 | 5.3 | 9.3 | 19 | 6.2 | 1.47 | 3.6 | 9.7 |
| 2018 | 41 | 5.0 | 0.81 | 3.5 | 6.8 | 13 | 4.1 | 1.16 | 2.1 | 7.0 |
| 2019 | 46 | 6.2 | 0.94 | 4.5 | 8.3 | 20 | 5.3 | 1.22 | 3.2 | 8.2 |
| 2020 | 33 | 4.4 | 0.79 | 3.0 | 6.2 | 12 | 3.4 | 1.01 | 1.8 | 6.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lymphoma | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 15,639 | 6.0 | 0.05 | 5.9 | 6.1 | 14,194 | 6.4 | 0.05 | 6.3 | 6.5 |
| 1986 | 416 | 6.6 | 0.33 | 6.0 | 7.3 | 392 | 7.1 | 0.36 | 6.4 | 7.9 |
| 1987 | 405 | 6.5 | 0.33 | 5.8 | 7.1 | 379 | 6.8 | 0.36 | 6.1 | 7.6 |
| 1988 | 436 | 6.9 | 0.33 | 6.3 | 7.6 | 400 | 7.1 | 0.36 | 6.5 | 7.9 |
| 1989 | 449 | 7.1 | 0.34 | 6.4 | 7.8 | 418 | 7.4 | 0.37 | 6.7 | 8.2 |
| 1990 | 408 | 6.2 | 0.31 | 5.6 | 6.9 | 370 | 6.4 | 0.33 | 5.7 | 7.0 |
| 1991 | 482 | 7.3 | 0.34 | 6.7 | 8.0 | 446 | 7.6 | 0.37 | 6.9 | 8.4 |
| 1992 | 482 | 7.3 | 0.33 | 6.6 | 7.9 | 450 | 7.7 | 0.37 | 7.0 | 8.5 |
| 1993 | 528 | 7.8 | 0.34 | 7.2 | 8.5 | 484 | 8.2 | 0.38 | 7.4 | 8.9 |
| 1994 | 521 | 7.8 | 0.34 | 7.1 | 8.5 | 473 | 8.1 | 0.38 | 7.4 | 8.9 |
| 1995 | 553 | 8.1 | 0.34 | 7.4 | 8.8 | 501 | 8.3 | 0.38 | 7.6 | 9.1 |
| 1996 | 537 | 7.8 | 0.34 | 7.2 | 8.5 | 494 | 8.2 | 0.37 | 7.5 | 9.0 |
| 1997 | 539 | 7.7 | 0.34 | 7.1 | 8.4 | 505 | 8.3 | 0.37 | 7.6 | 9.1 |
| 1998 | 496 | 7.0 | 0.32 | 6.4 | 7.7 | 451 | 7.4 | 0.35 | 6.7 | 8.1 |
| 1999 | 515 | 7.3 | 0.32 | 6.6 | 7.9 | 475 | 7.7 | 0.36 | 7.0 | 8.4 |
| 2000 | 495 | 7.0 | 0.32 | 6.4 | 7.6 | 457 | 7.4 | 0.35 | 6.8 | 8.2 |
| 2001 | 494 | 6.9 | 0.31 | 6.3 | 7.5 | 448 | 7.2 | 0.34 | 6.5 | 7.9 |
| 2002 | 495 | 6.8 | 0.31 | 6.2 | 7.5 | 443 | 7.1 | 0.34 | 6.4 | 7.8 |
| 2003 | 485 | 6.5 | 0.30 | 5.9 | 7.1 | 449 | 7.0 | 0.33 | 6.3 | 7.7 |
| 2004 | 476 | 6.5 | 0.30 | 6.0 | 7.2 | 434 | 6.9 | 0.34 | 6.3 | 7.6 |
| 2005 | 483 | 6.5 | 0.30 | 5.9 | 7.1 | 438 | 6.8 | 0.33 | 6.1 | 7.4 |
| 2006 | 428 | 5.7 | 0.28 | 5.2 | 6.3 | 390 | 6.1 | 0.31 | 5.5 | 6.7 |
| 2007 | 412 | 5.4 | 0.27 | 4.8 | 5.9 | 367 | 5.6 | 0.30 | 5.0 | 6.2 |
| 2008 | 437 | 5.6 | 0.27 | 5.1 | 6.2 | 395 | 6.0 | 0.31 | 5.4 | 6.6 |
| 2009 | 472 | 6.1 | 0.28 | 5.5 | 6.7 | 414 | 6.2 | 0.31 | 5.6 | 6.9 |
| 2010 | 400 | 5.1 | 0.26 | 4.6 | 5.6 | 363 | 5.4 | 0.29 | 4.8 | 6.0 |
| 2011 | 408 | 5.1 | 0.26 | 4.6 | 5.6 | 364 | 5.3 | 0.29 | 4.8 | 5.9 |
| 2012 | 371 | 4.6 | 0.24 | 4.1 | 5.1 | 337 | 4.9 | 0.28 | 4.4 | 5.5 |
| 2013 | 405 | 4.9 | 0.25 | 4.4 | 5.4 | 360 | 5.1 | 0.28 | 4.6 | 5.7 |
| 2014 | 380 | 4.5 | 0.24 | 4.1 | 5.0 | 333 | 4.7 | 0.27 | 4.2 | 5.3 |
| 2015 | 384 | 4.6 | 0.24 | 4.1 | 5.1 | 341 | 4.9 | 0.27 | 4.4 | 5.5 |
| 2016 | 382 | 4.4 | 0.23 | 4.0 | 4.9 | 329 | 4.5 | 0.26 | 4.0 | 5.1 |
| 2017 | 347 | 4.1 | 0.22 | 3.6 | 4.5 | 315 | 4.4 | 0.26 | 3.9 | 4.9 |
| 2018 | 351 | 4.0 | 0.22 | 3.5 | 4.4 | 299 | 4.0 | 0.24 | 3.6 | 4.5 |
| 2019 | 384 | 4.3 | 0.22 | 3.9 | 4.8 | 347 | 4.7 | 0.26 | 4.3 | 5.3 |
| 2020 | 383 | 4.2 | 0.22 | 3.8 | 4.7 | 333 | 4.4 | 0.25 | 4.0 | 5.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Lymphoma | | | | | | | | | | |
|-----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,227 | 4.0 | 0.12 | 3.8 | 4.3 | 218 | 3.0 | 0.21 | 2.6 | 3.4 |
| 1986 | 23 | 3.5 | 0.75 | 2.2 | 5.3 | * | * | * | * | * |
| 1987 | 24 | 3.6 | 0.76 | 2.3 | 5.4 | * | * | * | * | * |
| 1988 | 31 | 4.4 | 0.80 | 2.9 | 6.2 | * | * | * | * | * |
| 1989 | 28 | 4.0 | 0.77 | 2.6 | 5.8 | * | * | * | * | * |
| 1990 | 37 | 5.4 | 0.91 | 3.8 | 7.5 | * | * | * | * | * |
| 1991 | 35 | 4.7 | 0.82 | 3.3 | 6.6 | * | * | * | * | * |
| 1992 | 30 | 4.1 | 0.77 | 2.7 | 5.9 | * | * | * | * | * |
| 1993 | 42 | 5.7 | 0.89 | 4.1 | 7.7 | * | * | * | * | * |
| 1994 | 45 | 6.0 | 0.92 | 4.4 | 8.1 | * | * | * | * | * |
| 1995 | 46 | 6.2 | 0.92 | 4.5 | 8.2 | * | * | * | * | * |
| 1996 | 40 | 5.0 | 0.81 | 3.6 | 6.9 | * | * | * | * | * |
| 1997 | 32 | 4.2 | 0.75 | 2.8 | 5.9 | * | * | * | * | * |
| 1998 | 43 | 5.5 | 0.85 | 4.0 | 7.4 | * | * | * | * | * |
| 1999 | 38 | 4.7 | 0.78 | 3.3 | 6.5 | * | * | * | * | * |
| 2000 | 34 | 4.2 | 0.72 | 2.9 | 5.8 | * | * | * | * | * |
| 2001 | 41 | 4.9 | 0.77 | 3.5 | 6.6 | * | * | * | * | * |
| 2002 | 47 | 5.5 | 0.81 | 4.0 | 7.3 | * | * | * | * | * |
| 2003 | 27 | 3.2 | 0.63 | 2.1 | 4.7 | * | * | * | * | * |
| 2004 | 33 | 3.8 | 0.66 | 2.6 | 5.3 | * | * | * | * | * |
| 2005 | 35 | 3.9 | 0.67 | 2.7 | 5.5 | 10 | 4.8 | 1.60 | 2.2 | 8.9 |
| 2006 | 35 | 4.0 | 0.67 | 2.7 | 5.5 | * | * | * | * | * |
| 2007 | 34 | 3.7 | 0.63 | 2.5 | 5.1 | 11 | 4.4 | 1.39 | 2.1 | 8.0 |
| 2008 | 36 | 4.1 | 0.68 | 2.8 | 5.6 | * | * | * | * | * |
| 2009 | 50 | 5.2 | 0.75 | 3.9 | 6.9 | * | * | * | * | * |
| 2010 | 30 | 3.1 | 0.58 | 2.1 | 4.5 | * | * | * | * | * |
| 2011 | 38 | 3.8 | 0.63 | 2.7 | 5.3 | * | * | * | * | * |
| 2012 | 25 | 2.6 | 0.52 | 1.6 | 3.8 | * | * | * | * | * |
| 2013 | 32 | 3.1 | 0.56 | 2.1 | 4.4 | 13 | 4.2 | 1.22 | 2.2 | 7.3 |
| 2014 | 36 | 3.5 | 0.58 | 2.4 | 4.8 | 11 | 3.0 | 0.95 | 1.5 | 5.5 |
| 2015 | 32 | 3.1 | 0.55 | 2.1 | 4.3 | 11 | 3.0 | 0.92 | 1.4 | 5.3 |
| 2016 | 36 | 3.4 | 0.57 | 2.3 | 4.7 | 17 | 4.5 | 1.11 | 2.6 | 7.2 |
| 2017 | 28 | 2.6 | 0.51 | 1.8 | 3.8 | * | * | * | * | * |
| 2018 | 40 | 3.6 | 0.57 | 2.5 | 4.9 | 12 | 2.8 | 0.82 | 1.4 | 4.9 |
| 2019 | 33 | 2.9 | 0.50 | 2.0 | 4.0 | * | * | * | * | * |
| 2020 | 31 | 2.7 | 0.50 | 1.9 | 3.9 | 19 | 4.2 | 0.97 | 2.5 | 6.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Hodgkin Lymphoma | | | | | | | | | | |
|-------------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,939 | 0.4 | 0.01 | 0.4 | 0.5 | 1,657 | 0.5 | 0.01 | 0.4 | 0.5 |
| 1986 | 103 | 0.9 | 0.09 | 0.7 | 1.1 | 94 | 1.0 | 0.10 | 0.8 | 1.2 |
| 1987 | 90 | 0.8 | 0.09 | 0.6 | 1.0 | 77 | 0.8 | 0.09 | 0.6 | 1.0 |
| 1988 | 73 | 0.7 | 0.08 | 0.5 | 0.8 | 62 | 0.7 | 0.09 | 0.5 | 0.9 |
| 1989 | 70 | 0.6 | 0.07 | 0.5 | 0.8 | 60 | 0.6 | 0.08 | 0.5 | 0.8 |
| 1990 | 71 | 0.6 | 0.07 | 0.5 | 0.8 | 59 | 0.6 | 0.08 | 0.4 | 0.8 |
| 1991 | 72 | 0.6 | 0.07 | 0.5 | 0.8 | 59 | 0.6 | 0.08 | 0.5 | 0.8 |
| 1992 | 67 | 0.6 | 0.07 | 0.4 | 0.7 | 56 | 0.6 | 0.08 | 0.4 | 0.7 |
| 1993 | 65 | 0.6 | 0.07 | 0.4 | 0.7 | 56 | 0.6 | 0.08 | 0.4 | 0.7 |
| 1994 | 68 | 0.6 | 0.07 | 0.5 | 0.7 | 56 | 0.6 | 0.07 | 0.4 | 0.7 |
| 1995 | 58 | 0.5 | 0.07 | 0.4 | 0.6 | 48 | 0.5 | 0.07 | 0.4 | 0.6 |
| 1996 | 60 | 0.5 | 0.07 | 0.4 | 0.7 | 51 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1997 | 60 | 0.5 | 0.07 | 0.4 | 0.7 | 53 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1998 | 61 | 0.5 | 0.07 | 0.4 | 0.7 | 49 | 0.5 | 0.07 | 0.4 | 0.6 |
| 1999 | 57 | 0.5 | 0.06 | 0.4 | 0.6 | 51 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2000 | 61 | 0.5 | 0.06 | 0.4 | 0.6 | 53 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2001 | 54 | 0.4 | 0.06 | 0.3 | 0.6 | 48 | 0.5 | 0.07 | 0.3 | 0.6 |
| 2002 | 65 | 0.5 | 0.07 | 0.4 | 0.7 | 57 | 0.6 | 0.07 | 0.4 | 0.7 |
| 2003 | 52 | 0.4 | 0.06 | 0.3 | 0.6 | 46 | 0.4 | 0.07 | 0.3 | 0.6 |
| 2004 | 56 | 0.4 | 0.06 | 0.3 | 0.6 | 49 | 0.5 | 0.07 | 0.3 | 0.6 |
| 2005 | 50 | 0.4 | 0.06 | 0.3 | 0.5 | 41 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2006 | 58 | 0.5 | 0.06 | 0.4 | 0.6 | 47 | 0.5 | 0.07 | 0.3 | 0.6 |
| 2007 | 48 | 0.4 | 0.05 | 0.3 | 0.5 | 44 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2008 | 50 | 0.4 | 0.06 | 0.3 | 0.5 | 39 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2009 | 49 | 0.4 | 0.05 | 0.3 | 0.5 | 43 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2010 | 35 | 0.3 | 0.05 | 0.2 | 0.4 | 31 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2011 | 38 | 0.3 | 0.05 | 0.2 | 0.4 | 32 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2012 | 43 | 0.3 | 0.05 | 0.2 | 0.4 | 37 | 0.3 | 0.05 | 0.2 | 0.5 |
| 2013 | 37 | 0.3 | 0.05 | 0.2 | 0.4 | 31 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2014 | 39 | 0.3 | 0.05 | 0.2 | 0.4 | 35 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2015 | 48 | 0.3 | 0.05 | 0.3 | 0.5 | 39 | 0.3 | 0.05 | 0.2 | 0.5 |
| 2016 | 38 | 0.3 | 0.05 | 0.2 | 0.4 | 30 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2017 | 40 | 0.3 | 0.04 | 0.2 | 0.4 | 37 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2018 | 38 | 0.2 | 0.04 | 0.2 | 0.3 | 30 | 0.2 | 0.04 | 0.2 | 0.3 |
| 2019 | 38 | 0.3 | 0.04 | 0.2 | 0.4 | 32 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2020 | 27 | 0.2 | 0.03 | 0.1 | 0.3 | 25 | 0.2 | 0.04 | 0.1 | 0.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Hodgkin Lymphoma

Both Sexes

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 253 | 0.4 | 0.03 | 0.4 | 0.5 | 29 | 0.2 | 0.04 | 0.1 | 0.3 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 12 | 0.7 | 0.22 | 0.4 | 1.3 | * | * | * | * | * |
| 1988 | 10 | 0.6 | 0.21 | 0.3 | 1.2 | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | 12 | 0.8 | 0.24 | 0.4 | 1.4 | * | * | * | * | * |
| 1991 | 12 | 0.7 | 0.21 | 0.4 | 1.3 | * | * | * | * | * |
| 1992 | 11 | 0.6 | 0.20 | 0.3 | 1.2 | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | 10 | 0.6 | 0.20 | 0.3 | 1.2 | * | * | * | * | * |
| 1995 | 10 | 0.6 | 0.20 | 0.3 | 1.1 | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | 11 | 0.8 | 0.23 | 0.4 | 1.4 | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | 10 | 0.6 | 0.20 | 0.3 | 1.1 | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Hodgkin Lymphoma

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,113 | 0.6 | 0.02 | 0.5 | 0.6 | 957 | 0.6 | 0.02 | 0.5 | 0.6 |
| 1986 | 47 | 0.9 | 0.14 | 0.7 | 1.2 | 43 | 1.0 | 0.15 | 0.7 | 1.3 |
| 1987 | 56 | 1.0 | 0.14 | 0.8 | 1.3 | 45 | 1.0 | 0.15 | 0.7 | 1.3 |
| 1988 | 40 | 0.8 | 0.13 | 0.6 | 1.1 | 35 | 0.8 | 0.14 | 0.6 | 1.1 |
| 1989 | 40 | 0.8 | 0.13 | 0.6 | 1.1 | 35 | 0.8 | 0.14 | 0.6 | 1.2 |
| 1990 | 46 | 0.9 | 0.13 | 0.6 | 1.2 | 38 | 0.8 | 0.14 | 0.6 | 1.2 |
| 1991 | 40 | 0.8 | 0.13 | 0.5 | 1.1 | 33 | 0.7 | 0.13 | 0.5 | 1.1 |
| 1992 | 36 | 0.7 | 0.12 | 0.5 | 1.0 | 29 | 0.7 | 0.12 | 0.4 | 0.9 |
| 1993 | 25 | 0.5 | 0.10 | 0.3 | 0.7 | 19 | 0.4 | 0.10 | 0.3 | 0.7 |
| 1994 | 37 | 0.7 | 0.11 | 0.5 | 0.9 | 31 | 0.7 | 0.12 | 0.4 | 0.9 |
| 1995 | 35 | 0.6 | 0.11 | 0.4 | 0.9 | 30 | 0.7 | 0.12 | 0.4 | 0.9 |
| 1996 | 35 | 0.7 | 0.12 | 0.5 | 1.0 | 31 | 0.7 | 0.13 | 0.5 | 1.0 |
| 1997 | 30 | 0.6 | 0.11 | 0.4 | 0.9 | 24 | 0.6 | 0.12 | 0.4 | 0.9 |
| 1998 | 43 | 0.8 | 0.12 | 0.6 | 1.1 | 33 | 0.7 | 0.13 | 0.5 | 1.0 |
| 1999 | 36 | 0.7 | 0.12 | 0.5 | 1.0 | 33 | 0.8 | 0.13 | 0.5 | 1.1 |
| 2000 | 34 | 0.6 | 0.11 | 0.4 | 0.9 | 29 | 0.6 | 0.12 | 0.4 | 0.9 |
| 2001 | 31 | 0.6 | 0.10 | 0.4 | 0.8 | 30 | 0.6 | 0.12 | 0.4 | 0.9 |
| 2002 | 38 | 0.7 | 0.12 | 0.5 | 1.0 | 32 | 0.7 | 0.13 | 0.5 | 1.0 |
| 2003 | 28 | 0.5 | 0.10 | 0.3 | 0.7 | 24 | 0.5 | 0.11 | 0.3 | 0.8 |
| 2004 | 37 | 0.7 | 0.11 | 0.5 | 0.9 | 35 | 0.7 | 0.13 | 0.5 | 1.0 |
| 2005 | 24 | 0.4 | 0.09 | 0.3 | 0.6 | 18 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2006 | 35 | 0.6 | 0.11 | 0.4 | 0.9 | 28 | 0.6 | 0.11 | 0.4 | 0.9 |
| 2007 | 21 | 0.4 | 0.08 | 0.2 | 0.6 | 20 | 0.4 | 0.10 | 0.3 | 0.7 |
| 2008 | 29 | 0.5 | 0.09 | 0.3 | 0.7 | 22 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2009 | 25 | 0.4 | 0.09 | 0.3 | 0.6 | 23 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2010 | 18 | 0.3 | 0.08 | 0.2 | 0.5 | 16 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2011 | 21 | 0.4 | 0.08 | 0.2 | 0.6 | 20 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2012 | 28 | 0.5 | 0.09 | 0.3 | 0.7 | 23 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2013 | 20 | 0.3 | 0.08 | 0.2 | 0.5 | 18 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2014 | 27 | 0.4 | 0.09 | 0.3 | 0.6 | 26 | 0.5 | 0.10 | 0.3 | 0.8 |
| 2015 | 30 | 0.5 | 0.09 | 0.3 | 0.7 | 26 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2016 | 23 | 0.4 | 0.08 | 0.2 | 0.6 | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2017 | 27 | 0.4 | 0.08 | 0.3 | 0.6 | 27 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2018 | 27 | 0.4 | 0.07 | 0.2 | 0.5 | 25 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2019 | 25 | 0.4 | 0.08 | 0.2 | 0.6 | 20 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2020 | 19 | 0.3 | 0.07 | 0.2 | 0.5 | 17 | 0.3 | 0.08 | 0.2 | 0.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Hodgkin Lymphoma

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 137 | 0.5 | 0.05 | 0.4 | 0.6 | 19 | 0.3 | 0.07 | 0.2 | 0.5 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | 10 | 1.3 | 0.44 | 0.6 | 2.6 | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Hodgkin Lymphoma

Females

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|-------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 826 | 0.3 | 0.01 | 0.3 | 0.4 | 700 | 0.4 | 0.01 | 0.3 | 0.4 |
| 1986 | 56 | 0.9 | 0.12 | 0.7 | 1.2 | 51 | 1.0 | 0.14 | 0.7 | 1.3 |
| 1987 | 34 | 0.6 | 0.10 | 0.4 | 0.8 | 32 | 0.6 | 0.12 | 0.4 | 0.9 |
| 1988 | 33 | 0.5 | 0.09 | 0.4 | 0.8 | 27 | 0.5 | 0.10 | 0.3 | 0.8 |
| 1989 | 30 | 0.5 | 0.09 | 0.3 | 0.7 | 25 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1990 | 25 | 0.4 | 0.08 | 0.2 | 0.6 | 21 | 0.4 | 0.08 | 0.2 | 0.5 |
| 1991 | 32 | 0.5 | 0.09 | 0.3 | 0.7 | 26 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1992 | 31 | 0.5 | 0.09 | 0.3 | 0.7 | 27 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1993 | 40 | 0.6 | 0.10 | 0.4 | 0.8 | 37 | 0.7 | 0.11 | 0.5 | 0.9 |
| 1994 | 31 | 0.5 | 0.09 | 0.3 | 0.7 | 25 | 0.4 | 0.09 | 0.3 | 0.7 |
| 1995 | 23 | 0.4 | 0.07 | 0.2 | 0.5 | 18 | 0.3 | 0.07 | 0.2 | 0.5 |
| 1996 | 25 | 0.4 | 0.08 | 0.3 | 0.6 | 20 | 0.4 | 0.08 | 0.2 | 0.6 |
| 1997 | 30 | 0.4 | 0.08 | 0.3 | 0.6 | 29 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1998 | 18 | 0.3 | 0.06 | 0.2 | 0.4 | 16 | 0.3 | 0.07 | 0.2 | 0.4 |
| 1999 | 21 | 0.3 | 0.07 | 0.2 | 0.5 | 18 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2000 | 27 | 0.4 | 0.08 | 0.3 | 0.6 | 24 | 0.4 | 0.09 | 0.3 | 0.7 |
| 2001 | 23 | 0.3 | 0.07 | 0.2 | 0.5 | 18 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2002 | 27 | 0.4 | 0.08 | 0.3 | 0.6 | 25 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2003 | 24 | 0.4 | 0.07 | 0.2 | 0.5 | 22 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2004 | 19 | 0.3 | 0.07 | 0.2 | 0.4 | 14 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2005 | 26 | 0.4 | 0.08 | 0.3 | 0.6 | 23 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2006 | 23 | 0.3 | 0.07 | 0.2 | 0.5 | 19 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2007 | 27 | 0.4 | 0.07 | 0.3 | 0.6 | 24 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2008 | 21 | 0.3 | 0.07 | 0.2 | 0.5 | 17 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2009 | 24 | 0.3 | 0.07 | 0.2 | 0.5 | 20 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2010 | 17 | 0.2 | 0.06 | 0.1 | 0.4 | 15 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2011 | 17 | 0.2 | 0.06 | 0.1 | 0.4 | 12 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2012 | 15 | 0.2 | 0.05 | 0.1 | 0.3 | 14 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2013 | 17 | 0.2 | 0.06 | 0.1 | 0.4 | 13 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2014 | 12 | 0.2 | 0.05 | 0.1 | 0.3 | * | * | * | * | * |
| 2015 | 18 | 0.2 | 0.06 | 0.1 | 0.4 | 13 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2016 | 15 | 0.2 | 0.05 | 0.1 | 0.3 | 11 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2017 | 13 | 0.2 | 0.05 | 0.1 | 0.3 | 10 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2018 | 11 | 0.1 | 0.04 | 0.1 | 0.2 | * | * | * | * | * |
| 2019 | 13 | 0.2 | 0.05 | 0.1 | 0.3 | 12 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Hodgkin Lymphoma

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 116 | 0.4 | 0.03 | 0.3 | 0.4 | 10 | 0.1 | 0.04 | 0.1 | 0.2 |
| 1986 | * | * | * | * | * | * | * | * | * | * |
| 1987 | * | * | * | * | * | * | * | * | * | * |
| 1988 | * | * | * | * | * | * | * | * | * | * |
| 1989 | * | * | * | * | * | * | * | * | * | * |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | * | * | * | * | * | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | * | * | * | * | * |
| 1994 | * | * | * | * | * | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | * | * | * | * | * |
| 1998 | * | * | * | * | * | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | * | * | * | * | * | * | * | * | * | * |
| 2001 | * | * | * | * | * | * | * | * | * | * |
| 2002 | * | * | * | * | * | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | * | * | * | * | * |
| 2005 | * | * | * | * | * | * | * | * | * | * |
| 2006 | * | * | * | * | * | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | * | * | * | * | * | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | * | * | * | * | * | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma

Both Sexes

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|------|--------|------|------|-----|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 31,367 | 7.1 | 0.04 | 7.0 | 7.2 | 28,408 | 7.5 | 0.04 | 7.4 | 7.6 |
| 1986 | 735 | 7.0 | 0.26 | 6.5 | 7.5 | 680 | 7.3 | 0.28 | 6.7 | 7.8 |
| 1987 | 746 | 7.1 | 0.26 | 6.6 | 7.6 | 682 | 7.3 | 0.28 | 6.7 | 7.9 |
| 1988 | 820 | 7.7 | 0.27 | 7.2 | 8.2 | 755 | 8.0 | 0.29 | 7.4 | 8.6 |
| 1989 | 867 | 8.0 | 0.28 | 7.5 | 8.6 | 800 | 8.4 | 0.30 | 7.8 | 9.0 |
| 1990 | 864 | 8.0 | 0.27 | 7.5 | 8.6 | 792 | 8.3 | 0.30 | 7.7 | 8.9 |
| 1991 | 930 | 8.4 | 0.28 | 7.9 | 9.0 | 859 | 8.9 | 0.30 | 8.3 | 9.5 |
| 1992 | 965 | 8.6 | 0.28 | 8.1 | 9.2 | 889 | 9.1 | 0.31 | 8.5 | 9.7 |
| 1993 | 976 | 8.7 | 0.28 | 8.1 | 9.2 | 889 | 9.0 | 0.30 | 8.4 | 9.6 |
| 1994 | 1,024 | 9.0 | 0.28 | 8.5 | 9.6 | 925 | 9.3 | 0.31 | 8.7 | 9.9 |
| 1995 | 1,080 | 9.4 | 0.29 | 8.8 | 10.0 | 982 | 9.8 | 0.31 | 9.1 | 10.4 |
| 1996 | 1,058 | 9.1 | 0.28 | 8.6 | 9.7 | 958 | 9.5 | 0.31 | 8.9 | 10.1 |
| 1997 | 1,039 | 8.9 | 0.28 | 8.4 | 9.4 | 948 | 9.3 | 0.30 | 8.7 | 9.9 |
| 1998 | 1,019 | 8.6 | 0.27 | 8.1 | 9.2 | 921 | 8.9 | 0.29 | 8.4 | 9.5 |
| 1999 | 1,061 | 8.9 | 0.27 | 8.4 | 9.5 | 975 | 9.4 | 0.30 | 8.8 | 10.0 |
| 2000 | 1,004 | 8.4 | 0.26 | 7.9 | 8.9 | 924 | 8.9 | 0.29 | 8.3 | 9.5 |
| 2001 | 987 | 8.1 | 0.26 | 7.6 | 8.7 | 902 | 8.6 | 0.29 | 8.0 | 9.2 |
| 2002 | 943 | 7.7 | 0.25 | 7.2 | 8.2 | 854 | 8.1 | 0.28 | 7.5 | 8.6 |
| 2003 | 927 | 7.5 | 0.25 | 7.0 | 8.0 | 849 | 7.9 | 0.27 | 7.4 | 8.5 |
| 2004 | 935 | 7.5 | 0.25 | 7.1 | 8.0 | 859 | 8.0 | 0.28 | 7.5 | 8.6 |
| 2005 | 950 | 7.6 | 0.25 | 7.1 | 8.1 | 864 | 7.9 | 0.27 | 7.4 | 8.5 |
| 2006 | 885 | 7.0 | 0.23 | 6.5 | 7.4 | 808 | 7.4 | 0.26 | 6.9 | 7.9 |
| 2007 | 820 | 6.4 | 0.22 | 5.9 | 6.8 | 739 | 6.7 | 0.25 | 6.2 | 7.2 |
| 2008 | 854 | 6.6 | 0.23 | 6.1 | 7.0 | 778 | 7.0 | 0.25 | 6.5 | 7.5 |
| 2009 | 903 | 6.8 | 0.23 | 6.4 | 7.3 | 795 | 7.0 | 0.25 | 6.6 | 7.6 |
| 2010 | 847 | 6.3 | 0.22 | 5.9 | 6.8 | 762 | 6.7 | 0.24 | 6.2 | 7.2 |
| 2011 | 845 | 6.2 | 0.22 | 5.8 | 6.6 | 754 | 6.5 | 0.24 | 6.0 | 7.0 |
| 2012 | 810 | 5.9 | 0.21 | 5.5 | 6.3 | 738 | 6.3 | 0.24 | 5.9 | 6.8 |
| 2013 | 832 | 5.8 | 0.21 | 5.4 | 6.3 | 743 | 6.2 | 0.23 | 5.7 | 6.6 |
| 2014 | 800 | 5.6 | 0.20 | 5.2 | 6.0 | 710 | 5.9 | 0.23 | 5.5 | 6.4 |
| 2015 | 849 | 5.8 | 0.20 | 5.4 | 6.2 | 757 | 6.1 | 0.23 | 5.7 | 6.6 |
| 2016 | 782 | 5.3 | 0.19 | 4.9 | 5.7 | 699 | 5.6 | 0.22 | 5.2 | 6.1 |
| 2017 | 784 | 5.2 | 0.19 | 4.9 | 5.6 | 680 | 5.4 | 0.21 | 5.0 | 5.9 |
| 2018 | 804 | 5.3 | 0.19 | 4.9 | 5.6 | 706 | 5.6 | 0.21 | 5.2 | 6.0 |
| 2019 | 834 | 5.4 | 0.19 | 5.0 | 5.8 | 737 | 5.7 | 0.21 | 5.3 | 6.1 |
| 2020 | 788 | 5.0 | 0.18 | 4.6 | 5.4 | 695 | 5.3 | 0.20 | 4.9 | 5.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma

Both Sexes

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 2,492 | 4.8 | 0.10 | 4.6 | 5.0 | 467 | 3.6 | 0.18 | 3.3 | 4.0 |
| 1986 | 51 | 4.7 | 0.67 | 3.5 | 6.2 | * | * | * | * | * |
| 1987 | 60 | 5.2 | 0.70 | 4.0 | 6.8 | * | * | * | * | * |
| 1988 | 55 | 4.5 | 0.62 | 3.3 | 5.8 | 10 | 8.3 | 3.03 | 3.5 | 15.9 |
| 1989 | 59 | 4.7 | 0.64 | 3.6 | 6.2 | * | * | * | * | * |
| 1990 | 69 | 6.0 | 0.75 | 4.6 | 7.6 | * | * | * | * | * |
| 1991 | 67 | 5.3 | 0.68 | 4.1 | 6.8 | * | * | * | * | * |
| 1992 | 74 | 6.0 | 0.72 | 4.6 | 7.5 | * | * | * | * | * |
| 1993 | 82 | 6.4 | 0.73 | 5.0 | 8.0 | * | * | * | * | * |
| 1994 | 91 | 7.1 | 0.76 | 5.6 | 8.7 | * | * | * | * | * |
| 1995 | 88 | 6.9 | 0.75 | 5.5 | 8.5 | 10 | 5.5 | 1.94 | 2.4 | 10.3 |
| 1996 | 94 | 7.1 | 0.75 | 5.7 | 8.7 | * | * | * | * | * |
| 1997 | 78 | 5.7 | 0.66 | 4.5 | 7.1 | 13 | 5.2 | 1.57 | 2.6 | 9.1 |
| 1998 | 90 | 6.7 | 0.72 | 5.3 | 8.2 | * | * | * | * | * |
| 1999 | 80 | 5.8 | 0.67 | 4.6 | 7.3 | * | * | * | * | * |
| 2000 | 68 | 4.8 | 0.60 | 3.7 | 6.2 | 12 | 3.5 | 1.15 | 1.6 | 6.4 |
| 2001 | 75 | 5.2 | 0.61 | 4.1 | 6.5 | 10 | 2.4 | 0.82 | 1.1 | 4.6 |
| 2002 | 76 | 5.2 | 0.61 | 4.1 | 6.6 | 13 | 3.9 | 1.16 | 2.0 | 6.8 |
| 2003 | 60 | 4.1 | 0.54 | 3.1 | 5.3 | 18 | 6.8 | 1.71 | 3.8 | 10.8 |
| 2004 | 60 | 4.1 | 0.54 | 3.1 | 5.3 | 16 | 4.2 | 1.12 | 2.3 | 6.9 |
| 2005 | 69 | 4.6 | 0.57 | 3.6 | 5.9 | 17 | 5.4 | 1.38 | 3.0 | 8.6 |
| 2006 | 67 | 4.3 | 0.54 | 3.3 | 5.5 | 10 | 2.6 | 0.87 | 1.2 | 4.8 |
| 2007 | 65 | 4.3 | 0.55 | 3.3 | 5.5 | 16 | 3.9 | 1.04 | 2.1 | 6.4 |
| 2008 | 64 | 4.3 | 0.54 | 3.3 | 5.4 | 12 | 2.8 | 0.85 | 1.4 | 4.9 |
| 2009 | 88 | 5.3 | 0.58 | 4.3 | 6.6 | 20 | 4.6 | 1.10 | 2.7 | 7.2 |
| 2010 | 72 | 4.3 | 0.52 | 3.4 | 5.5 | 13 | 2.4 | 0.71 | 1.2 | 4.2 |
| 2011 | 78 | 4.6 | 0.53 | 3.6 | 5.7 | 13 | 2.8 | 0.82 | 1.5 | 4.8 |
| 2012 | 60 | 3.6 | 0.47 | 2.7 | 4.6 | 12 | 2.5 | 0.76 | 1.2 | 4.4 |
| 2013 | 65 | 3.7 | 0.47 | 2.9 | 4.8 | 24 | 4.3 | 0.93 | 2.7 | 6.5 |
| 2014 | 68 | 3.9 | 0.48 | 3.0 | 4.9 | 22 | 3.7 | 0.83 | 2.3 | 5.6 |
| 2015 | 69 | 3.8 | 0.46 | 2.9 | 4.8 | 23 | 3.4 | 0.72 | 2.1 | 5.1 |
| 2016 | 57 | 3.0 | 0.41 | 2.3 | 3.9 | 26 | 3.8 | 0.78 | 2.5 | 5.7 |
| 2017 | 82 | 4.4 | 0.49 | 3.5 | 5.5 | 22 | 3.1 | 0.68 | 1.9 | 4.7 |
| 2018 | 74 | 3.8 | 0.45 | 3.0 | 4.8 | 24 | 3.2 | 0.67 | 2.0 | 4.8 |
| 2019 | 75 | 4.0 | 0.47 | 3.2 | 5.1 | 22 | 2.7 | 0.58 | 1.7 | 4.0 |
| 2020 | 62 | 3.3 | 0.42 | 2.5 | 4.2 | 31 | 3.9 | 0.71 | 2.7 | 5.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma

Males

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|------|------|--------|------|------|------|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 16,554 | 9.1 | 0.07 | 9.0 | 9.2 | 14,914 | 9.5 | 0.08 | 9.4 | 9.7 |
| 1986 | 375 | 8.5 | 0.46 | 7.6 | 9.5 | 339 | 8.7 | 0.49 | 7.8 | 9.7 |
| 1987 | 375 | 8.5 | 0.46 | 7.7 | 9.5 | 335 | 8.7 | 0.49 | 7.7 | 9.7 |
| 1988 | 417 | 9.6 | 0.49 | 8.7 | 10.6 | 382 | 10.1 | 0.53 | 9.0 | 11.2 |
| 1989 | 448 | 10.0 | 0.49 | 9.1 | 11.0 | 407 | 10.3 | 0.53 | 9.3 | 11.4 |
| 1990 | 481 | 10.9 | 0.52 | 9.9 | 12.0 | 443 | 11.4 | 0.56 | 10.3 | 12.5 |
| 1991 | 480 | 10.5 | 0.50 | 9.6 | 11.5 | 439 | 11.0 | 0.54 | 10.0 | 12.1 |
| 1992 | 514 | 11.3 | 0.52 | 10.3 | 12.3 | 466 | 11.7 | 0.56 | 10.6 | 12.8 |
| 1993 | 488 | 10.6 | 0.49 | 9.6 | 11.6 | 442 | 11.0 | 0.54 | 9.9 | 12.1 |
| 1994 | 534 | 11.6 | 0.51 | 10.6 | 12.6 | 477 | 11.9 | 0.56 | 10.8 | 13.0 |
| 1995 | 550 | 11.7 | 0.51 | 10.7 | 12.8 | 499 | 12.2 | 0.56 | 11.1 | 13.3 |
| 1996 | 546 | 11.4 | 0.50 | 10.5 | 12.5 | 484 | 11.6 | 0.54 | 10.6 | 12.7 |
| 1997 | 530 | 10.9 | 0.48 | 10.0 | 11.9 | 472 | 11.2 | 0.52 | 10.2 | 12.3 |
| 1998 | 541 | 11.4 | 0.50 | 10.4 | 12.4 | 486 | 11.8 | 0.54 | 10.7 | 12.9 |
| 1999 | 567 | 11.7 | 0.50 | 10.8 | 12.7 | 518 | 12.3 | 0.55 | 11.3 | 13.4 |
| 2000 | 536 | 10.8 | 0.47 | 9.9 | 11.8 | 491 | 11.5 | 0.52 | 10.5 | 12.5 |
| 2001 | 516 | 10.4 | 0.46 | 9.5 | 11.3 | 472 | 11.0 | 0.51 | 10.0 | 12.0 |
| 2002 | 475 | 9.6 | 0.45 | 8.8 | 10.5 | 436 | 10.2 | 0.49 | 9.3 | 11.2 |
| 2003 | 466 | 9.3 | 0.43 | 8.4 | 10.1 | 422 | 9.7 | 0.48 | 8.8 | 10.7 |
| 2004 | 478 | 9.5 | 0.44 | 8.6 | 10.4 | 439 | 10.1 | 0.49 | 9.2 | 11.1 |
| 2005 | 493 | 9.8 | 0.45 | 8.9 | 10.7 | 449 | 10.3 | 0.49 | 9.3 | 11.3 |
| 2006 | 480 | 9.2 | 0.42 | 8.3 | 10.0 | 437 | 9.7 | 0.47 | 8.8 | 10.7 |
| 2007 | 435 | 8.4 | 0.41 | 7.6 | 9.2 | 396 | 8.8 | 0.45 | 8.0 | 9.7 |
| 2008 | 438 | 8.3 | 0.40 | 7.5 | 9.1 | 400 | 8.8 | 0.44 | 8.0 | 9.7 |
| 2009 | 455 | 8.4 | 0.40 | 7.6 | 9.2 | 401 | 8.6 | 0.43 | 7.8 | 9.5 |
| 2010 | 464 | 8.3 | 0.39 | 7.6 | 9.2 | 414 | 8.8 | 0.44 | 7.9 | 9.7 |
| 2011 | 454 | 8.2 | 0.39 | 7.4 | 9.0 | 402 | 8.5 | 0.43 | 7.7 | 9.4 |
| 2012 | 454 | 7.9 | 0.38 | 7.2 | 8.7 | 415 | 8.5 | 0.42 | 7.7 | 9.4 |
| 2013 | 444 | 7.5 | 0.36 | 6.8 | 8.2 | 396 | 7.8 | 0.40 | 7.1 | 8.7 |
| 2014 | 432 | 7.3 | 0.36 | 6.6 | 8.1 | 386 | 7.7 | 0.40 | 7.0 | 8.6 |
| 2015 | 483 | 7.7 | 0.36 | 7.0 | 8.4 | 429 | 8.1 | 0.40 | 7.3 | 8.9 |
| 2016 | 415 | 6.6 | 0.33 | 6.0 | 7.3 | 381 | 7.3 | 0.38 | 6.5 | 8.0 |
| 2017 | 450 | 7.1 | 0.34 | 6.4 | 7.8 | 375 | 7.1 | 0.37 | 6.3 | 7.8 |
| 2018 | 464 | 7.2 | 0.34 | 6.5 | 7.9 | 412 | 7.6 | 0.38 | 6.9 | 8.4 |
| 2019 | 463 | 7.1 | 0.33 | 6.4 | 7.7 | 402 | 7.3 | 0.37 | 6.6 | 8.1 |
| 2020 | 413 | 6.1 | 0.31 | 5.5 | 6.7 | 370 | 6.5 | 0.34 | 5.8 | 7.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma

Males

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|------|----------------------|------|------|-----|------|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,381 | 6.3 | 0.18 | 6.0 | 6.7 | 259 | 4.6 | 0.31 | 4.0 | 5.2 |
| 1986 | 33 | 7.0 | 1.25 | 4.8 | 9.9 | * | * | * | * | * |
| 1987 | 38 | 7.8 | 1.36 | 5.4 | 10.9 | * | * | * | * | * |
| 1988 | 30 | 5.5 | 1.04 | 3.7 | 7.9 | * | * | * | * | * |
| 1989 | 36 | 6.6 | 1.17 | 4.5 | 9.3 | * | * | * | * | * |
| 1990 | 36 | 7.5 | 1.37 | 5.1 | 10.6 | * | * | * | * | * |
| 1991 | 38 | 6.9 | 1.22 | 4.7 | 9.7 | * | * | * | * | * |
| 1992 | 48 | 9.3 | 1.47 | 6.6 | 12.6 | * | * | * | * | * |
| 1993 | 43 | 7.6 | 1.22 | 5.4 | 10.3 | * | * | * | * | * |
| 1994 | 52 | 9.1 | 1.35 | 6.7 | 12.1 | * | * | * | * | * |
| 1995 | 47 | 8.4 | 1.32 | 6.0 | 11.3 | * | * | * | * | * |
| 1996 | 59 | 11.4 | 1.62 | 8.4 | 15.0 | * | * | * | * | * |
| 1997 | 46 | 7.5 | 1.16 | 5.4 | 10.1 | 12 | 10.8 | 3.51 | 5.1 | 19.7 |
| 1998 | 49 | 8.4 | 1.28 | 6.1 | 11.3 | * | * | * | * | * |
| 1999 | 45 | 7.8 | 1.24 | 5.6 | 10.6 | * | * | * | * | * |
| 2000 | 36 | 5.9 | 1.07 | 4.0 | 8.4 | * | * | * | * | * |
| 2001 | 38 | 6.1 | 1.04 | 4.2 | 8.4 | * | * | * | * | * |
| 2002 | 31 | 5.2 | 0.99 | 3.4 | 7.5 | * | * | * | * | * |
| 2003 | 34 | 5.7 | 1.07 | 3.8 | 8.1 | 10 | 8.3 | 2.91 | 3.6 | 15.5 |
| 2004 | 32 | 5.3 | 1.00 | 3.5 | 7.5 | * | * | * | * | * |
| 2005 | 36 | 6.0 | 1.05 | 4.1 | 8.3 | * | * | * | * | * |
| 2006 | 36 | 5.5 | 0.98 | 3.7 | 7.7 | * | * | * | * | * |
| 2007 | 34 | 5.9 | 1.09 | 3.9 | 8.4 | * | * | * | * | * |
| 2008 | 32 | 5.0 | 0.96 | 3.3 | 7.2 | * | * | * | * | * |
| 2009 | 42 | 6.5 | 1.09 | 4.6 | 9.0 | 12 | 7.3 | 2.30 | 3.5 | 13.0 |
| 2010 | 44 | 6.1 | 0.96 | 4.4 | 8.3 | * | * | * | * | * |
| 2011 | 44 | 6.2 | 0.99 | 4.4 | 8.4 | * | * | * | * | * |
| 2012 | 36 | 5.2 | 0.92 | 3.6 | 7.3 | * | * | * | * | * |
| 2013 | 37 | 5.2 | 0.90 | 3.6 | 7.3 | 11 | 4.6 | 1.55 | 2.1 | 8.5 |
| 2014 | 35 | 4.8 | 0.84 | 3.3 | 6.7 | 11 | 5.0 | 1.61 | 2.4 | 9.0 |
| 2015 | 41 | 5.4 | 0.90 | 3.8 | 7.5 | 13 | 4.1 | 1.20 | 2.1 | 7.1 |
| 2016 | 24 | 2.9 | 0.62 | 1.8 | 4.4 | 10 | 3.4 | 1.15 | 1.5 | 6.3 |
| 2017 | 56 | 7.1 | 0.99 | 5.3 | 9.3 | 19 | 6.2 | 1.47 | 3.6 | 9.7 |
| 2018 | 39 | 4.8 | 0.79 | 3.3 | 6.6 | 13 | 4.1 | 1.16 | 2.1 | 7.0 |
| 2019 | 43 | 5.9 | 0.92 | 4.2 | 8.0 | 18 | 4.7 | 1.13 | 2.7 | 7.5 |
| 2020 | 31 | 4.1 | 0.76 | 2.8 | 5.9 | 12 | 3.4 | 1.01 | 1.8 | 6.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma

Females

| Year | All Races | | | | | White | | | | |
|-----------|-----------|------|------|-----|-----|--------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 14,813 | 5.7 | 0.05 | 5.6 | 5.8 | 13,494 | 6.0 | 0.05 | 5.9 | 6.1 |
| 1986 | 360 | 5.7 | 0.31 | 5.1 | 6.4 | 341 | 6.1 | 0.34 | 5.5 | 6.8 |
| 1987 | 371 | 5.9 | 0.31 | 5.3 | 6.5 | 347 | 6.2 | 0.34 | 5.5 | 6.9 |
| 1988 | 403 | 6.4 | 0.32 | 5.7 | 7.0 | 373 | 6.6 | 0.35 | 6.0 | 7.3 |
| 1989 | 419 | 6.6 | 0.33 | 6.0 | 7.3 | 393 | 7.0 | 0.36 | 6.3 | 7.7 |
| 1990 | 383 | 5.9 | 0.30 | 5.3 | 6.5 | 349 | 6.0 | 0.33 | 5.4 | 6.7 |
| 1991 | 450 | 6.8 | 0.33 | 6.2 | 7.5 | 420 | 7.2 | 0.35 | 6.5 | 7.9 |
| 1992 | 451 | 6.8 | 0.32 | 6.2 | 7.4 | 423 | 7.2 | 0.36 | 6.5 | 8.0 |
| 1993 | 488 | 7.2 | 0.33 | 6.6 | 7.9 | 447 | 7.5 | 0.36 | 6.8 | 8.2 |
| 1994 | 490 | 7.3 | 0.33 | 6.7 | 8.0 | 448 | 7.6 | 0.37 | 6.9 | 8.4 |
| 1995 | 530 | 7.7 | 0.34 | 7.1 | 8.4 | 483 | 8.0 | 0.37 | 7.3 | 8.8 |
| 1996 | 512 | 7.4 | 0.33 | 6.8 | 8.1 | 474 | 7.9 | 0.37 | 7.2 | 8.6 |
| 1997 | 509 | 7.3 | 0.33 | 6.7 | 8.0 | 476 | 7.8 | 0.36 | 7.1 | 8.5 |
| 1998 | 478 | 6.8 | 0.31 | 6.2 | 7.4 | 435 | 7.1 | 0.34 | 6.4 | 7.8 |
| 1999 | 494 | 6.9 | 0.31 | 6.3 | 7.6 | 457 | 7.3 | 0.35 | 6.7 | 8.1 |
| 2000 | 468 | 6.6 | 0.31 | 6.0 | 7.2 | 433 | 7.0 | 0.34 | 6.3 | 7.7 |
| 2001 | 471 | 6.5 | 0.30 | 5.9 | 7.2 | 430 | 6.9 | 0.34 | 6.2 | 7.6 |
| 2002 | 468 | 6.4 | 0.30 | 5.8 | 7.0 | 418 | 6.6 | 0.33 | 6.0 | 7.3 |
| 2003 | 461 | 6.1 | 0.29 | 5.6 | 6.7 | 427 | 6.6 | 0.32 | 6.0 | 7.2 |
| 2004 | 457 | 6.2 | 0.30 | 5.7 | 6.9 | 420 | 6.7 | 0.33 | 6.0 | 7.3 |
| 2005 | 457 | 6.1 | 0.29 | 5.5 | 6.7 | 415 | 6.4 | 0.32 | 5.7 | 7.0 |
| 2006 | 405 | 5.4 | 0.27 | 4.9 | 5.9 | 371 | 5.7 | 0.30 | 5.2 | 6.4 |
| 2007 | 385 | 5.0 | 0.26 | 4.5 | 5.5 | 343 | 5.2 | 0.29 | 4.6 | 5.8 |
| 2008 | 416 | 5.3 | 0.27 | 4.8 | 5.9 | 378 | 5.7 | 0.30 | 5.1 | 6.3 |
| 2009 | 448 | 5.8 | 0.28 | 5.2 | 6.3 | 394 | 5.9 | 0.31 | 5.3 | 6.5 |
| 2010 | 383 | 4.8 | 0.25 | 4.3 | 5.3 | 348 | 5.1 | 0.28 | 4.6 | 5.7 |
| 2011 | 391 | 4.8 | 0.25 | 4.4 | 5.4 | 352 | 5.1 | 0.28 | 4.6 | 5.7 |
| 2012 | 356 | 4.4 | 0.24 | 4.0 | 4.9 | 323 | 4.7 | 0.27 | 4.2 | 5.3 |
| 2013 | 388 | 4.6 | 0.24 | 4.2 | 5.1 | 347 | 4.9 | 0.27 | 4.4 | 5.5 |
| 2014 | 368 | 4.4 | 0.23 | 3.9 | 4.9 | 324 | 4.6 | 0.26 | 4.1 | 5.1 |
| 2015 | 366 | 4.3 | 0.23 | 3.9 | 4.8 | 328 | 4.7 | 0.27 | 4.2 | 5.3 |
| 2016 | 367 | 4.2 | 0.23 | 3.8 | 4.7 | 318 | 4.4 | 0.25 | 3.9 | 4.9 |
| 2017 | 334 | 3.9 | 0.22 | 3.5 | 4.3 | 305 | 4.2 | 0.25 | 3.8 | 4.8 |
| 2018 | 340 | 3.8 | 0.21 | 3.4 | 4.3 | 294 | 4.0 | 0.24 | 3.5 | 4.5 |
| 2019 | 371 | 4.1 | 0.22 | 3.7 | 4.6 | 335 | 4.5 | 0.25 | 4.1 | 5.1 |
| 2020 | 375 | 4.1 | 0.22 | 3.7 | 4.6 | 325 | 4.3 | 0.24 | 3.9 | 4.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma

Females

| Year | Black | | | | | Asian or Other Races | | | | |
|-----------|-------|------|------|-----|-----|----------------------|------|------|-----|-----|
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,111 | 3.7 | 0.11 | 3.5 | 3.9 | 208 | 2.9 | 0.21 | 2.5 | 3.3 |
| 1986 | 18 | 2.9 | 0.69 | 1.7 | 4.5 | * | * | * | * | * |
| 1987 | 22 | 3.4 | 0.74 | 2.1 | 5.1 | * | * | * | * | * |
| 1988 | 25 | 3.6 | 0.74 | 2.3 | 5.4 | * | * | * | * | * |
| 1989 | 23 | 3.3 | 0.71 | 2.1 | 5.0 | * | * | * | * | * |
| 1990 | 33 | 4.9 | 0.87 | 3.4 | 6.9 | * | * | * | * | * |
| 1991 | 29 | 4.1 | 0.78 | 2.7 | 6.0 | * | * | * | * | * |
| 1992 | 26 | 3.7 | 0.74 | 2.4 | 5.4 | * | * | * | * | * |
| 1993 | 39 | 5.3 | 0.87 | 3.8 | 7.3 | * | * | * | * | * |
| 1994 | 39 | 5.4 | 0.88 | 3.8 | 7.4 | * | * | * | * | * |
| 1995 | 41 | 5.6 | 0.88 | 4.0 | 7.6 | * | * | * | * | * |
| 1996 | 35 | 4.4 | 0.76 | 3.1 | 6.2 | * | * | * | * | * |
| 1997 | 32 | 4.2 | 0.75 | 2.8 | 5.9 | * | * | * | * | * |
| 1998 | 41 | 5.3 | 0.84 | 3.8 | 7.2 | * | * | * | * | * |
| 1999 | 35 | 4.4 | 0.75 | 3.1 | 6.1 | * | * | * | * | * |
| 2000 | 32 | 4.0 | 0.71 | 2.7 | 5.6 | * | * | * | * | * |
| 2001 | 37 | 4.5 | 0.74 | 3.1 | 6.2 | * | * | * | * | * |
| 2002 | 45 | 5.3 | 0.80 | 3.9 | 7.1 | * | * | * | * | * |
| 2003 | 26 | 3.1 | 0.61 | 2.0 | 4.5 | * | * | * | * | * |
| 2004 | 28 | 3.3 | 0.63 | 2.2 | 4.8 | * | * | * | * | * |
| 2005 | 33 | 3.7 | 0.65 | 2.6 | 5.2 | * | * | * | * | * |
| 2006 | 31 | 3.5 | 0.63 | 2.4 | 4.9 | * | * | * | * | * |
| 2007 | 31 | 3.4 | 0.61 | 2.3 | 4.8 | 11 | 4.4 | 1.39 | 2.1 | 8.0 |
| 2008 | 32 | 3.6 | 0.65 | 2.5 | 5.1 | * | * | * | * | * |
| 2009 | 46 | 4.8 | 0.71 | 3.5 | 6.4 | * | * | * | * | * |
| 2010 | 28 | 2.9 | 0.56 | 1.9 | 4.3 | * | * | * | * | * |
| 2011 | 34 | 3.4 | 0.59 | 2.4 | 4.8 | * | * | * | * | * |
| 2012 | 24 | 2.4 | 0.50 | 1.6 | 3.6 | * | * | * | * | * |
| 2013 | 28 | 2.7 | 0.52 | 1.8 | 4.0 | 13 | 4.2 | 1.22 | 2.2 | 7.3 |
| 2014 | 33 | 3.2 | 0.56 | 2.2 | 4.5 | 11 | 3.0 | 0.95 | 1.5 | 5.5 |
| 2015 | 28 | 2.6 | 0.50 | 1.7 | 3.8 | 10 | 2.7 | 0.88 | 1.3 | 5.0 |
| 2016 | 33 | 3.0 | 0.54 | 2.1 | 4.3 | 16 | 4.2 | 1.06 | 2.4 | 6.8 |
| 2017 | 26 | 2.4 | 0.49 | 1.6 | 3.6 | * | * | * | * | * |
| 2018 | 35 | 3.1 | 0.53 | 2.1 | 4.3 | 11 | 2.5 | 0.77 | 1.2 | 4.5 |
| 2019 | 32 | 2.8 | 0.50 | 1.9 | 3.9 | * | * | * | * | * |
| 2020 | 31 | 2.7 | 0.50 | 1.9 | 3.9 | 19 | 4.2 | 0.97 | 2.5 | 6.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Myeloma | | | | | | | | | | |
|------------|-----------|------|------|-----|-----|--------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Year | All Races | | | | | White | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 15,879 | 3.6 | 0.03 | 3.5 | 3.6 | 12,348 | 3.2 | 0.03 | 3.2 | 3.3 |
| 1986 | 407 | 3.9 | 0.20 | 3.5 | 4.3 | 324 | 3.5 | 0.20 | 3.1 | 3.9 |
| 1987 | 385 | 3.6 | 0.19 | 3.3 | 4.0 | 298 | 3.1 | 0.18 | 2.8 | 3.5 |
| 1988 | 381 | 3.6 | 0.18 | 3.2 | 3.9 | 316 | 3.3 | 0.19 | 3.0 | 3.7 |
| 1989 | 422 | 3.9 | 0.19 | 3.5 | 4.3 | 329 | 3.4 | 0.19 | 3.1 | 3.8 |
| 1990 | 384 | 3.6 | 0.18 | 3.2 | 4.0 | 309 | 3.2 | 0.19 | 2.9 | 3.6 |
| 1991 | 415 | 3.8 | 0.19 | 3.5 | 4.2 | 332 | 3.4 | 0.19 | 3.1 | 3.8 |
| 1992 | 447 | 4.0 | 0.19 | 3.7 | 4.4 | 355 | 3.6 | 0.19 | 3.2 | 4.0 |
| 1993 | 457 | 4.1 | 0.19 | 3.7 | 4.4 | 347 | 3.5 | 0.19 | 3.1 | 3.9 |
| 1994 | 439 | 3.9 | 0.18 | 3.5 | 4.2 | 353 | 3.5 | 0.19 | 3.2 | 3.9 |
| 1995 | 492 | 4.3 | 0.19 | 3.9 | 4.7 | 378 | 3.7 | 0.19 | 3.4 | 4.1 |
| 1996 | 442 | 3.8 | 0.18 | 3.5 | 4.2 | 341 | 3.4 | 0.18 | 3.0 | 3.7 |
| 1997 | 448 | 3.8 | 0.18 | 3.5 | 4.2 | 352 | 3.5 | 0.18 | 3.1 | 3.8 |
| 1998 | 485 | 4.1 | 0.19 | 3.8 | 4.5 | 359 | 3.5 | 0.18 | 3.1 | 3.9 |
| 1999 | 483 | 4.1 | 0.18 | 3.7 | 4.4 | 379 | 3.6 | 0.19 | 3.3 | 4.0 |
| 2000 | 501 | 4.2 | 0.19 | 3.8 | 4.6 | 382 | 3.7 | 0.19 | 3.3 | 4.1 |
| 2001 | 469 | 3.9 | 0.18 | 3.6 | 4.3 | 367 | 3.5 | 0.18 | 3.2 | 3.9 |
| 2002 | 473 | 3.9 | 0.18 | 3.5 | 4.2 | 378 | 3.6 | 0.18 | 3.2 | 3.9 |
| 2003 | 482 | 3.9 | 0.18 | 3.6 | 4.3 | 378 | 3.5 | 0.18 | 3.2 | 3.9 |
| 2004 | 442 | 3.6 | 0.17 | 3.2 | 3.9 | 345 | 3.2 | 0.18 | 2.9 | 3.6 |
| 2005 | 481 | 3.8 | 0.18 | 3.5 | 4.2 | 375 | 3.5 | 0.18 | 3.1 | 3.8 |
| 2006 | 462 | 3.7 | 0.17 | 3.3 | 4.0 | 358 | 3.3 | 0.18 | 3.0 | 3.7 |
| 2007 | 468 | 3.7 | 0.17 | 3.4 | 4.0 | 365 | 3.3 | 0.18 | 3.0 | 3.7 |
| 2008 | 437 | 3.4 | 0.16 | 3.1 | 3.7 | 344 | 3.1 | 0.17 | 2.8 | 3.4 |
| 2009 | 443 | 3.4 | 0.16 | 3.1 | 3.7 | 348 | 3.1 | 0.17 | 2.8 | 3.5 |
| 2010 | 446 | 3.3 | 0.16 | 3.0 | 3.6 | 341 | 2.9 | 0.16 | 2.6 | 3.3 |
| 2011 | 456 | 3.3 | 0.16 | 3.0 | 3.7 | 363 | 3.1 | 0.17 | 2.8 | 3.5 |
| 2012 | 480 | 3.5 | 0.16 | 3.2 | 3.8 | 371 | 3.2 | 0.17 | 2.9 | 3.5 |
| 2013 | 469 | 3.3 | 0.16 | 3.0 | 3.7 | 367 | 3.1 | 0.16 | 2.8 | 3.4 |
| 2014 | 482 | 3.3 | 0.15 | 3.0 | 3.7 | 365 | 3.0 | 0.16 | 2.7 | 3.3 |
| 2015 | 476 | 3.3 | 0.15 | 3.0 | 3.6 | 374 | 3.1 | 0.16 | 2.8 | 3.4 |
| 2016 | 455 | 3.0 | 0.15 | 2.8 | 3.3 | 347 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2017 | 479 | 3.2 | 0.15 | 2.9 | 3.5 | 370 | 2.9 | 0.16 | 2.6 | 3.3 |
| 2018 | 452 | 2.9 | 0.14 | 2.6 | 3.2 | 343 | 2.7 | 0.14 | 2.4 | 3.0 |
| 2019 | 483 | 3.1 | 0.14 | 2.8 | 3.4 | 354 | 2.7 | 0.15 | 2.4 | 3.0 |
| 2020 | 456 | 2.9 | 0.14 | 2.6 | 3.2 | 341 | 2.6 | 0.14 | 2.3 | 2.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Myeloma | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,356 | 6.8 | 0.12 | 6.6 | 7.0 | 175 | 1.3 | 0.10 | 1.1 | 1.5 |
| 1986 | 82 | 7.5 | 0.86 | 6.0 | 9.4 | * | * | * | * | * |
| 1987 | 87 | 8.4 | 0.94 | 6.7 | 10.4 | * | * | * | * | * |
| 1988 | 64 | 5.9 | 0.76 | 4.5 | 7.6 | * | * | * | * | * |
| 1989 | 90 | 8.3 | 0.91 | 6.7 | 10.3 | * | * | * | * | * |
| 1990 | 75 | 7.1 | 0.84 | 5.5 | 8.9 | * | * | * | * | * |
| 1991 | 82 | 7.7 | 0.88 | 6.1 | 9.6 | * | * | * | * | * |
| 1992 | 90 | 7.9 | 0.85 | 6.3 | 9.7 | * | * | * | * | * |
| 1993 | 103 | 8.8 | 0.89 | 7.2 | 10.8 | * | * | * | * | * |
| 1994 | 82 | 6.9 | 0.78 | 5.4 | 8.5 | * | * | * | * | * |
| 1995 | 113 | 9.5 | 0.91 | 7.8 | 11.4 | * | * | * | * | * |
| 1996 | 98 | 8.1 | 0.84 | 6.5 | 9.9 | * | * | * | * | * |
| 1997 | 85 | 6.7 | 0.74 | 5.3 | 8.3 | 11 | 4.5 | 1.45 | 2.1 | 8.1 |
| 1998 | 123 | 9.9 | 0.91 | 8.2 | 11.8 | * | * | * | * | * |
| 1999 | 99 | 7.8 | 0.79 | 6.3 | 9.5 | * | * | * | * | * |
| 2000 | 115 | 8.8 | 0.84 | 7.2 | 10.6 | * | * | * | * | * |
| 2001 | 98 | 7.4 | 0.75 | 6.0 | 9.0 | * | * | * | * | * |
| 2002 | 89 | 6.5 | 0.71 | 5.2 | 8.1 | * | * | * | * | * |
| 2003 | 101 | 7.7 | 0.77 | 6.2 | 9.3 | * | * | * | * | * |
| 2004 | 91 | 6.6 | 0.70 | 5.3 | 8.1 | * | * | * | * | * |
| 2005 | 101 | 6.9 | 0.70 | 5.6 | 8.4 | * | * | * | * | * |
| 2006 | 99 | 6.8 | 0.69 | 5.5 | 8.3 | * | * | * | * | * |
| 2007 | 97 | 6.7 | 0.69 | 5.4 | 8.1 | * | * | * | * | * |
| 2008 | 86 | 5.7 | 0.63 | 4.5 | 7.1 | * | * | * | * | * |
| 2009 | 89 | 5.9 | 0.64 | 4.7 | 7.3 | * | * | * | * | * |
| 2010 | 98 | 6.4 | 0.66 | 5.2 | 7.8 | * | * | * | * | * |
| 2011 | 88 | 5.4 | 0.59 | 4.3 | 6.7 | * | * | * | * | * |
| 2012 | 103 | 6.3 | 0.64 | 5.1 | 7.7 | * | * | * | * | * |
| 2013 | 97 | 6.1 | 0.63 | 4.9 | 7.4 | * | * | * | * | * |
| 2014 | 113 | 6.7 | 0.64 | 5.5 | 8.1 | * | * | * | * | * |
| 2015 | 96 | 5.5 | 0.57 | 4.4 | 6.7 | * | * | * | * | * |
| 2016 | 102 | 5.7 | 0.57 | 4.6 | 6.9 | * | * | * | * | * |
| 2017 | 102 | 5.6 | 0.56 | 4.5 | 6.8 | * | * | * | * | * |
| 2018 | 97 | 5.1 | 0.53 | 4.2 | 6.3 | 12 | 1.6 | 0.48 | 0.8 | 2.8 |
| 2019 | 122 | 6.3 | 0.58 | 5.2 | 7.6 | * | * | * | * | * |
| 2020 | 99 | 5.2 | 0.53 | 4.2 | 6.4 | 16 | 1.8 | 0.46 | 1.0 | 3.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Myeloma | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 8,003 | 4.4 | 0.05 | 4.3 | 4.5 | 6,354 | 4.1 | 0.05 | 4.0 | 4.2 |
| 1986 | 208 | 4.9 | 0.35 | 4.2 | 5.6 | 164 | 4.3 | 0.35 | 3.7 | 5.1 |
| 1987 | 198 | 4.7 | 0.35 | 4.0 | 5.4 | 156 | 4.2 | 0.35 | 3.5 | 4.9 |
| 1988 | 192 | 4.6 | 0.34 | 3.9 | 5.3 | 164 | 4.4 | 0.36 | 3.7 | 5.2 |
| 1989 | 199 | 4.6 | 0.34 | 4.0 | 5.4 | 164 | 4.4 | 0.35 | 3.7 | 5.1 |
| 1990 | 182 | 4.2 | 0.32 | 3.6 | 4.9 | 150 | 3.9 | 0.33 | 3.3 | 4.7 |
| 1991 | 205 | 4.9 | 0.35 | 4.2 | 5.6 | 164 | 4.4 | 0.35 | 3.7 | 5.1 |
| 1992 | 209 | 4.6 | 0.33 | 4.0 | 5.3 | 164 | 4.2 | 0.33 | 3.5 | 4.9 |
| 1993 | 205 | 4.3 | 0.31 | 3.7 | 4.9 | 149 | 3.6 | 0.30 | 3.0 | 4.2 |
| 1994 | 217 | 4.8 | 0.33 | 4.2 | 5.5 | 172 | 4.3 | 0.34 | 3.7 | 5.0 |
| 1995 | 250 | 5.5 | 0.35 | 4.8 | 6.2 | 194 | 4.9 | 0.36 | 4.2 | 5.6 |
| 1996 | 225 | 4.9 | 0.33 | 4.2 | 5.6 | 172 | 4.3 | 0.33 | 3.7 | 5.0 |
| 1997 | 217 | 4.5 | 0.31 | 3.9 | 5.1 | 171 | 4.1 | 0.32 | 3.5 | 4.8 |
| 1998 | 230 | 4.9 | 0.33 | 4.3 | 5.6 | 167 | 4.1 | 0.32 | 3.5 | 4.7 |
| 1999 | 222 | 4.6 | 0.32 | 4.0 | 5.3 | 180 | 4.3 | 0.33 | 3.7 | 5.0 |
| 2000 | 258 | 5.4 | 0.34 | 4.7 | 6.1 | 207 | 5.0 | 0.35 | 4.3 | 5.7 |
| 2001 | 222 | 4.5 | 0.31 | 4.0 | 5.2 | 178 | 4.2 | 0.32 | 3.6 | 4.9 |
| 2002 | 245 | 5.0 | 0.32 | 4.4 | 5.6 | 194 | 4.5 | 0.33 | 3.9 | 5.2 |
| 2003 | 216 | 4.3 | 0.30 | 3.8 | 4.9 | 173 | 4.0 | 0.31 | 3.4 | 4.6 |
| 2004 | 222 | 4.4 | 0.30 | 3.8 | 5.0 | 174 | 4.0 | 0.30 | 3.4 | 4.6 |
| 2005 | 237 | 4.6 | 0.30 | 4.0 | 5.2 | 189 | 4.3 | 0.31 | 3.7 | 4.9 |
| 2006 | 235 | 4.5 | 0.30 | 4.0 | 5.1 | 189 | 4.2 | 0.31 | 3.7 | 4.9 |
| 2007 | 232 | 4.5 | 0.30 | 3.9 | 5.1 | 187 | 4.2 | 0.31 | 3.6 | 4.8 |
| 2008 | 248 | 4.7 | 0.30 | 4.1 | 5.3 | 195 | 4.3 | 0.31 | 3.7 | 4.9 |
| 2009 | 241 | 4.4 | 0.29 | 3.9 | 5.0 | 196 | 4.2 | 0.30 | 3.6 | 4.8 |
| 2010 | 245 | 4.4 | 0.29 | 3.9 | 5.0 | 187 | 4.0 | 0.29 | 3.4 | 4.6 |
| 2011 | 227 | 4.0 | 0.27 | 3.5 | 4.5 | 179 | 3.7 | 0.28 | 3.2 | 4.3 |
| 2012 | 248 | 4.3 | 0.28 | 3.8 | 4.9 | 201 | 4.0 | 0.29 | 3.5 | 4.7 |
| 2013 | 248 | 4.2 | 0.27 | 3.7 | 4.8 | 206 | 4.1 | 0.29 | 3.5 | 4.7 |
| 2014 | 268 | 4.5 | 0.28 | 4.0 | 5.1 | 211 | 4.2 | 0.30 | 3.7 | 4.9 |
| 2015 | 251 | 4.1 | 0.26 | 3.6 | 4.6 | 197 | 3.8 | 0.28 | 3.3 | 4.4 |
| 2016 | 230 | 3.6 | 0.24 | 3.2 | 4.1 | 188 | 3.5 | 0.26 | 3.0 | 4.1 |
| 2017 | 255 | 4.0 | 0.25 | 3.5 | 4.5 | 202 | 3.7 | 0.27 | 3.2 | 4.3 |
| 2018 | 232 | 3.5 | 0.23 | 3.1 | 4.0 | 192 | 3.5 | 0.25 | 3.0 | 4.0 |
| 2019 | 251 | 3.8 | 0.24 | 3.3 | 4.3 | 194 | 3.5 | 0.25 | 3.0 | 4.0 |
| 2020 | 233 | 3.5 | 0.23 | 3.0 | 3.9 | 184 | 3.2 | 0.24 | 2.8 | 3.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Myeloma | | | | | | | | | | |
|----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,551 | 8.0 | 0.21 | 7.6 | 8.4 | 98 | 1.6 | 0.17 | 1.3 | 1.9 |
| 1986 | 43 | 9.8 | 1.61 | 7.0 | 13.4 | * | * | * | * | * |
| 1987 | 42 | 10.3 | 1.72 | 7.2 | 14.2 | * | * | * | * | * |
| 1988 | 28 | 6.9 | 1.38 | 4.4 | 10.0 | * | * | * | * | * |
| 1989 | 34 | 7.2 | 1.30 | 4.9 | 10.2 | * | * | * | * | * |
| 1990 | 32 | 7.2 | 1.36 | 4.7 | 10.2 | * | * | * | * | * |
| 1991 | 40 | 9.9 | 1.67 | 6.9 | 13.6 | * | * | * | * | * |
| 1992 | 44 | 9.1 | 1.44 | 6.5 | 12.3 | * | * | * | * | * |
| 1993 | 51 | 10.2 | 1.50 | 7.5 | 13.6 | * | * | * | * | * |
| 1994 | 42 | 9.2 | 1.54 | 6.4 | 12.6 | * | * | * | * | * |
| 1995 | 55 | 11.4 | 1.64 | 8.4 | 15.0 | * | * | * | * | * |
| 1996 | 50 | 10.7 | 1.61 | 7.7 | 14.2 | * | * | * | * | * |
| 1997 | 40 | 6.9 | 1.13 | 4.9 | 9.5 | * | * | * | * | * |
| 1998 | 61 | 13.0 | 1.79 | 9.8 | 16.9 | * | * | * | * | * |
| 1999 | 38 | 7.4 | 1.26 | 5.2 | 10.3 | * | * | * | * | * |
| 2000 | 49 | 9.5 | 1.43 | 6.9 | 12.6 | * | * | * | * | * |
| 2001 | 42 | 7.9 | 1.27 | 5.6 | 10.7 | * | * | * | * | * |
| 2002 | 47 | 9.2 | 1.42 | 6.6 | 12.3 | * | * | * | * | * |
| 2003 | 43 | 8.3 | 1.36 | 5.9 | 11.4 | * | * | * | * | * |
| 2004 | 44 | 8.5 | 1.35 | 6.1 | 11.5 | * | * | * | * | * |
| 2005 | 45 | 7.7 | 1.23 | 5.5 | 10.5 | * | * | * | * | * |
| 2006 | 44 | 7.8 | 1.25 | 5.6 | 10.6 | * | * | * | * | * |
| 2007 | 43 | 7.5 | 1.18 | 5.4 | 10.1 | * | * | * | * | * |
| 2008 | 49 | 9.0 | 1.34 | 6.5 | 11.9 | * | * | * | * | * |
| 2009 | 41 | 7.1 | 1.15 | 5.0 | 9.7 | * | * | * | * | * |
| 2010 | 52 | 8.6 | 1.25 | 6.3 | 11.3 | * | * | * | * | * |
| 2011 | 45 | 7.1 | 1.12 | 5.1 | 9.6 | * | * | * | * | * |
| 2012 | 45 | 7.1 | 1.10 | 5.1 | 9.5 | * | * | * | * | * |
| 2013 | 40 | 6.4 | 1.06 | 4.5 | 8.8 | * | * | * | * | * |
| 2014 | 55 | 8.4 | 1.19 | 6.2 | 11.0 | * | * | * | * | * |
| 2015 | 49 | 7.0 | 1.05 | 5.1 | 9.4 | * | * | * | * | * |
| 2016 | 39 | 5.5 | 0.92 | 3.9 | 7.6 | * | * | * | * | * |
| 2017 | 49 | 6.9 | 1.02 | 5.0 | 9.1 | * | * | * | * | * |
| 2018 | 36 | 4.9 | 0.85 | 3.4 | 6.9 | * | * | * | * | * |
| 2019 | 52 | 7.4 | 1.06 | 5.5 | 9.8 | * | * | * | * | * |
| 2020 | 42 | 5.7 | 0.91 | 4.1 | 7.8 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Myeloma | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 7,876 | 3.0 | 0.03 | 3.0 | 3.1 | 5,994 | 2.7 | 0.03 | 2.6 | 2.7 |
| 1986 | 199 | 3.2 | 0.23 | 2.8 | 3.7 | 160 | 2.9 | 0.23 | 2.5 | 3.4 |
| 1987 | 187 | 2.9 | 0.22 | 2.5 | 3.4 | 142 | 2.5 | 0.21 | 2.1 | 2.9 |
| 1988 | 189 | 3.0 | 0.22 | 2.6 | 3.5 | 152 | 2.7 | 0.22 | 2.3 | 3.2 |
| 1989 | 223 | 3.4 | 0.23 | 3.0 | 3.9 | 165 | 2.8 | 0.22 | 2.4 | 3.3 |
| 1990 | 202 | 3.1 | 0.22 | 2.7 | 3.6 | 159 | 2.7 | 0.22 | 2.3 | 3.2 |
| 1991 | 210 | 3.2 | 0.22 | 2.8 | 3.7 | 168 | 2.9 | 0.23 | 2.5 | 3.4 |
| 1992 | 238 | 3.5 | 0.23 | 3.1 | 4.0 | 191 | 3.2 | 0.23 | 2.7 | 3.7 |
| 1993 | 252 | 3.7 | 0.24 | 3.3 | 4.2 | 198 | 3.3 | 0.24 | 2.9 | 3.8 |
| 1994 | 222 | 3.3 | 0.22 | 2.9 | 3.7 | 181 | 3.0 | 0.22 | 2.6 | 3.5 |
| 1995 | 242 | 3.5 | 0.23 | 3.1 | 4.0 | 184 | 3.1 | 0.23 | 2.6 | 3.6 |
| 1996 | 217 | 3.1 | 0.21 | 2.7 | 3.6 | 169 | 2.8 | 0.21 | 2.4 | 3.2 |
| 1997 | 231 | 3.3 | 0.22 | 2.9 | 3.8 | 181 | 2.9 | 0.22 | 2.5 | 3.4 |
| 1998 | 255 | 3.7 | 0.23 | 3.2 | 4.1 | 192 | 3.2 | 0.23 | 2.7 | 3.6 |
| 1999 | 261 | 3.7 | 0.23 | 3.3 | 4.2 | 199 | 3.2 | 0.23 | 2.8 | 3.7 |
| 2000 | 243 | 3.4 | 0.22 | 3.0 | 3.9 | 175 | 2.8 | 0.22 | 2.4 | 3.3 |
| 2001 | 247 | 3.5 | 0.22 | 3.1 | 3.9 | 189 | 3.1 | 0.22 | 2.6 | 3.5 |
| 2002 | 228 | 3.1 | 0.21 | 2.7 | 3.6 | 184 | 2.9 | 0.21 | 2.5 | 3.3 |
| 2003 | 266 | 3.6 | 0.22 | 3.2 | 4.1 | 205 | 3.2 | 0.23 | 2.8 | 3.7 |
| 2004 | 220 | 3.0 | 0.20 | 2.6 | 3.4 | 171 | 2.7 | 0.21 | 2.3 | 3.1 |
| 2005 | 244 | 3.3 | 0.21 | 2.9 | 3.8 | 186 | 2.9 | 0.22 | 2.5 | 3.4 |
| 2006 | 227 | 3.1 | 0.21 | 2.7 | 3.5 | 169 | 2.7 | 0.21 | 2.3 | 3.1 |
| 2007 | 236 | 3.2 | 0.21 | 2.8 | 3.6 | 178 | 2.8 | 0.21 | 2.4 | 3.2 |
| 2008 | 189 | 2.5 | 0.18 | 2.1 | 2.9 | 149 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2009 | 202 | 2.6 | 0.19 | 2.3 | 3.0 | 152 | 2.3 | 0.19 | 2.0 | 2.8 |
| 2010 | 201 | 2.5 | 0.18 | 2.1 | 2.9 | 154 | 2.2 | 0.18 | 1.8 | 2.5 |
| 2011 | 229 | 2.9 | 0.19 | 2.5 | 3.3 | 184 | 2.7 | 0.20 | 2.3 | 3.1 |
| 2012 | 232 | 2.9 | 0.20 | 2.6 | 3.3 | 170 | 2.5 | 0.20 | 2.2 | 3.0 |
| 2013 | 221 | 2.7 | 0.18 | 2.3 | 3.1 | 161 | 2.3 | 0.19 | 2.0 | 2.8 |
| 2014 | 214 | 2.5 | 0.18 | 2.2 | 2.9 | 154 | 2.2 | 0.18 | 1.8 | 2.6 |
| 2015 | 225 | 2.7 | 0.18 | 2.3 | 3.1 | 177 | 2.5 | 0.20 | 2.2 | 3.0 |
| 2016 | 225 | 2.7 | 0.18 | 2.3 | 3.0 | 159 | 2.3 | 0.18 | 1.9 | 2.7 |
| 2017 | 224 | 2.6 | 0.18 | 2.2 | 2.9 | 168 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2018 | 220 | 2.5 | 0.17 | 2.1 | 2.8 | 151 | 2.0 | 0.17 | 1.7 | 2.4 |
| 2019 | 232 | 2.6 | 0.17 | 2.3 | 2.9 | 160 | 2.2 | 0.17 | 1.8 | 2.5 |
| 2020 | 223 | 2.5 | 0.17 | 2.2 | 2.8 | 157 | 2.1 | 0.17 | 1.8 | 2.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Myeloma | | | | | | | | | | |
|----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,805 | 6.1 | 0.14 | 5.8 | 6.4 | 77 | 1.0 | 0.12 | 0.8 | 1.3 |
| 1986 | 39 | 6.1 | 0.99 | 4.3 | 8.4 | * | * | * | * | * |
| 1987 | 45 | 7.2 | 1.10 | 5.2 | 9.7 | * | * | * | * | * |
| 1988 | 36 | 5.5 | 0.93 | 3.8 | 7.6 | * | * | * | * | * |
| 1989 | 56 | 8.8 | 1.20 | 6.6 | 11.5 | * | * | * | * | * |
| 1990 | 43 | 7.0 | 1.07 | 5.0 | 9.4 | * | * | * | * | * |
| 1991 | 42 | 6.5 | 1.01 | 4.7 | 8.8 | * | * | * | * | * |
| 1992 | 46 | 6.9 | 1.03 | 5.0 | 9.2 | * | * | * | * | * |
| 1993 | 52 | 7.6 | 1.07 | 5.7 | 10.0 | * | * | * | * | * |
| 1994 | 40 | 5.6 | 0.90 | 4.0 | 7.7 | * | * | * | * | * |
| 1995 | 58 | 8.1 | 1.07 | 6.1 | 10.5 | * | * | * | * | * |
| 1996 | 48 | 6.5 | 0.95 | 4.8 | 8.6 | * | * | * | * | * |
| 1997 | 45 | 6.2 | 0.92 | 4.5 | 8.2 | * | * | * | * | * |
| 1998 | 62 | 8.1 | 1.04 | 6.2 | 10.4 | * | * | * | * | * |
| 1999 | 61 | 7.9 | 1.01 | 6.0 | 10.1 | * | * | * | * | * |
| 2000 | 66 | 8.4 | 1.03 | 6.4 | 10.6 | * | * | * | * | * |
| 2001 | 56 | 7.0 | 0.93 | 5.2 | 9.0 | * | * | * | * | * |
| 2002 | 42 | 5.1 | 0.79 | 3.7 | 6.8 | * | * | * | * | * |
| 2003 | 58 | 7.3 | 0.96 | 5.5 | 9.4 | * | * | * | * | * |
| 2004 | 47 | 5.5 | 0.81 | 4.0 | 7.3 | * | * | * | * | * |
| 2005 | 56 | 6.4 | 0.86 | 4.8 | 8.3 | * | * | * | * | * |
| 2006 | 55 | 6.2 | 0.85 | 4.7 | 8.1 | * | * | * | * | * |
| 2007 | 54 | 6.0 | 0.83 | 4.5 | 7.9 | * | * | * | * | * |
| 2008 | 37 | 3.9 | 0.65 | 2.7 | 5.4 | * | * | * | * | * |
| 2009 | 48 | 5.2 | 0.75 | 3.8 | 6.9 | * | * | * | * | * |
| 2010 | 46 | 5.1 | 0.75 | 3.7 | 6.7 | * | * | * | * | * |
| 2011 | 43 | 4.4 | 0.69 | 3.2 | 6.0 | * | * | * | * | * |
| 2012 | 58 | 5.8 | 0.77 | 4.4 | 7.5 | * | * | * | * | * |
| 2013 | 57 | 5.7 | 0.76 | 4.3 | 7.4 | * | * | * | * | * |
| 2014 | 58 | 5.7 | 0.76 | 4.3 | 7.4 | * | * | * | * | * |
| 2015 | 47 | 4.5 | 0.67 | 3.3 | 6.0 | * | * | * | * | * |
| 2016 | 63 | 5.8 | 0.74 | 4.4 | 7.4 | * | * | * | * | * |
| 2017 | 53 | 4.7 | 0.66 | 3.5 | 6.2 | * | * | * | * | * |
| 2018 | 61 | 5.2 | 0.68 | 4.0 | 6.8 | * | * | * | * | * |
| 2019 | 70 | 5.9 | 0.71 | 4.6 | 7.5 | * | * | * | * | * |
| 2020 | 57 | 4.9 | 0.65 | 3.7 | 6.3 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Leukemia | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 33,210 | 7.5 | 0.04 | 7.5 | 7.6 | 29,358 | 7.8 | 0.05 | 7.7 | 7.9 |
| 1986 | 872 | 8.3 | 0.29 | 7.8 | 8.9 | 777 | 8.4 | 0.30 | 7.8 | 9.0 |
| 1987 | 810 | 7.7 | 0.27 | 7.2 | 8.2 | 731 | 7.9 | 0.29 | 7.3 | 8.4 |
| 1988 | 849 | 8.0 | 0.28 | 7.5 | 8.6 | 750 | 8.0 | 0.30 | 7.4 | 8.6 |
| 1989 | 911 | 8.5 | 0.28 | 8.0 | 9.1 | 825 | 8.8 | 0.31 | 8.2 | 9.4 |
| 1990 | 929 | 8.6 | 0.28 | 8.0 | 9.1 | 830 | 8.7 | 0.30 | 8.1 | 9.3 |
| 1991 | 948 | 8.6 | 0.28 | 8.1 | 9.2 | 854 | 8.8 | 0.30 | 8.3 | 9.5 |
| 1992 | 945 | 8.5 | 0.28 | 8.0 | 9.1 | 849 | 8.7 | 0.30 | 8.1 | 9.3 |
| 1993 | 970 | 8.6 | 0.28 | 8.0 | 9.1 | 872 | 8.8 | 0.30 | 8.2 | 9.4 |
| 1994 | 940 | 8.2 | 0.27 | 7.7 | 8.8 | 836 | 8.4 | 0.29 | 7.8 | 9.0 |
| 1995 | 967 | 8.4 | 0.27 | 7.9 | 9.0 | 862 | 8.6 | 0.29 | 8.0 | 9.2 |
| 1996 | 933 | 8.0 | 0.26 | 7.5 | 8.6 | 828 | 8.2 | 0.28 | 7.6 | 8.8 |
| 1997 | 956 | 8.2 | 0.26 | 7.7 | 8.7 | 846 | 8.3 | 0.29 | 7.7 | 8.9 |
| 1998 | 930 | 7.8 | 0.26 | 7.3 | 8.4 | 802 | 7.8 | 0.28 | 7.3 | 8.4 |
| 1999 | 979 | 8.2 | 0.26 | 7.7 | 8.7 | 879 | 8.5 | 0.29 | 7.9 | 9.0 |
| 2000 | 989 | 8.2 | 0.26 | 7.7 | 8.7 | 889 | 8.5 | 0.29 | 8.0 | 9.1 |
| 2001 | 1,013 | 8.3 | 0.26 | 7.8 | 8.9 | 893 | 8.5 | 0.29 | 8.0 | 9.1 |
| 2002 | 1,003 | 8.2 | 0.26 | 7.7 | 8.7 | 892 | 8.5 | 0.28 | 7.9 | 9.1 |
| 2003 | 993 | 8.0 | 0.26 | 7.5 | 8.6 | 875 | 8.2 | 0.28 | 7.6 | 8.7 |
| 2004 | 945 | 7.6 | 0.25 | 7.1 | 8.1 | 849 | 8.0 | 0.27 | 7.4 | 8.5 |
| 2005 | 978 | 7.8 | 0.25 | 7.3 | 8.3 | 863 | 8.0 | 0.27 | 7.5 | 8.6 |
| 2006 | 953 | 7.5 | 0.24 | 7.0 | 8.0 | 859 | 7.9 | 0.27 | 7.4 | 8.4 |
| 2007 | 908 | 7.1 | 0.24 | 6.6 | 7.6 | 813 | 7.4 | 0.26 | 6.9 | 8.0 |
| 2008 | 960 | 7.4 | 0.24 | 6.9 | 7.9 | 852 | 7.7 | 0.27 | 7.2 | 8.3 |
| 2009 | 1,049 | 8.0 | 0.25 | 7.5 | 8.5 | 919 | 8.3 | 0.28 | 7.8 | 8.9 |
| 2010 | 979 | 7.3 | 0.24 | 6.9 | 7.8 | 853 | 7.6 | 0.26 | 7.0 | 8.1 |
| 2011 | 914 | 6.8 | 0.23 | 6.3 | 7.2 | 790 | 6.9 | 0.25 | 6.4 | 7.4 |
| 2012 | 1,042 | 7.6 | 0.24 | 7.1 | 8.1 | 901 | 7.8 | 0.26 | 7.3 | 8.3 |
| 2013 | 1,042 | 7.5 | 0.23 | 7.0 | 7.9 | 887 | 7.5 | 0.26 | 7.0 | 8.1 |
| 2014 | 960 | 6.7 | 0.22 | 6.3 | 7.2 | 847 | 7.1 | 0.25 | 6.6 | 7.6 |
| 2015 | 932 | 6.5 | 0.22 | 6.1 | 6.9 | 819 | 6.8 | 0.24 | 6.3 | 7.3 |
| 2016 | 893 | 6.1 | 0.21 | 5.7 | 6.5 | 780 | 6.4 | 0.23 | 5.9 | 6.9 |
| 2017 | 939 | 6.4 | 0.21 | 6.0 | 6.8 | 834 | 6.8 | 0.24 | 6.4 | 7.3 |
| 2018 | 917 | 6.1 | 0.20 | 5.7 | 6.5 | 794 | 6.4 | 0.23 | 5.9 | 6.8 |
| 2019 | 908 | 5.9 | 0.20 | 5.5 | 6.3 | 788 | 6.2 | 0.23 | 5.8 | 6.7 |
| 2020 | 954 | 6.2 | 0.20 | 5.8 | 6.6 | 820 | 6.5 | 0.23 | 6.0 | 6.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Leukemia | | | | | | | | | | |
|-------------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Both Sexes | | | | | | | | | | |
| Year | Black | | | | | Asian or Other Races | | | | |
| | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 3,394 | 6.6 | 0.12 | 6.4 | 6.8 | 458 | 3.2 | 0.16 | 2.9 | 3.5 |
| 1986 | 90 | 8.4 | 0.94 | 6.7 | 10.5 | * | * | * | * | * |
| 1987 | 78 | 7.2 | 0.85 | 5.6 | 9.0 | * | * | * | * | * |
| 1988 | 94 | 8.6 | 0.93 | 6.9 | 10.6 | * | * | * | * | * |
| 1989 | 76 | 6.2 | 0.74 | 4.8 | 7.8 | 10 | 4.0 | 1.35 | 1.8 | 7.9 |
| 1990 | 93 | 7.8 | 0.85 | 6.2 | 9.6 | * | * | * | * | * |
| 1991 | 85 | 7.2 | 0.82 | 5.7 | 9.0 | * | * | * | * | * |
| 1992 | 86 | 7.0 | 0.79 | 5.6 | 8.7 | 10 | 6.3 | 2.26 | 2.7 | 12.0 |
| 1993 | 93 | 7.3 | 0.78 | 5.8 | 9.0 | * | * | * | * | * |
| 1994 | 95 | 7.6 | 0.81 | 6.1 | 9.3 | * | * | * | * | * |
| 1995 | 95 | 7.4 | 0.79 | 6.0 | 9.1 | 10 | 3.6 | 1.32 | 1.5 | 7.1 |
| 1996 | 94 | 7.5 | 0.80 | 6.0 | 9.2 | 11 | 4.0 | 1.46 | 1.7 | 7.8 |
| 1997 | 105 | 8.0 | 0.81 | 6.5 | 9.7 | * | * | * | * | * |
| 1998 | 115 | 8.4 | 0.81 | 6.9 | 10.2 | 13 | 4.9 | 1.50 | 2.4 | 8.6 |
| 1999 | 93 | 6.7 | 0.71 | 5.3 | 8.2 | * | * | * | * | * |
| 2000 | 89 | 6.1 | 0.66 | 4.8 | 7.5 | 11 | 3.1 | 0.99 | 1.4 | 5.7 |
| 2001 | 103 | 7.3 | 0.74 | 5.9 | 8.8 | 17 | 4.6 | 1.26 | 2.5 | 7.7 |
| 2002 | 97 | 7.1 | 0.74 | 5.7 | 8.7 | 14 | 3.5 | 1.03 | 1.8 | 6.1 |
| 2003 | 108 | 7.6 | 0.75 | 6.2 | 9.2 | 10 | 2.3 | 0.77 | 1.0 | 4.3 |
| 2004 | 85 | 6.1 | 0.68 | 4.9 | 7.6 | 11 | 2.6 | 0.84 | 1.2 | 4.7 |
| 2005 | 99 | 6.7 | 0.69 | 5.4 | 8.2 | 16 | 4.8 | 1.32 | 2.6 | 8.0 |
| 2006 | 89 | 6.0 | 0.66 | 4.8 | 7.4 | * | * | * | * | * |
| 2007 | 77 | 5.1 | 0.59 | 4.0 | 6.3 | 18 | 3.8 | 1.00 | 2.1 | 6.3 |
| 2008 | 94 | 5.9 | 0.63 | 4.8 | 7.3 | 14 | 3.0 | 0.88 | 1.6 | 5.2 |
| 2009 | 115 | 7.5 | 0.72 | 6.2 | 9.1 | 15 | 2.5 | 0.70 | 1.4 | 4.3 |
| 2010 | 103 | 6.4 | 0.65 | 5.2 | 7.8 | 23 | 4.4 | 0.98 | 2.7 | 6.7 |
| 2011 | 97 | 5.9 | 0.62 | 4.8 | 7.3 | 27 | 5.6 | 1.15 | 3.6 | 8.3 |
| 2012 | 113 | 6.8 | 0.65 | 5.6 | 8.2 | 28 | 5.8 | 1.15 | 3.7 | 8.4 |
| 2013 | 135 | 8.0 | 0.70 | 6.7 | 9.5 | 20 | 3.5 | 0.82 | 2.1 | 5.5 |
| 2014 | 100 | 5.7 | 0.58 | 4.6 | 7.0 | 13 | 2.2 | 0.63 | 1.1 | 3.8 |
| 2015 | 97 | 5.5 | 0.57 | 4.5 | 6.8 | 16 | 2.4 | 0.64 | 1.3 | 4.0 |
| 2016 | 94 | 5.2 | 0.54 | 4.2 | 6.3 | 19 | 2.5 | 0.60 | 1.5 | 4.0 |
| 2017 | 86 | 4.9 | 0.53 | 3.9 | 6.0 | 19 | 2.6 | 0.60 | 1.5 | 4.0 |
| 2018 | 103 | 5.5 | 0.55 | 4.5 | 6.7 | 20 | 2.3 | 0.53 | 1.4 | 3.6 |
| 2019 | 102 | 5.3 | 0.54 | 4.3 | 6.5 | 18 | 2.4 | 0.56 | 1.4 | 3.7 |
| 2020 | 116 | 6.0 | 0.57 | 5.0 | 7.2 | 18 | 2.2 | 0.52 | 1.3 | 3.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Leukemia | | | | | | | | | | |
|-----------|--------|------|------|------|------|--------|------|------|------|------|
| Males | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 18,326 | 10.2 | 0.08 | 10.0 | 10.3 | 16,272 | 10.5 | 0.08 | 10.4 | 10.7 |
| 1986 | 475 | 11.3 | 0.55 | 10.3 | 12.5 | 425 | 11.5 | 0.58 | 10.3 | 12.7 |
| 1987 | 416 | 9.8 | 0.50 | 8.8 | 10.8 | 377 | 10.1 | 0.54 | 9.1 | 11.2 |
| 1988 | 444 | 10.5 | 0.52 | 9.5 | 11.5 | 388 | 10.4 | 0.55 | 9.4 | 11.5 |
| 1989 | 504 | 11.4 | 0.53 | 10.4 | 12.5 | 454 | 11.8 | 0.57 | 10.7 | 13.0 |
| 1990 | 486 | 11.1 | 0.53 | 10.1 | 12.2 | 439 | 11.4 | 0.57 | 10.3 | 12.6 |
| 1991 | 472 | 10.5 | 0.51 | 9.6 | 11.6 | 430 | 10.9 | 0.54 | 9.8 | 12.0 |
| 1992 | 528 | 11.9 | 0.54 | 10.9 | 13.0 | 482 | 12.4 | 0.58 | 11.3 | 13.6 |
| 1993 | 543 | 12.1 | 0.54 | 11.1 | 13.2 | 480 | 12.3 | 0.58 | 11.2 | 13.4 |
| 1994 | 524 | 11.4 | 0.51 | 10.4 | 12.4 | 466 | 11.6 | 0.55 | 10.5 | 12.7 |
| 1995 | 527 | 11.6 | 0.52 | 10.6 | 12.7 | 468 | 11.8 | 0.56 | 10.7 | 13.0 |
| 1996 | 500 | 11.1 | 0.51 | 10.1 | 12.1 | 446 | 11.3 | 0.55 | 10.2 | 12.4 |
| 1997 | 524 | 11.2 | 0.50 | 10.2 | 12.2 | 466 | 11.4 | 0.54 | 10.4 | 12.5 |
| 1998 | 478 | 10.0 | 0.46 | 9.1 | 10.9 | 424 | 10.2 | 0.50 | 9.2 | 11.2 |
| 1999 | 513 | 10.8 | 0.49 | 9.9 | 11.8 | 461 | 11.2 | 0.53 | 10.1 | 12.2 |
| 2000 | 523 | 10.7 | 0.47 | 9.7 | 11.6 | 471 | 11.1 | 0.52 | 10.1 | 12.2 |
| 2001 | 549 | 11.2 | 0.49 | 10.3 | 12.2 | 478 | 11.3 | 0.52 | 10.3 | 12.4 |
| 2002 | 552 | 11.3 | 0.49 | 10.3 | 12.3 | 495 | 11.7 | 0.53 | 10.7 | 12.8 |
| 2003 | 566 | 11.5 | 0.49 | 10.6 | 12.5 | 499 | 11.7 | 0.53 | 10.7 | 12.8 |
| 2004 | 534 | 10.6 | 0.47 | 9.8 | 11.6 | 483 | 11.2 | 0.51 | 10.2 | 12.2 |
| 2005 | 537 | 10.6 | 0.46 | 9.7 | 11.5 | 476 | 10.9 | 0.50 | 9.9 | 11.9 |
| 2006 | 518 | 10.0 | 0.45 | 9.1 | 10.9 | 465 | 10.4 | 0.49 | 9.5 | 11.4 |
| 2007 | 493 | 9.5 | 0.43 | 8.7 | 10.4 | 447 | 10.0 | 0.48 | 9.1 | 11.0 |
| 2008 | 542 | 10.1 | 0.44 | 9.3 | 11.0 | 484 | 10.6 | 0.49 | 9.6 | 11.6 |
| 2009 | 588 | 10.8 | 0.45 | 10.0 | 11.8 | 514 | 11.1 | 0.50 | 10.2 | 12.1 |
| 2010 | 542 | 9.9 | 0.43 | 9.1 | 10.8 | 476 | 10.2 | 0.47 | 9.3 | 11.2 |
| 2011 | 517 | 9.3 | 0.41 | 8.5 | 10.1 | 442 | 9.3 | 0.45 | 8.5 | 10.3 |
| 2012 | 562 | 9.9 | 0.42 | 9.0 | 10.7 | 494 | 10.2 | 0.47 | 9.3 | 11.1 |
| 2013 | 601 | 10.3 | 0.43 | 9.5 | 11.2 | 518 | 10.5 | 0.47 | 9.6 | 11.5 |
| 2014 | 539 | 9.2 | 0.40 | 8.4 | 10.0 | 477 | 9.6 | 0.45 | 8.7 | 10.5 |
| 2015 | 532 | 8.8 | 0.39 | 8.1 | 9.6 | 465 | 9.2 | 0.43 | 8.3 | 10.1 |
| 2016 | 515 | 8.4 | 0.38 | 7.6 | 9.1 | 458 | 8.9 | 0.42 | 8.1 | 9.7 |
| 2017 | 534 | 8.6 | 0.38 | 7.8 | 9.3 | 481 | 9.2 | 0.42 | 8.3 | 10.0 |
| 2018 | 535 | 8.3 | 0.36 | 7.6 | 9.0 | 475 | 8.8 | 0.41 | 8.0 | 9.7 |
| 2019 | 548 | 8.4 | 0.36 | 7.7 | 9.1 | 486 | 8.9 | 0.41 | 8.1 | 9.8 |
| 2020 | 565 | 8.5 | 0.36 | 7.8 | 9.3 | 482 | 8.7 | 0.41 | 8.0 | 9.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Leukemia | | | | | | | | | | |
|-----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Males | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,791 | 8.7 | 0.22 | 8.2 | 9.1 | 263 | 4.2 | 0.28 | 3.6 | 4.8 |
| 1986 | 49 | 11.7 | 1.87 | 8.3 | 15.9 | * | * | * | * | * |
| 1987 | 39 | 8.3 | 1.44 | 5.8 | 11.6 | * | * | * | * | * |
| 1988 | 53 | 11.5 | 1.74 | 8.4 | 15.4 | * | * | * | * | * |
| 1989 | 42 | 8.1 | 1.34 | 5.7 | 11.1 | * | * | * | * | * |
| 1990 | 44 | 8.7 | 1.47 | 6.0 | 12.0 | * | * | * | * | * |
| 1991 | 38 | 8.3 | 1.53 | 5.6 | 11.8 | * | * | * | * | * |
| 1992 | 40 | 8.0 | 1.40 | 5.5 | 11.2 | * | * | * | * | * |
| 1993 | 60 | 12.1 | 1.68 | 9.0 | 15.8 | * | * | * | * | * |
| 1994 | 53 | 10.8 | 1.63 | 7.8 | 14.4 | * | * | * | * | * |
| 1995 | 53 | 10.6 | 1.56 | 7.8 | 14.1 | * | * | * | * | * |
| 1996 | 49 | 9.8 | 1.55 | 7.0 | 13.3 | * | * | * | * | * |
| 1997 | 56 | 11.0 | 1.58 | 8.1 | 14.4 | * | * | * | * | * |
| 1998 | 47 | 8.0 | 1.23 | 5.7 | 10.7 | * | * | * | * | * |
| 1999 | 47 | 8.6 | 1.35 | 6.1 | 11.6 | * | * | * | * | * |
| 2000 | 44 | 7.0 | 1.11 | 5.0 | 9.5 | * | * | * | * | * |
| 2001 | 57 | 10.2 | 1.48 | 7.5 | 13.4 | 14 | 7.2 | 2.09 | 3.7 | 12.7 |
| 2002 | 47 | 8.9 | 1.41 | 6.3 | 12.0 | 10 | 5.7 | 2.00 | 2.5 | 11.0 |
| 2003 | 60 | 10.4 | 1.42 | 7.8 | 13.5 | * | * | * | * | * |
| 2004 | 44 | 8.0 | 1.31 | 5.6 | 10.9 | * | * | * | * | * |
| 2005 | 53 | 8.6 | 1.25 | 6.3 | 11.3 | * | * | * | * | * |
| 2006 | 51 | 8.3 | 1.26 | 6.0 | 11.1 | * | * | * | * | * |
| 2007 | 37 | 6.2 | 1.09 | 4.3 | 8.7 | * | * | * | * | * |
| 2008 | 49 | 7.9 | 1.21 | 5.7 | 10.6 | * | * | * | * | * |
| 2009 | 65 | 10.7 | 1.42 | 8.1 | 13.8 | * | * | * | * | * |
| 2010 | 55 | 8.3 | 1.20 | 6.2 | 11.0 | 11 | 5.4 | 1.82 | 2.4 | 9.9 |
| 2011 | 59 | 9.3 | 1.28 | 7.0 | 12.1 | 16 | 7.2 | 1.96 | 3.9 | 11.9 |
| 2012 | 57 | 8.7 | 1.22 | 6.5 | 11.4 | 11 | 6.1 | 2.00 | 2.9 | 11.0 |
| 2013 | 70 | 10.5 | 1.33 | 8.1 | 13.4 | 13 | 5.3 | 1.55 | 2.7 | 9.1 |
| 2014 | 55 | 8.1 | 1.15 | 6.0 | 10.6 | * | * | * | * | * |
| 2015 | 56 | 7.9 | 1.10 | 5.9 | 10.4 | 11 | 4.0 | 1.31 | 1.9 | 7.3 |
| 2016 | 47 | 6.1 | 0.93 | 4.4 | 8.2 | 10 | 3.2 | 1.06 | 1.5 | 6.0 |
| 2017 | 41 | 5.9 | 0.96 | 4.2 | 8.1 | 12 | 3.5 | 1.02 | 1.8 | 6.1 |
| 2018 | 51 | 6.6 | 0.96 | 4.9 | 8.7 | * | * | * | * | * |
| 2019 | 52 | 6.7 | 0.96 | 4.9 | 8.8 | 10 | 3.0 | 0.97 | 1.4 | 5.5 |
| 2020 | 71 | 9.0 | 1.10 | 7.0 | 11.4 | 12 | 3.4 | 0.99 | 1.7 | 5.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Leukemia | | | | | | | | | | |
|------------------|--------------|-------------|-----------|------------|------------|--------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 14,884 | 5.8 | 0.05 | 5.7 | 5.9 | 13,086 | 5.9 | 0.05 | 5.8 | 6.0 |
| 1986 | 397 | 6.4 | 0.33 | 5.8 | 7.1 | 352 | 6.4 | 0.35 | 5.8 | 7.1 |
| 1987 | 394 | 6.4 | 0.33 | 5.8 | 7.1 | 354 | 6.5 | 0.35 | 5.8 | 7.2 |
| 1988 | 405 | 6.5 | 0.33 | 5.9 | 7.1 | 362 | 6.6 | 0.35 | 5.9 | 7.3 |
| 1989 | 407 | 6.5 | 0.32 | 5.8 | 7.1 | 371 | 6.6 | 0.35 | 6.0 | 7.4 |
| 1990 | 443 | 7.0 | 0.33 | 6.3 | 7.6 | 391 | 6.9 | 0.36 | 6.2 | 7.7 |
| 1991 | 476 | 7.3 | 0.34 | 6.6 | 8.0 | 424 | 7.4 | 0.37 | 6.7 | 8.1 |
| 1992 | 417 | 6.4 | 0.32 | 5.8 | 7.0 | 367 | 6.4 | 0.34 | 5.7 | 7.1 |
| 1993 | 427 | 6.4 | 0.31 | 5.8 | 7.0 | 392 | 6.7 | 0.34 | 6.1 | 7.4 |
| 1994 | 416 | 6.2 | 0.31 | 5.6 | 6.8 | 370 | 6.3 | 0.33 | 5.7 | 7.0 |
| 1995 | 440 | 6.4 | 0.31 | 5.8 | 7.1 | 394 | 6.6 | 0.34 | 6.0 | 7.3 |
| 1996 | 433 | 6.3 | 0.30 | 5.7 | 6.9 | 382 | 6.4 | 0.33 | 5.8 | 7.1 |
| 1997 | 432 | 6.2 | 0.30 | 5.7 | 6.9 | 380 | 6.3 | 0.33 | 5.7 | 7.0 |
| 1998 | 452 | 6.5 | 0.31 | 5.9 | 7.1 | 378 | 6.2 | 0.32 | 5.6 | 6.9 |
| 1999 | 466 | 6.6 | 0.31 | 6.0 | 7.2 | 418 | 6.8 | 0.34 | 6.2 | 7.5 |
| 2000 | 466 | 6.5 | 0.30 | 5.9 | 7.1 | 418 | 6.8 | 0.34 | 6.1 | 7.5 |
| 2001 | 464 | 6.5 | 0.30 | 5.9 | 7.1 | 415 | 6.7 | 0.34 | 6.1 | 7.4 |
| 2002 | 451 | 6.2 | 0.30 | 5.7 | 6.9 | 397 | 6.4 | 0.33 | 5.8 | 7.1 |
| 2003 | 427 | 5.8 | 0.28 | 5.2 | 6.3 | 376 | 5.8 | 0.31 | 5.3 | 6.5 |
| 2004 | 411 | 5.6 | 0.28 | 5.1 | 6.2 | 366 | 5.9 | 0.31 | 5.3 | 6.5 |
| 2005 | 441 | 6.0 | 0.29 | 5.4 | 6.6 | 387 | 6.1 | 0.32 | 5.5 | 6.8 |
| 2006 | 435 | 5.8 | 0.28 | 5.2 | 6.3 | 394 | 6.1 | 0.32 | 5.5 | 6.8 |
| 2007 | 415 | 5.5 | 0.28 | 5.0 | 6.1 | 366 | 5.7 | 0.31 | 5.1 | 6.4 |
| 2008 | 418 | 5.5 | 0.27 | 5.0 | 6.1 | 368 | 5.7 | 0.31 | 5.1 | 6.3 |
| 2009 | 461 | 6.1 | 0.29 | 5.5 | 6.7 | 405 | 6.3 | 0.32 | 5.7 | 6.9 |
| 2010 | 437 | 5.6 | 0.28 | 5.1 | 6.2 | 377 | 5.8 | 0.30 | 5.2 | 6.4 |
| 2011 | 397 | 5.0 | 0.26 | 4.5 | 5.5 | 348 | 5.2 | 0.29 | 4.7 | 5.8 |
| 2012 | 480 | 6.1 | 0.28 | 5.6 | 6.7 | 407 | 6.1 | 0.31 | 5.5 | 6.8 |
| 2013 | 441 | 5.4 | 0.26 | 4.9 | 6.0 | 369 | 5.4 | 0.29 | 4.9 | 6.0 |
| 2014 | 421 | 5.0 | 0.25 | 4.6 | 5.6 | 370 | 5.3 | 0.28 | 4.8 | 5.9 |
| 2015 | 400 | 4.8 | 0.25 | 4.3 | 5.3 | 354 | 5.1 | 0.28 | 4.5 | 5.7 |
| 2016 | 378 | 4.5 | 0.24 | 4.0 | 4.9 | 322 | 4.6 | 0.26 | 4.1 | 5.1 |
| 2017 | 405 | 4.9 | 0.25 | 4.4 | 5.4 | 353 | 5.2 | 0.29 | 4.6 | 5.8 |
| 2018 | 382 | 4.5 | 0.23 | 4.0 | 4.9 | 319 | 4.5 | 0.26 | 4.0 | 5.1 |
| 2019 | 360 | 4.1 | 0.22 | 3.7 | 4.6 | 302 | 4.2 | 0.25 | 3.8 | 4.8 |
| 2020 | 389 | 4.4 | 0.23 | 4.0 | 4.9 | 338 | 4.7 | 0.26 | 4.2 | 5.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

| Leukemia | | | | | | | | | | |
|-----------------|--------------|-------------|-----------|------------|------------|-----------------------------|-------------|-----------|------------|------------|
| Females | | | | | | | | | | |
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 1,603 | 5.3 | 0.13 | 5.0 | 5.5 | 195 | 2.5 | 0.18 | 2.1 | 2.9 |
| 1986 | 41 | 6.4 | 1.04 | 4.6 | 8.8 | * | * | * | * | * |
| 1987 | 39 | 6.3 | 1.03 | 4.4 | 8.6 | * | * | * | * | * |
| 1988 | 41 | 6.5 | 1.05 | 4.6 | 8.9 | * | * | * | * | * |
| 1989 | 34 | 4.9 | 0.86 | 3.4 | 6.9 | * | * | * | * | * |
| 1990 | 49 | 7.2 | 1.06 | 5.3 | 9.6 | * | * | * | * | * |
| 1991 | 47 | 6.6 | 0.99 | 4.8 | 8.8 | * | * | * | * | * |
| 1992 | 46 | 6.5 | 0.97 | 4.7 | 8.6 | * | * | * | * | * |
| 1993 | 33 | 4.2 | 0.75 | 2.9 | 6.0 | * | * | * | * | * |
| 1994 | 42 | 5.7 | 0.90 | 4.1 | 7.7 | * | * | * | * | * |
| 1995 | 42 | 5.5 | 0.86 | 3.9 | 7.4 | * | * | * | * | * |
| 1996 | 45 | 6.0 | 0.91 | 4.4 | 8.0 | * | * | * | * | * |
| 1997 | 49 | 6.2 | 0.90 | 4.6 | 8.2 | * | * | * | * | * |
| 1998 | 68 | 8.5 | 1.04 | 6.6 | 10.8 | * | * | * | * | * |
| 1999 | 46 | 5.5 | 0.82 | 4.0 | 7.3 | * | * | * | * | * |
| 2000 | 45 | 5.2 | 0.79 | 3.8 | 7.0 | * | * | * | * | * |
| 2001 | 46 | 5.4 | 0.81 | 4.0 | 7.3 | * | * | * | * | * |
| 2002 | 50 | 6.1 | 0.87 | 4.5 | 8.0 | * | * | * | * | * |
| 2003 | 48 | 5.7 | 0.83 | 4.2 | 7.5 | * | * | * | * | * |
| 2004 | 41 | 4.9 | 0.77 | 3.5 | 6.6 | * | * | * | * | * |
| 2005 | 46 | 5.3 | 0.79 | 3.9 | 7.1 | * | * | * | * | * |
| 2006 | 38 | 4.4 | 0.72 | 3.1 | 6.0 | * | * | * | * | * |
| 2007 | 40 | 4.4 | 0.71 | 3.2 | 6.0 | * | * | * | * | * |
| 2008 | 45 | 4.8 | 0.72 | 3.5 | 6.4 | * | * | * | * | * |
| 2009 | 50 | 5.6 | 0.80 | 4.2 | 7.4 | * | * | * | * | * |
| 2010 | 48 | 5.1 | 0.74 | 3.7 | 6.7 | 12 | 3.8 | 1.16 | 1.9 | 6.8 |
| 2011 | 38 | 3.8 | 0.63 | 2.7 | 5.2 | 11 | 4.2 | 1.32 | 2.0 | 7.5 |
| 2012 | 56 | 5.7 | 0.78 | 4.3 | 7.5 | 17 | 5.8 | 1.47 | 3.3 | 9.4 |
| 2013 | 65 | 6.4 | 0.80 | 4.9 | 8.1 | * | * | * | * | * |
| 2014 | 45 | 4.3 | 0.64 | 3.1 | 5.7 | * | * | * | * | * |
| 2015 | 41 | 4.0 | 0.64 | 2.9 | 5.5 | * | * | * | * | * |
| 2016 | 47 | 4.4 | 0.65 | 3.2 | 5.9 | * | * | * | * | * |
| 2017 | 45 | 4.1 | 0.63 | 3.0 | 5.6 | * | * | * | * | * |
| 2018 | 52 | 4.7 | 0.67 | 3.5 | 6.2 | 11 | 2.4 | 0.73 | 1.2 | 4.3 |
| 2019 | 50 | 4.3 | 0.61 | 3.2 | 5.7 | * | * | * | * | * |
| 2020 | 45 | 4.0 | 0.61 | 2.9 | 5.4 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Other, Ill-defined and Unknown Sites

| Both Sexes | | | | | | | | | | |
|------------|--------|------|------|------|------|--------|------|------|------|------|
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 72,866 | 16.4 | 0.06 | 16.3 | 16.5 | 61,308 | 16.1 | 0.07 | 16.0 | 16.3 |
| 1986 | 1,836 | 17.5 | 0.42 | 16.7 | 18.4 | 1,538 | 16.5 | 0.43 | 15.7 | 17.4 |
| 1987 | 1,788 | 16.9 | 0.40 | 16.1 | 17.7 | 1,514 | 16.1 | 0.42 | 15.3 | 16.9 |
| 1988 | 2,009 | 18.9 | 0.43 | 18.1 | 19.8 | 1,695 | 18.0 | 0.44 | 17.1 | 18.9 |
| 1989 | 2,043 | 19.2 | 0.43 | 18.3 | 20.0 | 1,715 | 18.2 | 0.44 | 17.3 | 19.1 |
| 1990 | 1,923 | 17.8 | 0.41 | 17.0 | 18.6 | 1,636 | 17.1 | 0.43 | 16.3 | 17.9 |
| 1991 | 1,854 | 16.9 | 0.40 | 16.2 | 17.7 | 1,595 | 16.5 | 0.42 | 15.7 | 17.4 |
| 1992 | 2,063 | 18.6 | 0.41 | 17.8 | 19.4 | 1,754 | 17.9 | 0.43 | 17.1 | 18.8 |
| 1993 | 2,108 | 18.7 | 0.41 | 17.9 | 19.5 | 1,782 | 18.0 | 0.43 | 17.2 | 18.9 |
| 1994 | 2,029 | 17.9 | 0.40 | 17.1 | 18.7 | 1,734 | 17.4 | 0.42 | 16.6 | 18.3 |
| 1995 | 2,033 | 17.7 | 0.39 | 16.9 | 18.5 | 1,724 | 17.2 | 0.41 | 16.4 | 18.0 |
| 1996 | 2,021 | 17.5 | 0.39 | 16.8 | 18.3 | 1,707 | 16.9 | 0.41 | 16.1 | 17.7 |
| 1997 | 1,993 | 17.1 | 0.38 | 16.3 | 17.8 | 1,688 | 16.6 | 0.40 | 15.8 | 17.4 |
| 1998 | 1,929 | 16.4 | 0.37 | 15.6 | 17.1 | 1,619 | 15.8 | 0.39 | 15.0 | 16.6 |
| 1999 | 2,360 | 19.8 | 0.41 | 19.0 | 20.6 | 1,962 | 18.9 | 0.43 | 18.1 | 19.8 |
| 2000 | 2,306 | 19.2 | 0.40 | 18.4 | 20.0 | 1,954 | 18.8 | 0.42 | 17.9 | 19.6 |
| 2001 | 2,216 | 18.3 | 0.39 | 17.5 | 19.1 | 1,853 | 17.7 | 0.41 | 16.9 | 18.5 |
| 2002 | 2,256 | 18.4 | 0.39 | 17.7 | 19.2 | 1,903 | 18.0 | 0.41 | 17.2 | 18.9 |
| 2003 | 2,141 | 17.3 | 0.37 | 16.6 | 18.1 | 1,795 | 16.9 | 0.40 | 16.1 | 17.7 |
| 2004 | 2,141 | 17.1 | 0.37 | 16.4 | 17.9 | 1,821 | 17.0 | 0.40 | 16.2 | 17.8 |
| 2005 | 2,191 | 17.3 | 0.37 | 16.6 | 18.1 | 1,847 | 17.1 | 0.40 | 16.3 | 17.9 |
| 2006 | 2,115 | 16.6 | 0.36 | 15.9 | 17.3 | 1,785 | 16.4 | 0.39 | 15.6 | 17.2 |
| 2007 | 2,027 | 15.6 | 0.35 | 15.0 | 16.3 | 1,688 | 15.3 | 0.38 | 14.6 | 16.0 |
| 2008 | 2,132 | 16.2 | 0.35 | 15.5 | 16.9 | 1,788 | 16.0 | 0.38 | 15.3 | 16.8 |
| 2009 | 2,133 | 16.0 | 0.35 | 15.3 | 16.7 | 1,826 | 16.2 | 0.38 | 15.4 | 17.0 |
| 2010 | 2,082 | 15.3 | 0.34 | 14.6 | 16.0 | 1,727 | 15.1 | 0.37 | 14.3 | 15.8 |
| 2011 | 2,110 | 15.3 | 0.34 | 14.6 | 16.0 | 1,778 | 15.3 | 0.37 | 14.6 | 16.0 |
| 2012 | 2,159 | 15.4 | 0.34 | 14.8 | 16.1 | 1,841 | 15.6 | 0.37 | 14.9 | 16.3 |
| 2013 | 2,116 | 14.8 | 0.33 | 14.2 | 15.5 | 1,786 | 14.9 | 0.36 | 14.2 | 15.7 |
| 2014 | 2,075 | 14.3 | 0.32 | 13.7 | 14.9 | 1,747 | 14.4 | 0.35 | 13.7 | 15.1 |
| 2015 | 2,048 | 13.9 | 0.31 | 13.3 | 14.5 | 1,695 | 13.8 | 0.34 | 13.1 | 14.5 |
| 2016 | 2,081 | 14.0 | 0.31 | 13.3 | 14.6 | 1,740 | 14.0 | 0.34 | 13.4 | 14.7 |
| 2017 | 2,096 | 13.8 | 0.31 | 13.2 | 14.5 | 1,745 | 14.0 | 0.34 | 13.3 | 14.7 |
| 2018 | 2,155 | 13.9 | 0.30 | 13.3 | 14.5 | 1,789 | 14.0 | 0.34 | 13.3 | 14.7 |
| 2019 | 2,106 | 13.6 | 0.30 | 13.0 | 14.2 | 1,730 | 13.6 | 0.33 | 13.0 | 14.3 |
| 2020 | 2,191 | 13.9 | 0.30 | 13.3 | 14.5 | 1,807 | 14.0 | 0.34 | 13.3 | 14.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Other, Ill-defined and Unknown Sites

| Both Sexes | | | | | | | | | | |
|------------|--------|------|------|------|------|----------------------|------|------|-----|------|
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 10,615 | 20.5 | 0.20 | 20.1 | 20.9 | 942 | 6.8 | 0.24 | 6.4 | 7.3 |
| 1986 | 293 | 27.2 | 1.67 | 24.1 | 30.7 | * | * | * | * | * |
| 1987 | 266 | 24.6 | 1.57 | 21.6 | 27.9 | * | * | * | * | * |
| 1988 | 306 | 27.2 | 1.61 | 24.1 | 30.5 | * | * | * | * | * |
| 1989 | 315 | 27.6 | 1.61 | 24.5 | 30.9 | 13 | 9.4 | 3.04 | 4.4 | 16.9 |
| 1990 | 277 | 24.2 | 1.50 | 21.3 | 27.3 | 10 | 7.2 | 2.41 | 3.3 | 13.3 |
| 1991 | 247 | 20.8 | 1.36 | 18.2 | 23.6 | 12 | 6.5 | 1.96 | 3.2 | 11.5 |
| 1992 | 296 | 24.8 | 1.48 | 22.0 | 27.9 | 13 | 8.6 | 2.68 | 4.1 | 15.1 |
| 1993 | 314 | 25.8 | 1.50 | 22.9 | 28.9 | 12 | 6.7 | 2.16 | 3.1 | 12.0 |
| 1994 | 286 | 23.1 | 1.41 | 20.4 | 26.0 | * | * | * | * | * |
| 1995 | 291 | 23.1 | 1.39 | 20.4 | 25.9 | 18 | 8.2 | 2.28 | 4.4 | 13.7 |
| 1996 | 305 | 23.6 | 1.38 | 21.0 | 26.4 | * | * | * | * | * |
| 1997 | 289 | 22.1 | 1.34 | 19.5 | 24.8 | 16 | 6.0 | 1.65 | 3.2 | 10.0 |
| 1998 | 289 | 21.6 | 1.30 | 19.1 | 24.2 | 21 | 7.7 | 1.89 | 4.4 | 12.2 |
| 1999 | 378 | 28.6 | 1.51 | 25.7 | 31.6 | 20 | 6.7 | 1.67 | 3.9 | 10.7 |
| 2000 | 330 | 24.1 | 1.36 | 21.6 | 26.9 | 22 | 8.4 | 1.96 | 5.0 | 13.0 |
| 2001 | 338 | 24.6 | 1.37 | 21.9 | 27.4 | 25 | 6.6 | 1.40 | 4.2 | 9.9 |
| 2002 | 325 | 23.3 | 1.32 | 20.7 | 26.0 | 28 | 8.0 | 1.68 | 5.1 | 11.9 |
| 2003 | 317 | 22.3 | 1.28 | 19.9 | 25.0 | 29 | 8.9 | 1.81 | 5.8 | 13.1 |
| 2004 | 295 | 20.1 | 1.20 | 17.8 | 22.6 | 25 | 7.6 | 1.67 | 4.7 | 11.5 |
| 2005 | 312 | 20.9 | 1.21 | 18.6 | 23.4 | 32 | 8.9 | 1.71 | 5.9 | 12.8 |
| 2006 | 299 | 19.6 | 1.16 | 17.4 | 22.0 | 31 | 8.4 | 1.66 | 5.4 | 12.1 |
| 2007 | 319 | 20.8 | 1.19 | 18.5 | 23.2 | 20 | 5.2 | 1.25 | 3.1 | 8.2 |
| 2008 | 312 | 19.7 | 1.14 | 17.5 | 22.0 | 32 | 6.9 | 1.34 | 4.6 | 10.0 |
| 2009 | 274 | 17.0 | 1.05 | 15.0 | 19.2 | 33 | 7.0 | 1.32 | 4.6 | 10.0 |
| 2010 | 318 | 18.9 | 1.09 | 16.8 | 21.1 | 37 | 6.9 | 1.23 | 4.8 | 9.7 |
| 2011 | 285 | 17.0 | 1.03 | 15.1 | 19.2 | 47 | 8.9 | 1.38 | 6.5 | 12.0 |
| 2012 | 282 | 16.4 | 1.00 | 14.5 | 18.5 | 36 | 6.5 | 1.14 | 4.5 | 9.1 |
| 2013 | 295 | 17.0 | 1.01 | 15.1 | 19.1 | 35 | 6.1 | 1.09 | 4.1 | 8.5 |
| 2014 | 282 | 15.9 | 0.97 | 14.1 | 17.9 | 46 | 7.3 | 1.13 | 5.3 | 9.8 |
| 2015 | 310 | 16.6 | 0.96 | 14.7 | 18.6 | 43 | 6.2 | 0.98 | 4.4 | 8.4 |
| 2016 | 293 | 15.9 | 0.95 | 14.1 | 17.9 | 48 | 6.9 | 1.03 | 5.1 | 9.2 |
| 2017 | 303 | 15.5 | 0.91 | 13.8 | 17.4 | 48 | 6.6 | 0.98 | 4.8 | 8.8 |
| 2018 | 312 | 16.1 | 0.93 | 14.3 | 18.0 | 54 | 6.7 | 0.94 | 5.0 | 8.8 |
| 2019 | 335 | 17.2 | 0.96 | 15.4 | 19.2 | 41 | 4.9 | 0.79 | 3.5 | 6.7 |
| 2020 | 327 | 16.0 | 0.90 | 14.3 | 17.9 | 57 | 6.8 | 0.91 | 5.1 | 8.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Other, Ill-defined and Unknown Sites

| Males | | | | | | | | | | |
|-----------|--------|------|------|------|------|--------|------|------|------|------|
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 37,702 | 20.4 | 0.11 | 20.2 | 20.6 | 31,593 | 20.0 | 0.11 | 19.7 | 20.2 |
| 1986 | 942 | 21.9 | 0.75 | 20.4 | 23.4 | 785 | 20.5 | 0.76 | 19.1 | 22.1 |
| 1987 | 906 | 20.9 | 0.73 | 19.5 | 22.4 | 750 | 19.5 | 0.74 | 18.1 | 21.1 |
| 1988 | 1,043 | 24.4 | 0.79 | 22.9 | 26.0 | 865 | 23.1 | 0.82 | 21.5 | 24.7 |
| 1989 | 1,089 | 24.9 | 0.79 | 23.4 | 26.5 | 891 | 23.3 | 0.81 | 21.7 | 24.9 |
| 1990 | 955 | 21.6 | 0.73 | 20.2 | 23.0 | 789 | 20.3 | 0.75 | 18.8 | 21.8 |
| 1991 | 957 | 21.6 | 0.72 | 20.2 | 23.0 | 807 | 20.7 | 0.75 | 19.3 | 22.3 |
| 1992 | 1,043 | 23.3 | 0.74 | 21.8 | 24.8 | 877 | 22.4 | 0.78 | 20.9 | 24.0 |
| 1993 | 1,041 | 23.1 | 0.74 | 21.7 | 24.6 | 876 | 22.2 | 0.77 | 20.7 | 23.8 |
| 1994 | 976 | 20.9 | 0.69 | 19.6 | 22.3 | 829 | 20.4 | 0.72 | 19.0 | 21.9 |
| 1995 | 1,023 | 21.8 | 0.70 | 20.4 | 23.2 | 861 | 21.1 | 0.73 | 19.7 | 22.6 |
| 1996 | 1,033 | 21.9 | 0.70 | 20.5 | 23.3 | 861 | 21.0 | 0.73 | 19.6 | 22.5 |
| 1997 | 968 | 20.2 | 0.66 | 18.9 | 21.6 | 821 | 19.7 | 0.70 | 18.4 | 21.1 |
| 1998 | 960 | 19.7 | 0.65 | 18.4 | 21.0 | 797 | 18.9 | 0.68 | 17.6 | 20.3 |
| 1999 | 1,152 | 23.9 | 0.72 | 22.5 | 25.3 | 956 | 22.8 | 0.75 | 21.4 | 24.4 |
| 2000 | 1,169 | 23.7 | 0.70 | 22.4 | 25.2 | 979 | 23.0 | 0.74 | 21.5 | 24.5 |
| 2001 | 1,137 | 23.0 | 0.69 | 21.6 | 24.4 | 946 | 22.1 | 0.73 | 20.7 | 23.6 |
| 2002 | 1,175 | 23.5 | 0.70 | 22.1 | 24.9 | 987 | 22.9 | 0.74 | 21.5 | 24.4 |
| 2003 | 1,081 | 21.4 | 0.66 | 20.1 | 22.7 | 905 | 20.8 | 0.70 | 19.4 | 22.2 |
| 2004 | 1,093 | 21.3 | 0.65 | 20.0 | 22.6 | 931 | 21.1 | 0.70 | 19.8 | 22.5 |
| 2005 | 1,109 | 21.3 | 0.65 | 20.1 | 22.6 | 929 | 20.8 | 0.69 | 19.5 | 22.2 |
| 2006 | 1,121 | 21.1 | 0.64 | 19.9 | 22.4 | 952 | 21.0 | 0.69 | 19.7 | 22.4 |
| 2007 | 1,093 | 20.3 | 0.62 | 19.1 | 21.6 | 905 | 19.7 | 0.66 | 18.5 | 21.1 |
| 2008 | 1,076 | 19.6 | 0.61 | 18.4 | 20.8 | 899 | 19.2 | 0.65 | 18.0 | 20.5 |
| 2009 | 1,116 | 19.9 | 0.61 | 18.7 | 21.1 | 970 | 20.3 | 0.66 | 19.1 | 21.7 |
| 2010 | 1,120 | 19.4 | 0.59 | 18.3 | 20.6 | 934 | 19.1 | 0.64 | 17.9 | 20.4 |
| 2011 | 1,130 | 19.2 | 0.58 | 18.1 | 20.4 | 947 | 19.0 | 0.63 | 17.8 | 20.3 |
| 2012 | 1,173 | 19.7 | 0.59 | 18.6 | 20.9 | 1,007 | 20.0 | 0.64 | 18.8 | 21.3 |
| 2013 | 1,130 | 18.5 | 0.56 | 17.4 | 19.6 | 955 | 18.5 | 0.61 | 17.3 | 19.7 |
| 2014 | 1,090 | 17.6 | 0.55 | 16.6 | 18.7 | 917 | 17.6 | 0.59 | 16.5 | 18.8 |
| 2015 | 1,133 | 17.8 | 0.54 | 16.7 | 18.9 | 936 | 17.6 | 0.59 | 16.5 | 18.8 |
| 2016 | 1,141 | 17.8 | 0.54 | 16.7 | 18.9 | 959 | 17.8 | 0.59 | 16.7 | 19.0 |
| 2017 | 1,095 | 16.7 | 0.52 | 15.7 | 17.8 | 909 | 16.8 | 0.57 | 15.7 | 17.9 |
| 2018 | 1,136 | 17.0 | 0.51 | 16.0 | 18.0 | 950 | 17.1 | 0.57 | 16.0 | 18.3 |
| 2019 | 1,141 | 16.9 | 0.51 | 15.9 | 17.9 | 938 | 16.8 | 0.56 | 15.7 | 17.9 |
| 2020 | 1,155 | 16.9 | 0.51 | 15.9 | 17.9 | 973 | 17.2 | 0.56 | 16.1 | 18.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Other, Ill-defined and Unknown Sites

| Males | | | | | | | | | | |
|-----------|-------|------|------|------|------|----------------------|------|------|-----|------|
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 5,598 | 26.5 | 0.37 | 25.8 | 27.2 | 511 | 8.1 | 0.39 | 7.4 | 8.9 |
| 1986 | 154 | 34.3 | 3.01 | 28.7 | 40.7 | * | * | * | * | * |
| 1987 | 152 | 34.5 | 3.05 | 28.8 | 40.9 | * | * | * | * | * |
| 1988 | 173 | 37.0 | 3.00 | 31.3 | 43.3 | * | * | * | * | * |
| 1989 | 191 | 40.2 | 3.12 | 34.3 | 46.7 | * | * | * | * | * |
| 1990 | 161 | 34.6 | 2.93 | 29.1 | 40.7 | * | * | * | * | * |
| 1991 | 144 | 30.1 | 2.67 | 25.1 | 35.7 | * | * | * | * | * |
| 1992 | 160 | 32.2 | 2.72 | 27.1 | 38.0 | * | * | * | * | * |
| 1993 | 158 | 31.9 | 2.73 | 26.8 | 37.6 | * | * | * | * | * |
| 1994 | 143 | 27.2 | 2.43 | 22.7 | 32.4 | * | * | * | * | * |
| 1995 | 150 | 28.5 | 2.49 | 23.9 | 33.8 | 12 | 9.7 | 3.06 | 4.6 | 17.7 |
| 1996 | 165 | 31.2 | 2.60 | 26.4 | 36.7 | * | * | * | * | * |
| 1997 | 140 | 26.5 | 2.41 | 22.0 | 31.6 | * | * | * | * | * |
| 1998 | 153 | 26.6 | 2.25 | 22.4 | 31.4 | 10 | 7.7 | 2.71 | 3.3 | 14.8 |
| 1999 | 187 | 35.5 | 2.78 | 30.2 | 41.3 | * | * | * | * | * |
| 2000 | 177 | 32.6 | 2.60 | 27.7 | 38.1 | 13 | 11.8 | 3.71 | 5.7 | 20.9 |
| 2001 | 178 | 33.0 | 2.64 | 28.0 | 38.5 | 13 | 7.0 | 2.08 | 3.5 | 12.5 |
| 2002 | 167 | 28.1 | 2.27 | 23.8 | 32.9 | 21 | 13.3 | 3.37 | 7.6 | 21.4 |
| 2003 | 161 | 29.5 | 2.50 | 24.8 | 34.7 | 15 | 11.2 | 3.25 | 5.7 | 19.0 |
| 2004 | 152 | 25.9 | 2.28 | 21.7 | 30.7 | 10 | 6.7 | 2.40 | 2.8 | 12.7 |
| 2005 | 164 | 27.1 | 2.25 | 22.9 | 31.9 | 16 | 11.4 | 3.28 | 5.9 | 19.2 |
| 2006 | 154 | 24.8 | 2.14 | 20.8 | 29.3 | 15 | 8.0 | 2.46 | 3.9 | 14.0 |
| 2007 | 175 | 28.0 | 2.26 | 23.7 | 32.7 | 13 | 6.8 | 2.07 | 3.4 | 12.0 |
| 2008 | 161 | 25.8 | 2.16 | 21.7 | 30.3 | 16 | 7.9 | 2.27 | 4.1 | 13.4 |
| 2009 | 133 | 20.1 | 1.84 | 16.6 | 24.0 | 13 | 7.2 | 2.26 | 3.4 | 12.7 |
| 2010 | 162 | 24.6 | 2.06 | 20.7 | 28.9 | 24 | 10.1 | 2.27 | 6.1 | 15.4 |
| 2011 | 164 | 24.4 | 2.02 | 20.6 | 28.6 | 19 | 7.0 | 1.70 | 4.1 | 11.1 |
| 2012 | 148 | 20.3 | 1.76 | 17.0 | 24.0 | 18 | 6.9 | 1.74 | 3.9 | 11.1 |
| 2013 | 154 | 21.9 | 1.86 | 18.5 | 25.9 | 21 | 8.7 | 2.08 | 5.1 | 13.5 |
| 2014 | 151 | 21.3 | 1.82 | 17.9 | 25.2 | 22 | 6.9 | 1.57 | 4.2 | 10.6 |
| 2015 | 168 | 21.5 | 1.74 | 18.2 | 25.1 | 29 | 9.0 | 1.78 | 5.9 | 13.2 |
| 2016 | 151 | 20.6 | 1.75 | 17.3 | 24.3 | 31 | 10.4 | 1.95 | 6.9 | 14.9 |
| 2017 | 161 | 20.3 | 1.68 | 17.1 | 23.9 | 25 | 7.5 | 1.57 | 4.7 | 11.2 |
| 2018 | 155 | 19.2 | 1.61 | 16.2 | 22.6 | 31 | 8.2 | 1.52 | 5.5 | 11.7 |
| 2019 | 180 | 22.8 | 1.76 | 19.4 | 26.5 | 23 | 5.8 | 1.26 | 3.6 | 8.8 |
| 2020 | 151 | 18.4 | 1.55 | 15.4 | 21.6 | 31 | 8.3 | 1.52 | 5.6 | 11.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Other, Ill-defined and Unknown Sites

| Females | | | | | | | | | | |
|-----------|--------|------|------|------|------|--------|------|------|------|------|
| All Races | | | | | | White | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 35,164 | 13.6 | 0.07 | 13.5 | 13.8 | 29,715 | 13.5 | 0.08 | 13.3 | 13.6 |
| 1986 | 894 | 14.5 | 0.49 | 13.6 | 15.5 | 753 | 13.8 | 0.51 | 12.8 | 14.8 |
| 1987 | 882 | 14.2 | 0.48 | 13.3 | 15.2 | 764 | 13.8 | 0.51 | 12.9 | 14.9 |
| 1988 | 966 | 15.4 | 0.50 | 14.4 | 16.4 | 830 | 14.9 | 0.52 | 13.9 | 15.9 |
| 1989 | 954 | 15.2 | 0.50 | 14.2 | 16.2 | 824 | 14.8 | 0.53 | 13.8 | 15.9 |
| 1990 | 968 | 15.2 | 0.49 | 14.3 | 16.2 | 847 | 15.0 | 0.52 | 14.0 | 16.1 |
| 1991 | 897 | 13.7 | 0.46 | 12.8 | 14.7 | 788 | 13.6 | 0.49 | 12.6 | 14.6 |
| 1992 | 1,020 | 15.5 | 0.49 | 14.6 | 16.5 | 877 | 15.2 | 0.52 | 14.2 | 16.3 |
| 1993 | 1,067 | 15.9 | 0.49 | 15.0 | 16.9 | 906 | 15.4 | 0.52 | 14.4 | 16.4 |
| 1994 | 1,053 | 15.6 | 0.48 | 14.6 | 16.5 | 905 | 15.2 | 0.51 | 14.2 | 16.2 |
| 1995 | 1,010 | 14.8 | 0.47 | 13.9 | 15.8 | 863 | 14.5 | 0.50 | 13.5 | 15.5 |
| 1996 | 988 | 14.4 | 0.46 | 13.5 | 15.3 | 846 | 14.0 | 0.49 | 13.1 | 15.0 |
| 1997 | 1,025 | 14.9 | 0.47 | 14.0 | 15.9 | 867 | 14.5 | 0.50 | 13.6 | 15.5 |
| 1998 | 969 | 13.9 | 0.45 | 13.0 | 14.8 | 822 | 13.5 | 0.48 | 12.6 | 14.5 |
| 1999 | 1,208 | 17.0 | 0.49 | 16.0 | 18.0 | 1,006 | 16.2 | 0.52 | 15.2 | 17.3 |
| 2000 | 1,137 | 16.0 | 0.48 | 15.1 | 17.0 | 975 | 15.8 | 0.51 | 14.8 | 16.8 |
| 2001 | 1,079 | 15.2 | 0.47 | 14.3 | 16.2 | 907 | 14.9 | 0.50 | 13.9 | 15.9 |
| 2002 | 1,081 | 15.0 | 0.46 | 14.1 | 15.9 | 916 | 14.8 | 0.50 | 13.8 | 15.8 |
| 2003 | 1,060 | 14.6 | 0.45 | 13.7 | 15.5 | 890 | 14.2 | 0.48 | 13.3 | 15.2 |
| 2004 | 1,048 | 14.3 | 0.45 | 13.5 | 15.2 | 890 | 14.2 | 0.48 | 13.2 | 15.1 |
| 2005 | 1,082 | 14.8 | 0.45 | 13.9 | 15.7 | 918 | 14.7 | 0.49 | 13.8 | 15.7 |
| 2006 | 994 | 13.4 | 0.43 | 12.6 | 14.3 | 833 | 13.1 | 0.46 | 12.2 | 14.1 |
| 2007 | 934 | 12.3 | 0.41 | 11.5 | 13.2 | 783 | 12.1 | 0.44 | 11.3 | 13.0 |
| 2008 | 1,056 | 13.9 | 0.44 | 13.1 | 14.8 | 889 | 13.8 | 0.47 | 12.9 | 14.8 |
| 2009 | 1,017 | 13.2 | 0.42 | 12.4 | 14.1 | 856 | 13.2 | 0.46 | 12.3 | 14.1 |
| 2010 | 962 | 12.3 | 0.41 | 11.6 | 13.2 | 793 | 12.1 | 0.44 | 11.2 | 13.0 |
| 2011 | 980 | 12.4 | 0.40 | 11.6 | 13.2 | 831 | 12.5 | 0.45 | 11.7 | 13.4 |
| 2012 | 986 | 12.2 | 0.40 | 11.5 | 13.0 | 834 | 12.3 | 0.44 | 11.4 | 13.2 |
| 2013 | 986 | 12.0 | 0.39 | 11.3 | 12.8 | 831 | 12.2 | 0.44 | 11.4 | 13.1 |
| 2014 | 985 | 11.9 | 0.39 | 11.1 | 12.7 | 830 | 12.0 | 0.43 | 11.2 | 12.9 |
| 2015 | 915 | 11.0 | 0.37 | 10.3 | 11.7 | 759 | 11.0 | 0.41 | 10.2 | 11.8 |
| 2016 | 940 | 11.1 | 0.37 | 10.4 | 11.9 | 781 | 11.2 | 0.41 | 10.4 | 12.0 |
| 2017 | 1,001 | 11.8 | 0.38 | 11.1 | 12.6 | 836 | 12.1 | 0.43 | 11.3 | 13.0 |
| 2018 | 1,019 | 11.6 | 0.37 | 10.9 | 12.4 | 839 | 11.6 | 0.41 | 10.8 | 12.5 |
| 2019 | 965 | 11.1 | 0.37 | 10.4 | 11.9 | 792 | 11.2 | 0.41 | 10.4 | 12.0 |
| 2020 | 1,036 | 11.7 | 0.37 | 11.0 | 12.5 | 834 | 11.5 | 0.41 | 10.7 | 12.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Race, Illinois 1986-2020

Other, Ill-defined and Unknown Sites

| Females | | | | | | | | | | |
|-----------|-------|------|------|------|------|----------------------|------|------|-----|------|
| Black | | | | | | Asian or Other Races | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1986-2020 | 5,017 | 16.4 | 0.23 | 16.0 | 16.9 | 431 | 5.8 | 0.29 | 5.2 | 6.3 |
| 1986 | 139 | 22.3 | 1.94 | 18.6 | 26.4 | * | * | * | * | * |
| 1987 | 114 | 18.1 | 1.74 | 14.9 | 21.8 | * | * | * | * | * |
| 1988 | 133 | 20.2 | 1.79 | 16.8 | 24.0 | * | * | * | * | * |
| 1989 | 124 | 18.8 | 1.72 | 15.6 | 22.4 | * | * | * | * | * |
| 1990 | 116 | 17.3 | 1.63 | 14.3 | 20.8 | * | * | * | * | * |
| 1991 | 103 | 14.6 | 1.46 | 11.8 | 17.7 | * | * | * | * | * |
| 1992 | 136 | 19.6 | 1.70 | 16.4 | 23.2 | * | * | * | * | * |
| 1993 | 156 | 21.6 | 1.76 | 18.3 | 25.3 | * | * | * | * | * |
| 1994 | 143 | 19.8 | 1.68 | 16.6 | 23.3 | * | * | * | * | * |
| 1995 | 141 | 19.2 | 1.63 | 16.1 | 22.6 | * | * | * | * | * |
| 1996 | 140 | 18.4 | 1.57 | 15.5 | 21.7 | * | * | * | * | * |
| 1997 | 149 | 19.1 | 1.59 | 16.1 | 22.5 | * | * | * | * | * |
| 1998 | 136 | 17.4 | 1.51 | 14.6 | 20.6 | 11 | 7.5 | 2.50 | 3.4 | 13.8 |
| 1999 | 191 | 24.1 | 1.76 | 20.8 | 27.8 | 11 | 6.8 | 2.23 | 3.2 | 12.5 |
| 2000 | 153 | 18.7 | 1.52 | 15.9 | 21.9 | * | * | * | * | * |
| 2001 | 160 | 19.3 | 1.54 | 16.4 | 22.6 | 12 | 6.1 | 1.84 | 3.1 | 10.8 |
| 2002 | 158 | 19.2 | 1.54 | 16.3 | 22.4 | * | * | * | * | * |
| 2003 | 156 | 18.3 | 1.48 | 15.5 | 21.5 | 14 | 7.3 | 2.10 | 3.8 | 12.5 |
| 2004 | 143 | 16.6 | 1.40 | 14.0 | 19.6 | 15 | 8.1 | 2.22 | 4.3 | 13.5 |
| 2005 | 148 | 16.9 | 1.40 | 14.2 | 19.8 | 16 | 7.6 | 2.00 | 4.2 | 12.5 |
| 2006 | 145 | 16.3 | 1.36 | 13.7 | 19.2 | 16 | 8.2 | 2.17 | 4.5 | 13.4 |
| 2007 | 144 | 16.0 | 1.34 | 13.4 | 18.8 | * | * | * | * | * |
| 2008 | 151 | 16.0 | 1.31 | 13.5 | 18.8 | 16 | 6.3 | 1.66 | 3.5 | 10.3 |
| 2009 | 141 | 14.9 | 1.27 | 12.5 | 17.6 | 20 | 7.1 | 1.68 | 4.2 | 11.2 |
| 2010 | 156 | 15.6 | 1.26 | 13.2 | 18.2 | 13 | 4.4 | 1.28 | 2.3 | 7.6 |
| 2011 | 121 | 12.3 | 1.13 | 10.1 | 14.7 | 28 | 10.1 | 1.97 | 6.6 | 14.6 |
| 2012 | 134 | 13.5 | 1.18 | 11.3 | 16.0 | 18 | 6.0 | 1.48 | 3.5 | 9.6 |
| 2013 | 141 | 13.6 | 1.16 | 11.4 | 16.1 | 14 | 4.2 | 1.17 | 2.2 | 7.1 |
| 2014 | 131 | 12.4 | 1.10 | 10.4 | 14.8 | 24 | 7.3 | 1.53 | 4.6 | 10.9 |
| 2015 | 142 | 13.1 | 1.12 | 11.0 | 15.5 | 14 | 3.8 | 1.05 | 2.0 | 6.4 |
| 2016 | 142 | 13.0 | 1.11 | 10.9 | 15.4 | 17 | 4.1 | 1.01 | 2.4 | 6.6 |
| 2017 | 142 | 12.5 | 1.07 | 10.5 | 14.8 | 23 | 5.8 | 1.23 | 3.7 | 8.7 |
| 2018 | 157 | 13.8 | 1.12 | 11.7 | 16.1 | 23 | 5.5 | 1.17 | 3.5 | 8.3 |
| 2019 | 155 | 13.5 | 1.11 | 11.5 | 15.9 | 18 | 4.1 | 0.97 | 2.4 | 6.5 |
| 2020 | 176 | 14.8 | 1.14 | 12.6 | 17.2 | 26 | 5.6 | 1.11 | 3.6 | 8.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

SECTION II
Cancer Mortality by Hispanic Ethnicity and Race
Illinois, 1990-2020

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| All Sites Combined | | | | | | | | | | |
|---------------------|--------|-------|------|-------|-------|-------------------------|-------|------|-------|-------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 23,984 | 107.2 | 0.77 | 105.7 | 108.8 | 735,177 | 193.6 | 0.23 | 193.2 | 194.1 |
| 1990 | 325 | 100.6 | 6.48 | 88.3 | 114.0 | 24,115 | 229.4 | 1.49 | 226.5 | 232.3 |
| 1991 | 375 | 106.5 | 6.37 | 94.4 | 119.6 | 24,041 | 225.8 | 1.47 | 223.0 | 228.7 |
| 1992 | 377 | 108.9 | 6.51 | 96.5 | 122.2 | 24,245 | 224.7 | 1.45 | 221.9 | 227.6 |
| 1993 | 462 | 121.2 | 6.57 | 108.7 | 134.7 | 24,807 | 227.8 | 1.45 | 224.9 | 230.7 |
| 1994 | 445 | 111.6 | 6.23 | 99.7 | 124.3 | 24,699 | 224.8 | 1.44 | 222.0 | 227.6 |
| 1995 | 422 | 101.8 | 5.79 | 90.7 | 113.6 | 24,679 | 222.7 | 1.42 | 219.9 | 225.5 |
| 1996 | 456 | 111.2 | 6.04 | 99.7 | 123.5 | 24,329 | 218.6 | 1.40 | 215.8 | 221.3 |
| 1997 | 478 | 106.9 | 5.74 | 96.0 | 118.6 | 24,001 | 214.0 | 1.38 | 211.3 | 216.7 |
| 1998 | 494 | 106.1 | 5.57 | 95.5 | 117.5 | 24,144 | 213.2 | 1.37 | 210.5 | 215.9 |
| 1999 | 551 | 114.7 | 5.76 | 103.7 | 126.5 | 24,473 | 214.2 | 1.37 | 211.6 | 216.9 |
| 2000 | 593 | 117.8 | 5.72 | 106.9 | 129.4 | 24,772 | 215.5 | 1.37 | 212.8 | 218.2 |
| 2001 | 623 | 119.6 | 5.53 | 109.0 | 130.8 | 24,155 | 208.9 | 1.35 | 206.3 | 211.6 |
| 2002 | 627 | 112.7 | 5.23 | 102.7 | 123.3 | 24,110 | 207.1 | 1.34 | 204.5 | 209.8 |
| 2003 | 620 | 107.5 | 4.97 | 97.9 | 117.5 | 23,844 | 202.8 | 1.32 | 200.2 | 205.4 |
| 2004 | 660 | 108.9 | 4.86 | 99.6 | 118.7 | 23,629 | 199.6 | 1.30 | 197.0 | 202.1 |
| 2005 | 690 | 107.7 | 4.70 | 98.7 | 117.2 | 23,560 | 197.1 | 1.29 | 194.6 | 199.6 |
| 2006 | 776 | 112.7 | 4.60 | 103.9 | 122.0 | 23,307 | 193.2 | 1.27 | 190.7 | 195.7 |
| 2007 | 758 | 107.4 | 4.37 | 99.0 | 116.3 | 23,355 | 191.4 | 1.26 | 188.9 | 193.9 |
| 2008 | 818 | 108.5 | 4.28 | 100.3 | 117.2 | 23,480 | 189.7 | 1.25 | 187.3 | 192.2 |
| 2009 | 806 | 101.9 | 4.02 | 94.1 | 110.0 | 23,376 | 187.0 | 1.24 | 184.5 | 189.4 |
| 2010 | 897 | 105.3 | 3.91 | 97.8 | 113.2 | 23,173 | 182.6 | 1.22 | 180.3 | 185.0 |
| 2011 | 978 | 113.0 | 3.99 | 105.3 | 121.0 | 23,028 | 179.0 | 1.20 | 176.6 | 181.3 |
| 2012 | 1,042 | 111.6 | 3.81 | 104.3 | 119.3 | 23,520 | 179.5 | 1.19 | 177.2 | 181.9 |
| 2013 | 1,104 | 114.1 | 3.75 | 106.8 | 121.6 | 23,387 | 175.6 | 1.17 | 173.3 | 177.9 |
| 2014 | 1,040 | 102.9 | 3.45 | 96.2 | 109.8 | 23,461 | 173.5 | 1.15 | 171.2 | 175.8 |
| 2015 | 1,127 | 102.1 | 3.30 | 95.7 | 108.7 | 23,586 | 172.0 | 1.14 | 169.8 | 174.2 |
| 2016 | 1,178 | 102.3 | 3.21 | 96.1 | 108.7 | 23,211 | 167.2 | 1.12 | 165.1 | 169.5 |
| 2017 | 1,273 | 107.2 | 3.23 | 101.0 | 113.7 | 22,877 | 162.9 | 1.10 | 160.7 | 165.1 |
| 2018 | 1,321 | 105.1 | 3.09 | 99.1 | 111.3 | 22,564 | 157.9 | 1.07 | 155.8 | 160.0 |
| 2019 | 1,313 | 99.4 | 2.92 | 93.8 | 105.3 | 22,589 | 156.6 | 1.06 | 154.5 | 158.7 |
| 2020 | 1,355 | 98.5 | 2.83 | 93.0 | 104.2 | 22,660 | 155.4 | 1.06 | 153.4 | 157.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| All Sites Combined | | | | | | | | | | |
|--------------------|---------|-------|------|-------|-------|--------------------|-------|------|-------|-------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 610,033 | 189.6 | 0.24 | 189.1 | 190.1 | 113,652 | 245.9 | 0.74 | 244.4 | 247.4 |
| 1990 | 20,443 | 220.3 | 1.56 | 217.2 | 223.3 | 3,533 | 316.1 | 5.49 | 305.5 | 327.1 |
| 1991 | 20,470 | 218.1 | 1.54 | 215.1 | 221.2 | 3,410 | 300.8 | 5.31 | 290.5 | 311.3 |
| 1992 | 20,544 | 216.7 | 1.52 | 213.8 | 219.7 | 3,531 | 302.2 | 5.23 | 292.0 | 312.6 |
| 1993 | 20,908 | 219.1 | 1.52 | 216.1 | 222.1 | 3,737 | 314.8 | 5.29 | 304.6 | 325.4 |
| 1994 | 20,900 | 217.4 | 1.51 | 214.5 | 220.4 | 3,599 | 298.3 | 5.10 | 288.4 | 308.4 |
| 1995 | 20,876 | 215.9 | 1.50 | 213.0 | 218.9 | 3,594 | 291.9 | 4.99 | 282.2 | 301.8 |
| 1996 | 20,368 | 210.2 | 1.48 | 207.3 | 213.1 | 3,747 | 300.4 | 5.03 | 290.6 | 310.4 |
| 1997 | 20,134 | 206.7 | 1.46 | 203.9 | 209.6 | 3,633 | 284.9 | 4.83 | 275.5 | 294.6 |
| 1998 | 20,207 | 205.9 | 1.45 | 203.1 | 208.8 | 3,690 | 282.9 | 4.76 | 273.6 | 292.4 |
| 1999 | 20,546 | 208.0 | 1.45 | 205.1 | 210.8 | 3,675 | 279.9 | 4.71 | 270.8 | 289.3 |
| 2000 | 20,700 | 209.0 | 1.46 | 206.1 | 211.9 | 3,758 | 280.0 | 4.66 | 271.0 | 289.3 |
| 2001 | 20,166 | 203.1 | 1.44 | 200.3 | 205.9 | 3,692 | 273.3 | 4.59 | 264.4 | 282.4 |
| 2002 | 20,086 | 201.4 | 1.43 | 198.6 | 204.2 | 3,708 | 269.0 | 4.51 | 260.2 | 277.9 |
| 2003 | 19,829 | 197.2 | 1.41 | 194.4 | 199.9 | 3,662 | 261.0 | 4.41 | 252.4 | 269.8 |
| 2004 | 19,651 | 194.8 | 1.40 | 192.1 | 197.6 | 3,665 | 255.9 | 4.32 | 247.5 | 264.5 |
| 2005 | 19,542 | 192.2 | 1.39 | 189.5 | 195.0 | 3,658 | 251.8 | 4.25 | 243.5 | 260.3 |
| 2006 | 19,303 | 188.8 | 1.37 | 186.1 | 191.5 | 3,650 | 247.1 | 4.18 | 239.0 | 255.5 |
| 2007 | 19,277 | 186.7 | 1.36 | 184.1 | 189.4 | 3,716 | 246.1 | 4.12 | 238.0 | 254.3 |
| 2008 | 19,503 | 186.9 | 1.35 | 184.2 | 189.5 | 3,605 | 235.9 | 4.02 | 228.1 | 243.9 |
| 2009 | 19,409 | 184.8 | 1.35 | 182.2 | 187.5 | 3,542 | 224.7 | 3.86 | 217.2 | 232.4 |
| 2010 | 19,013 | 178.7 | 1.32 | 176.1 | 181.3 | 3,703 | 231.3 | 3.89 | 223.7 | 239.0 |
| 2011 | 18,977 | 176.5 | 1.31 | 173.9 | 179.1 | 3,577 | 218.2 | 3.73 | 210.9 | 225.6 |
| 2012 | 19,368 | 177.5 | 1.30 | 175.0 | 180.1 | 3,664 | 218.4 | 3.69 | 211.2 | 225.7 |
| 2013 | 19,135 | 173.0 | 1.28 | 170.6 | 175.6 | 3,711 | 216.3 | 3.63 | 209.3 | 223.6 |
| 2014 | 19,219 | 171.9 | 1.27 | 169.4 | 174.4 | 3,733 | 213.2 | 3.57 | 206.3 | 220.3 |
| 2015 | 19,170 | 169.8 | 1.26 | 167.3 | 172.3 | 3,849 | 213.2 | 3.52 | 206.3 | 220.2 |
| 2016 | 18,821 | 165.1 | 1.24 | 162.7 | 167.5 | 3,803 | 208.2 | 3.46 | 201.5 | 215.1 |
| 2017 | 18,582 | 161.6 | 1.22 | 159.2 | 164.0 | 3,758 | 202.0 | 3.37 | 195.5 | 208.7 |
| 2018 | 18,279 | 156.8 | 1.19 | 154.5 | 159.1 | 3,693 | 195.0 | 3.28 | 188.7 | 201.6 |
| 2019 | 18,178 | 154.7 | 1.18 | 152.4 | 157.0 | 3,789 | 196.4 | 3.26 | 190.0 | 202.9 |
| 2020 | 18,429 | 156.0 | 1.18 | 153.7 | 158.4 | 3,567 | 180.6 | 3.09 | 174.6 | 186.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| All Sites Combined | | | | | | | | | | |
|---------------------|--------|-------|-------|-------|-------|-------------------------|-------|------|-------|-------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 12,849 | 128.9 | 1.31 | 126.3 | 131.4 | 375,895 | 238.5 | 0.39 | 237.8 | 239.3 |
| 1990 | 181 | 136.0 | 12.83 | 112.1 | 162.9 | 12,535 | 297.8 | 2.76 | 292.4 | 303.2 |
| 1991 | 186 | 120.0 | 10.94 | 99.5 | 142.9 | 12,589 | 296.0 | 2.73 | 290.6 | 301.4 |
| 1992 | 192 | 132.0 | 11.80 | 109.9 | 156.7 | 12,610 | 292.0 | 2.68 | 286.7 | 297.3 |
| 1993 | 257 | 152.8 | 12.04 | 130.1 | 177.7 | 12,812 | 294.5 | 2.68 | 289.3 | 299.8 |
| 1994 | 244 | 142.5 | 11.55 | 120.8 | 166.5 | 12,793 | 290.6 | 2.64 | 285.5 | 295.8 |
| 1995 | 224 | 113.9 | 9.60 | 95.8 | 133.9 | 12,761 | 287.7 | 2.61 | 282.6 | 292.8 |
| 1996 | 232 | 130.3 | 10.63 | 110.3 | 152.3 | 12,503 | 280.3 | 2.56 | 275.3 | 285.3 |
| 1997 | 257 | 126.3 | 9.78 | 107.9 | 146.6 | 12,302 | 272.5 | 2.50 | 267.6 | 277.5 |
| 1998 | 282 | 145.9 | 10.56 | 125.9 | 167.7 | 12,334 | 270.3 | 2.47 | 265.5 | 275.2 |
| 1999 | 277 | 127.7 | 9.52 | 109.7 | 147.4 | 12,420 | 270.3 | 2.46 | 265.5 | 275.1 |
| 2000 | 320 | 153.9 | 10.63 | 133.7 | 175.7 | 12,496 | 268.9 | 2.44 | 264.2 | 273.7 |
| 2001 | 330 | 148.4 | 9.77 | 129.8 | 168.4 | 12,400 | 264.8 | 2.41 | 260.1 | 269.5 |
| 2002 | 325 | 136.0 | 9.07 | 118.7 | 154.6 | 12,252 | 258.8 | 2.37 | 254.1 | 263.4 |
| 2003 | 335 | 128.2 | 8.34 | 112.4 | 145.3 | 12,116 | 253.1 | 2.33 | 248.5 | 257.7 |
| 2004 | 357 | 132.8 | 8.44 | 116.8 | 150.1 | 11,987 | 246.7 | 2.28 | 242.3 | 251.2 |
| 2005 | 379 | 131.4 | 8.04 | 116.1 | 147.8 | 11,862 | 242.0 | 2.25 | 237.6 | 246.5 |
| 2006 | 391 | 123.7 | 7.30 | 109.8 | 138.6 | 11,790 | 237.0 | 2.21 | 232.7 | 241.4 |
| 2007 | 415 | 138.9 | 7.92 | 123.8 | 155.0 | 11,704 | 231.4 | 2.17 | 227.2 | 235.7 |
| 2008 | 453 | 134.9 | 7.43 | 120.7 | 150.0 | 11,878 | 230.7 | 2.15 | 226.5 | 235.0 |
| 2009 | 419 | 122.0 | 6.90 | 108.9 | 136.1 | 11,925 | 227.0 | 2.11 | 222.8 | 231.1 |
| 2010 | 479 | 128.2 | 6.72 | 115.4 | 141.9 | 11,740 | 220.2 | 2.07 | 216.2 | 224.3 |
| 2011 | 525 | 133.8 | 6.68 | 121.0 | 147.4 | 11,638 | 214.2 | 2.02 | 210.2 | 218.2 |
| 2012 | 564 | 133.0 | 6.41 | 120.7 | 146.0 | 12,014 | 216.2 | 2.01 | 212.3 | 220.2 |
| 2013 | 606 | 139.2 | 6.39 | 127.0 | 152.2 | 11,914 | 209.7 | 1.96 | 205.8 | 213.5 |
| 2014 | 554 | 124.7 | 5.92 | 113.4 | 136.7 | 11,999 | 208.0 | 1.94 | 204.3 | 211.9 |
| 2015 | 596 | 112.9 | 5.22 | 102.9 | 123.5 | 12,211 | 207.2 | 1.92 | 203.4 | 211.0 |
| 2016 | 635 | 122.1 | 5.38 | 111.8 | 133.0 | 11,814 | 198.0 | 1.87 | 194.3 | 201.7 |
| 2017 | 699 | 129.5 | 5.42 | 119.1 | 140.4 | 11,682 | 193.0 | 1.83 | 189.4 | 196.6 |
| 2018 | 719 | 125.7 | 5.16 | 115.8 | 136.1 | 11,465 | 185.0 | 1.77 | 181.6 | 188.5 |
| 2019 | 708 | 118.1 | 4.87 | 108.7 | 127.9 | 11,632 | 185.7 | 1.76 | 182.2 | 189.1 |
| 2020 | 708 | 112.5 | 4.60 | 103.6 | 121.8 | 11,717 | 184.0 | 1.74 | 180.6 | 187.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| All Sites Combined | | | | | | | | | | |
|--------------------|---------|-------|------|-------|-------|--------------------|-------|-------|-------|-------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 311,887 | 232.5 | 0.42 | 231.6 | 233.3 | 57,981 | 319.6 | 1.40 | 316.8 | 322.3 |
| 1990 | 10,499 | 283.0 | 2.86 | 277.4 | 288.7 | 1,947 | 441.5 | 10.77 | 420.7 | 463.0 |
| 1991 | 10,613 | 283.2 | 2.84 | 277.6 | 288.8 | 1,889 | 426.1 | 10.52 | 405.7 | 447.1 |
| 1992 | 10,561 | 278.0 | 2.78 | 272.6 | 283.5 | 1,955 | 435.1 | 10.60 | 414.5 | 456.3 |
| 1993 | 10,690 | 280.4 | 2.78 | 275.0 | 285.9 | 2,032 | 439.2 | 10.45 | 419.0 | 460.1 |
| 1994 | 10,750 | 279.0 | 2.75 | 273.6 | 284.4 | 1,941 | 413.9 | 10.05 | 394.4 | 434.0 |
| 1995 | 10,700 | 276.3 | 2.72 | 270.9 | 281.7 | 1,950 | 405.9 | 9.83 | 386.8 | 425.5 |
| 1996 | 10,372 | 266.8 | 2.67 | 261.6 | 272.0 | 2,020 | 418.7 | 9.96 | 399.4 | 438.6 |
| 1997 | 10,257 | 261.5 | 2.62 | 256.4 | 266.7 | 1,903 | 380.9 | 9.29 | 362.9 | 399.5 |
| 1998 | 10,279 | 259.8 | 2.59 | 254.7 | 264.9 | 1,939 | 378.1 | 9.12 | 360.5 | 396.4 |
| 1999 | 10,404 | 261.3 | 2.59 | 256.2 | 266.4 | 1,888 | 372.0 | 9.08 | 354.4 | 390.2 |
| 2000 | 10,399 | 259.0 | 2.56 | 254.0 | 264.0 | 1,918 | 369.9 | 8.97 | 352.6 | 387.9 |
| 2001 | 10,349 | 256.2 | 2.54 | 251.2 | 261.2 | 1,888 | 360.4 | 8.83 | 343.3 | 378.1 |
| 2002 | 10,264 | 252.2 | 2.51 | 247.3 | 257.1 | 1,817 | 337.4 | 8.40 | 321.2 | 354.2 |
| 2003 | 10,051 | 244.7 | 2.46 | 239.9 | 249.6 | 1,870 | 340.3 | 8.38 | 324.1 | 357.1 |
| 2004 | 10,000 | 240.4 | 2.42 | 235.7 | 245.2 | 1,833 | 329.9 | 8.22 | 314.0 | 346.4 |
| 2005 | 9,837 | 234.7 | 2.39 | 230.0 | 239.4 | 1,850 | 329.7 | 8.19 | 313.8 | 346.0 |
| 2006 | 9,795 | 230.9 | 2.36 | 226.3 | 235.6 | 1,816 | 317.1 | 7.94 | 301.7 | 333.0 |
| 2007 | 9,643 | 224.0 | 2.30 | 219.5 | 228.5 | 1,881 | 323.2 | 7.93 | 307.8 | 339.1 |
| 2008 | 9,894 | 226.1 | 2.30 | 221.6 | 230.7 | 1,804 | 305.4 | 7.63 | 290.7 | 320.7 |
| 2009 | 9,932 | 223.2 | 2.27 | 218.8 | 227.7 | 1,759 | 285.9 | 7.24 | 271.9 | 300.4 |
| 2010 | 9,673 | 214.5 | 2.21 | 210.2 | 218.9 | 1,835 | 294.6 | 7.29 | 280.5 | 309.2 |
| 2011 | 9,606 | 209.8 | 2.18 | 205.5 | 214.1 | 1,804 | 278.8 | 6.93 | 265.3 | 292.6 |
| 2012 | 9,964 | 213.2 | 2.17 | 208.9 | 217.5 | 1,790 | 271.7 | 6.76 | 258.6 | 285.3 |
| 2013 | 9,810 | 206.0 | 2.12 | 201.9 | 210.2 | 1,829 | 268.7 | 6.62 | 255.9 | 281.9 |
| 2014 | 9,877 | 204.8 | 2.10 | 200.7 | 209.0 | 1,873 | 273.1 | 6.63 | 260.3 | 286.4 |
| 2015 | 9,950 | 203.0 | 2.08 | 199.0 | 207.2 | 1,951 | 272.9 | 6.49 | 260.3 | 285.8 |
| 2016 | 9,682 | 195.4 | 2.03 | 191.4 | 199.4 | 1,834 | 253.3 | 6.19 | 241.3 | 265.7 |
| 2017 | 9,544 | 190.3 | 1.99 | 186.4 | 194.2 | 1,844 | 251.2 | 6.12 | 239.4 | 263.5 |
| 2018 | 9,411 | 184.2 | 1.94 | 180.4 | 188.0 | 1,746 | 232.0 | 5.80 | 220.8 | 243.6 |
| 2019 | 9,470 | 183.6 | 1.93 | 179.8 | 187.4 | 1,826 | 237.2 | 5.77 | 226.0 | 248.7 |
| 2020 | 9,611 | 183.9 | 1.92 | 180.1 | 187.7 | 1,749 | 222.7 | 5.53 | 212.0 | 233.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| All Sites Combined | | | | | | | | | | |
|---------------------|--------|-------|------|------|-------|-------------------------|-------|------|-------|-------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 11,135 | 91.1 | 0.93 | 89.3 | 93.0 | 359,282 | 164.6 | 0.28 | 164.1 | 165.2 |
| 1990 | 144 | 78.6 | 7.13 | 65.2 | 93.6 | 11,580 | 188.8 | 1.78 | 185.3 | 192.3 |
| 1991 | 189 | 99.3 | 7.92 | 84.4 | 115.8 | 11,452 | 183.8 | 1.74 | 180.4 | 187.2 |
| 1992 | 185 | 94.6 | 7.71 | 80.1 | 110.7 | 11,635 | 184.7 | 1.74 | 181.3 | 188.2 |
| 1993 | 205 | 99.4 | 7.66 | 84.9 | 115.3 | 11,995 | 188.1 | 1.74 | 184.7 | 191.5 |
| 1994 | 201 | 90.9 | 7.19 | 77.4 | 105.9 | 11,906 | 185.2 | 1.72 | 181.8 | 188.6 |
| 1995 | 198 | 92.2 | 7.25 | 78.5 | 107.2 | 11,918 | 183.7 | 1.70 | 180.4 | 187.1 |
| 1996 | 224 | 99.2 | 7.33 | 85.4 | 114.4 | 11,826 | 181.5 | 1.69 | 178.2 | 184.8 |
| 1997 | 221 | 91.9 | 6.98 | 78.7 | 106.4 | 11,699 | 178.5 | 1.67 | 175.2 | 181.8 |
| 1998 | 212 | 77.6 | 6.03 | 66.3 | 90.2 | 11,810 | 178.5 | 1.66 | 175.3 | 181.8 |
| 1999 | 274 | 105.2 | 7.23 | 91.5 | 120.1 | 12,053 | 179.9 | 1.66 | 176.7 | 183.2 |
| 2000 | 273 | 92.9 | 6.41 | 80.8 | 106.2 | 12,276 | 182.7 | 1.67 | 179.4 | 186.0 |
| 2001 | 293 | 98.7 | 6.47 | 86.4 | 112.0 | 11,755 | 174.4 | 1.63 | 171.2 | 177.6 |
| 2002 | 302 | 96.0 | 6.24 | 84.1 | 108.8 | 11,858 | 174.8 | 1.62 | 171.6 | 178.0 |
| 2003 | 285 | 90.9 | 6.04 | 79.5 | 103.4 | 11,728 | 171.2 | 1.60 | 168.0 | 174.3 |
| 2004 | 303 | 91.2 | 5.81 | 80.1 | 103.1 | 11,642 | 169.6 | 1.59 | 166.5 | 172.8 |
| 2005 | 311 | 89.2 | 5.63 | 78.5 | 100.8 | 11,698 | 169.2 | 1.59 | 166.1 | 172.3 |
| 2006 | 385 | 103.4 | 5.85 | 92.3 | 115.4 | 11,517 | 165.5 | 1.57 | 162.4 | 168.6 |
| 2007 | 343 | 85.0 | 5.00 | 75.5 | 95.3 | 11,651 | 166.1 | 1.57 | 163.1 | 169.2 |
| 2008 | 365 | 88.6 | 5.07 | 78.9 | 99.0 | 11,602 | 163.2 | 1.54 | 160.2 | 166.3 |
| 2009 | 387 | 87.4 | 4.85 | 78.2 | 97.4 | 11,451 | 160.7 | 1.53 | 157.7 | 163.8 |
| 2010 | 418 | 88.3 | 4.69 | 79.4 | 97.9 | 11,433 | 158.1 | 1.51 | 155.2 | 161.1 |
| 2011 | 453 | 96.9 | 4.89 | 87.5 | 106.8 | 11,390 | 155.5 | 1.49 | 152.6 | 158.4 |
| 2012 | 478 | 95.1 | 4.67 | 86.1 | 104.6 | 11,506 | 155.0 | 1.48 | 152.1 | 157.9 |
| 2013 | 498 | 94.5 | 4.52 | 85.9 | 103.7 | 11,473 | 152.0 | 1.46 | 149.2 | 154.9 |
| 2014 | 486 | 87.0 | 4.17 | 79.0 | 95.5 | 11,462 | 149.9 | 1.44 | 147.1 | 152.7 |
| 2015 | 531 | 92.5 | 4.23 | 84.4 | 101.1 | 11,375 | 147.8 | 1.43 | 145.0 | 150.6 |
| 2016 | 543 | 87.3 | 3.95 | 79.7 | 95.4 | 11,397 | 146.0 | 1.41 | 143.2 | 148.7 |
| 2017 | 574 | 90.3 | 3.96 | 82.7 | 98.3 | 11,195 | 142.4 | 1.39 | 139.7 | 145.2 |
| 2018 | 602 | 89.3 | 3.81 | 82.0 | 97.0 | 11,099 | 138.7 | 1.36 | 136.1 | 141.4 |
| 2019 | 605 | 85.4 | 3.63 | 78.5 | 92.8 | 10,957 | 136.3 | 1.34 | 133.7 | 139.0 |
| 2020 | 647 | 87.9 | 3.59 | 81.0 | 95.2 | 10,943 | 135.2 | 1.33 | 132.5 | 137.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| All Sites Combined | | | | | | | | | | |
|--------------------|---------|-------|------|-------|-------|--------------------|-------|------|-------|-------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 298,146 | 161.9 | 0.30 | 161.3 | 162.5 | 55,671 | 201.5 | 0.86 | 199.8 | 203.2 |
| 1990 | 9,944 | 183.8 | 1.88 | 180.1 | 187.5 | 1,586 | 238.4 | 6.09 | 226.6 | 250.6 |
| 1991 | 9,857 | 179.6 | 1.85 | 176.0 | 183.3 | 1,521 | 223.8 | 5.83 | 212.5 | 235.5 |
| 1992 | 9,983 | 180.5 | 1.84 | 176.9 | 184.2 | 1,576 | 223.9 | 5.72 | 212.8 | 235.4 |
| 1993 | 10,218 | 183.3 | 1.85 | 179.7 | 187.0 | 1,705 | 238.8 | 5.86 | 227.4 | 250.5 |
| 1994 | 10,150 | 180.7 | 1.83 | 177.1 | 184.3 | 1,658 | 228.7 | 5.68 | 217.7 | 240.1 |
| 1995 | 10,176 | 180.3 | 1.82 | 176.7 | 183.9 | 1,644 | 222.8 | 5.56 | 212.0 | 233.9 |
| 1996 | 9,996 | 176.8 | 1.80 | 173.2 | 180.3 | 1,727 | 229.2 | 5.58 | 218.4 | 240.4 |
| 1997 | 9,877 | 174.0 | 1.78 | 170.5 | 177.5 | 1,730 | 226.0 | 5.49 | 215.4 | 237.0 |
| 1998 | 9,928 | 173.7 | 1.78 | 170.3 | 177.2 | 1,751 | 223.8 | 5.39 | 213.3 | 234.6 |
| 1999 | 10,142 | 175.3 | 1.77 | 171.9 | 178.9 | 1,787 | 225.1 | 5.37 | 214.7 | 235.9 |
| 2000 | 10,301 | 178.3 | 1.79 | 174.8 | 181.8 | 1,840 | 227.2 | 5.33 | 216.9 | 237.9 |
| 2001 | 9,817 | 170.4 | 1.75 | 166.9 | 173.8 | 1,804 | 221.3 | 5.25 | 211.1 | 231.8 |
| 2002 | 9,822 | 169.6 | 1.75 | 166.2 | 173.0 | 1,891 | 227.5 | 5.27 | 217.3 | 238.1 |
| 2003 | 9,778 | 167.4 | 1.73 | 164.1 | 170.9 | 1,792 | 212.7 | 5.06 | 202.9 | 222.9 |
| 2004 | 9,651 | 165.5 | 1.72 | 162.2 | 168.9 | 1,832 | 212.7 | 5.01 | 203.0 | 222.8 |
| 2005 | 9,705 | 165.9 | 1.72 | 162.5 | 169.3 | 1,808 | 207.0 | 4.91 | 197.5 | 216.8 |
| 2006 | 9,508 | 161.8 | 1.70 | 158.5 | 165.2 | 1,834 | 206.7 | 4.87 | 197.3 | 216.5 |
| 2007 | 9,634 | 163.1 | 1.70 | 159.8 | 166.5 | 1,835 | 202.3 | 4.77 | 193.1 | 211.9 |
| 2008 | 9,609 | 161.1 | 1.69 | 157.8 | 164.5 | 1,801 | 195.5 | 4.65 | 186.5 | 204.8 |
| 2009 | 9,477 | 159.3 | 1.68 | 156.0 | 162.6 | 1,783 | 189.3 | 4.54 | 180.5 | 198.4 |
| 2010 | 9,340 | 154.9 | 1.65 | 151.7 | 158.2 | 1,868 | 195.0 | 4.57 | 186.1 | 204.1 |
| 2011 | 9,371 | 154.1 | 1.64 | 150.9 | 157.3 | 1,773 | 181.2 | 4.36 | 172.8 | 190.0 |
| 2012 | 9,404 | 153.2 | 1.63 | 150.0 | 156.5 | 1,874 | 187.1 | 4.38 | 178.6 | 195.9 |
| 2013 | 9,325 | 149.9 | 1.61 | 146.8 | 153.1 | 1,882 | 184.3 | 4.31 | 176.0 | 193.0 |
| 2014 | 9,342 | 149.0 | 1.60 | 145.9 | 152.2 | 1,860 | 177.6 | 4.18 | 169.5 | 186.0 |
| 2015 | 9,220 | 146.6 | 1.58 | 143.5 | 149.8 | 1,898 | 177.4 | 4.14 | 169.4 | 185.7 |
| 2016 | 9,139 | 143.7 | 1.56 | 140.6 | 146.8 | 1,969 | 180.8 | 4.15 | 172.7 | 189.1 |
| 2017 | 9,038 | 141.7 | 1.55 | 138.7 | 144.7 | 1,914 | 173.2 | 4.03 | 165.4 | 181.3 |
| 2018 | 8,868 | 136.9 | 1.51 | 133.9 | 139.9 | 1,947 | 173.4 | 4.00 | 165.7 | 181.4 |
| 2019 | 8,708 | 134.1 | 1.49 | 131.2 | 137.0 | 1,963 | 172.0 | 3.95 | 164.4 | 180.0 |
| 2020 | 8,818 | 135.8 | 1.51 | 132.9 | 138.8 | 1,818 | 155.8 | 3.73 | 148.6 | 163.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Oral Cavity and Pharynx | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 310 | 1.4 | 0.08 | 1.2 | 1.5 | 10,788 | 2.8 | 0.03 | 2.8 | 2.9 |
| 1990 | * | * | * | * | * | 421 | 4.1 | 0.20 | 3.7 | 4.5 |
| 1991 | * | * | * | * | * | 417 | 4.0 | 0.20 | 3.6 | 4.4 |
| 1992 | * | * | * | * | * | 360 | 3.4 | 0.18 | 3.1 | 3.8 |
| 1993 | * | * | * | * | * | 357 | 3.4 | 0.18 | 3.0 | 3.7 |
| 1994 | * | * | * | * | * | 348 | 3.2 | 0.17 | 2.9 | 3.6 |
| 1995 | * | * | * | * | * | 365 | 3.3 | 0.17 | 3.0 | 3.7 |
| 1996 | * | * | * | * | * | 365 | 3.3 | 0.18 | 3.0 | 3.7 |
| 1997 | * | * | * | * | * | 332 | 3.0 | 0.17 | 2.7 | 3.3 |
| 1998 | * | * | * | * | * | 334 | 3.0 | 0.16 | 2.7 | 3.3 |
| 1999 | * | * | * | * | * | 294 | 2.6 | 0.15 | 2.3 | 2.9 |
| 2000 | * | * | * | * | * | 322 | 2.8 | 0.16 | 2.5 | 3.2 |
| 2001 | * | * | * | * | * | 295 | 2.6 | 0.15 | 2.3 | 2.9 |
| 2002 | * | * | * | * | * | 303 | 2.6 | 0.15 | 2.3 | 2.9 |
| 2003 | * | * | * | * | * | 326 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2004 | * | * | * | * | * | 328 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2005 | * | * | * | * | * | 288 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2006 | * | * | * | * | * | 303 | 2.5 | 0.14 | 2.2 | 2.8 |
| 2007 | * | * | * | * | * | 313 | 2.6 | 0.15 | 2.3 | 2.9 |
| 2008 | 10 | 1.0 | 0.33 | 0.4 | 1.8 | 348 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2009 | * | * | * | * | * | 292 | 2.3 | 0.14 | 2.0 | 2.6 |
| 2010 | * | * | * | * | * | 295 | 2.3 | 0.14 | 2.1 | 2.6 |
| 2011 | 13 | 1.2 | 0.37 | 0.6 | 2.1 | 331 | 2.5 | 0.14 | 2.3 | 2.8 |
| 2012 | 11 | 1.2 | 0.40 | 0.6 | 2.2 | 356 | 2.7 | 0.14 | 2.4 | 3.0 |
| 2013 | 13 | 1.5 | 0.44 | 0.8 | 2.6 | 332 | 2.4 | 0.14 | 2.2 | 2.7 |
| 2014 | 18 | 1.5 | 0.38 | 0.8 | 2.4 | 378 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2015 | 18 | 1.7 | 0.43 | 1.0 | 2.7 | 373 | 2.7 | 0.14 | 2.4 | 3.0 |
| 2016 | 20 | 1.8 | 0.42 | 1.1 | 2.8 | 417 | 2.9 | 0.15 | 2.7 | 3.3 |
| 2017 | 20 | 1.8 | 0.43 | 1.0 | 2.8 | 392 | 2.7 | 0.14 | 2.5 | 3.0 |
| 2018 | 22 | 1.5 | 0.34 | 0.9 | 2.3 | 401 | 2.8 | 0.14 | 2.5 | 3.1 |
| 2019 | 16 | 1.1 | 0.29 | 0.6 | 1.8 | 393 | 2.6 | 0.14 | 2.4 | 2.9 |
| 2020 | 23 | 1.6 | 0.34 | 1.0 | 2.4 | 409 | 2.8 | 0.14 | 2.5 | 3.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Oral Cavity and Pharynx | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 8,498 | 2.7 | 0.03 | 2.6 | 2.7 | 2,001 | 4.0 | 0.09 | 3.8 | 4.2 |
| 1990 | 319 | 3.5 | 0.20 | 3.1 | 3.9 | 101 | 8.2 | 0.83 | 6.7 | 10.0 |
| 1991 | 311 | 3.3 | 0.19 | 3.0 | 3.7 | 100 | 8.1 | 0.82 | 6.5 | 9.8 |
| 1992 | 276 | 3.0 | 0.18 | 2.7 | 3.4 | 78 | 6.0 | 0.69 | 4.7 | 7.5 |
| 1993 | 276 | 3.0 | 0.18 | 2.6 | 3.3 | 77 | 5.9 | 0.68 | 4.6 | 7.3 |
| 1994 | 266 | 2.8 | 0.17 | 2.5 | 3.2 | 79 | 5.9 | 0.67 | 4.6 | 7.3 |
| 1995 | 279 | 2.9 | 0.18 | 2.6 | 3.3 | 82 | 6.3 | 0.70 | 5.0 | 7.8 |
| 1996 | 304 | 3.2 | 0.19 | 2.9 | 3.6 | 56 | 4.3 | 0.58 | 3.2 | 5.5 |
| 1997 | 250 | 2.6 | 0.17 | 2.3 | 3.0 | 74 | 5.2 | 0.62 | 4.1 | 6.6 |
| 1998 | 261 | 2.7 | 0.17 | 2.4 | 3.1 | 67 | 4.8 | 0.60 | 3.7 | 6.1 |
| 1999 | 224 | 2.3 | 0.15 | 2.0 | 2.6 | 63 | 4.5 | 0.57 | 3.4 | 5.7 |
| 2000 | 251 | 2.6 | 0.16 | 2.3 | 2.9 | 66 | 4.5 | 0.56 | 3.4 | 5.7 |
| 2001 | 226 | 2.3 | 0.16 | 2.0 | 2.7 | 60 | 4.1 | 0.54 | 3.1 | 5.3 |
| 2002 | 235 | 2.4 | 0.16 | 2.1 | 2.7 | 63 | 4.0 | 0.52 | 3.1 | 5.2 |
| 2003 | 245 | 2.5 | 0.16 | 2.2 | 2.8 | 74 | 4.8 | 0.57 | 3.7 | 6.0 |
| 2004 | 259 | 2.6 | 0.16 | 2.3 | 2.9 | 64 | 4.0 | 0.51 | 3.1 | 5.2 |
| 2005 | 221 | 2.2 | 0.15 | 1.9 | 2.5 | 57 | 3.6 | 0.48 | 2.7 | 4.7 |
| 2006 | 244 | 2.4 | 0.16 | 2.1 | 2.7 | 53 | 3.2 | 0.45 | 2.4 | 4.2 |
| 2007 | 255 | 2.5 | 0.16 | 2.2 | 2.8 | 48 | 2.9 | 0.43 | 2.1 | 3.9 |
| 2008 | 285 | 2.7 | 0.16 | 2.4 | 3.1 | 54 | 3.2 | 0.44 | 2.4 | 4.2 |
| 2009 | 245 | 2.3 | 0.15 | 2.0 | 2.6 | 42 | 2.4 | 0.37 | 1.7 | 3.2 |
| 2010 | 239 | 2.3 | 0.15 | 2.0 | 2.6 | 47 | 2.7 | 0.40 | 1.9 | 3.6 |
| 2011 | 260 | 2.4 | 0.15 | 2.1 | 2.7 | 57 | 3.0 | 0.41 | 2.3 | 4.0 |
| 2012 | 286 | 2.6 | 0.16 | 2.3 | 3.0 | 57 | 3.0 | 0.41 | 2.3 | 4.0 |
| 2013 | 249 | 2.2 | 0.14 | 1.9 | 2.5 | 64 | 3.4 | 0.44 | 2.6 | 4.4 |
| 2014 | 303 | 2.7 | 0.16 | 2.4 | 3.1 | 66 | 3.6 | 0.45 | 2.7 | 4.6 |
| 2015 | 292 | 2.6 | 0.15 | 2.3 | 2.9 | 64 | 3.3 | 0.43 | 2.5 | 4.3 |
| 2016 | 340 | 2.9 | 0.16 | 2.6 | 3.3 | 62 | 3.2 | 0.42 | 2.5 | 4.2 |
| 2017 | 315 | 2.7 | 0.15 | 2.4 | 3.0 | 57 | 2.9 | 0.39 | 2.1 | 3.7 |
| 2018 | 324 | 2.8 | 0.16 | 2.5 | 3.1 | 59 | 3.0 | 0.40 | 2.3 | 3.9 |
| 2019 | 316 | 2.6 | 0.15 | 2.3 | 2.9 | 58 | 2.8 | 0.37 | 2.1 | 3.6 |
| 2020 | 342 | 2.9 | 0.16 | 2.6 | 3.2 | 52 | 2.4 | 0.35 | 1.8 | 3.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Oral Cavity and Pharynx | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 234 | 2.2 | 0.16 | 1.9 | 2.5 | 7,340 | 4.4 | 0.05 | 4.3 | 4.5 |
| 1990 | * | * | * | * | * | 296 | 6.8 | 0.41 | 6.0 | 7.7 |
| 1991 | * | * | * | * | * | 279 | 6.3 | 0.38 | 5.5 | 7.1 |
| 1992 | * | * | * | * | * | 234 | 5.2 | 0.35 | 4.6 | 5.9 |
| 1993 | * | * | * | * | * | 255 | 5.5 | 0.35 | 4.8 | 6.2 |
| 1994 | * | * | * | * | * | 237 | 5.1 | 0.34 | 4.5 | 5.8 |
| 1995 | * | * | * | * | * | 245 | 5.2 | 0.34 | 4.6 | 5.9 |
| 1996 | * | * | * | * | * | 259 | 5.6 | 0.35 | 4.9 | 6.3 |
| 1997 | * | * | * | * | * | 230 | 4.8 | 0.32 | 4.2 | 5.5 |
| 1998 | * | * | * | * | * | 236 | 5.0 | 0.33 | 4.4 | 5.7 |
| 1999 | * | * | * | * | * | 209 | 4.3 | 0.30 | 3.7 | 4.9 |
| 2000 | * | * | * | * | * | 206 | 4.2 | 0.29 | 3.6 | 4.8 |
| 2001 | * | * | * | * | * | 219 | 4.4 | 0.30 | 3.8 | 5.0 |
| 2002 | * | * | * | * | * | 195 | 3.8 | 0.28 | 3.3 | 4.4 |
| 2003 | * | * | * | * | * | 227 | 4.5 | 0.30 | 3.9 | 5.1 |
| 2004 | * | * | * | * | * | 232 | 4.5 | 0.30 | 3.9 | 5.1 |
| 2005 | * | * | * | * | * | 188 | 3.6 | 0.27 | 3.1 | 4.1 |
| 2006 | * | * | * | * | * | 182 | 3.4 | 0.26 | 2.9 | 4.0 |
| 2007 | * | * | * | * | * | 211 | 3.9 | 0.27 | 3.4 | 4.4 |
| 2008 | 10 | 2.0 | 0.72 | 0.8 | 3.9 | 223 | 4.1 | 0.28 | 3.5 | 4.6 |
| 2009 | * | * | * | * | * | 189 | 3.3 | 0.24 | 2.8 | 3.8 |
| 2010 | * | * | * | * | * | 200 | 3.6 | 0.26 | 3.1 | 4.2 |
| 2011 | 10 | 2.0 | 0.75 | 0.8 | 3.9 | 230 | 3.9 | 0.26 | 3.4 | 4.5 |
| 2012 | * | * | * | * | * | 247 | 4.1 | 0.27 | 3.6 | 4.7 |
| 2013 | * | * | * | * | * | 235 | 3.9 | 0.26 | 3.4 | 4.4 |
| 2014 | 14 | 2.6 | 0.79 | 1.3 | 4.5 | 259 | 4.3 | 0.27 | 3.8 | 4.9 |
| 2015 | 12 | 2.2 | 0.71 | 1.1 | 4.0 | 248 | 4.0 | 0.26 | 3.5 | 4.5 |
| 2016 | 15 | 2.8 | 0.77 | 1.5 | 4.7 | 276 | 4.3 | 0.27 | 3.8 | 4.9 |
| 2017 | 13 | 2.5 | 0.77 | 1.3 | 4.4 | 266 | 4.2 | 0.26 | 3.7 | 4.7 |
| 2018 | 17 | 2.2 | 0.57 | 1.2 | 3.6 | 281 | 4.3 | 0.27 | 3.8 | 4.9 |
| 2019 | 13 | 2.0 | 0.60 | 1.0 | 3.5 | 275 | 4.1 | 0.25 | 3.6 | 4.6 |
| 2020 | 16 | 2.3 | 0.61 | 1.3 | 3.8 | 271 | 4.0 | 0.25 | 3.5 | 4.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Oral Cavity and Pharynx | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 5,647 | 4.0 | 0.05 | 3.9 | 4.1 | 1,495 | 7.1 | 0.19 | 6.7 | 7.4 |
| 1990 | 217 | 5.8 | 0.41 | 5.0 | 6.6 | 78 | 15.1 | 1.78 | 11.8 | 19.0 |
| 1991 | 200 | 5.2 | 0.37 | 4.4 | 5.9 | 73 | 14.2 | 1.75 | 10.9 | 18.0 |
| 1992 | 176 | 4.6 | 0.35 | 3.9 | 5.3 | 54 | 9.8 | 1.37 | 7.3 | 12.8 |
| 1993 | 193 | 4.8 | 0.35 | 4.1 | 5.6 | 59 | 10.8 | 1.45 | 8.1 | 14.0 |
| 1994 | 170 | 4.3 | 0.34 | 3.7 | 5.0 | 65 | 11.1 | 1.39 | 8.6 | 14.2 |
| 1995 | 184 | 4.5 | 0.34 | 3.9 | 5.3 | 57 | 10.7 | 1.49 | 8.0 | 14.0 |
| 1996 | 211 | 5.3 | 0.37 | 4.6 | 6.1 | 43 | 7.4 | 1.15 | 5.3 | 10.0 |
| 1997 | 170 | 4.2 | 0.32 | 3.5 | 4.8 | 56 | 9.4 | 1.33 | 7.0 | 12.4 |
| 1998 | 181 | 4.5 | 0.34 | 3.8 | 5.2 | 52 | 9.2 | 1.34 | 6.8 | 12.2 |
| 1999 | 160 | 3.9 | 0.31 | 3.3 | 4.5 | 44 | 7.4 | 1.15 | 5.3 | 10.0 |
| 2000 | 152 | 3.6 | 0.30 | 3.1 | 4.3 | 50 | 7.9 | 1.17 | 5.8 | 10.5 |
| 2001 | 168 | 4.0 | 0.31 | 3.4 | 4.6 | 45 | 7.3 | 1.12 | 5.3 | 9.8 |
| 2002 | 149 | 3.5 | 0.29 | 3.0 | 4.1 | 43 | 6.3 | 0.97 | 4.5 | 8.5 |
| 2003 | 160 | 3.7 | 0.30 | 3.2 | 4.4 | 61 | 9.3 | 1.25 | 7.0 | 12.1 |
| 2004 | 177 | 4.0 | 0.31 | 3.5 | 4.7 | 51 | 7.4 | 1.09 | 5.5 | 9.9 |
| 2005 | 131 | 3.0 | 0.26 | 2.5 | 3.6 | 50 | 7.3 | 1.06 | 5.4 | 9.7 |
| 2006 | 144 | 3.2 | 0.27 | 2.7 | 3.8 | 35 | 5.0 | 0.88 | 3.5 | 7.1 |
| 2007 | 167 | 3.7 | 0.29 | 3.1 | 4.3 | 39 | 5.6 | 0.96 | 3.9 | 7.8 |
| 2008 | 183 | 4.0 | 0.30 | 3.4 | 4.6 | 35 | 4.6 | 0.81 | 3.2 | 6.5 |
| 2009 | 152 | 3.2 | 0.26 | 2.7 | 3.7 | 33 | 4.3 | 0.77 | 2.9 | 6.0 |
| 2010 | 160 | 3.5 | 0.28 | 3.0 | 4.1 | 33 | 4.4 | 0.80 | 3.0 | 6.3 |
| 2011 | 180 | 3.7 | 0.28 | 3.2 | 4.3 | 41 | 5.0 | 0.80 | 3.5 | 6.8 |
| 2012 | 196 | 4.0 | 0.29 | 3.4 | 4.6 | 43 | 5.5 | 0.86 | 3.9 | 7.4 |
| 2013 | 168 | 3.3 | 0.26 | 2.8 | 3.9 | 52 | 6.8 | 1.00 | 5.0 | 9.1 |
| 2014 | 205 | 4.1 | 0.29 | 3.6 | 4.7 | 48 | 6.2 | 0.93 | 4.5 | 8.3 |
| 2015 | 194 | 3.8 | 0.28 | 3.3 | 4.4 | 47 | 5.6 | 0.85 | 4.1 | 7.5 |
| 2016 | 221 | 4.2 | 0.29 | 3.6 | 4.8 | 44 | 5.6 | 0.89 | 4.0 | 7.7 |
| 2017 | 215 | 4.0 | 0.28 | 3.5 | 4.6 | 38 | 4.5 | 0.75 | 3.1 | 6.2 |
| 2018 | 223 | 4.2 | 0.29 | 3.6 | 4.8 | 42 | 5.3 | 0.85 | 3.7 | 7.2 |
| 2019 | 217 | 3.9 | 0.27 | 3.4 | 4.5 | 50 | 5.8 | 0.86 | 4.3 | 7.8 |
| 2020 | 223 | 4.0 | 0.28 | 3.5 | 4.6 | 34 | 3.9 | 0.69 | 2.7 | 5.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Oral Cavity and Pharynx | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 76 | 0.7 | 0.08 | 0.5 | 0.9 | 3,448 | 1.6 | 0.03 | 1.5 | 1.6 |
| 1990 | * | * | * | * | * | 125 | 2.1 | 0.19 | 1.7 | 2.5 |
| 1991 | * | * | * | * | * | 138 | 2.3 | 0.20 | 1.9 | 2.7 |
| 1992 | * | * | * | * | * | 126 | 2.1 | 0.19 | 1.7 | 2.5 |
| 1993 | * | * | * | * | * | 102 | 1.7 | 0.17 | 1.3 | 2.0 |
| 1994 | * | * | * | * | * | 111 | 1.7 | 0.16 | 1.4 | 2.1 |
| 1995 | * | * | * | * | * | 120 | 1.9 | 0.17 | 1.5 | 2.2 |
| 1996 | * | * | * | * | * | 106 | 1.6 | 0.16 | 1.3 | 2.0 |
| 1997 | * | * | * | * | * | 102 | 1.6 | 0.16 | 1.3 | 1.9 |
| 1998 | * | * | * | * | * | 98 | 1.5 | 0.15 | 1.2 | 1.8 |
| 1999 | * | * | * | * | * | 85 | 1.3 | 0.14 | 1.0 | 1.6 |
| 2000 | * | * | * | * | * | 116 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2001 | * | * | * | * | * | 76 | 1.1 | 0.13 | 0.9 | 1.4 |
| 2002 | * | * | * | * | * | 108 | 1.6 | 0.16 | 1.3 | 1.9 |
| 2003 | * | * | * | * | * | 99 | 1.4 | 0.14 | 1.1 | 1.7 |
| 2004 | * | * | * | * | * | 96 | 1.4 | 0.14 | 1.1 | 1.7 |
| 2005 | * | * | * | * | * | 100 | 1.4 | 0.15 | 1.2 | 1.8 |
| 2006 | * | * | * | * | * | 121 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2007 | * | * | * | * | * | 102 | 1.5 | 0.15 | 1.2 | 1.8 |
| 2008 | * | * | * | * | * | 125 | 1.8 | 0.16 | 1.5 | 2.1 |
| 2009 | * | * | * | * | * | 103 | 1.4 | 0.14 | 1.2 | 1.7 |
| 2010 | * | * | * | * | * | 95 | 1.3 | 0.14 | 1.1 | 1.6 |
| 2011 | * | * | * | * | * | 101 | 1.4 | 0.14 | 1.1 | 1.7 |
| 2012 | * | * | * | * | * | 109 | 1.5 | 0.15 | 1.2 | 1.8 |
| 2013 | * | * | * | * | * | 97 | 1.3 | 0.13 | 1.0 | 1.6 |
| 2014 | * | * | * | * | * | 119 | 1.5 | 0.15 | 1.3 | 1.9 |
| 2015 | * | * | * | * | * | 125 | 1.6 | 0.15 | 1.3 | 1.9 |
| 2016 | * | * | * | * | * | 141 | 1.8 | 0.16 | 1.5 | 2.2 |
| 2017 | * | * | * | * | * | 126 | 1.6 | 0.14 | 1.3 | 1.9 |
| 2018 | * | * | * | * | * | 120 | 1.5 | 0.14 | 1.2 | 1.8 |
| 2019 | * | * | * | * | * | 118 | 1.4 | 0.14 | 1.2 | 1.8 |
| 2020 | * | * | * | * | * | 138 | 1.7 | 0.15 | 1.4 | 2.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Oral Cavity and Pharynx | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 2,851 | 1.5 | 0.03 | 1.5 | 1.6 | 506 | 1.8 | 0.08 | 1.6 | 1.9 |
| 1990 | 102 | 1.9 | 0.19 | 1.5 | 2.3 | 23 | 3.3 | 0.69 | 2.1 | 4.9 |
| 1991 | 111 | 2.1 | 0.20 | 1.7 | 2.5 | 27 | 3.7 | 0.73 | 2.5 | 5.4 |
| 1992 | 100 | 1.9 | 0.19 | 1.5 | 2.3 | 24 | 3.2 | 0.66 | 2.0 | 4.7 |
| 1993 | 83 | 1.5 | 0.17 | 1.2 | 1.9 | 18 | 2.4 | 0.57 | 1.4 | 3.8 |
| 1994 | 96 | 1.7 | 0.17 | 1.3 | 2.0 | 14 | 1.9 | 0.50 | 1.0 | 3.1 |
| 1995 | 95 | 1.7 | 0.17 | 1.3 | 2.0 | 25 | 3.3 | 0.66 | 2.1 | 4.8 |
| 1996 | 93 | 1.7 | 0.18 | 1.3 | 2.1 | 13 | 1.8 | 0.50 | 1.0 | 3.0 |
| 1997 | 80 | 1.4 | 0.16 | 1.1 | 1.8 | 18 | 2.2 | 0.52 | 1.3 | 3.5 |
| 1998 | 80 | 1.4 | 0.16 | 1.1 | 1.8 | 15 | 1.8 | 0.47 | 1.0 | 3.0 |
| 1999 | 64 | 1.1 | 0.14 | 0.8 | 1.4 | 19 | 2.3 | 0.54 | 1.4 | 3.6 |
| 2000 | 99 | 1.7 | 0.17 | 1.4 | 2.1 | 16 | 2.0 | 0.49 | 1.1 | 3.2 |
| 2001 | 58 | 1.0 | 0.13 | 0.8 | 1.3 | 15 | 1.8 | 0.46 | 1.0 | 2.9 |
| 2002 | 86 | 1.5 | 0.16 | 1.2 | 1.8 | 20 | 2.3 | 0.51 | 1.4 | 3.5 |
| 2003 | 85 | 1.4 | 0.15 | 1.1 | 1.7 | 13 | 1.5 | 0.42 | 0.8 | 2.6 |
| 2004 | 82 | 1.4 | 0.16 | 1.1 | 1.7 | 13 | 1.5 | 0.42 | 0.8 | 2.6 |
| 2005 | 90 | 1.5 | 0.17 | 1.2 | 1.9 | * | * | * | * | * |
| 2006 | 100 | 1.7 | 0.17 | 1.4 | 2.1 | 18 | 1.9 | 0.45 | 1.1 | 3.0 |
| 2007 | 88 | 1.5 | 0.17 | 1.2 | 1.9 | * | * | * | * | * |
| 2008 | 102 | 1.7 | 0.17 | 1.4 | 2.1 | 19 | 2.1 | 0.48 | 1.3 | 3.3 |
| 2009 | 93 | 1.5 | 0.16 | 1.2 | 1.9 | * | * | * | * | * |
| 2010 | 79 | 1.3 | 0.15 | 1.0 | 1.6 | 14 | 1.4 | 0.36 | 0.7 | 2.3 |
| 2011 | 80 | 1.3 | 0.15 | 1.0 | 1.6 | 16 | 1.6 | 0.40 | 0.9 | 2.6 |
| 2012 | 90 | 1.5 | 0.17 | 1.2 | 1.9 | 14 | 1.3 | 0.36 | 0.7 | 2.3 |
| 2013 | 81 | 1.3 | 0.15 | 1.0 | 1.6 | 12 | 1.1 | 0.34 | 0.6 | 2.0 |
| 2014 | 98 | 1.5 | 0.16 | 1.2 | 1.9 | 18 | 1.7 | 0.41 | 1.0 | 2.7 |
| 2015 | 98 | 1.6 | 0.16 | 1.3 | 1.9 | 17 | 1.6 | 0.39 | 0.9 | 2.5 |
| 2016 | 119 | 1.9 | 0.18 | 1.5 | 2.3 | 18 | 1.6 | 0.40 | 1.0 | 2.6 |
| 2017 | 100 | 1.5 | 0.16 | 1.3 | 1.9 | 19 | 1.6 | 0.37 | 1.0 | 2.5 |
| 2018 | 101 | 1.6 | 0.17 | 1.3 | 2.0 | 17 | 1.5 | 0.36 | 0.9 | 2.4 |
| 2019 | 99 | 1.5 | 0.16 | 1.2 | 1.9 | * | * | * | * | * |
| 2020 | 119 | 1.8 | 0.17 | 1.5 | 2.2 | 18 | 1.4 | 0.34 | 0.8 | 2.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Digestive System | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 7,976 | 36.6 | 0.45 | 35.7 | 37.5 | 183,077 | 48.0 | 0.11 | 47.8 | 48.3 |
| 1990 | 95 | 29.4 | 3.46 | 23.0 | 36.8 | 6,084 | 58.0 | 0.75 | 56.5 | 59.5 |
| 1991 | 98 | 31.1 | 3.57 | 24.5 | 38.7 | 5,961 | 56.2 | 0.73 | 54.8 | 57.6 |
| 1992 | 110 | 36.6 | 3.94 | 29.3 | 44.9 | 5,939 | 55.1 | 0.72 | 53.7 | 56.6 |
| 1993 | 147 | 41.3 | 3.88 | 34.1 | 49.5 | 5,967 | 54.8 | 0.71 | 53.4 | 56.2 |
| 1994 | 119 | 33.8 | 3.50 | 27.3 | 41.2 | 6,046 | 55.0 | 0.71 | 53.7 | 56.5 |
| 1995 | 115 | 29.1 | 3.13 | 23.3 | 35.7 | 5,996 | 54.0 | 0.70 | 52.6 | 55.4 |
| 1996 | 130 | 33.5 | 3.33 | 27.3 | 40.6 | 5,851 | 52.5 | 0.69 | 51.2 | 53.9 |
| 1997 | 139 | 33.0 | 3.19 | 27.0 | 39.7 | 5,856 | 52.1 | 0.68 | 50.8 | 53.5 |
| 1998 | 147 | 33.4 | 3.14 | 27.5 | 40.0 | 5,968 | 52.6 | 0.68 | 51.3 | 54.0 |
| 1999 | 156 | 34.7 | 3.21 | 28.7 | 41.4 | 5,952 | 52.0 | 0.67 | 50.6 | 53.3 |
| 2000 | 157 | 33.1 | 3.05 | 27.4 | 39.5 | 6,101 | 52.9 | 0.68 | 51.6 | 54.3 |
| 2001 | 197 | 38.4 | 3.11 | 32.6 | 44.9 | 5,976 | 51.5 | 0.67 | 50.2 | 52.8 |
| 2002 | 170 | 32.9 | 2.88 | 27.5 | 39.0 | 5,935 | 50.8 | 0.66 | 49.5 | 52.1 |
| 2003 | 201 | 35.5 | 2.82 | 30.1 | 41.3 | 5,798 | 49.1 | 0.65 | 47.8 | 50.3 |
| 2004 | 205 | 33.7 | 2.63 | 28.8 | 39.2 | 5,796 | 48.8 | 0.64 | 47.5 | 50.1 |
| 2005 | 227 | 35.5 | 2.67 | 30.5 | 41.1 | 5,753 | 47.9 | 0.63 | 46.6 | 49.1 |
| 2006 | 265 | 40.8 | 2.80 | 35.5 | 46.6 | 5,745 | 47.4 | 0.63 | 46.2 | 48.6 |
| 2007 | 222 | 32.8 | 2.43 | 28.2 | 37.8 | 5,723 | 46.6 | 0.62 | 45.4 | 47.8 |
| 2008 | 265 | 36.0 | 2.47 | 31.3 | 41.1 | 5,821 | 46.7 | 0.62 | 45.5 | 48.0 |
| 2009 | 263 | 35.0 | 2.37 | 30.5 | 39.9 | 5,759 | 45.6 | 0.61 | 44.4 | 46.8 |
| 2010 | 308 | 36.6 | 2.31 | 32.2 | 41.4 | 5,786 | 45.3 | 0.60 | 44.1 | 46.5 |
| 2011 | 340 | 40.0 | 2.37 | 35.5 | 44.9 | 5,682 | 43.8 | 0.59 | 42.7 | 45.0 |
| 2012 | 371 | 39.7 | 2.26 | 35.4 | 44.4 | 5,743 | 43.5 | 0.58 | 42.4 | 44.7 |
| 2013 | 379 | 40.5 | 2.25 | 36.2 | 45.1 | 5,868 | 43.7 | 0.58 | 42.5 | 44.8 |
| 2014 | 378 | 37.2 | 2.07 | 33.3 | 41.4 | 5,810 | 42.7 | 0.57 | 41.6 | 43.8 |
| 2015 | 404 | 35.2 | 1.90 | 31.5 | 39.0 | 6,095 | 44.2 | 0.58 | 43.1 | 45.3 |
| 2016 | 403 | 35.2 | 1.88 | 31.6 | 39.1 | 5,990 | 42.8 | 0.57 | 41.7 | 43.9 |
| 2017 | 444 | 37.4 | 1.90 | 33.8 | 41.3 | 5,989 | 42.3 | 0.56 | 41.2 | 43.4 |
| 2018 | 532 | 43.2 | 2.00 | 39.4 | 47.3 | 6,014 | 41.9 | 0.55 | 40.9 | 43.0 |
| 2019 | 465 | 34.9 | 1.72 | 31.6 | 38.4 | 5,988 | 41.4 | 0.55 | 40.3 | 42.5 |
| 2020 | 524 | 38.9 | 1.80 | 35.4 | 42.5 | 6,085 | 41.7 | 0.55 | 40.6 | 42.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Digestive System | | | | | | | | | | |
|--------------------|---------|------|------|------|------|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 148,285 | 45.8 | 0.12 | 45.6 | 46.0 | 30,737 | 66.8 | 0.39 | 66.1 | 67.6 |
| 1990 | 5,064 | 54.4 | 0.77 | 52.9 | 55.9 | 959 | 88.2 | 2.94 | 82.5 | 94.1 |
| 1991 | 5,000 | 53.1 | 0.76 | 51.6 | 54.6 | 904 | 82.1 | 2.81 | 76.7 | 87.7 |
| 1992 | 4,971 | 52.3 | 0.75 | 50.8 | 53.8 | 895 | 78.5 | 2.70 | 73.3 | 83.9 |
| 1993 | 4,912 | 51.2 | 0.73 | 49.8 | 52.6 | 987 | 85.9 | 2.81 | 80.5 | 91.6 |
| 1994 | 5,053 | 52.3 | 0.74 | 50.8 | 53.7 | 907 | 76.4 | 2.60 | 71.3 | 81.6 |
| 1995 | 5,026 | 51.6 | 0.73 | 50.2 | 53.1 | 886 | 74.2 | 2.55 | 69.2 | 79.3 |
| 1996 | 4,785 | 49.1 | 0.71 | 47.7 | 50.5 | 986 | 80.4 | 2.62 | 75.3 | 85.7 |
| 1997 | 4,816 | 49.0 | 0.71 | 47.7 | 50.5 | 945 | 76.0 | 2.53 | 71.2 | 81.1 |
| 1998 | 4,923 | 49.9 | 0.71 | 48.5 | 51.3 | 967 | 75.4 | 2.47 | 70.6 | 80.4 |
| 1999 | 4,921 | 49.5 | 0.71 | 48.1 | 50.9 | 927 | 72.4 | 2.43 | 67.8 | 77.3 |
| 2000 | 5,002 | 50.1 | 0.71 | 48.7 | 51.5 | 986 | 74.3 | 2.41 | 69.7 | 79.2 |
| 2001 | 4,881 | 48.7 | 0.70 | 47.3 | 50.1 | 984 | 73.0 | 2.38 | 68.4 | 77.8 |
| 2002 | 4,848 | 48.2 | 0.69 | 46.8 | 49.5 | 980 | 72.0 | 2.35 | 67.5 | 76.7 |
| 2003 | 4,683 | 46.1 | 0.68 | 44.8 | 47.4 | 976 | 70.6 | 2.31 | 66.2 | 75.3 |
| 2004 | 4,696 | 46.1 | 0.68 | 44.8 | 47.5 | 1,006 | 70.9 | 2.28 | 66.5 | 75.5 |
| 2005 | 4,668 | 45.5 | 0.67 | 44.2 | 46.9 | 973 | 67.5 | 2.21 | 63.3 | 72.0 |
| 2006 | 4,624 | 44.8 | 0.66 | 43.5 | 46.1 | 996 | 67.9 | 2.20 | 63.7 | 72.4 |
| 2007 | 4,612 | 44.2 | 0.66 | 42.9 | 45.5 | 987 | 65.5 | 2.13 | 61.4 | 69.8 |
| 2008 | 4,666 | 44.3 | 0.66 | 43.0 | 45.6 | 1,041 | 68.8 | 2.18 | 64.6 | 73.2 |
| 2009 | 4,641 | 43.7 | 0.65 | 42.4 | 45.0 | 955 | 60.3 | 2.00 | 56.5 | 64.3 |
| 2010 | 4,629 | 43.1 | 0.64 | 41.9 | 44.4 | 996 | 62.2 | 2.02 | 58.3 | 66.3 |
| 2011 | 4,487 | 41.4 | 0.63 | 40.2 | 42.7 | 1,025 | 62.3 | 1.99 | 58.5 | 66.4 |
| 2012 | 4,537 | 41.3 | 0.62 | 40.0 | 42.5 | 1,035 | 61.4 | 1.95 | 57.6 | 65.3 |
| 2013 | 4,672 | 42.0 | 0.63 | 40.8 | 43.2 | 1,031 | 59.4 | 1.90 | 55.8 | 63.3 |
| 2014 | 4,640 | 41.2 | 0.62 | 40.0 | 42.4 | 1,014 | 57.0 | 1.83 | 53.5 | 60.7 |
| 2015 | 4,780 | 42.1 | 0.62 | 40.9 | 43.3 | 1,114 | 61.4 | 1.88 | 57.8 | 65.2 |
| 2016 | 4,758 | 41.4 | 0.62 | 40.2 | 42.6 | 1,023 | 55.2 | 1.77 | 51.8 | 58.7 |
| 2017 | 4,714 | 40.7 | 0.61 | 39.5 | 41.9 | 1,084 | 57.8 | 1.80 | 54.4 | 61.5 |
| 2018 | 4,748 | 40.6 | 0.60 | 39.5 | 41.9 | 1,057 | 55.2 | 1.74 | 51.9 | 58.7 |
| 2019 | 4,710 | 40.0 | 0.60 | 38.8 | 41.2 | 1,081 | 55.8 | 1.73 | 52.4 | 59.3 |
| 2020 | 4,818 | 40.9 | 0.61 | 39.7 | 42.1 | 1,030 | 51.7 | 1.64 | 48.5 | 55.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Digestive System | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 4,697 | 46.0 | 0.77 | 44.5 | 47.5 | 98,716 | 61.9 | 0.20 | 61.5 | 62.3 |
| 1990 | 56 | 44.6 | 7.45 | 31.2 | 60.9 | 3,146 | 75.2 | 1.39 | 72.5 | 77.9 |
| 1991 | 70 | 46.9 | 6.78 | 34.5 | 61.6 | 3,155 | 74.6 | 1.37 | 71.9 | 77.3 |
| 1992 | 57 | 44.2 | 7.07 | 31.5 | 59.6 | 3,147 | 73.2 | 1.35 | 70.6 | 75.9 |
| 1993 | 94 | 53.1 | 6.65 | 40.9 | 67.4 | 3,054 | 70.5 | 1.31 | 68.0 | 73.2 |
| 1994 | 67 | 41.8 | 6.28 | 30.4 | 55.5 | 3,168 | 72.2 | 1.32 | 69.7 | 74.8 |
| 1995 | 69 | 35.5 | 5.37 | 25.8 | 47.3 | 3,158 | 71.4 | 1.30 | 68.8 | 74.0 |
| 1996 | 75 | 45.3 | 6.41 | 33.6 | 59.1 | 3,084 | 69.4 | 1.28 | 66.9 | 71.9 |
| 1997 | 81 | 40.0 | 5.30 | 30.3 | 51.4 | 3,099 | 68.8 | 1.26 | 66.4 | 71.3 |
| 1998 | 92 | 47.0 | 5.85 | 36.2 | 59.5 | 3,143 | 68.4 | 1.24 | 65.9 | 70.8 |
| 1999 | 95 | 45.0 | 5.69 | 34.5 | 57.2 | 3,096 | 67.1 | 1.22 | 64.7 | 69.5 |
| 2000 | 90 | 42.7 | 5.53 | 32.5 | 54.5 | 3,163 | 67.6 | 1.22 | 65.2 | 70.0 |
| 2001 | 105 | 45.9 | 5.27 | 36.1 | 57.1 | 3,142 | 66.5 | 1.20 | 64.2 | 68.9 |
| 2002 | 101 | 43.1 | 5.15 | 33.6 | 54.1 | 3,134 | 65.7 | 1.19 | 63.4 | 68.1 |
| 2003 | 130 | 48.2 | 4.97 | 38.9 | 58.7 | 3,179 | 66.2 | 1.19 | 63.9 | 68.5 |
| 2004 | 116 | 40.1 | 4.37 | 32.0 | 49.3 | 3,087 | 62.9 | 1.15 | 60.7 | 65.2 |
| 2005 | 125 | 43.0 | 4.59 | 34.5 | 52.7 | 3,091 | 62.2 | 1.13 | 59.9 | 64.4 |
| 2006 | 140 | 43.9 | 4.16 | 36.2 | 52.7 | 3,023 | 60.0 | 1.11 | 57.8 | 62.2 |
| 2007 | 139 | 44.6 | 4.35 | 36.5 | 53.7 | 3,004 | 58.7 | 1.09 | 56.6 | 60.8 |
| 2008 | 156 | 45.6 | 4.26 | 37.6 | 54.5 | 3,166 | 60.0 | 1.08 | 57.9 | 62.2 |
| 2009 | 134 | 39.3 | 3.88 | 32.1 | 47.5 | 3,226 | 60.1 | 1.08 | 58.1 | 62.3 |
| 2010 | 175 | 47.4 | 4.11 | 39.7 | 56.0 | 3,174 | 58.1 | 1.05 | 56.1 | 60.2 |
| 2011 | 204 | 49.9 | 3.99 | 42.4 | 58.2 | 3,083 | 55.3 | 1.02 | 53.3 | 57.3 |
| 2012 | 228 | 48.7 | 3.67 | 41.7 | 56.3 | 3,221 | 56.6 | 1.02 | 54.6 | 58.6 |
| 2013 | 232 | 52.6 | 3.89 | 45.3 | 60.7 | 3,265 | 56.3 | 1.01 | 54.3 | 58.3 |
| 2014 | 218 | 46.4 | 3.52 | 39.8 | 53.7 | 3,277 | 55.5 | 0.99 | 53.5 | 57.4 |
| 2015 | 232 | 41.3 | 3.05 | 35.6 | 47.7 | 3,417 | 56.9 | 1.00 | 55.0 | 58.9 |
| 2016 | 249 | 45.4 | 3.21 | 39.3 | 52.0 | 3,339 | 54.5 | 0.97 | 52.6 | 56.5 |
| 2017 | 268 | 46.0 | 3.12 | 40.1 | 52.5 | 3,301 | 53.5 | 0.95 | 51.6 | 55.4 |
| 2018 | 311 | 53.6 | 3.34 | 47.2 | 60.4 | 3,300 | 52.0 | 0.93 | 50.2 | 53.9 |
| 2019 | 277 | 43.9 | 2.90 | 38.4 | 49.9 | 3,393 | 53.0 | 0.93 | 51.2 | 54.9 |
| 2020 | 311 | 48.6 | 3.00 | 42.9 | 54.8 | 3,481 | 53.6 | 0.93 | 51.8 | 55.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Digestive System | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|-------|------|-------|-------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 80,024 | 59.1 | 0.21 | 58.7 | 59.5 | 16,354 | 87.5 | 0.72 | 86.1 | 88.9 |
| 1990 | 2,604 | 70.6 | 1.43 | 67.8 | 73.5 | 496 | 110.9 | 5.32 | 100.7 | 121.7 |
| 1991 | 2,638 | 70.8 | 1.42 | 68.0 | 73.6 | 481 | 106.7 | 5.20 | 96.8 | 117.3 |
| 1992 | 2,606 | 69.0 | 1.39 | 66.3 | 71.7 | 495 | 111.3 | 5.37 | 101.1 | 122.3 |
| 1993 | 2,497 | 65.7 | 1.35 | 63.1 | 68.4 | 516 | 112.8 | 5.33 | 102.6 | 123.7 |
| 1994 | 2,631 | 68.6 | 1.37 | 65.9 | 71.3 | 490 | 103.6 | 5.00 | 94.1 | 113.8 |
| 1995 | 2,620 | 67.7 | 1.35 | 65.1 | 70.4 | 490 | 103.9 | 5.02 | 94.3 | 114.1 |
| 1996 | 2,522 | 65.2 | 1.32 | 62.7 | 67.9 | 519 | 104.0 | 4.88 | 94.7 | 114.0 |
| 1997 | 2,524 | 64.6 | 1.31 | 62.1 | 67.2 | 509 | 99.6 | 4.67 | 90.7 | 109.2 |
| 1998 | 2,590 | 65.1 | 1.29 | 62.6 | 67.7 | 516 | 98.7 | 4.59 | 89.9 | 108.0 |
| 1999 | 2,568 | 64.2 | 1.28 | 61.7 | 66.8 | 476 | 93.8 | 4.55 | 85.0 | 103.1 |
| 2000 | 2,584 | 64.1 | 1.27 | 61.6 | 66.6 | 518 | 97.0 | 4.50 | 88.4 | 106.2 |
| 2001 | 2,575 | 63.4 | 1.26 | 61.0 | 65.9 | 496 | 90.7 | 4.34 | 82.4 | 99.6 |
| 2002 | 2,585 | 63.1 | 1.25 | 60.7 | 65.6 | 484 | 88.7 | 4.26 | 80.6 | 97.4 |
| 2003 | 2,556 | 62.2 | 1.24 | 59.8 | 64.7 | 540 | 95.4 | 4.36 | 87.1 | 104.3 |
| 2004 | 2,500 | 59.8 | 1.21 | 57.4 | 62.2 | 533 | 91.4 | 4.22 | 83.4 | 100.0 |
| 2005 | 2,508 | 59.2 | 1.19 | 56.9 | 61.6 | 524 | 89.8 | 4.18 | 81.8 | 98.3 |
| 2006 | 2,456 | 57.3 | 1.17 | 55.0 | 59.6 | 500 | 84.1 | 3.98 | 76.5 | 92.2 |
| 2007 | 2,408 | 55.5 | 1.14 | 53.3 | 57.8 | 529 | 87.2 | 4.03 | 79.5 | 95.4 |
| 2008 | 2,536 | 56.7 | 1.14 | 54.5 | 59.0 | 561 | 92.6 | 4.14 | 84.6 | 101.0 |
| 2009 | 2,611 | 57.8 | 1.15 | 55.5 | 60.1 | 522 | 80.2 | 3.72 | 73.1 | 87.8 |
| 2010 | 2,548 | 55.3 | 1.12 | 53.2 | 57.6 | 539 | 82.7 | 3.77 | 75.4 | 90.4 |
| 2011 | 2,460 | 52.6 | 1.08 | 50.5 | 54.8 | 534 | 79.7 | 3.64 | 72.8 | 87.2 |
| 2012 | 2,558 | 53.6 | 1.08 | 51.5 | 55.8 | 552 | 81.1 | 3.64 | 74.2 | 88.6 |
| 2013 | 2,610 | 54.0 | 1.08 | 51.9 | 56.2 | 559 | 78.8 | 3.53 | 72.1 | 86.0 |
| 2014 | 2,633 | 53.6 | 1.07 | 51.5 | 55.7 | 556 | 76.0 | 3.39 | 69.5 | 82.9 |
| 2015 | 2,700 | 54.3 | 1.07 | 52.2 | 56.4 | 598 | 81.1 | 3.49 | 74.4 | 88.2 |
| 2016 | 2,657 | 52.3 | 1.04 | 50.3 | 54.4 | 559 | 73.7 | 3.27 | 67.5 | 80.4 |
| 2017 | 2,633 | 51.7 | 1.03 | 49.7 | 53.8 | 559 | 73.6 | 3.26 | 67.3 | 80.2 |
| 2018 | 2,633 | 50.6 | 1.01 | 48.6 | 52.6 | 555 | 70.9 | 3.14 | 64.9 | 77.4 |
| 2019 | 2,696 | 51.3 | 1.01 | 49.3 | 53.3 | 579 | 72.1 | 3.11 | 66.1 | 78.4 |
| 2020 | 2,777 | 52.4 | 1.02 | 50.4 | 54.4 | 569 | 68.8 | 3.00 | 63.0 | 74.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Digestive System | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,279 | 28.8 | 0.53 | 27.8 | 29.9 | 84,361 | 37.7 | 0.13 | 37.4 | 37.9 |
| 1990 | 39 | 20.1 | 3.43 | 14.0 | 27.9 | 2,938 | 46.2 | 0.86 | 44.5 | 47.9 |
| 1991 | 28 | 18.1 | 3.73 | 11.6 | 26.6 | 2,806 | 43.6 | 0.83 | 42.0 | 45.2 |
| 1992 | 53 | 31.6 | 4.68 | 23.1 | 41.8 | 2,792 | 42.7 | 0.82 | 41.2 | 44.4 |
| 1993 | 53 | 30.6 | 4.56 | 22.3 | 40.6 | 2,913 | 44.3 | 0.83 | 42.7 | 45.9 |
| 1994 | 52 | 28.0 | 4.17 | 20.4 | 37.1 | 2,878 | 43.2 | 0.81 | 41.6 | 44.8 |
| 1995 | 46 | 23.5 | 3.77 | 16.7 | 31.8 | 2,838 | 42.1 | 0.80 | 40.6 | 43.7 |
| 1996 | 55 | 25.7 | 3.72 | 18.9 | 33.8 | 2,767 | 41.0 | 0.79 | 39.5 | 42.6 |
| 1997 | 58 | 26.6 | 3.87 | 19.6 | 35.0 | 2,757 | 40.5 | 0.78 | 39.0 | 42.0 |
| 1998 | 55 | 22.7 | 3.39 | 16.5 | 30.1 | 2,825 | 41.3 | 0.79 | 39.8 | 42.9 |
| 1999 | 61 | 26.3 | 3.73 | 19.5 | 34.4 | 2,856 | 41.3 | 0.78 | 39.8 | 42.9 |
| 2000 | 67 | 26.0 | 3.52 | 19.5 | 33.6 | 2,938 | 42.2 | 0.79 | 40.7 | 43.8 |
| 2001 | 92 | 32.7 | 3.77 | 25.7 | 40.7 | 2,834 | 40.5 | 0.77 | 39.0 | 42.1 |
| 2002 | 69 | 24.9 | 3.30 | 18.9 | 32.1 | 2,801 | 39.9 | 0.76 | 38.4 | 41.4 |
| 2003 | 71 | 24.6 | 3.18 | 18.8 | 31.5 | 2,619 | 37.0 | 0.73 | 35.6 | 38.5 |
| 2004 | 89 | 28.5 | 3.25 | 22.5 | 35.4 | 2,709 | 38.2 | 0.74 | 36.7 | 39.7 |
| 2005 | 102 | 29.8 | 3.22 | 23.8 | 36.6 | 2,662 | 37.4 | 0.74 | 35.9 | 38.8 |
| 2006 | 125 | 37.0 | 3.62 | 30.3 | 44.7 | 2,722 | 38.0 | 0.74 | 36.6 | 39.5 |
| 2007 | 83 | 23.2 | 2.74 | 18.1 | 29.0 | 2,719 | 37.5 | 0.73 | 36.1 | 39.0 |
| 2008 | 109 | 28.2 | 2.92 | 22.8 | 34.4 | 2,655 | 36.4 | 0.72 | 35.0 | 37.9 |
| 2009 | 129 | 31.8 | 2.99 | 26.2 | 38.1 | 2,533 | 34.6 | 0.70 | 33.3 | 36.0 |
| 2010 | 133 | 28.5 | 2.66 | 23.5 | 34.1 | 2,612 | 35.3 | 0.71 | 33.9 | 36.7 |
| 2011 | 136 | 31.4 | 2.85 | 26.1 | 37.4 | 2,599 | 34.8 | 0.70 | 33.5 | 36.2 |
| 2012 | 143 | 31.2 | 2.77 | 26.0 | 37.0 | 2,522 | 33.3 | 0.68 | 31.9 | 34.6 |
| 2013 | 147 | 30.4 | 2.63 | 25.5 | 35.9 | 2,603 | 33.7 | 0.68 | 32.4 | 35.1 |
| 2014 | 160 | 29.7 | 2.47 | 25.1 | 34.9 | 2,533 | 32.6 | 0.67 | 31.3 | 34.0 |
| 2015 | 172 | 29.3 | 2.36 | 24.9 | 34.3 | 2,678 | 34.1 | 0.68 | 32.8 | 35.5 |
| 2016 | 154 | 26.5 | 2.23 | 22.3 | 31.1 | 2,651 | 33.1 | 0.66 | 31.8 | 34.4 |
| 2017 | 176 | 29.9 | 2.35 | 25.5 | 34.8 | 2,688 | 33.5 | 0.66 | 32.2 | 34.8 |
| 2018 | 221 | 34.3 | 2.41 | 29.7 | 39.3 | 2,714 | 33.5 | 0.66 | 32.2 | 34.9 |
| 2019 | 188 | 27.3 | 2.08 | 23.4 | 31.6 | 2,595 | 31.9 | 0.64 | 30.6 | 33.2 |
| 2020 | 213 | 30.4 | 2.16 | 26.3 | 34.9 | 2,604 | 32.1 | 0.65 | 30.8 | 33.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Digestive System | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 68,261 | 35.7 | 0.14 | 35.4 | 36.0 | 14,383 | 52.8 | 0.44 | 51.9 | 53.6 |
| 1990 | 2,460 | 43.3 | 0.89 | 41.6 | 45.1 | 463 | 72.1 | 3.41 | 65.6 | 79.1 |
| 1991 | 2,362 | 41.0 | 0.86 | 39.4 | 42.8 | 423 | 65.2 | 3.21 | 59.1 | 71.8 |
| 1992 | 2,365 | 40.7 | 0.85 | 39.0 | 42.4 | 400 | 58.1 | 2.95 | 52.5 | 64.2 |
| 1993 | 2,415 | 41.5 | 0.86 | 39.8 | 43.2 | 471 | 68.4 | 3.19 | 62.3 | 74.9 |
| 1994 | 2,422 | 41.0 | 0.85 | 39.3 | 42.7 | 417 | 58.9 | 2.91 | 53.3 | 64.8 |
| 1995 | 2,406 | 40.5 | 0.84 | 38.9 | 42.2 | 396 | 55.4 | 2.81 | 50.1 | 61.2 |
| 1996 | 2,263 | 38.1 | 0.82 | 36.5 | 39.8 | 467 | 64.3 | 3.00 | 58.5 | 70.4 |
| 1997 | 2,292 | 38.4 | 0.82 | 36.8 | 40.0 | 436 | 59.1 | 2.85 | 53.6 | 64.9 |
| 1998 | 2,333 | 39.0 | 0.82 | 37.4 | 40.7 | 451 | 59.1 | 2.81 | 53.8 | 64.9 |
| 1999 | 2,353 | 38.9 | 0.82 | 37.3 | 40.5 | 451 | 58.5 | 2.78 | 53.2 | 64.2 |
| 2000 | 2,418 | 39.8 | 0.83 | 38.2 | 41.5 | 468 | 59.1 | 2.75 | 53.9 | 64.8 |
| 2001 | 2,306 | 37.9 | 0.80 | 36.3 | 39.5 | 488 | 61.0 | 2.78 | 55.6 | 66.6 |
| 2002 | 2,263 | 37.1 | 0.80 | 35.5 | 38.7 | 496 | 60.7 | 2.75 | 55.5 | 66.3 |
| 2003 | 2,127 | 34.8 | 0.77 | 33.3 | 36.4 | 436 | 53.3 | 2.57 | 48.4 | 58.6 |
| 2004 | 2,196 | 35.9 | 0.78 | 34.4 | 37.4 | 473 | 56.5 | 2.62 | 51.5 | 61.9 |
| 2005 | 2,160 | 35.4 | 0.78 | 33.9 | 37.0 | 449 | 52.9 | 2.51 | 48.0 | 58.0 |
| 2006 | 2,168 | 35.4 | 0.78 | 33.8 | 36.9 | 496 | 56.8 | 2.57 | 51.9 | 62.1 |
| 2007 | 2,204 | 35.6 | 0.78 | 34.0 | 37.1 | 458 | 51.2 | 2.42 | 46.6 | 56.2 |
| 2008 | 2,130 | 34.4 | 0.77 | 32.9 | 36.0 | 480 | 53.0 | 2.44 | 48.4 | 58.1 |
| 2009 | 2,030 | 32.8 | 0.75 | 31.4 | 34.4 | 433 | 46.6 | 2.27 | 42.3 | 51.3 |
| 2010 | 2,081 | 33.5 | 0.76 | 32.1 | 35.1 | 457 | 48.2 | 2.28 | 43.9 | 52.9 |
| 2011 | 2,027 | 32.3 | 0.74 | 30.9 | 33.8 | 491 | 50.5 | 2.31 | 46.1 | 55.2 |
| 2012 | 1,979 | 31.4 | 0.73 | 29.9 | 32.8 | 483 | 48.2 | 2.22 | 43.9 | 52.7 |
| 2013 | 2,062 | 32.3 | 0.74 | 30.8 | 33.8 | 472 | 46.2 | 2.15 | 42.1 | 50.6 |
| 2014 | 2,007 | 31.4 | 0.72 | 29.9 | 32.8 | 458 | 43.9 | 2.08 | 39.9 | 48.1 |
| 2015 | 2,080 | 32.2 | 0.73 | 30.8 | 33.6 | 516 | 48.3 | 2.16 | 44.1 | 52.7 |
| 2016 | 2,101 | 32.1 | 0.73 | 30.7 | 33.6 | 464 | 42.0 | 1.98 | 38.2 | 46.1 |
| 2017 | 2,081 | 31.8 | 0.72 | 30.4 | 33.3 | 525 | 47.5 | 2.11 | 43.4 | 51.8 |
| 2018 | 2,115 | 32.1 | 0.72 | 30.7 | 33.5 | 502 | 44.5 | 2.02 | 40.7 | 48.7 |
| 2019 | 2,014 | 30.6 | 0.71 | 29.2 | 32.0 | 502 | 44.0 | 2.00 | 40.2 | 48.1 |
| 2020 | 2,041 | 31.3 | 0.72 | 29.9 | 32.8 | 461 | 39.8 | 1.89 | 36.2 | 43.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Esophagus | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 458 | 2.1 | 0.10 | 1.9 | 2.3 | 17,743 | 4.6 | 0.04 | 4.6 | 4.7 |
| 1990 | * | * | * | * | * | 474 | 4.5 | 0.21 | 4.1 | 4.9 |
| 1991 | * | * | * | * | * | 518 | 4.9 | 0.22 | 4.4 | 5.3 |
| 1992 | * | * | * | * | * | 526 | 4.9 | 0.21 | 4.5 | 5.3 |
| 1993 | * | * | * | * | * | 501 | 4.6 | 0.20 | 4.2 | 5.0 |
| 1994 | * | * | * | * | * | 543 | 5.0 | 0.21 | 4.6 | 5.4 |
| 1995 | * | * | * | * | * | 548 | 5.0 | 0.21 | 4.6 | 5.4 |
| 1996 | 12 | 2.6 | 0.80 | 1.3 | 4.6 | 542 | 4.9 | 0.21 | 4.5 | 5.3 |
| 1997 | 16 | 3.8 | 1.08 | 2.0 | 6.4 | 535 | 4.8 | 0.21 | 4.4 | 5.2 |
| 1998 | * | * | * | * | * | 568 | 5.1 | 0.21 | 4.7 | 5.5 |
| 1999 | 10 | 2.6 | 0.93 | 1.1 | 4.9 | 505 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2000 | * | * | * | * | * | 584 | 5.1 | 0.21 | 4.7 | 5.5 |
| 2001 | 16 | 3.6 | 1.03 | 1.8 | 6.0 | 573 | 5.0 | 0.21 | 4.6 | 5.4 |
| 2002 | 14 | 3.2 | 0.95 | 1.6 | 5.4 | 550 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2003 | * | * | * | * | * | 553 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2004 | 15 | 2.6 | 0.76 | 1.4 | 4.5 | 546 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2005 | 17 | 2.8 | 0.75 | 1.5 | 4.5 | 590 | 4.9 | 0.20 | 4.5 | 5.4 |
| 2006 | 24 | 3.7 | 0.82 | 2.3 | 5.6 | 544 | 4.5 | 0.19 | 4.1 | 4.9 |
| 2007 | 13 | 2.0 | 0.59 | 1.0 | 3.4 | 605 | 4.9 | 0.20 | 4.5 | 5.3 |
| 2008 | 15 | 2.3 | 0.65 | 1.2 | 3.8 | 618 | 4.9 | 0.20 | 4.5 | 5.3 |
| 2009 | 10 | 1.3 | 0.43 | 0.6 | 2.3 | 592 | 4.7 | 0.19 | 4.3 | 5.1 |
| 2010 | 19 | 2.2 | 0.55 | 1.3 | 3.5 | 603 | 4.7 | 0.19 | 4.3 | 5.1 |
| 2011 | 17 | 1.8 | 0.48 | 1.0 | 3.0 | 571 | 4.4 | 0.19 | 4.0 | 4.8 |
| 2012 | 18 | 2.0 | 0.51 | 1.1 | 3.2 | 613 | 4.6 | 0.19 | 4.3 | 5.0 |
| 2013 | 20 | 2.2 | 0.53 | 1.3 | 3.5 | 626 | 4.6 | 0.19 | 4.3 | 5.0 |
| 2014 | 16 | 1.3 | 0.36 | 0.7 | 2.2 | 631 | 4.6 | 0.19 | 4.2 | 5.0 |
| 2015 | 19 | 1.7 | 0.42 | 0.9 | 2.6 | 603 | 4.3 | 0.18 | 3.9 | 4.6 |
| 2016 | 23 | 2.1 | 0.47 | 1.3 | 3.2 | 614 | 4.4 | 0.18 | 4.0 | 4.7 |
| 2017 | 15 | 1.3 | 0.36 | 0.7 | 2.2 | 607 | 4.3 | 0.18 | 3.9 | 4.6 |
| 2018 | 20 | 1.5 | 0.36 | 0.9 | 2.3 | 585 | 4.0 | 0.17 | 3.7 | 4.4 |
| 2019 | 23 | 1.6 | 0.36 | 1.0 | 2.5 | 629 | 4.3 | 0.18 | 4.0 | 4.7 |
| 2020 | 31 | 2.1 | 0.39 | 1.4 | 3.0 | 646 | 4.3 | 0.17 | 4.0 | 4.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Esophagus | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 14,631 | 4.6 | 0.04 | 4.5 | 4.6 | 2,896 | 5.9 | 0.11 | 5.7 | 6.1 |
| 1990 | 335 | 3.6 | 0.20 | 3.2 | 4.0 | 134 | 11.5 | 1.01 | 9.6 | 13.6 |
| 1991 | 375 | 4.0 | 0.21 | 3.6 | 4.4 | 139 | 11.5 | 0.99 | 9.6 | 13.5 |
| 1992 | 410 | 4.3 | 0.21 | 3.9 | 4.8 | 110 | 8.9 | 0.86 | 7.3 | 10.7 |
| 1993 | 374 | 3.9 | 0.20 | 3.5 | 4.3 | 124 | 10.0 | 0.92 | 8.3 | 12.0 |
| 1994 | 409 | 4.3 | 0.21 | 3.9 | 4.7 | 131 | 10.3 | 0.91 | 8.6 | 12.2 |
| 1995 | 424 | 4.4 | 0.22 | 4.0 | 4.9 | 119 | 9.2 | 0.85 | 7.6 | 11.0 |
| 1996 | 421 | 4.4 | 0.22 | 4.0 | 4.9 | 115 | 8.6 | 0.81 | 7.1 | 10.3 |
| 1997 | 419 | 4.4 | 0.21 | 4.0 | 4.8 | 110 | 8.2 | 0.79 | 6.7 | 9.9 |
| 1998 | 467 | 4.8 | 0.22 | 4.4 | 5.3 | 101 | 7.3 | 0.73 | 5.9 | 8.8 |
| 1999 | 406 | 4.2 | 0.21 | 3.8 | 4.6 | 95 | 6.9 | 0.72 | 5.6 | 8.5 |
| 2000 | 471 | 4.8 | 0.22 | 4.4 | 5.3 | 111 | 7.9 | 0.76 | 6.4 | 9.5 |
| 2001 | 451 | 4.6 | 0.22 | 4.2 | 5.1 | 116 | 8.2 | 0.77 | 6.7 | 9.8 |
| 2002 | 456 | 4.6 | 0.22 | 4.2 | 5.1 | 87 | 6.0 | 0.66 | 4.8 | 7.5 |
| 2003 | 459 | 4.6 | 0.22 | 4.2 | 5.1 | 89 | 5.8 | 0.62 | 4.6 | 7.1 |
| 2004 | 455 | 4.6 | 0.22 | 4.2 | 5.0 | 89 | 6.0 | 0.65 | 4.8 | 7.4 |
| 2005 | 497 | 4.9 | 0.22 | 4.5 | 5.4 | 91 | 5.8 | 0.62 | 4.7 | 7.2 |
| 2006 | 458 | 4.5 | 0.21 | 4.1 | 5.0 | 79 | 5.2 | 0.59 | 4.1 | 6.5 |
| 2007 | 515 | 5.0 | 0.22 | 4.6 | 5.5 | 82 | 5.2 | 0.59 | 4.1 | 6.5 |
| 2008 | 520 | 4.9 | 0.22 | 4.5 | 5.4 | 92 | 5.6 | 0.59 | 4.5 | 6.9 |
| 2009 | 504 | 4.8 | 0.21 | 4.4 | 5.2 | 80 | 4.9 | 0.56 | 3.9 | 6.1 |
| 2010 | 518 | 4.9 | 0.22 | 4.5 | 5.3 | 76 | 4.3 | 0.51 | 3.4 | 5.4 |
| 2011 | 467 | 4.4 | 0.21 | 4.0 | 4.8 | 96 | 5.5 | 0.57 | 4.4 | 6.7 |
| 2012 | 513 | 4.7 | 0.21 | 4.3 | 5.1 | 92 | 5.2 | 0.56 | 4.2 | 6.4 |
| 2013 | 544 | 4.9 | 0.21 | 4.5 | 5.3 | 69 | 3.8 | 0.47 | 3.0 | 4.9 |
| 2014 | 549 | 4.8 | 0.21 | 4.4 | 5.3 | 67 | 3.6 | 0.45 | 2.8 | 4.6 |
| 2015 | 540 | 4.7 | 0.20 | 4.3 | 5.1 | 57 | 3.0 | 0.40 | 2.2 | 3.9 |
| 2016 | 528 | 4.6 | 0.20 | 4.2 | 5.0 | 75 | 4.0 | 0.47 | 3.1 | 5.0 |
| 2017 | 516 | 4.5 | 0.20 | 4.1 | 4.9 | 79 | 3.9 | 0.45 | 3.1 | 5.0 |
| 2018 | 513 | 4.4 | 0.20 | 4.0 | 4.8 | 58 | 2.9 | 0.39 | 2.2 | 3.8 |
| 2019 | 550 | 4.7 | 0.20 | 4.3 | 5.1 | 67 | 3.3 | 0.41 | 2.6 | 4.2 |
| 2020 | 567 | 4.7 | 0.20 | 4.3 | 5.1 | 66 | 3.2 | 0.41 | 2.5 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Esophagus | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 373 | 3.5 | 0.21 | 3.1 | 3.9 | 13,708 | 8.3 | 0.07 | 8.2 | 8.5 |
| 1990 | * | * | * | * | * | 344 | 7.8 | 0.43 | 6.9 | 8.7 |
| 1991 | * | * | * | * | * | 385 | 8.6 | 0.45 | 7.7 | 9.5 |
| 1992 | * | * | * | * | * | 391 | 8.6 | 0.44 | 7.7 | 9.5 |
| 1993 | * | * | * | * | * | 376 | 8.1 | 0.43 | 7.3 | 9.0 |
| 1994 | * | * | * | * | * | 398 | 8.7 | 0.44 | 7.8 | 9.6 |
| 1995 | * | * | * | * | * | 415 | 8.8 | 0.44 | 8.0 | 9.7 |
| 1996 | 10 | 4.6 | 1.62 | 2.0 | 8.8 | 409 | 8.7 | 0.43 | 7.9 | 9.6 |
| 1997 | 14 | 8.0 | 2.59 | 3.8 | 14.3 | 400 | 8.5 | 0.43 | 7.7 | 9.4 |
| 1998 | * | * | * | * | * | 435 | 9.2 | 0.45 | 8.3 | 10.1 |
| 1999 | * | * | * | * | * | 397 | 8.3 | 0.42 | 7.5 | 9.1 |
| 2000 | * | * | * | * | * | 433 | 8.9 | 0.43 | 8.1 | 9.8 |
| 2001 | 12 | 5.2 | 1.86 | 2.2 | 9.8 | 440 | 9.1 | 0.44 | 8.2 | 10.0 |
| 2002 | * | * | * | * | * | 408 | 8.3 | 0.42 | 7.5 | 9.2 |
| 2003 | * | * | * | * | * | 423 | 8.5 | 0.42 | 7.7 | 9.3 |
| 2004 | 11 | 4.3 | 1.41 | 2.0 | 7.8 | 414 | 8.2 | 0.41 | 7.4 | 9.0 |
| 2005 | 15 | 5.5 | 1.66 | 2.7 | 9.5 | 472 | 9.1 | 0.42 | 8.3 | 10.0 |
| 2006 | 15 | 4.1 | 1.17 | 2.2 | 7.0 | 419 | 8.2 | 0.40 | 7.4 | 9.0 |
| 2007 | 10 | 3.3 | 1.22 | 1.4 | 6.3 | 479 | 9.1 | 0.42 | 8.3 | 10.0 |
| 2008 | 12 | 4.0 | 1.33 | 1.9 | 7.3 | 489 | 8.8 | 0.41 | 8.1 | 9.7 |
| 2009 | * | * | * | * | * | 479 | 8.7 | 0.40 | 7.9 | 9.5 |
| 2010 | 15 | 3.4 | 0.99 | 1.8 | 5.8 | 459 | 8.2 | 0.39 | 7.4 | 9.0 |
| 2011 | 14 | 2.9 | 0.86 | 1.5 | 5.0 | 451 | 7.9 | 0.38 | 7.2 | 8.7 |
| 2012 | 15 | 3.7 | 1.07 | 1.9 | 6.3 | 473 | 8.3 | 0.39 | 7.5 | 9.1 |
| 2013 | 18 | 4.4 | 1.15 | 2.4 | 7.1 | 489 | 8.2 | 0.38 | 7.5 | 9.0 |
| 2014 | 14 | 2.5 | 0.75 | 1.3 | 4.4 | 499 | 8.2 | 0.38 | 7.5 | 9.0 |
| 2015 | 14 | 2.2 | 0.65 | 1.1 | 3.8 | 496 | 7.9 | 0.36 | 7.2 | 8.7 |
| 2016 | 18 | 3.5 | 0.89 | 1.9 | 5.6 | 486 | 7.7 | 0.36 | 7.0 | 8.5 |
| 2017 | 13 | 2.5 | 0.77 | 1.3 | 4.4 | 474 | 7.6 | 0.36 | 6.9 | 8.3 |
| 2018 | 18 | 2.7 | 0.71 | 1.5 | 4.4 | 446 | 6.9 | 0.33 | 6.2 | 7.6 |
| 2019 | 23 | 3.6 | 0.82 | 2.1 | 5.5 | 502 | 7.7 | 0.35 | 7.0 | 8.4 |
| 2020 | 26 | 3.6 | 0.76 | 2.2 | 5.3 | 527 | 7.9 | 0.35 | 7.2 | 8.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Esophagus | | | | | | | | | | |
|--------------------|--------|------|------|-----|------|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 11,518 | 8.3 | 0.08 | 8.1 | 8.4 | 2,037 | 10.0 | 0.23 | 9.6 | 10.5 |
| 1990 | 245 | 6.3 | 0.42 | 5.6 | 7.2 | 94 | 18.7 | 2.01 | 15.0 | 23.0 |
| 1991 | 281 | 7.2 | 0.44 | 6.4 | 8.1 | 101 | 19.8 | 2.05 | 16.0 | 24.2 |
| 1992 | 302 | 7.6 | 0.45 | 6.8 | 8.5 | 85 | 16.9 | 1.92 | 13.3 | 21.0 |
| 1993 | 286 | 7.1 | 0.42 | 6.3 | 8.0 | 88 | 17.0 | 1.90 | 13.5 | 21.1 |
| 1994 | 307 | 7.7 | 0.45 | 6.9 | 8.6 | 88 | 17.0 | 1.90 | 13.5 | 21.1 |
| 1995 | 326 | 8.0 | 0.45 | 7.1 | 8.9 | 86 | 16.0 | 1.79 | 12.7 | 19.9 |
| 1996 | 329 | 8.1 | 0.45 | 7.3 | 9.1 | 78 | 13.6 | 1.61 | 10.7 | 17.1 |
| 1997 | 319 | 7.8 | 0.44 | 7.0 | 8.8 | 76 | 13.8 | 1.65 | 10.8 | 17.4 |
| 1998 | 360 | 8.8 | 0.47 | 7.9 | 9.8 | 75 | 13.0 | 1.55 | 10.1 | 16.4 |
| 1999 | 331 | 8.0 | 0.44 | 7.2 | 8.9 | 62 | 11.1 | 1.48 | 8.4 | 14.3 |
| 2000 | 345 | 8.3 | 0.45 | 7.4 | 9.2 | 87 | 15.3 | 1.74 | 12.1 | 19.1 |
| 2001 | 356 | 8.6 | 0.46 | 7.7 | 9.6 | 79 | 13.2 | 1.55 | 10.4 | 16.6 |
| 2002 | 345 | 8.3 | 0.45 | 7.4 | 9.2 | 60 | 10.1 | 1.35 | 7.6 | 13.1 |
| 2003 | 352 | 8.3 | 0.45 | 7.5 | 9.2 | 67 | 10.4 | 1.32 | 8.0 | 13.3 |
| 2004 | 357 | 8.3 | 0.44 | 7.5 | 9.3 | 57 | 9.7 | 1.36 | 7.2 | 12.7 |
| 2005 | 406 | 9.2 | 0.46 | 8.4 | 10.2 | 65 | 9.7 | 1.25 | 7.4 | 12.4 |
| 2006 | 360 | 8.3 | 0.44 | 7.4 | 9.2 | 54 | 8.9 | 1.29 | 6.5 | 11.7 |
| 2007 | 413 | 9.3 | 0.46 | 8.4 | 10.3 | 59 | 9.3 | 1.29 | 6.9 | 12.1 |
| 2008 | 419 | 9.0 | 0.44 | 8.1 | 9.9 | 66 | 10.1 | 1.31 | 7.7 | 13.0 |
| 2009 | 411 | 8.9 | 0.44 | 8.0 | 9.8 | 60 | 9.1 | 1.24 | 6.8 | 11.9 |
| 2010 | 399 | 8.5 | 0.43 | 7.7 | 9.4 | 54 | 7.3 | 1.04 | 5.4 | 9.6 |
| 2011 | 381 | 8.0 | 0.42 | 7.2 | 8.9 | 66 | 9.2 | 1.18 | 7.0 | 11.8 |
| 2012 | 407 | 8.5 | 0.43 | 7.7 | 9.4 | 62 | 8.5 | 1.14 | 6.4 | 11.0 |
| 2013 | 438 | 8.8 | 0.43 | 8.0 | 9.7 | 46 | 6.0 | 0.94 | 4.3 | 8.1 |
| 2014 | 440 | 8.7 | 0.42 | 7.9 | 9.5 | 46 | 6.2 | 0.94 | 4.4 | 8.3 |
| 2015 | 449 | 8.6 | 0.42 | 7.8 | 9.5 | 41 | 5.2 | 0.84 | 3.7 | 7.1 |
| 2016 | 424 | 8.1 | 0.41 | 7.4 | 9.0 | 54 | 6.8 | 0.97 | 5.1 | 9.0 |
| 2017 | 417 | 8.1 | 0.41 | 7.3 | 8.9 | 49 | 6.2 | 0.93 | 4.5 | 8.3 |
| 2018 | 395 | 7.4 | 0.38 | 6.7 | 8.2 | 41 | 5.0 | 0.81 | 3.5 | 6.8 |
| 2019 | 446 | 8.3 | 0.40 | 7.5 | 9.1 | 46 | 5.6 | 0.85 | 4.1 | 7.5 |
| 2020 | 472 | 8.6 | 0.41 | 7.8 | 9.4 | 45 | 5.3 | 0.83 | 3.8 | 7.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Esophagus | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 85 | 0.8 | 0.09 | 0.6 | 1.0 | 4,035 | 1.8 | 0.03 | 1.8 | 1.9 |
| 1990 | * | * | * | * | * | 130 | 2.1 | 0.19 | 1.8 | 2.5 |
| 1991 | * | * | * | * | * | 133 | 2.1 | 0.18 | 1.8 | 2.5 |
| 1992 | * | * | * | * | * | 135 | 2.1 | 0.18 | 1.8 | 2.5 |
| 1993 | * | * | * | * | * | 125 | 1.9 | 0.17 | 1.6 | 2.3 |
| 1994 | * | * | * | * | * | 145 | 2.3 | 0.19 | 1.9 | 2.7 |
| 1995 | * | * | * | * | * | 133 | 2.1 | 0.18 | 1.7 | 2.4 |
| 1996 | * | * | * | * | * | 133 | 2.0 | 0.18 | 1.7 | 2.4 |
| 1997 | * | * | * | * | * | 135 | 2.1 | 0.18 | 1.8 | 2.5 |
| 1998 | * | * | * | * | * | 133 | 2.0 | 0.18 | 1.7 | 2.4 |
| 1999 | * | * | * | * | * | 108 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2000 | * | * | * | * | * | 151 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2001 | * | * | * | * | * | 133 | 2.0 | 0.17 | 1.7 | 2.3 |
| 2002 | * | * | * | * | * | 142 | 2.1 | 0.17 | 1.7 | 2.4 |
| 2003 | * | * | * | * | * | 130 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2004 | * | * | * | * | * | 132 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2005 | * | * | * | * | * | 118 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2006 | * | * | * | * | * | 125 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2007 | * | * | * | * | * | 126 | 1.8 | 0.16 | 1.5 | 2.1 |
| 2008 | * | * | * | * | * | 129 | 1.9 | 0.17 | 1.6 | 2.2 |
| 2009 | * | * | * | * | * | 113 | 1.6 | 0.15 | 1.3 | 1.9 |
| 2010 | * | * | * | * | * | 144 | 2.0 | 0.17 | 1.7 | 2.4 |
| 2011 | * | * | * | * | * | 120 | 1.6 | 0.15 | 1.3 | 2.0 |
| 2012 | * | * | * | * | * | 140 | 1.9 | 0.16 | 1.6 | 2.2 |
| 2013 | * | * | * | * | * | 137 | 1.8 | 0.16 | 1.5 | 2.1 |
| 2014 | * | * | * | * | * | 132 | 1.7 | 0.15 | 1.4 | 2.0 |
| 2015 | * | * | * | * | * | 107 | 1.3 | 0.13 | 1.1 | 1.6 |
| 2016 | * | * | * | * | * | 128 | 1.6 | 0.15 | 1.3 | 1.9 |
| 2017 | * | * | * | * | * | 133 | 1.6 | 0.15 | 1.4 | 2.0 |
| 2018 | * | * | * | * | * | 139 | 1.7 | 0.15 | 1.5 | 2.1 |
| 2019 | * | * | * | * | * | 127 | 1.6 | 0.14 | 1.3 | 1.9 |
| 2020 | * | * | * | * | * | 119 | 1.4 | 0.14 | 1.2 | 1.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Esophagus | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,113 | 1.7 | 0.03 | 1.6 | 1.7 | 859 | 3.1 | 0.10 | 2.8 | 3.3 |
| 1990 | 90 | 1.6 | 0.17 | 1.3 | 2.0 | 40 | 6.1 | 0.98 | 4.3 | 8.3 |
| 1991 | 94 | 1.6 | 0.17 | 1.3 | 2.0 | 38 | 5.5 | 0.89 | 3.8 | 7.5 |
| 1992 | 108 | 1.9 | 0.18 | 1.5 | 2.3 | 25 | 3.5 | 0.70 | 2.2 | 5.1 |
| 1993 | 88 | 1.5 | 0.17 | 1.2 | 1.9 | 36 | 5.0 | 0.85 | 3.5 | 7.0 |
| 1994 | 102 | 1.8 | 0.18 | 1.5 | 2.2 | 43 | 5.7 | 0.87 | 4.1 | 7.6 |
| 1995 | 98 | 1.7 | 0.17 | 1.4 | 2.1 | 33 | 4.4 | 0.78 | 3.0 | 6.2 |
| 1996 | 92 | 1.6 | 0.16 | 1.3 | 1.9 | 37 | 4.9 | 0.82 | 3.5 | 6.8 |
| 1997 | 100 | 1.8 | 0.18 | 1.5 | 2.2 | 34 | 4.4 | 0.75 | 3.0 | 6.1 |
| 1998 | 107 | 1.8 | 0.18 | 1.5 | 2.2 | 26 | 3.2 | 0.64 | 2.1 | 4.7 |
| 1999 | 75 | 1.3 | 0.15 | 1.0 | 1.6 | 33 | 4.1 | 0.72 | 2.8 | 5.7 |
| 2000 | 126 | 2.1 | 0.19 | 1.8 | 2.5 | 24 | 2.9 | 0.60 | 1.9 | 4.3 |
| 2001 | 95 | 1.6 | 0.17 | 1.3 | 2.0 | 37 | 4.5 | 0.75 | 3.2 | 6.3 |
| 2002 | 111 | 1.9 | 0.18 | 1.5 | 2.2 | 27 | 3.2 | 0.62 | 2.1 | 4.7 |
| 2003 | 107 | 1.8 | 0.18 | 1.5 | 2.2 | 22 | 2.5 | 0.54 | 1.6 | 3.8 |
| 2004 | 98 | 1.7 | 0.17 | 1.4 | 2.0 | 32 | 3.7 | 0.65 | 2.5 | 5.2 |
| 2005 | 91 | 1.6 | 0.17 | 1.3 | 1.9 | 26 | 3.0 | 0.59 | 1.9 | 4.4 |
| 2006 | 98 | 1.7 | 0.18 | 1.4 | 2.1 | 25 | 2.8 | 0.57 | 1.8 | 4.2 |
| 2007 | 102 | 1.7 | 0.17 | 1.4 | 2.1 | 23 | 2.5 | 0.53 | 1.6 | 3.8 |
| 2008 | 101 | 1.7 | 0.18 | 1.4 | 2.1 | 26 | 2.7 | 0.53 | 1.8 | 4.0 |
| 2009 | 93 | 1.5 | 0.16 | 1.2 | 1.9 | 20 | 2.1 | 0.47 | 1.3 | 3.2 |
| 2010 | 119 | 2.0 | 0.19 | 1.6 | 2.4 | 22 | 2.2 | 0.48 | 1.4 | 3.4 |
| 2011 | 86 | 1.4 | 0.15 | 1.1 | 1.7 | 30 | 2.9 | 0.53 | 1.9 | 4.1 |
| 2012 | 106 | 1.7 | 0.17 | 1.4 | 2.1 | 30 | 2.9 | 0.55 | 2.0 | 4.2 |
| 2013 | 106 | 1.7 | 0.17 | 1.4 | 2.1 | 23 | 2.3 | 0.49 | 1.5 | 3.5 |
| 2014 | 109 | 1.7 | 0.17 | 1.4 | 2.1 | 21 | 1.8 | 0.41 | 1.1 | 2.8 |
| 2015 | 91 | 1.4 | 0.15 | 1.1 | 1.7 | 16 | 1.4 | 0.35 | 0.8 | 2.3 |
| 2016 | 104 | 1.6 | 0.16 | 1.3 | 2.0 | 21 | 1.9 | 0.42 | 1.2 | 3.0 |
| 2017 | 99 | 1.5 | 0.15 | 1.2 | 1.8 | 30 | 2.5 | 0.47 | 1.7 | 3.6 |
| 2018 | 118 | 1.8 | 0.18 | 1.5 | 2.2 | 17 | 1.5 | 0.36 | 0.8 | 2.4 |
| 2019 | 104 | 1.6 | 0.16 | 1.3 | 2.0 | 21 | 1.7 | 0.37 | 1.0 | 2.6 |
| 2020 | 95 | 1.4 | 0.15 | 1.1 | 1.8 | 21 | 1.8 | 0.41 | 1.1 | 2.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Stomach | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,336 | 5.8 | 0.18 | 5.5 | 6.1 | 15,701 | 4.2 | 0.03 | 4.1 | 4.2 |
| 1990 | 16 | 5.3 | 1.62 | 2.6 | 9.2 | 672 | 6.4 | 0.25 | 6.0 | 6.9 |
| 1991 | 21 | 6.2 | 1.60 | 3.5 | 10.0 | 676 | 6.4 | 0.25 | 5.9 | 6.9 |
| 1992 | 17 | 5.7 | 1.60 | 3.0 | 9.5 | 605 | 5.6 | 0.23 | 5.2 | 6.1 |
| 1993 | 30 | 7.2 | 1.48 | 4.6 | 10.7 | 654 | 6.1 | 0.24 | 5.6 | 6.5 |
| 1994 | 30 | 8.1 | 1.73 | 5.1 | 12.1 | 615 | 5.6 | 0.23 | 5.2 | 6.1 |
| 1995 | 25 | 5.5 | 1.30 | 3.2 | 8.5 | 634 | 5.7 | 0.23 | 5.3 | 6.2 |
| 1996 | 19 | 4.9 | 1.31 | 2.7 | 8.0 | 583 | 5.2 | 0.22 | 4.8 | 5.7 |
| 1997 | 21 | 4.4 | 1.07 | 2.6 | 6.9 | 558 | 5.0 | 0.21 | 4.6 | 5.4 |
| 1998 | 36 | 7.8 | 1.58 | 5.1 | 11.4 | 606 | 5.4 | 0.22 | 4.9 | 5.8 |
| 1999 | 21 | 3.8 | 0.99 | 2.1 | 6.2 | 580 | 5.1 | 0.21 | 4.7 | 5.5 |
| 2000 | 30 | 5.2 | 1.12 | 3.2 | 7.8 | 526 | 4.6 | 0.20 | 4.2 | 5.0 |
| 2001 | 37 | 5.5 | 1.04 | 3.7 | 7.9 | 562 | 4.8 | 0.20 | 4.5 | 5.3 |
| 2002 | 36 | 6.9 | 1.36 | 4.5 | 10.0 | 508 | 4.4 | 0.19 | 4.0 | 4.8 |
| 2003 | 31 | 5.6 | 1.14 | 3.6 | 8.2 | 540 | 4.6 | 0.20 | 4.2 | 5.0 |
| 2004 | 50 | 6.6 | 1.08 | 4.7 | 9.0 | 528 | 4.5 | 0.19 | 4.1 | 4.9 |
| 2005 | 51 | 7.5 | 1.22 | 5.3 | 10.2 | 474 | 4.0 | 0.18 | 3.6 | 4.3 |
| 2006 | 37 | 5.1 | 0.94 | 3.4 | 7.2 | 468 | 3.9 | 0.18 | 3.6 | 4.3 |
| 2007 | 27 | 4.3 | 0.89 | 2.7 | 6.3 | 458 | 3.8 | 0.18 | 3.4 | 4.1 |
| 2008 | 51 | 5.6 | 0.89 | 4.0 | 7.6 | 457 | 3.7 | 0.17 | 3.4 | 4.1 |
| 2009 | 57 | 8.2 | 1.18 | 6.0 | 10.7 | 484 | 3.9 | 0.18 | 3.5 | 4.2 |
| 2010 | 49 | 5.4 | 0.87 | 3.8 | 7.3 | 411 | 3.2 | 0.16 | 2.9 | 3.6 |
| 2011 | 54 | 5.7 | 0.88 | 4.1 | 7.7 | 453 | 3.5 | 0.17 | 3.2 | 3.9 |
| 2012 | 61 | 6.3 | 0.89 | 4.6 | 8.2 | 452 | 3.5 | 0.17 | 3.2 | 3.8 |
| 2013 | 54 | 5.6 | 0.83 | 4.1 | 7.4 | 432 | 3.3 | 0.16 | 3.0 | 3.6 |
| 2014 | 58 | 5.8 | 0.83 | 4.3 | 7.6 | 417 | 3.1 | 0.16 | 2.8 | 3.5 |
| 2015 | 68 | 5.6 | 0.75 | 4.3 | 7.3 | 420 | 3.1 | 0.16 | 2.8 | 3.5 |
| 2016 | 60 | 5.2 | 0.72 | 3.9 | 6.8 | 421 | 3.1 | 0.15 | 2.8 | 3.4 |
| 2017 | 71 | 5.8 | 0.74 | 4.5 | 7.5 | 415 | 2.9 | 0.15 | 2.7 | 3.3 |
| 2018 | 80 | 6.6 | 0.79 | 5.1 | 8.3 | 338 | 2.4 | 0.13 | 2.2 | 2.7 |
| 2019 | 71 | 5.0 | 0.64 | 3.9 | 6.4 | 372 | 2.6 | 0.14 | 2.3 | 2.9 |
| 2020 | 67 | 4.7 | 0.61 | 3.6 | 6.1 | 382 | 2.7 | 0.14 | 2.4 | 3.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Stomach | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 11,413 | 3.5 | 0.03 | 3.5 | 3.6 | 3,623 | 8.1 | 0.14 | 7.8 | 8.3 |
| 1990 | 530 | 5.7 | 0.25 | 5.2 | 6.2 | 128 | 12.0 | 1.10 | 10.0 | 14.3 |
| 1991 | 540 | 5.7 | 0.25 | 5.2 | 6.2 | 127 | 11.9 | 1.09 | 9.9 | 14.3 |
| 1992 | 460 | 4.9 | 0.23 | 4.4 | 5.3 | 129 | 11.2 | 1.02 | 9.3 | 13.4 |
| 1993 | 487 | 5.1 | 0.23 | 4.7 | 5.6 | 150 | 13.2 | 1.11 | 11.1 | 15.5 |
| 1994 | 483 | 5.0 | 0.23 | 4.6 | 5.5 | 111 | 9.5 | 0.93 | 7.8 | 11.5 |
| 1995 | 495 | 5.1 | 0.23 | 4.7 | 5.6 | 118 | 9.8 | 0.93 | 8.1 | 11.8 |
| 1996 | 433 | 4.4 | 0.21 | 4.0 | 4.9 | 137 | 11.2 | 0.98 | 9.3 | 13.2 |
| 1997 | 427 | 4.3 | 0.21 | 3.9 | 4.8 | 109 | 9.1 | 0.89 | 7.4 | 10.9 |
| 1998 | 449 | 4.6 | 0.22 | 4.1 | 5.0 | 141 | 11.2 | 0.96 | 9.4 | 13.2 |
| 1999 | 440 | 4.4 | 0.21 | 4.0 | 4.9 | 118 | 9.3 | 0.87 | 7.7 | 11.2 |
| 2000 | 382 | 3.8 | 0.20 | 3.4 | 4.2 | 119 | 9.3 | 0.87 | 7.7 | 11.1 |
| 2001 | 416 | 4.2 | 0.20 | 3.8 | 4.6 | 121 | 9.0 | 0.84 | 7.5 | 10.8 |
| 2002 | 379 | 3.8 | 0.19 | 3.4 | 4.2 | 110 | 8.1 | 0.79 | 6.6 | 9.7 |
| 2003 | 386 | 3.8 | 0.19 | 3.4 | 4.2 | 128 | 9.6 | 0.87 | 8.0 | 11.4 |
| 2004 | 381 | 3.8 | 0.19 | 3.4 | 4.2 | 132 | 9.3 | 0.82 | 7.7 | 11.0 |
| 2005 | 342 | 3.3 | 0.18 | 3.0 | 3.7 | 111 | 7.8 | 0.76 | 6.4 | 9.4 |
| 2006 | 339 | 3.3 | 0.18 | 3.0 | 3.7 | 110 | 7.6 | 0.74 | 6.2 | 9.2 |
| 2007 | 311 | 3.0 | 0.17 | 2.7 | 3.4 | 123 | 8.2 | 0.76 | 6.8 | 9.9 |
| 2008 | 320 | 3.1 | 0.17 | 2.7 | 3.4 | 123 | 8.6 | 0.79 | 7.1 | 10.3 |
| 2009 | 351 | 3.3 | 0.18 | 3.0 | 3.7 | 107 | 6.8 | 0.67 | 5.5 | 8.2 |
| 2010 | 279 | 2.6 | 0.16 | 2.3 | 3.0 | 112 | 7.0 | 0.68 | 5.8 | 8.5 |
| 2011 | 318 | 2.9 | 0.17 | 2.6 | 3.3 | 109 | 6.9 | 0.68 | 5.7 | 8.4 |
| 2012 | 298 | 2.7 | 0.16 | 2.4 | 3.1 | 125 | 7.9 | 0.72 | 6.5 | 9.4 |
| 2013 | 294 | 2.7 | 0.16 | 2.4 | 3.0 | 118 | 7.0 | 0.66 | 5.7 | 8.4 |
| 2014 | 283 | 2.6 | 0.16 | 2.3 | 2.9 | 110 | 6.5 | 0.63 | 5.3 | 7.8 |
| 2015 | 289 | 2.6 | 0.15 | 2.3 | 2.9 | 110 | 6.3 | 0.62 | 5.2 | 7.7 |
| 2016 | 284 | 2.6 | 0.16 | 2.3 | 2.9 | 103 | 5.8 | 0.58 | 4.7 | 7.0 |
| 2017 | 277 | 2.4 | 0.15 | 2.1 | 2.7 | 102 | 5.6 | 0.57 | 4.6 | 6.8 |
| 2018 | 219 | 1.9 | 0.13 | 1.7 | 2.2 | 94 | 5.0 | 0.53 | 4.1 | 6.2 |
| 2019 | 257 | 2.2 | 0.14 | 1.9 | 2.5 | 95 | 5.1 | 0.54 | 4.1 | 6.3 |
| 2020 | 264 | 2.3 | 0.15 | 2.1 | 2.7 | 93 | 4.8 | 0.51 | 3.9 | 5.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Stomach | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 783 | 7.6 | 0.31 | 7.0 | 8.2 | 9,211 | 5.8 | 0.06 | 5.7 | 6.0 |
| 1990 | 10 | 9.7 | 3.93 | 3.6 | 19.4 | 380 | 9.2 | 0.49 | 8.2 | 10.2 |
| 1991 | 14 | 9.3 | 3.26 | 4.1 | 17.3 | 414 | 9.7 | 0.49 | 8.7 | 10.7 |
| 1992 | * | * | * | * | * | 364 | 8.4 | 0.45 | 7.5 | 9.3 |
| 1993 | 17 | 6.7 | 1.69 | 3.8 | 11.1 | 377 | 8.8 | 0.47 | 7.9 | 9.8 |
| 1994 | 19 | 12.2 | 3.47 | 6.4 | 20.4 | 323 | 7.4 | 0.42 | 6.6 | 8.3 |
| 1995 | 17 | 7.5 | 2.23 | 3.8 | 13.0 | 376 | 8.6 | 0.46 | 7.7 | 9.5 |
| 1996 | 12 | 9.3 | 3.26 | 4.1 | 17.2 | 346 | 8.0 | 0.44 | 7.2 | 8.9 |
| 1997 | 16 | 6.4 | 1.77 | 3.4 | 10.9 | 341 | 7.7 | 0.42 | 6.9 | 8.5 |
| 1998 | 17 | 8.5 | 2.58 | 4.2 | 14.7 | 359 | 7.9 | 0.42 | 7.1 | 8.7 |
| 1999 | 15 | 6.8 | 2.25 | 3.1 | 12.3 | 322 | 7.0 | 0.40 | 6.3 | 7.8 |
| 2000 | 14 | 5.7 | 1.83 | 2.7 | 10.3 | 317 | 6.9 | 0.39 | 6.1 | 7.7 |
| 2001 | 19 | 7.4 | 1.99 | 4.0 | 12.2 | 314 | 6.6 | 0.37 | 5.9 | 7.3 |
| 2002 | 20 | 10.3 | 2.85 | 5.5 | 16.9 | 301 | 6.4 | 0.37 | 5.7 | 7.1 |
| 2003 | 22 | 7.4 | 1.76 | 4.3 | 11.5 | 316 | 6.6 | 0.38 | 5.9 | 7.4 |
| 2004 | 28 | 7.5 | 1.77 | 4.5 | 11.7 | 320 | 6.6 | 0.37 | 5.9 | 7.3 |
| 2005 | 27 | 9.4 | 2.28 | 5.5 | 14.7 | 258 | 5.4 | 0.34 | 4.7 | 6.1 |
| 2006 | 19 | 4.9 | 1.26 | 2.8 | 8.0 | 268 | 5.3 | 0.33 | 4.7 | 6.0 |
| 2007 | 20 | 7.5 | 1.86 | 4.3 | 11.8 | 270 | 5.3 | 0.33 | 4.7 | 6.0 |
| 2008 | 32 | 7.4 | 1.57 | 4.7 | 11.1 | 261 | 5.0 | 0.31 | 4.4 | 5.6 |
| 2009 | 30 | 10.3 | 2.08 | 6.7 | 15.0 | 283 | 5.2 | 0.32 | 4.6 | 5.9 |
| 2010 | 29 | 8.6 | 1.83 | 5.4 | 12.7 | 251 | 4.7 | 0.30 | 4.1 | 5.3 |
| 2011 | 36 | 8.3 | 1.60 | 5.4 | 11.9 | 265 | 4.9 | 0.30 | 4.3 | 5.5 |
| 2012 | 40 | 8.2 | 1.48 | 5.5 | 11.5 | 274 | 4.9 | 0.30 | 4.3 | 5.5 |
| 2013 | 29 | 7.0 | 1.46 | 4.4 | 10.3 | 274 | 4.8 | 0.30 | 4.3 | 5.5 |
| 2014 | 34 | 7.4 | 1.40 | 4.9 | 10.5 | 244 | 4.2 | 0.28 | 3.7 | 4.8 |
| 2015 | 36 | 6.5 | 1.23 | 4.3 | 9.2 | 250 | 4.3 | 0.28 | 3.8 | 4.9 |
| 2016 | 32 | 6.0 | 1.20 | 3.9 | 8.7 | 247 | 4.1 | 0.27 | 3.6 | 4.7 |
| 2017 | 40 | 6.6 | 1.17 | 4.5 | 9.3 | 247 | 4.0 | 0.26 | 3.5 | 4.6 |
| 2018 | 48 | 9.2 | 1.45 | 6.6 | 12.4 | 202 | 3.2 | 0.23 | 2.8 | 3.7 |
| 2019 | 41 | 6.4 | 1.12 | 4.4 | 8.9 | 221 | 3.5 | 0.24 | 3.0 | 4.0 |
| 2020 | 43 | 6.8 | 1.12 | 4.8 | 9.2 | 226 | 3.6 | 0.25 | 3.1 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Stomach | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 6,697 | 5.0 | 0.06 | 4.9 | 5.1 | 2,144 | 11.9 | 0.27 | 11.4 | 12.5 |
| 1990 | 300 | 8.3 | 0.49 | 7.3 | 9.3 | 69 | 15.4 | 1.96 | 11.8 | 19.7 |
| 1991 | 324 | 8.6 | 0.49 | 7.7 | 9.6 | 83 | 18.5 | 2.17 | 14.5 | 23.2 |
| 1992 | 277 | 7.3 | 0.45 | 6.4 | 8.2 | 78 | 17.2 | 2.09 | 13.3 | 21.7 |
| 1993 | 267 | 7.2 | 0.45 | 6.3 | 8.1 | 100 | 22.1 | 2.38 | 17.7 | 27.2 |
| 1994 | 246 | 6.5 | 0.42 | 5.7 | 7.4 | 63 | 13.0 | 1.74 | 9.8 | 16.8 |
| 1995 | 299 | 7.9 | 0.46 | 7.0 | 8.8 | 66 | 14.1 | 1.87 | 10.7 | 18.2 |
| 1996 | 260 | 7.0 | 0.44 | 6.1 | 7.9 | 80 | 16.6 | 1.99 | 12.9 | 20.9 |
| 1997 | 258 | 6.7 | 0.42 | 5.9 | 7.5 | 71 | 15.2 | 1.94 | 11.7 | 19.4 |
| 1998 | 265 | 6.7 | 0.42 | 5.9 | 7.6 | 85 | 17.1 | 1.98 | 13.5 | 21.4 |
| 1999 | 243 | 6.1 | 0.40 | 5.4 | 7.0 | 70 | 14.5 | 1.84 | 11.1 | 18.5 |
| 2000 | 236 | 6.0 | 0.39 | 5.2 | 6.8 | 66 | 12.7 | 1.66 | 9.6 | 16.3 |
| 2001 | 236 | 5.8 | 0.38 | 5.0 | 6.5 | 67 | 12.7 | 1.66 | 9.6 | 16.3 |
| 2002 | 235 | 5.8 | 0.38 | 5.1 | 6.6 | 55 | 10.0 | 1.42 | 7.4 | 13.1 |
| 2003 | 234 | 5.7 | 0.38 | 5.0 | 6.5 | 69 | 12.3 | 1.57 | 9.4 | 15.7 |
| 2004 | 229 | 5.6 | 0.37 | 4.9 | 6.3 | 81 | 13.5 | 1.60 | 10.6 | 17.0 |
| 2005 | 185 | 4.5 | 0.33 | 3.9 | 5.2 | 61 | 11.3 | 1.54 | 8.5 | 14.7 |
| 2006 | 200 | 4.6 | 0.33 | 4.0 | 5.3 | 59 | 10.1 | 1.38 | 7.5 | 13.1 |
| 2007 | 179 | 4.2 | 0.32 | 3.6 | 4.9 | 81 | 13.8 | 1.63 | 10.8 | 17.3 |
| 2008 | 175 | 4.0 | 0.30 | 3.4 | 4.6 | 75 | 13.2 | 1.61 | 10.2 | 16.7 |
| 2009 | 199 | 4.4 | 0.31 | 3.8 | 5.0 | 74 | 11.6 | 1.41 | 9.0 | 14.6 |
| 2010 | 173 | 3.8 | 0.29 | 3.3 | 4.4 | 67 | 11.1 | 1.43 | 8.5 | 14.2 |
| 2011 | 186 | 4.0 | 0.30 | 3.4 | 4.6 | 68 | 11.1 | 1.40 | 8.5 | 14.1 |
| 2012 | 183 | 3.8 | 0.29 | 3.3 | 4.4 | 69 | 11.5 | 1.44 | 8.8 | 14.6 |
| 2013 | 192 | 4.1 | 0.30 | 3.5 | 4.7 | 68 | 10.1 | 1.29 | 7.7 | 12.9 |
| 2014 | 167 | 3.5 | 0.27 | 3.0 | 4.1 | 65 | 9.7 | 1.26 | 7.3 | 12.4 |
| 2015 | 167 | 3.4 | 0.27 | 2.9 | 4.0 | 71 | 10.3 | 1.27 | 7.9 | 13.1 |
| 2016 | 170 | 3.4 | 0.27 | 2.9 | 4.0 | 57 | 8.0 | 1.11 | 6.0 | 10.5 |
| 2017 | 169 | 3.3 | 0.26 | 2.8 | 3.9 | 58 | 8.1 | 1.11 | 6.1 | 10.6 |
| 2018 | 132 | 2.6 | 0.23 | 2.2 | 3.1 | 57 | 7.4 | 1.03 | 5.5 | 9.7 |
| 2019 | 152 | 2.9 | 0.24 | 2.4 | 3.4 | 57 | 7.4 | 1.01 | 5.6 | 9.6 |
| 2020 | 159 | 3.1 | 0.26 | 2.7 | 3.7 | 54 | 6.9 | 0.98 | 5.2 | 9.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Stomach | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 553 | 4.4 | 0.20 | 4.0 | 4.8 | 6,490 | 2.9 | 0.04 | 2.9 | 3.0 |
| 1990 | * | * | * | * | * | 292 | 4.6 | 0.27 | 4.1 | 5.2 |
| 1991 | * | * | * | * | * | 262 | 4.0 | 0.25 | 3.5 | 4.5 |
| 1992 | 10 | 5.2 | 1.84 | 2.3 | 9.9 | 241 | 3.7 | 0.24 | 3.2 | 4.2 |
| 1993 | 13 | 7.0 | 2.10 | 3.5 | 12.1 | 277 | 4.2 | 0.26 | 3.7 | 4.7 |
| 1994 | 11 | 5.2 | 1.78 | 2.3 | 9.7 | 292 | 4.4 | 0.26 | 3.9 | 4.9 |
| 1995 | * | * | * | * | * | 258 | 3.9 | 0.24 | 3.4 | 4.4 |
| 1996 | * | * | * | * | * | 237 | 3.5 | 0.23 | 3.1 | 4.0 |
| 1997 | * | * | * | * | * | 217 | 3.2 | 0.22 | 2.8 | 3.6 |
| 1998 | 19 | 7.5 | 1.97 | 4.1 | 12.1 | 247 | 3.6 | 0.23 | 3.1 | 4.0 |
| 1999 | * | * | * | * | * | 258 | 3.8 | 0.24 | 3.3 | 4.3 |
| 2000 | 16 | 4.8 | 1.41 | 2.5 | 8.3 | 209 | 3.0 | 0.21 | 2.6 | 3.4 |
| 2001 | 18 | 4.2 | 1.05 | 2.4 | 6.8 | 248 | 3.5 | 0.23 | 3.1 | 4.0 |
| 2002 | 16 | 4.9 | 1.37 | 2.5 | 8.2 | 207 | 2.9 | 0.21 | 2.6 | 3.4 |
| 2003 | * | * | * | * | * | 224 | 3.1 | 0.21 | 2.7 | 3.5 |
| 2004 | 22 | 5.9 | 1.36 | 3.5 | 9.1 | 208 | 2.9 | 0.21 | 2.6 | 3.4 |
| 2005 | 24 | 6.3 | 1.41 | 3.9 | 9.6 | 216 | 3.1 | 0.21 | 2.7 | 3.5 |
| 2006 | 18 | 5.0 | 1.29 | 2.8 | 8.1 | 200 | 2.9 | 0.21 | 2.5 | 3.3 |
| 2007 | * | * | * | * | * | 188 | 2.7 | 0.20 | 2.3 | 3.1 |
| 2008 | 19 | 4.1 | 1.01 | 2.3 | 6.5 | 196 | 2.7 | 0.20 | 2.4 | 3.2 |
| 2009 | 27 | 6.7 | 1.38 | 4.2 | 9.8 | 201 | 2.8 | 0.20 | 2.4 | 3.2 |
| 2010 | 20 | 3.2 | 0.76 | 1.8 | 5.0 | 160 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2011 | 18 | 3.6 | 0.93 | 2.0 | 5.8 | 188 | 2.6 | 0.19 | 2.2 | 3.0 |
| 2012 | 21 | 4.4 | 1.03 | 2.6 | 6.8 | 178 | 2.4 | 0.19 | 2.1 | 2.8 |
| 2013 | 25 | 4.5 | 0.98 | 2.8 | 6.8 | 158 | 2.0 | 0.17 | 1.7 | 2.4 |
| 2014 | 24 | 4.5 | 0.96 | 2.8 | 6.7 | 173 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2015 | 32 | 5.0 | 0.95 | 3.3 | 7.2 | 170 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2016 | 28 | 4.6 | 0.92 | 3.0 | 6.7 | 174 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2017 | 31 | 5.1 | 0.96 | 3.4 | 7.3 | 168 | 2.1 | 0.17 | 1.8 | 2.5 |
| 2018 | 32 | 4.7 | 0.87 | 3.1 | 6.7 | 136 | 1.7 | 0.15 | 1.4 | 2.0 |
| 2019 | 30 | 3.9 | 0.75 | 2.6 | 5.6 | 151 | 1.9 | 0.16 | 1.6 | 2.3 |
| 2020 | 24 | 3.1 | 0.66 | 1.9 | 4.7 | 156 | 2.0 | 0.17 | 1.7 | 2.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Stomach | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 4,716 | 2.5 | 0.04 | 2.4 | 2.6 | 1,479 | 5.5 | 0.14 | 5.2 | 5.8 |
| 1990 | 230 | 4.1 | 0.27 | 3.6 | 4.7 | 59 | 9.5 | 1.25 | 7.2 | 12.2 |
| 1991 | 216 | 3.7 | 0.25 | 3.2 | 4.2 | 44 | 7.3 | 1.11 | 5.3 | 9.8 |
| 1992 | 183 | 3.1 | 0.23 | 2.7 | 3.6 | 51 | 7.4 | 1.06 | 5.5 | 9.8 |
| 1993 | 220 | 3.8 | 0.26 | 3.3 | 4.4 | 50 | 7.5 | 1.07 | 5.6 | 9.9 |
| 1994 | 237 | 4.1 | 0.27 | 3.5 | 4.6 | 48 | 7.0 | 1.02 | 5.2 | 9.3 |
| 1995 | 196 | 3.3 | 0.24 | 2.9 | 3.8 | 52 | 7.2 | 1.00 | 5.3 | 9.4 |
| 1996 | 173 | 2.9 | 0.23 | 2.5 | 3.4 | 57 | 7.7 | 1.03 | 5.8 | 10.0 |
| 1997 | 169 | 2.8 | 0.22 | 2.4 | 3.3 | 38 | 5.3 | 0.87 | 3.7 | 7.3 |
| 1998 | 184 | 3.0 | 0.22 | 2.6 | 3.5 | 56 | 7.4 | 0.99 | 5.5 | 9.5 |
| 1999 | 197 | 3.3 | 0.24 | 2.8 | 3.8 | 48 | 6.2 | 0.91 | 4.6 | 8.3 |
| 2000 | 146 | 2.3 | 0.20 | 2.0 | 2.8 | 53 | 6.9 | 0.95 | 5.2 | 9.0 |
| 2001 | 180 | 2.9 | 0.22 | 2.5 | 3.3 | 54 | 6.7 | 0.92 | 5.0 | 8.8 |
| 2002 | 144 | 2.3 | 0.20 | 1.9 | 2.7 | 55 | 6.7 | 0.91 | 5.0 | 8.7 |
| 2003 | 152 | 2.4 | 0.20 | 2.0 | 2.9 | 59 | 7.5 | 0.98 | 5.7 | 9.6 |
| 2004 | 152 | 2.5 | 0.21 | 2.1 | 3.0 | 51 | 6.2 | 0.88 | 4.6 | 8.2 |
| 2005 | 157 | 2.6 | 0.21 | 2.2 | 3.0 | 50 | 5.8 | 0.83 | 4.3 | 7.7 |
| 2006 | 139 | 2.4 | 0.21 | 2.0 | 2.8 | 51 | 5.9 | 0.84 | 4.4 | 7.8 |
| 2007 | 132 | 2.2 | 0.19 | 1.8 | 2.6 | 42 | 4.8 | 0.74 | 3.4 | 6.5 |
| 2008 | 145 | 2.4 | 0.20 | 2.0 | 2.8 | 48 | 5.7 | 0.82 | 4.2 | 7.5 |
| 2009 | 152 | 2.5 | 0.21 | 2.1 | 3.0 | 33 | 3.6 | 0.63 | 2.5 | 5.0 |
| 2010 | 106 | 1.8 | 0.18 | 1.5 | 2.2 | 45 | 4.6 | 0.69 | 3.3 | 6.1 |
| 2011 | 132 | 2.1 | 0.19 | 1.8 | 2.5 | 41 | 4.3 | 0.68 | 3.1 | 5.9 |
| 2012 | 115 | 1.9 | 0.18 | 1.5 | 2.2 | 56 | 5.8 | 0.78 | 4.4 | 7.5 |
| 2013 | 102 | 1.6 | 0.16 | 1.3 | 1.9 | 50 | 4.9 | 0.70 | 3.6 | 6.5 |
| 2014 | 116 | 1.9 | 0.18 | 1.5 | 2.3 | 45 | 4.5 | 0.68 | 3.3 | 6.1 |
| 2015 | 122 | 1.9 | 0.18 | 1.6 | 2.3 | 39 | 3.8 | 0.61 | 2.7 | 5.2 |
| 2016 | 114 | 1.9 | 0.18 | 1.5 | 2.3 | 46 | 4.2 | 0.63 | 3.1 | 5.7 |
| 2017 | 108 | 1.7 | 0.17 | 1.4 | 2.1 | 44 | 4.0 | 0.62 | 2.9 | 5.5 |
| 2018 | 87 | 1.3 | 0.15 | 1.1 | 1.7 | 37 | 3.4 | 0.57 | 2.4 | 4.7 |
| 2019 | 105 | 1.7 | 0.17 | 1.3 | 2.0 | 38 | 3.5 | 0.58 | 2.5 | 4.8 |
| 2020 | 105 | 1.7 | 0.17 | 1.4 | 2.1 | 39 | 3.4 | 0.56 | 2.4 | 4.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Colon and Rectum | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 2,138 | 9.9 | 0.24 | 9.5 | 10.4 | 75,784 | 19.9 | 0.07 | 19.7 | 20.0 |
| 1990 | 37 | 12.1 | 2.23 | 8.1 | 17.1 | 2,977 | 28.5 | 0.53 | 27.4 | 29.5 |
| 1991 | 28 | 9.3 | 1.96 | 5.8 | 13.7 | 2,825 | 26.7 | 0.51 | 25.7 | 27.7 |
| 1992 | 41 | 14.8 | 2.58 | 10.1 | 20.5 | 2,862 | 26.6 | 0.50 | 25.6 | 27.6 |
| 1993 | 53 | 16.4 | 2.56 | 11.8 | 22.0 | 2,885 | 26.5 | 0.49 | 25.5 | 27.5 |
| 1994 | 33 | 9.2 | 1.78 | 6.1 | 13.2 | 2,830 | 25.8 | 0.49 | 24.9 | 26.8 |
| 1995 | 35 | 10.2 | 1.98 | 6.7 | 14.6 | 2,812 | 25.3 | 0.48 | 24.4 | 26.3 |
| 1996 | 46 | 12.4 | 2.08 | 8.7 | 17.0 | 2,624 | 23.5 | 0.46 | 22.6 | 24.4 |
| 1997 | 40 | 10.3 | 1.85 | 7.0 | 14.4 | 2,711 | 24.1 | 0.46 | 23.2 | 25.0 |
| 1998 | 38 | 8.8 | 1.64 | 5.8 | 12.4 | 2,670 | 23.5 | 0.45 | 22.6 | 24.4 |
| 1999 | 38 | 9.5 | 1.79 | 6.3 | 13.5 | 2,722 | 23.7 | 0.45 | 22.8 | 24.6 |
| 2000 | 49 | 10.3 | 1.69 | 7.3 | 14.0 | 2,753 | 23.8 | 0.45 | 22.9 | 24.7 |
| 2001 | 61 | 12.7 | 1.84 | 9.4 | 16.7 | 2,661 | 22.8 | 0.44 | 22.0 | 23.7 |
| 2002 | 58 | 11.8 | 1.75 | 8.6 | 15.7 | 2,647 | 22.6 | 0.44 | 21.7 | 23.4 |
| 2003 | 56 | 11.1 | 1.69 | 8.1 | 14.8 | 2,562 | 21.6 | 0.43 | 20.8 | 22.5 |
| 2004 | 47 | 8.6 | 1.42 | 6.0 | 11.7 | 2,465 | 20.7 | 0.42 | 19.9 | 21.5 |
| 2005 | 48 | 7.6 | 1.27 | 5.3 | 10.4 | 2,315 | 19.2 | 0.40 | 18.4 | 20.0 |
| 2006 | 62 | 10.6 | 1.52 | 7.9 | 13.9 | 2,440 | 20.0 | 0.41 | 19.2 | 20.8 |
| 2007 | 65 | 9.5 | 1.31 | 7.1 | 12.3 | 2,403 | 19.5 | 0.40 | 18.7 | 20.3 |
| 2008 | 74 | 11.0 | 1.42 | 8.4 | 14.1 | 2,318 | 18.7 | 0.39 | 17.9 | 19.5 |
| 2009 | 74 | 9.4 | 1.21 | 7.2 | 12.0 | 2,209 | 17.5 | 0.38 | 16.7 | 18.2 |
| 2010 | 75 | 9.0 | 1.13 | 6.9 | 11.4 | 2,223 | 17.3 | 0.37 | 16.6 | 18.0 |
| 2011 | 83 | 10.3 | 1.23 | 8.0 | 12.9 | 2,095 | 16.2 | 0.36 | 15.5 | 16.9 |
| 2012 | 87 | 8.4 | 1.01 | 6.5 | 10.6 | 2,129 | 16.2 | 0.36 | 15.5 | 16.9 |
| 2013 | 103 | 11.4 | 1.20 | 9.2 | 14.0 | 2,162 | 16.1 | 0.35 | 15.4 | 16.8 |
| 2014 | 104 | 10.0 | 1.06 | 8.0 | 12.3 | 2,057 | 15.3 | 0.34 | 14.6 | 15.9 |
| 2015 | 102 | 8.8 | 0.95 | 7.1 | 10.9 | 2,240 | 16.3 | 0.35 | 15.6 | 17.0 |
| 2016 | 96 | 8.4 | 0.92 | 6.7 | 10.4 | 2,080 | 14.8 | 0.33 | 14.1 | 15.5 |
| 2017 | 108 | 8.9 | 0.92 | 7.2 | 10.8 | 2,115 | 15.2 | 0.34 | 14.5 | 15.8 |
| 2018 | 132 | 10.5 | 0.98 | 8.7 | 12.6 | 2,045 | 14.4 | 0.33 | 13.8 | 15.0 |
| 2019 | 132 | 9.8 | 0.91 | 8.1 | 11.7 | 2,009 | 14.0 | 0.32 | 13.4 | 14.7 |
| 2020 | 133 | 9.6 | 0.89 | 8.0 | 11.5 | 1,938 | 13.7 | 0.32 | 13.1 | 14.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Colon and Rectum | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 62,228 | 19.2 | 0.08 | 19.0 | 19.3 | 12,373 | 27.4 | 0.25 | 26.9 | 27.9 |
| 1990 | 2,540 | 27.3 | 0.55 | 26.2 | 28.4 | 420 | 39.8 | 2.01 | 36.0 | 43.9 |
| 1991 | 2,452 | 26.1 | 0.53 | 25.0 | 27.1 | 357 | 33.3 | 1.81 | 29.8 | 37.0 |
| 1992 | 2,463 | 25.9 | 0.52 | 24.8 | 26.9 | 384 | 34.5 | 1.82 | 31.1 | 38.3 |
| 1993 | 2,465 | 25.6 | 0.52 | 24.6 | 26.6 | 403 | 36.1 | 1.85 | 32.6 | 39.9 |
| 1994 | 2,443 | 25.3 | 0.51 | 24.3 | 26.3 | 362 | 31.0 | 1.67 | 27.8 | 34.4 |
| 1995 | 2,419 | 24.7 | 0.50 | 23.8 | 25.8 | 369 | 31.6 | 1.68 | 28.4 | 35.0 |
| 1996 | 2,206 | 22.5 | 0.48 | 21.5 | 23.4 | 398 | 33.0 | 1.69 | 29.7 | 36.4 |
| 1997 | 2,285 | 23.2 | 0.49 | 22.2 | 24.1 | 404 | 33.8 | 1.72 | 30.5 | 37.3 |
| 1998 | 2,232 | 22.5 | 0.48 | 21.6 | 23.5 | 408 | 32.6 | 1.65 | 29.4 | 35.9 |
| 1999 | 2,291 | 22.9 | 0.48 | 22.0 | 23.8 | 407 | 32.6 | 1.65 | 29.4 | 36.0 |
| 2000 | 2,303 | 22.9 | 0.48 | 22.0 | 23.9 | 418 | 32.1 | 1.60 | 29.1 | 35.4 |
| 2001 | 2,220 | 21.9 | 0.47 | 21.0 | 22.9 | 399 | 30.2 | 1.54 | 27.2 | 33.3 |
| 2002 | 2,199 | 21.7 | 0.46 | 20.8 | 22.6 | 415 | 31.0 | 1.55 | 28.0 | 34.1 |
| 2003 | 2,086 | 20.4 | 0.45 | 19.5 | 21.3 | 442 | 32.6 | 1.59 | 29.6 | 35.9 |
| 2004 | 2,028 | 19.8 | 0.44 | 18.9 | 20.7 | 418 | 30.0 | 1.50 | 27.1 | 33.1 |
| 2005 | 1,888 | 18.3 | 0.42 | 17.5 | 19.2 | 390 | 27.6 | 1.43 | 24.9 | 30.5 |
| 2006 | 1,967 | 18.8 | 0.43 | 17.9 | 19.6 | 421 | 29.2 | 1.45 | 26.4 | 32.2 |
| 2007 | 1,947 | 18.5 | 0.42 | 17.7 | 19.3 | 421 | 28.0 | 1.40 | 25.3 | 30.9 |
| 2008 | 1,854 | 17.6 | 0.41 | 16.8 | 18.4 | 421 | 28.1 | 1.40 | 25.4 | 30.9 |
| 2009 | 1,790 | 16.7 | 0.40 | 16.0 | 17.5 | 368 | 23.7 | 1.26 | 21.3 | 26.3 |
| 2010 | 1,786 | 16.5 | 0.40 | 15.7 | 17.3 | 387 | 24.4 | 1.27 | 21.9 | 27.0 |
| 2011 | 1,651 | 15.2 | 0.38 | 14.5 | 16.0 | 395 | 24.6 | 1.26 | 22.1 | 27.2 |
| 2012 | 1,687 | 15.4 | 0.38 | 14.6 | 16.2 | 391 | 23.3 | 1.21 | 21.0 | 25.8 |
| 2013 | 1,725 | 15.4 | 0.38 | 14.7 | 16.2 | 387 | 23.0 | 1.19 | 20.7 | 25.5 |
| 2014 | 1,631 | 14.6 | 0.37 | 13.9 | 15.3 | 392 | 22.6 | 1.17 | 20.4 | 25.0 |
| 2015 | 1,736 | 15.4 | 0.38 | 14.6 | 16.1 | 437 | 24.4 | 1.19 | 22.1 | 26.9 |
| 2016 | 1,612 | 13.9 | 0.36 | 13.2 | 14.6 | 403 | 22.1 | 1.13 | 19.9 | 24.4 |
| 2017 | 1,634 | 14.3 | 0.36 | 13.6 | 15.0 | 424 | 23.3 | 1.15 | 21.0 | 25.6 |
| 2018 | 1,612 | 13.9 | 0.36 | 13.3 | 14.7 | 379 | 20.0 | 1.05 | 18.0 | 22.1 |
| 2019 | 1,560 | 13.4 | 0.35 | 12.7 | 14.1 | 396 | 20.9 | 1.07 | 18.8 | 23.1 |
| 2020 | 1,516 | 13.2 | 0.35 | 12.6 | 13.9 | 357 | 18.4 | 0.99 | 16.5 | 20.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Colon and Rectum | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,208 | 12.4 | 0.41 | 11.6 | 13.2 | 37,972 | 24.3 | 0.13 | 24.0 | 24.5 |
| 1990 | 18 | 15.5 | 4.36 | 8.2 | 25.8 | 1,483 | 36.3 | 0.98 | 34.4 | 38.2 |
| 1991 | 21 | 15.6 | 4.04 | 8.7 | 25.1 | 1,398 | 34.0 | 0.94 | 32.1 | 35.8 |
| 1992 | 23 | 22.0 | 5.40 | 12.7 | 34.3 | 1,446 | 34.3 | 0.93 | 32.5 | 36.2 |
| 1993 | 33 | 21.6 | 4.48 | 13.7 | 31.8 | 1,381 | 32.5 | 0.90 | 30.7 | 34.3 |
| 1994 | 18 | 10.9 | 2.96 | 5.9 | 18.0 | 1,425 | 33.2 | 0.90 | 31.4 | 35.0 |
| 1995 | 20 | 13.7 | 3.80 | 7.3 | 22.6 | 1,369 | 31.8 | 0.88 | 30.1 | 33.6 |
| 1996 | 19 | 13.3 | 3.74 | 7.0 | 22.0 | 1,284 | 29.5 | 0.84 | 27.8 | 31.2 |
| 1997 | 19 | 9.9 | 2.60 | 5.5 | 16.1 | 1,334 | 30.3 | 0.85 | 28.7 | 32.0 |
| 1998 | 27 | 15.0 | 3.53 | 8.9 | 23.1 | 1,321 | 29.3 | 0.82 | 27.7 | 30.9 |
| 1999 | 19 | 10.5 | 3.03 | 5.4 | 17.6 | 1,339 | 29.7 | 0.82 | 28.1 | 31.3 |
| 2000 | 23 | 11.6 | 3.01 | 6.4 | 18.6 | 1,326 | 28.9 | 0.80 | 27.3 | 30.5 |
| 2001 | 33 | 16.0 | 3.35 | 10.1 | 23.5 | 1,319 | 28.5 | 0.80 | 27.0 | 30.1 |
| 2002 | 33 | 14.7 | 2.96 | 9.5 | 21.4 | 1,293 | 27.5 | 0.78 | 26.0 | 29.1 |
| 2003 | 32 | 15.1 | 3.20 | 9.5 | 22.3 | 1,326 | 28.3 | 0.79 | 26.8 | 29.9 |
| 2004 | 28 | 10.3 | 2.43 | 6.1 | 15.9 | 1,207 | 25.3 | 0.74 | 23.8 | 26.8 |
| 2005 | 22 | 8.3 | 2.17 | 4.6 | 13.3 | 1,168 | 24.0 | 0.71 | 22.6 | 25.4 |
| 2006 | 26 | 10.0 | 2.21 | 6.1 | 15.0 | 1,185 | 24.0 | 0.71 | 22.7 | 25.5 |
| 2007 | 31 | 9.1 | 1.82 | 5.9 | 13.3 | 1,139 | 22.8 | 0.68 | 21.4 | 24.1 |
| 2008 | 41 | 14.2 | 2.55 | 9.6 | 19.8 | 1,170 | 22.8 | 0.68 | 21.5 | 24.1 |
| 2009 | 36 | 10.3 | 1.97 | 6.8 | 14.7 | 1,137 | 21.7 | 0.65 | 20.4 | 23.0 |
| 2010 | 36 | 9.9 | 1.86 | 6.6 | 14.1 | 1,123 | 20.9 | 0.64 | 19.7 | 22.2 |
| 2011 | 43 | 12.3 | 2.15 | 8.5 | 17.0 | 1,036 | 18.9 | 0.60 | 17.7 | 20.1 |
| 2012 | 60 | 12.1 | 1.80 | 8.8 | 16.0 | 1,126 | 20.4 | 0.62 | 19.2 | 21.6 |
| 2013 | 67 | 16.3 | 2.19 | 12.3 | 21.0 | 1,086 | 19.1 | 0.59 | 18.0 | 20.3 |
| 2014 | 60 | 12.6 | 1.84 | 9.3 | 16.6 | 1,076 | 18.9 | 0.59 | 17.7 | 20.0 |
| 2015 | 57 | 10.3 | 1.56 | 7.5 | 13.8 | 1,156 | 19.6 | 0.59 | 18.5 | 20.8 |
| 2016 | 57 | 11.0 | 1.62 | 8.1 | 14.5 | 1,066 | 17.6 | 0.55 | 16.5 | 18.7 |
| 2017 | 74 | 12.9 | 1.66 | 9.8 | 16.5 | 1,072 | 17.8 | 0.56 | 16.8 | 19.0 |
| 2018 | 76 | 12.6 | 1.61 | 9.7 | 16.1 | 1,073 | 17.3 | 0.54 | 16.2 | 18.4 |
| 2019 | 75 | 12.2 | 1.55 | 9.4 | 15.5 | 1,059 | 17.1 | 0.54 | 16.0 | 18.1 |
| 2020 | 81 | 12.8 | 1.56 | 9.9 | 16.1 | 1,049 | 16.7 | 0.53 | 15.7 | 17.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Colon and Rectum | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 31,228 | 23.4 | 0.13 | 23.2 | 23.7 | 6,098 | 34.0 | 0.46 | 33.1 | 34.9 |
| 1990 | 1,271 | 35.1 | 1.02 | 33.1 | 37.1 | 201 | 48.8 | 3.69 | 41.8 | 56.5 |
| 1991 | 1,227 | 33.7 | 1.00 | 31.7 | 35.7 | 164 | 38.6 | 3.26 | 32.5 | 45.4 |
| 1992 | 1,247 | 33.5 | 0.98 | 31.6 | 35.5 | 190 | 43.7 | 3.41 | 37.3 | 50.8 |
| 1993 | 1,190 | 31.6 | 0.94 | 29.8 | 33.5 | 179 | 42.0 | 3.40 | 35.6 | 49.1 |
| 1994 | 1,240 | 32.8 | 0.95 | 31.0 | 34.7 | 175 | 39.6 | 3.22 | 33.5 | 46.3 |
| 1995 | 1,177 | 31.1 | 0.93 | 29.4 | 33.0 | 182 | 40.8 | 3.24 | 34.7 | 47.6 |
| 1996 | 1,092 | 28.7 | 0.88 | 27.0 | 30.4 | 181 | 38.0 | 3.03 | 32.3 | 44.3 |
| 1997 | 1,125 | 29.3 | 0.89 | 27.6 | 31.1 | 193 | 39.3 | 3.00 | 33.6 | 45.5 |
| 1998 | 1,106 | 28.2 | 0.86 | 26.6 | 30.0 | 202 | 40.1 | 3.00 | 34.4 | 46.3 |
| 1999 | 1,131 | 28.8 | 0.87 | 27.1 | 30.5 | 198 | 41.0 | 3.10 | 35.1 | 47.4 |
| 2000 | 1,104 | 27.8 | 0.84 | 26.1 | 29.5 | 204 | 40.0 | 2.97 | 34.4 | 46.2 |
| 2001 | 1,104 | 27.7 | 0.84 | 26.0 | 29.4 | 189 | 36.2 | 2.81 | 30.9 | 42.0 |
| 2002 | 1,082 | 26.8 | 0.82 | 25.2 | 28.4 | 190 | 35.4 | 2.71 | 30.3 | 41.0 |
| 2003 | 1,084 | 26.9 | 0.82 | 25.3 | 28.6 | 224 | 42.5 | 3.03 | 36.8 | 48.8 |
| 2004 | 993 | 24.2 | 0.78 | 22.7 | 25.8 | 203 | 37.0 | 2.78 | 31.7 | 42.8 |
| 2005 | 951 | 22.9 | 0.75 | 21.4 | 24.4 | 201 | 36.0 | 2.73 | 30.8 | 41.7 |
| 2006 | 966 | 22.9 | 0.74 | 21.5 | 24.4 | 195 | 34.5 | 2.60 | 29.6 | 40.0 |
| 2007 | 921 | 21.7 | 0.72 | 20.3 | 23.1 | 204 | 34.0 | 2.53 | 29.2 | 39.3 |
| 2008 | 939 | 21.5 | 0.71 | 20.1 | 22.9 | 210 | 35.9 | 2.63 | 31.0 | 41.4 |
| 2009 | 929 | 21.0 | 0.70 | 19.7 | 22.4 | 176 | 27.8 | 2.23 | 23.6 | 32.5 |
| 2010 | 900 | 19.8 | 0.67 | 18.5 | 21.2 | 202 | 32.2 | 2.41 | 27.6 | 37.2 |
| 2011 | 822 | 17.8 | 0.63 | 16.6 | 19.1 | 190 | 29.7 | 2.27 | 25.4 | 34.5 |
| 2012 | 896 | 19.3 | 0.66 | 18.1 | 20.7 | 195 | 29.5 | 2.22 | 25.3 | 34.2 |
| 2013 | 875 | 18.5 | 0.64 | 17.2 | 19.8 | 181 | 27.1 | 2.13 | 23.1 | 31.6 |
| 2014 | 843 | 17.7 | 0.62 | 16.5 | 19.0 | 214 | 30.6 | 2.20 | 26.5 | 35.2 |
| 2015 | 910 | 18.7 | 0.63 | 17.5 | 20.0 | 215 | 30.1 | 2.16 | 26.0 | 34.6 |
| 2016 | 806 | 16.1 | 0.58 | 15.0 | 17.3 | 224 | 30.1 | 2.11 | 26.1 | 34.5 |
| 2017 | 830 | 16.8 | 0.60 | 15.6 | 18.0 | 204 | 28.0 | 2.04 | 24.1 | 32.3 |
| 2018 | 832 | 16.4 | 0.58 | 15.3 | 17.6 | 211 | 27.7 | 1.99 | 24.0 | 31.9 |
| 2019 | 827 | 16.2 | 0.58 | 15.1 | 17.4 | 199 | 26.1 | 1.92 | 22.5 | 30.2 |
| 2020 | 808 | 15.9 | 0.57 | 14.8 | 17.0 | 202 | 25.1 | 1.83 | 21.6 | 29.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Colon and Rectum | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 930 | 8.0 | 0.28 | 7.5 | 8.6 | 37,812 | 16.7 | 0.09 | 16.6 | 16.9 |
| 1990 | 19 | 10.4 | 2.54 | 6.0 | 16.4 | 1,494 | 23.4 | 0.61 | 22.2 | 24.6 |
| 1991 | * | * | * | * | * | 1,427 | 22.1 | 0.59 | 20.9 | 23.3 |
| 1992 | 18 | 10.5 | 2.65 | 6.0 | 16.8 | 1,416 | 21.6 | 0.58 | 20.5 | 22.8 |
| 1993 | 20 | 12.2 | 2.95 | 7.1 | 19.0 | 1,504 | 22.6 | 0.59 | 21.5 | 23.8 |
| 1994 | 15 | 7.8 | 2.17 | 4.1 | 13.0 | 1,405 | 21.0 | 0.57 | 19.9 | 22.2 |
| 1995 | 15 | 7.9 | 2.22 | 4.2 | 13.2 | 1,443 | 21.2 | 0.56 | 20.1 | 22.4 |
| 1996 | 27 | 12.6 | 2.60 | 8.0 | 18.6 | 1,340 | 19.7 | 0.54 | 18.7 | 20.8 |
| 1997 | 21 | 10.2 | 2.47 | 6.0 | 16.0 | 1,377 | 20.0 | 0.54 | 18.9 | 21.1 |
| 1998 | 11 | 4.2 | 1.42 | 1.9 | 7.8 | 1,349 | 19.5 | 0.54 | 18.5 | 20.6 |
| 1999 | 19 | 8.9 | 2.25 | 5.0 | 14.1 | 1,383 | 19.8 | 0.54 | 18.7 | 20.9 |
| 2000 | 26 | 9.8 | 2.08 | 6.1 | 14.5 | 1,427 | 20.3 | 0.54 | 19.2 | 21.4 |
| 2001 | 28 | 10.6 | 2.17 | 6.8 | 15.5 | 1,342 | 19.0 | 0.52 | 17.9 | 20.0 |
| 2002 | 25 | 9.4 | 2.07 | 5.8 | 14.2 | 1,354 | 19.0 | 0.52 | 18.0 | 20.0 |
| 2003 | 24 | 8.4 | 1.88 | 5.2 | 12.7 | 1,236 | 17.3 | 0.50 | 16.4 | 18.3 |
| 2004 | 19 | 7.2 | 1.76 | 4.2 | 11.3 | 1,258 | 17.6 | 0.50 | 16.6 | 18.6 |
| 2005 | 26 | 7.2 | 1.59 | 4.5 | 10.9 | 1,147 | 15.9 | 0.48 | 14.9 | 16.8 |
| 2006 | 36 | 11.0 | 2.04 | 7.4 | 15.6 | 1,255 | 17.1 | 0.49 | 16.1 | 18.1 |
| 2007 | 34 | 9.5 | 1.78 | 6.3 | 13.5 | 1,264 | 17.1 | 0.49 | 16.2 | 18.1 |
| 2008 | 33 | 8.7 | 1.65 | 5.8 | 12.4 | 1,148 | 15.6 | 0.47 | 14.7 | 16.6 |
| 2009 | 38 | 8.8 | 1.54 | 6.0 | 12.2 | 1,072 | 14.5 | 0.45 | 13.6 | 15.4 |
| 2010 | 39 | 8.4 | 1.43 | 5.8 | 11.6 | 1,100 | 14.6 | 0.45 | 13.7 | 15.5 |
| 2011 | 40 | 9.0 | 1.50 | 6.3 | 12.3 | 1,059 | 14.1 | 0.44 | 13.2 | 15.0 |
| 2012 | 27 | 5.1 | 1.09 | 3.2 | 7.6 | 1,003 | 13.0 | 0.42 | 12.2 | 13.9 |
| 2013 | 36 | 7.4 | 1.28 | 5.1 | 10.3 | 1,076 | 13.8 | 0.43 | 12.9 | 14.6 |
| 2014 | 44 | 8.0 | 1.27 | 5.7 | 10.8 | 981 | 12.5 | 0.41 | 11.7 | 13.4 |
| 2015 | 45 | 7.5 | 1.18 | 5.4 | 10.1 | 1,084 | 13.8 | 0.43 | 12.9 | 14.7 |
| 2016 | 39 | 6.4 | 1.07 | 4.4 | 8.8 | 1,014 | 12.4 | 0.40 | 11.7 | 13.3 |
| 2017 | 34 | 5.6 | 1.00 | 3.8 | 7.9 | 1,043 | 13.1 | 0.42 | 12.3 | 13.9 |
| 2018 | 56 | 8.6 | 1.20 | 6.4 | 11.2 | 972 | 12.1 | 0.40 | 11.3 | 12.9 |
| 2019 | 57 | 7.9 | 1.09 | 5.9 | 10.3 | 950 | 11.7 | 0.39 | 10.9 | 12.5 |
| 2020 | 52 | 7.1 | 1.02 | 5.2 | 9.3 | 889 | 11.2 | 0.39 | 10.4 | 12.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Colon and Rectum | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 31,000 | 16.0 | 0.09 | 15.8 | 16.2 | 6,275 | 23.1 | 0.29 | 22.5 | 23.7 |
| 1990 | 1,269 | 22.1 | 0.63 | 20.9 | 23.4 | 219 | 34.3 | 2.36 | 29.8 | 39.2 |
| 1991 | 1,225 | 21.2 | 0.61 | 20.0 | 22.4 | 193 | 30.0 | 2.19 | 25.9 | 34.6 |
| 1992 | 1,216 | 20.9 | 0.61 | 19.7 | 22.1 | 194 | 28.8 | 2.10 | 24.8 | 33.1 |
| 1993 | 1,275 | 21.7 | 0.62 | 20.5 | 22.9 | 224 | 32.8 | 2.22 | 28.6 | 37.4 |
| 1994 | 1,203 | 20.2 | 0.59 | 19.1 | 21.4 | 187 | 26.4 | 1.96 | 22.7 | 30.5 |
| 1995 | 1,242 | 20.7 | 0.60 | 19.5 | 21.9 | 187 | 26.3 | 1.94 | 22.6 | 30.4 |
| 1996 | 1,114 | 18.5 | 0.56 | 17.4 | 19.6 | 217 | 29.9 | 2.05 | 26.1 | 34.2 |
| 1997 | 1,160 | 19.2 | 0.58 | 18.1 | 20.4 | 211 | 29.2 | 2.03 | 25.4 | 33.4 |
| 1998 | 1,126 | 18.7 | 0.57 | 17.6 | 19.8 | 206 | 27.3 | 1.92 | 23.7 | 31.3 |
| 1999 | 1,160 | 19.0 | 0.57 | 17.9 | 20.1 | 209 | 27.5 | 1.91 | 23.8 | 31.4 |
| 2000 | 1,199 | 19.5 | 0.57 | 18.4 | 20.7 | 214 | 27.1 | 1.87 | 23.6 | 31.0 |
| 2001 | 1,116 | 18.0 | 0.55 | 17.0 | 19.2 | 210 | 26.3 | 1.83 | 22.8 | 30.1 |
| 2002 | 1,117 | 17.9 | 0.55 | 16.9 | 19.1 | 225 | 27.8 | 1.87 | 24.3 | 31.7 |
| 2003 | 1,002 | 16.2 | 0.52 | 15.2 | 17.3 | 218 | 26.4 | 1.80 | 23.0 | 30.2 |
| 2004 | 1,035 | 16.7 | 0.53 | 15.7 | 17.8 | 215 | 25.6 | 1.76 | 22.3 | 29.3 |
| 2005 | 937 | 15.1 | 0.51 | 14.1 | 16.1 | 189 | 22.3 | 1.64 | 19.3 | 25.8 |
| 2006 | 1,001 | 15.7 | 0.51 | 14.8 | 16.8 | 226 | 25.7 | 1.72 | 22.4 | 29.3 |
| 2007 | 1,026 | 16.2 | 0.52 | 15.2 | 17.3 | 217 | 24.0 | 1.65 | 20.9 | 27.5 |
| 2008 | 915 | 14.6 | 0.50 | 13.7 | 15.6 | 211 | 23.2 | 1.61 | 20.1 | 26.5 |
| 2009 | 861 | 13.7 | 0.48 | 12.8 | 14.7 | 192 | 20.8 | 1.52 | 18.0 | 24.0 |
| 2010 | 886 | 13.9 | 0.48 | 12.9 | 14.9 | 185 | 19.5 | 1.45 | 16.8 | 22.5 |
| 2011 | 829 | 13.1 | 0.47 | 12.2 | 14.1 | 205 | 21.2 | 1.50 | 18.4 | 24.4 |
| 2012 | 791 | 12.3 | 0.46 | 11.4 | 13.2 | 196 | 19.3 | 1.40 | 16.7 | 22.3 |
| 2013 | 850 | 13.1 | 0.47 | 12.2 | 14.1 | 206 | 20.4 | 1.43 | 17.6 | 23.4 |
| 2014 | 788 | 12.2 | 0.45 | 11.3 | 13.1 | 178 | 17.2 | 1.31 | 14.7 | 20.0 |
| 2015 | 826 | 12.7 | 0.46 | 11.8 | 13.6 | 222 | 21.0 | 1.43 | 18.3 | 24.0 |
| 2016 | 806 | 12.0 | 0.44 | 11.1 | 12.9 | 179 | 16.5 | 1.25 | 14.2 | 19.2 |
| 2017 | 804 | 12.3 | 0.45 | 11.4 | 13.2 | 220 | 20.3 | 1.39 | 17.7 | 23.2 |
| 2018 | 780 | 11.8 | 0.44 | 11.0 | 12.7 | 168 | 15.0 | 1.18 | 12.8 | 17.5 |
| 2019 | 733 | 11.1 | 0.43 | 10.3 | 12.0 | 197 | 17.3 | 1.26 | 15.0 | 20.0 |
| 2020 | 708 | 11.1 | 0.44 | 10.2 | 12.0 | 155 | 13.8 | 1.13 | 11.7 | 16.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Liver | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,376 | 6.2 | 0.18 | 5.8 | 6.5 | 15,009 | 3.9 | 0.03 | 3.9 | 4.0 |
| 1990 | 15 | 4.0 | 1.15 | 2.1 | 6.8 | 376 | 3.6 | 0.19 | 3.2 | 4.0 |
| 1991 | 12 | 3.9 | 1.31 | 1.8 | 7.1 | 353 | 3.3 | 0.18 | 3.0 | 3.6 |
| 1992 | 10 | 2.6 | 0.92 | 1.1 | 5.0 | 371 | 3.4 | 0.18 | 3.1 | 3.8 |
| 1993 | 27 | 7.9 | 1.73 | 4.9 | 11.8 | 382 | 3.5 | 0.18 | 3.2 | 3.9 |
| 1994 | 17 | 4.9 | 1.32 | 2.6 | 8.0 | 407 | 3.7 | 0.18 | 3.3 | 4.1 |
| 1995 | 16 | 3.6 | 1.03 | 1.9 | 6.1 | 457 | 4.1 | 0.19 | 3.7 | 4.5 |
| 1996 | 20 | 5.1 | 1.27 | 2.9 | 8.1 | 445 | 4.0 | 0.19 | 3.7 | 4.4 |
| 1997 | 24 | 5.3 | 1.22 | 3.1 | 8.1 | 445 | 4.0 | 0.19 | 3.6 | 4.4 |
| 1998 | 34 | 7.5 | 1.40 | 5.0 | 10.7 | 418 | 3.7 | 0.18 | 3.4 | 4.1 |
| 1999 | 33 | 7.7 | 1.52 | 5.0 | 11.1 | 431 | 3.8 | 0.18 | 3.4 | 4.2 |
| 2000 | 32 | 7.0 | 1.42 | 4.4 | 10.2 | 421 | 3.7 | 0.18 | 3.3 | 4.1 |
| 2001 | 32 | 6.5 | 1.26 | 4.2 | 9.3 | 412 | 3.6 | 0.18 | 3.2 | 3.9 |
| 2002 | 26 | 4.3 | 0.94 | 2.6 | 6.4 | 406 | 3.5 | 0.17 | 3.2 | 3.9 |
| 2003 | 39 | 5.8 | 1.01 | 4.0 | 8.1 | 438 | 3.7 | 0.18 | 3.4 | 4.1 |
| 2004 | 29 | 4.4 | 0.90 | 2.9 | 6.5 | 461 | 3.9 | 0.18 | 3.5 | 4.3 |
| 2005 | 42 | 6.4 | 1.10 | 4.4 | 8.8 | 465 | 3.9 | 0.18 | 3.5 | 4.2 |
| 2006 | 47 | 6.2 | 1.00 | 4.4 | 8.5 | 452 | 3.7 | 0.18 | 3.4 | 4.1 |
| 2007 | 31 | 4.0 | 0.78 | 2.7 | 5.8 | 464 | 3.8 | 0.18 | 3.5 | 4.2 |
| 2008 | 36 | 4.9 | 0.90 | 3.3 | 6.9 | 485 | 3.9 | 0.18 | 3.5 | 4.2 |
| 2009 | 44 | 5.6 | 0.94 | 3.9 | 7.7 | 495 | 3.9 | 0.18 | 3.5 | 4.3 |
| 2010 | 60 | 7.0 | 1.00 | 5.2 | 9.2 | 525 | 4.1 | 0.18 | 3.7 | 4.5 |
| 2011 | 65 | 6.7 | 0.92 | 5.1 | 8.7 | 527 | 4.0 | 0.18 | 3.6 | 4.3 |
| 2012 | 74 | 8.2 | 1.03 | 6.3 | 10.4 | 533 | 4.0 | 0.18 | 3.7 | 4.3 |
| 2013 | 81 | 7.8 | 0.95 | 6.1 | 9.9 | 597 | 4.4 | 0.18 | 4.1 | 4.8 |
| 2014 | 67 | 6.6 | 0.87 | 5.0 | 8.5 | 619 | 4.4 | 0.18 | 4.0 | 4.8 |
| 2015 | 70 | 6.5 | 0.83 | 4.9 | 8.3 | 637 | 4.5 | 0.18 | 4.2 | 4.9 |
| 2016 | 69 | 5.6 | 0.72 | 4.3 | 7.1 | 626 | 4.4 | 0.18 | 4.0 | 4.8 |
| 2017 | 80 | 6.3 | 0.75 | 4.9 | 7.9 | 568 | 3.9 | 0.17 | 3.6 | 4.3 |
| 2018 | 95 | 7.7 | 0.84 | 6.1 | 9.5 | 587 | 4.0 | 0.17 | 3.7 | 4.3 |
| 2019 | 75 | 6.1 | 0.74 | 4.7 | 7.7 | 592 | 4.0 | 0.17 | 3.7 | 4.3 |
| 2020 | 74 | 5.6 | 0.68 | 4.3 | 7.0 | 614 | 4.1 | 0.17 | 3.8 | 4.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Liver | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 11,125 | 3.5 | 0.03 | 3.4 | 3.5 | 3,109 | 6.4 | 0.12 | 6.2 | 6.7 |
| 1990 | 292 | 3.1 | 0.18 | 2.7 | 3.5 | 70 | 6.3 | 0.77 | 4.8 | 7.9 |
| 1991 | 277 | 2.9 | 0.18 | 2.6 | 3.3 | 65 | 5.5 | 0.70 | 4.2 | 7.0 |
| 1992 | 285 | 3.0 | 0.18 | 2.7 | 3.4 | 63 | 5.4 | 0.70 | 4.1 | 7.0 |
| 1993 | 295 | 3.0 | 0.18 | 2.7 | 3.4 | 75 | 6.3 | 0.75 | 5.0 | 8.0 |
| 1994 | 306 | 3.2 | 0.18 | 2.8 | 3.5 | 85 | 7.0 | 0.77 | 5.6 | 8.7 |
| 1995 | 343 | 3.5 | 0.19 | 3.2 | 3.9 | 97 | 8.0 | 0.84 | 6.5 | 9.8 |
| 1996 | 339 | 3.5 | 0.19 | 3.2 | 3.9 | 91 | 7.3 | 0.79 | 5.9 | 9.0 |
| 1997 | 327 | 3.4 | 0.19 | 3.0 | 3.7 | 92 | 7.1 | 0.75 | 5.7 | 8.7 |
| 1998 | 312 | 3.2 | 0.18 | 2.8 | 3.6 | 94 | 7.2 | 0.76 | 5.8 | 8.9 |
| 1999 | 311 | 3.2 | 0.18 | 2.8 | 3.5 | 96 | 7.2 | 0.75 | 5.8 | 8.8 |
| 2000 | 316 | 3.2 | 0.18 | 2.9 | 3.6 | 80 | 5.7 | 0.65 | 4.5 | 7.2 |
| 2001 | 291 | 2.9 | 0.17 | 2.6 | 3.3 | 101 | 7.1 | 0.72 | 5.8 | 8.7 |
| 2002 | 298 | 3.0 | 0.17 | 2.7 | 3.4 | 90 | 6.5 | 0.69 | 5.2 | 8.0 |
| 2003 | 326 | 3.2 | 0.18 | 2.9 | 3.6 | 85 | 5.9 | 0.65 | 4.7 | 7.3 |
| 2004 | 329 | 3.3 | 0.18 | 2.9 | 3.7 | 103 | 7.0 | 0.70 | 5.7 | 8.5 |
| 2005 | 362 | 3.5 | 0.19 | 3.2 | 3.9 | 84 | 5.4 | 0.60 | 4.3 | 6.7 |
| 2006 | 348 | 3.4 | 0.19 | 3.1 | 3.8 | 85 | 5.3 | 0.58 | 4.2 | 6.5 |
| 2007 | 340 | 3.3 | 0.18 | 3.0 | 3.7 | 103 | 6.5 | 0.65 | 5.3 | 7.9 |
| 2008 | 352 | 3.4 | 0.18 | 3.0 | 3.7 | 114 | 7.2 | 0.69 | 6.0 | 8.7 |
| 2009 | 371 | 3.5 | 0.18 | 3.1 | 3.9 | 94 | 5.6 | 0.59 | 4.5 | 6.9 |
| 2010 | 389 | 3.6 | 0.19 | 3.3 | 4.0 | 106 | 6.2 | 0.62 | 5.1 | 7.6 |
| 2011 | 378 | 3.4 | 0.18 | 3.1 | 3.8 | 113 | 6.3 | 0.60 | 5.1 | 7.6 |
| 2012 | 398 | 3.6 | 0.18 | 3.3 | 4.0 | 112 | 6.2 | 0.60 | 5.1 | 7.5 |
| 2013 | 428 | 3.9 | 0.19 | 3.5 | 4.3 | 139 | 7.3 | 0.63 | 6.1 | 8.7 |
| 2014 | 450 | 3.9 | 0.19 | 3.6 | 4.3 | 134 | 6.8 | 0.60 | 5.7 | 8.1 |
| 2015 | 455 | 3.9 | 0.19 | 3.6 | 4.3 | 137 | 7.0 | 0.61 | 5.9 | 8.3 |
| 2016 | 463 | 4.0 | 0.19 | 3.6 | 4.4 | 128 | 6.1 | 0.55 | 5.1 | 7.3 |
| 2017 | 404 | 3.4 | 0.17 | 3.1 | 3.8 | 132 | 6.4 | 0.57 | 5.3 | 7.6 |
| 2018 | 441 | 3.7 | 0.18 | 3.3 | 4.1 | 111 | 5.5 | 0.54 | 4.5 | 6.7 |
| 2019 | 447 | 3.7 | 0.18 | 3.4 | 4.1 | 115 | 5.4 | 0.51 | 4.4 | 6.5 |
| 2020 | 452 | 3.7 | 0.18 | 3.4 | 4.1 | 115 | 5.6 | 0.53 | 4.6 | 6.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Liver | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 999 | 9.0 | 0.32 | 8.4 | 9.6 | 9,981 | 6.1 | 0.06 | 5.9 | 6.2 |
| 1990 | 12 | 7.4 | 2.62 | 3.2 | 14.0 | 226 | 5.3 | 0.36 | 4.6 | 6.0 |
| 1991 | * | * | * | * | * | 205 | 4.6 | 0.33 | 4.0 | 5.3 |
| 1992 | * | * | * | * | * | 228 | 5.3 | 0.36 | 4.6 | 6.0 |
| 1993 | 22 | 13.8 | 3.72 | 7.5 | 22.6 | 221 | 5.1 | 0.35 | 4.4 | 5.8 |
| 1994 | * | * | * | * | * | 243 | 5.3 | 0.35 | 4.7 | 6.0 |
| 1995 | 13 | 5.9 | 2.05 | 2.5 | 11.1 | 283 | 6.3 | 0.38 | 5.5 | 7.1 |
| 1996 | 16 | 8.1 | 2.38 | 4.1 | 13.9 | 284 | 6.2 | 0.38 | 5.5 | 7.0 |
| 1997 | 18 | 6.5 | 1.57 | 3.8 | 10.5 | 273 | 5.9 | 0.36 | 5.2 | 6.6 |
| 1998 | 24 | 10.3 | 2.28 | 6.4 | 15.8 | 266 | 5.6 | 0.35 | 5.0 | 6.3 |
| 1999 | 21 | 9.3 | 2.42 | 5.1 | 15.0 | 265 | 5.5 | 0.34 | 4.9 | 6.3 |
| 2000 | 20 | 8.3 | 2.27 | 4.5 | 13.8 | 262 | 5.4 | 0.34 | 4.7 | 6.1 |
| 2001 | 20 | 8.1 | 1.96 | 4.7 | 12.8 | 260 | 5.4 | 0.34 | 4.7 | 6.1 |
| 2002 | 22 | 6.9 | 1.67 | 4.0 | 10.9 | 267 | 5.4 | 0.34 | 4.8 | 6.1 |
| 2003 | 29 | 7.7 | 1.58 | 5.0 | 11.5 | 304 | 6.1 | 0.36 | 5.5 | 6.9 |
| 2004 | 19 | 5.8 | 1.51 | 3.3 | 9.5 | 288 | 5.6 | 0.33 | 4.9 | 6.2 |
| 2005 | 31 | 9.8 | 2.07 | 6.2 | 14.5 | 324 | 6.2 | 0.35 | 5.6 | 7.0 |
| 2006 | 39 | 10.8 | 1.92 | 7.3 | 15.1 | 300 | 5.7 | 0.33 | 5.1 | 6.4 |
| 2007 | 26 | 6.9 | 1.48 | 4.3 | 10.3 | 307 | 5.7 | 0.33 | 5.1 | 6.4 |
| 2008 | 27 | 6.6 | 1.42 | 4.1 | 9.9 | 334 | 6.1 | 0.34 | 5.4 | 6.8 |
| 2009 | 32 | 8.3 | 1.72 | 5.3 | 12.2 | 365 | 6.5 | 0.35 | 5.9 | 7.2 |
| 2010 | 49 | 12.8 | 2.11 | 9.0 | 17.5 | 370 | 6.5 | 0.35 | 5.8 | 7.2 |
| 2011 | 56 | 11.6 | 1.79 | 8.4 | 15.6 | 379 | 6.5 | 0.34 | 5.8 | 7.2 |
| 2012 | 54 | 11.7 | 1.80 | 8.4 | 15.7 | 368 | 6.1 | 0.32 | 5.4 | 6.7 |
| 2013 | 57 | 10.1 | 1.54 | 7.3 | 13.5 | 416 | 6.8 | 0.34 | 6.2 | 7.5 |
| 2014 | 47 | 9.8 | 1.60 | 6.9 | 13.4 | 438 | 6.9 | 0.34 | 6.3 | 7.6 |
| 2015 | 46 | 8.5 | 1.39 | 5.9 | 11.5 | 448 | 7.0 | 0.34 | 6.3 | 7.7 |
| 2016 | 54 | 9.1 | 1.38 | 6.6 | 12.1 | 435 | 6.8 | 0.33 | 6.1 | 7.5 |
| 2017 | 55 | 8.7 | 1.30 | 6.3 | 11.6 | 395 | 6.1 | 0.32 | 5.5 | 6.8 |
| 2018 | 63 | 10.5 | 1.45 | 7.9 | 13.7 | 385 | 5.8 | 0.30 | 5.2 | 6.4 |
| 2019 | 52 | 8.6 | 1.30 | 6.2 | 11.5 | 410 | 6.1 | 0.31 | 5.5 | 6.7 |
| 2020 | 49 | 7.2 | 1.11 | 5.1 | 9.6 | 432 | 6.4 | 0.31 | 5.8 | 7.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Liver | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 7,355 | 5.3 | 0.06 | 5.2 | 5.4 | 2,063 | 10.1 | 0.23 | 9.7 | 10.6 |
| 1990 | 173 | 4.5 | 0.35 | 3.9 | 5.3 | 41 | 9.1 | 1.53 | 6.3 | 12.5 |
| 1991 | 156 | 4.1 | 0.33 | 3.4 | 4.8 | 40 | 8.1 | 1.37 | 5.7 | 11.3 |
| 1992 | 175 | 4.6 | 0.36 | 4.0 | 5.4 | 36 | 8.1 | 1.45 | 5.5 | 11.4 |
| 1993 | 172 | 4.5 | 0.36 | 3.9 | 5.3 | 43 | 8.4 | 1.34 | 6.0 | 11.4 |
| 1994 | 179 | 4.5 | 0.34 | 3.8 | 5.2 | 52 | 10.7 | 1.57 | 7.8 | 14.2 |
| 1995 | 206 | 5.2 | 0.37 | 4.5 | 6.0 | 64 | 13.1 | 1.76 | 9.9 | 16.9 |
| 1996 | 216 | 5.5 | 0.38 | 4.8 | 6.3 | 57 | 10.8 | 1.51 | 8.0 | 14.1 |
| 1997 | 196 | 4.9 | 0.35 | 4.2 | 5.7 | 58 | 10.6 | 1.47 | 7.9 | 13.8 |
| 1998 | 195 | 4.8 | 0.35 | 4.1 | 5.5 | 63 | 11.7 | 1.55 | 8.9 | 15.1 |
| 1999 | 190 | 4.6 | 0.34 | 4.0 | 5.4 | 59 | 10.7 | 1.45 | 8.0 | 13.9 |
| 2000 | 199 | 4.8 | 0.34 | 4.1 | 5.5 | 49 | 8.6 | 1.27 | 6.3 | 11.4 |
| 2001 | 186 | 4.5 | 0.33 | 3.9 | 5.2 | 55 | 9.3 | 1.33 | 6.9 | 12.3 |
| 2002 | 195 | 4.7 | 0.34 | 4.0 | 5.4 | 60 | 10.4 | 1.42 | 7.8 | 13.5 |
| 2003 | 227 | 5.4 | 0.36 | 4.7 | 6.2 | 57 | 9.3 | 1.29 | 7.0 | 12.2 |
| 2004 | 205 | 4.7 | 0.33 | 4.1 | 5.4 | 62 | 9.8 | 1.31 | 7.4 | 12.6 |
| 2005 | 250 | 5.7 | 0.37 | 5.0 | 6.5 | 61 | 9.1 | 1.21 | 6.8 | 11.7 |
| 2006 | 226 | 5.2 | 0.35 | 4.5 | 5.9 | 60 | 8.7 | 1.21 | 6.5 | 11.4 |
| 2007 | 218 | 4.9 | 0.33 | 4.3 | 5.6 | 74 | 11.1 | 1.34 | 8.6 | 14.0 |
| 2008 | 248 | 5.4 | 0.34 | 4.7 | 6.1 | 71 | 10.6 | 1.32 | 8.1 | 13.4 |
| 2009 | 277 | 5.9 | 0.36 | 5.2 | 6.7 | 66 | 9.0 | 1.17 | 6.8 | 11.6 |
| 2010 | 278 | 5.8 | 0.36 | 5.2 | 6.6 | 73 | 10.2 | 1.26 | 7.9 | 12.9 |
| 2011 | 266 | 5.4 | 0.34 | 4.8 | 6.2 | 84 | 10.9 | 1.25 | 8.6 | 13.6 |
| 2012 | 273 | 5.4 | 0.33 | 4.8 | 6.1 | 75 | 9.5 | 1.15 | 7.4 | 12.0 |
| 2013 | 286 | 5.8 | 0.35 | 5.1 | 6.5 | 106 | 12.9 | 1.31 | 10.5 | 15.7 |
| 2014 | 323 | 6.2 | 0.36 | 5.6 | 7.0 | 93 | 11.0 | 1.19 | 8.8 | 13.6 |
| 2015 | 321 | 6.0 | 0.35 | 5.4 | 6.8 | 92 | 11.3 | 1.23 | 9.0 | 14.0 |
| 2016 | 323 | 6.1 | 0.35 | 5.4 | 6.8 | 83 | 9.7 | 1.11 | 7.6 | 12.1 |
| 2017 | 279 | 5.3 | 0.33 | 4.7 | 6.0 | 96 | 11.1 | 1.17 | 8.9 | 13.6 |
| 2018 | 294 | 5.4 | 0.32 | 4.8 | 6.1 | 68 | 8.0 | 1.01 | 6.2 | 10.2 |
| 2019 | 309 | 5.7 | 0.33 | 5.0 | 6.4 | 81 | 9.0 | 1.03 | 7.1 | 11.2 |
| 2020 | 314 | 5.6 | 0.32 | 5.0 | 6.3 | 84 | 9.9 | 1.13 | 7.9 | 12.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Liver | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 377 | 3.6 | 0.19 | 3.3 | 4.0 | 5,028 | 2.3 | 0.03 | 2.2 | 2.3 |
| 1990 | * | * | * | * | * | 150 | 2.4 | 0.20 | 2.0 | 2.8 |
| 1991 | * | * | * | * | * | 148 | 2.3 | 0.19 | 2.0 | 2.7 |
| 1992 | * | * | * | * | * | 143 | 2.2 | 0.19 | 1.9 | 2.6 |
| 1993 | * | * | * | * | * | 161 | 2.5 | 0.20 | 2.1 | 2.9 |
| 1994 | * | * | * | * | * | 164 | 2.5 | 0.20 | 2.1 | 2.9 |
| 1995 | * | * | * | * | * | 174 | 2.6 | 0.20 | 2.2 | 3.0 |
| 1996 | * | * | * | * | * | 161 | 2.4 | 0.19 | 2.1 | 2.8 |
| 1997 | * | * | * | * | * | 172 | 2.6 | 0.20 | 2.2 | 3.0 |
| 1998 | 10 | 4.8 | 1.61 | 2.1 | 8.8 | 152 | 2.2 | 0.18 | 1.9 | 2.6 |
| 1999 | 12 | 6.1 | 1.89 | 3.0 | 10.7 | 166 | 2.5 | 0.19 | 2.1 | 2.9 |
| 2000 | 12 | 5.6 | 1.77 | 2.7 | 9.9 | 159 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2001 | 12 | 4.8 | 1.50 | 2.3 | 8.4 | 152 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2002 | * | * | * | * | * | 139 | 2.0 | 0.17 | 1.7 | 2.3 |
| 2003 | 10 | 3.7 | 1.23 | 1.7 | 6.8 | 134 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2004 | 10 | 3.2 | 1.05 | 1.5 | 5.8 | 173 | 2.5 | 0.19 | 2.1 | 2.9 |
| 2005 | 11 | 3.4 | 1.12 | 1.6 | 6.2 | 141 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2006 | * | * | * | * | * | 152 | 2.2 | 0.18 | 1.8 | 2.6 |
| 2007 | * | * | * | * | * | 157 | 2.3 | 0.18 | 1.9 | 2.6 |
| 2008 | * | * | * | * | * | 151 | 2.1 | 0.17 | 1.8 | 2.4 |
| 2009 | 12 | 3.3 | 1.00 | 1.7 | 5.8 | 130 | 1.8 | 0.16 | 1.5 | 2.1 |
| 2010 | 11 | 2.4 | 0.76 | 1.2 | 4.3 | 155 | 2.1 | 0.17 | 1.8 | 2.5 |
| 2011 | * | * | * | * | * | 148 | 2.0 | 0.17 | 1.7 | 2.4 |
| 2012 | 20 | 4.9 | 1.13 | 2.9 | 7.5 | 165 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2013 | 24 | 5.5 | 1.15 | 3.4 | 8.1 | 181 | 2.4 | 0.18 | 2.0 | 2.8 |
| 2014 | 20 | 3.8 | 0.89 | 2.3 | 5.9 | 181 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2015 | 24 | 4.6 | 0.98 | 2.9 | 6.9 | 189 | 2.4 | 0.18 | 2.1 | 2.8 |
| 2016 | 15 | 2.5 | 0.67 | 1.4 | 4.1 | 191 | 2.4 | 0.18 | 2.1 | 2.8 |
| 2017 | 25 | 4.0 | 0.83 | 2.6 | 6.0 | 173 | 2.1 | 0.16 | 1.8 | 2.4 |
| 2018 | 32 | 5.2 | 0.96 | 3.5 | 7.4 | 202 | 2.5 | 0.18 | 2.1 | 2.8 |
| 2019 | 23 | 3.9 | 0.83 | 2.4 | 5.8 | 182 | 2.2 | 0.17 | 1.9 | 2.6 |
| 2020 | 25 | 3.9 | 0.81 | 2.5 | 5.8 | 182 | 2.2 | 0.17 | 1.9 | 2.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Liver | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,770 | 2.0 | 0.03 | 1.9 | 2.1 | 1,046 | 3.8 | 0.12 | 3.6 | 4.0 |
| 1990 | 119 | 2.1 | 0.20 | 1.8 | 2.6 | 29 | 4.4 | 0.83 | 2.9 | 6.3 |
| 1991 | 121 | 2.2 | 0.20 | 1.8 | 2.6 | 25 | 3.7 | 0.74 | 2.4 | 5.4 |
| 1992 | 110 | 1.9 | 0.19 | 1.6 | 2.3 | 27 | 3.8 | 0.75 | 2.5 | 5.6 |
| 1993 | 123 | 2.1 | 0.19 | 1.7 | 2.5 | 32 | 4.7 | 0.83 | 3.2 | 6.6 |
| 1994 | 127 | 2.2 | 0.20 | 1.8 | 2.6 | 33 | 4.6 | 0.80 | 3.1 | 6.4 |
| 1995 | 137 | 2.4 | 0.21 | 2.0 | 2.8 | 33 | 4.7 | 0.83 | 3.2 | 6.6 |
| 1996 | 123 | 2.1 | 0.20 | 1.8 | 2.6 | 34 | 4.8 | 0.82 | 3.3 | 6.6 |
| 1997 | 131 | 2.3 | 0.20 | 1.9 | 2.7 | 34 | 4.6 | 0.79 | 3.2 | 6.4 |
| 1998 | 117 | 2.0 | 0.18 | 1.6 | 2.4 | 31 | 4.1 | 0.74 | 2.8 | 5.8 |
| 1999 | 121 | 2.0 | 0.19 | 1.7 | 2.4 | 37 | 4.7 | 0.78 | 3.3 | 6.5 |
| 2000 | 117 | 2.0 | 0.18 | 1.6 | 2.4 | 31 | 3.8 | 0.69 | 2.6 | 5.4 |
| 2001 | 105 | 1.7 | 0.17 | 1.4 | 2.1 | 46 | 5.6 | 0.83 | 4.1 | 7.5 |
| 2002 | 103 | 1.7 | 0.17 | 1.4 | 2.0 | 30 | 3.7 | 0.68 | 2.5 | 5.3 |
| 2003 | 99 | 1.6 | 0.17 | 1.3 | 2.0 | 28 | 3.4 | 0.65 | 2.3 | 4.9 |
| 2004 | 124 | 2.0 | 0.18 | 1.7 | 2.4 | 41 | 4.9 | 0.76 | 3.5 | 6.6 |
| 2005 | 112 | 1.8 | 0.17 | 1.5 | 2.2 | 23 | 2.6 | 0.55 | 1.7 | 4.0 |
| 2006 | 122 | 2.1 | 0.19 | 1.7 | 2.5 | 25 | 2.8 | 0.56 | 1.8 | 4.1 |
| 2007 | 122 | 2.0 | 0.19 | 1.7 | 2.5 | 29 | 3.2 | 0.60 | 2.2 | 4.6 |
| 2008 | 104 | 1.7 | 0.17 | 1.4 | 2.0 | 43 | 4.8 | 0.74 | 3.5 | 6.5 |
| 2009 | 94 | 1.5 | 0.16 | 1.2 | 1.9 | 28 | 3.1 | 0.59 | 2.0 | 4.5 |
| 2010 | 111 | 1.8 | 0.17 | 1.5 | 2.2 | 33 | 3.4 | 0.60 | 2.3 | 4.8 |
| 2011 | 112 | 1.8 | 0.18 | 1.5 | 2.2 | 29 | 3.0 | 0.56 | 2.0 | 4.3 |
| 2012 | 125 | 2.1 | 0.19 | 1.7 | 2.5 | 37 | 3.6 | 0.61 | 2.5 | 5.0 |
| 2013 | 142 | 2.3 | 0.19 | 1.9 | 2.7 | 33 | 3.2 | 0.56 | 2.2 | 4.5 |
| 2014 | 127 | 2.0 | 0.18 | 1.7 | 2.4 | 41 | 3.7 | 0.59 | 2.6 | 5.1 |
| 2015 | 134 | 2.1 | 0.18 | 1.7 | 2.5 | 45 | 4.0 | 0.61 | 2.9 | 5.4 |
| 2016 | 140 | 2.2 | 0.20 | 1.9 | 2.7 | 45 | 3.6 | 0.54 | 2.6 | 4.8 |
| 2017 | 125 | 1.9 | 0.17 | 1.6 | 2.3 | 36 | 3.0 | 0.51 | 2.1 | 4.2 |
| 2018 | 147 | 2.2 | 0.19 | 1.8 | 2.6 | 43 | 3.7 | 0.57 | 2.7 | 5.0 |
| 2019 | 138 | 2.1 | 0.18 | 1.8 | 2.5 | 34 | 2.8 | 0.49 | 1.9 | 4.0 |
| 2020 | 138 | 2.2 | 0.19 | 1.8 | 2.6 | 31 | 2.6 | 0.48 | 1.8 | 3.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Pancreas | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,685 | 8.2 | 0.22 | 7.8 | 8.6 | 43,695 | 11.5 | 0.06 | 11.3 | 11.6 |
| 1990 | 17 | 5.6 | 1.53 | 3.0 | 9.2 | 1,220 | 11.6 | 0.33 | 11.0 | 12.3 |
| 1991 | 17 | 5.3 | 1.44 | 2.8 | 8.7 | 1,227 | 11.6 | 0.33 | 10.9 | 12.3 |
| 1992 | 19 | 6.4 | 1.60 | 3.6 | 10.1 | 1,190 | 11.1 | 0.32 | 10.5 | 11.7 |
| 1993 | 23 | 5.6 | 1.29 | 3.4 | 8.7 | 1,186 | 10.9 | 0.32 | 10.3 | 11.5 |
| 1994 | 22 | 6.3 | 1.52 | 3.7 | 9.9 | 1,229 | 11.1 | 0.32 | 10.5 | 11.8 |
| 1995 | 18 | 5.2 | 1.36 | 2.9 | 8.4 | 1,165 | 10.5 | 0.31 | 9.9 | 11.1 |
| 1996 | 18 | 4.8 | 1.23 | 2.7 | 7.7 | 1,262 | 11.4 | 0.32 | 10.7 | 12.0 |
| 1997 | 20 | 5.0 | 1.26 | 2.8 | 7.9 | 1,247 | 11.1 | 0.31 | 10.5 | 11.7 |
| 1998 | 19 | 4.0 | 1.00 | 2.3 | 6.4 | 1,279 | 11.3 | 0.32 | 10.7 | 11.9 |
| 1999 | 33 | 7.0 | 1.41 | 4.6 | 10.2 | 1,316 | 11.5 | 0.32 | 10.9 | 12.1 |
| 2000 | 26 | 6.2 | 1.37 | 3.8 | 9.3 | 1,328 | 11.5 | 0.32 | 10.9 | 12.2 |
| 2001 | 30 | 6.2 | 1.25 | 4.0 | 9.0 | 1,347 | 11.6 | 0.32 | 11.0 | 12.3 |
| 2002 | 27 | 5.7 | 1.20 | 3.6 | 8.4 | 1,365 | 11.7 | 0.32 | 11.1 | 12.4 |
| 2003 | 46 | 8.4 | 1.36 | 5.9 | 11.4 | 1,286 | 10.9 | 0.30 | 10.3 | 11.5 |
| 2004 | 44 | 8.4 | 1.34 | 6.0 | 11.3 | 1,380 | 11.6 | 0.31 | 11.0 | 12.3 |
| 2005 | 43 | 8.1 | 1.35 | 5.7 | 11.1 | 1,439 | 11.9 | 0.32 | 11.3 | 12.6 |
| 2006 | 62 | 10.3 | 1.43 | 7.7 | 13.4 | 1,401 | 11.6 | 0.31 | 11.0 | 12.2 |
| 2007 | 59 | 9.0 | 1.30 | 6.6 | 11.8 | 1,365 | 11.2 | 0.30 | 10.6 | 11.8 |
| 2008 | 64 | 8.7 | 1.21 | 6.5 | 11.3 | 1,457 | 11.7 | 0.31 | 11.1 | 12.3 |
| 2009 | 44 | 5.8 | 0.97 | 4.1 | 8.0 | 1,474 | 11.7 | 0.31 | 11.1 | 12.4 |
| 2010 | 68 | 8.6 | 1.16 | 6.5 | 11.1 | 1,476 | 11.6 | 0.31 | 11.0 | 12.2 |
| 2011 | 70 | 9.4 | 1.20 | 7.2 | 12.0 | 1,490 | 11.6 | 0.30 | 11.0 | 12.2 |
| 2012 | 82 | 9.9 | 1.17 | 7.7 | 12.4 | 1,459 | 11.0 | 0.29 | 10.4 | 11.6 |
| 2013 | 73 | 8.2 | 1.02 | 6.3 | 10.4 | 1,493 | 11.1 | 0.29 | 10.6 | 11.7 |
| 2014 | 81 | 8.3 | 0.99 | 6.5 | 10.4 | 1,514 | 11.0 | 0.29 | 10.5 | 11.6 |
| 2015 | 91 | 8.1 | 0.91 | 6.4 | 10.1 | 1,552 | 11.3 | 0.29 | 10.7 | 11.8 |
| 2016 | 89 | 8.2 | 0.93 | 6.5 | 10.2 | 1,648 | 11.8 | 0.30 | 11.3 | 12.4 |
| 2017 | 100 | 9.1 | 0.97 | 7.3 | 11.2 | 1,634 | 11.5 | 0.29 | 10.9 | 12.1 |
| 2018 | 129 | 11.0 | 1.02 | 9.1 | 13.1 | 1,751 | 12.1 | 0.29 | 11.5 | 12.7 |
| 2019 | 109 | 8.2 | 0.83 | 6.6 | 10.0 | 1,714 | 11.7 | 0.29 | 11.2 | 12.3 |
| 2020 | 142 | 10.9 | 0.96 | 9.1 | 12.9 | 1,801 | 12.1 | 0.29 | 11.6 | 12.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Pancreas | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 36,096 | 11.1 | 0.06 | 11.0 | 11.3 | 6,845 | 15.0 | 0.18 | 14.6 | 15.4 |
| 1990 | 1,037 | 11.2 | 0.35 | 10.5 | 11.9 | 174 | 15.6 | 1.22 | 13.3 | 18.1 |
| 1991 | 1,038 | 11.1 | 0.35 | 10.4 | 11.8 | 177 | 16.2 | 1.25 | 13.9 | 18.8 |
| 1992 | 1,009 | 10.7 | 0.34 | 10.0 | 11.3 | 172 | 15.2 | 1.19 | 13.0 | 17.7 |
| 1993 | 974 | 10.2 | 0.33 | 9.6 | 10.8 | 200 | 17.3 | 1.25 | 14.9 | 19.9 |
| 1994 | 1,036 | 10.7 | 0.33 | 10.0 | 11.3 | 180 | 15.4 | 1.17 | 13.2 | 17.8 |
| 1995 | 1,003 | 10.3 | 0.33 | 9.7 | 11.0 | 149 | 12.9 | 1.08 | 10.9 | 15.2 |
| 1996 | 1,043 | 10.8 | 0.33 | 10.1 | 11.4 | 201 | 16.8 | 1.21 | 14.5 | 19.3 |
| 1997 | 1,047 | 10.7 | 0.33 | 10.0 | 11.4 | 188 | 14.7 | 1.09 | 12.7 | 17.0 |
| 1998 | 1,087 | 11.0 | 0.34 | 10.4 | 11.7 | 180 | 14.0 | 1.06 | 12.0 | 16.3 |
| 1999 | 1,122 | 11.3 | 0.34 | 10.6 | 12.0 | 172 | 13.3 | 1.03 | 11.4 | 15.5 |
| 2000 | 1,098 | 11.0 | 0.33 | 10.4 | 11.7 | 209 | 15.8 | 1.11 | 13.7 | 18.1 |
| 2001 | 1,136 | 11.4 | 0.34 | 10.8 | 12.1 | 198 | 14.9 | 1.08 | 12.8 | 17.1 |
| 2002 | 1,131 | 11.3 | 0.34 | 10.7 | 12.0 | 220 | 16.1 | 1.11 | 14.0 | 18.4 |
| 2003 | 1,066 | 10.5 | 0.32 | 9.9 | 11.2 | 193 | 14.0 | 1.03 | 12.0 | 16.1 |
| 2004 | 1,148 | 11.3 | 0.33 | 10.6 | 12.0 | 212 | 14.9 | 1.05 | 12.9 | 17.1 |
| 2005 | 1,170 | 11.4 | 0.34 | 10.7 | 12.1 | 247 | 17.3 | 1.12 | 15.2 | 19.6 |
| 2006 | 1,134 | 11.0 | 0.33 | 10.4 | 11.7 | 248 | 17.0 | 1.10 | 14.9 | 19.2 |
| 2007 | 1,129 | 10.8 | 0.33 | 10.2 | 11.5 | 212 | 14.6 | 1.02 | 12.7 | 16.8 |
| 2008 | 1,204 | 11.4 | 0.33 | 10.8 | 12.1 | 230 | 15.5 | 1.04 | 13.5 | 17.6 |
| 2009 | 1,207 | 11.4 | 0.33 | 10.8 | 12.1 | 236 | 15.2 | 1.01 | 13.3 | 17.3 |
| 2010 | 1,221 | 11.4 | 0.33 | 10.8 | 12.1 | 223 | 14.6 | 1.00 | 12.7 | 16.7 |
| 2011 | 1,227 | 11.4 | 0.33 | 10.8 | 12.1 | 232 | 14.3 | 0.96 | 12.5 | 16.3 |
| 2012 | 1,180 | 10.6 | 0.31 | 10.0 | 11.3 | 241 | 14.4 | 0.95 | 12.6 | 16.4 |
| 2013 | 1,221 | 11.0 | 0.32 | 10.4 | 11.6 | 249 | 14.3 | 0.93 | 12.6 | 16.3 |
| 2014 | 1,245 | 11.0 | 0.32 | 10.4 | 11.6 | 244 | 13.7 | 0.90 | 12.0 | 15.6 |
| 2015 | 1,241 | 10.9 | 0.32 | 10.3 | 11.6 | 272 | 15.2 | 0.94 | 13.4 | 17.2 |
| 2016 | 1,369 | 11.9 | 0.33 | 11.3 | 12.6 | 240 | 13.3 | 0.88 | 11.6 | 15.1 |
| 2017 | 1,348 | 11.6 | 0.32 | 11.0 | 12.3 | 250 | 13.4 | 0.87 | 11.7 | 15.2 |
| 2018 | 1,412 | 12.0 | 0.32 | 11.3 | 12.6 | 294 | 15.5 | 0.92 | 13.7 | 17.4 |
| 2019 | 1,362 | 11.4 | 0.32 | 10.8 | 12.1 | 304 | 15.4 | 0.91 | 13.7 | 17.3 |
| 2020 | 1,451 | 12.1 | 0.32 | 11.5 | 12.7 | 298 | 14.7 | 0.87 | 13.0 | 16.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Pancreas | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 900 | 9.2 | 0.34 | 8.5 | 9.9 | 21,420 | 13.3 | 0.09 | 13.2 | 13.5 |
| 1990 | 12 | 9.4 | 3.45 | 3.9 | 17.9 | 558 | 13.1 | 0.57 | 12.0 | 14.3 |
| 1991 | 10 | 5.5 | 1.84 | 2.5 | 10.4 | 609 | 14.3 | 0.60 | 13.2 | 15.5 |
| 1992 | * | * | * | * | * | 562 | 13.0 | 0.56 | 11.9 | 14.2 |
| 1993 | 13 | 5.4 | 1.54 | 2.8 | 9.5 | 555 | 12.8 | 0.56 | 11.7 | 13.9 |
| 1994 | 14 | 8.6 | 3.00 | 3.8 | 16.0 | 608 | 13.6 | 0.57 | 12.5 | 14.8 |
| 1995 | * | * | * | * | * | 555 | 12.2 | 0.53 | 11.2 | 13.2 |
| 1996 | 11 | 6.1 | 2.12 | 2.7 | 11.5 | 603 | 13.3 | 0.55 | 12.3 | 14.4 |
| 1997 | * | * | * | * | * | 592 | 12.9 | 0.54 | 11.9 | 14.0 |
| 1998 | 11 | 5.6 | 2.02 | 2.4 | 10.7 | 603 | 13.0 | 0.54 | 12.0 | 14.1 |
| 1999 | 24 | 11.1 | 2.75 | 6.4 | 17.6 | 606 | 12.9 | 0.53 | 11.9 | 14.0 |
| 2000 | 17 | 8.6 | 2.57 | 4.3 | 14.7 | 629 | 13.3 | 0.53 | 12.2 | 14.4 |
| 2001 | 12 | 4.4 | 1.35 | 2.1 | 7.8 | 637 | 13.3 | 0.53 | 12.3 | 14.4 |
| 2002 | 15 | 6.7 | 1.98 | 3.4 | 11.5 | 658 | 13.7 | 0.54 | 12.6 | 14.8 |
| 2003 | 28 | 11.6 | 2.51 | 7.2 | 17.3 | 635 | 13.0 | 0.52 | 12.0 | 14.0 |
| 2004 | 24 | 10.4 | 2.26 | 6.5 | 15.6 | 689 | 13.9 | 0.53 | 12.8 | 15.0 |
| 2005 | 17 | 6.5 | 1.72 | 3.5 | 10.5 | 683 | 13.7 | 0.53 | 12.7 | 14.8 |
| 2006 | 28 | 9.4 | 1.93 | 6.0 | 13.8 | 680 | 13.3 | 0.52 | 12.3 | 14.4 |
| 2007 | 39 | 12.9 | 2.45 | 8.5 | 18.3 | 633 | 12.3 | 0.50 | 11.4 | 13.3 |
| 2008 | 37 | 11.3 | 2.12 | 7.5 | 16.0 | 703 | 13.4 | 0.51 | 12.4 | 14.4 |
| 2009 | 19 | 5.3 | 1.41 | 2.9 | 8.7 | 751 | 14.0 | 0.52 | 13.0 | 15.0 |
| 2010 | 32 | 8.9 | 1.83 | 5.6 | 13.0 | 719 | 13.3 | 0.50 | 12.3 | 14.3 |
| 2011 | 36 | 10.4 | 1.89 | 7.1 | 14.6 | 732 | 13.2 | 0.50 | 12.3 | 14.3 |
| 2012 | 42 | 10.0 | 1.71 | 6.9 | 13.8 | 728 | 12.6 | 0.48 | 11.7 | 13.5 |
| 2013 | 40 | 10.4 | 1.79 | 7.2 | 14.3 | 748 | 12.9 | 0.48 | 12.0 | 13.9 |
| 2014 | 41 | 9.1 | 1.59 | 6.2 | 12.6 | 775 | 13.0 | 0.48 | 12.1 | 14.0 |
| 2015 | 54 | 9.6 | 1.45 | 7.0 | 12.8 | 803 | 13.5 | 0.49 | 12.6 | 14.5 |
| 2016 | 49 | 9.2 | 1.46 | 6.6 | 12.5 | 844 | 14.0 | 0.49 | 13.0 | 15.0 |
| 2017 | 51 | 9.3 | 1.44 | 6.7 | 12.5 | 837 | 13.5 | 0.48 | 12.6 | 14.5 |
| 2018 | 70 | 12.5 | 1.62 | 9.5 | 16.0 | 880 | 13.9 | 0.48 | 13.0 | 14.9 |
| 2019 | 63 | 9.5 | 1.32 | 7.1 | 12.4 | 884 | 13.7 | 0.47 | 12.8 | 14.6 |
| 2020 | 69 | 10.7 | 1.39 | 8.2 | 13.8 | 921 | 14.0 | 0.47 | 13.1 | 15.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Pancreas | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 17,824 | 13.1 | 0.10 | 12.9 | 13.3 | 3,233 | 17.3 | 0.32 | 16.7 | 18.0 |
| 1990 | 474 | 12.7 | 0.60 | 11.5 | 13.9 | 78 | 16.4 | 1.99 | 12.7 | 20.7 |
| 1991 | 522 | 13.9 | 0.62 | 12.7 | 15.2 | 79 | 18.1 | 2.14 | 14.2 | 22.7 |
| 1992 | 463 | 12.1 | 0.58 | 11.0 | 13.3 | 93 | 22.7 | 2.53 | 18.0 | 28.1 |
| 1993 | 460 | 12.1 | 0.58 | 11.0 | 13.3 | 89 | 20.1 | 2.27 | 15.9 | 25.0 |
| 1994 | 507 | 12.9 | 0.59 | 11.8 | 14.1 | 95 | 19.9 | 2.17 | 15.9 | 24.5 |
| 1995 | 468 | 11.7 | 0.55 | 10.7 | 12.9 | 78 | 17.0 | 2.05 | 13.2 | 21.4 |
| 1996 | 494 | 12.6 | 0.57 | 11.5 | 13.7 | 101 | 20.4 | 2.17 | 16.4 | 25.1 |
| 1997 | 492 | 12.4 | 0.57 | 11.4 | 13.6 | 92 | 17.2 | 1.86 | 13.7 | 21.2 |
| 1998 | 516 | 12.8 | 0.57 | 11.7 | 14.0 | 81 | 15.3 | 1.77 | 12.0 | 19.1 |
| 1999 | 520 | 12.8 | 0.57 | 11.7 | 14.0 | 76 | 14.6 | 1.75 | 11.4 | 18.4 |
| 2000 | 525 | 12.9 | 0.57 | 11.8 | 14.0 | 96 | 17.6 | 1.88 | 14.1 | 21.6 |
| 2001 | 546 | 13.3 | 0.57 | 12.2 | 14.4 | 85 | 15.2 | 1.75 | 12.0 | 19.0 |
| 2002 | 559 | 13.5 | 0.58 | 12.4 | 14.7 | 91 | 17.0 | 1.89 | 13.5 | 21.1 |
| 2003 | 511 | 12.2 | 0.54 | 11.2 | 13.3 | 108 | 18.6 | 1.90 | 15.0 | 22.6 |
| 2004 | 567 | 13.4 | 0.57 | 12.3 | 14.6 | 112 | 18.2 | 1.80 | 14.9 | 22.1 |
| 2005 | 555 | 13.1 | 0.56 | 12.0 | 14.2 | 115 | 19.6 | 1.93 | 16.0 | 23.7 |
| 2006 | 554 | 12.8 | 0.55 | 11.7 | 13.9 | 116 | 19.0 | 1.86 | 15.5 | 23.0 |
| 2007 | 528 | 12.0 | 0.53 | 11.0 | 13.1 | 93 | 15.9 | 1.75 | 12.7 | 19.7 |
| 2008 | 585 | 13.1 | 0.55 | 12.0 | 14.2 | 104 | 17.4 | 1.80 | 14.1 | 21.3 |
| 2009 | 628 | 13.8 | 0.56 | 12.7 | 15.0 | 107 | 17.0 | 1.74 | 13.7 | 20.7 |
| 2010 | 599 | 13.0 | 0.54 | 12.0 | 14.1 | 102 | 16.1 | 1.66 | 13.0 | 19.6 |
| 2011 | 622 | 13.5 | 0.55 | 12.4 | 14.6 | 99 | 14.5 | 1.53 | 11.6 | 17.8 |
| 2012 | 595 | 12.2 | 0.51 | 11.2 | 13.2 | 116 | 16.9 | 1.65 | 13.9 | 20.4 |
| 2013 | 605 | 12.5 | 0.52 | 11.5 | 13.6 | 132 | 18.8 | 1.73 | 15.5 | 22.5 |
| 2014 | 655 | 13.2 | 0.53 | 12.2 | 14.3 | 110 | 14.9 | 1.50 | 12.2 | 18.2 |
| 2015 | 645 | 13.1 | 0.53 | 12.1 | 14.2 | 134 | 18.1 | 1.64 | 15.0 | 21.6 |
| 2016 | 721 | 14.3 | 0.55 | 13.3 | 15.4 | 108 | 15.0 | 1.51 | 12.2 | 18.3 |
| 2017 | 709 | 13.9 | 0.53 | 12.9 | 15.0 | 115 | 15.0 | 1.47 | 12.2 | 18.1 |
| 2018 | 730 | 13.9 | 0.53 | 12.9 | 15.0 | 131 | 17.1 | 1.56 | 14.2 | 20.4 |
| 2019 | 709 | 13.4 | 0.51 | 12.4 | 14.4 | 156 | 18.8 | 1.57 | 15.8 | 22.1 |
| 2020 | 760 | 14.2 | 0.53 | 13.2 | 15.3 | 141 | 16.6 | 1.45 | 13.8 | 19.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Pancreas | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 785 | 7.3 | 0.27 | 6.8 | 7.9 | 22,275 | 10.0 | 0.07 | 9.8 | 10.1 |
| 1990 | * | * | * | * | * | 662 | 10.5 | 0.41 | 9.7 | 11.3 |
| 1991 | * | * | * | * | * | 618 | 9.7 | 0.40 | 9.0 | 10.5 |
| 1992 | 14 | 8.4 | 2.40 | 4.4 | 14.2 | 628 | 9.6 | 0.39 | 8.9 | 10.4 |
| 1993 | 10 | 5.3 | 1.81 | 2.3 | 9.8 | 631 | 9.7 | 0.39 | 8.9 | 10.5 |
| 1994 | * | * | * | * | * | 621 | 9.3 | 0.38 | 8.6 | 10.1 |
| 1995 | 10 | 5.9 | 1.98 | 2.7 | 10.8 | 610 | 9.0 | 0.37 | 8.3 | 9.8 |
| 1996 | * | * | * | * | * | 659 | 9.8 | 0.39 | 9.1 | 10.6 |
| 1997 | 11 | 5.2 | 1.71 | 2.4 | 9.5 | 655 | 9.6 | 0.38 | 8.9 | 10.4 |
| 1998 | * | * | * | * | * | 676 | 10.0 | 0.39 | 9.2 | 10.8 |
| 1999 | * | * | * | * | * | 710 | 10.3 | 0.39 | 9.6 | 11.1 |
| 2000 | * | * | * | * | * | 699 | 10.2 | 0.39 | 9.4 | 11.0 |
| 2001 | 18 | 7.4 | 1.89 | 4.2 | 11.9 | 710 | 10.3 | 0.39 | 9.6 | 11.1 |
| 2002 | 12 | 4.7 | 1.47 | 2.3 | 8.3 | 707 | 10.3 | 0.39 | 9.5 | 11.1 |
| 2003 | 18 | 5.8 | 1.47 | 3.3 | 9.3 | 651 | 9.3 | 0.37 | 8.6 | 10.0 |
| 2004 | 20 | 6.8 | 1.60 | 4.0 | 10.5 | 691 | 9.8 | 0.38 | 9.0 | 10.5 |
| 2005 | 26 | 9.2 | 1.93 | 5.9 | 13.6 | 756 | 10.7 | 0.39 | 9.9 | 11.5 |
| 2006 | 34 | 10.6 | 1.96 | 7.1 | 14.9 | 721 | 10.2 | 0.39 | 9.5 | 11.0 |
| 2007 | 20 | 6.0 | 1.41 | 3.5 | 9.2 | 732 | 10.2 | 0.38 | 9.5 | 11.0 |
| 2008 | 27 | 6.7 | 1.40 | 4.3 | 9.9 | 754 | 10.3 | 0.38 | 9.5 | 11.1 |
| 2009 | 25 | 6.3 | 1.33 | 3.9 | 9.3 | 723 | 9.9 | 0.38 | 9.2 | 10.7 |
| 2010 | 36 | 8.5 | 1.52 | 5.8 | 12.0 | 757 | 10.3 | 0.38 | 9.6 | 11.1 |
| 2011 | 34 | 8.4 | 1.52 | 5.7 | 11.8 | 758 | 10.1 | 0.38 | 9.4 | 10.9 |
| 2012 | 40 | 9.5 | 1.57 | 6.7 | 13.0 | 731 | 9.7 | 0.37 | 9.0 | 10.5 |
| 2013 | 33 | 6.5 | 1.19 | 4.4 | 9.2 | 745 | 9.7 | 0.36 | 9.0 | 10.5 |
| 2014 | 40 | 7.7 | 1.27 | 5.4 | 10.6 | 739 | 9.5 | 0.36 | 8.8 | 10.2 |
| 2015 | 37 | 6.7 | 1.14 | 4.6 | 9.2 | 749 | 9.4 | 0.35 | 8.8 | 10.2 |
| 2016 | 40 | 7.3 | 1.20 | 5.2 | 10.0 | 804 | 10.1 | 0.36 | 9.4 | 10.8 |
| 2017 | 49 | 9.0 | 1.32 | 6.5 | 11.9 | 797 | 9.9 | 0.36 | 9.2 | 10.6 |
| 2018 | 59 | 9.6 | 1.29 | 7.2 | 12.4 | 871 | 10.6 | 0.37 | 9.9 | 11.3 |
| 2019 | 46 | 6.9 | 1.06 | 5.0 | 9.3 | 830 | 10.1 | 0.36 | 9.4 | 10.8 |
| 2020 | 73 | 10.9 | 1.32 | 8.5 | 13.8 | 880 | 10.5 | 0.36 | 9.8 | 11.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Pancreas | | | | | | | | | | |
|--------------------|--------|------|------|-----|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 18,272 | 9.6 | 0.07 | 9.5 | 9.8 | 3,612 | 13.3 | 0.22 | 12.9 | 13.7 |
| 1990 | 563 | 10.0 | 0.43 | 9.2 | 10.9 | 96 | 14.7 | 1.53 | 11.9 | 18.0 |
| 1991 | 516 | 9.1 | 0.41 | 8.3 | 9.9 | 98 | 15.0 | 1.53 | 12.1 | 18.2 |
| 1992 | 546 | 9.4 | 0.41 | 8.6 | 10.2 | 79 | 11.2 | 1.28 | 8.9 | 14.0 |
| 1993 | 514 | 8.9 | 0.40 | 8.2 | 9.7 | 111 | 15.7 | 1.50 | 12.9 | 18.9 |
| 1994 | 529 | 9.0 | 0.40 | 8.2 | 9.8 | 85 | 12.2 | 1.33 | 9.7 | 15.1 |
| 1995 | 535 | 9.1 | 0.40 | 8.3 | 9.9 | 71 | 10.3 | 1.23 | 8.0 | 13.0 |
| 1996 | 549 | 9.4 | 0.41 | 8.6 | 10.2 | 100 | 14.1 | 1.42 | 11.4 | 17.1 |
| 1997 | 555 | 9.3 | 0.40 | 8.5 | 10.1 | 96 | 12.7 | 1.30 | 10.2 | 15.5 |
| 1998 | 571 | 9.7 | 0.41 | 8.9 | 10.6 | 99 | 13.0 | 1.31 | 10.5 | 15.8 |
| 1999 | 602 | 10.0 | 0.42 | 9.2 | 10.9 | 96 | 12.4 | 1.27 | 10.0 | 15.1 |
| 2000 | 573 | 9.6 | 0.41 | 8.8 | 10.4 | 113 | 14.4 | 1.36 | 11.9 | 17.3 |
| 2001 | 590 | 10.0 | 0.42 | 9.2 | 10.8 | 113 | 14.3 | 1.36 | 11.8 | 17.2 |
| 2002 | 572 | 9.6 | 0.41 | 8.8 | 10.5 | 129 | 15.7 | 1.39 | 13.1 | 18.6 |
| 2003 | 555 | 9.2 | 0.40 | 8.5 | 10.1 | 85 | 10.6 | 1.15 | 8.4 | 13.1 |
| 2004 | 581 | 9.6 | 0.40 | 8.8 | 10.4 | 100 | 12.1 | 1.22 | 9.8 | 14.7 |
| 2005 | 615 | 10.2 | 0.42 | 9.4 | 11.0 | 132 | 15.6 | 1.37 | 13.0 | 18.5 |
| 2006 | 580 | 9.6 | 0.41 | 8.9 | 10.5 | 132 | 15.2 | 1.34 | 12.7 | 18.1 |
| 2007 | 601 | 9.9 | 0.41 | 9.1 | 10.7 | 119 | 13.8 | 1.27 | 11.4 | 16.5 |
| 2008 | 619 | 10.0 | 0.41 | 9.2 | 10.8 | 126 | 14.0 | 1.26 | 11.6 | 16.7 |
| 2009 | 579 | 9.5 | 0.40 | 8.7 | 10.3 | 129 | 13.9 | 1.24 | 11.6 | 16.6 |
| 2010 | 622 | 10.2 | 0.42 | 9.4 | 11.0 | 121 | 13.2 | 1.21 | 10.9 | 15.8 |
| 2011 | 605 | 9.6 | 0.40 | 8.9 | 10.5 | 133 | 13.9 | 1.22 | 11.6 | 16.5 |
| 2012 | 585 | 9.4 | 0.40 | 8.6 | 10.2 | 125 | 12.6 | 1.14 | 10.5 | 15.1 |
| 2013 | 616 | 9.7 | 0.40 | 9.0 | 10.6 | 117 | 11.4 | 1.07 | 9.4 | 13.7 |
| 2014 | 590 | 9.2 | 0.39 | 8.5 | 10.0 | 134 | 12.7 | 1.12 | 10.6 | 15.1 |
| 2015 | 596 | 9.2 | 0.39 | 8.4 | 10.0 | 138 | 13.0 | 1.12 | 10.9 | 15.4 |
| 2016 | 648 | 9.9 | 0.40 | 9.1 | 10.7 | 132 | 12.0 | 1.06 | 10.0 | 14.3 |
| 2017 | 639 | 9.8 | 0.40 | 9.0 | 10.6 | 135 | 12.2 | 1.07 | 10.2 | 14.5 |
| 2018 | 682 | 10.2 | 0.40 | 9.4 | 11.0 | 163 | 14.3 | 1.14 | 12.2 | 16.7 |
| 2019 | 653 | 9.7 | 0.39 | 9.0 | 10.5 | 148 | 12.9 | 1.08 | 10.9 | 15.2 |
| 2020 | 691 | 10.3 | 0.40 | 9.5 | 11.1 | 157 | 13.2 | 1.07 | 11.2 | 15.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Respiratory System | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,583 | 17.8 | 0.32 | 17.1 | 18.4 | 206,919 | 54.3 | 0.12 | 54.0 | 54.5 |
| 1990 | 55 | 20.6 | 3.09 | 15.0 | 27.3 | 6,681 | 62.5 | 0.77 | 61.0 | 64.0 |
| 1991 | 65 | 19.3 | 2.73 | 14.3 | 25.3 | 6,715 | 62.2 | 0.77 | 60.7 | 63.7 |
| 1992 | 64 | 21.7 | 3.00 | 16.2 | 28.1 | 6,780 | 62.1 | 0.76 | 60.6 | 63.6 |
| 1993 | 70 | 21.0 | 2.82 | 15.9 | 27.1 | 7,044 | 64.2 | 0.77 | 62.7 | 65.7 |
| 1994 | 76 | 19.3 | 2.53 | 14.7 | 24.8 | 7,092 | 64.1 | 0.76 | 62.6 | 65.6 |
| 1995 | 70 | 18.3 | 2.43 | 13.8 | 23.5 | 7,133 | 64.2 | 0.76 | 62.7 | 65.7 |
| 1996 | 74 | 21.4 | 2.80 | 16.3 | 27.5 | 7,056 | 63.3 | 0.76 | 61.8 | 64.8 |
| 1997 | 75 | 19.2 | 2.45 | 14.7 | 24.5 | 6,816 | 60.8 | 0.74 | 59.3 | 62.2 |
| 1998 | 78 | 19.9 | 2.54 | 15.3 | 25.4 | 6,925 | 61.3 | 0.74 | 59.8 | 62.7 |
| 1999 | 113 | 26.6 | 2.79 | 21.4 | 32.5 | 6,828 | 60.0 | 0.73 | 58.6 | 61.5 |
| 2000 | 83 | 20.0 | 2.44 | 15.5 | 25.2 | 6,962 | 60.9 | 0.73 | 59.5 | 62.4 |
| 2001 | 98 | 21.9 | 2.47 | 17.3 | 27.1 | 6,901 | 60.0 | 0.72 | 58.6 | 61.5 |
| 2002 | 106 | 20.2 | 2.19 | 16.1 | 24.8 | 6,944 | 60.1 | 0.72 | 58.6 | 61.5 |
| 2003 | 102 | 19.9 | 2.18 | 15.8 | 24.5 | 6,974 | 59.8 | 0.72 | 58.4 | 61.2 |
| 2004 | 122 | 23.5 | 2.33 | 19.2 | 28.4 | 6,857 | 58.3 | 0.71 | 56.9 | 59.7 |
| 2005 | 106 | 18.7 | 1.98 | 15.0 | 22.9 | 6,694 | 56.5 | 0.69 | 55.1 | 57.9 |
| 2006 | 124 | 20.2 | 1.97 | 16.5 | 24.3 | 6,749 | 56.4 | 0.69 | 55.0 | 57.8 |
| 2007 | 137 | 20.8 | 1.92 | 17.2 | 24.9 | 6,971 | 57.6 | 0.70 | 56.3 | 59.0 |
| 2008 | 145 | 20.7 | 1.86 | 17.2 | 24.6 | 6,849 | 55.7 | 0.68 | 54.3 | 57.0 |
| 2009 | 108 | 15.0 | 1.55 | 12.1 | 18.3 | 6,750 | 54.2 | 0.67 | 52.9 | 55.6 |
| 2010 | 138 | 17.9 | 1.65 | 14.8 | 21.4 | 6,698 | 53.3 | 0.66 | 52.0 | 54.6 |
| 2011 | 135 | 18.2 | 1.68 | 15.0 | 21.7 | 6,667 | 52.1 | 0.65 | 50.8 | 53.4 |
| 2012 | 163 | 19.8 | 1.66 | 16.7 | 23.2 | 6,717 | 51.3 | 0.64 | 50.1 | 52.6 |
| 2013 | 160 | 18.2 | 1.54 | 15.3 | 21.4 | 6,583 | 49.5 | 0.62 | 48.3 | 50.7 |
| 2014 | 158 | 17.9 | 1.50 | 15.0 | 21.0 | 6,693 | 49.4 | 0.61 | 48.2 | 50.6 |
| 2015 | 169 | 16.9 | 1.39 | 14.3 | 19.8 | 6,434 | 46.7 | 0.59 | 45.5 | 47.8 |
| 2016 | 153 | 14.0 | 1.21 | 11.7 | 16.5 | 6,286 | 45.1 | 0.58 | 44.0 | 46.3 |
| 2017 | 162 | 15.4 | 1.27 | 13.0 | 18.0 | 6,040 | 42.5 | 0.56 | 41.4 | 43.6 |
| 2018 | 150 | 12.6 | 1.09 | 10.5 | 14.9 | 5,781 | 40.0 | 0.53 | 38.9 | 41.0 |
| 2019 | 164 | 13.7 | 1.13 | 11.6 | 16.1 | 5,761 | 39.3 | 0.53 | 38.3 | 40.4 |
| 2020 | 160 | 12.6 | 1.04 | 10.6 | 14.7 | 5,538 | 37.1 | 0.51 | 36.2 | 38.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Respiratory System | | | | | | | | | | |
|--------------------|---------|------|------|------|------|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 172,663 | 53.6 | 0.13 | 53.3 | 53.9 | 31,770 | 67.6 | 0.39 | 66.8 | 68.3 |
| 1990 | 5,610 | 59.6 | 0.80 | 58.0 | 61.2 | 1,034 | 89.0 | 2.84 | 83.5 | 94.7 |
| 1991 | 5,718 | 60.2 | 0.80 | 58.6 | 61.8 | 965 | 82.3 | 2.71 | 77.0 | 87.7 |
| 1992 | 5,697 | 59.4 | 0.79 | 57.9 | 61.0 | 1,053 | 87.5 | 2.76 | 82.1 | 93.0 |
| 1993 | 5,936 | 61.9 | 0.81 | 60.3 | 63.5 | 1,079 | 88.5 | 2.75 | 83.2 | 94.0 |
| 1994 | 5,997 | 62.2 | 0.81 | 60.6 | 63.8 | 1,054 | 84.7 | 2.66 | 79.6 | 90.1 |
| 1995 | 5,969 | 61.7 | 0.80 | 60.1 | 63.3 | 1,117 | 87.5 | 2.67 | 82.3 | 92.9 |
| 1996 | 5,845 | 60.4 | 0.79 | 58.9 | 62.0 | 1,165 | 91.5 | 2.73 | 86.3 | 97.0 |
| 1997 | 5,749 | 59.2 | 0.78 | 57.7 | 60.8 | 1,030 | 79.4 | 2.51 | 74.5 | 84.4 |
| 1998 | 5,775 | 59.1 | 0.78 | 57.6 | 60.7 | 1,096 | 81.7 | 2.51 | 76.9 | 86.8 |
| 1999 | 5,727 | 58.5 | 0.77 | 56.9 | 60.0 | 1,052 | 78.1 | 2.45 | 73.4 | 83.1 |
| 2000 | 5,801 | 59.2 | 0.78 | 57.6 | 60.7 | 1,083 | 78.8 | 2.43 | 74.1 | 83.7 |
| 2001 | 5,818 | 59.2 | 0.78 | 57.7 | 60.7 | 1,026 | 75.2 | 2.39 | 70.6 | 80.1 |
| 2002 | 5,807 | 58.9 | 0.77 | 57.4 | 60.4 | 1,069 | 75.9 | 2.36 | 71.3 | 80.6 |
| 2003 | 5,860 | 59.1 | 0.77 | 57.6 | 60.6 | 1,044 | 72.5 | 2.28 | 68.1 | 77.2 |
| 2004 | 5,742 | 57.5 | 0.76 | 56.1 | 59.1 | 1,039 | 70.9 | 2.24 | 66.6 | 75.4 |
| 2005 | 5,576 | 55.7 | 0.75 | 54.2 | 57.1 | 1,041 | 70.7 | 2.23 | 66.4 | 75.3 |
| 2006 | 5,600 | 55.5 | 0.75 | 54.1 | 57.0 | 1,049 | 69.5 | 2.19 | 65.2 | 73.9 |
| 2007 | 5,772 | 56.8 | 0.75 | 55.3 | 58.3 | 1,116 | 72.8 | 2.22 | 68.5 | 77.2 |
| 2008 | 5,735 | 55.5 | 0.74 | 54.1 | 57.0 | 1,019 | 66.3 | 2.12 | 62.2 | 70.5 |
| 2009 | 5,684 | 54.6 | 0.73 | 53.2 | 56.1 | 979 | 61.1 | 2.00 | 57.2 | 65.1 |
| 2010 | 5,561 | 53.1 | 0.72 | 51.6 | 54.5 | 1,031 | 63.9 | 2.04 | 60.0 | 68.0 |
| 2011 | 5,560 | 52.2 | 0.71 | 50.8 | 53.6 | 1,011 | 61.0 | 1.96 | 57.2 | 64.9 |
| 2012 | 5,594 | 51.5 | 0.70 | 50.2 | 52.9 | 1,018 | 59.9 | 1.92 | 56.2 | 63.7 |
| 2013 | 5,418 | 49.2 | 0.68 | 47.9 | 50.5 | 1,036 | 59.8 | 1.90 | 56.1 | 63.6 |
| 2014 | 5,539 | 49.5 | 0.68 | 48.2 | 50.9 | 1,032 | 58.3 | 1.86 | 54.7 | 62.1 |
| 2015 | 5,290 | 46.7 | 0.65 | 45.5 | 48.0 | 1,019 | 56.1 | 1.80 | 52.6 | 59.7 |
| 2016 | 5,157 | 45.2 | 0.64 | 44.0 | 46.5 | 1,007 | 54.4 | 1.76 | 51.0 | 58.0 |
| 2017 | 4,989 | 42.9 | 0.62 | 41.7 | 44.2 | 953 | 50.9 | 1.69 | 47.6 | 54.3 |
| 2018 | 4,815 | 40.8 | 0.60 | 39.7 | 42.0 | 860 | 45.0 | 1.57 | 42.0 | 48.2 |
| 2019 | 4,732 | 39.7 | 0.59 | 38.6 | 40.9 | 871 | 44.4 | 1.54 | 41.4 | 47.5 |
| 2020 | 4,590 | 38.0 | 0.57 | 36.9 | 39.1 | 822 | 41.0 | 1.46 | 38.2 | 44.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Respiratory System | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|-------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 2,307 | 25.3 | 0.59 | 24.2 | 26.5 | 118,374 | 73.2 | 0.22 | 72.8 | 73.6 |
| 1990 | 43 | 38.5 | 7.10 | 25.9 | 54.2 | 4,308 | 97.7 | 1.54 | 94.8 | 100.8 |
| 1991 | 39 | 26.7 | 5.17 | 17.5 | 38.3 | 4,367 | 98.4 | 1.53 | 95.4 | 101.4 |
| 1992 | 45 | 34.2 | 5.95 | 23.5 | 47.3 | 4,261 | 94.3 | 1.48 | 91.4 | 97.2 |
| 1993 | 45 | 31.8 | 5.76 | 21.5 | 44.6 | 4,418 | 97.2 | 1.49 | 94.3 | 100.1 |
| 1994 | 53 | 30.7 | 5.04 | 21.6 | 41.8 | 4,432 | 96.7 | 1.48 | 93.8 | 99.7 |
| 1995 | 47 | 22.0 | 3.61 | 15.5 | 30.1 | 4,368 | 94.8 | 1.46 | 92.0 | 97.7 |
| 1996 | 49 | 32.0 | 5.40 | 22.3 | 43.9 | 4,245 | 91.9 | 1.43 | 89.1 | 94.8 |
| 1997 | 55 | 29.6 | 4.65 | 21.2 | 39.9 | 4,082 | 87.9 | 1.39 | 85.1 | 90.6 |
| 1998 | 61 | 36.2 | 5.50 | 26.2 | 48.2 | 4,068 | 86.7 | 1.38 | 84.1 | 89.5 |
| 1999 | 69 | 35.4 | 4.99 | 26.3 | 46.2 | 4,028 | 85.2 | 1.36 | 82.5 | 87.9 |
| 2000 | 58 | 31.0 | 4.75 | 22.4 | 41.3 | 4,079 | 85.6 | 1.35 | 83.0 | 88.3 |
| 2001 | 63 | 31.8 | 4.61 | 23.4 | 41.8 | 4,057 | 84.9 | 1.34 | 82.3 | 87.5 |
| 2002 | 73 | 32.8 | 4.53 | 24.5 | 42.6 | 3,960 | 82.0 | 1.32 | 79.4 | 84.6 |
| 2003 | 68 | 27.5 | 3.78 | 20.6 | 35.7 | 3,933 | 80.1 | 1.29 | 77.6 | 82.7 |
| 2004 | 83 | 35.6 | 4.37 | 27.6 | 44.9 | 3,889 | 78.4 | 1.27 | 75.9 | 81.0 |
| 2005 | 73 | 26.7 | 3.50 | 20.3 | 34.3 | 3,740 | 74.9 | 1.24 | 72.5 | 77.3 |
| 2006 | 75 | 24.2 | 3.08 | 18.6 | 30.9 | 3,783 | 74.8 | 1.23 | 72.4 | 77.2 |
| 2007 | 93 | 32.4 | 3.75 | 25.4 | 40.3 | 3,792 | 73.5 | 1.21 | 71.2 | 75.9 |
| 2008 | 93 | 30.8 | 3.54 | 24.3 | 38.3 | 3,757 | 71.9 | 1.19 | 69.6 | 74.3 |
| 2009 | 74 | 22.8 | 2.93 | 17.4 | 29.1 | 3,651 | 68.3 | 1.15 | 66.1 | 70.6 |
| 2010 | 80 | 24.9 | 3.07 | 19.2 | 31.4 | 3,629 | 67.1 | 1.13 | 64.9 | 69.3 |
| 2011 | 89 | 26.9 | 3.16 | 21.1 | 33.6 | 3,627 | 65.8 | 1.12 | 63.7 | 68.1 |
| 2012 | 99 | 27.7 | 3.07 | 22.0 | 34.2 | 3,630 | 64.3 | 1.09 | 62.2 | 66.5 |
| 2013 | 108 | 27.2 | 2.89 | 21.9 | 33.3 | 3,554 | 61.3 | 1.05 | 59.2 | 63.4 |
| 2014 | 89 | 24.1 | 2.73 | 19.0 | 29.9 | 3,609 | 61.6 | 1.05 | 59.5 | 63.6 |
| 2015 | 103 | 21.2 | 2.30 | 16.9 | 26.1 | 3,507 | 58.3 | 1.01 | 56.3 | 60.3 |
| 2016 | 88 | 16.8 | 1.97 | 13.2 | 21.0 | 3,311 | 54.7 | 0.97 | 52.8 | 56.6 |
| 2017 | 108 | 23.1 | 2.39 | 18.7 | 28.1 | 3,195 | 51.5 | 0.93 | 49.7 | 53.3 |
| 2018 | 86 | 16.0 | 1.88 | 12.5 | 20.0 | 3,113 | 49.1 | 0.90 | 47.4 | 50.9 |
| 2019 | 108 | 19.9 | 2.06 | 16.1 | 24.3 | 3,027 | 47.0 | 0.87 | 45.3 | 48.7 |
| 2020 | 90 | 15.3 | 1.73 | 12.1 | 19.0 | 2,954 | 45.1 | 0.85 | 43.5 | 46.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Respiratory System | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|-------|------|-------|-------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 98,090 | 71.3 | 0.23 | 70.9 | 71.8 | 18,721 | 98.7 | 0.76 | 97.3 | 100.2 |
| 1990 | 3,580 | 92.2 | 1.59 | 89.2 | 95.4 | 702 | 150.1 | 6.00 | 138.5 | 162.2 |
| 1991 | 3,682 | 94.1 | 1.59 | 91.0 | 97.3 | 661 | 140.6 | 5.79 | 129.5 | 152.3 |
| 1992 | 3,534 | 88.9 | 1.53 | 86.0 | 92.0 | 706 | 147.0 | 5.87 | 135.8 | 158.9 |
| 1993 | 3,677 | 92.5 | 1.56 | 89.5 | 95.6 | 723 | 145.6 | 5.70 | 134.6 | 157.1 |
| 1994 | 3,727 | 93.1 | 1.55 | 90.1 | 96.2 | 678 | 135.6 | 5.47 | 125.1 | 146.7 |
| 1995 | 3,622 | 90.2 | 1.52 | 87.3 | 93.3 | 722 | 140.0 | 5.50 | 129.4 | 151.2 |
| 1996 | 3,462 | 86.1 | 1.48 | 83.2 | 89.0 | 755 | 149.0 | 5.71 | 138.0 | 160.6 |
| 1997 | 3,398 | 84.3 | 1.46 | 81.4 | 87.2 | 656 | 126.0 | 5.15 | 116.1 | 136.4 |
| 1998 | 3,374 | 83.1 | 1.44 | 80.3 | 86.0 | 661 | 122.4 | 5.01 | 112.8 | 132.6 |
| 1999 | 3,328 | 81.5 | 1.42 | 78.7 | 84.3 | 663 | 123.7 | 5.02 | 114.0 | 133.8 |
| 2000 | 3,373 | 82.2 | 1.42 | 79.4 | 85.0 | 647 | 116.5 | 4.79 | 107.3 | 126.2 |
| 2001 | 3,370 | 81.9 | 1.42 | 79.1 | 84.7 | 648 | 119.5 | 4.93 | 110.0 | 129.5 |
| 2002 | 3,321 | 80.2 | 1.40 | 77.5 | 83.0 | 604 | 104.4 | 4.45 | 95.9 | 113.5 |
| 2003 | 3,271 | 78.0 | 1.37 | 75.3 | 80.7 | 609 | 104.3 | 4.44 | 95.8 | 113.3 |
| 2004 | 3,234 | 76.5 | 1.35 | 73.8 | 79.2 | 607 | 102.8 | 4.38 | 94.4 | 111.7 |
| 2005 | 3,108 | 73.0 | 1.32 | 70.5 | 75.7 | 580 | 99.1 | 4.34 | 90.7 | 107.9 |
| 2006 | 3,118 | 72.6 | 1.31 | 70.1 | 75.2 | 596 | 97.7 | 4.22 | 89.6 | 106.3 |
| 2007 | 3,113 | 71.3 | 1.29 | 68.8 | 73.8 | 631 | 102.6 | 4.31 | 94.4 | 111.4 |
| 2008 | 3,134 | 70.8 | 1.28 | 68.3 | 73.3 | 575 | 94.3 | 4.15 | 86.3 | 102.7 |
| 2009 | 3,061 | 67.9 | 1.24 | 65.4 | 70.3 | 531 | 83.1 | 3.81 | 75.8 | 90.9 |
| 2010 | 3,018 | 66.3 | 1.23 | 63.9 | 68.8 | 552 | 85.1 | 3.83 | 77.8 | 92.9 |
| 2011 | 2,982 | 64.4 | 1.20 | 62.1 | 66.8 | 589 | 88.3 | 3.83 | 81.0 | 96.1 |
| 2012 | 3,018 | 63.7 | 1.18 | 61.4 | 66.1 | 551 | 80.8 | 3.62 | 73.9 | 88.2 |
| 2013 | 2,912 | 60.1 | 1.13 | 57.9 | 62.3 | 569 | 80.6 | 3.55 | 73.8 | 87.9 |
| 2014 | 2,977 | 60.7 | 1.13 | 58.5 | 63.0 | 560 | 80.0 | 3.56 | 73.2 | 87.3 |
| 2015 | 2,847 | 57.0 | 1.09 | 54.9 | 59.2 | 581 | 80.2 | 3.49 | 73.5 | 87.3 |
| 2016 | 2,726 | 54.3 | 1.06 | 52.2 | 56.4 | 512 | 68.8 | 3.18 | 62.8 | 75.3 |
| 2017 | 2,629 | 51.1 | 1.02 | 49.1 | 53.1 | 500 | 66.9 | 3.13 | 61.0 | 73.3 |
| 2018 | 2,597 | 49.7 | 0.99 | 47.7 | 51.7 | 449 | 58.7 | 2.90 | 53.2 | 64.7 |
| 2019 | 2,474 | 46.8 | 0.96 | 44.9 | 48.7 | 455 | 57.3 | 2.80 | 51.9 | 63.0 |
| 2020 | 2,423 | 45.0 | 0.93 | 43.2 | 46.8 | 448 | 56.5 | 2.77 | 51.2 | 62.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Respiratory System | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,276 | 11.7 | 0.35 | 11.0 | 12.4 | 88,545 | 40.8 | 0.14 | 40.5 | 41.1 |
| 1990 | 12 | 8.1 | 2.42 | 4.1 | 14.0 | 2,373 | 38.9 | 0.81 | 37.3 | 40.5 |
| 1991 | 26 | 14.4 | 3.07 | 9.0 | 21.4 | 2,348 | 38.0 | 0.80 | 36.5 | 39.6 |
| 1992 | 19 | 12.3 | 3.03 | 7.1 | 19.4 | 2,519 | 40.4 | 0.82 | 38.8 | 42.0 |
| 1993 | 25 | 13.5 | 2.87 | 8.5 | 20.1 | 2,626 | 41.7 | 0.82 | 40.1 | 43.3 |
| 1994 | 23 | 10.5 | 2.45 | 6.2 | 16.2 | 2,660 | 41.9 | 0.82 | 40.3 | 43.6 |
| 1995 | 23 | 13.7 | 3.02 | 8.5 | 20.6 | 2,765 | 43.3 | 0.83 | 41.6 | 44.9 |
| 1996 | 25 | 13.5 | 2.93 | 8.4 | 20.1 | 2,811 | 43.9 | 0.84 | 42.2 | 45.5 |
| 1997 | 20 | 10.5 | 2.51 | 6.2 | 16.3 | 2,734 | 42.3 | 0.82 | 40.8 | 44.0 |
| 1998 | 17 | 7.7 | 2.06 | 4.2 | 12.6 | 2,857 | 43.9 | 0.83 | 42.3 | 45.6 |
| 1999 | 44 | 19.5 | 3.18 | 13.8 | 26.6 | 2,800 | 42.7 | 0.81 | 41.1 | 44.3 |
| 2000 | 25 | 11.3 | 2.43 | 7.1 | 16.9 | 2,883 | 44.0 | 0.82 | 42.4 | 45.6 |
| 2001 | 35 | 13.9 | 2.61 | 9.3 | 19.8 | 2,844 | 43.0 | 0.81 | 41.4 | 44.6 |
| 2002 | 33 | 10.6 | 1.99 | 7.1 | 15.1 | 2,984 | 44.9 | 0.83 | 43.3 | 46.6 |
| 2003 | 34 | 13.2 | 2.45 | 8.8 | 18.7 | 3,041 | 45.4 | 0.83 | 43.8 | 47.0 |
| 2004 | 39 | 13.8 | 2.37 | 9.5 | 19.0 | 2,968 | 44.1 | 0.82 | 42.5 | 45.7 |
| 2005 | 33 | 11.8 | 2.18 | 7.9 | 16.7 | 2,954 | 43.8 | 0.81 | 42.2 | 45.4 |
| 2006 | 49 | 16.1 | 2.45 | 11.7 | 21.5 | 2,966 | 43.6 | 0.81 | 42.1 | 45.3 |
| 2007 | 44 | 11.9 | 1.89 | 8.5 | 16.0 | 3,179 | 46.4 | 0.83 | 44.8 | 48.1 |
| 2008 | 52 | 12.8 | 1.91 | 9.3 | 17.0 | 3,092 | 44.1 | 0.80 | 42.6 | 45.7 |
| 2009 | 34 | 8.7 | 1.58 | 5.9 | 12.2 | 3,099 | 44.3 | 0.81 | 42.7 | 45.9 |
| 2010 | 58 | 12.9 | 1.80 | 9.6 | 16.8 | 3,069 | 43.4 | 0.80 | 41.8 | 45.0 |
| 2011 | 46 | 11.4 | 1.77 | 8.2 | 15.3 | 3,040 | 42.2 | 0.78 | 40.7 | 43.7 |
| 2012 | 64 | 13.9 | 1.83 | 10.6 | 17.9 | 3,087 | 42.0 | 0.77 | 40.5 | 43.6 |
| 2013 | 52 | 11.0 | 1.59 | 8.1 | 14.5 | 3,029 | 40.7 | 0.75 | 39.2 | 42.2 |
| 2014 | 69 | 13.4 | 1.68 | 10.3 | 17.1 | 3,084 | 40.6 | 0.74 | 39.2 | 42.1 |
| 2015 | 66 | 13.0 | 1.66 | 9.9 | 16.5 | 2,927 | 38.0 | 0.72 | 36.6 | 39.4 |
| 2016 | 65 | 11.4 | 1.49 | 8.7 | 14.7 | 2,975 | 38.0 | 0.71 | 36.7 | 39.5 |
| 2017 | 54 | 9.3 | 1.32 | 6.9 | 12.2 | 2,845 | 35.7 | 0.68 | 34.4 | 37.1 |
| 2018 | 64 | 9.9 | 1.28 | 7.5 | 12.7 | 2,668 | 33.0 | 0.65 | 31.8 | 34.4 |
| 2019 | 56 | 8.8 | 1.22 | 6.6 | 11.5 | 2,734 | 33.5 | 0.65 | 32.2 | 34.8 |
| 2020 | 70 | 10.3 | 1.26 | 8.0 | 13.0 | 2,584 | 31.0 | 0.62 | 29.8 | 32.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Respiratory System | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 74,573 | 40.9 | 0.15 | 40.6 | 41.2 | 13,049 | 47.0 | 0.42 | 46.2 | 47.8 |
| 1990 | 2,030 | 38.0 | 0.86 | 36.3 | 39.7 | 332 | 48.4 | 2.70 | 43.3 | 54.0 |
| 1991 | 2,036 | 37.7 | 0.85 | 36.1 | 39.5 | 304 | 43.9 | 2.55 | 39.1 | 49.2 |
| 1992 | 2,163 | 39.6 | 0.87 | 37.9 | 41.4 | 347 | 48.9 | 2.65 | 43.8 | 54.3 |
| 1993 | 2,259 | 41.2 | 0.88 | 39.5 | 43.0 | 356 | 49.9 | 2.67 | 44.8 | 55.4 |
| 1994 | 2,270 | 41.2 | 0.88 | 39.5 | 43.0 | 376 | 51.0 | 2.66 | 45.9 | 56.5 |
| 1995 | 2,347 | 42.4 | 0.89 | 40.6 | 44.1 | 395 | 52.6 | 2.67 | 47.5 | 58.1 |
| 1996 | 2,383 | 43.2 | 0.90 | 41.4 | 45.0 | 410 | 54.1 | 2.69 | 49.0 | 59.6 |
| 1997 | 2,351 | 42.3 | 0.88 | 40.5 | 44.0 | 374 | 48.8 | 2.54 | 43.9 | 54.0 |
| 1998 | 2,401 | 42.8 | 0.89 | 41.1 | 44.6 | 435 | 55.0 | 2.66 | 49.9 | 60.5 |
| 1999 | 2,399 | 42.6 | 0.88 | 40.9 | 44.4 | 389 | 48.5 | 2.48 | 43.8 | 53.6 |
| 2000 | 2,428 | 43.4 | 0.89 | 41.7 | 45.2 | 436 | 53.7 | 2.59 | 48.8 | 59.0 |
| 2001 | 2,448 | 43.6 | 0.89 | 41.8 | 45.4 | 378 | 46.6 | 2.41 | 42.0 | 51.6 |
| 2002 | 2,486 | 44.2 | 0.90 | 42.4 | 46.0 | 465 | 56.3 | 2.63 | 51.3 | 61.7 |
| 2003 | 2,589 | 45.6 | 0.91 | 43.8 | 47.4 | 435 | 51.3 | 2.48 | 46.6 | 56.4 |
| 2004 | 2,508 | 44.2 | 0.90 | 42.5 | 46.0 | 432 | 49.8 | 2.42 | 45.2 | 54.8 |
| 2005 | 2,468 | 43.5 | 0.89 | 41.8 | 45.3 | 461 | 52.7 | 2.47 | 48.0 | 57.8 |
| 2006 | 2,482 | 43.6 | 0.89 | 41.9 | 45.4 | 453 | 50.9 | 2.41 | 46.3 | 55.9 |
| 2007 | 2,659 | 46.5 | 0.92 | 44.7 | 48.3 | 485 | 53.7 | 2.46 | 49.0 | 58.7 |
| 2008 | 2,601 | 44.6 | 0.89 | 42.9 | 46.4 | 444 | 48.4 | 2.32 | 43.9 | 53.1 |
| 2009 | 2,623 | 45.1 | 0.90 | 43.3 | 46.9 | 448 | 47.2 | 2.26 | 42.9 | 51.9 |
| 2010 | 2,543 | 43.4 | 0.88 | 41.7 | 45.2 | 479 | 50.4 | 2.33 | 45.9 | 55.2 |
| 2011 | 2,578 | 43.4 | 0.87 | 41.7 | 45.1 | 422 | 43.1 | 2.13 | 39.0 | 47.5 |
| 2012 | 2,576 | 42.7 | 0.86 | 41.0 | 44.4 | 467 | 46.4 | 2.18 | 42.2 | 50.8 |
| 2013 | 2,506 | 41.0 | 0.84 | 39.4 | 42.7 | 467 | 45.9 | 2.15 | 41.8 | 50.3 |
| 2014 | 2,562 | 41.3 | 0.83 | 39.7 | 43.0 | 472 | 44.7 | 2.09 | 40.7 | 49.0 |
| 2015 | 2,443 | 39.0 | 0.81 | 37.4 | 40.6 | 438 | 40.7 | 1.98 | 37.0 | 44.8 |
| 2016 | 2,431 | 38.5 | 0.80 | 36.9 | 40.1 | 495 | 44.6 | 2.04 | 40.7 | 48.8 |
| 2017 | 2,360 | 36.7 | 0.77 | 35.2 | 38.3 | 453 | 40.3 | 1.92 | 36.6 | 44.3 |
| 2018 | 2,218 | 33.9 | 0.74 | 32.5 | 35.4 | 411 | 36.6 | 1.83 | 33.1 | 40.3 |
| 2019 | 2,258 | 34.2 | 0.74 | 32.8 | 35.7 | 416 | 36.2 | 1.80 | 32.7 | 39.9 |
| 2020 | 2,167 | 32.5 | 0.71 | 31.1 | 33.9 | 374 | 30.9 | 1.62 | 27.8 | 34.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Larynx | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 135 | 0.6 | 0.06 | 0.5 | 0.8 | 5,239 | 1.4 | 0.02 | 1.3 | 1.4 |
| 1990 | * | * | * | * | * | 178 | 1.7 | 0.13 | 1.5 | 2.0 |
| 1991 | * | * | * | * | * | 203 | 1.9 | 0.13 | 1.6 | 2.2 |
| 1992 | * | * | * | * | * | 191 | 1.8 | 0.13 | 1.5 | 2.0 |
| 1993 | * | * | * | * | * | 221 | 2.0 | 0.14 | 1.8 | 2.3 |
| 1994 | * | * | * | * | * | 180 | 1.7 | 0.12 | 1.4 | 1.9 |
| 1995 | * | * | * | * | * | 196 | 1.8 | 0.13 | 1.5 | 2.1 |
| 1996 | * | * | * | * | * | 206 | 1.9 | 0.13 | 1.6 | 2.2 |
| 1997 | * | * | * | * | * | 165 | 1.5 | 0.12 | 1.3 | 1.7 |
| 1998 | * | * | * | * | * | 187 | 1.7 | 0.12 | 1.4 | 1.9 |
| 1999 | * | * | * | * | * | 177 | 1.6 | 0.12 | 1.4 | 1.8 |
| 2000 | * | * | * | * | * | 177 | 1.6 | 0.12 | 1.3 | 1.8 |
| 2001 | * | * | * | * | * | 165 | 1.4 | 0.11 | 1.2 | 1.7 |
| 2002 | * | * | * | * | * | 162 | 1.4 | 0.11 | 1.2 | 1.6 |
| 2003 | * | * | * | * | * | 180 | 1.5 | 0.12 | 1.3 | 1.8 |
| 2004 | * | * | * | * | * | 141 | 1.2 | 0.10 | 1.0 | 1.4 |
| 2005 | * | * | * | * | * | 150 | 1.3 | 0.10 | 1.1 | 1.5 |
| 2006 | * | * | * | * | * | 166 | 1.4 | 0.11 | 1.2 | 1.6 |
| 2007 | * | * | * | * | * | 165 | 1.3 | 0.10 | 1.1 | 1.6 |
| 2008 | * | * | * | * | * | 150 | 1.2 | 0.10 | 1.0 | 1.4 |
| 2009 | * | * | * | * | * | 179 | 1.4 | 0.11 | 1.2 | 1.6 |
| 2010 | * | * | * | * | * | 135 | 1.0 | 0.09 | 0.9 | 1.2 |
| 2011 | * | * | * | * | * | 158 | 1.2 | 0.10 | 1.0 | 1.4 |
| 2012 | * | * | * | * | * | 158 | 1.2 | 0.10 | 1.0 | 1.4 |
| 2013 | 12 | 1.5 | 0.45 | 0.7 | 2.6 | 169 | 1.3 | 0.10 | 1.1 | 1.5 |
| 2014 | * | * | * | * | * | 165 | 1.2 | 0.09 | 1.0 | 1.4 |
| 2015 | * | * | * | * | * | 154 | 1.1 | 0.09 | 0.9 | 1.3 |
| 2016 | * | * | * | * | * | 155 | 1.1 | 0.09 | 0.9 | 1.3 |
| 2017 | * | * | * | * | * | 144 | 1.0 | 0.09 | 0.9 | 1.2 |
| 2018 | * | * | * | * | * | 155 | 1.0 | 0.08 | 0.9 | 1.2 |
| 2019 | * | * | * | * | * | 173 | 1.1 | 0.09 | 1.0 | 1.3 |
| 2020 | * | * | * | * | * | 134 | 0.9 | 0.08 | 0.8 | 1.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Larynx | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,849 | 1.2 | 0.02 | 1.2 | 1.2 | 1,351 | 2.8 | 0.08 | 2.6 | 2.9 |
| 1990 | 136 | 1.4 | 0.13 | 1.2 | 1.7 | 42 | 3.7 | 0.57 | 2.6 | 5.0 |
| 1991 | 140 | 1.5 | 0.13 | 1.2 | 1.8 | 61 | 5.0 | 0.65 | 3.8 | 6.4 |
| 1992 | 132 | 1.4 | 0.12 | 1.2 | 1.6 | 58 | 4.6 | 0.61 | 3.5 | 6.0 |
| 1993 | 166 | 1.7 | 0.14 | 1.5 | 2.0 | 55 | 4.5 | 0.62 | 3.4 | 5.8 |
| 1994 | 127 | 1.3 | 0.12 | 1.1 | 1.6 | 51 | 4.1 | 0.58 | 3.0 | 5.4 |
| 1995 | 148 | 1.6 | 0.13 | 1.3 | 1.8 | 46 | 3.5 | 0.52 | 2.5 | 4.6 |
| 1996 | 143 | 1.5 | 0.13 | 1.3 | 1.8 | 63 | 4.6 | 0.58 | 3.5 | 5.8 |
| 1997 | 117 | 1.2 | 0.11 | 1.0 | 1.5 | 47 | 3.6 | 0.53 | 2.6 | 4.8 |
| 1998 | 134 | 1.4 | 0.12 | 1.2 | 1.7 | 52 | 3.7 | 0.52 | 2.8 | 4.9 |
| 1999 | 133 | 1.4 | 0.12 | 1.2 | 1.6 | 43 | 3.0 | 0.46 | 2.2 | 4.0 |
| 2000 | 128 | 1.3 | 0.12 | 1.1 | 1.6 | 46 | 3.2 | 0.48 | 2.4 | 4.3 |
| 2001 | 117 | 1.2 | 0.11 | 1.0 | 1.4 | 47 | 3.4 | 0.51 | 2.5 | 4.6 |
| 2002 | 131 | 1.3 | 0.12 | 1.1 | 1.6 | 31 | 2.2 | 0.40 | 1.5 | 3.1 |
| 2003 | 137 | 1.4 | 0.12 | 1.2 | 1.7 | 39 | 2.8 | 0.45 | 1.9 | 3.8 |
| 2004 | 102 | 1.0 | 0.10 | 0.8 | 1.2 | 39 | 2.6 | 0.42 | 1.8 | 3.5 |
| 2005 | 115 | 1.1 | 0.11 | 0.9 | 1.4 | 34 | 2.2 | 0.38 | 1.5 | 3.1 |
| 2006 | 120 | 1.2 | 0.11 | 1.0 | 1.4 | 46 | 2.8 | 0.42 | 2.0 | 3.7 |
| 2007 | 121 | 1.2 | 0.11 | 1.0 | 1.4 | 44 | 2.7 | 0.42 | 2.0 | 3.7 |
| 2008 | 112 | 1.1 | 0.10 | 0.9 | 1.3 | 37 | 2.3 | 0.39 | 1.6 | 3.2 |
| 2009 | 133 | 1.3 | 0.11 | 1.1 | 1.5 | 45 | 2.6 | 0.40 | 1.9 | 3.6 |
| 2010 | 103 | 1.0 | 0.10 | 0.8 | 1.2 | 31 | 1.8 | 0.33 | 1.2 | 2.6 |
| 2011 | 113 | 1.1 | 0.10 | 0.9 | 1.3 | 45 | 2.6 | 0.39 | 1.9 | 3.5 |
| 2012 | 112 | 1.0 | 0.10 | 0.9 | 1.3 | 44 | 2.4 | 0.37 | 1.7 | 3.3 |
| 2013 | 135 | 1.2 | 0.11 | 1.0 | 1.5 | 32 | 1.9 | 0.33 | 1.3 | 2.6 |
| 2014 | 111 | 1.0 | 0.09 | 0.8 | 1.2 | 52 | 2.8 | 0.40 | 2.1 | 3.7 |
| 2015 | 123 | 1.1 | 0.10 | 0.9 | 1.3 | 31 | 1.7 | 0.32 | 1.2 | 2.5 |
| 2016 | 114 | 1.0 | 0.10 | 0.8 | 1.2 | 38 | 2.0 | 0.34 | 1.4 | 2.8 |
| 2017 | 101 | 0.9 | 0.09 | 0.7 | 1.1 | 42 | 2.1 | 0.33 | 1.5 | 2.9 |
| 2018 | 119 | 1.0 | 0.09 | 0.8 | 1.2 | 35 | 1.7 | 0.29 | 1.2 | 2.3 |
| 2019 | 125 | 1.0 | 0.09 | 0.9 | 1.2 | 43 | 2.1 | 0.32 | 1.5 | 2.8 |
| 2020 | 101 | 0.9 | 0.09 | 0.7 | 1.0 | 32 | 1.6 | 0.29 | 1.1 | 2.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Larynx | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 120 | 1.2 | 0.13 | 1.0 | 1.5 | 4,133 | 2.5 | 0.04 | 2.4 | 2.6 |
| 1990 | * | * | * | * | * | 141 | 3.2 | 0.27 | 2.6 | 3.7 |
| 1991 | * | * | * | * | * | 161 | 3.6 | 0.29 | 3.1 | 4.3 |
| 1992 | * | * | * | * | * | 152 | 3.3 | 0.28 | 2.8 | 3.9 |
| 1993 | * | * | * | * | * | 173 | 3.8 | 0.29 | 3.2 | 4.4 |
| 1994 | * | * | * | * | * | 157 | 3.4 | 0.28 | 2.9 | 4.0 |
| 1995 | * | * | * | * | * | 159 | 3.4 | 0.28 | 2.9 | 4.0 |
| 1996 | * | * | * | * | * | 157 | 3.3 | 0.27 | 2.8 | 3.9 |
| 1997 | * | * | * | * | * | 135 | 2.9 | 0.25 | 2.4 | 3.4 |
| 1998 | * | * | * | * | * | 144 | 3.0 | 0.26 | 2.6 | 3.6 |
| 1999 | * | * | * | * | * | 136 | 2.8 | 0.24 | 2.4 | 3.3 |
| 2000 | * | * | * | * | * | 139 | 2.9 | 0.25 | 2.4 | 3.4 |
| 2001 | * | * | * | * | * | 133 | 2.7 | 0.24 | 2.3 | 3.3 |
| 2002 | * | * | * | * | * | 132 | 2.7 | 0.23 | 2.2 | 3.1 |
| 2003 | * | * | * | * | * | 130 | 2.6 | 0.23 | 2.1 | 3.0 |
| 2004 | * | * | * | * | * | 109 | 2.1 | 0.21 | 1.7 | 2.6 |
| 2005 | * | * | * | * | * | 122 | 2.4 | 0.22 | 2.0 | 2.9 |
| 2006 | * | * | * | * | * | 127 | 2.4 | 0.21 | 2.0 | 2.8 |
| 2007 | * | * | * | * | * | 133 | 2.5 | 0.22 | 2.1 | 3.0 |
| 2008 | * | * | * | * | * | 117 | 2.2 | 0.20 | 1.8 | 2.6 |
| 2009 | * | * | * | * | * | 140 | 2.5 | 0.21 | 2.1 | 2.9 |
| 2010 | * | * | * | * | * | 111 | 2.0 | 0.19 | 1.6 | 2.4 |
| 2011 | * | * | * | * | * | 120 | 2.1 | 0.20 | 1.7 | 2.5 |
| 2012 | * | * | * | * | * | 124 | 2.2 | 0.20 | 1.8 | 2.6 |
| 2013 | 11 | 3.0 | 0.96 | 1.4 | 5.3 | 147 | 2.6 | 0.22 | 2.2 | 3.0 |
| 2014 | * | * | * | * | * | 126 | 2.0 | 0.18 | 1.7 | 2.4 |
| 2015 | * | * | * | * | * | 117 | 1.9 | 0.18 | 1.6 | 2.3 |
| 2016 | * | * | * | * | * | 116 | 1.8 | 0.18 | 1.5 | 2.2 |
| 2017 | * | * | * | * | * | 111 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2018 | * | * | * | * | * | 120 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2019 | * | * | * | * | * | 133 | 2.0 | 0.17 | 1.6 | 2.3 |
| 2020 | * | * | * | * | * | 111 | 1.7 | 0.16 | 1.4 | 2.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Larynx | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,059 | 2.2 | 0.04 | 2.1 | 2.3 | 1,042 | 5.2 | 0.17 | 4.9 | 5.6 |
| 1990 | 106 | 2.7 | 0.27 | 2.2 | 3.2 | 35 | 7.5 | 1.32 | 5.1 | 10.5 |
| 1991 | 115 | 3.0 | 0.28 | 2.4 | 3.6 | 44 | 8.9 | 1.41 | 6.3 | 12.0 |
| 1992 | 106 | 2.7 | 0.27 | 2.2 | 3.2 | 46 | 8.7 | 1.35 | 6.3 | 11.8 |
| 1993 | 128 | 3.2 | 0.29 | 2.7 | 3.8 | 45 | 8.8 | 1.38 | 6.3 | 11.9 |
| 1994 | 110 | 2.7 | 0.26 | 2.2 | 3.3 | 45 | 8.9 | 1.41 | 6.4 | 12.0 |
| 1995 | 120 | 3.0 | 0.28 | 2.5 | 3.6 | 37 | 6.8 | 1.17 | 4.7 | 9.4 |
| 1996 | 111 | 2.8 | 0.26 | 2.3 | 3.3 | 46 | 8.0 | 1.22 | 5.8 | 10.8 |
| 1997 | 94 | 2.3 | 0.24 | 1.9 | 2.8 | 40 | 7.3 | 1.19 | 5.1 | 10.0 |
| 1998 | 102 | 2.5 | 0.25 | 2.1 | 3.1 | 41 | 6.9 | 1.13 | 4.9 | 9.5 |
| 1999 | 106 | 2.6 | 0.25 | 2.1 | 3.1 | 30 | 5.2 | 1.00 | 3.4 | 7.5 |
| 2000 | 105 | 2.6 | 0.25 | 2.1 | 3.1 | 32 | 5.5 | 1.01 | 3.7 | 7.8 |
| 2001 | 92 | 2.2 | 0.23 | 1.8 | 2.7 | 40 | 7.2 | 1.18 | 5.1 | 9.8 |
| 2002 | 106 | 2.5 | 0.24 | 2.0 | 3.0 | 26 | 4.5 | 0.94 | 2.9 | 6.7 |
| 2003 | 99 | 2.3 | 0.23 | 1.9 | 2.8 | 28 | 5.0 | 0.99 | 3.2 | 7.3 |
| 2004 | 76 | 1.8 | 0.20 | 1.4 | 2.2 | 33 | 5.1 | 0.93 | 3.5 | 7.3 |
| 2005 | 96 | 2.2 | 0.23 | 1.8 | 2.7 | 25 | 3.9 | 0.83 | 2.5 | 5.9 |
| 2006 | 89 | 2.0 | 0.22 | 1.6 | 2.5 | 38 | 5.4 | 0.92 | 3.8 | 7.5 |
| 2007 | 95 | 2.1 | 0.22 | 1.7 | 2.6 | 38 | 5.8 | 1.00 | 4.0 | 8.1 |
| 2008 | 86 | 1.9 | 0.21 | 1.5 | 2.4 | 30 | 4.6 | 0.88 | 3.0 | 6.6 |
| 2009 | 101 | 2.1 | 0.22 | 1.7 | 2.6 | 38 | 5.7 | 0.98 | 3.9 | 7.9 |
| 2010 | 89 | 1.9 | 0.21 | 1.5 | 2.4 | 21 | 3.1 | 0.72 | 1.9 | 4.8 |
| 2011 | 88 | 1.9 | 0.20 | 1.5 | 2.3 | 32 | 4.5 | 0.84 | 3.0 | 6.4 |
| 2012 | 90 | 1.9 | 0.20 | 1.5 | 2.4 | 33 | 4.4 | 0.80 | 3.0 | 6.2 |
| 2013 | 120 | 2.5 | 0.23 | 2.1 | 3.0 | 26 | 3.9 | 0.80 | 2.5 | 5.8 |
| 2014 | 85 | 1.6 | 0.18 | 1.3 | 2.0 | 39 | 5.3 | 0.90 | 3.7 | 7.4 |
| 2015 | 93 | 1.9 | 0.20 | 1.5 | 2.3 | 24 | 3.6 | 0.77 | 2.2 | 5.4 |
| 2016 | 87 | 1.7 | 0.18 | 1.3 | 2.1 | 26 | 3.4 | 0.69 | 2.2 | 5.0 |
| 2017 | 83 | 1.6 | 0.18 | 1.3 | 2.0 | 27 | 3.3 | 0.67 | 2.1 | 4.9 |
| 2018 | 97 | 1.8 | 0.18 | 1.4 | 2.2 | 22 | 2.7 | 0.60 | 1.6 | 4.1 |
| 2019 | 98 | 1.8 | 0.18 | 1.4 | 2.2 | 31 | 3.8 | 0.71 | 2.5 | 5.5 |
| 2020 | 86 | 1.6 | 0.18 | 1.3 | 2.0 | 24 | 2.8 | 0.60 | 1.8 | 4.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Larynx | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 15 | 0.2 | 0.04 | 0.1 | 0.3 | 1,106 | 0.5 | 0.02 | 0.5 | 0.6 |
| 1990 | * | * | * | * | * | 37 | 0.6 | 0.10 | 0.4 | 0.9 |
| 1991 | * | * | * | * | * | 42 | 0.7 | 0.11 | 0.5 | 1.0 |
| 1992 | * | * | * | * | * | 39 | 0.7 | 0.11 | 0.5 | 0.9 |
| 1993 | * | * | * | * | * | 48 | 0.8 | 0.11 | 0.6 | 1.0 |
| 1994 | * | * | * | * | * | 23 | 0.4 | 0.08 | 0.2 | 0.6 |
| 1995 | * | * | * | * | * | 37 | 0.6 | 0.10 | 0.4 | 0.8 |
| 1996 | * | * | * | * | * | 49 | 0.8 | 0.11 | 0.6 | 1.0 |
| 1997 | * | * | * | * | * | 30 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1998 | * | * | * | * | * | 43 | 0.7 | 0.10 | 0.5 | 0.9 |
| 1999 | * | * | * | * | * | 41 | 0.7 | 0.10 | 0.5 | 0.9 |
| 2000 | * | * | * | * | * | 38 | 0.6 | 0.10 | 0.4 | 0.9 |
| 2001 | * | * | * | * | * | 32 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2002 | * | * | * | * | * | 30 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2003 | * | * | * | * | * | 50 | 0.7 | 0.11 | 0.6 | 1.0 |
| 2004 | * | * | * | * | * | 32 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2005 | * | * | * | * | * | 28 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2006 | * | * | * | * | * | 39 | 0.6 | 0.10 | 0.4 | 0.8 |
| 2007 | * | * | * | * | * | 32 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2008 | * | * | * | * | * | 33 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2009 | * | * | * | * | * | 39 | 0.6 | 0.09 | 0.4 | 0.8 |
| 2010 | * | * | * | * | * | 24 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2011 | * | * | * | * | * | 38 | 0.5 | 0.09 | 0.4 | 0.7 |
| 2012 | * | * | * | * | * | 34 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2013 | * | * | * | * | * | 22 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2014 | * | * | * | * | * | 39 | 0.5 | 0.09 | 0.4 | 0.7 |
| 2015 | * | * | * | * | * | 37 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2016 | * | * | * | * | * | 39 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2017 | * | * | * | * | * | 33 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2018 | * | * | * | * | * | 35 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2019 | * | * | * | * | * | 40 | 0.5 | 0.08 | 0.4 | 0.7 |
| 2020 | * | * | * | * | * | 23 | 0.3 | 0.06 | 0.2 | 0.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Larynx | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 790 | 0.4 | 0.02 | 0.4 | 0.5 | 309 | 1.1 | 0.06 | 1.0 | 1.2 |
| 1990 | 30 | 0.6 | 0.11 | 0.4 | 0.8 | * | * | * | * | * |
| 1991 | 25 | 0.5 | 0.10 | 0.3 | 0.7 | 17 | 2.3 | 0.57 | 1.4 | 3.7 |
| 1992 | 26 | 0.5 | 0.09 | 0.3 | 0.7 | 12 | 1.7 | 0.49 | 0.9 | 2.9 |
| 1993 | 38 | 0.7 | 0.11 | 0.5 | 0.9 | 10 | 1.4 | 0.46 | 0.7 | 2.6 |
| 1994 | 17 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 1995 | 28 | 0.5 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 1996 | 32 | 0.6 | 0.10 | 0.4 | 0.8 | 17 | 2.1 | 0.51 | 1.2 | 3.3 |
| 1997 | 23 | 0.4 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 1998 | 32 | 0.6 | 0.11 | 0.4 | 0.8 | 11 | 1.4 | 0.43 | 0.7 | 2.5 |
| 1999 | 27 | 0.5 | 0.10 | 0.3 | 0.8 | 13 | 1.5 | 0.42 | 0.8 | 2.6 |
| 2000 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | 14 | 1.7 | 0.45 | 0.9 | 2.8 |
| 2001 | 25 | 0.4 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2002 | 25 | 0.4 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2003 | 38 | 0.7 | 0.11 | 0.5 | 0.9 | 11 | 1.3 | 0.39 | 0.6 | 2.3 |
| 2004 | 26 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2005 | 19 | 0.4 | 0.08 | 0.2 | 0.6 | * | * | * | * | * |
| 2006 | 31 | 0.6 | 0.11 | 0.4 | 0.8 | * | * | * | * | * |
| 2007 | 26 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2008 | 26 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2009 | 32 | 0.6 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 2010 | 14 | 0.2 | 0.07 | 0.1 | 0.4 | 10 | 1.0 | 0.31 | 0.5 | 1.8 |
| 2011 | 25 | 0.4 | 0.08 | 0.3 | 0.6 | 13 | 1.3 | 0.36 | 0.7 | 2.2 |
| 2012 | 22 | 0.4 | 0.08 | 0.2 | 0.6 | 11 | 1.0 | 0.31 | 0.5 | 1.9 |
| 2013 | 15 | 0.3 | 0.07 | 0.2 | 0.5 | * | * | * | * | * |
| 2014 | 26 | 0.4 | 0.09 | 0.3 | 0.7 | 13 | 1.1 | 0.32 | 0.6 | 2.0 |
| 2015 | 30 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2016 | 27 | 0.4 | 0.08 | 0.3 | 0.6 | 12 | 1.1 | 0.31 | 0.5 | 1.9 |
| 2017 | 18 | 0.3 | 0.07 | 0.2 | 0.5 | 15 | 1.3 | 0.35 | 0.7 | 2.2 |
| 2018 | 22 | 0.4 | 0.08 | 0.2 | 0.6 | 13 | 1.0 | 0.29 | 0.6 | 1.8 |
| 2019 | 27 | 0.4 | 0.08 | 0.3 | 0.6 | 12 | 1.0 | 0.29 | 0.5 | 1.8 |
| 2020 | 15 | 0.2 | 0.06 | 0.1 | 0.4 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lung and Bronchus | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,401 | 16.9 | 0.31 | 16.3 | 17.6 | 200,536 | 52.6 | 0.12 | 52.4 | 52.8 |
| 1990 | 52 | 19.7 | 3.04 | 14.2 | 26.4 | 6,450 | 60.3 | 0.76 | 58.8 | 61.8 |
| 1991 | 63 | 18.9 | 2.72 | 14.0 | 24.8 | 6,468 | 59.9 | 0.75 | 58.4 | 61.4 |
| 1992 | 58 | 20.3 | 2.93 | 14.9 | 26.6 | 6,546 | 59.9 | 0.75 | 58.5 | 61.4 |
| 1993 | 69 | 20.5 | 2.78 | 15.5 | 26.6 | 6,778 | 61.7 | 0.75 | 60.3 | 63.2 |
| 1994 | 68 | 17.8 | 2.45 | 13.3 | 23.1 | 6,857 | 62.0 | 0.75 | 60.5 | 63.5 |
| 1995 | 68 | 17.8 | 2.40 | 13.4 | 23.0 | 6,897 | 62.0 | 0.75 | 60.6 | 63.5 |
| 1996 | 71 | 20.9 | 2.78 | 15.8 | 26.9 | 6,806 | 61.0 | 0.74 | 59.6 | 62.5 |
| 1997 | 69 | 17.7 | 2.35 | 13.4 | 22.8 | 6,611 | 58.9 | 0.73 | 57.5 | 60.4 |
| 1998 | 74 | 19.1 | 2.51 | 14.5 | 24.5 | 6,700 | 59.3 | 0.72 | 57.8 | 60.7 |
| 1999 | 109 | 25.7 | 2.74 | 20.6 | 31.5 | 6,604 | 58.0 | 0.71 | 56.6 | 59.5 |
| 2000 | 81 | 19.4 | 2.40 | 15.0 | 24.5 | 6,747 | 59.0 | 0.72 | 57.6 | 60.5 |
| 2001 | 93 | 20.8 | 2.41 | 16.4 | 25.9 | 6,700 | 58.3 | 0.71 | 56.9 | 59.7 |
| 2002 | 101 | 19.4 | 2.17 | 15.4 | 24.1 | 6,746 | 58.3 | 0.71 | 57.0 | 59.7 |
| 2003 | 96 | 18.9 | 2.13 | 14.9 | 23.4 | 6,758 | 58.0 | 0.71 | 56.6 | 59.4 |
| 2004 | 118 | 22.7 | 2.29 | 18.5 | 27.6 | 6,686 | 56.8 | 0.70 | 55.5 | 58.2 |
| 2005 | 104 | 18.2 | 1.94 | 14.6 | 22.3 | 6,509 | 55.0 | 0.68 | 53.6 | 56.3 |
| 2006 | 122 | 19.9 | 1.96 | 16.2 | 24.0 | 6,549 | 54.7 | 0.68 | 53.4 | 56.1 |
| 2007 | 130 | 20.0 | 1.89 | 16.5 | 24.0 | 6,772 | 56.0 | 0.69 | 54.7 | 57.4 |
| 2008 | 139 | 19.9 | 1.84 | 16.5 | 23.8 | 6,670 | 54.2 | 0.67 | 52.9 | 55.5 |
| 2009 | 105 | 14.7 | 1.54 | 11.8 | 17.9 | 6,541 | 52.6 | 0.66 | 51.3 | 53.9 |
| 2010 | 135 | 17.3 | 1.62 | 14.3 | 20.7 | 6,536 | 52.0 | 0.65 | 50.7 | 53.3 |
| 2011 | 129 | 17.3 | 1.63 | 14.2 | 20.7 | 6,487 | 50.7 | 0.64 | 49.5 | 52.0 |
| 2012 | 152 | 18.3 | 1.59 | 15.3 | 21.6 | 6,526 | 49.9 | 0.63 | 48.7 | 51.1 |
| 2013 | 148 | 16.7 | 1.47 | 14.0 | 19.8 | 6,384 | 48.0 | 0.61 | 46.8 | 49.2 |
| 2014 | 150 | 17.0 | 1.46 | 14.2 | 20.0 | 6,500 | 48.0 | 0.60 | 46.8 | 49.2 |
| 2015 | 159 | 16.1 | 1.36 | 13.5 | 18.9 | 6,247 | 45.3 | 0.58 | 44.2 | 46.5 |
| 2016 | 141 | 13.1 | 1.18 | 10.9 | 15.6 | 6,101 | 43.8 | 0.57 | 42.7 | 45.0 |
| 2017 | 153 | 14.6 | 1.24 | 12.3 | 17.2 | 5,856 | 41.2 | 0.55 | 40.1 | 42.3 |
| 2018 | 140 | 11.9 | 1.06 | 9.9 | 14.1 | 5,595 | 38.7 | 0.53 | 37.7 | 39.8 |
| 2019 | 155 | 13.1 | 1.10 | 11.0 | 15.4 | 5,548 | 37.9 | 0.52 | 36.9 | 38.9 |
| 2020 | 149 | 11.8 | 1.01 | 9.9 | 13.9 | 5,361 | 35.9 | 0.50 | 35.0 | 36.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lung and Bronchus | | | | | | | | | | |
|--------------------|---------|------|------|------|------|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 167,828 | 52.1 | 0.13 | 51.8 | 52.3 | 30,272 | 64.5 | 0.38 | 63.7 | 65.2 |
| 1990 | 5,427 | 57.6 | 0.79 | 56.1 | 59.2 | 986 | 84.9 | 2.77 | 79.5 | 90.5 |
| 1991 | 5,539 | 58.3 | 0.79 | 56.7 | 59.9 | 899 | 76.8 | 2.62 | 71.8 | 82.1 |
| 1992 | 5,526 | 57.6 | 0.78 | 56.1 | 59.2 | 991 | 82.5 | 2.68 | 77.3 | 87.9 |
| 1993 | 5,733 | 59.8 | 0.79 | 58.2 | 61.3 | 1,016 | 83.3 | 2.67 | 78.2 | 88.7 |
| 1994 | 5,823 | 60.4 | 0.80 | 58.8 | 61.9 | 995 | 79.9 | 2.59 | 74.9 | 85.1 |
| 1995 | 5,788 | 59.8 | 0.79 | 58.3 | 61.4 | 1,064 | 83.5 | 2.61 | 78.4 | 88.7 |
| 1996 | 5,665 | 58.5 | 0.78 | 57.0 | 60.1 | 1,095 | 86.4 | 2.66 | 81.2 | 91.7 |
| 1997 | 5,598 | 57.6 | 0.77 | 56.1 | 59.2 | 978 | 75.4 | 2.45 | 70.7 | 80.3 |
| 1998 | 5,606 | 57.4 | 0.77 | 55.9 | 58.9 | 1,041 | 77.8 | 2.45 | 73.1 | 82.7 |
| 1999 | 5,550 | 56.6 | 0.76 | 55.1 | 58.1 | 1,006 | 74.9 | 2.40 | 70.3 | 79.8 |
| 2000 | 5,641 | 57.5 | 0.77 | 56.0 | 59.0 | 1,031 | 75.2 | 2.38 | 70.6 | 80.0 |
| 2001 | 5,672 | 57.7 | 0.77 | 56.2 | 59.2 | 972 | 71.3 | 2.33 | 66.8 | 76.0 |
| 2002 | 5,644 | 57.2 | 0.76 | 55.7 | 58.7 | 1,035 | 73.5 | 2.32 | 69.0 | 78.2 |
| 2003 | 5,690 | 57.3 | 0.76 | 55.8 | 58.8 | 1,002 | 69.6 | 2.24 | 65.2 | 74.1 |
| 2004 | 5,614 | 56.3 | 0.75 | 54.8 | 57.8 | 996 | 68.0 | 2.19 | 63.8 | 72.4 |
| 2005 | 5,432 | 54.2 | 0.74 | 52.8 | 55.7 | 1,001 | 68.2 | 2.19 | 63.9 | 72.6 |
| 2006 | 5,448 | 54.0 | 0.74 | 52.6 | 55.5 | 1,001 | 66.6 | 2.14 | 62.4 | 70.9 |
| 2007 | 5,623 | 55.3 | 0.74 | 53.9 | 56.8 | 1,066 | 69.6 | 2.17 | 65.4 | 74.0 |
| 2008 | 5,598 | 54.2 | 0.73 | 52.7 | 55.6 | 979 | 63.7 | 2.08 | 59.7 | 67.9 |
| 2009 | 5,526 | 53.1 | 0.72 | 51.7 | 54.5 | 929 | 58.1 | 1.95 | 54.4 | 62.1 |
| 2010 | 5,435 | 51.9 | 0.71 | 50.5 | 53.3 | 996 | 61.9 | 2.01 | 58.0 | 65.9 |
| 2011 | 5,428 | 51.0 | 0.70 | 49.6 | 52.4 | 963 | 58.2 | 1.92 | 54.5 | 62.1 |
| 2012 | 5,452 | 50.2 | 0.69 | 48.9 | 51.6 | 971 | 57.3 | 1.88 | 53.6 | 61.1 |
| 2013 | 5,257 | 47.7 | 0.67 | 46.4 | 49.0 | 1,000 | 57.7 | 1.87 | 54.1 | 61.5 |
| 2014 | 5,404 | 48.3 | 0.67 | 47.0 | 49.7 | 976 | 55.3 | 1.81 | 51.8 | 59.0 |
| 2015 | 5,138 | 45.4 | 0.65 | 44.1 | 46.7 | 984 | 54.1 | 1.77 | 50.7 | 57.7 |
| 2016 | 5,019 | 44.0 | 0.63 | 42.8 | 45.3 | 964 | 52.1 | 1.72 | 48.8 | 55.5 |
| 2017 | 4,850 | 41.7 | 0.61 | 40.5 | 42.9 | 909 | 48.6 | 1.65 | 45.5 | 52.0 |
| 2018 | 4,670 | 39.6 | 0.59 | 38.4 | 40.8 | 823 | 43.2 | 1.54 | 40.3 | 46.4 |
| 2019 | 4,576 | 38.4 | 0.58 | 37.3 | 39.6 | 822 | 42.0 | 1.50 | 39.1 | 45.0 |
| 2020 | 4,456 | 36.8 | 0.56 | 35.8 | 38.0 | 781 | 38.9 | 1.42 | 36.1 | 41.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lung and Bronchus | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 2,158 | 23.9 | 0.57 | 22.8 | 25.0 | 113,518 | 70.2 | 0.21 | 69.8 | 70.6 |
| 1990 | 41 | 37.7 | 7.07 | 25.1 | 53.3 | 4,134 | 93.8 | 1.50 | 90.9 | 96.8 |
| 1991 | 37 | 25.8 | 5.13 | 16.8 | 37.4 | 4,184 | 94.3 | 1.50 | 91.3 | 97.2 |
| 1992 | 39 | 31.2 | 5.76 | 20.9 | 44.0 | 4,084 | 90.4 | 1.45 | 87.6 | 93.3 |
| 1993 | 45 | 31.8 | 5.76 | 21.5 | 44.6 | 4,220 | 92.8 | 1.46 | 90.0 | 95.7 |
| 1994 | 47 | 27.9 | 4.85 | 19.2 | 38.6 | 4,239 | 92.6 | 1.45 | 89.7 | 95.4 |
| 1995 | 45 | 21.0 | 3.53 | 14.7 | 29.0 | 4,183 | 90.8 | 1.43 | 88.0 | 93.6 |
| 1996 | 46 | 30.9 | 5.36 | 21.3 | 42.7 | 4,058 | 87.9 | 1.40 | 85.2 | 90.7 |
| 1997 | 49 | 26.1 | 4.34 | 18.3 | 35.8 | 3,921 | 84.5 | 1.37 | 81.8 | 87.2 |
| 1998 | 57 | 34.5 | 5.44 | 24.7 | 46.4 | 3,899 | 83.2 | 1.35 | 80.5 | 85.8 |
| 1999 | 67 | 34.5 | 4.92 | 25.5 | 45.1 | 3,869 | 81.9 | 1.33 | 79.3 | 84.5 |
| 2000 | 56 | 29.6 | 4.61 | 21.2 | 39.6 | 3,915 | 82.2 | 1.33 | 79.6 | 84.9 |
| 2001 | 59 | 29.6 | 4.44 | 21.6 | 39.3 | 3,901 | 81.7 | 1.32 | 79.1 | 84.3 |
| 2002 | 68 | 31.3 | 4.48 | 23.2 | 41.0 | 3,796 | 78.7 | 1.29 | 76.1 | 81.2 |
| 2003 | 63 | 25.7 | 3.65 | 19.1 | 33.7 | 3,780 | 77.1 | 1.27 | 74.6 | 79.6 |
| 2004 | 80 | 34.4 | 4.30 | 26.5 | 43.6 | 3,760 | 75.9 | 1.25 | 73.4 | 78.4 |
| 2005 | 72 | 26.4 | 3.48 | 20.0 | 33.9 | 3,592 | 71.9 | 1.21 | 69.6 | 74.3 |
| 2006 | 73 | 23.6 | 3.04 | 18.0 | 30.2 | 3,633 | 72.0 | 1.21 | 69.6 | 74.4 |
| 2007 | 86 | 30.5 | 3.64 | 23.8 | 38.3 | 3,637 | 70.6 | 1.19 | 68.3 | 73.0 |
| 2008 | 88 | 29.7 | 3.50 | 23.2 | 37.1 | 3,620 | 69.3 | 1.17 | 67.1 | 71.7 |
| 2009 | 71 | 22.1 | 2.89 | 16.8 | 28.3 | 3,492 | 65.5 | 1.13 | 63.3 | 67.8 |
| 2010 | 78 | 24.0 | 3.01 | 18.5 | 30.5 | 3,497 | 64.7 | 1.12 | 62.6 | 66.9 |
| 2011 | 84 | 25.3 | 3.06 | 19.7 | 31.9 | 3,497 | 63.5 | 1.10 | 61.4 | 65.7 |
| 2012 | 90 | 24.7 | 2.86 | 19.4 | 30.7 | 3,486 | 61.8 | 1.07 | 59.7 | 63.9 |
| 2013 | 97 | 24.3 | 2.72 | 19.2 | 30.1 | 3,388 | 58.4 | 1.03 | 56.4 | 60.5 |
| 2014 | 82 | 22.4 | 2.63 | 17.5 | 27.9 | 3,464 | 59.2 | 1.03 | 57.2 | 61.3 |
| 2015 | 94 | 19.4 | 2.19 | 15.3 | 24.0 | 3,375 | 56.1 | 0.99 | 54.2 | 58.1 |
| 2016 | 79 | 15.6 | 1.91 | 12.0 | 19.7 | 3,172 | 52.4 | 0.95 | 50.6 | 54.4 |
| 2017 | 100 | 21.8 | 2.33 | 17.5 | 26.7 | 3,061 | 49.3 | 0.91 | 47.5 | 51.1 |
| 2018 | 80 | 15.4 | 1.86 | 12.0 | 19.4 | 2,976 | 47.0 | 0.88 | 45.3 | 48.8 |
| 2019 | 102 | 19.1 | 2.03 | 15.3 | 23.4 | 2,870 | 44.6 | 0.85 | 43.0 | 46.3 |
| 2020 | 83 | 14.2 | 1.67 | 11.1 | 17.8 | 2,815 | 43.0 | 0.83 | 41.4 | 44.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lung and Bronchus | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|-------|------|-------|-------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 94,402 | 68.7 | 0.23 | 68.2 | 69.1 | 17,591 | 93.0 | 0.73 | 91.6 | 94.5 |
| 1990 | 3,444 | 88.8 | 1.56 | 85.8 | 91.9 | 664 | 141.9 | 5.84 | 130.7 | 153.8 |
| 1991 | 3,547 | 90.6 | 1.56 | 87.6 | 93.8 | 615 | 131.4 | 5.61 | 120.6 | 142.8 |
| 1992 | 3,405 | 85.7 | 1.50 | 82.8 | 88.7 | 658 | 138.0 | 5.71 | 127.0 | 149.5 |
| 1993 | 3,528 | 88.8 | 1.52 | 85.8 | 91.8 | 674 | 135.8 | 5.50 | 125.2 | 146.9 |
| 1994 | 3,588 | 89.7 | 1.52 | 86.8 | 92.7 | 626 | 125.1 | 5.25 | 115.0 | 135.7 |
| 1995 | 3,481 | 86.7 | 1.49 | 83.8 | 89.7 | 680 | 132.1 | 5.35 | 121.9 | 143.0 |
| 1996 | 3,328 | 82.7 | 1.45 | 79.9 | 85.6 | 702 | 139.5 | 5.55 | 128.8 | 150.8 |
| 1997 | 3,282 | 81.4 | 1.44 | 78.7 | 84.3 | 613 | 118.2 | 5.00 | 108.6 | 128.4 |
| 1998 | 3,248 | 80.0 | 1.42 | 77.3 | 82.8 | 619 | 115.3 | 4.87 | 106.0 | 125.2 |
| 1999 | 3,201 | 78.4 | 1.40 | 75.7 | 81.2 | 631 | 118.2 | 4.92 | 108.7 | 128.2 |
| 2000 | 3,245 | 79.1 | 1.40 | 76.4 | 81.9 | 613 | 110.8 | 4.68 | 101.8 | 120.3 |
| 2001 | 3,259 | 79.2 | 1.39 | 76.5 | 82.0 | 604 | 111.6 | 4.77 | 102.5 | 121.3 |
| 2002 | 3,187 | 77.1 | 1.37 | 74.4 | 79.8 | 575 | 99.5 | 4.34 | 91.2 | 108.3 |
| 2003 | 3,150 | 75.2 | 1.35 | 72.6 | 77.9 | 580 | 99.1 | 4.32 | 90.9 | 107.9 |
| 2004 | 3,140 | 74.3 | 1.33 | 71.7 | 76.9 | 572 | 97.4 | 4.27 | 89.2 | 106.1 |
| 2005 | 2,991 | 70.3 | 1.30 | 67.8 | 72.9 | 550 | 94.3 | 4.24 | 86.1 | 102.9 |
| 2006 | 3,008 | 70.1 | 1.29 | 67.6 | 72.7 | 556 | 92.0 | 4.11 | 84.1 | 100.4 |
| 2007 | 2,999 | 68.7 | 1.27 | 66.2 | 71.2 | 590 | 96.4 | 4.18 | 88.3 | 104.9 |
| 2008 | 3,031 | 68.4 | 1.26 | 66.0 | 71.0 | 542 | 89.2 | 4.04 | 81.5 | 97.5 |
| 2009 | 2,944 | 65.4 | 1.22 | 63.0 | 67.8 | 490 | 77.1 | 3.67 | 70.1 | 84.6 |
| 2010 | 2,911 | 64.0 | 1.20 | 61.7 | 66.4 | 528 | 81.7 | 3.76 | 74.5 | 89.3 |
| 2011 | 2,884 | 62.3 | 1.18 | 60.1 | 64.7 | 557 | 83.8 | 3.74 | 76.7 | 91.4 |
| 2012 | 2,909 | 61.4 | 1.16 | 59.1 | 63.7 | 517 | 76.4 | 3.53 | 69.6 | 83.6 |
| 2013 | 2,775 | 57.3 | 1.11 | 55.1 | 59.5 | 541 | 76.4 | 3.45 | 69.8 | 83.4 |
| 2014 | 2,877 | 58.8 | 1.12 | 56.6 | 61.0 | 517 | 74.2 | 3.43 | 67.6 | 81.2 |
| 2015 | 2,739 | 54.8 | 1.07 | 52.7 | 56.9 | 557 | 76.6 | 3.40 | 70.1 | 83.6 |
| 2016 | 2,621 | 52.3 | 1.04 | 50.2 | 54.3 | 481 | 64.6 | 3.08 | 58.7 | 70.9 |
| 2017 | 2,525 | 49.0 | 1.00 | 47.1 | 51.0 | 471 | 63.3 | 3.05 | 57.5 | 69.5 |
| 2018 | 2,485 | 47.6 | 0.97 | 45.7 | 49.5 | 427 | 56.0 | 2.84 | 50.6 | 61.9 |
| 2019 | 2,355 | 44.6 | 0.94 | 42.8 | 46.5 | 422 | 53.3 | 2.70 | 48.1 | 58.8 |
| 2020 | 2,315 | 43.0 | 0.91 | 41.2 | 44.8 | 419 | 53.0 | 2.69 | 47.9 | 58.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lung and Bronchus | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,243 | 11.4 | 0.34 | 10.7 | 12.1 | 87,018 | 40.1 | 0.14 | 39.8 | 40.4 |
| 1990 | 11 | 7.4 | 2.31 | 3.6 | 13.1 | 2,316 | 37.9 | 0.80 | 36.4 | 39.5 |
| 1991 | 26 | 14.4 | 3.07 | 9.0 | 21.4 | 2,284 | 37.0 | 0.78 | 35.4 | 38.5 |
| 1992 | 19 | 12.3 | 3.03 | 7.1 | 19.4 | 2,462 | 39.5 | 0.81 | 37.9 | 41.1 |
| 1993 | 24 | 12.7 | 2.76 | 7.9 | 19.1 | 2,558 | 40.6 | 0.81 | 39.1 | 42.3 |
| 1994 | 21 | 10.0 | 2.42 | 5.8 | 15.7 | 2,618 | 41.3 | 0.81 | 39.7 | 42.9 |
| 1995 | 23 | 13.7 | 3.02 | 8.5 | 20.6 | 2,714 | 42.4 | 0.82 | 40.8 | 44.1 |
| 1996 | 25 | 13.5 | 2.93 | 8.4 | 20.1 | 2,748 | 42.9 | 0.83 | 41.3 | 44.5 |
| 1997 | 20 | 10.5 | 2.51 | 6.2 | 16.3 | 2,690 | 41.7 | 0.81 | 40.1 | 43.3 |
| 1998 | 17 | 7.7 | 2.06 | 4.2 | 12.6 | 2,801 | 43.1 | 0.82 | 41.5 | 44.7 |
| 1999 | 42 | 18.7 | 3.11 | 13.1 | 25.6 | 2,735 | 41.6 | 0.80 | 40.1 | 43.2 |
| 2000 | 25 | 11.3 | 2.43 | 7.1 | 16.9 | 2,832 | 43.1 | 0.82 | 41.6 | 44.8 |
| 2001 | 34 | 13.8 | 2.61 | 9.1 | 19.6 | 2,799 | 42.3 | 0.81 | 40.7 | 43.9 |
| 2002 | 33 | 10.6 | 1.99 | 7.1 | 15.1 | 2,950 | 44.4 | 0.82 | 42.8 | 46.1 |
| 2003 | 33 | 12.8 | 2.43 | 8.5 | 18.2 | 2,978 | 44.5 | 0.82 | 42.9 | 46.1 |
| 2004 | 38 | 13.3 | 2.33 | 9.2 | 18.5 | 2,926 | 43.5 | 0.81 | 41.9 | 45.1 |
| 2005 | 32 | 11.2 | 2.10 | 7.5 | 15.9 | 2,917 | 43.2 | 0.81 | 41.6 | 44.8 |
| 2006 | 49 | 16.1 | 2.45 | 11.7 | 21.5 | 2,916 | 42.9 | 0.80 | 41.3 | 44.5 |
| 2007 | 44 | 11.9 | 1.89 | 8.5 | 16.0 | 3,135 | 45.8 | 0.83 | 44.2 | 47.5 |
| 2008 | 51 | 12.5 | 1.87 | 9.1 | 16.6 | 3,050 | 43.5 | 0.80 | 42.0 | 45.1 |
| 2009 | 34 | 8.7 | 1.58 | 5.9 | 12.2 | 3,049 | 43.5 | 0.80 | 42.0 | 45.1 |
| 2010 | 57 | 12.5 | 1.76 | 9.3 | 16.4 | 3,039 | 42.9 | 0.79 | 41.4 | 44.5 |
| 2011 | 45 | 11.1 | 1.74 | 8.0 | 14.9 | 2,990 | 41.5 | 0.77 | 40.0 | 43.0 |
| 2012 | 62 | 13.5 | 1.80 | 10.2 | 17.4 | 3,040 | 41.4 | 0.76 | 39.9 | 42.9 |
| 2013 | 51 | 10.7 | 1.57 | 7.9 | 14.1 | 2,996 | 40.2 | 0.75 | 38.8 | 41.7 |
| 2014 | 68 | 13.2 | 1.67 | 10.1 | 16.8 | 3,036 | 40.0 | 0.74 | 38.5 | 41.5 |
| 2015 | 65 | 12.9 | 1.65 | 9.8 | 16.5 | 2,872 | 37.3 | 0.71 | 35.9 | 38.7 |
| 2016 | 62 | 11.0 | 1.46 | 8.3 | 14.2 | 2,929 | 37.5 | 0.71 | 36.1 | 38.9 |
| 2017 | 53 | 9.1 | 1.30 | 6.7 | 12.0 | 2,795 | 35.1 | 0.68 | 33.8 | 36.5 |
| 2018 | 60 | 9.2 | 1.24 | 7.0 | 11.9 | 2,619 | 32.4 | 0.65 | 31.2 | 33.7 |
| 2019 | 53 | 8.3 | 1.19 | 6.2 | 10.9 | 2,678 | 32.8 | 0.64 | 31.5 | 34.1 |
| 2020 | 66 | 9.8 | 1.23 | 7.5 | 12.5 | 2,546 | 30.5 | 0.61 | 29.3 | 31.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lung and Bronchus | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 73,426 | 40.3 | 0.15 | 40.0 | 40.6 | 12,681 | 45.7 | 0.41 | 44.9 | 46.5 |
| 1990 | 1,983 | 37.1 | 0.85 | 35.4 | 38.8 | 322 | 47.1 | 2.66 | 42.0 | 52.6 |
| 1991 | 1,992 | 36.9 | 0.84 | 35.3 | 38.6 | 284 | 41.1 | 2.47 | 36.4 | 46.2 |
| 1992 | 2,121 | 38.9 | 0.86 | 37.2 | 40.6 | 333 | 46.9 | 2.59 | 41.9 | 52.2 |
| 1993 | 2,205 | 40.3 | 0.87 | 38.6 | 42.1 | 342 | 47.9 | 2.62 | 42.9 | 53.3 |
| 1994 | 2,235 | 40.6 | 0.87 | 38.9 | 42.3 | 369 | 50.0 | 2.63 | 45.0 | 55.4 |
| 1995 | 2,307 | 41.6 | 0.88 | 39.9 | 43.4 | 384 | 51.2 | 2.64 | 46.2 | 56.6 |
| 1996 | 2,337 | 42.4 | 0.89 | 40.6 | 44.2 | 393 | 52.0 | 2.65 | 47.0 | 57.5 |
| 1997 | 2,316 | 41.6 | 0.88 | 39.9 | 43.4 | 365 | 47.5 | 2.50 | 42.7 | 52.7 |
| 1998 | 2,358 | 42.1 | 0.88 | 40.4 | 43.8 | 422 | 53.4 | 2.62 | 48.4 | 58.8 |
| 1999 | 2,349 | 41.7 | 0.87 | 40.0 | 43.4 | 375 | 46.9 | 2.44 | 42.2 | 51.9 |
| 2000 | 2,396 | 42.8 | 0.89 | 41.1 | 44.6 | 418 | 51.6 | 2.54 | 46.7 | 56.8 |
| 2001 | 2,413 | 43.0 | 0.89 | 41.3 | 44.8 | 368 | 45.3 | 2.38 | 40.8 | 50.2 |
| 2002 | 2,457 | 43.7 | 0.89 | 42.0 | 45.5 | 460 | 55.7 | 2.61 | 50.7 | 61.1 |
| 2003 | 2,540 | 44.8 | 0.90 | 43.0 | 46.6 | 422 | 49.8 | 2.44 | 45.1 | 54.8 |
| 2004 | 2,474 | 43.6 | 0.89 | 41.9 | 45.4 | 424 | 48.8 | 2.39 | 44.3 | 53.7 |
| 2005 | 2,441 | 43.0 | 0.88 | 41.3 | 44.8 | 451 | 51.6 | 2.45 | 46.9 | 56.6 |
| 2006 | 2,440 | 42.9 | 0.88 | 41.2 | 44.7 | 445 | 50.0 | 2.39 | 45.5 | 54.9 |
| 2007 | 2,624 | 45.9 | 0.91 | 44.1 | 47.7 | 476 | 52.7 | 2.44 | 48.0 | 57.7 |
| 2008 | 2,567 | 44.0 | 0.88 | 42.3 | 45.7 | 437 | 47.6 | 2.30 | 43.2 | 52.3 |
| 2009 | 2,582 | 44.4 | 0.89 | 42.6 | 46.1 | 439 | 46.3 | 2.24 | 42.0 | 50.9 |
| 2010 | 2,524 | 43.1 | 0.88 | 41.4 | 44.9 | 468 | 49.3 | 2.31 | 44.9 | 54.0 |
| 2011 | 2,544 | 42.8 | 0.87 | 41.1 | 44.5 | 406 | 41.5 | 2.09 | 37.5 | 45.8 |
| 2012 | 2,543 | 42.1 | 0.85 | 40.4 | 43.8 | 454 | 45.1 | 2.15 | 41.0 | 49.5 |
| 2013 | 2,482 | 40.6 | 0.83 | 39.0 | 42.3 | 459 | 45.2 | 2.14 | 41.1 | 49.6 |
| 2014 | 2,527 | 40.8 | 0.83 | 39.1 | 42.4 | 459 | 43.6 | 2.07 | 39.6 | 47.8 |
| 2015 | 2,399 | 38.3 | 0.80 | 36.7 | 39.9 | 427 | 39.7 | 1.95 | 36.0 | 43.7 |
| 2016 | 2,398 | 38.0 | 0.80 | 36.4 | 39.6 | 483 | 43.5 | 2.01 | 39.6 | 47.6 |
| 2017 | 2,325 | 36.2 | 0.77 | 34.7 | 37.7 | 438 | 39.0 | 1.89 | 35.4 | 42.9 |
| 2018 | 2,185 | 33.4 | 0.73 | 32.0 | 34.9 | 396 | 35.4 | 1.80 | 31.9 | 39.1 |
| 2019 | 2,221 | 33.6 | 0.73 | 32.2 | 35.1 | 400 | 34.8 | 1.77 | 31.4 | 38.5 |
| 2020 | 2,141 | 32.0 | 0.71 | 30.7 | 33.5 | 362 | 29.8 | 1.59 | 26.8 | 33.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Skin excluding Basal and Squamous | | | | | | | | | | |
|-----------------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 237 | 1.0 | 0.08 | 0.9 | 1.2 | 12,100 | 3.2 | 0.03 | 3.2 | 3.3 |
| 1990 | * | * | * | * | * | 339 | 3.3 | 0.18 | 2.9 | 3.7 |
| 1991 | * | * | * | * | * | 325 | 3.1 | 0.17 | 2.8 | 3.5 |
| 1992 | * | * | * | * | * | 332 | 3.1 | 0.17 | 2.8 | 3.5 |
| 1993 | * | * | * | * | * | 364 | 3.4 | 0.18 | 3.1 | 3.8 |
| 1994 | * | * | * | * | * | 340 | 3.1 | 0.17 | 2.8 | 3.5 |
| 1995 | * | * | * | * | * | 347 | 3.2 | 0.17 | 2.8 | 3.5 |
| 1996 | * | * | * | * | * | 352 | 3.2 | 0.17 | 2.9 | 3.6 |
| 1997 | * | * | * | * | * | 351 | 3.2 | 0.17 | 2.8 | 3.5 |
| 1998 | * | * | * | * | * | 362 | 3.2 | 0.17 | 2.9 | 3.6 |
| 1999 | * | * | * | * | * | 363 | 3.2 | 0.17 | 2.9 | 3.5 |
| 2000 | * | * | * | * | * | 366 | 3.2 | 0.17 | 2.9 | 3.5 |
| 2001 | * | * | * | * | * | 338 | 2.9 | 0.16 | 2.6 | 3.3 |
| 2002 | * | * | * | * | * | 404 | 3.5 | 0.17 | 3.2 | 3.9 |
| 2003 | * | * | * | * | * | 384 | 3.3 | 0.17 | 2.9 | 3.6 |
| 2004 | * | * | * | * | * | 403 | 3.4 | 0.17 | 3.1 | 3.8 |
| 2005 | * | * | * | * | * | 426 | 3.6 | 0.17 | 3.2 | 3.9 |
| 2006 | * | * | * | * | * | 404 | 3.3 | 0.17 | 3.0 | 3.7 |
| 2007 | 13 | 1.8 | 0.57 | 0.8 | 3.2 | 406 | 3.3 | 0.17 | 3.0 | 3.7 |
| 2008 | 10 | 1.6 | 0.53 | 0.7 | 2.9 | 380 | 3.1 | 0.16 | 2.8 | 3.4 |
| 2009 | * | * | * | * | * | 439 | 3.6 | 0.17 | 3.2 | 3.9 |
| 2010 | 12 | 1.4 | 0.45 | 0.6 | 2.5 | 390 | 3.1 | 0.16 | 2.8 | 3.4 |
| 2011 | * | * | * | * | * | 407 | 3.2 | 0.16 | 2.9 | 3.5 |
| 2012 | * | * | * | * | * | 445 | 3.5 | 0.17 | 3.2 | 3.8 |
| 2013 | 23 | 2.6 | 0.60 | 1.6 | 4.0 | 472 | 3.6 | 0.17 | 3.3 | 3.9 |
| 2014 | 11 | 1.3 | 0.42 | 0.6 | 2.3 | 468 | 3.5 | 0.16 | 3.2 | 3.8 |
| 2015 | * | * | * | * | * | 424 | 3.2 | 0.16 | 2.9 | 3.5 |
| 2016 | * | * | * | * | * | 437 | 3.2 | 0.15 | 2.9 | 3.5 |
| 2017 | * | * | * | * | * | 421 | 3.1 | 0.15 | 2.8 | 3.4 |
| 2018 | 14 | 1.2 | 0.35 | 0.7 | 2.1 | 387 | 2.7 | 0.14 | 2.5 | 3.0 |
| 2019 | 10 | 0.8 | 0.28 | 0.4 | 1.5 | 370 | 2.5 | 0.13 | 2.3 | 2.8 |
| 2020 | 18 | 1.2 | 0.29 | 0.7 | 1.9 | 454 | 3.2 | 0.15 | 2.9 | 3.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Skin excluding Basal and Squamous | | | | | | | | | | |
|-----------------------------------|--------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 11,588 | 3.7 | 0.03 | 3.6 | 3.8 | 437 | 0.9 | 0.04 | 0.8 | 1.0 |
| 1990 | 315 | 3.5 | 0.20 | 3.1 | 3.9 | 23 | 1.9 | 0.41 | 1.2 | 2.9 |
| 1991 | 307 | 3.4 | 0.20 | 3.0 | 3.8 | 18 | 1.5 | 0.36 | 0.9 | 2.4 |
| 1992 | 316 | 3.5 | 0.20 | 3.1 | 3.9 | 15 | 1.2 | 0.31 | 0.7 | 2.0 |
| 1993 | 350 | 3.8 | 0.21 | 3.4 | 4.2 | 12 | 0.9 | 0.28 | 0.5 | 1.6 |
| 1994 | 325 | 3.5 | 0.19 | 3.1 | 3.8 | 15 | 1.3 | 0.34 | 0.7 | 2.1 |
| 1995 | 334 | 3.6 | 0.20 | 3.2 | 4.0 | 11 | 0.8 | 0.26 | 0.4 | 1.5 |
| 1996 | 335 | 3.6 | 0.20 | 3.2 | 4.0 | 15 | 1.0 | 0.26 | 0.6 | 1.7 |
| 1997 | 334 | 3.5 | 0.19 | 3.1 | 3.9 | 15 | 1.1 | 0.29 | 0.6 | 1.8 |
| 1998 | 348 | 3.7 | 0.20 | 3.3 | 4.1 | 12 | 0.9 | 0.25 | 0.4 | 1.5 |
| 1999 | 355 | 3.7 | 0.19 | 3.3 | 4.1 | * | * | * | * | * |
| 2000 | 349 | 3.6 | 0.19 | 3.2 | 4.0 | 14 | 1.0 | 0.27 | 0.5 | 1.6 |
| 2001 | 326 | 3.3 | 0.18 | 3.0 | 3.7 | 10 | 0.8 | 0.25 | 0.4 | 1.4 |
| 2002 | 385 | 4.0 | 0.20 | 3.6 | 4.4 | 19 | 1.3 | 0.32 | 0.8 | 2.1 |
| 2003 | 371 | 3.7 | 0.19 | 3.4 | 4.1 | 12 | 0.9 | 0.26 | 0.5 | 1.5 |
| 2004 | 391 | 4.0 | 0.20 | 3.6 | 4.4 | 11 | 0.8 | 0.24 | 0.4 | 1.4 |
| 2005 | 405 | 4.0 | 0.20 | 3.6 | 4.4 | 16 | 1.0 | 0.27 | 0.6 | 1.7 |
| 2006 | 382 | 3.8 | 0.20 | 3.4 | 4.2 | 18 | 1.2 | 0.29 | 0.7 | 1.9 |
| 2007 | 389 | 3.8 | 0.19 | 3.4 | 4.2 | 14 | 0.9 | 0.24 | 0.5 | 1.5 |
| 2008 | 367 | 3.6 | 0.19 | 3.2 | 4.0 | 11 | 0.7 | 0.22 | 0.3 | 1.3 |
| 2009 | 424 | 4.1 | 0.20 | 3.8 | 4.6 | 13 | 0.8 | 0.23 | 0.4 | 1.4 |
| 2010 | 382 | 3.6 | 0.19 | 3.3 | 4.0 | * | * | * | * | * |
| 2011 | 391 | 3.7 | 0.19 | 3.4 | 4.1 | 15 | 0.9 | 0.24 | 0.5 | 1.5 |
| 2012 | 428 | 4.1 | 0.20 | 3.7 | 4.5 | 13 | 0.8 | 0.23 | 0.4 | 1.4 |
| 2013 | 448 | 4.1 | 0.20 | 3.7 | 4.5 | 19 | 1.0 | 0.24 | 0.6 | 1.6 |
| 2014 | 447 | 4.0 | 0.20 | 3.7 | 4.4 | 19 | 1.1 | 0.27 | 0.7 | 1.8 |
| 2015 | 405 | 3.7 | 0.19 | 3.3 | 4.1 | 13 | 0.6 | 0.16 | 0.3 | 1.0 |
| 2016 | 417 | 3.7 | 0.19 | 3.4 | 4.1 | 17 | 0.9 | 0.22 | 0.5 | 1.4 |
| 2017 | 404 | 3.6 | 0.19 | 3.3 | 4.0 | 14 | 0.8 | 0.22 | 0.5 | 1.4 |
| 2018 | 369 | 3.2 | 0.17 | 2.9 | 3.6 | 15 | 0.7 | 0.19 | 0.4 | 1.2 |
| 2019 | 355 | 3.0 | 0.16 | 2.7 | 3.3 | 12 | 0.6 | 0.18 | 0.3 | 1.1 |
| 2020 | 434 | 3.8 | 0.19 | 3.4 | 4.2 | 13 | 0.6 | 0.18 | 0.3 | 1.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Skin excluding Basal and Squamous | | | | | | | | | | |
|-----------------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 155 | 1.5 | 0.14 | 1.2 | 1.7 | 7,699 | 4.9 | 0.06 | 4.8 | 5.0 |
| 1990 | * | * | * | * | * | 200 | 4.6 | 0.34 | 4.0 | 5.3 |
| 1991 | * | * | * | * | * | 204 | 4.5 | 0.33 | 3.9 | 5.2 |
| 1992 | * | * | * | * | * | 213 | 4.9 | 0.34 | 4.2 | 5.6 |
| 1993 | * | * | * | * | * | 225 | 4.9 | 0.34 | 4.3 | 5.7 |
| 1994 | * | * | * | * | * | 209 | 4.7 | 0.33 | 4.1 | 5.4 |
| 1995 | * | * | * | * | * | 212 | 4.7 | 0.33 | 4.1 | 5.4 |
| 1996 | * | * | * | * | * | 216 | 4.6 | 0.32 | 4.0 | 5.3 |
| 1997 | * | * | * | * | * | 222 | 4.7 | 0.32 | 4.1 | 5.4 |
| 1998 | * | * | * | * | * | 233 | 5.0 | 0.33 | 4.4 | 5.7 |
| 1999 | * | * | * | * | * | 230 | 4.9 | 0.33 | 4.3 | 5.6 |
| 2000 | * | * | * | * | * | 218 | 4.6 | 0.32 | 4.0 | 5.3 |
| 2001 | * | * | * | * | * | 201 | 4.2 | 0.30 | 3.7 | 4.9 |
| 2002 | * | * | * | * | * | 261 | 5.4 | 0.34 | 4.8 | 6.1 |
| 2003 | * | * | * | * | * | 246 | 5.0 | 0.32 | 4.4 | 5.7 |
| 2004 | * | * | * | * | * | 251 | 5.0 | 0.32 | 4.4 | 5.6 |
| 2005 | * | * | * | * | * | 264 | 5.3 | 0.33 | 4.7 | 6.0 |
| 2006 | * | * | * | * | * | 255 | 5.0 | 0.32 | 4.4 | 5.6 |
| 2007 | * | * | * | * | * | 258 | 5.1 | 0.32 | 4.5 | 5.8 |
| 2008 | * | * | * | * | * | 258 | 5.0 | 0.32 | 4.4 | 5.7 |
| 2009 | * | * | * | * | * | 280 | 5.3 | 0.32 | 4.7 | 6.0 |
| 2010 | * | * | * | * | * | 253 | 4.8 | 0.31 | 4.2 | 5.4 |
| 2011 | * | * | * | * | * | 273 | 5.1 | 0.31 | 4.5 | 5.7 |
| 2012 | * | * | * | * | * | 276 | 5.0 | 0.31 | 4.5 | 5.7 |
| 2013 | 11 | 2.8 | 0.98 | 1.2 | 5.2 | 318 | 5.7 | 0.33 | 5.1 | 6.4 |
| 2014 | * | * | * | * | * | 293 | 5.1 | 0.30 | 4.5 | 5.7 |
| 2015 | * | * | * | * | * | 274 | 4.8 | 0.30 | 4.2 | 5.4 |
| 2016 | * | * | * | * | * | 300 | 5.1 | 0.30 | 4.5 | 5.7 |
| 2017 | * | * | * | * | * | 258 | 4.5 | 0.29 | 4.0 | 5.1 |
| 2018 | * | * | * | * | * | 243 | 4.0 | 0.26 | 3.5 | 4.5 |
| 2019 | * | * | * | * | * | 246 | 3.9 | 0.26 | 3.5 | 4.5 |
| 2020 | 10 | 1.4 | 0.49 | 0.6 | 2.7 | 309 | 5.0 | 0.29 | 4.4 | 5.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Skin excluding Basal and Squamous | | | | | | | | | | |
|-----------------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 7,396 | 5.5 | 0.07 | 5.4 | 5.7 | 264 | 1.3 | 0.08 | 1.1 | 1.5 |
| 1990 | 179 | 4.7 | 0.37 | 4.0 | 5.5 | 21 | 4.0 | 0.90 | 2.4 | 6.1 |
| 1991 | 189 | 4.8 | 0.36 | 4.2 | 5.6 | 15 | 2.9 | 0.83 | 1.5 | 5.0 |
| 1992 | 202 | 5.3 | 0.38 | 4.6 | 6.1 | 11 | 1.9 | 0.59 | 0.9 | 3.5 |
| 1993 | 217 | 5.5 | 0.38 | 4.8 | 6.3 | * | * | * | * | * |
| 1994 | 199 | 5.1 | 0.37 | 4.4 | 5.9 | 10 | 2.2 | 0.73 | 1.0 | 4.0 |
| 1995 | 204 | 5.2 | 0.37 | 4.5 | 6.0 | * | * | * | * | * |
| 1996 | 205 | 5.1 | 0.36 | 4.4 | 5.8 | * | * | * | * | * |
| 1997 | 211 | 5.2 | 0.36 | 4.5 | 6.0 | * | * | * | * | * |
| 1998 | 225 | 5.6 | 0.38 | 4.9 | 6.4 | * | * | * | * | * |
| 1999 | 225 | 5.6 | 0.37 | 4.9 | 6.4 | * | * | * | * | * |
| 2000 | 209 | 5.1 | 0.36 | 4.5 | 5.9 | * | * | * | * | * |
| 2001 | 195 | 4.8 | 0.35 | 4.1 | 5.5 | * | * | * | * | * |
| 2002 | 248 | 6.0 | 0.38 | 5.3 | 6.8 | 13 | 2.2 | 0.67 | 1.1 | 3.9 |
| 2003 | 242 | 5.8 | 0.37 | 5.1 | 6.6 | * | * | * | * | * |
| 2004 | 244 | 5.7 | 0.37 | 5.0 | 6.5 | * | * | * | * | * |
| 2005 | 252 | 5.9 | 0.38 | 5.2 | 6.7 | 11 | 1.8 | 0.57 | 0.8 | 3.2 |
| 2006 | 243 | 5.6 | 0.36 | 4.9 | 6.4 | 12 | 1.9 | 0.61 | 0.9 | 3.5 |
| 2007 | 248 | 5.7 | 0.37 | 5.0 | 6.5 | * | * | * | * | * |
| 2008 | 255 | 5.8 | 0.37 | 5.1 | 6.6 | * | * | * | * | * |
| 2009 | 271 | 6.1 | 0.37 | 5.4 | 6.9 | * | * | * | * | * |
| 2010 | 251 | 5.6 | 0.36 | 4.9 | 6.3 | * | * | * | * | * |
| 2011 | 264 | 5.8 | 0.36 | 5.1 | 6.6 | * | * | * | * | * |
| 2012 | 266 | 5.8 | 0.36 | 5.1 | 6.5 | * | * | * | * | * |
| 2013 | 303 | 6.5 | 0.38 | 5.8 | 7.3 | 11 | 1.3 | 0.42 | 0.7 | 2.5 |
| 2014 | 283 | 5.8 | 0.35 | 5.2 | 6.6 | * | * | * | * | * |
| 2015 | 265 | 5.6 | 0.35 | 4.9 | 6.4 | * | * | * | * | * |
| 2016 | 287 | 5.9 | 0.36 | 5.2 | 6.6 | 11 | 1.3 | 0.43 | 0.6 | 2.5 |
| 2017 | 247 | 5.2 | 0.34 | 4.6 | 5.9 | * | * | * | * | * |
| 2018 | 233 | 4.6 | 0.31 | 4.1 | 5.3 | * | * | * | * | * |
| 2019 | 238 | 4.6 | 0.30 | 4.0 | 5.2 | * | * | * | * | * |
| 2020 | 296 | 5.8 | 0.35 | 5.2 | 6.5 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Skin excluding Basal and Squamous | | | | | | | | | | |
|-----------------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 82 | 0.7 | 0.08 | 0.5 | 0.9 | 4,401 | 2.1 | 0.03 | 2.0 | 2.1 |
| 1990 | * | * | * | * | * | 139 | 2.3 | 0.20 | 2.0 | 2.8 |
| 1991 | * | * | * | * | * | 121 | 2.0 | 0.18 | 1.6 | 2.4 |
| 1992 | * | * | * | * | * | 119 | 2.0 | 0.18 | 1.6 | 2.4 |
| 1993 | * | * | * | * | * | 139 | 2.3 | 0.20 | 1.9 | 2.7 |
| 1994 | * | * | * | * | * | 131 | 2.1 | 0.18 | 1.7 | 2.5 |
| 1995 | * | * | * | * | * | 135 | 2.1 | 0.19 | 1.8 | 2.5 |
| 1996 | * | * | * | * | * | 136 | 2.1 | 0.19 | 1.8 | 2.5 |
| 1997 | * | * | * | * | * | 129 | 2.0 | 0.18 | 1.6 | 2.4 |
| 1998 | * | * | * | * | * | 129 | 2.0 | 0.18 | 1.7 | 2.4 |
| 1999 | * | * | * | * | * | 133 | 2.0 | 0.18 | 1.7 | 2.4 |
| 2000 | * | * | * | * | * | 148 | 2.2 | 0.19 | 1.9 | 2.6 |
| 2001 | * | * | * | * | * | 137 | 2.1 | 0.18 | 1.7 | 2.4 |
| 2002 | * | * | * | * | * | 143 | 2.1 | 0.18 | 1.8 | 2.5 |
| 2003 | * | * | * | * | * | 138 | 2.0 | 0.17 | 1.7 | 2.4 |
| 2004 | * | * | * | * | * | 152 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2005 | * | * | * | * | * | 162 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2006 | * | * | * | * | * | 149 | 2.1 | 0.18 | 1.8 | 2.5 |
| 2007 | * | * | * | * | * | 148 | 2.2 | 0.18 | 1.8 | 2.6 |
| 2008 | * | * | * | * | * | 122 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2009 | * | * | * | * | * | 159 | 2.3 | 0.19 | 2.0 | 2.7 |
| 2010 | * | * | * | * | * | 137 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2011 | * | * | * | * | * | 134 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2012 | * | * | * | * | * | 169 | 2.4 | 0.19 | 2.0 | 2.8 |
| 2013 | 12 | 2.5 | 0.77 | 1.3 | 4.4 | 154 | 2.0 | 0.17 | 1.7 | 2.4 |
| 2014 | * | * | * | * | * | 175 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2015 | * | * | * | * | * | 150 | 2.0 | 0.17 | 1.7 | 2.3 |
| 2016 | * | * | * | * | * | 137 | 1.7 | 0.15 | 1.5 | 2.1 |
| 2017 | * | * | * | * | * | 163 | 2.1 | 0.17 | 1.8 | 2.4 |
| 2018 | * | * | * | * | * | 144 | 1.9 | 0.16 | 1.6 | 2.2 |
| 2019 | * | * | * | * | * | 124 | 1.5 | 0.14 | 1.3 | 1.9 |
| 2020 | * | * | * | * | * | 145 | 1.9 | 0.16 | 1.6 | 2.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Skin excluding Basal and Squamous | | | | | | | | | | |
|-----------------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 4,192 | 2.4 | 0.04 | 2.3 | 2.4 | 173 | 0.6 | 0.05 | 0.5 | 0.7 |
| 1990 | 136 | 2.7 | 0.23 | 2.2 | 3.2 | * | * | * | * | * |
| 1991 | 118 | 2.2 | 0.21 | 1.8 | 2.7 | * | * | * | * | * |
| 1992 | 114 | 2.2 | 0.21 | 1.8 | 2.7 | * | * | * | * | * |
| 1993 | 133 | 2.6 | 0.23 | 2.1 | 3.0 | * | * | * | * | * |
| 1994 | 126 | 2.3 | 0.21 | 1.9 | 2.8 | * | * | * | * | * |
| 1995 | 130 | 2.4 | 0.22 | 2.0 | 2.9 | * | * | * | * | * |
| 1996 | 130 | 2.4 | 0.22 | 2.0 | 2.9 | * | * | * | * | * |
| 1997 | 123 | 2.2 | 0.20 | 1.8 | 2.6 | * | * | * | * | * |
| 1998 | 123 | 2.3 | 0.21 | 1.9 | 2.8 | * | * | * | * | * |
| 1999 | 130 | 2.3 | 0.21 | 2.0 | 2.8 | * | * | * | * | * |
| 2000 | 140 | 2.5 | 0.21 | 2.1 | 3.0 | * | * | * | * | * |
| 2001 | 131 | 2.4 | 0.21 | 2.0 | 2.8 | * | * | * | * | * |
| 2002 | 137 | 2.5 | 0.22 | 2.1 | 2.9 | * | * | * | * | * |
| 2003 | 129 | 2.3 | 0.20 | 1.9 | 2.7 | * | * | * | * | * |
| 2004 | 147 | 2.6 | 0.22 | 2.2 | 3.1 | * | * | * | * | * |
| 2005 | 153 | 2.6 | 0.22 | 2.2 | 3.1 | * | * | * | * | * |
| 2006 | 139 | 2.4 | 0.21 | 2.0 | 2.8 | * | * | * | * | * |
| 2007 | 141 | 2.5 | 0.22 | 2.1 | 3.0 | * | * | * | * | * |
| 2008 | 112 | 1.9 | 0.19 | 1.6 | 2.3 | * | * | * | * | * |
| 2009 | 153 | 2.8 | 0.23 | 2.3 | 3.3 | * | * | * | * | * |
| 2010 | 131 | 2.2 | 0.21 | 1.9 | 2.7 | * | * | * | * | * |
| 2011 | 127 | 2.2 | 0.20 | 1.8 | 2.7 | * | * | * | * | * |
| 2012 | 162 | 2.8 | 0.23 | 2.3 | 3.3 | * | * | * | * | * |
| 2013 | 145 | 2.3 | 0.20 | 2.0 | 2.8 | * | * | * | * | * |
| 2014 | 164 | 2.7 | 0.22 | 2.3 | 3.1 | 10 | 1.0 | 0.31 | 0.5 | 1.8 |
| 2015 | 140 | 2.3 | 0.20 | 1.9 | 2.7 | * | * | * | * | * |
| 2016 | 130 | 2.0 | 0.19 | 1.7 | 2.5 | * | * | * | * | * |
| 2017 | 157 | 2.5 | 0.21 | 2.1 | 2.9 | * | * | * | * | * |
| 2018 | 136 | 2.2 | 0.20 | 1.8 | 2.7 | * | * | * | * | * |
| 2019 | 117 | 1.8 | 0.18 | 1.5 | 2.2 | * | * | * | * | * |
| 2020 | 138 | 2.3 | 0.21 | 1.9 | 2.8 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Melanoma of the Skin | | | | | | | | | | |
|----------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 172 | 0.7 | 0.06 | 0.6 | 0.9 | 9,133 | 2.5 | 0.03 | 2.4 | 2.5 |
| 1990 | * | * | * | * | * | 252 | 2.5 | 0.16 | 2.2 | 2.8 |
| 1991 | * | * | * | * | * | 238 | 2.3 | 0.15 | 2.0 | 2.6 |
| 1992 | * | * | * | * | * | 264 | 2.5 | 0.15 | 2.2 | 2.8 |
| 1993 | * | * | * | * | * | 278 | 2.6 | 0.16 | 2.3 | 2.9 |
| 1994 | * | * | * | * | * | 265 | 2.4 | 0.15 | 2.1 | 2.7 |
| 1995 | * | * | * | * | * | 261 | 2.4 | 0.15 | 2.1 | 2.7 |
| 1996 | * | * | * | * | * | 279 | 2.5 | 0.15 | 2.3 | 2.9 |
| 1997 | * | * | * | * | * | 266 | 2.4 | 0.15 | 2.1 | 2.7 |
| 1998 | * | * | * | * | * | 286 | 2.6 | 0.15 | 2.3 | 2.9 |
| 1999 | * | * | * | * | * | 278 | 2.5 | 0.15 | 2.2 | 2.8 |
| 2000 | * | * | * | * | * | 273 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2001 | * | * | * | * | * | 256 | 2.2 | 0.14 | 2.0 | 2.5 |
| 2002 | * | * | * | * | * | 301 | 2.6 | 0.15 | 2.3 | 2.9 |
| 2003 | * | * | * | * | * | 283 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2004 | * | * | * | * | * | 329 | 2.8 | 0.16 | 2.5 | 3.1 |
| 2005 | * | * | * | * | * | 331 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2006 | * | * | * | * | * | 327 | 2.7 | 0.15 | 2.4 | 3.0 |
| 2007 | 13 | 1.8 | 0.57 | 0.8 | 3.2 | 325 | 2.7 | 0.15 | 2.4 | 3.0 |
| 2008 | * | * | * | * | * | 291 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2009 | * | * | * | * | * | 352 | 2.9 | 0.16 | 2.6 | 3.2 |
| 2010 | 10 | 1.2 | 0.44 | 0.5 | 2.3 | 298 | 2.4 | 0.14 | 2.1 | 2.7 |
| 2011 | * | * | * | * | * | 319 | 2.5 | 0.14 | 2.3 | 2.8 |
| 2012 | * | * | * | * | * | 351 | 2.8 | 0.15 | 2.5 | 3.1 |
| 2013 | 15 | 1.7 | 0.48 | 0.9 | 2.9 | 369 | 2.9 | 0.15 | 2.6 | 3.2 |
| 2014 | * | * | * | * | * | 342 | 2.6 | 0.14 | 2.3 | 2.9 |
| 2015 | * | * | * | * | * | 308 | 2.3 | 0.14 | 2.1 | 2.6 |
| 2016 | * | * | * | * | * | 295 | 2.2 | 0.13 | 1.9 | 2.4 |
| 2017 | * | * | * | * | * | 294 | 2.2 | 0.13 | 2.0 | 2.5 |
| 2018 | * | * | * | * | * | 258 | 1.9 | 0.12 | 1.6 | 2.1 |
| 2019 | * | * | * | * | * | 260 | 1.8 | 0.11 | 1.6 | 2.0 |
| 2020 | 12 | 0.8 | 0.24 | 0.4 | 1.4 | 304 | 2.2 | 0.13 | 1.9 | 2.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Melanoma of the Skin | | | | | | | | | | |
|----------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 8,903 | 2.9 | 0.03 | 2.8 | 2.9 | 179 | 0.4 | 0.03 | 0.3 | 0.5 |
| 1990 | 247 | 2.8 | 0.18 | 2.4 | 3.1 | * | * | * | * | * |
| 1991 | 233 | 2.6 | 0.17 | 2.3 | 2.9 | * | * | * | * | * |
| 1992 | 259 | 2.8 | 0.18 | 2.5 | 3.2 | * | * | * | * | * |
| 1993 | 272 | 3.0 | 0.18 | 2.7 | 3.4 | * | * | * | * | * |
| 1994 | 261 | 2.8 | 0.17 | 2.5 | 3.1 | * | * | * | * | * |
| 1995 | 255 | 2.7 | 0.17 | 2.4 | 3.1 | * | * | * | * | * |
| 1996 | 273 | 2.9 | 0.18 | 2.6 | 3.3 | * | * | * | * | * |
| 1997 | 260 | 2.8 | 0.17 | 2.4 | 3.1 | * | * | * | * | * |
| 1998 | 282 | 3.0 | 0.18 | 2.6 | 3.4 | * | * | * | * | * |
| 1999 | 273 | 2.8 | 0.17 | 2.5 | 3.2 | * | * | * | * | * |
| 2000 | 266 | 2.8 | 0.17 | 2.4 | 3.1 | * | * | * | * | * |
| 2001 | 251 | 2.6 | 0.16 | 2.3 | 2.9 | * | * | * | * | * |
| 2002 | 293 | 3.1 | 0.18 | 2.7 | 3.4 | * | * | * | * | * |
| 2003 | 275 | 2.8 | 0.17 | 2.5 | 3.2 | * | * | * | * | * |
| 2004 | 322 | 3.3 | 0.18 | 2.9 | 3.7 | * | * | * | * | * |
| 2005 | 321 | 3.2 | 0.18 | 2.9 | 3.6 | * | * | * | * | * |
| 2006 | 313 | 3.1 | 0.18 | 2.8 | 3.5 | 10 | 0.7 | 0.22 | 0.3 | 1.2 |
| 2007 | 319 | 3.2 | 0.18 | 2.8 | 3.5 | * | * | * | * | * |
| 2008 | 284 | 2.8 | 0.17 | 2.5 | 3.2 | * | * | * | * | * |
| 2009 | 343 | 3.4 | 0.19 | 3.0 | 3.8 | * | * | * | * | * |
| 2010 | 293 | 2.8 | 0.17 | 2.5 | 3.2 | * | * | * | * | * |
| 2011 | 311 | 3.0 | 0.17 | 2.7 | 3.4 | * | * | * | * | * |
| 2012 | 341 | 3.3 | 0.18 | 2.9 | 3.6 | * | * | * | * | * |
| 2013 | 354 | 3.3 | 0.18 | 3.0 | 3.7 | 11 | 0.6 | 0.20 | 0.3 | 1.1 |
| 2014 | 331 | 3.0 | 0.17 | 2.7 | 3.4 | 10 | 0.6 | 0.20 | 0.3 | 1.1 |
| 2015 | 298 | 2.8 | 0.17 | 2.5 | 3.1 | * | * | * | * | * |
| 2016 | 287 | 2.6 | 0.16 | 2.3 | 2.9 | * | * | * | * | * |
| 2017 | 286 | 2.6 | 0.16 | 2.3 | 3.0 | * | * | * | * | * |
| 2018 | 249 | 2.2 | 0.15 | 2.0 | 2.6 | * | * | * | * | * |
| 2019 | 256 | 2.2 | 0.14 | 1.9 | 2.5 | * | * | * | * | * |
| 2020 | 295 | 2.7 | 0.16 | 2.4 | 3.0 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Melanoma of the Skin | | | | | | | | | | |
|----------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 105 | 1.0 | 0.11 | 0.8 | 1.2 | 5,666 | 3.6 | 0.05 | 3.5 | 3.7 |
| 1990 | * | * | * | * | * | 138 | 3.2 | 0.28 | 2.6 | 3.7 |
| 1991 | * | * | * | * | * | 144 | 3.1 | 0.27 | 2.6 | 3.7 |
| 1992 | * | * | * | * | * | 164 | 3.7 | 0.30 | 3.2 | 4.3 |
| 1993 | * | * | * | * | * | 164 | 3.6 | 0.29 | 3.0 | 4.2 |
| 1994 | * | * | * | * | * | 159 | 3.5 | 0.29 | 3.0 | 4.2 |
| 1995 | * | * | * | * | * | 153 | 3.2 | 0.27 | 2.7 | 3.8 |
| 1996 | * | * | * | * | * | 171 | 3.6 | 0.28 | 3.1 | 4.2 |
| 1997 | * | * | * | * | * | 157 | 3.2 | 0.26 | 2.7 | 3.8 |
| 1998 | * | * | * | * | * | 186 | 3.9 | 0.29 | 3.4 | 4.5 |
| 1999 | * | * | * | * | * | 169 | 3.5 | 0.27 | 3.0 | 4.1 |
| 2000 | * | * | * | * | * | 160 | 3.3 | 0.27 | 2.8 | 3.9 |
| 2001 | * | * | * | * | * | 154 | 3.2 | 0.26 | 2.7 | 3.8 |
| 2002 | * | * | * | * | * | 184 | 3.7 | 0.28 | 3.2 | 4.3 |
| 2003 | * | * | * | * | * | 176 | 3.5 | 0.27 | 3.0 | 4.1 |
| 2004 | * | * | * | * | * | 203 | 4.0 | 0.28 | 3.4 | 4.6 |
| 2005 | * | * | * | * | * | 201 | 4.0 | 0.29 | 3.5 | 4.6 |
| 2006 | * | * | * | * | * | 198 | 3.8 | 0.28 | 3.3 | 4.4 |
| 2007 | * | * | * | * | * | 200 | 3.9 | 0.28 | 3.4 | 4.5 |
| 2008 | * | * | * | * | * | 199 | 3.8 | 0.28 | 3.3 | 4.4 |
| 2009 | * | * | * | * | * | 224 | 4.2 | 0.29 | 3.7 | 4.8 |
| 2010 | * | * | * | * | * | 183 | 3.4 | 0.26 | 2.9 | 4.0 |
| 2011 | * | * | * | * | * | 208 | 3.8 | 0.27 | 3.3 | 4.4 |
| 2012 | * | * | * | * | * | 212 | 3.8 | 0.27 | 3.3 | 4.4 |
| 2013 | * | * | * | * | * | 252 | 4.5 | 0.29 | 4.0 | 5.1 |
| 2014 | * | * | * | * | * | 215 | 3.7 | 0.26 | 3.2 | 4.2 |
| 2015 | * | * | * | * | * | 193 | 3.4 | 0.25 | 2.9 | 3.9 |
| 2016 | * | * | * | * | * | 196 | 3.3 | 0.24 | 2.9 | 3.8 |
| 2017 | * | * | * | * | * | 180 | 3.1 | 0.24 | 2.7 | 3.6 |
| 2018 | * | * | * | * | * | 150 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2019 | * | * | * | * | * | 171 | 2.7 | 0.21 | 2.3 | 3.1 |
| 2020 | * | * | * | * | * | 202 | 3.2 | 0.23 | 2.8 | 3.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Melanoma of the Skin | | | | | | | | | | |
|----------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 5,570 | 4.1 | 0.06 | 4.0 | 4.2 | 76 | 0.4 | 0.05 | 0.3 | 0.5 |
| 1990 | 135 | 3.5 | 0.31 | 2.9 | 4.2 | * | * | * | * | * |
| 1991 | 142 | 3.6 | 0.30 | 3.0 | 4.2 | * | * | * | * | * |
| 1992 | 162 | 4.2 | 0.34 | 3.6 | 4.9 | * | * | * | * | * |
| 1993 | 163 | 4.1 | 0.33 | 3.5 | 4.8 | * | * | * | * | * |
| 1994 | 157 | 4.0 | 0.33 | 3.4 | 4.7 | * | * | * | * | * |
| 1995 | 151 | 3.7 | 0.30 | 3.1 | 4.4 | * | * | * | * | * |
| 1996 | 169 | 4.1 | 0.32 | 3.5 | 4.8 | * | * | * | * | * |
| 1997 | 156 | 3.8 | 0.30 | 3.2 | 4.4 | * | * | * | * | * |
| 1998 | 184 | 4.5 | 0.33 | 3.9 | 5.2 | * | * | * | * | * |
| 1999 | 166 | 4.0 | 0.31 | 3.4 | 4.7 | * | * | * | * | * |
| 2000 | 159 | 3.8 | 0.31 | 3.3 | 4.5 | * | * | * | * | * |
| 2001 | 151 | 3.7 | 0.30 | 3.1 | 4.3 | * | * | * | * | * |
| 2002 | 180 | 4.3 | 0.32 | 3.7 | 5.0 | * | * | * | * | * |
| 2003 | 173 | 4.1 | 0.31 | 3.5 | 4.7 | * | * | * | * | * |
| 2004 | 200 | 4.6 | 0.33 | 4.0 | 5.3 | * | * | * | * | * |
| 2005 | 197 | 4.6 | 0.33 | 4.0 | 5.3 | * | * | * | * | * |
| 2006 | 192 | 4.4 | 0.32 | 3.8 | 5.1 | * | * | * | * | * |
| 2007 | 197 | 4.5 | 0.32 | 3.9 | 5.2 | * | * | * | * | * |
| 2008 | 199 | 4.5 | 0.33 | 3.9 | 5.2 | * | * | * | * | * |
| 2009 | 220 | 4.9 | 0.33 | 4.3 | 5.6 | * | * | * | * | * |
| 2010 | 182 | 4.0 | 0.30 | 3.5 | 4.7 | * | * | * | * | * |
| 2011 | 204 | 4.5 | 0.32 | 3.9 | 5.1 | * | * | * | * | * |
| 2012 | 207 | 4.4 | 0.32 | 3.9 | 5.1 | * | * | * | * | * |
| 2013 | 242 | 5.2 | 0.34 | 4.6 | 5.9 | * | * | * | * | * |
| 2014 | 210 | 4.3 | 0.30 | 3.8 | 5.0 | * | * | * | * | * |
| 2015 | 190 | 4.1 | 0.30 | 3.5 | 4.7 | * | * | * | * | * |
| 2016 | 191 | 3.9 | 0.29 | 3.4 | 4.5 | * | * | * | * | * |
| 2017 | 177 | 3.7 | 0.29 | 3.2 | 4.4 | * | * | * | * | * |
| 2018 | 146 | 2.9 | 0.25 | 2.4 | 3.4 | * | * | * | * | * |
| 2019 | 170 | 3.2 | 0.25 | 2.8 | 3.8 | * | * | * | * | * |
| 2020 | 198 | 3.9 | 0.28 | 3.4 | 4.5 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Melanoma of the Skin | | | | | | | | | | |
|----------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 67 | 0.5 | 0.07 | 0.4 | 0.7 | 3,467 | 1.7 | 0.03 | 1.6 | 1.7 |
| 1990 | * | * | * | * | * | 114 | 2.0 | 0.19 | 1.6 | 2.4 |
| 1991 | * | * | * | * | * | 94 | 1.6 | 0.16 | 1.3 | 1.9 |
| 1992 | * | * | * | * | * | 100 | 1.7 | 0.17 | 1.3 | 2.0 |
| 1993 | * | * | * | * | * | 114 | 1.9 | 0.18 | 1.6 | 2.3 |
| 1994 | * | * | * | * | * | 106 | 1.7 | 0.17 | 1.4 | 2.0 |
| 1995 | * | * | * | * | * | 108 | 1.7 | 0.17 | 1.4 | 2.1 |
| 1996 | * | * | * | * | * | 108 | 1.7 | 0.17 | 1.4 | 2.1 |
| 1997 | * | * | * | * | * | 109 | 1.7 | 0.16 | 1.4 | 2.0 |
| 1998 | * | * | * | * | * | 100 | 1.6 | 0.16 | 1.3 | 2.0 |
| 1999 | * | * | * | * | * | 109 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2000 | * | * | * | * | * | 113 | 1.7 | 0.17 | 1.4 | 2.1 |
| 2001 | * | * | * | * | * | 102 | 1.6 | 0.16 | 1.3 | 1.9 |
| 2002 | * | * | * | * | * | 117 | 1.8 | 0.17 | 1.5 | 2.2 |
| 2003 | * | * | * | * | * | 107 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2004 | * | * | * | * | * | 126 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2005 | * | * | * | * | * | 130 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2006 | * | * | * | * | * | 129 | 1.9 | 0.17 | 1.5 | 2.2 |
| 2007 | * | * | * | * | * | 125 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2008 | * | * | * | * | * | 92 | 1.4 | 0.14 | 1.1 | 1.7 |
| 2009 | * | * | * | * | * | 128 | 1.9 | 0.17 | 1.6 | 2.3 |
| 2010 | * | * | * | * | * | 115 | 1.6 | 0.16 | 1.3 | 2.0 |
| 2011 | * | * | * | * | * | 111 | 1.6 | 0.15 | 1.3 | 1.9 |
| 2012 | * | * | * | * | * | 139 | 2.0 | 0.17 | 1.7 | 2.4 |
| 2013 | * | * | * | * | * | 117 | 1.6 | 0.15 | 1.3 | 1.9 |
| 2014 | * | * | * | * | * | 127 | 1.7 | 0.16 | 1.4 | 2.1 |
| 2015 | * | * | * | * | * | 115 | 1.5 | 0.15 | 1.3 | 1.9 |
| 2016 | * | * | * | * | * | 99 | 1.3 | 0.13 | 1.0 | 1.6 |
| 2017 | * | * | * | * | * | 114 | 1.5 | 0.15 | 1.3 | 1.9 |
| 2018 | * | * | * | * | * | 108 | 1.4 | 0.14 | 1.2 | 1.7 |
| 2019 | * | * | * | * | * | 89 | 1.1 | 0.13 | 0.9 | 1.4 |
| 2020 | * | * | * | * | * | 102 | 1.4 | 0.15 | 1.1 | 1.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Melanoma of the Skin | | | | | | | | | | |
|----------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,333 | 1.9 | 0.03 | 1.9 | 2.0 | 103 | 0.4 | 0.04 | 0.3 | 0.5 |
| 1990 | 112 | 2.2 | 0.22 | 1.8 | 2.7 | * | * | * | * | * |
| 1991 | 91 | 1.8 | 0.19 | 1.4 | 2.2 | * | * | * | * | * |
| 1992 | 97 | 1.9 | 0.20 | 1.5 | 2.3 | * | * | * | * | * |
| 1993 | 109 | 2.2 | 0.21 | 1.8 | 2.6 | * | * | * | * | * |
| 1994 | 104 | 1.9 | 0.19 | 1.6 | 2.4 | * | * | * | * | * |
| 1995 | 104 | 2.0 | 0.20 | 1.6 | 2.4 | * | * | * | * | * |
| 1996 | 104 | 1.9 | 0.19 | 1.6 | 2.4 | * | * | * | * | * |
| 1997 | 104 | 1.9 | 0.19 | 1.5 | 2.3 | * | * | * | * | * |
| 1998 | 98 | 1.9 | 0.19 | 1.5 | 2.3 | * | * | * | * | * |
| 1999 | 107 | 2.0 | 0.20 | 1.6 | 2.4 | * | * | * | * | * |
| 2000 | 107 | 2.0 | 0.19 | 1.6 | 2.4 | * | * | * | * | * |
| 2001 | 100 | 1.9 | 0.19 | 1.5 | 2.3 | * | * | * | * | * |
| 2002 | 113 | 2.1 | 0.20 | 1.7 | 2.5 | * | * | * | * | * |
| 2003 | 102 | 1.9 | 0.19 | 1.5 | 2.3 | * | * | * | * | * |
| 2004 | 122 | 2.2 | 0.20 | 1.8 | 2.6 | * | * | * | * | * |
| 2005 | 124 | 2.2 | 0.21 | 1.8 | 2.7 | * | * | * | * | * |
| 2006 | 121 | 2.1 | 0.20 | 1.7 | 2.5 | * | * | * | * | * |
| 2007 | 122 | 2.3 | 0.21 | 1.9 | 2.7 | * | * | * | * | * |
| 2008 | 85 | 1.5 | 0.17 | 1.2 | 1.9 | * | * | * | * | * |
| 2009 | 123 | 2.3 | 0.21 | 1.9 | 2.8 | * | * | * | * | * |
| 2010 | 111 | 1.9 | 0.19 | 1.6 | 2.4 | * | * | * | * | * |
| 2011 | 107 | 1.9 | 0.19 | 1.5 | 2.3 | * | * | * | * | * |
| 2012 | 134 | 2.4 | 0.22 | 2.0 | 2.9 | * | * | * | * | * |
| 2013 | 112 | 1.9 | 0.19 | 1.5 | 2.3 | * | * | * | * | * |
| 2014 | 121 | 2.1 | 0.20 | 1.7 | 2.5 | * | * | * | * | * |
| 2015 | 108 | 1.8 | 0.18 | 1.5 | 2.2 | * | * | * | * | * |
| 2016 | 96 | 1.5 | 0.16 | 1.2 | 1.9 | * | * | * | * | * |
| 2017 | 109 | 1.8 | 0.18 | 1.5 | 2.3 | * | * | * | * | * |
| 2018 | 103 | 1.7 | 0.18 | 1.4 | 2.1 | * | * | * | * | * |
| 2019 | 86 | 1.4 | 0.16 | 1.1 | 1.8 | * | * | * | * | * |
| 2020 | 97 | 1.7 | 0.19 | 1.4 | 2.2 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Breast | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,737 | 6.4 | 0.17 | 6.1 | 6.8 | 57,695 | 15.4 | 0.06 | 15.2 | 15.5 |
| 1990 | 24 | 6.9 | 1.62 | 4.1 | 10.7 | 2,170 | 21.2 | 0.46 | 20.3 | 22.1 |
| 1991 | 47 | 11.6 | 1.90 | 8.2 | 15.9 | 2,237 | 21.4 | 0.46 | 20.5 | 22.3 |
| 1992 | 37 | 7.6 | 1.37 | 5.2 | 10.8 | 2,127 | 20.1 | 0.44 | 19.3 | 21.0 |
| 1993 | 39 | 9.0 | 1.69 | 6.0 | 12.8 | 2,142 | 20.1 | 0.44 | 19.2 | 20.9 |
| 1994 | 33 | 7.4 | 1.48 | 4.8 | 10.8 | 2,123 | 19.7 | 0.43 | 18.8 | 20.5 |
| 1995 | 35 | 9.6 | 1.85 | 6.3 | 13.8 | 2,114 | 19.4 | 0.42 | 18.6 | 20.3 |
| 1996 | 44 | 9.0 | 1.51 | 6.3 | 12.4 | 2,077 | 18.9 | 0.42 | 18.1 | 19.7 |
| 1997 | 43 | 8.3 | 1.53 | 5.6 | 11.7 | 2,010 | 18.1 | 0.41 | 17.4 | 19.0 |
| 1998 | 43 | 6.6 | 1.14 | 4.5 | 9.2 | 1,954 | 17.4 | 0.39 | 16.6 | 18.2 |
| 1999 | 40 | 5.2 | 0.95 | 3.5 | 7.4 | 1,990 | 17.5 | 0.39 | 16.7 | 18.3 |
| 2000 | 52 | 7.5 | 1.25 | 5.3 | 10.3 | 2,015 | 17.6 | 0.39 | 16.8 | 18.3 |
| 2001 | 46 | 6.5 | 1.10 | 4.6 | 9.0 | 1,823 | 15.8 | 0.37 | 15.1 | 16.5 |
| 2002 | 59 | 9.3 | 1.43 | 6.7 | 12.4 | 1,857 | 15.9 | 0.37 | 15.2 | 16.7 |
| 2003 | 49 | 7.6 | 1.31 | 5.3 | 10.5 | 1,838 | 15.6 | 0.36 | 14.9 | 16.3 |
| 2004 | 43 | 5.8 | 1.05 | 4.0 | 8.2 | 1,808 | 15.2 | 0.36 | 14.5 | 15.9 |
| 2005 | 45 | 5.7 | 1.00 | 4.0 | 8.0 | 1,838 | 15.3 | 0.36 | 14.6 | 16.0 |
| 2006 | 52 | 5.7 | 0.96 | 4.0 | 7.8 | 1,733 | 14.3 | 0.34 | 13.6 | 15.0 |
| 2007 | 64 | 7.8 | 1.09 | 5.8 | 10.2 | 1,761 | 14.4 | 0.35 | 13.7 | 15.1 |
| 2008 | 53 | 5.4 | 0.84 | 3.9 | 7.2 | 1,741 | 13.9 | 0.34 | 13.3 | 14.6 |
| 2009 | 56 | 4.6 | 0.70 | 3.4 | 6.2 | 1,675 | 13.3 | 0.33 | 12.7 | 14.0 |
| 2010 | 52 | 5.4 | 0.83 | 3.9 | 7.2 | 1,703 | 13.3 | 0.33 | 12.7 | 14.0 |
| 2011 | 61 | 5.6 | 0.78 | 4.2 | 7.3 | 1,768 | 13.6 | 0.33 | 13.0 | 14.3 |
| 2012 | 63 | 5.3 | 0.73 | 3.9 | 6.9 | 1,764 | 13.4 | 0.33 | 12.8 | 14.1 |
| 2013 | 69 | 5.9 | 0.80 | 4.5 | 7.7 | 1,714 | 12.9 | 0.32 | 12.3 | 13.6 |
| 2014 | 73 | 6.2 | 0.79 | 4.8 | 7.9 | 1,696 | 12.7 | 0.32 | 12.1 | 13.3 |
| 2015 | 70 | 6.1 | 0.79 | 4.6 | 7.8 | 1,736 | 12.8 | 0.31 | 12.2 | 13.4 |
| 2016 | 104 | 7.5 | 0.80 | 6.0 | 9.2 | 1,611 | 11.9 | 0.30 | 11.3 | 12.5 |
| 2017 | 75 | 5.1 | 0.63 | 3.9 | 6.5 | 1,655 | 12.0 | 0.30 | 11.4 | 12.6 |
| 2018 | 79 | 5.6 | 0.68 | 4.4 | 7.1 | 1,697 | 12.1 | 0.30 | 11.6 | 12.8 |
| 2019 | 97 | 6.6 | 0.71 | 5.2 | 8.1 | 1,675 | 11.9 | 0.30 | 11.4 | 12.6 |
| 2020 | 90 | 5.6 | 0.62 | 4.4 | 7.0 | 1,643 | 11.7 | 0.30 | 11.1 | 12.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Breast | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 46,635 | 14.7 | 0.07 | 14.6 | 14.8 | 10,166 | 21.4 | 0.22 | 21.0 | 21.9 |
| 1990 | 1,880 | 20.9 | 0.49 | 20.0 | 21.9 | 287 | 24.9 | 1.52 | 22.1 | 28.1 |
| 1991 | 1,932 | 21.1 | 0.49 | 20.2 | 22.1 | 291 | 24.6 | 1.48 | 21.8 | 27.6 |
| 1992 | 1,853 | 20.1 | 0.47 | 19.2 | 21.0 | 263 | 21.2 | 1.34 | 18.7 | 24.0 |
| 1993 | 1,812 | 19.5 | 0.46 | 18.6 | 20.4 | 320 | 25.8 | 1.48 | 22.9 | 28.8 |
| 1994 | 1,782 | 19.0 | 0.45 | 18.1 | 19.9 | 320 | 26.0 | 1.49 | 23.1 | 29.0 |
| 1995 | 1,783 | 18.9 | 0.45 | 18.0 | 19.8 | 316 | 24.6 | 1.42 | 21.9 | 27.6 |
| 1996 | 1,759 | 18.5 | 0.44 | 17.6 | 19.4 | 303 | 22.5 | 1.32 | 20.0 | 25.2 |
| 1997 | 1,642 | 17.2 | 0.43 | 16.4 | 18.1 | 352 | 26.0 | 1.42 | 23.3 | 28.9 |
| 1998 | 1,639 | 17.0 | 0.42 | 16.1 | 17.8 | 295 | 21.7 | 1.29 | 19.2 | 24.4 |
| 1999 | 1,609 | 16.4 | 0.41 | 15.6 | 17.3 | 353 | 26.2 | 1.42 | 23.5 | 29.1 |
| 2000 | 1,649 | 16.7 | 0.41 | 15.9 | 17.5 | 346 | 24.8 | 1.36 | 22.2 | 27.6 |
| 2001 | 1,481 | 15.0 | 0.39 | 14.2 | 15.8 | 320 | 23.0 | 1.31 | 20.5 | 25.7 |
| 2002 | 1,489 | 15.0 | 0.39 | 14.2 | 15.8 | 344 | 24.1 | 1.33 | 21.5 | 26.8 |
| 2003 | 1,460 | 14.6 | 0.38 | 13.8 | 15.4 | 346 | 23.7 | 1.30 | 21.2 | 26.4 |
| 2004 | 1,414 | 14.0 | 0.37 | 13.2 | 14.7 | 358 | 23.5 | 1.27 | 21.1 | 26.1 |
| 2005 | 1,464 | 14.4 | 0.38 | 13.7 | 15.2 | 343 | 22.7 | 1.25 | 20.3 | 25.3 |
| 2006 | 1,390 | 13.5 | 0.37 | 12.8 | 14.3 | 320 | 20.4 | 1.17 | 18.2 | 22.8 |
| 2007 | 1,393 | 13.5 | 0.37 | 12.8 | 14.2 | 340 | 21.4 | 1.19 | 19.1 | 23.9 |
| 2008 | 1,384 | 13.2 | 0.36 | 12.5 | 13.9 | 325 | 20.3 | 1.15 | 18.1 | 22.7 |
| 2009 | 1,346 | 12.8 | 0.36 | 12.1 | 13.5 | 306 | 18.9 | 1.11 | 16.8 | 21.2 |
| 2010 | 1,343 | 12.5 | 0.35 | 11.8 | 13.2 | 326 | 19.7 | 1.11 | 17.5 | 22.0 |
| 2011 | 1,413 | 13.0 | 0.35 | 12.3 | 13.7 | 319 | 19.1 | 1.09 | 17.0 | 21.4 |
| 2012 | 1,387 | 12.7 | 0.35 | 12.0 | 13.4 | 347 | 20.3 | 1.11 | 18.2 | 22.6 |
| 2013 | 1,342 | 12.3 | 0.34 | 11.6 | 13.0 | 327 | 18.6 | 1.05 | 16.6 | 20.8 |
| 2014 | 1,353 | 12.3 | 0.34 | 11.6 | 12.9 | 292 | 16.8 | 1.00 | 14.9 | 18.8 |
| 2015 | 1,355 | 12.2 | 0.34 | 11.6 | 12.9 | 341 | 18.5 | 1.02 | 16.5 | 20.6 |
| 2016 | 1,223 | 11.0 | 0.32 | 10.3 | 11.6 | 347 | 19.1 | 1.05 | 17.1 | 21.2 |
| 2017 | 1,286 | 11.4 | 0.33 | 10.7 | 12.0 | 327 | 17.6 | 1.00 | 15.7 | 19.7 |
| 2018 | 1,266 | 11.1 | 0.32 | 10.5 | 11.8 | 381 | 20.3 | 1.06 | 18.3 | 22.5 |
| 2019 | 1,250 | 11.0 | 0.32 | 10.3 | 11.6 | 376 | 19.7 | 1.04 | 17.7 | 21.8 |
| 2020 | 1,256 | 11.0 | 0.32 | 10.4 | 11.7 | 335 | 17.4 | 0.97 | 15.5 | 19.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Breast | | | | | | | | | | |
|---------------------|-------|------|----|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | * | * | * | * | * | 532 | 0.3 | 0.01 | 0.3 | 0.4 |
| 1990 | * | * | * | * | * | 12 | 0.3 | 0.08 | 0.1 | 0.5 |
| 1991 | * | * | * | * | * | 14 | 0.4 | 0.11 | 0.2 | 0.6 |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | * | * | * | * | * | 19 | 0.4 | 0.10 | 0.3 | 0.7 |
| 1994 | * | * | * | * | * | 17 | 0.4 | 0.08 | 0.2 | 0.6 |
| 1995 | * | * | * | * | * | 23 | 0.5 | 0.12 | 0.3 | 0.8 |
| 1996 | * | * | * | * | * | 13 | 0.3 | 0.07 | 0.1 | 0.5 |
| 1997 | * | * | * | * | * | 15 | 0.3 | 0.09 | 0.2 | 0.6 |
| 1998 | * | * | * | * | * | 18 | 0.4 | 0.10 | 0.3 | 0.7 |
| 1999 | * | * | * | * | * | 23 | 0.5 | 0.11 | 0.3 | 0.8 |
| 2000 | * | * | * | * | * | 22 | 0.5 | 0.11 | 0.3 | 0.7 |
| 2001 | * | * | * | * | * | 23 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2002 | * | * | * | * | * | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2003 | * | * | * | * | * | 15 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2004 | * | * | * | * | * | 21 | 0.4 | 0.10 | 0.3 | 0.7 |
| 2005 | * | * | * | * | * | 18 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2006 | * | * | * | * | * | 14 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2007 | * | * | * | * | * | 18 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2008 | * | * | * | * | * | 14 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2009 | * | * | * | * | * | 12 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2010 | * | * | * | * | * | 14 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2011 | * | * | * | * | * | 13 | 0.3 | 0.07 | 0.1 | 0.5 |
| 2012 | * | * | * | * | * | 17 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2013 | * | * | * | * | * | 21 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2014 | * | * | * | * | * | 12 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2015 | * | * | * | * | * | 25 | 0.4 | 0.09 | 0.3 | 0.7 |
| 2016 | * | * | * | * | * | 14 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2017 | * | * | * | * | * | 21 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2018 | * | * | * | * | * | 22 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2019 | * | * | * | * | * | 13 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2020 | * | * | * | * | * | 22 | 0.4 | 0.08 | 0.2 | 0.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Breast | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 412 | 0.3 | 0.02 | 0.3 | 0.3 | 113 | 0.6 | 0.06 | 0.5 | 0.8 |
| 1990 | 10 | 0.3 | 0.09 | 0.1 | 0.5 | * | * | * | * | * |
| 1991 | 11 | 0.4 | 0.11 | 0.2 | 0.6 | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 16 | 0.4 | 0.11 | 0.2 | 0.7 | * | * | * | * | * |
| 1994 | 13 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 1995 | 20 | 0.5 | 0.12 | 0.3 | 0.8 | * | * | * | * | * |
| 1996 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 1997 | 10 | 0.3 | 0.09 | 0.1 | 0.5 | * | * | * | * | * |
| 1998 | 14 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 1999 | 14 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 2000 | 14 | 0.3 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2001 | 19 | 0.5 | 0.11 | 0.3 | 0.7 | * | * | * | * | * |
| 2002 | 14 | 0.3 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2003 | 12 | 0.3 | 0.09 | 0.2 | 0.5 | * | * | * | * | * |
| 2004 | 19 | 0.5 | 0.11 | 0.3 | 0.7 | * | * | * | * | * |
| 2005 | 15 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 2006 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2007 | 13 | 0.3 | 0.09 | 0.2 | 0.5 | * | * | * | * | * |
| 2008 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2009 | * | * | * | * | * | * | * | * | * | * |
| 2010 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | 16 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2013 | 18 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | 19 | 0.4 | 0.10 | 0.2 | 0.7 | * | * | * | * | * |
| 2016 | * | * | * | * | * | * | * | * | * | * |
| 2017 | 17 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2018 | 17 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | 20 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Breast | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,729 | 12.2 | 0.32 | 11.6 | 12.9 | 57,163 | 27.0 | 0.11 | 26.7 | 27.2 |
| 1990 | 24 | 12.8 | 2.85 | 7.9 | 19.5 | 2,158 | 36.7 | 0.81 | 35.2 | 38.3 |
| 1991 | 47 | 22.1 | 3.45 | 15.9 | 29.9 | 2,223 | 37.1 | 0.80 | 35.6 | 38.7 |
| 1992 | 37 | 14.9 | 2.58 | 10.3 | 20.8 | 2,119 | 34.9 | 0.77 | 33.4 | 36.5 |
| 1993 | 39 | 16.8 | 2.98 | 11.5 | 23.5 | 2,123 | 34.6 | 0.76 | 33.1 | 36.1 |
| 1994 | 33 | 13.9 | 2.63 | 9.2 | 19.9 | 2,106 | 34.0 | 0.75 | 32.6 | 35.5 |
| 1995 | 35 | 17.1 | 3.15 | 11.5 | 24.2 | 2,091 | 33.5 | 0.74 | 32.0 | 34.9 |
| 1996 | 44 | 17.1 | 2.76 | 12.1 | 23.3 | 2,064 | 32.7 | 0.73 | 31.3 | 34.2 |
| 1997 | 43 | 15.5 | 2.69 | 10.7 | 21.6 | 1,995 | 31.7 | 0.72 | 30.3 | 33.1 |
| 1998 | 43 | 12.8 | 2.14 | 9.0 | 17.7 | 1,936 | 30.1 | 0.69 | 28.8 | 31.5 |
| 1999 | 40 | 10.3 | 1.81 | 7.1 | 14.5 | 1,967 | 30.1 | 0.69 | 28.8 | 31.5 |
| 2000 | 52 | 14.5 | 2.29 | 10.3 | 19.6 | 1,993 | 30.2 | 0.68 | 28.9 | 31.6 |
| 2001 | 46 | 12.6 | 2.05 | 8.9 | 17.2 | 1,800 | 27.2 | 0.65 | 26.0 | 28.6 |
| 2002 | 59 | 17.4 | 2.56 | 12.7 | 23.0 | 1,838 | 27.6 | 0.65 | 26.4 | 29.0 |
| 2003 | 49 | 14.0 | 2.29 | 9.9 | 19.1 | 1,823 | 27.2 | 0.64 | 26.0 | 28.5 |
| 2004 | 43 | 11.0 | 1.89 | 7.6 | 15.3 | 1,787 | 26.5 | 0.63 | 25.2 | 27.7 |
| 2005 | 45 | 10.8 | 1.81 | 7.6 | 14.9 | 1,820 | 26.7 | 0.63 | 25.4 | 27.9 |
| 2006 | 52 | 10.8 | 1.72 | 7.7 | 14.7 | 1,719 | 25.1 | 0.62 | 23.9 | 26.4 |
| 2007 | 63 | 14.5 | 1.98 | 10.9 | 18.8 | 1,743 | 25.3 | 0.62 | 24.1 | 26.5 |
| 2008 | 53 | 10.3 | 1.55 | 7.5 | 13.7 | 1,727 | 24.6 | 0.60 | 23.5 | 25.9 |
| 2009 | 56 | 9.1 | 1.32 | 6.7 | 12.0 | 1,663 | 23.6 | 0.59 | 22.4 | 24.8 |
| 2010 | 51 | 9.8 | 1.47 | 7.1 | 13.0 | 1,689 | 23.5 | 0.59 | 22.4 | 24.7 |
| 2011 | 60 | 10.6 | 1.45 | 8.0 | 13.8 | 1,755 | 24.2 | 0.59 | 23.0 | 25.3 |
| 2012 | 63 | 10.1 | 1.36 | 7.7 | 13.1 | 1,747 | 23.8 | 0.59 | 22.7 | 25.0 |
| 2013 | 68 | 11.2 | 1.46 | 8.5 | 14.4 | 1,693 | 22.9 | 0.58 | 21.8 | 24.1 |
| 2014 | 72 | 11.7 | 1.47 | 9.0 | 14.9 | 1,684 | 22.6 | 0.57 | 21.5 | 23.7 |
| 2015 | 70 | 11.3 | 1.43 | 8.7 | 14.4 | 1,711 | 22.7 | 0.57 | 21.6 | 23.9 |
| 2016 | 103 | 14.3 | 1.49 | 11.5 | 17.5 | 1,597 | 21.3 | 0.55 | 20.2 | 22.4 |
| 2017 | 74 | 9.6 | 1.17 | 7.4 | 12.1 | 1,634 | 21.3 | 0.55 | 20.3 | 22.4 |
| 2018 | 79 | 10.7 | 1.26 | 8.4 | 13.5 | 1,675 | 21.7 | 0.55 | 20.6 | 22.8 |
| 2019 | 96 | 12.4 | 1.32 | 10.0 | 15.3 | 1,662 | 21.5 | 0.55 | 20.5 | 22.6 |
| 2020 | 90 | 10.9 | 1.19 | 8.7 | 13.5 | 1,621 | 20.9 | 0.54 | 19.8 | 22.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Breast | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 46,223 | 26.0 | 0.12 | 25.8 | 26.2 | 10,053 | 35.9 | 0.36 | 35.2 | 36.6 |
| 1990 | 1,870 | 36.4 | 0.87 | 34.7 | 38.2 | 285 | 42.0 | 2.52 | 37.2 | 47.2 |
| 1991 | 1,921 | 36.7 | 0.86 | 35.1 | 38.5 | 288 | 41.2 | 2.47 | 36.6 | 46.3 |
| 1992 | 1,847 | 35.0 | 0.83 | 33.4 | 36.7 | 262 | 36.0 | 2.25 | 31.7 | 40.7 |
| 1993 | 1,796 | 33.7 | 0.81 | 32.1 | 35.3 | 317 | 43.0 | 2.45 | 38.4 | 48.1 |
| 1994 | 1,769 | 33.1 | 0.80 | 31.5 | 34.7 | 316 | 43.0 | 2.45 | 38.3 | 48.0 |
| 1995 | 1,763 | 32.7 | 0.80 | 31.2 | 34.3 | 313 | 41.2 | 2.35 | 36.7 | 46.0 |
| 1996 | 1,748 | 32.1 | 0.78 | 30.6 | 33.7 | 301 | 38.1 | 2.22 | 33.8 | 42.7 |
| 1997 | 1,632 | 30.1 | 0.76 | 28.6 | 31.6 | 347 | 43.6 | 2.36 | 39.1 | 48.5 |
| 1998 | 1,625 | 29.5 | 0.75 | 28.1 | 31.0 | 291 | 36.0 | 2.13 | 31.9 | 40.4 |
| 1999 | 1,595 | 28.5 | 0.73 | 27.1 | 30.0 | 344 | 42.6 | 2.32 | 38.2 | 47.4 |
| 2000 | 1,635 | 29.0 | 0.73 | 27.5 | 30.4 | 339 | 40.6 | 2.22 | 36.4 | 45.2 |
| 2001 | 1,462 | 26.1 | 0.70 | 24.7 | 27.5 | 316 | 37.8 | 2.14 | 33.7 | 42.2 |
| 2002 | 1,475 | 26.2 | 0.70 | 24.8 | 27.6 | 339 | 39.6 | 2.17 | 35.5 | 44.1 |
| 2003 | 1,448 | 25.6 | 0.69 | 24.2 | 26.9 | 343 | 39.4 | 2.14 | 35.3 | 43.8 |
| 2004 | 1,395 | 24.4 | 0.67 | 23.1 | 25.7 | 356 | 39.7 | 2.12 | 35.7 | 44.1 |
| 2005 | 1,449 | 25.2 | 0.68 | 23.8 | 26.5 | 340 | 37.8 | 2.07 | 33.8 | 42.0 |
| 2006 | 1,379 | 24.0 | 0.66 | 22.7 | 25.3 | 317 | 34.3 | 1.95 | 30.6 | 38.4 |
| 2007 | 1,380 | 23.9 | 0.66 | 22.6 | 25.2 | 335 | 35.9 | 1.98 | 32.1 | 40.0 |
| 2008 | 1,373 | 23.5 | 0.65 | 22.2 | 24.8 | 322 | 34.0 | 1.92 | 30.4 | 38.0 |
| 2009 | 1,338 | 22.9 | 0.65 | 21.7 | 24.2 | 303 | 31.6 | 1.84 | 28.1 | 35.4 |
| 2010 | 1,332 | 22.2 | 0.63 | 21.0 | 23.5 | 324 | 33.2 | 1.87 | 29.6 | 37.0 |
| 2011 | 1,404 | 23.3 | 0.64 | 22.0 | 24.6 | 316 | 32.1 | 1.83 | 28.6 | 35.9 |
| 2012 | 1,371 | 22.7 | 0.64 | 21.5 | 24.0 | 346 | 34.1 | 1.86 | 30.6 | 38.0 |
| 2013 | 1,324 | 21.9 | 0.63 | 20.7 | 23.2 | 324 | 31.2 | 1.76 | 27.8 | 34.9 |
| 2014 | 1,347 | 22.1 | 0.63 | 20.9 | 23.4 | 287 | 27.7 | 1.66 | 24.6 | 31.2 |
| 2015 | 1,336 | 22.0 | 0.63 | 20.8 | 23.3 | 336 | 30.9 | 1.72 | 27.6 | 34.4 |
| 2016 | 1,214 | 19.8 | 0.60 | 18.7 | 21.0 | 342 | 32.0 | 1.76 | 28.6 | 35.6 |
| 2017 | 1,269 | 20.5 | 0.60 | 19.3 | 21.7 | 323 | 29.6 | 1.68 | 26.4 | 33.1 |
| 2018 | 1,249 | 20.0 | 0.60 | 18.9 | 21.2 | 376 | 33.8 | 1.78 | 30.4 | 37.5 |
| 2019 | 1,241 | 19.9 | 0.60 | 18.8 | 21.1 | 372 | 33.3 | 1.77 | 29.9 | 36.9 |
| 2020 | 1,236 | 19.9 | 0.60 | 18.7 | 21.1 | 333 | 29.3 | 1.65 | 26.2 | 32.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Female Genital System | | | | | | | | | | |
|-----------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,547 | 11.8 | 0.32 | 11.1 | 12.4 | 36,933 | 17.3 | 0.09 | 17.1 | 17.5 |
| 1990 | 24 | 12.0 | 2.61 | 7.4 | 18.1 | 1,200 | 19.9 | 0.58 | 18.7 | 21.0 |
| 1991 | 36 | 16.6 | 2.92 | 11.3 | 23.2 | 1,170 | 19.1 | 0.57 | 18.0 | 20.3 |
| 1992 | 21 | 9.4 | 2.23 | 5.5 | 14.7 | 1,170 | 18.9 | 0.56 | 17.8 | 20.1 |
| 1993 | 26 | 11.8 | 2.44 | 7.5 | 17.5 | 1,183 | 18.8 | 0.55 | 17.7 | 19.9 |
| 1994 | 29 | 12.1 | 2.53 | 7.7 | 18.0 | 1,163 | 18.4 | 0.55 | 17.4 | 19.5 |
| 1995 | 22 | 9.2 | 2.12 | 5.5 | 14.2 | 1,146 | 18.1 | 0.54 | 17.0 | 19.2 |
| 1996 | 31 | 11.5 | 2.35 | 7.3 | 16.9 | 1,187 | 18.5 | 0.54 | 17.5 | 19.6 |
| 1997 | 31 | 10.0 | 2.07 | 6.4 | 14.8 | 1,173 | 18.2 | 0.54 | 17.2 | 19.3 |
| 1998 | 38 | 12.7 | 2.33 | 8.5 | 18.0 | 1,175 | 18.0 | 0.53 | 17.0 | 19.1 |
| 1999 | 30 | 11.0 | 2.31 | 6.9 | 16.3 | 1,172 | 18.0 | 0.53 | 17.0 | 19.1 |
| 2000 | 45 | 14.5 | 2.48 | 10.1 | 20.1 | 1,219 | 18.6 | 0.54 | 17.6 | 19.7 |
| 2001 | 32 | 9.6 | 1.95 | 6.1 | 14.1 | 1,138 | 17.4 | 0.52 | 16.4 | 18.5 |
| 2002 | 50 | 14.2 | 2.25 | 10.1 | 19.2 | 1,168 | 17.7 | 0.52 | 16.7 | 18.8 |
| 2003 | 37 | 10.1 | 1.87 | 6.8 | 14.3 | 1,140 | 17.1 | 0.51 | 16.1 | 18.1 |
| 2004 | 44 | 12.5 | 2.13 | 8.7 | 17.3 | 1,142 | 17.1 | 0.51 | 16.1 | 18.1 |
| 2005 | 45 | 11.5 | 1.95 | 8.0 | 15.9 | 1,182 | 17.4 | 0.51 | 16.4 | 18.4 |
| 2006 | 49 | 12.3 | 1.96 | 8.8 | 16.7 | 1,177 | 17.1 | 0.50 | 16.1 | 18.1 |
| 2007 | 51 | 11.6 | 1.78 | 8.4 | 15.6 | 1,154 | 16.7 | 0.50 | 15.7 | 17.7 |
| 2008 | 44 | 11.3 | 1.86 | 7.9 | 15.4 | 1,171 | 16.9 | 0.50 | 15.9 | 17.9 |
| 2009 | 53 | 11.4 | 1.68 | 8.4 | 15.1 | 1,125 | 16.1 | 0.49 | 15.1 | 17.1 |
| 2010 | 56 | 10.7 | 1.55 | 7.9 | 14.1 | 1,210 | 17.0 | 0.50 | 16.1 | 18.0 |
| 2011 | 73 | 14.8 | 1.87 | 11.3 | 18.8 | 1,191 | 16.6 | 0.49 | 15.6 | 17.6 |
| 2012 | 66 | 12.8 | 1.70 | 9.7 | 16.5 | 1,209 | 16.4 | 0.48 | 15.5 | 17.4 |
| 2013 | 60 | 9.6 | 1.32 | 7.1 | 12.5 | 1,238 | 16.7 | 0.49 | 15.8 | 17.7 |
| 2014 | 60 | 10.2 | 1.40 | 7.7 | 13.3 | 1,207 | 16.1 | 0.48 | 15.2 | 17.1 |
| 2015 | 66 | 11.1 | 1.44 | 8.5 | 14.3 | 1,259 | 16.7 | 0.49 | 15.8 | 17.7 |
| 2016 | 79 | 12.2 | 1.44 | 9.5 | 15.3 | 1,324 | 17.2 | 0.49 | 16.3 | 18.2 |
| 2017 | 98 | 14.9 | 1.59 | 12.0 | 18.3 | 1,214 | 16.0 | 0.47 | 15.1 | 16.9 |
| 2018 | 67 | 8.9 | 1.12 | 6.8 | 11.3 | 1,226 | 15.6 | 0.46 | 14.7 | 16.6 |
| 2019 | 90 | 12.1 | 1.33 | 9.7 | 15.0 | 1,252 | 15.9 | 0.46 | 15.0 | 16.8 |
| 2020 | 94 | 11.6 | 1.24 | 9.3 | 14.3 | 1,248 | 15.8 | 0.46 | 14.9 | 16.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Female Genital System | | | | | | | | | | |
|-----------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 29,986 | 16.8 | 0.10 | 16.6 | 17.0 | 6,317 | 22.6 | 0.29 | 22.1 | 23.2 |
| 1990 | 1,036 | 19.5 | 0.62 | 18.3 | 20.8 | 156 | 22.7 | 1.84 | 19.2 | 26.5 |
| 1991 | 970 | 18.1 | 0.59 | 16.9 | 19.3 | 190 | 27.7 | 2.04 | 23.8 | 31.9 |
| 1992 | 957 | 17.7 | 0.59 | 16.6 | 18.9 | 201 | 28.5 | 2.04 | 24.6 | 32.7 |
| 1993 | 985 | 18.0 | 0.59 | 16.9 | 19.2 | 190 | 25.7 | 1.89 | 22.2 | 29.7 |
| 1994 | 978 | 17.9 | 0.58 | 16.8 | 19.1 | 180 | 24.7 | 1.87 | 21.2 | 28.6 |
| 1995 | 975 | 17.8 | 0.58 | 16.7 | 19.0 | 164 | 22.0 | 1.74 | 18.7 | 25.7 |
| 1996 | 1,004 | 18.2 | 0.59 | 17.1 | 19.4 | 168 | 22.3 | 1.74 | 19.0 | 26.0 |
| 1997 | 970 | 17.6 | 0.57 | 16.5 | 18.7 | 192 | 24.8 | 1.81 | 21.4 | 28.6 |
| 1998 | 982 | 17.6 | 0.57 | 16.5 | 18.7 | 176 | 22.4 | 1.71 | 19.2 | 26.0 |
| 1999 | 988 | 17.7 | 0.57 | 16.6 | 18.9 | 174 | 21.4 | 1.63 | 18.3 | 24.8 |
| 2000 | 1,017 | 18.3 | 0.59 | 17.2 | 19.5 | 188 | 23.1 | 1.70 | 19.9 | 26.7 |
| 2001 | 917 | 16.7 | 0.56 | 15.6 | 17.8 | 203 | 24.6 | 1.74 | 21.3 | 28.2 |
| 2002 | 962 | 17.3 | 0.57 | 16.2 | 18.4 | 185 | 21.6 | 1.60 | 18.6 | 25.0 |
| 2003 | 937 | 16.5 | 0.55 | 15.5 | 17.7 | 188 | 21.7 | 1.59 | 18.7 | 25.0 |
| 2004 | 919 | 16.4 | 0.55 | 15.3 | 17.5 | 207 | 23.9 | 1.67 | 20.7 | 27.4 |
| 2005 | 961 | 16.8 | 0.55 | 15.7 | 17.9 | 198 | 22.4 | 1.61 | 19.4 | 25.8 |
| 2006 | 965 | 16.7 | 0.55 | 15.6 | 17.8 | 192 | 22.0 | 1.60 | 18.9 | 25.3 |
| 2007 | 957 | 16.6 | 0.55 | 15.5 | 17.7 | 181 | 19.5 | 1.46 | 16.7 | 22.6 |
| 2008 | 966 | 16.7 | 0.55 | 15.6 | 17.8 | 182 | 19.6 | 1.46 | 16.8 | 22.6 |
| 2009 | 895 | 15.5 | 0.53 | 14.5 | 16.6 | 207 | 21.1 | 1.49 | 18.3 | 24.3 |
| 2010 | 967 | 16.4 | 0.54 | 15.4 | 17.5 | 217 | 22.5 | 1.55 | 19.5 | 25.7 |
| 2011 | 947 | 16.1 | 0.54 | 15.0 | 17.2 | 220 | 22.4 | 1.53 | 19.5 | 25.6 |
| 2012 | 969 | 16.0 | 0.53 | 15.0 | 17.1 | 216 | 21.3 | 1.47 | 18.5 | 24.4 |
| 2013 | 990 | 16.4 | 0.54 | 15.4 | 17.5 | 211 | 20.5 | 1.43 | 17.8 | 23.5 |
| 2014 | 937 | 15.3 | 0.52 | 14.3 | 16.4 | 241 | 22.3 | 1.47 | 19.6 | 25.4 |
| 2015 | 994 | 16.3 | 0.54 | 15.3 | 17.4 | 238 | 22.1 | 1.46 | 19.4 | 25.2 |
| 2016 | 1,032 | 16.6 | 0.54 | 15.5 | 17.7 | 253 | 23.2 | 1.49 | 20.4 | 26.3 |
| 2017 | 940 | 15.3 | 0.52 | 14.3 | 16.3 | 244 | 22.0 | 1.44 | 19.3 | 25.1 |
| 2018 | 953 | 15.3 | 0.52 | 14.3 | 16.3 | 246 | 21.3 | 1.39 | 18.7 | 24.3 |
| 2019 | 941 | 15.0 | 0.51 | 14.0 | 16.0 | 269 | 23.0 | 1.43 | 20.2 | 25.9 |
| 2020 | 975 | 15.6 | 0.52 | 14.6 | 16.6 | 240 | 20.3 | 1.34 | 17.7 | 23.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Cervix Uteri | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 437 | 2.8 | 0.15 | 2.5 | 3.1 | 5,552 | 2.9 | 0.04 | 2.8 | 2.9 |
| 1990 | 10 | 4.4 | 1.44 | 2.0 | 8.2 | 203 | 3.7 | 0.26 | 3.2 | 4.3 |
| 1991 | 13 | 5.1 | 1.53 | 2.5 | 9.0 | 230 | 4.1 | 0.27 | 3.6 | 4.7 |
| 1992 | * | * | * | * | * | 214 | 3.7 | 0.26 | 3.2 | 4.2 |
| 1993 | * | * | * | * | * | 225 | 3.8 | 0.26 | 3.3 | 4.3 |
| 1994 | 13 | 4.5 | 1.39 | 2.2 | 8.1 | 192 | 3.3 | 0.24 | 2.8 | 3.8 |
| 1995 | * | * | * | * | * | 195 | 3.3 | 0.24 | 2.8 | 3.8 |
| 1996 | 10 | 2.8 | 0.97 | 1.2 | 5.4 | 190 | 3.2 | 0.24 | 2.8 | 3.7 |
| 1997 | 20 | 5.1 | 1.25 | 3.0 | 8.2 | 211 | 3.5 | 0.25 | 3.1 | 4.1 |
| 1998 | 19 | 4.8 | 1.18 | 2.8 | 7.8 | 200 | 3.3 | 0.24 | 2.9 | 3.8 |
| 1999 | * | * | * | * | * | 209 | 3.4 | 0.24 | 2.9 | 3.9 |
| 2000 | 21 | 6.5 | 1.65 | 3.7 | 10.4 | 193 | 3.2 | 0.23 | 2.8 | 3.7 |
| 2001 | * | * | * | * | * | 175 | 2.9 | 0.22 | 2.5 | 3.3 |
| 2002 | 13 | 2.6 | 0.83 | 1.3 | 4.8 | 193 | 3.1 | 0.22 | 2.7 | 3.6 |
| 2003 | 13 | 3.0 | 0.96 | 1.4 | 5.4 | 172 | 2.8 | 0.22 | 2.4 | 3.3 |
| 2004 | 15 | 3.1 | 0.88 | 1.6 | 5.4 | 181 | 2.8 | 0.21 | 2.4 | 3.3 |
| 2005 | 18 | 3.6 | 0.91 | 2.1 | 5.9 | 165 | 2.6 | 0.21 | 2.2 | 3.1 |
| 2006 | 14 | 3.6 | 1.08 | 1.8 | 6.2 | 159 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2007 | 15 | 3.2 | 0.91 | 1.7 | 5.4 | 174 | 2.7 | 0.21 | 2.3 | 3.1 |
| 2008 | 15 | 3.7 | 1.06 | 1.9 | 6.2 | 185 | 2.8 | 0.21 | 2.4 | 3.3 |
| 2009 | 16 | 2.4 | 0.63 | 1.4 | 4.0 | 162 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2010 | 17 | 2.4 | 0.62 | 1.4 | 4.0 | 169 | 2.6 | 0.20 | 2.2 | 3.0 |
| 2011 | 19 | 3.0 | 0.76 | 1.7 | 4.8 | 176 | 2.6 | 0.20 | 2.3 | 3.1 |
| 2012 | 13 | 2.1 | 0.63 | 1.1 | 3.7 | 154 | 2.2 | 0.18 | 1.9 | 2.6 |
| 2013 | 20 | 2.6 | 0.60 | 1.5 | 4.0 | 151 | 2.2 | 0.18 | 1.8 | 2.5 |
| 2014 | 18 | 3.1 | 0.77 | 1.8 | 5.0 | 166 | 2.5 | 0.20 | 2.1 | 2.9 |
| 2015 | 12 | 1.8 | 0.54 | 0.9 | 3.2 | 172 | 2.6 | 0.21 | 2.2 | 3.1 |
| 2016 | 14 | 2.1 | 0.61 | 1.1 | 3.6 | 158 | 2.4 | 0.20 | 2.0 | 2.9 |
| 2017 | 17 | 2.4 | 0.61 | 1.4 | 3.9 | 140 | 2.1 | 0.18 | 1.7 | 2.5 |
| 2018 | 12 | 1.5 | 0.44 | 0.7 | 2.6 | 158 | 2.3 | 0.19 | 1.9 | 2.7 |
| 2019 | 18 | 2.2 | 0.52 | 1.3 | 3.4 | 133 | 2.0 | 0.19 | 1.7 | 2.4 |
| 2020 | 16 | 1.8 | 0.48 | 1.0 | 3.0 | 147 | 2.2 | 0.19 | 1.8 | 2.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Cervix Uteri | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 3,759 | 2.4 | 0.04 | 2.3 | 2.5 | 1,683 | 5.9 | 0.15 | 5.7 | 6.2 |
| 1990 | 149 | 3.2 | 0.27 | 2.7 | 3.7 | 51 | 7.2 | 1.03 | 5.4 | 9.5 |
| 1991 | 140 | 2.9 | 0.25 | 2.4 | 3.5 | 85 | 11.6 | 1.28 | 9.2 | 14.3 |
| 1992 | 133 | 2.7 | 0.24 | 2.2 | 3.2 | 78 | 10.9 | 1.26 | 8.6 | 13.7 |
| 1993 | 150 | 3.0 | 0.25 | 2.5 | 3.6 | 72 | 9.7 | 1.16 | 7.6 | 12.3 |
| 1994 | 129 | 2.6 | 0.24 | 2.2 | 3.1 | 63 | 8.2 | 1.05 | 6.3 | 10.6 |
| 1995 | 122 | 2.4 | 0.22 | 2.0 | 2.9 | 71 | 9.3 | 1.12 | 7.2 | 11.7 |
| 1996 | 128 | 2.7 | 0.24 | 2.2 | 3.2 | 57 | 7.2 | 0.97 | 5.4 | 9.3 |
| 1997 | 147 | 3.0 | 0.25 | 2.5 | 3.5 | 60 | 7.3 | 0.96 | 5.6 | 9.5 |
| 1998 | 137 | 2.7 | 0.24 | 2.3 | 3.3 | 58 | 7.0 | 0.93 | 5.3 | 9.1 |
| 1999 | 156 | 3.0 | 0.25 | 2.6 | 3.5 | 52 | 6.1 | 0.85 | 4.6 | 8.0 |
| 2000 | 135 | 2.7 | 0.23 | 2.3 | 3.2 | 52 | 5.9 | 0.82 | 4.4 | 7.7 |
| 2001 | 114 | 2.3 | 0.22 | 1.9 | 2.8 | 57 | 6.6 | 0.89 | 5.0 | 8.6 |
| 2002 | 131 | 2.5 | 0.22 | 2.1 | 3.0 | 58 | 6.5 | 0.85 | 4.9 | 8.4 |
| 2003 | 109 | 2.2 | 0.21 | 1.8 | 2.6 | 60 | 6.5 | 0.84 | 5.0 | 8.4 |
| 2004 | 124 | 2.4 | 0.22 | 2.0 | 2.9 | 56 | 6.2 | 0.83 | 4.7 | 8.0 |
| 2005 | 106 | 2.1 | 0.20 | 1.7 | 2.5 | 54 | 5.8 | 0.80 | 4.4 | 7.6 |
| 2006 | 106 | 2.0 | 0.20 | 1.6 | 2.5 | 50 | 5.5 | 0.78 | 4.1 | 7.3 |
| 2007 | 128 | 2.5 | 0.22 | 2.0 | 2.9 | 45 | 4.7 | 0.71 | 3.4 | 6.3 |
| 2008 | 131 | 2.4 | 0.22 | 2.0 | 2.9 | 52 | 5.3 | 0.75 | 4.0 | 7.0 |
| 2009 | 106 | 2.0 | 0.20 | 1.7 | 2.5 | 53 | 5.3 | 0.74 | 4.0 | 7.0 |
| 2010 | 110 | 2.1 | 0.20 | 1.7 | 2.5 | 58 | 5.8 | 0.78 | 4.4 | 7.6 |
| 2011 | 114 | 2.1 | 0.21 | 1.8 | 2.6 | 54 | 5.4 | 0.75 | 4.0 | 7.1 |
| 2012 | 95 | 1.7 | 0.18 | 1.4 | 2.1 | 59 | 5.7 | 0.75 | 4.3 | 7.4 |
| 2013 | 99 | 1.8 | 0.19 | 1.5 | 2.2 | 45 | 4.3 | 0.65 | 3.1 | 5.8 |
| 2014 | 120 | 2.2 | 0.21 | 1.8 | 2.7 | 40 | 3.8 | 0.62 | 2.7 | 5.3 |
| 2015 | 125 | 2.5 | 0.24 | 2.0 | 3.0 | 42 | 4.0 | 0.63 | 2.9 | 5.5 |
| 2016 | 110 | 2.2 | 0.22 | 1.8 | 2.7 | 42 | 4.1 | 0.64 | 2.9 | 5.5 |
| 2017 | 96 | 1.9 | 0.20 | 1.5 | 2.3 | 42 | 3.8 | 0.59 | 2.7 | 5.1 |
| 2018 | 117 | 2.2 | 0.22 | 1.8 | 2.7 | 36 | 3.3 | 0.56 | 2.3 | 4.6 |
| 2019 | 90 | 1.8 | 0.20 | 1.4 | 2.3 | 40 | 3.6 | 0.58 | 2.6 | 5.0 |
| 2020 | 102 | 2.0 | 0.21 | 1.6 | 2.5 | 41 | 3.6 | 0.58 | 2.6 | 4.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Corpus and Uterus, NOS | | | | | | | | | | |
|------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 420 | 3.3 | 0.17 | 3.0 | 3.7 | 10,977 | 5.0 | 0.05 | 4.9 | 5.1 |
| 1990 | * | * | * | * | * | 306 | 4.8 | 0.28 | 4.3 | 5.4 |
| 1991 | * | * | * | * | * | 308 | 4.9 | 0.28 | 4.4 | 5.5 |
| 1992 | * | * | * | * | * | 262 | 4.0 | 0.25 | 3.5 | 4.6 |
| 1993 | * | * | * | * | * | 296 | 4.5 | 0.27 | 4.0 | 5.1 |
| 1994 | * | * | * | * | * | 304 | 4.7 | 0.27 | 4.1 | 5.2 |
| 1995 | * | * | * | * | * | 300 | 4.6 | 0.27 | 4.0 | 5.1 |
| 1996 | * | * | * | * | * | 292 | 4.4 | 0.26 | 3.9 | 4.9 |
| 1997 | * | * | * | * | * | 294 | 4.4 | 0.26 | 3.9 | 5.0 |
| 1998 | * | * | * | * | * | 326 | 4.8 | 0.27 | 4.3 | 5.4 |
| 1999 | 10 | 3.5 | 1.24 | 1.5 | 6.7 | 297 | 4.4 | 0.26 | 4.0 | 5.0 |
| 2000 | * | * | * | * | * | 330 | 4.9 | 0.27 | 4.4 | 5.5 |
| 2001 | * | * | * | * | * | 314 | 4.7 | 0.27 | 4.2 | 5.3 |
| 2002 | 12 | 4.3 | 1.33 | 2.1 | 7.5 | 310 | 4.6 | 0.27 | 4.1 | 5.2 |
| 2003 | * | * | * | * | * | 293 | 4.3 | 0.25 | 3.8 | 4.8 |
| 2004 | * | * | * | * | * | 308 | 4.5 | 0.26 | 4.0 | 5.1 |
| 2005 | * | * | * | * | * | 325 | 4.7 | 0.26 | 4.2 | 5.2 |
| 2006 | * | * | * | * | * | 342 | 4.9 | 0.27 | 4.4 | 5.5 |
| 2007 | 10 | 2.3 | 0.79 | 1.0 | 4.3 | 321 | 4.6 | 0.26 | 4.1 | 5.2 |
| 2008 | * | * | * | * | * | 325 | 4.6 | 0.26 | 4.1 | 5.1 |
| 2009 | 17 | 3.9 | 0.99 | 2.2 | 6.3 | 348 | 4.9 | 0.27 | 4.4 | 5.5 |
| 2010 | 18 | 3.6 | 0.92 | 2.1 | 5.8 | 387 | 5.4 | 0.28 | 4.9 | 6.0 |
| 2011 | 18 | 4.3 | 1.06 | 2.4 | 6.7 | 371 | 5.1 | 0.27 | 4.6 | 5.6 |
| 2012 | 19 | 3.7 | 0.90 | 2.1 | 5.8 | 404 | 5.4 | 0.27 | 4.8 | 5.9 |
| 2013 | 18 | 2.9 | 0.72 | 1.7 | 4.7 | 399 | 5.3 | 0.27 | 4.8 | 5.9 |
| 2014 | 19 | 2.8 | 0.68 | 1.6 | 4.5 | 428 | 5.4 | 0.27 | 4.9 | 6.0 |
| 2015 | 16 | 2.7 | 0.70 | 1.5 | 4.3 | 457 | 6.0 | 0.29 | 5.4 | 6.6 |
| 2016 | 34 | 5.1 | 0.91 | 3.5 | 7.2 | 481 | 6.0 | 0.28 | 5.4 | 6.5 |
| 2017 | 35 | 5.2 | 0.92 | 3.5 | 7.3 | 434 | 5.6 | 0.28 | 5.1 | 6.2 |
| 2018 | 25 | 3.4 | 0.71 | 2.2 | 5.1 | 465 | 5.8 | 0.27 | 5.2 | 6.3 |
| 2019 | 34 | 4.6 | 0.82 | 3.1 | 6.5 | 482 | 5.9 | 0.28 | 5.4 | 6.5 |
| 2020 | 41 | 5.0 | 0.80 | 3.6 | 6.8 | 468 | 5.8 | 0.27 | 5.2 | 6.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Corpus and Uterus, NOS | | | | | | | | | | |
|------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 8,471 | 4.6 | 0.05 | 4.5 | 4.7 | 2,327 | 8.3 | 0.17 | 8.0 | 8.7 |
| 1990 | 259 | 4.6 | 0.29 | 4.0 | 5.2 | 47 | 7.0 | 1.03 | 5.1 | 9.3 |
| 1991 | 259 | 4.7 | 0.30 | 4.2 | 5.4 | 47 | 7.1 | 1.05 | 5.2 | 9.5 |
| 1992 | 210 | 3.7 | 0.26 | 3.2 | 4.2 | 50 | 7.1 | 1.02 | 5.2 | 9.3 |
| 1993 | 242 | 4.2 | 0.27 | 3.7 | 4.8 | 53 | 7.2 | 1.00 | 5.4 | 9.5 |
| 1994 | 246 | 4.3 | 0.28 | 3.8 | 4.9 | 58 | 8.2 | 1.08 | 6.2 | 10.5 |
| 1995 | 249 | 4.3 | 0.28 | 3.8 | 4.9 | 50 | 7.1 | 1.01 | 5.2 | 9.3 |
| 1996 | 242 | 4.1 | 0.27 | 3.6 | 4.7 | 45 | 6.1 | 0.92 | 4.4 | 8.1 |
| 1997 | 243 | 4.2 | 0.28 | 3.7 | 4.8 | 48 | 6.7 | 0.97 | 4.9 | 8.8 |
| 1998 | 262 | 4.4 | 0.28 | 3.9 | 5.0 | 58 | 7.8 | 1.03 | 5.9 | 10.0 |
| 1999 | 245 | 4.2 | 0.28 | 3.7 | 4.8 | 50 | 6.3 | 0.89 | 4.6 | 8.3 |
| 2000 | 265 | 4.7 | 0.29 | 4.1 | 5.3 | 62 | 7.9 | 1.01 | 6.1 | 10.1 |
| 2001 | 256 | 4.4 | 0.28 | 3.9 | 5.0 | 55 | 6.6 | 0.90 | 5.0 | 8.6 |
| 2002 | 241 | 4.2 | 0.28 | 3.7 | 4.8 | 60 | 7.2 | 0.93 | 5.5 | 9.2 |
| 2003 | 239 | 4.1 | 0.27 | 3.6 | 4.7 | 51 | 6.1 | 0.86 | 4.5 | 8.0 |
| 2004 | 228 | 3.9 | 0.26 | 3.4 | 4.5 | 75 | 8.9 | 1.03 | 7.0 | 11.1 |
| 2005 | 255 | 4.3 | 0.28 | 3.8 | 4.9 | 67 | 7.6 | 0.93 | 5.9 | 9.6 |
| 2006 | 264 | 4.5 | 0.28 | 3.9 | 5.0 | 73 | 8.6 | 1.01 | 6.7 | 10.8 |
| 2007 | 259 | 4.5 | 0.29 | 4.0 | 5.1 | 58 | 6.3 | 0.84 | 4.8 | 8.2 |
| 2008 | 256 | 4.3 | 0.27 | 3.8 | 4.9 | 63 | 6.7 | 0.86 | 5.2 | 8.6 |
| 2009 | 255 | 4.4 | 0.28 | 3.8 | 5.0 | 86 | 8.9 | 0.97 | 7.1 | 11.0 |
| 2010 | 294 | 5.0 | 0.30 | 4.4 | 5.6 | 82 | 8.6 | 0.96 | 6.8 | 10.6 |
| 2011 | 292 | 4.8 | 0.29 | 4.3 | 5.4 | 76 | 7.8 | 0.91 | 6.1 | 9.8 |
| 2012 | 319 | 5.1 | 0.29 | 4.5 | 5.7 | 80 | 8.1 | 0.92 | 6.4 | 10.1 |
| 2013 | 297 | 4.8 | 0.29 | 4.3 | 5.4 | 91 | 8.7 | 0.93 | 7.0 | 10.7 |
| 2014 | 305 | 4.7 | 0.28 | 4.2 | 5.3 | 114 | 10.2 | 0.97 | 8.4 | 12.3 |
| 2015 | 335 | 5.4 | 0.30 | 4.8 | 6.0 | 112 | 10.2 | 0.98 | 8.4 | 12.3 |
| 2016 | 342 | 5.2 | 0.29 | 4.7 | 5.9 | 124 | 11.0 | 1.01 | 9.2 | 13.2 |
| 2017 | 299 | 4.7 | 0.28 | 4.2 | 5.3 | 124 | 11.3 | 1.03 | 9.3 | 13.5 |
| 2018 | 327 | 5.1 | 0.29 | 4.5 | 5.7 | 126 | 10.6 | 0.96 | 8.8 | 12.7 |
| 2019 | 344 | 5.3 | 0.29 | 4.7 | 5.9 | 126 | 10.4 | 0.94 | 8.7 | 12.5 |
| 2020 | 342 | 5.3 | 0.30 | 4.7 | 5.9 | 116 | 9.6 | 0.90 | 7.9 | 11.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Ovary | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 608 | 4.9 | 0.21 | 4.5 | 5.3 | 18,110 | 8.4 | 0.06 | 8.3 | 8.6 |
| 1990 | * | * | * | * | * | 627 | 10.3 | 0.42 | 9.5 | 11.2 |
| 1991 | 14 | 6.4 | 1.75 | 3.5 | 10.8 | 575 | 9.2 | 0.39 | 8.5 | 10.0 |
| 1992 | * | * | * | * | * | 631 | 10.2 | 0.41 | 9.4 | 11.1 |
| 1993 | * | * | * | * | * | 586 | 9.3 | 0.39 | 8.6 | 10.1 |
| 1994 | * | * | * | * | * | 616 | 9.7 | 0.40 | 9.0 | 10.6 |
| 1995 | 12 | 5.2 | 1.64 | 2.5 | 9.3 | 587 | 9.3 | 0.39 | 8.6 | 10.1 |
| 1996 | 16 | 6.0 | 1.71 | 3.2 | 10.2 | 643 | 10.0 | 0.40 | 9.3 | 10.8 |
| 1997 | * | * | * | * | * | 612 | 9.5 | 0.39 | 8.7 | 10.3 |
| 1998 | 13 | 5.2 | 1.62 | 2.5 | 9.2 | 592 | 9.1 | 0.38 | 8.4 | 9.9 |
| 1999 | * | * | * | * | * | 595 | 9.1 | 0.38 | 8.4 | 9.9 |
| 2000 | 19 | 6.0 | 1.58 | 3.3 | 9.8 | 615 | 9.3 | 0.38 | 8.6 | 10.1 |
| 2001 | 14 | 4.4 | 1.33 | 2.2 | 7.6 | 580 | 8.9 | 0.37 | 8.2 | 9.6 |
| 2002 | 24 | 7.2 | 1.61 | 4.4 | 11.0 | 595 | 9.0 | 0.37 | 8.3 | 9.8 |
| 2003 | 15 | 4.6 | 1.30 | 2.5 | 7.8 | 612 | 9.1 | 0.37 | 8.3 | 9.8 |
| 2004 | 17 | 5.2 | 1.43 | 2.7 | 8.6 | 607 | 9.0 | 0.37 | 8.3 | 9.8 |
| 2005 | 18 | 4.9 | 1.32 | 2.6 | 8.0 | 639 | 9.3 | 0.37 | 8.6 | 10.1 |
| 2006 | 23 | 5.6 | 1.29 | 3.4 | 8.6 | 607 | 8.7 | 0.36 | 8.1 | 9.5 |
| 2007 | 25 | 6.0 | 1.30 | 3.7 | 9.0 | 595 | 8.5 | 0.35 | 7.8 | 9.2 |
| 2008 | 16 | 4.3 | 1.18 | 2.3 | 7.1 | 579 | 8.4 | 0.35 | 7.7 | 9.1 |
| 2009 | 18 | 4.6 | 1.15 | 2.6 | 7.3 | 560 | 7.9 | 0.34 | 7.3 | 8.6 |
| 2010 | 17 | 3.6 | 0.96 | 2.0 | 5.9 | 577 | 8.0 | 0.34 | 7.4 | 8.7 |
| 2011 | 33 | 6.9 | 1.29 | 4.6 | 9.8 | 573 | 7.9 | 0.34 | 7.3 | 8.6 |
| 2012 | 32 | 6.4 | 1.23 | 4.2 | 9.2 | 558 | 7.6 | 0.33 | 7.0 | 8.3 |
| 2013 | 18 | 3.2 | 0.80 | 1.8 | 5.1 | 601 | 8.1 | 0.34 | 7.5 | 8.8 |
| 2014 | 21 | 3.8 | 0.87 | 2.3 | 5.8 | 535 | 7.3 | 0.32 | 6.6 | 7.9 |
| 2015 | 35 | 6.0 | 1.07 | 4.1 | 8.4 | 515 | 6.7 | 0.30 | 6.1 | 7.3 |
| 2016 | 28 | 4.5 | 0.88 | 2.9 | 6.5 | 590 | 7.6 | 0.32 | 7.0 | 8.3 |
| 2017 | 40 | 6.2 | 1.03 | 4.4 | 8.5 | 557 | 7.3 | 0.32 | 6.7 | 8.0 |
| 2018 | 24 | 3.2 | 0.69 | 2.0 | 4.9 | 508 | 6.4 | 0.29 | 5.8 | 7.0 |
| 2019 | 33 | 4.6 | 0.82 | 3.1 | 6.4 | 523 | 6.5 | 0.29 | 6.0 | 7.1 |
| 2020 | 32 | 4.1 | 0.75 | 2.7 | 5.8 | 520 | 6.5 | 0.30 | 6.0 | 7.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Ovary | | | | | | | | | | |
|--------------------|--------|------|------|-----|------|--------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 15,739 | 8.8 | 0.07 | 8.6 | 8.9 | 2,056 | 7.4 | 0.17 | 7.1 | 7.8 |
| 1990 | 569 | 10.7 | 0.46 | 9.9 | 11.7 | 54 | 7.8 | 1.08 | 5.9 | 10.2 |
| 1991 | 519 | 9.6 | 0.43 | 8.7 | 10.4 | 53 | 8.3 | 1.15 | 6.2 | 10.8 |
| 1992 | 562 | 10.5 | 0.45 | 9.6 | 11.4 | 62 | 8.8 | 1.13 | 6.7 | 11.3 |
| 1993 | 522 | 9.6 | 0.43 | 8.8 | 10.5 | 60 | 8.2 | 1.07 | 6.2 | 10.5 |
| 1994 | 559 | 10.2 | 0.44 | 9.4 | 11.1 | 53 | 7.5 | 1.05 | 5.6 | 9.9 |
| 1995 | 546 | 10.0 | 0.44 | 9.2 | 10.9 | 37 | 4.9 | 0.81 | 3.4 | 6.7 |
| 1996 | 579 | 10.5 | 0.44 | 9.6 | 11.4 | 59 | 8.1 | 1.07 | 6.2 | 10.5 |
| 1997 | 530 | 9.6 | 0.42 | 8.8 | 10.4 | 78 | 10.0 | 1.14 | 7.9 | 12.5 |
| 1998 | 534 | 9.6 | 0.42 | 8.8 | 10.5 | 53 | 6.7 | 0.93 | 5.0 | 8.8 |
| 1999 | 522 | 9.4 | 0.42 | 8.6 | 10.2 | 66 | 8.3 | 1.03 | 6.4 | 10.5 |
| 2000 | 547 | 9.8 | 0.43 | 9.0 | 10.7 | 64 | 8.1 | 1.01 | 6.2 | 10.3 |
| 2001 | 496 | 9.0 | 0.41 | 8.2 | 9.9 | 73 | 9.1 | 1.07 | 7.1 | 11.4 |
| 2002 | 529 | 9.5 | 0.42 | 8.7 | 10.4 | 58 | 6.9 | 0.91 | 5.2 | 8.9 |
| 2003 | 533 | 9.3 | 0.41 | 8.6 | 10.2 | 70 | 8.2 | 0.99 | 6.4 | 10.4 |
| 2004 | 528 | 9.4 | 0.42 | 8.6 | 10.2 | 70 | 8.1 | 0.98 | 6.3 | 10.3 |
| 2005 | 552 | 9.6 | 0.42 | 8.8 | 10.5 | 72 | 8.5 | 1.00 | 6.6 | 10.6 |
| 2006 | 540 | 9.3 | 0.41 | 8.5 | 10.2 | 55 | 6.3 | 0.85 | 4.7 | 8.2 |
| 2007 | 511 | 8.7 | 0.40 | 8.0 | 9.5 | 74 | 8.0 | 0.94 | 6.3 | 10.0 |
| 2008 | 505 | 8.8 | 0.40 | 8.0 | 9.6 | 60 | 6.7 | 0.87 | 5.1 | 8.6 |
| 2009 | 483 | 8.3 | 0.39 | 7.5 | 9.1 | 65 | 6.6 | 0.83 | 5.1 | 8.5 |
| 2010 | 496 | 8.3 | 0.38 | 7.6 | 9.1 | 69 | 7.2 | 0.88 | 5.6 | 9.1 |
| 2011 | 479 | 8.2 | 0.38 | 7.4 | 9.0 | 81 | 8.2 | 0.93 | 6.5 | 10.3 |
| 2012 | 470 | 7.9 | 0.38 | 7.2 | 8.7 | 70 | 6.8 | 0.83 | 5.3 | 8.6 |
| 2013 | 516 | 8.6 | 0.39 | 7.8 | 9.4 | 67 | 6.6 | 0.81 | 5.1 | 8.4 |
| 2014 | 442 | 7.4 | 0.36 | 6.7 | 8.1 | 79 | 7.6 | 0.87 | 6.0 | 9.5 |
| 2015 | 432 | 6.9 | 0.34 | 6.2 | 7.6 | 74 | 6.9 | 0.82 | 5.4 | 8.8 |
| 2016 | 494 | 7.9 | 0.37 | 7.2 | 8.6 | 78 | 7.2 | 0.83 | 5.7 | 9.0 |
| 2017 | 473 | 7.7 | 0.37 | 7.0 | 8.4 | 68 | 6.2 | 0.77 | 4.8 | 7.9 |
| 2018 | 429 | 6.8 | 0.34 | 6.1 | 7.5 | 72 | 6.4 | 0.77 | 5.0 | 8.1 |
| 2019 | 411 | 6.4 | 0.33 | 5.8 | 7.1 | 91 | 7.8 | 0.84 | 6.3 | 9.7 |
| 2020 | 431 | 6.8 | 0.34 | 6.1 | 7.5 | 71 | 6.1 | 0.74 | 4.7 | 7.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Male Genital System | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,171 | 15.6 | 0.50 | 14.6 | 16.6 | 40,443 | 28.0 | 0.14 | 27.7 | 28.3 |
| 1990 | 14 | 13.0 | 4.29 | 6.0 | 23.3 | 1,548 | 42.0 | 1.11 | 39.8 | 44.2 |
| 1991 | 15 | 11.5 | 3.64 | 5.5 | 20.3 | 1,540 | 41.1 | 1.09 | 39.0 | 43.3 |
| 1992 | 14 | 15.6 | 4.68 | 7.8 | 26.6 | 1,509 | 39.5 | 1.05 | 37.4 | 41.6 |
| 1993 | 26 | 24.0 | 5.67 | 14.2 | 36.9 | 1,611 | 42.0 | 1.08 | 39.9 | 44.2 |
| 1994 | 23 | 22.6 | 5.31 | 13.4 | 34.6 | 1,510 | 38.9 | 1.03 | 36.9 | 41.0 |
| 1995 | 16 | 15.1 | 4.21 | 8.0 | 24.9 | 1,497 | 38.1 | 1.01 | 36.1 | 40.1 |
| 1996 | 25 | 17.6 | 4.26 | 10.3 | 27.3 | 1,493 | 37.4 | 0.99 | 35.4 | 39.3 |
| 1997 | 26 | 20.5 | 4.57 | 12.6 | 30.8 | 1,465 | 36.2 | 0.97 | 34.4 | 38.2 |
| 1998 | 27 | 17.3 | 3.88 | 10.6 | 26.1 | 1,488 | 36.2 | 0.96 | 34.4 | 38.2 |
| 1999 | 22 | 14.7 | 3.63 | 8.4 | 23.0 | 1,425 | 34.2 | 0.92 | 32.4 | 36.1 |
| 2000 | 28 | 19.8 | 4.13 | 12.6 | 29.1 | 1,408 | 33.7 | 0.91 | 32.0 | 35.5 |
| 2001 | 27 | 17.6 | 3.86 | 10.9 | 26.3 | 1,400 | 32.9 | 0.89 | 31.2 | 34.7 |
| 2002 | 34 | 19.0 | 3.64 | 12.6 | 27.1 | 1,319 | 30.5 | 0.85 | 28.8 | 32.2 |
| 2003 | 30 | 15.9 | 3.21 | 10.2 | 23.1 | 1,219 | 28.0 | 0.81 | 26.5 | 29.7 |
| 2004 | 26 | 15.4 | 3.29 | 9.6 | 22.8 | 1,230 | 27.8 | 0.80 | 26.3 | 29.4 |
| 2005 | 37 | 17.4 | 3.18 | 11.7 | 24.4 | 1,253 | 27.8 | 0.79 | 26.3 | 29.4 |
| 2006 | 32 | 14.1 | 2.86 | 9.1 | 20.5 | 1,212 | 26.6 | 0.77 | 25.2 | 28.2 |
| 2007 | 39 | 16.5 | 2.99 | 11.2 | 23.1 | 1,246 | 26.7 | 0.76 | 25.2 | 28.3 |
| 2008 | 43 | 17.5 | 3.01 | 12.1 | 24.1 | 1,162 | 24.5 | 0.73 | 23.1 | 26.0 |
| 2009 | 36 | 13.6 | 2.51 | 9.2 | 19.2 | 1,175 | 24.3 | 0.72 | 23.0 | 25.8 |
| 2010 | 41 | 13.6 | 2.35 | 9.4 | 18.7 | 1,159 | 23.5 | 0.70 | 22.1 | 24.9 |
| 2011 | 44 | 14.1 | 2.30 | 9.9 | 19.1 | 1,090 | 21.7 | 0.66 | 20.4 | 23.0 |
| 2012 | 51 | 16.7 | 2.54 | 12.1 | 22.2 | 1,120 | 21.8 | 0.66 | 20.5 | 23.1 |
| 2013 | 52 | 14.7 | 2.21 | 10.7 | 19.5 | 1,067 | 20.1 | 0.62 | 18.9 | 21.3 |
| 2014 | 47 | 12.6 | 1.99 | 9.0 | 17.0 | 1,146 | 21.2 | 0.63 | 19.9 | 22.4 |
| 2015 | 56 | 14.6 | 2.10 | 10.8 | 19.2 | 1,160 | 21.0 | 0.63 | 19.8 | 22.3 |
| 2016 | 75 | 17.2 | 2.15 | 13.3 | 21.8 | 1,199 | 21.2 | 0.62 | 20.0 | 22.4 |
| 2017 | 73 | 17.3 | 2.16 | 13.3 | 21.9 | 1,234 | 21.5 | 0.62 | 20.3 | 22.8 |
| 2018 | 58 | 12.2 | 1.73 | 9.1 | 16.0 | 1,152 | 19.7 | 0.59 | 18.6 | 20.9 |
| 2019 | 69 | 14.0 | 1.80 | 10.7 | 17.9 | 1,167 | 19.5 | 0.58 | 18.4 | 20.7 |
| 2020 | 65 | 12.9 | 1.69 | 9.8 | 16.6 | 1,239 | 20.2 | 0.58 | 19.1 | 21.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Male Genital System | | | | | | | | | | |
|---------------------|--------|------|------|------|------|--------------------|------|------|------|-------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 31,343 | 25.1 | 0.14 | 24.8 | 25.4 | 8,732 | 58.4 | 0.65 | 57.2 | 59.7 |
| 1990 | 1,254 | 38.2 | 1.12 | 36.0 | 40.5 | 293 | 84.3 | 5.28 | 74.3 | 95.2 |
| 1991 | 1,236 | 37.0 | 1.09 | 34.9 | 39.2 | 299 | 85.0 | 5.22 | 75.1 | 95.7 |
| 1992 | 1,194 | 34.9 | 1.04 | 32.9 | 37.0 | 307 | 89.0 | 5.41 | 78.7 | 100.1 |
| 1993 | 1,282 | 37.6 | 1.09 | 35.5 | 39.8 | 324 | 88.7 | 5.26 | 78.7 | 99.4 |
| 1994 | 1,198 | 34.7 | 1.03 | 32.7 | 36.8 | 309 | 85.2 | 5.14 | 75.5 | 95.8 |
| 1995 | 1,224 | 35.2 | 1.03 | 33.2 | 37.3 | 269 | 70.5 | 4.56 | 61.9 | 79.9 |
| 1996 | 1,187 | 33.5 | 1.00 | 31.6 | 35.5 | 298 | 79.1 | 4.84 | 69.9 | 89.0 |
| 1997 | 1,165 | 32.6 | 0.98 | 30.8 | 34.6 | 291 | 73.4 | 4.56 | 64.8 | 82.8 |
| 1998 | 1,184 | 32.7 | 0.97 | 30.8 | 34.6 | 295 | 72.4 | 4.45 | 64.0 | 81.6 |
| 1999 | 1,138 | 31.1 | 0.93 | 29.3 | 32.9 | 281 | 68.0 | 4.27 | 59.9 | 76.8 |
| 2000 | 1,103 | 30.0 | 0.91 | 28.2 | 31.8 | 294 | 72.8 | 4.47 | 64.3 | 81.9 |
| 2001 | 1,112 | 29.7 | 0.90 | 28.0 | 31.5 | 283 | 67.7 | 4.25 | 59.7 | 76.5 |
| 2002 | 1,012 | 26.7 | 0.85 | 25.1 | 28.5 | 298 | 68.6 | 4.18 | 60.7 | 77.2 |
| 2003 | 948 | 24.9 | 0.82 | 23.4 | 26.6 | 260 | 59.1 | 3.87 | 51.7 | 67.0 |
| 2004 | 941 | 24.4 | 0.80 | 22.8 | 26.0 | 280 | 64.8 | 4.08 | 57.1 | 73.2 |
| 2005 | 956 | 24.4 | 0.79 | 22.8 | 26.0 | 286 | 62.8 | 3.95 | 55.3 | 70.9 |
| 2006 | 920 | 23.1 | 0.77 | 21.7 | 24.7 | 286 | 64.2 | 3.99 | 56.6 | 72.4 |
| 2007 | 956 | 23.5 | 0.77 | 22.0 | 25.1 | 279 | 60.0 | 3.78 | 52.9 | 67.8 |
| 2008 | 906 | 22.1 | 0.74 | 20.7 | 23.6 | 246 | 50.9 | 3.40 | 44.4 | 57.9 |
| 2009 | 878 | 21.1 | 0.71 | 19.7 | 22.5 | 275 | 54.6 | 3.45 | 48.1 | 61.7 |
| 2010 | 864 | 20.2 | 0.69 | 18.9 | 21.6 | 281 | 55.4 | 3.44 | 48.9 | 62.5 |
| 2011 | 848 | 19.6 | 0.68 | 18.3 | 21.0 | 229 | 42.3 | 2.91 | 36.8 | 48.4 |
| 2012 | 859 | 19.4 | 0.67 | 18.1 | 20.7 | 247 | 45.6 | 3.01 | 39.9 | 51.8 |
| 2013 | 829 | 18.3 | 0.64 | 17.0 | 19.6 | 223 | 39.1 | 2.72 | 33.9 | 44.7 |
| 2014 | 863 | 18.7 | 0.65 | 17.5 | 20.1 | 265 | 45.8 | 2.91 | 40.3 | 51.8 |
| 2015 | 873 | 18.7 | 0.64 | 17.4 | 20.0 | 269 | 44.0 | 2.79 | 38.7 | 49.8 |
| 2016 | 883 | 18.6 | 0.63 | 17.4 | 19.9 | 302 | 47.3 | 2.83 | 41.9 | 53.1 |
| 2017 | 916 | 19.2 | 0.64 | 17.9 | 20.5 | 296 | 45.1 | 2.73 | 39.9 | 50.8 |
| 2018 | 840 | 17.2 | 0.60 | 16.1 | 18.4 | 292 | 43.6 | 2.64 | 38.6 | 49.1 |
| 2019 | 855 | 17.3 | 0.60 | 16.2 | 18.5 | 287 | 40.9 | 2.50 | 36.2 | 46.1 |
| 2020 | 919 | 18.2 | 0.61 | 17.0 | 19.4 | 288 | 40.5 | 2.47 | 35.8 | 45.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Prostate | | | | | | | | | | |
|---------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,084 | 15.1 | 0.49 | 14.2 | 16.1 | 39,758 | 27.5 | 0.14 | 27.3 | 27.8 |
| 1990 | 12 | 12.4 | 4.26 | 5.5 | 22.7 | 1,533 | 41.6 | 1.11 | 39.5 | 43.9 |
| 1991 | 14 | 11.3 | 3.64 | 5.4 | 20.1 | 1,519 | 40.6 | 1.08 | 38.5 | 42.8 |
| 1992 | 13 | 15.5 | 4.68 | 7.7 | 26.5 | 1,489 | 39.0 | 1.05 | 37.0 | 41.1 |
| 1993 | 23 | 23.7 | 5.67 | 14.0 | 36.6 | 1,586 | 41.5 | 1.08 | 39.4 | 43.6 |
| 1994 | 22 | 22.1 | 5.29 | 13.0 | 34.1 | 1,495 | 38.6 | 1.03 | 36.6 | 40.7 |
| 1995 | 16 | 15.1 | 4.21 | 8.0 | 24.9 | 1,483 | 37.8 | 1.01 | 35.9 | 39.8 |
| 1996 | 23 | 17.4 | 4.26 | 10.1 | 27.2 | 1,479 | 37.1 | 0.99 | 35.2 | 39.0 |
| 1997 | 24 | 19.4 | 4.47 | 11.7 | 29.5 | 1,441 | 35.7 | 0.96 | 33.9 | 37.7 |
| 1998 | 24 | 15.8 | 3.74 | 9.4 | 24.4 | 1,468 | 35.8 | 0.95 | 34.0 | 37.8 |
| 1999 | 20 | 14.2 | 3.61 | 8.0 | 22.5 | 1,403 | 33.8 | 0.92 | 32.0 | 35.6 |
| 2000 | 27 | 19.3 | 4.10 | 12.2 | 28.5 | 1,382 | 33.2 | 0.91 | 31.5 | 35.0 |
| 2001 | 27 | 17.6 | 3.86 | 10.9 | 26.3 | 1,375 | 32.4 | 0.88 | 30.7 | 34.2 |
| 2002 | 33 | 18.9 | 3.64 | 12.4 | 26.9 | 1,298 | 30.0 | 0.84 | 28.4 | 31.7 |
| 2003 | 29 | 15.7 | 3.21 | 10.1 | 22.9 | 1,205 | 27.8 | 0.81 | 26.2 | 29.4 |
| 2004 | 26 | 15.4 | 3.29 | 9.6 | 22.8 | 1,202 | 27.2 | 0.79 | 25.7 | 28.8 |
| 2005 | 34 | 17.1 | 3.18 | 11.5 | 24.1 | 1,236 | 27.5 | 0.79 | 25.9 | 29.0 |
| 2006 | 31 | 13.9 | 2.85 | 8.9 | 20.3 | 1,189 | 26.2 | 0.77 | 24.7 | 27.7 |
| 2007 | 36 | 16.3 | 2.99 | 11.0 | 22.9 | 1,225 | 26.3 | 0.76 | 24.8 | 27.8 |
| 2008 | 40 | 17.3 | 3.01 | 11.9 | 23.9 | 1,134 | 24.0 | 0.72 | 22.6 | 25.4 |
| 2009 | 34 | 13.5 | 2.51 | 9.0 | 19.0 | 1,155 | 24.0 | 0.71 | 22.6 | 25.4 |
| 2010 | 35 | 12.7 | 2.29 | 8.6 | 17.7 | 1,136 | 23.1 | 0.69 | 21.7 | 24.5 |
| 2011 | 43 | 13.8 | 2.29 | 9.7 | 18.9 | 1,074 | 21.4 | 0.66 | 20.1 | 22.7 |
| 2012 | 47 | 16.2 | 2.53 | 11.7 | 21.7 | 1,105 | 21.5 | 0.65 | 20.3 | 22.8 |
| 2013 | 45 | 14.0 | 2.20 | 10.1 | 18.8 | 1,042 | 19.6 | 0.62 | 18.4 | 20.9 |
| 2014 | 44 | 12.3 | 1.99 | 8.8 | 16.7 | 1,122 | 20.7 | 0.63 | 19.5 | 22.0 |
| 2015 | 56 | 14.6 | 2.10 | 10.8 | 19.2 | 1,134 | 20.5 | 0.62 | 19.3 | 21.8 |
| 2016 | 69 | 16.7 | 2.14 | 12.7 | 21.3 | 1,170 | 20.7 | 0.61 | 19.5 | 21.9 |
| 2017 | 67 | 16.4 | 2.11 | 12.5 | 20.9 | 1,206 | 21.0 | 0.61 | 19.8 | 22.2 |
| 2018 | 50 | 11.1 | 1.67 | 8.1 | 14.8 | 1,123 | 19.2 | 0.58 | 18.1 | 20.4 |
| 2019 | 60 | 12.9 | 1.75 | 9.7 | 16.7 | 1,148 | 19.2 | 0.57 | 18.1 | 20.4 |
| 2020 | 60 | 12.3 | 1.67 | 9.3 | 15.9 | 1,201 | 19.6 | 0.57 | 18.5 | 20.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Prostate | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 30,754 | 24.6 | 0.14 | 24.4 | 24.9 | 8,644 | 58.0 | 0.65 | 56.7 | 59.3 |
| 1990 | 1,241 | 37.9 | 1.12 | 35.7 | 40.1 | 291 | 83.7 | 5.26 | 73.7 | 94.5 |
| 1991 | 1,217 | 36.6 | 1.09 | 34.5 | 38.7 | 297 | 84.6 | 5.21 | 74.7 | 95.3 |
| 1992 | 1,179 | 34.5 | 1.04 | 32.5 | 36.6 | 302 | 87.8 | 5.38 | 77.6 | 98.8 |
| 1993 | 1,261 | 37.1 | 1.08 | 35.1 | 39.3 | 320 | 87.9 | 5.24 | 77.9 | 98.6 |
| 1994 | 1,184 | 34.4 | 1.03 | 32.4 | 36.4 | 308 | 85.1 | 5.14 | 75.4 | 95.7 |
| 1995 | 1,211 | 34.9 | 1.03 | 32.9 | 36.9 | 268 | 70.4 | 4.56 | 61.8 | 79.8 |
| 1996 | 1,173 | 33.2 | 0.99 | 31.3 | 35.2 | 298 | 79.1 | 4.84 | 69.9 | 89.0 |
| 1997 | 1,144 | 32.1 | 0.97 | 30.3 | 34.1 | 288 | 73.0 | 4.56 | 64.3 | 82.3 |
| 1998 | 1,167 | 32.3 | 0.96 | 30.4 | 34.2 | 292 | 72.1 | 4.44 | 63.6 | 81.2 |
| 1999 | 1,120 | 30.6 | 0.93 | 28.8 | 32.5 | 277 | 67.5 | 4.26 | 59.4 | 76.2 |
| 2000 | 1,081 | 29.5 | 0.91 | 27.7 | 31.3 | 290 | 72.2 | 4.46 | 63.8 | 81.4 |
| 2001 | 1,089 | 29.1 | 0.89 | 27.4 | 30.9 | 281 | 67.4 | 4.24 | 59.4 | 76.2 |
| 2002 | 994 | 26.3 | 0.84 | 24.7 | 28.0 | 295 | 68.1 | 4.17 | 60.2 | 76.6 |
| 2003 | 938 | 24.7 | 0.81 | 23.1 | 26.3 | 256 | 58.5 | 3.86 | 51.2 | 66.4 |
| 2004 | 915 | 23.7 | 0.79 | 22.2 | 25.3 | 278 | 64.5 | 4.07 | 56.8 | 72.9 |
| 2005 | 941 | 24.0 | 0.79 | 22.5 | 25.6 | 285 | 62.7 | 3.95 | 55.2 | 70.8 |
| 2006 | 902 | 22.7 | 0.76 | 21.2 | 24.2 | 281 | 63.6 | 3.98 | 56.0 | 71.8 |
| 2007 | 940 | 23.1 | 0.76 | 21.7 | 24.7 | 274 | 59.3 | 3.76 | 52.1 | 67.0 |
| 2008 | 883 | 21.5 | 0.73 | 20.1 | 23.0 | 242 | 50.3 | 3.38 | 43.9 | 57.3 |
| 2009 | 864 | 20.7 | 0.71 | 19.4 | 22.2 | 270 | 54.0 | 3.43 | 47.5 | 61.1 |
| 2010 | 843 | 19.8 | 0.69 | 18.5 | 21.2 | 279 | 55.2 | 3.44 | 48.7 | 62.3 |
| 2011 | 833 | 19.3 | 0.67 | 18.0 | 20.6 | 228 | 42.2 | 2.91 | 36.7 | 48.3 |
| 2012 | 845 | 19.1 | 0.66 | 17.8 | 20.4 | 247 | 45.6 | 3.01 | 39.9 | 51.8 |
| 2013 | 808 | 17.8 | 0.63 | 16.6 | 19.1 | 220 | 38.7 | 2.71 | 33.6 | 44.3 |
| 2014 | 843 | 18.3 | 0.64 | 17.0 | 19.5 | 261 | 45.3 | 2.90 | 39.8 | 51.2 |
| 2015 | 849 | 18.1 | 0.63 | 16.9 | 19.4 | 267 | 43.8 | 2.78 | 38.5 | 49.6 |
| 2016 | 857 | 18.0 | 0.62 | 16.8 | 19.3 | 299 | 46.8 | 2.82 | 41.5 | 52.7 |
| 2017 | 892 | 18.6 | 0.63 | 17.4 | 19.9 | 292 | 44.5 | 2.71 | 39.3 | 50.1 |
| 2018 | 816 | 16.7 | 0.59 | 15.6 | 17.9 | 288 | 43.2 | 2.63 | 38.2 | 48.6 |
| 2019 | 839 | 17.0 | 0.59 | 15.9 | 18.2 | 284 | 40.5 | 2.49 | 35.7 | 45.6 |
| 2020 | 885 | 17.4 | 0.59 | 16.3 | 18.6 | 286 | 40.2 | 2.46 | 35.5 | 45.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Testis | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 56 | 0.2 | 0.02 | 0.1 | 0.2 | 379 | 0.2 | 0.01 | 0.2 | 0.3 |
| 1990 | * | * | * | * | * | 10 | 0.2 | 0.06 | 0.1 | 0.4 |
| 1991 | * | * | * | * | * | 15 | 0.3 | 0.08 | 0.2 | 0.5 |
| 1992 | * | * | * | * | * | 10 | 0.2 | 0.06 | 0.1 | 0.4 |
| 1993 | * | * | * | * | * | 17 | 0.3 | 0.08 | 0.2 | 0.5 |
| 1994 | * | * | * | * | * | 11 | 0.2 | 0.06 | 0.1 | 0.4 |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | * | * | * | * | * | 12 | 0.2 | 0.07 | 0.1 | 0.4 |
| 1998 | * | * | * | * | * | 14 | 0.3 | 0.07 | 0.2 | 0.5 |
| 1999 | * | * | * | * | * | 11 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2000 | * | * | * | * | * | 16 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2001 | * | * | * | * | * | 12 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2002 | * | * | * | * | * | 14 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | * | * | * | * | * | 17 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2005 | * | * | * | * | * | 12 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2006 | * | * | * | * | * | 13 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2007 | * | * | * | * | * | 10 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2008 | * | * | * | * | * | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2009 | * | * | * | * | * | 13 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2010 | * | * | * | * | * | 12 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | * | * | * | * | * | 12 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2014 | * | * | * | * | * | 12 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2015 | * | * | * | * | * | 11 | 0.2 | 0.07 | 0.1 | 0.4 |
| 2016 | * | * | * | * | * | 16 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2017 | * | * | * | * | * | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2018 | * | * | * | * | * | 11 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | * | * | * | * | * | 22 | 0.4 | 0.09 | 0.2 | 0.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Testis | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 333 | 0.3 | 0.01 | 0.2 | 0.3 | 40 | 0.2 | 0.03 | 0.1 | 0.2 |
| 1990 | * | * | * | * | * | * | * | * | * | * |
| 1991 | 15 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 1992 | * | * | * | * | * | * | * | * | * | * |
| 1993 | 15 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 1994 | 10 | 0.2 | 0.07 | 0.1 | 0.4 | * | * | * | * | * |
| 1995 | * | * | * | * | * | * | * | * | * | * |
| 1996 | * | * | * | * | * | * | * | * | * | * |
| 1997 | 10 | 0.2 | 0.08 | 0.1 | 0.4 | * | * | * | * | * |
| 1998 | 12 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 1999 | * | * | * | * | * | * | * | * | * | * |
| 2000 | 13 | 0.3 | 0.09 | 0.2 | 0.5 | * | * | * | * | * |
| 2001 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2002 | 14 | 0.3 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2003 | * | * | * | * | * | * | * | * | * | * |
| 2004 | 16 | 0.4 | 0.10 | 0.2 | 0.7 | * | * | * | * | * |
| 2005 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2006 | 10 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2007 | * | * | * | * | * | * | * | * | * | * |
| 2008 | 17 | 0.4 | 0.10 | 0.2 | 0.7 | * | * | * | * | * |
| 2009 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2010 | 11 | 0.2 | 0.07 | 0.1 | 0.4 | * | * | * | * | * |
| 2011 | * | * | * | * | * | * | * | * | * | * |
| 2012 | * | * | * | * | * | * | * | * | * | * |
| 2013 | 11 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2014 | 10 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2015 | * | * | * | * | * | * | * | * | * | * |
| 2016 | 15 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 2017 | 13 | 0.3 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | * | * | * | * | * | * | * | * | * | * |
| 2020 | 19 | 0.4 | 0.11 | 0.3 | 0.7 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary System | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,056 | 4.9 | 0.17 | 4.6 | 5.2 | 34,611 | 9.1 | 0.05 | 9.0 | 9.2 |
| 1990 | 13 | 3.9 | 1.21 | 1.9 | 6.9 | 997 | 9.5 | 0.30 | 8.9 | 10.2 |
| 1991 | 11 | 4.1 | 1.29 | 2.0 | 7.2 | 974 | 9.2 | 0.30 | 8.7 | 9.8 |
| 1992 | 12 | 3.7 | 1.18 | 1.8 | 6.6 | 1,016 | 9.5 | 0.30 | 8.9 | 10.1 |
| 1993 | 16 | 4.6 | 1.29 | 2.4 | 7.6 | 1,050 | 9.6 | 0.30 | 9.1 | 10.2 |
| 1994 | 25 | 7.5 | 1.66 | 4.6 | 11.3 | 1,099 | 10.0 | 0.30 | 9.4 | 10.6 |
| 1995 | 16 | 3.7 | 1.04 | 1.9 | 6.2 | 1,031 | 9.3 | 0.29 | 8.7 | 9.9 |
| 1996 | 15 | 3.8 | 1.13 | 1.9 | 6.6 | 1,003 | 9.0 | 0.28 | 8.4 | 9.5 |
| 1997 | 15 | 3.6 | 1.11 | 1.7 | 6.3 | 1,020 | 9.1 | 0.28 | 8.5 | 9.7 |
| 1998 | 23 | 5.3 | 1.30 | 3.0 | 8.3 | 1,071 | 9.4 | 0.29 | 8.9 | 10.0 |
| 1999 | 15 | 3.7 | 1.14 | 1.9 | 6.5 | 1,053 | 9.2 | 0.28 | 8.6 | 9.7 |
| 2000 | 25 | 5.9 | 1.38 | 3.5 | 9.0 | 1,115 | 9.6 | 0.29 | 9.1 | 10.2 |
| 2001 | 26 | 5.1 | 1.11 | 3.2 | 7.6 | 1,084 | 9.3 | 0.28 | 8.8 | 9.9 |
| 2002 | 21 | 3.7 | 0.90 | 2.2 | 5.8 | 1,050 | 9.0 | 0.28 | 8.5 | 9.6 |
| 2003 | 22 | 3.5 | 0.85 | 2.0 | 5.5 | 1,131 | 9.6 | 0.29 | 9.0 | 10.2 |
| 2004 | 29 | 4.7 | 1.02 | 2.9 | 7.0 | 1,106 | 9.3 | 0.28 | 8.8 | 9.9 |
| 2005 | 32 | 4.9 | 1.01 | 3.1 | 7.2 | 1,111 | 9.2 | 0.28 | 8.6 | 9.7 |
| 2006 | 32 | 4.3 | 0.83 | 2.8 | 6.2 | 1,102 | 9.1 | 0.27 | 8.5 | 9.6 |
| 2007 | 34 | 4.8 | 0.91 | 3.2 | 6.9 | 1,116 | 9.1 | 0.27 | 8.6 | 9.6 |
| 2008 | 31 | 4.6 | 0.90 | 3.0 | 6.6 | 1,195 | 9.6 | 0.28 | 9.1 | 10.2 |
| 2009 | 39 | 4.9 | 0.88 | 3.3 | 6.9 | 1,140 | 9.1 | 0.27 | 8.5 | 9.6 |
| 2010 | 35 | 4.3 | 0.79 | 2.9 | 6.1 | 1,134 | 8.9 | 0.27 | 8.4 | 9.4 |
| 2011 | 49 | 5.3 | 0.84 | 3.8 | 7.1 | 1,127 | 8.7 | 0.26 | 8.2 | 9.2 |
| 2012 | 50 | 5.6 | 0.87 | 4.0 | 7.5 | 1,168 | 8.8 | 0.26 | 8.3 | 9.4 |
| 2013 | 54 | 5.8 | 0.85 | 4.2 | 7.7 | 1,225 | 9.1 | 0.26 | 8.6 | 9.7 |
| 2014 | 44 | 4.8 | 0.77 | 3.4 | 6.5 | 1,251 | 9.1 | 0.26 | 8.6 | 9.7 |
| 2015 | 61 | 5.9 | 0.82 | 4.4 | 7.7 | 1,302 | 9.4 | 0.26 | 8.9 | 9.9 |
| 2016 | 51 | 4.9 | 0.73 | 3.6 | 6.5 | 1,225 | 8.7 | 0.25 | 8.3 | 9.3 |
| 2017 | 64 | 5.1 | 0.69 | 3.9 | 6.7 | 1,196 | 8.5 | 0.25 | 8.0 | 9.0 |
| 2018 | 55 | 4.6 | 0.66 | 3.4 | 6.1 | 1,163 | 8.1 | 0.24 | 7.6 | 8.6 |
| 2019 | 74 | 5.9 | 0.73 | 4.6 | 7.5 | 1,193 | 8.2 | 0.24 | 7.7 | 8.7 |
| 2020 | 67 | 4.6 | 0.59 | 3.5 | 5.9 | 1,163 | 7.8 | 0.23 | 7.4 | 8.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary System | | | | | | | | | | |
|--------------------|--------|------|------|-----|------|--------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 30,408 | 9.3 | 0.05 | 9.2 | 9.4 | 3,831 | 8.6 | 0.14 | 8.3 | 8.8 |
| 1990 | 882 | 9.5 | 0.32 | 8.9 | 10.1 | 112 | 10.7 | 1.05 | 8.8 | 12.9 |
| 1991 | 866 | 9.3 | 0.32 | 8.7 | 9.9 | 105 | 9.8 | 0.98 | 8.0 | 11.9 |
| 1992 | 912 | 9.6 | 0.32 | 9.0 | 10.3 | 103 | 9.1 | 0.93 | 7.4 | 11.1 |
| 1993 | 945 | 9.9 | 0.32 | 9.3 | 10.5 | 101 | 8.6 | 0.88 | 7.0 | 10.5 |
| 1994 | 969 | 10.0 | 0.32 | 9.4 | 10.7 | 122 | 10.2 | 0.95 | 8.5 | 12.3 |
| 1995 | 926 | 9.5 | 0.31 | 8.9 | 10.2 | 103 | 8.8 | 0.89 | 7.1 | 10.7 |
| 1996 | 877 | 8.9 | 0.30 | 8.4 | 9.5 | 119 | 9.8 | 0.93 | 8.1 | 11.8 |
| 1997 | 884 | 9.0 | 0.30 | 8.4 | 9.6 | 130 | 10.3 | 0.93 | 8.6 | 12.3 |
| 1998 | 950 | 9.6 | 0.31 | 9.0 | 10.2 | 111 | 8.5 | 0.83 | 7.0 | 10.3 |
| 1999 | 929 | 9.3 | 0.31 | 8.7 | 9.9 | 119 | 9.2 | 0.86 | 7.6 | 11.0 |
| 2000 | 981 | 9.8 | 0.31 | 9.2 | 10.4 | 127 | 9.9 | 0.90 | 8.2 | 11.8 |
| 2001 | 954 | 9.5 | 0.31 | 8.9 | 10.1 | 123 | 9.3 | 0.85 | 7.7 | 11.1 |
| 2002 | 931 | 9.3 | 0.31 | 8.7 | 9.9 | 110 | 8.5 | 0.83 | 7.0 | 10.3 |
| 2003 | 992 | 9.8 | 0.31 | 9.2 | 10.4 | 131 | 9.5 | 0.86 | 7.9 | 11.4 |
| 2004 | 980 | 9.6 | 0.31 | 9.0 | 10.2 | 118 | 8.2 | 0.77 | 6.8 | 9.9 |
| 2005 | 991 | 9.6 | 0.31 | 9.0 | 10.2 | 109 | 7.7 | 0.76 | 6.3 | 9.3 |
| 2006 | 966 | 9.3 | 0.30 | 8.7 | 9.9 | 124 | 8.5 | 0.78 | 7.0 | 10.1 |
| 2007 | 963 | 9.2 | 0.30 | 8.6 | 9.8 | 138 | 9.5 | 0.83 | 8.0 | 11.3 |
| 2008 | 1,070 | 10.1 | 0.31 | 9.5 | 10.7 | 114 | 7.7 | 0.73 | 6.3 | 9.2 |
| 2009 | 995 | 9.3 | 0.30 | 8.7 | 9.9 | 131 | 8.8 | 0.79 | 7.4 | 10.5 |
| 2010 | 977 | 9.1 | 0.29 | 8.5 | 9.7 | 143 | 9.2 | 0.79 | 7.8 | 10.9 |
| 2011 | 1,012 | 9.3 | 0.30 | 8.7 | 9.9 | 102 | 6.7 | 0.67 | 5.4 | 8.1 |
| 2012 | 1,042 | 9.4 | 0.30 | 8.8 | 10.0 | 106 | 6.5 | 0.64 | 5.3 | 7.9 |
| 2013 | 1,060 | 9.4 | 0.29 | 8.8 | 10.0 | 144 | 8.8 | 0.75 | 7.4 | 10.4 |
| 2014 | 1,062 | 9.3 | 0.29 | 8.8 | 9.9 | 163 | 9.6 | 0.76 | 8.1 | 11.2 |
| 2015 | 1,133 | 9.8 | 0.30 | 9.2 | 10.4 | 156 | 8.8 | 0.72 | 7.5 | 10.4 |
| 2016 | 1,044 | 9.0 | 0.28 | 8.4 | 9.5 | 159 | 9.1 | 0.74 | 7.7 | 10.7 |
| 2017 | 1,033 | 8.8 | 0.28 | 8.3 | 9.4 | 146 | 8.2 | 0.69 | 6.9 | 9.6 |
| 2018 | 1,005 | 8.4 | 0.27 | 7.9 | 9.0 | 131 | 7.3 | 0.64 | 6.1 | 8.6 |
| 2019 | 1,052 | 8.8 | 0.28 | 8.3 | 9.4 | 117 | 6.3 | 0.59 | 5.2 | 7.6 |
| 2020 | 1,025 | 8.4 | 0.27 | 7.9 | 8.9 | 114 | 5.8 | 0.56 | 4.8 | 7.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary System | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 705 | 7.3 | 0.31 | 6.7 | 7.9 | 22,411 | 14.6 | 0.10 | 14.4 | 14.8 |
| 1990 | * | * | * | * | * | 617 | 15.4 | 0.65 | 14.2 | 16.7 |
| 1991 | 10 | 8.8 | 3.03 | 3.9 | 16.3 | 617 | 15.3 | 0.64 | 14.0 | 16.5 |
| 1992 | * | * | * | * | * | 630 | 15.3 | 0.63 | 14.1 | 16.6 |
| 1993 | 11 | 6.1 | 2.10 | 2.7 | 11.6 | 671 | 16.0 | 0.64 | 14.8 | 17.3 |
| 1994 | 16 | 11.0 | 3.24 | 5.6 | 18.7 | 699 | 16.4 | 0.64 | 15.2 | 17.7 |
| 1995 | 14 | 5.5 | 1.59 | 2.8 | 9.6 | 649 | 14.9 | 0.60 | 13.8 | 16.2 |
| 1996 | 10 | 5.8 | 2.24 | 2.3 | 11.5 | 629 | 14.6 | 0.60 | 13.4 | 15.8 |
| 1997 | * | * | * | * | * | 638 | 14.5 | 0.58 | 13.4 | 15.7 |
| 1998 | 18 | 9.8 | 2.86 | 5.0 | 16.6 | 668 | 15.1 | 0.59 | 13.9 | 16.3 |
| 1999 | * | * | * | * | * | 654 | 14.6 | 0.58 | 13.5 | 15.8 |
| 2000 | 17 | 10.0 | 2.99 | 5.0 | 17.0 | 696 | 15.4 | 0.59 | 14.3 | 16.6 |
| 2001 | 19 | 8.2 | 2.23 | 4.5 | 13.5 | 672 | 14.6 | 0.57 | 13.5 | 15.7 |
| 2002 | 15 | 6.3 | 1.87 | 3.2 | 10.9 | 666 | 14.3 | 0.56 | 13.2 | 15.4 |
| 2003 | 15 | 5.7 | 1.82 | 2.7 | 10.1 | 734 | 15.5 | 0.58 | 14.4 | 16.7 |
| 2004 | 19 | 7.8 | 2.24 | 4.0 | 13.0 | 702 | 14.6 | 0.56 | 13.5 | 15.7 |
| 2005 | 27 | 9.8 | 2.34 | 5.7 | 15.2 | 727 | 15.1 | 0.57 | 14.0 | 16.2 |
| 2006 | 22 | 6.0 | 1.43 | 3.5 | 9.4 | 713 | 14.6 | 0.56 | 13.6 | 15.8 |
| 2007 | 21 | 6.5 | 1.63 | 3.7 | 10.4 | 715 | 14.2 | 0.54 | 13.2 | 15.3 |
| 2008 | 19 | 6.7 | 1.72 | 3.8 | 10.7 | 765 | 15.3 | 0.56 | 14.2 | 16.5 |
| 2009 | 27 | 7.4 | 1.63 | 4.5 | 11.1 | 752 | 14.6 | 0.54 | 13.6 | 15.7 |
| 2010 | 22 | 5.3 | 1.29 | 3.1 | 8.4 | 723 | 13.8 | 0.52 | 12.8 | 14.9 |
| 2011 | 34 | 9.1 | 1.80 | 5.9 | 13.1 | 757 | 14.3 | 0.53 | 13.3 | 15.3 |
| 2012 | 28 | 7.6 | 1.62 | 4.8 | 11.3 | 778 | 14.3 | 0.52 | 13.3 | 15.4 |
| 2013 | 33 | 8.1 | 1.56 | 5.3 | 11.6 | 799 | 14.4 | 0.52 | 13.4 | 15.5 |
| 2014 | 30 | 7.3 | 1.46 | 4.7 | 10.6 | 803 | 14.2 | 0.51 | 13.2 | 15.2 |
| 2015 | 32 | 6.0 | 1.20 | 3.9 | 8.8 | 902 | 15.5 | 0.53 | 14.5 | 16.6 |
| 2016 | 31 | 6.8 | 1.33 | 4.4 | 9.8 | 821 | 14.2 | 0.50 | 13.2 | 15.2 |
| 2017 | 46 | 7.4 | 1.22 | 5.2 | 10.2 | 822 | 13.9 | 0.49 | 12.9 | 14.9 |
| 2018 | 36 | 6.2 | 1.15 | 4.2 | 8.8 | 771 | 12.9 | 0.47 | 12.0 | 13.9 |
| 2019 | 55 | 10.1 | 1.48 | 7.4 | 13.4 | 824 | 13.6 | 0.48 | 12.6 | 14.6 |
| 2020 | 49 | 7.4 | 1.16 | 5.3 | 10.0 | 797 | 12.7 | 0.46 | 11.9 | 13.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary System | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 19,989 | 15.2 | 0.11 | 15.0 | 15.4 | 2,186 | 12.5 | 0.28 | 11.9 | 13.0 |
| 1990 | 560 | 15.7 | 0.69 | 14.4 | 17.2 | 55 | 13.9 | 2.03 | 10.2 | 18.4 |
| 1991 | 552 | 15.5 | 0.68 | 14.2 | 16.8 | 65 | 14.8 | 1.96 | 11.3 | 19.1 |
| 1992 | 578 | 15.9 | 0.68 | 14.6 | 17.3 | 51 | 10.6 | 1.58 | 7.7 | 14.1 |
| 1993 | 611 | 16.6 | 0.69 | 15.3 | 18.0 | 57 | 11.9 | 1.68 | 8.9 | 15.6 |
| 1994 | 631 | 16.9 | 0.69 | 15.6 | 18.3 | 64 | 13.2 | 1.76 | 10.0 | 17.1 |
| 1995 | 580 | 15.2 | 0.64 | 14.0 | 16.5 | 67 | 14.3 | 1.87 | 10.9 | 18.4 |
| 1996 | 565 | 15.0 | 0.64 | 13.7 | 16.3 | 60 | 12.3 | 1.68 | 9.2 | 16.0 |
| 1997 | 565 | 14.7 | 0.63 | 13.5 | 16.0 | 70 | 13.2 | 1.68 | 10.1 | 16.9 |
| 1998 | 601 | 15.6 | 0.64 | 14.3 | 16.9 | 63 | 11.6 | 1.56 | 8.8 | 15.0 |
| 1999 | 578 | 14.8 | 0.62 | 13.6 | 16.1 | 73 | 14.1 | 1.76 | 10.9 | 18.0 |
| 2000 | 625 | 15.9 | 0.64 | 14.7 | 17.2 | 67 | 13.8 | 1.79 | 10.5 | 17.6 |
| 2001 | 608 | 15.2 | 0.62 | 14.0 | 16.5 | 61 | 11.0 | 1.50 | 8.2 | 14.2 |
| 2002 | 605 | 15.0 | 0.61 | 13.8 | 16.2 | 53 | 10.7 | 1.58 | 7.8 | 14.1 |
| 2003 | 657 | 16.1 | 0.63 | 14.9 | 17.4 | 72 | 13.1 | 1.67 | 10.0 | 16.7 |
| 2004 | 637 | 15.3 | 0.61 | 14.2 | 16.6 | 61 | 10.6 | 1.45 | 8.0 | 13.8 |
| 2005 | 653 | 15.6 | 0.62 | 14.4 | 16.9 | 70 | 13.7 | 1.77 | 10.4 | 17.5 |
| 2006 | 636 | 15.2 | 0.61 | 14.1 | 16.5 | 74 | 13.2 | 1.68 | 10.1 | 16.8 |
| 2007 | 628 | 14.6 | 0.59 | 13.5 | 15.8 | 75 | 14.0 | 1.73 | 10.8 | 17.7 |
| 2008 | 696 | 16.2 | 0.62 | 15.0 | 17.5 | 63 | 10.6 | 1.42 | 8.0 | 13.7 |
| 2009 | 667 | 15.1 | 0.59 | 14.0 | 16.3 | 73 | 12.8 | 1.60 | 9.9 | 16.3 |
| 2010 | 634 | 14.2 | 0.57 | 13.1 | 15.3 | 79 | 13.5 | 1.61 | 10.5 | 17.0 |
| 2011 | 690 | 15.2 | 0.59 | 14.1 | 16.4 | 60 | 10.2 | 1.37 | 7.7 | 13.2 |
| 2012 | 704 | 15.3 | 0.58 | 14.1 | 16.5 | 62 | 9.9 | 1.34 | 7.5 | 12.9 |
| 2013 | 705 | 15.0 | 0.57 | 13.9 | 16.2 | 81 | 12.7 | 1.48 | 10.0 | 15.9 |
| 2014 | 683 | 14.3 | 0.56 | 13.2 | 15.4 | 102 | 15.5 | 1.61 | 12.5 | 18.9 |
| 2015 | 797 | 16.4 | 0.59 | 15.2 | 17.6 | 96 | 13.7 | 1.47 | 11.0 | 16.9 |
| 2016 | 710 | 14.6 | 0.56 | 13.5 | 15.7 | 97 | 14.2 | 1.51 | 11.4 | 17.4 |
| 2017 | 716 | 14.4 | 0.55 | 13.4 | 15.5 | 96 | 13.6 | 1.45 | 11.0 | 16.8 |
| 2018 | 670 | 13.4 | 0.53 | 12.4 | 14.5 | 81 | 11.5 | 1.32 | 9.1 | 14.4 |
| 2019 | 733 | 14.5 | 0.54 | 13.5 | 15.6 | 72 | 10.4 | 1.26 | 8.0 | 13.1 |
| 2020 | 714 | 13.8 | 0.52 | 12.8 | 14.8 | 66 | 8.5 | 1.08 | 6.5 | 10.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary System | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 351 | 3.0 | 0.17 | 2.7 | 3.4 | 12,200 | 5.4 | 0.05 | 5.3 | 5.5 |
| 1990 | * | * | * | * | * | 380 | 6.1 | 0.31 | 5.5 | 6.7 |
| 1991 | * | * | * | * | * | 357 | 5.5 | 0.30 | 5.0 | 6.2 |
| 1992 | * | * | * | * | * | 386 | 5.9 | 0.30 | 5.3 | 6.5 |
| 1993 | * | * | * | * | * | 379 | 5.7 | 0.30 | 5.2 | 6.3 |
| 1994 | * | * | * | * | * | 400 | 6.0 | 0.30 | 5.4 | 6.6 |
| 1995 | * | * | * | * | * | 382 | 5.8 | 0.30 | 5.2 | 6.4 |
| 1996 | * | * | * | * | * | 374 | 5.5 | 0.28 | 4.9 | 6.0 |
| 1997 | * | * | * | * | * | 382 | 5.6 | 0.29 | 5.1 | 6.2 |
| 1998 | * | * | * | * | * | 403 | 5.9 | 0.29 | 5.3 | 6.5 |
| 1999 | * | * | * | * | * | 399 | 5.7 | 0.29 | 5.2 | 6.3 |
| 2000 | * | * | * | * | * | 419 | 6.0 | 0.30 | 5.4 | 6.6 |
| 2001 | * | * | * | * | * | 412 | 5.9 | 0.29 | 5.3 | 6.5 |
| 2002 | * | * | * | * | * | 384 | 5.5 | 0.28 | 4.9 | 6.0 |
| 2003 | * | * | * | * | * | 397 | 5.6 | 0.28 | 5.0 | 6.2 |
| 2004 | 10 | 2.6 | 0.90 | 1.1 | 4.9 | 404 | 5.7 | 0.29 | 5.1 | 6.3 |
| 2005 | * | * | * | * | * | 384 | 5.4 | 0.28 | 4.8 | 5.9 |
| 2006 | 10 | 2.8 | 0.95 | 1.2 | 5.1 | 389 | 5.4 | 0.28 | 4.9 | 6.0 |
| 2007 | 13 | 3.4 | 1.02 | 1.7 | 5.9 | 401 | 5.5 | 0.28 | 5.0 | 6.1 |
| 2008 | 12 | 3.0 | 0.94 | 1.4 | 5.3 | 430 | 5.8 | 0.28 | 5.2 | 6.4 |
| 2009 | 12 | 2.9 | 0.92 | 1.4 | 5.1 | 388 | 5.2 | 0.27 | 4.7 | 5.8 |
| 2010 | 13 | 3.3 | 0.96 | 1.7 | 5.6 | 411 | 5.5 | 0.28 | 4.9 | 6.0 |
| 2011 | 15 | 2.5 | 0.67 | 1.4 | 4.2 | 370 | 4.8 | 0.26 | 4.3 | 5.4 |
| 2012 | 22 | 4.3 | 0.98 | 2.6 | 6.5 | 390 | 5.0 | 0.26 | 4.5 | 5.6 |
| 2013 | 21 | 4.0 | 0.92 | 2.4 | 6.2 | 426 | 5.4 | 0.27 | 4.9 | 6.0 |
| 2014 | 14 | 2.9 | 0.80 | 1.6 | 4.8 | 448 | 5.5 | 0.27 | 5.0 | 6.1 |
| 2015 | 29 | 5.6 | 1.09 | 3.7 | 8.1 | 400 | 5.0 | 0.26 | 4.5 | 5.5 |
| 2016 | 20 | 3.6 | 0.84 | 2.1 | 5.5 | 404 | 5.0 | 0.25 | 4.5 | 5.5 |
| 2017 | 18 | 3.0 | 0.73 | 1.7 | 4.7 | 374 | 4.6 | 0.25 | 4.1 | 5.1 |
| 2018 | 19 | 3.2 | 0.76 | 1.9 | 5.0 | 392 | 4.7 | 0.24 | 4.2 | 5.2 |
| 2019 | 19 | 2.6 | 0.61 | 1.5 | 4.0 | 369 | 4.4 | 0.24 | 4.0 | 4.9 |
| 2020 | 18 | 2.2 | 0.54 | 1.3 | 3.5 | 366 | 4.2 | 0.23 | 3.8 | 4.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary System | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 10,419 | 5.4 | 0.05 | 5.3 | 5.5 | 1,645 | 6.1 | 0.15 | 5.8 | 6.4 |
| 1990 | 322 | 5.7 | 0.32 | 5.1 | 6.4 | 57 | 9.0 | 1.21 | 6.8 | 11.6 |
| 1991 | 314 | 5.5 | 0.32 | 4.9 | 6.2 | 40 | 6.4 | 1.02 | 4.6 | 8.7 |
| 1992 | 334 | 5.7 | 0.32 | 5.1 | 6.4 | 52 | 7.9 | 1.11 | 5.9 | 10.4 |
| 1993 | 334 | 5.7 | 0.32 | 5.1 | 6.4 | 44 | 6.3 | 0.97 | 4.6 | 8.5 |
| 1994 | 338 | 5.8 | 0.32 | 5.1 | 6.4 | 58 | 8.2 | 1.09 | 6.2 | 10.6 |
| 1995 | 346 | 6.0 | 0.33 | 5.4 | 6.7 | 36 | 5.2 | 0.88 | 3.7 | 7.2 |
| 1996 | 312 | 5.2 | 0.30 | 4.6 | 5.8 | 59 | 8.0 | 1.05 | 6.0 | 10.3 |
| 1997 | 319 | 5.4 | 0.31 | 4.8 | 6.0 | 60 | 8.1 | 1.06 | 6.2 | 10.5 |
| 1998 | 349 | 5.8 | 0.32 | 5.2 | 6.4 | 48 | 6.3 | 0.92 | 4.7 | 8.4 |
| 1999 | 351 | 5.8 | 0.32 | 5.2 | 6.5 | 46 | 6.0 | 0.89 | 4.4 | 8.0 |
| 2000 | 356 | 5.9 | 0.32 | 5.3 | 6.5 | 60 | 7.7 | 1.00 | 5.8 | 9.9 |
| 2001 | 346 | 5.7 | 0.31 | 5.1 | 6.4 | 62 | 7.9 | 1.01 | 6.0 | 10.1 |
| 2002 | 326 | 5.4 | 0.30 | 4.8 | 6.0 | 57 | 7.2 | 0.96 | 5.5 | 9.4 |
| 2003 | 335 | 5.5 | 0.31 | 4.9 | 6.1 | 59 | 7.2 | 0.95 | 5.5 | 9.3 |
| 2004 | 343 | 5.6 | 0.31 | 5.0 | 6.2 | 57 | 6.7 | 0.90 | 5.1 | 8.7 |
| 2005 | 338 | 5.5 | 0.31 | 4.9 | 6.2 | 39 | 4.5 | 0.72 | 3.2 | 6.1 |
| 2006 | 330 | 5.3 | 0.30 | 4.7 | 5.9 | 50 | 5.8 | 0.83 | 4.3 | 7.7 |
| 2007 | 335 | 5.4 | 0.30 | 4.8 | 6.0 | 63 | 7.1 | 0.90 | 5.5 | 9.1 |
| 2008 | 374 | 6.0 | 0.32 | 5.3 | 6.6 | 51 | 5.7 | 0.80 | 4.2 | 7.5 |
| 2009 | 328 | 5.2 | 0.29 | 4.6 | 5.8 | 58 | 6.4 | 0.85 | 4.9 | 8.3 |
| 2010 | 343 | 5.4 | 0.30 | 4.8 | 6.0 | 64 | 6.8 | 0.86 | 5.2 | 8.7 |
| 2011 | 322 | 5.1 | 0.29 | 4.5 | 5.7 | 42 | 4.4 | 0.69 | 3.2 | 6.0 |
| 2012 | 338 | 5.2 | 0.29 | 4.6 | 5.8 | 44 | 4.6 | 0.69 | 3.3 | 6.1 |
| 2013 | 355 | 5.3 | 0.29 | 4.8 | 5.9 | 63 | 6.5 | 0.82 | 5.0 | 8.3 |
| 2014 | 379 | 5.7 | 0.30 | 5.1 | 6.3 | 61 | 5.8 | 0.75 | 4.4 | 7.5 |
| 2015 | 336 | 5.0 | 0.28 | 4.5 | 5.6 | 60 | 5.8 | 0.76 | 4.4 | 7.5 |
| 2016 | 334 | 4.9 | 0.28 | 4.4 | 5.5 | 62 | 6.0 | 0.77 | 4.6 | 7.7 |
| 2017 | 317 | 4.7 | 0.27 | 4.2 | 5.3 | 50 | 4.8 | 0.68 | 3.5 | 6.3 |
| 2018 | 335 | 4.8 | 0.27 | 4.3 | 5.4 | 50 | 4.7 | 0.67 | 3.5 | 6.2 |
| 2019 | 319 | 4.6 | 0.27 | 4.1 | 5.2 | 45 | 4.0 | 0.60 | 2.9 | 5.4 |
| 2020 | 311 | 4.4 | 0.26 | 3.9 | 5.0 | 48 | 4.1 | 0.59 | 3.0 | 5.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary Bladder | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 326 | 1.8 | 0.11 | 1.6 | 2.0 | 17,370 | 4.5 | 0.03 | 4.5 | 4.6 |
| 1990 | * | * | * | * | * | 496 | 4.7 | 0.21 | 4.3 | 5.2 |
| 1991 | * | * | * | * | * | 462 | 4.4 | 0.21 | 4.0 | 4.8 |
| 1992 | * | * | * | * | * | 512 | 4.8 | 0.21 | 4.4 | 5.2 |
| 1993 | * | * | * | * | * | 498 | 4.6 | 0.21 | 4.2 | 5.0 |
| 1994 | * | * | * | * | * | 520 | 4.7 | 0.21 | 4.3 | 5.1 |
| 1995 | * | * | * | * | * | 499 | 4.5 | 0.20 | 4.1 | 4.9 |
| 1996 | * | * | * | * | * | 505 | 4.5 | 0.20 | 4.1 | 4.9 |
| 1997 | * | * | * | * | * | 501 | 4.4 | 0.20 | 4.0 | 4.8 |
| 1998 | * | * | * | * | * | 516 | 4.5 | 0.20 | 4.1 | 4.9 |
| 1999 | * | * | * | * | * | 556 | 4.8 | 0.20 | 4.4 | 5.2 |
| 2000 | * | * | * | * | * | 534 | 4.6 | 0.20 | 4.2 | 5.0 |
| 2001 | 10 | 2.4 | 0.80 | 1.1 | 4.3 | 510 | 4.3 | 0.19 | 4.0 | 4.7 |
| 2002 | * | * | * | * | * | 504 | 4.3 | 0.19 | 3.9 | 4.7 |
| 2003 | * | * | * | * | * | 553 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2004 | * | * | * | * | * | 569 | 4.8 | 0.20 | 4.4 | 5.2 |
| 2005 | * | * | * | * | * | 556 | 4.6 | 0.19 | 4.2 | 5.0 |
| 2006 | * | * | * | * | * | 570 | 4.6 | 0.20 | 4.3 | 5.0 |
| 2007 | * | * | * | * | * | 565 | 4.6 | 0.19 | 4.2 | 5.0 |
| 2008 | * | * | * | * | * | 607 | 4.8 | 0.20 | 4.5 | 5.2 |
| 2009 | * | * | * | * | * | 588 | 4.7 | 0.19 | 4.3 | 5.1 |
| 2010 | 15 | 2.1 | 0.56 | 1.1 | 3.4 | 574 | 4.5 | 0.19 | 4.1 | 4.9 |
| 2011 | 18 | 2.1 | 0.53 | 1.2 | 3.3 | 561 | 4.3 | 0.19 | 4.0 | 4.7 |
| 2012 | 19 | 2.6 | 0.64 | 1.5 | 4.1 | 577 | 4.3 | 0.18 | 4.0 | 4.7 |
| 2013 | 15 | 1.8 | 0.50 | 1.0 | 3.0 | 606 | 4.5 | 0.19 | 4.2 | 4.9 |
| 2014 | 14 | 1.7 | 0.49 | 0.9 | 2.9 | 632 | 4.6 | 0.19 | 4.3 | 5.0 |
| 2015 | 22 | 2.6 | 0.57 | 1.6 | 3.9 | 675 | 4.9 | 0.19 | 4.5 | 5.2 |
| 2016 | 14 | 1.6 | 0.45 | 0.9 | 2.7 | 651 | 4.6 | 0.18 | 4.3 | 5.0 |
| 2017 | 22 | 2.0 | 0.46 | 1.2 | 3.1 | 650 | 4.6 | 0.18 | 4.2 | 4.9 |
| 2018 | 20 | 2.1 | 0.47 | 1.2 | 3.1 | 606 | 4.2 | 0.17 | 3.9 | 4.5 |
| 2019 | 34 | 3.1 | 0.55 | 2.1 | 4.3 | 643 | 4.4 | 0.18 | 4.1 | 4.8 |
| 2020 | 23 | 1.8 | 0.40 | 1.1 | 2.7 | 574 | 3.8 | 0.16 | 3.5 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary Bladder | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 15,503 | 4.7 | 0.04 | 4.6 | 4.8 | 1,705 | 4.0 | 0.10 | 3.8 | 4.2 |
| 1990 | 438 | 4.7 | 0.22 | 4.2 | 5.1 | 56 | 5.7 | 0.79 | 4.3 | 7.5 |
| 1991 | 411 | 4.4 | 0.22 | 4.0 | 4.8 | 50 | 5.1 | 0.73 | 3.7 | 6.7 |
| 1992 | 458 | 4.8 | 0.22 | 4.4 | 5.2 | 53 | 5.0 | 0.71 | 3.7 | 6.6 |
| 1993 | 457 | 4.7 | 0.22 | 4.3 | 5.2 | 39 | 3.6 | 0.60 | 2.6 | 5.0 |
| 1994 | 466 | 4.8 | 0.22 | 4.3 | 5.2 | 51 | 4.6 | 0.66 | 3.4 | 6.1 |
| 1995 | 460 | 4.7 | 0.22 | 4.2 | 5.1 | 38 | 3.5 | 0.57 | 2.4 | 4.7 |
| 1996 | 446 | 4.5 | 0.21 | 4.1 | 4.9 | 56 | 5.0 | 0.68 | 3.7 | 6.5 |
| 1997 | 449 | 4.5 | 0.21 | 4.1 | 4.9 | 49 | 4.1 | 0.60 | 3.0 | 5.4 |
| 1998 | 465 | 4.6 | 0.21 | 4.2 | 5.1 | 51 | 4.1 | 0.59 | 3.0 | 5.4 |
| 1999 | 497 | 4.9 | 0.22 | 4.5 | 5.3 | 56 | 4.6 | 0.63 | 3.5 | 6.0 |
| 2000 | 479 | 4.7 | 0.21 | 4.3 | 5.1 | 53 | 4.5 | 0.63 | 3.4 | 5.9 |
| 2001 | 457 | 4.5 | 0.21 | 4.1 | 4.9 | 51 | 4.1 | 0.59 | 3.1 | 5.4 |
| 2002 | 456 | 4.5 | 0.21 | 4.1 | 4.9 | 47 | 3.9 | 0.57 | 2.8 | 5.1 |
| 2003 | 506 | 4.9 | 0.22 | 4.5 | 5.4 | 44 | 3.6 | 0.55 | 2.6 | 4.8 |
| 2004 | 516 | 5.0 | 0.22 | 4.6 | 5.4 | 48 | 3.4 | 0.51 | 2.5 | 4.6 |
| 2005 | 504 | 4.8 | 0.22 | 4.4 | 5.3 | 46 | 3.5 | 0.53 | 2.6 | 4.7 |
| 2006 | 513 | 4.8 | 0.22 | 4.4 | 5.3 | 55 | 4.1 | 0.57 | 3.1 | 5.4 |
| 2007 | 495 | 4.7 | 0.21 | 4.3 | 5.1 | 64 | 4.6 | 0.59 | 3.5 | 5.9 |
| 2008 | 554 | 5.1 | 0.22 | 4.7 | 5.6 | 49 | 3.6 | 0.51 | 2.6 | 4.7 |
| 2009 | 522 | 4.8 | 0.21 | 4.4 | 5.3 | 64 | 4.6 | 0.58 | 3.5 | 5.8 |
| 2010 | 504 | 4.6 | 0.21 | 4.2 | 5.0 | 63 | 4.4 | 0.56 | 3.3 | 5.6 |
| 2011 | 497 | 4.5 | 0.21 | 4.1 | 4.9 | 56 | 3.8 | 0.51 | 2.8 | 4.9 |
| 2012 | 521 | 4.6 | 0.21 | 4.2 | 5.1 | 42 | 2.7 | 0.43 | 2.0 | 3.7 |
| 2013 | 537 | 4.7 | 0.21 | 4.3 | 5.1 | 60 | 3.8 | 0.49 | 2.9 | 4.9 |
| 2014 | 537 | 4.7 | 0.21 | 4.3 | 5.1 | 80 | 4.8 | 0.54 | 3.8 | 6.0 |
| 2015 | 599 | 5.1 | 0.21 | 4.7 | 5.6 | 69 | 4.1 | 0.50 | 3.2 | 5.2 |
| 2016 | 566 | 4.8 | 0.21 | 4.4 | 5.2 | 79 | 4.6 | 0.53 | 3.6 | 5.7 |
| 2017 | 580 | 4.9 | 0.21 | 4.5 | 5.3 | 61 | 3.5 | 0.45 | 2.6 | 4.5 |
| 2018 | 530 | 4.4 | 0.19 | 4.1 | 4.8 | 64 | 3.6 | 0.45 | 2.8 | 4.6 |
| 2019 | 571 | 4.7 | 0.20 | 4.3 | 5.1 | 60 | 3.3 | 0.43 | 2.5 | 4.3 |
| 2020 | 512 | 4.1 | 0.18 | 3.7 | 4.5 | 51 | 2.7 | 0.38 | 2.0 | 3.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary Bladder | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 225 | 2.9 | 0.21 | 2.5 | 3.3 | 11,840 | 8.0 | 0.07 | 7.9 | 8.2 |
| 1990 | * | * | * | * | * | 321 | 8.5 | 0.50 | 7.6 | 9.5 |
| 1991 | * | * | * | * | * | 316 | 8.3 | 0.49 | 7.4 | 9.3 |
| 1992 | * | * | * | * | * | 336 | 8.7 | 0.49 | 7.7 | 9.7 |
| 1993 | * | * | * | * | * | 350 | 8.8 | 0.49 | 7.9 | 9.9 |
| 1994 | * | * | * | * | * | 351 | 8.7 | 0.48 | 7.8 | 9.7 |
| 1995 | * | * | * | * | * | 348 | 8.3 | 0.46 | 7.5 | 9.3 |
| 1996 | * | * | * | * | * | 313 | 7.7 | 0.44 | 6.8 | 8.6 |
| 1997 | * | * | * | * | * | 336 | 7.9 | 0.44 | 7.1 | 8.8 |
| 1998 | * | * | * | * | * | 337 | 7.9 | 0.44 | 7.1 | 8.8 |
| 1999 | * | * | * | * | * | 357 | 8.3 | 0.45 | 7.4 | 9.2 |
| 2000 | * | * | * | * | * | 350 | 8.1 | 0.44 | 7.2 | 9.0 |
| 2001 | * | * | * | * | * | 334 | 7.5 | 0.42 | 6.7 | 8.4 |
| 2002 | * | * | * | * | * | 337 | 7.5 | 0.42 | 6.8 | 8.4 |
| 2003 | * | * | * | * | * | 375 | 8.3 | 0.43 | 7.5 | 9.2 |
| 2004 | * | * | * | * | * | 377 | 8.0 | 0.42 | 7.2 | 8.9 |
| 2005 | * | * | * | * | * | 366 | 7.8 | 0.41 | 7.0 | 8.7 |
| 2006 | * | * | * | * | * | 378 | 8.1 | 0.42 | 7.3 | 9.0 |
| 2007 | * | * | * | * | * | 383 | 7.9 | 0.41 | 7.1 | 8.8 |
| 2008 | * | * | * | * | * | 422 | 8.7 | 0.43 | 7.9 | 9.6 |
| 2009 | * | * | * | * | * | 407 | 8.2 | 0.41 | 7.4 | 9.1 |
| 2010 | * | * | * | * | * | 398 | 7.8 | 0.40 | 7.1 | 8.6 |
| 2011 | 14 | 4.0 | 1.20 | 2.0 | 6.9 | 384 | 7.5 | 0.39 | 6.7 | 8.3 |
| 2012 | 11 | 3.9 | 1.26 | 1.8 | 6.9 | 409 | 7.8 | 0.39 | 7.0 | 8.6 |
| 2013 | 11 | 3.2 | 1.01 | 1.5 | 5.6 | 408 | 7.6 | 0.38 | 6.9 | 8.4 |
| 2014 | 10 | 2.9 | 0.98 | 1.3 | 5.3 | 440 | 8.0 | 0.39 | 7.2 | 8.8 |
| 2015 | * | * | * | * | * | 477 | 8.5 | 0.40 | 7.7 | 9.3 |
| 2016 | * | * | * | * | * | 460 | 8.2 | 0.39 | 7.4 | 9.0 |
| 2017 | 17 | 3.3 | 0.87 | 1.8 | 5.3 | 460 | 8.0 | 0.38 | 7.2 | 8.7 |
| 2018 | 13 | 3.1 | 0.90 | 1.6 | 5.3 | 437 | 7.5 | 0.36 | 6.8 | 8.2 |
| 2019 | 29 | 6.1 | 1.20 | 4.0 | 8.8 | 472 | 8.0 | 0.37 | 7.3 | 8.8 |
| 2020 | 14 | 2.8 | 0.79 | 1.5 | 4.7 | 401 | 6.5 | 0.33 | 5.9 | 7.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary Bladder | | | | | | | | | | |
|--------------------|--------|------|------|-----|------|--------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 10,841 | 8.5 | 0.08 | 8.3 | 8.6 | 901 | 5.7 | 0.20 | 5.3 | 6.1 |
| 1990 | 293 | 8.7 | 0.53 | 7.7 | 9.8 | 27 | 7.7 | 1.59 | 4.9 | 11.3 |
| 1991 | 284 | 8.4 | 0.52 | 7.4 | 9.5 | 32 | 8.6 | 1.61 | 5.7 | 12.2 |
| 1992 | 316 | 9.1 | 0.53 | 8.1 | 10.2 | 19 | 4.8 | 1.18 | 2.8 | 7.5 |
| 1993 | 326 | 9.3 | 0.53 | 8.3 | 10.4 | 23 | 5.2 | 1.16 | 3.2 | 7.9 |
| 1994 | 327 | 9.1 | 0.52 | 8.1 | 10.2 | 23 | 5.1 | 1.13 | 3.2 | 7.8 |
| 1995 | 322 | 8.7 | 0.50 | 7.8 | 9.7 | 25 | 5.8 | 1.24 | 3.7 | 8.7 |
| 1996 | 291 | 8.1 | 0.48 | 7.1 | 9.1 | 22 | 5.1 | 1.15 | 3.1 | 7.8 |
| 1997 | 310 | 8.3 | 0.48 | 7.4 | 9.3 | 25 | 5.2 | 1.09 | 3.3 | 7.7 |
| 1998 | 311 | 8.3 | 0.48 | 7.4 | 9.3 | 26 | 5.3 | 1.11 | 3.3 | 7.9 |
| 1999 | 327 | 8.7 | 0.48 | 7.7 | 9.7 | 28 | 6.1 | 1.22 | 4.0 | 8.9 |
| 2000 | 326 | 8.5 | 0.48 | 7.6 | 9.5 | 23 | 5.8 | 1.26 | 3.6 | 8.7 |
| 2001 | 312 | 8.0 | 0.46 | 7.1 | 9.0 | 21 | 4.4 | 1.04 | 2.6 | 6.8 |
| 2002 | 317 | 8.1 | 0.46 | 7.2 | 9.1 | 19 | 4.1 | 1.00 | 2.4 | 6.5 |
| 2003 | 355 | 9.0 | 0.48 | 8.1 | 10.0 | 18 | 4.1 | 1.06 | 2.3 | 6.6 |
| 2004 | 354 | 8.7 | 0.47 | 7.8 | 9.7 | 21 | 3.4 | 0.76 | 2.1 | 5.2 |
| 2005 | 341 | 8.4 | 0.46 | 7.5 | 9.3 | 24 | 5.7 | 1.23 | 3.6 | 8.5 |
| 2006 | 348 | 8.6 | 0.46 | 7.7 | 9.5 | 30 | 6.5 | 1.29 | 4.2 | 9.4 |
| 2007 | 342 | 8.2 | 0.45 | 7.3 | 9.1 | 36 | 7.3 | 1.30 | 5.0 | 10.2 |
| 2008 | 396 | 9.4 | 0.48 | 8.5 | 10.4 | 24 | 4.7 | 1.00 | 2.9 | 7.0 |
| 2009 | 369 | 8.6 | 0.45 | 7.7 | 9.5 | 36 | 7.1 | 1.24 | 4.8 | 9.8 |
| 2010 | 358 | 8.2 | 0.44 | 7.3 | 9.1 | 35 | 6.8 | 1.20 | 4.6 | 9.5 |
| 2011 | 350 | 7.9 | 0.43 | 7.1 | 8.8 | 31 | 5.6 | 1.04 | 3.7 | 8.0 |
| 2012 | 377 | 8.4 | 0.44 | 7.5 | 9.3 | 23 | 4.1 | 0.89 | 2.5 | 6.1 |
| 2013 | 371 | 8.1 | 0.42 | 7.3 | 8.9 | 33 | 5.7 | 1.03 | 3.8 | 8.0 |
| 2014 | 386 | 8.3 | 0.43 | 7.4 | 9.1 | 43 | 6.8 | 1.08 | 4.8 | 9.2 |
| 2015 | 434 | 9.2 | 0.45 | 8.3 | 10.1 | 38 | 5.9 | 1.00 | 4.1 | 8.1 |
| 2016 | 413 | 8.7 | 0.43 | 7.9 | 9.6 | 44 | 6.8 | 1.07 | 4.9 | 9.2 |
| 2017 | 411 | 8.5 | 0.42 | 7.6 | 9.3 | 44 | 6.5 | 1.02 | 4.6 | 8.7 |
| 2018 | 385 | 7.9 | 0.41 | 7.1 | 8.7 | 41 | 6.2 | 1.01 | 4.4 | 8.5 |
| 2019 | 426 | 8.6 | 0.42 | 7.8 | 9.5 | 38 | 5.7 | 0.94 | 4.0 | 7.8 |
| 2020 | 363 | 7.1 | 0.38 | 6.4 | 7.9 | 29 | 4.0 | 0.78 | 2.7 | 5.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary Bladder | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 101 | 1.0 | 0.10 | 0.8 | 1.2 | 5,530 | 2.4 | 0.03 | 2.3 | 2.4 |
| 1990 | * | * | * | * | * | 175 | 2.7 | 0.20 | 2.3 | 3.1 |
| 1991 | * | * | * | * | * | 146 | 2.2 | 0.18 | 1.8 | 2.6 |
| 1992 | * | * | * | * | * | 176 | 2.6 | 0.20 | 2.3 | 3.1 |
| 1993 | * | * | * | * | * | 148 | 2.1 | 0.18 | 1.8 | 2.5 |
| 1994 | * | * | * | * | * | 169 | 2.5 | 0.19 | 2.1 | 2.9 |
| 1995 | * | * | * | * | * | 151 | 2.2 | 0.18 | 1.8 | 2.5 |
| 1996 | * | * | * | * | * | 192 | 2.7 | 0.20 | 2.3 | 3.1 |
| 1997 | * | * | * | * | * | 165 | 2.3 | 0.18 | 2.0 | 2.7 |
| 1998 | * | * | * | * | * | 179 | 2.5 | 0.19 | 2.1 | 2.9 |
| 1999 | * | * | * | * | * | 199 | 2.7 | 0.20 | 2.4 | 3.2 |
| 2000 | * | * | * | * | * | 184 | 2.5 | 0.19 | 2.1 | 2.9 |
| 2001 | * | * | * | * | * | 176 | 2.4 | 0.18 | 2.0 | 2.8 |
| 2002 | * | * | * | * | * | 167 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2003 | * | * | * | * | * | 178 | 2.4 | 0.19 | 2.1 | 2.8 |
| 2004 | * | * | * | * | * | 192 | 2.6 | 0.19 | 2.2 | 3.0 |
| 2005 | * | * | * | * | * | 190 | 2.6 | 0.19 | 2.2 | 3.0 |
| 2006 | * | * | * | * | * | 192 | 2.6 | 0.19 | 2.2 | 3.0 |
| 2007 | * | * | * | * | * | 182 | 2.4 | 0.18 | 2.1 | 2.8 |
| 2008 | * | * | * | * | * | 185 | 2.4 | 0.18 | 2.1 | 2.8 |
| 2009 | * | * | * | * | * | 181 | 2.4 | 0.18 | 2.0 | 2.8 |
| 2010 | * | * | * | * | * | 176 | 2.2 | 0.17 | 1.9 | 2.6 |
| 2011 | * | * | * | * | * | 177 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2012 | * | * | * | * | * | 168 | 2.1 | 0.16 | 1.8 | 2.4 |
| 2013 | * | * | * | * | * | 198 | 2.5 | 0.18 | 2.2 | 2.9 |
| 2014 | * | * | * | * | * | 192 | 2.4 | 0.17 | 2.0 | 2.7 |
| 2015 | 13 | 2.7 | 0.77 | 1.4 | 4.6 | 198 | 2.4 | 0.18 | 2.1 | 2.8 |
| 2016 | * | * | * | * | * | 191 | 2.3 | 0.17 | 2.0 | 2.6 |
| 2017 | * | * | * | * | * | 190 | 2.3 | 0.17 | 1.9 | 2.6 |
| 2018 | * | * | * | * | * | 169 | 2.0 | 0.15 | 1.7 | 2.3 |
| 2019 | * | * | * | * | * | 171 | 2.0 | 0.16 | 1.7 | 2.4 |
| 2020 | * | * | * | * | * | 173 | 1.9 | 0.15 | 1.7 | 2.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Urinary Bladder | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 4,662 | 2.3 | 0.03 | 2.2 | 2.4 | 804 | 3.1 | 0.11 | 2.8 | 3.3 |
| 1990 | 145 | 2.5 | 0.21 | 2.1 | 2.9 | 29 | 4.7 | 0.88 | 3.1 | 6.7 |
| 1991 | 127 | 2.1 | 0.19 | 1.8 | 2.5 | 18 | 3.0 | 0.71 | 1.8 | 4.7 |
| 1992 | 142 | 2.3 | 0.20 | 2.0 | 2.8 | 34 | 5.2 | 0.90 | 3.6 | 7.2 |
| 1993 | 131 | 2.1 | 0.19 | 1.8 | 2.5 | 16 | 2.5 | 0.63 | 1.4 | 4.0 |
| 1994 | 139 | 2.3 | 0.20 | 1.9 | 2.7 | 28 | 4.1 | 0.79 | 2.7 | 6.0 |
| 1995 | 138 | 2.2 | 0.19 | 1.9 | 2.6 | 13 | 2.0 | 0.55 | 1.1 | 3.3 |
| 1996 | 155 | 2.5 | 0.20 | 2.1 | 2.9 | 34 | 4.7 | 0.82 | 3.3 | 6.6 |
| 1997 | 139 | 2.2 | 0.19 | 1.8 | 2.6 | 24 | 3.3 | 0.69 | 2.1 | 5.0 |
| 1998 | 154 | 2.4 | 0.20 | 2.0 | 2.8 | 25 | 3.4 | 0.68 | 2.2 | 4.9 |
| 1999 | 170 | 2.7 | 0.21 | 2.3 | 3.1 | 28 | 3.7 | 0.71 | 2.5 | 5.3 |
| 2000 | 153 | 2.4 | 0.19 | 2.0 | 2.8 | 30 | 4.0 | 0.73 | 2.7 | 5.6 |
| 2001 | 145 | 2.2 | 0.19 | 1.9 | 2.7 | 30 | 3.9 | 0.72 | 2.7 | 5.6 |
| 2002 | 139 | 2.2 | 0.19 | 1.8 | 2.6 | 28 | 3.7 | 0.69 | 2.4 | 5.3 |
| 2003 | 151 | 2.4 | 0.20 | 2.0 | 2.8 | 26 | 3.3 | 0.66 | 2.2 | 4.9 |
| 2004 | 162 | 2.5 | 0.20 | 2.1 | 2.9 | 27 | 3.3 | 0.64 | 2.2 | 4.8 |
| 2005 | 163 | 2.6 | 0.21 | 2.2 | 3.0 | 22 | 2.6 | 0.56 | 1.6 | 3.9 |
| 2006 | 165 | 2.5 | 0.20 | 2.2 | 3.0 | 25 | 3.0 | 0.61 | 2.0 | 4.5 |
| 2007 | 153 | 2.4 | 0.20 | 2.0 | 2.8 | 28 | 3.2 | 0.62 | 2.1 | 4.7 |
| 2008 | 158 | 2.4 | 0.20 | 2.0 | 2.8 | 25 | 2.9 | 0.58 | 1.9 | 4.2 |
| 2009 | 153 | 2.3 | 0.19 | 2.0 | 2.8 | 28 | 3.2 | 0.61 | 2.1 | 4.6 |
| 2010 | 146 | 2.2 | 0.19 | 1.8 | 2.6 | 28 | 3.1 | 0.59 | 2.1 | 4.5 |
| 2011 | 147 | 2.3 | 0.19 | 1.9 | 2.7 | 25 | 2.7 | 0.53 | 1.7 | 3.9 |
| 2012 | 144 | 2.1 | 0.18 | 1.7 | 2.5 | 19 | 2.0 | 0.47 | 1.2 | 3.2 |
| 2013 | 166 | 2.5 | 0.20 | 2.1 | 2.9 | 27 | 2.7 | 0.53 | 1.8 | 4.0 |
| 2014 | 151 | 2.2 | 0.19 | 1.9 | 2.6 | 37 | 3.5 | 0.59 | 2.5 | 4.9 |
| 2015 | 165 | 2.4 | 0.19 | 2.0 | 2.8 | 31 | 3.1 | 0.55 | 2.1 | 4.4 |
| 2016 | 153 | 2.2 | 0.18 | 1.8 | 2.6 | 35 | 3.3 | 0.57 | 2.3 | 4.7 |
| 2017 | 169 | 2.4 | 0.19 | 2.1 | 2.9 | 17 | 1.6 | 0.39 | 0.9 | 2.6 |
| 2018 | 145 | 2.0 | 0.17 | 1.7 | 2.4 | 23 | 2.1 | 0.44 | 1.3 | 3.2 |
| 2019 | 145 | 2.0 | 0.17 | 1.7 | 2.4 | 22 | 2.0 | 0.43 | 1.2 | 3.1 |
| 2020 | 149 | 2.0 | 0.17 | 1.7 | 2.4 | 22 | 1.8 | 0.39 | 1.1 | 2.8 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Kidney and Renal Pelvis | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 714 | 3.0 | 0.12 | 2.8 | 3.3 | 16,315 | 4.3 | 0.03 | 4.2 | 4.4 |
| 1990 | 11 | 2.8 | 0.93 | 1.3 | 5.2 | 484 | 4.6 | 0.21 | 4.2 | 5.1 |
| 1991 | * | * | * | * | * | 486 | 4.6 | 0.21 | 4.2 | 5.0 |
| 1992 | * | * | * | * | * | 481 | 4.5 | 0.21 | 4.1 | 4.9 |
| 1993 | 11 | 2.9 | 0.98 | 1.3 | 5.4 | 519 | 4.8 | 0.21 | 4.4 | 5.2 |
| 1994 | 19 | 5.4 | 1.40 | 3.0 | 8.7 | 552 | 5.0 | 0.22 | 4.6 | 5.5 |
| 1995 | 14 | 3.2 | 0.98 | 1.6 | 5.6 | 512 | 4.7 | 0.21 | 4.3 | 5.1 |
| 1996 | * | * | * | * | * | 486 | 4.4 | 0.20 | 4.0 | 4.8 |
| 1997 | 11 | 2.5 | 0.91 | 1.0 | 4.7 | 498 | 4.5 | 0.20 | 4.1 | 4.9 |
| 1998 | 20 | 4.7 | 1.23 | 2.6 | 7.6 | 530 | 4.7 | 0.20 | 4.3 | 5.1 |
| 1999 | 11 | 2.4 | 0.86 | 1.0 | 4.5 | 479 | 4.2 | 0.19 | 3.8 | 4.6 |
| 2000 | 18 | 3.8 | 1.05 | 2.0 | 6.3 | 557 | 4.9 | 0.21 | 4.5 | 5.3 |
| 2001 | 16 | 2.7 | 0.76 | 1.5 | 4.6 | 549 | 4.8 | 0.20 | 4.4 | 5.2 |
| 2002 | 14 | 2.2 | 0.64 | 1.1 | 3.8 | 526 | 4.5 | 0.20 | 4.2 | 4.9 |
| 2003 | 18 | 2.5 | 0.66 | 1.4 | 4.1 | 548 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2004 | 23 | 2.9 | 0.68 | 1.8 | 4.6 | 514 | 4.3 | 0.19 | 4.0 | 4.7 |
| 2005 | 26 | 3.8 | 0.86 | 2.3 | 5.8 | 528 | 4.4 | 0.19 | 4.0 | 4.8 |
| 2006 | 23 | 2.9 | 0.68 | 1.7 | 4.5 | 507 | 4.2 | 0.19 | 3.9 | 4.6 |
| 2007 | 25 | 3.6 | 0.79 | 2.2 | 5.4 | 518 | 4.2 | 0.19 | 3.9 | 4.6 |
| 2008 | 22 | 3.0 | 0.71 | 1.8 | 4.7 | 559 | 4.5 | 0.19 | 4.2 | 4.9 |
| 2009 | 27 | 3.1 | 0.67 | 2.0 | 4.7 | 518 | 4.1 | 0.18 | 3.8 | 4.5 |
| 2010 | 19 | 2.1 | 0.56 | 1.2 | 3.5 | 528 | 4.2 | 0.18 | 3.8 | 4.5 |
| 2011 | 30 | 3.1 | 0.62 | 2.0 | 4.5 | 526 | 4.1 | 0.18 | 3.7 | 4.4 |
| 2012 | 29 | 2.8 | 0.56 | 1.8 | 4.1 | 553 | 4.2 | 0.18 | 3.8 | 4.6 |
| 2013 | 39 | 4.0 | 0.69 | 2.7 | 5.5 | 586 | 4.4 | 0.18 | 4.0 | 4.7 |
| 2014 | 29 | 2.9 | 0.58 | 1.9 | 4.3 | 573 | 4.2 | 0.18 | 3.8 | 4.5 |
| 2015 | 38 | 3.3 | 0.57 | 2.2 | 4.6 | 582 | 4.2 | 0.18 | 3.9 | 4.6 |
| 2016 | 36 | 3.2 | 0.57 | 2.2 | 4.5 | 541 | 3.9 | 0.17 | 3.6 | 4.2 |
| 2017 | 42 | 3.1 | 0.52 | 2.2 | 4.3 | 506 | 3.6 | 0.16 | 3.3 | 4.0 |
| 2018 | 35 | 2.6 | 0.46 | 1.7 | 3.6 | 517 | 3.6 | 0.16 | 3.3 | 4.0 |
| 2019 | 39 | 2.8 | 0.47 | 1.9 | 3.8 | 508 | 3.5 | 0.16 | 3.2 | 3.9 |
| 2020 | 44 | 2.8 | 0.44 | 2.0 | 3.8 | 544 | 3.7 | 0.16 | 3.4 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Kidney and Renal Pelvis | | | | | | | | | | |
|-------------------------|--------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 14,080 | 4.4 | 0.04 | 4.3 | 4.5 | 2,032 | 4.3 | 0.10 | 4.2 | 4.5 |
| 1990 | 430 | 4.7 | 0.23 | 4.2 | 5.1 | 53 | 4.8 | 0.67 | 3.5 | 6.2 |
| 1991 | 435 | 4.7 | 0.23 | 4.2 | 5.1 | 49 | 4.2 | 0.61 | 3.1 | 5.5 |
| 1992 | 433 | 4.6 | 0.22 | 4.2 | 5.1 | 48 | 4.0 | 0.59 | 2.9 | 5.3 |
| 1993 | 459 | 4.9 | 0.23 | 4.4 | 5.3 | 58 | 4.6 | 0.62 | 3.5 | 6.0 |
| 1994 | 477 | 5.0 | 0.23 | 4.6 | 5.5 | 70 | 5.5 | 0.68 | 4.3 | 7.0 |
| 1995 | 447 | 4.7 | 0.22 | 4.3 | 5.2 | 64 | 5.3 | 0.67 | 4.0 | 6.7 |
| 1996 | 420 | 4.3 | 0.21 | 3.9 | 4.8 | 62 | 4.8 | 0.62 | 3.6 | 6.1 |
| 1997 | 418 | 4.3 | 0.21 | 3.9 | 4.8 | 77 | 5.9 | 0.69 | 4.6 | 7.4 |
| 1998 | 463 | 4.7 | 0.22 | 4.3 | 5.2 | 57 | 4.2 | 0.57 | 3.2 | 5.4 |
| 1999 | 415 | 4.2 | 0.21 | 3.8 | 4.7 | 62 | 4.5 | 0.59 | 3.4 | 5.8 |
| 2000 | 480 | 4.9 | 0.22 | 4.5 | 5.3 | 73 | 5.3 | 0.64 | 4.2 | 6.7 |
| 2001 | 473 | 4.8 | 0.22 | 4.4 | 5.3 | 71 | 5.1 | 0.61 | 3.9 | 6.4 |
| 2002 | 458 | 4.6 | 0.22 | 4.2 | 5.1 | 60 | 4.5 | 0.59 | 3.4 | 5.8 |
| 2003 | 456 | 4.6 | 0.21 | 4.1 | 5.0 | 87 | 6.0 | 0.66 | 4.8 | 7.4 |
| 2004 | 444 | 4.4 | 0.21 | 4.0 | 4.9 | 67 | 4.6 | 0.57 | 3.5 | 5.8 |
| 2005 | 462 | 4.5 | 0.21 | 4.1 | 4.9 | 61 | 4.0 | 0.53 | 3.1 | 5.2 |
| 2006 | 431 | 4.3 | 0.21 | 3.9 | 4.7 | 66 | 4.2 | 0.52 | 3.2 | 5.3 |
| 2007 | 441 | 4.3 | 0.20 | 3.9 | 4.7 | 69 | 4.6 | 0.57 | 3.6 | 5.8 |
| 2008 | 488 | 4.7 | 0.21 | 4.3 | 5.1 | 64 | 4.0 | 0.52 | 3.1 | 5.2 |
| 2009 | 446 | 4.2 | 0.20 | 3.8 | 4.6 | 62 | 3.9 | 0.51 | 3.0 | 5.1 |
| 2010 | 445 | 4.2 | 0.20 | 3.8 | 4.6 | 76 | 4.7 | 0.55 | 3.7 | 5.9 |
| 2011 | 480 | 4.4 | 0.21 | 4.1 | 4.9 | 41 | 2.6 | 0.41 | 1.8 | 3.5 |
| 2012 | 485 | 4.4 | 0.20 | 4.0 | 4.8 | 62 | 3.7 | 0.48 | 2.8 | 4.7 |
| 2013 | 494 | 4.4 | 0.20 | 4.0 | 4.8 | 81 | 4.8 | 0.55 | 3.8 | 6.0 |
| 2014 | 482 | 4.2 | 0.20 | 3.9 | 4.6 | 81 | 4.7 | 0.53 | 3.7 | 5.8 |
| 2015 | 492 | 4.3 | 0.20 | 3.9 | 4.7 | 84 | 4.6 | 0.51 | 3.6 | 5.7 |
| 2016 | 452 | 3.9 | 0.19 | 3.6 | 4.3 | 74 | 4.1 | 0.49 | 3.2 | 5.2 |
| 2017 | 415 | 3.6 | 0.18 | 3.2 | 4.0 | 83 | 4.6 | 0.51 | 3.7 | 5.7 |
| 2018 | 439 | 3.7 | 0.18 | 3.4 | 4.1 | 63 | 3.5 | 0.44 | 2.7 | 4.5 |
| 2019 | 448 | 3.8 | 0.19 | 3.5 | 4.2 | 48 | 2.6 | 0.38 | 1.9 | 3.4 |
| 2020 | 472 | 4.0 | 0.19 | 3.6 | 4.4 | 59 | 3.0 | 0.40 | 2.3 | 3.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Kidney and Renal Pelvis | | | | | | | | | | |
|-------------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 467 | 4.2 | 0.22 | 3.8 | 4.6 | 10,071 | 6.3 | 0.06 | 6.1 | 6.4 |
| 1990 | * | * | * | * | * | 286 | 6.7 | 0.40 | 5.9 | 7.5 |
| 1991 | * | * | * | * | * | 289 | 6.7 | 0.40 | 5.9 | 7.5 |
| 1992 | * | * | * | * | * | 283 | 6.4 | 0.39 | 5.6 | 7.2 |
| 1993 | * | * | * | * | * | 307 | 6.8 | 0.40 | 6.1 | 7.6 |
| 1994 | 11 | 7.2 | 2.64 | 3.0 | 13.8 | 335 | 7.4 | 0.41 | 6.6 | 8.3 |
| 1995 | 12 | 4.5 | 1.42 | 2.1 | 8.3 | 290 | 6.4 | 0.38 | 5.6 | 7.2 |
| 1996 | * | * | * | * | * | 309 | 6.8 | 0.39 | 6.0 | 7.6 |
| 1997 | * | * | * | * | * | 291 | 6.3 | 0.37 | 5.6 | 7.1 |
| 1998 | 17 | 8.9 | 2.73 | 4.4 | 15.5 | 317 | 6.8 | 0.39 | 6.1 | 7.7 |
| 1999 | * | * | * | * | * | 290 | 6.2 | 0.37 | 5.5 | 6.9 |
| 2000 | 12 | 6.3 | 2.30 | 2.6 | 11.9 | 331 | 7.0 | 0.39 | 6.3 | 7.8 |
| 2001 | 14 | 4.9 | 1.56 | 2.4 | 8.8 | 322 | 6.7 | 0.38 | 6.0 | 7.5 |
| 2002 | 10 | 3.7 | 1.34 | 1.5 | 7.1 | 320 | 6.5 | 0.37 | 5.8 | 7.3 |
| 2003 | 12 | 3.6 | 1.23 | 1.6 | 6.8 | 348 | 7.0 | 0.38 | 6.3 | 7.8 |
| 2004 | 14 | 3.9 | 1.17 | 1.9 | 6.9 | 312 | 6.3 | 0.36 | 5.6 | 7.0 |
| 2005 | 21 | 7.2 | 1.89 | 4.0 | 11.6 | 344 | 6.8 | 0.37 | 6.1 | 7.6 |
| 2006 | 17 | 4.3 | 1.17 | 2.3 | 7.2 | 323 | 6.3 | 0.35 | 5.6 | 7.0 |
| 2007 | 13 | 3.9 | 1.23 | 1.9 | 7.0 | 311 | 5.9 | 0.34 | 5.2 | 6.6 |
| 2008 | 12 | 4.2 | 1.36 | 2.0 | 7.5 | 328 | 6.3 | 0.35 | 5.6 | 7.0 |
| 2009 | 19 | 4.9 | 1.28 | 2.7 | 7.9 | 331 | 6.1 | 0.34 | 5.5 | 6.8 |
| 2010 | 12 | 2.6 | 0.89 | 1.2 | 4.8 | 307 | 5.6 | 0.33 | 5.0 | 6.3 |
| 2011 | 19 | 4.7 | 1.29 | 2.5 | 7.7 | 352 | 6.4 | 0.35 | 5.8 | 7.1 |
| 2012 | 15 | 3.1 | 0.90 | 1.6 | 5.3 | 343 | 6.0 | 0.33 | 5.4 | 6.7 |
| 2013 | 22 | 4.9 | 1.19 | 2.9 | 7.7 | 372 | 6.5 | 0.34 | 5.8 | 7.2 |
| 2014 | 19 | 4.0 | 1.03 | 2.3 | 6.5 | 342 | 5.8 | 0.32 | 5.2 | 6.5 |
| 2015 | 22 | 3.5 | 0.84 | 2.1 | 5.5 | 396 | 6.5 | 0.33 | 5.9 | 7.2 |
| 2016 | 22 | 4.3 | 1.01 | 2.5 | 6.6 | 340 | 5.6 | 0.31 | 5.0 | 6.3 |
| 2017 | 29 | 4.2 | 0.85 | 2.7 | 6.2 | 339 | 5.5 | 0.31 | 4.9 | 6.2 |
| 2018 | 23 | 3.1 | 0.71 | 1.9 | 4.8 | 312 | 5.0 | 0.29 | 4.5 | 5.6 |
| 2019 | 25 | 3.7 | 0.83 | 2.3 | 5.7 | 329 | 5.2 | 0.30 | 4.7 | 5.9 |
| 2020 | 35 | 4.6 | 0.85 | 3.1 | 6.6 | 372 | 5.8 | 0.31 | 5.2 | 6.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Kidney and Renal Pelvis | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 8,693 | 6.4 | 0.07 | 6.2 | 6.5 | 1,245 | 6.6 | 0.20 | 6.2 | 6.9 |
| 1990 | 257 | 6.8 | 0.43 | 6.0 | 7.7 | 28 | 6.2 | 1.25 | 4.0 | 9.1 |
| 1991 | 258 | 6.8 | 0.43 | 6.0 | 7.7 | 31 | 5.8 | 1.08 | 3.9 | 8.3 |
| 1992 | 252 | 6.5 | 0.42 | 5.7 | 7.4 | 31 | 5.7 | 1.04 | 3.8 | 8.1 |
| 1993 | 272 | 7.0 | 0.43 | 6.1 | 7.8 | 33 | 6.5 | 1.19 | 4.4 | 9.2 |
| 1994 | 292 | 7.5 | 0.44 | 6.6 | 8.4 | 40 | 7.7 | 1.28 | 5.4 | 10.6 |
| 1995 | 248 | 6.2 | 0.40 | 5.5 | 7.1 | 41 | 8.3 | 1.38 | 5.8 | 11.4 |
| 1996 | 268 | 6.7 | 0.42 | 5.9 | 7.6 | 37 | 6.8 | 1.18 | 4.7 | 9.5 |
| 1997 | 245 | 6.1 | 0.40 | 5.4 | 7.0 | 44 | 7.9 | 1.28 | 5.6 | 10.8 |
| 1998 | 277 | 6.9 | 0.42 | 6.1 | 7.8 | 36 | 6.1 | 1.08 | 4.2 | 8.6 |
| 1999 | 245 | 6.0 | 0.39 | 5.3 | 6.9 | 44 | 7.9 | 1.26 | 5.6 | 10.7 |
| 2000 | 285 | 7.0 | 0.42 | 6.2 | 7.9 | 44 | 8.0 | 1.27 | 5.7 | 10.8 |
| 2001 | 281 | 6.8 | 0.41 | 6.0 | 7.7 | 39 | 6.4 | 1.07 | 4.5 | 8.8 |
| 2002 | 280 | 6.7 | 0.40 | 5.9 | 7.5 | 33 | 6.3 | 1.19 | 4.2 | 9.0 |
| 2003 | 291 | 6.9 | 0.41 | 6.1 | 7.7 | 54 | 9.0 | 1.29 | 6.6 | 11.8 |
| 2004 | 271 | 6.3 | 0.39 | 5.6 | 7.1 | 39 | 7.1 | 1.22 | 4.9 | 9.8 |
| 2005 | 296 | 6.9 | 0.40 | 6.1 | 7.7 | 45 | 7.6 | 1.22 | 5.4 | 10.4 |
| 2006 | 276 | 6.4 | 0.39 | 5.6 | 7.2 | 44 | 6.6 | 1.08 | 4.7 | 9.1 |
| 2007 | 268 | 6.0 | 0.37 | 5.3 | 6.7 | 36 | 6.3 | 1.12 | 4.3 | 8.8 |
| 2008 | 285 | 6.4 | 0.39 | 5.7 | 7.2 | 39 | 5.9 | 1.00 | 4.1 | 8.2 |
| 2009 | 285 | 6.2 | 0.37 | 5.5 | 7.0 | 37 | 5.8 | 1.00 | 4.0 | 8.0 |
| 2010 | 258 | 5.6 | 0.35 | 4.9 | 6.3 | 44 | 6.7 | 1.07 | 4.8 | 9.2 |
| 2011 | 322 | 6.9 | 0.39 | 6.2 | 7.8 | 26 | 4.1 | 0.85 | 2.6 | 6.1 |
| 2012 | 303 | 6.3 | 0.37 | 5.6 | 7.1 | 37 | 5.6 | 0.99 | 3.9 | 7.9 |
| 2013 | 316 | 6.5 | 0.37 | 5.8 | 7.3 | 48 | 7.0 | 1.06 | 5.1 | 9.4 |
| 2014 | 278 | 5.6 | 0.34 | 5.0 | 6.3 | 58 | 8.5 | 1.18 | 6.4 | 11.1 |
| 2015 | 335 | 6.6 | 0.37 | 5.9 | 7.4 | 57 | 7.7 | 1.06 | 5.7 | 10.0 |
| 2016 | 281 | 5.6 | 0.34 | 4.9 | 6.3 | 49 | 6.7 | 1.00 | 4.8 | 8.9 |
| 2017 | 284 | 5.5 | 0.34 | 4.9 | 6.2 | 50 | 7.0 | 1.02 | 5.1 | 9.3 |
| 2018 | 266 | 5.2 | 0.32 | 4.6 | 5.9 | 37 | 4.9 | 0.84 | 3.4 | 6.9 |
| 2019 | 287 | 5.5 | 0.33 | 4.9 | 6.2 | 31 | 4.3 | 0.80 | 2.9 | 6.1 |
| 2020 | 331 | 6.3 | 0.35 | 5.6 | 7.0 | 33 | 4.0 | 0.72 | 2.7 | 5.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Kidney and Renal Pelvis | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 247 | 2.0 | 0.14 | 1.8 | 2.3 | 6,244 | 2.8 | 0.04 | 2.8 | 2.9 |
| 1990 | * | * | * | * | * | 198 | 3.3 | 0.23 | 2.8 | 3.7 |
| 1991 | * | * | * | * | * | 197 | 3.1 | 0.23 | 2.7 | 3.6 |
| 1992 | * | * | * | * | * | 198 | 3.1 | 0.22 | 2.7 | 3.6 |
| 1993 | * | * | * | * | * | 212 | 3.3 | 0.23 | 2.9 | 3.8 |
| 1994 | * | * | * | * | * | 217 | 3.4 | 0.23 | 2.9 | 3.8 |
| 1995 | * | * | * | * | * | 222 | 3.5 | 0.24 | 3.0 | 4.0 |
| 1996 | * | * | * | * | * | 177 | 2.7 | 0.20 | 2.3 | 3.1 |
| 1997 | * | * | * | * | * | 207 | 3.1 | 0.22 | 2.7 | 3.6 |
| 1998 | * | * | * | * | * | 213 | 3.2 | 0.22 | 2.8 | 3.7 |
| 1999 | * | * | * | * | * | 189 | 2.8 | 0.21 | 2.4 | 3.3 |
| 2000 | * | * | * | * | * | 226 | 3.4 | 0.23 | 2.9 | 3.8 |
| 2001 | * | * | * | * | * | 227 | 3.4 | 0.22 | 2.9 | 3.8 |
| 2002 | * | * | * | * | * | 206 | 3.0 | 0.21 | 2.6 | 3.5 |
| 2003 | * | * | * | * | * | 200 | 2.9 | 0.21 | 2.5 | 3.3 |
| 2004 | * | * | * | * | * | 202 | 3.0 | 0.21 | 2.6 | 3.4 |
| 2005 | * | * | * | * | * | 184 | 2.6 | 0.20 | 2.3 | 3.1 |
| 2006 | * | * | * | * | * | 184 | 2.6 | 0.20 | 2.3 | 3.1 |
| 2007 | 12 | 3.3 | 1.00 | 1.6 | 5.7 | 207 | 2.9 | 0.21 | 2.5 | 3.4 |
| 2008 | 10 | 2.2 | 0.75 | 1.0 | 4.1 | 231 | 3.2 | 0.21 | 2.8 | 3.7 |
| 2009 | * | * | * | * | * | 187 | 2.6 | 0.19 | 2.2 | 3.0 |
| 2010 | * | * | * | * | * | 221 | 3.0 | 0.21 | 2.6 | 3.5 |
| 2011 | 11 | 1.9 | 0.60 | 0.9 | 3.5 | 174 | 2.3 | 0.18 | 2.0 | 2.7 |
| 2012 | 14 | 2.5 | 0.72 | 1.3 | 4.3 | 210 | 2.8 | 0.20 | 2.4 | 3.2 |
| 2013 | 17 | 3.2 | 0.82 | 1.8 | 5.1 | 214 | 2.8 | 0.19 | 2.4 | 3.2 |
| 2014 | 10 | 2.0 | 0.65 | 0.9 | 3.6 | 231 | 2.9 | 0.19 | 2.5 | 3.3 |
| 2015 | 16 | 2.9 | 0.76 | 1.6 | 4.7 | 186 | 2.4 | 0.18 | 2.1 | 2.8 |
| 2016 | 14 | 2.4 | 0.66 | 1.2 | 4.0 | 201 | 2.5 | 0.18 | 2.2 | 2.9 |
| 2017 | 13 | 2.1 | 0.61 | 1.1 | 3.6 | 167 | 2.1 | 0.17 | 1.8 | 2.5 |
| 2018 | 12 | 1.9 | 0.57 | 1.0 | 3.3 | 205 | 2.5 | 0.18 | 2.2 | 2.9 |
| 2019 | 14 | 1.9 | 0.52 | 1.0 | 3.2 | 179 | 2.2 | 0.17 | 1.9 | 2.5 |
| 2020 | * | * | * | * | * | 172 | 2.1 | 0.16 | 1.8 | 2.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Kidney and Renal Pelvis | | | | | | | | | | |
|-------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 5,387 | 2.9 | 0.04 | 2.8 | 3.0 | 787 | 2.9 | 0.10 | 2.7 | 3.1 |
| 1990 | 173 | 3.2 | 0.25 | 2.7 | 3.7 | 25 | 3.9 | 0.78 | 2.5 | 5.7 |
| 1991 | 177 | 3.2 | 0.25 | 2.8 | 3.8 | 18 | 2.8 | 0.66 | 1.6 | 4.4 |
| 1992 | 181 | 3.2 | 0.24 | 2.8 | 3.7 | 17 | 2.6 | 0.63 | 1.5 | 4.1 |
| 1993 | 187 | 3.3 | 0.25 | 2.9 | 3.9 | 25 | 3.4 | 0.69 | 2.2 | 5.0 |
| 1994 | 185 | 3.2 | 0.24 | 2.8 | 3.8 | 30 | 4.1 | 0.75 | 2.7 | 5.8 |
| 1995 | 199 | 3.6 | 0.26 | 3.1 | 4.2 | 23 | 3.3 | 0.68 | 2.1 | 4.9 |
| 1996 | 152 | 2.6 | 0.22 | 2.2 | 3.1 | 25 | 3.2 | 0.66 | 2.1 | 4.8 |
| 1997 | 173 | 3.1 | 0.24 | 2.6 | 3.6 | 33 | 4.4 | 0.77 | 3.0 | 6.1 |
| 1998 | 186 | 3.2 | 0.24 | 2.8 | 3.7 | 21 | 2.7 | 0.60 | 1.7 | 4.2 |
| 1999 | 170 | 3.0 | 0.23 | 2.5 | 3.5 | 18 | 2.3 | 0.54 | 1.4 | 3.6 |
| 2000 | 195 | 3.4 | 0.25 | 2.9 | 3.9 | 29 | 3.6 | 0.67 | 2.4 | 5.1 |
| 2001 | 192 | 3.3 | 0.24 | 2.9 | 3.8 | 32 | 4.0 | 0.70 | 2.7 | 5.6 |
| 2002 | 178 | 3.0 | 0.23 | 2.6 | 3.5 | 27 | 3.4 | 0.65 | 2.2 | 4.9 |
| 2003 | 165 | 2.8 | 0.22 | 2.4 | 3.3 | 33 | 3.9 | 0.68 | 2.7 | 5.5 |
| 2004 | 173 | 3.0 | 0.23 | 2.5 | 3.5 | 28 | 3.2 | 0.61 | 2.1 | 4.6 |
| 2005 | 166 | 2.8 | 0.22 | 2.4 | 3.3 | 16 | 1.8 | 0.45 | 1.0 | 2.9 |
| 2006 | 155 | 2.6 | 0.22 | 2.2 | 3.1 | 22 | 2.5 | 0.53 | 1.5 | 3.7 |
| 2007 | 173 | 2.9 | 0.22 | 2.4 | 3.3 | 33 | 3.7 | 0.64 | 2.5 | 5.1 |
| 2008 | 203 | 3.4 | 0.24 | 2.9 | 3.9 | 25 | 2.7 | 0.54 | 1.7 | 4.0 |
| 2009 | 161 | 2.6 | 0.21 | 2.2 | 3.1 | 25 | 2.7 | 0.55 | 1.8 | 4.0 |
| 2010 | 187 | 3.1 | 0.23 | 2.7 | 3.6 | 32 | 3.3 | 0.59 | 2.2 | 4.7 |
| 2011 | 158 | 2.5 | 0.21 | 2.1 | 3.0 | 15 | 1.6 | 0.41 | 0.9 | 2.6 |
| 2012 | 182 | 2.9 | 0.22 | 2.5 | 3.4 | 25 | 2.5 | 0.51 | 1.6 | 3.7 |
| 2013 | 178 | 2.7 | 0.21 | 2.3 | 3.2 | 33 | 3.4 | 0.60 | 2.3 | 4.8 |
| 2014 | 204 | 3.1 | 0.22 | 2.7 | 3.6 | 23 | 2.2 | 0.46 | 1.4 | 3.3 |
| 2015 | 157 | 2.4 | 0.20 | 2.1 | 2.9 | 27 | 2.5 | 0.50 | 1.7 | 3.7 |
| 2016 | 171 | 2.6 | 0.20 | 2.2 | 3.0 | 25 | 2.4 | 0.49 | 1.6 | 3.6 |
| 2017 | 131 | 2.0 | 0.18 | 1.7 | 2.4 | 33 | 3.2 | 0.56 | 2.2 | 4.5 |
| 2018 | 173 | 2.5 | 0.20 | 2.2 | 3.0 | 26 | 2.5 | 0.49 | 1.6 | 3.7 |
| 2019 | 161 | 2.4 | 0.20 | 2.1 | 2.9 | 17 | 1.5 | 0.37 | 0.9 | 2.4 |
| 2020 | 141 | 2.1 | 0.18 | 1.7 | 2.5 | 26 | 2.2 | 0.44 | 1.4 | 3.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Brain and Other Nervous System | | | | | | | | | | |
|--------------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 779 | 2.6 | 0.11 | 2.4 | 2.9 | 15,926 | 4.3 | 0.03 | 4.2 | 4.4 |
| 1990 | * | * | * | * | * | 498 | 4.7 | 0.21 | 4.3 | 5.2 |
| 1991 | 11 | 1.6 | 0.53 | 0.7 | 3.2 | 478 | 4.5 | 0.21 | 4.1 | 4.9 |
| 1992 | 13 | 2.0 | 0.60 | 1.0 | 3.7 | 524 | 4.8 | 0.21 | 4.4 | 5.3 |
| 1993 | 12 | 2.4 | 0.82 | 1.1 | 4.6 | 519 | 4.8 | 0.21 | 4.4 | 5.2 |
| 1994 | 13 | 1.5 | 0.58 | 0.6 | 3.2 | 506 | 4.6 | 0.21 | 4.2 | 5.1 |
| 1995 | 14 | 1.6 | 0.46 | 0.8 | 2.9 | 465 | 4.3 | 0.20 | 3.9 | 4.7 |
| 1996 | 16 | 2.3 | 0.68 | 1.2 | 4.1 | 455 | 4.1 | 0.19 | 3.8 | 4.5 |
| 1997 | 10 | 1.8 | 0.71 | 0.7 | 3.6 | 495 | 4.5 | 0.20 | 4.1 | 4.9 |
| 1998 | 16 | 2.3 | 0.66 | 1.2 | 4.0 | 459 | 4.1 | 0.19 | 3.7 | 4.5 |
| 1999 | 20 | 2.7 | 0.77 | 1.4 | 4.6 | 507 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2000 | 23 | 3.0 | 0.76 | 1.7 | 4.9 | 479 | 4.2 | 0.19 | 3.9 | 4.6 |
| 2001 | 20 | 3.5 | 0.90 | 1.9 | 5.6 | 533 | 4.7 | 0.20 | 4.3 | 5.1 |
| 2002 | 20 | 2.2 | 0.66 | 1.1 | 3.8 | 447 | 3.9 | 0.19 | 3.6 | 4.3 |
| 2003 | 24 | 2.6 | 0.63 | 1.5 | 4.1 | 477 | 4.1 | 0.19 | 3.8 | 4.5 |
| 2004 | 17 | 1.9 | 0.55 | 0.9 | 3.2 | 494 | 4.2 | 0.19 | 3.9 | 4.6 |
| 2005 | 15 | 1.9 | 0.59 | 0.9 | 3.3 | 430 | 3.7 | 0.18 | 3.4 | 4.1 |
| 2006 | 20 | 2.1 | 0.59 | 1.1 | 3.6 | 490 | 4.2 | 0.19 | 3.8 | 4.6 |
| 2007 | 26 | 3.2 | 0.72 | 2.0 | 4.9 | 471 | 3.9 | 0.18 | 3.6 | 4.3 |
| 2008 | 22 | 2.2 | 0.57 | 1.2 | 3.6 | 479 | 3.9 | 0.18 | 3.6 | 4.3 |
| 2009 | 22 | 2.1 | 0.54 | 1.2 | 3.4 | 548 | 4.5 | 0.20 | 4.1 | 4.9 |
| 2010 | 28 | 2.8 | 0.60 | 1.7 | 4.2 | 517 | 4.2 | 0.19 | 3.8 | 4.6 |
| 2011 | 34 | 3.0 | 0.60 | 2.0 | 4.4 | 516 | 4.1 | 0.18 | 3.7 | 4.5 |
| 2012 | 38 | 3.1 | 0.58 | 2.1 | 4.4 | 556 | 4.3 | 0.19 | 4.0 | 4.7 |
| 2013 | 33 | 2.5 | 0.51 | 1.6 | 3.7 | 550 | 4.3 | 0.19 | 3.9 | 4.7 |
| 2014 | 29 | 2.2 | 0.44 | 1.4 | 3.2 | 583 | 4.4 | 0.19 | 4.1 | 4.8 |
| 2015 | 31 | 2.3 | 0.46 | 1.5 | 3.3 | 574 | 4.4 | 0.19 | 4.1 | 4.8 |
| 2016 | 56 | 4.2 | 0.62 | 3.1 | 5.6 | 570 | 4.4 | 0.19 | 4.0 | 4.8 |
| 2017 | 45 | 3.2 | 0.52 | 2.3 | 4.4 | 566 | 4.2 | 0.18 | 3.9 | 4.6 |
| 2018 | 51 | 3.2 | 0.47 | 2.3 | 4.2 | 557 | 4.1 | 0.18 | 3.8 | 4.5 |
| 2019 | 48 | 3.0 | 0.46 | 2.2 | 4.1 | 568 | 4.2 | 0.18 | 3.9 | 4.6 |
| 2020 | 45 | 2.8 | 0.45 | 2.0 | 3.8 | 615 | 4.5 | 0.19 | 4.1 | 4.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Brain and Other Nervous System | | | | | | | | | | |
|--------------------------------|--------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 14,366 | 4.7 | 0.04 | 4.6 | 4.8 | 1,294 | 2.6 | 0.07 | 2.5 | 2.8 |
| 1990 | 460 | 5.0 | 0.24 | 4.6 | 5.5 | 35 | 2.7 | 0.49 | 1.9 | 3.8 |
| 1991 | 435 | 4.8 | 0.23 | 4.3 | 5.2 | 37 | 2.8 | 0.47 | 1.9 | 3.9 |
| 1992 | 476 | 5.1 | 0.24 | 4.7 | 5.6 | 47 | 3.3 | 0.50 | 2.4 | 4.5 |
| 1993 | 478 | 5.2 | 0.24 | 4.7 | 5.7 | 37 | 2.6 | 0.45 | 1.8 | 3.7 |
| 1994 | 465 | 5.0 | 0.23 | 4.6 | 5.5 | 41 | 3.0 | 0.48 | 2.1 | 4.0 |
| 1995 | 419 | 4.5 | 0.22 | 4.1 | 5.0 | 42 | 3.2 | 0.51 | 2.3 | 4.3 |
| 1996 | 422 | 4.6 | 0.22 | 4.1 | 5.0 | 29 | 2.0 | 0.38 | 1.3 | 2.9 |
| 1997 | 466 | 5.0 | 0.23 | 4.6 | 5.5 | 28 | 2.0 | 0.39 | 1.3 | 2.9 |
| 1998 | 422 | 4.5 | 0.22 | 4.1 | 4.9 | 33 | 2.2 | 0.39 | 1.5 | 3.1 |
| 1999 | 473 | 5.0 | 0.23 | 4.6 | 5.5 | 32 | 2.1 | 0.39 | 1.4 | 3.0 |
| 2000 | 435 | 4.6 | 0.22 | 4.2 | 5.1 | 34 | 2.3 | 0.41 | 1.6 | 3.3 |
| 2001 | 478 | 5.1 | 0.23 | 4.6 | 5.5 | 49 | 3.5 | 0.51 | 2.6 | 4.6 |
| 2002 | 401 | 4.2 | 0.21 | 3.8 | 4.7 | 39 | 2.5 | 0.41 | 1.8 | 3.4 |
| 2003 | 440 | 4.6 | 0.22 | 4.2 | 5.1 | 27 | 1.8 | 0.35 | 1.1 | 2.6 |
| 2004 | 450 | 4.7 | 0.22 | 4.2 | 5.1 | 34 | 2.4 | 0.42 | 1.6 | 3.3 |
| 2005 | 386 | 4.0 | 0.21 | 3.6 | 4.5 | 36 | 2.4 | 0.41 | 1.7 | 3.3 |
| 2006 | 449 | 4.7 | 0.22 | 4.3 | 5.2 | 37 | 2.3 | 0.39 | 1.6 | 3.2 |
| 2007 | 423 | 4.3 | 0.21 | 3.9 | 4.8 | 39 | 2.4 | 0.39 | 1.7 | 3.2 |
| 2008 | 436 | 4.4 | 0.21 | 3.9 | 4.8 | 35 | 1.9 | 0.33 | 1.3 | 2.7 |
| 2009 | 490 | 4.9 | 0.23 | 4.5 | 5.4 | 50 | 3.0 | 0.43 | 2.2 | 4.0 |
| 2010 | 460 | 4.6 | 0.22 | 4.2 | 5.0 | 47 | 2.6 | 0.40 | 1.9 | 3.5 |
| 2011 | 458 | 4.5 | 0.21 | 4.1 | 4.9 | 45 | 2.4 | 0.37 | 1.8 | 3.3 |
| 2012 | 496 | 4.8 | 0.22 | 4.3 | 5.2 | 41 | 2.4 | 0.38 | 1.7 | 3.3 |
| 2013 | 492 | 4.8 | 0.22 | 4.3 | 5.2 | 42 | 2.3 | 0.36 | 1.6 | 3.1 |
| 2014 | 516 | 4.9 | 0.22 | 4.5 | 5.4 | 58 | 3.2 | 0.43 | 2.4 | 4.2 |
| 2015 | 507 | 4.9 | 0.22 | 4.4 | 5.3 | 44 | 2.3 | 0.36 | 1.7 | 3.2 |
| 2016 | 502 | 4.8 | 0.23 | 4.4 | 5.3 | 53 | 2.8 | 0.39 | 2.1 | 3.7 |
| 2017 | 507 | 4.7 | 0.22 | 4.3 | 5.1 | 49 | 2.5 | 0.37 | 1.9 | 3.4 |
| 2018 | 488 | 4.5 | 0.21 | 4.1 | 5.0 | 51 | 2.7 | 0.38 | 2.0 | 3.5 |
| 2019 | 486 | 4.5 | 0.21 | 4.1 | 4.9 | 71 | 3.8 | 0.46 | 3.0 | 4.8 |
| 2020 | 550 | 5.1 | 0.23 | 4.6 | 5.5 | 52 | 2.7 | 0.38 | 2.0 | 3.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Brain and Other Nervous System | | | | | | | | | | |
|--------------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 476 | 3.4 | 0.19 | 3.0 | 3.8 | 8,756 | 5.3 | 0.06 | 5.2 | 5.4 |
| 1990 | * | * | * | * | * | 273 | 5.7 | 0.36 | 5.1 | 6.5 |
| 1991 | * | * | * | * | * | 260 | 5.6 | 0.36 | 4.9 | 6.3 |
| 1992 | * | * | * | * | * | 292 | 6.1 | 0.37 | 5.4 | 6.9 |
| 1993 | * | * | * | * | * | 278 | 5.9 | 0.36 | 5.2 | 6.7 |
| 1994 | * | * | * | * | * | 263 | 5.5 | 0.35 | 4.9 | 6.3 |
| 1995 | * | * | * | * | * | 259 | 5.4 | 0.34 | 4.8 | 6.1 |
| 1996 | 11 | 2.5 | 0.89 | 1.1 | 5.3 | 250 | 5.1 | 0.33 | 4.5 | 5.8 |
| 1997 | * | * | * | * | * | 293 | 6.0 | 0.35 | 5.3 | 6.7 |
| 1998 | 12 | 3.3 | 1.17 | 1.4 | 6.6 | 250 | 5.1 | 0.33 | 4.5 | 5.8 |
| 1999 | 12 | 3.5 | 1.46 | 1.3 | 7.4 | 279 | 5.7 | 0.34 | 5.0 | 6.4 |
| 2000 | 14 | 3.3 | 1.12 | 1.5 | 6.4 | 251 | 5.0 | 0.32 | 4.4 | 5.7 |
| 2001 | 13 | 5.4 | 1.82 | 2.4 | 9.9 | 296 | 5.9 | 0.35 | 5.3 | 6.6 |
| 2002 | 13 | 3.9 | 1.59 | 1.5 | 8.0 | 250 | 4.9 | 0.31 | 4.3 | 5.5 |
| 2003 | 12 | 2.3 | 0.82 | 1.0 | 4.6 | 225 | 4.4 | 0.29 | 3.8 | 5.0 |
| 2004 | 10 | 2.0 | 0.81 | 0.8 | 4.3 | 267 | 5.2 | 0.32 | 4.6 | 5.9 |
| 2005 | 13 | 2.7 | 0.92 | 1.2 | 5.1 | 227 | 4.4 | 0.30 | 3.9 | 5.0 |
| 2006 | 11 | 2.4 | 0.93 | 1.0 | 4.9 | 280 | 5.3 | 0.32 | 4.7 | 6.0 |
| 2007 | 19 | 5.8 | 1.53 | 3.2 | 9.4 | 239 | 4.4 | 0.29 | 3.9 | 5.0 |
| 2008 | 15 | 2.7 | 0.90 | 1.2 | 5.0 | 269 | 5.0 | 0.31 | 4.4 | 5.6 |
| 2009 | 13 | 2.5 | 0.82 | 1.1 | 4.6 | 301 | 5.4 | 0.32 | 4.8 | 6.1 |
| 2010 | 19 | 4.0 | 1.08 | 2.1 | 6.6 | 285 | 5.2 | 0.31 | 4.6 | 5.8 |
| 2011 | 19 | 4.0 | 1.10 | 2.1 | 6.6 | 280 | 5.0 | 0.30 | 4.4 | 5.6 |
| 2012 | 24 | 3.8 | 0.91 | 2.2 | 6.0 | 323 | 5.5 | 0.31 | 4.9 | 6.2 |
| 2013 | 20 | 3.0 | 0.82 | 1.6 | 5.0 | 308 | 5.4 | 0.31 | 4.8 | 6.0 |
| 2014 | 21 | 3.3 | 0.82 | 1.9 | 5.3 | 319 | 5.3 | 0.31 | 4.7 | 6.0 |
| 2015 | 19 | 2.8 | 0.73 | 1.5 | 4.5 | 325 | 5.5 | 0.31 | 4.9 | 6.2 |
| 2016 | 27 | 5.0 | 1.09 | 3.1 | 7.5 | 308 | 5.2 | 0.31 | 4.6 | 5.9 |
| 2017 | 32 | 5.0 | 0.99 | 3.3 | 7.3 | 312 | 5.2 | 0.30 | 4.6 | 5.8 |
| 2018 | 28 | 3.2 | 0.63 | 2.1 | 4.7 | 312 | 5.1 | 0.30 | 4.5 | 5.7 |
| 2019 | 31 | 4.0 | 0.77 | 2.6 | 5.8 | 341 | 5.6 | 0.32 | 5.0 | 6.3 |
| 2020 | 24 | 2.9 | 0.66 | 1.8 | 4.5 | 341 | 5.5 | 0.31 | 4.9 | 6.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Brain and Other Nervous System | | | | | | | | | | |
|--------------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 7,921 | 5.8 | 0.07 | 5.6 | 5.9 | 687 | 3.2 | 0.13 | 3.0 | 3.5 |
| 1990 | 255 | 6.2 | 0.40 | 5.4 | 7.0 | 16 | 2.5 | 0.67 | 1.3 | 4.2 |
| 1991 | 239 | 6.0 | 0.39 | 5.2 | 6.8 | 20 | 3.5 | 0.84 | 2.1 | 5.6 |
| 1992 | 266 | 6.5 | 0.40 | 5.7 | 7.3 | 26 | 4.5 | 0.97 | 2.8 | 6.8 |
| 1993 | 254 | 6.3 | 0.40 | 5.6 | 7.2 | 22 | 3.7 | 0.83 | 2.3 | 5.7 |
| 1994 | 240 | 5.9 | 0.38 | 5.2 | 6.7 | 23 | 3.8 | 0.86 | 2.3 | 5.9 |
| 1995 | 232 | 5.7 | 0.38 | 5.0 | 6.5 | 23 | 4.1 | 0.95 | 2.5 | 6.4 |
| 1996 | 242 | 5.8 | 0.38 | 5.1 | 6.6 | * | * | * | * | * |
| 1997 | 278 | 6.7 | 0.40 | 5.9 | 7.5 | 14 | 2.4 | 0.67 | 1.3 | 4.1 |
| 1998 | 227 | 5.5 | 0.36 | 4.8 | 6.2 | 20 | 2.9 | 0.68 | 1.7 | 4.6 |
| 1999 | 260 | 6.3 | 0.39 | 5.5 | 7.1 | 17 | 2.3 | 0.59 | 1.3 | 3.8 |
| 2000 | 232 | 5.5 | 0.36 | 4.8 | 6.2 | 15 | 2.5 | 0.70 | 1.3 | 4.2 |
| 2001 | 269 | 6.4 | 0.39 | 5.6 | 7.2 | 25 | 4.2 | 0.90 | 2.7 | 6.3 |
| 2002 | 226 | 5.3 | 0.35 | 4.6 | 6.0 | 19 | 3.2 | 0.77 | 1.9 | 5.0 |
| 2003 | 205 | 4.7 | 0.33 | 4.1 | 5.4 | 15 | 2.3 | 0.62 | 1.2 | 3.8 |
| 2004 | 243 | 5.6 | 0.36 | 4.9 | 6.4 | 17 | 2.9 | 0.73 | 1.6 | 4.6 |
| 2005 | 204 | 4.8 | 0.34 | 4.1 | 5.5 | 18 | 3.2 | 0.77 | 1.8 | 5.0 |
| 2006 | 260 | 6.0 | 0.37 | 5.3 | 6.7 | 17 | 2.4 | 0.60 | 1.4 | 3.9 |
| 2007 | 214 | 4.7 | 0.33 | 4.1 | 5.4 | 22 | 3.2 | 0.72 | 1.9 | 4.9 |
| 2008 | 247 | 5.5 | 0.36 | 4.8 | 6.3 | 17 | 2.0 | 0.51 | 1.2 | 3.3 |
| 2009 | 271 | 5.9 | 0.36 | 5.2 | 6.7 | 26 | 3.4 | 0.70 | 2.2 | 5.1 |
| 2010 | 251 | 5.5 | 0.35 | 4.8 | 6.2 | 27 | 3.4 | 0.69 | 2.2 | 5.1 |
| 2011 | 248 | 5.4 | 0.35 | 4.7 | 6.1 | 28 | 3.5 | 0.68 | 2.3 | 5.1 |
| 2012 | 285 | 5.9 | 0.36 | 5.2 | 6.6 | 24 | 3.3 | 0.70 | 2.0 | 4.9 |
| 2013 | 276 | 5.9 | 0.36 | 5.2 | 6.6 | 22 | 2.9 | 0.64 | 1.8 | 4.4 |
| 2014 | 290 | 6.0 | 0.36 | 5.3 | 6.7 | 27 | 3.4 | 0.69 | 2.2 | 5.0 |
| 2015 | 287 | 6.0 | 0.37 | 5.3 | 6.8 | 22 | 2.7 | 0.60 | 1.6 | 4.1 |
| 2016 | 276 | 5.8 | 0.36 | 5.1 | 6.5 | 28 | 3.8 | 0.74 | 2.5 | 5.5 |
| 2017 | 275 | 5.6 | 0.35 | 4.9 | 6.3 | 31 | 3.7 | 0.69 | 2.5 | 5.4 |
| 2018 | 271 | 5.5 | 0.35 | 4.8 | 6.2 | 30 | 3.5 | 0.67 | 2.4 | 5.1 |
| 2019 | 294 | 6.0 | 0.36 | 5.3 | 6.7 | 39 | 4.9 | 0.82 | 3.5 | 6.8 |
| 2020 | 304 | 6.1 | 0.37 | 5.4 | 6.9 | 30 | 3.9 | 0.73 | 2.6 | 5.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Brain and Other Nervous System | | | | | | | | | | |
|--------------------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 303 | 2.0 | 0.13 | 1.8 | 2.3 | 7,170 | 3.5 | 0.04 | 3.4 | 3.6 |
| 1990 | * | * | * | * | * | 225 | 3.9 | 0.26 | 3.4 | 4.4 |
| 1991 | * | * | * | * | * | 218 | 3.6 | 0.25 | 3.1 | 4.1 |
| 1992 | * | * | * | * | * | 232 | 3.8 | 0.25 | 3.3 | 4.3 |
| 1993 | * | * | * | * | * | 241 | 4.0 | 0.26 | 3.5 | 4.5 |
| 1994 | * | * | * | * | * | 243 | 3.9 | 0.25 | 3.5 | 4.5 |
| 1995 | * | * | * | * | * | 206 | 3.3 | 0.23 | 2.9 | 3.8 |
| 1996 | * | * | * | * | * | 205 | 3.3 | 0.24 | 2.9 | 3.8 |
| 1997 | * | * | * | * | * | 202 | 3.2 | 0.23 | 2.8 | 3.7 |
| 1998 | * | * | * | * | * | 209 | 3.4 | 0.23 | 2.9 | 3.9 |
| 1999 | * | * | * | * | * | 228 | 3.6 | 0.24 | 3.1 | 4.1 |
| 2000 | * | * | * | * | * | 228 | 3.6 | 0.24 | 3.2 | 4.1 |
| 2001 | * | * | * | * | * | 237 | 3.8 | 0.25 | 3.3 | 4.3 |
| 2002 | * | * | * | * | * | 197 | 3.1 | 0.22 | 2.7 | 3.6 |
| 2003 | 12 | 2.7 | 0.92 | 1.2 | 5.1 | 252 | 4.0 | 0.25 | 3.5 | 4.5 |
| 2004 | * | * | * | * | * | 227 | 3.6 | 0.24 | 3.1 | 4.1 |
| 2005 | * | * | * | * | * | 203 | 3.1 | 0.22 | 2.7 | 3.6 |
| 2006 | * | * | * | * | * | 210 | 3.3 | 0.23 | 2.9 | 3.8 |
| 2007 | * | * | * | * | * | 232 | 3.5 | 0.24 | 3.1 | 4.0 |
| 2008 | * | * | * | * | * | 210 | 3.1 | 0.22 | 2.7 | 3.6 |
| 2009 | * | * | * | * | * | 247 | 3.7 | 0.24 | 3.3 | 4.3 |
| 2010 | * | * | * | * | * | 232 | 3.5 | 0.23 | 3.0 | 3.9 |
| 2011 | 15 | 2.3 | 0.66 | 1.2 | 4.0 | 236 | 3.4 | 0.23 | 3.0 | 3.9 |
| 2012 | 14 | 2.4 | 0.72 | 1.2 | 4.2 | 233 | 3.4 | 0.23 | 3.0 | 3.9 |
| 2013 | 13 | 2.1 | 0.63 | 1.0 | 3.7 | 242 | 3.4 | 0.23 | 3.0 | 3.9 |
| 2014 | * | * | * | * | * | 264 | 3.6 | 0.23 | 3.2 | 4.1 |
| 2015 | 12 | 1.8 | 0.57 | 0.9 | 3.3 | 249 | 3.5 | 0.23 | 3.1 | 4.0 |
| 2016 | 29 | 3.7 | 0.73 | 2.4 | 5.4 | 262 | 3.7 | 0.24 | 3.2 | 4.2 |
| 2017 | 13 | 1.6 | 0.50 | 0.8 | 2.9 | 254 | 3.4 | 0.22 | 3.0 | 3.9 |
| 2018 | 23 | 3.0 | 0.66 | 1.8 | 4.6 | 245 | 3.3 | 0.22 | 2.9 | 3.8 |
| 2019 | 17 | 2.1 | 0.54 | 1.2 | 3.4 | 227 | 3.1 | 0.21 | 2.7 | 3.5 |
| 2020 | 21 | 2.6 | 0.60 | 1.6 | 4.1 | 274 | 3.6 | 0.23 | 3.2 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Brain and Other Nervous System | | | | | | | | | | |
|--------------------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 6,445 | 3.9 | 0.05 | 3.8 | 4.0 | 607 | 2.1 | 0.09 | 2.0 | 2.3 |
| 1990 | 205 | 4.1 | 0.29 | 3.5 | 4.7 | 19 | 2.7 | 0.64 | 1.6 | 4.3 |
| 1991 | 196 | 3.7 | 0.27 | 3.2 | 4.3 | 17 | 2.2 | 0.55 | 1.3 | 3.6 |
| 1992 | 210 | 3.9 | 0.28 | 3.4 | 4.5 | 21 | 2.6 | 0.57 | 1.6 | 4.0 |
| 1993 | 224 | 4.3 | 0.30 | 3.8 | 5.0 | 15 | 1.9 | 0.49 | 1.0 | 3.1 |
| 1994 | 225 | 4.3 | 0.29 | 3.7 | 4.9 | 18 | 2.3 | 0.55 | 1.4 | 3.7 |
| 1995 | 187 | 3.6 | 0.27 | 3.1 | 4.1 | 19 | 2.5 | 0.58 | 1.5 | 3.9 |
| 1996 | 180 | 3.5 | 0.26 | 3.0 | 4.0 | 22 | 2.7 | 0.58 | 1.7 | 4.1 |
| 1997 | 188 | 3.6 | 0.26 | 3.1 | 4.1 | 14 | 1.7 | 0.47 | 0.9 | 2.9 |
| 1998 | 195 | 3.8 | 0.27 | 3.3 | 4.4 | 13 | 1.6 | 0.44 | 0.8 | 2.7 |
| 1999 | 213 | 4.0 | 0.28 | 3.5 | 4.6 | 15 | 1.9 | 0.49 | 1.0 | 3.1 |
| 2000 | 203 | 3.9 | 0.28 | 3.4 | 4.5 | 19 | 2.2 | 0.51 | 1.3 | 3.5 |
| 2001 | 209 | 4.1 | 0.29 | 3.5 | 4.7 | 24 | 2.9 | 0.60 | 1.9 | 4.3 |
| 2002 | 175 | 3.3 | 0.26 | 2.8 | 3.9 | 20 | 2.2 | 0.49 | 1.3 | 3.3 |
| 2003 | 235 | 4.5 | 0.30 | 3.9 | 5.1 | 12 | 1.4 | 0.40 | 0.7 | 2.4 |
| 2004 | 207 | 4.0 | 0.28 | 3.5 | 4.6 | 17 | 2.0 | 0.49 | 1.2 | 3.2 |
| 2005 | 182 | 3.4 | 0.26 | 2.9 | 4.0 | 18 | 1.9 | 0.46 | 1.1 | 3.1 |
| 2006 | 189 | 3.7 | 0.27 | 3.2 | 4.3 | 20 | 2.2 | 0.49 | 1.3 | 3.4 |
| 2007 | 209 | 3.9 | 0.28 | 3.4 | 4.5 | 17 | 1.8 | 0.44 | 1.0 | 2.9 |
| 2008 | 189 | 3.4 | 0.25 | 2.9 | 3.9 | 18 | 1.8 | 0.43 | 1.1 | 2.9 |
| 2009 | 219 | 4.1 | 0.29 | 3.6 | 4.7 | 24 | 2.6 | 0.53 | 1.7 | 3.9 |
| 2010 | 209 | 3.9 | 0.28 | 3.4 | 4.5 | 20 | 2.0 | 0.45 | 1.2 | 3.1 |
| 2011 | 210 | 3.7 | 0.27 | 3.2 | 4.3 | 17 | 1.6 | 0.39 | 0.9 | 2.6 |
| 2012 | 211 | 3.8 | 0.27 | 3.3 | 4.4 | 17 | 1.8 | 0.44 | 1.0 | 2.9 |
| 2013 | 216 | 3.7 | 0.26 | 3.2 | 4.3 | 20 | 1.9 | 0.42 | 1.1 | 2.9 |
| 2014 | 226 | 3.9 | 0.27 | 3.4 | 4.5 | 31 | 3.0 | 0.54 | 2.0 | 4.2 |
| 2015 | 220 | 3.9 | 0.28 | 3.4 | 4.5 | 22 | 2.1 | 0.46 | 1.3 | 3.3 |
| 2016 | 226 | 4.0 | 0.28 | 3.5 | 4.6 | 25 | 2.3 | 0.46 | 1.5 | 3.4 |
| 2017 | 232 | 3.9 | 0.27 | 3.4 | 4.5 | 18 | 1.6 | 0.39 | 1.0 | 2.6 |
| 2018 | 217 | 3.7 | 0.26 | 3.2 | 4.3 | 21 | 2.0 | 0.44 | 1.2 | 3.1 |
| 2019 | 192 | 3.3 | 0.25 | 2.8 | 3.8 | 32 | 2.9 | 0.52 | 2.0 | 4.1 |
| 2020 | 246 | 4.1 | 0.28 | 3.6 | 4.7 | 22 | 2.0 | 0.43 | 1.2 | 3.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Endocrine System | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 210 | 0.8 | 0.07 | 0.7 | 1.0 | 3,019 | 0.8 | 0.02 | 0.8 | 0.9 |
| 1990 | * | * | * | * | * | 88 | 0.8 | 0.09 | 0.7 | 1.0 |
| 1991 | * | * | * | * | * | 89 | 0.8 | 0.09 | 0.7 | 1.0 |
| 1992 | * | * | * | * | * | 97 | 0.9 | 0.09 | 0.7 | 1.1 |
| 1993 | * | * | * | * | * | 106 | 1.0 | 0.10 | 0.8 | 1.2 |
| 1994 | * | * | * | * | * | 86 | 0.8 | 0.08 | 0.6 | 1.0 |
| 1995 | * | * | * | * | * | 79 | 0.7 | 0.08 | 0.6 | 0.9 |
| 1996 | * | * | * | * | * | 86 | 0.8 | 0.08 | 0.6 | 1.0 |
| 1997 | * | * | * | * | * | 109 | 1.0 | 0.09 | 0.8 | 1.2 |
| 1998 | * | * | * | * | * | 91 | 0.8 | 0.09 | 0.7 | 1.0 |
| 1999 | * | * | * | * | * | 88 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2000 | * | * | * | * | * | 83 | 0.7 | 0.08 | 0.6 | 0.9 |
| 2001 | * | * | * | * | * | 91 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2002 | * | * | * | * | * | 94 | 0.8 | 0.08 | 0.7 | 1.0 |
| 2003 | * | * | * | * | * | 101 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2004 | * | * | * | * | * | 102 | 0.9 | 0.09 | 0.7 | 1.1 |
| 2005 | * | * | * | * | * | 98 | 0.8 | 0.08 | 0.7 | 1.0 |
| 2006 | * | * | * | * | * | 99 | 0.8 | 0.08 | 0.7 | 1.0 |
| 2007 | * | * | * | * | * | 83 | 0.7 | 0.08 | 0.6 | 0.9 |
| 2008 | * | * | * | * | * | 88 | 0.7 | 0.08 | 0.6 | 0.9 |
| 2009 | 15 | 1.2 | 0.39 | 0.6 | 2.2 | 96 | 0.8 | 0.08 | 0.7 | 1.0 |
| 2010 | 12 | 1.4 | 0.45 | 0.6 | 2.5 | 99 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2011 | * | * | * | * | * | 100 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2012 | * | * | * | * | * | 123 | 1.0 | 0.09 | 0.8 | 1.2 |
| 2013 | * | * | * | * | * | 94 | 0.8 | 0.08 | 0.6 | 0.9 |
| 2014 | * | * | * | * | * | 87 | 0.7 | 0.07 | 0.5 | 0.8 |
| 2015 | 13 | 1.1 | 0.34 | 0.5 | 1.9 | 109 | 0.8 | 0.08 | 0.7 | 1.0 |
| 2016 | 12 | 1.3 | 0.40 | 0.6 | 2.3 | 120 | 0.9 | 0.08 | 0.7 | 1.1 |
| 2017 | 10 | 0.7 | 0.26 | 0.3 | 1.4 | 105 | 0.8 | 0.08 | 0.6 | 1.0 |
| 2018 | 14 | 1.0 | 0.30 | 0.5 | 1.7 | 99 | 0.8 | 0.08 | 0.6 | 0.9 |
| 2019 | 15 | 1.3 | 0.35 | 0.7 | 2.2 | 118 | 0.9 | 0.08 | 0.7 | 1.1 |
| 2020 | * | * | * | * | * | 111 | 0.8 | 0.08 | 0.7 | 1.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Endocrine System | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 2,514 | 0.8 | 0.02 | 0.8 | 0.9 | 408 | 0.9 | 0.04 | 0.8 | 0.9 |
| 1990 | 77 | 0.8 | 0.10 | 0.7 | 1.0 | * | * | * | * | * |
| 1991 | 79 | 0.9 | 0.10 | 0.7 | 1.1 | * | * | * | * | * |
| 1992 | 84 | 0.9 | 0.10 | 0.7 | 1.1 | 13 | 0.9 | 0.26 | 0.4 | 1.5 |
| 1993 | 95 | 1.0 | 0.11 | 0.8 | 1.3 | 10 | 0.9 | 0.28 | 0.4 | 1.6 |
| 1994 | 75 | 0.8 | 0.09 | 0.6 | 1.0 | * | * | * | * | * |
| 1995 | 70 | 0.7 | 0.09 | 0.6 | 0.9 | * | * | * | * | * |
| 1996 | 74 | 0.8 | 0.09 | 0.6 | 1.0 | 10 | 0.7 | 0.22 | 0.3 | 1.3 |
| 1997 | 92 | 1.0 | 0.10 | 0.8 | 1.2 | 15 | 1.0 | 0.28 | 0.6 | 1.7 |
| 1998 | 77 | 0.8 | 0.09 | 0.7 | 1.0 | 12 | 0.9 | 0.26 | 0.4 | 1.5 |
| 1999 | 72 | 0.8 | 0.09 | 0.6 | 1.0 | 13 | 0.7 | 0.21 | 0.4 | 1.3 |
| 2000 | 69 | 0.7 | 0.09 | 0.6 | 0.9 | 11 | 0.8 | 0.24 | 0.4 | 1.4 |
| 2001 | 73 | 0.8 | 0.09 | 0.6 | 1.0 | 15 | 1.0 | 0.26 | 0.6 | 1.6 |
| 2002 | 81 | 0.8 | 0.09 | 0.7 | 1.0 | * | * | * | * | * |
| 2003 | 85 | 0.9 | 0.10 | 0.7 | 1.1 | 15 | 1.1 | 0.28 | 0.6 | 1.8 |
| 2004 | 88 | 0.9 | 0.10 | 0.7 | 1.1 | 12 | 0.8 | 0.22 | 0.4 | 1.3 |
| 2005 | 86 | 0.9 | 0.10 | 0.7 | 1.1 | 10 | 0.7 | 0.21 | 0.3 | 1.2 |
| 2006 | 85 | 0.9 | 0.09 | 0.7 | 1.1 | 12 | 0.8 | 0.24 | 0.4 | 1.4 |
| 2007 | 66 | 0.7 | 0.08 | 0.5 | 0.8 | 14 | 0.9 | 0.23 | 0.5 | 1.4 |
| 2008 | 72 | 0.7 | 0.09 | 0.6 | 0.9 | 14 | 1.0 | 0.26 | 0.5 | 1.6 |
| 2009 | 76 | 0.8 | 0.09 | 0.6 | 1.0 | 15 | 1.0 | 0.26 | 0.5 | 1.6 |
| 2010 | 80 | 0.8 | 0.09 | 0.6 | 1.0 | 16 | 1.0 | 0.24 | 0.5 | 1.6 |
| 2011 | 95 | 0.9 | 0.10 | 0.7 | 1.1 | * | * | * | * | * |
| 2012 | 96 | 0.9 | 0.10 | 0.7 | 1.1 | 20 | 1.1 | 0.25 | 0.7 | 1.7 |
| 2013 | 72 | 0.7 | 0.08 | 0.5 | 0.9 | 18 | 1.1 | 0.26 | 0.6 | 1.7 |
| 2014 | 66 | 0.6 | 0.08 | 0.5 | 0.8 | 18 | 1.1 | 0.26 | 0.6 | 1.7 |
| 2015 | 88 | 0.8 | 0.09 | 0.7 | 1.0 | 15 | 0.8 | 0.22 | 0.5 | 1.4 |
| 2016 | 84 | 0.7 | 0.08 | 0.6 | 0.9 | 29 | 1.6 | 0.31 | 1.1 | 2.4 |
| 2017 | 82 | 0.8 | 0.09 | 0.6 | 1.0 | 15 | 0.8 | 0.21 | 0.5 | 1.4 |
| 2018 | 83 | 0.8 | 0.09 | 0.6 | 1.0 | 13 | 0.7 | 0.21 | 0.4 | 1.3 |
| 2019 | 102 | 0.9 | 0.10 | 0.8 | 1.2 | 12 | 0.7 | 0.19 | 0.3 | 1.2 |
| 2020 | 90 | 0.9 | 0.10 | 0.7 | 1.1 | 16 | 0.9 | 0.22 | 0.5 | 1.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Endocrine System | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 99 | 0.8 | 0.09 | 0.6 | 0.9 | 1,337 | 0.8 | 0.02 | 0.8 | 0.9 |
| 1990 | * | * | * | * | * | 37 | 0.9 | 0.15 | 0.6 | 1.2 |
| 1991 | * | * | * | * | * | 39 | 0.8 | 0.14 | 0.6 | 1.2 |
| 1992 | * | * | * | * | * | 41 | 0.8 | 0.13 | 0.6 | 1.1 |
| 1993 | * | * | * | * | * | 42 | 0.9 | 0.14 | 0.6 | 1.2 |
| 1994 | * | * | * | * | * | 36 | 0.8 | 0.13 | 0.5 | 1.1 |
| 1995 | * | * | * | * | * | 30 | 0.7 | 0.12 | 0.4 | 0.9 |
| 1996 | * | * | * | * | * | 31 | 0.6 | 0.12 | 0.4 | 0.9 |
| 1997 | * | * | * | * | * | 59 | 1.2 | 0.16 | 0.9 | 1.6 |
| 1998 | * | * | * | * | * | 40 | 0.8 | 0.13 | 0.6 | 1.2 |
| 1999 | * | * | * | * | * | 44 | 0.9 | 0.14 | 0.7 | 1.2 |
| 2000 | * | * | * | * | * | 32 | 0.7 | 0.12 | 0.4 | 0.9 |
| 2001 | * | * | * | * | * | 33 | 0.7 | 0.12 | 0.5 | 0.9 |
| 2002 | * | * | * | * | * | 41 | 0.9 | 0.14 | 0.6 | 1.2 |
| 2003 | * | * | * | * | * | 52 | 1.1 | 0.15 | 0.8 | 1.4 |
| 2004 | * | * | * | * | * | 36 | 0.7 | 0.11 | 0.5 | 1.0 |
| 2005 | * | * | * | * | * | 47 | 1.0 | 0.14 | 0.7 | 1.3 |
| 2006 | * | * | * | * | * | 34 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2007 | * | * | * | * | * | 38 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2008 | * | * | * | * | * | 35 | 0.7 | 0.11 | 0.5 | 0.9 |
| 2009 | * | * | * | * | * | 31 | 0.6 | 0.11 | 0.4 | 0.8 |
| 2010 | * | * | * | * | * | 36 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2011 | * | * | * | * | * | 49 | 0.9 | 0.13 | 0.6 | 1.2 |
| 2012 | * | * | * | * | * | 58 | 1.0 | 0.13 | 0.8 | 1.3 |
| 2013 | * | * | * | * | * | 41 | 0.7 | 0.11 | 0.5 | 1.0 |
| 2014 | * | * | * | * | * | 45 | 0.8 | 0.12 | 0.6 | 1.0 |
| 2015 | * | * | * | * | * | 52 | 0.9 | 0.13 | 0.7 | 1.2 |
| 2016 | * | * | * | * | * | 60 | 1.0 | 0.13 | 0.8 | 1.3 |
| 2017 | * | * | * | * | * | 61 | 1.0 | 0.13 | 0.8 | 1.3 |
| 2018 | * | * | * | * | * | 44 | 0.7 | 0.11 | 0.5 | 1.0 |
| 2019 | * | * | * | * | * | 58 | 1.0 | 0.14 | 0.8 | 1.3 |
| 2020 | * | * | * | * | * | 55 | 0.9 | 0.13 | 0.7 | 1.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Endocrine System | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,136 | 0.9 | 0.03 | 0.8 | 0.9 | 156 | 0.7 | 0.06 | 0.6 | 0.9 |
| 1990 | 32 | 0.9 | 0.16 | 0.6 | 1.2 | * | * | * | * | * |
| 1991 | 32 | 0.8 | 0.14 | 0.5 | 1.1 | * | * | * | * | * |
| 1992 | 36 | 0.9 | 0.14 | 0.6 | 1.2 | * | * | * | * | * |
| 1993 | 38 | 1.0 | 0.16 | 0.7 | 1.3 | * | * | * | * | * |
| 1994 | 30 | 0.8 | 0.14 | 0.5 | 1.1 | * | * | * | * | * |
| 1995 | 27 | 0.7 | 0.14 | 0.5 | 1.0 | * | * | * | * | * |
| 1996 | 28 | 0.7 | 0.13 | 0.5 | 1.0 | * | * | * | * | * |
| 1997 | 52 | 1.3 | 0.18 | 0.9 | 1.7 | * | * | * | * | * |
| 1998 | 35 | 0.9 | 0.15 | 0.6 | 1.2 | * | * | * | * | * |
| 1999 | 41 | 1.0 | 0.16 | 0.7 | 1.4 | * | * | * | * | * |
| 2000 | 29 | 0.7 | 0.13 | 0.5 | 1.0 | * | * | * | * | * |
| 2001 | 27 | 0.7 | 0.13 | 0.4 | 0.9 | * | * | * | * | * |
| 2002 | 37 | 0.9 | 0.15 | 0.6 | 1.3 | * | * | * | * | * |
| 2003 | 45 | 1.1 | 0.17 | 0.8 | 1.5 | * | * | * | * | * |
| 2004 | 32 | 0.8 | 0.13 | 0.5 | 1.1 | * | * | * | * | * |
| 2005 | 41 | 1.0 | 0.16 | 0.7 | 1.4 | * | * | * | * | * |
| 2006 | 31 | 0.8 | 0.14 | 0.5 | 1.1 | * | * | * | * | * |
| 2007 | 31 | 0.7 | 0.13 | 0.5 | 1.0 | * | * | * | * | * |
| 2008 | 29 | 0.7 | 0.12 | 0.4 | 1.0 | * | * | * | * | * |
| 2009 | 25 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 2010 | 28 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 2011 | 46 | 1.0 | 0.15 | 0.7 | 1.3 | * | * | * | * | * |
| 2012 | 43 | 0.9 | 0.14 | 0.6 | 1.2 | 10 | 1.4 | 0.46 | 0.6 | 2.6 |
| 2013 | 33 | 0.7 | 0.12 | 0.5 | 1.0 | * | * | * | * | * |
| 2014 | 38 | 0.8 | 0.13 | 0.6 | 1.1 | * | * | * | * | * |
| 2015 | 42 | 0.9 | 0.14 | 0.6 | 1.2 | 10 | 1.4 | 0.46 | 0.7 | 2.6 |
| 2016 | 45 | 0.9 | 0.14 | 0.6 | 1.2 | 12 | 1.6 | 0.47 | 0.8 | 2.8 |
| 2017 | 48 | 1.0 | 0.15 | 0.7 | 1.3 | * | * | * | * | * |
| 2018 | 38 | 0.7 | 0.12 | 0.5 | 1.0 | * | * | * | * | * |
| 2019 | 52 | 1.1 | 0.16 | 0.8 | 1.5 | * | * | * | * | * |
| 2020 | 45 | 1.0 | 0.15 | 0.7 | 1.3 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Endocrine System | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 111 | 0.9 | 0.09 | 0.7 | 1.1 | 1,682 | 0.8 | 0.02 | 0.8 | 0.8 |
| 1990 | * | * | * | * | * | 51 | 0.8 | 0.12 | 0.6 | 1.1 |
| 1991 | * | * | * | * | * | 50 | 0.8 | 0.12 | 0.6 | 1.1 |
| 1992 | * | * | * | * | * | 56 | 0.9 | 0.12 | 0.7 | 1.2 |
| 1993 | * | * | * | * | * | 64 | 1.0 | 0.13 | 0.8 | 1.3 |
| 1994 | * | * | * | * | * | 50 | 0.8 | 0.11 | 0.6 | 1.0 |
| 1995 | * | * | * | * | * | 49 | 0.7 | 0.11 | 0.6 | 1.0 |
| 1996 | * | * | * | * | * | 55 | 0.9 | 0.12 | 0.6 | 1.1 |
| 1997 | * | * | * | * | * | 50 | 0.8 | 0.11 | 0.6 | 1.0 |
| 1998 | * | * | * | * | * | 51 | 0.8 | 0.12 | 0.6 | 1.1 |
| 1999 | * | * | * | * | * | 44 | 0.7 | 0.11 | 0.5 | 0.9 |
| 2000 | * | * | * | * | * | 51 | 0.8 | 0.11 | 0.6 | 1.0 |
| 2001 | * | * | * | * | * | 58 | 0.9 | 0.12 | 0.7 | 1.2 |
| 2002 | * | * | * | * | * | 53 | 0.8 | 0.11 | 0.6 | 1.1 |
| 2003 | * | * | * | * | * | 49 | 0.7 | 0.11 | 0.6 | 1.0 |
| 2004 | * | * | * | * | * | 66 | 1.0 | 0.12 | 0.7 | 1.2 |
| 2005 | * | * | * | * | * | 51 | 0.7 | 0.11 | 0.6 | 1.0 |
| 2006 | * | * | * | * | * | 65 | 1.0 | 0.12 | 0.7 | 1.2 |
| 2007 | * | * | * | * | * | 45 | 0.7 | 0.10 | 0.5 | 0.9 |
| 2008 | * | * | * | * | * | 53 | 0.8 | 0.11 | 0.6 | 1.0 |
| 2009 | * | * | * | * | * | 65 | 0.9 | 0.12 | 0.7 | 1.2 |
| 2010 | * | * | * | * | * | 63 | 0.9 | 0.12 | 0.7 | 1.2 |
| 2011 | * | * | * | * | * | 51 | 0.7 | 0.10 | 0.5 | 0.9 |
| 2012 | * | * | * | * | * | 65 | 0.9 | 0.12 | 0.7 | 1.2 |
| 2013 | * | * | * | * | * | 53 | 0.8 | 0.11 | 0.6 | 1.0 |
| 2014 | * | * | * | * | * | 42 | 0.6 | 0.10 | 0.4 | 0.8 |
| 2015 | * | * | * | * | * | 57 | 0.8 | 0.11 | 0.6 | 1.0 |
| 2016 | * | * | * | * | * | 60 | 0.8 | 0.10 | 0.6 | 1.0 |
| 2017 | * | * | * | * | * | 44 | 0.6 | 0.09 | 0.4 | 0.8 |
| 2018 | * | * | * | * | * | 55 | 0.8 | 0.11 | 0.6 | 1.0 |
| 2019 | * | * | * | * | * | 60 | 0.8 | 0.10 | 0.6 | 1.0 |
| 2020 | * | * | * | * | * | 56 | 0.7 | 0.10 | 0.6 | 1.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Endocrine System | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,378 | 0.8 | 0.02 | 0.8 | 0.8 | 252 | 0.9 | 0.06 | 0.8 | 1.0 |
| 1990 | 45 | 0.8 | 0.12 | 0.6 | 1.1 | * | * | * | * | * |
| 1991 | 47 | 0.9 | 0.13 | 0.6 | 1.2 | * | * | * | * | * |
| 1992 | 48 | 0.9 | 0.13 | 0.7 | 1.2 | * | * | * | * | * |
| 1993 | 57 | 1.1 | 0.15 | 0.8 | 1.4 | * | * | * | * | * |
| 1994 | 45 | 0.8 | 0.12 | 0.6 | 1.1 | * | * | * | * | * |
| 1995 | 43 | 0.8 | 0.12 | 0.6 | 1.0 | * | * | * | * | * |
| 1996 | 46 | 0.8 | 0.12 | 0.6 | 1.1 | * | * | * | * | * |
| 1997 | 40 | 0.7 | 0.11 | 0.5 | 1.0 | * | * | * | * | * |
| 1998 | 42 | 0.8 | 0.13 | 0.6 | 1.1 | * | * | * | * | * |
| 1999 | 31 | 0.6 | 0.10 | 0.4 | 0.8 | 11 | 1.1 | 0.34 | 0.6 | 2.0 |
| 2000 | 40 | 0.7 | 0.11 | 0.5 | 1.0 | * | * | * | * | * |
| 2001 | 46 | 0.9 | 0.13 | 0.6 | 1.2 | 10 | 1.2 | 0.37 | 0.6 | 2.1 |
| 2002 | 44 | 0.8 | 0.13 | 0.6 | 1.1 | * | * | * | * | * |
| 2003 | 40 | 0.7 | 0.12 | 0.5 | 1.0 | * | * | * | * | * |
| 2004 | 56 | 1.0 | 0.13 | 0.7 | 1.3 | * | * | * | * | * |
| 2005 | 45 | 0.8 | 0.12 | 0.6 | 1.1 | * | * | * | * | * |
| 2006 | 54 | 1.0 | 0.14 | 0.7 | 1.3 | * | * | * | * | * |
| 2007 | 35 | 0.6 | 0.11 | 0.4 | 0.9 | 10 | 1.1 | 0.35 | 0.5 | 2.0 |
| 2008 | 43 | 0.8 | 0.12 | 0.5 | 1.0 | * | * | * | * | * |
| 2009 | 51 | 0.9 | 0.13 | 0.7 | 1.2 | 10 | 1.1 | 0.36 | 0.5 | 2.1 |
| 2010 | 52 | 0.9 | 0.13 | 0.7 | 1.2 | * | * | * | * | * |
| 2011 | 49 | 0.8 | 0.12 | 0.6 | 1.1 | * | * | * | * | * |
| 2012 | 53 | 0.9 | 0.13 | 0.7 | 1.2 | 10 | 1.0 | 0.32 | 0.5 | 1.9 |
| 2013 | 39 | 0.7 | 0.11 | 0.5 | 0.9 | 11 | 1.2 | 0.36 | 0.6 | 2.1 |
| 2014 | 28 | 0.5 | 0.11 | 0.3 | 0.8 | 13 | 1.3 | 0.37 | 0.7 | 2.3 |
| 2015 | 46 | 0.8 | 0.11 | 0.5 | 1.0 | * | * | * | * | * |
| 2016 | 39 | 0.6 | 0.10 | 0.4 | 0.9 | 17 | 1.6 | 0.40 | 0.9 | 2.6 |
| 2017 | 34 | 0.6 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 2018 | 45 | 0.8 | 0.13 | 0.6 | 1.1 | * | * | * | * | * |
| 2019 | 50 | 0.8 | 0.12 | 0.6 | 1.1 | * | * | * | * | * |
| 2020 | 45 | 0.8 | 0.12 | 0.6 | 1.1 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Thyroid | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 130 | 0.6 | 0.06 | 0.5 | 0.8 | 1,810 | 0.5 | 0.01 | 0.5 | 0.5 |
| 1990 | * | * | * | * | * | 52 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1991 | * | * | * | * | * | 53 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1992 | * | * | * | * | * | 51 | 0.5 | 0.07 | 0.4 | 0.6 |
| 1993 | * | * | * | * | * | 54 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1994 | * | * | * | * | * | 55 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1995 | * | * | * | * | * | 48 | 0.4 | 0.06 | 0.3 | 0.6 |
| 1996 | * | * | * | * | * | 51 | 0.5 | 0.06 | 0.3 | 0.6 |
| 1997 | * | * | * | * | * | 57 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1998 | * | * | * | * | * | 53 | 0.5 | 0.06 | 0.4 | 0.6 |
| 1999 | * | * | * | * | * | 38 | 0.3 | 0.05 | 0.2 | 0.5 |
| 2000 | * | * | * | * | * | 49 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2001 | * | * | * | * | * | 50 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2002 | * | * | * | * | * | 61 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2003 | * | * | * | * | * | 56 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2004 | * | * | * | * | * | 65 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2005 | * | * | * | * | * | 59 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2006 | * | * | * | * | * | 69 | 0.6 | 0.07 | 0.5 | 0.7 |
| 2007 | * | * | * | * | * | 52 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2008 | * | * | * | * | * | 49 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2009 | * | * | * | * | * | 61 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2010 | * | * | * | * | * | 56 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2011 | * | * | * | * | * | 63 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2012 | * | * | * | * | * | 70 | 0.5 | 0.06 | 0.4 | 0.7 |
| 2013 | * | * | * | * | * | 63 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2014 | * | * | * | * | * | 52 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2015 | * | * | * | * | * | 63 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2016 | 10 | 1.2 | 0.40 | 0.6 | 2.2 | 77 | 0.5 | 0.06 | 0.4 | 0.7 |
| 2017 | * | * | * | * | * | 68 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2018 | * | * | * | * | * | 70 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2019 | 12 | 1.2 | 0.34 | 0.6 | 2.0 | 78 | 0.5 | 0.06 | 0.4 | 0.7 |
| 2020 | * | * | * | * | * | 67 | 0.5 | 0.06 | 0.4 | 0.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Thyroid | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,533 | 0.5 | 0.01 | 0.5 | 0.5 | 211 | 0.5 | 0.03 | 0.4 | 0.5 |
| 1990 | 46 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 1991 | 50 | 0.5 | 0.08 | 0.4 | 0.7 | * | * | * | * | * |
| 1992 | 46 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 1993 | 51 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 1994 | 50 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 1995 | 44 | 0.5 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 1996 | 42 | 0.4 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 1997 | 49 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 1998 | 45 | 0.5 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 1999 | 33 | 0.3 | 0.06 | 0.2 | 0.5 | * | * | * | * | * |
| 2000 | 43 | 0.4 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2001 | 43 | 0.4 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2002 | 56 | 0.6 | 0.08 | 0.4 | 0.7 | * | * | * | * | * |
| 2003 | 47 | 0.5 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2004 | 55 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 2005 | 53 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 2006 | 57 | 0.6 | 0.07 | 0.4 | 0.7 | 10 | 0.7 | 0.21 | 0.3 | 1.2 |
| 2007 | 40 | 0.4 | 0.06 | 0.3 | 0.5 | * | * | * | * | * |
| 2008 | 40 | 0.4 | 0.06 | 0.3 | 0.5 | * | * | * | * | * |
| 2009 | 48 | 0.5 | 0.07 | 0.4 | 0.6 | * | * | * | * | * |
| 2010 | 46 | 0.4 | 0.06 | 0.3 | 0.6 | * | * | * | * | * |
| 2011 | 61 | 0.6 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 2012 | 60 | 0.6 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 2013 | 50 | 0.4 | 0.06 | 0.3 | 0.6 | 11 | 0.7 | 0.20 | 0.3 | 1.2 |
| 2014 | 35 | 0.3 | 0.06 | 0.2 | 0.5 | 14 | 0.9 | 0.24 | 0.5 | 1.5 |
| 2015 | 51 | 0.4 | 0.06 | 0.3 | 0.6 | * | * | * | * | * |
| 2016 | 58 | 0.5 | 0.06 | 0.4 | 0.6 | 14 | 0.8 | 0.22 | 0.4 | 1.4 |
| 2017 | 55 | 0.5 | 0.07 | 0.4 | 0.6 | * | * | * | * | * |
| 2018 | 56 | 0.5 | 0.06 | 0.4 | 0.6 | 11 | 0.6 | 0.19 | 0.3 | 1.1 |
| 2019 | 69 | 0.6 | 0.07 | 0.5 | 0.7 | * | * | * | * | * |
| 2020 | 54 | 0.5 | 0.06 | 0.4 | 0.6 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Thyroid | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 55 | 0.5 | 0.08 | 0.4 | 0.7 | 721 | 0.5 | 0.02 | 0.4 | 0.5 |
| 1990 | * | * | * | * | * | 17 | 0.5 | 0.11 | 0.3 | 0.7 |
| 1991 | * | * | * | * | * | 20 | 0.5 | 0.11 | 0.3 | 0.7 |
| 1992 | * | * | * | * | * | 15 | 0.3 | 0.08 | 0.2 | 0.5 |
| 1993 | * | * | * | * | * | 20 | 0.4 | 0.10 | 0.3 | 0.7 |
| 1994 | * | * | * | * | * | 20 | 0.4 | 0.10 | 0.3 | 0.7 |
| 1995 | * | * | * | * | * | 15 | 0.3 | 0.09 | 0.2 | 0.6 |
| 1996 | * | * | * | * | * | 16 | 0.3 | 0.09 | 0.2 | 0.6 |
| 1997 | * | * | * | * | * | 27 | 0.6 | 0.11 | 0.4 | 0.8 |
| 1998 | * | * | * | * | * | 23 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1999 | * | * | * | * | * | 21 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2000 | * | * | * | * | * | 18 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2001 | * | * | * | * | * | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2002 | * | * | * | * | * | 27 | 0.6 | 0.11 | 0.4 | 0.8 |
| 2003 | * | * | * | * | * | 20 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2004 | * | * | * | * | * | 15 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2005 | * | * | * | * | * | 26 | 0.5 | 0.11 | 0.4 | 0.8 |
| 2006 | * | * | * | * | * | 21 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2007 | * | * | * | * | * | 22 | 0.4 | 0.09 | 0.3 | 0.7 |
| 2008 | * | * | * | * | * | 17 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2009 | * | * | * | * | * | 15 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2010 | * | * | * | * | * | 17 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2011 | * | * | * | * | * | 26 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2012 | * | * | * | * | * | 35 | 0.6 | 0.10 | 0.4 | 0.8 |
| 2013 | * | * | * | * | * | 28 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2014 | * | * | * | * | * | 25 | 0.4 | 0.09 | 0.3 | 0.7 |
| 2015 | * | * | * | * | * | 26 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2016 | * | * | * | * | * | 37 | 0.6 | 0.10 | 0.4 | 0.8 |
| 2017 | * | * | * | * | * | 40 | 0.7 | 0.11 | 0.5 | 0.9 |
| 2018 | * | * | * | * | * | 29 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2019 | * | * | * | * | * | 39 | 0.6 | 0.10 | 0.5 | 0.9 |
| 2020 | * | * | * | * | * | 30 | 0.5 | 0.08 | 0.3 | 0.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Thyroid | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 636 | 0.5 | 0.02 | 0.4 | 0.5 | 54 | 0.3 | 0.04 | 0.2 | 0.4 |
| 1990 | 15 | 0.5 | 0.12 | 0.3 | 0.8 | * | * | * | * | * |
| 1991 | 17 | 0.4 | 0.11 | 0.3 | 0.7 | * | * | * | * | * |
| 1992 | 14 | 0.3 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 1993 | 20 | 0.5 | 0.11 | 0.3 | 0.8 | * | * | * | * | * |
| 1994 | 18 | 0.5 | 0.11 | 0.3 | 0.7 | * | * | * | * | * |
| 1995 | 14 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 1996 | 14 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 1997 | 23 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 1998 | 22 | 0.5 | 0.12 | 0.3 | 0.8 | * | * | * | * | * |
| 1999 | 20 | 0.5 | 0.11 | 0.3 | 0.8 | * | * | * | * | * |
| 2000 | 18 | 0.4 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2001 | 13 | 0.3 | 0.09 | 0.2 | 0.5 | * | * | * | * | * |
| 2002 | 26 | 0.6 | 0.13 | 0.4 | 0.9 | * | * | * | * | * |
| 2003 | 17 | 0.4 | 0.10 | 0.2 | 0.7 | * | * | * | * | * |
| 2004 | 14 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2005 | 24 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 2006 | 18 | 0.4 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2007 | 18 | 0.4 | 0.10 | 0.2 | 0.7 | * | * | * | * | * |
| 2008 | 15 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2009 | 13 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2010 | 15 | 0.3 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2011 | 24 | 0.5 | 0.10 | 0.3 | 0.8 | * | * | * | * | * |
| 2012 | 27 | 0.5 | 0.11 | 0.4 | 0.8 | * | * | * | * | * |
| 2013 | 24 | 0.5 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2014 | 19 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2015 | 22 | 0.4 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2016 | 31 | 0.6 | 0.11 | 0.4 | 0.8 | * | * | * | * | * |
| 2017 | 34 | 0.7 | 0.12 | 0.5 | 1.0 | * | * | * | * | * |
| 2018 | 24 | 0.4 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2019 | 37 | 0.7 | 0.12 | 0.5 | 1.0 | * | * | * | * | * |
| 2020 | 26 | 0.5 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Thyroid | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 75 | 0.7 | 0.09 | 0.5 | 0.9 | 1,089 | 0.5 | 0.02 | 0.5 | 0.5 |
| 1990 | * | * | * | * | * | 35 | 0.5 | 0.09 | 0.4 | 0.8 |
| 1991 | * | * | * | * | * | 33 | 0.5 | 0.09 | 0.4 | 0.8 |
| 1992 | * | * | * | * | * | 36 | 0.6 | 0.09 | 0.4 | 0.8 |
| 1993 | * | * | * | * | * | 34 | 0.5 | 0.09 | 0.4 | 0.7 |
| 1994 | * | * | * | * | * | 35 | 0.5 | 0.09 | 0.4 | 0.7 |
| 1995 | * | * | * | * | * | 33 | 0.5 | 0.08 | 0.3 | 0.7 |
| 1996 | * | * | * | * | * | 35 | 0.5 | 0.09 | 0.4 | 0.7 |
| 1997 | * | * | * | * | * | 30 | 0.4 | 0.08 | 0.3 | 0.6 |
| 1998 | * | * | * | * | * | 30 | 0.5 | 0.08 | 0.3 | 0.7 |
| 1999 | * | * | * | * | * | 17 | 0.3 | 0.06 | 0.2 | 0.4 |
| 2000 | * | * | * | * | * | 31 | 0.5 | 0.08 | 0.3 | 0.6 |
| 2001 | * | * | * | * | * | 36 | 0.5 | 0.09 | 0.4 | 0.7 |
| 2002 | * | * | * | * | * | 34 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2003 | * | * | * | * | * | 36 | 0.5 | 0.09 | 0.4 | 0.7 |
| 2004 | * | * | * | * | * | 50 | 0.7 | 0.10 | 0.5 | 0.9 |
| 2005 | * | * | * | * | * | 33 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2006 | * | * | * | * | * | 48 | 0.7 | 0.10 | 0.5 | 0.9 |
| 2007 | * | * | * | * | * | 30 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2008 | * | * | * | * | * | 32 | 0.5 | 0.08 | 0.3 | 0.6 |
| 2009 | * | * | * | * | * | 46 | 0.7 | 0.10 | 0.5 | 0.9 |
| 2010 | * | * | * | * | * | 39 | 0.5 | 0.08 | 0.4 | 0.7 |
| 2011 | * | * | * | * | * | 37 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2012 | * | * | * | * | * | 35 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2013 | * | * | * | * | * | 35 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2014 | * | * | * | * | * | 27 | 0.4 | 0.07 | 0.2 | 0.6 |
| 2015 | * | * | * | * | * | 37 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2016 | * | * | * | * | * | 40 | 0.5 | 0.08 | 0.3 | 0.7 |
| 2017 | * | * | * | * | * | 28 | 0.4 | 0.07 | 0.2 | 0.5 |
| 2018 | * | * | * | * | * | 41 | 0.5 | 0.08 | 0.4 | 0.7 |
| 2019 | * | * | * | * | * | 39 | 0.5 | 0.07 | 0.3 | 0.6 |
| 2020 | * | * | * | * | * | 37 | 0.5 | 0.08 | 0.3 | 0.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Thyroid | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 897 | 0.5 | 0.02 | 0.4 | 0.5 | 157 | 0.6 | 0.05 | 0.5 | 0.7 |
| 1990 | 31 | 0.5 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 1991 | 33 | 0.6 | 0.11 | 0.4 | 0.9 | * | * | * | * | * |
| 1992 | 32 | 0.6 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 1993 | 31 | 0.6 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 1994 | 32 | 0.5 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 1995 | 30 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 1996 | 28 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 1997 | 26 | 0.4 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 1998 | 23 | 0.4 | 0.08 | 0.3 | 0.6 | * | * | * | * | * |
| 1999 | 13 | 0.2 | 0.06 | 0.1 | 0.4 | * | * | * | * | * |
| 2000 | 25 | 0.4 | 0.09 | 0.3 | 0.6 | * | * | * | * | * |
| 2001 | 30 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2002 | 30 | 0.5 | 0.10 | 0.3 | 0.8 | * | * | * | * | * |
| 2003 | 30 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2004 | 41 | 0.7 | 0.11 | 0.5 | 0.9 | * | * | * | * | * |
| 2005 | 29 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2006 | 39 | 0.7 | 0.11 | 0.5 | 0.9 | * | * | * | * | * |
| 2007 | 22 | 0.4 | 0.08 | 0.2 | 0.6 | * | * | * | * | * |
| 2008 | 25 | 0.4 | 0.08 | 0.3 | 0.6 | * | * | * | * | * |
| 2009 | 35 | 0.6 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 2010 | 31 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2011 | 37 | 0.6 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 2012 | 33 | 0.5 | 0.10 | 0.4 | 0.8 | * | * | * | * | * |
| 2013 | 26 | 0.4 | 0.08 | 0.3 | 0.6 | * | * | * | * | * |
| 2014 | 16 | 0.3 | 0.07 | 0.2 | 0.5 | 10 | 1.0 | 0.33 | 0.5 | 1.9 |
| 2015 | 29 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2016 | 27 | 0.4 | 0.08 | 0.3 | 0.6 | 11 | 1.1 | 0.32 | 0.5 | 1.9 |
| 2017 | 21 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2018 | 32 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 2019 | 32 | 0.5 | 0.08 | 0.3 | 0.7 | * | * | * | * | * |
| 2020 | 28 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lymphoma | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,247 | 5.6 | 0.18 | 5.2 | 5.9 | 28,555 | 7.6 | 0.05 | 7.5 | 7.7 |
| 1990 | 25 | 5.1 | 1.14 | 3.1 | 7.9 | 910 | 8.7 | 0.29 | 8.1 | 9.2 |
| 1991 | 18 | 4.2 | 1.21 | 2.2 | 7.1 | 984 | 9.2 | 0.30 | 8.6 | 9.8 |
| 1992 | 28 | 6.7 | 1.55 | 4.0 | 10.3 | 1,004 | 9.3 | 0.30 | 8.7 | 9.9 |
| 1993 | 25 | 4.6 | 1.05 | 2.8 | 7.1 | 1,016 | 9.3 | 0.29 | 8.8 | 9.9 |
| 1994 | 30 | 5.8 | 1.30 | 3.6 | 8.9 | 1,062 | 9.7 | 0.30 | 9.1 | 10.3 |
| 1995 | 36 | 6.1 | 1.25 | 3.9 | 9.0 | 1,102 | 9.9 | 0.30 | 9.4 | 10.5 |
| 1996 | 34 | 8.1 | 1.70 | 5.1 | 11.9 | 1,084 | 9.7 | 0.30 | 9.2 | 10.3 |
| 1997 | 27 | 5.2 | 1.26 | 3.1 | 8.2 | 1,072 | 9.6 | 0.29 | 9.0 | 10.1 |
| 1998 | 28 | 5.4 | 1.19 | 3.3 | 8.1 | 1,052 | 9.3 | 0.29 | 8.7 | 9.8 |
| 1999 | 36 | 8.2 | 1.61 | 5.3 | 11.8 | 1,082 | 9.5 | 0.29 | 8.9 | 10.1 |
| 2000 | 39 | 7.9 | 1.50 | 5.2 | 11.2 | 1,026 | 8.9 | 0.28 | 8.4 | 9.5 |
| 2001 | 36 | 6.6 | 1.26 | 4.4 | 9.5 | 1,005 | 8.7 | 0.27 | 8.2 | 9.2 |
| 2002 | 38 | 7.4 | 1.40 | 4.9 | 10.5 | 970 | 8.3 | 0.27 | 7.8 | 8.9 |
| 2003 | 32 | 5.7 | 1.15 | 3.6 | 8.2 | 947 | 8.0 | 0.26 | 7.5 | 8.5 |
| 2004 | 41 | 6.4 | 1.20 | 4.3 | 9.1 | 950 | 8.0 | 0.26 | 7.5 | 8.6 |
| 2005 | 30 | 5.7 | 1.18 | 3.6 | 8.3 | 970 | 8.1 | 0.26 | 7.6 | 8.7 |
| 2006 | 40 | 5.5 | 1.05 | 3.6 | 7.8 | 903 | 7.5 | 0.25 | 7.0 | 8.0 |
| 2007 | 30 | 3.9 | 0.85 | 2.5 | 5.9 | 838 | 6.9 | 0.24 | 6.4 | 7.4 |
| 2008 | 48 | 5.8 | 1.00 | 4.0 | 8.0 | 856 | 6.9 | 0.24 | 6.5 | 7.4 |
| 2009 | 43 | 5.9 | 1.01 | 4.0 | 8.1 | 909 | 7.3 | 0.25 | 6.8 | 7.8 |
| 2010 | 56 | 6.7 | 0.99 | 4.9 | 8.8 | 826 | 6.5 | 0.23 | 6.1 | 7.0 |
| 2011 | 52 | 6.1 | 0.93 | 4.4 | 8.2 | 831 | 6.5 | 0.23 | 6.1 | 7.0 |
| 2012 | 38 | 4.2 | 0.75 | 2.8 | 5.8 | 815 | 6.3 | 0.23 | 5.9 | 6.8 |
| 2013 | 46 | 4.7 | 0.76 | 3.3 | 6.4 | 823 | 6.2 | 0.22 | 5.8 | 6.7 |
| 2014 | 43 | 4.6 | 0.76 | 3.3 | 6.3 | 796 | 6.0 | 0.22 | 5.6 | 6.4 |
| 2015 | 60 | 5.7 | 0.79 | 4.2 | 7.4 | 837 | 6.1 | 0.22 | 5.7 | 6.6 |
| 2016 | 51 | 5.0 | 0.75 | 3.7 | 6.7 | 769 | 5.6 | 0.21 | 5.2 | 6.0 |
| 2017 | 57 | 5.4 | 0.77 | 4.0 | 7.1 | 767 | 5.5 | 0.20 | 5.1 | 5.9 |
| 2018 | 70 | 6.0 | 0.76 | 4.6 | 7.6 | 772 | 5.5 | 0.20 | 5.1 | 5.9 |
| 2019 | 53 | 4.1 | 0.60 | 3.0 | 5.4 | 819 | 5.7 | 0.20 | 5.3 | 6.1 |
| 2020 | 57 | 4.4 | 0.61 | 3.3 | 5.7 | 758 | 5.2 | 0.19 | 4.9 | 5.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lymphoma | | | | | | | | | | |
|--------------------|--------|------|------|-----|------|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 25,625 | 8.0 | 0.05 | 7.9 | 8.1 | 2,468 | 5.2 | 0.11 | 5.0 | 5.4 |
| 1990 | 828 | 9.0 | 0.31 | 8.3 | 9.6 | 79 | 6.7 | 0.79 | 5.3 | 8.5 |
| 1991 | 900 | 9.6 | 0.32 | 9.0 | 10.3 | 79 | 6.1 | 0.72 | 4.8 | 7.7 |
| 1992 | 917 | 9.7 | 0.32 | 9.1 | 10.4 | 85 | 6.7 | 0.76 | 5.3 | 8.3 |
| 1993 | 921 | 9.7 | 0.32 | 9.1 | 10.3 | 90 | 7.0 | 0.76 | 5.6 | 8.6 |
| 1994 | 951 | 10.0 | 0.32 | 9.3 | 10.6 | 101 | 7.8 | 0.80 | 6.3 | 9.5 |
| 1995 | 994 | 10.3 | 0.33 | 9.7 | 11.0 | 98 | 7.5 | 0.79 | 6.1 | 9.2 |
| 1996 | 976 | 10.1 | 0.32 | 9.5 | 10.7 | 101 | 7.6 | 0.78 | 6.2 | 9.3 |
| 1997 | 974 | 10.0 | 0.32 | 9.4 | 10.7 | 83 | 6.1 | 0.68 | 4.8 | 7.6 |
| 1998 | 942 | 9.6 | 0.31 | 9.0 | 10.2 | 101 | 7.5 | 0.76 | 6.1 | 9.1 |
| 1999 | 991 | 10.0 | 0.32 | 9.4 | 10.7 | 86 | 6.3 | 0.69 | 5.0 | 7.7 |
| 2000 | 938 | 9.5 | 0.31 | 8.9 | 10.1 | 75 | 5.4 | 0.64 | 4.2 | 6.7 |
| 2001 | 914 | 9.2 | 0.31 | 8.6 | 9.8 | 80 | 5.5 | 0.63 | 4.4 | 6.9 |
| 2002 | 874 | 8.7 | 0.30 | 8.1 | 9.3 | 81 | 5.6 | 0.63 | 4.4 | 6.9 |
| 2003 | 864 | 8.5 | 0.29 | 8.0 | 9.1 | 65 | 4.5 | 0.57 | 3.4 | 5.7 |
| 2004 | 868 | 8.6 | 0.29 | 8.0 | 9.2 | 67 | 4.5 | 0.56 | 3.5 | 5.7 |
| 2005 | 875 | 8.5 | 0.29 | 8.0 | 9.1 | 77 | 5.2 | 0.60 | 4.1 | 6.5 |
| 2006 | 815 | 8.0 | 0.28 | 7.4 | 8.5 | 76 | 5.0 | 0.59 | 3.9 | 6.3 |
| 2007 | 753 | 7.2 | 0.27 | 6.7 | 7.8 | 69 | 4.6 | 0.56 | 3.5 | 5.8 |
| 2008 | 770 | 7.3 | 0.27 | 6.8 | 7.9 | 73 | 4.9 | 0.58 | 3.8 | 6.1 |
| 2009 | 796 | 7.6 | 0.27 | 7.0 | 8.1 | 94 | 5.8 | 0.62 | 4.7 | 7.2 |
| 2010 | 737 | 6.9 | 0.26 | 6.4 | 7.4 | 76 | 4.6 | 0.54 | 3.6 | 5.8 |
| 2011 | 734 | 6.8 | 0.26 | 6.3 | 7.3 | 83 | 5.0 | 0.56 | 3.9 | 6.2 |
| 2012 | 737 | 6.8 | 0.26 | 6.3 | 7.3 | 66 | 3.9 | 0.50 | 3.0 | 5.0 |
| 2013 | 728 | 6.5 | 0.25 | 6.1 | 7.0 | 70 | 4.1 | 0.50 | 3.2 | 5.2 |
| 2014 | 702 | 6.4 | 0.25 | 5.9 | 6.9 | 72 | 4.2 | 0.50 | 3.2 | 5.3 |
| 2015 | 736 | 6.5 | 0.24 | 6.0 | 7.0 | 75 | 4.2 | 0.49 | 3.3 | 5.3 |
| 2016 | 679 | 5.9 | 0.23 | 5.5 | 6.4 | 63 | 3.5 | 0.45 | 2.7 | 4.5 |
| 2017 | 661 | 5.7 | 0.23 | 5.3 | 6.2 | 83 | 4.5 | 0.51 | 3.6 | 5.7 |
| 2018 | 668 | 5.8 | 0.23 | 5.3 | 6.2 | 79 | 4.1 | 0.47 | 3.2 | 5.2 |
| 2019 | 718 | 6.1 | 0.23 | 5.6 | 6.6 | 77 | 4.2 | 0.49 | 3.3 | 5.3 |
| 2020 | 664 | 5.6 | 0.22 | 5.2 | 6.1 | 64 | 3.5 | 0.44 | 2.6 | 4.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lymphoma | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 721 | 6.6 | 0.29 | 6.0 | 7.2 | 15,148 | 9.8 | 0.08 | 9.6 | 9.9 |
| 1990 | 20 | 8.3 | 2.25 | 4.5 | 14.1 | 507 | 11.8 | 0.54 | 10.8 | 12.9 |
| 1991 | 10 | 4.1 | 1.80 | 1.4 | 9.1 | 510 | 11.5 | 0.53 | 10.5 | 12.6 |
| 1992 | 19 | 7.8 | 2.28 | 4.0 | 13.6 | 531 | 12.1 | 0.54 | 11.0 | 13.2 |
| 1993 | 19 | 7.0 | 2.06 | 3.6 | 12.3 | 494 | 11.1 | 0.51 | 10.1 | 12.2 |
| 1994 | 20 | 7.5 | 2.18 | 3.9 | 13.0 | 551 | 12.4 | 0.54 | 11.3 | 13.5 |
| 1995 | 24 | 7.4 | 2.15 | 3.8 | 12.8 | 561 | 12.4 | 0.54 | 11.4 | 13.5 |
| 1996 | 20 | 8.2 | 2.49 | 4.1 | 14.3 | 561 | 12.3 | 0.53 | 11.3 | 13.4 |
| 1997 | 15 | 5.4 | 1.78 | 2.5 | 10.0 | 545 | 11.8 | 0.51 | 10.8 | 12.8 |
| 1998 | 18 | 8.3 | 2.56 | 4.1 | 14.5 | 566 | 12.4 | 0.53 | 11.4 | 13.5 |
| 1999 | 15 | 6.5 | 2.21 | 2.9 | 11.9 | 588 | 12.7 | 0.53 | 11.7 | 13.8 |
| 2000 | 26 | 11.0 | 2.78 | 6.2 | 17.4 | 544 | 11.5 | 0.50 | 10.6 | 12.6 |
| 2001 | 28 | 12.0 | 2.69 | 7.3 | 18.1 | 519 | 11.0 | 0.49 | 10.0 | 11.9 |
| 2002 | 18 | 6.2 | 1.79 | 3.2 | 10.6 | 495 | 10.5 | 0.48 | 9.6 | 11.5 |
| 2003 | 16 | 6.1 | 1.80 | 3.1 | 10.4 | 478 | 10.0 | 0.46 | 9.1 | 10.9 |
| 2004 | 28 | 9.1 | 2.26 | 5.3 | 14.4 | 487 | 10.2 | 0.47 | 9.3 | 11.1 |
| 2005 | 18 | 6.9 | 1.98 | 3.6 | 11.5 | 499 | 10.4 | 0.47 | 9.5 | 11.4 |
| 2006 | 22 | 7.4 | 2.02 | 4.0 | 12.1 | 493 | 9.9 | 0.45 | 9.1 | 10.9 |
| 2007 | 13 | 4.1 | 1.43 | 1.8 | 7.6 | 443 | 9.0 | 0.43 | 8.2 | 9.9 |
| 2008 | 24 | 5.7 | 1.52 | 3.1 | 9.3 | 443 | 8.9 | 0.43 | 8.1 | 9.8 |
| 2009 | 23 | 6.8 | 1.70 | 3.9 | 10.8 | 457 | 8.9 | 0.42 | 8.1 | 9.8 |
| 2010 | 40 | 9.9 | 1.79 | 6.7 | 13.9 | 442 | 8.5 | 0.41 | 7.7 | 9.4 |
| 2011 | 28 | 7.1 | 1.53 | 4.4 | 10.6 | 447 | 8.6 | 0.41 | 7.8 | 9.5 |
| 2012 | 18 | 3.9 | 1.08 | 2.1 | 6.5 | 464 | 8.7 | 0.41 | 7.9 | 9.5 |
| 2013 | 22 | 4.2 | 1.03 | 2.4 | 6.6 | 442 | 8.0 | 0.39 | 7.3 | 8.8 |
| 2014 | 23 | 5.5 | 1.26 | 3.3 | 8.4 | 436 | 8.0 | 0.39 | 7.2 | 8.8 |
| 2015 | 36 | 7.3 | 1.35 | 4.9 | 10.3 | 477 | 8.2 | 0.38 | 7.5 | 9.0 |
| 2016 | 31 | 6.3 | 1.25 | 4.1 | 9.2 | 407 | 7.1 | 0.36 | 6.4 | 7.8 |
| 2017 | 29 | 6.0 | 1.22 | 3.9 | 8.8 | 448 | 7.6 | 0.37 | 6.9 | 8.4 |
| 2018 | 44 | 8.1 | 1.35 | 5.7 | 11.1 | 447 | 7.5 | 0.36 | 6.8 | 8.3 |
| 2019 | 27 | 4.4 | 0.94 | 2.7 | 6.5 | 461 | 7.7 | 0.36 | 7.0 | 8.4 |
| 2020 | 27 | 3.8 | 0.81 | 2.4 | 5.7 | 405 | 6.6 | 0.33 | 5.9 | 7.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lymphoma | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 13,539 | 10.3 | 0.09 | 10.1 | 10.5 | 1,352 | 6.9 | 0.20 | 6.5 | 7.3 |
| 1990 | 462 | 12.3 | 0.59 | 11.2 | 13.5 | 43 | 8.7 | 1.45 | 6.1 | 11.9 |
| 1991 | 462 | 12.0 | 0.57 | 10.9 | 13.2 | 44 | 7.9 | 1.29 | 5.6 | 10.8 |
| 1992 | 476 | 12.4 | 0.58 | 11.3 | 13.6 | 55 | 10.4 | 1.54 | 7.6 | 13.8 |
| 1993 | 443 | 11.5 | 0.56 | 10.4 | 12.6 | 48 | 8.6 | 1.33 | 6.2 | 11.6 |
| 1994 | 488 | 12.6 | 0.58 | 11.5 | 13.8 | 56 | 9.9 | 1.40 | 7.3 | 13.0 |
| 1995 | 505 | 12.9 | 0.58 | 11.8 | 14.1 | 52 | 9.1 | 1.36 | 6.6 | 12.1 |
| 1996 | 496 | 12.5 | 0.57 | 11.4 | 13.7 | 61 | 11.9 | 1.66 | 8.8 | 15.5 |
| 1997 | 481 | 12.1 | 0.56 | 11.0 | 13.2 | 51 | 8.3 | 1.23 | 6.1 | 11.1 |
| 1998 | 501 | 12.7 | 0.57 | 11.6 | 13.8 | 58 | 10.1 | 1.39 | 7.5 | 13.1 |
| 1999 | 536 | 13.4 | 0.58 | 12.3 | 14.6 | 48 | 8.3 | 1.27 | 6.0 | 11.1 |
| 2000 | 494 | 12.2 | 0.55 | 11.1 | 13.3 | 41 | 6.9 | 1.16 | 4.8 | 9.5 |
| 2001 | 474 | 11.7 | 0.54 | 10.6 | 12.8 | 39 | 6.2 | 1.05 | 4.3 | 8.6 |
| 2002 | 450 | 11.1 | 0.53 | 10.1 | 12.2 | 35 | 5.7 | 1.03 | 3.9 | 8.1 |
| 2003 | 431 | 10.5 | 0.51 | 9.5 | 11.5 | 38 | 6.3 | 1.11 | 4.3 | 8.8 |
| 2004 | 447 | 10.9 | 0.52 | 9.9 | 12.0 | 34 | 5.6 | 1.02 | 3.7 | 7.9 |
| 2005 | 449 | 10.9 | 0.52 | 9.9 | 11.9 | 42 | 6.8 | 1.11 | 4.8 | 9.3 |
| 2006 | 443 | 10.5 | 0.50 | 9.5 | 11.5 | 41 | 6.4 | 1.05 | 4.5 | 8.7 |
| 2007 | 403 | 9.6 | 0.48 | 8.7 | 10.6 | 35 | 6.1 | 1.11 | 4.1 | 8.6 |
| 2008 | 399 | 9.4 | 0.47 | 8.5 | 10.3 | 37 | 5.9 | 1.03 | 4.0 | 8.2 |
| 2009 | 402 | 9.3 | 0.47 | 8.4 | 10.2 | 44 | 6.9 | 1.11 | 4.9 | 9.4 |
| 2010 | 390 | 8.9 | 0.45 | 8.0 | 9.8 | 46 | 6.5 | 1.00 | 4.7 | 8.7 |
| 2011 | 394 | 9.0 | 0.46 | 8.1 | 9.9 | 45 | 6.5 | 1.02 | 4.7 | 8.8 |
| 2012 | 420 | 9.3 | 0.46 | 8.4 | 10.3 | 41 | 5.9 | 0.96 | 4.2 | 8.1 |
| 2013 | 392 | 8.4 | 0.43 | 7.6 | 9.3 | 38 | 5.5 | 0.93 | 3.8 | 7.6 |
| 2014 | 389 | 8.5 | 0.44 | 7.7 | 9.4 | 36 | 5.0 | 0.87 | 3.5 | 7.0 |
| 2015 | 419 | 8.6 | 0.43 | 7.8 | 9.5 | 43 | 5.7 | 0.92 | 4.1 | 7.8 |
| 2016 | 369 | 7.7 | 0.41 | 6.9 | 8.5 | 28 | 3.6 | 0.71 | 2.3 | 5.3 |
| 2017 | 374 | 7.7 | 0.40 | 6.9 | 8.5 | 55 | 7.2 | 1.01 | 5.4 | 9.5 |
| 2018 | 394 | 8.0 | 0.41 | 7.3 | 8.9 | 40 | 5.0 | 0.82 | 3.5 | 6.9 |
| 2019 | 396 | 7.9 | 0.41 | 7.2 | 8.8 | 45 | 6.3 | 0.96 | 4.5 | 8.4 |
| 2020 | 360 | 7.1 | 0.38 | 6.3 | 7.9 | 33 | 4.5 | 0.81 | 3.1 | 6.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lymphoma | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 526 | 4.7 | 0.22 | 4.2 | 5.1 | 13,407 | 6.0 | 0.05 | 5.9 | 6.1 |
| 1990 | * | * | * | * | * | 403 | 6.3 | 0.32 | 5.7 | 7.0 |
| 1991 | * | * | * | * | * | 474 | 7.4 | 0.34 | 6.7 | 8.1 |
| 1992 | * | * | * | * | * | 473 | 7.4 | 0.34 | 6.7 | 8.1 |
| 1993 | * | * | * | * | * | 522 | 8.0 | 0.35 | 7.3 | 8.7 |
| 1994 | 10 | 4.3 | 1.55 | 1.8 | 8.3 | 511 | 7.9 | 0.35 | 7.2 | 8.6 |
| 1995 | 12 | 5.0 | 1.56 | 2.4 | 8.9 | 541 | 8.1 | 0.35 | 7.5 | 8.9 |
| 1996 | 14 | 7.5 | 2.21 | 3.8 | 12.8 | 523 | 7.9 | 0.35 | 7.2 | 8.6 |
| 1997 | 12 | 4.8 | 1.65 | 2.1 | 8.9 | 527 | 7.8 | 0.34 | 7.2 | 8.5 |
| 1998 | 10 | 3.3 | 1.10 | 1.5 | 6.2 | 486 | 7.1 | 0.33 | 6.5 | 7.8 |
| 1999 | 21 | 9.5 | 2.28 | 5.5 | 14.8 | 494 | 7.2 | 0.33 | 6.6 | 7.9 |
| 2000 | 13 | 5.3 | 1.61 | 2.6 | 9.2 | 482 | 7.0 | 0.32 | 6.4 | 7.7 |
| 2001 | * | * | * | * | * | 486 | 7.0 | 0.32 | 6.4 | 7.7 |
| 2002 | 20 | 8.0 | 2.00 | 4.6 | 12.7 | 475 | 6.8 | 0.32 | 6.2 | 7.5 |
| 2003 | 16 | 5.3 | 1.49 | 2.8 | 8.9 | 469 | 6.5 | 0.31 | 6.0 | 7.2 |
| 2004 | 13 | 4.3 | 1.30 | 2.1 | 7.4 | 463 | 6.7 | 0.31 | 6.1 | 7.3 |
| 2005 | 12 | 4.6 | 1.43 | 2.2 | 8.0 | 471 | 6.6 | 0.31 | 6.0 | 7.3 |
| 2006 | 18 | 4.2 | 1.14 | 2.3 | 7.0 | 410 | 5.7 | 0.29 | 5.2 | 6.3 |
| 2007 | 17 | 4.0 | 1.08 | 2.1 | 6.6 | 395 | 5.4 | 0.28 | 4.9 | 6.0 |
| 2008 | 24 | 5.9 | 1.34 | 3.6 | 9.0 | 413 | 5.6 | 0.28 | 5.0 | 6.2 |
| 2009 | 20 | 5.1 | 1.25 | 3.0 | 8.0 | 452 | 6.2 | 0.30 | 5.6 | 6.8 |
| 2010 | 16 | 3.9 | 1.04 | 2.1 | 6.4 | 384 | 5.1 | 0.27 | 4.6 | 5.7 |
| 2011 | 24 | 5.4 | 1.16 | 3.3 | 8.0 | 384 | 5.1 | 0.26 | 4.6 | 5.6 |
| 2012 | 20 | 4.3 | 1.02 | 2.5 | 6.7 | 351 | 4.6 | 0.25 | 4.1 | 5.2 |
| 2013 | 24 | 4.9 | 1.06 | 3.0 | 7.3 | 381 | 4.9 | 0.26 | 4.4 | 5.4 |
| 2014 | 20 | 3.9 | 0.93 | 2.3 | 6.1 | 360 | 4.6 | 0.25 | 4.1 | 5.1 |
| 2015 | 24 | 4.4 | 0.95 | 2.7 | 6.6 | 360 | 4.6 | 0.25 | 4.1 | 5.1 |
| 2016 | 20 | 3.8 | 0.88 | 2.3 | 5.9 | 362 | 4.5 | 0.24 | 4.0 | 5.0 |
| 2017 | 28 | 4.9 | 0.96 | 3.2 | 7.1 | 319 | 4.0 | 0.23 | 3.6 | 4.5 |
| 2018 | 26 | 4.2 | 0.86 | 2.7 | 6.2 | 325 | 3.9 | 0.22 | 3.5 | 4.4 |
| 2019 | 26 | 3.9 | 0.80 | 2.5 | 5.8 | 358 | 4.3 | 0.23 | 3.9 | 4.8 |
| 2020 | 30 | 4.7 | 0.88 | 3.2 | 6.7 | 353 | 4.2 | 0.23 | 3.8 | 4.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Lymphoma | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 12,086 | 6.4 | 0.06 | 6.2 | 6.5 | 1,116 | 4.1 | 0.12 | 3.8 | 4.3 |
| 1990 | 366 | 6.4 | 0.34 | 5.8 | 7.2 | 36 | 5.3 | 0.91 | 3.7 | 7.4 |
| 1991 | 438 | 7.7 | 0.37 | 7.0 | 8.5 | 35 | 4.8 | 0.83 | 3.3 | 6.7 |
| 1992 | 441 | 7.8 | 0.38 | 7.1 | 8.6 | 30 | 4.1 | 0.77 | 2.8 | 5.9 |
| 1993 | 478 | 8.3 | 0.39 | 7.6 | 9.1 | 42 | 5.7 | 0.90 | 4.1 | 7.8 |
| 1994 | 463 | 8.2 | 0.39 | 7.4 | 9.0 | 45 | 6.1 | 0.93 | 4.4 | 8.2 |
| 1995 | 489 | 8.4 | 0.39 | 7.7 | 9.2 | 46 | 6.2 | 0.93 | 4.5 | 8.3 |
| 1996 | 480 | 8.3 | 0.39 | 7.6 | 9.1 | 40 | 5.1 | 0.81 | 3.6 | 6.9 |
| 1997 | 493 | 8.4 | 0.39 | 7.7 | 9.2 | 32 | 4.2 | 0.75 | 2.9 | 5.9 |
| 1998 | 441 | 7.5 | 0.36 | 6.8 | 8.2 | 43 | 5.6 | 0.86 | 4.0 | 7.5 |
| 1999 | 455 | 7.6 | 0.36 | 6.9 | 8.4 | 38 | 4.8 | 0.78 | 3.4 | 6.6 |
| 2000 | 444 | 7.6 | 0.37 | 6.9 | 8.3 | 34 | 4.2 | 0.73 | 2.9 | 5.9 |
| 2001 | 440 | 7.4 | 0.36 | 6.7 | 8.1 | 41 | 4.9 | 0.77 | 3.5 | 6.7 |
| 2002 | 424 | 7.1 | 0.35 | 6.4 | 7.8 | 46 | 5.4 | 0.81 | 4.0 | 7.3 |
| 2003 | 433 | 7.0 | 0.35 | 6.4 | 7.8 | 27 | 3.3 | 0.63 | 2.1 | 4.7 |
| 2004 | 421 | 7.1 | 0.35 | 6.4 | 7.8 | 33 | 3.8 | 0.67 | 2.6 | 5.4 |
| 2005 | 426 | 7.0 | 0.35 | 6.3 | 7.7 | 35 | 4.0 | 0.68 | 2.8 | 5.5 |
| 2006 | 372 | 6.1 | 0.32 | 5.5 | 6.8 | 35 | 4.0 | 0.68 | 2.8 | 5.6 |
| 2007 | 350 | 5.6 | 0.31 | 5.0 | 6.2 | 34 | 3.7 | 0.64 | 2.5 | 5.2 |
| 2008 | 371 | 5.9 | 0.32 | 5.3 | 6.5 | 36 | 4.1 | 0.69 | 2.9 | 5.7 |
| 2009 | 394 | 6.3 | 0.33 | 5.7 | 7.0 | 50 | 5.3 | 0.76 | 3.9 | 7.0 |
| 2010 | 347 | 5.5 | 0.30 | 4.9 | 6.1 | 30 | 3.2 | 0.59 | 2.1 | 4.6 |
| 2011 | 340 | 5.3 | 0.30 | 4.7 | 5.9 | 38 | 3.9 | 0.64 | 2.8 | 5.4 |
| 2012 | 317 | 5.0 | 0.29 | 4.4 | 5.6 | 25 | 2.6 | 0.53 | 1.7 | 3.9 |
| 2013 | 336 | 5.1 | 0.29 | 4.5 | 5.7 | 32 | 3.2 | 0.57 | 2.2 | 4.5 |
| 2014 | 313 | 4.7 | 0.28 | 4.2 | 5.3 | 36 | 3.5 | 0.59 | 2.5 | 4.9 |
| 2015 | 317 | 4.9 | 0.29 | 4.3 | 5.5 | 32 | 3.1 | 0.56 | 2.1 | 4.4 |
| 2016 | 310 | 4.6 | 0.27 | 4.1 | 5.2 | 35 | 3.4 | 0.58 | 2.3 | 4.7 |
| 2017 | 287 | 4.3 | 0.26 | 3.8 | 4.9 | 28 | 2.7 | 0.52 | 1.8 | 3.9 |
| 2018 | 274 | 4.0 | 0.25 | 3.5 | 4.5 | 39 | 3.5 | 0.57 | 2.5 | 4.8 |
| 2019 | 322 | 4.8 | 0.27 | 4.2 | 5.4 | 32 | 2.8 | 0.50 | 1.9 | 4.0 |
| 2020 | 304 | 4.4 | 0.26 | 3.9 | 5.0 | 31 | 2.8 | 0.51 | 1.9 | 4.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Hodgkin Lymphoma | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 126 | 0.5 | 0.05 | 0.4 | 0.6 | 1,477 | 0.4 | 0.01 | 0.4 | 0.4 |
| 1990 | * | * | * | * | * | 65 | 0.6 | 0.07 | 0.5 | 0.8 |
| 1991 | * | * | * | * | * | 72 | 0.7 | 0.08 | 0.5 | 0.8 |
| 1992 | * | * | * | * | * | 66 | 0.6 | 0.07 | 0.5 | 0.8 |
| 1993 | * | * | * | * | * | 62 | 0.6 | 0.07 | 0.4 | 0.7 |
| 1994 | * | * | * | * | * | 64 | 0.6 | 0.07 | 0.4 | 0.7 |
| 1995 | * | * | * | * | * | 57 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1996 | * | * | * | * | * | 56 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1997 | * | * | * | * | * | 54 | 0.5 | 0.07 | 0.4 | 0.6 |
| 1998 | * | * | * | * | * | 58 | 0.5 | 0.07 | 0.4 | 0.7 |
| 1999 | * | * | * | * | * | 52 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2000 | * | * | * | * | * | 57 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2001 | * | * | * | * | * | 50 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2002 | * | * | * | * | * | 59 | 0.5 | 0.07 | 0.4 | 0.7 |
| 2003 | * | * | * | * | * | 50 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2004 | * | * | * | * | * | 55 | 0.5 | 0.06 | 0.4 | 0.6 |
| 2005 | * | * | * | * | * | 47 | 0.4 | 0.06 | 0.3 | 0.6 |
| 2006 | * | * | * | * | * | 54 | 0.5 | 0.07 | 0.4 | 0.6 |
| 2007 | * | * | * | * | * | 42 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2008 | * | * | * | * | * | 41 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2009 | * | * | * | * | * | 46 | 0.4 | 0.06 | 0.3 | 0.5 |
| 2010 | * | * | * | * | * | 30 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2011 | * | * | * | * | * | 32 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2012 | * | * | * | * | * | 39 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2013 | * | * | * | * | * | 33 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2014 | * | * | * | * | * | 35 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2015 | * | * | * | * | * | 43 | 0.3 | 0.05 | 0.2 | 0.5 |
| 2016 | * | * | * | * | * | 33 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2017 | * | * | * | * | * | 34 | 0.3 | 0.05 | 0.2 | 0.4 |
| 2018 | * | * | * | * | * | 34 | 0.2 | 0.04 | 0.2 | 0.3 |
| 2019 | * | * | * | * | * | 34 | 0.2 | 0.04 | 0.2 | 0.3 |
| 2020 | * | * | * | * | * | 23 | 0.2 | 0.04 | 0.1 | 0.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Hodgkin Lymphoma | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,240 | 0.4 | 0.01 | 0.4 | 0.4 | 211 | 0.4 | 0.03 | 0.4 | 0.5 |
| 1990 | 53 | 0.6 | 0.08 | 0.4 | 0.7 | 12 | 0.8 | 0.24 | 0.4 | 1.5 |
| 1991 | 59 | 0.6 | 0.08 | 0.5 | 0.8 | 12 | 0.7 | 0.21 | 0.4 | 1.3 |
| 1992 | 55 | 0.6 | 0.08 | 0.4 | 0.8 | 11 | 0.6 | 0.20 | 0.3 | 1.2 |
| 1993 | 54 | 0.6 | 0.08 | 0.4 | 0.8 | * | * | * | * | * |
| 1994 | 52 | 0.5 | 0.08 | 0.4 | 0.7 | 10 | 0.6 | 0.20 | 0.3 | 1.2 |
| 1995 | 47 | 0.5 | 0.07 | 0.4 | 0.7 | 10 | 0.6 | 0.20 | 0.3 | 1.1 |
| 1996 | 47 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 1997 | 47 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 1998 | 46 | 0.5 | 0.07 | 0.4 | 0.7 | 11 | 0.8 | 0.24 | 0.4 | 1.4 |
| 1999 | 46 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 2000 | 49 | 0.5 | 0.08 | 0.4 | 0.7 | * | * | * | * | * |
| 2001 | 44 | 0.5 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2002 | 51 | 0.5 | 0.08 | 0.4 | 0.7 | * | * | * | * | * |
| 2003 | 44 | 0.5 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2004 | 48 | 0.5 | 0.07 | 0.4 | 0.7 | * | * | * | * | * |
| 2005 | 38 | 0.4 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2006 | 43 | 0.5 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2007 | 38 | 0.4 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2008 | 30 | 0.3 | 0.06 | 0.2 | 0.5 | 10 | 0.6 | 0.20 | 0.3 | 1.2 |
| 2009 | 40 | 0.4 | 0.07 | 0.3 | 0.6 | * | * | * | * | * |
| 2010 | 26 | 0.3 | 0.05 | 0.2 | 0.4 | * | * | * | * | * |
| 2011 | 26 | 0.3 | 0.06 | 0.2 | 0.4 | * | * | * | * | * |
| 2012 | 33 | 0.3 | 0.06 | 0.2 | 0.5 | * | * | * | * | * |
| 2013 | 27 | 0.3 | 0.06 | 0.2 | 0.4 | * | * | * | * | * |
| 2014 | 31 | 0.3 | 0.06 | 0.2 | 0.5 | * | * | * | * | * |
| 2015 | 34 | 0.3 | 0.05 | 0.2 | 0.4 | * | * | * | * | * |
| 2016 | 25 | 0.2 | 0.05 | 0.2 | 0.3 | * | * | * | * | * |
| 2017 | 31 | 0.3 | 0.05 | 0.2 | 0.4 | * | * | * | * | * |
| 2018 | 26 | 0.2 | 0.05 | 0.1 | 0.3 | * | * | * | * | * |
| 2019 | 29 | 0.3 | 0.05 | 0.2 | 0.4 | * | * | * | * | * |
| 2020 | 21 | 0.2 | 0.04 | 0.1 | 0.3 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Hodgkin Lymphoma | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 78 | 0.7 | 0.09 | 0.5 | 0.9 | 852 | 0.5 | 0.02 | 0.5 | 0.6 |
| 1990 | * | * | * | * | * | 41 | 0.8 | 0.13 | 0.6 | 1.1 |
| 1991 | * | * | * | * | * | 40 | 0.8 | 0.13 | 0.6 | 1.1 |
| 1992 | * | * | * | * | * | 35 | 0.7 | 0.12 | 0.5 | 1.0 |
| 1993 | * | * | * | * | * | 23 | 0.5 | 0.10 | 0.3 | 0.7 |
| 1994 | * | * | * | * | * | 34 | 0.7 | 0.11 | 0.5 | 0.9 |
| 1995 | * | * | * | * | * | 34 | 0.7 | 0.11 | 0.5 | 0.9 |
| 1996 | * | * | * | * | * | 32 | 0.7 | 0.12 | 0.5 | 1.0 |
| 1997 | * | * | * | * | * | 28 | 0.6 | 0.12 | 0.4 | 0.9 |
| 1998 | * | * | * | * | * | 41 | 0.8 | 0.13 | 0.6 | 1.1 |
| 1999 | * | * | * | * | * | 33 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2000 | * | * | * | * | * | 31 | 0.6 | 0.11 | 0.4 | 0.9 |
| 2001 | * | * | * | * | * | 29 | 0.6 | 0.10 | 0.4 | 0.8 |
| 2002 | * | * | * | * | * | 36 | 0.8 | 0.13 | 0.5 | 1.0 |
| 2003 | * | * | * | * | * | 27 | 0.5 | 0.10 | 0.4 | 0.8 |
| 2004 | * | * | * | * | * | 36 | 0.7 | 0.12 | 0.5 | 1.0 |
| 2005 | * | * | * | * | * | 24 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2006 | * | * | * | * | * | 32 | 0.6 | 0.11 | 0.4 | 0.9 |
| 2007 | * | * | * | * | * | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2008 | * | * | * | * | * | 23 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2009 | * | * | * | * | * | 25 | 0.5 | 0.10 | 0.3 | 0.7 |
| 2010 | * | * | * | * | * | 14 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2011 | * | * | * | * | * | 17 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2012 | * | * | * | * | * | 25 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2013 | * | * | * | * | * | 19 | 0.4 | 0.09 | 0.2 | 0.6 |
| 2014 | * | * | * | * | * | 23 | 0.4 | 0.09 | 0.3 | 0.6 |
| 2015 | * | * | * | * | * | 27 | 0.5 | 0.09 | 0.3 | 0.7 |
| 2016 | * | * | * | * | * | 18 | 0.3 | 0.08 | 0.2 | 0.5 |
| 2017 | * | * | * | * | * | 23 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2018 | * | * | * | * | * | 24 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2019 | * | * | * | * | * | 22 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2020 | * | * | * | * | * | 17 | 0.3 | 0.07 | 0.2 | 0.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Hodgkin Lymphoma | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 723 | 0.5 | 0.02 | 0.5 | 0.6 | 113 | 0.5 | 0.05 | 0.4 | 0.6 |
| 1990 | 33 | 0.8 | 0.14 | 0.5 | 1.1 | * | * | * | * | * |
| 1991 | 33 | 0.8 | 0.14 | 0.5 | 1.1 | * | * | * | * | * |
| 1992 | 28 | 0.7 | 0.13 | 0.4 | 1.0 | * | * | * | * | * |
| 1993 | 18 | 0.4 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 1994 | 28 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 1995 | 29 | 0.7 | 0.13 | 0.5 | 1.0 | * | * | * | * | * |
| 1996 | 28 | 0.7 | 0.14 | 0.5 | 1.0 | * | * | * | * | * |
| 1997 | 22 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 1998 | 31 | 0.7 | 0.13 | 0.5 | 1.1 | * | * | * | * | * |
| 1999 | 30 | 0.7 | 0.14 | 0.5 | 1.1 | * | * | * | * | * |
| 2000 | 26 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 2001 | 28 | 0.7 | 0.12 | 0.4 | 1.0 | * | * | * | * | * |
| 2002 | 30 | 0.7 | 0.14 | 0.5 | 1.1 | * | * | * | * | * |
| 2003 | 23 | 0.6 | 0.12 | 0.4 | 0.8 | * | * | * | * | * |
| 2004 | 34 | 0.8 | 0.14 | 0.6 | 1.1 | * | * | * | * | * |
| 2005 | 18 | 0.4 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2006 | 25 | 0.6 | 0.12 | 0.4 | 0.9 | * | * | * | * | * |
| 2007 | 18 | 0.4 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2008 | 16 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2009 | 23 | 0.5 | 0.11 | 0.3 | 0.8 | * | * | * | * | * |
| 2010 | 12 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2011 | 16 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2012 | 20 | 0.5 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2013 | 17 | 0.4 | 0.10 | 0.2 | 0.6 | * | * | * | * | * |
| 2014 | 22 | 0.5 | 0.11 | 0.3 | 0.8 | * | * | * | * | * |
| 2015 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2016 | 14 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2017 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2018 | 22 | 0.4 | 0.09 | 0.3 | 0.6 | * | * | * | * | * |
| 2019 | 18 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2020 | 15 | 0.3 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Hodgkin Lymphoma | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 48 | 0.4 | 0.06 | 0.3 | 0.5 | 625 | 0.3 | 0.01 | 0.3 | 0.3 |
| 1990 | * | * | * | * | * | 24 | 0.4 | 0.08 | 0.2 | 0.6 |
| 1991 | * | * | * | * | * | 32 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1992 | * | * | * | * | * | 31 | 0.5 | 0.09 | 0.4 | 0.7 |
| 1993 | * | * | * | * | * | 39 | 0.6 | 0.10 | 0.4 | 0.9 |
| 1994 | * | * | * | * | * | 30 | 0.5 | 0.09 | 0.3 | 0.7 |
| 1995 | * | * | * | * | * | 23 | 0.4 | 0.08 | 0.2 | 0.6 |
| 1996 | * | * | * | * | * | 24 | 0.4 | 0.08 | 0.3 | 0.6 |
| 1997 | * | * | * | * | * | 26 | 0.4 | 0.08 | 0.3 | 0.6 |
| 1998 | * | * | * | * | * | 17 | 0.3 | 0.06 | 0.2 | 0.4 |
| 1999 | * | * | * | * | * | 19 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2000 | * | * | * | * | * | 26 | 0.4 | 0.08 | 0.3 | 0.6 |
| 2001 | * | * | * | * | * | 21 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2002 | * | * | * | * | * | 23 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2003 | * | * | * | * | * | 23 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2004 | * | * | * | * | * | 19 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2005 | * | * | * | * | * | 23 | 0.4 | 0.08 | 0.2 | 0.6 |
| 2006 | * | * | * | * | * | 22 | 0.4 | 0.08 | 0.2 | 0.5 |
| 2007 | * | * | * | * | * | 23 | 0.4 | 0.07 | 0.2 | 0.5 |
| 2008 | * | * | * | * | * | 18 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2009 | * | * | * | * | * | 21 | 0.3 | 0.07 | 0.2 | 0.5 |
| 2010 | * | * | * | * | * | 16 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2011 | * | * | * | * | * | 15 | 0.3 | 0.07 | 0.1 | 0.4 |
| 2012 | * | * | * | * | * | 14 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2013 | * | * | * | * | * | 14 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2014 | * | * | * | * | * | 12 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2015 | * | * | * | * | * | 16 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2016 | * | * | * | * | * | 15 | 0.2 | 0.06 | 0.1 | 0.4 |
| 2017 | * | * | * | * | * | 11 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2018 | * | * | * | * | * | 10 | 0.1 | 0.04 | 0.1 | 0.3 |
| 2019 | * | * | * | * | * | 12 | 0.2 | 0.05 | 0.1 | 0.3 |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Hodgkin Lymphoma | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 517 | 0.3 | 0.01 | 0.3 | 0.3 | 98 | 0.3 | 0.03 | 0.3 | 0.4 |
| 1990 | 20 | 0.4 | 0.08 | 0.2 | 0.6 | * | * | * | * | * |
| 1991 | 26 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 1992 | 27 | 0.5 | 0.10 | 0.3 | 0.8 | * | * | * | * | * |
| 1993 | 36 | 0.7 | 0.11 | 0.5 | 0.9 | * | * | * | * | * |
| 1994 | 24 | 0.4 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 1995 | 18 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 1996 | 19 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 1997 | 25 | 0.5 | 0.09 | 0.3 | 0.7 | * | * | * | * | * |
| 1998 | 15 | 0.3 | 0.07 | 0.1 | 0.4 | * | * | * | * | * |
| 1999 | 16 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2000 | 23 | 0.5 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2001 | 16 | 0.3 | 0.07 | 0.2 | 0.5 | * | * | * | * | * |
| 2002 | 21 | 0.4 | 0.10 | 0.3 | 0.7 | * | * | * | * | * |
| 2003 | 21 | 0.4 | 0.09 | 0.3 | 0.6 | * | * | * | * | * |
| 2004 | 14 | 0.3 | 0.07 | 0.2 | 0.5 | * | * | * | * | * |
| 2005 | 20 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2006 | 18 | 0.4 | 0.09 | 0.2 | 0.6 | * | * | * | * | * |
| 2007 | 20 | 0.4 | 0.08 | 0.2 | 0.6 | * | * | * | * | * |
| 2008 | 14 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2009 | 17 | 0.3 | 0.08 | 0.2 | 0.5 | * | * | * | * | * |
| 2010 | 14 | 0.3 | 0.08 | 0.1 | 0.5 | * | * | * | * | * |
| 2011 | 10 | 0.2 | 0.07 | 0.1 | 0.4 | * | * | * | * | * |
| 2012 | 13 | 0.2 | 0.06 | 0.1 | 0.4 | * | * | * | * | * |
| 2013 | 10 | 0.2 | 0.06 | 0.1 | 0.4 | * | * | * | * | * |
| 2014 | * | * | * | * | * | * | * | * | * | * |
| 2015 | 11 | 0.2 | 0.05 | 0.1 | 0.3 | * | * | * | * | * |
| 2016 | 11 | 0.2 | 0.05 | 0.1 | 0.3 | * | * | * | * | * |
| 2017 | * | * | * | * | * | * | * | * | * | * |
| 2018 | * | * | * | * | * | * | * | * | * | * |
| 2019 | 11 | 0.2 | 0.07 | 0.1 | 0.4 | * | * | * | * | * |
| 2020 | * | * | * | * | * | * | * | * | * | * |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Non-Hodgkin Lymphoma | | | | | | | | | | |
|----------------------|-------|------|------|-----|------|-------------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,121 | 5.0 | 0.17 | 4.7 | 5.4 | 27,078 | 7.2 | 0.04 | 7.1 | 7.3 |
| 1990 | 19 | 3.9 | 0.99 | 2.2 | 6.4 | 845 | 8.1 | 0.28 | 7.5 | 8.6 |
| 1991 | 18 | 4.2 | 1.21 | 2.2 | 7.1 | 912 | 8.5 | 0.28 | 8.0 | 9.1 |
| 1992 | 27 | 6.6 | 1.54 | 3.9 | 10.2 | 938 | 8.7 | 0.29 | 8.2 | 9.3 |
| 1993 | 22 | 4.3 | 1.03 | 2.5 | 6.8 | 954 | 8.8 | 0.29 | 8.2 | 9.3 |
| 1994 | 26 | 5.4 | 1.27 | 3.2 | 8.4 | 998 | 9.1 | 0.29 | 8.6 | 9.7 |
| 1995 | 35 | 6.1 | 1.25 | 3.9 | 9.0 | 1,045 | 9.4 | 0.29 | 8.9 | 10.0 |
| 1996 | 30 | 7.3 | 1.62 | 4.5 | 11.0 | 1,028 | 9.2 | 0.29 | 8.7 | 9.8 |
| 1997 | 21 | 4.1 | 1.09 | 2.2 | 6.7 | 1,018 | 9.1 | 0.28 | 8.5 | 9.6 |
| 1998 | 25 | 4.6 | 1.10 | 2.7 | 7.2 | 994 | 8.7 | 0.28 | 8.2 | 9.3 |
| 1999 | 31 | 7.1 | 1.50 | 4.4 | 10.5 | 1,030 | 9.0 | 0.28 | 8.5 | 9.6 |
| 2000 | 35 | 7.2 | 1.43 | 4.7 | 10.5 | 969 | 8.4 | 0.27 | 7.9 | 9.0 |
| 2001 | 32 | 5.8 | 1.19 | 3.8 | 8.5 | 955 | 8.2 | 0.27 | 7.7 | 8.8 |
| 2002 | 32 | 6.4 | 1.31 | 4.1 | 9.4 | 911 | 7.8 | 0.26 | 7.3 | 8.3 |
| 2003 | 30 | 5.4 | 1.13 | 3.4 | 8.0 | 897 | 7.6 | 0.25 | 7.1 | 8.1 |
| 2004 | 40 | 6.0 | 1.13 | 4.0 | 8.6 | 895 | 7.6 | 0.25 | 7.1 | 8.1 |
| 2005 | 27 | 5.3 | 1.15 | 3.3 | 7.9 | 923 | 7.7 | 0.26 | 7.2 | 8.2 |
| 2006 | 36 | 5.0 | 1.01 | 3.2 | 7.3 | 849 | 7.0 | 0.24 | 6.6 | 7.5 |
| 2007 | 24 | 3.1 | 0.74 | 1.8 | 4.9 | 796 | 6.5 | 0.23 | 6.1 | 7.0 |
| 2008 | 39 | 4.8 | 0.90 | 3.2 | 6.8 | 815 | 6.6 | 0.23 | 6.1 | 7.1 |
| 2009 | 40 | 5.5 | 0.98 | 3.7 | 7.6 | 863 | 6.9 | 0.24 | 6.5 | 7.4 |
| 2010 | 51 | 6.1 | 0.94 | 4.4 | 8.2 | 796 | 6.3 | 0.23 | 5.8 | 6.7 |
| 2011 | 46 | 5.6 | 0.89 | 3.9 | 7.5 | 799 | 6.2 | 0.22 | 5.8 | 6.7 |
| 2012 | 34 | 3.7 | 0.71 | 2.5 | 5.3 | 776 | 6.0 | 0.22 | 5.6 | 6.5 |
| 2013 | 42 | 4.2 | 0.72 | 3.0 | 5.9 | 790 | 5.9 | 0.21 | 5.5 | 6.4 |
| 2014 | 39 | 4.1 | 0.71 | 2.8 | 5.7 | 761 | 5.7 | 0.21 | 5.3 | 6.2 |
| 2015 | 55 | 5.1 | 0.75 | 3.8 | 6.8 | 794 | 5.8 | 0.21 | 5.4 | 6.2 |
| 2016 | 46 | 4.7 | 0.73 | 3.4 | 6.3 | 736 | 5.3 | 0.20 | 4.9 | 5.7 |
| 2017 | 51 | 5.0 | 0.74 | 3.6 | 6.6 | 733 | 5.3 | 0.20 | 4.9 | 5.7 |
| 2018 | 66 | 5.7 | 0.74 | 4.3 | 7.3 | 738 | 5.2 | 0.20 | 4.8 | 5.6 |
| 2019 | 49 | 3.9 | 0.59 | 2.8 | 5.2 | 785 | 5.5 | 0.20 | 5.1 | 5.9 |
| 2020 | 53 | 4.1 | 0.59 | 3.0 | 5.4 | 735 | 5.1 | 0.19 | 4.7 | 5.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Non-Hodgkin Lymphoma | | | | | | | | | | |
|----------------------|--------|------|------|-----|------|--------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 24,385 | 7.6 | 0.05 | 7.5 | 7.7 | 2,257 | 4.8 | 0.10 | 4.6 | 5.0 |
| 1990 | 775 | 8.4 | 0.30 | 7.8 | 9.0 | 67 | 5.9 | 0.75 | 4.5 | 7.6 |
| 1991 | 841 | 9.0 | 0.31 | 8.4 | 9.6 | 67 | 5.4 | 0.69 | 4.1 | 6.9 |
| 1992 | 862 | 9.1 | 0.31 | 8.5 | 9.8 | 74 | 6.0 | 0.73 | 4.7 | 7.6 |
| 1993 | 867 | 9.1 | 0.31 | 8.5 | 9.7 | 82 | 6.5 | 0.73 | 5.1 | 8.0 |
| 1994 | 899 | 9.4 | 0.32 | 8.8 | 10.1 | 91 | 7.1 | 0.77 | 5.7 | 8.8 |
| 1995 | 947 | 9.8 | 0.32 | 9.2 | 10.4 | 88 | 6.9 | 0.76 | 5.5 | 8.6 |
| 1996 | 929 | 9.6 | 0.32 | 9.0 | 10.2 | 93 | 7.1 | 0.76 | 5.7 | 8.7 |
| 1997 | 927 | 9.5 | 0.31 | 8.9 | 10.1 | 78 | 5.8 | 0.67 | 4.5 | 7.2 |
| 1998 | 896 | 9.1 | 0.30 | 8.5 | 9.7 | 90 | 6.7 | 0.73 | 5.4 | 8.3 |
| 1999 | 945 | 9.5 | 0.31 | 8.9 | 10.2 | 80 | 5.9 | 0.67 | 4.7 | 7.4 |
| 2000 | 889 | 9.0 | 0.30 | 8.4 | 9.6 | 68 | 4.9 | 0.61 | 3.8 | 6.2 |
| 2001 | 870 | 8.7 | 0.30 | 8.2 | 9.3 | 75 | 5.2 | 0.62 | 4.1 | 6.6 |
| 2002 | 823 | 8.2 | 0.29 | 7.6 | 8.7 | 75 | 5.2 | 0.61 | 4.1 | 6.6 |
| 2003 | 820 | 8.0 | 0.28 | 7.5 | 8.6 | 60 | 4.2 | 0.55 | 3.2 | 5.4 |
| 2004 | 820 | 8.1 | 0.28 | 7.6 | 8.7 | 60 | 4.1 | 0.54 | 3.1 | 5.3 |
| 2005 | 837 | 8.1 | 0.28 | 7.6 | 8.7 | 69 | 4.7 | 0.58 | 3.6 | 6.0 |
| 2006 | 772 | 7.5 | 0.27 | 7.0 | 8.0 | 67 | 4.4 | 0.55 | 3.4 | 5.6 |
| 2007 | 715 | 6.8 | 0.26 | 6.3 | 7.4 | 65 | 4.4 | 0.55 | 3.3 | 5.6 |
| 2008 | 740 | 7.0 | 0.26 | 6.5 | 7.5 | 63 | 4.2 | 0.55 | 3.2 | 5.4 |
| 2009 | 756 | 7.1 | 0.26 | 6.6 | 7.7 | 88 | 5.4 | 0.59 | 4.3 | 6.7 |
| 2010 | 711 | 6.6 | 0.25 | 6.1 | 7.1 | 72 | 4.4 | 0.53 | 3.4 | 5.6 |
| 2011 | 708 | 6.5 | 0.25 | 6.0 | 7.0 | 78 | 4.7 | 0.54 | 3.7 | 5.8 |
| 2012 | 704 | 6.5 | 0.25 | 6.0 | 7.0 | 60 | 3.6 | 0.48 | 2.7 | 4.7 |
| 2013 | 701 | 6.2 | 0.24 | 5.8 | 6.7 | 65 | 3.8 | 0.48 | 2.9 | 4.9 |
| 2014 | 671 | 6.1 | 0.24 | 5.6 | 6.5 | 68 | 4.0 | 0.49 | 3.1 | 5.0 |
| 2015 | 702 | 6.2 | 0.24 | 5.7 | 6.6 | 69 | 3.8 | 0.47 | 3.0 | 4.9 |
| 2016 | 654 | 5.7 | 0.23 | 5.3 | 6.2 | 56 | 3.1 | 0.42 | 2.3 | 4.0 |
| 2017 | 630 | 5.4 | 0.22 | 5.0 | 5.9 | 81 | 4.4 | 0.50 | 3.5 | 5.5 |
| 2018 | 642 | 5.5 | 0.22 | 5.1 | 6.0 | 72 | 3.7 | 0.45 | 2.9 | 4.7 |
| 2019 | 689 | 5.8 | 0.23 | 5.4 | 6.3 | 74 | 4.1 | 0.48 | 3.2 | 5.1 |
| 2020 | 643 | 5.4 | 0.22 | 5.0 | 5.9 | 62 | 3.4 | 0.43 | 2.6 | 4.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Non-Hodgkin Lymphoma | | | | | | | | | | |
|----------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 643 | 5.9 | 0.27 | 5.4 | 6.5 | 14,296 | 9.2 | 0.08 | 9.1 | 9.4 |
| 1990 | 15 | 6.4 | 1.95 | 3.2 | 11.6 | 466 | 11.0 | 0.53 | 10.0 | 12.1 |
| 1991 | 10 | 4.1 | 1.80 | 1.4 | 9.1 | 470 | 10.7 | 0.51 | 9.7 | 11.7 |
| 1992 | 18 | 7.5 | 2.26 | 3.8 | 13.2 | 496 | 11.4 | 0.53 | 10.3 | 12.4 |
| 1993 | 17 | 6.7 | 2.05 | 3.3 | 11.9 | 471 | 10.7 | 0.50 | 9.7 | 11.7 |
| 1994 | 17 | 6.8 | 2.13 | 3.3 | 12.2 | 517 | 11.7 | 0.53 | 10.7 | 12.8 |
| 1995 | 23 | 7.3 | 2.15 | 3.8 | 12.7 | 527 | 11.8 | 0.52 | 10.8 | 12.8 |
| 1996 | 17 | 7.5 | 2.41 | 3.5 | 13.4 | 529 | 11.6 | 0.51 | 10.6 | 12.7 |
| 1997 | 13 | 4.8 | 1.71 | 2.0 | 9.2 | 517 | 11.2 | 0.50 | 10.2 | 12.2 |
| 1998 | 16 | 7.3 | 2.40 | 3.3 | 13.1 | 525 | 11.6 | 0.51 | 10.6 | 12.6 |
| 1999 | 12 | 4.5 | 1.67 | 1.8 | 8.8 | 555 | 12.0 | 0.52 | 11.0 | 13.1 |
| 2000 | 23 | 9.7 | 2.55 | 5.3 | 15.6 | 513 | 10.9 | 0.49 | 10.0 | 11.9 |
| 2001 | 26 | 10.9 | 2.56 | 6.4 | 16.8 | 490 | 10.4 | 0.47 | 9.5 | 11.4 |
| 2002 | 16 | 5.8 | 1.77 | 2.9 | 10.2 | 459 | 9.8 | 0.46 | 8.9 | 10.8 |
| 2003 | 15 | 5.6 | 1.74 | 2.8 | 9.9 | 451 | 9.4 | 0.45 | 8.6 | 10.4 |
| 2004 | 27 | 8.1 | 2.00 | 4.7 | 12.8 | 451 | 9.5 | 0.45 | 8.6 | 10.4 |
| 2005 | 18 | 6.9 | 1.98 | 3.6 | 11.5 | 475 | 9.9 | 0.46 | 9.1 | 10.9 |
| 2006 | 19 | 6.6 | 1.94 | 3.4 | 11.2 | 461 | 9.3 | 0.44 | 8.5 | 10.2 |
| 2007 | 11 | 3.2 | 1.19 | 1.3 | 6.2 | 424 | 8.6 | 0.42 | 7.8 | 9.5 |
| 2008 | 18 | 4.9 | 1.48 | 2.4 | 8.4 | 420 | 8.4 | 0.42 | 7.6 | 9.3 |
| 2009 | 23 | 6.8 | 1.70 | 3.9 | 10.8 | 432 | 8.5 | 0.41 | 7.7 | 9.3 |
| 2010 | 36 | 8.7 | 1.68 | 5.7 | 12.5 | 428 | 8.2 | 0.40 | 7.5 | 9.1 |
| 2011 | 24 | 6.2 | 1.44 | 3.7 | 9.5 | 430 | 8.3 | 0.41 | 7.5 | 9.1 |
| 2012 | 15 | 3.1 | 0.95 | 1.5 | 5.4 | 439 | 8.2 | 0.40 | 7.4 | 9.0 |
| 2013 | 21 | 4.1 | 1.03 | 2.4 | 6.6 | 423 | 7.7 | 0.38 | 6.9 | 8.4 |
| 2014 | 19 | 4.3 | 1.09 | 2.4 | 6.8 | 413 | 7.6 | 0.38 | 6.8 | 8.3 |
| 2015 | 33 | 6.4 | 1.24 | 4.2 | 9.2 | 450 | 7.7 | 0.37 | 7.0 | 8.5 |
| 2016 | 26 | 5.7 | 1.22 | 3.6 | 8.5 | 389 | 6.7 | 0.35 | 6.1 | 7.5 |
| 2017 | 25 | 5.4 | 1.17 | 3.4 | 8.1 | 425 | 7.2 | 0.36 | 6.6 | 8.0 |
| 2018 | 41 | 7.7 | 1.31 | 5.3 | 10.6 | 423 | 7.2 | 0.35 | 6.5 | 7.9 |
| 2019 | 24 | 3.9 | 0.89 | 2.4 | 6.0 | 439 | 7.3 | 0.36 | 6.6 | 8.1 |
| 2020 | 25 | 3.6 | 0.79 | 2.2 | 5.4 | 388 | 6.3 | 0.33 | 5.7 | 7.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Non-Hodgkin Lymphoma | | | | | | | | | | |
|----------------------|--------|------|------|------|------|--------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 12,816 | 9.7 | 0.09 | 9.6 | 9.9 | 1,239 | 6.4 | 0.19 | 6.0 | 6.7 |
| 1990 | 429 | 11.5 | 0.57 | 10.4 | 12.7 | 35 | 7.5 | 1.38 | 5.0 | 10.6 |
| 1991 | 429 | 11.2 | 0.56 | 10.1 | 12.3 | 38 | 7.0 | 1.23 | 4.8 | 9.8 |
| 1992 | 448 | 11.8 | 0.57 | 10.7 | 12.9 | 48 | 9.4 | 1.49 | 6.7 | 12.8 |
| 1993 | 425 | 11.1 | 0.55 | 10.0 | 12.2 | 43 | 7.7 | 1.23 | 5.5 | 10.5 |
| 1994 | 460 | 12.0 | 0.57 | 10.9 | 13.2 | 52 | 9.2 | 1.36 | 6.8 | 12.3 |
| 1995 | 476 | 12.2 | 0.57 | 11.1 | 13.4 | 47 | 8.5 | 1.34 | 6.1 | 11.5 |
| 1996 | 468 | 11.8 | 0.55 | 10.8 | 13.0 | 58 | 11.4 | 1.63 | 8.4 | 15.0 |
| 1997 | 459 | 11.5 | 0.54 | 10.4 | 12.6 | 46 | 7.6 | 1.18 | 5.5 | 10.3 |
| 1998 | 470 | 11.9 | 0.56 | 10.9 | 13.1 | 49 | 8.5 | 1.29 | 6.2 | 11.4 |
| 1999 | 506 | 12.6 | 0.57 | 11.6 | 13.8 | 45 | 7.9 | 1.25 | 5.6 | 10.7 |
| 2000 | 468 | 11.5 | 0.54 | 10.5 | 12.7 | 36 | 6.0 | 1.08 | 4.1 | 8.5 |
| 2001 | 446 | 11.0 | 0.53 | 10.0 | 12.1 | 38 | 6.1 | 1.05 | 4.3 | 8.5 |
| 2002 | 420 | 10.4 | 0.51 | 9.4 | 11.5 | 31 | 5.3 | 1.00 | 3.5 | 7.6 |
| 2003 | 408 | 9.9 | 0.49 | 9.0 | 10.9 | 34 | 5.8 | 1.08 | 3.9 | 8.2 |
| 2004 | 413 | 10.1 | 0.50 | 9.2 | 11.2 | 32 | 5.3 | 1.01 | 3.5 | 7.6 |
| 2005 | 431 | 10.5 | 0.51 | 9.5 | 11.5 | 36 | 6.0 | 1.06 | 4.1 | 8.4 |
| 2006 | 418 | 9.9 | 0.49 | 9.0 | 10.9 | 36 | 5.6 | 0.99 | 3.8 | 7.8 |
| 2007 | 385 | 9.1 | 0.47 | 8.2 | 10.1 | 34 | 6.0 | 1.11 | 4.0 | 8.5 |
| 2008 | 383 | 9.0 | 0.46 | 8.1 | 10.0 | 31 | 5.0 | 0.96 | 3.3 | 7.2 |
| 2009 | 379 | 8.7 | 0.45 | 7.9 | 9.7 | 42 | 6.6 | 1.10 | 4.7 | 9.1 |
| 2010 | 378 | 8.6 | 0.45 | 7.7 | 9.5 | 44 | 6.2 | 0.98 | 4.4 | 8.4 |
| 2011 | 378 | 8.6 | 0.45 | 7.8 | 9.5 | 44 | 6.3 | 1.00 | 4.5 | 8.6 |
| 2012 | 400 | 8.9 | 0.45 | 8.0 | 9.8 | 36 | 5.3 | 0.93 | 3.7 | 7.5 |
| 2013 | 375 | 8.1 | 0.42 | 7.2 | 8.9 | 37 | 5.3 | 0.92 | 3.7 | 7.4 |
| 2014 | 367 | 8.0 | 0.42 | 7.2 | 8.9 | 35 | 4.9 | 0.86 | 3.4 | 6.9 |
| 2015 | 396 | 8.1 | 0.42 | 7.3 | 9.0 | 41 | 5.5 | 0.91 | 3.9 | 7.6 |
| 2016 | 355 | 7.4 | 0.40 | 6.6 | 8.2 | 24 | 3.0 | 0.64 | 1.9 | 4.5 |
| 2017 | 351 | 7.2 | 0.39 | 6.4 | 8.0 | 55 | 7.2 | 1.01 | 5.4 | 9.5 |
| 2018 | 372 | 7.6 | 0.40 | 6.9 | 8.5 | 38 | 4.8 | 0.81 | 3.3 | 6.6 |
| 2019 | 378 | 7.6 | 0.40 | 6.8 | 8.4 | 43 | 6.0 | 0.95 | 4.3 | 8.2 |
| 2020 | 345 | 6.7 | 0.37 | 6.0 | 7.5 | 31 | 4.2 | 0.78 | 2.8 | 6.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Non-Hodgkin Lymphoma | | | | | | | | | | |
|----------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 478 | 4.3 | 0.21 | 3.9 | 4.7 | 12,782 | 5.7 | 0.05 | 5.6 | 5.8 |
| 1990 | * | * | * | * | * | 379 | 5.9 | 0.31 | 5.3 | 6.6 |
| 1991 | * | * | * | * | * | 442 | 6.9 | 0.33 | 6.3 | 7.6 |
| 1992 | * | * | * | * | * | 442 | 6.9 | 0.33 | 6.2 | 7.5 |
| 1993 | * | * | * | * | * | 483 | 7.3 | 0.34 | 6.7 | 8.0 |
| 1994 | * | * | * | * | * | 481 | 7.4 | 0.34 | 6.8 | 8.1 |
| 1995 | 12 | 5.0 | 1.56 | 2.4 | 8.9 | 518 | 7.8 | 0.34 | 7.1 | 8.5 |
| 1996 | 13 | 6.8 | 2.10 | 3.3 | 11.8 | 499 | 7.5 | 0.34 | 6.8 | 8.2 |
| 1997 | * | * | * | * | * | 501 | 7.4 | 0.33 | 6.8 | 8.1 |
| 1998 | * | * | * | * | * | 469 | 6.9 | 0.32 | 6.3 | 7.5 |
| 1999 | 19 | 8.8 | 2.24 | 5.0 | 14.1 | 475 | 6.9 | 0.32 | 6.3 | 7.5 |
| 2000 | 12 | 5.2 | 1.61 | 2.5 | 9.1 | 456 | 6.6 | 0.31 | 6.0 | 7.3 |
| 2001 | * | * | * | * | * | 465 | 6.7 | 0.31 | 6.1 | 7.4 |
| 2002 | 16 | 6.7 | 1.83 | 3.6 | 11.0 | 452 | 6.5 | 0.31 | 5.9 | 7.1 |
| 2003 | 15 | 5.2 | 1.49 | 2.7 | 8.8 | 446 | 6.2 | 0.30 | 5.6 | 6.8 |
| 2004 | 13 | 4.3 | 1.30 | 2.1 | 7.4 | 444 | 6.3 | 0.30 | 5.8 | 7.0 |
| 2005 | * | * | * | * | * | 448 | 6.2 | 0.30 | 5.7 | 6.9 |
| 2006 | 17 | 4.0 | 1.12 | 2.1 | 6.7 | 388 | 5.4 | 0.28 | 4.8 | 6.0 |
| 2007 | 13 | 3.1 | 0.97 | 1.5 | 5.5 | 372 | 5.0 | 0.27 | 4.5 | 5.6 |
| 2008 | 21 | 5.0 | 1.18 | 2.9 | 7.7 | 395 | 5.3 | 0.27 | 4.8 | 5.9 |
| 2009 | 17 | 4.4 | 1.16 | 2.4 | 7.1 | 431 | 5.9 | 0.29 | 5.3 | 6.5 |
| 2010 | 15 | 3.8 | 1.04 | 2.1 | 6.3 | 368 | 4.9 | 0.26 | 4.4 | 5.4 |
| 2011 | 22 | 5.0 | 1.14 | 3.1 | 7.7 | 369 | 4.8 | 0.26 | 4.3 | 5.4 |
| 2012 | 19 | 4.1 | 1.01 | 2.4 | 6.5 | 337 | 4.4 | 0.25 | 4.0 | 4.9 |
| 2013 | 21 | 4.2 | 0.98 | 2.5 | 6.5 | 367 | 4.7 | 0.25 | 4.2 | 5.2 |
| 2014 | 20 | 3.9 | 0.93 | 2.3 | 6.1 | 348 | 4.4 | 0.24 | 3.9 | 4.9 |
| 2015 | 22 | 4.1 | 0.92 | 2.5 | 6.2 | 344 | 4.3 | 0.24 | 3.9 | 4.8 |
| 2016 | 20 | 3.8 | 0.88 | 2.3 | 5.9 | 347 | 4.3 | 0.24 | 3.8 | 4.8 |
| 2017 | 26 | 4.6 | 0.94 | 2.9 | 6.8 | 308 | 3.8 | 0.22 | 3.4 | 4.3 |
| 2018 | 25 | 4.1 | 0.85 | 2.6 | 6.0 | 315 | 3.8 | 0.22 | 3.4 | 4.2 |
| 2019 | 25 | 3.8 | 0.79 | 2.4 | 5.7 | 346 | 4.1 | 0.23 | 3.7 | 4.6 |
| 2020 | 28 | 4.4 | 0.86 | 2.9 | 6.4 | 347 | 4.1 | 0.23 | 3.7 | 4.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Non-Hodgkin Lymphoma | | | | | | | | | | |
|----------------------|--------|------|------|-----|-----|--------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 11,569 | 6.0 | 0.06 | 5.9 | 6.2 | 1,018 | 3.7 | 0.12 | 3.5 | 4.0 |
| 1990 | 346 | 6.1 | 0.33 | 5.5 | 6.8 | 32 | 4.8 | 0.87 | 3.3 | 6.8 |
| 1991 | 412 | 7.2 | 0.36 | 6.5 | 8.0 | 29 | 4.2 | 0.79 | 2.8 | 6.0 |
| 1992 | 414 | 7.3 | 0.37 | 6.6 | 8.1 | 26 | 3.8 | 0.75 | 2.4 | 5.5 |
| 1993 | 442 | 7.6 | 0.37 | 6.9 | 8.4 | 39 | 5.4 | 0.88 | 3.8 | 7.4 |
| 1994 | 439 | 7.7 | 0.38 | 7.0 | 8.5 | 39 | 5.5 | 0.89 | 3.9 | 7.5 |
| 1995 | 471 | 8.1 | 0.38 | 7.4 | 8.9 | 41 | 5.6 | 0.89 | 4.0 | 7.7 |
| 1996 | 461 | 7.9 | 0.38 | 7.2 | 8.7 | 35 | 4.5 | 0.77 | 3.1 | 6.2 |
| 1997 | 468 | 8.0 | 0.37 | 7.2 | 8.7 | 32 | 4.2 | 0.75 | 2.9 | 5.9 |
| 1998 | 426 | 7.2 | 0.35 | 6.5 | 7.9 | 41 | 5.4 | 0.84 | 3.8 | 7.3 |
| 1999 | 439 | 7.3 | 0.35 | 6.6 | 8.0 | 35 | 4.5 | 0.76 | 3.1 | 6.2 |
| 2000 | 421 | 7.1 | 0.35 | 6.4 | 7.8 | 32 | 4.0 | 0.71 | 2.7 | 5.7 |
| 2001 | 424 | 7.1 | 0.35 | 6.4 | 7.8 | 37 | 4.5 | 0.75 | 3.2 | 6.2 |
| 2002 | 403 | 6.7 | 0.34 | 6.0 | 7.4 | 44 | 5.2 | 0.80 | 3.8 | 7.0 |
| 2003 | 412 | 6.6 | 0.33 | 6.0 | 7.3 | 26 | 3.1 | 0.62 | 2.0 | 4.6 |
| 2004 | 407 | 6.8 | 0.34 | 6.1 | 7.5 | 28 | 3.3 | 0.63 | 2.2 | 4.8 |
| 2005 | 406 | 6.6 | 0.33 | 5.9 | 7.3 | 33 | 3.8 | 0.66 | 2.6 | 5.3 |
| 2006 | 354 | 5.7 | 0.31 | 5.1 | 6.4 | 31 | 3.5 | 0.64 | 2.4 | 5.0 |
| 2007 | 330 | 5.2 | 0.30 | 4.6 | 5.8 | 31 | 3.4 | 0.62 | 2.3 | 4.9 |
| 2008 | 357 | 5.6 | 0.30 | 5.0 | 6.2 | 32 | 3.7 | 0.66 | 2.5 | 5.2 |
| 2009 | 377 | 6.0 | 0.32 | 5.4 | 6.7 | 46 | 4.8 | 0.72 | 3.5 | 6.5 |
| 2010 | 333 | 5.2 | 0.29 | 4.6 | 5.8 | 28 | 3.0 | 0.57 | 2.0 | 4.3 |
| 2011 | 330 | 5.1 | 0.29 | 4.5 | 5.7 | 34 | 3.5 | 0.60 | 2.4 | 4.9 |
| 2012 | 304 | 4.8 | 0.28 | 4.2 | 5.3 | 24 | 2.5 | 0.51 | 1.6 | 3.7 |
| 2013 | 326 | 4.9 | 0.28 | 4.3 | 5.5 | 28 | 2.8 | 0.54 | 1.9 | 4.1 |
| 2014 | 304 | 4.6 | 0.27 | 4.1 | 5.2 | 33 | 3.2 | 0.57 | 2.2 | 4.5 |
| 2015 | 306 | 4.7 | 0.28 | 4.2 | 5.3 | 28 | 2.7 | 0.51 | 1.8 | 3.9 |
| 2016 | 299 | 4.4 | 0.26 | 3.9 | 5.0 | 32 | 3.0 | 0.55 | 2.1 | 4.3 |
| 2017 | 279 | 4.2 | 0.26 | 3.7 | 4.7 | 26 | 2.5 | 0.50 | 1.6 | 3.7 |
| 2018 | 270 | 3.9 | 0.25 | 3.5 | 4.5 | 34 | 3.0 | 0.52 | 2.1 | 4.2 |
| 2019 | 311 | 4.6 | 0.27 | 4.1 | 5.1 | 31 | 2.7 | 0.50 | 1.8 | 3.9 |
| 2020 | 298 | 4.3 | 0.26 | 3.8 | 4.9 | 31 | 2.8 | 0.51 | 1.9 | 4.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Myeloma | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 572 | 2.8 | 0.13 | 2.6 | 3.1 | 13,712 | 3.6 | 0.03 | 3.5 | 3.7 |
| 1990 | * | * | * | * | * | 379 | 3.6 | 0.19 | 3.3 | 4.0 |
| 1991 | * | * | * | * | * | 412 | 3.9 | 0.19 | 3.5 | 4.3 |
| 1992 | 17 | 6.0 | 1.61 | 3.3 | 9.8 | 430 | 4.0 | 0.19 | 3.6 | 4.4 |
| 1993 | * | * | * | * | * | 450 | 4.1 | 0.19 | 3.7 | 4.5 |
| 1994 | * | * | * | * | * | 430 | 3.9 | 0.19 | 3.5 | 4.3 |
| 1995 | * | * | * | * | * | 489 | 4.4 | 0.20 | 4.0 | 4.8 |
| 1996 | * | * | * | * | * | 433 | 3.9 | 0.19 | 3.5 | 4.2 |
| 1997 | 19 | 4.4 | 1.11 | 2.5 | 7.0 | 429 | 3.8 | 0.18 | 3.5 | 4.2 |
| 1998 | * | * | * | * | * | 476 | 4.2 | 0.19 | 3.8 | 4.6 |
| 1999 | 11 | 2.0 | 0.69 | 0.9 | 3.8 | 472 | 4.1 | 0.19 | 3.8 | 4.5 |
| 2000 | 12 | 2.9 | 0.93 | 1.4 | 5.1 | 489 | 4.2 | 0.19 | 3.9 | 4.6 |
| 2001 | 19 | 4.3 | 1.06 | 2.5 | 6.7 | 450 | 3.9 | 0.18 | 3.5 | 4.3 |
| 2002 | 19 | 3.1 | 0.78 | 1.8 | 5.0 | 454 | 3.9 | 0.18 | 3.5 | 4.3 |
| 2003 | 14 | 2.7 | 0.80 | 1.4 | 4.6 | 468 | 4.0 | 0.18 | 3.6 | 4.4 |
| 2004 | 17 | 2.9 | 0.79 | 1.6 | 4.8 | 425 | 3.6 | 0.17 | 3.3 | 3.9 |
| 2005 | 15 | 2.2 | 0.61 | 1.2 | 3.7 | 466 | 3.9 | 0.18 | 3.5 | 4.3 |
| 2006 | 21 | 3.2 | 0.76 | 1.9 | 5.0 | 441 | 3.7 | 0.18 | 3.3 | 4.0 |
| 2007 | 26 | 4.0 | 0.86 | 2.5 | 5.9 | 442 | 3.7 | 0.18 | 3.3 | 4.0 |
| 2008 | 29 | 4.0 | 0.83 | 2.6 | 5.9 | 408 | 3.3 | 0.17 | 3.0 | 3.7 |
| 2009 | 16 | 2.5 | 0.64 | 1.4 | 4.0 | 427 | 3.4 | 0.17 | 3.1 | 3.8 |
| 2010 | 21 | 2.6 | 0.63 | 1.5 | 4.1 | 425 | 3.4 | 0.16 | 3.0 | 3.7 |
| 2011 | 35 | 4.4 | 0.80 | 3.0 | 6.2 | 421 | 3.3 | 0.16 | 3.0 | 3.6 |
| 2012 | 30 | 3.2 | 0.62 | 2.1 | 4.6 | 450 | 3.5 | 0.17 | 3.2 | 3.9 |
| 2013 | 26 | 2.9 | 0.61 | 1.9 | 4.3 | 443 | 3.4 | 0.16 | 3.0 | 3.7 |
| 2014 | 22 | 2.2 | 0.49 | 1.3 | 3.3 | 460 | 3.4 | 0.16 | 3.1 | 3.8 |
| 2015 | 24 | 2.4 | 0.53 | 1.5 | 3.6 | 452 | 3.3 | 0.16 | 3.0 | 3.6 |
| 2016 | 24 | 2.5 | 0.52 | 1.5 | 3.6 | 431 | 3.1 | 0.15 | 2.8 | 3.4 |
| 2017 | 32 | 2.9 | 0.54 | 1.9 | 4.1 | 447 | 3.2 | 0.15 | 2.9 | 3.5 |
| 2018 | 23 | 2.1 | 0.46 | 1.3 | 3.1 | 429 | 3.0 | 0.15 | 2.7 | 3.3 |
| 2019 | 25 | 2.1 | 0.44 | 1.3 | 3.1 | 458 | 3.2 | 0.15 | 2.9 | 3.5 |
| 2020 | 30 | 2.5 | 0.48 | 1.7 | 3.6 | 426 | 2.9 | 0.14 | 2.7 | 3.2 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Myeloma | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 10,518 | 3.2 | 0.03 | 3.2 | 3.3 | 3,027 | 6.8 | 0.13 | 6.6 | 7.1 |
| 1990 | 304 | 3.3 | 0.19 | 2.9 | 3.7 | 75 | 7.2 | 0.85 | 5.6 | 9.0 |
| 1991 | 329 | 3.5 | 0.19 | 3.1 | 3.9 | 82 | 7.8 | 0.88 | 6.2 | 9.7 |
| 1992 | 338 | 3.5 | 0.19 | 3.2 | 3.9 | 90 | 8.0 | 0.86 | 6.4 | 9.8 |
| 1993 | 340 | 3.5 | 0.19 | 3.2 | 3.9 | 103 | 8.9 | 0.90 | 7.3 | 10.9 |
| 1994 | 344 | 3.5 | 0.19 | 3.2 | 3.9 | 82 | 6.9 | 0.79 | 5.5 | 8.6 |
| 1995 | 375 | 3.8 | 0.20 | 3.5 | 4.2 | 113 | 9.5 | 0.92 | 7.8 | 11.5 |
| 1996 | 332 | 3.4 | 0.19 | 3.0 | 3.8 | 98 | 8.2 | 0.84 | 6.6 | 10.0 |
| 1997 | 333 | 3.4 | 0.19 | 3.0 | 3.8 | 85 | 6.7 | 0.74 | 5.4 | 8.3 |
| 1998 | 351 | 3.5 | 0.19 | 3.2 | 3.9 | 122 | 9.9 | 0.91 | 8.2 | 11.8 |
| 1999 | 368 | 3.7 | 0.19 | 3.3 | 4.1 | 99 | 7.8 | 0.80 | 6.3 | 9.5 |
| 2000 | 370 | 3.7 | 0.19 | 3.3 | 4.1 | 115 | 8.9 | 0.84 | 7.3 | 10.7 |
| 2001 | 348 | 3.5 | 0.19 | 3.1 | 3.9 | 98 | 7.4 | 0.76 | 6.0 | 9.0 |
| 2002 | 360 | 3.5 | 0.19 | 3.2 | 3.9 | 89 | 6.6 | 0.71 | 5.3 | 8.1 |
| 2003 | 364 | 3.6 | 0.19 | 3.2 | 4.0 | 101 | 7.7 | 0.78 | 6.3 | 9.4 |
| 2004 | 331 | 3.3 | 0.18 | 2.9 | 3.6 | 89 | 6.5 | 0.70 | 5.2 | 8.0 |
| 2005 | 360 | 3.5 | 0.19 | 3.2 | 3.9 | 101 | 7.0 | 0.71 | 5.7 | 8.5 |
| 2006 | 337 | 3.3 | 0.18 | 3.0 | 3.7 | 99 | 6.9 | 0.70 | 5.5 | 8.4 |
| 2007 | 339 | 3.3 | 0.18 | 2.9 | 3.6 | 97 | 6.7 | 0.69 | 5.4 | 8.2 |
| 2008 | 315 | 3.0 | 0.17 | 2.7 | 3.4 | 86 | 5.8 | 0.64 | 4.6 | 7.2 |
| 2009 | 333 | 3.2 | 0.18 | 2.8 | 3.5 | 88 | 5.9 | 0.64 | 4.7 | 7.3 |
| 2010 | 321 | 2.9 | 0.17 | 2.6 | 3.3 | 98 | 6.5 | 0.67 | 5.3 | 7.9 |
| 2011 | 329 | 3.0 | 0.17 | 2.7 | 3.4 | 87 | 5.5 | 0.60 | 4.4 | 6.8 |
| 2012 | 341 | 3.1 | 0.17 | 2.8 | 3.5 | 103 | 6.4 | 0.65 | 5.2 | 7.8 |
| 2013 | 341 | 3.1 | 0.17 | 2.7 | 3.4 | 97 | 6.2 | 0.64 | 5.0 | 7.5 |
| 2014 | 344 | 3.1 | 0.17 | 2.7 | 3.4 | 112 | 6.8 | 0.65 | 5.6 | 8.2 |
| 2015 | 350 | 3.1 | 0.17 | 2.8 | 3.4 | 96 | 5.6 | 0.58 | 4.5 | 6.9 |
| 2016 | 323 | 2.8 | 0.16 | 2.5 | 3.1 | 102 | 5.8 | 0.58 | 4.7 | 7.0 |
| 2017 | 338 | 2.9 | 0.16 | 2.6 | 3.3 | 102 | 5.7 | 0.57 | 4.6 | 6.9 |
| 2018 | 320 | 2.7 | 0.15 | 2.4 | 3.0 | 97 | 5.2 | 0.54 | 4.2 | 6.4 |
| 2019 | 329 | 2.8 | 0.15 | 2.5 | 3.1 | 122 | 6.5 | 0.60 | 5.4 | 7.7 |
| 2020 | 311 | 2.6 | 0.15 | 2.3 | 2.9 | 99 | 5.3 | 0.54 | 4.3 | 6.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Myeloma | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 310 | 3.3 | 0.21 | 2.9 | 3.7 | 6,896 | 4.4 | 0.05 | 4.3 | 4.5 |
| 1990 | * | * | * | * | * | 178 | 4.2 | 0.33 | 3.6 | 4.9 |
| 1991 | * | * | * | * | * | 203 | 5.0 | 0.36 | 4.3 | 5.7 |
| 1992 | 10 | 7.1 | 2.65 | 2.9 | 13.8 | 199 | 4.6 | 0.33 | 3.9 | 5.3 |
| 1993 | * | * | * | * | * | 201 | 4.4 | 0.31 | 3.8 | 5.0 |
| 1994 | * | * | * | * | * | 212 | 4.8 | 0.34 | 4.2 | 5.5 |
| 1995 | * | * | * | * | * | 249 | 5.6 | 0.36 | 4.9 | 6.4 |
| 1996 | * | * | * | * | * | 223 | 5.0 | 0.34 | 4.4 | 5.7 |
| 1997 | 10 | 4.6 | 1.57 | 2.0 | 8.7 | 207 | 4.5 | 0.31 | 3.9 | 5.1 |
| 1998 | * | * | * | * | * | 224 | 5.0 | 0.34 | 4.3 | 5.7 |
| 1999 | * | * | * | * | * | 220 | 4.8 | 0.33 | 4.2 | 5.5 |
| 2000 | * | * | * | * | * | 251 | 5.4 | 0.35 | 4.8 | 6.2 |
| 2001 | 13 | 7.3 | 2.26 | 3.6 | 12.8 | 209 | 4.5 | 0.31 | 3.9 | 5.1 |
| 2002 | 14 | 4.3 | 1.23 | 2.3 | 7.5 | 231 | 4.9 | 0.33 | 4.3 | 5.6 |
| 2003 | * | * | * | * | * | 209 | 4.4 | 0.31 | 3.8 | 5.0 |
| 2004 | * | * | * | * | * | 214 | 4.4 | 0.31 | 3.8 | 5.1 |
| 2005 | 11 | 3.5 | 1.17 | 1.6 | 6.5 | 226 | 4.7 | 0.31 | 4.1 | 5.3 |
| 2006 | * | * | * | * | * | 226 | 4.6 | 0.31 | 4.0 | 5.2 |
| 2007 | 15 | 5.9 | 1.69 | 3.1 | 9.9 | 217 | 4.4 | 0.30 | 3.8 | 5.0 |
| 2008 | 17 | 5.1 | 1.37 | 2.8 | 8.4 | 231 | 4.6 | 0.31 | 4.1 | 5.3 |
| 2009 | 10 | 3.0 | 1.02 | 1.4 | 5.6 | 231 | 4.5 | 0.30 | 3.9 | 5.1 |
| 2010 | 10 | 2.3 | 0.81 | 1.0 | 4.4 | 235 | 4.6 | 0.30 | 4.0 | 5.2 |
| 2011 | 21 | 5.5 | 1.36 | 3.2 | 8.7 | 206 | 3.9 | 0.27 | 3.4 | 4.4 |
| 2012 | 19 | 4.5 | 1.14 | 2.6 | 7.2 | 229 | 4.3 | 0.29 | 3.7 | 4.9 |
| 2013 | 15 | 3.3 | 0.95 | 1.7 | 5.6 | 233 | 4.3 | 0.28 | 3.7 | 4.9 |
| 2014 | 11 | 2.1 | 0.71 | 1.0 | 3.9 | 257 | 4.7 | 0.30 | 4.1 | 5.3 |
| 2015 | 13 | 2.7 | 0.81 | 1.3 | 4.6 | 238 | 4.2 | 0.27 | 3.6 | 4.7 |
| 2016 | 12 | 2.8 | 0.84 | 1.4 | 4.9 | 218 | 3.7 | 0.26 | 3.2 | 4.3 |
| 2017 | 14 | 2.6 | 0.76 | 1.4 | 4.5 | 241 | 4.1 | 0.27 | 3.6 | 4.6 |
| 2018 | 13 | 2.5 | 0.77 | 1.3 | 4.4 | 219 | 3.6 | 0.25 | 3.1 | 4.1 |
| 2019 | 12 | 2.1 | 0.65 | 1.0 | 3.7 | 239 | 3.9 | 0.26 | 3.4 | 4.5 |
| 2020 | 13 | 2.2 | 0.65 | 1.1 | 3.7 | 220 | 3.6 | 0.24 | 3.1 | 4.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Myeloma | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 5,402 | 4.1 | 0.06 | 4.0 | 4.2 | 1,401 | 8.0 | 0.23 | 7.6 | 8.5 |
| 1990 | 146 | 3.9 | 0.34 | 3.3 | 4.7 | 32 | 7.2 | 1.37 | 4.8 | 10.4 |
| 1991 | 162 | 4.5 | 0.36 | 3.8 | 5.2 | 40 | 9.9 | 1.68 | 6.9 | 13.7 |
| 1992 | 154 | 4.1 | 0.34 | 3.4 | 4.8 | 44 | 9.2 | 1.45 | 6.5 | 12.4 |
| 1993 | 145 | 3.6 | 0.31 | 3.1 | 4.3 | 51 | 10.3 | 1.52 | 7.6 | 13.7 |
| 1994 | 167 | 4.3 | 0.34 | 3.7 | 5.1 | 42 | 9.3 | 1.56 | 6.5 | 12.7 |
| 1995 | 193 | 5.0 | 0.37 | 4.3 | 5.8 | 55 | 11.5 | 1.65 | 8.5 | 15.2 |
| 1996 | 170 | 4.4 | 0.34 | 3.7 | 5.1 | 50 | 10.7 | 1.63 | 7.8 | 14.3 |
| 1997 | 161 | 4.0 | 0.32 | 3.4 | 4.7 | 40 | 7.0 | 1.14 | 5.0 | 9.6 |
| 1998 | 162 | 4.1 | 0.33 | 3.5 | 4.8 | 60 | 12.9 | 1.79 | 9.6 | 16.8 |
| 1999 | 178 | 4.5 | 0.34 | 3.8 | 5.2 | 38 | 7.5 | 1.27 | 5.2 | 10.3 |
| 2000 | 200 | 5.0 | 0.36 | 4.3 | 5.8 | 49 | 9.6 | 1.44 | 6.9 | 12.8 |
| 2001 | 165 | 4.1 | 0.32 | 3.5 | 4.8 | 42 | 8.0 | 1.28 | 5.7 | 10.8 |
| 2002 | 181 | 4.5 | 0.34 | 3.8 | 5.2 | 47 | 9.2 | 1.43 | 6.6 | 12.4 |
| 2003 | 166 | 4.0 | 0.32 | 3.4 | 4.7 | 43 | 8.4 | 1.37 | 6.0 | 11.5 |
| 2004 | 168 | 4.1 | 0.31 | 3.5 | 4.7 | 43 | 8.4 | 1.35 | 5.9 | 11.4 |
| 2005 | 178 | 4.3 | 0.32 | 3.7 | 5.0 | 45 | 7.8 | 1.24 | 5.6 | 10.6 |
| 2006 | 180 | 4.3 | 0.32 | 3.7 | 5.0 | 44 | 7.9 | 1.26 | 5.6 | 10.7 |
| 2007 | 172 | 4.1 | 0.31 | 3.5 | 4.7 | 43 | 7.6 | 1.19 | 5.5 | 10.3 |
| 2008 | 178 | 4.2 | 0.32 | 3.6 | 4.9 | 49 | 9.1 | 1.35 | 6.6 | 12.1 |
| 2009 | 186 | 4.2 | 0.31 | 3.6 | 4.9 | 41 | 7.2 | 1.17 | 5.1 | 9.8 |
| 2010 | 178 | 4.1 | 0.31 | 3.5 | 4.7 | 52 | 8.7 | 1.27 | 6.4 | 11.5 |
| 2011 | 159 | 3.5 | 0.28 | 3.0 | 4.1 | 44 | 7.1 | 1.13 | 5.1 | 9.6 |
| 2012 | 182 | 4.0 | 0.30 | 3.4 | 4.6 | 45 | 7.2 | 1.11 | 5.2 | 9.7 |
| 2013 | 191 | 4.1 | 0.30 | 3.5 | 4.7 | 40 | 6.5 | 1.07 | 4.6 | 8.9 |
| 2014 | 200 | 4.4 | 0.31 | 3.8 | 5.0 | 55 | 8.6 | 1.21 | 6.4 | 11.2 |
| 2015 | 184 | 3.9 | 0.29 | 3.3 | 4.5 | 49 | 7.1 | 1.07 | 5.2 | 9.5 |
| 2016 | 176 | 3.6 | 0.28 | 3.1 | 4.2 | 39 | 5.6 | 0.94 | 3.9 | 7.7 |
| 2017 | 188 | 3.8 | 0.28 | 3.3 | 4.4 | 49 | 7.0 | 1.04 | 5.1 | 9.3 |
| 2018 | 179 | 3.5 | 0.27 | 3.0 | 4.1 | 36 | 5.0 | 0.86 | 3.5 | 7.0 |
| 2019 | 182 | 3.6 | 0.27 | 3.1 | 4.2 | 52 | 7.6 | 1.08 | 5.6 | 10.0 |
| 2020 | 171 | 3.3 | 0.26 | 2.8 | 3.9 | 42 | 5.9 | 0.93 | 4.2 | 8.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Myeloma | | | | | | | | | | |
|---------------------|-------|------|------|-----|-----|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 262 | 2.4 | 0.16 | 2.1 | 2.8 | 6,816 | 3.0 | 0.04 | 3.0 | 3.1 |
| 1990 | * | * | * | * | * | 201 | 3.2 | 0.23 | 2.8 | 3.7 |
| 1991 | * | * | * | * | * | 209 | 3.3 | 0.23 | 2.8 | 3.8 |
| 1992 | * | * | * | * | * | 231 | 3.5 | 0.23 | 3.1 | 4.0 |
| 1993 | * | * | * | * | * | 249 | 3.8 | 0.24 | 3.3 | 4.3 |
| 1994 | * | * | * | * | * | 218 | 3.3 | 0.23 | 2.9 | 3.8 |
| 1995 | * | * | * | * | * | 240 | 3.6 | 0.24 | 3.2 | 4.1 |
| 1996 | * | * | * | * | * | 210 | 3.1 | 0.22 | 2.7 | 3.6 |
| 1997 | * | * | * | * | * | 222 | 3.3 | 0.22 | 2.8 | 3.7 |
| 1998 | * | * | * | * | * | 252 | 3.7 | 0.24 | 3.3 | 4.2 |
| 1999 | * | * | * | * | * | 252 | 3.7 | 0.23 | 3.2 | 4.2 |
| 2000 | * | * | * | * | * | 238 | 3.5 | 0.23 | 3.1 | 4.0 |
| 2001 | * | * | * | * | * | 241 | 3.5 | 0.23 | 3.1 | 4.0 |
| 2002 | * | * | * | * | * | 223 | 3.2 | 0.21 | 2.8 | 3.6 |
| 2003 | * | * | * | * | * | 259 | 3.7 | 0.23 | 3.2 | 4.2 |
| 2004 | * | * | * | * | * | 211 | 3.0 | 0.21 | 2.6 | 3.4 |
| 2005 | * | * | * | * | * | 240 | 3.4 | 0.22 | 3.0 | 3.9 |
| 2006 | 12 | 2.9 | 0.89 | 1.5 | 5.1 | 215 | 3.1 | 0.21 | 2.7 | 3.5 |
| 2007 | 11 | 2.5 | 0.85 | 1.2 | 4.7 | 225 | 3.2 | 0.21 | 2.8 | 3.6 |
| 2008 | 12 | 3.1 | 0.99 | 1.5 | 5.5 | 177 | 2.5 | 0.19 | 2.1 | 2.9 |
| 2009 | * | * | * | * | * | 196 | 2.7 | 0.19 | 2.3 | 3.1 |
| 2010 | 11 | 2.7 | 0.88 | 1.3 | 4.9 | 190 | 2.5 | 0.18 | 2.1 | 2.9 |
| 2011 | 14 | 3.4 | 0.96 | 1.8 | 5.7 | 215 | 2.8 | 0.20 | 2.5 | 3.3 |
| 2012 | 11 | 2.1 | 0.67 | 1.0 | 3.8 | 221 | 3.0 | 0.20 | 2.6 | 3.4 |
| 2013 | 11 | 2.6 | 0.78 | 1.3 | 4.5 | 210 | 2.7 | 0.19 | 2.3 | 3.1 |
| 2014 | 11 | 2.2 | 0.67 | 1.0 | 3.8 | 203 | 2.6 | 0.18 | 2.2 | 3.0 |
| 2015 | 11 | 2.1 | 0.67 | 1.0 | 3.8 | 214 | 2.7 | 0.19 | 2.3 | 3.1 |
| 2016 | 12 | 2.2 | 0.65 | 1.1 | 3.8 | 213 | 2.7 | 0.19 | 2.3 | 3.1 |
| 2017 | 18 | 2.9 | 0.71 | 1.7 | 4.6 | 206 | 2.5 | 0.18 | 2.2 | 2.9 |
| 2018 | 10 | 1.7 | 0.56 | 0.8 | 3.1 | 210 | 2.5 | 0.18 | 2.2 | 2.9 |
| 2019 | 13 | 2.1 | 0.59 | 1.1 | 3.5 | 219 | 2.6 | 0.18 | 2.3 | 3.0 |
| 2020 | 17 | 2.7 | 0.66 | 1.5 | 4.2 | 206 | 2.5 | 0.18 | 2.2 | 2.9 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Myeloma | | | | | | | | | | |
|--------------------|-------|------|------|-----|-----|--------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 5,116 | 2.7 | 0.04 | 2.6 | 2.7 | 1,626 | 6.0 | 0.15 | 5.7 | 6.3 |
| 1990 | 158 | 2.8 | 0.22 | 2.4 | 3.3 | 43 | 7.0 | 1.08 | 5.1 | 9.4 |
| 1991 | 167 | 2.9 | 0.23 | 2.5 | 3.4 | 42 | 6.6 | 1.02 | 4.7 | 8.8 |
| 1992 | 184 | 3.2 | 0.24 | 2.7 | 3.7 | 46 | 7.0 | 1.04 | 5.1 | 9.3 |
| 1993 | 195 | 3.3 | 0.24 | 2.9 | 3.8 | 52 | 7.7 | 1.07 | 5.7 | 10.1 |
| 1994 | 177 | 3.0 | 0.23 | 2.6 | 3.5 | 40 | 5.7 | 0.91 | 4.1 | 7.8 |
| 1995 | 182 | 3.1 | 0.24 | 2.7 | 3.7 | 58 | 8.2 | 1.08 | 6.2 | 10.6 |
| 1996 | 162 | 2.7 | 0.22 | 2.3 | 3.2 | 48 | 6.6 | 0.96 | 4.8 | 8.7 |
| 1997 | 172 | 2.9 | 0.22 | 2.5 | 3.3 | 45 | 6.2 | 0.93 | 4.5 | 8.3 |
| 1998 | 189 | 3.2 | 0.24 | 2.8 | 3.7 | 62 | 8.2 | 1.05 | 6.3 | 10.5 |
| 1999 | 190 | 3.2 | 0.23 | 2.7 | 3.7 | 61 | 7.9 | 1.02 | 6.1 | 10.2 |
| 2000 | 170 | 2.9 | 0.22 | 2.4 | 3.3 | 66 | 8.4 | 1.04 | 6.5 | 10.7 |
| 2001 | 183 | 3.1 | 0.23 | 2.6 | 3.6 | 56 | 7.0 | 0.94 | 5.3 | 9.1 |
| 2002 | 179 | 2.9 | 0.22 | 2.5 | 3.4 | 42 | 5.1 | 0.79 | 3.7 | 6.9 |
| 2003 | 198 | 3.2 | 0.23 | 2.8 | 3.7 | 58 | 7.4 | 0.97 | 5.6 | 9.5 |
| 2004 | 163 | 2.7 | 0.21 | 2.3 | 3.1 | 46 | 5.4 | 0.81 | 4.0 | 7.2 |
| 2005 | 182 | 3.0 | 0.23 | 2.6 | 3.5 | 56 | 6.4 | 0.87 | 4.9 | 8.4 |
| 2006 | 157 | 2.6 | 0.21 | 2.2 | 3.1 | 55 | 6.3 | 0.86 | 4.7 | 8.2 |
| 2007 | 167 | 2.7 | 0.22 | 2.3 | 3.2 | 54 | 6.1 | 0.83 | 4.6 | 7.9 |
| 2008 | 137 | 2.2 | 0.20 | 1.9 | 2.7 | 37 | 4.0 | 0.66 | 2.8 | 5.5 |
| 2009 | 147 | 2.4 | 0.20 | 2.0 | 2.8 | 47 | 5.1 | 0.75 | 3.7 | 6.8 |
| 2010 | 143 | 2.1 | 0.18 | 1.8 | 2.5 | 46 | 5.1 | 0.76 | 3.7 | 6.8 |
| 2011 | 170 | 2.6 | 0.21 | 2.2 | 3.1 | 43 | 4.5 | 0.69 | 3.2 | 6.1 |
| 2012 | 159 | 2.5 | 0.21 | 2.2 | 3.0 | 58 | 5.9 | 0.78 | 4.5 | 7.6 |
| 2013 | 150 | 2.3 | 0.19 | 2.0 | 2.7 | 57 | 5.8 | 0.77 | 4.4 | 7.5 |
| 2014 | 144 | 2.2 | 0.19 | 1.8 | 2.6 | 57 | 5.7 | 0.77 | 4.3 | 7.4 |
| 2015 | 166 | 2.5 | 0.20 | 2.2 | 3.0 | 47 | 4.6 | 0.68 | 3.4 | 6.1 |
| 2016 | 147 | 2.3 | 0.19 | 1.9 | 2.7 | 63 | 5.9 | 0.75 | 4.5 | 7.6 |
| 2017 | 150 | 2.2 | 0.19 | 1.9 | 2.6 | 53 | 4.8 | 0.67 | 3.6 | 6.3 |
| 2018 | 141 | 2.1 | 0.18 | 1.7 | 2.5 | 61 | 5.3 | 0.69 | 4.1 | 6.9 |
| 2019 | 147 | 2.2 | 0.18 | 1.8 | 2.6 | 70 | 6.0 | 0.73 | 4.7 | 7.6 |
| 2020 | 140 | 2.1 | 0.18 | 1.7 | 2.5 | 57 | 5.0 | 0.67 | 3.7 | 6.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Leukemia | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,286 | 4.7 | 0.15 | 4.4 | 5.0 | 28,482 | 7.6 | 0.05 | 7.5 | 7.7 |
| 1990 | 24 | 6.5 | 1.68 | 3.6 | 10.4 | 905 | 8.6 | 0.29 | 8.1 | 9.2 |
| 1991 | 28 | 6.8 | 1.65 | 4.0 | 10.6 | 920 | 8.7 | 0.29 | 8.1 | 9.2 |
| 1992 | 16 | 1.9 | 0.55 | 1.0 | 3.5 | 929 | 8.7 | 0.29 | 8.1 | 9.2 |
| 1993 | 28 | 4.6 | 1.05 | 2.8 | 7.1 | 942 | 8.7 | 0.28 | 8.1 | 9.2 |
| 1994 | 33 | 5.3 | 1.23 | 3.2 | 8.2 | 907 | 8.3 | 0.27 | 7.7 | 8.8 |
| 1995 | 30 | 5.7 | 1.28 | 3.4 | 8.7 | 937 | 8.5 | 0.28 | 8.0 | 9.1 |
| 1996 | 27 | 4.0 | 0.91 | 2.4 | 6.2 | 906 | 8.1 | 0.27 | 7.6 | 8.7 |
| 1997 | 30 | 4.4 | 1.08 | 2.6 | 7.0 | 926 | 8.2 | 0.27 | 7.7 | 8.8 |
| 1998 | 28 | 4.2 | 1.02 | 2.4 | 6.6 | 902 | 8.0 | 0.27 | 7.4 | 8.5 |
| 1999 | 35 | 6.1 | 1.33 | 3.8 | 9.1 | 944 | 8.3 | 0.27 | 7.7 | 8.8 |
| 2000 | 47 | 6.9 | 1.34 | 4.5 | 9.9 | 942 | 8.2 | 0.27 | 7.7 | 8.7 |
| 2001 | 33 | 3.8 | 0.93 | 2.2 | 6.0 | 980 | 8.5 | 0.27 | 8.0 | 9.0 |
| 2002 | 36 | 5.1 | 1.10 | 3.2 | 7.6 | 967 | 8.3 | 0.27 | 7.8 | 8.9 |
| 2003 | 31 | 3.8 | 0.89 | 2.3 | 5.9 | 962 | 8.2 | 0.26 | 7.7 | 8.7 |
| 2004 | 44 | 5.1 | 1.01 | 3.4 | 7.4 | 901 | 7.6 | 0.26 | 7.2 | 8.2 |
| 2005 | 38 | 5.0 | 1.02 | 3.2 | 7.3 | 940 | 7.9 | 0.26 | 7.4 | 8.5 |
| 2006 | 45 | 5.4 | 1.01 | 3.6 | 7.6 | 908 | 7.5 | 0.25 | 7.1 | 8.1 |
| 2007 | 40 | 4.5 | 0.86 | 3.0 | 6.5 | 868 | 7.2 | 0.25 | 6.7 | 7.7 |
| 2008 | 39 | 4.1 | 0.78 | 2.7 | 5.9 | 921 | 7.6 | 0.25 | 7.1 | 8.1 |
| 2009 | 49 | 5.3 | 0.91 | 3.7 | 7.3 | 1,000 | 8.2 | 0.26 | 7.7 | 8.7 |
| 2010 | 48 | 4.6 | 0.78 | 3.2 | 6.4 | 931 | 7.5 | 0.25 | 7.0 | 8.0 |
| 2011 | 38 | 3.3 | 0.64 | 2.2 | 4.8 | 876 | 6.9 | 0.24 | 6.5 | 7.4 |
| 2012 | 52 | 5.1 | 0.78 | 3.7 | 6.8 | 990 | 7.7 | 0.25 | 7.2 | 8.2 |
| 2013 | 80 | 7.7 | 0.96 | 5.9 | 9.8 | 962 | 7.3 | 0.24 | 6.9 | 7.8 |
| 2014 | 56 | 4.6 | 0.70 | 3.4 | 6.2 | 904 | 6.8 | 0.23 | 6.4 | 7.3 |
| 2015 | 53 | 4.4 | 0.67 | 3.2 | 5.9 | 879 | 6.6 | 0.23 | 6.2 | 7.1 |
| 2016 | 50 | 3.9 | 0.62 | 2.8 | 5.3 | 843 | 6.2 | 0.22 | 5.8 | 6.6 |
| 2017 | 58 | 4.1 | 0.59 | 3.0 | 5.4 | 881 | 6.5 | 0.22 | 6.1 | 7.0 |
| 2018 | 47 | 3.5 | 0.56 | 2.5 | 4.7 | 870 | 6.2 | 0.22 | 5.8 | 6.7 |
| 2019 | 63 | 4.1 | 0.56 | 3.1 | 5.3 | 845 | 6.0 | 0.21 | 5.6 | 6.4 |
| 2020 | 60 | 4.4 | 0.60 | 3.3 | 5.7 | 894 | 6.3 | 0.22 | 5.9 | 6.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Leukemia | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 24,999 | 7.8 | 0.05 | 7.7 | 7.9 | 3,051 | 6.6 | 0.12 | 6.4 | 6.9 |
| 1990 | 806 | 8.7 | 0.31 | 8.1 | 9.4 | 93 | 7.9 | 0.86 | 6.3 | 9.8 |
| 1991 | 827 | 8.9 | 0.31 | 8.3 | 9.5 | 85 | 7.3 | 0.83 | 5.7 | 9.1 |
| 1992 | 833 | 8.9 | 0.31 | 8.3 | 9.5 | 86 | 7.1 | 0.80 | 5.6 | 8.8 |
| 1993 | 844 | 8.9 | 0.31 | 8.3 | 9.5 | 93 | 7.4 | 0.79 | 5.9 | 9.1 |
| 1994 | 804 | 8.4 | 0.30 | 7.8 | 9.0 | 95 | 7.7 | 0.82 | 6.2 | 9.4 |
| 1995 | 832 | 8.7 | 0.30 | 8.1 | 9.3 | 95 | 7.5 | 0.80 | 6.0 | 9.2 |
| 1996 | 801 | 8.2 | 0.29 | 7.7 | 8.8 | 94 | 7.6 | 0.81 | 6.1 | 9.3 |
| 1997 | 816 | 8.4 | 0.29 | 7.8 | 9.0 | 105 | 8.1 | 0.81 | 6.6 | 9.8 |
| 1998 | 775 | 7.9 | 0.28 | 7.4 | 8.5 | 114 | 8.5 | 0.82 | 7.0 | 10.2 |
| 1999 | 844 | 8.5 | 0.30 | 8.0 | 9.1 | 93 | 6.7 | 0.71 | 5.4 | 8.3 |
| 2000 | 842 | 8.5 | 0.29 | 7.9 | 9.1 | 89 | 6.1 | 0.67 | 4.9 | 7.6 |
| 2001 | 860 | 8.7 | 0.30 | 8.1 | 9.3 | 103 | 7.3 | 0.75 | 6.0 | 8.9 |
| 2002 | 856 | 8.6 | 0.29 | 8.0 | 9.2 | 97 | 7.2 | 0.75 | 5.8 | 8.8 |
| 2003 | 844 | 8.3 | 0.29 | 7.8 | 8.9 | 108 | 7.7 | 0.75 | 6.3 | 9.3 |
| 2004 | 805 | 8.0 | 0.28 | 7.5 | 8.6 | 85 | 6.2 | 0.69 | 4.9 | 7.7 |
| 2005 | 826 | 8.1 | 0.29 | 7.6 | 8.7 | 99 | 6.8 | 0.70 | 5.5 | 8.3 |
| 2006 | 814 | 7.9 | 0.28 | 7.4 | 8.5 | 89 | 6.1 | 0.66 | 4.9 | 7.5 |
| 2007 | 773 | 7.5 | 0.27 | 7.0 | 8.1 | 77 | 5.1 | 0.60 | 4.0 | 6.4 |
| 2008 | 814 | 7.9 | 0.28 | 7.4 | 8.5 | 93 | 5.9 | 0.63 | 4.8 | 7.3 |
| 2009 | 870 | 8.4 | 0.29 | 7.9 | 9.0 | 115 | 7.7 | 0.73 | 6.3 | 9.2 |
| 2010 | 805 | 7.6 | 0.27 | 7.1 | 8.2 | 103 | 6.5 | 0.66 | 5.3 | 7.9 |
| 2011 | 752 | 7.1 | 0.26 | 6.6 | 7.6 | 97 | 6.0 | 0.63 | 4.9 | 7.4 |
| 2012 | 849 | 7.9 | 0.28 | 7.4 | 8.5 | 113 | 6.9 | 0.66 | 5.7 | 8.3 |
| 2013 | 808 | 7.3 | 0.26 | 6.8 | 7.9 | 134 | 8.1 | 0.71 | 6.8 | 9.6 |
| 2014 | 792 | 7.1 | 0.26 | 6.6 | 7.7 | 100 | 5.8 | 0.59 | 4.7 | 7.1 |
| 2015 | 767 | 6.9 | 0.26 | 6.4 | 7.4 | 96 | 5.6 | 0.58 | 4.5 | 6.8 |
| 2016 | 731 | 6.5 | 0.25 | 6.0 | 7.0 | 93 | 5.2 | 0.55 | 4.2 | 6.4 |
| 2017 | 777 | 7.0 | 0.26 | 6.5 | 7.5 | 86 | 5.0 | 0.54 | 3.9 | 6.1 |
| 2018 | 747 | 6.5 | 0.24 | 6.0 | 7.0 | 103 | 5.6 | 0.57 | 4.6 | 6.9 |
| 2019 | 725 | 6.2 | 0.24 | 5.8 | 6.7 | 102 | 5.5 | 0.55 | 4.4 | 6.6 |
| 2020 | 760 | 6.6 | 0.25 | 6.1 | 7.1 | 116 | 6.2 | 0.58 | 5.1 | 7.4 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Leukemia | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 732 | 5.7 | 0.27 | 5.2 | 6.3 | 15,755 | 10.3 | 0.08 | 10.2 | 10.5 |
| 1990 | 12 | 5.4 | 2.23 | 2.0 | 11.4 | 474 | 11.3 | 0.54 | 10.2 | 12.4 |
| 1991 | 14 | 7.1 | 2.88 | 2.6 | 14.4 | 458 | 10.7 | 0.52 | 9.7 | 11.7 |
| 1992 | * | * | * | * | * | 519 | 12.2 | 0.55 | 11.1 | 13.3 |
| 1993 | 16 | 4.4 | 1.32 | 2.2 | 8.1 | 527 | 12.3 | 0.55 | 11.2 | 13.4 |
| 1994 | 18 | 5.7 | 1.96 | 2.6 | 10.8 | 506 | 11.5 | 0.52 | 10.5 | 12.6 |
| 1995 | 16 | 8.2 | 2.69 | 3.8 | 14.8 | 511 | 11.8 | 0.53 | 10.7 | 12.9 |
| 1996 | 12 | 2.9 | 1.13 | 1.2 | 6.2 | 488 | 11.3 | 0.52 | 10.3 | 12.3 |
| 1997 | 18 | 4.5 | 1.76 | 1.7 | 9.1 | 506 | 11.4 | 0.52 | 10.4 | 12.4 |
| 1998 | 14 | 4.5 | 1.46 | 2.1 | 8.3 | 464 | 10.2 | 0.48 | 9.2 | 11.1 |
| 1999 | 14 | 3.7 | 1.22 | 1.7 | 7.0 | 499 | 11.0 | 0.50 | 10.1 | 12.1 |
| 2000 | 27 | 10.2 | 2.73 | 5.6 | 16.6 | 496 | 10.7 | 0.48 | 9.7 | 11.7 |
| 2001 | 18 | 4.0 | 1.39 | 1.8 | 7.6 | 531 | 11.5 | 0.51 | 10.5 | 12.5 |
| 2002 | 18 | 6.1 | 1.93 | 2.9 | 10.8 | 534 | 11.5 | 0.50 | 10.5 | 12.5 |
| 2003 | 16 | 3.6 | 1.40 | 1.4 | 7.2 | 550 | 11.8 | 0.51 | 10.8 | 12.8 |
| 2004 | 29 | 7.6 | 1.96 | 4.2 | 12.2 | 505 | 10.7 | 0.48 | 9.8 | 11.7 |
| 2005 | 22 | 5.5 | 1.50 | 3.0 | 9.1 | 515 | 10.8 | 0.48 | 9.9 | 11.8 |
| 2006 | 24 | 6.1 | 1.72 | 3.2 | 10.1 | 494 | 10.2 | 0.46 | 9.3 | 11.1 |
| 2007 | 27 | 7.3 | 1.79 | 4.2 | 11.5 | 466 | 9.6 | 0.45 | 8.7 | 10.5 |
| 2008 | 22 | 4.5 | 1.21 | 2.4 | 7.4 | 520 | 10.4 | 0.46 | 9.5 | 11.4 |
| 2009 | 25 | 6.9 | 1.73 | 4.0 | 10.9 | 563 | 11.1 | 0.47 | 10.2 | 12.1 |
| 2010 | 27 | 5.9 | 1.33 | 3.6 | 9.0 | 515 | 10.1 | 0.45 | 9.3 | 11.0 |
| 2011 | 16 | 2.9 | 0.94 | 1.4 | 5.3 | 501 | 9.6 | 0.44 | 8.8 | 10.5 |
| 2012 | 31 | 5.9 | 1.23 | 3.8 | 8.8 | 531 | 10.1 | 0.44 | 9.2 | 11.0 |
| 2013 | 53 | 10.8 | 1.76 | 7.7 | 14.7 | 548 | 10.2 | 0.44 | 9.3 | 11.1 |
| 2014 | 31 | 6.2 | 1.30 | 3.9 | 9.1 | 508 | 9.3 | 0.42 | 8.5 | 10.2 |
| 2015 | 26 | 4.0 | 0.95 | 2.4 | 6.3 | 506 | 9.1 | 0.41 | 8.3 | 9.9 |
| 2016 | 37 | 6.4 | 1.21 | 4.3 | 9.2 | 478 | 8.4 | 0.39 | 7.7 | 9.2 |
| 2017 | 36 | 5.5 | 1.05 | 3.6 | 7.9 | 498 | 8.7 | 0.40 | 7.9 | 9.5 |
| 2018 | 33 | 5.0 | 0.99 | 3.3 | 7.3 | 502 | 8.4 | 0.38 | 7.7 | 9.2 |
| 2019 | 35 | 4.4 | 0.85 | 2.9 | 6.4 | 513 | 8.6 | 0.39 | 7.9 | 9.4 |
| 2020 | 36 | 6.0 | 1.08 | 4.0 | 8.4 | 529 | 8.7 | 0.39 | 8.0 | 9.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Leukemia | | | | | | | | | | |
|--------------------|--------|------|------|------|------|--------------------|------|------|-----|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 13,903 | 10.7 | 0.09 | 10.5 | 10.9 | 1,606 | 8.7 | 0.23 | 8.2 | 9.1 |
| 1990 | 427 | 11.6 | 0.58 | 10.5 | 12.8 | 44 | 8.8 | 1.49 | 6.1 | 12.1 |
| 1991 | 417 | 11.1 | 0.56 | 10.0 | 12.2 | 38 | 8.4 | 1.54 | 5.7 | 11.9 |
| 1992 | 473 | 12.7 | 0.60 | 11.5 | 13.9 | 40 | 8.1 | 1.41 | 5.6 | 11.3 |
| 1993 | 464 | 12.4 | 0.59 | 11.3 | 13.7 | 60 | 12.2 | 1.70 | 9.1 | 16.0 |
| 1994 | 449 | 11.7 | 0.56 | 10.6 | 12.9 | 53 | 10.9 | 1.64 | 7.9 | 14.5 |
| 1995 | 452 | 12.0 | 0.57 | 10.9 | 13.1 | 53 | 10.7 | 1.58 | 7.8 | 14.2 |
| 1996 | 434 | 11.5 | 0.56 | 10.4 | 12.7 | 49 | 9.9 | 1.56 | 7.1 | 13.4 |
| 1997 | 448 | 11.6 | 0.56 | 10.5 | 12.7 | 56 | 11.1 | 1.60 | 8.2 | 14.6 |
| 1998 | 411 | 10.4 | 0.52 | 9.4 | 11.5 | 46 | 8.0 | 1.24 | 5.7 | 10.7 |
| 1999 | 447 | 11.4 | 0.55 | 10.4 | 12.6 | 47 | 8.7 | 1.36 | 6.2 | 11.7 |
| 2000 | 444 | 11.1 | 0.53 | 10.1 | 12.2 | 44 | 7.1 | 1.12 | 5.1 | 9.6 |
| 2001 | 460 | 11.6 | 0.54 | 10.6 | 12.7 | 57 | 10.3 | 1.49 | 7.6 | 13.6 |
| 2002 | 477 | 11.9 | 0.55 | 10.9 | 13.0 | 47 | 9.0 | 1.42 | 6.4 | 12.1 |
| 2003 | 483 | 12.0 | 0.55 | 11.0 | 13.2 | 60 | 10.5 | 1.44 | 7.9 | 13.6 |
| 2004 | 454 | 11.2 | 0.53 | 10.2 | 12.3 | 44 | 8.1 | 1.32 | 5.7 | 11.0 |
| 2005 | 455 | 11.1 | 0.52 | 10.1 | 12.2 | 53 | 8.7 | 1.26 | 6.4 | 11.5 |
| 2006 | 441 | 10.6 | 0.51 | 9.6 | 11.6 | 51 | 8.4 | 1.27 | 6.1 | 11.3 |
| 2007 | 420 | 10.1 | 0.50 | 9.1 | 11.1 | 37 | 6.3 | 1.11 | 4.4 | 8.8 |
| 2008 | 462 | 10.9 | 0.51 | 9.9 | 12.0 | 49 | 8.0 | 1.23 | 5.8 | 10.7 |
| 2009 | 489 | 11.4 | 0.52 | 10.4 | 12.5 | 65 | 10.9 | 1.44 | 8.2 | 14.0 |
| 2010 | 449 | 10.4 | 0.50 | 9.5 | 11.4 | 55 | 8.5 | 1.22 | 6.3 | 11.2 |
| 2011 | 426 | 9.7 | 0.48 | 8.8 | 10.7 | 59 | 9.5 | 1.31 | 7.1 | 12.4 |
| 2012 | 463 | 10.4 | 0.49 | 9.5 | 11.4 | 57 | 8.9 | 1.24 | 6.6 | 11.6 |
| 2013 | 465 | 10.2 | 0.48 | 9.3 | 11.2 | 70 | 10.7 | 1.35 | 8.3 | 13.7 |
| 2014 | 447 | 9.8 | 0.47 | 8.9 | 10.8 | 55 | 8.3 | 1.17 | 6.1 | 10.8 |
| 2015 | 439 | 9.4 | 0.46 | 8.6 | 10.4 | 56 | 8.1 | 1.12 | 6.0 | 10.6 |
| 2016 | 422 | 8.9 | 0.44 | 8.1 | 9.9 | 46 | 6.2 | 0.95 | 4.4 | 8.3 |
| 2017 | 446 | 9.3 | 0.45 | 8.5 | 10.2 | 41 | 6.1 | 0.98 | 4.3 | 8.3 |
| 2018 | 442 | 9.0 | 0.44 | 8.2 | 9.9 | 51 | 6.7 | 0.98 | 5.0 | 8.9 |
| 2019 | 451 | 9.1 | 0.44 | 8.3 | 10.0 | 52 | 6.8 | 0.98 | 5.1 | 9.0 |
| 2020 | 446 | 9.0 | 0.43 | 8.1 | 9.8 | 71 | 9.3 | 1.13 | 7.2 | 11.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Leukemia | | | | | | | | | | |
|---------------------|-------|------|------|-----|------|-------------------------|------|------|-----|-----|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 554 | 3.9 | 0.18 | 3.5 | 4.2 | 12,727 | 5.8 | 0.05 | 5.7 | 5.9 |
| 1990 | 12 | 6.9 | 2.32 | 3.1 | 12.7 | 431 | 7.0 | 0.34 | 6.3 | 7.7 |
| 1991 | 14 | 6.9 | 2.05 | 3.4 | 11.9 | 462 | 7.3 | 0.34 | 6.6 | 8.0 |
| 1992 | * | * | * | * | * | 410 | 6.5 | 0.32 | 5.9 | 7.2 |
| 1993 | 12 | 4.6 | 1.50 | 2.1 | 8.4 | 415 | 6.4 | 0.32 | 5.8 | 7.1 |
| 1994 | 15 | 4.9 | 1.56 | 2.3 | 8.8 | 401 | 6.2 | 0.31 | 5.6 | 6.8 |
| 1995 | 14 | 4.2 | 1.27 | 2.0 | 7.5 | 426 | 6.4 | 0.32 | 5.8 | 7.1 |
| 1996 | 15 | 4.9 | 1.39 | 2.6 | 8.4 | 418 | 6.3 | 0.31 | 5.7 | 6.9 |
| 1997 | 12 | 4.4 | 1.46 | 2.0 | 8.1 | 420 | 6.3 | 0.31 | 5.7 | 6.9 |
| 1998 | 14 | 3.8 | 1.32 | 1.7 | 7.2 | 438 | 6.5 | 0.31 | 5.9 | 7.2 |
| 1999 | 21 | 7.6 | 2.03 | 4.2 | 12.4 | 445 | 6.5 | 0.31 | 5.9 | 7.2 |
| 2000 | 20 | 4.5 | 1.26 | 2.4 | 7.7 | 446 | 6.5 | 0.31 | 5.9 | 7.1 |
| 2001 | 15 | 3.6 | 1.23 | 1.6 | 6.7 | 449 | 6.5 | 0.31 | 5.9 | 7.2 |
| 2002 | 18 | 4.4 | 1.27 | 2.3 | 7.6 | 433 | 6.3 | 0.31 | 5.7 | 6.9 |
| 2003 | 15 | 4.1 | 1.21 | 2.0 | 7.0 | 412 | 5.8 | 0.29 | 5.2 | 6.4 |
| 2004 | 15 | 3.3 | 1.03 | 1.6 | 5.9 | 396 | 5.6 | 0.29 | 5.1 | 6.2 |
| 2005 | 16 | 4.3 | 1.30 | 2.1 | 7.4 | 425 | 6.1 | 0.30 | 5.5 | 6.7 |
| 2006 | 21 | 4.9 | 1.26 | 2.7 | 7.9 | 414 | 5.7 | 0.29 | 5.2 | 6.3 |
| 2007 | 13 | 2.5 | 0.76 | 1.2 | 4.4 | 402 | 5.7 | 0.29 | 5.1 | 6.3 |
| 2008 | 17 | 3.7 | 1.03 | 2.0 | 6.2 | 401 | 5.6 | 0.29 | 5.1 | 6.2 |
| 2009 | 24 | 4.3 | 1.00 | 2.5 | 6.7 | 437 | 6.1 | 0.30 | 5.5 | 6.7 |
| 2010 | 21 | 3.6 | 0.89 | 2.0 | 5.7 | 416 | 5.7 | 0.29 | 5.2 | 6.3 |
| 2011 | 22 | 3.7 | 0.90 | 2.2 | 5.9 | 375 | 5.0 | 0.27 | 4.5 | 5.5 |
| 2012 | 21 | 4.2 | 0.99 | 2.5 | 6.5 | 459 | 6.2 | 0.30 | 5.7 | 6.9 |
| 2013 | 27 | 5.1 | 1.06 | 3.2 | 7.5 | 414 | 5.4 | 0.27 | 4.9 | 5.9 |
| 2014 | 25 | 3.6 | 0.77 | 2.2 | 5.4 | 396 | 5.0 | 0.26 | 4.5 | 5.6 |
| 2015 | 27 | 4.6 | 0.95 | 2.9 | 6.8 | 373 | 4.8 | 0.26 | 4.3 | 5.4 |
| 2016 | 13 | 1.9 | 0.55 | 0.9 | 3.2 | 365 | 4.6 | 0.25 | 4.2 | 5.2 |
| 2017 | 22 | 3.0 | 0.69 | 1.8 | 4.6 | 383 | 5.0 | 0.26 | 4.5 | 5.5 |
| 2018 | 14 | 2.1 | 0.60 | 1.1 | 3.6 | 368 | 4.6 | 0.25 | 4.1 | 5.1 |
| 2019 | 28 | 3.7 | 0.74 | 2.4 | 5.4 | 332 | 4.1 | 0.23 | 3.6 | 4.6 |
| 2020 | 24 | 3.1 | 0.67 | 2.0 | 4.7 | 365 | 4.5 | 0.24 | 4.0 | 5.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Leukemia | | | | | | | | | | |
|--------------------|--------|------|------|-----|-----|--------------------|------|------|-----|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 11,096 | 5.9 | 0.06 | 5.8 | 6.0 | 1,445 | 5.3 | 0.14 | 5.0 | 5.6 |
| 1990 | 379 | 6.9 | 0.36 | 6.2 | 7.7 | 49 | 7.3 | 1.07 | 5.3 | 9.7 |
| 1991 | 410 | 7.4 | 0.37 | 6.7 | 8.2 | 47 | 6.6 | 1.00 | 4.8 | 8.9 |
| 1992 | 360 | 6.5 | 0.35 | 5.8 | 7.2 | 46 | 6.5 | 0.98 | 4.7 | 8.7 |
| 1993 | 380 | 6.8 | 0.35 | 6.1 | 7.5 | 33 | 4.3 | 0.76 | 2.9 | 6.0 |
| 1994 | 355 | 6.2 | 0.34 | 5.6 | 6.9 | 42 | 5.8 | 0.91 | 4.1 | 7.8 |
| 1995 | 380 | 6.6 | 0.35 | 5.9 | 7.3 | 42 | 5.6 | 0.87 | 4.0 | 7.5 |
| 1996 | 367 | 6.4 | 0.34 | 5.7 | 7.1 | 45 | 6.1 | 0.92 | 4.4 | 8.1 |
| 1997 | 368 | 6.3 | 0.34 | 5.7 | 7.0 | 49 | 6.3 | 0.91 | 4.6 | 8.3 |
| 1998 | 364 | 6.2 | 0.33 | 5.6 | 6.9 | 68 | 8.6 | 1.05 | 6.6 | 10.9 |
| 1999 | 397 | 6.7 | 0.35 | 6.1 | 7.5 | 46 | 5.5 | 0.82 | 4.0 | 7.4 |
| 2000 | 398 | 6.7 | 0.34 | 6.0 | 7.4 | 45 | 5.3 | 0.80 | 3.9 | 7.1 |
| 2001 | 400 | 6.8 | 0.35 | 6.1 | 7.5 | 46 | 5.5 | 0.82 | 4.0 | 7.4 |
| 2002 | 379 | 6.4 | 0.34 | 5.8 | 7.1 | 50 | 6.1 | 0.88 | 4.5 | 8.1 |
| 2003 | 361 | 5.9 | 0.32 | 5.3 | 6.5 | 48 | 5.7 | 0.83 | 4.2 | 7.6 |
| 2004 | 351 | 5.9 | 0.33 | 5.3 | 6.6 | 41 | 4.9 | 0.78 | 3.5 | 6.7 |
| 2005 | 371 | 6.2 | 0.33 | 5.6 | 6.9 | 46 | 5.4 | 0.80 | 3.9 | 7.2 |
| 2006 | 373 | 6.1 | 0.33 | 5.5 | 6.8 | 38 | 4.4 | 0.72 | 3.1 | 6.1 |
| 2007 | 353 | 5.9 | 0.32 | 5.3 | 6.5 | 40 | 4.5 | 0.72 | 3.2 | 6.1 |
| 2008 | 352 | 5.8 | 0.32 | 5.2 | 6.5 | 44 | 4.8 | 0.72 | 3.4 | 6.4 |
| 2009 | 381 | 6.2 | 0.33 | 5.6 | 6.9 | 50 | 5.7 | 0.82 | 4.2 | 7.6 |
| 2010 | 356 | 5.8 | 0.32 | 5.2 | 6.5 | 48 | 5.2 | 0.75 | 3.8 | 6.9 |
| 2011 | 326 | 5.2 | 0.30 | 4.6 | 5.8 | 38 | 3.9 | 0.63 | 2.7 | 5.3 |
| 2012 | 386 | 6.3 | 0.33 | 5.6 | 7.0 | 56 | 5.8 | 0.79 | 4.4 | 7.6 |
| 2013 | 343 | 5.4 | 0.30 | 4.8 | 6.0 | 64 | 6.4 | 0.81 | 4.9 | 8.2 |
| 2014 | 345 | 5.3 | 0.29 | 4.7 | 5.9 | 45 | 4.3 | 0.65 | 3.1 | 5.8 |
| 2015 | 328 | 5.1 | 0.29 | 4.5 | 5.7 | 40 | 4.0 | 0.65 | 2.9 | 5.5 |
| 2016 | 309 | 4.8 | 0.29 | 4.2 | 5.4 | 47 | 4.5 | 0.66 | 3.3 | 6.0 |
| 2017 | 331 | 5.3 | 0.30 | 4.7 | 5.9 | 45 | 4.2 | 0.64 | 3.1 | 5.7 |
| 2018 | 305 | 4.7 | 0.28 | 4.1 | 5.3 | 52 | 4.8 | 0.68 | 3.6 | 6.4 |
| 2019 | 274 | 4.2 | 0.26 | 3.7 | 4.7 | 50 | 4.4 | 0.63 | 3.2 | 5.8 |
| 2020 | 314 | 4.7 | 0.28 | 4.2 | 5.3 | 45 | 4.1 | 0.62 | 3.0 | 5.5 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Other, Ill-defined and Unknown Sites | | | | | | | | | | |
|--------------------------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 2,273 | 9.7 | 0.23 | 9.3 | 10.2 | 62,917 | 16.6 | 0.07 | 16.5 | 16.7 |
| 1990 | 28 | 9.5 | 2.11 | 5.9 | 14.4 | 1,895 | 18.1 | 0.42 | 17.2 | 18.9 |
| 1991 | 35 | 10.7 | 2.09 | 7.0 | 15.4 | 1,819 | 17.2 | 0.41 | 16.4 | 18.0 |
| 1992 | 35 | 8.5 | 1.70 | 5.5 | 12.4 | 2,028 | 18.9 | 0.42 | 18.0 | 19.7 |
| 1993 | 52 | 12.7 | 2.14 | 8.8 | 17.4 | 2,056 | 18.9 | 0.42 | 18.1 | 19.7 |
| 1994 | 42 | 10.5 | 1.99 | 7.0 | 15.0 | 1,987 | 18.2 | 0.41 | 17.4 | 19.0 |
| 1995 | 55 | 12.7 | 2.08 | 9.0 | 17.3 | 1,978 | 17.9 | 0.40 | 17.1 | 18.7 |
| 1996 | 40 | 9.6 | 1.72 | 6.5 | 13.4 | 1,981 | 17.8 | 0.40 | 17.1 | 18.6 |
| 1997 | 46 | 9.0 | 1.60 | 6.2 | 12.6 | 1,947 | 17.4 | 0.39 | 16.6 | 18.2 |
| 1998 | 42 | 8.2 | 1.45 | 5.6 | 11.4 | 1,887 | 16.7 | 0.38 | 15.9 | 17.5 |
| 1999 | 57 | 10.6 | 1.69 | 7.5 | 14.3 | 2,303 | 20.1 | 0.42 | 19.3 | 21.0 |
| 2000 | 61 | 11.2 | 1.71 | 8.1 | 15.0 | 2,245 | 19.5 | 0.41 | 18.7 | 20.3 |
| 2001 | 75 | 14.2 | 1.89 | 10.8 | 18.3 | 2,141 | 18.5 | 0.40 | 17.7 | 19.3 |
| 2002 | 58 | 10.8 | 1.67 | 7.8 | 14.5 | 2,198 | 18.9 | 0.40 | 18.1 | 19.7 |
| 2003 | 62 | 11.1 | 1.64 | 8.1 | 14.7 | 2,079 | 17.7 | 0.39 | 16.9 | 18.4 |
| 2004 | 54 | 9.1 | 1.44 | 6.5 | 12.2 | 2,087 | 17.6 | 0.39 | 16.9 | 18.4 |
| 2005 | 80 | 11.9 | 1.56 | 9.0 | 15.2 | 2,111 | 17.6 | 0.39 | 16.9 | 18.4 |
| 2006 | 74 | 10.4 | 1.38 | 7.9 | 13.4 | 2,041 | 16.9 | 0.38 | 16.2 | 17.7 |
| 2007 | 64 | 9.0 | 1.30 | 6.6 | 11.8 | 1,963 | 16.0 | 0.37 | 15.3 | 16.8 |
| 2008 | 71 | 8.6 | 1.18 | 6.5 | 11.2 | 2,061 | 16.7 | 0.37 | 16.0 | 17.4 |
| 2009 | 92 | 12.0 | 1.42 | 9.3 | 15.0 | 2,041 | 16.4 | 0.37 | 15.7 | 17.1 |
| 2010 | 82 | 9.4 | 1.17 | 7.3 | 12.0 | 2,000 | 15.7 | 0.36 | 15.0 | 16.4 |
| 2011 | 89 | 9.8 | 1.16 | 7.6 | 12.3 | 2,021 | 15.7 | 0.36 | 15.0 | 16.4 |
| 2012 | 95 | 9.4 | 1.09 | 7.4 | 11.8 | 2,064 | 15.8 | 0.35 | 15.1 | 16.5 |
| 2013 | 100 | 9.6 | 1.07 | 7.6 | 11.9 | 2,016 | 15.2 | 0.34 | 14.5 | 15.9 |
| 2014 | 93 | 9.0 | 1.02 | 7.1 | 11.2 | 1,982 | 14.7 | 0.34 | 14.1 | 15.4 |
| 2015 | 96 | 7.9 | 0.88 | 6.2 | 9.8 | 1,952 | 14.3 | 0.33 | 13.6 | 14.9 |
| 2016 | 92 | 7.3 | 0.83 | 5.8 | 9.1 | 1,989 | 14.5 | 0.33 | 13.8 | 15.1 |
| 2017 | 126 | 10.2 | 0.97 | 8.3 | 12.2 | 1,970 | 14.1 | 0.33 | 13.5 | 14.8 |
| 2018 | 139 | 10.7 | 0.97 | 8.9 | 12.8 | 2,016 | 14.2 | 0.32 | 13.5 | 14.8 |
| 2019 | 124 | 9.3 | 0.89 | 7.6 | 11.2 | 1,982 | 14.0 | 0.32 | 13.4 | 14.6 |
| 2020 | 114 | 8.0 | 0.80 | 6.5 | 9.7 | 2,077 | 14.5 | 0.33 | 13.8 | 15.1 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Other, Ill-defined and Unknown Sites | | | | | | | | | | |
|--------------------------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Both Sexes | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 52,605 | 16.4 | 0.07 | 16.2 | 16.5 | 9,413 | 20.2 | 0.21 | 19.7 | 20.6 |
| 1990 | 1,608 | 17.4 | 0.44 | 16.5 | 18.3 | 277 | 24.4 | 1.52 | 21.5 | 27.6 |
| 1991 | 1,560 | 16.7 | 0.43 | 15.9 | 17.6 | 247 | 21.0 | 1.38 | 18.4 | 23.9 |
| 1992 | 1,720 | 18.2 | 0.44 | 17.4 | 19.1 | 295 | 25.0 | 1.49 | 22.1 | 28.0 |
| 1993 | 1,732 | 18.1 | 0.44 | 17.3 | 19.0 | 314 | 26.0 | 1.51 | 23.2 | 29.2 |
| 1994 | 1,693 | 17.7 | 0.43 | 16.8 | 18.5 | 285 | 23.3 | 1.42 | 20.6 | 26.2 |
| 1995 | 1,670 | 17.3 | 0.42 | 16.5 | 18.1 | 291 | 23.3 | 1.40 | 20.6 | 26.2 |
| 1996 | 1,667 | 17.2 | 0.42 | 16.4 | 18.1 | 305 | 23.8 | 1.40 | 21.2 | 26.7 |
| 1997 | 1,643 | 16.9 | 0.42 | 16.1 | 17.7 | 288 | 22.2 | 1.35 | 19.7 | 25.0 |
| 1998 | 1,578 | 16.1 | 0.41 | 15.3 | 17.0 | 289 | 21.8 | 1.31 | 19.3 | 24.5 |
| 1999 | 1,907 | 19.2 | 0.44 | 18.4 | 20.1 | 376 | 28.7 | 1.51 | 25.8 | 31.8 |
| 2000 | 1,893 | 19.1 | 0.44 | 18.2 | 20.0 | 330 | 24.4 | 1.37 | 21.8 | 27.2 |
| 2001 | 1,778 | 17.9 | 0.43 | 17.1 | 18.8 | 338 | 24.8 | 1.38 | 22.2 | 27.6 |
| 2002 | 1,845 | 18.5 | 0.43 | 17.6 | 19.3 | 325 | 23.5 | 1.33 | 20.9 | 26.2 |
| 2003 | 1,736 | 17.2 | 0.42 | 16.4 | 18.1 | 315 | 22.5 | 1.29 | 20.0 | 25.1 |
| 2004 | 1,767 | 17.5 | 0.42 | 16.7 | 18.3 | 295 | 20.3 | 1.21 | 18.0 | 22.8 |
| 2005 | 1,767 | 17.4 | 0.42 | 16.6 | 18.2 | 312 | 21.1 | 1.22 | 18.8 | 23.6 |
| 2006 | 1,712 | 16.7 | 0.41 | 15.9 | 17.6 | 299 | 19.9 | 1.17 | 17.6 | 22.3 |
| 2007 | 1,626 | 15.7 | 0.39 | 14.9 | 16.5 | 317 | 20.9 | 1.20 | 18.6 | 23.4 |
| 2008 | 1,717 | 16.5 | 0.40 | 15.7 | 17.3 | 312 | 19.9 | 1.15 | 17.7 | 22.3 |
| 2009 | 1,736 | 16.5 | 0.40 | 15.8 | 17.4 | 272 | 17.1 | 1.06 | 15.1 | 19.3 |
| 2010 | 1,648 | 15.4 | 0.39 | 14.7 | 16.2 | 316 | 19.1 | 1.10 | 17.0 | 21.3 |
| 2011 | 1,691 | 15.7 | 0.39 | 14.9 | 16.5 | 284 | 17.3 | 1.05 | 15.3 | 19.4 |
| 2012 | 1,747 | 16.0 | 0.39 | 15.2 | 16.8 | 282 | 16.7 | 1.02 | 14.7 | 18.8 |
| 2013 | 1,686 | 15.3 | 0.38 | 14.5 | 16.1 | 295 | 17.3 | 1.03 | 15.3 | 19.4 |
| 2014 | 1,655 | 14.8 | 0.37 | 14.1 | 15.6 | 281 | 16.2 | 0.99 | 14.3 | 18.2 |
| 2015 | 1,600 | 14.2 | 0.36 | 13.5 | 14.9 | 309 | 16.8 | 0.98 | 15.0 | 18.9 |
| 2016 | 1,648 | 14.6 | 0.37 | 13.9 | 15.3 | 293 | 16.2 | 0.97 | 14.4 | 18.2 |
| 2017 | 1,620 | 14.3 | 0.37 | 13.6 | 15.0 | 302 | 15.8 | 0.93 | 14.0 | 17.8 |
| 2018 | 1,653 | 14.2 | 0.36 | 13.5 | 14.9 | 309 | 16.3 | 0.95 | 14.5 | 18.2 |
| 2019 | 1,607 | 13.9 | 0.36 | 13.2 | 14.7 | 334 | 17.6 | 0.98 | 15.7 | 19.6 |
| 2020 | 1,695 | 14.5 | 0.36 | 13.8 | 15.3 | 326 | 16.3 | 0.92 | 14.6 | 18.3 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Other, Ill-defined and Unknown Sites | | | | | | | | | | |
|--------------------------------------|-------|------|------|------|------|-------------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,234 | 11.4 | 0.38 | 10.6 | 12.1 | 32,488 | 20.6 | 0.12 | 20.4 | 20.9 |
| 1990 | 16 | 12.2 | 3.83 | 5.9 | 21.4 | 939 | 21.9 | 0.74 | 20.5 | 23.4 |
| 1991 | 14 | 9.7 | 3.19 | 4.5 | 17.5 | 943 | 22.0 | 0.74 | 20.6 | 23.5 |
| 1992 | 17 | 8.5 | 2.69 | 4.1 | 15.2 | 1,026 | 23.7 | 0.76 | 22.3 | 25.3 |
| 1993 | 24 | 14.6 | 3.89 | 8.0 | 23.7 | 1,017 | 23.4 | 0.76 | 21.9 | 24.9 |
| 1994 | 23 | 12.8 | 3.67 | 6.6 | 21.5 | 953 | 21.2 | 0.70 | 19.9 | 22.6 |
| 1995 | 24 | 12.6 | 3.34 | 7.0 | 20.5 | 999 | 22.2 | 0.72 | 20.8 | 23.6 |
| 1996 | 22 | 11.6 | 2.86 | 6.7 | 18.4 | 1,011 | 22.4 | 0.72 | 21.0 | 23.8 |
| 1997 | 27 | 8.7 | 2.13 | 5.1 | 13.9 | 941 | 20.6 | 0.68 | 19.3 | 22.0 |
| 1998 | 24 | 9.4 | 2.23 | 5.6 | 14.8 | 936 | 20.1 | 0.67 | 18.8 | 21.4 |
| 1999 | 27 | 10.6 | 2.61 | 6.1 | 16.7 | 1,125 | 24.4 | 0.74 | 23.0 | 25.9 |
| 2000 | 39 | 17.1 | 3.41 | 11.0 | 24.7 | 1,130 | 24.1 | 0.72 | 22.7 | 25.5 |
| 2001 | 39 | 15.1 | 2.94 | 9.9 | 21.7 | 1,098 | 23.4 | 0.71 | 22.0 | 24.8 |
| 2002 | 28 | 10.4 | 2.42 | 6.2 | 16.0 | 1,147 | 24.1 | 0.72 | 22.7 | 25.6 |
| 2003 | 32 | 12.3 | 2.70 | 7.6 | 18.5 | 1,049 | 21.9 | 0.68 | 20.6 | 23.3 |
| 2004 | 27 | 7.6 | 1.86 | 4.4 | 12.0 | 1,066 | 22.0 | 0.68 | 20.7 | 23.3 |
| 2005 | 42 | 13.1 | 2.54 | 8.6 | 18.8 | 1,067 | 21.7 | 0.67 | 20.4 | 23.1 |
| 2006 | 40 | 11.9 | 2.27 | 7.9 | 17.0 | 1,081 | 21.7 | 0.67 | 20.4 | 23.0 |
| 2007 | 36 | 12.3 | 2.53 | 7.8 | 17.9 | 1,057 | 20.9 | 0.65 | 19.6 | 22.2 |
| 2008 | 41 | 10.3 | 1.98 | 6.8 | 14.8 | 1,035 | 20.1 | 0.63 | 18.9 | 21.4 |
| 2009 | 59 | 16.7 | 2.60 | 12.0 | 22.4 | 1,057 | 20.2 | 0.63 | 19.0 | 21.5 |
| 2010 | 45 | 10.3 | 1.80 | 7.1 | 14.3 | 1,075 | 20.0 | 0.62 | 18.8 | 21.3 |
| 2011 | 48 | 9.0 | 1.50 | 6.3 | 12.3 | 1,082 | 19.9 | 0.62 | 18.7 | 21.1 |
| 2012 | 53 | 11.9 | 1.93 | 8.4 | 16.1 | 1,120 | 20.3 | 0.62 | 19.1 | 21.6 |
| 2013 | 47 | 9.8 | 1.65 | 6.9 | 13.5 | 1,083 | 19.2 | 0.60 | 18.0 | 20.4 |
| 2014 | 55 | 11.5 | 1.75 | 8.3 | 15.3 | 1,035 | 18.1 | 0.57 | 17.0 | 19.3 |
| 2015 | 53 | 8.8 | 1.40 | 6.2 | 11.9 | 1,080 | 18.4 | 0.57 | 17.3 | 19.6 |
| 2016 | 58 | 10.2 | 1.51 | 7.4 | 13.5 | 1,083 | 18.4 | 0.57 | 17.3 | 19.6 |
| 2017 | 70 | 12.4 | 1.65 | 9.4 | 16.0 | 1,025 | 17.0 | 0.54 | 16.0 | 18.1 |
| 2018 | 77 | 14.0 | 1.75 | 10.8 | 17.8 | 1,059 | 17.3 | 0.54 | 16.3 | 18.4 |
| 2019 | 66 | 10.7 | 1.45 | 8.1 | 13.9 | 1,075 | 17.5 | 0.55 | 16.5 | 18.6 |
| 2020 | 61 | 8.8 | 1.24 | 6.5 | 11.5 | 1,094 | 17.6 | 0.55 | 16.6 | 18.7 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Other, Ill-defined and Unknown Sites | | | | | | | | | | |
|--------------------------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Males | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 27,085 | 20.3 | 0.12 | 20.0 | 20.5 | 4,914 | 25.9 | 0.39 | 25.1 | 26.7 |
| 1990 | 773 | 20.6 | 0.77 | 19.1 | 22.1 | 161 | 35.0 | 2.96 | 29.4 | 41.2 |
| 1991 | 793 | 21.2 | 0.78 | 19.7 | 22.8 | 144 | 30.4 | 2.70 | 25.4 | 36.1 |
| 1992 | 860 | 22.8 | 0.80 | 21.3 | 24.4 | 160 | 32.6 | 2.75 | 27.4 | 38.4 |
| 1993 | 853 | 22.5 | 0.79 | 21.0 | 24.1 | 158 | 32.2 | 2.75 | 27.1 | 38.0 |
| 1994 | 807 | 20.7 | 0.74 | 19.3 | 22.2 | 142 | 27.4 | 2.44 | 22.8 | 32.5 |
| 1995 | 837 | 21.4 | 0.75 | 20.0 | 22.9 | 150 | 28.8 | 2.51 | 24.1 | 34.1 |
| 1996 | 839 | 21.4 | 0.75 | 20.0 | 22.9 | 165 | 31.6 | 2.62 | 26.6 | 37.1 |
| 1997 | 794 | 20.0 | 0.72 | 18.7 | 21.5 | 140 | 26.8 | 2.43 | 22.2 | 31.9 |
| 1998 | 774 | 19.4 | 0.70 | 18.0 | 20.8 | 153 | 26.9 | 2.27 | 22.6 | 31.7 |
| 1999 | 931 | 23.4 | 0.77 | 21.9 | 24.9 | 185 | 35.5 | 2.79 | 30.2 | 41.3 |
| 2000 | 940 | 23.3 | 0.76 | 21.8 | 24.8 | 177 | 33.0 | 2.62 | 28.0 | 38.4 |
| 2001 | 907 | 22.5 | 0.75 | 21.0 | 24.0 | 178 | 33.3 | 2.66 | 28.3 | 38.9 |
| 2002 | 959 | 23.6 | 0.77 | 22.1 | 25.2 | 167 | 28.3 | 2.29 | 24.0 | 33.2 |
| 2003 | 875 | 21.3 | 0.73 | 19.9 | 22.8 | 159 | 29.6 | 2.52 | 24.8 | 34.8 |
| 2004 | 904 | 21.8 | 0.73 | 20.4 | 23.3 | 152 | 26.2 | 2.30 | 21.9 | 31.0 |
| 2005 | 887 | 21.2 | 0.72 | 19.8 | 22.7 | 164 | 27.4 | 2.28 | 23.1 | 32.2 |
| 2006 | 912 | 21.5 | 0.72 | 20.1 | 23.0 | 154 | 25.1 | 2.16 | 21.1 | 29.7 |
| 2007 | 870 | 20.3 | 0.69 | 18.9 | 21.7 | 174 | 28.2 | 2.28 | 23.9 | 33.0 |
| 2008 | 858 | 19.7 | 0.68 | 18.4 | 21.1 | 161 | 26.2 | 2.19 | 22.0 | 30.8 |
| 2009 | 911 | 20.6 | 0.69 | 19.2 | 22.0 | 133 | 20.4 | 1.87 | 16.9 | 24.3 |
| 2010 | 891 | 19.7 | 0.67 | 18.4 | 21.1 | 161 | 24.9 | 2.09 | 21.0 | 29.3 |
| 2011 | 900 | 19.7 | 0.67 | 18.4 | 21.0 | 163 | 24.7 | 2.05 | 20.8 | 29.0 |
| 2012 | 954 | 20.7 | 0.68 | 19.4 | 22.1 | 148 | 20.7 | 1.79 | 17.3 | 24.5 |
| 2013 | 908 | 19.2 | 0.65 | 17.9 | 20.5 | 154 | 22.4 | 1.89 | 18.8 | 26.4 |
| 2014 | 863 | 18.1 | 0.63 | 16.9 | 19.4 | 150 | 21.6 | 1.85 | 18.2 | 25.6 |
| 2015 | 884 | 18.2 | 0.63 | 17.0 | 19.5 | 167 | 21.8 | 1.77 | 18.5 | 25.5 |
| 2016 | 901 | 18.5 | 0.63 | 17.2 | 19.7 | 151 | 21.0 | 1.79 | 17.7 | 24.8 |
| 2017 | 840 | 17.0 | 0.60 | 15.9 | 18.3 | 160 | 20.7 | 1.71 | 17.4 | 24.3 |
| 2018 | 874 | 17.4 | 0.60 | 16.3 | 18.6 | 154 | 19.5 | 1.64 | 16.4 | 23.0 |
| 2019 | 873 | 17.4 | 0.60 | 16.2 | 18.6 | 179 | 23.2 | 1.80 | 19.8 | 27.0 |
| 2020 | 913 | 18.0 | 0.61 | 16.8 | 19.2 | 150 | 18.6 | 1.58 | 15.7 | 22.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases.*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Other, Ill-defined and Unknown Sites | | | | | | | | | | |
|--------------------------------------|-------|------|------|-----|------|-------------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 1,039 | 8.4 | 0.28 | 7.9 | 9.0 | 30,429 | 13.8 | 0.08 | 13.6 | 14.0 |
| 1990 | 12 | 7.7 | 2.46 | 3.7 | 13.7 | 956 | 15.5 | 0.51 | 14.5 | 16.5 |
| 1991 | 21 | 12.0 | 2.88 | 7.0 | 18.7 | 876 | 13.8 | 0.47 | 12.9 | 14.7 |
| 1992 | 18 | 8.5 | 2.25 | 4.7 | 13.9 | 1,002 | 15.7 | 0.50 | 14.8 | 16.8 |
| 1993 | 28 | 12.0 | 2.60 | 7.5 | 18.0 | 1,039 | 16.0 | 0.50 | 15.0 | 17.0 |
| 1994 | 19 | 9.0 | 2.34 | 5.0 | 14.5 | 1,034 | 15.8 | 0.50 | 14.8 | 16.8 |
| 1995 | 31 | 13.2 | 2.71 | 8.4 | 19.4 | 979 | 14.8 | 0.48 | 13.9 | 15.8 |
| 1996 | 18 | 7.9 | 2.07 | 4.4 | 12.9 | 970 | 14.6 | 0.48 | 13.7 | 15.6 |
| 1997 | 19 | 8.7 | 2.19 | 4.9 | 13.8 | 1,006 | 15.2 | 0.49 | 14.3 | 16.2 |
| 1998 | 18 | 6.9 | 1.80 | 3.8 | 11.2 | 951 | 14.1 | 0.46 | 13.2 | 15.1 |
| 1999 | 30 | 10.7 | 2.25 | 6.7 | 15.8 | 1,178 | 17.2 | 0.51 | 16.2 | 18.2 |
| 2000 | 22 | 6.8 | 1.68 | 3.9 | 10.8 | 1,115 | 16.3 | 0.49 | 15.3 | 17.3 |
| 2001 | 36 | 13.3 | 2.45 | 8.9 | 18.8 | 1,043 | 15.4 | 0.48 | 14.4 | 16.4 |
| 2002 | 30 | 10.9 | 2.24 | 7.0 | 16.0 | 1,051 | 15.2 | 0.48 | 14.3 | 16.2 |
| 2003 | 30 | 10.1 | 2.08 | 6.5 | 14.9 | 1,030 | 14.9 | 0.47 | 14.0 | 15.8 |
| 2004 | 27 | 9.8 | 2.05 | 6.2 | 14.5 | 1,021 | 14.7 | 0.47 | 13.8 | 15.6 |
| 2005 | 38 | 10.9 | 1.99 | 7.4 | 15.4 | 1,044 | 15.0 | 0.47 | 14.1 | 15.9 |
| 2006 | 34 | 9.1 | 1.71 | 6.1 | 13.0 | 960 | 13.6 | 0.45 | 12.8 | 14.5 |
| 2007 | 28 | 6.9 | 1.41 | 4.4 | 10.1 | 906 | 12.6 | 0.43 | 11.8 | 13.5 |
| 2008 | 30 | 7.2 | 1.45 | 4.7 | 10.5 | 1,026 | 14.4 | 0.46 | 13.5 | 15.3 |
| 2009 | 33 | 8.2 | 1.56 | 5.4 | 11.7 | 984 | 13.7 | 0.45 | 12.8 | 14.6 |
| 2010 | 37 | 8.5 | 1.51 | 5.8 | 11.9 | 925 | 12.6 | 0.43 | 11.8 | 13.5 |
| 2011 | 41 | 9.8 | 1.64 | 6.9 | 13.4 | 939 | 12.7 | 0.43 | 11.9 | 13.6 |
| 2012 | 42 | 7.6 | 1.29 | 5.3 | 10.5 | 944 | 12.5 | 0.42 | 11.7 | 13.3 |
| 2013 | 53 | 9.4 | 1.40 | 6.9 | 12.5 | 933 | 12.2 | 0.41 | 11.4 | 13.0 |
| 2014 | 38 | 7.0 | 1.20 | 4.8 | 9.7 | 947 | 12.3 | 0.41 | 11.5 | 13.1 |
| 2015 | 43 | 7.1 | 1.15 | 5.0 | 9.7 | 872 | 11.2 | 0.39 | 10.5 | 12.0 |
| 2016 | 34 | 5.1 | 0.93 | 3.4 | 7.2 | 906 | 11.6 | 0.40 | 10.8 | 12.4 |
| 2017 | 56 | 8.4 | 1.18 | 6.3 | 11.0 | 945 | 12.1 | 0.41 | 11.4 | 13.0 |
| 2018 | 62 | 8.5 | 1.13 | 6.4 | 11.0 | 957 | 11.8 | 0.39 | 11.0 | 12.6 |
| 2019 | 58 | 8.2 | 1.13 | 6.2 | 10.7 | 907 | 11.3 | 0.39 | 10.6 | 12.1 |
| 2020 | 53 | 7.2 | 1.03 | 5.3 | 9.4 | 983 | 12.2 | 0.40 | 11.4 | 13.0 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases.

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2020

| Other, Ill-defined and Unknown Sites | | | | | | | | | | |
|--------------------------------------|--------|------|------|------|------|--------------------|------|------|------|------|
| Females | | | | | | | | | | |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2020 | 25,520 | 13.6 | 0.09 | 13.5 | 13.8 | 4,499 | 16.3 | 0.25 | 15.9 | 16.8 |
| 1990 | 835 | 15.3 | 0.54 | 14.2 | 16.4 | 116 | 17.5 | 1.65 | 14.4 | 21.0 |
| 1991 | 767 | 13.6 | 0.50 | 12.6 | 14.6 | 103 | 14.7 | 1.48 | 12.0 | 17.9 |
| 1992 | 860 | 15.4 | 0.54 | 14.4 | 16.5 | 135 | 19.6 | 1.71 | 16.4 | 23.2 |
| 1993 | 879 | 15.4 | 0.53 | 14.3 | 16.4 | 156 | 21.8 | 1.77 | 18.5 | 25.6 |
| 1994 | 886 | 15.3 | 0.53 | 14.3 | 16.4 | 143 | 20.0 | 1.69 | 16.8 | 23.5 |
| 1995 | 833 | 14.4 | 0.51 | 13.5 | 15.5 | 141 | 19.4 | 1.65 | 16.3 | 22.8 |
| 1996 | 828 | 14.3 | 0.51 | 13.3 | 15.3 | 140 | 18.6 | 1.58 | 15.6 | 21.9 |
| 1997 | 849 | 14.8 | 0.52 | 13.8 | 15.9 | 148 | 19.2 | 1.60 | 16.2 | 22.6 |
| 1998 | 804 | 13.8 | 0.50 | 12.8 | 14.8 | 136 | 17.6 | 1.52 | 14.7 | 20.8 |
| 1999 | 976 | 16.3 | 0.53 | 15.3 | 17.4 | 191 | 24.3 | 1.77 | 20.9 | 28.0 |
| 2000 | 953 | 16.1 | 0.53 | 15.1 | 17.2 | 153 | 18.9 | 1.54 | 16.0 | 22.1 |
| 2001 | 871 | 15.0 | 0.52 | 14.0 | 16.0 | 160 | 19.5 | 1.55 | 16.6 | 22.8 |
| 2002 | 886 | 15.0 | 0.52 | 14.0 | 16.1 | 158 | 19.4 | 1.55 | 16.4 | 22.6 |
| 2003 | 861 | 14.5 | 0.50 | 13.5 | 15.5 | 156 | 18.5 | 1.49 | 15.7 | 21.7 |
| 2004 | 863 | 14.5 | 0.51 | 13.5 | 15.6 | 143 | 16.8 | 1.41 | 14.1 | 19.8 |
| 2005 | 880 | 14.9 | 0.52 | 13.9 | 16.0 | 148 | 17.0 | 1.41 | 14.4 | 20.0 |
| 2006 | 800 | 13.4 | 0.49 | 12.4 | 14.4 | 145 | 16.5 | 1.38 | 13.9 | 19.4 |
| 2007 | 756 | 12.4 | 0.47 | 11.5 | 13.4 | 143 | 16.1 | 1.35 | 13.5 | 18.9 |
| 2008 | 859 | 14.3 | 0.50 | 13.3 | 15.3 | 151 | 16.2 | 1.33 | 13.7 | 19.0 |
| 2009 | 825 | 13.6 | 0.49 | 12.7 | 14.6 | 139 | 14.9 | 1.28 | 12.5 | 17.7 |
| 2010 | 757 | 12.3 | 0.47 | 11.4 | 13.3 | 155 | 15.7 | 1.28 | 13.3 | 18.4 |
| 2011 | 791 | 12.8 | 0.47 | 11.9 | 13.8 | 121 | 12.5 | 1.15 | 10.3 | 14.9 |
| 2012 | 793 | 12.5 | 0.46 | 11.6 | 13.4 | 134 | 13.7 | 1.20 | 11.5 | 16.3 |
| 2013 | 778 | 12.3 | 0.46 | 11.4 | 13.2 | 141 | 13.8 | 1.18 | 11.6 | 16.3 |
| 2014 | 792 | 12.5 | 0.46 | 11.6 | 13.4 | 131 | 12.6 | 1.12 | 10.5 | 15.0 |
| 2015 | 716 | 11.2 | 0.43 | 10.3 | 12.1 | 142 | 13.4 | 1.14 | 11.2 | 15.8 |
| 2016 | 747 | 11.6 | 0.45 | 10.8 | 12.6 | 142 | 13.2 | 1.13 | 11.1 | 15.7 |
| 2017 | 780 | 12.4 | 0.47 | 11.5 | 13.4 | 142 | 12.8 | 1.09 | 10.7 | 15.1 |
| 2018 | 779 | 11.7 | 0.44 | 10.9 | 12.6 | 155 | 13.9 | 1.13 | 11.8 | 16.3 |
| 2019 | 734 | 11.3 | 0.44 | 10.5 | 12.2 | 155 | 13.8 | 1.13 | 11.7 | 16.3 |
| 2020 | 782 | 11.9 | 0.45 | 11.1 | 12.9 | 176 | 15.1 | 1.16 | 12.9 | 17.6 |

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI), and upper confidence intervals (UCI) computed at the 95% level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2020) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released June 2022. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases.

APPENDIX A
Illinois Populations Used for Rate Calculations
1986-2020

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1986 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 179,676 | 141,272 | 33,619 | 4,785 |
| 01-04 years | 685,741 | 539,747 | 127,126 | 18,868 |
| 05-09 years | 840,015 | 654,792 | 163,228 | 21,995 |
| 10-14 years | 801,106 | 625,887 | 153,631 | 21,588 |
| 15-19 years | 894,573 | 708,528 | 164,820 | 21,225 |
| 20-24 years | 970,457 | 789,299 | 158,083 | 23,075 |
| 25-29 years | 1,029,119 | 849,144 | 153,831 | 26,144 |
| 30-34 years | 965,832 | 798,020 | 139,838 | 27,974 |
| 35-39 years | 857,675 | 717,002 | 115,594 | 25,079 |
| 40-44 years | 669,691 | 563,036 | 87,200 | 19,455 |
| 45-49 years | 563,123 | 470,845 | 77,378 | 14,900 |
| 50-54 years | 508,174 | 430,308 | 67,379 | 10,487 |
| 55-59 years | 534,011 | 461,509 | 64,395 | 8,107 |
| 60-64 years | 514,443 | 452,016 | 55,853 | 6,574 |
| 65-69 years | 447,559 | 397,070 | 45,347 | 5,142 |
| 70-74 years | 358,683 | 321,299 | 33,754 | 3,630 |
| 75-79 years | 264,995 | 240,179 | 22,611 | 2,205 |
| 80-84 years | 167,694 | 153,372 | 13,180 | 1,142 |
| 85+ years | 134,680 | 124,037 | 9,933 | 710 |
| Total | 11,387,247 | 9,437,362 | 1,686,800 | 263,085 |
| 1986 Males | All Races | White | Black | Asian/Other |
| 00 years | 91,652 | 72,253 | 16,960 | 2,439 |
| 01-04 years | 350,680 | 276,795 | 64,257 | 9,628 |
| 05-09 years | 430,022 | 336,492 | 82,234 | 11,296 |
| 10-14 years | 409,806 | 321,055 | 77,696 | 11,055 |
| 15-19 years | 460,191 | 366,032 | 83,033 | 11,126 |
| 20-24 years | 488,879 | 401,885 | 74,977 | 12,017 |
| 25-29 years | 514,242 | 430,908 | 70,890 | 12,444 |
| 30-34 years | 478,642 | 402,311 | 62,635 | 13,696 |
| 35-39 years | 421,737 | 358,559 | 51,342 | 11,836 |
| 40-44 years | 327,713 | 279,665 | 38,471 | 9,577 |
| 45-49 years | 274,431 | 232,401 | 34,403 | 7,627 |
| 50-54 years | 246,234 | 211,007 | 30,024 | 5,203 |
| 55-59 years | 255,211 | 222,740 | 28,764 | 3,707 |
| 60-64 years | 239,267 | 211,702 | 24,582 | 2,983 |
| 65-69 years | 197,789 | 176,318 | 19,304 | 2,167 |
| 70-74 years | 147,709 | 132,678 | 13,468 | 1,563 |
| 75-79 years | 99,020 | 89,518 | 8,571 | 931 |
| 80-84 years | 55,243 | 50,177 | 4,603 | 463 |
| 85+ years | 36,582 | 33,140 | 3,159 | 283 |
| Total | 5,525,050 | 4,605,636 | 789,373 | 130,041 |
| 1986 Females | All Races | White | Black | Asian/Other |
| 00 years | 88,024 | 69,019 | 16,659 | 2,346 |
| 01-04 years | 335,061 | 262,952 | 62,869 | 9,240 |
| 05-09 years | 409,993 | 318,300 | 80,994 | 10,699 |
| 10-14 years | 391,300 | 304,832 | 75,935 | 10,533 |
| 15-19 years | 434,382 | 342,496 | 81,787 | 10,099 |
| 20-24 years | 481,578 | 387,414 | 83,106 | 11,058 |
| 25-29 years | 514,877 | 418,236 | 82,941 | 13,700 |
| 30-34 years | 487,190 | 395,709 | 77,203 | 14,278 |
| 35-39 years | 435,938 | 358,443 | 64,252 | 13,243 |
| 40-44 years | 341,978 | 283,371 | 48,729 | 9,878 |
| 45-49 years | 288,692 | 238,444 | 42,975 | 7,273 |
| 50-54 years | 261,940 | 219,301 | 37,355 | 5,284 |
| 55-59 years | 278,800 | 238,769 | 35,631 | 4,400 |
| 60-64 years | 275,176 | 240,314 | 31,271 | 3,591 |
| 65-69 years | 249,770 | 220,752 | 26,043 | 2,975 |
| 70-74 years | 210,974 | 188,621 | 20,286 | 2,067 |
| 75-79 years | 165,975 | 150,661 | 14,040 | 1,274 |
| 80-84 years | 112,451 | 103,195 | 8,577 | 679 |
| 85+ years | 98,098 | 90,897 | 6,774 | 427 |
| Total | 5,862,197 | 4,831,726 | 897,427 | 133,044 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1987 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 177,252 | 138,782 | 33,611 | 4,859 |
| 01-04 years | 679,949 | 535,136 | 125,619 | 19,194 |
| 05-09 years | 846,978 | 661,147 | 162,701 | 23,130 |
| 10-14 years | 788,073 | 614,772 | 151,239 | 22,062 |
| 15-19 years | 882,134 | 694,811 | 164,317 | 23,006 |
| 20-24 years | 936,012 | 758,666 | 153,291 | 24,055 |
| 25-29 years | 1,020,499 | 840,957 | 152,521 | 27,021 |
| 30-34 years | 983,627 | 811,447 | 143,456 | 28,724 |
| 35-39 years | 854,581 | 709,570 | 118,875 | 26,136 |
| 40-44 years | 715,780 | 604,030 | 90,593 | 21,157 |
| 45-49 years | 579,345 | 484,012 | 79,120 | 16,213 |
| 50-54 years | 507,829 | 428,666 | 67,750 | 11,413 |
| 55-59 years | 519,166 | 446,758 | 63,884 | 8,524 |
| 60-64 years | 507,596 | 443,952 | 56,675 | 6,969 |
| 65-69 years | 450,268 | 398,665 | 46,075 | 5,528 |
| 70-74 years | 362,207 | 324,315 | 34,059 | 3,833 |
| 75-79 years | 269,578 | 244,170 | 23,064 | 2,344 |
| 80-84 years | 172,168 | 157,287 | 13,648 | 1,233 |
| 85+ years | 138,133 | 127,069 | 10,310 | 754 |
| Total | 11,391,175 | 9,424,212 | 1,690,808 | 276,155 |
| 1987 Males | All Races | White | Black | Asian/Other |
| 00 years | 90,385 | 70,977 | 16,926 | 2,482 |
| 01-04 years | 347,774 | 274,460 | 63,518 | 9,796 |
| 05-09 years | 433,565 | 339,705 | 81,985 | 11,875 |
| 10-14 years | 403,272 | 315,405 | 76,586 | 11,281 |
| 15-19 years | 454,524 | 359,535 | 82,965 | 12,024 |
| 20-24 years | 471,993 | 386,535 | 72,903 | 12,555 |
| 25-29 years | 509,933 | 426,355 | 70,546 | 13,032 |
| 30-34 years | 487,774 | 409,199 | 64,461 | 14,114 |
| 35-39 years | 420,791 | 355,565 | 52,882 | 12,344 |
| 40-44 years | 350,430 | 300,167 | 39,955 | 10,308 |
| 45-49 years | 282,372 | 238,968 | 35,181 | 8,223 |
| 50-54 years | 246,196 | 210,323 | 30,137 | 5,736 |
| 55-59 years | 248,354 | 216,029 | 28,392 | 3,933 |
| 60-64 years | 236,162 | 208,147 | 24,872 | 3,143 |
| 65-69 years | 199,842 | 177,866 | 19,632 | 2,344 |
| 70-74 years | 149,274 | 134,050 | 13,583 | 1,641 |
| 75-79 years | 101,272 | 91,584 | 8,713 | 975 |
| 80-84 years | 56,807 | 51,583 | 4,715 | 509 |
| 85+ years | 37,404 | 33,862 | 3,241 | 301 |
| Total | 5,528,124 | 4,600,315 | 791,193 | 136,616 |
| 1987 Females | All Races | White | Black | Asian/Other |
| 00 years | 86,867 | 67,805 | 16,685 | 2,377 |
| 01-04 years | 332,175 | 260,676 | 62,101 | 9,398 |
| 05-09 years | 413,413 | 321,442 | 80,716 | 11,255 |
| 10-14 years | 384,801 | 299,367 | 74,653 | 10,781 |
| 15-19 years | 427,610 | 335,276 | 81,352 | 10,982 |
| 20-24 years | 464,019 | 372,131 | 80,388 | 11,500 |
| 25-29 years | 510,566 | 414,602 | 81,975 | 13,989 |
| 30-34 years | 495,853 | 402,248 | 78,995 | 14,610 |
| 35-39 years | 433,790 | 354,005 | 65,993 | 13,792 |
| 40-44 years | 365,350 | 303,863 | 50,638 | 10,849 |
| 45-49 years | 296,973 | 245,044 | 43,939 | 7,990 |
| 50-54 years | 261,633 | 218,343 | 37,613 | 5,677 |
| 55-59 years | 270,812 | 230,729 | 35,492 | 4,591 |
| 60-64 years | 271,434 | 235,805 | 31,803 | 3,826 |
| 65-69 years | 250,426 | 220,799 | 26,443 | 3,184 |
| 70-74 years | 212,933 | 190,265 | 20,476 | 2,192 |
| 75-79 years | 168,306 | 152,586 | 14,351 | 1,369 |
| 80-84 years | 115,361 | 105,704 | 8,933 | 724 |
| 85+ years | 100,729 | 93,207 | 7,069 | 453 |
| Total | 5,863,051 | 4,823,897 | 899,615 | 139,539 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1988 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 177,317 | 138,312 | 33,939 | 5,066 |
| 01-04 years | 675,117 | 530,725 | 124,964 | 19,428 |
| 05-09 years | 845,772 | 661,385 | 160,250 | 24,137 |
| 10-14 years | 782,814 | 610,766 | 149,335 | 22,713 |
| 15-19 years | 863,630 | 676,133 | 162,854 | 24,643 |
| 20-24 years | 903,266 | 729,750 | 148,411 | 25,105 |
| 25-29 years | 1,010,154 | 830,759 | 151,419 | 27,976 |
| 30-34 years | 997,737 | 822,319 | 146,041 | 29,377 |
| 35-39 years | 867,996 | 718,386 | 122,322 | 27,288 |
| 40-44 years | 734,259 | 617,242 | 94,054 | 22,963 |
| 45-49 years | 605,845 | 507,719 | 80,517 | 17,609 |
| 50-54 years | 516,184 | 434,676 | 69,048 | 12,460 |
| 55-59 years | 502,006 | 429,781 | 63,248 | 8,977 |
| 60-64 years | 503,969 | 439,391 | 57,245 | 7,333 |
| 65-69 years | 449,701 | 396,690 | 47,031 | 5,980 |
| 70-74 years | 364,391 | 326,276 | 34,111 | 4,004 |
| 75-79 years | 274,351 | 248,443 | 23,429 | 2,479 |
| 80-84 years | 175,511 | 160,161 | 14,034 | 1,316 |
| 85+ years | 140,202 | 128,794 | 10,609 | 799 |
| Total | 11,390,222 | 9,407,708 | 1,692,861 | 289,653 |
| 1988 Males | All Races | White | Black | Asian/Other |
| 00 years | 90,386 | 70,713 | 17,089 | 2,584 |
| 01-04 years | 345,288 | 272,195 | 63,161 | 9,932 |
| 05-09 years | 433,108 | 339,894 | 80,816 | 12,398 |
| 10-14 years | 400,627 | 313,342 | 75,700 | 11,585 |
| 15-19 years | 445,886 | 350,543 | 82,470 | 12,873 |
| 20-24 years | 456,704 | 372,708 | 70,842 | 13,154 |
| 25-29 years | 504,868 | 420,899 | 70,293 | 13,676 |
| 30-34 years | 495,061 | 414,825 | 65,770 | 14,466 |
| 35-39 years | 427,865 | 360,420 | 54,542 | 12,903 |
| 40-44 years | 359,675 | 307,035 | 41,557 | 11,083 |
| 45-49 years | 295,278 | 250,662 | 35,769 | 8,847 |
| 50-54 years | 250,273 | 213,335 | 30,600 | 6,338 |
| 55-59 years | 240,191 | 208,007 | 28,009 | 4,175 |
| 60-64 years | 234,936 | 206,600 | 25,053 | 3,283 |
| 65-69 years | 199,788 | 177,233 | 20,006 | 2,549 |
| 70-74 years | 150,827 | 135,482 | 13,638 | 1,707 |
| 75-79 years | 103,515 | 93,697 | 8,799 | 1,019 |
| 80-84 years | 57,836 | 52,508 | 4,779 | 549 |
| 85+ years | 37,616 | 34,009 | 3,285 | 322 |
| Total | 5,529,728 | 4,594,107 | 792,178 | 143,443 |
| 1988 Females | All Races | White | Black | Asian/Other |
| 00 years | 86,931 | 67,599 | 16,850 | 2,482 |
| 01-04 years | 329,829 | 258,530 | 61,803 | 9,496 |
| 05-09 years | 412,664 | 321,491 | 79,434 | 11,739 |
| 10-14 years | 382,187 | 297,424 | 73,635 | 11,128 |
| 15-19 years | 417,744 | 325,590 | 80,384 | 11,770 |
| 20-24 years | 446,562 | 357,042 | 77,569 | 11,951 |
| 25-29 years | 505,286 | 409,860 | 81,126 | 14,300 |
| 30-34 years | 502,676 | 407,494 | 80,271 | 14,911 |
| 35-39 years | 440,131 | 357,966 | 67,780 | 14,385 |
| 40-44 years | 374,584 | 310,207 | 52,497 | 11,880 |
| 45-49 years | 310,567 | 257,057 | 44,748 | 8,762 |
| 50-54 years | 265,911 | 221,341 | 38,448 | 6,122 |
| 55-59 years | 261,815 | 221,774 | 35,239 | 4,802 |
| 60-64 years | 269,033 | 232,791 | 32,192 | 4,050 |
| 65-69 years | 249,913 | 219,457 | 27,025 | 3,431 |
| 70-74 years | 213,564 | 190,794 | 20,473 | 2,297 |
| 75-79 years | 170,836 | 154,746 | 14,630 | 1,460 |
| 80-84 years | 117,675 | 107,653 | 9,255 | 767 |
| 85+ years | 102,586 | 94,785 | 7,324 | 477 |
| Total | 5,860,494 | 4,813,601 | 900,683 | 146,210 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1989 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 180,243 | 139,525 | 35,385 | 5,333 |
| 01-04 years | 678,493 | 531,856 | 126,584 | 20,053 |
| 05-09 years | 842,916 | 660,663 | 157,222 | 25,031 |
| 10-14 years | 788,092 | 613,783 | 150,551 | 23,758 |
| 15-19 years | 839,552 | 652,980 | 160,359 | 26,213 |
| 20-24 years | 877,382 | 706,631 | 144,247 | 26,504 |
| 25-29 years | 997,960 | 819,229 | 149,695 | 29,036 |
| 30-34 years | 1,004,533 | 826,767 | 147,701 | 30,065 |
| 35-39 years | 886,089 | 731,786 | 125,866 | 28,437 |
| 40-44 years | 764,302 | 639,943 | 99,303 | 25,056 |
| 45-49 years | 621,247 | 520,801 | 81,452 | 18,994 |
| 50-54 years | 525,121 | 441,112 | 70,467 | 13,542 |
| 55-59 years | 488,463 | 416,273 | 62,748 | 9,442 |
| 60-64 years | 496,244 | 430,805 | 57,735 | 7,704 |
| 65-69 years | 451,934 | 397,434 | 48,071 | 6,429 |
| 70-74 years | 365,166 | 326,726 | 34,257 | 4,183 |
| 75-79 years | 279,783 | 253,353 | 23,792 | 2,638 |
| 80-84 years | 179,146 | 163,303 | 14,441 | 1,402 |
| 85+ years | 143,135 | 131,404 | 10,884 | 847 |
| Total | 11,409,801 | 9,404,374 | 1,700,760 | 304,667 |
| 1989 Males | All Races | White | Black | Asian/Other |
| 00 years | 91,832 | 71,317 | 17,794 | 2,721 |
| 01-04 years | 347,020 | 272,800 | 63,974 | 10,246 |
| 05-09 years | 431,777 | 339,567 | 79,356 | 12,854 |
| 10-14 years | 403,223 | 314,771 | 76,346 | 12,106 |
| 15-19 years | 434,398 | 339,305 | 81,420 | 13,673 |
| 20-24 years | 444,620 | 361,576 | 69,143 | 13,901 |
| 25-29 years | 498,982 | 414,831 | 69,757 | 14,394 |
| 30-34 years | 498,549 | 417,096 | 66,619 | 14,834 |
| 35-39 years | 437,441 | 367,709 | 56,271 | 13,461 |
| 40-44 years | 374,767 | 318,822 | 43,933 | 12,012 |
| 45-49 years | 302,649 | 257,037 | 36,157 | 9,455 |
| 50-54 years | 254,523 | 216,500 | 31,095 | 6,928 |
| 55-59 years | 233,815 | 201,656 | 27,701 | 4,458 |
| 60-64 years | 231,948 | 203,311 | 25,206 | 3,431 |
| 65-69 years | 200,950 | 177,763 | 20,444 | 2,743 |
| 70-74 years | 151,629 | 136,123 | 13,722 | 1,784 |
| 75-79 years | 105,911 | 95,964 | 8,874 | 1,073 |
| 80-84 years | 59,308 | 53,838 | 4,877 | 593 |
| 85+ years | 38,197 | 34,536 | 3,317 | 344 |
| Total | 5,541,539 | 4,594,522 | 796,006 | 151,011 |
| 1989 Females | All Races | White | Black | Asian/Other |
| 00 years | 88,411 | 68,208 | 17,591 | 2,612 |
| 01-04 years | 331,473 | 259,056 | 62,610 | 9,807 |
| 05-09 years | 411,139 | 321,096 | 77,866 | 12,177 |
| 10-14 years | 384,869 | 299,012 | 74,205 | 11,652 |
| 15-19 years | 405,154 | 313,675 | 78,939 | 12,540 |
| 20-24 years | 432,762 | 345,055 | 75,104 | 12,603 |
| 25-29 years | 498,978 | 404,398 | 79,938 | 14,642 |
| 30-34 years | 505,984 | 409,671 | 81,082 | 15,231 |
| 35-39 years | 448,648 | 364,077 | 69,595 | 14,976 |
| 40-44 years | 389,535 | 321,121 | 55,370 | 13,044 |
| 45-49 years | 318,598 | 263,764 | 45,295 | 9,539 |
| 50-54 years | 270,598 | 224,612 | 39,372 | 6,614 |
| 55-59 years | 254,648 | 214,617 | 35,047 | 4,984 |
| 60-64 years | 264,296 | 227,494 | 32,529 | 4,273 |
| 65-69 years | 250,984 | 219,671 | 27,627 | 3,686 |
| 70-74 years | 213,537 | 190,603 | 20,535 | 2,399 |
| 75-79 years | 173,872 | 157,389 | 14,918 | 1,565 |
| 80-84 years | 119,838 | 109,465 | 9,564 | 809 |
| 85+ years | 104,938 | 96,868 | 7,567 | 503 |
| Total | 5,868,262 | 4,809,852 | 904,754 | 153,656 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1990 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 184,854 | 143,704 | 35,567 | 5,583 |
| 01-04 years | 677,463 | 528,227 | 128,927 | 20,309 |
| 05-09 years | 825,298 | 647,828 | 152,454 | 25,016 |
| 10-14 years | 789,976 | 613,327 | 152,009 | 24,640 |
| 15-19 years | 815,587 | 629,540 | 158,885 | 27,162 |
| 20-24 years | 867,197 | 697,611 | 141,256 | 28,330 |
| 25-29 years | 985,945 | 807,516 | 148,336 | 30,093 |
| 30-34 years | 1,015,289 | 834,970 | 149,294 | 31,025 |
| 35-39 years | 910,904 | 750,932 | 130,175 | 29,797 |
| 40-44 years | 803,653 | 669,867 | 106,272 | 27,514 |
| 45-49 years | 636,041 | 533,000 | 82,477 | 20,564 |
| 50-54 years | 532,198 | 445,608 | 71,907 | 14,683 |
| 55-59 years | 483,955 | 411,049 | 62,904 | 10,002 |
| 60-64 years | 490,499 | 424,124 | 58,253 | 8,122 |
| 65-69 years | 453,212 | 397,613 | 48,824 | 6,775 |
| 70-74 years | 366,919 | 328,035 | 34,492 | 4,392 |
| 75-79 years | 285,100 | 258,313 | 24,064 | 2,723 |
| 80-84 years | 182,890 | 166,637 | 14,794 | 1,459 |
| 85+ years | 146,336 | 134,379 | 11,108 | 849 |
| Total | 11,453,316 | 9,422,280 | 1,711,998 | 319,038 |
| 1990 Males | All Races | White | Black | Asian/Other |
| 00 years | 94,230 | 73,486 | 17,895 | 2,849 |
| 01-04 years | 346,537 | 270,974 | 65,150 | 10,413 |
| 05-09 years | 422,865 | 333,034 | 76,987 | 12,844 |
| 10-14 years | 404,043 | 314,423 | 77,106 | 12,514 |
| 15-19 years | 422,426 | 327,555 | 80,739 | 14,132 |
| 20-24 years | 440,742 | 357,813 | 68,026 | 14,903 |
| 25-29 years | 492,990 | 408,710 | 69,266 | 15,014 |
| 30-34 years | 504,019 | 421,281 | 67,386 | 15,352 |
| 35-39 years | 450,185 | 377,737 | 58,308 | 14,140 |
| 40-44 years | 394,313 | 334,102 | 47,090 | 13,121 |
| 45-49 years | 309,805 | 263,102 | 36,562 | 10,141 |
| 50-54 years | 257,853 | 218,652 | 31,680 | 7,521 |
| 55-59 years | 231,602 | 199,162 | 27,650 | 4,790 |
| 60-64 years | 230,057 | 201,067 | 25,383 | 3,607 |
| 65-69 years | 201,641 | 177,975 | 20,793 | 2,873 |
| 70-74 years | 152,849 | 137,185 | 13,800 | 1,864 |
| 75-79 years | 108,375 | 98,334 | 8,944 | 1,097 |
| 80-84 years | 60,751 | 55,203 | 4,931 | 617 |
| 85+ years | 38,716 | 35,069 | 3,307 | 340 |
| Total | 5,563,999 | 4,604,864 | 801,003 | 158,132 |
| 1990 Females | All Races | White | Black | Asian/Other |
| 00 years | 90,624 | 70,218 | 17,672 | 2,734 |
| 01-04 years | 330,926 | 257,253 | 63,777 | 9,896 |
| 05-09 years | 402,433 | 314,794 | 75,467 | 12,172 |
| 10-14 years | 385,933 | 298,904 | 74,903 | 12,126 |
| 15-19 years | 393,161 | 301,985 | 78,146 | 13,030 |
| 20-24 years | 426,455 | 339,798 | 73,230 | 13,427 |
| 25-29 years | 492,955 | 398,806 | 79,070 | 15,079 |
| 30-34 years | 511,270 | 413,689 | 81,908 | 15,673 |
| 35-39 years | 460,719 | 373,195 | 71,867 | 15,657 |
| 40-44 years | 409,340 | 335,765 | 59,182 | 14,393 |
| 45-49 years | 326,236 | 269,898 | 45,915 | 10,423 |
| 50-54 years | 274,345 | 226,956 | 40,227 | 7,162 |
| 55-59 years | 252,353 | 211,887 | 35,254 | 5,212 |
| 60-64 years | 260,442 | 223,057 | 32,870 | 4,515 |
| 65-69 years | 251,571 | 219,638 | 28,031 | 3,902 |
| 70-74 years | 214,070 | 190,850 | 20,692 | 2,528 |
| 75-79 years | 176,725 | 159,979 | 15,120 | 1,626 |
| 80-84 years | 122,139 | 111,434 | 9,863 | 842 |
| 85+ years | 107,620 | 99,310 | 7,801 | 509 |
| Total | 5,889,317 | 4,817,416 | 910,995 | 160,906 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1991 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 187,020 | 142,679 | 38,845 | 5,496 |
| 01-04 years | 694,334 | 539,089 | 134,094 | 21,151 |
| 05-09 years | 829,971 | 651,342 | 153,363 | 25,266 |
| 10-14 years | 815,525 | 632,313 | 157,008 | 26,204 |
| 15-19 years | 793,443 | 612,668 | 153,643 | 27,132 |
| 20-24 years | 865,618 | 691,151 | 142,903 | 31,564 |
| 25-29 years | 968,258 | 790,668 | 145,795 | 31,795 |
| 30-34 years | 1,032,815 | 849,638 | 150,965 | 32,212 |
| 35-39 years | 933,113 | 768,041 | 133,940 | 31,132 |
| 40-44 years | 845,461 | 702,851 | 113,904 | 28,706 |
| 45-49 years | 642,865 | 537,725 | 83,238 | 21,902 |
| 50-54 years | 542,708 | 453,622 | 72,955 | 16,131 |
| 55-59 years | 479,641 | 405,517 | 63,295 | 10,829 |
| 60-64 years | 486,214 | 418,881 | 58,676 | 8,657 |
| 65-69 years | 449,805 | 392,847 | 49,774 | 7,184 |
| 70-74 years | 372,218 | 331,513 | 35,847 | 4,858 |
| 75-79 years | 291,446 | 263,970 | 24,519 | 2,957 |
| 80-84 years | 187,333 | 170,598 | 15,127 | 1,608 |
| 85+ years | 151,176 | 138,576 | 11,647 | 953 |
| Total | 11,568,964 | 9,493,689 | 1,739,538 | 335,737 |
| 1991 Males | All Races | White | Black | Asian/Other |
| 00 years | 95,297 | 72,918 | 19,588 | 2,791 |
| 01-04 years | 355,113 | 276,449 | 67,823 | 10,841 |
| 05-09 years | 425,253 | 334,795 | 77,502 | 12,956 |
| 10-14 years | 417,158 | 324,390 | 79,466 | 13,302 |
| 15-19 years | 411,022 | 318,743 | 78,157 | 14,122 |
| 20-24 years | 439,626 | 355,001 | 68,571 | 16,054 |
| 25-29 years | 484,664 | 400,952 | 67,925 | 15,787 |
| 30-34 years | 513,901 | 429,304 | 68,489 | 16,108 |
| 35-39 years | 461,673 | 386,813 | 59,949 | 14,911 |
| 40-44 years | 415,201 | 351,141 | 50,490 | 13,570 |
| 45-49 years | 313,330 | 265,839 | 36,756 | 10,735 |
| 50-54 years | 263,173 | 222,886 | 32,126 | 8,161 |
| 55-59 years | 229,814 | 196,816 | 27,744 | 5,254 |
| 60-64 years | 228,523 | 199,018 | 25,623 | 3,882 |
| 65-69 years | 200,631 | 176,321 | 21,225 | 3,085 |
| 70-74 years | 156,129 | 139,577 | 14,493 | 2,059 |
| 75-79 years | 111,728 | 101,417 | 9,104 | 1,207 |
| 80-84 years | 62,381 | 56,708 | 5,016 | 657 |
| 85+ years | 39,716 | 35,919 | 3,418 | 379 |
| Total | 5,624,333 | 4,645,007 | 813,465 | 165,861 |
| 1991 Females | All Races | White | Black | Asian/Other |
| 00 years | 91,723 | 69,761 | 19,257 | 2,705 |
| 01-04 years | 339,221 | 262,640 | 66,271 | 10,310 |
| 05-09 years | 404,718 | 316,547 | 75,861 | 12,310 |
| 10-14 years | 398,367 | 307,923 | 77,542 | 12,902 |
| 15-19 years | 382,421 | 293,925 | 75,486 | 13,010 |
| 20-24 years | 425,992 | 336,150 | 74,332 | 15,510 |
| 25-29 years | 483,594 | 389,716 | 77,870 | 16,008 |
| 30-34 years | 518,914 | 420,334 | 82,476 | 16,104 |
| 35-39 years | 471,440 | 381,228 | 73,991 | 16,221 |
| 40-44 years | 430,260 | 351,710 | 63,414 | 15,136 |
| 45-49 years | 329,535 | 271,886 | 46,482 | 11,167 |
| 50-54 years | 279,535 | 230,736 | 40,829 | 7,970 |
| 55-59 years | 249,827 | 208,701 | 35,551 | 5,575 |
| 60-64 years | 257,691 | 219,863 | 33,053 | 4,775 |
| 65-69 years | 249,174 | 216,526 | 28,549 | 4,099 |
| 70-74 years | 216,089 | 191,936 | 21,354 | 2,799 |
| 75-79 years | 179,718 | 162,553 | 15,415 | 1,750 |
| 80-84 years | 124,952 | 113,890 | 10,111 | 951 |
| 85+ years | 111,460 | 102,657 | 8,229 | 574 |
| Total | 5,944,631 | 4,848,682 | 926,073 | 169,876 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1992 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 187,167 | 141,601 | 39,249 | 6,317 |
| 01-04 years | 712,317 | 548,459 | 141,943 | 21,915 |
| 05-09 years | 829,299 | 649,833 | 153,933 | 25,533 |
| 10-14 years | 832,910 | 645,739 | 159,763 | 27,408 |
| 15-19 years | 790,067 | 611,175 | 151,340 | 27,552 |
| 20-24 years | 862,353 | 682,304 | 145,996 | 34,053 |
| 25-29 years | 947,988 | 771,699 | 143,043 | 33,246 |
| 30-34 years | 1,043,131 | 856,956 | 152,641 | 33,534 |
| 35-39 years | 958,420 | 786,728 | 139,009 | 32,683 |
| 40-44 years | 846,525 | 699,300 | 117,886 | 29,339 |
| 45-49 years | 694,355 | 583,645 | 86,864 | 23,846 |
| 50-54 years | 561,083 | 467,581 | 75,835 | 17,667 |
| 55-59 years | 482,596 | 406,263 | 64,383 | 11,950 |
| 60-64 years | 476,695 | 408,990 | 58,498 | 9,207 |
| 65-69 years | 446,061 | 387,945 | 50,564 | 7,552 |
| 70-74 years | 380,054 | 337,297 | 37,353 | 5,404 |
| 75-79 years | 295,593 | 267,200 | 25,176 | 3,217 |
| 80-84 years | 191,099 | 174,190 | 15,202 | 1,707 |
| 85+ years | 156,471 | 143,186 | 12,231 | 1,054 |
| Total | 11,694,184 | 9,570,091 | 1,770,909 | 353,184 |
| 1992 Males | All Races | White | Black | Asian/Other |
| 00 years | 95,291 | 72,378 | 19,670 | 3,243 |
| 01-04 years | 364,267 | 281,260 | 71,749 | 11,258 |
| 05-09 years | 424,876 | 333,895 | 77,873 | 13,108 |
| 10-14 years | 426,078 | 331,338 | 80,852 | 13,888 |
| 15-19 years | 409,299 | 317,944 | 77,036 | 14,319 |
| 20-24 years | 438,548 | 350,937 | 70,351 | 17,260 |
| 25-29 years | 475,131 | 392,493 | 66,640 | 15,998 |
| 30-34 years | 519,971 | 433,535 | 69,562 | 16,874 |
| 35-39 years | 474,815 | 396,638 | 62,222 | 15,955 |
| 40-44 years | 415,791 | 349,847 | 52,193 | 13,751 |
| 45-49 years | 339,159 | 289,056 | 38,509 | 11,594 |
| 50-54 years | 272,261 | 229,875 | 33,450 | 8,936 |
| 55-59 years | 231,472 | 197,598 | 28,086 | 5,788 |
| 60-64 years | 224,388 | 194,634 | 25,552 | 4,202 |
| 65-69 years | 199,285 | 174,438 | 21,595 | 3,252 |
| 70-74 years | 160,488 | 142,998 | 15,196 | 2,294 |
| 75-79 years | 113,489 | 102,900 | 9,269 | 1,320 |
| 80-84 years | 64,359 | 58,599 | 5,072 | 688 |
| 85+ years | 41,114 | 37,171 | 3,526 | 417 |
| Total | 5,690,082 | 4,687,534 | 828,403 | 174,145 |
| 1992 Females | All Races | White | Black | Asian/Other |
| 00 years | 91,876 | 69,223 | 19,579 | 3,074 |
| 01-04 years | 348,050 | 267,199 | 70,194 | 10,657 |
| 05-09 years | 404,423 | 315,938 | 76,060 | 12,425 |
| 10-14 years | 406,832 | 314,401 | 78,911 | 13,520 |
| 15-19 years | 380,768 | 293,231 | 74,304 | 13,233 |
| 20-24 years | 423,805 | 331,367 | 75,645 | 16,793 |
| 25-29 years | 472,857 | 379,206 | 76,403 | 17,248 |
| 30-34 years | 523,160 | 423,421 | 83,079 | 16,660 |
| 35-39 years | 483,605 | 390,090 | 76,787 | 16,728 |
| 40-44 years | 430,734 | 349,453 | 65,693 | 15,588 |
| 45-49 years | 355,196 | 294,589 | 48,355 | 12,252 |
| 50-54 years | 288,822 | 237,706 | 42,385 | 8,731 |
| 55-59 years | 251,124 | 208,665 | 36,297 | 6,162 |
| 60-64 years | 252,307 | 214,356 | 32,946 | 5,005 |
| 65-69 years | 246,776 | 213,507 | 28,969 | 4,300 |
| 70-74 years | 219,566 | 194,299 | 22,157 | 3,110 |
| 75-79 years | 182,104 | 164,300 | 15,907 | 1,897 |
| 80-84 years | 126,740 | 115,591 | 10,130 | 1,019 |
| 85+ years | 115,357 | 106,015 | 8,705 | 637 |
| Total | 6,004,102 | 4,882,557 | 942,506 | 179,039 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1993 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 184,208 | 138,435 | 39,727 | 6,046 |
| 01-04 years | 725,948 | 553,921 | 148,899 | 23,128 |
| 05-09 years | 830,711 | 648,394 | 156,351 | 25,966 |
| 10-14 years | 847,145 | 656,451 | 161,961 | 28,733 |
| 15-19 years | 795,697 | 617,161 | 150,168 | 28,368 |
| 20-24 years | 856,321 | 672,305 | 147,832 | 36,184 |
| 25-29 years | 927,027 | 751,344 | 140,898 | 34,785 |
| 30-34 years | 1,047,422 | 858,447 | 153,559 | 35,416 |
| 35-39 years | 984,076 | 806,031 | 144,248 | 33,797 |
| 40-44 years | 863,322 | 711,643 | 120,870 | 30,809 |
| 45-49 years | 715,575 | 598,680 | 91,116 | 25,779 |
| 50-54 years | 591,143 | 494,370 | 77,670 | 19,103 |
| 55-59 years | 492,716 | 413,399 | 66,086 | 13,231 |
| 60-64 years | 465,263 | 396,782 | 58,609 | 9,872 |
| 65-69 years | 444,437 | 385,352 | 51,234 | 7,851 |
| 70-74 years | 382,914 | 338,604 | 38,334 | 5,976 |
| 75-79 years | 298,385 | 269,310 | 25,628 | 3,447 |
| 80-84 years | 195,935 | 178,576 | 15,497 | 1,862 |
| 85+ years | 161,334 | 147,393 | 12,780 | 1,161 |
| Total | 11,809,579 | 9,636,598 | 1,801,467 | 371,514 |
| 1993 Males | All Races | White | Black | Asian/Other |
| 00 years | 94,040 | 70,771 | 20,112 | 3,157 |
| 01-04 years | 371,123 | 284,045 | 75,132 | 11,946 |
| 05-09 years | 425,550 | 333,090 | 79,206 | 13,254 |
| 10-14 years | 433,379 | 336,871 | 81,926 | 14,582 |
| 15-19 years | 412,149 | 321,025 | 76,444 | 14,680 |
| 20-24 years | 434,868 | 345,289 | 71,163 | 18,416 |
| 25-29 years | 464,764 | 382,598 | 65,899 | 16,267 |
| 30-34 years | 522,707 | 434,868 | 70,173 | 17,666 |
| 35-39 years | 487,940 | 406,543 | 64,804 | 16,593 |
| 40-44 years | 424,140 | 356,064 | 53,532 | 14,544 |
| 45-49 years | 349,707 | 297,109 | 40,205 | 12,393 |
| 50-54 years | 287,156 | 243,137 | 34,421 | 9,598 |
| 55-59 years | 236,524 | 201,140 | 28,916 | 6,468 |
| 60-64 years | 219,187 | 189,155 | 25,552 | 4,480 |
| 65-69 years | 199,303 | 174,064 | 21,879 | 3,360 |
| 70-74 years | 162,355 | 144,164 | 15,651 | 2,540 |
| 75-79 years | 115,405 | 104,500 | 9,481 | 1,424 |
| 80-84 years | 66,105 | 60,230 | 5,135 | 740 |
| 85+ years | 42,368 | 38,307 | 3,611 | 450 |
| Total | 5,748,770 | 4,722,970 | 843,242 | 182,558 |
| 1993 Females | All Races | White | Black | Asian/Other |
| 00 years | 90,168 | 67,664 | 19,615 | 2,889 |
| 01-04 years | 354,825 | 269,876 | 73,767 | 11,182 |
| 05-09 years | 405,161 | 315,304 | 77,145 | 12,712 |
| 10-14 years | 413,766 | 319,580 | 80,035 | 14,151 |
| 15-19 years | 383,548 | 296,136 | 73,724 | 13,688 |
| 20-24 years | 421,453 | 327,016 | 76,669 | 17,768 |
| 25-29 years | 462,263 | 368,746 | 74,999 | 18,518 |
| 30-34 years | 524,715 | 423,579 | 83,386 | 17,750 |
| 35-39 years | 496,136 | 399,488 | 79,444 | 17,204 |
| 40-44 years | 439,182 | 355,579 | 67,338 | 16,265 |
| 45-49 years | 365,868 | 301,571 | 50,911 | 13,386 |
| 50-54 years | 303,987 | 251,233 | 43,249 | 9,505 |
| 55-59 years | 256,192 | 212,259 | 37,170 | 6,763 |
| 60-64 years | 246,076 | 207,627 | 33,057 | 5,392 |
| 65-69 years | 245,134 | 211,288 | 29,355 | 4,491 |
| 70-74 years | 220,559 | 194,440 | 22,683 | 3,436 |
| 75-79 years | 182,980 | 164,810 | 16,147 | 2,023 |
| 80-84 years | 129,830 | 118,346 | 10,362 | 1,122 |
| 85+ years | 118,966 | 109,086 | 9,169 | 711 |
| Total | 6,060,809 | 4,913,628 | 958,225 | 188,956 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1994 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 182,330 | 138,089 | 38,016 | 6,225 |
| 01-04 years | 736,628 | 557,506 | 154,972 | 24,150 |
| 05-09 years | 844,037 | 655,985 | 161,341 | 26,711 |
| 10-14 years | 855,594 | 663,826 | 162,112 | 29,656 |
| 15-19 years | 811,431 | 629,624 | 152,211 | 29,596 |
| 20-24 years | 844,634 | 658,501 | 148,569 | 37,564 |
| 25-29 years | 906,858 | 732,968 | 137,662 | 36,228 |
| 30-34 years | 1,045,381 | 856,005 | 152,494 | 36,882 |
| 35-39 years | 1,001,695 | 819,085 | 147,799 | 34,811 |
| 40-44 years | 882,538 | 725,863 | 124,538 | 32,137 |
| 45-49 years | 745,618 | 621,929 | 95,955 | 27,734 |
| 50-54 years | 607,853 | 507,855 | 79,405 | 20,593 |
| 55-59 years | 502,517 | 420,763 | 67,264 | 14,490 |
| 60-64 years | 454,505 | 385,371 | 58,527 | 10,607 |
| 65-69 years | 439,453 | 379,448 | 51,800 | 8,205 |
| 70-74 years | 385,481 | 340,182 | 38,919 | 6,380 |
| 75-79 years | 299,961 | 269,996 | 26,216 | 3,749 |
| 80-84 years | 201,076 | 183,273 | 15,749 | 2,054 |
| 85+ years | 164,995 | 150,512 | 13,235 | 1,248 |
| Total | 11,912,585 | 9,696,781 | 1,826,784 | 389,020 |
| 1994 Males | All Races | White | Black | Asian/Other |
| 00 years | 92,993 | 70,653 | 19,147 | 3,193 |
| 01-04 years | 376,684 | 285,796 | 78,488 | 12,400 |
| 05-09 years | 432,387 | 336,881 | 81,779 | 13,727 |
| 10-14 years | 437,683 | 340,796 | 81,794 | 15,093 |
| 15-19 years | 420,411 | 327,618 | 77,538 | 15,255 |
| 20-24 years | 429,286 | 338,556 | 71,668 | 19,062 |
| 25-29 years | 455,390 | 374,269 | 64,271 | 16,850 |
| 30-34 years | 522,495 | 434,309 | 70,071 | 18,115 |
| 35-39 years | 497,285 | 413,566 | 66,556 | 17,163 |
| 40-44 years | 433,997 | 363,195 | 55,530 | 15,272 |
| 45-49 years | 364,678 | 309,279 | 42,150 | 13,249 |
| 50-54 years | 295,391 | 249,953 | 35,270 | 10,168 |
| 55-59 years | 241,297 | 204,854 | 29,300 | 7,143 |
| 60-64 years | 214,328 | 183,931 | 25,523 | 4,874 |
| 65-69 years | 197,716 | 172,101 | 22,088 | 3,527 |
| 70-74 years | 163,877 | 145,377 | 15,801 | 2,699 |
| 75-79 years | 116,678 | 105,296 | 9,828 | 1,554 |
| 80-84 years | 68,348 | 62,271 | 5,257 | 820 |
| 85+ years | 43,486 | 39,314 | 3,706 | 466 |
| Total | 5,804,410 | 4,758,015 | 855,765 | 190,630 |
| 1994 Females | All Races | White | Black | Asian/Other |
| 00 years | 89,337 | 67,436 | 18,869 | 3,032 |
| 01-04 years | 359,944 | 271,710 | 76,484 | 11,750 |
| 05-09 years | 411,650 | 319,104 | 79,562 | 12,984 |
| 10-14 years | 417,911 | 323,030 | 80,318 | 14,563 |
| 15-19 years | 391,020 | 302,006 | 74,673 | 14,341 |
| 20-24 years | 415,348 | 319,945 | 76,901 | 18,502 |
| 25-29 years | 451,468 | 358,699 | 73,391 | 19,378 |
| 30-34 years | 522,886 | 421,696 | 82,423 | 18,767 |
| 35-39 years | 504,410 | 405,519 | 81,243 | 17,648 |
| 40-44 years | 448,541 | 362,668 | 69,008 | 16,865 |
| 45-49 years | 380,940 | 312,650 | 53,805 | 14,485 |
| 50-54 years | 312,462 | 257,902 | 44,135 | 10,425 |
| 55-59 years | 261,220 | 215,909 | 37,964 | 7,347 |
| 60-64 years | 240,177 | 201,440 | 33,004 | 5,733 |
| 65-69 years | 241,737 | 207,347 | 29,712 | 4,678 |
| 70-74 years | 221,604 | 194,805 | 23,118 | 3,681 |
| 75-79 years | 183,283 | 164,700 | 16,388 | 2,195 |
| 80-84 years | 132,728 | 121,002 | 10,492 | 1,234 |
| 85+ years | 121,509 | 111,198 | 9,529 | 782 |
| Total | 6,108,175 | 4,938,766 | 971,019 | 198,390 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1995 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 179,719 | 137,788 | 35,577 | 6,354 |
| 01-04 years | 740,391 | 556,114 | 159,343 | 24,934 |
| 05-09 years | 862,351 | 668,053 | 166,342 | 27,956 |
| 10-14 years | 861,513 | 669,947 | 161,482 | 30,084 |
| 15-19 years | 833,645 | 645,407 | 157,295 | 30,943 |
| 20-24 years | 829,585 | 645,283 | 146,253 | 38,049 |
| 25-29 years | 898,263 | 721,900 | 137,571 | 38,792 |
| 30-34 years | 1,030,874 | 842,967 | 150,190 | 37,717 |
| 35-39 years | 1,014,860 | 829,024 | 149,671 | 36,165 |
| 40-44 years | 901,661 | 740,633 | 127,870 | 33,158 |
| 45-49 years | 779,647 | 648,609 | 101,746 | 29,292 |
| 50-54 years | 622,103 | 519,238 | 80,850 | 22,015 |
| 55-59 years | 505,708 | 421,248 | 68,466 | 15,994 |
| 60-64 years | 448,526 | 378,389 | 58,771 | 11,366 |
| 65-69 years | 434,296 | 373,494 | 52,270 | 8,532 |
| 70-74 years | 388,478 | 342,455 | 39,278 | 6,745 |
| 75-79 years | 300,976 | 269,719 | 27,270 | 3,987 |
| 80-84 years | 206,533 | 188,320 | 15,975 | 2,238 |
| 85+ years | 169,308 | 154,212 | 13,707 | 1,389 |
| Total | 12,008,437 | 9,752,800 | 1,849,927 | 405,710 |
| 1995 Males | All Races | White | Black | Asian/Other |
| 00 years | 91,667 | 70,470 | 17,908 | 3,289 |
| 01-04 years | 378,575 | 284,971 | 80,813 | 12,791 |
| 05-09 years | 441,805 | 343,053 | 84,383 | 14,369 |
| 10-14 years | 440,701 | 343,913 | 81,485 | 15,303 |
| 15-19 years | 431,984 | 335,897 | 80,119 | 15,968 |
| 20-24 years | 422,464 | 332,265 | 70,694 | 19,505 |
| 25-29 years | 451,944 | 369,718 | 64,379 | 17,847 |
| 30-34 years | 515,917 | 428,322 | 69,305 | 18,290 |
| 35-39 years | 504,458 | 418,906 | 67,626 | 17,926 |
| 40-44 years | 443,902 | 370,886 | 57,306 | 15,710 |
| 45-49 years | 381,771 | 323,032 | 44,780 | 13,959 |
| 50-54 years | 302,519 | 255,972 | 35,778 | 10,769 |
| 55-59 years | 242,908 | 205,019 | 29,953 | 7,936 |
| 60-64 years | 211,527 | 180,685 | 25,608 | 5,234 |
| 65-69 years | 196,191 | 170,256 | 22,239 | 3,696 |
| 70-74 years | 165,635 | 146,871 | 15,924 | 2,840 |
| 75-79 years | 117,697 | 105,695 | 10,384 | 1,618 |
| 80-84 years | 70,896 | 64,727 | 5,279 | 890 |
| 85+ years | 44,772 | 40,441 | 3,830 | 501 |
| Total | 5,857,333 | 4,791,099 | 867,793 | 198,441 |
| 1995 Females | All Races | White | Black | Asian/Other |
| 00 years | 88,052 | 67,318 | 17,669 | 3,065 |
| 01-04 years | 361,816 | 271,143 | 78,530 | 12,143 |
| 05-09 years | 420,546 | 325,000 | 81,959 | 13,587 |
| 10-14 years | 420,812 | 326,034 | 79,997 | 14,781 |
| 15-19 years | 401,661 | 309,510 | 77,176 | 14,975 |
| 20-24 years | 407,121 | 313,018 | 75,559 | 18,544 |
| 25-29 years | 446,319 | 352,182 | 73,192 | 20,945 |
| 30-34 years | 514,957 | 414,645 | 80,885 | 19,427 |
| 35-39 years | 510,402 | 410,118 | 82,045 | 18,239 |
| 40-44 years | 457,759 | 369,747 | 70,564 | 17,448 |
| 45-49 years | 397,876 | 325,577 | 56,966 | 15,333 |
| 50-54 years | 319,584 | 263,266 | 45,072 | 11,246 |
| 55-59 years | 262,800 | 216,229 | 38,513 | 8,058 |
| 60-64 years | 236,999 | 197,704 | 33,163 | 6,132 |
| 65-69 years | 238,105 | 203,238 | 30,031 | 4,836 |
| 70-74 years | 222,843 | 195,584 | 23,354 | 3,905 |
| 75-79 years | 183,279 | 164,024 | 16,886 | 2,369 |
| 80-84 years | 135,637 | 123,593 | 10,696 | 1,348 |
| 85+ years | 124,536 | 113,771 | 9,877 | 888 |
| Total | 6,151,104 | 4,961,701 | 982,134 | 207,269 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1996 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 175,637 | 136,026 | 32,662 | 6,949 |
| 01-04 years | 737,880 | 554,211 | 157,495 | 26,174 |
| 05-09 years | 885,165 | 681,423 | 174,742 | 29,000 |
| 10-14 years | 869,233 | 675,734 | 162,794 | 30,705 |
| 15-19 years | 857,067 | 663,288 | 161,038 | 32,741 |
| 20-24 years | 810,802 | 630,767 | 141,377 | 38,658 |
| 25-29 years | 903,332 | 721,481 | 139,601 | 42,250 |
| 30-34 years | 1,007,551 | 821,061 | 147,969 | 38,521 |
| 35-39 years | 1,024,270 | 836,244 | 150,756 | 37,270 |
| 40-44 years | 921,038 | 755,668 | 130,920 | 34,450 |
| 45-49 years | 821,115 | 681,213 | 108,927 | 30,975 |
| 50-54 years | 629,013 | 524,091 | 81,569 | 23,353 |
| 55-59 years | 513,699 | 427,281 | 69,071 | 17,347 |
| 60-64 years | 443,641 | 372,469 | 59,076 | 12,096 |
| 65-69 years | 429,349 | 368,062 | 52,426 | 8,861 |
| 70-74 years | 384,288 | 337,310 | 39,988 | 6,990 |
| 75-79 years | 304,806 | 272,244 | 28,264 | 4,298 |
| 80-84 years | 210,713 | 192,092 | 16,217 | 2,404 |
| 85+ years | 173,398 | 157,969 | 13,921 | 1,508 |
| Total | 12,101,997 | 9,808,634 | 1,868,813 | 424,550 |
| 1996 Males | All Races | White | Black | Asian/Other |
| 00 years | 89,619 | 69,657 | 16,411 | 3,551 |
| 01-04 years | 377,301 | 283,995 | 79,851 | 13,455 |
| 05-09 years | 453,418 | 349,834 | 88,752 | 14,832 |
| 10-14 years | 444,661 | 346,830 | 82,178 | 15,653 |
| 15-19 years | 444,118 | 345,563 | 81,659 | 16,896 |
| 20-24 years | 413,506 | 325,247 | 68,335 | 19,924 |
| 25-29 years | 454,893 | 370,425 | 65,229 | 19,239 |
| 30-34 years | 504,894 | 417,909 | 68,373 | 18,612 |
| 35-39 years | 509,617 | 422,581 | 68,457 | 18,579 |
| 40-44 years | 453,870 | 378,954 | 58,522 | 16,394 |
| 45-49 years | 402,598 | 339,925 | 47,973 | 14,700 |
| 50-54 years | 306,016 | 258,546 | 36,022 | 11,448 |
| 55-59 years | 246,865 | 208,089 | 30,204 | 8,572 |
| 60-64 years | 209,449 | 178,091 | 25,679 | 5,679 |
| 65-69 years | 194,189 | 168,112 | 22,238 | 3,839 |
| 70-74 years | 164,178 | 145,047 | 16,176 | 2,955 |
| 75-79 years | 120,101 | 107,531 | 10,844 | 1,726 |
| 80-84 years | 73,127 | 66,805 | 5,367 | 955 |
| 85+ years | 45,938 | 41,566 | 3,847 | 525 |
| Total | 5,908,358 | 4,824,707 | 876,117 | 207,534 |
| 1996 Females | All Races | White | Black | Asian/Other |
| 00 years | 86,018 | 66,369 | 16,251 | 3,398 |
| 01-04 years | 360,579 | 270,216 | 77,644 | 12,719 |
| 05-09 years | 431,747 | 331,589 | 85,990 | 14,168 |
| 10-14 years | 424,572 | 328,904 | 80,616 | 15,052 |
| 15-19 years | 412,949 | 317,725 | 79,379 | 15,845 |
| 20-24 years | 397,296 | 305,520 | 73,042 | 18,734 |
| 25-29 years | 448,439 | 351,056 | 74,372 | 23,011 |
| 30-34 years | 502,657 | 403,152 | 79,596 | 19,909 |
| 35-39 years | 514,653 | 413,663 | 82,299 | 18,691 |
| 40-44 years | 467,168 | 376,714 | 72,398 | 18,056 |
| 45-49 years | 418,517 | 341,288 | 60,954 | 16,275 |
| 50-54 years | 322,997 | 265,545 | 45,547 | 11,905 |
| 55-59 years | 266,834 | 219,192 | 38,867 | 8,775 |
| 60-64 years | 234,192 | 194,378 | 33,397 | 6,417 |
| 65-69 years | 235,160 | 199,950 | 30,188 | 5,022 |
| 70-74 years | 220,110 | 192,263 | 23,812 | 4,035 |
| 75-79 years | 184,705 | 164,713 | 17,420 | 2,572 |
| 80-84 years | 137,586 | 125,287 | 10,850 | 1,449 |
| 85+ years | 127,460 | 116,403 | 10,074 | 983 |
| Total | 6,193,639 | 4,983,927 | 992,696 | 217,016 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1997 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 174,269 | 135,324 | 32,089 | 6,856 |
| 01-04 years | 729,498 | 550,145 | 152,355 | 26,998 |
| 05-09 years | 908,107 | 694,320 | 182,755 | 31,032 |
| 10-14 years | 873,516 | 677,670 | 164,432 | 31,414 |
| 15-19 years | 873,507 | 676,014 | 163,248 | 34,245 |
| 20-24 years | 808,831 | 630,943 | 139,051 | 38,837 |
| 25-29 years | 902,993 | 715,831 | 142,076 | 45,086 |
| 30-34 years | 978,564 | 794,584 | 144,450 | 39,530 |
| 35-39 years | 1,023,563 | 833,515 | 151,384 | 38,664 |
| 40-44 years | 940,893 | 769,921 | 135,203 | 35,769 |
| 45-49 years | 821,035 | 677,430 | 112,043 | 31,562 |
| 50-54 years | 676,901 | 566,437 | 85,081 | 25,383 |
| 55-59 years | 527,799 | 438,205 | 71,098 | 18,496 |
| 60-64 years | 444,622 | 371,663 | 59,734 | 13,225 |
| 65-69 years | 419,481 | 358,371 | 51,795 | 9,315 |
| 70-74 years | 380,559 | 332,605 | 40,698 | 7,256 |
| 75-79 years | 310,635 | 276,680 | 29,314 | 4,641 |
| 80-84 years | 213,552 | 194,369 | 16,575 | 2,608 |
| 85+ years | 177,390 | 161,687 | 14,116 | 1,587 |
| Total | 12,185,715 | 9,855,714 | 1,887,497 | 442,504 |
| 1997 Males | All Races | White | Black | Asian/Other |
| 00 years | 88,899 | 69,285 | 16,115 | 3,499 |
| 01-04 years | 373,121 | 281,966 | 77,344 | 13,811 |
| 05-09 years | 465,065 | 356,586 | 92,613 | 15,866 |
| 10-14 years | 446,792 | 347,645 | 83,076 | 16,071 |
| 15-19 years | 452,411 | 352,133 | 82,591 | 17,687 |
| 20-24 years | 412,553 | 325,510 | 67,083 | 19,960 |
| 25-29 years | 454,846 | 367,748 | 66,422 | 20,676 |
| 30-34 years | 490,423 | 405,082 | 66,687 | 18,654 |
| 35-39 years | 509,366 | 420,721 | 69,252 | 19,393 |
| 40-44 years | 464,192 | 386,469 | 60,528 | 17,195 |
| 45-49 years | 402,690 | 338,475 | 49,376 | 14,839 |
| 50-54 years | 329,884 | 279,747 | 37,778 | 12,359 |
| 55-59 years | 253,747 | 213,412 | 31,158 | 9,177 |
| 60-64 years | 210,129 | 178,041 | 25,868 | 6,220 |
| 65-69 years | 189,892 | 163,885 | 21,868 | 4,139 |
| 70-74 years | 162,973 | 143,506 | 16,400 | 3,067 |
| 75-79 years | 123,607 | 110,427 | 11,307 | 1,873 |
| 80-84 years | 74,307 | 67,878 | 5,418 | 1,011 |
| 85+ years | 47,569 | 43,093 | 3,917 | 559 |
| Total | 5,952,466 | 4,851,609 | 884,801 | 216,056 |
| 1997 Females | All Races | White | Black | Asian/Other |
| 00 years | 85,370 | 66,039 | 15,974 | 3,357 |
| 01-04 years | 356,377 | 268,179 | 75,011 | 13,187 |
| 05-09 years | 443,042 | 337,734 | 90,142 | 15,166 |
| 10-14 years | 426,724 | 330,025 | 81,356 | 15,343 |
| 15-19 years | 421,096 | 323,881 | 80,657 | 16,558 |
| 20-24 years | 396,278 | 305,433 | 71,968 | 18,877 |
| 25-29 years | 448,147 | 348,083 | 75,654 | 24,410 |
| 30-34 years | 488,141 | 389,502 | 77,763 | 20,876 |
| 35-39 years | 514,197 | 412,794 | 82,132 | 19,271 |
| 40-44 years | 476,701 | 383,452 | 74,675 | 18,574 |
| 45-49 years | 418,345 | 338,955 | 62,667 | 16,723 |
| 50-54 years | 347,017 | 286,690 | 47,303 | 13,024 |
| 55-59 years | 274,052 | 224,793 | 39,940 | 9,319 |
| 60-64 years | 234,493 | 193,622 | 33,866 | 7,005 |
| 65-69 years | 229,589 | 194,486 | 29,927 | 5,176 |
| 70-74 years | 217,586 | 189,099 | 24,298 | 4,189 |
| 75-79 years | 187,028 | 166,253 | 18,007 | 2,768 |
| 80-84 years | 139,245 | 126,491 | 11,157 | 1,597 |
| 85+ years | 129,821 | 118,594 | 10,199 | 1,028 |
| Total | 6,233,249 | 5,004,105 | 1,002,696 | 226,448 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1998 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 172,524 | 133,407 | 31,829 | 7,288 |
| 01-04 years | 718,162 | 544,972 | 145,118 | 28,072 |
| 05-09 years | 919,305 | 698,195 | 189,000 | 32,110 |
| 10-14 years | 878,210 | 678,601 | 167,442 | 32,167 |
| 15-19 years | 888,287 | 687,291 | 165,135 | 35,861 |
| 20-24 years | 818,115 | 640,966 | 137,279 | 39,870 |
| 25-29 years | 903,502 | 712,593 | 142,953 | 47,956 |
| 30-34 years | 952,093 | 769,524 | 141,478 | 41,091 |
| 35-39 years | 1,018,829 | 827,411 | 151,407 | 40,011 |
| 40-44 years | 962,252 | 786,046 | 139,642 | 36,564 |
| 45-49 years | 837,043 | 689,475 | 114,491 | 33,077 |
| 50-54 years | 696,444 | 579,467 | 89,539 | 27,438 |
| 55-59 years | 552,995 | 460,794 | 72,422 | 19,779 |
| 60-64 years | 452,911 | 377,634 | 61,015 | 14,262 |
| 65-69 years | 409,749 | 347,988 | 51,987 | 9,774 |
| 70-74 years | 380,196 | 331,121 | 41,552 | 7,523 |
| 75-79 years | 312,521 | 277,459 | 30,028 | 5,034 |
| 80-84 years | 215,803 | 196,040 | 17,001 | 2,762 |
| 85+ years | 182,906 | 166,528 | 14,661 | 1,717 |
| Total | 12,271,847 | 9,905,512 | 1,903,979 | 462,356 |
| 1998 Males | All Races | White | Black | Asian/Other |
| 00 years | 88,100 | 68,491 | 15,979 | 3,630 |
| 01-04 years | 367,089 | 279,311 | 73,579 | 14,199 |
| 05-09 years | 470,953 | 358,510 | 95,930 | 16,513 |
| 10-14 years | 449,162 | 347,974 | 84,771 | 16,417 |
| 15-19 years | 459,980 | 357,864 | 83,534 | 18,582 |
| 20-24 years | 417,756 | 331,004 | 66,417 | 20,335 |
| 25-29 years | 455,476 | 366,636 | 66,809 | 22,031 |
| 30-34 years | 477,665 | 392,969 | 65,530 | 19,166 |
| 35-39 years | 507,279 | 417,929 | 69,410 | 19,940 |
| 40-44 years | 475,396 | 394,896 | 62,859 | 17,641 |
| 45-49 years | 410,991 | 344,858 | 50,507 | 15,626 |
| 50-54 years | 339,450 | 286,537 | 39,683 | 13,230 |
| 55-59 years | 266,163 | 224,514 | 31,867 | 9,782 |
| 60-64 years | 214,191 | 180,913 | 26,438 | 6,840 |
| 65-69 years | 185,260 | 159,097 | 21,819 | 4,344 |
| 70-74 years | 163,817 | 143,901 | 16,733 | 3,183 |
| 75-79 years | 125,223 | 111,511 | 11,670 | 2,042 |
| 80-84 years | 75,955 | 69,286 | 5,594 | 1,075 |
| 85+ years | 49,585 | 44,903 | 4,087 | 595 |
| Total | 5,999,491 | 4,881,104 | 893,216 | 225,171 |
| 1998 Females | All Races | White | Black | Asian/Other |
| 00 years | 84,424 | 64,916 | 15,850 | 3,658 |
| 01-04 years | 351,073 | 265,661 | 71,539 | 13,873 |
| 05-09 years | 448,352 | 339,685 | 93,070 | 15,597 |
| 10-14 years | 429,048 | 330,627 | 82,671 | 15,750 |
| 15-19 years | 428,307 | 329,427 | 81,601 | 17,279 |
| 20-24 years | 400,359 | 309,962 | 70,862 | 19,535 |
| 25-29 years | 448,026 | 345,957 | 76,144 | 25,925 |
| 30-34 years | 474,428 | 376,555 | 75,948 | 21,925 |
| 35-39 years | 511,550 | 409,482 | 81,997 | 20,071 |
| 40-44 years | 486,856 | 391,150 | 76,783 | 18,923 |
| 45-49 years | 426,052 | 344,617 | 63,984 | 17,451 |
| 50-54 years | 356,994 | 292,930 | 49,856 | 14,208 |
| 55-59 years | 286,832 | 236,280 | 40,555 | 9,997 |
| 60-64 years | 238,720 | 196,721 | 34,577 | 7,422 |
| 65-69 years | 224,489 | 188,891 | 30,168 | 5,430 |
| 70-74 years | 216,379 | 187,220 | 24,819 | 4,340 |
| 75-79 years | 187,298 | 165,948 | 18,358 | 2,992 |
| 80-84 years | 139,848 | 126,754 | 11,407 | 1,687 |
| 85+ years | 133,321 | 121,625 | 10,574 | 1,122 |
| Total | 6,272,356 | 5,024,408 | 1,010,763 | 237,185 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1999 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 173,288 | 134,127 | 31,863 | 7,298 |
| 01-04 years | 708,678 | 539,504 | 140,005 | 29,169 |
| 05-09 years | 929,962 | 703,954 | 192,642 | 33,366 |
| 10-14 years | 893,453 | 686,974 | 173,479 | 33,000 |
| 15-19 years | 893,729 | 691,705 | 165,124 | 36,900 |
| 20-24 years | 833,765 | 652,675 | 139,240 | 41,850 |
| 25-29 years | 897,285 | 701,726 | 143,116 | 52,443 |
| 30-34 years | 928,426 | 746,084 | 138,566 | 43,776 |
| 35-39 years | 1,009,780 | 818,825 | 149,972 | 40,983 |
| 40-44 years | 977,421 | 797,160 | 143,048 | 37,213 |
| 45-49 years | 857,556 | 704,703 | 118,651 | 34,202 |
| 50-54 years | 726,545 | 602,803 | 94,330 | 29,412 |
| 55-59 years | 567,540 | 472,587 | 73,865 | 21,088 |
| 60-64 years | 461,748 | 384,371 | 62,216 | 15,161 |
| 65-69 years | 400,609 | 338,610 | 51,741 | 10,258 |
| 70-74 years | 377,467 | 327,533 | 42,204 | 7,730 |
| 75-79 years | 315,497 | 279,619 | 30,553 | 5,325 |
| 80-84 years | 217,871 | 197,360 | 17,535 | 2,976 |
| 85+ years | 188,400 | 171,445 | 15,110 | 1,845 |
| Total | 12,359,020 | 9,951,765 | 1,923,260 | 483,995 |
| 1999 Males | All Races | White | Black | Asian/Other |
| 00 years | 88,454 | 68,706 | 16,094 | 3,654 |
| 01-04 years | 362,225 | 276,613 | 71,029 | 14,583 |
| 05-09 years | 476,378 | 361,466 | 97,991 | 16,921 |
| 10-14 years | 456,954 | 352,152 | 87,847 | 16,955 |
| 15-19 years | 462,476 | 360,107 | 83,178 | 19,191 |
| 20-24 years | 425,667 | 337,145 | 67,256 | 21,266 |
| 25-29 years | 452,885 | 360,468 | 66,712 | 25,705 |
| 30-34 years | 466,410 | 381,527 | 64,237 | 20,646 |
| 35-39 years | 502,699 | 413,380 | 69,063 | 20,256 |
| 40-44 years | 483,354 | 400,703 | 64,671 | 17,980 |
| 45-49 years | 421,594 | 352,729 | 52,663 | 16,202 |
| 50-54 years | 354,365 | 298,604 | 41,651 | 14,110 |
| 55-59 years | 273,277 | 230,392 | 32,611 | 10,274 |
| 60-64 years | 218,350 | 184,171 | 26,857 | 7,322 |
| 65-69 years | 181,963 | 155,500 | 21,797 | 4,666 |
| 70-74 years | 163,272 | 143,034 | 16,948 | 3,290 |
| 75-79 years | 126,587 | 112,697 | 11,741 | 2,149 |
| 80-84 years | 77,148 | 70,104 | 5,880 | 1,164 |
| 85+ years | 51,612 | 46,783 | 4,203 | 626 |
| Total | 6,045,670 | 4,906,281 | 902,429 | 236,960 |
| 1999 Females | All Races | White | Black | Asian/Other |
| 00 years | 84,834 | 65,421 | 15,769 | 3,644 |
| 01-04 years | 346,453 | 262,891 | 68,976 | 14,586 |
| 05-09 years | 453,584 | 342,488 | 94,651 | 16,445 |
| 10-14 years | 436,499 | 334,822 | 85,632 | 16,045 |
| 15-19 years | 431,253 | 331,598 | 81,946 | 17,709 |
| 20-24 years | 408,098 | 315,530 | 71,984 | 20,584 |
| 25-29 years | 444,400 | 341,258 | 76,404 | 26,738 |
| 30-34 years | 462,016 | 364,557 | 74,329 | 23,130 |
| 35-39 years | 507,081 | 405,445 | 80,909 | 20,727 |
| 40-44 years | 494,067 | 396,457 | 78,377 | 19,233 |
| 45-49 years | 435,962 | 351,974 | 65,988 | 18,000 |
| 50-54 years | 372,180 | 304,199 | 52,679 | 15,302 |
| 55-59 years | 294,263 | 242,195 | 41,254 | 10,814 |
| 60-64 years | 243,398 | 200,200 | 35,359 | 7,839 |
| 65-69 years | 218,646 | 183,110 | 29,944 | 5,592 |
| 70-74 years | 214,195 | 184,499 | 25,256 | 4,440 |
| 75-79 years | 188,910 | 166,922 | 18,812 | 3,176 |
| 80-84 years | 140,723 | 127,256 | 11,655 | 1,812 |
| 85+ years | 136,788 | 124,662 | 10,907 | 1,219 |
| Total | 6,313,350 | 5,045,484 | 1,020,831 | 247,035 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2000 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 175,439 | 135,164 | 32,354 | 7,921 |
| 01-04 years | 699,946 | 533,719 | 136,105 | 30,122 |
| 05-09 years | 924,569 | 698,589 | 191,462 | 34,518 |
| 10-14 years | 908,672 | 696,055 | 178,442 | 34,175 |
| 15-19 years | 897,721 | 695,571 | 164,253 | 37,897 |
| 20-24 years | 855,309 | 667,560 | 143,375 | 44,374 |
| 25-29 years | 886,378 | 691,821 | 140,263 | 54,294 |
| 30-34 years | 919,791 | 733,038 | 137,469 | 49,284 |
| 35-39 years | 992,982 | 803,424 | 147,287 | 42,271 |
| 40-44 years | 988,790 | 804,931 | 145,186 | 38,673 |
| 45-49 years | 877,971 | 720,097 | 122,297 | 35,577 |
| 50-54 years | 760,140 | 628,268 | 100,377 | 31,495 |
| 55-59 years | 581,134 | 483,404 | 75,181 | 22,549 |
| 60-64 years | 464,665 | 385,031 | 63,277 | 16,357 |
| 65-69 years | 396,176 | 333,444 | 51,763 | 10,969 |
| 70-74 years | 374,113 | 323,205 | 42,751 | 8,157 |
| 75-79 years | 317,375 | 280,714 | 30,920 | 5,741 |
| 80-84 years | 220,139 | 198,536 | 18,305 | 3,298 |
| 85+ years | 192,851 | 175,264 | 15,465 | 2,122 |
| Total | 12,434,161 | 9,987,835 | 1,936,532 | 509,794 |
| 2000 Males | All Races | White | Black | Asian/Other |
| 00 years | 89,554 | 69,242 | 16,345 | 3,967 |
| 01-04 years | 357,727 | 273,665 | 69,166 | 14,896 |
| 05-09 years | 473,486 | 358,575 | 97,429 | 17,482 |
| 10-14 years | 464,675 | 356,784 | 90,373 | 17,518 |
| 15-19 years | 465,393 | 362,751 | 82,818 | 19,824 |
| 20-24 years | 436,995 | 345,243 | 69,135 | 22,617 |
| 25-29 years | 448,493 | 356,362 | 65,283 | 26,848 |
| 30-34 years | 463,249 | 374,852 | 63,763 | 24,634 |
| 35-39 years | 494,563 | 405,930 | 67,704 | 20,929 |
| 40-44 years | 489,472 | 404,743 | 65,968 | 18,761 |
| 45-49 years | 432,205 | 360,781 | 54,624 | 16,800 |
| 50-54 years | 370,935 | 311,464 | 44,426 | 15,045 |
| 55-59 years | 279,918 | 235,938 | 33,101 | 10,879 |
| 60-64 years | 219,856 | 184,422 | 27,442 | 7,992 |
| 65-69 years | 180,469 | 153,690 | 21,793 | 4,986 |
| 70-74 years | 162,737 | 142,060 | 17,212 | 3,465 |
| 75-79 years | 127,478 | 113,321 | 11,813 | 2,344 |
| 80-84 years | 78,370 | 70,896 | 6,188 | 1,286 |
| 85+ years | 53,309 | 48,335 | 4,272 | 702 |
| Total | 6,088,884 | 4,929,054 | 908,855 | 250,975 |
| 2000 Females | All Races | White | Black | Asian/Other |
| 00 years | 85,885 | 65,922 | 16,009 | 3,954 |
| 01-04 years | 342,219 | 260,054 | 66,939 | 15,226 |
| 05-09 years | 451,083 | 340,014 | 94,033 | 17,036 |
| 10-14 years | 443,997 | 339,271 | 88,069 | 16,657 |
| 15-19 years | 432,328 | 332,820 | 81,435 | 18,073 |
| 20-24 years | 418,314 | 322,317 | 74,240 | 21,757 |
| 25-29 years | 437,885 | 335,459 | 74,980 | 27,446 |
| 30-34 years | 456,542 | 358,186 | 73,706 | 24,650 |
| 35-39 years | 498,419 | 397,494 | 79,583 | 21,342 |
| 40-44 years | 499,318 | 400,188 | 79,218 | 19,912 |
| 45-49 years | 445,766 | 359,316 | 67,673 | 18,777 |
| 50-54 years | 389,205 | 316,804 | 55,951 | 16,450 |
| 55-59 years | 301,216 | 247,466 | 42,080 | 11,670 |
| 60-64 years | 244,809 | 200,609 | 35,835 | 8,365 |
| 65-69 years | 215,707 | 179,754 | 29,970 | 5,983 |
| 70-74 years | 211,376 | 181,145 | 25,539 | 4,692 |
| 75-79 years | 189,897 | 167,393 | 19,107 | 3,397 |
| 80-84 years | 141,769 | 127,640 | 12,117 | 2,012 |
| 85+ years | 139,542 | 126,929 | 11,193 | 1,420 |
| Total | 6,345,277 | 5,058,781 | 1,027,677 | 258,819 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2001 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 182,014 | 139,768 | 33,814 | 8,432 |
| 01-04 years | 691,925 | 529,124 | 131,552 | 31,249 |
| 05-09 years | 911,716 | 689,382 | 186,312 | 36,022 |
| 10-14 years | 920,321 | 701,606 | 183,293 | 35,422 |
| 15-19 years | 897,214 | 695,574 | 162,800 | 38,840 |
| 20-24 years | 870,940 | 677,857 | 147,051 | 46,032 |
| 25-29 years | 864,728 | 674,434 | 134,682 | 55,612 |
| 30-34 years | 923,737 | 732,858 | 137,898 | 52,981 |
| 35-39 years | 969,687 | 782,162 | 143,562 | 43,963 |
| 40-44 years | 998,028 | 811,771 | 146,713 | 39,544 |
| 45-49 years | 894,624 | 732,866 | 124,473 | 37,285 |
| 50-54 years | 798,852 | 658,879 | 106,831 | 33,142 |
| 55-59 years | 592,146 | 492,021 | 76,176 | 23,949 |
| 60-64 years | 471,511 | 390,267 | 63,464 | 17,780 |
| 65-69 years | 394,996 | 330,204 | 52,826 | 11,966 |
| 70-74 years | 369,777 | 318,443 | 42,833 | 8,501 |
| 75-79 years | 316,711 | 278,738 | 31,911 | 6,062 |
| 80-84 years | 224,395 | 201,960 | 18,867 | 3,568 |
| 85+ years | 195,123 | 177,585 | 15,191 | 2,347 |
| Total | 12,488,445 | 10,015,499 | 1,940,249 | 532,697 |
| 2001 Males | All Races | White | Black | Asian/Other |
| 00 years | 92,914 | 71,656 | 16,944 | 4,314 |
| 01-04 years | 353,419 | 271,290 | 66,695 | 15,434 |
| 05-09 years | 466,792 | 353,621 | 95,067 | 18,104 |
| 10-14 years | 470,908 | 359,867 | 92,853 | 18,188 |
| 15-19 years | 465,200 | 362,645 | 82,222 | 20,333 |
| 20-24 years | 443,839 | 349,698 | 70,913 | 23,228 |
| 25-29 years | 438,094 | 347,848 | 62,613 | 27,633 |
| 30-34 years | 464,909 | 374,797 | 63,764 | 26,348 |
| 35-39 years | 483,500 | 395,822 | 65,952 | 21,726 |
| 40-44 years | 494,116 | 408,025 | 66,915 | 19,176 |
| 45-49 years | 440,608 | 367,269 | 55,768 | 17,571 |
| 50-54 years | 389,849 | 326,855 | 47,188 | 15,806 |
| 55-59 years | 285,724 | 240,654 | 33,553 | 11,517 |
| 60-64 years | 223,317 | 187,116 | 27,491 | 8,710 |
| 65-69 years | 180,585 | 152,787 | 22,309 | 5,489 |
| 70-74 years | 161,164 | 140,321 | 17,267 | 3,576 |
| 75-79 years | 128,062 | 113,351 | 12,222 | 2,489 |
| 80-84 years | 80,654 | 72,844 | 6,435 | 1,375 |
| 85+ years | 54,348 | 49,454 | 4,133 | 761 |
| Total | 6,118,002 | 4,945,920 | 910,304 | 261,778 |
| 2001 Females | All Races | White | Black | Asian/Other |
| 00 years | 89,100 | 68,112 | 16,870 | 4,118 |
| 01-04 years | 338,506 | 257,834 | 64,857 | 15,815 |
| 05-09 years | 444,924 | 335,761 | 91,245 | 17,918 |
| 10-14 years | 449,413 | 341,739 | 90,440 | 17,234 |
| 15-19 years | 432,014 | 332,929 | 80,578 | 18,507 |
| 20-24 years | 427,101 | 328,159 | 76,138 | 22,804 |
| 25-29 years | 426,634 | 326,586 | 72,069 | 27,979 |
| 30-34 years | 458,828 | 358,061 | 74,134 | 26,633 |
| 35-39 years | 486,187 | 386,340 | 77,610 | 22,237 |
| 40-44 years | 503,912 | 403,746 | 79,798 | 20,368 |
| 45-49 years | 454,016 | 365,597 | 68,705 | 19,714 |
| 50-54 years | 409,003 | 332,024 | 59,643 | 17,336 |
| 55-59 years | 306,422 | 251,367 | 42,623 | 12,432 |
| 60-64 years | 248,194 | 203,151 | 35,973 | 9,070 |
| 65-69 years | 214,411 | 177,417 | 30,517 | 6,477 |
| 70-74 years | 208,613 | 178,122 | 25,566 | 4,925 |
| 75-79 years | 188,649 | 165,387 | 19,689 | 3,573 |
| 80-84 years | 143,741 | 129,116 | 12,432 | 2,193 |
| 85+ years | 140,775 | 128,131 | 11,058 | 1,586 |
| Total | 6,370,443 | 5,069,579 | 1,029,945 | 270,919 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2002 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 176,591 | 135,929 | 32,285 | 8,377 |
| 01-04 years | 696,170 | 533,230 | 130,001 | 32,939 |
| 05-09 years | 895,265 | 677,247 | 180,461 | 37,557 |
| 10-14 years | 930,923 | 706,977 | 187,495 | 36,451 |
| 15-19 years | 895,240 | 693,020 | 162,783 | 39,437 |
| 20-24 years | 877,701 | 681,248 | 148,863 | 47,590 |
| 25-29 years | 855,133 | 667,415 | 130,814 | 56,904 |
| 30-34 years | 923,515 | 727,731 | 138,456 | 57,328 |
| 35-39 years | 944,575 | 759,619 | 139,430 | 45,526 |
| 40-44 years | 996,885 | 809,482 | 146,794 | 40,609 |
| 45-49 years | 914,730 | 747,879 | 128,338 | 38,513 |
| 50-54 years | 798,777 | 656,037 | 108,853 | 33,887 |
| 55-59 years | 633,979 | 527,900 | 79,829 | 26,250 |
| 60-64 years | 487,129 | 403,571 | 64,414 | 19,144 |
| 65-69 years | 395,915 | 329,367 | 53,689 | 12,859 |
| 70-74 years | 362,437 | 311,122 | 42,405 | 8,910 |
| 75-79 years | 315,212 | 276,349 | 32,617 | 6,246 |
| 80-84 years | 228,489 | 205,034 | 19,558 | 3,897 |
| 85+ years | 196,890 | 179,177 | 15,158 | 2,555 |
| Total | 12,525,556 | 10,028,334 | 1,942,243 | 554,979 |
| 2002 Males | All Races | White | Black | Asian/Other |
| 00 years | 90,111 | 69,256 | 16,508 | 4,347 |
| 01-04 years | 355,630 | 273,540 | 65,738 | 16,352 |
| 05-09 years | 458,034 | 347,237 | 92,159 | 18,638 |
| 10-14 years | 476,398 | 362,564 | 95,097 | 18,737 |
| 15-19 years | 463,262 | 360,294 | 82,303 | 20,665 |
| 20-24 years | 447,211 | 351,282 | 71,912 | 24,017 |
| 25-29 years | 432,783 | 343,693 | 60,943 | 28,147 |
| 30-34 years | 465,021 | 373,019 | 63,688 | 28,314 |
| 35-39 years | 471,247 | 384,756 | 64,026 | 22,465 |
| 40-44 years | 493,648 | 406,813 | 67,013 | 19,822 |
| 45-49 years | 450,261 | 374,460 | 57,608 | 18,193 |
| 50-54 years | 390,501 | 326,356 | 48,134 | 16,011 |
| 55-59 years | 306,029 | 258,246 | 35,225 | 12,558 |
| 60-64 years | 230,644 | 193,426 | 27,910 | 9,308 |
| 65-69 years | 182,095 | 153,440 | 22,658 | 5,997 |
| 70-74 years | 158,320 | 137,392 | 17,134 | 3,794 |
| 75-79 years | 128,269 | 113,206 | 12,509 | 2,554 |
| 80-84 years | 82,888 | 74,633 | 6,729 | 1,526 |
| 85+ years | 55,307 | 50,343 | 4,123 | 841 |
| Total | 6,137,659 | 4,953,956 | 911,417 | 272,286 |
| 2002 Females | All Races | White | Black | Asian/Other |
| 00 years | 86,480 | 66,673 | 15,777 | 4,030 |
| 01-04 years | 340,540 | 259,690 | 64,263 | 16,587 |
| 05-09 years | 437,231 | 330,010 | 88,302 | 18,919 |
| 10-14 years | 454,525 | 344,413 | 92,398 | 17,714 |
| 15-19 years | 431,978 | 332,726 | 80,480 | 18,772 |
| 20-24 years | 430,490 | 329,966 | 76,951 | 23,573 |
| 25-29 years | 422,350 | 323,722 | 69,871 | 28,757 |
| 30-34 years | 458,494 | 354,712 | 74,768 | 29,014 |
| 35-39 years | 473,328 | 374,863 | 75,404 | 23,061 |
| 40-44 years | 503,237 | 402,669 | 79,781 | 20,787 |
| 45-49 years | 464,469 | 373,419 | 70,730 | 20,320 |
| 50-54 years | 408,276 | 329,681 | 60,719 | 17,876 |
| 55-59 years | 327,950 | 269,654 | 44,604 | 13,692 |
| 60-64 years | 256,485 | 210,145 | 36,504 | 9,836 |
| 65-69 years | 213,820 | 175,927 | 31,031 | 6,862 |
| 70-74 years | 204,117 | 173,730 | 25,271 | 5,116 |
| 75-79 years | 186,943 | 163,143 | 20,108 | 3,692 |
| 80-84 years | 145,601 | 130,401 | 12,829 | 2,371 |
| 85+ years | 141,583 | 128,834 | 11,035 | 1,714 |
| Total | 6,387,897 | 5,074,378 | 1,030,826 | 282,693 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2003 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 175,067 | 135,034 | 31,058 | 8,975 |
| 01-04 years | 696,763 | 534,659 | 127,731 | 34,373 |
| 05-09 years | 878,647 | 666,289 | 173,483 | 38,875 |
| 10-14 years | 934,873 | 706,646 | 190,737 | 37,490 |
| 15-19 years | 895,952 | 691,039 | 164,755 | 40,158 |
| 20-24 years | 885,309 | 686,442 | 149,675 | 49,192 |
| 25-29 years | 851,314 | 665,779 | 128,340 | 57,195 |
| 30-34 years | 913,055 | 715,550 | 137,170 | 60,335 |
| 35-39 years | 921,738 | 738,187 | 135,798 | 47,753 |
| 40-44 years | 989,314 | 801,882 | 145,641 | 41,791 |
| 45-49 years | 932,188 | 760,534 | 131,824 | 39,830 |
| 50-54 years | 811,359 | 665,374 | 111,042 | 34,943 |
| 55-59 years | 655,253 | 543,591 | 83,428 | 28,234 |
| 60-64 years | 509,631 | 423,500 | 65,743 | 20,388 |
| 65-69 years | 403,600 | 335,044 | 54,682 | 13,874 |
| 70-74 years | 355,695 | 303,372 | 42,888 | 9,435 |
| 75-79 years | 314,438 | 274,963 | 32,826 | 6,649 |
| 80-84 years | 231,567 | 207,279 | 20,178 | 4,110 |
| 85+ years | 200,243 | 182,145 | 15,341 | 2,757 |
| Total | 12,556,006 | 10,037,309 | 1,942,340 | 576,357 |
| 2003 Males | All Races | White | Black | Asian/Other |
| 00 years | 89,850 | 69,567 | 15,633 | 4,650 |
| 01-04 years | 355,505 | 273,624 | 64,739 | 17,142 |
| 05-09 years | 449,053 | 341,643 | 88,188 | 19,222 |
| 10-14 years | 478,322 | 362,351 | 96,799 | 19,172 |
| 15-19 years | 463,364 | 358,903 | 83,406 | 21,055 |
| 20-24 years | 450,472 | 353,123 | 72,435 | 24,914 |
| 25-29 years | 430,703 | 342,658 | 59,963 | 28,082 |
| 30-34 years | 459,817 | 366,949 | 63,135 | 29,733 |
| 35-39 years | 459,961 | 374,154 | 62,215 | 23,592 |
| 40-44 years | 489,999 | 403,245 | 66,410 | 20,344 |
| 45-49 years | 458,797 | 380,429 | 59,499 | 18,869 |
| 50-54 years | 396,751 | 331,113 | 49,142 | 16,496 |
| 55-59 years | 316,817 | 266,718 | 36,787 | 13,312 |
| 60-64 years | 241,245 | 202,941 | 28,419 | 9,885 |
| 65-69 years | 186,314 | 156,680 | 23,089 | 6,545 |
| 70-74 years | 155,480 | 134,079 | 17,369 | 4,032 |
| 75-79 years | 128,800 | 113,594 | 12,451 | 2,755 |
| 80-84 years | 84,771 | 76,137 | 7,063 | 1,571 |
| 85+ years | 57,126 | 51,992 | 4,180 | 954 |
| Total | 6,153,147 | 4,959,900 | 910,922 | 282,325 |
| 2003 Females | All Races | White | Black | Asian/Other |
| 00 years | 85,217 | 65,467 | 15,425 | 4,325 |
| 01-04 years | 341,258 | 261,035 | 62,992 | 17,231 |
| 05-09 years | 429,594 | 324,646 | 85,295 | 19,653 |
| 10-14 years | 456,551 | 344,295 | 93,938 | 18,318 |
| 15-19 years | 432,588 | 332,136 | 81,349 | 19,103 |
| 20-24 years | 434,837 | 333,319 | 77,240 | 24,278 |
| 25-29 years | 420,611 | 323,121 | 68,377 | 29,113 |
| 30-34 years | 453,238 | 348,601 | 74,035 | 30,602 |
| 35-39 years | 461,777 | 364,033 | 73,583 | 24,161 |
| 40-44 years | 499,315 | 398,637 | 79,231 | 21,447 |
| 45-49 years | 473,391 | 380,105 | 72,325 | 20,961 |
| 50-54 years | 414,608 | 334,261 | 61,900 | 18,447 |
| 55-59 years | 338,436 | 276,873 | 46,641 | 14,922 |
| 60-64 years | 268,386 | 220,559 | 37,324 | 10,503 |
| 65-69 years | 217,286 | 178,364 | 31,593 | 7,329 |
| 70-74 years | 200,215 | 169,293 | 25,519 | 5,403 |
| 75-79 years | 185,638 | 161,369 | 20,375 | 3,894 |
| 80-84 years | 146,796 | 131,142 | 13,115 | 2,539 |
| 85+ years | 143,117 | 130,153 | 11,161 | 1,803 |
| Total | 6,402,859 | 5,077,409 | 1,031,418 | 294,032 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2004 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 175,433 | 135,407 | 31,034 | 8,992 |
| 01-04 years | 696,198 | 534,707 | 125,405 | 36,086 |
| 05-09 years | 862,340 | 655,867 | 166,227 | 40,246 |
| 10-14 years | 932,571 | 702,514 | 191,598 | 38,459 |
| 15-19 years | 905,172 | 694,617 | 169,203 | 41,352 |
| 20-24 years | 893,225 | 692,923 | 149,887 | 50,415 |
| 25-29 years | 855,707 | 668,244 | 129,000 | 58,463 |
| 30-34 years | 895,938 | 699,034 | 134,999 | 61,905 |
| 35-39 years | 901,438 | 719,081 | 132,142 | 50,215 |
| 40-44 years | 980,971 | 793,549 | 143,952 | 43,470 |
| 45-49 years | 944,741 | 769,622 | 134,714 | 40,405 |
| 50-54 years | 827,820 | 677,801 | 113,904 | 36,115 |
| 55-59 years | 683,028 | 565,307 | 87,543 | 30,178 |
| 60-64 years | 523,872 | 435,057 | 67,013 | 21,802 |
| 65-69 years | 412,331 | 342,020 | 55,201 | 15,110 |
| 70-74 years | 349,297 | 296,285 | 43,064 | 9,948 |
| 75-79 years | 310,471 | 270,401 | 33,136 | 6,934 |
| 80-84 years | 235,573 | 210,408 | 20,820 | 4,345 |
| 85+ years | 203,647 | 184,989 | 15,631 | 3,027 |
| Total | 12,589,773 | 10,047,833 | 1,944,473 | 597,467 |
| 2004 Males | All Races | White | Black | Asian/Other |
| 00 years | 89,786 | 69,300 | 15,834 | 4,652 |
| 01-04 years | 355,473 | 273,990 | 63,384 | 18,099 |
| 05-09 years | 441,115 | 336,583 | 84,673 | 19,859 |
| 10-14 years | 476,921 | 360,245 | 97,185 | 19,491 |
| 15-19 years | 468,246 | 360,697 | 85,752 | 21,797 |
| 20-24 years | 457,173 | 357,998 | 73,230 | 25,945 |
| 25-29 years | 432,643 | 343,665 | 60,449 | 28,529 |
| 30-34 years | 450,964 | 358,566 | 61,884 | 30,514 |
| 35-39 years | 450,439 | 364,956 | 60,738 | 24,745 |
| 40-44 years | 486,070 | 399,090 | 65,924 | 21,056 |
| 45-49 years | 465,474 | 385,191 | 60,949 | 19,334 |
| 50-54 years | 405,133 | 337,662 | 50,618 | 16,853 |
| 55-59 years | 330,198 | 277,505 | 38,502 | 14,191 |
| 60-64 years | 248,476 | 208,894 | 29,061 | 10,521 |
| 65-69 years | 190,601 | 160,079 | 23,301 | 7,221 |
| 70-74 years | 152,876 | 131,221 | 17,372 | 4,283 |
| 75-79 years | 128,269 | 112,805 | 12,588 | 2,876 |
| 80-84 years | 86,963 | 77,945 | 7,347 | 1,671 |
| 85+ years | 58,744 | 53,440 | 4,254 | 1,050 |
| Total | 6,175,564 | 4,969,832 | 913,045 | 292,687 |
| 2004 Females | All Races | White | Black | Asian/Other |
| 00 years | 85,647 | 66,107 | 15,200 | 4,340 |
| 01-04 years | 340,725 | 260,717 | 62,021 | 17,987 |
| 05-09 years | 421,225 | 319,284 | 81,554 | 20,387 |
| 10-14 years | 455,650 | 342,269 | 94,413 | 18,968 |
| 15-19 years | 436,926 | 333,920 | 83,451 | 19,555 |
| 20-24 years | 436,052 | 334,925 | 76,657 | 24,470 |
| 25-29 years | 423,064 | 324,579 | 68,551 | 29,934 |
| 30-34 years | 444,974 | 340,468 | 73,115 | 31,391 |
| 35-39 years | 450,999 | 354,125 | 71,404 | 25,470 |
| 40-44 years | 494,901 | 394,459 | 78,028 | 22,414 |
| 45-49 years | 479,267 | 384,431 | 73,765 | 21,071 |
| 50-54 years | 422,687 | 340,139 | 63,286 | 19,262 |
| 55-59 years | 352,830 | 287,802 | 49,041 | 15,987 |
| 60-64 years | 275,396 | 226,163 | 37,952 | 11,281 |
| 65-69 years | 221,730 | 181,941 | 31,900 | 7,889 |
| 70-74 years | 196,421 | 165,064 | 25,692 | 5,665 |
| 75-79 years | 182,202 | 157,596 | 20,548 | 4,058 |
| 80-84 years | 148,610 | 132,463 | 13,473 | 2,674 |
| 85+ years | 144,903 | 131,549 | 11,377 | 1,977 |
| Total | 6,414,209 | 5,078,001 | 1,031,428 | 304,780 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2005 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 170,542 | 130,970 | 30,179 | 9,393 |
| 01-04 years | 695,164 | 533,585 | 124,171 | 37,408 |
| 05-09 years | 849,518 | 647,948 | 159,713 | 41,857 |
| 10-14 years | 923,414 | 694,468 | 189,410 | 39,536 |
| 15-19 years | 914,275 | 697,628 | 174,137 | 42,510 |
| 20-24 years | 887,761 | 689,488 | 147,215 | 51,058 |
| 25-29 years | 866,083 | 673,867 | 132,562 | 59,654 |
| 30-34 years | 872,576 | 678,729 | 130,952 | 62,895 |
| 35-39 years | 894,288 | 709,913 | 130,624 | 53,751 |
| 40-44 years | 962,577 | 777,279 | 140,530 | 44,768 |
| 45-49 years | 956,112 | 777,548 | 137,430 | 41,134 |
| 50-54 years | 846,124 | 692,668 | 116,312 | 37,144 |
| 55-59 years | 720,161 | 593,867 | 93,765 | 32,529 |
| 60-64 years | 533,991 | 443,647 | 67,515 | 22,829 |
| 65-69 years | 416,992 | 344,826 | 55,790 | 16,376 |
| 70-74 years | 345,362 | 291,275 | 43,500 | 10,587 |
| 75-79 years | 309,059 | 268,191 | 33,505 | 7,363 |
| 80-84 years | 237,858 | 211,971 | 21,261 | 4,626 |
| 85+ years | 208,046 | 188,509 | 16,282 | 3,255 |
| Total | 12,609,903 | 10,046,377 | 1,944,853 | 618,673 |
| 2005 Males | All Races | White | Black | Asian/Other |
| 00 years | 87,581 | 67,298 | 15,513 | 4,770 |
| 01-04 years | 355,118 | 273,535 | 62,761 | 18,822 |
| 05-09 years | 433,859 | 332,117 | 81,113 | 20,629 |
| 10-14 years | 473,075 | 356,574 | 96,418 | 20,083 |
| 15-19 years | 471,806 | 361,204 | 88,259 | 22,343 |
| 20-24 years | 453,595 | 355,312 | 72,032 | 26,251 |
| 25-29 years | 437,507 | 346,001 | 62,573 | 28,933 |
| 30-34 years | 438,795 | 347,660 | 60,011 | 31,124 |
| 35-39 years | 447,535 | 361,310 | 59,894 | 26,331 |
| 40-44 years | 476,681 | 390,636 | 64,373 | 21,672 |
| 45-49 years | 471,149 | 389,013 | 62,425 | 19,711 |
| 50-54 years | 414,128 | 344,982 | 51,865 | 17,281 |
| 55-59 years | 348,751 | 292,358 | 41,138 | 15,255 |
| 60-64 years | 253,941 | 213,735 | 29,278 | 10,928 |
| 65-69 years | 192,586 | 161,292 | 23,500 | 7,794 |
| 70-74 years | 152,160 | 129,839 | 17,650 | 4,671 |
| 75-79 years | 128,452 | 112,637 | 12,741 | 3,074 |
| 80-84 years | 88,696 | 79,384 | 7,552 | 1,760 |
| 85+ years | 60,657 | 55,081 | 4,444 | 1,132 |
| Total | 6,186,072 | 4,969,968 | 913,540 | 302,564 |
| 2005 Females | All Races | White | Black | Asian/Other |
| 00 years | 82,961 | 63,672 | 14,666 | 4,623 |
| 01-04 years | 340,046 | 260,050 | 61,410 | 18,586 |
| 05-09 years | 415,659 | 315,831 | 78,600 | 21,228 |
| 10-14 years | 450,339 | 337,894 | 92,992 | 19,453 |
| 15-19 years | 442,469 | 336,424 | 85,878 | 20,167 |
| 20-24 years | 434,166 | 334,176 | 75,183 | 24,807 |
| 25-29 years | 428,576 | 327,866 | 69,989 | 30,721 |
| 30-34 years | 433,781 | 331,069 | 70,941 | 31,771 |
| 35-39 years | 446,753 | 348,603 | 70,730 | 27,420 |
| 40-44 years | 485,896 | 386,643 | 76,157 | 23,096 |
| 45-49 years | 484,963 | 388,535 | 75,005 | 21,423 |
| 50-54 years | 431,996 | 347,686 | 64,447 | 19,863 |
| 55-59 years | 371,410 | 301,509 | 52,627 | 17,274 |
| 60-64 years | 280,050 | 229,912 | 38,237 | 11,901 |
| 65-69 years | 224,406 | 183,534 | 32,290 | 8,582 |
| 70-74 years | 193,202 | 161,436 | 25,850 | 5,916 |
| 75-79 years | 180,607 | 155,554 | 20,764 | 4,289 |
| 80-84 years | 149,162 | 132,587 | 13,709 | 2,866 |
| 85+ years | 147,389 | 133,428 | 11,838 | 2,123 |
| Total | 6,423,831 | 5,076,409 | 1,031,313 | 316,109 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2006 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 169,033 | 129,304 | 30,309 | 9,420 |
| 01-04 years | 684,749 | 525,037 | 121,213 | 38,499 |
| 05-09 years | 847,980 | 646,466 | 157,625 | 43,889 |
| 10-14 years | 913,671 | 687,592 | 185,037 | 41,042 |
| 15-19 years | 921,587 | 699,365 | 178,697 | 43,525 |
| 20-24 years | 882,932 | 685,638 | 145,009 | 52,285 |
| 25-29 years | 885,291 | 687,133 | 135,922 | 62,236 |
| 30-34 years | 852,538 | 662,240 | 126,417 | 63,881 |
| 35-39 years | 896,374 | 707,605 | 131,981 | 56,788 |
| 40-44 years | 938,217 | 754,709 | 137,191 | 46,317 |
| 45-49 years | 964,149 | 783,274 | 139,172 | 41,703 |
| 50-54 years | 862,914 | 705,216 | 119,055 | 38,643 |
| 55-59 years | 756,726 | 622,889 | 99,654 | 34,183 |
| 60-64 years | 544,441 | 451,676 | 68,545 | 24,220 |
| 65-69 years | 422,623 | 349,241 | 55,767 | 17,615 |
| 70-74 years | 343,777 | 288,001 | 44,271 | 11,505 |
| 75-79 years | 305,729 | 264,851 | 33,291 | 7,587 |
| 80-84 years | 237,652 | 210,948 | 21,859 | 4,845 |
| 85+ years | 213,572 | 193,251 | 16,821 | 3,500 |
| Total | 12,643,955 | 10,054,436 | 1,947,836 | 641,683 |
| 2006 Males | All Races | White | Black | Asian/Other |
| 00 years | 86,058 | 65,851 | 15,414 | 4,793 |
| 01-04 years | 350,282 | 269,353 | 61,558 | 19,371 |
| 05-09 years | 432,746 | 331,345 | 79,660 | 21,741 |
| 10-14 years | 467,938 | 352,755 | 94,453 | 20,730 |
| 15-19 years | 475,323 | 361,879 | 90,613 | 22,831 |
| 20-24 years | 452,086 | 354,015 | 71,209 | 26,862 |
| 25-29 years | 445,687 | 351,515 | 64,046 | 30,126 |
| 30-34 years | 429,108 | 339,463 | 57,939 | 31,706 |
| 35-39 years | 448,168 | 359,800 | 60,540 | 27,828 |
| 40-44 years | 465,428 | 379,985 | 63,027 | 22,416 |
| 45-49 years | 475,339 | 391,809 | 63,505 | 20,025 |
| 50-54 years | 422,184 | 350,992 | 53,263 | 17,929 |
| 55-59 years | 366,500 | 306,801 | 43,680 | 16,019 |
| 60-64 years | 259,204 | 217,995 | 29,717 | 11,492 |
| 65-69 years | 195,347 | 163,484 | 23,431 | 8,432 |
| 70-74 years | 152,414 | 129,198 | 18,075 | 5,141 |
| 75-79 years | 127,262 | 111,519 | 12,642 | 3,101 |
| 80-84 years | 89,680 | 79,996 | 7,776 | 1,908 |
| 85+ years | 63,179 | 57,358 | 4,612 | 1,209 |
| Total | 6,203,933 | 4,975,113 | 915,160 | 313,660 |
| 2006 Females | All Races | White | Black | Asian/Other |
| 00 years | 82,975 | 63,453 | 14,895 | 4,627 |
| 01-04 years | 334,467 | 255,684 | 59,655 | 19,128 |
| 05-09 years | 415,234 | 315,121 | 77,965 | 22,148 |
| 10-14 years | 445,733 | 334,837 | 90,584 | 20,312 |
| 15-19 years | 446,264 | 337,486 | 88,084 | 20,694 |
| 20-24 years | 430,846 | 331,623 | 73,800 | 25,423 |
| 25-29 years | 439,604 | 335,618 | 71,876 | 32,110 |
| 30-34 years | 423,430 | 322,777 | 68,478 | 32,175 |
| 35-39 years | 448,206 | 347,805 | 71,441 | 28,960 |
| 40-44 years | 472,789 | 374,724 | 74,164 | 23,901 |
| 45-49 years | 488,810 | 391,465 | 75,667 | 21,678 |
| 50-54 years | 440,730 | 354,224 | 65,792 | 20,714 |
| 55-59 years | 390,226 | 316,088 | 55,974 | 18,164 |
| 60-64 years | 285,237 | 233,681 | 38,828 | 12,728 |
| 65-69 years | 227,276 | 185,757 | 32,336 | 9,183 |
| 70-74 years | 191,363 | 158,803 | 26,196 | 6,364 |
| 75-79 years | 178,467 | 153,332 | 20,649 | 4,486 |
| 80-84 years | 147,972 | 130,952 | 14,083 | 2,937 |
| 85+ years | 150,393 | 135,893 | 12,209 | 2,291 |
| Total | 6,440,022 | 5,079,323 | 1,032,676 | 328,023 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2007 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 171,292 | 130,410 | 31,207 | 9,675 |
| 01-04 years | 680,035 | 519,964 | 120,176 | 39,895 |
| 05-09 years | 849,196 | 648,054 | 155,205 | 45,937 |
| 10-14 years | 902,390 | 679,121 | 180,422 | 42,847 |
| 15-19 years | 928,377 | 701,655 | 182,108 | 44,614 |
| 20-24 years | 880,284 | 683,003 | 144,362 | 52,919 |
| 25-29 years | 896,088 | 694,439 | 136,892 | 64,757 |
| 30-34 years | 846,449 | 657,755 | 123,484 | 65,210 |
| 35-39 years | 895,616 | 701,496 | 133,256 | 60,864 |
| 40-44 years | 914,035 | 732,788 | 133,627 | 47,620 |
| 45-49 years | 963,025 | 781,173 | 139,172 | 42,680 |
| 50-54 years | 884,179 | 721,078 | 123,200 | 39,901 |
| 55-59 years | 757,044 | 620,696 | 101,393 | 34,955 |
| 60-64 years | 585,472 | 487,122 | 71,880 | 26,470 |
| 65-69 years | 438,209 | 362,354 | 56,874 | 18,981 |
| 70-74 years | 345,528 | 288,337 | 44,905 | 12,286 |
| 75-79 years | 300,856 | 259,965 | 32,982 | 7,909 |
| 80-84 years | 237,865 | 210,378 | 22,419 | 5,068 |
| 85+ years | 219,926 | 198,555 | 17,593 | 3,778 |
| Total | 12,695,866 | 10,078,343 | 1,951,157 | 666,366 |
| 2007 Males | All Races | White | Black | Asian/Other |
| 00 years | 87,088 | 66,292 | 15,807 | 4,989 |
| 01-04 years | 347,598 | 266,786 | 60,796 | 20,016 |
| 05-09 years | 433,174 | 331,859 | 78,468 | 22,847 |
| 10-14 years | 461,889 | 348,231 | 92,169 | 21,489 |
| 15-19 years | 478,022 | 362,349 | 92,276 | 23,397 |
| 20-24 years | 450,322 | 352,226 | 70,917 | 27,179 |
| 25-29 years | 450,353 | 354,514 | 64,441 | 31,398 |
| 30-34 years | 425,658 | 336,511 | 56,862 | 32,285 |
| 35-39 years | 447,670 | 357,193 | 60,781 | 29,696 |
| 40-44 years | 453,514 | 369,022 | 61,355 | 23,137 |
| 45-49 years | 474,963 | 390,669 | 63,767 | 20,527 |
| 50-54 years | 432,359 | 358,641 | 55,147 | 18,571 |
| 55-59 years | 367,365 | 306,672 | 44,495 | 16,198 |
| 60-64 years | 279,088 | 235,298 | 31,265 | 12,525 |
| 65-69 years | 202,844 | 169,866 | 23,919 | 9,059 |
| 70-74 years | 154,084 | 130,248 | 18,258 | 5,578 |
| 75-79 years | 125,966 | 110,070 | 12,626 | 3,270 |
| 80-84 years | 90,580 | 80,606 | 8,007 | 1,967 |
| 85+ years | 65,752 | 59,575 | 4,851 | 1,326 |
| Total | 6,228,289 | 4,986,628 | 916,207 | 325,454 |
| 2007 Females | All Races | White | Black | Asian/Other |
| 00 years | 84,204 | 64,118 | 15,400 | 4,686 |
| 01-04 years | 332,437 | 253,178 | 59,380 | 19,879 |
| 05-09 years | 416,022 | 316,195 | 76,737 | 23,090 |
| 10-14 years | 440,501 | 330,890 | 88,253 | 21,358 |
| 15-19 years | 450,355 | 339,306 | 89,832 | 21,217 |
| 20-24 years | 429,962 | 330,777 | 73,445 | 25,740 |
| 25-29 years | 445,735 | 339,925 | 72,451 | 33,359 |
| 30-34 years | 420,791 | 321,244 | 66,622 | 32,925 |
| 35-39 years | 447,946 | 344,303 | 72,475 | 31,168 |
| 40-44 years | 460,521 | 363,766 | 72,272 | 24,483 |
| 45-49 years | 488,062 | 390,504 | 75,405 | 22,153 |
| 50-54 years | 451,820 | 362,437 | 68,053 | 21,330 |
| 55-59 years | 389,679 | 314,024 | 56,898 | 18,757 |
| 60-64 years | 306,384 | 251,824 | 40,615 | 13,945 |
| 65-69 years | 235,365 | 192,488 | 32,955 | 9,922 |
| 70-74 years | 191,444 | 158,089 | 26,647 | 6,708 |
| 75-79 years | 174,890 | 149,895 | 20,356 | 4,639 |
| 80-84 years | 147,285 | 129,772 | 14,412 | 3,101 |
| 85+ years | 154,174 | 138,980 | 12,742 | 2,452 |
| Total | 6,467,577 | 5,091,715 | 1,034,950 | 340,912 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2008 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 167,968 | 127,193 | 30,801 | 9,974 |
| 01-04 years | 679,695 | 517,513 | 121,197 | 40,985 |
| 05-09 years | 851,542 | 649,864 | 153,271 | 48,407 |
| 10-14 years | 892,352 | 673,078 | 174,996 | 44,278 |
| 15-19 years | 931,065 | 699,910 | 185,452 | 45,703 |
| 20-24 years | 876,545 | 677,997 | 144,948 | 53,600 |
| 25-29 years | 910,258 | 706,342 | 137,419 | 66,497 |
| 30-34 years | 847,213 | 659,641 | 122,168 | 65,404 |
| 35-39 years | 886,700 | 690,639 | 132,618 | 63,443 |
| 40-44 years | 893,262 | 713,156 | 130,473 | 49,633 |
| 45-49 years | 956,686 | 774,510 | 138,174 | 44,002 |
| 50-54 years | 903,901 | 735,748 | 126,902 | 41,251 |
| 55-59 years | 773,071 | 632,972 | 103,768 | 36,331 |
| 60-64 years | 607,263 | 503,406 | 75,316 | 28,541 |
| 65-69 years | 459,748 | 381,396 | 58,171 | 20,181 |
| 70-74 years | 352,243 | 293,507 | 45,534 | 13,202 |
| 75-79 years | 295,130 | 253,451 | 33,366 | 8,313 |
| 80-84 years | 237,298 | 209,555 | 22,366 | 5,377 |
| 85+ years | 225,098 | 202,785 | 18,291 | 4,022 |
| Total | 12,747,038 | 10,102,663 | 1,955,231 | 689,144 |
| 2008 Males | All Races | White | Black | Asian/Other |
| 00 years | 85,428 | 64,702 | 15,710 | 5,016 |
| 01-04 years | 346,730 | 264,666 | 61,431 | 20,633 |
| 05-09 years | 434,399 | 332,826 | 77,447 | 24,126 |
| 10-14 years | 456,320 | 345,265 | 88,833 | 22,222 |
| 15-19 years | 479,091 | 361,261 | 94,041 | 23,789 |
| 20-24 years | 448,311 | 349,338 | 71,346 | 27,627 |
| 25-29 years | 457,001 | 360,012 | 64,698 | 32,291 |
| 30-34 years | 425,636 | 337,220 | 56,357 | 32,059 |
| 35-39 years | 443,154 | 351,802 | 60,537 | 30,815 |
| 40-44 years | 443,341 | 359,266 | 59,849 | 24,226 |
| 45-49 years | 472,034 | 387,652 | 63,214 | 21,168 |
| 50-54 years | 442,161 | 365,669 | 57,261 | 19,231 |
| 55-59 years | 375,209 | 312,749 | 45,517 | 16,943 |
| 60-64 years | 290,220 | 244,078 | 32,795 | 13,347 |
| 65-69 years | 213,062 | 179,051 | 24,419 | 9,592 |
| 70-74 years | 157,850 | 133,217 | 18,533 | 6,100 |
| 75-79 years | 123,871 | 107,660 | 12,759 | 3,452 |
| 80-84 years | 91,303 | 81,319 | 7,874 | 2,110 |
| 85+ years | 68,380 | 61,822 | 5,156 | 1,402 |
| Total | 6,253,501 | 4,999,575 | 917,777 | 336,149 |
| 2008 Females | All Races | White | Black | Asian/Other |
| 00 years | 82,540 | 62,491 | 15,091 | 4,958 |
| 01-04 years | 332,965 | 252,847 | 59,766 | 20,352 |
| 05-09 years | 417,143 | 317,038 | 75,824 | 24,281 |
| 10-14 years | 436,032 | 327,813 | 86,163 | 22,056 |
| 15-19 years | 451,974 | 338,649 | 91,411 | 21,914 |
| 20-24 years | 428,234 | 328,659 | 73,602 | 25,973 |
| 25-29 years | 453,257 | 346,330 | 72,721 | 34,206 |
| 30-34 years | 421,577 | 322,421 | 65,811 | 33,345 |
| 35-39 years | 443,546 | 338,837 | 72,081 | 32,628 |
| 40-44 years | 449,921 | 353,890 | 70,624 | 25,407 |
| 45-49 years | 484,652 | 386,858 | 74,960 | 22,834 |
| 50-54 years | 461,740 | 370,079 | 69,641 | 22,020 |
| 55-59 years | 397,862 | 320,223 | 58,251 | 19,388 |
| 60-64 years | 317,043 | 259,328 | 42,521 | 15,194 |
| 65-69 years | 246,686 | 202,345 | 33,752 | 10,589 |
| 70-74 years | 194,393 | 160,290 | 27,001 | 7,102 |
| 75-79 years | 171,259 | 145,791 | 20,607 | 4,861 |
| 80-84 years | 145,995 | 128,236 | 14,492 | 3,267 |
| 85+ years | 156,718 | 140,963 | 13,135 | 2,620 |
| Total | 6,493,537 | 5,103,088 | 1,037,454 | 352,995 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2009 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 164,646 | 124,155 | 29,977 | 10,514 |
| 01-04 years | 675,629 | 511,337 | 122,049 | 42,243 |
| 05-09 years | 857,360 | 653,996 | 152,608 | 50,756 |
| 10-14 years | 883,928 | 668,383 | 169,513 | 46,032 |
| 15-19 years | 928,201 | 694,845 | 186,663 | 46,693 |
| 20-24 years | 877,648 | 675,274 | 147,430 | 54,944 |
| 25-29 years | 914,697 | 711,443 | 136,085 | 67,169 |
| 30-34 years | 855,772 | 665,548 | 123,779 | 66,445 |
| 35-39 years | 871,430 | 675,058 | 131,454 | 64,918 |
| 40-44 years | 875,346 | 696,279 | 127,112 | 51,955 |
| 45-49 years | 951,529 | 768,833 | 136,813 | 45,883 |
| 50-54 years | 919,619 | 747,354 | 130,282 | 41,983 |
| 55-59 years | 792,394 | 648,144 | 106,655 | 37,595 |
| 60-64 years | 636,573 | 526,825 | 79,313 | 30,435 |
| 65-69 years | 475,070 | 393,444 | 59,842 | 21,784 |
| 70-74 years | 360,531 | 300,339 | 45,906 | 14,286 |
| 75-79 years | 290,359 | 248,235 | 33,405 | 8,719 |
| 80-84 years | 235,236 | 206,920 | 22,703 | 5,613 |
| 85+ years | 230,810 | 207,326 | 19,237 | 4,247 |
| Total | 12,796,778 | 10,123,738 | 1,960,826 | 712,214 |
| 2009 Males | All Races | White | Black | Asian/Other |
| 00 years | 84,067 | 63,417 | 15,285 | 5,365 |
| 01-04 years | 344,363 | 261,404 | 61,786 | 21,173 |
| 05-09 years | 437,254 | 334,801 | 77,160 | 25,293 |
| 10-14 years | 452,140 | 342,816 | 86,247 | 23,077 |
| 15-19 years | 476,519 | 357,880 | 94,451 | 24,188 |
| 20-24 years | 447,564 | 346,835 | 72,331 | 28,398 |
| 25-29 years | 459,187 | 362,434 | 64,104 | 32,649 |
| 30-34 years | 429,092 | 339,638 | 57,122 | 32,332 |
| 35-39 years | 434,765 | 343,502 | 59,687 | 31,576 |
| 40-44 years | 434,796 | 350,942 | 58,513 | 25,341 |
| 45-49 years | 469,227 | 384,347 | 62,972 | 21,908 |
| 50-54 years | 450,526 | 371,765 | 58,938 | 19,823 |
| 55-59 years | 384,729 | 320,441 | 46,985 | 17,303 |
| 60-64 years | 304,478 | 255,922 | 34,400 | 14,156 |
| 65-69 years | 220,766 | 185,177 | 25,261 | 10,328 |
| 70-74 years | 161,814 | 136,510 | 18,621 | 6,683 |
| 75-79 years | 122,312 | 105,929 | 12,745 | 3,638 |
| 80-84 years | 91,462 | 81,247 | 7,986 | 2,229 |
| 85+ years | 70,994 | 64,042 | 5,450 | 1,502 |
| Total | 6,276,055 | 5,009,049 | 920,044 | 346,962 |
| 2009 Females | All Races | White | Black | Asian/Other |
| 00 years | 80,579 | 60,738 | 14,692 | 5,149 |
| 01-04 years | 331,266 | 249,933 | 60,263 | 21,070 |
| 05-09 years | 420,106 | 319,195 | 75,448 | 25,463 |
| 10-14 years | 431,788 | 325,567 | 83,266 | 22,955 |
| 15-19 years | 451,682 | 336,965 | 92,212 | 22,505 |
| 20-24 years | 430,084 | 328,439 | 75,099 | 26,546 |
| 25-29 years | 455,510 | 349,009 | 71,981 | 34,520 |
| 30-34 years | 426,680 | 325,910 | 66,657 | 34,113 |
| 35-39 years | 436,665 | 331,556 | 71,767 | 33,342 |
| 40-44 years | 440,550 | 345,337 | 68,599 | 26,614 |
| 45-49 years | 482,302 | 384,486 | 73,841 | 23,975 |
| 50-54 years | 469,093 | 375,589 | 71,344 | 22,160 |
| 55-59 years | 407,665 | 327,703 | 59,670 | 20,292 |
| 60-64 years | 332,095 | 270,903 | 44,913 | 16,279 |
| 65-69 years | 254,304 | 208,267 | 34,581 | 11,456 |
| 70-74 years | 198,717 | 163,829 | 27,285 | 7,603 |
| 75-79 years | 168,047 | 142,306 | 20,660 | 5,081 |
| 80-84 years | 143,774 | 125,673 | 14,717 | 3,384 |
| 85+ years | 159,816 | 143,284 | 13,787 | 2,745 |
| Total | 6,520,723 | 5,114,689 | 1,040,782 | 365,252 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2010 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 163,767 | 123,254 | 30,007 | 10,506 |
| 01-04 years | 671,033 | 506,589 | 121,469 | 42,975 |
| 05-09 years | 857,438 | 652,333 | 152,021 | 53,084 |
| 10-14 years | 877,818 | 665,087 | 165,062 | 47,669 |
| 15-19 years | 920,259 | 688,201 | 184,379 | 47,679 |
| 20-24 years | 880,138 | 672,397 | 151,789 | 55,952 |
| 25-29 years | 909,788 | 708,972 | 133,685 | 67,131 |
| 30-34 years | 868,881 | 674,254 | 127,528 | 67,099 |
| 35-39 years | 851,287 | 658,050 | 127,888 | 65,349 |
| 40-44 years | 870,048 | 688,329 | 126,531 | 55,188 |
| 45-49 years | 936,046 | 754,915 | 134,066 | 47,065 |
| 50-54 years | 932,381 | 756,447 | 133,256 | 42,678 |
| 55-59 years | 812,811 | 664,450 | 109,518 | 38,843 |
| 60-64 years | 672,857 | 554,980 | 85,165 | 32,712 |
| 65-69 years | 487,940 | 404,022 | 60,915 | 23,003 |
| 70-74 years | 366,102 | 304,002 | 46,581 | 15,519 |
| 75-79 years | 288,997 | 245,554 | 34,109 | 9,334 |
| 80-84 years | 235,865 | 206,658 | 23,262 | 5,945 |
| 85+ years | 237,089 | 212,312 | 20,234 | 4,543 |
| Total | 12,840,545 | 10,140,806 | 1,967,465 | 732,274 |
| 2010 Males | All Races | White | Black | Asian/Other |
| 00 years | 83,879 | 63,121 | 15,365 | 5,393 |
| 01-04 years | 341,737 | 258,605 | 61,443 | 21,689 |
| 05-09 years | 437,609 | 334,174 | 76,966 | 26,469 |
| 10-14 years | 448,026 | 340,583 | 83,646 | 23,797 |
| 15-19 years | 472,792 | 354,468 | 93,650 | 24,674 |
| 20-24 years | 448,002 | 344,790 | 74,325 | 28,887 |
| 25-29 years | 456,810 | 360,924 | 63,190 | 32,696 |
| 30-34 years | 435,270 | 343,638 | 59,077 | 32,555 |
| 35-39 years | 424,340 | 334,477 | 58,098 | 31,765 |
| 40-44 years | 432,652 | 347,551 | 58,262 | 26,839 |
| 45-49 years | 461,534 | 377,272 | 61,815 | 22,447 |
| 50-54 years | 456,861 | 376,186 | 60,513 | 20,162 |
| 55-59 years | 394,729 | 328,389 | 48,421 | 17,919 |
| 60-64 years | 322,391 | 270,303 | 36,867 | 15,221 |
| 65-69 years | 227,401 | 190,774 | 25,814 | 10,813 |
| 70-74 years | 164,234 | 138,125 | 18,846 | 7,263 |
| 75-79 years | 122,755 | 105,645 | 13,111 | 3,999 |
| 80-84 years | 92,351 | 81,784 | 8,225 | 2,342 |
| 85+ years | 73,737 | 66,385 | 5,748 | 1,604 |
| Total | 6,297,110 | 5,017,194 | 923,382 | 356,534 |
| 2010 Females | All Races | White | Black | Asian/Other |
| 00 years | 79,888 | 60,133 | 14,642 | 5,113 |
| 01-04 years | 329,296 | 247,984 | 60,026 | 21,286 |
| 05-09 years | 419,829 | 318,159 | 75,055 | 26,615 |
| 10-14 years | 429,792 | 324,504 | 81,416 | 23,872 |
| 15-19 years | 447,467 | 333,733 | 90,729 | 23,005 |
| 20-24 years | 432,136 | 327,607 | 77,464 | 27,065 |
| 25-29 years | 452,978 | 348,048 | 70,495 | 34,435 |
| 30-34 years | 433,611 | 330,616 | 68,451 | 34,544 |
| 35-39 years | 426,947 | 323,573 | 69,790 | 33,584 |
| 40-44 years | 437,396 | 340,778 | 68,269 | 28,349 |
| 45-49 years | 474,512 | 377,643 | 72,251 | 24,618 |
| 50-54 years | 475,520 | 380,261 | 72,743 | 22,516 |
| 55-59 years | 418,082 | 336,061 | 61,097 | 20,924 |
| 60-64 years | 350,466 | 284,677 | 48,298 | 17,491 |
| 65-69 years | 260,539 | 213,248 | 35,101 | 12,190 |
| 70-74 years | 201,868 | 165,877 | 27,735 | 8,256 |
| 75-79 years | 166,242 | 139,909 | 20,998 | 5,335 |
| 80-84 years | 143,514 | 124,874 | 15,037 | 3,603 |
| 85+ years | 163,352 | 145,927 | 14,486 | 2,939 |
| Total | 6,543,435 | 5,123,612 | 1,044,083 | 375,740 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2011 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 162,099 | 122,311 | 29,435 | 10,353 |
| 01-04 years | 663,317 | 499,924 | 120,185 | 43,208 |
| 05-09 years | 850,924 | 647,192 | 149,589 | 54,143 |
| 10-14 years | 872,280 | 661,201 | 161,972 | 49,107 |
| 15-19 years | 908,093 | 680,146 | 178,998 | 48,949 |
| 20-24 years | 887,529 | 670,736 | 159,130 | 57,663 |
| 25-29 years | 906,505 | 704,956 | 133,590 | 67,959 |
| 30-34 years | 881,534 | 683,265 | 129,268 | 69,001 |
| 35-39 years | 830,080 | 640,805 | 123,262 | 66,013 |
| 40-44 years | 873,337 | 687,019 | 127,588 | 58,730 |
| 45-49 years | 912,260 | 732,943 | 130,829 | 48,488 |
| 50-54 years | 938,800 | 761,566 | 133,964 | 43,270 |
| 55-59 years | 831,180 | 678,132 | 112,641 | 40,407 |
| 60-64 years | 707,983 | 583,370 | 90,023 | 34,590 |
| 65-69 years | 499,357 | 412,866 | 61,877 | 24,614 |
| 70-74 years | 374,548 | 310,478 | 47,314 | 16,756 |
| 75-79 years | 289,985 | 244,397 | 35,328 | 10,260 |
| 80-84 years | 235,358 | 205,468 | 23,575 | 6,315 |
| 85+ years | 242,614 | 216,535 | 21,067 | 5,012 |
| Total | 12,867,783 | 10,143,310 | 1,969,635 | 754,838 |
| 2011 Males | All Races | White | Black | Asian/Other |
| 00 years | 83,225 | 62,767 | 15,098 | 5,360 |
| 01-04 years | 337,674 | 255,013 | 60,832 | 21,829 |
| 05-09 years | 434,578 | 331,789 | 75,686 | 27,103 |
| 10-14 years | 444,773 | 338,250 | 82,001 | 24,522 |
| 15-19 years | 466,275 | 349,737 | 91,311 | 25,227 |
| 20-24 years | 451,597 | 343,584 | 78,383 | 29,630 |
| 25-29 years | 455,902 | 359,057 | 63,655 | 33,190 |
| 30-34 years | 441,170 | 347,804 | 59,983 | 33,383 |
| 35-39 years | 414,392 | 325,893 | 56,239 | 32,260 |
| 40-44 years | 433,982 | 347,036 | 58,603 | 28,343 |
| 45-49 years | 450,425 | 366,961 | 60,252 | 23,212 |
| 50-54 years | 460,397 | 378,785 | 61,194 | 20,418 |
| 55-59 years | 403,694 | 335,236 | 49,791 | 18,667 |
| 60-64 years | 338,975 | 284,232 | 38,734 | 16,009 |
| 65-69 years | 233,464 | 195,605 | 26,287 | 11,572 |
| 70-74 years | 168,299 | 141,331 | 19,120 | 7,848 |
| 75-79 years | 123,948 | 105,774 | 13,628 | 4,546 |
| 80-84 years | 92,570 | 81,727 | 8,378 | 2,465 |
| 85+ years | 76,580 | 68,752 | 6,060 | 1,768 |
| Total | 6,311,920 | 5,019,333 | 925,235 | 367,352 |
| 2011 Females | All Races | White | Black | Asian/Other |
| 00 years | 78,874 | 59,544 | 14,337 | 4,993 |
| 01-04 years | 325,643 | 244,911 | 59,353 | 21,379 |
| 05-09 years | 416,346 | 315,403 | 73,903 | 27,040 |
| 10-14 years | 427,507 | 322,951 | 79,971 | 24,585 |
| 15-19 years | 441,818 | 330,409 | 87,687 | 23,722 |
| 20-24 years | 435,932 | 327,152 | 80,747 | 28,033 |
| 25-29 years | 450,603 | 345,899 | 69,935 | 34,769 |
| 30-34 years | 440,364 | 335,461 | 69,285 | 35,618 |
| 35-39 years | 415,688 | 314,912 | 67,023 | 33,753 |
| 40-44 years | 439,355 | 339,983 | 68,985 | 30,387 |
| 45-49 years | 461,835 | 365,982 | 70,577 | 25,276 |
| 50-54 years | 478,403 | 382,781 | 72,770 | 22,852 |
| 55-59 years | 427,486 | 342,896 | 62,850 | 21,740 |
| 60-64 years | 369,008 | 299,138 | 51,289 | 18,581 |
| 65-69 years | 265,893 | 217,261 | 35,590 | 13,042 |
| 70-74 years | 206,249 | 169,147 | 28,194 | 8,908 |
| 75-79 years | 166,037 | 138,623 | 21,700 | 5,714 |
| 80-84 years | 142,788 | 123,741 | 15,197 | 3,850 |
| 85+ years | 166,034 | 147,783 | 15,007 | 3,244 |
| Total | 6,555,863 | 5,123,977 | 1,044,400 | 387,486 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2012 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 159,693 | 119,593 | 29,593 | 10,507 |
| 01-04 years | 654,227 | 492,608 | 118,032 | 43,587 |
| 05-09 years | 847,642 | 643,762 | 148,723 | 55,157 |
| 10-14 years | 864,883 | 656,027 | 158,391 | 50,465 |
| 15-19 years | 891,375 | 668,282 | 173,108 | 49,985 |
| 20-24 years | 898,540 | 672,794 | 165,991 | 59,755 |
| 25-29 years | 899,641 | 696,592 | 134,416 | 68,633 |
| 30-34 years | 889,829 | 688,579 | 130,108 | 71,142 |
| 35-39 years | 821,940 | 634,717 | 120,560 | 66,663 |
| 40-44 years | 869,650 | 679,213 | 128,031 | 62,406 |
| 45-49 years | 889,400 | 712,032 | 127,517 | 49,851 |
| 50-54 years | 933,919 | 756,674 | 133,177 | 44,068 |
| 55-59 years | 850,656 | 692,785 | 116,277 | 41,594 |
| 60-64 years | 709,461 | 582,182 | 91,524 | 35,755 |
| 65-69 years | 538,183 | 446,254 | 65,185 | 26,744 |
| 70-74 years | 389,415 | 322,559 | 48,675 | 18,181 |
| 75-79 years | 293,369 | 245,888 | 36,264 | 11,217 |
| 80-84 years | 232,487 | 201,932 | 23,838 | 6,717 |
| 85+ years | 248,719 | 221,206 | 21,980 | 5,533 |
| Total | 12,883,029 | 10,133,679 | 1,971,390 | 777,960 |
| 2012 Males | All Races | White | Black | Asian/Other |
| 00 years | 81,325 | 60,846 | 15,062 | 5,417 |
| 01-04 years | 334,046 | 251,992 | 59,954 | 22,100 |
| 05-09 years | 432,154 | 329,316 | 75,192 | 27,646 |
| 10-14 years | 441,278 | 335,695 | 80,219 | 25,364 |
| 15-19 years | 457,071 | 343,099 | 88,340 | 25,632 |
| 20-24 years | 457,452 | 344,738 | 82,144 | 30,570 |
| 25-29 years | 452,843 | 354,505 | 64,615 | 33,723 |
| 30-34 years | 445,263 | 350,299 | 60,530 | 34,434 |
| 35-39 years | 410,639 | 322,872 | 55,247 | 32,520 |
| 40-44 years | 432,224 | 343,428 | 58,744 | 30,052 |
| 45-49 years | 439,557 | 357,062 | 58,611 | 23,884 |
| 50-54 years | 457,987 | 376,258 | 60,959 | 20,770 |
| 55-59 years | 413,240 | 342,394 | 51,610 | 19,236 |
| 60-64 years | 340,193 | 284,464 | 39,291 | 16,438 |
| 65-69 years | 252,414 | 212,135 | 27,710 | 12,569 |
| 70-74 years | 175,143 | 147,042 | 19,612 | 8,489 |
| 75-79 years | 126,157 | 107,084 | 13,970 | 5,103 |
| 80-84 years | 91,841 | 80,697 | 8,470 | 2,674 |
| 85+ years | 79,384 | 71,037 | 6,410 | 1,937 |
| Total | 6,320,211 | 5,014,963 | 926,690 | 378,558 |
| 2012 Females | All Races | White | Black | Asian/Other |
| 00 years | 78,368 | 58,747 | 14,531 | 5,090 |
| 01-04 years | 320,181 | 240,616 | 58,078 | 21,487 |
| 05-09 years | 415,488 | 314,446 | 73,531 | 27,511 |
| 10-14 years | 423,605 | 320,332 | 78,172 | 25,101 |
| 15-19 years | 434,304 | 325,183 | 84,768 | 24,353 |
| 20-24 years | 441,088 | 328,056 | 83,847 | 29,185 |
| 25-29 years | 446,798 | 342,087 | 69,801 | 34,910 |
| 30-34 years | 444,566 | 338,280 | 69,578 | 36,708 |
| 35-39 years | 411,301 | 311,845 | 65,313 | 34,143 |
| 40-44 years | 437,426 | 335,785 | 69,287 | 32,354 |
| 45-49 years | 449,843 | 354,970 | 68,906 | 25,967 |
| 50-54 years | 475,932 | 380,416 | 72,218 | 23,298 |
| 55-59 years | 437,416 | 350,391 | 64,667 | 22,358 |
| 60-64 years | 369,268 | 297,718 | 52,233 | 19,317 |
| 65-69 years | 285,769 | 234,119 | 37,475 | 14,175 |
| 70-74 years | 214,272 | 175,517 | 29,063 | 9,692 |
| 75-79 years | 167,212 | 138,804 | 22,294 | 6,114 |
| 80-84 years | 140,646 | 121,235 | 15,368 | 4,043 |
| 85+ years | 169,335 | 150,169 | 15,570 | 3,596 |
| Total | 6,562,818 | 5,118,716 | 1,044,700 | 399,402 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2013 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 157,125 | 116,921 | 29,424 | 10,780 |
| 01-04 years | 644,142 | 483,961 | 116,242 | 43,939 |
| 05-09 years | 842,371 | 638,150 | 148,274 | 55,947 |
| 10-14 years | 858,290 | 652,026 | 154,261 | 52,003 |
| 15-19 years | 875,843 | 658,571 | 166,402 | 50,870 |
| 20-24 years | 906,356 | 672,529 | 172,086 | 61,741 |
| 25-29 years | 897,893 | 690,672 | 136,888 | 70,333 |
| 30-34 years | 897,268 | 692,324 | 131,193 | 73,751 |
| 35-39 years | 824,147 | 637,238 | 119,233 | 67,676 |
| 40-44 years | 858,428 | 666,298 | 127,358 | 64,772 |
| 45-49 years | 867,256 | 691,582 | 124,405 | 51,269 |
| 50-54 years | 926,328 | 748,986 | 131,959 | 45,383 |
| 55-59 years | 866,870 | 704,914 | 119,351 | 42,605 |
| 60-64 years | 722,184 | 591,369 | 93,710 | 37,105 |
| 65-69 years | 558,512 | 461,906 | 67,969 | 28,637 |
| 70-74 years | 409,870 | 339,962 | 50,360 | 19,548 |
| 75-79 years | 299,827 | 250,680 | 36,958 | 12,189 |
| 80-84 years | 229,946 | 198,192 | 24,517 | 7,237 |
| 85+ years | 253,122 | 224,281 | 22,747 | 6,094 |
| Total | 12,895,778 | 10,120,562 | 1,973,337 | 801,879 |
| 2013 Males | All Races | White | Black | Asian/Other |
| 00 years | 80,309 | 59,953 | 14,872 | 5,484 |
| 01-04 years | 329,071 | 247,484 | 59,227 | 22,360 |
| 05-09 years | 429,139 | 326,054 | 74,931 | 28,154 |
| 10-14 years | 437,720 | 333,658 | 77,950 | 26,112 |
| 15-19 years | 448,812 | 337,839 | 84,929 | 26,044 |
| 20-24 years | 461,959 | 344,714 | 85,726 | 31,519 |
| 25-29 years | 453,629 | 352,488 | 66,304 | 34,837 |
| 30-34 years | 448,702 | 351,602 | 61,145 | 35,955 |
| 35-39 years | 412,430 | 324,484 | 55,003 | 32,943 |
| 40-44 years | 426,318 | 336,987 | 58,143 | 31,188 |
| 45-49 years | 429,047 | 347,194 | 57,179 | 24,674 |
| 50-54 years | 454,418 | 372,692 | 60,396 | 21,330 |
| 55-59 years | 421,667 | 348,580 | 53,309 | 19,778 |
| 60-64 years | 346,078 | 288,938 | 40,201 | 16,939 |
| 65-69 years | 262,576 | 220,360 | 28,823 | 13,393 |
| 70-74 years | 184,835 | 155,319 | 20,349 | 9,167 |
| 75-79 years | 129,456 | 109,649 | 14,234 | 5,573 |
| 80-84 years | 91,417 | 79,762 | 8,735 | 2,920 |
| 85+ years | 81,683 | 72,864 | 6,659 | 2,160 |
| Total | 6,329,266 | 5,010,621 | 928,115 | 390,530 |
| 2013 Females | All Races | White | Black | Asian/Other |
| 00 years | 76,816 | 56,968 | 14,552 | 5,296 |
| 01-04 years | 315,071 | 236,477 | 57,015 | 21,579 |
| 05-09 years | 413,232 | 312,096 | 73,343 | 27,793 |
| 10-14 years | 420,570 | 318,368 | 76,311 | 25,891 |
| 15-19 years | 427,031 | 320,732 | 81,473 | 24,826 |
| 20-24 years | 444,397 | 327,815 | 86,360 | 30,222 |
| 25-29 years | 444,264 | 338,184 | 70,584 | 35,496 |
| 30-34 years | 448,566 | 340,722 | 70,048 | 37,796 |
| 35-39 years | 411,717 | 312,754 | 64,230 | 34,733 |
| 40-44 years | 432,110 | 329,311 | 69,215 | 33,584 |
| 45-49 years | 438,209 | 344,388 | 67,226 | 26,595 |
| 50-54 years | 471,910 | 376,294 | 71,563 | 24,053 |
| 55-59 years | 445,203 | 356,334 | 66,042 | 22,827 |
| 60-64 years | 376,106 | 302,431 | 53,509 | 20,166 |
| 65-69 years | 295,936 | 241,546 | 39,146 | 15,244 |
| 70-74 years | 225,035 | 184,643 | 30,011 | 10,381 |
| 75-79 years | 170,371 | 141,031 | 22,724 | 6,616 |
| 80-84 years | 138,529 | 118,430 | 15,782 | 4,317 |
| 85+ years | 171,439 | 151,417 | 16,088 | 3,934 |
| Total | 6,566,512 | 5,109,941 | 1,045,222 | 411,349 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2014 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 156,919 | 116,980 | 29,457 | 10,482 |
| 01-04 years | 636,750 | 476,546 | 115,784 | 44,420 |
| 05-09 years | 829,417 | 626,530 | 146,841 | 56,046 |
| 10-14 years | 852,397 | 648,448 | 150,320 | 53,629 |
| 15-19 years | 860,874 | 649,387 | 159,922 | 51,565 |
| 20-24 years | 907,384 | 670,125 | 174,215 | 63,044 |
| 25-29 years | 896,731 | 683,809 | 141,634 | 71,288 |
| 30-34 years | 896,546 | 690,830 | 130,466 | 75,250 |
| 35-39 years | 829,090 | 640,250 | 119,810 | 69,030 |
| 40-44 years | 841,724 | 650,257 | 125,766 | 65,701 |
| 45-49 years | 846,914 | 672,860 | 121,084 | 52,970 |
| 50-54 years | 916,299 | 739,518 | 129,751 | 47,030 |
| 55-59 years | 876,716 | 712,333 | 121,403 | 42,980 |
| 60-64 years | 738,251 | 603,465 | 96,488 | 38,298 |
| 65-69 years | 583,353 | 481,556 | 71,312 | 30,485 |
| 70-74 years | 423,071 | 350,348 | 51,637 | 21,086 |
| 75-79 years | 307,561 | 256,656 | 37,611 | 13,294 |
| 80-84 years | 227,452 | 194,680 | 25,041 | 7,731 |
| 85+ years | 257,643 | 227,361 | 23,586 | 6,696 |
| Total | 12,885,092 | 10,091,939 | 1,972,128 | 821,025 |
| 2014 Males | All Races | White | Black | Asian/Other |
| 00 years | 80,234 | 59,937 | 14,949 | 5,348 |
| 01-04 years | 325,620 | 243,865 | 59,016 | 22,739 |
| 05-09 years | 422,193 | 319,691 | 74,253 | 28,249 |
| 10-14 years | 434,741 | 331,925 | 75,944 | 26,872 |
| 15-19 years | 440,984 | 333,159 | 81,490 | 26,335 |
| 20-24 years | 461,835 | 342,654 | 87,191 | 31,990 |
| 25-29 years | 453,711 | 349,455 | 69,030 | 35,226 |
| 30-34 years | 448,802 | 350,899 | 61,004 | 36,899 |
| 35-39 years | 414,915 | 326,004 | 55,553 | 33,358 |
| 40-44 years | 417,795 | 328,830 | 57,210 | 31,755 |
| 45-49 years | 419,352 | 338,088 | 55,650 | 25,614 |
| 50-54 years | 449,768 | 368,124 | 59,588 | 22,056 |
| 55-59 years | 426,650 | 352,339 | 54,301 | 20,010 |
| 60-64 years | 354,037 | 295,168 | 41,476 | 17,393 |
| 65-69 years | 274,403 | 230,267 | 29,960 | 14,176 |
| 70-74 years | 191,423 | 160,544 | 21,005 | 9,874 |
| 75-79 years | 133,002 | 112,377 | 14,555 | 6,070 |
| 80-84 years | 90,884 | 78,754 | 8,920 | 3,210 |
| 85+ years | 84,234 | 74,883 | 6,987 | 2,364 |
| Total | 6,324,583 | 4,996,963 | 928,082 | 399,538 |
| 2014 Females | All Races | White | Black | Asian/Other |
| 00 years | 76,685 | 57,043 | 14,508 | 5,134 |
| 01-04 years | 311,130 | 232,681 | 56,768 | 21,681 |
| 05-09 years | 407,224 | 306,839 | 72,588 | 27,797 |
| 10-14 years | 417,656 | 316,523 | 74,376 | 26,757 |
| 15-19 years | 419,890 | 316,228 | 78,432 | 25,230 |
| 20-24 years | 445,549 | 327,471 | 87,024 | 31,054 |
| 25-29 years | 443,020 | 334,354 | 72,604 | 36,062 |
| 30-34 years | 447,744 | 339,931 | 69,462 | 38,351 |
| 35-39 years | 414,175 | 314,246 | 64,257 | 35,672 |
| 40-44 years | 423,929 | 321,427 | 68,556 | 33,946 |
| 45-49 years | 427,562 | 334,772 | 65,434 | 27,356 |
| 50-54 years | 466,531 | 371,394 | 70,163 | 24,974 |
| 55-59 years | 450,066 | 359,994 | 67,102 | 22,970 |
| 60-64 years | 384,214 | 308,297 | 55,012 | 20,905 |
| 65-69 years | 308,950 | 251,289 | 41,352 | 16,309 |
| 70-74 years | 231,648 | 189,804 | 30,632 | 11,212 |
| 75-79 years | 174,559 | 144,279 | 23,056 | 7,224 |
| 80-84 years | 136,568 | 115,926 | 16,121 | 4,521 |
| 85+ years | 173,409 | 152,478 | 16,599 | 4,332 |
| Total | 6,560,509 | 5,094,976 | 1,044,046 | 421,487 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2015 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 158,613 | 117,777 | 29,951 | 10,885 |
| 01-04 years | 628,043 | 468,945 | 114,916 | 44,182 |
| 05-09 years | 818,372 | 616,798 | 145,544 | 56,030 |
| 10-14 years | 841,646 | 640,889 | 146,273 | 54,484 |
| 15-19 years | 851,824 | 643,509 | 155,699 | 52,616 |
| 20-24 years | 898,480 | 662,877 | 171,604 | 63,999 |
| 25-29 years | 895,990 | 676,719 | 146,952 | 72,319 |
| 30-34 years | 888,637 | 683,627 | 128,628 | 76,382 |
| 35-39 years | 839,098 | 646,425 | 122,135 | 70,538 |
| 40-44 years | 820,104 | 632,140 | 122,066 | 65,898 |
| 45-49 years | 837,933 | 662,210 | 120,189 | 55,534 |
| 50-54 years | 897,847 | 723,518 | 126,405 | 47,924 |
| 55-59 years | 883,079 | 716,314 | 123,173 | 43,592 |
| 60-64 years | 755,998 | 617,486 | 99,012 | 39,500 |
| 65-69 years | 611,176 | 503,443 | 75,163 | 32,570 |
| 70-74 years | 433,342 | 358,354 | 52,666 | 22,322 |
| 75-79 years | 312,151 | 259,207 | 38,364 | 14,580 |
| 80-84 years | 226,282 | 192,174 | 25,726 | 8,382 |
| 85+ years | 260,970 | 229,189 | 24,388 | 7,393 |
| Total | 12,859,585 | 10,051,601 | 1,968,854 | 839,130 |
| 2015 Males | All Races | White | Black | Asian/Other |
| 00 years | 81,038 | 60,331 | 15,195 | 5,512 |
| 01-04 years | 321,181 | 240,055 | 58,454 | 22,672 |
| 05-09 years | 416,749 | 314,774 | 73,661 | 28,314 |
| 10-14 years | 429,845 | 328,434 | 74,030 | 27,381 |
| 15-19 years | 435,953 | 330,002 | 79,259 | 26,692 |
| 20-24 years | 456,972 | 338,516 | 86,078 | 32,378 |
| 25-29 years | 453,693 | 346,073 | 71,843 | 35,777 |
| 30-34 years | 445,615 | 347,441 | 60,379 | 37,795 |
| 35-39 years | 419,914 | 328,986 | 56,927 | 34,001 |
| 40-44 years | 407,462 | 319,929 | 55,454 | 32,079 |
| 45-49 years | 415,102 | 333,220 | 55,192 | 26,690 |
| 50-54 years | 441,307 | 360,605 | 58,123 | 22,579 |
| 55-59 years | 429,883 | 354,225 | 55,335 | 20,323 |
| 60-64 years | 362,673 | 302,170 | 42,647 | 17,856 |
| 65-69 years | 287,695 | 241,185 | 31,425 | 15,085 |
| 70-74 years | 196,732 | 164,919 | 21,482 | 10,331 |
| 75-79 years | 135,117 | 113,608 | 14,799 | 6,710 |
| 80-84 years | 91,158 | 78,399 | 9,215 | 3,544 |
| 85+ years | 86,000 | 76,067 | 7,328 | 2,605 |
| Total | 6,314,089 | 4,978,939 | 926,826 | 408,324 |
| 2015 Females | All Races | White | Black | Asian/Other |
| 00 years | 77,575 | 57,446 | 14,756 | 5,373 |
| 01-04 years | 306,862 | 228,890 | 56,462 | 21,510 |
| 05-09 years | 401,623 | 302,024 | 71,883 | 27,716 |
| 10-14 years | 411,801 | 312,455 | 72,243 | 27,103 |
| 15-19 years | 415,871 | 313,507 | 76,440 | 25,924 |
| 20-24 years | 441,508 | 324,361 | 85,526 | 31,621 |
| 25-29 years | 442,297 | 330,646 | 75,109 | 36,542 |
| 30-34 years | 443,022 | 336,186 | 68,249 | 38,587 |
| 35-39 years | 419,184 | 317,439 | 65,208 | 36,537 |
| 40-44 years | 412,642 | 312,211 | 66,612 | 33,819 |
| 45-49 years | 422,831 | 328,990 | 64,997 | 28,844 |
| 50-54 years | 456,540 | 362,913 | 68,282 | 25,345 |
| 55-59 years | 453,196 | 362,089 | 67,838 | 23,269 |
| 60-64 years | 393,325 | 315,316 | 56,365 | 21,644 |
| 65-69 years | 323,481 | 262,258 | 43,738 | 17,485 |
| 70-74 years | 236,610 | 193,435 | 31,184 | 11,991 |
| 75-79 years | 177,034 | 145,599 | 23,565 | 7,870 |
| 80-84 years | 135,124 | 113,775 | 16,511 | 4,838 |
| 85+ years | 174,970 | 153,122 | 17,060 | 4,788 |
| Total | 6,545,496 | 5,072,662 | 1,042,028 | 430,806 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2016 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 156,029 | 115,995 | 29,237 | 10,797 |
| 01-04 years | 623,126 | 463,879 | 115,047 | 44,200 |
| 05-09 years | 805,831 | 606,965 | 142,970 | 55,896 |
| 10-14 years | 833,008 | 634,406 | 143,469 | 55,133 |
| 15-19 years | 843,854 | 638,306 | 152,218 | 53,330 |
| 20-24 years | 880,389 | 651,016 | 165,462 | 63,911 |
| 25-29 years | 898,874 | 672,093 | 153,675 | 73,106 |
| 30-34 years | 882,724 | 677,671 | 127,972 | 77,081 |
| 35-39 years | 846,578 | 652,008 | 123,207 | 71,363 |
| 40-44 years | 795,493 | 612,753 | 116,892 | 65,848 |
| 45-49 years | 837,296 | 658,221 | 120,734 | 58,341 |
| 50-54 years | 871,361 | 699,491 | 122,842 | 49,028 |
| 55-59 years | 884,995 | 717,825 | 123,414 | 43,756 |
| 60-64 years | 769,627 | 627,690 | 101,160 | 40,777 |
| 65-69 years | 640,068 | 526,673 | 79,235 | 34,160 |
| 70-74 years | 442,033 | 364,956 | 53,452 | 23,625 |
| 75-79 years | 318,548 | 264,129 | 38,786 | 15,633 |
| 80-84 years | 227,798 | 191,798 | 26,777 | 9,223 |
| 85+ years | 264,077 | 231,054 | 24,971 | 8,052 |
| Total | 12,821,709 | 10,006,929 | 1,961,520 | 853,260 |
| 2016 Males | All Races | White | Black | Asian/Other |
| 00 years | 79,904 | 59,503 | 14,931 | 5,470 |
| 01-04 years | 318,231 | 237,390 | 58,249 | 22,592 |
| 05-09 years | 411,047 | 309,885 | 72,726 | 28,436 |
| 10-14 years | 425,557 | 325,191 | 72,647 | 27,719 |
| 15-19 years | 431,424 | 327,052 | 77,380 | 26,992 |
| 20-24 years | 447,525 | 331,947 | 83,241 | 32,337 |
| 25-29 years | 455,337 | 343,867 | 75,512 | 35,958 |
| 30-34 years | 444,182 | 345,227 | 60,698 | 38,257 |
| 35-39 years | 423,527 | 331,614 | 57,363 | 34,550 |
| 40-44 years | 395,747 | 310,365 | 53,216 | 32,166 |
| 45-49 years | 414,707 | 331,525 | 55,220 | 27,962 |
| 50-54 years | 428,956 | 349,329 | 56,433 | 23,194 |
| 55-59 years | 431,433 | 355,191 | 55,822 | 20,420 |
| 60-64 years | 369,444 | 307,267 | 43,689 | 18,488 |
| 65-69 years | 301,072 | 252,528 | 32,891 | 15,653 |
| 70-74 years | 201,251 | 168,415 | 21,923 | 10,913 |
| 75-79 years | 138,251 | 116,143 | 14,924 | 7,184 |
| 80-84 years | 92,441 | 78,795 | 9,650 | 3,996 |
| 85+ years | 87,800 | 77,383 | 7,581 | 2,836 |
| Total | 6,297,836 | 4,958,617 | 924,096 | 415,123 |
| 2016 Females | All Races | White | Black | Asian/Other |
| 00 years | 76,125 | 56,492 | 14,306 | 5,327 |
| 01-04 years | 304,895 | 226,489 | 56,798 | 21,608 |
| 05-09 years | 394,784 | 297,080 | 70,244 | 27,460 |
| 10-14 years | 407,451 | 309,215 | 70,822 | 27,414 |
| 15-19 years | 412,430 | 311,254 | 74,838 | 26,338 |
| 20-24 years | 432,864 | 319,069 | 82,221 | 31,574 |
| 25-29 years | 443,537 | 328,226 | 78,163 | 37,148 |
| 30-34 years | 438,542 | 332,444 | 67,274 | 38,824 |
| 35-39 years | 423,051 | 320,394 | 65,844 | 36,813 |
| 40-44 years | 399,746 | 302,388 | 63,676 | 33,682 |
| 45-49 years | 422,589 | 326,696 | 65,514 | 30,379 |
| 50-54 years | 442,405 | 350,162 | 66,409 | 25,834 |
| 55-59 years | 453,562 | 362,634 | 67,592 | 23,336 |
| 60-64 years | 400,183 | 320,423 | 57,471 | 22,289 |
| 65-69 years | 338,996 | 274,145 | 46,344 | 18,507 |
| 70-74 years | 240,782 | 196,541 | 31,529 | 12,712 |
| 75-79 years | 180,297 | 147,986 | 23,862 | 8,449 |
| 80-84 years | 135,357 | 113,003 | 17,127 | 5,227 |
| 85+ years | 176,277 | 153,671 | 17,390 | 5,216 |
| Total | 6,523,873 | 5,048,312 | 1,037,424 | 438,137 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2017 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 150,693 | 110,831 | 28,751 | 11,111 |
| 01-04 years | 619,132 | 460,443 | 114,280 | 44,409 |
| 05-09 years | 792,221 | 595,794 | 140,368 | 56,059 |
| 10-14 years | 827,272 | 629,323 | 142,150 | 55,799 |
| 15-19 years | 835,421 | 632,719 | 148,303 | 54,399 |
| 20-24 years | 862,251 | 638,570 | 159,458 | 64,223 |
| 25-29 years | 904,088 | 670,622 | 158,915 | 74,551 |
| 30-34 years | 873,238 | 668,160 | 127,940 | 77,138 |
| 35-39 years | 850,827 | 654,758 | 123,154 | 72,915 |
| 40-44 years | 785,050 | 604,972 | 113,837 | 66,241 |
| 45-49 years | 830,620 | 648,500 | 120,769 | 61,351 |
| 50-54 years | 846,101 | 676,903 | 119,304 | 49,894 |
| 55-59 years | 877,649 | 710,963 | 122,360 | 44,326 |
| 60-64 years | 785,249 | 639,360 | 104,233 | 41,656 |
| 65-69 years | 639,538 | 524,042 | 80,456 | 35,040 |
| 70-74 years | 474,654 | 393,035 | 56,083 | 25,536 |
| 75-79 years | 330,471 | 273,782 | 39,884 | 16,805 |
| 80-84 years | 230,200 | 192,878 | 27,293 | 10,029 |
| 85+ years | 265,218 | 230,863 | 25,621 | 8,734 |
| Total | 12,779,893 | 9,956,518 | 1,953,159 | 870,216 |
| 2017 Males | All Races | White | Black | Asian/Other |
| 00 years | 76,830 | 56,577 | 14,671 | 5,582 |
| 01-04 years | 316,711 | 236,139 | 57,957 | 22,615 |
| 05-09 years | 404,310 | 304,175 | 71,562 | 28,573 |
| 10-14 years | 421,979 | 322,139 | 71,792 | 28,048 |
| 15-19 years | 427,066 | 324,085 | 75,323 | 27,658 |
| 20-24 years | 438,385 | 325,457 | 80,271 | 32,657 |
| 25-29 years | 457,902 | 343,043 | 78,477 | 36,382 |
| 30-34 years | 440,182 | 340,584 | 61,226 | 38,372 |
| 35-39 years | 425,792 | 332,959 | 57,291 | 35,542 |
| 40-44 years | 391,128 | 306,884 | 52,039 | 32,205 |
| 45-49 years | 411,566 | 326,977 | 55,188 | 29,401 |
| 50-54 years | 416,932 | 338,656 | 54,643 | 23,633 |
| 55-59 years | 427,915 | 351,747 | 55,499 | 20,669 |
| 60-64 years | 377,238 | 313,061 | 45,205 | 18,972 |
| 65-69 years | 301,177 | 251,929 | 33,361 | 15,887 |
| 70-74 years | 216,799 | 182,030 | 22,987 | 11,782 |
| 75-79 years | 143,642 | 120,680 | 15,286 | 7,676 |
| 80-84 years | 94,047 | 79,710 | 9,872 | 4,465 |
| 85+ years | 88,953 | 78,020 | 7,834 | 3,099 |
| Total | 6,278,554 | 4,934,852 | 920,484 | 423,218 |
| 2017 Females | All Races | White | Black | Asian/Other |
| 00 years | 73,863 | 54,254 | 14,080 | 5,529 |
| 01-04 years | 302,421 | 224,304 | 56,323 | 21,794 |
| 05-09 years | 387,911 | 291,619 | 68,806 | 27,486 |
| 10-14 years | 405,293 | 307,184 | 70,358 | 27,751 |
| 15-19 years | 408,355 | 308,634 | 72,980 | 26,741 |
| 20-24 years | 423,866 | 313,113 | 79,187 | 31,566 |
| 25-29 years | 446,186 | 327,579 | 80,438 | 38,169 |
| 30-34 years | 433,056 | 327,576 | 66,714 | 38,766 |
| 35-39 years | 425,035 | 321,799 | 65,863 | 37,373 |
| 40-44 years | 393,922 | 298,088 | 61,798 | 34,036 |
| 45-49 years | 419,054 | 321,523 | 65,581 | 31,950 |
| 50-54 years | 429,169 | 338,247 | 64,661 | 26,261 |
| 55-59 years | 449,734 | 359,216 | 66,861 | 23,657 |
| 60-64 years | 408,011 | 326,299 | 59,028 | 22,684 |
| 65-69 years | 338,361 | 272,113 | 47,095 | 19,153 |
| 70-74 years | 257,855 | 211,005 | 33,096 | 13,754 |
| 75-79 years | 186,829 | 153,102 | 24,598 | 9,129 |
| 80-84 years | 136,153 | 113,168 | 17,421 | 5,564 |
| 85+ years | 176,265 | 152,843 | 17,787 | 5,635 |
| Total | 6,501,339 | 5,021,666 | 1,032,675 | 446,998 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2018 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 147,406 | 107,992 | 28,738 | 10,676 |
| 01-04 years | 612,342 | 454,200 | 113,490 | 44,652 |
| 05-09 years | 777,957 | 583,558 | 138,301 | 56,098 |
| 10-14 years | 820,048 | 622,291 | 141,559 | 56,198 |
| 15-19 years | 828,384 | 628,250 | 144,760 | 55,374 |
| 20-24 years | 844,896 | 627,868 | 153,364 | 63,664 |
| 25-29 years | 902,447 | 664,341 | 163,452 | 74,654 |
| 30-34 years | 865,311 | 658,640 | 129,443 | 77,228 |
| 35-39 years | 853,575 | 655,179 | 123,647 | 74,749 |
| 40-44 years | 783,210 | 604,510 | 112,140 | 66,560 |
| 45-49 years | 816,189 | 633,697 | 119,401 | 63,091 |
| 50-54 years | 820,358 | 653,763 | 115,917 | 50,678 |
| 55-59 years | 866,579 | 700,548 | 120,753 | 45,278 |
| 60-64 years | 796,674 | 647,804 | 106,525 | 42,345 |
| 65-69 years | 648,701 | 530,698 | 81,905 | 36,098 |
| 70-74 years | 491,917 | 406,321 | 58,344 | 27,252 |
| 75-79 years | 347,640 | 288,372 | 41,301 | 17,967 |
| 80-84 years | 235,326 | 196,549 | 27,914 | 10,863 |
| 85+ years | 265,725 | 229,782 | 26,389 | 9,554 |
| Total | 12,724,685 | 9,894,363 | 1,947,343 | 882,979 |
| 2018 Males | All Races | White | Black | Asian/Other |
| 00 years | 75,141 | 55,035 | 14,688 | 5,418 |
| 01-04 years | 313,217 | 232,765 | 57,732 | 22,720 |
| 05-09 years | 397,492 | 298,340 | 70,553 | 28,599 |
| 10-14 years | 417,995 | 318,040 | 71,632 | 28,323 |
| 15-19 years | 423,226 | 321,841 | 73,269 | 28,116 |
| 20-24 years | 429,402 | 319,775 | 77,225 | 32,402 |
| 25-29 years | 457,016 | 339,448 | 81,077 | 36,491 |
| 30-34 years | 437,145 | 336,411 | 62,367 | 38,367 |
| 35-39 years | 426,986 | 332,589 | 57,624 | 36,773 |
| 40-44 years | 391,068 | 307,211 | 51,650 | 32,207 |
| 45-49 years | 404,088 | 319,550 | 54,249 | 30,289 |
| 50-54 years | 404,489 | 327,381 | 52,978 | 24,130 |
| 55-59 years | 422,790 | 347,028 | 54,718 | 21,044 |
| 60-64 years | 383,026 | 317,284 | 46,388 | 19,354 |
| 65-69 years | 305,328 | 255,072 | 33,980 | 16,276 |
| 70-74 years | 225,684 | 189,293 | 23,856 | 12,535 |
| 75-79 years | 151,477 | 127,343 | 15,875 | 8,259 |
| 80-84 years | 96,770 | 81,824 | 10,087 | 4,859 |
| 85+ years | 89,755 | 78,188 | 8,113 | 3,454 |
| Total | 6,252,095 | 4,904,418 | 918,061 | 429,616 |
| 2018 Females | All Races | White | Black | Asian/Other |
| 00 years | 72,265 | 52,957 | 14,050 | 5,258 |
| 01-04 years | 299,125 | 221,435 | 55,758 | 21,932 |
| 05-09 years | 380,465 | 285,218 | 67,748 | 27,499 |
| 10-14 years | 402,053 | 304,251 | 69,927 | 27,875 |
| 15-19 years | 405,158 | 306,409 | 71,491 | 27,258 |
| 20-24 years | 415,494 | 308,093 | 76,139 | 31,262 |
| 25-29 years | 445,431 | 324,893 | 82,375 | 38,163 |
| 30-34 years | 428,166 | 322,229 | 67,076 | 38,861 |
| 35-39 years | 426,589 | 322,590 | 66,023 | 37,976 |
| 40-44 years | 392,142 | 297,299 | 60,490 | 34,353 |
| 45-49 years | 412,101 | 314,147 | 65,152 | 32,802 |
| 50-54 years | 415,869 | 326,382 | 62,939 | 26,548 |
| 55-59 years | 443,789 | 353,520 | 66,035 | 24,234 |
| 60-64 years | 413,648 | 330,520 | 60,137 | 22,991 |
| 65-69 years | 343,373 | 275,626 | 47,925 | 19,822 |
| 70-74 years | 266,233 | 217,028 | 34,488 | 14,717 |
| 75-79 years | 196,163 | 161,029 | 25,426 | 9,708 |
| 80-84 years | 138,556 | 114,725 | 17,827 | 6,004 |
| 85+ years | 175,970 | 151,594 | 18,276 | 6,100 |
| Total | 6,472,590 | 4,989,945 | 1,029,282 | 453,363 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2019 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 141,867 | 104,397 | 26,385 | 11,085 |
| 01-04 years | 603,788 | 445,901 | 113,247 | 44,640 |
| 05-09 years | 769,274 | 575,537 | 137,913 | 55,824 |
| 10-14 years | 806,797 | 610,632 | 139,973 | 56,192 |
| 15-19 years | 823,417 | 625,110 | 141,873 | 56,434 |
| 20-24 years | 829,516 | 618,609 | 147,971 | 62,936 |
| 25-29 years | 897,868 | 659,026 | 165,142 | 73,700 |
| 30-34 years | 861,264 | 650,623 | 133,867 | 76,774 |
| 35-39 years | 850,411 | 651,858 | 122,950 | 75,603 |
| 40-44 years | 786,072 | 606,328 | 112,432 | 67,312 |
| 45-49 years | 798,602 | 617,024 | 117,850 | 63,728 |
| 50-54 years | 799,055 | 634,633 | 112,507 | 51,915 |
| 55-59 years | 854,020 | 688,988 | 118,624 | 46,408 |
| 60-64 years | 802,804 | 652,069 | 108,192 | 42,543 |
| 65-69 years | 661,539 | 540,370 | 84,208 | 36,961 |
| 70-74 years | 513,990 | 423,766 | 61,295 | 28,929 |
| 75-79 years | 358,855 | 297,126 | 42,446 | 19,283 |
| 80-84 years | 241,394 | 201,176 | 28,469 | 11,749 |
| 85+ years | 266,484 | 228,995 | 27,204 | 10,285 |
| Total | 12,667,017 | 9,832,168 | 1,942,548 | 892,301 |
| 2019 Males | All Races | White | Black | Asian/Other |
| 00 years | 72,432 | 53,336 | 13,448 | 5,648 |
| 01-04 years | 308,425 | 228,137 | 57,628 | 22,660 |
| 05-09 years | 393,605 | 294,615 | 70,444 | 28,546 |
| 10-14 years | 410,815 | 311,604 | 70,830 | 28,381 |
| 15-19 years | 420,735 | 320,281 | 71,878 | 28,576 |
| 20-24 years | 420,993 | 314,657 | 74,382 | 31,954 |
| 25-29 years | 455,137 | 336,731 | 82,288 | 36,118 |
| 30-34 years | 435,793 | 332,651 | 64,955 | 38,187 |
| 35-39 years | 425,776 | 331,024 | 57,457 | 37,295 |
| 40-44 years | 392,531 | 308,080 | 52,075 | 32,376 |
| 45-49 years | 395,188 | 311,242 | 53,266 | 30,680 |
| 50-54 years | 394,391 | 318,166 | 51,332 | 24,893 |
| 55-59 years | 417,135 | 341,563 | 53,948 | 21,624 |
| 60-64 years | 386,164 | 319,365 | 47,253 | 19,546 |
| 65-69 years | 311,681 | 260,136 | 34,985 | 16,560 |
| 70-74 years | 235,792 | 197,779 | 24,797 | 13,216 |
| 75-79 years | 157,009 | 131,687 | 16,475 | 8,847 |
| 80-84 years | 99,464 | 83,884 | 10,352 | 5,228 |
| 85+ years | 90,831 | 78,626 | 8,397 | 3,808 |
| Total | 6,223,897 | 4,873,564 | 916,190 | 434,143 |
| 2019 Females | All Races | White | Black | Asian/Other |
| 00 years | 69,435 | 51,061 | 12,937 | 5,437 |
| 01-04 years | 295,363 | 217,764 | 55,619 | 21,980 |
| 05-09 years | 375,669 | 280,922 | 67,469 | 27,278 |
| 10-14 years | 395,982 | 299,028 | 69,143 | 27,811 |
| 15-19 years | 402,682 | 304,829 | 69,995 | 27,858 |
| 20-24 years | 408,523 | 303,952 | 73,589 | 30,982 |
| 25-29 years | 442,731 | 322,295 | 82,854 | 37,582 |
| 30-34 years | 425,471 | 317,972 | 68,912 | 38,587 |
| 35-39 years | 424,635 | 320,834 | 65,493 | 38,308 |
| 40-44 years | 393,541 | 298,248 | 60,357 | 34,936 |
| 45-49 years | 403,414 | 305,782 | 64,584 | 33,048 |
| 50-54 years | 404,664 | 316,467 | 61,175 | 27,022 |
| 55-59 years | 436,885 | 347,425 | 64,676 | 24,784 |
| 60-64 years | 416,640 | 332,704 | 60,939 | 22,997 |
| 65-69 years | 349,858 | 280,234 | 49,223 | 20,401 |
| 70-74 years | 278,198 | 225,987 | 36,498 | 15,713 |
| 75-79 years | 201,846 | 165,439 | 25,971 | 10,436 |
| 80-84 years | 141,930 | 117,292 | 18,117 | 6,521 |
| 85+ years | 175,653 | 150,369 | 18,807 | 6,477 |
| Total | 6,443,120 | 4,958,604 | 1,026,358 | 458,158 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2020 Both Sexes | All Races | White | Black | Asian/Other |
|------------------------|------------------|--------------|--------------|--------------------|
| 00 years | 140,052 | 103,030 | 25,737 | 11,285 |
| 01-04 years | 587,467 | 432,716 | 110,358 | 44,393 |
| 05-09 years | 762,503 | 568,920 | 137,733 | 55,850 |
| 10-14 years | 795,778 | 600,597 | 139,235 | 55,946 |
| 15-19 years | 812,241 | 617,030 | 138,407 | 56,804 |
| 20-24 years | 818,355 | 611,130 | 144,844 | 62,381 |
| 25-29 years | 882,835 | 647,731 | 162,902 | 72,202 |
| 30-34 years | 858,449 | 643,182 | 139,248 | 76,019 |
| 35-39 years | 841,651 | 644,298 | 121,477 | 75,876 |
| 40-44 years | 794,767 | 611,729 | 114,736 | 68,302 |
| 45-49 years | 777,065 | 599,125 | 114,336 | 63,604 |
| 50-54 years | 788,673 | 622,794 | 111,957 | 53,922 |
| 55-59 years | 833,446 | 670,950 | 115,446 | 47,050 |
| 60-64 years | 805,014 | 652,457 | 109,904 | 42,653 |
| 65-69 years | 674,898 | 550,876 | 86,404 | 37,618 |
| 70-74 years | 536,843 | 441,627 | 64,554 | 30,662 |
| 75-79 years | 366,390 | 302,775 | 43,296 | 20,319 |
| 80-84 years | 244,247 | 202,473 | 29,040 | 12,734 |
| 85+ years | 266,856 | 227,847 | 27,901 | 11,108 |
| Total | 12,587,530 | 9,751,287 | 1,937,515 | 898,728 |
| 2020 Males | All Races | White | Black | Asian/Other |
| 00 years | 71,485 | 52,601 | 13,128 | 5,756 |
| 01-04 years | 299,965 | 221,140 | 56,300 | 22,525 |
| 05-09 years | 390,001 | 291,448 | 70,085 | 28,468 |
| 10-14 years | 405,004 | 306,120 | 70,521 | 28,363 |
| 15-19 years | 415,550 | 316,494 | 70,264 | 28,792 |
| 20-24 years | 415,004 | 310,540 | 72,785 | 31,679 |
| 25-29 years | 447,334 | 330,493 | 81,344 | 35,497 |
| 30-34 years | 434,727 | 329,018 | 67,763 | 37,946 |
| 35-39 years | 421,828 | 327,310 | 57,112 | 37,406 |
| 40-44 years | 397,182 | 310,870 | 53,485 | 32,827 |
| 45-49 years | 385,074 | 302,708 | 51,512 | 30,854 |
| 50-54 years | 389,372 | 312,600 | 51,035 | 25,737 |
| 55-59 years | 407,585 | 333,039 | 52,531 | 22,015 |
| 60-64 years | 387,733 | 319,708 | 48,348 | 19,677 |
| 65-69 years | 317,718 | 264,997 | 35,942 | 16,779 |
| 70-74 years | 246,484 | 206,578 | 25,965 | 13,941 |
| 75-79 years | 160,757 | 134,653 | 16,844 | 9,260 |
| 80-84 years | 100,597 | 84,356 | 10,534 | 5,707 |
| 85+ years | 91,906 | 79,063 | 8,662 | 4,181 |
| Total | 6,185,306 | 4,833,736 | 914,160 | 437,410 |
| 2020 Females | All Races | White | Black | Asian/Other |
| 00 years | 68,567 | 50,429 | 12,609 | 5,529 |
| 01-04 years | 287,502 | 211,576 | 54,058 | 21,868 |
| 05-09 years | 372,502 | 277,472 | 67,648 | 27,382 |
| 10-14 years | 390,774 | 294,477 | 68,714 | 27,583 |
| 15-19 years | 396,691 | 300,536 | 68,143 | 28,012 |
| 20-24 years | 403,351 | 300,590 | 72,059 | 30,702 |
| 25-29 years | 435,501 | 317,238 | 81,558 | 36,705 |
| 30-34 years | 423,722 | 314,164 | 71,485 | 38,073 |
| 35-39 years | 419,823 | 316,988 | 64,365 | 38,470 |
| 40-44 years | 397,585 | 300,859 | 61,251 | 35,475 |
| 45-49 years | 391,991 | 296,417 | 62,824 | 32,750 |
| 50-54 years | 399,301 | 310,194 | 60,922 | 28,185 |
| 55-59 years | 425,861 | 337,911 | 62,915 | 25,035 |
| 60-64 years | 417,281 | 332,749 | 61,556 | 22,976 |
| 65-69 years | 357,180 | 285,879 | 50,462 | 20,839 |
| 70-74 years | 290,359 | 235,049 | 38,589 | 16,721 |
| 75-79 years | 205,633 | 168,122 | 26,452 | 11,059 |
| 80-84 years | 143,650 | 118,117 | 18,506 | 7,027 |
| 85+ years | 174,950 | 148,784 | 19,239 | 6,927 |
| Total | 6,402,224 | 4,917,551 | 1,023,355 | 461,318 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1990 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 23,730 | 161,124 | 121,323 | 34,685 |
| 01-04 years | 81,638 | 595,825 | 451,368 | 125,947 |
| 05-09 years | 92,016 | 733,282 | 560,978 | 149,304 |
| 10-14 years | 83,710 | 706,266 | 534,567 | 149,066 |
| 15-19 years | 90,196 | 725,391 | 544,712 | 155,724 |
| 20-24 years | 101,662 | 765,535 | 601,493 | 138,066 |
| 25-29 years | 98,786 | 887,159 | 714,367 | 144,960 |
| 30-34 years | 87,197 | 928,092 | 752,852 | 146,353 |
| 35-39 years | 67,580 | 843,324 | 687,457 | 127,781 |
| 40-44 years | 50,733 | 752,920 | 622,233 | 104,580 |
| 45-49 years | 35,343 | 600,698 | 499,904 | 81,241 |
| 50-54 years | 27,602 | 504,596 | 419,686 | 70,935 |
| 55-59 years | 22,834 | 461,121 | 389,572 | 62,085 |
| 60-64 years | 18,046 | 472,453 | 407,137 | 57,557 |
| 65-69 years | 12,596 | 440,616 | 385,791 | 48,341 |
| 70-74 years | 7,601 | 359,318 | 320,894 | 34,190 |
| 75-79 years | 5,260 | 279,840 | 253,355 | 23,870 |
| 80-84 years | 3,073 | 179,817 | 163,734 | 14,689 |
| 85+ years | 2,101 | 144,235 | 132,401 | 11,024 |
| Total | 911,704 | 10,541,612 | 8,563,824 | 1,680,398 |
| 1990 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 12,148 | 82,082 | 62,010 | 17,452 |
| 01-04 years | 41,514 | 305,023 | 231,876 | 63,646 |
| 05-09 years | 47,295 | 375,570 | 288,410 | 75,388 |
| 10-14 years | 42,556 | 361,487 | 274,358 | 75,626 |
| 15-19 years | 49,699 | 372,727 | 280,721 | 79,068 |
| 20-24 years | 58,452 | 382,290 | 302,468 | 66,270 |
| 25-29 years | 54,661 | 438,329 | 357,118 | 67,445 |
| 30-34 years | 47,520 | 456,499 | 376,468 | 65,813 |
| 35-39 years | 36,185 | 414,000 | 343,708 | 57,006 |
| 40-44 years | 26,699 | 367,614 | 308,953 | 46,244 |
| 45-49 years | 18,284 | 291,521 | 245,929 | 35,941 |
| 50-54 years | 14,126 | 243,727 | 205,400 | 31,172 |
| 55-59 years | 11,517 | 220,085 | 188,285 | 27,262 |
| 60-64 years | 9,018 | 221,039 | 192,542 | 25,053 |
| 65-69 years | 6,058 | 195,583 | 172,272 | 20,564 |
| 70-74 years | 3,200 | 149,649 | 134,183 | 13,672 |
| 75-79 years | 2,017 | 106,358 | 96,416 | 8,882 |
| 80-84 years | 1,147 | 59,604 | 54,114 | 4,901 |
| 85+ years | 751 | 37,965 | 34,372 | 3,273 |
| Total | 482,847 | 5,081,152 | 4,149,603 | 784,678 |
| 1990 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 11,582 | 79,042 | 59,313 | 17,233 |
| 01-04 years | 40,124 | 290,802 | 219,492 | 62,301 |
| 05-09 years | 44,721 | 357,712 | 272,568 | 73,916 |
| 10-14 years | 41,154 | 344,779 | 260,209 | 73,440 |
| 15-19 years | 40,497 | 352,664 | 263,991 | 76,656 |
| 20-24 years | 43,210 | 383,245 | 299,025 | 71,796 |
| 25-29 years | 44,125 | 448,830 | 357,249 | 77,515 |
| 30-34 years | 39,677 | 471,593 | 376,384 | 80,540 |
| 35-39 years | 31,395 | 429,324 | 343,749 | 70,775 |
| 40-44 years | 24,034 | 385,306 | 313,280 | 58,336 |
| 45-49 years | 17,059 | 309,177 | 253,975 | 45,300 |
| 50-54 years | 13,476 | 260,869 | 214,286 | 39,763 |
| 55-59 years | 11,317 | 241,036 | 201,287 | 34,823 |
| 60-64 years | 9,028 | 251,414 | 214,595 | 32,504 |
| 65-69 years | 6,538 | 245,033 | 213,519 | 27,777 |
| 70-74 years | 4,401 | 209,669 | 186,711 | 20,518 |
| 75-79 years | 3,243 | 173,482 | 156,939 | 14,988 |
| 80-84 years | 1,926 | 120,213 | 109,620 | 9,788 |
| 85+ years | 1,350 | 106,270 | 98,029 | 7,751 |
| Total | 428,857 | 5,460,460 | 4,414,221 | 895,720 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1991 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 24,461 | 162,559 | 119,390 | 38,038 |
| 01-04 years | 86,660 | 607,674 | 457,540 | 130,918 |
| 05-09 years | 94,951 | 735,020 | 561,701 | 150,143 |
| 10-14 years | 88,539 | 726,986 | 548,910 | 153,965 |
| 15-19 years | 90,129 | 703,314 | 527,777 | 150,521 |
| 20-24 years | 107,094 | 758,524 | 589,916 | 139,570 |
| 25-29 years | 103,290 | 864,968 | 693,002 | 142,409 |
| 30-34 years | 93,097 | 939,718 | 761,730 | 147,898 |
| 35-39 years | 72,428 | 860,685 | 699,821 | 131,527 |
| 40-44 years | 54,832 | 790,629 | 651,216 | 112,080 |
| 45-49 years | 37,739 | 605,126 | 502,285 | 81,933 |
| 50-54 years | 28,781 | 513,927 | 426,535 | 71,991 |
| 55-59 years | 23,595 | 456,046 | 383,210 | 62,510 |
| 60-64 years | 18,936 | 467,278 | 401,024 | 57,977 |
| 65-69 years | 13,241 | 436,564 | 380,393 | 49,282 |
| 70-74 years | 8,169 | 364,049 | 323,794 | 35,538 |
| 75-79 years | 5,340 | 286,106 | 258,929 | 24,320 |
| 80-84 years | 3,190 | 184,143 | 167,576 | 15,025 |
| 85+ years | 2,175 | 149,001 | 136,527 | 11,569 |
| Total | 956,647 | 10,612,317 | 8,591,276 | 1,707,214 |
| 1991 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 12,444 | 82,853 | 61,052 | 19,183 |
| 01-04 years | 44,185 | 310,928 | 234,832 | 66,228 |
| 05-09 years | 48,633 | 376,620 | 288,871 | 75,886 |
| 10-14 years | 45,209 | 371,949 | 281,756 | 77,925 |
| 15-19 years | 48,812 | 362,210 | 272,713 | 76,523 |
| 20-24 years | 61,828 | 377,798 | 296,454 | 66,755 |
| 25-29 years | 57,950 | 426,714 | 346,072 | 66,090 |
| 30-34 years | 50,939 | 462,962 | 381,115 | 66,873 |
| 35-39 years | 39,096 | 422,577 | 349,913 | 58,650 |
| 40-44 years | 28,920 | 386,281 | 323,838 | 49,547 |
| 45-49 years | 19,453 | 293,877 | 247,497 | 36,133 |
| 50-54 years | 14,766 | 248,407 | 209,004 | 31,621 |
| 55-59 years | 11,936 | 217,878 | 185,501 | 27,365 |
| 60-64 years | 9,479 | 219,044 | 190,030 | 25,301 |
| 65-69 years | 6,385 | 194,246 | 170,303 | 20,986 |
| 70-74 years | 3,494 | 152,635 | 136,282 | 14,357 |
| 75-79 years | 2,072 | 109,656 | 99,441 | 9,046 |
| 80-84 years | 1,158 | 61,223 | 55,601 | 4,988 |
| 85+ years | 804 | 38,912 | 35,171 | 3,388 |
| Total | 507,563 | 5,116,770 | 4,165,446 | 796,845 |
| 1991 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 12,017 | 79,706 | 58,338 | 18,855 |
| 01-04 years | 42,475 | 296,746 | 222,708 | 64,690 |
| 05-09 years | 46,318 | 358,400 | 272,830 | 74,257 |
| 10-14 years | 43,330 | 355,037 | 267,154 | 76,040 |
| 15-19 years | 41,317 | 341,104 | 255,064 | 73,998 |
| 20-24 years | 45,266 | 380,726 | 293,462 | 72,815 |
| 25-29 years | 45,340 | 438,254 | 346,930 | 76,319 |
| 30-34 years | 42,158 | 476,756 | 380,615 | 81,025 |
| 35-39 years | 33,332 | 438,108 | 349,908 | 72,877 |
| 40-44 years | 25,912 | 404,348 | 327,378 | 62,533 |
| 45-49 years | 18,286 | 311,249 | 254,788 | 45,800 |
| 50-54 years | 14,015 | 265,520 | 217,531 | 40,370 |
| 55-59 years | 11,659 | 238,168 | 197,709 | 35,145 |
| 60-64 years | 9,457 | 248,234 | 210,994 | 32,676 |
| 65-69 years | 6,856 | 242,318 | 210,090 | 28,296 |
| 70-74 years | 4,675 | 211,414 | 187,512 | 21,181 |
| 75-79 years | 3,268 | 176,450 | 159,488 | 15,274 |
| 80-84 years | 2,032 | 122,920 | 111,975 | 10,037 |
| 85+ years | 1,371 | 110,089 | 101,356 | 8,181 |
| Total | 449,084 | 5,495,547 | 4,425,830 | 910,369 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1992 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 27,131 | 160,036 | 116,334 | 37,935 |
| 01-04 years | 91,965 | 620,352 | 461,682 | 138,704 |
| 05-09 years | 98,864 | 730,435 | 556,450 | 150,670 |
| 10-14 years | 93,054 | 739,856 | 558,004 | 156,569 |
| 15-19 years | 93,360 | 696,707 | 523,044 | 148,220 |
| 20-24 years | 111,362 | 750,991 | 576,944 | 142,627 |
| 25-29 years | 108,928 | 839,060 | 668,487 | 139,596 |
| 30-34 years | 98,351 | 944,780 | 763,963 | 149,435 |
| 35-39 years | 77,580 | 880,840 | 713,407 | 136,535 |
| 40-44 years | 57,618 | 788,907 | 644,916 | 116,032 |
| 45-49 years | 41,431 | 652,924 | 544,567 | 85,536 |
| 50-54 years | 30,139 | 530,944 | 439,153 | 74,826 |
| 55-59 years | 24,335 | 458,261 | 383,187 | 63,614 |
| 60-64 years | 19,533 | 457,162 | 390,520 | 57,816 |
| 65-69 years | 13,855 | 432,206 | 374,900 | 50,055 |
| 70-74 years | 8,785 | 371,269 | 328,981 | 37,031 |
| 75-79 years | 5,417 | 290,176 | 262,075 | 24,978 |
| 80-84 years | 3,254 | 187,845 | 171,096 | 15,102 |
| 85+ years | 2,319 | 154,152 | 140,999 | 12,149 |
| Total | 1,007,281 | 10,686,903 | 8,618,709 | 1,737,430 |
| 1992 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 13,821 | 81,470 | 59,470 | 19,013 |
| 01-04 years | 47,027 | 317,240 | 236,834 | 70,126 |
| 05-09 years | 50,367 | 374,509 | 286,307 | 76,241 |
| 10-14 years | 47,689 | 378,389 | 286,332 | 79,225 |
| 15-19 years | 49,958 | 359,341 | 270,722 | 75,427 |
| 20-24 years | 64,001 | 374,547 | 290,234 | 68,571 |
| 25-29 years | 61,333 | 413,798 | 334,275 | 64,775 |
| 30-34 years | 53,718 | 466,253 | 382,621 | 67,884 |
| 35-39 years | 42,162 | 432,653 | 356,740 | 60,894 |
| 40-44 years | 30,468 | 385,323 | 320,992 | 51,239 |
| 45-49 years | 21,359 | 317,800 | 268,840 | 37,876 |
| 50-54 years | 15,405 | 256,856 | 215,358 | 32,921 |
| 55-59 years | 12,373 | 219,099 | 185,838 | 27,712 |
| 60-64 years | 9,843 | 214,545 | 185,289 | 25,238 |
| 65-69 years | 6,579 | 192,706 | 168,227 | 21,354 |
| 70-74 years | 3,853 | 156,635 | 139,347 | 15,055 |
| 75-79 years | 2,117 | 111,372 | 100,885 | 9,204 |
| 80-84 years | 1,176 | 63,183 | 57,466 | 5,047 |
| 85+ years | 858 | 40,256 | 36,367 | 3,498 |
| Total | 534,107 | 5,155,975 | 4,182,144 | 811,300 |
| 1992 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 13,310 | 78,566 | 56,864 | 18,922 |
| 01-04 years | 44,938 | 303,112 | 224,848 | 68,578 |
| 05-09 years | 48,497 | 355,926 | 270,143 | 74,429 |
| 10-14 years | 45,365 | 361,467 | 271,672 | 77,344 |
| 15-19 years | 43,402 | 337,366 | 252,322 | 72,793 |
| 20-24 years | 47,361 | 376,444 | 286,710 | 74,056 |
| 25-29 years | 47,595 | 425,262 | 334,212 | 74,821 |
| 30-34 years | 44,633 | 478,527 | 381,342 | 81,551 |
| 35-39 years | 35,418 | 448,187 | 356,667 | 75,641 |
| 40-44 years | 27,150 | 403,584 | 323,924 | 64,793 |
| 45-49 years | 20,072 | 335,124 | 275,727 | 47,660 |
| 50-54 years | 14,734 | 274,088 | 223,795 | 41,905 |
| 55-59 years | 11,962 | 239,162 | 197,349 | 35,902 |
| 60-64 years | 9,690 | 242,617 | 205,231 | 32,578 |
| 65-69 years | 7,276 | 239,500 | 206,673 | 28,701 |
| 70-74 years | 4,932 | 214,634 | 189,634 | 21,976 |
| 75-79 years | 3,300 | 178,804 | 161,190 | 15,774 |
| 80-84 years | 2,078 | 124,662 | 113,630 | 10,055 |
| 85+ years | 1,461 | 113,896 | 104,632 | 8,651 |
| Total | 473,174 | 5,530,928 | 4,436,565 | 926,130 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1993 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 27,736 | 156,472 | 112,337 | 38,585 |
| 01-04 years | 98,241 | 627,707 | 461,469 | 145,158 |
| 05-09 years | 103,074 | 727,637 | 551,168 | 152,938 |
| 10-14 years | 97,920 | 749,225 | 563,911 | 158,728 |
| 15-19 years | 97,741 | 697,956 | 524,791 | 146,967 |
| 20-24 years | 116,353 | 739,968 | 562,134 | 144,413 |
| 25-29 years | 114,460 | 812,567 | 642,692 | 137,409 |
| 30-34 years | 103,867 | 943,555 | 759,987 | 150,309 |
| 35-39 years | 83,203 | 900,873 | 727,263 | 141,688 |
| 40-44 years | 61,691 | 801,631 | 653,207 | 118,990 |
| 45-49 years | 44,542 | 671,033 | 556,583 | 89,728 |
| 50-54 years | 32,675 | 558,468 | 463,467 | 76,612 |
| 55-59 years | 25,253 | 467,463 | 389,390 | 65,322 |
| 60-64 years | 20,219 | 445,044 | 377,629 | 57,926 |
| 65-69 years | 14,547 | 429,890 | 371,579 | 50,736 |
| 70-74 years | 9,391 | 373,523 | 329,722 | 37,992 |
| 75-79 years | 5,648 | 292,737 | 263,956 | 25,430 |
| 80-84 years | 3,357 | 192,578 | 175,376 | 15,400 |
| 85+ years | 2,418 | 158,916 | 145,114 | 12,693 |
| Total | 1,062,336 | 10,747,243 | 8,631,775 | 1,767,024 |
| 1993 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 14,278 | 79,762 | 57,286 | 19,576 |
| 01-04 years | 50,297 | 320,826 | 236,632 | 73,264 |
| 05-09 years | 52,457 | 373,093 | 283,577 | 77,498 |
| 10-14 years | 50,377 | 383,002 | 289,226 | 80,279 |
| 15-19 years | 51,884 | 360,265 | 271,924 | 74,803 |
| 20-24 years | 66,181 | 368,687 | 282,442 | 69,386 |
| 25-29 years | 64,573 | 400,191 | 321,152 | 64,041 |
| 30-34 years | 56,823 | 465,884 | 380,873 | 68,481 |
| 35-39 years | 45,203 | 442,737 | 363,681 | 63,465 |
| 40-44 years | 32,678 | 391,462 | 325,032 | 52,549 |
| 45-49 years | 23,099 | 326,608 | 275,211 | 39,542 |
| 50-54 years | 16,664 | 270,492 | 227,377 | 33,876 |
| 55-59 years | 12,709 | 223,815 | 189,045 | 28,542 |
| 60-64 years | 10,221 | 208,966 | 179,426 | 25,238 |
| 65-69 years | 6,880 | 192,423 | 167,534 | 21,646 |
| 70-74 years | 4,196 | 158,159 | 140,193 | 15,497 |
| 75-79 years | 2,205 | 113,200 | 102,392 | 9,419 |
| 80-84 years | 1,244 | 64,861 | 59,037 | 5,108 |
| 85+ years | 860 | 41,508 | 37,494 | 3,588 |
| Total | 562,829 | 5,185,941 | 4,189,534 | 825,798 |
| 1993 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 13,458 | 76,710 | 55,051 | 19,009 |
| 01-04 years | 47,944 | 306,881 | 224,837 | 71,894 |
| 05-09 years | 50,617 | 354,544 | 267,591 | 75,440 |
| 10-14 years | 47,543 | 366,223 | 274,685 | 78,449 |
| 15-19 years | 45,857 | 337,691 | 252,867 | 72,164 |
| 20-24 years | 50,172 | 371,281 | 279,692 | 75,027 |
| 25-29 years | 49,887 | 412,376 | 321,540 | 73,368 |
| 30-34 years | 47,044 | 477,671 | 379,114 | 81,828 |
| 35-39 years | 38,000 | 458,136 | 363,582 | 78,223 |
| 40-44 years | 29,013 | 410,169 | 328,175 | 66,441 |
| 45-49 years | 21,443 | 344,425 | 281,372 | 50,186 |
| 50-54 years | 16,011 | 287,976 | 236,090 | 42,736 |
| 55-59 years | 12,544 | 243,648 | 200,345 | 36,780 |
| 60-64 years | 9,998 | 236,078 | 198,203 | 32,688 |
| 65-69 years | 7,667 | 237,467 | 204,045 | 29,090 |
| 70-74 years | 5,195 | 215,364 | 189,529 | 22,495 |
| 75-79 years | 3,443 | 179,537 | 161,564 | 16,011 |
| 80-84 years | 2,113 | 127,717 | 116,339 | 10,292 |
| 85+ years | 1,558 | 117,408 | 107,620 | 9,105 |
| Total | 499,507 | 5,561,302 | 4,442,241 | 941,226 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1994 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 29,211 | 153,119 | 110,572 | 36,803 |
| 01-04 years | 105,103 | 631,525 | 458,614 | 150,891 |
| 05-09 years | 108,776 | 735,261 | 553,389 | 157,765 |
| 10-14 years | 102,683 | 752,911 | 566,612 | 158,858 |
| 15-19 years | 103,715 | 707,716 | 531,520 | 148,885 |
| 20-24 years | 120,070 | 724,564 | 544,676 | 145,075 |
| 25-29 years | 121,267 | 785,591 | 617,747 | 134,106 |
| 30-34 years | 109,771 | 935,610 | 751,673 | 149,233 |
| 35-39 years | 88,432 | 913,263 | 735,199 | 145,156 |
| 40-44 years | 65,937 | 816,601 | 663,329 | 122,563 |
| 45-49 years | 47,919 | 697,699 | 576,471 | 94,591 |
| 50-54 years | 34,369 | 573,484 | 475,292 | 78,313 |
| 55-59 years | 26,447 | 476,070 | 395,602 | 66,484 |
| 60-64 years | 20,776 | 433,729 | 365,632 | 57,862 |
| 65-69 years | 15,388 | 424,065 | 364,846 | 51,281 |
| 70-74 years | 10,177 | 375,304 | 330,525 | 38,579 |
| 75-79 years | 5,868 | 294,093 | 264,417 | 26,018 |
| 80-84 years | 3,436 | 197,640 | 179,998 | 15,648 |
| 85+ years | 2,542 | 162,453 | 148,108 | 13,150 |
| Total | 1,121,887 | 10,790,698 | 8,634,222 | 1,791,261 |
| 1994 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 14,935 | 78,058 | 56,585 | 18,523 |
| 01-04 years | 53,829 | 322,855 | 235,023 | 76,497 |
| 05-09 years | 55,389 | 376,998 | 284,602 | 79,973 |
| 10-14 years | 52,978 | 384,705 | 290,594 | 80,145 |
| 15-19 years | 55,028 | 365,383 | 275,464 | 75,851 |
| 20-24 years | 67,771 | 361,515 | 274,095 | 69,886 |
| 25-29 years | 68,716 | 386,674 | 308,850 | 62,376 |
| 30-34 years | 60,193 | 462,302 | 376,964 | 68,381 |
| 35-39 years | 48,060 | 449,225 | 367,872 | 65,189 |
| 40-44 years | 34,864 | 399,133 | 330,060 | 54,502 |
| 45-49 years | 24,910 | 339,768 | 285,585 | 41,500 |
| 50-54 years | 17,500 | 277,891 | 233,346 | 34,722 |
| 55-59 years | 13,325 | 227,972 | 192,162 | 28,923 |
| 60-64 years | 10,434 | 203,894 | 173,991 | 25,202 |
| 65-69 years | 7,263 | 190,453 | 165,174 | 21,861 |
| 70-74 years | 4,679 | 159,198 | 140,931 | 15,646 |
| 75-79 years | 2,293 | 114,385 | 103,109 | 9,758 |
| 80-84 years | 1,275 | 67,073 | 61,048 | 5,227 |
| 85+ years | 900 | 42,586 | 38,456 | 3,688 |
| Total | 594,342 | 5,210,068 | 4,193,911 | 837,850 |
| 1994 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 14,276 | 75,061 | 53,987 | 18,280 |
| 01-04 years | 51,274 | 308,670 | 223,591 | 74,394 |
| 05-09 years | 53,387 | 358,263 | 268,787 | 77,792 |
| 10-14 years | 49,705 | 368,206 | 276,018 | 78,713 |
| 15-19 years | 48,687 | 342,333 | 256,056 | 73,034 |
| 20-24 years | 52,299 | 363,049 | 270,581 | 75,189 |
| 25-29 years | 52,551 | 398,917 | 308,897 | 71,730 |
| 30-34 years | 49,578 | 473,308 | 374,709 | 80,852 |
| 35-39 years | 40,372 | 464,038 | 367,327 | 79,967 |
| 40-44 years | 31,073 | 417,468 | 333,269 | 68,061 |
| 45-49 years | 23,009 | 357,931 | 290,886 | 53,091 |
| 50-54 years | 16,869 | 295,593 | 241,946 | 43,591 |
| 55-59 years | 13,122 | 248,098 | 203,440 | 37,561 |
| 60-64 years | 10,342 | 229,835 | 191,641 | 32,660 |
| 65-69 years | 8,125 | 233,612 | 199,672 | 29,420 |
| 70-74 years | 5,498 | 216,106 | 189,594 | 22,933 |
| 75-79 years | 3,575 | 179,708 | 161,308 | 16,260 |
| 80-84 years | 2,161 | 130,567 | 118,950 | 10,421 |
| 85+ years | 1,642 | 119,867 | 109,652 | 9,462 |
| Total | 527,545 | 5,580,630 | 4,440,311 | 953,411 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1995 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 30,709 | 149,010 | 108,826 | 34,373 |
| 01-04 years | 111,586 | 628,805 | 451,140 | 154,913 |
| 05-09 years | 115,889 | 746,462 | 558,690 | 162,615 |
| 10-14 years | 106,707 | 754,806 | 568,928 | 158,146 |
| 15-19 years | 110,697 | 722,948 | 540,516 | 153,853 |
| 20-24 years | 124,188 | 705,397 | 527,358 | 142,721 |
| 25-29 years | 127,756 | 770,507 | 600,321 | 133,993 |
| 30-34 years | 114,511 | 916,363 | 734,006 | 146,834 |
| 35-39 years | 93,577 | 921,283 | 740,062 | 147,036 |
| 40-44 years | 70,836 | 830,825 | 673,350 | 125,800 |
| 45-49 years | 51,421 | 728,226 | 599,750 | 100,323 |
| 50-54 years | 36,895 | 585,208 | 484,195 | 79,744 |
| 55-59 years | 27,242 | 478,466 | 395,291 | 67,689 |
| 60-64 years | 21,436 | 427,090 | 357,966 | 58,127 |
| 65-69 years | 15,995 | 418,301 | 358,283 | 51,747 |
| 70-74 years | 10,898 | 377,580 | 332,069 | 38,946 |
| 75-79 years | 6,118 | 294,858 | 263,896 | 27,062 |
| 80-84 years | 3,550 | 202,983 | 184,938 | 15,868 |
| 85+ years | 2,645 | 166,663 | 151,699 | 13,628 |
| Total | 1,182,656 | 10,825,781 | 8,631,284 | 1,813,418 |
| 1995 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 15,752 | 75,915 | 55,656 | 17,273 |
| 01-04 years | 57,025 | 321,550 | 231,211 | 78,645 |
| 05-09 years | 59,239 | 382,566 | 287,100 | 82,485 |
| 10-14 years | 54,867 | 385,834 | 291,926 | 79,807 |
| 15-19 years | 58,922 | 373,062 | 279,962 | 78,358 |
| 20-24 years | 69,596 | 352,868 | 265,935 | 68,923 |
| 25-29 years | 72,650 | 379,294 | 300,430 | 62,483 |
| 30-34 years | 62,878 | 453,039 | 368,330 | 67,590 |
| 35-39 years | 51,024 | 453,434 | 370,301 | 66,268 |
| 40-44 years | 37,583 | 406,319 | 335,101 | 56,223 |
| 45-49 years | 26,807 | 354,964 | 297,510 | 44,102 |
| 50-54 years | 18,939 | 283,580 | 237,946 | 35,227 |
| 55-59 years | 13,690 | 229,218 | 191,965 | 29,573 |
| 60-64 years | 10,693 | 200,834 | 170,471 | 25,303 |
| 65-69 years | 7,575 | 188,616 | 163,011 | 22,011 |
| 70-74 years | 5,032 | 160,603 | 142,071 | 15,773 |
| 75-79 years | 2,453 | 115,244 | 103,355 | 10,306 |
| 80-84 years | 1,320 | 69,576 | 63,459 | 5,249 |
| 85+ years | 949 | 43,823 | 39,533 | 3,813 |
| Total | 626,994 | 5,230,339 | 4,195,273 | 849,412 |
| 1995 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 14,957 | 73,095 | 53,170 | 17,100 |
| 01-04 years | 54,561 | 307,255 | 219,929 | 76,268 |
| 05-09 years | 56,650 | 363,896 | 271,590 | 80,130 |
| 10-14 years | 51,840 | 368,972 | 277,002 | 78,339 |
| 15-19 years | 51,775 | 349,886 | 260,554 | 75,495 |
| 20-24 years | 54,592 | 352,529 | 261,423 | 73,798 |
| 25-29 years | 55,106 | 391,213 | 299,891 | 71,510 |
| 30-34 years | 51,633 | 463,324 | 365,676 | 79,244 |
| 35-39 years | 42,553 | 467,849 | 369,761 | 80,768 |
| 40-44 years | 33,253 | 424,506 | 338,249 | 69,577 |
| 45-49 years | 24,614 | 373,262 | 302,240 | 56,221 |
| 50-54 years | 17,956 | 301,628 | 246,249 | 44,517 |
| 55-59 years | 13,552 | 249,248 | 203,326 | 38,116 |
| 60-64 years | 10,743 | 226,256 | 187,495 | 32,824 |
| 65-69 years | 8,420 | 229,685 | 195,272 | 29,736 |
| 70-74 years | 5,866 | 216,977 | 189,998 | 23,173 |
| 75-79 years | 3,665 | 179,614 | 160,541 | 16,756 |
| 80-84 years | 2,230 | 133,407 | 121,479 | 10,619 |
| 85+ years | 1,696 | 122,840 | 112,166 | 9,815 |
| Total | 555,662 | 5,595,442 | 4,436,011 | 964,006 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1996 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 31,641 | 143,996 | 106,149 | 31,468 |
| 01-04 years | 118,802 | 619,078 | 442,686 | 152,648 |
| 05-09 years | 123,602 | 761,563 | 564,505 | 170,937 |
| 10-14 years | 110,782 | 758,451 | 570,836 | 159,340 |
| 15-19 years | 118,714 | 738,353 | 550,633 | 157,502 |
| 20-24 years | 129,161 | 681,641 | 507,916 | 137,850 |
| 25-29 years | 135,872 | 767,460 | 592,040 | 135,935 |
| 30-34 years | 119,489 | 888,062 | 707,108 | 144,676 |
| 35-39 years | 98,975 | 925,295 | 741,981 | 148,062 |
| 40-44 years | 75,958 | 845,080 | 683,355 | 128,853 |
| 45-49 years | 55,497 | 765,618 | 628,417 | 107,402 |
| 50-54 years | 39,440 | 589,573 | 486,565 | 80,407 |
| 55-59 years | 28,444 | 485,255 | 400,116 | 68,321 |
| 60-64 years | 22,186 | 421,455 | 351,262 | 58,457 |
| 65-69 years | 16,696 | 412,653 | 352,160 | 51,902 |
| 70-74 years | 11,363 | 372,925 | 326,473 | 39,650 |
| 75-79 years | 6,509 | 298,297 | 266,029 | 28,050 |
| 80-84 years | 3,581 | 207,132 | 188,682 | 16,110 |
| 85+ years | 2,784 | 170,614 | 155,323 | 13,841 |
| Total | 1,249,496 | 10,852,501 | 8,622,236 | 1,831,411 |
| 1996 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,269 | 73,350 | 54,279 | 15,790 |
| 01-04 years | 60,763 | 316,538 | 226,908 | 77,463 |
| 05-09 years | 63,216 | 390,202 | 289,964 | 86,811 |
| 10-14 years | 56,750 | 387,911 | 293,029 | 80,457 |
| 15-19 years | 63,752 | 380,366 | 284,917 | 79,847 |
| 20-24 years | 71,562 | 341,944 | 256,991 | 66,574 |
| 25-29 years | 77,023 | 377,870 | 296,880 | 63,315 |
| 30-34 years | 65,930 | 438,964 | 354,848 | 66,701 |
| 35-39 years | 53,870 | 455,747 | 371,135 | 67,096 |
| 40-44 years | 40,435 | 413,435 | 340,359 | 57,457 |
| 45-49 years | 28,973 | 373,625 | 312,331 | 47,226 |
| 50-54 years | 20,213 | 285,803 | 239,276 | 35,460 |
| 55-59 years | 14,397 | 232,468 | 194,328 | 29,834 |
| 60-64 years | 11,092 | 198,357 | 167,470 | 25,380 |
| 65-69 years | 7,880 | 186,309 | 160,551 | 22,019 |
| 70-74 years | 5,261 | 158,917 | 140,027 | 16,020 |
| 75-79 years | 2,614 | 117,487 | 105,027 | 10,763 |
| 80-84 years | 1,343 | 71,784 | 65,518 | 5,341 |
| 85+ years | 987 | 44,951 | 40,624 | 3,828 |
| Total | 662,330 | 5,246,028 | 4,194,462 | 857,382 |
| 1996 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 15,372 | 70,646 | 51,870 | 15,678 |
| 01-04 years | 58,039 | 302,540 | 215,778 | 75,185 |
| 05-09 years | 60,386 | 371,361 | 274,541 | 84,126 |
| 10-14 years | 54,032 | 370,540 | 277,807 | 78,883 |
| 15-19 years | 54,962 | 357,987 | 265,716 | 77,655 |
| 20-24 years | 57,599 | 339,697 | 250,925 | 71,276 |
| 25-29 years | 58,849 | 389,590 | 295,160 | 72,620 |
| 30-34 years | 53,559 | 449,098 | 352,260 | 77,975 |
| 35-39 years | 45,105 | 469,548 | 370,846 | 80,966 |
| 40-44 years | 35,523 | 431,645 | 342,996 | 71,396 |
| 45-49 years | 26,524 | 391,993 | 316,086 | 60,176 |
| 50-54 years | 19,227 | 303,770 | 247,289 | 44,947 |
| 55-59 years | 14,047 | 252,787 | 205,788 | 38,487 |
| 60-64 years | 11,094 | 223,098 | 183,792 | 33,077 |
| 65-69 years | 8,816 | 226,344 | 191,609 | 29,883 |
| 70-74 years | 6,102 | 214,008 | 186,446 | 23,630 |
| 75-79 years | 3,895 | 180,810 | 161,002 | 17,287 |
| 80-84 years | 2,238 | 135,348 | 123,164 | 10,769 |
| 85+ years | 1,797 | 125,663 | 114,699 | 10,013 |
| Total | 587,166 | 5,606,473 | 4,427,774 | 974,029 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1997 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 33,560 | 140,709 | 103,466 | 30,993 |
| 01-04 years | 124,076 | 605,422 | 433,245 | 147,640 |
| 05-09 years | 134,063 | 774,044 | 567,737 | 178,461 |
| 10-14 years | 115,746 | 757,770 | 567,988 | 160,902 |
| 15-19 years | 125,191 | 748,316 | 557,078 | 159,602 |
| 20-24 years | 137,337 | 671,494 | 500,092 | 135,454 |
| 25-29 years | 143,100 | 759,893 | 579,285 | 138,401 |
| 30-34 years | 124,455 | 854,109 | 675,713 | 141,169 |
| 35-39 years | 103,254 | 920,309 | 735,117 | 148,653 |
| 40-44 years | 80,402 | 860,491 | 693,210 | 133,116 |
| 45-49 years | 58,576 | 762,459 | 621,634 | 110,502 |
| 50-54 years | 42,898 | 634,003 | 525,476 | 83,919 |
| 55-59 years | 29,703 | 498,096 | 409,812 | 70,319 |
| 60-64 years | 23,112 | 421,510 | 349,517 | 59,126 |
| 65-69 years | 17,329 | 402,152 | 341,814 | 51,291 |
| 70-74 years | 11,877 | 368,682 | 321,254 | 40,361 |
| 75-79 years | 6,931 | 303,704 | 270,044 | 29,101 |
| 80-84 years | 3,585 | 209,967 | 190,956 | 16,466 |
| 85+ years | 2,874 | 174,516 | 158,953 | 14,031 |
| Total | 1,318,069 | 10,867,646 | 8,602,391 | 1,849,507 |
| 1997 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,333 | 71,566 | 52,838 | 15,540 |
| 01-04 years | 63,544 | 309,577 | 222,070 | 75,010 |
| 05-09 years | 68,654 | 396,411 | 291,653 | 90,438 |
| 10-14 years | 58,969 | 387,823 | 291,696 | 81,328 |
| 15-19 years | 67,656 | 384,755 | 287,711 | 80,704 |
| 20-24 years | 75,745 | 336,808 | 253,131 | 65,302 |
| 25-29 years | 80,639 | 374,207 | 290,586 | 64,552 |
| 30-34 years | 68,770 | 421,653 | 339,202 | 65,034 |
| 35-39 years | 55,953 | 453,413 | 367,239 | 67,889 |
| 40-44 years | 43,037 | 421,155 | 345,337 | 59,457 |
| 45-49 years | 30,625 | 372,065 | 309,249 | 48,629 |
| 50-54 years | 21,944 | 307,940 | 258,762 | 37,213 |
| 55-59 years | 14,972 | 238,775 | 199,097 | 30,771 |
| 60-64 years | 11,549 | 198,580 | 166,968 | 25,576 |
| 65-69 years | 8,194 | 181,698 | 156,015 | 21,652 |
| 70-74 years | 5,450 | 157,523 | 138,297 | 16,247 |
| 75-79 years | 2,862 | 120,745 | 107,662 | 11,233 |
| 80-84 years | 1,374 | 72,933 | 66,571 | 5,381 |
| 85+ years | 1,027 | 46,542 | 42,112 | 3,898 |
| Total | 698,297 | 5,254,169 | 4,186,196 | 865,854 |
| 1997 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,227 | 69,143 | 50,628 | 15,453 |
| 01-04 years | 60,532 | 295,845 | 211,175 | 72,630 |
| 05-09 years | 65,409 | 377,633 | 276,084 | 88,023 |
| 10-14 years | 56,777 | 369,947 | 276,292 | 79,574 |
| 15-19 years | 57,535 | 363,561 | 269,367 | 78,898 |
| 20-24 years | 61,592 | 334,686 | 246,961 | 70,152 |
| 25-29 years | 62,461 | 385,686 | 288,699 | 73,849 |
| 30-34 years | 55,685 | 432,456 | 336,511 | 76,135 |
| 35-39 years | 47,301 | 466,896 | 367,878 | 80,764 |
| 40-44 years | 37,365 | 439,336 | 347,873 | 73,659 |
| 45-49 years | 27,951 | 390,394 | 312,385 | 61,873 |
| 50-54 years | 20,954 | 326,063 | 266,714 | 46,706 |
| 55-59 years | 14,731 | 259,321 | 210,715 | 39,548 |
| 60-64 years | 11,563 | 222,930 | 182,549 | 33,550 |
| 65-69 years | 9,135 | 220,454 | 185,799 | 29,639 |
| 70-74 years | 6,427 | 211,159 | 182,957 | 24,114 |
| 75-79 years | 4,069 | 182,959 | 162,382 | 17,868 |
| 80-84 years | 2,211 | 137,034 | 124,385 | 11,085 |
| 85+ years | 1,847 | 127,974 | 116,841 | 10,133 |
| Total | 619,772 | 5,613,477 | 4,416,195 | 983,653 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1998 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 34,542 | 137,982 | 100,600 | 30,739 |
| 01-04 years | 129,811 | 588,351 | 422,492 | 140,419 |
| 05-09 years | 143,176 | 776,129 | 562,779 | 184,466 |
| 10-14 years | 121,278 | 756,932 | 563,786 | 163,731 |
| 15-19 years | 131,837 | 756,450 | 561,826 | 161,486 |
| 20-24 years | 146,971 | 671,144 | 500,727 | 133,563 |
| 25-29 years | 152,019 | 751,483 | 567,334 | 139,245 |
| 30-34 years | 129,918 | 822,175 | 645,309 | 138,191 |
| 35-39 years | 108,004 | 910,825 | 724,311 | 148,674 |
| 40-44 years | 85,667 | 876,585 | 704,260 | 137,500 |
| 45-49 years | 62,542 | 774,501 | 629,757 | 112,932 |
| 50-54 years | 46,127 | 650,317 | 535,387 | 88,324 |
| 55-59 years | 31,811 | 521,184 | 430,331 | 71,638 |
| 60-64 years | 24,161 | 428,750 | 354,456 | 60,409 |
| 65-69 years | 17,998 | 391,751 | 330,772 | 51,494 |
| 70-74 years | 12,491 | 367,705 | 319,140 | 41,220 |
| 75-79 years | 7,380 | 305,141 | 270,405 | 29,803 |
| 80-84 years | 3,700 | 212,103 | 192,506 | 16,896 |
| 85+ years | 2,980 | 179,926 | 163,689 | 14,575 |
| Total | 1,392,413 | 10,879,434 | 8,579,867 | 1,865,305 |
| 1998 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,785 | 70,315 | 51,572 | 15,400 |
| 01-04 years | 66,463 | 300,626 | 216,634 | 71,205 |
| 05-09 years | 73,385 | 397,568 | 288,970 | 93,654 |
| 10-14 years | 61,632 | 387,530 | 289,538 | 82,943 |
| 15-19 years | 71,425 | 388,555 | 289,752 | 81,646 |
| 20-24 years | 80,918 | 336,838 | 253,575 | 64,570 |
| 25-29 years | 85,154 | 370,322 | 285,022 | 64,952 |
| 30-34 years | 71,524 | 406,141 | 324,349 | 63,908 |
| 35-39 years | 58,643 | 448,636 | 361,799 | 68,045 |
| 40-44 years | 45,785 | 429,611 | 351,094 | 61,791 |
| 45-49 years | 32,756 | 378,235 | 313,547 | 49,740 |
| 50-54 years | 23,616 | 315,834 | 263,934 | 39,091 |
| 55-59 years | 16,016 | 250,147 | 209,169 | 31,483 |
| 60-64 years | 11,851 | 202,340 | 169,545 | 26,147 |
| 65-69 years | 8,460 | 176,800 | 150,957 | 21,608 |
| 70-74 years | 5,727 | 158,090 | 138,408 | 16,584 |
| 75-79 years | 3,146 | 122,077 | 108,487 | 11,584 |
| 80-84 years | 1,411 | 74,544 | 67,937 | 5,561 |
| 85+ years | 1,081 | 48,504 | 43,866 | 4,069 |
| Total | 736,778 | 5,262,713 | 4,178,155 | 873,981 |
| 1998 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,757 | 67,667 | 49,028 | 15,339 |
| 01-04 years | 63,348 | 287,725 | 205,858 | 69,214 |
| 05-09 years | 69,791 | 378,561 | 273,809 | 90,812 |
| 10-14 years | 59,646 | 369,402 | 274,248 | 80,788 |
| 15-19 years | 60,412 | 367,895 | 272,074 | 79,840 |
| 20-24 years | 66,053 | 334,306 | 247,152 | 68,993 |
| 25-29 years | 66,865 | 381,161 | 282,312 | 74,293 |
| 30-34 years | 58,394 | 416,034 | 320,960 | 74,283 |
| 35-39 years | 49,361 | 462,189 | 362,512 | 80,629 |
| 40-44 years | 39,882 | 446,974 | 353,166 | 75,709 |
| 45-49 years | 29,786 | 396,266 | 316,210 | 63,192 |
| 50-54 years | 22,511 | 334,483 | 271,453 | 49,233 |
| 55-59 years | 15,795 | 271,037 | 221,162 | 40,155 |
| 60-64 years | 12,310 | 226,410 | 184,911 | 34,262 |
| 65-69 years | 9,538 | 214,951 | 179,815 | 29,886 |
| 70-74 years | 6,764 | 209,615 | 180,732 | 24,636 |
| 75-79 years | 4,234 | 183,064 | 161,918 | 18,219 |
| 80-84 years | 2,289 | 137,559 | 124,569 | 11,335 |
| 85+ years | 1,899 | 131,422 | 119,823 | 10,506 |
| Total | 655,635 | 5,616,721 | 4,401,712 | 991,324 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 1999 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 36,521 | 136,767 | 99,470 | 30,713 |
| 01-04 years | 134,941 | 573,737 | 412,010 | 135,436 |
| 05-09 years | 153,886 | 776,076 | 558,293 | 187,800 |
| 10-14 years | 127,759 | 765,694 | 565,959 | 169,591 |
| 15-19 years | 137,384 | 756,345 | 560,864 | 161,457 |
| 20-24 years | 156,578 | 677,187 | 503,153 | 135,413 |
| 25-29 years | 159,120 | 738,165 | 549,446 | 139,361 |
| 30-34 years | 135,774 | 792,652 | 616,127 | 135,340 |
| 35-39 years | 113,288 | 896,492 | 710,511 | 147,274 |
| 40-44 years | 90,515 | 886,906 | 710,673 | 140,842 |
| 45-49 years | 66,790 | 790,766 | 640,911 | 117,009 |
| 50-54 years | 49,943 | 676,602 | 554,984 | 93,121 |
| 55-59 years | 33,464 | 534,076 | 440,506 | 73,062 |
| 60-64 years | 25,298 | 436,450 | 360,081 | 61,603 |
| 65-69 years | 18,718 | 381,891 | 320,646 | 51,273 |
| 70-74 years | 13,239 | 364,228 | 314,798 | 41,872 |
| 75-79 years | 7,968 | 307,529 | 271,993 | 30,329 |
| 80-84 years | 3,788 | 214,083 | 193,733 | 17,429 |
| 85+ years | 3,088 | 185,312 | 168,499 | 15,022 |
| Total | 1,468,062 | 10,890,958 | 8,552,657 | 1,883,947 |
| 1999 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,788 | 69,666 | 50,887 | 15,494 |
| 01-04 years | 69,148 | 293,077 | 211,287 | 68,714 |
| 05-09 years | 78,715 | 397,663 | 286,833 | 95,542 |
| 10-14 years | 64,937 | 392,017 | 290,544 | 85,926 |
| 15-19 years | 74,702 | 387,774 | 288,817 | 81,292 |
| 20-24 years | 86,583 | 339,084 | 254,212 | 65,356 |
| 25-29 years | 88,188 | 364,697 | 275,795 | 64,864 |
| 30-34 years | 74,664 | 391,746 | 309,848 | 62,646 |
| 35-39 years | 61,427 | 441,272 | 354,498 | 67,721 |
| 40-44 years | 48,364 | 434,990 | 354,378 | 63,575 |
| 45-49 years | 34,969 | 386,625 | 319,304 | 51,861 |
| 50-54 years | 25,649 | 328,716 | 274,033 | 41,054 |
| 55-59 years | 16,667 | 256,610 | 214,397 | 32,231 |
| 60-64 years | 12,392 | 205,958 | 172,280 | 26,560 |
| 65-69 years | 8,735 | 173,228 | 147,089 | 21,590 |
| 70-74 years | 6,089 | 157,183 | 137,160 | 16,810 |
| 75-79 years | 3,527 | 123,060 | 109,305 | 11,653 |
| 80-84 years | 1,464 | 75,684 | 68,706 | 5,842 |
| 85+ years | 1,134 | 50,478 | 45,692 | 4,183 |
| Total | 776,142 | 5,269,528 | 4,165,065 | 882,914 |
| 1999 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,733 | 67,101 | 48,583 | 15,219 |
| 01-04 years | 65,793 | 280,660 | 200,723 | 66,722 |
| 05-09 years | 75,171 | 378,413 | 271,460 | 92,258 |
| 10-14 years | 62,822 | 373,677 | 275,415 | 83,665 |
| 15-19 years | 62,682 | 368,571 | 272,047 | 80,165 |
| 20-24 years | 69,995 | 338,103 | 248,941 | 70,057 |
| 25-29 years | 70,932 | 373,468 | 273,651 | 74,497 |
| 30-34 years | 61,110 | 400,906 | 306,279 | 72,694 |
| 35-39 years | 51,861 | 455,220 | 356,013 | 79,553 |
| 40-44 years | 42,151 | 451,916 | 356,295 | 77,267 |
| 45-49 years | 31,821 | 404,141 | 321,607 | 65,148 |
| 50-54 years | 24,294 | 347,886 | 280,951 | 52,067 |
| 55-59 years | 16,797 | 277,466 | 226,109 | 40,831 |
| 60-64 years | 12,906 | 230,492 | 187,801 | 35,043 |
| 65-69 years | 9,983 | 208,663 | 173,557 | 29,683 |
| 70-74 years | 7,150 | 207,045 | 177,638 | 25,062 |
| 75-79 years | 4,441 | 184,469 | 162,688 | 18,676 |
| 80-84 years | 2,324 | 138,399 | 125,027 | 11,587 |
| 85+ years | 1,954 | 134,834 | 122,807 | 10,839 |
| Total | 691,920 | 5,621,430 | 4,387,592 | 1,001,033 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2000 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 38,562 | 136,877 | 98,656 | 31,151 |
| 01-04 years | 139,352 | 560,594 | 402,247 | 131,481 |
| 05-09 years | 162,031 | 762,538 | 545,386 | 186,335 |
| 10-14 years | 135,837 | 772,835 | 567,585 | 174,297 |
| 15-19 years | 142,644 | 755,077 | 559,945 | 160,474 |
| 20-24 years | 165,960 | 689,349 | 509,183 | 139,325 |
| 25-29 years | 166,983 | 719,395 | 532,035 | 136,351 |
| 30-34 years | 142,211 | 777,580 | 597,005 | 134,187 |
| 35-39 years | 118,187 | 874,795 | 690,619 | 144,482 |
| 40-44 years | 95,717 | 893,073 | 713,560 | 142,915 |
| 45-49 years | 71,632 | 806,339 | 651,815 | 120,528 |
| 50-54 years | 53,635 | 706,505 | 577,037 | 99,066 |
| 55-59 years | 35,768 | 545,366 | 449,143 | 74,362 |
| 60-64 years | 26,259 | 438,406 | 359,908 | 62,617 |
| 65-69 years | 19,564 | 376,612 | 314,713 | 51,285 |
| 70-74 years | 13,928 | 360,185 | 309,855 | 42,384 |
| 75-79 years | 8,510 | 308,865 | 272,586 | 30,688 |
| 80-84 years | 4,085 | 216,054 | 194,655 | 18,178 |
| 85+ years | 3,300 | 189,551 | 172,155 | 15,356 |
| Total | 1,544,165 | 10,889,996 | 8,518,088 | 1,895,462 |
| 2000 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 19,852 | 69,702 | 50,441 | 15,727 |
| 01-04 years | 71,336 | 286,391 | 206,319 | 66,848 |
| 05-09 years | 82,767 | 390,719 | 280,223 | 94,832 |
| 10-14 years | 69,180 | 395,495 | 291,236 | 88,323 |
| 15-19 years | 77,592 | 387,801 | 288,823 | 80,875 |
| 20-24 years | 92,531 | 344,464 | 256,701 | 67,094 |
| 25-29 years | 92,408 | 356,085 | 267,625 | 63,375 |
| 30-34 years | 78,056 | 385,193 | 299,940 | 62,156 |
| 35-39 years | 63,933 | 430,630 | 344,722 | 66,325 |
| 40-44 years | 51,159 | 438,313 | 355,798 | 64,849 |
| 45-49 years | 37,534 | 394,671 | 324,968 | 53,762 |
| 50-54 years | 27,586 | 343,349 | 285,114 | 43,778 |
| 55-59 years | 17,880 | 262,038 | 218,788 | 32,711 |
| 60-64 years | 12,825 | 207,031 | 172,158 | 27,115 |
| 65-69 years | 9,104 | 171,365 | 144,956 | 21,580 |
| 70-74 years | 6,450 | 156,287 | 135,858 | 17,056 |
| 75-79 years | 3,797 | 123,681 | 109,675 | 11,723 |
| 80-84 years | 1,646 | 76,724 | 69,346 | 6,135 |
| 85+ years | 1,216 | 52,093 | 47,178 | 4,247 |
| Total | 816,852 | 5,272,032 | 4,149,869 | 888,511 |
| 2000 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,710 | 67,175 | 48,215 | 15,424 |
| 01-04 years | 68,016 | 274,203 | 195,928 | 64,633 |
| 05-09 years | 79,264 | 371,819 | 265,163 | 91,503 |
| 10-14 years | 66,657 | 377,340 | 276,349 | 85,974 |
| 15-19 years | 65,052 | 367,276 | 271,122 | 79,599 |
| 20-24 years | 73,429 | 344,885 | 252,482 | 72,231 |
| 25-29 years | 74,575 | 363,310 | 264,410 | 72,976 |
| 30-34 years | 64,155 | 392,387 | 297,065 | 72,031 |
| 35-39 years | 54,254 | 444,165 | 345,897 | 78,157 |
| 40-44 years | 44,558 | 454,760 | 357,762 | 78,066 |
| 45-49 years | 34,098 | 411,668 | 326,847 | 66,766 |
| 50-54 years | 26,049 | 363,156 | 291,923 | 55,288 |
| 55-59 years | 17,888 | 283,328 | 230,355 | 41,651 |
| 60-64 years | 13,434 | 231,375 | 187,750 | 35,502 |
| 65-69 years | 10,460 | 205,247 | 169,757 | 29,705 |
| 70-74 years | 7,478 | 203,898 | 173,997 | 25,328 |
| 75-79 years | 4,713 | 185,184 | 162,911 | 18,965 |
| 80-84 years | 2,439 | 139,330 | 125,309 | 12,043 |
| 85+ years | 2,084 | 137,458 | 124,977 | 11,109 |
| Total | 727,313 | 5,617,964 | 4,368,219 | 1,006,951 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2001 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 41,104 | 140,910 | 100,342 | 32,607 |
| 01-04 years | 143,644 | 548,281 | 393,965 | 126,644 |
| 05-09 years | 166,083 | 745,633 | 532,963 | 180,817 |
| 10-14 years | 143,008 | 777,313 | 566,771 | 178,846 |
| 15-19 years | 143,747 | 753,467 | 559,389 | 158,907 |
| 20-24 years | 168,328 | 702,612 | 517,700 | 142,781 |
| 25-29 years | 172,003 | 692,725 | 510,325 | 130,532 |
| 30-34 years | 148,554 | 775,183 | 591,191 | 134,334 |
| 35-39 years | 123,112 | 846,575 | 664,958 | 140,646 |
| 40-44 years | 100,704 | 897,324 | 715,855 | 144,306 |
| 45-49 years | 75,720 | 818,904 | 660,875 | 122,615 |
| 50-54 years | 57,580 | 741,272 | 604,028 | 105,437 |
| 55-59 years | 38,274 | 553,872 | 455,391 | 75,307 |
| 60-64 years | 27,395 | 444,116 | 364,086 | 62,791 |
| 65-69 years | 20,474 | 374,522 | 310,635 | 52,337 |
| 70-74 years | 14,562 | 355,215 | 304,458 | 42,504 |
| 75-79 years | 9,227 | 307,484 | 269,898 | 31,692 |
| 80-84 years | 4,586 | 219,809 | 197,598 | 18,734 |
| 85+ years | 3,428 | 191,695 | 174,342 | 15,089 |
| Total | 1,601,533 | 10,886,912 | 8,494,770 | 1,896,926 |
| 2001 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,091 | 71,823 | 51,429 | 16,336 |
| 01-04 years | 73,696 | 279,723 | 201,910 | 64,194 |
| 05-09 years | 84,772 | 382,020 | 273,680 | 92,308 |
| 10-14 years | 73,062 | 397,846 | 290,893 | 90,631 |
| 15-19 years | 77,786 | 387,414 | 288,765 | 80,244 |
| 20-24 years | 93,384 | 350,455 | 260,619 | 68,770 |
| 25-29 years | 95,023 | 343,071 | 256,853 | 60,611 |
| 30-34 years | 81,139 | 383,770 | 297,085 | 62,041 |
| 35-39 years | 66,692 | 416,808 | 332,142 | 64,516 |
| 40-44 years | 53,650 | 440,466 | 356,786 | 65,745 |
| 45-49 years | 39,650 | 400,958 | 329,523 | 54,863 |
| 50-54 years | 29,648 | 360,201 | 298,615 | 46,508 |
| 55-59 years | 19,158 | 266,566 | 222,303 | 33,140 |
| 60-64 years | 13,495 | 209,822 | 174,214 | 27,159 |
| 65-69 years | 9,519 | 171,066 | 143,675 | 22,099 |
| 70-74 years | 6,700 | 154,464 | 133,869 | 17,130 |
| 75-79 years | 4,149 | 123,913 | 109,359 | 12,134 |
| 80-84 years | 1,853 | 78,801 | 71,095 | 6,378 |
| 85+ years | 1,249 | 53,099 | 48,255 | 4,119 |
| Total | 845,716 | 5,272,286 | 4,141,070 | 888,926 |
| 2001 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,013 | 69,087 | 48,913 | 16,271 |
| 01-04 years | 69,948 | 268,558 | 192,055 | 62,450 |
| 05-09 years | 81,311 | 363,613 | 259,283 | 88,509 |
| 10-14 years | 69,946 | 379,467 | 275,878 | 88,215 |
| 15-19 years | 65,961 | 366,053 | 270,624 | 78,663 |
| 20-24 years | 74,944 | 352,157 | 257,081 | 74,011 |
| 25-29 years | 76,980 | 349,654 | 253,472 | 69,921 |
| 30-34 years | 67,415 | 391,413 | 294,106 | 72,293 |
| 35-39 years | 56,420 | 429,767 | 332,816 | 76,130 |
| 40-44 years | 47,054 | 456,858 | 359,069 | 78,561 |
| 45-49 years | 36,070 | 417,946 | 331,352 | 67,752 |
| 50-54 years | 27,932 | 381,071 | 305,413 | 58,929 |
| 55-59 years | 19,116 | 287,306 | 233,088 | 42,167 |
| 60-64 years | 13,900 | 234,294 | 189,872 | 35,632 |
| 65-69 years | 10,955 | 203,456 | 166,960 | 30,238 |
| 70-74 years | 7,862 | 200,751 | 170,589 | 25,374 |
| 75-79 years | 5,078 | 183,571 | 160,539 | 19,558 |
| 80-84 years | 2,733 | 141,008 | 126,503 | 12,356 |
| 85+ years | 2,179 | 138,596 | 126,087 | 10,970 |
| Total | 755,817 | 5,614,626 | 4,353,700 | 1,008,000 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2002 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 40,895 | 135,696 | 96,716 | 31,113 |
| 01-04 years | 150,256 | 545,914 | 391,710 | 124,871 |
| 05-09 years | 168,672 | 726,593 | 519,054 | 174,624 |
| 10-14 years | 149,769 | 781,154 | 566,206 | 182,714 |
| 15-19 years | 144,951 | 750,289 | 556,248 | 158,714 |
| 20-24 years | 169,662 | 708,039 | 520,281 | 144,387 |
| 25-29 years | 175,364 | 679,769 | 500,571 | 126,501 |
| 30-34 years | 155,780 | 767,735 | 579,599 | 134,554 |
| 35-39 years | 126,891 | 817,684 | 639,246 | 136,326 |
| 40-44 years | 105,446 | 891,439 | 709,291 | 144,250 |
| 45-49 years | 80,422 | 834,308 | 671,527 | 126,363 |
| 50-54 years | 60,256 | 738,521 | 598,727 | 107,405 |
| 55-59 years | 41,700 | 592,279 | 488,093 | 78,875 |
| 60-64 years | 28,406 | 458,723 | 376,404 | 63,754 |
| 65-69 years | 21,283 | 374,632 | 309,036 | 53,206 |
| 70-74 years | 15,128 | 347,309 | 296,571 | 42,111 |
| 75-79 years | 9,788 | 305,424 | 266,945 | 32,431 |
| 80-84 years | 5,030 | 223,459 | 200,227 | 19,438 |
| 85+ years | 3,601 | 193,289 | 175,762 | 15,056 |
| Total | 1,653,300 | 10,872,256 | 8,462,214 | 1,896,693 |
| 2002 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,764 | 69,347 | 49,355 | 15,925 |
| 01-04 years | 77,064 | 278,566 | 200,875 | 63,119 |
| 05-09 years | 86,265 | 371,769 | 266,218 | 89,209 |
| 10-14 years | 76,448 | 399,950 | 290,659 | 92,701 |
| 15-19 years | 77,539 | 385,723 | 286,922 | 80,285 |
| 20-24 years | 94,057 | 353,154 | 261,855 | 69,655 |
| 25-29 years | 96,530 | 336,253 | 251,537 | 58,840 |
| 30-34 years | 84,847 | 380,174 | 291,918 | 61,826 |
| 35-39 years | 68,458 | 402,789 | 319,599 | 62,493 |
| 40-44 years | 56,136 | 437,512 | 353,342 | 65,766 |
| 45-49 years | 42,150 | 408,111 | 334,386 | 56,641 |
| 50-54 years | 31,102 | 359,399 | 296,782 | 47,421 |
| 55-59 years | 20,952 | 285,077 | 238,207 | 34,780 |
| 60-64 years | 13,883 | 216,761 | 180,138 | 27,591 |
| 65-69 years | 10,032 | 172,063 | 143,825 | 22,457 |
| 70-74 years | 6,920 | 151,400 | 130,724 | 17,011 |
| 75-79 years | 4,298 | 123,971 | 109,053 | 12,435 |
| 80-84 years | 2,072 | 80,816 | 72,667 | 6,675 |
| 85+ years | 1,304 | 54,003 | 49,088 | 4,112 |
| Total | 870,821 | 5,266,838 | 4,127,150 | 888,942 |
| 2002 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,131 | 66,349 | 47,361 | 15,188 |
| 01-04 years | 73,192 | 267,348 | 190,835 | 61,752 |
| 05-09 years | 82,407 | 354,824 | 252,836 | 85,415 |
| 10-14 years | 73,321 | 381,204 | 275,547 | 90,013 |
| 15-19 years | 67,412 | 364,566 | 269,326 | 78,429 |
| 20-24 years | 75,605 | 354,885 | 258,426 | 74,732 |
| 25-29 years | 78,834 | 343,516 | 249,034 | 67,661 |
| 30-34 years | 70,933 | 387,561 | 287,681 | 72,728 |
| 35-39 years | 58,433 | 414,895 | 319,647 | 73,833 |
| 40-44 years | 49,310 | 453,927 | 355,949 | 78,484 |
| 45-49 years | 38,272 | 426,197 | 337,141 | 69,722 |
| 50-54 years | 29,154 | 379,122 | 301,945 | 59,984 |
| 55-59 years | 20,748 | 307,202 | 249,886 | 44,095 |
| 60-64 years | 14,523 | 241,962 | 196,266 | 36,163 |
| 65-69 years | 11,251 | 202,569 | 165,211 | 30,749 |
| 70-74 years | 8,208 | 195,909 | 165,847 | 25,100 |
| 75-79 years | 5,490 | 181,453 | 157,892 | 19,996 |
| 80-84 years | 2,958 | 142,643 | 127,560 | 12,763 |
| 85+ years | 2,297 | 139,286 | 126,674 | 10,944 |
| Total | 782,479 | 5,605,418 | 4,335,064 | 1,007,751 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2003 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 41,379 | 133,688 | 95,351 | 29,861 |
| 01-04 years | 156,169 | 540,594 | 387,645 | 122,442 |
| 05-09 years | 170,992 | 707,655 | 506,615 | 167,279 |
| 10-14 years | 156,214 | 778,659 | 560,306 | 185,579 |
| 15-19 years | 146,392 | 749,560 | 553,510 | 160,433 |
| 20-24 years | 169,938 | 715,371 | 525,495 | 145,226 |
| 25-29 years | 176,734 | 674,580 | 498,342 | 123,649 |
| 30-34 years | 161,347 | 751,708 | 562,572 | 133,061 |
| 35-39 years | 132,109 | 789,629 | 613,155 | 132,580 |
| 40-44 years | 109,674 | 879,640 | 698,016 | 142,911 |
| 45-49 years | 84,704 | 847,484 | 680,316 | 129,755 |
| 50-54 years | 63,304 | 748,055 | 605,304 | 109,495 |
| 55-59 years | 45,150 | 610,103 | 500,600 | 82,351 |
| 60-64 years | 29,731 | 479,900 | 395,112 | 65,074 |
| 65-69 years | 22,404 | 381,196 | 313,654 | 54,180 |
| 70-74 years | 15,708 | 339,987 | 288,283 | 42,588 |
| 75-79 years | 10,587 | 303,851 | 264,780 | 32,627 |
| 80-84 years | 5,537 | 226,030 | 201,963 | 20,064 |
| 85+ years | 3,850 | 196,393 | 178,512 | 15,210 |
| Total | 1,701,923 | 10,854,083 | 8,429,531 | 1,894,365 |
| 2003 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,330 | 68,520 | 49,084 | 15,037 |
| 01-04 years | 79,724 | 275,781 | 198,462 | 62,055 |
| 05-09 years | 87,511 | 361,542 | 259,856 | 85,022 |
| 10-14 years | 79,799 | 398,523 | 287,535 | 94,218 |
| 15-19 years | 77,727 | 385,637 | 285,690 | 81,273 |
| 20-24 years | 93,723 | 356,749 | 264,165 | 70,208 |
| 25-29 years | 96,878 | 333,825 | 250,583 | 57,692 |
| 30-34 years | 87,732 | 372,085 | 283,327 | 61,151 |
| 35-39 years | 70,955 | 389,006 | 306,768 | 60,637 |
| 40-44 years | 58,240 | 431,759 | 347,926 | 65,098 |
| 45-49 years | 44,329 | 414,468 | 338,375 | 58,500 |
| 50-54 years | 32,632 | 364,119 | 300,121 | 48,408 |
| 55-59 years | 22,849 | 293,968 | 244,926 | 36,264 |
| 60-64 years | 14,446 | 226,799 | 189,118 | 28,106 |
| 65-69 years | 10,573 | 175,741 | 146,551 | 22,871 |
| 70-74 years | 7,098 | 148,382 | 127,253 | 17,241 |
| 75-79 years | 4,681 | 124,119 | 109,071 | 12,375 |
| 80-84 years | 2,334 | 82,437 | 73,909 | 7,006 |
| 85+ years | 1,422 | 55,704 | 50,648 | 4,145 |
| Total | 893,983 | 5,259,164 | 4,113,368 | 887,307 |
| 2003 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,049 | 65,168 | 46,267 | 14,824 |
| 01-04 years | 76,445 | 264,813 | 189,183 | 60,387 |
| 05-09 years | 83,481 | 346,113 | 246,759 | 82,257 |
| 10-14 years | 76,415 | 380,136 | 272,771 | 91,361 |
| 15-19 years | 68,665 | 363,923 | 267,820 | 79,160 |
| 20-24 years | 76,215 | 358,622 | 261,330 | 75,018 |
| 25-29 years | 79,856 | 340,755 | 247,759 | 65,957 |
| 30-34 years | 73,615 | 379,623 | 279,245 | 71,910 |
| 35-39 years | 61,154 | 400,623 | 306,387 | 71,943 |
| 40-44 years | 51,434 | 447,881 | 350,090 | 77,813 |
| 45-49 years | 40,375 | 433,016 | 341,941 | 71,255 |
| 50-54 years | 30,672 | 383,936 | 305,183 | 61,087 |
| 55-59 years | 22,301 | 316,135 | 255,674 | 46,087 |
| 60-64 years | 15,285 | 253,101 | 205,994 | 36,968 |
| 65-69 years | 11,831 | 205,455 | 167,103 | 31,309 |
| 70-74 years | 8,610 | 191,605 | 161,030 | 25,347 |
| 75-79 years | 5,906 | 179,732 | 155,709 | 20,252 |
| 80-84 years | 3,203 | 143,593 | 128,054 | 13,058 |
| 85+ years | 2,428 | 140,689 | 127,864 | 11,065 |
| Total | 807,940 | 5,594,919 | 4,316,163 | 1,007,058 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2004 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 42,262 | 133,171 | 94,894 | 29,818 |
| 01-04 years | 161,057 | 535,141 | 383,134 | 119,969 |
| 05-09 years | 173,109 | 689,231 | 494,952 | 159,684 |
| 10-14 years | 162,799 | 769,772 | 550,541 | 186,011 |
| 15-19 years | 149,006 | 756,166 | 555,265 | 164,566 |
| 20-24 years | 168,255 | 724,970 | 534,134 | 145,351 |
| 25-29 years | 178,342 | 677,365 | 499,863 | 124,012 |
| 30-34 years | 166,019 | 729,919 | 542,154 | 130,597 |
| 35-39 years | 136,060 | 765,378 | 590,721 | 128,749 |
| 40-44 years | 114,136 | 866,835 | 685,679 | 141,084 |
| 45-49 years | 88,827 | 855,914 | 685,696 | 132,476 |
| 50-54 years | 66,689 | 761,131 | 614,752 | 112,201 |
| 55-59 years | 48,327 | 634,701 | 519,394 | 86,390 |
| 60-64 years | 31,303 | 492,569 | 405,178 | 66,337 |
| 65-69 years | 23,201 | 389,130 | 319,934 | 54,657 |
| 70-74 years | 16,468 | 332,829 | 280,495 | 42,736 |
| 75-79 years | 11,111 | 299,360 | 259,750 | 32,912 |
| 80-84 years | 6,297 | 229,276 | 204,376 | 20,681 |
| 85+ years | 4,004 | 199,643 | 181,189 | 15,515 |
| Total | 1,747,272 | 10,842,501 | 8,402,101 | 1,893,746 |
| 2004 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,545 | 68,241 | 48,648 | 15,219 |
| 01-04 years | 82,372 | 273,101 | 196,313 | 60,622 |
| 05-09 years | 88,597 | 352,518 | 254,192 | 81,333 |
| 10-14 years | 83,208 | 393,713 | 282,514 | 94,353 |
| 15-19 years | 78,771 | 389,475 | 286,843 | 83,443 |
| 20-24 years | 92,670 | 364,503 | 270,359 | 70,979 |
| 25-29 years | 97,243 | 335,400 | 251,631 | 57,972 |
| 30-34 years | 89,567 | 361,397 | 273,422 | 59,825 |
| 35-39 years | 73,052 | 377,387 | 295,769 | 59,069 |
| 40-44 years | 60,618 | 425,452 | 341,655 | 64,516 |
| 45-49 years | 46,466 | 419,008 | 341,187 | 59,884 |
| 50-54 years | 34,354 | 370,779 | 305,182 | 49,799 |
| 55-59 years | 24,554 | 305,644 | 254,144 | 37,928 |
| 60-64 years | 15,148 | 233,328 | 194,391 | 28,761 |
| 65-69 years | 10,966 | 179,635 | 149,615 | 23,064 |
| 70-74 years | 7,415 | 145,461 | 124,109 | 17,227 |
| 75-79 years | 4,884 | 123,385 | 108,104 | 12,503 |
| 80-84 years | 2,714 | 84,249 | 75,361 | 7,273 |
| 85+ years | 1,475 | 57,269 | 52,024 | 4,239 |
| Total | 915,619 | 5,259,945 | 4,105,463 | 888,009 |
| 2004 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,717 | 64,930 | 46,246 | 14,599 |
| 01-04 years | 78,685 | 262,040 | 186,821 | 59,347 |
| 05-09 years | 84,512 | 336,713 | 240,760 | 78,351 |
| 10-14 years | 79,591 | 376,059 | 268,027 | 91,658 |
| 15-19 years | 70,235 | 366,691 | 268,422 | 81,123 |
| 20-24 years | 75,585 | 360,467 | 263,775 | 74,372 |
| 25-29 years | 81,099 | 341,965 | 248,232 | 66,040 |
| 30-34 years | 76,452 | 368,522 | 268,732 | 70,772 |
| 35-39 years | 63,008 | 387,991 | 294,952 | 69,680 |
| 40-44 years | 53,518 | 441,383 | 344,024 | 76,568 |
| 45-49 years | 42,361 | 436,906 | 344,509 | 72,592 |
| 50-54 years | 32,335 | 390,352 | 309,570 | 62,402 |
| 55-59 years | 23,773 | 329,057 | 265,250 | 48,462 |
| 60-64 years | 16,155 | 259,241 | 210,787 | 37,576 |
| 65-69 years | 12,235 | 209,495 | 170,319 | 31,593 |
| 70-74 years | 9,053 | 187,368 | 156,386 | 25,509 |
| 75-79 years | 6,227 | 175,975 | 151,646 | 20,409 |
| 80-84 years | 3,583 | 145,027 | 129,015 | 13,408 |
| 85+ years | 2,529 | 142,374 | 129,165 | 11,276 |
| Total | 831,653 | 5,582,556 | 4,296,638 | 1,005,737 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2005 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 41,473 | 129,069 | 91,352 | 28,867 |
| 01-04 years | 164,169 | 530,995 | 379,356 | 118,565 |
| 05-09 years | 176,794 | 672,724 | 484,407 | 152,726 |
| 10-14 years | 168,562 | 754,852 | 537,504 | 183,517 |
| 15-19 years | 153,264 | 761,011 | 554,941 | 169,054 |
| 20-24 years | 165,540 | 722,221 | 533,993 | 142,488 |
| 25-29 years | 179,751 | 686,332 | 504,904 | 127,237 |
| 30-34 years | 169,057 | 703,519 | 519,481 | 126,352 |
| 35-39 years | 142,157 | 752,131 | 576,263 | 126,940 |
| 40-44 years | 117,325 | 845,252 | 666,641 | 137,578 |
| 45-49 years | 93,875 | 862,237 | 688,979 | 135,049 |
| 50-54 years | 70,243 | 775,881 | 626,470 | 114,418 |
| 55-59 years | 52,308 | 667,853 | 544,299 | 92,500 |
| 60-64 years | 33,322 | 500,669 | 411,889 | 66,765 |
| 65-69 years | 23,991 | 393,001 | 322,091 | 55,166 |
| 70-74 years | 17,157 | 328,205 | 274,874 | 43,142 |
| 75-79 years | 12,009 | 297,050 | 256,682 | 33,259 |
| 80-84 years | 6,755 | 231,103 | 205,535 | 21,118 |
| 85+ years | 4,397 | 203,649 | 184,344 | 16,148 |
| Total | 1,792,149 | 10,817,754 | 8,364,005 | 1,890,889 |
| 2005 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,299 | 66,282 | 46,931 | 14,855 |
| 01-04 years | 83,807 | 271,311 | 194,612 | 59,929 |
| 05-09 years | 90,767 | 343,092 | 248,163 | 77,522 |
| 10-14 years | 86,130 | 386,945 | 276,330 | 93,414 |
| 15-19 years | 80,408 | 391,398 | 286,219 | 85,708 |
| 20-24 years | 90,850 | 362,745 | 269,741 | 69,754 |
| 25-29 years | 97,585 | 339,922 | 254,162 | 59,841 |
| 30-34 years | 90,846 | 347,949 | 261,556 | 57,857 |
| 35-39 years | 76,066 | 371,469 | 289,502 | 58,092 |
| 40-44 years | 62,039 | 414,642 | 331,993 | 62,924 |
| 45-49 years | 49,247 | 421,902 | 342,421 | 61,290 |
| 50-54 years | 36,202 | 377,926 | 310,833 | 50,964 |
| 55-59 years | 26,690 | 322,061 | 267,018 | 40,518 |
| 60-64 years | 16,113 | 237,828 | 198,324 | 28,945 |
| 65-69 years | 11,350 | 181,236 | 150,510 | 23,219 |
| 70-74 years | 7,624 | 144,536 | 122,544 | 17,495 |
| 75-79 years | 5,355 | 123,097 | 107,475 | 12,649 |
| 80-84 years | 2,876 | 85,820 | 76,647 | 7,490 |
| 85+ years | 1,644 | 59,013 | 53,517 | 4,414 |
| Total | 936,898 | 5,249,174 | 4,088,498 | 886,880 |
| 2005 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,174 | 62,787 | 44,421 | 14,012 |
| 01-04 years | 80,362 | 259,684 | 184,744 | 58,636 |
| 05-09 years | 86,027 | 329,632 | 236,244 | 75,204 |
| 10-14 years | 82,432 | 367,907 | 261,174 | 90,103 |
| 15-19 years | 72,856 | 369,613 | 268,722 | 83,346 |
| 20-24 years | 74,690 | 359,476 | 264,252 | 72,734 |
| 25-29 years | 82,166 | 346,410 | 250,742 | 67,396 |
| 30-34 years | 78,211 | 355,570 | 257,925 | 68,495 |
| 35-39 years | 66,091 | 380,662 | 286,761 | 68,848 |
| 40-44 years | 55,286 | 430,610 | 334,648 | 74,654 |
| 45-49 years | 44,628 | 440,335 | 346,558 | 73,759 |
| 50-54 years | 34,041 | 397,955 | 315,637 | 63,454 |
| 55-59 years | 25,618 | 345,792 | 277,281 | 51,982 |
| 60-64 years | 17,209 | 262,841 | 213,565 | 37,820 |
| 65-69 years | 12,641 | 211,765 | 171,581 | 31,947 |
| 70-74 years | 9,533 | 183,669 | 152,330 | 25,647 |
| 75-79 years | 6,654 | 173,953 | 149,207 | 20,610 |
| 80-84 years | 3,879 | 145,283 | 128,888 | 13,628 |
| 85+ years | 2,753 | 144,636 | 130,827 | 11,734 |
| Total | 855,251 | 5,568,580 | 4,275,507 | 1,004,009 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2006 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 42,032 | 127,001 | 89,200 | 28,996 |
| 01-04 years | 164,664 | 520,085 | 371,005 | 115,317 |
| 05-09 years | 182,389 | 665,591 | 478,147 | 150,198 |
| 10-14 years | 173,928 | 739,743 | 526,209 | 178,764 |
| 15-19 years | 159,164 | 762,423 | 551,706 | 173,170 |
| 20-24 years | 165,546 | 717,386 | 530,939 | 139,911 |
| 25-29 years | 180,748 | 704,543 | 517,955 | 130,252 |
| 30-34 years | 172,611 | 679,927 | 500,219 | 121,577 |
| 35-39 years | 147,168 | 749,206 | 569,650 | 128,061 |
| 40-44 years | 121,375 | 816,842 | 640,531 | 134,096 |
| 45-49 years | 97,873 | 866,276 | 691,193 | 136,602 |
| 50-54 years | 73,959 | 788,955 | 635,744 | 117,025 |
| 55-59 years | 55,684 | 701,042 | 570,233 | 98,304 |
| 60-64 years | 35,482 | 508,959 | 417,946 | 67,707 |
| 65-69 years | 25,085 | 397,538 | 325,559 | 55,090 |
| 70-74 years | 17,864 | 325,913 | 270,974 | 43,855 |
| 75-79 years | 12,602 | 293,127 | 252,793 | 33,033 |
| 80-84 years | 7,293 | 230,359 | 203,990 | 21,692 |
| 85+ years | 4,760 | 208,812 | 188,737 | 16,680 |
| Total | 1,840,227 | 10,803,728 | 8,332,730 | 1,890,330 |
| 2006 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,322 | 64,736 | 45,516 | 14,744 |
| 01-04 years | 84,052 | 266,230 | 190,542 | 58,551 |
| 05-09 years | 93,590 | 339,156 | 244,991 | 75,840 |
| 10-14 years | 88,662 | 379,276 | 270,392 | 91,287 |
| 15-19 years | 83,566 | 391,757 | 284,262 | 87,795 |
| 20-24 years | 90,826 | 361,260 | 268,883 | 68,703 |
| 25-29 years | 97,726 | 347,961 | 259,906 | 61,138 |
| 30-34 years | 92,523 | 336,585 | 252,082 | 55,695 |
| 35-39 years | 78,211 | 369,957 | 286,205 | 58,630 |
| 40-44 years | 64,346 | 401,082 | 319,319 | 61,508 |
| 45-49 years | 51,159 | 424,180 | 343,559 | 62,288 |
| 50-54 years | 38,110 | 384,074 | 315,176 | 52,280 |
| 55-59 years | 28,396 | 338,104 | 279,898 | 43,031 |
| 60-64 years | 17,117 | 242,087 | 201,672 | 29,329 |
| 65-69 years | 11,991 | 183,356 | 152,124 | 23,130 |
| 70-74 years | 7,966 | 144,448 | 121,618 | 17,885 |
| 75-79 years | 5,525 | 121,737 | 106,183 | 12,561 |
| 80-84 years | 3,147 | 86,533 | 77,001 | 7,702 |
| 85+ years | 1,771 | 61,408 | 55,671 | 4,581 |
| Total | 960,006 | 5,243,927 | 4,075,000 | 886,678 |
| 2006 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,710 | 62,265 | 43,684 | 14,252 |
| 01-04 years | 80,612 | 253,855 | 180,463 | 56,766 |
| 05-09 years | 88,799 | 326,435 | 233,156 | 74,358 |
| 10-14 years | 85,266 | 360,467 | 255,817 | 87,477 |
| 15-19 years | 75,598 | 370,666 | 267,444 | 85,375 |
| 20-24 years | 74,720 | 356,126 | 262,056 | 71,208 |
| 25-29 years | 83,022 | 356,582 | 258,049 | 69,114 |
| 30-34 years | 80,088 | 343,342 | 248,137 | 65,882 |
| 35-39 years | 68,957 | 379,249 | 283,445 | 69,431 |
| 40-44 years | 57,029 | 415,760 | 321,212 | 72,588 |
| 45-49 years | 46,714 | 442,096 | 347,634 | 74,314 |
| 50-54 years | 35,849 | 404,881 | 320,568 | 64,745 |
| 55-59 years | 27,288 | 362,938 | 290,335 | 55,273 |
| 60-64 years | 18,365 | 266,872 | 216,274 | 38,378 |
| 65-69 years | 13,094 | 214,182 | 173,435 | 31,960 |
| 70-74 years | 9,898 | 181,465 | 149,356 | 25,970 |
| 75-79 years | 7,077 | 171,390 | 146,610 | 20,472 |
| 80-84 years | 4,146 | 143,826 | 126,989 | 13,990 |
| 85+ years | 2,989 | 147,404 | 133,066 | 12,099 |
| Total | 880,221 | 5,559,801 | 4,257,730 | 1,003,652 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2007 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 43,014 | 128,278 | 89,469 | 29,774 |
| 01-04 years | 166,521 | 513,514 | 365,038 | 113,857 |
| 05-09 years | 189,178 | 660,018 | 473,836 | 147,491 |
| 10-14 years | 178,163 | 724,227 | 514,388 | 173,774 |
| 15-19 years | 164,953 | 763,424 | 549,174 | 176,109 |
| 20-24 years | 165,210 | 715,074 | 529,228 | 139,029 |
| 25-29 years | 181,335 | 714,753 | 525,483 | 130,866 |
| 30-34 years | 175,109 | 671,340 | 494,045 | 118,398 |
| 35-39 years | 153,709 | 741,907 | 557,814 | 129,011 |
| 40-44 years | 124,591 | 789,444 | 615,959 | 130,349 |
| 45-49 years | 101,821 | 861,204 | 685,607 | 136,457 |
| 50-54 years | 78,473 | 805,706 | 647,499 | 121,008 |
| 55-59 years | 57,997 | 699,047 | 565,904 | 99,989 |
| 60-64 years | 38,551 | 546,921 | 450,571 | 70,914 |
| 65-69 years | 26,098 | 412,111 | 337,771 | 56,163 |
| 70-74 years | 18,711 | 326,817 | 270,535 | 44,450 |
| 75-79 years | 13,208 | 287,648 | 247,371 | 32,696 |
| 80-84 years | 7,839 | 230,026 | 202,930 | 22,230 |
| 85+ years | 5,146 | 214,780 | 193,676 | 17,440 |
| Total | 1,889,627 | 10,806,239 | 8,316,298 | 1,890,005 |
| 2007 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,858 | 65,230 | 45,482 | 15,092 |
| 01-04 years | 84,980 | 262,618 | 187,583 | 57,529 |
| 05-09 years | 96,802 | 336,372 | 242,728 | 74,536 |
| 10-14 years | 90,985 | 370,904 | 264,035 | 88,773 |
| 15-19 years | 86,296 | 391,726 | 282,571 | 89,198 |
| 20-24 years | 90,019 | 360,303 | 268,162 | 68,316 |
| 25-29 years | 97,729 | 352,624 | 263,329 | 61,377 |
| 30-34 years | 93,446 | 332,212 | 248,672 | 54,488 |
| 35-39 years | 81,384 | 366,286 | 280,836 | 58,730 |
| 40-44 years | 65,862 | 387,652 | 307,108 | 59,769 |
| 45-49 years | 53,218 | 421,745 | 340,607 | 62,472 |
| 50-54 years | 40,442 | 391,917 | 320,689 | 54,089 |
| 55-59 years | 29,635 | 337,730 | 278,599 | 43,814 |
| 60-64 years | 18,703 | 260,385 | 217,501 | 30,833 |
| 65-69 years | 12,347 | 190,497 | 158,205 | 23,607 |
| 70-74 years | 8,464 | 145,620 | 122,190 | 18,051 |
| 75-79 years | 5,794 | 120,172 | 104,507 | 12,521 |
| 80-84 years | 3,282 | 87,298 | 77,492 | 7,923 |
| 85+ years | 1,954 | 63,798 | 57,713 | 4,813 |
| Total | 983,200 | 5,245,089 | 4,068,009 | 885,931 |
| 2007 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,156 | 63,048 | 43,987 | 14,682 |
| 01-04 years | 81,541 | 250,896 | 177,455 | 56,328 |
| 05-09 years | 92,376 | 323,646 | 231,108 | 72,955 |
| 10-14 years | 87,178 | 353,323 | 250,353 | 85,001 |
| 15-19 years | 78,657 | 371,698 | 266,603 | 86,911 |
| 20-24 years | 75,191 | 354,771 | 261,066 | 70,713 |
| 25-29 years | 83,606 | 362,129 | 262,154 | 69,489 |
| 30-34 years | 81,663 | 339,128 | 245,373 | 63,910 |
| 35-39 years | 72,325 | 375,621 | 276,978 | 70,281 |
| 40-44 years | 58,729 | 401,792 | 308,851 | 70,580 |
| 45-49 years | 48,603 | 439,459 | 345,000 | 73,985 |
| 50-54 years | 38,031 | 413,789 | 326,810 | 66,919 |
| 55-59 years | 28,362 | 361,317 | 287,305 | 56,175 |
| 60-64 years | 19,848 | 286,536 | 233,070 | 40,081 |
| 65-69 years | 13,751 | 221,614 | 179,566 | 32,556 |
| 70-74 years | 10,247 | 181,197 | 148,345 | 26,399 |
| 75-79 years | 7,414 | 167,476 | 142,864 | 20,175 |
| 80-84 years | 4,557 | 142,728 | 125,438 | 14,307 |
| 85+ years | 3,192 | 150,982 | 135,963 | 12,627 |
| Total | 906,427 | 5,561,150 | 4,248,289 | 1,004,074 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2008 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 42,012 | 125,956 | 87,337 | 29,329 |
| 01-04 years | 169,784 | 509,911 | 360,632 | 114,158 |
| 05-09 years | 196,021 | 655,521 | 469,776 | 145,222 |
| 10-14 years | 182,935 | 709,417 | 504,546 | 167,945 |
| 15-19 years | 171,103 | 759,962 | 542,230 | 178,975 |
| 20-24 years | 166,301 | 710,244 | 524,013 | 139,159 |
| 25-29 years | 181,703 | 728,555 | 537,509 | 131,359 |
| 30-34 years | 176,403 | 670,810 | 495,529 | 116,643 |
| 35-39 years | 159,681 | 727,019 | 541,829 | 128,101 |
| 40-44 years | 129,694 | 763,568 | 591,741 | 127,087 |
| 45-49 years | 105,642 | 851,044 | 675,710 | 135,249 |
| 50-54 years | 82,853 | 821,048 | 658,241 | 124,579 |
| 55-59 years | 61,009 | 712,062 | 575,522 | 102,264 |
| 60-64 years | 41,683 | 565,580 | 464,043 | 74,214 |
| 65-69 years | 27,274 | 432,474 | 355,714 | 57,437 |
| 70-74 years | 19,636 | 332,607 | 274,877 | 45,037 |
| 75-79 years | 13,562 | 281,568 | 240,563 | 33,045 |
| 80-84 years | 8,414 | 228,884 | 201,543 | 22,172 |
| 85+ years | 5,638 | 219,460 | 197,449 | 18,123 |
| Total | 1,941,348 | 10,805,690 | 8,298,804 | 1,890,098 |
| 2008 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,292 | 64,136 | 44,492 | 14,980 |
| 01-04 years | 86,341 | 260,389 | 184,772 | 57,797 |
| 05-09 years | 100,259 | 334,140 | 240,685 | 73,360 |
| 10-14 years | 93,423 | 362,897 | 259,195 | 85,188 |
| 15-19 years | 89,316 | 389,775 | 278,919 | 90,724 |
| 20-24 years | 90,241 | 358,070 | 265,558 | 68,508 |
| 25-29 years | 97,354 | 359,647 | 269,388 | 61,650 |
| 30-34 years | 93,681 | 331,955 | 249,609 | 53,829 |
| 35-39 years | 84,512 | 358,642 | 272,840 | 58,287 |
| 40-44 years | 68,308 | 375,033 | 295,190 | 58,225 |
| 45-49 years | 55,180 | 416,854 | 335,924 | 61,837 |
| 50-54 years | 42,653 | 399,508 | 325,720 | 56,157 |
| 55-59 years | 31,148 | 344,061 | 283,356 | 44,813 |
| 60-64 years | 20,429 | 269,791 | 224,738 | 32,283 |
| 65-69 years | 12,843 | 200,219 | 166,908 | 24,096 |
| 70-74 years | 8,877 | 148,973 | 124,803 | 18,298 |
| 75-79 years | 5,886 | 117,985 | 102,037 | 12,629 |
| 80-84 years | 3,535 | 87,768 | 77,939 | 7,806 |
| 85+ years | 2,167 | 66,213 | 59,765 | 5,108 |
| Total | 1,007,445 | 5,246,056 | 4,061,838 | 885,575 |
| 2008 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,720 | 61,820 | 42,845 | 14,349 |
| 01-04 years | 83,443 | 249,522 | 175,860 | 56,361 |
| 05-09 years | 95,762 | 321,381 | 229,091 | 71,862 |
| 10-14 years | 89,512 | 346,520 | 245,351 | 82,757 |
| 15-19 years | 81,787 | 370,187 | 263,311 | 88,251 |
| 20-24 years | 76,060 | 352,174 | 258,455 | 70,651 |
| 25-29 years | 84,349 | 368,908 | 268,121 | 69,709 |
| 30-34 years | 82,722 | 338,855 | 245,920 | 62,814 |
| 35-39 years | 75,169 | 368,377 | 268,989 | 69,814 |
| 40-44 years | 61,386 | 388,535 | 296,551 | 68,862 |
| 45-49 years | 50,462 | 434,190 | 339,786 | 73,412 |
| 50-54 years | 40,200 | 421,540 | 332,521 | 68,422 |
| 55-59 years | 29,861 | 368,001 | 292,166 | 57,451 |
| 60-64 years | 21,254 | 295,789 | 239,305 | 41,931 |
| 65-69 years | 14,431 | 232,255 | 188,806 | 33,341 |
| 70-74 years | 10,759 | 183,634 | 150,074 | 26,739 |
| 75-79 years | 7,676 | 163,583 | 138,526 | 20,416 |
| 80-84 years | 4,879 | 141,116 | 123,604 | 14,366 |
| 85+ years | 3,471 | 153,247 | 137,684 | 13,015 |
| Total | 933,903 | 5,559,634 | 4,236,966 | 1,004,523 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2009 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 41,747 | 122,899 | 85,709 | 28,122 |
| 01-04 years | 171,143 | 504,486 | 354,417 | 114,367 |
| 05-09 years | 203,209 | 654,151 | 467,751 | 144,120 |
| 10-14 years | 187,630 | 696,298 | 496,144 | 162,034 |
| 15-19 years | 177,072 | 751,129 | 532,284 | 179,653 |
| 20-24 years | 167,357 | 710,291 | 521,055 | 141,286 |
| 25-29 years | 180,158 | 734,539 | 544,708 | 129,897 |
| 30-34 years | 178,300 | 677,472 | 500,293 | 117,932 |
| 35-39 years | 164,597 | 706,833 | 522,144 | 126,637 |
| 40-44 years | 134,088 | 741,258 | 571,090 | 123,495 |
| 45-49 years | 109,989 | 841,540 | 666,186 | 133,758 |
| 50-54 years | 87,093 | 832,526 | 666,101 | 127,772 |
| 55-59 years | 64,438 | 727,956 | 587,554 | 105,015 |
| 60-64 years | 44,681 | 591,892 | 484,754 | 78,097 |
| 65-69 years | 28,984 | 446,086 | 366,230 | 59,084 |
| 70-74 years | 20,498 | 340,033 | 280,973 | 45,349 |
| 75-79 years | 14,464 | 275,895 | 234,527 | 33,031 |
| 80-84 years | 8,903 | 226,333 | 198,480 | 22,474 |
| 85+ years | 6,204 | 224,606 | 201,453 | 19,055 |
| Total | 1,990,555 | 10,806,223 | 8,281,853 | 1,891,178 |
| 2009 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,236 | 62,831 | 43,867 | 14,352 |
| 01-04 years | 86,911 | 257,452 | 181,572 | 57,879 |
| 05-09 years | 103,900 | 333,354 | 239,578 | 72,823 |
| 10-14 years | 95,685 | 356,455 | 254,964 | 82,418 |
| 15-19 years | 91,949 | 384,570 | 273,467 | 90,844 |
| 20-24 years | 90,242 | 357,322 | 263,423 | 69,318 |
| 25-29 years | 96,302 | 362,885 | 273,140 | 61,020 |
| 30-34 years | 93,883 | 335,209 | 252,207 | 54,421 |
| 35-39 years | 86,460 | 348,305 | 262,966 | 57,375 |
| 40-44 years | 70,704 | 364,092 | 284,788 | 56,761 |
| 45-49 years | 57,387 | 411,840 | 330,672 | 61,521 |
| 50-54 years | 44,866 | 405,660 | 329,854 | 57,748 |
| 55-59 years | 32,777 | 351,952 | 289,554 | 46,209 |
| 60-64 years | 22,003 | 282,475 | 235,156 | 33,823 |
| 65-69 years | 13,612 | 207,154 | 172,339 | 24,946 |
| 70-74 years | 9,264 | 152,550 | 127,754 | 18,356 |
| 75-79 years | 6,251 | 116,061 | 99,987 | 12,589 |
| 80-84 years | 3,733 | 87,729 | 77,704 | 7,902 |
| 85+ years | 2,440 | 68,554 | 61,723 | 5,393 |
| Total | 1,029,605 | 5,246,450 | 4,054,715 | 885,698 |
| 2009 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,511 | 60,068 | 41,842 | 13,770 |
| 01-04 years | 84,232 | 247,034 | 172,845 | 56,488 |
| 05-09 years | 99,309 | 320,797 | 228,173 | 71,297 |
| 10-14 years | 91,945 | 339,843 | 241,180 | 79,616 |
| 15-19 years | 85,123 | 366,559 | 258,817 | 88,809 |
| 20-24 years | 77,115 | 352,969 | 257,632 | 71,968 |
| 25-29 years | 83,856 | 371,654 | 271,568 | 68,877 |
| 30-34 years | 84,417 | 342,263 | 248,086 | 63,511 |
| 35-39 years | 78,137 | 358,528 | 259,178 | 69,262 |
| 40-44 years | 63,384 | 377,166 | 286,302 | 66,734 |
| 45-49 years | 52,602 | 429,700 | 335,514 | 72,237 |
| 50-54 years | 42,227 | 426,866 | 336,247 | 70,024 |
| 55-59 years | 31,661 | 376,004 | 298,000 | 58,806 |
| 60-64 years | 22,678 | 309,417 | 249,598 | 44,274 |
| 65-69 years | 15,372 | 238,932 | 193,891 | 34,138 |
| 70-74 years | 11,234 | 187,483 | 153,219 | 26,993 |
| 75-79 years | 8,213 | 159,834 | 134,540 | 20,442 |
| 80-84 years | 5,170 | 138,604 | 120,776 | 14,572 |
| 85+ years | 3,764 | 156,052 | 139,730 | 13,662 |
| Total | 960,950 | 5,559,773 | 4,227,138 | 1,005,480 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2010 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 41,188 | 122,579 | 85,571 | 28,025 |
| 01-04 years | 171,681 | 499,352 | 350,583 | 113,165 |
| 05-09 years | 207,850 | 649,588 | 462,625 | 142,987 |
| 10-14 years | 192,959 | 684,859 | 488,362 | 157,160 |
| 15-19 years | 182,067 | 738,192 | 521,272 | 177,047 |
| 20-24 years | 168,989 | 711,149 | 517,206 | 145,276 |
| 25-29 years | 177,754 | 732,034 | 544,993 | 127,362 |
| 30-34 years | 179,354 | 689,527 | 508,479 | 121,452 |
| 35-39 years | 167,543 | 683,744 | 502,619 | 122,939 |
| 40-44 years | 139,857 | 730,191 | 558,045 | 122,646 |
| 45-49 years | 113,060 | 822,986 | 649,672 | 130,892 |
| 50-54 years | 91,933 | 840,448 | 670,727 | 130,589 |
| 55-59 years | 67,983 | 744,828 | 600,767 | 107,690 |
| 60-64 years | 48,135 | 624,722 | 509,766 | 83,839 |
| 65-69 years | 30,972 | 456,968 | 374,957 | 60,081 |
| 70-74 years | 21,281 | 344,821 | 283,984 | 45,969 |
| 75-79 years | 15,229 | 273,768 | 231,169 | 33,699 |
| 80-84 years | 9,701 | 226,164 | 197,489 | 22,999 |
| 85+ years | 6,740 | 230,349 | 205,954 | 20,034 |
| Total | 2,034,276 | 10,806,269 | 8,264,240 | 1,893,851 |
| 2010 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 21,052 | 62,827 | 43,845 | 14,375 |
| 01-04 years | 87,063 | 254,674 | 179,500 | 57,206 |
| 05-09 years | 106,238 | 331,371 | 237,194 | 72,362 |
| 10-14 years | 98,432 | 349,594 | 250,438 | 79,596 |
| 15-19 years | 94,082 | 378,710 | 268,217 | 89,875 |
| 20-24 years | 90,500 | 357,502 | 261,479 | 71,123 |
| 25-29 years | 94,393 | 362,417 | 273,666 | 60,099 |
| 30-34 years | 94,217 | 341,053 | 256,248 | 56,197 |
| 35-39 years | 87,537 | 336,803 | 253,060 | 55,749 |
| 40-44 years | 73,569 | 359,083 | 278,894 | 56,385 |
| 45-49 years | 58,840 | 402,694 | 322,391 | 60,302 |
| 50-54 years | 47,447 | 409,414 | 331,900 | 59,249 |
| 55-59 years | 34,690 | 360,039 | 295,834 | 47,549 |
| 60-64 years | 23,741 | 298,650 | 247,941 | 36,261 |
| 65-69 years | 14,608 | 212,793 | 177,027 | 25,447 |
| 70-74 years | 9,655 | 154,579 | 129,067 | 18,548 |
| 75-79 years | 6,577 | 116,178 | 99,423 | 12,937 |
| 80-84 years | 4,112 | 88,239 | 77,890 | 8,120 |
| 85+ years | 2,619 | 71,118 | 63,911 | 5,681 |
| Total | 1,049,372 | 5,247,738 | 4,047,925 | 887,061 |
| 2010 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 20,136 | 59,752 | 41,726 | 13,650 |
| 01-04 years | 84,618 | 244,678 | 171,083 | 55,959 |
| 05-09 years | 101,612 | 318,217 | 225,431 | 70,625 |
| 10-14 years | 94,527 | 335,265 | 237,924 | 77,564 |
| 15-19 years | 87,985 | 359,482 | 253,055 | 87,172 |
| 20-24 years | 78,489 | 353,647 | 255,727 | 74,153 |
| 25-29 years | 83,361 | 369,617 | 271,327 | 67,263 |
| 30-34 years | 85,137 | 348,474 | 252,231 | 65,255 |
| 35-39 years | 80,006 | 346,941 | 249,559 | 67,190 |
| 40-44 years | 66,288 | 371,108 | 279,151 | 66,261 |
| 45-49 years | 54,220 | 420,292 | 327,281 | 70,590 |
| 50-54 years | 44,486 | 431,034 | 338,827 | 71,340 |
| 55-59 years | 33,293 | 384,789 | 304,933 | 60,141 |
| 60-64 years | 24,394 | 326,072 | 261,825 | 47,578 |
| 65-69 years | 16,364 | 244,175 | 197,930 | 34,634 |
| 70-74 years | 11,626 | 190,242 | 154,917 | 27,421 |
| 75-79 years | 8,652 | 157,590 | 131,746 | 20,762 |
| 80-84 years | 5,589 | 137,925 | 119,599 | 14,879 |
| 85+ years | 4,121 | 159,231 | 142,043 | 14,353 |
| Total | 984,904 | 5,558,531 | 4,216,315 | 1,006,790 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2011 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 38,871 | 123,228 | 86,034 | 27,823 |
| 01-04 years | 169,515 | 493,802 | 345,700 | 111,902 |
| 05-09 years | 209,893 | 641,031 | 455,758 | 140,323 |
| 10-14 years | 195,942 | 676,338 | 481,771 | 153,879 |
| 15-19 years | 183,956 | 724,137 | 511,428 | 171,631 |
| 20-24 years | 169,927 | 717,602 | 514,785 | 152,445 |
| 25-29 years | 176,339 | 730,166 | 542,348 | 127,302 |
| 30-34 years | 178,882 | 702,652 | 517,994 | 123,064 |
| 35-39 years | 169,315 | 660,765 | 483,742 | 118,188 |
| 40-44 years | 144,996 | 728,341 | 552,163 | 123,495 |
| 45-49 years | 116,610 | 795,650 | 624,430 | 127,517 |
| 50-54 years | 95,296 | 843,504 | 672,753 | 131,237 |
| 55-59 years | 71,654 | 759,526 | 611,115 | 110,664 |
| 60-64 years | 51,463 | 656,520 | 535,068 | 88,628 |
| 65-69 years | 33,203 | 466,154 | 381,706 | 60,975 |
| 70-74 years | 22,254 | 352,294 | 289,550 | 46,675 |
| 75-79 years | 16,015 | 273,970 | 229,303 | 34,862 |
| 80-84 years | 10,353 | 225,005 | 195,713 | 23,294 |
| 85+ years | 7,503 | 235,111 | 209,452 | 20,841 |
| Total | 2,061,987 | 10,805,796 | 8,240,813 | 1,894,745 |
| 2011 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 19,924 | 63,301 | 44,198 | 14,266 |
| 01-04 years | 85,871 | 251,803 | 176,909 | 56,618 |
| 05-09 years | 107,360 | 327,218 | 233,813 | 70,988 |
| 10-14 years | 99,810 | 344,963 | 246,835 | 77,891 |
| 15-19 years | 94,592 | 371,683 | 263,055 | 87,458 |
| 20-24 years | 90,218 | 361,379 | 260,653 | 75,067 |
| 25-29 years | 93,488 | 362,414 | 272,663 | 60,561 |
| 30-34 years | 93,830 | 347,340 | 260,861 | 57,032 |
| 35-39 years | 88,330 | 326,062 | 243,756 | 53,830 |
| 40-44 years | 76,070 | 357,912 | 276,164 | 56,628 |
| 45-49 years | 60,888 | 389,537 | 310,171 | 58,673 |
| 50-54 years | 49,176 | 411,221 | 332,920 | 59,901 |
| 55-59 years | 36,548 | 367,146 | 300,970 | 48,851 |
| 60-64 years | 25,558 | 313,417 | 260,191 | 38,095 |
| 65-69 years | 15,679 | 217,785 | 180,835 | 25,896 |
| 70-74 years | 10,088 | 158,211 | 131,874 | 18,815 |
| 75-79 years | 6,998 | 116,950 | 99,191 | 13,416 |
| 80-84 years | 4,373 | 88,197 | 77,587 | 8,266 |
| 85+ years | 2,911 | 73,669 | 66,001 | 5,985 |
| Total | 1,061,712 | 5,250,208 | 4,038,647 | 888,237 |
| 2011 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,947 | 59,927 | 41,836 | 13,557 |
| 01-04 years | 83,644 | 241,999 | 168,791 | 55,284 |
| 05-09 years | 102,533 | 313,813 | 221,945 | 69,335 |
| 10-14 years | 96,132 | 331,375 | 234,936 | 75,988 |
| 15-19 years | 89,364 | 352,454 | 248,373 | 84,173 |
| 20-24 years | 79,709 | 356,223 | 254,132 | 77,378 |
| 25-29 years | 82,851 | 367,752 | 269,685 | 66,741 |
| 30-34 years | 85,052 | 355,312 | 257,133 | 66,032 |
| 35-39 years | 80,985 | 334,703 | 239,986 | 64,358 |
| 40-44 years | 68,926 | 370,429 | 275,999 | 66,867 |
| 45-49 years | 55,722 | 406,113 | 314,259 | 68,844 |
| 50-54 years | 46,120 | 432,283 | 339,833 | 71,336 |
| 55-59 years | 35,106 | 392,380 | 310,145 | 61,813 |
| 60-64 years | 25,905 | 343,103 | 274,877 | 50,533 |
| 65-69 years | 17,524 | 248,369 | 200,871 | 35,079 |
| 70-74 years | 12,166 | 194,083 | 157,676 | 27,860 |
| 75-79 years | 9,017 | 157,020 | 130,112 | 21,446 |
| 80-84 years | 5,980 | 136,808 | 118,126 | 15,028 |
| 85+ years | 4,592 | 161,442 | 143,451 | 14,856 |
| Total | 1,000,275 | 5,555,588 | 4,202,166 | 1,006,508 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2012 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 37,603 | 122,090 | 84,598 | 27,920 |
| 01-04 years | 164,637 | 489,590 | 341,890 | 110,251 |
| 05-09 years | 212,583 | 635,059 | 450,076 | 139,108 |
| 10-14 years | 198,683 | 666,200 | 474,201 | 150,125 |
| 15-19 years | 184,531 | 706,844 | 499,214 | 165,603 |
| 20-24 years | 172,096 | 726,444 | 515,110 | 159,091 |
| 25-29 years | 173,007 | 726,634 | 537,097 | 128,253 |
| 30-34 years | 178,253 | 711,576 | 523,991 | 123,806 |
| 35-39 years | 170,257 | 651,683 | 476,905 | 115,343 |
| 40-44 years | 149,823 | 719,827 | 540,046 | 123,745 |
| 45-49 years | 120,141 | 769,259 | 600,259 | 124,063 |
| 50-54 years | 97,967 | 835,952 | 665,437 | 130,389 |
| 55-59 years | 75,867 | 774,789 | 621,952 | 114,143 |
| 60-64 years | 53,670 | 655,791 | 531,814 | 90,076 |
| 65-69 years | 36,216 | 501,967 | 412,292 | 64,193 |
| 70-74 years | 23,400 | 366,015 | 300,579 | 47,999 |
| 75-79 years | 16,693 | 276,676 | 230,176 | 35,769 |
| 80-84 years | 10,905 | 221,582 | 191,648 | 23,549 |
| 85+ years | 8,321 | 240,398 | 213,357 | 21,738 |
| Total | 2,084,653 | 10,798,376 | 8,210,642 | 1,895,164 |
| 2012 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,926 | 62,399 | 43,235 | 14,230 |
| 01-04 years | 83,690 | 250,356 | 175,410 | 55,974 |
| 05-09 years | 108,387 | 323,767 | 230,517 | 70,303 |
| 10-14 years | 101,036 | 340,242 | 243,192 | 76,061 |
| 15-19 years | 94,475 | 362,596 | 256,673 | 84,401 |
| 20-24 years | 90,615 | 366,837 | 261,614 | 78,691 |
| 25-29 years | 91,458 | 361,385 | 270,102 | 61,564 |
| 30-34 years | 93,549 | 351,714 | 263,711 | 57,509 |
| 35-39 years | 88,734 | 321,905 | 240,420 | 52,762 |
| 40-44 years | 78,311 | 353,913 | 270,587 | 56,687 |
| 45-49 years | 62,820 | 376,737 | 298,478 | 56,955 |
| 50-54 years | 50,551 | 407,436 | 329,118 | 59,652 |
| 55-59 years | 38,750 | 374,490 | 306,150 | 50,595 |
| 60-64 years | 26,843 | 313,350 | 259,218 | 38,620 |
| 65-69 years | 17,176 | 235,238 | 195,958 | 27,285 |
| 70-74 years | 10,599 | 164,544 | 137,110 | 19,292 |
| 75-79 years | 7,409 | 118,748 | 100,133 | 13,742 |
| 80-84 years | 4,567 | 87,274 | 76,361 | 8,361 |
| 85+ years | 3,218 | 76,166 | 67,996 | 6,329 |
| Total | 1,071,114 | 5,249,097 | 4,025,983 | 889,013 |
| 2012 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,677 | 59,691 | 41,363 | 13,690 |
| 01-04 years | 80,947 | 239,234 | 166,480 | 54,277 |
| 05-09 years | 104,196 | 311,292 | 219,559 | 68,805 |
| 10-14 years | 97,647 | 325,958 | 231,009 | 74,064 |
| 15-19 years | 90,056 | 344,248 | 242,541 | 81,202 |
| 20-24 years | 81,481 | 359,607 | 253,496 | 80,400 |
| 25-29 years | 81,549 | 365,249 | 266,995 | 66,689 |
| 30-34 years | 84,704 | 359,862 | 260,280 | 66,297 |
| 35-39 years | 81,523 | 329,778 | 236,485 | 62,581 |
| 40-44 years | 71,512 | 365,914 | 269,459 | 67,058 |
| 45-49 years | 57,321 | 392,522 | 301,781 | 67,108 |
| 50-54 years | 47,416 | 428,516 | 336,319 | 70,737 |
| 55-59 years | 37,117 | 400,299 | 315,802 | 63,548 |
| 60-64 years | 26,827 | 342,441 | 272,596 | 51,456 |
| 65-69 years | 19,040 | 266,729 | 216,334 | 36,908 |
| 70-74 years | 12,801 | 201,471 | 163,469 | 28,707 |
| 75-79 years | 9,284 | 157,928 | 130,043 | 22,027 |
| 80-84 years | 6,338 | 134,308 | 115,287 | 15,188 |
| 85+ years | 5,103 | 164,232 | 145,361 | 15,409 |
| Total | 1,013,539 | 5,549,279 | 4,184,659 | 1,006,151 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2013 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 36,454 | 120,671 | 83,110 | 27,748 |
| 01-04 years | 158,542 | 485,600 | 338,038 | 108,927 |
| 05-09 years | 213,539 | 628,832 | 443,788 | 138,391 |
| 10-14 years | 201,424 | 656,866 | 467,870 | 145,756 |
| 15-19 years | 185,552 | 690,291 | 488,591 | 158,874 |
| 20-24 years | 174,348 | 732,008 | 512,914 | 165,045 |
| 25-29 years | 170,982 | 726,911 | 533,070 | 130,700 |
| 30-34 years | 177,037 | 720,231 | 529,012 | 124,884 |
| 35-39 years | 170,729 | 653,418 | 479,129 | 113,752 |
| 40-44 years | 153,245 | 705,183 | 524,168 | 122,887 |
| 45-49 years | 124,174 | 743,082 | 575,922 | 120,964 |
| 50-54 years | 101,174 | 825,154 | 654,848 | 129,059 |
| 55-59 years | 79,526 | 787,344 | 630,727 | 117,077 |
| 60-64 years | 56,299 | 665,885 | 538,620 | 92,201 |
| 65-69 years | 38,979 | 519,533 | 425,293 | 66,899 |
| 70-74 years | 24,751 | 385,119 | 316,746 | 49,651 |
| 75-79 years | 17,484 | 282,343 | 234,251 | 36,433 |
| 80-84 years | 11,479 | 218,467 | 187,380 | 24,198 |
| 85+ years | 9,149 | 243,973 | 215,666 | 22,488 |
| Total | 2,104,867 | 10,790,911 | 8,179,143 | 1,895,934 |
| 2013 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,545 | 61,764 | 42,714 | 14,045 |
| 01-04 years | 80,645 | 248,426 | 173,243 | 55,513 |
| 05-09 years | 108,446 | 320,693 | 227,348 | 69,890 |
| 10-14 years | 102,522 | 335,198 | 239,901 | 73,651 |
| 15-19 years | 94,686 | 354,126 | 251,219 | 81,017 |
| 20-24 years | 91,068 | 370,891 | 261,273 | 82,161 |
| 25-29 years | 90,508 | 363,121 | 269,022 | 63,226 |
| 30-34 years | 92,876 | 355,826 | 265,771 | 58,128 |
| 35-39 years | 88,846 | 323,584 | 241,958 | 52,390 |
| 40-44 years | 79,822 | 346,496 | 262,805 | 56,022 |
| 45-49 years | 65,047 | 364,000 | 286,466 | 55,534 |
| 50-54 years | 52,257 | 402,161 | 323,998 | 59,025 |
| 55-59 years | 40,646 | 381,021 | 310,614 | 52,222 |
| 60-64 years | 28,222 | 317,856 | 262,450 | 39,502 |
| 65-69 years | 18,676 | 243,900 | 202,755 | 28,353 |
| 70-74 years | 11,210 | 173,625 | 144,804 | 20,027 |
| 75-79 years | 7,735 | 121,721 | 102,399 | 13,994 |
| 80-84 years | 4,792 | 86,625 | 75,220 | 8,615 |
| 85+ years | 3,562 | 78,121 | 69,506 | 6,570 |
| Total | 1,080,111 | 5,249,155 | 4,013,466 | 889,885 |
| 2013 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,909 | 58,907 | 40,396 | 13,703 |
| 01-04 years | 77,897 | 237,174 | 164,795 | 53,414 |
| 05-09 years | 105,093 | 308,139 | 216,440 | 68,501 |
| 10-14 years | 98,902 | 321,668 | 227,969 | 72,105 |
| 15-19 years | 90,866 | 336,165 | 237,372 | 77,857 |
| 20-24 years | 83,280 | 361,117 | 251,641 | 82,884 |
| 25-29 years | 80,474 | 363,790 | 264,048 | 67,474 |
| 30-34 years | 84,161 | 364,405 | 263,241 | 66,756 |
| 35-39 years | 81,883 | 329,834 | 237,171 | 61,362 |
| 40-44 years | 73,423 | 358,687 | 261,363 | 66,865 |
| 45-49 years | 59,127 | 379,082 | 289,456 | 65,430 |
| 50-54 years | 48,917 | 422,993 | 330,850 | 70,034 |
| 55-59 years | 38,880 | 406,323 | 320,113 | 64,855 |
| 60-64 years | 28,077 | 348,029 | 276,170 | 52,699 |
| 65-69 years | 20,303 | 275,633 | 222,538 | 38,546 |
| 70-74 years | 13,541 | 211,494 | 171,942 | 29,624 |
| 75-79 years | 9,749 | 160,622 | 131,852 | 22,439 |
| 80-84 years | 6,687 | 131,842 | 112,160 | 15,583 |
| 85+ years | 5,587 | 165,852 | 146,160 | 15,918 |
| Total | 1,024,756 | 5,541,756 | 4,165,677 | 1,006,049 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2014 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 35,875 | 121,044 | 83,850 | 27,692 |
| 01-04 years | 153,452 | 483,298 | 334,679 | 108,809 |
| 05-09 years | 212,224 | 617,193 | 433,602 | 136,748 |
| 10-14 years | 204,171 | 648,226 | 461,854 | 141,632 |
| 15-19 years | 187,119 | 673,755 | 478,124 | 152,303 |
| 20-24 years | 176,952 | 730,432 | 508,078 | 167,059 |
| 25-29 years | 169,551 | 727,180 | 527,630 | 135,386 |
| 30-34 years | 175,755 | 720,791 | 528,832 | 124,169 |
| 35-39 years | 170,140 | 658,950 | 482,868 | 114,144 |
| 40-44 years | 156,511 | 685,213 | 505,233 | 121,129 |
| 45-49 years | 127,649 | 719,265 | 553,972 | 117,552 |
| 50-54 years | 104,482 | 811,817 | 642,385 | 126,756 |
| 55-59 years | 82,852 | 793,864 | 635,127 | 118,986 |
| 60-64 years | 59,625 | 678,626 | 547,642 | 94,880 |
| 65-69 years | 41,608 | 541,745 | 442,533 | 70,140 |
| 70-74 years | 26,413 | 396,658 | 325,617 | 50,901 |
| 75-79 years | 18,166 | 289,395 | 239,593 | 37,069 |
| 80-84 years | 12,095 | 215,357 | 183,315 | 24,689 |
| 85+ years | 10,101 | 247,542 | 217,873 | 23,293 |
| Total | 2,124,741 | 10,760,351 | 8,132,807 | 1,893,337 |
| 2014 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,217 | 62,017 | 43,114 | 14,059 |
| 01-04 years | 78,062 | 247,558 | 171,659 | 55,494 |
| 05-09 years | 107,631 | 314,562 | 221,796 | 69,143 |
| 10-14 years | 104,136 | 330,605 | 236,769 | 71,545 |
| 15-19 years | 95,276 | 345,708 | 246,040 | 77,557 |
| 20-24 years | 91,395 | 370,440 | 258,943 | 83,553 |
| 25-29 years | 90,040 | 363,671 | 266,518 | 65,887 |
| 30-34 years | 92,169 | 356,633 | 265,823 | 57,981 |
| 35-39 years | 88,465 | 326,450 | 243,865 | 52,867 |
| 40-44 years | 81,212 | 336,583 | 253,431 | 55,011 |
| 45-49 years | 66,846 | 352,506 | 275,711 | 53,960 |
| 50-54 years | 53,982 | 395,786 | 317,873 | 58,163 |
| 55-59 years | 42,435 | 384,215 | 312,743 | 53,149 |
| 60-64 years | 30,022 | 324,015 | 267,013 | 40,733 |
| 65-69 years | 20,065 | 254,338 | 211,391 | 29,440 |
| 70-74 years | 12,025 | 179,398 | 149,273 | 20,678 |
| 75-79 years | 8,014 | 124,988 | 104,870 | 14,300 |
| 80-84 years | 5,008 | 85,876 | 74,038 | 8,779 |
| 85+ years | 3,975 | 80,259 | 71,138 | 6,884 |
| Total | 1,088,975 | 5,235,608 | 3,992,008 | 889,183 |
| 2014 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,658 | 59,027 | 40,736 | 13,633 |
| 01-04 years | 75,390 | 235,740 | 163,020 | 53,315 |
| 05-09 years | 104,593 | 302,631 | 211,806 | 67,605 |
| 10-14 years | 100,035 | 317,621 | 225,085 | 70,087 |
| 15-19 years | 91,843 | 328,047 | 232,084 | 74,746 |
| 20-24 years | 85,557 | 359,992 | 249,135 | 83,506 |
| 25-29 years | 79,511 | 363,509 | 261,112 | 69,499 |
| 30-34 years | 83,586 | 364,158 | 263,009 | 66,188 |
| 35-39 years | 81,675 | 332,500 | 239,003 | 61,277 |
| 40-44 years | 75,299 | 348,630 | 251,802 | 66,118 |
| 45-49 years | 60,803 | 366,759 | 278,261 | 63,592 |
| 50-54 years | 50,500 | 416,031 | 324,512 | 68,593 |
| 55-59 years | 40,417 | 409,649 | 322,384 | 65,837 |
| 60-64 years | 29,603 | 354,611 | 280,629 | 54,147 |
| 65-69 years | 21,543 | 287,407 | 231,142 | 40,700 |
| 70-74 years | 14,388 | 217,260 | 176,344 | 30,223 |
| 75-79 years | 10,152 | 164,407 | 134,723 | 22,769 |
| 80-84 years | 7,087 | 129,481 | 109,277 | 15,910 |
| 85+ years | 6,126 | 167,283 | 146,735 | 16,409 |
| Total | 1,035,766 | 5,524,743 | 4,140,799 | 1,004,154 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2015 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 36,796 | 121,817 | 83,830 | 28,093 |
| 01-04 years | 147,941 | 480,102 | 331,913 | 108,140 |
| 05-09 years | 210,018 | 608,354 | 425,780 | 135,444 |
| 10-14 years | 205,282 | 636,364 | 453,438 | 137,417 |
| 15-19 years | 189,953 | 661,871 | 469,666 | 147,942 |
| 20-24 years | 178,444 | 720,036 | 499,396 | 164,408 |
| 25-29 years | 168,782 | 727,208 | 521,526 | 140,611 |
| 30-34 years | 172,414 | 716,223 | 524,737 | 122,418 |
| 35-39 years | 170,793 | 668,305 | 488,672 | 116,231 |
| 40-44 years | 158,592 | 661,512 | 485,099 | 117,381 |
| 45-49 years | 132,182 | 705,751 | 539,230 | 116,444 |
| 50-54 years | 106,958 | 790,889 | 624,074 | 123,387 |
| 55-59 years | 86,523 | 796,556 | 635,830 | 120,612 |
| 60-64 years | 63,375 | 692,623 | 558,170 | 97,311 |
| 65-69 years | 44,293 | 566,883 | 461,952 | 73,910 |
| 70-74 years | 28,160 | 405,182 | 332,037 | 51,874 |
| 75-79 years | 18,953 | 293,198 | 241,441 | 37,792 |
| 80-84 years | 12,678 | 213,604 | 180,274 | 25,359 |
| 85+ years | 11,163 | 249,807 | 218,732 | 24,058 |
| Total | 2,143,300 | 10,716,285 | 8,075,797 | 1,888,832 |
| 2015 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,662 | 62,376 | 43,110 | 14,252 |
| 01-04 years | 75,191 | 245,990 | 170,391 | 55,021 |
| 05-09 years | 106,597 | 310,152 | 217,766 | 68,569 |
| 10-14 years | 104,782 | 325,063 | 232,756 | 69,557 |
| 15-19 years | 96,635 | 339,318 | 241,630 | 75,266 |
| 20-24 years | 91,535 | 365,437 | 254,695 | 82,398 |
| 25-29 years | 89,415 | 364,278 | 263,908 | 68,635 |
| 30-34 years | 90,411 | 355,204 | 263,952 | 57,404 |
| 35-39 years | 89,157 | 330,757 | 246,342 | 54,127 |
| 40-44 years | 82,148 | 325,314 | 243,613 | 53,227 |
| 45-49 years | 69,027 | 346,075 | 268,919 | 53,372 |
| 50-54 years | 55,452 | 385,855 | 308,972 | 56,685 |
| 55-59 years | 44,291 | 385,592 | 312,975 | 54,128 |
| 60-64 years | 32,051 | 330,622 | 272,114 | 41,853 |
| 65-69 years | 21,387 | 266,308 | 221,088 | 30,874 |
| 70-74 years | 12,922 | 183,810 | 152,820 | 21,141 |
| 75-79 years | 8,425 | 126,692 | 105,738 | 14,522 |
| 80-84 years | 5,248 | 85,910 | 73,468 | 9,059 |
| 85+ years | 4,364 | 81,636 | 71,962 | 7,217 |
| Total | 1,097,700 | 5,216,389 | 3,966,219 | 887,307 |
| 2015 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,134 | 59,441 | 40,720 | 13,841 |
| 01-04 years | 72,750 | 234,112 | 161,522 | 53,119 |
| 05-09 years | 103,421 | 298,202 | 208,014 | 66,875 |
| 10-14 years | 100,500 | 311,301 | 220,682 | 67,860 |
| 15-19 years | 93,318 | 322,553 | 228,036 | 72,676 |
| 20-24 years | 86,909 | 354,599 | 244,701 | 82,010 |
| 25-29 years | 79,367 | 362,930 | 257,618 | 71,976 |
| 30-34 years | 82,003 | 361,019 | 260,785 | 65,014 |
| 35-39 years | 81,636 | 337,548 | 242,330 | 62,104 |
| 40-44 years | 76,444 | 336,198 | 241,486 | 64,154 |
| 45-49 years | 63,155 | 359,676 | 270,311 | 63,072 |
| 50-54 years | 51,506 | 405,034 | 315,102 | 66,702 |
| 55-59 years | 42,232 | 410,964 | 322,855 | 66,484 |
| 60-64 years | 31,324 | 362,001 | 286,056 | 55,458 |
| 65-69 years | 22,906 | 300,575 | 240,864 | 43,036 |
| 70-74 years | 15,238 | 221,372 | 179,217 | 30,733 |
| 75-79 years | 10,528 | 166,506 | 135,703 | 23,270 |
| 80-84 years | 7,430 | 127,694 | 106,806 | 16,300 |
| 85+ years | 6,799 | 168,171 | 146,770 | 16,841 |
| Total | 1,045,600 | 5,499,896 | 4,109,578 | 1,001,525 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2016 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 36,119 | 119,910 | 82,696 | 27,383 |
| 01-04 years | 145,652 | 477,474 | 329,378 | 108,023 |
| 05-09 years | 205,374 | 600,457 | 419,387 | 133,252 |
| 10-14 years | 207,203 | 625,805 | 445,376 | 134,435 |
| 15-19 years | 192,759 | 651,095 | 461,850 | 144,307 |
| 20-24 years | 179,161 | 701,228 | 486,867 | 158,292 |
| 25-29 years | 168,787 | 730,087 | 517,214 | 147,189 |
| 30-34 years | 170,952 | 711,772 | 520,187 | 121,832 |
| 35-39 years | 169,967 | 676,611 | 495,100 | 117,180 |
| 40-44 years | 159,839 | 635,654 | 464,516 | 112,087 |
| 45-49 years | 136,794 | 700,502 | 531,184 | 116,796 |
| 50-54 years | 110,011 | 761,350 | 597,205 | 119,720 |
| 55-59 years | 89,346 | 795,649 | 634,761 | 120,807 |
| 60-64 years | 66,447 | 703,180 | 565,589 | 99,311 |
| 65-69 years | 47,177 | 592,891 | 482,476 | 77,950 |
| 70-74 years | 30,049 | 411,984 | 336,896 | 52,582 |
| 75-79 years | 19,701 | 298,847 | 245,658 | 38,204 |
| 80-84 years | 13,372 | 214,426 | 179,287 | 26,361 |
| 85+ years | 12,165 | 251,912 | 219,672 | 24,629 |
| Total | 2,160,875 | 10,660,834 | 8,015,299 | 1,880,340 |
| 2016 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 18,444 | 61,460 | 42,476 | 13,998 |
| 01-04 years | 73,761 | 244,470 | 169,235 | 54,702 |
| 05-09 years | 104,285 | 306,762 | 214,660 | 67,767 |
| 10-14 years | 106,085 | 319,472 | 228,404 | 68,058 |
| 15-19 years | 97,916 | 333,508 | 237,458 | 73,364 |
| 20-24 years | 91,375 | 356,150 | 248,275 | 79,572 |
| 25-29 years | 88,938 | 366,399 | 262,359 | 72,192 |
| 30-34 years | 90,025 | 354,157 | 262,130 | 57,712 |
| 35-39 years | 88,661 | 334,866 | 249,495 | 54,503 |
| 40-44 years | 82,870 | 312,877 | 233,346 | 50,938 |
| 45-49 years | 71,260 | 343,447 | 265,259 | 53,323 |
| 50-54 years | 57,280 | 371,676 | 295,996 | 54,928 |
| 55-59 years | 45,795 | 385,638 | 312,592 | 54,584 |
| 60-64 years | 33,590 | 335,854 | 275,807 | 42,823 |
| 65-69 years | 23,017 | 278,055 | 230,908 | 32,321 |
| 70-74 years | 13,798 | 187,453 | 155,485 | 21,554 |
| 75-79 years | 8,756 | 129,495 | 107,968 | 14,652 |
| 80-84 years | 5,646 | 86,795 | 73,523 | 9,464 |
| 85+ years | 4,766 | 83,034 | 72,909 | 7,454 |
| Total | 1,106,268 | 5,191,568 | 3,938,285 | 883,909 |
| 2016 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,675 | 58,450 | 40,220 | 13,385 |
| 01-04 years | 71,891 | 233,004 | 160,143 | 53,321 |
| 05-09 years | 101,089 | 293,695 | 204,727 | 65,485 |
| 10-14 years | 101,118 | 306,333 | 216,972 | 66,377 |
| 15-19 years | 94,843 | 317,587 | 224,392 | 70,943 |
| 20-24 years | 87,786 | 345,078 | 238,592 | 78,720 |
| 25-29 years | 79,849 | 363,688 | 254,855 | 74,997 |
| 30-34 years | 80,927 | 357,615 | 258,057 | 64,120 |
| 35-39 years | 81,306 | 341,745 | 245,605 | 62,677 |
| 40-44 years | 76,969 | 322,777 | 231,170 | 61,149 |
| 45-49 years | 65,534 | 357,055 | 265,925 | 63,473 |
| 50-54 years | 52,731 | 389,674 | 301,209 | 64,792 |
| 55-59 years | 43,551 | 410,011 | 322,169 | 66,223 |
| 60-64 years | 32,857 | 367,326 | 289,782 | 56,488 |
| 65-69 years | 24,160 | 314,836 | 251,568 | 45,629 |
| 70-74 years | 16,251 | 224,531 | 181,411 | 31,028 |
| 75-79 years | 10,945 | 169,352 | 137,690 | 23,552 |
| 80-84 years | 7,726 | 127,631 | 105,764 | 16,897 |
| 85+ years | 7,399 | 168,878 | 146,763 | 17,175 |
| Total | 1,054,607 | 5,469,266 | 4,077,014 | 996,431 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2017 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 34,729 | 115,964 | 79,040 | 26,846 |
| 01-04 years | 144,249 | 474,883 | 327,605 | 107,035 |
| 05-09 years | 198,929 | 593,292 | 413,318 | 131,156 |
| 10-14 years | 209,524 | 617,748 | 438,278 | 132,855 |
| 15-19 years | 195,213 | 640,208 | 454,060 | 140,239 |
| 20-24 years | 179,749 | 682,502 | 473,910 | 152,246 |
| 25-29 years | 170,815 | 733,273 | 514,103 | 152,195 |
| 30-34 years | 167,781 | 705,457 | 513,528 | 121,929 |
| 35-39 years | 169,416 | 681,411 | 498,405 | 117,107 |
| 40-44 years | 160,680 | 624,370 | 456,078 | 108,862 |
| 45-49 years | 141,201 | 689,419 | 517,530 | 116,652 |
| 50-54 years | 113,060 | 733,041 | 571,787 | 116,045 |
| 55-59 years | 91,785 | 785,864 | 625,658 | 119,721 |
| 60-64 years | 70,443 | 714,806 | 573,692 | 102,201 |
| 65-69 years | 49,281 | 590,257 | 477,926 | 79,098 |
| 70-74 years | 32,611 | 442,043 | 362,554 | 55,154 |
| 75-79 years | 20,600 | 309,871 | 254,488 | 39,276 |
| 80-84 years | 13,923 | 216,277 | 179,856 | 26,853 |
| 85+ years | 13,146 | 252,072 | 218,587 | 25,236 |
| Total | 2,177,135 | 10,602,758 | 7,950,403 | 1,870,706 |
| 2017 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,699 | 59,131 | 40,400 | 13,693 |
| 01-04 years | 73,350 | 243,361 | 168,546 | 54,270 |
| 05-09 years | 100,919 | 303,391 | 211,585 | 66,877 |
| 10-14 years | 107,060 | 314,919 | 224,521 | 67,062 |
| 15-19 years | 99,201 | 327,865 | 233,319 | 71,264 |
| 20-24 years | 91,485 | 346,900 | 241,707 | 76,606 |
| 25-29 years | 89,362 | 368,540 | 261,245 | 75,032 |
| 30-34 years | 88,307 | 351,875 | 259,097 | 58,270 |
| 35-39 years | 88,527 | 337,265 | 251,000 | 54,427 |
| 40-44 years | 83,422 | 307,706 | 229,379 | 49,671 |
| 45-49 years | 73,292 | 338,274 | 258,910 | 53,215 |
| 50-54 years | 58,967 | 357,965 | 283,747 | 53,063 |
| 55-59 years | 47,128 | 380,787 | 307,897 | 54,243 |
| 60-64 years | 35,641 | 341,597 | 279,791 | 44,241 |
| 65-69 years | 24,222 | 276,955 | 229,194 | 32,755 |
| 70-74 years | 15,078 | 201,721 | 167,880 | 22,600 |
| 75-79 years | 9,151 | 134,491 | 112,137 | 15,001 |
| 80-84 years | 5,951 | 88,096 | 74,167 | 9,675 |
| 85+ years | 5,069 | 83,884 | 73,266 | 7,692 |
| Total | 1,113,831 | 5,164,723 | 3,907,788 | 879,657 |
| 2017 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 17,030 | 56,833 | 38,640 | 13,153 |
| 01-04 years | 70,899 | 231,522 | 159,059 | 52,765 |
| 05-09 years | 98,010 | 289,901 | 201,733 | 64,279 |
| 10-14 years | 102,464 | 302,829 | 213,757 | 65,793 |
| 15-19 years | 96,012 | 312,343 | 220,741 | 68,975 |
| 20-24 years | 88,264 | 335,602 | 232,203 | 75,640 |
| 25-29 years | 81,453 | 364,733 | 252,858 | 77,163 |
| 30-34 years | 79,474 | 353,582 | 254,431 | 63,659 |
| 35-39 years | 80,889 | 344,146 | 247,405 | 62,680 |
| 40-44 years | 77,258 | 316,664 | 226,699 | 59,191 |
| 45-49 years | 67,909 | 351,145 | 258,620 | 63,437 |
| 50-54 years | 54,093 | 375,076 | 288,040 | 62,982 |
| 55-59 years | 44,657 | 405,077 | 317,761 | 65,478 |
| 60-64 years | 34,802 | 373,209 | 293,901 | 57,960 |
| 65-69 years | 25,059 | 313,302 | 248,732 | 46,343 |
| 70-74 years | 17,533 | 240,322 | 194,674 | 32,554 |
| 75-79 years | 11,449 | 175,380 | 142,351 | 24,275 |
| 80-84 years | 7,972 | 128,181 | 105,689 | 17,178 |
| 85+ years | 8,077 | 168,188 | 145,321 | 17,544 |
| Total | 1,063,304 | 5,438,035 | 4,042,615 | 991,049 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2018 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 33,737 | 113,669 | 77,146 | 26,877 |
| 01-04 years | 142,860 | 469,482 | 323,013 | 106,065 |
| 05-09 years | 192,344 | 585,613 | 406,640 | 129,459 |
| 10-14 years | 210,932 | 609,116 | 430,163 | 131,937 |
| 15-19 years | 197,973 | 630,411 | 447,216 | 136,461 |
| 20-24 years | 180,806 | 664,090 | 462,184 | 146,169 |
| 25-29 years | 172,465 | 729,982 | 506,382 | 156,655 |
| 30-34 years | 165,330 | 699,981 | 506,441 | 123,299 |
| 35-39 years | 168,552 | 685,023 | 499,797 | 117,581 |
| 40-44 years | 161,067 | 622,143 | 455,406 | 106,946 |
| 45-49 years | 144,394 | 671,795 | 499,897 | 115,127 |
| 50-54 years | 116,584 | 703,774 | 545,276 | 112,634 |
| 55-59 years | 94,481 | 772,098 | 612,843 | 118,005 |
| 60-64 years | 73,807 | 722,867 | 579,115 | 104,333 |
| 65-69 years | 51,531 | 597,170 | 482,552 | 80,494 |
| 70-74 years | 35,114 | 456,803 | 373,459 | 57,336 |
| 75-79 years | 21,916 | 325,724 | 267,890 | 40,658 |
| 80-84 years | 14,637 | 220,689 | 182,900 | 27,429 |
| 85+ years | 14,095 | 251,630 | 216,652 | 25,958 |
| Total | 2,192,625 | 10,532,060 | 7,874,972 | 1,863,423 |
| 2018 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,980 | 58,161 | 39,497 | 13,770 |
| 01-04 years | 72,679 | 240,538 | 166,045 | 53,954 |
| 05-09 years | 97,675 | 299,817 | 208,390 | 66,094 |
| 10-14 years | 107,362 | 310,633 | 220,279 | 66,747 |
| 15-19 years | 100,802 | 322,424 | 229,691 | 69,089 |
| 20-24 years | 91,686 | 337,716 | 235,781 | 73,598 |
| 25-29 years | 89,510 | 367,506 | 257,611 | 77,535 |
| 30-34 years | 87,024 | 350,121 | 256,253 | 59,313 |
| 35-39 years | 88,139 | 338,847 | 251,108 | 54,755 |
| 40-44 years | 83,726 | 307,342 | 229,450 | 49,201 |
| 45-49 years | 74,795 | 329,293 | 250,118 | 52,210 |
| 50-54 years | 60,805 | 343,684 | 270,710 | 51,408 |
| 55-59 years | 48,695 | 374,095 | 301,762 | 53,399 |
| 60-64 years | 37,289 | 345,737 | 282,533 | 45,353 |
| 65-69 years | 25,384 | 279,944 | 231,314 | 33,336 |
| 70-74 years | 16,516 | 209,168 | 173,794 | 23,417 |
| 75-79 years | 9,708 | 141,769 | 118,280 | 15,588 |
| 80-84 years | 6,236 | 90,534 | 76,036 | 9,870 |
| 85+ years | 5,474 | 84,281 | 73,084 | 7,949 |
| Total | 1,120,485 | 5,131,610 | 3,871,736 | 876,586 |
| 2018 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,757 | 55,508 | 37,649 | 13,107 |
| 01-04 years | 70,181 | 228,944 | 156,968 | 52,111 |
| 05-09 years | 94,669 | 285,796 | 198,250 | 63,365 |
| 10-14 years | 103,570 | 298,483 | 209,884 | 65,190 |
| 15-19 years | 97,171 | 307,987 | 217,525 | 67,372 |
| 20-24 years | 89,120 | 326,374 | 226,403 | 72,571 |
| 25-29 years | 82,955 | 362,476 | 248,771 | 79,120 |
| 30-34 years | 78,306 | 349,860 | 250,188 | 63,986 |
| 35-39 years | 80,413 | 346,176 | 248,689 | 62,826 |
| 40-44 years | 77,341 | 314,801 | 225,956 | 57,745 |
| 45-49 years | 69,599 | 342,502 | 249,779 | 62,917 |
| 50-54 years | 55,779 | 360,090 | 274,566 | 61,226 |
| 55-59 years | 45,786 | 398,003 | 311,081 | 64,606 |
| 60-64 years | 36,518 | 377,130 | 296,582 | 58,980 |
| 65-69 years | 26,147 | 317,226 | 251,238 | 47,158 |
| 70-74 years | 18,598 | 247,635 | 199,665 | 33,919 |
| 75-79 years | 12,208 | 183,955 | 149,610 | 25,070 |
| 80-84 years | 8,401 | 130,155 | 106,864 | 17,559 |
| 85+ years | 8,621 | 167,349 | 143,568 | 18,009 |
| Total | 1,072,140 | 5,400,450 | 4,003,236 | 986,837 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2019 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 33,216 | 108,651 | 74,772 | 24,570 |
| 01-04 years | 141,084 | 462,704 | 316,705 | 105,677 |
| 05-09 years | 186,745 | 582,529 | 403,378 | 129,313 |
| 10-14 years | 209,847 | 596,950 | 419,753 | 130,191 |
| 15-19 years | 200,713 | 622,704 | 441,612 | 133,414 |
| 20-24 years | 182,300 | 647,216 | 451,742 | 140,616 |
| 25-29 years | 174,943 | 722,925 | 498,763 | 158,194 |
| 30-34 years | 163,256 | 698,008 | 500,477 | 127,706 |
| 35-39 years | 167,116 | 683,295 | 497,948 | 116,865 |
| 40-44 years | 160,214 | 625,858 | 458,149 | 107,114 |
| 45-49 years | 147,382 | 651,220 | 480,571 | 113,403 |
| 50-54 years | 119,988 | 679,067 | 522,942 | 109,157 |
| 55-59 years | 97,426 | 756,594 | 598,569 | 115,804 |
| 60-64 years | 76,753 | 726,051 | 580,732 | 105,875 |
| 65-69 years | 54,251 | 607,288 | 489,665 | 82,739 |
| 70-74 years | 37,458 | 476,532 | 388,735 | 60,203 |
| 75-79 years | 23,295 | 335,560 | 275,385 | 41,775 |
| 80-84 years | 15,248 | 226,146 | 186,951 | 27,974 |
| 85+ years | 15,008 | 251,476 | 215,038 | 26,727 |
| Total | 2,206,243 | 10,460,774 | 7,801,887 | 1,857,317 |
| 2019 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,774 | 55,658 | 38,363 | 12,556 |
| 01-04 years | 71,671 | 236,754 | 162,504 | 53,780 |
| 05-09 years | 94,899 | 298,706 | 207,066 | 66,094 |
| 10-14 years | 106,580 | 304,235 | 214,661 | 65,878 |
| 15-19 years | 102,402 | 318,333 | 226,727 | 67,597 |
| 20-24 years | 92,167 | 328,826 | 230,288 | 70,688 |
| 25-29 years | 90,008 | 365,129 | 254,437 | 78,675 |
| 30-34 years | 86,080 | 349,713 | 253,484 | 61,854 |
| 35-39 years | 87,455 | 338,321 | 250,249 | 54,561 |
| 40-44 years | 83,194 | 309,337 | 230,831 | 49,584 |
| 45-49 years | 76,182 | 319,006 | 240,559 | 51,160 |
| 50-54 years | 62,564 | 331,827 | 259,839 | 49,735 |
| 55-59 years | 50,206 | 366,929 | 294,915 | 52,589 |
| 60-64 years | 38,830 | 347,334 | 283,216 | 46,170 |
| 65-69 years | 26,899 | 284,782 | 234,951 | 34,312 |
| 70-74 years | 17,677 | 218,115 | 181,222 | 24,308 |
| 75-79 years | 10,366 | 146,643 | 122,014 | 16,182 |
| 80-84 years | 6,548 | 92,916 | 77,805 | 10,120 |
| 85+ years | 5,820 | 85,011 | 73,218 | 8,210 |
| Total | 1,126,322 | 5,097,575 | 3,836,349 | 874,053 |
| 2019 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,442 | 52,993 | 36,409 | 12,014 |
| 01-04 years | 69,413 | 225,950 | 154,201 | 51,897 |
| 05-09 years | 91,846 | 283,823 | 196,312 | 63,219 |
| 10-14 years | 103,267 | 292,715 | 205,092 | 64,313 |
| 15-19 years | 98,311 | 304,371 | 214,885 | 65,817 |
| 20-24 years | 90,133 | 318,390 | 221,454 | 69,928 |
| 25-29 years | 84,935 | 357,796 | 244,326 | 79,519 |
| 30-34 years | 77,176 | 348,295 | 246,993 | 65,852 |
| 35-39 years | 79,661 | 344,974 | 247,699 | 62,304 |
| 40-44 years | 77,020 | 316,521 | 227,318 | 57,530 |
| 45-49 years | 71,200 | 332,214 | 240,012 | 62,243 |
| 50-54 years | 57,424 | 347,240 | 263,103 | 59,422 |
| 55-59 years | 47,220 | 389,665 | 303,654 | 63,215 |
| 60-64 years | 37,923 | 378,717 | 297,516 | 59,705 |
| 65-69 years | 27,352 | 322,506 | 254,714 | 48,427 |
| 70-74 years | 19,781 | 258,417 | 207,513 | 35,895 |
| 75-79 years | 12,929 | 188,917 | 153,371 | 25,593 |
| 80-84 years | 8,700 | 133,230 | 109,146 | 17,854 |
| 85+ years | 9,188 | 166,465 | 141,820 | 18,517 |
| Total | 1,079,921 | 5,363,199 | 3,965,538 | 983,264 |

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

| 2020 Both Sexes | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
|------------------------|----------------------------|--------------------------------|---------------------------|---------------------------|
| 00 years | 32,957 | 107,095 | 74,075 | 23,840 |
| 01-04 years | 137,644 | 449,823 | 307,576 | 102,867 |
| 05-09 years | 182,536 | 579,967 | 400,630 | 129,158 |
| 10-14 years | 207,761 | 588,017 | 411,579 | 129,399 |
| 15-19 years | 201,924 | 610,317 | 432,619 | 129,811 |
| 20-24 years | 184,544 | 633,811 | 442,138 | 137,397 |
| 25-29 years | 176,504 | 706,331 | 485,953 | 155,927 |
| 30-34 years | 162,536 | 695,913 | 493,939 | 133,002 |
| 35-39 years | 164,172 | 677,479 | 493,168 | 115,481 |
| 40-44 years | 160,985 | 633,782 | 463,069 | 109,179 |
| 45-49 years | 149,360 | 627,705 | 460,766 | 109,818 |
| 50-54 years | 124,309 | 664,364 | 507,197 | 108,396 |
| 55-59 years | 99,983 | 733,463 | 578,151 | 112,568 |
| 60-64 years | 80,082 | 724,932 | 578,107 | 107,472 |
| 65-69 years | 57,684 | 617,214 | 496,944 | 84,849 |
| 70-74 years | 40,037 | 496,806 | 404,182 | 63,396 |
| 75-79 years | 24,761 | 341,629 | 279,711 | 42,569 |
| 80-84 years | 15,873 | 228,374 | 187,650 | 28,535 |
| 85+ years | 16,096 | 250,760 | 212,862 | 27,394 |
| Total | 2,219,748 | 10,367,782 | 7,710,316 | 1,851,058 |
| 2020 Males | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,773 | 54,712 | 37,869 | 12,163 |
| 01-04 years | 69,848 | 230,117 | 157,666 | 52,501 |
| 05-09 years | 92,710 | 297,291 | 205,925 | 65,740 |
| 10-14 years | 105,496 | 299,508 | 210,149 | 65,543 |
| 15-19 years | 103,010 | 312,540 | 222,437 | 65,935 |
| 20-24 years | 93,208 | 321,796 | 225,170 | 69,042 |
| 25-29 years | 90,187 | 357,147 | 247,985 | 77,730 |
| 30-34 years | 85,571 | 349,156 | 250,503 | 64,610 |
| 35-39 years | 85,941 | 335,887 | 247,968 | 54,219 |
| 40-44 years | 83,892 | 313,290 | 233,087 | 50,868 |
| 45-49 years | 77,217 | 307,857 | 231,020 | 49,381 |
| 50-54 years | 64,570 | 324,802 | 252,490 | 49,318 |
| 55-59 years | 51,623 | 355,962 | 285,066 | 51,138 |
| 60-64 years | 40,578 | 347,155 | 281,992 | 47,203 |
| 65-69 years | 28,735 | 288,983 | 238,074 | 35,238 |
| 70-74 years | 18,970 | 227,514 | 188,814 | 25,447 |
| 75-79 years | 11,097 | 149,660 | 124,308 | 16,540 |
| 80-84 years | 6,877 | 93,720 | 77,973 | 10,285 |
| 85+ years | 6,238 | 85,668 | 73,263 | 8,461 |
| Total | 1,132,541 | 5,052,765 | 3,791,759 | 871,362 |
| 2020 Females | Hispanic (any race) | Non-Hispanic (any race) | Non-Hispanic White | Non-Hispanic Black |
| 00 years | 16,184 | 52,383 | 36,206 | 11,677 |
| 01-04 years | 67,796 | 219,706 | 149,910 | 50,366 |
| 05-09 years | 89,826 | 282,676 | 194,705 | 63,418 |
| 10-14 years | 102,265 | 288,509 | 201,430 | 63,856 |
| 15-19 years | 98,914 | 297,777 | 210,182 | 63,876 |
| 20-24 years | 91,336 | 312,015 | 216,968 | 68,355 |
| 25-29 years | 86,317 | 349,184 | 237,968 | 78,197 |
| 30-34 years | 76,965 | 346,757 | 243,436 | 68,392 |
| 35-39 years | 78,231 | 341,592 | 245,200 | 61,262 |
| 40-44 years | 77,093 | 320,492 | 229,982 | 58,311 |
| 45-49 years | 72,143 | 319,848 | 229,746 | 60,437 |
| 50-54 years | 59,739 | 339,562 | 254,707 | 59,078 |
| 55-59 years | 48,360 | 377,501 | 293,085 | 61,430 |
| 60-64 years | 39,504 | 377,777 | 296,115 | 60,269 |
| 65-69 years | 28,949 | 328,231 | 258,870 | 49,611 |
| 70-74 years | 21,067 | 269,292 | 215,368 | 37,949 |
| 75-79 years | 13,664 | 191,969 | 155,403 | 26,029 |
| 80-84 years | 8,996 | 134,654 | 109,677 | 18,250 |
| 85+ years | 9,858 | 165,092 | 139,599 | 18,933 |
| Total | 1,087,207 | 5,315,017 | 3,918,557 | 979,696 |

APPENDIX B
SEER Site Groups for Mortality Data Based on ICD-9 and ICD-10

Ranges that changed between this and the previous version are shown in bold text.

For ICD-8 (1968-1978), All Malignant Cancers is defined as 140-207. Individual ICD-8 cancer codes are converted to ICD-9 prior to creating this variable.

Cancer Causes of Death

| Cancer Causes of Death | ICD-9 (1979-1998) [#] | ICD-10 (1999+) [#] | Recode |
|--|---|-------------------------------------|--------|
| All Malignant Cancers | 140-208, 238.6 | C00-C97 | -- |
| Oral Cavity and Pharynx | | | |
| Lip | 140 | C00 | 20010 |
| Tongue | 141 | C01-C02 | 20020 |
| Salivary Gland | 142 | C07-C08 | 20030 |
| Floor of Mouth | 144 | C04 | 20040 |
| Gum and Other Mouth | 143, 145 | C03, C05-C06 | 20050 |
| Nasopharynx | 147 | C11 | 20060 |
| Tonsil | 146.0-146.2 | C09 | 20070 |
| Oropharynx | 146.3-146.9 | C10 | 20080 |
| Hypopharynx | 148 | C12-C13 | 20090 |
| Other Oral Cavity and Pharynx | 149 | C14 | 20100 |
| Digestive System | | | |
| Esophagus | 150 | C15 | 21010 |
| Stomach | 151 | C16 | 21020 |
| Small Intestine | 152 | C17 | 21030 |
| Colon and Rectum | | | |
| Colon Excluding Rectum | 53, 159.0 | C18, C26.0 | 21040 |
| Rectum and Rectosigmoid Junction | 154.0-154.1 | C19-C20 | 21050 |
| Anus, Anal Canal, and Anorectum | 154.2-154.3, 154.8 | C21 | 21060 |
| Liver and Intrahepatic Bile Duct | | | |
| Liver | 155.0, 155.2 | C22.0, C22.2-C22.4, C22.7, C22.9 | 21071 |
| Intrahepatic Bile Duct | 155.1 | C22.1 | 21072 |
| Gallbladder | 156.0 | C23 | 21080 |
| Other Biliary | 156.1-156.2, 156.8-156.9 | C24 | 21090 |
| Pancreas | 157 | C25 | 21100 |
| Retroperitoneum | 158.0 | C48.0 | 21110 |
| Peritoneum, Omentum, and Mesentery | 158.8-158.9 | C45.1+, C48.1-C48.2 | 21120 |
| Other Digestive Organs | 159.8-159.9 | C26.8-C26.9, C48.8 | 21130 |
| Respiratory System | | | |
| Nose, Nasal Cavity, and Middle Ear | 160 | C30-C31 | 22010 |
| Larynx | 161 | C32 | 22020 |
| Lung and Bronchus | 162.2-162.5, 162.8-162.9 | C34 | 22030 |
| Pleura | 163 | C38.4, C45.0+ | 22050 |
| Trachea, Mediastinum, and Other Respiratory Organs | 162.0, 164.2-164.3, 164.8-164.9, 165 | C33, C38.1-C38.3, C38.8, C39 | 22060 |

| Cancer Causes of Death | ICD-9 (1979-1998) [#] | ICD-10 (1999+) [#] | Recode |
|--|--|---|--------|
| Bones and Joints | 170 | C40-C41 | 23000 |
| Soft Tissue Including Heart[§] | 164.1, 171 | C47, C49, C38.0, C45.2+ | 24000 |
| Skin, Excluding Basal and Squamous | | | |
| Melanoma of the Skin | 172 | C43 | 25010 |
| Other Non-Epithelial Skin | 173 | C44, C46+ | 25020 |
| Breast | 174-175 | C50 | 26000 |
| Female Genital System | | | |
| Cervix Uteri | 180 | C53 | 27010 |
| Corpus and Uterus, NOS | | | |
| Corpus Uteri | 182 | C54 | 27020 |
| Uterus, NOS | 179 | C55 | 27030 |
| Ovary | 183.0 | C56 | 27040 |
| Vagina | 184.0 | C52 | 27050 |
| Vulva | 184.1-184.4 | C51 | 27060 |
| Other Female Genital Organs | 181, 183.2-183.5, 183.8-183.9, 184.8-184.9 | C57-C58 | 27070 |
| Male Genital System | | | |
| Prostate | 185 | C61 | 28010 |
| Testis | 186 | C62 | 28020 |
| Penis | 187.1-187.4 | C60 | 28030 |
| Other Male Genital Organs | 187.5-187.9 | C63 | 28040 |
| Urinary System | | | |
| Urinary Bladder | 188 | C67 | 29010 |
| Kidney and Renal Pelvis | 189.0-189.1 | C64-C65 | 29020 |
| Ureter | 189.2 | C66 | 29030 |
| Other Urinary Organs | 189.3-189.4, 189.8-189.9 | C68 | 29040 |
| Eye and Orbit | 190 | C69 | 30000 |
| Brain and Other Nervous System | 191, 192 | C70, C71, C72 | 31010 |
| Endocrine System | | | |
| Thyroid | 193 | C73 | 32010 |
| Other Endocrine, Including Thymus [§] | 164.0, 194 | C37, C74-C75 | 32020 |
| Lymphoma | | | |
| Hodgkin Lymphoma | 201 | C81 | 33010 |
| Non-Hodgkin Lymphoma | 200, 202.0-202.2, 202.8-202.9 | C82-C85, C96.3 | 33040 |
| Myeloma | 203.0, 238.6 | C90.0, C90.2 | 34000 |
| Leukemia | | | |
| Lymphocytic Leukemia | | | |
| Acute Lymphocytic Leukemia | 204.0 | C91.0 | 35011 |
| Chronic Lymphocytic Leukemia | 204.1 | C91.1 | 35012 |
| Other Lymphocytic Leukemia | 202.4, 204.2, 204.8-204.9 | C91.2-C91.4, C91.7, C91.9 | 35013 |
| Myeloid and Monocytic Leukemia | | | |
| Acute Myeloid | 205.0, 207.0, 207.2 | C92.0, C92.4-C92.5, C94.0, C94.2 | 35021 |
| Acute Monocytic Leukemia | 206.0 | C93.0 | 35031 |
| Chronic Myeloid Leukemia | 205.1 | C92.1 | 35022 |
| Other Myeloid/Monocytic Leukemia | 205.2-205.3, 205.8-205.9, 206.1-206.2, | C92.2-C92.3, C92.7, C92.9, C93.1-C93.2, | 35023 |

| Cancer Causes of Death | ICD-9 (1979-1998)[#] | ICD-10 (1999+)[#] | Recode |
|---------------------------------------|--|---|---------------|
| | 206.8-206.9 | C93.7, C93.9 | |
| Other Leukemia | | | |
| Other Acute Leukemia | 208.0 | C94.4, C94.5, C95.0 | 35041 |
| Aleukemic, Subleukemic, and NOS | 203.1, 207.1, 207.8, 208.1-208.2, 208.8-208.9 | C90.1, C91.5, C94.1, C94.3, C94.7, C95.1, C95.2, C95.7, C95.9 | 35043 |
| Mesothelioma (ICD-10 only)+ | N/A | C45+ | 36010 |
| Kaposi Sarcoma (ICD-10 only)+ | N/A | C46+ | 36020 |
| Miscellaneous Malignant Cancer | 159.1, 195-199, 202.3, 202.5-202.6, 203.8 | C26.1, C45.7+, C45.9+, C76-C80, C88, C96.0- C96.2, C96.7, C96.9, C97 | 37000 |

[#] All ICD codes are tested for validity prior to generating this variable. Those deemed invalid are classified as Unknown/Missing/Invalid COD. Those deemed valid but not meeting the definition of any above grouping are classified as Other Cause of Death.

+ This variable can be created with or without Mesothelioma (C45) and Kaposi Sarcoma (C46) as separate groupings. The table above documents both possibilities. Note that this is only possible with ICD-10.

^{\$} ICD-8 code 192.5 is coded to Other Endocrine Including Thymus for age at death <20 years and Soft Tissue Including Heart for age at death 20+ years.

APPENDIX C
Formulas for Rates

Formulas for Rates

SEER*Stat software was used to calculate rates. The following are the rate algorithms.

Crude Rate

A crude rate is the number of new cases (or deaths) occurring in a specified population per year, usually expressed as the number of cases per 100,000 population at risk.

$$cruderate = \frac{count}{population} \times 100,000$$

SEER*Stat allows you to display rates as cases per 1,000; 10,000; 100,000; or 1,000,000.

Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, 1990, and 2000), 1991 and 1996 Canadian populations, European population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[\left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmili}{\sum_{j=x}^y stdmil_j} \right) \right]$$

where count is the number of cases for the i^{th} age group, pop_i is the relevant population for the same age group, and $stdmili$ is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100,000$$

Standard Error for an Age-adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AARate} = \left[\sum_{i=x}^y \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{\frac{1}{2}} \times 100,000$$

Crude Rate Confidence Intervals

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2} \left(ChiInv \left(\frac{p}{2}, 2 \times count \right) \right) \right)}{population} \times 100,000$$

$$CI_{high} = \frac{\left(\frac{1}{2} \left(ChiInv \left(1 - \frac{p}{2}, 2 \times (count + 1) \right) \right) \right)}{population} \times 100,000$$

where $ChiInv(p,n)$ is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define $ChiInv(p,0) = 0$.

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts. When the count is large these two methods produce similar results.

Age-adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y , and let:

$$w_i = \frac{stdm\bar{a}_i}{\left(pop_i \times \sum_{j=x}^y stdm\bar{a}_j \right)}$$

$$v = \sum_{i=x}^y (w_i^2 \times count_i)$$

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(\frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note: The rate used in the above formulas is not per 100,000 population.

References:

Johnson NL, Kotz S. Distributions in Statistics: Discrete Distributions. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.