



Illinois EMSC Facility Recognition PCCC Pediatric Equipment/Supplies/ Medications Guidelines and Checklist

All of the following equipment/supplies/medications shall be immediately available within the PICU and Pediatric Unit.

Airway	PICU	PEDS Unit
Cricothyrotomy capabilities (i.e., 10g needle and 3 mm ET tube adapter or 14 g needle and 3.5 mm ET tube adapter)	<input type="checkbox"/>	<input type="checkbox"/>
Endotracheal tubes		
Uncuffed or cuffed (sizes 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5)	<input type="checkbox"/>	<input type="checkbox"/>
Stylets for endotracheal tubes (pediatric and adult)	<input type="checkbox"/>	<input type="checkbox"/>
Laryngoscope handle (pediatric and adult), bulbs (small and large), extra batteries	<input type="checkbox"/>	<input type="checkbox"/>
Laryngoscope blades (Curved 1, 2, 3; Straight or Miller 00, 0, 1, 2, 3)	<input type="checkbox"/>	<input type="checkbox"/>
Local anesthetic (i.e., lidocaine gel, cetacaine spray)	<input type="checkbox"/>	<input type="checkbox"/>
Magill forceps (pediatric and adult)	<input type="checkbox"/>	<input type="checkbox"/>
Oral airways (sizes 0, 1, 2, 3, 4, 5)	<input type="checkbox"/>	<input type="checkbox"/>
Tongue blades	<input type="checkbox"/>	<input type="checkbox"/>
Tracheostomy collar	<input type="checkbox"/>	<input type="checkbox"/>
Tracheostomy tubes (sizes PED 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, or ET may be substituted); trach ties; surgilube	<input type="checkbox"/>	<input type="checkbox"/>
Breathing	PICU	PEDS Unit
Bag-valve-mask device, self-inflating infant/child and adult with O ₂ reservoir and clear masks (neonatal through large adult sizes), and PEEP	<input type="checkbox"/>	<input type="checkbox"/>
C-PAP	<input type="checkbox"/>	<input type="checkbox"/>
End-tidal PCO ₂ monitor and/or pediatric CO ₂ detector (disposable units may be substituted)	<input type="checkbox"/>	<input type="checkbox"/>
Flow meter	<input type="checkbox"/>	<input type="checkbox"/>
Masks, clear (neonatal, toddler, infant, child, medium adult)	<input type="checkbox"/>	<input type="checkbox"/>
Nasogastric tubes (sizes 6, 8, 10, 12, 14 Fr). NOTE: Cannot use feeding tubes as a substitute.	<input type="checkbox"/>	<input type="checkbox"/>
Nasopharyngeal airways (sizes 14, 16, 20, 24, 28, 30 Fr)	<input type="checkbox"/>	<input type="checkbox"/>
O ₂ Tank	<input type="checkbox"/>	<input type="checkbox"/>
O ₂ blender	<input type="checkbox"/>	<input type="checkbox"/>
O ₂ connectors and spare O ₂ tubing	<input type="checkbox"/>	<input type="checkbox"/>
Partial non-rebreather O ₂ masks (neonatal, pediatric, adult)	<input type="checkbox"/>	<input type="checkbox"/>
PEEP valves	<input type="checkbox"/>	<input type="checkbox"/>
Pulse oximeter with child, infant, and neonatal probes	<input type="checkbox"/>	<input type="checkbox"/>
Stethoscope	<input type="checkbox"/>	<input type="checkbox"/>
Suction supplies (bulb syringe, suction catheters sizes 6, 8, 10, 12, 14 Fr, and Yankauer-tip catheter)	<input type="checkbox"/>	<input type="checkbox"/>
Tube thoracostomy tray and water seal drainage capacity with chest tubes (sizes 8 – 40 Fr)	<input type="checkbox"/>	<input type="checkbox"/>
Ventilator-respirator, pediatric	<input type="checkbox"/>	<input type="checkbox"/>



Illinois EMSC Facility Recognition PCCC Pediatric Equipment/Supplies/ Medications Guidelines and Checklist

Circulation	PICU	PEDS Unit
Blood collection tubes, culture bottles, arterial blood gas syringe	<input type="checkbox"/>	<input type="checkbox"/>
Butterfly needles (19, 21, 23, 25 g)	<input type="checkbox"/>	<input type="checkbox"/>
Cardiac resuscitation board	<input type="checkbox"/>	<input type="checkbox"/>
Catheter over needle IV access (sizes 16, 18, 20, 22, 24 g)	<input type="checkbox"/>	<input type="checkbox"/>
CVP and arterial monitors	<input type="checkbox"/>	<input type="checkbox"/>
Doppler device	<input type="checkbox"/>	<input type="checkbox"/>
ECG monitor-defibrillator/cardioverter with pediatric and adult sized paddles (and/or pads), with pediatric dosage settings and pediatric/adult pacing electrodes	<input type="checkbox"/>	<input type="checkbox"/>
Intraosseous needles or bone-marrow aspiration needles (one large and one small bore) or IO device (pediatric and adult sizes)	<input type="checkbox"/>	<input type="checkbox"/>
IV fluid/blood warmer	<input type="checkbox"/>	<input type="checkbox"/>
IV tubing and extension tubing	<input type="checkbox"/>	<input type="checkbox"/>
Infusion pumps, syringe pumps, or devices with microinfusion capability utilizing appropriate tubing and connectors.	<input type="checkbox"/>	<input type="checkbox"/>
Needles (sizes 16, 18, 20, 22/23, 25; intracardiac needle 21 g, 1 ½ inch; filter needle)	<input type="checkbox"/>	<input type="checkbox"/>
Non-invasive blood pressure device (neonatal thru adult cuffs)	<input type="checkbox"/>	<input type="checkbox"/>
Rapid infusion pumps	<input type="checkbox"/>	<input type="checkbox"/>
Sphygmomanometer with cuffs (newborn, infant, child, small adult, adult)	<input type="checkbox"/>	<input type="checkbox"/>
Stopcocks	<input type="checkbox"/>	<input type="checkbox"/>
Syringes (TB, insulin U100, 1mL – 20mL and catheter tip)	<input type="checkbox"/>	<input type="checkbox"/>
T-connectors	<input type="checkbox"/>	<input type="checkbox"/>
Tourniquets, arm boards, tape, alcohol wipes, skin prep, razor	<input type="checkbox"/>	<input type="checkbox"/>
Vascular access supplies utilizing the Seldinger technique (3 – 8 Fr)	<input type="checkbox"/>	<input type="checkbox"/>
Warming devices, age appropriate	<input type="checkbox"/>	<input type="checkbox"/>
Medications	PICU	PEDS Unit
Activated charcoal	<input type="checkbox"/>	<input type="checkbox"/>
Adenosine	<input type="checkbox"/>	<input type="checkbox"/>
Albumin 5% and 25%	<input type="checkbox"/>	<input type="checkbox"/>
Amiodarone	<input type="checkbox"/>	<input type="checkbox"/>
AquaMEPHYTON	<input type="checkbox"/>	<input type="checkbox"/>
Atropine	<input type="checkbox"/>	<input type="checkbox"/>
Bacteriostatic water, 30mL	<input type="checkbox"/>	<input type="checkbox"/>
Benzodiazepines, e.g., Lorazepam, Midazolam, Diazepam	<input type="checkbox"/>	<input type="checkbox"/>
Beta-agonist for inhalation	<input type="checkbox"/>	<input type="checkbox"/>
Calcium chloride 10%	<input type="checkbox"/>	<input type="checkbox"/>



Illinois EMSC Facility Recognition PCCC Pediatric Equipment/Supplies/ Medications Guidelines and Checklist

Medications	PICU	PEDS Unit
Calcium gluconate 10%	<input type="checkbox"/>	<input type="checkbox"/>
Dextrose 10%, 25% and 50%	<input type="checkbox"/>	<input type="checkbox"/>
Digitalis antibody	<input type="checkbox"/>	<input type="checkbox"/>
Digoxin	<input type="checkbox"/>	<input type="checkbox"/>
Diphenhydramine	<input type="checkbox"/>	<input type="checkbox"/>
Dobutamine	<input type="checkbox"/>	<input type="checkbox"/>
Dopamine	<input type="checkbox"/>	<input type="checkbox"/>
Dosing device – length or weight based system for dosing and equipment/supplies	<input type="checkbox"/>	<input type="checkbox"/>
Epinephrine (1:1000 and 1:10,000)	<input type="checkbox"/>	<input type="checkbox"/>
Factor VIII, IX concentrate (pharmacy or blood bank)	<input type="checkbox"/>	<input type="checkbox"/>
Flumazenil	<input type="checkbox"/>	<input type="checkbox"/>
Furosemide	<input type="checkbox"/>	<input type="checkbox"/>
Glucagon	<input type="checkbox"/>	<input type="checkbox"/>
Insulin	<input type="checkbox"/>	<input type="checkbox"/>
IV solutions (D5W and 0.9 NS)	<input type="checkbox"/>	<input type="checkbox"/>
IV solutions, standard crystalloid (D10W, D5/0.2 NS, D5/0.45 NS, and 0.9 NS)	<input type="checkbox"/>	<input type="checkbox"/>
Kayexalate	<input type="checkbox"/>	<input type="checkbox"/>
Ketamine	<input type="checkbox"/>	<input type="checkbox"/>
Lidocaine 1% and 2%	<input type="checkbox"/>	<input type="checkbox"/>
List of resuscitation drug dosages at patient bedside (based on child’s weight)	<input type="checkbox"/>	<input type="checkbox"/>
Magnesium Sulfate	<input type="checkbox"/>	<input type="checkbox"/>
Mannitol	<input type="checkbox"/>	<input type="checkbox"/>
Methylene blue	<input type="checkbox"/>	<input type="checkbox"/>
N-acetyl cysteine	<input type="checkbox"/>	<input type="checkbox"/>
Naloxone	<input type="checkbox"/>	<input type="checkbox"/>
Narcotics	<input type="checkbox"/>	<input type="checkbox"/>
Norepinephrine	<input type="checkbox"/>	<input type="checkbox"/>
Neuromuscular blocking agents (i.e., succinylcholine, pancuronium, vecuronium) (NOTE: May be refrigerated)	<input type="checkbox"/>	<input type="checkbox"/>
Oral rehydrating solution	<input type="checkbox"/>	<input type="checkbox"/>
Phenobarbital	<input type="checkbox"/>	<input type="checkbox"/>
Phenytoin and/or fosphenytoin	<input type="checkbox"/>	<input type="checkbox"/>
Potassium	<input type="checkbox"/>	<input type="checkbox"/>
Propranolol	<input type="checkbox"/>	<input type="checkbox"/>
Prostaglandin E1	<input type="checkbox"/>	<input type="checkbox"/>



Illinois EMSC Facility Recognition PCCC Pediatric Equipment/Supplies/ Medications Guidelines and Checklist

Medications	PICU	PEDS Unit
Sodium bicarbonate – 8.4% and 4.2%	<input type="checkbox"/>	<input type="checkbox"/>
Sodium chloride 10 mL (multiple)	<input type="checkbox"/>	<input type="checkbox"/>
Steroids – parenteral, e.g., dexamethasone, hydrocortisone, methylprednisolone	<input type="checkbox"/>	<input type="checkbox"/>
Topical anesthetic agent	<input type="checkbox"/>	<input type="checkbox"/>
Vasopressin (DDAVP)	<input type="checkbox"/>	<input type="checkbox"/>
Whole bowel irrigation solution	<input type="checkbox"/>	<input type="checkbox"/>
Miscellaneous	PICU	PEDS Unit
Lumbar puncture tray, including a selection of needle sizes (size 18-22 g, 1½ -3 inch needle)	<input type="checkbox"/>	<input type="checkbox"/>
Feeding tubes (8-14)	<input type="checkbox"/>	<input type="checkbox"/>
Foley catheters (sizes 6, 8, 10, 12 Fr)	<input type="checkbox"/>	<input type="checkbox"/>
Hypothermia thermometer with rectal probe (28° – 42° C)	<input type="checkbox"/>	<input type="checkbox"/>
Otoscope/ophthalmoscope	<input type="checkbox"/>	<input type="checkbox"/>
Weighing scales (in kilograms only) for infants and children	<input type="checkbox"/>	<input type="checkbox"/>

(Source: Amended at 40 Ill. Reg. 8274, effective June 3, 2016)