

Reportable Sexually Transmitted Diseases by Morbidity Responsibility Area
Provisional Cases Reported 1/1/19 - 9/30/19 Compared to Cases Reported 1/1/18 - 9/30/18

County	Chlamydia			Gonorrhea			Primary & Secondary Syphilis			Early Syphilis		
	2018	2019	% Change	2018	2019	% Change	2018	2019	% Change	2018	2019	% Change
Adams	182	203	12	97	93	-4	2	1	-50	4	2	-50
Alexander	24	35	46	22	34	55	0	1	NA	1	1	0
Bond	34	39	15	12	7	-42	0	1	NA	0	1	NA
Boone	149	140	-6	36	32	-11	1	1	0	2	2	0
Brown	3	2	-33	2	0	-100	0	1	NA	0	2	NA
Bureau	74	84	14	10	9	-10	0	0	NA	0	1	NA
Calhoun	7	2	-71	1	1	0	0	0	NA	0	0	NA
Carroll	29	28	-3	3	13	333	0	0	NA	0	0	NA
Cass	49	22	-55	4	1	-75	0	0	NA	1	2	100
Champaign	1,161	1,343	16	462	429	-7	19	12	-37	30	22	-27
Christian	52	63	21	14	14	0	0	0	NA	1	2	100
Clark	28	30	7	8	6	-25	0	0	NA	0	0	NA
Clay	22	17	-23	2	2	0	0	0	NA	0	0	NA
Clinton	93	69	-26	13	18	38	0	1	NA	1	1	0
Coles	212	248	17	64	78	22	0	0	NA	1	0	-100
Cook County Total	32,168	26,481	-18	11,759	10,874	-8	819	615	-25	1,787	1,328	-26
Chicago Department of Public Health	22,708	19,838	-13	9,283	8,940	-4	656	542	-17	1,460	1,160	-21
Cook County Department of Public Health	8,740	6,059	-31	2,283	1,750	-23	151	59	-61	299	139	-54
Evanston Health Department	307	282	-8	78	86	10	7	5	-29	10	10	0
Oak Park Department of Public Health	199	131	-34	66	47	-29	2	6	200	9	12	33
Skokie Health Department	122	105	-14	32	37	16	2	1	-50	8	2	-75
Stickney Health Department	92	66	-28	17	14	-18	1	2	100	1	5	400
Crawford	19	28	47	6	3	-50	0	0	NA	1	0	-100
Cumberland	20	23	15	5	5	0	0	0	NA	0	0	NA
DeKalb	463	450	-3	120	107	-11	1	1	0	2	3	50
DeWitt	39	33	-15	4	11	175	0	0	NA	0	0	NA
Douglas	30	45	50	8	8	0	0	0	NA	0	0	NA
DuPage	1,870	1,441	-23	320	298	-7	33	16	-52	53	37	-30
Edgar	33	40	21	16	8	-50	0	0	NA	0	0	NA
Edwards	5	16	220	3	6	100	0	1	NA	0	1	NA
Effingham	64	42	-34	3	5	67	0	0	NA	0	1	NA
Fayette	31	42	35	5	10	100	1	0	-100	1	0	-100
Ford	26	22	-15	1	7	600	0	0	NA	0	0	NA
Franklin	105	106	1	31	30	-3	0	0	NA	0	2	NA
Fulton	51	50	-2	11	9	-18	0	0	NA	1	0	-100
Gallatin	4	14	250	0	3	NA	0	0	NA	0	1	NA
Greene	16	13	-19	2	7	250	0	0	NA	0	1	NA
Grundy	82	98	20	14	13	-7	1	1	0	1	1	0
Hamilton	7	12	71	2	5	150	0	0	NA	0	0	NA
Hancock	21	28	33	6	5	-17	0	0	NA	0	0	NA
Hardin	3	3	0	6	1	-83	0	0	NA	0	0	NA
Henderson	8	3	-63	3	0	-100	0	0	NA	0	0	NA

Early Syphilis is defined as the stages of Primary, Secondary, and Early, Non-Primary Non-Secondary
 2019 data are provisional
 October 2019

Source: IDPH STD Section

Reportable Sexually Transmitted Diseases by Morbidity Responsibility Area
Provisional Cases Reported 1/1/19 - 9/30/19 Compared to Cases Reported 1/1/18 - 9/30/18

County	Chlamydia			Gonorrhea			Primary & Secondary Syphilis			Early Syphilis		
	2018	2019	% Change	2018	2019	% Change	2018	2019	% Change	2018	2019	% Change
Henry	96	91	-5	5	23	360	1	1	0	1	2	100
Iroquois	39	49	26	10	17	70	0	0	NA	0	0	NA
Jackson	432	446	3	143	151	6	3	1	-67	5	4	-20
Jasper	7	13	86	2	1	-50	0	0	NA	0	0	NA
Jefferson	112	119	6	72	61	-15	1	0	-100	1	0	-100
Jersey	35	30	-14	12	6	-50	1	0	-100	1	1	0
Jo Daviess	36	26	-28	2	3	50	0	0	NA	0	0	NA
Johnson	18	22	22	3	8	167	0	0	NA	0	0	NA
Kane	1,648	1,383	-16	306	232	-24	14	10	-29	29	29	0
Kankakee	515	497	-3	124	188	52	1	3	200	1	5	400
Kendall	327	317	-3	67	46	-31	3	1	-67	6	5	-17
Knox	184	167	-9	63	59	-6	1	5	400	1	6	500
LaSalle	259	255	-2	47	52	11	3	1	-67	8	1	-88
Lake County Total	2,515	2,115	-16	330	354	7	24	20	-17	50	44	-12
Lake County Health Department	1,971	1,988	1	308	343	11	22	20	-9	46	43	-7
Great Lakes Naval Training Center	544	127	-77	22	11	-50	2	0	-100	4	1	-75
Lawrence	19	8	-58	8	1	-88	0	0	NA	0	0	NA
Lee	82	81	-1	6	15	150	0	3	NA	0	4	NA
Livingston	95	47	-51	17	6	-65	0	0	NA	0	0	NA
Logan	100	132	32	28	46	64	0	0	NA	0	0	NA
Macon	612	706	15	286	519	81	5	3	-40	5	10	100
Macoupin	74	97	31	22	21	-5	0	1	NA	0	1	NA
Madison	1,003	863	-14	299	300	0	9	7	-22	15	11	-27
Marion	195	166	-15	26	89	242	1	1	0	1	2	100
Marshall	9	27	200	3	7	133	0	0	NA	0	0	NA
Mason	30	29	-3	4	5	25	0	1	NA	0	1	NA
Massac	47	31	-34	21	9	-57	0	0	NA	0	0	NA
McDonough	197	202	3	36	50	39	0	1	NA	4	3	-25
McHenry	545	493	-10	61	45	-26	2	5	150	5	6	20
McLean	662	828	25	163	199	22	11	13	18	15	25	67
Menard	22	15	-32	2	8	300	2	0	-100	2	1	-50
Mercer	28	33	18	2	7	250	0	1	NA	0	2	NA
Monroe	42	55	31	2	12	500	0	1	NA	0	1	NA
Montgomery	64	58	-9	18	18	0	1	0	-100	2	1	-50
Morgan	130	62	-52	22	6	-73	0	0	NA	0	0	NA
Moultrie	30	27	-10	12	9	-25	0	0	NA	0	0	NA
Ogle	101	96	-5	16	17	6	0	1	NA	1	1	0
Peoria	1,349	1,179	-13	509	644	27	10	8	-20	19	14	-26
Perry	51	65	27	26	21	-19	0	0	NA	0	1	NA
Piatt	35	20	-43	4	13	225	0	1	NA	0	1	NA
Pike	31	21	-32	6	2	-67	0	0	NA	0	0	NA
Pope	4	1	-75	5	2	-60	0	0	NA	0	0	NA

Early Sphilis is defined as the stages of Primary, Secondary, and Early, Non-Primary Non-Secondary
 2019 data are provisional
 October 2019

Source: IDPH STD Section

Reportable Sexually Transmitted Diseases by Morbidity Responsibility Area
Provisional Cases Reported 1/1/19 - 9/30/19 Compared to Cases Reported 1/1/18 - 9/30/18

County	Chlamydia			Gonorrhea			Primary & Secondary Syphilis			Early Syphilis		
	2018	2019	% Change	2018	2019	% Change	2018	2019	% Change	2018	2019	% Change
Pulaski	24	16	-33	14	10	-29	0	0	NA	0	0	NA
Putnam	10	18	80	0	2	NA	0	0	NA	0	0	NA
Randolph	62	107	73	14	22	57	0	0	NA	0	0	NA
Richland	27	23	-15	0	2	NA	1	0	-100	1	0	-100
Rock Island	490	589	20	137	215	57	1	13	1200	2	14	600
Saline	91	65	-29	38	39	3	1	0	-100	1	0	-100
Sangamon	1,072	1,036	-3	337	357	6	15	8	-47	20	15	-25
Schuyler	10	6	-40	1	1	0	0	1	NA	0	1	NA
Scott	13	5	-62	1	1	0	0	0	NA	1	0	-100
Shelby	28	33	18	7	21	200	0	1	NA	0	1	NA
St. Clair County Total	1,692	1,697	0	754	830	10	23	20	-13	39	30	-23
East Side Health District	848	791	-7	459	459	0	12	9	-25	16	10	-38
St. Clair County Health Department	825	876	6	292	369	26	11	11	0	23	20	-13
Scott Air Force Base	19	30	58	3	2	-33	0	0	NA	0	0	NA
Stark	10	9	-10	1	0	-100	0	0	NA	0	0	NA
Stephenson	162	197	22	41	41	0	0	0	NA	0	0	NA
Tazewell	271	265	-2	64	73	14	2	3	50	3	4	33
Union	38	31	-18	10	10	0	1	1	0	1	1	0
Vermilion	399	398	0	199	162	-19	2	3	50	4	3	-25
Wabash	18	20	11	10	8	-20	0	0	NA	0	0	NA
Warren	34	33	-3	10	4	-60	0	0	NA	0	0	NA
Washington	21	18	-14	5	9	80	0	0	NA	0	0	NA
Wayne	14	29	107	3	5	67	0	0	NA	1	0	-100
White	15	14	-7	9	14	56	0	0	NA	0	0	NA
Whiteside	168	203	21	11	43	291	0	0	NA	0	2	NA
Will	2,225	2,008	-10	517	524	1	23	14	-39	53	23	-57
Williamson	131	222	69	44	76	73	3	0	-100	4	1	-75
Winnebago	1,575	1,692	7	573	579	1	11	14	27	16	18	13
Woodford	60	69	15	10	19	90	2	0	-100	2	1	-50
Total Illinois	57,624	50,990	-12	18,675	18,491	-1	1,055	819	-22	2,207	1,707	-23
Illinois Excluding Chicago	34,916	31,152	-11	9,392	9,551	2	399	277	-31	747	547	-27

Early Syphilis is defined as the stages of Primary, Secondary, and Early, Non-Primary Non-Secondary
 2019 data are provisional
 October 2019

**Demographic Characteristics of Cumulative Provisional STD Cases
1/1/2019 - 9/30/2019**

Sex	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Male	18,436	36.2	10,947	59.2	734	89.6	1,514	88.7
Female	32,363	63.5	7,480	40.5	85	10.4	193	11.3
Unknown	191	0.4	64	0.3	0	0.0	0	0.0
Total	50,990		18,491		819		1,707	

Age Group	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
00-04	7	0.0	6	0.0	1	0.1	1	0.1
05-09	3	0.0	1	0.0	0	0.0	0	0.0
10-14	355	0.7	112	0.6	0	0.0	0	0.0
15-19	13,370	26.2	3,432	18.6	40	4.9	63	3.7
20-24	18,555	36.4	5,307	28.7	124	15.1	246	14.4
25-29	9,779	19.2	4,337	23.5	199	24.3	391	22.9
30-34	4,303	8.4	2,282	12.3	146	17.8	330	19.3
35-39	2,196	4.3	1,299	7.0	122	14.9	233	13.6
40-44	1,079	2.1	656	3.5	57	7.0	149	8.7
45-49	606	1.2	452	2.4	43	5.3	99	5.8
50+	737	1.4	607	3.3	87	10.6	195	11.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0
Total	50,990		18,491		819		1,707	

Race	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Asian	663	1.3	172	0.9	17	2.1	41	2.4
Native Hawaiian/Other Pacific Islander	0	0.0	0	0.0	1	0.1	3	0.2
Black	21,650	42.5	10,264	55.5	337	41.1	695	40.7
American Indian/Alaska Native	104	0.2	44	0.2	3	0.4	6	0.4
White	17,170	33.7	5,048	27.3	366	44.7	786	46.0
Multiple Races	372	0.7	148	0.8	2	0.2	6	0.4
Other	2,737	5.4	501	2.7	16	2.0	30	1.8
Unknown	8,294	16.3	2,314	12.5	77	9.4	140	8.2
Total	50,990		18,491		819		1,707	

Hispanic Ethnicity	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Hispanic	7,791	15.3	1,666	9.0	148	18.1	338	19.8
Non-Hispanic	32,318	63.4	13,472	72.9	582	71.1	1,208	70.8
Unknown	10,881	21.3	3,353	18.1	89	10.9	161	9.4
Total	50,990		18,491		819		1,707	

Race/Hispanic Ethnicity	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Asian*	624	1.2	156	0.8	16	2.0	37	2.2
Native Hawaiian/Other Pacific Islander*	0	0.0	0	0.0	1	0.1	3	0.2
Black*	21,400	42.0	10,170	55.0	330	40.3	678	39.7
American Indian/Alaska Native*	59	0.1	28	0.2	1	0.1	4	0.2
White*	12,532	24.6	4,076	22.0	255	31.1	528	30.9
Hispanic**	7,791	15.3	1,666	9.0	148	18.1	338	19.8
Multiple Races*	264	0.5	112	0.6	2	0.2	6	0.4
Other*	927	1.8	221	1.2	8	1.0	13	0.8
Unknown	7,393	14.5	2,062	11.2	58	7.1	100	5.9
Total	50,990		18,491		819		1,707	

Early Syphilis: Primary, Secondary, and Early, NPNS

*Non-Hispanic ethnicity

**Any race, Hispanic ethnicity

2019 data are provisional

October 2019

Source: IDPH STD Section