


**Health Care Worker Education and Perception of Harm**

**Percentage (%) of recent mothers in Illinois reporting health care worker (HCW) education about prescription pain reliever use during pregnancy and perceived harmfulness of pain reliever use to the infant**

**Survey Question O12:** At any time during your most recent pregnancy, did a doctor, nurse, or other health care worker talk with you about how using prescription pain relievers during pregnancy could effect a baby?

**Survey Question O10:** Do you think the use of prescription pain relievers during pregnancy could be harmful to a baby's health? Responses "Not harmful at all" and "Not harmful, if taken as prescribed" are combined into "Not Harmful"



		Percentage <sup>1</sup>	95% CI <sup>2</sup>		Respondents <sup>3</sup>	Estimated Population Affected <sup>4</sup>
Received HCW Education	Harmful	61.5	56.4	66.3	453	30,585
	Not Harmful	38.5	33.7	43.6	453	19,154
No HCW Education	Harmful	66.1	60.9	70.8	426	29,224
	Not Harmful	33.9	29.2	39.1	426	15,017

<sup>1</sup>Percentage = Weighted percentage

<sup>2</sup>CI = Confidence interval lower/upper bounds

<sup>3</sup>Respondents = The total number who responded to the survey question

<sup>4</sup>Estimated Population Affected = Estimated number of Illinois mothers/infants with characteristic or condition

Data collection period April - December 2019