



State of Illinois
Illinois Department of Public Health

Illinois State Cancer Incidence Review and Update, 1986-2021

Epidemiologic Report Series 24:03

June 2024

Illinois State Cancer Incidence Review and Update, 1986-2021



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

June 2024

Prepared by

Stephen Roy, PhD
Research Manager

Kyle Garner, MPH
Cancer Epidemiologist

Lori Koch, CCRP, ODS
Registry Director

Jane Fornoff, DPhil
Division Chief

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers of Disease Control and Prevention or the National Institutes of Health.

The Illinois State Cancer Registry has been funded in whole or in part with federal funds from the National Cancer Institute (NCI); National Institutes of Health; U.S. Department of Health and Human Services, under Contract No. 75N91021D00006; the National Program of Cancer Registries; Centers for Disease Control and Prevention under cooperative agreement 5NU58DP007162-02-00; and the state of Illinois.

Suggested citation

Roy S, Garner K, Koch L, Fornoff J. Illinois State Cancer Incidence Review and Update, 1986-2021. Epidemiologic Report Series 24:03. Springfield, Ill.: Illinois Department of Public Health, June 2024.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health (IDPH), Illinois State Cancer Registry (ISCR), makes these data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH, and none should be inferred.

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE
1986-2021

TABLE OF CONTENTS

Overview.....	1
Technical Notes	3

SECTION I

Cancer Incidence by Race, Illinois, 1986-2021.....	I-1
All Sites Combined.....	I-2
Oral Cavity and Pharynx	I-8
Digestive System	I-62
Respiratory System	I-128
Bones and Joints.....	I-146
Soft Tissue, Including Heart	I-152
Skin Excluding Basal and Squamous	I-158
Breast Excluding <i>In Situ</i>	I-170
Female Genital System.....	I-176
Male Genital System	I-188
Urinary System	I-196
Eye and Orbit.....	I-220
Brain and Other Nervous System.....	I-226
Endocrine System.....	I-238
Lymphoma.....	I-250
Myeloma	I-268
Leukemia	I-274
Mesothelioma	I-310
Kaposi Sarcoma	I-316
Ill-defined and Unknown Sites	I-322
Female Breast <i>In Situ</i>	I-328

SECTION II

Cancer Incidence by Hispanic Ethnicity and Race, Illinois, 1990-2021	II-1
All Sites Combined	II-2
Oral Cavity and Pharynx.....	II-8
Digestive System	II-62
Respiratory System	II-128
Bones and Joints.....	II-146
Soft Tissue, Including Heart.....	I-152
Skin Excluding Basal and Squamous.....	II-158

Breast Excluding In Situ	II-170
Female Genital System.....	II-176
Male Genital System	II-188
Urinary System (Including Bladder In Situ)	II-196
Eye and Orbit.....	II-220
Brain and Other Nervous System	II-225
Endocrine System	II-238
Lymphoma	II-250
Myeloma.....	II-268
Leukemia	II-274
Mesothelioma.....	II-310
Kaposi Sarcoma	II-316
III-defined and Unknown Sites	II-322
Female Breast In Situ.....	II-328

SECTION III

Pediatric Cancer Incidence, Illinois, 1986-2021	III-1
All Sites	III-2
Leukemia	III-3
Lymphomas and Reticuloendothelial Neoplasms	III-6
CNS and Miscellaneous Intracranial and Intraspinal Neoplasms.....	III-9
Neuroblastoma and Other Peripheral Nervous Cell Tumors	III-14
Retinoblastoma	III-16
Renal Tumor	III-17
Hepatic Tumor	III-19
Malignant Bone Tumor	III-21
Soft Tissue and Other Extraosseous Sarcomas	III-24
Germ Cell, Trophoblastic Tumors and Neoplasms of Gonads.....	III-26
Other Malignant Epithelial Neoplasms and Melanomas	III-29
Other and Unspecified Malignant Neoplasms	III-32
Appendix A: Illinois Populations Used for Rate Calculations 1986-2021	A-1
Appendix B: SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008	B-1
Appendix C: SEER Site Groups for Pediatric Incidence Based on ICD-O-3 / WHO 2008.....	C-1
Appendix D: Formulas for Rates	D-1

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE 1986-2021

OVERVIEW

This is the 31st release of the annual Illinois state cancer statistics report. This report presents Illinois' cancer incidence for 1986 through 2021 for all races combined, Whites, Blacks, and Asian/other races and for 1990 through 2021 for Hispanics (any race), non-Hispanics (any race), non-Hispanic Whites and non-Hispanic Blacks. Pediatric cancer incidence statistics on Illinois children for 1986 through 2021 are included in a separate section. Cancer mortality data is presented in a separate report. To be consistent with national guidelines, all rates in this report were created using both the intercensal and Vintage 2021 population estimates and age-adjusted to the 2000 U.S. standard million population.

Cancer group definitions for major and minor sites are those established by the Surveillance Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR), and the United States Cancer Statistics (USCS) of the Centers for Disease Control and Prevention (CDC). These standardized classification schemes allow direct comparisons of Illinois cancer statistics with international, national, and state publications.¹⁻⁵

In this report, incidence data were tabulated for each major or minor cancer site for four race groups and four ethnicity/race groups. Counts, age-adjusted rates, standard errors, and 95% confidence intervals for rates are displayed for the combined 1986-2021 time-period as well as for individual years. For cancers occurring in both genders, separate tables are presented for both males and females. Pediatric cancer incidence rates are presented for all races, both sexes, and by two age groups: 0- 14 and 0-19 years.

INCIDENCE HIGHLIGHTS

- A total of 2,181,256 cases of invasive cancer among Illinois residents were reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2021, including 72,622 new cases reported in 2021. The overall race distribution for cases in 2021 was 82.6% White, 13.9% Black, and 3.7% Asian/other races.
- A total of 2,002,325 cases of invasive cancer among Illinois residents were reported with race and ethnicity to ISCR from 1990 through 2021. The ethnicity/race distribution for cases diagnosed in 2021 was 8.3% Hispanics (any race) and 91.7% non-Hispanics (any race); among non-Hispanic cases, non-Hispanic Whites accounted for 79.8% and non-Hispanic Blacks 14.6%.

- In 2021, Black males continue to have the highest overall age-adjusted invasive cancer incidence rates of all major race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their White or Black counterparts.
- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for 30.5% of 36,030 invasive cancer diagnoses in women during 2021. The predominance of breast cancer among females persists for all major race and ethnicity groups. In 2021, non-Hispanic Whites accounted for 72.9% of all invasive breast cancer, 14.1% for non-Hispanic Blacks, 4.5% for non-Hispanic Asian/Pacific Islanders, and 8.5% for Hispanic females.
- The incidence of *in situ* female breast cancer increased steadily for every race and ethnicity between 1986-2000 with an annual percent increase of 8.1% but slowed between 2000-2003 to -1.7%. Overall, the average annual percent change of *in situ* female breast cancer demonstrated an increasing trend of 3.63%.
- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for 26.4% of 36,592 new cancer diagnoses in men during 2021. Black males had the highest prostate cancer incidence rates among all race groups, approximately 51.7% and 92.7% higher than those observed for White and Asian/other race males in 2021, respectively.
- The incidence of male prostate cancer realized an 18.7% annual increase between 1989 and 1992. The rate then decreased 4.9% before plateauing between 1995 and 2008. From 2008 to 2013 the annual percent change for prostate cancer incidence indicated a 7.7% decrease on average. After 2013 the trend again flattened out through 2021. Similar trends were seen across 1986-2021 in both White and Black men.
- A total of 20,812 new cases of cancer were diagnosed during 1986-2021 among Illinois children aged 0 to 19 years. The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system, and lymphoma.

TECHNICAL NOTES

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health's Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories, and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send back Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008), and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents, and their standards of quality.⁶ Between 1986 and 2021, approximately 6% of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths to identify cases not reported to ISCR. Between 1986 and 2021, 1.6% of reported cases were identified from death certificate clearance.

Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR case collection as of November 2023.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public, however the identification or contact of individuals is prohibited.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made. Uses of these data do not constitute an endorsement of the user's opinion or conclusions by the Illinois Department of Public Health and none should be inferred.

Population Estimates

The population estimates of the sex- and race-specific, as well as sex- and ethnicity/race-specific groups in five-year age categories, were used as denominators in the formulation of rates. These population estimates of Illinois for all races, Whites, Blacks, and Asian/other races from 1986 through 2021, and for Hispanics, non-Hispanics, non-Hispanic White, and non-Hispanic Black for 1990 through 2021 were obtained from both the intercensal and Vintage 2020 bridged-race post censal population estimates files. Some population estimates were calculated by Woods & Poole Economics, Inc for the National Cancer Institute (NCI) released prior to the U. S. Bureau of Census Population Estimates Program (<http://www.census.gov/programs-surveys/popest.html>) scheduled to be released in fall 2024 ([U.S. County Population Data 1969-2022 - SEER Population Data \(cancer.gov\)](https://seer.cancer.gov/popdata/1969-2022-seer-population-data)).⁸ The population estimates incorporate intercensal (for 2000-2009 from the U.S. Census Bureau and 2010-2019 from Woods & Poole) and Vintage 2020 (for 2020-2021) bridged race estimates are derived from the original multiple race categories in the 2000, 2010, and 2020 censuses (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm). For more information on the modifications to county population categorized for each decade, visit <https://seer.cancer.gov/popdata/modifications.html>.

The intercensal estimates from Woods & Poole Economics align with the anticipated U.S. Census Bureau's 2010-2019 intercensal estimates methodology (<https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/intercensal/2000-2010-intercensal-estimates-methodology.pdf>) ([Woods & Poole Economics, Inc. 2010-2020 County Intercensal Estimates \(cancer.gov\)](https://seer.cancer.gov/popdata/2010-2020-county-intercensal-estimates)).^{7,8} Previous estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Site Coding for Incidence Data: All cases diagnosed during 1986 through 2021 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.⁹ Cancer sites in this report were grouped according to site group definitions established by the SEER program of the National Cancer Institute (NCI)⁵ and are used also by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national, and other state publications.³⁻⁵ The ISCR cancer site groups used in this report are listed in Appendix B.

Beginning with the 1986-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers.

When comparing this report to the ones published before the 1986-2002 report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Overall, these changes would have a slight impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 1986-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data, subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Pediatric Cancer Groups: Tumors diagnosed in children are classified using SEER site/histology recode based on the *International Classification of Childhood Cancer, Third Edition (ICCC-3)*¹⁰ and ICD-O-3. The main classification table of the SEER recode scheme used in the present report was listed in Appendix C.

Rate Calculation: The SEER*Stat[®] software package,¹¹ developed by the Information Management Services Inc. for NCI, was used to calculate both incidence and mortality rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1 million population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. They are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.¹² Algorithms used for the calculation of standard errors and 95% confidence intervals are displayed in Appendix D.

Trend Analysis: Trend analysis and weighted averages to compute a weighted average of annual percent change (AAPC) were calculated and analyzed with the Joinpoint Regression Program (National Cancer Institute; Version 5.1.0.0) (18,19) incorporating log transformation. Default settings for grid search of joinpoints included two observations on either end of a dataset at minimum, two observations between

joinpoints at minimum, and no joinpointing to occur between any observed values. Model selection method incorporated the weighted Bayesian Information Criterion (BIC). Both grid search methodology and model selection were set to the default settings of the Joinpoint program. The Empirical Quantile method was employed to calculate the most accurate confidence intervals for selected models. Per the recommendations of the Surveillance, Epidemiology, and End Results (SEER) data release, 2020 data was excluded from all trend analysis as it served as an outlier due to low screenings and doctor visits with respect to COVID-19 (<https://seer.cancer.gov//data/covid-impact.html>).

Race-specific Rates: The race-specific categories in this report are all races combined, Whites, Blacks, and Asian/other races. Cases reported as unknown race were included in the "all races" category, but not in any race-specific group.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 was linked to the Indian Health Service (IHS), which provides medical services to an estimated 55% of the American Indian/Alaska Native population nationally.¹³ If a race code in the ISCR database is White, Black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for Whites, Blacks, or Asian/other races due to the relatively small number of cases affected.

Through the utilization of the NAACCR Asian Pacific Islander Identification Algorithm (NAPIIA) improvements have been and will continue to be made in classifying cancer incidence cases as Asian or Pacific Islander. NAPIIA uses birthplace and first, last, and maiden name fields, to assign a more specific race group to cases identified as Asian NOS, Pacific Islander NOS, other, and unknown.¹⁴

Since 1991 the ISCR has included the race category "Other Unspecified" in an aggregate group that contained "Asian and Other Races." Beginning with the 2010 data year the "Other Unspecified" race group will not be included in the aggregate "Asian and Other Races" aggregate group used in the report. Cases identified as a race of "Other Unspecified" will continue to be included in the "All Races" grouping. This was done to maintain comparability to other state and national reporting sources.

Ethnicity/Race Rates: Hispanic ethnicity was derived according to the NAACCR Hispanic identification algorithm (NHIA).¹⁵ NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.¹⁶ Ethnic categories are reported as Hispanic (any race), non-Hispanic (any race), non-Hispanic Whites, and non-Hispanic Blacks. To be consistent with national and other state reports, cases reported as "unknown" ethnicity are included in the non-Hispanic group.

QUALITY CONTROL

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In addition to these activities, in 1997, NAACCR developed a certification process that reviews registry data for completeness,

accuracy and timeliness of reporting (starting with cases diagnosed in 1995). Since then, ISCR has submitted data each year to the NAACCR *Call for Data* and for NAACCR registry certification. Based on the certification criteria shown in the following table,² ISCR has been awarded gold certification for every diagnosis year from 1996 through 2021. The table below shows the criteria used for silver and gold certification.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2023, ISCR quality control data for each diagnosis year are as follow:

Year	Completeness (NAACCR Method) ^a (% As of 11-23)	Pass EDITS (%)	DCO ^b (%)	Unresolved Duplicate ^c (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1986	88	~	~	~	0.0	0.0	0.0	0.2
1987	90	~	~	~	0.0	0.0	0.0	0.2
1988	87	~	~	0.04	0.0	0.0	0.0	0.2
1989	88	~	~	0.04	0.0	0.0	0.0	0.2
1990	89	100	~	0.04	0.0	0.0	0.0	0.2
1991	88	100	~	0.04	0.0	0.0	0.0	0.5
1992	91	100	~	0.04	0.0	0.0	0.0	0.3
1993	92	100	2.2	0.04	0.0	0.0	0.0	0.2
1994	97	100	6.1	0.06	0.0	0.0	0.0	0.2
1995	99	100	2.6	0.03	0.0	0.0	0.0	0.3
1996	100	100	1.8	0.02	0.0	0.0	0.0	0.3
1997	100	100	1.8	0.09	0.0	0.0	0.0	0.5
1998	100	100	1.5	0.03	0.0	0.0	0.0	0.7
1999	100	100	1.8	0.02	0.0	0.0	0.0	0.7
2000	100	100	2.3	0.03	0.0	0.0	0.0	0.7
2001	100	100	2.4	0.00	0.0	0.0	0.0	0.6
2002	100	100	2.6	0.00	0.0	0.0	0.0	0.8
2003	100	100	1.5	0.02	0.0	0.0	0.0	0.8
2004	100	100	1.7	0.01	0.0	0.0	0.0	0.8
2005	100	100	1.9	0.00	0.0	0.0	0.0	1.0
2006	100	100	2.0	0.00	0.0	0.0	0.0	0.7
2007	100	100	1.2	0.00	0.0	0.0	0.0	0.7
2008	100	100	1.6	0.07	0.0	0.0	0.0	0.9
2009	100	100	1.6	0.03	0.0	0.0	0.0	1.0
2010	100	100	1.8	0.03	0.0	0.0	0.0	1.0
2011	100	100	1.8	0.00	0.0	0.0	0.0	1.2
2012	100	100	0.9	0.02	0.0	0.0	0.0	1.0
2013	100	100	1.0	0.02	0.0	0.0	0.0	0.9
2014	100	100	2.1	0.02	0.0	0.0	0.0	1.0
2015	100	100	2.1	0.09	0.0	0.0	0.0	1.0
2016	100	100	1.9	0.09	0.0	0.0	0.0	0.8
2017	100	100	1.9	0.06	0.0	0.0	0.0	0.8
2018	100	100	1.4	0.07	0.0	0.0	0.0	1.4
2019	100	100	0.9	0.02	0.0	0.0	0.0	1.5
2020	100	100	1.2	0.02	0.0	0.0	0.0	1.3
2021	100	100	1.2	0.00	0.0	0.0	0.0	1.4

~ not applicable

a. For data prior to 1995, the NAACCR's completeness estimating algorithm (version 1) was used. For data on or after 1995, the NAACCR's completeness estimating algorithm (version 2) was used.

b. DCO follow back not started until end of 1993 reporting year.

c. NAACCR's duplicate protocol was run for each year at the time of data submission for registry certification.

DATA INTERPRETATION

Observed variations and differences over years and across sex and race groups in cancer incidence and/or mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes or differences, however, may instead be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts (i.e., fewer than 16).
- Differences in registry database completeness and data quality will influence the magnitude of cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95% complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the “true” rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.
- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990, 2000, 2010, and 2020, the years of the U.S. decennial census, are the most accurate for all age-, race-, ethnicity-, and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence rates based on these population estimates would be expected to be less accurate than those for 1990, 2000, 2010, or 2020 (see notes under “Population Estimates”).
- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex, race, and ethnicity/race groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines, with 95% probability, where the “true” rate may fall. The comparison of two sets of confidence intervals is only approximately equivalent to statistical significance tests for differences between two rates and may be more conservative than the standard significance test when the null hypothesis is true.¹⁷

REFERENCES

1. Thornton ML (ed). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Record Layout Version 24*. Twenty Fifth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, January 2024.
2. Hofferkamp, J (Ed). *Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data*. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
3. Sherman R, Firth R, Kahl A, et al (eds). *Cancer in North America: 2015-2019. Volume One: Combined Cancer Incidence for the United States, Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
4. Sherman R, Firth R, Kahl A, et al (eds). *Cancer in North America: 2015-2019. Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
5. SEER*Explorer: An interactive website for SEER cancer statistics [Internet]. Surveillance Research Program, National Cancer Institute. 2023 Apr 19. [updated: 2023 Nov 16; cited 2024 Apr 10]. Available from <https://seer.cancer.gov/statistics-network/explorer/>.
6. Lehnherr M and Havener LA. Assessment of Interstate Exchange of Cancer Data, 1986-1998. *ISCR Quality Control Series 02:1*. Springfield, Ill.: Illinois Department of Public Health, January 2002.
7. 2010 to 2019 Intercensal Estimates of County Population by Age, Sex and Bridged Race for Vintage 2020 Postcensal Estimates, Woods & Poole Economics, Inc., Washington D.C. February 2024.
8. Surveillance Epidemiology and End Results, National Cancer Institute, U.S. National Institutes of Health. SEER – website. <http://seer.cancer.gov/popdata/>. Accessed April 10, 2024.
9. Fritz A, Percy C, Jack A, et al (eds). *International Classification of Diseases for Oncology*. Third edition. Geneva: World Health Organization, 2000.
10. Steliarova-Foucher E, Stiller C, Lacour B, and Kaatsch P. The International Classification of Childhood Cancer, Third Edition. *Cancer*. 2005;103:1457-67.

11. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) Version 8.4.3, January 18, 2024.
12. Tiwari RC, Clegg LX, and Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.
13. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, and Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.
14. NAACCR Race and Ethnicity Workgroup. *NAACCR Asian/Pacific Islander identification Algorithm [ANPIIA v1.2.1]: Enhancing the Specificity of Identification*. Springfield, Ill.: North American Association of Central Cancer Registries, August 2011.
15. NAACCR Race and Ethnicity Workgroup. *NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino identification Algorithm [NHIA v2.2.1]*. Springfield, Ill.: North American Association of Central Cancer Registries, September 2011.
16. Howe HL. *Evaluation of NHIA Submission for 1997-2001*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
17. Schenke N and Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.
18. Joinpoint Regression Program, Version 5.1.0.0. April, 2024; Statistical Research and Applications Branch, National Cancer Institute.
19. Kim, H.J., Fay, M.P., Feuer, E.J., Midthune, D.N. (2000). Permutation tests for joinpoint regression with applications to cancer rates. *Stat Med*, 19, 335-51 (correction: 2001; 20, 655).

SECTION I
Cancer Incidence by Race
Illinois, 1986 - 2021

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

All Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,181,256	472.9	0.32	472.3	473.5	1,838,901	472.7	0.35	472.0	473.4
1986	43,022	406.2	1.99	402.4	410.2	37,713	403.1	2.11	398.9	407.2
1987	45,265	424.3	2.02	420.3	428.3	39,767	423.2	2.15	419.0	427.4
1988	45,202	420.6	2.00	416.7	424.5	39,360	416.3	2.13	412.1	420.4
1989	45,442	420.7	2.00	416.8	424.6	39,606	417.6	2.12	413.5	421.8
1990	47,511	435.4	2.02	431.4	439.3	41,498	433.6	2.15	429.4	437.9
1991	49,090	443.7	2.02	439.7	447.7	43,174	445.7	2.17	441.4	449.9
1992	52,045	464.1	2.05	460.1	468.1	45,621	465.9	2.20	461.6	470.2
1993	52,844	465.9	2.04	461.9	469.9	45,741	462.9	2.18	458.6	467.1
1994	55,555	486.6	2.07	482.5	490.7	47,916	482.7	2.22	478.4	487.1
1995	55,192	479.7	2.05	475.7	483.7	47,222	474.1	2.19	469.9	478.5
1996	56,359	487.0	2.06	482.9	491.0	48,103	481.3	2.20	477.0	485.7
1997	56,677	485.6	2.04	481.6	489.6	48,469	482.0	2.19	477.7	486.3
1998	57,775	490.1	2.04	486.1	494.1	49,153	485.1	2.19	480.8	489.4
1999	58,861	494.8	2.04	490.8	498.8	50,350	494.1	2.20	489.8	498.5
2000	59,192	493.5	2.03	489.5	497.5	50,294	491.2	2.19	486.9	495.5
2001	60,963	504.1	2.04	500.1	508.1	51,811	503.1	2.21	498.7	507.4
2002	62,385	510.8	2.05	506.8	514.8	52,968	510.4	2.22	506.1	514.8
2003	61,051	493.8	2.00	489.9	497.8	51,628	492.8	2.17	488.6	497.1
2004	61,656	493.9	2.00	490.0	497.8	52,096	494.1	2.17	489.9	498.4
2005	62,098	491.6	1.98	487.7	495.5	52,172	490.5	2.16	486.3	494.7
2006	64,004	501.9	2.00	498.0	505.8	53,644	500.9	2.18	496.6	505.2
2007	65,220	503.6	1.99	499.7	507.5	54,645	503.8	2.17	499.5	508.1
2008	66,649	506.2	1.98	502.3	510.1	55,829	507.4	2.17	503.2	511.7
2009	67,050	501.5	1.96	497.7	505.4	55,928	502.2	2.15	498.0	506.4
2010	65,824	484.4	1.91	480.6	488.1	54,727	484.6	2.10	480.5	488.8
2011	67,218	486.5	1.91	482.7	490.2	55,855	488.0	2.10	483.9	492.1
2012	66,197	470.3	1.86	466.7	474.0	54,864	472.0	2.05	468.0	476.0
2013	66,858	467.1	1.84	463.5	470.7	55,378	469.8	2.04	465.8	473.8
2014	68,468	470.5	1.83	466.9	474.1	56,543	473.0	2.03	469.1	477.0
2015	70,011	475.1	1.83	471.5	478.7	57,765	479.2	2.04	475.2	483.2
2016	70,649	474.2	1.83	470.7	477.8	58,433	480.5	2.04	476.5	484.5
2017	71,310	472.0	1.81	468.4	475.5	59,029	479.8	2.03	475.8	483.7
2018	71,628	467.8	1.79	464.3	471.3	58,797	472.3	2.00	468.4	476.3
2019	72,823	469.4	1.78	465.9	472.9	59,669	474.2	1.99	470.3	478.1
2020	66,540	425.9	1.69	422.6	429.2	54,458	430.5	1.90	426.8	434.2
2021	72,622	462.0	1.76	458.6	465.5	58,675	461.5	1.96	457.7	465.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

All Sites										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	281,180	502.5	0.97	500.6	504.4	44,558	266.5	1.33	263.9	269.1
1986	4,904	442.3	6.56	429.5	455.3	341	227.6	14.35	200.3	257.2
1987	5,076	449.6	6.53	436.8	462.5	355	219.7	13.28	194.4	247.1
1988	5,353	465.6	6.59	452.7	478.6	390	243.7	14.18	216.7	272.9
1989	5,350	461.2	6.51	448.5	474.1	409	237.8	13.52	212.1	265.6
1990	5,515	468.8	6.52	456.1	481.8	410	230.0	13.00	205.2	256.7
1991	5,313	440.2	6.23	428.1	452.6	380	203.9	11.94	181.2	228.5
1992	5,812	472.2	6.38	459.8	484.9	472	246.9	13.08	221.9	273.6
1993	6,406	511.1	6.57	498.3	524.1	589	268.1	12.61	244.0	293.8
1994	6,913	545.4	6.74	532.3	558.8	613	272.2	12.42	248.4	297.4
1995	7,104	546.7	6.65	533.8	559.9	706	280.1	11.81	257.5	304.1
1996	7,337	555.1	6.64	542.2	568.3	752	289.3	11.96	266.3	313.5
1997	7,179	533.1	6.43	520.6	545.9	790	272.0	10.75	251.3	293.8
1998	7,470	545.7	6.45	533.2	558.5	823	281.5	10.95	260.4	303.7
1999	7,293	521.1	6.23	509.0	533.4	869	283.2	10.76	262.5	305.0
2000	7,596	532.0	6.22	519.9	544.4	916	273.9	9.98	254.7	294.1
2001	7,820	542.7	6.26	530.5	555.1	966	268.9	9.54	250.5	288.2
2002	7,939	540.0	6.18	527.9	552.2	1,020	278.5	9.53	260.1	297.7
2003	7,944	529.7	6.06	517.8	541.7	1,008	257.7	8.82	240.7	275.5
2004	8,023	525.7	5.99	514.0	537.6	1,080	261.8	8.66	245.1	279.3
2005	8,113	523.6	5.93	512.1	535.4	1,231	278.2	8.61	261.5	295.5
2006	8,593	543.4	5.98	531.7	555.2	1,330	285.0	8.45	268.6	302.0
2007	8,725	541.4	5.92	529.9	553.1	1,400	282.2	8.14	266.5	298.6
2008	8,821	535.2	5.82	523.9	546.8	1,457	274.9	7.77	259.9	290.5
2009	9,032	534.5	5.75	523.3	545.9	1,448	267.9	7.60	253.3	283.2
2010	8,884	516.2	5.61	505.2	527.3	1,601	277.4	7.43	263.0	292.3
2011	8,922	504.7	5.47	494.0	515.5	1,684	277.4	7.21	263.5	291.9
2012	8,908	493.6	5.36	483.2	504.2	1,776	272.9	6.86	259.6	286.7
2013	9,102	492.9	5.29	482.6	503.4	1,827	268.4	6.61	255.6	281.6
2014	9,319	495.3	5.26	485.1	505.8	1,957	270.6	6.39	258.2	283.4
2015	9,566	496.1	5.21	486.0	506.4	2,037	270.4	6.23	258.3	282.8
2016	9,529	489.6	5.15	479.6	499.8	2,119	266.3	5.97	254.8	278.3
2017	9,537	480.7	5.05	470.9	490.7	2,239	272.5	5.91	261.1	284.4
2018	9,589	475.6	4.98	465.9	485.4	2,312	271.3	5.77	260.1	282.8
2019	9,695	473.0	4.93	463.4	482.8	2,427	273.7	5.65	262.8	285.0
2020	8,635	416.5	4.60	407.6	425.6	2,227	243.9	5.24	233.7	254.4
2021	9,863	474.8	4.91	465.2	484.5	2,597	276.3	5.48	265.7	287.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

All Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,099,602	545.4	0.53	544.4	546.5	926,782	540.2	0.57	539.1	541.3
1986	21,076	482.7	3.48	475.9	489.6	18,371	474.8	3.65	467.7	482.0
1987	22,156	502.1	3.51	495.3	509.1	19,356	495.8	3.70	488.5	503.1
1988	21,854	492.6	3.47	485.8	499.4	18,987	484.7	3.65	477.6	491.9
1989	22,288	497.2	3.45	490.5	504.0	19,413	490.6	3.64	483.5	497.8
1990	23,472	519.5	3.51	512.6	526.4	20,423	512.1	3.70	504.9	519.4
1991	24,997	543.7	3.55	536.8	550.7	22,019	543.6	3.77	536.3	551.1
1992	27,223	583.3	3.64	576.2	590.5	23,777	578.9	3.85	571.4	586.5
1993	27,313	576.8	3.58	569.8	583.9	23,594	568.2	3.78	560.8	575.7
1994	28,162	591.8	3.62	584.7	598.9	24,124	579.2	3.81	571.8	586.7
1995	28,008	579.2	3.54	572.3	586.2	23,752	563.6	3.72	556.3	570.9
1996	28,339	580.3	3.51	573.5	587.3	23,956	564.4	3.70	557.2	571.7
1997	28,671	581.5	3.49	574.6	588.3	24,438	571.5	3.70	564.2	578.8
1998	28,965	581.3	3.47	574.5	588.1	24,560	569.1	3.67	562.0	576.4
1999	29,775	589.8	3.46	583.1	596.7	25,414	582.8	3.69	575.6	590.1
2000	30,054	588.7	3.44	582.0	595.5	25,408	578.1	3.66	570.9	585.3
2001	31,076	603.6	3.47	596.8	610.4	26,385	596.4	3.70	589.2	603.7
2002	32,132	617.2	3.49	610.4	624.1	27,351	612.7	3.74	605.4	620.0
2003	31,465	594.1	3.40	587.4	600.7	26,601	587.6	3.64	580.5	594.8
2004	31,685	588.7	3.36	582.2	595.3	26,714	582.2	3.60	575.1	589.3
2005	31,505	575.7	3.29	569.3	582.2	26,406	567.3	3.53	560.4	574.3
2006	32,563	586.1	3.30	579.6	592.6	27,277	578.6	3.55	571.7	585.6
2007	33,565	592.1	3.29	585.7	598.6	27,989	583.1	3.53	576.2	590.1
2008	34,227	590.2	3.25	583.8	596.6	28,617	584.0	3.51	577.2	590.9
2009	34,036	573.7	3.18	567.5	580.0	28,326	567.1	3.43	560.4	573.8
2010	33,247	549.8	3.09	543.8	555.9	27,654	544.1	3.34	537.6	550.7
2011	33,949	548.7	3.05	542.8	554.7	28,276	545.1	3.31	538.6	551.6
2012	33,054	521.8	2.95	516.1	527.6	27,463	518.4	3.20	512.2	524.8
2013	33,157	512.4	2.89	506.8	518.1	27,608	511.2	3.15	505.0	517.4
2014	33,679	508.8	2.85	503.2	514.4	27,912	506.5	3.11	500.4	512.6
2015	34,868	517.4	2.85	511.9	523.1	28,788	515.1	3.12	509.0	521.3
2016	34,770	508.7	2.81	503.2	514.2	28,958	512.1	3.10	506.1	518.3
2017	35,858	515.3	2.80	509.8	520.8	29,902	519.7	3.09	513.7	525.8
2018	35,624	502.0	2.74	496.6	507.4	29,449	503.5	3.02	497.6	509.5
2019	36,518	505.9	2.72	500.6	511.3	30,180	507.4	3.00	501.5	513.3
2020	33,679	462.5	2.59	457.4	467.6	27,670	462.3	2.86	456.7	467.9
2021	36,592	498.0	2.68	492.8	503.3	29,664	491.2	2.94	485.4	497.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

All Sites										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	142,842	623.3	1.73	619.9	626.7	20,392	283.4	2.15	279.2	287.6
1986	2,531	567.3	12.13	543.8	591.5	156	242.7	22.67	200.3	290.7
1987	2,606	580.3	12.17	556.7	604.6	167	264.4	24.25	219.0	315.4
1988	2,644	573.1	11.95	550.0	597.0	180	279.8	24.27	234.3	330.7
1989	2,675	579.9	12.01	556.6	603.9	162	235.9	21.66	195.4	281.5
1990	2,794	600.7	12.22	577.0	625.0	207	303.7	24.59	257.4	355.0
1991	2,715	565.8	11.60	543.3	589.0	165	227.9	20.59	189.4	271.2
1992	3,155	655.3	12.49	631.1	680.2	239	318.3	24.21	272.6	368.5
1993	3,404	683.9	12.54	659.6	708.9	271	312.2	22.29	270.1	358.4
1994	3,693	740.6	13.04	715.3	766.5	285	308.9	21.33	268.5	353.0
1995	3,862	748.8	12.84	723.9	774.4	315	315.5	20.41	276.7	357.6
1996	3,939	742.3	12.54	717.9	767.2	362	347.6	21.67	306.4	392.1
1997	3,725	685.5	11.88	662.4	709.1	371	316.8	18.92	280.8	355.8
1998	3,852	704.0	11.99	680.7	727.9	373	313.4	18.73	277.7	351.9
1999	3,744	671.4	11.57	648.9	694.4	417	341.2	20.00	303.1	382.2
2000	4,039	707.6	11.72	684.8	730.9	411	293.3	16.66	261.5	327.5
2001	4,010	693.9	11.54	671.5	716.9	453	304.5	16.73	272.6	338.7
2002	4,032	685.1	11.39	662.9	707.7	476	317.9	16.51	286.4	351.6
2003	4,159	684.2	11.16	662.5	706.4	441	271.8	14.67	243.8	301.9
2004	4,184	679.3	11.10	657.7	701.3	514	301.6	15.06	272.8	332.3
2005	4,185	670.9	10.99	649.5	692.7	578	317.6	14.94	289.0	348.0
2006	4,425	689.6	10.93	668.3	711.3	632	327.0	14.57	299.1	356.6
2007	4,637	709.6	10.99	688.2	731.4	658	306.5	13.39	280.8	333.7
2008	4,627	687.1	10.64	666.4	708.2	672	297.5	12.96	272.6	323.9
2009	4,619	660.8	10.24	640.9	681.2	704	298.7	12.65	274.4	324.4
2010	4,507	633.7	9.96	614.4	653.5	724	295.4	12.23	271.9	320.2
2011	4,460	605.4	9.54	586.8	624.3	757	295.4	11.87	272.6	319.5
2012	4,412	589.1	9.34	570.9	607.7	811	287.0	11.04	265.8	309.4
2013	4,434	577.2	9.12	559.5	595.3	813	272.2	10.31	252.4	293.1
2014	4,519	573.6	8.98	556.2	591.5	890	279.9	10.07	260.5	300.3
2015	4,753	586.6	8.95	569.2	604.4	948	284.2	9.83	265.3	304.1
2016	4,544	550.7	8.58	534.0	567.8	949	263.5	8.98	246.2	281.7
2017	4,654	556.1	8.55	539.5	573.1	988	271.8	9.04	254.4	290.1
2018	4,596	531.6	8.19	515.7	547.9	1,012	262.0	8.54	245.6	279.3
2019	4,666	535.6	8.19	519.7	551.9	1,072	268.7	8.46	252.4	285.8
2020	4,241	479.7	7.68	464.8	495.0	1,049	252.2	7.98	236.8	268.3
2021	4,800	545.1	8.21	529.1	561.4	1,170	274.0	8.17	258.2	290.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

All Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,081,654	427.5	0.41	426.7	428.3	912,119	431.7	0.46	430.8	432.6
1986	21,946	367.9	2.54	362.9	372.9	19,342	369.6	2.73	364.2	375.0
1987	23,109	385.4	2.59	380.4	390.5	20,411	389.3	2.80	383.8	394.8
1988	23,348	385.8	2.57	380.8	390.9	20,373	385.3	2.76	379.9	390.8
1989	23,154	381.8	2.55	376.8	386.9	20,193	382.2	2.75	376.8	387.6
1990	24,039	392.2	2.57	387.2	397.3	21,075	395.7	2.79	390.3	401.2
1991	24,093	388.2	2.54	383.2	393.2	21,155	392.9	2.76	387.5	398.3
1992	24,822	395.2	2.54	390.2	400.2	21,844	401.8	2.77	396.4	407.3
1993	25,531	400.0	2.53	395.0	405.0	22,147	401.5	2.74	396.1	406.9
1994	27,393	424.3	2.59	419.3	429.5	23,792	427.2	2.81	421.7	432.7
1995	27,184	419.8	2.57	414.8	424.9	23,470	422.2	2.80	416.7	427.7
1996	28,020	429.6	2.59	424.6	434.7	24,147	432.4	2.82	426.9	438.0
1997	28,006	426.1	2.57	421.1	431.2	24,031	428.1	2.80	422.7	433.6
1998	28,810	434.0	2.57	429.0	439.1	24,593	434.9	2.81	429.4	440.4
1999	29,086	435.2	2.57	430.1	440.2	24,936	439.5	2.82	434.0	445.1
2000	29,138	432.7	2.55	427.7	437.7	24,886	437.0	2.80	431.5	442.5
2001	29,887	440.0	2.56	435.0	445.0	25,426	443.9	2.82	438.4	449.5
2002	30,253	441.9	2.56	436.9	446.9	25,617	444.5	2.81	439.0	450.0
2003	29,586	428.5	2.51	423.6	433.4	25,027	432.0	2.76	426.6	437.4
2004	29,971	430.9	2.51	426.0	435.9	25,382	436.3	2.77	430.9	441.8
2005	30,593	436.2	2.52	431.2	441.1	25,766	440.5	2.78	435.1	446.0
2006	31,441	445.4	2.54	440.5	450.4	26,367	449.3	2.81	443.8	454.8
2007	31,655	444.0	2.52	439.1	449.0	26,656	451.4	2.81	445.9	456.9
2008	32,422	449.0	2.53	444.1	454.0	27,212	456.0	2.81	450.5	461.5
2009	33,014	452.3	2.53	447.4	457.3	27,602	459.0	2.82	453.5	464.6
2010	32,577	439.9	2.48	435.0	444.8	27,073	444.9	2.76	439.5	450.3
2011	33,269	444.6	2.48	439.8	449.5	27,579	450.4	2.78	445.0	455.9
2012	33,143	437.3	2.45	432.5	442.1	27,401	443.2	2.75	437.8	448.6
2013	33,701	438.8	2.44	434.0	443.6	27,770	445.1	2.74	439.7	450.5
2014	34,789	448.5	2.46	443.7	453.4	28,631	455.6	2.77	450.1	461.0
2015	35,143	449.3	2.46	444.5	454.1	28,977	459.0	2.78	453.6	464.5
2016	35,879	455.2	2.47	450.4	460.1	29,475	464.6	2.80	459.1	470.1
2017	35,452	444.9	2.43	440.2	449.7	29,127	455.5	2.76	450.1	460.9
2018	36,004	447.5	2.43	442.7	452.3	29,348	455.5	2.76	450.1	461.0
2019	36,305	448.1	2.43	443.3	452.8	29,489	456.0	2.76	450.6	461.5
2020	32,861	403.7	2.30	399.2	408.2	26,788	412.9	2.63	407.8	418.1
2021	36,030	441.2	2.41	436.5	446.0	29,011	446.7	2.74	441.4	452.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

All Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	138,338	425.1	1.15	422.9	427.4	24,166	258.1	1.72	254.7	261.5
1986	2,373	363.6	7.64	348.7	378.8	185	218.8	18.57	183.9	257.9
1987	2,470	369.2	7.59	354.5	384.4	188	191.3	15.16	162.8	223.4
1988	2,709	399.6	7.84	384.4	415.3	210	221.6	17.27	189.0	257.8
1989	2,675	389.7	7.68	374.8	405.1	247	246.8	17.64	213.4	283.6
1990	2,721	390.0	7.61	375.3	405.2	203	180.2	14.01	153.8	209.7
1991	2,598	363.0	7.25	348.9	377.4	215	191.3	14.57	163.8	221.8
1992	2,657	361.7	7.12	347.9	375.9	233	200.4	14.70	172.6	231.1
1993	3,002	403.5	7.48	389.0	418.4	318	241.9	15.03	213.3	273.0
1994	3,220	426.3	7.62	411.5	441.4	328	250.1	15.22	221.1	281.5
1995	3,242	419.8	7.47	405.3	434.7	391	261.6	14.48	234.0	291.4
1996	3,398	434.5	7.54	419.8	449.5	390	254.0	14.13	227.1	283.1
1997	3,454	434.4	7.47	419.9	449.3	419	245.9	12.97	221.1	272.5
1998	3,618	445.5	7.48	430.9	460.3	450	263.5	13.52	237.7	291.2
1999	3,549	427.3	7.24	413.2	441.7	452	250.1	12.67	225.9	276.1
2000	3,557	419.9	7.10	406.1	434.0	505	264.0	12.60	239.9	289.8
2001	3,810	445.9	7.28	431.7	460.4	513	248.8	11.71	226.4	272.8
2002	3,907	448.9	7.24	434.8	463.3	544	254.6	11.63	232.3	278.3
2003	3,785	428.8	7.03	415.1	442.7	567	252.8	11.25	231.3	275.8
2004	3,839	427.5	6.96	413.9	441.3	566	237.6	10.57	217.3	259.2
2005	3,928	431.2	6.94	417.7	445.0	653	254.5	10.54	234.3	276.0
2006	4,168	449.9	7.03	436.2	463.8	698	258.6	10.33	238.8	279.6
2007	4,088	433.9	6.85	420.6	447.5	742	266.9	10.33	247.0	287.9
2008	4,194	436.9	6.82	423.6	450.5	785	263.4	9.89	244.4	283.5
2009	4,413	451.8	6.89	438.4	465.5	744	247.2	9.55	228.8	266.6
2010	4,377	439.5	6.73	426.4	452.9	877	268.7	9.53	250.4	288.0
2011	4,462	437.9	6.65	425.0	451.2	927	269.1	9.23	251.3	287.8
2012	4,496	432.7	6.55	419.9	445.7	965	266.9	8.95	249.6	285.0
2013	4,668	439.2	6.53	426.5	452.2	1,014	268.1	8.72	251.2	285.7
2014	4,800	446.6	6.56	433.9	459.7	1,067	267.8	8.45	251.5	284.8
2015	4,813	438.9	6.45	426.3	451.7	1,089	263.3	8.20	247.5	279.9
2016	4,985	451.8	6.53	439.1	464.8	1,170	271.8	8.12	256.1	288.2
2017	4,883	433.9	6.34	421.6	446.5	1,251	278.2	8.01	262.7	294.3
2018	4,993	437.3	6.32	425.0	449.9	1,300	283.1	7.98	267.7	299.2
2019	5,029	433.8	6.26	421.6	446.3	1,355	283.7	7.81	268.6	299.4
2020	4,394	375.3	5.80	364.0	386.8	1,178	240.9	7.09	227.2	255.2
2021	5,063	430.1	6.20	418.0	442.4	1,427	284.2	7.59	269.5	299.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oral Cavity and Pharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	53,004	11.4	0.05	11.3	11.5	43,902	11.3	0.05	11.2	11.4
1986	1,208	11.5	0.34	10.8	12.2	974	10.4	0.34	9.7	11.1
1987	1,199	11.3	0.33	10.7	12.0	976	10.4	0.34	9.8	11.1
1988	1,184	11.2	0.33	10.5	11.8	954	10.2	0.33	9.5	10.9
1989	1,126	10.5	0.32	9.9	11.1	918	9.7	0.33	9.1	10.4
1990	1,156	10.8	0.32	10.2	11.4	928	9.9	0.33	9.3	10.6
1991	1,133	10.4	0.31	9.8	11.1	911	9.6	0.32	9.0	10.3
1992	1,120	10.2	0.31	9.6	10.8	940	9.8	0.32	9.2	10.4
1993	1,135	10.2	0.30	9.6	10.8	938	9.8	0.32	9.1	10.4
1994	1,186	10.5	0.31	9.9	11.2	954	9.8	0.32	9.2	10.5
1995	1,301	11.5	0.32	10.8	12.1	1,074	11.0	0.34	10.4	11.7
1996	1,297	11.3	0.32	10.7	12.0	1,059	10.8	0.33	10.1	11.4
1997	1,316	11.4	0.31	10.8	12.0	1,074	10.9	0.33	10.2	11.6
1998	1,254	10.7	0.30	10.1	11.3	1,010	10.1	0.32	9.5	10.8
1999	1,310	11.0	0.30	10.4	11.7	1,080	10.7	0.33	10.1	11.4
2000	1,294	10.8	0.30	10.2	11.4	1,062	10.5	0.32	9.9	11.1
2001	1,265	10.4	0.29	9.9	11.0	1,050	10.3	0.32	9.6	10.9
2002	1,354	11.0	0.30	10.4	11.6	1,121	10.8	0.32	10.2	11.5
2003	1,335	10.7	0.29	10.1	11.3	1,112	10.6	0.32	10.0	11.2
2004	1,434	11.3	0.30	10.8	11.9	1,148	10.9	0.32	10.2	11.5
2005	1,344	10.5	0.29	9.9	11.0	1,115	10.4	0.31	9.8	11.1
2006	1,401	10.8	0.29	10.2	11.3	1,163	10.7	0.32	10.1	11.4
2007	1,520	11.5	0.30	10.9	12.1	1,258	11.5	0.33	10.8	12.1
2008	1,584	11.7	0.30	11.2	12.3	1,319	11.8	0.33	11.2	12.5
2009	1,595	11.7	0.30	11.1	12.3	1,334	11.8	0.33	11.2	12.5
2010	1,599	11.5	0.29	10.9	12.1	1,298	11.2	0.32	10.6	11.9
2011	1,740	12.3	0.30	11.7	12.9	1,455	12.4	0.33	11.8	13.1
2012	1,733	12.0	0.29	11.4	12.6	1,446	12.1	0.32	11.5	12.8
2013	1,762	12.0	0.29	11.5	12.6	1,472	12.1	0.32	11.5	12.8
2014	1,780	11.9	0.29	11.4	12.5	1,490	12.1	0.32	11.5	12.7
2015	1,870	12.4	0.29	11.9	13.0	1,568	12.8	0.33	12.1	13.4
2016	1,877	12.3	0.29	11.7	12.9	1,578	12.6	0.33	12.0	13.3
2017	1,940	12.5	0.29	12.0	13.1	1,674	13.3	0.33	12.6	13.9
2018	1,846	11.8	0.28	11.3	12.4	1,575	12.4	0.32	11.7	13.0
2019	1,961	12.3	0.28	11.8	12.9	1,682	13.0	0.33	12.4	13.7
2020	1,883	11.9	0.28	11.3	12.4	1,557	12.1	0.32	11.5	12.7
2021	1,962	12.2	0.28	11.6	12.8	1,635	12.5	0.32	11.9	13.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oral Cavity and Pharynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,294	12.4	0.15	12.1	12.7	1,450	8.1	0.22	7.7	8.6
1986	218	18.9	1.31	16.4	21.6	14	8.6	2.59	4.3	15.3
1987	206	17.4	1.24	15.0	20.0	16	10.7	2.94	5.7	18.0
1988	208	17.1	1.21	14.8	19.6	18	10.1	2.67	5.6	16.7
1989	195	16.1	1.18	13.9	18.6	12	5.6	1.69	2.8	10.2
1990	215	17.3	1.20	15.0	19.8	9	5.7	2.08	2.4	11.2
1991	203	15.6	1.12	13.5	18.0	10	3.7	1.20	1.7	7.2
1992	163	12.4	0.98	10.5	14.4	15	5.7	1.60	3.0	9.9
1993	172	12.9	0.99	11.0	15.0	22	9.7	2.42	5.6	15.5
1994	208	15.5	1.09	13.4	17.7	21	6.6	1.50	4.0	10.4
1995	199	14.3	1.03	12.3	16.4	23	7.7	1.85	4.5	12.2
1996	215	15.2	1.05	13.2	17.4	19	7.1	1.76	4.1	11.4
1997	209	14.6	1.02	12.6	16.7	29	9.6	1.95	6.1	14.2
1998	210	14.3	1.00	12.4	16.4	26	7.2	1.47	4.6	10.7
1999	198	13.1	0.94	11.3	15.0	27	7.1	1.46	4.6	10.6
2000	196	12.7	0.92	11.0	14.6	27	6.9	1.44	4.4	10.4
2001	180	11.4	0.86	9.8	13.2	26	6.7	1.45	4.1	10.1
2002	201	12.8	0.92	11.1	14.7	27	6.5	1.35	4.2	9.7
2003	190	11.6	0.86	10.0	13.4	27	6.7	1.40	4.2	10.0
2004	232	14.0	0.93	12.2	16.0	42	9.5	1.59	6.6	13.1
2005	174	10.3	0.79	8.8	11.9	45	9.0	1.44	6.4	12.3
2006	179	10.2	0.78	8.8	11.9	54	11.6	1.73	8.5	15.4
2007	212	12.3	0.86	10.6	14.1	44	7.8	1.25	5.5	10.6
2008	217	12.2	0.85	10.6	14.0	40	7.5	1.26	5.2	10.4
2009	197	11.0	0.80	9.5	12.7	48	7.5	1.12	5.5	10.1
2010	223	12.3	0.84	10.7	14.0	67	11.0	1.42	8.4	14.2
2011	216	11.5	0.80	10.0	13.2	56	9.1	1.30	6.7	12.0
2012	225	11.8	0.80	10.3	13.5	55	7.5	1.05	5.6	9.9
2013	220	11.6	0.80	10.1	13.3	55	7.4	1.04	5.5	9.7
2014	217	11.4	0.80	9.9	13.1	61	7.8	1.02	5.9	10.0
2015	219	10.7	0.74	9.3	12.3	70	9.0	1.12	7.0	11.5
2016	211	10.5	0.74	9.1	12.0	67	8.2	1.03	6.3	10.5
2017	184	8.7	0.66	7.4	10.1	67	8.0	1.00	6.2	10.2
2018	177	8.6	0.67	7.4	10.0	77	8.8	1.02	6.9	11.0
2019	193	9.1	0.67	7.9	10.6	67	7.3	0.91	5.7	9.4
2020	202	9.3	0.67	8.1	10.8	83	8.8	0.97	7.0	10.9
2021	210	9.7	0.68	8.4	11.1	84	9.0	0.99	7.2	11.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oral Cavity and Pharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	36,736	17.4	0.09	17.2	17.6	30,348	17.0	0.10	16.8	17.2
1986	826	18.0	0.65	16.8	19.3	656	16.2	0.65	14.9	17.5
1987	811	17.6	0.64	16.4	18.9	658	16.2	0.65	15.0	17.6
1988	813	17.7	0.64	16.4	19.0	643	15.9	0.65	14.7	17.2
1989	753	16.1	0.60	15.0	17.4	604	14.8	0.62	13.6	16.0
1990	787	17.0	0.62	15.8	18.2	633	15.7	0.64	14.4	17.0
1991	758	15.9	0.59	14.8	17.1	603	14.5	0.60	13.3	15.7
1992	749	15.6	0.58	14.5	16.8	619	14.9	0.61	13.7	16.1
1993	777	15.7	0.57	14.6	16.9	636	14.9	0.60	13.8	16.1
1994	791	16.0	0.58	14.9	17.2	633	14.9	0.60	13.7	16.1
1995	890	17.7	0.60	16.6	18.9	723	16.7	0.63	15.5	18.0
1996	882	17.5	0.60	16.3	18.7	713	16.5	0.62	15.3	17.7
1997	880	17.3	0.59	16.1	18.5	707	16.2	0.62	15.0	17.5
1998	852	16.3	0.56	15.2	17.4	673	15.1	0.59	13.9	16.3
1999	874	16.4	0.56	15.4	17.6	720	15.9	0.60	14.8	17.1
2000	889	16.6	0.56	15.5	17.7	718	15.8	0.59	14.6	17.0
2001	875	16.1	0.55	15.0	17.2	727	15.8	0.59	14.6	17.0
2002	914	16.5	0.55	15.5	17.6	740	15.8	0.59	14.7	17.0
2003	906	16.2	0.55	15.2	17.4	743	15.8	0.58	14.7	17.0
2004	1,011	17.6	0.56	16.5	18.7	798	16.5	0.59	15.3	17.7
2005	931	15.9	0.53	14.9	17.0	770	15.7	0.57	14.6	16.8
2006	953	16.0	0.53	15.0	17.0	791	15.8	0.57	14.7	16.9
2007	1,060	17.4	0.54	16.4	18.5	871	17.0	0.59	15.9	18.2
2008	1,086	17.4	0.54	16.4	18.5	900	17.2	0.58	16.1	18.4
2009	1,097	17.4	0.53	16.3	18.4	929	17.6	0.59	16.5	18.8
2010	1,134	17.6	0.53	16.5	18.6	927	17.1	0.57	16.0	18.3
2011	1,243	18.8	0.54	17.7	19.9	1,032	18.6	0.59	17.5	19.8
2012	1,218	18.1	0.53	17.0	19.1	1,010	18.0	0.58	16.9	19.2
2013	1,267	18.7	0.54	17.6	19.7	1,065	18.7	0.59	17.6	19.9
2014	1,237	17.7	0.52	16.7	18.8	1,046	17.9	0.57	16.8	19.1
2015	1,322	18.7	0.53	17.7	19.8	1,112	19.0	0.58	17.8	20.2
2016	1,337	18.6	0.52	17.6	19.6	1,132	18.9	0.58	17.8	20.1
2017	1,367	18.8	0.52	17.8	19.8	1,185	19.7	0.59	18.6	20.9
2018	1,297	17.7	0.50	16.7	18.7	1,109	18.2	0.56	17.2	19.4
2019	1,389	18.5	0.51	17.5	19.5	1,211	19.6	0.58	18.5	20.8
2020	1,324	17.5	0.50	16.6	18.5	1,097	17.7	0.55	16.7	18.9
2021	1,436	18.9	0.51	17.9	20.0	1,214	19.4	0.58	18.3	20.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oral Cavity and Pharynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	5,163	20.4	0.29	19.9	21.0	987	12.0	0.41	11.2	12.8
1986	160	32.1	2.65	27.1	37.7	9	14.7	5.52	6.0	29.4
1987	142	27.8	2.43	23.3	33.0	10	16.5	5.79	7.2	31.5
1988	159	30.2	2.46	25.6	35.4	9	12.7	4.99	4.8	26.0
1989	145	28.4	2.46	23.8	33.6	4	3.1	1.64	0.7	9.7
1990	145	27.5	2.36	23.1	32.5	5	7.4	3.74	2.0	18.1
1991	143	26.2	2.27	22.0	31.1	6	5.1	2.08	1.8	12.0
1992	116	21.0	2.01	17.2	25.3	13	11.4	3.54	5.6	20.8
1993	125	21.7	1.99	18.0	26.0	13	16.2	5.37	7.4	29.5
1994	144	25.2	2.18	21.1	29.8	12	7.6	2.34	3.7	14.2
1995	146	24.8	2.13	20.8	29.4	17	14.9	4.25	7.7	25.4
1996	155	25.3	2.09	21.4	29.8	12	10.3	3.34	4.8	18.9
1997	153	25.2	2.12	21.2	29.7	20	13.6	3.22	8.0	21.6
1998	155	24.8	2.07	21.0	29.2	16	9.3	2.51	5.0	15.8
1999	138	21.1	1.84	17.6	25.0	12	7.0	2.14	3.5	12.8
2000	153	23.4	1.94	19.7	27.5	13	7.9	2.46	3.8	14.2
2001	125	18.4	1.70	15.2	22.1	18	11.0	3.18	5.7	18.8
2002	152	22.7	1.90	19.2	26.8	19	10.7	2.72	6.1	17.4
2003	143	20.0	1.71	16.8	23.6	15	7.7	2.19	4.1	13.3
2004	176	25.1	1.98	21.4	29.3	31	16.4	3.31	10.5	24.0
2005	131	18.1	1.62	15.0	21.5	25	10.5	2.27	6.6	16.0
2006	120	15.8	1.48	13.1	19.0	40	19.2	3.38	13.1	26.9
2007	156	21.2	1.77	17.9	25.0	28	10.3	2.10	6.6	15.3
2008	151	20.4	1.75	17.1	24.1	30	13.3	2.71	8.5	19.6
2009	128	16.4	1.51	13.6	19.6	29	9.6	1.85	6.3	14.0
2010	151	19.8	1.70	16.6	23.4	47	16.8	2.68	11.9	22.9
2011	160	19.9	1.63	16.8	23.4	40	13.7	2.36	9.4	19.1
2012	161	19.6	1.60	16.6	23.0	41	11.4	1.89	8.0	15.8
2013	153	19.1	1.61	16.1	22.5	40	11.3	1.89	7.9	15.7
2014	138	17.4	1.55	14.5	20.7	44	11.8	1.81	8.5	16.0
2015	156	18.2	1.51	15.3	21.4	48	13.1	1.95	9.5	17.5
2016	143	16.7	1.46	14.0	19.8	50	12.9	1.88	9.5	17.1
2017	123	13.6	1.28	11.2	16.3	47	12.4	1.88	9.0	16.7
2018	122	13.9	1.31	11.4	16.7	55	13.4	1.86	10.0	17.5
2019	123	13.3	1.25	11.0	16.0	45	10.5	1.59	7.6	14.1
2020	135	14.3	1.28	11.9	17.1	63	14.0	1.80	10.7	18.0
2021	137	14.6	1.30	12.2	17.4	61	13.9	1.81	10.6	18.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oral Cavity and Pharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	16,268	6.4	0.05	6.3	6.5	13,554	6.4	0.06	6.3	6.5
1986	382	6.5	0.34	5.8	7.2	318	6.0	0.35	5.4	6.8
1987	388	6.5	0.34	5.9	7.2	318	6.1	0.35	5.4	6.8
1988	371	6.1	0.32	5.5	6.8	311	5.9	0.34	5.2	6.6
1989	373	6.2	0.33	5.6	6.9	314	6.0	0.35	5.3	6.7
1990	369	6.0	0.32	5.4	6.7	295	5.4	0.32	4.8	6.1
1991	375	6.2	0.32	5.6	6.9	308	5.9	0.34	5.2	6.6
1992	371	6.0	0.32	5.4	6.7	321	5.9	0.34	5.3	6.6
1993	358	5.7	0.30	5.1	6.3	302	5.5	0.32	4.9	6.2
1994	395	6.2	0.31	5.6	6.8	321	5.7	0.32	5.1	6.4
1995	411	6.3	0.32	5.7	7.0	351	6.3	0.34	5.6	7.0
1996	415	6.4	0.32	5.8	7.0	346	6.2	0.34	5.5	6.9
1997	436	6.8	0.33	6.1	7.4	367	6.7	0.35	6.0	7.4
1998	402	6.1	0.31	5.5	6.7	337	6.0	0.33	5.4	6.7
1999	436	6.6	0.32	6.0	7.3	360	6.5	0.35	5.8	7.2
2000	405	6.1	0.30	5.5	6.7	344	6.1	0.33	5.5	6.8
2001	390	5.8	0.29	5.2	6.4	323	5.6	0.32	5.0	6.3
2002	440	6.5	0.31	5.9	7.1	381	6.7	0.34	6.0	7.4
2003	429	6.2	0.30	5.6	6.8	369	6.4	0.33	5.7	7.1
2004	423	6.1	0.30	5.6	6.7	350	6.1	0.33	5.4	6.8
2005	413	5.9	0.29	5.4	6.5	345	6.0	0.32	5.3	6.6
2006	448	6.3	0.30	5.7	6.9	372	6.3	0.33	5.6	6.9
2007	460	6.5	0.30	5.9	7.1	387	6.6	0.34	5.9	7.3
2008	498	6.9	0.31	6.3	7.5	419	7.0	0.35	6.3	7.7
2009	498	6.9	0.31	6.3	7.5	405	6.8	0.34	6.1	7.5
2010	465	6.3	0.30	5.7	6.9	371	6.1	0.32	5.5	6.8
2011	497	6.6	0.30	6.0	7.2	423	6.8	0.34	6.2	7.5
2012	515	6.7	0.30	6.1	7.3	436	6.9	0.34	6.2	7.6
2013	495	6.3	0.29	5.8	6.9	407	6.4	0.32	5.7	7.0
2014	543	6.8	0.30	6.3	7.4	444	6.8	0.33	6.2	7.5
2015	548	6.9	0.30	6.4	7.6	456	7.2	0.35	6.5	7.9
2016	540	6.8	0.30	6.2	7.4	446	7.0	0.34	6.3	7.7
2017	573	7.0	0.30	6.4	7.6	489	7.4	0.35	6.8	8.1
2018	549	6.7	0.29	6.1	7.3	466	7.0	0.33	6.3	7.7
2019	572	6.8	0.29	6.3	7.4	471	7.0	0.33	6.3	7.7
2020	559	6.7	0.29	6.2	7.3	460	6.8	0.33	6.2	7.5
2021	526	6.1	0.27	5.6	6.7	421	6.1	0.31	5.5	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oral Cavity and Pharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,131	6.4	0.14	6.1	6.7	463	4.8	0.23	4.4	5.3
1986	58	9.0	1.19	6.8	11.6	5	4.2	1.98	1.3	11.1
1987	64	9.4	1.21	7.2	12.1	6	6.4	2.83	2.1	14.7
1988	49	7.0	1.02	5.2	9.3	9	8.4	2.96	3.6	16.7
1989	50	7.3	1.04	5.4	9.6	8	7.6	2.74	3.2	15.3
1990	70	9.8	1.19	7.6	12.4	4	4.3	2.24	1.1	11.2
1991	60	7.8	1.03	5.9	10.1	4	2.4	1.24	0.6	7.1
1992	47	6.2	0.91	4.5	8.2	2	1.2	0.83	0.1	5.1
1993	47	6.2	0.91	4.5	8.2	9	5.4	1.87	2.3	10.8
1994	64	8.4	1.06	6.4	10.7	9	5.8	1.96	2.6	11.2
1995	53	6.5	0.91	4.9	8.6	6	2.3	0.93	0.8	5.7
1996	60	7.5	0.98	5.7	9.7	7	4.6	1.82	1.8	9.7
1997	56	6.8	0.93	5.2	8.9	9	5.9	2.20	2.4	11.7
1998	55	6.5	0.89	4.9	8.5	10	5.4	1.74	2.5	10.0
1999	60	7.0	0.91	5.3	9.0	15	7.3	1.98	3.9	12.3
2000	43	4.9	0.75	3.5	6.6	14	6.3	1.77	3.3	10.8
2001	55	6.1	0.83	4.6	8.0	8	3.6	1.30	1.5	7.2
2002	49	5.5	0.79	4.1	7.3	8	3.3	1.21	1.3	6.7
2003	47	5.2	0.77	3.8	6.9	12	5.7	1.76	2.8	10.2
2004	56	6.0	0.80	4.5	7.8	11	4.2	1.35	2.0	7.8
2005	43	4.4	0.68	3.2	6.0	20	7.5	1.77	4.5	11.8
2006	59	6.0	0.79	4.6	7.8	14	5.4	1.55	2.8	9.3
2007	56	5.8	0.78	4.3	7.5	16	5.6	1.46	3.1	9.2
2008	66	6.6	0.82	5.1	8.4	10	3.0	0.98	1.4	5.7
2009	69	6.9	0.85	5.4	8.8	19	5.7	1.33	3.4	9.0
2010	72	7.0	0.83	5.4	8.8	20	6.3	1.47	3.8	9.9
2011	56	5.3	0.72	4.0	6.9	16	5.1	1.35	2.8	8.4
2012	64	6.0	0.76	4.6	7.7	14	4.1	1.12	2.2	6.9
2013	67	6.2	0.77	4.8	7.9	15	4.0	1.07	2.2	6.7
2014	79	7.3	0.84	5.8	9.2	17	4.2	1.04	2.4	6.7
2015	63	5.4	0.69	4.1	6.9	22	5.3	1.15	3.3	8.0
2016	68	6.0	0.74	4.6	7.6	17	4.1	1.02	2.4	6.7
2017	61	5.1	0.67	3.9	6.6	20	4.2	0.96	2.5	6.6
2018	55	4.9	0.67	3.6	6.4	22	4.9	1.05	3.0	7.4
2019	70	6.1	0.74	4.7	7.7	22	4.5	0.97	2.8	6.9
2020	67	5.7	0.71	4.4	7.3	20	4.2	0.94	2.6	6.5
2021	73	5.9	0.71	4.6	7.5	23	4.7	0.98	3.0	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lip										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,974	0.7	0.01	0.6	0.7	2,869	0.7	0.01	0.7	0.8
1986	119	1.1	0.11	0.9	1.4	116	1.3	0.12	1.0	1.5
1987	114	1.1	0.10	0.9	1.3	114	1.2	0.12	1.0	1.5
1988	137	1.3	0.11	1.1	1.5	135	1.4	0.12	1.2	1.7
1989	111	1.0	0.10	0.9	1.3	108	1.2	0.11	0.9	1.4
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5
1991	103	0.9	0.09	0.8	1.1	101	1.0	0.10	0.8	1.3
1992	96	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2
1993	81	0.7	0.08	0.6	0.9	80	0.8	0.09	0.7	1.0
1994	94	0.8	0.09	0.7	1.0	90	0.9	0.10	0.7	1.1
1995	102	0.9	0.09	0.7	1.1	99	1.0	0.10	0.8	1.2
1996	108	0.9	0.09	0.8	1.1	106	1.1	0.10	0.9	1.3
1997	97	0.8	0.08	0.7	1.0	94	0.9	0.10	0.8	1.1
1998	81	0.7	0.08	0.5	0.9	80	0.8	0.09	0.6	1.0
1999	86	0.7	0.08	0.6	0.9	84	0.8	0.09	0.7	1.0
2000	80	0.7	0.07	0.5	0.8	76	0.7	0.09	0.6	0.9
2001	60	0.5	0.06	0.4	0.6	58	0.6	0.07	0.4	0.7
2002	99	0.8	0.08	0.7	1.0	96	0.9	0.09	0.7	1.1
2003	69	0.6	0.07	0.4	0.7	67	0.6	0.08	0.5	0.8
2004	82	0.7	0.07	0.5	0.8	78	0.8	0.09	0.6	0.9
2005	72	0.6	0.07	0.4	0.7	68	0.6	0.08	0.5	0.8
2006	72	0.6	0.07	0.5	0.7	72	0.7	0.08	0.5	0.9
2007	77	0.6	0.07	0.5	0.7	73	0.7	0.08	0.5	0.8
2008	79	0.6	0.07	0.5	0.8	73	0.7	0.08	0.5	0.9
2009	74	0.6	0.07	0.4	0.7	68	0.6	0.07	0.5	0.8
2010	83	0.6	0.07	0.5	0.8	78	0.7	0.08	0.5	0.9
2011	60	0.4	0.06	0.3	0.6	59	0.5	0.07	0.4	0.7
2012	58	0.4	0.05	0.3	0.5	56	0.5	0.06	0.4	0.6
2013	71	0.5	0.06	0.4	0.6	66	0.6	0.07	0.4	0.7
2014	65	0.4	0.06	0.3	0.6	61	0.5	0.06	0.4	0.6
2015	76	0.5	0.06	0.4	0.7	71	0.6	0.07	0.5	0.8
2016	73	0.5	0.06	0.4	0.6	66	0.5	0.07	0.4	0.7
2017	76	0.5	0.06	0.4	0.7	72	0.6	0.07	0.5	0.8
2018	53	0.4	0.05	0.3	0.5	50	0.4	0.06	0.3	0.5
2019	52	0.3	0.05	0.3	0.4	51	0.4	0.06	0.3	0.5
2020	37	0.2	0.04	0.2	0.3	36	0.3	0.05	0.2	0.4
2021	57	0.4	0.05	0.3	0.5	51	0.4	0.05	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lip										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	45	0.1	0.01	0.1	0.1	8	0.1	0.02	0.0	0.1
1986	2	0.2	0.15	0.0	0.7	1	0.4	0.42	0.0	3.4
1987	0					0				
1988	1	0.1	0.12	0.0	0.5	0				
1989	3	0.3	0.16	0.1	0.8	0				
1990	0					0				
1991	1	0.1	0.09	0.0	0.5	0				
1992	0					0				
1993	1	0.1	0.05	0.0	0.3	0				
1994	3	0.3	0.18	0.1	0.8	0				
1995	1	0.1	0.05	0.0	0.3	0				
1996	1	0.1	0.08	0.0	0.4	1	0.5	0.45	0.0	2.4
1997	2	0.2	0.15	0.0	0.7	0				
1998	1	0.1	0.05	0.0	0.3	0				
1999	0					0				
2000	2	0.1	0.10	0.0	0.5	0				
2001	1	0.1	0.06	0.0	0.4	0				
2002	2	0.1	0.08	0.0	0.4	0				
2003	1	0.1	0.05	0.0	0.3	0				
2004	3	0.2	0.11	0.0	0.6	0				
2005	2	0.1	0.08	0.0	0.4	0				
2006	0					0				
2007	3	0.2	0.12	0.0	0.6	0				
2008	3	0.2	0.12	0.0	0.6	0				
2009	2	0.2	0.10	0.0	0.5	0				
2010	3	0.2	0.10	0.0	0.5	0				
2011	0					1	0.1	0.14	0.0	0.9
2012	0					1	0.1	0.14	0.0	0.8
2013	1	0.1	0.07	0.0	0.4	2	0.3	0.25	0.0	1.2
2014	0					0				
2015	0					0				
2016	0					1	0.1	0.12	0.0	0.7
2017	0					0				
2018	2	0.1	0.09	0.0	0.4	1	0.2	0.15	0.0	0.8
2019	0					0				
2020	1	0.1	0.05	0.0	0.3	0				
2021	3	0.1	0.09	0.0	0.4	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lip										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,325	1.2	0.03	1.2	1.3	2,261	1.4	0.03	1.3	1.4
1986	106	2.5	0.25	2.0	3.0	105	2.8	0.28	2.3	3.4
1987	99	2.4	0.25	1.9	2.9	99	2.6	0.28	2.1	3.2
1988	115	2.7	0.26	2.2	3.3	114	3.0	0.29	2.5	3.6
1989	94	2.3	0.24	1.8	2.8	92	2.5	0.27	2.0	3.1
1990	97	2.2	0.23	1.7	2.6	97	2.4	0.25	2.0	3.0
1991	88	1.9	0.21	1.5	2.4	86	2.1	0.23	1.7	2.6
1992	82	1.8	0.21	1.5	2.3	82	2.1	0.23	1.6	2.6
1993	70	1.5	0.18	1.1	1.9	70	1.7	0.20	1.3	2.1
1994	69	1.5	0.18	1.1	1.9	68	1.7	0.20	1.3	2.1
1995	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5
1997	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1998	64	1.3	0.17	1.0	1.7	63	1.5	0.19	1.1	1.9
1999	73	1.5	0.18	1.2	1.9	71	1.7	0.20	1.3	2.1
2000	66	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2001	45	0.9	0.14	0.7	1.2	45	1.1	0.16	0.8	1.4
2002	69	1.4	0.17	1.1	1.8	68	1.6	0.19	1.2	2.0
2003	50	1.0	0.14	0.7	1.3	49	1.1	0.16	0.8	1.5
2004	64	1.2	0.16	1.0	1.6	62	1.4	0.18	1.1	1.8
2005	59	1.1	0.15	0.8	1.4	55	1.2	0.17	0.9	1.6
2006	52	1.0	0.14	0.7	1.3	52	1.1	0.16	0.8	1.5
2007	58	1.0	0.14	0.8	1.3	56	1.1	0.16	0.9	1.5
2008	52	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2009	55	1.0	0.13	0.7	1.3	50	1.0	0.15	0.8	1.4
2010	62	1.1	0.14	0.8	1.4	59	1.2	0.16	0.9	1.5
2011	43	0.8	0.12	0.5	1.0	42	0.9	0.13	0.6	1.2
2012	46	0.8	0.11	0.5	1.0	44	0.9	0.13	0.6	1.2
2013	50	0.9	0.12	0.6	1.1	50	1.0	0.14	0.7	1.3
2014	45	0.7	0.11	0.5	1.0	42	0.8	0.12	0.6	1.1
2015	56	0.9	0.12	0.7	1.2	53	1.0	0.14	0.8	1.3
2016	58	0.9	0.12	0.7	1.2	53	1.0	0.14	0.7	1.3
2017	55	0.9	0.12	0.6	1.1	52	1.0	0.14	0.7	1.3
2018	38	0.6	0.09	0.4	0.8	36	0.6	0.11	0.4	0.9
2019	38	0.5	0.09	0.4	0.8	38	0.7	0.11	0.5	0.9
2020	25	0.4	0.07	0.2	0.5	25	0.4	0.09	0.3	0.6
2021	37	0.5	0.09	0.4	0.7	33	0.6	0.10	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lip										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	24	0.1	0.02	0.1	0.2	4	0.1	0.02	0.0	0.1
1986	1	0.2	0.16	0.0	1.0	0				
1987	0					0				
1988	0					0				
1989	2	0.5	0.40	0.1	1.8	0				
1990	0					0				
1991	1	0.2	0.20	0.0	1.1	0				
1992	0					0				
1993	0					0				
1994	0					0				
1995	0					0				
1996	1	0.2	0.20	0.0	1.0	1	1.1	1.08	0.0	5.7
1997	2	0.7	0.47	0.1	2.0	0				
1998	1	0.1	0.12	0.0	0.8	0				
1999	0					0				
2000	1	0.2	0.18	0.0	1.0	0				
2001	0					0				
2002	1	0.1	0.12	0.0	0.8	0				
2003	1	0.1	0.12	0.0	0.8	0				
2004	1	0.1	0.13	0.0	0.8	0				
2005	2	0.3	0.18	0.0	1.0	0				
2006	0					0				
2007	1	0.2	0.21	0.0	1.0	0				
2008	2	0.4	0.25	0.0	1.2	0				
2009	2	0.4	0.25	0.0	1.2	0				
2010	2	0.3	0.20	0.0	1.0	0				
2011	0					1	0.3	0.30	0.0	1.9
2012	0					1	0.3	0.30	0.0	1.8
2013	0					0				
2014	0					0				
2015	0					0				
2016	0					1	0.3	0.25	0.0	1.5
2017	0					0				
2018	2	0.3	0.22	0.0	1.0	0				
2019	0					0				
2020	0					0				
2021	1	0.1	0.08	0.0	0.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lip										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	649	0.3	0.01	0.2	0.3	608	0.3	0.01	0.3	0.3
1986	13	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5
1988	22	0.4	0.08	0.2	0.5	21	0.4	0.08	0.2	0.6
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1990	23	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
1991	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.4
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1994	25	0.4	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1995	23	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1996	21	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1998	17	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1999	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2000	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2001	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2002	30	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2003	19	0.3	0.06	0.2	0.4	18	0.3	0.07	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4
2005	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2006	20	0.3	0.06	0.2	0.4	20	0.3	0.08	0.2	0.5
2007	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2008	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
2009	19	0.2	0.06	0.1	0.4	18	0.3	0.06	0.2	0.4
2010	21	0.3	0.06	0.2	0.4	19	0.3	0.07	0.2	0.5
2011	17	0.2	0.05	0.1	0.4	17	0.3	0.06	0.2	0.4
2012	12	0.2	0.04	0.1	0.3	12	0.2	0.05	0.1	0.3
2013	21	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4
2014	20	0.2	0.05	0.1	0.4	19	0.3	0.06	0.2	0.4
2015	20	0.3	0.06	0.2	0.4	18	0.3	0.07	0.2	0.5
2016	15	0.2	0.05	0.1	0.3	13	0.2	0.05	0.1	0.3
2017	21	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5
2018	15	0.2	0.05	0.1	0.3	14	0.2	0.05	0.1	0.4
2019	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2020	12	0.1	0.04	0.1	0.3	11	0.2	0.05	0.1	0.3
2021	20	0.2	0.05	0.1	0.4	18	0.2	0.06	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lip										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	21	0.1	0.01	0.0	0.1	4	0.1	0.03	0.0	0.1
1986	1	0.2	0.21	0.0	1.0	1	0.8	0.83	0.0	6.2
1987	0					0				
1988	1	0.2	0.18	0.0	0.9	0				
1989	1	0.1	0.12	0.0	0.7	0				
1990	0					0				
1991	0					0				
1992	0					0				
1993	1	0.1	0.09	0.0	0.6	0				
1994	3	0.5	0.28	0.1	1.3	0				
1995	1	0.1	0.10	0.0	0.6	0				
1996	0					0				
1997	0					0				
1998	0					0				
1999	0					0				
2000	1	0.1	0.12	0.0	0.6	0				
2001	1	0.1	0.11	0.0	0.6	0				
2002	1	0.1	0.10	0.0	0.6	0				
2003	0					0				
2004	2	0.2	0.16	0.0	0.8	0				
2005	0					0				
2006	0					0				
2007	2	0.2	0.15	0.0	0.8	0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	1	0.1	0.10	0.0	0.6	0				
2011	0					0				
2012	0					0				
2013	1	0.1	0.11	0.0	0.6	2	0.6	0.47	0.1	2.2
2014	0					0				
2015	0					0				
2016	0					0				
2017	0					0				
2018	0					1	0.3	0.28	0.0	1.4
2019	0					0				
2020	1	0.1	0.10	0.0	0.6	0				
2021	2	0.2	0.13	0.0	0.7	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Tongue										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	14,349	3.1	0.03	3.0	3.1	12,304	3.2	0.03	3.1	3.2
1986	261	2.5	0.15	2.2	2.8	216	2.3	0.16	2.0	2.6
1987	253	2.4	0.16	2.1	2.8	193	2.1	0.15	1.8	2.4
1988	232	2.2	0.15	1.9	2.5	189	2.0	0.15	1.8	2.4
1989	244	2.3	0.15	2.0	2.6	200	2.1	0.15	1.9	2.5
1990	254	2.4	0.15	2.1	2.7	202	2.1	0.15	1.8	2.5
1991	277	2.6	0.16	2.3	3.0	216	2.4	0.16	2.1	2.7
1992	265	2.4	0.15	2.1	2.7	221	2.3	0.16	2.0	2.6
1993	271	2.4	0.15	2.1	2.7	232	2.4	0.16	2.1	2.7
1994	269	2.4	0.15	2.1	2.7	224	2.3	0.15	2.0	2.6
1995	284	2.5	0.15	2.2	2.8	234	2.4	0.16	2.1	2.7
1996	297	2.6	0.15	2.3	2.9	248	2.5	0.16	2.2	2.9
1997	343	3.0	0.16	2.7	3.3	290	3.0	0.17	2.6	3.3
1998	273	2.3	0.14	2.1	2.6	229	2.3	0.15	2.0	2.6
1999	332	2.8	0.15	2.5	3.1	286	2.9	0.17	2.5	3.2
2000	306	2.6	0.15	2.3	2.9	253	2.5	0.16	2.2	2.8
2001	290	2.4	0.14	2.1	2.7	237	2.3	0.15	2.0	2.6
2002	355	2.9	0.15	2.6	3.2	297	2.9	0.17	2.6	3.2
2003	343	2.7	0.15	2.5	3.1	293	2.8	0.16	2.5	3.1
2004	385	3.0	0.15	2.7	3.4	320	3.0	0.17	2.7	3.4
2005	397	3.1	0.16	2.8	3.4	340	3.2	0.17	2.8	3.5
2006	375	2.9	0.15	2.6	3.2	316	2.9	0.16	2.6	3.2
2007	456	3.5	0.16	3.2	3.8	403	3.7	0.19	3.3	4.1
2008	431	3.2	0.15	2.9	3.5	387	3.5	0.18	3.1	3.8
2009	431	3.2	0.16	2.9	3.5	374	3.3	0.17	3.0	3.7
2010	419	3.0	0.15	2.7	3.3	365	3.2	0.17	2.8	3.5
2011	477	3.4	0.16	3.1	3.7	405	3.5	0.18	3.1	3.8
2012	534	3.7	0.16	3.4	4.0	471	4.0	0.19	3.6	4.3
2013	542	3.6	0.16	3.3	3.9	469	3.8	0.18	3.5	4.2
2014	558	3.7	0.16	3.4	4.1	487	3.9	0.18	3.6	4.3
2015	565	3.7	0.16	3.4	4.0	501	4.0	0.18	3.7	4.4
2016	566	3.7	0.16	3.4	4.0	500	4.0	0.18	3.6	4.4
2017	640	4.1	0.17	3.8	4.5	569	4.5	0.19	4.1	4.9
2018	588	3.7	0.16	3.4	4.1	523	4.1	0.18	3.8	4.5
2019	589	3.7	0.15	3.4	4.0	532	4.1	0.18	3.7	4.4
2020	613	3.9	0.16	3.6	4.2	529	4.2	0.19	3.8	4.5
2021	634	4.0	0.16	3.6	4.3	553	4.3	0.19	3.9	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Tongue										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,595	2.7	0.07	2.6	2.8	352	2.0	0.11	1.8	2.2
1986	42	3.7	0.58	2.6	5.0	2	1.7	1.29	0.1	6.1
1987	54	4.8	0.67	3.6	6.3	6	3.8	1.66	1.3	8.6
1988	42	3.5	0.54	2.5	4.7	1	0.6	0.57	0.0	3.5
1989	40	3.3	0.52	2.3	4.4	4	2.3	1.19	0.6	6.1
1990	52	4.1	0.58	3.1	5.4	0				
1991	54	4.2	0.58	3.2	5.5	3	1.2	0.71	0.3	3.9
1992	42	3.3	0.50	2.3	4.4	2	0.7	0.49	0.1	2.9
1993	34	2.6	0.45	1.8	3.6	3	1.1	0.65	0.2	3.5
1994	42	3.1	0.49	2.3	4.2	3	1.0	0.63	0.2	3.3
1995	42	3.0	0.47	2.2	4.1	6	1.6	0.65	0.6	3.8
1996	46	3.2	0.48	2.4	4.3	3	0.8	0.45	0.2	2.6
1997	47	3.4	0.51	2.5	4.6	6	2.0	0.86	0.7	4.5
1998	38	2.6	0.43	1.9	3.6	5	1.6	0.78	0.5	3.9
1999	40	2.5	0.40	1.8	3.4	6	1.6	0.69	0.6	3.7
2000	45	3.0	0.45	2.2	4.0	5	1.5	0.70	0.4	3.5
2001	45	2.8	0.42	2.0	3.8	6	1.4	0.58	0.5	3.1
2002	50	3.1	0.43	2.3	4.0	7	1.7	0.66	0.6	3.6
2003	40	2.5	0.41	1.8	3.5	8	2.0	0.74	0.8	4.0
2004	47	2.9	0.42	2.1	3.8	15	3.0	0.83	1.6	5.1
2005	37	2.2	0.37	1.6	3.1	17	3.4	0.88	1.9	5.6
2006	43	2.4	0.37	1.7	3.3	13	2.5	0.78	1.2	4.5
2007	40	2.3	0.37	1.6	3.1	12	2.5	0.78	1.2	4.5
2008	34	1.9	0.33	1.3	2.7	10	1.9	0.64	0.9	3.6
2009	36	2.0	0.34	1.4	2.8	17	2.7	0.69	1.6	4.5
2010	35	1.9	0.34	1.3	2.7	16	2.8	0.74	1.5	4.6
2011	52	2.8	0.40	2.1	3.7	14	1.9	0.51	1.0	3.2
2012	51	2.7	0.39	2.0	3.6	10	1.4	0.48	0.7	2.7
2013	58	2.9	0.39	2.2	3.8	11	1.5	0.49	0.7	2.8
2014	51	2.7	0.39	2.0	3.6	18	2.3	0.56	1.4	3.7
2015	46	2.3	0.35	1.7	3.1	15	1.8	0.46	1.0	2.9
2016	46	2.2	0.33	1.6	3.0	16	1.9	0.48	1.1	3.1
2017	45	2.2	0.34	1.6	3.0	20	2.4	0.56	1.5	3.8
2018	42	1.9	0.30	1.4	2.6	18	2.1	0.52	1.3	3.4
2019	35	1.6	0.28	1.1	2.2	12	1.2	0.35	0.6	2.2
2020	50	2.2	0.32	1.6	2.9	21	2.3	0.51	1.4	3.6
2021	52	2.4	0.34	1.8	3.2	21	2.3	0.51	1.4	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Tongue										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	9,876	4.6	0.05	4.5	4.7	8,424	4.7	0.05	4.6	4.8
1986	175	3.7	0.28	3.1	4.3	138	3.2	0.28	2.7	3.8
1987	162	3.5	0.28	2.9	4.1	123	3.0	0.27	2.4	3.5
1988	155	3.3	0.27	2.8	3.9	120	2.9	0.27	2.4	3.5
1989	159	3.4	0.28	2.9	4.0	127	3.1	0.29	2.6	3.7
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.28	2.7	3.8
1991	198	4.2	0.31	3.6	4.9	149	3.7	0.31	3.1	4.3
1992	172	3.5	0.27	3.0	4.0	140	3.3	0.28	2.7	3.9
1993	178	3.5	0.27	3.0	4.1	149	3.4	0.28	2.9	4.0
1994	180	3.6	0.27	3.1	4.2	150	3.5	0.29	2.9	4.1
1995	201	4.0	0.28	3.4	4.6	164	3.7	0.30	3.2	4.4
1996	199	3.9	0.28	3.4	4.5	165	3.8	0.30	3.2	4.4
1997	220	4.2	0.29	3.7	4.8	181	4.1	0.30	3.5	4.7
1998	174	3.3	0.25	2.8	3.8	139	3.1	0.26	2.6	3.6
1999	211	3.9	0.27	3.4	4.4	180	3.9	0.29	3.3	4.5
2000	200	3.7	0.26	3.2	4.2	162	3.5	0.28	3.0	4.1
2001	202	3.6	0.26	3.1	4.2	163	3.5	0.27	3.0	4.1
2002	245	4.3	0.28	3.8	4.9	201	4.2	0.30	3.7	4.9
2003	239	4.2	0.28	3.7	4.8	201	4.2	0.30	3.7	4.8
2004	264	4.5	0.28	4.0	5.1	214	4.3	0.30	3.8	5.0
2005	273	4.6	0.28	4.1	5.2	232	4.6	0.31	4.0	5.3
2006	260	4.3	0.27	3.7	4.8	220	4.3	0.29	3.7	4.9
2007	314	5.1	0.29	4.5	5.7	273	5.3	0.32	4.7	6.0
2008	297	4.7	0.28	4.2	5.3	267	5.0	0.31	4.4	5.7
2009	285	4.5	0.27	4.0	5.0	248	4.6	0.30	4.1	5.3
2010	297	4.5	0.27	4.0	5.1	260	4.7	0.30	4.1	5.3
2011	330	4.9	0.28	4.4	5.5	280	5.0	0.30	4.4	5.6
2012	376	5.6	0.30	5.0	6.2	327	5.8	0.33	5.2	6.5
2013	385	5.5	0.29	4.9	6.1	337	5.8	0.32	5.2	6.4
2014	381	5.4	0.28	4.8	6.0	338	5.7	0.32	5.1	6.4
2015	400	5.6	0.29	5.0	6.2	355	6.0	0.33	5.3	6.6
2016	404	5.5	0.28	5.0	6.1	357	5.9	0.32	5.3	6.5
2017	454	6.2	0.30	5.6	6.8	404	6.6	0.34	6.0	7.3
2018	414	5.6	0.28	5.0	6.1	368	6.0	0.32	5.4	6.7
2019	422	5.5	0.28	5.0	6.1	390	6.2	0.32	5.6	6.9
2020	435	5.8	0.28	5.2	6.4	376	6.1	0.32	5.5	6.8
2021	443	5.8	0.29	5.3	6.4	393	6.3	0.33	5.7	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Tongue										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,164	4.6	0.14	4.3	4.9	225	2.8	0.20	2.4	3.2
1986	35	7.2	1.28	4.9	10.1	2	3.8	3.02	0.3	14.2
1987	36	7.2	1.25	5.0	10.1	3	5.2	3.27	0.9	15.6
1988	35	7.0	1.22	4.8	9.7	0				
1989	31	5.9	1.08	4.0	8.4	1	1.3	1.25	0.0	7.7
1990	39	7.1	1.16	5.0	9.7	0				
1991	43	7.9	1.26	5.6	10.8	3	2.6	1.52	0.5	8.7
1992	30	5.3	0.98	3.6	7.6	2	1.4	1.05	0.2	6.6
1993	25	4.2	0.84	2.7	6.2	2	2.0	1.44	0.3	7.6
1994	29	5.2	1.01	3.4	7.5	1	0.4	0.39	0.0	4.5
1995	30	5.3	1.02	3.5	7.6	5	2.8	1.25	0.9	7.5
1996	34	5.5	0.96	3.8	7.7	0				
1997	34	6.0	1.08	4.0	8.5	5	3.6	1.69	1.1	8.9
1998	29	4.8	0.90	3.2	6.9	5	3.7	1.83	1.0	9.2
1999	29	4.1	0.76	2.7	5.9	2	1.4	1.06	0.1	5.5
2000	36	5.4	0.91	3.8	7.5	1	1.2	1.15	0.0	5.4
2001	36	5.2	0.88	3.6	7.3	2	0.9	0.60	0.1	3.8
2002	38	5.4	0.88	3.8	7.4	5	2.9	1.37	0.8	7.0
2003	31	4.7	0.88	3.1	6.7	5	2.5	1.16	0.7	6.1
2004	38	5.2	0.86	3.7	7.2	11	5.4	1.86	2.4	10.3
2005	30	4.3	0.81	2.9	6.2	9	4.1	1.48	1.8	8.2
2006	28	3.6	0.69	2.4	5.2	11	5.1	1.78	2.3	9.8
2007	33	4.4	0.78	3.0	6.2	7	3.4	1.43	1.2	7.3
2008	23	3.3	0.72	2.0	5.0	7	3.3	1.38	1.2	7.1
2009	22	2.7	0.59	1.7	4.2	12	4.2	1.30	2.1	7.7
2010	24	3.3	0.71	2.1	5.0	11	4.2	1.37	2.0	7.8
2011	37	4.7	0.81	3.3	6.6	8	2.4	0.85	1.0	4.8
2012	40	5.1	0.85	3.6	7.0	7	2.3	1.02	0.8	5.1
2013	40	4.7	0.78	3.3	6.5	6	1.7	0.71	0.6	3.8
2014	31	4.0	0.74	2.6	5.7	11	2.9	0.89	1.5	5.3
2015	33	4.0	0.72	2.7	5.6	11	2.8	0.83	1.4	5.0
2016	34	3.9	0.69	2.6	5.5	13	3.3	0.91	1.7	5.7
2017	34	4.1	0.72	2.8	5.7	12	3.5	1.07	1.7	6.2
2018	31	3.1	0.57	2.1	4.5	11	3.0	0.94	1.4	5.4
2019	19	1.9	0.43	1.1	2.9	8	1.7	0.62	0.8	3.5
2020	35	3.6	0.62	2.5	5.0	12	2.9	0.85	1.5	5.1
2021	32	3.5	0.65	2.4	5.1	14	3.2	0.87	1.8	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Tongue										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,473	1.8	0.03	1.7	1.8	3,880	1.8	0.03	1.8	1.9
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9
1987	91	1.6	0.17	1.3	1.9	70	1.4	0.17	1.1	1.7
1988	77	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.6
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8
1990	82	1.4	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1991	79	1.4	0.15	1.1	1.7	67	1.3	0.17	1.0	1.7
1992	93	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9
1994	89	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1996	98	1.5	0.16	1.2	1.9	83	1.5	0.17	1.2	1.9
1997	123	1.9	0.17	1.6	2.3	109	2.0	0.19	1.6	2.4
1998	99	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0
1999	121	1.9	0.17	1.5	2.2	106	1.9	0.19	1.6	2.3
2000	106	1.6	0.15	1.3	1.9	91	1.6	0.17	1.3	2.0
2001	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6
2002	110	1.6	0.16	1.3	2.0	96	1.7	0.17	1.4	2.1
2003	104	1.5	0.15	1.2	1.9	92	1.6	0.17	1.3	2.0
2004	121	1.8	0.16	1.5	2.1	106	1.9	0.18	1.5	2.2
2005	124	1.8	0.16	1.5	2.1	108	1.9	0.18	1.5	2.2
2006	115	1.6	0.15	1.3	1.9	96	1.6	0.17	1.3	2.0
2007	142	2.0	0.17	1.7	2.4	130	2.2	0.20	1.8	2.6
2008	134	1.9	0.16	1.6	2.2	120	2.0	0.19	1.7	2.4
2009	146	2.1	0.17	1.7	2.4	126	2.1	0.19	1.8	2.6
2010	122	1.7	0.15	1.4	2.0	105	1.7	0.17	1.4	2.1
2011	147	2.0	0.17	1.7	2.3	125	2.1	0.19	1.7	2.5
2012	158	2.1	0.17	1.8	2.4	144	2.3	0.20	1.9	2.7
2013	157	2.0	0.16	1.7	2.3	132	2.0	0.18	1.7	2.4
2014	177	2.3	0.17	1.9	2.6	149	2.3	0.19	2.0	2.7
2015	165	2.1	0.16	1.7	2.4	146	2.3	0.19	1.9	2.7
2016	162	2.1	0.17	1.7	2.4	143	2.3	0.20	1.9	2.7
2017	186	2.3	0.17	2.0	2.6	165	2.5	0.20	2.1	3.0
2018	174	2.1	0.17	1.8	2.5	155	2.4	0.19	2.0	2.8
2019	167	2.0	0.16	1.7	2.3	142	2.1	0.18	1.8	2.5
2020	178	2.2	0.17	1.8	2.5	153	2.3	0.20	2.0	2.8
2021	191	2.3	0.17	1.9	2.6	160	2.4	0.20	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Tongue										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	431	1.3	0.06	1.2	1.4	127	1.3	0.12	1.1	1.6
1986	7	1.1	0.42	0.4	2.2	0				
1987	18	2.9	0.69	1.7	4.6	3	2.8	1.65	0.6	9.0
1988	7	0.8	0.32	0.3	1.8	1	1.0	1.00	0.0	6.1
1989	9	1.3	0.43	0.6	2.4	3	3.2	1.89	0.7	9.5
1990	13	1.8	0.52	1.0	3.1	0				
1991	11	1.5	0.46	0.8	2.7	0				
1992	12	1.7	0.49	0.9	2.9	0				
1993	9	1.3	0.44	0.6	2.4	1	0.4	0.40	0.0	3.7
1994	13	1.7	0.47	0.9	2.8	2	1.5	1.09	0.2	5.6
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	3.4
1996	12	1.5	0.43	0.8	2.6	3	1.5	0.89	0.3	4.9
1997	13	1.7	0.47	0.9	2.8	1	0.8	0.76	0.0	3.9
1998	9	1.1	0.36	0.5	2.0	0				
1999	11	1.3	0.38	0.6	2.3	4	1.9	0.96	0.5	5.0
2000	9	1.1	0.36	0.5	2.0	4	1.8	0.95	0.5	4.9
2001	9	1.0	0.32	0.4	1.8	4	1.8	0.93	0.5	4.7
2002	12	1.3	0.37	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	9	1.0	0.34	0.5	1.9	3	1.6	0.92	0.3	4.4
2004	9	1.0	0.34	0.5	1.9	4	1.1	0.57	0.3	3.2
2005	7	0.7	0.28	0.3	1.5	8	2.8	1.02	1.1	5.6
2006	15	1.5	0.40	0.9	2.5	2	0.5	0.37	0.1	2.2
2007	7	0.7	0.28	0.3	1.5	5	1.9	0.90	0.6	4.5
2008	11	1.1	0.32	0.5	1.9	3	0.9	0.50	0.2	2.7
2009	14	1.5	0.39	0.8	2.4	5	1.5	0.66	0.5	3.5
2010	11	1.0	0.31	0.5	1.8	5	1.6	0.74	0.5	3.8
2011	15	1.4	0.37	0.8	2.4	6	1.4	0.60	0.5	3.3
2012	11	1.0	0.31	0.5	1.8	3	0.9	0.49	0.2	2.5
2013	18	1.6	0.39	1.0	2.6	5	1.4	0.65	0.4	3.3
2014	20	1.9	0.42	1.1	2.9	7	1.8	0.69	0.7	3.8
2015	13	1.1	0.31	0.6	1.9	4	0.8	0.42	0.2	2.3
2016	12	1.0	0.29	0.5	1.8	3	0.7	0.40	0.1	2.1
2017	11	0.9	0.28	0.5	1.7	8	1.6	0.59	0.7	3.3
2018	11	1.0	0.30	0.5	1.8	7	1.5	0.57	0.6	3.1
2019	16	1.4	0.35	0.8	2.2	4	0.7	0.37	0.2	2.0
2020	15	1.2	0.33	0.7	2.1	9	1.8	0.61	0.8	3.5
2021	20	1.5	0.35	0.9	2.4	7	1.5	0.55	0.6	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Salivary Gland										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	5,558	1.2	0.02	1.2	1.3	4,662	1.2	0.02	1.2	1.3
1986	107	1.0	0.10	0.8	1.2	90	1.0	0.10	0.8	1.2
1987	122	1.1	0.10	0.9	1.4	110	1.2	0.11	1.0	1.4
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4
1989	104	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1990	98	0.9	0.09	0.7	1.1	91	1.0	0.10	0.8	1.2
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	116	1.0	0.10	0.9	1.3	103	1.1	0.11	0.9	1.3
1993	116	1.0	0.10	0.9	1.2	95	1.0	0.10	0.8	1.2
1994	134	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1995	135	1.2	0.10	1.0	1.4	114	1.2	0.11	1.0	1.4
1996	141	1.2	0.10	1.0	1.4	121	1.2	0.11	1.0	1.5
1997	156	1.3	0.11	1.1	1.6	135	1.4	0.12	1.1	1.6
1998	140	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1999	151	1.3	0.10	1.1	1.5	135	1.3	0.11	1.1	1.6
2000	138	1.1	0.10	1.0	1.4	122	1.2	0.11	1.0	1.4
2001	137	1.1	0.10	0.9	1.3	118	1.1	0.11	1.0	1.4
2002	153	1.2	0.10	1.1	1.5	136	1.3	0.11	1.1	1.6
2003	143	1.2	0.10	1.0	1.4	128	1.2	0.11	1.0	1.4
2004	136	1.1	0.09	0.9	1.3	112	1.1	0.10	0.9	1.3
2005	132	1.0	0.09	0.9	1.2	117	1.1	0.10	0.9	1.3
2006	149	1.2	0.10	1.0	1.4	123	1.2	0.10	1.0	1.4
2007	173	1.3	0.10	1.1	1.6	147	1.4	0.11	1.1	1.6
2008	153	1.2	0.10	1.0	1.4	122	1.1	0.10	0.9	1.3
2009	179	1.4	0.10	1.2	1.6	151	1.4	0.12	1.2	1.6
2010	175	1.3	0.10	1.1	1.5	137	1.2	0.11	1.0	1.5
2011	168	1.3	0.10	1.1	1.5	143	1.3	0.11	1.1	1.5
2012	212	1.5	0.11	1.3	1.7	172	1.5	0.12	1.3	1.7
2013	171	1.2	0.10	1.1	1.4	132	1.2	0.10	1.0	1.4
2014	192	1.3	0.10	1.2	1.6	152	1.3	0.11	1.1	1.5
2015	203	1.4	0.10	1.2	1.6	166	1.4	0.11	1.2	1.7
2016	198	1.4	0.10	1.2	1.6	159	1.4	0.11	1.2	1.6
2017	204	1.4	0.10	1.2	1.6	171	1.4	0.11	1.2	1.7
2018	213	1.5	0.10	1.3	1.7	173	1.4	0.11	1.2	1.7
2019	219	1.5	0.10	1.3	1.7	174	1.4	0.11	1.2	1.7
2020	187	1.2	0.09	1.1	1.4	145	1.2	0.10	1.0	1.4
2021	183	1.2	0.09	1.0	1.4	148	1.2	0.10	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Salivary Gland										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	680	1.2	0.05	1.1	1.3	168	0.9	0.07	0.8	1.1
1986	14	1.1	0.29	0.6	1.8	3	1.1	0.71	0.2	4.4
1987	11	1.0	0.30	0.5	1.7	1	1.2	1.15	0.0	5.3
1988	6	0.5	0.22	0.2	1.2	4	2.1	1.11	0.5	5.8
1989	9	0.7	0.24	0.3	1.3	0				
1990	6	0.4	0.17	0.2	0.9	0				
1991	15	1.1	0.28	0.6	1.8	0				
1992	10	0.8	0.25	0.4	1.4	2	0.6	0.41	0.1	2.7
1993	18	1.4	0.32	0.8	2.1	3	1.7	1.08	0.3	5.0
1994	13	0.9	0.26	0.5	1.5	4	1.4	0.74	0.4	3.9
1995	16	1.1	0.30	0.6	1.9	5	1.1	0.49	0.3	2.9
1996	16	1.1	0.28	0.6	1.8	2	1.0	0.79	0.1	3.6
1997	15	1.0	0.27	0.6	1.7	3	0.9	0.54	0.2	2.8
1998	16	1.1	0.27	0.6	1.8	6	1.5	0.61	0.5	3.4
1999	12	0.8	0.24	0.4	1.4	2	0.3	0.24	0.0	1.7
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.32	0.1	1.9
2001	12	0.7	0.21	0.4	1.3	4	0.9	0.52	0.2	2.6
2002	12	0.8	0.22	0.4	1.3	4	1.0	0.53	0.3	2.7
2003	13	0.8	0.21	0.4	1.3	2	0.6	0.44	0.1	2.1
2004	19	1.1	0.26	0.7	1.8	5	1.1	0.54	0.3	2.8
2005	13	0.7	0.20	0.4	1.2	2	0.6	0.42	0.1	2.0
2006	20	1.2	0.27	0.7	1.8	5	1.3	0.61	0.4	3.0
2007	20	1.1	0.26	0.7	1.8	4	0.6	0.32	0.2	1.7
2008	25	1.4	0.29	0.9	2.1	5	1.1	0.54	0.3	2.7
2009	21	1.3	0.29	0.8	2.0	5	0.7	0.33	0.2	1.8
2010	26	1.6	0.32	1.0	2.4	10	1.8	0.57	0.8	3.3
2011	17	1.0	0.24	0.6	1.5	7	1.2	0.49	0.4	2.5
2012	30	1.6	0.29	1.0	2.2	8	1.2	0.45	0.5	2.5
2013	29	1.6	0.30	1.1	2.3	6	0.8	0.36	0.3	1.9
2014	33	1.8	0.32	1.2	2.6	7	0.9	0.32	0.3	1.8
2015	27	1.3	0.26	0.9	2.0	8	1.0	0.35	0.4	2.0
2016	33	1.8	0.31	1.2	2.5	5	0.7	0.30	0.2	1.6
2017	26	1.3	0.26	0.8	1.9	7	0.8	0.31	0.3	1.7
2018	25	1.3	0.26	0.8	1.9	12	1.4	0.39	0.7	2.4
2019	35	1.8	0.32	1.3	2.6	9	1.0	0.34	0.5	2.0
2020	31	1.5	0.27	1.0	2.1	8	0.8	0.28	0.3	1.6
2021	23	1.1	0.24	0.7	1.7	7	0.8	0.30	0.3	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Salivary Gland										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,127	1.6	0.03	1.5	1.7	2,693	1.6	0.03	1.6	1.7
1986	48	1.1	0.17	0.8	1.5	42	1.1	0.18	0.8	1.6
1987	67	1.5	0.19	1.2	1.9	63	1.6	0.21	1.2	2.1
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1
1989	48	1.1	0.16	0.8	1.4	44	1.1	0.17	0.8	1.5
1990	60	1.4	0.19	1.0	1.8	56	1.5	0.21	1.1	2.0
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5
1992	66	1.4	0.18	1.1	1.8	60	1.5	0.20	1.1	1.9
1993	66	1.4	0.17	1.0	1.7	55	1.3	0.18	1.0	1.7
1994	68	1.5	0.19	1.2	2.0	63	1.6	0.21	1.3	2.1
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.1
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.0
1997	81	1.6	0.18	1.3	2.0	70	1.6	0.20	1.3	2.0
1998	77	1.5	0.18	1.2	1.9	65	1.5	0.19	1.2	1.9
1999	85	1.7	0.19	1.3	2.1	76	1.7	0.20	1.4	2.2
2000	80	1.6	0.18	1.2	1.9	70	1.6	0.19	1.2	2.0
2001	80	1.6	0.18	1.2	2.0	71	1.6	0.20	1.3	2.1
2002	89	1.7	0.18	1.4	2.1	80	1.8	0.20	1.4	2.2
2003	81	1.6	0.18	1.2	1.9	73	1.7	0.20	1.3	2.1
2004	79	1.5	0.17	1.2	1.9	67	1.5	0.19	1.2	1.9
2005	71	1.3	0.15	1.0	1.6	62	1.3	0.17	1.0	1.7
2006	78	1.4	0.16	1.1	1.8	68	1.5	0.18	1.1	1.9
2007	102	1.9	0.19	1.5	2.3	88	1.9	0.21	1.5	2.4
2008	88	1.5	0.17	1.2	1.9	72	1.5	0.18	1.2	1.9
2009	103	1.8	0.18	1.5	2.2	92	1.9	0.20	1.6	2.4
2010	97	1.6	0.17	1.3	2.0	81	1.6	0.18	1.3	2.0
2011	104	1.8	0.18	1.5	2.2	88	1.8	0.19	1.4	2.2
2012	121	2.0	0.18	1.6	2.3	97	1.9	0.20	1.5	2.3
2013	97	1.6	0.17	1.3	2.0	74	1.5	0.18	1.2	1.9
2014	104	1.6	0.16	1.3	2.0	85	1.6	0.18	1.3	2.0
2015	129	2.0	0.18	1.7	2.4	107	2.0	0.20	1.7	2.5
2016	104	1.6	0.16	1.3	2.0	88	1.7	0.18	1.3	2.1
2017	109	1.6	0.16	1.3	2.0	96	1.8	0.18	1.4	2.2
2018	120	1.8	0.17	1.5	2.2	101	1.9	0.19	1.5	2.3
2019	131	2.0	0.18	1.7	2.4	107	2.0	0.19	1.6	2.4
2020	111	1.6	0.16	1.3	2.0	91	1.7	0.18	1.3	2.0
2021	112	1.6	0.16	1.3	2.0	99	1.7	0.18	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Salivary Gland										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	329	1.3	0.08	1.2	1.5	85	1.1	0.12	0.8	1.3
1986	6	1.0	0.43	0.3	2.3	0				
1987	4	0.8	0.42	0.2	2.1	0				
1988	4	0.8	0.39	0.2	2.0	0				
1989	4	0.8	0.41	0.2	2.1	0				
1990	3	0.5	0.28	0.1	1.5	0				
1991	8	1.4	0.49	0.6	2.7	0				
1992	5	1.0	0.45	0.3	2.3	1	0.6	0.60	0.0	5.4
1993	10	1.9	0.62	0.9	3.5	1	2.4	2.41	0.1	10.3
1994	4	0.6	0.30	0.2	1.6	1	1.2	1.18	0.0	6.3
1995	4	0.6	0.30	0.2	1.6	2	1.0	0.70	0.1	5.0
1996	8	1.3	0.47	0.5	2.6	2	2.4	1.95	0.2	8.7
1997	8	1.5	0.57	0.6	3.0	3	2.0	1.16	0.4	6.4
1998	8	1.4	0.55	0.6	2.9	3	1.5	0.87	0.3	5.3
1999	7	1.3	0.52	0.5	2.7	1	0.5	0.45	0.0	3.6
2000	9	1.3	0.43	0.6	2.4	1	0.5	0.45	0.0	3.4
2001	4	0.7	0.43	0.2	2.0	3	1.6	1.15	0.2	5.6
2002	7	1.0	0.37	0.4	2.0	2	1.0	0.71	0.1	4.0
2003	7	0.9	0.34	0.4	1.9	1	0.3	0.34	0.0	2.7
2004	9	1.3	0.46	0.6	2.6	3	1.7	1.08	0.3	5.1
2005	8	1.0	0.37	0.4	2.1	1	0.4	0.36	0.0	2.5
2006	6	0.8	0.32	0.3	1.7	4	2.6	1.43	0.6	6.7
2007	11	1.4	0.43	0.7	2.6	2	0.7	0.48	0.1	2.8
2008	12	1.8	0.57	0.9	3.2	4	2.2	1.20	0.5	5.7
2009	9	1.3	0.46	0.6	2.5	2	0.7	0.47	0.1	2.6
2010	10	1.8	0.59	0.8	3.3	4	1.3	0.67	0.4	3.6
2011	12	1.6	0.48	0.8	2.8	3	1.3	0.81	0.2	3.8
2012	19	2.3	0.55	1.4	3.6	4	1.1	0.53	0.3	2.9
2013	18	2.3	0.56	1.4	3.7	3	1.2	0.81	0.2	3.7
2014	15	1.7	0.46	1.0	2.9	4	1.1	0.54	0.3	2.9
2015	16	2.0	0.52	1.1	3.3	5	1.3	0.60	0.4	3.2
2016	11	1.2	0.37	0.6	2.2	4	1.0	0.52	0.3	2.7
2017	10	1.1	0.37	0.5	2.1	3	0.7	0.40	0.1	2.1
2018	12	1.5	0.47	0.8	2.7	6	1.4	0.59	0.5	3.2
2019	19	2.3	0.54	1.4	3.6	4	1.0	0.52	0.3	2.6
2020	14	1.6	0.44	0.8	2.7	5	1.1	0.47	0.3	2.5
2021	8	1.0	0.35	0.4	1.9	3	0.7	0.40	0.1	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Salivary Gland										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,431	1.0	0.02	0.9	1.0	1,969	1.0	0.02	0.9	1.0
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1989	56	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.3
1990	38	0.6	0.10	0.4	0.9	35	0.7	0.11	0.5	0.9
1991	46	0.8	0.11	0.6	1.0	38	0.7	0.12	0.5	1.0
1992	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0
1994	66	1.0	0.13	0.8	1.3	54	1.0	0.14	0.7	1.3
1995	60	0.9	0.12	0.7	1.2	45	0.8	0.13	0.6	1.1
1996	64	1.0	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
1997	75	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.6
1998	63	1.0	0.12	0.7	1.2	52	0.9	0.13	0.7	1.2
1999	66	1.0	0.12	0.8	1.3	59	1.1	0.14	0.8	1.4
2000	58	0.9	0.12	0.7	1.2	52	1.0	0.13	0.7	1.3
2001	57	0.9	0.11	0.7	1.1	47	0.9	0.13	0.6	1.1
2002	64	1.0	0.12	0.7	1.2	56	1.0	0.14	0.8	1.3
2003	62	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2
2004	57	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1
2005	61	0.9	0.12	0.7	1.2	55	1.0	0.14	0.8	1.3
2006	71	1.0	0.12	0.8	1.3	55	0.9	0.13	0.7	1.2
2007	71	1.0	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3
2008	65	0.9	0.11	0.7	1.2	50	0.8	0.12	0.6	1.1
2009	76	1.1	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3
2010	78	1.1	0.13	0.9	1.4	56	1.0	0.13	0.7	1.3
2011	64	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2
2012	91	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5
2013	74	1.0	0.12	0.8	1.3	58	1.0	0.13	0.7	1.3
2014	88	1.1	0.12	0.9	1.4	67	1.1	0.13	0.8	1.4
2015	74	1.0	0.12	0.8	1.3	59	1.0	0.14	0.8	1.3
2016	94	1.3	0.13	1.0	1.6	71	1.2	0.15	0.9	1.5
2017	95	1.2	0.13	1.0	1.5	75	1.2	0.15	1.0	1.5
2018	93	1.2	0.13	1.0	1.5	72	1.2	0.14	0.9	1.5
2019	88	1.2	0.13	0.9	1.4	67	1.1	0.14	0.8	1.4
2020	76	1.0	0.11	0.7	1.2	54	0.8	0.12	0.6	1.1
2021	71	0.9	0.10	0.7	1.1	49	0.7	0.11	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Salivary Gland										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	351	1.0	0.06	0.9	1.2	83	0.8	0.10	0.7	1.1
1986	8	1.1	0.41	0.5	2.2	3	2.3	1.42	0.4	8.3
1987	7	1.0	0.40	0.4	2.1	1	2.0	1.97	0.1	9.1
1988	2	0.4	0.25	0.0	1.2	4	3.9	2.05	1.0	10.6
1989	5	0.7	0.30	0.2	1.5	0				
1990	3	0.4	0.23	0.1	1.1	0				
1991	7	0.8	0.31	0.3	1.7	0				
1992	5	0.7	0.30	0.2	1.5	1	0.6	0.59	0.0	4.3
1993	8	1.0	0.36	0.4	2.0	2	1.4	0.97	0.2	5.4
1994	9	1.1	0.37	0.5	2.1	3	1.7	1.01	0.3	5.5
1995	12	1.5	0.44	0.8	2.6	3	1.1	0.65	0.2	4.2
1996	8	1.0	0.36	0.4	2.0	0				
1997	7	0.8	0.30	0.3	1.6	0				
1998	8	0.9	0.33	0.4	1.8	3	1.5	0.85	0.3	4.5
1999	5	0.5	0.24	0.2	1.3	1	0.2	0.24	0.0	2.4
2000	4	0.4	0.21	0.1	1.1	2	0.7	0.48	0.1	2.9
2001	8	0.8	0.29	0.4	1.6	1	0.4	0.37	0.0	2.4
2002	5	0.6	0.26	0.2	1.3	2	1.0	0.74	0.1	3.6
2003	6	0.6	0.26	0.2	1.4	1	0.7	0.69	0.0	3.2
2004	10	1.0	0.32	0.5	1.9	2	0.8	0.54	0.1	2.9
2005	5	0.5	0.21	0.2	1.1	1	0.6	0.62	0.0	2.9
2006	14	1.5	0.40	0.8	2.5	1	0.4	0.37	0.0	2.1
2007	9	0.9	0.31	0.4	1.8	2	0.6	0.43	0.1	2.3
2008	13	1.3	0.37	0.7	2.2	1	0.3	0.32	0.0	1.9
2009	12	1.3	0.37	0.7	2.2	3	0.8	0.45	0.2	2.5
2010	16	1.6	0.41	0.9	2.6	6	2.1	0.88	0.7	4.6
2011	5	0.5	0.22	0.2	1.2	4	1.2	0.62	0.3	3.1
2012	11	1.0	0.31	0.5	1.8	4	1.3	0.67	0.3	3.3
2013	11	1.0	0.29	0.5	1.8	3	0.6	0.36	0.1	2.0
2014	18	1.8	0.44	1.1	2.9	3	0.7	0.38	0.1	2.0
2015	11	0.9	0.28	0.4	1.6	3	0.7	0.40	0.1	2.1
2016	22	2.2	0.47	1.3	3.3	1	0.3	0.32	0.0	1.6
2017	16	1.4	0.36	0.8	2.3	4	1.0	0.48	0.3	2.4
2018	13	1.2	0.35	0.6	2.1	6	1.3	0.52	0.5	2.8
2019	16	1.5	0.39	0.9	2.5	5	1.0	0.47	0.3	2.5
2020	17	1.4	0.35	0.8	2.3	3	0.6	0.34	0.1	1.8
2021	15	1.3	0.33	0.7	2.1	4	0.8	0.42	0.2	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Floor of Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,745	0.8	0.01	0.8	0.8	3,020	0.8	0.01	0.7	0.8
1986	148	1.5	0.12	1.2	1.7	113	1.2	0.12	1.0	1.5
1987	110	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1988	115	1.1	0.11	0.9	1.3	82	0.9	0.10	0.7	1.1
1989	136	1.3	0.11	1.1	1.5	104	1.1	0.11	0.9	1.4
1990	129	1.3	0.11	1.0	1.5	103	1.2	0.12	0.9	1.4
1991	136	1.2	0.11	1.0	1.5	109	1.1	0.11	0.9	1.4
1992	127	1.2	0.10	1.0	1.4	97	1.0	0.10	0.8	1.3
1993	107	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1
1994	124	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2
1995	133	1.2	0.10	1.0	1.4	108	1.1	0.11	0.9	1.4
1996	128	1.1	0.10	1.0	1.4	99	1.0	0.10	0.8	1.3
1997	109	0.9	0.09	0.8	1.1	88	0.9	0.10	0.7	1.1
1998	106	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
1999	99	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0
2000	126	1.1	0.09	0.9	1.3	97	1.0	0.10	0.8	1.2
2001	116	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
2002	93	0.8	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
2003	96	0.8	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9
2004	99	0.8	0.08	0.6	1.0	76	0.7	0.08	0.6	0.9
2005	76	0.6	0.07	0.5	0.8	62	0.6	0.08	0.5	0.8
2006	104	0.8	0.08	0.7	1.0	87	0.8	0.09	0.7	1.0
2007	88	0.7	0.07	0.5	0.8	72	0.7	0.08	0.5	0.8
2008	110	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2009	105	0.8	0.08	0.6	0.9	83	0.7	0.08	0.6	0.9
2010	81	0.6	0.06	0.5	0.7	65	0.6	0.07	0.4	0.7
2011	92	0.6	0.07	0.5	0.8	78	0.6	0.07	0.5	0.8
2012	97	0.7	0.07	0.5	0.8	76	0.6	0.07	0.5	0.8
2013	101	0.7	0.07	0.5	0.8	81	0.6	0.07	0.5	0.8
2014	81	0.5	0.06	0.4	0.7	61	0.5	0.06	0.4	0.6
2015	100	0.7	0.07	0.5	0.8	90	0.7	0.08	0.6	0.9
2016	82	0.5	0.06	0.4	0.7	74	0.6	0.07	0.5	0.8
2017	78	0.5	0.06	0.4	0.6	68	0.5	0.06	0.4	0.7
2018	78	0.5	0.06	0.4	0.6	69	0.5	0.06	0.4	0.7
2019	85	0.5	0.06	0.4	0.6	68	0.5	0.06	0.4	0.6
2020	74	0.4	0.05	0.4	0.6	64	0.5	0.06	0.4	0.6
2021	76	0.5	0.06	0.4	0.6	66	0.5	0.07	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Floor of Mouth										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	670	1.1	0.04	1.1	1.2	43	0.2	0.04	0.2	0.3
1986	35	3.1	0.54	2.1	4.3	0				
1987	17	1.5	0.37	0.9	2.4	1	0.6	0.57	0.0	3.6
1988	31	2.6	0.47	1.8	3.7	1	0.5	0.54	0.0	3.4
1989	31	2.6	0.47	1.7	3.7	1	0.5	0.50	0.0	3.2
1990	25	2.0	0.40	1.3	2.9	1	0.5	0.48	0.0	3.1
1991	26	2.0	0.38	1.3	2.9	0				
1992	29	2.2	0.42	1.5	3.2	1	0.2	0.20	0.0	2.2
1993	20	1.4	0.32	0.9	2.2	1	0.4	0.39	0.0	2.5
1994	31	2.4	0.44	1.6	3.4	0				
1995	24	1.7	0.35	1.1	2.5	1	0.4	0.40	0.0	2.3
1996	28	2.1	0.40	1.4	3.0	1	0.3	0.27	0.0	1.9
1997	19	1.3	0.30	0.8	2.0	2	1.0	0.69	0.1	3.2
1998	18	1.2	0.29	0.7	1.9	0				
1999	21	1.4	0.30	0.8	2.1	2	0.6	0.46	0.1	2.3
2000	28	1.8	0.35	1.2	2.6	0				
2001	16	1.0	0.24	0.6	1.6	0				
2002	13	0.8	0.24	0.4	1.4	1	0.2	0.18	0.0	1.3
2003	18	1.1	0.25	0.6	1.7	0				
2004	18	1.1	0.26	0.6	1.7	4	0.9	0.47	0.2	2.4
2005	12	0.7	0.21	0.4	1.3	2	0.6	0.43	0.1	2.0
2006	17	1.0	0.25	0.6	1.6	0				
2007	15	0.9	0.23	0.5	1.5	1	0.4	0.41	0.0	1.8
2008	18	0.9	0.22	0.6	1.5	1	0.2	0.16	0.0	1.0
2009	21	1.2	0.26	0.7	1.8	1	0.3	0.32	0.0	1.4
2010	15	0.8	0.20	0.4	1.3	0				
2011	13	0.6	0.17	0.3	1.1	1	0.2	0.19	0.0	1.0
2012	20	1.1	0.26	0.7	1.7	1	0.1	0.12	0.0	0.8
2013	18	0.8	0.20	0.5	1.3	1	0.1	0.10	0.0	0.7
2014	16	0.9	0.23	0.5	1.5	4	0.5	0.26	0.1	1.4
2015	7	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2016	6	0.3	0.13	0.1	0.7	2	0.3	0.23	0.0	1.1
2017	9	0.4	0.12	0.2	0.7	1	0.1	0.09	0.0	0.6
2018	7	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2019	13	0.6	0.18	0.3	1.1	4	0.4	0.21	0.1	1.1
2020	8	0.3	0.12	0.1	0.7	2	0.2	0.14	0.0	0.7
2021	7	0.3	0.12	0.1	0.6	2	0.2	0.14	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Floor of Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,652	1.2	0.02	1.2	1.3	2,099	1.2	0.03	1.1	1.2
1986	107	2.3	0.23	1.9	2.8	77	1.9	0.22	1.5	2.4
1987	82	1.8	0.20	1.4	2.3	68	1.7	0.21	1.3	2.2
1988	88	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0
1989	95	2.0	0.20	1.6	2.4	71	1.7	0.20	1.3	2.1
1990	98	2.1	0.22	1.7	2.6	78	2.0	0.23	1.6	2.5
1991	93	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1992	88	1.9	0.20	1.5	2.3	64	1.6	0.20	1.2	2.0
1993	79	1.6	0.18	1.2	1.9	61	1.4	0.18	1.1	1.8
1994	87	1.7	0.18	1.4	2.1	64	1.4	0.18	1.1	1.8
1995	96	1.9	0.20	1.5	2.3	76	1.8	0.20	1.4	2.2
1996	98	1.9	0.19	1.5	2.3	75	1.7	0.20	1.3	2.1
1997	71	1.4	0.17	1.1	1.8	55	1.3	0.17	1.0	1.7
1998	79	1.5	0.16	1.2	1.8	61	1.3	0.17	1.0	1.7
1999	71	1.3	0.16	1.0	1.7	53	1.2	0.16	0.9	1.5
2000	94	1.7	0.18	1.4	2.1	71	1.5	0.18	1.2	1.9
2001	86	1.6	0.17	1.2	1.9	73	1.6	0.18	1.2	2.0
2002	57	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3
2003	68	1.2	0.14	0.9	1.5	53	1.1	0.15	0.8	1.4
2004	72	1.2	0.15	1.0	1.5	52	1.1	0.15	0.8	1.4
2005	54	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.2
2006	72	1.2	0.14	0.9	1.5	60	1.2	0.15	0.9	1.5
2007	58	0.9	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2
2008	73	1.1	0.14	0.9	1.4	61	1.2	0.15	0.9	1.5
2009	75	1.2	0.14	0.9	1.5	58	1.1	0.14	0.8	1.4
2010	55	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1
2011	65	0.9	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
2012	68	1.0	0.12	0.7	1.2	54	0.9	0.12	0.7	1.2
2013	77	1.1	0.13	0.9	1.4	61	1.0	0.14	0.8	1.3
2014	62	0.9	0.11	0.7	1.1	50	0.8	0.12	0.6	1.1
2015	69	1.0	0.12	0.8	1.2	64	1.1	0.14	0.8	1.4
2016	49	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1
2017	50	0.7	0.09	0.5	0.9	43	0.7	0.11	0.5	0.9
2018	56	0.8	0.10	0.6	1.0	48	0.8	0.11	0.6	1.0
2019	60	0.7	0.10	0.6	1.0	49	0.7	0.11	0.5	1.0
2020	49	0.6	0.09	0.5	0.8	39	0.6	0.10	0.4	0.9
2021	51	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Floor of Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	511	2.0	0.09	1.8	2.2	32	0.4	0.06	0.2	0.5
1986	30	6.0	1.13	3.9	8.6	0				
1987	13	2.5	0.69	1.3	4.2	1	1.2	1.23	0.0	8.2
1988	24	4.4	0.91	2.8	6.6	1	1.2	1.16	0.0	7.7
1989	24	4.5	0.93	2.8	6.7	0				
1990	19	3.6	0.83	2.1	5.6	1	1.0	1.01	0.0	7.0
1991	16	2.7	0.68	1.5	4.4	0				
1992	23	4.3	0.94	2.6	6.5	1	0.4	0.39	0.0	5.0
1993	17	2.8	0.70	1.6	4.6	1	0.9	0.87	0.0	5.7
1994	23	4.3	0.94	2.6	6.5	0				
1995	19	3.1	0.72	1.9	4.9	1	0.9	0.93	0.0	5.4
1996	22	3.6	0.77	2.2	5.4	1	0.6	0.55	0.0	4.4
1997	14	2.1	0.56	1.1	3.5	2	2.3	1.66	0.3	7.8
1998	16	2.5	0.62	1.4	4.0	0				
1999	16	2.4	0.61	1.4	3.9	2	1.4	1.04	0.1	5.4
2000	22	3.4	0.72	2.1	5.1	0				
2001	13	1.8	0.49	0.9	3.0	0				
2002	10	1.4	0.45	0.7	2.6	0				
2003	15	2.0	0.52	1.1	3.4	0				
2004	16	2.4	0.63	1.3	3.9	4	1.9	1.03	0.5	5.2
2005	9	1.1	0.37	0.5	2.2	1	0.4	0.38	0.0	2.6
2006	12	1.6	0.48	0.8	2.9	0				
2007	13	1.9	0.53	1.0	3.2	0				
2008	11	1.3	0.41	0.6	2.4	1	0.3	0.34	0.0	2.2
2009	17	2.2	0.55	1.3	3.6	0				
2010	9	1.0	0.34	0.5	2.0	0				
2011	10	1.1	0.36	0.5	2.1	0				
2012	13	1.7	0.49	0.9	3.0	1	0.3	0.25	0.0	1.7
2013	14	1.5	0.41	0.8	2.6	1	0.2	0.23	0.0	1.6
2014	9	1.3	0.46	0.6	2.5	3	0.8	0.46	0.2	2.4
2015	3	0.3	0.18	0.1	1.0	2	0.5	0.36	0.1	1.9
2016	4	0.5	0.23	0.1	1.2	1	0.3	0.25	0.0	1.5
2017	7	0.6	0.24	0.3	1.4	0				
2018	6	0.8	0.33	0.3	1.7	1	0.3	0.25	0.0	1.4
2019	9	1.0	0.36	0.4	2.0	2	0.4	0.29	0.1	1.6
2020	8	0.8	0.28	0.3	1.6	2	0.4	0.30	0.1	1.6
2021	5	0.4	0.20	0.1	1.1	2	0.4	0.29	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Floor of Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,093	0.4	0.01	0.4	0.5	921	0.4	0.01	0.4	0.5
1986	41	0.7	0.12	0.5	1.0	36	0.7	0.12	0.5	1.0
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7
1991	43	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.9
1992	39	0.6	0.10	0.4	0.9	33	0.6	0.10	0.4	0.8
1993	28	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.8
1996	30	0.5	0.08	0.3	0.7	24	0.4	0.09	0.3	0.7
1997	38	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.8
1998	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
2000	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
2001	30	0.5	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
2002	36	0.5	0.09	0.4	0.7	32	0.6	0.10	0.4	0.8
2003	28	0.4	0.08	0.3	0.6	25	0.5	0.09	0.3	0.7
2004	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
2005	22	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2006	32	0.5	0.08	0.3	0.7	27	0.5	0.09	0.3	0.7
2007	30	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.7
2008	37	0.5	0.08	0.4	0.7	30	0.5	0.09	0.3	0.7
2009	30	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2010	26	0.4	0.07	0.2	0.5	20	0.3	0.07	0.2	0.5
2011	27	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	29	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6
2013	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5
2014	19	0.2	0.05	0.1	0.4	11	0.2	0.05	0.1	0.3
2015	31	0.4	0.07	0.3	0.5	26	0.4	0.08	0.3	0.6
2016	33	0.4	0.07	0.3	0.6	30	0.4	0.08	0.3	0.6
2017	28	0.3	0.06	0.2	0.5	25	0.4	0.08	0.2	0.6
2018	22	0.3	0.06	0.2	0.4	21	0.3	0.07	0.2	0.5
2019	25	0.3	0.06	0.2	0.5	19	0.3	0.07	0.2	0.4
2020	25	0.3	0.06	0.2	0.4	25	0.4	0.07	0.2	0.5
2021	25	0.3	0.06	0.2	0.5	23	0.4	0.08	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Floor of Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	159	0.5	0.04	0.4	0.6	11	0.1	0.04	0.1	0.3
1986	5	0.9	0.40	0.3	2.0	0				
1987	4	0.6	0.33	0.2	1.6	0				
1988	7	1.1	0.42	0.4	2.2	0				
1989	7	1.1	0.43	0.5	2.3	1	0.9	0.91	0.0	5.7
1990	6	0.8	0.32	0.3	1.7	0				
1991	10	1.3	0.42	0.6	2.4	0				
1992	6	0.8	0.32	0.3	1.7	0				
1993	3	0.4	0.22	0.1	1.1	0				
1994	8	1.1	0.39	0.5	2.1	0				
1995	5	0.6	0.27	0.2	1.4	0				
1996	6	0.8	0.34	0.3	1.8	0				
1997	5	0.6	0.28	0.2	1.5	0				
1998	2	0.2	0.17	0.0	0.8	0				
1999	5	0.6	0.26	0.2	1.3	0				
2000	6	0.7	0.28	0.3	1.5	0				
2001	3	0.3	0.19	0.1	1.0	0				
2002	3	0.4	0.21	0.1	1.0	1	0.4	0.35	0.0	2.3
2003	3	0.3	0.18	0.1	0.9	0				
2004	2	0.2	0.14	0.0	0.7	0				
2005	3	0.4	0.21	0.1	1.0	1	0.6	0.62	0.0	2.9
2006	5	0.5	0.23	0.2	1.2	0				
2007	2	0.2	0.13	0.0	0.7	1	0.6	0.63	0.0	2.9
2008	7	0.7	0.26	0.3	1.4	0				
2009	4	0.4	0.20	0.1	1.0	1	0.5	0.53	0.0	2.4
2010	6	0.6	0.24	0.2	1.3	0				
2011	3	0.2	0.14	0.1	0.7	1	0.4	0.36	0.0	1.8
2012	7	0.7	0.27	0.3	1.5	0				
2013	4	0.3	0.15	0.1	0.8	0				
2014	7	0.6	0.24	0.3	1.3	1	0.3	0.28	0.0	1.5
2015	4	0.3	0.17	0.1	0.9	0				
2016	2	0.2	0.14	0.0	0.7	1	0.3	0.30	0.0	1.5
2017	2	0.1	0.10	0.0	0.6	1	0.2	0.17	0.0	1.2
2018	1	0.1	0.06	0.0	0.5	0				
2019	4	0.3	0.17	0.1	0.9	2	0.4	0.30	0.1	1.6
2020	0					0				
2021	2	0.2	0.14	0.0	0.7	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gum and Other Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,949	1.7	0.02	1.7	1.8	6,510	1.7	0.02	1.6	1.7
1986	189	1.8	0.13	1.5	2.1	157	1.6	0.13	1.4	1.9
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	208	2.0	0.14	1.7	2.3	169	1.8	0.14	1.5	2.1
1989	186	1.7	0.13	1.5	2.0	142	1.5	0.13	1.3	1.8
1990	186	1.8	0.13	1.5	2.0	146	1.6	0.13	1.3	1.8
1991	161	1.5	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1992	172	1.6	0.12	1.3	1.8	146	1.5	0.13	1.3	1.8
1993	183	1.7	0.12	1.4	1.9	156	1.6	0.13	1.4	1.9
1994	169	1.5	0.12	1.3	1.8	145	1.5	0.12	1.3	1.8
1995	200	1.8	0.12	1.5	2.0	165	1.7	0.13	1.4	2.0
1996	203	1.8	0.12	1.5	2.0	167	1.7	0.13	1.4	2.0
1997	199	1.7	0.12	1.5	2.0	169	1.7	0.13	1.5	2.0
1998	181	1.5	0.11	1.3	1.8	155	1.5	0.12	1.3	1.8
1999	208	1.8	0.12	1.5	2.0	169	1.7	0.13	1.4	1.9
2000	193	1.6	0.12	1.4	1.9	172	1.7	0.13	1.4	2.0
2001	199	1.6	0.12	1.4	1.9	168	1.6	0.13	1.4	1.9
2002	207	1.7	0.12	1.5	1.9	164	1.6	0.12	1.3	1.8
2003	223	1.8	0.12	1.6	2.1	182	1.7	0.13	1.5	2.0
2004	227	1.8	0.12	1.6	2.1	182	1.7	0.13	1.5	2.0
2005	191	1.5	0.11	1.3	1.7	158	1.5	0.12	1.3	1.7
2006	216	1.7	0.11	1.5	1.9	178	1.6	0.12	1.4	1.9
2007	206	1.6	0.11	1.4	1.8	162	1.5	0.12	1.3	1.7
2008	256	1.9	0.12	1.7	2.2	204	1.8	0.13	1.6	2.1
2009	238	1.8	0.12	1.5	2.0	197	1.8	0.13	1.5	2.0
2010	255	1.9	0.12	1.6	2.1	203	1.8	0.13	1.6	2.1
2011	263	1.9	0.12	1.6	2.1	220	1.9	0.13	1.6	2.1
2012	238	1.7	0.11	1.5	1.9	199	1.7	0.12	1.5	2.0
2013	238	1.7	0.11	1.5	1.9	203	1.7	0.12	1.5	2.0
2014	255	1.7	0.11	1.5	2.0	210	1.7	0.12	1.5	2.0
2015	279	1.9	0.11	1.7	2.1	221	1.8	0.12	1.6	2.1
2016	256	1.7	0.11	1.5	1.9	207	1.7	0.12	1.4	1.9
2017	271	1.8	0.11	1.6	2.0	227	1.8	0.12	1.6	2.1
2018	237	1.5	0.10	1.3	1.7	200	1.5	0.11	1.3	1.8
2019	293	1.8	0.11	1.6	2.1	227	1.7	0.12	1.5	2.0
2020	297	1.9	0.11	1.7	2.2	230	1.8	0.12	1.6	2.1
2021	261	1.6	0.10	1.4	1.9	200	1.5	0.11	1.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gum and Other Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,056	1.8	0.06	1.7	2.0	321	1.9	0.11	1.7	2.1
1986	29	2.7	0.52	1.8	3.9	2	0.9	0.68	0.1	4.2
1987	30	2.5	0.46	1.6	3.5	0				
1988	38	3.2	0.53	2.2	4.4	1	0.6	0.57	0.0	3.5
1989	41	3.6	0.58	2.6	4.9	3	1.1	0.65	0.2	3.9
1990	38	3.3	0.54	2.3	4.5	0				
1991	24	1.8	0.37	1.1	2.6	0				
1992	24	1.9	0.40	1.2	2.8	2	1.0	0.74	0.1	3.8
1993	24	1.8	0.38	1.2	2.7	3	1.5	0.87	0.3	4.3
1994	21	1.6	0.36	1.0	2.5	2	0.6	0.40	0.1	2.5
1995	30	2.3	0.43	1.5	3.3	4	1.7	0.95	0.3	4.5
1996	29	2.0	0.37	1.3	2.9	5	2.2	1.02	0.7	5.1
1997	28	2.0	0.39	1.3	2.9	2	0.7	0.51	0.1	2.6
1998	23	1.7	0.36	1.1	2.5	2	0.5	0.33	0.1	2.0
1999	34	2.4	0.43	1.7	3.4	5	1.5	0.75	0.4	3.7
2000	16	1.0	0.26	0.6	1.7	4	1.1	0.59	0.3	2.9
2001	26	1.7	0.35	1.1	2.6	5	1.1	0.53	0.3	2.8
2002	36	2.4	0.40	1.7	3.3	7	1.7	0.69	0.6	3.6
2003	35	2.3	0.39	1.6	3.1	5	1.4	0.73	0.4	3.5
2004	36	2.3	0.38	1.6	3.1	4	1.2	0.62	0.3	3.0
2005	22	1.3	0.27	0.8	1.9	9	2.1	0.74	0.9	4.0
2006	26	1.5	0.30	1.0	2.2	12	2.8	0.90	1.3	5.1
2007	36	2.2	0.37	1.5	3.0	7	1.2	0.46	0.5	2.5
2008	38	2.2	0.37	1.5	3.0	12	2.2	0.68	1.1	4.0
2009	30	1.7	0.32	1.1	2.5	9	1.4	0.45	0.6	2.6
2010	39	2.1	0.34	1.5	2.8	12	1.8	0.55	0.9	3.3
2011	26	1.5	0.29	0.9	2.1	15	2.9	0.80	1.5	4.8
2012	27	1.4	0.27	0.9	2.0	10	1.2	0.38	0.6	2.3
2013	24	1.3	0.28	0.8	2.0	11	1.3	0.40	0.7	2.4
2014	30	1.6	0.29	1.1	2.3	13	1.5	0.42	0.8	2.6
2015	37	1.9	0.32	1.3	2.7	19	2.5	0.61	1.5	4.0
2016	26	1.3	0.27	0.9	2.0	19	2.2	0.52	1.3	3.5
2017	22	1.1	0.23	0.7	1.6	21	2.5	0.56	1.5	3.9
2018	20	1.0	0.23	0.6	1.6	16	1.9	0.49	1.1	3.2
2019	38	1.8	0.31	1.3	2.5	25	2.8	0.58	1.8	4.2
2020	28	1.4	0.27	0.9	2.0	25	2.7	0.54	1.7	4.0
2021	25	1.1	0.22	0.7	1.7	30	3.3	0.60	2.2	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gum and Other Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,492	2.2	0.03	2.1	2.2	3,568	2.0	0.03	2.0	2.1
1986	105	2.3	0.23	1.9	2.8	83	2.0	0.23	1.6	2.5
1987	107	2.2	0.22	1.8	2.7	84	2.0	0.23	1.6	2.5
1988	127	2.7	0.25	2.3	3.3	99	2.4	0.25	2.0	3.0
1989	122	2.6	0.24	2.1	3.1	89	2.1	0.23	1.7	2.6
1990	116	2.6	0.25	2.1	3.1	90	2.3	0.25	1.8	2.8
1991	87	1.8	0.20	1.4	2.2	70	1.7	0.20	1.3	2.1
1992	95	2.0	0.21	1.6	2.5	79	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	84	2.0	0.23	1.6	2.5
1994	93	1.9	0.20	1.5	2.3	75	1.8	0.20	1.4	2.2
1995	104	2.0	0.20	1.7	2.5	79	1.8	0.20	1.4	2.2
1996	117	2.3	0.22	1.9	2.8	97	2.3	0.23	1.8	2.8
1997	118	2.4	0.22	2.0	2.8	102	2.4	0.24	1.9	2.9
1998	104	2.0	0.20	1.6	2.4	89	2.0	0.21	1.6	2.5
1999	115	2.2	0.21	1.8	2.7	93	2.1	0.22	1.7	2.6
2000	97	1.9	0.19	1.5	2.3	87	2.0	0.21	1.6	2.4
2001	108	2.1	0.20	1.7	2.5	92	2.1	0.22	1.7	2.5
2002	107	2.0	0.19	1.6	2.4	79	1.7	0.20	1.4	2.2
2003	117	2.1	0.20	1.8	2.6	94	2.0	0.21	1.6	2.5
2004	126	2.3	0.20	1.9	2.7	100	2.1	0.21	1.7	2.6
2005	106	1.9	0.18	1.5	2.3	86	1.8	0.20	1.4	2.2
2006	119	2.1	0.19	1.7	2.5	93	1.9	0.20	1.5	2.4
2007	116	2.0	0.19	1.6	2.4	89	1.8	0.19	1.4	2.2
2008	143	2.3	0.20	2.0	2.8	108	2.1	0.21	1.7	2.6
2009	135	2.1	0.19	1.8	2.5	108	2.0	0.20	1.7	2.5
2010	147	2.4	0.20	2.0	2.8	114	2.2	0.21	1.8	2.7
2011	152	2.3	0.19	2.0	2.8	122	2.2	0.21	1.8	2.7
2012	134	2.0	0.18	1.7	2.4	110	2.0	0.20	1.6	2.4
2013	145	2.2	0.19	1.9	2.6	120	2.2	0.21	1.8	2.7
2014	144	2.2	0.18	1.8	2.6	116	2.1	0.20	1.7	2.5
2015	168	2.4	0.19	2.0	2.8	128	2.2	0.20	1.8	2.6
2016	148	2.1	0.18	1.8	2.5	117	2.0	0.19	1.7	2.4
2017	152	2.1	0.18	1.8	2.5	125	2.1	0.19	1.7	2.5
2018	133	1.9	0.17	1.5	2.2	109	1.8	0.18	1.5	2.2
2019	169	2.3	0.18	2.0	2.7	125	2.0	0.19	1.7	2.5
2020	157	2.2	0.18	1.8	2.6	117	2.0	0.19	1.6	2.4
2021	158	2.1	0.17	1.8	2.5	116	1.9	0.18	1.5	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gum and Other Mouth											
Males											
Year	Blacks					Asian or Other Races					
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2021	648	2.7	0.11	2.5	2.9	236	2.8	0.20	2.5	3.3	
1986	19	4.2	0.99	2.5	6.5	2	1.9	1.39	0.2	9.3	
1987	22	4.2	0.92	2.6	6.4	0					
1988	28	5.5	1.09	3.6	8.1	0					
1989	32	6.9	1.33	4.6	10.0	1	0.5	0.48	0.0	6.1	
1990	24	5.2	1.13	3.2	7.9	0					
1991	17	3.0	0.75	1.7	4.8	0					
1992	14	2.9	0.83	1.5	4.9	2	2.4	1.74	0.3	8.8	
1993	16	2.9	0.75	1.6	4.8	1	1.3	1.25	0.0	6.7	
1994	15	2.8	0.76	1.5	4.6	2	1.2	0.82	0.1	5.6	
1995	22	4.0	0.88	2.4	6.1	3	3.5	2.28	0.5	10.5	
1996	17	2.7	0.66	1.6	4.4	2	1.5	1.06	0.2	5.9	
1997	16	2.7	0.69	1.5	4.4	0					
1998	12	2.1	0.64	1.1	3.7	2	1.0	0.68	0.1	4.5	
1999	20	3.2	0.74	1.9	5.0	2	0.9	0.65	0.1	4.3	
2000	9	1.3	0.45	0.6	2.6	1	0.4	0.42	0.0	3.3	
2001	12	1.7	0.50	0.9	3.0	4	2.0	1.11	0.5	5.8	
2002	23	3.8	0.83	2.3	5.7	5	2.7	1.33	0.8	6.8	
2003	21	2.9	0.65	1.8	4.5	1	0.4	0.36	0.0	2.8	
2004	20	3.3	0.80	1.9	5.2	3	2.0	1.24	0.4	5.8	
2005	14	1.8	0.49	1.0	3.1	6	3.0	1.33	1.0	6.8	
2006	17	2.3	0.58	1.3	3.8	9	4.0	1.45	1.7	7.9	
2007	20	2.9	0.68	1.7	4.5	6	2.1	0.90	0.7	4.9	
2008	26	3.4	0.70	2.2	5.1	8	3.7	1.50	1.4	7.7	
2009	18	2.4	0.62	1.4	4.0	7	2.2	0.83	0.9	4.7	
2010	24	3.1	0.67	1.9	4.7	8	2.3	0.83	1.0	4.8	
2011	16	2.2	0.57	1.2	3.6	12	4.6	1.50	2.2	8.5	
2012	13	1.6	0.45	0.8	2.7	9	2.2	0.74	1.0	4.4	
2013	16	2.0	0.52	1.1	3.3	9	2.3	0.78	1.1	4.6	
2014	16	2.2	0.57	1.2	3.6	11	2.7	0.83	1.3	5.0	
2015	28	3.5	0.69	2.3	5.1	11	2.9	0.87	1.4	5.2	
2016	14	2.0	0.56	1.1	3.4	14	3.4	0.94	1.8	5.9	
2017	10	1.1	0.37	0.5	2.1	16	4.1	1.04	2.3	6.7	
2018	11	1.3	0.40	0.6	2.4	12	3.0	0.90	1.5	5.3	
2019	22	2.5	0.57	1.5	3.9	21	5.0	1.12	3.1	7.7	
2020	11	1.2	0.38	0.6	2.3	22	4.9	1.07	3.1	7.5	
2021	13	1.3	0.37	0.7	2.3	24	5.5	1.15	3.5	8.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gum and Other Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,457	1.3	0.02	1.3	1.4	2,942	1.3	0.02	1.3	1.4
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1987	98	1.6	0.16	1.3	2.0	90	1.7	0.18	1.3	2.1
1988	81	1.3	0.15	1.1	1.7	70	1.3	0.16	1.0	1.7
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3
1990	70	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1991	74	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.6
1992	77	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1993	82	1.3	0.15	1.0	1.6	72	1.3	0.16	1.0	1.7
1994	76	1.1	0.13	0.9	1.4	70	1.2	0.14	0.9	1.5
1995	96	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9
1996	86	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1997	81	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
1998	77	1.1	0.13	0.9	1.4	66	1.1	0.14	0.9	1.5
1999	93	1.4	0.14	1.1	1.7	76	1.3	0.16	1.1	1.7
2000	96	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8
2001	91	1.3	0.14	1.0	1.6	76	1.2	0.14	1.0	1.6
2002	100	1.4	0.14	1.2	1.7	85	1.4	0.15	1.1	1.7
2003	106	1.5	0.15	1.2	1.8	88	1.5	0.16	1.2	1.8
2004	101	1.4	0.14	1.2	1.7	82	1.4	0.15	1.1	1.7
2005	85	1.2	0.13	0.9	1.5	72	1.2	0.14	0.9	1.5
2006	97	1.3	0.14	1.1	1.6	85	1.4	0.15	1.1	1.7
2007	90	1.3	0.13	1.0	1.6	73	1.2	0.15	1.0	1.6
2008	113	1.5	0.14	1.2	1.8	96	1.5	0.16	1.2	1.9
2009	103	1.4	0.14	1.2	1.8	89	1.5	0.16	1.2	1.9
2010	108	1.4	0.14	1.2	1.7	89	1.4	0.15	1.2	1.8
2011	111	1.4	0.14	1.2	1.7	98	1.5	0.16	1.2	1.9
2012	104	1.3	0.13	1.1	1.6	89	1.4	0.15	1.1	1.7
2013	93	1.2	0.13	1.0	1.5	83	1.3	0.14	1.0	1.6
2014	111	1.4	0.13	1.1	1.6	94	1.4	0.15	1.1	1.7
2015	111	1.4	0.14	1.1	1.7	93	1.4	0.15	1.2	1.8
2016	108	1.3	0.13	1.1	1.6	90	1.4	0.15	1.1	1.7
2017	119	1.5	0.14	1.2	1.8	102	1.5	0.16	1.2	1.9
2018	104	1.2	0.12	1.0	1.5	91	1.3	0.14	1.0	1.6
2019	124	1.4	0.13	1.2	1.7	102	1.5	0.15	1.2	1.8
2020	140	1.7	0.14	1.4	2.0	113	1.6	0.15	1.3	1.9
2021	103	1.2	0.12	0.9	1.4	84	1.2	0.13	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gum and Other Mouth										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	408	1.2	0.06	1.1	1.4	85	1.0	0.11	0.8	1.2
1986	10	1.6	0.53	0.8	3.0	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	10	1.4	0.47	0.7	2.6	1	1.0	1.00	0.0	6.1
1989	9	1.4	0.47	0.6	2.6	2	1.5	1.10	0.2	6.5
1990	14	2.1	0.55	1.1	3.4	0				
1991	7	0.9	0.33	0.4	1.8	0				
1992	10	1.3	0.41	0.6	2.4	0				
1993	8	1.1	0.38	0.5	2.1	2	1.7	1.20	0.2	6.1
1994	6	0.8	0.34	0.3	1.8	0				
1995	8	1.1	0.39	0.5	2.1	1	0.3	0.31	0.0	3.1
1996	12	1.4	0.42	0.7	2.5	3	2.6	1.53	0.5	7.3
1997	12	1.5	0.44	0.8	2.6	2	1.3	0.92	0.2	4.6
1998	11	1.4	0.42	0.7	2.4	0				
1999	14	1.8	0.48	1.0	2.9	3	1.9	1.17	0.3	5.6
2000	7	0.8	0.31	0.3	1.7	3	1.6	0.98	0.3	4.8
2001	14	1.7	0.45	0.9	2.8	1	0.4	0.39	0.0	2.5
2002	13	1.5	0.40	0.8	2.5	2	0.9	0.67	0.1	3.3
2003	14	1.6	0.44	0.9	2.7	4	2.2	1.17	0.5	5.5
2004	16	1.7	0.43	1.0	2.8	1	0.6	0.56	0.0	2.8
2005	8	0.8	0.29	0.4	1.6	3	1.2	0.76	0.2	3.7
2006	9	0.9	0.29	0.4	1.7	3	1.6	0.99	0.3	4.6
2007	16	1.7	0.42	1.0	2.7	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.36	0.6	2.2	4	1.2	0.58	0.3	3.1
2009	12	1.2	0.36	0.6	2.2	2	0.6	0.41	0.1	2.2
2010	15	1.4	0.36	0.8	2.3	4	1.3	0.71	0.3	3.5
2011	10	0.9	0.30	0.5	1.8	3	1.4	0.82	0.3	3.8
2012	14	1.3	0.34	0.7	2.1	1	0.3	0.28	0.0	1.6
2013	8	0.8	0.29	0.3	1.6	2	0.4	0.28	0.1	1.6
2014	14	1.2	0.33	0.7	2.1	2	0.5	0.34	0.1	1.8
2015	9	0.8	0.27	0.4	1.5	8	2.1	0.76	0.9	4.2
2016	12	1.0	0.29	0.5	1.8	5	1.2	0.54	0.4	2.8
2017	12	1.0	0.30	0.5	1.8	5	1.1	0.49	0.3	2.6
2018	9	0.7	0.25	0.3	1.5	4	1.0	0.52	0.3	2.6
2019	16	1.4	0.35	0.8	2.3	4	0.9	0.45	0.2	2.3
2020	17	1.5	0.38	0.9	2.5	3	0.7	0.40	0.1	2.0
2021	12	1.0	0.28	0.5	1.7	6	1.3	0.52	0.5	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Nasopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,560	0.6	0.01	0.5	0.6	1,670	0.4	0.01	0.4	0.5
1986	74	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1987	54	0.5	0.07	0.4	0.7	39	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1989	58	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	72	0.7	0.08	0.5	0.8	53	0.6	0.08	0.4	0.8
1991	61	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1992	46	0.4	0.06	0.3	0.6	33	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	70	0.6	0.07	0.5	0.8	47	0.5	0.07	0.4	0.7
1995	78	0.7	0.08	0.5	0.8	64	0.7	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1998	71	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1999	64	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	79	0.7	0.07	0.5	0.8	51	0.5	0.07	0.4	0.7
2001	64	0.5	0.07	0.4	0.7	43	0.4	0.06	0.3	0.6
2002	73	0.6	0.07	0.5	0.7	49	0.5	0.07	0.4	0.6
2003	70	0.6	0.07	0.4	0.7	50	0.5	0.07	0.4	0.6
2004	77	0.6	0.07	0.5	0.8	44	0.4	0.06	0.3	0.6
2005	68	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.6
2006	78	0.6	0.07	0.5	0.8	53	0.5	0.07	0.4	0.6
2007	71	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.6
2008	65	0.5	0.06	0.4	0.6	42	0.4	0.06	0.3	0.5
2009	79	0.6	0.07	0.5	0.7	46	0.4	0.06	0.3	0.5
2010	83	0.6	0.07	0.5	0.8	51	0.5	0.07	0.3	0.6
2011	77	0.6	0.06	0.4	0.7	50	0.5	0.06	0.3	0.6
2012	78	0.6	0.06	0.4	0.7	44	0.4	0.06	0.3	0.5
2013	73	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.5
2014	69	0.5	0.06	0.4	0.6	39	0.3	0.05	0.2	0.4
2015	85	0.6	0.06	0.5	0.7	49	0.4	0.06	0.3	0.6
2016	80	0.5	0.06	0.4	0.7	49	0.4	0.06	0.3	0.5
2017	74	0.5	0.06	0.4	0.6	49	0.4	0.06	0.3	0.5
2018	77	0.5	0.06	0.4	0.7	49	0.4	0.06	0.3	0.6
2019	65	0.4	0.05	0.3	0.6	46	0.4	0.06	0.3	0.5
2020	76	0.5	0.06	0.4	0.7	50	0.4	0.06	0.3	0.6
2021	77	0.5	0.06	0.4	0.6	42	0.3	0.05	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Nasopharynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	505	0.8	0.04	0.8	0.9	363	1.9	0.10	1.7	2.1
1986	16	1.3	0.34	0.7	2.1	4	2.9	1.64	0.7	7.9
1987	10	0.7	0.23	0.3	1.3	5	2.0	0.95	0.6	5.5
1988	12	0.9	0.26	0.4	1.6	9	4.2	1.61	1.7	8.8
1989	11	0.8	0.25	0.4	1.5	3	1.2	0.70	0.2	4.1
1990	15	1.1	0.31	0.6	1.9	4	2.7	1.41	0.7	6.9
1991	12	1.0	0.29	0.5	1.7	6	2.0	0.85	0.7	4.9
1992	6	0.3	0.14	0.1	0.8	6	1.9	0.81	0.7	4.6
1993	11	0.7	0.23	0.4	1.3	8	2.8	1.10	1.1	6.0
1994	12	0.8	0.24	0.4	1.4	10	2.8	0.92	1.3	5.5
1995	7	0.5	0.19	0.2	1.0	7	3.0	1.31	1.0	6.6
1996	18	1.2	0.29	0.7	1.9	6	1.7	0.74	0.6	4.0
1997	17	1.0	0.25	0.6	1.6	12	3.8	1.30	1.7	7.2
1998	17	1.0	0.25	0.6	1.6	11	3.0	0.92	1.4	5.5
1999	16	0.9	0.23	0.5	1.5	10	2.6	0.85	1.2	5.0
2000	16	1.0	0.25	0.6	1.6	10	2.3	0.79	1.0	4.5
2001	16	0.9	0.22	0.5	1.4	5	1.2	0.55	0.4	2.9
2002	16	1.0	0.24	0.5	1.6	8	2.0	0.77	0.8	4.1
2003	12	0.7	0.20	0.4	1.2	8	1.5	0.57	0.6	3.2
2004	21	1.2	0.28	0.8	1.9	11	2.4	0.81	1.1	4.5
2005	9	0.6	0.19	0.3	1.1	10	1.5	0.49	0.7	3.0
2006	6	0.3	0.14	0.1	0.7	19	3.9	0.97	2.2	6.3
2007	14	0.8	0.21	0.4	1.3	12	1.8	0.52	0.9	3.2
2008	16	0.9	0.23	0.5	1.5	7	1.2	0.45	0.5	2.5
2009	20	1.1	0.25	0.7	1.7	12	1.8	0.52	0.9	3.2
2010	17	0.9	0.23	0.5	1.5	15	2.2	0.57	1.2	3.7
2011	19	0.9	0.22	0.6	1.5	8	1.2	0.45	0.5	2.4
2012	17	0.9	0.23	0.5	1.5	17	2.2	0.54	1.2	3.5
2013	11	0.6	0.19	0.3	1.1	16	2.0	0.51	1.1	3.3
2014	17	0.9	0.22	0.5	1.5	11	1.4	0.42	0.7	2.5
2015	17	0.8	0.19	0.5	1.3	19	2.4	0.57	1.4	3.8
2016	17	0.9	0.21	0.5	1.4	13	1.7	0.47	0.9	2.9
2017	15	0.7	0.18	0.4	1.1	9	1.1	0.38	0.5	2.1
2018	9	0.4	0.15	0.2	0.8	18	2.0	0.48	1.2	3.2
2019	9	0.4	0.13	0.2	0.7	8	0.9	0.30	0.4	1.7
2020	11	0.5	0.16	0.3	0.9	13	1.3	0.36	0.7	2.2
2021	20	1.0	0.22	0.6	1.5	13	1.3	0.37	0.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Nasopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,756	0.8	0.02	0.8	0.9	1,143	0.6	0.02	0.6	0.7
1986	49	1.0	0.15	0.8	1.4	35	0.8	0.15	0.6	1.2
1987	37	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.0
1988	45	0.9	0.14	0.7	1.2	31	0.7	0.13	0.5	1.0
1989	37	0.7	0.12	0.5	1.0	27	0.6	0.12	0.4	0.9
1990	49	1.0	0.14	0.7	1.3	38	0.9	0.15	0.6	1.2
1991	37	0.8	0.13	0.6	1.1	27	0.6	0.12	0.4	0.9
1992	27	0.6	0.11	0.4	0.8	17	0.4	0.11	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.2	36	0.9	0.14	0.6	1.2
1995	53	1.0	0.14	0.8	1.3	41	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	34	0.8	0.13	0.5	1.1
1998	37	0.7	0.11	0.5	0.9	21	0.5	0.10	0.3	0.7
1999	36	0.6	0.11	0.5	0.9	23	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.2	36	0.8	0.13	0.5	1.1
2001	42	0.7	0.12	0.5	1.0	27	0.6	0.11	0.4	0.8
2002	53	0.9	0.13	0.7	1.2	34	0.7	0.12	0.5	1.0
2003	53	0.9	0.13	0.7	1.2	38	0.8	0.13	0.6	1.1
2004	56	1.0	0.13	0.7	1.2	31	0.6	0.11	0.4	0.9
2005	46	0.8	0.11	0.6	1.0	34	0.7	0.12	0.5	0.9
2006	53	0.9	0.12	0.7	1.2	38	0.8	0.12	0.5	1.0
2007	53	0.9	0.12	0.6	1.1	35	0.7	0.12	0.5	1.0
2008	44	0.7	0.11	0.5	1.0	28	0.5	0.10	0.4	0.8
2009	47	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
2010	63	1.0	0.12	0.7	1.2	40	0.7	0.12	0.5	1.0
2011	56	0.8	0.11	0.6	1.1	35	0.7	0.11	0.5	0.9
2012	60	0.9	0.12	0.7	1.1	34	0.6	0.11	0.4	0.9
2013	60	0.9	0.12	0.7	1.2	37	0.6	0.11	0.4	0.9
2014	46	0.7	0.10	0.5	0.9	26	0.4	0.09	0.3	0.7
2015	52	0.7	0.10	0.6	1.0	28	0.5	0.09	0.3	0.7
2016	56	0.8	0.11	0.6	1.0	34	0.5	0.10	0.4	0.8
2017	51	0.7	0.10	0.5	1.0	33	0.6	0.10	0.4	0.8
2018	52	0.7	0.11	0.5	1.0	31	0.5	0.10	0.4	0.8
2019	43	0.6	0.09	0.4	0.8	30	0.5	0.10	0.4	0.8
2020	58	0.8	0.11	0.6	1.0	37	0.6	0.11	0.4	0.9
2021	63	0.9	0.11	0.7	1.1	36	0.6	0.10	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Nasopharynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	352	1.3	0.07	1.2	1.5	247	2.7	0.18	2.4	3.1
1986	11	2.2	0.76	1.0	4.2	3	5.5	3.58	0.8	16.8
1987	6	1.1	0.57	0.3	2.7	3	2.5	1.50	0.5	9.6
1988	8	1.3	0.49	0.5	2.7	6	6.2	3.09	1.7	15.8
1989	8	1.3	0.45	0.5	2.6	2	1.3	0.95	0.2	7.2
1990	10	1.8	0.62	0.8	3.4	1	1.7	1.70	0.0	8.8
1991	8	1.9	0.69	0.8	3.7	2	1.5	1.09	0.2	7.1
1992	4	0.5	0.28	0.1	1.5	5	3.5	1.61	1.1	9.4
1993	9	1.4	0.46	0.6	2.7	5	4.7	2.38	1.3	12.0
1994	5	0.8	0.40	0.3	2.0	6	3.1	1.29	1.1	8.0
1995	6	1.1	0.47	0.3	2.4	6	6.7	3.16	2.0	15.3
1996	13	2.1	0.64	1.0	3.8	5	3.2	1.52	1.0	8.3
1997	14	1.8	0.48	1.0	3.1	7	3.8	1.45	1.5	8.5
1998	11	1.4	0.43	0.7	2.6	5	2.7	1.22	0.8	6.9
1999	9	1.1	0.36	0.5	2.1	3	1.9	1.14	0.4	6.1
2000	10	1.5	0.50	0.7	2.9	6	3.4	1.56	1.1	8.1
2001	10	1.2	0.38	0.6	2.3	5	2.6	1.22	0.8	6.5
2002	12	1.7	0.49	0.8	2.9	7	4.2	1.80	1.4	9.2
2003	11	1.4	0.43	0.7	2.6	4	1.9	1.01	0.5	5.2
2004	17	2.5	0.64	1.4	4.0	8	3.9	1.56	1.5	8.2
2005	7	1.2	0.45	0.5	2.4	4	1.1	0.55	0.3	3.4
2006	3	0.4	0.25	0.1	1.3	12	5.4	1.72	2.6	9.9
2007	11	1.5	0.48	0.7	2.7	7	2.1	0.82	0.9	4.7
2008	10	1.5	0.51	0.7	2.8	6	1.9	0.77	0.7	4.3
2009	11	1.4	0.42	0.7	2.5	6	1.9	0.81	0.7	4.4
2010	12	1.5	0.43	0.7	2.6	11	3.4	1.05	1.7	6.3
2011	15	1.6	0.43	0.9	2.7	6	1.6	0.65	0.6	3.7
2012	12	1.5	0.43	0.7	2.6	14	3.5	0.94	1.9	6.0
2013	8	1.1	0.41	0.4	2.2	15	4.0	1.06	2.2	6.7
2014	10	1.3	0.44	0.6	2.5	8	2.0	0.70	0.9	4.0
2015	11	1.1	0.34	0.6	2.1	13	3.5	1.00	1.8	6.1
2016	14	1.5	0.42	0.8	2.6	7	2.0	0.82	0.7	4.3
2017	9	0.9	0.31	0.4	1.8	8	2.2	0.78	0.9	4.3
2018	5	0.5	0.25	0.2	1.3	15	3.6	0.93	2.0	5.9
2019	7	0.7	0.25	0.3	1.4	5	1.1	0.51	0.4	2.7
2020	9	0.9	0.31	0.4	1.8	11	2.3	0.68	1.1	4.1
2021	16	1.7	0.45	1.0	2.9	10	2.2	0.70	1.1	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Nasopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	804	0.3	0.01	0.3	0.4	527	0.3	0.01	0.2	0.3
1986	25	0.4	0.09	0.3	0.7	19	0.4	0.09	0.2	0.6
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4
1988	30	0.5	0.10	0.3	0.7	23	0.5	0.10	0.3	0.7
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6
1990	23	0.4	0.08	0.3	0.6	15	0.3	0.09	0.2	0.5
1991	24	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4
1994	23	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.3	0.6
1999	28	0.4	0.08	0.3	0.6	14	0.2	0.07	0.1	0.4
2000	26	0.4	0.08	0.3	0.6	15	0.3	0.07	0.2	0.5
2001	22	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
2003	17	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4
2004	21	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
2005	22	0.3	0.07	0.2	0.5	12	0.2	0.06	0.1	0.4
2006	25	0.4	0.07	0.2	0.5	15	0.3	0.06	0.1	0.4
2007	18	0.3	0.06	0.2	0.4	10	0.2	0.06	0.1	0.3
2008	21	0.3	0.06	0.2	0.5	14	0.2	0.06	0.1	0.4
2009	32	0.4	0.08	0.3	0.6	17	0.3	0.07	0.2	0.5
2010	20	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
2011	21	0.3	0.06	0.2	0.4	15	0.3	0.07	0.1	0.4
2012	18	0.3	0.06	0.2	0.4	10	0.2	0.05	0.1	0.3
2013	13	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3
2014	23	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2015	33	0.4	0.08	0.3	0.6	21	0.3	0.08	0.2	0.5
2016	24	0.3	0.07	0.2	0.5	15	0.3	0.07	0.1	0.4
2017	23	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4
2018	25	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2019	22	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4
2020	18	0.2	0.06	0.1	0.4	13	0.2	0.05	0.1	0.3
2021	14	0.2	0.04	0.1	0.3	6	0.1	0.04	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Nasopharynx										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	153	0.5	0.04	0.4	0.5	116	1.1	0.11	0.9	1.4
1986	5	0.7	0.32	0.2	1.6	1	1.1	1.10	0.0	6.8
1987	4	0.4	0.21	0.1	1.1	2	1.6	1.20	0.2	7.1
1988	4	0.5	0.27	0.1	1.4	3	2.5	1.61	0.4	8.5
1989	3	0.4	0.25	0.1	1.2	1	1.0	0.97	0.0	5.9
1990	5	0.7	0.30	0.2	1.5	3	3.4	2.07	0.6	10.0
1991	4	0.4	0.22	0.1	1.2	4	2.4	1.24	0.6	7.1
1992	2	0.2	0.13	0.0	0.7	1	0.6	0.59	0.0	4.3
1993	2	0.3	0.18	0.0	0.9	3	1.2	0.72	0.3	4.7
1994	7	0.8	0.32	0.3	1.7	4	2.5	1.28	0.7	6.8
1995	1	0.1	0.12	0.0	0.7	1	0.4	0.36	0.0	3.2
1996	5	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	3	0.4	0.21	0.1	1.0	5	3.4	1.79	0.9	8.5
1998	6	0.6	0.26	0.2	1.4	6	3.2	1.33	1.1	7.1
1999	7	0.8	0.28	0.3	1.6	7	3.3	1.25	1.3	6.9
2000	6	0.6	0.26	0.2	1.4	4	1.5	0.77	0.4	4.2
2001	6	0.6	0.25	0.2	1.3	0				
2002	4	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	2.1
2003	1	0.1	0.09	0.0	0.5	4	1.3	0.65	0.3	3.6
2004	4	0.4	0.21	0.1	1.1	3	1.2	0.77	0.2	3.7
2005	2	0.2	0.13	0.0	0.7	6	2.0	0.80	0.7	4.4
2006	3	0.3	0.17	0.1	0.9	7	2.6	1.03	1.0	5.4
2007	3	0.3	0.17	0.1	0.9	5	1.5	0.66	0.5	3.6
2008	6	0.6	0.23	0.2	1.2	1	0.5	0.45	0.0	2.2
2009	9	0.9	0.29	0.4	1.7	6	1.6	0.67	0.6	3.7
2010	5	0.5	0.22	0.2	1.2	4	1.1	0.54	0.3	2.9
2011	4	0.4	0.20	0.1	1.0	2	0.7	0.54	0.1	2.6
2012	5	0.5	0.25	0.2	1.3	3	0.9	0.54	0.2	2.6
2013	3	0.3	0.20	0.1	1.0	1	0.2	0.23	0.0	1.4
2014	7	0.6	0.22	0.2	1.2	3	0.8	0.47	0.1	2.3
2015	6	0.5	0.22	0.2	1.2	6	1.4	0.59	0.5	3.2
2016	3	0.3	0.17	0.1	0.9	6	1.5	0.61	0.5	3.2
2017	6	0.5	0.21	0.2	1.1	1	0.2	0.20	0.0	1.2
2018	4	0.4	0.18	0.1	0.9	3	0.6	0.35	0.1	1.8
2019	2	0.2	0.11	0.0	0.6	3	0.6	0.32	0.1	1.7
2020	2	0.2	0.13	0.0	0.7	2	0.4	0.29	0.1	1.5
2021	4	0.3	0.17	0.1	0.9	3	0.5	0.31	0.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oropharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,655	0.6	0.01	0.5	0.6	2,097	0.5	0.01	0.5	0.6
1986	43	0.4	0.06	0.3	0.6	29	0.3	0.06	0.2	0.4
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5
1988	34	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3
1990	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4
1991	41	0.4	0.06	0.3	0.5	33	0.4	0.06	0.2	0.5
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4
1994	51	0.5	0.07	0.4	0.6	38	0.4	0.07	0.3	0.6
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4
1996	58	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.6
1997	45	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5
1998	69	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5
2000	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6
2001	66	0.5	0.07	0.4	0.7	54	0.5	0.07	0.4	0.7
2002	67	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2003	69	0.6	0.07	0.4	0.7	57	0.6	0.07	0.4	0.7
2004	63	0.5	0.06	0.4	0.6	47	0.4	0.06	0.3	0.6
2005	74	0.6	0.07	0.5	0.7	59	0.6	0.07	0.4	0.7
2006	69	0.5	0.06	0.4	0.7	55	0.5	0.07	0.4	0.7
2007	92	0.7	0.07	0.6	0.9	69	0.6	0.08	0.5	0.8
2008	85	0.6	0.07	0.5	0.8	67	0.6	0.07	0.5	0.8
2009	80	0.6	0.07	0.5	0.7	70	0.6	0.07	0.5	0.8
2010	107	0.8	0.07	0.6	0.9	77	0.7	0.08	0.5	0.8
2011	119	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2012	80	0.5	0.06	0.4	0.7	59	0.5	0.06	0.4	0.6
2013	84	0.6	0.06	0.4	0.7	72	0.6	0.07	0.5	0.7
2014	91	0.6	0.06	0.5	0.7	66	0.5	0.07	0.4	0.7
2015	78	0.5	0.06	0.4	0.6	64	0.5	0.06	0.4	0.6
2016	91	0.6	0.06	0.5	0.7	80	0.7	0.07	0.5	0.8
2017	88	0.5	0.06	0.4	0.7	68	0.5	0.06	0.4	0.6
2018	139	0.9	0.08	0.7	1.0	118	0.9	0.09	0.8	1.1
2019	154	0.9	0.08	0.8	1.1	132	1.0	0.09	0.8	1.2
2020	155	1.0	0.08	0.8	1.1	131	1.0	0.09	0.8	1.2
2021	151	0.9	0.08	0.8	1.1	124	0.9	0.09	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oropharynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	520	0.9	0.04	0.8	1.0	33	0.2	0.04	0.1	0.3
1986	14	1.2	0.32	0.7	2.0	0				
1987	11	0.8	0.26	0.4	1.5	0				
1988	11	0.9	0.28	0.5	1.7	0				
1989	7	0.6	0.21	0.2	1.1	0				
1990	10	0.8	0.26	0.4	1.5	2	1.7	1.31	0.2	5.9
1991	7	0.6	0.22	0.2	1.2	0				
1992	8	0.6	0.21	0.3	1.2	0				
1993	8	0.6	0.22	0.3	1.2	0				
1994	13	1.0	0.27	0.5	1.7	0				
1995	7	0.5	0.18	0.2	1.0	0				
1996	17	1.2	0.30	0.7	1.9	1	0.6	0.63	0.0	2.9
1997	12	0.9	0.25	0.4	1.5	1	0.3	0.25	0.0	1.7
1998	25	1.7	0.35	1.1	2.6	0				
1999	9	0.6	0.19	0.3	1.1	0				
2000	8	0.5	0.18	0.2	1.0	0				
2001	11	0.8	0.23	0.4	1.4	1	0.4	0.37	0.0	1.8
2002	11	0.7	0.21	0.3	1.2	0				
2003	11	0.6	0.19	0.3	1.1	1	0.2	0.18	0.0	1.2
2004	16	0.9	0.23	0.5	1.5	0				
2005	14	0.8	0.22	0.4	1.4	1	0.2	0.21	0.0	1.2
2006	11	0.6	0.19	0.3	1.2	2	0.4	0.25	0.0	1.4
2007	23	1.4	0.29	0.9	2.1	0				
2008	15	0.8	0.20	0.4	1.3	3	0.6	0.39	0.1	1.9
2009	10	0.5	0.17	0.3	1.0	0				
2010	25	1.4	0.28	0.9	2.0	5	1.0	0.47	0.3	2.3
2011	26	1.4	0.27	0.9	2.0	2	0.4	0.30	0.0	1.4
2012	21	1.1	0.25	0.7	1.7	0				
2013	12	0.6	0.19	0.3	1.1	0				
2014	24	1.2	0.25	0.7	1.8	1	0.2	0.15	0.0	0.8
2015	14	0.7	0.20	0.4	1.2	0				
2016	10	0.5	0.15	0.2	0.9	0				
2017	18	0.8	0.20	0.5	1.3	2	0.2	0.14	0.0	0.8
2018	17	0.8	0.19	0.5	1.3	3	0.3	0.17	0.1	0.9
2019	19	0.8	0.19	0.5	1.3	2	0.2	0.14	0.0	0.8
2020	21	1.0	0.23	0.6	1.6	3	0.3	0.19	0.1	1.0
2021	24	1.1	0.23	0.7	1.7	3	0.3	0.16	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oropharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,041	0.9	0.02	0.9	1.0	1,617	0.9	0.02	0.8	0.9
1986	37	0.8	0.13	0.5	1.1	24	0.6	0.11	0.4	0.8
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.11	0.3	0.8
1988	23	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.5
1989	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	18	0.5	0.11	0.3	0.7
1991	24	0.5	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	42	0.9	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1995	26	0.5	0.10	0.3	0.7	23	0.5	0.11	0.3	0.8
1996	43	0.8	0.13	0.6	1.1	30	0.7	0.12	0.5	1.0
1997	34	0.7	0.12	0.5	0.9	23	0.5	0.11	0.3	0.8
1998	56	1.0	0.14	0.8	1.4	35	0.8	0.13	0.5	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.4	0.8
2000	43	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
2001	52	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2002	52	0.9	0.13	0.7	1.2	43	0.9	0.14	0.7	1.2
2003	49	0.9	0.12	0.6	1.1	39	0.8	0.13	0.6	1.1
2004	45	0.8	0.12	0.6	1.0	34	0.7	0.12	0.5	1.0
2005	61	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	55	0.9	0.12	0.7	1.2	44	0.9	0.13	0.6	1.2
2007	72	1.2	0.14	0.9	1.5	54	1.0	0.14	0.8	1.3
2008	67	1.0	0.13	0.8	1.3	50	1.0	0.14	0.7	1.3
2009	63	1.0	0.12	0.7	1.3	54	1.0	0.14	0.8	1.3
2010	84	1.3	0.14	1.0	1.6	61	1.1	0.14	0.8	1.4
2011	89	1.3	0.14	1.1	1.7	67	1.2	0.15	0.9	1.6
2012	58	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.0
2013	59	0.9	0.12	0.7	1.1	52	0.9	0.13	0.7	1.2
2014	71	1.0	0.12	0.8	1.2	51	0.8	0.12	0.6	1.1
2015	61	0.8	0.11	0.6	1.1	50	0.8	0.12	0.6	1.1
2016	79	1.1	0.12	0.8	1.4	69	1.1	0.14	0.9	1.5
2017	69	0.9	0.10	0.7	1.1	54	0.8	0.11	0.6	1.0
2018	107	1.4	0.14	1.2	1.7	92	1.5	0.16	1.2	1.8
2019	122	1.6	0.15	1.3	1.9	106	1.7	0.17	1.4	2.1
2020	119	1.5	0.14	1.2	1.8	105	1.6	0.16	1.3	2.0
2021	131	1.7	0.15	1.4	2.1	107	1.7	0.17	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oropharynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	395	1.5	0.08	1.4	1.7	25	0.4	0.07	0.2	0.5
1986	13	2.5	0.70	1.3	4.3	0				
1987	9	1.7	0.56	0.8	3.2	0				
1988	9	1.8	0.61	0.8	3.4	0				
1989	3	0.6	0.32	0.1	1.6	0				
1990	3	0.6	0.34	0.1	1.7	2	4.0	3.09	0.4	13.8
1991	4	0.7	0.36	0.2	1.9	0				
1992	5	0.8	0.37	0.3	2.0	0				
1993	5	0.9	0.38	0.3	2.0	0				
1994	11	1.9	0.58	1.0	3.4	0				
1995	3	0.5	0.28	0.1	1.4	0				
1996	12	1.9	0.54	1.0	3.3	1	1.6	1.56	0.0	7.2
1997	10	1.7	0.55	0.8	3.1	1	0.5	0.51	0.0	4.1
1998	21	3.4	0.75	2.0	5.2	0				
1999	7	1.0	0.39	0.4	2.1	0				
2000	8	1.2	0.41	0.5	2.3	0				
2001	8	1.2	0.41	0.5	2.3	0				
2002	9	1.3	0.43	0.6	2.5	0				
2003	9	1.2	0.40	0.5	2.3	1	0.4	0.38	0.0	2.8
2004	11	1.5	0.44	0.7	2.6	0				
2005	12	1.7	0.49	0.8	2.9	1	0.4	0.44	0.0	2.7
2006	9	1.2	0.40	0.5	2.3	1	0.4	0.41	0.0	2.6
2007	18	2.6	0.65	1.5	4.2	0				
2008	15	1.7	0.44	1.0	2.9	2	1.2	0.91	0.1	4.1
2009	9	1.0	0.34	0.5	2.0	0				
2010	18	2.2	0.54	1.3	3.6	5	2.3	1.18	0.6	5.6
2011	20	2.4	0.56	1.4	3.8	2	0.9	0.66	0.1	3.1
2012	13	1.6	0.45	0.8	2.8	0				
2013	7	0.9	0.36	0.3	1.9	0				
2014	19	2.3	0.56	1.3	3.7	1	0.3	0.32	0.0	1.8
2015	11	1.3	0.40	0.6	2.3	0				
2016	9	1.0	0.35	0.4	1.9	0				
2017	14	1.5	0.43	0.8	2.6	1	0.2	0.23	0.0	1.4
2018	12	1.4	0.42	0.7	2.5	3	0.6	0.37	0.1	2.0
2019	14	1.4	0.40	0.7	2.4	1	0.2	0.19	0.0	1.2
2020	13	1.5	0.43	0.8	2.6	1	0.2	0.20	0.0	1.2
2021	22	2.5	0.55	1.5	3.8	2	0.4	0.30	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oropharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	614	0.2	0.01	0.2	0.3	480	0.2	0.01	0.2	0.2
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1988	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3
1994	9	0.2	0.05	0.1	0.3	7	0.2	0.06	0.1	0.3
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1998	13	0.2	0.06	0.1	0.3	9	0.2	0.06	0.1	0.3
1999	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3
2000	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2001	14	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
2002	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2003	20	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
2006	14	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2007	20	0.3	0.06	0.2	0.4	15	0.3	0.07	0.2	0.4
2008	18	0.2	0.06	0.1	0.4	17	0.3	0.07	0.2	0.5
2009	17	0.2	0.06	0.1	0.4	16	0.3	0.07	0.2	0.4
2010	23	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.4
2011	30	0.4	0.07	0.3	0.6	24	0.4	0.08	0.2	0.6
2012	22	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4
2013	25	0.3	0.06	0.2	0.5	20	0.3	0.07	0.2	0.5
2014	20	0.2	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2015	17	0.2	0.05	0.1	0.4	14	0.2	0.06	0.1	0.4
2016	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2017	19	0.2	0.05	0.1	0.3	14	0.2	0.05	0.1	0.3
2018	32	0.4	0.07	0.3	0.6	26	0.4	0.08	0.3	0.6
2019	32	0.4	0.07	0.2	0.5	26	0.4	0.08	0.2	0.6
2020	36	0.5	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6
2021	20	0.2	0.05	0.1	0.4	17	0.2	0.06	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Oropharynx										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	125	0.4	0.03	0.3	0.4	8	0.1	0.03	0.0	0.2
1986	1	0.2	0.17	0.0	0.9	0				
1987	2	0.2	0.17	0.0	0.9	0				
1988	2	0.3	0.20	0.0	1.0	0				
1989	4	0.5	0.27	0.1	1.4	0				
1990	7	1.0	0.37	0.4	2.0	0				
1991	3	0.5	0.27	0.1	1.3	0				
1992	3	0.4	0.23	0.1	1.2	0				
1993	3	0.4	0.25	0.1	1.2	0				
1994	2	0.3	0.20	0.0	1.0	0				
1995	4	0.5	0.23	0.1	1.2	0				
1996	5	0.6	0.29	0.2	1.5	0				
1997	2	0.2	0.17	0.0	0.9	0				
1998	4	0.5	0.25	0.1	1.2	0				
1999	2	0.2	0.16	0.0	0.8	0				
2000	0					0				
2001	3	0.4	0.23	0.1	1.1	1	0.7	0.65	0.0	3.2
2002	2	0.2	0.16	0.0	0.8	0				
2003	2	0.2	0.14	0.0	0.7	0				
2004	5	0.5	0.23	0.2	1.2	0				
2005	2	0.2	0.14	0.0	0.7	0				
2006	2	0.2	0.15	0.0	0.8	1	0.3	0.30	0.0	1.9
2007	5	0.5	0.24	0.2	1.2	0				
2008	0					1	0.3	0.25	0.0	1.7
2009	1	0.1	0.12	0.0	0.6	0				
2010	7	0.7	0.27	0.3	1.5	0				
2011	6	0.6	0.25	0.2	1.3	0				
2012	8	0.7	0.26	0.3	1.4	0				
2013	5	0.5	0.21	0.1	1.1	0				
2014	5	0.4	0.18	0.1	1.0	0				
2015	3	0.3	0.18	0.1	0.9	0				
2016	1	0.1	0.07	0.0	0.5	0				
2017	4	0.3	0.14	0.1	0.8	1	0.2	0.18	0.0	1.2
2018	5	0.4	0.19	0.1	1.0	0				
2019	5	0.4	0.17	0.1	0.9	1	0.2	0.19	0.0	1.2
2020	8	0.7	0.26	0.3	1.4	2	0.4	0.31	0.1	1.6
2021	2	0.1	0.10	0.0	0.6	1	0.2	0.16	0.0	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hypopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,846	0.8	0.01	0.8	0.8	2,941	0.7	0.01	0.7	0.8
1986	96	0.9	0.09	0.7	1.1	70	0.8	0.09	0.6	1.0
1987	110	1.0	0.10	0.8	1.2	80	0.8	0.09	0.6	1.0
1988	107	1.0	0.10	0.8	1.2	81	0.9	0.10	0.7	1.1
1989	91	0.9	0.09	0.7	1.1	71	0.8	0.09	0.6	1.0
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0
1991	92	0.9	0.09	0.7	1.1	62	0.7	0.09	0.5	0.9
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.09	0.7	1.1
1994	97	0.9	0.09	0.7	1.0	69	0.7	0.09	0.6	0.9
1995	127	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1996	115	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0
1998	111	1.0	0.09	0.8	1.1	82	0.8	0.09	0.7	1.0
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	1.0
2000	109	0.9	0.09	0.8	1.1	80	0.8	0.09	0.6	1.0
2001	107	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
2002	98	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2003	104	0.8	0.08	0.7	1.0	83	0.8	0.09	0.6	1.0
2004	125	1.0	0.09	0.8	1.2	87	0.8	0.09	0.7	1.0
2005	104	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2006	112	0.9	0.08	0.7	1.0	81	0.8	0.08	0.6	0.9
2007	108	0.8	0.08	0.7	1.0	75	0.7	0.08	0.5	0.8
2008	122	0.9	0.08	0.7	1.1	85	0.8	0.08	0.6	0.9
2009	85	0.6	0.07	0.5	0.8	75	0.7	0.08	0.5	0.8
2010	110	0.8	0.08	0.6	1.0	81	0.7	0.08	0.6	0.9
2011	125	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.0
2012	116	0.8	0.07	0.6	0.9	89	0.7	0.08	0.6	0.9
2013	99	0.7	0.07	0.5	0.8	75	0.6	0.07	0.5	0.8
2014	103	0.7	0.07	0.6	0.8	82	0.7	0.07	0.5	0.8
2015	111	0.7	0.07	0.6	0.9	87	0.7	0.08	0.6	0.9
2016	117	0.7	0.07	0.6	0.9	96	0.7	0.08	0.6	0.9
2017	99	0.6	0.06	0.5	0.8	80	0.6	0.07	0.5	0.8
2018	99	0.6	0.06	0.5	0.7	76	0.6	0.07	0.4	0.7
2019	111	0.7	0.07	0.6	0.8	92	0.7	0.07	0.6	0.9
2020	101	0.6	0.06	0.5	0.8	80	0.6	0.07	0.5	0.8
2021	102	0.6	0.06	0.5	0.7	80	0.6	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hypopharynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	841	1.4	0.05	1.3	1.5	57	0.4	0.05	0.3	0.5
1986	25	2.1	0.42	1.3	3.1	1	0.7	0.67	0.0	4.0
1987	28	2.3	0.45	1.5	3.4	2	2.0	1.42	0.2	6.5
1988	25	2.0	0.41	1.3	3.0	1	1.1	1.09	0.0	5.0
1989	19	1.6	0.36	0.9	2.4	1	0.5	0.51	0.0	3.2
1990	26	2.2	0.43	1.4	3.2	0				
1991	29	2.3	0.43	1.5	3.3	1	0.5	0.45	0.0	2.8
1992	18	1.4	0.33	0.8	2.2	1	0.5	0.45	0.0	2.7
1993	24	1.9	0.39	1.2	2.8	0				
1994	26	1.9	0.38	1.2	2.8	2	0.8	0.56	0.1	3.0
1995	25	1.8	0.37	1.2	2.7	0				
1996	21	1.5	0.32	0.9	2.3	0				
1997	24	1.7	0.34	1.1	2.5	0				
1998	25	1.7	0.35	1.1	2.6	2	0.7	0.49	0.1	2.5
1999	25	1.7	0.33	1.1	2.4	2	0.4	0.31	0.1	1.9
2000	26	1.8	0.35	1.1	2.6	3	1.1	0.66	0.2	3.1
2001	21	1.5	0.32	0.9	2.2	0				
2002	22	1.5	0.32	0.9	2.2	0				
2003	20	1.2	0.27	0.7	1.8	1	0.4	0.43	0.0	2.0
2004	36	2.1	0.36	1.5	3.0	2	0.6	0.44	0.1	2.0
2005	27	1.6	0.31	1.1	2.4	2	0.4	0.27	0.1	1.5
2006	30	1.7	0.32	1.2	2.5	1	0.2	0.19	0.0	1.1
2007	30	1.7	0.32	1.2	2.5	3	0.5	0.27	0.1	1.5
2008	36	2.1	0.35	1.4	2.9	1	0.2	0.17	0.0	1.0
2009	10	0.6	0.18	0.3	1.1	0				
2010	27	1.5	0.30	1.0	2.2	2	0.6	0.40	0.1	1.8
2011	23	1.3	0.27	0.8	1.9	3	0.6	0.34	0.1	1.6
2012	27	1.4	0.28	0.9	2.1	0				
2013	23	1.2	0.25	0.7	1.8	1	0.3	0.25	0.0	1.1
2014	18	1.0	0.24	0.6	1.6	3	0.5	0.31	0.1	1.5
2015	23	1.1	0.24	0.7	1.7	1	0.2	0.21	0.0	1.0
2016	16	0.8	0.21	0.5	1.3	4	0.5	0.26	0.1	1.3
2017	16	0.7	0.18	0.4	1.2	3	0.4	0.24	0.1	1.2
2018	19	0.9	0.22	0.6	1.5	4	0.4	0.20	0.1	1.1
2019	15	0.7	0.18	0.4	1.1	4	0.4	0.20	0.1	1.1
2020	19	0.9	0.20	0.5	1.4	2	0.2	0.14	0.0	0.8
2021	17	0.7	0.18	0.4	1.2	4	0.4	0.22	0.1	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hypopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,068	1.4	0.03	1.4	1.5	2,328	1.3	0.03	1.2	1.4
1986	80	1.7	0.20	1.4	2.2	60	1.5	0.20	1.1	1.9
1987	88	1.9	0.21	1.5	2.3	65	1.5	0.20	1.2	2.0
1988	81	1.7	0.20	1.4	2.2	60	1.5	0.19	1.1	1.9
1989	69	1.5	0.18	1.2	1.9	52	1.3	0.18	0.9	1.7
1990	78	1.6	0.19	1.3	2.1	57	1.4	0.18	1.0	1.8
1991	75	1.6	0.19	1.3	2.1	51	1.3	0.19	1.0	1.7
1992	95	1.9	0.20	1.5	2.3	77	1.8	0.20	1.4	2.2
1993	90	1.8	0.19	1.5	2.2	73	1.7	0.20	1.3	2.1
1994	74	1.4	0.17	1.1	1.8	50	1.2	0.16	0.9	1.5
1995	97	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1996	95	1.8	0.19	1.5	2.3	77	1.7	0.20	1.4	2.2
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	92	1.8	0.19	1.4	2.2	67	1.5	0.19	1.2	1.9
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7
2000	89	1.7	0.18	1.4	2.1	66	1.5	0.18	1.1	1.9
2001	87	1.6	0.17	1.3	2.0	70	1.5	0.18	1.2	1.9
2002	78	1.4	0.16	1.1	1.8	58	1.2	0.16	0.9	1.6
2003	86	1.6	0.17	1.2	1.9	66	1.4	0.18	1.1	1.8
2004	109	1.9	0.18	1.6	2.3	74	1.6	0.18	1.2	2.0
2005	79	1.4	0.16	1.1	1.7	55	1.1	0.16	0.9	1.5
2006	88	1.5	0.16	1.2	1.8	62	1.3	0.16	1.0	1.6
2007	85	1.4	0.15	1.1	1.7	56	1.1	0.14	0.8	1.4
2008	95	1.5	0.16	1.2	1.9	67	1.3	0.16	1.0	1.6
2009	71	1.2	0.14	0.9	1.5	64	1.2	0.16	1.0	1.6
2010	93	1.5	0.16	1.2	1.9	70	1.4	0.16	1.1	1.7
2011	99	1.6	0.16	1.3	1.9	75	1.4	0.17	1.1	1.8
2012	97	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
2013	83	1.2	0.14	1.0	1.5	66	1.2	0.15	0.9	1.5
2014	76	1.1	0.13	0.9	1.4	59	1.0	0.14	0.8	1.3
2015	90	1.3	0.14	1.1	1.6	70	1.2	0.15	1.0	1.6
2016	93	1.3	0.13	1.0	1.6	76	1.2	0.14	1.0	1.5
2017	78	1.1	0.12	0.8	1.3	62	1.0	0.14	0.8	1.4
2018	74	1.0	0.11	0.7	1.2	56	0.9	0.12	0.7	1.1
2019	86	1.1	0.12	0.9	1.4	72	1.2	0.14	0.9	1.5
2020	82	1.0	0.12	0.8	1.3	63	1.0	0.13	0.8	1.3
2021	78	1.0	0.11	0.8	1.2	67	1.0	0.12	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hypopharynx											
Males											
Year	Blacks					Asian or Other Races					
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2021	686	2.7	0.11	2.5	3.0	48	0.7	0.11	0.5	0.9	
1986	19	3.8	0.89	2.2	5.9	1	1.6	1.58	0.0	9.5	
1987	21	4.3	0.98	2.6	6.6	2	4.7	3.38	0.5	15.5	
1988	20	3.7	0.84	2.3	5.8	1	2.7	2.65	0.1	12.0	
1989	17	3.2	0.79	1.9	5.2	0					
1990	20	3.8	0.86	2.3	5.9	0					
1991	23	4.2	0.88	2.6	6.3	1	0.9	0.92	0.0	6.4	
1992	17	3.1	0.75	1.8	4.9	1	1.1	1.05	0.0	6.4	
1993	17	3.2	0.79	1.8	5.1	0					
1994	22	3.7	0.79	2.3	5.6	2	1.8	1.26	0.2	6.9	
1995	21	3.6	0.79	2.2	5.5	0					
1996	18	3.0	0.71	1.7	4.7	0					
1997	21	3.4	0.75	2.1	5.2	0					
1998	22	3.6	0.80	2.2	5.5	1	0.5	0.50	0.0	3.9	
1999	20	3.2	0.73	1.9	5.0	2	0.9	0.65	0.1	4.3	
2000	21	3.6	0.83	2.1	5.5	2	1.6	1.25	0.2	5.9	
2001	17	3.0	0.75	1.7	4.8	0					
2002	19	3.1	0.73	1.8	4.9	0					
2003	19	2.6	0.60	1.6	4.1	1	1.1	1.14	0.0	5.0	
2004	33	4.6	0.81	3.1	6.5	2	1.4	1.12	0.1	5.1	
2005	22	3.0	0.64	1.9	4.5	2	0.8	0.57	0.1	3.2	
2006	25	3.2	0.66	2.1	4.8	1	0.4	0.41	0.0	2.6	
2007	26	3.6	0.73	2.4	5.4	3	1.0	0.57	0.2	3.2	
2008	27	3.6	0.73	2.3	5.3	1	0.4	0.36	0.0	2.3	
2009	7	0.9	0.36	0.4	1.9	0					
2010	21	2.9	0.66	1.7	4.5	2	1.4	1.06	0.1	4.6	
2011	20	2.7	0.61	1.6	4.1	3	1.2	0.76	0.2	3.6	
2012	23	2.7	0.58	1.7	4.1	0					
2013	17	2.1	0.55	1.2	3.5	0					
2014	15	2.0	0.55	1.1	3.4	2	0.9	0.63	0.1	2.9	
2015	19	2.3	0.56	1.4	3.7	1	0.5	0.51	0.0	2.3	
2016	14	1.8	0.50	0.9	3.0	3	0.9	0.52	0.2	2.6	
2017	13	1.4	0.39	0.7	2.4	3	0.9	0.53	0.2	2.6	
2018	15	1.7	0.46	0.9	2.9	3	0.6	0.37	0.1	2.0	
2019	12	1.2	0.36	0.6	2.2	2	0.4	0.30	0.1	1.6	
2020	17	1.9	0.48	1.1	3.1	2	0.4	0.30	0.1	1.6	
2021	6	0.6	0.26	0.2	1.4	4	1.0	0.52	0.3	2.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hypopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	778	0.3	0.01	0.3	0.3	613	0.3	0.01	0.3	0.3
1986	16	0.3	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3
1987	22	0.4	0.08	0.2	0.5	15	0.3	0.07	0.2	0.5
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.3	0.6
1989	22	0.4	0.08	0.2	0.5	19	0.3	0.08	0.2	0.5
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1995	30	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2000	20	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.4
2001	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
2003	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	16	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2005	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
2006	24	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
2007	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5
2008	27	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2009	14	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2010	17	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2011	26	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	19	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2013	16	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3
2014	27	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.5
2015	21	0.3	0.06	0.2	0.4	17	0.3	0.06	0.2	0.4
2016	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5
2017	21	0.2	0.05	0.2	0.4	18	0.3	0.06	0.2	0.4
2018	25	0.3	0.06	0.2	0.4	20	0.3	0.06	0.2	0.5
2019	25	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5
2020	19	0.2	0.05	0.1	0.4	17	0.3	0.06	0.1	0.4
2021	24	0.3	0.05	0.2	0.4	13	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hypopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	155	0.5	0.04	0.4	0.5	9	0.1	0.03	0.0	0.2
1986	6	0.8	0.33	0.3	1.8	0				
1987	7	0.9	0.36	0.4	1.9	0				
1988	5	0.7	0.33	0.2	1.7	0				
1989	2	0.3	0.20	0.0	1.0	1	1.0	0.97	0.0	5.9
1990	6	0.9	0.38	0.3	2.0	0				
1991	6	0.8	0.32	0.3	1.7	0				
1992	1	0.1	0.13	0.0	0.7	0				
1993	7	1.0	0.36	0.4	2.0	0				
1994	4	0.6	0.29	0.2	1.4	0				
1995	4	0.5	0.26	0.1	1.3	0				
1996	3	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.20	0.1	1.0	0				
1998	3	0.4	0.23	0.1	1.1	1	0.7	0.73	0.0	3.7
1999	5	0.6	0.25	0.2	1.3	0				
2000	5	0.6	0.26	0.2	1.3	1	0.7	0.68	0.0	3.4
2001	4	0.4	0.22	0.1	1.1	0				
2002	3	0.4	0.21	0.1	1.0	0				
2003	1	0.1	0.10	0.0	0.6	0				
2004	3	0.3	0.18	0.1	0.9	0				
2005	5	0.6	0.25	0.2	1.3	0				
2006	5	0.5	0.23	0.2	1.2	0				
2007	4	0.4	0.18	0.1	1.0	0				
2008	9	0.9	0.31	0.4	1.8	0				
2009	3	0.3	0.17	0.1	0.9	0				
2010	6	0.6	0.23	0.2	1.2	0				
2011	3	0.3	0.16	0.1	0.8	0				
2012	4	0.5	0.22	0.1	1.1	0				
2013	6	0.5	0.22	0.2	1.2	1	0.4	0.42	0.0	2.0
2014	3	0.3	0.18	0.1	0.9	1	0.2	0.19	0.0	1.3
2015	4	0.3	0.16	0.1	0.9	0				
2016	2	0.2	0.13	0.0	0.7	1	0.2	0.18	0.0	1.2
2017	3	0.3	0.15	0.1	0.8	0				
2018	4	0.3	0.16	0.1	0.9	1	0.2	0.17	0.0	1.1
2019	3	0.3	0.16	0.1	0.8	2	0.4	0.28	0.1	1.5
2020	2	0.1	0.09	0.0	0.6	0				
2021	11	0.8	0.26	0.4	1.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Digestive System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	419,792	91.1	0.14	90.8	91.4	346,621	88.4	0.15	88.2	88.7
1986	9,867	93.9	0.96	92.0	95.8	8,531	91.1	1.00	89.1	93.1
1987	10,107	95.3	0.96	93.5	97.2	8,752	92.8	1.00	90.9	94.8
1988	10,117	94.7	0.95	92.9	96.6	8,692	91.6	0.99	89.7	93.6
1989	9,936	92.6	0.94	90.8	94.4	8,559	90.0	0.98	88.1	91.9
1990	10,198	94.1	0.94	92.2	95.9	8,779	91.3	0.98	89.4	93.3
1991	9,971	90.8	0.92	89.0	92.6	8,619	88.8	0.96	86.9	90.7
1992	10,168	91.3	0.91	89.5	93.1	8,785	89.4	0.96	87.6	91.3
1993	10,272	91.1	0.90	89.4	92.9	8,786	88.5	0.95	86.7	90.4
1994	10,916	96.0	0.92	94.2	97.8	9,326	93.3	0.97	91.4	95.2
1995	10,917	95.3	0.91	93.5	97.1	9,159	91.3	0.96	89.5	93.2
1996	11,102	96.2	0.91	94.4	98.0	9,337	92.6	0.96	90.8	94.5
1997	11,209	96.3	0.91	94.5	98.1	9,451	93.1	0.96	91.3	95.0
1998	11,899	101.0	0.93	99.2	102.9	10,008	97.8	0.98	95.9	99.7
1999	11,678	98.2	0.91	96.4	100.0	9,869	95.8	0.97	93.9	97.7
2000	11,913	99.3	0.91	97.6	101.1	9,971	96.3	0.97	94.4	98.2
2001	11,751	97.1	0.90	95.4	98.9	9,796	94.1	0.95	92.2	96.0
2002	12,026	98.6	0.90	96.8	100.4	9,945	95.0	0.95	93.1	96.9
2003	11,824	95.7	0.88	94.0	97.4	9,743	92.1	0.94	90.3	93.9
2004	12,173	97.6	0.89	95.9	99.4	10,106	95.0	0.95	93.2	96.9
2005	12,057	95.4	0.87	93.7	97.1	9,916	92.2	0.93	90.4	94.1
2006	12,076	94.5	0.87	92.8	96.2	9,808	90.5	0.92	88.7	92.3
2007	12,111	93.3	0.85	91.6	95.0	9,889	90.1	0.91	88.3	91.9
2008	12,098	91.7	0.84	90.0	93.3	9,805	88.2	0.90	86.5	90.0
2009	12,018	89.8	0.83	88.2	91.4	9,776	86.9	0.89	85.2	88.7
2010	11,981	88.1	0.82	86.5	89.7	9,661	84.8	0.87	83.1	86.5
2011	12,268	88.7	0.81	87.1	90.3	9,836	85.4	0.88	83.7	87.1
2012	12,165	85.9	0.79	84.3	87.5	9,827	83.3	0.86	81.6	85.0
2013	12,358	85.9	0.79	84.4	87.5	9,910	83.2	0.85	81.5	84.8
2014	12,528	85.5	0.78	83.9	87.0	10,008	82.5	0.84	80.9	84.2
2015	12,857	86.9	0.78	85.3	88.4	10,324	84.7	0.85	83.1	86.4
2016	13,061	87.2	0.78	85.7	88.8	10,451	85.1	0.85	83.4	86.8
2017	12,914	85.1	0.76	83.6	86.6	10,411	84.0	0.84	82.4	85.7
2018	13,157	85.7	0.76	84.2	87.2	10,483	83.6	0.84	81.9	85.2
2019	13,189	84.5	0.75	83.1	86.0	10,506	82.6	0.83	81.0	84.2
2020	11,954	76.0	0.71	74.6	77.4	9,555	74.8	0.78	73.3	76.3
2021	12,956	82.5	0.74	81.0	83.9	10,241	80.2	0.81	78.6	81.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Digestive System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	61,009	112.1	0.46	111.2	113.0	10,389	66.1	0.68	64.8	67.4
1986	1,222	114.1	3.39	107.6	121.0	105	78.9	9.09	62.1	98.4
1987	1,254	115.3	3.37	108.8	122.1	96	69.3	8.04	54.4	86.6
1988	1,306	120.0	3.43	113.4	126.9	102	80.4	8.98	63.8	99.5
1989	1,253	112.4	3.27	106.1	119.0	110	74.6	8.10	59.6	91.9
1990	1,297	115.2	3.30	108.9	121.9	116	78.3	8.26	63.0	95.9
1991	1,222	106.4	3.13	100.4	112.8	102	62.3	6.96	49.4	77.2
1992	1,232	102.7	3.01	96.9	108.8	128	70.9	7.05	57.8	85.9
1993	1,312	110.4	3.13	104.4	116.7	162	83.3	7.46	69.3	99.0
1994	1,421	117.4	3.19	111.2	123.8	155	73.9	6.59	61.6	87.8
1995	1,553	124.8	3.25	118.5	131.3	188	84.4	6.80	71.6	98.6
1996	1,549	122.9	3.19	116.7	129.3	199	88.9	7.11	75.5	103.7
1997	1,550	121.1	3.15	115.0	127.4	189	72.6	5.89	61.5	84.9
1998	1,656	127.4	3.20	121.2	133.8	205	78.6	6.09	67.1	91.3
1999	1,537	114.3	2.97	108.5	120.3	242	88.2	6.41	76.1	101.5
2000	1,658	120.4	3.01	114.6	126.5	248	83.6	5.83	72.5	95.6
2001	1,688	121.2	3.01	115.4	127.3	233	71.0	5.12	61.3	81.7
2002	1,762	124.5	3.03	118.6	130.5	272	86.0	5.67	75.3	97.7
2003	1,775	123.6	3.00	117.8	129.6	259	71.9	4.82	62.8	81.9
2004	1,772	120.3	2.92	114.7	126.2	264	69.4	4.63	60.6	79.0
2005	1,815	121.3	2.91	115.6	127.1	277	67.3	4.38	59.0	76.4
2006	1,897	122.9	2.88	117.3	128.7	320	72.1	4.35	63.9	81.1
2007	1,840	117.0	2.79	111.6	122.6	340	72.5	4.26	64.4	81.3
2008	1,895	118.0	2.77	112.7	123.6	348	70.6	4.09	62.8	79.0
2009	1,865	113.1	2.68	107.9	118.4	317	63.9	3.88	56.5	71.9
2010	1,911	114.4	2.68	109.2	119.8	354	67.0	3.82	59.7	74.9
2011	2,007	115.3	2.64	110.2	120.6	365	63.8	3.57	57.0	71.1
2012	1,843	104.6	2.50	99.8	109.6	432	71.3	3.64	64.3	78.8
2013	1,999	109.4	2.51	104.5	114.4	381	58.2	3.15	52.2	64.7
2014	2,002	107.7	2.47	102.9	112.6	427	62.2	3.15	56.2	68.7
2015	2,005	105.1	2.41	100.5	110.0	465	64.6	3.12	58.6	71.0
2016	2,064	107.3	2.42	102.6	112.2	480	62.3	2.94	56.7	68.3
2017	1,980	100.7	2.32	96.2	105.3	469	58.2	2.77	52.9	63.9
2018	2,063	103.8	2.34	99.2	108.5	495	59.7	2.74	54.4	65.3
2019	2,016	99.9	2.28	95.5	104.5	541	62.1	2.72	56.8	67.6
2020	1,782	86.8	2.11	82.8	91.1	456	50.9	2.42	46.3	55.9
2021	2,006	98.7	2.26	94.3	103.2	547	59.2	2.56	54.2	64.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Digestive System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	223,522	112.4	0.24	111.9	112.9	185,139	109.2	0.26	108.7	109.7
1986	5,051	117.9	1.73	114.5	121.3	4,373	115.3	1.82	111.7	118.9
1987	5,183	120.2	1.74	116.8	123.6	4,447	116.5	1.82	113.0	120.1
1988	5,195	119.8	1.73	116.4	123.2	4,458	116.1	1.81	112.6	119.7
1989	5,069	115.5	1.68	112.2	118.9	4,366	112.5	1.76	109.1	116.0
1990	5,208	117.6	1.69	114.3	120.9	4,464	113.9	1.76	110.5	117.4
1991	5,155	114.9	1.65	111.7	118.2	4,468	113.0	1.74	109.6	116.5
1992	5,323	116.9	1.65	113.7	120.2	4,595	114.6	1.74	111.2	118.1
1993	5,244	113.4	1.61	110.2	116.6	4,463	109.8	1.68	106.5	113.1
1994	5,528	118.8	1.64	115.6	122.1	4,715	115.5	1.72	112.1	118.9
1995	5,660	120.4	1.64	117.2	123.7	4,714	114.9	1.71	111.6	118.3
1996	5,697	119.9	1.62	116.8	123.2	4,767	115.3	1.70	112.0	118.6
1997	5,763	120.0	1.61	116.9	123.2	4,867	116.5	1.69	113.2	119.9
1998	6,112	125.7	1.63	122.5	128.9	5,159	122.0	1.72	118.7	125.4
1999	6,140	124.1	1.61	121.0	127.3	5,188	121.1	1.70	117.8	124.4
2000	6,264	124.8	1.60	121.7	128.0	5,245	121.1	1.69	117.8	124.4
2001	6,099	120.6	1.57	117.6	123.7	5,111	117.4	1.66	114.2	120.7
2002	6,351	123.4	1.57	120.4	126.5	5,283	119.5	1.66	116.3	122.8
2003	6,312	120.9	1.54	117.9	123.9	5,235	117.0	1.63	113.8	120.2
2004	6,484	121.9	1.54	118.9	125.0	5,420	119.2	1.64	116.0	122.4
2005	6,371	117.6	1.50	114.7	120.5	5,245	113.4	1.58	110.3	116.6
2006	6,462	117.1	1.48	114.2	120.0	5,264	112.2	1.57	109.1	115.3
2007	6,421	114.1	1.45	111.3	117.0	5,237	109.6	1.54	106.6	112.6
2008	6,485	112.9	1.43	110.1	115.8	5,255	108.0	1.51	105.0	111.0
2009	6,490	110.4	1.40	107.7	113.2	5,264	106.1	1.49	103.2	109.0
2010	6,519	108.9	1.38	106.2	111.7	5,315	105.2	1.47	102.3	108.1
2011	6,689	108.9	1.37	106.3	111.6	5,422	105.3	1.46	102.5	108.2
2012	6,763	107.3	1.34	104.7	109.9	5,500	103.8	1.43	101.0	106.6
2013	6,766	105.3	1.31	102.7	107.9	5,462	101.8	1.41	99.1	104.6
2014	6,901	104.6	1.29	102.1	107.2	5,546	100.8	1.39	98.1	103.6
2015	7,168	107.1	1.30	104.6	109.7	5,814	104.6	1.41	101.8	107.4
2016	7,080	103.8	1.27	101.3	106.3	5,714	100.8	1.37	98.2	103.6
2017	7,073	102.3	1.25	99.9	104.8	5,799	101.4	1.37	98.8	104.2
2018	7,169	102.1	1.24	99.7	104.5	5,797	100.1	1.35	97.5	102.8
2019	7,363	102.6	1.23	100.2	105.0	5,924	100.0	1.34	97.4	102.6
2020	6,719	92.9	1.17	90.6	95.2	5,437	91.3	1.27	88.8	93.8
2021	7,245	100.3	1.21	98.0	102.7	5,806	97.6	1.32	95.0	100.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Digestive System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	31,438	140.2	0.83	138.6	141.9	5,937	83.4	1.17	81.1	85.7
1986	617	136.9	5.91	125.5	148.9	58	80.8	12.38	58.4	108.5
1987	671	150.6	6.22	138.6	163.2	63	102.9	15.33	75.0	136.5
1988	670	150.9	6.23	138.9	163.5	58	99.3	14.80	72.4	131.8
1989	641	141.9	6.00	130.4	154.1	53	83.8	13.16	60.0	112.8
1990	662	145.6	6.04	134.0	157.8	79	121.6	16.03	92.2	156.2
1991	620	130.9	5.60	120.1	142.2	52	73.7	11.72	52.5	99.6
1992	638	134.9	5.72	123.9	146.5	79	95.3	12.35	72.6	122.1
1993	685	141.5	5.77	130.5	153.2	91	108.3	13.59	83.3	137.5
1994	729	150.7	5.95	139.3	162.7	78	79.8	10.42	60.7	102.5
1995	822	164.9	6.14	153.1	177.3	112	114.1	12.16	91.5	140.0
1996	798	153.1	5.74	142.1	164.7	121	121.0	13.04	96.8	148.8
1997	777	146.8	5.58	136.1	158.1	107	102.4	11.62	80.9	127.2
1998	836	158.9	5.83	147.6	170.6	105	92.3	10.43	73.0	114.6
1999	786	145.4	5.47	134.9	156.5	143	122.9	12.84	99.1	150.1
2000	858	153.8	5.54	143.2	165.0	140	100.9	9.81	82.5	121.6
2001	837	146.4	5.34	136.1	157.2	131	88.3	9.01	71.5	107.4
2002	890	154.5	5.49	143.9	165.6	153	110.9	10.23	91.7	132.4
2003	917	155.7	5.43	145.2	166.6	132	82.0	8.13	66.9	99.3
2004	899	148.6	5.24	138.5	159.2	147	87.9	8.18	72.6	105.2
2005	939	154.1	5.34	143.9	164.9	157	84.4	7.62	70.1	100.5
2006	991	155.1	5.19	145.1	165.6	179	92.0	7.72	77.5	108.2
2007	950	147.8	5.08	138.0	158.0	204	97.0	7.70	82.5	113.1
2008	997	153.1	5.13	143.2	163.4	201	94.4	7.51	80.2	110.1
2009	1,006	147.9	4.93	138.4	157.8	186	80.9	6.68	68.3	94.9
2010	970	140.6	4.77	131.4	150.2	203	86.9	6.78	74.1	101.1
2011	1,027	141.8	4.67	132.8	151.2	206	79.5	6.13	68.0	92.4
2012	970	134.1	4.55	125.4	143.3	260	93.1	6.31	81.2	106.2
2013	1,054	138.2	4.49	129.6	147.3	205	67.9	5.12	58.2	78.6
2014	1,069	138.1	4.45	129.5	147.1	242	76.2	5.26	66.2	87.1
2015	1,042	130.5	4.26	122.2	139.1	280	85.0	5.42	74.7	96.3
2016	1,049	131.7	4.28	123.5	140.3	287	81.5	5.06	71.9	92.0
2017	980	120.3	4.04	112.5	128.4	256	70.2	4.59	61.4	79.7
2018	1,023	120.5	3.93	112.9	128.5	284	74.1	4.57	65.5	83.6
2019	1,067	125.4	4.00	117.6	133.4	308	76.3	4.48	67.8	85.6
2020	930	107.8	3.69	100.7	115.3	257	62.7	4.01	55.1	71.1
2021	1,021	119.9	3.92	112.4	127.9	320	75.2	4.30	67.0	84.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Digestive System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	196,270	74.7	0.17	74.4	75.1	161,482	72.3	0.18	72.0	72.7
1986	4,816	77.6	1.13	75.4	79.8	4,158	74.8	1.18	72.5	77.2
1987	4,924	78.4	1.13	76.2	80.7	4,305	76.9	1.19	74.5	79.2
1988	4,922	77.4	1.12	75.3	79.7	4,234	74.6	1.16	72.4	76.9
1989	4,867	76.8	1.11	74.6	79.0	4,193	74.3	1.17	72.0	76.6
1990	4,990	77.9	1.12	75.7	80.1	4,315	75.8	1.17	73.5	78.2
1991	4,816	74.1	1.08	72.0	76.2	4,151	72.0	1.14	69.8	74.2
1992	4,845	73.5	1.07	71.4	75.6	4,190	71.7	1.12	69.5	74.0
1993	5,028	75.4	1.07	73.3	77.5	4,323	73.5	1.13	71.3	75.8
1994	5,388	79.7	1.10	77.6	81.9	4,611	77.3	1.16	75.1	79.6
1995	5,257	77.7	1.08	75.6	79.9	4,445	74.8	1.14	72.6	77.1
1996	5,405	79.0	1.08	76.9	81.1	4,570	76.3	1.14	74.0	78.5
1997	5,446	79.2	1.08	77.1	81.3	4,584	76.4	1.14	74.1	78.6
1998	5,787	83.5	1.11	81.4	85.7	4,849	80.5	1.17	78.2	82.8
1999	5,538	79.3	1.07	77.2	81.4	4,681	77.1	1.14	74.9	79.4
2000	5,649	80.4	1.08	78.3	82.5	4,726	77.7	1.15	75.5	80.0
2001	5,652	80.0	1.07	77.9	82.1	4,685	76.9	1.14	74.7	79.2
2002	5,675	79.9	1.07	77.8	82.0	4,662	76.2	1.13	74.0	78.5
2003	5,512	77.0	1.05	75.0	79.1	4,508	73.5	1.11	71.3	75.7
2004	5,689	78.9	1.06	76.8	81.0	4,686	76.1	1.13	73.9	78.3
2005	5,686	78.3	1.05	76.3	80.4	4,671	75.6	1.12	73.4	77.8
2006	5,614	77.0	1.04	75.0	79.1	4,544	73.5	1.11	71.3	75.7
2007	5,690	77.2	1.04	75.2	79.2	4,652	74.7	1.12	72.5	76.9
2008	5,613	75.4	1.02	73.4	77.4	4,550	72.7	1.10	70.6	74.9
2009	5,528	73.4	1.00	71.5	75.4	4,512	71.5	1.09	69.4	73.7
2010	5,462	71.4	0.98	69.5	73.4	4,346	68.1	1.06	66.1	70.2
2011	5,579	72.1	0.98	70.2	74.1	4,414	68.7	1.06	66.7	70.8
2012	5,402	68.8	0.95	66.9	70.7	4,327	66.5	1.04	64.5	68.6
2013	5,592	70.3	0.96	68.5	72.2	4,448	67.9	1.04	65.9	70.0
2014	5,627	70.1	0.96	68.3	72.0	4,462	67.5	1.04	65.5	69.6
2015	5,689	70.2	0.95	68.3	72.1	4,510	67.9	1.04	65.9	70.0
2016	5,981	73.7	0.98	71.8	75.7	4,737	71.8	1.08	69.7	74.0
2017	5,841	70.8	0.95	69.0	72.7	4,612	69.1	1.05	67.0	71.2
2018	5,988	71.9	0.95	70.0	73.8	4,686	69.4	1.05	67.4	71.5
2019	5,826	69.5	0.94	67.6	71.3	4,582	67.8	1.04	65.8	69.9
2020	5,235	61.7	0.88	60.0	63.5	4,118	60.4	0.97	58.5	62.3
2021	5,711	67.7	0.92	65.9	69.5	4,435	65.3	1.02	63.3	67.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Digestive System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	29,571	92.8	0.54	91.7	93.8	4,452	52.2	0.81	50.6	53.8
1986	605	97.8	4.06	90.0	106.1	47	74.3	12.50	51.8	102.0
1987	583	91.4	3.86	84.0	99.3	33	43.1	8.28	28.4	62.0
1988	636	99.2	4.01	91.5	107.3	44	65.9	11.13	45.9	90.6
1989	612	93.2	3.83	85.8	101.0	57	68.4	10.29	49.8	91.1
1990	635	95.1	3.84	87.7	102.9	37	45.1	8.20	30.4	63.6
1991	602	89.2	3.69	82.1	96.7	50	54.2	8.55	38.8	73.2
1992	594	83.0	3.45	76.4	90.0	49	51.5	8.16	36.7	69.5
1993	627	89.2	3.60	82.2	96.5	71	64.6	8.45	49.1	83.0
1994	692	95.9	3.69	88.8	103.4	77	68.4	8.46	52.8	86.7
1995	731	98.8	3.69	91.7	106.2	76	61.9	7.72	47.7	78.6
1996	751	101.2	3.73	94.0	108.8	78	64.8	8.03	50.1	82.2
1997	773	102.3	3.72	95.2	109.9	82	52.7	6.28	41.1	66.4
1998	820	106.3	3.74	99.1	113.9	100	68.5	7.38	54.8	84.3
1999	751	93.9	3.45	87.2	100.9	99	65.3	6.99	52.3	80.3
2000	800	98.0	3.49	91.3	105.1	108	68.8	7.05	55.7	83.8
2001	851	103.2	3.57	96.4	110.4	102	57.6	6.07	46.3	70.6
2002	872	104.1	3.55	97.3	111.3	119	67.5	6.55	55.3	81.4
2003	858	101.3	3.48	94.6	108.3	127	64.6	6.01	53.4	77.4
2004	873	100.7	3.44	94.1	107.6	117	55.5	5.42	45.4	67.1
2005	876	99.3	3.39	92.8	106.2	120	53.6	5.18	43.9	64.6
2006	906	100.3	3.36	93.8	107.1	141	57.2	5.07	47.7	68.0
2007	890	96.6	3.27	90.3	103.2	136	53.6	4.85	44.5	63.9
2008	898	95.0	3.21	88.8	101.5	147	52.9	4.61	44.3	62.7
2009	859	89.3	3.08	83.3	95.5	131	49.7	4.59	41.2	59.5
2010	941	96.0	3.17	89.9	102.5	151	51.4	4.41	43.1	60.7
2011	980	96.4	3.12	90.4	102.7	159	51.4	4.26	43.3	60.4
2012	873	84.6	2.91	79.0	90.5	172	53.2	4.25	45.2	62.1
2013	945	89.3	2.95	83.6	95.2	176	49.7	3.90	42.3	57.9
2014	933	87.4	2.91	81.8	93.3	185	50.7	3.85	43.4	58.8
2015	963	87.7	2.88	82.2	93.6	185	47.8	3.63	40.9	55.4
2016	1,015	91.0	2.91	85.4	96.9	193	46.7	3.45	40.2	54.0
2017	1,000	87.9	2.83	82.4	93.6	213	48.6	3.41	42.2	55.7
2018	1,040	90.9	2.87	85.3	96.7	211	47.5	3.33	41.2	54.5
2019	949	81.6	2.70	76.4	87.0	233	50.2	3.34	43.9	57.2
2020	852	71.9	2.51	67.0	77.0	199	40.8	2.93	35.3	47.0
2021	985	84.1	2.74	78.8	89.6	227	46.1	3.09	40.3	52.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Esophagus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	23,992	5.1	0.03	5.1	5.2	19,553	4.9	0.04	4.9	5.0
1986	545	5.2	0.23	4.7	5.6	364	3.9	0.21	3.5	4.3
1987	516	4.8	0.22	4.4	5.3	357	3.8	0.20	3.4	4.2
1988	499	4.7	0.21	4.3	5.1	354	3.7	0.20	3.4	4.2
1989	539	5.0	0.22	4.6	5.5	394	4.1	0.21	3.7	4.6
1990	514	4.7	0.21	4.3	5.2	362	3.8	0.20	3.4	4.2
1991	538	4.9	0.21	4.5	5.3	395	4.1	0.21	3.7	4.5
1992	578	5.2	0.22	4.8	5.6	436	4.5	0.22	4.1	4.9
1993	552	4.9	0.21	4.5	5.3	416	4.2	0.21	3.8	4.6
1994	605	5.3	0.22	4.9	5.8	463	4.6	0.22	4.2	5.1
1995	652	5.7	0.22	5.3	6.2	489	4.9	0.22	4.5	5.4
1996	641	5.6	0.22	5.2	6.0	475	4.8	0.22	4.4	5.2
1997	556	4.8	0.20	4.4	5.2	416	4.2	0.20	3.8	4.6
1998	672	5.7	0.22	5.3	6.2	538	5.3	0.23	4.9	5.8
1999	668	5.6	0.22	5.2	6.1	545	5.4	0.23	4.9	5.8
2000	710	5.9	0.22	5.5	6.4	568	5.5	0.23	5.1	6.0
2001	680	5.7	0.22	5.2	6.1	557	5.4	0.23	5.0	5.9
2002	657	5.4	0.21	5.0	5.8	545	5.3	0.23	4.8	5.7
2003	661	5.3	0.21	4.9	5.8	556	5.3	0.22	4.8	5.7
2004	701	5.6	0.21	5.2	6.1	586	5.6	0.23	5.1	6.0
2005	666	5.3	0.20	4.9	5.7	568	5.3	0.22	4.9	5.8
2006	698	5.4	0.21	5.0	5.9	575	5.3	0.22	4.9	5.8
2007	710	5.4	0.20	5.0	5.8	596	5.4	0.22	4.9	5.8
2008	722	5.4	0.20	5.0	5.8	623	5.6	0.22	5.1	6.0
2009	724	5.4	0.20	5.0	5.8	624	5.6	0.22	5.1	6.0
2010	662	4.8	0.19	4.4	5.2	552	4.8	0.21	4.4	5.2
2011	733	5.2	0.20	4.9	5.6	621	5.3	0.22	4.9	5.8
2012	763	5.3	0.20	5.0	5.7	654	5.5	0.22	5.1	5.9
2013	714	4.9	0.19	4.5	5.2	612	5.1	0.21	4.7	5.5
2014	741	4.9	0.18	4.6	5.3	634	5.1	0.21	4.7	5.5
2015	761	5.0	0.18	4.6	5.4	660	5.2	0.21	4.8	5.7
2016	707	4.6	0.18	4.3	5.0	595	4.7	0.20	4.3	5.1
2017	703	4.5	0.18	4.2	4.9	605	4.8	0.20	4.4	5.2
2018	727	4.5	0.17	4.2	4.8	630	4.7	0.19	4.4	5.1
2019	833	5.2	0.18	4.8	5.5	732	5.5	0.21	5.1	5.9
2020	805	4.9	0.18	4.6	5.3	704	5.3	0.21	4.9	5.7
2021	839	5.2	0.18	4.8	5.5	752	5.7	0.21	5.3	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Esophagus										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,057	7.1	0.11	6.9	7.3	343	2.2	0.12	1.9	2.4
1986	176	15.3	1.18	13.1	17.8	5	5.6	2.58	1.7	12.5
1987	156	13.5	1.11	11.4	15.8	2	2.0	1.55	0.2	6.9
1988	141	11.8	1.01	9.9	14.0	3	1.6	0.93	0.3	5.0
1989	140	11.8	1.01	9.9	13.9	3	1.9	1.14	0.4	5.6
1990	148	12.2	1.02	10.3	14.3	4	2.9	1.58	0.7	7.5
1991	137	10.9	0.95	9.1	12.9	6	3.5	1.55	1.1	7.8
1992	135	10.9	0.95	9.1	12.9	7	3.7	1.46	1.4	7.7
1993	128	9.8	0.89	8.2	11.7	8	3.5	1.30	1.4	7.1
1994	136	10.5	0.91	8.8	12.5	6	2.3	0.97	0.8	5.2
1995	153	11.6	0.95	9.8	13.5	10	5.0	1.77	2.2	9.5
1996	156	11.5	0.93	9.7	13.4	9	4.3	1.50	1.9	8.2
1997	135	9.8	0.86	8.2	11.7	4	1.5	0.79	0.4	3.9
1998	126	9.2	0.83	7.6	10.9	8	2.4	0.86	1.0	4.8
1999	117	8.5	0.80	7.0	10.2	6	2.5	1.14	0.8	5.5
2000	135	9.4	0.82	7.8	11.1	7	1.8	0.72	0.7	3.9
2001	112	7.8	0.75	6.4	9.4	9	2.6	0.98	1.1	5.2
2002	106	7.0	0.69	5.7	8.5	4	1.1	0.55	0.3	2.8
2003	94	6.3	0.66	5.1	7.7	10	2.8	0.95	1.3	5.3
2004	108	7.0	0.69	5.8	8.5	6	2.0	0.88	0.7	4.3
2005	92	5.9	0.63	4.7	7.3	6	1.6	0.75	0.5	3.6
2006	113	7.0	0.67	5.8	8.5	10	2.7	0.91	1.2	5.0
2007	100	6.2	0.64	5.1	7.6	13	2.4	0.70	1.2	4.2
2008	90	5.4	0.58	4.3	6.6	8	1.4	0.54	0.6	2.9
2009	88	5.0	0.55	4.0	6.2	11	2.4	0.77	1.1	4.3
2010	94	5.2	0.55	4.2	6.4	14	2.7	0.75	1.4	4.5
2011	98	5.6	0.58	4.5	6.8	13	2.7	0.79	1.3	4.6
2012	96	5.3	0.56	4.3	6.5	10	2.0	0.67	0.9	3.7
2013	93	4.9	0.52	3.9	6.0	8	1.2	0.46	0.5	2.5
2014	80	4.2	0.48	3.3	5.2	26	3.6	0.75	2.3	5.4
2015	88	4.4	0.48	3.5	5.5	13	1.8	0.51	0.9	3.0
2016	92	4.7	0.50	3.8	5.8	20	2.7	0.63	1.6	4.2
2017	84	4.0	0.45	3.2	5.0	12	1.5	0.44	0.8	2.6
2018	80	3.8	0.44	3.0	4.8	14	1.5	0.41	0.8	2.6
2019	86	4.2	0.47	3.4	5.3	13	1.4	0.40	0.8	2.5
2020	81	3.7	0.42	2.9	4.6	16	1.7	0.43	1.0	2.8
2021	63	2.8	0.37	2.2	3.7	19	2.1	0.47	1.2	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Esophagus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	18,361	9.0	0.07	8.8	9.1	15,265	8.8	0.07	8.6	8.9
1986	398	8.8	0.46	7.9	9.7	273	6.9	0.43	6.1	7.8
1987	380	8.3	0.44	7.5	9.2	263	6.5	0.41	5.7	7.4
1988	364	8.0	0.43	7.2	8.9	260	6.6	0.42	5.8	7.4
1989	393	8.5	0.44	7.7	9.4	286	7.1	0.43	6.2	8.0
1990	354	7.5	0.41	6.7	8.4	248	6.0	0.39	5.3	6.8
1991	401	8.5	0.43	7.6	9.4	298	7.3	0.43	6.4	8.1
1992	427	9.1	0.45	8.2	10.0	330	8.0	0.45	7.2	8.9
1993	392	8.0	0.41	7.2	8.8	299	7.0	0.41	6.2	7.8
1994	458	9.4	0.45	8.6	10.3	354	8.3	0.45	7.5	9.3
1995	503	10.3	0.46	9.4	11.2	383	9.0	0.47	8.1	9.9
1996	487	9.8	0.45	8.9	10.7	368	8.6	0.45	7.7	9.5
1997	406	8.1	0.41	7.3	8.9	315	7.3	0.42	6.5	8.2
1998	520	10.4	0.46	9.5	11.3	425	9.8	0.48	8.9	10.8
1999	528	10.4	0.46	9.5	11.3	433	9.9	0.48	9.0	10.9
2000	539	10.5	0.46	9.7	11.5	440	10.0	0.48	9.1	11.0
2001	498	9.6	0.43	8.7	10.5	410	9.2	0.46	8.3	10.2
2002	498	9.4	0.43	8.6	10.2	421	9.3	0.46	8.4	10.2
2003	518	9.8	0.43	8.9	10.6	447	9.8	0.47	8.9	10.8
2004	529	9.6	0.42	8.8	10.5	457	9.8	0.46	8.9	10.7
2005	521	9.5	0.42	8.6	10.3	452	9.6	0.46	8.7	10.5
2006	556	9.8	0.42	9.0	10.7	466	9.7	0.46	8.8	10.6
2007	532	9.2	0.41	8.4	10.0	457	9.3	0.44	8.5	10.2
2008	580	9.9	0.42	9.1	10.7	509	10.2	0.46	9.3	11.2
2009	556	9.4	0.41	8.6	10.2	477	9.5	0.44	8.7	10.5
2010	500	8.2	0.37	7.4	8.9	426	8.3	0.41	7.5	9.1
2011	568	9.1	0.39	8.3	9.9	498	9.5	0.43	8.6	10.3
2012	588	9.3	0.39	8.5	10.1	521	9.7	0.44	8.9	10.6
2013	572	8.8	0.38	8.1	9.5	500	9.2	0.42	8.4	10.0
2014	590	8.7	0.37	8.0	9.4	519	9.1	0.41	8.3	9.9
2015	613	8.9	0.37	8.2	9.7	538	9.4	0.42	8.6	10.2
2016	542	7.8	0.34	7.1	8.5	463	8.0	0.38	7.2	8.7
2017	551	7.8	0.34	7.2	8.5	486	8.3	0.39	7.6	9.1
2018	553	7.5	0.33	6.8	8.1	491	8.0	0.37	7.3	8.7
2019	647	8.8	0.36	8.1	9.5	581	9.4	0.40	8.7	10.2
2020	627	8.4	0.34	7.7	9.1	560	9.1	0.40	8.3	9.9
2021	672	9.1	0.36	8.4	9.9	611	10.0	0.42	9.2	10.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Esophagus										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,831	11.8	0.23	11.4	12.3	235	3.3	0.23	2.8	3.8
1986	122	24.5	2.30	20.2	29.4	3	7.8	4.58	1.6	21.2
1987	115	23.5	2.30	19.2	28.4	1	1.1	1.09	0.0	7.9
1988	102	19.9	2.02	16.2	24.2	1	1.2	1.16	0.0	7.7
1989	102	20.0	2.07	16.2	24.5	3	4.3	2.63	0.8	12.9
1990	102	19.8	2.02	16.1	24.2	4	6.9	3.72	1.6	17.6
1991	101	18.6	1.90	15.1	22.7	2	1.7	1.20	0.2	7.4
1992	93	17.9	1.95	14.3	22.1	4	5.3	2.79	1.3	13.6
1993	87	16.2	1.81	12.8	20.1	6	5.0	2.12	1.8	11.6
1994	100	18.8	1.95	15.1	22.9	4	3.3	1.68	0.9	9.0
1995	112	20.5	2.02	16.7	24.8	8	10.5	4.32	3.8	21.5
1996	115	20.1	1.95	16.5	24.3	4	4.9	2.55	1.2	12.2
1997	90	15.7	1.71	12.6	19.4	0				
1998	88	15.7	1.77	12.4	19.5	7	4.8	1.83	1.9	10.1
1999	90	15.7	1.72	12.5	19.5	5	5.7	3.01	1.4	13.8
2000	95	16.4	1.77	13.1	20.2	4	1.9	0.93	0.5	5.4
2001	80	13.4	1.55	10.6	16.8	6	2.8	1.14	1.0	6.5
2002	73	11.5	1.40	8.9	14.5	3	1.8	1.09	0.3	5.4
2003	65	10.5	1.35	8.0	13.4	5	3.0	1.43	0.8	7.1
2004	68	10.5	1.32	8.1	13.4	3	1.5	0.92	0.3	4.6
2005	67	10.7	1.41	8.2	13.8	2	0.8	0.57	0.1	3.2
2006	83	12.7	1.47	10.0	15.9	7	4.0	1.64	1.5	8.4
2007	66	10.1	1.31	7.7	13.0	8	2.7	1.01	1.1	5.7
2008	64	9.7	1.27	7.4	12.5	6	2.6	1.17	0.8	5.9
2009	69	9.3	1.17	7.2	11.9	9	4.4	1.63	1.8	8.6
2010	60	7.8	1.06	5.8	10.1	13	5.2	1.55	2.6	9.2
2011	61	8.7	1.18	6.5	11.3	8	3.9	1.58	1.5	8.0
2012	61	8.3	1.13	6.3	10.8	4	1.6	0.85	0.4	4.1
2013	66	8.5	1.10	6.5	10.9	5	1.9	0.93	0.6	4.6
2014	52	6.6	0.96	4.9	8.8	18	5.5	1.41	3.1	9.0
2015	66	7.8	1.00	5.9	10.0	9	2.6	0.91	1.2	5.1
2016	62	7.9	1.06	6.0	10.2	17	5.2	1.37	2.9	8.6
2017	56	6.4	0.89	4.8	8.4	7	2.0	0.79	0.7	4.1
2018	49	5.4	0.80	4.0	7.2	11	2.7	0.85	1.3	4.9
2019	55	6.8	0.96	5.1	9.0	9	2.4	0.83	1.1	4.6
2020	51	5.5	0.81	4.0	7.3	14	3.2	0.86	1.7	5.4
2021	43	4.7	0.74	3.3	6.4	15	3.6	0.93	2.0	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Esophagus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	5,631	2.1	0.03	2.1	2.2	4,288	1.9	0.03	1.9	2.0
1986	147	2.5	0.21	2.1	2.9	91	1.7	0.18	1.3	2.0
1987	136	2.2	0.19	1.8	2.6	94	1.7	0.18	1.4	2.1
1988	135	2.1	0.19	1.8	2.5	94	1.6	0.17	1.3	2.0
1989	146	2.3	0.19	1.9	2.7	108	1.9	0.18	1.5	2.2
1990	160	2.6	0.20	2.2	3.0	114	2.0	0.19	1.6	2.4
1991	137	2.1	0.18	1.8	2.5	97	1.7	0.17	1.4	2.1
1992	151	2.3	0.19	2.0	2.7	106	1.9	0.18	1.5	2.3
1993	160	2.5	0.20	2.1	2.9	117	2.0	0.19	1.7	2.4
1994	147	2.2	0.19	1.9	2.6	109	1.9	0.18	1.5	2.3
1995	149	2.3	0.19	1.9	2.6	106	1.8	0.17	1.4	2.1
1996	154	2.3	0.19	2.0	2.7	107	1.8	0.18	1.5	2.2
1997	150	2.3	0.19	1.9	2.7	101	1.7	0.17	1.4	2.1
1998	152	2.2	0.18	1.9	2.6	113	1.9	0.18	1.6	2.3
1999	140	2.0	0.17	1.7	2.4	112	1.9	0.18	1.5	2.3
2000	171	2.5	0.19	2.1	2.9	128	2.1	0.19	1.8	2.5
2001	182	2.6	0.19	2.2	3.0	147	2.4	0.20	2.0	2.8
2002	159	2.3	0.18	1.9	2.7	124	2.0	0.18	1.7	2.4
2003	143	2.0	0.17	1.7	2.4	109	1.8	0.17	1.5	2.1
2004	172	2.5	0.19	2.1	2.9	129	2.2	0.19	1.8	2.6
2005	145	2.0	0.17	1.7	2.4	116	1.9	0.18	1.6	2.3
2006	142	2.0	0.17	1.7	2.3	109	1.8	0.17	1.5	2.2
2007	178	2.4	0.18	2.1	2.8	139	2.2	0.19	1.9	2.6
2008	142	1.9	0.16	1.6	2.3	114	1.8	0.18	1.5	2.2
2009	168	2.2	0.17	1.9	2.5	147	2.3	0.19	1.9	2.7
2010	162	2.1	0.17	1.8	2.4	126	1.9	0.18	1.6	2.3
2011	165	2.1	0.17	1.8	2.5	123	1.9	0.18	1.6	2.3
2012	175	2.2	0.17	1.9	2.6	133	2.0	0.18	1.7	2.4
2013	142	1.7	0.15	1.4	2.0	112	1.6	0.16	1.3	2.0
2014	151	1.9	0.15	1.6	2.2	115	1.7	0.16	1.4	2.1
2015	148	1.7	0.14	1.5	2.0	122	1.8	0.16	1.5	2.1
2016	165	2.0	0.16	1.7	2.3	132	1.9	0.17	1.6	2.3
2017	152	1.8	0.15	1.5	2.1	119	1.8	0.17	1.5	2.1
2018	174	2.0	0.15	1.7	2.3	139	1.9	0.17	1.6	2.3
2019	186	2.1	0.16	1.8	2.5	151	2.2	0.18	1.8	2.5
2020	178	2.1	0.16	1.8	2.4	144	2.0	0.18	1.7	2.4
2021	167	1.9	0.15	1.6	2.2	141	2.0	0.17	1.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Esophagus										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,226	3.7	0.11	3.5	3.9	108	1.3	0.13	1.0	1.6
1986	54	8.5	1.17	6.3	11.0	2	3.8	2.87	0.4	12.9
1987	41	6.2	0.98	4.4	8.4	1	2.5	2.46	0.1	10.7
1988	39	5.7	0.92	4.0	7.8	2	2.0	1.43	0.2	7.7
1989	38	5.7	0.93	4.0	7.8	0				
1990	46	6.6	0.99	4.8	8.8	0				
1991	36	5.1	0.86	3.6	7.0	4	4.7	2.50	1.2	12.0
1992	42	5.9	0.92	4.2	7.9	3	2.6	1.51	0.5	7.7
1993	41	5.4	0.85	3.9	7.3	2	2.1	1.52	0.2	7.1
1994	36	4.8	0.79	3.3	6.6	2	1.5	1.10	0.2	5.6
1995	41	5.4	0.85	3.9	7.3	2	1.3	0.94	0.1	4.9
1996	41	5.3	0.83	3.8	7.2	5	4.0	1.85	1.2	9.2
1997	45	5.6	0.85	4.1	7.5	4	2.7	1.39	0.7	6.9
1998	38	4.7	0.77	3.3	6.5	1	0.5	0.48	0.0	3.0
1999	27	3.4	0.65	2.2	4.9	1	0.4	0.40	0.0	2.7
2000	40	4.7	0.75	3.4	6.4	3	1.6	1.00	0.3	4.9
2001	32	3.8	0.68	2.6	5.4	3	2.1	1.29	0.4	5.9
2002	33	3.8	0.66	2.6	5.3	1	0.5	0.50	0.0	2.7
2003	29	3.4	0.63	2.3	4.8	5	2.7	1.24	0.8	6.2
2004	40	4.6	0.73	3.3	6.2	3	2.1	1.23	0.4	5.6
2005	25	2.8	0.56	1.8	4.1	4	2.0	1.09	0.4	5.1
2006	30	3.2	0.59	2.1	4.6	3	1.6	0.94	0.3	4.4
2007	34	3.6	0.63	2.5	5.1	5	2.0	0.92	0.6	4.6
2008	26	2.6	0.51	1.7	3.8	2	0.5	0.36	0.1	2.1
2009	19	1.9	0.44	1.1	3.0	2	0.8	0.61	0.1	2.9
2010	34	3.3	0.58	2.3	4.7	1	0.5	0.51	0.0	2.3
2011	37	3.5	0.58	2.5	4.9	5	1.9	0.87	0.6	4.3
2012	35	3.3	0.57	2.3	4.7	6	2.2	0.93	0.8	4.7
2013	27	2.5	0.48	1.6	3.6	3	0.7	0.39	0.1	2.1
2014	28	2.5	0.48	1.6	3.6	8	2.1	0.76	0.9	4.1
2015	22	1.9	0.41	1.2	2.9	4	1.0	0.49	0.2	2.5
2016	30	2.6	0.48	1.7	3.8	3	0.7	0.42	0.1	2.1
2017	28	2.3	0.45	1.5	3.4	5	1.1	0.51	0.3	2.7
2018	31	2.6	0.47	1.8	3.7	3	0.6	0.36	0.1	1.9
2019	31	2.5	0.46	1.7	3.6	4	0.7	0.36	0.2	1.9
2020	30	2.5	0.47	1.7	3.6	2	0.4	0.30	0.1	1.5
2021	20	1.5	0.35	0.9	2.4	4	0.8	0.40	0.2	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Stomach										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	35,335	7.7	0.04	7.6	7.8	27,014	6.9	0.04	6.8	7.0
1986	922	8.9	0.30	8.3	9.5	744	8.0	0.30	7.5	8.7
1987	942	8.9	0.29	8.4	9.5	739	7.9	0.29	7.4	8.5
1988	951	9.0	0.30	8.4	9.6	750	8.0	0.30	7.5	8.6
1989	1,002	9.4	0.30	8.8	10.0	806	8.5	0.30	7.9	9.1
1990	953	8.8	0.29	8.2	9.4	776	8.1	0.29	7.5	8.7
1991	922	8.4	0.28	7.9	9.0	739	7.6	0.28	7.1	8.2
1992	938	8.4	0.28	7.9	9.0	739	7.5	0.28	7.0	8.1
1993	974	8.7	0.28	8.1	9.2	770	7.8	0.28	7.3	8.4
1994	945	8.3	0.27	7.8	8.9	746	7.5	0.28	7.0	8.1
1995	977	8.5	0.27	8.0	9.1	747	7.4	0.27	6.9	8.0
1996	968	8.4	0.27	7.9	8.9	746	7.4	0.27	6.9	8.0
1997	977	8.4	0.27	7.9	8.9	754	7.4	0.27	6.9	8.0
1998	1,005	8.5	0.27	8.0	9.1	770	7.5	0.27	7.0	8.1
1999	937	7.9	0.26	7.4	8.4	743	7.2	0.26	6.7	7.7
2000	911	7.6	0.25	7.1	8.1	686	6.6	0.25	6.1	7.1
2001	923	7.6	0.25	7.1	8.1	700	6.7	0.25	6.2	7.2
2002	976	8.0	0.26	7.5	8.5	754	7.2	0.26	6.7	7.7
2003	962	7.8	0.25	7.3	8.3	752	7.1	0.26	6.6	7.6
2004	936	7.5	0.25	7.1	8.0	715	6.7	0.25	6.2	7.2
2005	917	7.3	0.24	6.8	7.7	687	6.4	0.24	5.9	6.9
2006	918	7.2	0.24	6.8	7.7	670	6.2	0.24	5.8	6.7
2007	947	7.3	0.24	6.9	7.8	704	6.5	0.25	6.0	7.0
2008	946	7.2	0.24	6.8	7.7	702	6.4	0.24	5.9	6.9
2009	970	7.3	0.24	6.9	7.8	710	6.4	0.24	6.0	6.9
2010	938	7.0	0.23	6.5	7.5	703	6.2	0.24	5.8	6.7
2011	1,009	7.3	0.23	6.9	7.8	749	6.5	0.24	6.1	7.0
2012	983	7.0	0.23	6.6	7.5	761	6.5	0.24	6.0	7.0
2013	1,054	7.5	0.23	7.0	8.0	782	6.7	0.24	6.2	7.2
2014	1,031	7.1	0.23	6.7	7.6	767	6.4	0.24	6.0	6.9
2015	1,071	7.3	0.23	6.9	7.8	807	6.7	0.24	6.2	7.1
2016	1,066	7.2	0.23	6.8	7.7	797	6.6	0.24	6.1	7.0
2017	1,074	7.2	0.22	6.8	7.6	803	6.6	0.24	6.1	7.1
2018	1,070	7.0	0.22	6.6	7.5	810	6.5	0.23	6.1	7.0
2019	1,125	7.2	0.22	6.8	7.7	838	6.6	0.24	6.2	7.1
2020	968	6.2	0.20	5.8	6.6	748	5.9	0.22	5.5	6.3
2021	1,127	7.3	0.22	6.8	7.7	800	6.3	0.23	5.9	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Stomach										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,643	12.5	0.16	12.2	12.9	1,511	9.8	0.27	9.3	10.4
1986	149	14.2	1.21	11.9	16.8	27	21.1	4.98	12.5	32.7
1987	182	17.2	1.32	14.7	19.9	21	15.8	4.12	8.7	25.5
1988	182	17.6	1.35	15.0	20.4	18	12.5	3.07	7.2	20.0
1989	169	15.7	1.25	13.4	18.3	26	18.2	4.17	10.9	27.8
1990	155	13.9	1.16	11.7	16.3	22	15.3	3.85	8.7	24.3
1991	159	14.6	1.19	12.3	17.1	22	14.4	3.71	8.1	23.1
1992	175	15.0	1.17	12.8	17.4	22	14.8	3.58	8.7	23.1
1993	166	14.3	1.14	12.1	16.7	35	18.4	3.52	12.1	26.4
1994	178	14.5	1.11	12.4	16.8	21	9.6	2.34	5.6	15.2
1995	189	14.9	1.12	12.8	17.3	40	17.0	2.92	11.7	23.6
1996	191	15.6	1.15	13.4	18.0	28	12.3	2.54	7.9	18.2
1997	180	14.1	1.08	12.1	16.4	41	15.1	2.71	10.3	21.3
1998	198	15.9	1.15	13.7	18.3	35	12.6	2.35	8.5	18.0
1999	153	11.5	0.95	9.8	13.5	37	13.4	2.47	9.0	19.0
2000	180	13.4	1.02	11.5	15.5	41	12.9	2.24	8.9	18.0
2001	180	13.5	1.03	11.6	15.7	41	12.7	2.21	8.7	17.6
2002	169	12.1	0.95	10.3	14.1	51	17.1	2.65	12.3	22.9
2003	168	12.1	0.95	10.3	14.1	38	11.5	2.02	7.9	16.0
2004	178	12.5	0.95	10.7	14.5	42	10.7	1.77	7.5	14.7
2005	183	12.7	0.96	10.9	14.7	43	11.2	1.85	7.8	15.3
2006	196	12.8	0.93	11.0	14.7	46	11.0	1.73	7.9	14.9
2007	188	12.3	0.92	10.6	14.3	51	11.5	1.76	8.4	15.4
2008	194	12.7	0.93	10.9	14.6	44	9.5	1.55	6.7	13.0
2009	214	13.1	0.92	11.4	15.0	41	8.2	1.39	5.7	11.3
2010	174	10.7	0.83	9.1	12.4	54	11.0	1.63	8.1	14.6
2011	203	12.0	0.86	10.4	13.8	49	8.8	1.35	6.4	11.9
2012	160	9.4	0.76	8.0	11.0	57	9.4	1.31	7.0	12.3
2013	204	11.7	0.84	10.1	13.5	59	9.9	1.36	7.4	12.9
2014	214	11.8	0.83	10.3	13.6	47	7.2	1.10	5.2	9.6
2015	195	10.4	0.76	9.0	12.0	63	9.0	1.18	6.8	11.6
2016	217	11.8	0.82	10.2	13.5	48	6.5	0.97	4.7	8.7
2017	212	11.3	0.79	9.8	12.9	54	6.8	0.96	5.1	9.0
2018	183	9.4	0.71	8.0	10.9	59	7.0	0.94	5.3	9.1
2019	204	10.5	0.75	9.1	12.1	68	8.1	1.00	6.2	10.3
2020	156	7.7	0.63	6.5	9.0	53	6.1	0.85	4.6	8.0
2021	245	12.4	0.81	10.9	14.1	67	7.4	0.91	5.7	9.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Stomach										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	21,550	11.0	0.08	10.8	11.1	16,728	10.0	0.08	9.8	10.1
1986	550	12.8	0.57	11.7	14.0	452	12.0	0.59	10.9	13.3
1987	569	13.5	0.59	12.3	14.7	439	11.9	0.59	10.8	13.1
1988	609	14.2	0.60	13.1	15.5	485	12.9	0.61	11.7	14.1
1989	619	14.3	0.60	13.1	15.5	500	13.0	0.60	11.9	14.3
1990	570	13.1	0.57	12.0	14.2	454	11.8	0.57	10.7	13.0
1991	567	12.7	0.55	11.7	13.8	459	11.7	0.57	10.7	12.9
1992	560	12.3	0.54	11.3	13.4	448	11.1	0.54	10.1	12.2
1993	572	12.5	0.54	11.4	13.6	443	11.0	0.54	10.0	12.1
1994	579	12.5	0.53	11.5	13.6	456	11.3	0.54	10.3	12.4
1995	608	13.1	0.54	12.0	14.2	475	11.8	0.55	10.8	12.9
1996	603	12.8	0.53	11.8	13.9	469	11.4	0.54	10.4	12.5
1997	606	12.7	0.53	11.7	13.8	478	11.5	0.53	10.5	12.6
1998	592	12.2	0.51	11.2	13.2	466	11.0	0.52	10.0	12.1
1999	565	11.5	0.49	10.5	12.5	447	10.5	0.50	9.5	11.5
2000	549	11.0	0.48	10.1	12.0	414	9.6	0.48	8.7	10.6
2001	541	10.6	0.46	9.7	11.6	415	9.5	0.47	8.6	10.5
2002	595	11.7	0.49	10.7	12.7	468	10.7	0.50	9.7	11.7
2003	571	11.1	0.47	10.2	12.1	456	10.4	0.49	9.4	11.4
2004	583	11.1	0.46	10.2	12.0	456	10.1	0.48	9.2	11.1
2005	556	10.4	0.45	9.5	11.3	413	9.0	0.45	8.1	9.9
2006	550	10.0	0.44	9.2	10.9	410	8.8	0.44	8.0	9.7
2007	569	10.2	0.44	9.4	11.1	426	9.0	0.44	8.2	9.9
2008	570	10.2	0.43	9.3	11.1	423	8.8	0.44	8.0	9.7
2009	592	10.1	0.42	9.3	10.9	435	8.8	0.43	8.0	9.7
2010	589	10.0	0.42	9.2	10.9	449	9.0	0.43	8.2	9.9
2011	625	10.4	0.43	9.6	11.3	467	9.3	0.44	8.4	10.2
2012	643	10.4	0.42	9.6	11.2	512	9.8	0.44	8.9	10.7
2013	647	10.3	0.42	9.5	11.2	498	9.4	0.43	8.6	10.3
2014	617	9.6	0.39	8.8	10.4	470	8.7	0.41	7.9	9.6
2015	661	10.0	0.40	9.2	10.8	516	9.3	0.42	8.5	10.2
2016	644	9.7	0.39	9.0	10.5	499	9.0	0.41	8.2	9.9
2017	642	9.6	0.39	8.8	10.4	506	9.1	0.42	8.3	9.9
2018	644	9.3	0.37	8.5	10.0	498	8.7	0.40	7.9	9.5
2019	698	9.8	0.38	9.0	10.5	533	9.0	0.40	8.3	9.9
2020	580	8.1	0.35	7.4	8.8	461	7.8	0.37	7.1	8.5
2021	715	10.1	0.39	9.3	10.9	532	9.0	0.40	8.3	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Stomach										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,834	17.9	0.30	17.3	18.5	890	12.8	0.47	11.9	13.8
1986	84	18.7	2.20	14.6	23.5	13	13.5	3.94	7.0	24.7
1987	112	25.0	2.53	20.3	30.4	18	33.9	9.77	17.6	57.2
1988	113	26.5	2.67	21.6	32.2	10	16.0	5.37	7.3	29.9
1989	102	23.9	2.53	19.2	29.2	17	27.2	7.74	14.2	45.9
1990	100	22.0	2.35	17.7	27.1	16	25.4	7.57	12.8	43.7
1991	94	20.2	2.22	16.1	24.9	13	18.3	6.08	8.4	33.4
1992	97	21.6	2.37	17.2	26.7	14	23.6	7.14	11.8	40.8
1993	107	22.7	2.34	18.3	27.6	21	25.9	6.59	14.7	41.5
1994	111	21.6	2.17	17.6	26.3	12	13.0	4.65	5.6	24.8
1995	112	21.9	2.21	17.8	26.6	20	18.5	4.49	10.8	29.4
1996	114	23.4	2.35	19.0	28.4	17	17.8	4.96	9.4	29.7
1997	108	21.4	2.21	17.3	26.1	18	18.6	5.30	9.7	31.3
1998	104	21.4	2.25	17.2	26.2	21	17.7	4.27	10.3	27.9
1999	90	16.7	1.85	13.2	20.7	24	21.7	5.37	12.5	34.2
2000	103	19.4	2.03	15.6	23.7	28	20.2	4.42	12.5	30.5
2001	103	18.5	1.94	14.9	22.7	21	13.1	3.37	7.4	21.2
2002	100	17.3	1.83	13.9	21.3	26	19.0	4.29	11.5	28.9
2003	98	17.6	1.89	14.1	21.6	14	9.0	2.74	4.5	15.8
2004	100	17.8	1.91	14.3	21.9	26	15.0	3.29	9.2	22.7
2005	111	19.0	1.91	15.4	23.0	29	16.4	3.43	10.4	24.3
2006	112	17.5	1.75	14.3	21.3	24	12.5	2.87	7.5	19.3
2007	113	18.5	1.85	15.1	22.5	28	14.7	3.21	9.1	22.1
2008	116	20.1	1.98	16.4	24.3	26	13.1	2.86	8.1	19.7
2009	127	18.8	1.75	15.5	22.5	26	10.7	2.37	6.6	16.3
2010	102	15.6	1.64	12.6	19.1	32	14.7	3.02	9.4	21.6
2011	120	17.6	1.69	14.4	21.2	32	13.1	2.56	8.6	19.0
2012	89	13.4	1.51	10.6	16.7	41	15.0	2.55	10.4	20.7
2013	112	15.7	1.56	12.8	19.0	33	11.5	2.14	7.7	16.5
2014	122	16.8	1.61	13.8	20.2	23	7.6	1.70	4.6	11.6
2015	107	13.8	1.41	11.2	16.9	36	11.1	1.94	7.6	15.5
2016	110	14.9	1.49	12.2	18.1	32	9.5	1.74	6.4	13.5
2017	107	14.5	1.47	11.7	17.6	27	7.7	1.57	4.9	11.3
2018	100	12.1	1.26	9.7	14.8	37	9.5	1.62	6.6	13.2
2019	116	14.4	1.40	11.8	17.4	43	11.2	1.78	8.0	15.2
2020	84	10.3	1.18	8.2	12.9	31	7.8	1.44	5.2	11.1
2021	134	16.9	1.52	14.0	20.1	41	9.9	1.58	7.1	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Stomach										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	13,785	5.3	0.05	5.2	5.4	10,286	4.6	0.05	4.5	4.7
1986	372	6.1	0.32	5.5	6.8	292	5.3	0.32	4.7	6.0
1987	373	5.9	0.31	5.3	6.5	300	5.3	0.31	4.7	5.9
1988	342	5.5	0.30	4.9	6.1	265	4.8	0.30	4.2	5.4
1989	383	6.0	0.31	5.4	6.7	306	5.4	0.31	4.8	6.0
1990	383	5.9	0.31	5.3	6.6	322	5.6	0.32	5.0	6.3
1991	355	5.4	0.29	4.8	6.0	280	4.8	0.29	4.2	5.4
1992	378	5.7	0.30	5.2	6.4	291	5.0	0.30	4.4	5.6
1993	402	6.0	0.30	5.4	6.6	327	5.5	0.31	4.9	6.1
1994	366	5.4	0.28	4.8	6.0	290	4.8	0.29	4.3	5.4
1995	369	5.5	0.29	4.9	6.1	272	4.6	0.28	4.0	5.2
1996	365	5.3	0.28	4.8	5.9	277	4.6	0.28	4.0	5.2
1997	371	5.4	0.28	4.9	6.0	276	4.5	0.28	4.0	5.1
1998	413	5.9	0.29	5.3	6.5	304	4.9	0.29	4.4	5.5
1999	372	5.3	0.28	4.8	5.9	296	4.8	0.28	4.3	5.4
2000	362	5.1	0.27	4.6	5.7	272	4.4	0.27	3.9	5.0
2001	382	5.3	0.27	4.8	5.9	285	4.6	0.28	4.1	5.2
2002	381	5.3	0.28	4.8	5.9	286	4.7	0.28	4.1	5.3
2003	391	5.4	0.28	4.9	6.0	296	4.8	0.28	4.2	5.4
2004	353	4.9	0.26	4.4	5.5	259	4.2	0.26	3.7	4.8
2005	361	4.9	0.26	4.4	5.5	274	4.4	0.27	3.9	5.0
2006	368	5.1	0.27	4.6	5.6	260	4.2	0.27	3.7	4.8
2007	378	5.2	0.27	4.7	5.7	278	4.5	0.28	4.0	5.1
2008	376	5.1	0.27	4.6	5.7	279	4.5	0.27	4.0	5.1
2009	378	5.1	0.27	4.6	5.7	275	4.5	0.28	4.0	5.1
2010	349	4.7	0.25	4.2	5.2	254	4.1	0.26	3.6	4.6
2011	384	4.9	0.26	4.5	5.5	282	4.4	0.27	3.9	4.9
2012	340	4.4	0.24	3.9	4.9	249	3.8	0.25	3.4	4.4
2013	407	5.2	0.26	4.7	5.7	284	4.4	0.27	3.9	5.0
2014	414	5.2	0.26	4.7	5.8	297	4.6	0.27	4.0	5.1
2015	410	5.2	0.26	4.7	5.7	291	4.5	0.27	4.0	5.1
2016	422	5.2	0.26	4.7	5.7	298	4.6	0.27	4.0	5.1
2017	432	5.3	0.26	4.8	5.9	297	4.5	0.27	4.0	5.1
2018	426	5.2	0.26	4.7	5.7	312	4.7	0.28	4.2	5.3
2019	427	5.2	0.26	4.7	5.8	305	4.7	0.28	4.2	5.3
2020	388	4.6	0.24	4.1	5.1	287	4.3	0.26	3.8	4.9
2021	412	5.0	0.25	4.5	5.5	268	4.1	0.26	3.6	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Stomach										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,809	9.0	0.17	8.7	9.3	621	7.4	0.31	6.8	8.1
1986	65	11.0	1.40	8.5	14.1	14	25.6	7.85	12.6	44.5
1987	70	11.6	1.42	9.0	14.7	3	2.1	1.28	0.4	7.6
1988	69	11.6	1.42	9.0	14.7	8	10.0	3.62	4.2	19.7
1989	67	10.5	1.31	8.1	13.4	9	11.1	4.48	4.2	22.7
1990	55	8.3	1.15	6.2	10.8	6	7.6	3.73	2.1	17.7
1991	65	10.4	1.30	8.0	13.3	9	11.5	4.61	4.3	23.2
1992	78	11.0	1.26	8.6	13.7	8	8.6	3.51	3.2	17.8
1993	59	8.6	1.14	6.5	11.1	14	12.7	3.82	6.4	22.2
1994	67	9.3	1.15	7.2	11.8	9	7.1	2.43	3.2	13.6
1995	77	10.1	1.17	8.0	12.7	20	15.6	3.78	9.1	24.7
1996	77	10.5	1.21	8.3	13.2	11	8.6	2.75	4.0	15.5
1997	72	9.5	1.13	7.4	11.9	23	13.6	3.07	8.3	21.0
1998	94	12.5	1.30	10.1	15.3	14	8.8	2.58	4.5	15.2
1999	63	8.1	1.03	6.2	10.3	13	8.0	2.34	4.1	13.8
2000	77	9.5	1.10	7.5	11.9	13	7.3	2.22	3.6	12.9
2001	77	9.8	1.13	7.7	12.3	20	11.8	2.83	6.9	18.5
2002	69	8.5	1.03	6.6	10.7	25	15.1	3.24	9.4	22.6
2003	70	8.4	1.01	6.5	10.6	24	13.2	2.83	8.2	19.7
2004	78	9.2	1.05	7.3	11.5	16	7.4	1.93	4.1	12.1
2005	72	8.4	1.00	6.6	10.6	14	6.9	1.96	3.6	11.7
2006	84	9.4	1.03	7.5	11.6	22	9.9	2.19	6.1	15.1
2007	75	8.4	0.97	6.6	10.5	23	9.3	2.04	5.7	14.1
2008	78	8.4	0.96	6.6	10.5	18	6.8	1.70	3.9	10.9
2009	87	9.0	0.98	7.2	11.2	15	6.1	1.66	3.3	10.2
2010	72	7.6	0.91	5.9	9.6	22	8.6	1.92	5.2	13.1
2011	83	8.2	0.91	6.5	10.2	17	5.6	1.41	3.1	9.0
2012	71	7.0	0.85	5.5	8.9	16	4.9	1.29	2.8	8.1
2013	92	8.8	0.93	7.1	10.8	26	8.2	1.66	5.3	12.1
2014	92	8.7	0.92	7.0	10.7	24	6.7	1.41	4.2	10.0
2015	88	8.2	0.88	6.5	10.1	27	7.1	1.42	4.6	10.5
2016	107	9.7	0.95	7.9	11.7	16	3.9	1.01	2.2	6.5
2017	105	9.6	0.95	7.8	11.7	27	6.2	1.21	4.0	9.0
2018	83	7.4	0.82	5.9	9.2	22	5.0	1.08	3.1	7.6
2019	88	7.9	0.86	6.3	9.8	25	5.6	1.14	3.6	8.3
2020	72	5.9	0.71	4.6	7.5	22	4.6	1.00	2.9	7.1
2021	111	9.5	0.92	7.8	11.5	26	5.3	1.05	3.4	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Small Intestine										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	9,883	2.2	0.02	2.1	2.2	7,710	2.0	0.02	1.9	2.0
1986	128	1.2	0.11	1.0	1.5	104	1.1	0.11	0.9	1.4
1987	122	1.2	0.11	1.0	1.4	101	1.1	0.11	0.9	1.3
1988	135	1.2	0.11	1.0	1.5	112	1.2	0.11	1.0	1.4
1989	145	1.3	0.11	1.1	1.6	123	1.3	0.12	1.1	1.5
1990	140	1.3	0.11	1.1	1.6	118	1.3	0.12	1.1	1.5
1991	145	1.3	0.11	1.1	1.5	114	1.2	0.11	1.0	1.4
1992	156	1.4	0.11	1.2	1.6	126	1.3	0.12	1.1	1.6
1993	182	1.6	0.12	1.4	1.9	155	1.6	0.13	1.3	1.9
1994	172	1.5	0.12	1.3	1.8	141	1.4	0.12	1.2	1.7
1995	165	1.4	0.11	1.2	1.7	129	1.3	0.11	1.1	1.5
1996	184	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1997	185	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1998	216	1.8	0.13	1.6	2.1	178	1.8	0.13	1.5	2.1
1999	212	1.8	0.12	1.6	2.0	171	1.7	0.13	1.4	2.0
2000	212	1.8	0.12	1.5	2.0	174	1.7	0.13	1.5	2.0
2001	237	2.0	0.13	1.7	2.2	188	1.8	0.13	1.6	2.1
2002	269	2.2	0.13	1.9	2.5	211	2.0	0.14	1.8	2.3
2003	211	1.7	0.12	1.5	2.0	164	1.6	0.12	1.3	1.8
2004	249	2.0	0.13	1.8	2.3	195	1.8	0.13	1.6	2.1
2005	281	2.2	0.13	2.0	2.5	226	2.1	0.14	1.8	2.4
2006	262	2.1	0.13	1.8	2.3	199	1.9	0.13	1.6	2.1
2007	307	2.4	0.14	2.1	2.6	243	2.2	0.14	1.9	2.5
2008	312	2.4	0.14	2.1	2.7	235	2.1	0.14	1.9	2.4
2009	349	2.6	0.14	2.3	2.9	272	2.4	0.15	2.2	2.7
2010	347	2.6	0.14	2.3	2.9	260	2.3	0.15	2.1	2.6
2011	359	2.6	0.14	2.3	2.9	275	2.4	0.15	2.1	2.7
2012	392	2.7	0.14	2.5	3.0	309	2.6	0.15	2.3	2.9
2013	384	2.7	0.14	2.4	3.0	300	2.5	0.15	2.3	2.8
2014	380	2.7	0.14	2.4	2.9	293	2.5	0.15	2.2	2.8
2015	427	2.9	0.14	2.6	3.2	338	2.8	0.15	2.5	3.1
2016	413	2.8	0.14	2.5	3.1	314	2.6	0.15	2.3	2.9
2017	415	2.8	0.14	2.5	3.1	316	2.6	0.15	2.3	2.9
2018	465	3.1	0.15	2.8	3.4	358	2.9	0.16	2.6	3.2
2019	421	2.8	0.14	2.5	3.0	309	2.5	0.14	2.2	2.8
2020	416	2.7	0.14	2.4	3.0	309	2.5	0.14	2.2	2.8
2021	488	3.2	0.15	2.9	3.5	362	2.9	0.16	2.6	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Small Intestine										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,872	3.4	0.08	3.2	3.5	234	1.5	0.10	1.3	1.7
1986	22	2.0	0.44	1.3	3.0	1	0.3	0.32	0.0	3.2
1987	19	1.7	0.39	1.0	2.6	2	1.4	1.00	0.2	5.1
1988	21	1.9	0.42	1.1	2.9	1	1.1	1.09	0.0	5.0
1989	20	1.6	0.37	1.0	2.5	2	1.3	0.92	0.2	4.6
1990	21	1.7	0.38	1.1	2.6	1	1.0	0.99	0.0	4.6
1991	30	2.4	0.45	1.6	3.5	1	0.4	0.39	0.0	2.7
1992	28	2.0	0.38	1.3	2.9	2	0.7	0.47	0.1	2.9
1993	25	1.9	0.38	1.2	2.8	2	0.5	0.38	0.1	2.5
1994	26	2.0	0.40	1.3	2.9	5	2.9	1.35	0.9	6.6
1995	34	2.7	0.48	1.9	3.8	2	0.7	0.50	0.1	2.7
1996	37	2.6	0.44	1.8	3.7	3	0.7	0.42	0.2	2.5
1997	39	2.8	0.46	2.0	3.8	2	0.8	0.63	0.1	3.0
1998	36	2.6	0.44	1.8	3.6	1	0.2	0.22	0.0	1.6
1999	33	2.3	0.41	1.6	3.3	7	2.2	0.92	0.8	4.8
2000	34	2.4	0.42	1.7	3.4	3	0.8	0.45	0.2	2.3
2001	44	3.1	0.47	2.2	4.1	4	1.4	0.71	0.4	3.5
2002	52	3.5	0.49	2.6	4.6	4	1.2	0.62	0.3	3.0
2003	41	2.8	0.44	2.0	3.7	4	1.0	0.54	0.2	2.6
2004	46	3.2	0.48	2.3	4.2	8	2.5	0.94	1.0	4.9
2005	48	3.1	0.46	2.3	4.2	7	1.2	0.47	0.5	2.6
2006	48	3.1	0.46	2.3	4.1	12	2.3	0.69	1.1	4.1
2007	58	3.5	0.47	2.6	4.5	5	1.2	0.56	0.3	2.7
2008	69	4.3	0.53	3.4	5.5	7	1.0	0.39	0.4	2.2
2009	68	4.1	0.51	3.2	5.2	6	1.6	0.67	0.6	3.4
2010	74	4.4	0.53	3.4	5.6	11	1.7	0.56	0.8	3.2
2011	66	3.7	0.46	2.8	4.7	15	2.6	0.71	1.4	4.4
2012	70	3.9	0.48	3.1	5.0	12	1.9	0.58	0.9	3.4
2013	79	4.2	0.49	3.3	5.3	3	0.6	0.35	0.1	1.7
2014	76	4.1	0.49	3.2	5.2	5	0.6	0.27	0.2	1.4
2015	77	4.1	0.48	3.2	5.2	9	1.2	0.41	0.5	2.3
2016	85	4.4	0.49	3.5	5.5	8	1.1	0.40	0.5	2.2
2017	88	4.6	0.50	3.7	5.7	11	1.5	0.46	0.7	2.7
2018	91	4.6	0.50	3.7	5.7	12	1.4	0.41	0.7	2.5
2019	85	4.3	0.47	3.4	5.3	21	2.5	0.54	1.5	3.8
2020	85	4.3	0.48	3.4	5.3	14	1.5	0.40	0.8	2.5
2021	97	4.9	0.51	3.9	6.0	21	2.3	0.50	1.4	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Small Intestine										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	5,166	2.6	0.04	2.5	2.6	4,078	2.4	0.04	2.3	2.5
1986	69	1.7	0.21	1.3	2.2	56	1.6	0.22	1.2	2.1
1987	75	1.7	0.20	1.3	2.2	62	1.6	0.21	1.2	2.1
1988	66	1.4	0.18	1.1	1.8	56	1.4	0.19	1.0	1.8
1989	73	1.5	0.18	1.2	1.9	61	1.5	0.19	1.1	1.9
1990	74	1.6	0.20	1.3	2.1	67	1.7	0.21	1.3	2.2
1991	72	1.6	0.19	1.2	2.0	58	1.4	0.19	1.1	1.9
1992	76	1.6	0.18	1.2	2.0	62	1.5	0.19	1.1	1.9
1993	99	2.1	0.21	1.7	2.5	85	2.1	0.23	1.6	2.6
1994	81	1.7	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1995	92	1.9	0.20	1.5	2.3	72	1.7	0.20	1.3	2.1
1996	93	1.9	0.20	1.5	2.4	71	1.7	0.21	1.3	2.2
1997	87	1.7	0.19	1.4	2.1	69	1.6	0.19	1.2	2.0
1998	118	2.3	0.21	1.9	2.8	91	2.1	0.22	1.7	2.5
1999	116	2.2	0.21	1.9	2.7	92	2.1	0.22	1.7	2.5
2000	107	2.1	0.21	1.7	2.6	84	2.0	0.22	1.6	2.4
2001	124	2.4	0.22	2.0	2.9	99	2.3	0.23	1.8	2.8
2002	135	2.5	0.22	2.1	3.0	108	2.4	0.23	1.9	2.8
2003	121	2.3	0.21	1.9	2.8	92	2.1	0.22	1.7	2.5
2004	139	2.5	0.22	2.1	3.0	110	2.3	0.22	1.9	2.8
2005	151	2.7	0.22	2.3	3.2	125	2.6	0.24	2.2	3.1
2006	136	2.4	0.21	2.0	2.9	111	2.3	0.22	1.9	2.8
2007	148	2.5	0.21	2.1	3.0	120	2.4	0.23	2.0	2.9
2008	152	2.6	0.22	2.2	3.1	115	2.3	0.22	1.9	2.8
2009	188	3.1	0.23	2.7	3.6	149	2.9	0.24	2.5	3.4
2010	185	3.1	0.23	2.7	3.6	142	2.9	0.25	2.4	3.4
2011	177	2.8	0.22	2.4	3.3	144	2.7	0.23	2.3	3.2
2012	219	3.5	0.24	3.0	4.0	169	3.2	0.25	2.7	3.7
2013	177	2.7	0.21	2.3	3.2	139	2.5	0.22	2.1	3.0
2014	194	3.0	0.22	2.6	3.4	146	2.7	0.23	2.3	3.2
2015	233	3.5	0.24	3.1	4.0	193	3.5	0.26	3.0	4.0
2016	230	3.3	0.23	2.9	3.8	178	3.1	0.24	2.7	3.7
2017	225	3.3	0.22	2.8	3.7	177	3.1	0.24	2.6	3.6
2018	245	3.6	0.23	3.1	4.1	193	3.4	0.25	2.9	3.9
2019	219	3.1	0.21	2.7	3.5	160	2.7	0.22	2.3	3.2
2020	233	3.2	0.21	2.8	3.6	173	2.9	0.22	2.4	3.4
2021	237	3.4	0.23	3.0	3.9	180	3.2	0.24	2.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Small Intestine										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	918	3.9	0.14	3.7	4.2	129	1.9	0.18	1.6	2.3
1986	11	2.3	0.73	1.1	4.2	1	0.7	0.68	0.0	7.5
1987	12	2.6	0.80	1.3	4.6	1	1.9	1.94	0.1	10.1
1988	8	1.5	0.54	0.6	3.0	1	2.7	2.65	0.1	12.0
1989	11	1.7	0.52	0.8	3.1	1	1.8	1.78	0.1	9.1
1990	7	1.4	0.54	0.5	2.9	0				
1991	14	3.0	0.85	1.6	5.1	0				
1992	13	1.9	0.56	1.0	3.4	1	0.6	0.62	0.0	5.4
1993	13	2.4	0.66	1.2	4.0	1	0.6	0.56	0.0	5.0
1994	10	1.8	0.60	0.8	3.4	2	3.0	2.32	0.3	10.3
1995	19	4.1	1.01	2.3	6.4	1	0.6	0.61	0.0	4.7
1996	20	3.2	0.74	2.0	5.0	2	1.1	0.75	0.1	5.0
1997	16	2.6	0.66	1.5	4.3	2	1.9	1.52	0.2	7.2
1998	26	4.5	0.90	2.9	6.6	0				
1999	20	3.5	0.83	2.1	5.5	3	1.4	0.80	0.3	4.9
2000	20	3.4	0.79	2.1	5.3	2	1.1	0.81	0.1	4.5
2001	23	4.2	0.91	2.6	6.3	2	2.0	1.40	0.2	6.5
2002	21	3.5	0.81	2.1	5.4	4	2.7	1.47	0.6	7.1
2003	25	3.9	0.83	2.5	5.9	2	0.8	0.56	0.1	3.4
2004	28	5.0	0.99	3.2	7.2	1	0.4	0.37	0.0	2.7
2005	22	3.5	0.78	2.1	5.3	4	1.4	0.71	0.4	4.0
2006	19	3.0	0.72	1.7	4.7	5	1.9	0.90	0.6	4.8
2007	24	3.3	0.69	2.1	5.0	3	1.5	0.93	0.2	4.4
2008	33	5.0	0.90	3.4	7.1	4	1.2	0.62	0.3	3.5
2009	33	5.0	0.91	3.4	7.1	5	2.8	1.32	0.9	6.5
2010	36	5.3	0.93	3.6	7.4	5	2.1	1.13	0.5	5.4
2011	23	2.9	0.63	1.8	4.4	9	3.4	1.20	1.5	6.6
2012	42	5.9	0.95	4.2	8.0	7	2.5	1.07	0.9	5.4
2013	35	4.7	0.82	3.2	6.5	2	0.7	0.55	0.1	2.6
2014	43	5.6	0.88	4.0	7.6	2	0.5	0.35	0.1	2.0
2015	33	4.1	0.75	2.8	5.9	4	1.3	0.67	0.3	3.3
2016	42	5.2	0.84	3.6	7.1	7	2.1	0.84	0.8	4.4
2017	40	5.0	0.81	3.5	6.8	8	2.6	0.92	1.1	5.0
2018	43	5.1	0.81	3.6	6.9	7	1.9	0.78	0.7	4.1
2019	44	5.0	0.77	3.6	6.7	12	3.3	0.99	1.7	5.8
2020	49	5.6	0.82	4.1	7.4	6	1.5	0.65	0.5	3.4
2021	40	4.7	0.78	3.3	6.5	12	3.0	0.89	1.5	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Small Intestine										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,717	1.9	0.03	1.8	1.9	3,632	1.7	0.03	1.6	1.8
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	47	0.8	0.11	0.6	1.0	39	0.7	0.12	0.5	1.0
1988	69	1.1	0.14	0.9	1.4	56	1.0	0.14	0.8	1.4
1989	72	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1990	66	1.1	0.14	0.8	1.4	51	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1992	80	1.3	0.15	1.0	1.6	64	1.2	0.15	0.9	1.5
1993	83	1.3	0.15	1.0	1.6	70	1.3	0.15	1.0	1.6
1994	91	1.4	0.15	1.1	1.7	72	1.2	0.15	1.0	1.6
1995	73	1.1	0.13	0.9	1.4	57	1.0	0.14	0.8	1.3
1996	91	1.4	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1997	98	1.5	0.15	1.2	1.8	75	1.3	0.15	1.0	1.6
1998	98	1.5	0.15	1.2	1.8	87	1.5	0.16	1.2	1.9
1999	96	1.4	0.14	1.1	1.7	79	1.3	0.15	1.1	1.7
2000	105	1.6	0.15	1.3	1.9	90	1.6	0.17	1.3	2.0
2001	113	1.7	0.16	1.4	2.0	89	1.6	0.17	1.2	1.9
2002	134	2.0	0.17	1.6	2.3	103	1.8	0.18	1.5	2.2
2003	90	1.3	0.14	1.0	1.6	72	1.2	0.14	0.9	1.5
2004	110	1.6	0.15	1.3	1.9	85	1.4	0.16	1.1	1.8
2005	130	1.8	0.16	1.5	2.1	101	1.7	0.17	1.4	2.0
2006	126	1.8	0.16	1.5	2.2	88	1.5	0.16	1.2	1.9
2007	159	2.2	0.18	1.9	2.6	123	2.1	0.19	1.7	2.5
2008	160	2.2	0.18	1.9	2.6	120	2.0	0.19	1.7	2.4
2009	161	2.2	0.17	1.8	2.5	123	2.0	0.18	1.7	2.4
2010	162	2.1	0.17	1.8	2.5	118	1.9	0.18	1.5	2.2
2011	182	2.4	0.18	2.1	2.8	131	2.1	0.19	1.8	2.6
2012	173	2.2	0.17	1.8	2.5	140	2.1	0.19	1.8	2.5
2013	207	2.7	0.19	2.3	3.1	161	2.5	0.21	2.2	3.0
2014	186	2.4	0.18	2.1	2.8	147	2.4	0.20	2.0	2.8
2015	194	2.4	0.18	2.1	2.8	145	2.1	0.18	1.8	2.5
2016	183	2.3	0.17	2.0	2.7	136	2.1	0.18	1.7	2.5
2017	190	2.4	0.18	2.1	2.8	139	2.2	0.19	1.8	2.6
2018	220	2.7	0.19	2.4	3.1	165	2.5	0.20	2.1	2.9
2019	202	2.5	0.18	2.1	2.9	149	2.3	0.19	1.9	2.7
2020	183	2.3	0.17	1.9	2.6	136	2.1	0.19	1.7	2.5
2021	251	3.1	0.20	2.7	3.5	182	2.8	0.22	2.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Small Intestine										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	954	2.9	0.10	2.8	3.1	105	1.1	0.11	0.9	1.4
1986	11	1.8	0.53	0.9	3.1	0				
1987	7	1.0	0.38	0.4	2.1	1	1.0	1.01	0.0	6.4
1988	13	2.0	0.57	1.1	3.5	0				
1989	9	1.4	0.48	0.7	2.7	1	1.0	0.97	0.0	5.9
1990	14	2.0	0.54	1.1	3.4	1	1.7	1.66	0.0	7.8
1991	16	2.1	0.54	1.2	3.5	1	0.8	0.79	0.0	5.0
1992	15	2.0	0.51	1.1	3.2	1	0.7	0.72	0.0	4.6
1993	12	1.6	0.46	0.8	2.8	1	0.5	0.50	0.0	3.9
1994	16	2.1	0.53	1.2	3.4	3	2.8	1.67	0.6	8.0
1995	15	2.0	0.52	1.1	3.3	1	0.7	0.71	0.0	4.0
1996	17	2.1	0.52	1.2	3.4	1	0.4	0.43	0.0	3.1
1997	23	2.9	0.60	1.8	4.3	0				
1998	10	1.2	0.39	0.6	2.2	1	0.4	0.41	0.0	2.9
1999	13	1.6	0.44	0.8	2.7	4	2.7	1.43	0.7	6.9
2000	14	1.7	0.45	0.9	2.8	1	0.5	0.46	0.0	2.8
2001	21	2.4	0.53	1.5	3.7	2	1.1	0.75	0.1	3.7
2002	31	3.5	0.64	2.4	5.0	0				
2003	16	1.9	0.47	1.1	3.0	2	1.0	0.77	0.1	3.7
2004	18	2.0	0.48	1.2	3.2	7	3.9	1.53	1.5	7.9
2005	26	2.9	0.57	1.9	4.2	3	1.0	0.60	0.2	3.2
2006	29	3.2	0.60	2.1	4.6	7	2.6	1.00	1.0	5.4
2007	34	3.5	0.61	2.4	5.0	2	0.9	0.68	0.1	3.2
2008	36	3.8	0.65	2.7	5.3	3	0.8	0.48	0.2	2.6
2009	35	3.6	0.61	2.5	5.0	1	0.6	0.56	0.0	2.6
2010	38	3.8	0.63	2.7	5.3	6	1.6	0.65	0.6	3.6
2011	43	4.2	0.65	3.0	5.6	6	1.9	0.79	0.7	4.1
2012	28	2.6	0.50	1.7	3.8	5	1.4	0.67	0.4	3.4
2013	44	4.0	0.61	2.9	5.4	1	0.4	0.42	0.0	2.0
2014	33	3.1	0.55	2.1	4.4	3	0.7	0.40	0.1	2.1
2015	44	4.1	0.63	3.0	5.6	5	1.1	0.51	0.4	2.7
2016	43	4.0	0.62	2.9	5.4	1	0.3	0.25	0.0	1.4
2017	48	4.5	0.66	3.3	5.9	3	0.6	0.35	0.1	1.9
2018	48	4.2	0.62	3.1	5.6	5	1.1	0.48	0.3	2.5
2019	41	3.6	0.58	2.6	5.0	9	1.8	0.60	0.8	3.5
2020	36	3.3	0.57	2.3	4.7	8	1.5	0.54	0.6	3.0
2021	57	5.1	0.69	3.8	6.6	9	1.7	0.57	0.8	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon and Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	238,263	51.8	0.11	51.6	52.0	200,441	51.2	0.11	51.0	51.4
1986	6,475	61.7	0.78	60.2	63.3	5,793	61.9	0.82	60.3	63.5
1987	6,703	63.1	0.78	61.6	64.7	6,010	63.6	0.83	62.0	65.3
1988	6,651	62.3	0.77	60.8	63.8	5,871	61.8	0.82	60.3	63.5
1989	6,403	59.6	0.75	58.1	61.1	5,678	59.5	0.80	57.9	61.1
1990	6,635	61.2	0.76	59.7	62.7	5,879	61.1	0.80	59.5	62.7
1991	6,572	59.8	0.74	58.4	61.3	5,829	59.9	0.79	58.4	61.5
1992	6,568	59.0	0.73	57.5	60.4	5,856	59.5	0.78	58.0	61.1
1993	6,594	58.4	0.72	57.0	59.9	5,777	58.1	0.77	56.6	59.6
1994	6,831	60.0	0.73	58.6	61.5	5,988	59.8	0.78	58.3	61.3
1995	6,710	58.5	0.72	57.2	60.0	5,802	57.8	0.76	56.3	59.3
1996	6,804	58.9	0.72	57.5	60.3	5,890	58.3	0.76	56.8	59.8
1997	7,051	60.5	0.72	59.1	62.0	6,070	59.7	0.77	58.2	61.2
1998	7,374	62.6	0.73	61.2	64.0	6,312	61.6	0.78	60.0	63.1
1999	7,186	60.4	0.71	59.0	61.8	6,189	60.0	0.76	58.5	61.5
2000	7,330	61.1	0.71	59.7	62.5	6,262	60.4	0.76	58.9	61.9
2001	7,081	58.5	0.70	57.2	59.9	6,005	57.5	0.74	56.1	59.0
2002	7,279	59.7	0.70	58.3	61.1	6,124	58.4	0.75	56.9	59.9
2003	7,092	57.4	0.68	56.1	58.8	5,894	55.7	0.73	54.3	57.1
2004	7,197	57.8	0.68	56.4	59.1	6,031	56.7	0.73	55.3	58.1
2005	6,979	55.3	0.67	54.0	56.6	5,802	54.0	0.71	52.6	55.4
2006	7,045	55.2	0.66	53.9	56.5	5,804	53.5	0.71	52.1	54.9
2007	6,831	52.8	0.64	51.5	54.0	5,647	51.5	0.69	50.2	52.9
2008	6,718	51.0	0.63	49.8	52.2	5,502	49.5	0.67	48.2	50.9
2009	6,302	47.2	0.60	46.0	48.4	5,168	46.0	0.65	44.8	47.3
2010	6,364	46.8	0.59	45.7	48.0	5,160	45.3	0.64	44.0	46.6
2011	6,448	46.8	0.59	45.6	47.9	5,199	45.2	0.64	44.0	46.5
2012	6,185	44.0	0.57	42.9	45.1	4,992	42.6	0.61	41.4	43.8
2013	6,231	43.5	0.56	42.4	44.6	5,006	42.2	0.61	41.0	43.4
2014	6,220	42.7	0.55	41.6	43.8	4,995	41.5	0.60	40.3	42.6
2015	6,288	42.9	0.55	41.8	44.0	5,094	42.3	0.61	41.1	43.5
2016	6,477	43.8	0.56	42.7	44.9	5,192	42.8	0.61	41.6	44.0
2017	6,153	41.0	0.53	39.9	42.0	4,968	40.6	0.59	39.4	41.8
2018	6,244	41.3	0.53	40.2	42.3	4,967	40.3	0.59	39.2	41.5
2019	6,024	39.2	0.52	38.2	40.3	4,786	38.4	0.57	37.3	39.5
2020	5,340	34.7	0.49	33.8	35.7	4,289	34.4	0.54	33.3	35.4
2021	5,878	38.2	0.51	37.2	39.2	4,610	36.9	0.56	35.8	38.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon and Rectum										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	31,811	58.8	0.34	58.2	59.5	4,825	30.2	0.46	29.3	31.1
1986	636	60.7	2.50	55.9	65.8	41	33.2	6.23	22.2	47.3
1987	643	59.5	2.43	54.9	64.4	46	35.3	5.80	24.8	48.2
1988	715	65.8	2.54	60.9	71.0	52	42.5	6.69	30.4	57.2
1989	666	60.6	2.42	55.9	65.5	49	32.5	5.30	23.0	44.3
1990	700	63.6	2.48	58.8	68.6	50	36.1	5.82	25.6	48.9
1991	673	59.2	2.35	54.7	64.0	47	28.6	4.53	20.4	38.6
1992	639	54.2	2.21	50.0	58.7	56	32.5	4.94	23.6	43.4
1993	737	63.1	2.39	58.5	67.9	72	36.3	4.81	27.5	46.8
1994	759	63.3	2.36	58.8	68.1	72	33.6	4.43	25.5	43.3
1995	804	65.5	2.37	60.9	70.3	90	41.2	4.83	32.3	51.6
1996	802	64.2	2.32	59.8	68.9	102	45.4	5.08	36.0	56.3
1997	876	69.6	2.40	64.9	74.4	90	34.5	4.04	27.1	43.2
1998	944	73.3	2.44	68.6	78.2	96	38.3	4.38	30.2	47.7
1999	863	64.3	2.23	60.0	68.8	111	40.9	4.39	32.7	50.2
2000	922	67.4	2.26	63.0	71.9	122	41.0	4.10	33.3	49.7
2001	938	68.0	2.27	63.6	72.6	111	33.0	3.43	26.6	40.3
2002	998	71.3	2.30	66.8	75.9	124	38.8	3.78	31.7	46.8
2003	1,037	72.4	2.30	68.0	77.1	124	33.8	3.28	27.7	40.8
2004	1,020	69.0	2.20	64.7	73.4	121	31.3	3.10	25.6	37.9
2005	986	66.0	2.14	61.8	70.3	153	36.2	3.16	30.3	42.9
2006	1,040	67.9	2.15	63.7	72.2	165	36.8	3.09	31.0	43.4
2007	990	63.0	2.05	59.1	67.2	162	34.9	2.97	29.3	41.1
2008	1,013	63.4	2.04	59.4	67.5	168	33.6	2.81	28.3	39.5
2009	955	58.1	1.93	54.4	62.0	137	27.3	2.53	22.6	32.7
2010	999	60.2	1.95	56.5	64.2	169	32.3	2.67	27.3	37.9
2011	1,050	60.4	1.91	56.7	64.2	161	28.2	2.38	23.8	33.2
2012	950	54.5	1.81	51.0	58.2	206	33.8	2.49	29.1	39.0
2013	995	54.9	1.78	51.5	58.5	190	27.8	2.14	23.8	32.3
2014	978	53.3	1.75	49.9	56.8	180	26.1	2.03	22.2	30.3
2015	941	49.8	1.67	46.6	53.2	210	28.3	2.04	24.5	32.6
2016	1,008	52.8	1.71	49.5	56.3	228	29.0	1.97	25.2	33.1
2017	922	47.2	1.60	44.2	50.5	225	27.9	1.91	24.3	31.9
2018	982	50.1	1.64	46.9	53.4	225	26.7	1.82	23.3	30.5
2019	927	46.4	1.56	43.4	49.5	234	26.1	1.73	22.8	29.7
2020	778	38.7	1.42	36.0	41.6	185	20.3	1.51	17.4	23.5
2021	925	46.2	1.56	43.2	49.4	251	27.0	1.72	23.8	30.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon and Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	120,652	61.2	0.18	60.8	61.5	102,009	60.6	0.19	60.2	60.9
1986	3,177	75.1	1.39	72.4	77.9	2,872	76.2	1.48	73.3	79.2
1987	3,289	76.6	1.39	73.9	79.3	2,958	77.4	1.48	74.6	80.4
1988	3,282	76.3	1.39	73.6	79.1	2,909	76.2	1.47	73.3	79.1
1989	3,128	72.0	1.34	69.4	74.6	2,787	72.2	1.42	69.5	75.0
1990	3,265	74.4	1.35	71.8	77.1	2,899	74.4	1.43	71.7	77.3
1991	3,281	73.9	1.33	71.3	76.5	2,938	74.8	1.42	72.1	77.7
1992	3,343	74.2	1.32	71.7	76.9	2,990	75.2	1.41	72.5	78.1
1993	3,241	70.8	1.28	68.3	73.4	2,843	70.5	1.36	67.8	73.2
1994	3,254	70.4	1.27	67.9	72.9	2,874	70.5	1.35	67.9	73.2
1995	3,261	70.1	1.26	67.7	72.6	2,820	69.2	1.33	66.6	71.9
1996	3,289	69.9	1.24	67.5	72.4	2,863	69.7	1.33	67.1	72.3
1997	3,479	73.0	1.26	70.5	75.5	3,011	72.4	1.34	69.8	75.1
1998	3,617	74.9	1.27	72.5	77.5	3,118	74.1	1.34	71.5	76.8
1999	3,606	73.7	1.25	71.3	76.2	3,126	73.5	1.33	70.9	76.2
2000	3,693	74.2	1.24	71.8	76.6	3,169	73.5	1.32	71.0	76.2
2001	3,530	70.6	1.21	68.3	73.0	3,027	70.1	1.29	67.6	72.7
2002	3,675	72.0	1.21	69.7	74.4	3,127	71.1	1.28	68.6	73.6
2003	3,634	70.0	1.18	67.7	72.4	3,054	68.6	1.25	66.1	71.1
2004	3,618	68.6	1.16	66.3	70.9	3,048	67.5	1.24	65.1	70.0
2005	3,510	65.3	1.12	63.1	67.5	2,934	63.8	1.19	61.5	66.2
2006	3,535	64.6	1.11	62.5	66.8	2,925	62.8	1.18	60.5	65.1
2007	3,468	62.3	1.08	60.2	64.4	2,881	60.8	1.15	58.6	63.1
2008	3,421	60.0	1.04	57.9	62.0	2,794	57.8	1.11	55.7	60.0
2009	3,213	55.2	0.99	53.3	57.2	2,619	53.2	1.06	51.2	55.3
2010	3,329	56.0	0.99	54.1	58.0	2,734	54.4	1.06	52.3	56.5
2011	3,325	54.6	0.97	52.7	56.5	2,715	53.2	1.04	51.2	55.3
2012	3,245	52.2	0.94	50.4	54.1	2,646	50.6	1.01	48.7	52.6
2013	3,246	50.9	0.92	49.1	52.7	2,614	49.1	0.98	47.2	51.1
2014	3,266	50.0	0.90	48.3	51.8	2,634	48.4	0.97	46.5	50.3
2015	3,353	50.7	0.90	48.9	52.5	2,740	49.8	0.98	47.9	51.8
2016	3,350	49.7	0.88	48.0	51.4	2,713	48.5	0.96	46.6	50.4
2017	3,246	47.5	0.86	45.9	49.3	2,646	46.9	0.94	45.1	48.8
2018	3,240	46.8	0.84	45.1	48.5	2,599	45.6	0.92	43.8	47.5
2019	3,200	45.4	0.82	43.8	47.0	2,560	44.2	0.90	42.4	46.0
2020	2,897	40.9	0.78	39.3	42.4	2,344	40.2	0.85	38.5	41.9
2021	3,146	44.2	0.81	42.6	45.8	2,478	42.4	0.88	40.7	44.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon and Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	15,337	69.8	0.59	68.6	71.0	2,642	36.5	0.77	35.1	38.1
1986	283	66.6	4.27	58.5	75.5	21	36.2	9.42	20.2	58.7
1987	304	70.6	4.35	62.3	79.5	26	43.9	9.94	26.6	67.0
1988	337	78.3	4.57	69.6	87.6	31	58.9	12.09	37.6	86.3
1989	315	72.8	4.40	64.4	81.9	20	37.2	9.24	21.4	58.8
1990	330	76.0	4.48	67.5	85.2	33	54.6	11.25	34.8	80.1
1991	312	68.1	4.12	60.3	76.6	19	27.5	6.83	15.8	43.8
1992	312	67.9	4.12	60.0	76.3	33	39.6	7.91	25.7	57.8
1993	356	76.3	4.34	68.0	85.2	39	44.5	8.24	29.8	63.1
1994	341	73.4	4.26	65.3	82.2	34	32.9	6.31	21.7	47.4
1995	386	79.8	4.33	71.6	88.7	45	45.4	7.50	31.9	62.2
1996	361	70.0	3.90	62.6	78.0	60	57.6	8.87	41.6	77.2
1997	405	78.7	4.16	70.7	87.2	54	53.0	8.47	37.7	71.7
1998	444	85.8	4.32	77.6	94.7	47	43.6	7.66	29.9	60.7
1999	403	76.5	4.04	68.8	84.7	61	53.5	8.54	38.1	72.3
2000	447	81.9	4.09	74.1	90.2	64	45.6	6.64	33.6	60.2
2001	425	76.1	3.90	68.7	84.1	63	42.3	6.13	31.2	55.8
2002	467	84.5	4.15	76.6	93.0	64	48.5	6.90	35.9	63.6
2003	497	85.7	4.07	77.9	94.0	62	39.9	5.83	29.3	52.7
2004	489	81.2	3.88	73.8	89.2	67	41.7	5.83	31.1	54.5
2005	470	79.3	3.88	71.9	87.2	84	44.0	5.43	34.0	55.8
2006	507	81.6	3.82	74.3	89.4	85	43.9	5.35	34.0	55.4
2007	476	74.7	3.62	67.8	82.1	89	43.9	5.26	34.2	55.2
2008	503	77.5	3.66	70.5	85.0	100	46.0	5.22	36.4	57.3
2009	499	74.9	3.55	68.1	82.2	72	31.2	4.13	23.7	40.2
2010	488	72.0	3.44	65.4	79.0	89	39.3	4.62	30.8	49.3
2011	506	69.4	3.25	63.2	76.0	82	32.0	3.92	24.8	40.5
2012	460	65.0	3.19	58.9	71.5	117	41.5	4.14	33.8	50.4
2013	498	66.7	3.15	60.6	73.1	105	33.3	3.54	26.7	40.9
2014	502	66.4	3.12	60.4	72.8	98	30.1	3.25	24.1	37.1
2015	465	60.5	2.96	54.8	66.6	124	36.2	3.44	29.8	43.6
2016	489	62.1	2.95	56.4	68.1	126	35.1	3.27	29.0	42.1
2017	448	56.5	2.80	51.2	62.3	126	34.9	3.24	28.9	41.9
2018	465	56.6	2.73	51.4	62.2	133	33.5	3.01	27.9	40.0
2019	467	55.7	2.69	50.6	61.3	133	31.3	2.77	26.1	37.2
2020	411	49.0	2.52	44.2	54.2	93	21.9	2.32	17.6	26.9
2021	469	55.8	2.69	50.7	61.3	143	32.8	2.79	27.5	38.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon and Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	117,611	44.8	0.13	44.5	45.0	98,432	44.0	0.14	43.7	44.3
1986	3,298	53.0	0.93	51.2	54.9	2,921	52.4	0.99	50.5	54.4
1987	3,414	54.4	0.94	52.5	56.2	3,052	54.5	1.00	52.5	56.5
1988	3,369	52.8	0.92	51.0	54.7	2,962	52.0	0.97	50.1	54.0
1989	3,275	51.5	0.91	49.7	53.3	2,891	50.9	0.96	49.1	52.9
1990	3,370	52.3	0.91	50.6	54.1	2,980	52.0	0.97	50.2	54.0
1991	3,291	50.5	0.89	48.8	52.3	2,891	50.0	0.94	48.2	51.9
1992	3,225	48.8	0.87	47.1	50.5	2,866	48.9	0.93	47.1	50.7
1993	3,353	50.0	0.87	48.3	51.7	2,934	49.6	0.93	47.8	51.4
1994	3,577	52.9	0.89	51.2	54.7	3,114	52.2	0.95	50.4	54.1
1995	3,449	50.8	0.87	49.1	52.5	2,982	50.0	0.93	48.2	51.8
1996	3,515	51.2	0.87	49.5	52.9	3,027	50.3	0.93	48.5	52.2
1997	3,572	51.7	0.87	50.0	53.5	3,059	50.8	0.93	49.0	52.6
1998	3,757	54.1	0.89	52.4	55.9	3,194	52.9	0.95	51.0	54.8
1999	3,580	51.1	0.86	49.5	52.9	3,063	50.3	0.92	48.5	52.1
2000	3,637	51.6	0.86	49.9	53.3	3,093	50.6	0.92	48.8	52.4
2001	3,551	50.1	0.85	48.4	51.8	2,978	48.7	0.90	46.9	50.5
2002	3,604	50.6	0.85	48.9	52.3	2,997	48.8	0.91	47.1	50.6
2003	3,458	48.3	0.83	46.7	49.9	2,840	46.2	0.88	44.5	48.0
2004	3,579	49.5	0.84	47.9	51.2	2,983	48.2	0.90	46.5	50.0
2005	3,469	47.7	0.82	46.1	49.3	2,868	46.2	0.88	44.5	48.0
2006	3,510	48.1	0.82	46.5	49.7	2,879	46.4	0.88	44.7	48.2
2007	3,363	45.5	0.80	44.0	47.1	2,766	44.3	0.86	42.6	46.0
2008	3,297	44.2	0.78	42.7	45.8	2,708	43.2	0.85	41.6	44.9
2009	3,089	41.1	0.75	39.6	42.6	2,549	40.4	0.82	38.9	42.1
2010	3,035	39.6	0.73	38.1	41.0	2,426	38.0	0.79	36.4	39.5
2011	3,123	40.3	0.74	38.9	41.8	2,484	38.5	0.79	37.0	40.1
2012	2,940	37.5	0.71	36.1	38.9	2,346	36.1	0.76	34.6	37.6
2013	2,985	37.7	0.70	36.3	39.1	2,392	36.6	0.77	35.1	38.2
2014	2,954	36.9	0.69	35.5	38.3	2,361	35.8	0.76	34.3	37.3
2015	2,935	36.5	0.69	35.2	37.9	2,354	35.8	0.76	34.3	37.3
2016	3,127	39.1	0.72	37.7	40.5	2,479	38.2	0.79	36.7	39.8
2017	2,907	35.6	0.68	34.3	36.9	2,322	35.1	0.76	33.7	36.7
2018	3,004	36.5	0.69	35.2	37.9	2,368	35.6	0.76	34.1	37.1
2019	2,824	34.1	0.66	32.9	35.5	2,226	33.5	0.74	32.1	35.0
2020	2,443	29.4	0.61	28.2	30.6	1,945	29.0	0.68	27.7	30.4
2021	2,732	33.0	0.65	31.8	34.4	2,132	32.0	0.72	30.6	33.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon and Rectum										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	16,474	51.7	0.41	50.9	52.5	2,183	25.1	0.56	24.0	26.2
1986	353	57.0	3.10	51.1	63.4	20	30.6	8.18	16.8	50.0
1987	339	52.8	2.93	47.2	58.8	20	28.5	6.92	16.6	44.9
1988	378	58.3	3.05	52.4	64.5	21	30.7	7.59	17.7	48.5
1989	351	53.4	2.90	47.9	59.4	29	30.8	6.48	19.4	45.9
1990	370	56.0	2.96	50.3	62.1	17	22.2	5.91	12.2	36.3
1991	361	53.3	2.85	47.9	59.2	28	29.7	6.09	19.0	43.8
1992	327	46.3	2.59	41.3	51.6	23	26.5	6.19	15.8	40.9
1993	381	54.6	2.83	49.2	60.4	33	29.9	5.75	19.7	43.0
1994	418	58.1	2.87	52.6	63.9	38	33.4	5.98	22.7	46.9
1995	418	56.6	2.80	51.2	62.3	45	37.5	6.15	26.4	51.2
1996	441	59.6	2.87	54.1	65.5	42	35.7	5.99	24.9	49.0
1997	471	62.7	2.92	57.1	68.7	36	22.3	3.94	15.3	31.4
1998	500	65.0	2.93	59.4	71.0	49	34.7	5.34	25.1	46.6
1999	460	57.1	2.68	52.0	62.6	50	32.9	4.98	23.9	44.0
2000	475	58.1	2.69	53.0	63.6	58	36.6	5.13	27.3	47.9
2001	513	62.3	2.77	57.0	68.0	48	25.9	3.99	18.7	34.8
2002	531	63.2	2.76	57.9	68.8	60	32.3	4.41	24.2	41.9
2003	540	63.5	2.75	58.2	69.1	62	30.1	4.01	22.8	39.0
2004	531	60.7	2.65	55.6	66.1	54	24.3	3.49	18.0	32.0
2005	516	57.9	2.57	53.0	63.2	69	30.0	3.81	23.0	38.4
2006	533	58.8	2.57	53.8	64.0	80	31.7	3.74	24.8	39.9
2007	514	55.5	2.47	50.8	60.6	73	28.3	3.50	21.9	35.9
2008	510	54.1	2.42	49.4	59.0	68	24.2	3.11	18.5	31.0
2009	456	47.3	2.24	43.0	51.9	65	23.8	3.13	18.0	30.6
2010	511	52.0	2.33	47.5	56.8	80	26.9	3.17	21.0	33.8
2011	544	53.6	2.33	49.1	58.3	79	25.4	3.00	19.9	32.0
2012	490	47.7	2.19	43.5	52.2	89	27.2	3.02	21.6	33.7
2013	497	47.1	2.14	43.0	51.5	85	23.3	2.64	18.4	29.0
2014	476	44.8	2.09	40.8	49.0	82	22.4	2.56	17.7	28.0
2015	476	43.4	2.03	39.5	47.6	86	21.7	2.42	17.2	26.9
2016	519	46.8	2.09	42.8	51.1	102	24.2	2.45	19.6	29.5
2017	474	41.6	1.95	37.9	45.6	99	22.4	2.30	18.2	27.4
2018	517	45.4	2.04	41.5	49.6	92	20.7	2.19	16.7	25.5
2019	460	39.8	1.89	36.2	43.7	101	21.6	2.18	17.5	26.3
2020	367	31.5	1.68	28.2	34.9	92	18.7	1.97	15.1	23.0
2021	456	39.7	1.90	36.0	43.6	108	22.2	2.15	18.2	26.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon excluding Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	172,103	37.5	0.09	37.3	37.7	144,151	36.8	0.10	36.6	37.0
1986	4,687	44.9	0.66	43.6	46.3	4,163	44.7	0.70	43.3	46.1
1987	4,852	45.8	0.67	44.6	47.2	4,343	46.1	0.71	44.7	47.5
1988	4,856	45.6	0.66	44.3	46.9	4,254	44.9	0.69	43.5	46.3
1989	4,679	43.6	0.64	42.3	44.9	4,130	43.3	0.68	41.9	44.6
1990	4,860	44.9	0.65	43.7	46.2	4,271	44.4	0.69	43.1	45.8
1991	4,721	43.1	0.63	41.8	44.3	4,187	43.1	0.67	41.8	44.4
1992	4,754	42.7	0.62	41.5	43.9	4,208	42.7	0.66	41.5	44.1
1993	4,811	42.7	0.62	41.5	43.9	4,208	42.3	0.65	41.0	43.6
1994	5,112	45.0	0.63	43.8	46.2	4,454	44.5	0.67	43.2	45.8
1995	4,879	42.6	0.61	41.4	43.8	4,169	41.4	0.64	40.1	42.7
1996	5,001	43.3	0.61	42.1	44.5	4,295	42.4	0.65	41.2	43.7
1997	5,136	44.1	0.62	42.9	45.3	4,402	43.2	0.65	41.9	44.5
1998	5,424	46.0	0.62	44.8	47.3	4,583	44.5	0.66	43.3	45.9
1999	5,274	44.3	0.61	43.1	45.5	4,497	43.4	0.65	42.2	44.7
2000	5,420	45.2	0.61	44.0	46.4	4,596	44.2	0.65	42.9	45.5
2001	5,240	43.3	0.60	42.1	44.5	4,406	42.1	0.63	40.8	43.3
2002	5,260	43.1	0.60	41.9	44.3	4,380	41.6	0.63	40.4	42.9
2003	5,234	42.4	0.59	41.2	43.6	4,324	40.7	0.62	39.5	42.0
2004	5,235	42.1	0.58	40.9	43.2	4,375	41.0	0.62	39.8	42.3
2005	5,030	39.9	0.57	38.8	41.1	4,169	38.7	0.60	37.6	39.9
2006	5,109	40.2	0.57	39.1	41.3	4,194	38.7	0.60	37.5	39.9
2007	4,989	38.6	0.55	37.5	39.7	4,124	37.6	0.59	36.4	38.7
2008	4,776	36.4	0.53	35.4	37.5	3,890	35.1	0.57	34.0	36.2
2009	4,540	34.2	0.51	33.2	35.2	3,711	33.1	0.55	32.0	34.2
2010	4,499	33.3	0.50	32.3	34.3	3,611	31.8	0.54	30.7	32.8
2011	4,628	33.8	0.50	32.8	34.8	3,733	32.6	0.54	31.5	33.6
2012	4,399	31.5	0.48	30.5	32.4	3,545	30.3	0.52	29.3	31.3
2013	4,421	31.0	0.47	30.1	31.9	3,542	29.9	0.51	28.9	30.9
2014	4,414	30.4	0.47	29.5	31.4	3,515	29.2	0.50	28.3	30.2
2015	4,465	30.5	0.47	29.6	31.5	3,613	30.0	0.51	29.0	31.0
2016	4,599	31.2	0.47	30.3	32.1	3,702	30.6	0.51	29.6	31.6
2017	4,319	28.8	0.45	27.9	29.7	3,509	28.6	0.49	27.6	29.6
2018	4,377	28.9	0.45	28.1	29.8	3,450	27.9	0.49	27.0	28.9
2019	4,206	27.3	0.43	26.5	28.2	3,333	26.6	0.47	25.7	27.5
2020	3,750	24.3	0.41	23.5	25.1	3,008	24.0	0.45	23.1	24.9
2021	4,147	26.8	0.43	25.9	27.6	3,257	25.9	0.47	25.0	26.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon excluding Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	24,239	45.3	0.30	44.7	45.8	2,990	19.2	0.37	18.5	20.0
1986	493	47.4	2.22	43.2	51.9	26	23.1	5.41	13.8	35.6
1987	479	44.6	2.11	40.6	49.0	27	19.7	4.20	12.3	29.4
1988	568	53.0	2.30	48.5	57.6	28	24.1	5.22	15.0	36.0
1989	511	46.8	2.13	42.7	51.1	32	20.1	4.01	13.0	29.3
1990	551	50.2	2.21	46.0	54.7	34	25.0	4.94	16.3	36.2
1991	497	44.0	2.03	40.1	48.1	21	14.4	3.42	8.5	22.4
1992	497	42.3	1.95	38.6	46.3	36	22.9	4.28	15.3	32.5
1993	556	47.5	2.07	43.5	51.7	43	22.9	3.96	15.8	31.8
1994	600	50.7	2.12	46.6	55.0	53	25.5	3.91	18.4	34.1
1995	643	52.8	2.13	48.7	57.2	57	26.7	3.88	19.6	35.2
1996	634	51.1	2.08	47.1	55.3	65	31.6	4.46	23.5	41.3
1997	667	53.3	2.11	49.2	57.5	55	21.7	3.20	15.9	28.8
1998	761	59.7	2.21	55.4	64.1	66	27.4	3.76	20.6	35.6
1999	681	51.1	2.00	47.3	55.2	79	29.6	3.73	22.8	37.7
2000	729	53.9	2.03	49.9	58.0	85	29.2	3.49	22.8	36.7
2001	739	54.1	2.03	50.2	58.2	75	21.4	2.72	16.4	27.4
2002	779	55.9	2.04	52.0	60.0	82	26.7	3.21	20.7	33.6
2003	808	57.1	2.05	53.1	61.2	78	21.3	2.60	16.5	26.9
2004	773	53.0	1.94	49.2	56.9	72	19.3	2.48	14.7	24.7
2005	749	50.9	1.90	47.3	54.8	89	21.7	2.45	17.1	27.0
2006	798	52.6	1.90	49.0	56.5	96	20.7	2.29	16.5	25.6
2007	753	48.6	1.81	45.1	52.3	90	20.2	2.29	16.0	25.1
2008	764	48.4	1.79	44.9	52.0	103	21.4	2.29	17.2	26.3
2009	718	44.5	1.70	41.2	47.9	82	17.1	2.05	13.3	21.5
2010	765	46.7	1.73	43.3	50.2	99	19.5	2.10	15.6	24.0
2011	776	45.4	1.67	42.2	48.7	94	16.6	1.82	13.2	20.5
2012	703	41.2	1.59	38.1	44.4	131	22.5	2.08	18.6	26.9
2013	739	41.5	1.56	38.5	44.7	115	17.7	1.75	14.4	21.4
2014	745	40.9	1.54	38.0	44.1	109	16.1	1.62	13.1	19.6
2015	701	37.4	1.45	34.6	40.3	133	18.4	1.66	15.3	21.9
2016	730	38.7	1.47	35.9	41.7	138	17.7	1.55	14.8	21.0
2017	657	34.0	1.36	31.4	36.8	133	17.1	1.52	14.2	20.3
2018	738	37.9	1.43	35.1	40.8	152	18.3	1.51	15.4	21.5
2019	690	34.7	1.35	32.1	37.5	144	16.3	1.38	13.7	19.2
2020	565	28.2	1.21	25.9	30.7	122	13.7	1.26	11.3	16.4
2021	682	34.1	1.34	31.5	36.8	146	16.1	1.35	13.6	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon excluding Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	83,010	42.6	0.15	42.3	42.9	69,750	41.9	0.16	41.6	42.2
1986	2,226	53.3	1.18	51.0	55.7	2,004	53.8	1.25	51.4	56.3
1987	2,276	53.8	1.18	51.5	56.2	2,038	54.2	1.25	51.8	56.7
1988	2,269	53.2	1.16	51.0	55.6	1,990	52.5	1.22	50.1	55.0
1989	2,202	51.0	1.13	48.8	53.2	1,951	50.9	1.19	48.6	53.3
1990	2,296	52.7	1.14	50.5	55.0	2,019	52.2	1.20	49.8	54.6
1991	2,274	51.6	1.12	49.4	53.9	2,033	52.2	1.20	49.9	54.6
1992	2,343	52.7	1.12	50.5	54.9	2,075	52.8	1.19	50.5	55.2
1993	2,254	49.7	1.08	47.6	51.8	1,971	49.3	1.14	47.1	51.5
1994	2,332	51.1	1.09	49.0	53.3	2,046	50.8	1.15	48.6	53.2
1995	2,270	49.2	1.06	47.2	51.3	1,929	47.7	1.11	45.6	50.0
1996	2,290	49.3	1.05	47.2	51.4	1,968	48.4	1.11	46.3	50.6
1997	2,397	50.8	1.06	48.8	52.9	2,054	49.9	1.12	47.7	52.1
1998	2,520	52.6	1.07	50.6	54.8	2,134	51.1	1.12	49.0	53.4
1999	2,500	51.6	1.05	49.6	53.7	2,151	51.0	1.11	48.9	53.3
2000	2,586	52.6	1.05	50.6	54.7	2,202	51.6	1.11	49.5	53.8
2001	2,483	50.3	1.02	48.3	52.3	2,103	49.3	1.09	47.1	51.4
2002	2,519	50.0	1.01	48.1	52.0	2,112	48.6	1.07	46.5	50.7
2003	2,588	50.4	1.01	48.5	52.4	2,161	48.9	1.06	46.9	51.1
2004	2,484	47.8	0.97	45.9	49.7	2,098	47.1	1.04	45.1	49.2
2005	2,405	45.3	0.94	43.5	47.2	2,012	44.2	1.00	42.3	46.2
2006	2,454	45.6	0.94	43.8	47.5	2,021	44.0	0.99	42.1	46.0
2007	2,416	43.9	0.91	42.2	45.7	1,994	42.6	0.97	40.7	44.5
2008	2,297	40.8	0.87	39.1	42.6	1,852	38.8	0.91	37.0	40.6
2009	2,180	38.2	0.83	36.5	39.8	1,769	36.5	0.88	34.8	38.3
2010	2,239	38.4	0.83	36.8	40.0	1,810	36.7	0.88	35.0	38.4
2011	2,259	37.7	0.81	36.1	39.3	1,846	36.7	0.87	35.0	38.4
2012	2,181	35.8	0.79	34.3	37.4	1,772	34.5	0.84	32.8	36.1
2013	2,194	35.0	0.77	33.5	36.5	1,755	33.4	0.82	31.8	35.1
2014	2,230	34.7	0.75	33.2	36.2	1,780	33.2	0.81	31.6	34.8
2015	2,245	34.4	0.75	33.0	35.9	1,828	33.7	0.81	32.1	35.3
2016	2,287	34.4	0.74	33.0	35.9	1,849	33.5	0.80	32.0	35.1
2017	2,149	32.0	0.71	30.6	33.4	1,767	31.7	0.77	30.2	33.3
2018	2,159	31.5	0.70	30.1	32.8	1,709	30.2	0.75	28.8	31.7
2019	2,144	30.8	0.68	29.4	32.1	1,707	29.7	0.74	28.3	31.2
2020	1,914	27.2	0.64	26.0	28.5	1,547	26.7	0.70	25.3	28.1
2021	2,148	30.5	0.68	29.1	31.8	1,693	29.2	0.73	27.8	30.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon excluding Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	11,309	52.3	0.52	51.3	53.4	1,561	22.4	0.62	21.2	23.7
1986	210	50.7	3.78	43.6	58.6	11	23.8	8.51	10.1	45.0
1987	223	52.9	3.83	45.7	60.9	14	19.6	5.51	10.4	33.7
1988	258	61.4	4.09	53.7	69.9	17	35.3	10.07	18.4	59.2
1989	235	54.9	3.83	47.7	62.9	12	20.4	6.29	10.0	36.1
1990	251	58.4	3.94	50.9	66.5	24	39.4	9.59	22.9	61.7
1991	226	49.1	3.49	42.5	56.4	8	12.8	4.79	5.2	25.2
1992	241	52.7	3.64	45.9	60.3	20	26.8	6.84	15.1	43.0
1993	260	55.9	3.71	48.9	63.6	23	26.2	6.47	15.1	41.5
1994	259	57.1	3.82	49.9	65.0	26	27.1	5.95	16.7	41.0
1995	304	63.3	3.87	55.9	71.2	30	33.0	6.57	21.4	48.0
1996	284	56.1	3.54	49.4	63.5	36	38.8	7.75	25.1	56.3
1997	305	59.5	3.62	52.6	67.0	31	30.4	6.24	19.5	44.7
1998	353	68.7	3.88	61.3	76.6	28	27.6	6.22	16.8	41.9
1999	299	57.4	3.52	50.7	64.6	40	37.7	7.30	24.8	54.1
2000	337	63.2	3.64	56.2	70.7	44	32.8	5.85	22.3	45.9
2001	329	59.8	3.48	53.2	67.0	40	25.6	4.63	17.4	36.2
2002	358	65.1	3.64	58.1	72.6	39	31.4	5.73	21.2	44.2
2003	376	66.6	3.63	59.6	74.0	38	25.0	4.74	16.6	35.7
2004	343	57.8	3.30	51.6	64.6	35	23.4	4.47	15.5	33.5
2005	339	59.0	3.40	52.6	66.0	40	21.4	3.70	14.7	29.7
2006	375	61.5	3.35	55.1	68.3	50	25.1	4.07	17.8	34.2
2007	362	57.9	3.22	51.8	64.5	45	23.4	3.89	16.4	32.1
2008	376	58.9	3.22	52.8	65.5	57	27.6	4.11	20.1	36.7
2009	350	54.3	3.07	48.5	60.7	43	20.7	3.54	14.3	28.6
2010	363	54.3	3.01	48.6	60.5	54	24.7	3.74	17.9	33.0
2011	357	50.2	2.80	44.9	56.0	42	17.4	2.97	12.1	24.1
2012	325	47.7	2.78	42.4	53.4	72	26.6	3.39	20.4	34.1
2013	359	49.3	2.75	44.1	55.0	62	21.4	3.00	16.0	28.1
2014	376	50.7	2.76	45.5	56.4	53	16.4	2.40	12.1	21.8
2015	330	43.5	2.52	38.7	48.7	79	23.5	2.81	18.4	29.7
2016	345	44.7	2.53	39.9	49.9	79	22.6	2.66	17.6	28.4
2017	297	38.4	2.34	33.9	43.2	72	20.7	2.54	16.0	26.2
2018	343	42.3	2.37	37.7	47.2	84	21.4	2.42	16.9	26.7
2019	339	41.3	2.34	36.8	46.1	77	18.0	2.09	14.2	22.6
2020	280	33.5	2.09	29.6	37.9	58	14.0	1.88	10.5	18.1
2021	342	41.2	2.33	36.8	46.0	78	18.6	2.15	14.6	23.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon excluding Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	89,093	33.7	0.11	33.5	33.9	74,401	32.9	0.12	32.7	33.2
1986	2,461	39.6	0.81	38.1	41.2	2,159	38.8	0.85	37.2	40.5
1987	2,576	40.9	0.81	39.3	42.5	2,305	40.9	0.86	39.2	42.7
1988	2,587	40.4	0.80	38.9	42.1	2,264	39.6	0.84	38.0	41.3
1989	2,477	38.7	0.79	37.2	40.3	2,179	38.1	0.83	36.5	39.8
1990	2,564	39.7	0.79	38.2	41.3	2,252	39.1	0.84	37.5	40.8
1991	2,447	37.5	0.77	36.0	39.0	2,154	37.1	0.81	35.5	38.7
1992	2,411	36.3	0.75	34.8	37.8	2,133	36.1	0.79	34.6	37.7
1993	2,557	38.0	0.76	36.5	39.5	2,237	37.5	0.80	35.9	39.1
1994	2,780	40.9	0.78	39.4	42.5	2,408	40.1	0.83	38.5	41.8
1995	2,609	38.2	0.75	36.8	39.7	2,240	37.2	0.80	35.7	38.8
1996	2,711	39.3	0.76	37.8	40.8	2,327	38.4	0.81	36.9	40.1
1997	2,739	39.4	0.76	38.0	41.0	2,348	38.7	0.81	37.1	40.3
1998	2,904	41.5	0.78	40.0	43.0	2,449	40.1	0.82	38.5	41.7
1999	2,774	39.4	0.75	37.9	40.9	2,346	38.1	0.80	36.6	39.7
2000	2,834	39.9	0.76	38.5	41.4	2,394	38.7	0.80	37.2	40.4
2001	2,757	38.6	0.74	37.1	40.1	2,303	37.2	0.79	35.6	38.7
2002	2,741	38.3	0.74	36.8	39.7	2,268	36.6	0.78	35.1	38.2
2003	2,646	36.7	0.72	35.3	38.2	2,163	34.8	0.76	33.4	36.4
2004	2,751	37.8	0.73	36.4	39.2	2,277	36.4	0.78	34.9	38.0
2005	2,625	35.9	0.71	34.5	37.3	2,157	34.4	0.75	32.9	35.9
2006	2,655	36.2	0.71	34.8	37.6	2,173	34.7	0.76	33.2	36.2
2007	2,573	34.6	0.69	33.3	36.0	2,130	33.7	0.75	32.3	35.2
2008	2,479	33.2	0.68	31.8	34.5	2,038	32.3	0.73	30.9	33.8
2009	2,360	31.2	0.65	29.9	32.5	1,942	30.5	0.71	29.1	31.9
2010	2,260	29.3	0.63	28.1	30.6	1,801	27.9	0.67	26.6	29.2
2011	2,369	30.5	0.64	29.2	31.8	1,887	29.1	0.69	27.7	30.5
2012	2,218	28.1	0.61	26.9	29.3	1,773	26.9	0.66	25.7	28.3
2013	2,227	28.0	0.61	26.8	29.2	1,787	27.1	0.66	25.8	28.5
2014	2,184	27.1	0.59	25.9	28.3	1,735	26.0	0.64	24.8	27.3
2015	2,220	27.4	0.60	26.2	28.6	1,785	26.8	0.65	25.5	28.1
2016	2,312	28.7	0.61	27.5	29.9	1,853	28.3	0.68	27.0	29.7
2017	2,170	26.3	0.58	25.2	27.5	1,742	26.0	0.65	24.7	27.3
2018	2,218	26.7	0.58	25.5	27.8	1,741	25.8	0.64	24.5	27.1
2019	2,062	24.5	0.55	23.5	25.7	1,626	24.0	0.61	22.8	25.2
2020	1,836	21.8	0.52	20.8	22.9	1,461	21.5	0.58	20.4	22.7
2021	1,999	23.6	0.55	22.6	24.7	1,564	22.9	0.60	21.7	24.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Colon excluding Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	12,930	40.7	0.36	40.0	41.4	1,429	16.8	0.46	15.9	17.7
1986	283	45.7	2.78	40.4	51.4	15	22.8	6.99	11.3	39.9
1987	256	40.0	2.55	35.2	45.3	13	19.3	5.93	9.5	33.9
1988	310	48.0	2.78	42.7	53.7	11	16.1	5.42	7.3	29.6
1989	276	42.2	2.58	37.3	47.6	20	20.8	5.33	11.7	33.7
1990	300	45.3	2.66	40.3	50.8	10	14.4	5.03	6.3	27.0
1991	271	40.5	2.50	35.7	45.7	13	15.5	4.74	7.7	27.2
1992	256	36.3	2.29	31.9	41.0	16	19.7	5.40	10.6	32.6
1993	296	42.1	2.48	37.4	47.3	20	20.0	4.92	11.5	31.6
1994	341	47.7	2.61	42.7	53.1	27	24.0	5.13	15.1	35.9
1995	339	46.3	2.54	41.5	51.6	27	22.1	4.65	13.9	32.8
1996	350	47.3	2.56	42.5	52.6	29	26.1	5.33	16.8	38.3
1997	362	48.4	2.57	43.5	53.7	24	15.9	3.43	9.9	24.0
1998	408	53.5	2.67	48.4	58.9	38	27.7	4.81	19.1	38.5
1999	382	47.6	2.46	42.9	52.7	39	25.2	4.27	17.5	34.8
2000	392	48.2	2.45	43.5	53.3	41	26.3	4.35	18.5	36.1
2001	410	50.0	2.49	45.2	55.1	35	18.0	3.27	12.2	25.5
2002	421	50.3	2.47	45.5	55.3	43	23.6	3.83	16.7	32.2
2003	432	51.0	2.47	46.3	56.1	40	19.5	3.20	13.8	26.7
2004	430	49.5	2.41	44.9	54.4	37	16.8	2.93	11.6	23.5
2005	410	46.4	2.31	42.0	51.1	49	21.7	3.25	15.8	28.9
2006	423	46.9	2.30	42.5	51.6	46	17.7	2.74	12.7	23.8
2007	391	42.7	2.18	38.5	47.2	45	17.9	2.81	12.8	24.2
2008	388	41.6	2.13	37.5	45.9	46	16.8	2.63	12.0	22.7
2009	368	38.4	2.02	34.5	42.5	39	14.3	2.43	9.9	19.8
2010	402	41.2	2.08	37.3	45.5	45	15.7	2.46	11.3	21.2
2011	419	41.6	2.06	37.6	45.8	52	16.4	2.38	12.1	21.7
2012	378	37.1	1.94	33.4	41.1	59	18.9	2.57	14.2	24.6
2013	380	36.4	1.90	32.8	40.4	53	14.9	2.15	11.0	19.7
2014	369	34.6	1.83	31.1	38.4	56	15.6	2.15	11.6	20.3
2015	371	33.8	1.79	30.4	37.5	54	14.1	1.97	10.5	18.5
2016	385	34.8	1.81	31.4	38.6	59	13.8	1.84	10.4	17.9
2017	360	31.7	1.70	28.5	35.2	61	14.3	1.87	10.8	18.4
2018	395	34.6	1.78	31.2	38.3	68	15.5	1.90	12.0	19.6
2019	351	30.3	1.64	27.1	33.7	67	14.6	1.80	11.2	18.6
2020	285	24.3	1.47	21.5	27.3	64	13.4	1.69	10.3	17.1
2021	340	29.2	1.62	26.1	32.6	68	14.0	1.71	10.9	17.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Rectum and Rectosigmoid Junction										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	66,160	14.3	0.06	14.2	14.5	56,290	14.4	0.06	14.3	14.5
1986	1,788	16.8	0.40	16.0	17.6	1,630	17.2	0.43	16.4	18.1
1987	1,851	17.3	0.41	16.5	18.1	1,667	17.5	0.44	16.7	18.4
1988	1,795	16.7	0.40	15.9	17.5	1,617	17.0	0.43	16.2	17.8
1989	1,724	16.0	0.39	15.3	16.8	1,548	16.2	0.42	15.4	17.1
1990	1,775	16.3	0.39	15.5	17.1	1,608	16.7	0.42	15.9	17.5
1991	1,851	16.8	0.39	16.0	17.5	1,642	16.9	0.42	16.0	17.7
1992	1,814	16.3	0.38	15.5	17.0	1,648	16.8	0.42	16.0	17.6
1993	1,783	15.8	0.38	15.0	16.5	1,569	15.8	0.40	15.0	16.6
1994	1,719	15.0	0.36	14.3	15.8	1,534	15.3	0.39	14.6	16.1
1995	1,831	16.0	0.37	15.3	16.7	1,633	16.4	0.41	15.6	17.2
1996	1,803	15.6	0.37	14.9	16.4	1,595	15.9	0.40	15.1	16.7
1997	1,915	16.5	0.38	15.7	17.2	1,668	16.5	0.41	15.8	17.4
1998	1,950	16.6	0.38	15.9	17.3	1,729	17.0	0.41	16.2	17.8
1999	1,912	16.1	0.37	15.4	16.8	1,692	16.6	0.40	15.8	17.4
2000	1,910	15.9	0.36	15.2	16.7	1,666	16.2	0.40	15.5	17.0
2001	1,841	15.2	0.36	14.5	15.9	1,599	15.5	0.39	14.7	16.3
2002	2,019	16.6	0.37	15.8	17.3	1,744	16.8	0.40	16.0	17.6
2003	1,858	15.0	0.35	14.4	15.7	1,570	15.0	0.38	14.2	15.7
2004	1,962	15.7	0.36	15.0	16.4	1,656	15.7	0.39	14.9	16.4
2005	1,949	15.4	0.35	14.7	16.1	1,633	15.2	0.38	14.5	16.0
2006	1,936	15.0	0.34	14.3	15.7	1,610	14.8	0.37	14.1	15.6
2007	1,842	14.2	0.33	13.5	14.8	1,523	14.0	0.36	13.3	14.7
2008	1,942	14.6	0.33	13.9	15.2	1,612	14.5	0.36	13.8	15.2
2009	1,762	13.0	0.31	12.4	13.6	1,457	12.9	0.34	12.3	13.6
2010	1,865	13.5	0.32	12.9	14.2	1,549	13.5	0.35	12.8	14.2
2011	1,820	13.0	0.31	12.4	13.6	1,466	12.7	0.34	12.0	13.3
2012	1,786	12.5	0.30	11.9	13.1	1,447	12.3	0.33	11.7	13.0
2013	1,810	12.5	0.30	11.9	13.1	1,464	12.3	0.33	11.7	13.0
2014	1,806	12.3	0.29	11.7	12.9	1,480	12.2	0.32	11.6	12.9
2015	1,823	12.4	0.30	11.8	12.9	1,481	12.3	0.33	11.7	13.0
2016	1,878	12.6	0.30	12.0	13.2	1,490	12.2	0.32	11.6	12.9
2017	1,834	12.2	0.29	11.6	12.8	1,459	12.0	0.32	11.4	12.6
2018	1,867	12.4	0.29	11.8	12.9	1,517	12.4	0.33	11.8	13.1
2019	1,818	11.9	0.29	11.3	12.5	1,453	11.8	0.32	11.2	12.4
2020	1,590	10.4	0.27	9.9	11.0	1,281	10.4	0.30	9.8	11.0
2021	1,731	11.4	0.28	10.9	12.0	1,353	11.0	0.31	10.4	11.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Rectum and Rectosigmoid Junction										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,572	13.6	0.16	13.3	13.9	1,835	10.9	0.27	10.4	11.5
1986	143	13.3	1.15	11.1	15.7	15	10.1	3.10	5.0	17.9
1987	164	14.9	1.19	12.6	17.4	19	15.6	4.00	8.8	25.1
1988	147	12.9	1.10	10.8	15.2	24	18.4	4.18	11.1	28.1
1989	155	13.8	1.14	11.6	16.2	17	12.4	3.46	6.6	20.7
1990	149	13.4	1.13	11.3	15.8	16	11.0	3.07	5.9	18.4
1991	176	15.2	1.19	13.0	17.7	26	14.2	2.98	9.0	21.2
1992	142	11.9	1.03	10.0	14.1	20	9.6	2.47	5.4	15.6
1993	181	15.6	1.19	13.4	18.1	29	13.4	2.72	8.6	19.7
1994	159	12.6	1.02	10.7	14.8	19	8.1	2.07	4.6	13.1
1995	161	12.6	1.02	10.7	14.8	33	14.5	2.88	9.5	21.1
1996	168	13.2	1.03	11.2	15.3	37	13.8	2.44	9.4	19.4
1997	209	16.3	1.16	14.1	18.7	35	12.8	2.47	8.4	18.5
1998	183	13.6	1.03	11.7	15.8	30	10.8	2.25	6.9	16.0
1999	182	13.2	0.99	11.3	15.3	32	11.3	2.32	7.2	16.6
2000	193	13.5	0.99	11.6	15.6	37	11.7	2.15	7.9	16.6
2001	199	14.0	1.01	12.1	16.1	36	11.6	2.09	7.9	16.3
2002	219	15.4	1.06	13.4	17.6	42	12.1	2.00	8.5	16.6
2003	229	15.4	1.04	13.4	17.6	46	12.5	2.00	8.9	17.0
2004	247	16.0	1.04	14.1	18.2	49	12.0	1.86	8.7	16.2
2005	237	15.1	1.00	13.2	17.1	64	14.5	1.99	10.9	18.9
2006	242	15.3	1.00	13.4	17.3	69	16.1	2.08	12.3	20.7
2007	237	14.4	0.96	12.6	16.4	72	14.7	1.89	11.2	18.8
2008	249	15.0	0.97	13.1	17.0	65	12.2	1.63	9.2	15.8
2009	237	13.7	0.91	11.9	15.5	55	10.2	1.49	7.5	13.6
2010	234	13.5	0.91	11.8	15.4	70	12.8	1.64	9.8	16.4
2011	274	15.0	0.93	13.3	16.9	67	11.6	1.52	8.9	15.0
2012	247	13.4	0.87	11.7	15.2	75	11.3	1.37	8.8	14.3
2013	256	13.4	0.86	11.8	15.2	75	10.1	1.22	7.9	12.8
2014	233	12.3	0.83	10.8	14.1	71	9.9	1.23	7.7	12.6
2015	240	12.4	0.82	10.9	14.2	77	9.9	1.18	7.7	12.5
2016	278	14.1	0.87	12.5	15.9	90	11.3	1.21	9.0	13.9
2017	265	13.2	0.83	11.7	15.0	92	10.9	1.16	8.7	13.4
2018	244	12.2	0.80	10.7	13.9	73	8.4	1.01	6.6	10.7
2019	237	11.6	0.77	10.1	13.2	90	9.8	1.05	7.9	12.1
2020	213	10.6	0.74	9.2	12.1	63	6.6	0.84	5.0	8.5
2021	243	12.1	0.80	10.6	13.8	105	10.9	1.07	8.9	13.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Rectum and Rectosigmoid Junction										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	37,642	18.6	0.10	18.4	18.7	32,259	18.7	0.11	18.5	18.9
1986	951	21.8	0.74	20.4	23.3	868	22.4	0.79	20.9	24.0
1987	1,013	22.8	0.74	21.3	24.3	920	23.3	0.79	21.7	24.9
1988	1,013	23.1	0.75	21.6	24.6	919	23.7	0.81	22.1	25.3
1989	926	21.0	0.71	19.6	22.4	836	21.3	0.76	19.8	22.8
1990	969	21.8	0.72	20.4	23.2	880	22.3	0.77	20.8	23.8
1991	1,007	22.2	0.72	20.8	23.7	905	22.6	0.77	21.1	24.2
1992	1,000	21.6	0.70	20.2	23.0	915	22.4	0.76	20.9	23.9
1993	987	21.2	0.69	19.8	22.6	872	21.2	0.74	19.8	22.7
1994	922	19.2	0.65	18.0	20.5	828	19.7	0.70	18.4	21.1
1995	991	20.9	0.68	19.6	22.3	891	21.5	0.73	20.1	23.0
1996	999	20.6	0.66	19.3	22.0	895	21.3	0.72	19.9	22.7
1997	1,082	22.2	0.68	20.9	23.6	957	22.5	0.74	21.1	24.0
1998	1,097	22.3	0.68	21.0	23.7	984	23.0	0.74	21.6	24.5
1999	1,106	22.1	0.67	20.8	23.4	975	22.5	0.73	21.1	24.0
2000	1,107	21.6	0.66	20.3	22.9	967	21.9	0.71	20.6	23.4
2001	1,047	20.4	0.64	19.1	21.6	924	20.8	0.69	19.5	22.2
2002	1,156	22.0	0.66	20.8	23.3	1,015	22.5	0.71	21.1	23.9
2003	1,046	19.6	0.62	18.4	20.9	893	19.7	0.66	18.4	21.0
2004	1,134	20.8	0.63	19.6	22.1	950	20.5	0.67	19.2	21.8
2005	1,105	20.0	0.61	18.8	21.2	922	19.6	0.65	18.3	20.9
2006	1,081	19.0	0.59	17.9	20.2	904	18.7	0.63	17.5	20.0
2007	1,052	18.3	0.58	17.2	19.5	887	18.3	0.62	17.1	19.5
2008	1,124	19.1	0.58	18.0	20.3	942	19.0	0.63	17.8	20.3
2009	1,033	17.0	0.54	16.0	18.1	850	16.7	0.58	15.6	17.9
2010	1,090	17.6	0.55	16.6	18.7	924	17.7	0.59	16.6	18.9
2011	1,066	16.9	0.53	15.8	17.9	869	16.5	0.57	15.4	17.7
2012	1,064	16.4	0.52	15.4	17.4	874	16.1	0.56	15.1	17.3
2013	1,052	15.9	0.50	14.9	16.9	859	15.7	0.55	14.6	16.8
2014	1,036	15.4	0.49	14.4	16.3	854	15.2	0.53	14.2	16.3
2015	1,108	16.2	0.50	15.3	17.3	912	16.2	0.55	15.1	17.3
2016	1,063	15.2	0.48	14.3	16.2	864	14.9	0.52	13.9	16.0
2017	1,097	15.6	0.48	14.7	16.6	879	15.2	0.53	14.2	16.3
2018	1,081	15.3	0.48	14.4	16.3	890	15.4	0.53	14.4	16.5
2019	1,056	14.6	0.46	13.7	15.6	853	14.5	0.51	13.5	15.5
2020	983	13.7	0.45	12.8	14.6	797	13.5	0.49	12.6	14.5
2021	998	13.7	0.45	12.9	14.6	785	13.2	0.49	12.3	14.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Rectum and Rectosigmoid Junction										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,028	17.5	0.29	16.9	18.0	1,081	14.1	0.46	13.2	15.1
1986	73	15.9	1.99	12.3	20.3	10	12.4	4.04	5.8	23.9
1987	81	17.7	2.05	13.9	22.1	12	24.3	8.28	10.9	44.7
1988	79	16.8	2.03	13.1	21.2	14	23.5	6.68	12.3	40.0
1989	80	17.9	2.16	13.9	22.6	8	16.8	6.77	6.3	33.9
1990	79	17.6	2.13	13.7	22.2	9	15.2	5.88	6.0	30.3
1991	86	19.0	2.20	15.0	23.8	11	14.7	4.86	6.8	27.1
1992	71	15.1	1.93	11.6	19.3	13	12.9	3.96	6.3	23.1
1993	96	20.3	2.25	16.2	25.1	16	18.3	5.10	9.7	30.7
1994	82	16.3	1.90	12.8	20.4	8	5.8	2.10	2.5	12.1
1995	82	16.6	1.95	13.0	20.8	15	12.4	3.62	6.4	21.6
1996	77	13.8	1.64	10.8	17.4	24	18.8	4.33	11.3	29.2
1997	100	19.1	2.04	15.4	23.5	23	22.6	5.73	12.8	36.0
1998	91	17.2	1.90	13.6	21.3	19	16.0	4.47	8.5	26.8
1999	104	19.1	1.98	15.4	23.4	21	15.8	4.43	8.4	26.4
2000	110	18.7	1.86	15.2	22.7	20	12.9	3.14	7.5	20.5
2001	96	16.3	1.75	13.0	20.1	23	16.7	4.03	9.8	26.2
2002	109	19.4	1.99	15.7	23.7	25	17.1	3.86	10.4	26.1
2003	121	19.1	1.82	15.7	23.0	24	14.9	3.39	9.0	22.9
2004	146	23.4	2.04	19.6	27.7	32	18.3	3.73	11.8	26.9
2005	131	20.3	1.86	16.8	24.2	44	22.7	3.97	15.6	31.6
2006	132	20.1	1.84	16.7	24.0	35	18.7	3.47	12.5	26.6
2007	114	16.8	1.66	13.7	20.4	44	20.4	3.53	14.1	28.4
2008	127	18.6	1.74	15.3	22.3	43	18.5	3.22	12.7	25.7
2009	149	20.6	1.79	17.2	24.4	29	10.5	2.12	6.8	15.6
2010	125	17.7	1.66	14.6	21.2	35	14.6	2.71	9.8	20.8
2011	149	19.2	1.65	16.1	22.7	40	14.6	2.55	10.0	20.4
2012	135	17.3	1.57	14.4	20.7	45	14.9	2.38	10.6	20.2
2013	139	17.3	1.54	14.4	20.6	43	11.8	1.87	8.5	16.2
2014	126	15.7	1.46	12.9	18.8	45	13.7	2.20	9.7	18.6
2015	135	17.0	1.55	14.1	20.3	45	12.7	1.99	9.1	17.2
2016	144	17.4	1.52	14.5	20.6	47	12.6	1.91	9.1	16.9
2017	151	18.2	1.55	15.2	21.4	54	14.2	2.01	10.6	18.8
2018	122	14.3	1.35	11.8	17.2	49	12.1	1.79	8.9	16.2
2019	128	14.5	1.33	12.0	17.3	56	13.2	1.82	9.9	17.3
2020	131	15.5	1.41	12.8	18.5	35	7.9	1.36	5.5	11.1
2021	127	14.6	1.35	12.1	17.5	65	14.2	1.78	10.9	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Rectum and Rectosigmoid Junction										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	28,518	11.1	0.07	11.0	11.2	24,031	11.1	0.07	10.9	11.2
1986	837	13.4	0.47	12.5	14.3	762	13.6	0.50	12.7	14.7
1987	838	13.5	0.47	12.6	14.4	747	13.5	0.50	12.6	14.6
1988	782	12.4	0.45	11.5	13.3	698	12.4	0.48	11.5	13.4
1989	798	12.7	0.46	11.8	13.6	712	12.8	0.49	11.9	13.8
1990	806	12.6	0.45	11.8	13.6	728	12.9	0.49	12.0	13.9
1991	844	13.1	0.46	12.2	14.0	737	12.9	0.48	12.0	13.9
1992	814	12.5	0.44	11.6	13.4	733	12.7	0.48	11.8	13.7
1993	796	12.0	0.43	11.2	12.9	697	12.1	0.46	11.2	13.0
1994	797	12.0	0.43	11.2	12.9	706	12.1	0.46	11.2	13.1
1995	840	12.6	0.44	11.7	13.5	742	12.8	0.48	11.9	13.7
1996	804	11.9	0.42	11.1	12.8	700	11.9	0.46	11.0	12.8
1997	833	12.3	0.43	11.5	13.2	711	12.1	0.46	11.2	13.0
1998	853	12.6	0.43	11.8	13.5	745	12.8	0.47	11.9	13.8
1999	806	11.8	0.42	11.0	12.6	717	12.2	0.46	11.3	13.1
2000	803	11.6	0.41	10.8	12.5	699	11.8	0.45	11.0	12.7
2001	794	11.5	0.41	10.7	12.3	675	11.5	0.45	10.6	12.4
2002	863	12.4	0.42	11.5	13.2	729	12.2	0.46	11.3	13.2
2003	812	11.5	0.41	10.8	12.4	677	11.4	0.44	10.5	12.3
2004	828	11.7	0.41	10.9	12.6	706	11.8	0.45	11.0	12.8
2005	844	11.8	0.41	11.1	12.7	711	11.9	0.45	11.0	12.8
2006	855	11.9	0.41	11.1	12.7	706	11.7	0.45	10.9	12.7
2007	790	10.9	0.39	10.2	11.7	636	10.6	0.43	9.7	11.4
2008	818	11.1	0.39	10.3	11.9	670	10.9	0.43	10.1	11.8
2009	729	9.9	0.37	9.2	10.6	607	9.9	0.41	9.1	10.8
2010	775	10.3	0.37	9.5	11.0	625	10.1	0.41	9.3	10.9
2011	754	9.8	0.36	9.1	10.5	597	9.4	0.40	8.7	10.2
2012	722	9.4	0.36	8.7	10.1	573	9.1	0.39	8.4	9.9
2013	758	9.7	0.36	9.0	10.4	605	9.5	0.40	8.7	10.3
2014	770	9.8	0.36	9.1	10.6	626	9.8	0.40	9.0	10.6
2015	715	9.1	0.35	8.5	9.9	569	9.0	0.39	8.2	9.8
2016	815	10.4	0.38	9.7	11.2	626	9.9	0.41	9.1	10.8
2017	737	9.3	0.35	8.6	10.0	580	9.2	0.39	8.4	10.0
2018	786	9.9	0.36	9.2	10.6	627	9.8	0.41	9.1	10.7
2019	762	9.6	0.36	8.9	10.3	600	9.5	0.40	8.7	10.4
2020	607	7.5	0.32	6.9	8.2	484	7.5	0.36	6.8	8.2
2021	733	9.4	0.36	8.7	10.2	568	9.1	0.40	8.3	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Rectum and Rectosigmoid Junction										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,544	10.9	0.19	10.6	11.3	754	8.3	0.31	7.7	9.0
1986	70	11.4	1.38	8.8	14.4	5	7.8	4.25	1.8	19.6
1987	83	12.8	1.43	10.2	15.9	7	9.2	3.57	3.6	19.0
1988	68	10.3	1.27	7.9	13.0	10	14.7	5.32	6.2	28.1
1989	75	11.2	1.32	8.8	14.1	9	10.0	3.67	4.1	19.7
1990	70	10.7	1.29	8.3	13.5	7	7.8	3.09	3.0	16.3
1991	90	12.9	1.38	10.3	15.8	15	14.2	3.82	7.7	23.7
1992	71	10.0	1.21	7.8	12.6	7	6.8	3.03	2.2	15.0
1993	85	12.4	1.36	9.9	15.3	13	9.9	2.96	5.0	17.5
1994	77	10.4	1.19	8.2	13.0	11	9.4	3.08	4.3	17.2
1995	79	10.3	1.17	8.1	12.8	18	15.4	4.03	8.6	25.1
1996	91	12.3	1.30	9.9	15.1	13	9.5	2.75	4.9	16.4
1997	109	14.3	1.38	11.7	17.3	12	6.4	1.93	3.2	11.5
1998	92	11.5	1.21	9.3	14.1	11	7.0	2.31	3.2	12.9
1999	78	9.5	1.08	7.5	11.8	11	7.8	2.57	3.6	14.2
2000	83	9.9	1.09	7.9	12.3	17	10.3	2.72	5.7	16.9
2001	103	12.3	1.23	10.1	15.0	13	7.9	2.28	4.1	13.5
2002	110	12.9	1.24	10.6	15.6	17	8.7	2.18	4.9	14.0
2003	108	12.5	1.21	10.2	15.1	22	10.6	2.41	6.4	16.4
2004	101	11.2	1.12	9.1	13.6	17	7.5	1.88	4.2	12.1
2005	106	11.5	1.13	9.4	14.0	20	8.4	1.98	4.9	13.1
2006	110	11.9	1.14	9.7	14.3	34	14.1	2.54	9.5	19.9
2007	123	12.8	1.17	10.6	15.3	28	10.5	2.09	6.8	15.3
2008	122	12.5	1.15	10.4	15.0	22	7.4	1.65	4.5	11.4
2009	88	9.0	0.97	7.2	11.1	26	9.5	1.97	6.0	14.1
2010	109	10.7	1.04	8.8	13.0	35	11.2	2.00	7.6	15.8
2011	125	12.0	1.09	10.0	14.3	27	9.1	1.83	5.9	13.3
2012	112	10.6	1.01	8.7	12.8	30	8.3	1.58	5.5	12.0
2013	117	10.7	1.00	8.8	12.8	32	8.4	1.53	5.6	11.9
2014	107	10.1	0.99	8.3	12.3	26	6.9	1.39	4.4	10.2
2015	105	9.6	0.95	7.8	11.7	32	7.6	1.39	5.1	10.9
2016	134	12.0	1.06	10.0	14.3	43	10.4	1.61	7.4	14.0
2017	114	9.9	0.95	8.1	11.9	38	8.2	1.35	5.8	11.3
2018	122	10.7	0.99	8.9	12.9	24	5.3	1.09	3.4	7.9
2019	109	9.6	0.94	7.8	11.6	34	7.0	1.22	4.9	9.9
2020	82	7.2	0.81	5.7	9.0	28	5.4	1.03	3.6	7.8
2021	116	10.5	1.00	8.6	12.6	40	8.1	1.30	5.8	11.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Anus, Anal Canal and Anorectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,960	1.5	0.02	1.5	1.6	5,816	1.5	0.02	1.5	1.5
1986	97	0.9	0.09	0.7	1.1	81	0.9	0.10	0.7	1.1
1987	111	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1988	107	1.0	0.10	0.8	1.2	88	0.9	0.10	0.8	1.2
1989	115	1.1	0.10	0.9	1.3	102	1.1	0.11	0.9	1.3
1990	117	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2
1991	106	1.0	0.09	0.8	1.2	92	1.0	0.10	0.8	1.2
1992	113	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2
1993	104	0.9	0.09	0.8	1.1	96	1.0	0.10	0.8	1.2
1994	107	1.0	0.09	0.8	1.2	91	0.9	0.10	0.8	1.2
1995	124	1.1	0.10	0.9	1.3	104	1.1	0.10	0.9	1.3
1996	116	1.0	0.09	0.8	1.2	101	1.0	0.10	0.8	1.2
1997	125	1.1	0.10	0.9	1.3	107	1.1	0.11	0.9	1.3
1998	139	1.2	0.10	1.0	1.4	115	1.1	0.11	0.9	1.4
1999	152	1.3	0.10	1.1	1.5	131	1.3	0.11	1.1	1.5
2000	171	1.4	0.11	1.2	1.7	142	1.4	0.12	1.2	1.7
2001	173	1.4	0.11	1.2	1.7	138	1.3	0.11	1.1	1.6
2002	156	1.3	0.10	1.1	1.5	130	1.3	0.11	1.1	1.5
2003	196	1.6	0.11	1.4	1.8	162	1.6	0.12	1.3	1.8
2004	232	1.8	0.12	1.6	2.1	196	1.9	0.13	1.6	2.1
2005	175	1.4	0.10	1.2	1.6	144	1.3	0.11	1.1	1.6
2006	180	1.4	0.11	1.2	1.6	143	1.3	0.11	1.1	1.6
2007	223	1.7	0.11	1.5	1.9	187	1.7	0.13	1.5	2.0
2008	206	1.5	0.11	1.3	1.8	162	1.5	0.12	1.2	1.7
2009	244	1.8	0.12	1.6	2.1	205	1.8	0.13	1.6	2.1
2010	232	1.7	0.11	1.5	1.9	183	1.6	0.12	1.4	1.9
2011	227	1.6	0.11	1.4	1.9	180	1.6	0.12	1.3	1.8
2012	244	1.7	0.11	1.5	1.9	206	1.7	0.12	1.5	2.0
2013	274	1.9	0.12	1.7	2.2	237	2.0	0.13	1.8	2.3
2014	299	2.0	0.12	1.8	2.3	249	2.0	0.13	1.8	2.3
2015	258	1.7	0.11	1.5	1.9	217	1.7	0.12	1.5	2.0
2016	310	2.0	0.12	1.8	2.3	264	2.1	0.13	1.9	2.4
2017	294	1.9	0.11	1.7	2.1	240	1.9	0.13	1.7	2.2
2018	295	1.9	0.11	1.7	2.2	247	2.0	0.13	1.7	2.2
2019	326	2.1	0.12	1.9	2.4	273	2.1	0.13	1.9	2.4
2020	310	2.0	0.12	1.8	2.2	264	2.1	0.13	1.8	2.3
2021	302	1.9	0.11	1.7	2.1	252	1.9	0.12	1.7	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Anus, Anal Canal and Anorectum										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,050	1.8	0.06	1.7	2.0	59	0.4	0.05	0.3	0.5
1986	16	1.4	0.36	0.8	2.3	0				
1987	13	1.1	0.33	0.6	2.0	0				
1988	18	1.7	0.40	1.0	2.6	1	0.4	0.36	0.0	3.0
1989	12	1.0	0.29	0.5	1.7	1	0.5	0.46	0.0	3.1
1990	24	2.1	0.43	1.3	3.1	0				
1991	14	1.0	0.28	0.6	1.8	0				
1992	17	1.3	0.32	0.7	2.1	0				
1993	7	0.6	0.22	0.2	1.2	0				
1994	14	1.1	0.31	0.6	1.9	2	1.2	0.88	0.1	4.1
1995	20	1.4	0.31	0.8	2.1	0				
1996	15	1.2	0.32	0.7	2.0	0				
1997	16	1.2	0.30	0.7	1.9	2	0.5	0.36	0.1	2.1
1998	23	1.6	0.33	1.0	2.3	0				
1999	19	1.3	0.30	0.8	2.0	2	0.8	0.64	0.1	2.9
2000	28	1.9	0.36	1.2	2.7	0				
2001	35	2.4	0.41	1.6	3.3	0				
2002	24	1.5	0.30	0.9	2.2	1	0.5	0.46	0.0	2.1
2003	32	2.0	0.36	1.4	2.8	1	0.2	0.18	0.0	1.2
2004	29	1.9	0.36	1.3	2.7	5	1.6	0.78	0.5	3.8
2005	28	1.6	0.31	1.1	2.3	1	0.2	0.17	0.0	1.1
2006	34	2.0	0.35	1.4	2.8	2	0.4	0.26	0.0	1.4
2007	34	1.9	0.34	1.3	2.7	1	0.2	0.17	0.0	1.0
2008	41	2.5	0.39	1.7	3.3	2	0.4	0.28	0.0	1.4
2009	34	2.0	0.35	1.4	2.8	3	0.5	0.27	0.1	1.4
2010	48	2.8	0.41	2.0	3.7	1	0.1	0.12	0.0	0.8
2011	40	2.2	0.36	1.6	3.1	5	0.6	0.28	0.2	1.5
2012	33	1.8	0.32	1.2	2.6	3	0.4	0.24	0.1	1.3
2013	34	1.8	0.32	1.3	2.6	0				
2014	48	2.5	0.37	1.8	3.3	1	0.2	0.20	0.0	1.0
2015	36	1.8	0.31	1.3	2.5	3	0.3	0.19	0.1	1.0
2016	41	2.1	0.33	1.5	2.8	4	0.5	0.24	0.1	1.2
2017	49	2.5	0.37	1.8	3.3	4	0.5	0.26	0.1	1.3
2018	44	2.3	0.35	1.6	3.1	2	0.2	0.13	0.0	0.7
2019	48	2.5	0.37	1.8	3.3	4	0.4	0.19	0.1	1.0
2020	40	2.1	0.33	1.5	2.8	2	0.2	0.13	0.0	0.7
2021	42	2.2	0.34	1.6	3.0	6	0.7	0.28	0.3	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Anus, Anal Canal and Anorectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,658	1.3	0.03	1.2	1.3	2,117	1.2	0.03	1.2	1.3
1986	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1987	39	0.9	0.15	0.7	1.3	34	0.9	0.16	0.6	1.3
1988	38	0.8	0.13	0.6	1.1	31	0.8	0.14	0.5	1.1
1989	48	1.0	0.15	0.8	1.4	45	1.1	0.17	0.8	1.5
1990	52	1.2	0.17	0.9	1.5	41	1.0	0.17	0.7	1.4
1991	33	0.7	0.12	0.5	0.9	27	0.6	0.12	0.4	0.9
1992	44	0.9	0.14	0.6	1.2	36	0.8	0.14	0.6	1.2
1993	32	0.7	0.12	0.5	0.9	29	0.7	0.13	0.5	1.0
1994	25	0.5	0.11	0.3	0.8	23	0.6	0.12	0.4	0.9
1995	45	0.9	0.13	0.6	1.2	34	0.8	0.13	0.5	1.1
1996	45	0.9	0.14	0.7	1.2	41	1.0	0.15	0.7	1.3
1997	44	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.1
1998	54	1.0	0.14	0.8	1.3	40	0.9	0.14	0.6	1.2
1999	58	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5
2000	66	1.2	0.15	1.0	1.6	54	1.2	0.17	0.9	1.6
2001	71	1.3	0.15	1.0	1.6	55	1.2	0.16	0.9	1.6
2002	64	1.1	0.14	0.9	1.5	50	1.1	0.15	0.8	1.4
2003	87	1.5	0.17	1.2	1.9	66	1.4	0.17	1.1	1.8
2004	101	1.8	0.18	1.5	2.2	80	1.7	0.19	1.3	2.1
2005	76	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.5
2006	80	1.4	0.16	1.1	1.7	56	1.2	0.16	0.9	1.5
2007	79	1.4	0.16	1.1	1.7	65	1.4	0.17	1.0	1.7
2008	86	1.4	0.16	1.1	1.8	63	1.3	0.16	1.0	1.6
2009	88	1.5	0.16	1.2	1.8	71	1.4	0.17	1.1	1.8
2010	94	1.5	0.16	1.2	1.9	64	1.2	0.15	0.9	1.5
2011	77	1.3	0.15	1.0	1.6	56	1.1	0.15	0.8	1.5
2012	100	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9
2013	106	1.7	0.17	1.4	2.0	88	1.7	0.18	1.4	2.1
2014	122	1.8	0.17	1.5	2.2	99	1.8	0.18	1.4	2.2
2015	100	1.4	0.14	1.1	1.7	84	1.4	0.16	1.1	1.8
2016	106	1.5	0.15	1.2	1.8	84	1.4	0.16	1.1	1.8
2017	111	1.6	0.16	1.3	2.0	82	1.4	0.16	1.1	1.8
2018	105	1.5	0.15	1.2	1.8	82	1.4	0.16	1.1	1.8
2019	115	1.6	0.15	1.3	1.9	91	1.5	0.16	1.2	1.9
2020	119	1.7	0.16	1.4	2.0	94	1.6	0.17	1.3	1.9
2021	114	1.6	0.15	1.3	1.9	96	1.6	0.17	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Anus, Anal Canal and Anorectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	495	2.0	0.09	1.8	2.2	25	0.4	0.08	0.2	0.5
1986	2	0.5	0.36	0.1	1.7	0				
1987	5	1.0	0.51	0.3	2.5	0				
1988	6	1.3	0.57	0.5	2.9	1	0.7	0.74	0.0	6.9
1989	2	0.4	0.26	0.0	1.4	1	0.9	0.91	0.0	6.9
1990	11	2.3	0.76	1.1	4.2	0				
1991	6	0.9	0.39	0.3	2.1	0				
1992	8	1.3	0.46	0.6	2.6	0				
1993	2	0.5	0.39	0.1	1.7	0				
1994	1	0.2	0.15	0.0	0.9	1	1.2	1.18	0.0	6.3
1995	11	1.5	0.47	0.8	2.8	0				
1996	4	0.7	0.33	0.2	1.7	0				
1997	7	1.1	0.40	0.4	2.2	0				
1998	13	1.8	0.52	1.0	3.2	0				
1999	7	1.0	0.38	0.4	2.1	1	0.4	0.44	0.0	3.6
2000	11	1.6	0.48	0.8	2.8	0				
2001	16	2.3	0.59	1.3	3.8	0				
2002	13	1.7	0.46	0.9	2.9	0				
2003	19	2.6	0.60	1.5	4.1	1	0.4	0.38	0.0	2.8
2004	17	2.8	0.72	1.5	4.5	3	2.7	1.72	0.4	7.6
2005	19	2.4	0.54	1.4	3.7	0				
2006	22	3.0	0.66	1.9	4.6	1	0.4	0.37	0.0	2.4
2007	12	1.6	0.46	0.8	2.8	1	0.4	0.35	0.0	2.3
2008	23	3.3	0.73	2.0	5.0	0				
2009	14	2.0	0.57	1.1	3.5	1	0.3	0.32	0.0	2.1
2010	30	4.3	0.84	2.8	6.3	0				
2011	18	2.3	0.57	1.4	3.8	2	0.6	0.39	0.1	2.2
2012	16	1.9	0.47	1.1	3.0	2	0.5	0.36	0.1	2.1
2013	15	1.9	0.52	1.1	3.2	0				
2014	22	2.4	0.52	1.5	3.7	1	0.5	0.45	0.0	2.2
2015	14	1.4	0.39	0.8	2.5	2	0.5	0.32	0.1	1.8
2016	21	2.4	0.55	1.5	3.8	1	0.3	0.26	0.0	1.5
2017	26	3.3	0.66	2.1	4.8	3	1.0	0.62	0.2	2.9
2018	22	2.4	0.53	1.5	3.7	0				
2019	21	2.5	0.55	1.5	3.8	2	0.4	0.31	0.1	1.7
2020	23	2.7	0.58	1.7	4.1	0				
2021	16	2.0	0.51	1.1	3.3	1	0.4	0.36	0.0	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Anus, Anal Canal and Anorectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,302	1.7	0.03	1.7	1.8	3,699	1.8	0.03	1.7	1.8
1986	63	1.0	0.13	0.8	1.3	49	0.9	0.13	0.7	1.2
1987	72	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5
1988	69	1.2	0.14	0.9	1.5	57	1.1	0.14	0.8	1.4
1989	67	1.1	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5
1990	65	1.1	0.14	0.9	1.4	52	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.5
1992	69	1.1	0.13	0.8	1.4	60	1.1	0.14	0.8	1.4
1993	72	1.1	0.13	0.9	1.4	67	1.2	0.15	0.9	1.5
1994	82	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6
1995	79	1.3	0.14	1.0	1.6	70	1.3	0.16	1.0	1.7
1996	71	1.1	0.13	0.9	1.4	60	1.1	0.14	0.8	1.4
1997	81	1.3	0.14	1.0	1.6	70	1.3	0.15	1.0	1.6
1998	85	1.3	0.14	1.0	1.6	75	1.3	0.16	1.1	1.7
1999	94	1.4	0.15	1.2	1.7	81	1.5	0.16	1.2	1.8
2000	105	1.6	0.16	1.3	1.9	88	1.6	0.17	1.3	2.0
2001	102	1.5	0.15	1.2	1.8	83	1.5	0.16	1.2	1.8
2002	92	1.4	0.14	1.1	1.7	80	1.4	0.16	1.1	1.8
2003	109	1.6	0.15	1.3	1.9	96	1.7	0.17	1.4	2.0
2004	131	1.9	0.17	1.6	2.2	116	2.0	0.19	1.7	2.4
2005	99	1.4	0.14	1.1	1.7	88	1.5	0.16	1.2	1.8
2006	100	1.4	0.14	1.2	1.7	87	1.5	0.16	1.2	1.9
2007	144	2.0	0.17	1.7	2.4	122	2.1	0.19	1.7	2.5
2008	120	1.6	0.15	1.4	2.0	99	1.7	0.17	1.3	2.0
2009	156	2.1	0.17	1.8	2.4	134	2.2	0.19	1.8	2.6
2010	138	1.9	0.16	1.6	2.2	119	2.0	0.18	1.6	2.4
2011	150	2.0	0.16	1.7	2.3	124	2.0	0.18	1.7	2.4
2012	144	1.9	0.16	1.6	2.2	125	2.0	0.18	1.6	2.3
2013	168	2.2	0.17	1.8	2.5	149	2.3	0.20	2.0	2.8
2014	177	2.2	0.17	1.9	2.6	150	2.3	0.19	2.0	2.7
2015	158	1.9	0.16	1.6	2.3	133	2.0	0.18	1.7	2.4
2016	204	2.5	0.18	2.2	2.9	180	2.7	0.21	2.3	3.2
2017	183	2.2	0.17	1.9	2.5	158	2.3	0.19	2.0	2.8
2018	190	2.3	0.17	2.0	2.6	165	2.5	0.20	2.1	2.9
2019	211	2.6	0.18	2.2	2.9	182	2.7	0.21	2.3	3.2
2020	191	2.3	0.17	2.0	2.7	170	2.6	0.21	2.2	3.0
2021	188	2.2	0.16	1.9	2.5	156	2.2	0.18	1.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Anus, Anal Canal and Anorectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	555	1.7	0.07	1.6	1.9	34	0.4	0.07	0.3	0.5
1986	14	2.1	0.57	1.1	3.5	0				
1987	8	1.2	0.44	0.5	2.4	0				
1988	12	1.9	0.55	1.0	3.3	0				
1989	10	1.4	0.46	0.7	2.6	0				
1990	13	2.0	0.54	1.0	3.3	0				
1991	8	1.1	0.39	0.5	2.1	0				
1992	9	1.2	0.41	0.6	2.3	0				
1993	5	0.7	0.30	0.2	1.5	0				
1994	13	1.8	0.49	0.9	3.0	1	1.2	1.23	0.0	5.7
1995	9	1.2	0.40	0.5	2.3	0				
1996	11	1.5	0.47	0.8	2.7	0				
1997	9	1.2	0.39	0.5	2.2	2	1.0	0.71	0.1	4.0
1998	10	1.2	0.40	0.6	2.3	0				
1999	12	1.4	0.41	0.7	2.5	1	1.0	0.98	0.0	4.4
2000	17	2.0	0.49	1.2	3.2	0				
2001	19	2.3	0.53	1.4	3.5	0				
2002	11	1.2	0.38	0.6	2.2	1	0.8	0.75	0.0	3.5
2003	13	1.5	0.41	0.8	2.5	0				
2004	12	1.3	0.38	0.7	2.3	2	1.0	0.74	0.1	3.5
2005	9	1.0	0.32	0.4	1.8	1	0.3	0.32	0.0	2.0
2006	12	1.2	0.35	0.6	2.1	1	0.4	0.37	0.0	2.1
2007	22	2.2	0.47	1.4	3.3	0				
2008	18	1.9	0.45	1.1	3.0	2	0.7	0.51	0.1	2.6
2009	20	2.0	0.46	1.2	3.1	2	0.6	0.42	0.1	2.2
2010	18	1.7	0.41	1.0	2.7	1	0.2	0.23	0.0	1.5
2011	22	2.1	0.45	1.3	3.2	3	0.7	0.40	0.1	2.2
2012	17	1.7	0.42	1.0	2.7	1	0.3	0.33	0.0	1.7
2013	19	1.8	0.42	1.1	2.8	0				
2014	26	2.4	0.49	1.6	3.6	0				
2015	22	2.0	0.43	1.2	3.0	1	0.3	0.25	0.0	1.4
2016	20	1.9	0.42	1.1	2.9	3	0.7	0.39	0.1	2.0
2017	23	2.0	0.42	1.2	3.0	1	0.2	0.17	0.0	1.2
2018	22	2.1	0.45	1.3	3.1	2	0.3	0.24	0.0	1.4
2019	27	2.4	0.48	1.6	3.6	2	0.3	0.24	0.0	1.4
2020	17	1.5	0.39	0.9	2.5	2	0.4	0.25	0.0	1.4
2021	26	2.3	0.45	1.5	3.4	5	1.0	0.45	0.3	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Liver										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	23,344	5.0	0.03	4.9	5.1	17,636	4.5	0.03	4.4	4.5
1986	243	2.3	0.15	2.0	2.6	183	2.0	0.15	1.7	2.3
1987	230	2.2	0.14	1.9	2.5	177	1.9	0.14	1.6	2.2
1988	260	2.4	0.15	2.1	2.7	206	2.1	0.15	1.8	2.4
1989	262	2.4	0.15	2.1	2.7	191	2.0	0.15	1.7	2.3
1990	253	2.3	0.15	2.0	2.6	195	2.0	0.15	1.7	2.3
1991	257	2.3	0.15	2.1	2.6	196	2.0	0.15	1.8	2.3
1992	263	2.4	0.15	2.1	2.7	211	2.1	0.15	1.9	2.5
1993	320	2.8	0.16	2.5	3.1	240	2.4	0.16	2.1	2.8
1994	421	3.7	0.18	3.3	4.1	324	3.2	0.18	2.9	3.6
1995	437	3.8	0.18	3.5	4.2	325	3.3	0.18	2.9	3.6
1996	461	4.0	0.19	3.6	4.4	329	3.3	0.18	2.9	3.7
1997	464	4.0	0.19	3.6	4.4	349	3.5	0.19	3.1	3.9
1998	497	4.2	0.19	3.9	4.6	382	3.8	0.19	3.4	4.2
1999	538	4.5	0.20	4.2	4.9	401	3.9	0.20	3.6	4.3
2000	551	4.6	0.20	4.2	5.0	408	4.0	0.20	3.6	4.4
2001	553	4.6	0.19	4.2	5.0	426	4.1	0.20	3.7	4.5
2002	592	4.9	0.20	4.5	5.3	444	4.3	0.20	3.9	4.7
2003	577	4.7	0.19	4.3	5.1	445	4.2	0.20	3.9	4.7
2004	638	5.1	0.20	4.7	5.5	489	4.6	0.21	4.2	5.1
2005	693	5.5	0.21	5.1	5.9	532	5.0	0.22	4.6	5.4
2006	689	5.3	0.20	4.9	5.7	519	4.8	0.21	4.4	5.2
2007	751	5.7	0.21	5.3	6.1	548	5.0	0.21	4.6	5.4
2008	743	5.5	0.20	5.1	5.9	543	4.8	0.21	4.4	5.3
2009	851	6.2	0.21	5.8	6.6	661	5.8	0.23	5.4	6.3
2010	890	6.4	0.22	6.0	6.8	680	5.9	0.23	5.5	6.4
2011	854	6.0	0.21	5.6	6.4	633	5.4	0.22	4.9	5.8
2012	909	6.1	0.21	5.7	6.6	693	5.7	0.22	5.2	6.1
2013	910	6.1	0.21	5.7	6.5	675	5.5	0.22	5.1	6.0
2014	1,010	6.6	0.21	6.2	7.0	744	6.0	0.22	5.5	6.4
2015	1,048	6.8	0.21	6.4	7.2	781	6.2	0.23	5.7	6.6
2016	1,047	6.6	0.21	6.2	7.0	771	6.0	0.22	5.5	6.4
2017	1,017	6.3	0.20	5.9	6.7	768	5.9	0.22	5.5	6.4
2018	1,076	6.7	0.21	6.3	7.1	840	6.4	0.23	6.0	6.9
2019	1,086	6.6	0.20	6.2	7.0	838	6.3	0.22	5.8	6.7
2020	925	5.6	0.19	5.3	6.0	682	5.1	0.20	4.7	5.5
2021	1,028	6.2	0.20	5.8	6.6	807	6.0	0.22	5.6	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Liver										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,195	7.3	0.11	7.1	7.5	1,404	8.7	0.24	8.2	9.2
1986	46	3.9	0.59	2.8	5.2	14	7.6	2.07	4.1	13.2
1987	40	3.7	0.61	2.6	5.1	13	6.6	1.89	3.4	11.7
1988	47	4.4	0.66	3.2	5.8	7	4.2	1.61	1.6	8.8
1989	56	4.7	0.65	3.5	6.2	14	7.4	2.08	3.9	12.8
1990	40	3.3	0.55	2.4	4.6	18	9.0	2.31	5.1	14.8
1991	46	3.5	0.53	2.5	4.7	14	7.6	2.22	3.9	13.1
1992	34	2.7	0.48	1.9	3.8	16	7.4	1.95	4.0	12.2
1993	58	4.6	0.62	3.5	6.0	22	10.9	2.59	6.4	17.0
1994	79	6.6	0.76	5.2	8.2	17	6.8	1.75	3.8	11.2
1995	91	7.3	0.79	5.8	9.0	21	10.3	2.48	6.0	16.1
1996	100	7.7	0.79	6.2	9.4	31	13.5	2.75	8.6	19.8
1997	90	6.9	0.74	5.5	8.5	25	9.7	2.19	5.9	14.8
1998	88	6.5	0.71	5.2	8.1	25	8.3	1.81	5.2	12.6
1999	100	7.2	0.73	5.9	8.8	35	11.0	2.13	7.2	15.9
2000	107	7.5	0.74	6.1	9.1	35	12.5	2.25	8.5	17.6
2001	93	6.3	0.66	5.0	7.7	34	10.6	1.99	7.1	15.2
2002	107	7.3	0.72	6.0	8.9	39	12.1	2.08	8.3	16.7
2003	98	6.5	0.67	5.3	8.0	34	9.0	1.64	6.1	12.7
2004	111	7.3	0.71	6.0	8.8	37	8.9	1.55	6.1	12.4
2005	130	8.0	0.71	6.7	9.5	29	7.2	1.43	4.6	10.5
2006	130	7.8	0.69	6.5	9.2	39	7.7	1.29	5.4	10.7
2007	151	8.9	0.74	7.5	10.5	51	10.7	1.62	7.8	14.3
2008	146	8.3	0.70	7.0	9.8	52	10.3	1.52	7.5	13.7
2009	137	7.5	0.65	6.3	8.9	51	10.2	1.54	7.4	13.6
2010	159	8.8	0.71	7.4	10.3	48	8.3	1.26	6.0	11.1
2011	171	8.9	0.70	7.6	10.4	47	7.2	1.10	5.2	9.7
2012	156	8.0	0.65	6.8	9.4	55	9.1	1.31	6.7	12.0
2013	184	9.1	0.69	7.8	10.5	48	7.2	1.10	5.2	9.7
2014	188	9.0	0.67	7.7	10.4	72	10.5	1.28	8.1	13.3
2015	188	8.9	0.67	7.7	10.3	73	10.0	1.22	7.8	12.7
2016	194	9.0	0.67	7.8	10.4	79	9.7	1.13	7.6	12.2
2017	181	8.2	0.62	7.0	9.5	65	7.5	0.96	5.8	9.6
2018	177	8.1	0.62	6.9	9.4	53	6.2	0.87	4.6	8.1
2019	169	7.7	0.61	6.6	9.0	68	7.8	0.97	6.1	10.0
2020	159	7.3	0.59	6.2	8.5	60	7.0	0.92	5.3	9.0
2021	144	6.4	0.55	5.4	7.6	63	6.9	0.88	5.2	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Liver										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	16,555	7.9	0.06	7.8	8.1	12,513	7.1	0.06	7.0	7.2
1986	154	3.5	0.30	3.0	4.2	106	2.8	0.29	2.3	3.4
1987	153	3.4	0.29	2.9	4.1	113	2.9	0.28	2.4	3.5
1988	165	3.6	0.29	3.1	4.2	134	3.3	0.30	2.8	4.0
1989	173	3.9	0.30	3.3	4.5	128	3.3	0.30	2.7	3.9
1990	175	3.7	0.29	3.2	4.3	130	3.1	0.28	2.6	3.7
1991	158	3.3	0.27	2.8	3.9	117	2.8	0.27	2.3	3.4
1992	176	3.8	0.30	3.3	4.5	138	3.4	0.30	2.9	4.1
1993	211	4.4	0.31	3.8	5.0	162	3.9	0.31	3.3	4.6
1994	280	5.9	0.36	5.2	6.6	213	5.1	0.35	4.4	5.8
1995	297	6.1	0.36	5.4	6.9	222	5.2	0.35	4.5	6.0
1996	307	6.2	0.36	5.5	6.9	208	4.8	0.34	4.2	5.6
1997	308	6.2	0.36	5.6	7.0	230	5.4	0.36	4.7	6.2
1998	344	6.8	0.37	6.1	7.5	268	6.1	0.38	5.4	6.9
1999	348	6.7	0.36	6.0	7.5	253	5.7	0.36	5.0	6.5
2000	368	7.0	0.37	6.3	7.8	278	6.2	0.37	5.5	7.0
2001	378	7.2	0.38	6.5	8.0	292	6.5	0.39	5.8	7.3
2002	409	7.6	0.38	6.9	8.4	312	6.8	0.39	6.1	7.6
2003	408	7.4	0.37	6.7	8.2	318	6.8	0.39	6.1	7.6
2004	447	7.9	0.38	7.2	8.7	348	7.3	0.39	6.5	8.1
2005	503	8.9	0.40	8.1	9.7	389	8.2	0.42	7.4	9.0
2006	492	8.5	0.39	7.7	9.3	372	7.6	0.40	6.9	8.5
2007	545	9.1	0.40	8.4	9.9	390	7.8	0.40	7.0	8.6
2008	517	8.4	0.38	7.7	9.2	377	7.3	0.38	6.6	8.1
2009	647	10.4	0.42	9.6	11.3	503	9.7	0.44	8.8	10.6
2010	626	9.8	0.40	9.0	10.6	484	9.1	0.42	8.3	10.0
2011	643	9.7	0.39	9.0	10.6	467	8.6	0.41	7.8	9.4
2012	674	9.8	0.39	9.0	10.5	513	8.9	0.40	8.1	9.7
2013	670	9.7	0.38	8.9	10.4	492	8.6	0.40	7.8	9.4
2014	755	10.6	0.40	9.8	11.4	559	9.5	0.41	8.7	10.4
2015	775	10.8	0.40	10.0	11.6	579	9.8	0.42	9.0	10.6
2016	757	10.1	0.38	9.4	10.9	559	9.1	0.40	8.3	9.9
2017	713	9.5	0.37	8.8	10.2	544	8.9	0.39	8.1	9.7
2018	769	10.3	0.38	9.6	11.1	605	9.8	0.41	9.0	10.7
2019	802	10.5	0.38	9.7	11.2	631	10.0	0.41	9.2	10.8
2020	666	8.7	0.35	8.1	9.4	497	7.9	0.37	7.2	8.7
2021	742	9.6	0.36	8.9	10.4	582	9.1	0.39	8.4	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Liver										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,951	12.0	0.23	11.6	12.5	1,019	13.7	0.46	12.8	14.6
1986	36	7.3	1.30	5.0	10.3	12	13.1	3.85	6.7	24.1
1987	29	6.6	1.33	4.2	9.7	11	11.0	3.43	5.3	21.0
1988	26	5.6	1.19	3.5	8.4	5	5.7	2.57	1.8	14.1
1989	35	7.5	1.34	5.1	10.5	9	10.9	3.98	4.5	21.8
1990	28	6.0	1.23	3.9	8.9	17	18.6	5.06	10.0	31.4
1991	29	5.2	1.01	3.4	7.6	11	13.7	4.62	6.2	25.7
1992	23	4.7	1.08	2.8	7.3	14	13.9	4.11	7.0	24.4
1993	36	6.3	1.06	4.4	8.7	13	13.4	4.57	6.0	25.0
1994	53	11.6	1.70	8.5	15.3	13	11.2	3.32	5.6	19.8
1995	58	11.7	1.68	8.7	15.4	17	18.7	5.36	9.8	31.7
1996	74	13.5	1.65	10.5	17.1	24	24.0	5.91	13.9	37.9
1997	59	10.6	1.47	7.9	13.9	19	14.7	3.66	8.5	23.7
1998	60	10.6	1.44	8.0	13.7	15	11.5	3.38	5.8	19.9
1999	65	11.6	1.49	8.8	14.8	28	20.1	4.83	11.8	31.4
2000	69	11.6	1.46	9.0	14.8	21	14.4	3.50	8.4	22.8
2001	61	9.6	1.29	7.3	12.5	25	17.9	4.28	10.5	27.9
2002	68	10.7	1.36	8.2	13.7	28	19.2	4.23	11.9	29.0
2003	66	10.1	1.30	7.8	13.0	24	13.9	3.16	8.4	21.4
2004	74	11.2	1.37	8.7	14.2	25	13.3	2.88	8.3	20.1
2005	92	13.0	1.41	10.4	16.1	20	10.8	2.72	6.2	17.3
2006	92	12.5	1.36	10.0	15.5	27	12.2	2.59	7.7	18.3
2007	115	15.9	1.56	13.0	19.2	39	18.5	3.32	12.6	26.1
2008	108	14.3	1.44	11.6	17.4	31	14.3	2.89	9.2	21.0
2009	102	13.1	1.35	10.6	16.0	41	17.9	3.18	12.2	25.1
2010	106	13.4	1.36	10.9	16.3	34	12.2	2.22	8.2	17.4
2011	137	16.7	1.50	13.9	20.0	38	12.2	2.05	8.5	17.0
2012	120	14.1	1.33	11.6	16.9	40	15.6	2.75	10.6	21.7
2013	141	16.2	1.42	13.5	19.2	35	11.6	2.10	7.9	16.4
2014	140	15.6	1.38	13.0	18.6	51	15.9	2.41	11.6	21.3
2015	141	15.2	1.33	12.7	18.1	53	15.9	2.32	11.7	21.1
2016	138	14.8	1.31	12.3	17.6	59	15.2	2.08	11.4	19.9
2017	122	12.9	1.22	10.6	15.5	44	10.7	1.69	7.7	14.6
2018	121	13.0	1.24	10.7	15.7	38	9.8	1.64	6.8	13.5
2019	118	12.6	1.21	10.3	15.2	49	12.5	1.84	9.1	16.6
2020	108	11.6	1.15	9.4	14.1	41	10.3	1.65	7.3	14.0
2021	101	10.6	1.09	8.6	13.0	48	11.4	1.68	8.3	15.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Liver											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2021	6,789	2.6	0.03	2.5	2.7	5,123	2.3	0.03	2.3	2.4	
1986	89	1.5	0.16	1.2	1.8	77	1.4	0.17	1.1	1.8	
1987	77	1.3	0.15	1.0	1.6	64	1.2	0.16	0.9	1.6	
1988	95	1.5	0.15	1.2	1.8	72	1.3	0.15	1.0	1.6	
1989	89	1.4	0.15	1.1	1.8	63	1.2	0.15	0.9	1.5	
1990	78	1.3	0.15	1.0	1.6	65	1.2	0.16	1.0	1.6	
1991	99	1.5	0.16	1.3	1.9	79	1.4	0.16	1.1	1.8	
1992	87	1.3	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6	
1993	109	1.7	0.16	1.4	2.0	78	1.4	0.16	1.1	1.7	
1994	141	2.1	0.17	1.7	2.4	111	1.8	0.17	1.5	2.2	
1995	140	2.1	0.18	1.8	2.5	103	1.8	0.18	1.5	2.2	
1996	154	2.3	0.18	1.9	2.7	121	2.0	0.18	1.7	2.4	
1997	156	2.3	0.19	2.0	2.7	119	2.1	0.19	1.7	2.5	
1998	153	2.2	0.18	1.9	2.6	114	1.9	0.18	1.6	2.3	
1999	190	2.8	0.20	2.4	3.2	148	2.5	0.21	2.1	3.0	
2000	183	2.6	0.20	2.3	3.1	130	2.2	0.19	1.8	2.6	
2001	175	2.5	0.19	2.2	2.9	134	2.2	0.20	1.9	2.7	
2002	183	2.6	0.19	2.2	3.0	132	2.2	0.19	1.8	2.6	
2003	169	2.4	0.19	2.0	2.8	127	2.1	0.19	1.8	2.5	
2004	191	2.7	0.20	2.3	3.1	141	2.4	0.20	2.0	2.8	
2005	190	2.7	0.20	2.3	3.1	143	2.4	0.20	2.0	2.8	
2006	197	2.7	0.20	2.4	3.1	147	2.4	0.20	2.0	2.8	
2007	206	2.8	0.20	2.5	3.3	158	2.5	0.21	2.2	3.0	
2008	226	3.0	0.20	2.6	3.4	166	2.6	0.21	2.2	3.1	
2009	204	2.8	0.20	2.4	3.2	158	2.6	0.21	2.2	3.0	
2010	264	3.5	0.22	3.1	4.0	196	3.2	0.23	2.7	3.7	
2011	211	2.8	0.20	2.4	3.2	166	2.7	0.21	2.3	3.1	
2012	235	3.0	0.20	2.6	3.4	180	2.8	0.21	2.4	3.2	
2013	240	3.0	0.20	2.7	3.5	183	2.9	0.22	2.5	3.3	
2014	255	3.2	0.20	2.8	3.6	185	2.8	0.22	2.4	3.3	
2015	273	3.3	0.21	2.9	3.8	202	3.0	0.22	2.6	3.5	
2016	290	3.4	0.21	3.0	3.9	212	3.1	0.22	2.7	3.6	
2017	304	3.6	0.21	3.2	4.0	224	3.3	0.23	2.9	3.8	
2018	307	3.6	0.21	3.2	4.0	235	3.4	0.23	3.0	3.9	
2019	284	3.3	0.20	2.9	3.8	207	3.0	0.22	2.6	3.5	
2020	259	3.0	0.19	2.6	3.4	185	2.7	0.21	2.3	3.1	
2021	286	3.3	0.20	2.9	3.7	225	3.2	0.22	2.8	3.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Liver										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,244	3.8	0.11	3.6	4.0	385	4.6	0.24	4.1	5.1
1986	10	1.5	0.48	0.7	2.7	2	2.3	1.65	0.3	8.8
1987	11	1.8	0.55	0.9	3.2	2	2.5	1.77	0.3	9.0
1988	21	3.4	0.76	2.1	5.2	2	2.8	1.96	0.3	9.5
1989	21	2.9	0.65	1.8	4.4	5	4.5	2.04	1.5	11.0
1990	12	1.6	0.48	0.8	2.9	1	0.9	0.93	0.0	5.6
1991	17	2.2	0.55	1.3	3.6	3	2.7	1.74	0.4	8.5
1992	11	1.5	0.46	0.7	2.7	2	1.8	1.30	0.2	6.6
1993	22	3.1	0.68	2.0	4.7	9	8.8	3.05	3.9	16.7
1994	26	3.6	0.71	2.3	5.2	4	3.2	1.68	0.8	8.3
1995	33	4.5	0.79	3.1	6.3	4	4.1	2.10	1.1	10.0
1996	26	3.5	0.70	2.3	5.2	7	5.9	2.44	2.1	12.3
1997	31	4.2	0.76	2.9	6.0	6	5.2	2.41	1.6	11.6
1998	28	3.7	0.70	2.4	5.3	10	5.9	1.97	2.7	11.1
1999	35	4.3	0.74	3.0	6.0	7	4.3	1.71	1.6	8.9
2000	38	4.6	0.75	3.2	6.3	14	10.6	2.85	5.7	17.4
2001	32	3.7	0.67	2.5	5.3	9	5.5	1.89	2.4	10.4
2002	39	4.7	0.76	3.4	6.5	11	6.8	2.10	3.3	12.0
2003	32	3.8	0.67	2.6	5.3	10	5.1	1.67	2.4	9.4
2004	37	4.3	0.72	3.0	6.0	12	5.4	1.63	2.7	9.5
2005	38	4.2	0.69	3.0	5.8	9	4.4	1.53	2.0	8.4
2006	38	4.1	0.68	2.9	5.7	12	4.1	1.21	2.1	7.3
2007	36	3.9	0.65	2.7	5.3	12	4.5	1.38	2.2	8.1
2008	38	3.9	0.64	2.7	5.3	21	7.4	1.68	4.5	11.5
2009	35	3.5	0.59	2.4	4.8	10	4.2	1.37	1.9	7.6
2010	53	5.3	0.73	3.9	6.9	14	4.9	1.36	2.6	8.3
2011	34	3.2	0.57	2.2	4.6	9	2.7	0.96	1.2	5.3
2012	36	3.4	0.57	2.4	4.7	15	4.4	1.17	2.4	7.3
2013	43	3.8	0.59	2.8	5.2	13	3.5	1.02	1.8	6.2
2014	48	4.2	0.61	3.1	5.6	21	6.2	1.38	3.8	9.5
2015	47	4.2	0.62	3.0	5.6	20	5.3	1.22	3.1	8.2
2016	56	4.7	0.64	3.5	6.1	20	5.0	1.16	3.0	7.8
2017	59	4.7	0.62	3.5	6.1	21	4.8	1.08	3.0	7.5
2018	56	4.5	0.61	3.3	5.8	15	3.1	0.83	1.7	5.2
2019	51	4.2	0.60	3.1	5.6	19	4.1	0.96	2.5	6.5
2020	51	4.1	0.58	3.0	5.4	19	4.1	0.96	2.5	6.5
2021	43	3.3	0.52	2.4	4.5	15	3.2	0.82	1.8	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gallbladder										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,382	1.4	0.02	1.4	1.4	5,273	1.3	0.02	1.3	1.4
1986	159	1.5	0.12	1.3	1.8	145	1.6	0.13	1.3	1.9
1987	152	1.5	0.12	1.2	1.7	139	1.5	0.13	1.3	1.8
1988	188	1.8	0.13	1.6	2.1	165	1.8	0.14	1.5	2.1
1989	167	1.6	0.12	1.3	1.8	149	1.6	0.13	1.3	1.8
1990	161	1.5	0.12	1.3	1.7	148	1.5	0.13	1.3	1.8
1991	154	1.4	0.12	1.2	1.7	132	1.4	0.12	1.2	1.6
1992	177	1.6	0.12	1.4	1.9	152	1.5	0.13	1.3	1.8
1993	131	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4
1994	175	1.6	0.12	1.3	1.8	162	1.6	0.13	1.4	1.9
1995	161	1.4	0.11	1.2	1.6	142	1.4	0.12	1.2	1.7
1996	172	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.7
1997	165	1.4	0.11	1.2	1.7	150	1.5	0.12	1.2	1.7
1998	186	1.6	0.12	1.4	1.8	156	1.5	0.12	1.3	1.8
1999	159	1.3	0.11	1.1	1.6	143	1.4	0.12	1.2	1.6
2000	164	1.4	0.11	1.2	1.6	140	1.4	0.11	1.1	1.6
2001	170	1.4	0.11	1.2	1.6	154	1.5	0.12	1.3	1.7
2002	168	1.4	0.11	1.2	1.6	141	1.4	0.11	1.1	1.6
2003	172	1.4	0.11	1.2	1.6	144	1.4	0.11	1.1	1.6
2004	169	1.4	0.10	1.2	1.6	137	1.3	0.11	1.1	1.5
2005	189	1.5	0.11	1.3	1.8	161	1.5	0.12	1.3	1.8
2006	168	1.3	0.10	1.1	1.5	145	1.3	0.11	1.1	1.6
2007	170	1.3	0.10	1.1	1.5	146	1.3	0.11	1.1	1.6
2008	194	1.5	0.11	1.3	1.7	155	1.4	0.11	1.2	1.7
2009	185	1.4	0.10	1.2	1.6	147	1.3	0.11	1.1	1.5
2010	176	1.3	0.10	1.1	1.5	134	1.2	0.10	1.0	1.4
2011	201	1.5	0.11	1.3	1.7	158	1.4	0.11	1.2	1.6
2012	182	1.3	0.10	1.1	1.5	139	1.2	0.10	1.0	1.4
2013	196	1.4	0.10	1.2	1.6	149	1.3	0.11	1.1	1.5
2014	207	1.4	0.10	1.2	1.7	159	1.3	0.11	1.1	1.6
2015	216	1.5	0.10	1.3	1.7	170	1.4	0.11	1.2	1.6
2016	209	1.4	0.10	1.2	1.6	162	1.4	0.11	1.1	1.6
2017	197	1.3	0.09	1.1	1.5	145	1.2	0.10	1.0	1.4
2018	201	1.3	0.09	1.1	1.5	147	1.2	0.10	1.0	1.4
2019	195	1.3	0.09	1.1	1.5	141	1.1	0.10	0.9	1.3
2020	172	1.1	0.08	0.9	1.3	121	1.0	0.09	0.8	1.1
2021	174	1.1	0.09	0.9	1.3	130	1.0	0.09	0.8	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gallbladder										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	896	1.7	0.06	1.6	1.8	193	1.3	0.10	1.1	1.5
1986	12	1.4	0.40	0.7	2.3	2	1.9	1.39	0.2	6.5
1987	11	1.0	0.33	0.5	1.9	2	2.0	1.55	0.2	6.9
1988	19	2.0	0.46	1.2	3.0	4	4.0	2.07	1.1	9.8
1989	16	1.5	0.38	0.8	2.4	2	1.8	1.27	0.2	5.9
1990	10	1.1	0.34	0.5	1.9	3	1.9	1.13	0.4	5.6
1991	21	1.9	0.43	1.2	2.9	1	0.9	0.91	0.0	4.2
1992	21	1.7	0.39	1.1	2.7	4	1.8	0.92	0.5	4.8
1993	11	1.0	0.32	0.5	1.8	4	1.4	0.71	0.3	3.8
1994	10	0.9	0.29	0.4	1.7	3	1.3	0.84	0.2	4.0
1995	17	1.4	0.34	0.8	2.2	2	0.8	0.57	0.1	2.9
1996	21	1.7	0.38	1.1	2.6	2	1.3	1.07	0.1	4.5
1997	11	0.9	0.27	0.4	1.5	4	1.4	0.71	0.4	3.6
1998	22	1.7	0.37	1.1	2.6	7	3.1	1.34	1.1	6.6
1999	12	0.9	0.26	0.5	1.5	4	1.3	0.66	0.3	3.3
2000	21	1.5	0.32	0.9	2.2	1	0.3	0.31	0.0	1.7
2001	13	0.9	0.26	0.5	1.6	3	0.6	0.35	0.1	2.0
2002	19	1.3	0.30	0.8	2.0	8	2.8	1.06	1.1	5.5
2003	22	1.6	0.35	1.0	2.4	6	2.3	0.97	0.8	4.8
2004	26	2.0	0.39	1.3	2.9	6	1.3	0.53	0.5	2.8
2005	24	1.8	0.37	1.1	2.6	4	0.8	0.43	0.2	2.2
2006	19	1.3	0.29	0.7	2.0	4	1.0	0.54	0.2	2.6
2007	22	1.4	0.31	0.9	2.1	2	0.5	0.39	0.1	1.8
2008	33	2.0	0.35	1.3	2.8	6	1.1	0.44	0.4	2.3
2009	31	1.9	0.35	1.3	2.7	5	1.2	0.57	0.3	2.8
2010	37	2.3	0.38	1.6	3.1	5	0.9	0.44	0.3	2.2
2011	37	2.2	0.37	1.5	3.0	5	0.9	0.42	0.3	2.1
2012	34	1.9	0.33	1.3	2.6	7	1.4	0.56	0.6	2.9
2013	36	2.0	0.34	1.4	2.8	10	1.5	0.49	0.7	2.8
2014	35	1.8	0.32	1.3	2.6	11	1.6	0.52	0.8	3.0
2015	35	1.8	0.32	1.3	2.6	10	1.5	0.48	0.7	2.7
2016	42	2.2	0.34	1.5	2.9	5	0.6	0.26	0.2	1.4
2017	42	2.1	0.34	1.5	2.9	9	1.0	0.35	0.5	2.0
2018	40	2.1	0.33	1.5	2.8	11	1.5	0.44	0.7	2.6
2019	41	2.1	0.33	1.5	2.8	10	1.3	0.41	0.6	2.3
2020	41	2.0	0.31	1.4	2.7	10	1.1	0.34	0.5	2.0
2021	32	1.6	0.29	1.1	2.3	11	1.2	0.37	0.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gallbladder										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,798	1.0	0.02	0.9	1.0	1,472	0.9	0.02	0.9	1.0
1986	45	1.1	0.18	0.8	1.5	41	1.1	0.19	0.8	1.6
1987	42	1.1	0.17	0.8	1.4	36	1.0	0.18	0.7	1.5
1988	44	1.1	0.18	0.8	1.5	37	1.0	0.18	0.7	1.4
1989	38	0.9	0.15	0.6	1.2	35	0.9	0.16	0.6	1.3
1990	40	0.9	0.15	0.7	1.2	38	1.0	0.16	0.7	1.3
1991	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1992	34	0.7	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1993	28	0.6	0.12	0.4	0.9	24	0.6	0.12	0.4	0.9
1994	50	1.1	0.17	0.8	1.5	45	1.2	0.18	0.9	1.6
1995	35	0.8	0.14	0.6	1.2	30	0.8	0.15	0.5	1.2
1996	54	1.2	0.17	0.9	1.6	50	1.3	0.19	1.0	1.7
1997	49	1.1	0.16	0.8	1.5	43	1.1	0.17	0.8	1.5
1998	44	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4
1999	53	1.1	0.15	0.8	1.5	48	1.2	0.17	0.9	1.5
2000	41	0.8	0.13	0.6	1.1	33	0.8	0.13	0.5	1.1
2001	45	0.9	0.14	0.7	1.2	40	0.9	0.15	0.7	1.3
2002	55	1.1	0.15	0.8	1.4	44	1.0	0.15	0.7	1.4
2003	37	0.8	0.12	0.5	1.0	31	0.7	0.13	0.5	1.0
2004	51	1.0	0.14	0.7	1.3	45	1.0	0.15	0.7	1.4
2005	51	1.0	0.14	0.7	1.3	39	0.9	0.14	0.6	1.2
2006	50	1.0	0.14	0.7	1.3	43	1.0	0.15	0.7	1.3
2007	50	0.9	0.13	0.7	1.2	39	0.9	0.14	0.6	1.2
2008	47	0.8	0.12	0.6	1.1	36	0.8	0.13	0.5	1.1
2009	54	1.0	0.13	0.7	1.3	41	0.9	0.14	0.6	1.2
2010	58	1.1	0.14	0.8	1.4	44	0.9	0.14	0.7	1.3
2011	69	1.2	0.15	0.9	1.5	56	1.2	0.16	0.9	1.5
2012	52	0.9	0.13	0.7	1.2	39	0.8	0.13	0.6	1.1
2013	58	1.0	0.13	0.7	1.2	43	0.9	0.13	0.6	1.2
2014	49	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2015	60	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
2016	62	0.9	0.12	0.7	1.2	47	0.8	0.13	0.6	1.1
2017	66	1.0	0.12	0.7	1.2	48	0.9	0.13	0.6	1.2
2018	63	0.9	0.12	0.7	1.2	46	0.8	0.12	0.6	1.1
2019	72	1.1	0.13	0.8	1.3	54	1.0	0.13	0.7	1.3
2020	48	0.7	0.10	0.5	0.9	31	0.6	0.10	0.4	0.8
2021	61	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gallbladder										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	250	1.2	0.08	1.1	1.4	70	1.0	0.12	0.7	1.2
1986	4	1.1	0.63	0.3	2.9	0				
1987	4	0.7	0.35	0.2	1.8	2	4.7	3.72	0.4	16.4
1988	6	1.8	0.79	0.6	3.9	1	2.7	2.65	0.1	12.0
1989	3	0.8	0.48	0.2	2.2	0				
1990	1	0.2	0.16	0.0	1.0	1	1.7	1.70	0.0	8.8
1991	3	1.1	0.62	0.2	2.8	1	2.2	2.24	0.1	10.1
1992	0					0				
1993	4	0.7	0.33	0.2	1.7	0				
1994	3	0.7	0.40	0.1	1.9	2	1.2	0.87	0.2	5.7
1995	4	1.0	0.53	0.2	2.5	1	0.9	0.93	0.0	5.4
1996	3	0.7	0.42	0.1	2.0	1	0.6	0.57	0.0	4.4
1997	4	0.9	0.44	0.2	2.2	2	1.7	1.21	0.2	6.2
1998	3	0.7	0.45	0.1	2.1	1	1.3	1.32	0.0	6.2
1999	3	0.5	0.31	0.1	1.5	2	0.9	0.65	0.1	4.3
2000	7	1.2	0.45	0.5	2.4	1	0.7	0.69	0.0	4.0
2001	3	0.4	0.25	0.1	1.3	2	0.9	0.61	0.1	3.8
2002	7	1.1	0.43	0.4	2.3	4	2.5	1.32	0.6	6.6
2003	6	1.1	0.45	0.4	2.3	0				
2004	5	0.9	0.42	0.3	2.1	1	0.3	0.34	0.0	2.6
2005	10	1.7	0.59	0.8	3.2	2	1.1	0.81	0.1	4.0
2006	6	1.0	0.41	0.3	2.1	1	0.4	0.41	0.0	2.6
2007	10	1.6	0.53	0.8	3.0	1	0.3	0.34	0.0	2.3
2008	8	1.2	0.44	0.5	2.4	3	1.0	0.60	0.2	3.3
2009	10	1.5	0.50	0.7	2.8	2	1.3	1.06	0.1	4.6
2010	11	2.0	0.63	0.9	3.5	3	1.4	0.86	0.3	4.1
2011	11	1.9	0.60	0.9	3.4	1	0.3	0.26	0.0	1.8
2012	10	1.6	0.51	0.7	2.9	2	0.8	0.60	0.1	2.9
2013	13	1.8	0.53	0.9	3.2	2	0.6	0.41	0.1	2.2
2014	8	1.0	0.39	0.4	2.1	5	1.8	0.85	0.5	4.2
2015	8	1.1	0.40	0.4	2.1	5	1.4	0.64	0.4	3.3
2016	13	1.7	0.48	0.8	2.9	2	0.6	0.43	0.1	2.1
2017	14	1.7	0.49	0.9	3.0	3	0.7	0.38	0.1	2.0
2018	13	1.7	0.48	0.9	2.9	4	0.9	0.47	0.3	2.4
2019	15	1.9	0.51	1.0	3.2	1	0.2	0.24	0.0	1.4
2020	11	1.4	0.43	0.7	2.5	6	1.6	0.67	0.6	3.5
2021	6	0.9	0.38	0.3	1.9	5	1.2	0.54	0.4	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gallbladder										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,584	1.7	0.03	1.7	1.8	3,801	1.7	0.03	1.6	1.8
1986	114	1.8	0.17	1.5	2.2	104	1.9	0.19	1.5	2.3
1987	110	1.8	0.17	1.4	2.1	103	1.8	0.18	1.5	2.2
1988	144	2.3	0.19	1.9	2.7	128	2.3	0.21	1.9	2.7
1989	129	2.0	0.18	1.7	2.4	114	2.0	0.19	1.7	2.4
1990	121	1.9	0.17	1.5	2.2	110	1.9	0.18	1.6	2.3
1991	111	1.7	0.17	1.4	2.1	93	1.6	0.17	1.3	2.0
1992	143	2.2	0.18	1.8	2.6	118	2.0	0.18	1.6	2.4
1993	103	1.6	0.16	1.3	1.9	92	1.6	0.17	1.3	2.0
1994	125	1.8	0.17	1.5	2.2	117	2.0	0.18	1.6	2.4
1995	126	1.9	0.17	1.6	2.3	112	1.9	0.18	1.6	2.3
1996	118	1.8	0.16	1.5	2.1	99	1.7	0.17	1.4	2.1
1997	116	1.7	0.16	1.4	2.0	107	1.8	0.17	1.4	2.1
1998	142	2.1	0.18	1.8	2.5	116	2.0	0.18	1.6	2.4
1999	106	1.5	0.15	1.2	1.8	95	1.6	0.16	1.3	1.9
2000	123	1.8	0.16	1.5	2.1	107	1.8	0.18	1.5	2.2
2001	125	1.8	0.16	1.5	2.1	114	1.9	0.18	1.6	2.3
2002	113	1.6	0.15	1.3	1.9	97	1.6	0.17	1.3	2.0
2003	135	1.9	0.16	1.6	2.2	113	1.8	0.18	1.5	2.2
2004	118	1.6	0.15	1.3	1.9	92	1.5	0.16	1.2	1.8
2005	138	1.9	0.16	1.6	2.3	122	2.0	0.18	1.6	2.4
2006	118	1.6	0.15	1.3	1.9	102	1.6	0.16	1.3	1.9
2007	120	1.6	0.15	1.3	2.0	107	1.7	0.17	1.4	2.1
2008	147	2.0	0.17	1.7	2.4	119	1.9	0.18	1.6	2.3
2009	131	1.7	0.15	1.4	2.0	106	1.6	0.16	1.3	2.0
2010	118	1.5	0.14	1.3	1.9	90	1.4	0.15	1.1	1.7
2011	132	1.7	0.15	1.4	2.0	102	1.6	0.16	1.3	2.0
2012	130	1.6	0.15	1.4	1.9	100	1.5	0.15	1.2	1.8
2013	138	1.7	0.15	1.5	2.1	106	1.6	0.16	1.3	2.0
2014	158	2.0	0.16	1.7	2.3	123	1.9	0.17	1.5	2.2
2015	156	1.9	0.16	1.6	2.2	123	1.8	0.17	1.5	2.2
2016	147	1.8	0.15	1.5	2.1	115	1.8	0.17	1.5	2.1
2017	131	1.6	0.14	1.3	1.9	97	1.5	0.15	1.2	1.8
2018	138	1.7	0.14	1.4	2.0	101	1.5	0.15	1.2	1.8
2019	123	1.5	0.14	1.2	1.8	87	1.3	0.14	1.0	1.6
2020	124	1.5	0.13	1.2	1.7	90	1.3	0.14	1.1	1.6
2021	113	1.3	0.12	1.1	1.6	80	1.2	0.13	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Gallbladder										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	646	2.0	0.08	1.9	2.2	123	1.5	0.14	1.2	1.8
1986	8	1.5	0.53	0.6	2.8	2	3.3	2.41	0.4	11.3
1987	7	1.2	0.46	0.5	2.4	0				
1988	13	2.1	0.60	1.1	3.6	3	5.1	3.04	1.0	14.0
1989	13	1.9	0.55	1.0	3.3	2	3.1	2.17	0.4	10.1
1990	9	1.5	0.52	0.7	2.9	2	2.1	1.52	0.2	7.7
1991	18	2.6	0.63	1.6	4.2	0				
1992	21	2.9	0.65	1.8	4.5	4	3.3	1.67	0.9	8.7
1993	7	1.1	0.43	0.5	2.3	4	2.5	1.27	0.6	6.9
1994	7	1.1	0.40	0.4	2.1	1	1.2	1.23	0.0	5.7
1995	13	1.7	0.47	0.9	2.9	1	0.7	0.71	0.0	4.0
1996	18	2.4	0.56	1.4	3.7	1	1.6	1.58	0.0	6.6
1997	7	0.9	0.34	0.4	1.8	2	1.2	0.86	0.2	4.5
1998	19	2.4	0.56	1.5	3.8	6	4.3	1.99	1.3	9.7
1999	9	1.1	0.37	0.5	2.1	2	1.4	1.01	0.2	4.8
2000	14	1.7	0.45	0.9	2.8	0				
2001	10	1.2	0.38	0.6	2.2	1	0.4	0.36	0.0	2.4
2002	12	1.4	0.40	0.7	2.4	4	2.8	1.43	0.7	6.8
2003	16	1.9	0.48	1.1	3.1	6	3.8	1.59	1.4	8.0
2004	21	2.6	0.56	1.6	3.9	5	2.1	0.94	0.7	4.9
2005	14	1.7	0.46	0.9	2.9	2	0.6	0.43	0.1	2.4
2006	13	1.4	0.39	0.7	2.4	3	1.3	0.82	0.2	3.9
2007	12	1.3	0.36	0.6	2.2	1	0.6	0.58	0.0	2.7
2008	25	2.5	0.51	1.6	3.8	3	1.1	0.62	0.2	3.1
2009	21	2.2	0.48	1.3	3.3	3	1.2	0.70	0.2	3.3
2010	26	2.6	0.52	1.7	3.9	2	0.6	0.41	0.1	2.2
2011	26	2.5	0.50	1.6	3.7	4	1.5	0.74	0.4	3.6
2012	24	2.2	0.46	1.4	3.3	5	1.9	0.86	0.6	4.3
2013	23	2.2	0.46	1.4	3.3	8	2.3	0.83	1.0	4.5
2014	27	2.5	0.49	1.6	3.7	6	1.5	0.65	0.5	3.4
2015	27	2.4	0.46	1.6	3.5	5	1.5	0.65	0.5	3.3
2016	29	2.5	0.47	1.7	3.6	3	0.5	0.31	0.1	1.7
2017	28	2.4	0.46	1.6	3.5	6	1.4	0.56	0.5	3.0
2018	27	2.4	0.47	1.6	3.5	7	1.9	0.71	0.7	3.8
2019	26	2.2	0.45	1.5	3.3	9	2.1	0.69	0.9	3.9
2020	30	2.5	0.46	1.7	3.6	4	0.7	0.34	0.2	1.9
2021	26	2.1	0.41	1.3	3.1	6	1.2	0.49	0.4	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Pancreas										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	57,481	12.4	0.05	12.3	12.5	47,635	12.1	0.06	12.0	12.2
1986	1,045	9.8	0.31	9.2	10.4	889	9.4	0.32	8.7	10.0
1987	1,061	10.0	0.31	9.4	10.6	882	9.4	0.32	8.7	10.0
1988	1,043	9.7	0.30	9.2	10.4	899	9.4	0.32	8.8	10.1
1989	1,053	9.9	0.31	9.3	10.5	895	9.5	0.32	8.9	10.2
1990	1,116	10.3	0.31	9.7	10.9	931	9.7	0.32	9.1	10.4
1991	1,028	9.4	0.29	8.8	10.0	893	9.2	0.31	8.6	9.9
1992	1,068	9.6	0.30	9.0	10.2	899	9.2	0.31	8.6	9.8
1993	1,078	9.6	0.29	9.0	10.2	904	9.1	0.31	8.6	9.8
1994	1,327	11.7	0.32	11.0	12.3	1,105	11.1	0.33	10.4	11.7
1995	1,335	11.7	0.32	11.1	12.3	1,116	11.2	0.34	10.5	11.9
1996	1,383	12.0	0.32	11.4	12.7	1,174	11.7	0.34	11.0	12.4
1997	1,317	11.3	0.31	10.7	11.9	1,128	11.1	0.33	10.5	11.8
1998	1,416	12.0	0.32	11.4	12.7	1,205	11.8	0.34	11.1	12.5
1999	1,432	12.1	0.32	11.5	12.7	1,203	11.7	0.34	11.0	12.4
2000	1,484	12.4	0.32	11.8	13.0	1,248	12.1	0.34	11.4	12.8
2001	1,509	12.5	0.32	11.9	13.1	1,260	12.1	0.34	11.5	12.8
2002	1,506	12.4	0.32	11.8	13.0	1,238	11.8	0.34	11.2	12.5
2003	1,535	12.4	0.32	11.8	13.1	1,260	11.9	0.34	11.2	12.6
2004	1,601	12.8	0.32	12.2	13.5	1,353	12.6	0.34	12.0	13.3
2005	1,674	13.2	0.32	12.6	13.9	1,365	12.6	0.34	12.0	13.3
2006	1,601	12.6	0.32	12.0	13.2	1,296	11.9	0.33	11.3	12.6
2007	1,662	12.9	0.32	12.2	13.5	1,378	12.5	0.34	11.9	13.2
2008	1,731	13.1	0.32	12.5	13.8	1,432	12.8	0.34	12.2	13.5
2009	1,829	13.7	0.32	13.1	14.4	1,517	13.4	0.35	12.8	14.1
2010	1,781	13.2	0.32	12.6	13.8	1,488	13.1	0.34	12.4	13.8
2011	1,800	13.1	0.31	12.5	13.7	1,492	12.9	0.34	12.3	13.6
2012	1,847	13.0	0.31	12.4	13.7	1,518	12.8	0.33	12.2	13.5
2013	1,903	13.2	0.31	12.6	13.8	1,566	13.0	0.33	12.3	13.6
2014	1,948	13.2	0.31	12.7	13.9	1,585	12.9	0.33	12.3	13.6
2015	2,057	13.9	0.31	13.3	14.5	1,653	13.5	0.34	12.9	14.2
2016	2,037	13.6	0.31	13.0	14.2	1,685	13.6	0.34	12.9	14.3
2017	2,245	14.6	0.31	14.0	15.2	1,884	14.9	0.35	14.2	15.6
2018	2,277	14.7	0.31	14.1	15.3	1,817	14.2	0.34	13.6	14.9
2019	2,313	14.7	0.31	14.1	15.3	1,890	14.6	0.34	14.0	15.3
2020	2,166	13.5	0.30	12.9	14.1	1,755	13.4	0.33	12.8	14.1
2021	2,273	14.2	0.30	13.6	14.8	1,832	14.0	0.33	13.4	14.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Pancreas										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	8,601	16.1	0.18	15.7	16.4	1,146	7.7	0.24	7.3	8.2
1986	145	13.6	1.17	11.4	16.0	11	6.9	2.14	3.4	12.7
1987	170	15.8	1.25	13.5	18.4	9	5.9	2.09	2.5	11.5
1988	133	12.4	1.11	10.3	14.7	11	11.0	3.93	4.7	20.6
1989	148	13.1	1.11	11.0	15.4	10	9.4	3.29	4.1	17.5
1990	173	15.2	1.20	13.0	17.7	12	8.0	2.54	3.9	14.4
1991	125	11.4	1.04	9.4	13.6	9	5.6	2.19	2.2	11.3
1992	157	13.0	1.07	11.0	15.3	11	5.2	1.64	2.5	9.5
1993	161	13.6	1.09	11.5	15.9	13	7.8	2.52	3.7	13.9
1994	197	16.7	1.22	14.4	19.2	25	14.2	3.15	8.7	21.4
1995	204	17.1	1.22	14.7	19.6	13	6.3	1.84	3.2	10.8
1996	194	15.8	1.16	13.6	18.3	14	6.6	1.98	3.3	11.4
1997	175	13.6	1.05	11.7	15.9	14	6.4	1.86	3.3	10.9
1998	190	14.5	1.07	12.5	16.7	20	8.9	2.12	5.3	13.9
1999	200	15.3	1.10	13.2	17.6	29	12.8	2.61	8.2	18.7
2000	202	15.0	1.08	13.0	17.3	31	11.3	2.19	7.4	16.2
2001	227	16.2	1.09	14.1	18.4	20	6.1	1.53	3.5	9.8
2002	242	17.4	1.14	15.3	19.8	23	7.6	1.71	4.6	11.6
2003	246	17.4	1.14	15.3	19.8	28	8.5	1.71	5.5	12.4
2004	221	15.2	1.04	13.2	17.3	27	8.1	1.70	5.1	12.0
2005	279	19.1	1.17	16.9	21.6	29	8.1	1.62	5.3	11.8
2006	273	18.3	1.13	16.2	20.6	29	7.4	1.49	4.8	10.9
2007	251	16.7	1.08	14.7	19.0	31	6.4	1.25	4.2	9.3
2008	256	16.2	1.04	14.3	18.4	41	9.4	1.58	6.6	12.9
2009	274	17.3	1.07	15.3	19.5	37	7.8	1.38	5.3	10.9
2010	254	15.9	1.02	14.0	18.0	35	6.6	1.19	4.4	9.3
2011	263	15.7	0.99	13.8	17.7	42	7.6	1.24	5.3	10.3
2012	281	16.2	0.99	14.4	18.3	44	7.5	1.22	5.4	10.3
2013	293	16.5	0.99	14.6	18.5	39	6.3	1.08	4.4	8.8
2014	303	16.6	0.98	14.7	18.6	56	8.4	1.17	6.2	11.0
2015	353	19.1	1.04	17.1	21.2	49	7.1	1.06	5.1	9.4
2016	304	16.1	0.95	14.3	18.0	45	6.2	0.95	4.4	8.3
2017	315	16.2	0.94	14.4	18.1	42	5.4	0.87	3.9	7.4
2018	371	18.8	1.00	16.9	20.9	83	10.5	1.18	8.3	13.0
2019	348	17.0	0.93	15.2	18.9	68	8.0	0.99	6.2	10.2
2020	330	15.9	0.90	14.2	17.7	67	7.3	0.91	5.7	9.3
2021	343	16.5	0.91	14.8	18.4	79	8.5	0.97	6.7	10.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Pancreas										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	28,432	14.3	0.09	14.2	14.5	23,842	14.1	0.09	13.9	14.3
1986	492	11.1	0.52	10.1	12.2	421	10.8	0.55	9.7	11.9
1987	514	11.9	0.55	10.9	13.1	430	11.3	0.57	10.2	12.5
1988	486	11.2	0.53	10.1	12.2	424	11.0	0.55	9.9	12.1
1989	475	10.6	0.50	9.6	11.6	414	10.6	0.53	9.5	11.6
1990	526	11.8	0.53	10.8	12.9	447	11.3	0.55	10.3	12.5
1991	478	10.6	0.50	9.6	11.6	420	10.5	0.53	9.5	11.6
1992	514	11.1	0.50	10.1	12.1	430	10.5	0.52	9.5	11.6
1993	502	10.8	0.49	9.9	11.8	423	10.3	0.51	9.4	11.4
1994	649	13.9	0.56	12.8	15.0	541	13.2	0.58	12.1	14.4
1995	645	13.6	0.55	12.5	14.7	531	12.8	0.57	11.8	14.0
1996	653	13.7	0.55	12.6	14.8	554	13.3	0.57	12.2	14.5
1997	620	12.8	0.52	11.8	13.9	534	12.7	0.56	11.7	13.9
1998	644	13.3	0.53	12.3	14.4	551	13.1	0.57	12.1	14.3
1999	692	13.9	0.54	12.9	15.0	590	13.7	0.57	12.6	14.8
2000	744	14.8	0.55	13.8	15.9	633	14.6	0.59	13.5	15.8
2001	738	14.5	0.54	13.4	15.6	625	14.2	0.57	13.1	15.4
2002	723	14.1	0.53	13.1	15.2	595	13.5	0.56	12.4	14.6
2003	763	14.6	0.54	13.6	15.7	618	13.8	0.56	12.7	14.9
2004	819	15.5	0.55	14.5	16.6	699	15.5	0.59	14.4	16.7
2005	788	14.7	0.53	13.6	15.7	644	14.0	0.56	13.0	15.2
2006	805	14.7	0.53	13.7	15.7	655	14.0	0.55	12.9	15.1
2007	816	14.6	0.52	13.6	15.6	683	14.3	0.55	13.2	15.4
2008	872	15.4	0.53	14.4	16.5	729	15.1	0.57	14.0	16.2
2009	905	15.6	0.53	14.5	16.6	759	15.4	0.57	14.3	16.5
2010	888	15.1	0.52	14.1	16.2	759	15.2	0.56	14.1	16.4
2011	903	14.9	0.51	13.9	16.0	770	15.0	0.55	14.0	16.2
2012	919	14.6	0.49	13.6	15.6	757	14.2	0.53	13.2	15.3
2013	979	15.3	0.50	14.4	16.4	824	15.4	0.55	14.3	16.5
2014	1,012	15.5	0.50	14.6	16.6	843	15.5	0.55	14.4	16.6
2015	1,053	16.1	0.51	15.1	17.1	854	15.6	0.55	14.6	16.8
2016	1,035	15.6	0.50	14.6	16.6	876	15.8	0.55	14.7	16.9
2017	1,160	16.7	0.51	15.8	17.8	998	17.3	0.56	16.3	18.5
2018	1,158	16.5	0.50	15.6	17.5	960	16.6	0.55	15.5	17.7
2019	1,184	16.5	0.49	15.5	17.5	973	16.4	0.54	15.4	17.5
2020	1,116	15.3	0.47	14.4	16.3	932	15.6	0.52	14.6	16.6
2021	1,162	16.0	0.48	15.0	16.9	946	15.8	0.53	14.8	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Pancreas										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,971	17.9	0.30	17.3	18.5	567	8.5	0.39	7.7	9.3
1986	67	14.1	1.84	10.7	18.1	4	4.6	2.36	1.2	13.3
1987	80	18.2	2.15	14.2	22.8	4	6.3	3.19	1.7	16.3
1988	57	13.2	1.87	9.8	17.3	5	7.7	4.03	1.9	19.3
1989	59	11.8	1.61	8.8	15.3	2	1.4	1.02	0.2	7.4
1990	73	15.7	1.95	12.1	20.0	6	11.5	5.13	3.7	25.1
1991	53	12.0	1.74	8.8	15.9	4	7.0	4.48	1.1	19.6
1992	76	16.7	2.05	12.9	21.1	7	7.4	3.05	2.6	16.0
1993	73	15.2	1.87	11.7	19.2	6	9.5	4.63	2.7	21.7
1994	99	20.4	2.18	16.4	25.1	9	13.4	5.03	5.4	26.0
1995	100	20.6	2.19	16.6	25.3	13	14.8	4.43	7.5	25.8
1996	90	18.3	2.06	14.5	22.8	8	11.0	4.43	4.1	22.2
1997	77	13.6	1.62	10.6	17.2	9	10.1	3.94	3.9	20.1
1998	84	15.7	1.80	12.3	19.5	9	9.9	3.48	4.3	18.7
1999	89	16.5	1.82	13.1	20.4	13	14.0	4.65	6.4	25.3
2000	93	16.3	1.78	13.0	20.1	16	12.7	3.43	6.9	21.1
2001	105	18.0	1.84	14.6	21.9	7	4.1	1.68	1.5	8.9
2002	113	19.4	1.94	15.8	23.6	13	9.8	3.12	4.7	17.5
2003	128	22.2	2.08	18.3	26.6	17	11.5	3.18	6.2	19.2
2004	105	16.6	1.71	13.5	20.3	15	9.1	2.64	4.7	15.6
2005	130	21.4	2.01	17.7	25.7	13	8.9	2.76	4.3	15.6
2006	128	20.3	1.88	16.8	24.3	19	11.1	2.88	6.2	17.9
2007	109	18.1	1.86	14.7	22.1	22	9.1	2.23	5.3	14.5
2008	121	18.8	1.80	15.5	22.7	22	12.3	2.92	7.3	19.2
2009	130	20.1	1.86	16.6	24.0	16	6.9	1.98	3.6	11.8
2010	109	16.3	1.64	13.2	19.8	18	7.4	1.88	4.2	12.0
2011	116	17.0	1.66	13.9	20.5	17	7.5	2.02	4.1	12.4
2012	139	19.5	1.74	16.2	23.2	22	7.7	1.80	4.6	12.1
2013	136	18.2	1.65	15.1	21.7	16	5.9	1.57	3.2	9.7
2014	140	18.4	1.63	15.3	21.9	28	8.7	1.77	5.6	12.9
2015	170	22.1	1.78	18.7	25.9	28	8.3	1.69	5.4	12.3
2016	138	18.2	1.63	15.1	21.7	20	6.3	1.50	3.7	9.9
2017	142	17.0	1.50	14.2	20.2	16	4.5	1.19	2.5	7.5
2018	159	18.9	1.57	16.0	22.3	37	10.4	1.78	7.2	14.4
2019	177	20.1	1.58	17.2	23.5	30	7.4	1.38	5.0	10.6
2020	142	16.3	1.44	13.6	19.4	34	8.2	1.43	5.6	11.5
2021	164	18.5	1.52	15.7	21.8	42	9.9	1.57	7.1	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Pancreas										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	29,049	10.9	0.06	10.8	11.1	23,793	10.5	0.07	10.4	10.6
1986	553	8.8	0.38	8.0	9.5	468	8.3	0.39	7.6	9.1
1987	547	8.6	0.37	7.9	9.4	452	8.0	0.38	7.3	8.8
1988	557	8.8	0.38	8.1	9.5	475	8.4	0.39	7.7	9.2
1989	578	9.2	0.39	8.5	10.0	481	8.7	0.40	7.9	9.5
1990	590	9.3	0.39	8.5	10.0	484	8.6	0.40	7.8	9.4
1991	550	8.5	0.37	7.8	9.3	473	8.3	0.39	7.5	9.1
1992	554	8.4	0.36	7.7	9.1	469	8.0	0.38	7.3	8.8
1993	576	8.7	0.36	8.0	9.4	481	8.2	0.38	7.5	9.0
1994	678	9.9	0.38	9.2	10.7	564	9.4	0.40	8.6	10.2
1995	690	10.1	0.39	9.4	10.9	585	9.7	0.41	9.0	10.6
1996	730	10.6	0.40	9.9	11.5	620	10.3	0.42	9.5	11.2
1997	697	10.1	0.38	9.3	10.9	594	9.8	0.41	9.1	10.7
1998	772	11.1	0.40	10.3	11.9	654	10.8	0.43	10.0	11.7
1999	740	10.5	0.39	9.8	11.3	613	10.0	0.41	9.2	10.9
2000	740	10.5	0.39	9.8	11.3	615	10.1	0.41	9.3	11.0
2001	771	10.9	0.40	10.2	11.7	635	10.4	0.42	9.6	11.3
2002	783	10.9	0.39	10.2	11.7	643	10.4	0.42	9.6	11.3
2003	772	10.7	0.39	10.0	11.5	642	10.4	0.42	9.6	11.2
2004	782	10.6	0.38	9.9	11.4	654	10.4	0.41	9.6	11.2
2005	886	12.1	0.41	11.3	12.9	721	11.5	0.44	10.7	12.4
2006	796	10.9	0.39	10.1	11.7	641	10.2	0.41	9.4	11.1
2007	846	11.4	0.40	10.6	12.2	695	11.0	0.43	10.2	11.9
2008	859	11.4	0.39	10.6	12.2	703	11.0	0.42	10.2	11.9
2009	924	12.1	0.40	11.3	12.9	758	11.8	0.44	10.9	12.6
2010	893	11.6	0.39	10.8	12.4	729	11.3	0.43	10.5	12.2
2011	897	11.5	0.39	10.7	12.3	722	11.1	0.42	10.3	11.9
2012	928	11.7	0.39	11.0	12.5	761	11.6	0.43	10.8	12.5
2013	924	11.4	0.38	10.7	12.2	742	11.0	0.41	10.2	11.9
2014	936	11.5	0.38	10.8	12.3	742	11.0	0.41	10.2	11.8
2015	1,004	12.1	0.39	11.4	12.9	799	11.8	0.43	11.0	12.6
2016	1,002	12.0	0.39	11.3	12.8	809	11.8	0.43	11.0	12.7
2017	1,085	12.8	0.40	12.0	13.6	886	12.8	0.44	11.9	13.7
2018	1,119	13.1	0.40	12.3	13.9	857	12.3	0.43	11.5	13.2
2019	1,129	12.9	0.39	12.2	13.7	917	12.9	0.44	12.1	13.8
2020	1,050	11.9	0.37	11.2	12.7	823	11.5	0.41	10.7	12.4
2021	1,111	12.7	0.39	12.0	13.5	886	12.6	0.43	11.7	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Pancreas										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,630	14.7	0.22	14.3	15.1	579	7.1	0.31	6.5	7.7
1986	78	12.7	1.48	10.0	15.9	7	8.7	3.31	3.4	18.0
1987	90	14.2	1.52	11.4	17.5	5	5.7	2.81	1.6	14.1
1988	76	11.9	1.39	9.4	14.9	6	13.0	5.94	4.1	28.2
1989	89	13.7	1.47	10.9	16.8	8	15.0	5.56	6.1	28.8
1990	100	14.8	1.51	12.0	18.0	6	5.7	2.40	2.0	12.8
1991	72	10.9	1.30	8.5	13.8	5	4.8	2.19	1.6	11.3
1992	81	11.0	1.24	8.7	13.7	4	3.4	1.71	0.9	8.8
1993	88	12.4	1.34	10.0	15.3	7	6.8	2.91	2.4	14.6
1994	98	13.8	1.41	11.2	16.9	16	15.0	4.11	8.1	24.9
1995	104	14.6	1.44	11.9	17.6	0				
1996	104	14.1	1.40	11.5	17.1	6	4.1	1.78	1.4	9.1
1997	98	13.2	1.34	10.7	16.0	5	3.9	1.80	1.2	9.0
1998	106	13.6	1.33	11.1	16.4	11	8.3	2.63	4.0	14.9
1999	111	14.2	1.36	11.7	17.1	16	12.2	3.21	6.8	19.9
2000	109	13.8	1.33	11.3	16.6	15	9.8	2.70	5.3	16.4
2001	122	14.8	1.35	12.3	17.6	13	7.4	2.21	3.8	12.9
2002	129	15.7	1.40	13.1	18.7	10	6.0	1.99	2.8	11.0
2003	118	14.1	1.31	11.7	16.9	11	6.3	1.95	3.0	11.1
2004	116	13.7	1.28	11.3	16.4	12	7.0	2.13	3.5	12.3
2005	149	17.4	1.44	14.7	20.5	16	7.6	2.01	4.2	12.5
2006	145	16.6	1.38	14.0	19.5	10	4.8	1.58	2.2	8.8
2007	142	15.9	1.35	13.4	18.8	9	4.1	1.42	1.8	7.7
2008	135	14.3	1.25	12.0	17.0	19	7.4	1.78	4.3	11.7
2009	144	15.4	1.30	13.0	18.2	21	8.2	1.89	5.0	12.7
2010	145	15.3	1.29	12.9	18.0	17	5.7	1.48	3.2	9.3
2011	147	14.6	1.22	12.3	17.2	25	7.9	1.64	5.0	11.8
2012	142	13.9	1.18	11.7	16.4	22	7.1	1.59	4.4	10.9
2013	157	15.3	1.23	12.9	17.9	23	6.7	1.45	4.1	10.1
2014	163	15.4	1.22	13.0	17.9	28	8.1	1.58	5.3	11.7
2015	183	16.8	1.26	14.4	19.4	21	5.9	1.32	3.6	9.0
2016	166	14.7	1.17	12.6	17.2	25	6.3	1.29	4.0	9.3
2017	173	15.3	1.18	13.1	17.8	26	6.1	1.22	3.9	9.0
2018	212	18.5	1.29	16.1	21.2	46	10.4	1.56	7.6	13.9
2019	171	14.3	1.11	12.2	16.6	38	8.2	1.36	5.8	11.4
2020	188	15.6	1.16	13.4	18.0	33	6.6	1.17	4.6	9.4
2021	179	14.9	1.14	12.8	17.3	37	7.5	1.25	5.3	10.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Respiratory System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	337,533	72.6	0.13	72.4	72.9	283,636	71.9	0.14	71.6	72.2
1986	7,206	66.6	0.80	65.0	68.2	6,186	64.5	0.83	62.9	66.2
1987	7,760	71.6	0.82	70.0	73.2	6,661	69.7	0.87	68.0	71.4
1988	7,443	68.2	0.80	66.6	69.7	6,328	65.7	0.84	64.1	67.4
1989	7,653	69.8	0.81	68.2	71.4	6,513	67.4	0.85	65.8	69.1
1990	7,957	72.1	0.82	70.5	73.7	6,789	70.0	0.86	68.3	71.7
1991	7,926	70.9	0.80	69.3	72.5	6,812	69.3	0.85	67.7	71.0
1992	8,357	74.2	0.82	72.6	75.8	7,139	72.5	0.86	70.8	74.2
1993	8,756	77.1	0.83	75.5	78.7	7,377	74.4	0.87	72.7	76.1
1994	9,333	81.5	0.85	79.8	83.2	7,948	79.6	0.90	77.8	81.4
1995	9,360	81.3	0.84	79.6	82.9	7,878	78.7	0.89	76.9	80.4
1996	9,366	81.1	0.84	79.4	82.7	7,861	78.5	0.89	76.7	80.2
1997	9,245	79.4	0.83	77.8	81.0	7,796	77.3	0.88	75.6	79.1
1998	9,383	79.8	0.82	78.2	81.5	7,895	77.8	0.88	76.1	79.5
1999	9,459	79.9	0.82	78.3	81.5	7,991	78.4	0.88	76.7	80.1
2000	9,335	78.3	0.81	76.7	79.9	7,934	77.6	0.87	75.9	79.3
2001	9,457	78.7	0.81	77.2	80.3	8,011	77.9	0.87	76.2	79.6
2002	9,754	80.5	0.82	78.9	82.1	8,224	79.4	0.88	77.7	81.1
2003	9,768	79.6	0.81	78.0	81.2	8,239	78.9	0.87	77.2	80.6
2004	9,514	76.9	0.79	75.3	78.5	7,970	75.8	0.85	74.2	77.5
2005	9,708	77.6	0.79	76.0	79.1	8,156	77.0	0.86	75.4	78.7
2006	9,931	78.7	0.79	77.1	80.2	8,321	77.9	0.86	76.3	79.6
2007	10,059	78.4	0.79	76.9	80.0	8,427	77.9	0.86	76.3	79.6
2008	10,080	77.2	0.78	75.7	78.7	8,516	77.5	0.85	75.9	79.2
2009	10,282	77.7	0.78	76.2	79.3	8,661	78.1	0.85	76.5	79.8
2010	9,991	74.2	0.75	72.8	75.7	8,358	74.2	0.82	72.6	75.8
2011	10,052	73.3	0.74	71.8	74.7	8,421	73.5	0.81	71.9	75.1
2012	10,016	71.6	0.73	70.2	73.1	8,293	71.2	0.79	69.7	72.8
2013	9,846	68.7	0.70	67.3	70.1	8,160	68.5	0.77	67.0	70.1
2014	10,389	71.2	0.71	69.8	72.6	8,684	71.9	0.78	70.4	73.5
2015	10,251	69.0	0.69	67.6	70.3	8,445	68.9	0.76	67.4	70.4
2016	10,198	67.8	0.69	66.5	69.2	8,456	68.3	0.76	66.8	69.8
2017	10,286	67.0	0.67	65.7	68.3	8,549	67.7	0.75	66.3	69.2
2018	10,326	65.7	0.66	64.4	67.0	8,597	66.6	0.73	65.1	68.0
2019	10,063	62.8	0.64	61.6	64.1	8,332	63.5	0.71	62.2	64.9
2020	9,233	56.8	0.60	55.7	58.0	7,671	57.8	0.67	56.5	59.2
2021	9,790	59.6	0.61	58.4	60.9	8,037	60.0	0.68	58.7	61.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Respiratory System										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	48,707	87.8	0.41	87.0	88.6	4,726	31.4	0.48	30.4	32.3
1986	989	86.0	2.80	80.6	91.7	27	23.2	5.00	14.5	34.7
1987	1,048	90.2	2.85	84.7	95.9	47	34.6	5.63	24.4	47.2
1988	1,066	89.8	2.82	84.4	95.5	45	32.5	5.37	22.9	44.5
1989	1,087	93.1	2.89	87.5	98.9	45	27.1	4.32	19.3	36.8
1990	1,115	92.6	2.83	87.1	98.3	49	31.6	5.04	22.5	42.9
1991	1,055	85.5	2.69	80.3	90.9	45	29.6	4.95	20.7	40.6
1992	1,159	93.5	2.81	88.1	99.2	50	27.3	4.25	19.6	36.8
1993	1,300	103.5	2.93	97.8	109.4	76	40.1	5.26	30.5	51.5
1994	1,302	102.2	2.89	96.6	108.0	76	36.9	4.63	28.4	46.9
1995	1,395	106.3	2.90	100.7	112.1	81	34.3	4.19	26.6	43.4
1996	1,405	106.9	2.90	101.3	112.7	93	41.5	4.78	32.7	51.7
1997	1,352	100.4	2.77	95.0	106.0	90	35.7	4.14	28.1	44.6
1998	1,366	100.4	2.76	95.1	105.9	107	40.8	4.23	32.9	49.8
1999	1,368	98.5	2.71	93.3	104.0	93	36.7	4.11	29.1	45.5
2000	1,291	91.2	2.58	86.2	96.4	99	34.0	3.67	27.2	41.9
2001	1,336	93.9	2.61	88.9	99.2	99	32.8	3.60	26.1	40.5
2002	1,402	96.4	2.62	91.3	101.6	118	37.7	3.74	30.7	45.6
2003	1,414	95.5	2.58	90.5	100.7	106	31.4	3.27	25.3	38.4
2004	1,422	95.1	2.57	90.1	100.2	115	33.2	3.32	27.0	40.3
2005	1,408	92.0	2.50	87.2	97.1	129	32.6	3.07	26.8	39.1
2006	1,464	94.3	2.51	89.5	99.4	138	34.9	3.18	28.9	41.6
2007	1,473	94.0	2.50	89.2	99.0	151	36.3	3.18	30.4	43.0
2008	1,409	87.4	2.38	82.8	92.2	143	31.1	2.81	25.8	37.0
2009	1,439	86.4	2.33	81.9	91.1	163	33.1	2.79	27.8	38.9
2010	1,443	85.5	2.31	81.0	90.1	174	34.1	2.76	28.9	39.9
2011	1,435	83.7	2.27	79.3	88.3	173	32.0	2.59	27.1	37.4
2012	1,519	87.0	2.29	82.6	91.6	190	31.9	2.45	27.3	37.0
2013	1,476	81.6	2.18	77.3	85.9	200	32.1	2.39	27.6	37.1
2014	1,487	80.2	2.13	76.0	84.5	201	30.6	2.26	26.3	35.3
2015	1,557	81.5	2.12	77.4	85.7	233	34.1	2.34	29.7	39.0
2016	1,523	79.5	2.09	75.5	83.7	208	27.6	1.98	23.8	31.8
2017	1,514	77.2	2.04	73.3	81.3	209	27.4	1.95	23.7	31.5
2018	1,482	74.7	1.99	70.8	78.7	227	27.5	1.87	24.0	31.4
2019	1,457	70.6	1.90	66.9	74.4	242	28.5	1.87	24.9	32.4
2020	1,274	60.4	1.73	57.1	63.9	259	29.2	1.84	25.7	33.0
2021	1,475	70.0	1.87	66.4	73.8	225	24.6	1.66	21.5	28.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Respiratory System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	191,766	95.5	0.22	95.0	95.9	160,495	93.6	0.24	93.1	94.0
1986	4,891	107.4	1.59	104.3	110.6	4,175	103.4	1.66	100.2	106.7
1987	5,166	112.7	1.62	109.5	115.9	4,409	108.8	1.69	105.5	112.2
1988	4,837	104.7	1.55	101.7	107.8	4,133	101.2	1.62	98.1	104.5
1989	4,965	106.9	1.56	103.9	110.0	4,196	102.1	1.62	99.0	105.3
1990	5,089	109.2	1.57	106.2	112.4	4,310	105.0	1.64	101.8	108.3
1991	5,030	106.3	1.54	103.3	109.3	4,308	103.4	1.61	100.2	106.6
1992	5,215	108.7	1.54	105.7	111.8	4,426	105.1	1.61	102.0	108.3
1993	5,417	112.9	1.56	109.8	116.0	4,539	107.9	1.63	104.7	111.1
1994	5,701	118.6	1.60	115.5	121.8	4,832	114.9	1.68	111.7	118.3
1995	5,670	116.2	1.57	113.1	119.3	4,719	110.9	1.64	107.7	114.2
1996	5,591	114.6	1.56	111.6	117.7	4,664	109.8	1.63	106.7	113.1
1997	5,514	111.9	1.53	108.9	114.9	4,594	107.5	1.60	104.4	110.7
1998	5,548	111.4	1.51	108.4	114.4	4,613	106.7	1.58	103.7	109.9
1999	5,527	110.0	1.50	107.1	113.0	4,638	106.7	1.58	103.6	109.8
2000	5,436	106.9	1.46	104.0	109.8	4,569	104.2	1.55	101.1	107.2
2001	5,461	107.2	1.47	104.3	110.1	4,576	104.3	1.55	101.3	107.4
2002	5,534	107.6	1.46	104.8	110.5	4,667	105.7	1.56	102.7	108.8
2003	5,496	104.7	1.43	101.9	107.5	4,612	102.5	1.52	99.6	105.6
2004	5,304	99.9	1.39	97.2	102.6	4,404	96.9	1.47	94.0	99.8
2005	5,378	99.6	1.38	96.9	102.3	4,471	97.1	1.47	94.3	100.0
2006	5,448	100.4	1.38	97.7	103.1	4,547	98.3	1.47	95.4	101.2
2007	5,492	99.1	1.36	96.5	101.9	4,564	96.9	1.45	94.0	99.8
2008	5,415	95.5	1.32	93.0	98.2	4,555	94.7	1.42	91.9	97.5
2009	5,483	94.8	1.31	92.3	97.4	4,607	94.4	1.41	91.6	97.2
2010	5,332	90.5	1.27	88.0	93.0	4,443	89.4	1.37	86.7	92.1
2011	5,452	90.6	1.26	88.2	93.1	4,542	89.4	1.36	86.8	92.1
2012	5,303	86.2	1.21	83.8	88.6	4,394	84.8	1.31	82.2	87.4
2013	5,362	84.6	1.19	82.3	87.0	4,442	83.4	1.28	80.9	86.0
2014	5,465	84.4	1.17	82.1	86.7	4,545	83.7	1.27	81.3	86.3
2015	5,405	81.9	1.15	79.6	84.1	4,430	80.3	1.24	77.9	82.8
2016	5,299	79.1	1.12	77.0	81.4	4,405	79.0	1.22	76.6	81.4
2017	5,419	79.3	1.11	77.1	81.5	4,473	78.6	1.21	76.2	81.0
2018	5,260	74.5	1.06	72.4	76.6	4,411	75.1	1.16	72.8	77.4
2019	5,123	71.0	1.02	69.1	73.1	4,264	71.4	1.12	69.2	73.6
2020	4,732	65.0	0.97	63.1	66.9	3,904	64.8	1.07	62.8	67.0
2021	5,006	67.8	0.99	65.9	69.8	4,114	67.2	1.08	65.1	69.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Respiratory System										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	28,090	123.8	0.77	122.3	125.3	2,906	43.6	0.87	41.9	45.3
1986	693	146.1	5.84	134.9	158.0	21	41.1	10.27	23.5	65.3
1987	721	151.0	5.92	139.7	163.0	33	60.0	12.14	38.6	87.6
1988	668	137.4	5.59	126.7	148.8	34	55.4	10.96	36.0	80.3
1989	731	154.8	6.06	143.2	167.1	31	42.6	8.31	27.9	61.9
1990	739	150.1	5.80	138.9	161.8	38	53.1	9.88	35.5	75.5
1991	681	134.7	5.41	124.3	145.7	32	46.8	9.32	30.4	68.0
1992	752	148.1	5.67	137.1	159.5	31	35.8	6.93	23.5	51.8
1993	825	161.1	5.91	149.7	173.0	50	59.7	9.80	42.0	81.4
1994	817	158.0	5.83	146.8	169.8	47	52.4	8.49	37.1	71.4
1995	899	168.3	5.90	156.9	180.2	48	50.9	8.51	35.6	69.9
1996	864	162.4	5.78	151.2	174.0	61	64.3	9.44	47.2	85.0
1997	855	155.4	5.54	144.7	166.6	59	51.3	7.27	38.0	67.4
1998	848	154.7	5.57	144.0	165.9	77	64.1	8.04	49.3	81.6
1999	824	147.3	5.36	137.0	158.1	59	57.2	8.33	42.1	75.4
2000	802	138.8	5.12	129.0	149.2	57	43.5	6.41	31.8	57.6
2001	807	138.9	5.11	129.0	149.2	72	59.6	8.20	44.6	77.3
2002	796	133.6	4.96	124.1	143.6	66	48.9	6.68	36.7	63.4
2003	806	133.4	4.92	123.9	143.3	70	49.9	6.68	37.7	64.4
2004	822	136.7	5.02	127.1	146.9	74	47.3	6.14	36.0	60.6
2005	812	131.0	4.85	121.7	140.8	84	50.0	6.01	38.9	62.9
2006	810	129.3	4.79	120.0	139.0	87	54.8	6.52	42.8	68.8
2007	842	133.3	4.85	123.9	143.1	82	48.2	5.83	37.4	60.7
2008	777	118.7	4.49	110.0	127.7	78	38.1	4.95	29.1	48.9
2009	763	111.4	4.25	103.2	120.0	104	48.5	5.38	38.6	60.0
2010	780	111.9	4.23	103.8	120.5	103	46.9	5.09	37.4	57.8
2011	787	112.9	4.22	104.7	121.4	112	47.7	4.90	38.5	58.1
2012	786	111.2	4.18	103.2	119.7	117	45.1	4.58	36.5	54.8
2013	797	108.9	4.07	101.0	117.1	117	41.5	4.15	33.7	50.3
2014	789	104.9	3.94	97.3	112.9	120	39.8	3.88	32.6	48.1
2015	829	107.4	3.93	99.9	115.4	137	45.3	4.15	37.6	54.1
2016	758	96.4	3.68	89.4	103.9	129	36.7	3.39	30.3	43.9
2017	803	101.8	3.78	94.6	109.5	135	39.4	3.55	32.7	46.9
2018	710	86.3	3.39	79.7	93.2	125	32.9	3.06	27.2	39.5
2019	707	83.1	3.28	76.8	89.8	132	33.7	3.02	28.0	40.1
2020	654	75.0	3.06	69.1	81.2	159	40.3	3.28	34.1	47.2
2021	736	87.1	3.35	80.6	93.9	125	30.6	2.80	25.4	36.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Respiratory System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	145,767	56.0	0.15	55.7	56.3	123,141	56.1	0.16	55.8	56.4
1986	2,315	38.4	0.82	36.8	40.0	2,011	37.9	0.87	36.3	39.7
1987	2,594	43.2	0.87	41.5	44.9	2,252	42.8	0.93	41.0	44.6
1988	2,606	42.8	0.85	41.1	44.5	2,195	41.1	0.90	39.4	42.9
1989	2,688	43.7	0.86	42.0	45.4	2,317	43.0	0.91	41.3	44.9
1990	2,868	46.4	0.88	44.7	48.2	2,479	46.0	0.94	44.1	47.8
1991	2,896	46.0	0.87	44.3	47.7	2,504	45.5	0.93	43.7	47.3
1992	3,142	49.6	0.90	47.9	51.4	2,713	49.4	0.97	47.5	51.3
1993	3,339	52.1	0.91	50.3	53.9	2,838	51.0	0.97	49.1	53.0
1994	3,632	55.8	0.93	54.0	57.7	3,116	55.2	1.00	53.2	57.2
1995	3,690	56.7	0.94	54.9	58.6	3,159	56.1	1.01	54.1	58.1
1996	3,775	57.7	0.95	55.8	59.6	3,197	56.7	1.01	54.7	58.7
1997	3,731	56.4	0.93	54.6	58.2	3,202	56.2	1.00	54.2	58.2
1998	3,835	57.4	0.93	55.6	59.3	3,282	57.2	1.01	55.3	59.2
1999	3,932	58.6	0.94	56.7	60.4	3,353	58.3	1.02	56.3	60.3
2000	3,899	57.7	0.93	55.9	59.5	3,365	58.4	1.02	56.4	60.4
2001	3,996	58.7	0.93	56.9	60.5	3,435	59.4	1.02	57.4	61.4
2002	4,220	61.5	0.95	59.7	63.4	3,557	61.1	1.03	59.1	63.2
2003	4,272	61.9	0.95	60.0	63.8	3,627	62.2	1.04	60.2	64.3
2004	4,210	60.5	0.94	58.7	62.3	3,566	60.7	1.03	58.8	62.8
2005	4,330	61.7	0.94	59.9	63.6	3,685	62.5	1.04	60.5	64.6
2006	4,483	63.3	0.95	61.4	65.2	3,774	63.4	1.04	61.4	65.5
2007	4,567	63.6	0.95	61.7	65.4	3,863	64.3	1.05	62.2	66.4
2008	4,665	64.0	0.95	62.1	65.8	3,961	65.1	1.05	63.1	67.2
2009	4,799	65.2	0.95	63.4	67.1	4,054	66.2	1.05	64.1	68.3
2010	4,659	62.3	0.93	60.5	64.1	3,915	63.0	1.02	61.0	65.1
2011	4,600	60.3	0.90	58.5	62.1	3,879	61.5	1.01	59.6	63.5
2012	4,713	61.0	0.90	59.3	62.8	3,899	61.3	1.00	59.3	63.2
2013	4,484	56.9	0.86	55.2	58.6	3,718	57.3	0.96	55.4	59.2
2014	4,924	61.4	0.89	59.7	63.2	4,139	63.2	1.00	61.2	65.2
2015	4,846	59.5	0.87	57.8	61.3	4,015	60.5	0.97	58.6	62.4
2016	4,899	59.4	0.86	57.7	61.1	4,051	60.3	0.97	58.4	62.3
2017	4,867	57.8	0.84	56.1	59.5	4,076	59.5	0.95	57.7	61.4
2018	5,066	59.2	0.85	57.5	60.9	4,186	60.2	0.95	58.3	62.1
2019	4,940	56.7	0.82	55.1	58.3	4,068	57.7	0.92	55.9	59.5
2020	4,501	50.8	0.77	49.3	52.3	3,767	52.7	0.87	51.0	54.4
2021	4,784	53.5	0.79	52.0	55.1	3,923	54.6	0.89	52.9	56.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Respiratory System										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	20,617	63.6	0.45	62.7	64.5	1,820	21.8	0.53	20.8	22.9
1986	296	44.0	2.59	39.0	49.3	6	9.4	4.26	3.0	21.0
1987	327	48.4	2.71	43.2	54.0	14	15.7	4.29	8.4	26.6
1988	398	57.2	2.91	51.7	63.2	11	14.8	4.70	7.1	26.7
1989	356	51.6	2.77	46.3	57.3	14	15.5	4.41	8.1	26.5
1990	376	53.5	2.79	48.1	59.2	11	14.6	4.81	6.8	26.6
1991	374	51.9	2.71	46.7	57.5	13	16.4	5.15	7.9	28.9
1992	407	56.3	2.82	50.9	62.1	19	20.5	5.21	11.6	32.9
1993	475	64.6	2.99	58.8	70.7	26	25.3	5.66	15.4	38.4
1994	485	65.0	2.98	59.3	71.1	29	25.3	5.11	16.3	37.1
1995	496	64.6	2.93	59.0	70.6	33	23.0	4.24	15.5	32.8
1996	541	69.9	3.03	64.1	76.1	32	24.8	4.79	16.3	35.7
1997	497	62.9	2.84	57.4	68.7	31	23.1	4.59	15.0	33.6
1998	518	64.5	2.85	59.1	70.4	30	22.4	4.31	14.7	32.2
1999	544	66.5	2.87	61.0	72.3	34	22.5	4.10	15.2	31.8
2000	489	58.9	2.68	53.8	64.4	42	26.6	4.30	18.8	36.2
2001	529	63.4	2.77	58.1	69.1	27	15.0	3.03	9.7	22.1
2002	606	71.1	2.91	65.6	77.1	52	29.3	4.30	21.5	38.8
2003	608	70.1	2.86	64.6	75.9	36	18.4	3.21	12.7	25.7
2004	600	67.9	2.79	62.5	73.6	41	22.4	3.64	15.9	30.6
2005	596	66.4	2.74	61.2	72.0	45	19.8	3.11	14.1	26.7
2006	654	71.8	2.83	66.3	77.5	51	21.3	3.12	15.6	28.2
2007	631	68.7	2.76	63.4	74.3	69	27.7	3.53	21.2	35.5
2008	632	66.8	2.69	61.6	72.3	65	26.1	3.40	19.9	33.5
2009	676	69.7	2.72	64.5	75.2	59	21.8	2.98	16.3	28.4
2010	663	67.7	2.66	62.5	73.1	71	24.6	3.06	18.9	31.3
2011	648	64.0	2.55	59.1	69.2	61	19.7	2.64	14.8	25.5
2012	733	71.3	2.67	66.2	76.7	73	21.9	2.68	17.0	27.8
2013	679	64.0	2.50	59.2	69.1	83	24.5	2.80	19.4	30.6
2014	698	63.8	2.46	59.1	68.8	81	22.7	2.62	17.9	28.4
2015	728	65.0	2.45	60.3	70.0	96	25.4	2.68	20.4	31.2
2016	765	68.0	2.51	63.2	73.1	79	19.7	2.28	15.5	24.7
2017	711	61.4	2.35	56.9	66.2	74	17.8	2.12	13.9	22.4
2018	772	66.6	2.44	61.9	71.6	102	23.1	2.33	18.7	28.1
2019	750	62.4	2.32	57.9	67.1	110	24.0	2.32	19.7	29.0
2020	620	50.2	2.05	46.2	54.4	100	20.4	2.07	16.6	24.9
2021	739	58.9	2.21	54.7	63.4	100	20.0	2.03	16.3	24.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Larynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	20,523	4.4	0.03	4.3	4.4	16,481	4.2	0.03	4.1	4.2
1986	552	5.1	0.22	4.7	5.5	450	4.7	0.23	4.3	5.2
1987	630	5.9	0.24	5.4	6.3	525	5.5	0.25	5.1	6.0
1988	520	4.8	0.22	4.4	5.3	439	4.6	0.22	4.2	5.1
1989	607	5.6	0.23	5.2	6.1	500	5.3	0.24	4.8	5.8
1990	591	5.4	0.23	5.0	5.9	473	5.0	0.23	4.5	5.4
1991	615	5.6	0.23	5.1	6.0	496	5.1	0.23	4.7	5.6
1992	602	5.4	0.22	5.0	5.9	477	5.0	0.23	4.5	5.4
1993	604	5.3	0.22	4.9	5.8	485	4.9	0.23	4.5	5.4
1994	591	5.2	0.22	4.8	5.7	483	4.9	0.23	4.5	5.4
1995	658	5.8	0.23	5.4	6.2	520	5.3	0.23	4.9	5.8
1996	642	5.6	0.22	5.2	6.1	521	5.3	0.23	4.9	5.8
1997	616	5.3	0.22	4.9	5.8	476	4.8	0.22	4.4	5.3
1998	566	4.8	0.20	4.4	5.2	451	4.5	0.21	4.1	4.9
1999	576	4.9	0.20	4.5	5.3	460	4.6	0.21	4.2	5.0
2000	602	5.1	0.21	4.7	5.5	492	4.9	0.22	4.5	5.3
2001	563	4.7	0.20	4.3	5.1	440	4.3	0.21	3.9	4.7
2002	593	4.8	0.20	4.5	5.3	472	4.6	0.21	4.2	5.0
2003	559	4.5	0.19	4.1	4.9	430	4.1	0.20	3.7	4.5
2004	536	4.2	0.18	3.9	4.6	419	4.0	0.19	3.6	4.4
2005	559	4.4	0.19	4.0	4.8	454	4.2	0.20	3.9	4.7
2006	532	4.1	0.18	3.8	4.5	434	4.0	0.20	3.7	4.4
2007	579	4.4	0.18	4.0	4.8	456	4.1	0.19	3.8	4.5
2008	556	4.1	0.18	3.8	4.5	466	4.2	0.19	3.8	4.6
2009	554	4.0	0.17	3.7	4.4	441	3.9	0.19	3.5	4.3
2010	584	4.1	0.17	3.8	4.5	464	4.0	0.19	3.6	4.4
2011	554	3.9	0.17	3.6	4.3	461	3.9	0.19	3.6	4.3
2012	543	3.8	0.16	3.5	4.1	433	3.6	0.18	3.3	4.0
2013	531	3.6	0.16	3.3	3.9	417	3.4	0.17	3.1	3.7
2014	568	3.7	0.16	3.4	4.1	450	3.6	0.17	3.3	4.0
2015	545	3.6	0.16	3.3	3.9	421	3.4	0.17	3.1	3.7
2016	560	3.5	0.15	3.3	3.9	453	3.5	0.17	3.2	3.9
2017	554	3.5	0.15	3.2	3.8	452	3.5	0.17	3.2	3.8
2018	601	3.7	0.15	3.4	4.0	483	3.7	0.17	3.3	4.0
2019	538	3.3	0.14	3.0	3.6	430	3.2	0.16	2.9	3.6
2020	451	2.7	0.13	2.5	3.0	368	2.7	0.15	2.5	3.0
2021	491	2.9	0.13	2.7	3.2	389	2.8	0.15	2.6	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Larynx										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,773	6.5	0.11	6.3	6.7	200	1.2	0.09	1.1	1.4
1986	101	8.5	0.86	6.9	10.3	1	0.7	0.67	0.0	4.0
1987	102	8.6	0.86	7.0	10.4	3	1.7	0.98	0.3	5.3
1988	77	6.7	0.78	5.3	8.4	4	3.5	1.89	0.8	8.8
1989	103	8.7	0.87	7.1	10.5	2	1.0	0.73	0.1	4.0
1990	112	9.1	0.87	7.5	10.9	3	1.7	0.99	0.3	5.1
1991	116	9.2	0.86	7.5	11.0	2	0.9	0.71	0.1	3.7
1992	120	9.4	0.88	7.8	11.3	3	1.6	0.93	0.3	4.6
1993	112	8.7	0.84	7.2	10.5	7	3.9	1.56	1.5	8.0
1994	100	7.4	0.75	6.0	9.0	7	2.5	0.98	1.0	5.4
1995	134	10.0	0.87	8.3	11.8	2	0.9	0.67	0.1	3.3
1996	113	8.3	0.79	6.8	10.0	5	1.9	0.95	0.5	4.7
1997	130	9.2	0.81	7.7	10.9	9	2.8	0.95	1.2	5.4
1998	111	7.9	0.76	6.5	9.5	1	0.2	0.24	0.0	1.7
1999	110	7.4	0.72	6.1	9.0	5	1.4	0.63	0.4	3.3
2000	99	6.7	0.68	5.4	8.2	7	2.0	0.78	0.8	4.2
2001	115	7.6	0.71	6.2	9.1	7	1.6	0.63	0.6	3.5
2002	119	7.8	0.72	6.4	9.3	1	0.2	0.20	0.0	1.3
2003	124	8.0	0.73	6.6	9.6	4	1.2	0.65	0.3	3.1
2004	107	6.8	0.67	5.6	8.2	8	2.2	0.84	0.9	4.4
2005	101	6.1	0.62	5.0	7.5	2	0.5	0.34	0.1	1.7
2006	91	5.5	0.59	4.4	6.8	4	1.0	0.51	0.2	2.5
2007	116	6.9	0.65	5.7	8.3	5	0.8	0.37	0.3	2.0
2008	83	4.8	0.54	3.8	6.0	4	0.8	0.42	0.2	2.0
2009	105	5.8	0.58	4.7	7.1	4	0.8	0.40	0.2	2.0
2010	115	6.0	0.57	4.9	7.2	4	0.8	0.42	0.2	2.0
2011	85	4.7	0.53	3.8	5.9	5	1.2	0.55	0.4	2.7
2012	104	5.7	0.57	4.7	7.0	6	0.9	0.38	0.3	2.0
2013	104	5.6	0.57	4.6	6.8	8	1.1	0.38	0.5	2.1
2014	106	5.4	0.54	4.4	6.6	10	1.4	0.46	0.6	2.6
2015	108	5.2	0.52	4.3	6.4	12	1.7	0.50	0.8	2.9
2016	96	4.7	0.49	3.7	5.7	11	1.4	0.44	0.7	2.6
2017	98	4.8	0.50	3.9	5.9	3	0.5	0.29	0.1	1.4
2018	103	4.9	0.50	4.0	6.0	13	1.6	0.45	0.8	2.7
2019	93	4.2	0.44	3.4	5.2	10	1.1	0.36	0.5	2.1
2020	72	3.4	0.41	2.6	4.3	9	1.1	0.36	0.5	2.0
2021	88	4.1	0.45	3.3	5.1	9	0.9	0.29	0.4	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Larynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	16,330	7.8	0.06	7.7	7.9	13,199	7.4	0.07	7.3	7.5
1986	444	9.4	0.46	8.5	10.3	363	8.7	0.47	7.8	9.7
1987	508	10.8	0.49	9.8	11.8	425	10.2	0.51	9.2	11.2
1988	426	9.1	0.45	8.2	10.0	365	8.7	0.47	7.8	9.7
1989	498	10.7	0.49	9.7	11.7	418	10.2	0.51	9.2	11.2
1990	461	9.8	0.46	8.9	10.7	366	8.9	0.47	8.0	9.8
1991	496	10.2	0.47	9.3	11.2	406	9.5	0.48	8.6	10.5
1992	474	9.8	0.46	9.0	10.8	385	9.1	0.47	8.2	10.1
1993	493	9.8	0.45	8.9	10.7	398	9.0	0.46	8.1	9.9
1994	472	9.4	0.44	8.6	10.3	384	8.9	0.46	8.0	9.8
1995	509	10.3	0.46	9.4	11.3	409	9.6	0.48	8.7	10.6
1996	493	9.8	0.45	9.0	10.8	398	9.2	0.47	8.3	10.2
1997	488	9.6	0.44	8.7	10.4	376	8.6	0.45	7.7	9.5
1998	467	9.1	0.42	8.3	10.0	376	8.5	0.44	7.7	9.4
1999	479	9.2	0.42	8.4	10.1	382	8.6	0.44	7.7	9.5
2000	487	9.2	0.42	8.4	10.1	400	8.8	0.44	8.0	9.7
2001	450	8.5	0.41	7.8	9.4	354	7.9	0.42	7.1	8.8
2002	474	8.8	0.41	8.0	9.6	385	8.4	0.43	7.5	9.3
2003	435	8.0	0.39	7.2	8.8	345	7.4	0.40	6.7	8.3
2004	436	7.8	0.38	7.1	8.6	348	7.4	0.40	6.6	8.2
2005	443	7.8	0.37	7.1	8.5	357	7.4	0.40	6.7	8.2
2006	436	7.5	0.37	6.8	8.3	358	7.3	0.39	6.6	8.2
2007	466	7.9	0.37	7.2	8.7	360	7.3	0.39	6.5	8.1
2008	450	7.4	0.35	6.7	8.1	375	7.3	0.38	6.5	8.1
2009	435	7.0	0.34	6.3	7.7	345	6.7	0.36	6.0	7.4
2010	450	7.0	0.34	6.4	7.7	358	6.8	0.37	6.1	7.5
2011	439	7.0	0.34	6.3	7.7	371	7.0	0.37	6.3	7.8
2012	414	6.4	0.33	5.8	7.1	337	6.2	0.35	5.6	6.9
2013	428	6.3	0.31	5.7	7.0	339	5.9	0.33	5.3	6.6
2014	443	6.4	0.31	5.8	7.1	351	6.1	0.34	5.5	6.8
2015	437	6.2	0.31	5.6	6.8	339	5.8	0.32	5.2	6.5
2016	438	6.1	0.30	5.5	6.7	358	6.0	0.33	5.4	6.7
2017	430	6.0	0.30	5.4	6.6	350	5.9	0.32	5.2	6.5
2018	462	6.2	0.30	5.6	6.8	372	6.0	0.32	5.4	6.7
2019	423	5.6	0.28	5.0	6.2	345	5.6	0.31	5.0	6.2
2020	349	4.6	0.25	4.1	5.1	283	4.5	0.27	4.0	5.1
2021	397	5.1	0.26	4.6	5.6	318	4.9	0.28	4.4	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Larynx										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,906	12.0	0.23	11.5	12.4	172	2.3	0.19	2.0	2.7
1986	80	15.8	1.82	12.4	19.8	1	1.6	1.58	0.0	9.5
1987	81	16.2	1.86	12.7	20.2	2	2.3	1.70	0.3	9.9
1988	57	12.3	1.70	9.2	16.0	4	8.1	4.47	1.8	20.7
1989	76	15.8	1.91	12.3	19.9	2	2.4	1.68	0.3	9.3
1990	91	17.5	1.88	14.0	21.5	2	2.8	2.02	0.3	10.3
1991	87	16.3	1.79	13.0	20.2	2	2.2	1.66	0.2	8.7
1992	84	16.0	1.83	12.6	20.0	3	3.6	2.13	0.7	10.6
1993	89	16.7	1.86	13.3	20.8	6	8.3	3.62	2.8	18.1
1994	82	14.5	1.65	11.5	18.1	5	3.6	1.70	1.1	9.3
1995	97	17.3	1.82	13.9	21.2	2	2.2	1.58	0.3	7.8
1996	89	15.6	1.71	12.5	19.3	5	4.3	2.26	1.1	11.0
1997	104	17.3	1.73	14.1	21.0	7	4.4	1.75	1.7	9.7
1998	87	14.8	1.64	11.8	18.4	1	0.5	0.50	0.0	3.9
1999	91	14.8	1.60	11.9	18.3	5	2.9	1.38	0.9	7.4
2000	80	13.2	1.55	10.4	16.6	4	2.3	1.26	0.6	6.5
2001	90	13.9	1.50	11.2	17.2	6	3.0	1.30	1.0	7.1
2002	87	13.9	1.54	11.0	17.2	1	0.4	0.41	0.0	3.0
2003	86	13.7	1.55	10.8	17.1	3	2.5	1.48	0.5	6.9
2004	80	12.4	1.46	9.7	15.5	6	3.4	1.47	1.1	7.5
2005	82	11.6	1.32	9.2	14.5	2	1.0	0.75	0.1	3.8
2006	72	10.6	1.32	8.2	13.5	4	2.2	1.18	0.5	5.7
2007	101	14.3	1.47	11.5	17.4	4	1.4	0.68	0.4	3.7
2008	70	9.8	1.23	7.6	12.5	3	0.9	0.53	0.2	3.0
2009	85	11.2	1.27	8.9	14.0	3	1.4	0.92	0.2	4.3
2010	88	10.7	1.18	8.5	13.2	3	1.1	0.62	0.2	3.2
2011	62	8.4	1.12	6.4	10.9	4	2.1	1.14	0.5	5.3
2012	73	10.0	1.23	7.8	12.7	4	1.4	0.72	0.3	3.6
2013	80	10.9	1.28	8.5	13.6	7	2.0	0.77	0.8	4.2
2014	81	9.9	1.16	7.8	12.4	10	3.1	1.03	1.4	5.8
2015	84	9.9	1.14	7.8	12.4	11	3.2	1.01	1.6	5.9
2016	72	8.7	1.08	6.7	11.0	8	2.1	0.76	0.9	4.2
2017	76	8.9	1.08	7.0	11.3	3	1.1	0.65	0.2	3.1
2018	77	8.9	1.06	7.0	11.3	12	3.2	0.94	1.6	5.6
2019	64	6.8	0.88	5.2	8.8	10	2.5	0.82	1.2	4.7
2020	55	6.1	0.86	4.6	8.1	9	2.4	0.82	1.1	4.6
2021	66	7.4	0.95	5.6	9.5	8	1.7	0.60	0.7	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Larynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,193	1.7	0.03	1.6	1.7	3,282	1.6	0.03	1.5	1.6
1986	108	1.9	0.18	1.5	2.2	87	1.7	0.19	1.4	2.1
1987	122	2.1	0.20	1.7	2.5	100	2.0	0.20	1.6	2.4
1988	94	1.6	0.17	1.3	2.0	74	1.4	0.17	1.1	1.8
1989	109	1.8	0.18	1.5	2.2	82	1.6	0.18	1.2	1.9
1990	130	2.2	0.19	1.8	2.6	107	2.1	0.20	1.7	2.5
1991	119	2.0	0.18	1.6	2.4	90	1.7	0.18	1.4	2.1
1992	128	2.1	0.19	1.8	2.5	92	1.8	0.19	1.4	2.2
1993	111	1.8	0.17	1.5	2.2	87	1.6	0.18	1.3	2.0
1994	119	1.9	0.18	1.6	2.3	99	1.9	0.19	1.5	2.3
1995	149	2.4	0.20	2.0	2.8	111	2.1	0.20	1.7	2.5
1996	149	2.4	0.20	2.0	2.8	123	2.3	0.21	1.9	2.8
1997	128	2.0	0.18	1.7	2.4	100	1.9	0.19	1.5	2.3
1998	99	1.5	0.15	1.2	1.8	75	1.3	0.16	1.0	1.7
1999	97	1.5	0.15	1.2	1.9	78	1.5	0.16	1.1	1.8
2000	115	1.8	0.16	1.5	2.1	92	1.7	0.18	1.4	2.1
2001	113	1.7	0.16	1.4	2.1	86	1.6	0.17	1.3	2.0
2002	119	1.8	0.16	1.5	2.1	87	1.5	0.17	1.2	1.9
2003	124	1.8	0.17	1.5	2.2	85	1.5	0.17	1.2	1.9
2004	100	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
2005	116	1.7	0.16	1.4	2.0	97	1.7	0.18	1.4	2.1
2006	96	1.4	0.14	1.1	1.7	76	1.3	0.15	1.0	1.6
2007	113	1.6	0.15	1.3	2.0	96	1.7	0.17	1.4	2.1
2008	106	1.5	0.14	1.2	1.8	91	1.5	0.16	1.2	1.9
2009	119	1.6	0.15	1.3	1.9	96	1.6	0.16	1.3	1.9
2010	134	1.7	0.15	1.4	2.1	106	1.7	0.16	1.4	2.0
2011	115	1.5	0.14	1.2	1.8	90	1.5	0.15	1.2	1.8
2012	129	1.6	0.15	1.4	1.9	96	1.5	0.15	1.2	1.8
2013	103	1.3	0.13	1.1	1.6	78	1.2	0.14	1.0	1.6
2014	125	1.6	0.14	1.3	1.9	99	1.5	0.15	1.2	1.9
2015	108	1.3	0.13	1.1	1.6	82	1.3	0.14	1.0	1.6
2016	122	1.4	0.13	1.2	1.7	95	1.4	0.14	1.1	1.7
2017	124	1.5	0.14	1.2	1.8	102	1.5	0.15	1.2	1.8
2018	139	1.6	0.14	1.4	1.9	111	1.6	0.16	1.3	2.0
2019	115	1.3	0.13	1.1	1.6	85	1.2	0.14	1.0	1.5
2020	102	1.2	0.12	0.9	1.4	85	1.2	0.13	1.0	1.5
2021	94	1.1	0.12	0.9	1.4	71	1.0	0.13	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Larynx										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	867	2.6	0.09	2.4	2.8	28	0.3	0.06	0.2	0.5
1986	21	3.1	0.67	1.9	4.7	0				
1987	21	3.1	0.67	1.9	4.7	1	1.1	1.08	0.0	6.5
1988	20	2.8	0.64	1.7	4.4	0				
1989	27	3.8	0.74	2.5	5.6	0				
1990	21	3.0	0.66	1.8	4.6	1	0.9	0.86	0.0	5.5
1991	29	4.0	0.74	2.6	5.7	0				
1992	36	4.9	0.83	3.4	6.8	0				
1993	23	3.0	0.64	1.9	4.6	1	0.7	0.66	0.0	4.2
1994	18	2.3	0.54	1.3	3.6	2	1.5	1.09	0.2	5.6
1995	37	4.8	0.79	3.4	6.6	0				
1996	24	3.1	0.64	2.0	4.6	0				
1997	26	3.1	0.62	2.1	4.6	2	1.3	0.94	0.2	4.7
1998	24	3.0	0.61	1.9	4.4	0				
1999	19	2.2	0.51	1.3	3.5	0				
2000	19	2.2	0.50	1.3	3.4	3	1.7	0.99	0.4	4.9
2001	25	2.9	0.58	1.9	4.2	1	0.4	0.43	0.0	2.6
2002	32	3.5	0.63	2.4	5.0	0				
2003	38	4.2	0.68	2.9	5.7	1	0.3	0.32	0.0	2.2
2004	27	3.0	0.58	2.0	4.3	2	1.1	0.85	0.1	3.9
2005	19	2.1	0.47	1.2	3.2	0				
2006	19	2.0	0.46	1.2	3.1	0				
2007	15	1.6	0.42	0.9	2.6	1	0.4	0.35	0.0	2.0
2008	13	1.3	0.37	0.7	2.3	1	0.6	0.55	0.0	2.5
2009	20	1.9	0.43	1.2	2.9	1	0.2	0.24	0.0	1.6
2010	27	2.5	0.49	1.7	3.7	1	0.5	0.50	0.0	2.3
2011	23	2.2	0.46	1.4	3.3	1	0.5	0.48	0.0	2.2
2012	31	2.9	0.52	1.9	4.1	2	0.5	0.34	0.1	1.9
2013	24	2.2	0.45	1.4	3.2	1	0.2	0.22	0.0	1.4
2014	25	2.3	0.46	1.5	3.4	0				
2015	24	2.0	0.41	1.3	3.0	1	0.4	0.35	0.0	1.7
2016	24	1.9	0.39	1.2	2.8	3	0.9	0.49	0.2	2.4
2017	22	2.1	0.45	1.3	3.2	0				
2018	26	2.1	0.43	1.4	3.2	1	0.2	0.22	0.0	1.3
2019	29	2.3	0.43	1.5	3.3	0				
2020	17	1.4	0.34	0.8	2.3	0				
2021	22	1.8	0.41	1.1	2.8	1	0.2	0.17	0.0	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lung and Bronchus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	313,001	67.4	0.12	67.1	67.6	263,739	66.8	0.13	66.6	67.1
1986	6,552	60.6	0.76	59.1	62.1	5,645	58.9	0.80	57.3	60.5
1987	7,001	64.6	0.78	63.0	66.1	6,022	62.9	0.82	61.3	64.6
1988	6,802	62.2	0.76	60.7	63.7	5,787	60.0	0.80	58.4	61.6
1989	6,957	63.3	0.77	61.8	64.8	5,943	61.4	0.81	59.8	63.0
1990	7,282	65.9	0.78	64.4	67.5	6,244	64.3	0.82	62.7	65.9
1991	7,201	64.3	0.76	62.8	65.8	6,218	63.2	0.81	61.6	64.8
1992	7,644	67.7	0.78	66.2	69.3	6,566	66.5	0.83	64.9	68.1
1993	8,034	70.7	0.79	69.2	72.3	6,790	68.4	0.83	66.8	70.0
1994	8,639	75.4	0.81	73.8	77.0	7,375	73.7	0.86	72.0	75.4
1995	8,613	74.7	0.81	73.1	76.3	7,282	72.6	0.85	70.9	74.3
1996	8,617	74.5	0.80	73.0	76.1	7,242	72.2	0.85	70.5	73.9
1997	8,533	73.2	0.79	71.7	74.8	7,238	71.7	0.84	70.1	73.4
1998	8,703	74.0	0.79	72.5	75.6	7,345	72.3	0.84	70.6	74.0
1999	8,761	74.0	0.79	72.4	75.5	7,423	72.7	0.84	71.1	74.4
2000	8,620	72.3	0.78	70.8	73.9	7,351	71.8	0.84	70.2	73.4
2001	8,792	73.2	0.78	71.7	74.8	7,483	72.7	0.84	71.1	74.4
2002	9,037	74.6	0.79	73.1	76.2	7,641	73.8	0.85	72.1	75.4
2003	9,087	74.1	0.78	72.6	75.7	7,699	73.7	0.84	72.1	75.4
2004	8,879	71.9	0.77	70.4	73.4	7,462	71.0	0.83	69.4	72.7
2005	9,054	72.4	0.77	71.0	74.0	7,624	72.1	0.83	70.4	73.7
2006	9,282	73.6	0.77	72.1	75.2	7,789	73.0	0.83	71.4	74.6
2007	9,356	73.1	0.76	71.6	74.6	7,870	72.9	0.83	71.3	74.5
2008	9,397	72.1	0.75	70.6	73.6	7,945	72.4	0.82	70.8	74.0
2009	9,613	72.8	0.75	71.4	74.3	8,126	73.4	0.82	71.8	75.0
2010	9,301	69.3	0.73	67.9	70.8	7,799	69.4	0.80	67.8	70.9
2011	9,385	68.5	0.72	67.1	69.9	7,865	68.7	0.79	67.1	70.2
2012	9,364	67.1	0.70	65.7	68.5	7,767	66.8	0.77	65.3	68.3
2013	9,201	64.3	0.68	63.0	65.7	7,643	64.3	0.75	62.8	65.8
2014	9,694	66.6	0.69	65.2	67.9	8,128	67.4	0.76	65.9	68.9
2015	9,594	64.6	0.67	63.3	65.9	7,926	64.7	0.74	63.2	66.1
2016	9,515	63.4	0.66	62.1	64.7	7,913	64.0	0.73	62.5	65.4
2017	9,622	62.8	0.65	61.5	64.1	8,007	63.5	0.72	62.1	64.9
2018	9,618	61.3	0.64	60.1	62.6	8,031	62.2	0.71	60.9	63.6
2019	9,402	58.7	0.62	57.5	60.0	7,791	59.4	0.68	58.1	60.8
2020	8,682	53.4	0.58	52.3	54.6	7,219	54.4	0.65	53.1	55.7
2021	9,167	55.8	0.59	54.7	57.0	7,540	56.3	0.66	55.0	57.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lung and Bronchus										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	44,455	80.5	0.39	79.8	81.3	4,432	29.6	0.47	28.7	30.5
1986	877	76.5	2.65	71.4	81.8	26	22.5	4.95	13.9	34.0
1987	933	80.5	2.70	75.3	85.9	42	32.2	5.52	22.3	44.6
1988	972	81.9	2.69	76.7	87.3	39	28.4	5.01	19.4	39.6
1989	969	83.1	2.73	77.8	88.6	39	23.3	3.98	16.2	32.4
1990	991	82.6	2.68	77.4	88.0	46	30.0	4.94	21.1	41.0
1991	931	75.9	2.54	71.0	81.0	40	27.7	4.86	19.0	38.5
1992	1,025	83.0	2.65	77.9	88.4	46	25.4	4.14	18.0	34.7
1993	1,174	93.7	2.79	88.3	99.3	67	34.9	4.92	25.9	45.6
1994	1,190	93.9	2.78	88.5	99.5	68	33.7	4.47	25.5	43.4
1995	1,248	95.6	2.76	90.2	101.1	79	33.3	4.14	25.7	42.3
1996	1,284	98.1	2.78	92.7	103.7	87	39.4	4.68	30.8	49.5
1997	1,214	90.7	2.64	85.6	96.0	76	31.6	3.99	24.3	40.3
1998	1,243	91.7	2.64	86.6	97.0	104	39.7	4.17	31.9	48.6
1999	1,245	90.3	2.60	85.3	95.5	87	35.1	4.06	27.6	43.8
2000	1,175	83.4	2.47	78.6	88.4	87	30.5	3.50	24.0	38.0
2001	1,209	85.6	2.50	80.7	90.6	90	30.7	3.53	24.2	38.3
2002	1,273	87.9	2.51	83.1	93.0	114	36.7	3.70	29.8	44.5
2003	1,278	86.8	2.47	82.0	91.8	102	30.2	3.21	24.2	37.1
2004	1,306	87.7	2.47	82.9	92.7	106	30.8	3.20	24.8	37.6
2005	1,292	85.0	2.41	80.4	89.9	126	32.0	3.05	26.3	38.4
2006	1,357	87.9	2.43	83.2	92.8	131	33.3	3.12	27.5	39.9
2007	1,340	86.0	2.40	81.4	90.8	141	34.7	3.13	28.8	41.3
2008	1,310	81.7	2.31	77.2	86.3	135	29.6	2.75	24.4	35.4
2009	1,318	79.6	2.24	75.3	84.1	154	31.5	2.74	26.4	37.3
2010	1,318	79.0	2.23	74.7	83.5	169	33.2	2.73	28.0	38.9
2011	1,336	78.2	2.19	74.0	82.6	165	30.4	2.52	25.7	35.7
2012	1,401	80.5	2.20	76.2	84.9	183	30.9	2.42	26.3	36.0
2013	1,361	75.3	2.10	71.3	79.6	189	30.7	2.36	26.2	35.6
2014	1,367	74.0	2.05	70.0	78.1	185	28.4	2.19	24.3	33.0
2015	1,438	75.6	2.05	71.6	79.7	218	32.1	2.27	27.8	36.8
2016	1,405	73.6	2.02	69.7	77.7	189	25.1	1.89	21.6	29.1
2017	1,401	71.6	1.97	67.8	75.6	203	26.5	1.91	22.9	30.5
2018	1,362	68.8	1.91	65.1	72.7	208	25.2	1.79	21.8	29.0
2019	1,353	65.8	1.84	62.3	69.5	231	27.2	1.82	23.7	31.0
2020	1,192	56.5	1.68	53.3	59.9	244	27.5	1.79	24.1	31.3
2021	1,367	64.9	1.80	61.4	68.5	216	23.7	1.64	20.6	27.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lung and Bronchus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	172,973	86.5	0.21	86.1	86.9	145,178	84.9	0.23	84.5	85.4
1986	4,383	96.6	1.51	93.6	99.6	3,755	93.2	1.58	90.2	96.4
1987	4,571	100.1	1.53	97.1	103.1	3,908	96.8	1.60	93.7	100.0
1988	4,338	94.1	1.47	91.3	97.1	3,707	91.1	1.54	88.1	94.1
1989	4,415	95.1	1.47	92.2	98.0	3,738	91.0	1.53	88.0	94.0
1990	4,574	98.3	1.49	95.4	101.3	3,900	95.1	1.56	92.0	98.2
1991	4,480	94.9	1.45	92.1	97.8	3,855	92.7	1.53	89.7	95.7
1992	4,679	97.7	1.46	94.8	100.6	3,987	94.7	1.53	91.7	97.8
1993	4,862	101.8	1.49	98.9	104.8	4,085	97.6	1.55	94.6	100.7
1994	5,167	107.9	1.53	104.9	110.9	4,394	104.8	1.61	101.7	108.0
1995	5,097	104.6	1.49	101.7	107.6	4,256	100.1	1.56	97.0	103.2
1996	5,029	103.5	1.48	100.6	106.4	4,201	99.2	1.55	96.1	102.2
1997	4,960	101.1	1.46	98.3	104.0	4,162	97.7	1.53	94.7	100.8
1998	5,014	101.0	1.44	98.2	103.9	4,179	96.9	1.51	94.0	100.0
1999	4,977	99.5	1.43	96.7	102.3	4,194	96.7	1.51	93.8	99.7
2000	4,881	96.4	1.39	93.7	99.2	4,112	94.1	1.48	91.2	97.0
2001	4,953	97.6	1.40	94.8	100.4	4,173	95.3	1.49	92.4	98.3
2002	4,972	97.3	1.40	94.5	100.0	4,203	95.6	1.49	92.7	98.6
2003	4,989	95.4	1.37	92.8	98.2	4,203	93.8	1.46	90.9	96.7
2004	4,812	91.0	1.33	88.4	93.7	4,003	88.4	1.41	85.6	91.2
2005	4,874	90.8	1.32	88.2	93.4	4,065	88.7	1.41	86.0	91.5
2006	4,944	91.7	1.32	89.1	94.3	4,134	89.8	1.41	87.1	92.6
2007	4,957	90.0	1.30	87.5	92.6	4,140	88.3	1.39	85.6	91.1
2008	4,880	86.7	1.26	84.3	89.2	4,108	85.9	1.36	83.3	88.7
2009	4,980	86.7	1.25	84.3	89.2	4,207	86.6	1.36	83.9	89.3
2010	4,815	82.3	1.21	80.0	84.7	4,024	81.4	1.31	78.8	84.0
2011	4,939	82.5	1.20	80.1	84.9	4,107	81.2	1.29	78.7	83.8
2012	4,832	78.9	1.16	76.6	81.2	4,008	77.6	1.25	75.2	80.1
2013	4,867	77.3	1.14	75.0	79.5	4,043	76.4	1.23	74.0	78.8
2014	4,951	76.9	1.12	74.7	79.1	4,132	76.5	1.22	74.2	79.0
2015	4,892	74.5	1.10	72.3	76.7	4,024	73.3	1.19	70.9	75.6
2016	4,779	71.8	1.07	69.7	73.9	3,986	71.8	1.17	69.5	74.2
2017	4,916	72.3	1.06	70.2	74.4	4,063	71.6	1.15	69.4	73.9
2018	4,726	67.2	1.01	65.3	69.2	3,981	68.1	1.11	65.9	70.3
2019	4,619	64.3	0.97	62.4	66.3	3,848	64.6	1.07	62.5	66.7
2020	4,319	59.5	0.93	57.7	61.3	3,565	59.4	1.02	57.4	61.4
2021	4,530	61.6	0.94	59.7	63.5	3,728	61.1	1.03	59.1	63.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lung and Bronchus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	24,906	110.7	0.74	109.3	112.2	2,678	40.6	0.85	39.0	42.3
1986	606	128.9	5.52	118.3	140.1	20	39.5	10.15	22.2	63.5
1987	631	133.0	5.58	122.3	144.3	29	56.2	11.98	35.2	83.5
1988	601	123.5	5.30	113.3	134.2	28	45.9	9.96	28.5	68.9
1989	646	137.0	5.70	126.0	148.5	26	36.4	7.68	22.9	54.4
1990	638	130.8	5.45	120.3	141.8	36	50.3	9.67	33.2	72.4
1991	590	117.8	5.10	108.0	128.2	27	42.5	9.08	26.6	63.4
1992	661	131.0	5.35	120.7	141.8	27	31.5	6.57	20.0	46.9
1993	732	143.7	5.60	133.0	155.1	42	48.1	8.74	32.5	67.7
1994	728	142.4	5.57	131.7	153.7	41	47.1	8.14	32.5	65.4
1995	792	149.5	5.59	138.7	160.8	46	48.7	8.36	33.7	67.4
1996	771	146.0	5.51	135.4	157.1	56	60.0	9.17	43.4	80.1
1997	746	137.4	5.25	127.3	148.0	48	44.6	6.96	32.0	60.1
1998	753	138.6	5.30	128.4	149.3	76	63.6	8.02	48.9	81.1
1999	724	131.2	5.10	121.4	141.5	54	54.3	8.22	39.4	72.3
2000	715	124.6	4.87	115.3	134.5	49	38.9	6.17	27.8	52.6
2001	708	123.7	4.87	114.3	133.5	66	56.6	8.10	41.8	74.2
2002	701	118.6	4.69	109.6	128.1	64	48.1	6.65	35.9	62.6
2003	712	118.5	4.65	109.5	127.9	67	47.5	6.51	35.6	61.6
2004	739	124.0	4.80	114.8	133.7	68	43.9	5.96	33.0	56.9
2005	719	117.8	4.64	108.9	127.2	82	49.0	5.96	38.0	61.8
2006	727	117.0	4.57	108.2	126.2	81	51.8	6.39	40.1	65.6
2007	738	118.5	4.62	109.7	127.9	76	46.1	5.76	35.5	58.5
2008	699	107.7	4.29	99.4	116.4	71	35.6	4.83	26.8	46.1
2009	668	98.9	4.03	91.2	107.1	98	46.2	5.27	36.5	57.5
2010	686	100.6	4.06	92.8	108.9	100	45.8	5.05	36.4	56.6
2011	717	103.4	4.05	95.6	111.6	106	45.0	4.75	36.2	55.2
2012	707	100.4	3.98	92.8	108.5	112	43.5	4.52	35.1	53.2
2013	712	97.4	3.85	90.0	105.2	108	39.0	4.07	31.5	47.7
2014	702	94.2	3.75	87.0	101.8	108	36.2	3.73	29.3	44.2
2015	739	96.7	3.75	89.5	104.3	123	41.4	4.00	33.9	49.9
2016	672	86.0	3.49	79.3	93.1	116	33.0	3.21	27.0	39.9
2017	717	91.7	3.60	84.8	99.0	130	37.8	3.47	31.3	45.1
2018	621	75.8	3.19	69.7	82.3	111	29.2	2.88	23.8	35.4
2019	633	75.2	3.14	69.2	81.6	122	31.2	2.91	25.8	37.4
2020	594	68.2	2.92	62.5	74.1	147	37.3	3.16	31.3	44.0
2021	661	78.7	3.20	72.5	85.2	117	28.9	2.74	23.8	34.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lung and Bronchus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	140,028	53.8	0.14	53.5	54.1	118,561	54.0	0.16	53.7	54.3
1986	2,169	35.9	0.79	34.4	37.5	1,890	35.6	0.84	34.0	37.3
1987	2,430	40.4	0.84	38.8	42.1	2,114	40.0	0.89	38.3	41.8
1988	2,464	40.3	0.83	38.7	42.0	2,080	38.9	0.87	37.2	40.6
1989	2,542	41.2	0.83	39.6	42.9	2,205	40.9	0.89	39.2	42.7
1990	2,708	43.8	0.85	42.1	45.5	2,344	43.4	0.91	41.6	45.2
1991	2,721	43.1	0.84	41.5	44.8	2,363	42.8	0.90	41.1	44.6
1992	2,965	46.8	0.87	45.1	48.5	2,579	46.9	0.94	45.0	48.7
1993	3,172	49.4	0.89	47.7	51.2	2,705	48.6	0.95	46.7	50.5
1994	3,472	53.3	0.91	51.5	55.1	2,981	52.6	0.98	50.7	54.6
1995	3,516	53.9	0.92	52.1	55.7	3,026	53.6	0.99	51.7	55.5
1996	3,588	54.7	0.92	52.9	56.6	3,041	53.8	0.99	51.9	55.8
1997	3,573	53.9	0.91	52.1	55.7	3,076	53.9	0.98	52.0	55.8
1998	3,689	55.2	0.91	53.4	57.0	3,166	55.2	0.99	53.2	57.1
1999	3,784	56.3	0.92	54.5	58.1	3,229	56.0	1.00	54.1	58.0
2000	3,739	55.3	0.91	53.5	57.1	3,239	56.1	1.00	54.2	58.1
2001	3,839	56.3	0.91	54.5	58.1	3,310	57.1	1.00	55.2	59.1
2002	4,065	59.2	0.93	57.4	61.1	3,438	59.0	1.02	57.0	61.0
2003	4,098	59.3	0.93	57.5	61.2	3,496	59.9	1.02	57.9	61.9
2004	4,067	58.4	0.92	56.6	60.2	3,459	58.9	1.01	56.9	60.9
2005	4,180	59.5	0.93	57.7	61.4	3,559	60.3	1.02	58.3	62.3
2006	4,338	61.2	0.94	59.4	63.1	3,655	61.4	1.03	59.4	63.4
2007	4,399	61.2	0.93	59.4	63.0	3,730	62.0	1.03	60.0	64.0
2008	4,517	61.9	0.93	60.1	63.8	3,837	63.0	1.03	61.0	65.1
2009	4,633	63.0	0.94	61.2	64.8	3,919	64.0	1.04	61.9	66.0
2010	4,486	60.0	0.91	58.2	61.8	3,775	60.8	1.01	58.8	62.8
2011	4,446	58.2	0.89	56.5	60.0	3,758	59.6	0.99	57.6	61.5
2012	4,532	58.7	0.89	57.0	60.5	3,759	59.1	0.98	57.2	61.0
2013	4,334	54.9	0.85	53.2	56.6	3,600	55.3	0.94	53.5	57.2
2014	4,743	59.1	0.87	57.4	60.9	3,996	61.0	0.98	59.1	62.9
2015	4,702	57.7	0.86	56.0	59.4	3,902	58.7	0.96	56.8	60.6
2016	4,736	57.4	0.85	55.8	59.1	3,927	58.5	0.95	56.7	60.4
2017	4,706	55.9	0.83	54.3	57.5	3,944	57.6	0.93	55.8	59.5
2018	4,892	57.2	0.83	55.5	58.8	4,050	58.2	0.93	56.4	60.1
2019	4,783	54.9	0.81	53.3	56.5	3,943	55.8	0.91	54.1	57.6
2020	4,363	49.1	0.76	47.7	50.6	3,654	51.0	0.86	49.3	52.7
2021	4,637	51.8	0.77	50.3	53.3	3,812	53.0	0.87	51.3	54.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lung and Bronchus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	19,549	60.4	0.44	59.6	61.3	1,754	21.1	0.52	20.1	22.2
1986	271	40.2	2.48	35.5	45.3	6	9.4	4.26	3.0	21.0
1987	302	44.7	2.61	39.8	50.1	13	14.6	4.16	7.6	25.3
1988	371	53.5	2.81	48.1	59.3	11	14.8	4.70	7.1	26.7
1989	323	46.9	2.65	41.9	52.4	13	13.8	4.05	7.0	24.1
1990	353	50.2	2.71	45.1	55.8	10	13.8	4.74	6.1	25.7
1991	341	47.5	2.60	42.5	52.8	13	16.4	5.15	7.9	28.9
1992	364	50.4	2.67	45.3	55.9	19	20.5	5.21	11.6	32.9
1993	442	60.2	2.89	54.7	66.1	25	24.6	5.62	14.9	37.7
1994	462	62.0	2.91	56.4	68.0	27	23.8	4.99	15.0	35.3
1995	456	59.6	2.81	54.2	65.3	33	23.0	4.24	15.5	32.8
1996	513	66.4	2.95	60.7	72.4	31	24.4	4.78	16.0	35.4
1997	468	59.3	2.76	54.0	65.0	28	21.4	4.47	13.5	31.6
1998	490	61.1	2.78	55.8	66.8	28	20.9	4.16	13.6	30.5
1999	521	63.8	2.82	58.4	69.6	33	22.1	4.07	14.8	31.3
2000	460	55.6	2.61	50.6	60.9	38	24.0	4.09	16.7	33.2
2001	501	60.1	2.70	54.9	65.7	24	13.8	2.95	8.7	20.7
2002	572	67.4	2.84	61.9	73.1	50	28.2	4.21	20.5	37.5
2003	566	65.5	2.77	60.2	71.2	35	18.1	3.20	12.4	25.3
2004	567	64.2	2.72	59.0	69.8	38	20.9	3.52	14.6	28.8
2005	573	64.0	2.70	58.8	69.5	44	19.5	3.09	13.9	26.4
2006	630	69.3	2.78	63.9	75.0	50	20.9	3.10	15.3	27.8
2007	602	65.5	2.70	60.4	71.0	65	26.5	3.48	20.1	34.1
2008	611	64.7	2.65	59.6	70.1	64	25.5	3.35	19.4	32.9
2009	650	67.2	2.67	62.0	72.6	56	20.8	2.93	15.5	27.3
2010	632	64.7	2.61	59.7	70.0	69	23.8	3.01	18.3	30.4
2011	619	61.2	2.50	56.4	66.3	59	18.9	2.58	14.2	24.6
2012	694	67.6	2.61	62.6	73.0	71	21.5	2.66	16.6	27.3
2013	649	61.3	2.44	56.6	66.3	81	24.1	2.78	19.0	30.1
2014	665	60.8	2.40	56.2	65.7	77	21.8	2.58	17.0	27.4
2015	699	62.5	2.41	57.9	67.4	95	25.1	2.66	20.1	30.8
2016	733	65.4	2.46	60.7	70.4	73	18.2	2.19	14.2	23.0
2017	684	59.0	2.30	54.5	63.6	73	17.6	2.10	13.7	22.2
2018	741	64.1	2.39	59.4	68.9	97	22.0	2.28	17.7	26.9
2019	720	60.0	2.28	55.6	64.6	109	23.8	2.31	19.5	28.8
2020	598	48.4	2.01	44.5	52.5	97	19.9	2.04	16.1	24.3
2021	706	56.1	2.15	51.9	60.5	99	19.9	2.02	16.1	24.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Bones and Joints										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,940	0.9	0.01	0.9	0.9	3,290	0.9	0.02	0.9	0.9
1986	90	0.8	0.09	0.7	1.0	80	0.9	0.10	0.7	1.1
1987	94	0.8	0.09	0.7	1.0	84	0.9	0.10	0.7	1.1
1988	81	0.7	0.08	0.6	0.9	63	0.7	0.09	0.5	0.9
1989	79	0.7	0.08	0.6	0.9	74	0.8	0.09	0.6	1.0
1990	106	0.9	0.09	0.8	1.1	95	1.0	0.11	0.8	1.3
1991	100	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	82	0.7	0.08	0.6	0.9	73	0.7	0.09	0.6	0.9
1993	84	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1994	92	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	1.0
1995	127	1.1	0.10	0.9	1.3	100	1.0	0.10	0.8	1.3
1996	105	0.9	0.09	0.7	1.1	93	1.0	0.10	0.8	1.2
1997	111	0.9	0.09	0.8	1.1	98	1.0	0.10	0.8	1.2
1998	101	0.8	0.08	0.7	1.0	83	0.8	0.09	0.7	1.0
1999	102	0.8	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2000	120	1.0	0.09	0.8	1.2	104	1.0	0.10	0.9	1.3
2001	107	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1
2002	109	0.9	0.08	0.7	1.1	93	0.9	0.10	0.7	1.1
2003	109	0.9	0.08	0.7	1.1	94	0.9	0.10	0.8	1.1
2004	111	0.9	0.08	0.7	1.1	81	0.8	0.09	0.6	1.0
2005	113	0.9	0.08	0.7	1.1	91	0.9	0.09	0.7	1.1
2006	129	1.0	0.09	0.9	1.2	106	1.0	0.10	0.9	1.3
2007	128	1.0	0.09	0.8	1.2	104	1.0	0.10	0.8	1.2
2008	93	0.7	0.08	0.6	0.9	81	0.8	0.09	0.6	1.0
2009	112	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1
2010	103	0.8	0.08	0.6	1.0	86	0.8	0.09	0.7	1.0
2011	109	0.8	0.08	0.7	1.0	86	0.8	0.09	0.6	1.0
2012	121	0.9	0.08	0.8	1.1	102	1.0	0.10	0.8	1.2
2013	129	1.0	0.09	0.8	1.2	113	1.1	0.10	0.9	1.3
2014	122	0.9	0.08	0.7	1.1	98	0.9	0.09	0.7	1.1
2015	104	0.8	0.08	0.6	0.9	90	0.9	0.09	0.7	1.1
2016	128	0.9	0.08	0.8	1.1	105	1.0	0.10	0.8	1.2
2017	145	1.1	0.09	0.9	1.3	111	1.1	0.10	0.9	1.3
2018	114	0.8	0.08	0.7	1.0	92	0.9	0.09	0.7	1.0
2019	125	0.9	0.09	0.8	1.1	100	1.0	0.10	0.8	1.2
2020	135	1.0	0.09	0.8	1.2	110	1.0	0.10	0.8	1.2
2021	120	0.9	0.08	0.7	1.1	100	0.9	0.10	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Bones and Joints										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	467	0.7	0.03	0.7	0.8	138	0.7	0.06	0.6	0.8
1986	9	0.6	0.21	0.3	1.2	1	0.3	0.34	0.0	3.3
1987	8	0.4	0.15	0.2	0.9	0				
1988	16	1.0	0.29	0.6	1.8	2	0.8	0.58	0.1	3.7
1989	5	0.3	0.15	0.1	0.8	0				
1990	10	0.6	0.21	0.3	1.2	1	0.5	0.51	0.0	3.2
1991	13	0.7	0.20	0.4	1.2	1	0.3	0.27	0.0	2.4
1992	8	0.4	0.16	0.2	0.9	1	0.3	0.26	0.0	2.3
1993	10	0.6	0.20	0.3	1.1	1	0.2	0.19	0.0	2.0
1994	11	0.6	0.20	0.3	1.2	4	1.3	0.67	0.3	3.6
1995	19	1.1	0.26	0.6	1.7	6	1.6	0.69	0.5	3.9
1996	11	0.7	0.21	0.3	1.2	1	0.2	0.17	0.0	1.7
1997	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	2.0
1998	15	0.8	0.22	0.4	1.4	2	0.4	0.30	0.1	1.9
1999	11	0.7	0.22	0.3	1.2	2	0.4	0.27	0.0	1.8
2000	9	0.5	0.17	0.2	0.9	6	1.2	0.48	0.4	2.8
2001	13	0.8	0.24	0.4	1.4	2	0.5	0.34	0.1	1.8
2002	12	0.6	0.18	0.3	1.1	3	0.6	0.33	0.1	1.8
2003	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	1.6
2004	22	1.2	0.26	0.7	1.8	5	0.9	0.39	0.3	2.1
2005	11	0.6	0.18	0.3	1.0	6	1.0	0.43	0.4	2.4
2006	18	0.9	0.21	0.5	1.4	5	0.7	0.31	0.2	1.8
2007	16	0.8	0.21	0.5	1.4	7	1.2	0.49	0.4	2.6
2008	8	0.4	0.13	0.2	0.8	3	0.4	0.25	0.1	1.4
2009	18	1.0	0.24	0.6	1.6	2	0.5	0.35	0.1	1.6
2010	15	0.8	0.21	0.4	1.3	1	0.1	0.11	0.0	0.8
2011	17	0.8	0.19	0.5	1.3	6	1.1	0.46	0.4	2.4
2012	12	0.7	0.20	0.3	1.2	4	0.5	0.25	0.1	1.3
2013	13	0.6	0.18	0.3	1.1	3	0.4	0.21	0.1	1.1
2014	15	0.8	0.20	0.4	1.3	8	0.9	0.33	0.4	1.9
2015	9	0.4	0.13	0.2	0.8	5	0.8	0.36	0.2	1.8
2016	15	0.8	0.20	0.4	1.3	7	0.9	0.34	0.3	1.8
2017	19	1.0	0.24	0.6	1.6	10	1.3	0.40	0.6	2.3
2018	16	0.8	0.21	0.5	1.3	4	0.4	0.21	0.1	1.1
2019	14	0.7	0.18	0.4	1.1	9	1.0	0.35	0.5	2.0
2020	17	0.9	0.22	0.5	1.5	8	0.8	0.29	0.4	1.6
2021	10	0.5	0.17	0.3	1.0	8	0.9	0.32	0.4	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Bones and Joints										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,180	1.0	0.02	1.0	1.1	1,822	1.0	0.02	1.0	1.1
1986	57	1.2	0.17	0.9	1.6	49	1.2	0.18	0.9	1.6
1987	54	1.0	0.14	0.7	1.3	47	1.0	0.15	0.7	1.4
1988	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
1989	50	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
1990	57	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
1991	54	1.0	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4
1992	41	0.8	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1
1993	43	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2
1994	44	0.8	0.12	0.6	1.1	36	0.8	0.13	0.6	1.1
1995	68	1.2	0.15	0.9	1.5	51	1.1	0.16	0.8	1.5
1996	61	1.1	0.15	0.8	1.4	53	1.2	0.16	0.9	1.5
1997	64	1.2	0.15	0.9	1.5	57	1.2	0.17	0.9	1.6
1998	48	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
1999	64	1.1	0.14	0.8	1.4	56	1.2	0.16	0.9	1.5
2000	67	1.1	0.14	0.9	1.5	54	1.1	0.15	0.8	1.5
2001	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
2002	55	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2003	67	1.1	0.14	0.9	1.4	59	1.2	0.16	0.9	1.6
2004	65	1.1	0.13	0.8	1.4	46	0.9	0.14	0.7	1.3
2005	64	1.1	0.13	0.8	1.4	50	1.0	0.15	0.8	1.4
2006	67	1.1	0.14	0.9	1.4	52	1.1	0.15	0.8	1.5
2007	72	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
2008	44	0.7	0.11	0.5	1.0	39	0.8	0.13	0.6	1.1
2009	60	1.0	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4
2010	58	0.9	0.12	0.7	1.2	50	1.0	0.14	0.7	1.3
2011	61	1.0	0.13	0.7	1.3	46	0.9	0.13	0.7	1.2
2012	69	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5
2013	76	1.2	0.14	0.9	1.5	66	1.3	0.17	1.0	1.7
2014	75	1.1	0.13	0.9	1.4	59	1.1	0.14	0.8	1.4
2015	58	0.9	0.12	0.7	1.1	51	1.0	0.14	0.7	1.3
2016	65	1.0	0.12	0.7	1.2	51	0.9	0.13	0.7	1.2
2017	75	1.2	0.14	0.9	1.5	56	1.1	0.15	0.8	1.4
2018	61	0.9	0.12	0.7	1.2	48	0.9	0.13	0.7	1.2
2019	74	1.1	0.13	0.9	1.4	58	1.1	0.15	0.8	1.5
2020	86	1.3	0.14	1.0	1.6	75	1.4	0.16	1.1	1.7
2021	64	1.0	0.12	0.7	1.2	57	1.1	0.14	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Bones and Joints										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	251	0.9	0.06	0.7	1.0	82	0.9	0.10	0.7	1.1
1986	7	1.0	0.41	0.4	2.3	1	0.7	0.65	0.0	7.5
1987	5	0.5	0.25	0.2	1.5	0				
1988	8	0.9	0.34	0.4	2.0	1	0.6	0.56	0.0	6.6
1989	3	0.5	0.28	0.1	1.5	0				
1990	5	0.7	0.38	0.2	1.9	1	1.2	1.19	0.0	7.4
1991	7	0.9	0.38	0.4	2.1	0				
1992	5	0.5	0.25	0.2	1.4	1	0.5	0.50	0.0	5.2
1993	4	0.5	0.24	0.1	1.4	0				
1994	6	0.7	0.27	0.2	1.6	2	1.1	0.76	0.1	5.4
1995	13	1.7	0.49	0.8	3.0	3	1.4	0.81	0.3	5.5
1996	7	0.9	0.33	0.3	1.9	1	0.3	0.33	0.0	4.0
1997	6	0.8	0.36	0.3	1.9	1	0.5	0.45	0.0	4.0
1998	7	0.8	0.32	0.3	1.8	1	0.4	0.39	0.0	3.7
1999	7	1.1	0.44	0.4	2.3	1	0.5	0.46	0.0	3.7
2000	7	0.9	0.38	0.3	2.0	5	1.9	0.86	0.6	5.2
2001	4	0.8	0.44	0.2	2.0	1	0.6	0.62	0.0	3.7
2002	6	0.6	0.26	0.2	1.5	1	0.4	0.40	0.0	3.0
2003	6	0.9	0.37	0.3	2.0	2	0.9	0.63	0.1	3.6
2004	15	1.8	0.51	0.9	3.1	2	0.5	0.34	0.1	2.7
2005	5	0.6	0.29	0.2	1.5	4	1.4	0.70	0.4	4.0
2006	11	1.1	0.33	0.5	2.0	4	1.2	0.59	0.3	3.5
2007	8	0.9	0.33	0.4	1.9	3	1.0	0.58	0.2	3.3
2008	4	0.4	0.21	0.1	1.2	1	0.2	0.20	0.0	1.9
2009	6	0.7	0.29	0.3	1.6	1	0.7	0.74	0.0	3.3
2010	7	0.7	0.29	0.3	1.6	1	0.2	0.22	0.0	1.8
2011	13	1.4	0.42	0.7	2.5	2	0.5	0.37	0.1	2.2
2012	3	0.6	0.34	0.1	1.6	4	1.0	0.49	0.3	2.7
2013	8	0.8	0.29	0.3	1.7	2	0.5	0.32	0.1	1.9
2014	9	1.1	0.41	0.5	2.2	6	1.4	0.56	0.5	3.1
2015	3	0.3	0.17	0.1	0.9	4	1.2	0.66	0.3	3.2
2016	9	1.0	0.35	0.5	2.0	4	0.9	0.44	0.2	2.4
2017	10	1.2	0.39	0.5	2.2	4	1.3	0.65	0.3	3.2
2018	10	1.0	0.33	0.5	2.0	2	0.4	0.30	0.1	1.7
2019	7	0.7	0.28	0.3	1.5	8	2.0	0.72	0.8	4.0
2020	7	0.9	0.37	0.4	2.0	4	0.8	0.39	0.2	2.1
2021	3	0.3	0.17	0.1	0.9	4	0.9	0.48	0.3	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Bones and Joints										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,760	0.8	0.02	0.7	0.8	1,468	0.8	0.02	0.8	0.8
1986	33	0.5	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	37	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.5	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.8
1990	49	0.8	0.12	0.6	1.1	44	0.9	0.14	0.7	1.3
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	41	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1993	41	0.7	0.10	0.5	0.9	34	0.7	0.12	0.5	0.9
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	59	1.0	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	47	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
1998	53	0.8	0.12	0.6	1.1	43	0.9	0.13	0.6	1.2
1999	38	0.6	0.09	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	53	0.8	0.11	0.6	1.1	50	1.0	0.14	0.7	1.3
2001	59	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2002	54	0.8	0.11	0.6	1.1	45	0.9	0.13	0.6	1.2
2003	42	0.6	0.10	0.5	0.9	35	0.7	0.11	0.5	0.9
2004	46	0.7	0.10	0.5	0.9	35	0.6	0.11	0.4	0.9
2005	49	0.7	0.11	0.5	1.0	41	0.8	0.12	0.6	1.1
2006	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2007	56	0.8	0.11	0.6	1.1	43	0.8	0.13	0.6	1.1
2008	49	0.7	0.11	0.6	1.0	42	0.8	0.12	0.6	1.1
2009	52	0.8	0.11	0.6	1.0	37	0.7	0.12	0.5	1.0
2010	45	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
2011	48	0.7	0.10	0.5	1.0	40	0.8	0.12	0.5	1.0
2012	52	0.8	0.11	0.6	1.0	41	0.8	0.12	0.5	1.0
2013	53	0.8	0.11	0.6	1.0	47	0.9	0.13	0.6	1.2
2014	47	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
2015	46	0.7	0.10	0.5	0.9	39	0.8	0.12	0.5	1.0
2016	63	0.9	0.12	0.7	1.2	54	1.0	0.14	0.7	1.3
2017	70	1.0	0.12	0.8	1.3	55	1.0	0.14	0.7	1.3
2018	53	0.8	0.11	0.6	1.0	44	0.8	0.12	0.6	1.1
2019	51	0.7	0.11	0.6	1.0	42	0.8	0.13	0.6	1.1
2020	49	0.8	0.11	0.6	1.0	35	0.7	0.12	0.5	0.9
2021	56	0.8	0.11	0.6	1.1	43	0.8	0.13	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Bones and Joints										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	216	0.6	0.04	0.5	0.7	56	0.6	0.08	0.4	0.7
1986	2	0.3	0.18	0.0	1.0	0				
1987	3	0.3	0.19	0.1	1.0	0				
1988	8	1.0	0.40	0.4	2.1	1	1.0	1.02	0.0	6.2
1989	2	0.2	0.15	0.0	0.8	0				
1990	5	0.5	0.25	0.2	1.3	0				
1991	6	0.5	0.22	0.2	1.3	1	0.6	0.55	0.0	4.5
1992	3	0.3	0.19	0.1	1.0	0				
1993	6	0.6	0.27	0.2	1.4	1	0.4	0.35	0.0	3.6
1994	5	0.6	0.27	0.2	1.4	2	1.4	1.00	0.2	5.2
1995	6	0.6	0.26	0.2	1.4	3	1.7	1.02	0.3	5.4
1996	4	0.5	0.25	0.1	1.2	0				
1997	5	0.5	0.23	0.2	1.2	1	0.4	0.44	0.0	3.0
1998	8	0.8	0.30	0.3	1.7	1	0.4	0.41	0.0	2.9
1999	4	0.4	0.21	0.1	1.1	1	0.3	0.31	0.0	2.5
2000	2	0.2	0.13	0.0	0.7	1	0.4	0.41	0.0	2.6
2001	9	1.0	0.32	0.4	1.8	1	0.4	0.39	0.0	2.5
2002	6	0.6	0.24	0.2	1.3	2	0.7	0.52	0.1	2.9
2003	5	0.5	0.22	0.2	1.2	0				
2004	7	0.7	0.27	0.3	1.5	3	1.2	0.69	0.2	3.5
2005	6	0.6	0.23	0.2	1.3	2	0.7	0.50	0.1	2.7
2006	7	0.7	0.27	0.3	1.5	1	0.2	0.20	0.0	1.7
2007	8	0.7	0.26	0.3	1.5	4	1.3	0.71	0.3	3.6
2008	4	0.3	0.17	0.1	0.9	2	0.7	0.46	0.1	2.4
2009	12	1.2	0.35	0.6	2.1	1	0.3	0.32	0.0	1.8
2010	8	0.8	0.28	0.3	1.6	0				
2011	4	0.4	0.18	0.1	0.9	4	1.5	0.78	0.4	3.8
2012	9	0.9	0.29	0.4	1.6	0				
2013	5	0.5	0.21	0.2	1.1	1	0.3	0.27	0.0	1.5
2014	6	0.6	0.24	0.2	1.3	2	0.4	0.31	0.1	1.7
2015	6	0.5	0.22	0.2	1.2	1	0.3	0.32	0.0	1.6
2016	6	0.6	0.24	0.2	1.3	3	0.8	0.45	0.2	2.2
2017	9	0.9	0.30	0.4	1.7	6	1.3	0.52	0.5	2.8
2018	6	0.6	0.25	0.2	1.3	2	0.4	0.30	0.1	1.6
2019	7	0.6	0.24	0.3	1.3	1	0.2	0.17	0.0	1.1
2020	10	1.0	0.32	0.5	1.8	4	0.9	0.43	0.2	2.2
2021	7	0.7	0.27	0.3	1.5	4	0.9	0.43	0.2	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Soft Tissue including Heart										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	13,665	3.0	0.03	3.0	3.1	11,177	3.0	0.03	2.9	3.0
1986	247	2.3	0.15	2.0	2.6	208	2.2	0.16	1.9	2.6
1987	273	2.5	0.15	2.2	2.8	230	2.5	0.17	2.2	2.8
1988	264	2.4	0.15	2.1	2.7	227	2.4	0.16	2.1	2.8
1989	251	2.3	0.15	2.0	2.6	210	2.2	0.16	1.9	2.5
1990	254	2.3	0.14	2.0	2.6	209	2.2	0.16	1.9	2.5
1991	224	2.0	0.14	1.8	2.3	191	2.0	0.15	1.7	2.3
1992	261	2.3	0.14	2.0	2.6	213	2.2	0.15	1.9	2.5
1993	255	2.2	0.14	1.9	2.5	217	2.2	0.15	1.9	2.5
1994	292	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1995	295	2.5	0.15	2.2	2.8	250	2.5	0.16	2.2	2.9
1996	385	3.3	0.17	3.0	3.6	319	3.2	0.18	2.9	3.6
1997	362	3.1	0.16	2.8	3.4	296	3.0	0.17	2.6	3.3
1998	348	2.9	0.16	2.6	3.2	283	2.8	0.17	2.5	3.2
1999	335	2.8	0.15	2.5	3.1	267	2.6	0.16	2.3	3.0
2000	302	2.5	0.14	2.2	2.8	251	2.5	0.16	2.2	2.8
2001	373	3.0	0.16	2.7	3.4	311	3.1	0.17	2.7	3.4
2002	343	2.8	0.15	2.5	3.1	291	2.8	0.17	2.5	3.2
2003	407	3.3	0.16	3.0	3.6	344	3.3	0.18	3.0	3.7
2004	391	3.1	0.16	2.8	3.5	317	3.0	0.17	2.7	3.4
2005	391	3.1	0.16	2.8	3.4	309	3.0	0.17	2.6	3.3
2006	434	3.4	0.16	3.1	3.8	352	3.3	0.18	3.0	3.7
2007	423	3.3	0.16	3.0	3.6	350	3.3	0.18	3.0	3.7
2008	435	3.4	0.16	3.1	3.7	357	3.4	0.18	3.0	3.8
2009	427	3.3	0.16	3.0	3.6	348	3.3	0.18	2.9	3.6
2010	452	3.4	0.16	3.1	3.7	370	3.4	0.18	3.0	3.7
2011	431	3.2	0.16	2.9	3.5	355	3.3	0.18	2.9	3.6
2012	463	3.4	0.16	3.1	3.7	379	3.4	0.18	3.1	3.8
2013	482	3.5	0.16	3.2	3.9	387	3.5	0.18	3.1	3.8
2014	496	3.6	0.16	3.3	3.9	390	3.5	0.18	3.1	3.8
2015	452	3.2	0.15	2.9	3.5	358	3.1	0.17	2.8	3.5
2016	501	3.6	0.16	3.3	3.9	407	3.6	0.18	3.2	4.0
2017	508	3.6	0.16	3.3	3.9	393	3.4	0.18	3.1	3.8
2018	494	3.4	0.16	3.1	3.8	401	3.5	0.18	3.1	3.8
2019	469	3.3	0.16	3.0	3.6	388	3.4	0.18	3.1	3.8
2020	469	3.2	0.15	2.9	3.5	386	3.3	0.17	3.0	3.7
2021	476	3.3	0.16	3.0	3.7	364	3.2	0.17	2.9	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Soft Tissue including Heart										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,002	3.3	0.08	3.2	3.5	354	2.0	0.11	1.7	2.2
1986	33	2.5	0.46	1.7	3.5	5	3.6	1.71	1.1	8.6
1987	42	2.9	0.47	2.0	4.0	1	0.4	0.44	0.0	3.3
1988	33	2.3	0.43	1.6	3.3	3	0.8	0.49	0.2	3.5
1989	40	2.7	0.46	1.9	3.8	1	0.5	0.50	0.0	3.2
1990	42	2.9	0.48	2.1	4.0	1	1.2	1.22	0.0	5.3
1991	30	2.3	0.45	1.5	3.4	1	0.5	0.48	0.0	2.9
1992	41	2.9	0.47	2.1	4.0	6	4.0	1.97	1.1	9.3
1993	35	2.4	0.43	1.7	3.4	3	0.8	0.46	0.2	2.9
1994	41	2.8	0.45	2.0	3.8	2	0.7	0.53	0.1	2.8
1995	40	2.4	0.40	1.7	3.4	3	0.7	0.39	0.1	2.5
1996	52	3.6	0.51	2.6	4.7	9	2.5	0.97	0.9	5.2
1997	57	3.8	0.52	2.8	5.0	6	1.4	0.56	0.5	3.3
1998	57	3.6	0.50	2.7	4.8	4	1.2	0.67	0.3	3.3
1999	56	3.6	0.49	2.7	4.7	9	1.9	0.66	0.8	3.9
2000	44	2.7	0.42	1.9	3.6	3	0.6	0.36	0.1	2.0
2001	50	3.2	0.46	2.3	4.2	9	1.8	0.62	0.8	3.6
2002	44	2.7	0.42	1.9	3.6	4	0.9	0.45	0.2	2.4
2003	50	3.1	0.44	2.3	4.1	10	1.9	0.62	0.8	3.6
2004	61	3.6	0.47	2.7	4.6	7	1.3	0.52	0.5	2.8
2005	61	3.7	0.48	2.8	4.7	13	2.9	0.87	1.4	5.1
2006	73	4.2	0.50	3.2	5.2	6	1.3	0.60	0.4	3.0
2007	57	3.3	0.45	2.5	4.3	14	3.0	0.88	1.5	5.2
2008	65	3.7	0.47	2.9	4.8	9	1.7	0.62	0.7	3.4
2009	55	3.1	0.42	2.3	4.0	16	2.4	0.66	1.3	4.1
2010	61	3.4	0.45	2.6	4.4	15	2.5	0.70	1.3	4.2
2011	62	3.3	0.43	2.5	4.3	11	1.8	0.57	0.8	3.3
2012	67	3.5	0.44	2.7	4.5	13	1.9	0.56	0.9	3.3
2013	65	3.5	0.45	2.7	4.5	21	3.3	0.75	2.0	5.1
2014	80	4.2	0.48	3.3	5.2	22	2.9	0.65	1.8	4.5
2015	76	4.0	0.47	3.2	5.1	15	1.9	0.50	1.1	3.2
2016	75	3.9	0.46	3.1	4.9	16	2.1	0.53	1.2	3.4
2017	81	4.2	0.48	3.3	5.3	29	3.3	0.63	2.2	4.8
2018	67	3.2	0.41	2.5	4.1	18	2.0	0.47	1.2	3.2
2019	61	3.1	0.41	2.4	4.0	15	1.7	0.46	1.0	2.9
2020	68	3.4	0.43	2.7	4.4	8	0.8	0.30	0.4	1.7
2021	80	3.9	0.45	3.1	4.9	26	2.8	0.56	1.9	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Soft Tissue including Heart										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,327	3.6	0.04	3.5	3.7	6,116	3.6	0.05	3.5	3.7
1986	125	2.6	0.25	2.2	3.2	107	2.6	0.26	2.1	3.2
1987	142	2.9	0.26	2.4	3.5	119	2.9	0.28	2.4	3.5
1988	145	3.0	0.26	2.5	3.6	125	3.0	0.28	2.5	3.6
1989	121	2.4	0.23	2.0	2.9	99	2.3	0.24	1.9	2.9
1990	138	2.8	0.24	2.3	3.3	114	2.7	0.25	2.2	3.2
1991	107	2.1	0.21	1.7	2.6	89	2.1	0.22	1.7	2.6
1992	120	2.4	0.23	2.0	2.9	100	2.3	0.24	1.9	2.9
1993	129	2.5	0.22	2.0	2.9	111	2.5	0.24	2.0	3.0
1994	160	3.2	0.26	2.7	3.7	140	3.2	0.28	2.7	3.8
1995	154	2.9	0.24	2.5	3.4	137	3.1	0.27	2.6	3.7
1996	204	3.9	0.28	3.4	4.5	171	3.8	0.30	3.3	4.5
1997	197	3.8	0.27	3.3	4.4	165	3.7	0.29	3.2	4.4
1998	189	3.6	0.27	3.1	4.2	159	3.6	0.29	3.0	4.2
1999	188	3.5	0.26	3.0	4.0	147	3.2	0.27	2.7	3.8
2000	153	2.8	0.23	2.4	3.3	128	2.8	0.25	2.4	3.4
2001	202	3.6	0.26	3.1	4.1	170	3.6	0.28	3.1	4.2
2002	176	3.3	0.25	2.8	3.8	154	3.4	0.28	2.9	4.0
2003	206	3.7	0.26	3.2	4.2	174	3.7	0.28	3.2	4.3
2004	212	3.8	0.26	3.3	4.3	180	3.8	0.29	3.3	4.4
2005	209	3.7	0.26	3.2	4.2	172	3.6	0.28	3.1	4.2
2006	214	3.8	0.26	3.3	4.4	184	3.9	0.29	3.4	4.5
2007	234	4.0	0.27	3.5	4.6	200	4.1	0.30	3.6	4.8
2008	229	3.9	0.26	3.4	4.5	193	4.0	0.29	3.5	4.6
2009	218	3.7	0.26	3.2	4.2	185	3.8	0.28	3.3	4.4
2010	246	4.1	0.27	3.6	4.6	200	4.0	0.28	3.4	4.6
2011	251	4.0	0.26	3.5	4.6	213	4.1	0.29	3.6	4.7
2012	241	3.8	0.25	3.3	4.3	199	3.8	0.28	3.3	4.4
2013	268	4.3	0.27	3.8	4.8	219	4.2	0.29	3.7	4.8
2014	282	4.4	0.27	3.9	5.0	232	4.5	0.30	3.9	5.1
2015	275	4.3	0.26	3.8	4.8	224	4.2	0.29	3.7	4.8
2016	266	4.1	0.26	3.6	4.7	219	4.1	0.28	3.6	4.7
2017	277	4.3	0.26	3.8	4.8	214	4.1	0.28	3.5	4.7
2018	265	4.0	0.25	3.5	4.5	219	4.0	0.28	3.5	4.6
2019	264	4.1	0.26	3.6	4.6	225	4.2	0.29	3.7	4.8
2020	256	3.8	0.24	3.3	4.3	218	3.9	0.27	3.4	4.5
2021	264	3.9	0.25	3.5	4.5	211	3.9	0.27	3.4	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Soft Tissue including Heart										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	929	3.5	0.12	3.3	3.8	205	2.4	0.19	2.1	2.8
1986	15	2.5	0.69	1.3	4.2	2	4.2	3.18	0.4	14.9
1987	23	3.2	0.72	2.0	5.0	0				
1988	17	3.1	0.83	1.7	5.1	2	1.2	0.88	0.1	7.3
1989	21	3.0	0.70	1.8	4.8	1	1.1	1.13	0.0	7.4
1990	22	3.4	0.85	2.0	5.5	1	2.9	2.89	0.1	12.5
1991	15	2.8	0.78	1.5	4.7	1	1.1	1.11	0.0	6.9
1992	18	3.1	0.76	1.8	4.9	1	3.7	3.72	0.1	15.0
1993	18	2.9	0.70	1.7	4.6	0				
1994	19	3.0	0.72	1.7	4.8	1	0.4	0.38	0.0	4.5
1995	14	1.8	0.48	0.9	3.0	1	0.4	0.39	0.0	4.3
1996	26	4.3	0.91	2.7	6.4	5	2.3	1.04	0.7	6.5
1997	28	4.3	0.87	2.7	6.3	2	1.0	0.70	0.1	4.7
1998	27	3.6	0.77	2.3	5.4	2	1.7	1.38	0.1	6.6
1999	31	4.9	0.96	3.2	7.2	7	3.2	1.27	1.2	7.4
2000	20	2.9	0.69	1.7	4.6	2	0.9	0.62	0.1	4.0
2001	28	4.0	0.80	2.6	5.9	2	1.0	0.75	0.1	4.2
2002	18	2.5	0.62	1.4	4.0	2	0.9	0.66	0.1	3.8
2003	23	3.2	0.73	2.0	5.0	7	2.8	1.17	1.0	6.4
2004	23	3.4	0.75	2.0	5.1	6	2.6	1.10	0.9	6.0
2005	28	4.2	0.89	2.7	6.3	4	1.9	1.04	0.4	5.1
2006	27	3.5	0.70	2.2	5.1	3	1.3	0.77	0.2	4.0
2007	28	3.8	0.76	2.4	5.6	5	2.0	1.02	0.5	5.1
2008	27	3.5	0.70	2.3	5.2	7	3.1	1.29	1.1	6.6
2009	20	2.5	0.60	1.5	4.0	9	2.2	0.75	1.0	4.6
2010	31	4.4	0.85	2.9	6.4	11	3.8	1.34	1.7	7.3
2011	27	3.3	0.67	2.2	4.9	8	3.1	1.25	1.1	6.4
2012	29	3.4	0.66	2.3	5.0	10	3.1	1.12	1.3	6.1
2013	30	3.6	0.68	2.4	5.2	15	4.7	1.26	2.5	7.9
2014	34	3.8	0.67	2.6	5.4	13	3.5	1.02	1.8	6.2
2015	39	5.2	0.87	3.6	7.2	10	2.7	0.88	1.3	5.1
2016	35	4.3	0.75	3.0	6.0	10	2.7	0.88	1.2	5.0
2017	39	4.7	0.78	3.3	6.5	21	5.1	1.16	3.1	7.9
2018	32	3.4	0.61	2.3	4.8	9	2.2	0.77	1.0	4.3
2019	32	3.9	0.72	2.6	5.6	4	0.9	0.45	0.2	2.4
2020	32	3.7	0.68	2.5	5.3	4	0.9	0.43	0.2	2.2
2021	33	3.5	0.63	2.4	5.0	17	4.1	1.01	2.4	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Soft Tissue including Heart										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,338	2.6	0.03	2.5	2.7	5,061	2.5	0.04	2.5	2.6
1986	122	2.1	0.19	1.7	2.5	101	2.0	0.20	1.6	2.4
1987	131	2.2	0.20	1.9	2.6	111	2.2	0.21	1.8	2.7
1988	119	1.9	0.18	1.6	2.3	102	1.9	0.20	1.6	2.4
1989	130	2.2	0.19	1.8	2.6	111	2.2	0.21	1.8	2.6
1990	116	1.9	0.18	1.6	2.3	95	1.9	0.20	1.5	2.3
1991	117	2.0	0.18	1.6	2.4	102	2.0	0.21	1.6	2.5
1992	141	2.3	0.20	1.9	2.7	113	2.2	0.21	1.8	2.6
1993	126	2.0	0.18	1.7	2.4	106	2.0	0.20	1.6	2.4
1994	132	2.1	0.18	1.7	2.5	109	2.0	0.20	1.7	2.5
1995	141	2.2	0.19	1.9	2.6	113	2.1	0.20	1.8	2.6
1996	181	2.8	0.21	2.4	3.3	148	2.7	0.23	2.3	3.2
1997	165	2.5	0.20	2.2	3.0	131	2.4	0.21	2.0	2.8
1998	159	2.5	0.20	2.1	2.9	124	2.3	0.21	1.9	2.8
1999	147	2.2	0.18	1.9	2.6	120	2.2	0.20	1.8	2.6
2000	149	2.2	0.18	1.9	2.6	123	2.2	0.20	1.8	2.7
2001	171	2.6	0.20	2.2	3.0	141	2.6	0.22	2.2	3.1
2002	167	2.5	0.19	2.1	2.9	137	2.5	0.22	2.1	3.0
2003	201	3.0	0.21	2.6	3.4	170	3.1	0.24	2.6	3.6
2004	179	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2005	182	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2006	220	3.2	0.22	2.8	3.7	168	3.0	0.23	2.5	3.5
2007	189	2.8	0.20	2.4	3.2	150	2.7	0.23	2.3	3.2
2008	206	3.0	0.21	2.6	3.4	164	2.9	0.23	2.5	3.4
2009	209	3.0	0.21	2.6	3.5	163	2.9	0.23	2.5	3.4
2010	206	2.9	0.20	2.5	3.3	170	2.9	0.23	2.5	3.4
2011	180	2.5	0.19	2.2	2.9	142	2.5	0.22	2.1	3.0
2012	222	3.0	0.21	2.6	3.4	180	3.0	0.23	2.6	3.5
2013	214	3.0	0.21	2.6	3.4	168	2.9	0.23	2.5	3.4
2014	214	2.9	0.20	2.5	3.3	158	2.6	0.22	2.2	3.1
2015	177	2.4	0.18	2.0	2.8	134	2.2	0.20	1.8	2.6
2016	235	3.2	0.21	2.8	3.6	188	3.2	0.24	2.7	3.7
2017	231	3.0	0.21	2.7	3.5	179	2.9	0.23	2.5	3.4
2018	229	3.1	0.21	2.7	3.5	182	3.1	0.24	2.6	3.6
2019	205	2.7	0.20	2.3	3.1	163	2.8	0.23	2.4	3.3
2020	213	2.8	0.20	2.5	3.3	168	2.8	0.23	2.4	3.3
2021	212	2.8	0.20	2.5	3.3	153	2.7	0.22	2.2	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Soft Tissue including Heart										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,073	3.2	0.10	3.0	3.4	149	1.6	0.13	1.3	1.8
1986	18	2.4	0.60	1.4	3.9	3	3.5	2.00	0.7	10.5
1987	19	2.5	0.60	1.5	4.0	1	0.9	0.90	0.0	6.1
1988	16	1.9	0.49	1.0	3.1	1	0.5	0.48	0.0	5.0
1989	19	2.5	0.59	1.5	3.9	0				
1990	20	2.6	0.60	1.6	4.1	0				
1991	15	2.0	0.54	1.1	3.4	0				
1992	23	2.9	0.61	1.8	4.3	5	4.6	2.29	1.3	11.3
1993	17	2.1	0.51	1.2	3.3	3	1.6	0.89	0.3	5.3
1994	22	2.6	0.57	1.6	4.0	1	0.9	0.86	0.0	4.6
1995	26	2.9	0.59	1.9	4.3	2	1.0	0.69	0.1	4.1
1996	26	3.1	0.63	2.0	4.6	4	2.4	1.41	0.5	6.8
1997	29	3.4	0.65	2.3	4.9	4	1.7	0.85	0.4	4.8
1998	30	3.5	0.66	2.4	5.1	2	0.9	0.67	0.1	3.7
1999	25	2.7	0.55	1.8	4.0	2	0.8	0.55	0.1	3.3
2000	24	2.6	0.54	1.7	3.9	1	0.4	0.38	0.0	2.6
2001	22	2.5	0.54	1.6	3.8	7	2.7	1.02	1.1	5.7
2002	26	2.8	0.56	1.8	4.2	2	0.9	0.61	0.1	3.2
2003	27	2.9	0.56	1.9	4.2	3	1.0	0.59	0.2	3.2
2004	38	3.9	0.64	2.7	5.4	1	0.2	0.22	0.0	1.8
2005	33	3.5	0.61	2.4	4.9	9	3.7	1.30	1.6	7.2
2006	46	4.7	0.69	3.4	6.2	3	1.2	0.78	0.2	3.7
2007	29	2.9	0.55	2.0	4.2	9	3.7	1.30	1.6	7.1
2008	38	3.9	0.63	2.7	5.3	2	0.7	0.50	0.1	2.5
2009	35	3.6	0.61	2.5	5.0	7	2.5	0.98	0.9	5.1
2010	30	2.9	0.54	2.0	4.2	4	1.3	0.71	0.3	3.5
2011	35	3.3	0.56	2.3	4.6	3	0.9	0.50	0.2	2.6
2012	38	3.6	0.59	2.5	4.9	3	0.9	0.54	0.2	2.7
2013	35	3.4	0.58	2.3	4.7	6	1.9	0.81	0.7	4.2
2014	46	4.4	0.65	3.2	5.8	9	2.4	0.83	1.1	4.6
2015	37	3.4	0.57	2.4	4.7	5	1.2	0.52	0.4	2.8
2016	40	3.6	0.58	2.6	5.0	6	1.5	0.60	0.5	3.2
2017	42	4.0	0.62	2.8	5.4	8	1.8	0.65	0.8	3.6
2018	35	3.1	0.53	2.1	4.3	9	1.9	0.64	0.9	3.7
2019	29	2.4	0.46	1.6	3.5	11	2.5	0.77	1.2	4.5
2020	36	3.3	0.56	2.3	4.6	4	0.8	0.40	0.2	2.1
2021	47	4.1	0.62	3.0	5.5	9	1.8	0.60	0.8	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Skin excluding Basal and Squamous										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	75,549	16.6	0.06	16.5	16.7	71,559	18.8	0.07	18.7	18.9
1986	891	8.5	0.29	8.0	9.1	858	9.5	0.33	8.9	10.2
1987	888	8.3	0.29	7.8	8.9	864	9.5	0.33	8.8	10.1
1988	855	8.0	0.28	7.5	8.6	822	8.9	0.32	8.3	9.6
1989	969	9.0	0.29	8.4	9.5	936	10.1	0.33	9.4	10.8
1990	914	8.4	0.28	7.9	9.0	882	9.4	0.32	8.8	10.1
1991	975	9.0	0.29	8.4	9.6	949	10.2	0.33	9.5	10.9
1992	1,040	9.3	0.29	8.8	9.9	1,000	10.5	0.33	9.8	11.2
1993	984	8.7	0.28	8.1	9.2	957	9.8	0.32	9.2	10.5
1994	1,191	10.4	0.30	9.8	11.0	1,152	11.8	0.35	11.1	12.5
1995	1,242	10.8	0.31	10.2	11.4	1,189	12.2	0.35	11.5	12.9
1996	1,343	11.5	0.31	10.9	12.1	1,288	13.0	0.36	12.3	13.8
1997	1,465	12.4	0.33	11.8	13.1	1,391	13.9	0.37	13.2	14.7
1998	1,499	12.6	0.33	12.0	13.3	1,420	14.1	0.37	13.4	14.9
1999	1,561	13.0	0.33	12.4	13.7	1,498	14.8	0.38	14.1	15.6
2000	1,690	14.0	0.34	13.3	14.6	1,604	15.8	0.39	15.0	16.6
2001	1,801	14.8	0.35	14.1	15.5	1,698	16.6	0.40	15.8	17.4
2002	1,831	14.8	0.35	14.2	15.5	1,717	16.6	0.40	15.9	17.5
2003	1,876	15.1	0.35	14.4	15.8	1,741	16.7	0.40	16.0	17.5
2004	2,012	16.1	0.36	15.4	16.8	1,882	18.0	0.42	17.2	18.9
2005	2,239	17.7	0.38	17.0	18.5	2,054	19.5	0.43	18.7	20.4
2006	2,285	18.0	0.38	17.2	18.7	2,143	20.3	0.44	19.5	21.2
2007	2,376	18.4	0.38	17.7	19.2	2,258	21.2	0.45	20.3	22.1
2008	2,552	19.6	0.39	18.8	20.3	2,409	22.3	0.46	21.4	23.2
2009	2,578	19.6	0.39	18.8	20.3	2,425	22.3	0.46	21.4	23.2
2010	2,516	18.7	0.38	18.0	19.5	2,364	21.4	0.45	20.5	22.3
2011	2,690	19.8	0.39	19.1	20.6	2,527	22.6	0.46	21.7	23.6
2012	2,777	20.2	0.39	19.4	21.0	2,628	23.3	0.46	22.4	24.2
2013	2,715	19.4	0.38	18.6	20.1	2,607	22.7	0.45	21.8	23.6
2014	2,904	20.3	0.38	19.5	21.1	2,761	23.6	0.46	22.7	24.5
2015	3,160	22.2	0.40	21.4	23.0	3,011	25.9	0.48	25.0	26.9
2016	3,470	23.9	0.41	23.0	24.7	3,325	28.2	0.50	27.2	29.2
2017	3,559	24.5	0.42	23.7	25.3	3,437	29.2	0.51	28.2	30.2
2018	3,542	23.9	0.41	23.1	24.7	3,317	27.6	0.49	26.7	28.6
2019	3,912	26.0	0.43	25.2	26.9	3,672	30.3	0.52	29.3	31.4
2020	3,299	21.9	0.39	21.2	22.7	3,071	25.4	0.47	24.4	26.3
2021	3,948	26.1	0.43	25.2	26.9	3,702	30.4	0.52	29.3	31.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Skin excluding Basal and Squamous										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,003	1.7	0.06	1.6	1.8	316	1.8	0.11	1.6	2.0
1986	17	1.4	0.36	0.8	2.3	6	2.6	1.08	0.9	6.3
1987	12	0.9	0.27	0.4	1.6	2	0.6	0.44	0.1	3.4
1988	16	1.4	0.35	0.8	2.2	0				
1989	23	1.8	0.39	1.1	2.7	1	0.5	0.51	0.0	3.2
1990	23	1.9	0.40	1.2	2.9	2	0.7	0.55	0.1	3.4
1991	18	1.4	0.35	0.8	2.3	2	0.6	0.44	0.1	2.9
1992	22	1.5	0.33	0.9	2.3	6	3.5	1.74	0.9	8.2
1993	24	1.7	0.35	1.0	2.5	1	0.3	0.25	0.0	2.1
1994	20	1.3	0.31	0.8	2.1	3	1.1	0.67	0.2	3.5
1995	23	1.5	0.33	1.0	2.3	4	1.1	0.58	0.3	3.2
1996	24	1.7	0.37	1.1	2.6	7	2.8	1.26	0.9	6.2
1997	31	2.0	0.37	1.3	2.9	5	1.5	0.68	0.5	3.6
1998	31	2.2	0.40	1.5	3.1	5	2.1	1.12	0.5	5.2
1999	31	2.1	0.38	1.4	2.9	5	1.7	0.94	0.4	4.4
2000	26	1.6	0.31	1.0	2.3	8	1.8	0.72	0.7	3.9
2001	31	2.1	0.39	1.4	3.0	5	1.2	0.59	0.4	3.0
2002	26	1.5	0.30	1.0	2.3	9	1.9	0.69	0.8	3.8
2003	37	2.3	0.38	1.6	3.1	5	1.0	0.43	0.3	2.4
2004	25	1.5	0.31	1.0	2.3	7	1.5	0.62	0.6	3.3
2005	33	2.1	0.38	1.4	3.0	17	3.9	1.04	2.1	6.4
2006	42	2.5	0.40	1.8	3.4	7	1.1	0.41	0.4	2.3
2007	36	2.1	0.36	1.5	3.0	7	1.0	0.39	0.4	2.2
2008	35	2.1	0.36	1.4	2.9	12	1.9	0.57	0.9	3.4
2009	43	2.5	0.39	1.8	3.4	13	2.0	0.60	1.0	3.6
2010	34	2.0	0.35	1.4	2.8	12	1.9	0.61	0.9	3.5
2011	31	1.6	0.29	1.1	2.3	12	2.1	0.68	1.0	3.8
2012	29	1.6	0.31	1.1	2.3	15	2.1	0.58	1.2	3.6
2013	31	1.7	0.31	1.1	2.4	7	0.9	0.33	0.3	1.8
2014	25	1.3	0.27	0.9	2.0	15	2.2	0.58	1.2	3.6
2015	33	1.9	0.33	1.3	2.6	17	2.4	0.61	1.4	3.9
2016	29	1.6	0.31	1.1	2.4	14	1.7	0.46	0.9	2.9
2017	26	1.4	0.27	0.9	2.0	17	2.0	0.51	1.2	3.3
2018	35	1.7	0.29	1.2	2.4	21	2.1	0.48	1.3	3.3
2019	26	1.3	0.26	0.8	1.9	15	1.7	0.45	0.9	2.8
2020	22	1.2	0.25	0.7	1.8	15	1.6	0.41	0.9	2.6
2021	33	1.7	0.29	1.1	2.3	17	2.0	0.50	1.2	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Skin excluding Basal and Squamous										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	42,281	21.0	0.10	20.8	21.2	40,343	23.6	0.12	23.4	23.8
1986	483	10.4	0.49	9.4	11.4	470	11.6	0.55	10.5	12.7
1987	463	9.6	0.46	8.7	10.5	455	10.8	0.52	9.8	11.9
1988	411	8.6	0.44	7.7	9.4	397	9.5	0.49	8.5	10.5
1989	534	11.1	0.50	10.2	12.1	515	12.3	0.56	11.3	13.5
1990	481	10.3	0.48	9.3	11.3	459	11.2	0.54	10.2	12.3
1991	513	10.6	0.48	9.7	11.6	503	12.0	0.55	11.0	13.1
1992	573	11.7	0.50	10.7	12.7	555	13.1	0.57	12.0	14.2
1993	534	10.8	0.48	9.9	11.8	522	12.2	0.55	11.2	13.3
1994	639	12.8	0.52	11.8	13.9	615	14.3	0.59	13.2	15.5
1995	704	14.0	0.54	12.9	15.1	684	15.7	0.61	14.6	17.0
1996	718	13.9	0.53	12.9	15.0	696	15.7	0.60	14.5	16.9
1997	830	16.0	0.56	14.9	17.2	795	17.9	0.64	16.6	19.2
1998	838	16.3	0.57	15.2	17.5	803	18.2	0.65	16.9	19.5
1999	912	17.3	0.58	16.2	18.5	879	19.5	0.66	18.2	20.9
2000	940	17.7	0.59	16.6	18.9	896	19.8	0.67	18.5	21.1
2001	1,000	18.6	0.60	17.5	19.8	946	20.7	0.68	19.4	22.1
2002	1,058	19.6	0.61	18.4	20.8	1,002	21.8	0.70	20.5	23.2
2003	1,033	18.9	0.60	17.7	20.1	985	21.1	0.68	19.8	22.5
2004	1,164	21.0	0.62	19.8	22.2	1,099	23.4	0.71	22.0	24.8
2005	1,225	22.0	0.64	20.7	23.2	1,140	24.1	0.72	22.8	25.6
2006	1,241	22.1	0.64	20.9	23.4	1,177	24.8	0.73	23.4	26.2
2007	1,286	22.6	0.64	21.3	23.8	1,231	25.5	0.74	24.1	27.0
2008	1,447	25.0	0.67	23.7	26.4	1,389	28.4	0.77	26.9	29.9
2009	1,424	24.2	0.65	23.0	25.6	1,341	27.1	0.75	25.6	28.6
2010	1,451	24.1	0.65	22.8	25.4	1,371	27.0	0.74	25.6	28.5
2011	1,520	25.0	0.66	23.8	26.3	1,448	28.3	0.76	26.9	29.9
2012	1,576	25.4	0.65	24.1	26.7	1,504	28.9	0.76	27.5	30.5
2013	1,529	24.3	0.64	23.1	25.6	1,480	28.1	0.75	26.7	29.6
2014	1,665	25.8	0.65	24.6	27.1	1,597	29.6	0.76	28.1	31.1
2015	1,751	26.9	0.66	25.6	28.2	1,684	31.0	0.78	29.5	32.5
2016	1,939	29.1	0.68	27.8	30.5	1,871	33.9	0.81	32.3	35.5
2017	2,053	30.6	0.69	29.2	32.0	1,996	35.9	0.82	34.3	37.5
2018	2,000	29.4	0.67	28.1	30.7	1,876	33.2	0.79	31.7	34.8
2019	2,239	31.9	0.69	30.6	33.3	2,105	36.3	0.81	34.7	37.9
2020	1,854	26.6	0.63	25.4	27.9	1,741	30.3	0.75	28.8	31.8
2021	2,253	31.8	0.69	30.5	33.2	2,116	36.3	0.81	34.7	37.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Skin excluding Basal and Squamous										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	440	1.8	0.09	1.6	2.0	170	2.2	0.19	1.9	2.6
1986	5	0.9	0.41	0.3	2.1	3	2.8	1.69	0.5	10.5
1987	2	0.3	0.23	0.0	1.2	1	0.7	0.65	0.0	7.1
1988	9	1.8	0.64	0.8	3.5	0				
1989	14	2.5	0.70	1.3	4.3	1	1.1	1.09	0.0	7.3
1990	14	2.9	0.82	1.5	4.9	2	1.6	1.19	0.2	7.7
1991	8	1.7	0.64	0.6	3.4	0				
1992	8	1.2	0.44	0.5	2.5	4	3.4	1.85	0.8	9.8
1993	10	1.7	0.59	0.8	3.3	0				
1994	12	2.0	0.63	1.0	3.6	3	2.5	1.52	0.5	8.0
1995	10	1.8	0.63	0.8	3.5	2	1.0	0.71	0.1	5.1
1996	9	1.5	0.53	0.7	3.0	3	2.1	1.31	0.4	6.9
1997	11	1.7	0.58	0.8	3.2	3	2.3	1.36	0.4	7.1
1998	13	1.8	0.52	1.0	3.2	4	4.9	2.99	0.9	13.2
1999	17	2.3	0.58	1.3	3.8	2	0.9	0.63	0.1	4.2
2000	11	1.5	0.46	0.7	2.7	3	2.1	1.33	0.3	6.4
2001	17	2.7	0.69	1.5	4.4	4	2.3	1.30	0.5	6.5
2002	10	1.4	0.44	0.6	2.6	6	3.0	1.43	0.9	7.3
2003	10	1.5	0.50	0.7	2.9	0				
2004	9	1.1	0.37	0.5	2.1	4	1.5	0.76	0.4	4.3
2005	12	1.9	0.60	0.9	3.4	10	4.2	1.53	1.8	8.4
2006	19	2.9	0.74	1.7	4.7	5	1.7	0.76	0.5	4.3
2007	16	2.2	0.56	1.2	3.6	4	1.3	0.65	0.4	3.7
2008	16	2.2	0.59	1.2	3.7	6	2.3	1.04	0.7	5.4
2009	19	2.5	0.60	1.5	4.0	7	2.9	1.19	1.0	6.1
2010	14	2.2	0.62	1.2	3.7	7	1.9	0.72	0.7	4.1
2011	14	1.8	0.50	1.0	3.1	5	2.3	1.22	0.6	5.7
2012	16	1.9	0.51	1.0	3.2	7	1.9	0.72	0.8	4.1
2013	13	1.6	0.47	0.8	2.8	1	0.2	0.24	0.0	1.6
2014	10	1.4	0.47	0.7	2.6	7	2.2	0.92	0.8	4.7
2015	13	1.7	0.49	0.9	3.0	12	3.6	1.12	1.8	6.5
2016	10	1.2	0.40	0.6	2.3	6	1.5	0.64	0.5	3.4
2017	12	1.4	0.43	0.7	2.5	9	2.8	1.00	1.2	5.4
2018	15	1.8	0.47	1.0	3.0	12	2.7	0.79	1.4	4.8
2019	11	1.3	0.40	0.6	2.3	7	1.9	0.74	0.8	4.0
2020	16	2.2	0.57	1.3	3.6	9	2.0	0.70	0.9	3.9
2021	15	1.7	0.46	0.9	2.9	11	3.1	0.95	1.5	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Skin excluding Basal and Squamous										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	33,268	13.7	0.08	13.6	13.9	31,216	15.7	0.09	15.6	15.9
1986	408	7.2	0.37	6.5	8.0	388	8.1	0.42	7.3	8.9
1987	425	7.4	0.37	6.7	8.2	409	8.4	0.43	7.6	9.3
1988	444	7.7	0.37	7.0	8.5	425	8.7	0.43	7.9	9.6
1989	435	7.4	0.36	6.7	8.1	421	8.4	0.42	7.6	9.3
1990	433	7.2	0.35	6.6	8.0	423	8.4	0.42	7.6	9.2
1991	462	7.8	0.37	7.1	8.6	446	8.9	0.43	8.1	9.8
1992	467	7.6	0.36	6.9	8.4	445	8.6	0.42	7.8	9.5
1993	450	7.2	0.34	6.6	7.9	435	8.3	0.40	7.5	9.1
1994	552	8.8	0.38	8.1	9.6	537	10.2	0.45	9.4	11.2
1995	538	8.6	0.37	7.9	9.3	505	9.6	0.43	8.8	10.5
1996	625	9.8	0.40	9.0	10.6	592	11.2	0.46	10.3	12.1
1997	635	9.9	0.40	9.2	10.7	596	11.2	0.46	10.3	12.1
1998	661	10.1	0.40	9.4	10.9	617	11.3	0.46	10.5	12.3
1999	649	10.0	0.39	9.2	10.8	619	11.5	0.47	10.6	12.5
2000	750	11.4	0.42	10.6	12.3	708	13.0	0.49	12.1	14.0
2001	801	12.1	0.43	11.2	12.9	752	13.8	0.51	12.8	14.8
2002	773	11.6	0.42	10.8	12.5	715	13.1	0.50	12.2	14.1
2003	843	12.5	0.43	11.7	13.4	756	13.7	0.50	12.7	14.7
2004	848	12.6	0.44	11.8	13.5	783	14.2	0.51	13.2	15.2
2005	1,014	14.9	0.47	14.0	15.9	914	16.5	0.55	15.4	17.6
2006	1,044	15.4	0.48	14.4	16.3	966	17.5	0.57	16.4	18.6
2007	1,090	15.9	0.49	15.0	16.9	1,027	18.6	0.59	17.4	19.8
2008	1,105	16.1	0.49	15.1	17.1	1,020	18.4	0.58	17.2	19.5
2009	1,154	16.5	0.49	15.5	17.5	1,084	19.2	0.60	18.1	20.4
2010	1,065	15.1	0.47	14.1	16.0	993	17.5	0.57	16.4	18.6
2011	1,170	16.5	0.49	15.5	17.5	1,079	18.9	0.59	17.8	20.1
2012	1,201	16.8	0.50	15.9	17.8	1,124	19.5	0.60	18.4	20.8
2013	1,186	16.1	0.48	15.2	17.1	1,127	19.2	0.59	18.0	20.3
2014	1,239	16.6	0.48	15.6	17.6	1,164	19.5	0.59	18.3	20.7
2015	1,409	19.2	0.52	18.1	20.2	1,327	22.6	0.64	21.4	23.9
2016	1,531	20.5	0.54	19.5	21.6	1,454	24.6	0.67	23.3	26.0
2017	1,506	20.2	0.54	19.2	21.3	1,441	24.5	0.67	23.2	25.9
2018	1,542	20.3	0.53	19.3	21.4	1,441	24.1	0.66	22.8	25.4
2019	1,673	22.2	0.56	21.1	23.3	1,567	26.5	0.70	25.2	27.9
2020	1,445	19.0	0.52	18.0	20.1	1,330	22.3	0.64	21.0	23.6
2021	1,695	22.2	0.56	21.2	23.4	1,586	26.5	0.70	25.1	27.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Skin excluding Basal and Squamous										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	563	1.7	0.07	1.6	1.8	146	1.5	0.13	1.3	1.8
1986	12	1.7	0.52	0.9	3.1	3	2.4	1.43	0.5	8.4
1987	10	1.3	0.43	0.6	2.4	1	0.6	0.59	0.0	5.4
1988	7	1.0	0.40	0.4	2.1	0				
1989	9	1.2	0.43	0.6	2.4	0				
1990	9	1.2	0.41	0.5	2.3	0				
1991	10	1.3	0.43	0.6	2.4	2	1.2	0.84	0.1	5.4
1992	14	1.6	0.45	0.9	2.8	2	3.2	2.56	0.3	10.8
1993	14	1.7	0.45	0.9	2.8	1	0.5	0.53	0.0	3.9
1994	8	0.9	0.33	0.4	1.8	0				
1995	13	1.4	0.40	0.7	2.4	2	1.2	0.85	0.1	4.6
1996	15	1.8	0.47	1.0	3.0	4	3.1	1.81	0.6	8.4
1997	20	2.3	0.52	1.4	3.5	2	0.9	0.62	0.1	3.7
1998	18	2.2	0.53	1.3	3.5	1	0.4	0.44	0.0	2.9
1999	14	1.7	0.46	0.9	2.9	3	2.1	1.39	0.3	6.3
2000	15	1.6	0.41	0.9	2.6	5	1.8	0.83	0.5	4.6
2001	14	1.6	0.44	0.9	2.7	1	0.4	0.37	0.0	2.4
2002	16	1.7	0.42	1.0	2.7	3	1.1	0.66	0.2	3.5
2003	27	2.8	0.55	1.9	4.1	5	1.8	0.83	0.6	4.5
2004	16	1.8	0.45	1.0	2.9	3	1.4	0.86	0.3	4.1
2005	21	2.3	0.50	1.4	3.5	7	3.4	1.34	1.3	6.9
2006	23	2.3	0.49	1.5	3.5	2	0.5	0.37	0.1	2.2
2007	20	2.1	0.47	1.3	3.2	3	0.8	0.47	0.2	2.6
2008	19	2.0	0.47	1.2	3.2	6	1.6	0.66	0.6	3.6
2009	24	2.4	0.50	1.5	3.6	6	1.4	0.59	0.5	3.3
2010	20	1.9	0.44	1.2	3.0	5	1.8	0.86	0.5	4.3
2011	17	1.5	0.36	0.9	2.4	7	2.1	0.86	0.8	4.5
2012	13	1.3	0.37	0.7	2.3	8	2.3	0.85	0.9	4.6
2013	18	1.8	0.42	1.0	2.8	6	1.4	0.58	0.5	3.2
2014	15	1.3	0.35	0.7	2.2	8	2.2	0.79	0.9	4.3
2015	20	2.0	0.45	1.2	3.1	5	1.4	0.63	0.4	3.2
2016	19	1.9	0.45	1.2	3.0	8	1.8	0.64	0.8	3.6
2017	14	1.3	0.35	0.7	2.2	8	1.6	0.58	0.7	3.3
2018	20	1.7	0.38	1.0	2.6	9	1.7	0.58	0.8	3.3
2019	15	1.3	0.34	0.7	2.2	8	1.6	0.56	0.7	3.1
2020	6	0.5	0.20	0.2	1.1	6	1.1	0.47	0.4	2.5
2021	18	1.7	0.40	1.0	2.6	6	1.3	0.53	0.5	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Melanoma of the Skin										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	69,524	15.3	0.06	15.1	15.4	66,343	17.4	0.07	17.3	17.6
1986	800	7.7	0.28	7.1	8.2	779	8.6	0.32	8.0	9.3
1987	818	7.7	0.27	7.1	8.2	800	8.7	0.32	8.1	9.4
1988	775	7.3	0.26	6.7	7.8	754	8.2	0.30	7.6	8.8
1989	864	8.0	0.28	7.5	8.6	848	9.2	0.32	8.5	9.8
1990	814	7.5	0.26	6.9	8.0	798	8.5	0.31	7.9	9.1
1991	881	8.1	0.28	7.6	8.6	866	9.3	0.32	8.7	10.0
1992	925	8.3	0.28	7.8	8.9	905	9.5	0.32	8.9	10.1
1993	854	7.5	0.26	7.0	8.0	847	8.7	0.30	8.2	9.3
1994	1,065	9.3	0.29	8.8	9.9	1,042	10.7	0.33	10.1	11.4
1995	1,122	9.7	0.29	9.2	10.3	1,087	11.1	0.34	10.5	11.8
1996	1,205	10.3	0.30	9.8	10.9	1,171	11.9	0.35	11.2	12.6
1997	1,323	11.2	0.31	10.6	11.8	1,268	12.7	0.36	12.0	13.5
1998	1,345	11.3	0.31	10.7	12.0	1,293	12.9	0.36	12.2	13.6
1999	1,415	11.8	0.31	11.2	12.5	1,371	13.6	0.37	12.9	14.3
2000	1,521	12.6	0.32	12.0	13.2	1,455	14.3	0.38	13.6	15.1
2001	1,626	13.3	0.33	12.7	14.0	1,543	15.1	0.38	14.3	15.9
2002	1,663	13.5	0.33	12.8	14.2	1,576	15.3	0.39	14.6	16.1
2003	1,696	13.6	0.33	13.0	14.3	1,586	15.3	0.38	14.5	16.0
2004	1,840	14.7	0.34	14.0	15.4	1,732	16.6	0.40	15.8	17.4
2005	2,044	16.2	0.36	15.5	16.9	1,893	18.0	0.42	17.2	18.8
2006	2,064	16.2	0.36	15.5	17.0	1,953	18.5	0.42	17.7	19.4
2007	2,191	17.0	0.37	16.3	17.7	2,100	19.7	0.43	18.9	20.6
2008	2,335	17.9	0.37	17.2	18.7	2,223	20.6	0.44	19.7	21.5
2009	2,369	18.0	0.37	17.3	18.7	2,257	20.8	0.44	19.9	21.7
2010	2,339	17.4	0.36	16.7	18.1	2,212	20.0	0.43	19.2	20.9
2011	2,507	18.5	0.38	17.8	19.3	2,369	21.3	0.44	20.4	22.2
2012	2,588	18.8	0.38	18.1	19.6	2,467	21.8	0.45	21.0	22.7
2013	2,529	18.0	0.36	17.3	18.8	2,442	21.3	0.44	20.4	22.2
2014	2,704	18.9	0.37	18.2	19.6	2,585	22.1	0.44	21.2	23.0
2015	2,931	20.6	0.39	19.8	21.4	2,810	24.2	0.47	23.3	25.2
2016	3,237	22.2	0.40	21.5	23.0	3,116	26.4	0.49	25.5	27.4
2017	3,318	22.8	0.41	22.0	23.6	3,215	27.4	0.50	26.4	28.3
2018	3,318	22.4	0.40	21.6	23.2	3,128	26.1	0.48	25.2	27.1
2019	3,686	24.6	0.41	23.7	25.4	3,468	28.7	0.50	27.7	29.7
2020	3,081	20.5	0.38	19.8	21.3	2,875	23.8	0.46	22.9	24.7
2021	3,731	24.7	0.42	23.9	25.5	3,509	28.9	0.50	27.9	29.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Melanoma of the Skin										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	425	0.8	0.04	0.7	0.9	201	1.1	0.08	1.0	1.3
1986	7	0.7	0.28	0.3	1.4	4	1.8	0.93	0.5	5.4
1987	8	0.7	0.25	0.3	1.3	1	0.3	0.31	0.0	3.1
1988	6	0.5	0.21	0.2	1.1	0				
1989	8	0.6	0.22	0.2	1.2	1	0.5	0.51	0.0	3.2
1990	9	0.8	0.26	0.4	1.5	2	0.7	0.55	0.1	3.4
1991	10	0.8	0.28	0.4	1.6	2	0.6	0.44	0.1	2.9
1992	9	0.6	0.20	0.3	1.2	3	2.2	1.56	0.3	6.7
1993	4	0.3	0.13	0.1	0.7	1	0.3	0.25	0.0	2.1
1994	8	0.6	0.22	0.3	1.2	2	0.8	0.56	0.1	3.0
1995	9	0.7	0.25	0.3	1.4	2	0.6	0.43	0.1	2.5
1996	10	0.9	0.29	0.4	1.6	5	1.5	0.70	0.5	3.7
1997	15	1.1	0.28	0.6	1.7	3	1.0	0.57	0.2	2.9
1998	9	0.7	0.23	0.3	1.3	4	1.2	0.66	0.3	3.3
1999	16	1.2	0.30	0.6	1.9	5	1.7	0.94	0.4	4.4
2000	11	0.7	0.22	0.4	1.3	5	1.1	0.51	0.3	2.8
2001	17	1.3	0.31	0.7	2.0	3	0.8	0.52	0.1	2.5
2002	11	0.7	0.21	0.4	1.3	7	1.5	0.63	0.5	3.3
2003	21	1.3	0.30	0.8	2.1	2	0.3	0.24	0.0	1.4
2004	10	0.7	0.21	0.3	1.2	3	0.6	0.33	0.1	1.8
2005	14	1.0	0.27	0.5	1.7	8	1.5	0.58	0.6	3.2
2006	19	1.3	0.30	0.7	2.0	4	0.6	0.29	0.2	1.6
2007	15	0.9	0.24	0.5	1.5	4	0.6	0.30	0.2	1.7
2008	9	0.6	0.20	0.3	1.1	10	1.6	0.54	0.7	3.1
2009	13	0.8	0.21	0.4	1.3	7	1.1	0.44	0.4	2.3
2010	17	1.0	0.26	0.6	1.7	7	1.1	0.45	0.4	2.4
2011	14	0.8	0.21	0.4	1.3	8	1.5	0.59	0.6	3.1
2012	7	0.4	0.16	0.2	0.8	12	1.8	0.54	0.9	3.2
2013	15	0.9	0.22	0.5	1.4	6	0.7	0.30	0.3	1.7
2014	12	0.7	0.20	0.3	1.2	6	0.8	0.31	0.3	1.7
2015	15	0.9	0.22	0.5	1.4	10	1.4	0.46	0.7	2.6
2016	13	0.7	0.20	0.4	1.2	10	1.2	0.38	0.6	2.2
2017	13	0.7	0.20	0.4	1.2	14	1.7	0.46	0.9	2.8
2018	15	0.7	0.20	0.4	1.2	9	0.9	0.29	0.4	1.7
2019	9	0.4	0.15	0.2	0.8	11	1.2	0.37	0.6	2.2
2020	11	0.6	0.19	0.3	1.1	8	0.8	0.30	0.4	1.7
2021	16	0.8	0.21	0.5	1.4	12	1.4	0.40	0.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Melanoma of the Skin										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	38,993	19.3	0.10	19.1	19.5	37,440	21.8	0.11	21.6	22.0
1986	444	9.5	0.47	8.6	10.5	435	10.7	0.53	9.7	11.8
1987	424	8.8	0.44	7.9	9.7	417	9.9	0.50	8.9	10.9
1988	375	7.8	0.41	7.0	8.6	366	8.7	0.47	7.8	9.7
1989	481	10.1	0.47	9.2	11.0	473	11.4	0.54	10.4	12.5
1990	425	9.0	0.45	8.1	9.9	411	9.9	0.50	9.0	11.0
1991	474	9.8	0.46	8.9	10.7	471	11.2	0.53	10.2	12.3
1992	505	10.3	0.47	9.4	11.2	497	11.7	0.53	10.6	12.8
1993	473	9.5	0.44	8.6	10.4	469	10.8	0.51	9.8	11.9
1994	563	11.3	0.49	10.4	12.3	549	12.7	0.55	11.7	13.9
1995	645	12.7	0.51	11.7	13.8	632	14.4	0.58	13.3	15.6
1996	656	12.7	0.50	11.7	13.7	641	14.4	0.58	13.3	15.6
1997	749	14.4	0.53	13.4	15.5	722	16.1	0.61	15.0	17.4
1998	762	14.8	0.54	13.7	15.9	740	16.7	0.62	15.5	17.9
1999	831	15.7	0.55	14.6	16.8	807	17.8	0.63	16.6	19.1
2000	850	15.9	0.55	14.8	17.0	815	17.8	0.63	16.6	19.1
2001	910	17.0	0.57	15.9	18.1	868	19.0	0.65	17.7	20.3
2002	964	17.7	0.58	16.6	18.9	920	19.9	0.66	18.6	21.2
2003	954	17.3	0.57	16.2	18.5	910	19.4	0.65	18.2	20.8
2004	1,073	19.2	0.60	18.1	20.4	1,018	21.6	0.68	20.2	22.9
2005	1,107	19.8	0.60	18.6	21.0	1,042	22.0	0.69	20.7	23.4
2006	1,121	20.0	0.61	18.8	21.2	1,072	22.5	0.70	21.2	23.9
2007	1,197	21.0	0.62	19.8	22.2	1,153	23.9	0.71	22.5	25.3
2008	1,324	22.9	0.64	21.6	24.2	1,280	26.1	0.74	24.7	27.6
2009	1,321	22.5	0.63	21.2	23.7	1,259	25.4	0.73	24.0	26.9
2010	1,347	22.2	0.62	21.0	23.5	1,278	25.1	0.72	23.7	26.5
2011	1,413	23.2	0.63	22.0	24.5	1,353	26.4	0.73	25.0	27.9
2012	1,464	23.5	0.63	22.3	24.8	1,408	27.1	0.74	25.6	28.5
2013	1,433	22.7	0.61	21.5	23.9	1,394	26.4	0.72	25.0	27.8
2014	1,546	23.8	0.62	22.6	25.1	1,489	27.4	0.73	26.0	28.9
2015	1,615	24.7	0.63	23.5	25.9	1,561	28.6	0.74	27.2	30.1
2016	1,805	27.0	0.65	25.7	28.3	1,748	31.5	0.77	30.0	33.0
2017	1,916	28.5	0.67	27.2	29.8	1,868	33.5	0.80	31.9	35.1
2018	1,864	27.3	0.65	26.1	28.6	1,758	31.1	0.76	29.6	32.6
2019	2,123	30.2	0.67	28.9	31.5	2,001	34.4	0.79	32.9	36.0
2020	1,721	24.6	0.61	23.4	25.8	1,622	28.1	0.72	26.7	29.6
2021	2,118	29.9	0.67	28.6	31.2	1,993	34.1	0.79	32.6	35.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Melanoma of the Skin										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	175	0.8	0.06	0.7	0.9	102	1.3	0.14	1.0	1.6
1986	2	0.4	0.26	0.0	1.4	2	2.3	1.61	0.3	10.0
1987	1	0.2	0.21	0.0	1.1	1	0.7	0.65	0.0	7.1
1988	4	0.9	0.49	0.2	2.3	0				
1989	5	0.8	0.36	0.2	1.9	1	1.1	1.09	0.0	7.3
1990	7	1.5	0.58	0.6	3.0	2	1.6	1.19	0.2	7.7
1991	2	0.6	0.49	0.1	2.1	0				
1992	3	0.4	0.25	0.1	1.4	2	1.6	1.11	0.2	6.8
1993	2	0.3	0.23	0.0	1.2	0				
1994	4	0.8	0.41	0.2	2.0	2	1.7	1.30	0.2	6.9
1995	4	1.0	0.52	0.2	2.5	1	0.4	0.36	0.0	4.2
1996	3	0.6	0.33	0.1	1.6	2	1.6	1.21	0.2	6.3
1997	5	0.9	0.48	0.2	2.3	2	1.7	1.21	0.2	6.2
1998	3	0.6	0.32	0.1	1.6	3	2.3	1.47	0.3	7.2
1999	8	1.1	0.41	0.5	2.3	2	0.9	0.63	0.1	4.2
2000	5	0.8	0.34	0.2	1.8	2	0.9	0.66	0.1	4.1
2001	9	1.6	0.54	0.7	3.0	2	1.5	1.15	0.1	5.5
2002	5	0.7	0.34	0.2	1.8	5	2.6	1.37	0.6	6.8
2003	7	1.1	0.43	0.4	2.3	0				
2004	2	0.3	0.19	0.0	1.0	3	1.2	0.69	0.2	3.8
2005	2	0.5	0.37	0.0	1.6	4	1.3	0.65	0.4	3.8
2006	8	1.5	0.60	0.6	3.1	2	0.7	0.46	0.1	2.8
2007	8	1.2	0.43	0.5	2.4	2	0.7	0.47	0.1	2.8
2008	4	0.6	0.31	0.2	1.6	6	2.3	1.04	0.7	5.4
2009	5	0.7	0.31	0.2	1.6	3	1.4	0.89	0.2	4.2
2010	8	1.5	0.54	0.6	2.8	4	1.1	0.56	0.3	3.1
2011	6	0.9	0.36	0.3	1.9	3	1.9	1.17	0.3	5.2
2012	3	0.3	0.18	0.1	1.0	5	1.4	0.61	0.4	3.3
2013	6	0.8	0.36	0.3	1.8	1	0.2	0.24	0.0	1.6
2014	4	0.7	0.35	0.2	1.7	3	0.8	0.45	0.2	2.4
2015	7	1.0	0.37	0.4	2.0	6	2.0	0.84	0.7	4.3
2016	4	0.5	0.24	0.1	1.2	4	0.9	0.47	0.3	2.5
2017	5	0.5	0.25	0.2	1.3	7	2.1	0.83	0.8	4.3
2018	5	0.6	0.29	0.2	1.5	5	1.0	0.45	0.3	2.5
2019	2	0.2	0.15	0.0	0.8	4	1.0	0.53	0.3	2.7
2020	9	1.3	0.45	0.6	2.5	4	0.9	0.46	0.2	2.4
2021	8	1.0	0.35	0.4	1.9	7	1.8	0.69	0.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Melanoma of the Skin										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	30,531	12.6	0.07	12.5	12.8	28,903	14.7	0.09	14.5	14.8
1986	356	6.3	0.34	5.7	7.0	344	7.2	0.40	6.4	8.0
1987	394	6.9	0.35	6.2	7.6	383	7.9	0.41	7.1	8.8
1988	400	7.0	0.36	6.3	7.7	388	8.0	0.41	7.2	8.8
1989	383	6.5	0.34	5.9	7.2	375	7.6	0.40	6.8	8.4
1990	389	6.5	0.34	5.9	7.2	387	7.7	0.40	6.9	8.5
1991	407	6.9	0.35	6.2	7.6	395	8.0	0.41	7.2	8.8
1992	420	6.9	0.34	6.2	7.6	408	7.9	0.40	7.2	8.8
1993	381	6.2	0.32	5.6	6.8	378	7.3	0.38	6.6	8.1
1994	502	8.1	0.36	7.4	8.8	493	9.4	0.43	8.6	10.3
1995	477	7.6	0.35	7.0	8.4	455	8.7	0.41	8.0	9.6
1996	549	8.7	0.37	7.9	9.4	530	10.0	0.44	9.2	10.9
1997	574	9.0	0.38	8.3	9.8	546	10.4	0.45	9.5	11.3
1998	583	9.0	0.37	8.3	9.8	553	10.3	0.44	9.4	11.2
1999	584	9.0	0.37	8.3	9.8	564	10.5	0.45	9.7	11.4
2000	671	10.3	0.40	9.5	11.1	640	11.9	0.47	11.0	12.8
2001	716	10.9	0.41	10.1	11.7	675	12.5	0.48	11.5	13.5
2002	699	10.6	0.40	9.8	11.4	656	12.2	0.48	11.2	13.1
2003	742	11.1	0.41	10.3	12.0	676	12.4	0.48	11.4	13.3
2004	767	11.4	0.41	10.6	12.3	714	13.0	0.49	12.1	14.0
2005	937	13.9	0.46	13.0	14.8	851	15.4	0.54	14.4	16.5
2006	943	13.9	0.46	13.0	14.9	881	16.0	0.55	15.0	17.1
2007	994	14.6	0.47	13.7	15.5	947	17.2	0.57	16.1	18.4
2008	1,011	14.8	0.47	13.9	15.7	943	17.1	0.57	16.0	18.3
2009	1,048	15.0	0.47	14.1	16.0	998	17.8	0.58	16.7	19.0
2010	992	14.0	0.45	13.2	15.0	934	16.5	0.55	15.4	17.6
2011	1,094	15.5	0.48	14.6	16.5	1,016	17.9	0.58	16.8	19.1
2012	1,124	15.7	0.48	14.8	16.7	1,059	18.4	0.58	17.3	19.6
2013	1,096	14.9	0.46	14.0	15.9	1,048	17.9	0.57	16.8	19.1
2014	1,158	15.5	0.47	14.6	16.5	1,096	18.4	0.57	17.3	19.6
2015	1,316	18.0	0.51	17.0	19.0	1,249	21.5	0.63	20.2	22.7
2016	1,432	19.3	0.53	18.3	20.4	1,368	23.4	0.66	22.1	24.7
2017	1,402	18.9	0.52	17.9	19.9	1,347	23.0	0.65	21.8	24.4
2018	1,454	19.2	0.52	18.2	20.3	1,370	23.0	0.65	21.8	24.3
2019	1,563	20.8	0.55	19.8	21.9	1,467	25.0	0.68	23.7	26.4
2020	1,360	18.1	0.51	17.1	19.1	1,253	21.2	0.63	20.0	22.4
2021	1,613	21.3	0.55	20.2	22.4	1,516	25.5	0.69	24.1	26.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Melanoma of the Skin										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	250	0.8	0.05	0.7	0.9	99	1.0	0.10	0.8	1.2
1986	5	0.9	0.41	0.3	2.0	2	1.4	1.03	0.2	6.9
1987	7	1.0	0.39	0.4	2.0	0				
1988	2	0.3	0.17	0.0	0.9	0				
1989	3	0.4	0.25	0.1	1.2	0				
1990	2	0.3	0.22	0.0	1.1	0				
1991	8	1.1	0.38	0.4	2.1	2	1.2	0.84	0.1	5.4
1992	6	0.7	0.31	0.3	1.6	1	2.4	2.43	0.1	10.0
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.53	0.0	3.9
1994	4	0.5	0.25	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	1	0.7	0.71	0.0	4.0
1996	7	1.0	0.39	0.4	2.1	3	1.5	0.89	0.3	4.9
1997	10	1.2	0.38	0.6	2.2	1	0.4	0.44	0.0	3.1
1998	6	0.8	0.32	0.3	1.6	1	0.4	0.44	0.0	2.9
1999	8	1.1	0.38	0.5	2.1	3	2.1	1.39	0.3	6.3
2000	6	0.7	0.28	0.2	1.5	3	1.2	0.74	0.2	3.9
2001	8	1.0	0.35	0.4	1.9	1	0.4	0.37	0.0	2.4
2002	6	0.7	0.28	0.3	1.5	2	0.7	0.52	0.1	2.9
2003	14	1.5	0.41	0.8	2.6	2	0.7	0.47	0.1	2.7
2004	8	0.9	0.32	0.4	1.8	0				
2005	12	1.4	0.40	0.7	2.4	4	1.6	0.86	0.4	4.3
2006	11	1.2	0.36	0.6	2.1	2	0.5	0.37	0.1	2.2
2007	7	0.7	0.27	0.3	1.5	2	0.6	0.40	0.1	2.2
2008	5	0.6	0.25	0.2	1.3	4	1.1	0.57	0.3	3.0
2009	8	0.8	0.29	0.3	1.6	4	0.9	0.47	0.3	2.6
2010	9	0.8	0.28	0.4	1.6	3	1.1	0.65	0.2	3.1
2011	8	0.8	0.27	0.3	1.5	5	1.5	0.69	0.4	3.5
2012	4	0.4	0.21	0.1	1.1	7	2.1	0.83	0.8	4.4
2013	9	0.9	0.30	0.4	1.7	5	1.2	0.53	0.4	2.8
2014	8	0.7	0.26	0.3	1.4	3	0.7	0.43	0.2	2.2
2015	8	0.8	0.28	0.3	1.5	4	1.0	0.51	0.3	2.6
2016	9	0.9	0.30	0.4	1.7	6	1.3	0.55	0.5	2.9
2017	8	0.7	0.26	0.3	1.5	7	1.4	0.55	0.6	3.0
2018	10	0.8	0.26	0.4	1.5	4	0.7	0.36	0.2	1.9
2019	7	0.6	0.22	0.2	1.2	7	1.4	0.53	0.6	2.9
2020	2	0.2	0.12	0.0	0.6	4	0.8	0.38	0.2	2.0
2021	8	0.7	0.26	0.3	1.5	5	1.1	0.48	0.3	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Breast excluding in situ										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	323,424	70.9	0.13	70.6	71.1	271,987	71.1	0.14	70.8	71.4
1986	6,726	65.2	0.81	63.6	66.8	6,003	66.3	0.87	64.6	68.0
1987	7,255	69.7	0.83	68.1	71.4	6,490	71.2	0.90	69.4	73.0
1988	7,407	70.7	0.83	69.1	72.3	6,572	71.7	0.90	69.9	73.5
1989	7,124	67.7	0.81	66.1	69.3	6,257	68.1	0.87	66.4	69.9
1990	7,523	70.7	0.82	69.1	72.4	6,696	72.3	0.89	70.6	74.1
1991	7,742	71.7	0.82	70.1	73.4	6,846	73.0	0.89	71.3	74.8
1992	7,916	72.3	0.82	70.7	73.9	6,982	73.5	0.89	71.8	75.3
1993	7,763	69.6	0.79	68.1	71.2	6,754	70.0	0.86	68.3	71.7
1994	8,351	74.4	0.82	72.8	76.0	7,307	75.4	0.89	73.7	77.2
1995	8,277	73.0	0.80	71.4	74.5	7,187	73.7	0.87	72.0	75.4
1996	8,478	73.9	0.80	72.4	75.5	7,338	74.6	0.87	72.9	76.3
1997	8,616	74.4	0.80	72.8	76.0	7,382	74.5	0.87	72.8	76.2
1998	8,883	75.7	0.80	74.2	77.3	7,577	75.6	0.87	73.9	77.4
1999	9,136	76.9	0.80	75.3	78.5	7,822	77.5	0.88	75.7	79.2
2000	8,901	74.1	0.79	72.5	75.6	7,622	74.9	0.86	73.2	76.6
2001	9,084	74.7	0.78	73.2	76.3	7,715	75.1	0.86	73.4	76.8
2002	8,865	72.1	0.77	70.6	73.6	7,465	72.0	0.83	70.3	73.6
2003	8,259	66.2	0.73	64.8	67.7	6,928	66.1	0.80	64.6	67.7
2004	8,378	66.5	0.73	65.1	67.9	7,079	67.0	0.80	65.4	68.5
2005	8,577	67.3	0.73	65.9	68.8	7,173	67.3	0.80	65.7	68.8
2006	8,964	69.6	0.74	68.2	71.1	7,473	69.5	0.81	68.0	71.1
2007	9,004	68.9	0.73	67.5	70.3	7,537	69.3	0.80	67.7	70.9
2008	9,175	69.3	0.73	67.9	70.7	7,665	69.6	0.80	68.0	71.2
2009	9,392	69.9	0.73	68.5	71.4	7,755	69.6	0.80	68.1	71.2
2010	9,488	69.5	0.72	68.1	70.9	7,858	69.5	0.80	68.0	71.1
2011	9,813	71.2	0.73	69.7	72.6	8,069	70.9	0.80	69.4	72.5
2012	9,634	68.7	0.71	67.3	70.1	7,903	68.6	0.79	67.1	70.2
2013	10,066	70.8	0.72	69.4	72.2	8,202	70.4	0.79	68.8	71.9
2014	10,352	72.0	0.72	70.6	73.5	8,391	71.4	0.80	69.9	73.0
2015	10,484	72.0	0.72	70.6	73.4	8,506	71.6	0.80	70.1	73.2
2016	10,590	72.0	0.72	70.6	73.4	8,654	72.3	0.80	70.8	73.9
2017	10,522	71.0	0.71	69.6	72.4	8,488	70.5	0.79	69.0	72.1
2018	10,652	71.4	0.71	70.0	72.8	8,597	71.2	0.79	69.7	72.8
2019	10,936	72.7	0.71	71.3	74.1	8,731	71.9	0.79	70.3	73.5
2020	9,993	66.0	0.68	64.7	67.4	8,094	66.3	0.76	64.8	67.8
2021	11,098	73.1	0.72	71.7	74.5	8,869	72.6	0.80	71.0	74.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Breast excluding in situ										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	41,259	72.7	0.36	72.0	73.5	8,593	46.5	0.52	45.4	47.5
1986	654	57.0	2.30	52.6	61.7	51	26.8	3.98	19.6	36.0
1987	681	59.4	2.34	54.9	64.1	72	36.7	4.68	28.1	47.2
1988	771	66.3	2.46	61.5	71.2	56	27.9	4.04	20.6	37.0
1989	773	65.2	2.41	60.6	70.1	84	41.6	5.17	32.1	53.0
1990	734	61.4	2.33	56.9	66.1	82	34.5	4.13	26.9	43.7
1991	785	62.3	2.28	57.9	67.0	69	27.6	3.63	20.9	35.7
1992	818	64.5	2.31	60.1	69.2	77	29.2	3.68	22.4	37.4
1993	888	68.4	2.36	63.9	73.2	101	38.0	4.19	30.2	47.1
1994	917	69.5	2.36	65.0	74.3	107	38.2	4.08	30.6	47.0
1995	947	70.4	2.34	65.8	75.1	121	38.9	3.90	31.6	47.3
1996	982	71.4	2.33	66.9	76.1	126	37.4	3.57	30.8	45.1
1997	1,055	76.4	2.40	71.7	81.2	145	40.1	3.47	33.6	47.6
1998	1,105	77.8	2.38	73.2	82.6	150	40.9	3.56	34.3	48.6
1999	1,089	74.9	2.31	70.5	79.6	160	42.4	3.64	35.5	50.1
2000	1,052	71.1	2.23	66.8	75.6	160	41.8	3.62	35.0	49.5
2001	1,163	77.8	2.32	73.3	82.4	169	40.5	3.39	34.1	47.7
2002	1,165	75.0	2.24	70.7	79.5	186	41.6	3.26	35.4	48.5
2003	1,101	70.0	2.15	65.9	74.4	194	41.5	3.17	35.6	48.2
2004	1,074	67.2	2.09	63.2	71.5	197	40.2	3.06	34.4	46.6
2005	1,154	71.9	2.16	67.7	76.3	209	39.4	2.86	34.0	45.4
2006	1,198	73.2	2.16	69.1	77.6	252	46.2	3.10	40.3	52.7
2007	1,175	70.2	2.09	66.2	74.4	247	44.5	2.98	38.8	50.7
2008	1,190	70.7	2.09	66.6	74.9	274	46.9	3.00	41.2	53.1
2009	1,327	77.0	2.16	72.8	81.3	266	43.9	2.84	38.5	49.8
2010	1,279	72.9	2.08	68.9	77.1	308	46.7	2.78	41.4	52.5
2011	1,335	75.5	2.11	71.4	79.8	334	48.7	2.78	43.4	54.4
2012	1,323	72.5	2.04	68.5	76.6	362	49.9	2.73	44.7	55.5
2013	1,449	78.0	2.10	74.0	82.2	365	48.9	2.64	43.9	54.4
2014	1,509	80.8	2.13	76.7	85.1	382	48.1	2.53	43.3	53.3
2015	1,520	79.6	2.09	75.6	83.8	404	49.9	2.54	45.0	55.1
2016	1,472	76.3	2.04	72.4	80.4	415	49.7	2.49	44.9	54.8
2017	1,505	77.5	2.05	73.6	81.7	495	57.6	2.64	52.6	63.0
2018	1,501	75.6	2.00	71.8	79.7	473	53.7	2.51	48.9	58.9
2019	1,581	79.1	2.04	75.1	83.2	539	58.5	2.55	53.6	63.7
2020	1,395	69.4	1.91	65.7	73.2	425	45.2	2.22	41.0	49.8
2021	1,592	79.0	2.03	75.1	83.1	536	55.8	2.43	51.1	60.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Breast excluding in situ										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,582	1.3	0.03	1.3	1.4	2,095	1.2	0.03	1.2	1.3
1986	46	1.1	0.17	0.8	1.5	43	1.2	0.18	0.8	1.6
1987	55	1.2	0.17	0.9	1.6	48	1.2	0.17	0.9	1.6
1988	43	1.0	0.16	0.7	1.4	38	1.0	0.17	0.7	1.4
1989	35	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.1
1990	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1991	47	1.1	0.17	0.8	1.5	41	1.1	0.18	0.8	1.5
1992	67	1.5	0.19	1.1	1.9	55	1.4	0.19	1.0	1.8
1993	67	1.4	0.17	1.1	1.7	57	1.3	0.17	1.0	1.7
1994	58	1.3	0.18	1.0	1.7	46	1.2	0.18	0.9	1.6
1995	74	1.5	0.18	1.2	1.9	64	1.5	0.19	1.2	2.0
1996	68	1.4	0.17	1.1	1.8	57	1.4	0.18	1.0	1.8
1997	71	1.5	0.18	1.1	1.8	56	1.3	0.18	1.0	1.7
1998	58	1.1	0.15	0.9	1.5	47	1.1	0.16	0.8	1.4
1999	74	1.5	0.17	1.2	1.9	61	1.4	0.18	1.1	1.8
2000	66	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.6
2001	68	1.3	0.16	1.0	1.6	58	1.3	0.17	1.0	1.7
2002	79	1.6	0.18	1.2	2.0	64	1.5	0.19	1.1	1.9
2003	72	1.4	0.17	1.1	1.8	60	1.4	0.18	1.0	1.7
2004	69	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6
2005	59	1.1	0.15	0.9	1.5	50	1.1	0.16	0.8	1.5
2006	61	1.1	0.14	0.9	1.4	52	1.1	0.16	0.8	1.5
2007	70	1.3	0.15	1.0	1.6	57	1.2	0.16	0.9	1.6
2008	74	1.3	0.16	1.0	1.7	60	1.3	0.17	1.0	1.6
2009	78	1.3	0.15	1.1	1.7	59	1.2	0.16	0.9	1.6
2010	72	1.2	0.14	0.9	1.5	59	1.2	0.15	0.9	1.5
2011	89	1.4	0.16	1.1	1.8	73	1.3	0.16	1.0	1.7
2012	93	1.5	0.16	1.2	1.9	74	1.5	0.17	1.1	1.9
2013	87	1.3	0.15	1.1	1.7	65	1.2	0.15	0.9	1.5
2014	86	1.3	0.14	1.0	1.6	67	1.2	0.15	0.9	1.6
2015	76	1.1	0.13	0.9	1.4	60	1.1	0.15	0.8	1.4
2016	92	1.4	0.15	1.1	1.7	78	1.4	0.16	1.1	1.7
2017	105	1.6	0.16	1.3	1.9	84	1.5	0.17	1.2	1.9
2018	90	1.3	0.14	1.0	1.6	71	1.2	0.15	0.9	1.5
2019	86	1.2	0.13	0.9	1.4	67	1.1	0.14	0.9	1.4
2020	96	1.4	0.14	1.1	1.7	74	1.3	0.16	1.0	1.7
2021	117	1.7	0.16	1.4	2.1	79	1.4	0.16	1.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Breast excluding in situ										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	417	1.9	0.10	1.7	2.1	55	0.8	0.11	0.6	1.0
1986	3	0.8	0.47	0.1	2.2	0				
1987	6	1.5	0.68	0.5	3.3	1	1.1	1.09	0.0	7.9
1988	4	1.2	0.65	0.3	3.0	1	1.2	1.16	0.0	7.7
1989	6	1.3	0.55	0.4	2.8	1	1.8	1.78	0.1	9.1
1990	3	0.7	0.39	0.1	1.9	0				
1991	6	1.1	0.45	0.4	2.4	0				
1992	12	2.3	0.70	1.2	4.1	0				
1993	10	2.4	0.81	1.1	4.4	0				
1994	10	2.1	0.69	1.0	3.9	1	1.0	0.97	0.0	5.7
1995	9	1.7	0.58	0.7	3.2	1	1.7	1.67	0.0	7.6
1996	8	1.7	0.66	0.7	3.4	3	1.7	0.98	0.3	5.9
1997	13	2.7	0.80	1.4	4.7	2	1.8	1.49	0.1	7.0
1998	10	1.9	0.61	0.9	3.4	1	0.6	0.57	0.0	4.0
1999	11	2.1	0.67	1.0	3.8	2	0.8	0.60	0.1	4.1
2000	9	1.5	0.55	0.6	2.9	0				
2001	9	1.4	0.49	0.6	2.7	0				
2002	13	2.6	0.79	1.3	4.5	1	0.4	0.39	0.0	3.0
2003	12	2.0	0.60	1.0	3.5	0				
2004	11	2.0	0.66	0.9	3.7	1	0.5	0.47	0.0	2.9
2005	8	1.4	0.52	0.5	2.7	1	1.0	1.01	0.0	4.4
2006	7	1.2	0.46	0.5	2.4	1	0.3	0.29	0.0	2.3
2007	12	1.8	0.54	0.9	3.2	1	0.3	0.34	0.0	2.3
2008	11	1.5	0.45	0.7	2.6	3	2.5	1.49	0.5	6.6
2009	17	2.2	0.55	1.3	3.6	1	0.3	0.27	0.0	2.0
2010	12	1.7	0.51	0.9	3.0	0				
2011	13	2.0	0.59	1.1	3.5	1	0.3	0.25	0.0	1.8
2012	14	1.8	0.51	1.0	3.1	5	1.5	0.67	0.5	3.6
2013	20	2.9	0.67	1.7	4.5	1	0.2	0.23	0.0	1.6
2014	15	2.0	0.55	1.1	3.4	4	1.0	0.50	0.3	2.7
2015	12	1.5	0.45	0.7	2.6	4	0.9	0.45	0.2	2.5
2016	14	2.0	0.57	1.1	3.5	0				
2017	19	2.5	0.61	1.5	4.0	2	0.5	0.33	0.1	1.8
2018	13	1.5	0.45	0.8	2.7	5	1.5	0.69	0.5	3.5
2019	15	1.7	0.45	0.9	2.8	3	0.8	0.46	0.2	2.3
2020	18	2.0	0.49	1.2	3.2	3	0.7	0.42	0.1	2.1
2021	32	4.0	0.74	2.7	5.7	5	1.3	0.58	0.4	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Breast excluding in situ										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	320,842	129.6	0.23	129.2	130.1	269,892	131.3	0.26	130.8	131.8
1986	6,680	115.4	1.45	112.6	118.3	5,960	118.0	1.58	114.9	121.1
1987	7,200	123.8	1.49	120.9	126.8	6,442	127.3	1.63	124.1	130.5
1988	7,364	125.7	1.49	122.8	128.6	6,534	128.2	1.63	125.0	131.4
1989	7,089	120.7	1.46	117.8	123.6	6,229	122.3	1.59	119.2	125.4
1990	7,489	126.0	1.48	123.1	129.0	6,665	129.8	1.63	126.7	133.1
1991	7,695	127.9	1.48	125.1	130.9	6,805	131.2	1.63	128.0	134.4
1992	7,849	128.7	1.47	125.9	131.7	6,927	132.0	1.62	128.8	135.2
1993	7,696	123.9	1.43	121.1	126.8	6,697	125.6	1.56	122.5	128.7
1994	8,293	132.4	1.47	129.5	135.3	7,261	135.3	1.61	132.2	138.5
1995	8,203	130.5	1.45	127.6	133.4	7,123	132.9	1.60	129.8	136.1
1996	8,410	132.4	1.46	129.6	135.3	7,281	134.7	1.60	131.6	137.8
1997	8,545	133.6	1.46	130.8	136.5	7,326	135.2	1.60	132.1	138.3
1998	8,825	136.2	1.46	133.4	139.1	7,530	137.3	1.60	134.1	140.4
1999	9,062	138.8	1.47	135.9	141.7	7,761	141.2	1.62	138.0	144.4
2000	8,835	133.9	1.43	131.1	136.7	7,566	136.7	1.59	133.6	139.9
2001	9,016	135.2	1.43	132.5	138.1	7,657	137.3	1.58	134.2	140.4
2002	8,786	130.8	1.40	128.1	133.6	7,401	131.9	1.55	128.9	134.9
2003	8,187	120.6	1.34	117.9	123.2	6,868	121.6	1.48	118.7	124.5
2004	8,309	121.2	1.34	118.6	123.9	7,023	123.4	1.49	120.5	126.4
2005	8,518	123.0	1.34	120.4	125.6	7,123	124.2	1.49	121.3	127.1
2006	8,903	127.6	1.36	124.9	130.3	7,421	128.9	1.52	126.0	131.9
2007	8,934	126.8	1.35	124.1	129.5	7,480	129.0	1.51	126.1	132.0
2008	9,101	127.2	1.35	124.5	129.8	7,605	129.2	1.51	126.3	132.2
2009	9,314	128.7	1.35	126.0	131.3	7,696	129.7	1.51	126.8	132.7
2010	9,416	128.2	1.34	125.6	130.9	7,799	129.9	1.50	126.9	132.8
2011	9,724	131.5	1.36	128.8	134.2	7,996	132.7	1.52	129.8	135.8
2012	9,541	127.3	1.33	124.7	129.9	7,829	128.9	1.49	126.0	131.8
2013	9,979	131.7	1.35	129.0	134.3	8,137	132.7	1.51	129.7	135.7
2014	10,266	134.5	1.36	131.8	137.2	8,324	135.2	1.53	132.2	138.2
2015	10,408	134.7	1.36	132.1	137.4	8,446	135.9	1.53	132.9	138.9
2016	10,498	135.1	1.36	132.4	137.8	8,576	137.5	1.54	134.5	140.6
2017	10,417	133.4	1.35	130.8	136.1	8,404	134.5	1.52	131.5	137.5
2018	10,562	134.5	1.35	131.8	137.2	8,526	136.3	1.53	133.3	139.3
2019	10,850	137.4	1.36	134.7	140.1	8,664	137.8	1.54	134.8	140.9
2020	9,897	124.9	1.30	122.4	127.5	8,020	127.5	1.49	124.6	130.5
2021	10,981	138.2	1.37	135.5	140.9	8,790	139.5	1.56	136.5	142.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Breast excluding in situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	40,842	124.6	0.62	123.4	125.9	8,538	86.3	0.96	84.4	88.2
1986	651	98.1	3.92	90.6	106.1	51	51.0	7.47	37.4	68.0
1987	675	101.3	3.97	93.7	109.4	71	67.5	8.52	51.9	86.5
1988	767	113.2	4.16	105.2	121.7	55	51.1	7.33	37.7	67.6
1989	767	111.3	4.08	103.4	119.5	83	76.0	9.23	59.0	96.3
1990	731	104.6	3.92	97.0	112.5	82	65.0	7.65	50.9	81.9
1991	779	106.6	3.88	99.2	114.5	69	51.6	6.64	39.4	66.4
1992	806	109.0	3.89	101.5	116.9	77	55.1	6.75	42.6	70.0
1993	878	115.7	3.96	108.1	123.7	101	70.2	7.54	56.2	86.6
1994	907	117.4	3.95	109.8	125.4	106	69.9	7.30	56.3	85.7
1995	938	119.3	3.94	111.7	127.3	120	71.2	6.94	58.3	86.2
1996	974	121.5	3.93	113.9	129.4	123	68.5	6.47	56.4	82.4
1997	1,042	128.8	4.03	121.0	136.9	143	74.3	6.36	62.3	87.9
1998	1,095	132.2	4.03	124.4	140.3	149	76.0	6.49	63.8	89.9
1999	1,078	127.2	3.90	119.7	135.1	158	77.7	6.53	65.4	91.6
2000	1,043	120.8	3.77	113.6	128.4	160	76.8	6.43	64.7	90.5
2001	1,154	132.1	3.92	124.6	140.0	169	74.7	6.05	63.3	87.5
2002	1,152	128.2	3.80	120.9	135.9	185	77.0	5.91	65.9	89.5
2003	1,089	119.5	3.65	112.5	126.9	194	77.2	5.78	66.3	89.4
2004	1,063	114.9	3.55	108.1	122.1	196	74.0	5.53	63.6	85.7
2005	1,146	123.0	3.66	115.9	130.4	208	72.9	5.23	63.0	83.9
2006	1,191	125.7	3.67	118.6	133.1	251	85.3	5.62	74.7	97.1
2007	1,163	120.5	3.57	113.6	127.7	246	82.4	5.46	72.1	93.9
2008	1,179	121.1	3.56	114.2	128.3	271	85.4	5.39	75.2	96.6
2009	1,310	131.8	3.68	124.7	139.2	265	81.3	5.19	71.5	92.1
2010	1,267	125.4	3.57	118.5	132.6	308	87.2	5.13	77.5	97.9
2011	1,322	129.3	3.61	122.3	136.6	333	90.7	5.12	80.9	101.3
2012	1,309	124.7	3.50	117.9	131.8	357	92.1	5.03	82.5	102.5
2013	1,429	133.8	3.60	126.8	141.0	364	91.8	4.93	82.4	102.0
2014	1,494	139.4	3.67	132.3	146.8	378	89.7	4.71	80.7	99.4
2015	1,508	137.9	3.62	130.9	145.2	400	93.1	4.75	84.0	102.9
2016	1,458	132.2	3.54	125.4	139.4	415	93.7	4.68	84.8	103.3
2017	1,486	134.2	3.56	127.3	141.3	493	108.0	4.93	98.5	118.1
2018	1,488	131.5	3.49	124.7	138.5	468	100.0	4.68	91.0	109.6
2019	1,566	137.7	3.57	130.8	144.9	536	110.2	4.81	100.9	120.0
2020	1,377	120.4	3.33	114.0	127.1	422	85.0	4.18	77.0	93.6
2021	1,560	135.8	3.53	129.0	142.9	531	104.7	4.58	95.9	114.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Female Genital System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	135,327	54.4	0.15	54.1	54.7	113,257	55.0	0.17	54.7	55.3
1986	3,256	55.5	1.00	53.5	57.5	2,885	56.5	1.08	54.4	58.7
1987	3,310	56.1	1.00	54.1	58.1	2,879	56.2	1.08	54.1	58.4
1988	3,230	54.3	0.97	52.4	56.2	2,775	53.9	1.05	51.8	56.0
1989	3,204	53.9	0.97	52.0	55.8	2,773	54.2	1.05	52.1	56.3
1990	3,365	55.9	0.98	54.0	57.8	2,898	55.9	1.06	53.9	58.0
1991	3,343	54.8	0.96	53.0	56.7	2,923	55.9	1.06	53.9	58.0
1992	3,387	55.2	0.96	53.4	57.2	3,003	57.3	1.07	55.2	59.4
1993	3,406	54.7	0.95	52.9	56.6	2,933	55.3	1.04	53.3	57.4
1994	3,501	55.5	0.95	53.7	57.4	3,008	55.9	1.04	53.9	58.0
1995	3,519	55.8	0.95	53.9	57.7	3,031	56.6	1.04	54.6	58.7
1996	3,742	58.9	0.97	57.0	60.8	3,226	60.1	1.07	58.0	62.2
1997	3,540	55.2	0.93	53.4	57.1	3,034	56.1	1.03	54.1	58.1
1998	3,664	56.6	0.94	54.8	58.5	3,139	57.6	1.04	55.6	59.7
1999	3,508	53.7	0.91	52.0	55.6	2,980	54.4	1.01	52.4	56.4
2000	3,502	53.2	0.90	51.5	55.0	2,930	53.3	0.99	51.4	55.3
2001	3,551	53.5	0.90	51.8	55.3	2,986	54.0	1.00	52.0	56.0
2002	3,611	53.9	0.90	52.2	55.7	3,049	54.7	1.00	52.8	56.7
2003	3,489	51.3	0.87	49.6	53.0	2,951	52.2	0.97	50.3	54.1
2004	3,554	51.8	0.87	50.1	53.5	2,994	52.7	0.97	50.8	54.6
2005	3,692	53.2	0.88	51.5	55.0	3,101	54.2	0.99	52.3	56.2
2006	3,785	54.2	0.89	52.4	55.9	3,162	54.9	0.99	53.0	56.9
2007	3,728	52.8	0.87	51.1	54.5	3,122	53.8	0.98	51.9	55.7
2008	3,880	54.2	0.88	52.5	55.9	3,233	55.1	0.98	53.2	57.0
2009	3,972	54.6	0.88	52.9	56.4	3,273	55.0	0.98	53.1	57.0
2010	3,957	53.4	0.86	51.7	55.1	3,268	53.9	0.96	52.1	55.9
2011	4,044	54.2	0.87	52.5	55.9	3,325	54.6	0.97	52.7	56.6
2012	3,959	51.9	0.84	50.2	53.5	3,266	52.7	0.94	50.9	54.6
2013	4,135	53.3	0.85	51.7	55.0	3,381	53.9	0.95	52.1	55.8
2014	4,193	53.8	0.85	52.2	55.5	3,417	54.6	0.96	52.8	56.6
2015	4,242	53.7	0.85	52.1	55.4	3,448	54.3	0.96	52.5	56.2
2016	4,419	55.9	0.87	54.2	57.6	3,586	56.6	0.98	54.7	58.5
2017	4,343	54.6	0.85	52.9	56.3	3,518	55.5	0.97	53.6	57.4
2018	4,318	53.6	0.84	52.0	55.3	3,489	54.3	0.96	52.5	56.2
2019	4,478	55.3	0.85	53.6	57.0	3,587	55.7	0.97	53.8	57.7
2020	4,014	49.4	0.81	47.9	51.0	3,183	49.4	0.91	47.6	51.2
2021	4,486	55.1	0.85	53.5	56.8	3,501	54.4	0.96	52.6	56.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Female Genital System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	17,592	53.1	0.40	52.4	53.9	3,348	33.9	0.60	32.8	35.1
1986	334	49.7	2.79	44.4	55.5	31	27.6	5.24	18.3	40.3
1987	395	56.3	2.91	50.7	62.2	28	27.5	5.73	17.4	41.2
1988	395	56.2	2.89	50.7	62.1	46	41.7	6.67	29.7	57.0
1989	385	53.5	2.79	48.2	59.2	38	33.5	5.79	23.1	46.9
1990	423	59.2	2.93	53.6	65.2	31	22.2	4.14	14.8	32.2
1991	362	49.0	2.63	44.0	54.4	36	31.2	5.62	21.2	44.2
1992	336	44.9	2.49	40.2	50.1	32	22.9	4.18	15.4	32.8
1993	413	53.2	2.67	48.2	58.7	42	27.7	4.72	19.2	38.6
1994	444	57.6	2.78	52.3	63.3	46	34.8	5.80	24.4	47.9
1995	407	51.3	2.58	46.3	56.6	67	41.2	5.37	31.4	53.1
1996	442	55.1	2.66	50.0	60.6	63	38.6	5.19	29.1	50.1
1997	442	53.4	2.57	48.5	58.7	49	25.5	3.74	18.7	34.1
1998	446	52.7	2.52	47.8	57.8	60	33.1	4.69	24.5	43.5
1999	433	50.6	2.45	45.9	55.6	60	29.6	4.05	22.2	38.6
2000	454	51.9	2.46	47.2	56.9	84	39.3	4.54	30.9	49.2
2001	459	52.2	2.46	47.5	57.3	89	40.1	4.47	31.9	49.9
2002	455	51.1	2.41	46.5	56.0	84	34.9	3.97	27.6	43.6
2003	422	47.2	2.32	42.8	51.9	69	28.1	3.54	21.6	35.9
2004	457	50.6	2.38	46.0	55.5	69	27.2	3.43	20.9	34.8
2005	468	50.3	2.34	45.8	55.1	82	30.8	3.58	24.2	38.6
2006	498	53.5	2.42	48.8	58.4	87	31.4	3.55	24.9	39.2
2007	487	50.9	2.33	46.4	55.6	92	30.8	3.35	24.6	38.1
2008	506	51.4	2.31	47.0	56.2	101	33.0	3.44	26.6	40.4
2009	549	55.0	2.38	50.5	59.9	105	33.6	3.44	27.2	41.0
2010	517	50.8	2.27	46.5	55.5	130	37.5	3.39	31.1	44.7
2011	539	52.7	2.30	48.2	57.4	132	36.4	3.28	30.2	43.4
2012	541	51.0	2.23	46.7	55.5	112	29.7	2.90	24.3	36.0
2013	562	51.5	2.21	47.2	56.0	140	34.5	3.00	28.9	41.0
2014	604	54.8	2.27	50.4	59.4	133	31.6	2.79	26.3	37.6
2015	615	55.5	2.28	51.1	60.1	149	34.5	2.90	29.0	40.6
2016	638	57.5	2.33	53.1	62.3	169	37.7	2.96	32.1	44.0
2017	631	55.3	2.25	51.0	59.9	168	36.0	2.82	30.7	42.0
2018	586	49.7	2.10	45.7	54.0	187	39.7	2.95	34.2	46.0
2019	658	56.0	2.24	51.7	60.6	169	34.1	2.66	29.1	39.8
2020	587	49.3	2.09	45.3	53.6	167	33.7	2.63	28.7	39.3
2021	702	57.8	2.24	53.5	62.4	201	39.3	2.79	34.0	45.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Cervix Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	22,394	9.7	0.07	9.5	9.8	16,503	8.8	0.07	8.7	9.0
1986	727	13.0	0.50	12.1	14.0	556	11.7	0.51	10.8	12.8
1987	753	13.3	0.50	12.4	14.4	558	11.6	0.51	10.6	12.7
1988	740	13.0	0.49	12.1	14.0	539	11.2	0.49	10.2	12.2
1989	656	11.5	0.46	10.6	12.4	472	9.8	0.46	9.0	10.8
1990	740	12.8	0.48	11.9	13.8	534	11.0	0.49	10.1	12.0
1991	720	12.1	0.46	11.2	13.0	531	10.6	0.47	9.7	11.6
1992	670	11.3	0.44	10.4	12.2	518	10.4	0.46	9.5	11.4
1993	739	12.3	0.46	11.4	13.2	539	10.8	0.47	9.9	11.7
1994	659	10.8	0.42	10.0	11.7	455	9.0	0.43	8.2	9.9
1995	748	12.2	0.45	11.3	13.1	544	10.7	0.46	9.8	11.7
1996	751	12.1	0.45	11.3	13.1	567	11.2	0.47	10.3	12.1
1997	717	11.4	0.43	10.6	12.3	549	10.6	0.46	9.8	11.6
1998	750	11.9	0.44	11.0	12.8	560	10.8	0.46	9.9	11.7
1999	694	10.9	0.42	10.1	11.8	502	9.7	0.43	8.8	10.6
2000	728	11.4	0.42	10.6	12.2	508	9.7	0.43	8.9	10.6
2001	645	10.0	0.39	9.2	10.8	487	9.3	0.42	8.5	10.1
2002	606	9.4	0.38	8.6	10.2	453	8.7	0.41	7.9	9.5
2003	624	9.6	0.38	8.8	10.4	450	8.5	0.41	7.8	9.4
2004	571	8.7	0.37	8.0	9.4	425	8.0	0.39	7.2	8.8
2005	580	8.8	0.37	8.1	9.5	427	8.1	0.40	7.3	8.9
2006	586	8.9	0.37	8.2	9.7	441	8.4	0.40	7.6	9.2
2007	570	8.6	0.36	7.9	9.3	416	7.8	0.39	7.0	8.6
2008	650	9.7	0.39	9.0	10.5	461	8.7	0.41	7.9	9.5
2009	571	8.4	0.36	7.7	9.2	389	7.2	0.37	6.5	8.0
2010	530	7.8	0.34	7.1	8.5	385	7.1	0.37	6.4	7.9
2011	560	8.1	0.35	7.5	8.9	420	7.7	0.39	7.0	8.5
2012	492	7.1	0.33	6.5	7.8	366	6.7	0.36	6.0	7.5
2013	510	7.3	0.33	6.7	8.0	381	7.0	0.37	6.3	7.8
2014	576	8.4	0.36	7.7	9.2	446	8.4	0.41	7.6	9.3
2015	499	7.3	0.34	6.6	8.0	373	7.0	0.38	6.3	7.8
2016	566	8.2	0.36	7.6	9.0	418	7.9	0.40	7.1	8.7
2017	524	7.5	0.34	6.8	8.2	397	7.4	0.38	6.6	8.2
2018	499	7.3	0.34	6.6	8.0	367	7.0	0.38	6.3	7.8
2019	516	7.7	0.35	7.0	8.4	392	7.6	0.40	6.9	8.4
2020	445	6.6	0.32	5.9	7.2	334	6.4	0.36	5.7	7.1
2021	482	7.0	0.33	6.4	7.7	343	6.6	0.37	5.9	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Cervix Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	5,001	15.1	0.21	14.7	15.5	620	6.2	0.25	5.7	6.7
1986	158	22.8	1.87	19.3	26.8	10	8.3	2.74	3.8	16.3
1987	178	24.6	1.90	21.0	28.6	13	15.6	4.73	7.8	27.6
1988	174	24.3	1.89	20.7	28.3	20	16.5	3.86	9.8	26.3
1989	166	22.3	1.78	19.0	26.1	15	12.5	3.40	6.8	21.4
1990	184	25.2	1.89	21.6	29.2	17	11.9	3.00	6.8	19.9
1991	164	21.2	1.70	18.0	24.8	12	10.0	3.08	4.9	18.1
1992	133	17.3	1.53	14.4	20.6	10	8.3	2.67	3.9	15.4
1993	177	21.6	1.66	18.5	25.1	10	7.4	2.51	3.4	14.2
1994	184	22.6	1.70	19.4	26.2	18	12.9	3.39	7.2	21.2
1995	175	21.4	1.65	18.3	24.9	27	15.5	3.12	10.0	23.1
1996	157	18.4	1.49	15.6	21.6	21	13.4	3.07	8.1	20.9
1997	150	16.8	1.39	14.2	19.8	15	7.8	2.12	4.2	13.3
1998	167	18.7	1.46	16.0	21.8	21	10.9	2.52	6.5	17.1
1999	163	18.3	1.45	15.6	21.4	18	9.1	2.25	5.2	14.7
2000	184	20.2	1.50	17.3	23.3	27	11.8	2.36	7.6	17.5
2001	140	15.1	1.29	12.7	17.9	17	6.9	1.74	3.9	11.3
2002	132	14.4	1.26	12.0	17.0	16	7.4	1.96	4.1	12.2
2003	145	15.6	1.30	13.1	18.4	15	5.7	1.50	3.1	9.5
2004	120	13.0	1.19	10.7	15.5	14	5.4	1.48	2.9	9.1
2005	130	13.7	1.21	11.5	16.3	15	5.3	1.45	2.9	9.0
2006	124	12.9	1.17	10.8	15.5	10	4.3	1.43	2.0	8.0
2007	131	13.5	1.19	11.3	16.1	11	3.3	1.00	1.7	6.0
2008	158	16.1	1.29	13.7	18.8	17	5.2	1.33	2.9	8.5
2009	148	14.6	1.21	12.3	17.2	22	6.2	1.36	3.8	9.5
2010	118	11.5	1.07	9.5	13.8	16	4.4	1.15	2.5	7.4
2011	119	11.9	1.10	9.8	14.2	12	3.1	0.92	1.6	5.6
2012	98	9.6	0.98	7.8	11.7	16	4.4	1.13	2.5	7.2
2013	107	10.2	1.00	8.3	12.4	15	3.5	0.91	1.9	5.8
2014	107	10.1	0.99	8.2	12.2	22	5.3	1.15	3.3	8.1
2015	100	9.8	1.00	7.9	11.9	24	5.9	1.24	3.8	8.9
2016	124	11.9	1.09	9.9	14.3	20	4.2	0.96	2.6	6.6
2017	106	9.8	0.98	8.0	12.0	18	4.1	0.97	2.4	6.5
2018	99	9.1	0.94	7.4	11.1	26	5.7	1.13	3.7	8.4
2019	87	8.3	0.91	6.6	10.3	27	5.3	1.03	3.5	7.8
2020	81	7.9	0.90	6.2	9.9	16	3.2	0.81	1.8	5.3
2021	113	10.3	1.00	8.4	12.4	17	3.3	0.80	1.9	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Uterus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	69,205	27.3	0.10	27.1	27.5	59,035	28.1	0.12	27.9	28.4
1986	1,448	24.0	0.65	22.8	25.3	1,344	25.5	0.72	24.2	27.0
1987	1,431	23.6	0.64	22.3	24.8	1,321	25.0	0.71	23.6	26.4
1988	1,385	22.8	0.62	21.6	24.1	1,248	23.7	0.69	22.4	25.1
1989	1,445	24.0	0.64	22.8	25.3	1,312	25.3	0.72	23.9	26.7
1990	1,434	23.4	0.63	22.2	24.7	1,303	24.7	0.70	23.3	26.1
1991	1,472	23.7	0.63	22.5	25.0	1,358	25.3	0.70	24.0	26.7
1992	1,558	25.2	0.65	23.9	26.5	1,426	26.9	0.73	25.5	28.4
1993	1,512	24.2	0.63	22.9	25.4	1,372	25.6	0.70	24.2	27.0
1994	1,588	25.0	0.63	23.8	26.3	1,449	26.7	0.71	25.3	28.1
1995	1,594	25.2	0.64	23.9	26.5	1,441	26.7	0.71	25.3	28.1
1996	1,743	27.4	0.66	26.2	28.8	1,567	29.1	0.75	27.7	30.6
1997	1,605	24.9	0.63	23.7	26.2	1,427	26.2	0.70	24.8	27.6
1998	1,699	26.2	0.64	25.0	27.5	1,503	27.4	0.71	26.1	28.9
1999	1,607	24.6	0.62	23.4	25.9	1,418	25.8	0.69	24.5	27.2
2000	1,627	24.8	0.62	23.6	26.0	1,410	25.7	0.69	24.3	27.0
2001	1,746	26.3	0.63	25.1	27.5	1,516	27.3	0.71	25.9	28.7
2002	1,776	26.4	0.63	25.2	27.7	1,538	27.4	0.70	26.1	28.8
2003	1,679	24.6	0.60	23.4	25.8	1,459	25.7	0.68	24.4	27.0
2004	1,778	25.8	0.62	24.6	27.1	1,535	26.9	0.69	25.5	28.3
2005	1,868	26.7	0.62	25.5	28.0	1,604	27.8	0.70	26.5	29.2
2006	1,974	28.0	0.64	26.8	29.3	1,659	28.5	0.71	27.2	30.0
2007	1,926	27.0	0.62	25.8	28.2	1,631	27.8	0.70	26.4	29.2
2008	1,991	27.2	0.62	26.0	28.5	1,701	28.4	0.70	27.0	29.8
2009	2,176	29.4	0.64	28.2	30.7	1,858	30.7	0.72	29.3	32.2
2010	2,182	28.9	0.63	27.6	30.1	1,839	29.8	0.71	28.4	31.2
2011	2,222	29.1	0.63	27.9	30.3	1,837	29.4	0.70	28.0	30.8
2012	2,238	28.6	0.62	27.4	29.8	1,864	29.3	0.69	28.0	30.7
2013	2,350	29.5	0.62	28.3	30.8	1,943	30.2	0.70	28.9	31.6
2014	2,370	29.4	0.62	28.2	30.7	1,904	29.4	0.69	28.1	30.8
2015	2,438	29.8	0.62	28.6	31.0	1,988	30.1	0.69	28.8	31.5
2016	2,538	31.0	0.63	29.8	32.3	2,071	31.6	0.72	30.2	33.0
2017	2,555	31.1	0.63	29.9	32.4	2,058	31.3	0.71	30.0	32.8
2018	2,543	30.4	0.62	29.2	31.7	2,078	31.1	0.70	29.7	32.5
2019	2,611	31.0	0.62	29.8	32.3	2,084	31.1	0.70	29.7	32.5
2020	2,403	28.6	0.60	27.4	29.8	1,878	28.2	0.67	26.8	29.5
2021	2,693	32.0	0.64	30.8	33.3	2,091	31.5	0.72	30.1	32.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Uterus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,908	23.7	0.27	23.2	24.3	1,620	16.4	0.42	15.6	17.2
1986	91	13.9	1.48	11.1	17.1	11	12.0	3.74	5.8	22.0
1987	100	14.2	1.45	11.5	17.4	6	4.7	2.00	1.7	11.4
1988	123	17.9	1.64	14.8	21.4	10	10.6	3.66	4.7	20.3
1989	118	16.9	1.58	13.9	20.3	11	10.2	3.25	4.8	18.8
1990	120	16.8	1.56	13.9	20.2	5	3.4	1.57	1.1	8.9
1991	98	14.0	1.43	11.4	17.1	11	10.4	3.41	4.9	19.3
1992	118	16.0	1.50	13.2	19.2	11	7.7	2.37	3.8	14.2
1993	121	16.7	1.53	13.8	19.9	15	8.9	2.35	4.9	15.2
1994	126	17.2	1.55	14.3	20.4	12	8.6	2.82	4.0	15.9
1995	121	15.8	1.45	13.1	18.9	25	17.4	3.75	10.9	26.3
1996	149	19.7	1.63	16.6	23.1	24	15.6	3.36	9.7	23.6
1997	158	20.0	1.60	17.0	23.4	12	6.5	1.92	3.3	11.6
1998	166	20.5	1.60	17.4	23.8	22	12.0	2.87	7.0	18.9
1999	148	18.0	1.49	15.2	21.1	23	11.4	2.45	7.1	17.3
2000	169	20.0	1.55	17.1	23.2	33	14.7	2.66	10.0	20.9
2001	180	21.1	1.58	18.1	24.4	38	16.7	2.83	11.6	23.2
2002	190	21.7	1.58	18.7	25.0	32	13.1	2.40	8.8	18.7
2003	161	18.6	1.47	15.8	21.7	34	13.3	2.34	9.1	18.8
2004	191	21.1	1.54	18.2	24.3	37	14.5	2.49	10.1	20.3
2005	206	22.2	1.56	19.2	25.4	33	11.9	2.17	8.1	17.0
2006	248	27.0	1.73	23.7	30.6	44	15.7	2.50	11.2	21.4
2007	237	24.9	1.63	21.8	28.3	46	15.0	2.28	10.8	20.2
2008	217	21.9	1.50	19.1	25.1	53	17.4	2.51	12.9	23.1
2009	246	24.7	1.59	21.6	28.0	48	15.6	2.37	11.3	21.0
2010	253	24.9	1.59	21.9	28.2	67	19.3	2.44	14.8	24.7
2011	282	27.2	1.64	24.0	30.6	70	18.9	2.33	14.6	24.1
2012	292	26.9	1.60	23.8	30.2	63	16.9	2.21	12.9	21.8
2013	289	25.4	1.52	22.5	28.5	80	19.5	2.24	15.4	24.5
2014	365	32.3	1.73	29.0	35.9	71	16.3	1.96	12.6	20.6
2015	353	30.8	1.67	27.6	34.2	76	17.4	2.04	13.6	21.9
2016	359	31.0	1.67	27.8	34.4	92	20.3	2.16	16.3	25.0
2017	379	32.6	1.71	29.3	36.1	98	20.6	2.11	16.7	25.2
2018	321	26.3	1.50	23.5	29.5	108	22.5	2.19	18.4	27.2
2019	403	33.0	1.68	29.8	36.5	83	16.6	1.85	13.2	20.7
2020	379	30.9	1.63	27.8	34.3	99	19.7	2.00	16.0	24.1
2021	431	34.0	1.67	30.8	37.4	117	22.9	2.14	18.9	27.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Corpus Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	67,273	26.6	0.10	26.4	26.8	57,641	27.5	0.12	27.3	27.7
1986	1,416	23.5	0.64	22.3	24.8	1,315	25.0	0.71	23.6	26.4
1987	1,402	23.1	0.63	21.9	24.4	1,297	24.5	0.70	23.2	26.0
1988	1,355	22.3	0.62	21.1	23.6	1,226	23.3	0.68	22.0	24.6
1989	1,420	23.6	0.64	22.4	24.9	1,291	24.9	0.71	23.5	26.3
1990	1,389	22.7	0.62	21.5	24.0	1,274	24.1	0.69	22.8	25.5
1991	1,422	22.9	0.62	21.7	24.1	1,322	24.6	0.69	23.3	26.0
1992	1,501	24.3	0.64	23.1	25.6	1,379	26.0	0.71	24.6	27.5
1993	1,444	23.1	0.61	21.9	24.3	1,319	24.6	0.69	23.3	26.0
1994	1,502	23.7	0.62	22.6	25.0	1,380	25.5	0.70	24.1	26.9
1995	1,554	24.6	0.63	23.4	25.8	1,408	26.1	0.71	24.8	27.5
1996	1,711	27.0	0.66	25.7	28.3	1,541	28.7	0.74	27.2	30.2
1997	1,565	24.3	0.62	23.1	25.6	1,397	25.7	0.69	24.3	27.0
1998	1,653	25.5	0.63	24.3	26.8	1,469	26.9	0.71	25.5	28.3
1999	1,565	24.0	0.61	22.8	25.2	1,388	25.3	0.69	24.0	26.7
2000	1,585	24.2	0.61	23.0	25.4	1,379	25.2	0.68	23.8	26.5
2001	1,709	25.8	0.63	24.6	27.0	1,487	26.8	0.70	25.5	28.2
2002	1,728	25.7	0.62	24.5	27.0	1,504	26.9	0.70	25.5	28.3
2003	1,648	24.2	0.60	23.0	25.4	1,432	25.2	0.67	23.9	26.6
2004	1,738	25.3	0.61	24.1	26.5	1,505	26.4	0.69	25.1	27.8
2005	1,823	26.1	0.62	24.9	27.4	1,570	27.3	0.69	25.9	28.7
2006	1,921	27.3	0.63	26.1	28.6	1,626	28.0	0.70	26.7	29.4
2007	1,891	26.5	0.61	25.3	27.7	1,609	27.4	0.69	26.1	28.8
2008	1,935	26.5	0.61	25.3	27.7	1,665	27.8	0.69	26.4	29.1
2009	2,132	28.9	0.63	27.6	30.1	1,826	30.2	0.72	28.8	31.6
2010	2,118	28.0	0.62	26.8	29.2	1,795	29.1	0.70	27.7	30.5
2011	2,169	28.4	0.62	27.2	29.6	1,805	28.9	0.69	27.6	30.3
2012	2,190	28.0	0.61	26.8	29.2	1,830	28.8	0.69	27.4	30.1
2013	2,297	28.9	0.61	27.7	30.1	1,911	29.8	0.70	28.4	31.2
2014	2,311	28.7	0.61	27.5	29.9	1,865	28.8	0.69	27.5	30.2
2015	2,376	29.0	0.61	27.8	30.2	1,949	29.6	0.69	28.3	31.0
2016	2,463	30.1	0.62	28.9	31.4	2,018	30.9	0.71	29.5	32.3
2017	2,450	29.8	0.62	28.6	31.1	1,980	30.1	0.70	28.8	31.5
2018	2,468	29.5	0.61	28.3	30.7	2,026	30.3	0.70	29.0	31.7
2019	2,507	29.8	0.61	28.6	31.0	2,017	30.0	0.69	28.7	31.4
2020	2,308	27.4	0.59	26.3	28.6	1,807	27.1	0.66	25.8	28.4
2021	2,607	31.0	0.63	29.7	32.2	2,029	30.5	0.70	29.1	31.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Corpus Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,423	22.2	0.26	21.7	22.7	1,581	15.9	0.41	15.1	16.8
1986	88	13.4	1.46	10.7	16.6	11	12.0	3.74	5.8	22.0
1987	95	13.5	1.41	10.9	16.6	6	4.7	2.00	1.7	11.4
1988	115	16.6	1.57	13.6	19.9	10	10.6	3.66	4.7	20.3
1989	114	16.3	1.55	13.4	19.6	11	10.2	3.25	4.8	18.8
1990	107	14.9	1.46	12.2	18.1	4	2.7	1.41	0.7	7.9
1991	84	12.0	1.32	9.5	14.9	11	10.4	3.41	4.9	19.3
1992	108	14.7	1.43	12.0	17.7	11	7.7	2.37	3.8	14.2
1993	108	14.8	1.44	12.1	17.9	14	8.2	2.24	4.4	14.2
1994	109	14.6	1.42	12.0	17.7	12	8.6	2.82	4.0	15.9
1995	114	14.8	1.40	12.2	17.8	25	17.4	3.75	10.9	26.3
1996	144	19.0	1.60	16.0	22.4	23	15.1	3.34	9.3	23.1
1997	148	18.7	1.55	15.8	22.0	12	6.5	1.92	3.3	11.6
1998	155	19.1	1.55	16.2	22.4	21	10.6	2.52	6.3	16.8
1999	136	16.5	1.43	13.9	19.6	23	11.4	2.45	7.1	17.3
2000	159	18.7	1.49	15.9	21.9	32	14.3	2.63	9.6	20.5
2001	174	20.4	1.55	17.4	23.6	36	15.6	2.70	10.7	21.8
2002	176	20.1	1.52	17.2	23.3	32	13.1	2.40	8.8	18.7
2003	157	18.1	1.45	15.4	21.2	34	13.3	2.34	9.1	18.8
2004	181	20.0	1.50	17.2	23.2	37	14.5	2.49	10.1	20.3
2005	195	21.0	1.52	18.1	24.2	33	11.9	2.17	8.1	17.0
2006	229	24.8	1.65	21.7	28.2	43	15.1	2.42	10.7	20.6
2007	227	23.8	1.59	20.7	27.1	43	13.8	2.16	9.8	18.7
2008	199	20.1	1.44	17.4	23.2	53	17.4	2.51	12.9	23.1
2009	235	23.6	1.56	20.7	26.9	47	15.3	2.35	11.1	20.6
2010	235	23.0	1.53	20.2	26.2	65	18.7	2.40	14.3	24.0
2011	265	25.6	1.60	22.6	28.9	66	17.6	2.24	13.5	22.6
2012	279	25.6	1.56	22.7	28.9	62	16.5	2.17	12.5	21.3
2013	270	23.7	1.47	20.9	26.8	79	19.3	2.23	15.2	24.2
2014	345	30.6	1.68	27.4	34.0	71	16.3	1.96	12.6	20.6
2015	332	28.7	1.61	25.6	32.0	74	16.9	2.01	13.2	21.3
2016	337	28.9	1.61	25.9	32.3	92	20.3	2.16	16.3	25.0
2017	353	30.4	1.66	27.2	33.8	98	20.6	2.11	16.7	25.2
2018	305	24.9	1.46	22.1	28.0	104	21.6	2.15	17.6	26.3
2019	374	30.5	1.61	27.4	33.8	77	15.3	1.76	12.0	19.2
2020	357	29.0	1.57	26.0	32.2	97	19.3	1.98	15.6	23.6
2021	414	32.6	1.64	29.5	36.0	112	21.9	2.08	18.0	26.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Uterus, NOS										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,932	0.7	0.02	0.7	0.8	1,394	0.6	0.02	0.6	0.7
1986	32	0.5	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1987	29	0.5	0.09	0.3	0.7	24	0.5	0.10	0.3	0.7
1988	30	0.5	0.09	0.3	0.7	22	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	45	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	57	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1993	68	1.1	0.13	0.8	1.4	53	1.0	0.13	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	40	0.6	0.10	0.4	0.8	33	0.6	0.10	0.4	0.8
1996	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1997	40	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
1998	46	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
1999	42	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
2000	42	0.6	0.09	0.4	0.8	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.08	0.4	0.7	29	0.4	0.08	0.3	0.6
2002	48	0.7	0.10	0.5	0.9	34	0.5	0.09	0.4	0.8
2003	31	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
2004	40	0.5	0.08	0.4	0.7	30	0.4	0.08	0.3	0.6
2005	45	0.6	0.09	0.4	0.8	34	0.5	0.09	0.4	0.8
2006	53	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2007	35	0.5	0.08	0.3	0.7	22	0.4	0.08	0.2	0.6
2008	56	0.8	0.10	0.6	1.0	36	0.6	0.11	0.4	0.9
2009	44	0.6	0.09	0.4	0.8	32	0.5	0.10	0.4	0.8
2010	64	0.9	0.11	0.7	1.1	44	0.7	0.11	0.5	1.0
2011	53	0.7	0.10	0.5	0.9	32	0.5	0.09	0.3	0.7
2012	48	0.6	0.09	0.5	0.9	34	0.6	0.10	0.4	0.8
2013	53	0.6	0.09	0.5	0.8	32	0.5	0.08	0.3	0.6
2014	59	0.7	0.09	0.5	0.9	39	0.6	0.09	0.4	0.8
2015	62	0.8	0.10	0.6	1.0	39	0.6	0.09	0.4	0.8
2016	75	0.9	0.10	0.7	1.1	53	0.7	0.10	0.5	1.0
2017	105	1.3	0.13	1.0	1.6	78	1.2	0.14	1.0	1.5
2018	75	0.9	0.11	0.7	1.2	52	0.8	0.11	0.6	1.0
2019	104	1.3	0.13	1.0	1.5	67	1.0	0.13	0.8	1.3
2020	95	1.2	0.12	0.9	1.4	71	1.1	0.13	0.8	1.4
2021	86	1.1	0.12	0.9	1.4	62	1.0	0.13	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Uterus, NOS										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	485	1.5	0.07	1.4	1.6	39	0.4	0.07	0.3	0.6
1986	3	0.4	0.25	0.1	1.3	0				
1987	5	0.7	0.34	0.2	1.7	0				
1988	8	1.3	0.48	0.6	2.6	0				
1989	4	0.6	0.31	0.2	1.5	0				
1990	13	1.9	0.54	1.0	3.3	1	0.7	0.69	0.0	5.1
1991	14	2.1	0.55	1.1	3.4	0				
1992	10	1.4	0.44	0.6	2.5	0				
1993	13	1.9	0.52	1.0	3.2	1	0.7	0.72	0.0	4.4
1994	17	2.5	0.61	1.5	4.0	0				
1995	7	1.0	0.39	0.4	2.1	0				
1996	5	0.7	0.30	0.2	1.5	1	0.4	0.44	0.0	3.2
1997	10	1.3	0.41	0.6	2.4	0				
1998	11	1.3	0.40	0.7	2.4	1	1.4	1.38	0.0	5.8
1999	12	1.4	0.42	0.7	2.5	0				
2000	10	1.3	0.41	0.6	2.3	1	0.4	0.38	0.0	2.6
2001	6	0.7	0.30	0.3	1.6	2	1.2	0.85	0.1	4.0
2002	14	1.6	0.43	0.9	2.7	0				
2003	4	0.5	0.23	0.1	1.2	0				
2004	10	1.1	0.34	0.5	2.0	0				
2005	11	1.2	0.35	0.6	2.1	0				
2006	19	2.2	0.51	1.3	3.4	1	0.6	0.60	0.0	2.8
2007	10	1.1	0.36	0.5	2.1	3	1.2	0.73	0.2	3.5
2008	18	1.8	0.42	1.1	2.8	0				
2009	11	1.0	0.31	0.5	1.9	1	0.3	0.30	0.0	1.8
2010	18	1.8	0.44	1.1	2.9	2	0.6	0.44	0.1	2.3
2011	17	1.6	0.39	0.9	2.5	4	1.3	0.66	0.3	3.3
2012	13	1.3	0.35	0.7	2.2	1	0.4	0.44	0.0	2.1
2013	19	1.7	0.39	1.0	2.7	1	0.2	0.23	0.0	1.4
2014	20	1.8	0.41	1.1	2.8	0				
2015	21	2.1	0.47	1.3	3.2	2	0.5	0.35	0.1	1.8
2016	22	2.1	0.45	1.3	3.1	0				
2017	26	2.2	0.44	1.4	3.3	0				
2018	16	1.4	0.36	0.8	2.3	4	0.8	0.42	0.2	2.2
2019	29	2.5	0.47	1.7	3.6	6	1.4	0.56	0.5	3.0
2020	22	1.9	0.42	1.2	3.0	2	0.4	0.31	0.1	1.6
2021	17	1.4	0.34	0.8	2.2	5	1.1	0.48	0.3	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ovary										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	32,718	13.1	0.07	13.0	13.3	28,334	13.7	0.08	13.5	13.9
1986	854	14.6	0.51	13.6	15.7	787	15.6	0.57	14.5	16.7
1987	895	15.4	0.53	14.4	16.5	802	15.9	0.58	14.8	17.1
1988	899	15.1	0.51	14.2	16.2	802	15.6	0.57	14.5	16.8
1989	882	14.8	0.51	13.9	15.9	800	15.6	0.57	14.6	16.8
1990	982	16.2	0.53	15.2	17.3	884	17.0	0.58	15.9	18.2
1991	951	15.9	0.52	14.8	16.9	861	16.8	0.59	15.7	18.0
1992	929	15.3	0.51	14.3	16.3	849	16.4	0.57	15.3	17.5
1993	919	14.8	0.49	13.8	15.8	820	15.4	0.55	14.4	16.5
1994	1,009	15.9	0.51	15.0	17.0	901	16.7	0.56	15.6	17.8
1995	937	14.8	0.49	13.9	15.8	837	15.6	0.55	14.5	16.7
1996	997	15.5	0.50	14.6	16.5	874	16.0	0.55	15.0	17.1
1997	969	15.1	0.49	14.2	16.1	849	15.7	0.54	14.6	16.8
1998	957	14.7	0.48	13.8	15.6	853	15.5	0.54	14.5	16.6
1999	964	14.7	0.47	13.8	15.6	861	15.5	0.54	14.5	16.6
2000	893	13.4	0.45	12.5	14.3	793	14.1	0.51	13.1	15.1
2001	894	13.4	0.45	12.5	14.3	758	13.6	0.50	12.6	14.6
2002	949	14.1	0.46	13.2	15.0	822	14.6	0.51	13.6	15.7
2003	925	13.4	0.44	12.5	14.3	811	14.1	0.50	13.1	15.1
2004	942	13.6	0.45	12.7	14.5	827	14.3	0.50	13.4	15.4
2005	950	13.6	0.44	12.7	14.5	825	14.3	0.50	13.3	15.3
2006	971	13.7	0.44	12.9	14.6	844	14.4	0.50	13.4	15.4
2007	936	13.2	0.44	12.3	14.1	817	13.9	0.50	13.0	14.9
2008	902	12.6	0.42	11.7	13.4	781	13.2	0.48	12.3	14.2
2009	910	12.5	0.42	11.7	13.3	761	12.7	0.47	11.8	13.7
2010	923	12.5	0.42	11.7	13.3	763	12.6	0.46	11.7	13.5
2011	900	12.1	0.41	11.3	13.0	755	12.5	0.46	11.6	13.4
2012	862	11.4	0.39	10.6	12.2	732	11.8	0.45	11.0	12.7
2013	880	11.5	0.40	10.7	12.3	721	11.6	0.44	10.7	12.5
2014	864	11.1	0.39	10.4	11.9	736	11.7	0.44	10.8	12.6
2015	902	11.6	0.40	10.8	12.4	750	12.0	0.45	11.1	12.9
2016	871	11.2	0.39	10.4	11.9	715	11.3	0.44	10.5	12.2
2017	833	10.7	0.38	10.0	11.5	705	11.3	0.44	10.5	12.2
2018	843	10.8	0.38	10.0	11.5	684	11.0	0.44	10.1	11.8
2019	840	10.4	0.37	9.7	11.2	675	10.5	0.42	9.7	11.3
2020	737	9.2	0.35	8.5	9.9	606	9.5	0.40	8.7	10.3
2021	847	10.6	0.38	9.9	11.4	673	10.6	0.43	9.8	11.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ovary										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,343	10.2	0.18	9.9	10.6	897	9.1	0.31	8.5	9.7
1986	57	8.5	1.15	6.4	11.1	9	6.7	2.37	2.9	14.1
1987	85	12.9	1.43	10.3	16.0	8	5.7	2.09	2.4	12.4
1988	79	11.3	1.29	8.9	14.1	16	14.6	4.03	7.8	24.9
1989	73	10.4	1.24	8.1	13.1	8	7.1	2.64	2.9	14.7
1990	89	12.6	1.36	10.1	15.5	9	6.8	2.39	3.0	13.8
1991	76	10.4	1.22	8.2	13.1	11	7.7	2.39	3.7	14.3
1992	69	9.3	1.14	7.2	11.8	8	4.8	1.79	2.0	10.2
1993	86	11.3	1.24	9.0	14.0	12	8.3	2.90	3.6	15.9
1994	94	12.4	1.30	10.0	15.2	14	9.9	2.85	5.1	17.1
1995	81	10.1	1.14	8.0	12.6	15	8.3	2.24	4.5	14.1
1996	103	13.1	1.30	10.6	15.9	18	9.6	2.47	5.4	15.8
1997	97	12.0	1.24	9.7	14.7	20	10.1	2.31	6.1	15.9
1998	84	10.0	1.10	7.9	12.4	14	7.8	2.32	3.9	13.7
1999	85	10.0	1.09	8.0	12.4	15	6.6	1.76	3.6	11.2
2000	72	8.3	0.99	6.5	10.4	23	12.0	2.71	7.3	18.5
2001	101	11.7	1.18	9.5	14.3	31	14.8	2.77	9.8	21.2
2002	94	10.6	1.10	8.5	12.9	32	12.8	2.35	8.6	18.3
2003	91	10.3	1.09	8.3	12.7	17	7.5	1.96	4.1	12.3
2004	98	11.0	1.12	8.9	13.5	13	4.8	1.38	2.5	8.4
2005	91	9.9	1.04	7.9	12.1	29	11.5	2.27	7.5	16.8
2006	92	9.9	1.04	7.9	12.1	31	10.9	2.03	7.2	15.6
2007	93	9.8	1.02	7.9	12.0	25	8.7	1.84	5.5	13.1
2008	92	9.4	0.99	7.6	11.6	25	7.9	1.62	5.0	11.7
2009	117	11.9	1.12	9.9	14.3	27	9.2	1.83	5.9	13.4
2010	112	11.0	1.06	9.1	13.3	42	12.2	1.93	8.7	16.6
2011	95	9.3	0.96	7.5	11.3	45	12.5	1.93	9.0	16.9
2012	97	9.3	0.96	7.5	11.3	27	7.0	1.38	4.6	10.3
2013	118	11.5	1.07	9.5	13.8	36	9.1	1.55	6.3	12.7
2014	90	8.4	0.90	6.7	10.3	31	7.6	1.41	5.1	10.9
2015	117	10.7	1.01	8.8	12.9	32	7.6	1.39	5.2	10.9
2016	111	10.6	1.02	8.7	12.8	43	10.0	1.56	7.2	13.6
2017	90	8.0	0.86	6.4	9.9	35	7.5	1.28	5.2	10.4
2018	103	9.0	0.90	7.3	10.9	44	9.5	1.44	6.9	12.8
2019	114	9.9	0.95	8.1	12.0	40	8.2	1.32	5.9	11.3
2020	84	7.1	0.79	5.6	8.8	41	8.5	1.33	6.1	11.5
2021	113	9.6	0.93	7.9	11.6	51	10.1	1.42	7.5	13.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Male Genital System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	303,055	147.2	0.27	146.6	147.7	246,338	140.4	0.29	139.9	141.0
1986	4,450	108.3	1.71	104.9	111.6	3,854	105.0	1.77	101.6	108.6
1987	4,854	115.9	1.74	112.5	119.3	4,273	114.0	1.82	110.5	117.6
1988	4,892	115.7	1.73	112.3	119.1	4,240	112.7	1.81	109.2	116.3
1989	5,165	120.6	1.75	117.2	124.1	4,521	118.7	1.83	115.1	122.3
1990	5,881	135.8	1.84	132.2	139.4	5,156	133.2	1.92	129.4	137.0
1991	7,403	165.7	2.00	161.9	169.7	6,580	165.6	2.11	161.5	169.8
1992	8,963	195.2	2.13	191.0	199.4	7,861	192.7	2.23	188.3	197.1
1993	8,626	184.7	2.04	180.7	188.8	7,452	180.5	2.14	176.3	184.7
1994	8,409	178.3	2.00	174.4	182.2	7,055	169.3	2.06	165.3	173.4
1995	7,897	164.2	1.89	160.5	167.9	6,559	155.3	1.95	151.5	159.1
1996	8,048	164.5	1.87	160.8	168.2	6,618	154.6	1.93	150.9	158.5
1997	8,360	169.3	1.88	165.6	173.0	7,017	163.0	1.97	159.2	166.9
1998	8,288	166.1	1.85	162.5	169.8	6,845	157.8	1.93	154.1	161.7
1999	8,788	173.8	1.87	170.1	177.5	7,343	167.7	1.97	163.8	171.6
2000	8,843	173.4	1.86	169.7	177.0	7,232	164.2	1.94	160.4	168.0
2001	9,391	182.0	1.90	178.3	185.7	7,768	174.8	2.00	170.9	178.8
2002	9,681	185.0	1.90	181.3	188.7	8,024	178.6	2.01	174.7	182.6
2003	8,983	168.1	1.80	164.6	171.6	7,320	160.4	1.89	156.7	164.1
2004	8,882	163.3	1.76	159.9	166.8	7,179	155.0	1.85	151.4	158.6
2005	8,725	157.4	1.71	154.1	160.8	6,984	148.3	1.79	144.8	151.8
2006	9,488	167.3	1.75	163.9	170.8	7,619	158.7	1.84	155.1	162.3
2007	10,279	177.6	1.78	174.1	181.1	8,211	167.7	1.88	164.0	171.4
2008	10,336	173.1	1.74	169.7	176.5	8,227	163.5	1.83	159.9	167.1
2009	10,114	164.3	1.67	161.0	167.6	7,952	153.6	1.75	150.2	157.1
2010	9,201	145.9	1.56	142.8	149.0	7,270	137.4	1.65	134.2	140.7
2011	9,376	144.9	1.54	141.9	148.0	7,446	137.8	1.63	134.6	141.0
2012	8,387	125.3	1.40	122.5	128.0	6,506	116.6	1.48	113.8	119.6
2013	8,127	118.5	1.35	115.9	121.2	6,446	112.7	1.44	109.9	115.6
2014	8,127	115.5	1.32	113.0	118.2	6,342	108.6	1.40	105.9	111.4
2015	8,600	119.7	1.33	117.1	122.4	6,626	111.5	1.41	108.7	114.3
2016	8,720	119.3	1.32	116.7	121.9	6,864	114.2	1.42	111.4	117.0
2017	9,341	125.5	1.34	122.9	128.1	7,329	119.3	1.43	116.5	122.1
2018	9,639	127.1	1.33	124.5	129.7	7,523	120.5	1.43	117.7	123.3
2019	9,678	126.0	1.32	123.4	128.6	7,524	118.8	1.41	116.1	121.6
2020	8,996	116.2	1.26	113.7	118.6	6,974	109.6	1.35	107.0	112.3
2021	10,117	129.0	1.32	126.4	131.6	7,598	117.8	1.39	115.1	120.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Male Genital System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	47,799	209.4	1.00	207.4	211.3	4,602	64.6	1.02	62.6	66.6
1986	575	148.1	6.65	135.4	161.6	19	37.1	9.99	20.2	60.9
1987	562	145.0	6.52	132.5	158.3	15	28.4	8.83	13.8	49.8
1988	612	149.1	6.47	136.7	162.2	28	50.2	10.68	31.5	74.7
1989	608	146.9	6.36	134.7	159.8	25	45.2	10.37	27.2	69.0
1990	668	169.0	7.02	155.5	183.2	37	56.5	10.59	37.7	80.5
1991	757	176.2	6.86	163.0	190.1	32	55.6	10.77	36.5	79.8
1992	1,031	234.7	7.80	219.7	250.4	53	94.1	14.54	67.8	125.7
1993	1,111	241.3	7.73	226.4	256.9	44	65.7	11.05	45.9	90.2
1994	1,266	276.1	8.30	260.0	292.7	71	97.8	13.19	73.6	126.2
1995	1,251	260.0	7.81	244.9	275.7	60	69.6	10.14	51.2	91.8
1996	1,337	267.2	7.73	252.3	282.7	63	68.6	9.98	50.4	90.4
1997	1,207	234.1	7.10	220.3	248.4	70	62.7	8.49	47.2	81.2
1998	1,277	243.9	7.18	230.1	258.4	73	65.3	8.53	49.7	83.8
1999	1,243	230.5	6.85	217.3	244.3	105	91.7	10.29	72.7	113.7
2000	1,444	263.5	7.26	249.4	278.0	88	71.3	8.68	55.3	90.0
2001	1,409	252.8	7.06	239.2	267.0	100	73.3	8.37	57.8	91.2
2002	1,397	241.5	6.79	228.4	255.2	110	73.1	7.72	58.7	89.6
2003	1,432	238.1	6.59	225.4	251.3	105	63.7	7.01	50.7	78.7
2004	1,465	240.3	6.60	227.5	253.5	119	70.9	7.30	57.3	86.4
2005	1,457	235.4	6.51	222.8	248.5	138	79.3	7.51	65.2	95.2
2006	1,604	250.3	6.56	237.6	263.4	164	84.3	7.23	70.8	99.6
2007	1,750	267.3	6.70	254.3	280.7	170	76.5	6.43	64.4	90.0
2008	1,773	258.5	6.41	246.1	271.4	182	74.3	6.03	62.9	87.0
2009	1,782	250.7	6.22	238.6	263.1	174	72.3	6.07	60.9	85.1
2010	1,599	218.7	5.73	207.6	230.2	171	63.9	5.35	53.8	75.2
2011	1,503	196.3	5.30	186.0	206.9	184	70.4	5.71	59.6	82.4
2012	1,514	191.5	5.17	181.5	201.9	181	63.2	5.06	53.6	73.8
2013	1,394	174.9	4.91	165.4	184.8	173	58.2	4.72	49.3	68.1
2014	1,435	171.6	4.74	162.5	181.2	203	61.8	4.62	53.1	71.5
2015	1,600	188.5	4.94	179.0	198.5	190	52.8	4.04	45.2	61.3
2016	1,543	174.6	4.65	165.6	183.9	193	51.7	3.89	44.3	59.9
2017	1,667	186.6	4.77	177.4	196.2	207	54.9	3.96	47.4	63.2
2018	1,647	179.0	4.59	170.1	188.2	231	59.7	4.07	52.0	68.2
2019	1,651	179.3	4.60	170.4	188.5	266	65.7	4.14	57.9	74.4
2020	1,471	158.5	4.30	150.2	167.2	254	59.1	3.79	51.9	67.0
2021	1,757	188.6	4.68	179.5	198.0	304	69.8	4.08	62.1	78.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Prostate										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	289,112	140.8	0.27	140.3	141.3	233,623	133.3	0.28	132.7	133.8
1986	4,167	103.2	1.68	99.9	106.5	3,587	99.4	1.74	96.0	102.9
1987	4,537	110.1	1.71	106.8	113.5	3,974	107.7	1.78	104.3	111.3
1988	4,579	110.2	1.70	106.9	113.6	3,944	106.6	1.77	103.2	110.2
1989	4,837	114.7	1.72	111.4	118.1	4,220	112.3	1.80	108.8	115.9
1990	5,547	130.0	1.81	126.5	133.6	4,847	126.9	1.89	123.2	130.6
1991	7,089	160.3	1.97	156.5	164.2	6,289	159.7	2.08	155.6	163.8
1992	8,660	190.1	2.10	186.0	194.3	7,577	187.0	2.21	182.7	191.4
1993	8,285	178.8	2.02	174.9	182.8	7,132	174.0	2.11	169.8	178.1
1994	8,066	172.5	1.97	168.7	176.4	6,735	162.9	2.03	158.9	166.9
1995	7,558	158.6	1.86	155.0	162.3	6,244	149.1	1.92	145.3	152.9
1996	7,695	158.7	1.84	155.1	162.3	6,300	148.3	1.89	144.6	152.1
1997	7,973	162.8	1.85	159.2	166.5	6,659	155.8	1.93	152.0	159.6
1998	7,928	160.1	1.82	156.5	163.7	6,510	151.1	1.89	147.4	154.8
1999	8,412	167.6	1.85	164.0	171.2	7,010	161.0	1.94	157.2	164.9
2000	8,486	167.4	1.84	163.9	171.1	6,903	157.6	1.91	153.8	161.3
2001	8,995	175.4	1.87	171.8	179.1	7,407	167.5	1.96	163.7	171.4
2002	9,303	178.8	1.87	175.1	182.5	7,678	171.7	1.98	167.9	175.7
2003	8,603	161.9	1.77	158.5	165.4	6,967	153.3	1.85	149.7	157.0
2004	8,482	156.8	1.72	153.4	160.2	6,810	147.6	1.81	144.1	151.2
2005	8,356	151.4	1.68	148.1	154.8	6,657	141.7	1.76	138.3	145.2
2006	9,084	160.8	1.71	157.4	164.2	7,245	151.2	1.80	147.7	154.7
2007	9,884	171.1	1.75	167.7	174.6	7,853	160.4	1.84	156.8	164.1
2008	9,900	166.0	1.70	162.7	169.3	7,835	155.5	1.79	152.0	159.0
2009	9,721	157.8	1.64	154.6	161.1	7,584	146.1	1.71	142.7	149.4
2010	8,748	138.6	1.52	135.6	141.6	6,856	129.1	1.59	126.0	132.3
2011	8,977	138.5	1.50	135.6	141.5	7,078	130.3	1.59	127.2	133.5
2012	7,953	118.3	1.36	115.7	121.0	6,113	108.8	1.43	106.0	111.6
2013	7,704	111.8	1.31	109.2	114.4	6,066	105.0	1.38	102.4	107.8
2014	7,698	108.8	1.27	106.3	111.3	5,963	101.0	1.34	98.4	103.7
2015	8,127	112.2	1.28	109.7	114.8	6,197	102.8	1.34	100.2	105.5
2016	8,241	111.7	1.27	109.2	114.2	6,417	105.1	1.35	102.4	107.8
2017	8,904	118.5	1.29	116.0	121.1	6,928	111.0	1.37	108.3	113.7
2018	9,167	119.5	1.28	117.0	122.1	7,106	111.9	1.36	109.3	114.6
2019	9,228	118.9	1.27	116.4	121.4	7,128	110.8	1.35	108.1	113.4
2020	8,551	109.0	1.21	106.6	111.4	6,598	101.8	1.29	99.3	104.4
2021	9,667	121.7	1.27	119.3	124.3	7,206	109.7	1.33	107.1	112.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Prostate										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	47,109	206.8	1.00	204.8	208.7	4,370	62.4	1.01	60.4	64.4
1986	562	145.8	6.61	133.2	159.3	17	35.9	9.95	19.1	59.6
1987	548	142.2	6.46	129.9	155.4	12	26.9	8.79	12.5	48.3
1988	599	146.8	6.43	134.4	159.8	24	48.0	10.63	29.5	72.5
1989	584	142.9	6.29	130.8	155.7	22	43.5	10.32	25.7	67.4
1990	649	165.0	6.95	151.7	179.1	32	53.9	10.53	35.3	77.8
1991	741	173.4	6.81	160.3	187.1	31	51.5	9.96	33.8	74.0
1992	1,015	232.2	7.77	217.3	247.9	51	92.3	14.49	66.1	123.9
1993	1,092	238.6	7.70	223.7	254.1	44	65.7	11.05	45.9	90.2
1994	1,249	273.5	8.27	257.5	290.1	67	94.0	12.98	70.3	122.1
1995	1,235	257.5	7.78	242.5	273.1	56	67.8	10.10	49.5	89.9
1996	1,317	264.3	7.70	249.4	279.8	56	66.0	9.93	48.0	87.7
1997	1,189	231.4	7.07	217.8	245.7	67	61.5	8.46	46.1	80.0
1998	1,260	241.8	7.16	227.9	256.1	69	63.0	8.43	47.5	81.3
1999	1,224	228.1	6.83	214.9	241.9	95	84.9	9.82	66.8	105.9
2000	1,427	261.0	7.24	247.0	275.5	82	68.7	8.58	52.9	87.2
2001	1,392	250.5	7.04	236.9	264.7	93	71.0	8.32	55.7	88.9
2002	1,376	238.8	6.76	225.7	252.4	108	72.3	7.70	58.0	88.8
2003	1,414	235.8	6.56	223.1	249.0	101	62.5	6.98	49.6	77.5
2004	1,448	238.1	6.57	225.4	251.3	113	69.1	7.26	55.6	84.6
2005	1,435	232.2	6.46	219.7	245.2	133	77.8	7.48	63.8	93.6
2006	1,589	248.4	6.55	235.7	261.5	159	83.1	7.21	69.6	98.3
2007	1,729	264.7	6.67	251.7	278.0	161	73.9	6.36	62.0	87.3
2008	1,749	255.5	6.38	243.2	268.3	172	71.6	5.97	60.4	84.2
2009	1,769	249.1	6.20	237.1	261.5	173	72.1	6.06	60.7	84.9
2010	1,576	215.8	5.70	204.7	227.2	164	62.2	5.31	52.2	73.4
2011	1,488	194.6	5.29	184.4	205.2	173	67.8	5.66	57.2	79.7
2012	1,495	189.0	5.13	179.1	199.4	169	59.9	4.96	50.6	70.4
2013	1,374	172.4	4.87	162.9	182.2	161	55.4	4.65	46.6	65.2
2014	1,410	168.2	4.68	159.1	177.6	194	59.6	4.56	51.0	69.2
2015	1,576	185.7	4.91	176.2	195.6	181	50.9	3.98	43.4	59.3
2016	1,525	172.4	4.62	163.4	181.7	182	49.1	3.81	41.9	57.1
2017	1,644	184.1	4.74	174.9	193.6	195	51.9	3.86	44.6	60.0
2018	1,618	175.3	4.53	166.5	184.4	220	57.4	4.01	49.8	65.7
2019	1,629	176.8	4.56	168.0	186.0	256	63.3	4.05	55.6	71.7
2020	1,447	155.7	4.26	147.5	164.3	240	56.2	3.71	49.2	64.0
2021	1,735	186.2	4.65	177.2	195.6	297	68.3	4.03	60.6	76.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Testis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	11,798	5.3	0.05	5.2	5.4	10,901	6.1	0.06	6.0	6.2
1986	230	3.9	0.27	3.4	4.5	221	4.5	0.31	3.9	5.2
1987	252	4.2	0.27	3.7	4.8	241	4.8	0.32	4.2	5.5
1988	272	4.6	0.29	4.0	5.2	262	5.3	0.33	4.6	6.0
1989	270	4.6	0.29	4.0	5.2	253	5.1	0.33	4.5	5.8
1990	273	4.4	0.27	3.9	5.0	258	5.0	0.32	4.4	5.6
1991	263	4.2	0.27	3.7	4.8	251	4.9	0.31	4.3	5.5
1992	259	4.1	0.26	3.6	4.7	245	4.7	0.31	4.2	5.4
1993	285	4.6	0.28	4.1	5.2	269	5.2	0.32	4.6	5.9
1994	286	4.6	0.27	4.0	5.1	274	5.3	0.32	4.7	6.0
1995	280	4.4	0.27	3.9	5.0	263	5.1	0.31	4.5	5.7
1996	292	4.6	0.27	4.1	5.2	265	5.1	0.31	4.5	5.7
1997	335	5.4	0.30	4.8	6.0	316	6.2	0.35	5.5	6.9
1998	300	4.8	0.28	4.3	5.4	282	5.5	0.33	4.9	6.2
1999	325	5.2	0.29	4.6	5.8	292	5.7	0.33	5.1	6.4
2000	298	4.7	0.27	4.2	5.3	279	5.4	0.33	4.8	6.1
2001	328	5.2	0.29	4.7	5.8	300	5.9	0.34	5.2	6.6
2002	330	5.3	0.29	4.7	5.9	306	6.0	0.34	5.4	6.7
2003	328	5.2	0.29	4.7	5.8	311	6.2	0.35	5.5	6.9
2004	344	5.5	0.30	4.9	6.1	320	6.3	0.35	5.6	7.1
2005	324	5.2	0.29	4.6	5.8	293	5.8	0.34	5.2	6.5
2006	341	5.4	0.30	4.9	6.0	318	6.3	0.36	5.7	7.1
2007	331	5.3	0.29	4.8	5.9	305	6.1	0.35	5.5	6.9
2008	367	5.9	0.31	5.3	6.5	336	6.8	0.37	6.1	7.5
2009	341	5.5	0.30	4.9	6.1	320	6.5	0.37	5.8	7.3
2010	382	6.1	0.31	5.5	6.8	354	7.1	0.38	6.4	7.9
2011	342	5.4	0.30	4.9	6.1	319	6.4	0.36	5.7	7.2
2012	364	5.8	0.31	5.2	6.4	333	6.7	0.37	6.0	7.5
2013	373	6.0	0.31	5.4	6.6	340	6.9	0.38	6.2	7.6
2014	369	5.8	0.31	5.2	6.5	328	6.6	0.37	5.9	7.4
2015	399	6.4	0.32	5.7	7.0	371	7.6	0.40	6.8	8.4
2016	414	6.6	0.33	6.0	7.3	393	8.0	0.41	7.2	8.9
2017	369	5.9	0.31	5.3	6.6	345	7.2	0.39	6.4	8.0
2018	399	6.5	0.33	5.8	7.1	356	7.5	0.40	6.7	8.3
2019	383	6.1	0.32	5.5	6.8	340	7.0	0.39	6.3	7.8
2020	375	6.1	0.32	5.5	6.8	316	6.7	0.38	6.0	7.5
2021	375	6.1	0.32	5.5	6.8	326	7.0	0.39	6.2	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Testis										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	417	1.4	0.07	1.2	1.5	190	1.6	0.12	1.4	1.8
1986	7	0.9	0.33	0.3	2.0	1	0.6	0.55	0.0	7.3
1987	7	0.9	0.35	0.3	2.0	3	1.5	0.86	0.3	7.8
1988	6	0.9	0.37	0.3	2.0	4	2.2	1.12	0.6	8.4
1989	14	1.7	0.47	0.9	3.0	3	1.6	0.95	0.3	7.4
1990	10	1.5	0.49	0.7	2.9	4	2.0	1.04	0.5	7.8
1991	6	0.6	0.24	0.2	1.5	0				
1992	12	1.3	0.37	0.7	2.4	1	0.8	0.84	0.0	5.9
1993	15	1.9	0.51	1.0	3.2	0				
1994	8	0.8	0.30	0.4	1.8	3	1.6	0.93	0.3	6.1
1995	9	1.1	0.37	0.5	2.2	4	1.8	0.91	0.5	6.0
1996	12	1.5	0.43	0.7	2.7	7	2.6	0.98	1.0	6.6
1997	9	1.2	0.41	0.5	2.3	3	1.2	0.68	0.2	4.8
1998	12	1.3	0.37	0.6	2.3	2	0.8	0.58	0.1	4.2
1999	14	1.6	0.43	0.9	2.7	7	2.3	0.89	0.9	5.8
2000	9	1.0	0.32	0.4	1.9	5	1.5	0.65	0.5	4.5
2001	11	1.2	0.36	0.6	2.2	6	1.8	0.76	0.7	4.9
2002	14	1.6	0.44	0.9	2.8	1	0.4	0.36	0.0	2.9
2003	9	1.0	0.33	0.5	2.0	3	0.8	0.49	0.2	3.3
2004	11	1.3	0.40	0.7	2.4	6	1.8	0.73	0.6	4.4
2005	14	1.6	0.42	0.9	2.7	3	0.7	0.40	0.1	2.8
2006	10	1.2	0.37	0.6	2.2	4	0.9	0.45	0.2	3.0
2007	12	1.5	0.43	0.8	2.6	7	1.7	0.63	0.7	3.9
2008	14	1.6	0.45	0.9	2.8	8	2.0	0.72	0.9	4.4
2009	9	1.0	0.32	0.4	1.9	1	0.2	0.22	0.0	1.9
2010	13	1.5	0.43	0.8	2.7	7	1.7	0.64	0.7	3.8
2011	8	0.9	0.33	0.4	1.8	10	2.2	0.71	1.1	4.4
2012	12	1.4	0.40	0.7	2.4	9	2.4	0.85	1.0	4.8
2013	11	1.3	0.39	0.6	2.3	11	2.6	0.78	1.3	4.8
2014	17	1.9	0.47	1.1	3.1	8	1.9	0.67	0.8	3.9
2015	9	1.1	0.37	0.5	2.1	9	1.9	0.64	0.9	3.8
2016	11	1.3	0.40	0.7	2.4	8	1.9	0.69	0.8	3.9
2017	15	1.7	0.45	0.9	2.8	8	1.6	0.58	0.7	3.3
2018	21	2.6	0.58	1.6	4.0	9	1.9	0.62	0.8	3.6
2019	14	1.6	0.42	0.8	2.6	8	1.9	0.70	0.8	3.8
2020	17	1.9	0.47	1.1	3.1	11	2.2	0.65	1.1	3.9
2021	15	1.5	0.41	0.9	2.6	6	1.2	0.48	0.4	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Penis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,711	0.9	0.02	0.8	0.9	1,442	0.9	0.02	0.8	0.9
1986	42	0.9	0.15	0.7	1.3	35	0.9	0.15	0.6	1.2
1987	57	1.4	0.19	1.0	1.8	50	1.3	0.20	1.0	1.8
1988	32	0.7	0.13	0.5	1.0	28	0.7	0.14	0.5	1.1
1989	45	1.0	0.15	0.7	1.4	35	0.9	0.16	0.6	1.3
1990	38	0.9	0.15	0.6	1.2	31	0.8	0.14	0.5	1.1
1991	41	1.0	0.16	0.7	1.3	31	0.8	0.15	0.5	1.1
1992	38	0.8	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1993	41	0.9	0.15	0.7	1.3	37	1.0	0.16	0.7	1.3
1994	48	1.0	0.15	0.7	1.3	37	0.9	0.15	0.6	1.2
1995	46	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
1996	48	1.0	0.14	0.7	1.3	41	0.9	0.15	0.7	1.3
1997	42	0.9	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1998	46	1.0	0.15	0.7	1.3	41	1.0	0.16	0.7	1.4
1999	49	1.0	0.15	0.7	1.3	39	0.9	0.15	0.7	1.3
2000	47	1.0	0.14	0.7	1.3	40	0.9	0.15	0.7	1.3
2001	54	1.1	0.15	0.8	1.4	48	1.1	0.16	0.8	1.5
2002	37	0.7	0.12	0.5	1.0	31	0.7	0.12	0.5	1.0
2003	39	0.7	0.12	0.5	1.0	32	0.7	0.13	0.5	1.0
2004	49	0.9	0.13	0.7	1.2	43	1.0	0.15	0.7	1.3
2005	34	0.6	0.11	0.4	0.9	25	0.6	0.11	0.4	0.8
2006	55	1.0	0.14	0.8	1.3	48	1.0	0.15	0.8	1.4
2007	50	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
2008	48	0.9	0.13	0.6	1.2	40	0.9	0.14	0.6	1.2
2009	48	0.9	0.13	0.6	1.2	44	0.9	0.14	0.7	1.3
2010	58	1.0	0.13	0.8	1.3	49	1.0	0.14	0.7	1.3
2011	45	0.8	0.12	0.6	1.0	39	0.8	0.13	0.6	1.1
2012	54	0.9	0.12	0.7	1.2	47	0.9	0.14	0.7	1.2
2013	36	0.6	0.11	0.4	0.9	28	0.6	0.11	0.4	0.9
2014	50	0.8	0.12	0.6	1.1	42	0.8	0.12	0.6	1.1
2015	59	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.2
2016	52	0.8	0.12	0.6	1.1	44	0.9	0.13	0.6	1.2
2017	52	0.9	0.12	0.6	1.1	46	0.9	0.14	0.7	1.2
2018	61	0.9	0.12	0.7	1.2	49	0.9	0.13	0.7	1.2
2019	54	0.8	0.11	0.6	1.1	44	0.8	0.13	0.6	1.1
2020	55	0.8	0.12	0.6	1.1	48	0.9	0.13	0.6	1.2
2021	61	0.9	0.12	0.7	1.2	54	1.0	0.13	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Penis										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	227	1.1	0.07	0.9	1.2	30	0.5	0.09	0.3	0.7
1986	6	1.4	0.62	0.5	3.1	1	0.7	0.68	0.0	7.5
1987	7	1.9	0.78	0.7	3.9	0				
1988	4	0.7	0.35	0.2	1.8	0				
1989	10	2.3	0.77	1.1	4.3	0				
1990	7	2.1	0.81	0.8	4.2	0				
1991	9	2.2	0.80	0.9	4.2	1	4.1	4.09	0.1	16.4
1992	4	1.2	0.63	0.3	2.9	1	0.9	0.92	0.0	6.1
1993	4	0.8	0.43	0.2	2.1	0				
1994	9	1.8	0.60	0.8	3.3	1	2.2	2.18	0.1	9.4
1995	6	1.3	0.55	0.4	2.8	0				
1996	7	1.2	0.48	0.4	2.5	0				
1997	8	1.4	0.51	0.6	2.8	0				
1998	4	0.8	0.46	0.2	2.1	1	0.5	0.50	0.0	3.9
1999	5	0.8	0.37	0.3	1.9	3	4.5	2.96	0.7	12.8
2000	6	1.1	0.46	0.4	2.4	1	1.2	1.15	0.0	5.4
2001	5	1.0	0.44	0.3	2.2	1	0.4	0.41	0.0	3.2
2002	5	0.8	0.35	0.3	1.8	1	0.4	0.39	0.0	3.0
2003	7	1.0	0.37	0.4	2.1	0				
2004	5	0.8	0.36	0.2	1.8	0				
2005	7	1.3	0.54	0.5	2.7	1	0.4	0.44	0.0	2.7
2006	5	0.7	0.33	0.2	1.7	1	0.3	0.30	0.0	2.3
2007	8	1.0	0.36	0.4	2.0	2	0.9	0.66	0.1	3.4
2008	7	1.0	0.38	0.4	2.0	1	0.3	0.26	0.0	2.0
2009	4	0.7	0.35	0.2	1.7	0				
2010	8	1.2	0.45	0.5	2.4	0				
2011	5	0.6	0.25	0.2	1.4	1	0.3	0.31	0.0	1.9
2012	6	1.0	0.42	0.3	2.1	1	0.3	0.25	0.0	1.7
2013	8	1.2	0.44	0.5	2.3	0				
2014	7	1.4	0.53	0.6	2.8	1	0.3	0.32	0.0	1.8
2015	9	1.0	0.35	0.5	2.0	0				
2016	4	0.6	0.32	0.2	1.6	3	0.7	0.39	0.1	2.1
2017	3	0.4	0.22	0.1	1.1	3	1.1	0.64	0.2	3.0
2018	8	1.1	0.41	0.5	2.2	2	0.5	0.32	0.1	1.7
2019	8	0.9	0.33	0.4	1.8	2	0.6	0.42	0.1	2.0
2020	7	0.9	0.36	0.4	1.9	0				
2021	5	0.6	0.27	0.2	1.4	1	0.4	0.36	0.0	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	172,016	37.3	0.09	37.1	37.5	152,554	39.0	0.10	38.8	39.2
1986	3,159	29.8	0.54	28.8	30.9	2,907	30.9	0.58	29.8	32.1
1987	3,298	31.1	0.55	30.0	32.2	3,029	32.3	0.59	31.1	33.5
1988	3,269	30.6	0.54	29.5	31.6	3,022	32.0	0.59	30.9	33.2
1989	3,353	31.1	0.54	30.1	32.2	3,079	32.4	0.59	31.3	33.6
1990	3,345	30.7	0.54	29.7	31.8	3,100	32.4	0.59	31.3	33.6
1991	3,411	31.0	0.53	30.0	32.1	3,164	32.7	0.59	31.6	33.9
1992	3,551	31.8	0.54	30.7	32.8	3,263	33.3	0.59	32.1	34.5
1993	3,677	32.4	0.54	31.4	33.5	3,338	33.7	0.59	32.6	34.9
1994	3,814	33.5	0.54	32.4	34.6	3,478	35.0	0.60	33.8	36.2
1995	3,823	33.2	0.54	32.2	34.3	3,498	35.0	0.59	33.8	36.1
1996	4,070	35.3	0.55	34.2	36.4	3,685	36.8	0.61	35.6	38.0
1997	4,192	36.0	0.56	34.9	37.1	3,787	37.5	0.61	36.3	38.7
1998	4,156	35.3	0.55	34.2	36.4	3,762	37.0	0.60	35.8	38.2
1999	4,275	36.0	0.55	34.9	37.1	3,860	37.7	0.61	36.5	38.9
2000	4,499	37.6	0.56	36.5	38.7	4,028	39.2	0.62	38.0	40.4
2001	4,523	37.5	0.56	36.4	38.6	4,057	39.3	0.62	38.1	40.5
2002	4,843	39.8	0.57	38.7	40.9	4,345	41.7	0.63	40.5	43.0
2003	4,985	40.5	0.57	39.4	41.6	4,471	42.6	0.64	41.4	43.9
2004	5,032	40.4	0.57	39.3	41.6	4,524	42.7	0.64	41.5	44.0
2005	5,150	40.9	0.57	39.8	42.1	4,573	43.0	0.64	41.7	44.2
2006	5,135	40.5	0.57	39.4	41.6	4,553	42.5	0.63	41.2	43.7
2007	5,229	40.6	0.57	39.5	41.8	4,585	42.2	0.63	41.0	43.5
2008	5,468	41.8	0.57	40.7	42.9	4,790	43.5	0.63	42.2	44.7
2009	5,594	42.1	0.57	41.0	43.3	4,915	44.1	0.64	42.8	45.4
2010	5,340	39.5	0.55	38.4	40.6	4,694	41.5	0.61	40.3	42.7
2011	5,513	40.0	0.55	38.9	41.1	4,826	42.0	0.61	40.8	43.2
2012	5,538	39.6	0.54	38.5	40.6	4,850	41.6	0.61	40.4	42.8
2013	5,822	40.9	0.55	39.9	42.0	5,072	42.9	0.61	41.7	44.2
2014	5,895	40.6	0.54	39.5	41.6	5,084	42.3	0.61	41.1	43.5
2015	6,083	41.3	0.54	40.3	42.4	5,266	43.4	0.61	42.2	44.6
2016	5,987	40.4	0.53	39.3	41.4	5,199	42.6	0.60	41.4	43.8
2017	6,032	40.0	0.53	39.0	41.0	5,272	42.6	0.60	41.4	43.8
2018	5,911	38.7	0.51	37.7	39.7	5,097	40.8	0.58	39.7	42.0
2019	6,190	39.6	0.51	38.6	40.7	5,288	41.4	0.58	40.3	42.6
2020	5,751	36.7	0.49	35.7	37.7	4,905	38.3	0.56	37.2	39.4
2021	6,103	38.2	0.50	37.3	39.2	5,188	39.9	0.57	38.8	41.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary System										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	15,864	28.9	0.23	28.4	29.3	2,298	14.8	0.32	14.2	15.4
1986	232	21.8	1.49	19.0	24.9	17	12.8	3.71	6.6	21.9
1987	245	22.1	1.46	19.4	25.2	18	11.2	2.84	6.4	18.2
1988	223	20.0	1.39	17.4	22.9	16	9.9	2.90	5.0	17.1
1989	256	22.9	1.48	20.1	26.0	12	7.8	2.61	3.6	14.4
1990	222	18.9	1.31	16.4	21.7	19	12.4	3.06	7.1	19.7
1991	218	19.1	1.33	16.5	21.8	22	10.8	2.45	6.5	16.7
1992	253	21.6	1.40	18.9	24.5	30	18.0	3.80	11.3	26.7
1993	301	23.3	1.38	20.7	26.2	32	13.2	2.44	8.8	18.9
1994	296	23.6	1.41	20.9	26.5	32	16.4	3.23	10.7	23.8
1995	291	22.6	1.36	20.0	25.4	25	9.4	1.99	5.9	14.1
1996	332	25.5	1.44	22.8	28.5	42	17.3	2.97	11.9	23.9
1997	333	25.2	1.42	22.5	28.1	50	17.8	2.74	12.9	24.0
1998	338	24.9	1.39	22.3	27.8	33	12.5	2.46	8.2	18.2
1999	358	26.7	1.45	24.0	29.7	35	11.4	2.09	7.7	16.2
2000	405	29.0	1.47	26.2	32.0	33	10.0	1.84	6.7	14.2
2001	401	28.5	1.45	25.7	31.5	40	11.7	1.99	8.1	16.2
2002	429	30.4	1.50	27.5	33.5	34	8.9	1.66	6.0	12.7
2003	438	29.2	1.42	26.5	32.1	44	13.2	2.14	9.3	18.0
2004	425	28.2	1.40	25.5	31.1	52	14.8	2.21	10.8	19.7
2005	459	30.1	1.44	27.4	33.0	66	15.9	2.13	12.0	20.6
2006	488	31.5	1.46	28.7	34.5	66	15.0	1.99	11.3	19.4
2007	537	34.2	1.51	31.3	37.3	69	15.6	2.03	11.9	20.1
2008	582	36.0	1.52	33.1	39.1	57	11.6	1.68	8.5	15.3
2009	570	34.7	1.49	31.8	37.7	77	15.4	1.90	11.9	19.6
2010	518	30.8	1.39	28.1	33.6	81	15.6	1.86	12.2	19.7
2011	541	31.1	1.37	28.5	33.9	93	16.4	1.82	13.0	20.3
2012	551	31.4	1.37	28.7	34.2	90	14.9	1.66	11.8	18.5
2013	600	33.4	1.40	30.7	36.2	111	17.8	1.78	14.5	21.6
2014	653	35.3	1.41	32.6	38.2	109	16.5	1.64	13.4	20.0
2015	643	33.8	1.37	31.2	36.6	114	15.8	1.54	12.9	19.1
2016	639	33.9	1.37	31.2	36.7	105	14.4	1.46	11.7	17.5
2017	600	30.4	1.27	27.9	33.0	122	15.5	1.44	12.8	18.6
2018	606	30.6	1.28	28.2	33.3	132	16.2	1.45	13.5	19.3
2019	673	33.2	1.32	30.7	35.9	133	15.8	1.39	13.2	18.7
2020	589	29.2	1.23	26.8	31.7	130	15.0	1.34	12.5	17.9
2021	619	29.9	1.23	27.6	32.5	157	16.8	1.36	14.3	19.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	117,987	60.0	0.18	59.7	60.4	105,811	62.9	0.20	62.5	63.3
1986	2,207	51.4	1.14	49.2	53.7	2,053	53.7	1.24	51.3	56.2
1987	2,305	53.2	1.15	51.0	55.5	2,138	55.6	1.25	53.2	58.1
1988	2,182	50.5	1.12	48.3	52.7	2,035	53.2	1.22	50.8	55.6
1989	2,282	51.9	1.13	49.7	54.2	2,126	54.7	1.22	52.3	57.1
1990	2,304	52.2	1.13	50.0	54.4	2,165	55.5	1.23	53.1	57.9
1991	2,353	52.1	1.11	49.9	54.3	2,208	55.4	1.21	53.0	57.8
1992	2,417	53.0	1.11	50.8	55.2	2,236	55.5	1.20	53.1	57.9
1993	2,508	53.8	1.10	51.7	56.0	2,311	56.6	1.20	54.2	59.0
1994	2,549	54.5	1.11	52.4	56.7	2,355	57.4	1.21	55.0	59.8
1995	2,588	54.8	1.10	52.6	57.0	2,395	58.0	1.21	55.6	60.4
1996	2,754	57.5	1.12	55.3	59.7	2,529	60.5	1.22	58.2	63.0
1997	2,813	58.0	1.11	55.8	60.2	2,570	60.8	1.21	58.4	63.2
1998	2,820	57.6	1.10	55.5	59.8	2,587	60.8	1.21	58.5	63.2
1999	2,878	58.3	1.10	56.2	60.5	2,620	61.1	1.21	58.8	63.5
2000	3,032	60.6	1.11	58.4	62.8	2,747	63.4	1.22	61.0	65.8
2001	3,077	60.6	1.11	58.4	62.8	2,802	63.8	1.22	61.5	66.2
2002	3,345	65.6	1.15	63.4	67.9	3,045	69.1	1.26	66.7	71.7
2003	3,401	65.6	1.14	63.4	67.9	3,067	68.8	1.25	66.4	71.3
2004	3,435	65.2	1.13	63.0	67.5	3,115	68.8	1.25	66.4	71.3
2005	3,498	65.2	1.12	63.0	67.4	3,145	68.5	1.24	66.1	71.0
2006	3,451	63.7	1.10	61.5	65.9	3,097	66.8	1.22	64.5	69.3
2007	3,540	64.2	1.10	62.1	66.4	3,138	66.8	1.21	64.5	69.2
2008	3,743	66.5	1.11	64.3	68.7	3,332	69.5	1.22	67.2	72.0
2009	3,811	66.3	1.10	64.2	68.5	3,388	69.5	1.21	67.1	71.9
2010	3,670	62.6	1.06	60.6	64.7	3,261	65.8	1.17	63.5	68.1
2011	3,777	62.7	1.05	60.7	64.8	3,362	66.1	1.16	63.8	68.4
2012	3,794	61.6	1.03	59.6	63.7	3,374	65.1	1.14	62.8	67.3
2013	4,043	64.5	1.04	62.4	66.5	3,544	67.2	1.16	65.0	69.6
2014	4,098	64.0	1.03	62.0	66.1	3,552	66.3	1.14	64.1	68.6
2015	4,237	64.7	1.02	62.7	66.7	3,686	67.5	1.14	65.3	69.8
2016	4,177	63.5	1.01	61.6	65.6	3,684	67.3	1.14	65.0	69.5
2017	4,215	62.4	0.99	60.5	64.4	3,726	66.3	1.12	64.2	68.6
2018	4,050	59.5	0.96	57.6	61.4	3,526	62.4	1.08	60.4	64.6
2019	4,310	61.7	0.97	59.9	63.7	3,730	64.4	1.08	62.3	66.5
2020	4,085	57.9	0.93	56.1	59.8	3,515	60.1	1.04	58.0	62.1
2021	4,238	58.9	0.93	57.1	60.7	3,647	61.3	1.05	59.3	63.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	9,635	42.8	0.46	41.9	43.7	1,603	23.3	0.63	22.1	24.6
1986	143	33.9	3.07	28.1	40.3	10	17.1	6.18	7.2	33.2
1987	150	33.8	2.97	28.3	40.1	14	19.8	5.85	10.0	34.7
1988	131	29.0	2.72	24.0	34.8	12	18.4	6.53	7.9	34.9
1989	142	31.1	2.78	25.9	36.9	10	16.0	6.03	6.5	31.4
1990	124	25.9	2.51	21.2	31.2	12	20.5	6.40	10.0	36.3
1991	127	27.3	2.57	22.5	32.7	13	14.3	4.26	7.2	25.3
1992	155	33.6	2.90	28.2	39.7	22	34.8	8.80	19.7	55.2
1993	175	33.0	2.65	28.0	38.6	19	16.0	3.95	9.2	25.9
1994	162	32.1	2.70	27.0	37.7	25	27.8	6.51	16.5	43.0
1995	169	32.3	2.62	27.3	37.8	18	13.7	3.45	7.8	22.4
1996	190	34.9	2.68	29.9	40.5	27	27.3	6.21	16.5	41.7
1997	196	36.5	2.78	31.3	42.3	33	26.5	5.07	17.5	38.2
1998	196	35.1	2.65	30.1	40.7	22	17.8	4.47	10.2	28.5
1999	217	39.5	2.86	34.1	45.4	23	15.5	3.56	9.4	24.1
2000	234	41.8	2.90	36.3	47.8	28	19.3	3.95	12.4	28.5
2001	228	40.0	2.82	34.7	45.9	29	17.6	3.55	11.3	25.9
2002	255	46.0	3.08	40.2	52.4	23	14.9	3.56	8.7	23.3
2003	282	46.2	2.90	40.7	52.2	27	19.7	4.24	12.3	29.4
2004	262	43.2	2.85	37.8	49.1	36	24.7	4.63	16.5	35.1
2005	274	45.0	2.90	39.5	51.0	43	24.8	4.32	17.1	34.5
2006	287	46.8	2.94	41.2	52.8	45	23.9	3.95	16.7	32.7
2007	325	51.1	3.00	45.4	57.3	45	21.9	3.65	15.4	30.1
2008	339	50.7	2.89	45.2	56.7	44	21.1	3.71	14.5	29.4
2009	343	50.8	2.91	45.2	56.8	59	25.3	3.65	18.7	33.4
2010	323	46.1	2.70	41.0	51.7	54	24.2	3.65	17.6	32.3
2011	321	44.5	2.63	39.5	49.9	60	24.2	3.50	17.9	31.9
2012	332	45.7	2.65	40.7	51.2	60	23.7	3.41	17.4	31.2
2013	382	51.4	2.76	46.2	57.1	84	29.7	3.49	23.3	37.3
2014	426	55.6	2.83	50.2	61.4	85	29.0	3.40	22.8	36.4
2015	424	53.1	2.72	47.9	58.7	82	25.0	2.92	19.6	31.4
2016	389	49.4	2.63	44.4	54.8	75	22.5	2.75	17.4	28.5
2017	378	46.4	2.50	41.7	51.6	82	23.1	2.64	18.2	28.8
2018	374	45.1	2.44	40.5	50.1	90	24.4	2.67	19.5	30.2
2019	407	49.0	2.54	44.2	54.3	97	25.7	2.71	20.7	31.6
2020	378	45.1	2.42	40.5	50.1	99	25.2	2.61	20.4	30.9
2021	395	46.2	2.42	41.5	51.2	96	22.5	2.34	18.2	27.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	54,029	20.8	0.09	20.6	21.0	46,743	21.4	0.10	21.2	21.6
1986	952	15.3	0.50	14.4	16.4	854	15.6	0.54	14.5	16.7
1987	993	16.1	0.52	15.1	17.1	891	16.3	0.56	15.2	17.4
1988	1,087	17.7	0.54	16.6	18.8	987	18.3	0.60	17.2	19.5
1989	1,071	17.2	0.53	16.2	18.3	953	17.4	0.58	16.3	18.6
1990	1,041	16.5	0.52	15.5	17.6	935	17.0	0.57	15.9	18.2
1991	1,058	16.4	0.51	15.5	17.5	956	16.9	0.56	15.8	18.0
1992	1,134	17.5	0.53	16.5	18.6	1,027	18.2	0.58	17.1	19.3
1993	1,169	17.8	0.53	16.8	18.9	1,027	17.9	0.57	16.8	19.0
1994	1,265	19.0	0.54	18.0	20.1	1,123	19.4	0.59	18.3	20.6
1995	1,235	18.5	0.53	17.5	19.6	1,103	19.1	0.58	17.9	20.2
1996	1,316	19.7	0.55	18.6	20.8	1,156	20.0	0.60	18.9	21.3
1997	1,379	20.5	0.56	19.4	21.6	1,217	20.9	0.61	19.8	22.2
1998	1,336	19.8	0.54	18.7	20.9	1,175	20.3	0.60	19.1	21.5
1999	1,397	20.4	0.55	19.3	21.5	1,240	21.2	0.61	20.1	22.5
2000	1,467	21.4	0.56	20.3	22.5	1,281	21.9	0.62	20.7	23.1
2001	1,446	20.9	0.55	19.8	22.0	1,255	21.4	0.61	20.2	22.6
2002	1,498	21.4	0.56	20.4	22.6	1,300	21.9	0.61	20.7	23.1
2003	1,584	22.7	0.57	21.6	23.9	1,404	23.8	0.64	22.5	25.1
2004	1,597	22.6	0.57	21.5	23.8	1,409	23.6	0.64	22.4	24.9
2005	1,652	23.2	0.58	22.1	24.4	1,428	23.9	0.64	22.6	25.1
2006	1,684	23.5	0.58	22.4	24.6	1,456	24.2	0.64	22.9	25.5
2007	1,689	23.3	0.57	22.2	24.5	1,447	23.9	0.64	22.6	25.2
2008	1,725	23.5	0.57	22.4	24.6	1,458	23.8	0.63	22.5	25.0
2009	1,783	24.0	0.58	22.9	25.2	1,527	24.7	0.65	23.5	26.0
2010	1,670	22.1	0.55	21.0	23.2	1,433	22.8	0.62	21.6	24.1
2011	1,736	22.8	0.56	21.7	23.9	1,464	23.4	0.62	22.2	24.6
2012	1,744	22.6	0.55	21.5	23.7	1,476	23.1	0.62	21.9	24.3
2013	1,779	22.7	0.55	21.6	23.8	1,528	23.7	0.62	22.5	25.0
2014	1,797	22.4	0.54	21.4	23.5	1,532	23.4	0.61	22.2	24.6
2015	1,846	23.0	0.55	21.9	24.1	1,580	24.1	0.62	22.9	25.4
2016	1,810	22.2	0.54	21.2	23.3	1,515	22.9	0.61	21.7	24.1
2017	1,817	22.3	0.54	21.3	23.4	1,546	23.5	0.62	22.3	24.8
2018	1,861	22.4	0.53	21.4	23.5	1,571	23.5	0.61	22.3	24.7
2019	1,880	22.2	0.53	21.2	23.3	1,558	22.9	0.60	21.7	24.1
2020	1,666	19.9	0.50	18.9	20.9	1,390	20.7	0.57	19.5	21.8
2021	1,865	21.8	0.52	20.8	22.8	1,541	22.5	0.59	21.3	23.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary System										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,229	19.4	0.25	18.9	19.9	695	8.1	0.32	7.5	8.7
1986	89	13.9	1.51	11.1	17.2	7	9.6	4.51	2.9	21.8
1987	95	14.5	1.52	11.7	17.8	4	4.4	2.24	1.1	11.6
1988	92	14.0	1.50	11.2	17.2	4	3.3	1.67	0.8	9.2
1989	114	17.4	1.66	14.3	20.9	2	1.7	1.18	0.2	6.8
1990	98	14.3	1.47	11.6	17.4	7	6.7	2.72	2.5	14.4
1991	91	13.6	1.45	10.9	16.7	9	8.1	2.86	3.5	15.8
1992	98	14.0	1.44	11.4	17.1	8	6.3	2.29	2.7	12.7
1993	126	16.8	1.52	13.9	20.0	13	10.5	3.00	5.5	18.1
1994	134	18.0	1.58	15.0	21.3	7	7.8	3.07	3.0	15.7
1995	122	15.9	1.46	13.2	19.0	7	5.6	2.20	2.1	11.5
1996	142	18.7	1.59	15.7	22.0	15	10.4	2.94	5.5	17.7
1997	137	17.5	1.52	14.7	20.7	17	11.1	2.89	6.2	18.2
1998	142	17.9	1.52	15.0	21.1	11	8.2	2.72	3.8	15.0
1999	141	18.1	1.54	15.2	21.4	12	7.9	2.41	3.9	14.0
2000	171	20.7	1.60	17.7	24.1	5	2.7	1.25	0.8	6.4
2001	173	20.8	1.60	17.8	24.2	11	6.5	2.08	3.1	11.8
2002	174	20.6	1.57	17.6	23.9	11	4.6	1.45	2.2	8.4
2003	156	17.9	1.44	15.2	20.9	17	8.6	2.19	4.8	13.9
2004	163	18.4	1.45	15.7	21.5	16	7.7	2.02	4.2	12.6
2005	185	20.6	1.52	17.7	23.8	23	9.4	2.07	5.8	14.3
2006	201	21.9	1.56	19.0	25.2	21	8.2	1.89	4.9	12.7
2007	212	23.1	1.60	20.0	26.4	24	10.5	2.26	6.6	15.8
2008	243	25.8	1.67	22.6	29.3	13	4.7	1.37	2.4	8.2
2009	227	23.9	1.60	20.8	27.2	18	7.2	1.78	4.1	11.4
2010	195	20.0	1.45	17.2	23.0	27	9.2	1.88	5.9	13.6
2011	220	21.8	1.49	19.0	24.9	33	10.5	1.90	7.1	14.8
2012	219	21.7	1.49	18.9	24.8	30	8.8	1.67	5.8	12.7
2013	218	21.0	1.44	18.3	24.0	27	7.8	1.56	5.1	11.5
2014	227	21.1	1.42	18.4	24.1	24	6.5	1.37	4.1	9.8
2015	219	20.3	1.40	17.7	23.2	32	8.2	1.49	5.5	11.6
2016	250	23.0	1.48	20.2	26.1	30	7.6	1.43	5.1	11.0
2017	222	19.3	1.32	16.8	22.1	40	9.2	1.48	6.5	12.6
2018	232	20.3	1.36	17.8	23.2	42	9.5	1.49	6.8	12.9
2019	266	22.3	1.40	19.7	25.3	36	7.8	1.32	5.4	10.8
2020	211	17.9	1.25	15.5	20.5	31	6.6	1.21	4.5	9.4
2021	224	18.5	1.27	16.1	21.2	61	12.1	1.57	9.3	15.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary Bladder (incl in situ)										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	98,218	21.3	0.07	21.2	21.5	89,990	22.9	0.08	22.7	23.0
1986	2,124	20.1	0.44	19.3	21.0	1,988	21.1	0.48	20.2	22.1
1987	2,202	20.7	0.45	19.9	21.6	2,052	21.8	0.49	20.8	22.8
1988	2,121	19.8	0.43	18.9	20.6	1,990	20.9	0.47	20.0	21.9
1989	2,161	20.0	0.43	19.2	20.9	2,024	21.2	0.48	20.2	22.1
1990	2,202	20.2	0.43	19.3	21.1	2,080	21.6	0.48	20.7	22.6
1991	2,164	19.7	0.43	18.8	20.5	2,039	21.0	0.47	20.1	21.9
1992	2,251	20.1	0.43	19.3	20.9	2,102	21.3	0.47	20.4	22.2
1993	2,384	21.0	0.43	20.2	21.9	2,228	22.4	0.48	21.5	23.3
1994	2,417	21.2	0.43	20.3	22.0	2,256	22.5	0.48	21.6	23.5
1995	2,353	20.4	0.42	19.6	21.3	2,194	21.8	0.47	20.9	22.7
1996	2,598	22.5	0.44	21.6	23.3	2,407	23.9	0.49	22.9	24.8
1997	2,582	22.1	0.44	21.3	23.0	2,392	23.5	0.48	22.6	24.5
1998	2,569	21.8	0.43	21.0	22.7	2,377	23.2	0.48	22.3	24.2
1999	2,656	22.4	0.43	21.5	23.2	2,460	23.9	0.48	23.0	24.9
2000	2,760	23.1	0.44	22.2	23.9	2,552	24.7	0.49	23.8	25.7
2001	2,694	22.4	0.43	21.5	23.2	2,497	24.1	0.48	23.1	25.0
2002	2,875	23.7	0.44	22.8	24.5	2,664	25.5	0.49	24.5	26.5
2003	2,921	23.8	0.44	22.9	24.7	2,720	25.8	0.50	24.9	26.8
2004	2,877	23.2	0.43	22.4	24.1	2,657	25.1	0.49	24.1	26.1
2005	2,977	23.8	0.44	22.9	24.6	2,731	25.6	0.49	24.6	26.6
2006	2,779	22.0	0.42	21.2	22.9	2,556	23.8	0.47	22.9	24.7
2007	2,854	22.3	0.42	21.5	23.1	2,597	23.9	0.47	22.9	24.8
2008	3,009	23.2	0.43	22.4	24.0	2,721	24.7	0.48	23.7	25.6
2009	3,061	23.2	0.42	22.3	24.0	2,779	24.8	0.48	23.9	25.8
2010	2,919	21.7	0.41	20.9	22.5	2,667	23.5	0.46	22.6	24.4
2011	2,952	21.5	0.40	20.7	22.3	2,690	23.3	0.46	22.4	24.2
2012	2,903	20.9	0.39	20.1	21.7	2,657	22.8	0.45	21.9	23.7
2013	3,154	22.3	0.40	21.5	23.1	2,841	24.0	0.46	23.1	24.9
2014	3,063	21.2	0.39	20.4	21.9	2,746	22.8	0.44	22.0	23.7
2015	3,213	21.8	0.39	21.1	22.6	2,915	23.8	0.45	22.9	24.7
2016	3,106	20.9	0.38	20.2	21.7	2,807	22.8	0.44	22.0	23.7
2017	3,125	20.6	0.37	19.9	21.3	2,854	22.7	0.43	21.9	23.6
2018	2,973	19.4	0.36	18.7	20.1	2,659	20.9	0.41	20.1	21.8
2019	3,101	19.7	0.36	19.0	20.4	2,722	21.0	0.41	20.2	21.8
2020	2,971	18.7	0.35	18.0	19.4	2,607	19.9	0.40	19.2	20.7
2021	3,147	19.4	0.35	18.7	20.1	2,762	20.8	0.40	20.0	21.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary Bladder (incl in situ)										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,327	12.2	0.16	11.9	12.5	1,087	7.5	0.24	7.1	8.0
1986	126	12.8	1.18	10.6	15.3	7	6.8	3.04	2.2	14.7
1987	135	12.8	1.14	10.7	15.2	10	7.2	2.45	3.3	13.6
1988	117	11.1	1.06	9.1	13.4	9	6.9	2.66	2.7	13.7
1989	124	12.0	1.11	9.9	14.3	8	5.8	2.39	2.1	12.0
1990	107	9.6	0.96	7.8	11.6	12	8.6	2.62	4.3	15.1
1991	109	10.0	0.99	8.2	12.1	12	6.4	1.98	3.2	11.5
1992	127	11.4	1.04	9.5	13.6	18	11.9	3.31	6.3	19.7
1993	140	11.6	1.01	9.7	13.8	12	5.0	1.58	2.4	9.1
1994	140	11.8	1.03	9.9	14.0	15	8.0	2.25	4.2	13.5
1995	136	11.1	0.97	9.3	13.1	16	5.9	1.57	3.3	9.9
1996	155	12.8	1.05	10.8	15.0	28	10.7	2.21	6.9	15.9
1997	148	12.2	1.03	10.3	14.4	26	10.3	2.21	6.5	15.5
1998	155	12.0	0.99	10.2	14.1	18	8.0	2.13	4.4	13.0
1999	164	13.1	1.05	11.2	15.3	14	4.3	1.25	2.2	7.5
2000	174	13.1	1.01	11.2	15.2	12	4.1	1.24	2.0	7.2
2001	163	12.4	0.99	10.6	14.5	19	6.1	1.51	3.5	9.7
2002	176	13.4	1.03	11.5	15.6	16	5.0	1.34	2.7	8.2
2003	156	11.2	0.91	9.5	13.1	25	8.3	1.78	5.2	12.4
2004	164	11.5	0.92	9.8	13.4	30	8.7	1.72	5.6	12.6
2005	179	12.5	0.95	10.7	14.4	30	7.8	1.56	5.0	11.3
2006	176	12.4	0.95	10.6	14.4	28	6.8	1.38	4.3	10.0
2007	194	13.0	0.95	11.2	15.0	37	9.2	1.61	6.3	12.8
2008	236	15.6	1.03	13.6	17.7	26	6.5	1.38	4.1	9.7
2009	229	14.8	1.00	12.9	16.9	33	7.2	1.36	4.8	10.3
2010	190	12.1	0.90	10.4	14.0	35	6.9	1.23	4.7	9.7
2011	196	12.0	0.88	10.3	13.8	45	8.2	1.31	5.9	11.2
2012	189	11.5	0.86	9.9	13.3	35	6.4	1.15	4.4	9.0
2013	242	14.2	0.94	12.5	16.2	57	9.4	1.31	7.0	12.3
2014	241	13.4	0.88	11.7	15.2	55	8.9	1.25	6.6	11.6
2015	213	11.8	0.83	10.3	13.6	45	6.6	1.03	4.8	9.0
2016	226	12.2	0.84	10.7	14.0	45	6.8	1.05	4.9	9.1
2017	197	10.4	0.76	8.9	12.0	54	7.2	1.00	5.3	9.4
2018	209	10.9	0.77	9.4	12.5	62	8.1	1.05	6.2	10.4
2019	260	13.4	0.85	11.8	15.2	65	8.1	1.02	6.2	10.3
2020	218	11.0	0.76	9.6	12.6	63	7.6	0.98	5.8	9.8
2021	216	10.5	0.73	9.1	12.0	65	7.1	0.89	5.5	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary Bladder (incl in situ)										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	72,635	37.9	0.14	37.7	38.2	67,208	40.7	0.16	40.4	41.0
1986	1,556	37.1	0.98	35.2	39.0	1,470	39.1	1.07	37.1	41.3
1987	1,631	38.0	0.98	36.1	40.0	1,539	40.3	1.07	38.3	42.5
1988	1,508	35.6	0.96	33.7	37.5	1,427	37.8	1.04	35.8	39.9
1989	1,565	36.2	0.95	34.4	38.1	1,479	38.5	1.04	36.5	40.6
1990	1,634	37.5	0.96	35.6	39.4	1,566	40.4	1.06	38.4	42.6
1991	1,587	35.8	0.93	34.0	37.6	1,514	38.5	1.02	36.5	40.6
1992	1,645	36.7	0.93	34.9	38.5	1,549	38.9	1.02	37.0	41.0
1993	1,742	38.0	0.94	36.2	39.8	1,646	40.7	1.03	38.7	42.8
1994	1,706	37.0	0.92	35.3	38.9	1,611	39.7	1.01	37.7	41.7
1995	1,723	37.1	0.92	35.4	39.0	1,627	39.9	1.01	38.0	42.0
1996	1,872	39.8	0.94	38.0	41.7	1,765	42.8	1.04	40.8	44.9
1997	1,873	39.3	0.92	37.5	41.2	1,750	41.9	1.01	39.9	43.9
1998	1,883	39.1	0.92	37.3	40.9	1,756	41.7	1.01	39.8	43.8
1999	1,929	39.7	0.92	38.0	41.6	1,803	42.5	1.01	40.5	44.5
2000	1,997	40.7	0.92	38.9	42.6	1,863	43.6	1.02	41.6	45.6
2001	1,981	40.0	0.91	38.2	41.8	1,863	43.2	1.01	41.2	45.2
2002	2,137	43.1	0.94	41.2	44.9	2,016	46.7	1.05	44.6	48.8
2003	2,115	41.9	0.92	40.1	43.7	1,978	45.2	1.03	43.2	47.2
2004	2,151	42.0	0.92	40.2	43.8	2,002	45.2	1.02	43.2	47.2
2005	2,178	41.7	0.91	39.9	43.5	2,027	45.0	1.01	43.0	47.0
2006	2,016	38.4	0.87	36.8	40.2	1,869	41.3	0.97	39.4	43.2
2007	2,110	39.5	0.87	37.8	41.2	1,939	42.3	0.97	40.4	44.2
2008	2,230	41.0	0.88	39.3	42.8	2,049	43.9	0.98	42.0	45.9
2009	2,307	41.5	0.88	39.8	43.2	2,119	44.4	0.98	42.5	46.4
2010	2,198	38.7	0.84	37.1	40.4	2,024	41.8	0.94	39.9	43.7
2011	2,189	37.7	0.82	36.1	39.3	2,018	40.7	0.92	38.9	42.5
2012	2,169	36.6	0.80	35.1	38.2	2,017	40.1	0.91	38.3	41.9
2013	2,383	39.2	0.82	37.6	40.8	2,163	41.9	0.92	40.2	43.8
2014	2,308	37.2	0.79	35.7	38.8	2,080	39.8	0.89	38.1	41.6
2015	2,393	37.6	0.79	36.1	39.2	2,178	40.6	0.89	38.9	42.4
2016	2,323	36.4	0.78	34.9	37.9	2,118	39.5	0.88	37.8	41.3
2017	2,391	36.5	0.77	35.0	38.0	2,193	39.8	0.87	38.2	41.6
2018	2,225	33.5	0.73	32.1	35.0	2,004	36.0	0.82	34.4	37.7
2019	2,345	34.5	0.73	33.1	35.9	2,084	36.6	0.82	35.0	38.2
2020	2,255	32.7	0.71	31.3	34.1	1,995	34.6	0.79	33.1	36.2
2021	2,380	33.5	0.71	32.2	34.9	2,107	35.8	0.80	34.3	37.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary Bladder (incl in situ)										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,991	19.4	0.32	18.8	20.1	823	13.1	0.49	12.1	14.1
1986	79	20.9	2.54	16.3	26.4	6	10.7	5.01	3.2	24.6
1987	81	19.5	2.33	15.2	24.5	8	13.4	5.22	5.2	27.4
1988	71	16.8	2.12	12.9	21.4	8	14.6	6.24	5.1	30.8
1989	76	17.9	2.19	13.9	22.7	7	12.3	5.60	3.9	27.1
1990	57	12.9	1.85	9.5	16.9	8	14.7	5.52	6.0	28.9
1991	62	14.2	1.91	10.7	18.4	8	9.0	3.48	3.5	18.7
1992	76	17.6	2.18	13.6	22.3	16	26.2	7.98	12.9	45.1
1993	88	18.0	2.02	14.2	22.3	5	4.5	2.31	1.2	11.6
1994	79	16.9	2.04	13.2	21.3	11	12.0	4.06	5.4	22.4
1995	79	16.1	1.91	12.6	20.3	12	9.1	2.83	4.4	16.7
1996	82	16.1	1.88	12.7	20.2	18	15.4	3.97	8.7	25.2
1997	92	19.6	2.18	15.6	24.3	20	17.7	4.33	10.3	28.1
1998	101	18.9	1.99	15.3	23.2	14	13.3	4.15	6.4	23.4
1999	98	20.3	2.19	16.2	24.9	11	7.0	2.36	3.1	13.3
2000	107	20.6	2.12	16.7	25.2	12	9.4	2.94	4.6	16.8
2001	93	18.1	2.00	14.4	22.4	14	8.9	2.56	4.6	15.3
2002	97	19.8	2.13	15.8	24.3	14	11.0	3.32	5.5	19.1
2003	105	18.8	1.95	15.2	23.0	16	13.8	3.76	7.4	22.6
2004	108	19.2	1.98	15.5	23.4	23	16.4	3.81	9.8	25.3
2005	107	19.4	1.99	15.6	23.6	19	11.9	3.15	6.5	19.4
2006	111	21.0	2.11	17.1	25.5	22	13.2	3.12	7.8	20.5
2007	123	20.9	2.01	17.1	25.1	25	14.0	3.11	8.6	21.2
2008	142	23.1	2.05	19.3	27.5	19	12.1	3.15	6.7	19.4
2009	149	24.4	2.12	20.4	28.8	27	12.9	2.80	8.0	19.3
2010	125	19.5	1.83	16.1	23.4	26	11.5	2.51	7.1	17.3
2011	123	19.2	1.83	15.8	23.1	31	13.7	2.72	8.9	19.9
2012	112	16.8	1.68	13.7	20.4	25	11.3	2.53	6.9	17.1
2013	161	24.2	2.00	20.4	28.4	48	17.6	2.71	12.7	23.6
2014	165	22.5	1.85	19.0	26.4	47	17.5	2.76	12.5	23.6
2015	147	20.5	1.78	17.2	24.3	39	12.9	2.19	9.0	17.9
2016	156	21.1	1.78	17.8	24.9	30	9.9	1.91	6.5	14.3
2017	141	19.0	1.68	15.8	22.5	41	12.4	2.00	8.8	16.9
2018	136	17.6	1.58	14.6	21.0	48	14.0	2.10	10.2	18.7
2019	162	21.2	1.74	18.0	24.9	54	15.6	2.22	11.6	20.5
2020	148	18.8	1.62	15.8	22.2	47	13.0	1.96	9.5	17.4
2021	152	18.5	1.57	15.6	21.8	44	10.3	1.58	7.4	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary Bladder (incl in situ)										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	25,583	9.6	0.06	9.5	9.8	22,782	10.1	0.07	10.0	10.2
1986	568	9.1	0.39	8.4	9.9	518	9.4	0.42	8.6	10.2
1987	571	9.1	0.39	8.4	9.9	513	9.3	0.42	8.5	10.1
1988	613	9.8	0.40	9.0	10.6	563	10.2	0.44	9.3	11.1
1989	596	9.4	0.39	8.6	10.2	545	9.7	0.42	8.9	10.6
1990	568	8.9	0.38	8.2	9.7	514	9.1	0.41	8.4	10.0
1991	577	8.9	0.37	8.1	9.6	525	9.1	0.40	8.3	9.9
1992	606	9.2	0.38	8.4	9.9	553	9.5	0.41	8.7	10.4
1993	642	9.7	0.38	8.9	10.4	582	10.0	0.42	9.2	10.8
1994	711	10.5	0.40	9.7	11.3	645	10.9	0.43	10.0	11.8
1995	630	9.3	0.37	8.5	10.0	567	9.6	0.41	8.8	10.4
1996	726	10.6	0.40	9.8	11.4	642	10.8	0.43	10.0	11.7
1997	709	10.3	0.39	9.6	11.1	642	10.8	0.43	10.0	11.7
1998	686	10.0	0.38	9.2	10.8	621	10.5	0.43	9.7	11.4
1999	727	10.4	0.39	9.7	11.2	657	10.9	0.43	10.1	11.8
2000	763	10.9	0.40	10.2	11.8	689	11.5	0.45	10.7	12.4
2001	713	10.1	0.38	9.4	10.9	634	10.5	0.42	9.7	11.4
2002	738	10.3	0.38	9.6	11.1	648	10.6	0.42	9.7	11.4
2003	806	11.4	0.40	10.6	12.2	742	12.3	0.46	11.4	13.2
2004	726	10.1	0.38	9.3	10.8	655	10.7	0.42	9.9	11.5
2005	799	11.0	0.39	10.2	11.8	704	11.4	0.44	10.6	12.3
2006	763	10.5	0.38	9.7	11.2	687	11.2	0.43	10.3	12.0
2007	744	10.0	0.37	9.3	10.8	658	10.5	0.42	9.7	11.4
2008	779	10.4	0.38	9.7	11.2	672	10.6	0.42	9.8	11.5
2009	754	10.0	0.37	9.2	10.7	660	10.4	0.41	9.6	11.2
2010	721	9.2	0.35	8.6	9.9	643	9.8	0.40	9.1	10.6
2011	763	9.8	0.36	9.1	10.5	672	10.4	0.41	9.6	11.2
2012	734	9.3	0.35	8.6	10.0	640	9.7	0.39	8.9	10.5
2013	771	9.6	0.35	8.9	10.3	678	10.2	0.40	9.4	11.0
2014	755	9.2	0.34	8.6	9.9	666	9.9	0.39	9.2	10.7
2015	820	9.9	0.35	9.2	10.6	737	10.8	0.41	10.0	11.6
2016	783	9.2	0.34	8.6	9.9	689	9.9	0.39	9.2	10.7
2017	734	8.6	0.32	8.0	9.2	661	9.5	0.38	8.7	10.2
2018	748	8.8	0.33	8.1	9.4	655	9.4	0.38	8.7	10.2
2019	756	8.5	0.32	7.9	9.2	638	8.9	0.36	8.2	9.6
2020	716	8.1	0.31	7.5	8.7	612	8.5	0.35	7.8	9.2
2021	767	8.6	0.32	8.0	9.2	655	9.1	0.36	8.4	9.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Urinary Bladder (incl in situ)										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,336	7.5	0.16	7.2	7.9	264	3.3	0.21	2.9	3.7
1986	47	7.8	1.16	5.7	10.3	1	3.6	3.63	0.1	14.9
1987	54	8.6	1.19	6.4	11.2	2	2.6	1.82	0.3	9.2
1988	46	7.4	1.12	5.4	9.9	1	1.0	1.00	0.0	6.1
1989	48	8.0	1.17	5.8	10.6	1	0.9	0.91	0.0	5.7
1990	50	7.6	1.08	5.6	10.0	4	4.4	2.27	1.1	11.3
1991	47	7.3	1.08	5.3	9.7	4	4.3	2.23	1.1	11.0
1992	51	7.6	1.08	5.7	10.0	2	1.8	1.29	0.2	6.6
1993	52	7.4	1.04	5.5	9.7	7	5.4	2.16	2.1	11.5
1994	61	8.6	1.11	6.5	11.0	4	4.9	2.50	1.3	11.8
1995	57	7.7	1.03	5.8	10.0	4	3.1	1.64	0.8	8.0
1996	73	10.2	1.20	8.0	12.8	10	7.1	2.44	3.1	13.4
1997	56	7.6	1.03	5.7	9.9	6	4.6	2.07	1.5	10.2
1998	54	7.2	0.99	5.4	9.4	4	3.9	2.13	0.9	9.7
1999	66	8.8	1.09	6.8	11.2	3	2.1	1.24	0.4	5.9
2000	67	8.4	1.04	6.5	10.7	0				
2001	70	8.8	1.06	6.9	11.1	5	3.6	1.66	1.1	8.1
2002	79	9.8	1.10	7.7	12.1	2	0.7	0.50	0.1	2.8
2003	51	6.3	0.88	4.7	8.3	9	4.7	1.65	2.0	8.9
2004	56	6.6	0.89	5.0	8.6	7	3.1	1.27	1.2	6.6
2005	72	8.3	0.99	6.5	10.5	11	4.8	1.56	2.3	8.8
2006	65	7.5	0.93	5.8	9.5	6	2.1	0.90	0.7	4.7
2007	71	8.1	0.97	6.3	10.2	12	5.4	1.65	2.7	9.5
2008	94	10.6	1.10	8.5	12.9	7	2.9	1.16	1.1	6.0
2009	80	8.8	0.99	6.9	10.9	6	2.8	1.17	1.0	5.9
2010	65	7.0	0.87	5.4	8.9	9	3.3	1.14	1.4	6.2
2011	73	7.5	0.89	5.8	9.4	14	4.2	1.16	2.2	7.1
2012	77	8.1	0.93	6.4	10.1	10	3.3	1.08	1.6	6.1
2013	81	8.0	0.90	6.3	9.9	9	2.7	0.92	1.2	5.1
2014	76	7.2	0.84	5.7	9.0	8	2.4	0.87	1.0	4.7
2015	66	6.3	0.79	4.8	8.0	6	1.6	0.66	0.6	3.5
2016	70	6.4	0.77	5.0	8.1	15	4.2	1.10	2.3	6.9
2017	56	4.8	0.66	3.6	6.3	13	2.9	0.82	1.5	5.0
2018	73	6.5	0.78	5.1	8.2	14	3.4	0.92	1.8	5.7
2019	98	8.2	0.84	6.6	10.0	11	2.3	0.70	1.1	4.1
2020	70	5.9	0.72	4.6	7.5	16	3.4	0.87	1.9	5.6
2021	64	5.2	0.66	4.0	6.7	21	4.4	0.96	2.7	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kidney and Renal Pelvis										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	69,545	15.1	0.06	15.0	15.2	58,765	15.2	0.06	15.0	15.3
1986	941	8.8	0.29	8.2	9.4	837	8.9	0.31	8.3	9.6
1987	1,001	9.5	0.30	8.9	10.1	891	9.6	0.33	9.0	10.3
1988	1,047	9.8	0.31	9.2	10.5	935	10.1	0.34	9.4	10.8
1989	1,087	10.2	0.31	9.6	10.8	959	10.3	0.34	9.6	10.9
1990	1,039	9.6	0.30	9.0	10.2	927	9.9	0.33	9.2	10.5
1991	1,137	10.4	0.31	9.8	11.0	1,026	10.7	0.34	10.1	11.4
1992	1,208	10.8	0.31	10.2	11.5	1,076	11.1	0.34	10.5	11.8
1993	1,199	10.6	0.31	10.0	11.2	1,026	10.5	0.33	9.9	11.2
1994	1,289	11.4	0.32	10.7	12.0	1,124	11.5	0.34	10.8	12.2
1995	1,372	12.0	0.32	11.3	12.6	1,212	12.2	0.35	11.5	12.9
1996	1,387	12.1	0.32	11.4	12.7	1,201	12.2	0.35	11.5	12.9
1997	1,510	13.0	0.33	12.3	13.7	1,302	13.1	0.36	12.4	13.8
1998	1,480	12.6	0.33	12.0	13.3	1,284	12.8	0.36	12.1	13.5
1999	1,526	12.8	0.33	12.2	13.5	1,321	13.0	0.36	12.3	13.7
2000	1,631	13.6	0.34	13.0	14.3	1,380	13.5	0.36	12.8	14.3
2001	1,732	14.3	0.34	13.7	15.0	1,471	14.4	0.37	13.6	15.1
2002	1,855	15.2	0.35	14.5	15.9	1,575	15.2	0.38	14.5	16.0
2003	1,954	15.8	0.36	15.1	16.5	1,656	15.9	0.39	15.1	16.6
2004	2,050	16.4	0.36	15.6	17.1	1,782	16.9	0.40	16.1	17.7
2005	2,061	16.3	0.36	15.6	17.0	1,740	16.4	0.40	15.7	17.2
2006	2,232	17.5	0.37	16.8	18.2	1,888	17.7	0.41	16.9	18.5
2007	2,249	17.3	0.37	16.6	18.1	1,879	17.3	0.40	16.6	18.2
2008	2,334	17.7	0.37	16.9	18.4	1,953	17.7	0.41	17.0	18.6
2009	2,406	18.0	0.37	17.3	18.7	2,023	18.3	0.41	17.5	19.1
2010	2,285	16.8	0.36	16.1	17.5	1,906	16.9	0.39	16.2	17.7
2011	2,428	17.5	0.36	16.8	18.2	2,018	17.7	0.40	16.9	18.5
2012	2,501	17.7	0.36	17.0	18.4	2,071	17.8	0.40	17.0	18.5
2013	2,551	17.8	0.36	17.1	18.5	2,128	18.1	0.40	17.3	18.9
2014	2,687	18.4	0.36	17.7	19.1	2,212	18.4	0.40	17.7	19.2
2015	2,740	18.6	0.36	17.9	19.3	2,237	18.7	0.41	17.9	19.5
2016	2,737	18.5	0.36	17.8	19.2	2,266	18.7	0.40	18.0	19.6
2017	2,754	18.4	0.36	17.7	19.1	2,285	18.8	0.41	18.0	19.6
2018	2,795	18.4	0.36	17.7	19.1	2,312	18.9	0.40	18.1	19.7
2019	2,929	18.9	0.36	18.2	19.7	2,425	19.4	0.41	18.6	20.2
2020	2,625	17.0	0.34	16.4	17.7	2,160	17.3	0.38	16.5	18.1
2021	2,786	17.8	0.35	17.1	18.4	2,277	17.9	0.39	17.2	18.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kidney and Renal Pelvis										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	9,178	16.0	0.17	15.7	16.3	1,127	6.7	0.21	6.3	7.1
1986	96	8.1	0.87	6.5	10.0	8	4.8	1.92	1.8	10.2
1987	102	8.6	0.87	6.9	10.4	7	3.4	1.30	1.3	7.4
1988	102	8.5	0.88	6.9	10.4	7	3.0	1.17	1.2	6.7
1989	123	10.2	0.95	8.4	12.2	4	2.0	1.06	0.5	5.5
1990	105	8.4	0.84	6.8	10.2	7	3.8	1.58	1.3	8.2
1991	100	8.3	0.85	6.7	10.1	8	3.7	1.35	1.5	7.5
1992	121	9.8	0.91	8.1	11.7	11	5.7	1.81	2.7	10.3
1993	151	10.8	0.90	9.1	12.7	20	8.1	1.87	4.9	12.7
1994	148	11.1	0.94	9.3	13.1	15	7.0	2.09	3.6	12.2
1995	150	11.1	0.93	9.3	13.0	8	3.2	1.18	1.3	6.4
1996	170	12.2	0.96	10.4	14.2	13	5.8	1.85	2.7	10.4
1997	178	12.4	0.95	10.6	14.4	24	7.5	1.62	4.7	11.4
1998	180	12.7	0.96	10.8	14.7	13	3.7	1.05	1.9	6.5
1999	184	12.9	0.97	11.1	14.9	17	5.6	1.46	3.2	9.2
2000	219	15.0	1.03	13.0	17.1	21	6.0	1.36	3.6	9.2
2001	231	15.5	1.04	13.5	17.7	21	5.6	1.29	3.3	8.7
2002	246	16.5	1.07	14.5	18.7	18	4.0	0.97	2.3	6.4
2003	269	17.2	1.07	15.2	19.4	18	4.6	1.15	2.6	7.4
2004	243	15.4	1.01	13.5	17.5	20	5.8	1.38	3.4	9.0
2005	274	17.3	1.07	15.3	19.5	32	7.3	1.39	4.8	10.5
2006	299	18.2	1.07	16.1	20.4	36	7.8	1.40	5.3	11.0
2007	327	20.1	1.13	17.9	22.4	32	6.5	1.24	4.3	9.4
2008	339	20.1	1.11	17.9	22.3	29	4.8	0.93	3.2	7.0
2009	329	19.1	1.07	17.0	21.3	42	8.0	1.31	5.6	10.9
2010	317	17.9	1.03	16.0	20.1	42	8.0	1.33	5.6	11.0
2011	337	18.7	1.04	16.7	20.9	41	6.6	1.10	4.7	9.1
2012	352	19.2	1.05	17.2	21.4	53	8.1	1.17	5.9	10.7
2013	345	18.4	1.02	16.5	20.5	53	8.3	1.20	6.1	10.9
2014	400	21.3	1.09	19.2	23.5	48	6.6	0.98	4.8	8.8
2015	419	21.3	1.07	19.3	23.5	64	8.5	1.10	6.5	10.9
2016	398	20.9	1.07	18.8	23.1	57	7.1	0.97	5.3	9.2
2017	390	19.4	1.01	17.4	21.4	61	7.4	0.96	5.6	9.5
2018	386	19.1	1.00	17.2	21.2	64	7.5	0.96	5.7	9.6
2019	400	19.2	0.99	17.3	21.3	63	7.1	0.91	5.5	9.2
2020	358	17.5	0.95	15.7	19.5	64	7.0	0.89	5.4	9.0
2021	390	18.8	0.98	17.0	20.9	86	9.0	0.98	7.2	11.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kidney and Renal Pelvis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	42,717	20.7	0.10	20.5	20.9	36,195	20.7	0.11	20.5	20.9
1986	589	12.9	0.55	11.8	14.0	528	13.1	0.59	12.0	14.3
1987	614	13.8	0.58	12.7	15.0	547	14.0	0.62	12.8	15.3
1988	617	13.6	0.57	12.5	14.8	551	13.9	0.61	12.7	15.2
1989	647	14.2	0.57	13.1	15.3	581	14.5	0.62	13.3	15.8
1990	609	13.4	0.56	12.3	14.5	540	13.6	0.60	12.4	14.8
1991	704	14.9	0.57	13.8	16.1	637	15.4	0.62	14.2	16.7
1992	715	15.0	0.58	13.9	16.2	636	15.3	0.62	14.1	16.5
1993	712	14.7	0.56	13.6	15.8	616	14.7	0.60	13.5	15.9
1994	781	16.1	0.59	15.0	17.3	685	16.2	0.63	15.0	17.5
1995	802	16.3	0.58	15.2	17.5	709	16.6	0.63	15.4	17.9
1996	831	16.6	0.58	15.5	17.8	715	16.5	0.62	15.3	17.8
1997	874	17.2	0.59	16.1	18.4	757	17.4	0.64	16.2	18.7
1998	871	17.2	0.59	16.0	18.4	767	17.6	0.64	16.3	18.9
1999	891	17.4	0.59	16.2	18.6	765	17.4	0.63	16.2	18.7
2000	974	18.6	0.60	17.4	19.8	828	18.5	0.65	17.2	19.8
2001	1,037	19.4	0.61	18.2	20.6	885	19.4	0.66	18.1	20.7
2002	1,136	21.1	0.63	19.9	22.4	959	20.9	0.68	19.5	22.2
2003	1,217	22.4	0.65	21.1	23.7	1,029	22.3	0.70	20.9	23.7
2004	1,225	22.1	0.64	20.9	23.4	1,063	22.5	0.70	21.2	23.9
2005	1,249	22.2	0.64	20.9	23.4	1,051	22.0	0.69	20.7	23.4
2006	1,360	23.8	0.66	22.5	25.1	1,159	24.0	0.71	22.6	25.5
2007	1,354	23.3	0.64	22.0	24.6	1,132	23.0	0.69	21.7	24.4
2008	1,437	24.0	0.65	22.8	25.3	1,212	24.1	0.70	22.7	25.5
2009	1,430	23.5	0.63	22.3	24.8	1,200	23.6	0.69	22.3	25.0
2010	1,391	22.5	0.62	21.3	23.7	1,166	22.6	0.67	21.3	23.9
2011	1,497	23.5	0.62	22.3	24.8	1,260	23.7	0.68	22.4	25.1
2012	1,542	23.6	0.61	22.4	24.8	1,283	23.5	0.67	22.2	24.8
2013	1,587	24.0	0.62	22.8	25.3	1,312	23.9	0.68	22.6	25.3
2014	1,708	25.4	0.63	24.2	26.7	1,402	25.1	0.69	23.8	26.5
2015	1,762	25.7	0.63	24.5	27.0	1,433	25.4	0.69	24.1	26.8
2016	1,752	25.5	0.63	24.3	26.8	1,475	26.0	0.70	24.7	27.4
2017	1,734	24.6	0.61	23.4	25.8	1,454	25.0	0.68	23.7	26.4
2018	1,734	24.5	0.61	23.3	25.7	1,436	24.8	0.67	23.5	26.2
2019	1,854	25.7	0.61	24.5	26.9	1,547	26.1	0.68	24.7	27.4
2020	1,722	23.7	0.59	22.6	24.9	1,424	23.8	0.65	22.5	25.1
2021	1,758	23.9	0.59	22.8	25.1	1,451	24.0	0.65	22.7	25.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kidney and Renal Pelvis										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	5,468	22.6	0.32	22.0	23.2	736	9.6	0.38	8.8	10.3
1986	57	11.4	1.60	8.5	14.9	4	6.5	3.62	1.4	17.7
1987	62	12.8	1.73	9.6	16.6	5	4.9	2.20	1.6	12.9
1988	60	12.2	1.69	9.1	15.9	4	3.7	1.94	1.0	11.1
1989	62	12.4	1.67	9.4	16.1	3	3.7	2.24	0.7	11.5
1990	65	12.4	1.62	9.4	16.0	4	5.8	3.23	1.3	15.5
1991	61	12.3	1.67	9.3	16.0	4	4.1	2.18	1.0	11.4
1992	74	14.8	1.83	11.4	18.8	5	7.7	3.59	2.4	17.6
1993	82	13.8	1.61	10.9	17.4	14	11.5	3.20	6.1	20.0
1994	82	14.9	1.76	11.7	18.8	12	12.4	4.45	5.3	23.7
1995	87	15.5	1.76	12.3	19.4	5	4.0	1.88	1.2	9.9
1996	106	18.4	1.87	14.9	22.4	9	11.9	4.77	4.4	23.8
1997	101	16.2	1.67	13.1	19.8	13	8.7	2.65	4.3	15.7
1998	93	15.8	1.73	12.6	19.5	8	4.6	1.65	1.9	9.5
1999	115	18.4	1.79	15.1	22.2	10	7.0	2.32	3.2	13.2
2000	122	20.0	1.90	16.4	24.0	16	9.9	2.64	5.4	16.6
2001	131	20.9	1.91	17.3	24.9	15	8.7	2.46	4.6	15.0
2002	156	25.9	2.21	21.8	30.6	9	3.8	1.28	1.7	7.6
2003	169	26.2	2.11	22.2	30.6	11	6.0	1.96	2.8	11.1
2004	147	22.6	1.96	18.9	26.8	11	7.6	2.58	3.4	14.0
2005	165	25.2	2.09	21.3	29.6	22	11.9	2.85	7.0	18.7
2006	170	24.7	1.99	20.9	28.9	23	10.6	2.42	6.4	16.4
2007	194	28.9	2.17	24.8	33.4	20	7.9	1.92	4.6	12.6
2008	194	27.3	2.03	23.4	31.5	23	8.4	1.90	5.1	13.0
2009	190	25.6	1.94	21.9	29.7	31	12.2	2.31	8.1	17.6
2010	191	25.3	1.92	21.7	29.4	25	11.4	2.53	7.0	17.3
2011	194	24.8	1.87	21.3	28.8	26	8.8	1.91	5.5	13.3
2012	212	27.5	1.99	23.8	31.7	34	11.7	2.20	7.8	16.8
2013	218	26.9	1.89	23.3	30.8	35	11.9	2.19	8.0	16.9
2014	254	32.2	2.11	28.2	36.6	34	9.9	1.76	6.8	14.0
2015	271	31.7	2.01	27.9	35.9	42	11.9	1.92	8.4	16.3
2016	224	27.2	1.89	23.6	31.1	43	11.8	1.88	8.4	16.0
2017	231	26.9	1.85	23.4	30.8	36	9.2	1.57	6.4	12.8
2018	234	26.7	1.81	23.3	30.5	41	10.2	1.64	7.2	13.9
2019	237	26.7	1.81	23.3	30.5	40	9.5	1.52	6.7	13.0
2020	222	25.3	1.76	22.0	29.0	49	11.4	1.65	8.4	15.1
2021	235	26.7	1.81	23.3	30.5	50	11.6	1.68	8.6	15.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kidney and Renal Pelvis										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	26,828	10.6	0.07	10.4	10.7	22,570	10.7	0.07	10.5	10.8
1986	352	5.7	0.31	5.1	6.4	309	5.8	0.33	5.1	6.5
1987	387	6.4	0.33	5.8	7.1	344	6.4	0.35	5.8	7.2
1988	430	7.2	0.35	6.5	7.9	384	7.4	0.39	6.7	8.2
1989	440	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9
1990	430	7.0	0.34	6.3	7.7	387	7.3	0.38	6.6	8.1
1991	433	6.9	0.34	6.3	7.6	389	7.1	0.37	6.4	7.9
1992	493	7.8	0.36	7.1	8.5	440	8.1	0.39	7.3	8.9
1993	487	7.6	0.35	6.9	8.3	410	7.4	0.37	6.6	8.1
1994	508	7.8	0.35	7.2	8.6	439	7.9	0.38	7.1	8.6
1995	570	8.7	0.37	8.0	9.5	503	8.9	0.40	8.2	9.8
1996	556	8.6	0.37	7.9	9.4	486	8.8	0.40	8.0	9.6
1997	636	9.6	0.38	8.9	10.4	545	9.6	0.42	8.8	10.5
1998	609	9.2	0.38	8.5	10.0	517	9.2	0.41	8.4	10.0
1999	635	9.5	0.38	8.8	10.3	556	9.8	0.42	9.0	10.7
2000	657	9.8	0.38	9.0	10.6	552	9.7	0.42	8.9	10.6
2001	695	10.3	0.39	9.5	11.1	586	10.3	0.43	9.4	11.1
2002	719	10.6	0.40	9.8	11.4	616	10.8	0.44	9.9	11.6
2003	737	10.8	0.40	10.0	11.6	627	10.9	0.44	10.1	11.8
2004	825	11.9	0.42	11.1	12.7	719	12.4	0.47	11.5	13.3
2005	812	11.6	0.41	10.8	12.5	689	11.9	0.46	11.0	12.8
2006	872	12.3	0.42	11.5	13.2	729	12.3	0.46	11.5	13.3
2007	895	12.6	0.43	11.8	13.5	747	12.7	0.47	11.8	13.7
2008	897	12.5	0.42	11.6	13.3	741	12.4	0.46	11.5	13.4
2009	976	13.4	0.44	12.6	14.3	823	13.7	0.49	12.8	14.7
2010	894	12.1	0.41	11.3	12.9	740	12.2	0.46	11.3	13.2
2011	931	12.5	0.42	11.7	13.3	758	12.5	0.46	11.6	13.4
2012	959	12.6	0.42	11.8	13.5	788	12.7	0.46	11.8	13.6
2013	964	12.5	0.41	11.7	13.4	816	13.1	0.47	12.2	14.0
2014	979	12.4	0.41	11.6	13.2	810	12.6	0.46	11.8	13.6
2015	978	12.5	0.41	11.8	13.4	804	12.8	0.46	11.9	13.8
2016	985	12.5	0.41	11.7	13.3	791	12.4	0.46	11.6	13.4
2017	1,020	13.0	0.42	12.2	13.8	831	13.3	0.48	12.4	14.3
2018	1,061	13.0	0.41	12.2	13.9	876	13.5	0.47	12.6	14.5
2019	1,075	13.1	0.41	12.3	14.0	878	13.4	0.47	12.5	14.4
2020	903	11.3	0.39	10.5	12.1	736	11.6	0.44	10.7	12.5
2021	1,028	12.4	0.40	11.7	13.2	826	12.6	0.46	11.7	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kidney and Renal Pelvis										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,710	11.3	0.19	10.9	11.7	391	4.3	0.23	3.9	4.8
1986	39	5.7	0.95	4.0	7.9	4	3.8	2.09	0.9	11.0
1987	40	5.7	0.92	4.1	7.8	2	1.8	1.30	0.2	7.5
1988	42	6.0	0.95	4.3	8.1	3	2.3	1.34	0.4	7.7
1989	61	8.7	1.14	6.6	11.2	1	0.8	0.76	0.0	5.3
1990	40	5.5	0.88	3.9	7.5	3	2.4	1.49	0.4	7.9
1991	39	5.5	0.90	3.9	7.6	4	3.4	1.74	0.9	9.0
1992	47	6.4	0.95	4.7	8.5	6	4.5	1.89	1.6	10.2
1993	69	8.7	1.06	6.7	11.0	6	5.1	2.08	1.9	11.0
1994	66	8.5	1.06	6.5	10.8	3	2.9	1.79	0.5	8.4
1995	63	8.0	1.01	6.1	10.2	3	2.5	1.47	0.5	7.1
1996	64	7.9	1.00	6.0	10.1	4	2.1	1.06	0.6	5.7
1997	77	9.4	1.09	7.4	11.8	11	6.5	2.03	3.1	11.8
1998	87	10.5	1.14	8.4	13.0	5	2.8	1.29	0.9	6.7
1999	69	8.6	1.05	6.7	10.9	7	4.4	1.78	1.7	9.3
2000	97	11.4	1.17	9.3	14.0	5	2.7	1.25	0.8	6.4
2001	100	11.7	1.18	9.5	14.2	6	2.9	1.26	1.0	6.5
2002	90	10.3	1.09	8.3	12.6	9	3.9	1.36	1.7	7.6
2003	100	11.1	1.11	9.0	13.5	7	3.3	1.31	1.3	6.9
2004	96	10.5	1.08	8.5	12.9	9	4.5	1.57	2.0	8.6
2005	109	11.8	1.14	9.7	14.3	10	3.9	1.28	1.8	7.3
2006	129	13.7	1.21	11.4	16.3	13	5.3	1.56	2.7	9.3
2007	133	14.1	1.23	11.8	16.7	12	5.1	1.54	2.5	9.0
2008	145	14.8	1.25	12.5	17.5	6	1.8	0.73	0.7	4.0
2009	139	14.2	1.22	11.9	16.8	11	4.2	1.33	2.0	7.5
2010	126	12.6	1.13	10.4	15.0	17	5.6	1.44	3.1	9.1
2011	143	13.9	1.18	11.7	16.4	15	4.8	1.30	2.6	8.0
2012	140	13.4	1.15	11.2	15.8	19	5.3	1.25	3.1	8.3
2013	127	12.1	1.09	10.0	14.4	18	5.2	1.27	3.0	8.3
2014	146	13.4	1.13	11.3	15.8	14	3.6	0.98	1.9	6.1
2015	148	13.5	1.13	11.4	15.9	22	5.5	1.22	3.4	8.5
2016	174	16.1	1.24	13.7	18.7	14	3.1	0.85	1.7	5.3
2017	159	13.9	1.12	11.8	16.2	25	5.8	1.18	3.7	8.6
2018	152	13.2	1.09	11.1	15.5	23	5.1	1.07	3.2	7.7
2019	163	13.7	1.10	11.7	16.1	23	5.0	1.06	3.2	7.6
2020	136	11.6	1.01	9.7	13.8	15	3.2	0.84	1.8	5.3
2021	155	12.9	1.07	10.9	15.2	36	6.9	1.15	4.8	9.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ureter										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,854	0.6	0.01	0.6	0.7	2,667	0.7	0.01	0.7	0.7
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1995	79	0.7	0.08	0.5	0.9	77	0.8	0.09	0.6	1.0
1996	70	0.6	0.07	0.5	0.8	66	0.7	0.08	0.5	0.8
1997	74	0.6	0.07	0.5	0.8	72	0.7	0.08	0.6	0.9
1998	80	0.7	0.08	0.5	0.8	77	0.7	0.08	0.6	0.9
1999	63	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2000	79	0.7	0.07	0.5	0.8	73	0.7	0.08	0.6	0.9
2001	68	0.6	0.07	0.4	0.7	67	0.7	0.08	0.5	0.8
2002	82	0.7	0.08	0.5	0.8	79	0.8	0.08	0.6	0.9
2003	77	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.9
2004	69	0.6	0.07	0.4	0.7	62	0.6	0.07	0.5	0.8
2005	81	0.7	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9
2006	95	0.8	0.08	0.6	0.9	85	0.8	0.09	0.6	1.0
2007	89	0.7	0.07	0.6	0.9	83	0.8	0.08	0.6	1.0
2008	81	0.6	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9
2009	86	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2010	89	0.7	0.07	0.5	0.8	82	0.7	0.08	0.6	0.9
2011	89	0.6	0.07	0.5	0.8	80	0.7	0.08	0.5	0.9
2012	88	0.7	0.07	0.5	0.8	82	0.7	0.08	0.6	0.9
2013	68	0.5	0.06	0.4	0.6	65	0.6	0.07	0.4	0.7
2014	105	0.7	0.07	0.6	0.9	94	0.8	0.08	0.6	1.0
2015	87	0.6	0.07	0.5	0.8	79	0.7	0.08	0.5	0.8
2016	90	0.6	0.07	0.5	0.8	81	0.7	0.08	0.5	0.8
2017	97	0.7	0.07	0.5	0.8	87	0.7	0.08	0.6	0.9
2018	80	0.5	0.06	0.4	0.7	75	0.6	0.07	0.5	0.8
2019	97	0.6	0.06	0.5	0.8	87	0.7	0.07	0.5	0.8
2020	76	0.5	0.05	0.4	0.6	71	0.5	0.06	0.4	0.7
2021	83	0.5	0.06	0.4	0.7	72	0.6	0.07	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ureter										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	123	0.2	0.02	0.2	0.3	56	0.4	0.05	0.3	0.5
1986	5	0.5	0.22	0.2	1.1	1	0.9	0.88	0.0	4.6
1987	2	0.2	0.15	0.0	0.7	0				
1988	0					0				
1989	0					0				
1990	2	0.2	0.17	0.0	0.8	0				
1991	2	0.2	0.14	0.0	0.6	0				
1992	2	0.2	0.11	0.0	0.6	1	0.4	0.42	0.0	2.6
1993	3	0.3	0.16	0.1	0.8	0				
1994	1	0.1	0.10	0.0	0.5	2	1.4	1.00	0.2	4.5
1995	1	0.1	0.07	0.0	0.4	1	0.3	0.30	0.0	2.0
1996	3	0.2	0.13	0.1	0.6	1	0.7	0.74	0.0	3.3
1997	2	0.2	0.13	0.0	0.6	0				
1998	1	0.1	0.07	0.0	0.4	1	0.4	0.35	0.0	1.9
1999	5	0.4	0.16	0.1	0.8	2	0.7	0.53	0.1	2.5
2000	6	0.5	0.20	0.2	1.0	0				
2001	0					0				
2002	3	0.2	0.12	0.0	0.6	0				
2003	5	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.6
2004	6	0.4	0.18	0.2	0.9	1	0.2	0.16	0.0	1.1
2005	1	0.1	0.08	0.0	0.4	2	0.5	0.37	0.1	1.8
2006	8	0.6	0.21	0.3	1.2	2	0.4	0.31	0.0	1.6
2007	5	0.3	0.15	0.1	0.7	0				
2008	1	0.1	0.05	0.0	0.3	2	0.3	0.22	0.0	1.2
2009	5	0.3	0.16	0.1	0.8	2	0.3	0.20	0.0	1.1
2010	5	0.4	0.16	0.1	0.8	2	0.4	0.25	0.0	1.3
2011	4	0.2	0.12	0.1	0.6	5	1.1	0.52	0.3	2.5
2012	4	0.3	0.14	0.1	0.7	2	0.4	0.29	0.0	1.4
2013	2	0.1	0.07	0.0	0.4	1	0.1	0.10	0.0	0.7
2014	5	0.3	0.13	0.1	0.7	5	0.8	0.36	0.2	1.8
2015	5	0.3	0.14	0.1	0.7	3	0.4	0.24	0.1	1.2
2016	7	0.3	0.13	0.1	0.7	2	0.4	0.26	0.0	1.2
2017	6	0.3	0.13	0.1	0.7	4	0.5	0.27	0.1	1.4
2018	2	0.1	0.09	0.0	0.4	3	0.4	0.21	0.1	1.1
2019	6	0.3	0.13	0.1	0.7	4	0.5	0.25	0.1	1.2
2020	4	0.2	0.12	0.1	0.6	1	0.1	0.09	0.0	0.6
2021	4	0.2	0.10	0.1	0.5	5	0.6	0.28	0.2	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ureter										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,723	0.9	0.02	0.9	1.0	1,619	1.0	0.02	0.9	1.0
1986	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4
1987	30	0.7	0.12	0.4	0.9	29	0.7	0.14	0.5	1.0
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.17	0.8	1.5
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.5
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1994	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.6
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5
1997	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6
1998	50	1.1	0.15	0.8	1.4	49	1.2	0.17	0.9	1.6
1999	38	0.8	0.13	0.6	1.1	33	0.8	0.14	0.5	1.1
2000	44	0.9	0.13	0.6	1.2	40	0.9	0.14	0.7	1.2
2001	40	0.8	0.13	0.6	1.1	39	0.9	0.14	0.6	1.2
2002	51	1.0	0.15	0.8	1.4	50	1.2	0.17	0.9	1.5
2003	48	0.9	0.14	0.7	1.2	45	1.0	0.15	0.7	1.4
2004	41	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.2
2005	49	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
2006	55	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2007	53	1.0	0.14	0.8	1.4	49	1.1	0.16	0.8	1.5
2008	44	0.8	0.13	0.6	1.1	41	0.9	0.14	0.7	1.2
2009	51	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.3
2010	52	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
2011	57	0.9	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4
2012	52	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3
2013	43	0.8	0.12	0.5	1.0	42	0.9	0.14	0.6	1.2
2014	55	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
2015	57	1.0	0.13	0.7	1.3	54	1.1	0.15	0.8	1.5
2016	59	1.0	0.13	0.7	1.2	53	1.0	0.14	0.8	1.3
2017	56	0.9	0.12	0.7	1.1	52	1.0	0.14	0.7	1.3
2018	49	0.8	0.11	0.6	1.0	47	0.9	0.13	0.6	1.2
2019	63	0.9	0.12	0.7	1.2	57	1.0	0.14	0.8	1.3
2020	53	0.7	0.10	0.5	1.0	49	0.8	0.12	0.6	1.1
2021	41	0.6	0.10	0.4	0.8	37	0.7	0.11	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ureter										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	70	0.3	0.04	0.3	0.4	30	0.5	0.09	0.3	0.7
1986	4	1.0	0.52	0.2	2.5	0				
1987	1	0.2	0.17	0.0	1.0	0				
1988	0					0				
1989	0					0				
1990	0					0				
1991	1	0.2	0.15	0.0	1.0	0				
1992	2	0.4	0.27	0.1	1.4	1	0.9	0.92	0.0	6.1
1993	2	0.3	0.24	0.0	1.3	0				
1994	0					2	3.4	2.47	0.4	11.0
1995	1	0.2	0.16	0.0	0.9	1	0.6	0.61	0.0	4.7
1996	1	0.2	0.20	0.0	1.0	0				
1997	2	0.5	0.36	0.1	1.6	0				
1998	1	0.2	0.16	0.0	0.9	0				
1999	3	0.6	0.42	0.1	1.9	2	1.6	1.30	0.1	6.2
2000	4	0.8	0.42	0.2	2.0	0				
2001	0					0				
2002	1	0.2	0.15	0.0	0.9	0				
2003	3	0.4	0.24	0.1	1.3	0				
2004	3	0.5	0.30	0.1	1.5	1	0.3	0.34	0.0	2.6
2005	1	0.2	0.24	0.0	1.1	1	0.7	0.68	0.0	3.4
2006	4	0.7	0.36	0.2	1.8	0				
2007	3	0.4	0.23	0.1	1.2	0				
2008	1	0.1	0.11	0.0	0.7	2	0.6	0.46	0.1	2.7
2009	3	0.6	0.38	0.1	1.7	1	0.3	0.33	0.0	2.1
2010	3	0.5	0.31	0.1	1.5	1	0.3	0.32	0.0	2.0
2011	1	0.1	0.10	0.0	0.7	3	1.8	1.07	0.3	4.8
2012	4	0.7	0.37	0.2	1.8	1	0.7	0.67	0.0	3.0
2013	0					1	0.2	0.23	0.0	1.6
2014	3	0.5	0.26	0.1	1.3	3	1.2	0.78	0.2	3.6
2015	2	0.3	0.20	0.0	1.0	1	0.2	0.23	0.0	1.5
2016	4	0.5	0.27	0.1	1.3	2	0.8	0.59	0.1	2.7
2017	2	0.2	0.14	0.0	0.8	2	0.5	0.38	0.1	1.9
2018	1	0.2	0.20	0.0	0.9	1	0.2	0.21	0.0	1.3
2019	4	0.6	0.32	0.2	1.5	2	0.4	0.28	0.1	1.6
2020	3	0.5	0.27	0.1	1.3	1	0.2	0.19	0.0	1.2
2021	2	0.3	0.19	0.0	0.9	1	0.3	0.28	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ureter										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,131	0.4	0.01	0.4	0.5	1,048	0.5	0.01	0.4	0.5
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7
1988	34	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7
1991	31	0.5	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.4	0.7
1995	27	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
1996	26	0.4	0.07	0.3	0.6	23	0.4	0.08	0.2	0.6
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6
1998	30	0.4	0.08	0.3	0.6	28	0.4	0.08	0.3	0.6
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.3	0.6
2000	35	0.5	0.08	0.3	0.7	33	0.5	0.09	0.4	0.7
2001	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2002	31	0.4	0.08	0.3	0.6	29	0.4	0.08	0.3	0.7
2003	29	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6
2004	28	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2005	32	0.4	0.08	0.3	0.6	31	0.5	0.09	0.3	0.7
2006	40	0.6	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8
2007	36	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.8
2008	37	0.5	0.08	0.3	0.7	37	0.6	0.10	0.4	0.8
2009	35	0.5	0.08	0.3	0.7	32	0.5	0.09	0.3	0.7
2010	37	0.5	0.08	0.4	0.7	34	0.5	0.09	0.4	0.8
2011	32	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
2012	36	0.5	0.08	0.3	0.7	35	0.5	0.09	0.4	0.8
2013	25	0.3	0.06	0.2	0.5	23	0.3	0.07	0.2	0.5
2014	50	0.6	0.09	0.5	0.8	46	0.7	0.10	0.5	0.9
2015	30	0.3	0.06	0.2	0.5	25	0.3	0.07	0.2	0.5
2016	31	0.4	0.07	0.3	0.6	28	0.4	0.08	0.3	0.6
2017	41	0.5	0.08	0.4	0.7	35	0.5	0.09	0.4	0.7
2018	31	0.4	0.07	0.3	0.5	28	0.4	0.08	0.3	0.6
2019	34	0.4	0.07	0.3	0.6	30	0.4	0.08	0.3	0.6
2020	23	0.3	0.06	0.2	0.4	22	0.3	0.07	0.2	0.5
2021	42	0.5	0.07	0.3	0.6	35	0.5	0.08	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ureter										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	53	0.2	0.02	0.1	0.2	26	0.3	0.07	0.2	0.5
1986	1	0.2	0.16	0.0	0.8	1	1.5	1.54	0.0	8.0
1987	1	0.2	0.20	0.0	0.9	0				
1988	0					0				
1989	0					0				
1990	2	0.4	0.26	0.0	1.2	0				
1991	1	0.2	0.18	0.0	0.9	0				
1992	0					0				
1993	1	0.2	0.17	0.0	0.8	0				
1994	1	0.2	0.16	0.0	0.8	0				
1995	0					0				
1996	2	0.3	0.17	0.0	0.9	1	1.2	1.23	0.0	5.5
1997	0					0				
1998	0					1	0.6	0.63	0.0	3.4
1999	2	0.2	0.16	0.0	0.8	0				
2000	2	0.3	0.19	0.0	0.9	0				
2001	0					0				
2002	2	0.2	0.17	0.0	0.8	0				
2003	2	0.2	0.15	0.0	0.8	1	0.6	0.59	0.0	2.9
2004	3	0.4	0.22	0.1	1.1	0				
2005	0					1	0.4	0.40	0.0	2.2
2006	4	0.5	0.25	0.1	1.3	2	0.8	0.57	0.1	2.8
2007	2	0.2	0.17	0.0	0.8	0				
2008	0					0				
2009	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.6
2010	2	0.2	0.16	0.0	0.8	1	0.4	0.38	0.0	2.0
2011	3	0.3	0.20	0.1	1.0	2	0.7	0.51	0.1	2.4
2012	0					1	0.2	0.22	0.0	1.4
2013	2	0.2	0.14	0.0	0.7	0				
2014	2	0.2	0.13	0.0	0.7	2	0.6	0.40	0.1	2.0
2015	3	0.3	0.19	0.1	0.9	2	0.5	0.39	0.1	1.9
2016	3	0.2	0.14	0.1	0.7	0				
2017	4	0.4	0.19	0.1	1.0	2	0.5	0.37	0.1	1.8
2018	1	0.1	0.11	0.0	0.6	2	0.5	0.35	0.1	1.7
2019	2	0.2	0.12	0.0	0.7	2	0.5	0.36	0.1	1.8
2020	1	0.1	0.08	0.0	0.5	0				
2021	2	0.1	0.10	0.0	0.6	4	0.9	0.45	0.2	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Eye and Orbit										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,557	0.8	0.01	0.8	0.8	3,289	0.9	0.02	0.8	0.9
1986	65	0.6	0.08	0.5	0.8	62	0.7	0.09	0.5	0.9
1987	83	0.8	0.09	0.6	1.0	74	0.8	0.09	0.6	1.0
1988	83	0.8	0.08	0.6	0.9	73	0.8	0.09	0.6	1.0
1989	63	0.6	0.07	0.4	0.7	58	0.6	0.08	0.5	0.8
1990	66	0.6	0.07	0.5	0.8	56	0.6	0.08	0.5	0.8
1991	72	0.6	0.08	0.5	0.8	65	0.7	0.08	0.5	0.9
1992	98	0.9	0.09	0.7	1.0	89	0.9	0.10	0.7	1.1
1993	78	0.7	0.08	0.5	0.8	71	0.7	0.09	0.6	0.9
1994	81	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	0.9
1995	96	0.8	0.08	0.7	1.0	88	0.9	0.10	0.7	1.1
1996	118	1.0	0.09	0.8	1.2	106	1.1	0.11	0.9	1.3
1997	81	0.7	0.08	0.6	0.9	77	0.8	0.09	0.6	1.0
1998	68	0.6	0.07	0.4	0.7	64	0.6	0.08	0.5	0.8
1999	94	0.8	0.08	0.6	1.0	90	0.9	0.09	0.7	1.1
2000	96	0.8	0.08	0.6	1.0	89	0.9	0.09	0.7	1.1
2001	105	0.9	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2002	92	0.7	0.08	0.6	0.9	81	0.8	0.09	0.6	1.0
2003	127	1.0	0.09	0.9	1.2	124	1.2	0.11	1.0	1.4
2004	103	0.8	0.08	0.7	1.0	98	0.9	0.10	0.8	1.2
2005	122	1.0	0.09	0.8	1.2	115	1.1	0.10	0.9	1.3
2006	107	0.8	0.08	0.7	1.0	104	1.0	0.10	0.8	1.2
2007	122	1.0	0.09	0.8	1.1	120	1.1	0.10	0.9	1.4
2008	101	0.8	0.08	0.6	0.9	93	0.9	0.09	0.7	1.1
2009	145	1.1	0.09	0.9	1.3	137	1.3	0.11	1.1	1.5
2010	105	0.8	0.08	0.7	1.0	100	0.9	0.09	0.8	1.1
2011	116	0.9	0.08	0.7	1.1	102	0.9	0.09	0.8	1.1
2012	104	0.8	0.07	0.6	0.9	98	0.9	0.09	0.7	1.1
2013	118	0.9	0.08	0.7	1.0	106	0.9	0.09	0.8	1.1
2014	90	0.6	0.07	0.5	0.8	82	0.7	0.08	0.5	0.9
2015	111	0.8	0.08	0.7	1.0	105	0.9	0.09	0.8	1.1
2016	115	0.8	0.07	0.6	0.9	104	0.9	0.09	0.7	1.1
2017	102	0.7	0.07	0.6	0.9	96	0.8	0.08	0.7	1.0
2018	114	0.7	0.07	0.6	0.9	108	0.9	0.09	0.7	1.1
2019	118	0.8	0.08	0.7	1.0	105	0.9	0.09	0.7	1.1
2020	102	0.7	0.07	0.6	0.9	93	0.8	0.09	0.6	1.0
2021	96	0.7	0.07	0.5	0.8	88	0.8	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Eye and Orbit										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	162	0.2	0.02	0.2	0.3	52	0.3	0.04	0.2	0.4
1986	2	0.1	0.09	0.0	0.5	1	0.9	0.88	0.0	4.6
1987	6	0.4	0.17	0.1	0.9	1	0.3	0.29	0.0	3.0
1988	8	0.4	0.15	0.2	0.8	2	0.6	0.40	0.1	3.2
1989	4	0.2	0.09	0.1	0.6	1	0.3	0.28	0.0	2.7
1990	8	0.5	0.19	0.2	1.0	1	0.3	0.25	0.0	2.6
1991	2	0.1	0.07	0.0	0.4	0				
1992	9	0.5	0.18	0.2	1.0	0				
1993	4	0.2	0.10	0.0	0.5	1	0.3	0.25	0.0	2.1
1994	5	0.3	0.14	0.1	0.7	0				
1995	5	0.2	0.10	0.1	0.6	0				
1996	6	0.3	0.15	0.1	0.8	4	1.5	0.80	0.3	3.9
1997	3	0.2	0.09	0.0	0.5	1	0.2	0.21	0.0	1.7
1998	2	0.1	0.09	0.0	0.4	1	0.2	0.20	0.0	1.6
1999	4	0.2	0.10	0.1	0.5	0				
2000	3	0.2	0.12	0.0	0.6	2	0.6	0.50	0.1	2.4
2001	7	0.4	0.14	0.1	0.8	2	0.9	0.69	0.1	3.0
2002	8	0.3	0.12	0.2	0.7	3	0.5	0.31	0.1	1.8
2003	1	0.0	0.04	0.0	0.3	0				
2004	3	0.1	0.08	0.0	0.4	0				
2005	4	0.2	0.09	0.1	0.5	2	0.5	0.40	0.1	1.9
2006	1	0.1	0.05	0.0	0.3	1	0.2	0.16	0.0	1.1
2007	1	0.0	0.04	0.0	0.3	1	0.1	0.14	0.0	1.0
2008	4	0.2	0.09	0.1	0.5	3	0.4	0.23	0.1	1.3
2009	8	0.4	0.15	0.2	0.8	0				
2010	4	0.2	0.12	0.1	0.6	1	0.1	0.13	0.0	0.9
2011	7	0.4	0.13	0.1	0.7	3	0.7	0.43	0.2	2.0
2012	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.8
2013	6	0.3	0.13	0.1	0.7	2	0.3	0.18	0.0	1.0
2014	5	0.3	0.11	0.1	0.6	1	0.1	0.13	0.0	0.8
2015	3	0.2	0.10	0.0	0.5	3	0.4	0.24	0.1	1.2
2016	2	0.1	0.08	0.0	0.4	5	0.6	0.25	0.2	1.4
2017	3	0.2	0.09	0.0	0.4	2	0.2	0.17	0.0	0.9
2018	5	0.2	0.11	0.1	0.6	1	0.1	0.12	0.0	0.7
2019	9	0.5	0.16	0.2	0.9	3	0.4	0.20	0.1	1.0
2020	4	0.2	0.10	0.1	0.5	2	0.2	0.13	0.0	0.7
2021	4	0.2	0.11	0.1	0.6	1	0.1	0.11	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Eye and Orbit										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,872	0.9	0.02	0.9	1.0	1,721	1.0	0.02	1.0	1.0
1986	36	0.8	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1987	40	0.8	0.14	0.6	1.1	35	0.9	0.15	0.6	1.2
1988	43	0.9	0.14	0.6	1.2	37	0.9	0.15	0.6	1.2
1989	27	0.6	0.12	0.4	0.9	24	0.6	0.13	0.4	0.9
1990	35	0.7	0.12	0.5	1.0	30	0.7	0.13	0.5	1.0
1991	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1992	50	1.0	0.14	0.7	1.3	44	1.0	0.16	0.7	1.4
1993	38	0.7	0.12	0.5	1.0	35	0.8	0.14	0.6	1.1
1994	41	0.8	0.13	0.6	1.1	39	0.9	0.15	0.6	1.2
1995	54	1.0	0.14	0.7	1.3	49	1.1	0.15	0.8	1.4
1996	65	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.7
1997	47	0.9	0.14	0.7	1.2	43	1.0	0.15	0.7	1.3
1998	32	0.6	0.11	0.4	0.9	31	0.7	0.12	0.5	1.0
1999	50	1.0	0.14	0.7	1.3	50	1.1	0.16	0.8	1.5
2000	56	1.1	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2001	54	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2002	58	1.0	0.14	0.8	1.3	51	1.1	0.15	0.8	1.4
2003	64	1.2	0.15	0.9	1.5	63	1.3	0.17	1.0	1.7
2004	50	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.4
2005	69	1.2	0.14	0.9	1.5	66	1.4	0.17	1.0	1.7
2006	53	0.9	0.12	0.7	1.2	52	1.0	0.15	0.8	1.4
2007	60	1.0	0.13	0.8	1.3	59	1.2	0.16	0.9	1.6
2008	57	1.0	0.13	0.7	1.3	55	1.1	0.16	0.9	1.5
2009	84	1.3	0.15	1.1	1.7	78	1.5	0.17	1.2	1.9
2010	54	0.9	0.13	0.7	1.2	52	1.1	0.15	0.8	1.4
2011	66	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5
2012	54	0.9	0.12	0.7	1.2	53	1.0	0.15	0.8	1.4
2013	66	1.1	0.13	0.8	1.3	59	1.1	0.15	0.9	1.5
2014	49	0.7	0.10	0.5	0.9	44	0.8	0.12	0.5	1.0
2015	54	0.8	0.12	0.6	1.1	50	0.9	0.14	0.7	1.2
2016	58	0.8	0.11	0.6	1.1	50	0.9	0.12	0.6	1.1
2017	60	0.9	0.12	0.7	1.2	58	1.1	0.15	0.8	1.4
2018	51	0.7	0.10	0.5	0.9	47	0.8	0.11	0.6	1.0
2019	57	0.9	0.12	0.7	1.1	50	0.9	0.13	0.7	1.2
2020	54	0.8	0.11	0.6	1.0	46	0.8	0.12	0.6	1.1
2021	52	0.8	0.11	0.6	1.0	44	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Eye and Orbit										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	95	0.3	0.03	0.2	0.4	29	0.3	0.07	0.2	0.5
1986	2	0.3	0.19	0.0	1.1	0				
1987	4	0.5	0.28	0.1	1.6	1	0.6	0.56	0.0	6.9
1988	4	0.5	0.28	0.1	1.5	2	1.1	0.79	0.1	7.1
1989	2	0.2	0.14	0.0	1.0	1	0.5	0.53	0.0	6.2
1990	5	0.5	0.26	0.2	1.5	0				
1991	1	0.1	0.13	0.0	0.9	0				
1992	6	0.5	0.23	0.2	1.4	0				
1993	2	0.1	0.10	0.0	0.8	0				
1994	2	0.2	0.19	0.0	1.1	0				
1995	3	0.3	0.19	0.1	1.1	0				
1996	5	0.7	0.34	0.2	1.7	2	2.3	1.71	0.2	8.0
1997	3	0.3	0.20	0.1	1.1	1	0.4	0.42	0.0	3.9
1998	0					0				
1999	0					0				
2000	3	0.6	0.40	0.1	1.8	1	0.4	0.35	0.0	3.2
2001	4	0.5	0.29	0.1	1.5	2	2.4	2.08	0.2	8.6
2002	5	0.4	0.19	0.1	1.1	2	0.7	0.48	0.1	3.3
2003	1	0.1	0.09	0.0	0.7	0				
2004	1	0.1	0.09	0.0	0.7	0				
2005	3	0.3	0.15	0.1	0.9	0				
2006	1	0.1	0.09	0.0	0.7	0				
2007	0					1	0.3	0.28	0.0	2.2
2008	1	0.1	0.09	0.0	0.7	0				
2009	6	0.7	0.28	0.2	1.5	0				
2010	1	0.2	0.21	0.0	1.0	1	0.3	0.25	0.0	1.9
2011	2	0.2	0.17	0.0	0.9	1	0.6	0.59	0.0	2.8
2012	0					1	0.3	0.25	0.0	1.7
2013	3	0.4	0.22	0.1	1.1	1	0.3	0.25	0.0	1.6
2014	3	0.3	0.19	0.1	1.0	1	0.3	0.26	0.0	1.6
2015	1	0.2	0.15	0.0	0.8	3	0.9	0.50	0.2	2.5
2016	2	0.3	0.21	0.0	1.0	3	0.8	0.44	0.2	2.3
2017	2	0.2	0.15	0.0	0.8	0				
2018	3	0.3	0.17	0.1	0.9	1	0.3	0.25	0.0	1.4
2019	6	0.6	0.25	0.2	1.3	1	0.2	0.24	0.0	1.4
2020	4	0.4	0.20	0.1	1.1	2	0.4	0.26	0.1	1.5
2021	4	0.4	0.21	0.1	1.1	1	0.2	0.22	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Eye and Orbit										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,685	0.7	0.02	0.7	0.7	1,568	0.8	0.02	0.7	0.8
1986	29	0.5	0.10	0.3	0.8	28	0.6	0.12	0.4	0.9
1987	43	0.7	0.11	0.5	1.0	39	0.8	0.13	0.5	1.1
1988	40	0.7	0.11	0.5	0.9	36	0.7	0.12	0.5	1.0
1989	36	0.6	0.11	0.4	0.9	34	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.7
1991	38	0.6	0.10	0.4	0.9	34	0.6	0.11	0.4	0.9
1992	48	0.8	0.11	0.6	1.0	45	0.8	0.13	0.6	1.1
1993	40	0.6	0.10	0.5	0.9	36	0.7	0.11	0.5	0.9
1994	40	0.6	0.10	0.4	0.9	36	0.7	0.11	0.5	0.9
1995	42	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
1996	53	0.8	0.12	0.6	1.1	50	0.9	0.13	0.7	1.2
1997	34	0.5	0.09	0.4	0.7	34	0.6	0.11	0.4	0.9
1998	36	0.6	0.09	0.4	0.8	33	0.6	0.11	0.4	0.9
1999	44	0.7	0.10	0.5	0.9	40	0.8	0.12	0.5	1.0
2000	40	0.6	0.09	0.4	0.8	38	0.7	0.11	0.5	0.9
2001	51	0.8	0.11	0.6	1.0	46	0.9	0.13	0.6	1.1
2002	34	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8
2003	63	0.9	0.12	0.7	1.2	61	1.1	0.14	0.8	1.4
2004	53	0.8	0.11	0.6	1.0	51	0.9	0.13	0.7	1.2
2005	53	0.8	0.11	0.6	1.0	49	0.9	0.13	0.7	1.2
2006	54	0.8	0.11	0.6	1.0	52	0.9	0.13	0.7	1.2
2007	62	0.9	0.12	0.7	1.2	61	1.1	0.14	0.8	1.4
2008	44	0.6	0.10	0.5	0.9	38	0.7	0.11	0.5	0.9
2009	61	0.9	0.11	0.7	1.1	59	1.1	0.14	0.8	1.4
2010	51	0.7	0.10	0.5	1.0	48	0.8	0.12	0.6	1.1
2011	50	0.7	0.10	0.5	1.0	41	0.7	0.12	0.5	1.0
2012	50	0.7	0.10	0.5	0.9	45	0.8	0.11	0.5	1.0
2013	52	0.7	0.10	0.5	1.0	47	0.8	0.12	0.6	1.1
2014	41	0.5	0.08	0.4	0.7	38	0.6	0.10	0.4	0.8
2015	57	0.8	0.10	0.6	1.0	55	0.9	0.13	0.7	1.2
2016	57	0.8	0.10	0.6	1.0	54	0.9	0.13	0.7	1.2
2017	42	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8
2018	63	0.8	0.10	0.6	1.0	61	1.0	0.13	0.7	1.2
2019	61	0.8	0.11	0.6	1.1	55	0.9	0.13	0.7	1.2
2020	48	0.6	0.09	0.5	0.8	47	0.8	0.12	0.6	1.1
2021	44	0.6	0.09	0.4	0.8	44	0.7	0.12	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Eye and Orbit										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	67	0.2	0.02	0.1	0.2	23	0.2	0.05	0.2	0.4
1986	0					1	1.5	1.54	0.0	8.0
1987	2	0.2	0.18	0.0	0.9	0				
1988	4	0.3	0.17	0.1	1.0	0				
1989	2	0.2	0.14	0.0	0.8	0				
1990	3	0.4	0.23	0.1	1.2	1	0.5	0.51	0.0	4.7
1991	1	0.1	0.08	0.0	0.6	0				
1992	3	0.4	0.23	0.1	1.1	0				
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.52	0.0	3.9
1994	3	0.3	0.20	0.1	1.0	0				
1995	2	0.1	0.10	0.0	0.6	0				
1996	1	0.1	0.07	0.0	0.5	2	1.0	0.73	0.1	4.1
1997	0					0				
1998	2	0.2	0.15	0.0	0.8	1	0.4	0.40	0.0	2.8
1999	4	0.4	0.19	0.1	1.0	0				
2000	0					1	0.8	0.79	0.0	3.7
2001	3	0.3	0.14	0.1	0.8	0				
2002	3	0.3	0.15	0.1	0.8	1	0.4	0.39	0.0	2.4
2003	0					0				
2004	2	0.2	0.13	0.0	0.7	0				
2005	1	0.1	0.09	0.0	0.6	2	0.9	0.70	0.1	3.3
2006	0					1	0.3	0.30	0.0	1.9
2007	1	0.1	0.09	0.0	0.5	0				
2008	3	0.3	0.16	0.1	0.8	3	0.8	0.47	0.2	2.6
2009	2	0.2	0.14	0.0	0.7	0				
2010	3	0.3	0.16	0.1	0.8	0				
2011	5	0.5	0.21	0.2	1.1	2	0.8	0.59	0.1	2.7
2012	2	0.2	0.14	0.0	0.7	0				
2013	3	0.3	0.17	0.1	0.9	1	0.3	0.26	0.0	1.5
2014	2	0.2	0.13	0.0	0.7	0				
2015	2	0.2	0.14	0.0	0.7	0				
2016	0					2	0.4	0.28	0.1	1.5
2017	1	0.1	0.10	0.0	0.5	2	0.5	0.34	0.1	1.7
2018	2	0.2	0.14	0.0	0.7	0				
2019	3	0.3	0.19	0.1	0.9	2	0.5	0.34	0.1	1.7
2020	0					0				
2021	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain and Other Nervous System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	29,055	6.4	0.04	6.3	6.5	25,845	6.9	0.04	6.8	7.0
1986	652	5.9	0.24	5.5	6.4	598	6.3	0.26	5.8	6.9
1987	681	6.3	0.25	5.8	6.8	608	6.6	0.27	6.1	7.1
1988	711	6.4	0.24	6.0	6.9	635	6.7	0.27	6.2	7.3
1989	758	6.9	0.25	6.4	7.4	686	7.3	0.28	6.7	7.8
1990	680	6.1	0.24	5.6	6.5	625	6.6	0.27	6.1	7.1
1991	727	6.5	0.24	6.0	6.9	670	7.0	0.27	6.5	7.6
1992	710	6.2	0.24	5.8	6.7	638	6.6	0.26	6.1	7.2
1993	716	6.2	0.23	5.8	6.7	645	6.6	0.26	6.1	7.2
1994	769	6.7	0.24	6.2	7.1	684	7.0	0.27	6.5	7.5
1995	725	6.2	0.23	5.8	6.7	667	6.8	0.27	6.3	7.4
1996	761	6.4	0.23	6.0	6.9	684	6.9	0.26	6.4	7.4
1997	797	6.7	0.24	6.3	7.2	722	7.3	0.27	6.8	7.8
1998	756	6.3	0.23	5.9	6.8	668	6.7	0.26	6.2	7.2
1999	791	6.6	0.23	6.1	7.0	702	7.0	0.26	6.5	7.5
2000	773	6.4	0.23	5.9	6.8	692	6.9	0.26	6.4	7.4
2001	794	6.5	0.23	6.1	7.0	722	7.1	0.27	6.6	7.7
2002	763	6.2	0.22	5.8	6.6	685	6.7	0.26	6.2	7.2
2003	803	6.5	0.23	6.0	6.9	725	7.1	0.26	6.6	7.6
2004	853	6.8	0.23	6.4	7.3	766	7.4	0.27	6.9	8.0
2005	812	6.4	0.23	6.0	6.9	717	6.9	0.26	6.4	7.4
2006	893	7.0	0.24	6.6	7.5	786	7.6	0.27	7.0	8.1
2007	835	6.5	0.23	6.1	6.9	736	7.0	0.26	6.5	7.5
2008	896	6.9	0.23	6.5	7.4	793	7.4	0.27	6.9	8.0
2009	845	6.5	0.22	6.0	6.9	749	7.0	0.26	6.5	7.5
2010	902	6.8	0.23	6.4	7.3	796	7.4	0.27	6.9	7.9
2011	916	6.9	0.23	6.4	7.3	800	7.4	0.27	6.9	7.9
2012	842	6.1	0.21	5.7	6.6	748	6.7	0.25	6.2	7.2
2013	849	6.2	0.22	5.8	6.7	764	6.9	0.26	6.5	7.5
2014	893	6.5	0.22	6.1	6.9	782	7.0	0.26	6.5	7.6
2015	908	6.5	0.22	6.1	6.9	800	7.1	0.26	6.6	7.7
2016	899	6.4	0.22	5.9	6.8	768	6.8	0.25	6.3	7.3
2017	884	6.2	0.21	5.8	6.7	787	6.9	0.25	6.4	7.4
2018	884	6.3	0.22	5.9	6.8	769	6.9	0.26	6.4	7.4
2019	861	6.0	0.21	5.6	6.5	738	6.5	0.25	6.0	7.0
2020	871	6.0	0.21	5.6	6.5	771	6.7	0.25	6.2	7.2
2021	845	5.9	0.21	5.5	6.3	719	6.3	0.24	5.8	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain and Other Nervous System										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,412	3.9	0.08	3.8	4.1	633	3.4	0.14	3.1	3.7
1986	53	3.7	0.53	2.7	4.9	1	0.4	0.42	0.0	3.4
1987	66	4.9	0.63	3.7	6.3	6	2.5	1.06	0.9	6.1
1988	69	4.7	0.60	3.6	6.1	6	2.8	1.34	0.8	6.9
1989	65	4.4	0.58	3.4	5.7	6	2.9	1.39	0.8	7.0
1990	48	3.3	0.50	2.4	4.4	7	3.0	1.22	1.1	6.7
1991	46	3.2	0.49	2.3	4.3	6	2.4	1.04	0.8	5.6
1992	67	4.3	0.55	3.3	5.6	4	1.6	0.81	0.4	4.3
1993	58	3.8	0.52	2.9	5.0	12	4.3	1.35	2.1	7.9
1994	77	5.0	0.60	3.9	6.3	5	1.4	0.62	0.4	3.6
1995	51	3.3	0.49	2.4	4.4	6	1.8	0.85	0.6	4.4
1996	63	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	6.0
1997	53	3.2	0.45	2.3	4.2	18	4.9	1.24	2.8	8.1
1998	67	4.0	0.51	3.1	5.2	18	5.5	1.50	3.0	9.2
1999	68	4.2	0.52	3.2	5.3	14	3.5	0.99	1.8	6.0
2000	68	4.1	0.52	3.2	5.3	11	2.5	0.79	1.2	4.7
2001	52	3.3	0.47	2.4	4.3	17	3.8	1.01	2.1	6.4
2002	56	3.3	0.46	2.5	4.4	19	3.8	0.88	2.2	6.0
2003	59	3.6	0.48	2.7	4.7	14	3.4	1.06	1.6	6.1
2004	66	3.9	0.50	3.0	5.0	15	2.9	0.80	1.5	4.9
2005	72	4.1	0.50	3.2	5.2	14	2.8	0.80	1.5	4.8
2006	81	4.8	0.55	3.8	6.0	20	4.1	0.96	2.4	6.4
2007	69	3.9	0.48	3.0	5.0	26	4.4	0.93	2.8	6.6
2008	73	4.0	0.48	3.1	5.0	24	4.0	0.86	2.5	6.0
2009	66	3.7	0.47	2.9	4.8	22	3.5	0.81	2.1	5.5
2010	78	4.2	0.49	3.3	5.3	24	4.2	0.91	2.6	6.3
2011	87	4.7	0.52	3.8	5.9	22	3.0	0.67	1.9	4.7
2012	59	3.1	0.41	2.3	4.0	27	3.9	0.79	2.5	5.8
2013	59	3.2	0.43	2.4	4.2	20	3.0	0.71	1.8	4.8
2014	70	3.7	0.45	2.8	4.7	34	4.6	0.82	3.2	6.6
2015	76	3.9	0.46	3.1	4.9	26	3.3	0.67	2.1	4.9
2016	96	4.9	0.51	3.9	6.0	27	3.4	0.67	2.2	5.0
2017	71	3.7	0.45	2.9	4.7	23	2.7	0.56	1.7	4.0
2018	81	4.2	0.47	3.3	5.2	28	3.3	0.64	2.2	4.8
2019	86	4.3	0.48	3.5	5.4	30	3.3	0.60	2.2	4.7
2020	60	2.9	0.38	2.2	3.7	29	3.3	0.62	2.2	4.7
2021	76	3.8	0.44	2.9	4.7	39	4.3	0.70	3.1	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain and Other Nervous System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	15,871	7.6	0.06	7.4	7.7	14,165	8.1	0.07	8.0	8.2
1986	335	6.6	0.37	5.9	7.4	313	7.2	0.42	6.4	8.1
1987	372	7.6	0.41	6.8	8.4	330	7.8	0.44	7.0	8.8
1988	380	7.5	0.40	6.8	8.3	349	8.0	0.44	7.2	9.0
1989	396	7.9	0.41	7.1	8.8	359	8.4	0.45	7.5	9.3
1990	375	7.3	0.39	6.6	8.1	344	7.8	0.43	7.0	8.7
1991	397	7.8	0.40	7.0	8.6	369	8.5	0.45	7.6	9.4
1992	388	7.6	0.39	6.8	8.4	352	8.1	0.44	7.2	9.0
1993	392	7.6	0.39	6.8	8.4	357	8.1	0.44	7.3	9.0
1994	433	8.3	0.41	7.5	9.1	388	8.7	0.45	7.9	9.7
1995	399	7.4	0.38	6.7	8.2	373	8.2	0.43	7.4	9.1
1996	417	7.6	0.38	6.9	8.4	380	8.2	0.43	7.4	9.1
1997	452	8.4	0.40	7.6	9.2	405	8.9	0.45	8.1	9.8
1998	417	7.6	0.38	6.9	8.3	366	8.0	0.42	7.2	8.8
1999	430	7.9	0.38	7.1	8.7	380	8.3	0.43	7.5	9.1
2000	403	7.2	0.36	6.5	8.0	360	7.7	0.41	6.9	8.5
2001	441	7.9	0.38	7.2	8.7	398	8.5	0.43	7.7	9.4
2002	383	6.7	0.35	6.1	7.4	346	7.3	0.39	6.5	8.1
2003	446	7.8	0.37	7.1	8.5	401	8.4	0.42	7.5	9.2
2004	441	7.7	0.37	7.0	8.5	399	8.4	0.42	7.6	9.3
2005	442	7.6	0.36	6.9	8.3	392	8.0	0.41	7.3	8.9
2006	489	8.3	0.38	7.6	9.1	438	9.0	0.43	8.2	9.9
2007	432	7.1	0.35	6.5	7.9	379	7.6	0.39	6.8	8.4
2008	468	7.8	0.37	7.1	8.6	412	8.3	0.42	7.5	9.2
2009	455	7.5	0.36	6.8	8.2	403	8.0	0.41	7.2	8.9
2010	494	8.0	0.37	7.3	8.7	444	8.7	0.42	7.9	9.6
2011	506	8.2	0.37	7.5	8.9	439	8.6	0.42	7.8	9.5
2012	470	7.3	0.34	6.6	8.0	419	7.9	0.39	7.1	8.7
2013	476	7.4	0.34	6.7	8.1	424	8.1	0.40	7.3	8.9
2014	471	7.3	0.34	6.6	8.0	424	8.0	0.40	7.3	8.8
2015	522	7.9	0.35	7.2	8.6	459	8.5	0.41	7.7	9.4
2016	487	7.2	0.34	6.6	7.9	424	7.7	0.39	7.0	8.5
2017	504	7.6	0.35	6.9	8.3	445	8.2	0.40	7.4	9.0
2018	483	7.2	0.34	6.6	7.9	415	7.7	0.39	6.9	8.5
2019	498	7.5	0.34	6.8	8.2	426	7.9	0.40	7.2	8.8
2020	499	7.3	0.34	6.7	8.0	446	8.1	0.39	7.3	8.9
2021	478	6.9	0.33	6.3	7.6	407	7.3	0.37	6.6	8.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain and Other Nervous System										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,280	4.7	0.14	4.4	5.0	344	3.9	0.23	3.5	4.4
1986	21	3.4	0.76	2.0	5.2	1	0.9	0.85	0.0	7.8
1987	37	6.2	1.10	4.3	8.8	4	3.5	1.80	0.9	10.9
1988	28	4.3	0.87	2.8	6.4	2	1.1	0.79	0.1	7.2
1989	33	5.0	0.96	3.3	7.2	4	2.2	1.12	0.6	8.1
1990	29	4.3	0.86	2.8	6.3	2	2.2	1.56	0.3	8.8
1991	25	4.2	0.93	2.6	6.4	2	1.2	0.86	0.1	6.5
1992	33	4.7	0.86	3.2	6.7	2	1.2	0.88	0.2	6.2
1993	28	4.0	0.81	2.6	6.0	7	5.8	2.53	2.0	13.3
1994	42	6.5	1.07	4.5	8.9	3	1.8	1.08	0.4	6.5
1995	23	3.4	0.79	2.0	5.3	3	1.5	0.85	0.3	5.7
1996	27	3.2	0.64	2.1	4.7	9	5.2	1.87	2.2	10.8
1997	32	4.6	0.90	3.0	6.7	12	7.6	2.44	3.6	14.2
1998	39	4.8	0.83	3.3	6.7	10	5.8	1.93	2.6	11.3
1999	36	5.0	0.88	3.4	7.0	9	4.4	1.56	1.9	9.1
2000	36	5.2	0.96	3.5	7.4	5	2.1	0.98	0.6	5.6
2001	33	5.0	0.94	3.4	7.2	9	4.9	1.88	1.9	10.1
2002	26	4.0	0.88	2.5	6.1	10	4.4	1.45	2.0	8.6
2003	36	4.9	0.85	3.4	6.9	7	4.0	1.79	1.3	8.9
2004	31	4.1	0.79	2.7	5.9	9	3.9	1.48	1.6	8.0
2005	39	5.0	0.84	3.5	7.0	6	2.6	1.16	0.9	6.1
2006	38	5.2	0.92	3.6	7.4	10	4.3	1.49	1.9	8.3
2007	33	4.0	0.72	2.7	5.7	17	5.6	1.47	3.1	9.5
2008	38	4.5	0.75	3.1	6.2	15	5.1	1.42	2.7	8.8
2009	37	4.5	0.78	3.1	6.3	12	4.3	1.44	2.0	8.1
2010	37	4.7	0.82	3.3	6.6	12	3.7	1.09	1.9	6.7
2011	54	6.5	0.93	4.8	8.6	9	2.9	1.01	1.2	5.6
2012	32	3.6	0.65	2.4	5.1	15	5.5	1.61	2.8	9.5
2013	37	4.2	0.71	2.9	5.8	12	3.9	1.24	1.9	7.1
2014	33	4.0	0.72	2.7	5.7	10	2.6	0.83	1.2	4.9
2015	42	4.9	0.79	3.5	6.7	18	5.1	1.29	2.9	8.3
2016	48	5.5	0.82	4.0	7.4	10	2.4	0.76	1.1	4.5
2017	43	5.1	0.79	3.6	6.9	15	3.5	0.91	1.9	5.8
2018	50	5.5	0.81	4.1	7.4	14	3.4	0.93	1.9	5.8
2019	49	5.8	0.87	4.3	7.8	18	4.1	0.97	2.4	6.5
2020	31	3.3	0.61	2.2	4.7	20	4.7	1.07	2.9	7.3
2021	44	4.9	0.77	3.5	6.7	21	5.0	1.12	3.1	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain and Other Nervous System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	13,184	5.4	0.05	5.3	5.5	11,680	5.9	0.06	5.8	6.0
1986	317	5.3	0.30	4.7	5.9	285	5.6	0.34	4.9	6.3
1987	309	5.2	0.30	4.6	5.8	278	5.5	0.34	4.9	6.2
1988	331	5.5	0.31	5.0	6.2	286	5.6	0.34	5.0	6.4
1989	362	6.1	0.33	5.5	6.8	327	6.5	0.37	5.8	7.3
1990	305	5.1	0.29	4.5	5.7	281	5.5	0.34	4.9	6.2
1991	330	5.3	0.30	4.8	5.9	301	5.7	0.34	5.1	6.4
1992	322	5.2	0.29	4.6	5.8	286	5.4	0.33	4.8	6.1
1993	324	5.1	0.29	4.6	5.7	288	5.4	0.32	4.8	6.1
1994	336	5.3	0.29	4.7	5.9	296	5.5	0.32	4.9	6.2
1995	326	5.2	0.29	4.6	5.8	294	5.6	0.33	5.0	6.3
1996	344	5.4	0.29	4.8	6.0	304	5.7	0.33	5.1	6.4
1997	345	5.4	0.29	4.8	6.0	317	6.0	0.34	5.3	6.7
1998	339	5.3	0.29	4.7	5.9	302	5.7	0.33	5.1	6.4
1999	361	5.5	0.29	4.9	6.1	322	5.9	0.33	5.3	6.6
2000	370	5.7	0.30	5.1	6.3	332	6.2	0.34	5.5	6.9
2001	353	5.4	0.29	4.8	6.0	324	6.0	0.34	5.4	6.7
2002	380	5.7	0.30	5.2	6.4	339	6.2	0.34	5.6	6.9
2003	357	5.3	0.28	4.8	5.9	324	5.9	0.33	5.3	6.6
2004	412	6.1	0.30	5.6	6.8	367	6.7	0.35	6.0	7.5
2005	370	5.5	0.29	4.9	6.1	325	5.9	0.33	5.3	6.6
2006	404	6.0	0.30	5.4	6.6	348	6.4	0.34	5.7	7.1
2007	403	5.9	0.30	5.3	6.5	357	6.5	0.35	5.8	7.2
2008	428	6.1	0.30	5.6	6.8	381	6.7	0.35	6.1	7.5
2009	390	5.6	0.29	5.1	6.2	346	6.2	0.34	5.5	6.9
2010	408	5.7	0.29	5.2	6.3	352	6.1	0.33	5.5	6.8
2011	410	5.7	0.29	5.2	6.3	361	6.3	0.34	5.7	7.0
2012	372	5.2	0.28	4.7	5.8	329	5.7	0.32	5.1	6.4
2013	373	5.2	0.27	4.7	5.8	340	5.9	0.33	5.3	6.6
2014	422	5.8	0.29	5.2	6.4	358	6.2	0.34	5.5	6.9
2015	386	5.3	0.28	4.8	5.9	341	5.9	0.33	5.3	6.6
2016	412	5.6	0.29	5.1	6.2	344	5.9	0.33	5.3	6.6
2017	380	5.0	0.27	4.5	5.6	342	5.7	0.32	5.1	6.4
2018	401	5.6	0.29	5.0	6.1	354	6.2	0.34	5.6	6.9
2019	363	4.8	0.26	4.3	5.4	312	5.2	0.31	4.6	5.8
2020	372	4.9	0.26	4.4	5.4	325	5.4	0.31	4.8	6.1
2021	367	5.0	0.27	4.5	5.6	312	5.4	0.32	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain and Other Nervous System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,132	3.3	0.10	3.1	3.5	289	3.0	0.18	2.7	3.4
1986	32	3.9	0.72	2.6	5.6	0				
1987	29	3.8	0.74	2.5	5.6	2	1.6	1.21	0.2	7.1
1988	41	5.1	0.82	3.6	7.0	4	4.2	2.30	0.9	11.4
1989	32	4.0	0.74	2.7	5.7	2	3.1	2.17	0.4	10.1
1990	19	2.4	0.56	1.4	3.7	5	3.8	1.80	1.1	9.7
1991	21	2.5	0.56	1.5	3.8	4	3.3	1.71	0.8	8.9
1992	34	4.0	0.70	2.7	5.6	2	1.7	1.25	0.2	6.4
1993	30	3.6	0.67	2.4	5.2	5	3.2	1.44	1.0	7.8
1994	35	4.0	0.69	2.7	5.6	2	1.0	0.70	0.1	4.3
1995	28	3.3	0.64	2.2	4.8	3	1.9	1.27	0.3	6.2
1996	36	4.1	0.70	2.8	5.7	4	1.8	0.91	0.5	5.1
1997	21	2.2	0.49	1.3	3.4	6	2.8	1.17	1.0	6.5
1998	28	3.2	0.63	2.1	4.7	8	4.8	1.98	1.8	10.1
1999	32	3.5	0.62	2.4	4.9	5	2.6	1.23	0.8	6.3
2000	32	3.5	0.63	2.4	4.9	6	2.9	1.20	1.0	6.4
2001	19	2.1	0.48	1.2	3.2	8	3.2	1.17	1.3	6.5
2002	30	3.1	0.58	2.1	4.5	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	35	3.7	0.64	2.6	5.2	6	2.1	0.89	0.7	4.7
2005	33	3.4	0.59	2.3	4.7	8	2.9	1.09	1.2	5.9
2006	43	4.4	0.69	3.2	6.0	10	3.9	1.28	1.8	7.3
2007	36	3.7	0.62	2.6	5.1	9	3.2	1.13	1.4	6.2
2008	35	3.5	0.60	2.4	4.9	9	2.9	1.01	1.3	5.6
2009	29	3.1	0.58	2.1	4.5	10	3.0	0.98	1.4	5.6
2010	41	3.9	0.62	2.8	5.4	12	4.3	1.31	2.1	7.6
2011	33	3.2	0.57	2.2	4.5	13	3.3	0.91	1.7	5.7
2012	27	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.1
2013	22	2.3	0.50	1.5	3.5	8	2.4	0.87	1.0	4.8
2014	37	3.4	0.57	2.4	4.7	24	6.3	1.33	4.0	9.5
2015	34	3.1	0.55	2.2	4.4	8	2.0	0.71	0.9	3.9
2016	48	4.5	0.66	3.3	6.0	17	4.0	1.00	2.3	6.5
2017	28	2.6	0.50	1.7	3.8	8	1.9	0.68	0.8	3.8
2018	31	3.0	0.55	2.0	4.3	14	3.1	0.85	1.7	5.3
2019	37	3.4	0.57	2.4	4.7	12	2.6	0.75	1.3	4.5
2020	29	2.5	0.46	1.6	3.6	9	2.0	0.65	0.9	3.7
2021	32	3.0	0.55	2.0	4.3	18	3.9	0.92	2.3	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	27,282	6.0	0.04	5.9	6.1	24,408	6.5	0.04	6.4	6.6
1986	606	5.5	0.23	5.1	6.0	561	6.0	0.26	5.5	6.5
1987	620	5.7	0.23	5.3	6.2	559	6.0	0.26	5.5	6.6
1988	649	5.9	0.23	5.4	6.3	590	6.2	0.26	5.7	6.8
1989	707	6.4	0.24	5.9	6.9	647	6.8	0.27	6.3	7.4
1990	626	5.6	0.23	5.2	6.0	579	6.1	0.26	5.6	6.6
1991	682	6.0	0.23	5.6	6.5	635	6.6	0.27	6.1	7.2
1992	676	5.9	0.23	5.5	6.4	610	6.3	0.26	5.8	6.8
1993	655	5.7	0.22	5.3	6.1	596	6.1	0.25	5.6	6.6
1994	728	6.3	0.23	5.8	6.8	650	6.6	0.26	6.1	7.2
1995	688	5.9	0.23	5.5	6.4	635	6.5	0.26	6.0	7.0
1996	708	6.0	0.23	5.5	6.4	646	6.5	0.26	6.0	7.0
1997	756	6.4	0.23	5.9	6.9	686	6.9	0.26	6.4	7.5
1998	706	5.9	0.22	5.5	6.4	628	6.3	0.25	5.8	6.8
1999	746	6.2	0.23	5.8	6.6	664	6.6	0.26	6.1	7.1
2000	731	6.0	0.22	5.6	6.5	659	6.5	0.25	6.0	7.1
2001	752	6.2	0.22	5.7	6.6	688	6.8	0.26	6.3	7.3
2002	727	5.9	0.22	5.5	6.3	657	6.4	0.25	6.0	7.0
2003	773	6.2	0.22	5.8	6.7	697	6.8	0.26	6.3	7.3
2004	798	6.4	0.23	6.0	6.8	715	6.9	0.26	6.4	7.5
2005	752	5.9	0.22	5.5	6.4	671	6.4	0.25	5.9	6.9
2006	848	6.7	0.23	6.2	7.1	753	7.2	0.27	6.7	7.8
2007	775	6.0	0.22	5.6	6.5	684	6.5	0.25	6.0	7.0
2008	843	6.5	0.23	6.1	7.0	748	7.0	0.26	6.5	7.5
2009	794	6.1	0.22	5.6	6.5	709	6.6	0.25	6.2	7.2
2010	858	6.5	0.22	6.0	6.9	761	7.0	0.26	6.5	7.6
2011	864	6.5	0.22	6.0	6.9	755	6.9	0.26	6.4	7.5
2012	790	5.7	0.21	5.3	6.2	704	6.3	0.24	5.8	6.8
2013	798	5.8	0.21	5.4	6.3	720	6.5	0.25	6.0	7.0
2014	834	6.0	0.21	5.6	6.5	733	6.6	0.25	6.1	7.1
2015	850	6.1	0.21	5.7	6.5	755	6.7	0.25	6.2	7.2
2016	841	5.9	0.21	5.5	6.3	725	6.3	0.24	5.9	6.8
2017	823	5.8	0.21	5.4	6.2	735	6.4	0.24	5.9	6.9
2018	830	5.9	0.21	5.5	6.3	726	6.5	0.25	6.0	7.0
2019	815	5.7	0.20	5.3	6.1	701	6.1	0.24	5.7	6.6
2020	829	5.7	0.20	5.3	6.1	737	6.4	0.24	5.9	6.9
2021	804	5.5	0.20	5.1	5.9	689	5.9	0.23	5.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,155	3.5	0.08	3.4	3.7	579	3.1	0.14	2.9	3.4
1986	44	3.0	0.48	2.2	4.1	1	0.4	0.42	0.0	3.4
1987	55	4.1	0.58	3.1	5.4	5	1.9	0.90	0.6	5.3
1988	53	3.6	0.52	2.6	4.7	5	2.3	1.24	0.5	6.3
1989	53	3.6	0.52	2.6	4.7	6	2.9	1.39	0.8	7.0
1990	40	2.8	0.47	2.0	3.9	7	3.0	1.22	1.1	6.7
1991	38	2.6	0.44	1.8	3.6	4	1.3	0.67	0.3	3.9
1992	62	4.0	0.53	3.1	5.2	3	1.3	0.75	0.2	3.9
1993	48	3.2	0.48	2.3	4.3	10	3.5	1.21	1.5	6.9
1994	70	4.5	0.56	3.5	5.7	5	1.4	0.62	0.4	3.6
1995	48	3.1	0.47	2.3	4.2	4	1.4	0.80	0.3	3.9
1996	54	3.2	0.45	2.3	4.2	8	2.0	0.76	0.8	4.3
1997	50	3.0	0.44	2.2	4.0	16	4.3	1.14	2.3	7.2
1998	59	3.5	0.47	2.6	4.6	17	5.3	1.48	2.8	8.9
1999	62	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	5.9
2000	59	3.6	0.49	2.7	4.7	11	2.5	0.79	1.2	4.7
2001	46	2.9	0.45	2.1	4.0	15	3.2	0.86	1.7	5.4
2002	50	3.0	0.44	2.2	4.0	18	3.6	0.86	2.1	5.8
2003	57	3.5	0.47	2.6	4.5	14	3.4	1.06	1.6	6.1
2004	62	3.7	0.48	2.8	4.7	15	2.9	0.80	1.5	4.9
2005	63	3.6	0.46	2.7	4.6	12	2.5	0.77	1.2	4.5
2006	74	4.3	0.51	3.3	5.4	17	3.4	0.87	1.9	5.6
2007	62	3.5	0.45	2.7	4.5	25	4.3	0.92	2.7	6.5
2008	66	3.6	0.45	2.8	4.6	23	3.6	0.77	2.2	5.5
2009	59	3.4	0.46	2.6	4.4	20	3.3	0.79	1.9	5.2
2010	73	4.0	0.47	3.1	5.0	22	3.9	0.89	2.3	6.0
2011	81	4.4	0.50	3.5	5.5	22	3.0	0.67	1.9	4.7
2012	54	2.9	0.40	2.1	3.7	26	3.8	0.78	2.4	5.6
2013	54	2.9	0.41	2.2	3.8	19	2.9	0.71	1.7	4.6
2014	64	3.3	0.42	2.5	4.3	31	4.3	0.80	2.9	6.2
2015	66	3.4	0.42	2.6	4.3	25	3.2	0.66	2.1	4.8
2016	83	4.2	0.47	3.4	5.3	27	3.4	0.67	2.2	5.0
2017	66	3.5	0.43	2.7	4.4	20	2.3	0.53	1.4	3.6
2018	75	3.9	0.46	3.0	4.9	24	2.9	0.60	1.8	4.3
2019	81	4.1	0.46	3.2	5.1	27	2.9	0.57	1.9	4.3
2020	54	2.6	0.36	1.9	3.4	28	3.2	0.61	2.1	4.6
2021	70	3.5	0.43	2.7	4.4	34	3.8	0.65	2.6	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	15,055	7.2	0.06	7.1	7.3	13,516	7.7	0.07	7.6	7.9
1986	315	6.3	0.36	5.6	7.0	298	6.9	0.41	6.1	7.7
1987	338	6.9	0.39	6.1	7.7	304	7.2	0.42	6.4	8.0
1988	361	7.2	0.39	6.4	8.0	336	7.7	0.43	6.9	8.6
1989	374	7.5	0.40	6.7	8.3	342	8.0	0.44	7.1	8.9
1990	349	6.8	0.37	6.1	7.6	322	7.3	0.42	6.5	8.2
1991	369	7.2	0.38	6.5	8.0	345	7.9	0.43	7.1	8.8
1992	371	7.2	0.38	6.5	8.0	339	7.7	0.43	6.9	8.6
1993	363	7.0	0.38	6.3	7.8	333	7.6	0.42	6.8	8.5
1994	421	8.1	0.40	7.3	8.9	378	8.5	0.45	7.7	9.5
1995	380	7.1	0.37	6.4	7.9	356	7.9	0.42	7.1	8.7
1996	393	7.2	0.37	6.5	8.0	364	7.9	0.42	7.1	8.8
1997	430	8.0	0.39	7.3	8.8	387	8.5	0.44	7.7	9.4
1998	390	7.1	0.36	6.4	7.8	341	7.4	0.40	6.6	8.3
1999	408	7.5	0.38	6.8	8.3	363	7.9	0.42	7.1	8.8
2000	386	6.9	0.36	6.2	7.7	346	7.4	0.40	6.6	8.2
2001	419	7.6	0.37	6.8	8.3	380	8.1	0.42	7.3	9.0
2002	364	6.4	0.34	5.7	7.1	332	7.0	0.38	6.2	7.8
2003	436	7.6	0.37	6.9	8.4	393	8.2	0.42	7.4	9.0
2004	420	7.4	0.37	6.7	8.2	380	8.0	0.41	7.2	8.9
2005	415	7.1	0.35	6.4	7.8	371	7.6	0.40	6.9	8.4
2006	472	8.1	0.38	7.3	8.8	425	8.7	0.43	7.9	9.6
2007	406	6.7	0.34	6.1	7.4	356	7.1	0.38	6.4	7.9
2008	449	7.5	0.36	6.8	8.2	397	8.0	0.41	7.2	8.8
2009	428	7.0	0.34	6.3	7.7	381	7.6	0.39	6.8	8.4
2010	481	7.8	0.36	7.1	8.5	433	8.5	0.42	7.7	9.4
2011	486	7.8	0.36	7.1	8.6	422	8.3	0.41	7.5	9.1
2012	445	6.9	0.33	6.2	7.6	401	7.5	0.38	6.8	8.3
2013	449	6.9	0.33	6.3	7.6	399	7.6	0.39	6.8	8.3
2014	451	7.0	0.33	6.3	7.6	408	7.7	0.39	6.9	8.5
2015	490	7.4	0.34	6.7	8.1	434	8.1	0.40	7.3	8.9
2016	456	6.8	0.32	6.1	7.4	403	7.3	0.37	6.6	8.1
2017	474	7.1	0.33	6.5	7.8	421	7.7	0.39	7.0	8.5
2018	454	6.7	0.32	6.1	7.4	394	7.3	0.38	6.5	8.0
2019	477	7.2	0.34	6.5	7.8	410	7.6	0.39	6.9	8.4
2020	475	7.0	0.33	6.3	7.6	426	7.7	0.39	7.0	8.5
2021	460	6.7	0.32	6.1	7.3	396	7.1	0.37	6.4	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,153	4.3	0.13	4.0	4.5	315	3.6	0.22	3.2	4.0
1986	16	2.5	0.64	1.4	4.1	1	0.9	0.85	0.0	7.8
1987	29	5.2	1.03	3.4	7.6	4	3.5	1.80	0.9	10.9
1988	22	3.5	0.80	2.1	5.5	2	1.1	0.79	0.1	7.2
1989	28	4.3	0.91	2.7	6.5	4	2.2	1.12	0.6	8.1
1990	25	3.7	0.81	2.3	5.7	2	2.2	1.56	0.3	8.8
1991	21	3.7	0.89	2.2	5.9	2	1.2	0.86	0.1	6.5
1992	30	4.3	0.83	2.8	6.3	1	0.6	0.62	0.0	5.4
1993	24	3.5	0.76	2.2	5.4	6	4.8	2.32	1.4	11.9
1994	40	6.1	1.04	4.2	8.5	3	1.8	1.08	0.4	6.5
1995	22	3.2	0.78	1.9	5.1	2	1.0	0.68	0.1	5.0
1996	24	2.9	0.61	1.8	4.4	5	3.0	1.45	0.9	8.0
1997	30	4.5	0.89	2.9	6.6	10	6.1	2.17	2.7	12.3
1998	38	4.7	0.82	3.2	6.7	9	5.3	1.87	2.3	10.7
1999	32	4.5	0.84	3.0	6.5	8	4.1	1.53	1.7	8.7
2000	33	4.7	0.92	3.1	6.8	5	2.1	0.98	0.6	5.6
2001	30	4.6	0.91	3.0	6.8	8	3.6	1.36	1.4	7.7
2002	23	3.5	0.79	2.1	5.3	9	4.0	1.40	1.8	8.1
2003	34	4.6	0.82	3.1	6.5	7	4.0	1.79	1.3	8.9
2004	29	3.8	0.77	2.5	5.6	9	3.9	1.48	1.6	8.0
2005	35	4.5	0.80	3.0	6.3	4	2.1	1.09	0.5	5.4
2006	36	5.0	0.90	3.4	7.1	10	4.3	1.49	1.9	8.3
2007	30	3.6	0.68	2.4	5.3	17	5.6	1.47	3.1	9.5
2008	34	4.0	0.72	2.8	5.7	15	5.1	1.42	2.7	8.8
2009	33	4.1	0.75	2.7	5.8	11	4.1	1.41	1.8	7.8
2010	35	4.5	0.80	3.1	6.3	12	3.7	1.09	1.9	6.7
2011	52	6.3	0.92	4.7	8.4	9	2.9	1.01	1.2	5.6
2012	28	3.2	0.62	2.1	4.6	14	5.2	1.58	2.6	9.2
2013	36	4.0	0.70	2.8	5.7	11	3.7	1.22	1.7	6.8
2014	30	3.5	0.66	2.3	5.1	9	2.3	0.78	1.1	4.5
2015	37	4.4	0.75	3.0	6.1	17	4.9	1.27	2.7	8.0
2016	39	4.6	0.76	3.2	6.3	10	2.4	0.76	1.1	4.5
2017	39	4.6	0.75	3.2	6.3	13	3.1	0.86	1.6	5.3
2018	46	5.1	0.78	3.7	6.9	11	2.7	0.83	1.3	4.9
2019	46	5.5	0.85	4.0	7.5	17	3.8	0.94	2.2	6.2
2020	28	3.0	0.58	2.0	4.4	19	4.5	1.05	2.7	7.1
2021	39	4.4	0.74	3.1	6.1	19	4.5	1.07	2.7	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	12,227	5.0	0.05	4.9	5.1	10,892	5.5	0.05	5.4	5.6
1986	291	4.9	0.29	4.3	5.5	263	5.2	0.33	4.5	5.8
1987	282	4.7	0.29	4.2	5.3	255	5.0	0.32	4.4	5.7
1988	288	4.8	0.29	4.3	5.4	254	5.0	0.32	4.4	5.7
1989	333	5.6	0.31	5.0	6.3	305	6.1	0.36	5.4	6.8
1990	277	4.6	0.28	4.1	5.2	257	5.1	0.32	4.5	5.7
1991	313	5.0	0.29	4.5	5.6	290	5.5	0.33	4.9	6.2
1992	305	4.9	0.28	4.4	5.5	271	5.2	0.32	4.5	5.8
1993	292	4.6	0.27	4.1	5.2	263	4.9	0.31	4.3	5.6
1994	307	4.8	0.28	4.3	5.4	272	5.0	0.31	4.5	5.7
1995	308	4.9	0.28	4.3	5.4	279	5.3	0.32	4.7	5.9
1996	315	4.9	0.28	4.4	5.5	282	5.3	0.32	4.7	6.0
1997	326	5.1	0.28	4.5	5.7	299	5.6	0.33	5.0	6.3
1998	316	4.9	0.28	4.4	5.5	287	5.4	0.32	4.8	6.1
1999	338	5.2	0.28	4.6	5.7	301	5.5	0.32	4.9	6.2
2000	345	5.3	0.29	4.7	5.9	313	5.8	0.33	5.2	6.5
2001	333	5.1	0.28	4.5	5.6	308	5.7	0.33	5.1	6.4
2002	363	5.5	0.29	4.9	6.1	325	6.0	0.33	5.3	6.7
2003	337	5.0	0.27	4.5	5.6	304	5.5	0.32	4.9	6.2
2004	378	5.6	0.29	5.1	6.2	335	6.1	0.34	5.5	6.8
2005	337	5.0	0.27	4.4	5.5	300	5.4	0.32	4.8	6.1
2006	376	5.6	0.29	5.0	6.1	328	6.0	0.33	5.3	6.6
2007	369	5.4	0.28	4.8	6.0	328	5.9	0.33	5.3	6.6
2008	394	5.7	0.29	5.1	6.3	351	6.2	0.34	5.5	6.9
2009	366	5.3	0.28	4.7	5.8	328	5.8	0.33	5.2	6.5
2010	377	5.3	0.28	4.8	5.8	328	5.7	0.32	5.1	6.4
2011	378	5.3	0.28	4.8	5.9	333	5.8	0.33	5.2	6.5
2012	345	4.8	0.26	4.3	5.4	303	5.2	0.31	4.6	5.8
2013	349	4.8	0.26	4.3	5.4	321	5.5	0.32	4.9	6.2
2014	383	5.3	0.27	4.7	5.8	325	5.6	0.32	5.0	6.3
2015	360	4.9	0.27	4.4	5.5	321	5.6	0.32	5.0	6.2
2016	385	5.2	0.27	4.7	5.8	322	5.5	0.32	4.9	6.1
2017	349	4.6	0.25	4.1	5.1	314	5.2	0.30	4.6	5.8
2018	376	5.2	0.27	4.6	5.7	332	5.8	0.33	5.1	6.4
2019	338	4.4	0.25	4.0	4.9	291	4.8	0.29	4.2	5.4
2020	354	4.6	0.25	4.1	5.1	311	5.1	0.30	4.5	5.7
2021	344	4.6	0.26	4.1	5.1	293	4.9	0.30	4.3	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Brain										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,002	2.9	0.09	2.7	3.1	264	2.8	0.17	2.4	3.1
1986	28	3.4	0.67	2.2	5.0	0				
1987	26	3.3	0.68	2.1	4.9	1	0.5	0.49	0.0	5.3
1988	31	3.6	0.68	2.4	5.2	3	3.1	2.06	0.5	10.0
1989	25	3.1	0.64	2.0	4.6	2	3.1	2.17	0.4	10.1
1990	15	2.0	0.53	1.1	3.3	5	3.8	1.80	1.1	9.7
1991	17	1.9	0.48	1.1	3.1	2	1.3	0.94	0.1	5.6
1992	32	3.8	0.69	2.6	5.4	2	1.7	1.25	0.2	6.4
1993	24	2.9	0.61	1.8	4.3	4	2.5	1.24	0.7	6.8
1994	30	3.3	0.62	2.2	4.8	2	1.0	0.70	0.1	4.3
1995	26	3.1	0.61	2.0	4.5	2	1.6	1.23	0.2	5.8
1996	30	3.3	0.61	2.2	4.7	3	1.2	0.74	0.2	4.3
1997	20	2.1	0.47	1.2	3.2	6	2.8	1.17	1.0	6.5
1998	21	2.4	0.53	1.5	3.7	8	4.8	1.98	1.8	10.1
1999	30	3.2	0.60	2.2	4.7	5	2.6	1.23	0.8	6.3
2000	26	2.9	0.58	1.9	4.3	6	2.9	1.20	1.0	6.4
2001	16	1.8	0.45	1.0	2.9	7	2.9	1.13	1.1	6.2
2002	27	2.8	0.55	1.9	4.1	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	33	3.5	0.62	2.4	4.9	6	2.1	0.89	0.7	4.7
2005	28	2.8	0.54	1.9	4.1	8	2.9	1.09	1.2	5.9
2006	38	3.9	0.63	2.7	5.3	7	2.8	1.06	1.1	5.7
2007	32	3.3	0.59	2.2	4.7	8	2.9	1.10	1.2	5.9
2008	32	3.2	0.57	2.2	4.5	8	2.3	0.82	1.0	4.7
2009	26	2.8	0.56	1.8	4.2	9	2.7	0.95	1.2	5.3
2010	38	3.6	0.59	2.6	5.0	10	3.7	1.25	1.7	6.9
2011	29	2.9	0.54	1.9	4.1	13	3.3	0.91	1.7	5.7
2012	26	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.1
2013	18	1.9	0.46	1.1	3.0	8	2.4	0.87	1.0	4.8
2014	34	3.1	0.54	2.2	4.4	22	5.9	1.30	3.7	9.1
2015	29	2.6	0.49	1.7	3.8	8	2.0	0.71	0.9	3.9
2016	44	4.1	0.63	3.0	5.5	17	4.0	1.00	2.3	6.5
2017	27	2.5	0.49	1.6	3.7	7	1.7	0.63	0.7	3.4
2018	29	2.8	0.53	1.9	4.1	13	3.0	0.83	1.6	5.1
2019	35	3.2	0.55	2.2	4.5	10	2.1	0.69	1.0	4.0
2020	26	2.2	0.44	1.4	3.3	9	2.0	0.65	0.9	3.7
2021	31	2.9	0.54	2.0	4.2	15	3.2	0.83	1.8	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Endocrine System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	47,812	10.6	0.05	10.5	10.7	40,726	11.1	0.06	11.0	11.2
1986	521	4.8	0.22	4.4	5.3	459	5.0	0.24	4.5	5.5
1987	553	5.1	0.22	4.7	5.5	496	5.4	0.25	4.9	5.9
1988	550	5.0	0.22	4.6	5.4	475	5.1	0.24	4.6	5.5
1989	529	4.8	0.21	4.4	5.2	452	4.8	0.23	4.4	5.3
1990	602	5.4	0.22	5.0	5.8	533	5.6	0.25	5.2	6.2
1991	567	5.0	0.21	4.6	5.5	502	5.3	0.24	4.8	5.8
1992	631	5.6	0.22	5.1	6.0	563	5.9	0.25	5.4	6.4
1993	672	5.8	0.23	5.4	6.3	592	6.1	0.25	5.7	6.7
1994	667	5.7	0.22	5.3	6.2	583	6.0	0.25	5.5	6.5
1995	736	6.2	0.23	5.8	6.7	637	6.5	0.26	6.0	7.0
1996	796	6.7	0.24	6.2	7.2	697	7.1	0.27	6.5	7.6
1997	833	7.0	0.24	6.5	7.5	709	7.2	0.27	6.6	7.7
1998	848	7.0	0.24	6.6	7.5	720	7.2	0.27	6.7	7.8
1999	948	7.8	0.25	7.3	8.3	829	8.3	0.29	7.7	8.9
2000	942	7.7	0.25	7.2	8.2	814	8.1	0.28	7.5	8.6
2001	1,025	8.3	0.26	7.8	8.8	880	8.7	0.29	8.1	9.3
2002	1,205	9.7	0.28	9.2	10.3	1,049	10.3	0.32	9.7	10.9
2003	1,224	9.8	0.28	9.2	10.3	1,063	10.4	0.32	9.8	11.0
2004	1,372	10.9	0.30	10.4	11.5	1,203	11.8	0.34	11.1	12.5
2005	1,392	11.0	0.30	10.4	11.6	1,192	11.6	0.34	10.9	12.2
2006	1,555	12.2	0.31	11.6	12.9	1,332	12.9	0.36	12.2	13.6
2007	1,660	13.0	0.32	12.3	13.6	1,426	13.7	0.37	13.0	14.5
2008	1,759	13.6	0.33	12.9	14.2	1,518	14.5	0.38	13.8	15.3
2009	1,869	14.3	0.34	13.7	15.0	1,622	15.5	0.39	14.7	16.2
2010	1,880	14.3	0.33	13.7	15.0	1,592	15.1	0.38	14.4	15.9
2011	1,991	14.9	0.34	14.2	15.6	1,697	15.8	0.39	15.0	16.6
2012	2,151	16.1	0.35	15.4	16.8	1,821	17.0	0.41	16.2	17.8
2013	2,190	16.3	0.36	15.6	17.0	1,845	17.3	0.41	16.5	18.1
2014	2,179	16.1	0.35	15.4	16.8	1,831	17.0	0.41	16.2	17.8
2015	2,299	16.9	0.36	16.2	17.6	1,956	18.1	0.42	17.3	19.0
2016	2,140	15.7	0.35	15.1	16.4	1,774	16.5	0.40	15.7	17.3
2017	1,928	14.0	0.33	13.3	14.6	1,578	14.5	0.38	13.7	15.2
2018	1,938	14.0	0.33	13.4	14.7	1,629	15.0	0.38	14.3	15.8
2019	1,973	14.4	0.33	13.7	15.1	1,646	15.2	0.39	14.4	16.0
2020	1,666	12.2	0.31	11.6	12.8	1,385	12.9	0.36	12.2	13.7
2021	2,021	14.8	0.34	14.2	15.5	1,626	15.2	0.39	14.5	16.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Endocrine System										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,033	6.7	0.11	6.5	6.9	2,363	11.6	0.25	11.2	12.1
1986	40	3.1	0.51	2.1	4.2	18	8.8	2.42	4.7	15.0
1987	35	2.8	0.49	1.9	3.9	18	7.6	1.93	4.3	12.7
1988	53	4.1	0.59	3.0	5.4	21	8.3	2.02	4.9	13.5
1989	48	3.5	0.54	2.6	4.8	25	10.9	2.77	6.1	17.6
1990	51	3.6	0.53	2.7	4.8	17	6.1	1.59	3.4	10.4
1991	42	3.0	0.49	2.1	4.1	8	2.7	1.03	1.1	5.9
1992	47	3.2	0.48	2.3	4.3	15	6.2	1.82	3.2	10.9
1993	48	3.4	0.51	2.5	4.6	23	6.5	1.41	4.1	10.2
1994	57	3.9	0.54	3.0	5.1	22	6.6	1.53	4.0	10.5
1995	61	4.0	0.53	3.1	5.2	30	8.3	1.62	5.4	12.3
1996	68	4.3	0.54	3.4	5.5	28	7.8	1.71	4.8	11.9
1997	82	5.6	0.63	4.4	7.0	36	8.8	1.59	6.0	12.6
1998	80	5.1	0.59	4.1	6.4	39	9.4	1.71	6.3	13.4
1999	64	3.8	0.48	2.9	4.8	38	9.3	1.65	6.4	13.2
2000	74	4.5	0.54	3.5	5.7	37	9.0	1.67	6.1	12.9
2001	98	6.0	0.62	4.9	7.4	38	8.6	1.52	5.8	12.1
2002	99	6.0	0.62	4.9	7.4	41	7.8	1.29	5.5	10.8
2003	101	5.9	0.60	4.8	7.2	37	6.8	1.19	4.7	9.6
2004	100	5.8	0.58	4.7	7.0	55	10.8	1.55	8.0	14.3
2005	108	6.4	0.62	5.2	7.7	69	12.7	1.64	9.7	16.3
2006	129	7.3	0.66	6.1	8.7	77	13.2	1.59	10.3	16.8
2007	132	7.6	0.67	6.3	9.0	78	12.4	1.48	9.7	15.7
2008	141	7.8	0.67	6.5	9.2	82	12.1	1.39	9.5	15.2
2009	155	8.7	0.71	7.4	10.2	71	10.2	1.27	7.9	13.1
2010	168	9.0	0.71	7.7	10.5	85	11.5	1.29	9.1	14.3
2011	168	9.0	0.70	7.6	10.5	107	14.5	1.46	11.8	17.7
2012	177	9.5	0.73	8.1	11.0	119	15.5	1.47	12.8	18.7
2013	182	9.5	0.72	8.1	11.0	124	15.3	1.41	12.7	18.3
2014	192	10.1	0.74	8.7	11.6	129	15.5	1.40	12.9	18.5
2015	183	9.7	0.73	8.3	11.3	125	15.0	1.38	12.4	17.9
2016	198	10.5	0.76	9.0	12.1	140	16.0	1.38	13.4	19.0
2017	183	9.3	0.70	8.0	10.8	140	15.8	1.36	13.3	18.7
2018	152	7.7	0.64	6.5	9.1	115	12.6	1.19	10.4	15.1
2019	155	7.8	0.64	6.6	9.2	128	13.8	1.23	11.5	16.4
2020	143	7.1	0.61	6.0	8.4	102	10.8	1.07	8.8	13.1
2021	219	11.4	0.79	9.9	13.0	126	13.0	1.16	10.8	15.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Endocrine System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	12,919	6.1	0.05	6.0	6.2	11,199	6.3	0.06	6.2	6.4
1986	147	3.0	0.26	2.6	3.6	136	3.2	0.28	2.7	3.8
1987	164	3.3	0.27	2.8	3.9	146	3.5	0.30	2.9	4.1
1988	144	2.8	0.24	2.4	3.4	123	2.8	0.26	2.3	3.4
1989	136	2.7	0.24	2.3	3.2	122	2.8	0.26	2.3	3.4
1990	172	3.4	0.26	2.9	3.9	151	3.4	0.29	2.9	4.1
1991	157	3.1	0.25	2.6	3.6	140	3.2	0.28	2.7	3.8
1992	185	3.6	0.27	3.1	4.1	163	3.7	0.29	3.1	4.3
1993	194	3.7	0.27	3.2	4.3	180	4.0	0.30	3.5	4.7
1994	190	3.5	0.26	3.0	4.1	161	3.5	0.28	3.0	4.1
1995	191	3.5	0.26	3.0	4.0	170	3.7	0.29	3.2	4.3
1996	221	4.1	0.28	3.5	4.6	193	4.2	0.30	3.6	4.8
1997	229	4.2	0.28	3.7	4.8	198	4.3	0.31	3.7	4.9
1998	255	4.6	0.29	4.1	5.2	213	4.6	0.32	4.0	5.2
1999	255	4.5	0.28	3.9	5.0	228	4.8	0.32	4.2	5.4
2000	228	4.0	0.27	3.5	4.6	205	4.3	0.30	3.7	4.9
2001	293	5.1	0.30	4.5	5.7	253	5.3	0.33	4.6	5.9
2002	306	5.3	0.30	4.7	5.9	270	5.6	0.34	4.9	6.3
2003	290	5.0	0.29	4.4	5.6	251	5.2	0.33	4.5	5.8
2004	361	6.1	0.32	5.4	6.7	324	6.5	0.37	5.8	7.3
2005	368	6.2	0.32	5.5	6.8	327	6.6	0.37	5.9	7.3
2006	405	6.8	0.34	6.1	7.5	348	7.0	0.38	6.3	7.8
2007	429	7.1	0.35	6.4	7.8	373	7.4	0.39	6.7	8.2
2008	432	6.9	0.34	6.3	7.6	384	7.5	0.38	6.7	8.2
2009	442	7.0	0.34	6.4	7.7	388	7.5	0.39	6.8	8.3
2010	501	8.0	0.36	7.3	8.8	436	8.5	0.41	7.7	9.4
2011	522	8.2	0.36	7.5	8.9	453	8.6	0.41	7.8	9.4
2012	555	8.5	0.37	7.8	9.3	484	9.1	0.42	8.3	9.9
2013	595	9.0	0.38	8.3	9.7	519	9.6	0.43	8.8	10.5
2014	595	8.9	0.37	8.2	9.7	518	9.5	0.43	8.7	10.4
2015	609	9.1	0.38	8.4	9.9	514	9.5	0.43	8.7	10.4
2016	605	9.1	0.38	8.4	9.9	504	9.4	0.43	8.5	10.2
2017	571	8.4	0.36	7.7	9.1	487	8.9	0.41	8.1	9.7
2018	543	8.0	0.35	7.3	8.7	475	8.6	0.41	7.9	9.5
2019	540	7.9	0.35	7.3	8.7	473	8.6	0.41	7.8	9.4
2020	490	7.1	0.33	6.5	7.8	410	7.4	0.38	6.7	8.2
2021	599	8.9	0.37	8.2	9.7	479	8.9	0.42	8.1	9.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Endocrine System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	966	3.7	0.12	3.5	4.0	583	6.2	0.27	5.7	6.8
1986	7	1.4	0.54	0.6	2.9	4	5.5	3.30	1.0	16.1
1987	12	2.4	0.79	1.1	4.4	5	4.3	2.11	1.2	12.2
1988	14	2.5	0.69	1.3	4.2	7	7.0	3.26	2.2	16.9
1989	9	1.6	0.65	0.6	3.4	5	7.1	4.70	1.0	20.4
1990	16	3.0	0.84	1.6	5.1	4	3.2	1.62	0.8	9.7
1991	10	1.4	0.46	0.6	2.7	5	4.0	1.98	1.1	10.8
1992	15	2.4	0.63	1.3	4.0	6	6.7	3.18	2.0	15.7
1993	11	1.7	0.55	0.8	3.1	1	0.4	0.36	0.0	4.7
1994	21	4.1	0.94	2.4	6.3	5	3.5	1.69	1.0	9.2
1995	14	1.9	0.54	1.0	3.4	4	1.9	0.94	0.5	6.1
1996	21	3.2	0.71	2.0	4.9	7	3.7	1.45	1.4	8.6
1997	20	3.2	0.77	1.9	5.1	10	4.5	1.45	2.1	9.1
1998	24	3.5	0.71	2.2	5.2	12	6.7	2.08	3.2	12.4
1999	16	2.2	0.56	1.2	3.6	9	4.7	1.71	2.0	9.7
2000	11	1.4	0.43	0.7	2.5	9	4.7	1.66	2.0	9.5
2001	27	4.2	0.83	2.7	6.1	10	4.5	1.59	1.9	9.0
2002	19	2.6	0.63	1.6	4.2	13	4.6	1.32	2.4	8.4
2003	23	3.2	0.68	2.0	4.8	7	3.7	1.46	1.4	7.8
2004	20	2.6	0.60	1.5	4.0	13	6.0	1.87	2.9	10.9
2005	25	3.4	0.71	2.2	5.1	12	4.5	1.41	2.2	8.4
2006	32	4.0	0.73	2.7	5.7	21	7.9	1.84	4.7	12.5
2007	30	4.3	0.84	2.8	6.3	22	7.7	1.77	4.6	12.1
2008	31	3.8	0.72	2.5	5.5	13	3.6	1.02	1.9	6.5
2009	32	4.0	0.72	2.7	5.7	20	5.9	1.37	3.6	9.4
2010	35	4.2	0.74	2.9	6.0	18	5.4	1.30	3.2	8.7
2011	37	4.5	0.77	3.1	6.3	26	7.9	1.65	5.0	11.9
2012	39	5.1	0.85	3.6	7.0	25	6.9	1.44	4.3	10.4
2013	36	4.2	0.71	2.9	5.8	30	8.1	1.52	5.4	11.8
2014	44	5.1	0.80	3.7	6.9	28	7.2	1.40	4.8	10.6
2015	51	6.2	0.90	4.6	8.2	32	8.3	1.50	5.6	11.8
2016	52	6.3	0.90	4.6	8.3	41	10.1	1.64	7.2	13.9
2017	41	4.9	0.80	3.5	6.7	40	9.5	1.54	6.7	13.1
2018	26	3.2	0.64	2.0	4.7	32	7.5	1.34	5.1	10.6
2019	33	3.8	0.69	2.6	5.4	28	6.1	1.16	4.0	8.9
2020	43	4.8	0.75	3.4	6.5	29	6.3	1.19	4.2	9.1
2021	69	8.0	0.99	6.2	10.2	30	6.5	1.20	4.4	9.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Endocrine System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	34,893	15.1	0.08	14.9	15.2	29,527	15.9	0.09	15.7	16.1
1986	374	6.5	0.34	5.8	7.2	323	6.6	0.38	5.9	7.4
1987	389	6.8	0.35	6.1	7.5	350	7.3	0.40	6.6	8.2
1988	406	6.9	0.35	6.3	7.7	352	7.2	0.39	6.4	8.0
1989	393	6.7	0.35	6.1	7.5	330	6.8	0.38	6.1	7.6
1990	430	7.2	0.35	6.5	7.9	382	7.7	0.40	6.9	8.5
1991	410	7.0	0.35	6.3	7.7	362	7.4	0.40	6.6	8.2
1992	446	7.4	0.36	6.7	8.2	400	8.0	0.41	7.2	8.8
1993	478	7.9	0.36	7.2	8.6	412	8.2	0.41	7.4	9.0
1994	477	7.8	0.36	7.1	8.6	422	8.4	0.41	7.6	9.3
1995	545	8.8	0.38	8.1	9.6	467	9.2	0.43	8.4	10.1
1996	575	9.2	0.39	8.5	10.0	504	9.9	0.44	9.0	10.8
1997	604	9.6	0.39	8.9	10.4	511	9.9	0.44	9.1	10.8
1998	593	9.5	0.39	8.7	10.2	507	10.0	0.44	9.1	10.9
1999	693	11.0	0.42	10.2	11.8	601	11.8	0.48	10.8	12.7
2000	714	11.2	0.42	10.4	12.0	609	11.8	0.48	10.9	12.8
2001	732	11.4	0.42	10.6	12.3	627	12.1	0.49	11.2	13.1
2002	899	13.9	0.47	13.0	14.9	779	15.0	0.54	13.9	16.1
2003	934	14.4	0.47	13.5	15.4	812	15.6	0.55	14.5	16.7
2004	1,011	15.6	0.49	14.7	16.6	879	17.0	0.58	15.9	18.2
2005	1,024	15.7	0.49	14.7	16.7	865	16.6	0.57	15.5	17.7
2006	1,150	17.5	0.52	16.5	18.5	984	18.8	0.60	17.6	20.0
2007	1,231	18.6	0.53	17.6	19.7	1,053	20.0	0.62	18.8	21.3
2008	1,327	20.0	0.55	18.9	21.1	1,134	21.5	0.65	20.3	22.8
2009	1,427	21.4	0.57	20.2	22.5	1,234	23.4	0.68	22.1	24.7
2010	1,379	20.5	0.56	19.4	21.6	1,156	21.8	0.65	20.5	23.1
2011	1,469	21.4	0.57	20.3	22.5	1,244	22.9	0.67	21.7	24.3
2012	1,596	23.4	0.60	22.2	24.6	1,337	24.9	0.70	23.6	26.3
2013	1,595	23.5	0.60	22.3	24.7	1,326	25.1	0.71	23.7	26.5
2014	1,584	23.2	0.60	22.1	24.4	1,313	24.7	0.70	23.3	26.1
2015	1,690	24.6	0.61	23.4	25.8	1,442	27.0	0.73	25.6	28.4
2016	1,535	22.4	0.59	21.2	23.5	1,270	23.8	0.69	22.5	25.2
2017	1,357	19.6	0.55	18.5	20.7	1,091	20.2	0.63	19.0	21.5
2018	1,395	20.1	0.56	19.0	21.2	1,154	21.6	0.66	20.3	22.9
2019	1,433	20.8	0.57	19.7	22.0	1,173	22.0	0.67	20.8	23.4
2020	1,176	17.3	0.52	16.3	18.3	975	18.6	0.62	17.4	19.8
2021	1,422	20.7	0.57	19.6	21.9	1,147	21.8	0.67	20.5	23.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Endocrine System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,067	9.1	0.16	8.7	9.4	1,780	16.6	0.40	15.8	17.4
1986	33	4.4	0.79	3.0	6.2	14	11.8	3.57	5.9	21.5
1987	23	3.1	0.67	1.9	4.7	13	10.5	3.10	5.3	19.0
1988	39	5.3	0.88	3.7	7.4	14	9.9	2.76	5.3	17.6
1989	39	5.1	0.84	3.6	7.0	20	14.4	3.55	8.3	23.5
1990	35	4.3	0.74	3.0	6.0	13	8.5	2.50	4.3	15.5
1991	32	4.2	0.76	2.8	5.9	3	1.7	0.98	0.3	6.0
1992	32	3.9	0.69	2.6	5.5	9	6.1	2.21	2.6	12.3
1993	37	4.7	0.79	3.3	6.5	22	12.3	2.70	7.6	19.2
1994	36	4.1	0.69	2.9	5.7	17	9.4	2.44	5.2	15.7
1995	47	5.5	0.82	4.1	7.4	26	13.7	2.84	8.7	20.7
1996	47	5.3	0.78	3.9	7.0	21	10.8	2.69	6.2	17.5
1997	62	7.5	0.96	5.7	9.6	26	12.5	2.61	8.0	18.9
1998	56	6.3	0.85	4.8	8.2	27	11.7	2.51	7.3	17.8
1999	48	5.1	0.74	3.7	6.7	29	13.3	2.65	8.6	19.6
2000	63	6.8	0.87	5.2	8.8	28	12.6	2.61	8.0	18.8
2001	71	7.6	0.91	5.9	9.6	28	12.0	2.39	7.7	17.6
2002	80	8.6	0.97	6.8	10.7	28	10.7	2.10	7.0	15.7
2003	78	8.1	0.93	6.4	10.2	30	9.8	1.87	6.4	14.3
2004	80	8.3	0.93	6.6	10.4	42	15.2	2.43	10.8	20.7
2005	83	8.7	0.96	6.9	10.8	57	19.8	2.77	14.8	26.0
2006	97	9.8	1.00	8.0	12.0	56	18.2	2.52	13.6	23.9
2007	102	10.3	1.03	8.4	12.6	56	16.7	2.32	12.5	22.0
2008	110	11.0	1.06	9.0	13.3	69	19.6	2.43	15.1	25.0
2009	123	12.3	1.12	10.2	14.7	51	14.1	2.05	10.4	18.8
2010	133	13.0	1.14	10.8	15.4	67	16.9	2.12	13.0	21.6
2011	131	12.6	1.12	10.5	15.0	81	20.6	2.36	16.2	25.8
2012	138	13.2	1.14	11.1	15.6	94	23.3	2.46	18.8	28.7
2013	146	13.7	1.16	11.5	16.2	94	21.9	2.32	17.6	27.0
2014	148	14.2	1.19	11.9	16.7	101	23.0	2.34	18.7	28.1
2015	132	12.7	1.13	10.6	15.1	93	20.8	2.21	16.7	25.6
2016	146	14.1	1.19	11.8	16.6	99	21.6	2.20	17.5	26.4
2017	142	13.1	1.13	11.0	15.5	100	21.8	2.20	17.7	26.6
2018	126	11.6	1.06	9.6	13.8	83	17.2	1.92	13.7	21.4
2019	122	11.1	1.03	9.1	13.3	100	21.0	2.12	17.0	25.6
2020	100	9.0	0.93	7.3	11.0	73	15.1	1.78	11.8	19.0
2021	150	14.2	1.19	11.9	16.7	96	19.1	1.96	15.4	23.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Thyroid										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	44,461	9.9	0.05	9.8	10.0	38,124	10.4	0.05	10.3	10.5
1986	468	4.3	0.21	3.9	4.8	412	4.5	0.23	4.0	4.9
1987	483	4.5	0.21	4.1	4.9	436	4.8	0.23	4.3	5.2
1988	503	4.6	0.21	4.2	5.0	439	4.7	0.23	4.2	5.2
1989	463	4.2	0.20	3.8	4.6	395	4.2	0.22	3.8	4.7
1990	537	4.8	0.21	4.4	5.2	482	5.1	0.24	4.7	5.6
1991	508	4.5	0.20	4.1	4.9	454	4.8	0.23	4.3	5.3
1992	541	4.8	0.21	4.4	5.2	485	5.1	0.23	4.6	5.5
1993	595	5.2	0.21	4.8	5.6	527	5.5	0.24	5.0	6.0
1994	604	5.2	0.21	4.8	5.6	531	5.4	0.24	5.0	5.9
1995	654	5.5	0.22	5.1	6.0	568	5.8	0.24	5.3	6.3
1996	718	6.1	0.23	5.6	6.5	636	6.4	0.26	6.0	7.0
1997	759	6.4	0.23	5.9	6.9	655	6.6	0.26	6.1	7.1
1998	782	6.5	0.23	6.0	7.0	671	6.7	0.26	6.2	7.3
1999	866	7.1	0.24	6.6	7.6	764	7.6	0.28	7.1	8.2
2000	874	7.1	0.24	6.7	7.6	760	7.5	0.27	7.0	8.1
2001	929	7.5	0.25	7.1	8.0	803	7.9	0.28	7.4	8.5
2002	1,111	8.9	0.27	8.4	9.5	971	9.5	0.31	8.9	10.1
2003	1,127	9.0	0.27	8.5	9.5	981	9.6	0.31	9.0	10.2
2004	1,256	10.0	0.28	9.5	10.6	1,108	10.8	0.33	10.2	11.5
2005	1,303	10.3	0.29	9.7	10.9	1,120	10.9	0.33	10.2	11.5
2006	1,442	11.3	0.30	10.8	11.9	1,246	12.1	0.34	11.4	12.8
2007	1,558	12.2	0.31	11.6	12.8	1,354	13.1	0.36	12.4	13.8
2008	1,661	12.8	0.32	12.2	13.5	1,438	13.8	0.37	13.1	14.5
2009	1,775	13.6	0.33	13.0	14.3	1,555	14.8	0.38	14.1	15.6
2010	1,779	13.5	0.33	12.9	14.2	1,517	14.4	0.37	13.6	15.1
2011	1,888	14.1	0.33	13.5	14.8	1,620	15.0	0.38	14.3	15.8
2012	2,049	15.3	0.34	14.7	16.0	1,740	16.2	0.40	15.5	17.0
2013	2,105	15.7	0.35	15.0	16.4	1,785	16.7	0.41	16.0	17.6
2014	2,083	15.4	0.34	14.7	16.1	1,754	16.3	0.40	15.5	17.1
2015	2,190	16.1	0.35	15.4	16.8	1,875	17.4	0.41	16.6	18.2
2016	2,025	14.9	0.34	14.3	15.6	1,692	15.7	0.39	15.0	16.5
2017	1,807	13.1	0.32	12.5	13.7	1,491	13.7	0.36	13.0	14.4
2018	1,788	12.9	0.31	12.3	13.6	1,518	14.0	0.37	13.3	14.7
2019	1,871	13.7	0.32	13.0	14.3	1,561	14.4	0.38	13.7	15.2
2020	1,529	11.2	0.29	10.7	11.8	1,285	12.0	0.35	11.3	12.7
2021	1,830	13.5	0.32	12.9	14.1	1,495	14.0	0.38	13.3	14.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Thyroid										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,460	5.8	0.10	5.6	6.0	2,216	10.9	0.24	10.4	11.4
1986	35	2.7	0.47	1.8	3.8	17	8.4	2.39	4.4	14.6
1987	29	2.4	0.47	1.6	3.5	15	6.4	1.79	3.4	11.3
1988	45	3.6	0.55	2.6	4.8	18	7.6	1.97	4.2	12.7
1989	41	3.1	0.51	2.2	4.3	23	10.3	2.74	5.7	17.0
1990	39	2.9	0.48	2.0	4.0	15	5.3	1.49	2.8	9.4
1991	33	2.5	0.45	1.7	3.5	7	2.5	0.99	0.9	5.6
1992	38	2.6	0.43	1.8	3.6	12	5.0	1.69	2.3	9.5
1993	39	2.7	0.44	1.9	3.7	20	5.8	1.34	3.5	9.3
1994	49	3.4	0.49	2.5	4.5	20	5.9	1.43	3.4	9.5
1995	52	3.5	0.50	2.6	4.6	27	7.6	1.57	4.8	11.5
1996	54	3.4	0.48	2.6	4.5	25	7.1	1.67	4.2	11.2
1997	64	4.5	0.58	3.5	5.8	34	8.5	1.57	5.7	12.3
1998	67	4.4	0.54	3.4	5.6	35	8.2	1.60	5.4	12.0
1999	50	3.0	0.43	2.2	3.9	35	8.6	1.60	5.7	12.3
2000	66	4.1	0.51	3.1	5.2	33	8.1	1.60	5.3	11.8
2001	85	5.2	0.58	4.2	6.5	33	7.1	1.31	4.7	10.2
2002	86	5.2	0.57	4.2	6.5	39	7.5	1.27	5.3	10.5
2003	89	5.3	0.57	4.2	6.5	34	6.3	1.16	4.3	9.1
2004	82	4.7	0.53	3.7	5.9	53	10.2	1.49	7.5	13.6
2005	92	5.4	0.58	4.4	6.7	68	12.5	1.63	9.5	16.1
2006	104	6.0	0.59	4.9	7.2	75	12.9	1.56	10.0	16.3
2007	115	6.7	0.63	5.5	8.1	69	10.9	1.38	8.4	14.0
2008	129	7.2	0.65	6.0	8.6	77	11.3	1.35	8.8	14.3
2009	133	7.4	0.66	6.2	8.8	67	9.7	1.24	7.4	12.5
2010	146	7.9	0.66	6.7	9.3	81	10.7	1.23	8.5	13.5
2011	145	7.8	0.65	6.5	9.1	104	14.0	1.44	11.4	17.2
2012	162	8.7	0.69	7.4	10.2	113	14.7	1.42	12.0	17.8
2013	163	8.5	0.68	7.2	9.9	119	14.6	1.37	12.1	17.6
2014	179	9.5	0.72	8.1	11.0	125	15.0	1.38	12.4	18.0
2015	164	8.7	0.70	7.4	10.2	118	14.1	1.33	11.6	17.0
2016	175	9.3	0.72	7.9	10.8	132	15.1	1.34	12.6	17.9
2017	159	8.1	0.66	6.9	9.5	132	14.7	1.30	12.3	17.5
2018	122	6.2	0.58	5.2	7.5	107	11.6	1.14	9.5	14.1
2019	144	7.2	0.62	6.1	8.6	122	13.1	1.20	10.9	15.7
2020	115	5.8	0.56	4.8	7.0	95	10.0	1.03	8.1	12.3
2021	170	8.9	0.70	7.6	10.4	117	12.0	1.12	9.9	14.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Thyroid										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	11,158	5.2	0.05	5.1	5.3	9,830	5.5	0.06	5.4	5.7
1986	117	2.4	0.23	2.0	2.9	107	2.6	0.25	2.1	3.1
1987	128	2.6	0.24	2.2	3.2	113	2.7	0.26	2.2	3.3
1988	121	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	2.9
1989	97	2.0	0.21	1.6	2.4	89	2.1	0.23	1.7	2.6
1990	139	2.8	0.24	2.3	3.3	125	2.9	0.26	2.4	3.4
1991	124	2.4	0.22	2.0	2.9	113	2.6	0.25	2.1	3.1
1992	138	2.7	0.23	2.2	3.2	124	2.8	0.26	2.3	3.3
1993	150	2.8	0.23	2.4	3.3	142	3.2	0.27	2.7	3.7
1994	151	2.8	0.24	2.4	3.3	128	2.8	0.25	2.3	3.3
1995	151	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.6
1996	178	3.3	0.25	2.8	3.8	160	3.5	0.28	3.0	4.1
1997	193	3.5	0.26	3.1	4.1	171	3.7	0.29	3.2	4.3
1998	219	4.0	0.27	3.5	4.5	186	4.0	0.29	3.4	4.6
1999	219	3.8	0.26	3.3	4.4	198	4.1	0.30	3.6	4.8
2000	196	3.4	0.25	3.0	4.0	180	3.8	0.28	3.2	4.4
2001	238	4.2	0.27	3.7	4.7	211	4.4	0.30	3.8	5.0
2002	253	4.3	0.27	3.8	4.9	226	4.6	0.31	4.1	5.3
2003	245	4.2	0.27	3.7	4.8	210	4.3	0.30	3.7	4.9
2004	305	5.1	0.30	4.6	5.7	274	5.5	0.34	4.9	6.2
2005	316	5.3	0.30	4.7	5.9	285	5.7	0.34	5.1	6.4
2006	335	5.6	0.31	5.0	6.2	294	5.9	0.35	5.2	6.6
2007	377	6.3	0.33	5.6	6.9	338	6.8	0.37	6.1	7.5
2008	386	6.2	0.32	5.5	6.8	350	6.8	0.37	6.1	7.5
2009	402	6.4	0.33	5.8	7.1	360	7.0	0.37	6.3	7.8
2010	450	7.2	0.35	6.5	7.9	396	7.7	0.39	6.9	8.5
2011	462	7.2	0.34	6.5	7.9	412	7.7	0.39	7.0	8.5
2012	502	7.7	0.35	7.0	8.4	444	8.3	0.40	7.5	9.1
2013	540	8.2	0.36	7.5	8.9	477	8.8	0.41	8.0	9.7
2014	545	8.2	0.36	7.5	8.9	479	8.8	0.41	8.0	9.6
2015	545	8.2	0.36	7.5	8.9	466	8.6	0.41	7.8	9.4
2016	542	8.1	0.36	7.4	8.8	463	8.6	0.41	7.8	9.4
2017	511	7.5	0.34	6.9	8.2	447	8.1	0.40	7.4	8.9
2018	476	6.9	0.32	6.3	7.6	421	7.5	0.38	6.8	8.3
2019	490	7.2	0.33	6.5	7.8	430	7.7	0.38	7.0	8.5
2020	417	6.1	0.30	5.5	6.7	357	6.5	0.35	5.8	7.2
2021	500	7.5	0.34	6.8	8.2	413	7.7	0.39	6.9	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Thyroid											
Males											
Blacks						Asian or Other Races					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2021	672	2.7	0.11	2.5	2.9	502	5.4	0.25	4.9	5.9	
1986	7	1.4	0.54	0.6	2.9	3	4.6	3.18	0.6	15.2	
1987	10	2.2	0.77	0.9	4.1	4	3.6	1.96	0.8	11.3	
1988	12	2.2	0.67	1.1	3.9	6	6.6	3.23	1.8	16.4	
1989	4	0.9	0.54	0.2	2.5	4	6.5	4.67	0.8	20.0	
1990	10	2.2	0.76	0.9	4.1	3	2.4	1.38	0.5	8.6	
1991	6	1.0	0.41	0.4	2.2	4	3.5	1.90	0.8	10.2	
1992	10	1.7	0.54	0.8	3.2	3	4.2	2.84	0.6	12.9	
1993	6	0.9	0.36	0.3	1.9	0					
1994	17	3.3	0.85	1.9	5.4	4	2.3	1.21	0.6	7.2	
1995	9	1.3	0.46	0.6	2.6	2	1.0	0.69	0.1	5.0	
1996	14	2.2	0.60	1.2	3.7	4	2.4	1.26	0.6	7.1	
1997	12	2.1	0.66	1.0	3.8	9	4.2	1.42	1.9	8.8	
1998	18	2.6	0.62	1.5	4.1	9	4.7	1.69	2.0	9.7	
1999	11	1.6	0.47	0.8	2.8	8	4.0	1.54	1.6	8.7	
2000	9	1.2	0.41	0.5	2.3	5	2.7	1.32	0.8	6.9	
2001	17	2.7	0.67	1.5	4.3	7	3.2	1.40	1.1	7.4	
2002	11	1.5	0.44	0.7	2.6	12	4.4	1.30	2.2	8.2	
2003	19	2.7	0.64	1.6	4.3	7	3.7	1.46	1.4	7.8	
2004	14	1.8	0.51	1.0	3.1	13	6.0	1.87	2.9	10.9	
2005	15	2.1	0.57	1.2	3.5	12	4.5	1.41	2.2	8.4	
2006	18	2.4	0.58	1.4	3.9	19	7.0	1.72	4.1	11.4	
2007	21	3.3	0.76	1.9	5.1	16	5.3	1.38	3.0	9.0	
2008	23	3.0	0.65	1.8	4.5	10	2.7	0.88	1.3	5.4	
2009	23	2.8	0.61	1.8	4.3	18	5.3	1.30	3.1	8.7	
2010	24	3.1	0.65	1.9	4.7	18	5.4	1.30	3.2	8.7	
2011	20	2.5	0.58	1.5	3.9	24	7.3	1.60	4.5	11.2	
2012	28	3.6	0.71	2.4	5.3	23	6.4	1.40	4.0	9.9	
2013	27	3.3	0.65	2.1	4.8	27	7.2	1.40	4.7	10.6	
2014	35	4.2	0.73	2.9	5.9	26	6.7	1.34	4.3	10.0	
2015	39	4.6	0.76	3.3	6.4	29	7.5	1.43	5.0	10.9	
2016	39	4.7	0.79	3.3	6.5	33	8.2	1.50	5.5	11.7	
2017	28	3.4	0.68	2.2	5.0	35	8.2	1.42	5.7	11.5	
2018	16	2.1	0.53	1.2	3.4	30	7.0	1.29	4.7	10.0	
2019	28	3.1	0.61	2.1	4.6	26	5.7	1.13	3.7	8.4	
2020	30	3.4	0.64	2.3	4.9	24	5.2	1.07	3.3	7.8	
2021	42	5.0	0.80	3.6	6.9	25	5.4	1.10	3.5	8.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Thyroid										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	33,303	14.4	0.08	14.3	14.6	28,294	15.3	0.09	15.1	15.5
1986	351	6.1	0.34	5.5	6.8	305	6.3	0.37	5.6	7.1
1987	355	6.2	0.34	5.6	6.9	323	6.8	0.39	6.1	7.6
1988	382	6.5	0.34	5.9	7.2	336	6.9	0.38	6.1	7.7
1989	366	6.3	0.33	5.6	7.0	306	6.3	0.37	5.6	7.0
1990	398	6.7	0.34	6.1	7.4	357	7.3	0.39	6.5	8.1
1991	384	6.5	0.34	5.9	7.2	341	7.0	0.38	6.2	7.8
1992	403	6.7	0.34	6.1	7.4	361	7.2	0.39	6.5	8.0
1993	445	7.3	0.35	6.7	8.1	385	7.7	0.40	6.9	8.5
1994	453	7.5	0.35	6.8	8.2	403	8.1	0.41	7.3	8.9
1995	503	8.1	0.36	7.4	8.9	430	8.5	0.41	7.7	9.3
1996	540	8.7	0.38	8.0	9.4	476	9.4	0.43	8.5	10.2
1997	566	9.0	0.38	8.3	9.8	484	9.4	0.43	8.6	10.3
1998	563	9.0	0.38	8.3	9.8	485	9.6	0.44	8.7	10.5
1999	647	10.3	0.40	9.5	11.1	566	11.1	0.47	10.2	12.1
2000	678	10.6	0.41	9.8	11.4	580	11.2	0.47	10.3	12.2
2001	691	10.8	0.41	10.0	11.6	592	11.5	0.47	10.6	12.4
2002	858	13.3	0.45	12.4	14.2	745	14.3	0.53	13.3	15.4
2003	882	13.6	0.46	12.7	14.6	771	14.8	0.54	13.8	15.9
2004	951	14.7	0.48	13.8	15.7	834	16.2	0.56	15.1	17.3
2005	987	15.1	0.48	14.2	16.1	835	16.0	0.56	14.9	17.2
2006	1,107	16.9	0.51	15.9	17.9	952	18.2	0.60	17.1	19.4
2007	1,181	17.9	0.52	16.9	18.9	1,016	19.3	0.61	18.1	20.6
2008	1,275	19.2	0.54	18.2	20.3	1,088	20.7	0.64	19.5	22.0
2009	1,373	20.6	0.56	19.5	21.7	1,195	22.7	0.67	21.4	24.0
2010	1,329	19.8	0.55	18.7	20.9	1,121	21.1	0.64	19.9	22.4
2011	1,426	20.8	0.56	19.7	21.9	1,208	22.3	0.66	21.0	23.6
2012	1,547	22.7	0.59	21.6	23.9	1,296	24.2	0.69	22.9	25.6
2013	1,565	23.1	0.60	21.9	24.3	1,308	24.8	0.70	23.4	26.2
2014	1,538	22.5	0.59	21.4	23.7	1,275	24.0	0.69	22.6	25.4
2015	1,645	24.0	0.61	22.8	25.2	1,409	26.4	0.73	25.0	27.8
2016	1,483	21.7	0.58	20.6	22.9	1,229	23.1	0.68	21.8	24.5
2017	1,296	18.7	0.53	17.7	19.8	1,044	19.4	0.62	18.2	20.6
2018	1,312	19.0	0.54	17.9	20.1	1,097	20.6	0.64	19.3	21.9
2019	1,381	20.1	0.56	19.1	21.3	1,131	21.3	0.66	20.1	22.7
2020	1,112	16.4	0.51	15.4	17.4	928	17.7	0.60	16.5	18.9
2021	1,330	19.5	0.55	18.4	20.6	1,082	20.6	0.65	19.4	22.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Thyroid										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,788	8.2	0.16	7.9	8.6	1,714	15.9	0.39	15.1	16.7
1986	28	3.7	0.72	2.4	5.4	14	11.8	3.57	5.9	21.5
1987	19	2.6	0.63	1.6	4.2	11	8.9	2.87	4.2	17.1
1988	33	4.6	0.82	3.1	6.5	12	8.8	2.65	4.4	16.4
1989	37	4.8	0.82	3.4	6.7	19	13.8	3.50	7.8	22.9
1990	29	3.6	0.69	2.4	5.2	12	7.8	2.41	3.8	14.6
1991	27	3.6	0.71	2.3	5.2	3	1.7	0.98	0.3	6.0
1992	28	3.4	0.64	2.2	4.9	9	6.1	2.21	2.6	12.3
1993	33	4.1	0.73	2.8	5.8	20	11.2	2.57	6.7	17.8
1994	32	3.7	0.65	2.5	5.2	16	8.9	2.39	4.8	15.1
1995	43	5.1	0.79	3.7	6.9	25	13.2	2.81	8.3	20.1
1996	40	4.5	0.71	3.2	6.1	21	10.8	2.69	6.2	17.5
1997	52	6.4	0.90	4.8	8.4	25	12.1	2.58	7.6	18.4
1998	49	5.6	0.81	4.1	7.4	26	11.2	2.46	6.9	17.3
1999	39	4.1	0.66	2.9	5.6	27	12.5	2.59	8.0	18.7
2000	57	6.2	0.83	4.7	8.1	28	12.6	2.61	8.0	18.8
2001	68	7.3	0.89	5.7	9.3	26	10.6	2.14	6.8	15.8
2002	75	8.1	0.94	6.4	10.2	27	10.3	2.07	6.7	15.3
2003	70	7.4	0.88	5.7	9.3	27	8.8	1.79	5.7	13.2
2004	68	7.0	0.86	5.5	8.9	40	14.1	2.31	10.0	19.5
2005	77	8.1	0.93	6.4	10.1	56	19.5	2.74	14.5	25.6
2006	86	8.7	0.94	6.9	10.7	56	18.2	2.52	13.6	23.9
2007	94	9.6	1.00	7.7	11.8	53	15.8	2.26	11.7	20.9
2008	106	10.6	1.04	8.7	12.9	67	19.0	2.40	14.6	24.3
2009	110	11.0	1.06	9.0	13.3	49	13.5	2.01	9.9	18.1
2010	122	11.9	1.09	9.8	14.2	63	15.5	2.00	11.9	20.1
2011	125	12.0	1.09	10.0	14.4	80	20.2	2.33	15.9	25.4
2012	134	12.8	1.12	10.7	15.2	90	22.2	2.39	17.7	27.4
2013	136	12.7	1.11	10.6	15.1	92	21.5	2.30	17.2	26.5
2014	144	13.8	1.17	11.6	16.3	99	22.6	2.32	18.3	27.6
2015	125	12.1	1.11	10.0	14.5	89	19.9	2.15	15.9	24.6
2016	136	13.2	1.15	11.0	15.6	99	21.6	2.20	17.5	26.4
2017	131	12.1	1.09	10.1	14.5	97	21.0	2.15	17.0	25.7
2018	106	9.7	0.97	7.9	11.8	77	15.9	1.83	12.5	19.9
2019	116	10.6	1.01	8.7	12.8	96	20.0	2.06	16.2	24.5
2020	85	7.8	0.87	6.2	9.6	71	14.8	1.76	11.5	18.7
2021	128	12.2	1.11	10.1	14.5	92	18.2	1.91	14.6	22.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	98,468	21.6	0.07	21.4	21.7	86,415	22.5	0.08	22.4	22.7
1986	1,698	15.9	0.39	15.1	16.7	1,550	16.6	0.43	15.8	17.5
1987	1,747	16.2	0.39	15.4	16.9	1,618	17.2	0.43	16.4	18.1
1988	1,853	17.0	0.40	16.2	17.8	1,687	17.8	0.44	17.0	18.7
1989	1,903	17.4	0.40	16.6	18.2	1,733	18.3	0.45	17.5	19.2
1990	2,069	18.8	0.42	18.0	19.6	1,875	19.7	0.46	18.8	20.6
1991	2,057	18.4	0.41	17.6	19.2	1,881	19.5	0.45	18.6	20.4
1992	2,258	20.0	0.42	19.2	20.8	2,064	21.2	0.47	20.3	22.1
1993	2,308	20.2	0.42	19.4	21.1	2,086	21.2	0.47	20.3	22.2
1994	2,436	21.2	0.43	20.3	22.0	2,172	21.9	0.47	21.0	22.9
1995	2,522	21.7	0.43	20.9	22.6	2,241	22.5	0.48	21.6	23.5
1996	2,630	22.5	0.44	21.6	23.4	2,347	23.5	0.49	22.5	24.4
1997	2,563	21.7	0.43	20.9	22.6	2,273	22.6	0.47	21.6	23.5
1998	2,625	22.1	0.43	21.3	23.0	2,311	22.8	0.48	21.9	23.8
1999	2,731	22.8	0.44	21.9	23.7	2,459	24.1	0.49	23.2	25.1
2000	2,716	22.5	0.43	21.6	23.3	2,406	23.5	0.48	22.6	24.5
2001	2,730	22.4	0.43	21.6	23.3	2,426	23.5	0.48	22.6	24.5
2002	2,771	22.6	0.43	21.8	23.5	2,468	23.8	0.48	22.9	24.8
2003	2,806	22.6	0.43	21.8	23.5	2,469	23.6	0.48	22.7	24.6
2004	2,980	23.9	0.44	23.0	24.8	2,607	24.9	0.49	23.9	25.8
2005	2,925	23.3	0.43	22.4	24.1	2,566	24.3	0.48	23.3	25.2
2006	2,883	22.7	0.43	21.9	23.6	2,554	24.1	0.48	23.2	25.0
2007	2,925	22.7	0.42	21.9	23.6	2,568	23.9	0.48	23.0	24.9
2008	3,042	23.3	0.43	22.5	24.1	2,653	24.4	0.48	23.4	25.3
2009	3,019	22.9	0.42	22.1	23.7	2,631	23.9	0.47	23.0	24.9
2010	3,122	23.4	0.42	22.6	24.2	2,700	24.3	0.48	23.4	25.3
2011	3,048	22.5	0.41	21.7	23.3	2,624	23.4	0.46	22.5	24.3
2012	3,004	22.0	0.41	21.2	22.8	2,607	23.1	0.46	22.2	24.0
2013	3,088	22.1	0.40	21.3	22.9	2,665	23.2	0.46	22.3	24.1
2014	3,247	22.9	0.41	22.1	23.7	2,793	24.0	0.46	23.1	24.9
2015	3,286	23.0	0.41	22.2	23.8	2,846	24.2	0.46	23.3	25.2
2016	3,232	22.5	0.40	21.7	23.3	2,794	23.7	0.46	22.9	24.7
2017	3,294	22.5	0.40	21.8	23.4	2,795	23.4	0.45	22.5	24.3
2018	3,214	21.7	0.39	20.9	22.4	2,691	22.2	0.44	21.4	23.1
2019	3,374	22.3	0.39	21.5	23.1	2,890	23.5	0.45	22.6	24.4
2020	3,039	20.1	0.37	19.4	20.9	2,586	21.1	0.43	20.3	21.9
2021	3,323	21.9	0.39	21.2	22.7	2,779	22.6	0.44	21.8	23.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lymphoma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	9,051	15.4	0.17	15.1	15.8	2,190	13.1	0.30	12.5	13.7
1986	125	10.0	0.94	8.2	12.0	23	14.5	3.30	8.8	22.5
1987	113	8.9	0.87	7.3	10.8	10	4.7	1.58	2.1	9.2
1988	147	11.0	0.96	9.2	13.0	15	9.1	2.78	4.5	16.1
1989	151	11.3	0.97	9.5	13.4	18	9.6	2.57	5.2	15.9
1990	170	12.6	1.01	10.7	14.8	19	8.6	2.15	4.9	14.0
1991	142	10.4	0.91	8.7	12.3	19	9.0	2.43	4.9	14.9
1992	171	12.5	1.00	10.6	14.6	19	10.0	2.78	5.3	16.6
1993	194	13.2	0.99	11.3	15.3	21	9.7	2.29	5.7	15.2
1994	227	15.6	1.07	13.6	17.8	32	15.5	3.13	10.0	22.7
1995	231	16.1	1.10	14.0	18.4	39	15.9	2.90	10.8	22.5
1996	235	15.4	1.04	13.5	17.6	36	12.3	2.29	8.2	17.6
1997	234	15.2	1.02	13.3	17.3	43	16.2	2.77	11.2	22.4
1998	259	16.7	1.07	14.7	18.9	39	11.4	2.13	7.6	16.3
1999	227	14.8	1.01	12.9	16.9	27	7.7	1.61	4.9	11.5
2000	245	15.4	1.01	13.5	17.5	45	11.0	1.82	7.7	15.2
2001	250	15.7	1.02	13.8	17.8	45	11.6	1.93	8.2	16.0
2002	242	15.0	0.99	13.2	17.1	45	13.3	2.18	9.4	18.2
2003	261	16.0	1.01	14.1	18.1	59	14.8	2.10	11.0	19.5
2004	297	18.6	1.11	16.5	20.9	53	12.3	1.83	9.0	16.4
2005	272	16.7	1.04	14.8	18.9	68	16.2	2.13	12.3	20.8
2006	255	15.4	0.98	13.5	17.4	50	10.5	1.62	7.6	14.1
2007	290	17.0	1.02	15.0	19.1	55	10.5	1.55	7.7	14.0
2008	281	16.6	1.01	14.7	18.7	73	12.7	1.60	9.8	16.3
2009	274	15.8	0.97	13.9	17.8	70	13.6	1.75	10.4	17.4
2010	301	17.1	1.01	15.2	19.2	76	13.6	1.69	10.4	17.3
2011	310	17.2	1.00	15.3	19.3	76	12.8	1.57	9.9	16.3
2012	296	16.0	0.95	14.2	18.0	71	11.4	1.43	8.8	14.5
2013	297	15.9	0.95	14.1	17.9	95	13.9	1.50	11.1	17.1
2014	315	16.7	0.96	14.9	18.7	107	15.3	1.54	12.4	18.6
2015	307	16.2	0.94	14.4	18.1	104	14.2	1.46	11.5	17.3
2016	303	16.3	0.96	14.5	18.2	108	13.9	1.38	11.4	16.9
2017	354	18.8	1.02	16.8	20.9	112	14.1	1.37	11.6	17.1
2018	353	18.2	0.99	16.3	20.2	128	15.2	1.38	12.6	18.1
2019	312	15.6	0.90	13.9	17.5	118	13.5	1.27	11.2	16.3
2020	279	14.0	0.86	12.4	15.8	118	13.2	1.23	10.9	15.8
2021	331	16.6	0.93	14.8	18.6	154	16.2	1.32	13.7	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	52,505	26.0	0.12	25.8	26.2	46,062	27.0	0.13	26.8	27.3
1986	835	17.9	0.65	16.7	19.2	745	18.4	0.70	17.1	19.8
1987	887	18.8	0.66	17.6	20.2	811	19.8	0.72	18.4	21.2
1988	973	20.5	0.68	19.2	21.8	888	21.5	0.75	20.1	23.1
1989	985	20.7	0.68	19.3	22.0	898	21.7	0.75	20.3	23.2
1990	1,103	22.8	0.71	21.4	24.2	990	23.7	0.77	22.2	25.2
1991	1,070	21.7	0.68	20.4	23.1	977	22.9	0.75	21.5	24.5
1992	1,174	24.2	0.73	22.8	25.7	1,067	25.4	0.80	23.9	27.0
1993	1,217	24.3	0.71	22.9	25.7	1,094	25.4	0.78	23.8	26.9
1994	1,244	24.7	0.72	23.4	26.2	1,097	25.5	0.78	24.0	27.1
1995	1,332	26.2	0.73	24.7	27.6	1,174	26.9	0.80	25.3	28.5
1996	1,381	26.8	0.73	25.3	28.2	1,203	27.3	0.80	25.8	28.9
1997	1,335	25.8	0.72	24.4	27.3	1,170	26.5	0.79	25.0	28.1
1998	1,404	27.0	0.73	25.6	28.5	1,229	27.8	0.80	26.2	29.4
1999	1,452	27.7	0.74	26.3	29.2	1,290	28.9	0.81	27.3	30.5
2000	1,442	27.1	0.72	25.7	28.5	1,274	28.2	0.80	26.7	29.8
2001	1,404	26.3	0.71	24.9	27.8	1,247	27.5	0.79	26.0	29.1
2002	1,480	27.5	0.73	26.1	29.0	1,319	28.9	0.80	27.4	30.5
2003	1,490	27.3	0.72	25.9	28.7	1,313	28.4	0.79	26.9	30.0
2004	1,623	29.7	0.75	28.2	31.2	1,424	30.8	0.83	29.2	32.5
2005	1,556	28.2	0.73	26.8	29.6	1,365	29.2	0.80	27.7	30.8
2006	1,562	27.9	0.72	26.5	29.3	1,386	29.4	0.80	27.8	31.0
2007	1,588	27.7	0.71	26.4	29.1	1,395	29.0	0.79	27.5	30.6
2008	1,602	27.7	0.70	26.3	29.1	1,405	28.9	0.78	27.4	30.5
2009	1,581	27.0	0.69	25.7	28.4	1,386	28.2	0.77	26.7	29.7
2010	1,697	28.5	0.71	27.1	29.9	1,462	29.3	0.78	27.8	30.8
2011	1,633	26.9	0.68	25.6	28.3	1,405	27.7	0.75	26.2	29.2
2012	1,602	26.1	0.67	24.8	27.4	1,403	27.4	0.75	26.0	28.9
2013	1,693	27.0	0.67	25.7	28.3	1,482	28.5	0.76	27.0	30.0
2014	1,736	26.9	0.66	25.6	28.2	1,505	28.1	0.74	26.6	29.6
2015	1,815	27.8	0.67	26.5	29.2	1,570	29.0	0.75	27.6	30.5
2016	1,741	26.9	0.66	25.6	28.2	1,523	28.5	0.75	27.0	30.0
2017	1,823	27.3	0.66	26.0	28.6	1,548	27.9	0.73	26.5	29.4
2018	1,716	25.2	0.62	24.0	26.5	1,455	25.9	0.70	24.6	27.3
2019	1,838	26.6	0.64	25.3	27.8	1,584	27.8	0.72	26.5	29.3
2020	1,690	24.3	0.61	23.1	25.5	1,444	25.2	0.68	23.9	26.6
2021	1,801	26.0	0.63	24.7	27.2	1,534	27.0	0.71	25.6	28.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lymphoma										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,837	19.1	0.29	18.5	19.6	1,179	15.7	0.50	14.8	16.7
1986	76	13.4	1.67	10.3	17.1	14	17.9	5.20	9.2	31.5
1987	67	12.8	1.67	9.7	16.5	5	5.0	2.52	1.3	13.6
1988	75	12.5	1.56	9.6	15.9	8	9.0	3.32	3.7	18.7
1989	77	13.2	1.65	10.1	16.8	9	12.3	4.62	4.9	24.6
1990	95	16.3	1.82	12.9	20.3	14	15.1	4.55	7.6	27.0
1991	76	12.3	1.53	9.5	15.7	8	9.9	4.68	2.9	22.4
1992	95	16.6	1.85	13.2	20.6	10	13.5	5.01	5.5	26.2
1993	109	16.1	1.68	13.0	19.8	13	14.1	4.30	6.9	24.9
1994	128	18.9	1.74	15.7	22.7	16	17.3	5.24	8.6	30.1
1995	137	21.9	2.05	18.1	26.3	16	15.9	4.86	7.8	27.8
1996	151	22.7	1.99	18.9	26.9	20	14.9	3.96	8.2	24.7
1997	132	18.8	1.71	15.6	22.5	26	22.7	5.33	13.4	35.2
1998	146	21.4	1.85	17.9	25.3	21	14.9	4.12	7.9	24.9
1999	130	19.5	1.86	16.1	23.5	16	9.8	2.74	5.2	16.8
2000	134	18.6	1.68	15.5	22.2	22	13.2	3.46	7.3	21.6
2001	128	18.3	1.72	15.1	22.0	22	12.1	2.91	7.1	19.2
2002	126	17.8	1.68	14.7	21.4	28	19.1	4.13	11.8	28.6
2003	138	19.7	1.75	16.4	23.4	31	15.8	3.16	10.2	23.2
2004	160	23.2	1.96	19.6	27.4	29	14.2	3.02	8.9	21.3
2005	139	20.2	1.84	16.7	24.1	41	22.4	4.03	15.2	31.5
2006	131	18.0	1.65	14.9	21.5	31	15.7	3.24	10.0	23.2
2007	160	21.5	1.81	18.1	25.4	26	10.6	2.36	6.5	16.3
2008	141	19.5	1.74	16.3	23.2	36	13.5	2.54	9.0	19.4
2009	134	18.0	1.64	14.9	21.5	43	19.1	3.28	13.3	26.5
2010	168	22.5	1.83	19.0	26.3	39	16.9	3.09	11.4	23.9
2011	165	21.7	1.79	18.3	25.5	45	17.2	2.81	12.1	23.5
2012	145	18.0	1.55	15.1	21.3	38	13.8	2.41	9.5	19.3
2013	149	18.3	1.56	15.4	21.6	51	16.1	2.43	11.7	21.5
2014	162	19.6	1.61	16.6	23.0	56	18.6	2.70	13.7	24.6
2015	170	20.8	1.66	17.6	24.3	61	18.6	2.57	13.9	24.3
2016	154	19.0	1.60	16.0	22.4	49	13.1	1.94	9.6	17.5
2017	187	23.6	1.81	20.2	27.4	70	20.4	2.55	15.7	26.0
2018	172	20.4	1.62	17.4	23.8	65	16.8	2.15	12.8	21.5
2019	156	17.9	1.49	15.1	21.0	68	17.4	2.20	13.4	22.3
2020	156	18.1	1.51	15.3	21.3	61	14.3	1.86	10.8	18.4
2021	168	19.7	1.57	16.7	23.0	71	15.6	1.88	12.2	19.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	45,963	18.1	0.09	18.0	18.3	40,353	19.0	0.10	18.8	19.2
1986	863	14.1	0.49	13.2	15.1	805	15.1	0.55	14.1	16.2
1987	860	13.9	0.48	13.0	14.9	807	15.0	0.54	14.0	16.1
1988	880	14.3	0.49	13.4	15.3	799	14.9	0.54	13.9	16.0
1989	918	14.9	0.50	14.0	15.9	835	15.7	0.55	14.6	16.8
1990	966	15.6	0.51	14.6	16.6	885	16.5	0.57	15.4	17.7
1991	987	15.6	0.50	14.7	16.7	904	16.6	0.56	15.5	17.7
1992	1,084	16.8	0.52	15.8	17.9	997	18.0	0.58	16.9	19.2
1993	1,091	16.9	0.52	15.9	17.9	992	17.8	0.57	16.7	19.0
1994	1,192	18.3	0.53	17.2	19.4	1,075	19.1	0.59	18.0	20.3
1995	1,190	18.0	0.53	17.0	19.1	1,067	18.8	0.58	17.6	20.0
1996	1,249	18.9	0.54	17.9	20.0	1,144	20.2	0.61	19.1	21.5
1997	1,228	18.5	0.53	17.4	19.5	1,103	19.4	0.59	18.3	20.6
1998	1,221	18.3	0.53	17.3	19.4	1,082	19.0	0.59	17.9	20.2
1999	1,279	19.0	0.54	18.0	20.1	1,169	20.6	0.61	19.4	21.8
2000	1,274	18.9	0.53	17.9	20.0	1,132	20.0	0.60	18.8	21.2
2001	1,326	19.4	0.54	18.3	20.5	1,179	20.4	0.60	19.2	21.6
2002	1,291	18.7	0.53	17.7	19.8	1,149	19.8	0.59	18.6	21.0
2003	1,316	19.0	0.53	18.0	20.1	1,156	19.9	0.59	18.7	21.1
2004	1,357	19.5	0.53	18.4	20.5	1,183	20.2	0.60	19.1	21.4
2005	1,369	19.5	0.53	18.5	20.6	1,201	20.5	0.60	19.3	21.7
2006	1,321	18.7	0.52	17.7	19.7	1,168	19.9	0.59	18.7	21.1
2007	1,337	18.8	0.52	17.8	19.8	1,173	19.8	0.59	18.7	21.0
2008	1,440	20.0	0.53	19.0	21.1	1,248	20.9	0.60	19.8	22.1
2009	1,438	19.8	0.53	18.7	20.8	1,245	20.7	0.60	19.5	21.9
2010	1,425	19.5	0.53	18.5	20.6	1,238	20.6	0.60	19.4	21.8
2011	1,415	19.0	0.52	18.1	20.1	1,219	19.9	0.58	18.8	21.1
2012	1,402	18.7	0.51	17.7	19.7	1,204	19.6	0.58	18.4	20.7
2013	1,395	18.2	0.50	17.2	19.2	1,183	18.8	0.56	17.7	20.0
2014	1,511	19.8	0.52	18.8	20.8	1,288	20.7	0.59	19.5	21.9
2015	1,471	19.1	0.51	18.1	20.1	1,276	20.3	0.59	19.2	21.5
2016	1,491	19.1	0.51	18.1	20.1	1,271	20.0	0.58	18.9	21.2
2017	1,471	18.9	0.51	17.9	19.9	1,247	19.8	0.58	18.7	21.0
2018	1,498	18.9	0.50	17.9	19.9	1,236	19.3	0.57	18.2	20.4
2019	1,536	18.8	0.49	17.9	19.8	1,306	19.9	0.57	18.8	21.1
2020	1,349	16.7	0.47	15.8	17.7	1,142	17.6	0.54	16.6	18.7
2021	1,522	18.8	0.50	17.8	19.8	1,245	19.1	0.56	18.0	20.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,214	12.7	0.20	12.3	13.1	1,011	11.0	0.36	10.3	11.8
1986	49	7.2	1.06	5.3	9.6	9	11.6	4.17	4.9	22.7
1987	46	6.1	0.94	4.4	8.2	5	4.5	2.08	1.4	11.4
1988	72	9.7	1.19	7.5	12.3	7	8.8	4.01	2.8	19.6
1989	74	10.0	1.20	7.8	12.7	9	7.9	3.00	3.1	16.2
1990	75	10.0	1.19	7.8	12.6	5	3.6	1.64	1.1	9.2
1991	66	8.8	1.11	6.8	11.2	11	8.7	2.73	4.2	16.1
1992	76	9.6	1.13	7.5	12.1	9	7.7	3.18	2.7	16.1
1993	85	10.8	1.20	8.5	13.4	8	6.4	2.43	2.6	13.0
1994	99	12.6	1.29	10.2	15.3	16	14.2	3.91	7.6	23.7
1995	94	11.8	1.24	9.5	14.5	23	16.3	3.69	9.9	25.1
1996	84	10.0	1.11	7.9	12.4	16	10.3	2.75	5.6	17.1
1997	102	12.1	1.22	9.8	14.7	17	11.5	3.01	6.4	18.8
1998	113	13.0	1.24	10.7	15.6	18	9.1	2.36	5.1	15.0
1999	97	11.4	1.17	9.2	13.9	11	6.0	1.91	2.8	10.9
2000	111	12.6	1.20	10.3	15.1	23	9.8	2.15	6.0	15.0
2001	122	13.7	1.25	11.4	16.4	23	11.0	2.51	6.7	17.0
2002	116	12.9	1.21	10.6	15.5	17	9.0	2.33	5.0	14.6
2003	123	13.4	1.21	11.1	16.0	28	13.7	2.74	8.9	20.1
2004	137	15.2	1.31	12.7	17.9	24	10.7	2.30	6.7	16.1
2005	133	14.4	1.26	12.0	17.1	27	11.6	2.36	7.5	17.1
2006	124	13.1	1.19	10.9	15.7	19	6.8	1.64	4.0	10.8
2007	130	13.7	1.21	11.4	16.3	29	10.4	2.04	6.8	15.1
2008	140	14.5	1.24	12.2	17.2	37	12.3	2.13	8.5	17.2
2009	140	14.3	1.22	12.0	16.8	27	9.4	1.90	6.0	13.8
2010	133	13.4	1.18	11.2	15.9	37	11.4	1.99	7.9	16.0
2011	145	14.2	1.20	12.0	16.8	31	9.2	1.74	6.1	13.3
2012	151	14.5	1.20	12.3	17.1	33	9.5	1.73	6.4	13.5
2013	148	14.1	1.17	11.8	16.6	44	12.0	1.88	8.6	16.3
2014	153	14.6	1.20	12.3	17.1	51	13.1	1.89	9.7	17.4
2015	137	12.9	1.12	10.8	15.2	43	10.8	1.71	7.7	14.7
2016	149	14.2	1.18	11.9	16.7	59	14.3	1.90	10.9	18.6
2017	167	15.5	1.23	13.2	18.1	42	9.2	1.44	6.6	12.5
2018	181	16.5	1.26	14.1	19.2	63	13.9	1.78	10.6	17.9
2019	156	13.8	1.12	11.7	16.2	50	10.5	1.50	7.8	13.9
2020	123	11.0	1.01	9.1	13.1	57	12.1	1.61	9.1	15.7
2021	163	14.4	1.15	12.2	16.8	83	16.7	1.85	13.3	20.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	12,746	2.8	0.03	2.8	2.9	10,584	2.9	0.03	2.9	3.0
1986	324	2.9	0.17	2.6	3.2	288	3.1	0.18	2.7	3.4
1987	287	2.5	0.15	2.2	2.8	255	2.6	0.17	2.3	3.0
1988	287	2.4	0.15	2.2	2.7	249	2.5	0.16	2.2	2.9
1989	324	2.8	0.16	2.5	3.1	290	3.0	0.18	2.7	3.4
1990	335	2.9	0.16	2.6	3.2	289	3.0	0.18	2.7	3.4
1991	329	2.8	0.16	2.5	3.1	290	3.0	0.18	2.6	3.4
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	318	2.6	0.15	2.3	2.9	262	2.6	0.16	2.3	3.0
1994	328	2.7	0.15	2.4	3.0	283	2.8	0.17	2.5	3.2
1995	322	2.6	0.15	2.4	3.0	278	2.8	0.17	2.5	3.1
1996	377	3.1	0.16	2.8	3.4	316	3.2	0.18	2.8	3.5
1997	363	3.0	0.16	2.7	3.3	299	3.0	0.17	2.7	3.3
1998	326	2.6	0.15	2.4	3.0	270	2.7	0.16	2.4	3.0
1999	347	2.8	0.15	2.5	3.1	297	3.0	0.17	2.6	3.3
2000	363	2.9	0.15	2.6	3.2	305	3.0	0.17	2.7	3.4
2001	365	2.9	0.15	2.6	3.2	302	3.0	0.17	2.7	3.4
2002	366	2.9	0.15	2.6	3.2	315	3.1	0.17	2.8	3.5
2003	353	2.8	0.15	2.5	3.1	298	2.9	0.17	2.6	3.3
2004	362	2.9	0.15	2.6	3.2	301	3.0	0.17	2.7	3.3
2005	384	3.1	0.16	2.8	3.4	307	3.1	0.18	2.7	3.4
2006	388	3.1	0.16	2.8	3.4	324	3.2	0.18	2.9	3.6
2007	346	2.7	0.15	2.4	3.0	291	2.9	0.17	2.5	3.2
2008	416	3.3	0.16	3.0	3.6	338	3.3	0.18	3.0	3.7
2009	368	2.9	0.15	2.6	3.2	300	2.9	0.17	2.6	3.3
2010	384	3.0	0.16	2.7	3.3	310	3.1	0.18	2.7	3.4
2011	357	2.8	0.15	2.5	3.1	282	2.8	0.17	2.5	3.1
2012	353	2.7	0.15	2.4	3.0	281	2.7	0.17	2.4	3.1
2013	362	2.7	0.15	2.5	3.0	293	2.8	0.17	2.5	3.2
2014	379	2.8	0.15	2.6	3.2	311	3.0	0.17	2.6	3.3
2015	362	2.8	0.15	2.5	3.1	291	2.9	0.17	2.6	3.3
2016	348	2.7	0.15	2.4	3.0	278	2.7	0.17	2.4	3.1
2017	388	2.9	0.15	2.6	3.2	307	3.0	0.17	2.6	3.3
2018	386	2.9	0.15	2.6	3.2	305	3.0	0.17	2.6	3.3
2019	367	2.7	0.14	2.5	3.0	296	2.8	0.17	2.5	3.2
2020	364	2.8	0.15	2.5	3.1	285	2.8	0.17	2.4	3.1
2021	377	2.8	0.15	2.5	3.1	300	2.9	0.17	2.6	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hodgkin Lymphoma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,696	2.6	0.06	2.4	2.7	293	1.4	0.09	1.2	1.6
1986	32	2.0	0.38	1.4	3.0	4	2.1	1.11	0.6	6.0
1987	28	1.7	0.35	1.1	2.6	0				
1988	35	2.0	0.36	1.4	2.8	3	1.6	0.94	0.3	5.0
1989	34	2.1	0.37	1.4	2.9	0				
1990	44	2.6	0.41	1.9	3.6	1	0.5	0.51	0.0	3.2
1991	31	1.8	0.34	1.2	2.6	4	1.3	0.68	0.3	3.9
1992	39	2.3	0.39	1.6	3.2	3	0.7	0.42	0.2	2.8
1993	50	2.8	0.42	2.1	3.8	4	1.4	0.73	0.3	3.9
1994	37	2.2	0.36	1.5	3.0	5	1.4	0.64	0.4	3.6
1995	37	2.0	0.33	1.4	2.7	4	2.0	1.25	0.3	5.6
1996	48	2.7	0.40	2.0	3.6	8	2.1	0.84	0.8	4.6
1997	57	3.2	0.44	2.4	4.2	3	0.7	0.42	0.2	2.4
1998	42	2.2	0.35	1.6	3.1	8	2.1	0.86	0.8	4.6
1999	37	2.1	0.36	1.5	2.9	6	1.2	0.49	0.4	2.8
2000	47	2.6	0.39	1.9	3.5	3	0.6	0.32	0.1	1.9
2001	49	2.7	0.38	2.0	3.5	10	2.0	0.68	0.9	3.9
2002	43	2.4	0.37	1.7	3.2	2	0.5	0.37	0.0	1.9
2003	43	2.3	0.36	1.7	3.2	8	1.3	0.47	0.6	2.8
2004	52	2.8	0.40	2.1	3.7	5	0.8	0.38	0.3	2.1
2005	65	3.6	0.46	2.8	4.6	8	1.4	0.53	0.6	3.0
2006	46	2.5	0.37	1.8	3.3	10	1.8	0.65	0.8	3.6
2007	46	2.4	0.35	1.7	3.2	7	1.0	0.38	0.4	2.2
2008	57	3.0	0.41	2.3	3.9	14	1.9	0.52	1.0	3.3
2009	50	2.7	0.38	2.0	3.5	7	1.0	0.38	0.4	2.1
2010	57	2.9	0.39	2.2	3.8	10	1.3	0.41	0.6	2.5
2011	59	3.1	0.41	2.3	4.0	5	0.5	0.22	0.2	1.3
2012	59	3.1	0.41	2.3	4.0	10	1.3	0.43	0.6	2.5
2013	53	2.7	0.37	2.0	3.5	13	1.7	0.48	0.9	2.9
2014	47	2.4	0.36	1.8	3.3	15	2.0	0.53	1.1	3.3
2015	50	2.5	0.36	1.8	3.3	18	2.2	0.53	1.3	3.5
2016	53	2.8	0.39	2.1	3.7	15	1.8	0.49	1.0	3.1
2017	57	2.9	0.39	2.2	3.7	17	1.9	0.46	1.1	3.0
2018	56	2.9	0.39	2.1	3.7	17	2.0	0.49	1.1	3.2
2019	56	2.7	0.37	2.1	3.6	10	1.1	0.34	0.5	2.0
2020	54	2.8	0.39	2.1	3.7	16	1.7	0.42	1.0	2.7
2021	46	2.4	0.35	1.7	3.2	20	2.0	0.46	1.2	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,024	3.2	0.04	3.2	3.3	5,815	3.3	0.04	3.2	3.4
1986	158	3.0	0.25	2.5	3.5	138	3.1	0.27	2.6	3.7
1987	168	3.1	0.24	2.6	3.6	149	3.2	0.27	2.7	3.8
1988	159	2.8	0.23	2.4	3.3	139	3.0	0.26	2.5	3.5
1989	166	3.0	0.24	2.6	3.5	148	3.2	0.27	2.7	3.8
1990	192	3.5	0.26	3.0	4.0	164	3.5	0.28	3.0	4.1
1991	180	3.3	0.25	2.8	3.8	158	3.4	0.28	2.9	4.0
1992	172	3.1	0.24	2.6	3.6	154	3.3	0.27	2.8	3.8
1993	181	3.1	0.24	2.7	3.6	150	3.1	0.26	2.6	3.7
1994	185	3.2	0.24	2.7	3.7	152	3.1	0.26	2.6	3.7
1995	192	3.3	0.24	2.8	3.8	160	3.3	0.27	2.8	3.9
1996	215	3.7	0.25	3.2	4.2	173	3.6	0.27	3.1	4.1
1997	187	3.1	0.23	2.7	3.6	147	3.0	0.25	2.5	3.5
1998	188	3.2	0.24	2.8	3.7	160	3.3	0.26	2.8	3.9
1999	188	3.2	0.23	2.7	3.7	155	3.2	0.26	2.7	3.7
2000	216	3.6	0.25	3.1	4.1	185	3.8	0.28	3.2	4.4
2001	198	3.3	0.24	2.9	3.8	160	3.3	0.26	2.8	3.8
2002	197	3.3	0.23	2.8	3.7	173	3.5	0.27	3.0	4.1
2003	183	3.1	0.23	2.6	3.5	156	3.2	0.25	2.7	3.7
2004	213	3.6	0.25	3.1	4.1	175	3.6	0.27	3.1	4.2
2005	217	3.6	0.24	3.1	4.1	177	3.6	0.27	3.1	4.2
2006	203	3.3	0.24	2.9	3.8	170	3.5	0.27	2.9	4.0
2007	202	3.3	0.23	2.8	3.8	166	3.3	0.26	2.8	3.9
2008	215	3.5	0.24	3.0	4.0	174	3.5	0.26	3.0	4.0
2009	199	3.2	0.23	2.8	3.7	162	3.3	0.26	2.8	3.8
2010	207	3.4	0.24	2.9	3.9	164	3.3	0.26	2.8	3.9
2011	202	3.3	0.23	2.8	3.8	160	3.2	0.26	2.7	3.8
2012	194	3.1	0.23	2.7	3.6	157	3.2	0.25	2.7	3.7
2013	190	3.0	0.22	2.6	3.4	160	3.1	0.25	2.7	3.7
2014	210	3.2	0.22	2.8	3.7	171	3.2	0.25	2.8	3.8
2015	216	3.4	0.23	2.9	3.8	171	3.4	0.26	2.9	3.9
2016	213	3.3	0.23	2.9	3.8	167	3.3	0.26	2.8	3.8
2017	207	3.2	0.22	2.8	3.6	166	3.2	0.25	2.7	3.7
2018	209	3.2	0.23	2.8	3.7	166	3.2	0.26	2.8	3.8
2019	202	3.0	0.22	2.6	3.5	168	3.2	0.25	2.7	3.7
2020	201	3.1	0.22	2.7	3.6	157	3.0	0.25	2.6	3.6
2021	199	3.0	0.22	2.6	3.5	163	3.1	0.25	2.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hodgkin Lymphoma										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	948	3.1	0.11	2.9	3.4	167	1.7	0.14	1.4	2.0
1986	17	2.2	0.58	1.2	3.8	3	3.4	2.12	0.6	11.8
1987	16	2.6	0.71	1.4	4.4	0				
1988	18	2.1	0.54	1.2	3.6	2	2.4	1.67	0.3	9.5
1989	18	2.6	0.71	1.4	4.4	0				
1990	26	3.5	0.71	2.2	5.2	1	1.2	1.19	0.0	7.4
1991	17	2.3	0.57	1.3	3.8	2	1.3	0.92	0.2	6.6
1992	18	2.8	0.74	1.6	4.6	0				
1993	28	3.4	0.66	2.2	5.0	3	2.5	1.52	0.4	8.1
1994	26	3.3	0.67	2.1	5.0	4	2.6	1.35	0.7	7.7
1995	29	3.4	0.64	2.2	4.9	1	0.4	0.39	0.0	4.3
1996	32	3.9	0.71	2.6	5.6	6	3.8	1.88	1.1	9.6
1997	36	4.5	0.79	3.1	6.4	2	0.9	0.67	0.1	4.6
1998	21	2.3	0.52	1.4	3.7	3	2.9	1.88	0.4	8.7
1999	21	2.5	0.57	1.5	4.0	5	2.0	0.93	0.6	5.7
2000	26	3.1	0.64	2.0	4.6	0				
2001	29	3.4	0.65	2.3	5.0	6	3.1	1.40	1.0	7.3
2002	21	2.4	0.54	1.4	3.7	1	0.8	0.84	0.0	4.2
2003	21	2.5	0.57	1.5	3.9	6	2.0	0.83	0.7	4.9
2004	36	4.4	0.76	3.0	6.2	2	0.8	0.54	0.1	3.2
2005	31	3.5	0.64	2.4	5.1	6	2.4	1.03	0.8	5.6
2006	24	2.8	0.59	1.8	4.3	4	1.4	0.78	0.3	4.1
2007	28	3.1	0.60	2.1	4.6	6	1.7	0.71	0.6	4.1
2008	28	3.3	0.64	2.2	4.8	9	2.5	0.83	1.1	5.0
2009	29	3.4	0.64	2.2	4.9	4	1.0	0.52	0.3	3.0
2010	34	3.9	0.70	2.7	5.5	6	1.7	0.69	0.6	3.9
2011	33	3.9	0.72	2.7	5.6	2	0.4	0.29	0.1	2.0
2012	29	3.3	0.62	2.2	4.7	5	1.4	0.70	0.4	3.6
2013	23	2.6	0.55	1.6	3.9	7	1.8	0.68	0.7	3.8
2014	29	3.3	0.63	2.2	4.8	10	2.9	1.01	1.3	5.6
2015	32	3.4	0.62	2.3	4.8	12	3.2	0.98	1.6	5.7
2016	36	4.0	0.70	2.8	5.7	9	2.0	0.68	0.9	3.9
2017	27	2.9	0.58	1.9	4.3	9	2.2	0.74	1.0	4.2
2018	28	2.9	0.56	1.9	4.2	11	2.9	0.91	1.4	5.2
2019	27	2.7	0.53	1.8	4.0	4	0.8	0.39	0.2	2.1
2020	30	3.5	0.66	2.3	5.0	9	1.9	0.65	0.9	3.7
2021	24	2.5	0.52	1.6	3.7	7	1.4	0.55	0.6	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	5,722	2.5	0.03	2.4	2.5	4,769	2.6	0.04	2.5	2.6
1986	166	2.8	0.22	2.4	3.2	150	2.9	0.25	2.5	3.5
1987	119	1.9	0.18	1.6	2.3	106	2.1	0.20	1.7	2.5
1988	128	2.1	0.18	1.7	2.4	110	2.1	0.20	1.7	2.5
1989	158	2.6	0.21	2.2	3.0	142	2.8	0.24	2.3	3.3
1990	143	2.4	0.20	2.0	2.8	125	2.5	0.23	2.1	3.0
1991	149	2.4	0.20	2.0	2.8	132	2.6	0.23	2.2	3.1
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2
1993	137	2.2	0.19	1.8	2.6	112	2.2	0.21	1.8	2.6
1994	143	2.2	0.19	1.9	2.6	131	2.5	0.22	2.1	3.0
1995	130	2.1	0.18	1.7	2.5	118	2.3	0.22	1.9	2.8
1996	162	2.6	0.20	2.2	3.0	143	2.8	0.24	2.4	3.3
1997	176	2.8	0.21	2.4	3.2	152	3.0	0.24	2.5	3.5
1998	138	2.2	0.19	1.8	2.6	110	2.2	0.21	1.8	2.6
1999	159	2.5	0.20	2.1	2.9	142	2.8	0.23	2.3	3.3
2000	147	2.3	0.19	1.9	2.7	120	2.4	0.22	1.9	2.8
2001	167	2.6	0.20	2.2	3.0	142	2.8	0.23	2.3	3.3
2002	169	2.6	0.20	2.2	3.0	142	2.7	0.23	2.3	3.2
2003	170	2.6	0.20	2.3	3.1	142	2.8	0.23	2.3	3.3
2004	149	2.3	0.19	2.0	2.7	126	2.5	0.22	2.0	2.9
2005	167	2.6	0.20	2.2	3.0	130	2.6	0.23	2.1	3.0
2006	185	2.8	0.21	2.4	3.3	154	3.0	0.24	2.5	3.5
2007	144	2.2	0.19	1.9	2.6	125	2.4	0.22	2.0	2.9
2008	201	3.1	0.22	2.7	3.6	164	3.2	0.26	2.8	3.8
2009	169	2.6	0.20	2.2	3.0	138	2.7	0.23	2.3	3.2
2010	177	2.7	0.21	2.3	3.2	146	2.9	0.24	2.4	3.4
2011	155	2.4	0.19	2.0	2.8	122	2.4	0.22	2.0	2.9
2012	159	2.4	0.19	2.0	2.8	124	2.4	0.21	2.0	2.8
2013	172	2.5	0.20	2.2	2.9	133	2.5	0.22	2.1	3.0
2014	169	2.6	0.20	2.2	3.0	140	2.7	0.24	2.3	3.2
2015	146	2.3	0.20	2.0	2.7	120	2.5	0.23	2.1	3.0
2016	135	2.1	0.18	1.7	2.4	111	2.2	0.21	1.8	2.7
2017	181	2.7	0.21	2.3	3.2	141	2.8	0.24	2.3	3.3
2018	177	2.6	0.20	2.2	3.1	139	2.7	0.23	2.2	3.2
2019	165	2.5	0.20	2.1	2.9	128	2.5	0.23	2.1	3.0
2020	163	2.5	0.20	2.1	2.9	128	2.5	0.23	2.1	3.0
2021	178	2.7	0.21	2.3	3.1	137	2.7	0.24	2.2	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Hodgkin Lymphoma										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	748	2.1	0.08	1.9	2.2	126	1.1	0.10	0.9	1.4
1986	15	1.9	0.50	1.0	3.2	1	1.2	1.19	0.0	7.1
1987	12	1.2	0.35	0.6	2.2	0				
1988	17	1.9	0.48	1.1	3.1	1	1.0	1.00	0.0	6.1
1989	16	1.8	0.45	1.0	2.9	0				
1990	18	2.0	0.48	1.2	3.2	0				
1991	14	1.5	0.41	0.8	2.6	2	1.3	0.96	0.1	5.6
1992	21	2.1	0.47	1.3	3.3	3	1.5	0.86	0.3	5.4
1993	22	2.3	0.51	1.4	3.6	1	0.5	0.53	0.0	3.9
1994	11	1.2	0.36	0.6	2.2	1	0.3	0.33	0.0	3.3
1995	8	0.8	0.28	0.3	1.6	3	3.0	1.98	0.5	8.8
1996	16	1.7	0.42	0.9	2.7	2	0.7	0.50	0.1	3.5
1997	21	2.2	0.49	1.4	3.4	1	0.5	0.52	0.0	3.2
1998	21	2.1	0.47	1.3	3.3	5	1.8	0.83	0.6	4.8
1999	16	1.7	0.44	1.0	2.8	1	0.3	0.32	0.0	2.6
2000	21	2.2	0.48	1.3	3.3	3	1.1	0.65	0.2	3.6
2001	20	2.0	0.45	1.2	3.1	4	1.1	0.57	0.3	3.4
2002	22	2.3	0.49	1.4	3.5	1	0.2	0.22	0.0	2.0
2003	22	2.2	0.47	1.4	3.3	2	0.6	0.44	0.1	2.6
2004	16	1.6	0.39	0.9	2.6	3	0.9	0.54	0.2	3.0
2005	34	3.5	0.61	2.4	4.9	2	0.6	0.41	0.1	2.4
2006	22	2.2	0.46	1.3	3.3	6	2.1	0.94	0.7	4.8
2007	18	1.8	0.42	1.0	2.8	1	0.3	0.26	0.0	1.8
2008	29	2.8	0.53	1.9	4.1	5	1.4	0.65	0.5	3.5
2009	21	2.0	0.45	1.2	3.1	3	0.9	0.54	0.2	2.7
2010	23	2.1	0.45	1.3	3.2	4	1.0	0.51	0.3	2.7
2011	26	2.5	0.49	1.6	3.6	3	0.6	0.34	0.1	2.0
2012	30	2.9	0.54	2.0	4.2	5	1.2	0.55	0.4	2.9
2013	30	2.8	0.51	1.9	4.0	6	1.6	0.67	0.6	3.5
2014	18	1.8	0.42	1.0	2.8	5	1.3	0.58	0.4	3.0
2015	18	1.8	0.42	1.1	2.8	6	1.3	0.53	0.5	2.9
2016	17	1.7	0.41	1.0	2.7	6	1.6	0.65	0.6	3.4
2017	30	2.8	0.52	1.9	4.0	8	1.6	0.59	0.7	3.3
2018	28	2.7	0.52	1.8	4.0	6	1.2	0.51	0.4	2.8
2019	29	2.7	0.52	1.8	4.0	6	1.3	0.55	0.5	2.9
2020	24	2.3	0.48	1.5	3.5	7	1.4	0.54	0.6	3.0
2021	22	2.2	0.48	1.4	3.3	13	2.6	0.73	1.4	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Non-Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	85,722	18.7	0.06	18.6	18.9	75,831	19.6	0.07	19.5	19.8
1986	1,374	13.0	0.36	12.3	13.7	1,262	13.6	0.39	12.8	14.4
1987	1,460	13.7	0.36	13.0	14.4	1,363	14.6	0.40	13.8	15.4
1988	1,566	14.6	0.37	13.9	15.3	1,438	15.3	0.41	14.5	16.1
1989	1,579	14.6	0.37	13.9	15.4	1,443	15.3	0.41	14.5	16.2
1990	1,734	15.9	0.39	15.2	16.7	1,586	16.7	0.43	15.9	17.6
1991	1,728	15.6	0.38	14.8	16.3	1,591	16.5	0.42	15.7	17.3
1992	1,917	17.1	0.39	16.4	17.9	1,766	18.2	0.44	17.4	19.1
1993	1,990	17.6	0.40	16.8	18.4	1,824	18.6	0.44	17.8	19.5
1994	2,108	18.5	0.40	17.7	19.3	1,889	19.1	0.44	18.3	20.0
1995	2,200	19.1	0.41	18.3	19.9	1,963	19.7	0.45	18.9	20.6
1996	2,253	19.4	0.41	18.6	20.2	2,031	20.3	0.45	19.4	21.2
1997	2,200	18.8	0.40	18.0	19.6	1,974	19.6	0.44	18.7	20.5
1998	2,299	19.4	0.41	18.7	20.3	2,041	20.1	0.45	19.3	21.0
1999	2,384	20.0	0.41	19.2	20.8	2,162	21.2	0.46	20.3	22.1
2000	2,353	19.5	0.40	18.8	20.4	2,101	20.5	0.45	19.6	21.4
2001	2,365	19.5	0.40	18.7	20.3	2,124	20.5	0.45	19.7	21.4
2002	2,405	19.7	0.40	18.9	20.5	2,153	20.7	0.45	19.9	21.6
2003	2,453	19.8	0.40	19.1	20.6	2,171	20.7	0.45	19.8	21.6
2004	2,618	21.0	0.41	20.2	21.8	2,306	21.9	0.46	21.0	22.8
2005	2,541	20.2	0.40	19.4	21.0	2,259	21.2	0.45	20.3	22.1
2006	2,495	19.6	0.40	18.9	20.4	2,230	20.9	0.45	20.0	21.8
2007	2,579	20.0	0.40	19.2	20.8	2,277	21.1	0.45	20.2	21.9
2008	2,626	20.0	0.39	19.3	20.8	2,315	21.0	0.44	20.2	21.9
2009	2,651	20.0	0.39	19.3	20.8	2,331	21.0	0.44	20.1	21.9
2010	2,738	20.4	0.39	19.6	21.1	2,390	21.3	0.44	20.4	22.2
2011	2,691	19.7	0.39	18.9	20.5	2,342	20.6	0.43	19.7	21.4
2012	2,651	19.3	0.38	18.5	20.0	2,326	20.4	0.43	19.5	21.2
2013	2,726	19.3	0.38	18.6	20.1	2,372	20.3	0.43	19.5	21.2
2014	2,868	20.0	0.38	19.3	20.8	2,482	21.0	0.43	20.2	21.9
2015	2,924	20.1	0.38	19.4	20.9	2,555	21.3	0.43	20.5	22.2
2016	2,884	19.8	0.38	19.1	20.6	2,516	21.0	0.43	20.2	21.9
2017	2,906	19.6	0.37	18.9	20.4	2,488	20.4	0.42	19.6	21.3
2018	2,828	18.8	0.36	18.1	19.5	2,386	19.3	0.40	18.5	20.1
2019	3,007	19.6	0.36	18.8	20.3	2,594	20.7	0.42	19.9	21.5
2020	2,675	17.4	0.34	16.7	18.1	2,301	18.3	0.39	17.6	19.1
2021	2,946	19.1	0.36	18.4	19.8	2,479	19.8	0.41	19.0	20.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Non-Hodgkin Lymphoma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,355	12.9	0.15	12.6	13.2	1,897	11.7	0.28	11.1	12.3
1986	93	7.9	0.85	6.3	9.8	19	12.4	3.11	7.1	20.0
1987	85	7.2	0.80	5.7	8.9	10	4.7	1.58	2.1	9.2
1988	112	9.0	0.89	7.3	10.9	12	7.5	2.62	3.3	14.2
1989	117	9.3	0.89	7.6	11.2	18	9.6	2.57	5.2	15.9
1990	126	10.0	0.93	8.3	12.0	18	8.1	2.09	4.6	13.4
1991	111	8.6	0.85	7.0	10.4	15	7.7	2.33	3.8	13.5
1992	132	10.2	0.92	8.4	12.1	16	9.2	2.75	4.7	15.9
1993	144	10.4	0.90	8.7	12.3	17	8.3	2.17	4.6	13.6
1994	190	13.5	1.00	11.6	15.6	27	14.2	3.06	8.8	21.2
1995	194	14.1	1.05	12.1	16.3	35	13.9	2.62	9.3	20.0
1996	187	12.8	0.96	10.9	14.8	28	10.2	2.13	6.5	15.2
1997	177	12.0	0.92	10.2	13.9	40	15.4	2.74	10.6	21.6
1998	217	14.5	1.01	12.6	16.6	31	9.3	1.94	5.9	13.8
1999	190	12.7	0.95	10.9	14.7	21	6.5	1.54	3.9	10.2
2000	198	12.8	0.93	11.0	14.7	42	10.5	1.79	7.3	14.6
2001	201	13.1	0.94	11.3	15.0	35	9.7	1.81	6.5	13.8
2002	199	12.7	0.92	11.0	14.6	43	12.8	2.15	9.0	17.6
2003	218	13.7	0.94	11.9	15.7	51	13.5	2.05	9.8	18.1
2004	245	15.8	1.03	13.8	17.9	48	11.5	1.80	8.2	15.5
2005	207	13.1	0.93	11.3	15.1	60	14.7	2.06	11.0	19.3
2006	209	12.9	0.91	11.2	14.8	40	8.7	1.48	6.0	12.0
2007	244	14.6	0.96	12.8	16.6	48	9.6	1.50	6.8	12.9
2008	224	13.6	0.93	11.8	15.5	59	10.8	1.52	8.1	14.2
2009	224	13.1	0.90	11.4	15.0	63	12.6	1.71	9.5	16.4
2010	244	14.2	0.93	12.4	16.1	66	12.3	1.64	9.3	15.9
2011	251	14.2	0.92	12.4	16.1	71	12.3	1.56	9.5	15.7
2012	237	13.0	0.86	11.3	14.8	61	10.1	1.36	7.6	13.1
2013	244	13.3	0.87	11.6	15.1	82	12.2	1.42	9.6	15.3
2014	268	14.3	0.89	12.6	16.1	92	13.3	1.45	10.6	16.4
2015	257	13.7	0.87	12.0	15.5	86	12.0	1.36	9.5	15.0
2016	250	13.5	0.87	11.8	15.3	93	12.1	1.30	9.7	14.9
2017	297	15.9	0.95	14.1	17.9	95	12.3	1.29	9.9	15.0
2018	297	15.3	0.91	13.6	17.2	111	13.2	1.29	10.8	16.0
2019	256	12.9	0.82	11.3	14.6	108	12.5	1.22	10.2	15.1
2020	225	11.2	0.76	9.8	12.8	102	11.5	1.15	9.3	14.0
2021	285	14.3	0.86	12.6	16.1	134	14.2	1.24	11.9	16.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Non-Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	45,481	22.8	0.11	22.5	23.0	40,247	23.7	0.12	23.5	24.0
1986	677	14.9	0.60	13.8	16.2	607	15.3	0.64	14.1	16.6
1987	719	15.8	0.61	14.6	17.0	662	16.6	0.67	15.3	17.9
1988	814	17.6	0.64	16.4	18.9	749	18.6	0.70	17.2	20.0
1989	819	17.6	0.64	16.4	18.9	750	18.5	0.70	17.2	19.9
1990	911	19.3	0.66	18.1	20.7	826	20.1	0.72	18.7	21.6
1991	890	18.5	0.64	17.2	19.7	819	19.5	0.70	18.2	20.9
1992	1,002	21.1	0.69	19.8	22.5	913	22.1	0.75	20.7	23.7
1993	1,036	21.1	0.67	19.8	22.5	944	22.2	0.74	20.8	23.7
1994	1,059	21.6	0.68	20.3	22.9	945	22.3	0.74	20.9	23.8
1995	1,140	22.9	0.69	21.5	24.3	1,014	23.6	0.75	22.1	25.1
1996	1,166	23.1	0.69	21.8	24.5	1,030	23.8	0.75	22.3	25.3
1997	1,148	22.7	0.68	21.4	24.1	1,023	23.5	0.75	22.1	25.0
1998	1,216	23.8	0.69	22.5	25.2	1,069	24.5	0.76	23.0	26.0
1999	1,264	24.6	0.70	23.2	26.0	1,135	25.7	0.77	24.2	27.3
2000	1,226	23.5	0.68	22.1	24.8	1,089	24.4	0.75	23.0	26.0
2001	1,206	23.0	0.67	21.7	24.4	1,087	24.3	0.74	22.9	25.8
2002	1,283	24.3	0.69	23.0	25.7	1,146	25.4	0.76	24.0	27.0
2003	1,307	24.3	0.68	22.9	25.6	1,157	25.2	0.75	23.8	26.8
2004	1,410	26.1	0.71	24.7	27.5	1,249	27.2	0.78	25.7	28.8
2005	1,339	24.6	0.68	23.3	26.0	1,188	25.6	0.75	24.2	27.1
2006	1,359	24.5	0.68	23.2	25.9	1,216	25.9	0.75	24.5	27.5
2007	1,386	24.4	0.67	23.2	25.8	1,229	25.7	0.74	24.3	27.2
2008	1,387	24.2	0.66	22.9	25.5	1,231	25.4	0.73	24.0	26.9
2009	1,382	23.8	0.65	22.5	25.1	1,224	24.9	0.72	23.5	26.4
2010	1,490	25.1	0.66	23.8	26.4	1,298	25.9	0.73	24.5	27.4
2011	1,431	23.6	0.64	22.4	24.9	1,245	24.5	0.71	23.1	25.9
2012	1,408	23.0	0.63	21.8	24.2	1,246	24.3	0.70	22.9	25.7
2013	1,503	24.0	0.63	22.8	25.3	1,322	25.4	0.71	24.0	26.8
2014	1,526	23.7	0.62	22.5	24.9	1,334	24.8	0.70	23.5	26.2
2015	1,599	24.5	0.63	23.2	25.7	1,399	25.7	0.70	24.3	27.1
2016	1,528	23.6	0.62	22.4	24.8	1,356	25.2	0.70	23.9	26.6
2017	1,616	24.1	0.62	22.9	25.4	1,382	24.7	0.68	23.4	26.1
2018	1,507	22.0	0.58	20.9	23.2	1,289	22.7	0.65	21.4	24.0
2019	1,636	23.5	0.60	22.4	24.7	1,416	24.7	0.67	23.4	26.0
2020	1,489	21.2	0.56	20.1	22.3	1,287	22.2	0.64	21.0	23.5
2021	1,602	22.9	0.59	21.8	24.1	1,371	23.9	0.66	22.6	25.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Non-Hodgkin Lymphoma										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,889	15.9	0.27	15.4	16.5	1,012	14.0	0.48	13.1	15.0
1986	59	11.2	1.56	8.3	14.7	11	14.4	4.74	6.7	27.3
1987	51	10.2	1.51	7.5	13.6	5	5.0	2.52	1.3	13.6
1988	57	10.4	1.46	7.7	13.6	6	6.6	2.87	2.2	15.6
1989	59	10.6	1.49	7.9	13.9	9	12.3	4.62	4.9	24.6
1990	69	12.9	1.68	9.8	16.6	13	14.0	4.39	6.7	25.5
1991	59	10.1	1.42	7.5	13.2	6	8.6	4.59	2.1	21.1
1992	77	13.8	1.69	10.7	17.5	10	13.5	5.01	5.5	26.2
1993	81	12.8	1.55	9.9	16.2	10	11.6	4.02	5.1	22.0
1994	102	15.6	1.61	12.6	19.1	12	14.7	5.07	6.5	27.3
1995	108	18.6	1.94	15.0	22.8	15	15.5	4.84	7.5	27.4
1996	119	18.8	1.86	15.3	22.7	14	11.1	3.48	5.4	20.0
1997	96	14.3	1.52	11.5	17.6	24	21.7	5.29	12.6	34.2
1998	125	19.1	1.78	15.7	22.9	18	12.0	3.67	5.9	21.1
1999	109	17.0	1.77	13.7	20.8	11	7.8	2.58	3.6	14.5
2000	108	15.5	1.56	12.6	18.9	22	13.2	3.46	7.3	21.6
2001	99	14.9	1.59	11.9	18.3	16	9.0	2.55	4.8	15.5
2002	105	15.5	1.59	12.5	18.9	27	18.2	4.05	11.2	27.6
2003	117	17.2	1.66	14.1	20.7	25	13.8	3.05	8.5	21.0
2004	124	18.8	1.81	15.5	22.7	27	13.5	2.98	8.3	20.5
2005	108	16.6	1.72	13.4	20.3	35	20.0	3.89	13.1	28.9
2006	107	15.2	1.54	12.3	18.5	27	14.3	3.15	8.8	21.6
2007	132	18.4	1.71	15.2	22.1	20	8.9	2.25	5.1	14.4
2008	113	16.2	1.62	13.2	19.7	27	11.0	2.39	6.9	16.7
2009	105	14.6	1.51	11.8	17.9	39	18.1	3.24	12.3	25.4
2010	134	18.6	1.69	15.4	22.2	33	15.2	3.01	9.9	22.1
2011	132	17.8	1.64	14.7	21.2	43	16.8	2.79	11.7	23.1
2012	116	14.7	1.42	12.1	17.8	33	12.4	2.31	8.3	17.7
2013	126	15.8	1.46	13.0	18.9	44	14.3	2.33	10.1	19.6
2014	133	16.3	1.48	13.5	19.5	46	15.7	2.51	11.2	21.3
2015	138	17.4	1.55	14.5	20.7	49	15.4	2.38	11.1	20.8
2016	118	15.0	1.44	12.3	18.1	40	11.1	1.82	7.8	15.3
2017	160	20.7	1.71	17.5	24.3	61	18.2	2.44	13.7	23.6
2018	144	17.5	1.52	14.7	20.7	54	13.9	1.95	10.3	18.3
2019	129	15.2	1.39	12.6	18.2	64	16.7	2.16	12.7	21.4
2020	126	14.6	1.36	12.1	17.5	52	12.3	1.74	9.1	16.2
2021	144	17.2	1.49	14.4	20.4	64	14.2	1.79	10.9	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Non-Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	40,241	15.7	0.08	15.5	15.8	35,584	16.5	0.09	16.3	16.6
1986	697	11.4	0.44	10.5	12.3	655	12.2	0.49	11.2	13.2
1987	741	12.0	0.45	11.2	12.9	701	12.9	0.50	12.0	14.0
1988	752	12.3	0.45	11.4	13.2	689	12.8	0.50	11.9	13.8
1989	760	12.4	0.45	11.5	13.3	693	12.9	0.50	11.9	13.9
1990	823	13.2	0.47	12.3	14.2	760	14.0	0.52	13.0	15.1
1991	838	13.2	0.46	12.3	14.2	772	14.0	0.51	13.0	15.0
1992	915	14.2	0.48	13.3	15.2	853	15.3	0.53	14.3	16.4
1993	954	14.7	0.48	13.8	15.7	880	15.6	0.54	14.6	16.7
1994	1,049	16.0	0.50	15.1	17.0	944	16.6	0.55	15.6	17.7
1995	1,060	16.0	0.50	15.0	17.0	949	16.5	0.54	15.4	17.6
1996	1,087	16.3	0.50	15.4	17.4	1,001	17.5	0.56	16.4	18.6
1997	1,052	15.7	0.49	14.7	16.7	951	16.5	0.54	15.4	17.6
1998	1,083	16.1	0.49	15.2	17.1	972	16.9	0.55	15.8	18.0
1999	1,120	16.5	0.50	15.6	17.5	1,027	17.8	0.56	16.7	18.9
2000	1,127	16.6	0.50	15.7	17.6	1,012	17.6	0.56	16.5	18.7
2001	1,159	16.8	0.50	15.8	17.8	1,037	17.6	0.55	16.6	18.8
2002	1,122	16.1	0.49	15.2	17.1	1,007	17.0	0.54	16.0	18.2
2003	1,146	16.4	0.49	15.4	17.4	1,014	17.1	0.54	16.0	18.2
2004	1,208	17.2	0.50	16.2	18.2	1,057	17.8	0.55	16.7	18.9
2005	1,202	17.0	0.49	16.0	18.0	1,071	17.9	0.56	16.9	19.0
2006	1,136	15.8	0.47	14.9	16.8	1,014	16.9	0.54	15.8	18.0
2007	1,193	16.5	0.48	15.6	17.5	1,048	17.4	0.55	16.3	18.5
2008	1,239	16.9	0.49	15.9	17.9	1,084	17.7	0.55	16.6	18.8
2009	1,269	17.2	0.49	16.3	18.2	1,107	18.0	0.55	16.9	19.1
2010	1,248	16.8	0.48	15.9	17.8	1,092	17.7	0.55	16.7	18.8
2011	1,260	16.7	0.48	15.7	17.6	1,097	17.5	0.54	16.5	18.6
2012	1,243	16.3	0.47	15.4	17.3	1,080	17.2	0.54	16.2	18.3
2013	1,223	15.6	0.46	14.8	16.6	1,050	16.3	0.52	15.3	17.3
2014	1,342	17.2	0.48	16.3	18.2	1,148	18.0	0.54	16.9	19.1
2015	1,325	16.7	0.47	15.8	17.7	1,156	17.8	0.54	16.8	18.9
2016	1,356	17.0	0.47	16.1	18.0	1,160	17.8	0.54	16.8	18.9
2017	1,290	16.1	0.46	15.3	17.1	1,106	17.1	0.53	16.1	18.2
2018	1,321	16.3	0.46	15.4	17.2	1,097	16.6	0.52	15.6	17.7
2019	1,371	16.4	0.45	15.5	17.3	1,178	17.5	0.52	16.4	18.5
2020	1,186	14.3	0.43	13.4	15.1	1,014	15.1	0.49	14.2	16.1
2021	1,344	16.1	0.45	15.2	17.0	1,108	16.5	0.51	15.5	17.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Non-Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,466	10.6	0.18	10.3	11.0	885	9.9	0.35	9.2	10.6
1986	34	5.3	0.93	3.6	7.4	8	10.4	3.99	4.1	21.2
1987	34	4.9	0.87	3.4	6.9	5	4.5	2.08	1.4	11.4
1988	55	7.8	1.09	5.8	10.3	6	7.8	3.88	2.1	18.4
1989	58	8.3	1.11	6.2	10.7	9	7.9	3.00	3.1	16.2
1990	57	8.0	1.08	6.1	10.4	5	3.6	1.64	1.1	9.2
1991	52	7.3	1.03	5.4	9.6	9	7.4	2.55	3.3	14.5
1992	55	7.5	1.03	5.6	9.8	6	6.2	3.06	1.7	14.5
1993	63	8.4	1.08	6.4	10.8	7	5.9	2.38	2.2	12.4
1994	88	11.4	1.23	9.1	14.1	15	13.9	3.90	7.3	23.3
1995	86	11.0	1.21	8.8	13.6	20	13.3	3.12	7.9	20.9
1996	68	8.3	1.02	6.4	10.6	14	9.6	2.71	5.0	16.3
1997	81	9.9	1.11	7.8	12.3	16	11.0	2.96	6.0	18.2
1998	92	10.8	1.14	8.7	13.3	13	7.3	2.21	3.6	12.9
1999	81	9.7	1.09	7.7	12.0	10	5.6	1.88	2.6	10.6
2000	90	10.4	1.11	8.4	12.8	20	8.6	2.05	5.1	13.7
2001	102	11.7	1.17	9.5	14.2	19	9.9	2.44	5.7	15.8
2002	94	10.6	1.10	8.6	13.0	16	8.7	2.32	4.8	14.4
2003	101	11.2	1.12	9.1	13.6	26	13.1	2.70	8.3	19.4
2004	121	13.6	1.25	11.3	16.3	21	9.8	2.24	5.9	15.1
2005	99	10.9	1.10	8.8	13.2	25	11.1	2.32	7.0	16.5
2006	102	11.0	1.09	8.9	13.3	13	4.7	1.35	2.4	8.1
2007	112	11.9	1.14	9.8	14.4	28	10.1	2.02	6.5	14.9
2008	111	11.7	1.12	9.6	14.1	32	10.9	2.02	7.3	15.6
2009	119	12.2	1.13	10.1	14.7	24	8.5	1.83	5.3	12.8
2010	110	11.3	1.09	9.2	13.6	33	10.4	1.92	7.0	14.9
2011	119	11.7	1.09	9.7	14.1	28	8.7	1.71	5.6	12.7
2012	121	11.6	1.07	9.6	13.9	28	8.3	1.64	5.4	12.2
2013	118	11.3	1.06	9.3	13.5	38	10.4	1.76	7.2	14.4
2014	135	12.8	1.12	10.7	15.2	46	11.9	1.79	8.6	15.9
2015	119	11.1	1.04	9.1	13.3	37	9.5	1.62	6.6	13.3
2016	132	12.5	1.11	10.4	14.9	53	12.8	1.79	9.5	16.8
2017	137	12.7	1.11	10.6	15.1	34	7.6	1.32	5.2	10.7
2018	153	13.8	1.14	11.6	16.2	57	12.7	1.71	9.5	16.5
2019	127	11.1	1.00	9.2	13.2	44	9.2	1.40	6.6	12.3
2020	99	8.7	0.89	7.0	10.6	50	10.7	1.52	7.9	14.1
2021	141	12.2	1.05	10.2	14.4	70	14.1	1.70	10.9	17.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Myeloma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	28,527	6.2	0.04	6.1	6.2	21,321	5.4	0.04	5.4	5.5
1986	429	4.1	0.20	3.7	4.5	339	3.6	0.20	3.2	4.0
1987	461	4.3	0.20	3.9	4.8	359	3.8	0.20	3.4	4.2
1988	468	4.4	0.20	4.0	4.8	382	4.0	0.21	3.6	4.5
1989	505	4.7	0.21	4.3	5.2	412	4.4	0.22	3.9	4.8
1990	512	4.7	0.21	4.3	5.1	391	4.0	0.21	3.6	4.5
1991	553	5.1	0.22	4.6	5.5	453	4.7	0.22	4.3	5.2
1992	531	4.8	0.21	4.4	5.2	424	4.3	0.21	3.9	4.8
1993	619	5.5	0.22	5.1	5.9	477	4.8	0.22	4.4	5.3
1994	711	6.2	0.23	5.8	6.7	537	5.4	0.23	4.9	5.8
1995	716	6.2	0.23	5.8	6.7	551	5.5	0.23	5.0	5.9
1996	650	5.6	0.22	5.2	6.1	502	5.0	0.22	4.6	5.5
1997	697	6.0	0.23	5.6	6.5	533	5.3	0.23	4.8	5.7
1998	736	6.3	0.23	5.8	6.7	550	5.4	0.23	5.0	5.9
1999	726	6.1	0.23	5.7	6.6	538	5.2	0.23	4.8	5.7
2000	751	6.3	0.23	5.8	6.7	553	5.4	0.23	4.9	5.8
2001	749	6.2	0.23	5.8	6.7	568	5.5	0.23	5.0	6.0
2002	849	7.0	0.24	6.5	7.5	663	6.3	0.25	5.9	6.8
2003	817	6.6	0.23	6.2	7.1	622	5.9	0.24	5.4	6.4
2004	760	6.1	0.22	5.7	6.6	565	5.3	0.23	4.9	5.8
2005	803	6.4	0.23	6.0	6.8	602	5.6	0.23	5.2	6.1
2006	813	6.4	0.23	6.0	6.8	606	5.6	0.23	5.2	6.1
2007	759	5.9	0.22	5.5	6.3	569	5.2	0.22	4.8	5.7
2008	869	6.6	0.23	6.2	7.1	661	6.0	0.23	5.5	6.4
2009	892	6.7	0.23	6.2	7.1	669	5.9	0.23	5.5	6.4
2010	865	6.3	0.22	5.9	6.8	644	5.6	0.23	5.2	6.1
2011	932	6.7	0.22	6.3	7.2	695	6.0	0.23	5.6	6.5
2012	960	6.8	0.22	6.4	7.3	696	5.9	0.23	5.5	6.4
2013	932	6.5	0.22	6.1	7.0	684	5.7	0.22	5.3	6.1
2014	968	6.6	0.22	6.2	7.0	704	5.8	0.22	5.3	6.2
2015	1,019	6.9	0.22	6.5	7.3	723	5.9	0.22	5.5	6.4
2016	1,077	7.1	0.22	6.7	7.6	788	6.3	0.23	5.9	6.8
2017	1,079	7.0	0.22	6.6	7.5	808	6.4	0.23	6.0	6.9
2018	1,099	7.1	0.22	6.6	7.5	760	6.0	0.22	5.5	6.4
2019	1,118	7.1	0.22	6.7	7.5	792	6.1	0.22	5.7	6.6
2020	1,036	6.6	0.21	6.2	7.0	740	5.8	0.22	5.3	6.2
2021	1,066	6.7	0.21	6.3	7.1	761	5.8	0.22	5.4	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Myeloma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,504	12.0	0.15	11.7	12.3	556	3.5	0.16	3.2	3.9
1986	84	8.1	0.92	6.4	10.1	5	3.1	1.42	1.0	7.5
1987	99	8.9	0.92	7.2	10.9	3	1.8	1.04	0.4	5.5
1988	79	7.1	0.81	5.6	8.8	7	4.9	1.99	1.8	10.3
1989	87	8.1	0.89	6.4	10.0	6	3.7	1.71	1.2	8.5
1990	117	10.5	1.00	8.6	12.6	1	1.0	0.99	0.0	4.6
1991	94	8.3	0.87	6.6	10.1	3	2.4	1.71	0.3	7.3
1992	104	8.4	0.84	6.8	10.2	2	1.0	0.74	0.1	3.8
1993	132	11.3	1.01	9.4	13.5	10	4.0	1.31	1.9	7.5
1994	166	13.7	1.09	11.7	16.0	7	2.8	1.13	1.1	6.0
1995	154	12.6	1.04	10.7	14.8	11	4.9	1.53	2.3	8.8
1996	140	10.9	0.94	9.1	12.9	8	3.3	1.28	1.3	6.7
1997	150	11.8	0.98	9.9	13.9	13	5.7	1.75	2.8	10.0
1998	177	13.5	1.03	11.6	15.7	7	2.2	0.93	0.8	4.8
1999	177	12.9	0.99	11.0	15.0	8	2.6	0.95	1.1	5.1
2000	178	12.7	0.97	10.9	14.7	18	5.2	1.31	3.0	8.4
2001	166	11.7	0.93	10.0	13.7	13	3.9	1.22	1.9	7.0
2002	176	12.4	0.95	10.6	14.4	9	2.6	0.91	1.2	5.0
2003	186	13.1	0.98	11.3	15.2	8	2.7	0.99	1.1	5.2
2004	181	12.1	0.92	10.4	14.0	9	2.3	0.81	1.0	4.4
2005	189	12.5	0.93	10.8	14.5	10	2.4	0.81	1.1	4.5
2006	195	12.8	0.94	11.1	14.8	12	2.7	0.84	1.4	4.9
2007	170	10.8	0.84	9.2	12.5	17	3.5	0.88	1.9	5.6
2008	179	11.3	0.86	9.7	13.1	25	5.7	1.20	3.6	8.5
2009	199	12.2	0.88	10.5	14.1	22	4.5	1.03	2.7	6.9
2010	204	12.2	0.88	10.6	14.1	12	2.2	0.67	1.1	3.9
2011	210	12.1	0.85	10.5	13.9	21	3.5	0.81	2.1	5.4
2012	228	13.1	0.89	11.5	15.0	27	4.0	0.80	2.6	5.9
2013	223	12.8	0.88	11.2	14.7	21	3.6	0.84	2.2	5.6
2014	232	12.9	0.87	11.2	14.7	24	3.8	0.83	2.4	5.8
2015	264	14.0	0.88	12.3	15.9	28	3.9	0.76	2.6	5.7
2016	259	13.6	0.87	12.0	15.5	24	2.9	0.60	1.8	4.3
2017	230	12.0	0.81	10.5	13.7	36	4.6	0.80	3.2	6.5
2018	296	14.9	0.89	13.2	16.7	33	4.2	0.76	2.9	6.0
2019	280	13.8	0.85	12.2	15.6	35	4.1	0.70	2.8	5.7
2020	241	12.1	0.80	10.6	13.8	34	3.6	0.62	2.5	5.0
2021	258	12.7	0.81	11.2	14.4	27	2.8	0.54	1.8	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Myeloma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	14,914	7.5	0.06	7.4	7.7	11,437	6.8	0.06	6.7	6.9
1986	210	4.8	0.35	4.2	5.6	167	4.3	0.34	3.6	5.0
1987	225	5.2	0.36	4.5	6.0	173	4.6	0.36	3.9	5.3
1988	232	5.3	0.36	4.6	6.1	189	4.9	0.37	4.2	5.7
1989	240	5.6	0.37	4.9	6.4	196	5.2	0.39	4.5	6.0
1990	244	5.3	0.35	4.7	6.0	195	4.8	0.35	4.1	5.5
1991	280	6.2	0.38	5.5	7.0	229	5.8	0.39	5.0	6.6
1992	271	5.9	0.37	5.2	6.7	215	5.4	0.38	4.7	6.2
1993	301	6.4	0.38	5.7	7.2	237	5.7	0.38	5.0	6.5
1994	364	7.8	0.42	7.0	8.7	275	6.8	0.42	6.0	7.6
1995	369	7.8	0.42	7.0	8.7	280	6.8	0.41	6.0	7.6
1996	331	6.9	0.39	6.2	7.7	254	6.1	0.39	5.4	7.0
1997	351	7.3	0.39	6.5	8.1	278	6.6	0.40	5.9	7.5
1998	377	7.8	0.41	7.0	8.6	291	6.9	0.41	6.1	7.7
1999	360	7.2	0.38	6.4	8.0	284	6.6	0.39	5.8	7.4
2000	380	7.5	0.39	6.8	8.3	293	6.8	0.40	6.0	7.6
2001	368	7.2	0.38	6.5	8.0	287	6.6	0.39	5.8	7.4
2002	436	8.5	0.41	7.7	9.3	349	7.9	0.43	7.1	8.7
2003	419	8.1	0.40	7.4	9.0	323	7.3	0.41	6.5	8.1
2004	388	7.4	0.38	6.6	8.1	292	6.5	0.39	5.8	7.3
2005	431	8.0	0.39	7.3	8.8	333	7.3	0.40	6.5	8.1
2006	433	8.0	0.39	7.2	8.8	328	7.1	0.39	6.3	7.9
2007	413	7.5	0.37	6.8	8.3	319	6.8	0.39	6.1	7.6
2008	482	8.5	0.39	7.7	9.3	382	8.0	0.41	7.2	8.8
2009	470	8.2	0.38	7.4	8.9	359	7.4	0.40	6.6	8.2
2010	450	7.5	0.36	6.8	8.2	341	6.7	0.37	6.0	7.5
2011	503	8.3	0.38	7.6	9.1	385	7.6	0.40	6.8	8.4
2012	538	8.7	0.39	8.0	9.5	409	7.9	0.40	7.1	8.7
2013	492	7.8	0.36	7.1	8.6	378	7.1	0.37	6.4	7.9
2014	530	8.1	0.36	7.4	8.9	402	7.3	0.37	6.6	8.1
2015	547	8.2	0.36	7.5	9.0	402	7.3	0.37	6.6	8.0
2016	601	8.9	0.37	8.2	9.7	453	8.2	0.39	7.4	9.0
2017	549	8.0	0.35	7.3	8.7	427	7.5	0.37	6.8	8.2
2018	576	8.3	0.35	7.6	9.0	423	7.3	0.37	6.6	8.1
2019	612	8.7	0.36	8.0	9.4	446	7.7	0.37	7.0	8.4
2020	559	7.8	0.34	7.2	8.5	425	7.2	0.36	6.5	7.9
2021	582	8.1	0.34	7.4	8.8	418	7.0	0.35	6.3	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Myeloma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,079	14.0	0.26	13.5	14.5	320	4.5	0.27	4.0	5.1
1986	39	9.8	1.67	6.8	13.5	4	5.4	2.83	1.4	15.0
1987	51	11.4	1.70	8.3	15.1	1	1.5	1.46	0.0	8.8
1988	39	8.5	1.46	5.9	11.8	4	7.3	4.04	1.6	19.0
1989	40	8.9	1.51	6.2	12.3	4	4.6	2.43	1.1	12.7
1990	46	10.0	1.55	7.2	13.4	1	2.5	2.46	0.1	11.1
1991	47	10.1	1.56	7.3	13.6	1	0.6	0.60	0.0	5.8
1992	55	10.8	1.54	8.0	14.3	1	1.1	1.05	0.0	6.4
1993	57	12.8	1.82	9.4	16.8	7	5.8	2.35	2.2	12.8
1994	85	17.3	1.98	13.6	21.6	4	4.4	2.32	1.1	11.4
1995	80	16.5	1.97	12.9	20.8	9	9.6	3.40	4.1	18.5
1996	72	13.7	1.72	10.6	17.5	5	5.2	2.55	1.5	12.5
1997	65	12.3	1.61	9.4	15.8	7	5.3	2.17	1.9	11.5
1998	81	16.4	1.95	12.8	20.6	4	3.6	2.05	0.8	9.7
1999	71	12.3	1.54	9.5	15.7	4	2.4	1.27	0.6	6.7
2000	77	13.0	1.54	10.2	16.4	10	5.6	1.92	2.5	10.8
2001	74	12.6	1.52	9.7	15.9	5	3.9	1.87	1.1	9.2
2002	80	14.3	1.67	11.2	17.9	7	4.5	1.75	1.7	9.3
2003	90	16.4	1.82	13.0	20.3	5	4.0	2.07	1.1	9.7
2004	88	14.6	1.63	11.6	18.1	6	3.8	1.73	1.2	8.5
2005	90	14.1	1.54	11.3	17.5	6	2.8	1.17	1.0	6.2
2006	100	16.7	1.77	13.4	20.4	5	2.3	1.12	0.6	5.6
2007	85	13.2	1.49	10.5	16.4	7	2.5	0.93	1.0	5.3
2008	87	13.1	1.48	10.4	16.4	13	6.8	1.99	3.5	11.7
2009	96	14.4	1.55	11.5	17.7	14	7.0	2.07	3.5	12.1
2010	99	14.0	1.49	11.2	17.2	8	3.7	1.46	1.4	7.6
2011	105	15.1	1.56	12.2	18.5	12	4.5	1.41	2.2	8.1
2012	108	15.2	1.53	12.3	18.5	18	5.6	1.38	3.3	9.1
2013	99	14.0	1.47	11.3	17.2	12	4.4	1.44	2.1	8.0
2014	107	15.0	1.53	12.2	18.3	15	5.3	1.49	2.8	9.0
2015	125	16.1	1.51	13.2	19.3	17	5.3	1.37	3.0	8.7
2016	128	15.8	1.46	13.1	18.9	16	4.0	1.01	2.3	6.6
2017	99	12.6	1.32	10.1	15.4	20	6.0	1.40	3.6	9.3
2018	130	16.1	1.48	13.3	19.3	17	4.9	1.22	2.8	7.8
2019	137	16.6	1.48	13.8	19.7	23	5.9	1.26	3.7	8.9
2020	109	13.4	1.33	10.9	16.2	14	3.2	0.87	1.7	5.4
2021	138	16.4	1.45	13.6	19.5	14	3.1	0.83	1.7	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Myeloma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	13,613	5.2	0.04	5.1	5.3	9,884	4.5	0.05	4.4	4.5
1986	219	3.6	0.25	3.2	4.2	172	3.2	0.25	2.7	3.7
1987	236	3.8	0.25	3.3	4.3	186	3.4	0.25	2.9	3.9
1988	236	3.7	0.25	3.3	4.2	193	3.5	0.26	3.0	4.0
1989	265	4.2	0.26	3.7	4.8	216	3.9	0.27	3.4	4.5
1990	268	4.2	0.26	3.7	4.8	196	3.5	0.25	3.0	4.0
1991	273	4.2	0.26	3.7	4.8	224	3.9	0.26	3.4	4.4
1992	260	4.0	0.25	3.6	4.6	209	3.6	0.26	3.2	4.2
1993	318	4.8	0.27	4.3	5.4	240	4.1	0.27	3.6	4.7
1994	347	5.2	0.28	4.7	5.8	262	4.5	0.28	4.0	5.1
1995	347	5.2	0.28	4.6	5.7	271	4.6	0.28	4.1	5.2
1996	319	4.8	0.27	4.3	5.3	248	4.2	0.27	3.7	4.8
1997	346	5.1	0.28	4.6	5.7	255	4.3	0.27	3.8	4.9
1998	359	5.3	0.28	4.8	5.9	259	4.4	0.28	3.9	5.0
1999	366	5.3	0.28	4.8	5.9	254	4.2	0.27	3.7	4.8
2000	371	5.4	0.28	4.8	6.0	260	4.3	0.27	3.8	4.9
2001	381	5.5	0.28	5.0	6.1	281	4.7	0.28	4.1	5.3
2002	413	5.9	0.29	5.3	6.5	314	5.2	0.29	4.6	5.8
2003	398	5.6	0.28	5.1	6.2	299	4.9	0.29	4.4	5.5
2004	372	5.3	0.28	4.7	5.8	273	4.5	0.28	4.0	5.1
2005	372	5.2	0.27	4.7	5.7	269	4.4	0.27	3.9	5.0
2006	380	5.3	0.27	4.7	5.8	278	4.5	0.28	4.0	5.1
2007	346	4.8	0.26	4.3	5.3	250	4.1	0.26	3.6	4.6
2008	387	5.2	0.27	4.7	5.8	279	4.5	0.27	3.9	5.0
2009	422	5.6	0.27	5.0	6.1	310	4.9	0.28	4.3	5.4
2010	415	5.4	0.27	4.9	6.0	303	4.7	0.28	4.2	5.3
2011	429	5.6	0.27	5.1	6.2	310	4.9	0.28	4.3	5.5
2012	422	5.4	0.27	4.9	6.0	287	4.4	0.27	3.9	5.0
2013	440	5.6	0.27	5.0	6.1	306	4.6	0.27	4.1	5.2
2014	438	5.4	0.26	4.9	6.0	302	4.5	0.27	4.0	5.1
2015	472	5.8	0.27	5.3	6.4	321	4.8	0.27	4.3	5.4
2016	476	5.8	0.27	5.3	6.3	335	4.9	0.28	4.4	5.5
2017	530	6.3	0.28	5.7	6.8	381	5.5	0.29	5.0	6.1
2018	523	6.1	0.27	5.6	6.7	337	4.9	0.27	4.4	5.5
2019	506	5.9	0.27	5.4	6.5	346	4.9	0.27	4.4	5.5
2020	477	5.7	0.27	5.2	6.2	315	4.6	0.27	4.1	5.2
2021	484	5.5	0.26	5.1	6.1	343	4.9	0.27	4.4	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Myeloma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,425	10.7	0.18	10.4	11.1	236	2.8	0.19	2.4	3.1
1986	45	7.3	1.10	5.3	9.7	1	1.1	1.08	0.0	6.8
1987	48	7.3	1.07	5.3	9.7	2	2.1	1.48	0.3	8.1
1988	40	6.0	0.97	4.3	8.2	3	3.0	1.71	0.6	9.1
1989	47	7.4	1.09	5.4	9.8	2	3.0	2.33	0.3	10.5
1990	71	10.7	1.29	8.3	13.5	0				
1991	47	7.0	1.03	5.1	9.2	2	3.6	2.84	0.3	12.0
1992	49	6.8	0.98	5.0	9.0	1	1.0	1.02	0.0	5.4
1993	75	10.7	1.24	8.4	13.4	3	2.4	1.40	0.5	7.1
1994	81	11.3	1.27	8.9	14.0	3	1.8	1.05	0.4	5.7
1995	74	10.2	1.19	8.0	12.8	2	1.4	1.01	0.2	5.2
1996	68	8.9	1.10	6.9	11.3	3	2.0	1.26	0.4	6.1
1997	85	11.2	1.23	9.0	13.9	6	5.6	2.41	1.9	11.9
1998	96	12.1	1.24	9.8	14.7	3	1.3	0.76	0.3	4.2
1999	106	13.1	1.28	10.7	15.9	4	2.6	1.33	0.7	6.5
2000	101	12.2	1.23	10.0	14.9	8	4.7	1.74	2.0	9.3
2001	92	11.1	1.16	8.9	13.6	8	4.0	1.54	1.6	8.1
2002	96	11.3	1.16	9.1	13.8	2	1.1	0.81	0.1	3.8
2003	96	11.3	1.16	9.1	13.7	3	1.8	1.02	0.4	4.8
2004	93	10.5	1.10	8.5	12.9	3	1.2	0.72	0.2	3.6
2005	99	11.2	1.13	9.1	13.6	4	1.9	0.99	0.5	4.8
2006	95	10.5	1.08	8.5	12.8	7	3.1	1.21	1.2	6.4
2007	85	9.2	1.00	7.3	11.3	10	4.1	1.35	1.9	7.6
2008	92	10.0	1.05	8.0	12.2	12	4.9	1.47	2.4	8.6
2009	103	10.8	1.08	8.8	13.1	8	2.5	0.97	1.0	5.2
2010	105	10.9	1.07	8.9	13.2	4	1.1	0.54	0.3	2.8
2011	105	10.2	1.01	8.3	12.4	9	2.8	0.96	1.2	5.3
2012	120	11.7	1.08	9.7	14.0	9	2.6	0.89	1.1	4.9
2013	124	12.0	1.09	9.9	14.3	9	3.1	1.07	1.4	5.8
2014	125	11.7	1.06	9.7	14.0	9	2.8	0.95	1.2	5.2
2015	139	12.7	1.10	10.7	15.1	11	2.8	0.85	1.4	5.0
2016	131	12.1	1.08	10.1	14.4	8	1.9	0.69	0.8	3.8
2017	131	11.6	1.03	9.6	13.8	16	3.6	0.93	2.0	6.0
2018	166	14.2	1.12	12.1	16.6	16	3.7	0.94	2.1	6.0
2019	143	12.2	1.04	10.2	14.4	12	2.5	0.73	1.3	4.4
2020	132	11.4	1.01	9.5	13.5	20	4.1	0.92	2.5	6.3
2021	120	10.0	0.93	8.2	12.0	13	2.5	0.70	1.3	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	60,241	13.2	0.05	13.1	13.3	52,414	13.7	0.06	13.6	13.8
1986	987	9.3	0.30	8.7	9.9	887	9.5	0.32	8.9	10.2
1987	1,100	10.1	0.31	9.5	10.7	1,002	10.6	0.34	9.9	11.3
1988	1,075	10.0	0.31	9.4	10.6	947	10.1	0.33	9.4	10.7
1989	1,093	10.1	0.31	9.5	10.7	976	10.4	0.34	9.7	11.1
1990	1,187	10.7	0.31	10.1	11.4	1,079	11.2	0.35	10.6	11.9
1991	1,165	10.4	0.31	9.9	11.1	1,046	10.9	0.34	10.2	11.6
1992	1,245	11.1	0.32	10.4	11.7	1,108	11.4	0.34	10.7	12.1
1993	1,312	11.5	0.32	10.9	12.2	1,186	12.1	0.35	11.4	12.8
1994	1,582	13.8	0.35	13.1	14.5	1,413	14.3	0.38	13.5	15.0
1995	1,571	13.6	0.34	12.9	14.2	1,404	14.1	0.38	13.4	14.9
1996	1,508	12.9	0.33	12.3	13.6	1,345	13.4	0.37	12.7	14.2
1997	1,525	13.0	0.33	12.3	13.6	1,348	13.4	0.37	12.7	14.1
1998	1,533	12.9	0.33	12.3	13.5	1,353	13.3	0.36	12.6	14.0
1999	1,664	13.9	0.34	13.2	14.6	1,487	14.6	0.38	13.8	15.3
2000	1,710	14.2	0.34	13.5	14.8	1,495	14.6	0.38	13.9	15.4
2001	1,783	14.7	0.35	14.0	15.4	1,550	15.0	0.38	14.3	15.8
2002	1,809	14.8	0.35	14.1	15.5	1,594	15.3	0.38	14.6	16.1
2003	1,791	14.5	0.34	13.8	15.2	1,595	15.2	0.38	14.5	16.0
2004	1,809	14.4	0.34	13.8	15.1	1,571	14.9	0.38	14.2	15.7
2005	1,755	13.9	0.33	13.3	14.6	1,523	14.4	0.37	13.7	15.1
2006	1,812	14.3	0.34	13.6	15.0	1,586	14.9	0.38	14.1	15.6
2007	1,671	13.1	0.32	12.4	13.7	1,441	13.5	0.36	12.8	14.2
2008	1,840	14.2	0.33	13.6	14.9	1,605	14.9	0.37	14.1	15.6
2009	1,785	13.5	0.32	12.9	14.2	1,554	14.1	0.36	13.4	14.8
2010	1,891	14.2	0.33	13.5	14.8	1,609	14.6	0.37	13.8	15.3
2011	1,943	14.4	0.33	13.8	15.1	1,665	14.9	0.37	14.2	15.6
2012	1,993	14.6	0.33	13.9	15.2	1,697	15.1	0.37	14.4	15.8
2013	1,972	14.2	0.33	13.6	14.9	1,677	14.7	0.37	14.0	15.5
2014	1,955	13.9	0.32	13.3	14.5	1,689	14.6	0.36	13.9	15.4
2015	1,992	14.0	0.32	13.4	14.7	1,735	14.9	0.37	14.2	15.7
2016	1,963	13.7	0.31	13.0	14.3	1,655	14.1	0.36	13.4	14.8
2017	2,129	14.6	0.32	14.0	15.3	1,838	15.5	0.37	14.8	16.2
2018	2,054	14.0	0.32	13.4	14.6	1,721	14.4	0.36	13.7	15.2
2019	2,048	13.8	0.31	13.2	14.4	1,746	14.5	0.36	13.8	15.3
2020	1,935	13.0	0.30	12.4	13.6	1,597	13.1	0.34	12.5	13.8
2021	2,054	13.7	0.31	13.1	14.4	1,690	13.9	0.35	13.2	14.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,013	10.7	0.14	10.4	10.9	1,242	7.3	0.22	6.8	7.7
1986	91	7.8	0.87	6.2	9.7	6	2.9	1.24	1.0	6.9
1987	80	6.7	0.80	5.2	8.4	16	9.0	2.67	4.6	15.8
1988	110	9.5	0.96	7.7	11.5	14	5.8	1.76	2.9	10.6
1989	106	8.6	0.88	7.0	10.5	10	3.6	1.19	1.7	7.2
1990	98	7.6	0.82	6.1	9.4	8	6.0	2.60	2.1	12.7
1991	103	7.9	0.82	6.4	9.7	10	4.1	1.84	1.3	9.1
1992	115	9.0	0.88	7.3	10.8	19	9.0	2.46	4.8	14.9
1993	110	8.2	0.82	6.6	9.9	13	4.1	1.27	2.0	7.6
1994	141	10.6	0.93	8.9	12.6	21	6.6	1.65	3.8	10.7
1995	144	10.6	0.92	8.9	12.6	19	7.4	1.92	4.1	12.1
1996	134	9.7	0.88	8.1	11.6	26	8.4	2.03	4.9	13.3
1997	156	10.9	0.90	9.2	12.8	17	4.8	1.41	2.4	8.3
1998	147	10.2	0.87	8.6	12.1	26	9.3	2.08	5.7	14.2
1999	152	10.3	0.86	8.7	12.1	21	6.0	1.47	3.5	9.6
2000	184	12.6	0.95	10.8	14.6	22	6.1	1.44	3.6	9.6
2001	183	11.9	0.91	10.2	13.8	38	8.0	1.41	5.5	11.3
2002	172	12.0	0.94	10.2	14.0	28	6.9	1.43	4.4	10.3
2003	161	10.5	0.86	8.9	12.4	26	5.8	1.22	3.7	8.7
2004	176	11.2	0.87	9.5	13.0	35	7.3	1.36	4.9	10.5
2005	177	11.6	0.90	9.9	13.5	39	8.5	1.51	5.8	11.9
2006	189	12.1	0.90	10.4	13.9	25	4.6	0.99	2.9	7.0
2007	179	10.9	0.84	9.3	12.7	42	8.9	1.49	6.2	12.3
2008	171	10.8	0.85	9.2	12.6	43	8.5	1.40	6.0	11.7
2009	174	10.8	0.84	9.2	12.5	34	5.6	1.03	3.7	8.0
2010	213	12.4	0.87	10.7	14.2	45	8.9	1.43	6.3	12.1
2011	202	11.6	0.83	10.0	13.3	44	8.3	1.34	5.9	11.3
2012	230	13.2	0.89	11.5	15.1	37	5.9	1.02	4.0	8.2
2013	218	12.0	0.83	10.4	13.7	50	8.2	1.23	6.0	11.0
2014	199	11.0	0.80	9.5	12.7	43	5.9	0.95	4.2	8.1
2015	190	10.2	0.76	8.8	11.8	39	5.0	0.84	3.5	6.9
2016	215	11.1	0.78	9.6	12.7	68	8.6	1.06	6.6	10.9
2017	207	10.7	0.76	9.2	12.3	66	8.3	1.05	6.4	10.6
2018	229	11.8	0.80	10.3	13.5	78	9.1	1.06	7.2	11.5
2019	214	10.9	0.76	9.4	12.5	58	6.8	0.91	5.1	8.8
2020	222	11.2	0.77	9.8	12.9	70	8.1	0.98	6.3	10.3
2021	221	11.2	0.77	9.8	12.9	86	9.5	1.04	7.6	11.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	34,098	17.2	0.10	17.1	17.4	29,813	17.8	0.10	17.6	18.0
1986	532	12.0	0.55	11.0	13.2	480	12.4	0.59	11.2	13.6
1987	603	13.1	0.56	12.0	14.2	557	13.9	0.61	12.7	15.2
1988	580	12.9	0.56	11.8	14.1	506	12.9	0.59	11.7	14.1
1989	593	12.8	0.54	11.7	13.9	536	13.2	0.59	12.1	14.4
1990	631	13.5	0.56	12.5	14.7	572	14.0	0.60	12.8	15.2
1991	652	13.5	0.55	12.5	14.7	588	14.1	0.60	12.9	15.3
1992	730	15.2	0.58	14.1	16.4	651	15.6	0.63	14.4	16.9
1993	721	14.9	0.57	13.8	16.1	645	15.5	0.63	14.3	16.8
1994	873	18.4	0.64	17.1	19.7	776	18.9	0.69	17.5	20.3
1995	860	17.6	0.62	16.4	18.9	773	18.4	0.68	17.1	19.8
1996	848	17.5	0.62	16.3	18.8	752	18.0	0.67	16.7	19.3
1997	844	17.0	0.60	15.9	18.3	756	17.8	0.66	16.5	19.1
1998	854	16.8	0.59	15.7	18.0	761	17.5	0.64	16.2	18.8
1999	919	18.1	0.61	16.9	19.3	834	19.1	0.67	17.8	20.5
2000	934	18.0	0.60	16.9	19.3	814	18.4	0.65	17.2	19.7
2001	994	19.2	0.62	18.0	20.5	854	19.5	0.67	18.2	20.8
2002	1,027	19.8	0.63	18.6	21.1	907	20.5	0.69	19.1	21.8
2003	1,008	19.2	0.61	18.0	20.4	906	20.2	0.68	18.9	21.6
2004	994	18.6	0.60	17.5	19.8	878	19.4	0.66	18.1	20.7
2005	1,009	18.8	0.60	17.6	20.0	882	19.3	0.66	18.0	20.6
2006	1,053	19.3	0.60	18.1	20.5	930	20.1	0.67	18.8	21.5
2007	964	17.4	0.57	16.3	18.6	841	18.0	0.63	16.8	19.3
2008	1,067	18.8	0.59	17.7	20.0	931	19.5	0.65	18.2	20.8
2009	982	17.0	0.55	15.9	18.1	864	17.8	0.61	16.6	19.0
2010	1,098	18.7	0.58	17.6	19.9	937	19.2	0.64	17.9	20.4
2011	1,093	18.4	0.57	17.3	19.6	931	18.7	0.62	17.5	20.0
2012	1,149	19.0	0.57	17.9	20.1	991	19.6	0.63	18.4	20.9
2013	1,118	18.1	0.55	17.0	19.2	957	18.6	0.61	17.5	19.9
2014	1,130	18.0	0.55	16.9	19.1	983	18.9	0.61	17.7	20.1
2015	1,160	18.2	0.55	17.1	19.3	1,012	19.2	0.62	18.0	20.4
2016	1,126	17.4	0.53	16.3	18.4	962	18.0	0.60	16.8	19.2
2017	1,213	18.4	0.54	17.4	19.5	1,046	19.3	0.61	18.1	20.5
2018	1,212	18.1	0.53	17.0	19.1	1,031	18.8	0.60	17.6	20.0
2019	1,216	17.9	0.53	16.9	19.0	1,044	18.7	0.59	17.6	19.9
2020	1,119	16.3	0.50	15.4	17.4	937	16.7	0.56	15.6	17.8
2021	1,192	17.3	0.52	16.3	18.4	988	17.5	0.57	16.4	18.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,233	13.8	0.26	13.3	14.3	710	9.2	0.38	8.5	10.0
1986	48	10.4	1.73	7.3	14.3	2	2.2	1.68	0.2	10.0
1987	36	6.4	1.15	4.4	9.1	9	13.7	5.64	4.9	28.6
1988	65	13.2	1.84	9.8	17.2	6	5.1	2.16	1.8	12.8
1989	49	9.7	1.51	7.0	13.1	7	5.5	2.20	2.1	12.9
1990	53	10.5	1.65	7.5	14.1	6	11.9	6.04	3.1	27.8
1991	54	9.6	1.42	7.1	12.8	6	6.5	4.23	1.0	18.5
1992	68	12.7	1.69	9.6	16.4	10	10.2	4.41	3.5	21.8
1993	65	11.0	1.49	8.2	14.2	9	5.5	1.98	2.4	11.7
1994	82	15.2	1.88	11.7	19.2	11	7.3	2.82	2.9	15.2
1995	74	12.7	1.60	9.7	16.2	11	9.4	3.31	4.1	18.1
1996	82	15.2	1.84	11.8	19.1	12	8.8	3.51	3.3	17.9
1997	81	13.4	1.62	10.4	16.9	5	2.1	0.97	0.7	6.1
1998	77	12.8	1.55	9.9	16.1	14	13.8	4.46	6.5	24.7
1999	69	11.4	1.49	8.6	14.6	12	7.0	2.41	3.1	13.4
2000	102	17.0	1.77	13.7	20.8	15	8.4	2.40	4.4	14.6
2001	107	17.1	1.79	13.8	20.9	28	11.3	2.33	7.2	17.1
2002	91	15.6	1.78	12.4	19.5	18	11.0	2.96	6.0	18.2
2003	84	13.1	1.53	10.2	16.4	15	6.9	1.91	3.7	11.8
2004	83	12.6	1.53	9.8	15.9	16	8.0	2.42	4.0	14.0
2005	98	15.8	1.74	12.6	19.5	23	12.5	2.98	7.4	19.6
2006	107	16.4	1.68	13.2	20.0	12	4.6	1.45	2.2	8.5
2007	97	14.2	1.54	11.4	17.6	20	9.1	2.30	5.1	14.6
2008	96	14.8	1.60	11.8	18.3	24	11.3	2.64	6.7	17.5
2009	85	13.0	1.52	10.2	16.3	22	8.6	2.12	5.0	13.7
2010	125	17.4	1.66	14.3	21.0	24	9.8	2.25	5.9	15.1
2011	111	15.4	1.54	12.5	18.7	26	12.2	2.64	7.6	18.3
2012	129	18.4	1.72	15.2	22.1	11	3.8	1.27	1.8	7.1
2013	108	14.2	1.44	11.5	17.3	35	11.8	2.18	7.9	16.8
2014	104	13.9	1.44	11.2	17.0	25	7.9	1.70	4.9	11.9
2015	111	14.2	1.41	11.6	17.2	22	6.1	1.39	3.7	9.5
2016	104	12.6	1.29	10.2	15.4	42	11.4	1.80	8.1	15.5
2017	110	13.7	1.37	11.1	16.6	45	12.2	1.90	8.7	16.5
2018	123	15.0	1.41	12.3	18.0	40	9.9	1.60	7.0	13.5
2019	118	14.5	1.40	11.9	17.5	38	9.8	1.66	6.9	13.6
2020	120	14.2	1.35	11.7	17.1	36	8.8	1.48	6.1	12.2
2021	117	13.7	1.33	11.3	16.6	53	12.8	1.79	9.5	16.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	26,143	10.3	0.06	10.1	10.4	22,601	10.6	0.07	10.5	10.8
1986	455	7.5	0.36	6.8	8.2	407	7.7	0.39	6.9	8.5
1987	497	8.1	0.37	7.4	8.9	445	8.4	0.40	7.6	9.2
1988	495	8.0	0.37	7.3	8.8	441	8.3	0.40	7.5	9.1
1989	500	8.2	0.37	7.4	8.9	440	8.3	0.40	7.5	9.1
1990	556	8.8	0.38	8.1	9.6	507	9.3	0.42	8.5	10.2
1991	513	8.1	0.36	7.4	8.9	458	8.4	0.40	7.7	9.3
1992	515	8.1	0.36	7.4	8.8	457	8.3	0.40	7.6	9.1
1993	591	9.1	0.38	8.3	9.8	541	9.6	0.42	8.8	10.5
1994	709	10.8	0.41	10.0	11.7	637	11.3	0.45	10.4	12.2
1995	711	10.7	0.41	10.0	11.6	631	11.2	0.45	10.3	12.1
1996	660	9.9	0.39	9.1	10.7	593	10.4	0.43	9.5	11.3
1997	681	10.1	0.39	9.4	10.9	592	10.2	0.43	9.4	11.1
1998	679	9.9	0.38	9.2	10.7	592	10.1	0.42	9.3	11.0
1999	745	11.0	0.40	10.2	11.8	653	11.4	0.45	10.5	12.3
2000	776	11.3	0.41	10.5	12.1	681	11.8	0.46	10.9	12.7
2001	789	11.5	0.41	10.7	12.3	696	12.0	0.46	11.1	12.9
2002	782	11.1	0.40	10.4	12.0	687	11.6	0.45	10.8	12.5
2003	783	11.2	0.40	10.4	12.0	689	11.7	0.45	10.8	12.6
2004	815	11.6	0.41	10.8	12.4	693	11.8	0.45	10.9	12.7
2005	746	10.6	0.39	9.8	11.4	641	10.9	0.44	10.1	11.8
2006	759	10.6	0.39	9.8	11.3	656	10.9	0.43	10.0	11.8
2007	707	10.0	0.38	9.2	10.7	600	10.2	0.43	9.4	11.1
2008	773	10.7	0.39	9.9	11.5	674	11.2	0.44	10.4	12.1
2009	803	10.9	0.39	10.1	11.7	690	11.3	0.44	10.4	12.2
2010	793	10.6	0.38	9.8	11.4	672	10.9	0.43	10.0	11.7
2011	850	11.4	0.40	10.6	12.2	734	11.9	0.45	11.1	12.9
2012	844	11.2	0.39	10.4	12.0	706	11.5	0.45	10.6	12.4
2013	854	11.3	0.39	10.5	12.1	720	11.7	0.45	10.9	12.6
2014	825	10.7	0.38	10.0	11.5	706	11.3	0.44	10.4	12.2
2015	832	10.8	0.39	10.1	11.6	723	11.7	0.45	10.8	12.6
2016	837	10.8	0.38	10.0	11.5	693	11.0	0.43	10.2	11.9
2017	916	11.7	0.40	10.9	12.5	792	12.5	0.46	11.6	13.4
2018	842	10.7	0.38	9.9	11.4	690	10.9	0.43	10.0	11.7
2019	832	10.5	0.38	9.8	11.2	702	11.1	0.44	10.3	12.0
2020	816	10.4	0.38	9.7	11.1	660	10.4	0.42	9.6	11.3
2021	862	10.9	0.39	10.2	11.7	702	11.0	0.44	10.2	11.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Leukemia										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,780	8.5	0.16	8.2	8.9	532	5.7	0.26	5.2	6.3
1986	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
1987	44	6.6	1.05	4.8	9.0	7	5.8	2.24	2.3	12.8
1988	45	6.9	1.06	5.0	9.3	8	6.2	2.51	2.3	13.6
1989	57	8.0	1.08	6.0	10.4	3	2.0	1.20	0.4	7.1
1990	45	6.0	0.92	4.3	8.1	2	1.8	1.38	0.2	7.2
1991	49	6.5	0.96	4.7	8.6	4	2.5	1.25	0.6	7.2
1992	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
1993	45	6.0	0.92	4.3	8.1	4	2.8	1.58	0.6	7.9
1994	59	7.8	1.03	5.9	10.1	10	6.1	2.07	2.8	11.8
1995	70	9.0	1.10	7.0	11.4	8	5.8	2.29	2.2	11.9
1996	52	6.3	0.90	4.7	8.3	14	8.3	2.56	4.0	14.8
1997	75	9.2	1.08	7.2	11.6	12	6.7	2.24	3.0	12.5
1998	70	8.3	1.01	6.4	10.5	12	6.6	2.05	3.3	12.0
1999	83	9.6	1.07	7.6	11.9	9	5.1	1.84	2.2	10.0
2000	82	9.5	1.07	7.6	11.9	7	3.9	1.62	1.4	8.3
2001	76	8.5	0.99	6.7	10.7	10	4.8	1.60	2.2	9.0
2002	81	9.6	1.08	7.6	11.9	10	4.0	1.32	1.9	7.6
2003	77	8.7	1.01	6.9	10.9	11	4.8	1.51	2.3	8.7
2004	93	10.2	1.07	8.2	12.6	19	7.1	1.72	4.2	11.4
2005	79	8.9	1.01	7.0	11.1	16	5.5	1.48	3.0	9.3
2006	82	9.1	1.01	7.2	11.2	13	4.6	1.35	2.4	8.1
2007	82	8.7	0.97	6.9	10.8	22	8.8	1.98	5.3	13.5
2008	75	8.2	0.95	6.4	10.2	19	6.7	1.61	3.9	10.6
2009	89	9.5	1.02	7.6	11.7	12	3.4	0.99	1.7	6.0
2010	88	8.8	0.95	7.1	10.9	21	8.0	1.83	4.8	12.3
2011	91	9.0	0.96	7.3	11.1	18	5.5	1.38	3.2	8.9
2012	101	9.9	0.99	8.0	12.0	26	7.6	1.53	4.9	11.2
2013	110	10.4	1.01	8.6	12.6	15	4.9	1.31	2.7	8.1
2014	95	9.2	0.96	7.5	11.3	18	4.4	1.07	2.6	7.0
2015	79	7.4	0.85	5.8	9.2	17	4.2	1.04	2.4	6.7
2016	111	10.1	0.97	8.2	12.2	26	6.3	1.25	4.1	9.3
2017	97	8.9	0.92	7.2	10.9	21	5.0	1.11	3.1	7.7
2018	106	9.5	0.94	7.7	11.5	38	8.6	1.42	6.1	11.9
2019	96	8.4	0.87	6.8	10.3	20	4.3	0.98	2.6	6.7
2020	102	9.2	0.94	7.5	11.3	34	7.6	1.32	5.2	10.6
2021	104	9.4	0.94	7.7	11.5	33	7.0	1.22	4.8	9.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	6,728	1.5	0.02	1.5	1.6	5,726	1.7	0.02	1.6	1.7
1986	125	1.1	0.10	0.9	1.3	112	1.2	0.11	1.0	1.4
1987	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
1988	137	1.2	0.10	1.0	1.4	115	1.2	0.12	1.0	1.5
1989	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
1990	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
1991	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
1992	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
1993	169	1.4	0.11	1.2	1.7	147	1.5	0.13	1.3	1.8
1994	160	1.3	0.10	1.1	1.6	135	1.4	0.12	1.2	1.7
1995	202	1.6	0.12	1.4	1.9	183	1.9	0.14	1.6	2.2
1996	166	1.4	0.10	1.2	1.6	142	1.5	0.12	1.2	1.7
1997	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
1998	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
1999	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2000	173	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2001	188	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
2002	189	1.5	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2003	193	1.6	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2004	189	1.5	0.11	1.3	1.7	154	1.6	0.13	1.3	1.8
2005	199	1.6	0.11	1.4	1.8	177	1.8	0.14	1.6	2.1
2006	206	1.7	0.12	1.4	1.9	175	1.8	0.14	1.5	2.1
2007	188	1.5	0.11	1.3	1.7	155	1.6	0.13	1.4	1.9
2008	215	1.7	0.12	1.5	2.0	189	2.0	0.14	1.7	2.3
2009	190	1.5	0.11	1.3	1.8	161	1.7	0.13	1.4	1.9
2010	196	1.6	0.11	1.4	1.8	162	1.7	0.13	1.4	2.0
2011	204	1.6	0.11	1.4	1.9	169	1.7	0.14	1.5	2.0
2012	217	1.7	0.12	1.5	2.0	184	1.9	0.14	1.6	2.2
2013	209	1.7	0.12	1.5	1.9	180	1.9	0.14	1.6	2.2
2014	197	1.6	0.11	1.4	1.8	178	1.9	0.14	1.6	2.2
2015	213	1.7	0.12	1.5	2.0	186	1.9	0.14	1.7	2.2
2016	208	1.7	0.12	1.5	1.9	163	1.7	0.14	1.5	2.0
2017	227	1.8	0.12	1.6	2.0	187	1.9	0.14	1.6	2.2
2018	227	1.9	0.13	1.6	2.1	190	2.0	0.15	1.8	2.4
2019	229	1.9	0.13	1.6	2.1	195	2.1	0.15	1.8	2.4
2020	207	1.7	0.12	1.5	1.9	159	1.7	0.14	1.4	2.0
2021	205	1.7	0.12	1.5	1.9	162	1.7	0.14	1.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Lymphocytic Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	639	0.9	0.04	0.8	1.0	266	1.3	0.08	1.1	1.5
1986	10	0.6	0.21	0.3	1.2	3	0.9	0.53	0.2	3.9
1987	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
1988	18	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
1989	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
1990	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
1991	18	1.0	0.24	0.6	1.6	3	0.7	0.43	0.2	3.0
1992	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
1993	18	1.0	0.25	0.6	1.6	3	0.7	0.41	0.2	2.7
1994	15	0.7	0.20	0.4	1.3	8	1.7	0.61	0.7	3.8
1995	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
1996	20	1.0	0.24	0.6	1.6	3	0.6	0.33	0.1	2.2
1997	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
1998	12	0.6	0.20	0.3	1.2	7	1.6	0.62	0.6	3.5
1999	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
2000	13	0.7	0.21	0.4	1.3	3	0.6	0.36	0.1	2.0
2001	32	1.6	0.29	1.1	2.3	7	1.3	0.48	0.5	2.8
2002	14	0.7	0.19	0.4	1.2	6	1.1	0.43	0.4	2.5
2003	19	0.9	0.21	0.5	1.4	5	0.9	0.40	0.3	2.2
2004	24	1.3	0.27	0.8	1.9	10	1.7	0.54	0.8	3.2
2005	15	0.7	0.18	0.4	1.2	5	0.9	0.43	0.3	2.2
2006	20	1.1	0.24	0.6	1.7	9	1.4	0.47	0.6	2.7
2007	22	1.1	0.24	0.7	1.7	10	1.5	0.48	0.7	2.9
2008	12	0.6	0.18	0.3	1.1	7	1.1	0.41	0.4	2.3
2009	20	1.0	0.23	0.6	1.6	6	0.8	0.34	0.3	1.9
2010	21	1.0	0.21	0.6	1.5	7	0.9	0.36	0.4	2.0
2011	18	0.9	0.21	0.5	1.4	5	0.7	0.29	0.2	1.6
2012	19	1.1	0.25	0.6	1.7	6	0.8	0.33	0.3	1.8
2013	17	0.9	0.22	0.5	1.4	9	1.1	0.36	0.5	2.1
2014	11	0.5	0.16	0.3	1.0	3	0.4	0.21	0.1	1.1
2015	16	0.8	0.19	0.4	1.3	8	1.0	0.34	0.4	1.9
2016	26	1.3	0.26	0.9	1.9	15	1.9	0.50	1.1	3.2
2017	23	1.1	0.23	0.7	1.6	15	1.8	0.47	1.0	3.0
2018	12	0.6	0.17	0.3	1.0	17	2.0	0.50	1.2	3.3
2019	18	1.0	0.24	0.6	1.6	9	1.0	0.35	0.5	2.0
2020	15	0.8	0.20	0.4	1.3	27	3.2	0.61	2.1	4.6
2021	22	1.1	0.24	0.7	1.7	19	2.3	0.52	1.4	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,758	1.7	0.03	1.7	1.8	3,204	1.9	0.03	1.8	1.9
1986	65	1.2	0.15	0.9	1.5	59	1.3	0.17	1.0	1.7
1987	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
1988	73	1.3	0.16	1.0	1.7	63	1.4	0.18	1.1	1.8
1989	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
1990	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1991	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
1992	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
1993	97	1.7	0.18	1.4	2.1	87	1.9	0.21	1.5	2.4
1994	94	1.6	0.17	1.3	2.0	77	1.6	0.19	1.3	2.1
1995	113	1.9	0.18	1.5	2.3	100	2.1	0.21	1.7	2.6
1996	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
1997	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
1998	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
1999	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
2000	76	1.2	0.14	1.0	1.5	67	1.4	0.17	1.1	1.7
2001	111	1.8	0.18	1.5	2.2	90	1.9	0.20	1.5	2.3
2002	114	1.9	0.18	1.6	2.3	99	2.0	0.21	1.7	2.5
2003	102	1.7	0.17	1.4	2.0	90	1.9	0.20	1.5	2.3
2004	92	1.5	0.16	1.2	1.8	73	1.5	0.18	1.2	1.9
2005	108	1.7	0.17	1.4	2.1	97	2.0	0.20	1.6	2.4
2006	121	1.9	0.18	1.6	2.3	106	2.2	0.21	1.8	2.6
2007	102	1.7	0.17	1.4	2.0	86	1.8	0.19	1.4	2.2
2008	131	2.1	0.18	1.8	2.5	116	2.4	0.22	2.0	2.8
2009	108	1.7	0.17	1.4	2.1	93	1.9	0.20	1.5	2.3
2010	122	2.0	0.18	1.6	2.3	99	2.1	0.21	1.7	2.5
2011	114	1.9	0.17	1.5	2.2	92	1.9	0.20	1.5	2.4
2012	118	1.9	0.18	1.6	2.3	99	2.1	0.21	1.7	2.5
2013	115	1.9	0.17	1.5	2.2	96	2.0	0.20	1.6	2.4
2014	119	1.9	0.18	1.6	2.3	105	2.2	0.21	1.8	2.6
2015	119	1.9	0.18	1.6	2.3	104	2.2	0.21	1.8	2.6
2016	129	2.1	0.19	1.8	2.5	109	2.3	0.22	1.9	2.8
2017	128	2.1	0.19	1.7	2.5	104	2.2	0.22	1.8	2.7
2018	129	2.2	0.19	1.8	2.6	111	2.4	0.23	2.0	2.9
2019	124	2.1	0.19	1.7	2.4	108	2.3	0.23	1.9	2.8
2020	106	1.7	0.17	1.4	2.1	79	1.7	0.19	1.3	2.1
2021	118	1.9	0.18	1.6	2.3	89	1.9	0.20	1.5	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Lymphocytic Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	356	1.0	0.06	0.9	1.2	136	1.3	0.12	1.1	1.6
1986	5	0.7	0.36	0.2	1.8	1	0.6	0.57	0.0	7.4
1987	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
1988	10	1.2	0.43	0.5	2.5	0				
1989	6	0.6	0.25	0.2	1.5	0				
1990	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
1991	11	1.2	0.38	0.6	2.3	2	1.0	0.67	0.1	6.1
1992	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
1993	8	0.8	0.31	0.3	1.8	1	0.5	0.46	0.0	4.9
1994	11	1.0	0.31	0.5	2.0	5	2.1	0.95	0.7	6.5
1995	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
1996	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
1997	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
1998	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
1999	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
2000	7	0.8	0.30	0.3	1.7	2	0.8	0.60	0.1	3.9
2001	17	1.8	0.49	1.0	3.1	4	1.4	0.72	0.4	4.5
2002	11	1.2	0.37	0.6	2.3	3	1.1	0.62	0.2	3.9
2003	9	0.8	0.29	0.4	1.7	3	1.1	0.61	0.2	3.7
2004	16	2.1	0.64	1.1	3.7	3	1.1	0.61	0.2	3.6
2005	8	0.7	0.25	0.3	1.5	3	1.2	0.78	0.2	4.0
2006	11	1.2	0.37	0.6	2.2	4	1.4	0.69	0.4	3.8
2007	11	1.1	0.34	0.5	2.1	4	1.1	0.58	0.3	3.4
2008	5	0.5	0.24	0.2	1.3	4	1.1	0.57	0.3	3.3
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.47	0.2	2.7
2010	14	1.3	0.35	0.7	2.3	4	1.1	0.55	0.3	3.1
2011	10	1.0	0.31	0.5	1.9	2	0.6	0.42	0.1	2.3
2012	12	1.3	0.39	0.7	2.3	2	0.6	0.39	0.1	2.2
2013	10	1.1	0.38	0.5	2.2	7	1.7	0.64	0.7	3.7
2014	7	0.8	0.32	0.3	1.7	3	0.7	0.42	0.2	2.3
2015	11	1.1	0.32	0.5	1.9	2	0.5	0.32	0.1	1.8
2016	11	1.2	0.36	0.6	2.1	7	1.7	0.65	0.7	3.6
2017	12	1.2	0.35	0.6	2.1	11	2.9	0.91	1.4	5.3
2018	7	0.7	0.26	0.3	1.5	6	1.4	0.58	0.5	3.1
2019	7	0.9	0.33	0.3	1.8	7	1.8	0.70	0.7	3.7
2020	9	0.9	0.29	0.4	1.7	14	3.2	0.87	1.8	5.5
2021	16	1.8	0.45	1.0	2.9	11	2.6	0.79	1.3	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,970	1.3	0.02	1.3	1.4	2,522	1.4	0.03	1.4	1.5
1986	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
1987	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
1988	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
1989	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
1990	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
1991	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
1992	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
1993	72	1.2	0.14	0.9	1.5	60	1.2	0.16	0.9	1.6
1994	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
1995	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
1996	73	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
1997	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
1998	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
1999	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2000	97	1.5	0.15	1.2	1.9	89	1.8	0.19	1.4	2.2
2001	77	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2002	75	1.2	0.14	0.9	1.5	69	1.4	0.17	1.1	1.8
2003	91	1.4	0.15	1.2	1.8	78	1.6	0.18	1.2	2.0
2004	97	1.5	0.16	1.3	1.9	81	1.7	0.19	1.3	2.1
2005	91	1.4	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
2006	85	1.3	0.14	1.1	1.6	69	1.4	0.17	1.1	1.7
2007	86	1.4	0.15	1.1	1.7	69	1.4	0.17	1.1	1.8
2008	84	1.4	0.15	1.1	1.7	73	1.6	0.18	1.2	1.9
2009	82	1.3	0.14	1.0	1.6	68	1.4	0.17	1.1	1.8
2010	74	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2011	90	1.4	0.15	1.1	1.7	77	1.6	0.18	1.2	2.0
2012	99	1.6	0.16	1.3	1.9	85	1.7	0.19	1.4	2.2
2013	94	1.5	0.16	1.2	1.8	84	1.8	0.19	1.4	2.2
2014	78	1.3	0.14	1.0	1.6	73	1.5	0.18	1.2	1.9
2015	94	1.5	0.16	1.2	1.8	82	1.7	0.19	1.4	2.1
2016	79	1.3	0.15	1.0	1.6	54	1.1	0.16	0.8	1.5
2017	99	1.5	0.16	1.2	1.9	83	1.7	0.19	1.3	2.1
2018	98	1.6	0.16	1.3	1.9	79	1.6	0.19	1.3	2.1
2019	105	1.7	0.17	1.4	2.1	87	1.8	0.20	1.5	2.3
2020	101	1.7	0.17	1.3	2.0	80	1.7	0.20	1.3	2.1
2021	87	1.4	0.16	1.1	1.8	73	1.6	0.19	1.2	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Lymphocytic Leukemia										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	283	0.8	0.05	0.7	0.9	130	1.3	0.11	1.0	1.5
1986	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
1987	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
1988	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
1989	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
1990	7	0.9	0.37	0.4	2.0	0				
1991	7	0.8	0.30	0.3	1.6	1	0.5	0.54	0.0	4.4
1992	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
1993	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
1994	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
1995	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
1996	11	1.1	0.34	0.6	2.0	1	0.5	0.46	0.0	3.2
1997	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
1998	7	0.7	0.26	0.3	1.4	3	1.2	0.69	0.3	4.0
1999	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
2000	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
2001	15	1.4	0.37	0.8	2.3	3	1.1	0.65	0.2	3.6
2002	3	0.3	0.15	0.1	0.8	3	1.1	0.61	0.2	3.3
2003	10	0.9	0.29	0.4	1.7	2	0.7	0.49	0.1	2.7
2004	8	0.7	0.26	0.3	1.5	7	2.4	0.90	1.0	5.0
2005	7	0.6	0.24	0.3	1.3	2	0.6	0.45	0.1	2.5
2006	9	0.9	0.30	0.4	1.7	5	1.4	0.64	0.5	3.5
2007	11	1.1	0.34	0.6	2.0	6	1.9	0.77	0.7	4.2
2008	7	0.7	0.26	0.3	1.4	3	0.9	0.57	0.2	2.9
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.48	0.2	2.6
2010	7	0.6	0.24	0.3	1.3	3	0.8	0.47	0.2	2.5
2011	8	0.8	0.27	0.3	1.5	3	0.7	0.41	0.1	2.2
2012	7	0.8	0.29	0.3	1.6	4	1.1	0.55	0.3	2.8
2013	7	0.7	0.27	0.3	1.4	2	0.5	0.32	0.1	1.8
2014	4	0.4	0.17	0.1	0.9	0				
2015	5	0.5	0.21	0.2	1.1	6	1.5	0.61	0.5	3.2
2016	15	1.5	0.38	0.8	2.4	8	2.1	0.74	0.9	4.1
2017	11	1.0	0.29	0.5	1.7	4	0.9	0.45	0.2	2.3
2018	5	0.5	0.22	0.2	1.2	11	2.6	0.78	1.3	4.6
2019	11	1.2	0.35	0.6	2.1	2	0.4	0.30	0.1	1.6
2020	6	0.7	0.26	0.2	1.4	13	3.0	0.85	1.6	5.2
2021	6	0.6	0.23	0.2	1.2	8	2.0	0.69	0.8	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	19,720	4.3	0.03	4.2	4.3	17,445	4.4	0.03	4.4	4.5
1986	273	2.6	0.16	2.3	3.0	249	2.7	0.17	2.4	3.0
1987	322	3.0	0.17	2.7	3.4	294	3.1	0.19	2.8	3.5
1988	351	3.3	0.18	3.0	3.7	314	3.3	0.19	2.9	3.7
1989	343	3.2	0.17	2.9	3.5	312	3.3	0.19	2.9	3.7
1990	373	3.4	0.18	3.1	3.8	344	3.6	0.19	3.2	4.0
1991	387	3.5	0.18	3.2	3.9	350	3.6	0.19	3.2	4.0
1992	425	3.8	0.19	3.5	4.2	386	3.9	0.20	3.6	4.4
1993	407	3.6	0.18	3.3	4.0	374	3.8	0.20	3.4	4.2
1994	533	4.7	0.20	4.3	5.1	481	4.8	0.22	4.4	5.3
1995	462	4.1	0.19	3.7	4.5	419	4.2	0.21	3.8	4.6
1996	459	4.0	0.19	3.6	4.4	424	4.2	0.21	3.8	4.7
1997	444	3.8	0.18	3.5	4.2	404	4.0	0.20	3.6	4.4
1998	470	4.0	0.18	3.7	4.4	423	4.1	0.20	3.8	4.6
1999	497	4.2	0.19	3.8	4.6	459	4.5	0.21	4.1	4.9
2000	519	4.3	0.19	4.0	4.7	434	4.2	0.20	3.8	4.6
2001	594	4.9	0.20	4.5	5.3	524	5.0	0.22	4.6	5.5
2002	635	5.2	0.21	4.8	5.6	563	5.4	0.23	4.9	5.8
2003	636	5.2	0.21	4.8	5.6	586	5.6	0.23	5.1	6.0
2004	628	5.0	0.20	4.6	5.4	561	5.3	0.22	4.8	5.7
2005	601	4.8	0.20	4.4	5.2	528	4.9	0.22	4.5	5.4
2006	654	5.2	0.20	4.8	5.6	579	5.3	0.22	4.9	5.8
2007	551	4.3	0.18	3.9	4.6	484	4.4	0.20	4.0	4.8
2008	684	5.2	0.20	4.8	5.6	603	5.4	0.22	5.0	5.9
2009	629	4.7	0.19	4.3	5.1	557	4.9	0.21	4.5	5.3
2010	605	4.4	0.18	4.1	4.8	519	4.5	0.20	4.1	4.9
2011	598	4.3	0.18	4.0	4.7	529	4.5	0.20	4.2	5.0
2012	668	4.7	0.19	4.4	5.1	579	5.0	0.21	4.5	5.4
2013	636	4.4	0.18	4.1	4.8	553	4.6	0.20	4.2	5.0
2014	617	4.2	0.17	3.9	4.6	527	4.3	0.19	4.0	4.7
2015	677	4.5	0.18	4.2	4.9	587	4.7	0.20	4.3	5.1
2016	674	4.4	0.17	4.1	4.8	580	4.6	0.19	4.2	5.0
2017	721	4.7	0.18	4.3	5.0	650	5.1	0.20	4.7	5.5
2018	696	4.5	0.17	4.2	4.8	590	4.6	0.19	4.2	5.0
2019	674	4.3	0.17	4.0	4.6	589	4.6	0.19	4.2	5.0
2020	605	3.8	0.16	3.5	4.1	514	3.9	0.18	3.6	4.3
2021	672	4.2	0.16	3.9	4.5	576	4.4	0.19	4.0	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Lymphocytic Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,852	3.5	0.08	3.3	3.6	169	1.1	0.09	1.0	1.3
1986	24	2.4	0.51	1.5	3.6	0				
1987	23	2.3	0.50	1.4	3.5	4	3.2	1.76	0.7	8.3
1988	35	3.5	0.61	2.4	4.9	0				
1989	30	2.6	0.49	1.8	3.8	1	0.5	0.50	0.0	3.2
1990	28	2.7	0.52	1.7	3.8	1	0.7	0.72	0.0	3.7
1991	37	3.2	0.55	2.2	4.5	0				
1992	38	3.4	0.56	2.4	4.6	0				
1993	33	2.8	0.49	1.9	3.9	0				
1994	47	3.8	0.57	2.8	5.1	2	1.4	1.00	0.2	4.5
1995	38	3.1	0.52	2.2	4.3	1	0.7	0.68	0.0	3.1
1996	34	2.8	0.49	1.9	3.9	0				
1997	37	2.8	0.47	2.0	3.9	2	0.5	0.32	0.1	2.0
1998	41	3.0	0.48	2.2	4.1	4	1.3	0.66	0.3	3.4
1999	34	2.4	0.42	1.7	3.4	3	1.4	0.85	0.3	3.9
2000	78	5.6	0.65	4.4	7.0	3	1.1	0.65	0.2	3.1
2001	56	4.0	0.55	3.0	5.3	6	1.7	0.74	0.6	3.8
2002	64	4.7	0.60	3.6	6.1	4	1.7	0.84	0.5	4.0
2003	45	3.1	0.47	2.3	4.2	2	0.4	0.26	0.0	1.5
2004	48	3.1	0.45	2.3	4.1	2	0.4	0.29	0.1	1.5
2005	61	4.2	0.55	3.2	5.4	7	1.4	0.52	0.5	2.9
2006	69	4.5	0.55	3.5	5.7	1	0.4	0.37	0.0	1.7
2007	58	3.8	0.50	2.8	4.9	6	1.4	0.61	0.5	3.1
2008	69	4.6	0.56	3.6	5.8	5	1.3	0.60	0.4	2.9
2009	55	3.5	0.47	2.6	4.5	4	0.9	0.46	0.2	2.3
2010	66	4.1	0.52	3.1	5.2	10	2.2	0.74	1.0	4.0
2011	58	3.5	0.47	2.6	4.5	4	0.9	0.45	0.2	2.2
2012	70	4.0	0.49	3.1	5.1	5	0.9	0.42	0.3	2.1
2013	67	3.8	0.47	2.9	4.8	8	1.5	0.57	0.6	3.0
2014	70	3.9	0.47	3.0	4.9	5	0.6	0.28	0.2	1.5
2015	64	3.5	0.45	2.7	4.5	8	1.1	0.40	0.4	2.2
2016	69	3.6	0.45	2.8	4.6	11	1.3	0.40	0.6	2.3
2017	50	2.6	0.37	1.9	3.4	14	1.8	0.49	1.0	3.0
2018	79	4.2	0.48	3.3	5.2	17	2.0	0.50	1.2	3.2
2019	63	3.1	0.40	2.4	4.0	8	1.1	0.38	0.4	2.1
2020	58	3.0	0.40	2.2	3.8	10	1.2	0.39	0.6	2.3
2021	56	2.8	0.38	2.1	3.6	11	1.2	0.37	0.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	11,644	5.9	0.06	5.8	6.0	10,289	6.1	0.06	6.0	6.2
1986	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
1987	177	4.0	0.32	3.5	4.7	163	4.2	0.35	3.6	5.0
1988	187	4.3	0.33	3.7	5.0	162	4.2	0.35	3.6	5.0
1989	178	4.0	0.31	3.4	4.6	166	4.2	0.34	3.5	4.9
1990	218	4.9	0.34	4.2	5.6	201	5.0	0.36	4.3	5.8
1991	227	4.9	0.33	4.3	5.6	201	4.9	0.35	4.2	5.7
1992	252	5.5	0.36	4.9	6.3	230	5.7	0.38	5.0	6.5
1993	211	4.5	0.32	3.9	5.1	189	4.6	0.34	3.9	5.3
1994	312	7.0	0.41	6.2	7.8	283	7.1	0.44	6.3	8.1
1995	260	5.6	0.36	5.0	6.4	234	5.8	0.39	5.1	6.6
1996	271	5.9	0.36	5.2	6.6	247	6.1	0.39	5.3	6.9
1997	263	5.5	0.34	4.8	6.2	239	5.7	0.38	5.0	6.5
1998	267	5.4	0.33	4.7	6.1	237	5.5	0.36	4.8	6.3
1999	285	5.8	0.35	5.2	6.5	267	6.3	0.39	5.5	7.1
2000	314	6.2	0.35	5.5	6.9	261	6.0	0.37	5.3	6.8
2001	320	6.4	0.36	5.7	7.2	278	6.4	0.39	5.7	7.2
2002	353	7.0	0.38	6.3	7.8	315	7.2	0.41	6.5	8.1
2003	383	7.4	0.38	6.7	8.2	356	8.0	0.43	7.2	8.9
2004	364	7.0	0.37	6.3	7.7	325	7.3	0.41	6.5	8.1
2005	356	6.8	0.36	6.1	7.5	314	7.0	0.40	6.2	7.8
2006	394	7.4	0.38	6.6	8.1	350	7.6	0.41	6.9	8.5
2007	342	6.3	0.35	5.6	7.0	305	6.6	0.38	5.8	7.4
2008	418	7.5	0.37	6.7	8.2	366	7.6	0.40	6.8	8.4
2009	376	6.5	0.34	5.8	7.2	339	6.9	0.38	6.2	7.7
2010	387	6.6	0.34	5.9	7.3	329	6.6	0.37	5.9	7.4
2011	360	6.0	0.32	5.4	6.7	318	6.2	0.36	5.6	7.0
2012	410	6.7	0.34	6.0	7.4	359	7.0	0.38	6.2	7.7
2013	389	6.2	0.32	5.6	6.8	346	6.5	0.36	5.8	7.2
2014	382	5.9	0.31	5.3	6.5	326	6.0	0.34	5.4	6.7
2015	411	6.2	0.32	5.6	6.9	356	6.4	0.35	5.8	7.2
2016	395	5.9	0.30	5.3	6.5	343	6.1	0.34	5.4	6.8
2017	414	6.1	0.31	5.5	6.7	370	6.5	0.35	5.8	7.2
2018	415	6.0	0.30	5.4	6.6	354	6.1	0.33	5.5	6.8
2019	414	5.9	0.30	5.3	6.5	357	6.1	0.33	5.4	6.8
2020	383	5.4	0.28	4.8	5.9	322	5.4	0.31	4.8	6.0
2021	414	5.7	0.29	5.1	6.3	352	5.8	0.32	5.2	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Lymphocytic Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,089	5.0	0.16	4.7	5.3	112	1.7	0.18	1.4	2.1
1986	13	3.2	1.00	1.6	5.7	0				
1987	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
1988	23	5.3	1.19	3.2	8.1	0				
1989	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
1990	17	4.5	1.18	2.5	7.3	0				
1991	26	5.1	1.05	3.2	7.6	0				
1992	22	4.7	1.04	2.9	7.2	0				
1993	22	4.2	0.94	2.6	6.5	0				
1994	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
1995	23	4.7	1.03	2.9	7.1	1	1.7	1.67	0.0	7.6
1996	23	4.7	1.05	2.9	7.1	0				
1997	23	4.3	0.92	2.7	6.4	0				
1998	27	4.7	0.93	3.0	6.8	2	1.6	1.15	0.2	5.9
1999	16	2.8	0.74	1.6	4.6	1	1.5	1.53	0.0	6.7
2000	49	8.5	1.26	6.2	11.3	2	1.8	1.34	0.2	6.3
2001	37	6.9	1.21	4.7	9.6	4	2.4	1.31	0.5	6.5
2002	32	5.9	1.13	3.9	8.5	3	3.1	1.78	0.6	8.2
2003	25	4.1	0.89	2.6	6.2	2	0.8	0.54	0.1	3.3
2004	27	4.2	0.86	2.7	6.3	1	0.5	0.47	0.0	2.9
2005	37	6.4	1.12	4.4	8.9	4	1.9	0.96	0.5	5.0
2006	40	6.2	1.02	4.3	8.5	1	0.9	0.94	0.0	4.1
2007	33	5.0	0.92	3.4	7.1	2	0.6	0.44	0.1	2.7
2008	43	7.1	1.14	5.1	9.7	4	2.5	1.43	0.5	6.5
2009	27	4.1	0.83	2.6	6.0	3	1.6	0.97	0.3	4.5
2010	45	7.0	1.12	5.0	9.5	8	3.8	1.58	1.4	7.9
2011	35	5.4	0.97	3.7	7.6	4	2.0	1.07	0.5	5.1
2012	39	5.7	0.97	4.0	7.9	1	0.7	0.67	0.0	3.0
2013	33	4.3	0.79	2.9	6.1	5	2.1	1.00	0.6	4.9
2014	42	5.5	0.90	3.9	7.6	4	1.1	0.56	0.3	2.9
2015	40	5.4	0.89	3.8	7.4	5	1.5	0.72	0.5	3.6
2016	34	4.4	0.78	3.0	6.2	9	2.3	0.81	1.0	4.5
2017	31	4.1	0.77	2.7	5.8	9	2.6	0.92	1.1	5.0
2018	43	5.6	0.89	4.0	7.6	11	2.6	0.80	1.3	4.7
2019	43	5.6	0.90	4.0	7.7	4	1.2	0.63	0.3	3.1
2020	39	4.9	0.82	3.4	6.7	8	2.2	0.77	0.9	4.2
2021	31	3.6	0.67	2.4	5.2	10	2.6	0.84	1.2	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	8,076	3.0	0.03	3.0	3.1	7,156	3.2	0.04	3.1	3.2
1986	131	2.1	0.19	1.8	2.5	120	2.2	0.20	1.8	2.6
1987	145	2.3	0.19	2.0	2.7	131	2.4	0.21	2.0	2.8
1988	164	2.6	0.21	2.2	3.1	152	2.7	0.23	2.3	3.2
1989	165	2.6	0.21	2.2	3.1	146	2.6	0.22	2.2	3.1
1990	155	2.5	0.20	2.1	2.9	143	2.6	0.22	2.2	3.1
1991	160	2.4	0.19	2.1	2.8	149	2.5	0.21	2.1	3.0
1992	173	2.6	0.20	2.2	3.0	156	2.6	0.21	2.2	3.1
1993	196	2.9	0.21	2.5	3.3	185	3.1	0.23	2.7	3.6
1994	221	3.3	0.22	2.9	3.8	198	3.3	0.24	2.9	3.8
1995	202	3.0	0.21	2.6	3.5	185	3.2	0.24	2.7	3.7
1996	188	2.8	0.20	2.4	3.2	177	3.0	0.23	2.6	3.5
1997	181	2.6	0.19	2.2	3.0	165	2.7	0.21	2.3	3.1
1998	203	2.9	0.20	2.5	3.3	186	3.0	0.22	2.6	3.5
1999	212	3.1	0.21	2.7	3.6	192	3.3	0.24	2.8	3.8
2000	205	2.9	0.21	2.5	3.4	173	2.9	0.22	2.4	3.3
2001	274	3.9	0.24	3.4	4.4	246	4.0	0.26	3.5	4.6
2002	282	3.9	0.23	3.4	4.4	248	4.0	0.26	3.5	4.5
2003	253	3.5	0.22	3.1	4.0	230	3.7	0.25	3.3	4.2
2004	264	3.6	0.23	3.2	4.1	236	3.8	0.25	3.3	4.3
2005	245	3.4	0.22	3.0	3.8	214	3.4	0.24	3.0	4.0
2006	260	3.5	0.22	3.1	4.0	229	3.6	0.24	3.2	4.1
2007	209	2.8	0.19	2.4	3.2	179	2.8	0.21	2.4	3.3
2008	266	3.5	0.22	3.1	4.0	237	3.7	0.25	3.3	4.3
2009	253	3.2	0.21	2.9	3.7	218	3.3	0.23	2.9	3.8
2010	218	2.8	0.19	2.4	3.2	190	2.9	0.21	2.5	3.3
2011	238	3.0	0.20	2.6	3.4	211	3.2	0.22	2.8	3.7
2012	258	3.2	0.21	2.8	3.7	220	3.4	0.23	2.9	3.9
2013	247	3.1	0.20	2.7	3.6	207	3.2	0.22	2.7	3.6
2014	235	2.9	0.19	2.5	3.3	201	3.0	0.22	2.6	3.5
2015	266	3.2	0.20	2.8	3.6	231	3.4	0.23	2.9	3.9
2016	279	3.3	0.20	2.9	3.7	237	3.4	0.23	3.0	3.9
2017	307	3.6	0.21	3.2	4.0	280	4.0	0.24	3.5	4.5
2018	281	3.3	0.20	2.9	3.7	236	3.3	0.22	2.9	3.8
2019	260	3.0	0.19	2.6	3.4	232	3.3	0.22	2.9	3.8
2020	222	2.6	0.18	2.2	2.9	192	2.8	0.20	2.4	3.2
2021	258	2.9	0.19	2.6	3.3	224	3.2	0.22	2.8	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Lymphocytic Leukemia										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	763	2.4	0.09	2.3	2.6	57	0.7	0.09	0.5	0.9
1986	11	1.9	0.59	1.0	3.4	0				
1987	11	2.1	0.63	1.0	3.6	3	3.1	1.79	0.6	9.5
1988	12	2.2	0.63	1.1	3.7	0				
1989	19	2.7	0.63	1.6	4.2	0				
1990	11	1.6	0.49	0.8	2.9	1	1.3	1.26	0.0	6.5
1991	11	1.8	0.54	0.9	3.1	0				
1992	16	2.4	0.60	1.4	3.8	0				
1993	11	1.6	0.50	0.8	2.9	0				
1994	21	2.8	0.62	1.8	4.3	0				
1995	15	2.1	0.54	1.1	3.4	0				
1996	11	1.5	0.46	0.8	2.7	0				
1997	14	1.8	0.49	1.0	3.0	2	0.9	0.61	0.1	3.7
1998	14	1.8	0.49	1.0	3.0	2	1.1	0.80	0.1	4.1
1999	18	2.2	0.51	1.3	3.4	2	1.5	1.05	0.2	4.9
2000	29	3.6	0.68	2.4	5.2	1	0.6	0.57	0.0	3.1
2001	19	2.3	0.53	1.4	3.6	2	1.2	0.83	0.1	4.0
2002	32	4.0	0.70	2.7	5.6	1	0.7	0.73	0.0	3.4
2003	20	2.4	0.54	1.5	3.7	0				
2004	21	2.3	0.51	1.4	3.6	1	0.3	0.34	0.0	2.1
2005	24	2.9	0.59	1.8	4.3	3	0.9	0.53	0.2	2.9
2006	29	3.3	0.62	2.2	4.8	0				
2007	25	2.8	0.56	1.8	4.1	4	1.9	0.97	0.5	4.7
2008	26	2.9	0.57	1.9	4.2	1	0.5	0.45	0.0	2.2
2009	28	3.0	0.58	2.0	4.4	1	0.4	0.42	0.0	2.1
2010	21	2.3	0.50	1.4	3.5	2	1.0	0.71	0.1	3.2
2011	23	2.3	0.49	1.5	3.5	0				
2012	31	2.9	0.53	2.0	4.2	4	1.2	0.61	0.3	3.0
2013	34	3.3	0.58	2.3	4.7	3	1.0	0.61	0.2	2.9
2014	28	2.7	0.52	1.8	3.9	1	0.2	0.21	0.0	1.3
2015	24	2.3	0.48	1.5	3.5	3	0.7	0.44	0.1	2.2
2016	35	3.2	0.55	2.2	4.4	2	0.4	0.30	0.1	1.6
2017	19	1.6	0.38	1.0	2.6	5	1.2	0.55	0.4	2.8
2018	36	3.2	0.54	2.2	4.5	6	1.5	0.61	0.5	3.2
2019	20	1.6	0.36	1.0	2.5	4	1.0	0.48	0.3	2.4
2020	19	1.6	0.38	1.0	2.6	2	0.4	0.28	0.1	1.5
2021	25	2.2	0.45	1.4	3.3	1	0.2	0.17	0.0	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	18,165	4.0	0.03	3.9	4.0	15,782	4.1	0.03	4.0	4.2
1986	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
1987	275	2.5	0.15	2.2	2.9	250	2.6	0.17	2.3	3.0
1988	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
1989	266	2.4	0.15	2.2	2.8	242	2.5	0.17	2.2	2.9
1990	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
1991	306	2.8	0.16	2.5	3.1	277	2.9	0.17	2.6	3.3
1992	340	3.0	0.16	2.7	3.3	307	3.1	0.18	2.8	3.5
1993	354	3.1	0.17	2.8	3.5	325	3.3	0.18	3.0	3.7
1994	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
1995	432	3.7	0.18	3.4	4.1	386	3.9	0.20	3.5	4.3
1996	438	3.8	0.18	3.4	4.1	389	3.9	0.20	3.5	4.3
1997	473	4.0	0.19	3.7	4.4	416	4.1	0.20	3.7	4.5
1998	443	3.7	0.18	3.4	4.1	384	3.8	0.19	3.4	4.2
1999	484	4.0	0.18	3.7	4.4	433	4.2	0.20	3.9	4.7
2000	533	4.4	0.19	4.1	4.8	480	4.7	0.21	4.3	5.1
2001	549	4.5	0.19	4.2	4.9	479	4.6	0.21	4.2	5.1
2002	525	4.3	0.19	3.9	4.7	476	4.6	0.21	4.2	5.0
2003	493	4.0	0.18	3.6	4.4	433	4.1	0.20	3.8	4.5
2004	529	4.2	0.18	3.9	4.6	459	4.4	0.20	4.0	4.8
2005	514	4.1	0.18	3.7	4.5	444	4.2	0.20	3.8	4.6
2006	514	4.0	0.18	3.7	4.4	460	4.3	0.20	3.9	4.7
2007	507	4.0	0.18	3.6	4.4	447	4.2	0.20	3.8	4.6
2008	507	3.9	0.18	3.6	4.3	444	4.1	0.20	3.7	4.5
2009	549	4.1	0.18	3.8	4.5	476	4.3	0.20	3.9	4.7
2010	630	4.8	0.19	4.4	5.2	534	4.9	0.21	4.5	5.3
2011	611	4.5	0.19	4.2	4.9	519	4.6	0.21	4.2	5.1
2012	648	4.7	0.19	4.4	5.1	544	4.8	0.21	4.4	5.2
2013	689	4.9	0.19	4.6	5.3	582	5.1	0.22	4.7	5.5
2014	642	4.5	0.18	4.2	4.9	554	4.7	0.21	4.4	5.2
2015	648	4.6	0.18	4.2	5.0	568	4.9	0.21	4.5	5.3
2016	609	4.3	0.18	4.0	4.7	503	4.4	0.20	4.0	4.8
2017	668	4.6	0.18	4.3	5.0	570	4.8	0.21	4.4	5.3
2018	661	4.4	0.17	4.1	4.8	550	4.5	0.19	4.1	4.9
2019	647	4.3	0.17	4.0	4.7	550	4.5	0.20	4.1	4.9
2020	684	4.5	0.18	4.2	4.9	564	4.6	0.20	4.2	5.0
2021	694	4.6	0.18	4.3	5.0	565	4.6	0.20	4.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Myeloid Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,843	3.3	0.08	3.1	3.4	477	2.9	0.14	2.6	3.2
1986	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
1987	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
1988	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
1989	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
1990	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
1991	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
1992	23	1.8	0.39	1.1	2.7	9	4.3	1.82	1.5	9.1
1993	25	1.7	0.36	1.1	2.6	3	1.0	0.60	0.2	3.3
1994	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
1995	40	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
1996	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
1997	51	3.6	0.51	2.6	4.7	6	1.7	0.77	0.5	4.0
1998	49	3.4	0.50	2.5	4.5	9	3.7	1.36	1.5	7.2
1999	43	2.9	0.45	2.1	3.9	7	1.5	0.58	0.6	3.3
2000	45	2.9	0.45	2.1	3.9	7	2.2	0.97	0.8	4.9
2001	57	3.7	0.50	2.8	4.8	12	2.3	0.70	1.1	4.3
2002	38	2.5	0.42	1.8	3.5	8	1.7	0.67	0.7	3.6
2003	49	3.2	0.47	2.3	4.2	10	2.1	0.70	1.0	4.0
2004	57	3.6	0.50	2.7	4.7	12	2.7	0.83	1.3	4.8
2005	52	3.4	0.49	2.5	4.5	15	3.1	0.91	1.6	5.4
2006	43	2.7	0.42	1.9	3.7	10	1.8	0.61	0.8	3.5
2007	48	2.9	0.43	2.1	3.9	12	3.0	0.91	1.4	5.2
2008	42	2.7	0.42	1.9	3.7	19	4.1	1.00	2.3	6.5
2009	57	3.7	0.50	2.8	4.8	14	2.5	0.74	1.3	4.4
2010	75	4.4	0.53	3.5	5.6	19	4.0	0.97	2.3	6.3
2011	67	3.8	0.47	2.9	4.8	22	4.3	0.98	2.6	6.6
2012	84	5.0	0.55	3.9	6.2	15	2.6	0.71	1.4	4.3
2013	81	4.4	0.51	3.5	5.6	20	3.6	0.84	2.1	5.5
2014	64	3.7	0.47	2.8	4.7	24	3.6	0.78	2.2	5.5
2015	64	3.5	0.45	2.7	4.5	15	2.0	0.55	1.1	3.4
2016	73	3.8	0.45	3.0	4.8	31	3.9	0.72	2.6	5.6
2017	76	4.0	0.47	3.1	5.0	22	2.7	0.59	1.7	4.1
2018	79	4.1	0.47	3.2	5.1	29	3.5	0.66	2.3	5.0
2019	75	3.9	0.45	3.0	4.9	21	2.2	0.49	1.4	3.4
2020	94	4.8	0.50	3.8	5.8	19	2.2	0.51	1.3	3.5
2021	78	4.0	0.46	3.1	5.0	40	4.3	0.68	3.0	5.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	9,704	5.0	0.05	4.9	5.1	8,538	5.1	0.06	5.0	5.2
1986	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
1987	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
1988	152	3.4	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
1989	152	3.2	0.27	2.7	3.8	139	3.4	0.29	2.8	4.0
1990	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
1991	160	3.4	0.28	2.8	4.0	149	3.6	0.30	3.0	4.2
1992	194	4.0	0.30	3.4	4.6	178	4.2	0.32	3.6	4.9
1993	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
1994	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
1995	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
1996	220	4.5	0.31	3.9	5.1	194	4.5	0.33	3.9	5.2
1997	228	4.5	0.30	4.0	5.2	206	4.8	0.33	4.1	5.5
1998	229	4.4	0.30	3.9	5.1	202	4.5	0.32	3.9	5.2
1999	247	4.8	0.31	4.3	5.5	225	5.1	0.35	4.5	5.9
2000	275	5.4	0.33	4.7	6.0	249	5.7	0.36	5.0	6.4
2001	298	5.8	0.34	5.2	6.5	256	5.9	0.37	5.2	6.6
2002	289	5.6	0.34	5.0	6.3	263	5.9	0.37	5.2	6.7
2003	254	4.9	0.31	4.3	5.5	230	5.2	0.34	4.5	5.9
2004	267	5.0	0.31	4.4	5.6	241	5.3	0.34	4.6	6.0
2005	270	5.0	0.31	4.5	5.7	240	5.3	0.34	4.6	6.0
2006	273	5.0	0.31	4.4	5.7	251	5.4	0.35	4.8	6.2
2007	278	5.0	0.31	4.4	5.7	250	5.3	0.34	4.7	6.1
2008	267	4.8	0.30	4.2	5.4	235	5.0	0.33	4.4	5.7
2009	283	5.0	0.30	4.4	5.6	247	5.1	0.33	4.5	5.8
2010	323	5.6	0.32	5.0	6.2	279	5.8	0.35	5.1	6.5
2011	299	5.1	0.30	4.5	5.7	256	5.2	0.33	4.6	5.9
2012	360	6.0	0.32	5.4	6.7	308	6.1	0.35	5.4	6.9
2013	375	6.1	0.32	5.5	6.8	316	6.2	0.36	5.6	7.0
2014	338	5.5	0.31	4.9	6.1	296	5.7	0.34	5.1	6.4
2015	375	5.9	0.31	5.3	6.6	329	6.3	0.35	5.6	7.0
2016	323	5.1	0.29	4.5	5.7	271	5.1	0.32	4.5	5.8
2017	365	5.7	0.30	5.1	6.3	311	5.8	0.34	5.2	6.6
2018	387	5.7	0.30	5.1	6.3	330	5.9	0.33	5.2	6.5
2019	367	5.4	0.29	4.9	6.1	319	5.7	0.33	5.1	6.4
2020	372	5.5	0.29	4.9	6.1	321	5.7	0.33	5.1	6.4
2021	381	5.6	0.29	5.0	6.2	313	5.6	0.32	5.0	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Myeloid Leukemia										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	876	3.8	0.14	3.5	4.1	257	3.6	0.24	3.1	4.1
1986	13	2.9	0.95	1.4	5.3	0				
1987	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
1988	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
1989	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
1990	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
1991	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
1992	11	2.1	0.69	1.0	3.8	5	6.2	3.95	1.0	17.3
1993	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
1994	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
1995	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
1996	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
1997	19	3.2	0.76	1.9	5.0	3	1.3	0.75	0.3	5.0
1998	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
1999	16	2.4	0.60	1.3	3.9	5	2.4	1.11	0.7	6.4
2000	22	3.5	0.80	2.1	5.4	4	2.0	1.00	0.5	5.6
2001	32	4.6	0.84	3.1	6.6	9	3.8	1.38	1.6	7.9
2002	18	3.3	0.86	1.9	5.4	5	2.6	1.39	0.7	6.8
2003	19	3.1	0.78	1.8	5.0	5	2.2	1.09	0.6	5.7
2004	20	2.9	0.70	1.7	4.6	5	2.5	1.30	0.6	6.4
2005	23	3.6	0.80	2.2	5.5	6	2.7	1.24	0.8	6.3
2006	17	2.3	0.58	1.3	3.7	5	1.6	0.73	0.5	4.1
2007	24	3.6	0.79	2.2	5.5	4	2.1	1.15	0.5	5.5
2008	21	3.3	0.75	2.0	5.0	10	5.2	1.86	2.2	10.0
2009	27	4.7	0.95	3.0	6.9	9	4.3	1.66	1.7	8.5
2010	34	5.0	0.91	3.4	7.1	9	4.0	1.41	1.7	7.6
2011	30	3.9	0.74	2.5	5.6	10	5.3	1.85	2.3	9.9
2012	46	6.9	1.07	5.0	9.3	4	1.5	0.83	0.3	4.0
2013	42	5.8	0.94	4.1	7.9	14	5.6	1.63	2.8	9.5
2014	29	4.4	0.86	2.9	6.4	13	4.8	1.44	2.4	8.4
2015	34	4.4	0.78	3.0	6.2	12	3.5	1.09	1.7	6.3
2016	34	4.2	0.75	2.9	5.9	16	4.5	1.15	2.5	7.3
2017	38	4.8	0.82	3.4	6.7	16	4.2	1.10	2.4	7.0
2018	39	4.7	0.80	3.3	6.5	15	3.9	1.06	2.1	6.6
2019	35	4.4	0.77	3.0	6.2	13	2.8	0.77	1.5	4.8
2020	42	5.1	0.81	3.6	6.9	6	1.6	0.65	0.6	3.4
2021	39	4.8	0.80	3.3	6.6	23	5.5	1.17	3.5	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	8,461	3.3	0.04	3.3	3.4	7,244	3.4	0.04	3.3	3.5
1986	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
1987	128	2.1	0.19	1.8	2.5	114	2.2	0.21	1.8	2.6
1988	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
1989	114	1.8	0.17	1.5	2.2	103	1.9	0.19	1.6	2.3
1990	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
1991	146	2.4	0.20	2.0	2.8	128	2.5	0.22	2.0	2.9
1992	146	2.3	0.19	2.0	2.7	129	2.4	0.21	2.0	2.9
1993	153	2.4	0.20	2.0	2.8	143	2.6	0.22	2.2	3.1
1994	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
1995	196	3.0	0.22	2.6	3.5	171	3.1	0.24	2.7	3.6
1996	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
1997	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
1998	214	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
1999	237	3.5	0.23	3.1	4.0	208	3.7	0.26	3.2	4.2
2000	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
2001	251	3.7	0.23	3.2	4.2	223	3.9	0.26	3.4	4.4
2002	236	3.4	0.22	3.0	3.9	213	3.6	0.25	3.1	4.2
2003	239	3.4	0.22	3.0	3.9	203	3.5	0.25	3.0	4.0
2004	262	3.7	0.23	3.3	4.2	218	3.8	0.26	3.3	4.3
2005	244	3.5	0.23	3.1	4.0	204	3.5	0.25	3.1	4.1
2006	241	3.4	0.22	3.0	3.9	209	3.6	0.25	3.1	4.1
2007	229	3.3	0.22	2.9	3.7	197	3.4	0.25	2.9	3.9
2008	240	3.3	0.22	2.9	3.7	209	3.4	0.24	3.0	3.9
2009	266	3.6	0.23	3.2	4.1	229	3.8	0.25	3.3	4.3
2010	307	4.2	0.24	3.7	4.7	255	4.2	0.27	3.7	4.8
2011	312	4.2	0.24	3.7	4.7	263	4.3	0.27	3.8	4.8
2012	288	3.8	0.23	3.3	4.3	236	3.8	0.25	3.3	4.3
2013	314	4.0	0.23	3.6	4.5	266	4.2	0.26	3.7	4.7
2014	304	3.9	0.23	3.5	4.4	258	4.1	0.26	3.6	4.6
2015	273	3.5	0.22	3.1	4.0	239	3.8	0.26	3.3	4.4
2016	286	3.8	0.23	3.4	4.3	232	3.8	0.26	3.3	4.4
2017	303	3.9	0.23	3.4	4.4	259	4.1	0.26	3.6	4.7
2018	274	3.4	0.21	3.0	3.9	220	3.4	0.24	3.0	3.9
2019	280	3.4	0.21	3.0	3.9	231	3.6	0.25	3.1	4.1
2020	312	3.9	0.23	3.5	4.4	243	3.7	0.25	3.3	4.3
2021	313	4.0	0.23	3.5	4.4	252	4.0	0.26	3.5	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Acute Myeloid Leukemia											
Females											
Year	Blacks					Asian or Other Races					
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2021	967	3.0	0.10	2.8	3.2	220	2.4	0.17	2.1	2.8	
1986	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6	
1987	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8	
1988	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1	
1989	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7	
1990	16	2.1	0.54	1.2	3.4	0					
1991	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5	
1992	12	1.6	0.48	0.8	2.8	4	3.2	1.61	0.8	8.4	
1993	10	1.3	0.41	0.6	2.3	0					
1994	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3	
1995	23	2.9	0.61	1.8	4.3	2	2.0	1.50	0.2	6.8	
1996	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0	
1997	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7	
1998	25	2.9	0.59	1.9	4.3	6	3.9	1.70	1.3	8.6	
1999	27	3.1	0.61	2.0	4.5	2	0.7	0.49	0.1	3.1	
2000	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.1	
2001	25	2.9	0.58	1.9	4.2	3	1.0	0.60	0.2	3.3	
2002	20	2.2	0.50	1.3	3.4	3	1.1	0.64	0.2	3.4	
2003	30	3.3	0.61	2.2	4.8	5	2.0	0.92	0.6	4.8	
2004	37	4.1	0.68	2.9	5.6	7	2.9	1.15	1.1	6.1	
2005	29	3.2	0.61	2.2	4.6	9	3.3	1.23	1.4	6.7	
2006	26	2.9	0.58	1.9	4.3	5	2.0	0.91	0.6	4.6	
2007	24	2.5	0.52	1.6	3.7	8	3.6	1.33	1.5	7.1	
2008	21	2.3	0.51	1.4	3.5	9	3.3	1.17	1.5	6.4	
2009	30	3.3	0.60	2.2	4.7	5	1.4	0.61	0.4	3.3	
2010	41	4.1	0.65	2.9	5.6	10	3.9	1.28	1.8	7.1	
2011	37	3.7	0.61	2.6	5.1	12	3.8	1.17	1.9	6.8	
2012	38	3.8	0.62	2.6	5.2	11	3.4	1.07	1.7	6.2	
2013	39	3.6	0.58	2.5	4.9	6	2.0	0.84	0.7	4.3	
2014	35	3.5	0.59	2.4	4.8	11	2.8	0.87	1.3	5.1	
2015	30	2.8	0.53	1.9	4.1	3	0.7	0.45	0.1	2.2	
2016	39	3.5	0.57	2.5	4.8	15	3.5	0.91	1.9	5.8	
2017	38	3.5	0.58	2.4	4.8	6	1.4	0.59	0.5	3.1	
2018	40	3.6	0.58	2.6	4.9	14	3.1	0.85	1.7	5.3	
2019	40	3.4	0.54	2.4	4.7	8	1.7	0.59	0.7	3.3	
2020	52	4.6	0.65	3.4	6.1	13	2.9	0.80	1.5	4.9	
2021	39	3.5	0.57	2.5	4.8	17	3.3	0.82	1.9	5.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	7,896	1.7	0.02	1.7	1.8	6,644	1.7	0.02	1.7	1.8
1986	139	1.3	0.11	1.1	1.6	122	1.3	0.12	1.1	1.6
1987	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
1988	113	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	131	1.3	0.11	1.1	1.5	105	1.2	0.11	0.9	1.4
1990	157	1.4	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1991	166	1.5	0.12	1.3	1.7	151	1.6	0.13	1.3	1.8
1992	155	1.4	0.11	1.2	1.6	136	1.4	0.12	1.2	1.7
1993	174	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.8
1994	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	220	1.9	0.13	1.7	2.2	183	1.8	0.14	1.6	2.1
1996	205	1.8	0.12	1.5	2.0	177	1.8	0.13	1.5	2.1
1997	188	1.6	0.12	1.4	1.9	163	1.6	0.13	1.4	1.9
1998	203	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
1999	225	1.9	0.13	1.6	2.1	190	1.9	0.13	1.6	2.1
2000	220	1.8	0.12	1.6	2.1	186	1.8	0.13	1.6	2.1
2001	245	2.0	0.13	1.8	2.3	214	2.1	0.14	1.8	2.4
2002	197	1.6	0.12	1.4	1.9	161	1.6	0.12	1.3	1.8
2003	236	1.9	0.12	1.7	2.2	207	2.0	0.14	1.7	2.3
2004	253	2.0	0.13	1.8	2.3	214	2.0	0.14	1.8	2.3
2005	212	1.7	0.12	1.5	1.9	175	1.7	0.13	1.4	1.9
2006	234	1.8	0.12	1.6	2.1	197	1.8	0.13	1.6	2.1
2007	202	1.6	0.11	1.4	1.8	163	1.5	0.12	1.3	1.8
2008	228	1.8	0.12	1.5	2.0	185	1.7	0.13	1.5	2.0
2009	237	1.8	0.12	1.6	2.1	204	1.9	0.13	1.6	2.2
2010	268	2.0	0.12	1.8	2.3	228	2.1	0.14	1.8	2.4
2011	287	2.1	0.13	1.9	2.4	234	2.1	0.14	1.8	2.4
2012	244	1.8	0.12	1.6	2.1	204	1.9	0.13	1.6	2.1
2013	238	1.7	0.11	1.5	2.0	196	1.7	0.13	1.5	2.0
2014	269	1.9	0.12	1.7	2.2	228	2.0	0.13	1.7	2.3
2015	235	1.7	0.11	1.5	1.9	197	1.7	0.12	1.5	2.0
2016	270	1.9	0.12	1.7	2.1	224	1.9	0.13	1.7	2.2
2017	284	2.0	0.12	1.7	2.2	230	2.0	0.13	1.7	2.2
2018	295	2.0	0.12	1.8	2.3	239	2.0	0.14	1.8	2.3
2019	291	2.0	0.12	1.7	2.2	240	2.0	0.13	1.7	2.3
2020	255	1.7	0.11	1.5	1.9	207	1.7	0.12	1.5	2.0
2021	272	1.8	0.11	1.6	2.1	216	1.8	0.13	1.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Myeloid Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	962	1.7	0.06	1.6	1.8	196	1.1	0.09	1.0	1.3
1986	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
1987	7	0.6	0.22	0.2	1.2	2	0.7	0.51	0.1	3.6
1988	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
1989	22	2.0	0.43	1.2	3.0	4	1.5	0.76	0.4	4.4
1990	20	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
1991	15	1.2	0.31	0.6	2.0	0				
1992	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
1993	21	1.6	0.37	1.0	2.5	3	0.8	0.45	0.2	2.8
1994	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
1995	34	2.5	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
1996	22	1.6	0.36	1.0	2.5	5	1.0	0.45	0.3	2.7
1997	21	1.5	0.34	0.9	2.3	2	0.5	0.35	0.1	2.1
1998	21	1.4	0.30	0.8	2.1	5	2.5	1.27	0.7	6.0
1999	29	2.1	0.40	1.4	3.0	4	1.5	0.84	0.3	4.0
2000	27	1.8	0.35	1.1	2.6	6	1.5	0.67	0.5	3.5
2001	20	1.4	0.32	0.8	2.1	8	1.8	0.74	0.7	3.9
2002	28	1.9	0.38	1.3	2.8	7	1.6	0.66	0.6	3.5
2003	24	1.7	0.35	1.1	2.5	4	1.2	0.67	0.3	3.2
2004	27	1.8	0.36	1.2	2.7	8	1.8	0.75	0.6	3.8
2005	28	1.9	0.36	1.2	2.7	4	0.8	0.41	0.2	2.1
2006	32	2.0	0.36	1.3	2.8	2	0.3	0.21	0.0	1.3
2007	26	1.6	0.31	1.0	2.3	9	1.7	0.62	0.7	3.4
2008	31	1.9	0.34	1.3	2.7	7	1.3	0.51	0.5	2.7
2009	24	1.5	0.30	0.9	2.2	5	0.7	0.31	0.2	1.7
2010	32	1.8	0.32	1.2	2.5	5	1.0	0.50	0.3	2.4
2011	38	2.1	0.35	1.5	2.9	9	1.7	0.61	0.7	3.3
2012	34	2.0	0.34	1.4	2.8	6	0.7	0.30	0.3	1.7
2013	30	1.6	0.30	1.1	2.3	9	1.5	0.53	0.6	2.9
2014	34	1.9	0.32	1.3	2.6	7	0.8	0.31	0.3	1.7
2015	28	1.4	0.28	1.0	2.1	6	0.8	0.32	0.3	1.7
2016	32	1.6	0.29	1.1	2.3	9	1.2	0.41	0.5	2.3
2017	41	2.1	0.34	1.5	2.9	5	0.6	0.27	0.2	1.4
2018	41	2.1	0.33	1.5	2.8	11	1.2	0.36	0.6	2.1
2019	34	1.7	0.30	1.2	2.4	13	1.6	0.45	0.8	2.7
2020	32	1.7	0.31	1.1	2.4	11	1.2	0.37	0.6	2.2
2021	40	2.1	0.34	1.5	2.9	7	0.7	0.28	0.3	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,524	2.3	0.03	2.2	2.4	3,837	2.3	0.04	2.2	2.4
1986	85	1.8	0.21	1.4	2.3	74	1.8	0.22	1.4	2.3
1987	80	1.8	0.20	1.4	2.2	75	1.9	0.23	1.5	2.4
1988	64	1.5	0.20	1.2	2.0	55	1.5	0.21	1.1	2.0
1989	78	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
1990	83	1.8	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1991	90	1.9	0.21	1.5	2.3	85	2.1	0.23	1.6	2.6
1992	90	1.9	0.21	1.5	2.3	78	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	87	2.1	0.23	1.7	2.6
1994	111	2.3	0.22	1.9	2.7	97	2.3	0.24	1.8	2.8
1995	118	2.4	0.22	1.9	2.8	102	2.4	0.24	1.9	2.9
1996	120	2.5	0.24	2.1	3.0	105	2.6	0.26	2.1	3.1
1997	110	2.3	0.22	1.8	2.7	97	2.3	0.24	1.9	2.8
1998	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
1999	133	2.6	0.23	2.2	3.1	116	2.6	0.24	2.2	3.1
2000	123	2.4	0.22	2.0	2.8	103	2.3	0.23	1.9	2.8
2001	141	2.8	0.24	2.3	3.3	122	2.8	0.26	2.3	3.4
2002	113	2.2	0.21	1.8	2.7	92	2.1	0.22	1.7	2.6
2003	135	2.6	0.22	2.2	3.1	115	2.6	0.24	2.1	3.1
2004	146	2.8	0.23	2.3	3.2	131	2.9	0.25	2.4	3.4
2005	137	2.5	0.22	2.1	3.0	115	2.5	0.23	2.0	3.0
2006	140	2.6	0.22	2.2	3.0	118	2.5	0.24	2.1	3.0
2007	112	2.0	0.19	1.6	2.4	87	1.9	0.20	1.5	2.3
2008	128	2.3	0.20	1.9	2.7	104	2.2	0.22	1.8	2.7
2009	115	2.0	0.19	1.7	2.4	98	2.1	0.21	1.7	2.5
2010	159	2.7	0.22	2.3	3.2	135	2.8	0.24	2.3	3.3
2011	174	2.9	0.23	2.5	3.4	140	2.8	0.24	2.4	3.3
2012	139	2.3	0.20	2.0	2.8	117	2.4	0.22	1.9	2.8
2013	125	2.0	0.19	1.7	2.4	103	2.0	0.20	1.6	2.4
2014	154	2.4	0.20	2.1	2.9	137	2.6	0.23	2.2	3.1
2015	128	2.0	0.18	1.7	2.4	107	2.0	0.20	1.7	2.5
2016	152	2.4	0.20	2.0	2.8	121	2.3	0.21	1.9	2.8
2017	169	2.5	0.20	2.2	3.0	139	2.5	0.22	2.1	3.0
2018	180	2.7	0.21	2.3	3.1	149	2.8	0.23	2.3	3.2
2019	173	2.6	0.20	2.2	3.0	144	2.6	0.22	2.2	3.1
2020	136	2.0	0.18	1.7	2.4	115	2.1	0.20	1.7	2.5
2021	165	2.4	0.19	2.1	2.8	142	2.6	0.22	2.1	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Myeloid Leukemia										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	524	2.2	0.10	2.0	2.4	113	1.4	0.14	1.1	1.7
1986	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
1987	3	0.5	0.32	0.1	1.6	2	1.4	1.01	0.2	8.0
1988	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
1989	12	2.7	0.82	1.3	4.7	4	3.2	1.69	0.8	9.9
1990	13	2.3	0.74	1.1	4.2	1	4.6	4.56	0.1	18.3
1991	5	0.8	0.37	0.3	2.0	0				
1992	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
1993	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
1994	11	2.0	0.63	0.9	3.6	1	0.5	0.54	0.0	4.8
1995	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
1996	12	2.0	0.59	1.0	3.5	3	1.2	0.69	0.2	5.0
1997	13	2.4	0.73	1.2	4.2	0				
1998	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
1999	13	2.5	0.75	1.2	4.3	2	1.6	1.29	0.1	6.1
2000	16	2.8	0.76	1.5	4.6	4	2.5	1.42	0.5	7.0
2001	10	1.8	0.59	0.8	3.3	6	2.0	0.82	0.7	5.1
2002	16	3.0	0.79	1.7	4.9	5	2.8	1.41	0.7	7.0
2003	17	2.8	0.71	1.6	4.5	2	0.8	0.54	0.1	3.3
2004	10	1.8	0.61	0.8	3.3	4	2.4	1.57	0.3	6.9
2005	16	2.7	0.73	1.5	4.5	3	1.4	0.83	0.2	4.2
2006	21	3.5	0.81	2.1	5.4	1	0.4	0.36	0.0	2.4
2007	16	2.3	0.61	1.3	3.8	7	3.2	1.36	1.1	6.9
2008	17	2.3	0.60	1.3	3.8	3	1.0	0.60	0.2	3.3
2009	12	1.9	0.58	0.9	3.3	4	1.2	0.60	0.3	3.3
2010	22	2.7	0.60	1.7	4.2	2	0.5	0.34	0.1	2.2
2011	22	2.8	0.61	1.7	4.3	6	2.7	1.20	0.9	5.9
2012	21	3.1	0.70	1.9	4.8	1	0.2	0.23	0.0	1.7
2013	14	1.8	0.51	1.0	3.1	5	1.2	0.54	0.4	3.0
2014	13	1.5	0.44	0.8	2.6	4	1.0	0.50	0.3	2.7
2015	17	2.0	0.51	1.2	3.3	2	0.4	0.30	0.1	1.8
2016	18	2.1	0.52	1.2	3.4	8	2.2	0.81	0.9	4.4
2017	22	2.6	0.58	1.6	4.0	2	0.4	0.29	0.1	1.6
2018	25	2.9	0.60	1.9	4.4	4	0.9	0.43	0.2	2.3
2019	18	1.9	0.47	1.1	3.1	8	2.5	0.90	1.0	4.8
2020	15	1.7	0.46	0.9	2.9	5	1.1	0.51	0.4	2.7
2021	18	2.0	0.49	1.2	3.2	3	0.7	0.37	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,372	1.3	0.02	1.3	1.4	2,807	1.3	0.03	1.3	1.4
1986	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1989	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
1990	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1991	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
1992	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1993	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1994	102	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
1995	102	1.5	0.15	1.3	1.9	81	1.4	0.16	1.1	1.8
1996	85	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.5
1997	78	1.2	0.13	0.9	1.5	66	1.1	0.14	0.9	1.5
1998	86	1.3	0.14	1.0	1.6	75	1.3	0.15	1.0	1.6
1999	92	1.4	0.14	1.1	1.7	74	1.3	0.15	1.0	1.6
2000	97	1.4	0.15	1.2	1.8	83	1.4	0.16	1.2	1.8
2001	104	1.5	0.15	1.3	1.9	92	1.6	0.17	1.3	2.0
2002	84	1.2	0.13	1.0	1.5	69	1.2	0.14	0.9	1.5
2003	101	1.4	0.14	1.2	1.7	92	1.6	0.17	1.3	1.9
2004	107	1.5	0.15	1.3	1.9	83	1.4	0.16	1.1	1.7
2005	75	1.1	0.12	0.8	1.3	60	1.0	0.14	0.8	1.3
2006	94	1.3	0.13	1.0	1.6	79	1.3	0.15	1.0	1.6
2007	90	1.3	0.14	1.0	1.6	76	1.3	0.15	1.0	1.6
2008	100	1.4	0.14	1.1	1.7	81	1.3	0.15	1.1	1.7
2009	122	1.7	0.15	1.4	2.0	106	1.8	0.17	1.4	2.2
2010	109	1.4	0.14	1.2	1.7	93	1.5	0.16	1.2	1.8
2011	113	1.6	0.15	1.3	1.9	94	1.6	0.17	1.3	2.0
2012	105	1.4	0.14	1.2	1.8	87	1.5	0.16	1.2	1.8
2013	113	1.5	0.15	1.3	1.9	93	1.6	0.17	1.3	1.9
2014	115	1.5	0.15	1.2	1.8	91	1.5	0.16	1.2	1.8
2015	107	1.4	0.14	1.2	1.7	90	1.5	0.16	1.2	1.9
2016	118	1.5	0.14	1.2	1.8	103	1.6	0.16	1.3	2.0
2017	115	1.5	0.15	1.3	1.9	91	1.5	0.16	1.2	1.9
2018	115	1.5	0.14	1.2	1.8	90	1.5	0.16	1.2	1.8
2019	118	1.5	0.15	1.3	1.8	96	1.6	0.17	1.3	1.9
2020	119	1.5	0.14	1.2	1.8	92	1.4	0.16	1.1	1.8
2021	107	1.4	0.14	1.1	1.7	74	1.2	0.14	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Chronic Myeloid Leukemia										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	438	1.4	0.07	1.2	1.5	83	0.9	0.10	0.7	1.1
1986	6	0.9	0.35	0.3	1.9	0				
1987	4	0.6	0.31	0.2	1.6	0				
1988	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
1989	10	1.5	0.49	0.7	2.8	0				
1990	7	0.9	0.34	0.4	1.9	0				
1991	10	1.4	0.44	0.6	2.5	0				
1992	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
1993	9	1.3	0.45	0.6	2.5	1	0.5	0.47	0.0	3.8
1994	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
1995	20	2.6	0.59	1.6	4.0	1	0.6	0.60	0.0	3.7
1996	10	1.3	0.43	0.6	2.4	2	0.8	0.60	0.1	3.7
1997	8	1.0	0.34	0.4	1.9	2	1.0	0.68	0.1	3.9
1998	9	1.0	0.34	0.5	1.9	1	0.4	0.44	0.0	2.9
1999	16	1.9	0.48	1.1	3.1	2	1.5	1.10	0.2	5.1
2000	11	1.2	0.36	0.6	2.1	2	0.8	0.54	0.1	3.1
2001	10	1.2	0.37	0.5	2.1	2	1.5	1.04	0.2	4.8
2002	12	1.3	0.39	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	7	0.9	0.33	0.3	1.7	2	1.4	0.99	0.2	4.5
2004	17	1.9	0.47	1.1	3.1	4	1.5	0.83	0.4	4.1
2005	12	1.3	0.39	0.7	2.3	1	0.3	0.29	0.0	2.0
2006	11	1.1	0.32	0.5	1.9	1	0.3	0.26	0.0	1.8
2007	10	1.0	0.33	0.5	1.9	2	0.5	0.37	0.1	2.1
2008	14	1.5	0.40	0.8	2.5	4	1.4	0.74	0.4	3.7
2009	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.5
2010	10	0.9	0.30	0.4	1.7	3	1.3	0.77	0.2	3.6
2011	16	1.5	0.38	0.9	2.5	3	1.0	0.62	0.2	3.0
2012	13	1.3	0.36	0.7	2.2	5	1.2	0.53	0.4	2.9
2013	16	1.5	0.37	0.8	2.4	4	1.4	0.73	0.4	3.5
2014	21	2.1	0.46	1.3	3.2	3	0.6	0.37	0.1	2.0
2015	11	1.0	0.30	0.5	1.8	4	1.0	0.53	0.3	2.6
2016	14	1.2	0.32	0.6	2.0	1	0.3	0.32	0.0	1.6
2017	19	1.8	0.43	1.1	2.9	3	0.7	0.40	0.1	2.0
2018	16	1.3	0.33	0.7	2.2	7	1.4	0.56	0.6	3.0
2019	16	1.5	0.39	0.9	2.5	5	1.0	0.46	0.3	2.4
2020	17	1.7	0.42	1.0	2.7	6	1.3	0.53	0.5	2.8
2021	22	2.1	0.45	1.3	3.2	4	0.8	0.42	0.2	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Other Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,095	0.9	0.01	0.9	0.9	3,541	0.9	0.02	0.9	0.9
1986	95	0.9	0.09	0.7	1.1	87	0.9	0.10	0.8	1.2
1987	118	1.1	0.10	0.9	1.3	108	1.2	0.11	1.0	1.4
1988	97	0.9	0.09	0.7	1.1	81	0.9	0.09	0.7	1.1
1989	97	0.9	0.09	0.7	1.1	85	0.9	0.10	0.7	1.1
1990	95	0.9	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1991	71	0.7	0.08	0.5	0.8	63	0.7	0.08	0.5	0.9
1992	68	0.6	0.07	0.5	0.8	60	0.6	0.08	0.5	0.8
1993	124	1.1	0.10	0.9	1.3	111	1.1	0.11	0.9	1.3
1994	161	1.4	0.11	1.2	1.7	144	1.4	0.12	1.2	1.7
1995	161	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.7
1996	134	1.2	0.10	1.0	1.4	116	1.1	0.11	0.9	1.4
1997	127	1.1	0.10	0.9	1.3	107	1.0	0.10	0.9	1.3
1998	135	1.1	0.10	1.0	1.3	117	1.1	0.10	0.9	1.4
1999	173	1.4	0.11	1.2	1.7	152	1.4	0.12	1.2	1.7
2000	159	1.3	0.10	1.1	1.5	138	1.3	0.11	1.1	1.6
2001	91	0.7	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9
2002	139	1.1	0.10	1.0	1.3	116	1.1	0.10	0.9	1.3
2003	116	0.9	0.09	0.8	1.1	100	0.9	0.09	0.8	1.1
2004	96	0.8	0.08	0.6	0.9	81	0.7	0.08	0.6	0.9
2005	115	0.9	0.08	0.7	1.1	99	0.9	0.09	0.7	1.1
2006	106	0.8	0.08	0.7	1.0	89	0.8	0.09	0.6	1.0
2007	109	0.8	0.08	0.7	1.0	93	0.8	0.09	0.7	1.0
2008	101	0.8	0.08	0.6	1.0	92	0.8	0.09	0.7	1.0
2009	94	0.7	0.07	0.6	0.9	80	0.7	0.08	0.6	0.9
2010	105	0.8	0.07	0.6	0.9	89	0.8	0.08	0.6	0.9
2011	125	0.9	0.08	0.8	1.1	109	0.9	0.09	0.8	1.1
2012	105	0.8	0.07	0.6	0.9	85	0.7	0.08	0.6	0.9
2013	109	0.8	0.08	0.6	0.9	86	0.7	0.08	0.6	0.9
2014	121	0.9	0.08	0.7	1.0	103	0.9	0.09	0.7	1.1
2015	98	0.7	0.07	0.6	0.9	83	0.7	0.08	0.6	0.9
2016	97	0.7	0.07	0.5	0.8	88	0.7	0.08	0.6	0.9
2017	125	0.8	0.08	0.7	1.0	107	0.9	0.09	0.7	1.1
2018	98	0.7	0.07	0.5	0.8	83	0.7	0.08	0.6	0.9
2019	101	0.7	0.07	0.5	0.8	83	0.7	0.07	0.5	0.8
2020	98	0.6	0.07	0.5	0.8	84	0.7	0.07	0.5	0.8
2021	131	0.9	0.08	0.7	1.0	107	0.8	0.08	0.7	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Other Leukemia										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	462	0.9	0.04	0.8	1.0	63	0.4	0.05	0.3	0.5
1986	8	0.7	0.26	0.3	1.4	0				
1987	8	0.6	0.22	0.3	1.2	2	0.9	0.68	0.1	4.0
1988	12	1.1	0.32	0.5	1.9	3	1.1	0.66	0.2	4.0
1989	11	0.9	0.27	0.4	1.6	1	0.3	0.28	0.0	2.7
1990	6	0.5	0.20	0.2	1.0	1	0.3	0.27	0.0	2.6
1991	8	0.7	0.27	0.3	1.4	0				
1992	8	0.6	0.24	0.3	1.3	0				
1993	11	1.0	0.30	0.5	1.7	2	0.6	0.48	0.1	2.8
1994	17	1.4	0.36	0.8	2.3	0				
1995	10	0.8	0.27	0.4	1.5	2	1.1	0.87	0.1	3.9
1996	13	1.1	0.32	0.6	1.9	5	1.6	0.79	0.4	4.0
1997	20	1.6	0.36	0.9	2.4	0				
1998	16	1.2	0.31	0.7	2.0	1	0.2	0.17	0.0	1.5
1999	20	1.5	0.35	0.9	2.4	1	0.2	0.21	0.0	1.5
2000	18	1.3	0.32	0.8	2.1	2	0.5	0.34	0.1	1.9
2001	11	0.9	0.26	0.4	1.5	2	0.4	0.26	0.0	1.6
2002	21	1.7	0.37	1.0	2.5	0				
2003	16	1.2	0.29	0.7	1.9	0				
2004	12	0.9	0.26	0.4	1.5	2	0.5	0.42	0.1	2.0
2005	12	0.9	0.26	0.5	1.5	4	1.1	0.60	0.2	2.8
2006	15	1.1	0.29	0.6	1.8	2	0.6	0.42	0.1	1.9
2007	13	0.9	0.25	0.5	1.5	3	0.9	0.52	0.2	2.4
2008	8	0.5	0.19	0.2	1.0	1	0.1	0.12	0.0	0.9
2009	12	0.7	0.22	0.4	1.3	2	0.3	0.20	0.0	1.1
2010	11	0.7	0.21	0.3	1.2	2	0.4	0.25	0.0	1.3
2011	13	0.9	0.25	0.5	1.5	2	0.4	0.28	0.0	1.3
2012	16	0.9	0.22	0.5	1.4	4	0.7	0.38	0.2	1.8
2013	15	0.9	0.23	0.5	1.5	3	0.5	0.28	0.1	1.4
2014	15	0.8	0.22	0.5	1.4	2	0.3	0.18	0.0	1.0
2015	13	0.7	0.20	0.4	1.3	1	0.1	0.10	0.0	0.7
2016	8	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2017	14	0.7	0.20	0.4	1.2	4	0.5	0.27	0.1	1.3
2018	12	0.6	0.18	0.3	1.1	2	0.2	0.16	0.0	0.8
2019	14	0.7	0.19	0.4	1.2	1	0.1	0.14	0.0	0.7
2020	9	0.4	0.14	0.2	0.8	1	0.1	0.13	0.0	0.7
2021	16	0.9	0.22	0.5	1.4	4	0.5	0.24	0.1	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Other Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,174	1.2	0.03	1.1	1.2	1,877	1.2	0.03	1.1	1.3
1986	45	1.1	0.16	0.8	1.4	41	1.1	0.17	0.8	1.5
1987	63	1.4	0.19	1.1	1.8	58	1.5	0.20	1.1	2.0
1988	51	1.1	0.17	0.8	1.5	42	1.1	0.17	0.8	1.5
1989	54	1.2	0.17	0.9	1.6	48	1.2	0.18	0.9	1.6
1990	55	1.2	0.17	0.9	1.6	52	1.3	0.19	1.0	1.7
1991	35	0.8	0.14	0.6	1.1	32	0.8	0.15	0.6	1.2
1992	42	0.9	0.15	0.7	1.3	37	0.9	0.16	0.7	1.3
1993	63	1.4	0.18	1.0	1.8	54	1.4	0.19	1.0	1.8
1994	84	1.9	0.21	1.5	2.3	76	1.9	0.23	1.5	2.4
1995	82	1.8	0.21	1.4	2.3	76	1.9	0.22	1.5	2.4
1996	77	1.8	0.21	1.4	2.2	64	1.7	0.21	1.3	2.2
1997	69	1.6	0.20	1.3	2.1	60	1.6	0.22	1.2	2.1
1998	71	1.6	0.19	1.2	2.0	65	1.7	0.21	1.3	2.1
1999	84	1.9	0.21	1.5	2.3	73	1.9	0.22	1.5	2.3
2000	72	1.5	0.18	1.2	1.9	63	1.5	0.19	1.2	1.9
2001	48	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.3
2002	77	1.5	0.18	1.2	1.9	67	1.6	0.19	1.2	2.0
2003	55	1.1	0.16	0.9	1.5	46	1.1	0.16	0.8	1.5
2004	55	1.2	0.16	0.9	1.5	47	1.1	0.17	0.8	1.5
2005	65	1.4	0.17	1.0	1.7	53	1.3	0.18	1.0	1.7
2006	56	1.1	0.15	0.8	1.5	45	1.0	0.16	0.8	1.4
2007	52	1.0	0.15	0.8	1.4	45	1.0	0.15	0.8	1.4
2008	56	1.1	0.15	0.8	1.4	52	1.2	0.16	0.9	1.5
2009	47	0.9	0.13	0.6	1.2	39	0.8	0.14	0.6	1.2
2010	53	1.0	0.13	0.7	1.2	46	1.0	0.15	0.7	1.3
2011	68	1.3	0.16	1.0	1.6	56	1.2	0.16	0.9	1.6
2012	58	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3
2013	62	1.1	0.14	0.8	1.4	49	1.0	0.15	0.7	1.3
2014	63	1.1	0.14	0.8	1.4	53	1.1	0.15	0.8	1.4
2015	55	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3
2016	54	0.8	0.12	0.6	1.1	51	0.9	0.14	0.7	1.3
2017	66	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
2018	50	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
2019	59	0.9	0.11	0.6	1.1	49	0.9	0.12	0.6	1.1
2020	57	0.9	0.12	0.6	1.1	48	0.9	0.13	0.6	1.2
2021	71	1.1	0.13	0.8	1.4	58	1.1	0.14	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Other Leukemia										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	240	1.1	0.08	1.0	1.3	42	0.6	0.09	0.4	0.8
1986	4	1.0	0.55	0.2	2.6	0				
1987	3	0.6	0.39	0.1	1.9	2	2.0	1.56	0.2	9.4
1988	7	1.6	0.67	0.5	3.4	1	1.2	1.18	0.0	7.8
1989	6	1.1	0.46	0.4	2.4	0				
1990	3	0.6	0.33	0.1	1.7	0				
1991	3	1.0	0.58	0.2	2.6	0				
1992	5	0.9	0.51	0.2	2.4	0				
1993	7	1.5	0.61	0.6	3.1	2	1.4	1.10	0.1	6.5
1994	8	1.8	0.72	0.7	3.6	0				
1995	5	0.9	0.41	0.3	2.1	1	0.7	0.74	0.0	5.0
1996	11	2.5	0.84	1.2	4.6	2	1.2	0.85	0.1	5.3
1997	9	1.6	0.60	0.7	3.2	0				
1998	5	0.7	0.33	0.2	1.7	1	0.3	0.33	0.0	3.6
1999	11	2.3	0.73	1.1	4.1	0				
2000	7	1.2	0.49	0.5	2.6	2	1.0	0.69	0.1	4.2
2001	6	1.2	0.55	0.4	2.7	2	0.8	0.53	0.1	3.6
2002	9	1.4	0.51	0.6	2.8	0				
2003	9	1.4	0.49	0.6	2.7	0				
2004	5	1.0	0.49	0.3	2.4	2	1.2	0.98	0.1	4.6
2005	8	1.5	0.56	0.6	2.9	4	2.7	1.59	0.5	7.2
2006	11	1.8	0.55	0.9	3.2	0				
2007	6	1.3	0.53	0.5	2.7	1	0.9	0.91	0.0	4.0
2008	4	0.6	0.34	0.2	1.6	0				
2009	7	1.1	0.46	0.4	2.3	1	0.3	0.26	0.0	2.0
2010	5	0.5	0.24	0.2	1.3	1	0.4	0.44	0.0	2.3
2011	9	1.6	0.56	0.7	3.1	2	0.8	0.63	0.1	3.0
2012	9	1.1	0.41	0.5	2.2	3	0.9	0.53	0.2	2.8
2013	6	0.7	0.31	0.3	1.6	3	1.0	0.60	0.2	2.9
2014	9	1.2	0.43	0.5	2.4	0				
2015	7	1.1	0.43	0.4	2.2	1	0.2	0.22	0.0	1.5
2016	2	0.2	0.13	0.0	0.8	1	0.3	0.25	0.0	1.5
2017	4	0.5	0.28	0.1	1.4	4	1.1	0.58	0.3	2.9
2018	6	0.7	0.31	0.3	1.6	2	0.5	0.32	0.1	1.7
2019	9	1.0	0.36	0.4	2.0	1	0.3	0.31	0.0	1.6
2020	5	0.6	0.25	0.2	1.3	1	0.3	0.29	0.0	1.5
2021	10	1.4	0.44	0.6	2.5	2	0.5	0.37	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Other Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,921	0.7	0.02	0.7	0.8	1,664	0.7	0.02	0.7	0.8
1986	50	0.8	0.12	0.6	1.1	46	0.9	0.13	0.6	1.2
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	46	0.7	0.11	0.5	1.0	39	0.7	0.11	0.5	0.9
1989	43	0.7	0.11	0.5	1.0	37	0.7	0.12	0.5	1.0
1990	40	0.6	0.10	0.4	0.8	36	0.6	0.11	0.4	0.9
1991	36	0.6	0.09	0.4	0.8	31	0.6	0.10	0.4	0.8
1992	26	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1993	61	0.9	0.11	0.7	1.1	57	0.9	0.12	0.7	1.2
1994	77	1.1	0.13	0.9	1.4	68	1.1	0.13	0.8	1.4
1995	79	1.1	0.13	0.9	1.4	73	1.2	0.14	0.9	1.5
1996	57	0.8	0.10	0.6	1.0	52	0.8	0.11	0.6	1.1
1997	58	0.8	0.11	0.6	1.1	47	0.8	0.11	0.6	1.0
1998	64	0.9	0.11	0.7	1.1	52	0.8	0.12	0.6	1.1
1999	89	1.2	0.13	1.0	1.5	79	1.2	0.14	1.0	1.5
2000	87	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5
2001	43	0.6	0.09	0.4	0.8	38	0.6	0.10	0.4	0.8
2002	62	0.8	0.11	0.6	1.1	49	0.8	0.11	0.6	1.0
2003	61	0.8	0.10	0.6	1.0	54	0.8	0.11	0.6	1.1
2004	41	0.5	0.08	0.4	0.7	34	0.5	0.09	0.3	0.7
2005	50	0.6	0.09	0.5	0.9	46	0.7	0.10	0.5	0.9
2006	50	0.6	0.09	0.5	0.8	44	0.6	0.10	0.5	0.9
2007	57	0.8	0.10	0.6	1.0	48	0.7	0.11	0.5	1.0
2008	45	0.6	0.09	0.4	0.8	40	0.6	0.10	0.4	0.8
2009	47	0.6	0.09	0.4	0.8	41	0.6	0.10	0.4	0.8
2010	52	0.6	0.09	0.5	0.8	43	0.6	0.09	0.4	0.8
2011	57	0.7	0.09	0.5	0.9	53	0.8	0.11	0.6	1.0
2012	47	0.6	0.08	0.4	0.8	39	0.6	0.09	0.4	0.8
2013	47	0.6	0.08	0.4	0.8	37	0.5	0.09	0.4	0.7
2014	58	0.7	0.09	0.5	0.9	50	0.7	0.10	0.5	0.9
2015	43	0.5	0.09	0.4	0.7	36	0.6	0.09	0.4	0.8
2016	43	0.5	0.08	0.4	0.7	37	0.6	0.09	0.4	0.8
2017	59	0.7	0.10	0.6	1.0	49	0.7	0.11	0.5	1.0
2018	48	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9
2019	42	0.5	0.08	0.4	0.7	34	0.5	0.09	0.3	0.7
2020	41	0.5	0.08	0.3	0.7	36	0.5	0.09	0.4	0.7
2021	60	0.7	0.09	0.5	0.9	49	0.7	0.10	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Other Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	222	0.7	0.05	0.6	0.8	21	0.2	0.05	0.1	0.4
1986	4	0.5	0.28	0.1	1.4	0				
1987	5	0.6	0.29	0.2	1.5	0				
1988	5	0.8	0.36	0.3	1.8	2	1.1	0.80	0.1	5.8
1989	5	0.7	0.33	0.2	1.7	1	0.5	0.54	0.0	4.9
1990	3	0.4	0.23	0.1	1.1	1	0.6	0.56	0.0	4.8
1991	5	0.6	0.30	0.2	1.5	0				
1992	3	0.4	0.26	0.1	1.2	0				
1993	4	0.6	0.31	0.2	1.5	0				
1994	9	1.3	0.43	0.6	2.4	0				
1995	5	0.7	0.33	0.2	1.7	1	1.3	1.32	0.0	5.9
1996	2	0.3	0.21	0.0	1.0	3	1.8	1.17	0.3	5.7
1997	11	1.5	0.46	0.8	2.7	0				
1998	11	1.4	0.43	0.7	2.5	0				
1999	9	1.1	0.37	0.5	2.1	1	0.4	0.40	0.0	2.7
2000	11	1.4	0.41	0.7	2.4	0				
2001	5	0.6	0.29	0.2	1.5	0				
2002	12	1.6	0.46	0.8	2.7	0				
2003	7	0.9	0.33	0.3	1.8	0				
2004	7	0.8	0.31	0.3	1.7	0				
2005	4	0.5	0.25	0.1	1.3	0				
2006	4	0.5	0.25	0.1	1.3	2	1.0	0.71	0.1	3.3
2007	7	0.7	0.27	0.3	1.5	2	0.9	0.68	0.1	3.2
2008	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.7
2009	5	0.5	0.24	0.2	1.3	1	0.3	0.32	0.0	1.8
2010	6	0.7	0.27	0.2	1.4	1	0.3	0.28	0.0	1.7
2011	4	0.4	0.22	0.1	1.1	0				
2012	7	0.7	0.26	0.3	1.4	1	0.4	0.43	0.0	2.0
2013	9	0.9	0.30	0.4	1.7	0				
2014	6	0.6	0.23	0.2	1.2	2	0.5	0.37	0.1	1.9
2015	6	0.6	0.23	0.2	1.2	0				
2016	6	0.5	0.22	0.2	1.2	0				
2017	10	1.0	0.32	0.5	1.8	0				
2018	6	0.6	0.24	0.2	1.2	0				
2019	5	0.4	0.20	0.1	1.0	0				
2020	4	0.3	0.16	0.1	0.9	0				
2021	6	0.5	0.22	0.2	1.2	2	0.4	0.31	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Mesothelioma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,996	1.1	0.02	1.1	1.1	4,711	1.2	0.02	1.2	1.2
1986	98	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1987	127	1.2	0.11	1.0	1.4	122	1.3	0.12	1.1	1.5
1988	134	1.2	0.11	1.0	1.4	126	1.3	0.12	1.1	1.5
1989	102	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2
1990	102	0.9	0.09	0.8	1.1	94	1.0	0.10	0.8	1.2
1991	120	1.1	0.10	0.9	1.3	116	1.2	0.11	1.0	1.4
1992	127	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4
1993	119	1.0	0.10	0.9	1.3	112	1.1	0.11	0.9	1.3
1994	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
1995	163	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.8
1996	142	1.2	0.10	1.0	1.4	128	1.3	0.11	1.1	1.5
1997	138	1.2	0.10	1.0	1.4	129	1.3	0.11	1.1	1.5
1998	156	1.3	0.11	1.1	1.6	149	1.5	0.12	1.2	1.7
1999	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
2000	143	1.2	0.10	1.0	1.4	137	1.3	0.11	1.1	1.6
2001	182	1.5	0.11	1.3	1.8	172	1.7	0.13	1.4	1.9
2002	155	1.3	0.10	1.1	1.5	151	1.5	0.12	1.2	1.7
2003	166	1.4	0.11	1.2	1.6	156	1.5	0.12	1.3	1.8
2004	145	1.2	0.10	1.0	1.4	138	1.3	0.11	1.1	1.6
2005	155	1.3	0.10	1.1	1.5	146	1.4	0.11	1.2	1.6
2006	162	1.3	0.10	1.1	1.5	152	1.4	0.12	1.2	1.7
2007	145	1.1	0.09	1.0	1.3	134	1.2	0.11	1.0	1.4
2008	164	1.3	0.10	1.1	1.5	160	1.5	0.12	1.3	1.7
2009	142	1.1	0.09	0.9	1.3	136	1.2	0.11	1.0	1.5
2010	147	1.1	0.09	1.0	1.3	139	1.3	0.11	1.1	1.5
2011	146	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.4
2012	161	1.2	0.09	1.0	1.4	148	1.3	0.11	1.1	1.5
2013	144	1.0	0.09	0.9	1.2	133	1.1	0.10	0.9	1.3
2014	157	1.1	0.09	1.0	1.3	150	1.3	0.11	1.1	1.5
2015	136	1.0	0.08	0.8	1.1	131	1.1	0.10	0.9	1.3
2016	126	0.9	0.08	0.7	1.0	121	1.0	0.09	0.8	1.2
2017	128	0.9	0.08	0.7	1.1	116	1.0	0.09	0.8	1.2
2018	116	0.8	0.07	0.7	1.0	113	0.9	0.09	0.8	1.1
2019	138	0.9	0.08	0.7	1.1	126	1.0	0.09	0.8	1.2
2020	118	0.8	0.07	0.6	0.9	109	0.9	0.08	0.7	1.0
2021	112	0.7	0.07	0.6	0.9	105	0.8	0.08	0.7	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Mesothelioma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	226	0.4	0.03	0.4	0.5	52	0.3	0.05	0.2	0.4
1986	3	0.3	0.15	0.1	0.8	0				
1987	4	0.4	0.18	0.1	0.9	1	0.6	0.62	0.0	3.7
1988	8	0.7	0.26	0.3	1.4	0				
1989	5	0.4	0.19	0.1	1.0	0				
1990	6	0.5	0.20	0.2	1.1	1	0.5	0.51	0.0	3.2
1991	3	0.3	0.15	0.1	0.7	1	0.3	0.33	0.0	2.6
1992	5	0.5	0.21	0.2	1.1	2	0.7	0.48	0.1	2.9
1993	5	0.5	0.21	0.2	1.1	2	0.9	0.65	0.1	3.3
1994	7	0.6	0.21	0.2	1.1	0				
1995	14	1.1	0.31	0.6	1.9	0				
1996	13	0.9	0.25	0.5	1.5	1	0.2	0.24	0.0	1.8
1997	8	0.6	0.20	0.2	1.1	1	0.7	0.68	0.0	3.0
1998	7	0.5	0.21	0.2	1.1	0				
1999	6	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	2.1
2000	6	0.5	0.19	0.2	1.0	0				
2001	9	0.6	0.22	0.3	1.2	1	0.3	0.29	0.0	1.6
2002	4	0.3	0.17	0.1	0.8	0				
2003	4	0.3	0.13	0.1	0.6	5	1.5	0.68	0.5	3.4
2004	7	0.5	0.18	0.2	1.0	0				
2005	8	0.6	0.21	0.3	1.1	1	0.2	0.15	0.0	1.1
2006	6	0.4	0.17	0.2	0.9	4	0.9	0.48	0.2	2.3
2007	10	0.6	0.19	0.3	1.1	0				
2008	2	0.2	0.11	0.0	0.5	2	0.3	0.20	0.0	1.2
2009	5	0.3	0.14	0.1	0.7	1	0.3	0.31	0.0	1.4
2010	7	0.5	0.18	0.2	1.0	1	0.3	0.30	0.0	1.4
2011	8	0.5	0.18	0.2	1.0	3	0.5	0.33	0.1	1.6
2012	12	0.7	0.22	0.4	1.3	1	0.1	0.12	0.0	0.8
2013	7	0.4	0.16	0.2	0.8	4	0.7	0.38	0.2	1.8
2014	5	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2015	5	0.3	0.12	0.1	0.6	0				
2016	1	0.0	0.04	0.0	0.3	3	0.3	0.20	0.1	1.0
2017	7	0.4	0.15	0.2	0.8	4	0.6	0.32	0.2	1.6
2018	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.7
2019	8	0.4	0.14	0.2	0.8	4	0.4	0.23	0.1	1.2
2020	6	0.3	0.13	0.1	0.7	3	0.3	0.20	0.1	1.0
2021	3	0.2	0.11	0.0	0.5	2	0.2	0.14	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Mesothelioma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,726	2.0	0.03	1.9	2.0	3,525	2.2	0.04	2.1	2.2
1986	74	1.6	0.19	1.3	2.0	73	1.8	0.22	1.4	2.3
1987	97	2.2	0.23	1.7	2.6	92	2.3	0.25	1.8	2.8
1988	96	2.1	0.21	1.7	2.5	90	2.2	0.23	1.7	2.7
1989	82	1.8	0.21	1.5	2.3	77	2.0	0.23	1.5	2.4
1990	77	1.7	0.19	1.3	2.1	71	1.7	0.21	1.3	2.2
1991	97	2.1	0.22	1.7	2.5	93	2.2	0.24	1.8	2.8
1992	91	2.0	0.21	1.6	2.5	86	2.1	0.23	1.7	2.6
1993	86	1.9	0.21	1.5	2.3	80	2.0	0.22	1.6	2.5
1994	101	2.1	0.21	1.7	2.6	98	2.3	0.24	1.9	2.8
1995	123	2.7	0.25	2.2	3.2	114	2.8	0.27	2.3	3.4
1996	109	2.2	0.22	1.8	2.7	97	2.3	0.23	1.8	2.8
1997	111	2.3	0.22	1.9	2.8	105	2.5	0.25	2.0	3.0
1998	109	2.3	0.22	1.9	2.7	105	2.5	0.24	2.0	3.0
1999	104	2.1	0.21	1.7	2.6	99	2.3	0.23	1.9	2.8
2000	110	2.3	0.22	1.8	2.7	106	2.5	0.24	2.0	3.0
2001	145	3.0	0.25	2.5	3.5	136	3.2	0.28	2.7	3.8
2002	124	2.5	0.23	2.1	3.0	122	2.9	0.26	2.4	3.4
2003	133	2.6	0.23	2.2	3.1	127	2.9	0.26	2.4	3.5
2004	107	2.1	0.21	1.7	2.6	104	2.4	0.24	1.9	2.9
2005	118	2.4	0.22	1.9	2.8	111	2.5	0.24	2.1	3.1
2006	120	2.4	0.22	2.0	2.8	113	2.6	0.24	2.1	3.1
2007	107	2.0	0.20	1.7	2.5	101	2.2	0.22	1.8	2.7
2008	118	2.3	0.21	1.9	2.7	115	2.5	0.24	2.1	3.1
2009	114	2.1	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2010	115	2.2	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2011	101	1.8	0.18	1.5	2.2	93	2.0	0.21	1.6	2.4
2012	123	2.1	0.19	1.7	2.5	114	2.3	0.22	1.9	2.8
2013	103	1.7	0.17	1.4	2.1	95	1.9	0.20	1.5	2.3
2014	115	2.0	0.19	1.6	2.4	111	2.3	0.22	1.9	2.7
2015	100	1.6	0.17	1.3	2.0	97	1.9	0.19	1.5	2.3
2016	92	1.5	0.16	1.2	1.8	89	1.7	0.18	1.4	2.1
2017	80	1.3	0.15	1.0	1.6	71	1.4	0.17	1.1	1.7
2018	82	1.3	0.15	1.1	1.7	79	1.5	0.18	1.2	1.9
2019	103	1.5	0.16	1.3	1.9	93	1.7	0.18	1.3	2.1
2020	85	1.3	0.14	1.0	1.6	81	1.5	0.17	1.2	1.9
2021	74	1.2	0.14	0.9	1.4	69	1.3	0.16	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Mesothelioma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	161	0.8	0.06	0.6	0.9	35	0.5	0.09	0.4	0.7
1986	1	0.2	0.17	0.0	1.1	0				
1987	4	0.8	0.43	0.2	2.1	1	1.5	1.46	0.0	8.8
1988	6	1.3	0.57	0.5	2.9	0				
1989	5	1.0	0.48	0.3	2.4	0				
1990	6	1.2	0.47	0.4	2.5	0				
1991	3	0.6	0.38	0.1	1.8	1	0.7	0.67	0.0	5.9
1992	5	1.2	0.56	0.4	2.8	0				
1993	4	1.1	0.61	0.3	2.8	2	2.0	1.46	0.2	7.7
1994	3	0.5	0.32	0.1	1.6	0				
1995	9	2.0	0.73	0.9	3.9	0				
1996	11	1.8	0.55	0.9	3.3	1	0.5	0.50	0.0	4.3
1997	5	0.8	0.36	0.3	1.9	1	1.8	1.76	0.0	7.7
1998	4	0.9	0.49	0.2	2.3	0				
1999	4	0.7	0.36	0.2	1.8	1	1.0	0.97	0.0	5.0
2000	4	0.9	0.46	0.2	2.2	0				
2001	8	1.4	0.55	0.6	2.9	1	0.6	0.62	0.0	3.7
2002	2	0.4	0.29	0.0	1.4	0				
2003	2	0.3	0.20	0.0	1.0	3	2.3	1.36	0.4	6.4
2004	3	0.5	0.32	0.1	1.5	0				
2005	6	1.3	0.56	0.5	2.8	1	0.3	0.32	0.0	2.4
2006	4	0.6	0.32	0.2	1.6	3	1.4	0.95	0.2	4.5
2007	6	0.8	0.35	0.3	1.8	0				
2008	2	0.4	0.27	0.1	1.3	1	0.3	0.29	0.0	2.1
2009	4	0.6	0.30	0.1	1.5	1	0.7	0.74	0.0	3.3
2010	6	1.1	0.48	0.4	2.4	0				
2011	7	1.2	0.48	0.5	2.5	1	0.6	0.59	0.0	2.8
2012	8	1.2	0.44	0.5	2.4	1	0.3	0.25	0.0	1.7
2013	5	0.7	0.31	0.2	1.6	3	1.2	0.81	0.2	3.7
2014	3	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.6
2015	3	0.4	0.25	0.1	1.2	0				
2016	1	0.1	0.10	0.0	0.6	1	0.2	0.22	0.0	1.4
2017	5	0.7	0.32	0.2	1.6	3	1.2	0.67	0.2	3.2
2018	2	0.2	0.16	0.0	0.9	1	0.3	0.25	0.0	1.4
2019	7	0.9	0.34	0.3	1.8	3	0.7	0.45	0.1	2.2
2020	2	0.3	0.23	0.0	1.1	2	0.4	0.30	0.1	1.6
2021	1	0.2	0.19	0.0	0.9	2	0.4	0.31	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Mesothelioma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,270	0.5	0.01	0.5	0.5	1,186	0.5	0.02	0.5	0.6
1986	24	0.4	0.08	0.3	0.6	22	0.4	0.09	0.3	0.6
1987	30	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8
1988	38	0.6	0.10	0.4	0.8	36	0.7	0.11	0.5	0.9
1989	20	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6
1991	23	0.4	0.08	0.2	0.5	23	0.4	0.09	0.3	0.6
1992	36	0.5	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8
1993	33	0.5	0.09	0.3	0.7	32	0.6	0.10	0.4	0.8
1994	39	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8
1995	40	0.6	0.10	0.4	0.8	35	0.6	0.10	0.4	0.9
1996	33	0.5	0.09	0.3	0.7	31	0.5	0.10	0.4	0.8
1997	27	0.4	0.07	0.3	0.6	24	0.4	0.08	0.3	0.6
1998	47	0.7	0.10	0.5	0.9	44	0.8	0.12	0.6	1.0
1999	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2000	33	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.09	0.4	0.7	36	0.6	0.10	0.4	0.8
2002	31	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7
2003	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7
2004	38	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2005	37	0.5	0.09	0.4	0.7	35	0.6	0.10	0.4	0.8
2006	42	0.6	0.10	0.4	0.8	39	0.7	0.11	0.5	0.9
2007	38	0.5	0.08	0.4	0.7	33	0.5	0.09	0.4	0.7
2008	46	0.6	0.10	0.5	0.9	45	0.8	0.12	0.6	1.0
2009	28	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.6
2010	32	0.4	0.07	0.3	0.6	30	0.5	0.09	0.3	0.7
2011	45	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9
2012	38	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.7
2013	41	0.5	0.08	0.4	0.7	38	0.6	0.10	0.4	0.8
2014	42	0.5	0.08	0.4	0.7	39	0.6	0.09	0.4	0.8
2015	36	0.5	0.08	0.3	0.7	34	0.6	0.10	0.4	0.8
2016	34	0.4	0.07	0.3	0.6	32	0.5	0.09	0.3	0.7
2017	48	0.6	0.09	0.4	0.8	45	0.7	0.11	0.5	0.9
2018	34	0.4	0.07	0.3	0.6	34	0.5	0.09	0.4	0.7
2019	35	0.4	0.07	0.3	0.6	33	0.5	0.08	0.3	0.7
2020	33	0.4	0.07	0.3	0.6	28	0.4	0.08	0.3	0.6
2021	38	0.4	0.07	0.3	0.6	36	0.5	0.08	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Mesothelioma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	65	0.2	0.03	0.2	0.3	17	0.2	0.05	0.1	0.3
1986	2	0.3	0.24	0.0	1.1	0				
1987	0					0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	0					0				
1990	0					1	0.9	0.88	0.0	5.5
1991	0					0				
1992	0					2	1.3	0.96	0.2	5.5
1993	1	0.1	0.14	0.0	0.7	0				
1994	4	0.5	0.26	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	0				
1996	2	0.2	0.17	0.0	0.8	0				
1997	3	0.4	0.21	0.1	1.1	0				
1998	3	0.4	0.21	0.1	1.1	0				
1999	2	0.2	0.15	0.0	0.8	0				
2000	2	0.2	0.14	0.0	0.8	0				
2001	1	0.1	0.14	0.0	0.7	0				
2002	2	0.3	0.19	0.0	0.9	0				
2003	2	0.2	0.16	0.0	0.8	2	0.9	0.66	0.1	3.3
2004	4	0.4	0.22	0.1	1.1	0				
2005	2	0.2	0.15	0.0	0.8	0				
2006	2	0.3	0.18	0.0	0.9	1	0.5	0.50	0.0	2.5
2007	4	0.4	0.22	0.1	1.1	0				
2008	0					1	0.3	0.28	0.0	1.8
2009	1	0.1	0.12	0.0	0.6	0				
2010	1	0.1	0.10	0.0	0.6	1	0.5	0.50	0.0	2.3
2011	1	0.1	0.08	0.0	0.5	2	0.5	0.36	0.1	2.0
2012	4	0.4	0.21	0.1	1.0	0				
2013	2	0.2	0.15	0.0	0.7	1	0.4	0.41	0.0	1.9
2014	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.4
2015	2	0.2	0.11	0.0	0.6	0				
2016	0					2	0.5	0.34	0.1	1.7
2017	2	0.2	0.14	0.0	0.7	1	0.2	0.18	0.0	1.2
2018	0					0				
2019	1	0.1	0.06	0.0	0.5	1	0.2	0.19	0.0	1.2
2020	4	0.4	0.18	0.1	0.9	1	0.3	0.26	0.0	1.3
2021	2	0.2	0.15	0.0	0.7	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kaposi Sarcoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,799	0.6	0.01	0.6	0.7	1,881	0.5	0.01	0.5	0.6
1986	90	0.9	0.09	0.7	1.1	74	0.8	0.10	0.7	1.1
1987	95	0.8	0.09	0.7	1.0	79	0.8	0.10	0.7	1.0
1988	117	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	145	1.3	0.11	1.1	1.5	123	1.3	0.12	1.1	1.6
1990	176	1.5	0.11	1.3	1.7	123	1.3	0.12	1.1	1.5
1991	189	1.6	0.12	1.4	1.8	146	1.5	0.12	1.2	1.7
1992	187	1.5	0.11	1.3	1.8	140	1.4	0.12	1.2	1.7
1993	191	1.5	0.11	1.3	1.8	139	1.4	0.12	1.1	1.6
1994	184	1.5	0.11	1.3	1.7	128	1.3	0.11	1.1	1.5
1995	153	1.2	0.10	1.1	1.5	99	1.0	0.10	0.8	1.2
1996	149	1.2	0.10	1.0	1.4	92	0.9	0.10	0.7	1.1
1997	75	0.6	0.07	0.5	0.8	45	0.4	0.07	0.3	0.6
1998	55	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4
1999	58	0.5	0.06	0.4	0.6	32	0.3	0.06	0.2	0.4
2000	40	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3
2001	51	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4
2002	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2003	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2004	54	0.4	0.06	0.3	0.6	31	0.3	0.05	0.2	0.4
2005	42	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4
2006	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4
2007	46	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4
2008	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.1	0.3
2009	48	0.4	0.06	0.3	0.5	32	0.3	0.05	0.2	0.4
2010	46	0.4	0.06	0.3	0.5	28	0.3	0.05	0.2	0.4
2011	44	0.4	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4
2012	27	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
2013	32	0.2	0.04	0.2	0.3	16	0.2	0.04	0.1	0.2
2014	45	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4
2015	41	0.3	0.05	0.2	0.4	28	0.3	0.05	0.2	0.4
2016	48	0.4	0.05	0.3	0.5	36	0.3	0.06	0.2	0.5
2017	31	0.3	0.05	0.2	0.4	15	0.1	0.04	0.1	0.2
2018	38	0.3	0.05	0.2	0.4	19	0.2	0.04	0.1	0.3
2019	37	0.3	0.05	0.2	0.4	20	0.2	0.04	0.1	0.3
2020	37	0.3	0.05	0.2	0.4	16	0.2	0.04	0.1	0.3
2021	44	0.3	0.05	0.2	0.5	20	0.2	0.04	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kaposi Sarcoma										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	830	1.3	0.05	1.2	1.4	37	0.2	0.03	0.1	0.3
1986	15	1.2	0.33	0.6	2.0	0				
1987	15	1.0	0.29	0.5	1.8	1	0.3	0.31	0.0	3.1
1988	18	1.1	0.27	0.6	1.7	0				
1989	21	1.2	0.26	0.7	1.8	0				
1990	49	2.8	0.41	2.0	3.7	1	0.4	0.35	0.0	2.8
1991	41	2.4	0.39	1.7	3.3	0				
1992	46	2.5	0.38	1.8	3.4	1	0.3	0.30	0.0	2.4
1993	48	2.8	0.41	2.0	3.7	4	0.9	0.46	0.2	3.0
1994	53	3.0	0.42	2.2	4.0	1	0.3	0.30	0.0	2.1
1995	52	3.0	0.42	2.2	3.9	2	0.7	0.47	0.1	2.6
1996	53	2.8	0.39	2.1	3.7	3	0.7	0.38	0.1	2.4
1997	28	1.5	0.29	1.0	2.2	2	0.7	0.60	0.1	2.8
1998	24	1.3	0.27	0.9	2.0	0				
1999	24	1.3	0.28	0.9	2.0	0				
2000	17	0.9	0.23	0.5	1.5	1	0.2	0.19	0.0	1.4
2001	23	1.3	0.26	0.8	1.9	1	0.2	0.21	0.0	1.4
2002	18	1.0	0.24	0.6	1.6	2	0.4	0.29	0.1	1.6
2003	18	1.0	0.25	0.6	1.6	1	0.2	0.17	0.0	1.2
2004	19	1.1	0.25	0.7	1.7	1	0.2	0.19	0.0	1.2
2005	13	0.8	0.22	0.4	1.3	1	0.3	0.30	0.0	1.5
2006	17	1.0	0.25	0.6	1.6	0				
2007	18	1.1	0.26	0.6	1.7	1	0.1	0.11	0.0	0.9
2008	15	0.9	0.23	0.5	1.4	1	0.1	0.11	0.0	0.9
2009	14	0.8	0.23	0.5	1.4	1	0.2	0.16	0.0	1.0
2010	16	0.9	0.22	0.5	1.5	1	0.1	0.12	0.0	0.8
2011	19	1.1	0.25	0.6	1.7	1	0.1	0.11	0.0	0.8
2012	5	0.3	0.12	0.1	0.6	2	0.3	0.21	0.0	1.1
2013	16	0.8	0.20	0.5	1.3	0				
2014	17	0.9	0.21	0.5	1.4	1	0.1	0.09	0.0	0.7
2015	10	0.6	0.18	0.3	1.0	1	0.1	0.13	0.0	0.7
2016	10	0.5	0.17	0.3	1.0	1	0.1	0.12	0.0	0.7
2017	13	0.7	0.20	0.4	1.2	2	0.3	0.17	0.0	0.9
2018	17	0.8	0.20	0.5	1.3	0				
2019	15	0.8	0.21	0.5	1.3	0				
2020	18	0.9	0.22	0.5	1.5	1	0.1	0.09	0.0	0.6
2021	15	0.8	0.22	0.5	1.4	2	0.2	0.15	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kaposi Sarcoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,580	1.2	0.02	1.2	1.3	1,722	1.0	0.02	1.0	1.1
1986	84	1.8	0.20	1.4	2.2	71	1.8	0.22	1.4	2.3
1987	88	1.7	0.19	1.3	2.1	73	1.6	0.20	1.3	2.1
1988	105	2.0	0.20	1.6	2.4	88	2.0	0.22	1.6	2.5
1989	136	2.5	0.22	2.1	2.9	115	2.5	0.24	2.1	3.0
1990	165	2.9	0.23	2.4	3.4	114	2.4	0.23	2.0	2.9
1991	185	3.2	0.24	2.8	3.7	143	3.0	0.26	2.5	3.5
1992	182	3.1	0.23	2.6	3.6	136	2.8	0.24	2.3	3.3
1993	179	2.9	0.22	2.5	3.4	130	2.5	0.22	2.1	3.0
1994	174	3.0	0.23	2.5	3.5	120	2.5	0.23	2.0	3.0
1995	146	2.4	0.20	2.0	2.9	94	1.9	0.19	1.5	2.3
1996	138	2.3	0.20	1.9	2.7	85	1.7	0.19	1.4	2.2
1997	67	1.1	0.14	0.9	1.4	40	0.8	0.13	0.6	1.1
1998	47	0.8	0.12	0.6	1.1	25	0.5	0.10	0.3	0.8
1999	52	0.9	0.13	0.7	1.2	28	0.6	0.12	0.4	0.9
2000	34	0.6	0.10	0.4	0.8	16	0.4	0.09	0.2	0.6
2001	43	0.7	0.11	0.5	1.0	21	0.4	0.10	0.3	0.7
2002	45	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2003	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2004	47	0.8	0.12	0.6	1.1	25	0.5	0.11	0.4	0.8
2005	37	0.7	0.11	0.5	0.9	24	0.5	0.11	0.3	0.8
2006	42	0.7	0.12	0.5	1.0	23	0.5	0.10	0.3	0.8
2007	42	0.7	0.11	0.5	1.0	22	0.5	0.10	0.3	0.7
2008	37	0.7	0.11	0.5	0.9	19	0.4	0.10	0.3	0.7
2009	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.4	0.8
2010	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.3	0.8
2011	36	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6
2012	25	0.4	0.08	0.3	0.6	18	0.4	0.09	0.2	0.6
2013	28	0.4	0.08	0.3	0.6	12	0.2	0.07	0.1	0.4
2014	37	0.6	0.10	0.4	0.9	22	0.5	0.10	0.3	0.7
2015	37	0.6	0.10	0.4	0.8	24	0.5	0.10	0.3	0.7
2016	42	0.7	0.11	0.5	0.9	30	0.6	0.11	0.4	0.9
2017	29	0.5	0.09	0.3	0.7	15	0.3	0.08	0.2	0.5
2018	37	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6
2019	32	0.5	0.09	0.3	0.7	16	0.3	0.08	0.2	0.5
2020	33	0.5	0.09	0.4	0.7	15	0.3	0.08	0.2	0.5
2021	41	0.7	0.10	0.5	0.9	20	0.4	0.09	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kaposi Sarcoma										
Males										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	778	2.7	0.10	2.5	2.9	34	0.3	0.06	0.2	0.5
1986	12	1.8	0.53	0.9	3.2	0				
1987	14	2.1	0.63	1.0	3.7	1	0.7	0.65	0.0	7.1
1988	16	2.0	0.51	1.1	3.3	0				
1989	20	2.4	0.55	1.4	3.8	0				
1990	48	6.1	0.90	4.4	8.2	1	0.7	0.71	0.0	6.4
1991	40	5.2	0.86	3.7	7.3	0				
1992	45	5.4	0.82	3.9	7.3	1	0.6	0.62	0.0	5.4
1993	45	6.0	0.95	4.2	8.2	4	1.9	0.98	0.5	6.6
1994	51	6.5	0.95	4.7	8.7	1	0.6	0.62	0.0	4.9
1995	51	6.4	0.91	4.7	8.5	1	0.5	0.52	0.0	4.5
1996	49	5.7	0.83	4.2	7.7	3	1.4	0.79	0.3	5.3
1997	26	3.1	0.63	2.0	4.7	1	0.3	0.31	0.0	3.7
1998	21	2.5	0.55	1.6	3.9	0				
1999	22	2.7	0.60	1.7	4.2	0				
2000	16	1.9	0.49	1.1	3.2	1	0.4	0.39	0.0	3.3
2001	20	2.3	0.52	1.4	3.7	1	0.4	0.43	0.0	3.2
2002	17	2.1	0.51	1.2	3.4	2	0.8	0.59	0.1	3.6
2003	18	2.4	0.62	1.3	3.9	1	0.3	0.34	0.0	2.7
2004	18	2.2	0.51	1.3	3.4	1	0.4	0.39	0.0	2.7
2005	10	1.4	0.45	0.6	2.6	1	0.7	0.68	0.0	3.4
2006	17	2.3	0.60	1.3	3.8	0				
2007	18	2.4	0.59	1.4	3.9	1	0.2	0.22	0.0	2.0
2008	14	1.8	0.49	1.0	3.0	1	0.2	0.22	0.0	2.0
2009	14	1.9	0.52	1.0	3.2	1	0.3	0.32	0.0	2.1
2010	14	1.7	0.45	0.9	2.9	1	0.3	0.25	0.0	1.9
2011	16	1.9	0.49	1.1	3.2	1	0.2	0.24	0.0	1.8
2012	4	0.4	0.21	0.1	1.1	1	0.2	0.23	0.0	1.7
2013	16	1.7	0.43	1.0	2.8	0				
2014	13	1.5	0.41	0.8	2.5	1	0.2	0.19	0.0	1.4
2015	10	1.2	0.38	0.6	2.2	1	0.3	0.27	0.0	1.6
2016	10	1.2	0.40	0.6	2.3	1	0.3	0.25	0.0	1.5
2017	11	1.2	0.38	0.6	2.2	2	0.5	0.36	0.1	1.9
2018	17	1.7	0.43	1.0	2.8	0				
2019	15	1.8	0.49	1.0	3.0	0				
2020	16	1.8	0.45	1.0	2.9	1	0.2	0.18	0.0	1.2
2021	14	1.7	0.46	0.9	2.8	2	0.5	0.32	0.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kaposi Sarcoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	219	0.1	0.01	0.1	0.1	159	0.1	0.01	0.1	0.1
1986	6	0.1	0.04	0.0	0.2	3	0.1	0.03	0.0	0.2
1987	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
1988	12	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1989	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3
1990	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1991	4	0.1	0.03	0.0	0.2	3	0.1	0.03	0.0	0.2
1992	5	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2
1993	12	0.2	0.06	0.1	0.3	9	0.2	0.05	0.1	0.3
1994	10	0.1	0.05	0.1	0.3	8	0.1	0.04	0.1	0.3
1995	7	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1996	11	0.2	0.05	0.1	0.3	7	0.1	0.05	0.1	0.3
1997	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
1998	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
1999	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2000	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
2001	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
2002	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2003	4	0.1	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2004	7	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
2005	5	0.1	0.03	0.0	0.2	2	0.0	0.02	0.0	0.1
2006	0					0				
2007	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2008	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2009	7	0.1	0.03	0.0	0.2	7	0.1	0.04	0.0	0.2
2010	5	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.1
2011	8	0.1	0.04	0.1	0.2	5	0.1	0.05	0.0	0.2
2012	2	0.0	0.02	0.0	0.1	0				
2013	4	0.1	0.03	0.0	0.1	4	0.1	0.03	0.0	0.2
2014	8	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2
2015	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2016	6	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
2017	2	0.0	0.03	0.0	0.1	0				
2018	1	0.0	0.01	0.0	0.1	1	0.0	0.01	0.0	0.1
2019	5	0.1	0.03	0.0	0.1	4	0.1	0.03	0.0	0.2
2020	4	0.0	0.02	0.0	0.1	1	0.0	0.01	0.0	0.1
2021	3	0.0	0.02	0.0	0.1	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Kaposi Sarcoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	52	0.2	0.02	0.1	0.2	3	0.0	0.02	0.0	0.1
1986	3	0.6	0.35	0.1	1.6	0				
1987	1	0.2	0.20	0.0	0.9	0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	1	0.2	0.15	0.0	0.8	0				
1990	1	0.1	0.09	0.0	0.6	0				
1991	1	0.1	0.09	0.0	0.6	0				
1992	1	0.2	0.15	0.0	0.8	0				
1993	3	0.3	0.19	0.1	1.0	0				
1994	2	0.2	0.15	0.0	0.8	0				
1995	1	0.1	0.11	0.0	0.6	1	0.7	0.71	0.0	4.0
1996	4	0.4	0.20	0.1	1.0	0				
1997	2	0.2	0.14	0.0	0.8	1	1.0	0.98	0.0	4.6
1998	3	0.3	0.19	0.1	1.0	0				
1999	2	0.2	0.14	0.0	0.8	0				
2000	1	0.1	0.10	0.0	0.6	0				
2001	3	0.3	0.19	0.1	0.9	0				
2002	1	0.1	0.11	0.0	0.6	0				
2003	0					0				
2004	1	0.1	0.14	0.0	0.7	0				
2005	3	0.3	0.19	0.1	0.9	0				
2006	0					0				
2007	0					0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	2	0.2	0.15	0.0	0.8	0				
2011	3	0.3	0.18	0.1	0.9	0				
2012	1	0.1	0.12	0.0	0.6	1	0.3	0.33	0.0	1.7
2013	0					0				
2014	4	0.4	0.18	0.1	0.9	0				
2015	0					0				
2016	0					0				
2017	2	0.3	0.18	0.0	0.8	0				
2018	0					0				
2019	0					0				
2020	2	0.1	0.10	0.0	0.6	0				
2021	1	0.1	0.07	0.0	0.5	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ill-defined and unknown Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	68,496	14.9	0.06	14.8	15.1	57,978	14.8	0.06	14.7	14.9
1986	1,382	13.2	0.36	12.5	13.9	1,163	12.5	0.37	11.8	13.3
1987	1,380	13.1	0.36	12.4	13.8	1,171	12.5	0.37	11.8	13.3
1988	1,469	13.7	0.36	13.0	14.5	1,242	13.1	0.38	12.4	13.9
1989	1,484	13.9	0.36	13.2	14.6	1,229	13.0	0.37	12.3	13.8
1990	1,418	13.1	0.35	12.4	13.8	1,190	12.5	0.37	11.8	13.2
1991	1,412	12.9	0.35	12.2	13.6	1,217	12.6	0.36	11.9	13.3
1992	1,413	12.7	0.34	12.1	13.4	1,216	12.4	0.36	11.7	13.2
1993	1,871	16.7	0.39	15.9	17.4	1,609	16.2	0.41	15.5	17.1
1994	1,900	16.8	0.39	16.0	17.6	1,637	16.5	0.41	15.7	17.3
1995	1,752	15.3	0.37	14.6	16.0	1,461	14.6	0.38	13.8	15.3
1996	1,669	14.5	0.36	13.8	15.2	1,378	13.7	0.37	13.0	14.4
1997	1,552	13.3	0.34	12.7	14.0	1,307	12.9	0.36	12.2	13.6
1998	1,523	12.9	0.33	12.3	13.6	1,286	12.5	0.35	11.8	13.2
1999	1,557	13.1	0.33	12.4	13.7	1,282	12.4	0.35	11.7	13.1
2000	1,622	13.5	0.33	12.8	14.2	1,349	12.9	0.35	12.3	13.7
2001	2,241	18.5	0.39	17.7	19.3	1,892	18.1	0.42	17.3	18.9
2002	2,274	18.6	0.39	17.9	19.4	1,973	18.7	0.42	17.9	19.6
2003	2,232	18.1	0.38	17.4	18.9	1,901	17.9	0.41	17.1	18.7
2004	2,099	16.9	0.37	16.1	17.6	1,837	17.2	0.40	16.4	18.0
2005	2,096	16.6	0.36	15.9	17.3	1,813	16.8	0.40	16.0	17.6
2006	2,109	16.7	0.36	15.9	17.4	1,801	16.6	0.39	15.9	17.4
2007	2,200	17.0	0.37	16.3	17.7	1,884	17.1	0.40	16.3	17.9
2008	2,235	17.1	0.36	16.4	17.8	1,921	17.3	0.40	16.5	18.1
2009	2,221	16.8	0.36	16.1	17.5	1,869	16.6	0.39	15.9	17.4
2010	2,238	16.7	0.36	16.0	17.4	1,892	16.8	0.39	16.0	17.5
2011	2,046	14.9	0.33	14.3	15.6	1,768	15.2	0.37	14.5	16.0
2012	2,162	15.6	0.34	14.9	16.3	1,831	15.7	0.37	15.0	16.5
2013	2,091	14.8	0.33	14.2	15.5	1,738	14.7	0.36	14.0	15.4
2014	2,148	15.0	0.33	14.3	15.6	1,821	15.2	0.36	14.5	15.9
2015	2,116	14.5	0.32	13.9	15.2	1,799	14.9	0.36	14.2	15.6
2016	2,098	14.3	0.32	13.6	14.9	1,768	14.5	0.35	13.8	15.2
2017	2,145	14.3	0.31	13.7	14.9	1,814	14.7	0.35	14.0	15.4
2018	2,172	14.3	0.31	13.7	15.0	1,816	14.5	0.35	13.9	15.2
2019	2,155	14.0	0.31	13.4	14.6	1,796	14.2	0.34	13.5	14.9
2020	2,009	12.9	0.29	12.4	13.5	1,655	13.0	0.33	12.4	13.7
2021	2,005	12.6	0.29	12.1	13.2	1,652	12.7	0.32	12.1	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ill-defined and unknown Sites										
Both Sexes										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	8,953	16.9	0.18	16.5	17.2	1,219	8.6	0.26	8.1	9.1
1986	208	20.0	1.45	17.2	23.0	11	9.8	3.39	4.3	18.3
1987	205	19.0	1.38	16.4	21.9	4	2.5	1.26	0.6	6.5
1988	215	19.2	1.35	16.6	22.0	9	6.1	2.20	2.6	11.9
1989	238	21.4	1.43	18.7	24.4	15	11.8	3.44	6.1	20.1
1990	219	18.7	1.31	16.2	21.4	8	3.4	1.21	1.5	7.0
1991	177	15.3	1.18	13.1	17.8	13	7.0	2.06	3.6	12.3
1992	185	15.8	1.19	13.5	18.3	12	8.0	2.62	3.7	14.4
1993	241	20.4	1.36	17.8	23.2	19	9.5	2.35	5.5	15.1
1994	254	20.3	1.32	17.8	23.1	8	3.8	1.59	1.3	8.0
1995	267	21.6	1.35	19.0	24.4	21	11.7	2.91	6.7	18.4
1996	276	22.0	1.36	19.4	24.8	11	4.6	1.58	2.1	8.6
1997	218	16.9	1.17	14.7	19.4	24	10.3	2.36	6.2	15.8
1998	206	16.0	1.14	13.8	18.4	28	13.5	2.77	8.6	19.8
1999	247	18.8	1.22	16.4	21.3	22	9.2	2.24	5.3	14.4
2000	242	17.6	1.15	15.4	20.0	24	8.0	1.80	4.8	12.2
2001	302	22.2	1.31	19.8	24.9	39	12.4	2.18	8.6	17.3
2002	271	19.5	1.21	17.2	22.0	26	8.6	1.85	5.4	12.9
2003	283	19.7	1.20	17.4	22.2	37	11.6	2.07	7.9	16.3
2004	219	15.1	1.04	13.2	17.3	35	10.0	1.80	6.8	14.1
2005	230	15.4	1.04	13.5	17.6	45	11.5	1.93	8.1	15.8
2006	259	17.7	1.12	15.6	20.0	42	11.6	1.92	8.1	15.8
2007	273	18.0	1.11	15.9	20.3	39	9.4	1.62	6.5	13.0
2008	275	17.7	1.09	15.6	19.9	35	8.0	1.47	5.4	11.3
2009	292	18.5	1.11	16.4	20.8	46	10.8	1.71	7.7	14.6
2010	293	18.2	1.09	16.2	20.5	43	8.8	1.45	6.2	12.0
2011	225	13.9	0.95	12.1	15.9	41	8.2	1.37	5.8	11.3
2012	275	16.0	0.99	14.2	18.1	37	7.4	1.28	5.1	10.2
2013	285	16.4	1.00	14.5	18.5	55	9.6	1.37	7.1	12.6
2014	257	14.7	0.94	12.9	16.7	55	9.1	1.29	6.8	12.0
2015	251	14.0	0.90	12.2	15.8	49	7.5	1.12	5.5	10.0
2016	236	12.9	0.86	11.3	14.7	69	10.0	1.24	7.7	12.7
2017	262	13.9	0.88	12.2	15.7	61	8.3	1.09	6.3	10.7
2018	274	14.6	0.90	12.9	16.4	63	8.0	1.04	6.1	10.3
2019	286	14.8	0.90	13.1	16.7	55	6.8	0.94	5.1	8.9
2020	255	12.6	0.81	11.1	14.3	63	7.3	0.94	5.6	9.4
2021	252	12.6	0.81	11.1	14.3	55	6.2	0.85	4.7	8.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ill-defined and unknown Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	33,681	17.6	0.10	17.4	17.8	28,631	17.5	0.11	17.3	17.7
1986	687	16.0	0.64	14.7	17.3	572	15.0	0.65	13.7	16.3
1987	647	15.2	0.62	14.0	16.4	545	14.4	0.64	13.1	15.7
1988	739	17.0	0.65	15.7	18.3	613	16.1	0.68	14.8	17.4
1989	719	16.3	0.63	15.1	17.6	584	15.1	0.65	13.8	16.4
1990	691	15.4	0.61	14.3	16.7	573	14.6	0.63	13.4	15.9
1991	705	15.7	0.61	14.5	16.9	603	15.2	0.64	14.0	16.5
1992	684	15.1	0.60	14.0	16.4	581	14.6	0.62	13.4	15.9
1993	840	18.6	0.66	17.3	19.9	707	17.8	0.69	16.5	19.2
1994	863	19.0	0.67	17.7	20.3	743	18.7	0.71	17.4	20.2
1995	829	17.7	0.63	16.5	19.0	679	16.7	0.66	15.5	18.0
1996	806	17.3	0.63	16.1	18.6	668	16.5	0.65	15.3	17.8
1997	743	15.6	0.58	14.5	16.8	615	14.9	0.61	13.7	16.1
1998	717	14.9	0.57	13.8	16.1	613	14.7	0.60	13.6	16.0
1999	708	14.5	0.55	13.5	15.6	569	13.4	0.57	12.3	14.6
2000	777	15.9	0.58	14.8	17.1	644	15.3	0.61	14.1	16.5
2001	1,113	22.4	0.68	21.1	23.8	943	22.0	0.72	20.6	23.5
2002	1,080	21.5	0.66	20.2	22.8	934	21.6	0.71	20.2	23.0
2003	1,093	21.6	0.66	20.3	23.0	936	21.5	0.71	20.1	22.9
2004	1,048	20.5	0.64	19.3	21.8	924	21.0	0.70	19.6	22.4
2005	1,015	19.5	0.62	18.3	20.7	879	19.6	0.67	18.3	21.0
2006	1,021	19.4	0.62	18.2	20.6	876	19.4	0.66	18.1	20.7
2007	1,076	20.1	0.62	18.9	21.3	930	20.2	0.67	18.9	21.6
2008	1,105	20.1	0.62	19.0	21.4	964	20.6	0.67	19.3	21.9
2009	1,092	19.5	0.60	18.3	20.7	936	19.6	0.65	18.4	21.0
2010	1,114	19.7	0.60	18.5	20.9	952	19.8	0.65	18.5	21.1
2011	1,031	17.9	0.57	16.8	19.1	907	18.5	0.63	17.3	19.8
2012	1,094	18.7	0.58	17.6	19.9	950	19.3	0.64	18.1	20.6
2013	1,061	17.4	0.55	16.3	18.5	893	17.3	0.59	16.2	18.5
2014	1,080	17.5	0.55	16.5	18.6	917	17.6	0.59	16.4	18.8
2015	1,132	17.8	0.54	16.8	18.9	973	18.2	0.60	17.1	19.4
2016	1,043	16.3	0.52	15.3	17.4	905	16.9	0.58	15.8	18.1
2017	1,104	17.0	0.53	16.0	18.1	943	17.5	0.58	16.4	18.7
2018	1,093	16.5	0.51	15.5	17.5	926	16.8	0.57	15.7	18.0
2019	1,096	16.3	0.51	15.4	17.4	940	16.8	0.56	15.8	18.0
2020	1,002	14.6	0.47	13.7	15.6	831	14.7	0.52	13.7	15.8
2021	1,033	14.9	0.48	14.0	15.9	863	15.0	0.53	14.0	16.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ill-defined and unknown Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,251	19.6	0.32	19.0	20.3	611	9.5	0.42	8.7	10.4
1986	107	24.6	2.58	19.8	30.1	8	12.5	4.87	4.9	25.9
1987	99	23.8	2.59	19.0	29.4	3	4.6	2.72	0.9	13.8
1988	119	24.8	2.42	20.3	30.0	6	10.4	4.65	3.4	23.2
1989	129	27.7	2.60	22.9	33.2	6	9.2	4.36	2.7	21.2
1990	114	23.2	2.31	18.9	28.2	4	3.4	1.71	0.9	10.0
1991	95	20.5	2.24	16.4	25.3	6	8.6	3.83	2.8	19.2
1992	98	21.8	2.38	17.4	26.9	5	6.0	3.12	1.5	15.0
1993	120	25.1	2.47	20.5	30.4	11	10.9	3.43	5.2	19.9
1994	114	21.7	2.18	17.6	26.3	5	3.7	1.74	1.1	9.4
1995	138	26.4	2.39	22.0	31.5	9	9.1	3.37	3.7	17.9
1996	127	24.8	2.36	20.4	29.8	7	7.7	3.65	2.3	17.4
1997	115	21.5	2.13	17.6	26.1	11	10.3	3.41	4.7	18.9
1998	91	16.3	1.78	13.0	20.1	11	12.3	4.23	5.5	22.7
1999	122	23.4	2.26	19.2	28.2	12	12.1	4.33	5.2	22.8
2000	118	21.1	2.06	17.3	25.5	12	11.1	3.88	4.8	20.6
2001	145	27.1	2.39	22.6	32.2	18	10.7	2.78	6.0	17.6
2002	129	22.4	2.06	18.5	26.8	15	9.8	2.72	5.2	16.5
2003	136	23.4	2.11	19.4	27.8	14	8.0	2.40	4.0	14.0
2004	98	17.2	1.86	13.8	21.2	20	13.2	3.23	7.6	20.8
2005	109	17.8	1.80	14.4	21.6	22	14.3	3.67	8.0	22.8
2006	119	20.4	1.99	16.7	24.7	22	12.4	2.96	7.3	19.3
2007	121	19.8	1.91	16.2	23.8	22	12.0	2.83	7.1	18.6
2008	122	20.2	1.96	16.6	24.4	17	7.5	2.07	4.0	12.6
2009	127	18.9	1.77	15.6	22.7	21	9.8	2.50	5.6	15.8
2010	135	21.8	2.00	18.1	26.0	24	10.8	2.53	6.4	16.7
2011	98	14.9	1.60	12.0	18.4	18	7.8	2.02	4.4	12.7
2012	122	17.4	1.67	14.3	21.0	16	6.8	1.89	3.6	11.3
2013	130	18.2	1.67	15.1	21.7	31	12.4	2.39	8.1	17.8
2014	125	17.8	1.68	14.7	21.4	29	11.1	2.20	7.2	16.1
2015	122	16.4	1.56	13.5	19.7	27	10.0	2.04	6.4	14.7
2016	95	12.6	1.37	10.1	15.6	32	11.1	2.07	7.4	15.8
2017	125	15.8	1.48	13.0	18.9	30	9.1	1.75	6.0	13.1
2018	127	16.8	1.56	13.8	20.1	29	7.8	1.51	5.2	11.4
2019	125	16.1	1.51	13.3	19.4	23	6.9	1.49	4.2	10.4
2020	119	13.8	1.32	11.3	16.6	32	8.3	1.52	5.6	11.8
2021	116	14.3	1.39	11.7	17.2	33	8.5	1.51	5.8	12.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ill-defined and unknown Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	34,815	13.1	0.07	12.9	13.2	29,347	12.9	0.08	12.8	13.1
1986	695	11.4	0.44	10.5	12.3	591	10.9	0.46	10.0	11.8
1987	733	11.9	0.45	11.1	12.8	626	11.5	0.47	10.6	12.4
1988	730	11.6	0.43	10.7	12.5	629	11.2	0.46	10.4	12.2
1989	765	12.2	0.45	11.3	13.1	645	11.6	0.46	10.7	12.5
1990	727	11.5	0.43	10.6	12.3	617	11.0	0.45	10.1	11.9
1991	707	10.9	0.42	10.1	11.8	614	10.7	0.44	9.9	11.6
1992	729	11.1	0.42	10.3	12.0	635	11.0	0.44	10.1	11.9
1993	1,031	15.4	0.48	14.5	16.4	902	15.3	0.52	14.3	16.3
1994	1,037	15.3	0.48	14.4	16.3	894	15.0	0.51	14.0	16.1
1995	923	13.4	0.44	12.5	14.3	782	12.9	0.47	12.0	13.9
1996	863	12.6	0.43	11.8	13.5	710	11.8	0.45	10.9	12.7
1997	809	11.7	0.41	10.9	12.5	692	11.4	0.44	10.5	12.3
1998	806	11.3	0.40	10.6	12.2	673	10.8	0.42	10.0	11.7
1999	849	11.9	0.41	11.1	12.8	713	11.5	0.44	10.6	12.4
2000	845	11.9	0.41	11.1	12.8	705	11.5	0.44	10.6	12.4
2001	1,128	15.8	0.47	14.8	16.7	949	15.3	0.51	14.4	16.4
2002	1,194	16.5	0.48	15.6	17.5	1,039	16.7	0.53	15.7	17.8
2003	1,139	15.7	0.47	14.8	16.7	965	15.4	0.51	14.5	16.5
2004	1,051	14.5	0.45	13.6	15.4	913	14.7	0.49	13.7	15.7
2005	1,081	14.7	0.45	13.8	15.6	934	14.8	0.49	13.9	15.8
2006	1,088	14.8	0.45	13.9	15.7	925	14.8	0.50	13.8	15.8
2007	1,124	15.0	0.45	14.1	15.9	954	15.0	0.50	14.1	16.0
2008	1,130	14.9	0.45	14.1	15.9	957	14.8	0.49	13.9	15.8
2009	1,129	14.7	0.45	13.9	15.6	933	14.4	0.48	13.4	15.3
2010	1,124	14.7	0.45	13.8	15.6	940	14.5	0.49	13.6	15.5
2011	1,015	12.9	0.41	12.1	13.7	861	13.0	0.46	12.1	13.9
2012	1,068	13.4	0.42	12.6	14.3	881	13.2	0.46	12.3	14.2
2013	1,030	12.8	0.41	12.0	13.6	845	12.7	0.45	11.9	13.6
2014	1,068	13.2	0.41	12.4	14.1	904	13.5	0.46	12.6	14.4
2015	984	12.0	0.39	11.3	12.8	826	12.3	0.44	11.4	13.2
2016	1,055	12.8	0.40	12.0	13.6	863	12.7	0.45	11.8	13.6
2017	1,041	12.3	0.39	11.6	13.1	871	12.6	0.44	11.8	13.5
2018	1,079	12.6	0.39	11.9	13.4	890	12.7	0.44	11.9	13.6
2019	1,059	12.5	0.40	11.8	13.3	856	12.4	0.44	11.5	13.3
2020	1,007	11.7	0.38	11.0	12.5	824	11.8	0.43	11.0	12.7
2021	972	11.0	0.36	10.3	11.7	789	11.0	0.41	10.3	11.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Ill-defined and unknown Sites										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,702	15.0	0.22	14.5	15.4	608	7.7	0.33	7.1	8.4
1986	101	16.7	1.71	13.5	20.4	3	7.3	4.48	1.3	19.8
1987	106	16.4	1.62	13.4	19.8	1	0.9	0.90	0.0	6.1
1988	96	14.9	1.55	12.0	18.2	3	3.0	1.74	0.6	9.2
1989	109	16.8	1.64	13.7	20.3	9	13.8	5.03	5.8	26.5
1990	105	15.5	1.54	12.6	18.8	4	3.3	1.66	0.9	9.0
1991	82	11.9	1.34	9.5	14.8	7	6.0	2.30	2.4	12.6
1992	87	12.2	1.33	9.8	15.1	7	9.2	3.82	3.3	19.1
1993	121	17.2	1.58	14.2	20.5	8	8.3	3.12	3.4	16.4
1994	140	19.1	1.64	16.0	22.5	3	3.5	2.24	0.5	9.9
1995	129	17.8	1.58	14.8	21.1	12	12.9	4.13	6.1	22.9
1996	149	19.9	1.65	16.8	23.4	4	2.7	1.36	0.7	6.9
1997	103	13.6	1.35	11.1	16.5	13	10.2	3.12	5.0	17.9
1998	115	15.0	1.41	12.4	18.0	17	14.3	3.66	8.0	22.9
1999	125	15.8	1.43	13.2	18.9	10	7.2	2.51	3.2	13.6
2000	124	15.3	1.38	12.7	18.2	12	6.4	1.94	3.2	11.4
2001	157	19.2	1.54	16.3	22.4	21	13.0	3.00	7.8	20.0
2002	142	17.1	1.45	14.4	20.2	11	7.0	2.26	3.3	12.6
2003	147	17.2	1.43	14.5	20.2	23	13.6	2.98	8.4	20.5
2004	121	14.0	1.28	11.6	16.7	15	7.5	2.04	4.0	12.4
2005	121	13.7	1.26	11.4	16.4	23	10.2	2.27	6.2	15.5
2006	140	16.0	1.36	13.4	18.9	20	10.5	2.43	6.3	16.2
2007	152	16.7	1.37	14.2	19.6	17	7.3	1.87	4.1	11.8
2008	153	16.5	1.35	14.0	19.4	18	8.0	1.96	4.6	12.7
2009	165	17.8	1.40	15.1	20.7	25	11.4	2.34	7.3	16.7
2010	158	16.5	1.32	14.0	19.3	19	7.2	1.74	4.2	11.3
2011	127	13.2	1.19	11.0	15.8	23	8.3	1.81	5.2	12.6
2012	153	15.1	1.24	12.8	17.7	21	7.8	1.73	4.7	11.8
2013	155	14.9	1.21	12.6	17.5	24	7.2	1.53	4.5	10.8
2014	132	12.8	1.13	10.6	15.2	26	7.6	1.54	4.9	11.2
2015	129	12.1	1.08	10.1	14.4	22	5.8	1.27	3.6	8.8
2016	141	13.1	1.12	11.0	15.5	37	9.2	1.55	6.4	12.8
2017	137	12.4	1.07	10.4	14.7	31	7.6	1.39	5.1	10.8
2018	147	13.2	1.10	11.1	15.5	34	7.9	1.38	5.5	11.1
2019	161	14.3	1.15	12.1	16.7	32	7.1	1.28	4.8	10.1
2020	136	11.6	1.02	9.7	13.8	31	6.4	1.16	4.3	9.1
2021	136	11.4	1.00	9.6	13.6	22	4.3	0.93	2.7	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Female Breast Insitu										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	65,518	27.2	0.11	27.0	27.4	53,868	27.3	0.12	27.0	27.5
1986	541	10.0	0.44	9.1	10.9	499	10.7	0.50	9.8	11.8
1987	578	10.7	0.45	9.8	11.6	536	11.6	0.52	10.6	12.7
1988	699	12.6	0.49	11.7	13.6	629	13.3	0.54	12.2	14.4
1989	688	12.4	0.48	11.5	13.4	631	13.3	0.54	12.3	14.4
1990	783	13.8	0.50	12.9	14.9	719	15.0	0.57	13.9	16.1
1991	916	16.0	0.54	15.0	17.1	823	16.9	0.60	15.7	18.1
1992	1,011	17.4	0.56	16.3	18.5	909	18.5	0.62	17.3	19.7
1993	987	16.8	0.54	15.8	17.9	871	17.7	0.61	16.5	18.9
1994	1,063	17.6	0.54	16.5	18.7	936	18.3	0.61	17.2	19.6
1995	1,216	20.0	0.58	18.9	21.2	1,070	20.9	0.65	19.7	22.2
1996	1,348	22.0	0.60	20.9	23.2	1,148	22.4	0.67	21.1	23.7
1997	1,479	23.9	0.62	22.6	25.1	1,275	24.5	0.69	23.2	25.9
1998	1,713	27.3	0.66	26.0	28.7	1,493	28.5	0.74	27.1	30.0
1999	1,724	27.0	0.65	25.8	28.3	1,477	27.8	0.73	26.3	29.2
2000	1,944	30.3	0.69	28.9	31.7	1,676	31.5	0.77	30.0	33.0
2001	2,000	30.8	0.69	29.5	32.2	1,702	31.7	0.77	30.2	33.3
2002	1,892	28.7	0.66	27.4	30.0	1,611	29.6	0.74	28.2	31.1
2003	1,887	28.3	0.65	27.1	29.6	1,589	28.9	0.73	27.5	30.4
2004	2,049	30.4	0.67	29.1	31.7	1,700	30.7	0.75	29.3	32.2
2005	2,100	30.8	0.68	29.5	32.2	1,738	31.1	0.75	29.6	32.6
2006	2,142	31.1	0.68	29.8	32.5	1,780	31.7	0.76	30.2	33.2
2007	2,325	33.3	0.70	32.0	34.7	1,905	33.5	0.78	32.0	35.1
2008	2,304	32.7	0.69	31.3	34.0	1,889	32.9	0.77	31.4	34.4
2009	2,497	35.1	0.71	33.7	36.5	2,044	35.4	0.79	33.8	36.9
2010	2,394	33.2	0.69	31.9	34.6	1,937	33.3	0.77	31.8	34.9
2011	2,472	33.8	0.69	32.4	35.2	1,994	33.9	0.77	32.4	35.5
2012	2,546	34.6	0.70	33.3	36.0	2,006	34.0	0.78	32.5	35.5
2013	2,582	34.9	0.70	33.5	36.3	2,040	34.4	0.78	32.9	36.0
2014	2,480	33.0	0.68	31.7	34.4	1,942	32.5	0.76	31.0	34.0
2015	2,463	32.6	0.68	31.3	34.0	1,942	32.3	0.76	30.8	33.8
2016	2,435	32.2	0.67	30.9	33.5	1,937	32.4	0.76	30.9	33.9
2017	2,487	32.4	0.67	31.1	33.7	1,913	31.5	0.75	30.1	33.0
2018	2,339	30.8	0.66	29.5	32.1	1,763	29.5	0.73	28.1	31.0
2019	2,513	33.1	0.68	31.8	34.5	1,966	33.2	0.78	31.7	34.8
2020	2,242	29.2	0.64	27.9	30.5	1,751	29.0	0.72	27.6	30.4
2021	2,679	35.4	0.71	34.0	36.8	2,027	34.3	0.80	32.8	35.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Race, Illinois 1986 - 2021

Female Breast Insitu										
Females										
Year	Blacks					Asian or Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	8,639	26.1	0.28	25.5	26.6	2,408	24.1	0.50	23.2	25.1
1986	35	5.5	0.94	3.8	7.6	3	3.3	1.91	0.7	10.1
1987	37	5.7	0.96	4.0	7.9	3	2.8	1.63	0.6	8.9
1988	55	8.3	1.14	6.2	10.8	13	11.9	3.32	6.3	20.7
1989	41	6.2	0.98	4.4	8.4	10	8.0	2.58	3.8	15.3
1990	54	7.6	1.05	5.7	9.9	9	6.3	2.13	2.8	12.6
1991	75	11.0	1.28	8.6	13.8	9	6.5	2.29	2.8	13.0
1992	83	11.1	1.23	8.9	13.8	10	8.2	2.66	3.9	15.3
1993	98	12.7	1.29	10.3	15.5	13	8.6	2.54	4.4	15.3
1994	102	13.0	1.30	10.6	15.8	18	12.2	3.15	6.8	20.0
1995	114	14.4	1.36	11.9	17.3	21	13.0	2.97	7.9	20.3
1996	151	19.2	1.57	16.2	22.5	30	16.6	3.12	11.1	24.1
1997	156	19.0	1.53	16.1	22.2	26	12.9	2.58	8.4	19.2
1998	167	20.0	1.56	17.1	23.3	28	14.2	2.80	9.3	20.9
1999	174	20.6	1.57	17.7	24.0	41	20.5	3.33	14.5	28.1
2000	180	20.8	1.56	17.9	24.1	56	25.3	3.51	18.9	33.2
2001	224	25.2	1.69	22.0	28.7	56	23.0	3.14	17.3	30.1
2002	217	24.0	1.63	20.9	27.4	52	20.8	2.95	15.4	27.5
2003	225	24.2	1.62	21.2	27.6	53	21.1	2.99	15.7	27.8
2004	275	29.8	1.81	26.4	33.6	67	24.0	3.01	18.4	30.7
2005	273	29.4	1.79	26.0	33.1	66	23.3	2.95	17.8	29.8
2006	296	30.6	1.80	27.2	34.4	54	17.4	2.41	13.0	22.9
2007	310	32.1	1.84	28.6	35.9	89	30.6	3.36	24.4	37.9
2008	321	32.4	1.82	28.9	36.2	74	23.0	2.74	18.0	29.1
2009	340	33.8	1.85	30.2	37.6	97	28.6	2.98	23.1	35.1
2010	343	33.1	1.81	29.6	36.8	94	26.3	2.76	21.2	32.3
2011	368	35.0	1.85	31.5	38.8	91	25.5	2.75	20.4	31.5
2012	413	38.9	1.95	35.2	42.9	108	27.8	2.72	22.7	33.7
2013	414	39.1	1.95	35.4	43.1	107	26.1	2.57	21.3	31.7
2014	395	35.9	1.84	32.4	39.7	114	27.2	2.59	22.4	32.8
2015	371	33.4	1.77	30.0	37.0	133	31.6	2.80	26.4	37.6
2016	368	32.8	1.75	29.4	36.4	108	23.9	2.32	19.6	28.9
2017	421	36.8	1.84	33.3	40.6	131	28.5	2.52	23.8	33.9
2018	397	35.1	1.81	31.7	38.9	151	31.7	2.61	26.8	37.3
2019	368	31.3	1.68	28.1	34.8	158	32.6	2.62	27.7	38.2
2020	345	30.2	1.67	27.0	33.6	127	26.0	2.32	21.6	30.9
2021	433	37.3	1.85	33.8	41.1	188	37.5	2.76	32.3	43.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

SECTION II
Cancer Incidence by Hispanic Ethnicity and Race
Illinois, 1990-2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

All Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	102,514	359.3	1.26	356.8	361.8	1,899,811	487.6	0.36	486.9	488.3
1990	1,138	298.7	10.40	278.7	319.7	46,373	440.1	2.06	436.0	444.1
1991	1,149	279.3	9.72	260.6	298.9	47,941	449.2	2.07	445.2	453.3
1992	1,263	302.9	10.06	283.5	323.2	50,782	469.8	2.10	465.7	474.0
1993	1,438	330.1	10.21	310.4	350.6	51,406	471.0	2.09	466.9	475.1
1994	1,602	350.3	10.35	330.3	371.0	53,953	491.7	2.13	487.6	495.9
1995	1,739	381.2	10.90	360.2	403.1	53,453	484.8	2.10	480.7	488.9
1996	1,846	398.9	11.03	377.5	421.0	54,513	492.5	2.11	488.3	496.6
1997	1,891	381.3	10.45	361.1	402.2	54,786	491.6	2.10	487.5	495.8
1998	2,052	400.9	10.58	380.4	422.0	55,723	495.9	2.10	491.8	500.0
1999	2,244	400.9	10.11	381.3	421.1	56,617	500.7	2.11	496.6	504.8
2000	2,165	353.0	9.05	335.5	371.1	57,027	501.4	2.10	497.3	505.5
2001	2,332	377.4	9.28	359.5	396.0	58,631	512.4	2.12	508.3	516.6
2002	2,510	375.5	8.84	358.4	393.2	59,875	519.3	2.13	515.1	523.5
2003	2,548	359.6	8.38	343.3	376.3	58,503	502.7	2.08	498.6	506.8
2004	2,792	375.8	8.37	359.6	392.5	58,864	502.3	2.08	498.2	506.4
2005	2,916	367.4	7.90	352.1	383.1	59,182	500.5	2.07	496.5	504.6
2006	3,037	371.3	7.80	356.2	386.9	60,967	512.2	2.09	508.1	516.3
2007	3,261	372.4	7.46	357.9	387.3	61,959	513.9	2.08	509.8	518.0
2008	3,449	378.2	7.37	363.8	392.8	63,200	516.8	2.08	512.7	520.9
2009	3,662	382.6	7.20	368.6	396.9	63,388	512.2	2.06	508.1	516.2
2010	3,682	356.7	6.65	343.8	369.9	62,142	495.5	2.02	491.6	499.5
2011	3,897	364.0	6.58	351.2	377.0	63,321	497.7	2.02	493.7	501.7
2012	4,040	359.4	6.32	347.1	372.0	62,157	481.2	1.97	477.4	485.1
2013	4,256	358.8	6.12	346.9	370.9	62,602	477.8	1.95	474.0	481.6
2014	4,452	354.1	5.87	342.7	365.8	64,016	482.1	1.95	478.2	485.9
2015	4,729	359.0	5.74	347.9	370.4	65,282	486.6	1.96	482.8	490.4
2016	4,993	361.3	5.59	350.4	372.4	65,656	485.8	1.95	481.9	489.6
2017	5,218	368.2	5.55	357.4	379.2	66,092	483.3	1.94	479.5	487.1
2018	5,464	369.0	5.40	358.4	379.7	66,164	478.7	1.92	475.0	482.5
2019	5,654	365.4	5.23	355.2	375.8	67,169	481.0	1.92	477.2	484.7
2020	5,070	315.5	4.74	306.3	324.9	61,470	439.2	1.83	435.6	442.8
2021	6,025	362.5	4.98	352.8	372.4	66,597	474.0	1.90	470.3	477.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

All Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,585,277	489.1	0.39	488.3	489.8	258,739	511.3	1.02	509.3	513.4
1990	40,401	438.4	2.21	434.1	442.8	5,493	472.1	6.57	459.3	485.2
1991	42,062	451.5	2.23	447.1	455.9	5,294	443.6	6.28	431.3	456.0
1992	44,396	472.0	2.26	467.6	476.5	5,790	475.6	6.43	463.1	488.4
1993	44,350	468.0	2.24	463.7	472.4	6,376	514.3	6.62	501.4	527.4
1994	46,379	488.1	2.28	483.7	492.6	6,873	547.8	6.78	534.6	561.2
1995	45,559	479.6	2.26	475.2	484.1	7,066	549.4	6.70	536.4	562.7
1996	46,331	487.3	2.27	482.8	491.8	7,278	556.3	6.67	543.3	569.6
1997	46,657	488.7	2.27	484.2	493.1	7,125	534.7	6.47	522.1	547.5
1998	47,187	491.4	2.27	487.0	495.9	7,416	547.2	6.49	534.5	560.0
1999	48,188	500.8	2.29	496.4	505.3	7,238	522.4	6.26	510.2	534.8
2000	48,214	500.1	2.28	495.6	504.6	7,547	534.2	6.26	522.0	546.7
2001	49,571	512.6	2.31	508.1	517.2	7,774	545.3	6.30	533.0	557.8
2002	50,536	519.9	2.32	515.4	524.5	7,902	543.1	6.23	530.9	555.4
2003	49,165	502.7	2.28	498.3	507.2	7,901	532.5	6.10	520.6	544.6
2004	49,385	503.3	2.28	498.9	507.8	7,978	528.6	6.03	516.8	540.5
2005	49,384	500.5	2.27	496.1	505.0	8,057	526.6	5.98	515.0	538.5
2006	50,710	512.2	2.30	507.7	516.7	8,548	547.5	6.04	535.8	559.5
2007	51,483	515.0	2.30	510.5	519.5	8,681	546.3	5.98	534.6	558.1
2008	52,506	519.3	2.30	514.8	523.8	8,776	540.2	5.89	528.7	551.9
2009	52,430	514.3	2.29	509.8	518.8	8,980	539.8	5.82	528.5	551.3
2010	51,229	497.2	2.24	492.8	501.6	8,836	522.1	5.68	511.0	533.4
2011	52,209	501.3	2.25	496.9	505.7	8,857	510.0	5.55	499.2	521.0
2012	51,087	485.1	2.20	480.8	489.5	8,843	499.1	5.44	488.5	509.9
2013	51,406	483.0	2.19	478.7	487.3	9,037	498.7	5.37	488.2	509.4
2014	52,329	486.5	2.19	482.3	490.9	9,258	501.8	5.35	491.4	512.4
2015	53,269	492.6	2.21	488.3	496.9	9,500	502.7	5.29	492.4	513.2
2016	53,657	493.8	2.21	489.5	498.2	9,455	496.2	5.24	486.0	506.6
2017	54,003	492.7	2.20	488.4	497.1	9,461	487.8	5.15	477.7	498.0
2018	53,739	486.2	2.18	481.9	490.5	9,495	481.8	5.07	471.9	491.9
2019	54,461	489.3	2.18	485.0	493.6	9,605	479.9	5.02	470.1	489.9
2020	49,838	448.0	2.10	443.9	452.2	8,553	422.8	4.69	413.7	432.1
2021	53,156	476.4	2.16	472.1	480.6	9,746	481.4	5.01	471.6	491.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

All Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	49,803	393.2	2.05	389.2	397.2	962,425	562.5	0.58	561.3	563.6
1990	524	333.7	18.38	298.6	371.2	22,948	525.9	3.58	518.9	532.9
1991	558	310.4	16.64	278.7	344.4	24,439	551.3	3.63	544.2	558.4
1992	600	341.7	17.58	308.1	377.5	26,623	591.7	3.72	584.4	599.0
1993	701	381.6	18.19	346.7	418.5	26,612	584.2	3.67	577.0	591.4
1994	815	410.4	18.17	375.5	447.2	27,347	598.7	3.70	591.5	606.0
1995	851	448.4	19.46	411.1	487.8	27,157	586.3	3.63	579.2	593.5
1996	936	472.7	19.52	435.2	512.1	27,403	587.0	3.60	580.0	594.1
1997	955	445.9	17.99	411.3	482.2	27,716	588.9	3.58	581.9	596.0
1998	1,005	485.2	19.11	448.5	523.7	27,960	588.6	3.56	581.6	595.6
1999	1,111	461.2	17.38	427.7	496.2	28,664	597.5	3.56	590.6	604.5
2000	1,062	408.5	15.43	378.8	439.6	28,992	599.1	3.55	592.1	606.1
2001	1,158	443.5	15.99	412.7	475.7	29,918	614.2	3.58	607.2	621.3
2002	1,252	444.6	15.32	415.1	475.5	30,880	628.1	3.61	621.1	635.2
2003	1,319	426.7	14.28	399.2	455.4	30,146	604.4	3.52	597.6	611.4
2004	1,368	430.2	14.12	403.0	458.6	30,317	599.9	3.48	593.1	606.7
2005	1,470	417.9	13.05	392.7	444.1	30,035	586.3	3.42	579.6	593.0
2006	1,526	423.8	12.93	398.8	449.7	31,037	598.1	3.44	591.3	604.8
2007	1,640	437.6	12.78	412.9	463.2	31,925	604.1	3.43	597.4	610.9
2008	1,729	441.4	12.50	417.2	466.4	32,498	602.7	3.40	596.0	609.4
2009	1,802	437.2	12.04	413.9	461.3	32,234	586.0	3.33	579.5	592.5
2010	1,825	395.5	10.77	374.6	417.0	31,422	562.5	3.24	556.1	568.8
2011	1,907	396.2	10.62	375.7	417.5	32,042	561.8	3.21	555.5	568.1
2012	1,995	400.3	10.38	380.2	421.1	31,059	533.6	3.10	527.5	539.7
2013	2,014	376.2	9.67	357.5	395.5	31,143	525.3	3.05	519.3	531.3
2014	2,068	370.4	9.33	352.3	389.0	31,611	522.4	3.02	516.5	528.3
2015	2,252	373.2	8.98	355.8	391.1	32,616	531.1	3.03	525.2	537.1
2016	2,390	378.8	8.79	361.8	396.4	32,380	521.7	2.99	515.9	527.6
2017	2,481	381.4	8.63	364.7	398.6	33,377	529.6	2.99	523.7	535.5
2018	2,599	381.7	8.41	365.4	398.5	33,025	515.4	2.92	509.7	521.1
2019	2,687	373.1	8.02	357.5	389.1	33,831	520.6	2.92	514.9	526.4
2020	2,355	315.8	7.23	301.8	330.2	31,324	480.0	2.80	474.5	485.5
2021	2,848	371.8	7.73	356.8	387.2	33,744	514.0	2.89	508.3	519.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

All Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	803,438	558.4	0.63	557.2	559.7	131,589	634.2	1.83	630.6	637.8
1990	19,916	518.4	3.78	511.0	525.8	2,785	605.3	12.31	581.4	629.8
1991	21,479	551.4	3.86	543.8	559.0	2,705	570.1	11.70	547.4	593.5
1992	23,192	587.5	3.95	579.8	595.3	3,144	660.1	12.59	635.6	685.1
1993	22,912	575.5	3.88	568.0	583.2	3,390	688.5	12.63	663.9	713.6
1994	23,341	586.1	3.91	578.5	593.8	3,672	743.5	13.11	718.1	769.6
1995	22,942	570.9	3.83	563.4	578.4	3,839	752.0	12.91	726.9	777.6
1996	23,063	571.1	3.81	563.7	578.6	3,904	743.0	12.60	718.5	768.0
1997	23,521	579.2	3.81	571.7	586.7	3,703	689.0	11.96	665.8	712.8
1998	23,589	576.6	3.78	569.2	584.1	3,830	706.5	12.05	683.0	730.4
1999	24,349	591.2	3.81	583.7	598.7	3,713	672.0	11.62	649.5	695.1
2000	24,377	588.8	3.79	581.4	596.3	4,017	711.5	11.80	688.6	735.0
2001	25,274	608.0	3.85	600.5	615.6	3,992	698.5	11.63	675.8	721.6
2002	26,135	624.6	3.89	617.0	632.2	4,017	689.3	11.47	667.0	712.1
2003	25,324	598.6	3.79	591.2	606.0	4,142	689.0	11.25	667.1	711.4
2004	25,394	594.2	3.76	586.8	601.6	4,158	682.2	11.16	660.5	704.4
2005	25,004	578.6	3.69	571.4	585.9	4,156	674.5	11.07	653.0	696.5
2006	25,794	591.0	3.72	583.7	598.3	4,404	694.9	11.03	673.4	716.8
2007	26,392	595.2	3.71	587.9	602.5	4,620	716.6	11.11	695.0	738.7
2008	26,953	597.2	3.69	590.0	604.5	4,608	694.0	10.75	673.1	715.4
2009	26,609	580.2	3.62	573.2	587.4	4,596	668.1	10.37	648.0	688.7
2010	25,921	557.5	3.53	550.6	564.5	4,486	641.7	10.10	622.0	661.8
2011	26,495	559.5	3.51	552.6	566.4	4,433	612.7	9.68	593.8	631.9
2012	25,600	531.9	3.40	525.3	538.6	4,382	596.1	9.48	577.6	614.9
2013	25,730	526.1	3.36	519.6	532.8	4,408	585.0	9.26	567.0	603.4
2014	25,963	521.6	3.33	515.1	528.2	4,490	580.9	9.12	563.2	599.1
2015	26,660	530.1	3.35	523.6	536.7	4,721	595.2	9.11	577.5	613.3
2016	26,668	526.4	3.33	519.9	533.0	4,511	558.8	8.74	541.8	576.2
2017	27,512	535.6	3.34	529.0	542.1	4,620	564.9	8.72	548.0	582.3
2018	27,045	519.2	3.26	512.8	525.6	4,557	540.0	8.36	523.7	556.6
2019	27,713	525.3	3.26	519.0	531.8	4,626	544.7	8.37	528.4	561.3
2020	25,530	483.5	3.13	477.4	489.7	4,200	487.4	7.84	472.2	503.1
2021	27,041	508.7	3.21	502.5	515.1	4,760	555.2	8.40	538.9	571.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

All Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	52,711	339.5	1.61	336.4	342.7	937,386	439.4	0.46	438.5	440.3
1990	614	287.0	12.87	262.3	313.2	23,425	395.6	2.63	390.5	400.8
1991	591	263.6	12.14	240.3	288.3	23,502	392.5	2.61	387.4	397.6
1992	663	284.3	12.40	260.5	309.5	24,159	399.0	2.61	393.9	404.2
1993	737	303.5	12.44	279.6	328.7	24,794	403.4	2.60	398.3	408.5
1994	787	312.8	12.58	288.7	338.3	26,606	428.4	2.66	423.2	433.6
1995	888	343.3	13.11	318.1	369.8	26,296	423.4	2.64	418.2	428.6
1996	910	352.5	13.25	327.0	379.3	27,110	434.2	2.67	429.0	439.5
1997	936	337.7	12.70	313.2	363.3	27,070	431.0	2.65	425.8	436.2
1998	1,047	350.1	12.41	326.2	375.2	27,763	438.3	2.66	433.1	443.5
1999	1,133	362.2	12.36	338.4	387.1	27,953	439.7	2.65	434.5	444.9
2000	1,103	316.3	11.01	295.0	338.5	28,035	438.6	2.64	433.4	443.8
2001	1,174	332.7	11.18	311.2	355.3	28,713	446.5	2.66	441.3	451.8
2002	1,258	328.7	10.59	308.2	350.0	28,995	448.4	2.66	443.2	453.6
2003	1,229	310.4	10.14	290.9	330.9	28,357	436.3	2.62	431.1	441.4
2004	1,424	339.5	10.29	319.6	360.2	28,547	436.9	2.62	431.8	442.1
2005	1,446	331.3	9.84	312.3	351.1	29,147	443.8	2.63	438.7	449.0
2006	1,511	333.8	9.67	315.1	353.2	29,930	454.4	2.66	449.2	459.6
2007	1,621	328.2	9.05	310.7	346.4	30,034	452.7	2.65	447.5	457.9
2008	1,720	334.7	8.99	317.3	352.7	30,702	458.0	2.66	452.8	463.2
2009	1,860	346.2	8.90	328.9	364.0	31,154	461.4	2.67	456.2	466.7
2010	1,857	329.4	8.42	313.1	346.3	30,720	449.9	2.63	444.8	455.1
2011	1,990	343.7	8.44	327.3	360.6	31,279	454.3	2.64	449.2	459.5
2012	2,045	333.2	8.00	317.7	349.2	31,098	447.3	2.61	442.2	452.4
2013	2,242	351.6	8.03	336.0	367.6	31,459	447.6	2.60	442.5	452.7
2014	2,384	350.1	7.70	335.2	365.5	32,405	458.2	2.63	453.1	463.4
2015	2,477	354.2	7.60	339.5	369.4	32,666	458.9	2.63	453.8	464.1
2016	2,603	354.8	7.39	340.5	369.6	33,276	465.3	2.65	460.2	470.6
2017	2,737	365.3	7.40	351.0	380.1	32,715	453.6	2.61	448.5	458.8
2018	2,865	367.9	7.23	353.9	382.3	33,139	456.1	2.61	451.0	461.2
2019	2,967	367.4	7.07	353.7	381.5	33,338	456.9	2.62	451.8	462.1
2020	2,715	323.9	6.48	311.3	336.8	30,146	413.2	2.49	408.4	418.2
2021	3,177	366.5	6.76	353.4	380.0	32,853	449.4	2.60	444.3	454.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

All Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	781,839	445.5	0.52	444.5	446.5	127,150	432.5	1.22	430.1	434.9
1990	20,485	399.4	2.86	393.9	405.1	2,708	392.3	7.67	377.5	407.6
1991	20,583	397.5	2.84	392.0	403.1	2,589	365.7	7.31	351.5	380.2
1992	21,204	406.2	2.86	400.6	411.8	2,646	364.1	7.18	350.2	378.4
1993	21,438	405.0	2.83	399.5	410.6	2,986	405.7	7.53	391.1	420.8
1994	23,038	431.6	2.90	426.0	437.4	3,201	428.1	7.67	413.2	443.4
1995	22,617	426.1	2.89	420.5	431.8	3,227	422.1	7.52	407.5	437.1
1996	23,268	437.8	2.93	432.1	443.6	3,374	435.9	7.59	421.1	451.0
1997	23,136	433.9	2.90	428.2	439.6	3,422	434.7	7.51	420.1	449.7
1998	23,598	440.0	2.91	434.3	445.8	3,586	446.0	7.52	431.4	461.0
1999	23,839	444.9	2.93	439.2	450.7	3,525	428.7	7.28	414.6	443.2
2000	23,837	444.3	2.93	438.6	450.1	3,530	421.1	7.14	407.2	435.3
2001	24,297	451.8	2.95	446.0	457.6	3,782	447.3	7.33	433.0	461.9
2002	24,401	452.0	2.94	446.2	457.8	3,885	451.2	7.29	437.0	465.7
2003	23,841	441.2	2.91	435.5	447.0	3,759	430.4	7.07	416.7	444.5
2004	23,991	443.1	2.92	437.4	448.8	3,820	430.2	7.01	416.6	444.2
2005	24,380	449.6	2.94	443.9	455.5	3,901	433.8	7.00	420.2	447.7
2006	24,916	459.9	2.98	454.0	465.7	4,144	453.3	7.10	439.4	467.4
2007	25,091	461.7	2.99	455.9	467.6	4,061	437.3	6.93	423.8	451.1
2008	25,553	466.3	3.00	460.5	472.3	4,168	440.7	6.90	427.3	454.4
2009	25,821	470.0	3.01	464.1	475.9	4,384	456.0	6.97	442.5	469.9
2010	25,308	456.8	2.97	451.0	462.7	4,350	444.3	6.83	431.1	457.9
2011	25,714	462.8	2.99	456.9	468.7	4,424	441.9	6.74	428.8	455.4
2012	25,487	455.9	2.97	450.1	461.7	4,461	437.3	6.65	424.3	450.5
2013	25,676	456.7	2.97	450.9	462.6	4,629	443.9	6.63	430.9	457.1
2014	26,366	467.5	3.01	461.6	473.4	4,768	452.6	6.68	439.6	465.9
2015	26,609	471.0	3.03	465.1	477.0	4,779	444.5	6.56	431.7	457.5
2016	26,989	477.0	3.06	471.1	483.1	4,944	457.7	6.65	444.7	470.9
2017	26,491	465.9	3.02	460.0	471.8	4,841	440.0	6.47	427.4	452.8
2018	26,694	467.5	3.03	461.6	473.5	4,938	442.3	6.44	429.8	455.1
2019	26,748	468.5	3.04	462.6	474.5	4,979	439.5	6.38	427.1	452.2
2020	24,308	427.1	2.91	421.4	432.9	4,353	380.9	5.92	369.4	392.7
2021	26,115	458.8	3.03	452.9	464.8	4,986	434.2	6.32	421.9	446.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oral Cavity and Pharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,041	7.1	0.17	6.8	7.5	46,246	11.9	0.06	11.8	12.0
1990	26	6.3	1.35	3.9	9.5	1,130	11.0	0.33	10.3	11.6
1991	26	5.6	1.23	3.5	8.5	1,107	10.6	0.32	10.0	11.3
1992	13	2.7	0.82	1.3	4.8	1,107	10.5	0.32	9.9	11.1
1993	27	6.6	1.47	4.0	10.0	1,108	10.4	0.31	9.8	11.1
1994	32	7.7	1.58	4.9	11.3	1,154	10.7	0.32	10.1	11.4
1995	23	5.1	1.22	3.0	8.0	1,278	11.8	0.33	11.2	12.5
1996	48	13.5	2.21	9.5	18.3	1,249	11.5	0.33	10.8	12.1
1997	59	13.0	1.97	9.4	17.3	1,257	11.5	0.32	10.8	12.1
1998	39	7.7	1.47	5.1	11.1	1,215	11.0	0.31	10.3	11.6
1999	49	6.5	1.00	4.7	8.8	1,261	11.3	0.32	10.7	11.9
2000	38	6.0	1.20	3.9	8.8	1,256	11.1	0.31	10.5	11.8
2001	47	7.8	1.37	5.3	10.8	1,218	10.7	0.31	10.1	11.3
2002	52	7.2	1.15	5.1	9.8	1,302	11.3	0.31	10.7	11.9
2003	50	7.9	1.29	5.6	10.7	1,285	11.0	0.31	10.4	11.6
2004	48	6.3	1.00	4.5	8.5	1,386	11.8	0.32	11.1	12.4
2005	42	4.3	0.73	2.9	5.9	1,302	10.9	0.30	10.3	11.5
2006	58	6.6	1.01	4.8	8.9	1,343	11.1	0.31	10.5	11.7
2007	73	7.5	1.01	5.7	9.8	1,447	11.9	0.31	11.2	12.5
2008	75	8.2	1.07	6.3	10.6	1,509	12.1	0.32	11.5	12.8
2009	78	7.2	0.91	5.5	9.2	1,517	12.1	0.32	11.5	12.8
2010	74	7.0	0.92	5.3	9.0	1,525	11.9	0.31	11.3	12.5
2011	82	6.9	0.85	5.4	8.8	1,658	12.8	0.32	12.2	13.4
2012	76	6.5	0.82	5.0	8.3	1,657	12.6	0.32	12.0	13.2
2013	75	6.5	0.82	5.0	8.3	1,687	12.6	0.32	12.0	13.3
2014	76	6.3	0.79	4.9	8.0	1,704	12.5	0.31	11.9	13.1
2015	98	7.8	0.87	6.2	9.7	1,772	13.0	0.32	12.4	13.7
2016	91	6.3	0.70	5.0	7.8	1,786	12.9	0.32	12.3	13.6
2017	113	7.9	0.80	6.4	9.6	1,827	13.1	0.32	12.5	13.8
2018	114	7.8	0.78	6.3	9.5	1,732	12.4	0.31	11.8	13.0
2019	130	9.0	0.84	7.4	10.7	1,831	12.8	0.31	12.2	13.4
2020	95	5.8	0.63	4.6	7.2	1,788	12.7	0.31	12.1	13.3
2021	114	7.2	0.72	5.9	8.7	1,848	12.9	0.31	12.3	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oral Cavity and Pharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	38,155	11.8	0.06	11.7	11.9	6,433	12.1	0.15	11.8	12.4
1990	903	10.0	0.34	9.4	10.7	215	17.5	1.22	15.2	20.1
1991	887	9.8	0.33	9.1	10.5	202	15.8	1.13	13.6	18.1
1992	928	10.1	0.34	9.5	10.8	163	12.5	0.99	10.7	14.6
1993	912	10.0	0.33	9.3	10.6	171	13.0	1.00	11.1	15.1
1994	924	10.0	0.33	9.4	10.7	207	15.6	1.10	13.5	17.9
1995	1,053	11.4	0.35	10.7	12.1	199	14.5	1.04	12.5	16.6
1996	1,012	10.9	0.34	10.2	11.6	214	15.3	1.06	13.3	17.5
1997	1,019	10.9	0.34	10.3	11.6	207	14.6	1.03	12.6	16.8
1998	974	10.4	0.33	9.7	11.1	210	14.5	1.01	12.6	16.6
1999	1,034	11.0	0.34	10.3	11.7	196	13.1	0.95	11.3	15.1
2000	1,025	10.8	0.34	10.2	11.5	195	12.8	0.93	11.1	14.8
2001	1,006	10.5	0.33	9.9	11.2	178	11.4	0.87	9.8	13.2
2002	1,070	11.1	0.34	10.5	11.8	201	13.0	0.93	11.2	14.9
2003	1,064	10.9	0.34	10.3	11.6	189	11.7	0.86	10.1	13.6
2004	1,102	11.3	0.34	10.6	12.0	231	14.1	0.94	12.4	16.1
2005	1,081	11.0	0.34	10.3	11.7	171	10.2	0.79	8.7	11.9
2006	1,106	11.1	0.34	10.5	11.8	178	10.3	0.79	8.9	12.0
2007	1,187	11.8	0.35	11.2	12.5	210	12.3	0.87	10.7	14.2
2008	1,244	12.2	0.35	11.5	12.9	217	12.4	0.86	10.8	14.2
2009	1,259	12.3	0.35	11.6	13.0	195	11.1	0.81	9.5	12.8
2010	1,227	11.7	0.34	11.0	12.4	223	12.5	0.85	10.9	14.3
2011	1,379	13.0	0.36	12.3	13.8	216	11.7	0.81	10.2	13.4
2012	1,376	12.9	0.36	12.2	13.6	225	12.0	0.82	10.5	13.7
2013	1,400	12.8	0.35	12.2	13.6	219	11.8	0.82	10.3	13.5
2014	1,421	12.8	0.35	12.2	13.6	214	11.5	0.81	10.0	13.2
2015	1,472	13.5	0.36	12.8	14.2	218	10.9	0.76	9.5	12.5
2016	1,488	13.4	0.36	12.7	14.1	211	10.7	0.76	9.3	12.3
2017	1,565	14.1	0.37	13.4	14.8	182	8.8	0.67	7.5	10.2
2018	1,469	13.1	0.35	12.4	13.8	174	8.7	0.67	7.4	10.1
2019	1,559	13.7	0.36	13.0	14.4	193	9.4	0.69	8.1	10.8
2020	1,482	13.3	0.36	12.6	14.0	199	9.5	0.69	8.2	10.9
2021	1,527	13.4	0.36	12.7	14.1	210	9.9	0.70	8.6	11.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oral Cavity and Pharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,413	10.3	0.32	9.7	10.9	32,120	18.1	0.10	17.9	18.3
1990	15	8.2	2.42	4.2	14.4	772	17.3	0.64	16.1	18.6
1991	17	8.9	2.59	4.6	15.4	741	16.2	0.61	15.1	17.5
1992	9	3.3	1.16	1.4	6.8	740	16.1	0.60	14.9	17.3
1993	19	10.3	3.01	5.3	17.6	758	16.1	0.59	15.0	17.3
1994	20	10.5	2.93	5.6	17.6	771	16.4	0.60	15.2	17.6
1995	16	6.9	1.92	3.7	11.7	874	18.3	0.63	17.1	19.6
1996	35	19.7	4.03	12.7	28.9	847	17.7	0.61	16.5	18.9
1997	40	18.8	3.70	12.3	27.2	840	17.4	0.61	16.2	18.6
1998	24	11.8	3.05	6.6	18.9	828	16.8	0.59	15.6	17.9
1999	32	9.1	1.73	6.0	13.3	842	16.8	0.58	15.7	18.0
2000	25	7.8	1.87	4.5	12.3	864	17.1	0.59	16.0	18.3
2001	31	9.3	2.09	5.6	14.2	844	16.5	0.57	15.4	17.7
2002	38	10.4	1.92	7.0	14.9	876	17.0	0.58	15.8	18.1
2003	37	13.8	2.77	8.9	20.1	869	16.7	0.57	15.6	17.8
2004	38	10.3	1.92	6.9	14.7	973	18.2	0.59	17.1	19.4
2005	29	6.0	1.27	3.7	9.0	902	16.6	0.56	15.6	17.8
2006	42	9.4	1.72	6.3	13.3	911	16.5	0.56	15.5	17.7
2007	57	12.2	1.91	8.8	16.5	1,003	17.9	0.57	16.8	19.0
2008	52	11.8	1.88	8.4	16.0	1,034	18.0	0.57	16.9	19.2
2009	51	9.7	1.55	6.9	13.2	1,046	18.1	0.57	17.0	19.2
2010	53	10.9	1.69	7.8	14.6	1,081	18.3	0.57	17.2	19.4
2011	55	9.7	1.51	6.9	13.0	1,188	19.7	0.59	18.6	20.9
2012	57	10.0	1.54	7.2	13.5	1,161	19.0	0.57	17.9	20.1
2013	54	9.7	1.52	6.9	13.1	1,213	19.7	0.58	18.5	20.8
2014	48	8.4	1.37	5.9	11.4	1,189	18.8	0.56	17.7	19.9
2015	58	9.9	1.46	7.2	13.1	1,264	19.9	0.58	18.8	21.0
2016	69	9.7	1.29	7.3	12.5	1,268	19.5	0.57	18.5	20.7
2017	73	10.4	1.36	7.9	13.4	1,294	19.9	0.57	18.8	21.1
2018	81	11.3	1.40	8.8	14.4	1,216	18.6	0.55	17.5	19.7
2019	94	13.4	1.54	10.6	16.7	1,295	19.3	0.55	18.2	20.4
2020	58	7.0	0.98	5.2	9.2	1,266	19.0	0.55	18.0	20.2
2021	86	11.4	1.37	8.9	14.4	1,350	20.1	0.57	19.0	21.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oral Cavity and Pharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	26,452	17.9	0.11	17.7	18.1	4,537	19.9	0.31	19.4	20.6
1990	619	16.0	0.66	14.7	17.3	145	27.9	2.39	23.4	33.0
1991	588	14.8	0.62	13.6	16.1	142	26.5	2.30	22.1	31.3
1992	610	15.4	0.63	14.1	16.7	116	21.2	2.03	17.4	25.6
1993	617	15.2	0.62	14.0	16.5	125	22.0	2.02	18.3	26.4
1994	613	15.2	0.62	14.0	16.5	144	25.5	2.21	21.3	30.2
1995	708	17.3	0.66	16.0	18.6	146	25.2	2.16	21.1	29.7
1996	678	16.6	0.64	15.3	17.9	155	25.7	2.11	21.7	30.2
1997	669	16.3	0.63	15.1	17.6	152	25.3	2.14	21.3	29.8
1998	651	15.5	0.61	14.4	16.8	155	25.2	2.09	21.2	29.6
1999	690	16.3	0.62	15.1	17.6	137	21.2	1.86	17.7	25.2
2000	694	16.3	0.62	15.1	17.6	152	23.5	1.96	19.8	27.7
2001	698	16.3	0.62	15.1	17.5	124	18.5	1.71	15.3	22.2
2002	703	16.2	0.62	15.0	17.5	152	23.0	1.92	19.4	27.1
2003	707	16.2	0.61	15.0	17.4	143	20.2	1.73	17.0	23.9
2004	761	17.0	0.62	15.8	18.3	175	25.3	2.00	21.6	29.6
2005	746	16.6	0.61	15.4	17.8	129	18.1	1.63	15.0	21.6
2006	750	16.4	0.60	15.2	17.6	119	15.9	1.50	13.1	19.2
2007	816	17.5	0.62	16.3	18.8	154	21.3	1.79	17.9	25.1
2008	848	17.9	0.62	16.7	19.1	151	20.7	1.78	17.4	24.5
2009	878	18.3	0.63	17.1	19.6	128	16.7	1.53	13.8	20.0
2010	877	17.8	0.61	16.7	19.1	151	20.2	1.73	16.9	23.8
2011	982	19.7	0.65	18.5	21.0	160	20.3	1.66	17.2	23.8
2012	958	19.1	0.63	17.9	20.4	161	20.0	1.63	16.9	23.4
2013	1,013	19.8	0.64	18.6	21.1	152	19.4	1.64	16.3	22.9
2014	1,003	19.2	0.62	18.0	20.5	136	17.6	1.58	14.6	20.9
2015	1,056	20.3	0.64	19.0	21.6	155	18.5	1.55	15.6	21.8
2016	1,064	20.0	0.64	18.8	21.3	143	17.1	1.49	14.3	20.3
2017	1,114	21.1	0.66	19.8	22.4	122	13.8	1.30	11.4	16.6
2018	1,035	19.4	0.62	18.2	20.6	120	14.0	1.33	11.5	16.9
2019	1,121	20.7	0.64	19.4	22.0	123	13.7	1.28	11.3	16.4
2020	1,053	19.8	0.64	18.5	21.1	133	14.5	1.31	12.1	17.3
2021	1,132	20.8	0.65	19.6	22.1	137	15.0	1.34	12.5	17.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oral Cavity and Pharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	628	4.3	0.19	3.9	4.7	14,126	6.6	0.06	6.5	6.7
1990	11	4.8	1.54	2.2	8.8	358	6.0	0.33	5.4	6.7
1991	9	3.0	1.07	1.3	6.1	366	6.3	0.34	5.7	7.0
1992	4	1.9	1.04	0.5	5.0	367	6.2	0.33	5.6	6.9
1993	8	3.7	1.44	1.4	7.5	350	5.8	0.31	5.2	6.5
1994	12	5.5	1.78	2.6	10.0	383	6.2	0.32	5.6	6.9
1995	7	3.2	1.40	1.1	6.9	404	6.5	0.33	5.9	7.2
1996	13	8.1	2.38	4.2	13.8	402	6.5	0.33	5.8	7.1
1997	19	8.2	2.12	4.6	13.2	417	6.8	0.33	6.1	7.5
1998	15	4.9	1.41	2.5	8.4	387	6.2	0.32	5.6	6.8
1999	17	4.2	1.06	2.3	6.9	419	6.7	0.33	6.1	7.4
2000	13	4.2	1.44	1.8	7.8	392	6.2	0.32	5.6	6.9
2001	16	6.1	1.75	3.1	10.2	374	5.9	0.31	5.3	6.5
2002	14	4.1	1.28	2.0	7.3	426	6.6	0.32	6.0	7.3
2003	13	3.2	0.99	1.6	5.7	416	6.4	0.32	5.8	7.1
2004	10	2.6	0.87	1.2	4.9	413	6.4	0.32	5.8	7.1
2005	13	2.6	0.78	1.3	4.6	400	6.1	0.31	5.5	6.8
2006	16	4.0	1.12	2.1	6.7	432	6.5	0.32	5.9	7.2
2007	16	3.2	0.94	1.6	5.5	444	6.7	0.32	6.1	7.4
2008	23	5.0	1.17	3.0	7.8	475	7.1	0.33	6.4	7.7
2009	27	4.9	1.03	3.1	7.3	471	7.0	0.33	6.4	7.7
2010	21	3.6	0.89	2.1	5.7	444	6.6	0.32	6.0	7.2
2011	27	4.5	0.94	2.8	6.7	470	6.8	0.32	6.2	7.4
2012	19	3.3	0.82	1.9	5.3	496	7.0	0.32	6.4	7.7
2013	21	3.7	0.84	2.2	5.7	474	6.7	0.31	6.1	7.3
2014	28	4.6	0.91	3.0	6.7	515	7.1	0.32	6.4	7.7
2015	40	6.1	1.03	4.2	8.4	508	7.1	0.32	6.4	7.7
2016	22	3.0	0.67	1.8	4.6	518	7.2	0.33	6.6	7.9
2017	40	5.5	0.92	3.8	7.6	533	7.2	0.32	6.6	7.9
2018	33	4.6	0.83	3.1	6.5	516	7.0	0.32	6.3	7.6
2019	36	4.9	0.85	3.4	6.8	536	7.1	0.32	6.5	7.8
2020	37	4.6	0.78	3.2	6.3	522	7.0	0.32	6.4	7.7
2021	28	3.5	0.68	2.3	5.1	498	6.5	0.30	5.9	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oral Cavity and Pharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	11,703	6.6	0.06	6.5	6.8	1,896	6.3	0.15	6.0	6.6
1990	284	5.4	0.33	4.8	6.1	70	9.9	1.20	7.7	12.5
1991	299	6.0	0.35	5.3	6.7	60	7.9	1.04	6.0	10.2
1992	318	6.1	0.35	5.5	6.9	47	6.3	0.92	4.6	8.3
1993	295	5.7	0.34	5.0	6.4	46	6.2	0.91	4.5	8.2
1994	311	5.8	0.33	5.2	6.5	63	8.4	1.07	6.4	10.7
1995	345	6.5	0.35	5.8	7.2	53	6.6	0.92	4.9	8.7
1996	334	6.3	0.35	5.6	7.0	59	7.5	0.98	5.7	9.6
1997	350	6.7	0.36	6.0	7.5	55	6.8	0.93	5.1	8.9
1998	323	6.1	0.34	5.4	6.8	55	6.6	0.90	5.0	8.6
1999	344	6.6	0.36	5.9	7.4	59	6.9	0.91	5.3	8.9
2000	331	6.3	0.35	5.6	7.0	43	4.9	0.76	3.6	6.6
2001	308	5.7	0.33	5.1	6.4	54	6.1	0.84	4.6	8.0
2002	367	6.9	0.36	6.2	7.6	49	5.5	0.80	4.1	7.3
2003	357	6.6	0.35	5.9	7.3	46	5.2	0.77	3.8	6.9
2004	341	6.4	0.35	5.7	7.1	56	6.0	0.81	4.6	7.9
2005	335	6.3	0.35	5.6	7.0	42	4.4	0.68	3.2	6.0
2006	356	6.5	0.35	5.8	7.2	59	6.1	0.80	4.6	7.9
2007	371	6.9	0.36	6.2	7.6	56	5.9	0.79	4.4	7.6
2008	396	7.2	0.37	6.5	7.9	66	6.7	0.83	5.2	8.5
2009	381	7.0	0.37	6.3	7.7	67	6.8	0.85	5.3	8.7
2010	350	6.4	0.35	5.7	7.1	72	7.1	0.85	5.5	9.0
2011	397	7.0	0.36	6.3	7.8	56	5.4	0.73	4.1	7.0
2012	418	7.3	0.37	6.6	8.1	64	6.1	0.78	4.7	7.8
2013	387	6.7	0.35	6.0	7.5	67	6.3	0.78	4.9	8.1
2014	418	7.1	0.36	6.4	7.8	78	7.4	0.85	5.8	9.3
2015	416	7.3	0.38	6.6	8.1	63	5.5	0.71	4.2	7.1
2016	424	7.5	0.38	6.7	8.3	68	6.1	0.75	4.7	7.8
2017	451	7.7	0.38	7.0	8.5	60	5.1	0.68	3.9	6.7
2018	434	7.3	0.37	6.6	8.1	54	4.9	0.68	3.6	6.4
2019	438	7.4	0.37	6.6	8.1	70	6.2	0.76	4.8	7.9
2020	429	7.3	0.37	6.6	8.0	66	5.8	0.73	4.5	7.4
2021	395	6.5	0.35	5.9	7.3	73	6.1	0.72	4.7	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lip										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	98	0.4	0.04	0.3	0.5	2,395	0.6	0.01	0.6	0.6
1990	1	0.2	0.23	0.0	1.4	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	1.3	102	1.0	0.09	0.8	1.2
1992	0					96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	1.0	80	0.7	0.08	0.6	0.9
1994	0					94	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	1.0	101	0.9	0.09	0.8	1.1
1996	2	0.6	0.50	0.0	2.2	106	1.0	0.09	0.8	1.2
1997	0					97	0.9	0.09	0.7	1.1
1998	1	0.2	0.16	0.0	1.0	80	0.7	0.08	0.6	0.9
1999	4	0.4	0.21	0.1	1.2	82	0.7	0.08	0.6	0.9
2000	3	0.7	0.47	0.1	2.1	77	0.7	0.08	0.5	0.9
2001	1	0.1	0.14	0.0	0.9	59	0.5	0.07	0.4	0.7
2002	3	0.6	0.39	0.1	1.8	96	0.8	0.08	0.7	1.0
2003	3	0.4	0.21	0.1	1.1	66	0.6	0.07	0.4	0.7
2004	1	0.2	0.24	0.0	1.1	81	0.7	0.08	0.6	0.9
2005	3	0.4	0.20	0.1	1.1	69	0.6	0.07	0.5	0.7
2006	4	0.6	0.34	0.1	1.6	68	0.6	0.07	0.5	0.7
2007	3	0.2	0.13	0.1	0.8	74	0.6	0.07	0.5	0.8
2008	7	0.9	0.39	0.3	1.9	72	0.6	0.07	0.5	0.8
2009	3	0.4	0.27	0.1	1.2	71	0.6	0.07	0.5	0.7
2010	4	0.5	0.25	0.1	1.2	79	0.6	0.07	0.5	0.8
2011	5	0.5	0.25	0.1	1.2	55	0.4	0.06	0.3	0.6
2012	4	0.3	0.13	0.1	0.7	54	0.4	0.06	0.3	0.5
2013	2	0.2	0.16	0.0	0.7	69	0.5	0.06	0.4	0.7
2014	3	0.3	0.20	0.1	0.9	62	0.5	0.06	0.4	0.6
2015	8	0.8	0.30	0.3	1.5	68	0.5	0.06	0.4	0.7
2016	2	0.2	0.12	0.0	0.6	71	0.5	0.06	0.4	0.7
2017	11	0.9	0.30	0.4	1.7	65	0.5	0.06	0.4	0.6
2018	3	0.3	0.16	0.1	0.7	50	0.4	0.05	0.3	0.5
2019	4	0.3	0.15	0.1	0.8	48	0.3	0.05	0.3	0.5
2020	3	0.2	0.12	0.0	0.6	34	0.2	0.04	0.2	0.3
2021	7	0.5	0.21	0.2	1.1	50	0.3	0.05	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lip										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,299	0.7	0.01	0.7	0.7	39	0.1	0.01	0.1	0.1
1990	119	1.3	0.12	1.1	1.5	0				
1991	100	1.1	0.11	0.9	1.3	1	0.1	0.09	0.0	0.5
1992	96	1.0	0.11	0.8	1.3	0				
1993	79	0.9	0.10	0.7	1.1	1	0.1	0.05	0.0	0.3
1994	90	1.0	0.10	0.8	1.2	3	0.3	0.18	0.1	0.8
1995	98	1.0	0.10	0.8	1.3	1	0.1	0.05	0.0	0.3
1996	104	1.1	0.11	0.9	1.3	1	0.1	0.08	0.0	0.4
1997	94	1.0	0.10	0.8	1.2	2	0.2	0.15	0.0	0.7
1998	79	0.8	0.09	0.7	1.0	1	0.1	0.05	0.0	0.3
1999	80	0.8	0.09	0.6	1.0	0				
2000	73	0.8	0.09	0.6	1.0	2	0.1	0.10	0.0	0.5
2001	57	0.6	0.08	0.4	0.8	1	0.1	0.07	0.0	0.4
2002	93	0.9	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4
2003	64	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3
2004	77	0.8	0.09	0.6	1.0	3	0.2	0.11	0.0	0.6
2005	65	0.7	0.08	0.5	0.8	2	0.1	0.08	0.0	0.4
2006	68	0.7	0.09	0.5	0.9	0				
2007	70	0.7	0.08	0.5	0.9	3	0.2	0.12	0.0	0.6
2008	66	0.7	0.08	0.5	0.8	3	0.2	0.12	0.0	0.6
2009	65	0.6	0.08	0.5	0.8	2	0.2	0.11	0.0	0.5
2010	74	0.7	0.08	0.6	0.9	3	0.2	0.10	0.0	0.5
2011	54	0.5	0.07	0.4	0.7	0				
2012	53	0.5	0.07	0.4	0.7	0				
2013	64	0.6	0.07	0.5	0.8	1	0.1	0.07	0.0	0.4
2014	58	0.5	0.07	0.4	0.7	0				
2015	63	0.6	0.08	0.5	0.8	0				
2016	64	0.6	0.07	0.4	0.7	0				
2017	61	0.6	0.08	0.4	0.8	0				
2018	47	0.4	0.06	0.3	0.6	2	0.1	0.09	0.0	0.4
2019	47	0.4	0.06	0.3	0.6	0				
2020	33	0.3	0.05	0.2	0.4	1	0.1	0.06	0.0	0.3
2021	44	0.4	0.06	0.3	0.5	3	0.2	0.09	0.0	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lip										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	73	0.6	0.08	0.4	0.8	1,838	1.1	0.03	1.1	1.2
1990	1	0.4	0.44	0.0	3.3	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.41	0.0	3.1	87	2.0	0.22	1.6	2.4
1992	0					82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	2.5	69	1.5	0.19	1.2	1.9
1994	0					69	1.5	0.19	1.2	1.9
1995	0					79	1.8	0.21	1.4	2.2
1996	2	1.5	1.34	0.1	5.6	85	1.9	0.20	1.5	2.3
1997	0					79	1.8	0.21	1.4	2.2
1998	1	0.3	0.33	0.0	2.3	63	1.3	0.17	1.0	1.7
1999	3	0.6	0.40	0.1	2.6	70	1.5	0.18	1.2	1.9
2000	1	0.3	0.27	0.0	2.0	65	1.3	0.17	1.0	1.7
2001	1	0.3	0.29	0.0	2.0	44	0.9	0.14	0.7	1.3
2002	2	0.5	0.36	0.0	2.1	67	1.4	0.18	1.1	1.8
2003	2	0.4	0.30	0.0	1.9	48	1.0	0.14	0.7	1.3
2004	1	0.6	0.55	0.0	2.5	63	1.3	0.16	1.0	1.6
2005	1	0.2	0.17	0.0	1.4	58	1.2	0.16	0.9	1.5
2006	3	0.8	0.52	0.1	2.5	49	1.0	0.14	0.7	1.3
2007	3	0.4	0.26	0.1	1.6	55	1.0	0.14	0.8	1.4
2008	4	0.9	0.45	0.2	2.3	48	0.9	0.14	0.7	1.2
2009	2	0.3	0.18	0.0	1.2	53	1.0	0.14	0.8	1.3
2010	4	1.0	0.57	0.2	2.7	58	1.1	0.14	0.8	1.4
2011	2	0.3	0.18	0.0	1.1	41	0.8	0.12	0.6	1.1
2012	4	0.5	0.25	0.1	1.4	42	0.7	0.12	0.5	1.0
2013	2	0.5	0.36	0.0	1.6	48	0.9	0.13	0.6	1.2
2014	2	0.5	0.42	0.0	1.8	43	0.7	0.11	0.5	1.0
2015	5	1.0	0.52	0.3	2.4	51	0.9	0.13	0.7	1.2
2016	1	0.1	0.10	0.0	0.7	57	1.0	0.13	0.7	1.3
2017	9	1.7	0.63	0.7	3.3	46	0.8	0.12	0.6	1.1
2018	2	0.4	0.33	0.0	1.4	36	0.6	0.10	0.4	0.8
2019	3	0.5	0.27	0.1	1.3	35	0.6	0.10	0.4	0.8
2020	3	0.4	0.25	0.1	1.2	22	0.3	0.07	0.2	0.5
2021	7	1.2	0.48	0.4	2.4	30	0.5	0.09	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lip										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,779	1.3	0.03	1.2	1.3	21	0.1	0.02	0.1	0.2
1990	96	2.5	0.26	2.0	3.1	0				
1991	85	2.2	0.24	1.7	2.7	1	0.2	0.20	0.0	1.1
1992	82	2.2	0.24	1.7	2.7	0				
1993	69	1.7	0.21	1.3	2.2	0				
1994	68	1.7	0.21	1.3	2.2	0				
1995	77	2.0	0.23	1.6	2.5	0				
1996	83	2.1	0.23	1.7	2.6	1	0.2	0.20	0.0	1.0
1997	77	2.0	0.23	1.6	2.5	2	0.7	0.47	0.1	2.1
1998	62	1.5	0.20	1.2	2.0	1	0.1	0.12	0.0	0.8
1999	68	1.7	0.21	1.3	2.2	0				
2000	62	1.5	0.19	1.2	1.9	1	0.2	0.19	0.0	1.0
2001	44	1.1	0.17	0.8	1.5	0				
2002	66	1.6	0.20	1.3	2.1	1	0.1	0.12	0.0	0.8
2003	47	1.1	0.16	0.8	1.5	1	0.1	0.12	0.0	0.8
2004	61	1.5	0.19	1.1	1.9	1	0.1	0.13	0.0	0.8
2005	54	1.3	0.18	1.0	1.7	2	0.3	0.18	0.0	1.0
2006	49	1.2	0.17	0.9	1.5	0				
2007	53	1.2	0.16	0.9	1.5	1	0.2	0.22	0.0	1.0
2008	44	1.0	0.15	0.7	1.4	2	0.4	0.26	0.0	1.2
2009	48	1.1	0.16	0.8	1.4	2	0.4	0.26	0.0	1.2
2010	55	1.2	0.16	0.9	1.6	2	0.3	0.20	0.0	1.0
2011	40	0.9	0.14	0.6	1.2	0				
2012	41	0.9	0.14	0.6	1.2	0				
2013	48	1.0	0.15	0.8	1.4	0				
2014	40	0.8	0.13	0.6	1.1	0				
2015	48	1.0	0.15	0.7	1.4	0				
2016	52	1.1	0.15	0.8	1.4	0				
2017	43	0.9	0.14	0.7	1.2	0				
2018	34	0.7	0.12	0.5	1.0	2	0.3	0.22	0.0	1.1
2019	35	0.7	0.12	0.5	1.0	0				
2020	22	0.4	0.09	0.3	0.6	0				
2021	26	0.5	0.10	0.3	0.7	1	0.1	0.08	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lip										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	25	0.2	0.04	0.1	0.3	557	0.3	0.01	0.2	0.3
1990	0					23	0.4	0.07	0.2	0.5
1991	0					15	0.2	0.06	0.1	0.4
1992	0					14	0.2	0.05	0.1	0.4
1993	0					11	0.2	0.05	0.1	0.3
1994	0					25	0.4	0.08	0.2	0.6
1995	1	0.3	0.29	0.0	1.9	22	0.3	0.07	0.2	0.5
1996	0					21	0.3	0.07	0.2	0.5
1997	0					18	0.3	0.07	0.2	0.4
1998	0					17	0.3	0.06	0.2	0.4
1999	1	0.1	0.09	0.0	1.3	12	0.2	0.05	0.1	0.3
2000	2	1.0	0.77	0.1	3.3	12	0.2	0.05	0.1	0.3
2001	0					15	0.2	0.06	0.1	0.4
2002	1	0.6	0.60	0.0	2.6	29	0.4	0.08	0.3	0.6
2003	1	0.3	0.29	0.0	1.5	18	0.3	0.06	0.2	0.4
2004	0					18	0.3	0.06	0.2	0.4
2005	2	0.5	0.35	0.1	1.8	11	0.2	0.05	0.1	0.3
2006	1	0.4	0.43	0.0	1.9	19	0.3	0.07	0.2	0.5
2007	0					19	0.3	0.07	0.2	0.4
2008	3	0.9	0.55	0.1	2.4	24	0.4	0.08	0.2	0.6
2009	1	0.4	0.41	0.0	1.7	18	0.2	0.06	0.1	0.4
2010	0					21	0.3	0.07	0.2	0.5
2011	3	0.6	0.39	0.1	1.8	14	0.2	0.05	0.1	0.3
2012	0					12	0.2	0.05	0.1	0.3
2013	0					21	0.3	0.06	0.2	0.5
2014	1	0.2	0.22	0.0	1.0	19	0.2	0.05	0.1	0.4
2015	3	0.5	0.33	0.1	1.5	17	0.2	0.06	0.1	0.4
2016	1	0.2	0.20	0.0	0.9	14	0.2	0.05	0.1	0.3
2017	2	0.3	0.22	0.0	1.0	19	0.3	0.06	0.2	0.4
2018	1	0.2	0.17	0.0	0.8	14	0.2	0.05	0.1	0.3
2019	1	0.2	0.16	0.0	0.8	13	0.2	0.05	0.1	0.3
2020	0					12	0.2	0.05	0.1	0.3
2021	0					20	0.2	0.05	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lip										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	520	0.3	0.01	0.3	0.3	18	0.1	0.02	0.0	0.1
1990	23	0.4	0.08	0.3	0.6	0				
1991	15	0.3	0.07	0.2	0.5	0				
1992	14	0.2	0.06	0.1	0.4	0				
1993	10	0.2	0.06	0.1	0.4	1	0.1	0.09	0.0	0.6
1994	22	0.4	0.08	0.2	0.6	3	0.5	0.28	0.1	1.3
1995	21	0.4	0.08	0.2	0.6	1	0.1	0.10	0.0	0.6
1996	21	0.4	0.09	0.2	0.6	0				
1997	17	0.3	0.07	0.2	0.5	0				
1998	17	0.3	0.08	0.2	0.5	0				
1999	12	0.2	0.06	0.1	0.4	0				
2000	11	0.2	0.06	0.1	0.4	1	0.1	0.12	0.0	0.6
2001	13	0.2	0.06	0.1	0.4	1	0.1	0.11	0.0	0.6
2002	27	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2003	17	0.3	0.07	0.2	0.5	0				
2004	16	0.3	0.07	0.2	0.5	2	0.2	0.17	0.0	0.8
2005	11	0.2	0.06	0.1	0.3	0				
2006	19	0.4	0.08	0.2	0.6	0				
2007	17	0.3	0.07	0.2	0.5	2	0.2	0.15	0.0	0.8
2008	22	0.4	0.09	0.3	0.6	1	0.1	0.12	0.0	0.6
2009	17	0.3	0.07	0.2	0.5	0				
2010	19	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6
2011	14	0.2	0.06	0.1	0.4	0				
2012	12	0.2	0.06	0.1	0.4	0				
2013	16	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6
2014	18	0.3	0.07	0.2	0.5	0				
2015	15	0.3	0.07	0.2	0.5	0				
2016	12	0.2	0.05	0.1	0.3	0				
2017	18	0.3	0.08	0.2	0.5	0				
2018	13	0.2	0.06	0.1	0.4	0				
2019	12	0.2	0.06	0.1	0.4	0				
2020	11	0.2	0.06	0.1	0.3	1	0.1	0.10	0.0	0.6
2021	18	0.3	0.06	0.2	0.5	2	0.2	0.13	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Tongue										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	548	1.9	0.09	1.8	2.1	12,811	3.3	0.03	3.2	3.3
1990	4	1.1	0.56	0.3	2.8	250	2.4	0.15	2.1	2.7
1991	8	1.8	0.73	0.7	3.9	269	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	1.9	261	2.5	0.15	2.2	2.8
1993	6	1.4	0.65	0.5	3.3	265	2.5	0.15	2.2	2.8
1994	8	2.2	0.89	0.8	4.5	261	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	3.8	276	2.5	0.15	2.3	2.9
1996	14	4.2	1.27	2.1	7.3	283	2.6	0.16	2.3	2.9
1997	15	3.8	1.11	2.0	6.5	328	3.0	0.17	2.7	3.4
1998	9	1.5	0.53	0.7	3.0	264	2.4	0.15	2.1	2.7
1999	10	1.3	0.44	0.6	2.6	322	2.9	0.16	2.6	3.2
2000	7	1.2	0.48	0.4	2.5	299	2.6	0.15	2.4	3.0
2001	7	1.5	0.65	0.5	3.2	283	2.5	0.15	2.2	2.8
2002	10	1.5	0.55	0.7	3.0	345	3.0	0.16	2.7	3.3
2003	16	2.3	0.64	1.2	3.9	327	2.8	0.16	2.5	3.1
2004	16	2.2	0.59	1.2	3.6	369	3.1	0.16	2.8	3.5
2005	11	1.4	0.46	0.6	2.6	386	3.2	0.16	2.9	3.6
2006	12	1.3	0.43	0.6	2.4	363	3.0	0.16	2.7	3.3
2007	14	1.5	0.44	0.8	2.6	442	3.6	0.17	3.3	4.0
2008	18	2.1	0.53	1.1	3.3	413	3.3	0.17	3.0	3.7
2009	20	2.1	0.51	1.2	3.3	411	3.3	0.17	3.0	3.6
2010	22	2.0	0.47	1.2	3.1	397	3.1	0.16	2.8	3.4
2011	28	2.5	0.52	1.6	3.7	449	3.5	0.17	3.2	3.8
2012	19	1.6	0.40	0.9	2.6	515	3.9	0.18	3.6	4.3
2013	21	1.6	0.37	0.9	2.5	521	3.8	0.17	3.5	4.2
2014	21	1.9	0.45	1.1	3.0	537	3.9	0.17	3.6	4.3
2015	29	2.4	0.48	1.5	3.5	536	3.9	0.17	3.6	4.2
2016	29	2.0	0.39	1.3	2.9	537	3.9	0.17	3.5	4.2
2017	30	1.9	0.37	1.2	2.8	610	4.4	0.18	4.0	4.7
2018	38	2.7	0.46	1.8	3.7	550	3.9	0.17	3.6	4.2
2019	38	2.6	0.45	1.8	3.6	551	3.8	0.17	3.5	4.1
2020	24	1.4	0.30	0.9	2.1	589	4.2	0.18	3.9	4.6
2021	32	1.9	0.35	1.2	2.7	602	4.2	0.18	3.9	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Tongue											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2021	10,995	3.4	0.03	3.4	3.5	1,409	2.6	0.07	2.5	2.8	
1990	198	2.2	0.16	1.9	2.5	52	4.2	0.58	3.1	5.5	
1991	209	2.4	0.17	2.1	2.7	54	4.3	0.59	3.2	5.6	
1992	217	2.4	0.16	2.1	2.7	42	3.3	0.51	2.4	4.5	
1993	227	2.5	0.16	2.1	2.8	33	2.6	0.45	1.8	3.6	
1994	216	2.4	0.16	2.1	2.7	42	3.2	0.50	2.3	4.3	
1995	227	2.4	0.16	2.1	2.8	42	3.0	0.48	2.2	4.1	
1996	234	2.5	0.17	2.2	2.9	46	3.3	0.49	2.4	4.4	
1997	276	3.0	0.18	2.7	3.4	47	3.5	0.51	2.5	4.6	
1998	221	2.4	0.16	2.1	2.7	38	2.7	0.43	1.9	3.7	
1999	276	3.0	0.18	2.6	3.3	40	2.6	0.41	1.8	3.5	
2000	247	2.6	0.17	2.3	3.0	44	2.9	0.45	2.1	4.0	
2001	231	2.4	0.16	2.1	2.8	45	2.8	0.42	2.1	3.8	
2002	287	3.0	0.18	2.7	3.4	50	3.1	0.44	2.3	4.1	
2003	278	2.9	0.17	2.6	3.2	40	2.6	0.41	1.8	3.5	
2004	304	3.1	0.18	2.8	3.5	47	2.9	0.43	2.1	3.9	
2005	331	3.3	0.18	3.0	3.7	37	2.3	0.38	1.6	3.1	
2006	304	3.1	0.18	2.7	3.4	43	2.4	0.38	1.8	3.3	
2007	389	3.9	0.20	3.5	4.3	40	2.3	0.37	1.7	3.2	
2008	369	3.6	0.19	3.3	4.0	34	2.0	0.34	1.3	2.7	
2009	356	3.5	0.19	3.1	3.9	34	1.9	0.33	1.3	2.7	
2010	344	3.3	0.18	2.9	3.7	35	2.0	0.34	1.4	2.8	
2011	379	3.6	0.19	3.3	4.0	52	2.9	0.40	2.1	3.8	
2012	452	4.2	0.20	3.8	4.7	51	2.8	0.39	2.0	3.6	
2013	450	4.1	0.20	3.7	4.5	57	2.9	0.40	2.2	3.8	
2014	468	4.2	0.20	3.8	4.6	51	2.8	0.39	2.0	3.6	
2015	473	4.3	0.20	3.9	4.7	46	2.3	0.35	1.7	3.1	
2016	471	4.2	0.20	3.9	4.7	46	2.3	0.34	1.6	3.0	
2017	541	4.8	0.22	4.4	5.3	44	2.2	0.34	1.6	3.0	
2018	487	4.3	0.20	3.9	4.8	41	1.9	0.30	1.3	2.6	
2019	500	4.3	0.20	4.0	4.8	35	1.6	0.28	1.1	2.3	
2020	511	4.7	0.22	4.2	5.1	49	2.2	0.33	1.6	3.0	
2021	522	4.6	0.21	4.2	5.1	52	2.5	0.35	1.8	3.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Tongue										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	369	2.6	0.16	2.3	3.0	8,856	4.9	0.05	4.8	5.0
1990	3	1.9	1.17	0.3	5.8	169	3.7	0.29	3.1	4.3
1991	6	3.3	1.62	0.9	8.0	192	4.3	0.32	3.7	5.0
1992	3	0.8	0.57	0.1	3.6	169	3.6	0.28	3.1	4.2
1993	5	2.7	1.43	0.6	6.9	173	3.6	0.28	3.1	4.2
1994	5	3.7	2.05	0.8	9.3	175	3.7	0.28	3.2	4.3
1995	6	2.4	0.97	0.9	5.4	195	4.1	0.29	3.5	4.7
1996	10	6.6	2.43	2.7	12.7	189	3.9	0.29	3.4	4.5
1997	10	4.9	1.88	1.9	9.7	210	4.3	0.30	3.7	4.9
1998	5	2.0	0.92	0.6	4.8	169	3.4	0.26	2.9	3.9
1999	6	1.7	0.71	0.6	4.0	205	4.0	0.28	3.5	4.6
2000	7	2.4	1.04	0.8	5.4	193	3.8	0.27	3.3	4.4
2001	4	0.9	0.43	0.2	2.6	198	3.8	0.27	3.3	4.4
2002	8	2.5	1.00	0.9	5.2	237	4.5	0.30	4.0	5.1
2003	12	3.9	1.30	1.8	7.2	227	4.3	0.29	3.8	4.9
2004	13	3.8	1.18	1.9	6.8	251	4.6	0.29	4.0	5.2
2005	8	1.9	0.80	0.6	4.1	265	4.8	0.30	4.2	5.4
2006	7	1.4	0.68	0.4	3.4	253	4.5	0.29	4.0	5.1
2007	8	1.6	0.63	0.6	3.4	306	5.4	0.31	4.8	6.0
2008	10	2.5	0.91	1.0	4.9	287	4.9	0.30	4.4	5.6
2009	13	2.7	0.84	1.3	4.8	272	4.7	0.29	4.1	5.3
2010	15	2.7	0.75	1.4	4.6	282	4.7	0.29	4.2	5.3
2011	18	3.2	0.85	1.8	5.3	312	5.1	0.30	4.5	5.7
2012	14	2.3	0.70	1.1	4.1	362	5.9	0.32	5.3	6.6
2013	18	2.6	0.68	1.5	4.3	367	5.8	0.31	5.2	6.4
2014	10	2.0	0.69	0.9	3.7	371	5.8	0.31	5.2	6.4
2015	18	2.8	0.73	1.6	4.6	382	5.9	0.31	5.3	6.6
2016	20	2.7	0.67	1.5	4.3	384	5.8	0.31	5.2	6.4
2017	17	2.2	0.59	1.2	3.7	437	6.7	0.33	6.0	7.3
2018	22	3.2	0.75	1.9	5.0	392	5.9	0.31	5.3	6.5
2019	27	3.6	0.78	2.3	5.5	395	5.7	0.30	5.2	6.4
2020	18	2.1	0.55	1.2	3.5	417	6.3	0.32	5.7	7.0
2021	23	2.5	0.57	1.5	3.9	420	6.3	0.32	5.7	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Tongue										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	7,573	5.1	0.06	4.9	5.2	1,024	4.5	0.14	4.2	4.8
1990	130	3.2	0.29	2.7	3.9	39	7.2	1.17	5.1	9.9
1991	144	3.7	0.32	3.1	4.4	43	8.0	1.27	5.7	10.9
1992	137	3.4	0.29	2.8	4.0	30	5.4	0.99	3.6	7.7
1993	144	3.5	0.29	2.9	4.1	25	4.3	0.86	2.7	6.3
1994	145	3.6	0.30	3.0	4.2	29	5.2	1.02	3.4	7.6
1995	159	3.8	0.31	3.3	4.5	30	5.3	1.03	3.5	7.7
1996	155	3.8	0.31	3.2	4.4	34	5.6	0.97	3.8	7.8
1997	172	4.1	0.31	3.5	4.8	34	6.0	1.09	4.1	8.5
1998	135	3.2	0.28	2.7	3.8	29	4.8	0.91	3.2	6.9
1999	174	4.0	0.31	3.5	4.7	29	4.2	0.77	2.8	6.0
2000	156	3.6	0.29	3.1	4.3	35	5.3	0.91	3.7	7.4
2001	160	3.7	0.29	3.1	4.3	36	5.3	0.89	3.7	7.4
2002	193	4.4	0.32	3.8	5.1	38	5.4	0.89	3.8	7.5
2003	190	4.3	0.32	3.7	5.0	31	4.7	0.89	3.1	6.8
2004	201	4.4	0.31	3.8	5.1	38	5.3	0.88	3.7	7.3
2005	226	4.9	0.33	4.3	5.6	30	4.4	0.82	2.9	6.3
2006	213	4.6	0.32	4.0	5.2	28	3.6	0.70	2.4	5.3
2007	265	5.6	0.35	5.0	6.4	33	4.4	0.79	3.0	6.3
2008	257	5.4	0.34	4.7	6.1	23	3.3	0.73	2.0	5.1
2009	235	4.9	0.32	4.2	5.5	22	2.8	0.60	1.7	4.2
2010	246	4.9	0.32	4.3	5.6	24	3.4	0.72	2.1	5.1
2011	264	5.3	0.33	4.6	5.9	37	4.8	0.82	3.3	6.7
2012	313	6.2	0.36	5.5	7.0	40	5.2	0.86	3.7	7.2
2013	320	6.1	0.35	5.5	6.9	39	4.7	0.79	3.3	6.6
2014	329	6.2	0.35	5.5	6.9	31	4.0	0.75	2.7	5.8
2015	338	6.4	0.36	5.7	7.2	33	4.1	0.73	2.7	5.8
2016	337	6.2	0.35	5.6	7.0	34	3.9	0.70	2.7	5.6
2017	387	7.2	0.38	6.5	8.0	34	4.1	0.74	2.8	5.8
2018	347	6.5	0.36	5.8	7.2	31	3.2	0.58	2.1	4.6
2019	366	6.6	0.36	5.9	7.3	19	1.9	0.44	1.1	3.0
2020	364	6.9	0.38	6.2	7.7	34	3.6	0.63	2.4	5.1
2021	371	6.8	0.37	6.1	7.6	32	3.6	0.67	2.5	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Tongue										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	179	1.3	0.10	1.1	1.5	3,955	1.9	0.03	1.8	1.9
1990	1	0.4	0.43	0.0	2.5	81	1.4	0.16	1.1	1.7
1991	2	0.7	0.51	0.1	2.8	77	1.4	0.16	1.1	1.7
1992	1	0.4	0.40	0.0	2.4	92	1.6	0.17	1.3	2.0
1993	1	0.5	0.45	0.0	2.4	92	1.5	0.16	1.2	1.9
1994	3	1.4	0.81	0.3	3.9	86	1.4	0.15	1.1	1.7
1995	2	1.2	0.90	0.1	4.0	81	1.3	0.14	1.0	1.6
1996	4	2.4	1.29	0.6	5.9	94	1.5	0.16	1.2	1.9
1997	5	2.8	1.32	0.9	6.3	118	1.9	0.18	1.6	2.3
1998	4	1.2	0.60	0.3	3.2	95	1.5	0.16	1.2	1.9
1999	4	1.0	0.52	0.2	2.8	117	1.9	0.18	1.6	2.3
2000	0					106	1.7	0.16	1.4	2.0
2001	3	1.8	1.04	0.4	4.6	85	1.3	0.15	1.1	1.7
2002	2	0.7	0.54	0.1	2.5	108	1.7	0.16	1.4	2.1
2003	4	1.0	0.49	0.3	2.5	100	1.6	0.16	1.3	1.9
2004	3	0.7	0.43	0.1	2.2	118	1.8	0.17	1.5	2.2
2005	3	0.9	0.52	0.2	2.5	121	1.8	0.17	1.5	2.2
2006	5	1.2	0.56	0.4	2.8	110	1.7	0.16	1.4	2.0
2007	6	1.4	0.61	0.5	3.1	136	2.1	0.18	1.7	2.5
2008	8	1.7	0.64	0.7	3.4	126	1.9	0.17	1.6	2.3
2009	7	1.5	0.60	0.5	3.1	139	2.1	0.18	1.8	2.5
2010	7	1.3	0.54	0.5	2.8	115	1.7	0.16	1.4	2.0
2011	10	1.8	0.62	0.8	3.4	137	2.0	0.18	1.7	2.4
2012	5	0.9	0.44	0.3	2.2	153	2.2	0.18	1.8	2.6
2013	3	0.5	0.33	0.1	1.6	154	2.1	0.17	1.8	2.5
2014	11	1.8	0.59	0.9	3.3	166	2.3	0.19	2.0	2.7
2015	11	1.9	0.62	0.9	3.5	154	2.1	0.17	1.8	2.5
2016	9	1.2	0.43	0.6	2.4	153	2.2	0.18	1.8	2.6
2017	13	1.6	0.46	0.8	2.8	173	2.3	0.18	2.0	2.7
2018	16	2.3	0.60	1.3	3.7	158	2.1	0.18	1.8	2.5
2019	11	1.6	0.50	0.8	2.8	156	2.1	0.17	1.8	2.4
2020	6	0.7	0.28	0.3	1.5	172	2.3	0.19	2.0	2.7
2021	9	1.2	0.41	0.5	2.3	182	2.4	0.18	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Tongue										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,422	2.0	0.03	1.9	2.0	385	1.3	0.07	1.2	1.4
1990	68	1.3	0.16	1.0	1.7	13	1.9	0.52	1.0	3.2
1991	65	1.3	0.17	1.0	1.7	11	1.5	0.46	0.8	2.7
1992	80	1.6	0.18	1.3	2.0	12	1.7	0.50	0.9	3.0
1993	83	1.6	0.18	1.3	2.0	8	1.2	0.43	0.5	2.3
1994	71	1.3	0.16	1.0	1.7	13	1.7	0.47	0.9	2.9
1995	68	1.2	0.15	1.0	1.6	12	1.5	0.43	0.8	2.6
1996	79	1.5	0.17	1.2	1.9	12	1.5	0.44	0.8	2.6
1997	104	2.0	0.20	1.7	2.5	13	1.7	0.47	0.9	2.9
1998	86	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
1999	102	2.0	0.20	1.6	2.4	11	1.3	0.39	0.6	2.3
2000	91	1.7	0.18	1.4	2.1	9	1.1	0.36	0.5	2.0
2001	71	1.3	0.16	1.0	1.7	9	1.0	0.33	0.5	1.9
2002	94	1.8	0.19	1.4	2.2	12	1.3	0.38	0.7	2.3
2003	88	1.7	0.18	1.4	2.1	9	1.0	0.34	0.5	1.9
2004	103	1.9	0.19	1.6	2.4	9	1.0	0.35	0.5	1.9
2005	105	1.9	0.19	1.6	2.4	7	0.7	0.28	0.3	1.5
2006	91	1.7	0.18	1.3	2.1	15	1.6	0.40	0.9	2.6
2007	124	2.3	0.21	1.9	2.8	7	0.7	0.28	0.3	1.5
2008	112	2.1	0.20	1.7	2.5	11	1.1	0.33	0.5	2.0
2009	121	2.3	0.21	1.9	2.7	12	1.3	0.37	0.6	2.2
2010	98	1.8	0.19	1.5	2.2	11	1.0	0.31	0.5	1.9
2011	115	2.1	0.20	1.7	2.5	15	1.5	0.38	0.8	2.4
2012	139	2.5	0.22	2.1	3.0	11	1.0	0.31	0.5	1.9
2013	130	2.2	0.20	1.8	2.6	18	1.7	0.40	1.0	2.6
2014	139	2.4	0.21	2.0	2.9	20	1.9	0.43	1.1	3.0
2015	135	2.3	0.21	1.9	2.8	13	1.1	0.32	0.6	2.0
2016	134	2.4	0.22	2.0	2.9	12	1.0	0.30	0.5	1.8
2017	154	2.6	0.22	2.2	3.1	10	0.8	0.26	0.4	1.6
2018	140	2.4	0.21	2.0	2.8	10	0.9	0.29	0.4	1.7
2019	134	2.3	0.21	1.9	2.7	16	1.4	0.35	0.8	2.3
2020	147	2.6	0.22	2.2	3.1	15	1.3	0.34	0.7	2.1
2021	151	2.6	0.22	2.1	3.0	20	1.6	0.36	1.0	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Salivary Gland										
Both Sexes										
Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	278	0.9	0.06	0.8	1.1	4,826	1.3	0.02	1.2	1.3
1990	7	1.7	0.75	0.5	3.8	91	0.9	0.09	0.7	1.1
1991	3	0.5	0.32	0.1	1.8	96	0.9	0.09	0.7	1.1
1992	1	0.1	0.14	0.0	1.2	115	1.1	0.10	0.9	1.3
1993	4	0.7	0.41	0.2	2.1	112	1.0	0.10	0.9	1.3
1994	3	0.6	0.48	0.1	2.2	131	1.2	0.11	1.0	1.4
1995	2	0.3	0.22	0.0	1.3	133	1.2	0.11	1.0	1.5
1996	9	3.0	1.09	1.3	5.7	132	1.2	0.11	1.0	1.4
1997	14	2.7	0.86	1.3	4.8	142	1.3	0.11	1.1	1.5
1998	6	1.0	0.44	0.3	2.3	134	1.2	0.10	1.0	1.4
1999	4	0.5	0.26	0.1	1.4	147	1.3	0.11	1.1	1.5
2000	6	0.5	0.25	0.2	1.4	132	1.2	0.10	1.0	1.4
2001	4	0.4	0.20	0.1	1.1	133	1.2	0.10	1.0	1.4
2002	11	1.1	0.40	0.4	2.2	142	1.2	0.10	1.0	1.5
2003	8	1.5	0.66	0.5	3.2	135	1.2	0.10	1.0	1.4
2004	5	0.6	0.31	0.2	1.5	131	1.1	0.10	1.0	1.4
2005	3	0.2	0.12	0.0	0.7	129	1.1	0.10	0.9	1.3
2006	5	0.4	0.19	0.1	1.0	144	1.2	0.10	1.0	1.5
2007	12	1.2	0.41	0.5	2.2	161	1.4	0.11	1.2	1.6
2008	8	0.8	0.31	0.3	1.6	145	1.2	0.10	1.0	1.4
2009	16	1.5	0.43	0.8	2.6	163	1.4	0.11	1.2	1.6
2010	7	0.4	0.16	0.2	0.9	168	1.4	0.11	1.2	1.6
2011	5	0.4	0.17	0.1	0.9	163	1.3	0.11	1.1	1.6
2012	12	1.2	0.35	0.6	2.0	200	1.6	0.12	1.4	1.8
2013	7	0.6	0.26	0.2	1.3	164	1.3	0.11	1.1	1.6
2014	11	0.9	0.29	0.4	1.7	181	1.4	0.11	1.2	1.6
2015	14	0.9	0.27	0.5	1.6	189	1.5	0.11	1.3	1.7
2016	11	0.8	0.26	0.3	1.4	187	1.5	0.11	1.3	1.7
2017	18	1.3	0.32	0.7	2.0	186	1.4	0.11	1.2	1.6
2018	13	1.0	0.30	0.5	1.7	200	1.5	0.11	1.3	1.8
2019	15	1.0	0.29	0.6	1.7	204	1.6	0.11	1.4	1.8
2020	14	0.7	0.21	0.4	1.3	173	1.3	0.10	1.1	1.5
2021	20	1.3	0.33	0.8	2.1	163	1.2	0.10	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Salivary Gland										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,997	1.3	0.02	1.2	1.3	636	1.2	0.05	1.1	1.3
1990	84	0.9	0.10	0.7	1.2	6	0.4	0.18	0.2	1.0
1991	80	0.9	0.10	0.7	1.1	15	1.1	0.29	0.6	1.8
1992	103	1.1	0.11	0.9	1.4	10	0.8	0.25	0.4	1.4
1993	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1994	115	1.2	0.12	1.0	1.5	12	0.9	0.25	0.4	1.5
1995	112	1.2	0.11	1.0	1.5	16	1.2	0.30	0.6	1.9
1996	113	1.2	0.11	1.0	1.5	15	1.0	0.27	0.6	1.7
1997	123	1.3	0.12	1.1	1.6	14	1.0	0.26	0.5	1.6
1998	111	1.2	0.11	1.0	1.4	16	1.1	0.28	0.6	1.8
1999	132	1.4	0.12	1.2	1.7	12	0.8	0.25	0.4	1.5
2000	116	1.2	0.11	1.0	1.5	13	0.8	0.23	0.4	1.4
2001	114	1.2	0.11	1.0	1.4	12	0.7	0.22	0.4	1.3
2002	125	1.3	0.12	1.1	1.6	12	0.8	0.23	0.4	1.4
2003	120	1.2	0.11	1.0	1.5	13	0.8	0.21	0.4	1.3
2004	107	1.1	0.11	0.9	1.4	19	1.1	0.26	0.7	1.8
2005	115	1.2	0.11	1.0	1.5	12	0.7	0.19	0.3	1.2
2006	118	1.2	0.11	1.0	1.5	20	1.2	0.27	0.7	1.9
2007	135	1.4	0.12	1.1	1.6	20	1.2	0.26	0.7	1.8
2008	114	1.2	0.11	0.9	1.4	25	1.5	0.30	0.9	2.2
2009	136	1.4	0.12	1.2	1.6	21	1.3	0.29	0.8	2.0
2010	131	1.3	0.12	1.1	1.6	26	1.6	0.33	1.1	2.4
2011	138	1.4	0.12	1.2	1.6	17	1.0	0.24	0.6	1.6
2012	160	1.6	0.13	1.3	1.8	30	1.6	0.30	1.1	2.3
2013	126	1.2	0.11	1.0	1.5	29	1.6	0.31	1.1	2.3
2014	141	1.3	0.12	1.1	1.6	33	1.9	0.33	1.3	2.6
2015	152	1.5	0.12	1.2	1.7	27	1.4	0.27	0.9	2.0
2016	149	1.5	0.12	1.2	1.7	33	1.8	0.32	1.2	2.6
2017	153	1.4	0.12	1.2	1.7	26	1.3	0.27	0.9	2.0
2018	160	1.5	0.12	1.3	1.8	25	1.3	0.27	0.9	2.0
2019	159	1.5	0.13	1.3	1.8	35	1.9	0.33	1.3	2.7
2020	133	1.2	0.11	1.0	1.4	31	1.5	0.28	1.0	2.2
2021	131	1.2	0.11	1.0	1.4	23	1.2	0.25	0.7	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Salivary Gland										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	134	1.0	0.10	0.8	1.2	2,764	1.7	0.03	1.6	1.7
1990	3	1.6	1.09	0.2	5.4	57	1.4	0.19	1.0	1.8
1991	0					53	1.2	0.16	0.9	1.5
1992	0					66	1.5	0.19	1.2	1.9
1993	1	0.3	0.31	0.0	2.7	65	1.4	0.17	1.1	1.8
1994	0					68	1.6	0.20	1.2	2.0
1995	0					75	1.7	0.19	1.3	2.1
1996	3	1.9	1.22	0.3	5.6	74	1.6	0.19	1.3	2.0
1997	5	2.0	0.92	0.6	4.8	76	1.6	0.19	1.3	2.0
1998	2	0.4	0.31	0.0	2.3	75	1.6	0.18	1.2	2.0
1999	3	0.8	0.46	0.2	2.8	82	1.7	0.19	1.4	2.1
2000	2	0.3	0.24	0.0	2.0	78	1.6	0.18	1.3	2.0
2001	0					80	1.7	0.19	1.3	2.1
2002	8	1.8	0.84	0.6	4.3	81	1.7	0.19	1.3	2.1
2003	4	2.4	1.41	0.5	6.2	77	1.6	0.18	1.2	2.0
2004	3	0.8	0.57	0.1	2.7	76	1.6	0.18	1.2	2.0
2005	1	0.2	0.18	0.0	1.4	70	1.4	0.16	1.1	1.7
2006	3	0.6	0.35	0.1	1.9	75	1.5	0.17	1.2	1.9
2007	6	1.5	0.70	0.5	3.5	96	1.9	0.20	1.5	2.3
2008	6	1.4	0.66	0.4	3.3	82	1.6	0.17	1.2	1.9
2009	8	1.6	0.68	0.5	3.4	95	1.8	0.19	1.4	2.2
2010	5	0.6	0.27	0.2	1.6	92	1.7	0.18	1.4	2.1
2011	2	0.3	0.21	0.0	1.2	102	1.9	0.19	1.6	2.4
2012	7	1.5	0.62	0.6	3.2	114	2.1	0.20	1.7	2.5
2013	4	1.0	0.56	0.2	2.5	93	1.7	0.18	1.4	2.1
2014	4	0.8	0.47	0.2	2.2	100	1.7	0.18	1.4	2.1
2015	5	1.0	0.51	0.3	2.4	124	2.2	0.20	1.8	2.6
2016	9	1.3	0.51	0.5	2.7	95	1.6	0.17	1.3	2.0
2017	9	1.0	0.36	0.4	2.0	100	1.7	0.17	1.4	2.1
2018	6	1.0	0.47	0.3	2.3	114	1.9	0.18	1.6	2.3
2019	8	1.0	0.38	0.4	2.0	123	2.1	0.19	1.7	2.5
2020	3	0.3	0.20	0.1	1.0	108	1.8	0.18	1.5	2.2
2021	14	2.3	0.69	1.2	4.0	98	1.6	0.17	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Salivary Gland										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,357	1.7	0.04	1.6	1.8	309	1.4	0.08	1.3	1.6
1990	53	1.5	0.21	1.1	2.0	3	0.5	0.28	0.1	1.5
1991	45	1.1	0.17	0.8	1.5	8	1.4	0.50	0.6	2.8
1992	60	1.6	0.21	1.2	2.0	5	1.0	0.46	0.3	2.3
1993	54	1.3	0.18	1.0	1.7	10	1.9	0.62	0.9	3.5
1994	63	1.7	0.22	1.3	2.2	4	0.6	0.30	0.2	1.6
1995	69	1.8	0.22	1.4	2.2	4	0.6	0.31	0.2	1.6
1996	63	1.6	0.21	1.2	2.1	8	1.3	0.47	0.5	2.6
1997	66	1.6	0.20	1.3	2.1	7	1.3	0.54	0.5	2.7
1998	63	1.6	0.20	1.2	2.0	8	1.4	0.55	0.6	2.9
1999	74	1.8	0.21	1.4	2.3	7	1.3	0.52	0.5	2.7
2000	68	1.7	0.20	1.3	2.1	9	1.3	0.43	0.6	2.5
2001	71	1.7	0.21	1.3	2.2	4	0.8	0.44	0.2	2.0
2002	72	1.7	0.21	1.4	2.2	7	1.0	0.37	0.4	2.0
2003	69	1.7	0.20	1.3	2.1	7	0.9	0.35	0.4	1.9
2004	64	1.6	0.20	1.2	2.0	9	1.4	0.47	0.6	2.6
2005	62	1.4	0.18	1.1	1.9	7	0.9	0.36	0.4	1.9
2006	65	1.5	0.19	1.2	2.0	6	0.8	0.32	0.3	1.7
2007	82	1.9	0.22	1.5	2.4	11	1.4	0.44	0.7	2.6
2008	66	1.5	0.19	1.2	1.9	12	1.8	0.57	0.9	3.3
2009	84	1.9	0.21	1.5	2.4	9	1.3	0.47	0.6	2.5
2010	77	1.7	0.19	1.3	2.1	10	1.8	0.59	0.9	3.3
2011	86	1.9	0.21	1.6	2.4	12	1.6	0.49	0.8	2.9
2012	90	2.0	0.22	1.6	2.5	19	2.4	0.56	1.4	3.7
2013	71	1.6	0.19	1.2	2.0	18	2.4	0.58	1.4	3.8
2014	81	1.7	0.19	1.3	2.1	15	1.8	0.47	1.0	3.0
2015	102	2.2	0.22	1.8	2.6	16	2.1	0.54	1.2	3.4
2016	80	1.7	0.19	1.3	2.1	11	1.2	0.38	0.6	2.3
2017	87	1.8	0.20	1.4	2.2	10	1.1	0.38	0.5	2.1
2018	95	1.9	0.20	1.6	2.4	12	1.6	0.48	0.8	2.8
2019	99	2.1	0.22	1.7	2.5	19	2.4	0.56	1.4	3.8
2020	89	1.8	0.20	1.5	2.3	14	1.6	0.45	0.9	2.8
2021	87	1.7	0.20	1.4	2.2	8	1.0	0.36	0.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Salivary Gland										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	144	0.9	0.08	0.7	1.1	2,062	1.0	0.02	1.0	1.1
1990	4	1.8	1.01	0.4	4.9	34	0.6	0.10	0.4	0.8
1991	3	1.1	0.64	0.2	3.4	43	0.7	0.11	0.5	1.0
1992	1	0.3	0.30	0.0	2.1	49	0.9	0.12	0.6	1.1
1993	3	1.1	0.71	0.2	3.5	47	0.8	0.12	0.6	1.1
1994	3	1.2	0.81	0.2	3.7	63	1.0	0.13	0.8	1.3
1995	2	0.6	0.46	0.1	2.5	58	1.0	0.13	0.7	1.2
1996	6	3.7	1.58	1.3	7.8	58	0.9	0.12	0.7	1.2
1997	9	3.2	1.26	1.2	6.5	66	1.1	0.14	0.9	1.4
1998	4	1.4	0.76	0.3	3.7	59	1.0	0.13	0.7	1.3
1999	1	0.2	0.23	0.0	1.6	65	1.1	0.13	0.8	1.4
2000	4	0.8	0.43	0.2	2.3	54	0.9	0.12	0.7	1.2
2001	4	0.7	0.39	0.2	2.2	53	0.9	0.12	0.6	1.1
2002	3	0.4	0.22	0.1	1.5	61	1.0	0.13	0.7	1.3
2003	4	1.0	0.64	0.2	2.9	58	0.9	0.12	0.7	1.2
2004	2	0.5	0.33	0.1	1.7	55	0.9	0.12	0.7	1.2
2005	2	0.2	0.15	0.0	1.1	59	0.9	0.12	0.7	1.2
2006	2	0.2	0.18	0.0	1.2	69	1.1	0.13	0.8	1.4
2007	6	0.9	0.46	0.2	2.3	65	1.0	0.13	0.8	1.3
2008	2	0.3	0.20	0.0	1.2	63	1.0	0.12	0.7	1.2
2009	8	1.5	0.56	0.6	3.0	68	1.0	0.13	0.8	1.3
2010	2	0.2	0.16	0.0	1.0	76	1.2	0.15	1.0	1.6
2011	3	0.4	0.25	0.1	1.3	61	0.9	0.12	0.7	1.2
2012	5	0.9	0.41	0.3	2.0	86	1.3	0.14	1.0	1.6
2013	3	0.4	0.22	0.1	1.2	71	1.1	0.13	0.8	1.4
2014	7	1.1	0.42	0.4	2.2	81	1.2	0.13	0.9	1.5
2015	9	0.9	0.32	0.4	1.8	65	1.0	0.13	0.7	1.3
2016	2	0.3	0.21	0.0	1.0	92	1.4	0.15	1.1	1.7
2017	9	1.4	0.50	0.6	2.7	86	1.3	0.14	1.0	1.6
2018	7	1.0	0.39	0.4	2.0	86	1.3	0.15	1.0	1.6
2019	7	1.0	0.40	0.4	2.1	81	1.2	0.14	1.0	1.5
2020	11	1.2	0.35	0.6	2.1	65	0.9	0.12	0.7	1.2
2021	6	0.7	0.29	0.2	1.5	65	0.9	0.11	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Salivary Gland										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,640	1.0	0.02	0.9	1.0	327	1.1	0.06	1.0	1.2
1990	31	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.2
1991	35	0.7	0.12	0.5	1.0	7	0.8	0.32	0.3	1.7
1992	43	0.9	0.14	0.6	1.2	5	0.7	0.30	0.2	1.5
1993	37	0.7	0.12	0.5	1.0	8	1.0	0.37	0.4	2.0
1994	52	1.0	0.14	0.8	1.3	8	1.0	0.36	0.4	2.0
1995	43	0.8	0.13	0.6	1.1	12	1.5	0.44	0.8	2.6
1996	50	0.9	0.13	0.7	1.2	7	0.9	0.32	0.3	1.8
1997	57	1.1	0.15	0.9	1.5	7	0.8	0.30	0.3	1.7
1998	48	0.9	0.14	0.7	1.3	8	0.9	0.33	0.4	1.8
1999	58	1.1	0.15	0.9	1.5	5	0.6	0.25	0.2	1.3
2000	48	1.0	0.14	0.7	1.3	4	0.4	0.22	0.1	1.1
2001	43	0.8	0.13	0.6	1.1	8	0.8	0.30	0.4	1.7
2002	53	1.0	0.14	0.8	1.4	5	0.6	0.27	0.2	1.4
2003	51	0.9	0.13	0.7	1.2	6	0.6	0.26	0.2	1.4
2004	43	0.8	0.13	0.6	1.1	10	1.0	0.33	0.5	1.9
2005	53	1.1	0.15	0.8	1.4	5	0.5	0.22	0.2	1.2
2006	53	1.0	0.14	0.7	1.3	14	1.5	0.40	0.8	2.5
2007	53	1.0	0.14	0.7	1.3	9	1.0	0.32	0.4	1.8
2008	48	0.9	0.13	0.6	1.2	13	1.3	0.37	0.7	2.3
2009	52	1.0	0.14	0.7	1.3	12	1.3	0.38	0.7	2.3
2010	54	1.1	0.15	0.8	1.4	16	1.7	0.42	0.9	2.7
2011	52	1.0	0.14	0.7	1.3	5	0.5	0.23	0.2	1.2
2012	70	1.3	0.16	1.0	1.6	11	1.0	0.31	0.5	1.9
2013	55	1.1	0.15	0.8	1.4	11	1.0	0.30	0.5	1.8
2014	60	1.0	0.14	0.8	1.4	18	1.9	0.45	1.1	3.0
2015	50	1.0	0.14	0.7	1.3	11	0.9	0.28	0.5	1.7
2016	69	1.3	0.17	1.0	1.7	22	2.2	0.48	1.4	3.4
2017	66	1.2	0.16	0.9	1.6	16	1.5	0.37	0.8	2.4
2018	65	1.2	0.16	0.9	1.6	13	1.3	0.36	0.7	2.2
2019	60	1.1	0.16	0.8	1.5	16	1.6	0.41	0.9	2.6
2020	44	0.8	0.12	0.5	1.0	17	1.5	0.36	0.8	2.4
2021	44	0.7	0.11	0.5	1.0	15	1.3	0.34	0.7	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Floor of Mouth										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	99	0.3	0.04	0.3	0.4	3,137	0.8	0.01	0.8	0.8
1990	3	0.7	0.40	0.1	2.1	126	1.3	0.11	1.1	1.5
1991	2	0.4	0.30	0.1	1.7	134	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	2.3	123	1.2	0.11	1.0	1.4
1993	4	1.3	0.63	0.3	3.1	103	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	2.3	120	1.1	0.10	0.9	1.4
1995	1	0.2	0.18	0.0	1.1	132	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	1.6	125	1.2	0.11	1.0	1.4
1997	6	1.8	0.81	0.5	3.9	103	0.9	0.09	0.8	1.1
1998	5	0.7	0.33	0.2	1.8	101	0.9	0.09	0.7	1.1
1999	6	0.8	0.34	0.3	1.9	93	0.8	0.09	0.7	1.0
2000	4	0.5	0.25	0.1	1.4	122	1.1	0.10	0.9	1.3
2001	9	1.5	0.60	0.6	3.1	107	0.9	0.09	0.8	1.1
2002	1	0.1	0.12	0.0	0.8	92	0.8	0.08	0.7	1.0
2003	1	0.1	0.11	0.0	0.7	95	0.8	0.08	0.7	1.0
2004	3	0.4	0.23	0.1	1.1	96	0.8	0.08	0.7	1.0
2005	1	0.1	0.06	0.0	0.6	75	0.6	0.07	0.5	0.8
2006	4	0.4	0.18	0.1	1.0	100	0.8	0.08	0.7	1.0
2007	3	0.4	0.25	0.1	1.2	85	0.7	0.07	0.6	0.9
2008	4	0.5	0.24	0.1	1.2	106	0.8	0.08	0.7	1.0
2009	1	0.1	0.08	0.0	0.5	104	0.8	0.08	0.7	1.0
2010	1	0.1	0.07	0.0	0.5	80	0.6	0.07	0.5	0.8
2011	2	0.1	0.09	0.0	0.5	90	0.7	0.07	0.5	0.8
2012	3	0.3	0.19	0.1	0.9	94	0.7	0.07	0.6	0.9
2013	1	0.1	0.09	0.0	0.5	100	0.7	0.07	0.6	0.9
2014	2	0.1	0.08	0.0	0.4	79	0.6	0.06	0.4	0.7
2015	4	0.4	0.22	0.1	1.0	96	0.7	0.07	0.6	0.9
2016	2	0.2	0.15	0.0	0.7	80	0.6	0.07	0.5	0.7
2017	3	0.2	0.12	0.0	0.6	75	0.5	0.06	0.4	0.6
2018	3	0.2	0.15	0.0	0.7	75	0.5	0.06	0.4	0.7
2019	2	0.1	0.07	0.0	0.4	83	0.6	0.06	0.4	0.7
2020	3	0.2	0.13	0.0	0.6	71	0.5	0.06	0.4	0.6
2021	4	0.3	0.14	0.1	0.7	72	0.5	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Floor of Mouth										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,534	0.8	0.02	0.8	0.8	554	1.0	0.04	1.0	1.1
1990	100	1.2	0.12	1.0	1.4	25	2.0	0.41	1.3	3.0
1991	107	1.2	0.11	1.0	1.4	26	2.0	0.39	1.3	2.9
1992	93	1.0	0.11	0.8	1.3	29	2.2	0.42	1.5	3.2
1993	82	0.9	0.10	0.7	1.1	20	1.5	0.33	0.9	2.3
1994	89	1.0	0.10	0.8	1.2	31	2.4	0.44	1.6	3.4
1995	107	1.2	0.11	1.0	1.4	24	1.7	0.35	1.1	2.6
1996	96	1.1	0.11	0.9	1.3	28	2.1	0.40	1.4	3.0
1997	82	0.9	0.10	0.7	1.1	19	1.3	0.30	0.8	2.0
1998	82	0.9	0.10	0.7	1.1	18	1.2	0.29	0.7	1.9
1999	71	0.8	0.09	0.6	1.0	20	1.3	0.30	0.8	2.0
2000	93	1.0	0.10	0.8	1.2	28	1.8	0.35	1.2	2.7
2001	91	1.0	0.10	0.8	1.2	16	1.0	0.24	0.6	1.6
2002	77	0.8	0.09	0.6	1.0	13	0.8	0.24	0.4	1.5
2003	77	0.8	0.09	0.6	1.0	18	1.1	0.25	0.6	1.7
2004	74	0.8	0.09	0.6	1.0	18	1.1	0.26	0.6	1.7
2005	61	0.6	0.08	0.5	0.8	12	0.7	0.22	0.4	1.3
2006	83	0.8	0.09	0.7	1.0	17	1.0	0.25	0.6	1.6
2007	69	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5
2008	87	0.8	0.09	0.7	1.0	18	1.0	0.23	0.6	1.5
2009	82	0.8	0.09	0.6	1.0	21	1.2	0.26	0.7	1.8
2010	64	0.6	0.07	0.5	0.8	15	0.8	0.21	0.4	1.3
2011	76	0.7	0.08	0.5	0.9	13	0.6	0.18	0.3	1.1
2012	73	0.7	0.08	0.5	0.8	20	1.1	0.26	0.7	1.8
2013	80	0.7	0.08	0.6	0.9	18	0.9	0.20	0.5	1.4
2014	59	0.5	0.07	0.4	0.7	16	0.9	0.23	0.5	1.5
2015	86	0.8	0.09	0.6	1.0	7	0.3	0.13	0.1	0.7
2016	72	0.7	0.08	0.5	0.8	6	0.3	0.13	0.1	0.7
2017	65	0.6	0.07	0.4	0.7	9	0.4	0.12	0.2	0.7
2018	67	0.6	0.07	0.4	0.8	6	0.3	0.14	0.1	0.7
2019	66	0.5	0.07	0.4	0.7	13	0.6	0.18	0.3	1.1
2020	61	0.5	0.07	0.4	0.7	8	0.3	0.12	0.1	0.7
2021	62	0.6	0.08	0.4	0.8	7	0.3	0.12	0.1	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Floor of Mouth										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	75	0.5	0.06	0.4	0.7	2,205	1.2	0.03	1.2	1.3
1990	3	1.4	0.81	0.3	4.6	95	2.2	0.23	1.8	2.7
1991	1	0.4	0.42	0.0	3.1	92	1.9	0.20	1.5	2.4
1992	3	1.3	0.77	0.3	4.3	85	1.9	0.21	1.5	2.3
1993	3	2.0	1.18	0.4	5.7	76	1.6	0.18	1.2	2.0
1994	3	1.2	0.70	0.2	4.0	84	1.7	0.19	1.4	2.2
1995	1	0.4	0.36	0.0	2.6	95	2.0	0.21	1.6	2.4
1996	3	1.0	0.61	0.2	3.5	95	2.0	0.20	1.6	2.4
1997	5	3.3	1.85	0.7	8.3	66	1.4	0.17	1.0	1.7
1998	3	0.9	0.51	0.2	3.0	76	1.5	0.17	1.2	1.9
1999	6	1.6	0.67	0.6	3.9	65	1.3	0.16	1.0	1.6
2000	4	1.0	0.52	0.3	3.0	90	1.8	0.19	1.4	2.2
2001	7	1.7	0.68	0.7	3.9	79	1.5	0.17	1.2	1.9
2002	1	0.2	0.23	0.0	1.8	56	1.1	0.14	0.8	1.4
2003	1	0.2	0.21	0.0	1.6	67	1.2	0.15	1.0	1.6
2004	2	0.6	0.45	0.0	2.3	70	1.3	0.15	1.0	1.6
2005	1	0.1	0.11	0.0	1.3	53	1.0	0.13	0.7	1.3
2006	2	0.3	0.24	0.0	1.5	70	1.3	0.15	1.0	1.6
2007	3	0.9	0.56	0.1	2.6	55	1.0	0.13	0.7	1.2
2008	4	1.0	0.51	0.2	2.5	69	1.2	0.14	0.9	1.5
2009	1	0.2	0.15	0.0	1.1	74	1.3	0.15	1.0	1.6
2010	1	0.1	0.14	0.0	1.0	54	0.9	0.12	0.6	1.1
2011	2	0.3	0.18	0.0	1.1	63	1.0	0.13	0.7	1.3
2012	2	0.5	0.42	0.1	1.9	66	1.0	0.13	0.8	1.3
2013	1	0.2	0.18	0.0	1.0	76	1.2	0.14	0.9	1.5
2014	2	0.2	0.14	0.0	0.9	60	0.9	0.12	0.7	1.2
2015	1	0.2	0.24	0.0	1.2	68	1.1	0.13	0.8	1.4
2016	1	0.2	0.23	0.0	1.1	48	0.8	0.12	0.6	1.1
2017	1	0.2	0.21	0.0	1.0	49	0.7	0.10	0.5	0.9
2018	2	0.4	0.30	0.0	1.3	54	0.8	0.11	0.6	1.1
2019	0					60	0.8	0.11	0.6	1.1
2020	2	0.2	0.13	0.0	0.8	47	0.7	0.10	0.5	0.9
2021	3	0.3	0.20	0.1	1.0	48	0.7	0.11	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Floor of Mouth										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,749	1.2	0.03	1.1	1.2	418	1.8	0.09	1.6	2.0
1990	75	2.0	0.24	1.6	2.5	19	3.6	0.84	2.2	5.7
1991	75	1.8	0.21	1.4	2.3	16	2.8	0.70	1.6	4.5
1992	61	1.6	0.21	1.2	2.0	23	4.3	0.95	2.7	6.6
1993	58	1.4	0.18	1.1	1.8	17	2.9	0.71	1.7	4.6
1994	61	1.5	0.19	1.1	1.9	23	4.3	0.95	2.7	6.5
1995	75	1.8	0.21	1.5	2.3	19	3.2	0.73	1.9	5.0
1996	72	1.8	0.21	1.4	2.2	22	3.6	0.78	2.3	5.5
1997	50	1.2	0.17	0.9	1.6	14	2.1	0.57	1.2	3.6
1998	59	1.4	0.18	1.0	1.8	16	2.5	0.63	1.4	4.1
1999	48	1.1	0.16	0.8	1.5	15	2.3	0.60	1.3	3.8
2000	67	1.6	0.19	1.2	2.0	22	3.4	0.73	2.1	5.2
2001	66	1.5	0.19	1.2	1.9	13	1.8	0.49	0.9	3.1
2002	45	1.0	0.15	0.8	1.4	10	1.4	0.46	0.7	2.7
2003	52	1.2	0.16	0.9	1.5	15	2.0	0.53	1.1	3.4
2004	50	1.1	0.16	0.8	1.4	16	2.4	0.64	1.3	4.0
2005	43	0.9	0.14	0.7	1.3	9	1.1	0.38	0.5	2.2
2006	58	1.2	0.16	0.9	1.6	12	1.7	0.48	0.8	2.9
2007	42	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.3
2008	57	1.2	0.16	0.9	1.5	11	1.3	0.42	0.7	2.5
2009	57	1.2	0.16	0.9	1.5	17	2.2	0.56	1.3	3.6
2010	44	0.9	0.13	0.6	1.2	9	1.0	0.35	0.5	2.0
2011	53	1.0	0.14	0.7	1.3	10	1.1	0.36	0.5	2.1
2012	52	0.9	0.13	0.7	1.2	13	1.7	0.50	0.9	3.0
2013	60	1.1	0.15	0.9	1.5	14	1.5	0.42	0.8	2.6
2014	48	0.9	0.13	0.6	1.2	9	1.3	0.46	0.6	2.5
2015	63	1.2	0.16	0.9	1.6	3	0.3	0.19	0.1	1.0
2016	43	0.9	0.13	0.6	1.2	4	0.5	0.23	0.1	1.2
2017	42	0.8	0.12	0.5	1.0	7	0.7	0.25	0.3	1.4
2018	47	0.8	0.13	0.6	1.1	5	0.7	0.32	0.2	1.6
2019	49	0.8	0.12	0.6	1.1	9	1.1	0.37	0.5	2.1
2020	37	0.7	0.12	0.5	1.0	8	0.8	0.29	0.3	1.6
2021	40	0.8	0.13	0.5	1.1	5	0.5	0.20	0.1	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Floor of Mouth										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	24	0.2	0.04	0.1	0.3	932	0.4	0.01	0.4	0.5
1990	0					31	0.5	0.10	0.4	0.8
1991	1	0.4	0.41	0.0	2.4	42	0.7	0.11	0.5	1.0
1992	1	0.4	0.40	0.0	2.4	38	0.6	0.10	0.4	0.9
1993	1	0.6	0.61	0.0	2.9	27	0.5	0.09	0.3	0.7
1994	1	0.6	0.58	0.0	2.8	36	0.6	0.10	0.4	0.8
1995	0					37	0.6	0.10	0.4	0.8
1996	0					30	0.5	0.09	0.3	0.7
1997	1	0.7	0.66	0.0	2.9	37	0.6	0.10	0.4	0.8
1998	2	0.6	0.43	0.1	2.3	25	0.4	0.08	0.3	0.6
1999	0					28	0.5	0.09	0.3	0.7
2000	0					32	0.5	0.09	0.4	0.7
2001	2	1.1	0.82	0.1	3.5	28	0.4	0.08	0.3	0.6
2002	0					36	0.6	0.09	0.4	0.8
2003	0					28	0.5	0.09	0.3	0.7
2004	1	0.2	0.19	0.0	1.2	26	0.4	0.08	0.3	0.6
2005	0					22	0.3	0.07	0.2	0.5
2006	2	0.4	0.27	0.1	1.5	30	0.5	0.08	0.3	0.7
2007	0					30	0.4	0.08	0.3	0.6
2008	0					37	0.5	0.09	0.4	0.8
2009	0					30	0.4	0.08	0.3	0.6
2010	0					26	0.4	0.08	0.3	0.6
2011	0					27	0.4	0.07	0.3	0.6
2012	1	0.1	0.13	0.0	0.8	28	0.4	0.08	0.3	0.6
2013	0					24	0.3	0.07	0.2	0.5
2014	0					19	0.3	0.06	0.2	0.4
2015	3	0.6	0.33	0.1	1.6	28	0.4	0.07	0.3	0.6
2016	1	0.2	0.20	0.0	0.9	32	0.4	0.08	0.3	0.6
2017	2	0.2	0.15	0.0	0.8	26	0.3	0.07	0.2	0.5
2018	1	0.1	0.13	0.0	0.7	21	0.3	0.06	0.2	0.4
2019	2	0.2	0.15	0.0	0.8	23	0.3	0.07	0.2	0.5
2020	1	0.2	0.20	0.0	0.9	24	0.3	0.06	0.2	0.5
2021	1	0.2	0.19	0.0	0.9	24	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Floor of Mouth										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	785	0.4	0.02	0.4	0.5	136	0.5	0.04	0.4	0.5
1990	25	0.5	0.10	0.3	0.7	6	0.8	0.33	0.3	1.7
1991	32	0.6	0.11	0.4	0.9	10	1.4	0.43	0.6	2.5
1992	32	0.6	0.10	0.4	0.8	6	0.8	0.32	0.3	1.7
1993	24	0.5	0.10	0.3	0.7	3	0.4	0.22	0.1	1.1
1994	28	0.5	0.10	0.4	0.8	8	1.1	0.39	0.5	2.2
1995	32	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.4
1996	24	0.5	0.09	0.3	0.7	6	0.8	0.35	0.3	1.8
1997	32	0.6	0.11	0.4	0.9	5	0.6	0.29	0.2	1.5
1998	23	0.4	0.09	0.3	0.7	2	0.2	0.17	0.0	0.9
1999	23	0.5	0.10	0.3	0.7	5	0.6	0.26	0.2	1.4
2000	26	0.5	0.10	0.3	0.7	6	0.7	0.28	0.3	1.5
2001	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	1.0
2002	32	0.6	0.11	0.4	0.9	3	0.4	0.21	0.1	1.0
2003	25	0.5	0.10	0.3	0.7	3	0.3	0.18	0.1	0.9
2004	24	0.5	0.09	0.3	0.7	2	0.2	0.14	0.0	0.8
2005	18	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2006	25	0.5	0.09	0.3	0.7	5	0.5	0.24	0.2	1.2
2007	27	0.5	0.09	0.3	0.7	2	0.2	0.13	0.0	0.7
2008	30	0.5	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4
2009	25	0.4	0.09	0.3	0.7	4	0.4	0.20	0.1	1.0
2010	20	0.4	0.08	0.2	0.6	6	0.6	0.25	0.2	1.3
2011	23	0.4	0.09	0.3	0.6	3	0.2	0.14	0.1	0.8
2012	21	0.4	0.09	0.2	0.6	7	0.7	0.28	0.3	1.5
2013	20	0.3	0.08	0.2	0.5	4	0.3	0.16	0.1	0.9
2014	11	0.2	0.06	0.1	0.3	7	0.6	0.25	0.3	1.3
2015	23	0.4	0.08	0.2	0.6	4	0.4	0.18	0.1	0.9
2016	29	0.5	0.09	0.3	0.7	2	0.2	0.15	0.0	0.7
2017	23	0.4	0.08	0.2	0.6	2	0.2	0.10	0.0	0.6
2018	20	0.3	0.08	0.2	0.6	1	0.1	0.07	0.0	0.5
2019	17	0.3	0.07	0.2	0.5	4	0.4	0.18	0.1	0.9
2020	24	0.4	0.08	0.2	0.6	0				
2021	22	0.4	0.09	0.3	0.6	2	0.2	0.15	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gum and Other Mouth										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	333	1.3	0.08	1.1	1.4	6,828	1.7	0.02	1.7	1.8
1990	4	0.9	0.44	0.2	2.4	182	1.8	0.13	1.5	2.1
1991	7	1.2	0.48	0.4	2.7	154	1.5	0.12	1.2	1.7
1992	0					172	1.6	0.12	1.4	1.9
1993	6	1.9	0.91	0.6	4.3	177	1.7	0.13	1.4	1.9
1994	6	1.4	0.71	0.4	3.4	163	1.5	0.12	1.3	1.8
1995	2	0.7	0.59	0.0	2.5	198	1.8	0.13	1.6	2.1
1996	8	2.1	0.91	0.7	4.5	195	1.8	0.13	1.5	2.0
1997	9	1.6	0.59	0.7	3.2	190	1.7	0.12	1.5	2.0
1998	6	2.0	0.93	0.6	4.4	175	1.6	0.12	1.3	1.8
1999	7	0.9	0.37	0.3	2.0	201	1.8	0.13	1.6	2.1
2000	5	0.8	0.48	0.1	2.2	188	1.7	0.12	1.4	1.9
2001	6	1.2	0.54	0.4	2.7	193	1.7	0.12	1.5	1.9
2002	5	1.0	0.51	0.3	2.4	202	1.7	0.12	1.5	2.0
2003	10	1.7	0.60	0.7	3.2	213	1.8	0.12	1.6	2.1
2004	11	1.5	0.50	0.7	2.8	216	1.8	0.13	1.6	2.1
2005	3	0.3	0.15	0.1	0.9	188	1.6	0.12	1.4	1.8
2006	9	1.4	0.54	0.5	2.7	207	1.7	0.12	1.5	2.0
2007	14	1.4	0.46	0.6	2.6	192	1.6	0.12	1.4	1.8
2008	16	1.7	0.48	0.9	2.9	240	1.9	0.13	1.7	2.2
2009	14	1.1	0.30	0.6	1.8	224	1.8	0.12	1.6	2.1
2010	19	2.1	0.56	1.2	3.5	236	1.9	0.12	1.6	2.1
2011	11	0.9	0.29	0.4	1.6	252	1.9	0.12	1.7	2.2
2012	12	1.4	0.43	0.7	2.4	226	1.7	0.12	1.5	2.0
2013	15	1.8	0.48	1.0	2.9	223	1.7	0.12	1.5	1.9
2014	7	0.7	0.28	0.2	1.4	248	1.8	0.12	1.6	2.1
2015	23	1.9	0.43	1.1	2.9	256	1.9	0.12	1.7	2.1
2016	11	0.7	0.22	0.4	1.3	245	1.8	0.12	1.6	2.0
2017	20	1.6	0.37	0.9	2.5	251	1.8	0.12	1.6	2.1
2018	14	1.1	0.31	0.6	1.8	223	1.6	0.11	1.4	1.8
2019	21	1.5	0.36	0.9	2.4	272	1.9	0.12	1.7	2.1
2020	18	1.2	0.29	0.7	1.9	279	2.0	0.12	1.8	2.3
2021	14	1.1	0.32	0.6	1.9	247	1.7	0.11	1.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gum and Other Mouth										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	5,554	1.7	0.02	1.7	1.7	913	1.8	0.06	1.6	1.9
1990	142	1.6	0.13	1.3	1.9	38	3.3	0.55	2.3	4.6
1991	129	1.4	0.12	1.2	1.7	24	1.8	0.37	1.1	2.7
1992	146	1.6	0.13	1.3	1.9	24	1.9	0.40	1.2	2.9
1993	150	1.6	0.13	1.4	1.9	24	1.9	0.39	1.2	2.8
1994	139	1.5	0.13	1.3	1.8	21	1.6	0.36	1.0	2.5
1995	164	1.8	0.14	1.5	2.0	30	2.3	0.43	1.6	3.3
1996	159	1.7	0.13	1.4	2.0	29	2.0	0.38	1.4	2.9
1997	160	1.7	0.13	1.4	2.0	28	2.0	0.39	1.3	3.0
1998	149	1.6	0.13	1.3	1.8	23	1.7	0.36	1.1	2.5
1999	162	1.7	0.13	1.5	2.0	34	2.5	0.43	1.7	3.5
2000	167	1.7	0.13	1.5	2.0	16	1.1	0.26	0.6	1.7
2001	164	1.7	0.13	1.4	2.0	24	1.6	0.34	1.0	2.4
2002	159	1.6	0.13	1.4	1.9	36	2.4	0.41	1.7	3.3
2003	173	1.7	0.13	1.5	2.0	34	2.2	0.39	1.5	3.1
2004	171	1.7	0.13	1.5	2.0	36	2.3	0.39	1.6	3.2
2005	155	1.6	0.13	1.3	1.8	22	1.3	0.28	0.8	2.0
2006	169	1.7	0.13	1.4	2.0	26	1.5	0.30	1.0	2.2
2007	148	1.5	0.12	1.3	1.8	36	2.2	0.37	1.5	3.0
2008	188	1.8	0.13	1.6	2.1	38	2.2	0.37	1.6	3.1
2009	183	1.8	0.13	1.5	2.1	30	1.7	0.32	1.2	2.5
2010	185	1.8	0.13	1.5	2.1	39	2.1	0.34	1.5	2.9
2011	210	1.9	0.14	1.7	2.2	26	1.5	0.30	1.0	2.2
2012	189	1.8	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1
2013	188	1.7	0.13	1.5	2.0	24	1.4	0.28	0.9	2.0
2014	203	1.9	0.13	1.6	2.1	30	1.6	0.30	1.1	2.3
2015	199	1.8	0.13	1.6	2.1	36	1.9	0.33	1.3	2.7
2016	196	1.8	0.13	1.5	2.0	26	1.4	0.27	0.9	2.0
2017	208	1.9	0.13	1.6	2.1	22	1.1	0.24	0.7	1.7
2018	186	1.6	0.12	1.4	1.8	20	1.0	0.23	0.6	1.6
2019	207	1.8	0.13	1.5	2.0	38	1.9	0.31	1.3	2.6
2020	219	2.0	0.14	1.7	2.2	27	1.4	0.27	0.9	2.1
2021	187	1.6	0.12	1.4	1.9	25	1.1	0.23	0.7	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gum and Other Mouth										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	203	1.7	0.14	1.4	2.0	3,828	2.2	0.04	2.1	2.3
1990	3	1.2	0.69	0.2	4.2	113	2.6	0.25	2.1	3.1
1991	5	2.0	0.93	0.7	5.3	82	1.8	0.20	1.4	2.2
1992	0					95	2.1	0.22	1.7	2.6
1993	4	2.7	1.89	0.3	8.1	97	2.1	0.22	1.7	2.6
1994	2	0.7	0.47	0.1	3.1	91	1.9	0.21	1.6	2.4
1995	0					104	2.2	0.21	1.8	2.6
1996	5	1.9	1.14	0.4	5.4	112	2.4	0.23	1.9	2.8
1997	7	2.8	1.22	0.9	6.2	111	2.4	0.23	1.9	2.8
1998	4	3.4	1.98	0.7	8.7	100	2.0	0.20	1.7	2.5
1999	3	0.9	0.58	0.1	3.1	112	2.3	0.22	1.9	2.7
2000	2	1.2	1.09	0.0	4.5	95	1.9	0.20	1.6	2.4
2001	3	1.1	0.65	0.2	3.3	105	2.1	0.21	1.7	2.6
2002	1	0.5	0.46	0.0	2.3	106	2.1	0.20	1.7	2.5
2003	7	2.9	1.26	1.0	6.2	110	2.1	0.21	1.8	2.6
2004	8	2.2	0.88	0.9	4.6	118	2.3	0.21	1.9	2.7
2005	3	0.5	0.29	0.1	1.8	103	2.0	0.20	1.6	2.4
2006	6	2.0	1.02	0.5	4.7	113	2.1	0.20	1.7	2.5
2007	10	1.9	0.71	0.7	3.8	106	2.0	0.19	1.6	2.4
2008	11	2.6	0.90	1.2	4.9	132	2.3	0.21	1.9	2.8
2009	7	1.2	0.46	0.4	2.5	128	2.2	0.20	1.8	2.6
2010	11	3.1	1.02	1.4	5.6	136	2.4	0.21	2.0	2.8
2011	4	0.6	0.32	0.2	1.7	148	2.5	0.21	2.1	2.9
2012	8	1.9	0.78	0.7	3.9	126	2.1	0.19	1.7	2.5
2013	6	1.7	0.76	0.6	3.7	139	2.3	0.20	1.9	2.8
2014	5	0.8	0.42	0.2	2.1	139	2.3	0.20	1.9	2.7
2015	16	2.7	0.79	1.4	4.7	152	2.4	0.20	2.0	2.8
2016	9	1.1	0.38	0.5	2.2	139	2.2	0.19	1.8	2.6
2017	10	1.6	0.55	0.7	3.0	142	2.2	0.19	1.9	2.6
2018	12	1.9	0.62	0.9	3.5	121	1.9	0.18	1.6	2.3
2019	15	2.3	0.66	1.2	3.9	154	2.3	0.19	2.0	2.7
2020	6	0.8	0.36	0.3	1.8	151	2.4	0.20	2.0	2.8
2021	10	1.8	0.60	0.8	3.3	148	2.2	0.19	1.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gum and Other Mouth										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,021	2.1	0.04	2.0	2.1	545	2.5	0.11	2.3	2.7
1990	87	2.3	0.25	1.8	2.8	24	5.3	1.15	3.3	8.0
1991	65	1.6	0.21	1.3	2.1	17	3.0	0.76	1.7	4.9
1992	79	2.0	0.23	1.6	2.5	14	2.9	0.84	1.5	5.0
1993	80	2.0	0.23	1.6	2.5	16	3.0	0.76	1.7	4.9
1994	73	1.8	0.21	1.4	2.3	15	2.8	0.76	1.5	4.7
1995	79	1.9	0.21	1.5	2.4	22	4.0	0.89	2.4	6.1
1996	92	2.3	0.24	1.8	2.8	17	2.8	0.67	1.6	4.4
1997	95	2.3	0.24	1.9	2.9	16	2.7	0.70	1.5	4.4
1998	85	2.0	0.22	1.6	2.5	12	2.1	0.65	1.1	3.8
1999	90	2.2	0.23	1.7	2.7	20	3.2	0.75	1.9	5.0
2000	85	2.0	0.22	1.6	2.5	9	1.4	0.46	0.6	2.6
2001	90	2.2	0.23	1.7	2.7	11	1.6	0.48	0.8	2.9
2002	78	1.8	0.21	1.4	2.3	23	3.8	0.84	2.3	5.8
2003	87	2.0	0.22	1.6	2.5	21	3.0	0.66	1.8	4.6
2004	92	2.1	0.22	1.7	2.6	20	3.3	0.81	2.0	5.3
2005	83	1.9	0.21	1.5	2.4	14	1.8	0.50	1.0	3.1
2006	87	1.9	0.21	1.6	2.4	17	2.4	0.59	1.4	3.8
2007	79	1.8	0.20	1.4	2.2	20	2.9	0.69	1.7	4.6
2008	97	2.1	0.21	1.7	2.5	26	3.5	0.71	2.2	5.2
2009	101	2.1	0.21	1.7	2.6	18	2.5	0.63	1.4	4.0
2010	104	2.2	0.22	1.8	2.7	24	3.1	0.68	1.9	4.8
2011	119	2.4	0.22	2.0	2.9	16	2.2	0.58	1.2	3.7
2012	104	2.1	0.21	1.7	2.5	13	1.6	0.46	0.8	2.8
2013	114	2.3	0.22	1.9	2.8	16	2.1	0.53	1.2	3.4
2014	111	2.3	0.22	1.8	2.7	16	2.2	0.58	1.2	3.7
2015	113	2.1	0.21	1.8	2.6	27	3.5	0.70	2.2	5.1
2016	108	2.1	0.20	1.7	2.5	14	2.0	0.57	1.1	3.5
2017	116	2.2	0.21	1.8	2.6	10	1.2	0.38	0.6	2.2
2018	97	1.8	0.19	1.5	2.2	11	1.3	0.41	0.7	2.4
2019	111	2.0	0.20	1.7	2.5	22	2.6	0.58	1.6	4.0
2020	113	2.2	0.21	1.8	2.7	11	1.3	0.40	0.6	2.3
2021	107	2.0	0.20	1.6	2.4	13	1.3	0.38	0.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gum and Other Mouth										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	130	1.0	0.09	0.8	1.1	3,000	1.4	0.03	1.3	1.4
1990	1	0.5	0.52	0.0	2.8	69	1.2	0.14	0.9	1.5
1991	2	0.3	0.24	0.0	2.1	72	1.2	0.14	0.9	1.5
1992	0					77	1.2	0.14	1.0	1.5
1993	2	1.4	0.99	0.2	4.4	80	1.3	0.15	1.1	1.7
1994	4	1.8	1.09	0.4	5.0	72	1.1	0.13	0.9	1.4
1995	2	1.1	0.92	0.1	4.0	94	1.5	0.15	1.2	1.8
1996	3	2.0	1.22	0.4	5.4	83	1.3	0.14	1.0	1.6
1997	2	0.7	0.47	0.1	2.5	79	1.2	0.14	1.0	1.6
1998	2	1.1	0.88	0.1	3.8	75	1.2	0.14	0.9	1.5
1999	4	0.9	0.49	0.2	2.6	89	1.4	0.15	1.1	1.7
2000	3	0.6	0.38	0.1	2.1	93	1.4	0.15	1.2	1.8
2001	3	1.2	0.78	0.2	3.5	88	1.3	0.14	1.0	1.6
2002	4	1.4	0.81	0.3	3.7	96	1.4	0.15	1.2	1.7
2003	3	0.7	0.46	0.1	2.2	103	1.5	0.15	1.3	1.9
2004	3	0.9	0.55	0.2	2.6	98	1.5	0.15	1.2	1.8
2005	0					85	1.3	0.14	1.0	1.6
2006	3	0.9	0.57	0.1	2.5	94	1.4	0.14	1.1	1.7
2007	4	0.9	0.54	0.2	2.5	86	1.3	0.14	1.0	1.6
2008	5	0.9	0.45	0.2	2.2	108	1.5	0.15	1.2	1.9
2009	7	1.0	0.38	0.4	2.1	96	1.4	0.15	1.2	1.8
2010	8	1.4	0.58	0.5	3.0	100	1.4	0.15	1.2	1.7
2011	7	1.1	0.45	0.4	2.4	104	1.4	0.14	1.2	1.7
2012	4	1.0	0.49	0.2	2.3	100	1.4	0.14	1.1	1.7
2013	9	1.9	0.64	0.8	3.5	84	1.2	0.13	0.9	1.5
2014	2	0.5	0.37	0.1	1.6	109	1.4	0.14	1.2	1.7
2015	7	1.2	0.47	0.4	2.4	104	1.4	0.14	1.1	1.7
2016	2	0.3	0.23	0.0	1.1	106	1.4	0.14	1.2	1.7
2017	10	1.5	0.51	0.7	2.9	109	1.5	0.15	1.2	1.8
2018	2	0.3	0.25	0.0	1.2	102	1.3	0.13	1.0	1.6
2019	6	0.9	0.38	0.3	1.9	118	1.5	0.14	1.2	1.8
2020	12	1.5	0.45	0.8	2.6	128	1.7	0.15	1.4	2.0
2021	4	0.6	0.30	0.2	1.5	99	1.2	0.13	1.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gum and Other Mouth										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,533	1.4	0.03	1.3	1.4	368	1.2	0.06	1.1	1.4
1990	55	1.0	0.14	0.8	1.4	14	2.1	0.56	1.1	3.5
1991	64	1.2	0.16	0.9	1.6	7	0.9	0.34	0.4	1.8
1992	67	1.2	0.15	0.9	1.6	10	1.3	0.42	0.6	2.4
1993	70	1.4	0.17	1.1	1.7	8	1.1	0.38	0.5	2.1
1994	66	1.2	0.14	0.9	1.5	6	0.8	0.34	0.3	1.8
1995	85	1.6	0.17	1.2	1.9	8	1.1	0.39	0.5	2.1
1996	67	1.2	0.15	0.9	1.5	12	1.5	0.42	0.8	2.5
1997	65	1.2	0.15	0.9	1.5	12	1.5	0.45	0.8	2.6
1998	64	1.2	0.15	0.9	1.5	11	1.4	0.42	0.7	2.5
1999	72	1.4	0.16	1.1	1.7	14	1.8	0.48	1.0	3.0
2000	82	1.5	0.17	1.2	1.9	7	0.8	0.31	0.3	1.7
2001	74	1.3	0.15	1.0	1.6	13	1.6	0.45	0.8	2.7
2002	81	1.4	0.16	1.1	1.7	13	1.5	0.41	0.8	2.5
2003	86	1.5	0.17	1.2	1.9	13	1.5	0.43	0.8	2.6
2004	79	1.4	0.16	1.1	1.8	16	1.7	0.43	1.0	2.8
2005	72	1.3	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7
2006	82	1.4	0.16	1.1	1.8	9	0.9	0.30	0.4	1.7
2007	69	1.3	0.15	1.0	1.6	16	1.7	0.43	1.0	2.8
2008	91	1.5	0.17	1.2	1.9	12	1.3	0.37	0.6	2.2
2009	82	1.5	0.17	1.2	1.9	12	1.3	0.37	0.6	2.2
2010	81	1.4	0.16	1.1	1.8	15	1.4	0.37	0.8	2.3
2011	91	1.5	0.16	1.2	1.9	10	1.0	0.31	0.5	1.8
2012	85	1.4	0.16	1.1	1.8	14	1.3	0.35	0.7	2.2
2013	74	1.2	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7
2014	92	1.5	0.16	1.2	1.8	14	1.2	0.34	0.7	2.1
2015	86	1.5	0.17	1.2	1.8	9	0.8	0.27	0.4	1.6
2016	88	1.5	0.17	1.2	1.9	12	1.0	0.29	0.5	1.8
2017	92	1.6	0.17	1.2	1.9	12	1.0	0.30	0.5	1.8
2018	89	1.4	0.15	1.1	1.7	9	0.8	0.26	0.3	1.5
2019	96	1.5	0.16	1.2	1.9	16	1.4	0.36	0.8	2.3
2020	106	1.7	0.17	1.4	2.1	16	1.5	0.38	0.8	2.5
2021	80	1.3	0.15	1.0	1.6	12	1.0	0.29	0.5	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Nasopharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	118	0.4	0.04	0.3	0.4	2,181	0.6	0.01	0.6	0.6
1990	2	0.3	0.23	0.0	1.5	70	0.7	0.08	0.5	0.9
1991	2	0.5	0.32	0.1	1.7	59	0.6	0.08	0.4	0.7
1992	1	0.5	0.50	0.0	2.2	45	0.4	0.06	0.3	0.6
1993	1	0.1	0.10	0.0	1.0	62	0.6	0.08	0.5	0.8
1994	3	0.6	0.37	0.1	1.8	67	0.6	0.08	0.5	0.8
1995	1	0.2	0.21	0.0	1.2	77	0.7	0.08	0.6	0.9
1996	1	0.3	0.28	0.0	1.4	63	0.6	0.07	0.4	0.7
1997	5	0.7	0.34	0.2	1.8	67	0.6	0.08	0.5	0.8
1998	2	0.1	0.09	0.0	0.9	69	0.6	0.08	0.5	0.8
1999	2	0.2	0.14	0.0	1.0	62	0.6	0.07	0.4	0.7
2000	3	0.6	0.49	0.1	2.1	76	0.7	0.08	0.5	0.9
2001	2	0.1	0.06	0.0	0.7	62	0.6	0.07	0.4	0.7
2002	5	0.6	0.27	0.2	1.4	68	0.6	0.07	0.5	0.8
2003	2	0.7	0.48	0.1	2.0	68	0.6	0.07	0.5	0.8
2004	1	0.1	0.10	0.0	0.7	76	0.7	0.08	0.5	0.8
2005	6	0.5	0.22	0.2	1.2	62	0.5	0.07	0.4	0.7
2006	5	0.4	0.19	0.1	1.1	73	0.6	0.07	0.5	0.8
2007	7	0.8	0.33	0.3	1.7	64	0.5	0.07	0.4	0.7
2008	5	0.6	0.31	0.1	1.5	60	0.5	0.06	0.4	0.6
2009	3	0.2	0.09	0.0	0.6	76	0.6	0.07	0.5	0.8
2010	7	0.6	0.28	0.2	1.4	76	0.6	0.07	0.5	0.8
2011	4	0.2	0.11	0.1	0.6	73	0.6	0.07	0.5	0.7
2012	5	0.3	0.12	0.1	0.7	73	0.6	0.07	0.5	0.7
2013	5	0.4	0.19	0.1	0.9	68	0.6	0.07	0.4	0.7
2014	2	0.1	0.07	0.0	0.4	67	0.5	0.06	0.4	0.7
2015	4	0.2	0.12	0.1	0.6	81	0.6	0.07	0.5	0.8
2016	5	0.4	0.18	0.1	0.9	75	0.6	0.07	0.4	0.7
2017	4	0.2	0.11	0.1	0.6	70	0.5	0.07	0.4	0.7
2018	9	0.5	0.16	0.2	0.9	68	0.5	0.07	0.4	0.7
2019	6	0.3	0.13	0.1	0.7	59	0.5	0.06	0.3	0.6
2020	3	0.2	0.15	0.0	0.7	73	0.6	0.07	0.4	0.7
2021	5	0.3	0.15	0.1	0.7	72	0.5	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Nasopharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,375	0.4	0.01	0.4	0.5	452	0.8	0.04	0.8	0.9
1990	51	0.6	0.08	0.4	0.8	15	1.1	0.31	0.6	1.9
1991	41	0.5	0.07	0.3	0.6	12	1.0	0.30	0.5	1.7
1992	32	0.4	0.06	0.2	0.5	6	0.3	0.14	0.1	0.8
1993	42	0.5	0.07	0.3	0.7	11	0.8	0.23	0.4	1.4
1994	45	0.5	0.07	0.4	0.7	12	0.8	0.25	0.4	1.5
1995	63	0.7	0.09	0.5	0.9	7	0.5	0.19	0.2	1.0
1996	39	0.4	0.07	0.3	0.6	18	1.2	0.30	0.7	2.0
1997	39	0.4	0.07	0.3	0.6	16	1.0	0.24	0.5	1.6
1998	42	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6
1999	35	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2000	48	0.5	0.08	0.4	0.7	16	1.0	0.26	0.6	1.6
2001	41	0.4	0.07	0.3	0.6	16	0.9	0.22	0.5	1.4
2002	44	0.5	0.07	0.3	0.6	16	1.0	0.25	0.6	1.6
2003	48	0.5	0.07	0.4	0.7	12	0.7	0.20	0.4	1.2
2004	44	0.5	0.07	0.3	0.6	20	1.2	0.27	0.7	1.9
2005	44	0.5	0.07	0.3	0.6	8	0.5	0.19	0.2	1.0
2006	48	0.5	0.07	0.4	0.7	6	0.3	0.14	0.1	0.8
2007	38	0.4	0.06	0.3	0.5	14	0.8	0.21	0.4	1.3
2008	37	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2009	43	0.4	0.07	0.3	0.6	20	1.1	0.25	0.7	1.7
2010	44	0.4	0.07	0.3	0.6	17	0.9	0.23	0.5	1.5
2011	46	0.5	0.07	0.3	0.6	19	1.0	0.22	0.6	1.5
2012	40	0.4	0.06	0.3	0.5	17	1.0	0.24	0.6	1.5
2013	41	0.4	0.06	0.3	0.5	11	0.6	0.20	0.3	1.2
2014	38	0.3	0.06	0.2	0.5	16	0.9	0.22	0.5	1.4
2015	45	0.5	0.07	0.3	0.6	17	0.8	0.20	0.5	1.3
2016	44	0.4	0.06	0.3	0.5	17	0.9	0.22	0.5	1.4
2017	45	0.4	0.07	0.3	0.6	15	0.7	0.19	0.4	1.2
2018	43	0.4	0.07	0.3	0.6	9	0.4	0.15	0.2	0.9
2019	40	0.4	0.07	0.3	0.6	9	0.4	0.13	0.2	0.8
2020	47	0.5	0.07	0.3	0.7	11	0.5	0.16	0.3	1.0
2021	38	0.3	0.06	0.2	0.5	20	1.0	0.23	0.6	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Nasopharynx										
Males										
Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	75	0.5	0.07	0.4	0.6	1,513	0.9	0.02	0.8	0.9
1990	0					49	1.0	0.15	0.8	1.4
1991	1	0.4	0.37	0.0	3.0	36	0.8	0.13	0.6	1.1
1992	0					27	0.6	0.12	0.4	0.9
1993	1	0.2	0.18	0.0	2.5	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	2.8	45	1.0	0.14	0.7	1.3
1995	1	0.5	0.45	0.0	2.8	52	1.0	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	3.2	40	0.8	0.13	0.6	1.1
1997	4	1.3	0.67	0.3	3.7	51	1.0	0.14	0.8	1.3
1998	0					37	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	1.8	35	0.7	0.12	0.5	1.0
2000	1	0.2	0.23	0.0	1.9	52	1.0	0.14	0.7	1.3
2001	1	0.1	0.10	0.0	1.6	41	0.8	0.12	0.6	1.1
2002	3	0.8	0.50	0.2	2.7	50	1.0	0.14	0.7	1.3
2003	2	1.7	1.23	0.2	5.2	51	1.0	0.14	0.7	1.3
2004	1	0.2	0.20	0.0	1.5	55	1.0	0.14	0.8	1.3
2005	3	0.5	0.32	0.1	1.8	43	0.8	0.12	0.6	1.1
2006	4	0.7	0.34	0.2	2.0	49	0.9	0.13	0.7	1.2
2007	7	1.7	0.72	0.6	3.7	46	0.8	0.12	0.6	1.1
2008	3	1.0	0.74	0.1	3.2	41	0.7	0.12	0.5	1.0
2009	1	0.1	0.07	0.0	1.0	46	0.8	0.12	0.6	1.1
2010	4	1.1	0.60	0.3	2.8	59	1.0	0.13	0.7	1.3
2011	3	0.3	0.18	0.1	1.2	53	0.9	0.13	0.7	1.2
2012	3	0.3	0.18	0.1	1.1	57	0.9	0.13	0.7	1.2
2013	3	0.4	0.24	0.1	1.3	57	1.0	0.13	0.7	1.3
2014	2	0.2	0.13	0.0	0.9	44	0.7	0.12	0.5	1.0
2015	0					52	0.9	0.12	0.6	1.1
2016	4	0.7	0.39	0.2	1.9	52	0.8	0.12	0.6	1.1
2017	3	0.4	0.20	0.1	1.1	48	0.8	0.12	0.6	1.1
2018	7	0.8	0.29	0.3	1.6	45	0.8	0.12	0.5	1.0
2019	4	0.4	0.17	0.1	1.0	39	0.6	0.10	0.4	0.9
2020	2	0.3	0.19	0.0	0.9	56	0.9	0.13	0.7	1.2
2021	3	0.4	0.29	0.1	1.3	60	0.9	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Nasopharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	955	0.7	0.02	0.6	0.7	316	1.4	0.08	1.2	1.5
1990	38	0.9	0.15	0.7	1.3	10	1.8	0.62	0.8	3.5
1991	26	0.6	0.13	0.4	0.9	8	1.9	0.70	0.8	3.7
1992	17	0.5	0.11	0.3	0.7	4	0.5	0.28	0.1	1.5
1993	30	0.7	0.14	0.5	1.1	9	1.4	0.47	0.6	2.7
1994	34	0.9	0.15	0.6	1.2	5	0.9	0.40	0.3	2.1
1995	40	0.9	0.15	0.7	1.3	6	1.1	0.47	0.4	2.4
1996	22	0.5	0.11	0.3	0.8	13	2.1	0.65	1.1	3.8
1997	30	0.7	0.13	0.5	1.0	14	1.8	0.49	1.0	3.1
1998	21	0.5	0.11	0.3	0.8	11	1.4	0.44	0.7	2.6
1999	22	0.5	0.11	0.3	0.8	9	1.1	0.37	0.5	2.1
2000	35	0.8	0.14	0.6	1.1	10	1.5	0.51	0.7	2.9
2001	26	0.6	0.12	0.4	0.9	10	1.2	0.39	0.6	2.3
2002	31	0.7	0.13	0.5	1.0	12	1.7	0.50	0.9	3.0
2003	36	0.8	0.14	0.6	1.2	11	1.4	0.44	0.7	2.6
2004	31	0.7	0.12	0.5	1.0	16	2.4	0.64	1.3	3.9
2005	33	0.7	0.13	0.5	1.0	6	1.0	0.43	0.4	2.2
2006	34	0.8	0.13	0.5	1.1	3	0.4	0.26	0.1	1.3
2007	28	0.6	0.12	0.4	0.9	11	1.5	0.49	0.7	2.8
2008	25	0.5	0.11	0.3	0.8	10	1.5	0.51	0.7	2.9
2009	28	0.6	0.11	0.4	0.9	11	1.4	0.43	0.7	2.5
2010	36	0.7	0.12	0.5	1.0	12	1.5	0.44	0.8	2.6
2011	32	0.7	0.12	0.5	1.0	15	1.7	0.44	0.9	2.8
2012	32	0.7	0.12	0.4	0.9	12	1.5	0.44	0.8	2.6
2013	34	0.7	0.12	0.5	1.0	8	1.1	0.42	0.5	2.3
2014	25	0.5	0.10	0.3	0.7	9	1.3	0.43	0.6	2.4
2015	28	0.6	0.11	0.4	0.8	11	1.2	0.35	0.6	2.1
2016	30	0.5	0.10	0.4	0.8	14	1.6	0.43	0.9	2.7
2017	30	0.6	0.12	0.4	0.9	9	0.9	0.32	0.4	1.8
2018	27	0.5	0.11	0.3	0.8	5	0.6	0.25	0.2	1.3
2019	26	0.6	0.11	0.4	0.8	7	0.7	0.26	0.3	1.4
2020	35	0.8	0.14	0.5	1.1	9	1.0	0.33	0.4	1.9
2021	33	0.6	0.11	0.4	0.9	16	1.8	0.46	1.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Nasopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	43	0.2	0.04	0.2	0.3	668	0.3	0.01	0.3	0.4
1990	2	0.6	0.46	0.1	2.7	21	0.4	0.08	0.2	0.6
1991	1	0.5	0.50	0.0	2.7	23	0.4	0.09	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	18	0.3	0.08	0.2	0.5
1993	0					17	0.3	0.07	0.2	0.5
1994	1	0.6	0.58	0.0	2.8	22	0.4	0.09	0.3	0.6
1995	0					25	0.4	0.09	0.3	0.6
1996	0					23	0.4	0.08	0.2	0.6
1997	1	0.2	0.22	0.0	1.7	16	0.3	0.07	0.2	0.4
1998	2	0.3	0.19	0.0	1.6	32	0.5	0.09	0.4	0.7
1999	1	0.3	0.26	0.0	1.7	27	0.5	0.09	0.3	0.7
2000	2	0.8	0.75	0.0	3.2	24	0.4	0.08	0.3	0.6
2001	1	0.1	0.09	0.0	1.2	21	0.4	0.08	0.2	0.5
2002	2	0.4	0.26	0.0	1.6	18	0.3	0.07	0.2	0.5
2003	0					17	0.3	0.07	0.2	0.5
2004	0					21	0.3	0.07	0.2	0.5
2005	3	0.5	0.30	0.1	1.6	19	0.3	0.07	0.2	0.5
2006	1	0.2	0.17	0.0	1.1	24	0.4	0.07	0.2	0.5
2007	0					18	0.3	0.07	0.2	0.5
2008	2	0.3	0.22	0.0	1.2	19	0.3	0.07	0.2	0.5
2009	2	0.2	0.16	0.0	1.0	30	0.5	0.08	0.3	0.7
2010	3	0.3	0.17	0.1	1.1	17	0.3	0.07	0.2	0.4
2011	1	0.1	0.13	0.0	0.8	20	0.3	0.07	0.2	0.5
2012	2	0.2	0.15	0.0	0.9	16	0.2	0.06	0.1	0.4
2013	2	0.4	0.27	0.0	1.3	11	0.2	0.06	0.1	0.3
2014	0					23	0.3	0.07	0.2	0.5
2015	4	0.5	0.24	0.1	1.3	29	0.4	0.08	0.3	0.6
2016	1	0.1	0.07	0.0	0.6	23	0.4	0.08	0.2	0.5
2017	1	0.1	0.07	0.0	0.6	22	0.3	0.07	0.2	0.5
2018	2	0.2	0.13	0.0	0.8	23	0.3	0.08	0.2	0.5
2019	2	0.3	0.19	0.0	0.9	20	0.3	0.07	0.2	0.5
2020	1	0.2	0.20	0.0	0.9	17	0.3	0.06	0.1	0.4
2021	2	0.2	0.13	0.0	0.7	12	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Nasopharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	420	0.3	0.01	0.2	0.3	136	0.5	0.04	0.4	0.5
1990	13	0.3	0.08	0.2	0.5	5	0.7	0.30	0.2	1.6
1991	15	0.3	0.08	0.2	0.5	4	0.4	0.23	0.1	1.2
1992	15	0.3	0.08	0.2	0.5	2	0.2	0.13	0.0	0.8
1993	12	0.2	0.07	0.1	0.4	2	0.3	0.18	0.0	0.9
1994	11	0.2	0.07	0.1	0.4	7	0.8	0.32	0.3	1.7
1995	23	0.5	0.10	0.3	0.7	1	0.1	0.12	0.0	0.7
1996	17	0.3	0.08	0.2	0.5	5	0.6	0.28	0.2	1.4
1997	9	0.2	0.06	0.1	0.4	2	0.3	0.18	0.0	0.9
1998	21	0.4	0.09	0.3	0.6	6	0.6	0.26	0.2	1.4
1999	13	0.3	0.07	0.1	0.4	7	0.8	0.29	0.3	1.6
2000	13	0.3	0.07	0.1	0.5	6	0.7	0.27	0.2	1.4
2001	15	0.3	0.08	0.2	0.5	6	0.6	0.25	0.2	1.4
2002	13	0.2	0.07	0.1	0.4	4	0.4	0.22	0.1	1.1
2003	12	0.2	0.07	0.1	0.4	1	0.1	0.09	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1
2005	11	0.2	0.07	0.1	0.4	2	0.2	0.13	0.0	0.7
2006	14	0.2	0.07	0.1	0.4	3	0.3	0.17	0.1	0.9
2007	10	0.2	0.06	0.1	0.4	3	0.3	0.18	0.1	0.9
2008	12	0.2	0.07	0.1	0.4	6	0.6	0.24	0.2	1.3
2009	15	0.3	0.07	0.2	0.5	9	0.9	0.30	0.4	1.7
2010	8	0.2	0.06	0.1	0.4	5	0.5	0.23	0.2	1.2
2011	14	0.3	0.07	0.1	0.5	4	0.4	0.20	0.1	1.0
2012	8	0.1	0.05	0.1	0.3	5	0.6	0.25	0.2	1.3
2013	7	0.1	0.05	0.1	0.3	3	0.4	0.20	0.1	1.0
2014	13	0.2	0.07	0.1	0.4	7	0.6	0.23	0.2	1.3
2015	17	0.3	0.08	0.2	0.5	6	0.5	0.22	0.2	1.2
2016	14	0.3	0.08	0.1	0.5	3	0.3	0.17	0.1	0.9
2017	15	0.2	0.07	0.1	0.4	6	0.5	0.22	0.2	1.2
2018	16	0.3	0.08	0.2	0.5	4	0.4	0.19	0.1	1.0
2019	14	0.3	0.08	0.2	0.5	2	0.2	0.11	0.0	0.6
2020	12	0.2	0.06	0.1	0.4	2	0.2	0.13	0.0	0.7
2021	5	0.1	0.04	0.0	0.2	4	0.4	0.18	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oropharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	89	0.3	0.04	0.3	0.4	2,422	0.6	0.01	0.6	0.6
1990	1	0.3	0.27	0.0	1.5	42	0.4	0.06	0.3	0.5
1991	0					41	0.4	0.06	0.3	0.5
1992	0					36	0.3	0.06	0.2	0.5
1993	0					37	0.4	0.06	0.3	0.5
1994	2	0.7	0.55	0.1	2.4	49	0.5	0.07	0.4	0.6
1995	1	0.3	0.29	0.0	1.4	31	0.3	0.05	0.2	0.4
1996	3	0.8	0.55	0.1	2.5	55	0.5	0.07	0.4	0.7
1997	2	0.9	0.67	0.1	2.8	43	0.4	0.06	0.3	0.5
1998	1	0.2	0.19	0.0	1.1	68	0.6	0.07	0.5	0.8
1999	0					42	0.4	0.06	0.3	0.5
2000	2	0.4	0.27	0.0	1.3	53	0.5	0.06	0.4	0.6
2001	4	0.8	0.48	0.1	2.1	62	0.5	0.07	0.4	0.7
2002	5	0.8	0.38	0.2	1.9	62	0.5	0.07	0.4	0.7
2003	1	0.1	0.10	0.0	0.7	68	0.6	0.07	0.5	0.7
2004	2	0.2	0.17	0.0	0.9	61	0.5	0.07	0.4	0.7
2005	1	0.1	0.06	0.0	0.6	73	0.6	0.07	0.5	0.8
2006	2	0.2	0.13	0.0	0.7	67	0.6	0.07	0.4	0.7
2007	3	0.3	0.17	0.1	0.9	89	0.7	0.08	0.6	0.9
2008	5	0.5	0.21	0.1	1.1	80	0.6	0.07	0.5	0.8
2009	3	0.3	0.21	0.0	1.0	77	0.6	0.07	0.5	0.8
2010	4	0.5	0.26	0.1	1.2	103	0.8	0.08	0.7	1.0
2011	4	0.3	0.13	0.1	0.7	115	0.9	0.08	0.7	1.1
2012	3	0.2	0.10	0.0	0.6	77	0.6	0.07	0.5	0.7
2013	1	0.2	0.17	0.0	0.7	83	0.6	0.07	0.5	0.8
2014	2	0.1	0.08	0.0	0.5	89	0.6	0.07	0.5	0.8
2015	3	0.2	0.10	0.0	0.5	75	0.5	0.06	0.4	0.7
2016	3	0.2	0.09	0.0	0.5	88	0.6	0.07	0.5	0.8
2017	5	0.3	0.13	0.1	0.7	83	0.6	0.06	0.4	0.7
2018	4	0.2	0.13	0.1	0.6	135	0.9	0.08	0.8	1.1
2019	11	0.7	0.24	0.4	1.4	143	1.0	0.08	0.8	1.1
2020	3	0.2	0.13	0.0	0.6	152	1.1	0.09	0.9	1.2
2021	8	0.6	0.21	0.2	1.1	143	1.0	0.09	0.8	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oropharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,910	0.6	0.01	0.6	0.6	475	0.9	0.04	0.8	1.0
1990	30	0.3	0.06	0.2	0.5	10	0.8	0.27	0.4	1.5
1991	33	0.4	0.06	0.3	0.5	7	0.6	0.23	0.2	1.2
1992	28	0.3	0.06	0.2	0.4	8	0.6	0.21	0.3	1.2
1993	29	0.3	0.06	0.2	0.5	8	0.6	0.22	0.3	1.2
1994	36	0.4	0.07	0.3	0.6	13	1.0	0.28	0.5	1.7
1995	24	0.3	0.05	0.2	0.4	7	0.5	0.18	0.2	1.0
1996	37	0.4	0.07	0.3	0.6	17	1.2	0.30	0.7	2.0
1997	30	0.3	0.06	0.2	0.5	12	0.9	0.25	0.4	1.5
1998	43	0.5	0.07	0.3	0.6	25	1.8	0.35	1.1	2.6
1999	33	0.4	0.06	0.2	0.5	9	0.6	0.20	0.3	1.1
2000	45	0.5	0.07	0.3	0.6	8	0.5	0.18	0.2	1.0
2001	50	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4
2002	51	0.5	0.07	0.4	0.7	11	0.7	0.21	0.4	1.2
2003	56	0.6	0.08	0.4	0.8	11	0.6	0.19	0.3	1.2
2004	45	0.5	0.07	0.3	0.6	16	1.0	0.24	0.5	1.5
2005	58	0.6	0.08	0.5	0.8	14	0.8	0.22	0.4	1.4
2006	53	0.5	0.07	0.4	0.7	11	0.7	0.20	0.3	1.2
2007	67	0.7	0.08	0.5	0.8	22	1.3	0.29	0.8	2.0
2008	62	0.6	0.08	0.5	0.8	15	0.8	0.20	0.4	1.3
2009	67	0.6	0.08	0.5	0.8	10	0.5	0.17	0.3	1.0
2010	73	0.7	0.08	0.5	0.9	25	1.4	0.28	0.9	2.1
2011	87	0.8	0.09	0.7	1.0	26	1.4	0.28	0.9	2.1
2012	56	0.5	0.07	0.4	0.7	21	1.1	0.25	0.7	1.7
2013	71	0.6	0.08	0.5	0.8	12	0.7	0.19	0.3	1.2
2014	65	0.6	0.07	0.4	0.8	23	1.2	0.25	0.7	1.8
2015	61	0.5	0.07	0.4	0.7	14	0.7	0.20	0.4	1.3
2016	77	0.7	0.08	0.6	0.9	10	0.5	0.15	0.2	0.9
2017	63	0.5	0.07	0.4	0.7	18	0.9	0.21	0.5	1.4
2018	114	1.0	0.10	0.8	1.2	17	0.8	0.20	0.5	1.3
2019	121	1.0	0.10	0.9	1.2	19	0.8	0.19	0.5	1.3
2020	129	1.1	0.10	0.9	1.4	21	1.1	0.24	0.7	1.7
2021	116	1.0	0.10	0.8	1.2	24	1.1	0.24	0.7	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oropharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	72	0.6	0.08	0.4	0.7	1,862	1.0	0.02	1.0	1.1
1990	0					23	0.5	0.11	0.3	0.8
1991	0					24	0.5	0.11	0.3	0.8
1992	0					23	0.5	0.10	0.3	0.7
1993	0					23	0.5	0.10	0.3	0.7
1994	2	1.8	1.45	0.1	6.2	40	0.9	0.14	0.6	1.2
1995	1	0.6	0.63	0.0	3.3	25	0.5	0.10	0.3	0.8
1996	3	2.0	1.41	0.2	6.1	40	0.8	0.13	0.6	1.1
1997	1	1.5	1.51	0.0	6.1	33	0.7	0.12	0.5	0.9
1998	1	0.4	0.41	0.0	2.5	55	1.1	0.15	0.8	1.4
1999	0					32	0.6	0.11	0.4	0.9
2000	1	0.5	0.49	0.0	2.6	42	0.8	0.13	0.6	1.1
2001	4	1.8	1.29	0.2	5.5	48	0.9	0.13	0.7	1.2
2002	4	1.4	0.77	0.3	3.8	48	0.9	0.13	0.7	1.2
2003	1	0.2	0.19	0.0	1.6	48	0.9	0.13	0.7	1.2
2004	2	0.5	0.35	0.1	2.0	43	0.8	0.12	0.6	1.1
2005	1	0.1	0.11	0.0	1.3	60	1.1	0.14	0.8	1.4
2006	2	0.4	0.27	0.0	1.6	53	0.9	0.13	0.7	1.2
2007	3	0.6	0.34	0.1	1.8	69	1.2	0.15	0.9	1.5
2008	5	0.9	0.44	0.3	2.3	62	1.1	0.13	0.8	1.4
2009	3	0.7	0.47	0.1	2.2	60	1.0	0.13	0.8	1.3
2010	3	0.6	0.39	0.1	1.9	81	1.3	0.15	1.1	1.7
2011	4	0.5	0.26	0.1	1.5	85	1.4	0.16	1.1	1.8
2012	3	0.4	0.20	0.1	1.2	55	0.9	0.12	0.7	1.1
2013	1	0.4	0.44	0.0	1.9	58	0.9	0.12	0.7	1.2
2014	1	0.1	0.11	0.0	0.8	70	1.1	0.13	0.8	1.4
2015	1	0.2	0.16	0.0	0.9	60	0.9	0.12	0.7	1.2
2016	3	0.3	0.18	0.1	1.0	76	1.2	0.14	0.9	1.5
2017	3	0.3	0.18	0.1	1.0	66	0.9	0.12	0.7	1.2
2018	3	0.4	0.24	0.1	1.2	104	1.6	0.16	1.3	1.9
2019	8	1.3	0.49	0.5	2.5	114	1.6	0.16	1.4	2.0
2020	2	0.2	0.15	0.0	0.8	117	1.7	0.16	1.4	2.0
2021	6	1.0	0.43	0.3	2.1	125	1.9	0.17	1.5	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oropharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,474	1.0	0.03	0.9	1.0	360	1.6	0.08	1.4	1.7
1990	18	0.5	0.11	0.3	0.7	3	0.6	0.35	0.1	1.7
1991	19	0.5	0.11	0.3	0.7	4	0.7	0.37	0.2	1.9
1992	18	0.4	0.10	0.3	0.7	5	0.8	0.37	0.3	2.0
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.39	0.3	2.0
1994	29	0.7	0.13	0.5	1.0	11	2.0	0.59	1.0	3.5
1995	22	0.5	0.11	0.3	0.8	3	0.5	0.28	0.1	1.5
1996	27	0.6	0.12	0.4	0.9	12	1.9	0.55	1.0	3.3
1997	22	0.5	0.11	0.3	0.8	10	1.7	0.56	0.8	3.2
1998	34	0.8	0.14	0.6	1.1	21	3.4	0.76	2.1	5.2
1999	25	0.6	0.12	0.4	0.9	7	1.0	0.39	0.4	2.2
2000	34	0.8	0.14	0.6	1.1	8	1.2	0.42	0.5	2.3
2001	40	0.9	0.15	0.7	1.3	8	1.2	0.41	0.5	2.3
2002	39	0.9	0.14	0.6	1.2	9	1.3	0.44	0.6	2.5
2003	38	0.9	0.14	0.6	1.2	9	1.2	0.40	0.6	2.3
2004	32	0.7	0.13	0.5	1.0	11	1.5	0.45	0.7	2.7
2005	47	1.0	0.15	0.8	1.4	12	1.7	0.50	0.8	3.0
2006	42	0.9	0.14	0.6	1.2	9	1.2	0.41	0.6	2.3
2007	52	1.1	0.15	0.8	1.4	17	2.5	0.65	1.4	4.1
2008	45	0.9	0.14	0.7	1.3	15	1.7	0.45	1.0	2.9
2009	51	1.0	0.15	0.8	1.4	9	1.1	0.35	0.5	2.0
2010	58	1.2	0.16	0.9	1.5	18	2.3	0.55	1.3	3.7
2011	63	1.3	0.17	1.0	1.7	20	2.5	0.57	1.5	3.8
2012	42	0.8	0.12	0.6	1.1	13	1.6	0.46	0.8	2.8
2013	51	1.0	0.14	0.7	1.3	7	0.9	0.37	0.4	2.0
2014	50	0.9	0.13	0.7	1.2	19	2.3	0.57	1.4	3.7
2015	49	0.9	0.13	0.6	1.2	11	1.3	0.41	0.6	2.4
2016	66	1.3	0.16	1.0	1.6	9	1.0	0.35	0.4	2.0
2017	51	0.9	0.12	0.6	1.1	14	1.6	0.44	0.8	2.7
2018	89	1.7	0.18	1.3	2.1	12	1.4	0.43	0.7	2.5
2019	98	1.8	0.19	1.4	2.2	14	1.4	0.41	0.8	2.5
2020	104	1.8	0.19	1.5	2.3	13	1.5	0.44	0.8	2.7
2021	101	1.8	0.19	1.5	2.3	22	2.5	0.57	1.5	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oropharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	17	0.1	0.03	0.1	0.2	560	0.3	0.01	0.2	0.3
1990	1	0.5	0.52	0.0	2.8	19	0.3	0.07	0.2	0.5
1991	0					17	0.3	0.07	0.2	0.5
1992	0					13	0.2	0.06	0.1	0.4
1993	0					14	0.2	0.06	0.1	0.4
1994	0					9	0.2	0.06	0.1	0.3
1995	0					6	0.1	0.04	0.0	0.2
1996	0					15	0.2	0.06	0.1	0.4
1997	1	0.7	0.66	0.0	2.9	10	0.2	0.05	0.1	0.3
1998	0					13	0.2	0.06	0.1	0.4
1999	0					10	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	1.6	11	0.2	0.05	0.1	0.3
2001	0					14	0.2	0.06	0.1	0.4
2002	1	0.3	0.27	0.0	1.5	14	0.2	0.06	0.1	0.4
2003	0					20	0.3	0.07	0.2	0.5
2004	0					18	0.3	0.07	0.2	0.5
2005	0					13	0.2	0.06	0.1	0.4
2006	0					14	0.2	0.06	0.1	0.4
2007	0					20	0.3	0.07	0.2	0.5
2008	0					18	0.3	0.06	0.2	0.4
2009	0					17	0.3	0.06	0.2	0.4
2010	1	0.3	0.32	0.0	1.4	22	0.3	0.07	0.2	0.5
2011	0					30	0.4	0.08	0.3	0.6
2012	0					22	0.3	0.07	0.2	0.5
2013	0					25	0.3	0.07	0.2	0.5
2014	1	0.1	0.12	0.0	0.7	19	0.3	0.06	0.2	0.4
2015	2	0.2	0.14	0.0	0.8	15	0.2	0.06	0.1	0.4
2016	0					12	0.2	0.05	0.1	0.3
2017	2	0.3	0.18	0.0	0.9	17	0.2	0.05	0.1	0.3
2018	1	0.1	0.10	0.0	0.6	31	0.4	0.07	0.3	0.6
2019	3	0.3	0.18	0.1	0.9	29	0.3	0.06	0.2	0.5
2020	1	0.2	0.20	0.0	0.9	35	0.5	0.09	0.3	0.7
2021	2	0.2	0.16	0.0	0.8	18	0.2	0.05	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Oropharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	436	0.2	0.01	0.2	0.3	115	0.4	0.04	0.3	0.5
1990	12	0.2	0.06	0.1	0.4	7	1.0	0.37	0.4	2.0
1991	14	0.3	0.08	0.2	0.5	3	0.5	0.27	0.1	1.3
1992	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.2
1993	11	0.2	0.06	0.1	0.3	3	0.4	0.25	0.1	1.2
1994	7	0.2	0.06	0.1	0.3	2	0.3	0.20	0.0	1.0
1995	2	0.0	0.02	0.0	0.1	4	0.5	0.24	0.1	1.2
1996	10	0.2	0.06	0.1	0.4	5	0.6	0.29	0.2	1.5
1997	8	0.2	0.05	0.1	0.3	2	0.3	0.17	0.0	0.9
1998	9	0.2	0.06	0.1	0.3	4	0.5	0.25	0.1	1.3
1999	8	0.2	0.06	0.1	0.3	2	0.2	0.16	0.0	0.8
2000	11	0.2	0.06	0.1	0.4	0				
2001	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.1
2002	12	0.2	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8
2003	18	0.3	0.08	0.2	0.6	2	0.2	0.15	0.0	0.8
2004	13	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.2
2005	11	0.2	0.06	0.1	0.4	2	0.2	0.14	0.0	0.7
2006	11	0.2	0.06	0.1	0.4	2	0.2	0.16	0.0	0.8
2007	15	0.3	0.07	0.2	0.5	5	0.5	0.24	0.2	1.2
2008	17	0.3	0.07	0.2	0.5	0				
2009	16	0.3	0.07	0.2	0.5	1	0.1	0.12	0.0	0.6
2010	15	0.3	0.07	0.2	0.5	7	0.7	0.28	0.3	1.5
2011	24	0.4	0.08	0.3	0.6	6	0.6	0.25	0.2	1.3
2012	14	0.2	0.07	0.1	0.4	8	0.7	0.26	0.3	1.5
2013	20	0.3	0.08	0.2	0.5	5	0.5	0.21	0.2	1.1
2014	15	0.3	0.07	0.1	0.5	4	0.3	0.16	0.1	0.9
2015	12	0.2	0.06	0.1	0.4	3	0.3	0.19	0.1	0.9
2016	11	0.2	0.07	0.1	0.4	1	0.1	0.07	0.0	0.5
2017	12	0.2	0.06	0.1	0.4	4	0.3	0.14	0.1	0.8
2018	25	0.4	0.09	0.3	0.6	5	0.4	0.19	0.1	1.0
2019	23	0.4	0.07	0.2	0.5	5	0.4	0.17	0.1	1.0
2020	25	0.5	0.09	0.3	0.7	8	0.7	0.26	0.3	1.5
2021	15	0.2	0.07	0.1	0.4	2	0.2	0.10	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hypopharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	138	0.5	0.05	0.4	0.6	3,304	0.8	0.01	0.8	0.9
1990	2	0.7	0.56	0.1	2.5	105	1.0	0.10	0.8	1.2
1991	0					92	0.9	0.10	0.7	1.1
1992	2	0.4	0.28	0.1	1.6	110	1.0	0.10	0.9	1.3
1993	1	0.2	0.19	0.0	1.2	109	1.0	0.10	0.8	1.2
1994	2	0.5	0.36	0.1	1.8	95	0.9	0.09	0.7	1.1
1995	3	0.7	0.49	0.1	2.2	124	1.1	0.10	0.9	1.4
1996	5	1.0	0.47	0.3	2.4	110	1.0	0.10	0.8	1.2
1997	2	0.3	0.20	0.0	1.2	99	0.9	0.09	0.7	1.1
1998	2	0.4	0.28	0.0	1.4	109	1.0	0.09	0.8	1.2
1999	2	0.5	0.34	0.1	1.6	101	0.9	0.09	0.7	1.1
2000	2	0.6	0.45	0.0	1.9	107	1.0	0.09	0.8	1.2
2001	4	0.8	0.46	0.2	2.2	103	0.9	0.09	0.7	1.1
2002	3	0.4	0.23	0.1	1.2	95	0.8	0.08	0.7	1.0
2003	3	0.4	0.22	0.1	1.2	101	0.9	0.09	0.7	1.1
2004	2	0.2	0.11	0.0	0.7	123	1.0	0.09	0.9	1.2
2005	4	0.4	0.21	0.1	1.1	100	0.8	0.08	0.7	1.0
2006	5	0.5	0.23	0.2	1.2	107	0.9	0.09	0.7	1.1
2007	4	0.3	0.16	0.1	0.9	104	0.8	0.08	0.7	1.0
2008	5	0.8	0.38	0.2	1.8	117	0.9	0.09	0.8	1.1
2009	4	0.5	0.26	0.1	1.3	81	0.6	0.07	0.5	0.8
2010	3	0.3	0.20	0.1	1.0	107	0.8	0.08	0.7	1.0
2011	9	1.0	0.38	0.4	2.0	116	0.9	0.09	0.8	1.1
2012	4	0.4	0.22	0.1	1.0	112	0.8	0.08	0.7	1.0
2013	8	0.6	0.22	0.3	1.2	91	0.7	0.07	0.5	0.8
2014	9	0.8	0.29	0.3	1.6	94	0.7	0.07	0.5	0.8
2015	2	0.2	0.15	0.0	0.7	109	0.8	0.08	0.6	1.0
2016	9	0.7	0.23	0.3	1.3	108	0.7	0.07	0.6	0.9
2017	7	0.6	0.24	0.2	1.2	92	0.6	0.07	0.5	0.8
2018	7	0.4	0.15	0.2	0.8	92	0.6	0.07	0.5	0.8
2019	12	0.9	0.27	0.4	1.5	99	0.7	0.07	0.5	0.8
2020	6	0.4	0.18	0.2	0.9	95	0.6	0.07	0.5	0.8
2021	5	0.2	0.11	0.1	0.6	97	0.6	0.06	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hypopharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,506	0.8	0.02	0.7	0.8	742	1.4	0.05	1.3	1.5
1990	79	0.8	0.10	0.7	1.1	26	2.2	0.43	1.4	3.2
1991	62	0.7	0.09	0.5	0.9	29	2.3	0.43	1.5	3.3
1992	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1993	85	0.9	0.10	0.7	1.1	24	1.9	0.39	1.2	2.8
1994	67	0.7	0.09	0.6	0.9	26	1.9	0.38	1.3	2.8
1995	99	1.0	0.11	0.9	1.3	25	1.9	0.37	1.2	2.7
1996	89	1.0	0.10	0.8	1.2	21	1.5	0.33	0.9	2.3
1997	75	0.8	0.09	0.6	1.0	24	1.7	0.34	1.1	2.5
1998	80	0.8	0.09	0.7	1.1	25	1.8	0.36	1.1	2.6
1999	74	0.8	0.09	0.6	1.0	25	1.7	0.34	1.1	2.5
2000	78	0.8	0.09	0.7	1.0	26	1.8	0.35	1.2	2.6
2001	82	0.9	0.10	0.7	1.1	21	1.5	0.32	0.9	2.2
2002	73	0.8	0.09	0.6	1.0	22	1.5	0.32	0.9	2.3
2003	80	0.8	0.09	0.7	1.0	20	1.2	0.27	0.7	1.9
2004	85	0.9	0.09	0.7	1.1	36	2.2	0.36	1.5	3.0
2005	71	0.7	0.09	0.6	0.9	27	1.6	0.32	1.1	2.4
2006	77	0.8	0.09	0.6	1.0	29	1.7	0.32	1.1	2.4
2007	71	0.7	0.08	0.5	0.9	30	1.8	0.33	1.2	2.5
2008	80	0.8	0.09	0.6	1.0	36	2.1	0.35	1.5	2.9
2009	71	0.7	0.08	0.5	0.9	10	0.6	0.19	0.3	1.1
2010	78	0.7	0.08	0.6	0.9	27	1.5	0.30	1.0	2.2
2011	90	0.9	0.09	0.7	1.1	23	1.3	0.27	0.8	2.0
2012	85	0.8	0.09	0.6	1.0	27	1.5	0.29	1.0	2.1
2013	67	0.6	0.08	0.5	0.8	23	1.2	0.26	0.8	1.8
2014	73	0.6	0.08	0.5	0.8	18	1.0	0.24	0.6	1.6
2015	85	0.8	0.08	0.6	1.0	23	1.2	0.25	0.7	1.8
2016	87	0.7	0.08	0.6	0.9	16	0.8	0.21	0.5	1.4
2017	73	0.6	0.08	0.5	0.8	16	0.7	0.18	0.4	1.2
2018	70	0.6	0.07	0.5	0.8	18	0.9	0.21	0.5	1.4
2019	80	0.7	0.08	0.5	0.8	15	0.7	0.18	0.4	1.2
2020	74	0.6	0.08	0.5	0.8	19	0.9	0.20	0.5	1.4
2021	75	0.6	0.07	0.5	0.7	17	0.8	0.19	0.4	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hypopharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	125	1.0	0.10	0.8	1.2	2,625	1.5	0.03	1.4	1.5
1990	1	1.3	1.34	0.0	5.9	77	1.7	0.19	1.3	2.1
1991	0					75	1.7	0.20	1.3	2.2
1992	2	0.8	0.56	0.1	3.5	93	2.0	0.20	1.6	2.4
1993	1	0.4	0.38	0.0	2.9	89	1.9	0.20	1.5	2.3
1994	2	1.1	0.77	0.1	4.0	72	1.5	0.17	1.2	1.9
1995	3	1.7	1.17	0.2	5.3	94	1.9	0.20	1.6	2.4
1996	5	2.1	0.98	0.7	5.2	90	1.8	0.19	1.5	2.3
1997	2	0.6	0.40	0.1	2.7	76	1.6	0.18	1.2	2.0
1998	2	0.8	0.60	0.1	3.1	90	1.8	0.19	1.5	2.3
1999	1	0.5	0.52	0.0	2.7	79	1.6	0.18	1.3	2.0
2000	1	0.2	0.23	0.0	1.9	88	1.8	0.19	1.4	2.2
2001	4	1.9	1.10	0.4	5.0	83	1.6	0.18	1.3	2.0
2002	3	0.8	0.47	0.2	2.6	75	1.4	0.17	1.1	1.8
2003	3	0.8	0.46	0.2	2.5	83	1.6	0.18	1.3	2.0
2004	2	0.3	0.21	0.0	1.6	107	2.0	0.19	1.6	2.4
2005	2	0.5	0.35	0.1	1.9	77	1.4	0.17	1.1	1.8
2006	5	1.0	0.47	0.3	2.5	83	1.5	0.17	1.2	1.9
2007	4	0.6	0.31	0.2	1.8	81	1.4	0.16	1.1	1.8
2008	3	0.5	0.31	0.1	1.7	92	1.6	0.17	1.3	2.0
2009	4	1.1	0.59	0.2	2.8	67	1.2	0.15	0.9	1.5
2010	3	0.7	0.44	0.1	2.1	90	1.6	0.17	1.3	1.9
2011	9	2.3	0.88	0.9	4.6	90	1.5	0.17	1.2	1.9
2012	4	0.9	0.54	0.2	2.4	93	1.5	0.16	1.2	1.8
2013	8	1.2	0.46	0.5	2.5	75	1.2	0.14	0.9	1.5
2014	6	1.4	0.61	0.4	3.0	70	1.1	0.14	0.9	1.4
2015	2	0.5	0.38	0.0	1.7	88	1.4	0.15	1.1	1.8
2016	8	1.2	0.48	0.5	2.5	85	1.3	0.14	1.0	1.6
2017	7	1.3	0.52	0.5	2.6	71	1.1	0.13	0.8	1.4
2018	7	0.8	0.29	0.3	1.6	67	1.0	0.12	0.7	1.2
2019	12	1.8	0.58	0.9	3.3	74	1.1	0.13	0.8	1.3
2020	5	0.8	0.36	0.2	1.8	77	1.1	0.13	0.9	1.4
2021	4	0.4	0.17	0.1	1.0	74	1.0	0.12	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hypopharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,971	1.3	0.03	1.3	1.4	607	2.7	0.11	2.5	2.9
1990	57	1.4	0.19	1.1	1.8	20	3.8	0.87	2.3	6.0
1991	51	1.4	0.19	1.0	1.8	23	4.2	0.90	2.7	6.4
1992	75	1.8	0.21	1.4	2.3	17	3.1	0.76	1.8	5.0
1993	72	1.7	0.21	1.4	2.2	17	3.2	0.80	1.8	5.2
1994	48	1.2	0.17	0.9	1.6	22	3.7	0.80	2.3	5.6
1995	73	1.7	0.20	1.4	2.2	21	3.6	0.80	2.2	5.6
1996	72	1.7	0.20	1.3	2.2	18	3.0	0.72	1.8	4.8
1997	55	1.4	0.18	1.0	1.8	21	3.5	0.76	2.1	5.3
1998	65	1.6	0.19	1.2	2.0	22	3.7	0.81	2.2	5.6
1999	57	1.4	0.18	1.0	1.8	20	3.2	0.74	1.9	5.0
2000	65	1.5	0.19	1.2	2.0	21	3.6	0.84	2.1	5.6
2001	66	1.5	0.19	1.2	1.9	17	3.0	0.76	1.7	4.9
2002	56	1.3	0.17	1.0	1.7	19	3.1	0.74	1.8	4.9
2003	63	1.5	0.18	1.1	1.9	19	2.6	0.61	1.6	4.2
2004	72	1.6	0.19	1.3	2.1	33	4.6	0.82	3.2	6.6
2005	53	1.2	0.17	0.9	1.6	22	3.0	0.65	1.9	4.6
2006	58	1.3	0.17	1.0	1.7	24	3.2	0.66	2.0	4.8
2007	52	1.1	0.15	0.8	1.4	26	3.7	0.74	2.4	5.4
2008	64	1.3	0.17	1.0	1.7	27	3.7	0.74	2.4	5.4
2009	60	1.3	0.16	1.0	1.6	7	0.9	0.36	0.4	2.0
2010	67	1.4	0.18	1.1	1.8	21	2.9	0.67	1.7	4.5
2011	67	1.4	0.17	1.1	1.8	20	2.7	0.63	1.6	4.2
2012	70	1.4	0.17	1.1	1.8	23	2.8	0.59	1.7	4.2
2013	58	1.1	0.15	0.8	1.5	17	2.2	0.56	1.2	3.6
2014	53	1.0	0.14	0.8	1.4	15	2.1	0.56	1.1	3.5
2015	68	1.3	0.16	1.0	1.7	19	2.4	0.57	1.4	3.8
2016	68	1.2	0.15	0.9	1.5	14	1.8	0.51	1.0	3.1
2017	55	1.0	0.14	0.8	1.4	13	1.4	0.40	0.7	2.4
2018	50	0.9	0.13	0.7	1.2	14	1.6	0.46	0.9	2.8
2019	60	1.1	0.14	0.8	1.4	12	1.2	0.36	0.6	2.2
2020	58	1.0	0.14	0.8	1.4	17	1.9	0.49	1.1	3.2
2021	63	1.0	0.13	0.8	1.3	6	0.6	0.26	0.2	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hypopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	13	0.1	0.03	0.1	0.2	679	0.3	0.01	0.3	0.3
1990	1	0.4	0.43	0.0	2.5	28	0.5	0.09	0.3	0.7
1991	0					17	0.3	0.07	0.2	0.5
1992	0					17	0.3	0.07	0.2	0.5
1993	0					20	0.3	0.07	0.2	0.5
1994	0					23	0.4	0.08	0.2	0.6
1995	0					30	0.5	0.09	0.3	0.7
1996	0					20	0.3	0.08	0.2	0.5
1997	0					23	0.4	0.08	0.2	0.6
1998	0					19	0.3	0.07	0.2	0.5
1999	1	0.4	0.44	0.0	2.2	22	0.4	0.08	0.2	0.5
2000	1	0.7	0.73	0.0	3.1	19	0.3	0.07	0.2	0.5
2001	0					20	0.3	0.07	0.2	0.5
2002	0					20	0.3	0.07	0.2	0.5
2003	0					18	0.3	0.07	0.2	0.4
2004	0					16	0.3	0.06	0.2	0.4
2005	2	0.4	0.26	0.0	1.4	23	0.4	0.07	0.2	0.5
2006	0					24	0.4	0.07	0.2	0.5
2007	0					23	0.3	0.07	0.2	0.5
2008	2	0.8	0.58	0.1	2.5	25	0.4	0.07	0.2	0.6
2009	0					14	0.2	0.05	0.1	0.3
2010	0					17	0.2	0.06	0.1	0.4
2011	0					26	0.4	0.08	0.3	0.6
2012	0					19	0.3	0.06	0.2	0.4
2013	0					16	0.2	0.06	0.1	0.4
2014	3	0.4	0.23	0.1	1.2	24	0.3	0.07	0.2	0.5
2015	0					21	0.3	0.06	0.2	0.4
2016	1	0.1	0.11	0.0	0.7	23	0.3	0.07	0.2	0.5
2017	0					21	0.3	0.06	0.2	0.4
2018	0					25	0.3	0.06	0.2	0.5
2019	0					25	0.3	0.07	0.2	0.5
2020	1	0.1	0.12	0.0	0.6	18	0.2	0.05	0.1	0.4
2021	1	0.1	0.11	0.0	0.6	23	0.3	0.06	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hypopharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	535	0.3	0.01	0.3	0.3	135	0.4	0.04	0.4	0.5
1990	22	0.4	0.08	0.2	0.6	6	0.9	0.38	0.3	2.0
1991	11	0.2	0.07	0.1	0.4	6	0.8	0.33	0.3	1.7
1992	16	0.3	0.08	0.2	0.5	1	0.1	0.13	0.0	0.7
1993	13	0.2	0.07	0.1	0.4	7	1.0	0.37	0.4	2.0
1994	19	0.4	0.08	0.2	0.6	4	0.6	0.29	0.2	1.4
1995	26	0.5	0.10	0.3	0.7	4	0.5	0.26	0.1	1.3
1996	17	0.4	0.09	0.2	0.6	3	0.4	0.20	0.1	1.0
1997	20	0.4	0.09	0.2	0.6	3	0.3	0.20	0.1	1.0
1998	15	0.3	0.07	0.2	0.5	3	0.4	0.24	0.1	1.1
1999	17	0.3	0.08	0.2	0.5	5	0.6	0.25	0.2	1.3
2000	13	0.3	0.07	0.1	0.4	5	0.6	0.26	0.2	1.4
2001	16	0.3	0.08	0.2	0.5	4	0.5	0.22	0.1	1.1
2002	17	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2003	17	0.3	0.08	0.2	0.5	1	0.1	0.10	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	3	0.3	0.18	0.1	0.9
2005	18	0.3	0.08	0.2	0.6	5	0.6	0.26	0.2	1.3
2006	19	0.4	0.08	0.2	0.6	5	0.5	0.24	0.2	1.2
2007	19	0.4	0.08	0.2	0.6	4	0.4	0.19	0.1	1.0
2008	16	0.3	0.07	0.2	0.5	9	0.9	0.32	0.4	1.8
2009	11	0.2	0.06	0.1	0.3	3	0.3	0.18	0.1	0.9
2010	11	0.2	0.06	0.1	0.3	6	0.6	0.23	0.2	1.3
2011	23	0.4	0.09	0.3	0.6	3	0.3	0.16	0.1	0.8
2012	15	0.3	0.07	0.1	0.4	4	0.5	0.23	0.1	1.1
2013	9	0.2	0.05	0.1	0.3	6	0.5	0.22	0.2	1.2
2014	20	0.3	0.08	0.2	0.5	3	0.3	0.18	0.1	0.9
2015	17	0.3	0.07	0.2	0.5	4	0.3	0.17	0.1	0.9
2016	19	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7
2017	18	0.3	0.07	0.2	0.5	3	0.3	0.15	0.1	0.8
2018	20	0.3	0.07	0.2	0.5	4	0.3	0.17	0.1	0.9
2019	20	0.3	0.07	0.2	0.5	3	0.3	0.17	0.1	0.9
2020	16	0.3	0.07	0.2	0.4	2	0.1	0.09	0.0	0.6
2021	12	0.2	0.05	0.1	0.3	11	0.9	0.26	0.4	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Digestive System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	21,423	83.9	0.63	82.7	85.2	358,342	91.2	0.15	90.9	91.5
1990	233	69.4	5.15	59.7	80.1	9,965	94.6	0.96	92.8	96.5
1991	198	58.3	4.73	49.4	68.2	9,773	91.8	0.94	89.9	93.6
1992	224	63.8	4.84	54.7	73.9	9,944	92.1	0.93	90.3	93.9
1993	313	87.9	5.63	77.2	99.4	9,959	91.2	0.92	89.5	93.1
1994	314	82.9	5.36	72.7	93.9	10,602	96.4	0.94	94.5	98.2
1995	339	88.8	5.54	78.3	100.2	10,578	95.7	0.93	93.8	97.5
1996	342	86.1	5.33	76.0	97.0	10,760	96.7	0.93	94.9	98.6
1997	351	83.8	5.08	74.1	94.2	10,858	96.9	0.93	95.1	98.7
1998	417	95.5	5.42	85.2	106.6	11,482	101.4	0.95	99.6	103.3
1999	426	87.4	4.93	78.0	97.5	11,252	98.7	0.93	96.9	100.5
2000	410	80.1	4.56	71.4	89.4	11,503	100.3	0.94	98.5	102.1
2001	483	89.4	4.69	80.4	98.9	11,268	97.6	0.92	95.8	99.4
2002	499	87.2	4.44	78.7	96.2	11,527	99.2	0.93	97.4	101.0
2003	513	81.7	4.11	73.9	90.1	11,311	96.4	0.91	94.6	98.2
2004	594	93.4	4.40	85.0	102.4	11,579	98.0	0.91	96.2	99.8
2005	611	89.7	4.11	81.8	98.0	11,446	95.9	0.90	94.1	97.7
2006	640	91.3	4.08	83.4	99.5	11,436	95.1	0.90	93.3	96.8
2007	643	84.3	3.75	77.1	91.9	11,468	94.1	0.89	92.3	95.8
2008	646	78.1	3.43	71.5	85.0	11,452	92.7	0.87	90.9	94.4
2009	724	85.3	3.55	78.5	92.4	11,294	90.3	0.86	88.6	92.0
2010	778	84.6	3.37	78.2	91.5	11,203	88.4	0.85	86.7	90.1
2011	791	83.4	3.29	77.0	90.0	11,477	89.3	0.85	87.7	91.0
2012	858	85.4	3.21	79.2	91.9	11,307	86.2	0.83	84.6	87.8
2013	842	79.3	3.01	73.5	85.4	11,516	86.8	0.82	85.1	88.4
2014	897	78.9	2.88	73.3	84.7	11,631	86.3	0.82	84.7	87.9
2015	1,000	82.9	2.86	77.3	88.6	11,857	87.5	0.82	85.9	89.1
2016	1,123	87.5	2.84	82.0	93.2	11,938	87.4	0.82	85.8	89.0
2017	1,174	88.7	2.80	83.3	94.3	11,740	84.9	0.80	83.3	86.5
2018	1,266	92.8	2.81	87.4	98.5	11,891	85.3	0.80	83.7	86.9
2019	1,246	85.0	2.58	80.0	90.2	11,943	84.7	0.80	83.2	86.3
2020	1,161	76.9	2.41	72.3	81.8	10,793	76.2	0.76	74.7	77.7
2021	1,367	86.2	2.49	81.4	91.2	11,589	82.2	0.79	80.7	83.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Digestive System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	291,679	88.3	0.16	88.0	88.6	55,584	112.7	0.49	111.7	113.7
1990	8,551	91.7	1.00	89.8	93.7	1,293	116.2	3.33	109.7	122.9
1991	8,424	89.6	0.99	87.7	91.6	1,220	107.4	3.16	101.3	113.8
1992	8,569	90.2	0.98	88.2	92.1	1,227	103.4	3.03	97.5	109.5
1993	8,485	88.5	0.97	86.6	90.4	1,306	111.0	3.15	104.9	117.3
1994	9,032	93.6	0.99	91.7	95.6	1,408	117.3	3.20	111.1	123.8
1995	8,832	91.5	0.98	89.6	93.5	1,545	125.4	3.27	119.1	131.9
1996	9,006	92.9	0.98	91.0	94.9	1,539	123.4	3.22	117.1	129.8
1997	9,114	93.6	0.98	91.7	95.6	1,539	121.4	3.16	115.3	127.7
1998	9,615	98.2	1.00	96.2	100.1	1,638	127.1	3.21	120.9	133.6
1999	9,458	96.2	0.99	94.2	98.1	1,527	114.6	2.99	108.8	120.6
2000	9,581	97.2	1.00	95.2	99.1	1,644	120.6	3.03	114.7	126.7
2001	9,328	94.3	0.98	92.4	96.2	1,678	121.7	3.03	115.9	127.8
2002	9,461	95.4	0.98	93.5	97.3	1,752	124.9	3.04	119.0	131.0
2003	9,245	92.5	0.97	90.6	94.4	1,764	124.1	3.01	118.2	130.1
2004	9,528	95.1	0.98	93.2	97.1	1,762	120.8	2.94	115.2	126.7
2005	9,326	92.4	0.96	90.5	94.3	1,803	121.8	2.93	116.2	127.7
2006	9,195	90.7	0.95	88.9	92.6	1,881	123.3	2.90	117.6	129.1
2007	9,257	90.4	0.95	88.5	92.3	1,834	118.1	2.82	112.7	123.8
2008	9,178	88.8	0.94	87.0	90.7	1,885	119.0	2.80	113.5	124.6
2009	9,075	87.1	0.93	85.3	89.0	1,855	114.1	2.71	108.8	119.5
2010	8,911	84.6	0.91	82.9	86.4	1,899	115.3	2.71	110.1	120.8
2011	9,086	85.6	0.92	83.8	87.5	1,994	116.4	2.67	111.2	121.8
2012	9,014	83.3	0.90	81.6	85.1	1,825	105.4	2.53	100.5	110.5
2013	9,115	83.8	0.90	82.0	85.6	1,987	110.8	2.55	105.8	115.9
2014	9,158	83.1	0.89	81.3	84.8	1,988	108.9	2.50	104.1	113.9
2015	9,364	84.9	0.90	83.2	86.7	1,992	106.5	2.45	101.7	111.4
2016	9,375	84.7	0.90	82.9	86.5	2,044	108.5	2.46	103.7	113.4
2017	9,279	83.4	0.89	81.6	85.2	1,965	102.1	2.36	97.5	106.8
2018	9,308	82.8	0.89	81.1	84.6	2,044	105.2	2.39	100.6	110.0
2019	9,347	82.7	0.89	80.9	84.4	2,000	101.5	2.32	97.0	106.1
2020	8,492	75.0	0.84	73.3	76.7	1,763	87.9	2.15	83.8	92.2
2021	8,970	79.4	0.87	77.7	81.2	1,983	100.0	2.31	95.6	104.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Digestive System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	12,045	99.2	1.04	97.2	101.2	190,979	112.8	0.26	112.3	113.3
1990	129	84.8	9.03	68.0	104.0	5,079	118.5	1.72	115.1	121.9
1991	123	72.4	7.80	57.9	89.0	5,032	116.1	1.69	112.8	119.5
1992	127	78.0	8.47	62.3	96.0	5,196	118.1	1.68	114.9	121.5
1993	159	92.6	9.11	75.6	111.8	5,085	114.0	1.64	110.8	117.3
1994	169	90.9	8.47	75.0	108.7	5,359	119.7	1.67	116.4	123.0
1995	182	102.8	9.46	85.1	122.6	5,478	121.3	1.67	118.0	124.6
1996	193	106.1	9.30	88.7	125.5	5,504	120.8	1.66	117.5	124.0
1997	205	100.3	8.27	84.7	117.5	5,558	120.9	1.65	117.7	124.1
1998	223	116.6	9.56	98.6	136.4	5,889	126.5	1.67	123.2	129.8
1999	254	113.6	8.92	96.8	132.1	5,886	124.7	1.65	121.5	128.0
2000	204	83.0	7.00	69.9	97.7	6,060	126.9	1.65	123.7	130.1
2001	265	107.2	7.94	92.2	123.6	5,834	121.5	1.61	118.4	124.7
2002	299	112.1	7.79	97.3	128.2	6,052	124.2	1.61	121.1	127.4
2003	308	100.9	6.80	88.0	114.9	6,004	121.7	1.59	118.6	124.9
2004	338	112.3	7.46	98.2	127.7	6,146	122.6	1.58	119.5	125.8
2005	333	104.3	6.76	91.4	118.2	6,038	118.7	1.55	115.7	121.7
2006	359	107.4	6.60	94.9	121.0	6,103	118.0	1.53	115.0	121.0
2007	367	102.7	6.37	90.6	115.8	6,054	115.2	1.50	112.2	118.1
2008	370	98.1	5.93	86.8	110.3	6,115	114.2	1.49	111.3	117.2
2009	393	99.8	5.87	88.6	111.8	6,097	111.6	1.46	108.8	114.5
2010	452	100.2	5.44	89.8	111.3	6,067	109.5	1.43	106.7	112.3
2011	453	97.7	5.32	87.6	108.6	6,236	110.0	1.42	107.2	112.8
2012	486	103.7	5.39	93.4	114.7	6,277	108.1	1.40	105.4	110.9
2013	490	95.2	4.93	85.8	105.3	6,276	106.4	1.38	103.8	109.2
2014	489	90.7	4.65	81.8	100.2	6,412	106.2	1.36	103.5	108.9
2015	561	98.1	4.71	89.1	107.6	6,607	108.4	1.37	105.7	111.1
2016	611	96.7	4.41	88.2	105.6	6,469	104.6	1.34	102.0	107.2
2017	676	106.1	4.58	97.3	115.3	6,397	102.2	1.32	99.7	104.8
2018	701	106.8	4.52	98.1	115.9	6,468	102.1	1.31	99.5	104.7
2019	710	98.5	4.10	90.7	106.9	6,653	103.3	1.31	100.8	105.9
2020	665	90.0	3.87	82.5	97.8	6,054	93.6	1.24	91.2	96.1
2021	751	99.3	4.02	91.5	107.4	6,494	100.8	1.29	98.3	103.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Digestive System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	155,987	109.2	0.28	108.7	109.8	28,652	141.1	0.88	139.4	142.9
1990	4,337	114.5	1.79	111.1	118.1	661	147.0	6.10	135.3	159.4
1991	4,348	114.1	1.78	110.6	117.6	618	132.0	5.65	121.2	143.5
1992	4,472	115.7	1.77	112.3	119.3	635	135.6	5.76	124.5	147.2
1993	4,307	110.1	1.72	106.8	113.5	684	142.8	5.82	131.6	154.6
1994	4,554	116.2	1.76	112.8	119.7	722	150.3	5.96	138.9	162.4
1995	4,539	115.5	1.74	112.1	118.9	818	165.9	6.18	154.0	178.4
1996	4,579	115.8	1.74	112.4	119.2	794	154.0	5.78	142.8	165.7
1997	4,669	117.1	1.73	113.8	120.6	773	147.6	5.62	136.8	159.0
1998	4,945	122.8	1.76	119.3	126.3	828	158.5	5.83	147.2	170.3
1999	4,945	121.5	1.74	118.2	125.0	780	145.6	5.49	135.0	156.7
2000	5,050	123.1	1.74	119.7	126.5	853	154.5	5.58	143.8	165.8
2001	4,851	118.0	1.71	114.7	121.4	834	147.4	5.38	137.1	158.3
2002	4,992	120.0	1.71	116.6	123.4	886	155.0	5.52	144.4	166.2
2003	4,937	117.5	1.68	114.2	120.9	910	156.1	5.47	145.6	167.2
2004	5,090	119.6	1.69	116.3	123.0	895	149.4	5.27	139.2	160.0
2005	4,923	114.2	1.64	111.0	117.5	931	154.5	5.37	144.2	165.4
2006	4,919	112.7	1.62	109.5	115.9	982	155.6	5.22	145.5	166.2
2007	4,875	110.0	1.59	106.9	113.2	948	149.4	5.13	139.5	159.8
2008	4,895	108.8	1.58	105.7	111.9	994	154.8	5.19	144.8	165.2
2009	4,885	106.9	1.55	103.9	110.0	1,002	149.4	4.98	139.8	159.5
2010	4,880	105.2	1.53	102.2	108.2	965	141.9	4.83	132.6	151.7
2011	4,994	106.0	1.53	103.0	109.0	1,021	143.4	4.73	134.3	153.0
2012	5,039	104.3	1.50	101.3	107.3	959	135.0	4.60	126.1	144.2
2013	5,002	102.7	1.49	99.8	105.7	1,049	140.3	4.56	131.5	149.5
2014	5,083	102.2	1.47	99.3	105.1	1,060	139.3	4.51	130.6	148.4
2015	5,270	105.3	1.49	102.4	108.3	1,034	132.2	4.33	123.9	141.0
2016	5,122	101.0	1.45	98.1	103.9	1,042	133.7	4.36	125.3	142.5
2017	5,149	101.0	1.45	98.2	103.9	972	122.1	4.11	114.2	130.4
2018	5,140	99.7	1.43	96.9	102.5	1,015	122.7	4.02	115.0	130.8
2019	5,261	100.5	1.43	97.7	103.3	1,058	127.6	4.09	119.7	135.8
2020	4,830	92.1	1.37	89.4	94.8	918	109.2	3.76	101.9	116.8
2021	5,105	97.7	1.42	94.9	100.5	1,011	122.0	4.01	114.2	130.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Digestive System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,378	70.9	0.78	69.3	72.4	167,363	74.6	0.18	74.3	75.0
1990	104	57.8	6.17	46.4	71.0	4,886	78.3	1.14	76.1	80.5
1991	75	44.7	5.66	34.3	56.9	4,741	75.0	1.10	72.8	77.2
1992	97	52.3	5.76	41.6	64.6	4,748	74.1	1.09	71.9	76.2
1993	154	83.5	7.24	69.9	98.7	4,874	75.2	1.09	73.1	77.4
1994	145	75.0	6.82	62.2	89.3	5,243	79.8	1.11	77.7	82.1
1995	157	78.2	6.81	65.4	92.4	5,100	77.8	1.10	75.7	80.0
1996	149	70.5	6.33	58.6	83.8	5,256	79.3	1.11	77.1	81.5
1997	146	68.4	6.22	56.7	81.4	5,300	79.8	1.11	77.6	82.0
1998	194	80.4	6.44	68.2	93.8	5,593	83.6	1.13	81.4	85.8
1999	172	67.0	5.66	56.4	78.9	5,366	79.7	1.10	77.6	81.9
2000	206	77.3	6.00	66.0	89.7	5,443	80.5	1.10	78.4	82.7
2001	218	75.0	5.67	64.3	86.8	5,434	80.1	1.10	78.0	82.3
2002	200	66.9	5.19	57.1	77.7	5,475	80.5	1.10	78.3	82.6
2003	205	64.7	4.98	55.3	75.0	5,307	77.7	1.08	75.6	79.9
2004	256	78.0	5.38	67.8	89.1	5,433	79.0	1.09	76.9	81.2
2005	278	77.4	5.12	67.7	88.0	5,408	78.3	1.08	76.2	80.5
2006	281	76.7	5.05	67.1	87.1	5,333	77.4	1.08	75.3	79.5
2007	276	69.2	4.54	60.6	78.6	5,414	77.7	1.07	75.6	79.9
2008	276	62.0	4.05	54.3	70.3	5,337	76.1	1.06	74.0	78.2
2009	331	73.6	4.39	65.2	82.6	5,197	73.5	1.04	71.4	75.5
2010	326	70.2	4.19	62.2	78.8	5,136	71.8	1.02	69.8	73.8
2011	338	70.6	4.12	62.7	79.0	5,241	72.5	1.03	70.5	74.6
2012	372	70.4	3.90	62.9	78.4	5,030	68.6	0.99	66.7	70.6
2013	352	65.2	3.72	58.1	72.8	5,240	71.0	1.01	69.1	73.1
2014	408	68.9	3.63	61.9	76.3	5,219	70.4	1.00	68.5	72.4
2015	439	69.9	3.54	63.1	77.1	5,250	70.3	1.00	68.3	72.3
2016	512	79.3	3.71	72.1	86.8	5,469	73.4	1.03	71.4	75.4
2017	498	73.3	3.48	66.7	80.4	5,343	70.6	1.00	68.7	72.6
2018	565	80.9	3.58	74.1	88.2	5,423	71.2	1.00	69.2	73.2
2019	536	72.6	3.28	66.3	79.2	5,290	69.3	0.99	67.4	71.3
2020	496	64.7	3.03	58.9	70.9	4,739	61.6	0.93	59.8	63.4
2021	616	75.6	3.17	69.5	82.0	5,095	66.8	0.98	64.9	68.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Digestive System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	135,692	71.9	0.20	71.5	72.3	26,932	93.1	0.57	92.0	94.3
1990	4,214	76.1	1.19	73.7	78.4	632	95.6	3.87	88.2	103.5
1991	4,076	72.8	1.16	70.5	75.1	602	90.1	3.73	82.9	97.6
1992	4,097	72.2	1.15	69.9	74.5	592	83.6	3.48	76.9	90.6
1993	4,178	73.2	1.15	71.0	75.5	622	89.3	3.62	82.3	96.6
1994	4,478	77.4	1.18	75.2	79.8	686	95.9	3.70	88.8	103.5
1995	4,293	74.7	1.16	72.5	77.0	727	99.1	3.72	92.0	106.6
1996	4,427	76.4	1.17	74.2	78.8	745	101.4	3.75	94.1	109.0
1997	4,445	76.9	1.17	74.6	79.2	766	102.3	3.73	95.1	109.9
1998	4,670	80.5	1.20	78.2	82.9	810	105.9	3.75	98.7	113.5
1999	4,513	77.4	1.17	75.1	79.7	747	94.2	3.47	87.5	101.2
2000	4,531	77.7	1.18	75.4	80.0	791	97.9	3.50	91.1	105.0
2001	4,477	76.8	1.17	74.5	79.2	844	103.4	3.58	96.5	110.6
2002	4,469	76.6	1.17	74.3	78.9	866	104.4	3.57	97.5	111.6
2003	4,308	73.9	1.15	71.7	76.2	854	101.7	3.51	95.0	108.8
2004	4,438	76.0	1.17	73.7	78.3	867	100.9	3.46	94.3	107.9
2005	4,403	75.2	1.16	73.0	77.6	872	100.0	3.41	93.4	106.9
2006	4,276	73.5	1.15	71.3	75.8	899	100.6	3.38	94.1	107.4
2007	4,382	74.8	1.16	72.6	77.2	886	97.3	3.30	91.0	104.0
2008	4,283	73.1	1.15	70.9	75.4	891	95.5	3.23	89.2	102.0
2009	4,190	71.1	1.13	68.9	73.4	853	90.0	3.12	83.9	96.3
2010	4,031	68.1	1.10	65.9	70.3	934	96.7	3.21	90.5	103.2
2011	4,092	68.7	1.11	66.6	71.0	973	97.2	3.16	91.1	103.6
2012	3,975	66.1	1.08	64.0	68.3	866	85.4	2.94	79.7	91.4
2013	4,113	68.4	1.10	66.2	70.6	938	90.2	2.99	84.4	96.2
2014	4,075	67.4	1.10	65.3	69.6	928	88.6	2.96	82.9	94.6
2015	4,094	67.6	1.10	65.5	69.8	958	88.8	2.92	83.2	94.8
2016	4,253	71.1	1.14	68.9	73.4	1,002	91.6	2.95	85.9	97.5
2017	4,130	68.3	1.12	66.1	70.5	993	89.1	2.88	83.5	94.9
2018	4,168	68.4	1.11	66.2	70.6	1,029	91.8	2.92	86.2	97.7
2019	4,086	67.6	1.11	65.4	69.8	942	82.7	2.75	77.4	88.3
2020	3,662	60.2	1.05	58.1	62.3	845	72.9	2.56	68.0	78.1
2021	3,865	63.8	1.08	61.7	66.0	972	85.0	2.79	79.6	90.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Esophagus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	776	3.2	0.12	2.9	3.4	21,117	5.3	0.04	5.3	5.4
1990	12	3.5	1.10	1.7	6.2	502	4.8	0.22	4.4	5.2
1991	11	2.9	0.92	1.4	5.2	527	5.0	0.22	4.6	5.4
1992	6	1.8	0.79	0.6	3.9	572	5.3	0.22	4.9	5.8
1993	13	3.6	1.16	1.7	6.4	539	4.9	0.21	4.5	5.4
1994	15	4.6	1.28	2.4	7.6	590	5.4	0.22	5.0	5.9
1995	14	3.4	0.99	1.8	5.9	638	5.8	0.23	5.4	6.3
1996	25	6.4	1.43	3.9	9.7	616	5.6	0.23	5.2	6.1
1997	14	3.0	0.95	1.4	5.3	542	4.9	0.21	4.5	5.3
1998	19	4.3	1.14	2.3	7.0	653	5.8	0.23	5.4	6.3
1999	23	5.9	1.36	3.5	9.0	645	5.7	0.22	5.3	6.2
2000	11	2.2	0.73	1.0	4.0	699	6.1	0.23	5.7	6.6
2001	27	6.4	1.39	3.9	9.5	653	5.7	0.22	5.3	6.2
2002	23	3.8	0.90	2.3	5.9	634	5.5	0.22	5.1	5.9
2003	25	4.6	1.01	2.9	6.9	636	5.4	0.22	5.0	5.9
2004	21	3.1	0.79	1.7	5.0	680	5.8	0.22	5.4	6.2
2005	29	5.0	1.01	3.2	7.3	637	5.3	0.21	4.9	5.8
2006	26	4.1	0.86	2.5	6.0	672	5.6	0.22	5.1	6.0
2007	24	3.1	0.69	1.9	4.7	686	5.6	0.21	5.1	6.0
2008	22	2.9	0.67	1.7	4.4	700	5.6	0.21	5.2	6.0
2009	26	2.8	0.61	1.8	4.3	698	5.6	0.21	5.1	6.0
2010	22	2.6	0.63	1.5	4.1	640	5.0	0.20	4.6	5.4
2011	34	3.7	0.68	2.5	5.2	699	5.4	0.21	5.0	5.8
2012	27	3.1	0.64	1.9	4.5	736	5.5	0.21	5.1	6.0
2013	21	1.8	0.44	1.1	2.9	693	5.1	0.20	4.7	5.5
2014	20	1.6	0.39	0.9	2.5	721	5.2	0.20	4.8	5.6
2015	28	2.8	0.56	1.8	4.0	733	5.2	0.20	4.8	5.6
2016	34	2.7	0.50	1.8	3.8	673	4.8	0.19	4.4	5.2
2017	36	2.7	0.49	1.9	3.8	667	4.7	0.19	4.4	5.1
2018	33	2.5	0.46	1.7	3.6	694	4.7	0.18	4.4	5.1
2019	46	3.2	0.49	2.3	4.2	787	5.4	0.20	5.0	5.8
2020	41	2.8	0.46	1.9	3.8	764	5.2	0.19	4.8	5.6
2021	48	3.0	0.46	2.1	4.0	791	5.4	0.20	5.0	5.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Esophagus										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	17,332	5.2	0.04	5.1	5.3	3,430	6.6	0.12	6.4	6.9
1990	350	3.7	0.20	3.4	4.2	148	12.3	1.03	10.4	14.5
1991	385	4.1	0.21	3.7	4.6	136	11.0	0.95	9.2	13.0
1992	430	4.6	0.22	4.1	5.0	135	11.0	0.96	9.2	13.0
1993	404	4.2	0.21	3.8	4.7	127	9.9	0.89	8.2	11.8
1994	449	4.7	0.22	4.3	5.2	135	10.5	0.92	8.8	12.5
1995	477	5.0	0.23	4.6	5.5	151	11.5	0.95	9.8	13.6
1996	450	4.7	0.22	4.3	5.2	156	11.6	0.94	9.8	13.6
1997	402	4.2	0.21	3.8	4.6	135	9.9	0.87	8.3	11.8
1998	519	5.4	0.24	4.9	5.9	126	9.2	0.84	7.7	11.0
1999	523	5.4	0.24	5.0	5.9	116	8.5	0.80	7.0	10.2
2000	557	5.7	0.24	5.3	6.2	135	9.5	0.82	7.9	11.2
2001	532	5.5	0.24	5.0	6.0	111	7.8	0.75	6.4	9.4
2002	523	5.3	0.23	4.9	5.8	105	7.0	0.69	5.7	8.5
2003	531	5.3	0.23	4.9	5.8	94	6.4	0.67	5.1	7.8
2004	565	5.7	0.24	5.3	6.2	108	7.1	0.69	5.8	8.6
2005	539	5.4	0.23	4.9	5.8	92	6.0	0.63	4.8	7.3
2006	549	5.4	0.23	5.0	5.9	113	7.1	0.68	5.8	8.6
2007	572	5.5	0.23	5.1	6.0	100	6.3	0.65	5.1	7.7
2008	601	5.8	0.24	5.3	6.3	90	5.5	0.59	4.4	6.7
2009	599	5.8	0.24	5.3	6.3	87	5.0	0.55	4.0	6.2
2010	530	5.0	0.22	4.6	5.4	94	5.3	0.56	4.2	6.5
2011	589	5.5	0.23	5.1	6.0	98	5.7	0.59	4.6	6.9
2012	628	5.7	0.23	5.3	6.2	95	5.4	0.57	4.3	6.6
2013	592	5.4	0.22	4.9	5.8	93	5.0	0.53	4.0	6.1
2014	615	5.4	0.22	5.0	5.9	80	4.3	0.49	3.4	5.3
2015	633	5.5	0.22	5.1	6.0	87	4.5	0.49	3.6	5.5
2016	561	4.9	0.21	4.5	5.4	92	4.8	0.51	3.8	5.9
2017	569	5.0	0.22	4.6	5.5	84	4.1	0.46	3.3	5.1
2018	600	5.0	0.21	4.6	5.5	79	3.8	0.44	3.0	4.8
2019	686	5.8	0.23	5.4	6.3	86	4.4	0.48	3.5	5.4
2020	666	5.7	0.23	5.2	6.1	79	3.7	0.43	2.9	4.6
2021	706	6.0	0.23	5.5	6.5	63	2.9	0.38	2.2	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Esophagus										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	623	5.3	0.24	4.9	5.8	16,203	9.3	0.07	9.2	9.5
1990	11	6.5	2.28	2.8	12.5	343	7.6	0.42	6.8	8.4
1991	10	5.3	1.86	2.3	10.3	391	8.6	0.44	7.7	9.5
1992	6	4.1	1.85	1.3	9.1	421	9.3	0.46	8.4	10.2
1993	7	3.6	1.69	1.1	8.3	385	8.2	0.42	7.4	9.0
1994	12	9.4	3.06	4.4	16.8	446	9.5	0.46	8.6	10.5
1995	13	7.3	2.30	3.5	13.0	490	10.4	0.48	9.5	11.4
1996	20	10.5	2.83	5.7	17.2	467	9.8	0.46	8.9	10.8
1997	13	6.4	2.32	2.7	12.2	393	8.2	0.42	7.4	9.1
1998	15	6.6	2.02	3.3	11.6	505	10.6	0.48	9.7	11.6
1999	16	8.6	2.47	4.5	14.5	512	10.6	0.47	9.7	11.5
2000	8	3.2	1.37	1.1	6.8	531	10.9	0.48	10.0	11.9
2001	21	10.6	2.73	5.9	16.9	477	9.7	0.45	8.8	10.6
2002	18	5.8	1.69	3.0	9.9	480	9.6	0.44	8.7	10.5
2003	20	8.4	2.08	4.9	13.3	498	9.9	0.45	9.1	10.8
2004	16	3.9	1.11	2.1	6.8	513	9.9	0.44	9.1	10.8
2005	23	9.4	2.17	5.6	14.4	498	9.6	0.44	8.8	10.5
2006	18	5.4	1.41	3.0	8.8	538	10.1	0.44	9.3	11.0
2007	17	4.8	1.35	2.5	8.0	515	9.5	0.43	8.7	10.4
2008	18	5.3	1.42	2.9	8.7	562	10.2	0.44	9.4	11.1
2009	24	5.8	1.35	3.5	9.0	532	9.6	0.43	8.8	10.5
2010	16	3.0	0.81	1.6	5.0	484	8.5	0.40	7.7	9.3
2011	27	6.1	1.32	3.8	9.1	541	9.3	0.41	8.6	10.2
2012	20	5.3	1.35	3.0	8.4	568	9.6	0.41	8.9	10.5
2013	19	3.4	0.89	1.9	5.5	553	9.2	0.40	8.4	10.0
2014	16	2.7	0.77	1.4	4.6	574	9.1	0.39	8.4	9.9
2015	23	4.9	1.13	3.0	7.5	590	9.3	0.39	8.6	10.1
2016	28	4.2	0.87	2.7	6.3	514	8.1	0.37	7.4	8.8
2017	31	5.1	1.03	3.3	7.5	520	8.1	0.37	7.4	8.9
2018	24	3.9	0.87	2.4	5.9	529	7.9	0.35	7.2	8.6
2019	39	5.4	0.96	3.7	7.6	608	9.2	0.38	8.4	9.9
2020	34	4.7	0.89	3.1	6.7	593	8.8	0.37	8.1	9.5
2021	40	5.4	0.96	3.7	7.6	632	9.5	0.39	8.8	10.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Esophagus										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	13,578	9.3	0.08	9.1	9.4	2,380	11.1	0.24	10.6	11.6
1990	237	6.0	0.40	5.2	6.8	102	20.1	2.05	16.3	24.5
1991	289	7.3	0.44	6.5	8.2	100	18.7	1.91	15.1	22.8
1992	324	8.2	0.46	7.3	9.1	93	18.1	1.97	14.5	22.4
1993	292	7.1	0.42	6.3	8.0	87	16.4	1.83	13.0	20.3
1994	343	8.4	0.46	7.5	9.4	99	18.8	1.96	15.1	23.0
1995	372	9.1	0.48	8.2	10.1	110	20.4	2.03	16.6	24.7
1996	348	8.5	0.46	7.6	9.5	115	20.3	1.97	16.6	24.5
1997	302	7.4	0.43	6.5	8.2	90	15.9	1.73	12.7	19.6
1998	410	10.0	0.50	9.0	11.0	88	15.9	1.78	12.6	19.7
1999	418	10.1	0.49	9.1	11.1	89	15.7	1.73	12.5	19.5
2000	432	10.4	0.50	9.4	11.4	95	16.6	1.78	13.2	20.4
2001	390	9.3	0.47	8.4	10.3	80	13.6	1.56	10.7	16.9
2002	404	9.5	0.47	8.6	10.5	72	11.5	1.41	8.9	14.5
2003	427	10.0	0.49	9.1	11.0	65	10.6	1.36	8.1	13.6
2004	441	10.1	0.48	9.2	11.1	68	10.6	1.34	8.2	13.6
2005	429	9.7	0.47	8.8	10.7	67	10.9	1.42	8.3	14.0
2006	448	10.0	0.48	9.1	11.0	83	12.9	1.48	10.2	16.1
2007	440	9.7	0.47	8.8	10.6	66	10.3	1.33	7.8	13.2
2008	491	10.6	0.49	9.7	11.6	64	9.8	1.28	7.5	12.6
2009	454	9.9	0.47	9.0	10.8	68	9.3	1.17	7.1	11.9
2010	410	8.7	0.44	7.8	9.6	60	7.9	1.08	6.0	10.3
2011	473	9.8	0.46	8.9	10.7	61	8.8	1.20	6.7	11.5
2012	501	10.2	0.47	9.3	11.2	61	8.5	1.15	6.4	11.0
2013	482	9.7	0.45	8.8	10.6	66	8.7	1.12	6.6	11.1
2014	504	9.7	0.44	8.8	10.6	52	6.7	0.97	5.0	8.9
2015	516	9.9	0.45	9.0	10.8	65	7.8	1.02	6.0	10.1
2016	435	8.3	0.41	7.5	9.2	62	8.1	1.08	6.1	10.4
2017	455	8.7	0.42	7.9	9.6	56	6.5	0.91	4.9	8.6
2018	468	8.5	0.40	7.7	9.3	49	5.5	0.82	4.1	7.4
2019	542	9.9	0.44	9.0	10.8	55	7.0	0.98	5.2	9.2
2020	529	9.7	0.44	8.8	10.6	49	5.4	0.81	4.0	7.3
2021	572	10.6	0.46	9.7	11.5	43	4.8	0.76	3.4	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Esophagus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	153	1.3	0.11	1.1	1.5	4,914	2.2	0.03	2.1	2.3
1990	1	0.8	0.83	0.0	3.7	159	2.6	0.21	2.2	3.1
1991	1	0.7	0.68	0.0	3.2	136	2.2	0.19	1.8	2.6
1992	0					151	2.4	0.20	2.0	2.8
1993	6	3.4	1.53	1.1	7.5	154	2.5	0.20	2.1	2.9
1994	3	1.2	0.68	0.2	3.4	144	2.3	0.19	1.9	2.7
1995	1	0.4	0.36	0.0	2.1	148	2.3	0.19	2.0	2.7
1996	5	3.0	1.37	0.9	6.6	149	2.3	0.19	2.0	2.7
1997	1	0.3	0.33	0.0	1.9	149	2.3	0.19	2.0	2.7
1998	4	2.1	1.19	0.5	5.4	148	2.3	0.19	1.9	2.7
1999	7	3.6	1.44	1.3	7.2	133	2.0	0.17	1.7	2.4
2000	3	1.3	0.77	0.3	3.6	168	2.6	0.20	2.2	3.0
2001	6	3.0	1.33	1.0	6.4	176	2.6	0.20	2.2	3.0
2002	5	2.1	0.97	0.7	4.7	154	2.3	0.19	1.9	2.7
2003	5	1.5	0.74	0.4	3.6	138	2.0	0.17	1.7	2.4
2004	5	2.0	0.99	0.6	4.6	167	2.5	0.20	2.2	2.9
2005	6	1.6	0.69	0.6	3.5	139	2.0	0.17	1.7	2.4
2006	8	2.7	1.02	1.1	5.3	134	2.0	0.17	1.6	2.3
2007	7	1.7	0.68	0.7	3.5	171	2.5	0.19	2.1	2.9
2008	4	0.9	0.47	0.2	2.3	138	2.0	0.17	1.7	2.4
2009	2	0.3	0.22	0.0	1.2	166	2.3	0.18	2.0	2.7
2010	6	2.0	0.83	0.7	4.1	156	2.2	0.18	1.8	2.5
2011	7	1.6	0.63	0.6	3.2	158	2.2	0.18	1.9	2.6
2012	7	1.4	0.56	0.5	2.9	168	2.3	0.18	1.9	2.6
2013	2	0.4	0.32	0.1	1.4	140	1.8	0.16	1.5	2.2
2014	4	0.6	0.31	0.2	1.5	147	1.9	0.16	1.6	2.3
2015	5	1.0	0.45	0.3	2.2	143	1.8	0.15	1.5	2.1
2016	6	1.1	0.48	0.4	2.4	159	2.1	0.17	1.8	2.4
2017	5	0.7	0.30	0.2	1.5	147	1.9	0.17	1.6	2.3
2018	9	1.3	0.45	0.6	2.5	165	2.1	0.16	1.7	2.4
2019	7	1.0	0.39	0.4	2.1	179	2.3	0.18	2.0	2.7
2020	7	1.0	0.39	0.4	2.0	171	2.2	0.17	1.8	2.5
2021	8	0.9	0.32	0.4	1.8	159	2.0	0.16	1.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Esophagus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,754	2.0	0.03	1.9	2.0	1,050	3.5	0.11	3.3	3.8
1990	113	2.0	0.19	1.7	2.5	46	6.7	1.00	4.9	8.9
1991	96	1.7	0.18	1.4	2.1	36	5.1	0.87	3.6	7.1
1992	106	1.9	0.19	1.6	2.3	42	5.9	0.92	4.3	8.0
1993	112	2.0	0.19	1.6	2.4	40	5.3	0.85	3.8	7.3
1994	106	1.9	0.18	1.5	2.3	36	4.8	0.80	3.4	6.6
1995	105	1.8	0.18	1.5	2.2	41	5.5	0.86	3.9	7.4
1996	102	1.8	0.18	1.5	2.2	41	5.3	0.84	3.8	7.2
1997	100	1.8	0.18	1.4	2.2	45	5.7	0.85	4.1	7.6
1998	109	1.9	0.19	1.6	2.3	38	4.8	0.78	3.4	6.6
1999	105	1.8	0.18	1.5	2.2	27	3.4	0.66	2.2	4.9
2000	125	2.2	0.20	1.8	2.6	40	4.8	0.76	3.4	6.5
2001	142	2.5	0.21	2.1	2.9	31	3.8	0.68	2.5	5.3
2002	119	2.0	0.19	1.7	2.5	33	3.8	0.67	2.6	5.4
2003	104	1.8	0.18	1.4	2.2	29	3.4	0.63	2.3	4.9
2004	124	2.2	0.20	1.8	2.7	40	4.6	0.74	3.3	6.3
2005	110	1.9	0.18	1.6	2.3	25	2.8	0.57	1.8	4.1
2006	101	1.8	0.18	1.4	2.2	30	3.2	0.59	2.2	4.6
2007	132	2.3	0.20	1.9	2.7	34	3.7	0.64	2.5	5.1
2008	110	1.9	0.19	1.6	2.3	26	2.6	0.51	1.7	3.8
2009	145	2.4	0.21	2.0	2.9	19	1.9	0.45	1.2	3.0
2010	120	2.0	0.18	1.6	2.4	34	3.4	0.59	2.3	4.8
2011	116	2.0	0.19	1.6	2.4	37	3.6	0.59	2.5	4.9
2012	127	2.1	0.19	1.7	2.5	34	3.3	0.57	2.3	4.6
2013	110	1.8	0.17	1.4	2.1	27	2.5	0.49	1.6	3.7
2014	111	1.8	0.17	1.5	2.2	28	2.5	0.49	1.7	3.7
2015	117	1.8	0.17	1.5	2.2	22	1.9	0.42	1.2	2.9
2016	126	2.0	0.19	1.7	2.4	30	2.7	0.49	1.8	3.8
2017	114	1.9	0.19	1.6	2.3	28	2.4	0.45	1.5	3.4
2018	132	2.0	0.18	1.7	2.5	30	2.5	0.47	1.7	3.7
2019	144	2.3	0.20	1.9	2.8	31	2.6	0.47	1.7	3.7
2020	137	2.2	0.19	1.8	2.6	30	2.6	0.48	1.7	3.7
2021	134	2.1	0.19	1.8	2.5	20	1.6	0.36	0.9	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Stomach										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,040	11.8	0.24	11.3	12.3	28,478	7.3	0.04	7.2	7.4
1990	36	11.5	2.23	7.5	16.5	917	8.7	0.29	8.2	9.3
1991	36	9.4	1.80	6.2	13.5	886	8.3	0.28	7.8	8.9
1992	44	11.8	2.10	8.1	16.5	894	8.3	0.28	7.7	8.8
1993	58	16.4	2.48	11.9	21.8	916	8.4	0.28	7.9	9.0
1994	55	14.6	2.27	10.5	19.6	890	8.1	0.27	7.6	8.7
1995	54	12.5	1.97	8.9	16.9	923	8.4	0.28	7.8	8.9
1996	51	13.1	2.13	9.2	17.8	917	8.2	0.27	7.7	8.8
1997	45	9.4	1.57	6.6	12.9	932	8.3	0.27	7.8	8.9
1998	68	14.1	2.02	10.4	18.5	937	8.3	0.27	7.8	8.8
1999	62	10.7	1.62	7.8	14.3	875	7.7	0.26	7.2	8.2
2000	66	13.2	1.85	9.8	17.2	845	7.4	0.25	6.9	7.9
2001	76	12.2	1.67	9.1	15.8	847	7.3	0.25	6.8	7.8
2002	76	14.0	1.85	10.6	18.0	900	7.8	0.26	7.3	8.3
2003	79	11.6	1.53	8.8	14.9	883	7.5	0.25	7.0	8.0
2004	87	13.2	1.66	10.1	16.7	849	7.2	0.25	6.7	7.7
2005	90	13.2	1.60	10.2	16.6	827	6.9	0.24	6.5	7.4
2006	90	13.0	1.57	10.1	16.4	828	6.9	0.24	6.5	7.4
2007	92	11.5	1.33	9.0	14.4	855	7.1	0.24	6.6	7.6
2008	89	10.9	1.29	8.5	13.7	857	7.0	0.24	6.5	7.5
2009	123	14.7	1.50	12.0	17.9	847	6.8	0.24	6.4	7.3
2010	106	10.6	1.16	8.4	13.1	832	6.7	0.23	6.2	7.1
2011	112	11.9	1.26	9.6	14.6	897	7.0	0.24	6.6	7.5
2012	106	10.0	1.09	8.0	12.4	877	6.7	0.23	6.3	7.2
2013	117	10.9	1.12	8.9	13.3	937	7.2	0.24	6.7	7.7
2014	128	11.4	1.11	9.4	13.8	903	6.8	0.23	6.3	7.2
2015	147	12.0	1.09	10.0	14.3	924	6.8	0.23	6.4	7.3
2016	146	12.0	1.08	9.9	14.2	920	6.8	0.23	6.3	7.2
2017	156	12.0	1.04	10.0	14.2	918	6.7	0.23	6.3	7.2
2018	173	13.2	1.08	11.1	15.4	897	6.4	0.22	6.0	6.9
2019	167	11.0	0.91	9.3	13.0	958	6.8	0.22	6.3	7.2
2020	137	8.9	0.81	7.4	10.6	831	5.8	0.21	5.4	6.3
2021	168	11.0	0.91	9.3	13.0	959	6.9	0.23	6.4	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Stomach										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	21,054	6.4	0.04	6.3	6.5	5,918	12.3	0.16	12.0	12.6
1990	741	7.9	0.29	7.4	8.5	154	14.0	1.16	11.8	16.4
1991	704	7.5	0.29	7.0	8.1	158	14.6	1.20	12.4	17.2
1992	698	7.4	0.28	6.8	7.9	173	14.9	1.17	12.7	17.4
1993	713	7.5	0.28	6.9	8.0	165	14.3	1.15	12.2	16.7
1994	692	7.2	0.28	6.7	7.8	177	14.5	1.12	12.4	16.8
1995	693	7.2	0.27	6.6	7.7	189	15.1	1.13	12.9	17.4
1996	697	7.2	0.27	6.7	7.7	190	15.6	1.16	13.4	18.1
1997	712	7.3	0.27	6.8	7.8	178	14.1	1.08	12.0	16.3
1998	707	7.2	0.27	6.7	7.8	194	15.7	1.15	13.6	18.1
1999	681	6.9	0.26	6.4	7.4	153	11.6	0.96	9.8	13.7
2000	622	6.3	0.25	5.8	6.8	179	13.4	1.02	11.5	15.6
2001	624	6.3	0.25	5.8	6.8	180	13.6	1.04	11.7	15.8
2002	679	6.8	0.26	6.3	7.4	169	12.2	0.96	10.4	14.3
2003	675	6.7	0.26	6.2	7.2	167	12.1	0.96	10.3	14.1
2004	629	6.3	0.25	5.8	6.8	177	12.5	0.96	10.7	14.6
2005	600	5.9	0.24	5.4	6.4	182	12.8	0.97	11.0	14.8
2006	585	5.8	0.24	5.3	6.3	193	12.7	0.93	10.9	14.6
2007	615	6.0	0.25	5.6	6.5	186	12.4	0.92	10.6	14.3
2008	616	6.0	0.24	5.5	6.5	194	12.8	0.94	11.0	14.8
2009	592	5.8	0.24	5.3	6.3	212	13.1	0.92	11.4	15.1
2010	603	5.8	0.24	5.3	6.3	172	10.7	0.83	9.1	12.4
2011	643	6.1	0.24	5.6	6.6	202	12.1	0.87	10.5	14.0
2012	658	6.1	0.24	5.6	6.6	160	9.5	0.77	8.1	11.2
2013	673	6.2	0.25	5.8	6.7	203	11.9	0.85	10.3	13.7
2014	643	5.9	0.24	5.4	6.4	211	11.9	0.84	10.3	13.6
2015	667	6.0	0.24	5.6	6.5	194	10.5	0.78	9.1	12.2
2016	655	5.9	0.24	5.5	6.4	215	11.9	0.83	10.3	13.6
2017	652	5.9	0.24	5.4	6.4	210	11.4	0.80	9.9	13.1
2018	648	5.7	0.23	5.3	6.2	182	9.5	0.72	8.2	11.1
2019	678	6.0	0.24	5.5	6.5	202	10.6	0.76	9.2	12.2
2020	616	5.4	0.23	5.0	5.9	154	7.7	0.64	6.5	9.1
2021	643	5.7	0.23	5.3	6.2	243	12.6	0.83	11.1	14.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Stomach										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,713	14.4	0.40	13.6	15.2	17,490	10.4	0.08	10.3	10.6
1990	19	16.2	4.68	8.4	27.2	551	13.0	0.57	11.9	14.2
1991	26	13.0	3.01	7.8	20.2	541	12.6	0.56	11.5	13.8
1992	23	15.3	4.05	8.4	24.8	537	12.2	0.54	11.2	13.3
1993	32	18.0	4.11	10.8	27.4	540	12.2	0.54	11.2	13.3
1994	33	19.4	4.14	12.1	28.8	546	12.2	0.54	11.2	13.3
1995	34	17.3	3.74	10.8	25.9	574	12.9	0.55	11.8	14.0
1996	35	20.6	4.34	13.0	30.4	568	12.6	0.54	11.6	13.7
1997	32	13.9	2.84	8.9	20.5	574	12.6	0.54	11.6	13.7
1998	35	17.6	3.70	11.1	26.0	557	12.0	0.52	11.0	13.1
1999	36	14.3	3.12	8.9	21.5	529	11.3	0.50	10.3	12.3
2000	33	15.9	3.23	10.2	23.2	516	10.9	0.48	9.9	11.8
2001	46	18.1	3.47	12.0	25.9	495	10.3	0.47	9.4	11.2
2002	40	15.9	3.07	10.5	22.8	555	11.5	0.49	10.6	12.5
2003	45	13.0	2.35	8.8	18.4	526	10.9	0.48	10.0	11.9
2004	52	14.2	2.39	9.9	19.5	531	10.7	0.47	9.8	11.7
2005	50	16.9	2.96	11.6	23.5	506	10.0	0.45	9.2	11.0
2006	47	14.8	2.59	10.2	20.6	503	9.8	0.44	9.0	10.7
2007	55	15.7	2.43	11.3	21.1	514	9.9	0.44	9.1	10.8
2008	53	14.3	2.25	10.3	19.3	517	9.9	0.44	9.0	10.8
2009	68	18.5	2.61	13.7	24.1	524	9.5	0.42	8.7	10.4
2010	61	14.5	2.15	10.6	19.2	528	9.7	0.43	8.8	10.6
2011	66	14.3	2.04	10.6	18.8	559	10.1	0.44	9.3	11.0
2012	64	14.3	2.07	10.5	18.8	579	10.1	0.43	9.3	11.0
2013	72	14.0	1.93	10.5	18.2	575	10.0	0.43	9.2	10.9
2014	65	12.1	1.69	9.0	15.8	552	9.3	0.40	8.5	10.1
2015	73	12.5	1.67	9.5	16.1	588	9.7	0.41	8.9	10.5
2016	76	13.0	1.72	9.9	16.8	568	9.4	0.41	8.6	10.2
2017	86	14.5	1.74	11.3	18.2	556	9.1	0.40	8.4	10.0
2018	93	15.7	1.83	12.3	19.6	551	8.7	0.38	7.9	9.4
2019	93	12.9	1.48	10.2	16.1	605	9.4	0.39	8.6	10.2
2020	71	9.3	1.22	7.1	12.0	509	7.9	0.36	7.2	8.6
2021	99	14.3	1.59	11.3	17.7	616	9.7	0.40	8.9	10.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Stomach										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	13,196	9.3	0.08	9.2	9.5	3,403	17.6	0.32	16.9	18.2
1990	435	11.7	0.58	10.6	12.9	100	22.3	2.37	17.9	27.4
1991	434	11.6	0.57	10.5	12.7	93	20.2	2.24	16.1	25.0
1992	427	11.0	0.54	10.0	12.1	95	21.2	2.34	16.9	26.2
1993	412	10.7	0.54	9.6	11.8	106	22.7	2.35	18.3	27.7
1994	424	11.0	0.54	10.0	12.1	110	21.4	2.15	17.4	26.0
1995	441	11.5	0.56	10.4	12.6	112	22.1	2.23	18.0	26.9
1996	435	11.1	0.54	10.1	12.2	114	23.6	2.37	19.2	28.7
1997	448	11.3	0.54	10.3	12.4	107	21.5	2.22	17.3	26.2
1998	431	10.7	0.52	9.7	11.8	104	21.6	2.26	17.4	26.4
1999	411	10.2	0.51	9.2	11.2	90	16.8	1.87	13.4	20.9
2000	383	9.4	0.48	8.5	10.4	102	19.4	2.04	15.6	23.7
2001	369	9.0	0.47	8.1	9.9	103	18.7	1.96	15.1	22.9
2002	429	10.4	0.51	9.4	11.5	100	17.5	1.85	14.1	21.5
2003	412	10.0	0.50	9.0	11.0	98	17.8	1.90	14.2	21.8
2004	405	9.6	0.48	8.7	10.6	99	17.9	1.93	14.3	22.0
2005	365	8.5	0.45	7.7	9.4	110	19.0	1.92	15.5	23.1
2006	363	8.4	0.44	7.5	9.3	112	17.8	1.77	14.5	21.6
2007	371	8.5	0.44	7.6	9.4	113	18.8	1.87	15.3	22.8
2008	372	8.4	0.44	7.6	9.3	116	20.3	2.00	16.6	24.6
2009	370	8.1	0.43	7.3	9.0	126	18.9	1.77	15.6	22.7
2010	394	8.6	0.44	7.8	9.5	100	15.4	1.63	12.4	18.9
2011	404	8.8	0.44	7.9	9.7	120	17.9	1.71	14.7	21.5
2012	450	9.4	0.45	8.5	10.3	89	13.7	1.54	10.8	17.0
2013	431	9.0	0.44	8.1	9.9	111	15.9	1.58	13.0	19.3
2014	406	8.2	0.42	7.4	9.1	121	16.9	1.63	13.9	20.4
2015	444	8.9	0.43	8.0	9.7	107	14.1	1.43	11.4	17.2
2016	424	8.5	0.42	7.7	9.4	110	15.2	1.52	12.4	18.5
2017	421	8.4	0.42	7.6	9.3	106	14.7	1.50	11.9	17.9
2018	412	8.0	0.40	7.2	8.8	99	12.3	1.29	9.9	15.1
2019	442	8.4	0.41	7.6	9.3	115	14.7	1.43	12.0	17.7
2020	393	7.5	0.39	6.7	8.3	82	10.3	1.19	8.1	12.9
2021	438	8.4	0.41	7.6	9.2	133	17.2	1.56	14.3	20.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Stomach										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,327	9.7	0.29	9.1	10.3	10,988	4.9	0.05	4.8	5.0
1990	17	8.9	2.33	4.9	14.5	366	5.8	0.31	5.2	6.4
1991	10	5.8	2.04	2.5	10.9	345	5.4	0.29	4.8	6.0
1992	21	9.6	2.34	5.6	15.2	357	5.6	0.30	5.0	6.2
1993	26	14.8	3.13	9.3	21.9	376	5.7	0.30	5.1	6.3
1994	22	10.9	2.59	6.4	16.9	344	5.2	0.28	4.7	5.8
1995	20	8.8	2.17	5.1	14.0	349	5.3	0.29	4.8	5.9
1996	16	7.5	2.10	4.0	12.5	349	5.2	0.28	4.7	5.8
1997	13	5.4	1.63	2.7	9.4	358	5.4	0.29	4.8	6.0
1998	33	11.9	2.31	7.8	17.2	380	5.6	0.29	5.0	6.2
1999	26	8.1	1.77	5.0	12.3	346	5.1	0.27	4.5	5.6
2000	33	11.3	2.21	7.4	16.3	329	4.8	0.27	4.3	5.3
2001	30	8.0	1.62	5.1	11.8	352	5.0	0.27	4.5	5.6
2002	36	12.4	2.33	8.3	17.6	345	5.0	0.27	4.5	5.6
2003	34	10.1	1.97	6.6	14.6	357	5.2	0.28	4.6	5.7
2004	35	11.7	2.20	7.7	16.6	318	4.7	0.27	4.2	5.2
2005	40	10.6	1.84	7.3	14.7	321	4.6	0.26	4.1	5.1
2006	43	11.6	1.96	8.1	16.0	325	4.8	0.27	4.2	5.3
2007	37	8.2	1.47	5.6	11.5	341	4.9	0.27	4.4	5.5
2008	36	8.1	1.48	5.4	11.4	340	4.9	0.27	4.4	5.5
2009	55	11.9	1.76	8.7	15.8	323	4.6	0.26	4.1	5.2
2010	45	7.6	1.24	5.3	10.4	304	4.4	0.26	3.9	4.9
2011	46	9.7	1.55	6.9	13.1	338	4.6	0.26	4.2	5.2
2012	42	6.9	1.14	4.8	9.5	298	4.1	0.24	3.6	4.6
2013	45	8.3	1.33	5.9	11.3	362	4.9	0.27	4.4	5.5
2014	63	10.8	1.44	8.2	13.9	351	4.8	0.26	4.3	5.4
2015	74	11.6	1.43	9.0	14.7	336	4.6	0.26	4.1	5.1
2016	70	11.2	1.41	8.6	14.2	352	4.7	0.26	4.2	5.2
2017	70	10.0	1.25	7.6	12.7	362	4.8	0.26	4.3	5.4
2018	80	11.4	1.35	8.9	14.3	346	4.6	0.25	4.1	5.1
2019	74	9.4	1.14	7.3	11.9	353	4.7	0.26	4.2	5.2
2020	66	8.4	1.08	6.4	10.8	322	4.2	0.24	3.7	4.7
2021	69	8.4	1.05	6.5	10.7	343	4.6	0.26	4.1	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Stomach										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	7,858	4.2	0.05	4.1	4.2	2,515	8.9	0.18	8.5	9.2
1990	306	5.5	0.32	4.9	6.1	54	8.2	1.15	6.1	10.8
1991	270	4.7	0.29	4.2	5.4	65	10.5	1.32	8.1	13.4
1992	271	4.8	0.30	4.2	5.4	78	11.1	1.27	8.7	13.8
1993	301	5.2	0.30	4.6	5.8	59	8.7	1.15	6.6	11.2
1994	268	4.6	0.28	4.0	5.2	67	9.4	1.16	7.3	12.0
1995	252	4.4	0.28	3.8	4.9	77	10.2	1.18	8.0	12.8
1996	262	4.5	0.28	3.9	5.1	76	10.5	1.21	8.2	13.1
1997	264	4.5	0.28	4.0	5.1	71	9.4	1.13	7.3	11.9
1998	276	4.6	0.28	4.1	5.2	90	12.1	1.29	9.7	14.9
1999	270	4.5	0.28	4.0	5.1	63	8.1	1.04	6.2	10.4
2000	239	3.9	0.26	3.5	4.5	77	9.6	1.11	7.6	12.0
2001	255	4.2	0.27	3.7	4.8	77	9.9	1.13	7.8	12.4
2002	250	4.3	0.28	3.8	4.9	69	8.5	1.03	6.6	10.8
2003	263	4.4	0.28	3.9	5.0	69	8.4	1.02	6.5	10.6
2004	224	3.8	0.26	3.3	4.4	78	9.3	1.06	7.3	11.6
2005	235	4.0	0.26	3.5	4.5	72	8.5	1.01	6.7	10.7
2006	222	3.8	0.26	3.3	4.4	81	9.1	1.02	7.2	11.3
2007	244	4.2	0.28	3.7	4.8	73	8.2	0.97	6.4	10.4
2008	244	4.2	0.27	3.6	4.7	78	8.5	0.98	6.7	10.7
2009	222	3.9	0.27	3.4	4.4	86	9.0	0.99	7.2	11.2
2010	209	3.6	0.25	3.1	4.1	72	7.7	0.92	6.0	9.7
2011	239	4.0	0.26	3.5	4.5	82	8.2	0.92	6.5	10.3
2012	208	3.4	0.25	3.0	4.0	71	7.2	0.86	5.6	9.0
2013	242	4.0	0.27	3.5	4.6	92	8.9	0.95	7.2	11.0
2014	237	4.0	0.27	3.5	4.6	90	8.7	0.93	7.0	10.7
2015	223	3.7	0.26	3.2	4.3	87	8.2	0.90	6.6	10.2
2016	231	3.8	0.26	3.3	4.4	105	9.7	0.96	7.9	11.8
2017	231	3.8	0.26	3.3	4.3	104	9.7	0.97	7.9	11.8
2018	236	3.9	0.27	3.4	4.5	83	7.6	0.84	6.0	9.4
2019	236	4.0	0.27	3.5	4.5	87	8.0	0.87	6.4	9.9
2020	223	3.7	0.26	3.2	4.3	72	6.0	0.72	4.7	7.6
2021	205	3.5	0.26	3.0	4.0	110	9.6	0.94	7.9	11.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Small Intestine										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	479	1.7	0.09	1.6	1.9	8,874	2.3	0.02	2.2	2.3
1990	6	1.3	0.55	0.5	3.0	134	1.3	0.11	1.1	1.5
1991	2	0.6	0.44	0.1	2.1	143	1.3	0.11	1.1	1.6
1992	4	1.1	0.64	0.2	3.0	152	1.4	0.12	1.2	1.7
1993	7	1.5	0.58	0.6	3.1	175	1.6	0.12	1.4	1.9
1994	7	1.8	0.76	0.6	3.8	165	1.5	0.12	1.3	1.8
1995	6	1.5	0.71	0.4	3.4	159	1.5	0.12	1.2	1.7
1996	4	0.5	0.28	0.1	1.6	180	1.6	0.12	1.4	1.9
1997	3	1.1	0.65	0.2	2.9	182	1.6	0.12	1.4	1.9
1998	12	2.4	0.79	1.1	4.4	204	1.8	0.13	1.6	2.1
1999	8	2.0	0.77	0.8	4.0	204	1.8	0.13	1.6	2.1
2000	3	0.4	0.26	0.1	1.3	209	1.8	0.13	1.6	2.1
2001	6	1.3	0.56	0.4	2.8	231	2.0	0.13	1.8	2.3
2002	10	2.2	0.77	0.9	4.1	259	2.2	0.14	2.0	2.5
2003	9	1.7	0.68	0.6	3.4	202	1.7	0.12	1.5	2.0
2004	12	1.6	0.62	0.7	3.2	237	2.0	0.13	1.8	2.3
2005	7	0.8	0.33	0.3	1.7	274	2.3	0.14	2.0	2.6
2006	14	1.8	0.54	0.9	3.1	248	2.1	0.13	1.8	2.4
2007	13	1.3	0.40	0.7	2.4	294	2.4	0.14	2.1	2.7
2008	14	1.4	0.40	0.7	2.4	298	2.5	0.14	2.2	2.8
2009	18	2.2	0.61	1.2	3.7	331	2.7	0.15	2.4	3.0
2010	20	2.4	0.58	1.4	3.8	327	2.6	0.15	2.3	2.9
2011	14	1.4	0.41	0.7	2.4	345	2.7	0.15	2.4	3.0
2012	20	1.9	0.45	1.1	2.9	372	2.8	0.15	2.5	3.1
2013	22	1.7	0.39	1.0	2.6	362	2.8	0.15	2.5	3.1
2014	14	1.1	0.31	0.5	1.8	366	2.8	0.15	2.5	3.1
2015	25	1.9	0.41	1.2	2.8	402	3.0	0.15	2.7	3.3
2016	30	2.3	0.45	1.5	3.3	383	2.9	0.15	2.6	3.2
2017	29	1.8	0.36	1.2	2.6	386	2.9	0.15	2.6	3.2
2018	34	2.5	0.47	1.7	3.6	431	3.2	0.16	2.9	3.5
2019	28	2.0	0.41	1.3	3.0	393	2.9	0.15	2.6	3.2
2020	36	2.3	0.41	1.6	3.2	380	2.8	0.15	2.5	3.1
2021	42	2.3	0.37	1.6	3.1	446	3.3	0.16	3.0	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Small Intestine										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	6,824	2.1	0.03	2.1	2.2	1,777	3.5	0.08	3.4	3.7
1990	113	1.3	0.12	1.0	1.5	20	1.7	0.38	1.0	2.6
1991	112	1.2	0.11	1.0	1.4	30	2.4	0.45	1.6	3.5
1992	122	1.3	0.12	1.1	1.6	28	2.0	0.38	1.3	2.9
1993	148	1.6	0.13	1.3	1.8	25	1.9	0.39	1.2	2.8
1994	135	1.4	0.12	1.2	1.7	25	1.9	0.40	1.2	2.9
1995	123	1.3	0.12	1.1	1.5	34	2.8	0.48	1.9	3.9
1996	141	1.5	0.12	1.2	1.7	36	2.6	0.45	1.8	3.6
1997	141	1.5	0.12	1.2	1.7	39	2.8	0.46	2.0	3.9
1998	166	1.7	0.14	1.5	2.0	36	2.6	0.44	1.8	3.6
1999	164	1.7	0.13	1.5	2.0	32	2.3	0.41	1.5	3.2
2000	171	1.8	0.14	1.5	2.1	34	2.4	0.43	1.7	3.4
2001	182	1.9	0.14	1.6	2.2	44	3.1	0.47	2.2	4.2
2002	202	2.1	0.15	1.8	2.4	51	3.4	0.49	2.6	4.5
2003	155	1.6	0.13	1.3	1.8	41	2.8	0.44	2.0	3.8
2004	183	1.9	0.14	1.6	2.2	46	3.2	0.48	2.3	4.3
2005	219	2.2	0.15	1.9	2.5	48	3.2	0.47	2.3	4.2
2006	185	1.9	0.14	1.6	2.2	48	3.1	0.46	2.3	4.2
2007	230	2.3	0.15	2.0	2.6	58	3.5	0.47	2.7	4.6
2008	221	2.2	0.15	1.9	2.5	69	4.4	0.54	3.4	5.6
2009	255	2.5	0.16	2.2	2.8	68	4.2	0.52	3.2	5.3
2010	240	2.3	0.15	2.1	2.7	74	4.5	0.53	3.5	5.7
2011	263	2.5	0.16	2.2	2.8	65	3.7	0.46	2.8	4.7
2012	289	2.7	0.16	2.4	3.0	70	4.0	0.49	3.1	5.1
2013	280	2.6	0.16	2.3	2.9	77	4.2	0.49	3.3	5.3
2014	282	2.7	0.16	2.4	3.0	76	4.2	0.50	3.3	5.3
2015	314	2.8	0.17	2.5	3.2	76	4.2	0.49	3.3	5.3
2016	286	2.6	0.16	2.3	3.0	84	4.5	0.50	3.5	5.6
2017	287	2.7	0.16	2.4	3.0	88	4.8	0.52	3.8	5.9
2018	326	2.9	0.17	2.6	3.3	90	4.7	0.51	3.8	5.8
2019	283	2.6	0.16	2.3	2.9	85	4.4	0.48	3.5	5.4
2020	276	2.5	0.16	2.2	2.8	85	4.4	0.49	3.5	5.5
2021	330	3.0	0.17	2.7	3.4	95	4.9	0.52	4.0	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Small Intestine										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	248	1.8	0.14	1.6	2.1	4,635	2.7	0.04	2.6	2.8
1990	5	2.1	0.95	0.6	5.5	69	1.6	0.20	1.2	2.0
1991	1	0.4	0.41	0.0	3.1	71	1.6	0.19	1.2	2.0
1992	2	0.7	0.48	0.1	3.3	74	1.6	0.19	1.2	2.0
1993	3	1.4	0.88	0.2	4.5	96	2.1	0.22	1.7	2.6
1994	4	2.3	1.35	0.5	6.3	77	1.7	0.20	1.4	2.2
1995	1	0.4	0.35	0.0	2.6	91	2.0	0.21	1.6	2.4
1996	2	0.4	0.25	0.0	2.4	91	2.0	0.21	1.6	2.4
1997	0					87	1.8	0.20	1.5	2.3
1998	4	1.3	0.66	0.4	3.7	114	2.3	0.22	1.9	2.8
1999	4	2.9	1.67	0.6	7.4	112	2.3	0.22	1.9	2.7
2000	0					107	2.2	0.22	1.8	2.7
2001	3	0.9	0.54	0.2	2.9	121	2.5	0.23	2.1	3.0
2002	5	2.0	0.90	0.6	4.5	130	2.6	0.23	2.1	3.0
2003	4	0.8	0.44	0.2	2.5	117	2.4	0.22	1.9	2.8
2004	5	1.7	1.10	0.3	4.8	134	2.6	0.23	2.2	3.1
2005	5	1.3	0.65	0.4	3.2	146	2.8	0.23	2.4	3.3
2006	9	2.4	0.95	0.9	4.9	127	2.4	0.22	2.0	2.9
2007	6	1.5	0.68	0.5	3.4	142	2.6	0.22	2.2	3.1
2008	7	1.5	0.67	0.5	3.4	145	2.7	0.23	2.3	3.2
2009	9	2.2	0.90	0.8	4.5	179	3.2	0.25	2.8	3.8
2010	9	1.6	0.57	0.7	3.1	176	3.2	0.25	2.8	3.8
2011	10	2.2	0.82	0.9	4.3	167	2.9	0.23	2.4	3.3
2012	12	2.1	0.67	1.0	3.9	207	3.6	0.26	3.1	4.2
2013	11	1.6	0.50	0.7	2.9	166	2.8	0.22	2.4	3.3
2014	6	0.8	0.36	0.3	1.9	188	3.2	0.24	2.7	3.7
2015	14	2.3	0.70	1.1	4.0	219	3.7	0.25	3.2	4.2
2016	20	2.8	0.72	1.6	4.6	210	3.4	0.24	2.9	3.9
2017	14	2.0	0.59	1.0	3.4	211	3.4	0.24	2.9	3.9
2018	19	3.2	0.83	1.8	5.2	226	3.6	0.25	3.2	4.2
2019	13	2.0	0.63	1.0	3.6	206	3.2	0.23	2.8	3.7
2020	18	2.5	0.67	1.4	4.1	215	3.3	0.23	2.8	3.8
2021	23	2.8	0.66	1.7	4.4	214	3.4	0.24	3.0	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Small Intestine										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,607	2.5	0.04	2.4	2.6	871	4.2	0.15	3.9	4.4
1990	62	1.6	0.21	1.2	2.1	7	1.4	0.55	0.5	2.9
1991	57	1.5	0.20	1.1	1.9	14	3.0	0.86	1.6	5.1
1992	60	1.5	0.20	1.1	2.0	13	2.0	0.56	1.0	3.5
1993	82	2.1	0.23	1.6	2.6	13	2.4	0.67	1.3	4.1
1994	65	1.7	0.21	1.3	2.2	10	1.8	0.60	0.9	3.4
1995	71	1.7	0.21	1.4	2.2	19	4.1	1.01	2.4	6.5
1996	70	1.8	0.21	1.4	2.3	19	3.2	0.74	1.9	5.0
1997	69	1.7	0.21	1.3	2.2	16	2.6	0.67	1.5	4.3
1998	87	2.1	0.23	1.7	2.6	26	4.5	0.91	2.9	6.6
1999	88	2.1	0.22	1.7	2.6	20	3.5	0.83	2.1	5.5
2000	84	2.1	0.23	1.6	2.6	20	3.5	0.79	2.1	5.4
2001	96	2.3	0.24	1.9	2.8	23	4.2	0.92	2.6	6.4
2002	103	2.4	0.24	2.0	2.9	21	3.5	0.81	2.1	5.4
2003	88	2.1	0.22	1.7	2.6	25	4.0	0.83	2.5	5.9
2004	105	2.4	0.24	2.0	2.9	28	5.0	1.00	3.2	7.3
2005	120	2.7	0.25	2.3	3.3	22	3.5	0.79	2.1	5.4
2006	102	2.3	0.23	1.9	2.8	19	3.0	0.73	1.8	4.8
2007	114	2.5	0.24	2.1	3.0	24	3.4	0.71	2.1	5.0
2008	108	2.4	0.23	1.9	2.9	33	5.1	0.91	3.5	7.2
2009	140	3.0	0.26	2.5	3.6	33	5.1	0.92	3.4	7.2
2010	133	3.0	0.26	2.5	3.5	36	5.4	0.94	3.7	7.5
2011	135	2.8	0.25	2.3	3.3	23	2.9	0.65	1.8	4.5
2012	157	3.3	0.27	2.8	3.9	42	6.0	0.97	4.3	8.2
2013	128	2.6	0.23	2.2	3.1	35	4.7	0.83	3.3	6.7
2014	141	2.9	0.25	2.4	3.4	43	5.7	0.90	4.1	7.7
2015	180	3.7	0.28	3.1	4.3	32	4.1	0.76	2.8	5.9
2016	159	3.2	0.26	2.7	3.7	41	5.2	0.85	3.6	7.1
2017	163	3.2	0.26	2.7	3.8	40	5.1	0.83	3.6	7.0
2018	174	3.4	0.27	2.9	4.0	43	5.2	0.83	3.7	7.1
2019	148	2.8	0.24	2.4	3.3	44	5.1	0.80	3.7	6.9
2020	156	2.9	0.24	2.5	3.5	49	5.7	0.84	4.2	7.6
2021	162	3.2	0.26	2.7	3.8	38	4.6	0.77	3.2	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Small Intestine										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	231	1.6	0.11	1.4	1.9	4,239	2.0	0.03	1.9	2.0
1990	1	0.5	0.52	0.0	2.8	65	1.1	0.14	0.9	1.4
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	2	1.3	0.96	0.1	4.3	78	1.3	0.15	1.0	1.6
1993	4	1.6	0.81	0.4	4.2	79	1.3	0.15	1.0	1.6
1994	3	1.4	0.88	0.2	4.1	88	1.4	0.15	1.1	1.7
1995	5	2.3	1.15	0.6	5.5	68	1.1	0.13	0.9	1.4
1996	2	0.7	0.49	0.1	2.6	89	1.4	0.15	1.1	1.7
1997	3	1.8	1.10	0.3	4.9	95	1.5	0.16	1.2	1.8
1998	8	3.2	1.26	1.3	6.5	90	1.4	0.15	1.1	1.7
1999	4	1.5	0.75	0.4	3.7	92	1.4	0.15	1.1	1.7
2000	3	0.8	0.49	0.2	2.5	102	1.6	0.16	1.3	2.0
2001	3	1.5	0.87	0.3	3.9	110	1.7	0.17	1.4	2.1
2002	5	2.1	1.05	0.6	4.9	129	2.0	0.18	1.7	2.4
2003	5	2.2	1.08	0.6	5.1	85	1.3	0.14	1.0	1.6
2004	7	1.7	0.77	0.6	3.8	103	1.5	0.15	1.3	1.9
2005	2	0.4	0.27	0.0	1.5	128	1.9	0.17	1.6	2.2
2006	5	1.3	0.60	0.4	3.0	121	1.9	0.17	1.5	2.2
2007	7	1.3	0.50	0.5	2.7	152	2.3	0.19	1.9	2.6
2008	7	1.3	0.51	0.5	2.7	153	2.3	0.19	2.0	2.7
2009	9	2.2	0.82	0.9	4.3	152	2.2	0.18	1.9	2.6
2010	11	2.9	0.91	1.4	5.1	151	2.1	0.18	1.8	2.5
2011	4	0.7	0.38	0.2	1.8	178	2.6	0.20	2.2	3.0
2012	8	1.6	0.58	0.6	3.1	165	2.2	0.18	1.9	2.6
2013	11	1.8	0.57	0.9	3.2	196	2.7	0.20	2.4	3.2
2014	8	1.3	0.47	0.5	2.5	178	2.6	0.20	2.2	3.0
2015	11	1.5	0.49	0.7	2.8	183	2.5	0.19	2.1	2.9
2016	10	1.7	0.56	0.8	3.1	173	2.4	0.19	2.1	2.8
2017	15	1.7	0.45	0.9	2.8	175	2.5	0.20	2.1	2.9
2018	15	1.9	0.52	1.1	3.2	205	2.8	0.20	2.4	3.2
2019	15	2.1	0.56	1.1	3.5	187	2.6	0.19	2.2	3.0
2020	18	2.2	0.54	1.3	3.5	165	2.3	0.19	2.0	2.7
2021	19	1.9	0.44	1.1	3.0	232	3.2	0.22	2.8	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Small Intestine										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,217	1.8	0.03	1.7	1.9	906	3.1	0.10	2.9	3.3
1990	51	1.0	0.14	0.7	1.3	13	1.9	0.53	1.0	3.3
1991	55	1.0	0.14	0.8	1.3	16	2.2	0.54	1.2	3.5
1992	62	1.2	0.16	0.9	1.6	15	2.0	0.51	1.1	3.2
1993	66	1.2	0.15	0.9	1.5	12	1.6	0.47	0.8	2.8
1994	70	1.2	0.15	1.0	1.6	15	2.0	0.52	1.1	3.3
1995	52	1.0	0.14	0.7	1.3	15	2.0	0.53	1.1	3.3
1996	71	1.3	0.15	1.0	1.6	17	2.1	0.53	1.2	3.4
1997	72	1.3	0.16	1.0	1.6	23	2.9	0.61	1.8	4.4
1998	79	1.4	0.16	1.1	1.8	10	1.2	0.39	0.6	2.3
1999	76	1.4	0.16	1.1	1.7	12	1.5	0.42	0.8	2.5
2000	87	1.6	0.18	1.3	2.0	14	1.7	0.46	0.9	2.8
2001	86	1.6	0.17	1.3	2.0	21	2.4	0.54	1.5	3.7
2002	99	1.8	0.19	1.5	2.2	30	3.5	0.64	2.3	5.0
2003	67	1.2	0.15	0.9	1.5	16	1.9	0.48	1.1	3.1
2004	78	1.4	0.16	1.1	1.8	18	2.0	0.48	1.2	3.2
2005	99	1.8	0.18	1.4	2.1	26	2.9	0.57	1.9	4.3
2006	83	1.5	0.17	1.2	1.9	29	3.2	0.61	2.2	4.7
2007	116	2.1	0.20	1.7	2.5	34	3.6	0.62	2.5	5.0
2008	113	2.1	0.20	1.7	2.5	36	3.9	0.66	2.7	5.4
2009	115	2.0	0.19	1.7	2.4	35	3.6	0.62	2.5	5.0
2010	107	1.8	0.18	1.5	2.2	38	3.9	0.64	2.7	5.4
2011	128	2.3	0.21	1.9	2.7	42	4.1	0.65	3.0	5.6
2012	132	2.2	0.20	1.8	2.6	28	2.6	0.50	1.7	3.8
2013	152	2.6	0.22	2.2	3.1	42	3.9	0.61	2.8	5.3
2014	141	2.6	0.22	2.1	3.0	33	3.2	0.57	2.2	4.5
2015	134	2.2	0.19	1.8	2.6	44	4.2	0.65	3.1	5.7
2016	127	2.2	0.20	1.8	2.6	43	4.1	0.63	2.9	5.5
2017	124	2.2	0.21	1.8	2.7	48	4.6	0.67	3.3	6.1
2018	152	2.6	0.22	2.2	3.1	47	4.2	0.63	3.1	5.7
2019	135	2.3	0.21	1.9	2.8	41	3.7	0.59	2.7	5.1
2020	120	2.1	0.20	1.7	2.6	36	3.4	0.59	2.4	4.8
2021	168	3.0	0.24	2.5	3.5	57	5.2	0.71	3.9	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon and Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,332	35.6	0.41	34.8	36.4	202,699	51.7	0.12	51.5	51.9
1990	129	38.5	3.84	31.3	46.6	6,506	61.7	0.77	60.2	63.3
1991	93	29.4	3.50	22.9	36.9	6,479	60.7	0.76	59.3	62.3
1992	113	33.2	3.50	26.6	40.6	6,455	59.7	0.75	58.2	61.2
1993	144	41.9	3.93	34.6	50.2	6,450	59.0	0.74	57.6	60.5
1994	147	37.7	3.58	31.0	45.3	6,684	60.6	0.74	59.2	62.1
1995	167	48.3	4.26	40.3	57.2	6,543	59.1	0.73	57.7	60.5
1996	154	38.1	3.50	31.5	45.4	6,650	59.7	0.73	58.2	61.1
1997	185	45.3	3.75	38.2	53.1	6,866	61.2	0.74	59.7	62.6
1998	186	45.4	3.83	38.2	53.4	7,188	63.4	0.75	62.0	64.9
1999	192	40.8	3.43	34.4	48.0	6,994	61.3	0.73	59.8	62.7
2000	202	39.9	3.24	33.8	46.6	7,128	62.1	0.74	60.6	63.5
2001	219	41.5	3.22	35.4	48.2	6,862	59.3	0.72	57.9	60.8
2002	245	43.2	3.15	37.3	49.7	7,034	60.5	0.72	59.1	61.9
2003	244	39.2	2.88	33.7	45.1	6,848	58.3	0.71	57.0	59.7
2004	278	44.8	3.10	39.0	51.2	6,919	58.5	0.71	57.2	60.0
2005	283	41.5	2.79	36.2	47.3	6,696	56.1	0.69	54.8	57.5
2006	296	41.3	2.74	36.2	47.0	6,749	56.1	0.69	54.8	57.5
2007	302	39.3	2.57	34.4	44.6	6,529	53.7	0.67	52.4	55.0
2008	290	34.0	2.24	29.7	38.6	6,428	52.0	0.66	50.8	53.3
2009	300	34.2	2.20	30.0	38.7	6,002	48.1	0.63	46.9	49.4
2010	315	32.6	2.06	28.7	36.8	6,049	47.8	0.62	46.6	49.0
2011	343	34.2	2.05	30.3	38.4	6,105	47.7	0.62	46.5	48.9
2012	347	33.2	1.97	29.4	37.2	5,838	44.9	0.60	43.7	46.1
2013	337	31.5	1.89	27.9	35.3	5,894	44.7	0.59	43.5	45.8
2014	408	35.0	1.90	31.4	38.9	5,812	43.5	0.58	42.4	44.7
2015	425	33.5	1.78	30.1	37.2	5,863	43.8	0.59	42.7	45.0
2016	470	34.5	1.73	31.2	38.0	6,007	44.6	0.59	43.5	45.8
2017	486	34.3	1.69	31.1	37.8	5,667	41.7	0.57	40.5	42.8
2018	514	35.2	1.68	32.0	38.6	5,730	42.0	0.57	40.9	43.1
2019	500	32.8	1.57	29.8	36.0	5,524	40.1	0.56	39.0	41.2
2020	452	28.9	1.46	26.1	31.9	4,888	35.5	0.52	34.5	36.5
2021	566	34.8	1.56	31.8	38.0	5,312	38.8	0.55	37.7	39.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon and Rectum										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	168,264	51.0	0.13	50.8	51.3	28,963	59.1	0.35	58.4	59.8
1990	5,752	61.6	0.82	60.0	63.2	699	64.2	2.50	59.4	69.3
1991	5,736	60.9	0.81	59.3	62.5	673	59.8	2.38	55.3	64.7
1992	5,745	60.3	0.80	58.7	61.9	638	54.7	2.22	50.4	59.2
1993	5,641	58.7	0.79	57.1	60.2	734	63.4	2.40	58.8	68.3
1994	5,852	60.5	0.79	58.9	62.1	753	63.4	2.37	58.8	68.2
1995	5,640	58.3	0.78	56.8	59.8	802	65.9	2.38	61.3	70.7
1996	5,742	59.1	0.78	57.6	60.6	796	64.4	2.33	59.9	69.1
1997	5,895	60.4	0.79	58.9	62.0	868	69.6	2.42	64.9	74.5
1998	6,138	62.5	0.80	60.9	64.1	935	73.3	2.44	68.6	78.2
1999	6,006	60.9	0.79	59.3	62.4	858	64.5	2.24	60.2	69.0
2000	6,073	61.4	0.79	59.9	63.0	912	67.3	2.27	62.9	71.9
2001	5,792	58.3	0.77	56.8	59.9	935	68.4	2.28	64.0	73.0
2002	5,887	59.2	0.77	57.7	60.8	993	71.5	2.31	67.1	76.2
2003	5,658	56.6	0.76	55.1	58.1	1,031	72.7	2.31	68.2	77.4
2004	5,764	57.5	0.76	56.0	59.0	1,014	69.2	2.22	64.9	73.7
2005	5,530	54.8	0.74	53.3	56.3	981	66.4	2.16	62.2	70.7
2006	5,525	54.5	0.74	53.0	55.9	1,030	68.0	2.16	63.8	72.4
2007	5,352	52.3	0.72	50.9	53.8	987	63.7	2.07	59.7	67.8
2008	5,222	50.6	0.71	49.2	52.0	1,005	63.7	2.05	59.7	67.8
2009	4,877	46.9	0.68	45.5	48.2	952	58.8	1.95	55.1	62.8
2010	4,859	46.3	0.68	44.9	47.6	994	60.8	1.98	57.0	64.8
2011	4,872	46.1	0.67	44.8	47.4	1,046	61.1	1.94	57.4	65.1
2012	4,666	43.5	0.65	42.2	44.7	939	54.8	1.83	51.3	58.6
2013	4,690	43.4	0.65	42.1	44.7	990	55.6	1.81	52.1	59.3
2014	4,612	42.2	0.64	41.0	43.5	971	53.9	1.77	50.5	57.5
2015	4,690	43.2	0.65	41.9	44.5	934	50.4	1.69	47.2	53.8
2016	4,751	43.7	0.65	42.4	45.0	999	53.4	1.73	50.1	56.9
2017	4,507	41.3	0.64	40.1	42.6	912	47.8	1.62	44.7	51.1
2018	4,495	41.0	0.64	39.8	42.3	977	51.0	1.67	47.8	54.4
2019	4,334	39.4	0.62	38.2	40.7	919	47.1	1.59	44.0	50.3
2020	3,877	35.3	0.59	34.1	36.4	772	39.4	1.45	36.6	42.4
2021	4,084	37.4	0.61	36.2	38.6	914	46.9	1.59	43.8	50.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon and Rectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	5,151	41.7	0.67	40.4	43.1	102,625	61.1	0.19	60.7	61.4
1990	69	45.2	6.47	33.5	59.4	3,196	75.2	1.38	72.5	78.0
1991	52	35.4	6.01	24.6	48.7	3,229	75.1	1.36	72.4	77.8
1992	66	41.4	6.18	30.2	55.0	3,277	75.2	1.35	72.6	77.9
1993	71	43.2	6.25	31.8	56.8	3,170	71.8	1.31	69.2	74.4
1994	79	41.1	5.64	30.8	53.4	3,175	71.2	1.29	68.7	73.8
1995	86	57.3	7.58	43.4	73.6	3,175	70.8	1.28	68.4	73.4
1996	77	40.8	5.64	30.5	53.1	3,212	71.0	1.28	68.5	73.6
1997	106	55.2	6.29	43.6	68.6	3,373	73.8	1.29	71.3	76.4
1998	99	56.5	6.94	43.8	71.3	3,518	76.0	1.30	73.4	78.5
1999	116	53.0	6.17	41.6	66.1	3,490	74.6	1.28	72.1	77.2
2000	102	42.3	5.02	33.0	53.0	3,591	75.7	1.28	73.2	78.2
2001	113	47.9	5.34	38.0	59.2	3,417	71.8	1.24	69.4	74.3
2002	155	61.0	5.92	49.9	73.4	3,520	72.7	1.24	70.3	75.2
2003	148	48.5	4.82	39.5	58.6	3,486	71.1	1.22	68.7	73.5
2004	161	57.8	5.62	47.4	69.6	3,457	69.4	1.19	67.1	71.8
2005	147	46.1	4.50	37.7	55.6	3,363	66.5	1.16	64.3	68.8
2006	155	46.0	4.31	37.9	55.1	3,380	65.9	1.15	63.7	68.2
2007	170	46.3	4.25	38.4	55.3	3,298	63.3	1.12	61.2	65.6
2008	158	41.9	3.93	34.5	50.1	3,263	61.3	1.09	59.2	63.5
2009	157	40.5	3.74	33.5	48.4	3,056	56.4	1.04	54.4	58.5
2010	184	38.7	3.30	32.5	45.6	3,145	57.2	1.04	55.1	59.2
2011	191	40.1	3.38	33.7	47.2	3,134	55.7	1.02	53.7	57.8
2012	194	40.6	3.34	34.3	47.5	3,051	53.3	0.99	51.4	55.3
2013	179	35.0	2.98	29.4	41.2	3,067	52.5	0.97	50.6	54.4
2014	218	40.4	3.12	34.5	46.8	3,048	51.2	0.95	49.3	53.1
2015	243	40.8	2.98	35.2	47.0	3,110	51.7	0.95	49.9	53.7
2016	242	36.5	2.64	31.5	42.0	3,108	50.9	0.94	49.1	52.8
2017	286	41.8	2.78	36.5	47.5	2,960	48.2	0.91	46.5	50.1
2018	283	39.2	2.63	34.2	44.7	2,957	47.7	0.90	45.9	49.5
2019	288	38.7	2.53	33.9	43.9	2,912	46.4	0.89	44.6	48.1
2020	265	35.1	2.41	30.6	40.1	2,632	41.8	0.84	40.2	43.5
2021	291	37.0	2.41	32.4	42.0	2,855	45.4	0.88	43.7	47.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon and Rectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	85,609	60.3	0.21	59.9	60.7	14,011	70.2	0.62	69.0	71.5
1990	2,832	75.2	1.46	72.4	78.1	329	76.6	4.52	68.0	85.9
1991	2,886	76.1	1.46	73.2	79.0	312	68.9	4.16	60.9	77.4
1992	2,924	76.2	1.45	73.4	79.1	312	68.6	4.15	60.7	77.1
1993	2,774	71.4	1.39	68.7	74.2	356	77.0	4.38	68.7	86.0
1994	2,799	71.5	1.38	68.8	74.2	338	73.4	4.28	65.3	82.2
1995	2,737	69.9	1.36	67.3	72.7	385	80.4	4.36	72.1	89.3
1996	2,788	70.9	1.36	68.2	73.6	359	70.3	3.93	62.8	78.4
1997	2,910	73.2	1.37	70.6	76.0	402	78.9	4.18	70.9	87.4
1998	3,026	75.3	1.38	72.6	78.0	438	85.3	4.32	77.0	94.1
1999	3,016	74.6	1.37	71.9	77.3	401	76.6	4.05	68.9	84.9
2000	3,072	75.2	1.37	72.5	77.9	443	82.0	4.11	74.1	90.4
2001	2,916	71.4	1.33	68.8	74.0	424	76.7	3.93	69.2	84.7
2002	2,977	71.8	1.33	69.2	74.5	465	84.6	4.16	76.7	93.1
2003	2,911	69.5	1.30	67.0	72.1	493	85.8	4.08	78.0	94.1
2004	2,892	68.3	1.28	65.9	70.9	487	81.6	3.89	74.1	89.6
2005	2,790	65.0	1.24	62.6	67.5	468	79.6	3.89	72.2	87.6
2006	2,782	64.1	1.23	61.7	66.6	499	81.3	3.83	74.0	89.1
2007	2,716	61.8	1.20	59.5	64.2	474	75.4	3.65	68.4	82.9
2008	2,639	59.0	1.16	56.8	61.4	501	78.3	3.70	71.2	85.8
2009	2,469	54.4	1.11	52.3	56.6	498	75.8	3.59	69.0	83.2
2010	2,557	55.5	1.12	53.3	57.7	487	73.0	3.49	66.4	80.2
2011	2,533	54.2	1.10	52.1	56.4	505	70.6	3.30	64.2	77.3
2012	2,464	51.7	1.07	49.7	53.9	453	65.0	3.21	58.8	71.6
2013	2,450	50.8	1.05	48.8	52.9	496	67.6	3.20	61.5	74.2
2014	2,430	49.5	1.03	47.5	51.6	498	67.0	3.16	60.9	73.4
2015	2,508	50.9	1.05	48.9	53.0	461	61.2	3.01	55.5	67.4
2016	2,484	49.7	1.03	47.7	51.8	485	62.9	3.00	57.2	69.0
2017	2,377	47.7	1.01	45.8	49.8	444	57.4	2.85	51.9	63.2
2018	2,338	46.6	1.00	44.6	48.6	464	57.9	2.80	52.6	63.7
2019	2,302	45.4	0.98	43.5	47.4	462	56.7	2.75	51.4	62.3
2020	2,103	41.3	0.93	39.5	43.2	406	49.7	2.57	44.8	55.0
2021	2,207	43.6	0.96	41.7	45.5	466	57.0	2.76	51.8	62.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon and Rectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,181	30.6	0.51	29.6	31.6	100,074	44.6	0.14	44.3	44.9
1990	60	33.2	4.70	24.7	43.5	3,310	52.7	0.93	50.9	54.6
1991	41	24.4	4.20	16.8	33.7	3,250	51.3	0.91	49.5	53.1
1992	47	26.3	4.12	18.9	35.4	3,178	49.4	0.89	47.6	51.1
1993	73	40.6	5.08	31.3	51.6	3,280	50.3	0.89	48.6	52.1
1994	68	34.4	4.58	26.0	44.3	3,509	53.4	0.91	51.7	55.3
1995	81	42.4	5.13	33.0	53.4	3,368	51.2	0.89	49.5	53.0
1996	77	35.8	4.46	27.6	45.4	3,438	51.7	0.89	50.0	53.5
1997	79	36.8	4.52	28.5	46.5	3,493	52.3	0.89	50.6	54.1
1998	87	37.9	4.48	29.6	47.4	3,670	54.8	0.91	53.0	56.6
1999	76	31.2	3.96	23.9	39.7	3,504	52.0	0.89	50.3	53.8
2000	100	37.6	4.21	29.8	46.6	3,537	52.1	0.89	50.4	53.9
2001	106	36.6	3.96	29.2	45.0	3,445	50.6	0.87	48.9	52.3
2002	90	29.3	3.39	23.0	36.5	3,514	51.5	0.88	49.8	53.3
2003	96	31.0	3.50	24.5	38.5	3,362	49.2	0.86	47.5	50.9
2004	117	35.1	3.59	28.4	42.7	3,462	50.2	0.87	48.6	52.0
2005	136	37.8	3.56	31.2	45.3	3,333	48.2	0.85	46.6	49.9
2006	141	37.1	3.47	30.6	44.4	3,369	48.8	0.85	47.1	50.5
2007	132	33.4	3.18	27.4	40.1	3,231	46.3	0.83	44.7	48.0
2008	132	28.1	2.65	23.2	33.7	3,165	45.0	0.82	43.5	46.7
2009	143	29.5	2.67	24.5	35.1	2,946	41.8	0.78	40.2	43.3
2010	131	26.8	2.55	22.1	32.2	2,904	40.5	0.77	39.0	42.0
2011	152	29.3	2.55	24.5	34.7	2,971	41.1	0.77	39.6	42.6
2012	153	27.2	2.36	22.8	32.2	2,787	38.2	0.74	36.7	39.6
2013	158	28.5	2.44	23.9	33.6	2,827	38.5	0.74	37.1	40.0
2014	190	30.8	2.39	26.3	35.8	2,764	37.4	0.73	36.0	38.9
2015	182	27.5	2.16	23.4	32.0	2,753	37.3	0.74	35.9	38.8
2016	228	33.0	2.32	28.6	37.8	2,899	39.6	0.76	38.1	41.1
2017	200	27.7	2.08	23.8	32.0	2,707	36.3	0.73	34.9	37.7
2018	231	31.4	2.18	27.3	35.9	2,773	37.0	0.73	35.6	38.5
2019	212	27.6	1.98	23.9	31.8	2,612	34.9	0.71	33.5	36.3
2020	187	23.5	1.79	20.1	27.2	2,256	29.9	0.66	28.7	31.3
2021	275	33.2	2.08	29.2	37.5	2,457	33.1	0.70	31.8	34.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon and Rectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	82,655	43.8	0.16	43.5	44.1	14,952	51.7	0.43	50.9	52.6
1990	2,920	52.4	0.99	50.4	54.3	370	56.5	2.99	50.8	62.7
1991	2,850	50.7	0.97	48.8	52.7	361	53.9	2.88	48.4	59.8
1992	2,821	49.5	0.95	47.6	51.4	326	46.6	2.61	41.6	52.0
1993	2,867	49.9	0.95	48.1	51.8	378	54.6	2.84	49.2	60.5
1994	3,053	52.8	0.97	50.9	54.7	415	58.1	2.88	52.6	64.0
1995	2,903	50.3	0.95	48.5	52.2	417	57.0	2.82	51.6	62.7
1996	2,954	50.8	0.95	49.0	52.7	437	59.6	2.88	54.1	65.5
1997	2,985	51.4	0.96	49.5	53.3	466	62.6	2.93	57.0	68.6
1998	3,112	53.6	0.98	51.7	55.5	497	65.2	2.95	59.6	71.2
1999	2,990	51.2	0.95	49.3	53.1	457	57.3	2.70	52.1	62.8
2000	3,001	51.2	0.95	49.3	53.1	469	57.9	2.69	52.8	63.5
2001	2,876	49.1	0.93	47.3	51.0	511	62.6	2.79	57.3	68.3
2002	2,910	49.7	0.94	47.9	51.6	528	63.4	2.78	58.1	69.1
2003	2,747	47.1	0.92	45.3	48.9	538	63.8	2.77	58.5	69.5
2004	2,872	49.0	0.93	47.2	50.9	527	60.8	2.67	55.6	66.2
2005	2,740	46.7	0.91	45.0	48.6	513	58.2	2.59	53.3	63.5
2006	2,743	47.1	0.92	45.3	49.0	531	59.2	2.59	54.2	64.5
2007	2,636	45.0	0.90	43.2	46.8	513	56.1	2.50	51.3	61.2
2008	2,583	44.0	0.89	42.3	45.8	504	54.2	2.44	49.5	59.2
2009	2,408	41.0	0.86	39.3	42.7	454	47.8	2.27	43.5	52.5
2010	2,302	38.9	0.84	37.3	40.6	507	52.3	2.35	47.8	57.1
2011	2,339	39.2	0.84	37.6	40.9	541	54.1	2.36	49.6	58.9
2012	2,202	36.7	0.81	35.1	38.3	486	48.2	2.22	43.9	52.7
2013	2,240	37.4	0.82	35.8	39.1	494	47.7	2.18	43.5	52.1
2014	2,182	36.2	0.81	34.7	37.8	473	45.3	2.12	41.3	49.7
2015	2,182	36.6	0.82	35.0	38.2	473	43.9	2.06	40.0	48.2
2016	2,267	38.7	0.85	37.0	40.4	514	47.3	2.13	43.3	51.7
2017	2,130	35.8	0.82	34.3	37.5	468	42.0	1.98	38.2	46.1
2018	2,157	36.1	0.82	34.6	37.8	513	46.0	2.08	42.1	50.3
2019	2,032	34.4	0.81	32.8	36.0	457	40.4	1.93	36.7	44.4
2020	1,774	29.7	0.75	28.3	31.2	366	32.1	1.72	28.8	35.7
2021	1,877	31.9	0.78	30.3	33.4	448	40.0	1.94	36.3	44.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon excluding Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	6,033	24.0	0.34	23.3	24.7	146,996	37.5	0.10	37.3	37.7
1990	82	24.7	3.08	19.1	31.4	4,778	45.4	0.66	44.1	46.7
1991	61	20.5	2.97	15.1	26.9	4,660	43.8	0.65	42.5	45.0
1992	78	23.8	3.03	18.2	30.3	4,676	43.2	0.64	42.0	44.5
1993	95	28.0	3.24	22.0	34.9	4,716	43.1	0.63	41.9	44.4
1994	100	26.8	3.08	21.1	33.4	5,012	45.5	0.64	44.2	46.8
1995	117	34.7	3.63	28.0	42.4	4,762	43.0	0.62	41.8	44.2
1996	99	25.0	2.85	19.7	31.0	4,902	43.9	0.63	42.7	45.2
1997	129	32.1	3.19	26.2	38.8	5,007	44.5	0.63	43.3	45.8
1998	119	30.6	3.21	24.6	37.3	5,305	46.7	0.64	45.5	48.0
1999	130	27.8	2.80	22.6	33.7	5,144	45.0	0.63	43.7	46.2
2000	142	28.4	2.78	23.2	34.3	5,278	45.8	0.63	44.6	47.1
2001	149	29.5	2.74	24.3	35.2	5,091	43.9	0.62	42.7	45.2
2002	152	27.6	2.53	22.8	32.9	5,108	43.8	0.61	42.6	45.0
2003	162	26.0	2.37	21.5	30.9	5,072	43.1	0.61	42.0	44.4
2004	189	32.3	2.69	27.2	37.9	5,046	42.6	0.60	41.5	43.8
2005	186	29.4	2.41	24.8	34.4	4,844	40.6	0.59	39.4	41.7
2006	211	29.9	2.33	25.5	34.7	4,898	40.8	0.59	39.6	41.9
2007	205	28.7	2.26	24.4	33.4	4,784	39.3	0.57	38.2	40.4
2008	178	21.2	1.77	17.9	24.9	4,598	37.3	0.56	36.2	38.4
2009	192	23.5	1.88	20.0	27.4	4,348	34.9	0.54	33.9	36.0
2010	201	22.2	1.75	18.9	25.8	4,298	34.1	0.53	33.0	35.1
2011	232	23.0	1.68	19.9	26.5	4,396	34.5	0.53	33.4	35.5
2012	228	23.0	1.67	19.8	26.5	4,171	32.1	0.51	31.2	33.2
2013	204	20.1	1.55	17.2	23.4	4,217	31.9	0.50	31.0	32.9
2014	266	24.1	1.62	21.0	27.5	4,148	31.1	0.49	30.1	32.0
2015	276	22.6	1.49	19.8	25.7	4,189	31.2	0.49	30.3	32.2
2016	299	23.1	1.45	20.4	26.1	4,300	31.9	0.50	30.9	32.9
2017	293	21.5	1.36	18.9	24.3	4,026	29.5	0.48	28.6	30.5
2018	304	21.3	1.32	18.7	24.0	4,073	29.7	0.48	28.8	30.7
2019	305	20.9	1.28	18.4	23.5	3,901	28.1	0.46	27.2	29.0
2020	293	19.3	1.21	17.0	21.8	3,457	24.9	0.44	24.0	25.7
2021	356	22.8	1.29	20.3	25.5	3,791	27.3	0.46	26.5	28.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon excluding Rectum										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	121,550	36.7	0.11	36.5	36.9	22,053	45.4	0.31	44.8	46.0
1990	4,190	44.9	0.70	43.5	46.3	551	50.7	2.23	46.5	55.3
1991	4,126	43.8	0.69	42.4	45.1	497	44.4	2.05	40.5	48.6
1992	4,132	43.3	0.68	42.0	44.6	496	42.6	1.97	38.9	46.6
1993	4,119	42.7	0.67	41.4	44.1	554	47.8	2.08	43.8	52.0
1994	4,361	45.0	0.68	43.7	46.4	596	50.8	2.13	46.7	55.1
1995	4,056	41.8	0.66	40.5	43.1	641	53.2	2.15	49.0	57.5
1996	4,202	43.1	0.67	41.8	44.4	628	51.1	2.09	47.1	55.3
1997	4,281	43.7	0.67	42.4	45.0	661	53.3	2.12	49.2	57.6
1998	4,472	45.3	0.68	44.0	46.6	755	59.7	2.22	55.5	64.2
1999	4,373	44.1	0.67	42.8	45.4	678	51.4	2.01	47.5	55.5
2000	4,464	44.9	0.67	43.6	46.2	721	53.8	2.04	49.9	58.0
2001	4,263	42.7	0.66	41.4	44.0	736	54.3	2.04	50.4	58.5
2002	4,233	42.3	0.65	41.1	43.6	776	56.2	2.06	52.2	60.4
2003	4,169	41.5	0.64	40.2	42.7	803	57.2	2.06	53.3	61.4
2004	4,196	41.6	0.65	40.4	42.9	768	53.1	1.95	49.3	57.1
2005	3,989	39.3	0.63	38.1	40.6	746	51.2	1.91	47.5	55.1
2006	3,993	39.2	0.63	38.0	40.5	790	52.7	1.91	49.0	56.6
2007	3,922	38.1	0.62	36.9	39.4	752	49.2	1.83	45.6	52.9
2008	3,715	35.9	0.60	34.7	37.1	761	48.8	1.81	45.4	52.5
2009	3,524	33.8	0.58	32.7	34.9	715	45.0	1.72	41.7	48.4
2010	3,420	32.5	0.57	31.4	33.7	761	47.1	1.75	43.8	50.7
2011	3,513	33.2	0.57	32.1	34.3	772	45.9	1.69	42.6	49.3
2012	3,328	30.9	0.55	29.8	32.0	695	41.4	1.61	38.3	44.7
2013	3,349	30.8	0.55	29.8	31.9	735	42.0	1.59	38.9	45.2
2014	3,265	29.8	0.53	28.8	30.9	740	41.4	1.56	38.4	44.5
2015	3,350	30.7	0.55	29.6	31.8	696	37.8	1.47	35.0	40.8
2016	3,423	31.4	0.55	30.3	32.5	723	39.1	1.49	36.2	42.1
2017	3,231	29.4	0.54	28.4	30.5	651	34.5	1.38	31.8	37.3
2018	3,167	28.7	0.53	27.7	29.8	735	38.6	1.46	35.8	41.5
2019	3,054	27.5	0.52	26.5	28.5	685	35.3	1.38	32.7	38.1
2020	2,743	24.6	0.49	23.7	25.6	559	28.6	1.24	26.2	31.1
2021	2,927	26.4	0.51	25.4	27.4	676	34.7	1.37	32.0	37.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon excluding Rectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,169	27.0	0.55	25.9	28.1	70,868	42.6	0.16	42.3	42.9
1990	43	30.1	5.47	20.4	42.4	2,253	53.3	1.16	51.1	55.7
1991	34	23.1	4.77	14.7	33.9	2,240	52.5	1.15	50.3	54.8
1992	49	32.4	5.68	22.2	45.0	2,294	53.2	1.14	51.0	55.5
1993	45	29.8	5.48	20.0	42.0	2,209	50.4	1.10	48.2	52.6
1994	49	26.3	4.55	18.1	36.4	2,283	51.9	1.11	49.7	54.1
1995	61	41.1	6.42	29.5	55.1	2,209	49.7	1.08	47.6	51.8
1996	44	23.6	4.23	16.0	33.1	2,246	50.2	1.08	48.1	52.4
1997	70	36.0	4.99	26.8	46.8	2,327	51.4	1.08	49.3	53.5
1998	58	36.1	5.73	25.8	48.6	2,462	53.5	1.09	51.4	55.7
1999	74	34.6	4.96	25.6	45.4	2,426	52.3	1.08	50.2	54.5
2000	69	28.9	4.23	21.2	38.1	2,517	53.6	1.08	51.5	55.8
2001	74	32.9	4.50	24.7	42.6	2,409	51.2	1.05	49.1	53.3
2002	85	35.1	4.54	26.7	44.8	2,434	50.8	1.04	48.8	52.9
2003	102	33.0	4.00	25.7	41.6	2,486	51.1	1.04	49.1	53.2
2004	99	38.2	4.68	29.6	48.2	2,385	48.5	1.00	46.5	50.5
2005	92	30.8	3.72	24.0	38.8	2,313	46.2	0.97	44.3	48.2
2006	106	33.2	3.69	26.4	41.1	2,348	46.4	0.97	44.6	48.4
2007	109	32.0	3.67	25.3	39.8	2,307	44.7	0.94	42.9	46.6
2008	90	23.7	2.96	18.3	30.1	2,207	42.0	0.91	40.2	43.8
2009	90	26.2	3.14	20.4	32.9	2,090	39.2	0.87	37.5	40.9
2010	113	24.8	2.70	19.8	30.6	2,126	39.3	0.87	37.6	41.0
2011	124	25.3	2.65	20.4	30.9	2,135	38.5	0.85	36.9	40.3
2012	125	27.2	2.78	22.0	33.1	2,056	36.6	0.82	35.0	38.2
2013	102	21.5	2.44	17.0	26.8	2,092	36.2	0.81	34.6	37.8
2014	133	27.8	2.74	22.7	33.5	2,097	35.6	0.80	34.0	37.2
2015	146	24.8	2.34	20.4	29.7	2,099	35.3	0.79	33.8	36.9
2016	151	24.1	2.22	20.0	28.8	2,136	35.4	0.79	33.8	36.9
2017	161	25.1	2.21	20.9	29.7	1,988	32.8	0.76	31.3	34.3
2018	157	22.4	2.01	18.7	26.7	2,002	32.5	0.75	31.0	34.0
2019	173	24.5	2.07	20.7	28.9	1,971	31.6	0.73	30.2	33.1
2020	162	23.3	2.05	19.5	27.6	1,752	27.9	0.69	26.5	29.2
2021	179	24.2	2.01	20.4	28.4	1,969	31.4	0.73	30.0	32.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon excluding Rectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	58,764	41.8	0.17	41.4	42.1	10,321	52.6	0.54	51.5	53.7
1990	1,977	52.8	1.22	50.4	55.2	251	59.0	3.98	51.5	67.2
1991	1,999	53.1	1.22	50.7	55.6	226	49.6	3.52	43.0	56.9
1992	2,026	53.4	1.22	51.0	55.8	241	53.3	3.67	46.3	60.9
1993	1,928	50.0	1.17	47.7	52.3	260	56.5	3.75	49.4	64.3
1994	1,999	51.6	1.18	49.3	54.0	258	57.4	3.84	50.1	65.3
1995	1,870	48.1	1.13	45.9	50.4	303	63.7	3.89	56.3	71.7
1996	1,926	49.4	1.14	47.2	51.7	282	56.3	3.56	49.5	63.6
1997	1,988	50.4	1.15	48.2	52.7	303	59.7	3.64	52.8	67.3
1998	2,081	52.1	1.15	49.8	54.4	348	68.2	3.88	60.9	76.2
1999	2,081	51.8	1.14	49.5	54.1	298	57.7	3.54	51.0	65.0
2000	2,136	52.7	1.15	50.4	55.0	334	63.3	3.66	56.3	70.8
2001	2,031	50.2	1.12	48.0	52.4	328	60.2	3.51	53.5	67.4
2002	2,029	49.4	1.10	47.2	51.6	358	65.7	3.67	58.7	73.2
2003	2,063	49.6	1.10	47.5	51.8	373	66.7	3.65	59.7	74.2
2004	2,004	47.8	1.08	45.7	50.0	341	57.9	3.30	51.6	64.7
2005	1,922	45.1	1.04	43.1	47.2	337	59.1	3.41	52.6	66.1
2006	1,922	44.8	1.03	42.8	46.9	368	61.0	3.35	54.6	67.9
2007	1,886	43.3	1.01	41.3	45.3	362	58.7	3.25	52.5	65.4
2008	1,763	39.8	0.96	38.0	41.7	375	59.5	3.25	53.3	66.2
2009	1,682	37.5	0.93	35.7	39.3	349	54.9	3.10	49.0	61.3
2010	1,701	37.5	0.92	35.7	39.3	362	55.1	3.06	49.2	61.3
2011	1,728	37.4	0.92	35.6	39.3	356	51.1	2.84	45.6	56.9
2012	1,654	35.2	0.88	33.5	37.0	319	47.5	2.79	42.2	53.3
2013	1,660	34.7	0.87	33.0	36.5	358	50.1	2.79	44.7	55.8
2014	1,654	34.0	0.86	32.3	35.7	373	51.1	2.79	45.8	56.8
2015	1,688	34.5	0.86	32.9	36.3	328	44.1	2.56	39.2	49.4
2016	1,707	34.5	0.86	32.8	36.2	343	45.3	2.57	40.4	50.6
2017	1,616	32.7	0.84	31.1	34.4	294	38.9	2.38	34.4	43.9
2018	1,563	31.3	0.82	29.7	33.0	342	43.2	2.43	38.6	48.2
2019	1,549	30.7	0.81	29.1	32.3	336	42.0	2.39	37.4	46.9
2020	1,402	27.5	0.76	26.0	29.0	275	33.8	2.12	29.8	38.2
2021	1,529	30.3	0.80	28.7	31.9	340	42.1	2.38	37.6	47.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon excluding Rectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,864	21.6	0.43	20.7	22.4	76,128	33.6	0.12	33.4	33.9
1990	39	21.0	3.66	14.5	29.2	2,525	40.1	0.81	38.5	41.7
1991	27	17.8	3.72	11.3	26.3	2,420	38.1	0.78	36.5	39.6
1992	29	17.0	3.35	11.0	24.6	2,382	36.8	0.76	35.3	38.4
1993	50	27.0	4.09	19.6	36.0	2,507	38.3	0.77	36.8	39.8
1994	51	26.8	4.10	19.4	35.8	2,729	41.3	0.80	39.8	42.9
1995	56	30.5	4.37	22.5	40.0	2,553	38.6	0.77	37.1	40.1
1996	55	25.9	3.81	19.0	34.2	2,656	39.7	0.78	38.2	41.3
1997	59	28.3	4.03	21.0	37.1	2,680	39.9	0.78	38.4	41.4
1998	61	27.3	3.85	20.2	35.6	2,843	42.0	0.80	40.5	43.6
1999	56	22.6	3.32	16.6	29.9	2,718	40.0	0.78	38.5	41.6
2000	73	27.8	3.65	21.1	35.7	2,761	40.4	0.78	38.9	41.9
2001	75	26.9	3.43	20.6	34.3	2,682	39.0	0.76	37.6	40.6
2002	67	22.0	2.95	16.6	28.4	2,674	38.9	0.76	37.4	40.4
2003	60	19.6	2.83	14.5	25.8	2,586	37.6	0.75	36.1	39.1
2004	90	28.2	3.28	22.2	35.3	2,661	38.3	0.75	36.8	39.8
2005	94	28.0	3.15	22.2	34.8	2,531	36.3	0.73	34.9	37.8
2006	105	27.1	2.94	21.6	33.3	2,550	36.6	0.74	35.2	38.1
2007	96	25.9	2.87	20.6	32.0	2,477	35.2	0.72	33.8	36.7
2008	88	19.5	2.24	15.4	24.3	2,391	33.8	0.70	32.5	35.3
2009	102	22.0	2.35	17.7	27.0	2,258	31.7	0.68	30.4	33.1
2010	88	19.5	2.24	15.4	24.3	2,172	30.0	0.66	28.7	31.4
2011	108	21.1	2.18	17.1	25.7	2,261	31.1	0.67	29.8	32.4
2012	103	19.5	2.06	15.7	23.9	2,115	28.7	0.64	27.5	30.0
2013	102	19.1	2.03	15.3	23.4	2,125	28.7	0.64	27.5	30.0
2014	133	21.8	2.02	18.0	26.1	2,051	27.4	0.62	26.2	28.7
2015	130	20.7	1.93	17.1	24.8	2,090	28.0	0.63	26.7	29.2
2016	148	22.4	1.96	18.8	26.6	2,164	29.2	0.65	28.0	30.5
2017	132	18.5	1.71	15.3	22.1	2,038	26.9	0.62	25.7	28.2
2018	147	20.2	1.75	16.9	23.9	2,071	27.2	0.62	26.0	28.5
2019	132	17.8	1.62	14.7	21.2	1,930	25.2	0.60	24.1	26.4
2020	131	16.3	1.49	13.5	19.4	1,705	22.3	0.56	21.2	23.4
2021	177	21.8	1.71	18.6	25.4	1,822	23.9	0.58	22.7	25.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Colon excluding Rectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	62,786	32.8	0.13	32.5	33.1	11,732	40.8	0.38	40.0	41.5
1990	2,213	39.4	0.85	37.8	41.2	300	45.8	2.69	40.7	51.3
1991	2,127	37.6	0.83	36.0	39.3	271	40.9	2.52	36.1	46.1
1992	2,106	36.7	0.81	35.1	38.3	255	36.5	2.31	32.1	41.3
1993	2,191	37.8	0.82	36.2	39.5	294	42.3	2.49	37.5	47.4
1994	2,362	40.5	0.85	38.9	42.2	338	47.7	2.62	42.7	53.1
1995	2,186	37.5	0.82	36.0	39.2	338	46.6	2.56	41.7	51.9
1996	2,276	38.9	0.83	37.3	40.5	346	47.3	2.57	42.4	52.5
1997	2,293	39.1	0.83	37.5	40.8	358	48.3	2.57	43.3	53.5
1998	2,391	40.6	0.85	39.0	42.3	407	53.8	2.69	48.7	59.3
1999	2,292	38.7	0.82	37.1	40.4	380	47.8	2.47	43.1	52.9
2000	2,328	39.2	0.83	37.6	40.9	387	48.1	2.46	43.4	53.1
2001	2,232	37.6	0.81	36.0	39.2	408	50.2	2.50	45.4	55.3
2002	2,204	37.2	0.81	35.7	38.9	418	50.4	2.48	45.6	55.5
2003	2,106	35.7	0.79	34.1	37.3	430	51.2	2.49	46.5	56.3
2004	2,192	36.9	0.80	35.3	38.5	427	49.6	2.42	45.0	54.6
2005	2,067	34.7	0.78	33.2	36.3	409	46.7	2.33	42.3	51.5
2006	2,071	35.0	0.79	33.5	36.6	422	47.3	2.32	42.9	52.1
2007	2,036	34.2	0.78	32.7	35.8	390	43.1	2.21	38.9	47.7
2008	1,952	32.9	0.77	31.4	34.5	386	41.9	2.15	37.8	46.3
2009	1,842	30.9	0.74	29.5	32.4	366	38.7	2.05	34.8	42.9
2010	1,719	28.6	0.71	27.2	30.1	399	41.5	2.10	37.5	45.8
2011	1,785	29.6	0.73	28.2	31.1	416	41.9	2.08	37.9	46.2
2012	1,674	27.5	0.69	26.1	28.9	376	37.6	1.97	33.8	41.6
2013	1,689	27.8	0.70	26.5	29.2	377	36.8	1.92	33.1	40.8
2014	1,611	26.3	0.68	25.0	27.7	367	35.1	1.86	31.5	38.9
2015	1,662	27.4	0.70	26.0	28.8	368	34.2	1.81	30.7	37.9
2016	1,716	28.9	0.73	27.5	30.4	380	35.1	1.83	31.6	38.9
2017	1,615	26.6	0.70	25.3	28.1	357	32.1	1.73	28.8	35.7
2018	1,604	26.3	0.69	25.0	27.7	393	35.2	1.81	31.7	38.9
2019	1,505	24.8	0.67	23.5	26.1	349	30.7	1.68	27.5	34.2
2020	1,341	22.0	0.63	20.8	23.3	284	24.7	1.50	21.9	27.9
2021	1,398	23.0	0.65	21.7	24.3	336	29.6	1.65	26.4	33.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Rectum and Rectosigmoid Junction										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,299	11.7	0.22	11.2	12.1	55,703	14.3	0.06	14.1	14.4
1990	47	13.7	2.29	9.6	18.8	1,728	16.3	0.40	15.6	17.1
1991	32	9.0	1.86	5.7	13.2	1,819	17.0	0.40	16.2	17.8
1992	35	9.4	1.75	6.2	13.4	1,779	16.5	0.39	15.7	17.3
1993	49	14.0	2.22	9.9	18.9	1,734	15.9	0.38	15.1	16.6
1994	47	10.9	1.83	7.6	15.0	1,672	15.1	0.37	14.4	15.9
1995	50	13.5	2.24	9.5	18.5	1,781	16.1	0.38	15.4	16.9
1996	55	13.1	2.04	9.4	17.6	1,748	15.7	0.38	15.0	16.5
1997	56	13.1	1.97	9.6	17.5	1,859	16.7	0.39	15.9	17.4
1998	67	14.8	2.08	11.0	19.4	1,883	16.7	0.39	16.0	17.5
1999	62	13.0	1.97	9.5	17.3	1,850	16.3	0.38	15.6	17.1
2000	60	11.4	1.67	8.4	15.1	1,850	16.2	0.38	15.5	17.0
2001	70	12.0	1.68	9.0	15.7	1,771	15.4	0.37	14.7	16.2
2002	93	15.6	1.87	12.2	19.6	1,926	16.7	0.38	15.9	17.4
2003	82	13.2	1.64	10.2	16.7	1,776	15.2	0.36	14.5	15.9
2004	89	12.5	1.54	9.7	15.9	1,873	15.9	0.37	15.2	16.7
2005	97	12.2	1.42	9.6	15.2	1,852	15.6	0.36	14.9	16.3
2006	85	11.5	1.43	8.8	14.5	1,851	15.3	0.36	14.6	16.1
2007	97	10.6	1.22	8.4	13.2	1,745	14.4	0.35	13.7	15.1
2008	112	12.8	1.37	10.2	15.7	1,830	14.8	0.35	14.1	15.5
2009	108	10.7	1.15	8.5	13.1	1,654	13.2	0.33	12.6	13.9
2010	114	10.4	1.08	8.4	12.7	1,751	13.8	0.33	13.1	14.4
2011	111	11.1	1.18	8.9	13.6	1,709	13.3	0.33	12.6	13.9
2012	119	10.2	1.03	8.3	12.4	1,667	12.7	0.32	12.1	13.4
2013	133	11.4	1.07	9.3	13.6	1,677	12.7	0.32	12.1	13.4
2014	142	10.9	0.99	9.0	13.0	1,664	12.5	0.31	11.9	13.1
2015	149	10.9	0.97	9.1	13.0	1,674	12.6	0.32	12.0	13.2
2016	171	11.4	0.93	9.6	13.3	1,707	12.7	0.32	12.1	13.3
2017	193	12.8	1.00	10.9	14.9	1,641	12.1	0.31	11.5	12.8
2018	210	13.9	1.04	12.0	16.1	1,657	12.2	0.31	11.6	12.9
2019	195	12.0	0.91	10.2	13.9	1,623	12.0	0.31	11.4	12.6
2020	159	9.7	0.81	8.1	11.4	1,431	10.6	0.29	10.0	11.2
2021	210	12.0	0.88	10.4	13.9	1,521	11.4	0.30	10.8	12.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Rectum and Rectosigmoid Junction										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	46,714	14.3	0.07	14.2	14.5	6,910	13.7	0.17	13.3	14.0
1990	1,562	16.7	0.43	15.9	17.6	148	13.5	1.14	11.3	15.9
1991	1,610	17.1	0.43	16.3	18.0	176	15.4	1.20	13.1	17.9
1992	1,613	17.0	0.43	16.2	17.9	142	12.1	1.04	10.1	14.3
1993	1,522	15.9	0.41	15.1	16.8	180	15.6	1.20	13.4	18.1
1994	1,491	15.5	0.40	14.7	16.3	157	12.6	1.03	10.7	14.8
1995	1,584	16.5	0.42	15.7	17.4	161	12.8	1.03	10.8	14.9
1996	1,540	16.0	0.41	15.2	16.8	168	13.3	1.04	11.3	15.5
1997	1,614	16.8	0.42	15.9	17.6	207	16.3	1.16	14.1	18.7
1998	1,666	17.2	0.42	16.4	18.0	180	13.5	1.03	11.6	15.7
1999	1,633	16.8	0.42	16.0	17.6	180	13.1	0.99	11.2	15.2
2000	1,609	16.6	0.41	15.8	17.4	191	13.5	0.99	11.6	15.5
2001	1,529	15.7	0.40	14.9	16.5	199	14.1	1.02	12.2	16.2
2002	1,654	16.9	0.42	16.1	17.7	217	15.3	1.06	13.3	17.5
2003	1,489	15.1	0.39	14.3	15.9	228	15.5	1.04	13.5	17.6
2004	1,568	15.9	0.40	15.1	16.7	246	16.1	1.04	14.1	18.3
2005	1,541	15.5	0.40	14.7	16.3	235	15.1	1.01	13.2	17.2
2006	1,532	15.2	0.39	14.5	16.0	240	15.3	1.01	13.4	17.4
2007	1,430	14.2	0.38	13.5	15.0	235	14.5	0.97	12.7	16.5
2008	1,507	14.7	0.38	14.0	15.5	244	14.9	0.97	13.0	16.9
2009	1,353	13.1	0.36	12.4	13.8	237	13.9	0.92	12.1	15.8
2010	1,439	13.7	0.37	13.0	14.5	233	13.7	0.92	12.0	15.6
2011	1,359	12.9	0.36	12.2	13.6	274	15.3	0.94	13.5	17.2
2012	1,338	12.6	0.35	11.9	13.3	244	13.4	0.88	11.8	15.3
2013	1,341	12.6	0.35	11.9	13.3	255	13.6	0.87	12.0	15.5
2014	1,347	12.4	0.35	11.8	13.1	231	12.5	0.84	10.9	14.3
2015	1,340	12.5	0.35	11.8	13.2	238	12.6	0.84	11.0	14.3
2016	1,328	12.3	0.35	11.6	13.0	276	14.4	0.89	12.7	16.2
2017	1,276	11.9	0.35	11.3	12.6	261	13.4	0.85	11.7	15.1
2018	1,328	12.3	0.35	11.6	13.0	242	12.4	0.82	10.9	14.1
2019	1,280	12.0	0.35	11.3	12.7	234	11.8	0.79	10.3	13.4
2020	1,134	10.7	0.33	10.0	11.3	213	10.8	0.76	9.4	12.4
2021	1,157	11.0	0.34	10.3	11.7	238	12.2	0.81	10.7	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Rectum and Rectosigmoid Junction										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,982	14.7	0.38	14.0	15.5	31,757	18.5	0.11	18.3	18.7
1990	26	15.1	3.45	9.1	23.3	943	21.9	0.74	20.5	23.4
1991	18	12.3	3.66	6.2	21.1	989	22.6	0.74	21.2	24.1
1992	17	9.1	2.43	5.0	15.1	983	22.0	0.72	20.6	23.5
1993	26	13.4	3.01	8.1	20.5	961	21.4	0.71	20.0	22.8
1994	30	14.8	3.32	9.1	22.6	892	19.3	0.66	18.1	20.7
1995	25	16.2	4.03	9.3	25.5	966	21.2	0.70	19.8	22.6
1996	33	17.3	3.73	10.7	25.8	966	20.8	0.68	19.5	22.2
1997	36	19.3	3.82	12.5	27.9	1,046	22.4	0.70	21.1	23.8
1998	41	20.4	3.92	13.5	29.2	1,056	22.4	0.70	21.1	23.8
1999	42	18.4	3.66	11.9	26.6	1,064	22.3	0.69	21.0	23.7
2000	33	13.4	2.71	8.7	19.6	1,074	22.1	0.68	20.8	23.4
2001	39	15.0	2.89	9.9	21.5	1,008	20.7	0.66	19.4	22.0
2002	70	25.9	3.81	19.0	34.2	1,086	21.9	0.67	20.6	23.3
2003	46	15.4	2.68	10.6	21.4	1,000	19.9	0.64	18.7	21.2
2004	62	19.6	3.10	14.0	26.5	1,072	21.0	0.65	19.7	22.3
2005	55	15.3	2.54	10.7	20.9	1,050	20.3	0.63	19.1	21.6
2006	49	12.8	2.23	8.8	17.8	1,032	19.5	0.61	18.3	20.7
2007	61	14.3	2.16	10.4	19.1	991	18.6	0.60	17.5	19.8
2008	68	18.1	2.58	13.4	23.8	1,056	19.4	0.61	18.2	20.6
2009	67	14.4	2.03	10.7	18.8	966	17.3	0.57	16.2	18.4
2010	71	13.9	1.89	10.4	18.0	1,019	17.9	0.57	16.8	19.1
2011	67	14.8	2.10	11.0	19.4	999	17.2	0.56	16.1	18.3
2012	69	13.4	1.86	10.0	17.4	995	16.7	0.54	15.7	17.8
2013	77	13.4	1.72	10.3	17.2	975	16.3	0.53	15.2	17.3
2014	85	12.6	1.49	9.8	15.8	951	15.6	0.52	14.6	16.7
2015	97	16.0	1.86	12.6	20.0	1,011	16.4	0.53	15.4	17.5
2016	91	12.3	1.43	9.7	15.5	972	15.6	0.52	14.6	16.6
2017	125	16.7	1.68	13.6	20.3	972	15.5	0.51	14.5	16.5
2018	126	16.8	1.69	13.6	20.4	955	15.2	0.51	14.2	16.2
2019	115	14.2	1.46	11.5	17.3	941	14.7	0.50	13.8	15.8
2020	103	11.8	1.26	9.5	14.6	880	13.9	0.49	13.0	14.9
2021	112	12.8	1.32	10.3	15.6	886	13.9	0.49	13.0	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Rectum and Rectosigmoid Junction										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	26,845	18.6	0.11	18.3	18.8	3,690	17.7	0.30	17.1	18.3
1990	855	22.4	0.79	20.9	24.0	78	17.6	2.15	13.7	22.3
1991	887	23.0	0.79	21.5	24.6	86	19.2	2.22	15.1	24.0
1992	898	22.9	0.78	21.4	24.4	71	15.3	1.95	11.7	19.5
1993	846	21.5	0.75	20.0	23.0	96	20.5	2.27	16.3	25.4
1994	800	19.8	0.71	18.5	21.3	80	16.0	1.90	12.5	20.2
1995	867	21.8	0.75	20.4	23.3	82	16.8	1.96	13.1	21.0
1996	862	21.5	0.74	20.0	23.0	77	14.0	1.65	11.0	17.6
1997	922	22.8	0.76	21.3	24.3	99	19.1	2.05	15.3	23.5
1998	945	23.2	0.76	21.7	24.7	90	17.0	1.89	13.5	21.1
1999	935	22.8	0.75	21.3	24.3	103	18.9	1.96	15.3	23.1
2000	936	22.5	0.74	21.1	24.0	109	18.7	1.87	15.2	22.7
2001	885	21.2	0.72	19.8	22.7	96	16.5	1.77	13.2	20.3
2002	948	22.4	0.73	21.0	23.9	107	19.0	1.95	15.3	23.1
2003	848	20.0	0.69	18.6	21.4	120	19.1	1.83	15.7	23.0
2004	888	20.5	0.69	19.2	21.9	146	23.7	2.06	19.8	28.0
2005	868	19.9	0.68	18.6	21.3	131	20.5	1.88	17.0	24.6
2006	860	19.3	0.66	18.0	20.6	131	20.3	1.85	16.8	24.2
2007	830	18.6	0.65	17.3	19.9	112	16.7	1.66	13.6	20.3
2008	876	19.2	0.66	18.0	20.6	126	18.7	1.76	15.4	22.5
2009	787	16.9	0.61	15.8	18.2	149	20.9	1.82	17.5	24.8
2010	856	18.0	0.63	16.8	19.3	125	18.0	1.69	14.8	21.6
2011	805	16.8	0.61	15.6	18.0	149	19.5	1.68	16.4	23.1
2012	810	16.6	0.60	15.4	17.8	134	17.5	1.59	14.5	20.9
2013	790	16.1	0.59	15.0	17.3	138	17.6	1.57	14.6	20.9
2014	776	15.5	0.57	14.4	16.7	125	15.9	1.49	13.1	19.1
2015	820	16.4	0.59	15.3	17.6	133	17.1	1.57	14.2	20.5
2016	777	15.3	0.57	14.2	16.4	142	17.6	1.54	14.7	20.9
2017	761	15.1	0.57	14.0	16.2	150	18.4	1.58	15.5	21.8
2018	775	15.3	0.57	14.2	16.4	122	14.7	1.39	12.1	17.7
2019	753	14.7	0.56	13.7	15.9	126	14.7	1.36	12.1	17.6
2020	701	13.8	0.54	12.8	14.9	131	15.9	1.45	13.2	19.0
2021	678	13.3	0.53	12.3	14.4	126	14.9	1.38	12.4	17.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Rectum and Rectosigmoid Junction										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,317	9.0	0.27	8.5	9.6	23,946	11.0	0.07	10.9	11.1
1990	21	12.2	2.95	7.2	19.1	785	12.7	0.46	11.8	13.6
1991	14	6.6	1.96	3.3	11.4	830	13.2	0.47	12.3	14.2
1992	18	9.4	2.40	5.3	15.1	796	12.5	0.45	11.7	13.4
1993	23	13.6	3.02	8.4	20.5	773	12.1	0.44	11.2	13.0
1994	17	7.6	2.03	4.2	12.5	780	12.1	0.44	11.3	13.0
1995	25	11.9	2.68	7.3	18.1	815	12.6	0.45	11.8	13.5
1996	22	9.9	2.33	5.9	15.3	782	12.0	0.43	11.1	12.8
1997	20	8.5	2.03	5.0	13.2	813	12.5	0.44	11.6	13.3
1998	26	10.6	2.29	6.6	15.9	827	12.7	0.45	11.9	13.6
1999	20	8.6	2.15	4.9	13.6	786	12.0	0.43	11.2	12.9
2000	27	9.8	2.10	6.1	14.6	776	11.8	0.43	10.9	12.6
2001	31	9.6	1.98	6.2	14.2	763	11.6	0.42	10.8	12.4
2002	23	7.3	1.66	4.4	11.2	840	12.6	0.44	11.8	13.5
2003	36	11.4	2.06	7.7	16.0	776	11.6	0.42	10.8	12.5
2004	27	6.9	1.46	4.3	10.3	801	12.0	0.43	11.2	12.9
2005	42	9.8	1.65	6.8	13.5	802	11.9	0.43	11.1	12.8
2006	36	10.1	1.85	6.8	14.2	819	12.2	0.43	11.3	13.0
2007	36	7.5	1.36	5.0	10.6	754	11.1	0.41	10.3	12.0
2008	44	8.6	1.42	6.1	11.8	774	11.2	0.41	10.4	12.0
2009	41	7.5	1.28	5.2	10.4	688	10.1	0.39	9.3	10.9
2010	43	7.3	1.21	5.1	10.1	732	10.5	0.40	9.7	11.3
2011	44	8.2	1.33	5.8	11.2	710	10.0	0.38	9.3	10.8
2012	50	7.7	1.16	5.6	10.3	672	9.4	0.37	8.7	10.2
2013	56	9.4	1.35	7.0	12.4	702	9.8	0.38	9.1	10.6
2014	57	9.0	1.27	6.7	11.8	713	10.0	0.39	9.2	10.8
2015	52	6.8	0.98	5.0	9.0	663	9.4	0.38	8.6	10.1
2016	80	10.6	1.24	8.3	13.3	735	10.4	0.40	9.6	11.2
2017	68	9.2	1.18	7.0	11.8	669	9.4	0.38	8.6	10.1
2018	84	11.2	1.29	8.8	14.0	702	9.8	0.39	9.1	10.6
2019	80	9.9	1.15	7.8	12.4	682	9.7	0.39	8.9	10.4
2020	56	7.2	1.00	5.4	9.4	551	7.7	0.34	7.0	8.4
2021	98	11.4	1.19	9.2	13.9	635	9.3	0.39	8.5	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Rectum and Rectosigmoid Junction										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	19,869	11.0	0.08	10.8	11.1	3,220	11.0	0.19	10.6	11.4
1990	707	12.9	0.50	12.0	13.9	70	10.8	1.31	8.4	13.6
1991	723	13.1	0.50	12.1	14.1	90	13.0	1.39	10.4	16.0
1992	715	12.8	0.49	11.9	13.8	71	10.1	1.22	7.9	12.8
1993	676	12.1	0.47	11.2	13.1	84	12.4	1.36	9.8	15.3
1994	691	12.3	0.48	11.4	13.2	77	10.5	1.21	8.3	13.1
1995	717	12.8	0.49	11.9	13.8	79	10.4	1.18	8.2	12.9
1996	678	12.0	0.47	11.1	12.9	91	12.4	1.31	10.0	15.2
1997	692	12.3	0.48	11.4	13.3	108	14.3	1.39	11.7	17.3
1998	721	13.0	0.49	12.0	14.0	90	11.4	1.21	9.1	14.0
1999	698	12.4	0.48	11.5	13.4	77	9.4	1.08	7.4	11.8
2000	673	12.0	0.47	11.1	12.9	82	9.9	1.09	7.8	12.2
2001	644	11.6	0.46	10.7	12.5	103	12.5	1.24	10.2	15.1
2002	706	12.5	0.48	11.6	13.5	110	13.1	1.25	10.7	15.7
2003	641	11.4	0.46	10.5	12.4	108	12.6	1.22	10.3	15.2
2004	680	12.2	0.48	11.2	13.1	100	11.1	1.12	9.1	13.6
2005	673	12.0	0.47	11.1	13.0	104	11.5	1.13	9.4	13.9
2006	672	12.1	0.48	11.2	13.0	109	11.9	1.15	9.7	14.4
2007	600	10.7	0.45	9.9	11.7	123	13.0	1.18	10.8	15.5
2008	631	11.1	0.45	10.2	12.0	118	12.3	1.14	10.1	14.7
2009	566	10.1	0.43	9.2	11.0	88	9.1	0.99	7.3	11.3
2010	583	10.3	0.44	9.4	11.2	108	10.8	1.05	8.8	13.1
2011	554	9.6	0.42	8.8	10.4	125	12.2	1.11	10.1	14.6
2012	528	9.2	0.42	8.4	10.1	110	10.6	1.03	8.7	12.8
2013	551	9.6	0.43	8.8	10.5	117	10.9	1.02	9.0	13.1
2014	571	9.9	0.43	9.1	10.8	106	10.3	1.01	8.4	12.4
2015	520	9.2	0.42	8.4	10.0	105	9.8	0.97	8.0	11.9
2016	551	9.8	0.44	9.0	10.7	134	12.3	1.08	10.2	14.6
2017	515	9.2	0.43	8.4	10.1	111	9.9	0.96	8.1	11.9
2018	553	9.8	0.44	9.0	10.8	120	10.8	1.01	8.9	13.0
2019	527	9.6	0.44	8.7	10.5	108	9.7	0.96	7.9	11.8
2020	433	7.7	0.39	7.0	8.6	82	7.4	0.84	5.8	9.2
2021	479	8.9	0.43	8.0	9.8	112	10.4	1.01	8.5	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Anus, Anal Canal and Anorectum										
Both Sexes										
Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	359	1.3	0.08	1.2	1.5	6,171	1.6	0.02	1.6	1.6
1990	0					117	1.2	0.11	1.0	1.4
1991	2	0.6	0.44	0.1	2.1	104	1.0	0.10	0.8	1.2
1992	6	2.2	0.98	0.7	4.8	107	1.0	0.10	0.8	1.2
1993	8	1.9	0.77	0.7	4.0	96	0.9	0.09	0.7	1.1
1994	2	0.3	0.24	0.0	1.4	105	1.0	0.10	0.8	1.2
1995	6	2.1	0.98	0.6	4.6	118	1.1	0.10	0.9	1.3
1996	7	2.6	1.08	1.0	5.3	109	1.0	0.10	0.8	1.2
1997	5	0.6	0.27	0.2	1.6	120	1.1	0.10	0.9	1.3
1998	8	1.6	0.74	0.5	3.6	131	1.2	0.10	1.0	1.4
1999	9	1.6	0.56	0.7	3.1	143	1.3	0.11	1.1	1.5
2000	6	0.7	0.31	0.3	1.7	165	1.5	0.11	1.2	1.7
2001	8	1.0	0.41	0.4	2.2	165	1.4	0.11	1.2	1.7
2002	8	1.3	0.49	0.5	2.6	148	1.3	0.11	1.1	1.5
2003	10	1.7	0.58	0.7	3.2	186	1.6	0.12	1.4	1.9
2004	10	1.7	0.62	0.7	3.3	222	1.9	0.13	1.6	2.2
2005	9	0.9	0.34	0.4	1.8	166	1.4	0.11	1.2	1.6
2006	9	1.2	0.43	0.5	2.3	171	1.4	0.11	1.2	1.7
2007	11	1.4	0.47	0.6	2.6	212	1.8	0.12	1.5	2.0
2008	13	1.6	0.49	0.8	2.9	193	1.6	0.11	1.3	1.8
2009	18	1.8	0.50	1.0	3.0	226	1.9	0.12	1.6	2.1
2010	14	1.4	0.41	0.7	2.4	218	1.7	0.12	1.5	2.0
2011	14	1.3	0.37	0.7	2.2	213	1.7	0.12	1.5	1.9
2012	11	0.7	0.21	0.4	1.3	233	1.8	0.12	1.6	2.0
2013	16	1.1	0.32	0.6	1.9	258	2.0	0.13	1.8	2.3
2014	13	1.1	0.34	0.6	2.0	286	2.1	0.13	1.9	2.4
2015	19	1.6	0.39	0.9	2.5	239	1.7	0.12	1.5	2.0
2016	14	1.1	0.30	0.6	1.8	296	2.2	0.13	1.9	2.4
2017	17	1.4	0.37	0.8	2.3	277	2.0	0.12	1.8	2.3
2018	23	1.4	0.30	0.8	2.1	272	2.0	0.12	1.7	2.2
2019	19	1.4	0.35	0.8	2.2	307	2.2	0.13	2.0	2.5
2020	23	1.4	0.30	0.9	2.1	287	2.1	0.13	1.8	2.3
2021	21	1.3	0.30	0.8	2.0	281	2.0	0.12	1.7	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Anus, Anal Canal and Anorectum										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	5,109	1.6	0.02	1.6	1.6	978	1.9	0.06	1.8	2.0
1990	93	1.0	0.11	0.8	1.3	24	2.1	0.44	1.3	3.1
1991	90	1.0	0.10	0.8	1.2	14	1.1	0.29	0.6	1.8
1992	91	1.0	0.10	0.8	1.2	16	1.2	0.31	0.7	2.0
1993	88	0.9	0.10	0.8	1.2	7	0.6	0.22	0.2	1.2
1994	89	1.0	0.10	0.8	1.2	14	1.1	0.31	0.6	1.9
1995	98	1.1	0.11	0.9	1.3	20	1.4	0.32	0.8	2.2
1996	94	1.0	0.10	0.8	1.2	15	1.2	0.33	0.7	2.0
1997	102	1.1	0.11	0.9	1.3	16	1.2	0.30	0.7	1.9
1998	107	1.1	0.11	0.9	1.4	23	1.6	0.33	1.0	2.4
1999	122	1.3	0.12	1.1	1.5	19	1.3	0.30	0.8	2.0
2000	136	1.4	0.12	1.2	1.7	28	1.9	0.36	1.2	2.7
2001	131	1.4	0.12	1.1	1.6	34	2.4	0.41	1.6	3.3
2002	123	1.3	0.12	1.1	1.5	23	1.4	0.30	0.9	2.1
2003	154	1.6	0.13	1.4	1.9	31	2.0	0.36	1.3	2.8
2004	186	1.9	0.14	1.6	2.2	29	1.9	0.36	1.3	2.8
2005	137	1.4	0.12	1.2	1.6	27	1.6	0.31	1.0	2.3
2006	135	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8
2007	176	1.8	0.13	1.5	2.0	34	2.0	0.34	1.4	2.8
2008	149	1.5	0.12	1.3	1.7	41	2.5	0.40	1.8	3.4
2009	189	1.9	0.14	1.6	2.2	33	2.0	0.36	1.4	2.8
2010	169	1.6	0.13	1.4	1.9	48	2.8	0.42	2.1	3.8
2011	167	1.6	0.13	1.4	1.9	39	2.2	0.37	1.6	3.1
2012	196	1.8	0.13	1.6	2.1	33	1.9	0.33	1.3	2.6
2013	222	2.1	0.15	1.9	2.5	33	1.9	0.33	1.3	2.6
2014	236	2.1	0.14	1.9	2.5	48	2.5	0.37	1.9	3.4
2015	198	1.8	0.13	1.5	2.1	36	1.9	0.32	1.3	2.6
2016	250	2.3	0.15	2.0	2.6	41	2.1	0.34	1.5	2.9
2017	223	2.0	0.14	1.7	2.3	49	2.6	0.38	1.9	3.4
2018	226	2.0	0.14	1.8	2.3	42	2.2	0.35	1.6	3.0
2019	256	2.3	0.15	2.0	2.6	47	2.5	0.37	1.8	3.3
2020	245	2.2	0.15	1.9	2.5	39	2.1	0.34	1.5	2.9
2021	231	2.0	0.14	1.7	2.3	42	2.2	0.35	1.6	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Anus, Anal Canal and Anorectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	149	1.1	0.11	0.9	1.3	2,350	1.4	0.03	1.3	1.4
1990	0					52	1.2	0.17	0.9	1.6
1991	1	0.4	0.41	0.0	3.1	32	0.7	0.12	0.5	1.0
1992	2	1.2	0.91	0.1	4.6	42	0.9	0.14	0.6	1.2
1993	3	2.4	1.63	0.3	7.2	29	0.6	0.12	0.4	0.9
1994	2	0.7	0.46	0.1	3.1	23	0.5	0.11	0.3	0.8
1995	3	2.1	1.49	0.2	6.5	42	0.9	0.13	0.6	1.2
1996	6	6.3	2.84	2.0	13.5	39	0.8	0.13	0.6	1.1
1997	1	0.3	0.32	0.0	2.4	43	0.9	0.13	0.6	1.2
1998	2	0.3	0.23	0.0	2.2	52	1.1	0.15	0.8	1.4
1999	3	1.1	0.65	0.2	3.4	55	1.1	0.15	0.8	1.4
2000	3	0.7	0.39	0.1	2.5	63	1.3	0.16	1.0	1.6
2001	4	0.7	0.38	0.2	2.4	67	1.3	0.16	1.0	1.7
2002	2	0.7	0.51	0.1	2.6	62	1.2	0.15	0.9	1.5
2003	6	2.2	1.04	0.7	5.1	81	1.5	0.17	1.2	1.9
2004	3	1.1	0.71	0.2	3.3	98	1.9	0.19	1.5	2.3
2005	6	0.9	0.36	0.3	2.2	70	1.3	0.16	1.0	1.7
2006	2	0.3	0.19	0.0	1.4	78	1.5	0.17	1.2	1.8
2007	2	0.5	0.47	0.0	2.2	77	1.5	0.17	1.2	1.8
2008	6	1.6	0.73	0.5	3.6	80	1.5	0.16	1.1	1.8
2009	7	0.8	0.33	0.3	2.0	81	1.5	0.17	1.2	1.9
2010	4	0.7	0.40	0.2	2.0	90	1.6	0.17	1.3	2.0
2011	3	0.5	0.26	0.1	1.4	74	1.4	0.16	1.1	1.7
2012	6	0.7	0.30	0.3	1.7	94	1.6	0.17	1.3	2.0
2013	6	0.6	0.25	0.2	1.5	100	1.8	0.18	1.4	2.2
2014	3	0.6	0.39	0.1	1.8	119	1.9	0.18	1.6	2.3
2015	9	1.6	0.60	0.6	3.1	91	1.4	0.15	1.1	1.7
2016	8	1.3	0.49	0.5	2.6	98	1.5	0.16	1.2	1.9
2017	5	0.9	0.46	0.2	2.2	106	1.7	0.17	1.4	2.1
2018	13	1.6	0.49	0.8	2.9	92	1.5	0.16	1.2	1.8
2019	7	1.1	0.46	0.4	2.3	108	1.7	0.17	1.4	2.0
2020	12	1.6	0.51	0.8	2.9	107	1.7	0.17	1.4	2.0
2021	9	1.1	0.43	0.5	2.3	105	1.6	0.17	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Anus, Anal Canal and Anorectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,838	1.3	0.03	1.2	1.3	473	2.1	0.10	1.9	2.3
1990	41	1.1	0.18	0.8	1.5	11	2.3	0.77	1.1	4.3
1991	26	0.6	0.13	0.4	0.9	6	0.9	0.40	0.3	2.1
1992	35	0.9	0.15	0.6	1.2	7	1.1	0.43	0.5	2.4
1993	26	0.6	0.13	0.4	0.9	2	0.5	0.39	0.1	1.8
1994	21	0.5	0.12	0.3	0.8	1	0.2	0.15	0.0	0.9
1995	31	0.7	0.13	0.5	1.1	11	1.6	0.48	0.8	2.9
1996	35	0.8	0.14	0.6	1.2	4	0.7	0.34	0.2	1.7
1997	36	0.9	0.14	0.6	1.2	7	1.1	0.40	0.4	2.2
1998	38	0.9	0.15	0.6	1.3	13	1.9	0.52	1.0	3.2
1999	47	1.1	0.16	0.8	1.5	7	1.0	0.39	0.4	2.1
2000	51	1.2	0.17	0.9	1.6	11	1.6	0.49	0.8	2.9
2001	52	1.2	0.17	0.9	1.6	15	2.2	0.59	1.2	3.7
2002	48	1.1	0.16	0.8	1.5	13	1.7	0.47	0.9	3.0
2003	62	1.4	0.18	1.1	1.8	18	2.5	0.60	1.5	4.0
2004	77	1.8	0.20	1.4	2.2	17	2.8	0.73	1.6	4.6
2005	52	1.2	0.17	0.9	1.6	18	2.3	0.54	1.4	3.7
2006	54	1.2	0.17	0.9	1.6	22	3.1	0.67	1.9	4.7
2007	63	1.4	0.18	1.1	1.8	12	1.6	0.47	0.8	2.8
2008	57	1.3	0.17	1.0	1.7	23	3.3	0.74	2.0	5.1
2009	65	1.5	0.19	1.1	1.9	14	2.1	0.58	1.1	3.5
2010	60	1.3	0.17	1.0	1.6	30	4.4	0.86	2.9	6.4
2011	54	1.2	0.17	0.9	1.6	17	2.3	0.58	1.3	3.7
2012	75	1.5	0.18	1.2	1.9	16	1.9	0.48	1.1	3.1
2013	82	1.8	0.21	1.4	2.3	15	2.0	0.53	1.1	3.3
2014	96	1.9	0.20	1.5	2.3	22	2.5	0.54	1.5	3.8
2015	75	1.4	0.17	1.1	1.8	14	1.5	0.41	0.8	2.6
2016	76	1.5	0.17	1.1	1.9	21	2.5	0.57	1.5	3.9
2017	77	1.5	0.18	1.2	1.9	26	3.3	0.68	2.1	5.0
2018	70	1.4	0.17	1.0	1.7	21	2.4	0.54	1.5	3.7
2019	85	1.6	0.18	1.2	2.0	21	2.5	0.57	1.5	3.9
2020	84	1.6	0.18	1.3	2.0	22	2.7	0.59	1.7	4.1
2021	87	1.7	0.18	1.3	2.1	16	2.0	0.53	1.1	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Anus, Anal Canal and Anorectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	210	1.5	0.11	1.3	1.7	3,821	1.8	0.03	1.7	1.9
1990	0					65	1.2	0.15	0.9	1.5
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	4	2.8	1.48	0.7	6.8	65	1.1	0.13	0.8	1.4
1993	5	1.9	0.87	0.6	4.6	67	1.1	0.13	0.8	1.4
1994	0					82	1.3	0.15	1.1	1.7
1995	3	2.0	1.25	0.4	5.5	76	1.3	0.15	1.0	1.6
1996	1	0.4	0.39	0.0	2.1	70	1.1	0.14	0.9	1.4
1997	4	0.9	0.44	0.2	2.6	77	1.2	0.14	1.0	1.6
1998	6	2.5	1.22	0.8	5.8	79	1.3	0.14	1.0	1.6
1999	6	2.0	0.89	0.7	4.5	88	1.4	0.15	1.1	1.7
2000	3	0.8	0.45	0.1	2.4	102	1.6	0.16	1.3	2.0
2001	4	1.3	0.68	0.3	3.3	98	1.5	0.16	1.2	1.9
2002	6	1.8	0.79	0.6	4.0	86	1.4	0.15	1.1	1.7
2003	4	1.3	0.65	0.3	3.2	105	1.6	0.16	1.3	2.0
2004	7	2.2	0.91	0.8	4.6	124	1.9	0.17	1.6	2.3
2005	3	0.9	0.52	0.2	2.4	96	1.4	0.15	1.2	1.8
2006	7	1.9	0.77	0.7	3.9	93	1.4	0.15	1.2	1.8
2007	9	2.1	0.76	0.9	4.0	135	2.0	0.18	1.7	2.4
2008	7	1.7	0.66	0.6	3.4	113	1.7	0.16	1.4	2.0
2009	11	2.5	0.82	1.2	4.5	145	2.1	0.18	1.8	2.5
2010	10	1.9	0.66	0.9	3.6	128	1.9	0.17	1.6	2.2
2011	11	2.0	0.65	1.0	3.7	139	1.9	0.17	1.6	2.3
2012	5	0.7	0.30	0.2	1.6	139	2.0	0.17	1.6	2.3
2013	10	1.6	0.54	0.7	3.0	158	2.2	0.18	1.9	2.6
2014	10	1.6	0.54	0.7	3.0	167	2.3	0.18	2.0	2.7
2015	10	1.5	0.51	0.7	2.8	148	2.0	0.17	1.7	2.4
2016	6	0.9	0.37	0.3	1.9	198	2.7	0.20	2.3	3.2
2017	12	1.8	0.55	0.9	3.2	171	2.3	0.18	1.9	2.6
2018	10	1.1	0.37	0.5	2.1	180	2.4	0.19	2.1	2.8
2019	12	1.7	0.50	0.8	2.9	199	2.7	0.20	2.3	3.1
2020	11	1.2	0.38	0.6	2.2	180	2.5	0.19	2.1	2.9
2021	12	1.5	0.44	0.7	2.6	176	2.3	0.18	1.9	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Anus, Anal Canal and Anorectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,271	1.9	0.03	1.8	2.0	505	1.7	0.08	1.6	1.9
1990	52	1.1	0.15	0.8	1.4	13	2.0	0.55	1.0	3.3
1991	64	1.2	0.15	0.9	1.5	8	1.1	0.39	0.5	2.1
1992	56	1.0	0.14	0.8	1.4	9	1.2	0.42	0.6	2.3
1993	62	1.2	0.15	0.9	1.5	5	0.7	0.30	0.2	1.5
1994	68	1.3	0.16	1.0	1.7	13	1.8	0.50	0.9	3.0
1995	67	1.4	0.17	1.1	1.8	9	1.2	0.41	0.6	2.3
1996	59	1.1	0.15	0.8	1.4	11	1.6	0.47	0.8	2.8
1997	66	1.3	0.16	1.0	1.6	9	1.2	0.40	0.5	2.2
1998	69	1.3	0.16	1.0	1.7	10	1.3	0.40	0.6	2.3
1999	75	1.4	0.17	1.1	1.8	12	1.4	0.41	0.7	2.5
2000	85	1.6	0.18	1.3	2.0	17	2.0	0.49	1.2	3.2
2001	79	1.5	0.17	1.2	1.9	19	2.3	0.53	1.4	3.6
2002	75	1.4	0.17	1.1	1.8	10	1.1	0.36	0.5	2.1
2003	92	1.7	0.18	1.4	2.1	13	1.5	0.42	0.8	2.6
2004	109	2.1	0.20	1.7	2.5	12	1.3	0.39	0.7	2.3
2005	85	1.5	0.17	1.2	1.9	9	1.0	0.33	0.4	1.8
2006	81	1.5	0.17	1.2	1.9	11	1.1	0.34	0.6	2.0
2007	113	2.1	0.20	1.7	2.5	22	2.2	0.48	1.4	3.4
2008	92	1.7	0.18	1.4	2.1	18	1.9	0.45	1.1	3.0
2009	124	2.2	0.20	1.8	2.7	19	2.0	0.46	1.2	3.1
2010	109	2.0	0.19	1.6	2.4	18	1.8	0.42	1.0	2.8
2011	113	2.0	0.19	1.6	2.4	22	2.1	0.46	1.3	3.3
2012	121	2.1	0.20	1.7	2.5	17	1.7	0.42	1.0	2.8
2013	140	2.5	0.21	2.1	2.9	18	1.8	0.42	1.0	2.8
2014	140	2.4	0.21	2.0	2.9	26	2.5	0.50	1.6	3.7
2015	123	2.1	0.20	1.7	2.5	22	2.0	0.44	1.3	3.1
2016	174	3.0	0.24	2.6	3.5	20	1.9	0.43	1.2	3.0
2017	146	2.4	0.21	2.0	2.9	23	2.0	0.43	1.3	3.1
2018	156	2.6	0.22	2.2	3.1	21	2.0	0.44	1.2	3.0
2019	171	2.9	0.23	2.5	3.4	26	2.4	0.48	1.5	3.5
2020	161	2.8	0.23	2.4	3.3	17	1.6	0.40	0.9	2.6
2021	144	2.3	0.20	2.0	2.8	26	2.3	0.47	1.5	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Liver										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,701	10.4	0.22	10.0	10.9	19,648	5.0	0.04	4.9	5.0
1990	10	3.4	1.16	1.5	6.3	243	2.3	0.15	2.0	2.6
1991	14	3.2	0.90	1.6	5.5	243	2.3	0.15	2.0	2.6
1992	14	3.8	1.15	1.9	6.6	249	2.3	0.15	2.0	2.6
1993	27	6.5	1.38	4.1	9.7	293	2.7	0.16	2.4	3.0
1994	20	5.3	1.35	3.0	8.5	401	3.6	0.18	3.3	4.0
1995	28	6.1	1.30	3.8	9.1	409	3.7	0.18	3.4	4.1
1996	39	9.0	1.64	6.1	12.7	422	3.8	0.19	3.5	4.2
1997	35	8.3	1.60	5.5	11.9	429	3.9	0.19	3.5	4.2
1998	46	10.4	1.76	7.2	14.3	451	4.0	0.19	3.7	4.4
1999	50	9.7	1.67	6.7	13.4	488	4.3	0.20	4.0	4.7
2000	50	8.9	1.46	6.3	12.2	501	4.4	0.20	4.0	4.8
2001	54	10.1	1.52	7.4	13.5	499	4.4	0.19	4.0	4.8
2002	60	9.1	1.28	6.8	11.9	532	4.6	0.20	4.2	5.0
2003	57	8.4	1.22	6.2	11.1	520	4.5	0.20	4.1	4.9
2004	60	8.8	1.27	6.5	11.6	578	4.9	0.20	4.5	5.3
2005	72	9.4	1.24	7.2	12.1	621	5.2	0.21	4.8	5.6
2006	61	8.7	1.23	6.4	11.3	628	5.2	0.21	4.8	5.6
2007	76	9.3	1.17	7.1	11.8	675	5.5	0.21	5.1	5.9
2008	65	7.7	1.06	5.8	10.1	678	5.4	0.21	5.0	5.9
2009	105	11.7	1.27	9.3	14.4	746	5.8	0.22	5.4	6.3
2010	128	13.6	1.32	11.2	16.4	762	5.9	0.22	5.5	6.4
2011	97	10.1	1.13	8.0	12.5	757	5.7	0.21	5.3	6.1
2012	126	12.5	1.21	10.2	15.0	783	5.7	0.21	5.3	6.2
2013	130	11.3	1.10	9.3	13.7	780	5.6	0.21	5.3	6.1
2014	112	10.1	1.03	8.1	12.2	898	6.4	0.22	5.9	6.8
2015	125	10.4	1.02	8.5	12.6	923	6.5	0.22	6.1	7.0
2016	162	12.0	1.01	10.1	14.1	885	6.1	0.21	5.7	6.5
2017	159	12.3	1.04	10.3	14.5	858	5.8	0.20	5.4	6.2
2018	188	14.3	1.12	12.2	16.7	888	6.0	0.21	5.6	6.5
2019	170	11.7	0.95	9.9	13.7	916	6.1	0.21	5.7	6.5
2020	162	10.7	0.90	9.0	12.6	763	5.1	0.19	4.8	5.5
2021	199	12.4	0.93	10.6	14.3	829	5.5	0.20	5.1	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Liver										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	14,284	4.3	0.04	4.3	4.4	3,973	7.6	0.12	7.4	7.8
1990	185	2.0	0.15	1.7	2.3	40	3.4	0.55	2.4	4.6
1991	182	2.0	0.15	1.7	2.3	46	3.5	0.53	2.6	4.7
1992	197	2.1	0.15	1.8	2.4	34	2.7	0.48	1.9	3.9
1993	214	2.2	0.15	1.9	2.6	57	4.6	0.62	3.4	5.9
1994	305	3.2	0.18	2.8	3.6	78	6.5	0.76	5.1	8.2
1995	300	3.2	0.18	2.8	3.5	88	7.1	0.78	5.7	8.8
1996	290	3.0	0.18	2.7	3.4	100	7.8	0.80	6.3	9.5
1997	314	3.3	0.19	2.9	3.7	90	6.9	0.75	5.6	8.6
1998	339	3.5	0.19	3.2	3.9	86	6.4	0.71	5.1	7.9
1999	351	3.6	0.19	3.3	4.0	100	7.3	0.74	5.9	8.9
2000	359	3.7	0.20	3.3	4.1	107	7.6	0.75	6.2	9.2
2001	375	3.8	0.20	3.5	4.3	91	6.2	0.66	4.9	7.6
2002	385	3.9	0.20	3.6	4.4	107	7.4	0.73	6.0	9.0
2003	389	4.0	0.20	3.6	4.4	97	6.5	0.67	5.3	8.0
2004	430	4.4	0.21	4.0	4.8	110	7.3	0.71	6.0	8.8
2005	461	4.6	0.22	4.2	5.1	129	8.0	0.72	6.7	9.6
2006	458	4.5	0.21	4.1	5.0	130	7.9	0.70	6.5	9.4
2007	472	4.6	0.22	4.2	5.1	151	9.0	0.75	7.6	10.6
2008	481	4.7	0.21	4.2	5.1	145	8.4	0.71	7.1	9.9
2009	557	5.3	0.23	4.9	5.8	136	7.6	0.66	6.3	9.0
2010	556	5.2	0.22	4.8	5.7	156	8.7	0.72	7.4	10.3
2011	537	4.9	0.22	4.5	5.4	171	9.0	0.71	7.7	10.5
2012	574	5.1	0.22	4.7	5.6	153	8.0	0.66	6.7	9.4
2013	551	4.9	0.21	4.5	5.4	182	9.2	0.70	7.9	10.6
2014	638	5.7	0.23	5.2	6.1	186	9.0	0.68	7.8	10.5
2015	659	5.7	0.23	5.3	6.2	188	9.1	0.68	7.8	10.5
2016	612	5.3	0.22	4.8	5.7	193	9.2	0.68	7.9	10.6
2017	611	5.2	0.22	4.8	5.7	180	8.3	0.63	7.1	9.6
2018	663	5.6	0.22	5.2	6.1	174	8.1	0.63	6.9	9.5
2019	676	5.6	0.22	5.2	6.1	168	7.8	0.62	6.7	9.1
2020	544	4.6	0.20	4.2	5.0	156	7.3	0.60	6.2	8.5
2021	619	5.1	0.21	4.7	5.5	144	6.6	0.56	5.5	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Liver										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,932	14.9	0.39	14.1	15.7	13,978	7.9	0.07	7.8	8.0
1990	6	3.9	1.89	1.2	9.3	169	3.7	0.29	3.2	4.4
1991	13	6.1	1.87	3.0	11.1	145	3.2	0.27	2.7	3.8
1992	11	6.2	2.15	2.7	11.8	165	3.8	0.30	3.2	4.4
1993	20	9.2	2.47	5.1	15.3	191	4.1	0.30	3.6	4.8
1994	11	4.6	1.48	2.2	8.7	269	5.9	0.37	5.2	6.6
1995	18	6.9	1.82	3.8	11.5	279	6.0	0.37	5.3	6.8
1996	24	10.2	2.42	6.0	16.0	283	6.0	0.36	5.3	6.7
1997	24	8.8	1.93	5.5	13.5	284	6.1	0.36	5.4	6.8
1998	35	16.8	3.45	10.7	24.6	309	6.4	0.37	5.7	7.2
1999	33	13.0	3.03	7.8	20.0	315	6.5	0.37	5.8	7.2
2000	30	8.5	1.71	5.5	12.7	338	6.9	0.38	6.1	7.6
2001	37	13.1	2.43	8.8	18.7	341	6.9	0.38	6.2	7.7
2002	48	14.6	2.34	10.3	19.8	361	7.1	0.38	6.4	7.9
2003	40	11.8	2.10	8.1	16.6	368	7.2	0.38	6.4	7.9
2004	45	12.8	2.29	8.7	18.0	402	7.6	0.38	6.9	8.4
2005	54	15.2	2.39	10.8	20.5	449	8.5	0.40	7.7	9.3
2006	49	13.7	2.18	9.7	18.5	443	8.2	0.39	7.4	9.0
2007	60	14.7	2.16	10.8	19.5	485	8.8	0.40	8.0	9.6
2008	51	12.0	1.93	8.5	16.3	466	8.2	0.39	7.5	9.0
2009	78	17.9	2.37	13.6	23.1	569	9.9	0.42	9.1	10.7
2010	101	22.6	2.55	17.9	28.0	525	8.9	0.40	8.1	9.7
2011	72	15.3	2.08	11.5	19.8	571	9.4	0.40	8.6	10.2
2012	94	18.7	2.19	14.7	23.4	580	9.2	0.39	8.4	10.0
2013	92	15.7	1.88	12.3	19.8	578	9.1	0.39	8.3	9.9
2014	87	16.5	1.97	12.9	20.8	668	10.2	0.41	9.4	11.0
2015	90	15.7	1.89	12.2	19.8	685	10.4	0.41	9.6	11.3
2016	123	18.2	1.82	14.8	22.1	634	9.4	0.38	8.6	10.1
2017	104	16.0	1.74	12.8	19.7	609	8.9	0.37	8.2	9.6
2018	124	18.4	1.85	15.0	22.4	645	9.5	0.39	8.8	10.3
2019	116	15.5	1.58	12.5	18.8	686	9.9	0.39	9.1	10.7
2020	112	14.1	1.46	11.4	17.3	554	8.1	0.35	7.4	8.8
2021	130	15.9	1.53	13.1	19.2	612	8.8	0.37	8.1	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Liver										
Males										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	10,168	6.9	0.07	6.8	7.0	2,804	12.6	0.25	12.1	13.1
1990	124	3.1	0.28	2.6	3.7	28	6.1	1.24	3.9	9.0
1991	104	2.7	0.26	2.2	3.2	29	5.3	1.02	3.5	7.7
1992	127	3.3	0.30	2.7	4.0	23	4.8	1.09	2.9	7.3
1993	142	3.6	0.30	3.0	4.2	36	6.4	1.08	4.4	8.9
1994	202	5.0	0.36	4.4	5.8	53	11.7	1.72	8.6	15.5
1995	205	5.1	0.36	4.4	5.8	57	11.7	1.69	8.6	15.4
1996	184	4.5	0.34	3.9	5.2	74	13.7	1.66	10.6	17.3
1997	206	5.1	0.36	4.4	5.9	59	10.7	1.48	8.0	14.0
1998	234	5.7	0.37	5.0	6.5	59	10.5	1.44	7.9	13.7
1999	220	5.3	0.36	4.6	6.0	65	11.7	1.51	8.9	15.0
2000	249	5.9	0.38	5.2	6.7	69	11.8	1.48	9.1	15.0
2001	256	6.1	0.38	5.4	6.9	60	9.6	1.30	7.2	12.5
2002	264	6.2	0.38	5.5	7.0	68	10.9	1.38	8.3	13.9
2003	279	6.5	0.39	5.7	7.3	65	10.1	1.30	7.7	13.0
2004	304	6.9	0.40	6.1	7.7	73	11.2	1.38	8.7	14.2
2005	336	7.6	0.42	6.8	8.5	91	13.1	1.42	10.5	16.2
2006	323	7.2	0.40	6.4	8.0	92	12.7	1.38	10.1	15.7
2007	330	7.2	0.40	6.4	8.0	115	16.1	1.58	13.2	19.5
2008	329	7.0	0.39	6.3	7.9	107	14.4	1.45	11.7	17.5
2009	425	8.9	0.44	8.0	9.8	102	13.3	1.37	10.7	16.2
2010	385	7.9	0.41	7.1	8.7	105	13.4	1.36	10.9	16.4
2011	396	7.9	0.41	7.2	8.8	137	17.0	1.53	14.2	20.3
2012	423	8.1	0.40	7.3	9.0	118	14.1	1.35	11.6	17.1
2013	405	7.8	0.40	7.0	8.6	139	16.3	1.45	13.6	19.4
2014	477	9.0	0.42	8.2	9.9	138	15.6	1.39	13.0	18.6
2015	489	9.1	0.42	8.3	10.0	141	15.5	1.36	13.0	18.5
2016	439	8.0	0.39	7.2	8.8	137	15.0	1.34	12.5	17.9
2017	441	8.0	0.39	7.2	8.8	121	13.1	1.25	10.8	15.8
2018	489	8.8	0.41	8.0	9.7	118	13.1	1.26	10.7	15.8
2019	518	9.2	0.41	8.4	10.0	117	12.7	1.23	10.5	15.4
2020	403	7.2	0.37	6.5	8.0	107	11.7	1.17	9.5	14.3
2021	460	8.1	0.39	7.4	8.9	101	10.9	1.12	8.8	13.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Liver										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	769	6.3	0.24	5.8	6.8	5,670	2.6	0.03	2.5	2.6
1990	4	2.8	1.43	0.7	6.8	74	1.3	0.15	1.0	1.6
1991	1	0.4	0.41	0.0	2.4	98	1.6	0.16	1.3	1.9
1992	3	1.6	1.08	0.2	4.9	84	1.3	0.15	1.1	1.7
1993	7	3.9	1.53	1.5	7.9	102	1.6	0.16	1.3	2.0
1994	9	5.2	1.89	2.2	9.9	132	2.0	0.17	1.6	2.3
1995	10	5.0	1.69	2.3	9.2	130	2.0	0.18	1.7	2.4
1996	15	7.5	2.11	4.0	12.6	139	2.1	0.18	1.8	2.5
1997	11	6.9	2.17	3.3	12.1	145	2.3	0.19	1.9	2.7
1998	11	5.1	1.71	2.3	9.3	142	2.1	0.18	1.8	2.5
1999	17	6.9	1.91	3.7	11.5	173	2.7	0.20	2.3	3.1
2000	20	8.5	2.08	5.0	13.4	163	2.5	0.19	2.1	2.9
2001	17	7.2	1.82	4.0	11.4	158	2.4	0.19	2.0	2.8
2002	12	4.1	1.23	2.0	7.1	171	2.5	0.20	2.2	3.0
2003	17	5.2	1.37	2.9	8.5	152	2.3	0.19	1.9	2.7
2004	15	5.2	1.38	2.8	8.5	176	2.6	0.20	2.2	3.0
2005	18	4.4	1.15	2.4	7.2	172	2.6	0.20	2.2	3.0
2006	12	4.0	1.24	2.0	7.0	185	2.7	0.20	2.3	3.2
2007	16	4.3	1.14	2.4	7.0	190	2.8	0.20	2.4	3.2
2008	14	3.9	1.08	2.0	6.5	212	3.0	0.21	2.6	3.5
2009	27	6.2	1.28	3.9	9.1	177	2.6	0.20	2.2	3.0
2010	27	5.8	1.19	3.7	8.5	237	3.4	0.22	3.0	3.9
2011	25	5.6	1.18	3.6	8.4	186	2.6	0.20	2.3	3.1
2012	32	6.8	1.28	4.6	9.7	203	2.8	0.20	2.4	3.2
2013	38	7.1	1.24	4.9	9.9	202	2.7	0.20	2.4	3.2
2014	25	4.4	0.92	2.7	6.5	230	3.1	0.21	2.7	3.5
2015	35	5.8	1.03	3.9	8.1	238	3.2	0.21	2.8	3.6
2016	39	6.1	1.03	4.3	8.4	251	3.2	0.21	2.8	3.7
2017	55	8.6	1.21	6.4	11.3	249	3.2	0.21	2.8	3.6
2018	64	10.5	1.36	8.0	13.5	243	3.1	0.20	2.7	3.5
2019	54	7.9	1.11	5.8	10.3	230	3.0	0.20	2.6	3.4
2020	50	7.1	1.05	5.2	9.5	209	2.7	0.19	2.3	3.1
2021	69	9.0	1.12	6.9	11.4	217	2.7	0.19	2.3	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Liver										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,116	2.2	0.04	2.2	2.3	1,169	4.0	0.12	3.7	4.2
1990	61	1.2	0.16	0.9	1.6	12	1.6	0.48	0.8	2.9
1991	78	1.4	0.17	1.1	1.8	17	2.3	0.56	1.3	3.6
1992	70	1.3	0.15	1.0	1.6	11	1.5	0.46	0.7	2.7
1993	72	1.3	0.16	1.0	1.7	21	3.0	0.66	1.9	4.6
1994	103	1.7	0.17	1.4	2.1	25	3.4	0.69	2.2	5.0
1995	95	1.7	0.18	1.4	2.1	31	4.3	0.77	2.9	6.0
1996	106	1.8	0.18	1.5	2.2	26	3.6	0.71	2.3	5.2
1997	108	2.0	0.20	1.6	2.4	31	4.3	0.77	2.9	6.0
1998	105	1.8	0.18	1.5	2.2	27	3.5	0.69	2.3	5.1
1999	131	2.3	0.21	1.9	2.8	35	4.4	0.74	3.0	6.1
2000	110	1.9	0.19	1.6	2.3	38	4.6	0.76	3.3	6.4
2001	119	2.1	0.20	1.7	2.5	31	3.6	0.66	2.5	5.2
2002	121	2.1	0.19	1.7	2.5	39	4.8	0.77	3.4	6.5
2003	110	1.9	0.19	1.6	2.3	32	3.8	0.68	2.6	5.4
2004	126	2.2	0.20	1.8	2.7	37	4.4	0.72	3.1	6.0
2005	125	2.2	0.20	1.8	2.6	38	4.3	0.70	3.0	5.9
2006	135	2.4	0.21	2.0	2.8	38	4.2	0.69	2.9	5.7
2007	142	2.4	0.21	2.0	2.9	36	3.9	0.66	2.7	5.4
2008	152	2.6	0.21	2.2	3.0	38	3.9	0.64	2.8	5.4
2009	132	2.3	0.21	1.9	2.8	34	3.4	0.59	2.4	4.8
2010	171	3.0	0.23	2.5	3.5	51	5.1	0.73	3.8	6.8
2011	141	2.4	0.21	2.0	2.9	34	3.3	0.58	2.3	4.6
2012	151	2.5	0.21	2.1	2.9	35	3.3	0.57	2.3	4.7
2013	146	2.5	0.21	2.1	2.9	43	3.9	0.60	2.8	5.3
2014	161	2.7	0.23	2.3	3.2	48	4.2	0.62	3.1	5.6
2015	170	2.8	0.22	2.4	3.3	47	4.2	0.63	3.1	5.7
2016	173	2.8	0.22	2.4	3.3	56	4.8	0.65	3.6	6.2
2017	170	2.8	0.22	2.4	3.3	59	4.8	0.63	3.6	6.2
2018	174	2.8	0.22	2.4	3.3	56	4.5	0.62	3.4	5.9
2019	158	2.6	0.22	2.2	3.1	51	4.3	0.61	3.2	5.7
2020	141	2.4	0.22	2.0	2.9	49	4.0	0.58	2.9	5.3
2021	159	2.5	0.20	2.1	2.9	43	3.4	0.53	2.5	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gallbladder										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	564	2.3	0.11	2.1	2.5	5,152	1.3	0.02	1.3	1.3
1990	9	2.3	0.83	1.0	4.6	152	1.4	0.12	1.2	1.7
1991	7	2.2	0.95	0.7	4.7	147	1.4	0.12	1.2	1.6
1992	6	1.5	0.65	0.5	3.4	171	1.6	0.12	1.4	1.9
1993	11	4.1	1.38	1.9	7.5	120	1.1	0.10	0.9	1.3
1994	12	3.3	1.06	1.5	5.9	163	1.5	0.12	1.3	1.7
1995	15	3.3	0.95	1.7	5.6	146	1.3	0.11	1.1	1.6
1996	8	1.4	0.53	0.6	2.9	164	1.5	0.12	1.3	1.7
1997	11	3.4	1.14	1.5	6.1	154	1.4	0.11	1.2	1.6
1998	12	3.3	1.08	1.5	5.9	174	1.5	0.12	1.3	1.8
1999	14	3.1	0.89	1.6	5.3	145	1.3	0.10	1.1	1.5
2000	10	1.6	0.59	0.6	3.1	154	1.3	0.11	1.1	1.6
2001	15	2.7	0.81	1.3	4.6	155	1.3	0.11	1.1	1.6
2002	17	3.2	0.85	1.7	5.2	151	1.3	0.11	1.1	1.5
2003	15	2.1	0.61	1.1	3.6	157	1.3	0.11	1.1	1.6
2004	20	2.9	0.70	1.7	4.6	149	1.3	0.10	1.1	1.5
2005	13	1.8	0.58	0.8	3.2	176	1.5	0.11	1.3	1.7
2006	23	3.2	0.75	1.9	4.9	145	1.2	0.10	1.0	1.4
2007	13	1.9	0.59	1.0	3.4	157	1.3	0.10	1.1	1.5
2008	18	2.0	0.50	1.2	3.2	176	1.4	0.11	1.2	1.7
2009	24	2.8	0.62	1.7	4.3	161	1.3	0.10	1.1	1.5
2010	19	2.3	0.57	1.3	3.7	157	1.2	0.10	1.1	1.5
2011	18	2.0	0.52	1.1	3.2	183	1.4	0.11	1.2	1.7
2012	29	3.5	0.71	2.2	5.1	153	1.2	0.10	1.0	1.4
2013	16	1.7	0.46	0.9	2.8	180	1.4	0.10	1.2	1.6
2014	24	2.1	0.45	1.3	3.1	183	1.4	0.10	1.2	1.6
2015	27	2.3	0.47	1.4	3.3	189	1.4	0.10	1.2	1.6
2016	34	3.1	0.57	2.1	4.4	175	1.3	0.10	1.1	1.5
2017	24	1.9	0.43	1.2	2.9	173	1.2	0.10	1.1	1.4
2018	23	1.7	0.37	1.0	2.5	178	1.3	0.10	1.1	1.5
2019	20	1.4	0.34	0.8	2.2	175	1.2	0.09	1.1	1.4
2020	30	2.0	0.38	1.3	2.9	142	1.0	0.08	0.8	1.2
2021	27	2.0	0.42	1.3	3.0	147	1.0	0.09	0.9	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gallbladder										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,135	1.2	0.02	1.2	1.3	831	1.7	0.06	1.6	1.8
1990	139	1.5	0.13	1.2	1.8	10	1.1	0.35	0.5	1.9
1991	125	1.3	0.12	1.1	1.6	21	1.9	0.44	1.2	3.0
1992	146	1.5	0.13	1.3	1.8	21	1.8	0.40	1.1	2.7
1993	106	1.1	0.11	0.9	1.4	11	1.0	0.32	0.5	1.8
1994	150	1.5	0.13	1.3	1.8	10	0.9	0.30	0.4	1.7
1995	127	1.3	0.12	1.1	1.6	17	1.4	0.34	0.8	2.2
1996	141	1.5	0.12	1.2	1.7	21	1.7	0.39	1.1	2.7
1997	139	1.4	0.12	1.2	1.7	11	0.9	0.27	0.4	1.6
1998	145	1.5	0.12	1.2	1.7	21	1.6	0.36	1.0	2.5
1999	129	1.3	0.11	1.1	1.5	12	0.9	0.26	0.5	1.5
2000	130	1.3	0.11	1.1	1.6	21	1.5	0.33	0.9	2.3
2001	139	1.4	0.12	1.2	1.6	13	0.9	0.26	0.5	1.6
2002	124	1.2	0.11	1.0	1.5	19	1.3	0.30	0.8	2.0
2003	129	1.3	0.11	1.1	1.5	22	1.6	0.35	1.0	2.5
2004	117	1.1	0.11	0.9	1.4	26	2.0	0.40	1.3	2.9
2005	150	1.5	0.12	1.3	1.8	22	1.6	0.35	1.0	2.5
2006	123	1.2	0.11	1.0	1.4	18	1.2	0.29	0.7	1.9
2007	133	1.3	0.11	1.1	1.5	22	1.4	0.31	0.9	2.2
2008	138	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8
2009	125	1.2	0.11	1.0	1.4	31	1.9	0.35	1.3	2.8
2010	116	1.1	0.10	0.9	1.3	37	2.3	0.39	1.6	3.2
2011	140	1.3	0.12	1.1	1.6	37	2.2	0.37	1.5	3.1
2012	110	1.0	0.10	0.8	1.2	34	1.9	0.34	1.3	2.7
2013	134	1.3	0.11	1.1	1.5	36	2.1	0.35	1.4	2.9
2014	137	1.2	0.11	1.0	1.5	35	1.9	0.32	1.3	2.6
2015	144	1.3	0.11	1.1	1.5	35	1.9	0.32	1.3	2.6
2016	128	1.2	0.10	1.0	1.4	42	2.2	0.35	1.6	3.0
2017	123	1.1	0.10	0.9	1.3	42	2.2	0.34	1.6	3.0
2018	126	1.1	0.10	0.9	1.3	40	2.1	0.34	1.5	2.9
2019	124	1.1	0.10	0.9	1.3	41	2.1	0.34	1.5	2.9
2020	94	0.8	0.08	0.7	1.0	39	1.9	0.31	1.3	2.6
2021	104	0.9	0.09	0.7	1.1	31	1.6	0.29	1.1	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gallbladder										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	150	1.4	0.13	1.2	1.7	1,479	0.9	0.02	0.9	1.0
1990	3	2.2	1.47	0.3	6.8	37	0.9	0.15	0.6	1.2
1991	3	1.7	1.08	0.3	5.4	40	0.9	0.15	0.7	1.3
1992	1	0.5	0.52	0.0	3.3	33	0.8	0.13	0.5	1.1
1993	2	1.8	1.47	0.1	6.3	26	0.6	0.11	0.4	0.8
1994	0					50	1.2	0.17	0.9	1.6
1995	2	0.9	0.67	0.1	3.5	33	0.8	0.14	0.6	1.1
1996	3	1.4	0.88	0.2	4.4	51	1.2	0.17	0.9	1.6
1997	4	3.1	1.83	0.6	8.1	45	1.1	0.16	0.8	1.4
1998	1	1.3	1.26	0.0	5.2	43	1.0	0.15	0.7	1.3
1999	6	2.9	1.23	1.0	6.3	47	1.0	0.15	0.8	1.4
2000	3	1.7	1.20	0.2	5.2	38	0.8	0.13	0.6	1.1
2001	4	2.2	1.38	0.4	6.0	41	0.9	0.14	0.6	1.2
2002	2	1.5	1.22	0.1	5.0	53	1.1	0.15	0.8	1.4
2003	4	2.1	1.05	0.5	5.0	33	0.7	0.12	0.5	1.0
2004	8	2.8	1.06	1.1	5.6	43	0.9	0.14	0.7	1.2
2005	3	0.5	0.34	0.1	1.9	48	1.0	0.14	0.7	1.3
2006	6	1.9	0.86	0.6	4.3	44	0.9	0.14	0.7	1.2
2007	3	1.3	0.89	0.2	3.9	47	0.9	0.14	0.7	1.2
2008	6	1.2	0.51	0.4	2.7	41	0.8	0.13	0.6	1.1
2009	5	1.1	0.53	0.3	2.6	49	0.9	0.14	0.7	1.2
2010	5	1.1	0.52	0.3	2.6	53	1.0	0.14	0.8	1.3
2011	4	0.8	0.45	0.2	2.1	65	1.2	0.15	0.9	1.6
2012	7	2.5	1.01	0.9	5.0	45	0.8	0.13	0.6	1.1
2013	4	0.5	0.25	0.1	1.4	54	1.0	0.13	0.7	1.3
2014	6	1.0	0.44	0.3	2.2	43	0.8	0.12	0.5	1.0
2015	9	1.5	0.56	0.6	3.0	51	0.9	0.12	0.6	1.2
2016	11	2.3	0.77	1.0	4.2	51	0.8	0.12	0.6	1.1
2017	9	1.7	0.59	0.7	3.2	57	0.9	0.12	0.7	1.2
2018	6	0.9	0.41	0.3	2.1	57	0.9	0.13	0.7	1.2
2019	7	1.2	0.51	0.4	2.5	65	1.0	0.13	0.8	1.3
2020	6	1.1	0.50	0.4	2.4	42	0.7	0.11	0.5	0.9
2021	7	1.3	0.52	0.5	2.6	54	0.9	0.12	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gallbladder										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,179	0.9	0.03	0.8	0.9	232	1.2	0.09	1.1	1.4
1990	35	0.9	0.16	0.6	1.3	1	0.2	0.17	0.0	1.0
1991	36	0.9	0.16	0.7	1.3	3	1.1	0.62	0.2	2.8
1992	33	0.8	0.15	0.6	1.2	0				
1993	22	0.6	0.12	0.3	0.8	4	0.7	0.33	0.2	1.7
1994	45	1.2	0.18	0.9	1.6	3	0.7	0.41	0.1	1.9
1995	28	0.8	0.15	0.5	1.1	4	1.0	0.53	0.2	2.5
1996	47	1.3	0.19	0.9	1.7	3	0.7	0.43	0.1	2.0
1997	39	1.1	0.17	0.7	1.4	4	0.9	0.45	0.2	2.2
1998	39	1.0	0.17	0.7	1.4	3	0.7	0.46	0.1	2.1
1999	42	1.1	0.17	0.8	1.4	3	0.5	0.31	0.1	1.5
2000	30	0.7	0.13	0.5	1.0	7	1.2	0.46	0.5	2.4
2001	36	0.9	0.15	0.6	1.2	3	0.4	0.26	0.1	1.3
2002	42	1.0	0.16	0.7	1.4	7	1.1	0.44	0.4	2.3
2003	27	0.7	0.13	0.4	1.0	6	1.1	0.46	0.4	2.3
2004	37	0.9	0.15	0.6	1.2	5	1.0	0.43	0.3	2.2
2005	37	0.9	0.15	0.6	1.2	9	1.6	0.57	0.7	3.1
2006	37	0.9	0.15	0.6	1.2	6	1.0	0.42	0.4	2.2
2007	36	0.8	0.14	0.6	1.2	10	1.7	0.54	0.8	3.0
2008	31	0.7	0.13	0.5	1.0	8	1.2	0.45	0.5	2.4
2009	37	0.8	0.14	0.6	1.2	10	1.5	0.50	0.7	2.8
2010	39	0.9	0.14	0.6	1.2	11	2.0	0.64	0.9	3.6
2011	52	1.2	0.16	0.9	1.5	11	1.9	0.61	0.9	3.4
2012	32	0.7	0.13	0.5	1.0	10	1.6	0.52	0.7	2.9
2013	39	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.2
2014	30	0.6	0.12	0.4	0.9	8	1.1	0.39	0.4	2.1
2015	38	0.8	0.13	0.6	1.1	8	1.1	0.41	0.4	2.2
2016	36	0.7	0.12	0.5	1.0	13	1.7	0.49	0.9	2.9
2017	40	0.8	0.13	0.6	1.1	14	1.8	0.50	0.9	3.0
2018	40	0.8	0.13	0.6	1.1	13	1.7	0.49	0.9	3.0
2019	49	0.9	0.14	0.7	1.3	15	1.9	0.52	1.1	3.2
2020	25	0.5	0.10	0.3	0.8	11	1.4	0.44	0.7	2.5
2021	43	0.9	0.13	0.6	1.2	6	0.9	0.39	0.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gallbladder										
Females										
Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	414	3.1	0.16	2.8	3.5	3,673	1.6	0.03	1.6	1.7
1990	6	2.8	1.15	1.0	6.1	115	1.8	0.17	1.5	2.2
1991	4	2.4	1.36	0.5	6.3	107	1.7	0.17	1.4	2.1
1992	5	2.4	1.13	0.7	5.6	138	2.1	0.18	1.8	2.5
1993	9	5.8	2.07	2.5	10.9	94	1.5	0.15	1.2	1.8
1994	12	6.0	1.84	2.9	10.5	113	1.7	0.16	1.4	2.0
1995	13	5.4	1.61	2.7	9.4	113	1.7	0.16	1.4	2.1
1996	5	1.5	0.70	0.5	3.7	113	1.7	0.17	1.4	2.1
1997	7	3.7	1.51	1.4	7.6	109	1.6	0.16	1.3	2.0
1998	11	4.9	1.65	2.3	9.0	131	2.0	0.17	1.7	2.4
1999	8	3.2	1.22	1.3	6.4	98	1.4	0.15	1.2	1.8
2000	7	1.7	0.64	0.7	3.6	116	1.7	0.16	1.4	2.1
2001	11	3.2	1.07	1.5	6.0	114	1.7	0.16	1.4	2.0
2002	15	4.9	1.32	2.6	8.1	98	1.4	0.15	1.2	1.8
2003	11	2.5	0.76	1.2	4.5	124	1.8	0.16	1.5	2.1
2004	12	3.1	0.96	1.5	5.5	106	1.5	0.15	1.2	1.8
2005	10	2.8	0.98	1.2	5.3	128	1.9	0.17	1.5	2.2
2006	17	4.3	1.14	2.3	7.0	101	1.4	0.14	1.1	1.7
2007	10	2.6	0.85	1.2	4.7	110	1.6	0.15	1.3	1.9
2008	12	2.7	0.81	1.4	4.7	135	1.9	0.17	1.6	2.3
2009	19	4.3	1.04	2.5	6.7	112	1.5	0.15	1.3	1.9
2010	14	3.3	0.93	1.7	5.6	104	1.4	0.14	1.2	1.8
2011	14	3.0	0.85	1.6	5.0	118	1.6	0.15	1.4	2.0
2012	22	4.5	1.02	2.7	6.9	108	1.4	0.14	1.2	1.7
2013	12	2.5	0.77	1.2	4.4	126	1.7	0.16	1.4	2.1
2014	18	3.0	0.75	1.7	4.8	140	1.9	0.16	1.6	2.2
2015	18	2.9	0.72	1.6	4.6	138	1.8	0.15	1.5	2.1
2016	23	3.9	0.85	2.4	5.9	124	1.6	0.15	1.4	2.0
2017	15	2.2	0.61	1.2	3.7	116	1.5	0.14	1.2	1.8
2018	17	2.4	0.60	1.4	3.8	121	1.6	0.15	1.3	1.9
2019	13	1.7	0.49	0.9	2.9	110	1.4	0.14	1.2	1.7
2020	24	2.9	0.61	1.8	4.3	100	1.3	0.13	1.0	1.6
2021	20	2.8	0.64	1.7	4.3	93	1.2	0.12	0.9	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Gallbladder										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,956	1.5	0.03	1.5	1.6	599	2.1	0.08	1.9	2.2
1990	104	1.8	0.18	1.5	2.2	9	1.5	0.52	0.7	2.9
1991	89	1.6	0.17	1.3	2.0	18	2.7	0.64	1.6	4.2
1992	113	1.9	0.18	1.6	2.3	21	3.0	0.66	1.8	4.5
1993	84	1.5	0.17	1.2	1.9	7	1.1	0.43	0.5	2.3
1994	105	1.8	0.18	1.5	2.2	7	1.1	0.41	0.4	2.2
1995	99	1.7	0.18	1.4	2.1	13	1.7	0.48	0.9	2.9
1996	94	1.7	0.17	1.3	2.0	18	2.4	0.57	1.4	3.8
1997	100	1.7	0.17	1.4	2.1	7	0.9	0.34	0.4	1.8
1998	106	1.9	0.18	1.5	2.3	18	2.3	0.54	1.4	3.6
1999	87	1.5	0.16	1.2	1.8	9	1.1	0.38	0.5	2.1
2000	100	1.7	0.18	1.4	2.1	14	1.7	0.45	0.9	2.8
2001	103	1.8	0.18	1.5	2.2	10	1.2	0.38	0.6	2.2
2002	82	1.4	0.16	1.1	1.8	12	1.4	0.40	0.7	2.4
2003	102	1.7	0.17	1.4	2.1	16	1.9	0.49	1.1	3.1
2004	80	1.3	0.15	1.0	1.7	21	2.6	0.56	1.6	3.9
2005	113	1.9	0.18	1.6	2.3	13	1.6	0.45	0.9	2.7
2006	86	1.4	0.15	1.1	1.8	12	1.3	0.39	0.7	2.3
2007	97	1.7	0.17	1.4	2.1	12	1.3	0.37	0.7	2.2
2008	107	1.8	0.18	1.5	2.2	25	2.6	0.52	1.7	3.8
2009	88	1.4	0.16	1.1	1.8	21	2.2	0.49	1.4	3.4
2010	77	1.3	0.15	1.0	1.6	26	2.7	0.53	1.7	3.9
2011	88	1.5	0.16	1.2	1.9	26	2.5	0.50	1.6	3.7
2012	78	1.2	0.14	1.0	1.6	24	2.2	0.46	1.4	3.3
2013	95	1.6	0.16	1.3	1.9	23	2.2	0.47	1.4	3.3
2014	107	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.7
2015	106	1.7	0.17	1.4	2.1	27	2.4	0.47	1.6	3.6
2016	92	1.5	0.17	1.2	1.9	29	2.5	0.48	1.7	3.7
2017	83	1.3	0.15	1.1	1.7	28	2.5	0.47	1.6	3.6
2018	86	1.4	0.15	1.1	1.7	27	2.4	0.48	1.6	3.6
2019	75	1.2	0.14	0.9	1.5	26	2.3	0.46	1.5	3.4
2020	69	1.1	0.13	0.8	1.4	28	2.4	0.46	1.6	3.5
2021	61	1.0	0.13	0.7	1.3	25	2.0	0.42	1.3	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Pancreas										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,819	12.1	0.25	11.6	12.6	50,460	12.8	0.06	12.7	12.9
1990	20	5.6	1.41	3.2	9.0	1,096	10.4	0.32	9.8	11.1
1991	28	8.6	1.81	5.4	12.8	1,000	9.4	0.30	8.8	10.0
1992	21	6.4	1.58	3.7	10.1	1,047	9.7	0.30	9.1	10.3
1993	34	9.8	1.85	6.5	13.9	1,044	9.6	0.30	9.0	10.2
1994	36	10.3	1.92	6.9	14.7	1,291	11.7	0.33	11.1	12.4
1995	36	9.1	1.68	6.1	12.9	1,299	11.8	0.33	11.1	12.4
1996	37	10.8	1.98	7.3	15.2	1,346	12.1	0.33	11.5	12.8
1997	41	10.2	1.80	6.9	14.2	1,276	11.4	0.32	10.8	12.0
1998	42	9.4	1.68	6.4	13.1	1,374	12.1	0.33	11.5	12.8
1999	50	9.9	1.55	7.1	13.3	1,382	12.1	0.33	11.5	12.8
2000	48	10.6	1.73	7.5	14.4	1,436	12.5	0.33	11.9	13.2
2001	57	10.9	1.67	7.9	14.6	1,452	12.6	0.33	12.0	13.3
2002	45	8.3	1.39	5.8	11.4	1,461	12.6	0.33	11.9	13.2
2003	51	8.6	1.33	6.2	11.5	1,484	12.6	0.33	12.0	13.3
2004	74	12.5	1.60	9.6	16.0	1,527	12.9	0.33	12.2	13.5
2005	72	12.1	1.61	9.2	15.6	1,602	13.3	0.33	12.7	14.0
2006	90	13.7	1.61	10.7	17.2	1,511	12.6	0.32	11.9	13.2
2007	82	11.4	1.42	8.8	14.5	1,580	12.9	0.33	12.3	13.6
2008	98	13.1	1.47	10.4	16.3	1,633	13.2	0.33	12.5	13.8
2009	70	10.0	1.30	7.6	12.7	1,759	14.0	0.34	13.4	14.7
2010	102	12.9	1.40	10.3	15.9	1,679	13.2	0.33	12.6	13.9
2011	104	13.1	1.39	10.5	16.0	1,696	13.2	0.33	12.6	13.8
2012	121	13.1	1.29	10.7	15.8	1,726	13.1	0.32	12.4	13.7
2013	118	12.1	1.20	9.8	14.6	1,785	13.3	0.32	12.7	13.9
2014	116	11.2	1.13	9.1	13.6	1,832	13.4	0.32	12.8	14.1
2015	126	11.4	1.09	9.3	13.7	1,931	14.2	0.33	13.5	14.8
2016	147	12.7	1.13	10.6	15.1	1,890	13.6	0.32	13.0	14.3
2017	178	14.9	1.20	12.6	17.4	2,067	14.6	0.33	13.9	15.2
2018	190	15.3	1.18	13.0	17.7	2,087	14.7	0.33	14.0	15.3
2019	202	14.9	1.13	12.8	17.3	2,111	14.7	0.33	14.0	15.3
2020	186	13.5	1.06	11.5	15.7	1,980	13.6	0.31	13.0	14.2
2021	197	12.8	0.97	11.0	14.9	2,076	14.3	0.32	13.6	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Pancreas										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	41,386	12.4	0.06	12.3	12.5	7,942	16.4	0.19	16.0	16.8
1990	911	9.8	0.33	9.2	10.5	173	15.4	1.21	13.1	17.9
1991	866	9.3	0.32	8.6	9.9	125	11.5	1.05	9.5	13.7
1992	878	9.3	0.32	8.7	9.9	157	13.2	1.08	11.1	15.4
1993	870	9.1	0.31	8.5	9.7	161	13.7	1.10	11.6	16.0
1994	1,073	11.1	0.34	10.5	11.8	194	16.5	1.22	14.2	19.1
1995	1,082	11.3	0.34	10.6	12.0	203	17.1	1.23	14.8	19.7
1996	1,139	11.8	0.35	11.1	12.5	192	15.8	1.17	13.6	18.3
1997	1,088	11.2	0.34	10.5	11.8	174	13.7	1.06	11.7	15.9
1998	1,166	11.9	0.35	11.2	12.6	188	14.4	1.07	12.4	16.7
1999	1,156	11.7	0.35	11.1	12.4	197	15.2	1.10	13.1	17.5
2000	1,204	12.2	0.35	11.5	12.9	199	14.9	1.08	12.9	17.2
2001	1,205	12.2	0.35	11.5	12.9	225	16.2	1.10	14.1	18.5
2002	1,195	12.0	0.35	11.3	12.7	240	17.5	1.15	15.3	19.8
2003	1,211	12.1	0.35	11.4	12.8	244	17.5	1.14	15.3	19.9
2004	1,281	12.6	0.36	12.0	13.4	219	15.2	1.05	13.2	17.4
2005	1,295	12.7	0.36	12.0	13.4	277	19.2	1.18	17.0	21.7
2006	1,209	11.9	0.34	11.2	12.5	272	18.4	1.14	16.3	20.8
2007	1,297	12.6	0.35	11.9	13.3	250	16.9	1.09	14.8	19.1
2008	1,335	12.8	0.35	12.1	13.5	255	16.4	1.05	14.4	18.5
2009	1,449	13.8	0.37	13.1	14.5	272	17.4	1.08	15.4	19.7
2010	1,388	13.1	0.36	12.4	13.8	253	16.1	1.03	14.1	18.2
2011	1,394	13.1	0.36	12.4	13.8	261	15.8	1.00	13.9	17.8
2012	1,406	12.9	0.35	12.2	13.6	278	16.4	1.00	14.4	18.4
2013	1,453	13.1	0.35	12.4	13.8	292	16.7	1.00	14.8	18.8
2014	1,475	13.1	0.35	12.4	13.8	301	16.8	0.99	14.9	18.8
2015	1,531	13.7	0.36	13.0	14.5	351	19.3	1.06	17.3	21.5
2016	1,545	13.6	0.36	12.9	14.4	299	16.1	0.95	14.3	18.1
2017	1,712	14.8	0.37	14.1	15.6	314	16.4	0.95	14.6	18.4
2018	1,640	14.2	0.36	13.5	15.0	367	19.0	1.02	17.1	21.1
2019	1,697	14.6	0.36	13.9	15.3	346	17.3	0.95	15.5	19.3
2020	1,581	13.5	0.35	12.8	14.2	327	16.0	0.91	14.3	17.9
2021	1,654	14.1	0.36	13.4	14.9	336	16.5	0.93	14.8	18.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Pancreas										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,424	12.7	0.38	12.0	13.5	25,041	14.8	0.09	14.6	15.0
1990	11	5.6	1.85	2.6	10.6	515	11.9	0.54	10.9	13.0
1991	14	8.3	2.47	4.2	14.6	464	10.7	0.51	9.7	11.7
1992	10	6.9	2.68	2.7	13.7	504	11.2	0.51	10.3	12.3
1993	16	11.2	3.38	5.5	19.3	486	10.8	0.50	9.9	11.8
1994	19	10.4	2.82	5.6	17.1	630	14.0	0.57	12.9	15.1
1995	19	9.3	2.45	5.1	15.2	626	13.8	0.56	12.7	14.9
1996	16	10.5	2.99	5.5	17.6	637	13.9	0.56	12.8	15.0
1997	21	9.3	2.20	5.5	14.6	599	12.9	0.54	11.9	14.0
1998	20	11.4	3.03	6.3	18.5	624	13.5	0.55	12.4	14.6
1999	29	12.0	2.60	7.4	18.0	663	14.0	0.55	12.9	15.1
2000	20	8.7	2.33	4.7	14.2	724	15.1	0.57	14.0	16.3
2001	27	10.5	2.31	6.4	15.8	711	14.7	0.56	13.6	15.8
2002	22	9.1	2.18	5.3	14.1	701	14.4	0.55	13.3	15.5
2003	29	9.8	2.06	6.2	14.6	734	14.8	0.55	13.8	16.0
2004	36	13.4	2.45	9.0	18.9	783	15.7	0.57	14.6	16.9
2005	30	9.4	1.94	6.0	13.9	758	15.0	0.55	13.9	16.1
2006	58	18.3	2.84	13.2	24.6	747	14.5	0.54	13.5	15.6
2007	42	11.7	2.16	7.9	16.6	774	14.8	0.54	13.7	15.9
2008	47	14.2	2.34	10.0	19.4	825	15.5	0.55	14.5	16.7
2009	32	9.0	1.79	5.8	13.0	873	16.1	0.55	15.0	17.2
2010	51	13.9	2.25	9.9	18.9	837	15.2	0.54	14.2	16.3
2011	49	12.3	1.96	8.7	16.6	854	15.2	0.53	14.2	16.3
2012	62	13.6	1.94	10.1	17.8	857	14.7	0.51	13.7	15.7
2013	80	17.9	2.24	13.8	22.8	899	15.3	0.52	14.3	16.3
2014	60	11.7	1.73	8.6	15.5	952	15.8	0.53	14.8	16.9
2015	64	12.1	1.70	9.0	15.8	989	16.5	0.54	15.5	17.6
2016	68	12.1	1.64	9.1	15.7	967	15.9	0.53	14.9	17.0
2017	96	16.6	1.90	13.1	20.7	1,064	16.8	0.53	15.7	17.8
2018	95	16.5	1.85	13.1	20.5	1,063	16.7	0.53	15.7	17.7
2019	95	14.0	1.60	11.1	17.5	1,089	16.8	0.52	15.8	17.9
2020	88	13.1	1.53	10.2	16.4	1,028	15.7	0.50	14.7	16.7
2021	98	13.5	1.50	10.7	16.7	1,064	16.2	0.51	15.2	17.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Pancreas										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	20,790	14.5	0.10	14.3	14.7	3,679	18.4	0.32	17.7	19.0
1990	436	11.5	0.56	10.4	12.6	73	15.9	1.97	12.3	20.2
1991	407	10.6	0.54	9.6	11.7	53	12.1	1.76	8.9	16.0
1992	420	10.7	0.53	9.6	11.7	76	16.9	2.06	13.1	21.3
1993	407	10.3	0.52	9.3	11.4	73	15.3	1.89	11.8	19.4
1994	524	13.3	0.59	12.2	14.6	97	20.1	2.16	16.1	24.7
1995	513	13.0	0.58	11.9	14.2	100	20.8	2.21	16.7	25.6
1996	539	13.5	0.59	12.4	14.7	89	18.3	2.06	14.5	22.8
1997	513	12.8	0.57	11.7	14.0	77	13.8	1.64	10.8	17.3
1998	532	13.3	0.58	12.2	14.5	83	15.4	1.77	12.2	19.3
1999	564	13.8	0.58	12.6	14.9	86	16.1	1.82	12.8	20.0
2000	614	14.9	0.61	13.8	16.2	93	16.4	1.79	13.1	20.3
2001	598	14.4	0.59	13.3	15.7	105	18.2	1.85	14.7	22.2
2002	574	13.8	0.58	12.7	15.0	112	19.5	1.95	15.9	23.6
2003	590	14.0	0.58	12.9	15.2	127	22.3	2.10	18.4	26.8
2004	663	15.6	0.61	14.5	16.9	105	16.8	1.72	13.6	20.5
2005	616	14.3	0.58	13.2	15.5	128	21.4	2.02	17.6	25.7
2006	599	13.7	0.57	12.6	14.9	127	20.4	1.89	16.9	24.4
2007	641	14.4	0.58	13.3	15.6	109	18.4	1.88	14.9	22.4
2008	682	15.1	0.59	14.0	16.3	121	19.1	1.83	15.7	23.0
2009	728	15.9	0.60	14.8	17.2	129	20.2	1.88	16.7	24.2
2010	709	15.3	0.58	14.2	16.5	109	16.5	1.66	13.4	20.1
2011	723	15.4	0.58	14.2	16.5	115	17.1	1.68	14.0	20.7
2012	700	14.3	0.55	13.3	15.5	137	19.6	1.76	16.3	23.3
2013	747	15.2	0.57	14.1	16.4	136	18.6	1.68	15.4	22.1
2014	787	15.8	0.58	14.7	16.9	138	18.4	1.65	15.3	21.9
2015	792	16.0	0.59	14.9	17.2	168	22.3	1.81	18.9	26.1
2016	809	16.1	0.58	14.9	17.3	137	18.5	1.66	15.4	22.0
2017	906	17.4	0.59	16.2	18.6	141	17.3	1.53	14.4	20.6
2018	868	16.7	0.58	15.6	17.9	158	19.2	1.60	16.2	22.6
2019	882	16.7	0.58	15.6	17.9	176	20.5	1.61	17.5	23.9
2020	849	16.0	0.56	14.9	17.1	141	16.6	1.47	13.8	19.7
2021	858	16.1	0.57	15.0	17.3	160	18.5	1.53	15.6	21.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Pancreas										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,395	11.4	0.32	10.8	12.1	25,419	11.1	0.07	11.0	11.3
1990	9	5.2	1.91	2.2	10.1	581	9.4	0.40	8.6	10.2
1991	14	8.4	2.43	4.3	14.3	536	8.5	0.37	7.8	9.3
1992	11	6.1	2.00	2.8	11.1	543	8.5	0.37	7.8	9.2
1993	18	9.1	2.28	5.2	14.6	558	8.7	0.37	8.0	9.4
1994	17	10.1	2.57	5.7	16.1	661	10.0	0.39	9.2	10.8
1995	17	8.6	2.24	4.8	13.9	673	10.2	0.40	9.4	11.0
1996	21	11.0	2.60	6.5	17.0	709	10.7	0.40	9.9	11.5
1997	20	10.1	2.51	5.8	15.9	677	10.1	0.39	9.4	10.9
1998	22	8.1	1.95	4.7	12.7	750	11.2	0.41	10.4	12.0
1999	21	8.1	1.91	4.8	12.6	719	10.6	0.40	9.8	11.4
2000	28	12.0	2.47	7.7	17.6	712	10.5	0.40	9.7	11.3
2001	30	11.0	2.25	7.0	16.1	741	10.9	0.41	10.2	11.8
2002	23	7.7	1.75	4.7	11.8	760	11.0	0.41	10.3	11.9
2003	22	7.4	1.70	4.5	11.3	750	10.9	0.40	10.1	11.7
2004	38	11.8	2.07	8.1	16.4	744	10.6	0.39	9.8	11.4
2005	42	13.8	2.33	9.7	19.0	844	12.1	0.42	11.3	13.0
2006	32	9.8	1.84	6.5	13.9	764	11.0	0.40	10.2	11.8
2007	40	11.1	1.89	7.7	15.3	806	11.4	0.41	10.6	12.2
2008	51	12.4	1.88	9.0	16.5	808	11.3	0.41	10.5	12.2
2009	38	10.5	1.81	7.3	14.5	886	12.3	0.42	11.5	13.2
2010	51	12.2	1.81	9.0	16.2	842	11.6	0.41	10.8	12.4
2011	55	13.4	1.90	9.9	17.5	842	11.5	0.41	10.7	12.3
2012	59	12.5	1.71	9.3	16.2	869	11.7	0.41	10.9	12.5
2013	38	7.2	1.24	5.0	10.0	886	11.8	0.41	11.0	12.6
2014	56	10.6	1.49	7.8	13.8	880	11.6	0.40	10.9	12.5
2015	62	10.7	1.44	8.1	13.9	942	12.3	0.41	11.5	13.1
2016	79	13.2	1.57	10.3	16.6	923	11.9	0.40	11.1	12.7
2017	82	13.5	1.57	10.6	16.9	1,003	12.7	0.41	11.9	13.5
2018	95	14.3	1.54	11.4	17.6	1,024	13.0	0.42	12.2	13.8
2019	107	15.6	1.57	12.6	18.9	1,022	12.7	0.41	11.9	13.5
2020	98	13.7	1.44	11.0	16.8	952	11.8	0.39	11.0	12.6
2021	99	12.4	1.30	10.0	15.2	1,012	12.6	0.41	11.9	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Pancreas										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	20,596	10.7	0.08	10.6	10.9	4,263	14.9	0.23	14.4	15.3
1990	475	8.7	0.41	7.9	9.5	100	14.9	1.52	12.1	18.2
1991	459	8.3	0.39	7.5	9.1	72	11.0	1.31	8.6	13.9
1992	458	8.1	0.38	7.3	8.8	81	11.1	1.25	8.8	13.8
1993	463	8.1	0.38	7.4	8.9	88	12.6	1.35	10.1	15.5
1994	549	9.4	0.41	8.6	10.2	97	13.8	1.42	11.2	16.9
1995	569	9.8	0.42	9.0	10.7	103	14.5	1.45	11.8	17.6
1996	600	10.3	0.43	9.5	11.2	103	14.1	1.40	11.5	17.1
1997	575	9.9	0.42	9.1	10.7	97	13.1	1.34	10.6	16.0
1998	634	10.9	0.44	10.0	11.8	105	13.6	1.33	11.1	16.4
1999	592	10.0	0.42	9.2	10.9	111	14.3	1.37	11.8	17.2
2000	590	10.2	0.43	9.3	11.0	106	13.5	1.32	11.1	16.4
2001	607	10.4	0.43	9.5	11.3	120	14.7	1.35	12.2	17.6
2002	621	10.5	0.43	9.7	11.4	128	15.8	1.40	13.1	18.7
2003	621	10.5	0.43	9.7	11.4	117	14.2	1.32	11.7	17.0
2004	618	10.2	0.42	9.4	11.1	114	13.6	1.28	11.2	16.4
2005	679	11.5	0.45	10.6	12.4	149	17.6	1.45	14.9	20.7
2006	610	10.3	0.43	9.5	11.2	145	16.7	1.40	14.1	19.7
2007	656	11.0	0.44	10.1	11.9	141	15.9	1.35	13.4	18.8
2008	653	10.9	0.44	10.1	11.8	134	14.4	1.26	12.0	17.1
2009	721	11.9	0.46	11.1	12.9	143	15.5	1.31	13.1	18.3
2010	679	11.2	0.44	10.4	12.1	144	15.4	1.30	12.9	18.1
2011	671	11.1	0.44	10.2	12.0	146	14.7	1.23	12.4	17.3
2012	706	11.6	0.45	10.8	12.5	141	14.0	1.20	11.8	16.6
2013	706	11.4	0.44	10.5	12.3	156	15.4	1.25	13.1	18.1
2014	688	11.1	0.43	10.2	12.0	163	15.6	1.24	13.3	18.2
2015	739	11.9	0.45	11.0	12.8	183	17.1	1.28	14.6	19.8
2016	736	11.7	0.45	10.8	12.6	162	14.6	1.17	12.4	17.1
2017	806	12.6	0.46	11.7	13.6	173	15.6	1.20	13.3	18.1
2018	772	12.1	0.45	11.3	13.1	209	18.7	1.31	16.2	21.4
2019	815	12.6	0.46	11.8	13.6	170	14.5	1.13	12.4	16.9
2020	732	11.3	0.43	10.5	12.2	186	15.7	1.17	13.5	18.2
2021	796	12.5	0.46	11.6	13.4	176	14.9	1.15	12.8	17.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Respiratory System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	8,001	34.5	0.42	33.7	35.4	299,470	75.7	0.14	75.4	75.9
1990	114	36.4	3.86	29.3	44.6	7,843	73.4	0.84	71.8	75.1
1991	108	32.0	3.48	25.5	39.4	7,818	72.3	0.83	70.7	73.9
1992	121	34.6	3.50	28.1	42.0	8,236	75.7	0.84	74.0	77.3
1993	141	35.4	3.33	29.2	42.4	8,615	78.6	0.85	77.0	80.3
1994	158	39.1	3.51	32.6	46.5	9,175	83.1	0.87	81.4	84.8
1995	175	50.6	4.27	42.6	59.5	9,185	82.9	0.87	81.2	84.6
1996	194	49.7	4.02	42.1	58.1	9,172	82.6	0.86	80.9	84.3
1997	181	45.9	3.83	38.7	53.9	9,064	81.1	0.85	79.4	82.7
1998	212	54.9	4.20	47.0	63.6	9,171	81.4	0.85	79.7	83.1
1999	203	43.5	3.45	37.0	50.7	9,256	81.7	0.85	80.0	83.4
2000	201	39.3	3.14	33.4	45.8	9,134	80.2	0.84	78.6	81.9
2001	205	41.2	3.27	35.1	48.0	9,252	80.8	0.84	79.2	82.5
2002	191	36.2	2.95	30.6	42.3	9,563	82.9	0.85	81.2	84.6
2003	210	36.3	2.78	31.1	42.1	9,558	82.0	0.84	80.4	83.7
2004	252	42.3	3.00	36.6	48.4	9,262	79.0	0.82	77.3	80.6
2005	235	37.3	2.69	32.2	42.9	9,473	80.0	0.83	78.4	81.7
2006	246	37.8	2.65	32.7	43.2	9,685	81.2	0.83	79.6	82.9
2007	268	39.3	2.60	34.4	44.6	9,791	81.0	0.82	79.4	82.6
2008	306	41.2	2.60	36.3	46.5	9,774	79.6	0.81	78.0	81.2
2009	250	33.6	2.31	29.2	38.3	10,032	80.8	0.82	79.2	82.4
2010	263	32.5	2.17	28.4	37.0	9,728	77.2	0.79	75.7	78.8
2011	324	39.0	2.34	34.6	43.8	9,728	75.9	0.78	74.4	77.5
2012	301	34.4	2.13	30.3	38.7	9,715	74.5	0.77	73.0	76.1
2013	270	28.4	1.87	24.8	32.3	9,576	71.8	0.75	70.4	73.3
2014	321	30.8	1.86	27.2	34.6	10,068	74.3	0.75	72.8	75.8
2015	362	32.8	1.86	29.2	36.6	9,889	71.9	0.74	70.4	73.3
2016	320	28.4	1.70	25.1	31.9	9,878	71.2	0.73	69.8	72.6
2017	388	33.8	1.83	30.3	37.5	9,898	70.0	0.72	68.6	71.4
2018	359	29.0	1.63	25.9	32.3	9,967	69.1	0.71	67.7	70.5
2019	358	27.9	1.57	24.9	31.1	9,705	66.1	0.68	64.8	67.5
2020	350	26.3	1.48	23.5	29.3	8,883	59.9	0.65	58.7	61.2
2021	414	28.8	1.50	25.9	31.9	9,376	62.8	0.66	61.5	64.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Respiratory System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	250,342	75.4	0.15	75.1	75.6	44,305	88.5	0.43	87.7	89.3
1990	6,678	71.3	0.88	69.6	73.0	1,112	93.3	2.86	87.8	99.0
1991	6,708	70.8	0.87	69.1	72.5	1,054	86.4	2.71	81.1	91.9
1992	7,019	74.0	0.89	72.2	75.8	1,158	94.4	2.83	89.0	100.2
1993	7,242	75.9	0.90	74.1	77.7	1,295	104.2	2.95	98.5	110.1
1994	7,800	81.2	0.93	79.4	83.1	1,297	102.9	2.91	97.2	108.7
1995	7,712	80.4	0.92	78.6	82.2	1,389	106.9	2.92	101.2	112.7
1996	7,682	80.1	0.92	78.3	82.0	1,392	107.0	2.92	101.4	112.9
1997	7,622	79.1	0.91	77.3	80.9	1,345	100.8	2.79	95.4	106.4
1998	7,697	79.5	0.91	77.7	81.3	1,357	100.7	2.77	95.3	106.3
1999	7,793	80.3	0.91	78.5	82.1	1,363	99.1	2.73	93.8	104.6
2000	7,742	79.7	0.91	77.9	81.5	1,283	91.5	2.59	86.5	96.7
2001	7,815	80.2	0.91	78.4	82.0	1,330	94.4	2.63	89.3	99.7
2002	8,042	82.1	0.92	80.3	83.9	1,396	96.9	2.63	91.8	102.2
2003	8,034	81.6	0.91	79.8	83.4	1,410	96.2	2.60	91.1	101.4
2004	7,727	78.1	0.89	76.3	79.8	1,417	95.7	2.59	90.7	100.9
2005	7,931	79.8	0.90	78.0	81.6	1,402	92.6	2.52	87.8	97.7
2006	8,081	80.7	0.90	79.0	82.5	1,462	95.3	2.54	90.4	100.4
2007	8,170	80.8	0.90	79.0	82.6	1,465	94.7	2.52	89.8	99.7
2008	8,216	80.2	0.89	78.4	81.9	1,405	88.3	2.40	83.6	93.1
2009	8,419	81.6	0.90	79.9	83.4	1,432	87.2	2.36	82.6	91.9
2010	8,107	77.6	0.87	75.9	79.3	1,438	86.5	2.34	82.0	91.2
2011	8,116	76.5	0.86	74.8	78.2	1,428	84.6	2.29	80.2	89.2
2012	8,018	74.5	0.85	72.9	76.2	1,510	87.8	2.32	83.3	92.5
2013	7,907	72.1	0.83	70.5	73.8	1,469	82.5	2.21	78.2	86.9
2014	8,381	75.5	0.84	73.9	77.2	1,478	81.1	2.16	76.9	85.4
2015	8,100	72.1	0.82	70.5	73.8	1,551	82.6	2.15	78.4	86.9
2016	8,149	72.1	0.82	70.5	73.8	1,515	80.5	2.12	76.4	84.8
2017	8,174	71.2	0.80	69.6	72.8	1,506	78.3	2.07	74.3	82.4
2018	8,266	70.5	0.79	69.0	72.1	1,468	75.4	2.02	71.5	79.5
2019	7,996	67.4	0.77	65.9	69.0	1,446	71.4	1.93	67.7	75.3
2020	7,340	61.5	0.73	60.0	62.9	1,269	61.5	1.77	58.0	65.0
2021	7,658	63.7	0.74	62.3	65.2	1,463	71.1	1.91	67.4	74.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Respiratory System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,683	44.8	0.74	43.4	46.3	167,224	97.7	0.24	97.2	98.2
1990	65	48.4	7.37	35.0	64.5	5,024	111.4	1.61	108.3	114.6
1991	68	45.9	6.54	34.0	60.2	4,962	108.5	1.58	105.5	111.7
1992	72	47.6	6.68	35.4	62.1	5,143	111.1	1.58	108.0	114.3
1993	95	52.7	6.42	40.8	66.5	5,322	115.1	1.61	111.9	118.2
1994	98	51.0	6.28	39.4	64.5	5,603	121.0	1.65	117.8	124.3
1995	114	77.1	8.55	61.3	95.2	5,556	118.4	1.61	115.3	121.6
1996	136	76.5	7.83	61.9	93.0	5,455	116.5	1.60	113.4	119.7
1997	114	63.8	7.05	50.7	78.7	5,400	114.3	1.57	111.2	117.4
1998	121	74.1	7.87	59.5	90.7	5,427	113.7	1.56	110.6	116.8
1999	125	57.9	6.07	46.6	70.7	5,402	112.6	1.55	109.6	115.6
2000	134	55.5	5.55	45.2	67.3	5,302	109.4	1.51	106.5	112.4
2001	125	58.0	5.99	46.8	70.6	5,336	110.0	1.52	107.0	113.0
2002	108	49.2	5.50	39.0	60.9	5,426	111.0	1.52	108.0	114.0
2003	145	55.4	5.21	45.7	66.4	5,351	107.5	1.48	104.6	110.4
2004	147	51.5	4.96	42.3	62.0	5,157	102.7	1.45	99.8	105.5
2005	153	52.6	4.83	43.5	62.7	5,225	102.4	1.43	99.7	105.3
2006	155	51.9	4.76	43.0	61.9	5,293	103.4	1.44	100.6	106.3
2007	163	53.8	4.70	45.0	63.6	5,329	102.2	1.42	99.4	105.0
2008	180	52.1	4.36	43.9	61.2	5,235	98.4	1.38	95.7	101.2
2009	131	40.0	3.91	32.7	48.2	5,352	98.7	1.37	96.1	101.5
2010	151	43.4	3.92	36.1	51.6	5,181	94.0	1.33	91.4	96.7
2011	178	49.6	4.14	41.9	58.3	5,274	94.0	1.32	91.4	96.6
2012	172	45.4	3.82	38.2	53.4	5,131	89.5	1.28	87.1	92.1
2013	156	36.5	3.28	30.4	43.4	5,206	88.4	1.26	86.0	90.9
2014	175	38.3	3.21	32.3	45.0	5,290	88.1	1.24	85.7	90.6
2015	204	38.4	3.00	32.8	44.7	5,201	85.4	1.22	83.0	87.8
2016	181	35.6	2.94	30.1	41.7	5,118	83.0	1.19	80.7	85.4
2017	218	41.1	3.06	35.4	47.5	5,201	82.9	1.18	80.6	85.2
2018	203	36.8	2.83	31.5	42.7	5,057	78.2	1.13	76.0	80.4
2019	200	34.1	2.65	29.1	39.7	4,923	74.7	1.09	72.5	76.8
2020	185	30.5	2.44	25.9	35.6	4,547	68.6	1.05	66.6	70.7
2021	211	33.4	2.51	28.6	38.6	4,795	71.6	1.06	69.5	73.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Respiratory System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	139,137	96.1	0.26	95.6	96.6	25,157	123.0	0.81	121.5	124.6
1990	4,245	107.0	1.68	103.7	110.3	739	151.8	5.86	140.5	163.7
1991	4,241	105.5	1.66	102.3	108.8	681	136.3	5.47	125.7	147.4
1992	4,354	107.4	1.66	104.2	110.7	752	149.7	5.73	138.7	161.3
1993	4,448	110.0	1.68	106.7	113.3	822	162.3	5.95	150.8	174.3
1994	4,740	117.4	1.73	114.1	120.9	814	159.3	5.87	148.0	171.1
1995	4,612	113.1	1.69	109.8	116.5	894	168.8	5.93	157.4	180.8
1996	4,539	111.8	1.68	108.5	115.1	855	162.4	5.81	151.2	174.1
1997	4,483	109.9	1.66	106.6	113.2	852	156.5	5.58	145.8	167.8
1998	4,498	109.1	1.64	105.9	112.3	845	155.7	5.61	144.9	167.0
1999	4,515	109.3	1.64	106.1	112.5	822	148.4	5.40	138.0	159.3
2000	4,439	106.7	1.61	103.6	109.9	799	139.8	5.16	129.8	150.2
2001	4,456	107.2	1.62	104.1	110.5	803	139.7	5.15	129.8	150.2
2002	4,564	109.3	1.63	106.1	112.5	793	134.5	4.99	124.9	144.6
2003	4,471	105.5	1.59	102.4	108.6	803	134.3	4.96	124.7	144.3
2004	4,264	99.8	1.54	96.8	102.9	817	137.4	5.05	127.6	147.6
2005	4,325	100.1	1.54	97.1	103.2	809	132.0	4.89	122.6	141.9
2006	4,395	101.4	1.54	98.4	104.5	809	130.6	4.84	121.3	140.4
2007	4,406	100.1	1.52	97.1	103.1	838	134.2	4.89	124.8	144.1
2008	4,378	97.7	1.50	94.8	100.7	775	119.9	4.53	111.2	129.1
2009	4,480	98.6	1.50	95.7	101.6	759	112.5	4.30	104.2	121.2
2010	4,300	93.1	1.44	90.3	96.0	776	113.2	4.29	104.9	121.9
2011	4,379	93.1	1.44	90.3	96.0	782	114.0	4.28	105.8	122.7
2012	4,236	88.4	1.39	85.7	91.2	781	112.3	4.23	104.2	120.9
2013	4,297	87.6	1.37	85.0	90.4	793	110.3	4.13	102.3	118.6
2014	4,381	87.9	1.36	85.2	90.6	784	106.1	3.99	98.4	114.2
2015	4,241	84.1	1.32	81.5	86.7	824	108.9	4.00	101.2	117.0
2016	4,237	83.3	1.32	80.7	85.9	750	97.2	3.73	90.0	104.8
2017	4,264	82.5	1.30	79.9	85.0	797	103.1	3.84	95.7	110.9
2018	4,224	79.4	1.25	76.9	81.9	704	87.4	3.45	80.7	94.4
2019	4,076	75.5	1.21	73.1	77.9	700	84.1	3.33	77.7	90.9
2020	3,729	68.9	1.16	66.7	71.2	652	76.5	3.13	70.5	82.8
2021	3,920	71.4	1.17	69.1	73.7	733	89.0	3.44	82.4	96.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Respiratory System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,318	26.4	0.49	25.4	27.3	132,246	59.6	0.17	59.3	60.0
1990	49	28.1	4.33	20.3	37.7	2,819	47.2	0.90	45.4	49.0
1991	40	21.0	3.73	14.4	29.4	2,856	46.9	0.89	45.1	48.7
1992	49	25.6	3.88	18.5	34.1	3,093	50.5	0.92	48.8	52.4
1993	46	21.5	3.44	15.3	29.2	3,293	53.2	0.94	51.4	55.1
1994	60	29.4	4.07	22.0	38.3	3,572	56.9	0.96	55.0	58.8
1995	61	31.7	4.34	23.8	41.2	3,629	57.9	0.97	56.0	59.9
1996	58	28.6	4.08	21.2	37.5	3,717	59.1	0.98	57.2	61.0
1997	67	32.0	4.23	24.2	41.1	3,664	57.6	0.96	55.7	59.5
1998	91	41.2	4.67	32.6	51.2	3,744	58.4	0.96	56.5	60.3
1999	78	31.7	3.96	24.4	40.2	3,854	59.9	0.97	58.0	61.8
2000	67	25.1	3.42	18.9	32.5	3,832	59.3	0.96	57.4	61.2
2001	80	27.7	3.49	21.3	35.2	3,916	60.2	0.97	58.3	62.1
2002	83	26.6	3.23	20.7	33.6	4,137	63.3	0.99	61.3	65.2
2003	65	20.4	2.77	15.4	26.4	4,207	64.1	1.00	62.2	66.1
2004	105	34.1	3.64	27.4	41.8	4,105	62.1	0.98	60.2	64.0
2005	82	24.7	2.95	19.2	31.0	4,248	63.9	0.99	62.0	65.9
2006	91	26.2	2.95	20.8	32.5	4,392	65.6	1.00	63.6	67.6
2007	105	27.9	2.88	22.5	34.0	4,462	65.8	1.00	63.8	67.8
2008	126	31.8	3.09	26.1	38.4	4,539	66.1	0.99	64.2	68.1
2009	119	28.8	2.80	23.5	34.7	4,680	67.7	1.00	65.7	69.7
2010	112	24.2	2.44	19.6	29.3	4,547	64.9	0.98	63.0	66.8
2011	146	31.4	2.75	26.2	37.1	4,454	62.4	0.95	60.5	64.3
2012	129	26.1	2.43	21.6	31.2	4,584	63.6	0.96	61.7	65.5
2013	114	22.1	2.19	18.0	26.7	4,370	59.5	0.92	57.7	61.4
2014	146	25.1	2.19	21.0	29.7	4,778	64.1	0.94	62.3	66.0
2015	158	27.9	2.34	23.5	32.8	4,688	62.1	0.93	60.3	63.9
2016	139	22.9	2.04	19.1	27.2	4,760	62.4	0.92	60.6	64.2
2017	170	27.8	2.23	23.6	32.5	4,697	60.4	0.90	58.7	62.2
2018	156	23.0	1.93	19.4	27.0	4,910	62.3	0.91	60.5	64.1
2019	158	23.1	1.92	19.5	27.2	4,782	59.8	0.88	58.0	61.5
2020	165	23.0	1.85	19.5	26.9	4,336	53.4	0.83	51.8	55.0
2021	203	26.0	1.89	22.4	29.9	4,581	56.1	0.85	54.5	57.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Respiratory System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	111,205	60.2	0.18	59.9	60.6	19,148	65.3	0.48	64.4	66.2
1990	2,433	46.8	0.97	44.9	48.7	373	53.5	2.80	48.2	59.3
1991	2,467	46.4	0.96	44.6	48.4	373	52.3	2.74	47.1	57.9
1992	2,665	50.3	1.00	48.4	52.3	406	56.7	2.84	51.3	62.5
1993	2,794	52.2	1.01	50.3	54.2	473	65.0	3.02	59.2	71.2
1994	3,060	56.3	1.04	54.3	58.4	483	65.4	3.00	59.6	71.5
1995	3,100	57.4	1.05	55.4	59.5	495	65.1	2.95	59.4	71.1
1996	3,143	58.2	1.06	56.2	60.3	537	70.1	3.05	64.3	76.3
1997	3,139	57.6	1.04	55.6	59.7	493	62.9	2.85	57.4	68.7
1998	3,199	58.4	1.05	56.4	60.5	512	64.4	2.86	58.9	70.2
1999	3,278	59.8	1.06	57.7	61.9	541	66.7	2.89	61.2	72.6
2000	3,303	60.3	1.06	58.2	62.4	484	58.9	2.69	53.7	64.4
2001	3,359	61.2	1.07	59.1	63.3	527	63.7	2.79	58.4	69.4
2002	3,478	63.1	1.08	61.0	65.2	603	71.4	2.93	65.8	77.4
2003	3,563	64.7	1.10	62.6	66.9	607	70.6	2.89	65.1	76.5
2004	3,463	62.5	1.08	60.5	64.7	600	68.6	2.82	63.1	74.3
2005	3,606	65.1	1.10	63.0	67.3	593	66.8	2.77	61.5	72.5
2006	3,686	66.0	1.10	63.9	68.2	653	72.4	2.86	66.9	78.3
2007	3,764	66.9	1.11	64.7	69.1	627	69.1	2.78	63.7	74.7
2008	3,838	67.6	1.11	65.4	69.8	630	67.4	2.72	62.2	72.9
2009	3,939	69.0	1.12	66.8	71.3	673	70.3	2.74	65.0	75.9
2010	3,807	66.0	1.09	63.9	68.2	662	68.5	2.70	63.3	74.0
2011	3,737	64.0	1.07	61.9	66.1	646	64.7	2.59	59.7	70.0
2012	3,782	64.3	1.07	62.2	66.4	729	72.0	2.71	66.8	77.5
2013	3,610	60.3	1.03	58.3	62.4	676	64.7	2.53	59.9	69.9
2014	4,000	66.4	1.07	64.3	68.6	694	64.5	2.49	59.7	69.6
2015	3,859	63.3	1.04	61.3	65.4	727	66.0	2.49	61.2	71.0
2016	3,912	63.8	1.05	61.8	65.9	765	69.2	2.55	64.3	74.3
2017	3,910	62.7	1.03	60.7	64.7	709	62.3	2.38	57.8	67.2
2018	4,042	63.9	1.03	61.9	65.9	764	67.1	2.47	62.4	72.2
2019	3,920	61.4	1.01	59.5	63.4	746	63.2	2.36	58.7	68.0
2020	3,611	56.0	0.95	54.1	57.9	617	50.9	2.09	46.9	55.2
2021	3,738	57.9	0.97	56.0	59.8	730	59.4	2.24	55.1	64.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Larynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	674	2.6	0.11	2.4	2.8	17,540	4.4	0.03	4.4	4.5
1990	13	3.5	1.07	1.7	6.2	578	5.5	0.23	5.1	6.0
1991	12	3.4	1.06	1.7	6.1	603	5.7	0.23	5.2	6.1
1992	13	3.7	1.10	1.9	6.4	589	5.5	0.23	5.1	6.0
1993	19	3.9	0.96	2.2	6.3	585	5.4	0.22	5.0	5.9
1994	18	4.1	1.05	2.3	6.6	573	5.3	0.22	4.8	5.7
1995	19	4.6	1.18	2.6	7.4	639	5.9	0.23	5.4	6.3
1996	21	5.3	1.30	3.0	8.3	621	5.7	0.23	5.3	6.2
1997	20	5.5	1.40	3.1	8.8	596	5.4	0.22	5.0	5.9
1998	14	3.6	1.11	1.8	6.3	552	4.9	0.21	4.5	5.4
1999	17	3.5	0.93	1.9	5.7	559	5.0	0.21	4.6	5.4
2000	20	3.2	0.77	1.9	5.1	582	5.2	0.21	4.7	5.6
2001	17	2.7	0.76	1.5	4.6	546	4.8	0.21	4.4	5.2
2002	15	2.5	0.72	1.3	4.3	578	5.0	0.21	4.6	5.4
2003	20	2.8	0.66	1.6	4.4	539	4.6	0.20	4.2	5.0
2004	16	2.6	0.76	1.3	4.4	520	4.4	0.19	4.0	4.8
2005	15	2.5	0.68	1.3	4.1	544	4.6	0.20	4.2	5.0
2006	15	1.9	0.56	1.0	3.3	517	4.3	0.19	3.9	4.7
2007	30	3.8	0.74	2.5	5.5	549	4.4	0.19	4.1	4.8
2008	31	3.2	0.61	2.1	4.6	525	4.2	0.19	3.9	4.6
2009	18	2.2	0.56	1.3	3.6	536	4.2	0.18	3.8	4.6
2010	16	2.0	0.54	1.1	3.3	568	4.3	0.18	4.0	4.7
2011	27	3.3	0.69	2.1	4.9	527	4.0	0.18	3.7	4.4
2012	21	2.1	0.50	1.3	3.3	522	3.9	0.17	3.6	4.3
2013	17	1.7	0.44	0.9	2.7	514	3.8	0.17	3.4	4.1
2014	28	2.3	0.47	1.5	3.4	540	3.9	0.17	3.6	4.2
2015	29	2.2	0.44	1.4	3.2	516	3.7	0.17	3.4	4.0
2016	21	1.5	0.36	0.9	2.4	539	3.7	0.17	3.4	4.1
2017	30	2.2	0.43	1.4	3.2	524	3.6	0.16	3.3	4.0
2018	42	3.1	0.51	2.2	4.2	559	3.8	0.17	3.5	4.2
2019	21	1.5	0.35	0.9	2.3	517	3.5	0.16	3.2	3.8
2020	28	1.7	0.33	1.1	2.5	423	2.8	0.14	2.6	3.1
2021	31	2.1	0.41	1.4	3.1	460	3.1	0.15	2.8	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Larynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	13,927	4.2	0.04	4.2	4.3	3,374	6.4	0.11	6.2	6.6
1990	460	5.0	0.24	4.6	5.5	112	9.2	0.88	7.5	11.1
1991	484	5.2	0.24	4.7	5.7	116	9.3	0.87	7.6	11.1
1992	465	5.1	0.24	4.6	5.5	119	9.5	0.88	7.8	11.4
1993	467	5.0	0.23	4.5	5.4	111	8.7	0.84	7.2	10.6
1994	469	5.0	0.23	4.6	5.5	98	7.4	0.75	6.0	9.0
1995	501	5.4	0.24	4.9	5.9	134	10.1	0.88	8.4	11.9
1996	501	5.4	0.24	4.9	5.9	112	8.3	0.79	6.8	10.0
1997	458	4.9	0.23	4.5	5.4	128	9.1	0.81	7.6	10.8
1998	437	4.6	0.22	4.2	5.1	111	8.0	0.77	6.5	9.6
1999	443	4.7	0.22	4.2	5.1	110	7.5	0.72	6.2	9.1
2000	474	5.0	0.23	4.6	5.5	98	6.7	0.69	5.4	8.2
2001	423	4.4	0.22	4.0	4.9	115	7.6	0.72	6.3	9.2
2002	457	4.7	0.22	4.3	5.2	119	7.9	0.73	6.5	9.4
2003	410	4.2	0.21	3.8	4.6	124	8.1	0.74	6.7	9.7
2004	404	4.1	0.20	3.7	4.5	106	6.8	0.67	5.6	8.3
2005	440	4.4	0.21	4.0	4.9	101	6.2	0.62	5.0	7.6
2006	419	4.2	0.21	3.8	4.6	91	5.6	0.60	4.5	6.9
2007	428	4.2	0.20	3.8	4.6	115	6.9	0.66	5.7	8.3
2008	435	4.2	0.21	3.8	4.7	83	4.9	0.55	3.9	6.1
2009	424	4.0	0.20	3.7	4.5	104	5.9	0.58	4.8	7.1
2010	448	4.2	0.20	3.8	4.6	115	6.1	0.58	5.0	7.4
2011	436	4.1	0.20	3.7	4.5	85	4.8	0.54	3.8	6.0
2012	413	3.8	0.19	3.4	4.2	103	5.7	0.58	4.7	7.0
2013	403	3.6	0.18	3.3	4.0	103	5.7	0.57	4.6	6.9
2014	422	3.8	0.19	3.4	4.1	106	5.5	0.55	4.5	6.7
2015	395	3.5	0.18	3.2	3.9	108	5.4	0.53	4.4	6.5
2016	433	3.7	0.19	3.4	4.1	95	4.7	0.50	3.8	5.8
2017	422	3.6	0.18	3.3	4.0	98	4.9	0.51	4.0	6.1
2018	445	3.8	0.18	3.4	4.2	102	5.0	0.51	4.0	6.1
2019	410	3.5	0.18	3.1	3.9	93	4.3	0.46	3.4	5.3
2020	342	2.9	0.16	2.6	3.2	71	3.4	0.42	2.7	4.3
2021	359	3.0	0.16	2.7	3.3	88	4.2	0.46	3.3	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Larynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	570	4.8	0.23	4.4	5.3	13,884	7.8	0.07	7.7	8.0
1990	8	4.4	1.79	1.6	9.4	453	10.0	0.48	9.0	10.9
1991	11	7.2	2.47	3.2	13.5	485	10.4	0.48	9.5	11.4
1992	10	6.2	2.26	2.6	12.0	464	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	11.7	478	9.9	0.46	9.0	10.9
1994	15	7.7	2.36	3.8	13.6	457	9.5	0.45	8.7	10.5
1995	16	9.1	2.72	4.6	15.7	493	10.4	0.48	9.5	11.4
1996	19	10.9	3.09	5.7	18.2	474	9.9	0.46	9.0	10.9
1997	17	10.9	3.13	5.6	18.3	471	9.7	0.45	8.8	10.6
1998	9	5.5	2.21	2.0	11.0	458	9.4	0.44	8.5	10.3
1999	14	6.2	1.92	3.0	10.9	465	9.4	0.44	8.6	10.3
2000	20	6.8	1.62	4.0	10.7	467	9.3	0.43	8.5	10.2
2001	13	5.2	1.66	2.5	9.4	437	8.8	0.42	8.0	9.6
2002	14	5.1	1.59	2.5	9.1	460	9.0	0.42	8.2	9.9
2003	19	5.6	1.41	3.2	9.1	416	8.1	0.40	7.3	8.9
2004	13	5.4	1.78	2.5	9.8	423	8.1	0.40	7.3	8.9
2005	13	5.1	1.50	2.6	8.7	430	8.0	0.39	7.3	8.8
2006	14	3.8	1.17	1.8	6.7	422	7.8	0.39	7.1	8.6
2007	27	7.6	1.59	4.8	11.3	439	8.0	0.39	7.2	8.8
2008	28	6.1	1.24	3.9	9.0	422	7.5	0.37	6.8	8.3
2009	15	4.4	1.24	2.4	7.4	420	7.3	0.36	6.6	8.0
2010	10	2.7	0.91	1.2	5.0	440	7.4	0.36	6.7	8.2
2011	21	5.8	1.40	3.4	9.0	418	7.2	0.36	6.5	7.9
2012	17	4.0	1.08	2.1	6.5	397	6.7	0.34	6.0	7.4
2013	15	3.2	0.93	1.7	5.5	413	6.6	0.33	6.0	7.3
2014	21	3.7	0.93	2.2	5.9	422	6.7	0.33	6.0	7.4
2015	25	3.8	0.86	2.3	5.8	412	6.4	0.33	5.8	7.1
2016	21	3.2	0.80	1.9	5.2	417	6.4	0.32	5.8	7.1
2017	23	3.8	0.89	2.3	5.9	407	6.2	0.32	5.6	6.9
2018	34	5.6	1.08	3.7	8.1	428	6.3	0.32	5.7	7.0
2019	20	3.0	0.75	1.7	4.8	403	5.9	0.30	5.3	6.5
2020	26	3.2	0.68	2.0	4.8	323	4.7	0.27	4.2	5.3
2021	27	4.3	0.90	2.7	6.3	370	5.3	0.28	4.8	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Larynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	11,086	7.5	0.07	7.3	7.6	2,599	11.9	0.24	11.4	12.3
1990	358	9.0	0.49	8.1	10.0	91	17.7	1.91	14.1	21.8
1991	395	9.7	0.49	8.7	10.7	87	16.5	1.81	13.2	20.5
1992	375	9.3	0.49	8.4	10.3	84	16.2	1.85	12.8	20.2
1993	384	9.1	0.47	8.2	10.1	88	16.8	1.87	13.3	20.8
1994	372	9.0	0.47	8.1	10.0	80	14.4	1.65	11.3	18.0
1995	393	9.6	0.49	8.7	10.7	97	17.5	1.84	14.0	21.4
1996	380	9.3	0.48	8.3	10.2	88	15.6	1.72	12.5	19.4
1997	360	8.6	0.46	7.8	9.6	103	17.4	1.74	14.1	21.1
1998	367	8.8	0.46	7.9	9.7	87	15.0	1.65	11.9	18.6
1999	368	8.7	0.46	7.9	9.7	91	15.0	1.62	12.0	18.5
2000	382	9.0	0.46	8.1	9.9	79	13.2	1.55	10.4	16.6
2001	341	8.1	0.44	7.3	9.1	90	14.1	1.52	11.3	17.4
2002	371	8.6	0.45	7.7	9.5	87	14.0	1.56	11.1	17.4
2003	326	7.5	0.42	6.7	8.4	86	13.9	1.57	11.0	17.3
2004	336	7.6	0.42	6.8	8.5	79	12.4	1.47	9.7	15.6
2005	345	7.7	0.42	6.9	8.6	82	11.8	1.33	9.3	14.7
2006	344	7.6	0.42	6.8	8.5	72	10.8	1.34	8.3	13.7
2007	335	7.3	0.40	6.5	8.1	100	14.3	1.48	11.5	17.5
2008	347	7.4	0.40	6.6	8.2	70	10.0	1.24	7.7	12.7
2009	331	6.9	0.39	6.2	7.7	84	11.3	1.28	9.0	14.1
2010	348	7.2	0.39	6.4	8.0	88	10.8	1.20	8.6	13.5
2011	352	7.2	0.39	6.5	8.0	62	8.6	1.14	6.5	11.1
2012	321	6.5	0.37	5.8	7.3	72	10.0	1.24	7.7	12.7
2013	327	6.3	0.35	5.6	7.0	79	10.9	1.29	8.6	13.8
2014	330	6.4	0.36	5.7	7.1	81	10.1	1.18	7.9	12.7
2015	317	6.1	0.35	5.4	6.8	84	10.1	1.16	8.0	12.6
2016	338	6.3	0.36	5.6	7.1	71	8.8	1.09	6.7	11.2
2017	327	6.1	0.35	5.4	6.8	76	9.1	1.10	7.1	11.6
2018	340	6.1	0.34	5.5	6.8	77	9.2	1.09	7.1	11.6
2019	325	5.9	0.34	5.2	6.6	64	7.0	0.90	5.3	9.0
2020	259	4.7	0.30	4.1	5.3	54	6.2	0.87	4.6	8.1
2021	292	5.1	0.31	4.5	5.8	66	7.6	0.97	5.8	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Larynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	104	0.7	0.07	0.6	0.9	3,656	1.7	0.03	1.7	1.8
1990	5	2.7	1.27	0.8	6.3	125	2.2	0.20	1.8	2.6
1991	1	0.5	0.45	0.0	2.5	118	2.0	0.19	1.7	2.5
1992	3	1.7	1.00	0.3	4.7	125	2.1	0.19	1.8	2.6
1993	4	1.5	0.76	0.4	3.9	107	1.8	0.18	1.5	2.2
1994	3	1.1	0.64	0.2	3.3	116	1.9	0.18	1.6	2.3
1995	3	1.2	0.68	0.2	3.4	146	2.5	0.21	2.1	2.9
1996	2	1.0	0.74	0.1	3.4	147	2.5	0.21	2.1	2.9
1997	3	1.4	0.98	0.2	4.3	125	2.1	0.19	1.7	2.5
1998	5	2.3	1.15	0.6	5.5	94	1.5	0.15	1.2	1.8
1999	3	1.3	0.76	0.2	3.6	94	1.6	0.16	1.3	1.9
2000	0					115	1.9	0.17	1.5	2.2
2001	4	0.7	0.37	0.2	2.1	109	1.8	0.17	1.4	2.1
2002	1	0.3	0.27	0.0	1.5	118	1.9	0.17	1.6	2.2
2003	1	0.2	0.20	0.0	1.3	123	2.0	0.18	1.6	2.3
2004	3	0.4	0.26	0.1	1.5	97	1.5	0.15	1.2	1.8
2005	2	0.4	0.29	0.1	1.5	114	1.8	0.17	1.5	2.2
2006	1	0.3	0.32	0.0	1.5	95	1.4	0.15	1.2	1.8
2007	3	0.5	0.30	0.1	1.6	110	1.7	0.16	1.4	2.0
2008	3	0.6	0.33	0.1	1.7	103	1.5	0.15	1.2	1.9
2009	3	0.5	0.27	0.1	1.4	116	1.7	0.16	1.4	2.0
2010	6	1.4	0.62	0.5	3.1	128	1.8	0.16	1.5	2.1
2011	6	1.4	0.59	0.5	3.0	109	1.5	0.15	1.3	1.9
2012	4	0.6	0.31	0.2	1.6	125	1.7	0.16	1.4	2.1
2013	2	0.4	0.27	0.0	1.3	101	1.4	0.14	1.2	1.7
2014	7	1.0	0.41	0.4	2.1	118	1.6	0.15	1.3	1.9
2015	4	0.7	0.35	0.2	1.7	104	1.4	0.14	1.1	1.7
2016	0					122	1.5	0.14	1.3	1.8
2017	7	0.9	0.33	0.3	1.8	117	1.6	0.15	1.3	1.9
2018	8	1.0	0.35	0.4	1.9	131	1.7	0.15	1.4	2.0
2019	1	0.1	0.10	0.0	0.6	114	1.5	0.14	1.2	1.8
2020	2	0.2	0.16	0.0	0.8	100	1.3	0.13	1.0	1.5
2021	4	0.4	0.20	0.1	1.0	90	1.2	0.13	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Larynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,841	1.6	0.03	1.6	1.7	775	2.6	0.09	2.4	2.7
1990	102	2.1	0.21	1.7	2.5	21	3.0	0.66	1.9	4.6
1991	89	1.7	0.19	1.4	2.2	29	4.0	0.75	2.7	5.7
1992	90	1.8	0.19	1.4	2.2	35	4.8	0.82	3.4	6.7
1993	83	1.6	0.18	1.3	2.0	23	3.1	0.65	1.9	4.6
1994	97	1.9	0.20	1.6	2.3	18	2.3	0.55	1.4	3.6
1995	108	2.2	0.21	1.8	2.6	37	4.8	0.79	3.4	6.6
1996	121	2.4	0.22	2.0	2.9	24	3.1	0.64	2.0	4.7
1997	98	1.9	0.20	1.6	2.4	25	3.0	0.61	2.0	4.5
1998	70	1.3	0.16	1.0	1.7	24	3.0	0.62	1.9	4.5
1999	75	1.5	0.17	1.2	1.9	19	2.2	0.51	1.3	3.5
2000	92	1.8	0.19	1.4	2.2	19	2.2	0.51	1.3	3.5
2001	82	1.6	0.18	1.3	2.0	25	2.9	0.59	1.9	4.3
2002	86	1.6	0.18	1.3	2.0	32	3.6	0.63	2.4	5.0
2003	84	1.6	0.18	1.3	2.0	38	4.2	0.68	3.0	5.8
2004	68	1.3	0.16	1.0	1.6	27	3.0	0.58	2.0	4.4
2005	95	1.8	0.19	1.5	2.2	19	2.1	0.48	1.2	3.2
2006	75	1.4	0.16	1.1	1.8	19	2.0	0.46	1.2	3.1
2007	93	1.8	0.18	1.4	2.2	15	1.6	0.42	0.9	2.7
2008	88	1.6	0.17	1.3	2.0	13	1.3	0.37	0.7	2.3
2009	93	1.7	0.17	1.3	2.1	20	1.9	0.43	1.2	3.0
2010	100	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.8
2011	84	1.5	0.17	1.2	1.9	23	2.2	0.46	1.4	3.3
2012	92	1.6	0.17	1.2	1.9	31	2.9	0.53	2.0	4.1
2013	76	1.3	0.16	1.1	1.7	24	2.2	0.46	1.4	3.3
2014	92	1.6	0.16	1.3	1.9	25	2.3	0.47	1.5	3.5
2015	78	1.3	0.16	1.1	1.7	24	2.0	0.42	1.3	3.1
2016	95	1.5	0.16	1.2	1.9	24	1.9	0.40	1.2	2.9
2017	95	1.6	0.17	1.3	1.9	22	2.1	0.46	1.3	3.2
2018	105	1.7	0.17	1.4	2.1	25	2.0	0.42	1.3	3.1
2019	85	1.4	0.16	1.1	1.8	29	2.3	0.43	1.5	3.4
2020	83	1.3	0.15	1.1	1.7	17	1.4	0.35	0.8	2.3
2021	67	1.1	0.14	0.8	1.4	22	1.9	0.42	1.2	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lung and Bronchus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	7,069	31.2	0.40	30.4	32.0	278,620	70.4	0.13	70.1	70.6
1990	99	32.7	3.70	25.9	40.6	7,183	67.2	0.80	65.6	68.8
1991	88	27.4	3.26	21.4	34.4	7,113	65.7	0.79	64.2	67.2
1992	102	29.9	3.29	23.8	36.9	7,542	69.2	0.80	67.6	70.8
1993	116	30.8	3.17	24.9	37.5	7,918	72.2	0.82	70.6	73.8
1994	135	34.6	3.34	28.4	41.7	8,504	76.9	0.84	75.3	78.6
1995	149	45.2	4.09	37.5	53.8	8,464	76.3	0.83	74.7	77.9
1996	169	43.5	3.76	36.4	51.3	8,448	76.0	0.83	74.4	77.6
1997	158	40.1	3.56	33.4	47.6	8,375	74.8	0.82	73.2	76.4
1998	194	50.1	3.99	42.5	58.3	8,509	75.4	0.82	73.9	77.1
1999	181	39.5	3.31	33.3	46.4	8,580	75.7	0.82	74.1	77.3
2000	170	34.3	2.98	28.7	40.6	8,450	74.2	0.81	72.6	75.8
2001	180	37.9	3.17	31.9	44.5	8,612	75.2	0.81	73.6	76.8
2002	167	32.4	2.81	27.1	38.3	8,870	76.9	0.82	75.3	78.5
2003	181	32.9	2.68	27.8	38.5	8,906	76.5	0.81	74.9	78.1
2004	226	38.7	2.87	33.3	44.6	8,653	73.8	0.80	72.2	75.4
2005	211	33.9	2.58	29.1	39.3	8,843	74.8	0.80	73.2	76.3
2006	226	35.2	2.57	30.3	40.5	9,056	76.0	0.80	74.5	77.6
2007	233	35.3	2.49	30.6	40.4	9,123	75.5	0.80	74.0	77.1
2008	265	37.4	2.52	32.7	42.6	9,132	74.4	0.79	72.9	76.0
2009	224	30.5	2.21	26.3	35.1	9,389	75.7	0.79	74.2	77.3
2010	237	29.8	2.09	25.8	34.1	9,064	72.1	0.77	70.6	73.6
2011	288	35.0	2.23	30.8	39.6	9,097	71.0	0.76	69.5	72.5
2012	272	31.8	2.07	27.9	36.1	9,092	69.8	0.74	68.4	71.3
2013	244	26.2	1.81	22.8	29.9	8,957	67.3	0.72	65.9	68.7
2014	284	27.9	1.79	24.6	31.6	9,410	69.5	0.73	68.1	71.0
2015	320	29.9	1.79	26.5	33.6	9,274	67.4	0.71	66.0	68.8
2016	286	25.9	1.64	22.8	29.3	9,229	66.6	0.71	65.2	68.0
2017	350	31.1	1.77	27.7	34.7	9,272	65.6	0.69	64.3	67.0
2018	312	25.7	1.55	22.7	28.8	9,306	64.5	0.68	63.2	65.9
2019	320	25.5	1.52	22.7	28.7	9,082	61.9	0.66	60.6	63.2
2020	311	23.9	1.43	21.2	26.8	8,371	56.4	0.63	55.2	57.6
2021	371	26.0	1.43	23.3	29.0	8,796	58.8	0.64	57.6	60.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lung and Bronchus										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	233,621	70.2	0.15	69.9	70.5	40,511	81.3	0.41	80.5	82.1
1990	6,148	65.5	0.85	63.9	67.2	988	83.2	2.70	78.0	88.7
1991	6,133	64.6	0.83	63.0	66.2	930	76.6	2.56	71.7	81.8
1992	6,464	68.0	0.85	66.3	69.7	1,025	83.9	2.67	78.7	89.3
1993	6,679	69.9	0.86	68.2	71.6	1,170	94.4	2.82	89.0	100.1
1994	7,246	75.3	0.89	73.6	77.1	1,187	94.6	2.80	89.2	100.2
1995	7,142	74.3	0.88	72.5	76.0	1,242	96.0	2.77	90.6	101.6
1996	7,087	73.7	0.88	72.0	75.5	1,272	98.2	2.80	92.8	103.8
1997	7,085	73.4	0.87	71.7	75.1	1,209	91.2	2.66	86.0	96.5
1998	7,164	73.8	0.87	72.1	75.6	1,234	91.9	2.66	86.7	97.2
1999	7,247	74.5	0.88	72.8	76.3	1,240	90.8	2.62	85.7	96.1
2000	7,188	73.8	0.87	72.1	75.5	1,168	83.7	2.49	78.9	88.7
2001	7,311	74.9	0.88	73.2	76.7	1,203	86.0	2.52	81.1	91.1
2002	7,483	76.3	0.88	74.5	78.0	1,267	88.4	2.52	83.5	93.5
2003	7,523	76.3	0.88	74.6	78.1	1,274	87.4	2.49	82.6	92.4
2004	7,243	73.1	0.86	71.5	74.9	1,302	88.3	2.49	83.5	93.3
2005	7,421	74.6	0.87	72.9	76.4	1,286	85.5	2.43	80.8	90.4
2006	7,569	75.6	0.88	73.9	77.3	1,355	88.8	2.46	84.0	93.7
2007	7,646	75.6	0.87	73.9	77.4	1,333	86.6	2.42	81.9	91.5
2008	7,686	75.0	0.86	73.3	76.7	1,306	82.4	2.33	77.9	87.1
2009	7,909	76.7	0.87	75.0	78.4	1,312	80.4	2.27	76.0	84.9
2010	7,574	72.5	0.84	70.9	74.2	1,313	79.9	2.26	75.5	84.4
2011	7,593	71.6	0.83	69.9	73.2	1,329	79.0	2.22	74.7	83.5
2012	7,519	69.9	0.82	68.3	71.5	1,393	81.3	2.23	77.0	85.8
2013	7,412	67.6	0.80	66.1	69.2	1,356	76.3	2.13	72.2	80.6
2014	7,861	70.9	0.81	69.3	72.5	1,358	74.8	2.08	70.8	79.0
2015	7,620	67.8	0.79	66.2	69.3	1,432	76.6	2.08	72.6	80.8
2016	7,638	67.6	0.79	66.1	69.2	1,398	74.6	2.05	70.6	78.7
2017	7,670	66.8	0.78	65.2	68.3	1,393	72.6	2.00	68.7	76.6
2018	7,743	66.0	0.77	64.5	67.6	1,349	69.5	1.94	65.8	73.4
2019	7,491	63.1	0.74	61.6	64.6	1,343	66.6	1.86	63.0	70.4
2020	6,925	57.9	0.71	56.5	59.3	1,188	57.5	1.71	54.2	61.0
2021	7,201	59.8	0.72	58.4	61.3	1,356	65.9	1.83	62.3	69.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lung and Bronchus										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,937	39.0	0.69	37.7	40.4	151,329	88.7	0.23	88.3	89.2
1990	56	43.7	7.14	30.8	59.3	4,518	100.3	1.53	97.3	103.3
1991	55	38.2	6.04	27.3	51.5	4,425	97.0	1.49	94.1	100.0
1992	58	40.0	6.24	28.7	53.7	4,621	99.9	1.50	97.0	102.9
1993	77	45.3	6.10	34.1	58.5	4,785	103.9	1.53	100.9	107.0
1994	79	42.6	5.80	32.0	55.2	5,088	110.2	1.57	107.2	113.4
1995	94	67.4	8.09	52.5	84.6	5,003	106.7	1.53	103.7	109.7
1996	113	63.4	7.05	50.3	78.3	4,916	105.3	1.52	102.3	108.3
1997	94	52.3	6.30	40.6	65.7	4,866	103.4	1.50	100.5	106.4
1998	110	67.2	7.48	53.4	83.1	4,904	103.0	1.49	100.1	106.0
1999	109	51.2	5.75	40.5	63.4	4,868	101.8	1.47	98.9	104.7
2000	106	46.0	5.18	36.4	57.0	4,775	98.9	1.44	96.1	101.7
2001	109	52.3	5.75	41.7	64.5	4,844	100.1	1.45	97.3	103.0
2002	89	42.7	5.22	33.1	53.9	4,883	100.3	1.45	97.5	103.2
2003	119	48.7	4.99	39.4	59.2	4,870	98.1	1.42	95.4	101.0
2004	127	44.9	4.57	36.4	54.5	4,685	93.6	1.38	90.9	96.3
2005	133	46.1	4.55	37.7	55.7	4,741	93.4	1.37	90.7	96.1
2006	136	46.8	4.55	38.3	56.4	4,808	94.4	1.38	91.8	97.2
2007	133	45.9	4.42	37.7	55.2	4,824	93.0	1.36	90.4	95.7
2008	142	44.9	4.16	37.1	53.7	4,738	89.5	1.32	87.0	92.2
2009	111	34.4	3.66	27.6	42.2	4,869	90.3	1.32	87.7	92.9
2010	131	39.3	3.76	32.2	47.2	4,684	85.5	1.27	83.0	88.1
2011	152	43.0	3.87	35.8	51.1	4,787	85.6	1.26	83.1	88.1
2012	149	40.9	3.66	34.0	48.5	4,683	82.0	1.23	79.6	84.4
2013	136	32.8	3.13	26.9	39.4	4,731	80.7	1.20	78.4	83.1
2014	149	34.0	3.06	28.2	40.4	4,802	80.4	1.19	78.1	82.7
2015	168	33.5	2.85	28.2	39.5	4,724	77.8	1.16	75.5	80.1
2016	148	30.6	2.76	25.5	36.4	4,631	75.4	1.14	73.2	77.7
2017	189	36.5	2.90	31.1	42.6	4,727	75.6	1.13	73.4	77.8
2018	166	30.9	2.61	26.0	36.4	4,560	70.7	1.08	68.6	72.8
2019	168	30.0	2.53	25.3	35.3	4,451	67.7	1.04	65.6	69.7
2020	155	26.8	2.33	22.5	31.7	4,164	62.9	1.00	61.0	64.9
2021	176	28.4	2.33	24.0	33.3	4,354	65.2	1.01	63.2	67.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lung and Bronchus										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	126,335	87.4	0.25	87.0	87.9	22,317	110.1	0.77	108.6	111.6
1990	3,844	96.9	1.60	93.8	100.1	638	132.3	5.51	121.7	143.5
1991	3,801	94.7	1.57	91.7	97.8	590	119.2	5.15	109.3	129.6
1992	3,929	96.9	1.57	93.8	100.0	661	132.4	5.41	122.1	143.4
1993	4,011	99.6	1.60	96.5	102.8	730	144.9	5.64	134.0	156.3
1994	4,318	107.2	1.66	104.0	110.5	727	143.8	5.62	132.9	155.1
1995	4,169	102.2	1.60	99.1	105.4	787	149.8	5.61	139.0	161.2
1996	4,098	101.0	1.60	97.9	104.2	763	146.0	5.54	135.3	157.2
1997	4,070	100.0	1.58	96.9	103.1	744	138.5	5.29	128.3	149.2
1998	4,074	98.9	1.56	95.9	102.1	750	139.4	5.34	129.1	150.2
1999	4,087	99.1	1.56	96.0	102.2	722	132.1	5.13	122.2	142.5
2000	4,008	96.6	1.53	93.6	99.6	713	125.5	4.91	116.1	135.5
2001	4,069	98.0	1.54	95.0	101.1	704	124.3	4.90	114.9	134.3
2002	4,119	98.9	1.55	95.9	102.0	698	119.3	4.73	110.3	128.9
2003	4,088	96.6	1.52	93.7	99.7	709	119.2	4.69	110.2	128.8
2004	3,882	91.1	1.47	88.2	94.0	735	124.6	4.83	115.3	134.4
2005	3,937	91.4	1.47	88.6	94.4	716	118.6	4.68	109.6	128.1
2006	4,001	92.7	1.48	89.8	95.6	726	118.2	4.61	109.3	127.5
2007	4,010	91.4	1.46	88.6	94.3	735	119.5	4.65	110.5	128.9
2008	3,969	88.9	1.43	86.1	91.8	697	108.7	4.34	100.4	117.5
2009	4,099	90.5	1.43	87.7	93.4	665	99.9	4.08	92.1	108.2
2010	3,901	84.8	1.38	82.1	87.5	682	101.7	4.11	93.8	110.0
2011	3,968	84.6	1.37	82.0	87.3	712	104.4	4.10	96.5	112.7
2012	3,871	81.0	1.33	78.4	83.7	703	101.5	4.03	93.8	109.7
2013	3,914	80.2	1.31	77.7	82.8	710	98.8	3.91	91.3	106.7
2014	3,993	80.4	1.30	77.8	83.0	697	95.1	3.80	87.9	102.9
2015	3,868	76.8	1.27	74.4	79.4	734	97.9	3.81	90.6	105.7
2016	3,849	75.9	1.26	73.5	78.4	665	86.6	3.53	79.8	93.8
2017	3,883	75.3	1.24	72.8	77.7	711	92.8	3.66	85.8	100.3
2018	3,829	72.1	1.20	69.8	74.5	615	76.7	3.24	70.5	83.3
2019	3,691	68.4	1.15	66.2	70.7	627	76.1	3.19	70.0	82.6
2020	3,418	63.2	1.11	61.0	65.4	593	69.6	2.98	63.9	75.7
2021	3,567	65.1	1.12	62.9	67.3	658	80.4	3.27	74.1	87.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lung and Bronchus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,132	25.2	0.48	24.3	26.2	127,291	57.3	0.16	57.0	57.7
1990	43	25.3	4.13	17.9	34.5	2,665	44.5	0.88	42.8	46.3
1991	33	19.0	3.58	12.7	27.1	2,688	44.0	0.86	42.3	45.7
1992	44	23.3	3.73	16.5	31.5	2,921	47.7	0.89	45.9	49.4
1993	39	19.4	3.33	13.4	26.9	3,133	50.6	0.91	48.8	52.4
1994	56	28.2	4.02	20.8	36.9	3,416	54.3	0.94	52.4	56.1
1995	55	29.7	4.26	21.9	38.9	3,461	55.1	0.95	53.3	57.0
1996	56	27.6	4.01	20.3	36.3	3,532	56.0	0.95	54.2	57.9
1997	64	30.5	4.12	23.0	39.5	3,509	55.0	0.94	53.2	56.9
1998	84	38.0	4.45	29.7	47.5	3,605	56.2	0.94	54.4	58.1
1999	72	29.8	3.87	22.7	38.2	3,712	57.6	0.95	55.8	59.5
2000	64	24.3	3.38	18.1	31.6	3,675	56.7	0.94	54.9	58.6
2001	71	26.2	3.44	19.9	33.6	3,768	57.9	0.95	56.0	59.7
2002	78	25.2	3.15	19.4	32.0	3,987	60.9	0.97	59.0	62.8
2003	62	20.0	2.75	14.9	26.0	4,036	61.4	0.97	59.5	63.3
2004	99	32.9	3.60	26.3	40.6	3,968	60.0	0.96	58.1	61.9
2005	78	23.8	2.90	18.4	30.0	4,102	61.7	0.97	59.8	63.6
2006	90	25.9	2.93	20.5	32.2	4,248	63.4	0.98	61.5	65.4
2007	100	27.2	2.87	21.9	33.3	4,299	63.3	0.98	61.4	65.2
2008	123	31.3	3.07	25.6	37.8	4,394	64.0	0.98	62.1	65.9
2009	113	27.7	2.77	22.6	33.6	4,520	65.4	0.99	63.5	67.3
2010	106	22.8	2.35	18.4	27.8	4,380	62.5	0.96	60.6	64.4
2011	136	29.4	2.67	24.4	35.1	4,310	60.3	0.93	58.5	62.2
2012	123	25.3	2.41	20.8	30.4	4,409	61.1	0.94	59.3	63.0
2013	108	21.1	2.15	17.1	25.7	4,226	57.5	0.90	55.7	59.3
2014	135	23.6	2.14	19.6	28.1	4,608	61.8	0.93	60.0	63.6
2015	152	27.0	2.31	22.7	31.8	4,550	60.2	0.91	58.4	62.0
2016	138	22.7	2.03	18.9	27.0	4,598	60.3	0.91	58.5	62.1
2017	161	26.7	2.20	22.6	31.3	4,545	58.4	0.88	56.7	60.2
2018	146	21.8	1.89	18.3	25.8	4,746	60.2	0.89	58.4	61.9
2019	152	22.4	1.90	18.9	26.4	4,631	57.8	0.87	56.1	59.6
2020	156	21.9	1.81	18.5	25.7	4,207	51.7	0.81	50.1	53.3
2021	195	25.0	1.86	21.5	28.9	4,442	54.3	0.83	52.7	55.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lung and Bronchus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	107,286	58.0	0.18	57.6	58.3	18,194	62.1	0.47	61.2	63.1
1990	2,304	44.2	0.94	42.4	46.1	350	50.3	2.72	45.1	55.9
1991	2,332	43.8	0.93	42.0	45.7	340	47.8	2.62	42.8	53.2
1992	2,535	47.8	0.97	45.9	49.7	364	50.9	2.70	45.8	56.5
1993	2,668	49.8	0.98	47.9	51.7	440	60.6	2.92	55.0	66.5
1994	2,928	53.7	1.01	51.7	55.7	460	62.3	2.93	56.7	68.3
1995	2,973	54.9	1.02	52.9	56.9	455	60.0	2.84	54.6	65.8
1996	2,989	55.2	1.03	53.2	57.3	509	66.6	2.97	60.9	72.6
1997	3,015	55.2	1.02	53.2	57.2	465	59.5	2.78	54.1	65.1
1998	3,090	56.4	1.03	54.4	58.4	484	60.9	2.78	55.5	66.6
1999	3,160	57.5	1.04	55.5	59.6	518	64.0	2.83	58.6	69.8
2000	3,180	57.9	1.04	55.9	60.0	455	55.5	2.62	50.5	60.8
2001	3,242	58.9	1.05	56.9	61.0	499	60.4	2.72	55.2	66.0
2002	3,364	60.9	1.06	58.8	63.0	569	67.6	2.85	62.2	73.4
2003	3,435	62.3	1.08	60.2	64.4	565	66.0	2.80	60.6	71.7
2004	3,361	60.6	1.06	58.6	62.7	567	64.8	2.74	59.6	70.4
2005	3,484	62.8	1.08	60.7	65.0	570	64.3	2.72	59.1	69.9
2006	3,568	63.8	1.08	61.7	66.0	629	69.9	2.81	64.5	75.7
2007	3,636	64.5	1.09	62.4	66.7	598	65.9	2.72	60.7	71.4
2008	3,717	65.4	1.09	63.2	67.5	609	65.3	2.67	60.1	70.7
2009	3,810	66.7	1.10	64.6	68.9	647	67.7	2.70	62.6	73.2
2010	3,673	63.7	1.07	61.6	65.8	631	65.5	2.64	60.4	70.9
2011	3,625	62.0	1.05	59.9	64.1	617	61.9	2.53	57.1	67.1
2012	3,648	62.0	1.05	59.9	64.1	690	68.2	2.64	63.2	73.6
2013	3,498	58.3	1.01	56.4	60.3	646	62.0	2.48	57.2	67.0
2014	3,868	64.2	1.05	62.2	66.3	661	61.4	2.43	56.7	66.3
2015	3,752	61.5	1.03	59.5	63.5	698	63.5	2.45	58.8	68.5
2016	3,789	61.8	1.03	59.8	63.9	733	66.5	2.50	61.7	71.6
2017	3,787	60.6	1.01	58.7	62.7	682	59.8	2.33	55.4	64.6
2018	3,914	61.8	1.01	59.8	63.8	734	64.6	2.43	60.0	69.6
2019	3,800	59.4	0.99	57.5	61.4	716	60.8	2.31	56.4	65.5
2020	3,507	54.2	0.94	52.4	56.1	595	49.0	2.05	45.1	53.2
2021	3,634	56.1	0.96	54.3	58.0	698	56.6	2.18	52.4	61.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Bones and Joints										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	429	0.9	0.05	0.8	1.0	3,167	0.9	0.02	0.9	0.9
1990	9	1.9	0.78	0.7	4.0	97	0.9	0.10	0.8	1.1
1991	11	1.7	0.66	0.7	3.6	89	0.8	0.09	0.7	1.0
1992	9	0.9	0.35	0.4	2.1	73	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	2.1	77	0.7	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	1.3	86	0.8	0.09	0.7	1.0
1995	8	0.6	0.25	0.2	1.6	119	1.1	0.10	0.9	1.3
1996	7	0.6	0.27	0.2	1.6	98	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	2.9	99	0.9	0.09	0.8	1.1
1998	11	0.8	0.26	0.4	1.7	90	0.8	0.09	0.7	1.0
1999	7	0.3	0.13	0.1	1.1	95	0.9	0.09	0.7	1.1
2000	16	0.9	0.24	0.5	1.7	104	1.0	0.09	0.8	1.2
2001	15	1.1	0.34	0.5	2.1	92	0.8	0.09	0.7	1.0
2002	13	1.2	0.46	0.5	2.4	96	0.9	0.09	0.7	1.1
2003	9	0.7	0.36	0.2	1.8	100	0.9	0.09	0.7	1.1
2004	9	0.4	0.14	0.2	1.0	102	0.9	0.09	0.7	1.1
2005	12	0.7	0.25	0.3	1.5	101	0.9	0.09	0.7	1.1
2006	15	1.4	0.47	0.6	2.6	114	1.0	0.10	0.9	1.2
2007	16	0.9	0.27	0.5	1.7	112	1.0	0.10	0.8	1.2
2008	6	0.5	0.23	0.1	1.2	87	0.8	0.08	0.6	1.0
2009	15	0.7	0.21	0.4	1.3	97	0.9	0.09	0.7	1.1
2010	9	0.5	0.22	0.2	1.2	94	0.8	0.09	0.7	1.0
2011	13	0.7	0.25	0.3	1.4	96	0.8	0.09	0.7	1.0
2012	20	1.1	0.27	0.6	1.7	101	0.9	0.09	0.7	1.1
2013	22	1.3	0.33	0.7	2.1	107	1.0	0.09	0.8	1.2
2014	15	0.8	0.22	0.4	1.4	107	0.9	0.09	0.8	1.1
2015	18	0.8	0.19	0.5	1.3	86	0.8	0.08	0.6	0.9
2016	16	0.7	0.18	0.4	1.2	112	1.0	0.09	0.8	1.2
2017	21	1.2	0.29	0.7	1.9	124	1.1	0.10	0.9	1.3
2018	17	0.9	0.23	0.5	1.5	97	0.9	0.09	0.7	1.1
2019	21	1.1	0.25	0.6	1.7	104	0.9	0.09	0.7	1.1
2020	19	0.9	0.21	0.5	1.4	116	1.0	0.10	0.8	1.2
2021	25	1.1	0.22	0.7	1.6	95	0.8	0.09	0.7	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Bones and Joints										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,580	0.9	0.02	0.9	1.0	424	0.7	0.04	0.7	0.8
1990	86	1.0	0.11	0.8	1.3	10	0.6	0.21	0.3	1.2
1991	73	0.8	0.10	0.7	1.1	13	0.7	0.21	0.4	1.3
1992	64	0.7	0.09	0.5	0.9	8	0.4	0.16	0.2	0.9
1993	65	0.7	0.09	0.6	0.9	10	0.6	0.20	0.3	1.1
1994	71	0.8	0.10	0.6	1.0	11	0.7	0.20	0.3	1.2
1995	92	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.7
1996	86	1.0	0.11	0.8	1.2	11	0.7	0.22	0.3	1.3
1997	86	1.0	0.11	0.8	1.2	11	0.6	0.20	0.3	1.2
1998	72	0.8	0.10	0.7	1.0	15	0.8	0.22	0.4	1.4
1999	81	0.9	0.11	0.7	1.2	11	0.7	0.22	0.3	1.3
2000	88	1.0	0.11	0.8	1.2	9	0.5	0.17	0.2	1.0
2001	77	0.9	0.10	0.7	1.1	13	0.8	0.24	0.4	1.5
2002	80	0.9	0.10	0.7	1.1	12	0.6	0.18	0.3	1.1
2003	85	1.0	0.11	0.8	1.2	11	0.7	0.20	0.3	1.2
2004	72	0.8	0.10	0.6	1.0	22	1.2	0.26	0.7	1.9
2005	79	0.9	0.10	0.7	1.1	11	0.6	0.18	0.3	1.1
2006	91	1.1	0.11	0.9	1.3	18	0.9	0.22	0.5	1.5
2007	89	1.0	0.11	0.8	1.3	15	0.8	0.20	0.4	1.3
2008	75	0.9	0.10	0.7	1.1	8	0.4	0.14	0.2	0.8
2009	75	0.9	0.10	0.7	1.1	18	1.0	0.25	0.6	1.6
2010	77	0.9	0.10	0.7	1.1	15	0.8	0.22	0.5	1.4
2011	74	0.8	0.10	0.6	1.0	17	0.8	0.20	0.5	1.3
2012	86	1.0	0.11	0.8	1.2	11	0.6	0.19	0.3	1.1
2013	91	1.1	0.12	0.9	1.3	13	0.7	0.19	0.4	1.2
2014	84	1.0	0.11	0.8	1.2	15	0.8	0.21	0.4	1.3
2015	73	0.8	0.10	0.7	1.1	9	0.4	0.14	0.2	0.8
2016	90	1.0	0.11	0.8	1.2	14	0.8	0.21	0.4	1.3
2017	92	1.0	0.11	0.8	1.3	19	1.1	0.25	0.6	1.7
2018	77	0.9	0.11	0.7	1.1	16	0.9	0.22	0.5	1.4
2019	80	0.9	0.11	0.7	1.2	13	0.6	0.18	0.3	1.1
2020	94	1.1	0.12	0.9	1.3	16	0.9	0.23	0.5	1.5
2021	75	0.8	0.10	0.7	1.1	10	0.6	0.18	0.3	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Bones and Joints										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	239	1.0	0.08	0.8	1.1	1,736	1.0	0.02	1.0	1.1
1990	7	3.7	1.82	1.0	8.9	50	1.0	0.14	0.7	1.3
1991	2	1.4	1.31	0.1	5.7	52	1.1	0.15	0.8	1.4
1992	6	1.4	0.63	0.4	4.1	35	0.7	0.12	0.5	1.0
1993	3	0.3	0.18	0.1	2.6	40	0.8	0.13	0.6	1.1
1994	1	0.1	0.14	0.0	2.4	43	0.9	0.13	0.6	1.2
1995	4	0.5	0.23	0.1	2.5	64	1.3	0.16	1.0	1.6
1996	3	0.7	0.43	0.1	2.9	58	1.2	0.15	0.9	1.5
1997	8	0.9	0.32	0.4	2.8	56	1.1	0.15	0.9	1.5
1998	4	0.4	0.20	0.1	2.2	44	0.9	0.13	0.6	1.1
1999	4	0.4	0.17	0.1	2.0	60	1.2	0.15	0.9	1.5
2000	9	1.1	0.39	0.4	2.8	58	1.1	0.15	0.9	1.5
2001	8	0.8	0.29	0.3	2.3	40	0.8	0.12	0.5	1.0
2002	8	1.6	0.91	0.4	4.3	47	0.9	0.13	0.7	1.2
2003	5	0.4	0.19	0.1	1.7	62	1.2	0.15	0.9	1.5
2004	6	0.5	0.21	0.2	1.8	59	1.1	0.15	0.9	1.4
2005	7	1.0	0.47	0.3	2.5	57	1.1	0.14	0.8	1.4
2006	10	1.6	0.67	0.6	3.5	57	1.1	0.15	0.8	1.4
2007	8	0.8	0.28	0.3	1.9	64	1.2	0.16	1.0	1.6
2008	3	0.7	0.50	0.1	2.3	41	0.8	0.13	0.6	1.1
2009	11	0.9	0.29	0.4	2.0	49	0.9	0.13	0.7	1.2
2010	1	0.1	0.11	0.0	1.0	57	1.0	0.14	0.8	1.4
2011	8	0.8	0.32	0.3	1.9	53	1.0	0.14	0.7	1.3
2012	10	0.8	0.27	0.4	1.8	59	1.1	0.14	0.8	1.4
2013	11	1.3	0.48	0.5	2.6	65	1.2	0.15	0.9	1.6
2014	9	0.8	0.30	0.4	1.8	66	1.2	0.15	0.9	1.5
2015	11	1.0	0.32	0.5	2.0	47	0.8	0.13	0.6	1.1
2016	8	0.7	0.25	0.3	1.5	57	1.0	0.14	0.8	1.3
2017	14	1.4	0.43	0.7	2.5	61	1.1	0.15	0.8	1.4
2018	9	0.7	0.24	0.3	1.5	52	0.9	0.13	0.7	1.2
2019	13	1.4	0.46	0.7	2.6	61	1.1	0.14	0.8	1.4
2020	14	1.3	0.37	0.7	2.3	72	1.3	0.15	1.0	1.6
2021	14	1.2	0.38	0.6	2.2	50	0.9	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Bones and Joints										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,417	1.1	0.03	1.0	1.1	226	0.9	0.06	0.8	1.0
1990	44	1.1	0.16	0.8	1.4	5	0.8	0.38	0.2	2.0
1991	44	1.1	0.17	0.8	1.5	7	1.0	0.38	0.4	2.1
1992	29	0.7	0.13	0.5	1.0	5	0.6	0.25	0.2	1.5
1993	35	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.4
1994	35	0.9	0.15	0.6	1.2	6	0.7	0.28	0.2	1.6
1995	47	1.1	0.17	0.8	1.5	13	1.7	0.50	0.9	3.0
1996	50	1.2	0.17	0.9	1.6	7	0.9	0.34	0.3	1.9
1997	49	1.2	0.17	0.9	1.6	6	0.9	0.36	0.3	1.9
1998	36	0.9	0.14	0.6	1.2	7	0.8	0.33	0.3	1.8
1999	52	1.3	0.18	1.0	1.7	7	1.1	0.44	0.4	2.3
2000	45	1.1	0.16	0.8	1.5	7	0.9	0.39	0.3	2.0
2001	35	0.8	0.14	0.6	1.2	4	0.8	0.44	0.2	2.0
2002	40	1.0	0.15	0.7	1.3	6	0.7	0.27	0.2	1.5
2003	54	1.3	0.18	1.0	1.7	6	0.9	0.38	0.3	2.0
2004	40	1.0	0.15	0.7	1.3	15	1.8	0.51	1.0	3.2
2005	43	1.0	0.16	0.8	1.4	5	0.6	0.30	0.2	1.5
2006	42	1.1	0.16	0.8	1.4	11	1.1	0.33	0.5	2.0
2007	53	1.3	0.18	1.0	1.7	8	1.0	0.34	0.4	1.9
2008	36	0.9	0.15	0.6	1.2	4	0.4	0.22	0.1	1.2
2009	42	1.0	0.15	0.7	1.3	6	0.7	0.30	0.3	1.6
2010	49	1.1	0.16	0.8	1.5	7	0.8	0.30	0.3	1.7
2011	38	0.9	0.14	0.6	1.2	13	1.4	0.43	0.7	2.5
2012	53	1.2	0.17	0.9	1.6	3	0.6	0.34	0.1	1.6
2013	55	1.4	0.19	1.0	1.8	8	0.8	0.30	0.4	1.7
2014	51	1.1	0.16	0.8	1.5	9	1.2	0.42	0.5	2.3
2015	41	1.0	0.16	0.7	1.3	3	0.3	0.17	0.1	0.9
2016	44	1.0	0.15	0.7	1.3	8	1.0	0.35	0.4	1.9
2017	44	1.0	0.16	0.7	1.4	10	1.2	0.40	0.6	2.3
2018	39	0.9	0.15	0.6	1.3	10	1.1	0.35	0.5	2.0
2019	46	1.1	0.17	0.8	1.5	6	0.7	0.27	0.2	1.5
2020	63	1.4	0.19	1.1	1.8	7	1.0	0.38	0.4	2.0
2021	43	1.0	0.16	0.7	1.3	3	0.3	0.19	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Bones and Joints										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	190	0.8	0.07	0.7	1.0	1,431	0.8	0.02	0.7	0.8
1990	2	0.5	0.38	0.1	2.5	47	0.9	0.13	0.6	1.2
1991	9	2.4	0.88	1.0	5.1	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	2.1	38	0.7	0.11	0.5	0.9
1993	4	1.4	0.73	0.4	3.8	37	0.6	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	2.3	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	2.5	55	1.0	0.13	0.7	1.3
1996	4	0.6	0.31	0.1	2.1	40	0.7	0.11	0.5	1.0
1997	4	1.4	0.92	0.2	4.2	43	0.8	0.12	0.6	1.1
1998	7	1.2	0.49	0.4	2.9	46	0.8	0.12	0.6	1.1
1999	3	0.3	0.20	0.1	1.6	35	0.6	0.10	0.4	0.8
2000	7	0.7	0.27	0.3	2.0	46	0.8	0.12	0.6	1.1
2001	7	1.4	0.59	0.5	3.2	52	0.9	0.13	0.7	1.2
2002	5	0.8	0.45	0.2	2.3	49	0.9	0.12	0.6	1.1
2003	4	1.0	0.61	0.2	2.8	38	0.7	0.11	0.5	0.9
2004	3	0.3	0.18	0.1	1.3	43	0.7	0.11	0.5	1.0
2005	5	0.5	0.25	0.2	1.6	44	0.7	0.11	0.5	1.0
2006	5	1.1	0.60	0.3	2.8	57	1.0	0.13	0.8	1.3
2007	8	1.1	0.44	0.4	2.4	48	0.8	0.12	0.6	1.1
2008	3	0.3	0.15	0.1	1.1	46	0.8	0.12	0.6	1.1
2009	4	0.5	0.29	0.1	1.5	48	0.9	0.13	0.6	1.1
2010	8	0.9	0.40	0.3	2.1	37	0.7	0.11	0.5	0.9
2011	5	0.6	0.34	0.1	1.7	43	0.7	0.12	0.5	1.0
2012	10	1.2	0.43	0.5	2.4	42	0.7	0.11	0.5	0.9
2013	11	1.3	0.46	0.6	2.5	42	0.7	0.11	0.5	1.0
2014	6	0.7	0.31	0.2	1.6	41	0.7	0.12	0.5	1.0
2015	7	0.5	0.21	0.2	1.2	39	0.7	0.11	0.5	0.9
2016	8	0.7	0.26	0.3	1.5	55	0.9	0.13	0.7	1.2
2017	7	0.9	0.38	0.3	1.9	63	1.0	0.14	0.8	1.3
2018	8	0.9	0.36	0.4	1.9	45	0.8	0.12	0.6	1.1
2019	8	0.7	0.27	0.3	1.5	43	0.8	0.12	0.5	1.0
2020	5	0.4	0.20	0.1	1.1	44	0.8	0.13	0.6	1.1
2021	11	0.9	0.28	0.5	1.7	45	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Bones and Joints										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,163	0.8	0.02	0.8	0.9	198	0.6	0.05	0.5	0.7
1990	42	1.0	0.15	0.7	1.3	5	0.5	0.25	0.2	1.3
1991	29	0.6	0.12	0.4	0.9	6	0.6	0.23	0.2	1.3
1992	35	0.8	0.13	0.5	1.1	3	0.3	0.19	0.1	1.0
1993	30	0.6	0.12	0.4	0.9	6	0.7	0.28	0.2	1.5
1994	36	0.8	0.14	0.6	1.1	5	0.6	0.27	0.2	1.4
1995	45	1.0	0.15	0.7	1.3	6	0.6	0.26	0.2	1.4
1996	36	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.3
1997	37	0.9	0.14	0.6	1.2	5	0.5	0.23	0.2	1.2
1998	36	0.8	0.13	0.6	1.1	8	0.8	0.30	0.4	1.7
1999	29	0.6	0.12	0.4	0.9	4	0.4	0.21	0.1	1.1
2000	43	0.9	0.15	0.7	1.3	2	0.2	0.13	0.0	0.7
2001	42	1.0	0.15	0.7	1.3	9	1.0	0.33	0.4	1.9
2002	40	0.9	0.14	0.6	1.2	6	0.6	0.24	0.2	1.3
2003	31	0.7	0.13	0.5	1.0	5	0.5	0.23	0.2	1.2
2004	32	0.7	0.12	0.4	0.9	7	0.7	0.27	0.3	1.5
2005	36	0.8	0.13	0.5	1.1	6	0.6	0.24	0.2	1.3
2006	49	1.1	0.16	0.8	1.5	7	0.7	0.27	0.3	1.5
2007	36	0.8	0.13	0.6	1.1	7	0.6	0.24	0.3	1.3
2008	39	0.9	0.14	0.6	1.2	4	0.4	0.18	0.1	0.9
2009	33	0.8	0.14	0.6	1.1	12	1.2	0.36	0.6	2.1
2010	28	0.6	0.13	0.4	0.9	8	0.8	0.29	0.4	1.6
2011	36	0.8	0.14	0.6	1.1	4	0.4	0.19	0.1	1.0
2012	33	0.7	0.13	0.5	1.0	8	0.8	0.27	0.3	1.5
2013	36	0.8	0.14	0.6	1.1	5	0.5	0.22	0.2	1.2
2014	33	0.8	0.14	0.5	1.1	6	0.6	0.25	0.2	1.3
2015	32	0.7	0.14	0.5	1.0	6	0.5	0.23	0.2	1.2
2016	46	1.1	0.17	0.8	1.4	6	0.6	0.25	0.2	1.3
2017	48	1.0	0.16	0.8	1.4	9	0.9	0.31	0.4	1.8
2018	38	0.9	0.15	0.6	1.2	6	0.7	0.27	0.2	1.4
2019	34	0.8	0.15	0.5	1.2	7	0.7	0.25	0.3	1.4
2020	31	0.7	0.14	0.5	1.1	9	1.0	0.33	0.4	1.9
2021	32	0.7	0.14	0.5	1.1	7	0.7	0.28	0.3	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Soft Tissue including Heart										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,085	2.9	0.10	2.7	3.1	11,545	3.1	0.03	3.1	3.2
1990	12	1.7	0.60	0.7	3.4	242	2.3	0.15	2.0	2.6
1991	11	1.7	0.56	0.8	3.3	213	2.0	0.14	1.8	2.3
1992	15	2.4	0.79	1.1	4.5	246	2.3	0.15	2.0	2.6
1993	12	1.6	0.54	0.7	3.1	243	2.3	0.14	2.0	2.6
1994	14	1.7	0.53	0.8	3.2	278	2.6	0.15	2.3	2.9
1995	18	1.9	0.52	1.0	3.4	277	2.5	0.15	2.2	2.9
1996	23	2.9	0.84	1.5	5.0	362	3.3	0.17	3.0	3.7
1997	24	3.4	0.86	1.9	5.5	338	3.1	0.17	2.7	3.4
1998	26	3.0	0.70	1.8	4.8	322	2.9	0.16	2.6	3.2
1999	15	1.6	0.50	0.7	2.9	320	2.9	0.16	2.6	3.2
2000	16	1.5	0.46	0.7	2.8	286	2.5	0.15	2.3	2.9
2001	31	3.3	0.78	2.0	5.2	342	3.1	0.17	2.7	3.4
2002	17	1.3	0.40	0.7	2.4	326	2.9	0.16	2.6	3.2
2003	32	2.4	0.56	1.4	3.8	375	3.3	0.17	3.0	3.7
2004	33	2.8	0.59	1.7	4.2	358	3.1	0.17	2.8	3.5
2005	35	2.4	0.50	1.6	3.7	356	3.1	0.17	2.8	3.4
2006	31	3.4	0.73	2.2	5.1	403	3.5	0.18	3.2	3.9
2007	39	3.5	0.68	2.3	5.1	384	3.4	0.17	3.0	3.7
2008	35	2.8	0.60	1.8	4.2	400	3.5	0.18	3.1	3.8
2009	40	3.1	0.61	2.1	4.5	387	3.3	0.17	3.0	3.7
2010	49	3.8	0.67	2.6	5.3	403	3.4	0.17	3.1	3.8
2011	38	2.9	0.55	1.9	4.2	393	3.3	0.17	3.0	3.7
2012	57	3.8	0.57	2.8	5.1	406	3.3	0.17	3.0	3.6
2013	49	3.3	0.54	2.4	4.6	433	3.6	0.18	3.2	3.9
2014	42	3.0	0.50	2.1	4.1	454	3.7	0.18	3.4	4.1
2015	50	2.8	0.43	2.0	3.8	402	3.2	0.17	2.9	3.6
2016	52	3.1	0.48	2.3	4.2	449	3.6	0.18	3.3	4.0
2017	53	3.4	0.52	2.5	4.6	455	3.7	0.18	3.3	4.0
2018	54	3.2	0.48	2.3	4.3	440	3.5	0.17	3.1	3.8
2019	47	2.6	0.41	1.8	3.5	422	3.4	0.17	3.1	3.7
2020	53	2.7	0.39	2.0	3.6	416	3.3	0.17	3.0	3.6
2021	62	3.3	0.45	2.5	4.3	414	3.4	0.17	3.0	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Soft Tissue including Heart										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,276	3.1	0.03	3.0	3.1	1,834	3.4	0.08	3.3	3.6
1990	197	2.2	0.16	1.9	2.6	42	3.0	0.48	2.1	4.1
1991	180	2.0	0.15	1.7	2.3	30	2.4	0.46	1.6	3.4
1992	198	2.2	0.16	1.9	2.5	41	3.0	0.47	2.1	4.0
1993	205	2.3	0.16	2.0	2.6	35	2.5	0.43	1.7	3.5
1994	235	2.6	0.17	2.2	2.9	41	2.8	0.46	2.0	3.9
1995	232	2.5	0.17	2.2	2.9	40	2.5	0.40	1.8	3.4
1996	297	3.2	0.19	2.9	3.6	52	3.6	0.52	2.7	4.8
1997	273	2.9	0.18	2.6	3.3	56	3.8	0.53	2.8	5.0
1998	258	2.8	0.17	2.5	3.2	56	3.6	0.50	2.7	4.7
1999	253	2.7	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7
2000	236	2.5	0.17	2.2	2.9	44	2.7	0.42	2.0	3.7
2001	282	3.1	0.19	2.7	3.5	48	3.1	0.46	2.3	4.1
2002	274	3.0	0.18	2.6	3.3	44	2.7	0.43	2.0	3.7
2003	313	3.4	0.19	3.0	3.8	50	3.1	0.45	2.3	4.1
2004	285	3.0	0.18	2.7	3.4	60	3.6	0.47	2.7	4.6
2005	276	2.9	0.18	2.6	3.3	60	3.7	0.49	2.8	4.8
2006	321	3.4	0.19	3.0	3.8	73	4.2	0.51	3.3	5.4
2007	313	3.4	0.20	3.0	3.8	56	3.3	0.45	2.5	4.3
2008	323	3.5	0.20	3.1	3.9	64	3.8	0.48	2.9	4.8
2009	310	3.3	0.19	2.9	3.7	54	3.1	0.43	2.3	4.1
2010	323	3.3	0.19	3.0	3.7	61	3.5	0.46	2.7	4.5
2011	318	3.4	0.20	3.0	3.8	62	3.4	0.44	2.6	4.4
2012	328	3.3	0.19	3.0	3.7	66	3.6	0.45	2.8	4.6
2013	343	3.5	0.20	3.1	3.9	65	3.6	0.46	2.8	4.6
2014	348	3.6	0.20	3.2	4.0	80	4.3	0.49	3.4	5.4
2015	310	3.1	0.18	2.7	3.5	76	4.2	0.49	3.3	5.2
2016	358	3.6	0.20	3.2	4.0	74	4.0	0.47	3.1	5.0
2017	344	3.5	0.20	3.1	3.9	80	4.3	0.49	3.4	5.4
2018	353	3.5	0.20	3.1	3.9	65	3.3	0.41	2.5	4.2
2019	345	3.5	0.20	3.1	3.9	61	3.2	0.42	2.4	4.2
2020	335	3.4	0.20	3.0	3.8	68	3.6	0.44	2.8	4.5
2021	310	3.2	0.19	2.8	3.6	75	3.8	0.45	3.0	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Soft Tissue including Heart										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	601	3.3	0.17	3.0	3.7	6,193	3.7	0.05	3.6	3.8
1990	9	3.1	1.29	1.1	7.0	129	2.7	0.25	2.3	3.3
1991	2	0.8	0.55	0.1	3.6	105	2.2	0.22	1.8	2.7
1992	9	3.6	1.66	1.1	8.3	111	2.4	0.23	2.0	2.9
1993	7	1.5	0.68	0.5	4.2	122	2.5	0.23	2.1	3.0
1994	9	2.0	0.83	0.7	4.9	151	3.2	0.26	2.7	3.7
1995	15	3.0	0.93	1.4	5.9	139	2.9	0.25	2.4	3.4
1996	14	2.4	0.75	1.2	5.0	190	3.9	0.29	3.4	4.5
1997	15	3.8	1.19	1.8	7.1	182	3.8	0.28	3.2	4.4
1998	12	3.2	1.22	1.3	6.6	177	3.6	0.28	3.1	4.2
1999	11	2.5	1.00	1.0	5.5	177	3.5	0.27	3.0	4.1
2000	5	0.9	0.48	0.2	2.8	148	3.0	0.25	2.5	3.5
2001	15	2.8	0.91	1.3	5.3	187	3.7	0.27	3.2	4.2
2002	7	0.6	0.24	0.2	2.0	169	3.5	0.27	3.0	4.0
2003	22	3.6	1.25	1.6	6.8	184	3.6	0.27	3.1	4.2
2004	20	3.6	1.11	1.8	6.4	192	3.8	0.27	3.2	4.3
2005	22	2.7	0.72	1.5	4.6	187	3.6	0.27	3.1	4.2
2006	21	4.7	1.21	2.6	7.6	193	3.8	0.27	3.2	4.3
2007	13	3.1	1.14	1.3	6.0	221	4.2	0.29	3.7	4.9
2008	14	2.0	0.81	0.7	4.1	215	4.2	0.29	3.6	4.8
2009	23	4.7	1.27	2.5	7.7	195	3.7	0.27	3.2	4.2
2010	26	3.7	0.89	2.1	5.9	220	4.1	0.28	3.6	4.7
2011	22	3.5	0.92	2.0	5.8	229	4.2	0.28	3.6	4.8
2012	30	4.4	0.94	2.7	6.6	211	3.8	0.27	3.3	4.3
2013	29	4.3	0.95	2.6	6.5	239	4.3	0.29	3.8	4.9
2014	24	3.9	0.92	2.3	6.1	258	4.6	0.29	4.1	5.2
2015	33	3.5	0.68	2.3	5.1	242	4.3	0.28	3.7	4.9
2016	31	4.2	0.88	2.7	6.3	235	4.2	0.28	3.6	4.8
2017	21	2.8	0.71	1.6	4.5	256	4.5	0.29	4.0	5.1
2018	30	4.1	0.89	2.6	6.2	235	4.0	0.27	3.5	4.5
2019	25	2.9	0.67	1.7	4.5	239	4.2	0.28	3.7	4.8
2020	26	2.7	0.58	1.6	4.1	230	3.9	0.26	3.4	4.4
2021	39	4.0	0.68	2.7	5.5	225	3.9	0.27	3.4	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Soft Tissue including Heart											
Males											
Year	Non-Hispanic Whites					Non-Hispanic Blacks					
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2021	5,101	3.7	0.05	3.6	3.8	842	3.6	0.13	3.4	3.9	
1990	105	2.6	0.26	2.1	3.2	22	3.5	0.86	2.0	5.6	
1991	87	2.1	0.23	1.7	2.7	15	2.8	0.79	1.5	4.8	
1992	91	2.3	0.25	1.8	2.8	18	3.1	0.77	1.8	5.0	
1993	104	2.5	0.25	2.1	3.1	18	2.9	0.71	1.7	4.7	
1994	131	3.3	0.29	2.7	3.9	19	3.0	0.73	1.8	4.8	
1995	122	3.0	0.28	2.5	3.6	14	1.8	0.49	1.0	3.1	
1996	158	3.9	0.31	3.3	4.5	26	4.3	0.92	2.7	6.5	
1997	151	3.7	0.30	3.1	4.3	27	4.2	0.87	2.7	6.3	
1998	147	3.6	0.30	3.0	4.2	27	3.7	0.78	2.3	5.5	
1999	137	3.3	0.28	2.8	3.9	30	4.9	0.97	3.2	7.2	
2000	123	3.0	0.27	2.5	3.6	20	2.9	0.70	1.7	4.6	
2001	156	3.7	0.30	3.1	4.3	27	4.0	0.81	2.5	5.9	
2002	147	3.6	0.30	3.1	4.3	18	2.5	0.63	1.4	4.1	
2003	153	3.7	0.30	3.1	4.3	23	3.3	0.74	2.0	5.1	
2004	161	3.8	0.30	3.2	4.4	22	3.3	0.75	2.0	5.1	
2005	150	3.5	0.29	3.0	4.1	28	4.3	0.91	2.7	6.4	
2006	163	3.8	0.30	3.3	4.5	27	3.5	0.71	2.3	5.2	
2007	188	4.4	0.33	3.8	5.1	27	3.8	0.77	2.4	5.6	
2008	179	4.3	0.32	3.7	5.0	27	3.6	0.72	2.3	5.3	
2009	164	3.8	0.30	3.2	4.4	19	2.5	0.60	1.4	3.9	
2010	176	3.9	0.30	3.4	4.6	31	4.5	0.87	3.0	6.5	
2011	192	4.3	0.32	3.7	5.0	27	3.4	0.69	2.2	5.1	
2012	173	3.9	0.30	3.3	4.5	28	3.4	0.67	2.3	5.0	
2013	193	4.3	0.32	3.7	4.9	30	3.7	0.70	2.5	5.4	
2014	208	4.6	0.33	4.0	5.3	34	4.0	0.70	2.7	5.6	
2015	193	4.1	0.31	3.5	4.8	39	5.3	0.89	3.7	7.4	
2016	191	4.2	0.31	3.6	4.9	34	4.3	0.77	3.0	6.1	
2017	195	4.3	0.32	3.7	5.0	39	4.8	0.80	3.4	6.7	
2018	192	4.0	0.30	3.5	4.7	31	3.4	0.63	2.3	4.9	
2019	203	4.5	0.33	3.9	5.2	32	4.1	0.74	2.8	5.8	
2020	192	4.1	0.31	3.5	4.7	32	3.8	0.70	2.6	5.5	
2021	176	3.8	0.30	3.2	4.4	31	3.5	0.64	2.4	5.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Soft Tissue including Heart										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	484	2.5	0.13	2.3	2.8	5,352	2.7	0.04	2.6	2.8
1990	3	0.5	0.26	0.1	2.3	113	2.0	0.19	1.6	2.4
1991	9	2.7	1.00	1.1	5.6	108	1.9	0.18	1.5	2.3
1992	6	1.6	0.73	0.5	4.0	135	2.3	0.20	1.9	2.8
1993	5	1.6	0.81	0.4	4.1	121	2.0	0.19	1.7	2.4
1994	5	1.4	0.67	0.4	3.6	127	2.1	0.19	1.8	2.5
1995	3	0.9	0.50	0.2	2.7	138	2.3	0.20	1.9	2.7
1996	9	3.0	1.26	1.1	6.4	172	2.9	0.22	2.4	3.3
1997	9	2.8	1.12	1.1	5.8	156	2.5	0.21	2.2	3.0
1998	14	3.0	0.87	1.6	5.4	145	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.2	2.2	143	2.3	0.20	2.0	2.8
2000	11	2.1	0.77	0.9	4.3	138	2.2	0.19	1.9	2.6
2001	16	3.7	1.14	1.8	6.6	155	2.6	0.21	2.2	3.0
2002	10	2.0	0.72	0.9	4.0	157	2.6	0.21	2.2	3.0
2003	10	1.4	0.47	0.6	2.9	191	3.1	0.23	2.7	3.6
2004	13	2.1	0.62	1.1	3.8	166	2.7	0.21	2.3	3.1
2005	13	2.1	0.69	1.0	3.9	169	2.7	0.21	2.3	3.1
2006	10	2.3	0.83	1.0	4.4	210	3.4	0.24	3.0	3.9
2007	26	4.1	0.91	2.5	6.3	163	2.7	0.21	2.3	3.1
2008	21	3.6	0.91	2.0	5.8	185	3.0	0.22	2.5	3.4
2009	17	2.0	0.54	1.1	3.4	192	3.1	0.23	2.7	3.6
2010	23	3.7	0.93	2.1	5.9	183	2.9	0.22	2.5	3.3
2011	16	2.4	0.67	1.2	4.0	164	2.6	0.21	2.2	3.1
2012	27	3.4	0.71	2.1	5.1	195	2.9	0.21	2.5	3.3
2013	20	2.5	0.61	1.4	4.0	194	3.0	0.22	2.6	3.5
2014	18	2.3	0.55	1.3	3.6	196	3.0	0.22	2.6	3.5
2015	17	2.2	0.55	1.2	3.5	160	2.4	0.20	2.1	2.9
2016	21	2.3	0.52	1.4	3.6	214	3.2	0.23	2.8	3.7
2017	32	4.0	0.76	2.6	5.8	199	2.9	0.22	2.5	3.4
2018	24	2.6	0.56	1.6	3.9	205	3.1	0.23	2.7	3.6
2019	22	2.4	0.53	1.5	3.7	183	2.7	0.21	2.3	3.2
2020	27	2.8	0.56	1.8	4.2	186	2.8	0.22	2.4	3.3
2021	23	2.6	0.57	1.6	3.9	189	2.9	0.23	2.5	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Soft Tissue including Heart										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,175	2.6	0.04	2.5	2.7	992	3.3	0.10	3.1	3.5
1990	92	2.0	0.21	1.6	2.4	20	2.6	0.60	1.6	4.1
1991	93	1.9	0.21	1.6	2.4	15	2.1	0.55	1.1	3.4
1992	107	2.2	0.22	1.8	2.7	23	2.9	0.61	1.8	4.4
1993	101	2.0	0.21	1.7	2.5	17	2.1	0.52	1.2	3.4
1994	104	2.1	0.21	1.7	2.6	22	2.7	0.58	1.7	4.1
1995	110	2.2	0.22	1.8	2.7	26	3.0	0.60	1.9	4.4
1996	139	2.8	0.24	2.3	3.3	26	3.2	0.63	2.1	4.7
1997	122	2.4	0.22	2.0	2.8	29	3.5	0.66	2.3	5.0
1998	111	2.3	0.22	1.8	2.7	29	3.5	0.65	2.3	5.0
1999	116	2.3	0.22	1.9	2.8	25	2.8	0.56	1.8	4.1
2000	113	2.2	0.21	1.8	2.7	24	2.6	0.54	1.7	3.9
2001	126	2.6	0.24	2.2	3.1	21	2.4	0.53	1.5	3.7
2002	127	2.6	0.24	2.2	3.1	26	2.9	0.57	1.9	4.2
2003	160	3.3	0.26	2.8	3.8	27	2.9	0.57	1.9	4.3
2004	124	2.4	0.22	2.0	2.9	38	4.0	0.65	2.8	5.5
2005	126	2.5	0.23	2.0	2.9	32	3.4	0.61	2.3	4.9
2006	158	3.2	0.26	2.7	3.7	46	4.8	0.71	3.5	6.4
2007	125	2.6	0.24	2.1	3.1	29	3.0	0.56	2.0	4.3
2008	144	2.9	0.25	2.4	3.4	37	3.9	0.64	2.7	5.3
2009	146	3.0	0.26	2.5	3.5	35	3.6	0.62	2.5	5.1
2010	147	2.8	0.24	2.4	3.4	30	3.0	0.55	2.0	4.3
2011	126	2.6	0.25	2.2	3.2	35	3.4	0.58	2.3	4.7
2012	155	2.9	0.24	2.4	3.4	38	3.6	0.60	2.6	5.0
2013	150	3.0	0.26	2.5	3.5	35	3.5	0.59	2.4	4.8
2014	140	2.7	0.24	2.3	3.2	46	4.5	0.67	3.3	6.0
2015	117	2.2	0.22	1.8	2.7	37	3.5	0.58	2.4	4.8
2016	167	3.1	0.26	2.6	3.7	40	3.7	0.60	2.6	5.1
2017	149	2.7	0.24	2.3	3.3	41	4.0	0.63	2.8	5.4
2018	161	3.1	0.26	2.6	3.7	34	3.1	0.54	2.1	4.4
2019	142	2.8	0.25	2.3	3.3	29	2.5	0.47	1.7	3.6
2020	143	2.8	0.26	2.4	3.4	36	3.4	0.58	2.3	4.7
2021	134	2.8	0.26	2.3	3.4	44	3.9	0.61	2.8	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Skin excluding Basal and Squamous										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,602	5.2	0.15	4.9	5.5	70,344	18.6	0.07	18.4	18.7
1990	10	2.2	0.89	0.8	4.6	904	8.7	0.29	8.2	9.3
1991	16	3.8	1.24	1.7	6.8	959	9.3	0.30	8.7	9.9
1992	17	3.1	0.94	1.6	5.5	1,023	9.7	0.30	9.1	10.3
1993	17	3.6	1.04	1.9	6.2	967	9.0	0.29	8.4	9.6
1994	19	3.2	0.88	1.7	5.4	1,172	10.8	0.32	10.2	11.5
1995	30	5.2	1.15	3.2	7.9	1,212	11.1	0.32	10.5	11.8
1996	27	4.2	1.04	2.4	6.6	1,316	12.0	0.33	11.3	12.7
1997	25	3.9	1.03	2.1	6.4	1,440	13.0	0.34	12.4	13.7
1998	27	5.1	1.21	3.0	8.0	1,472	13.2	0.34	12.5	13.9
1999	38	6.4	1.32	4.1	9.4	1,523	13.6	0.35	12.9	14.3
2000	34	5.2	1.10	3.3	7.7	1,656	14.7	0.36	14.0	15.4
2001	24	2.7	0.66	1.5	4.3	1,777	15.7	0.37	15.0	16.4
2002	41	5.7	1.08	3.7	8.1	1,790	15.7	0.37	15.0	16.5
2003	42	4.6	0.89	3.1	6.7	1,834	16.0	0.37	15.3	16.7
2004	42	4.3	0.83	2.8	6.2	1,970	17.1	0.39	16.3	17.9
2005	46	5.0	0.88	3.4	7.0	2,193	18.9	0.41	18.1	19.7
2006	48	5.1	0.89	3.5	7.1	2,237	19.3	0.41	18.5	20.1
2007	52	5.4	0.92	3.8	7.5	2,324	19.8	0.42	19.0	20.7
2008	39	3.6	0.66	2.4	5.1	2,513	21.2	0.43	20.3	22.0
2009	58	4.3	0.65	3.1	5.8	2,520	21.1	0.43	20.3	22.0
2010	57	4.9	0.75	3.6	6.6	2,459	20.2	0.42	19.4	21.1
2011	68	6.5	0.91	4.9	8.5	2,622	21.4	0.43	20.6	22.3
2012	72	5.9	0.79	4.4	7.6	2,705	21.9	0.43	21.0	22.7
2013	66	5.8	0.80	4.4	7.6	2,649	21.0	0.42	20.2	21.8
2014	71	5.8	0.77	4.4	7.4	2,833	22.0	0.42	21.2	22.8
2015	66	5.0	0.67	3.7	6.4	3,094	24.3	0.45	23.4	25.2
2016	71	5.1	0.67	3.9	6.5	3,399	26.2	0.46	25.3	27.1
2017	101	7.1	0.77	5.7	8.7	3,458	26.7	0.47	25.8	27.7
2018	97	6.4	0.70	5.1	7.9	3,445	26.2	0.46	25.3	27.1
2019	105	6.6	0.70	5.3	8.1	3,807	28.7	0.48	27.7	29.6
2020	75	4.4	0.53	3.4	5.5	3,224	24.4	0.45	23.5	25.3
2021	101	5.7	0.60	4.6	7.0	3,847	28.9	0.49	28.0	29.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Skin excluding Basal and Squamous										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	66,557	21.4	0.08	21.3	21.6	930	1.8	0.06	1.7	1.9
1990	873	9.9	0.34	9.2	10.6	23	1.9	0.41	1.2	2.9
1991	933	10.6	0.35	9.9	11.3	18	1.5	0.36	0.8	2.3
1992	983	10.9	0.35	10.2	11.6	22	1.5	0.33	0.9	2.3
1993	940	10.3	0.34	9.6	10.9	24	1.7	0.36	1.1	2.5
1994	1,135	12.4	0.37	11.7	13.1	20	1.4	0.31	0.8	2.1
1995	1,160	12.7	0.37	12.0	13.4	23	1.6	0.34	1.0	2.4
1996	1,261	13.7	0.39	12.9	14.5	24	1.7	0.37	1.1	2.6
1997	1,367	14.8	0.40	14.0	15.6	30	2.0	0.37	1.3	2.8
1998	1,393	14.9	0.40	14.1	15.7	31	2.2	0.40	1.5	3.1
1999	1,462	15.7	0.41	14.9	16.5	30	2.0	0.38	1.3	2.9
2000	1,570	16.8	0.43	16.0	17.7	26	1.6	0.31	1.0	2.3
2001	1,675	17.9	0.44	17.0	18.8	31	2.1	0.40	1.4	3.1
2002	1,677	17.9	0.44	17.0	18.7	26	1.6	0.31	1.0	2.3
2003	1,700	18.0	0.44	17.1	18.9	37	2.3	0.39	1.6	3.2
2004	1,840	19.4	0.46	18.5	20.3	25	1.6	0.32	1.0	2.3
2005	2,014	21.2	0.48	20.3	22.1	33	2.1	0.38	1.5	3.0
2006	2,099	22.1	0.49	21.2	23.1	42	2.6	0.40	1.8	3.5
2007	2,208	23.2	0.50	22.2	24.2	36	2.2	0.37	1.5	3.0
2008	2,371	24.5	0.51	23.5	25.6	35	2.1	0.37	1.5	3.0
2009	2,372	24.5	0.52	23.5	25.6	42	2.5	0.39	1.8	3.4
2010	2,312	23.5	0.50	22.6	24.5	34	2.0	0.36	1.4	2.9
2011	2,464	25.0	0.52	24.0	26.0	31	1.6	0.30	1.1	2.3
2012	2,562	25.7	0.52	24.7	26.8	29	1.6	0.31	1.1	2.4
2013	2,542	25.1	0.52	24.1	26.2	31	1.7	0.32	1.2	2.5
2014	2,693	26.1	0.52	25.0	27.1	24	1.3	0.27	0.8	2.0
2015	2,948	29.0	0.56	27.9	30.1	33	1.9	0.34	1.3	2.7
2016	3,256	31.7	0.58	30.6	32.9	29	1.7	0.32	1.1	2.4
2017	3,338	32.7	0.59	31.5	33.9	26	1.4	0.28	0.9	2.1
2018	3,224	31.0	0.57	29.9	32.2	35	1.7	0.30	1.2	2.4
2019	3,576	34.3	0.60	33.1	35.5	26	1.3	0.27	0.9	2.0
2020	3,001	29.0	0.56	27.9	30.1	21	1.2	0.26	0.7	1.8
2021	3,608	34.6	0.61	33.4	35.8	33	1.7	0.30	1.2	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Skin excluding Basal and Squamous										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	742	5.7	0.25	5.2	6.2	39,648	23.5	0.12	23.2	23.7
1990	6	2.9	1.70	0.6	7.9	475	10.6	0.50	9.7	11.7
1991	8	3.1	1.67	0.7	7.9	505	11.0	0.50	10.1	12.0
1992	6	1.8	0.83	0.6	4.9	567	12.2	0.52	11.2	13.3
1993	8	5.6	2.35	2.0	11.6	526	11.2	0.50	10.3	12.2
1994	11	4.6	1.88	1.7	9.6	628	13.3	0.54	12.3	14.4
1995	17	7.9	2.33	4.0	13.6	687	14.4	0.56	13.3	15.6
1996	12	2.8	0.95	1.3	5.7	706	14.6	0.55	13.5	15.7
1997	13	3.4	1.30	1.4	7.0	817	16.8	0.59	15.6	18.0
1998	16	9.3	2.82	4.6	16.1	822	17.0	0.60	15.8	18.2
1999	25	11.6	3.04	6.5	18.7	887	18.0	0.61	16.8	19.2
2000	17	6.3	1.98	3.1	11.2	923	18.6	0.62	17.4	19.9
2001	13	3.7	1.29	1.6	7.1	987	19.7	0.63	18.5	21.0
2002	18	6.4	1.94	3.2	11.1	1,040	20.7	0.65	19.4	22.0
2003	17	3.5	0.99	1.8	6.1	1,016	20.0	0.63	18.8	21.3
2004	19	4.8	1.53	2.3	8.6	1,145	22.3	0.66	21.0	23.6
2005	26	5.6	1.35	3.3	8.9	1,199	23.3	0.68	21.9	24.6
2006	19	5.4	1.56	2.8	9.2	1,222	23.6	0.68	22.3	25.0
2007	26	7.0	1.77	4.0	11.1	1,260	24.0	0.69	22.7	25.4
2008	20	3.9	0.98	2.2	6.3	1,427	26.8	0.72	25.4	28.2
2009	21	3.5	0.89	2.0	5.7	1,403	26.0	0.71	24.7	27.5
2010	28	5.9	1.35	3.6	9.0	1,423	25.8	0.70	24.5	27.2
2011	25	5.5	1.30	3.2	8.5	1,495	26.9	0.71	25.5	28.3
2012	30	5.3	1.14	3.4	8.0	1,546	27.4	0.71	26.0	28.8
2013	38	7.7	1.43	5.2	10.9	1,491	26.0	0.69	24.7	27.4
2014	37	7.3	1.39	4.8	10.4	1,628	27.7	0.71	26.4	29.2
2015	26	4.6	1.03	2.8	7.0	1,725	29.2	0.72	27.8	30.7
2016	32	5.2	1.07	3.3	7.7	1,907	31.7	0.75	30.3	33.3
2017	45	7.5	1.25	5.3	10.3	2,008	33.3	0.76	31.8	34.8
2018	44	6.4	1.09	4.5	8.9	1,956	32.0	0.75	30.6	33.5
2019	46	6.8	1.13	4.8	9.3	2,193	34.9	0.77	33.4	36.5
2020	23	3.2	0.74	1.9	4.9	1,831	29.5	0.71	28.2	31.0
2021	50	6.6	1.05	4.7	8.9	2,203	35.1	0.77	33.6	36.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Skin excluding Basal and Squamous										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	37,807	26.7	0.14	26.4	27.0	407	1.9	0.10	1.7	2.1
1990	454	11.7	0.56	10.6	12.9	14	3.0	0.83	1.6	5.0
1991	495	12.5	0.57	11.4	13.7	8	1.7	0.65	0.7	3.4
1992	549	13.7	0.60	12.5	14.9	8	1.2	0.44	0.5	2.5
1993	514	12.7	0.57	11.6	13.9	10	1.8	0.60	0.8	3.3
1994	606	15.0	0.62	13.8	16.2	12	2.0	0.64	1.0	3.7
1995	667	16.3	0.64	15.1	17.7	10	1.9	0.64	0.8	3.5
1996	684	16.6	0.64	15.3	17.9	9	1.6	0.54	0.7	3.0
1997	783	18.8	0.68	17.5	20.2	10	1.6	0.58	0.7	3.1
1998	787	19.0	0.68	17.7	20.4	13	1.9	0.53	1.0	3.2
1999	856	20.4	0.70	19.1	21.9	16	2.2	0.57	1.3	3.7
2000	879	21.0	0.71	19.6	22.4	11	1.5	0.46	0.7	2.7
2001	933	22.1	0.73	20.7	23.6	17	2.8	0.70	1.6	4.5
2002	985	23.3	0.75	21.8	24.8	10	1.4	0.45	0.7	2.6
2003	968	22.7	0.73	21.3	24.2	10	1.6	0.51	0.7	2.9
2004	1,080	25.1	0.77	23.6	26.6	9	1.1	0.38	0.5	2.2
2005	1,118	25.9	0.78	24.4	27.5	12	1.9	0.61	0.9	3.5
2006	1,160	26.8	0.79	25.2	28.4	19	3.0	0.75	1.7	4.8
2007	1,206	27.5	0.80	26.0	29.2	16	2.2	0.57	1.2	3.7
2008	1,370	30.8	0.84	29.1	32.5	16	2.2	0.60	1.2	3.7
2009	1,322	29.5	0.83	27.9	31.2	18	2.5	0.60	1.4	4.0
2010	1,346	29.4	0.82	27.8	31.0	14	2.3	0.63	1.2	3.8
2011	1,424	30.9	0.84	29.3	32.6	14	1.9	0.51	1.0	3.1
2012	1,476	31.7	0.84	30.0	33.4	16	2.0	0.52	1.1	3.3
2013	1,442	30.5	0.82	28.9	32.2	13	1.6	0.48	0.8	2.8
2014	1,562	32.2	0.84	30.6	33.9	10	1.5	0.48	0.7	2.7
2015	1,660	34.3	0.87	32.6	36.0	13	1.8	0.50	0.9	3.0
2016	1,840	37.6	0.91	35.8	39.4	10	1.2	0.41	0.6	2.3
2017	1,952	39.8	0.93	38.0	41.6	12	1.5	0.44	0.7	2.6
2018	1,833	36.9	0.89	35.1	38.7	15	1.8	0.48	1.0	3.0
2019	2,067	40.6	0.92	38.8	42.5	11	1.3	0.42	0.6	2.4
2020	1,719	34.4	0.86	32.7	36.1	16	2.3	0.59	1.3	3.7
2021	2,070	40.8	0.93	39.0	42.7	15	1.8	0.47	1.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Skin excluding Basal and Squamous										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	860	5.0	0.19	4.6	5.4	30,696	15.4	0.09	15.2	15.6
1990	4	1.6	0.98	0.3	4.7	429	7.5	0.37	6.8	8.3
1991	8	4.1	1.75	1.5	8.7	454	8.1	0.39	7.3	8.9
1992	11	4.2	1.49	1.8	8.1	456	7.8	0.37	7.1	8.6
1993	9	2.6	0.93	1.1	5.3	441	7.5	0.36	6.8	8.2
1994	8	2.3	0.84	1.0	4.8	544	9.2	0.40	8.4	10.0
1995	13	3.2	1.07	1.5	6.1	525	8.9	0.39	8.1	9.7
1996	15	5.0	1.58	2.4	8.9	610	10.2	0.42	9.4	11.0
1997	12	4.0	1.45	1.7	7.7	623	10.4	0.42	9.6	11.3
1998	11	2.3	0.80	1.0	4.6	650	10.6	0.42	9.8	11.5
1999	13	2.7	0.86	1.3	5.0	636	10.5	0.42	9.7	11.3
2000	17	4.5	1.28	2.4	7.7	733	12.0	0.45	11.2	13.0
2001	11	1.9	0.64	0.9	3.7	790	12.9	0.46	12.0	13.8
2002	23	5.4	1.32	3.1	8.6	750	12.3	0.45	11.5	13.3
2003	25	5.5	1.35	3.2	8.7	818	13.3	0.47	12.4	14.2
2004	23	4.1	0.99	2.4	6.5	825	13.4	0.47	12.5	14.3
2005	20	4.3	1.13	2.4	7.1	994	16.1	0.52	15.1	17.2
2006	29	5.1	1.08	3.2	7.7	1,015	16.5	0.52	15.5	17.5
2007	26	4.5	1.02	2.7	6.9	1,064	17.3	0.54	16.2	18.4
2008	19	3.4	0.87	1.9	5.5	1,086	17.6	0.54	16.5	18.7
2009	37	5.2	0.96	3.5	7.5	1,117	17.8	0.55	16.8	19.0
2010	29	4.3	0.88	2.8	6.4	1,036	16.4	0.52	15.4	17.4
2011	43	7.6	1.27	5.3	10.4	1,127	17.9	0.55	16.9	19.0
2012	42	6.5	1.11	4.5	9.0	1,159	18.3	0.55	17.2	19.4
2013	28	4.3	0.87	2.8	6.4	1,158	17.7	0.54	16.7	18.8
2014	34	4.8	0.90	3.2	6.9	1,205	18.1	0.54	17.1	19.2
2015	40	5.6	0.94	3.9	7.7	1,369	21.1	0.59	20.0	22.3
2016	39	5.2	0.89	3.6	7.2	1,492	22.7	0.62	21.6	24.0
2017	56	7.1	1.01	5.2	9.3	1,450	22.1	0.61	20.9	23.3
2018	53	6.5	0.94	4.8	8.6	1,489	22.3	0.61	21.2	23.6
2019	59	6.9	0.94	5.2	9.0	1,614	24.6	0.64	23.3	25.8
2020	52	5.8	0.83	4.3	7.7	1,393	21.2	0.60	20.0	22.4
2021	51	5.3	0.76	4.0	7.0	1,644	24.8	0.65	23.6	26.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Skin excluding Basal and Squamous										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	28,750	18.0	0.11	17.8	18.2	523	1.8	0.08	1.6	1.9
1990	419	8.8	0.44	8.0	9.7	9	1.2	0.42	0.6	2.3
1991	438	9.3	0.46	8.5	10.3	10	1.3	0.43	0.6	2.5
1992	434	8.9	0.44	8.1	9.8	14	1.7	0.46	0.9	2.8
1993	426	8.6	0.42	7.8	9.5	14	1.7	0.46	0.9	2.8
1994	529	10.7	0.48	9.8	11.7	8	0.9	0.33	0.4	1.8
1995	493	10.1	0.46	9.2	11.0	13	1.4	0.40	0.8	2.5
1996	577	11.7	0.50	10.8	12.7	15	1.8	0.48	1.0	3.0
1997	584	11.9	0.50	10.9	12.9	20	2.3	0.52	1.4	3.6
1998	606	12.1	0.50	11.1	13.1	18	2.3	0.54	1.3	3.6
1999	606	12.3	0.51	11.3	13.3	14	1.7	0.47	0.9	2.9
2000	691	13.9	0.54	12.9	15.0	15	1.6	0.42	0.9	2.7
2001	742	15.0	0.56	13.9	16.1	14	1.7	0.45	0.9	2.8
2002	692	14.2	0.55	13.1	15.3	16	1.7	0.43	1.0	2.8
2003	732	14.7	0.55	13.6	15.8	27	2.9	0.56	1.9	4.2
2004	760	15.3	0.57	14.2	16.5	16	1.8	0.45	1.0	2.9
2005	896	18.2	0.62	17.0	19.4	21	2.3	0.51	1.4	3.5
2006	939	19.1	0.64	17.9	20.4	23	2.4	0.50	1.5	3.6
2007	1,002	20.6	0.67	19.3	22.0	20	2.1	0.47	1.3	3.3
2008	1,001	20.5	0.67	19.3	21.9	19	2.1	0.48	1.3	3.3
2009	1,050	21.3	0.68	20.0	22.7	24	2.5	0.51	1.6	3.7
2010	966	19.5	0.65	18.2	20.8	20	2.0	0.45	1.2	3.1
2011	1,040	21.1	0.68	19.8	22.5	17	1.5	0.37	0.9	2.5
2012	1,086	21.8	0.69	20.5	23.2	13	1.3	0.38	0.7	2.3
2013	1,100	21.7	0.69	20.4	23.1	18	1.8	0.44	1.1	2.9
2014	1,131	21.9	0.68	20.6	23.3	14	1.3	0.34	0.7	2.1
2015	1,288	25.7	0.76	24.2	27.2	20	2.1	0.47	1.2	3.2
2016	1,416	28.1	0.79	26.6	29.8	19	2.0	0.46	1.2	3.1
2017	1,386	27.7	0.79	26.2	29.3	14	1.3	0.36	0.7	2.2
2018	1,391	27.4	0.78	25.9	29.0	20	1.7	0.39	1.0	2.7
2019	1,509	30.3	0.84	28.7	32.0	15	1.3	0.35	0.7	2.2
2020	1,282	25.6	0.77	24.1	27.1	5	0.4	0.19	0.1	1.0
2021	1,538	30.6	0.84	29.0	32.3	18	1.7	0.41	1.0	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Melanoma of the Skin										
Both Sexes										
Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,304	4.3	0.13	4.0	4.5	64,963	17.2	0.07	17.0	17.3
1990	8	2.0	0.87	0.7	4.3	806	7.8	0.28	7.2	8.3
1991	13	3.3	1.20	1.4	6.3	868	8.4	0.29	7.8	9.0
1992	13	2.7	0.91	1.2	5.0	912	8.6	0.29	8.1	9.2
1993	13	2.7	0.87	1.3	4.9	841	7.8	0.27	7.3	8.4
1994	12	2.4	0.82	1.1	4.5	1,053	9.7	0.30	9.2	10.3
1995	24	3.8	0.93	2.2	6.1	1,098	10.1	0.31	9.5	10.7
1996	17	2.5	0.76	1.2	4.4	1,188	10.8	0.32	10.2	11.5
1997	18	3.1	0.94	1.5	5.4	1,305	11.8	0.33	11.2	12.5
1998	23	4.4	1.08	2.5	6.9	1,322	11.9	0.33	11.2	12.5
1999	27	4.7	1.15	2.8	7.4	1,388	12.4	0.33	11.8	13.1
2000	30	4.9	1.08	3.0	7.4	1,491	13.3	0.34	12.6	14.0
2001	21	2.4	0.64	1.3	4.0	1,605	14.2	0.35	13.5	14.9
2002	32	4.3	0.90	2.7	6.4	1,631	14.3	0.36	13.6	15.1
2003	35	4.1	0.86	2.6	6.1	1,661	14.5	0.36	13.8	15.2
2004	38	4.0	0.82	2.6	5.9	1,802	15.6	0.37	14.9	16.4
2005	35	3.8	0.76	2.5	5.6	2,009	17.3	0.39	16.6	18.1
2006	37	3.6	0.71	2.4	5.3	2,027	17.5	0.39	16.7	18.2
2007	38	4.3	0.84	2.8	6.2	2,153	18.4	0.40	17.6	19.2
2008	30	3.1	0.63	2.0	4.6	2,305	19.4	0.41	18.6	20.3
2009	45	3.3	0.57	2.3	4.6	2,324	19.5	0.41	18.7	20.3
2010	45	3.8	0.65	2.6	5.3	2,294	18.9	0.40	18.1	19.7
2011	55	5.2	0.81	3.8	7.0	2,452	20.1	0.41	19.3	21.0
2012	56	4.7	0.72	3.4	6.3	2,532	20.5	0.42	19.7	21.3
2013	59	5.2	0.76	3.9	6.9	2,470	19.6	0.40	18.8	20.4
2014	56	4.7	0.70	3.5	6.3	2,648	20.6	0.41	19.8	21.4
2015	58	4.2	0.60	3.1	5.5	2,873	22.6	0.43	21.7	23.5
2016	64	4.8	0.65	3.6	6.2	3,173	24.5	0.45	23.6	25.4
2017	82	5.6	0.68	4.4	7.1	3,236	25.0	0.46	24.2	26.0
2018	79	5.2	0.63	4.0	6.6	3,239	24.7	0.45	23.8	25.6
2019	89	5.6	0.64	4.4	7.0	3,597	27.1	0.47	26.2	28.1
2020	64	3.7	0.50	2.8	4.8	3,017	22.9	0.43	22.1	23.8
2021	88	5.0	0.57	4.0	6.2	3,643	27.5	0.47	26.6	28.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Melanoma of the Skin										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	61,921	20.0	0.08	19.8	20.2	394	0.8	0.04	0.7	0.9
1990	790	8.9	0.32	8.3	9.6	9	0.8	0.27	0.4	1.5
1991	853	9.7	0.34	9.1	10.4	10	0.8	0.28	0.4	1.6
1992	892	9.9	0.34	9.3	10.6	9	0.6	0.21	0.3	1.2
1993	834	9.1	0.32	8.5	9.8	4	0.3	0.13	0.1	0.7
1994	1,031	11.3	0.35	10.6	12.0	8	0.6	0.22	0.3	1.2
1995	1,064	11.7	0.36	11.0	12.4	9	0.7	0.25	0.3	1.4
1996	1,154	12.6	0.37	11.8	13.3	10	0.9	0.29	0.4	1.6
1997	1,250	13.5	0.38	12.8	14.3	15	1.1	0.28	0.6	1.8
1998	1,270	13.6	0.38	12.9	14.4	9	0.7	0.23	0.3	1.3
1999	1,345	14.5	0.40	13.7	15.3	16	1.2	0.30	0.7	1.9
2000	1,425	15.3	0.41	14.5	16.1	11	0.7	0.22	0.4	1.3
2001	1,523	16.3	0.42	15.5	17.1	17	1.3	0.32	0.7	2.0
2002	1,545	16.5	0.42	15.7	17.4	11	0.7	0.22	0.4	1.3
2003	1,552	16.5	0.42	15.7	17.3	21	1.4	0.30	0.8	2.1
2004	1,694	17.9	0.44	17.1	18.8	10	0.7	0.22	0.3	1.2
2005	1,863	19.7	0.46	18.8	20.6	14	1.0	0.28	0.5	1.7
2006	1,919	20.3	0.47	19.4	21.2	19	1.3	0.30	0.8	2.0
2007	2,063	21.7	0.49	20.8	22.7	15	0.9	0.24	0.5	1.5
2008	2,193	22.8	0.49	21.8	23.8	9	0.6	0.20	0.3	1.1
2009	2,217	23.1	0.50	22.1	24.1	12	0.7	0.21	0.4	1.3
2010	2,171	22.1	0.49	21.2	23.1	17	1.1	0.26	0.6	1.7
2011	2,316	23.6	0.50	22.6	24.6	14	0.8	0.22	0.4	1.3
2012	2,416	24.3	0.51	23.3	25.3	7	0.4	0.16	0.2	0.9
2013	2,384	23.6	0.50	22.7	24.6	15	0.9	0.23	0.5	1.4
2014	2,530	24.6	0.51	23.6	25.6	12	0.7	0.20	0.4	1.2
2015	2,755	27.2	0.54	26.2	28.3	15	0.9	0.23	0.5	1.4
2016	3,054	29.8	0.56	28.7	31.0	13	0.7	0.21	0.4	1.3
2017	3,135	30.8	0.57	29.7	31.9	13	0.7	0.20	0.4	1.2
2018	3,053	29.5	0.56	28.4	30.6	15	0.8	0.20	0.4	1.3
2019	3,387	32.6	0.59	31.5	33.8	9	0.4	0.15	0.2	0.9
2020	2,815	27.3	0.54	26.3	28.4	10	0.6	0.19	0.3	1.1
2021	3,428	33.1	0.60	31.9	34.2	16	0.9	0.22	0.5	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Melanoma of the Skin										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	585	4.7	0.23	4.3	5.2	36,684	21.6	0.11	21.4	21.9
1990	4	2.5	1.68	0.4	7.6	421	9.3	0.46	8.4	10.3
1991	6	2.6	1.61	0.4	7.4	468	10.2	0.48	9.2	11.1
1992	4	1.6	0.81	0.4	4.6	501	10.7	0.49	9.8	11.7
1993	7	4.1	1.86	1.3	9.2	466	9.8	0.46	8.9	10.8
1994	6	3.6	1.79	1.0	8.5	557	11.8	0.51	10.8	12.8
1995	14	6.1	1.99	2.9	11.2	631	13.2	0.53	12.1	14.2
1996	8	1.7	0.73	0.6	4.3	648	13.3	0.53	12.3	14.4
1997	9	3.0	1.27	1.0	6.6	740	15.1	0.56	14.0	16.2
1998	13	7.5	2.41	3.5	13.4	749	15.4	0.57	14.3	16.5
1999	18	8.8	2.69	4.4	15.2	813	16.4	0.58	15.3	17.5
2000	14	5.8	1.95	2.6	10.6	836	16.7	0.58	15.6	17.9
2001	12	3.5	1.28	1.5	6.9	898	17.9	0.60	16.8	19.1
2002	13	4.7	1.51	2.2	8.4	951	18.8	0.61	17.6	20.0
2003	12	2.6	0.88	1.2	5.0	942	18.5	0.61	17.3	19.7
2004	17	4.5	1.51	2.1	8.3	1,056	20.5	0.64	19.2	21.8
2005	17	3.7	1.09	1.9	6.5	1,090	21.1	0.65	19.8	22.4
2006	15	4.4	1.42	2.0	7.8	1,106	21.3	0.65	20.1	22.6
2007	20	5.8	1.65	3.0	9.7	1,177	22.4	0.66	21.1	23.8
2008	13	3.0	0.91	1.5	5.3	1,311	24.6	0.69	23.2	25.9
2009	14	2.6	0.80	1.3	4.7	1,307	24.2	0.68	22.9	25.6
2010	21	4.3	1.15	2.4	7.1	1,326	24.0	0.67	22.7	25.3
2011	19	4.4	1.18	2.4	7.2	1,394	25.1	0.69	23.7	26.4
2012	25	4.7	1.10	2.8	7.3	1,439	25.4	0.69	24.1	26.8
2013	33	6.8	1.35	4.4	9.9	1,400	24.4	0.67	23.1	25.7
2014	30	6.1	1.29	3.9	9.1	1,516	25.7	0.68	24.4	27.1
2015	21	3.4	0.87	1.9	5.5	1,594	26.9	0.69	25.6	28.3
2016	28	4.9	1.06	3.0	7.3	1,777	29.4	0.72	28.0	30.9
2017	36	6.1	1.12	4.1	8.6	1,880	31.1	0.74	29.7	32.6
2018	32	5.3	1.04	3.5	7.7	1,832	30.0	0.72	28.6	31.4
2019	40	6.1	1.08	4.1	8.5	2,083	33.1	0.75	31.6	34.6
2020	20	2.9	0.72	1.7	4.6	1,701	27.4	0.69	26.1	28.8
2021	44	6.0	1.02	4.1	8.3	2,074	33.0	0.75	31.6	34.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Melanoma of the Skin										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	35,197	24.8	0.13	24.5	25.1	162	0.8	0.07	0.7	1.0
1990	407	10.4	0.53	9.4	11.4	7	1.5	0.58	0.6	3.1
1991	465	11.7	0.55	10.6	12.8	2	0.6	0.49	0.1	2.1
1992	493	12.2	0.56	11.2	13.4	3	0.4	0.25	0.1	1.4
1993	462	11.3	0.53	10.3	12.4	2	0.3	0.23	0.0	1.2
1994	544	13.4	0.58	12.3	14.6	4	0.8	0.42	0.2	2.1
1995	618	15.1	0.61	13.9	16.3	4	1.0	0.53	0.2	2.5
1996	633	15.3	0.61	14.1	16.5	3	0.6	0.34	0.1	1.6
1997	713	17.1	0.64	15.8	18.4	5	1.0	0.49	0.3	2.3
1998	727	17.5	0.65	16.2	18.8	3	0.6	0.32	0.1	1.6
1999	790	18.8	0.67	17.5	20.1	8	1.1	0.41	0.5	2.3
2000	801	19.0	0.67	17.7	20.4	5	0.8	0.35	0.3	1.8
2001	856	20.3	0.70	18.9	21.7	9	1.6	0.55	0.7	3.0
2002	908	21.3	0.71	20.0	22.8	5	0.8	0.34	0.2	1.8
2003	898	21.0	0.70	19.6	22.4	7	1.1	0.44	0.4	2.3
2004	1,001	23.2	0.74	21.7	24.7	2	0.3	0.19	0.0	1.0
2005	1,029	23.8	0.75	22.3	25.3	2	0.5	0.37	0.0	1.6
2006	1,059	24.4	0.76	23.0	26.0	8	1.6	0.60	0.6	3.1
2007	1,133	25.9	0.78	24.4	27.4	8	1.2	0.44	0.5	2.4
2008	1,267	28.4	0.81	26.8	30.0	4	0.6	0.32	0.2	1.6
2009	1,247	27.9	0.80	26.3	29.5	4	0.6	0.30	0.1	1.5
2010	1,259	27.4	0.79	25.9	29.0	8	1.5	0.55	0.6	2.9
2011	1,334	28.9	0.81	27.4	30.6	6	0.9	0.37	0.3	1.9
2012	1,385	29.7	0.82	28.1	31.3	3	0.3	0.19	0.1	1.0
2013	1,361	28.7	0.80	27.2	30.3	6	0.9	0.37	0.3	1.9
2014	1,460	30.1	0.81	28.5	31.7	4	0.7	0.36	0.2	1.7
2015	1,542	31.8	0.84	30.2	33.5	7	1.0	0.38	0.4	2.0
2016	1,721	35.0	0.87	33.3	36.7	4	0.5	0.25	0.1	1.3
2017	1,833	37.3	0.90	35.5	39.1	5	0.6	0.25	0.2	1.4
2018	1,727	34.7	0.86	33.0	36.4	5	0.6	0.30	0.2	1.5
2019	1,969	38.6	0.90	36.9	40.4	2	0.2	0.16	0.0	0.8
2020	1,602	32.0	0.83	30.4	33.7	9	1.4	0.46	0.6	2.6
2021	1,953	38.5	0.91	36.8	40.4	8	1.0	0.37	0.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Melanoma of the Skin										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	719	4.1	0.17	3.8	4.5	28,279	14.3	0.09	14.1	14.4
1990	4	1.6	0.98	0.3	4.7	385	6.8	0.35	6.1	7.5
1991	7	3.7	1.70	1.2	8.2	400	7.2	0.36	6.5	7.9
1992	9	3.6	1.42	1.4	7.4	411	7.1	0.36	6.4	7.8
1993	6	1.9	0.80	0.6	4.3	375	6.4	0.33	5.8	7.1
1994	6	1.9	0.78	0.7	4.3	496	8.4	0.38	7.7	9.2
1995	10	2.1	0.72	1.0	4.3	467	7.9	0.37	7.2	8.7
1996	9	3.1	1.19	1.2	6.2	540	9.1	0.39	8.3	9.9
1997	9	3.1	1.27	1.1	6.4	565	9.5	0.40	8.8	10.4
1998	10	2.2	0.80	0.9	4.5	573	9.5	0.40	8.7	10.3
1999	9	1.9	0.70	0.8	3.9	575	9.5	0.40	8.8	10.3
2000	16	4.4	1.27	2.3	7.6	655	10.8	0.43	10.0	11.7
2001	9	1.6	0.60	0.6	3.4	707	11.6	0.44	10.8	12.5
2002	19	4.2	1.12	2.3	7.0	680	11.3	0.44	10.4	12.2
2003	23	5.3	1.34	3.1	8.6	719	11.8	0.44	10.9	12.7
2004	21	3.9	0.98	2.2	6.3	746	12.1	0.45	11.3	13.1
2005	18	3.9	1.05	2.1	6.4	919	15.0	0.50	14.0	16.0
2006	22	3.4	0.77	2.1	5.4	921	15.0	0.50	14.0	16.0
2007	18	3.3	0.89	1.8	5.5	976	15.9	0.52	14.9	17.0
2008	17	3.2	0.87	1.8	5.4	994	16.2	0.52	15.2	17.3
2009	31	4.2	0.83	2.7	6.1	1,017	16.4	0.53	15.4	17.4
2010	24	3.5	0.79	2.2	5.4	968	15.3	0.51	14.4	16.4
2011	36	6.1	1.13	4.1	8.7	1,058	17.0	0.54	15.9	18.0
2012	31	4.7	0.95	3.1	7.0	1,093	17.3	0.54	16.2	18.4
2013	26	4.0	0.84	2.5	6.0	1,070	16.5	0.52	15.5	17.5
2014	26	3.8	0.81	2.4	5.7	1,132	17.1	0.53	16.1	18.2
2015	37	5.1	0.89	3.5	7.1	1,279	19.8	0.58	18.7	21.0
2016	36	4.9	0.87	3.3	6.9	1,396	21.4	0.60	20.3	22.6
2017	46	5.7	0.89	4.0	7.7	1,356	20.8	0.59	19.6	22.0
2018	47	5.5	0.82	4.0	7.3	1,407	21.2	0.59	20.1	22.4
2019	49	5.6	0.83	4.1	7.4	1,514	23.2	0.63	22.0	24.5
2020	44	4.9	0.76	3.5	6.6	1,316	20.2	0.59	19.1	21.4
2021	44	4.6	0.70	3.3	6.2	1,569	23.8	0.64	22.6	25.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Melanoma of the Skin										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	26,724	16.9	0.11	16.7	17.1	232	0.8	0.05	0.7	0.9
1990	383	8.1	0.42	7.3	8.9	2	0.3	0.22	0.0	1.1
1991	388	8.3	0.43	7.5	9.2	8	1.1	0.39	0.4	2.1
1992	399	8.2	0.42	7.4	9.1	6	0.8	0.31	0.3	1.6
1993	372	7.6	0.40	6.8	8.4	2	0.2	0.15	0.0	0.8
1994	487	10.0	0.46	9.1	10.9	4	0.5	0.26	0.1	1.3
1995	446	9.2	0.44	8.4	10.1	5	0.6	0.28	0.2	1.4
1996	521	10.6	0.47	9.7	11.6	7	1.0	0.39	0.4	2.1
1997	537	11.1	0.49	10.2	12.1	10	1.2	0.38	0.6	2.2
1998	543	11.0	0.48	10.1	12.0	6	0.8	0.32	0.3	1.7
1999	555	11.3	0.49	10.4	12.3	8	1.1	0.38	0.5	2.1
2000	624	12.7	0.51	11.7	13.7	6	0.7	0.28	0.3	1.5
2001	667	13.6	0.54	12.6	14.7	8	1.0	0.35	0.4	1.9
2002	637	13.2	0.53	12.2	14.3	6	0.7	0.28	0.3	1.5
2003	654	13.3	0.53	12.3	14.4	14	1.5	0.42	0.8	2.6
2004	693	14.1	0.54	13.0	15.2	8	0.9	0.33	0.4	1.8
2005	834	17.0	0.60	15.9	18.3	12	1.4	0.40	0.7	2.4
2006	860	17.7	0.62	16.5	18.9	11	1.2	0.37	0.6	2.2
2007	930	19.3	0.65	18.1	20.6	7	0.7	0.27	0.3	1.5
2008	926	19.2	0.65	18.0	20.5	5	0.6	0.26	0.2	1.3
2009	970	20.0	0.66	18.7	21.3	8	0.8	0.29	0.4	1.6
2010	912	18.4	0.63	17.2	19.7	9	0.9	0.29	0.4	1.7
2011	982	20.1	0.67	18.8	21.5	8	0.8	0.28	0.3	1.5
2012	1,031	20.8	0.68	19.5	22.2	4	0.4	0.21	0.1	1.1
2013	1,023	20.3	0.67	19.0	21.7	9	0.9	0.31	0.4	1.7
2014	1,070	20.9	0.67	19.6	22.2	8	0.7	0.26	0.3	1.5
2015	1,213	24.4	0.74	23.0	25.9	8	0.8	0.28	0.3	1.6
2016	1,333	26.8	0.78	25.3	28.4	9	0.9	0.31	0.4	1.8
2017	1,302	26.2	0.77	24.7	27.8	8	0.8	0.27	0.3	1.5
2018	1,326	26.3	0.77	24.8	27.8	10	0.8	0.27	0.4	1.6
2019	1,418	28.8	0.82	27.2	30.4	7	0.6	0.23	0.2	1.3
2020	1,213	24.5	0.76	23.0	26.0	1	0.1	0.08	0.0	0.5
2021	1,475	29.6	0.83	28.0	31.2	8	0.8	0.27	0.3	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Breast excluding in situ										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	15,210	47.7	0.43	46.8	48.5	279,702	73.0	0.14	72.7	73.3
1990	166	39.7	3.44	33.2	47.0	7,357	71.9	0.85	70.2	73.5
1991	173	37.9	3.18	31.9	44.6	7,569	73.0	0.85	71.3	74.7
1992	191	43.0	3.62	36.2	50.6	7,725	73.5	0.84	71.9	75.2
1993	218	40.9	3.13	34.9	47.4	7,545	70.6	0.82	69.0	72.2
1994	213	41.3	3.25	35.2	48.1	8,138	75.8	0.84	74.1	77.4
1995	265	49.0	3.49	42.4	56.3	8,012	74.0	0.83	72.4	75.6
1996	289	57.2	3.98	49.7	65.4	8,189	75.0	0.83	73.4	76.6
1997	307	53.1	3.63	46.2	60.6	8,309	75.5	0.83	73.9	77.1
1998	273	46.9	3.35	40.5	53.8	8,610	77.3	0.83	75.7	79.0
1999	343	54.6	3.44	48.0	61.7	8,793	78.3	0.84	76.6	79.9
2000	333	43.9	2.81	38.6	49.8	8,568	75.6	0.82	74.0	77.2
2001	317	45.4	3.03	39.6	51.6	8,767	76.7	0.82	75.1	78.3
2002	370	45.7	2.77	40.5	51.4	8,495	73.7	0.80	72.1	75.2
2003	352	44.3	2.79	39.0	50.1	7,907	67.9	0.77	66.4	69.4
2004	373	42.4	2.52	37.6	47.6	8,005	68.2	0.77	66.7	69.7
2005	432	47.7	2.61	42.7	53.0	8,145	68.8	0.77	67.3	70.4
2006	418	44.9	2.50	40.1	50.0	8,546	71.7	0.78	70.2	73.2
2007	464	45.5	2.35	41.0	50.3	8,540	70.8	0.77	69.3	72.3
2008	471	44.2	2.29	39.8	48.9	8,704	71.3	0.77	69.8	72.8
2009	504	45.8	2.29	41.4	50.5	8,888	72.1	0.78	70.6	73.6
2010	540	47.2	2.27	42.9	51.9	8,948	71.6	0.77	70.1	73.2
2011	532	43.6	2.11	39.6	47.9	9,281	73.7	0.78	72.2	75.3
2012	561	44.7	2.08	40.7	48.9	9,073	71.3	0.77	69.8	72.8
2013	638	48.9	2.13	44.8	53.2	9,428	73.1	0.77	71.6	74.6
2014	675	47.6	1.98	43.7	51.6	9,677	74.7	0.78	73.2	76.2
2015	731	50.7	2.04	46.7	54.8	9,753	74.3	0.78	72.7	75.8
2016	774	52.4	2.04	48.4	56.5	9,816	74.4	0.78	72.9	75.9
2017	794	50.3	1.92	46.6	54.2	9,728	73.4	0.77	71.9	74.9
2018	832	51.2	1.89	47.6	55.1	9,820	73.8	0.77	72.3	75.3
2019	886	52.8	1.88	49.1	56.6	10,050	75.1	0.78	73.6	76.7
2020	843	48.3	1.76	44.9	51.8	9,150	68.4	0.74	66.9	69.9
2021	932	52.7	1.82	49.2	56.4	10,166	75.9	0.79	74.4	77.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Breast excluding in situ										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	232,220	73.3	0.15	73.0	73.6	38,079	74.4	0.39	73.6	75.1
1990	6,537	73.6	0.92	71.8	75.4	730	61.8	2.35	57.3	66.5
1991	6,676	74.4	0.92	72.6	76.2	784	63.0	2.31	58.6	67.7
1992	6,797	74.9	0.92	73.1	76.7	816	65.1	2.34	60.6	69.9
1993	6,543	71.0	0.89	69.3	72.8	884	69.0	2.38	64.4	73.8
1994	7,104	76.9	0.92	75.2	78.8	912	70.0	2.37	65.4	74.8
1995	6,933	74.8	0.90	73.1	76.6	943	70.9	2.36	66.3	75.7
1996	7,060	75.7	0.91	74.0	77.5	975	71.7	2.35	67.2	76.4
1997	7,092	75.8	0.90	74.0	77.6	1,045	76.5	2.42	71.9	81.4
1998	7,319	77.5	0.91	75.7	79.3	1,096	78.0	2.40	73.4	82.9
1999	7,489	79.0	0.91	77.2	80.8	1,082	75.3	2.33	70.8	80.0
2000	7,310	76.7	0.90	74.9	78.5	1,043	71.3	2.25	67.0	75.9
2001	7,411	77.3	0.90	75.5	79.1	1,156	78.1	2.34	73.6	82.8
2002	7,108	73.6	0.88	71.9	75.4	1,157	75.5	2.26	71.1	80.0
2003	6,597	68.0	0.84	66.4	69.7	1,087	70.0	2.16	65.8	74.3
2004	6,714	68.8	0.85	67.2	70.5	1,068	67.7	2.11	63.7	72.0
2005	6,758	68.9	0.84	67.2	70.6	1,144	72.4	2.18	68.2	76.8
2006	7,077	71.9	0.86	70.2	73.6	1,188	73.7	2.18	69.5	78.1
2007	7,093	71.4	0.86	69.7	73.1	1,167	70.8	2.11	66.8	75.1
2008	7,212	71.8	0.86	70.1	73.5	1,183	71.4	2.12	67.3	75.7
2009	7,272	71.9	0.86	70.3	73.6	1,320	78.0	2.19	73.7	82.4
2010	7,344	71.9	0.86	70.2	73.6	1,271	73.8	2.11	69.7	78.1
2011	7,572	73.9	0.87	72.2	75.6	1,321	76.2	2.14	72.0	80.5
2012	7,369	71.5	0.86	69.9	73.2	1,313	73.4	2.07	69.4	77.6
2013	7,594	72.9	0.86	71.2	74.6	1,436	78.9	2.13	74.8	83.2
2014	7,750	74.3	0.87	72.6	76.1	1,499	82.0	2.17	77.8	86.3
2015	7,814	74.1	0.87	72.4	75.8	1,503	80.5	2.13	76.3	84.7
2016	7,911	74.9	0.88	73.2	76.6	1,465	77.8	2.09	73.7	82.0
2017	7,721	72.9	0.87	71.2	74.6	1,491	78.8	2.09	74.7	83.0
2018	7,823	74.0	0.88	72.3	75.7	1,480	76.5	2.04	72.5	80.6
2019	7,906	74.6	0.88	72.9	76.4	1,564	80.2	2.08	76.2	84.4
2020	7,303	69.1	0.85	67.5	70.8	1,383	70.6	1.95	66.8	74.5
2021	8,011	75.9	0.90	74.2	77.7	1,573	80.3	2.08	76.2	84.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Breast excluding in situ										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	68	0.5	0.07	0.4	0.6	2,335	1.4	0.03	1.3	1.4
1990	0					34	0.8	0.13	0.5	1.1
1991	0					47	1.1	0.17	0.8	1.5
1992	0					67	1.5	0.19	1.2	1.9
1993	3	1.1	0.65	0.2	3.8	64	1.4	0.17	1.0	1.7
1994	0					58	1.4	0.18	1.0	1.8
1995	1	0.3	0.27	0.0	2.4	73	1.6	0.19	1.2	2.0
1996	4	1.8	1.13	0.3	5.3	64	1.4	0.18	1.1	1.8
1997	0					71	1.5	0.18	1.2	1.9
1998	0					58	1.2	0.16	0.9	1.5
1999	1	0.8	0.77	0.0	3.5	73	1.5	0.18	1.2	1.9
2000	1	0.2	0.19	0.0	1.8	65	1.3	0.17	1.0	1.7
2001	3	0.8	0.46	0.2	2.6	65	1.3	0.16	1.0	1.7
2002	3	1.8	1.25	0.2	5.3	76	1.6	0.19	1.3	2.0
2003	2	1.0	0.73	0.1	3.3	70	1.4	0.17	1.1	1.8
2004	0					69	1.3	0.16	1.0	1.7
2005	0					59	1.2	0.16	0.9	1.5
2006	1	0.1	0.13	0.0	1.2	60	1.2	0.15	0.9	1.5
2007	0					70	1.3	0.16	1.0	1.7
2008	3	0.2	0.13	0.1	1.2	71	1.3	0.16	1.0	1.7
2009	3	0.5	0.30	0.1	1.6	75	1.4	0.16	1.1	1.7
2010	1	0.1	0.12	0.0	1.0	71	1.3	0.15	1.0	1.6
2011	5	1.0	0.50	0.2	2.4	84	1.5	0.16	1.2	1.8
2012	3	0.4	0.22	0.1	1.2	90	1.6	0.17	1.3	2.0
2013	4	0.7	0.42	0.1	2.0	83	1.4	0.15	1.1	1.7
2014	4	0.9	0.46	0.2	2.2	82	1.4	0.15	1.1	1.7
2015	5	0.7	0.39	0.2	1.9	71	1.1	0.14	0.9	1.5
2016	4	0.6	0.30	0.1	1.5	88	1.4	0.16	1.1	1.8
2017	2	0.4	0.34	0.0	1.5	103	1.7	0.17	1.4	2.1
2018	2	0.2	0.14	0.0	0.8	88	1.4	0.15	1.1	1.7
2019	7	0.9	0.39	0.3	2.0	79	1.2	0.13	0.9	1.5
2020	2	0.3	0.18	0.0	0.9	94	1.5	0.16	1.2	1.8
2021	4	0.6	0.30	0.1	1.5	113	1.8	0.18	1.5	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Breast excluding in situ										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,873	1.3	0.03	1.3	1.4	396	2.0	0.11	1.8	2.2
1990	31	0.8	0.14	0.5	1.1	3	0.7	0.39	0.1	1.9
1991	41	1.1	0.18	0.8	1.5	6	1.1	0.46	0.4	2.4
1992	55	1.4	0.20	1.1	1.9	12	2.4	0.71	1.2	4.2
1993	54	1.3	0.18	1.0	1.7	10	2.4	0.81	1.1	4.4
1994	46	1.3	0.19	0.9	1.7	10	2.1	0.70	1.0	3.9
1995	63	1.6	0.20	1.2	2.0	9	1.7	0.59	0.7	3.2
1996	54	1.3	0.18	1.0	1.8	7	1.6	0.66	0.6	3.4
1997	56	1.4	0.19	1.0	1.8	13	2.7	0.81	1.4	4.7
1998	47	1.1	0.17	0.8	1.5	10	1.9	0.61	0.9	3.5
1999	60	1.5	0.19	1.1	1.9	11	2.1	0.68	1.0	3.8
2000	55	1.3	0.18	1.0	1.7	9	1.5	0.56	0.6	3.0
2001	55	1.3	0.18	1.0	1.7	9	1.4	0.50	0.6	2.8
2002	61	1.5	0.19	1.1	1.9	13	2.6	0.80	1.3	4.6
2003	58	1.4	0.18	1.1	1.8	12	2.0	0.61	1.0	3.6
2004	56	1.3	0.17	1.0	1.7	11	2.0	0.66	1.0	3.7
2005	50	1.2	0.17	0.9	1.6	8	1.4	0.53	0.5	2.8
2006	51	1.2	0.17	0.9	1.6	7	1.2	0.47	0.5	2.4
2007	57	1.3	0.17	1.0	1.7	12	1.8	0.55	0.9	3.2
2008	57	1.3	0.17	1.0	1.7	11	1.5	0.45	0.7	2.7
2009	58	1.3	0.17	1.0	1.7	16	2.2	0.55	1.2	3.5
2010	58	1.2	0.16	0.9	1.6	12	1.7	0.52	0.9	3.1
2011	68	1.4	0.17	1.0	1.7	13	2.1	0.60	1.1	3.6
2012	71	1.5	0.19	1.2	2.0	14	1.9	0.52	1.0	3.2
2013	61	1.2	0.16	0.9	1.6	20	2.9	0.68	1.8	4.6
2014	63	1.3	0.16	1.0	1.6	15	2.1	0.56	1.1	3.4
2015	55	1.1	0.15	0.8	1.5	12	1.5	0.46	0.7	2.7
2016	74	1.4	0.17	1.1	1.8	14	2.1	0.58	1.1	3.5
2017	82	1.6	0.18	1.3	2.0	19	2.6	0.62	1.5	4.1
2018	69	1.3	0.16	1.0	1.7	13	1.6	0.46	0.8	2.8
2019	60	1.1	0.14	0.8	1.4	15	1.7	0.46	0.9	2.9
2020	72	1.4	0.17	1.1	1.8	18	2.1	0.50	1.2	3.3
2021	75	1.5	0.18	1.2	2.0	32	4.1	0.76	2.8	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Breast excluding in situ										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	15,142	92.9	0.81	91.4	94.5	277,367	133.4	0.26	132.9	133.9
1990	166	76.2	6.34	64.3	89.6	7,323	127.8	1.52	124.8	130.8
1991	173	73.8	5.97	62.6	86.4	7,522	129.9	1.53	126.9	132.9
1992	191	81.7	6.51	69.5	95.4	7,658	130.6	1.52	127.7	133.7
1993	215	79.0	5.83	68.0	91.2	7,481	125.4	1.47	122.5	128.3
1994	213	79.7	5.96	68.4	92.2	8,080	134.5	1.52	131.5	137.5
1995	264	94.4	6.39	82.3	107.7	7,939	132.0	1.50	129.1	135.0
1996	285	106.0	7.01	92.7	120.5	8,125	134.0	1.50	131.1	137.0
1997	307	101.5	6.55	89.1	115.1	8,238	135.2	1.50	132.3	138.2
1998	273	89.3	6.05	77.8	101.8	8,552	138.8	1.51	135.8	141.8
1999	342	104.2	6.28	92.3	117.2	8,720	140.9	1.52	137.9	143.9
2000	332	86.1	5.28	76.1	97.1	8,503	136.2	1.49	133.3	139.1
2001	314	86.2	5.50	75.7	97.6	8,702	138.4	1.49	135.5	141.4
2002	367	87.9	5.09	78.3	98.4	8,419	133.3	1.46	130.4	136.2
2003	350	84.4	5.08	74.8	94.9	7,837	123.2	1.40	120.5	126.0
2004	373	82.6	4.72	73.6	92.4	7,936	123.9	1.40	121.2	126.7
2005	432	92.6	4.88	83.3	102.6	8,086	125.3	1.41	122.5	128.1
2006	417	86.6	4.63	77.8	96.1	8,486	131.0	1.44	128.2	133.8
2007	464	88.7	4.45	80.2	97.8	8,470	129.8	1.43	127.0	132.6
2008	468	85.7	4.31	77.5	94.5	8,633	130.5	1.43	127.7	133.3
2009	501	88.3	4.28	80.1	97.0	8,813	132.2	1.44	129.4	135.0
2010	539	91.4	4.24	83.3	100.1	8,877	131.7	1.43	128.9	134.6
2011	527	84.1	3.94	76.6	92.2	9,197	135.8	1.45	133.0	138.7
2012	558	86.8	3.92	79.3	94.8	8,983	131.6	1.43	128.8	134.4
2013	634	94.9	4.02	87.1	103.0	9,345	135.4	1.44	132.6	138.3
2014	671	93.2	3.79	86.0	100.9	9,595	138.8	1.47	136.0	141.7
2015	726	99.0	3.89	91.5	106.9	9,682	138.4	1.46	135.6	141.3
2016	770	102.4	3.88	94.9	110.3	9,728	138.9	1.47	136.0	141.8
2017	792	99.7	3.70	92.5	107.2	9,625	137.1	1.46	134.2	140.0
2018	830	102.1	3.69	95.0	109.5	9,732	138.2	1.46	135.3	141.1
2019	879	104.7	3.66	97.6	112.1	9,971	141.2	1.48	138.3	144.1
2020	841	96.7	3.45	90.0	103.7	9,056	128.5	1.42	125.8	131.3
2021	928	105.0	3.56	98.1	112.2	10,053	142.5	1.50	139.6	145.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Breast excluding in situ										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	230,347	135.5	0.29	134.9	136.0	37,683	127.4	0.66	126.1	128.7
1990	6,506	131.9	1.68	128.6	135.2	727	105.2	3.96	97.5	113.2
1991	6,635	133.3	1.68	130.0	136.7	778	107.7	3.92	100.2	115.7
1992	6,742	134.1	1.67	130.9	137.5	804	110.0	3.93	102.4	118.0
1993	6,489	127.1	1.61	124.0	130.3	874	116.5	3.99	108.8	124.6
1994	7,058	137.8	1.67	134.5	141.1	902	118.0	3.98	110.4	126.1
1995	6,870	134.7	1.66	131.5	138.0	934	120.1	3.97	112.5	128.2
1996	7,006	136.6	1.66	133.3	139.9	968	122.0	3.96	114.4	130.0
1997	7,036	137.1	1.66	133.9	140.4	1,032	129.0	4.05	121.2	137.2
1998	7,272	140.3	1.67	137.0	143.6	1,086	132.6	4.05	124.7	140.7
1999	7,429	143.6	1.69	140.3	146.9	1,071	127.7	3.93	120.1	135.6
2000	7,255	139.6	1.66	136.4	142.9	1,034	121.2	3.79	113.8	128.8
2001	7,356	141.1	1.67	137.8	144.4	1,147	132.7	3.94	125.1	140.6
2002	7,047	134.6	1.62	131.4	137.8	1,144	128.9	3.83	121.5	136.6
2003	6,539	124.8	1.57	121.8	127.9	1,075	119.3	3.66	112.2	126.7
2004	6,658	126.4	1.57	123.3	129.5	1,057	115.8	3.58	108.8	123.0
2005	6,708	126.7	1.57	123.7	129.9	1,136	123.6	3.70	116.5	131.1
2006	7,026	132.9	1.62	129.7	136.1	1,181	126.4	3.71	119.3	133.9
2007	7,036	132.6	1.61	129.4	135.8	1,155	121.6	3.61	114.6	128.8
2008	7,155	133.0	1.61	129.9	136.2	1,172	122.3	3.61	115.3	129.6
2009	7,214	133.6	1.62	130.5	136.8	1,304	133.5	3.74	126.3	141.0
2010	7,286	133.9	1.62	130.7	137.1	1,259	126.9	3.62	119.9	134.3
2011	7,504	138.0	1.65	134.7	141.2	1,308	130.3	3.66	123.3	137.7
2012	7,298	133.9	1.63	130.8	137.2	1,299	126.2	3.56	119.3	133.4
2013	7,533	137.0	1.64	133.8	140.3	1,416	135.2	3.66	128.1	142.6
2014	7,687	140.2	1.67	137.0	143.5	1,484	141.3	3.74	134.1	148.8
2015	7,759	140.2	1.67	136.9	143.5	1,491	139.2	3.68	132.1	146.6
2016	7,837	142.0	1.69	138.7	145.3	1,451	134.7	3.62	127.7	141.9
2017	7,639	138.4	1.67	135.1	141.7	1,472	136.1	3.64	129.1	143.4
2018	7,754	140.8	1.70	137.5	144.2	1,467	132.9	3.56	126.0	140.0
2019	7,846	142.5	1.71	139.1	145.9	1,549	139.5	3.64	132.5	146.9
2020	7,231	132.2	1.66	129.0	135.5	1,365	122.4	3.41	115.8	129.3
2021	7,936	145.3	1.75	141.9	148.8	1,541	137.8	3.61	130.8	145.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Female Genital System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	8,656	50.9	0.59	49.7	52.0	113,671	54.4	0.16	54.0	54.7
1990	128	51.9	4.97	42.7	62.6	3,237	55.8	1.00	53.9	57.8
1991	139	58.0	5.54	47.7	69.8	3,204	54.6	0.98	52.7	56.6
1992	148	56.0	5.11	46.4	66.9	3,239	55.0	0.98	53.1	56.9
1993	141	49.7	4.60	41.0	59.5	3,265	54.7	0.97	52.9	56.7
1994	156	53.4	4.74	44.5	63.4	3,345	55.3	0.97	53.4	57.2
1995	162	50.8	4.49	42.4	60.4	3,357	55.7	0.97	53.8	57.6
1996	160	51.8	4.66	43.0	61.6	3,582	59.2	1.00	57.3	61.2
1997	166	53.2	4.78	44.3	63.3	3,374	55.4	0.96	53.5	57.3
1998	195	57.7	4.76	48.7	67.7	3,469	56.5	0.97	54.6	58.4
1999	202	59.7	4.89	50.5	69.9	3,306	53.6	0.94	51.7	55.4
2000	188	49.3	4.08	41.6	57.9	3,314	53.4	0.93	51.6	55.3
2001	200	48.4	3.86	41.1	56.5	3,351	53.7	0.93	51.9	55.5
2002	223	52.7	4.03	45.1	61.2	3,388	53.9	0.93	52.1	55.8
2003	190	39.9	3.30	33.7	46.9	3,299	51.8	0.91	50.0	53.6
2004	250	54.0	3.84	46.7	62.0	3,304	51.5	0.90	49.7	53.3
2005	218	43.4	3.28	37.2	50.3	3,474	53.8	0.92	52.0	55.6
2006	257	49.9	3.49	43.3	57.2	3,528	54.3	0.93	52.5	56.1
2007	246	46.0	3.20	39.9	52.6	3,482	53.2	0.91	51.4	55.0
2008	293	52.7	3.39	46.2	59.7	3,587	54.2	0.92	52.4	56.0
2009	290	49.2	3.17	43.2	55.8	3,682	54.9	0.92	53.1	56.7
2010	258	40.5	2.78	35.2	46.3	3,699	54.3	0.91	52.5	56.1
2011	316	50.7	3.12	44.8	57.2	3,728	54.5	0.92	52.8	56.4
2012	316	47.2	2.86	41.8	53.1	3,643	52.0	0.89	50.3	53.8
2013	386	56.6	3.08	50.8	63.0	3,749	53.0	0.89	51.2	54.7
2014	376	50.0	2.73	44.8	55.6	3,817	53.8	0.90	52.0	55.6
2015	377	50.5	2.75	45.2	56.1	3,865	53.9	0.90	52.1	55.7
2016	400	50.0	2.61	45.1	55.4	4,019	56.0	0.92	54.2	57.8
2017	411	50.5	2.60	45.5	55.8	3,932	54.6	0.91	52.9	56.4
2018	452	54.2	2.66	49.1	59.6	3,866	53.1	0.89	51.4	54.9
2019	503	58.6	2.72	53.4	64.2	3,975	54.4	0.90	52.6	56.2
2020	415	47.0	2.39	42.4	51.9	3,599	49.4	0.86	47.7	51.1
2021	494	54.4	2.53	49.6	59.6	3,992	54.4	0.90	52.7	56.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Female Genital System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	93,803	55.0	0.18	54.7	55.4	15,935	53.4	0.43	52.6	54.3
1990	2,777	55.8	1.09	53.7	58.0	422	59.7	2.96	54.0	65.8
1991	2,791	55.8	1.08	53.7	57.9	356	48.7	2.64	43.7	54.2
1992	2,861	57.1	1.09	54.9	59.2	332	44.9	2.51	40.1	50.1
1993	2,797	55.2	1.06	53.1	57.3	410	53.5	2.69	48.3	59.0
1994	2,855	55.6	1.06	53.5	57.7	441	57.9	2.80	52.5	63.6
1995	2,878	56.5	1.07	54.5	58.7	404	51.5	2.59	46.5	56.8
1996	3,072	60.5	1.11	58.3	62.7	437	55.1	2.67	50.0	60.5
1997	2,872	56.2	1.07	54.2	58.4	438	53.5	2.59	48.6	58.8
1998	2,948	57.4	1.07	55.3	59.5	445	53.1	2.54	48.3	58.3
1999	2,785	54.1	1.04	52.1	56.2	429	50.7	2.47	45.9	55.7
2000	2,749	53.4	1.03	51.4	55.5	452	52.3	2.48	47.5	57.3
2001	2,791	54.0	1.04	52.0	56.1	457	52.6	2.48	47.9	57.7
2002	2,837	54.8	1.04	52.8	56.9	453	51.4	2.43	46.8	56.4
2003	2,769	52.7	1.02	50.8	54.8	420	47.5	2.34	43.0	52.3
2004	2,749	52.2	1.01	50.2	54.2	455	51.0	2.41	46.4	55.9
2005	2,892	54.9	1.04	52.9	57.0	466	50.7	2.37	46.2	55.6
2006	2,914	55.0	1.04	53.0	57.1	497	54.1	2.45	49.4	59.1
2007	2,883	54.2	1.03	52.2	56.2	484	51.4	2.36	46.9	56.2
2008	2,957	55.1	1.04	53.1	57.2	502	51.9	2.34	47.4	56.7
2009	2,997	55.2	1.03	53.2	57.3	544	55.4	2.41	50.8	60.4
2010	3,030	55.1	1.03	53.1	57.1	514	51.5	2.30	47.1	56.2
2011	3,034	55.1	1.03	53.1	57.2	532	53.0	2.33	48.6	57.8
2012	2,973	53.0	1.01	51.0	55.0	538	51.7	2.27	47.4	56.3
2013	3,039	53.9	1.01	51.9	55.9	554	51.7	2.24	47.4	56.3
2014	3,059	54.5	1.03	52.5	56.6	600	55.6	2.32	51.1	60.3
2015	3,087	54.3	1.02	52.3	56.4	607	55.9	2.32	51.4	60.6
2016	3,210	56.7	1.05	54.7	58.8	625	57.5	2.36	53.0	62.4
2017	3,125	55.4	1.05	53.4	57.5	627	56.3	2.30	51.9	61.0
2018	3,073	53.9	1.03	51.9	56.0	580	50.3	2.14	46.2	54.7
2019	3,124	54.7	1.04	52.6	56.7	652	56.9	2.29	52.5	61.5
2020	2,819	49.9	1.00	47.9	51.9	578	49.9	2.14	45.8	54.2
2021	3,056	53.7	1.03	51.7	55.8	684	57.7	2.27	53.3	62.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Cervix Uteri										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,438	12.8	0.28	12.3	13.4	17,080	9.1	0.07	8.9	9.2
1990	55	19.5	2.88	14.3	26.1	685	12.5	0.49	11.6	13.5
1991	76	30.4	4.00	23.0	39.1	644	11.4	0.46	10.5	12.3
1992	71	25.1	3.41	18.8	32.6	599	10.6	0.44	9.8	11.5
1993	64	19.0	2.52	14.4	24.7	675	11.9	0.46	11.0	12.8
1994	70	20.6	2.74	15.6	26.7	589	10.2	0.43	9.4	11.1
1995	68	19.3	2.60	14.6	25.1	680	11.8	0.45	10.9	12.7
1996	77	20.5	2.55	15.8	26.2	674	11.7	0.45	10.8	12.6
1997	81	21.1	2.71	16.1	27.1	636	10.9	0.43	10.1	11.8
1998	89	22.3	2.75	17.2	28.3	661	11.3	0.44	10.4	12.2
1999	78	19.3	2.45	14.8	24.7	616	10.5	0.42	9.7	11.3
2000	67	15.1	2.10	11.2	19.8	661	11.2	0.44	10.4	12.1
2001	81	16.0	1.91	12.5	20.3	564	9.5	0.40	8.7	10.3
2002	71	14.6	2.02	10.9	19.1	535	9.1	0.39	8.3	9.9
2003	78	14.4	1.84	11.0	18.5	546	9.2	0.40	8.4	10.0
2004	79	15.0	1.87	11.6	19.1	492	8.2	0.37	7.5	8.9
2005	63	10.4	1.41	7.9	13.6	517	8.7	0.39	8.0	9.5
2006	80	15.3	1.95	11.7	19.6	506	8.5	0.38	7.8	9.3
2007	83	14.5	1.74	11.3	18.4	487	8.2	0.38	7.5	9.0
2008	83	13.7	1.69	10.6	17.4	567	9.5	0.41	8.7	10.3
2009	71	10.2	1.32	7.8	13.2	500	8.3	0.38	7.6	9.1
2010	70	9.3	1.20	7.1	12.0	460	7.6	0.36	6.9	8.4
2011	92	13.1	1.48	10.3	16.3	468	7.7	0.37	7.0	8.4
2012	62	8.2	1.11	6.2	10.7	430	7.0	0.35	6.4	7.8
2013	76	10.1	1.23	7.8	12.8	434	7.2	0.36	6.5	7.9
2014	87	10.6	1.20	8.4	13.2	489	8.2	0.39	7.5	9.0
2015	69	8.2	1.03	6.3	10.5	430	7.2	0.36	6.5	8.0
2016	91	11.0	1.22	8.8	13.7	475	8.0	0.38	7.2	8.7
2017	81	9.3	1.07	7.3	11.6	443	7.2	0.36	6.5	8.0
2018	82	9.6	1.10	7.6	12.0	417	7.0	0.36	6.3	7.8
2019	101	11.2	1.16	9.0	13.7	415	7.1	0.37	6.4	7.9
2020	71	7.9	0.98	6.1	10.1	374	6.5	0.35	5.8	7.2
2021	71	7.9	0.97	6.1	10.1	411	6.9	0.36	6.2	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Cervix Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	12,065	8.1	0.08	8.0	8.3	4,287	14.5	0.22	14.0	14.9
1990	481	10.5	0.49	9.6	11.5	184	25.5	1.92	21.9	29.5
1991	459	9.7	0.46	8.8	10.7	160	20.9	1.70	17.7	24.5
1992	449	9.6	0.46	8.7	10.5	132	17.4	1.54	14.5	20.6
1993	475	10.1	0.47	9.2	11.1	177	21.9	1.68	18.8	25.5
1994	385	8.1	0.42	7.3	9.0	184	22.9	1.72	19.7	26.5
1995	478	10.1	0.47	9.2	11.1	173	21.5	1.66	18.3	24.9
1996	493	10.5	0.48	9.6	11.5	155	18.4	1.50	15.6	21.6
1997	469	9.9	0.46	9.0	10.8	149	17.0	1.41	14.3	20.0
1998	472	9.9	0.46	9.0	10.8	166	18.9	1.48	16.1	22.0
1999	428	9.0	0.44	8.2	9.9	160	18.1	1.45	15.4	21.2
2000	445	9.4	0.45	8.5	10.3	183	20.3	1.51	17.5	23.5
2001	407	8.6	0.43	7.7	9.4	139	15.3	1.30	12.8	18.0
2002	385	8.3	0.43	7.5	9.2	132	14.6	1.27	12.2	17.3
2003	373	7.9	0.42	7.1	8.8	145	15.8	1.32	13.3	18.6
2004	346	7.2	0.39	6.5	8.0	120	13.2	1.21	10.9	15.8
2005	368	7.9	0.42	7.1	8.8	129	13.9	1.23	11.6	16.5
2006	365	7.9	0.42	7.1	8.8	124	13.2	1.19	10.9	15.7
2007	335	7.2	0.40	6.4	8.0	131	13.8	1.21	11.5	16.4
2008	385	8.3	0.44	7.5	9.2	156	16.2	1.31	13.7	19.0
2009	323	6.9	0.40	6.1	7.7	147	14.8	1.24	12.5	17.5
2010	324	7.0	0.40	6.2	7.8	116	11.5	1.08	9.5	13.9
2011	339	7.2	0.41	6.4	8.0	116	11.8	1.11	9.8	14.2
2012	311	6.6	0.39	5.9	7.4	98	9.9	1.01	8.0	12.1
2013	311	6.8	0.40	6.0	7.6	106	10.4	1.03	8.5	12.6
2014	361	8.1	0.45	7.3	9.0	106	10.3	1.02	8.4	12.4
2015	305	6.8	0.41	6.0	7.7	99	10.0	1.02	8.1	12.2
2016	332	7.5	0.43	6.6	8.4	123	12.2	1.12	10.1	14.6
2017	320	7.0	0.42	6.2	7.9	104	10.0	1.00	8.1	12.2
2018	291	6.7	0.42	5.9	7.5	97	9.2	0.96	7.4	11.3
2019	298	6.9	0.42	6.1	7.8	87	8.6	0.95	6.8	10.7
2020	275	6.4	0.41	5.6	7.2	79	8.0	0.93	6.3	10.0
2021	277	6.4	0.41	5.6	7.2	110	10.2	1.01	8.4	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Uterus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,942	23.8	0.40	23.1	24.6	59,554	27.8	0.12	27.6	28.0
1990	44	20.4	3.22	14.6	27.7	1,390	23.4	0.64	22.2	24.7
1991	27	13.4	2.73	8.6	19.7	1,445	24.1	0.64	22.8	25.3
1992	36	16.2	2.85	11.1	22.7	1,522	25.5	0.66	24.2	26.9
1993	40	15.1	2.57	10.5	20.9	1,472	24.4	0.64	23.2	25.7
1994	36	14.9	2.65	10.2	21.0	1,552	25.4	0.65	24.2	26.7
1995	43	15.3	2.47	10.8	20.9	1,551	25.5	0.66	24.2	26.8
1996	46	19.3	3.20	13.6	26.4	1,697	27.9	0.68	26.6	29.3
1997	51	18.5	2.96	13.1	25.0	1,554	25.2	0.65	24.0	26.5
1998	62	22.3	3.17	16.5	29.2	1,637	26.5	0.66	25.2	27.8
1999	64	21.7	3.08	16.1	28.4	1,543	24.9	0.64	23.6	26.1
2000	70	18.8	2.49	14.3	24.3	1,557	25.0	0.64	23.8	26.3
2001	71	20.1	2.64	15.2	25.9	1,675	26.6	0.65	25.4	27.9
2002	96	23.6	2.66	18.7	29.4	1,680	26.4	0.65	25.2	27.7
2003	66	15.4	2.09	11.6	20.1	1,613	25.1	0.63	23.9	26.3
2004	105	23.1	2.49	18.4	28.4	1,673	25.9	0.64	24.6	27.1
2005	95	19.9	2.23	15.8	24.8	1,773	27.0	0.65	25.8	28.3
2006	111	22.0	2.29	17.8	26.9	1,863	28.2	0.66	27.0	29.6
2007	104	20.7	2.19	16.7	25.4	1,822	27.4	0.65	26.1	28.7
2008	124	22.8	2.19	18.7	27.4	1,867	27.5	0.64	26.2	28.8
2009	144	24.0	2.15	19.9	28.5	2,032	29.6	0.67	28.3	30.9
2010	116	18.5	1.87	15.0	22.5	2,066	29.5	0.66	28.3	30.9
2011	149	23.7	2.07	19.8	28.1	2,073	29.4	0.66	28.1	30.7
2012	164	24.6	2.05	20.7	28.9	2,074	28.7	0.64	27.5	30.0
2013	207	30.2	2.22	26.0	34.9	2,143	29.2	0.65	28.0	30.5
2014	207	27.7	2.02	23.9	32.0	2,163	29.2	0.65	28.0	30.5
2015	197	25.9	1.93	22.3	30.0	2,241	29.9	0.65	28.7	31.3
2016	212	26.1	1.84	22.6	29.9	2,326	31.1	0.67	29.8	32.4
2017	220	27.0	1.90	23.5	31.0	2,335	31.2	0.67	29.9	32.5
2018	251	29.8	1.95	26.1	33.9	2,292	30.1	0.65	28.8	31.4
2019	269	31.4	1.98	27.6	35.5	2,342	30.6	0.66	29.4	31.9
2020	224	24.5	1.68	21.3	28.0	2,179	28.7	0.64	27.4	30.0
2021	291	32.0	1.94	28.4	36.1	2,402	31.5	0.67	30.2	32.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Uterus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	50,124	28.7	0.13	28.4	28.9	7,408	24.6	0.29	24.0	25.1
1990	1,264	24.8	0.72	23.4	26.2	119	16.9	1.57	13.9	20.2
1991	1,331	25.7	0.72	24.3	27.2	98	14.2	1.45	11.5	17.3
1992	1,391	27.3	0.75	25.9	28.9	117	16.1	1.51	13.2	19.3
1993	1,333	25.9	0.72	24.5	27.4	121	16.8	1.55	14.0	20.1
1994	1,415	27.2	0.74	25.8	28.7	124	17.1	1.55	14.2	20.4
1995	1,400	27.2	0.74	25.7	28.7	121	16.0	1.47	13.2	19.1
1996	1,523	29.8	0.78	28.3	31.3	147	19.5	1.63	16.5	23.0
1997	1,376	26.5	0.73	25.1	28.0	158	20.2	1.62	17.1	23.6
1998	1,442	27.8	0.74	26.4	29.3	166	20.6	1.61	17.6	24.0
1999	1,356	26.2	0.72	24.8	27.6	147	18.0	1.50	15.2	21.2
2000	1,343	26.0	0.72	24.6	27.4	168	20.1	1.56	17.1	23.4
2001	1,448	27.7	0.74	26.3	29.2	179	21.2	1.59	18.2	24.5
2002	1,446	27.5	0.73	26.1	29.0	189	21.8	1.59	18.8	25.1
2003	1,397	26.4	0.71	25.0	27.8	160	18.6	1.48	15.8	21.7
2004	1,435	27.0	0.72	25.6	28.4	189	21.1	1.54	18.2	24.3
2005	1,514	28.3	0.74	26.8	29.7	205	22.3	1.57	19.3	25.6
2006	1,553	28.8	0.74	27.4	30.3	247	27.2	1.75	23.9	30.9
2007	1,532	28.3	0.73	26.9	29.8	234	24.9	1.64	21.8	28.4
2008	1,583	28.7	0.74	27.3	30.2	215	22.1	1.52	19.2	25.2
2009	1,719	30.9	0.76	29.4	32.4	244	24.8	1.61	21.8	28.2
2010	1,729	30.6	0.75	29.2	32.1	253	25.3	1.61	22.2	28.6
2011	1,699	29.8	0.74	28.4	31.3	279	27.4	1.67	24.2	30.9
2012	1,712	29.6	0.73	28.1	31.0	289	27.1	1.62	24.0	30.5
2013	1,760	30.1	0.74	28.7	31.6	287	25.7	1.54	22.7	28.9
2014	1,708	29.1	0.73	27.7	30.6	362	32.7	1.75	29.3	36.3
2015	1,801	30.3	0.74	28.8	31.7	348	30.9	1.69	27.6	34.4
2016	1,870	31.7	0.76	30.2	33.2	353	31.0	1.69	27.8	34.5
2017	1,849	31.4	0.76	29.9	32.9	378	33.2	1.75	29.9	36.8
2018	1,847	30.8	0.75	29.4	32.4	319	26.7	1.53	23.8	29.9
2019	1,838	30.6	0.75	29.2	32.1	398	33.3	1.71	30.0	36.8
2020	1,678	28.4	0.73	26.9	29.8	375	31.3	1.66	28.2	34.8
2021	1,832	31.0	0.76	29.5	32.5	419	33.8	1.69	30.6	37.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Corpus Uteri										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,807	23.0	0.39	22.2	23.7	57,873	27.0	0.11	26.8	27.3
1990	40	18.7	3.10	13.1	25.7	1,349	22.8	0.63	21.5	24.0
1991	25	12.3	2.61	7.7	18.4	1,397	23.2	0.63	22.0	24.5
1992	34	15.2	2.77	10.3	21.6	1,467	24.6	0.65	23.4	25.9
1993	36	13.9	2.49	9.4	19.6	1,408	23.4	0.63	22.2	24.7
1994	32	13.5	2.53	9.0	19.3	1,470	24.2	0.64	22.9	25.4
1995	40	14.2	2.34	10.0	19.6	1,514	24.9	0.65	23.7	26.2
1996	45	18.5	3.10	13.0	25.4	1,666	27.4	0.68	26.1	28.8
1997	49	18.0	2.94	12.7	24.6	1,516	24.6	0.64	23.4	25.9
1998	57	20.5	3.01	15.0	27.2	1,596	25.9	0.65	24.6	27.2
1999	60	20.2	2.95	14.9	26.7	1,505	24.3	0.63	23.1	25.6
2000	68	18.4	2.47	13.9	23.8	1,517	24.4	0.63	23.2	25.7
2001	71	20.1	2.64	15.2	25.9	1,638	26.1	0.65	24.9	27.4
2002	94	23.1	2.63	18.2	28.8	1,634	25.8	0.64	24.5	27.1
2003	65	15.3	2.08	11.5	19.9	1,583	24.6	0.62	23.4	25.9
2004	103	22.8	2.48	18.2	28.2	1,635	25.3	0.63	24.1	26.6
2005	93	19.4	2.20	15.4	24.2	1,730	26.4	0.64	25.2	27.7
2006	106	21.0	2.23	16.8	25.8	1,815	27.6	0.65	26.3	28.9
2007	104	20.7	2.19	16.7	25.4	1,787	26.9	0.64	25.6	28.2
2008	120	21.7	2.12	17.7	26.2	1,815	26.7	0.63	25.5	28.0
2009	143	23.8	2.15	19.8	28.4	1,989	29.0	0.66	27.7	30.3
2010	113	17.9	1.83	14.5	21.8	2,005	28.6	0.65	27.4	30.0
2011	148	23.5	2.06	19.6	27.8	2,021	28.7	0.65	27.4	30.0
2012	160	23.8	2.01	20.1	28.1	2,030	28.1	0.64	26.9	29.4
2013	204	29.7	2.20	25.5	34.3	2,093	28.5	0.64	27.3	29.8
2014	203	27.2	2.01	23.4	31.4	2,108	28.5	0.64	27.3	29.8
2015	194	25.5	1.91	21.9	29.5	2,182	29.1	0.64	27.9	30.4
2016	207	25.3	1.81	21.9	29.1	2,256	30.2	0.66	28.9	31.5
2017	207	25.4	1.84	22.0	29.3	2,243	30.0	0.66	28.7	31.3
2018	240	28.3	1.89	24.7	32.2	2,228	29.2	0.64	28.0	30.5
2019	257	29.8	1.93	26.2	33.9	2,250	29.4	0.64	28.1	30.7
2020	216	23.7	1.66	20.6	27.2	2,092	27.5	0.63	26.3	28.8
2021	273	30.0	1.87	26.4	33.9	2,334	30.6	0.66	29.3	31.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Corpus Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	48,951	28.1	0.13	27.8	28.3	6,946	23.0	0.28	22.4	23.5
1990	1,238	24.3	0.71	22.9	25.7	106	14.9	1.47	12.2	18.1
1991	1,297	25.0	0.71	23.7	26.5	84	12.1	1.34	9.6	15.0
1992	1,346	26.5	0.74	25.0	28.0	107	14.7	1.44	12.0	17.8
1993	1,284	25.0	0.71	23.6	26.4	108	15.0	1.45	12.2	18.1
1994	1,349	26.0	0.72	24.6	27.5	108	14.6	1.43	12.0	17.7
1995	1,370	26.6	0.73	25.2	28.1	114	14.9	1.41	12.3	17.9
1996	1,498	29.3	0.77	27.8	30.9	142	18.9	1.60	15.9	22.2
1997	1,348	26.0	0.72	24.7	27.5	148	18.9	1.56	15.9	22.2
1998	1,413	27.3	0.74	25.9	28.8	155	19.3	1.56	16.4	22.6
1999	1,330	25.8	0.71	24.4	27.2	135	16.6	1.44	13.9	19.6
2000	1,314	25.5	0.71	24.1	26.9	158	18.8	1.50	16.0	22.0
2001	1,419	27.3	0.73	25.9	28.8	173	20.4	1.56	17.5	23.7
2002	1,413	27.0	0.72	25.6	28.4	176	20.3	1.54	17.4	23.5
2003	1,371	25.9	0.71	24.6	27.4	156	18.1	1.46	15.4	21.2
2004	1,407	26.6	0.72	25.2	28.0	179	20.0	1.50	17.2	23.2
2005	1,482	27.7	0.73	26.3	29.2	194	21.1	1.53	18.2	24.3
2006	1,525	28.4	0.74	27.0	29.9	228	25.0	1.67	21.8	28.5
2007	1,510	27.9	0.73	26.5	29.4	224	23.8	1.60	20.7	27.1
2008	1,550	28.1	0.73	26.7	29.6	197	20.3	1.46	17.5	23.3
2009	1,688	30.3	0.75	28.9	31.8	233	23.8	1.58	20.8	27.1
2010	1,688	29.9	0.74	28.5	31.4	235	23.4	1.55	20.5	26.6
2011	1,668	29.3	0.73	27.8	30.8	262	25.8	1.62	22.7	29.2
2012	1,682	29.0	0.73	27.6	30.5	276	25.8	1.58	22.8	29.1
2013	1,731	29.7	0.73	28.2	31.1	268	23.9	1.49	21.1	27.1
2014	1,673	28.5	0.72	27.1	30.0	342	30.9	1.70	27.6	34.4
2015	1,765	29.7	0.73	28.3	31.2	327	28.7	1.62	25.6	32.1
2016	1,822	31.0	0.76	29.5	32.5	331	28.9	1.62	25.8	32.3
2017	1,784	30.3	0.75	28.8	31.8	352	31.0	1.69	27.7	34.5
2018	1,804	30.1	0.74	28.7	31.6	303	25.2	1.49	22.4	28.3
2019	1,780	29.6	0.74	28.2	31.1	370	30.8	1.64	27.7	34.2
2020	1,615	27.3	0.71	25.9	28.7	353	29.3	1.60	26.3	32.7
2021	1,787	30.2	0.75	28.7	31.7	402	32.4	1.65	29.2	35.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Uterus, NOS										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	135	0.9	0.08	0.7	1.1	1,681	0.8	0.02	0.7	0.8
1990	4	1.8	0.89	0.5	4.6	41	0.7	0.11	0.5	0.9
1991	2	1.1	0.79	0.1	3.8	48	0.8	0.12	0.6	1.1
1992	2	0.9	0.67	0.1	3.3	55	0.9	0.13	0.7	1.2
1993	4	1.2	0.62	0.3	3.4	64	1.0	0.13	0.8	1.3
1994	4	1.5	0.76	0.4	3.9	82	1.3	0.14	1.0	1.6
1995	3	1.0	0.77	0.1	3.5	37	0.6	0.10	0.4	0.8
1996	1	0.8	0.80	0.0	3.4	31	0.5	0.09	0.3	0.7
1997	2	0.4	0.31	0.1	2.0	38	0.6	0.09	0.4	0.8
1998	5	1.8	0.97	0.4	4.5	41	0.6	0.10	0.4	0.8
1999	4	1.5	0.88	0.3	4.0	38	0.6	0.09	0.4	0.8
2000	2	0.4	0.30	0.1	1.8	40	0.6	0.09	0.4	0.8
2001	0					37	0.5	0.09	0.4	0.7
2002	2	0.5	0.38	0.1	2.0	46	0.7	0.10	0.5	0.9
2003	1	0.2	0.18	0.0	1.3	30	0.4	0.08	0.3	0.6
2004	2	0.2	0.17	0.0	1.2	38	0.5	0.08	0.4	0.7
2005	2	0.5	0.38	0.1	1.8	43	0.6	0.09	0.4	0.8
2006	5	1.0	0.49	0.3	2.5	48	0.7	0.10	0.5	0.9
2007	0					35	0.5	0.09	0.4	0.7
2008	4	1.1	0.55	0.3	2.6	52	0.8	0.11	0.6	1.0
2009	1	0.1	0.14	0.0	0.9	43	0.6	0.09	0.4	0.8
2010	3	0.6	0.38	0.1	1.8	61	0.9	0.12	0.7	1.2
2011	1	0.2	0.20	0.0	1.0	52	0.7	0.11	0.5	1.0
2012	4	0.8	0.40	0.2	1.9	44	0.6	0.10	0.5	0.9
2013	3	0.5	0.33	0.1	1.5	50	0.7	0.10	0.5	0.9
2014	4	0.5	0.26	0.1	1.4	55	0.7	0.10	0.5	0.9
2015	3	0.5	0.30	0.1	1.4	59	0.8	0.11	0.6	1.1
2016	5	0.8	0.35	0.2	1.8	70	0.9	0.11	0.7	1.2
2017	13	1.6	0.46	0.8	2.8	92	1.2	0.13	1.0	1.5
2018	11	1.6	0.49	0.8	2.8	64	0.9	0.11	0.7	1.1
2019	12	1.6	0.46	0.8	2.7	92	1.2	0.13	1.0	1.5
2020	8	0.8	0.28	0.3	1.6	87	1.2	0.13	0.9	1.5
2021	18	2.0	0.50	1.2	3.3	68	0.9	0.12	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Uterus, NOS										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,173	0.6	0.02	0.6	0.7	462	1.6	0.07	1.4	1.7
1990	26	0.5	0.10	0.3	0.7	13	1.9	0.55	1.0	3.3
1991	34	0.7	0.12	0.5	1.0	14	2.1	0.56	1.1	3.5
1992	45	0.9	0.13	0.6	1.2	10	1.4	0.44	0.7	2.5
1993	49	0.9	0.13	0.7	1.2	13	1.9	0.53	1.0	3.2
1994	66	1.2	0.15	0.9	1.5	16	2.4	0.61	1.4	3.9
1995	30	0.6	0.10	0.4	0.8	7	1.0	0.39	0.4	2.1
1996	25	0.5	0.10	0.3	0.7	5	0.7	0.31	0.2	1.6
1997	28	0.5	0.09	0.3	0.7	10	1.3	0.42	0.6	2.4
1998	29	0.5	0.09	0.3	0.7	11	1.3	0.40	0.7	2.4
1999	26	0.4	0.08	0.3	0.6	12	1.5	0.42	0.7	2.5
2000	29	0.5	0.09	0.3	0.7	10	1.3	0.41	0.6	2.4
2001	29	0.5	0.09	0.3	0.7	6	0.7	0.31	0.3	1.6
2002	33	0.6	0.10	0.4	0.8	13	1.5	0.42	0.8	2.6
2003	26	0.4	0.09	0.3	0.7	4	0.5	0.23	0.1	1.2
2004	28	0.4	0.08	0.3	0.6	10	1.1	0.34	0.5	2.0
2005	32	0.5	0.10	0.4	0.8	11	1.2	0.35	0.6	2.1
2006	28	0.4	0.08	0.3	0.6	19	2.2	0.51	1.3	3.5
2007	22	0.4	0.08	0.2	0.6	10	1.1	0.36	0.5	2.1
2008	33	0.6	0.11	0.4	0.9	18	1.8	0.43	1.1	2.9
2009	31	0.6	0.10	0.4	0.8	11	1.1	0.32	0.5	1.9
2010	41	0.7	0.12	0.5	1.0	18	1.9	0.45	1.1	3.0
2011	31	0.5	0.10	0.4	0.8	17	1.6	0.39	0.9	2.6
2012	30	0.5	0.10	0.4	0.8	13	1.3	0.36	0.7	2.2
2013	29	0.4	0.09	0.3	0.7	19	1.7	0.40	1.0	2.7
2014	35	0.5	0.09	0.4	0.8	20	1.8	0.41	1.1	2.8
2015	36	0.5	0.09	0.4	0.8	21	2.2	0.48	1.3	3.3
2016	48	0.7	0.11	0.5	1.0	22	2.1	0.46	1.3	3.2
2017	65	1.1	0.14	0.8	1.4	26	2.2	0.45	1.5	3.3
2018	43	0.7	0.11	0.5	1.0	16	1.4	0.36	0.8	2.4
2019	58	1.0	0.14	0.8	1.3	28	2.5	0.48	1.6	3.6
2020	63	1.1	0.15	0.8	1.4	22	2.0	0.43	1.2	3.0
2021	45	0.8	0.13	0.6	1.1	17	1.4	0.35	0.8	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ovary										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,740	10.5	0.28	10.0	11.0	27,448	13.1	0.08	12.9	13.3
1990	26	10.4	2.26	6.4	15.8	956	16.4	0.54	15.4	17.5
1991	33	12.8	2.51	8.4	18.7	918	16.0	0.54	14.9	17.1
1992	30	9.9	1.94	6.5	14.6	899	15.4	0.52	14.4	16.4
1993	30	13.1	2.69	8.4	19.3	889	14.9	0.51	13.9	15.9
1994	41	14.1	2.39	9.8	19.6	968	15.9	0.52	14.9	17.0
1995	38	10.1	1.90	6.7	14.6	899	14.9	0.50	13.9	15.9
1996	32	10.4	2.07	6.8	15.2	965	15.8	0.51	14.8	16.8
1997	24	10.2	2.29	6.2	15.5	945	15.5	0.51	14.5	16.5
1998	31	10.0	2.06	6.4	14.8	926	14.9	0.50	14.0	16.0
1999	49	14.2	2.43	9.8	19.6	915	14.7	0.49	13.7	15.7
2000	37	10.4	1.95	6.9	14.8	856	13.5	0.47	12.6	14.4
2001	40	9.9	1.79	6.7	14.0	854	13.6	0.47	12.7	14.5
2002	42	9.6	1.66	6.6	13.4	907	14.3	0.48	13.4	15.3
2003	37	7.9	1.58	5.1	11.6	888	13.7	0.46	12.8	14.6
2004	56	13.1	2.03	9.5	17.6	886	13.6	0.46	12.7	14.6
2005	54	12.0	1.90	8.6	16.3	896	13.8	0.46	12.9	14.7
2006	59	11.5	1.71	8.4	15.3	912	13.8	0.46	12.9	14.8
2007	44	7.9	1.33	5.5	10.9	892	13.5	0.46	12.6	14.5
2008	66	12.0	1.67	9.0	15.7	836	12.5	0.44	11.7	13.4
2009	60	11.5	1.64	8.5	15.1	850	12.6	0.44	11.8	13.5
2010	56	8.9	1.34	6.5	11.9	867	12.7	0.44	11.9	13.6
2011	63	11.3	1.59	8.4	14.8	837	12.3	0.44	11.5	13.2
2012	56	8.0	1.15	5.9	10.6	806	11.6	0.42	10.8	12.4
2013	75	11.5	1.44	8.8	14.6	805	11.6	0.42	10.7	12.4
2014	60	8.2	1.14	6.2	10.8	804	11.4	0.41	10.6	12.2
2015	87	12.8	1.47	10.0	15.9	815	11.5	0.42	10.7	12.4
2016	69	8.6	1.10	6.6	11.1	802	11.3	0.42	10.5	12.2
2017	82	10.3	1.20	8.1	12.9	751	10.8	0.41	10.0	11.6
2018	87	10.7	1.21	8.5	13.3	756	10.7	0.41	9.9	11.6
2019	92	10.8	1.19	8.6	13.4	748	10.3	0.39	9.5	11.1
2020	84	9.5	1.08	7.5	11.8	653	9.1	0.37	8.4	9.9
2021	100	11.1	1.15	8.9	13.5	747	10.4	0.40	9.7	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ovary										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	23,505	13.7	0.09	13.6	13.9	3,019	10.2	0.19	9.9	10.6
1990	858	17.2	0.60	16.0	18.4	89	12.7	1.38	10.2	15.7
1991	831	17.1	0.61	15.9	18.3	74	10.3	1.23	8.1	13.0
1992	822	16.6	0.59	15.4	17.8	67	9.2	1.14	7.1	11.7
1993	794	15.7	0.57	14.6	16.8	83	11.1	1.23	8.8	13.8
1994	861	16.7	0.58	15.6	17.9	93	12.4	1.30	10.0	15.2
1995	802	15.7	0.56	14.6	16.8	81	10.2	1.15	8.1	12.7
1996	843	16.3	0.57	15.2	17.4	102	13.1	1.31	10.7	15.9
1997	827	16.2	0.57	15.1	17.3	95	11.9	1.23	9.6	14.6
1998	824	15.9	0.56	14.8	17.0	84	10.1	1.11	8.0	12.5
1999	812	15.6	0.55	14.5	16.7	85	10.1	1.10	8.1	12.5
2000	756	14.3	0.53	13.3	15.4	72	8.4	1.00	6.5	10.6
2001	719	13.8	0.52	12.8	14.9	101	11.9	1.19	9.6	14.4
2002	783	15.0	0.54	13.9	16.1	94	10.7	1.11	8.6	13.1
2003	777	14.5	0.53	13.5	15.5	90	10.3	1.10	8.3	12.7
2004	771	14.4	0.53	13.4	15.5	98	11.2	1.14	9.1	13.6
2005	771	14.5	0.53	13.5	15.6	91	10.0	1.06	8.0	12.3
2006	785	14.5	0.53	13.4	15.5	92	10.0	1.05	8.1	12.3
2007	773	14.3	0.53	13.3	15.4	93	9.9	1.04	8.0	12.2
2008	718	13.2	0.51	12.2	14.2	92	9.6	1.01	7.7	11.8
2009	704	12.9	0.50	12.0	14.0	115	11.9	1.12	9.8	14.3
2010	712	12.8	0.50	11.9	13.9	111	11.2	1.07	9.2	13.5
2011	695	12.7	0.50	11.8	13.7	94	9.3	0.97	7.5	11.4
2012	679	12.1	0.48	11.2	13.1	97	9.5	0.97	7.6	11.6
2013	658	11.8	0.48	10.9	12.8	114	11.3	1.07	9.3	13.6
2014	681	12.1	0.48	11.2	13.1	90	8.6	0.92	6.9	10.6
2015	666	11.9	0.48	10.9	12.9	116	10.8	1.02	8.9	13.0
2016	652	11.5	0.48	10.6	12.5	106	10.4	1.03	8.5	12.6
2017	625	11.4	0.48	10.5	12.4	90	8.2	0.89	6.6	10.1
2018	604	11.0	0.48	10.1	12.0	103	9.2	0.93	7.5	11.2
2019	592	10.4	0.45	9.5	11.3	113	10.1	0.97	8.3	12.2
2020	529	9.4	0.44	8.6	10.3	83	7.2	0.81	5.7	8.9
2021	581	10.4	0.46	9.5	11.3	111	9.7	0.94	7.9	11.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Male Genital System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	14,195	116.2	1.11	114.1	118.4	269,499	153.2	0.30	152.6	153.8
1990	120	101.4	10.96	81.1	124.6	5,761	136.8	1.87	133.1	140.5
1991	113	82.0	9.31	64.8	101.8	7,290	168.0	2.04	164.1	172.1
1992	155	116.3	11.11	95.5	139.5	8,808	197.6	2.17	193.4	201.9
1993	172	124.0	11.20	103.0	147.4	8,454	187.0	2.09	182.9	191.1
1994	241	152.5	11.71	130.4	176.7	8,168	179.5	2.03	175.5	183.5
1995	234	143.1	11.16	122.1	166.2	7,663	165.6	1.93	161.8	169.4
1996	267	161.6	11.75	139.4	185.8	7,781	165.6	1.91	161.9	169.4
1997	272	143.4	10.27	124.0	164.6	8,088	171.0	1.92	167.2	174.8
1998	276	154.8	11.09	133.9	177.7	8,012	167.8	1.89	164.1	171.6
1999	331	158.9	10.39	139.2	180.3	8,457	175.4	1.92	171.6	179.2
2000	334	141.9	9.23	124.4	160.9	8,509	175.4	1.92	171.6	179.2
2001	347	147.3	9.30	129.6	166.4	9,044	184.6	1.96	180.8	188.5
2002	376	145.1	8.72	128.5	163.0	9,305	187.7	1.96	183.9	191.6
2003	380	134.5	8.14	119.0	151.2	8,603	170.5	1.86	166.9	174.2
2004	389	130.8	7.56	116.4	146.3	8,493	165.8	1.82	162.3	169.4
2005	427	128.9	7.14	115.3	143.5	8,298	159.5	1.77	156.0	163.0
2006	457	134.0	7.18	120.3	148.7	9,031	170.1	1.81	166.5	173.7
2007	518	148.5	7.43	134.3	163.7	9,761	180.2	1.85	176.6	183.9
2008	569	153.9	7.37	139.8	168.9	9,767	175.4	1.81	171.9	179.0
2009	613	155.1	7.08	141.6	169.5	9,501	166.1	1.74	162.7	169.5
2010	564	125.8	6.02	114.3	138.0	8,637	147.9	1.63	144.8	151.2
2011	564	113.7	5.44	103.3	124.7	8,812	147.4	1.61	144.3	150.6
2012	554	111.6	5.36	101.4	122.5	7,833	127.1	1.47	124.2	130.0
2013	569	106.8	5.02	97.2	117.0	7,558	120.1	1.42	117.4	122.9
2014	572	99.5	4.67	90.5	109.0	7,555	117.4	1.39	114.7	120.1
2015	586	95.3	4.42	86.8	104.3	8,014	122.0	1.40	119.3	124.8
2016	639	99.7	4.42	91.3	108.7	8,081	121.5	1.39	118.8	124.3
2017	652	98.4	4.29	90.1	107.1	8,689	128.4	1.42	125.7	131.2
2018	708	101.4	4.24	93.3	110.0	8,931	129.9	1.41	127.2	132.7
2019	747	102.3	4.13	94.4	110.7	8,931	128.7	1.40	126.0	131.5
2020	636	82.7	3.60	75.8	90.0	8,360	120.1	1.35	117.5	122.8
2021	813	104.0	4.00	96.3	112.1	9,304	132.1	1.41	129.4	134.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Male Genital System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	216,172	146.1	0.32	145.5	146.7	45,164	216.9	1.07	214.8	219.0
1990	5,043	134.2	1.95	130.4	138.1	662	168.9	7.04	155.3	183.1
1991	6,473	168.1	2.15	163.9	172.3	754	177.1	6.90	163.8	191.0
1992	7,711	195.3	2.28	190.8	199.8	1,027	236.0	7.85	220.8	251.8
1993	7,288	182.9	2.19	178.7	187.3	1,103	241.9	7.77	226.9	257.5
1994	6,822	170.3	2.10	166.2	174.5	1,259	276.9	8.34	260.8	293.6
1995	6,342	156.7	2.00	152.8	160.7	1,240	260.0	7.84	244.9	275.8
1996	6,367	155.7	1.97	151.8	159.6	1,324	266.6	7.74	251.6	282.1
1997	6,762	164.9	2.02	160.9	168.9	1,200	235.0	7.15	221.2	249.4
1998	6,583	159.6	1.98	155.7	163.5	1,268	244.3	7.22	230.4	258.8
1999	7,035	169.5	2.03	165.5	173.5	1,225	228.9	6.85	215.7	242.6
2000	6,911	166.0	2.01	162.1	170.0	1,434	264.4	7.31	250.3	279.1
2001	7,438	177.5	2.07	173.5	181.6	1,404	254.3	7.11	240.6	268.6
2002	7,661	181.4	2.08	177.3	185.5	1,392	242.9	6.84	229.7	256.6
2003	6,956	162.7	1.96	158.9	166.6	1,427	239.8	6.64	226.9	253.1
2004	6,806	157.4	1.92	153.7	161.2	1,459	241.4	6.63	228.6	254.7
2005	6,584	150.2	1.87	146.6	154.0	1,447	236.6	6.56	223.9	249.8
2006	7,176	161.1	1.92	157.4	165.0	1,599	252.4	6.62	239.6	265.7
2007	7,712	170.0	1.96	166.1	173.9	1,746	270.1	6.77	257.0	283.7
2008	7,690	165.5	1.91	161.8	169.3	1,764	260.8	6.48	248.3	273.8
2009	7,377	155.1	1.84	151.5	158.7	1,773	253.2	6.29	241.0	265.8
2010	6,742	139.3	1.73	135.9	142.7	1,594	221.6	5.81	210.3	233.3
2011	6,933	140.3	1.72	136.9	143.7	1,491	198.1	5.37	187.7	208.9
2012	5,988	118.1	1.56	115.0	121.2	1,511	194.6	5.25	184.4	205.1
2013	5,918	114.2	1.52	111.3	117.3	1,384	176.8	4.98	167.1	186.8
2014	5,818	110.3	1.49	107.5	113.3	1,426	173.8	4.81	164.5	183.5
2015	6,087	113.5	1.50	110.6	116.5	1,591	191.2	5.03	181.5	201.3
2016	6,254	115.9	1.51	113.0	118.9	1,536	177.4	4.74	168.2	186.9
2017	6,695	121.5	1.53	118.5	124.5	1,659	189.8	4.87	180.4	199.6
2018	6,872	123.1	1.53	120.2	126.2	1,635	181.8	4.68	172.7	191.2
2019	6,850	121.5	1.51	118.6	124.5	1,635	181.8	4.68	172.7	191.2
2020	6,399	113.7	1.47	110.8	116.6	1,457	160.9	4.39	152.4	169.7
2021	6,879	120.5	1.50	117.6	123.5	1,738	191.2	4.77	182.0	200.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Prostate										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	12,508	110.4	1.09	108.3	112.6	258,484	146.6	0.29	146.0	147.2
1990	101	95.0	10.70	75.2	117.7	5,446	130.9	1.84	127.3	134.5
1991	95	76.7	9.06	60.0	96.0	6,994	162.5	2.01	158.6	166.4
1992	138	113.4	11.08	92.7	136.6	8,522	192.3	2.14	188.2	196.6
1993	155	121.2	11.17	100.3	144.5	8,130	180.8	2.06	176.8	184.9
1994	223	149.8	11.69	127.8	174.1	7,843	173.4	2.00	169.5	177.4
1995	208	138.6	11.10	117.7	161.6	7,350	159.8	1.90	156.1	163.6
1996	243	157.1	11.69	135.0	181.2	7,452	159.5	1.88	155.8	163.2
1997	247	140.6	10.25	121.2	161.7	7,726	164.1	1.89	160.4	167.9
1998	251	151.4	11.05	130.5	174.2	7,677	161.4	1.86	157.8	165.1
1999	300	155.6	10.37	136.0	177.0	8,112	168.8	1.89	165.1	172.6
2000	293	136.9	9.18	119.5	155.8	8,193	169.3	1.89	165.6	173.1
2001	314	143.3	9.26	125.8	162.3	8,681	177.7	1.92	173.9	181.5
2002	334	139.9	8.64	123.5	157.6	8,969	181.3	1.93	177.5	185.1
2003	335	129.4	8.04	114.1	145.9	8,268	164.1	1.82	160.6	167.7
2004	354	127.2	7.53	112.8	142.6	8,128	158.8	1.78	155.3	162.3
2005	382	124.0	7.07	110.6	138.5	7,974	153.2	1.74	149.8	156.7
2006	403	128.8	7.13	115.2	143.4	8,681	163.3	1.78	159.8	166.8
2007	460	143.5	7.40	129.4	158.6	9,424	173.7	1.82	170.1	177.3
2008	508	147.6	7.29	133.7	162.5	9,392	168.1	1.76	164.6	171.6
2009	563	149.7	7.02	136.2	163.9	9,158	159.3	1.70	156.0	162.6
2010	495	119.2	5.95	107.8	131.3	8,253	140.5	1.58	137.4	143.6
2011	488	107.4	5.39	97.1	118.4	8,489	141.2	1.57	138.1	144.3
2012	494	106.3	5.30	96.1	117.1	7,459	119.9	1.42	117.1	122.7
2013	510	101.6	4.97	92.1	111.7	7,194	113.0	1.37	110.4	115.8
2014	500	92.7	4.57	83.9	102.0	7,198	110.5	1.34	107.9	113.2
2015	489	86.8	4.32	78.5	95.6	7,638	114.8	1.35	112.2	117.5
2016	550	92.0	4.33	83.7	100.8	7,691	114.0	1.34	111.3	116.6
2017	557	88.8	4.13	80.9	97.2	8,347	121.7	1.37	119.1	124.5
2018	590	91.2	4.13	83.3	99.6	8,577	122.9	1.36	120.3	125.6
2019	661	95.4	4.06	87.7	103.7	8,567	121.7	1.35	119.0	124.3
2020	556	76.0	3.51	69.2	83.1	7,995	112.8	1.30	110.3	115.4
2021	711	95.2	3.89	87.7	103.0	8,956	125.2	1.36	122.6	127.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Prostate										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	206,210	138.5	0.31	137.9	139.1	44,550	214.3	1.06	212.2	216.3
1990	4,753	127.8	1.92	124.1	131.6	643	164.8	6.97	151.4	178.9
1991	6,198	161.9	2.12	157.8	166.1	738	174.2	6.85	161.0	188.0
1992	7,444	189.3	2.25	184.9	193.8	1,011	233.5	7.82	218.4	249.2
1993	6,985	176.0	2.15	171.8	180.3	1,084	239.1	7.74	224.2	254.7
1994	6,520	163.5	2.07	159.4	167.6	1,242	274.2	8.31	258.2	290.9
1995	6,052	150.2	1.96	146.4	154.1	1,224	257.5	7.81	242.4	273.2
1996	6,071	149.0	1.94	145.2	152.8	1,305	263.8	7.71	248.9	279.2
1997	6,427	157.1	1.98	153.2	161.0	1,183	232.5	7.12	218.7	246.8
1998	6,273	152.2	1.94	148.5	156.1	1,251	242.1	7.19	228.2	256.6
1999	6,732	162.3	1.99	158.4	166.3	1,206	226.5	6.82	213.3	240.2
2000	6,622	159.1	1.97	155.3	163.0	1,417	261.9	7.28	247.9	276.6
2001	7,107	169.6	2.02	165.7	173.6	1,387	252.0	7.09	238.3	266.2
2002	7,356	174.1	2.04	170.1	178.1	1,371	240.1	6.81	226.9	253.8
2003	6,646	155.2	1.92	151.5	159.0	1,411	237.7	6.62	224.9	251.0
2004	6,471	149.2	1.87	145.6	152.9	1,442	239.2	6.61	226.4	252.4
2005	6,299	143.2	1.82	139.6	146.8	1,425	233.3	6.51	220.7	246.4
2006	6,855	153.2	1.87	149.5	156.9	1,584	250.5	6.60	237.7	263.7
2007	7,409	162.4	1.91	158.7	166.2	1,725	267.4	6.74	254.4	280.9
2008	7,355	157.0	1.86	153.4	160.7	1,740	257.7	6.45	245.3	270.7
2009	7,056	146.8	1.78	143.3	150.3	1,761	251.6	6.27	239.5	264.2
2010	6,394	130.5	1.66	127.3	133.8	1,571	218.6	5.78	207.4	230.2
2011	6,640	132.9	1.67	129.7	136.3	1,476	196.4	5.35	186.1	207.2
2012	5,650	109.6	1.49	106.7	112.6	1,492	192.1	5.22	182.0	202.6
2013	5,592	105.9	1.45	103.1	108.8	1,364	174.2	4.94	164.6	184.1
2014	5,504	102.4	1.41	99.6	105.2	1,402	170.4	4.75	161.2	180.0
2015	5,749	104.8	1.42	102.1	107.6	1,568	188.5	4.99	178.8	198.5
2016	5,895	106.7	1.43	103.9	109.5	1,518	175.1	4.71	166.0	184.5
2017	6,389	113.4	1.46	110.6	116.3	1,636	187.1	4.83	177.8	196.9
2018	6,564	115.0	1.45	112.1	117.8	1,607	178.1	4.62	169.1	187.4
2019	6,532	113.2	1.44	110.4	116.1	1,614	179.4	4.65	170.4	188.7
2020	6,093	105.5	1.39	102.8	108.2	1,435	158.2	4.35	149.8	166.9
2021	6,577	112.4	1.42	109.7	115.3	1,717	188.9	4.74	179.8	198.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Testis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,486	4.4	0.12	4.1	4.6	9,288	5.6	0.06	5.4	5.7
1990	14	2.8	0.87	1.4	5.9	259	4.6	0.29	4.1	5.2
1991	14	2.2	0.65	1.1	4.9	249	4.5	0.29	3.9	5.1
1992	14	1.9	0.56	1.0	4.4	245	4.4	0.28	3.8	5.0
1993	14	1.9	0.58	1.0	4.4	271	4.9	0.30	4.3	5.5
1994	17	2.5	0.66	1.4	5.0	269	4.8	0.30	4.3	5.5
1995	21	2.5	0.62	1.5	4.9	259	4.7	0.29	4.1	5.3
1996	19	2.3	0.54	1.3	4.4	273	4.9	0.30	4.3	5.5
1997	23	2.3	0.50	1.5	4.3	312	5.7	0.33	5.1	6.4
1998	22	2.4	0.60	1.3	4.5	278	5.1	0.31	4.6	5.8
1999	29	2.8	0.56	1.8	4.8	296	5.5	0.32	4.9	6.2
2000	36	3.8	0.70	2.5	5.9	262	4.9	0.30	4.3	5.5
2001	29	2.7	0.54	1.8	4.5	299	5.6	0.32	5.0	6.3
2002	37	4.0	1.03	2.3	6.7	293	5.5	0.32	4.9	6.2
2003	43	3.8	0.64	2.7	5.6	285	5.4	0.32	4.8	6.1
2004	28	2.3	0.45	1.5	3.8	316	6.0	0.34	5.4	6.7
2005	41	4.0	0.83	2.5	6.2	283	5.5	0.33	4.8	6.1
2006	49	4.3	0.64	3.1	6.0	292	5.7	0.33	5.0	6.3
2007	54	4.6	0.65	3.4	6.3	277	5.4	0.33	4.8	6.1
2008	56	4.8	0.66	3.6	6.4	311	6.1	0.35	5.4	6.8
2009	40	3.4	0.56	2.4	4.9	301	5.9	0.35	5.3	6.7
2010	61	5.2	0.70	3.9	6.9	321	6.3	0.36	5.6	7.1
2011	72	5.8	0.69	4.5	7.5	270	5.3	0.32	4.6	5.9
2012	55	4.6	0.70	3.4	6.3	309	6.0	0.35	5.4	6.8
2013	53	4.3	0.60	3.2	5.8	320	6.3	0.36	5.6	7.1
2014	64	5.3	0.72	4.0	7.0	305	6.0	0.35	5.3	6.7
2015	87	6.8	0.73	5.4	8.5	312	6.1	0.35	5.5	6.9
2016	80	6.3	0.71	5.0	7.9	334	6.5	0.36	5.9	7.3
2017	78	6.2	0.72	4.9	7.8	291	5.8	0.35	5.2	6.5
2018	102	8.2	0.82	6.7	10.0	297	6.1	0.36	5.4	6.8
2019	77	5.8	0.67	4.6	7.3	306	6.1	0.35	5.4	6.8
2020	68	5.2	0.64	4.0	6.7	307	6.3	0.36	5.6	7.1
2021	89	6.9	0.73	5.5	8.5	286	5.9	0.35	5.2	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Testis										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	8,530	6.6	0.07	6.4	6.7	372	1.4	0.07	1.3	1.6
1990	244	5.3	0.34	4.6	6.0	10	1.5	0.50	0.7	2.9
1991	239	5.2	0.34	4.6	5.9	6	0.6	0.25	0.2	1.5
1992	231	5.1	0.34	4.4	5.8	12	1.3	0.38	0.7	2.4
1993	255	5.7	0.36	5.0	6.4	15	1.9	0.52	1.1	3.3
1994	257	5.7	0.36	5.0	6.5	8	0.9	0.31	0.4	1.8
1995	243	5.4	0.35	4.8	6.1	9	1.1	0.37	0.5	2.2
1996	248	5.6	0.35	4.9	6.3	11	1.4	0.42	0.7	2.6
1997	294	6.7	0.39	6.0	7.6	9	1.2	0.42	0.5	2.4
1998	260	6.0	0.38	5.3	6.8	12	1.3	0.38	0.7	2.4
1999	264	6.2	0.38	5.5	7.0	14	1.6	0.44	0.9	2.8
2000	244	5.8	0.37	5.1	6.6	9	1.0	0.33	0.5	2.0
2001	274	6.5	0.39	5.8	7.3	11	1.2	0.37	0.6	2.3
2002	270	6.5	0.40	5.7	7.3	14	1.7	0.45	0.9	2.9
2003	270	6.6	0.40	5.8	7.4	7	0.8	0.29	0.3	1.7
2004	293	7.2	0.42	6.4	8.1	11	1.4	0.41	0.7	2.5
2005	254	6.4	0.40	5.6	7.2	14	1.6	0.44	0.9	2.8
2006	270	6.8	0.42	6.0	7.7	10	1.2	0.38	0.6	2.3
2007	254	6.5	0.41	5.7	7.3	12	1.5	0.44	0.8	2.7
2008	284	7.3	0.43	6.4	8.2	14	1.7	0.46	0.9	2.9
2009	283	7.3	0.44	6.5	8.3	8	0.9	0.31	0.4	1.8
2010	296	7.7	0.45	6.8	8.6	13	1.6	0.45	0.8	2.8
2011	247	6.3	0.41	5.5	7.2	8	0.9	0.34	0.4	1.9
2012	283	7.3	0.44	6.5	8.2	12	1.4	0.42	0.7	2.5
2013	292	7.6	0.45	6.7	8.5	11	1.3	0.41	0.7	2.4
2014	271	7.1	0.44	6.3	8.0	16	1.8	0.47	1.0	3.0
2015	290	7.7	0.46	6.8	8.6	8	1.0	0.36	0.4	2.0
2016	313	8.2	0.47	7.3	9.2	11	1.4	0.42	0.7	2.5
2017	267	7.2	0.45	6.4	8.2	15	1.7	0.47	0.9	2.9
2018	262	7.3	0.45	6.4	8.2	20	2.6	0.60	1.6	4.1
2019	271	7.3	0.45	6.5	8.3	13	1.5	0.43	0.8	2.6
2020	258	7.2	0.46	6.4	8.2	15	1.8	0.48	1.0	3.0
2021	249	7.1	0.45	6.2	8.0	14	1.5	0.42	0.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Penis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	175	1.3	0.12	1.1	1.5	1,360	0.8	0.02	0.8	0.9
1990	4	3.2	2.17	0.4	9.4	34	0.8	0.14	0.6	1.1
1991	4	3.1	2.05	0.5	9.0	37	0.9	0.15	0.6	1.2
1992	2	0.8	0.56	0.1	3.5	36	0.8	0.14	0.6	1.1
1993	2	0.6	0.44	0.1	3.1	39	0.9	0.15	0.7	1.3
1994	1	0.2	0.17	0.0	2.4	47	1.0	0.15	0.8	1.4
1995	5	2.0	0.90	0.6	5.0	41	0.9	0.13	0.6	1.2
1996	5	2.2	1.05	0.7	5.4	43	0.9	0.14	0.6	1.2
1997	2	0.5	0.37	0.1	2.6	40	0.9	0.14	0.6	1.2
1998	3	1.1	0.67	0.2	3.5	43	1.0	0.15	0.7	1.3
1999	1	0.3	0.29	0.0	2.2	48	1.0	0.15	0.8	1.4
2000	5	1.2	0.58	0.4	3.3	42	0.9	0.14	0.7	1.2
2001	4	1.2	0.74	0.2	3.6	50	1.1	0.15	0.8	1.4
2002	5	1.2	0.54	0.4	3.1	32	0.7	0.12	0.4	0.9
2003	2	1.3	1.11	0.1	4.5	37	0.7	0.12	0.5	1.0
2004	6	1.1	0.46	0.4	2.7	43	0.9	0.14	0.6	1.2
2005	4	0.9	0.55	0.1	2.7	30	0.6	0.11	0.4	0.9
2006	4	0.9	0.55	0.2	2.7	51	1.0	0.14	0.7	1.3
2007	4	0.5	0.25	0.1	1.6	46	0.9	0.13	0.7	1.2
2008	4	1.4	0.82	0.3	3.7	44	0.9	0.13	0.6	1.2
2009	10	2.0	0.74	0.8	4.0	38	0.8	0.13	0.5	1.1
2010	6	1.1	0.53	0.4	2.7	52	1.0	0.13	0.7	1.3
2011	4	0.5	0.23	0.1	1.4	41	0.8	0.12	0.5	1.0
2012	5	0.7	0.33	0.2	1.8	49	0.9	0.13	0.7	1.2
2013	4	0.7	0.39	0.1	1.9	32	0.6	0.11	0.4	0.8
2014	5	1.0	0.54	0.3	2.5	45	0.8	0.12	0.6	1.1
2015	10	1.7	0.63	0.7	3.3	49	0.8	0.12	0.6	1.1
2016	8	1.2	0.47	0.5	2.5	44	0.8	0.12	0.6	1.1
2017	15	3.1	0.89	1.6	5.3	37	0.6	0.11	0.4	0.9
2018	14	1.8	0.52	0.9	3.1	47	0.8	0.12	0.6	1.1
2019	9	1.1	0.39	0.4	2.1	45	0.8	0.12	0.6	1.0
2020	8	1.0	0.39	0.4	2.1	47	0.8	0.12	0.6	1.1
2021	10	1.6	0.55	0.7	3.0	51	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Penis										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,124	0.8	0.02	0.8	0.9	199	1.0	0.08	0.9	1.2
1990	27	0.7	0.13	0.5	1.0	7	2.1	0.82	0.8	4.2
1991	27	0.7	0.14	0.5	1.0	9	2.2	0.80	0.9	4.3
1992	31	0.8	0.15	0.5	1.1	4	1.2	0.63	0.3	2.9
1993	35	1.0	0.16	0.7	1.3	4	0.9	0.44	0.2	2.1
1994	36	0.9	0.15	0.6	1.3	9	1.8	0.61	0.8	3.4
1995	35	0.9	0.14	0.6	1.2	6	1.3	0.55	0.5	2.8
1996	36	0.9	0.15	0.6	1.2	7	1.2	0.49	0.4	2.6
1997	32	0.8	0.15	0.6	1.2	7	1.2	0.49	0.5	2.6
1998	38	1.0	0.16	0.7	1.4	4	0.8	0.46	0.2	2.1
1999	38	1.0	0.15	0.7	1.3	5	0.8	0.37	0.3	1.9
2000	35	0.9	0.15	0.6	1.2	6	1.1	0.47	0.4	2.4
2001	44	1.1	0.17	0.8	1.5	5	1.0	0.44	0.3	2.2
2002	26	0.6	0.12	0.4	0.9	5	0.8	0.36	0.3	1.8
2003	30	0.7	0.13	0.5	1.0	7	1.0	0.38	0.4	2.1
2004	37	0.9	0.15	0.6	1.2	5	0.8	0.36	0.2	1.9
2005	22	0.5	0.11	0.3	0.8	7	1.3	0.54	0.5	2.8
2006	44	1.0	0.16	0.7	1.4	5	0.7	0.34	0.2	1.7
2007	36	0.9	0.14	0.6	1.2	8	1.0	0.37	0.4	2.1
2008	36	0.8	0.14	0.6	1.2	7	1.0	0.39	0.4	2.1
2009	34	0.8	0.14	0.6	1.1	4	0.7	0.35	0.2	1.7
2010	43	0.9	0.14	0.7	1.3	8	1.2	0.46	0.5	2.5
2011	36	0.8	0.14	0.6	1.2	5	0.6	0.26	0.2	1.4
2012	42	0.9	0.14	0.7	1.2	6	1.0	0.43	0.3	2.1
2013	24	0.5	0.11	0.3	0.8	8	1.2	0.44	0.5	2.4
2014	37	0.7	0.13	0.5	1.0	7	1.4	0.54	0.6	2.8
2015	40	0.8	0.14	0.6	1.2	9	1.1	0.36	0.5	2.0
2016	37	0.8	0.14	0.6	1.1	4	0.6	0.33	0.2	1.6
2017	31	0.6	0.12	0.4	0.9	3	0.4	0.22	0.1	1.1
2018	36	0.8	0.13	0.5	1.1	8	1.1	0.42	0.5	2.3
2019	35	0.7	0.13	0.5	1.0	8	0.9	0.33	0.4	1.9
2020	40	0.8	0.13	0.6	1.1	7	1.0	0.37	0.4	2.0
2021	44	0.9	0.13	0.6	1.2	5	0.6	0.28	0.2	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	7,374	28.0	0.36	27.3	28.7	151,563	38.6	0.10	38.5	38.8
1990	70	22.1	2.98	16.7	28.6	3,275	31.1	0.55	30.0	32.2
1991	76	20.4	2.65	15.5	26.1	3,335	31.3	0.55	30.2	32.4
1992	78	21.3	2.72	16.3	27.2	3,473	32.1	0.55	31.0	33.2
1993	73	19.0	2.46	14.5	24.3	3,604	32.9	0.55	31.9	34.0
1994	99	25.4	2.86	20.1	31.5	3,715	33.8	0.56	32.7	34.9
1995	100	23.9	2.82	18.7	30.0	3,723	33.6	0.55	32.5	34.7
1996	98	23.9	2.79	18.7	29.8	3,972	35.8	0.57	34.7	36.9
1997	142	35.6	3.53	29.1	43.1	4,050	36.2	0.57	35.1	37.3
1998	141	28.7	2.81	23.5	34.6	4,015	35.6	0.56	34.5	36.7
1999	142	29.3	2.87	24.0	35.4	4,133	36.4	0.57	35.3	37.5
2000	141	24.4	2.35	20.0	29.4	4,358	38.2	0.58	37.0	39.3
2001	159	27.3	2.51	22.6	32.6	4,364	38.0	0.58	36.9	39.2
2002	153	25.7	2.37	21.3	30.7	4,690	40.5	0.59	39.4	41.7
2003	192	29.1	2.39	24.6	34.1	4,793	41.1	0.59	39.9	42.3
2004	166	24.0	2.13	20.0	28.5	4,866	41.3	0.59	40.2	42.5
2005	206	29.6	2.36	25.1	34.5	4,944	41.7	0.60	40.6	42.9
2006	194	26.2	2.16	22.1	30.7	4,941	41.5	0.59	40.3	42.6
2007	233	27.9	2.04	24.1	32.2	4,996	41.4	0.59	40.2	42.5
2008	235	27.8	2.06	23.9	32.1	5,233	42.7	0.60	41.6	43.9
2009	260	30.3	2.12	26.3	34.7	5,334	43.1	0.60	41.9	44.2
2010	262	26.7	1.87	23.2	30.6	5,078	40.3	0.57	39.2	41.5
2011	313	31.8	2.01	27.9	35.9	5,200	40.6	0.57	39.4	41.7
2012	309	29.0	1.83	25.5	32.8	5,229	40.3	0.57	39.2	41.5
2013	326	28.9	1.76	25.5	32.5	5,496	41.8	0.57	40.7	43.0
2014	366	32.8	1.88	29.3	36.7	5,529	41.4	0.57	40.2	42.5
2015	371	30.0	1.70	26.8	33.5	5,712	42.3	0.57	41.1	43.4
2016	372	29.1	1.64	25.9	32.4	5,615	41.3	0.57	40.2	42.4
2017	403	29.8	1.61	26.7	33.1	5,629	40.9	0.56	39.8	42.0
2018	405	28.2	1.50	25.3	31.2	5,506	39.7	0.55	38.6	40.8
2019	411	28.0	1.48	25.2	31.0	5,779	40.8	0.55	39.7	41.9
2020	406	26.3	1.39	23.6	29.1	5,345	37.7	0.53	36.6	38.7
2021	472	30.2	1.48	27.4	33.3	5,631	39.1	0.54	38.0	40.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	133,532	40.6	0.11	40.4	40.8	14,817	29.8	0.25	29.3	30.2
1990	3,031	32.8	0.60	31.7	34.0	222	19.1	1.33	16.6	21.9
1991	3,091	33.1	0.60	31.9	34.3	218	19.3	1.34	16.7	22.0
1992	3,188	33.7	0.60	32.6	34.9	251	21.7	1.41	19.0	24.6
1993	3,265	34.2	0.60	33.1	35.5	301	23.6	1.40	20.9	26.5
1994	3,381	35.3	0.61	34.2	36.6	295	23.8	1.42	21.1	26.7
1995	3,401	35.4	0.61	34.2	36.6	290	22.7	1.37	20.1	25.5
1996	3,590	37.5	0.63	36.3	38.7	330	25.7	1.45	22.9	28.6
1997	3,650	37.9	0.63	36.6	39.1	329	25.1	1.42	22.4	28.0
1998	3,622	37.4	0.62	36.2	38.6	337	25.1	1.40	22.4	28.0
1999	3,721	38.2	0.63	37.0	39.5	356	26.9	1.46	24.1	29.9
2000	3,889	39.9	0.64	38.6	41.1	405	29.3	1.49	26.5	32.4
2001	3,906	40.0	0.64	38.8	41.3	397	28.5	1.46	25.7	31.5
2002	4,193	42.6	0.66	41.4	44.0	428	30.6	1.51	27.7	33.7
2003	4,283	43.3	0.67	42.0	44.7	437	29.4	1.43	26.7	32.4
2004	4,365	43.9	0.67	42.6	45.2	422	28.3	1.41	25.6	31.2
2005	4,373	43.9	0.67	42.6	45.3	457	30.3	1.45	27.6	33.3
2006	4,364	43.6	0.67	42.3	45.0	486	31.8	1.47	29.0	34.8
2007	4,358	43.1	0.66	41.8	44.4	533	34.4	1.52	31.5	37.5
2008	4,566	44.6	0.67	43.3	46.0	578	36.2	1.54	33.2	39.3
2009	4,667	45.3	0.67	44.0	46.6	569	35.1	1.51	32.2	38.2
2010	4,443	42.6	0.65	41.3	43.9	517	31.2	1.41	28.5	34.1
2011	4,528	42.7	0.65	41.5	44.0	539	31.5	1.39	28.8	34.3
2012	4,562	42.7	0.65	41.4	44.0	547	31.7	1.39	29.0	34.5
2013	4,775	44.2	0.65	43.0	45.5	594	33.6	1.41	30.9	36.5
2014	4,737	43.3	0.65	42.1	44.6	649	35.7	1.44	33.0	38.7
2015	4,915	44.6	0.66	43.4	46.0	639	34.3	1.39	31.7	37.2
2016	4,841	43.8	0.65	42.6	45.1	636	34.4	1.40	31.7	37.3
2017	4,890	43.9	0.65	42.6	45.2	591	30.6	1.29	28.1	33.3
2018	4,723	42.3	0.64	41.0	43.5	602	31.1	1.30	28.6	33.8
2019	4,922	43.1	0.63	41.9	44.4	663	33.5	1.34	31.0	36.3
2020	4,535	39.5	0.61	38.4	40.8	585	29.7	1.26	27.3	32.3
2021	4,757	41.1	0.62	39.9	42.4	614	30.4	1.26	28.0	33.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,832	40.1	0.67	38.8	41.4	104,179	62.1	0.20	61.8	62.5
1990	41	32.0	5.84	21.6	45.1	2,263	53.0	1.15	50.7	55.3
1991	56	32.8	5.30	23.2	44.6	2,297	52.7	1.13	50.5	54.9
1992	54	34.2	5.55	24.2	46.4	2,363	53.6	1.13	51.4	55.9
1993	50	27.7	4.59	19.4	37.9	2,458	54.7	1.13	52.5	57.0
1994	67	37.7	5.50	27.7	49.7	2,482	55.1	1.13	52.9	57.4
1995	67	35.9	5.53	25.9	48.0	2,521	55.5	1.13	53.3	57.8
1996	59	33.0	5.35	23.3	44.7	2,695	58.6	1.15	56.4	60.9
1997	99	58.2	7.36	44.7	73.9	2,714	58.3	1.13	56.1	60.6
1998	99	46.8	5.81	36.2	59.3	2,721	58.2	1.13	56.0	60.4
1999	78	32.7	4.53	24.4	42.5	2,800	59.4	1.14	57.2	61.7
2000	93	36.9	4.51	28.6	46.6	2,939	61.7	1.15	59.4	64.0
2001	102	38.5	4.61	30.0	48.4	2,975	61.7	1.14	59.5	64.0
2002	98	35.6	4.24	27.8	44.7	3,247	67.1	1.19	64.8	69.5
2003	121	40.4	4.39	32.2	49.7	3,280	66.9	1.18	64.6	69.2
2004	116	38.7	4.28	30.8	47.8	3,319	66.7	1.17	64.5	69.1
2005	140	44.0	4.50	35.7	53.5	3,358	66.5	1.16	64.3	68.8
2006	117	34.1	3.77	27.1	42.1	3,334	65.5	1.15	63.3	67.8
2007	146	39.3	3.75	32.3	47.2	3,394	65.7	1.14	63.5	68.0
2008	151	39.2	3.84	32.1	47.3	3,592	68.3	1.16	66.0	70.6
2009	175	46.1	4.04	38.5	54.5	3,636	67.9	1.15	65.6	70.1
2010	171	37.3	3.34	31.0	44.3	3,499	64.3	1.11	62.1	66.5
2011	194	44.6	3.73	37.5	52.3	3,583	64.1	1.10	62.0	66.3
2012	197	41.1	3.39	34.7	48.2	3,597	63.2	1.08	61.1	65.4
2013	197	37.1	3.03	31.4	43.4	3,846	66.5	1.10	64.4	68.7
2014	239	47.1	3.48	40.6	54.3	3,859	65.6	1.08	63.5	67.8
2015	246	42.9	3.10	37.0	49.3	3,991	66.5	1.08	64.4	68.7
2016	264	45.0	3.13	39.1	51.5	3,913	65.2	1.07	63.1	67.3
2017	279	43.8	2.97	38.2	50.0	3,936	64.0	1.05	62.0	66.1
2018	266	39.6	2.71	34.5	45.2	3,784	61.4	1.03	59.4	63.5
2019	268	37.6	2.54	32.8	42.9	4,042	64.1	1.04	62.1	66.2
2020	270	37.9	2.56	33.1	43.2	3,815	60.0	1.00	58.0	62.0
2021	312	42.0	2.64	37.0	47.4	3,926	60.7	1.00	58.8	62.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	92,878	65.4	0.22	65.0	65.8	9,017	44.3	0.49	43.3	45.2
1990	2,125	56.4	1.26	53.9	58.9	124	26.2	2.54	21.5	31.6
1991	2,154	56.1	1.24	53.7	58.6	127	27.5	2.59	22.7	33.0
1992	2,185	56.3	1.23	53.9	58.8	153	33.6	2.91	28.1	39.7
1993	2,261	57.6	1.24	55.2	60.1	175	33.4	2.68	28.3	39.0
1994	2,290	58.2	1.24	55.8	60.6	161	32.3	2.72	27.2	38.0
1995	2,329	58.8	1.24	56.4	61.3	169	32.6	2.65	27.6	38.2
1996	2,472	61.9	1.26	59.4	64.4	188	35.0	2.69	29.9	40.6
1997	2,474	61.3	1.24	58.9	63.8	194	36.5	2.80	31.2	42.4
1998	2,489	61.5	1.24	59.1	64.0	195	35.4	2.67	30.3	40.9
1999	2,543	62.5	1.25	60.0	64.9	216	39.7	2.88	34.3	45.7
2000	2,654	64.7	1.26	62.2	67.2	234	42.2	2.93	36.7	48.3
2001	2,706	65.3	1.26	62.9	67.8	226	40.1	2.83	34.8	46.0
2002	2,948	71.0	1.32	68.5	73.7	254	46.3	3.10	40.4	52.7
2003	2,949	70.4	1.31	67.8	73.0	282	46.7	2.93	41.1	52.8
2004	3,004	70.8	1.30	68.2	73.4	259	43.3	2.86	37.9	49.3
2005	3,010	70.2	1.29	67.7	72.8	272	45.2	2.93	39.7	51.3
2006	2,983	69.1	1.28	66.6	71.6	286	47.2	2.97	41.6	53.4
2007	2,995	68.5	1.27	66.1	71.1	324	51.6	3.03	45.8	57.8
2008	3,187	71.7	1.29	69.2	74.3	338	51.3	2.93	45.7	57.3
2009	3,221	71.4	1.28	68.9	74.0	343	51.6	2.95	46.0	57.7
2010	3,096	67.7	1.24	65.3	70.2	323	46.9	2.74	41.7	52.6
2011	3,176	67.8	1.23	65.4	70.3	320	45.1	2.66	40.0	50.6
2012	3,189	67.2	1.22	64.8	69.6	330	46.3	2.69	41.2	51.8
2013	3,367	70.0	1.23	67.6	72.4	379	52.0	2.80	46.6	57.7
2014	3,324	68.2	1.21	65.9	70.7	424	56.5	2.88	51.0	62.4
2015	3,453	69.8	1.22	67.4	72.3	421	54.0	2.77	48.7	59.7
2016	3,431	69.4	1.22	67.0	71.8	386	50.2	2.68	45.1	55.7
2017	3,462	68.4	1.20	66.1	70.8	373	47.0	2.55	42.1	52.2
2018	3,287	65.2	1.17	62.9	67.5	370	45.8	2.48	41.0	50.9
2019	3,494	67.6	1.18	65.3	70.0	402	49.8	2.59	44.8	55.1
2020	3,267	62.6	1.13	60.4	64.8	376	46.1	2.48	41.4	51.2
2021	3,353	63.6	1.14	61.4	65.9	393	47.2	2.48	42.4	52.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,542	17.9	0.38	17.2	18.7	47,384	21.5	0.10	21.3	21.7
1990	29	15.3	3.15	9.8	22.6	1,012	16.6	0.53	15.6	17.7
1991	20	10.2	2.52	5.9	16.2	1,038	16.6	0.52	15.6	17.7
1992	24	11.4	2.54	7.0	17.4	1,110	17.6	0.54	16.6	18.7
1993	23	11.8	2.60	7.3	17.9	1,146	18.1	0.54	17.0	19.2
1994	32	15.4	2.94	10.2	22.1	1,233	19.1	0.55	18.1	20.2
1995	33	14.7	2.90	9.5	21.2	1,202	18.6	0.54	17.6	19.7
1996	39	17.3	3.06	11.8	24.1	1,277	19.9	0.56	18.8	21.0
1997	43	19.4	3.35	13.4	26.8	1,336	20.6	0.57	19.5	21.8
1998	42	14.8	2.53	10.3	20.5	1,294	20.0	0.56	18.9	21.1
1999	64	26.1	3.66	19.4	34.0	1,333	20.3	0.56	19.2	21.5
2000	48	14.1	2.30	10.0	19.3	1,419	21.6	0.58	20.5	22.8
2001	57	18.1	2.71	13.1	24.0	1,389	21.1	0.57	20.0	22.2
2002	55	17.3	2.58	12.7	23.0	1,443	21.7	0.58	20.6	22.8
2003	71	19.7	2.61	15.0	25.4	1,513	22.9	0.59	21.7	24.1
2004	50	12.0	1.90	8.6	16.3	1,547	23.1	0.59	22.0	24.3
2005	66	17.9	2.43	13.4	23.2	1,586	23.6	0.60	22.4	24.8
2006	77	19.6	2.49	15.0	25.0	1,607	23.8	0.60	22.6	25.0
2007	87	18.7	2.17	14.7	23.4	1,602	23.5	0.60	22.4	24.8
2008	84	18.7	2.22	14.6	23.5	1,641	23.8	0.60	22.7	25.0
2009	85	17.6	2.10	13.7	22.1	1,698	24.5	0.61	23.4	25.8
2010	91	17.6	2.04	13.8	22.0	1,579	22.4	0.58	21.3	23.5
2011	119	21.7	2.17	17.7	26.3	1,617	22.8	0.58	21.6	23.9
2012	112	19.2	1.95	15.6	23.4	1,632	22.8	0.58	21.6	23.9
2013	129	21.9	2.07	18.0	26.3	1,650	22.7	0.57	21.6	23.9
2014	127	21.1	2.00	17.4	25.4	1,670	22.6	0.57	21.5	23.7
2015	125	18.9	1.80	15.5	22.7	1,721	23.3	0.58	22.2	24.5
2016	108	15.6	1.58	12.6	18.9	1,702	22.7	0.57	21.6	23.9
2017	124	17.6	1.66	14.5	21.1	1,693	22.8	0.57	21.7	24.0
2018	139	18.4	1.64	15.3	21.8	1,722	22.7	0.57	21.6	23.9
2019	143	19.2	1.68	16.0	22.7	1,737	22.5	0.56	21.4	23.6
2020	136	16.4	1.46	13.7	19.5	1,530	20.0	0.53	19.0	21.1
2021	160	20.1	1.66	17.0	23.6	1,705	21.9	0.55	20.8	23.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	40,654	22.1	0.11	21.9	22.4	5,800	19.9	0.26	19.4	20.5
1990	906	17.1	0.58	16.0	18.3	98	14.4	1.48	11.7	17.6
1991	937	17.1	0.57	16.0	18.3	91	13.7	1.46	11.0	16.8
1992	1,003	18.3	0.59	17.2	19.5	98	14.2	1.45	11.5	17.3
1993	1,004	18.1	0.58	17.0	19.3	126	16.9	1.54	14.1	20.2
1994	1,091	19.5	0.60	18.3	20.7	134	18.2	1.59	15.2	21.5
1995	1,072	19.2	0.60	18.1	20.5	121	15.9	1.47	13.2	19.0
1996	1,118	20.2	0.62	19.1	21.5	142	18.8	1.60	15.8	22.2
1997	1,176	21.1	0.63	19.9	22.4	135	17.4	1.52	14.6	20.6
1998	1,133	20.5	0.62	19.3	21.7	142	18.0	1.53	15.2	21.3
1999	1,178	21.2	0.63	20.0	22.5	140	18.2	1.55	15.3	21.4
2000	1,235	22.2	0.64	20.9	23.5	171	20.9	1.61	17.9	24.3
2001	1,200	21.6	0.63	20.3	22.9	171	20.8	1.60	17.8	24.2
2002	1,245	22.1	0.64	20.9	23.4	174	20.8	1.59	17.8	24.1
2003	1,334	24.0	0.67	22.7	25.3	155	18.0	1.45	15.2	21.0
2004	1,361	24.2	0.67	22.9	25.6	163	18.6	1.47	15.8	21.7
2005	1,363	24.4	0.67	23.1	25.7	185	20.8	1.54	17.9	24.0
2006	1,381	24.5	0.67	23.2	25.9	200	22.1	1.58	19.1	25.4
2007	1,363	24.2	0.67	22.9	25.5	209	23.1	1.61	20.0	26.4
2008	1,379	24.1	0.67	22.9	25.5	240	25.7	1.68	22.6	29.3
2009	1,446	25.4	0.69	24.0	26.8	226	24.1	1.62	21.0	27.5
2010	1,347	23.3	0.65	22.0	24.6	194	20.2	1.46	17.4	23.2
2011	1,352	23.4	0.66	22.1	24.7	219	22.0	1.51	19.2	25.2
2012	1,373	23.3	0.65	22.1	24.6	217	21.9	1.51	19.0	25.0
2013	1,408	23.9	0.66	22.7	25.3	215	21.1	1.46	18.3	24.1
2014	1,413	23.7	0.65	22.4	25.0	225	21.3	1.44	18.6	24.3
2015	1,462	24.6	0.67	23.3	25.9	218	20.6	1.42	17.9	23.6
2016	1,410	23.4	0.65	22.2	24.8	250	23.4	1.51	20.6	26.6
2017	1,428	24.2	0.67	22.9	25.6	218	19.4	1.34	16.9	22.2
2018	1,436	23.9	0.66	22.7	25.3	232	20.8	1.39	18.1	23.7
2019	1,428	23.4	0.65	22.2	24.7	261	22.3	1.41	19.7	25.3
2020	1,268	21.0	0.62	19.8	22.2	209	18.1	1.28	15.7	20.8
2021	1,404	23.0	0.64	21.7	24.3	221	18.7	1.29	16.3	21.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary Bladder (incl in situ)										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,598	11.7	0.25	11.3	12.2	87,012	22.1	0.08	21.9	22.2
1990	36	13.0	2.38	8.8	18.3	2,166	20.5	0.44	19.6	21.3
1991	41	11.8	2.08	8.1	16.5	2,123	19.9	0.43	19.0	20.8
1992	40	11.2	1.95	7.7	15.6	2,211	20.3	0.44	19.5	21.2
1993	37	10.2	1.83	6.9	14.3	2,347	21.4	0.44	20.5	22.3
1994	46	12.6	2.07	8.9	17.2	2,371	21.5	0.44	20.6	22.4
1995	41	10.8	1.98	7.3	15.2	2,312	20.8	0.43	19.9	21.7
1996	42	11.2	1.94	7.7	15.5	2,556	22.9	0.45	22.0	23.8
1997	65	19.9	2.78	14.8	25.8	2,517	22.4	0.45	21.5	23.3
1998	64	14.7	2.11	10.9	19.3	2,505	22.1	0.44	21.3	23.0
1999	66	15.0	2.12	11.2	19.6	2,590	22.7	0.45	21.8	23.6
2000	59	10.9	1.60	8.0	14.5	2,701	23.6	0.45	22.7	24.5
2001	73	15.5	2.05	11.8	19.9	2,621	22.8	0.44	21.9	23.6
2002	68	13.8	1.88	10.4	17.9	2,807	24.2	0.46	23.3	25.1
2003	80	13.4	1.69	10.3	17.0	2,841	24.3	0.46	23.4	25.2
2004	69	12.1	1.63	9.1	15.6	2,808	23.8	0.45	22.9	24.7
2005	82	13.7	1.69	10.6	17.3	2,895	24.3	0.45	23.5	25.3
2006	60	10.1	1.45	7.5	13.3	2,719	22.8	0.44	21.9	23.6
2007	80	11.2	1.39	8.7	14.2	2,774	22.9	0.44	22.0	23.8
2008	73	11.1	1.44	8.5	14.2	2,936	24.0	0.45	23.1	24.9
2009	87	12.2	1.42	9.6	15.2	2,974	23.9	0.44	23.0	24.8
2010	90	11.5	1.33	9.0	14.3	2,829	22.4	0.43	21.5	23.2
2011	98	12.6	1.37	10.0	15.5	2,854	22.2	0.42	21.4	23.1
2012	101	12.3	1.32	9.8	15.1	2,802	21.6	0.41	20.8	22.4
2013	100	10.1	1.10	8.1	12.5	3,054	23.1	0.43	22.3	24.0
2014	125	13.8	1.31	11.3	16.5	2,938	21.8	0.41	21.0	22.6
2015	125	12.4	1.19	10.2	14.9	3,088	22.6	0.41	21.8	23.4
2016	108	10.9	1.10	8.8	13.2	2,998	21.8	0.41	21.0	22.6
2017	115	10.1	1.01	8.2	12.2	3,010	21.5	0.40	20.7	22.3
2018	118	9.6	0.94	7.8	11.5	2,855	20.2	0.39	19.5	21.0
2019	125	10.4	0.98	8.6	12.5	2,976	20.6	0.38	19.8	21.3
2020	121	9.1	0.88	7.4	10.9	2,850	19.6	0.37	18.9	20.3
2021	163	11.9	0.99	10.0	13.9	2,984	20.2	0.38	19.5	21.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary Bladder (incl in situ)										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	79,463	23.9	0.09	23.7	24.0	5,791	12.3	0.16	12.0	12.6
1990	2,045	21.9	0.49	21.0	22.9	107	9.7	0.97	7.9	11.8
1991	1,998	21.3	0.48	20.3	22.2	109	10.1	0.99	8.3	12.2
1992	2,065	21.7	0.48	20.7	22.6	125	11.3	1.04	9.4	13.5
1993	2,191	22.8	0.49	21.9	23.8	140	11.8	1.02	9.8	13.9
1994	2,211	22.9	0.49	22.0	23.9	140	11.9	1.03	10.0	14.1
1995	2,155	22.3	0.48	21.3	23.2	135	11.1	0.98	9.3	13.2
1996	2,366	24.4	0.50	23.5	25.4	154	12.9	1.06	10.9	15.1
1997	2,329	23.9	0.50	22.9	24.9	147	12.2	1.03	10.3	14.4
1998	2,313	23.6	0.49	22.7	24.6	155	12.1	0.99	10.3	14.2
1999	2,396	24.4	0.50	23.4	25.4	162	13.1	1.05	11.1	15.3
2000	2,494	25.3	0.51	24.4	26.4	174	13.2	1.02	11.3	15.4
2001	2,426	24.6	0.50	23.7	25.6	162	12.5	1.00	10.6	14.6
2002	2,596	26.1	0.51	25.1	27.2	176	13.5	1.04	11.6	15.7
2003	2,641	26.5	0.52	25.5	27.5	156	11.3	0.92	9.5	13.2
2004	2,590	25.8	0.51	24.9	26.9	163	11.5	0.92	9.8	13.5
2005	2,651	26.4	0.52	25.4	27.4	178	12.5	0.96	10.7	14.5
2006	2,498	24.8	0.50	23.8	25.8	175	12.5	0.96	10.7	14.5
2007	2,519	24.6	0.50	23.7	25.6	193	13.1	0.96	11.3	15.1
2008	2,652	25.7	0.50	24.7	26.7	234	15.6	1.04	13.6	17.8
2009	2,697	25.8	0.50	24.8	26.8	228	14.9	1.01	13.0	17.0
2010	2,583	24.4	0.49	23.4	25.4	189	12.2	0.90	10.5	14.1
2011	2,595	24.2	0.48	23.3	25.2	195	12.1	0.88	10.4	13.9
2012	2,561	23.7	0.48	22.7	24.6	188	11.6	0.87	10.0	13.5
2013	2,750	25.1	0.49	24.2	26.1	240	14.3	0.94	12.5	16.3
2014	2,628	23.7	0.47	22.8	24.7	238	13.4	0.89	11.7	15.2
2015	2,798	24.8	0.48	23.9	25.8	212	12.0	0.84	10.4	13.8
2016	2,702	24.0	0.47	23.1	24.9	226	12.5	0.85	10.8	14.2
2017	2,742	23.9	0.47	23.0	24.8	195	10.5	0.77	9.0	12.1
2018	2,554	22.1	0.45	21.3	23.0	207	11.0	0.78	9.5	12.6
2019	2,608	22.1	0.44	21.3	23.0	257	13.5	0.86	11.9	15.3
2020	2,497	21.1	0.43	20.3	22.0	217	11.2	0.78	9.7	12.8
2021	2,612	21.9	0.44	21.1	22.8	214	10.6	0.74	9.2	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary Bladder (incl in situ)										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,881	19.0	0.49	18.1	20.0	64,494	39.2	0.16	38.9	39.6
1990	27	22.2	4.85	13.7	33.3	1,607	38.0	0.98	36.1	40.0
1991	32	21.3	4.58	13.3	31.8	1,555	36.2	0.95	34.4	38.1
1992	33	21.0	4.21	13.6	30.6	1,612	37.2	0.95	35.3	39.1
1993	25	14.6	3.36	8.8	22.5	1,717	38.7	0.96	36.9	40.7
1994	33	19.9	4.13	12.7	29.3	1,673	37.6	0.94	35.8	39.5
1995	30	17.0	3.92	10.2	26.0	1,693	37.8	0.94	36.0	39.7
1996	28	16.3	3.79	9.7	25.0	1,844	40.7	0.97	38.8	42.6
1997	49	35.5	6.04	24.6	48.7	1,824	39.8	0.94	37.9	41.6
1998	47	25.3	4.38	17.5	35.0	1,836	39.7	0.94	37.9	41.6
1999	40	18.9	3.59	12.5	26.9	1,889	40.6	0.95	38.8	42.5
2000	42	18.7	3.41	12.6	26.4	1,955	41.7	0.95	39.8	43.6
2001	50	24.3	4.01	17.1	33.2	1,931	40.8	0.94	39.0	42.7
2002	50	22.8	3.66	16.2	30.9	2,087	44.1	0.98	42.2	46.0
2003	56	20.8	3.32	14.8	28.0	2,059	42.9	0.95	41.0	44.8
2004	53	21.4	3.39	15.3	28.8	2,098	43.1	0.95	41.2	45.0
2005	60	23.3	3.55	16.8	31.0	2,118	42.8	0.94	40.9	44.6
2006	39	15.3	2.80	10.3	21.5	1,977	39.8	0.91	38.1	41.6
2007	58	18.5	2.77	13.5	24.6	2,052	40.7	0.91	38.9	42.5
2008	53	18.8	2.98	13.4	25.3	2,177	42.5	0.92	40.7	44.3
2009	62	20.4	2.87	15.2	26.6	2,245	42.9	0.92	41.1	44.7
2010	63	17.8	2.53	13.2	23.3	2,135	40.1	0.88	38.4	41.9
2011	69	20.3	2.68	15.3	26.0	2,120	39.0	0.86	37.3	40.7
2012	74	20.7	2.67	15.8	26.5	2,095	37.8	0.84	36.2	39.5
2013	65	13.7	1.91	10.2	17.9	2,318	41.0	0.87	39.3	42.7
2014	92	22.8	2.60	17.9	28.3	2,216	38.4	0.84	36.8	40.1
2015	88	19.1	2.26	14.9	23.9	2,305	39.1	0.84	37.5	40.7
2016	84	19.2	2.25	15.0	24.0	2,239	37.9	0.82	36.3	39.6
2017	88	16.9	2.02	13.2	21.3	2,303	38.1	0.81	36.5	39.7
2018	86	15.5	1.84	12.1	19.5	2,139	35.1	0.78	33.6	36.7
2019	92	16.2	1.83	12.8	20.1	2,253	36.2	0.78	34.7	37.8
2020	93	15.7	1.78	12.4	19.4	2,162	34.3	0.76	32.9	35.9
2021	120	18.5	1.86	15.0	22.4	2,260	35.0	0.76	33.6	36.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary Bladder (incl in situ)										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	59,500	42.4	0.18	42.1	42.8	3,664	19.7	0.34	19.0	20.3
1990	1,540	41.1	1.08	39.0	43.3	57	13.0	1.87	9.6	17.1
1991	1,482	39.1	1.05	37.0	41.2	62	14.4	1.93	10.8	18.6
1992	1,519	39.6	1.04	37.6	41.7	74	17.4	2.18	13.4	22.1
1993	1,621	41.6	1.06	39.6	43.8	88	18.1	2.04	14.4	22.5
1994	1,579	40.4	1.04	38.4	42.5	79	17.1	2.05	13.3	21.5
1995	1,598	40.8	1.04	38.8	42.9	79	16.3	1.93	12.7	20.4
1996	1,738	43.9	1.07	41.9	46.1	81	16.1	1.89	12.6	20.2
1997	1,703	42.5	1.04	40.4	44.6	91	19.6	2.19	15.5	24.3
1998	1,709	42.5	1.04	40.5	44.6	101	19.1	2.01	15.4	23.4
1999	1,764	43.6	1.05	41.6	45.7	97	20.3	2.20	16.2	25.0
2000	1,821	44.8	1.06	42.7	46.9	107	20.8	2.14	16.9	25.4
2001	1,815	44.3	1.05	42.3	46.4	92	18.2	2.01	14.4	22.4
2002	1,966	48.0	1.09	45.9	50.2	97	20.0	2.15	16.0	24.5
2003	1,923	46.4	1.07	44.4	48.6	105	19.0	1.97	15.3	23.2
2004	1,950	46.6	1.06	44.5	48.7	107	19.2	1.99	15.5	23.5
2005	1,969	46.4	1.06	44.4	48.6	106	19.4	2.01	15.7	23.7
2006	1,832	43.1	1.01	41.1	45.1	110	21.1	2.13	17.2	25.6
2007	1,883	43.7	1.02	41.7	45.8	122	20.9	2.02	17.1	25.2
2008	1,998	45.7	1.03	43.7	47.8	142	23.4	2.07	19.6	27.8
2009	2,060	46.2	1.03	44.2	48.3	149	24.7	2.15	20.7	29.2
2010	1,965	43.5	1.00	41.6	45.5	125	19.8	1.86	16.4	23.8
2011	1,950	42.4	0.98	40.5	44.3	123	19.5	1.86	16.0	23.5
2012	1,945	41.7	0.96	39.8	43.6	112	17.1	1.71	13.9	20.8
2013	2,103	44.2	0.98	42.3	46.2	160	24.4	2.02	20.6	28.6
2014	1,993	41.4	0.95	39.6	43.3	163	22.6	1.87	19.1	26.6
2015	2,095	42.5	0.95	40.7	44.4	147	20.9	1.82	17.5	24.8
2016	2,036	41.5	0.94	39.7	43.4	156	21.6	1.81	18.1	25.4
2017	2,108	41.9	0.93	40.1	43.8	139	19.2	1.71	16.0	22.8
2018	1,931	38.2	0.89	36.5	40.0	134	17.7	1.60	14.7	21.2
2019	2,000	38.8	0.89	37.1	40.6	161	21.6	1.77	18.3	25.3
2020	1,910	36.7	0.86	35.0	38.4	147	19.1	1.65	16.0	22.6
2021	1,994	37.8	0.87	36.1	39.5	151	18.8	1.61	15.8	22.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary Bladder (incl in situ)										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	717	5.9	0.24	5.5	6.4	22,518	9.9	0.07	9.8	10.0
1990	9	6.2	2.23	2.6	11.8	559	9.0	0.39	8.3	9.8
1991	9	4.7	1.65	2.1	9.0	568	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	7.1	599	9.3	0.38	8.6	10.1
1993	12	6.5	1.98	3.2	11.4	630	9.8	0.39	9.0	10.6
1994	13	6.7	2.02	3.4	11.7	698	10.6	0.41	9.8	11.4
1995	11	5.9	1.98	2.7	10.8	619	9.4	0.38	8.7	10.2
1996	14	7.4	2.07	3.9	12.3	712	10.7	0.41	10.0	11.6
1997	16	9.0	2.41	4.9	14.6	693	10.5	0.40	9.7	11.3
1998	17	6.5	1.80	3.5	10.9	669	10.1	0.39	9.3	10.9
1999	26	11.7	2.53	7.2	17.4	701	10.4	0.40	9.7	11.2
2000	17	4.9	1.23	2.7	7.9	746	11.1	0.41	10.3	12.0
2001	23	8.6	2.00	5.1	13.2	690	10.2	0.39	9.4	11.0
2002	18	6.5	1.72	3.6	10.5	720	10.5	0.40	9.7	11.3
2003	24	7.5	1.66	4.6	11.3	782	11.6	0.42	10.8	12.4
2004	16	4.7	1.32	2.5	7.9	710	10.3	0.39	9.5	11.1
2005	22	6.5	1.47	3.9	9.9	777	11.2	0.41	10.5	12.1
2006	21	6.2	1.49	3.6	9.7	742	10.8	0.40	10.0	11.6
2007	22	5.4	1.25	3.2	8.3	722	10.3	0.39	9.5	11.1
2008	20	5.4	1.28	3.2	8.4	759	10.7	0.40	10.0	11.5
2009	25	5.8	1.27	3.6	8.8	729	10.2	0.38	9.5	11.0
2010	27	6.2	1.32	3.9	9.3	694	9.4	0.36	8.7	10.2
2011	29	6.6	1.30	4.3	9.5	734	10.1	0.38	9.3	10.8
2012	27	5.8	1.18	3.7	8.4	707	9.6	0.37	8.9	10.3
2013	35	7.0	1.24	4.8	9.8	736	9.8	0.37	9.1	10.5
2014	33	6.6	1.21	4.5	9.4	722	9.5	0.36	8.8	10.2
2015	37	6.8	1.18	4.7	9.5	783	10.1	0.37	9.4	10.9
2016	24	4.4	0.92	2.8	6.5	759	9.6	0.36	8.9	10.4
2017	27	4.5	0.89	2.9	6.5	707	9.0	0.35	8.3	9.7
2018	32	4.8	0.89	3.2	6.8	716	9.1	0.35	8.4	9.8
2019	33	5.5	0.98	3.7	7.7	723	8.8	0.34	8.2	9.5
2020	28	3.7	0.73	2.4	5.4	688	8.4	0.33	7.8	9.1
2021	43	6.4	1.01	4.6	8.6	724	8.9	0.34	8.2	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Urinary Bladder (incl in situ)										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	19,963	10.5	0.08	10.3	10.6	2,127	7.6	0.17	7.2	7.9
1990	505	9.3	0.42	8.5	10.1	50	7.6	1.09	5.6	10.1
1991	516	9.2	0.41	8.4	10.1	47	7.4	1.09	5.4	9.8
1992	546	9.7	0.42	8.9	10.6	51	7.7	1.09	5.7	10.1
1993	570	10.1	0.43	9.2	10.9	52	7.4	1.05	5.5	9.8
1994	632	11.0	0.45	10.2	11.9	61	8.6	1.12	6.6	11.1
1995	557	9.7	0.42	8.9	10.6	56	7.6	1.03	5.7	9.9
1996	628	11.0	0.45	10.1	11.9	73	10.3	1.21	8.0	12.9
1997	626	11.0	0.45	10.1	11.9	56	7.7	1.03	5.8	9.9
1998	604	10.7	0.44	9.8	11.6	54	7.3	1.00	5.5	9.5
1999	632	11.0	0.44	10.1	11.9	65	8.7	1.09	6.7	11.1
2000	673	11.8	0.46	10.9	12.7	67	8.5	1.05	6.6	10.8
2001	611	10.7	0.44	9.8	11.6	70	8.9	1.07	6.9	11.2
2002	630	10.8	0.44	9.9	11.7	79	9.8	1.11	7.8	12.3
2003	718	12.5	0.48	11.6	13.5	51	6.3	0.89	4.7	8.3
2004	640	11.0	0.44	10.1	11.9	56	6.7	0.90	5.0	8.6
2005	682	11.7	0.46	10.8	12.7	72	8.4	1.00	6.6	10.6
2006	666	11.5	0.46	10.7	12.5	65	7.5	0.94	5.8	9.6
2007	636	10.8	0.44	9.9	11.7	71	8.2	0.98	6.4	10.3
2008	654	11.0	0.44	10.2	11.9	92	10.4	1.10	8.4	12.8
2009	637	10.7	0.43	9.9	11.6	79	8.8	1.00	6.9	10.9
2010	618	10.1	0.42	9.3	11.0	64	7.0	0.88	5.4	8.9
2011	645	10.8	0.43	9.9	11.6	72	7.5	0.89	5.8	9.4
2012	616	10.0	0.41	9.2	10.9	76	8.1	0.94	6.4	10.1
2013	647	10.5	0.42	9.7	11.4	80	8.0	0.90	6.3	10.0
2014	635	10.3	0.42	9.5	11.2	75	7.2	0.84	5.7	9.1
2015	703	11.2	0.43	10.3	12.0	65	6.3	0.79	4.8	8.1
2016	666	10.4	0.42	9.6	11.3	70	6.5	0.79	5.0	8.2
2017	634	10.0	0.41	9.2	10.9	56	4.9	0.67	3.7	6.4
2018	623	9.8	0.41	9.0	10.6	73	6.6	0.79	5.2	8.4
2019	608	9.3	0.39	8.6	10.1	96	8.2	0.85	6.6	10.1
2020	587	9.0	0.38	8.3	9.8	70	6.0	0.73	4.7	7.6
2021	618	9.5	0.40	8.8	10.4	63	5.2	0.67	4.0	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kidney and Renal Pelvis										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,640	15.6	0.25	15.1	16.1	60,829	15.6	0.06	15.5	15.8
1990	33	8.6	1.70	5.6	12.5	1,006	9.7	0.31	9.1	10.3
1991	31	6.8	1.33	4.5	9.9	1,106	10.5	0.32	9.8	11.1
1992	36	9.0	1.69	5.9	12.8	1,172	10.9	0.32	10.3	11.6
1993	32	7.9	1.56	5.2	11.5	1,167	10.7	0.32	10.1	11.4
1994	50	12.1	1.92	8.6	16.3	1,239	11.4	0.32	10.7	12.0
1995	59	13.1	2.01	9.5	17.6	1,313	11.9	0.33	11.3	12.6
1996	53	11.3	1.82	8.0	15.3	1,334	12.2	0.33	11.5	12.8
1997	74	14.9	2.10	11.1	19.5	1,436	13.0	0.34	12.3	13.7
1998	70	12.5	1.74	9.3	16.3	1,410	12.6	0.34	12.0	13.3
1999	70	13.0	1.86	9.6	17.1	1,456	12.9	0.34	12.3	13.6
2000	79	12.7	1.66	9.7	16.3	1,552	13.7	0.35	13.0	14.4
2001	83	11.0	1.37	8.5	14.0	1,649	14.5	0.36	13.8	15.2
2002	81	11.3	1.41	8.7	14.4	1,774	15.4	0.37	14.7	16.1
2003	107	15.0	1.67	11.9	18.6	1,847	15.9	0.37	15.2	16.6
2004	97	11.9	1.37	9.3	14.8	1,953	16.6	0.38	15.9	17.4
2005	122	15.6	1.63	12.6	19.1	1,939	16.5	0.38	15.7	17.2
2006	132	15.8	1.58	12.8	19.1	2,100	17.7	0.39	16.9	18.5
2007	148	16.1	1.46	13.3	19.2	2,101	17.5	0.38	16.7	18.2
2008	159	16.3	1.45	13.6	19.4	2,175	17.8	0.39	17.0	18.6
2009	170	17.6	1.53	14.7	20.8	2,236	18.2	0.39	17.4	18.9
2010	170	15.0	1.29	12.5	17.7	2,115	16.9	0.37	16.2	17.6
2011	211	18.7	1.45	16.0	21.7	2,217	17.4	0.38	16.6	18.1
2012	201	16.0	1.23	13.7	18.5	2,300	17.8	0.38	17.0	18.5
2013	220	18.2	1.36	15.6	21.0	2,331	17.8	0.38	17.1	18.6
2014	235	18.6	1.33	16.0	21.3	2,452	18.5	0.38	17.7	19.3
2015	237	16.7	1.18	14.5	19.2	2,503	18.8	0.39	18.0	19.6
2016	259	17.8	1.20	15.5	20.3	2,478	18.5	0.38	17.7	19.2
2017	282	19.1	1.23	16.7	21.6	2,472	18.3	0.38	17.6	19.1
2018	282	18.3	1.16	16.0	20.7	2,513	18.5	0.38	17.8	19.3
2019	282	17.2	1.09	15.1	19.5	2,647	19.1	0.38	18.4	19.9
2020	276	16.6	1.06	14.6	18.8	2,349	17.1	0.37	16.4	17.8
2021	299	17.6	1.08	15.5	19.8	2,487	17.8	0.37	17.1	18.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kidney and Renal Pelvis										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	50,766	15.8	0.07	15.6	15.9	8,698	16.8	0.18	16.4	17.2
1990	894	9.9	0.34	9.3	10.6	105	8.5	0.85	6.9	10.3
1991	998	10.9	0.35	10.2	11.6	100	8.3	0.86	6.8	10.2
1992	1,040	11.2	0.35	10.5	11.9	121	9.9	0.92	8.2	11.8
1993	994	10.6	0.34	10.0	11.3	151	10.9	0.91	9.2	12.8
1994	1,075	11.4	0.35	10.8	12.2	147	11.2	0.95	9.4	13.2
1995	1,154	12.2	0.36	11.5	12.9	150	11.2	0.94	9.4	13.2
1996	1,150	12.3	0.36	11.6	13.0	169	12.3	0.97	10.5	14.3
1997	1,231	13.0	0.37	12.3	13.8	175	12.3	0.95	10.5	14.3
1998	1,215	12.8	0.37	12.1	13.5	179	12.7	0.97	10.9	14.8
1999	1,252	13.1	0.37	12.4	13.8	184	13.0	0.98	11.2	15.1
2000	1,302	13.6	0.38	12.9	14.3	219	15.1	1.04	13.2	17.3
2001	1,394	14.5	0.39	13.8	15.3	228	15.5	1.05	13.5	17.7
2002	1,495	15.5	0.40	14.7	16.3	245	16.6	1.08	14.6	18.9
2003	1,552	16.0	0.41	15.2	16.8	268	17.4	1.08	15.3	19.6
2004	1,690	17.2	0.42	16.4	18.0	241	15.5	1.02	13.6	17.6
2005	1,622	16.6	0.42	15.8	17.4	273	17.5	1.08	15.4	19.7
2006	1,759	17.8	0.43	17.0	18.7	298	18.4	1.08	16.3	20.6
2007	1,735	17.5	0.42	16.6	18.3	324	20.2	1.14	18.1	22.6
2008	1,801	17.9	0.43	17.0	18.7	337	20.2	1.12	18.1	22.5
2009	1,860	18.4	0.44	17.6	19.3	329	19.4	1.09	17.3	21.6
2010	1,741	17.0	0.42	16.2	17.9	317	18.3	1.05	16.3	20.4
2011	1,819	17.5	0.42	16.7	18.3	336	19.0	1.06	17.0	21.2
2012	1,886	17.9	0.42	17.1	18.8	349	19.4	1.06	17.4	21.6
2013	1,927	18.2	0.43	17.4	19.0	341	18.6	1.03	16.6	20.7
2014	1,989	18.5	0.43	17.7	19.4	399	21.7	1.11	19.6	24.0
2015	2,012	18.9	0.44	18.0	19.8	416	21.7	1.09	19.6	23.9
2016	2,018	18.7	0.43	17.9	19.6	395	21.2	1.09	19.1	23.4
2017	2,021	18.9	0.44	18.0	19.7	383	19.5	1.02	17.5	21.6
2018	2,048	19.1	0.44	18.2	19.9	384	19.5	1.02	17.6	21.6
2019	2,177	19.8	0.44	19.0	20.7	393	19.4	1.01	17.4	21.4
2020	1,909	17.4	0.42	16.6	18.2	355	17.8	0.97	16.0	19.8
2021	2,006	18.1	0.42	17.3	18.9	387	19.2	1.00	17.3	21.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kidney and Renal Pelvis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,867	20.3	0.44	19.4	21.1	37,383	21.5	0.11	21.3	21.7
1990	13	8.3	2.86	3.7	15.5	596	13.6	0.57	12.5	14.7
1991	23	11.1	2.63	6.6	17.5	681	15.0	0.59	13.9	16.2
1992	20	11.4	3.14	6.1	19.0	695	15.2	0.59	14.1	16.4
1993	22	11.4	2.97	6.4	18.6	690	14.8	0.57	13.7	16.0
1994	31	16.3	3.51	10.1	24.4	750	16.1	0.60	15.0	17.4
1995	37	18.8	3.91	12.0	27.7	765	16.3	0.60	15.1	17.5
1996	29	14.5	3.39	8.6	22.3	802	16.8	0.60	15.7	18.0
1997	50	22.7	4.22	15.2	32.2	824	17.1	0.60	16.0	18.4
1998	48	19.4	3.55	13.1	27.4	823	17.1	0.60	16.0	18.3
1999	34	12.2	2.64	7.6	18.4	857	17.6	0.61	16.5	18.9
2000	48	16.5	2.77	11.5	22.7	926	18.8	0.62	17.6	20.0
2001	51	13.5	2.18	9.6	18.5	986	19.7	0.63	18.5	21.0
2002	46	12.2	2.08	8.5	17.0	1,090	21.6	0.66	20.3	22.9
2003	62	18.8	2.83	13.6	25.0	1,155	22.7	0.67	21.4	24.0
2004	63	17.3	2.61	12.6	23.1	1,162	22.5	0.67	21.2	23.8
2005	78	20.2	2.73	15.2	26.1	1,171	22.4	0.66	21.1	23.7
2006	77	18.6	2.52	14.0	24.1	1,283	24.2	0.69	22.9	25.6
2007	83	19.4	2.45	14.9	24.7	1,271	23.6	0.67	22.3	25.0
2008	96	19.8	2.36	15.4	24.9	1,341	24.3	0.68	23.0	25.7
2009	113	25.7	2.84	20.4	31.7	1,317	23.6	0.66	22.3	24.9
2010	107	19.3	2.16	15.3	23.9	1,284	22.6	0.65	21.4	23.9
2011	123	23.9	2.57	19.1	29.3	1,374	23.5	0.65	22.3	24.9
2012	118	19.4	2.02	15.7	23.7	1,424	23.9	0.65	22.7	25.2
2013	130	22.9	2.32	18.6	27.8	1,457	24.3	0.65	23.0	25.6
2014	143	23.7	2.28	19.4	28.5	1,565	25.8	0.67	24.5	27.1
2015	154	22.7	2.04	18.9	27.0	1,608	26.0	0.67	24.7	27.4
2016	176	25.1	2.13	21.1	29.5	1,576	25.5	0.66	24.2	26.9
2017	187	26.0	2.12	22.0	30.4	1,547	24.5	0.64	23.3	25.8
2018	176	23.4	1.95	19.7	27.5	1,558	24.8	0.65	23.5	26.1
2019	175	21.2	1.74	17.9	24.9	1,679	26.2	0.66	24.9	27.5
2020	171	21.4	1.80	18.0	25.2	1,551	24.1	0.63	22.8	25.3
2021	183	22.0	1.79	18.6	25.8	1,575	24.2	0.63	23.0	25.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kidney and Renal Pelvis										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	31,283	21.5	0.12	21.3	21.8	5,195	23.8	0.34	23.1	24.4
1990	527	13.8	0.61	12.6	15.1	65	12.6	1.64	9.6	16.2
1991	616	15.6	0.64	14.3	16.9	61	12.5	1.69	9.4	16.2
1992	616	15.5	0.63	14.3	16.8	74	15.0	1.85	11.6	19.0
1993	594	14.8	0.62	13.6	16.1	82	14.0	1.63	11.0	17.6
1994	655	16.3	0.64	15.0	17.6	81	15.0	1.77	11.7	18.8
1995	672	16.5	0.64	15.3	17.8	87	15.7	1.78	12.4	19.6
1996	687	16.8	0.64	15.5	18.1	105	18.4	1.89	14.9	22.5
1997	708	17.2	0.65	16.0	18.6	100	16.2	1.69	13.1	19.9
1998	720	17.5	0.66	16.2	18.8	92	15.8	1.74	12.6	19.6
1999	731	17.6	0.66	16.4	19.0	115	18.6	1.81	15.2	22.5
2000	780	18.6	0.67	17.3	19.9	122	20.2	1.92	16.6	24.3
2001	838	19.7	0.68	18.4	21.1	130	21.0	1.93	17.4	25.1
2002	914	21.4	0.71	20.0	22.8	155	26.0	2.22	21.9	30.7
2003	969	22.5	0.73	21.1	24.0	169	26.5	2.13	22.5	31.0
2004	1,004	23.0	0.73	21.6	24.4	145	22.6	1.97	18.9	26.8
2005	976	22.2	0.72	20.8	23.6	164	25.5	2.11	21.5	29.9
2006	1,083	24.4	0.75	23.0	25.9	170	25.0	2.02	21.2	29.3
2007	1,050	23.3	0.73	21.9	24.8	194	29.3	2.19	25.2	33.9
2008	1,120	24.4	0.74	23.0	25.9	193	27.5	2.06	23.6	31.8
2009	1,092	23.7	0.73	22.2	25.1	190	26.0	1.97	22.3	30.2
2010	1,061	22.6	0.71	21.3	24.1	191	25.8	1.96	22.1	29.9
2011	1,144	23.7	0.72	22.4	25.2	193	25.1	1.88	21.5	29.0
2012	1,175	24.0	0.72	22.6	25.5	210	27.8	2.02	24.0	32.1
2013	1,196	24.3	0.72	22.9	25.7	216	27.2	1.92	23.6	31.2
2014	1,265	25.4	0.74	24.0	26.9	254	33.0	2.16	28.9	37.5
2015	1,287	25.7	0.74	24.3	27.2	268	32.2	2.05	28.3	36.4
2016	1,308	26.0	0.75	24.6	27.5	221	27.5	1.93	23.9	31.6
2017	1,279	25.0	0.73	23.6	26.5	228	27.2	1.88	23.6	31.1
2018	1,274	25.2	0.74	23.8	26.7	232	27.2	1.85	23.7	31.1
2019	1,396	27.0	0.75	25.5	28.5	233	27.1	1.85	23.6	31.0
2020	1,267	24.2	0.71	22.8	25.6	221	25.9	1.81	22.5	29.7
2021	1,279	24.3	0.71	22.9	25.8	234	27.4	1.86	23.8	31.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kidney and Renal Pelvis										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,773	11.5	0.29	11.0	12.1	23,446	10.9	0.07	10.8	11.1
1990	20	9.2	2.23	5.3	14.5	410	6.9	0.35	6.3	7.6
1991	8	3.0	1.16	1.2	6.2	425	7.0	0.35	6.4	7.7
1992	16	7.3	1.96	4.0	12.1	477	7.8	0.36	7.1	8.6
1993	10	4.9	1.64	2.2	9.1	477	7.7	0.36	7.0	8.4
1994	19	8.7	2.14	5.0	13.8	489	7.8	0.36	7.1	8.5
1995	22	8.7	2.12	5.1	13.7	548	8.7	0.38	8.0	9.5
1996	24	9.1	2.08	5.5	14.0	532	8.6	0.38	7.9	9.4
1997	24	8.9	2.12	5.3	13.9	612	9.7	0.39	8.9	10.5
1998	22	7.2	1.65	4.3	11.1	587	9.3	0.39	8.6	10.1
1999	36	13.4	2.53	8.9	19.1	599	9.4	0.39	8.7	10.2
2000	31	9.3	1.94	5.9	13.8	626	9.8	0.40	9.0	10.6
2001	32	8.5	1.70	5.5	12.5	663	10.3	0.41	9.6	11.2
2002	35	10.2	1.87	6.9	14.4	684	10.6	0.41	9.8	11.5
2003	45	11.8	1.98	8.2	16.2	692	10.8	0.41	10.0	11.6
2004	34	7.3	1.38	4.9	10.5	791	12.1	0.44	11.3	13.0
2005	44	11.4	1.93	7.9	15.7	768	11.8	0.43	10.9	12.6
2006	55	13.0	1.96	9.4	17.3	817	12.4	0.44	11.5	13.3
2007	65	13.3	1.78	10.0	17.2	830	12.6	0.44	11.7	13.5
2008	63	13.1	1.79	9.8	17.0	834	12.4	0.44	11.6	13.3
2009	57	10.8	1.58	7.9	14.3	919	13.7	0.46	12.8	14.6
2010	63	11.0	1.51	8.2	14.3	831	12.2	0.43	11.4	13.1
2011	88	14.7	1.69	11.5	18.3	843	12.1	0.43	11.3	13.0
2012	83	12.9	1.51	10.1	16.2	876	12.5	0.44	11.7	13.4
2013	90	14.3	1.62	11.3	17.8	874	12.4	0.43	11.6	13.3
2014	92	14.2	1.57	11.2	17.5	887	12.3	0.43	11.5	13.2
2015	83	11.3	1.31	8.9	14.1	895	12.6	0.44	11.8	13.5
2016	83	11.1	1.28	8.7	13.9	902	12.5	0.43	11.7	13.4
2017	95	12.6	1.37	10.1	15.6	925	13.0	0.45	12.2	13.9
2018	106	13.5	1.37	11.0	16.4	955	13.0	0.44	12.2	13.9
2019	107	13.3	1.35	10.8	16.2	968	13.1	0.44	12.2	14.0
2020	105	12.3	1.24	10.0	15.0	798	11.1	0.41	10.3	11.9
2021	116	13.6	1.31	11.2	16.5	912	12.2	0.42	11.4	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kidney and Renal Pelvis										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	19,483	11.1	0.08	10.9	11.2	3,503	11.8	0.20	11.4	12.2
1990	367	7.2	0.39	6.5	8.0	40	5.6	0.89	3.9	7.6
1991	382	7.3	0.38	6.5	8.1	39	5.6	0.91	3.9	7.6
1992	424	8.1	0.40	7.3	8.9	47	6.5	0.96	4.7	8.6
1993	400	7.5	0.38	6.8	8.3	69	8.7	1.07	6.8	11.1
1994	420	7.8	0.39	7.1	8.6	66	8.5	1.07	6.6	10.9
1995	482	8.9	0.41	8.1	9.8	63	8.0	1.02	6.2	10.3
1996	463	8.8	0.42	8.0	9.7	64	8.0	1.01	6.1	10.2
1997	523	9.7	0.43	8.8	10.6	75	9.2	1.08	7.3	11.6
1998	495	9.3	0.42	8.5	10.2	87	10.6	1.15	8.5	13.1
1999	521	9.8	0.44	9.0	10.7	69	8.7	1.06	6.7	11.0
2000	522	9.7	0.43	8.9	10.6	97	11.6	1.18	9.4	14.1
2001	556	10.3	0.45	9.5	11.3	98	11.6	1.18	9.4	14.1
2002	581	10.8	0.45	9.9	11.7	90	10.4	1.10	8.3	12.8
2003	583	10.9	0.46	10.0	11.8	99	11.1	1.12	9.0	13.5
2004	686	12.7	0.49	11.7	13.7	96	10.7	1.10	8.6	13.0
2005	646	12.1	0.48	11.1	13.1	109	12.0	1.16	9.8	14.5
2006	676	12.3	0.48	11.4	13.3	128	13.8	1.23	11.5	16.4
2007	685	12.7	0.50	11.7	13.7	130	14.0	1.24	11.7	16.6
2008	681	12.4	0.49	11.5	13.4	144	14.9	1.26	12.6	17.6
2009	768	14.0	0.52	13.0	15.1	139	14.5	1.24	12.1	17.1
2010	680	12.4	0.49	11.4	13.4	126	12.8	1.15	10.6	15.2
2011	675	12.1	0.48	11.2	13.1	143	14.2	1.20	11.9	16.7
2012	711	12.6	0.49	11.6	13.6	139	13.6	1.17	11.4	16.1
2013	731	13.0	0.50	12.0	14.0	125	12.1	1.10	10.1	14.5
2014	724	12.5	0.48	11.6	13.5	145	13.6	1.15	11.4	16.0
2015	725	12.9	0.50	12.0	14.0	148	13.8	1.16	11.6	16.3
2016	710	12.4	0.49	11.5	13.4	174	16.4	1.27	14.0	19.1
2017	742	13.4	0.52	12.4	14.5	155	13.8	1.13	11.7	16.3
2018	774	13.5	0.51	12.6	14.6	152	13.4	1.11	11.4	15.8
2019	781	13.5	0.51	12.5	14.6	160	13.7	1.11	11.6	16.1
2020	642	11.4	0.48	10.5	12.4	134	11.7	1.04	9.8	13.9
2021	727	12.6	0.50	11.6	13.6	153	13.1	1.09	11.0	15.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ureter										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	84	0.4	0.05	0.3	0.5	2,505	0.6	0.01	0.6	0.7
1990	0					75	0.7	0.08	0.5	0.9
1991	3	1.5	0.94	0.3	4.1	72	0.7	0.08	0.5	0.8
1992	2	1.2	0.83	0.1	3.6	71	0.7	0.08	0.5	0.8
1993	1	0.3	0.34	0.0	1.6	61	0.6	0.07	0.4	0.7
1994	3	0.7	0.43	0.1	2.1	79	0.7	0.08	0.6	0.9
1995	0					79	0.7	0.08	0.6	0.9
1996	2	1.1	0.79	0.1	3.3	68	0.6	0.07	0.5	0.8
1997	2	0.7	0.57	0.1	2.4	72	0.6	0.08	0.5	0.8
1998	2	0.4	0.25	0.0	1.3	78	0.7	0.08	0.5	0.9
1999	4	0.9	0.47	0.2	2.3	59	0.5	0.07	0.4	0.7
2000	1	0.2	0.23	0.0	1.1	78	0.7	0.08	0.5	0.9
2001	2	0.5	0.36	0.1	1.7	66	0.6	0.07	0.4	0.7
2002	3	0.6	0.33	0.1	1.6	79	0.7	0.08	0.5	0.9
2003	2	0.3	0.23	0.0	1.1	75	0.7	0.08	0.5	0.8
2004	0					69	0.6	0.07	0.5	0.7
2005	2	0.3	0.20	0.0	1.0	79	0.7	0.08	0.5	0.8
2006	2	0.3	0.23	0.0	1.1	93	0.8	0.08	0.6	1.0
2007	3	0.3	0.18	0.1	0.9	86	0.7	0.08	0.6	0.9
2008	3	0.4	0.26	0.1	1.2	78	0.7	0.07	0.5	0.8
2009	2	0.3	0.19	0.0	0.9	84	0.7	0.08	0.6	0.9
2010	1	0.1	0.08	0.0	0.5	88	0.7	0.08	0.6	0.9
2011	3	0.3	0.21	0.1	1.0	86	0.7	0.07	0.5	0.8
2012	6	0.7	0.30	0.2	1.5	82	0.7	0.07	0.5	0.8
2013	4	0.5	0.25	0.1	1.2	64	0.5	0.06	0.4	0.6
2014	5	0.4	0.21	0.1	1.0	100	0.8	0.08	0.6	0.9
2015	5	0.6	0.28	0.2	1.3	82	0.6	0.07	0.5	0.8
2016	3	0.3	0.18	0.1	0.8	87	0.6	0.07	0.5	0.8
2017	4	0.5	0.26	0.1	1.2	93	0.7	0.07	0.5	0.8
2018	2	0.2	0.12	0.0	0.6	78	0.6	0.06	0.4	0.7
2019	3	0.3	0.16	0.1	0.7	94	0.7	0.07	0.5	0.8
2020	5	0.4	0.17	0.1	0.8	71	0.5	0.06	0.4	0.6
2021	4	0.3	0.16	0.1	0.8	79	0.5	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ureter										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,327	0.7	0.01	0.7	0.7	116	0.3	0.02	0.2	0.3
1990	72	0.8	0.09	0.6	0.9	2	0.2	0.17	0.0	0.8
1991	70	0.7	0.09	0.6	0.9	2	0.2	0.14	0.0	0.6
1992	67	0.7	0.09	0.5	0.9	2	0.2	0.11	0.0	0.6
1993	58	0.6	0.08	0.5	0.8	3	0.3	0.16	0.1	0.8
1994	76	0.8	0.09	0.6	1.0	1	0.1	0.10	0.0	0.5
1995	77	0.8	0.09	0.6	1.0	1	0.1	0.07	0.0	0.4
1996	64	0.7	0.08	0.5	0.8	3	0.2	0.13	0.1	0.6
1997	70	0.7	0.09	0.6	0.9	2	0.2	0.13	0.0	0.6
1998	75	0.8	0.09	0.6	0.9	1	0.1	0.07	0.0	0.4
1999	52	0.5	0.07	0.4	0.7	5	0.4	0.16	0.1	0.8
2000	72	0.7	0.09	0.6	0.9	6	0.5	0.20	0.2	1.0
2001	65	0.7	0.08	0.5	0.8	0				
2002	76	0.8	0.09	0.6	0.9	3	0.2	0.12	0.0	0.6
2003	69	0.7	0.08	0.6	0.9	5	0.3	0.14	0.1	0.7
2004	62	0.6	0.08	0.5	0.8	6	0.4	0.18	0.2	0.9
2005	76	0.8	0.09	0.6	1.0	1	0.1	0.08	0.0	0.4
2006	83	0.8	0.09	0.7	1.0	8	0.6	0.22	0.3	1.2
2007	80	0.8	0.09	0.6	1.0	5	0.3	0.15	0.1	0.8
2008	75	0.7	0.09	0.6	0.9	1	0.1	0.05	0.0	0.3
2009	77	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2010	81	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2011	77	0.7	0.08	0.6	0.9	4	0.3	0.13	0.1	0.6
2012	76	0.7	0.08	0.6	0.9	4	0.3	0.14	0.1	0.7
2013	62	0.6	0.07	0.4	0.8	2	0.1	0.08	0.0	0.4
2014	89	0.8	0.09	0.7	1.0	5	0.3	0.13	0.1	0.7
2015	74	0.7	0.08	0.5	0.9	5	0.3	0.15	0.1	0.7
2016	78	0.7	0.08	0.6	0.9	7	0.3	0.13	0.1	0.7
2017	83	0.7	0.08	0.6	0.9	6	0.3	0.14	0.1	0.7
2018	73	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.4
2019	84	0.7	0.08	0.6	0.9	6	0.3	0.13	0.1	0.7
2020	66	0.5	0.07	0.4	0.7	4	0.2	0.12	0.1	0.6
2021	68	0.6	0.07	0.4	0.7	4	0.2	0.10	0.1	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ureter										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	48	0.5	0.08	0.4	0.7	1,514	0.9	0.02	0.9	1.0
1990	0					45	1.0	0.15	0.7	1.3
1991	0					44	1.1	0.16	0.8	1.4
1992	1	1.8	1.81	0.1	7.3	41	0.9	0.14	0.7	1.2
1993	1	0.8	0.76	0.0	3.8	33	0.7	0.13	0.5	1.0
1994	3	1.5	0.91	0.3	4.6	47	1.1	0.16	0.8	1.4
1995	0					52	1.2	0.17	0.9	1.5
1996	1	1.6	1.57	0.0	6.3	43	1.0	0.15	0.7	1.3
1997	0					50	1.1	0.16	0.8	1.5
1998	1	0.3	0.33	0.0	2.3	49	1.1	0.16	0.8	1.4
1999	2	0.6	0.46	0.1	2.7	36	0.8	0.13	0.5	1.1
2000	1	0.5	0.49	0.0	2.6	43	0.9	0.14	0.6	1.2
2001	1	0.7	0.65	0.0	3.0	39	0.8	0.13	0.6	1.1
2002	1	0.5	0.46	0.0	2.3	50	1.1	0.15	0.8	1.4
2003	1	0.5	0.45	0.0	2.2	47	1.0	0.14	0.7	1.3
2004	0					41	0.8	0.13	0.6	1.1
2005	2	0.6	0.43	0.1	2.2	47	1.0	0.14	0.7	1.3
2006	1	0.2	0.17	0.0	1.3	54	1.1	0.15	0.8	1.4
2007	3	0.6	0.36	0.1	1.9	50	1.0	0.15	0.8	1.4
2008	2	0.7	0.53	0.1	2.3	42	0.8	0.13	0.6	1.1
2009	0					51	1.0	0.14	0.7	1.3
2010	1	0.2	0.16	0.0	1.1	51	1.0	0.14	0.7	1.3
2011	1	0.1	0.13	0.0	1.0	56	1.0	0.13	0.7	1.3
2012	4	0.9	0.48	0.2	2.3	48	0.9	0.13	0.7	1.2
2013	2	0.5	0.38	0.0	1.7	41	0.8	0.12	0.6	1.0
2014	3	0.6	0.34	0.1	1.6	52	0.9	0.13	0.7	1.2
2015	3	0.9	0.53	0.2	2.4	54	1.0	0.14	0.8	1.3
2016	2	0.6	0.41	0.1	1.8	57	1.0	0.13	0.8	1.3
2017	2	0.6	0.44	0.1	1.9	54	0.9	0.12	0.7	1.2
2018	1	0.3	0.30	0.0	1.3	48	0.8	0.12	0.6	1.1
2019	1	0.3	0.28	0.0	1.2	62	1.0	0.13	0.8	1.3
2020	3	0.5	0.30	0.1	1.4	50	0.8	0.11	0.6	1.0
2021	4	0.7	0.35	0.2	1.7	37	0.6	0.10	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ureter										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,416	1.0	0.03	1.0	1.1	65	0.4	0.05	0.3	0.5
1990	45	1.1	0.17	0.8	1.5	0				
1991	43	1.2	0.18	0.8	1.6	1	0.2	0.15	0.0	1.0
1992	38	1.0	0.16	0.7	1.3	2	0.4	0.27	0.1	1.4
1993	31	0.8	0.14	0.5	1.1	2	0.3	0.24	0.0	1.3
1994	45	1.2	0.18	0.8	1.6	0				
1995	50	1.3	0.18	1.0	1.7	1	0.2	0.16	0.0	1.0
1996	42	1.1	0.17	0.8	1.5	1	0.2	0.20	0.0	1.0
1997	48	1.2	0.18	0.9	1.6	2	0.5	0.36	0.1	1.6
1998	48	1.2	0.18	0.9	1.6	1	0.2	0.16	0.0	0.9
1999	31	0.8	0.14	0.5	1.1	3	0.7	0.42	0.1	1.9
2000	39	0.9	0.15	0.7	1.3	4	0.8	0.43	0.2	2.0
2001	38	0.9	0.15	0.6	1.3	0				
2002	49	1.2	0.17	0.9	1.6	1	0.2	0.15	0.0	0.9
2003	44	1.1	0.16	0.8	1.4	3	0.4	0.25	0.1	1.3
2004	37	0.9	0.15	0.6	1.2	3	0.5	0.30	0.1	1.5
2005	45	1.1	0.16	0.8	1.5	1	0.2	0.24	0.0	1.1
2006	50	1.2	0.17	0.9	1.5	4	0.7	0.36	0.2	1.8
2007	46	1.1	0.17	0.8	1.5	3	0.4	0.24	0.1	1.2
2008	39	0.9	0.15	0.7	1.3	1	0.1	0.11	0.0	0.7
2009	47	1.1	0.16	0.8	1.4	3	0.6	0.38	0.1	1.8
2010	47	1.0	0.15	0.7	1.4	3	0.6	0.32	0.1	1.5
2011	52	1.1	0.15	0.8	1.4	1	0.1	0.10	0.0	0.7
2012	43	1.0	0.15	0.7	1.3	4	0.7	0.37	0.2	1.8
2013	41	0.9	0.14	0.7	1.2	0				
2014	45	1.0	0.15	0.7	1.3	3	0.5	0.26	0.1	1.3
2015	51	1.1	0.16	0.8	1.5	2	0.3	0.21	0.0	1.0
2016	51	1.1	0.15	0.8	1.4	4	0.5	0.27	0.1	1.4
2017	50	1.0	0.15	0.8	1.4	2	0.2	0.14	0.0	0.8
2018	46	0.9	0.14	0.7	1.3	1	0.2	0.21	0.0	0.9
2019	56	1.1	0.15	0.8	1.4	4	0.6	0.32	0.2	1.6
2020	46	0.8	0.13	0.6	1.1	3	0.5	0.27	0.1	1.3
2021	33	0.6	0.11	0.4	0.9	2	0.3	0.19	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ureter										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	36	0.3	0.06	0.2	0.5	991	0.4	0.01	0.4	0.5
1990	0					30	0.5	0.08	0.3	0.7
1991	3	2.5	1.52	0.5	6.8	28	0.4	0.08	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	30	0.5	0.08	0.3	0.7
1993	0					28	0.4	0.08	0.3	0.6
1994	0					32	0.5	0.09	0.3	0.7
1995	0					27	0.4	0.08	0.3	0.6
1996	1	0.9	0.86	0.0	3.6	25	0.4	0.08	0.2	0.6
1997	2	1.2	0.90	0.1	3.9	22	0.3	0.07	0.2	0.5
1998	1	0.4	0.36	0.0	2.0	29	0.4	0.08	0.3	0.6
1999	2	1.1	0.75	0.1	3.4	23	0.4	0.07	0.2	0.5
2000	0					35	0.5	0.08	0.3	0.7
2001	1	0.4	0.40	0.0	2.0	27	0.4	0.08	0.3	0.6
2002	2	0.7	0.47	0.1	2.3	29	0.4	0.08	0.3	0.6
2003	1	0.2	0.22	0.0	1.3	28	0.4	0.08	0.3	0.6
2004	0					28	0.4	0.08	0.3	0.6
2005	0					32	0.5	0.08	0.3	0.7
2006	1	0.4	0.38	0.0	1.7	39	0.6	0.09	0.4	0.8
2007	0					36	0.5	0.09	0.4	0.7
2008	1	0.2	0.24	0.0	1.2	36	0.5	0.08	0.4	0.7
2009	2	0.5	0.36	0.1	1.7	33	0.5	0.08	0.3	0.7
2010	0					37	0.5	0.09	0.4	0.7
2011	2	0.5	0.36	0.1	1.6	30	0.4	0.08	0.3	0.6
2012	2	0.5	0.38	0.1	1.7	34	0.5	0.08	0.3	0.7
2013	2	0.4	0.31	0.0	1.4	23	0.3	0.07	0.2	0.5
2014	2	0.3	0.25	0.0	1.2	48	0.6	0.09	0.5	0.9
2015	2	0.4	0.26	0.0	1.2	28	0.4	0.07	0.2	0.5
2016	1	0.1	0.12	0.0	0.7	30	0.4	0.07	0.3	0.6
2017	2	0.5	0.33	0.1	1.5	39	0.5	0.08	0.3	0.7
2018	1	0.1	0.10	0.0	0.6	30	0.4	0.07	0.3	0.6
2019	2	0.3	0.20	0.0	1.0	32	0.4	0.07	0.3	0.6
2020	2	0.3	0.22	0.0	1.0	21	0.3	0.05	0.2	0.4
2021	0					42	0.5	0.08	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ureter										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	911	0.5	0.02	0.4	0.5	51	0.2	0.03	0.1	0.2
1990	27	0.5	0.09	0.3	0.7	2	0.4	0.26	0.0	1.2
1991	27	0.5	0.09	0.3	0.7	1	0.2	0.18	0.0	0.9
1992	29	0.5	0.09	0.3	0.7	0				
1993	27	0.5	0.09	0.3	0.7	1	0.2	0.17	0.0	0.8
1994	31	0.5	0.10	0.4	0.8	1	0.2	0.17	0.0	0.8
1995	27	0.5	0.09	0.3	0.7	0				
1996	22	0.4	0.08	0.2	0.6	2	0.3	0.18	0.0	0.9
1997	22	0.4	0.09	0.3	0.6	0				
1998	27	0.4	0.08	0.3	0.6	0				
1999	21	0.4	0.08	0.2	0.6	2	0.2	0.16	0.0	0.8
2000	33	0.5	0.10	0.4	0.8	2	0.3	0.19	0.0	0.9
2001	27	0.5	0.09	0.3	0.7	0				
2002	27	0.4	0.08	0.3	0.6	2	0.2	0.17	0.0	0.8
2003	25	0.4	0.08	0.3	0.6	2	0.2	0.15	0.0	0.8
2004	25	0.4	0.09	0.3	0.6	3	0.4	0.22	0.1	1.1
2005	31	0.5	0.09	0.4	0.8	0				
2006	33	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3
2007	34	0.6	0.10	0.4	0.8	2	0.3	0.17	0.0	0.8
2008	36	0.6	0.10	0.4	0.8	0				
2009	30	0.5	0.09	0.3	0.7	2	0.2	0.16	0.0	0.8
2010	34	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8
2011	25	0.4	0.08	0.3	0.6	3	0.3	0.20	0.1	1.0
2012	33	0.5	0.10	0.4	0.8	0				
2013	21	0.3	0.08	0.2	0.5	2	0.2	0.14	0.0	0.7
2014	44	0.7	0.11	0.5	1.0	2	0.2	0.13	0.0	0.7
2015	23	0.3	0.07	0.2	0.5	3	0.3	0.19	0.1	0.9
2016	27	0.4	0.09	0.3	0.7	3	0.2	0.14	0.1	0.8
2017	33	0.5	0.09	0.3	0.7	4	0.4	0.19	0.1	1.0
2018	27	0.4	0.08	0.3	0.6	1	0.1	0.11	0.0	0.6
2019	28	0.4	0.09	0.3	0.7	2	0.2	0.13	0.0	0.7
2020	20	0.3	0.07	0.2	0.5	1	0.1	0.08	0.0	0.5
2021	35	0.5	0.09	0.3	0.7	2	0.2	0.10	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Eye and Orbit										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	236	0.6	0.05	0.5	0.7	3,027	0.8	0.01	0.8	0.8
1990	5	1.4	0.81	0.3	3.7	61	0.6	0.07	0.4	0.8
1991	7	0.8	0.37	0.2	2.1	65	0.6	0.08	0.5	0.8
1992	5	0.7	0.37	0.2	2.0	93	0.9	0.09	0.7	1.1
1993	2	0.2	0.17	0.0	1.2	76	0.7	0.08	0.5	0.9
1994	1	0.1	0.05	0.0	0.9	80	0.7	0.08	0.6	0.9
1995	7	0.5	0.22	0.2	1.4	89	0.8	0.09	0.7	1.0
1996	7	1.2	0.64	0.3	3.0	111	1.0	0.10	0.8	1.2
1997	2	0.4	0.39	0.0	1.8	79	0.7	0.08	0.6	0.9
1998	3	0.6	0.40	0.1	1.9	65	0.6	0.07	0.5	0.7
1999	3	0.3	0.25	0.0	1.3	91	0.8	0.09	0.7	1.0
2000	7	1.2	0.65	0.3	2.9	89	0.8	0.08	0.6	1.0
2001	9	0.6	0.27	0.2	1.5	96	0.9	0.09	0.7	1.0
2002	7	0.6	0.37	0.1	1.7	85	0.8	0.08	0.6	0.9
2003	11	1.3	0.51	0.5	2.7	116	1.0	0.09	0.8	1.2
2004	11	1.0	0.37	0.4	2.0	92	0.8	0.08	0.7	1.0
2005	8	0.8	0.31	0.3	1.7	114	1.0	0.09	0.8	1.2
2006	9	0.8	0.35	0.3	1.8	98	0.8	0.09	0.7	1.0
2007	10	0.7	0.31	0.3	1.6	112	1.0	0.09	0.8	1.2
2008	4	0.2	0.11	0.1	0.7	97	0.8	0.08	0.7	1.0
2009	10	0.6	0.24	0.3	1.3	135	1.1	0.10	1.0	1.4
2010	7	0.7	0.33	0.2	1.6	98	0.8	0.09	0.7	1.0
2011	13	0.7	0.24	0.4	1.4	103	0.9	0.09	0.7	1.1
2012	9	0.5	0.16	0.2	1.0	95	0.8	0.08	0.6	0.9
2013	12	0.8	0.26	0.3	1.4	106	0.9	0.08	0.7	1.0
2014	7	0.4	0.19	0.2	1.0	83	0.6	0.07	0.5	0.8
2015	6	0.4	0.18	0.1	0.9	105	0.8	0.08	0.7	1.0
2016	6	0.5	0.21	0.2	1.0	109	0.8	0.08	0.7	1.0
2017	12	0.7	0.21	0.3	1.3	90	0.7	0.08	0.6	0.9
2018	4	0.3	0.15	0.1	0.7	110	0.8	0.08	0.7	1.0
2019	15	0.8	0.23	0.4	1.4	103	0.8	0.08	0.6	1.0
2020	10	0.6	0.19	0.3	1.1	92	0.7	0.08	0.6	0.9
2021	7	0.4	0.16	0.1	0.8	89	0.7	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Eye and Orbit										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,802	0.9	0.02	0.9	0.9	137	0.2	0.02	0.2	0.3
1990	52	0.6	0.08	0.4	0.8	7	0.4	0.17	0.1	0.9
1991	58	0.6	0.08	0.5	0.8	2	0.1	0.07	0.0	0.4
1992	84	0.9	0.10	0.7	1.1	9	0.5	0.18	0.2	1.0
1993	69	0.7	0.09	0.6	0.9	4	0.2	0.10	0.1	0.5
1994	74	0.8	0.09	0.6	1.0	5	0.3	0.14	0.1	0.7
1995	82	0.9	0.10	0.7	1.1	5	0.2	0.10	0.1	0.6
1996	99	1.1	0.11	0.9	1.3	6	0.3	0.15	0.1	0.8
1997	75	0.8	0.10	0.7	1.0	3	0.2	0.09	0.0	0.5
1998	61	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.5
1999	87	0.9	0.10	0.8	1.2	4	0.2	0.10	0.1	0.6
2000	82	0.9	0.10	0.7	1.1	3	0.2	0.13	0.0	0.6
2001	85	0.9	0.10	0.7	1.1	7	0.4	0.14	0.1	0.8
2002	74	0.8	0.09	0.6	1.0	8	0.4	0.13	0.2	0.7
2003	113	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2004	88	0.9	0.10	0.7	1.2	3	0.1	0.08	0.0	0.4
2005	107	1.1	0.11	0.9	1.4	4	0.2	0.09	0.1	0.5
2006	95	1.0	0.10	0.8	1.2	1	0.1	0.05	0.0	0.3
2007	110	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2008	89	0.9	0.10	0.7	1.1	4	0.2	0.10	0.1	0.5
2009	127	1.3	0.12	1.1	1.6	8	0.4	0.15	0.2	0.9
2010	93	1.0	0.10	0.8	1.2	4	0.2	0.12	0.1	0.6
2011	92	1.0	0.10	0.8	1.2	6	0.3	0.13	0.1	0.7
2012	91	0.9	0.10	0.7	1.1	2	0.1	0.07	0.0	0.4
2013	96	1.0	0.10	0.8	1.2	5	0.3	0.13	0.1	0.7
2014	75	0.7	0.08	0.5	0.9	5	0.3	0.12	0.1	0.6
2015	100	1.0	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4
2016	99	1.0	0.10	0.8	1.2	2	0.1	0.09	0.0	0.4
2017	84	0.8	0.09	0.6	1.0	3	0.2	0.09	0.0	0.5
2018	104	1.0	0.10	0.8	1.2	5	0.3	0.11	0.1	0.6
2019	91	0.9	0.09	0.7	1.1	9	0.5	0.16	0.2	0.9
2020	85	0.8	0.10	0.7	1.1	3	0.2	0.09	0.0	0.5
2021	81	0.8	0.09	0.6	1.0	4	0.2	0.11	0.1	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Eye and Orbit										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	127	0.7	0.08	0.5	0.8	1,599	0.9	0.02	0.9	1.0
1990	3	1.9	1.40	0.2	6.4	32	0.7	0.12	0.5	1.0
1991	5	0.6	0.27	0.2	3.0	29	0.7	0.13	0.4	1.0
1992	1	0.5	0.52	0.0	3.3	49	1.0	0.15	0.8	1.4
1993	0					38	0.8	0.13	0.6	1.1
1994	0					41	0.9	0.14	0.6	1.2
1995	3	0.3	0.17	0.1	2.4	51	1.0	0.14	0.8	1.3
1996	5	2.5	1.66	0.4	7.2	60	1.3	0.16	1.0	1.6
1997	1	0.1	0.09	0.0	2.0	46	1.0	0.14	0.7	1.3
1998	1	0.3	0.33	0.0	2.3	31	0.6	0.11	0.4	0.9
1999	0					50	1.0	0.15	0.8	1.4
2000	4	1.5	1.28	0.1	5.3	52	1.1	0.15	0.8	1.4
2001	4	0.5	0.28	0.1	2.1	50	1.0	0.15	0.8	1.3
2002	4	1.2	0.88	0.1	3.9	54	1.1	0.15	0.8	1.4
2003	6	0.8	0.40	0.2	2.4	58	1.1	0.15	0.9	1.5
2004	4	0.8	0.47	0.1	2.5	46	0.9	0.14	0.7	1.2
2005	6	1.3	0.58	0.4	3.1	63	1.2	0.15	0.9	1.5
2006	6	1.0	0.56	0.2	2.7	47	0.9	0.13	0.6	1.2
2007	8	1.4	0.70	0.4	3.4	52	1.0	0.14	0.7	1.3
2008	4	0.4	0.20	0.1	1.4	53	1.0	0.14	0.8	1.3
2009	4	0.6	0.35	0.2	1.8	80	1.4	0.16	1.1	1.8
2010	5	0.9	0.51	0.2	2.4	49	0.9	0.13	0.7	1.2
2011	6	0.8	0.38	0.2	2.0	60	1.1	0.14	0.8	1.4
2012	3	0.3	0.18	0.1	1.1	51	0.9	0.13	0.7	1.2
2013	6	0.8	0.40	0.2	2.0	60	1.1	0.14	0.8	1.4
2014	4	0.4	0.20	0.1	1.2	45	0.7	0.11	0.5	1.0
2015	4	0.5	0.28	0.1	1.4	50	0.9	0.12	0.6	1.2
2016	4	0.7	0.38	0.2	1.8	54	0.9	0.12	0.7	1.2
2017	9	1.1	0.43	0.4	2.3	51	0.9	0.13	0.7	1.2
2018	2	0.2	0.15	0.0	0.9	49	0.7	0.11	0.5	1.0
2019	8	0.7	0.25	0.3	1.5	49	0.8	0.12	0.6	1.1
2020	5	0.5	0.24	0.2	1.3	49	0.8	0.12	0.6	1.1
2021	2	0.3	0.27	0.0	1.2	50	0.9	0.13	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Eye and Orbit										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,473	1.0	0.03	1.0	1.1	79	0.3	0.03	0.2	0.4
1990	28	0.7	0.14	0.5	1.0	4	0.3	0.17	0.1	1.1
1991	26	0.7	0.14	0.5	1.0	1	0.1	0.14	0.0	0.9
1992	43	1.1	0.16	0.8	1.4	6	0.5	0.23	0.2	1.4
1993	35	0.8	0.14	0.6	1.2	2	0.1	0.10	0.0	0.9
1994	39	1.0	0.16	0.7	1.3	2	0.3	0.19	0.0	1.1
1995	47	1.1	0.17	0.8	1.5	3	0.3	0.20	0.1	1.1
1996	51	1.3	0.18	0.9	1.7	5	0.7	0.34	0.2	1.8
1997	42	1.1	0.16	0.8	1.4	3	0.3	0.20	0.1	1.1
1998	30	0.7	0.13	0.5	1.0	0				
1999	50	1.2	0.17	0.9	1.6	0				
2000	47	1.1	0.16	0.8	1.5	3	0.6	0.40	0.1	1.8
2001	43	1.0	0.16	0.7	1.4	4	0.5	0.29	0.1	1.5
2002	47	1.1	0.16	0.8	1.5	5	0.4	0.20	0.1	1.2
2003	57	1.3	0.18	1.0	1.7	1	0.1	0.09	0.0	0.7
2004	44	1.0	0.16	0.8	1.4	1	0.1	0.09	0.0	0.7
2005	60	1.4	0.18	1.0	1.7	3	0.3	0.15	0.1	0.9
2006	46	1.0	0.15	0.7	1.4	1	0.1	0.09	0.0	0.7
2007	51	1.2	0.17	0.9	1.5	0				
2008	51	1.2	0.17	0.9	1.5	1	0.1	0.10	0.0	0.7
2009	74	1.6	0.19	1.3	2.1	6	0.7	0.29	0.2	1.6
2010	47	1.1	0.16	0.8	1.4	1	0.2	0.21	0.0	1.0
2011	55	1.2	0.17	0.9	1.6	2	0.2	0.17	0.0	0.9
2012	50	1.1	0.16	0.8	1.5	0				
2013	55	1.2	0.16	0.9	1.6	2	0.3	0.20	0.0	1.0
2014	40	0.8	0.13	0.5	1.1	3	0.3	0.20	0.1	1.1
2015	47	1.0	0.15	0.7	1.3	0				
2016	47	0.9	0.14	0.7	1.2	2	0.3	0.22	0.0	1.0
2017	49	1.1	0.16	0.8	1.4	2	0.2	0.15	0.0	0.8
2018	45	0.8	0.13	0.6	1.1	3	0.3	0.17	0.1	0.9
2019	42	0.9	0.14	0.6	1.2	6	0.6	0.26	0.2	1.4
2020	43	0.9	0.14	0.6	1.2	3	0.3	0.18	0.1	1.0
2021	42	0.9	0.14	0.6	1.2	4	0.5	0.22	0.1	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Eye and Orbit										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	109	0.6	0.06	0.4	0.7	1,428	0.7	0.02	0.7	0.7
1990	2	1.1	0.93	0.1	4.2	29	0.5	0.09	0.3	0.7
1991	2	1.0	0.67	0.1	3.4	36	0.6	0.10	0.4	0.9
1992	4	1.0	0.57	0.2	3.1	44	0.7	0.11	0.5	1.0
1993	2	0.4	0.35	0.0	2.2	38	0.6	0.11	0.5	0.9
1994	1	0.1	0.11	0.0	1.6	39	0.7	0.11	0.5	0.9
1995	4	0.7	0.40	0.1	2.4	38	0.6	0.10	0.4	0.9
1996	2	0.5	0.35	0.0	2.1	51	0.9	0.12	0.6	1.1
1997	1	0.7	0.66	0.0	2.9	33	0.5	0.09	0.4	0.8
1998	2	0.7	0.64	0.0	2.9	34	0.6	0.10	0.4	0.8
1999	3	0.6	0.46	0.1	2.3	41	0.7	0.11	0.5	1.0
2000	3	1.0	0.76	0.1	3.3	37	0.6	0.10	0.4	0.8
2001	5	0.7	0.43	0.1	2.3	46	0.8	0.11	0.6	1.0
2002	3	0.2	0.12	0.0	1.3	31	0.5	0.09	0.3	0.7
2003	5	1.7	0.84	0.5	4.0	58	0.9	0.12	0.7	1.2
2004	7	1.2	0.57	0.4	2.9	46	0.7	0.11	0.5	1.0
2005	2	0.4	0.28	0.0	1.5	51	0.8	0.12	0.6	1.1
2006	3	0.6	0.44	0.1	2.0	51	0.8	0.12	0.6	1.1
2007	2	0.1	0.10	0.0	0.9	60	1.0	0.13	0.7	1.2
2008	0					44	0.7	0.11	0.5	1.0
2009	6	0.6	0.32	0.2	1.7	55	0.9	0.12	0.7	1.2
2010	2	0.5	0.40	0.1	1.8	49	0.8	0.11	0.6	1.0
2011	7	0.7	0.30	0.3	1.7	43	0.7	0.11	0.5	0.9
2012	6	0.6	0.27	0.2	1.5	44	0.7	0.10	0.5	0.9
2013	6	0.8	0.34	0.3	1.8	46	0.7	0.11	0.5	1.0
2014	3	0.5	0.30	0.1	1.4	38	0.5	0.09	0.4	0.7
2015	2	0.3	0.22	0.0	1.1	55	0.8	0.12	0.6	1.1
2016	2	0.3	0.21	0.0	1.0	55	0.8	0.12	0.6	1.1
2017	3	0.3	0.19	0.1	1.0	39	0.5	0.09	0.4	0.7
2018	2	0.3	0.21	0.0	1.0	61	0.9	0.12	0.7	1.2
2019	7	0.8	0.35	0.3	1.8	54	0.8	0.11	0.6	1.0
2020	5	0.6	0.29	0.2	1.5	43	0.6	0.10	0.4	0.9
2021	5	0.5	0.21	0.2	1.1	39	0.6	0.09	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Eye and Orbit										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,329	0.8	0.02	0.8	0.9	58	0.2	0.02	0.1	0.2
1990	24	0.5	0.10	0.3	0.7	3	0.4	0.24	0.1	1.2
1991	32	0.6	0.12	0.4	0.9	1	0.1	0.09	0.0	0.6
1992	41	0.8	0.13	0.6	1.1	3	0.4	0.23	0.1	1.1
1993	34	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8
1994	35	0.7	0.12	0.5	1.0	3	0.4	0.21	0.1	1.0
1995	35	0.7	0.12	0.5	1.0	2	0.2	0.10	0.0	0.6
1996	48	1.0	0.14	0.7	1.3	1	0.1	0.07	0.0	0.5
1997	33	0.7	0.12	0.5	0.9	0				
1998	31	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8
1999	37	0.8	0.13	0.5	1.1	4	0.4	0.19	0.1	1.0
2000	35	0.7	0.12	0.5	1.0	0				
2001	42	0.8	0.13	0.6	1.2	3	0.3	0.15	0.1	0.8
2002	27	0.5	0.10	0.3	0.7	3	0.3	0.16	0.1	0.8
2003	56	1.1	0.14	0.8	1.4	0				
2004	44	0.9	0.14	0.6	1.2	2	0.2	0.13	0.0	0.7
2005	47	1.0	0.14	0.7	1.3	1	0.1	0.10	0.0	0.6
2006	49	1.0	0.14	0.7	1.3	0				
2007	59	1.2	0.16	0.9	1.5	1	0.1	0.09	0.0	0.6
2008	38	0.7	0.12	0.5	1.0	3	0.3	0.17	0.1	0.9
2009	53	1.1	0.15	0.8	1.4	2	0.2	0.14	0.0	0.7
2010	46	0.9	0.14	0.7	1.2	3	0.3	0.17	0.1	0.9
2011	37	0.7	0.13	0.5	1.0	4	0.4	0.19	0.1	1.0
2012	41	0.8	0.12	0.5	1.1	2	0.2	0.15	0.0	0.7
2013	41	0.8	0.12	0.5	1.1	3	0.3	0.18	0.1	0.9
2014	35	0.6	0.10	0.4	0.8	2	0.2	0.13	0.0	0.7
2015	53	1.0	0.15	0.8	1.4	2	0.2	0.15	0.0	0.7
2016	52	1.0	0.15	0.7	1.3	0				
2017	35	0.6	0.09	0.4	0.8	1	0.1	0.11	0.0	0.6
2018	59	1.1	0.15	0.8	1.4	2	0.2	0.15	0.0	0.8
2019	49	0.9	0.14	0.6	1.2	3	0.3	0.19	0.1	1.0
2020	42	0.8	0.14	0.6	1.1	0				
2021	39	0.7	0.13	0.5	1.0	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain and Other Nervous System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,009	5.2	0.14	4.9	5.5	24,244	6.6	0.04	6.5	6.7
1990	26	4.1	1.00	2.4	6.6	654	6.2	0.24	5.7	6.7
1991	34	5.1	1.03	3.3	7.6	693	6.5	0.25	6.0	7.0
1992	32	4.0	0.81	2.6	6.0	678	6.3	0.24	5.8	6.8
1993	32	4.8	1.03	3.0	7.3	684	6.3	0.24	5.9	6.8
1994	28	3.1	0.74	1.8	4.9	741	6.8	0.25	6.3	7.3
1995	36	3.8	0.73	2.6	5.7	689	6.3	0.24	5.9	6.8
1996	38	4.6	0.90	3.0	6.8	723	6.6	0.25	6.1	7.1
1997	50	5.7	1.03	3.8	8.0	747	6.8	0.25	6.3	7.3
1998	44	4.3	0.83	2.8	6.3	712	6.5	0.24	6.0	6.9
1999	49	5.5	0.99	3.7	7.8	742	6.7	0.24	6.2	7.2
2000	48	5.7	1.03	3.9	8.1	725	6.5	0.24	6.0	7.0
2001	63	6.7	1.13	4.7	9.2	731	6.5	0.24	6.1	7.0
2002	65	6.7	1.03	4.8	9.0	698	6.2	0.24	5.8	6.7
2003	59	6.5	1.09	4.5	9.0	744	6.6	0.24	6.1	7.1
2004	65	5.9	0.97	4.1	8.0	788	7.0	0.25	6.5	7.5
2005	56	4.7	0.82	3.2	6.5	756	6.7	0.24	6.2	7.1
2006	66	6.1	0.91	4.4	8.1	827	7.2	0.25	6.8	7.8
2007	75	6.0	0.84	4.5	7.9	760	6.6	0.24	6.2	7.1
2008	60	4.7	0.73	3.4	6.4	836	7.2	0.25	6.7	7.7
2009	79	5.8	0.79	4.4	7.5	766	6.5	0.24	6.1	7.0
2010	77	5.9	0.80	4.4	7.7	825	7.0	0.25	6.6	7.6
2011	79	5.2	0.70	4.0	6.8	837	7.1	0.25	6.6	7.6
2012	78	5.5	0.74	4.1	7.1	764	6.3	0.23	5.8	6.7
2013	64	4.2	0.61	3.1	5.6	785	6.6	0.24	6.1	7.1
2014	92	5.3	0.62	4.2	6.7	801	6.6	0.24	6.2	7.1
2015	79	5.0	0.63	3.8	6.4	829	6.8	0.24	6.3	7.3
2016	102	6.4	0.71	5.1	8.0	797	6.5	0.24	6.0	7.0
2017	87	5.1	0.59	4.0	6.4	797	6.5	0.24	6.0	7.0
2018	101	5.6	0.60	4.5	6.9	783	6.5	0.24	6.0	7.0
2019	90	4.8	0.55	3.8	6.0	771	6.2	0.23	5.8	6.7
2020	77	4.0	0.49	3.1	5.1	794	6.3	0.23	5.9	6.8
2021	78	4.2	0.51	3.3	5.3	767	6.2	0.24	5.8	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain and Other Nervous System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	21,393	7.2	0.05	7.1	7.3	2,140	3.9	0.09	3.7	4.1
1990	599	6.7	0.28	6.2	7.3	48	3.3	0.51	2.4	4.5
1991	637	7.1	0.29	6.6	7.7	46	3.2	0.49	2.3	4.3
1992	607	6.7	0.27	6.2	7.3	66	4.4	0.56	3.3	5.6
1993	613	6.8	0.28	6.2	7.3	58	3.9	0.53	2.9	5.0
1994	656	7.2	0.28	6.7	7.8	77	5.1	0.60	4.0	6.4
1995	632	7.0	0.28	6.5	7.6	51	3.4	0.49	2.5	4.5
1996	646	7.1	0.28	6.6	7.7	63	3.8	0.50	2.9	5.0
1997	673	7.4	0.29	6.9	8.0	53	3.2	0.46	2.4	4.3
1998	626	6.9	0.28	6.4	7.5	65	4.0	0.51	3.0	5.1
1999	654	7.1	0.28	6.6	7.7	68	4.2	0.53	3.2	5.4
2000	644	7.1	0.28	6.5	7.6	68	4.2	0.53	3.2	5.4
2001	661	7.2	0.28	6.7	7.8	51	3.3	0.47	2.4	4.3
2002	621	6.8	0.28	6.3	7.4	56	3.4	0.47	2.5	4.4
2003	668	7.3	0.28	6.7	7.9	58	3.6	0.48	2.7	4.7
2004	702	7.7	0.29	7.1	8.3	66	4.0	0.51	3.1	5.1
2005	664	7.2	0.28	6.7	7.8	71	4.2	0.51	3.2	5.3
2006	722	7.9	0.30	7.3	8.5	80	4.8	0.55	3.8	6.0
2007	661	7.2	0.29	6.7	7.8	69	4.0	0.49	3.1	5.1
2008	735	7.8	0.29	7.2	8.4	72	4.1	0.49	3.2	5.1
2009	673	7.2	0.28	6.6	7.8	66	3.8	0.48	2.9	4.9
2010	722	7.8	0.30	7.2	8.4	76	4.3	0.50	3.4	5.4
2011	725	7.7	0.30	7.2	8.3	87	4.9	0.53	3.9	6.0
2012	675	6.9	0.28	6.4	7.5	58	3.1	0.42	2.4	4.1
2013	704	7.5	0.30	7.0	8.1	59	3.3	0.44	2.5	4.3
2014	694	7.3	0.29	6.7	7.9	70	3.8	0.46	2.9	4.8
2015	723	7.6	0.30	7.1	8.2	76	4.0	0.47	3.2	5.1
2016	671	7.0	0.28	6.5	7.6	94	4.9	0.52	4.0	6.1
2017	701	7.3	0.29	6.7	7.9	70	3.8	0.47	3.0	4.9
2018	676	7.2	0.29	6.7	7.8	78	4.1	0.48	3.3	5.2
2019	656	6.8	0.28	6.3	7.4	84	4.4	0.49	3.5	5.4
2020	702	7.3	0.29	6.7	7.9	60	3.0	0.39	2.3	3.9
2021	650	6.8	0.29	6.3	7.4	76	3.9	0.46	3.0	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain and Other Nervous System										
Males										
Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,149	6.0	0.22	5.6	6.5	13,239	7.8	0.07	7.6	7.9
1990	15	3.2	1.19	1.3	6.9	360	7.5	0.40	6.7	8.3
1991	18	4.2	1.13	2.3	7.7	379	7.9	0.42	7.1	8.8
1992	18	4.5	1.17	2.5	8.0	370	7.7	0.41	6.9	8.5
1993	20	6.4	1.93	3.2	11.4	372	7.7	0.41	6.9	8.5
1994	15	3.6	1.39	1.4	7.5	418	8.6	0.43	7.8	9.5
1995	19	3.8	1.06	2.0	6.9	380	7.7	0.40	6.9	8.5
1996	21	4.6	1.24	2.5	8.0	396	7.9	0.40	7.1	8.7
1997	27	4.9	1.07	3.0	7.9	425	8.5	0.42	7.8	9.4
1998	30	6.0	1.54	3.4	9.9	387	7.7	0.39	6.9	8.5
1999	30	5.9	1.58	3.2	9.9	400	8.0	0.40	7.2	8.8
2000	23	6.2	1.60	3.5	10.1	380	7.4	0.38	6.7	8.2
2001	39	8.6	1.86	5.4	13.0	402	7.9	0.40	7.2	8.7
2002	35	7.2	1.67	4.3	11.2	348	6.8	0.37	6.1	7.5
2003	35	7.2	1.69	4.2	11.2	411	7.9	0.39	7.2	8.7
2004	34	6.7	1.48	4.1	10.2	407	7.9	0.40	7.2	8.8
2005	37	6.3	1.41	3.8	9.7	405	7.7	0.39	7.0	8.5
2006	32	6.6	1.47	4.0	10.0	457	8.7	0.41	7.9	9.6
2007	46	7.9	1.52	5.2	11.4	386	7.2	0.37	6.5	8.0
2008	34	5.6	1.17	3.5	8.4	434	8.1	0.39	7.3	8.9
2009	45	6.9	1.27	4.7	9.8	410	7.5	0.38	6.8	8.3
2010	44	6.7	1.28	4.4	9.7	450	8.3	0.40	7.5	9.1
2011	50	6.6	1.16	4.6	9.3	456	8.4	0.40	7.6	9.2
2012	40	5.4	1.06	3.5	7.9	430	7.5	0.37	6.8	8.3
2013	37	4.6	0.91	3.0	6.8	439	7.8	0.38	7.1	8.6
2014	51	6.0	0.97	4.2	8.2	420	7.5	0.37	6.7	8.2
2015	46	6.0	1.04	4.2	8.4	476	8.3	0.39	7.6	9.1
2016	58	7.6	1.15	5.5	10.2	429	7.3	0.36	6.6	8.1
2017	56	6.9	1.04	5.0	9.2	448	7.9	0.38	7.1	8.7
2018	59	6.7	0.97	5.0	8.9	424	7.4	0.37	6.7	8.1
2019	56	6.5	0.99	4.7	8.7	442	7.7	0.38	7.0	8.5
2020	40	4.1	0.72	2.8	5.8	459	7.8	0.38	7.1	8.6
2021	39	4.2	0.74	2.9	5.9	439	7.4	0.37	6.7	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain and Other Nervous System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	11,702	8.4	0.08	8.3	8.6	1,153	4.8	0.15	4.5	5.1
1990	329	8.1	0.45	7.2	9.0	29	4.4	0.87	2.8	6.4
1991	351	8.6	0.47	7.8	9.6	25	4.3	0.94	2.6	6.5
1992	335	8.2	0.46	7.4	9.2	32	4.7	0.87	3.1	6.7
1993	337	8.3	0.46	7.4	9.2	28	4.1	0.82	2.7	6.1
1994	373	9.1	0.48	8.2	10.1	42	6.6	1.09	4.6	9.0
1995	354	8.6	0.46	7.7	9.5	23	3.4	0.80	2.0	5.4
1996	359	8.6	0.45	7.7	9.5	27	3.2	0.65	2.1	4.8
1997	379	9.1	0.47	8.2	10.1	32	4.7	0.91	3.1	6.8
1998	336	8.1	0.44	7.2	9.0	39	4.9	0.84	3.4	6.9
1999	350	8.4	0.45	7.5	9.3	36	5.1	0.89	3.5	7.1
2000	337	8.0	0.43	7.1	8.9	36	5.2	0.97	3.5	7.5
2001	360	8.6	0.45	7.7	9.5	33	5.1	0.95	3.4	7.3
2002	312	7.4	0.42	6.6	8.3	26	4.1	0.89	2.5	6.2
2003	367	8.6	0.45	7.8	9.6	35	4.9	0.86	3.3	6.9
2004	365	8.7	0.46	7.8	9.6	31	4.2	0.81	2.7	6.0
2005	356	8.3	0.44	7.4	9.2	39	5.1	0.86	3.6	7.1
2006	406	9.5	0.48	8.6	10.5	38	5.4	0.94	3.7	7.5
2007	333	7.7	0.43	6.9	8.6	33	4.1	0.74	2.8	5.9
2008	379	8.7	0.45	7.8	9.6	38	4.6	0.77	3.2	6.4
2009	359	8.2	0.44	7.4	9.1	37	4.6	0.80	3.2	6.5
2010	401	9.2	0.47	8.3	10.1	36	4.8	0.83	3.3	6.7
2011	390	8.9	0.46	8.0	9.8	54	6.7	0.95	5.0	8.9
2012	381	8.3	0.44	7.4	9.2	31	3.6	0.66	2.4	5.2
2013	389	8.7	0.46	7.9	9.7	37	4.3	0.73	3.0	6.0
2014	375	8.3	0.44	7.5	9.2	33	4.1	0.74	2.8	5.9
2015	414	9.2	0.47	8.3	10.1	42	5.1	0.81	3.6	6.9
2016	368	7.9	0.43	7.1	8.8	47	5.6	0.84	4.1	7.5
2017	390	8.6	0.46	7.8	9.6	42	5.2	0.82	3.7	7.0
2018	362	8.0	0.44	7.2	8.9	48	5.5	0.83	4.0	7.4
2019	374	8.3	0.45	7.5	9.3	49	6.0	0.90	4.4	8.1
2020	409	8.9	0.46	8.0	9.8	31	3.4	0.63	2.3	4.9
2021	372	8.0	0.44	7.2	9.0	44	5.1	0.80	3.6	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain and Other Nervous System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	860	4.4	0.17	4.1	4.8	11,005	5.6	0.05	5.5	5.7
1990	11	4.9	1.57	2.3	9.0	294	5.1	0.30	4.6	5.8
1991	16	5.7	1.60	3.0	9.8	314	5.3	0.31	4.8	6.0
1992	14	3.3	1.04	1.6	6.3	308	5.2	0.30	4.6	5.8
1993	12	3.5	1.14	1.7	6.6	312	5.2	0.30	4.6	5.8
1994	13	2.8	0.88	1.4	5.3	323	5.4	0.30	4.8	6.0
1995	17	3.9	1.03	2.2	6.7	309	5.2	0.30	4.6	5.8
1996	17	4.6	1.28	2.4	7.8	327	5.5	0.31	4.9	6.2
1997	23	5.9	1.54	3.3	9.7	322	5.4	0.30	4.8	6.0
1998	14	2.7	0.85	1.3	5.1	325	5.4	0.30	4.9	6.1
1999	19	5.1	1.35	2.8	8.4	342	5.6	0.31	5.0	6.3
2000	25	5.3	1.31	3.0	8.5	345	5.7	0.31	5.1	6.4
2001	24	4.9	1.32	2.6	8.1	329	5.5	0.30	4.9	6.1
2002	30	6.2	1.34	3.9	9.4	350	5.8	0.31	5.2	6.4
2003	24	5.7	1.44	3.3	9.1	333	5.4	0.30	4.9	6.0
2004	31	5.0	1.19	2.9	7.9	381	6.3	0.33	5.6	6.9
2005	19	3.1	0.92	1.6	5.4	351	5.8	0.31	5.2	6.4
2006	34	5.7	1.17	3.7	8.4	370	6.0	0.32	5.4	6.7
2007	29	4.4	0.92	2.8	6.7	374	6.1	0.32	5.5	6.8
2008	26	3.9	0.91	2.4	6.1	402	6.4	0.33	5.8	7.1
2009	34	4.7	0.97	3.0	7.0	356	5.7	0.31	5.1	6.3
2010	33	5.2	1.03	3.3	7.5	375	6.0	0.32	5.4	6.6
2011	29	3.9	0.84	2.4	5.9	381	6.0	0.32	5.4	6.7
2012	38	5.4	1.01	3.6	7.7	334	5.2	0.30	4.7	5.9
2013	27	3.8	0.82	2.3	5.7	346	5.5	0.31	4.9	6.1
2014	41	4.7	0.79	3.2	6.5	381	6.0	0.32	5.4	6.6
2015	33	4.0	0.76	2.6	5.7	353	5.5	0.31	4.9	6.2
2016	44	5.4	0.87	3.8	7.3	368	5.8	0.32	5.2	6.5
2017	31	3.5	0.67	2.3	5.1	349	5.3	0.30	4.7	5.9
2018	42	4.6	0.74	3.2	6.3	359	5.8	0.32	5.1	6.4
2019	34	3.5	0.61	2.4	4.9	329	5.0	0.29	4.4	5.6
2020	37	4.0	0.68	2.7	5.5	335	5.0	0.29	4.4	5.6
2021	39	4.2	0.70	2.9	5.8	328	5.2	0.31	4.6	5.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain and Other Nervous System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,691	6.1	0.06	6.0	6.3	987	3.2	0.10	3.0	3.5
1990	270	5.6	0.35	5.0	6.4	19	2.4	0.57	1.4	3.8
1991	286	5.8	0.35	5.1	6.5	21	2.5	0.56	1.5	3.9
1992	272	5.5	0.34	4.8	6.2	34	4.0	0.71	2.8	5.7
1993	276	5.5	0.34	4.9	6.2	30	3.6	0.68	2.4	5.2
1994	283	5.6	0.34	4.9	6.3	35	4.0	0.70	2.8	5.6
1995	278	5.7	0.35	5.0	6.4	28	3.4	0.65	2.2	4.9
1996	287	5.9	0.36	5.2	6.7	36	4.1	0.70	2.9	5.7
1997	294	6.0	0.36	5.4	6.8	21	2.2	0.49	1.4	3.4
1998	290	6.0	0.36	5.3	6.7	26	3.1	0.61	2.0	4.5
1999	304	6.1	0.36	5.4	6.9	32	3.5	0.63	2.4	5.0
2000	307	6.3	0.37	5.6	7.1	32	3.5	0.63	2.4	5.0
2001	301	6.2	0.37	5.5	7.0	18	2.0	0.47	1.2	3.1
2002	309	6.3	0.37	5.6	7.1	30	3.2	0.58	2.1	4.5
2003	301	6.1	0.36	5.4	6.9	23	2.6	0.54	1.6	3.8
2004	337	6.9	0.39	6.2	7.7	35	3.8	0.65	2.6	5.3
2005	308	6.3	0.37	5.6	7.1	32	3.3	0.60	2.3	4.7
2006	316	6.5	0.37	5.8	7.3	42	4.4	0.69	3.2	6.0
2007	328	6.8	0.39	6.1	7.6	36	3.8	0.64	2.6	5.2
2008	356	7.1	0.39	6.4	7.9	34	3.5	0.61	2.4	4.9
2009	314	6.3	0.37	5.6	7.1	29	3.2	0.60	2.1	4.6
2010	321	6.5	0.38	5.8	7.3	40	4.0	0.63	2.8	5.4
2011	335	6.8	0.39	6.0	7.6	33	3.3	0.58	2.3	4.7
2012	294	5.8	0.36	5.2	6.6	27	2.7	0.53	1.8	3.9
2013	315	6.4	0.38	5.7	7.2	22	2.4	0.52	1.5	3.6
2014	319	6.4	0.38	5.7	7.2	37	3.5	0.59	2.5	4.9
2015	309	6.3	0.38	5.6	7.1	34	3.2	0.56	2.2	4.5
2016	303	6.3	0.38	5.5	7.1	47	4.6	0.68	3.3	6.1
2017	311	6.0	0.37	5.3	6.8	28	2.7	0.52	1.8	3.9
2018	314	6.6	0.40	5.8	7.4	30	3.0	0.55	2.0	4.3
2019	282	5.5	0.35	4.9	6.3	35	3.3	0.57	2.3	4.6
2020	293	5.8	0.36	5.1	6.5	29	2.5	0.48	1.7	3.7
2021	278	5.8	0.38	5.1	6.6	32	3.1	0.57	2.1	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,847	4.9	0.13	4.6	5.1	22,853	6.2	0.04	6.1	6.3
1990	24	3.8	0.97	2.2	6.3	602	5.7	0.23	5.2	6.2
1991	30	4.5	0.97	2.8	6.8	652	6.1	0.24	5.7	6.6
1992	28	3.4	0.75	2.1	5.4	648	6.0	0.24	5.6	6.5
1993	28	4.4	1.01	2.7	6.9	627	5.8	0.23	5.3	6.3
1994	25	2.7	0.69	1.5	4.5	703	6.5	0.25	6.0	7.0
1995	34	3.7	0.72	2.4	5.5	654	6.0	0.24	5.6	6.5
1996	35	4.3	0.87	2.8	6.4	673	6.1	0.24	5.7	6.6
1997	49	5.6	1.02	3.8	8.0	707	6.4	0.24	6.0	6.9
1998	39	4.0	0.82	2.6	6.0	667	6.0	0.23	5.6	6.5
1999	43	4.9	0.96	3.2	7.1	703	6.3	0.24	5.9	6.8
2000	45	5.5	1.02	3.7	7.8	686	6.2	0.23	5.7	6.6
2001	56	6.3	1.12	4.3	8.8	696	6.2	0.24	5.8	6.7
2002	61	6.5	1.03	4.6	8.8	666	5.9	0.23	5.5	6.4
2003	56	6.1	1.06	4.3	8.5	717	6.3	0.24	5.9	6.8
2004	63	5.8	0.97	4.0	7.9	735	6.5	0.24	6.0	7.0
2005	48	4.3	0.82	2.9	6.2	704	6.2	0.23	5.7	6.6
2006	63	5.8	0.90	4.2	7.8	785	6.9	0.25	6.4	7.4
2007	65	5.5	0.82	4.0	7.3	710	6.2	0.23	5.7	6.6
2008	56	4.6	0.72	3.2	6.2	787	6.7	0.24	6.3	7.2
2009	72	5.2	0.74	3.9	6.9	722	6.1	0.23	5.7	6.6
2010	70	5.4	0.77	4.0	7.1	788	6.7	0.24	6.2	7.2
2011	73	5.0	0.69	3.7	6.5	791	6.7	0.24	6.2	7.2
2012	72	4.9	0.69	3.7	6.4	718	5.9	0.22	5.4	6.3
2013	58	4.0	0.60	2.9	5.3	740	6.2	0.23	5.7	6.6
2014	83	4.9	0.60	3.8	6.2	751	6.2	0.23	5.8	6.7
2015	73	4.7	0.62	3.5	6.0	777	6.3	0.24	5.9	6.8
2016	93	6.0	0.68	4.7	7.5	748	6.0	0.23	5.6	6.5
2017	81	4.8	0.58	3.7	6.1	742	6.0	0.23	5.6	6.5
2018	94	5.3	0.59	4.2	6.6	736	6.0	0.23	5.6	6.5
2019	87	4.7	0.54	3.7	5.9	728	5.8	0.23	5.4	6.3
2020	72	3.8	0.48	2.9	4.9	757	6.0	0.23	5.6	6.5
2021	71	3.9	0.50	3.0	5.0	733	5.9	0.23	5.4	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	20,278	6.8	0.05	6.7	6.9	1,933	3.5	0.08	3.4	3.7
1990	555	6.2	0.27	5.7	6.8	40	2.8	0.48	2.0	3.9
1991	606	6.8	0.28	6.2	7.3	38	2.6	0.45	1.8	3.7
1992	583	6.4	0.27	5.9	7.0	61	4.0	0.54	3.1	5.3
1993	568	6.3	0.27	5.8	6.8	48	3.2	0.49	2.4	4.3
1994	625	6.9	0.28	6.3	7.4	70	4.6	0.57	3.5	5.8
1995	602	6.7	0.27	6.2	7.2	48	3.2	0.48	2.3	4.2
1996	611	6.7	0.27	6.2	7.3	54	3.2	0.46	2.4	4.2
1997	638	7.0	0.28	6.5	7.6	50	3.1	0.45	2.2	4.1
1998	591	6.5	0.27	6.0	7.1	57	3.4	0.47	2.6	4.5
1999	622	6.8	0.27	6.2	7.3	62	3.9	0.50	2.9	5.0
2000	614	6.7	0.27	6.2	7.3	59	3.7	0.50	2.8	4.8
2001	634	6.9	0.28	6.4	7.5	45	2.9	0.45	2.1	3.9
2002	597	6.6	0.27	6.0	7.1	50	3.0	0.44	2.2	4.0
2003	643	7.0	0.28	6.5	7.6	56	3.5	0.47	2.6	4.5
2004	653	7.1	0.28	6.6	7.7	62	3.7	0.49	2.8	4.8
2005	625	6.7	0.27	6.2	7.3	62	3.6	0.47	2.7	4.6
2006	692	7.5	0.29	7.0	8.1	73	4.3	0.52	3.4	5.4
2007	619	6.7	0.27	6.2	7.2	62	3.6	0.46	2.7	4.6
2008	694	7.3	0.28	6.8	7.9	65	3.7	0.46	2.8	4.7
2009	639	6.8	0.28	6.3	7.4	59	3.5	0.47	2.6	4.5
2010	693	7.4	0.29	6.8	8.0	72	4.0	0.49	3.1	5.1
2011	685	7.3	0.29	6.7	7.8	81	4.6	0.52	3.6	5.7
2012	637	6.5	0.27	6.0	7.0	53	2.9	0.41	2.2	3.8
2013	665	7.0	0.28	6.5	7.6	54	3.0	0.42	2.2	3.9
2014	653	6.8	0.28	6.3	7.4	64	3.4	0.44	2.6	4.4
2015	683	7.2	0.29	6.6	7.7	66	3.5	0.44	2.7	4.4
2016	636	6.6	0.27	6.0	7.1	81	4.3	0.48	3.4	5.3
2017	655	6.7	0.28	6.2	7.3	65	3.5	0.45	2.7	4.5
2018	638	6.8	0.28	6.2	7.3	73	3.9	0.47	3.0	4.9
2019	622	6.4	0.27	5.9	7.0	79	4.1	0.47	3.3	5.2
2020	673	6.9	0.28	6.4	7.5	54	2.7	0.37	2.0	3.5
2021	627	6.5	0.28	6.0	7.1	70	3.6	0.44	2.8	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,084	5.8	0.22	5.4	6.2	12,583	7.4	0.07	7.3	7.5
1990	14	3.0	1.18	1.2	6.8	335	7.0	0.39	6.2	7.8
1991	17	3.8	1.05	2.1	7.2	352	7.3	0.40	6.6	8.2
1992	16	3.9	1.08	2.1	7.2	355	7.4	0.40	6.6	8.2
1993	17	6.0	1.90	2.8	10.9	346	7.2	0.39	6.4	8.0
1994	15	3.6	1.39	1.4	7.5	406	8.4	0.42	7.6	9.2
1995	18	3.7	1.06	1.9	6.8	362	7.3	0.39	6.6	8.1
1996	20	4.5	1.24	2.4	7.9	373	7.4	0.39	6.7	8.2
1997	27	4.9	1.07	3.0	7.9	403	8.1	0.41	7.3	9.0
1998	26	5.6	1.52	3.0	9.5	364	7.2	0.38	6.5	8.0
1999	29	5.8	1.57	3.2	9.8	379	7.6	0.39	6.8	8.4
2000	22	6.1	1.60	3.4	10.1	364	7.1	0.38	6.4	7.9
2001	35	8.3	1.85	5.1	12.7	384	7.6	0.39	6.8	8.4
2002	35	7.2	1.67	4.3	11.2	329	6.4	0.36	5.7	7.1
2003	35	7.2	1.69	4.2	11.2	401	7.7	0.39	7.0	8.5
2004	34	6.7	1.48	4.1	10.2	386	7.5	0.39	6.8	8.3
2005	35	6.1	1.41	3.7	9.5	380	7.2	0.37	6.5	8.0
2006	32	6.6	1.47	4.0	10.0	440	8.4	0.40	7.6	9.2
2007	40	7.5	1.51	4.8	11.0	366	6.8	0.36	6.1	7.5
2008	33	5.5	1.17	3.5	8.3	416	7.8	0.39	7.0	8.5
2009	42	6.3	1.21	4.2	9.1	386	7.1	0.37	6.4	7.9
2010	42	6.5	1.27	4.3	9.5	439	8.1	0.39	7.3	8.9
2011	46	6.3	1.15	4.3	8.9	440	8.0	0.39	7.3	8.9
2012	38	5.2	1.06	3.4	7.7	407	7.1	0.36	6.4	7.9
2013	34	4.4	0.91	2.8	6.6	415	7.3	0.37	6.6	8.1
2014	49	5.8	0.96	4.0	8.0	402	7.1	0.36	6.4	7.8
2015	43	5.7	1.02	3.9	8.0	447	7.8	0.38	7.1	8.6
2016	55	7.1	1.10	5.1	9.6	401	6.8	0.35	6.1	7.5
2017	53	6.6	1.03	4.7	8.9	421	7.4	0.37	6.7	8.2
2018	55	6.4	0.96	4.7	8.6	399	6.9	0.36	6.2	7.6
2019	55	6.4	0.98	4.6	8.6	422	7.3	0.37	6.6	8.1
2020	36	3.8	0.70	2.6	5.4	439	7.5	0.37	6.8	8.3
2021	36	4.0	0.72	2.7	5.6	424	7.2	0.36	6.5	7.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain										
Males										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	11,185	8.0	0.08	7.9	8.2	1,051	4.4	0.14	4.1	4.7
1990	308	7.5	0.44	6.7	8.4	25	3.8	0.82	2.3	5.8
1991	328	8.0	0.45	7.2	9.0	21	3.8	0.90	2.2	5.9
1992	324	7.9	0.45	7.1	8.9	29	4.3	0.84	2.8	6.3
1993	316	7.8	0.44	6.9	8.7	24	3.6	0.77	2.2	5.5
1994	363	8.9	0.47	8.0	9.9	40	6.2	1.06	4.3	8.6
1995	338	8.2	0.45	7.3	9.1	22	3.3	0.79	1.9	5.2
1996	344	8.2	0.44	7.3	9.1	24	2.9	0.62	1.8	4.5
1997	361	8.7	0.46	7.8	9.6	30	4.5	0.90	2.9	6.6
1998	315	7.6	0.43	6.8	8.5	38	4.8	0.84	3.3	6.8
1999	334	8.0	0.44	7.2	8.9	32	4.6	0.85	3.1	6.6
2000	324	7.7	0.43	6.8	8.5	33	4.8	0.93	3.1	6.9
2001	346	8.2	0.44	7.4	9.2	30	4.7	0.92	3.1	6.8
2002	298	7.1	0.41	6.3	7.9	23	3.5	0.80	2.1	5.4
2003	359	8.5	0.45	7.6	9.4	33	4.5	0.82	3.1	6.5
2004	346	8.2	0.44	7.4	9.1	29	3.9	0.78	2.5	5.7
2005	337	7.8	0.43	7.0	8.7	35	4.6	0.81	3.1	6.5
2006	393	9.2	0.47	8.3	10.2	36	5.1	0.92	3.4	7.2
2007	316	7.2	0.41	6.4	8.1	30	3.7	0.70	2.5	5.4
2008	365	8.3	0.44	7.5	9.2	34	4.2	0.74	2.8	5.9
2009	340	7.7	0.43	6.9	8.6	33	4.2	0.76	2.8	6.0
2010	392	8.9	0.46	8.1	9.9	34	4.5	0.81	3.1	6.4
2011	376	8.5	0.45	7.6	9.4	52	6.5	0.94	4.8	8.6
2012	365	7.9	0.43	7.1	8.8	27	3.2	0.63	2.1	4.7
2013	367	8.2	0.44	7.3	9.1	36	4.2	0.71	2.9	5.8
2014	361	7.9	0.43	7.1	8.8	30	3.6	0.68	2.4	5.2
2015	391	8.6	0.45	7.7	9.6	37	4.5	0.77	3.1	6.3
2016	350	7.5	0.42	6.7	8.3	38	4.6	0.78	3.2	6.4
2017	369	8.2	0.44	7.3	9.1	38	4.7	0.78	3.3	6.5
2018	343	7.5	0.43	6.7	8.4	45	5.2	0.80	3.8	7.1
2019	359	8.0	0.44	7.1	8.9	46	5.7	0.88	4.1	7.7
2020	393	8.6	0.45	7.7	9.5	28	3.1	0.60	2.0	4.5
2021	364	7.8	0.43	7.0	8.7	39	4.6	0.76	3.2	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	763	4.0	0.16	3.7	4.3	10,270	5.2	0.05	5.1	5.3
1990	10	4.4	1.51	2.0	8.4	267	4.7	0.29	4.1	5.3
1991	13	4.8	1.49	2.3	8.7	300	5.1	0.30	4.5	5.7
1992	12	2.8	0.97	1.3	5.6	293	4.9	0.29	4.4	5.6
1993	11	3.2	1.11	1.5	6.3	281	4.7	0.28	4.1	5.3
1994	10	2.0	0.71	0.9	4.2	297	4.9	0.29	4.4	5.5
1995	16	3.7	1.01	2.0	6.4	292	4.9	0.29	4.3	5.5
1996	15	4.1	1.21	2.0	7.2	300	5.0	0.29	4.5	5.7
1997	22	5.8	1.53	3.2	9.6	304	5.1	0.29	4.5	5.7
1998	13	2.6	0.84	1.2	5.0	303	5.1	0.29	4.5	5.7
1999	14	4.0	1.24	1.9	7.1	324	5.3	0.30	4.8	6.0
2000	23	5.0	1.29	2.8	8.1	322	5.3	0.30	4.8	6.0
2001	21	4.4	1.29	2.3	7.6	312	5.2	0.29	4.6	5.8
2002	26	5.8	1.33	3.5	9.0	337	5.6	0.31	5.0	6.2
2003	21	5.1	1.35	2.8	8.3	316	5.1	0.29	4.6	5.7
2004	29	4.8	1.19	2.8	7.7	349	5.7	0.31	5.1	6.4
2005	13	2.6	0.90	1.2	4.9	324	5.3	0.30	4.7	5.9
2006	31	5.2	1.12	3.3	7.9	345	5.6	0.31	5.0	6.2
2007	25	3.8	0.86	2.3	5.9	344	5.6	0.31	5.0	6.2
2008	23	3.6	0.89	2.1	5.8	371	5.9	0.31	5.3	6.5
2009	30	4.1	0.91	2.6	6.3	336	5.4	0.30	4.8	6.0
2010	28	4.4	0.95	2.7	6.6	349	5.5	0.30	4.9	6.1
2011	27	3.7	0.83	2.3	5.7	351	5.5	0.30	4.9	6.1
2012	34	4.6	0.91	3.0	6.7	311	4.9	0.28	4.3	5.4
2013	24	3.5	0.79	2.1	5.3	325	5.1	0.29	4.6	5.7
2014	34	4.0	0.75	2.7	5.7	349	5.5	0.30	4.9	6.1
2015	30	3.7	0.74	2.4	5.4	330	5.1	0.29	4.5	5.7
2016	38	4.9	0.84	3.4	6.8	347	5.4	0.31	4.8	6.1
2017	28	3.2	0.65	2.1	4.7	321	4.8	0.28	4.2	5.3
2018	39	4.3	0.72	3.0	5.9	337	5.3	0.31	4.8	6.0
2019	32	3.3	0.60	2.2	4.7	306	4.6	0.28	4.0	5.1
2020	36	3.9	0.68	2.7	5.4	318	4.7	0.28	4.1	5.2
2021	35	3.8	0.68	2.6	5.4	309	4.8	0.29	4.2	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Brain										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,093	5.7	0.06	5.6	5.8	882	2.9	0.10	2.7	3.1
1990	247	5.2	0.34	4.5	5.9	15	2.0	0.54	1.1	3.3
1991	278	5.6	0.34	4.9	6.3	17	1.9	0.49	1.1	3.2
1992	259	5.2	0.33	4.6	5.9	32	3.8	0.69	2.6	5.4
1993	252	5.0	0.32	4.4	5.7	24	2.9	0.61	1.9	4.4
1994	262	5.2	0.33	4.6	5.9	30	3.4	0.63	2.3	4.9
1995	264	5.4	0.34	4.7	6.1	26	3.1	0.62	2.0	4.6
1996	267	5.5	0.34	4.8	6.2	30	3.3	0.62	2.2	4.8
1997	277	5.7	0.35	5.0	6.4	20	2.1	0.48	1.3	3.3
1998	276	5.7	0.35	5.0	6.4	19	2.2	0.51	1.3	3.5
1999	288	5.8	0.35	5.1	6.5	30	3.3	0.61	2.2	4.7
2000	290	6.0	0.36	5.3	6.7	26	2.9	0.58	1.9	4.3
2001	288	5.9	0.35	5.2	6.7	15	1.7	0.44	0.9	2.8
2002	299	6.1	0.36	5.4	6.9	27	2.9	0.56	1.9	4.2
2003	284	5.7	0.35	5.1	6.4	23	2.6	0.54	1.6	3.8
2004	307	6.3	0.37	5.6	7.0	33	3.6	0.63	2.5	5.0
2005	288	5.9	0.35	5.2	6.6	27	2.8	0.54	1.8	4.1
2006	299	6.1	0.36	5.4	6.8	37	3.8	0.63	2.7	5.3
2007	303	6.2	0.37	5.5	7.0	32	3.4	0.60	2.3	4.7
2008	329	6.5	0.37	5.8	7.3	31	3.2	0.58	2.2	4.6
2009	299	6.0	0.36	5.3	6.8	26	2.9	0.57	1.9	4.2
2010	301	6.0	0.36	5.3	6.7	38	3.7	0.61	2.6	5.2
2011	309	6.2	0.37	5.5	7.0	29	2.9	0.55	2.0	4.2
2012	272	5.3	0.34	4.7	6.0	26	2.6	0.52	1.7	3.9
2013	298	6.0	0.37	5.3	6.8	18	2.0	0.47	1.2	3.1
2014	292	5.9	0.36	5.2	6.6	34	3.2	0.56	2.2	4.5
2015	292	5.9	0.36	5.2	6.6	29	2.7	0.51	1.8	3.9
2016	286	5.8	0.37	5.1	6.6	43	4.1	0.64	3.0	5.6
2017	286	5.4	0.34	4.8	6.1	27	2.6	0.51	1.7	3.8
2018	295	6.1	0.38	5.4	6.9	28	2.8	0.53	1.8	4.0
2019	263	5.0	0.33	4.4	5.7	33	3.1	0.55	2.1	4.4
2020	280	5.3	0.34	4.7	6.1	26	2.3	0.45	1.5	3.3
2021	263	5.3	0.35	4.6	6.0	31	3.0	0.56	2.0	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Endocrine System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,767	11.3	0.18	11.0	11.7	40,892	11.3	0.06	11.2	11.4
1990	26	4.3	1.07	2.5	7.0	576	5.5	0.23	5.0	6.0
1991	30	4.1	0.84	2.6	6.2	537	5.1	0.22	4.7	5.5
1992	29	3.8	0.88	2.3	6.0	602	5.7	0.23	5.2	6.1
1993	42	6.2	1.15	4.1	8.9	630	5.9	0.24	5.4	6.4
1994	46	4.9	0.80	3.4	6.8	621	5.7	0.23	5.3	6.2
1995	42	6.4	1.23	4.2	9.2	694	6.4	0.24	5.9	6.9
1996	52	5.8	0.95	4.1	8.1	744	6.8	0.25	6.3	7.3
1997	49	5.1	0.87	3.6	7.2	784	7.1	0.26	6.7	7.7
1998	72	6.6	0.85	5.0	8.6	776	7.0	0.25	6.6	7.6
1999	76	7.1	0.98	5.3	9.3	872	7.9	0.27	7.4	8.4
2000	57	5.1	0.77	3.7	6.9	885	8.0	0.27	7.5	8.5
2001	85	7.2	0.90	5.6	9.3	940	8.4	0.28	7.9	9.0
2002	81	6.9	0.87	5.3	8.8	1,124	10.1	0.30	9.5	10.7
2003	110	8.7	1.00	6.8	10.9	1,114	9.9	0.30	9.3	10.5
2004	122	9.2	0.99	7.4	11.4	1,250	11.2	0.32	10.6	11.8
2005	133	10.1	1.04	8.1	12.3	1,259	11.1	0.32	10.5	11.8
2006	132	9.0	0.89	7.4	11.0	1,423	12.6	0.34	11.9	13.2
2007	154	10.9	1.01	9.0	13.1	1,506	13.3	0.35	12.6	14.0
2008	162	11.3	1.03	9.4	13.5	1,597	14.0	0.35	13.3	14.7
2009	185	12.4	1.04	10.4	14.6	1,684	14.7	0.36	14.0	15.4
2010	207	13.3	1.03	11.4	15.5	1,673	14.6	0.36	13.9	15.3
2011	217	14.3	1.08	12.3	16.6	1,774	15.2	0.37	14.5	15.9
2012	213	12.3	0.91	10.6	14.2	1,938	16.6	0.39	15.9	17.4
2013	256	14.5	0.97	12.6	16.5	1,934	16.6	0.39	15.8	17.4
2014	255	14.8	1.02	12.9	17.0	1,924	16.4	0.39	15.7	17.2
2015	287	16.7	1.06	14.7	18.9	2,012	17.1	0.40	16.4	17.9
2016	287	15.4	0.97	13.5	17.4	1,853	15.9	0.38	15.1	16.6
2017	264	14.7	0.97	12.9	16.7	1,664	14.1	0.36	13.4	14.8
2018	257	13.7	0.90	11.9	15.5	1,681	14.2	0.36	13.5	14.9
2019	287	15.3	0.96	13.4	17.2	1,686	14.4	0.37	13.7	15.2
2020	240	12.2	0.84	10.7	14.0	1,426	12.3	0.34	11.7	13.0
2021	312	14.9	0.87	13.2	16.7	1,709	14.8	0.37	14.0	15.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Endocrine System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	34,347	11.9	0.07	11.8	12.1	3,811	7.1	0.12	6.8	7.3
1990	508	5.8	0.26	5.3	6.3	51	3.7	0.54	2.7	4.9
1991	473	5.4	0.25	4.9	5.9	42	3.0	0.49	2.2	4.2
1992	536	6.0	0.26	5.5	6.6	47	3.2	0.48	2.4	4.3
1993	552	6.2	0.27	5.7	6.8	48	3.5	0.52	2.5	4.6
1994	537	6.0	0.26	5.5	6.6	57	4.0	0.54	3.0	5.2
1995	598	6.7	0.28	6.2	7.3	60	4.0	0.53	3.0	5.2
1996	647	7.2	0.28	6.6	7.8	67	4.4	0.54	3.4	5.5
1997	661	7.3	0.29	6.8	7.9	81	5.6	0.64	4.4	7.0
1998	648	7.2	0.28	6.7	7.8	80	5.2	0.60	4.1	6.5
1999	757	8.5	0.31	7.9	9.1	63	3.8	0.48	2.9	4.9
2000	759	8.5	0.31	7.9	9.1	73	4.5	0.54	3.5	5.7
2001	798	8.9	0.32	8.3	9.5	96	6.0	0.62	4.9	7.4
2002	971	10.8	0.35	10.2	11.5	99	6.1	0.62	5.0	7.5
2003	956	10.7	0.35	10.0	11.4	100	6.0	0.60	4.8	7.3
2004	1,082	12.2	0.37	11.5	13.0	99	5.8	0.59	4.7	7.1
2005	1,067	11.9	0.37	11.2	12.6	104	6.3	0.63	5.1	7.6
2006	1,205	13.4	0.39	12.6	14.2	126	7.3	0.66	6.1	8.7
2007	1,279	14.2	0.41	13.5	15.1	129	7.5	0.67	6.3	9.0
2008	1,357	15.1	0.42	14.3	15.9	141	8.0	0.68	6.7	9.4
2009	1,447	16.1	0.44	15.3	17.0	153	8.8	0.72	7.4	10.3
2010	1,399	15.6	0.43	14.8	16.5	166	9.1	0.72	7.8	10.7
2011	1,492	16.3	0.44	15.4	17.1	167	9.2	0.72	7.8	10.7
2012	1,621	17.9	0.46	17.0	18.8	173	9.5	0.74	8.1	11.1
2013	1,611	17.9	0.46	17.0	18.8	182	9.7	0.74	8.3	11.3
2014	1,587	17.6	0.46	16.7	18.5	191	10.3	0.76	8.9	11.9
2015	1,686	18.7	0.48	17.8	19.6	182	10.0	0.76	8.5	11.6
2016	1,503	16.8	0.45	15.9	17.7	195	10.6	0.78	9.1	12.3
2017	1,323	14.6	0.42	13.8	15.4	182	9.5	0.73	8.2	11.1
2018	1,394	15.5	0.44	14.7	16.4	149	7.8	0.65	6.6	9.2
2019	1,386	15.5	0.44	14.7	16.4	152	7.9	0.66	6.7	9.3
2020	1,168	13.4	0.41	12.6	14.2	141	7.3	0.63	6.1	8.6
2021	1,339	15.3	0.44	14.4	16.2	215	11.6	0.81	10.0	13.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Endocrine System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,042	5.3	0.19	4.9	5.6	11,286	6.5	0.06	6.4	6.7
1990	3	0.6	0.35	0.1	3.2	169	3.5	0.28	3.0	4.1
1991	8	2.4	1.09	0.7	5.9	149	3.1	0.26	2.6	3.7
1992	8	1.8	0.75	0.7	4.7	177	3.6	0.28	3.1	4.2
1993	10	4.5	1.92	1.6	9.7	184	3.7	0.28	3.2	4.3
1994	12	1.9	0.63	0.9	4.4	178	3.6	0.27	3.1	4.2
1995	11	4.8	1.85	1.9	9.6	180	3.6	0.27	3.1	4.1
1996	15	3.7	1.31	1.6	7.4	206	4.1	0.29	3.5	4.7
1997	15	4.0	1.37	1.8	7.7	214	4.3	0.29	3.7	4.9
1998	15	3.5	0.99	1.8	6.3	240	4.7	0.31	4.1	5.4
1999	18	3.1	0.85	1.6	5.6	237	4.6	0.30	4.0	5.2
2000	16	2.6	0.77	1.3	4.9	212	4.1	0.28	3.6	4.7
2001	19	3.1	0.79	1.7	5.3	274	5.3	0.32	4.7	5.9
2002	19	2.7	0.70	1.5	4.8	287	5.5	0.33	4.9	6.2
2003	20	3.0	0.78	1.7	5.1	270	5.1	0.32	4.5	5.8
2004	19	2.5	0.64	1.4	4.4	342	6.4	0.35	5.8	7.2
2005	27	4.8	1.34	2.5	8.1	341	6.4	0.35	5.7	7.1
2006	28	3.8	0.85	2.3	6.0	377	7.0	0.37	6.3	7.8
2007	29	4.6	1.03	2.8	7.1	400	7.4	0.38	6.7	8.2
2008	32	5.2	1.11	3.3	7.9	400	7.2	0.36	6.5	7.9
2009	37	5.9	1.18	3.8	8.7	405	7.2	0.37	6.5	8.0
2010	39	5.6	1.07	3.7	8.1	462	8.4	0.40	7.6	9.2
2011	43	5.9	1.04	4.1	8.3	479	8.5	0.40	7.8	9.3
2012	46	4.7	0.71	3.4	6.4	509	8.9	0.41	8.2	9.8
2013	51	5.9	0.96	4.1	8.1	544	9.4	0.41	8.6	10.3
2014	52	6.1	0.92	4.5	8.2	543	9.3	0.41	8.5	10.2
2015	66	8.9	1.26	6.6	11.7	543	9.4	0.41	8.6	10.2
2016	67	7.8	1.06	5.8	10.2	538	9.4	0.42	8.6	10.3
2017	55	6.4	0.96	4.7	8.6	516	8.8	0.40	8.0	9.6
2018	66	6.9	0.93	5.2	9.0	477	8.1	0.38	7.3	8.9
2019	62	6.9	0.97	5.1	9.1	478	8.3	0.39	7.5	9.1
2020	54	6.1	0.91	4.4	8.1	436	7.5	0.37	6.8	8.2
2021	80	7.3	0.85	5.7	9.2	519	9.2	0.42	8.4	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Endocrine System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,691	6.9	0.07	6.7	7.0	913	3.9	0.13	3.7	4.2
1990	148	3.6	0.30	3.1	4.3	16	3.0	0.85	1.6	5.1
1991	132	3.3	0.29	2.7	3.9	10	1.4	0.46	0.7	2.7
1992	155	3.8	0.31	3.2	4.4	15	2.4	0.64	1.3	4.0
1993	170	4.1	0.32	3.5	4.8	11	1.7	0.56	0.8	3.2
1994	149	3.6	0.29	3.0	4.2	21	4.1	0.95	2.5	6.4
1995	161	3.8	0.30	3.3	4.5	13	1.8	0.53	0.9	3.2
1996	178	4.2	0.32	3.6	4.9	21	3.2	0.72	2.0	5.0
1997	183	4.3	0.32	3.7	5.0	20	3.3	0.78	1.9	5.2
1998	198	4.7	0.33	4.1	5.4	24	3.5	0.72	2.2	5.3
1999	210	5.0	0.34	4.3	5.7	16	2.2	0.57	1.2	3.6
2000	190	4.5	0.33	3.9	5.2	10	1.3	0.42	0.6	2.5
2001	235	5.5	0.36	4.8	6.2	27	4.2	0.84	2.7	6.2
2002	251	5.9	0.37	5.2	6.7	19	2.7	0.64	1.6	4.3
2003	232	5.4	0.36	4.7	6.2	23	3.2	0.69	2.0	4.9
2004	306	7.1	0.41	6.3	7.9	19	2.5	0.59	1.5	4.0
2005	301	6.9	0.40	6.1	7.7	24	3.4	0.71	2.1	5.1
2006	321	7.3	0.41	6.5	8.2	31	4.0	0.73	2.7	5.7
2007	346	7.9	0.43	7.1	8.8	29	4.3	0.84	2.8	6.2
2008	352	7.8	0.42	7.0	8.7	31	3.9	0.73	2.6	5.6
2009	352	7.8	0.42	7.0	8.6	32	4.1	0.74	2.7	5.8
2010	401	9.1	0.46	8.2	10.0	35	4.3	0.76	3.0	6.1
2011	413	9.1	0.46	8.2	10.0	37	4.7	0.80	3.2	6.5
2012	442	9.7	0.47	8.8	10.6	39	5.2	0.87	3.6	7.2
2013	472	10.3	0.49	9.3	11.3	36	4.3	0.73	3.0	6.0
2014	467	10.1	0.48	9.2	11.1	44	5.2	0.82	3.8	7.1
2015	455	9.9	0.48	9.0	10.9	51	6.4	0.92	4.7	8.4
2016	440	9.7	0.48	8.8	10.7	52	6.4	0.93	4.8	8.5
2017	432	9.3	0.47	8.4	10.3	41	5.1	0.82	3.6	6.9
2018	417	9.0	0.46	8.1	10.0	24	2.9	0.61	1.8	4.4
2019	413	9.1	0.47	8.2	10.0	33	3.9	0.71	2.7	5.6
2020	363	8.0	0.44	7.2	8.9	41	4.8	0.76	3.4	6.5
2021	406	9.2	0.48	8.3	10.2	68	8.2	1.02	6.3	10.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Endocrine System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,725	17.7	0.31	17.1	18.4	29,606	15.8	0.09	15.7	16.0
1990	23	7.7	1.93	4.4	12.5	407	7.3	0.37	6.6	8.0
1991	22	6.2	1.41	3.7	9.8	388	7.0	0.36	6.3	7.7
1992	21	5.8	1.47	3.2	9.5	425	7.5	0.37	6.8	8.3
1993	32	8.5	1.68	5.6	12.6	446	7.9	0.38	7.2	8.7
1994	34	8.1	1.50	5.4	11.7	443	7.8	0.37	7.1	8.6
1995	31	8.3	1.75	5.2	12.5	514	9.0	0.40	8.2	9.8
1996	37	8.3	1.51	5.6	11.9	538	9.3	0.40	8.5	10.2
1997	34	6.6	1.26	4.4	9.7	570	9.8	0.41	9.0	10.6
1998	57	10.2	1.46	7.6	13.7	536	9.3	0.40	8.5	10.1
1999	58	11.3	1.70	8.2	15.2	635	11.0	0.44	10.2	11.9
2000	41	7.7	1.33	5.4	10.9	673	11.6	0.45	10.7	12.5
2001	66	11.7	1.61	8.7	15.3	666	11.5	0.45	10.6	12.4
2002	62	11.1	1.57	8.3	14.7	837	14.4	0.50	13.4	15.4
2003	90	14.5	1.77	11.3	18.5	844	14.4	0.50	13.5	15.5
2004	103	16.0	1.80	12.6	19.9	908	15.7	0.53	14.7	16.8
2005	106	15.8	1.70	12.6	19.6	918	15.7	0.52	14.7	16.7
2006	104	14.5	1.57	11.6	17.9	1,046	17.8	0.56	16.7	18.9
2007	125	17.5	1.74	14.3	21.3	1,106	18.8	0.57	17.7	19.9
2008	130	17.7	1.72	14.5	21.4	1,197	20.3	0.60	19.2	21.5
2009	148	19.2	1.73	16.0	22.9	1,279	21.8	0.62	20.6	23.0
2010	168	21.5	1.77	18.2	25.3	1,211	20.6	0.61	19.4	21.8
2011	174	22.8	1.87	19.2	26.7	1,295	21.5	0.62	20.3	22.8
2012	167	20.1	1.65	17.0	23.6	1,429	24.0	0.65	22.8	25.3
2013	205	23.6	1.73	20.3	27.2	1,390	23.5	0.65	22.2	24.8
2014	203	23.6	1.78	20.3	27.4	1,381	23.4	0.65	22.1	24.7
2015	221	25.2	1.76	21.9	28.9	1,469	24.7	0.67	23.4	26.0
2016	220	23.5	1.66	20.4	27.0	1,315	22.2	0.64	21.0	23.5
2017	209	23.2	1.68	20.0	26.8	1,148	19.3	0.59	18.1	20.5
2018	191	20.7	1.56	17.8	24.0	1,204	20.2	0.61	19.1	21.5
2019	225	24.0	1.66	20.9	27.5	1,208	20.5	0.62	19.3	21.8
2020	186	18.9	1.43	16.2	21.9	990	17.1	0.57	16.0	18.3
2021	232	22.9	1.54	20.0	26.1	1,190	20.3	0.62	19.1	21.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Endocrine System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	24,656	16.9	0.11	16.7	17.2	2,898	9.6	0.18	9.2	9.9
1990	360	7.8	0.42	7.0	8.7	35	4.4	0.75	3.0	6.1
1991	341	7.5	0.41	6.7	8.3	32	4.2	0.77	2.8	6.0
1992	381	8.2	0.43	7.4	9.1	32	3.9	0.70	2.7	5.5
1993	382	8.3	0.43	7.4	9.1	37	4.8	0.80	3.4	6.6
1994	388	8.4	0.43	7.6	9.3	36	4.2	0.70	2.9	5.8
1995	437	9.5	0.46	8.6	10.5	47	5.6	0.83	4.1	7.5
1996	469	10.1	0.47	9.2	11.1	46	5.2	0.78	3.8	7.0
1997	478	10.2	0.47	9.3	11.1	61	7.5	0.97	5.7	9.6
1998	450	9.8	0.47	8.9	10.8	56	6.4	0.87	4.8	8.3
1999	547	12.0	0.52	11.0	13.0	47	5.1	0.74	3.7	6.7
2000	569	12.4	0.52	11.4	13.4	63	6.9	0.88	5.3	8.9
2001	563	12.3	0.52	11.3	13.4	69	7.5	0.91	5.8	9.5
2002	720	15.7	0.59	14.6	16.9	80	8.7	0.98	6.9	10.9
2003	724	15.8	0.59	14.6	17.0	77	8.2	0.94	6.4	10.2
2004	776	17.3	0.63	16.1	18.5	80	8.5	0.95	6.7	10.5
2005	766	16.8	0.62	15.6	18.0	80	8.6	0.97	6.8	10.7
2006	884	19.3	0.66	18.0	20.7	95	9.8	1.01	7.9	12.0
2007	933	20.4	0.68	19.1	21.8	100	10.3	1.04	8.4	12.6
2008	1,005	22.1	0.72	20.8	23.6	110	11.2	1.08	9.2	13.5
2009	1,095	24.4	0.76	22.9	25.9	121	12.4	1.13	10.2	14.8
2010	998	22.2	0.73	20.8	23.6	131	13.1	1.16	10.9	15.6
2011	1,079	23.4	0.74	21.9	24.9	130	12.9	1.15	10.7	15.3
2012	1,179	26.0	0.79	24.5	27.6	134	13.2	1.15	11.0	15.6
2013	1,139	25.5	0.79	24.0	27.1	146	14.1	1.19	11.9	16.6
2014	1,120	25.2	0.79	23.7	26.8	147	14.5	1.22	12.2	17.1
2015	1,231	27.5	0.83	25.9	29.2	131	13.0	1.16	10.8	15.5
2016	1,063	23.9	0.77	22.4	25.5	143	14.2	1.21	11.9	16.8
2017	891	20.0	0.71	18.6	21.4	141	13.4	1.16	11.2	15.9
2018	977	22.2	0.75	20.7	23.7	125	11.8	1.09	9.8	14.2
2019	973	22.2	0.75	20.7	23.7	119	11.2	1.06	9.2	13.5
2020	805	18.8	0.70	17.4	20.2	100	9.3	0.96	7.5	11.4
2021	933	21.6	0.75	20.1	23.1	147	14.4	1.23	12.1	17.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Thyroid										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,477	10.7	0.18	10.3	11.0	38,067	10.5	0.05	10.4	10.6
1990	24	3.8	0.99	2.1	6.3	513	4.9	0.22	4.5	5.3
1991	26	3.8	0.83	2.3	5.9	482	4.6	0.21	4.2	5.0
1992	26	3.5	0.85	2.0	5.6	515	4.8	0.22	4.4	5.3
1993	36	4.9	0.96	3.2	7.3	559	5.2	0.22	4.8	5.7
1994	38	4.4	0.78	3.0	6.3	566	5.2	0.22	4.8	5.7
1995	37	5.6	1.15	3.6	8.3	617	5.7	0.23	5.2	6.1
1996	46	5.2	0.90	3.5	7.3	672	6.1	0.24	5.7	6.6
1997	42	4.5	0.82	3.0	6.5	717	6.5	0.24	6.1	7.0
1998	67	5.9	0.80	4.5	7.8	715	6.5	0.24	6.0	7.0
1999	70	6.6	0.96	4.9	8.8	796	7.2	0.26	6.7	7.7
2000	54	4.7	0.74	3.4	6.5	820	7.4	0.26	6.9	7.9
2001	77	6.7	0.87	5.1	8.7	852	7.6	0.26	7.1	8.2
2002	73	6.4	0.85	4.8	8.3	1,038	9.3	0.29	8.7	9.9
2003	97	7.5	0.92	5.8	9.6	1,030	9.2	0.29	8.6	9.8
2004	113	8.6	0.97	6.8	10.7	1,143	10.2	0.30	9.6	10.8
2005	127	9.7	1.02	7.8	11.9	1,176	10.4	0.31	9.8	11.0
2006	128	8.7	0.87	7.1	10.6	1,314	11.6	0.32	11.0	12.2
2007	143	10.2	0.98	8.4	12.3	1,415	12.5	0.33	11.8	13.1
2008	155	10.9	1.02	9.0	13.1	1,506	13.2	0.34	12.5	13.9
2009	176	11.9	1.03	10.0	14.1	1,599	14.0	0.36	13.3	14.7
2010	194	12.6	1.00	10.7	14.7	1,585	13.8	0.35	13.1	14.5
2011	208	13.9	1.07	11.8	16.1	1,680	14.4	0.36	13.7	15.1
2012	202	11.8	0.89	10.1	13.7	1,847	15.9	0.38	15.1	16.6
2013	241	13.6	0.94	11.8	15.6	1,864	16.0	0.38	15.2	16.7
2014	244	14.2	1.00	12.4	16.3	1,839	15.7	0.38	15.0	16.5
2015	275	16.0	1.03	14.0	18.2	1,915	16.3	0.39	15.5	17.1
2016	276	14.9	0.96	13.1	16.9	1,749	15.0	0.37	14.3	15.7
2017	248	13.8	0.94	12.0	15.7	1,559	13.2	0.35	12.5	13.9
2018	247	13.2	0.89	11.5	15.0	1,541	13.0	0.35	12.4	13.7
2019	276	14.8	0.95	13.0	16.7	1,595	13.6	0.36	13.0	14.4
2020	225	11.5	0.81	9.9	13.2	1,304	11.3	0.33	10.7	12.0
2021	286	13.6	0.83	12.1	15.4	1,544	13.4	0.36	12.7	14.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Thyroid										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	32,223	11.2	0.06	11.1	11.3	3,267	6.1	0.11	5.9	6.3
1990	459	5.2	0.25	4.8	5.8	39	2.9	0.49	2.0	4.0
1991	429	4.9	0.24	4.4	5.3	33	2.5	0.46	1.7	3.6
1992	461	5.2	0.24	4.7	5.7	38	2.7	0.44	1.9	3.7
1993	493	5.6	0.25	5.1	6.1	39	2.7	0.45	1.9	3.8
1994	493	5.5	0.25	5.0	6.0	49	3.4	0.50	2.5	4.6
1995	533	6.0	0.26	5.5	6.5	52	3.6	0.50	2.6	4.7
1996	592	6.6	0.27	6.1	7.1	53	3.4	0.48	2.6	4.5
1997	614	6.8	0.28	6.3	7.4	63	4.5	0.58	3.5	5.8
1998	604	6.7	0.27	6.2	7.3	67	4.4	0.55	3.4	5.6
1999	697	7.8	0.30	7.3	8.4	50	3.0	0.43	2.2	4.0
2000	708	7.9	0.30	7.3	8.5	65	4.1	0.52	3.1	5.2
2001	729	8.1	0.30	7.5	8.7	83	5.2	0.58	4.1	6.5
2002	901	10.0	0.34	9.4	10.7	86	5.3	0.58	4.2	6.6
2003	887	9.9	0.33	9.3	10.6	88	5.3	0.57	4.2	6.6
2004	996	11.2	0.36	10.5	11.9	81	4.8	0.53	3.8	5.9
2005	1,001	11.1	0.36	10.4	11.9	88	5.3	0.58	4.3	6.6
2006	1,123	12.5	0.38	11.8	13.3	101	5.9	0.60	4.8	7.2
2007	1,218	13.6	0.40	12.8	14.4	112	6.6	0.63	5.4	8.0
2008	1,284	14.3	0.41	13.5	15.1	129	7.4	0.66	6.2	8.8
2009	1,387	15.5	0.43	14.7	16.4	132	7.5	0.66	6.3	8.9
2010	1,337	14.9	0.42	14.1	15.7	144	8.0	0.68	6.7	9.4
2011	1,424	15.5	0.43	14.7	16.4	144	7.9	0.67	6.7	9.4
2012	1,550	17.1	0.45	16.2	18.0	158	8.7	0.70	7.4	10.2
2013	1,565	17.4	0.46	16.5	18.3	163	8.7	0.70	7.4	10.2
2014	1,520	16.8	0.45	16.0	17.7	178	9.7	0.74	8.3	11.2
2015	1,616	17.9	0.47	17.0	18.8	163	9.0	0.72	7.6	10.5
2016	1,431	16.0	0.44	15.1	16.9	172	9.4	0.73	8.0	11.0
2017	1,252	13.8	0.41	13.0	14.6	158	8.3	0.68	7.1	9.8
2018	1,293	14.4	0.42	13.6	15.2	119	6.2	0.59	5.1	7.5
2019	1,312	14.7	0.43	13.9	15.6	141	7.4	0.64	6.2	8.7
2020	1,082	12.4	0.40	11.6	13.2	113	5.9	0.57	4.8	7.1
2021	1,232	14.1	0.42	13.3	15.0	166	9.1	0.72	7.7	10.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Thyroid										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	881	4.7	0.18	4.3	5.0	9,814	5.7	0.06	5.5	5.8
1990	3	0.6	0.35	0.1	3.2	136	2.9	0.25	2.4	3.4
1991	6	2.1	1.07	0.5	5.7	118	2.5	0.23	2.0	3.0
1992	5	1.2	0.61	0.3	3.9	133	2.7	0.24	2.3	3.3
1993	7	3.1	1.48	0.9	7.4	143	2.9	0.24	2.4	3.4
1994	5	1.2	0.56	0.3	3.6	146	2.9	0.25	2.5	3.5
1995	8	3.9	1.72	1.3	8.5	143	2.8	0.24	2.4	3.4
1996	11	3.1	1.26	1.2	6.7	167	3.3	0.26	2.8	3.9
1997	11	3.4	1.30	1.3	7.0	182	3.6	0.27	3.1	4.2
1998	10	2.2	0.77	1.0	4.7	209	4.1	0.29	3.6	4.7
1999	15	2.8	0.84	1.4	5.3	204	3.9	0.28	3.4	4.5
2000	14	2.2	0.73	1.0	4.5	182	3.5	0.26	3.0	4.1
2001	13	2.3	0.69	1.1	4.4	225	4.3	0.29	3.8	4.9
2002	14	2.3	0.68	1.2	4.4	239	4.5	0.29	4.0	5.2
2003	13	2.1	0.70	1.0	4.1	232	4.4	0.29	3.9	5.0
2004	15	2.1	0.57	1.1	3.8	290	5.4	0.32	4.8	6.1
2005	24	4.6	1.33	2.3	7.8	292	5.4	0.32	4.8	6.1
2006	25	3.4	0.82	2.0	5.6	310	5.7	0.33	5.1	6.4
2007	23	3.7	0.92	2.1	6.0	354	6.6	0.35	5.9	7.3
2008	29	4.9	1.10	3.0	7.6	357	6.4	0.34	5.7	7.1
2009	32	5.5	1.17	3.5	8.3	370	6.6	0.35	6.0	7.4
2010	33	5.2	1.06	3.3	7.6	417	7.5	0.38	6.8	8.3
2011	37	5.4	1.02	3.6	7.8	425	7.5	0.37	6.8	8.3
2012	40	4.2	0.69	3.0	5.9	462	8.1	0.39	7.3	8.9
2013	41	5.1	0.92	3.4	7.2	499	8.7	0.40	7.9	9.5
2014	49	5.9	0.90	4.2	8.0	496	8.5	0.39	7.8	9.3
2015	56	7.8	1.18	5.6	10.4	489	8.4	0.39	7.6	9.2
2016	60	7.2	1.04	5.3	9.5	482	8.4	0.39	7.6	9.2
2017	51	6.1	0.95	4.4	8.2	460	7.8	0.38	7.1	8.6
2018	59	6.3	0.90	4.7	8.3	417	7.0	0.35	6.3	7.7
2019	56	6.4	0.94	4.7	8.5	434	7.4	0.37	6.7	8.2
2020	48	5.4	0.86	3.9	7.4	369	6.3	0.34	5.7	7.0
2021	68	6.2	0.78	4.8	8.0	432	7.6	0.38	6.9	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Thyroid										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	8,590	6.1	0.07	5.9	6.2	629	2.8	0.11	2.6	3.0
1990	122	3.0	0.28	2.5	3.6	10	2.2	0.77	1.0	4.2
1991	107	2.6	0.26	2.1	3.2	6	1.0	0.42	0.4	2.3
1992	119	2.9	0.27	2.4	3.5	10	1.7	0.55	0.8	3.2
1993	135	3.2	0.28	2.7	3.8	6	0.9	0.36	0.3	2.0
1994	123	2.9	0.27	2.4	3.5	17	3.4	0.86	1.9	5.4
1995	131	3.1	0.27	2.6	3.7	9	1.3	0.47	0.6	2.6
1996	149	3.5	0.29	3.0	4.1	14	2.2	0.61	1.2	3.8
1997	160	3.8	0.30	3.2	4.4	12	2.1	0.67	1.0	3.8
1998	176	4.2	0.31	3.6	4.8	18	2.6	0.63	1.6	4.2
1999	183	4.3	0.32	3.7	5.0	11	1.6	0.48	0.8	2.9
2000	167	3.9	0.30	3.3	4.5	8	1.1	0.40	0.5	2.2
2001	199	4.6	0.33	4.0	5.3	17	2.7	0.68	1.5	4.4
2002	212	4.9	0.34	4.3	5.6	11	1.5	0.45	0.7	2.7
2003	198	4.6	0.33	4.0	5.3	19	2.7	0.65	1.6	4.3
2004	260	6.0	0.37	5.3	6.7	13	1.7	0.50	0.9	3.0
2005	262	5.9	0.37	5.2	6.7	14	2.0	0.56	1.1	3.4
2006	270	6.1	0.38	5.4	6.9	17	2.3	0.58	1.3	3.8
2007	317	7.3	0.41	6.5	8.1	20	3.2	0.76	1.9	5.0
2008	321	7.1	0.40	6.3	7.9	23	3.0	0.67	1.9	4.6
2009	328	7.3	0.41	6.5	8.1	23	2.9	0.62	1.8	4.4
2010	367	8.2	0.44	7.4	9.1	24	3.1	0.67	2.0	4.7
2011	378	8.2	0.43	7.4	9.1	20	2.6	0.59	1.6	4.0
2012	407	8.8	0.45	8.0	9.8	28	3.7	0.72	2.4	5.4
2013	439	9.5	0.47	8.6	10.5	27	3.4	0.67	2.2	5.0
2014	431	9.3	0.46	8.4	10.2	35	4.3	0.75	2.9	6.0
2015	416	9.0	0.46	8.1	9.9	39	4.8	0.79	3.4	6.6
2016	405	8.9	0.46	8.0	9.8	39	4.9	0.81	3.4	6.7
2017	396	8.5	0.45	7.7	9.5	28	3.5	0.70	2.3	5.2
2018	370	7.8	0.43	7.0	8.7	14	1.8	0.49	1.0	3.0
2019	376	8.2	0.44	7.3	9.1	28	3.2	0.63	2.1	4.7
2020	315	6.9	0.41	6.2	7.8	28	3.3	0.64	2.2	4.8
2021	351	7.9	0.44	7.1	8.8	41	5.1	0.82	3.6	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Thyroid										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,596	17.1	0.31	16.5	17.7	28,253	15.1	0.09	15.0	15.3
1990	21	6.9	1.78	3.8	11.3	377	6.8	0.35	6.1	7.5
1991	20	5.8	1.39	3.4	9.4	364	6.6	0.35	5.9	7.3
1992	21	5.8	1.47	3.2	9.5	382	6.8	0.35	6.1	7.5
1993	29	7.4	1.49	4.7	11.0	416	7.3	0.36	6.7	8.1
1994	33	7.9	1.50	5.3	11.6	420	7.4	0.37	6.7	8.2
1995	29	7.7	1.66	4.8	11.7	474	8.3	0.38	7.5	9.0
1996	35	7.6	1.43	5.1	11.1	505	8.8	0.39	8.0	9.6
1997	31	6.0	1.19	3.9	9.0	535	9.2	0.40	8.4	10.0
1998	57	10.2	1.46	7.6	13.7	506	8.8	0.39	8.0	9.6
1999	55	10.6	1.66	7.6	14.5	592	10.3	0.43	9.5	11.2
2000	40	7.4	1.29	5.1	10.5	638	11.0	0.44	10.1	11.9
2001	64	11.4	1.59	8.5	15.0	627	10.8	0.43	10.0	11.7
2002	59	10.6	1.54	7.8	14.1	799	13.7	0.49	12.7	14.7
2003	84	13.2	1.64	10.2	16.9	798	13.7	0.49	12.7	14.7
2004	98	15.2	1.76	12.0	19.1	853	14.8	0.51	13.8	15.8
2005	103	15.3	1.67	12.2	19.0	884	15.1	0.51	14.1	16.2
2006	103	14.2	1.54	11.4	17.6	1,004	17.1	0.55	16.0	18.2
2007	120	17.0	1.71	13.8	20.7	1,061	18.0	0.56	16.9	19.2
2008	126	17.2	1.70	14.0	20.9	1,149	19.6	0.59	18.4	20.8
2009	144	18.8	1.71	15.6	22.5	1,229	21.0	0.61	19.8	22.2
2010	161	20.5	1.72	17.3	24.2	1,168	19.9	0.60	18.7	21.1
2011	171	22.4	1.86	19.0	26.4	1,255	20.9	0.61	19.7	22.1
2012	162	19.5	1.62	16.4	22.9	1,385	23.4	0.65	22.1	24.7
2013	200	22.7	1.68	19.6	26.3	1,365	23.0	0.64	21.8	24.3
2014	195	22.7	1.74	19.4	26.4	1,343	22.7	0.64	21.5	24.0
2015	219	25.0	1.75	21.6	28.6	1,426	24.0	0.66	22.7	25.3
2016	216	23.2	1.65	20.0	26.6	1,267	21.5	0.63	20.3	22.8
2017	197	21.8	1.62	18.7	25.2	1,099	18.5	0.58	17.4	19.7
2018	188	20.4	1.54	17.5	23.6	1,124	19.0	0.59	17.8	20.2
2019	220	23.5	1.65	20.4	27.0	1,161	19.8	0.61	18.6	21.0
2020	177	18.0	1.40	15.3	20.9	935	16.2	0.55	15.1	17.3
2021	218	21.5	1.49	18.7	24.6	1,112	19.1	0.60	17.9	20.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Thyroid										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	23,633	16.3	0.11	16.0	16.5	2,638	8.7	0.17	8.4	9.1
1990	337	7.3	0.41	6.6	8.2	29	3.7	0.70	2.4	5.3
1991	322	7.0	0.40	6.3	7.9	27	3.6	0.72	2.3	5.3
1992	342	7.3	0.40	6.6	8.2	28	3.4	0.65	2.3	4.9
1993	358	7.7	0.41	6.9	8.6	33	4.2	0.74	2.9	5.9
1994	370	8.1	0.42	7.2	8.9	32	3.7	0.66	2.5	5.2
1995	402	8.7	0.44	7.9	9.6	43	5.2	0.80	3.7	7.0
1996	443	9.6	0.46	8.7	10.5	39	4.4	0.72	3.1	6.1
1997	454	9.6	0.46	8.8	10.6	51	6.4	0.90	4.7	8.4
1998	428	9.4	0.46	8.5	10.3	49	5.7	0.82	4.2	7.5
1999	514	11.4	0.50	10.4	12.4	39	4.2	0.67	3.0	5.7
2000	541	11.8	0.51	10.8	12.8	57	6.3	0.84	4.8	8.2
2001	530	11.6	0.51	10.6	12.6	66	7.2	0.89	5.6	9.2
2002	689	15.0	0.58	13.9	16.2	75	8.2	0.95	6.4	10.3
2003	689	15.1	0.58	13.9	16.2	69	7.4	0.89	5.7	9.3
2004	736	16.4	0.61	15.2	17.6	68	7.2	0.87	5.6	9.1
2005	739	16.2	0.61	15.0	17.4	74	7.9	0.93	6.2	10.0
2006	853	18.7	0.65	17.4	20.0	84	8.7	0.95	6.9	10.7
2007	901	19.7	0.67	18.4	21.1	92	9.6	1.01	7.7	11.8
2008	963	21.3	0.71	20.0	22.7	106	10.9	1.06	8.9	13.2
2009	1,059	23.6	0.75	22.2	25.1	109	11.1	1.08	9.1	13.4
2010	970	21.5	0.72	20.2	23.0	120	12.0	1.11	9.9	14.4
2011	1,046	22.7	0.73	21.3	24.2	124	12.3	1.12	10.2	14.7
2012	1,143	25.3	0.78	23.8	26.9	130	12.8	1.14	10.6	15.2
2013	1,126	25.2	0.79	23.7	26.8	136	13.0	1.14	10.9	15.5
2014	1,089	24.5	0.78	23.0	26.0	143	14.1	1.20	11.8	16.7
2015	1,200	26.8	0.82	25.3	28.5	124	12.4	1.14	10.2	14.8
2016	1,026	23.2	0.76	21.7	24.8	133	13.3	1.18	11.0	15.8
2017	856	19.2	0.69	17.9	20.6	130	12.4	1.12	10.3	14.8
2018	923	21.1	0.73	19.6	22.5	105	9.9	1.00	8.1	12.1
2019	936	21.4	0.74	20.0	22.9	113	10.7	1.04	8.8	13.0
2020	767	17.9	0.68	16.6	19.3	85	8.0	0.90	6.4	10.0
2021	881	20.5	0.73	19.1	22.0	125	12.4	1.14	10.2	14.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lymphoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	6,370	20.8	0.30	20.2	21.3	84,897	22.3	0.08	22.1	22.4
1990	77	13.3	1.89	9.9	17.5	1,992	18.9	0.43	18.1	19.8
1991	69	14.2	2.12	10.3	18.9	1,988	18.6	0.42	17.8	19.5
1992	98	19.0	2.37	14.6	24.2	2,160	20.1	0.43	19.2	20.9
1993	100	18.2	2.30	14.0	23.3	2,208	20.3	0.43	19.5	21.2
1994	118	19.3	2.24	15.2	24.1	2,318	21.2	0.44	20.3	22.1
1995	122	22.8	2.64	17.9	28.5	2,400	21.8	0.45	20.9	22.7
1996	115	19.0	2.24	14.8	23.8	2,515	22.8	0.45	21.9	23.7
1997	99	15.2	1.88	11.7	19.2	2,464	22.1	0.45	21.3	23.0
1998	128	19.8	2.09	15.9	24.2	2,497	22.3	0.45	21.4	23.2
1999	161	23.3	2.32	19.0	28.2	2,570	22.8	0.45	21.9	23.7
2000	125	17.9	2.01	14.2	22.2	2,591	22.9	0.45	22.1	23.8
2001	133	19.5	2.06	15.6	23.8	2,597	22.8	0.45	21.9	23.7
2002	172	23.4	2.19	19.3	28.1	2,599	22.7	0.45	21.8	23.6
2003	171	20.6	1.93	17.0	24.7	2,635	22.9	0.45	22.0	23.7
2004	184	22.6	2.08	18.7	27.0	2,796	24.1	0.46	23.2	25.1
2005	186	21.3	1.90	17.7	25.3	2,739	23.5	0.45	22.6	24.4
2006	189	18.5	1.56	15.5	21.8	2,694	23.0	0.45	22.2	23.9
2007	211	22.7	1.86	19.2	26.6	2,714	22.9	0.44	22.1	23.8
2008	242	24.5	1.88	20.9	28.4	2,800	23.3	0.45	22.5	24.2
2009	230	22.7	1.75	19.4	26.4	2,789	23.1	0.44	22.2	24.0
2010	222	21.4	1.65	18.3	24.9	2,900	23.8	0.45	22.9	24.7
2011	221	19.7	1.52	16.8	22.8	2,827	22.8	0.44	22.0	23.7
2012	224	19.3	1.46	16.6	22.4	2,780	22.4	0.43	21.6	23.3
2013	268	21.0	1.45	18.3	24.0	2,820	22.2	0.43	21.4	23.1
2014	292	23.0	1.51	20.1	26.1	2,955	23.0	0.43	22.1	23.8
2015	285	21.9	1.44	19.2	24.9	3,001	23.3	0.44	22.4	24.1
2016	300	21.5	1.37	18.9	24.3	2,932	22.7	0.43	21.8	23.5
2017	313	22.3	1.38	19.7	25.2	2,981	22.8	0.43	22.0	23.6
2018	310	20.2	1.24	17.8	22.7	2,904	21.9	0.42	21.1	22.8
2019	354	22.3	1.27	19.8	24.9	3,020	22.2	0.42	21.4	23.1
2020	277	16.6	1.08	14.6	18.8	2,762	20.6	0.41	19.8	21.4
2021	374	22.1	1.23	19.8	24.7	2,949	22.0	0.42	21.2	22.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lymphoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	73,761	23.4	0.09	23.2	23.5	8,443	16.1	0.18	15.8	16.5
1990	1,800	19.9	0.47	19.0	20.8	169	12.8	1.02	10.8	14.9
1991	1,813	19.8	0.47	18.8	20.7	141	10.5	0.92	8.8	12.5
1992	1,970	21.3	0.49	20.4	22.3	168	12.5	1.00	10.6	14.6
1993	1,989	21.4	0.48	20.4	22.3	192	13.3	1.00	11.4	15.4
1994	2,056	22.0	0.49	21.0	22.9	226	15.7	1.08	13.7	18.0
1995	2,125	22.6	0.49	21.7	23.6	227	16.0	1.11	14.0	18.4
1996	2,235	23.8	0.51	22.8	24.8	233	15.5	1.05	13.5	17.7
1997	2,177	23.1	0.50	22.1	24.1	232	15.3	1.03	13.3	17.4
1998	2,189	23.1	0.50	22.2	24.1	256	16.8	1.07	14.7	19.0
1999	2,301	24.2	0.51	23.2	25.2	226	15.0	1.02	13.0	17.1
2000	2,283	24.1	0.51	23.1	25.1	245	15.6	1.02	13.7	17.7
2001	2,295	24.0	0.50	23.1	25.0	249	15.9	1.03	13.9	18.0
2002	2,303	24.0	0.50	23.1	25.1	239	15.1	1.00	13.2	17.2
2003	2,299	23.9	0.50	22.9	24.9	260	16.2	1.02	14.3	18.3
2004	2,427	25.2	0.51	24.2	26.2	295	18.8	1.12	16.6	21.1
2005	2,383	24.6	0.51	23.6	25.6	270	16.9	1.05	14.9	19.1
2006	2,367	24.5	0.51	23.5	25.5	255	15.6	1.00	13.7	17.7
2007	2,360	24.1	0.50	23.1	25.1	289	17.2	1.04	15.3	19.4
2008	2,419	24.5	0.51	23.5	25.5	279	16.8	1.03	14.8	18.9
2009	2,413	24.2	0.50	23.3	25.2	272	16.0	0.99	14.1	18.1
2010	2,484	24.8	0.51	23.8	25.8	300	17.5	1.03	15.5	19.6
2011	2,418	23.8	0.50	22.9	24.8	308	17.5	1.02	15.6	19.6
2012	2,399	23.7	0.50	22.7	24.7	292	16.2	0.97	14.4	18.3
2013	2,416	23.5	0.49	22.5	24.5	293	16.1	0.96	14.2	18.1
2014	2,516	24.1	0.50	23.2	25.1	313	17.0	0.99	15.2	19.1
2015	2,577	24.7	0.50	23.7	25.7	303	16.4	0.96	14.5	18.4
2016	2,504	24.0	0.50	23.0	25.0	298	16.5	0.98	14.6	18.5
2017	2,495	23.7	0.49	22.7	24.7	350	19.1	1.05	17.1	21.3
2018	2,408	22.7	0.48	21.7	23.6	350	18.6	1.02	16.6	20.7
2019	2,565	23.6	0.49	22.7	24.6	311	16.0	0.93	14.3	18.0
2020	2,335	21.9	0.47	20.9	22.8	276	14.3	0.88	12.6	16.1
2021	2,440	22.9	0.49	21.9	23.8	326	16.9	0.96	15.1	18.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lymphoma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,573	23.7	0.48	22.7	24.6	45,252	27.0	0.13	26.7	27.2
1990	48	15.8	2.90	10.6	22.7	1,055	23.0	0.73	21.6	24.5
1991	51	19.1	3.64	12.6	27.5	1,019	21.8	0.70	20.5	23.3
1992	62	24.5	4.14	17.0	33.8	1,112	24.2	0.75	22.8	25.7
1993	66	19.2	3.08	13.6	26.3	1,151	24.4	0.73	23.0	25.9
1994	74	23.1	3.72	16.4	31.4	1,170	24.8	0.74	23.3	26.2
1995	69	23.8	4.02	16.6	32.8	1,263	26.4	0.76	24.9	27.9
1996	71	21.4	3.69	14.8	29.7	1,310	27.1	0.76	25.7	28.7
1997	61	18.6	3.17	12.9	25.8	1,274	26.3	0.75	24.9	27.9
1998	78	27.0	4.09	19.6	36.0	1,326	27.3	0.76	25.8	28.8
1999	99	29.6	4.13	22.1	38.7	1,353	27.7	0.76	26.3	29.3
2000	76	21.7	3.36	15.6	29.2	1,366	27.7	0.76	26.2	29.2
2001	65	20.2	3.48	13.9	27.9	1,339	27.0	0.75	25.6	28.5
2002	104	29.9	3.81	22.9	38.1	1,376	27.7	0.75	26.2	29.2
2003	98	25.3	3.46	19.0	32.8	1,392	27.6	0.75	26.2	29.1
2004	114	30.2	3.85	23.1	38.5	1,509	29.9	0.78	28.4	31.4
2005	103	22.7	2.86	17.4	28.9	1,453	28.6	0.76	27.1	30.1
2006	113	21.5	2.47	16.9	26.8	1,449	28.2	0.75	26.8	29.8
2007	114	25.2	3.02	19.7	31.7	1,474	28.1	0.74	26.7	29.6
2008	122	27.3	3.10	21.6	33.9	1,480	28.0	0.74	26.6	29.5
2009	130	28.6	3.08	22.9	35.2	1,451	27.2	0.73	25.8	28.7
2010	121	24.5	2.69	19.5	30.3	1,576	29.0	0.75	27.6	30.5
2011	119	21.5	2.39	17.1	26.6	1,514	27.4	0.72	26.0	28.8
2012	130	23.5	2.44	19.0	28.7	1,472	26.6	0.71	25.2	28.0
2013	149	24.0	2.35	19.6	29.0	1,544	27.3	0.71	25.9	28.7
2014	139	21.2	2.12	17.2	25.7	1,597	27.4	0.70	26.0	28.8
2015	171	28.1	2.50	23.4	33.3	1,644	28.0	0.71	26.6	29.4
2016	165	24.2	2.16	20.1	28.7	1,576	27.2	0.70	25.8	28.6
2017	159	22.2	2.02	18.4	26.4	1,664	27.9	0.70	26.5	29.3
2018	160	21.7	1.95	18.1	25.8	1,556	25.7	0.67	24.4	27.1
2019	191	24.9	2.02	21.1	29.2	1,647	26.7	0.68	25.4	28.1
2020	155	17.7	1.60	14.7	21.1	1,535	24.9	0.66	23.7	26.2
2021	196	24.1	1.92	20.5	28.2	1,605	26.4	0.68	25.1	27.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lymphoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	39,300	28.1	0.14	27.8	28.4	4,510	19.9	0.31	19.3	20.5
1990	943	23.9	0.80	22.4	25.5	95	16.6	1.85	13.1	20.6
1991	927	23.1	0.78	21.6	24.7	75	12.4	1.55	9.6	15.8
1992	1,007	25.5	0.82	23.9	27.1	94	16.7	1.86	13.2	20.7
1993	1,030	25.5	0.81	23.9	27.1	108	16.2	1.70	13.1	19.9
1994	1,025	25.5	0.81	23.9	27.1	127	18.9	1.75	15.7	22.7
1995	1,109	27.2	0.83	25.6	28.9	135	22.1	2.07	18.2	26.5
1996	1,134	27.7	0.83	26.1	29.4	150	22.9	2.01	19.1	27.2
1997	1,110	27.1	0.82	25.5	28.8	131	18.9	1.73	15.7	22.6
1998	1,153	28.1	0.83	26.4	29.7	145	21.5	1.87	18.0	25.5
1999	1,194	28.9	0.84	27.2	30.6	129	19.7	1.88	16.2	23.7
2000	1,199	28.9	0.84	27.3	30.6	134	18.9	1.71	15.7	22.6
2001	1,183	28.4	0.83	26.8	30.1	127	18.5	1.73	15.2	22.2
2002	1,219	29.2	0.84	27.5	30.9	125	18.0	1.70	14.8	21.6
2003	1,216	28.8	0.83	27.2	30.5	137	19.9	1.77	16.6	23.7
2004	1,313	31.1	0.87	29.4	32.8	159	23.5	1.99	19.8	27.7
2005	1,264	29.7	0.84	28.1	31.4	138	20.4	1.86	16.9	24.4
2006	1,274	29.8	0.84	28.2	31.5	131	18.4	1.67	15.2	21.9
2007	1,281	29.5	0.83	27.8	31.1	160	21.9	1.84	18.5	25.9
2008	1,287	29.3	0.83	27.7	30.9	140	19.8	1.77	16.4	23.5
2009	1,263	28.5	0.82	26.9	30.2	132	18.1	1.66	15.0	21.6
2010	1,346	29.9	0.83	28.3	31.6	167	22.9	1.87	19.4	26.8
2011	1,291	28.2	0.80	26.6	29.8	165	22.2	1.83	18.8	26.1
2012	1,281	28.1	0.80	26.5	29.7	144	18.4	1.58	15.4	21.7
2013	1,342	29.0	0.81	27.4	30.7	148	18.7	1.60	15.7	22.1
2014	1,372	28.8	0.80	27.2	30.4	161	20.0	1.65	16.9	23.5
2015	1,407	29.3	0.81	27.8	30.9	167	21.0	1.70	17.8	24.6
2016	1,364	28.9	0.81	27.3	30.5	151	19.2	1.63	16.2	22.7
2017	1,395	28.5	0.79	27.0	30.1	186	24.2	1.85	20.7	28.1
2018	1,306	26.5	0.76	25.1	28.1	172	21.1	1.67	17.9	24.6
2019	1,413	28.3	0.78	26.7	29.8	156	18.4	1.53	15.6	21.7
2020	1,301	26.1	0.75	24.7	27.6	154	18.5	1.55	15.6	21.8
2021	1,351	27.7	0.78	26.1	29.2	167	20.2	1.62	17.2	23.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,797	18.2	0.38	17.5	19.0	39,645	18.7	0.10	18.5	18.9
1990	29	10.8	2.38	6.7	16.5	937	15.7	0.52	14.7	16.8
1991	18	9.4	2.46	5.2	15.2	969	16.0	0.52	15.0	17.1
1992	36	14.1	2.74	9.2	20.4	1,048	17.0	0.53	16.0	18.1
1993	34	15.9	3.11	10.4	22.9	1,057	17.0	0.53	16.0	18.1
1994	44	15.7	2.77	10.7	22.0	1,148	18.4	0.55	17.3	19.5
1995	53	21.1	3.46	14.9	28.8	1,137	18.0	0.54	17.0	19.1
1996	44	16.6	2.84	11.5	23.0	1,205	19.2	0.56	18.1	20.3
1997	38	12.0	2.26	8.0	17.2	1,190	18.8	0.55	17.7	19.9
1998	50	14.4	2.20	10.4	19.4	1,171	18.5	0.55	17.5	19.6
1999	62	18.0	2.69	13.1	24.0	1,217	19.1	0.55	18.0	20.2
2000	49	14.5	2.46	10.1	20.0	1,225	19.3	0.56	18.3	20.5
2001	68	19.6	2.69	14.7	25.5	1,258	19.5	0.56	18.4	20.6
2002	68	18.0	2.56	13.3	23.6	1,223	18.9	0.55	17.8	20.0
2003	73	17.1	2.28	13.0	22.1	1,243	19.1	0.55	18.1	20.3
2004	70	16.6	2.33	12.3	21.7	1,287	19.7	0.56	18.7	20.9
2005	83	19.7	2.52	15.1	25.2	1,286	19.7	0.56	18.6	20.8
2006	76	15.6	1.99	12.0	20.0	1,245	19.0	0.55	17.9	20.1
2007	97	20.6	2.37	16.2	25.7	1,240	18.8	0.54	17.7	19.9
2008	120	22.5	2.36	18.1	27.5	1,320	19.8	0.56	18.7	20.9
2009	100	18.2	2.04	14.4	22.5	1,338	20.0	0.56	18.9	21.1
2010	101	18.9	2.07	15.0	23.3	1,324	19.9	0.56	18.8	21.0
2011	102	18.1	1.97	14.4	22.3	1,313	19.3	0.55	18.3	20.4
2012	94	15.6	1.77	12.4	19.5	1,308	19.1	0.54	18.0	20.2
2013	119	18.4	1.83	15.0	22.3	1,276	18.2	0.53	17.2	19.3
2014	153	24.3	2.14	20.3	28.8	1,358	19.5	0.55	18.5	20.6
2015	114	16.8	1.70	13.6	20.4	1,357	19.4	0.55	18.4	20.6
2016	135	18.8	1.75	15.6	22.5	1,356	19.1	0.54	18.1	20.2
2017	154	22.2	1.90	18.6	26.2	1,317	18.9	0.54	17.9	20.0
2018	150	19.1	1.65	16.0	22.6	1,348	19.0	0.54	17.9	20.1
2019	163	20.1	1.66	17.0	23.6	1,373	18.6	0.52	17.6	19.7
2020	122	15.4	1.46	12.7	18.5	1,227	17.2	0.51	16.2	18.2
2021	178	20.5	1.61	17.5	23.9	1,344	18.5	0.53	17.5	19.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Lymphoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	34,461	19.7	0.11	19.5	19.9	3,933	13.3	0.21	12.8	13.7
1990	857	16.6	0.58	15.5	17.8	74	10.1	1.20	7.9	12.7
1991	886	17.0	0.58	15.9	18.2	66	8.9	1.12	6.8	11.4
1992	963	18.3	0.60	17.1	19.5	74	9.5	1.13	7.4	12.0
1993	959	18.0	0.59	16.9	19.2	84	10.8	1.21	8.6	13.4
1994	1,031	19.2	0.61	18.1	20.5	99	12.7	1.30	10.3	15.5
1995	1,016	18.8	0.60	17.6	20.0	92	11.7	1.24	9.4	14.4
1996	1,101	20.6	0.63	19.4	21.9	83	10.0	1.11	7.9	12.4
1997	1,067	19.9	0.62	18.7	21.2	101	12.1	1.22	9.8	14.8
1998	1,036	19.4	0.61	18.2	20.6	111	12.9	1.24	10.6	15.6
1999	1,107	20.7	0.63	19.5	22.0	97	11.5	1.18	9.3	14.1
2000	1,084	20.5	0.63	19.3	21.8	111	12.7	1.22	10.4	15.3
2001	1,112	20.6	0.63	19.4	21.9	122	13.9	1.27	11.5	16.6
2002	1,084	20.0	0.62	18.8	21.3	114	12.8	1.21	10.6	15.4
2003	1,083	20.0	0.62	18.8	21.3	123	13.5	1.23	11.2	16.2
2004	1,114	20.5	0.63	19.3	21.8	136	15.3	1.32	12.8	18.1
2005	1,119	20.7	0.63	19.4	22.0	132	14.5	1.27	12.1	17.2
2006	1,093	20.3	0.63	19.1	21.6	124	13.3	1.21	11.1	15.9
2007	1,079	19.8	0.62	18.6	21.1	129	13.8	1.23	11.5	16.4
2008	1,132	20.7	0.64	19.5	22.0	139	14.7	1.26	12.3	17.4
2009	1,150	20.9	0.64	19.7	22.2	140	14.5	1.24	12.2	17.2
2010	1,138	21.0	0.65	19.7	22.3	133	13.7	1.20	11.5	16.3
2011	1,127	20.4	0.63	19.2	21.7	143	14.3	1.21	12.0	16.9
2012	1,118	20.1	0.62	18.9	21.3	148	14.6	1.22	12.3	17.2
2013	1,074	19.0	0.61	17.8	20.2	145	14.1	1.19	11.8	16.6
2014	1,144	20.4	0.63	19.2	21.7	152	14.8	1.22	12.5	17.4
2015	1,170	20.9	0.64	19.7	22.2	136	13.1	1.14	10.9	15.5
2016	1,140	20.1	0.63	18.9	21.4	147	14.3	1.21	12.1	16.9
2017	1,100	20.0	0.64	18.7	21.3	164	15.7	1.25	13.3	18.3
2018	1,102	19.6	0.63	18.3	20.8	178	16.7	1.28	14.3	19.4
2019	1,152	19.7	0.61	18.6	21.0	155	14.1	1.15	11.9	16.5
2020	1,034	18.4	0.61	17.2	19.7	122	11.2	1.04	9.3	13.4
2021	1,089	19.0	0.61	17.8	20.2	159	14.4	1.17	12.2	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hodgkin Lymphoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,143	2.6	0.09	2.4	2.8	10,381	3.0	0.03	2.9	3.0
1990	18	2.2	0.59	1.2	3.9	317	2.9	0.17	2.6	3.3
1991	16	2.7	0.93	1.2	5.1	313	2.9	0.17	2.6	3.3
1992	15	2.0	0.69	0.8	3.8	326	2.9	0.16	2.6	3.3
1993	17	1.8	0.53	0.9	3.3	301	2.7	0.16	2.4	3.1
1994	23	2.1	0.49	1.3	3.5	305	2.8	0.16	2.5	3.1
1995	21	1.4	0.33	0.9	2.5	301	2.7	0.16	2.4	3.1
1996	20	2.0	0.60	1.0	3.6	357	3.2	0.17	2.9	3.6
1997	23	3.2	0.94	1.6	5.5	340	3.1	0.17	2.8	3.5
1998	23	2.4	0.71	1.2	4.2	303	2.8	0.16	2.5	3.1
1999	34	2.7	0.54	1.8	4.1	313	2.9	0.16	2.5	3.2
2000	23	2.7	0.83	1.3	4.8	340	3.1	0.17	2.8	3.5
2001	30	3.0	0.66	1.9	4.7	335	3.1	0.17	2.7	3.4
2002	29	2.2	0.53	1.3	3.5	337	3.1	0.17	2.8	3.4
2003	32	2.3	0.49	1.5	3.5	321	2.9	0.16	2.6	3.3
2004	35	3.4	0.82	2.0	5.4	327	3.0	0.17	2.7	3.3
2005	36	2.5	0.50	1.6	3.7	348	3.2	0.17	2.9	3.6
2006	35	2.5	0.52	1.6	3.7	353	3.3	0.17	2.9	3.6
2007	39	2.6	0.51	1.7	3.8	307	2.8	0.16	2.5	3.2
2008	44	3.0	0.57	2.0	4.3	372	3.4	0.18	3.1	3.8
2009	43	2.9	0.54	1.9	4.1	325	3.0	0.17	2.7	3.3
2010	52	3.5	0.57	2.5	4.8	332	3.1	0.17	2.8	3.5
2011	49	3.5	0.59	2.4	4.8	308	2.8	0.16	2.5	3.2
2012	35	2.2	0.43	1.4	3.2	318	2.9	0.16	2.6	3.2
2013	46	3.0	0.51	2.0	4.1	316	2.8	0.16	2.5	3.2
2014	57	3.3	0.49	2.4	4.4	322	2.8	0.16	2.5	3.2
2015	47	2.5	0.40	1.8	3.4	315	3.0	0.17	2.6	3.3
2016	49	2.7	0.44	1.9	3.7	299	2.7	0.16	2.4	3.1
2017	42	2.4	0.43	1.7	3.4	346	3.1	0.17	2.8	3.5
2018	48	2.5	0.39	1.8	3.4	338	3.1	0.17	2.8	3.5
2019	50	2.4	0.35	1.7	3.2	317	2.8	0.16	2.5	3.2
2020	50	2.4	0.35	1.7	3.2	314	2.9	0.17	2.6	3.3
2021	62	2.8	0.37	2.1	3.6	315	2.9	0.17	2.5	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hodgkin Lymphoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	8,425	3.1	0.03	3.0	3.1	1,549	2.7	0.07	2.5	2.8
1990	272	3.1	0.19	2.7	3.5	43	2.6	0.41	1.9	3.6
1991	274	3.1	0.19	2.7	3.5	31	1.9	0.34	1.3	2.7
1992	284	3.1	0.19	2.8	3.5	38	2.3	0.39	1.6	3.2
1993	245	2.7	0.18	2.4	3.1	50	2.9	0.42	2.1	3.9
1994	261	2.9	0.18	2.6	3.3	37	2.2	0.37	1.5	3.1
1995	260	2.9	0.18	2.6	3.3	35	1.9	0.33	1.3	2.7
1996	297	3.4	0.20	3.0	3.8	47	2.7	0.40	2.0	3.6
1997	276	3.2	0.19	2.8	3.6	57	3.3	0.45	2.5	4.3
1998	250	2.9	0.18	2.5	3.2	41	2.3	0.36	1.6	3.1
1999	264	3.0	0.19	2.7	3.4	37	2.2	0.36	1.5	3.0
2000	284	3.3	0.20	2.9	3.7	47	2.6	0.39	1.9	3.5
2001	272	3.2	0.19	2.8	3.6	49	2.7	0.39	2.0	3.6
2002	290	3.4	0.20	3.0	3.8	41	2.3	0.37	1.6	3.2
2003	266	3.1	0.19	2.7	3.5	43	2.4	0.37	1.7	3.2
2004	266	3.1	0.19	2.8	3.5	52	2.9	0.40	2.1	3.8
2005	272	3.2	0.20	2.9	3.7	64	3.7	0.47	2.8	4.7
2006	290	3.5	0.20	3.1	3.9	46	2.5	0.38	1.9	3.4
2007	253	3.0	0.19	2.6	3.4	45	2.4	0.36	1.7	3.2
2008	297	3.5	0.21	3.1	4.0	56	3.1	0.41	2.3	4.0
2009	262	3.1	0.20	2.8	3.6	48	2.6	0.39	1.9	3.5
2010	261	3.2	0.20	2.8	3.6	57	3.0	0.40	2.3	3.9
2011	237	2.8	0.19	2.5	3.2	59	3.2	0.42	2.4	4.1
2012	246	2.9	0.19	2.5	3.3	59	3.2	0.42	2.4	4.1
2013	251	3.0	0.19	2.6	3.4	52	2.7	0.38	2.0	3.6
2014	256	3.0	0.19	2.6	3.4	47	2.5	0.38	1.8	3.4
2015	246	3.1	0.20	2.7	3.5	50	2.6	0.38	1.9	3.5
2016	229	2.8	0.19	2.4	3.2	53	2.9	0.41	2.2	3.8
2017	268	3.2	0.21	2.9	3.7	55	2.9	0.40	2.2	3.8
2018	264	3.2	0.21	2.9	3.7	55	2.9	0.40	2.2	3.8
2019	247	3.0	0.20	2.6	3.4	56	2.9	0.39	2.2	3.7
2020	241	3.0	0.20	2.6	3.4	53	2.9	0.40	2.1	3.8
2021	244	3.0	0.20	2.6	3.4	46	2.5	0.37	1.8	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hodgkin Lymphoma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	666	3.1	0.15	2.8	3.4	5,707	3.4	0.04	3.3	3.5
1990	10	2.8	0.99	1.2	6.1	182	3.5	0.27	3.0	4.1
1991	10	3.5	1.83	0.9	8.7	170	3.4	0.26	2.9	3.9
1992	10	3.4	1.60	1.0	8.0	162	3.2	0.25	2.7	3.7
1993	11	2.3	0.93	0.8	5.4	170	3.3	0.25	2.8	3.8
1994	14	2.7	0.81	1.4	5.5	171	3.2	0.25	2.8	3.8
1995	10	1.4	0.47	0.6	3.6	182	3.5	0.26	3.0	4.0
1996	13	1.9	0.62	0.9	4.2	202	3.8	0.27	3.3	4.4
1997	12	1.8	0.57	0.8	4.0	175	3.3	0.25	2.8	3.8
1998	18	4.3	1.65	1.7	8.6	170	3.3	0.25	2.8	3.8
1999	20	2.8	0.71	1.6	5.0	168	3.2	0.25	2.7	3.7
2000	14	3.8	1.62	1.3	8.0	202	3.9	0.27	3.3	4.4
2001	17	3.7	1.05	1.9	6.5	181	3.5	0.26	3.0	4.0
2002	16	2.2	0.62	1.2	4.2	181	3.4	0.26	3.0	4.0
2003	18	2.7	0.77	1.4	4.8	165	3.2	0.25	2.7	3.7
2004	21	4.4	1.46	2.0	8.0	192	3.7	0.27	3.2	4.2
2005	19	2.4	0.63	1.3	4.2	198	3.8	0.27	3.3	4.4
2006	20	2.6	0.73	1.4	4.5	183	3.5	0.26	3.0	4.1
2007	25	3.7	0.97	2.0	6.1	177	3.4	0.25	2.9	3.9
2008	21	2.8	0.72	1.6	4.7	194	3.7	0.26	3.2	4.2
2009	27	4.3	1.13	2.4	7.0	172	3.3	0.25	2.8	3.8
2010	26	4.0	0.98	2.3	6.4	181	3.5	0.26	3.0	4.1
2011	34	5.1	1.07	3.2	7.6	168	3.2	0.25	2.7	3.7
2012	20	2.4	0.63	1.3	4.0	174	3.3	0.25	2.8	3.8
2013	30	3.9	0.86	2.4	5.9	160	3.0	0.24	2.5	3.5
2014	25	2.8	0.65	1.7	4.4	185	3.3	0.25	2.8	3.8
2015	31	3.7	0.77	2.3	5.5	185	3.5	0.26	3.0	4.0
2016	32	4.0	0.81	2.5	5.9	181	3.4	0.26	2.9	3.9
2017	25	2.4	0.53	1.5	3.7	182	3.3	0.25	2.9	3.9
2018	29	3.1	0.62	2.0	4.5	180	3.4	0.26	2.9	3.9
2019	27	2.8	0.61	1.8	4.3	175	3.2	0.24	2.7	3.7
2020	35	3.2	0.58	2.2	4.6	166	3.1	0.25	2.7	3.7
2021	26	2.1	0.44	1.4	3.2	173	3.2	0.25	2.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hodgkin Lymphoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,610	3.4	0.05	3.3	3.5	870	3.3	0.11	3.1	3.5
1990	154	3.6	0.30	3.1	4.3	26	3.5	0.72	2.2	5.3
1991	148	3.5	0.29	3.0	4.2	17	2.3	0.58	1.3	3.8
1992	145	3.4	0.28	2.9	4.0	17	2.7	0.74	1.5	4.6
1993	139	3.3	0.28	2.7	3.8	28	3.4	0.67	2.2	5.1
1994	139	3.2	0.28	2.7	3.8	26	3.4	0.69	2.2	5.1
1995	152	3.6	0.29	3.0	4.2	28	3.3	0.65	2.2	4.9
1996	161	3.8	0.30	3.2	4.4	31	3.9	0.72	2.6	5.6
1997	135	3.2	0.27	2.7	3.8	36	4.6	0.80	3.2	6.5
1998	143	3.4	0.29	2.9	4.0	21	2.4	0.53	1.5	3.7
1999	136	3.2	0.28	2.7	3.8	21	2.6	0.58	1.6	4.0
2000	172	4.1	0.31	3.5	4.8	26	3.1	0.65	2.0	4.7
2001	143	3.4	0.29	2.9	4.0	29	3.5	0.66	2.3	5.1
2002	160	3.8	0.30	3.2	4.5	20	2.3	0.54	1.4	3.7
2003	138	3.3	0.28	2.8	3.9	21	2.5	0.58	1.5	4.0
2004	154	3.7	0.30	3.2	4.4	36	4.5	0.77	3.1	6.3
2005	159	3.9	0.31	3.3	4.5	30	3.5	0.65	2.4	5.1
2006	150	3.7	0.30	3.1	4.3	24	2.9	0.60	1.8	4.4
2007	141	3.4	0.29	2.9	4.0	28	3.2	0.62	2.1	4.7
2008	155	3.7	0.30	3.1	4.3	27	3.2	0.64	2.1	4.8
2009	139	3.3	0.29	2.8	4.0	27	3.2	0.62	2.1	4.7
2010	140	3.5	0.30	2.9	4.1	34	4.0	0.72	2.8	5.7
2011	129	3.1	0.28	2.6	3.7	33	4.1	0.74	2.7	5.8
2012	137	3.4	0.29	2.8	4.0	29	3.4	0.64	2.3	4.9
2013	132	3.2	0.29	2.7	3.8	22	2.5	0.56	1.6	3.9
2014	146	3.4	0.29	2.8	4.0	29	3.4	0.65	2.3	5.0
2015	142	3.5	0.30	2.9	4.1	32	3.5	0.64	2.4	5.0
2016	135	3.3	0.29	2.7	3.9	36	4.2	0.72	2.9	5.9
2017	142	3.4	0.29	2.8	4.0	27	3.1	0.60	2.0	4.5
2018	140	3.5	0.31	2.9	4.2	28	3.0	0.58	2.0	4.4
2019	141	3.3	0.29	2.8	4.0	27	2.8	0.55	1.8	4.1
2020	124	3.1	0.28	2.5	3.7	30	3.6	0.69	2.4	5.3
2021	139	3.4	0.30	2.8	4.0	24	2.6	0.54	1.6	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hodgkin Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	477	2.1	0.11	1.9	2.4	4,674	2.6	0.04	2.5	2.7
1990	8	1.6	0.62	0.6	3.9	135	2.4	0.21	2.0	2.8
1991	6	2.2	1.06	0.6	5.3	143	2.5	0.21	2.1	2.9
1992	5	0.9	0.39	0.3	2.7	164	2.8	0.22	2.3	3.2
1993	6	1.4	0.62	0.4	3.5	131	2.2	0.20	1.9	2.7
1994	9	1.5	0.53	0.6	3.4	134	2.3	0.20	1.9	2.7
1995	11	1.5	0.45	0.7	3.2	119	2.1	0.19	1.7	2.5
1996	7	2.0	0.91	0.6	4.6	155	2.7	0.22	2.3	3.2
1997	11	4.1	1.50	1.7	7.9	165	2.9	0.23	2.5	3.4
1998	5	0.8	0.37	0.2	2.3	133	2.4	0.21	2.0	2.8
1999	14	2.5	0.78	1.2	4.7	145	2.6	0.21	2.2	3.0
2000	9	1.9	0.86	0.6	4.3	138	2.4	0.21	2.1	2.9
2001	13	2.5	0.83	1.1	4.7	154	2.7	0.22	2.3	3.2
2002	13	2.1	0.76	0.9	4.2	156	2.7	0.22	2.3	3.2
2003	14	2.0	0.61	1.0	3.7	156	2.8	0.22	2.3	3.2
2004	14	2.7	0.94	1.1	5.1	135	2.4	0.21	2.0	2.9
2005	17	2.5	0.74	1.3	4.4	150	2.7	0.22	2.3	3.1
2006	15	2.4	0.72	1.2	4.3	170	3.0	0.23	2.6	3.5
2007	14	1.7	0.50	0.9	3.1	130	2.3	0.21	2.0	2.8
2008	23	3.1	0.80	1.7	5.1	178	3.2	0.25	2.8	3.8
2009	16	1.7	0.45	0.9	2.9	153	2.8	0.23	2.3	3.2
2010	26	3.2	0.70	2.0	4.9	151	2.7	0.23	2.3	3.2
2011	15	2.0	0.62	1.0	3.6	140	2.5	0.22	2.1	3.0
2012	15	1.9	0.57	0.9	3.3	144	2.5	0.21	2.1	3.0
2013	16	2.1	0.58	1.1	3.5	156	2.7	0.22	2.3	3.2
2014	32	3.8	0.74	2.5	5.6	137	2.4	0.21	2.0	2.9
2015	16	1.4	0.36	0.8	2.4	130	2.5	0.22	2.1	3.0
2016	17	1.6	0.43	0.9	2.7	118	2.1	0.20	1.8	2.6
2017	17	2.3	0.62	1.3	3.8	164	3.0	0.24	2.6	3.5
2018	19	2.0	0.48	1.1	3.2	158	2.8	0.23	2.4	3.3
2019	23	2.0	0.42	1.3	3.1	142	2.6	0.22	2.1	3.0
2020	15	1.5	0.41	0.8	2.5	148	2.7	0.23	2.3	3.2
2021	36	3.3	0.59	2.3	4.7	142	2.6	0.22	2.2	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Hodgkin Lymphoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,815	2.7	0.05	2.7	2.8	679	2.2	0.08	2.0	2.3
1990	118	2.6	0.24	2.1	3.1	17	1.9	0.48	1.1	3.1
1991	126	2.7	0.24	2.2	3.2	14	1.5	0.41	0.8	2.6
1992	139	2.8	0.25	2.4	3.4	21	2.1	0.47	1.3	3.3
1993	106	2.2	0.22	1.8	2.7	22	2.4	0.52	1.5	3.6
1994	122	2.6	0.24	2.2	3.1	11	1.2	0.37	0.6	2.2
1995	108	2.4	0.23	1.9	2.9	7	0.7	0.27	0.3	1.5
1996	136	3.0	0.26	2.5	3.6	16	1.7	0.43	1.0	2.8
1997	141	3.1	0.27	2.6	3.7	21	2.3	0.50	1.4	3.5
1998	107	2.4	0.24	2.0	2.9	20	2.1	0.48	1.3	3.3
1999	128	2.9	0.26	2.4	3.4	16	1.8	0.44	1.0	2.9
2000	112	2.6	0.25	2.1	3.1	21	2.2	0.48	1.4	3.4
2001	129	2.9	0.26	2.5	3.5	20	2.1	0.46	1.3	3.2
2002	130	2.9	0.26	2.4	3.5	21	2.2	0.49	1.4	3.4
2003	128	2.9	0.26	2.4	3.5	22	2.2	0.48	1.4	3.4
2004	112	2.6	0.25	2.1	3.1	16	1.6	0.40	0.9	2.6
2005	113	2.6	0.25	2.2	3.2	34	3.6	0.62	2.5	5.0
2006	140	3.3	0.28	2.7	3.9	22	2.2	0.48	1.4	3.4
2007	112	2.6	0.25	2.1	3.2	17	1.7	0.42	1.0	2.7
2008	142	3.4	0.29	2.9	4.1	29	2.9	0.54	1.9	4.2
2009	123	3.0	0.28	2.5	3.6	21	2.1	0.46	1.3	3.2
2010	121	2.9	0.27	2.4	3.5	23	2.2	0.46	1.4	3.3
2011	108	2.6	0.26	2.1	3.1	26	2.6	0.51	1.7	3.8
2012	109	2.5	0.25	2.0	3.0	30	3.0	0.56	2.0	4.4
2013	119	2.8	0.27	2.3	3.4	30	2.9	0.53	1.9	4.1
2014	110	2.6	0.26	2.1	3.2	18	1.8	0.44	1.1	2.9
2015	104	2.7	0.27	2.2	3.3	18	1.9	0.44	1.1	2.9
2016	94	2.3	0.25	1.8	2.9	17	1.7	0.43	1.0	2.8
2017	126	3.2	0.29	2.6	3.8	28	2.7	0.52	1.8	4.0
2018	124	3.0	0.28	2.5	3.6	27	2.8	0.54	1.8	4.0
2019	106	2.6	0.26	2.1	3.2	29	2.8	0.54	1.9	4.1
2020	117	2.9	0.28	2.4	3.5	23	2.3	0.49	1.5	3.5
2021	105	2.6	0.27	2.1	3.2	22	2.3	0.50	1.4	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Non-Hodgkin Lymphoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	5,227	18.1	0.28	17.6	18.7	74,516	19.3	0.07	19.2	19.5
1990	59	11.1	1.79	7.9	15.2	1,675	16.0	0.40	15.3	16.8
1991	53	11.5	1.91	8.1	15.8	1,675	15.7	0.39	15.0	16.5
1992	83	17.1	2.27	12.9	22.0	1,834	17.1	0.40	16.3	17.9
1993	83	16.5	2.24	12.4	21.4	1,907	17.6	0.41	16.8	18.4
1994	95	17.2	2.18	13.2	22.0	2,013	18.5	0.41	17.7	19.3
1995	101	21.4	2.62	16.5	27.0	2,099	19.1	0.42	18.3	19.9
1996	95	16.9	2.16	13.0	21.6	2,158	19.5	0.42	18.7	20.4
1997	76	11.9	1.62	9.0	15.5	2,124	19.0	0.41	18.2	19.9
1998	105	17.4	1.97	13.8	21.6	2,194	19.6	0.42	18.7	20.4
1999	127	20.6	2.26	16.4	25.4	2,257	20.0	0.42	19.1	20.8
2000	102	15.2	1.83	11.8	19.1	2,251	19.8	0.42	19.0	20.7
2001	103	16.4	1.95	12.8	20.6	2,262	19.7	0.42	18.9	20.6
2002	143	21.2	2.13	17.3	25.7	2,262	19.6	0.41	18.8	20.5
2003	139	18.3	1.87	14.8	22.3	2,314	19.9	0.42	19.1	20.7
2004	149	19.2	1.91	15.6	23.2	2,469	21.1	0.43	20.3	22.0
2005	150	18.8	1.84	15.4	22.7	2,391	20.3	0.42	19.5	21.1
2006	154	16.0	1.47	13.2	19.1	2,341	19.8	0.41	19.0	20.6
2007	172	20.0	1.79	16.7	23.8	2,407	20.1	0.41	19.3	20.9
2008	198	21.5	1.79	18.1	25.2	2,428	19.9	0.41	19.1	20.8
2009	187	19.9	1.66	16.8	23.4	2,464	20.1	0.41	19.3	20.9
2010	170	17.9	1.54	15.0	21.2	2,568	20.7	0.42	19.9	21.5
2011	172	16.2	1.40	13.6	19.1	2,519	20.0	0.41	19.2	20.8
2012	189	17.2	1.40	14.5	20.1	2,462	19.5	0.40	18.7	20.3
2013	222	18.1	1.36	15.5	20.9	2,504	19.4	0.40	18.6	20.2
2014	235	19.7	1.43	17.0	22.7	2,633	20.1	0.40	19.4	21.0
2015	238	19.4	1.39	16.8	22.3	2,686	20.3	0.40	19.5	21.1
2016	251	18.7	1.30	16.3	21.4	2,633	19.9	0.40	19.2	20.7
2017	271	19.9	1.31	17.4	22.6	2,635	19.6	0.39	18.9	20.4
2018	262	17.7	1.18	15.4	20.1	2,566	18.8	0.38	18.1	19.6
2019	304	19.9	1.22	17.6	22.4	2,703	19.4	0.38	18.6	20.2
2020	227	14.3	1.02	12.3	16.4	2,448	17.7	0.37	17.0	18.5
2021	312	19.4	1.17	17.2	21.8	2,634	19.1	0.39	18.4	19.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Non-Hodgkin Lymphoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	65,336	20.3	0.08	20.1	20.5	6,894	13.4	0.16	13.1	13.8
1990	1,528	16.8	0.44	16.0	17.7	126	10.1	0.94	8.4	12.1
1991	1,539	16.7	0.43	15.8	17.5	110	8.6	0.86	7.0	10.5
1992	1,686	18.2	0.45	17.3	19.1	130	10.2	0.92	8.4	12.1
1993	1,744	18.6	0.45	17.8	19.5	142	10.4	0.91	8.7	12.3
1994	1,795	19.1	0.45	18.2	20.0	189	13.5	1.01	11.6	15.7
1995	1,865	19.7	0.46	18.8	20.6	192	14.1	1.06	12.2	16.4
1996	1,938	20.4	0.47	19.5	21.4	186	12.8	0.97	11.0	14.9
1997	1,901	19.9	0.46	19.0	20.8	175	12.0	0.93	10.2	13.9
1998	1,939	20.3	0.46	19.4	21.2	215	14.5	1.01	12.6	16.6
1999	2,037	21.2	0.47	20.3	22.1	189	12.8	0.96	11.0	14.8
2000	1,999	20.8	0.47	19.9	21.8	198	13.0	0.94	11.2	14.9
2001	2,023	20.9	0.47	20.0	21.8	200	13.2	0.95	11.4	15.2
2002	2,013	20.7	0.46	19.8	21.6	198	12.8	0.93	11.0	14.7
2003	2,033	20.8	0.46	19.9	21.7	217	13.9	0.95	12.0	15.8
2004	2,161	22.0	0.48	21.1	23.0	243	15.9	1.04	13.9	18.0
2005	2,111	21.3	0.47	20.4	22.3	206	13.3	0.94	11.5	15.2
2006	2,077	21.0	0.47	20.1	22.0	209	13.1	0.92	11.3	15.0
2007	2,107	21.1	0.47	20.2	22.1	244	14.9	0.97	13.0	16.9
2008	2,122	20.9	0.46	20.0	21.9	223	13.7	0.94	11.9	15.7
2009	2,151	21.1	0.46	20.2	22.0	224	13.4	0.91	11.6	15.3
2010	2,223	21.7	0.47	20.7	22.6	243	14.4	0.95	12.7	16.4
2011	2,181	21.0	0.46	20.1	21.9	249	14.3	0.93	12.6	16.3
2012	2,153	20.8	0.46	19.9	21.7	233	13.0	0.87	11.4	14.9
2013	2,165	20.5	0.45	19.6	21.4	241	13.4	0.88	11.7	15.2
2014	2,260	21.2	0.46	20.3	22.1	266	14.5	0.91	12.8	16.4
2015	2,331	21.6	0.46	20.7	22.5	253	13.8	0.89	12.1	15.6
2016	2,275	21.2	0.46	20.3	22.1	245	13.6	0.89	11.9	15.4
2017	2,227	20.4	0.45	19.6	21.3	295	16.2	0.97	14.4	18.2
2018	2,144	19.4	0.44	18.6	20.3	295	15.6	0.93	13.9	17.6
2019	2,318	20.6	0.44	19.8	21.5	255	13.2	0.84	11.6	15.0
2020	2,094	18.9	0.43	18.1	19.8	223	11.4	0.78	10.0	13.1
2021	2,196	19.9	0.44	19.1	20.8	280	14.4	0.88	12.8	16.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Non-Hodgkin Lymphoma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,907	20.5	0.46	19.7	21.5	39,545	23.6	0.12	23.3	23.8
1990	38	13.0	2.73	8.2	19.6	873	19.5	0.68	18.2	20.8
1991	41	15.5	3.14	10.0	22.9	849	18.5	0.65	17.2	19.8
1992	52	21.1	3.82	14.3	29.8	950	21.1	0.70	19.7	22.5
1993	55	16.9	2.94	11.6	23.7	981	21.1	0.69	19.8	22.5
1994	60	20.3	3.63	13.9	28.6	999	21.5	0.69	20.2	22.9
1995	59	22.4	3.99	15.3	31.4	1,081	22.9	0.71	21.6	24.4
1996	58	19.5	3.64	13.0	27.7	1,108	23.3	0.71	21.9	24.7
1997	49	16.8	3.12	11.3	23.9	1,099	23.0	0.70	21.7	24.5
1998	60	22.7	3.75	16.0	31.0	1,156	24.0	0.71	22.6	25.5
1999	79	26.9	4.06	19.5	35.8	1,185	24.5	0.72	23.1	26.0
2000	62	18.0	2.95	12.7	24.6	1,164	23.8	0.70	22.5	25.2
2001	48	16.5	3.32	10.7	24.0	1,158	23.6	0.70	22.2	25.0
2002	88	27.6	3.76	20.7	35.8	1,195	24.2	0.71	22.8	25.6
2003	80	22.6	3.38	16.5	30.0	1,227	24.4	0.70	23.1	25.8
2004	93	25.8	3.56	19.3	33.5	1,317	26.2	0.73	24.8	27.7
2005	84	20.3	2.79	15.2	26.4	1,255	24.8	0.71	23.4	26.2
2006	93	18.9	2.36	14.6	24.1	1,266	24.7	0.70	23.4	26.1
2007	89	21.6	2.85	16.3	27.8	1,297	24.8	0.70	23.4	26.2
2008	101	24.5	3.01	18.9	30.9	1,286	24.3	0.69	23.0	25.7
2009	103	24.3	2.87	19.0	30.5	1,279	24.0	0.68	22.7	25.3
2010	95	20.5	2.50	15.9	25.9	1,395	25.6	0.70	24.2	27.0
2011	85	16.5	2.14	12.5	21.1	1,346	24.2	0.67	22.9	25.6
2012	110	21.1	2.35	16.8	26.1	1,298	23.3	0.66	22.0	24.6
2013	119	20.1	2.19	16.1	24.8	1,384	24.3	0.67	23.0	25.7
2014	114	18.4	2.02	14.7	22.7	1,412	24.1	0.66	22.8	25.4
2015	140	24.4	2.38	19.9	29.4	1,459	24.6	0.66	23.3	25.9
2016	133	20.2	2.00	16.5	24.4	1,395	23.9	0.66	22.6	25.2
2017	134	19.8	1.95	16.1	23.9	1,482	24.5	0.66	23.3	25.9
2018	131	18.7	1.85	15.2	22.6	1,376	22.3	0.62	21.1	23.6
2019	164	22.1	1.93	18.5	26.2	1,472	23.5	0.63	22.3	24.8
2020	120	14.5	1.48	11.7	17.7	1,369	21.8	0.61	20.6	23.0
2021	170	22.0	1.87	18.5	25.9	1,432	23.2	0.63	22.0	24.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Non-Hodgkin Lymphoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	34,690	24.7	0.13	24.4	24.9	3,640	16.6	0.29	16.1	17.2
1990	789	20.3	0.74	18.9	21.8	69	13.1	1.70	9.9	16.8
1991	779	19.6	0.72	18.2	21.0	58	10.1	1.43	7.5	13.3
1992	862	22.1	0.77	20.6	23.7	77	14.0	1.71	10.8	17.7
1993	891	22.2	0.76	20.8	23.8	80	12.8	1.56	9.9	16.2
1994	886	22.3	0.76	20.8	23.8	101	15.6	1.61	12.6	19.1
1995	957	23.6	0.77	22.1	25.2	107	18.7	1.96	15.1	22.9
1996	973	23.9	0.77	22.4	25.5	119	19.0	1.88	15.5	23.1
1997	975	23.9	0.77	22.4	25.5	95	14.3	1.54	11.5	17.7
1998	1,010	24.7	0.78	23.1	26.2	124	19.2	1.79	15.8	23.0
1999	1,058	25.6	0.79	24.1	27.2	108	17.1	1.79	13.8	21.0
2000	1,027	24.8	0.78	23.3	26.4	108	15.8	1.58	12.8	19.2
2001	1,040	25.0	0.78	23.5	26.6	98	15.0	1.60	12.0	18.4
2002	1,059	25.4	0.78	23.8	26.9	105	15.7	1.61	12.7	19.1
2003	1,078	25.4	0.78	23.9	27.0	116	17.3	1.67	14.2	20.9
2004	1,159	27.4	0.81	25.8	29.0	123	19.0	1.83	15.6	22.9
2005	1,105	25.8	0.78	24.3	27.4	108	16.9	1.74	13.6	20.6
2006	1,124	26.2	0.79	24.6	27.8	107	15.5	1.56	12.6	18.8
2007	1,140	26.0	0.78	24.5	27.6	132	18.7	1.74	15.5	22.4
2008	1,132	25.6	0.77	24.1	27.2	113	16.5	1.65	13.4	20.0
2009	1,124	25.2	0.76	23.7	26.7	105	14.9	1.54	12.0	18.2
2010	1,206	26.4	0.78	24.9	28.0	133	18.9	1.72	15.6	22.5
2011	1,162	25.1	0.75	23.6	26.6	132	18.2	1.67	15.0	21.7
2012	1,144	24.7	0.75	23.3	26.2	115	15.0	1.45	12.3	18.1
2013	1,210	25.8	0.76	24.3	27.3	126	16.1	1.50	13.3	19.3
2014	1,226	25.4	0.74	24.0	26.9	132	16.6	1.51	13.7	19.8
2015	1,265	25.8	0.75	24.4	27.3	135	17.5	1.57	14.5	20.8
2016	1,229	25.6	0.75	24.2	27.1	115	15.0	1.46	12.3	18.2
2017	1,253	25.1	0.73	23.7	26.6	159	21.2	1.75	17.9	24.9
2018	1,166	23.0	0.70	21.7	24.4	144	18.0	1.56	15.1	21.4
2019	1,272	24.9	0.72	23.5	26.4	129	15.6	1.43	13.0	18.7
2020	1,177	23.1	0.70	21.7	24.5	124	14.9	1.39	12.3	17.9
2021	1,212	24.3	0.73	22.9	25.8	143	17.6	1.53	14.8	20.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Non-Hodgkin Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,320	16.1	0.36	15.4	16.8	34,971	16.1	0.09	15.9	16.3
1990	21	9.2	2.30	5.3	14.7	802	13.3	0.48	12.4	14.3
1991	12	7.2	2.22	3.5	12.6	826	13.5	0.48	12.6	14.5
1992	31	13.2	2.72	8.4	19.5	884	14.3	0.49	13.3	15.3
1993	28	14.5	3.05	9.2	21.5	926	14.8	0.49	13.8	15.8
1994	35	14.2	2.71	9.4	20.4	1,014	16.1	0.51	15.1	17.1
1995	42	19.7	3.43	13.5	27.3	1,018	16.0	0.51	15.0	17.0
1996	37	14.7	2.69	9.9	20.8	1,050	16.4	0.51	15.4	17.5
1997	27	7.9	1.70	4.9	11.9	1,025	15.9	0.50	14.9	16.9
1998	45	13.6	2.17	9.7	18.5	1,038	16.1	0.51	15.2	17.2
1999	48	15.5	2.58	10.8	21.2	1,072	16.5	0.51	15.6	17.6
2000	40	12.6	2.30	8.5	17.8	1,087	16.9	0.52	15.9	17.9
2001	55	17.1	2.55	12.5	22.8	1,104	16.8	0.51	15.8	17.8
2002	55	15.9	2.44	11.4	21.3	1,067	16.1	0.50	15.2	17.1
2003	59	15.1	2.19	11.1	20.0	1,087	16.4	0.50	15.4	17.4
2004	56	13.9	2.13	10.1	18.6	1,152	17.3	0.52	16.3	18.4
2005	66	17.2	2.41	12.8	22.5	1,136	17.0	0.51	16.1	18.1
2006	61	13.2	1.85	9.9	17.3	1,075	15.9	0.49	15.0	17.0
2007	83	18.8	2.31	14.6	23.8	1,110	16.4	0.50	15.5	17.5
2008	97	19.4	2.22	15.3	24.2	1,142	16.6	0.50	15.6	17.6
2009	84	16.5	1.99	12.8	20.8	1,185	17.2	0.51	16.2	18.2
2010	75	15.7	1.95	12.1	19.9	1,173	17.1	0.51	16.1	18.2
2011	87	16.1	1.87	12.6	20.1	1,173	16.8	0.50	15.8	17.8
2012	79	13.8	1.68	10.7	17.4	1,164	16.6	0.50	15.6	17.6
2013	103	16.4	1.74	13.1	20.1	1,120	15.5	0.48	14.6	16.5
2014	121	20.5	2.01	16.8	24.8	1,221	17.1	0.50	16.1	18.1
2015	98	15.4	1.66	12.3	19.0	1,227	16.9	0.50	16.0	17.9
2016	118	17.2	1.69	14.1	20.8	1,238	17.0	0.50	16.0	18.0
2017	137	19.9	1.79	16.5	23.7	1,153	15.9	0.49	15.0	16.9
2018	131	17.1	1.58	14.2	20.5	1,190	16.2	0.49	15.2	17.1
2019	140	18.1	1.60	15.1	21.5	1,231	16.1	0.47	15.1	17.0
2020	107	13.9	1.40	11.3	16.9	1,079	14.4	0.46	13.6	15.4
2021	142	17.2	1.50	14.4	20.4	1,202	15.9	0.48	15.0	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Non-Hodgkin Lymphoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	30,646	16.9	0.10	16.7	17.1	3,254	11.1	0.20	10.7	11.5
1990	739	14.1	0.53	13.0	15.1	57	8.1	1.09	6.1	10.6
1991	760	14.3	0.53	13.3	15.4	52	7.4	1.04	5.5	9.7
1992	824	15.4	0.55	14.4	16.5	53	7.4	1.03	5.5	9.6
1993	853	15.8	0.55	14.7	16.9	62	8.4	1.09	6.4	10.8
1994	909	16.6	0.56	15.6	17.8	88	11.5	1.25	9.2	14.2
1995	908	16.4	0.56	15.3	17.5	85	11.0	1.21	8.7	13.6
1996	965	17.6	0.58	16.5	18.8	67	8.3	1.03	6.4	10.5
1997	926	16.8	0.56	15.7	17.9	80	9.9	1.12	7.8	12.3
1998	929	16.9	0.57	15.8	18.1	91	10.8	1.15	8.7	13.3
1999	979	17.8	0.58	16.7	19.0	81	9.8	1.10	7.7	12.1
2000	972	17.9	0.59	16.8	19.1	90	10.5	1.12	8.4	12.9
2001	983	17.7	0.57	16.6	18.8	102	11.8	1.18	9.6	14.4
2002	954	17.1	0.56	16.0	18.2	93	10.6	1.11	8.6	13.0
2003	955	17.1	0.56	16.0	18.2	101	11.3	1.13	9.2	13.7
2004	1,002	17.9	0.58	16.8	19.1	120	13.7	1.26	11.3	16.4
2005	1,006	18.0	0.58	16.9	19.2	98	10.9	1.11	8.9	13.3
2006	953	17.0	0.57	15.9	18.2	102	11.1	1.11	9.0	13.5
2007	967	17.2	0.57	16.1	18.4	112	12.1	1.15	10.0	14.6
2008	990	17.3	0.56	16.2	18.4	110	11.8	1.14	9.7	14.2
2009	1,027	17.9	0.58	16.8	19.1	119	12.5	1.15	10.3	14.9
2010	1,017	18.1	0.59	16.9	19.3	110	11.5	1.11	9.4	13.9
2011	1,019	17.8	0.58	16.7	19.0	117	11.8	1.10	9.7	14.1
2012	1,009	17.6	0.57	16.5	18.7	118	11.5	1.08	9.5	13.9
2013	955	16.2	0.54	15.2	17.3	115	11.2	1.06	9.2	13.5
2014	1,034	17.8	0.58	16.7	19.0	134	13.0	1.14	10.9	15.5
2015	1,066	18.2	0.58	17.1	19.4	118	11.2	1.05	9.2	13.5
2016	1,046	17.8	0.58	16.7	19.0	130	12.6	1.13	10.5	15.0
2017	974	16.8	0.56	15.7	17.9	136	13.0	1.14	10.8	15.4
2018	978	16.6	0.56	15.5	17.7	151	13.9	1.16	11.7	16.4
2019	1,046	17.2	0.55	16.1	18.3	126	11.2	1.02	9.3	13.4
2020	917	15.5	0.54	14.5	16.6	99	8.9	0.91	7.2	10.9
2021	984	16.4	0.55	15.3	17.5	137	12.1	1.06	10.1	14.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Myeloma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,649	6.5	0.18	6.2	6.9	25,015	6.4	0.04	6.3	6.4
1990	21	6.5	1.57	3.8	10.2	491	4.6	0.21	4.2	5.0
1991	15	3.9	1.15	1.9	6.7	538	5.1	0.22	4.7	5.5
1992	20	6.1	1.52	3.5	9.6	511	4.7	0.21	4.3	5.2
1993	19	4.3	1.11	2.4	7.0	600	5.5	0.22	5.1	5.9
1994	17	4.6	1.21	2.5	7.5	694	6.3	0.24	5.8	6.8
1995	27	8.0	1.70	5.1	11.9	689	6.2	0.24	5.7	6.7
1996	25	6.2	1.39	3.8	9.4	625	5.6	0.23	5.2	6.1
1997	20	4.1	0.97	2.4	6.4	677	6.1	0.23	5.6	6.5
1998	30	5.7	1.15	3.6	8.4	706	6.3	0.24	5.8	6.7
1999	28	5.3	1.14	3.3	7.9	698	6.1	0.23	5.7	6.6
2000	49	10.4	1.70	7.4	14.2	702	6.1	0.23	5.7	6.6
2001	37	6.6	1.20	4.5	9.3	712	6.2	0.23	5.7	6.7
2002	32	5.3	1.06	3.4	7.7	817	7.0	0.25	6.6	7.5
2003	34	5.8	1.16	3.7	8.4	783	6.7	0.24	6.2	7.2
2004	36	5.9	1.07	4.0	8.3	724	6.1	0.23	5.7	6.6
2005	54	7.8	1.17	5.7	10.4	749	6.3	0.23	5.9	6.8
2006	42	5.2	0.89	3.6	7.2	771	6.4	0.23	6.0	6.9
2007	38	4.7	0.84	3.2	6.6	721	6.0	0.22	5.5	6.4
2008	54	7.1	1.06	5.1	9.4	815	6.6	0.23	6.2	7.1
2009	65	7.8	1.09	5.9	10.2	827	6.6	0.23	6.2	7.1
2010	60	5.8	0.80	4.3	7.5	805	6.3	0.23	5.9	6.8
2011	55	5.1	0.76	3.7	6.8	877	6.8	0.23	6.4	7.3
2012	82	8.2	0.98	6.4	10.3	878	6.8	0.23	6.3	7.2
2013	76	7.2	0.91	5.5	9.2	856	6.5	0.23	6.0	6.9
2014	71	7.2	0.92	5.5	9.2	897	6.6	0.23	6.2	7.1
2015	77	6.5	0.80	5.1	8.3	942	6.9	0.23	6.5	7.4
2016	95	7.6	0.83	6.0	9.4	982	7.1	0.23	6.6	7.6
2017	87	6.9	0.79	5.4	8.6	992	7.1	0.23	6.6	7.5
2018	91	7.3	0.82	5.8	9.1	1,008	7.1	0.23	6.6	7.5
2019	86	6.2	0.71	4.9	7.7	1,032	7.2	0.23	6.8	7.7
2020	102	7.0	0.74	5.6	8.6	934	6.5	0.22	6.1	7.0
2021	104	6.5	0.67	5.2	7.9	962	6.7	0.22	6.3	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Myeloma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	18,264	5.5	0.04	5.4	5.6	6,113	12.5	0.16	12.1	12.8
1990	373	4.0	0.21	3.6	4.4	115	10.4	1.00	8.6	12.5
1991	438	4.7	0.23	4.3	5.2	94	8.3	0.88	6.7	10.2
1992	405	4.3	0.21	3.9	4.7	104	8.5	0.85	6.9	10.3
1993	458	4.8	0.22	4.4	5.2	132	11.4	1.02	9.5	13.6
1994	520	5.4	0.24	4.9	5.9	166	13.8	1.10	11.8	16.1
1995	524	5.4	0.24	4.9	5.9	154	12.7	1.05	10.8	14.9
1996	479	5.0	0.23	4.5	5.4	138	10.8	0.94	9.0	12.8
1997	513	5.3	0.23	4.8	5.8	150	11.9	0.99	10.0	14.0
1998	520	5.3	0.23	4.9	5.8	177	13.6	1.04	11.7	15.8
1999	511	5.2	0.23	4.8	5.7	176	13.0	1.00	11.1	15.0
2000	506	5.1	0.23	4.7	5.6	176	12.7	0.97	10.9	14.7
2001	532	5.4	0.23	4.9	5.9	166	11.8	0.93	10.1	13.8
2002	632	6.4	0.25	5.9	6.9	175	12.4	0.96	10.6	14.5
2003	591	5.9	0.24	5.4	6.4	184	13.1	0.98	11.2	15.2
2004	532	5.3	0.23	4.9	5.8	178	12.0	0.92	10.3	13.9
2005	550	5.5	0.23	5.0	6.0	187	12.5	0.93	10.8	14.5
2006	566	5.6	0.24	5.1	6.1	193	12.8	0.94	11.1	14.8
2007	532	5.2	0.23	4.8	5.7	170	10.9	0.85	9.3	12.7
2008	607	5.9	0.24	5.4	6.4	179	11.4	0.87	9.8	13.3
2009	606	5.8	0.24	5.3	6.3	199	12.4	0.90	10.7	14.3
2010	587	5.5	0.23	5.1	6.0	202	12.3	0.89	10.6	14.2
2011	641	6.0	0.24	5.5	6.5	209	12.3	0.87	10.6	14.1
2012	621	5.8	0.24	5.3	6.3	225	13.2	0.90	11.5	15.1
2013	611	5.5	0.23	5.1	6.0	222	13.0	0.89	11.3	14.9
2014	636	5.7	0.23	5.3	6.2	230	13.0	0.88	11.3	14.8
2015	647	5.8	0.23	5.3	6.2	264	14.3	0.90	12.6	16.2
2016	697	6.2	0.24	5.7	6.6	257	13.8	0.88	12.1	15.6
2017	724	6.4	0.24	5.9	6.9	228	12.1	0.82	10.6	13.9
2018	677	5.9	0.23	5.4	6.3	294	15.1	0.90	13.4	16.9
2019	717	6.2	0.24	5.8	6.7	275	13.9	0.86	12.3	15.7
2020	648	5.6	0.23	5.2	6.1	238	12.2	0.81	10.7	13.9
2021	663	5.7	0.23	5.2	6.1	256	12.9	0.83	11.3	14.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Myeloma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	896	7.4	0.28	6.8	7.9	13,111	7.8	0.07	7.6	7.9
1990	11	6.5	2.18	2.9	12.2	233	5.3	0.35	4.6	6.0
1991	11	4.9	1.77	2.1	9.7	269	6.2	0.39	5.4	7.0
1992	11	6.3	2.22	2.8	12.1	260	5.9	0.37	5.2	6.7
1993	10	4.8	1.75	2.0	9.5	291	6.4	0.38	5.7	7.2
1994	8	5.0	2.08	1.8	10.4	356	7.9	0.43	7.1	8.8
1995	12	6.6	2.12	3.2	12.0	357	7.9	0.42	7.0	8.7
1996	9	5.0	2.12	1.8	10.5	322	7.0	0.40	6.3	7.8
1997	9	3.1	1.06	1.3	6.1	342	7.4	0.40	6.6	8.2
1998	13	5.6	1.81	2.7	10.2	364	7.9	0.42	7.1	8.7
1999	11	4.8	1.80	2.0	9.4	349	7.3	0.39	6.5	8.1
2000	28	12.5	2.81	7.6	18.9	352	7.3	0.39	6.6	8.1
2001	23	9.2	2.27	5.3	14.5	345	7.1	0.39	6.4	7.9
2002	22	7.5	1.81	4.4	11.8	414	8.5	0.42	7.7	9.4
2003	17	4.4	1.21	2.4	7.5	402	8.2	0.42	7.5	9.1
2004	18	7.0	1.93	3.7	11.6	370	7.4	0.39	6.7	8.2
2005	32	10.2	2.04	6.6	14.9	399	7.9	0.40	7.1	8.7
2006	24	6.3	1.57	3.6	10.0	409	8.0	0.40	7.3	8.8
2007	20	5.2	1.30	3.0	8.3	393	7.6	0.39	6.9	8.4
2008	34	9.6	1.94	6.2	13.9	448	8.5	0.41	7.7	9.3
2009	35	9.3	1.83	6.1	13.5	435	8.1	0.39	7.3	8.9
2010	35	6.6	1.21	4.4	9.3	415	7.5	0.37	6.8	8.2
2011	35	6.8	1.28	4.6	9.8	468	8.4	0.40	7.6	9.2
2012	48	9.9	1.60	7.0	13.4	490	8.6	0.40	7.9	9.5
2013	40	8.1	1.47	5.5	11.4	452	7.8	0.38	7.1	8.6
2014	37	7.8	1.44	5.2	11.0	493	8.2	0.38	7.5	9.0
2015	39	6.5	1.15	4.5	9.1	508	8.3	0.38	7.6	9.1
2016	56	9.3	1.36	6.8	12.3	545	8.9	0.39	8.1	9.7
2017	40	6.6	1.17	4.5	9.2	509	8.2	0.37	7.4	8.9
2018	52	8.4	1.29	6.1	11.3	524	8.3	0.37	7.6	9.0
2019	44	6.0	1.00	4.2	8.2	568	8.9	0.39	8.2	9.7
2020	54	7.7	1.16	5.6	10.3	505	7.8	0.36	7.1	8.5
2021	58	7.6	1.09	5.6	10.0	524	8.1	0.37	7.4	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Myeloma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,855	6.9	0.07	6.8	7.1	2,891	14.5	0.28	13.9	15.0
1990	186	4.7	0.36	4.1	5.5	45	9.9	1.55	7.1	13.4
1991	218	5.7	0.40	5.0	6.5	47	10.2	1.57	7.4	13.7
1992	204	5.3	0.38	4.6	6.1	55	11.0	1.56	8.1	14.4
1993	227	5.7	0.38	5.0	6.5	57	12.9	1.84	9.5	16.9
1994	267	6.8	0.43	6.0	7.7	85	17.5	2.00	13.8	21.8
1995	268	6.7	0.42	6.0	7.6	80	16.7	1.99	13.0	21.0
1996	247	6.2	0.40	5.5	7.1	70	13.4	1.71	10.3	17.1
1997	269	6.7	0.41	5.9	7.6	65	12.4	1.62	9.5	16.0
1998	278	6.9	0.42	6.1	7.8	81	16.5	1.96	12.9	20.8
1999	273	6.7	0.41	5.9	7.5	71	12.4	1.55	9.6	15.8
2000	266	6.5	0.40	5.7	7.3	76	13.0	1.55	10.1	16.4
2001	265	6.4	0.40	5.7	7.2	74	12.7	1.54	9.9	16.0
2002	328	7.9	0.44	7.0	8.8	79	14.3	1.68	11.2	17.9
2003	307	7.3	0.42	6.5	8.2	90	16.5	1.84	13.1	20.5
2004	277	6.6	0.40	5.8	7.4	85	14.2	1.61	11.2	17.7
2005	302	7.1	0.41	6.3	7.9	89	14.2	1.55	11.3	17.5
2006	305	7.0	0.41	6.3	7.9	99	16.5	1.75	13.3	20.3
2007	299	6.9	0.40	6.1	7.7	85	13.4	1.51	10.6	16.6
2008	348	7.8	0.42	7.0	8.7	87	13.3	1.50	10.6	16.6
2009	325	7.2	0.41	6.4	8.1	96	14.6	1.57	11.7	18.0
2010	307	6.6	0.38	5.9	7.4	98	14.1	1.51	11.3	17.4
2011	350	7.6	0.41	6.8	8.4	105	15.4	1.59	12.5	18.8
2012	365	7.7	0.41	6.9	8.6	105	15.2	1.55	12.3	18.5
2013	340	7.0	0.39	6.2	7.8	99	14.3	1.50	11.5	17.5
2014	365	7.3	0.39	6.5	8.1	107	15.3	1.56	12.4	18.7
2015	363	7.2	0.39	6.5	8.0	125	16.4	1.54	13.5	19.7
2016	398	8.0	0.41	7.2	8.8	128	16.1	1.49	13.3	19.3
2017	389	7.6	0.40	6.8	8.4	98	12.7	1.35	10.2	15.6
2018	374	7.2	0.38	6.4	8.0	130	16.5	1.52	13.6	19.7
2019	408	7.9	0.40	7.1	8.7	135	16.8	1.51	13.9	20.0
2020	376	7.1	0.38	6.4	7.9	107	13.4	1.35	10.9	16.3
2021	361	6.8	0.37	6.1	7.6	138	16.8	1.49	14.0	20.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Myeloma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	753	5.8	0.23	5.4	6.3	11,904	5.3	0.05	5.2	5.4
1990	10	6.2	2.11	2.8	11.5	258	4.2	0.26	3.7	4.7
1991	4	2.6	1.37	0.6	6.4	269	4.3	0.26	3.8	4.8
1992	9	5.6	2.00	2.4	10.6	251	4.0	0.26	3.5	4.5
1993	9	3.8	1.42	1.6	7.5	309	4.8	0.28	4.3	5.4
1994	9	4.4	1.55	1.9	8.4	338	5.3	0.29	4.7	5.9
1995	15	8.7	2.39	4.7	14.4	332	5.1	0.28	4.6	5.7
1996	16	7.4	1.96	4.1	12.1	303	4.7	0.27	4.2	5.3
1997	11	4.7	1.50	2.3	8.5	335	5.1	0.28	4.6	5.7
1998	17	5.9	1.53	3.3	9.6	342	5.3	0.29	4.7	5.9
1999	17	5.9	1.55	3.2	9.6	349	5.3	0.29	4.7	5.9
2000	21	8.7	2.08	5.1	13.5	350	5.3	0.29	4.7	5.9
2001	14	4.7	1.31	2.5	7.9	367	5.5	0.29	5.0	6.1
2002	10	3.2	1.15	1.3	6.1	403	6.0	0.30	5.4	6.6
2003	17	6.5	1.75	3.6	10.6	381	5.6	0.29	5.1	6.2
2004	18	5.2	1.28	3.0	8.3	354	5.3	0.28	4.7	5.9
2005	22	5.9	1.34	3.6	9.1	350	5.1	0.28	4.6	5.7
2006	18	4.3	1.08	2.4	6.8	362	5.3	0.28	4.7	5.9
2007	18	4.2	1.08	2.4	6.8	328	4.8	0.27	4.3	5.3
2008	20	5.0	1.19	3.0	7.8	367	5.3	0.28	4.7	5.9
2009	30	6.7	1.32	4.4	9.7	392	5.5	0.28	5.0	6.1
2010	25	4.9	1.04	3.1	7.3	390	5.4	0.28	4.9	6.0
2011	20	3.6	0.87	2.1	5.6	409	5.7	0.29	5.1	6.3
2012	34	6.7	1.21	4.5	9.4	388	5.4	0.28	4.8	5.9
2013	36	6.6	1.18	4.5	9.3	404	5.5	0.28	4.9	6.1
2014	34	6.7	1.21	4.5	9.4	404	5.4	0.28	4.9	6.0
2015	38	6.4	1.09	4.5	8.9	434	5.8	0.28	5.2	6.4
2016	39	6.0	1.01	4.2	8.3	437	5.8	0.28	5.2	6.4
2017	47	7.1	1.09	5.1	9.5	483	6.2	0.29	5.6	6.8
2018	39	6.2	1.04	4.3	8.5	484	6.2	0.29	5.6	6.8
2019	42	6.1	0.99	4.4	8.3	464	6.0	0.29	5.4	6.6
2020	48	6.4	0.96	4.6	8.5	429	5.6	0.28	5.1	6.2
2021	46	5.5	0.84	4.0	7.4	438	5.5	0.27	5.0	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Myeloma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	8,409	4.5	0.05	4.4	4.6	3,222	11.1	0.20	10.7	11.5
1990	187	3.4	0.26	2.9	4.0	70	10.6	1.29	8.3	13.4
1991	220	3.9	0.27	3.4	4.5	47	7.0	1.04	5.1	9.3
1992	201	3.6	0.26	3.1	4.2	49	6.9	0.99	5.1	9.1
1993	231	4.1	0.27	3.6	4.7	75	10.7	1.26	8.4	13.5
1994	253	4.5	0.29	3.9	5.1	81	11.4	1.28	9.0	14.2
1995	256	4.5	0.29	4.0	5.1	74	10.3	1.20	8.0	12.9
1996	232	4.1	0.27	3.6	4.7	68	9.0	1.11	7.0	11.4
1997	244	4.3	0.28	3.7	4.9	85	11.3	1.24	9.0	14.0
1998	242	4.3	0.28	3.8	4.9	96	12.2	1.25	9.9	14.9
1999	238	4.1	0.27	3.6	4.7	105	13.1	1.29	10.7	15.9
2000	240	4.2	0.27	3.7	4.8	100	12.2	1.23	9.9	14.9
2001	267	4.6	0.29	4.1	5.2	92	11.2	1.17	9.0	13.7
2002	304	5.2	0.30	4.6	5.9	96	11.4	1.17	9.2	13.9
2003	284	4.9	0.30	4.4	5.6	94	11.1	1.16	9.0	13.6
2004	255	4.5	0.28	3.9	5.1	93	10.6	1.11	8.5	13.0
2005	248	4.3	0.28	3.8	4.9	98	11.2	1.14	9.1	13.6
2006	261	4.5	0.28	4.0	5.1	94	10.5	1.09	8.5	12.9
2007	233	4.0	0.27	3.5	4.6	85	9.3	1.01	7.4	11.5
2008	259	4.4	0.28	3.9	5.0	92	10.1	1.06	8.1	12.4
2009	281	4.7	0.29	4.2	5.3	103	11.0	1.09	8.9	13.3
2010	280	4.7	0.29	4.1	5.3	104	10.9	1.08	8.9	13.3
2011	291	4.9	0.29	4.3	5.5	104	10.3	1.03	8.4	12.5
2012	256	4.3	0.28	3.8	4.9	120	11.9	1.10	9.8	14.2
2013	271	4.4	0.28	3.9	5.0	123	12.1	1.11	10.0	14.5
2014	271	4.4	0.28	3.9	5.0	123	11.7	1.07	9.7	14.0
2015	284	4.6	0.28	4.0	5.2	139	12.9	1.12	10.8	15.3
2016	299	4.8	0.29	4.3	5.4	129	12.2	1.09	10.1	14.5
2017	335	5.3	0.30	4.8	6.0	130	11.7	1.04	9.7	13.9
2018	303	4.8	0.28	4.3	5.4	164	14.3	1.14	12.2	16.7
2019	309	4.9	0.29	4.4	5.5	140	12.2	1.06	10.3	14.5
2020	272	4.5	0.28	3.9	5.1	131	11.5	1.03	9.6	13.7
2021	302	4.7	0.28	4.2	5.3	118	10.0	0.94	8.2	12.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,998	10.8	0.21	10.4	11.2	51,988	13.6	0.06	13.5	13.7
1990	46	7.7	1.54	5.0	11.3	1,141	10.8	0.32	10.2	11.4
1991	47	8.0	1.49	5.3	11.4	1,118	10.5	0.32	9.9	11.2
1992	53	8.1	1.45	5.5	11.4	1,192	11.1	0.32	10.5	11.7
1993	50	7.1	1.24	4.9	10.0	1,262	11.6	0.33	11.0	12.3
1994	80	11.0	1.72	7.9	14.9	1,502	13.7	0.36	13.1	14.5
1995	80	10.0	1.51	7.2	13.4	1,491	13.6	0.35	12.9	14.3
1996	70	8.8	1.48	6.1	12.1	1,438	13.0	0.34	12.3	13.7
1997	84	10.0	1.46	7.4	13.3	1,441	12.9	0.34	12.3	13.6
1998	85	10.0	1.51	7.3	13.3	1,448	12.9	0.34	12.2	13.6
1999	101	12.1	1.61	9.1	15.6	1,563	13.9	0.35	13.2	14.6
2000	102	9.1	1.24	6.9	11.9	1,608	14.2	0.35	13.5	14.9
2001	83	9.7	1.43	7.1	12.8	1,700	15.0	0.36	14.3	15.7
2002	116	13.0	1.63	10.0	16.5	1,693	14.7	0.36	14.1	15.5
2003	89	9.4	1.32	7.0	12.3	1,702	14.7	0.36	14.1	15.5
2004	107	10.0	1.33	7.5	12.9	1,702	14.6	0.36	13.9	15.4
2005	114	9.8	1.17	7.7	12.4	1,641	14.1	0.35	13.4	14.8
2006	138	13.7	1.52	10.8	16.9	1,674	14.2	0.35	13.6	14.9
2007	118	8.7	0.99	6.9	10.9	1,553	13.2	0.34	12.5	13.9
2008	146	11.5	1.19	9.2	14.0	1,694	14.2	0.35	13.5	14.9
2009	135	11.1	1.19	8.8	13.6	1,650	13.6	0.34	13.0	14.3
2010	147	10.7	1.06	8.7	12.9	1,744	14.3	0.35	13.6	15.0
2011	144	9.9	0.99	8.0	12.0	1,799	14.6	0.35	13.9	15.3
2012	172	12.4	1.12	10.3	14.8	1,821	14.6	0.35	13.9	15.3
2013	184	13.2	1.15	11.0	15.6	1,788	14.1	0.34	13.4	14.8
2014	173	10.7	0.93	9.0	12.7	1,782	13.9	0.34	13.3	14.6
2015	187	12.1	1.01	10.2	14.2	1,805	14.0	0.34	13.3	14.6
2016	175	10.7	0.92	8.9	12.6	1,788	13.7	0.33	13.1	14.4
2017	199	12.6	1.00	10.7	14.7	1,930	14.6	0.34	14.0	15.3
2018	218	13.0	0.98	11.1	15.0	1,836	13.8	0.33	13.2	14.5
2019	196	11.4	0.90	9.7	13.3	1,852	13.8	0.33	13.2	14.5
2020	168	9.6	0.80	8.1	11.3	1,767	13.2	0.33	12.6	13.9
2021	191	10.7	0.84	9.1	12.5	1,863	14.0	0.34	13.3	14.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Leukemia										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	44,783	14.1	0.07	14.0	14.3	5,580	11.0	0.15	10.7	11.3
1990	1,035	11.3	0.36	10.6	12.0	98	7.7	0.83	6.2	9.5
1991	1,000	10.9	0.35	10.3	11.7	102	7.9	0.83	6.4	9.7
1992	1,055	11.4	0.35	10.7	12.1	115	9.1	0.89	7.4	11.0
1993	1,138	12.2	0.36	11.5	12.9	110	8.3	0.83	6.7	10.0
1994	1,334	14.2	0.39	13.4	15.0	140	10.7	0.94	8.9	12.6
1995	1,324	14.1	0.39	13.4	14.9	144	10.7	0.93	9.0	12.7
1996	1,276	13.5	0.38	12.7	14.2	133	9.8	0.88	8.1	11.6
1997	1,265	13.3	0.38	12.6	14.1	155	11.0	0.91	9.2	12.9
1998	1,269	13.3	0.38	12.6	14.1	147	10.4	0.88	8.7	12.2
1999	1,387	14.6	0.39	13.8	15.4	151	10.3	0.87	8.7	12.2
2000	1,397	14.6	0.39	13.9	15.4	182	12.6	0.96	10.8	14.6
2001	1,472	15.4	0.40	14.6	16.2	180	11.9	0.92	10.2	13.9
2002	1,480	15.3	0.40	14.5	16.1	171	12.0	0.95	10.3	14.0
2003	1,507	15.6	0.40	14.8	16.4	161	10.7	0.87	9.1	12.5
2004	1,468	15.1	0.40	14.3	15.9	173	11.1	0.87	9.5	12.9
2005	1,414	14.5	0.39	13.8	15.3	176	11.7	0.91	10.0	13.6
2006	1,451	14.8	0.39	14.0	15.6	187	12.1	0.91	10.4	14.0
2007	1,327	13.6	0.38	12.9	14.4	178	11.1	0.85	9.5	12.8
2008	1,466	14.9	0.40	14.1	15.7	169	10.9	0.85	9.3	12.7
2009	1,426	14.3	0.39	13.5	15.1	169	10.7	0.84	9.1	12.4
2010	1,471	14.7	0.39	13.9	15.5	209	12.4	0.88	10.8	14.3
2011	1,532	15.1	0.40	14.3	15.9	200	11.7	0.85	10.1	13.5
2012	1,535	15.2	0.40	14.4	16.0	230	13.5	0.91	11.7	15.4
2013	1,506	14.7	0.39	13.9	15.4	216	12.2	0.85	10.6	13.9
2014	1,522	14.7	0.39	13.9	15.5	198	11.2	0.81	9.7	12.9
2015	1,551	14.9	0.39	14.1	15.6	189	10.4	0.78	8.9	12.0
2016	1,488	14.1	0.38	13.4	14.9	214	11.3	0.79	9.8	13.0
2017	1,650	15.5	0.40	14.8	16.4	203	10.8	0.77	9.3	12.4
2018	1,515	14.2	0.38	13.5	15.0	228	12.0	0.82	10.5	13.8
2019	1,562	14.7	0.39	13.9	15.5	214	11.2	0.78	9.7	12.8
2020	1,449	13.6	0.37	12.8	14.3	220	11.5	0.79	10.0	13.1
2021	1,511	14.2	0.38	13.4	14.9	218	11.4	0.79	9.9	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,261	12.7	0.34	12.0	13.4	29,529	17.9	0.11	17.7	18.1
1990	17	4.9	1.87	2.0	10.1	614	13.8	0.58	12.7	15.0
1991	25	8.8	2.32	4.9	14.6	627	13.7	0.56	12.6	14.9
1992	30	8.8	2.07	5.2	14.0	700	15.4	0.60	14.2	16.6
1993	27	7.4	1.91	4.1	12.3	694	15.1	0.59	14.0	16.3
1994	46	11.1	2.38	7.0	16.9	827	18.4	0.66	17.2	19.8
1995	45	13.0	3.10	7.7	20.3	815	17.7	0.63	16.5	19.0
1996	40	9.1	2.50	4.9	15.2	808	17.7	0.63	16.4	19.0
1997	46	10.9	2.27	6.9	16.3	798	17.2	0.62	16.0	18.4
1998	52	12.6	2.59	8.0	18.6	802	16.9	0.60	15.7	18.1
1999	53	11.9	2.41	7.6	17.5	866	18.2	0.63	17.0	19.5
2000	54	10.3	2.16	6.5	15.3	880	18.2	0.62	17.0	19.5
2001	48	12.4	2.60	7.9	18.4	946	19.7	0.65	18.4	21.0
2002	59	16.0	2.94	10.8	22.6	968	20.0	0.65	18.8	21.4
2003	45	10.2	2.26	6.2	15.4	963	19.7	0.64	18.4	21.0
2004	48	10.5	2.18	6.7	15.5	946	19.1	0.63	17.9	20.4
2005	69	11.1	1.75	8.0	15.1	940	19.0	0.63	17.8	20.2
2006	89	19.3	2.84	14.1	25.5	964	19.1	0.62	17.9	20.4
2007	72	11.5	1.76	8.3	15.5	892	17.5	0.59	16.4	18.8
2008	87	14.5	2.10	10.7	19.1	980	18.9	0.61	17.7	20.2
2009	71	11.1	1.72	8.0	14.9	911	17.3	0.58	16.2	18.5
2010	77	11.5	1.70	8.4	15.3	1,021	19.2	0.61	18.0	20.4
2011	85	12.1	1.68	9.0	15.8	1,008	18.7	0.60	17.5	19.9
2012	110	16.7	1.98	13.0	21.0	1,039	18.8	0.60	17.7	20.1
2013	102	15.2	1.87	11.8	19.3	1,016	18.1	0.58	17.0	19.3
2014	101	13.0	1.56	10.2	16.4	1,029	18.1	0.58	17.0	19.3
2015	112	14.0	1.58	11.0	17.4	1,048	18.1	0.57	17.0	19.3
2016	100	13.2	1.59	10.3	16.7	1,026	17.6	0.56	16.5	18.7
2017	105	13.2	1.51	10.4	16.5	1,108	18.7	0.58	17.6	19.9
2018	128	15.6	1.61	12.6	19.0	1,084	18.0	0.56	16.9	19.1
2019	124	14.2	1.45	11.5	17.3	1,092	18.0	0.56	16.9	19.1
2020	91	11.2	1.34	8.7	14.1	1,028	16.8	0.54	15.8	17.9
2021	103	12.1	1.36	9.5	15.0	1,089	17.8	0.56	16.7	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	25,571	18.5	0.12	18.3	18.8	3,009	14.3	0.28	13.8	14.9
1990	556	14.3	0.62	13.1	15.6	53	10.6	1.67	7.6	14.3
1991	564	14.3	0.62	13.1	15.6	53	9.6	1.43	7.0	12.8
1992	621	15.8	0.65	14.5	17.1	68	12.8	1.71	9.7	16.6
1993	619	15.8	0.65	14.5	17.1	65	11.1	1.51	8.3	14.4
1994	730	18.9	0.71	17.5	20.3	82	15.3	1.90	11.9	19.5
1995	728	18.5	0.70	17.1	19.9	74	12.8	1.62	9.9	16.4
1996	713	18.1	0.69	16.8	19.5	81	15.2	1.85	11.8	19.2
1997	711	17.9	0.68	16.6	19.3	80	13.4	1.63	10.4	16.9
1998	709	17.5	0.66	16.3	18.9	77	12.9	1.57	10.0	16.3
1999	781	19.3	0.70	18.0	20.7	69	11.5	1.50	8.7	14.8
2000	761	18.6	0.68	17.3	20.0	101	17.0	1.79	13.7	20.8
2001	809	20.0	0.71	18.6	21.4	106	17.2	1.81	13.9	21.1
2002	849	20.7	0.72	19.4	22.2	91	15.8	1.80	12.5	19.7
2003	862	20.8	0.71	19.5	22.3	84	13.2	1.55	10.4	16.6
2004	831	20.0	0.70	18.6	21.4	82	12.6	1.53	9.8	16.0
2005	816	19.5	0.69	18.2	20.9	97	15.9	1.75	12.6	19.6
2006	844	20.0	0.70	18.7	21.4	105	16.3	1.69	13.1	19.9
2007	772	18.2	0.66	16.9	19.5	96	14.4	1.55	11.5	17.7
2008	849	19.7	0.69	18.4	21.1	94	14.7	1.61	11.7	18.2
2009	796	18.2	0.65	16.9	19.5	84	13.2	1.54	10.3	16.5
2010	864	19.7	0.68	18.3	21.0	123	17.6	1.69	14.4	21.2
2011	855	19.1	0.67	17.8	20.4	109	15.5	1.57	12.6	18.8
2012	888	19.6	0.67	18.3	20.9	129	18.8	1.75	15.5	22.5
2013	862	18.7	0.65	17.4	20.0	107	14.4	1.47	11.7	17.6
2014	886	19.1	0.66	17.8	20.4	103	14.1	1.46	11.3	17.2
2015	903	19.0	0.65	17.8	20.4	110	14.4	1.44	11.7	17.5
2016	867	18.2	0.64	16.9	19.5	103	12.8	1.32	10.4	15.7
2017	946	19.6	0.66	18.3	20.9	109	13.9	1.40	11.3	16.9
2018	910	18.6	0.64	17.4	20.0	122	15.2	1.44	12.5	18.3
2019	924	18.7	0.64	17.5	20.0	118	14.9	1.44	12.2	18.0
2020	856	17.3	0.61	16.1	18.5	118	14.4	1.38	11.9	17.4
2021	889	18.0	0.63	16.8	19.2	116	14.0	1.36	11.5	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,737	9.2	0.26	8.7	9.8	22,459	10.5	0.07	10.4	10.6
1990	29	10.0	2.32	6.0	15.6	527	8.7	0.38	8.0	9.5
1991	22	7.2	1.89	3.9	11.8	491	8.1	0.37	7.4	8.9
1992	23	7.1	1.89	3.9	11.8	492	8.0	0.37	7.3	8.8
1993	23	6.8	1.67	3.9	10.9	568	9.1	0.39	8.3	9.8
1994	34	10.4	2.32	6.3	15.8	675	10.8	0.42	9.9	11.6
1995	35	8.3	1.63	5.4	12.2	676	10.7	0.42	9.9	11.5
1996	30	8.7	1.96	5.3	13.3	630	9.9	0.40	9.1	10.7
1997	38	9.2	1.91	5.9	13.7	643	10.0	0.40	9.3	10.8
1998	33	7.8	1.76	4.7	11.9	646	9.9	0.39	9.2	10.7
1999	48	12.2	2.20	8.3	17.2	697	10.9	0.42	10.1	11.7
2000	48	8.3	1.53	5.6	11.9	728	11.2	0.42	10.4	12.1
2001	35	7.5	1.61	4.7	11.3	754	11.7	0.43	10.8	12.5
2002	57	10.7	1.84	7.4	14.9	725	10.9	0.41	10.1	11.8
2003	44	9.0	1.67	6.1	12.9	739	11.3	0.42	10.5	12.1
2004	59	9.8	1.66	6.8	13.6	756	11.5	0.42	10.7	12.3
2005	45	8.3	1.52	5.6	11.8	701	10.7	0.41	9.9	11.5
2006	49	9.1	1.63	6.2	12.8	710	10.6	0.41	9.8	11.4
2007	46	6.3	1.11	4.3	8.9	661	10.1	0.40	9.3	10.9
2008	59	8.9	1.37	6.4	12.0	714	10.6	0.41	9.8	11.4
2009	64	10.8	1.61	7.9	14.4	739	10.9	0.41	10.1	11.7
2010	70	10.1	1.37	7.6	13.2	723	10.4	0.40	9.6	11.2
2011	59	7.9	1.19	5.8	10.6	791	11.5	0.42	10.7	12.3
2012	62	8.6	1.25	6.3	11.4	782	11.4	0.42	10.6	12.3
2013	82	11.4	1.43	8.8	14.5	772	11.1	0.41	10.3	11.9
2014	72	8.6	1.13	6.6	11.1	753	10.7	0.40	9.9	11.5
2015	75	10.1	1.29	7.8	13.0	757	10.9	0.41	10.1	11.7
2016	75	8.6	1.09	6.6	11.0	762	10.8	0.41	10.0	11.6
2017	94	12.0	1.35	9.5	14.9	822	11.5	0.42	10.7	12.4
2018	90	10.6	1.21	8.4	13.2	752	10.5	0.40	9.7	11.3
2019	72	8.5	1.09	6.5	10.9	760	10.6	0.41	9.8	11.4
2020	77	8.4	1.00	6.5	10.6	739	10.5	0.41	9.8	11.4
2021	88	9.7	1.08	7.7	12.0	774	11.0	0.42	10.2	11.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	19,212	10.9	0.08	10.7	11.0	2,571	8.8	0.17	8.4	9.1
1990	479	9.1	0.43	8.3	10.0	45	6.1	0.93	4.4	8.2
1991	436	8.4	0.41	7.6	9.3	49	6.6	0.97	4.8	8.7
1992	434	8.3	0.41	7.5	9.1	47	6.5	0.96	4.7	8.6
1993	519	9.6	0.43	8.8	10.5	45	6.1	0.93	4.4	8.2
1994	604	11.2	0.46	10.3	12.1	58	7.8	1.04	5.9	10.0
1995	596	11.1	0.47	10.2	12.1	70	9.1	1.11	7.1	11.6
1996	563	10.4	0.45	9.5	11.3	52	6.4	0.91	4.7	8.4
1997	554	10.1	0.44	9.3	11.0	75	9.3	1.09	7.3	11.7
1998	560	10.1	0.44	9.3	11.0	70	8.4	1.02	6.5	10.6
1999	606	11.3	0.47	10.4	12.2	82	9.6	1.08	7.6	12.0
2000	636	11.7	0.48	10.8	12.7	81	9.5	1.07	7.6	11.9
2001	663	12.2	0.49	11.3	13.2	74	8.5	1.00	6.6	10.7
2002	631	11.3	0.46	10.4	12.3	80	9.5	1.08	7.5	11.9
2003	645	11.8	0.48	10.9	12.8	77	8.8	1.02	7.0	11.1
2004	637	11.6	0.48	10.7	12.6	91	10.1	1.07	8.1	12.5
2005	598	11.0	0.47	10.1	12.0	79	9.0	1.02	7.1	11.3
2006	607	10.9	0.46	10.0	11.8	82	9.2	1.02	7.3	11.4
2007	555	10.3	0.46	9.5	11.3	82	8.8	0.98	7.0	11.0
2008	617	11.2	0.47	10.2	12.1	75	8.3	0.96	6.5	10.4
2009	630	11.3	0.47	10.4	12.2	85	9.2	1.01	7.3	11.4
2010	607	10.6	0.45	9.8	11.6	86	8.8	0.96	7.0	10.9
2011	677	12.1	0.49	11.1	13.0	91	9.2	0.98	7.4	11.3
2012	647	11.8	0.49	10.8	12.8	101	10.0	1.01	8.2	12.2
2013	644	11.6	0.48	10.6	12.6	109	10.6	1.03	8.7	12.8
2014	636	11.2	0.47	10.3	12.2	95	9.4	0.98	7.6	11.6
2015	648	11.7	0.49	10.8	12.7	79	7.6	0.86	6.0	9.5
2016	621	10.9	0.46	10.0	11.8	111	10.3	1.00	8.5	12.5
2017	704	12.3	0.50	11.4	13.4	94	8.9	0.94	7.1	10.9
2018	605	10.6	0.46	9.8	11.6	106	9.7	0.96	7.9	11.8
2019	638	11.4	0.49	10.5	12.4	96	8.7	0.90	7.0	10.6
2020	593	10.7	0.48	9.8	11.7	102	9.5	0.97	7.7	11.6
2021	622	11.1	0.48	10.2	12.1	102	9.5	0.96	7.8	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Lymphocytic Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,477	2.4	0.07	2.3	2.5	4,659	1.4	0.02	1.4	1.4
1990	21	1.6	0.34	1.0	2.8	115	1.1	0.10	0.9	1.3
1991	18	1.8	0.47	1.0	3.2	129	1.2	0.11	1.0	1.4
1992	20	1.8	0.45	1.0	3.2	142	1.3	0.11	1.1	1.6
1993	18	1.5	0.42	0.8	2.8	151	1.4	0.11	1.2	1.7
1994	29	1.8	0.34	1.2	2.9	131	1.2	0.11	1.0	1.4
1995	36	2.7	0.53	1.8	4.1	166	1.5	0.12	1.3	1.8
1996	36	2.4	0.42	1.6	3.6	130	1.2	0.10	1.0	1.4
1997	37	2.3	0.42	1.6	3.5	147	1.4	0.11	1.1	1.6
1998	24	1.4	0.29	0.8	2.3	141	1.3	0.11	1.1	1.5
1999	32	1.9	0.37	1.3	3.0	144	1.3	0.11	1.1	1.6
2000	43	2.3	0.40	1.6	3.4	130	1.2	0.11	1.0	1.4
2001	28	2.2	0.67	1.1	3.9	160	1.5	0.12	1.3	1.8
2002	41	2.1	0.37	1.5	3.1	148	1.4	0.11	1.2	1.6
2003	34	1.6	0.29	1.1	2.4	159	1.5	0.12	1.3	1.8
2004	39	1.6	0.26	1.1	2.4	150	1.4	0.12	1.2	1.7
2005	45	1.9	0.30	1.4	2.7	154	1.5	0.12	1.3	1.7
2006	57	2.8	0.47	1.9	3.9	149	1.5	0.12	1.2	1.7
2007	55	2.7	0.43	1.9	3.8	133	1.3	0.11	1.1	1.6
2008	63	3.1	0.46	2.2	4.2	152	1.5	0.12	1.3	1.8
2009	48	2.1	0.32	1.5	2.9	142	1.4	0.12	1.2	1.7
2010	55	2.4	0.37	1.8	3.3	141	1.4	0.12	1.2	1.6
2011	56	2.4	0.37	1.8	3.3	148	1.5	0.12	1.2	1.7
2012	69	3.1	0.43	2.3	4.1	148	1.5	0.12	1.2	1.7
2013	61	2.6	0.36	1.9	3.5	148	1.5	0.12	1.2	1.7
2014	57	2.4	0.34	1.8	3.2	140	1.4	0.12	1.2	1.6
2015	64	2.6	0.34	2.0	3.4	149	1.4	0.12	1.2	1.7
2016	59	2.3	0.30	1.7	3.0	149	1.5	0.12	1.2	1.7
2017	67	3.0	0.39	2.3	3.9	160	1.5	0.13	1.3	1.8
2018	74	3.1	0.38	2.4	4.0	153	1.6	0.13	1.3	1.8
2019	77	3.4	0.41	2.6	4.3	152	1.5	0.13	1.3	1.8
2020	57	2.5	0.34	1.8	3.2	150	1.5	0.13	1.3	1.8
2021	57	2.4	0.33	1.8	3.2	148	1.5	0.13	1.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Lymphocytic Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,789	1.5	0.02	1.5	1.6	570	0.9	0.04	0.9	1.0
1990	103	1.2	0.12	1.0	1.5	12	0.9	0.27	0.4	1.6
1991	105	1.3	0.12	1.0	1.5	18	1.0	0.25	0.6	1.6
1992	111	1.3	0.12	1.1	1.6	24	1.5	0.33	0.9	2.3
1993	129	1.5	0.14	1.3	1.8	18	1.0	0.25	0.6	1.7
1994	106	1.2	0.12	1.0	1.5	15	0.7	0.21	0.4	1.3
1995	147	1.8	0.15	1.5	2.1	14	0.6	0.17	0.3	1.1
1996	106	1.3	0.12	1.0	1.5	20	1.0	0.24	0.6	1.6
1997	121	1.5	0.13	1.2	1.7	20	1.0	0.24	0.6	1.6
1998	120	1.5	0.13	1.2	1.7	12	0.7	0.20	0.3	1.2
1999	124	1.5	0.14	1.3	1.8	17	0.8	0.20	0.5	1.3
2000	113	1.4	0.13	1.1	1.7	13	0.7	0.21	0.4	1.3
2001	123	1.5	0.14	1.3	1.8	30	1.5	0.29	1.0	2.2
2002	127	1.6	0.14	1.3	1.9	14	0.7	0.19	0.4	1.2
2003	134	1.7	0.15	1.4	2.0	19	0.9	0.21	0.5	1.4
2004	116	1.5	0.14	1.2	1.8	24	1.3	0.27	0.8	2.0
2005	132	1.7	0.15	1.4	2.0	15	0.7	0.19	0.4	1.2
2006	119	1.6	0.15	1.3	1.9	20	1.1	0.25	0.7	1.7
2007	103	1.3	0.13	1.1	1.6	21	1.1	0.25	0.7	1.7
2008	128	1.7	0.15	1.4	2.0	12	0.6	0.18	0.3	1.1
2009	116	1.6	0.15	1.3	1.9	18	1.0	0.23	0.6	1.5
2010	111	1.5	0.14	1.2	1.8	20	1.0	0.22	0.6	1.5
2011	118	1.6	0.15	1.3	1.9	18	0.9	0.22	0.5	1.5
2012	122	1.6	0.15	1.3	1.9	19	1.1	0.26	0.7	1.7
2013	120	1.6	0.15	1.3	1.9	17	0.9	0.23	0.5	1.5
2014	122	1.6	0.15	1.4	2.0	11	0.6	0.17	0.3	1.0
2015	123	1.6	0.15	1.3	1.9	16	0.8	0.20	0.5	1.3
2016	107	1.4	0.14	1.1	1.7	26	1.4	0.27	0.9	2.0
2017	122	1.6	0.15	1.3	1.9	22	1.1	0.23	0.7	1.7
2018	121	1.7	0.16	1.4	2.0	12	0.6	0.18	0.3	1.1
2019	123	1.7	0.16	1.4	2.0	18	1.1	0.25	0.6	1.7
2020	111	1.5	0.15	1.2	1.8	14	0.8	0.20	0.4	1.3
2021	106	1.5	0.15	1.2	1.8	21	1.1	0.25	0.7	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Lymphocytic Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	851	2.6	0.10	2.4	2.8	2,601	1.6	0.03	1.5	1.7
1990	7	1.0	0.37	0.4	3.5	57	1.1	0.15	0.8	1.5
1991	8	1.5	0.58	0.6	4.2	80	1.6	0.18	1.2	1.9
1992	7	0.9	0.35	0.4	3.3	80	1.6	0.18	1.2	1.9
1993	10	1.9	0.72	0.8	4.6	87	1.7	0.19	1.4	2.1
1994	18	2.2	0.53	1.3	4.5	76	1.5	0.17	1.2	1.8
1995	22	2.7	0.62	1.6	5.0	91	1.7	0.18	1.4	2.1
1996	27	3.3	0.68	2.2	5.7	66	1.2	0.15	1.0	1.6
1997	20	2.2	0.50	1.3	4.2	89	1.7	0.18	1.4	2.1
1998	14	1.4	0.38	0.8	3.2	84	1.7	0.18	1.3	2.0
1999	23	2.6	0.60	1.6	4.6	80	1.5	0.17	1.2	1.9
2000	20	1.8	0.41	1.1	3.5	56	1.1	0.14	0.8	1.4
2001	18	3.8	1.54	1.4	7.8	93	1.8	0.19	1.5	2.2
2002	21	2.2	0.56	1.3	4.0	93	1.8	0.19	1.5	2.2
2003	19	1.5	0.35	0.9	2.9	83	1.6	0.18	1.3	2.0
2004	14	1.1	0.29	0.6	2.4	78	1.5	0.18	1.2	1.9
2005	28	2.5	0.49	1.6	4.0	80	1.6	0.18	1.2	2.0
2006	37	3.0	0.51	2.1	4.5	84	1.7	0.18	1.3	2.1
2007	33	3.5	0.79	2.1	5.6	69	1.4	0.17	1.1	1.7
2008	38	3.4	0.60	2.3	5.0	93	1.8	0.19	1.5	2.2
2009	30	2.5	0.50	1.6	3.9	78	1.6	0.18	1.2	2.0
2010	32	2.6	0.47	1.7	3.8	90	1.8	0.19	1.5	2.2
2011	35	2.7	0.47	1.8	3.9	79	1.6	0.18	1.3	2.0
2012	36	2.7	0.47	1.9	4.0	82	1.7	0.18	1.3	2.1
2013	32	2.5	0.45	1.7	3.7	83	1.7	0.19	1.3	2.1
2014	34	2.7	0.47	1.8	3.9	85	1.7	0.19	1.3	2.1
2015	40	3.1	0.49	2.2	4.3	79	1.5	0.18	1.2	1.9
2016	36	2.6	0.44	1.8	3.8	93	1.8	0.20	1.5	2.3
2017	36	3.2	0.59	2.1	4.6	92	1.8	0.20	1.5	2.3
2018	43	3.3	0.51	2.4	4.6	86	1.8	0.20	1.4	2.2
2019	49	4.1	0.63	3.0	5.6	75	1.6	0.18	1.2	2.0
2020	31	2.6	0.51	1.7	3.9	75	1.5	0.18	1.2	1.9
2021	33	2.7	0.51	1.8	4.0	85	1.7	0.19	1.4	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Lymphocytic Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2021	2,111	1.7	0.04	1.6	1.8	322	1.1	0.06	1.0	1.2	
1990	52	1.3	0.18	0.9	1.7	5	0.8	0.43	0.2	2.1	
1991	65	1.6	0.20	1.2	2.0	11	1.2	0.39	0.6	2.4	
1992	60	1.5	0.19	1.1	1.9	16	2.1	0.62	1.1	3.7	
1993	77	1.9	0.22	1.5	2.4	8	0.9	0.32	0.4	1.9	
1994	59	1.5	0.19	1.1	1.9	11	1.0	0.32	0.5	2.0	
1995	78	1.9	0.22	1.5	2.4	11	0.9	0.29	0.5	1.9	
1996	54	1.3	0.18	1.0	1.7	9	0.9	0.30	0.4	1.8	
1997	74	1.9	0.22	1.5	2.3	13	1.3	0.36	0.7	2.3	
1998	74	1.9	0.22	1.5	2.4	5	0.6	0.28	0.2	1.5	
1999	70	1.7	0.21	1.4	2.2	8	0.6	0.23	0.3	1.4	
2000	47	1.2	0.17	0.9	1.6	7	0.8	0.31	0.3	1.7	
2001	73	1.9	0.22	1.5	2.4	16	1.8	0.50	1.0	3.1	
2002	78	2.0	0.22	1.6	2.5	11	1.3	0.38	0.6	2.3	
2003	71	1.8	0.21	1.4	2.3	9	0.9	0.29	0.4	1.8	
2004	59	1.5	0.20	1.2	2.0	16	2.2	0.65	1.1	3.8	
2005	69	1.8	0.21	1.4	2.2	8	0.7	0.26	0.3	1.6	
2006	70	1.9	0.23	1.5	2.4	11	1.2	0.38	0.6	2.3	
2007	55	1.5	0.20	1.1	1.9	10	1.0	0.33	0.5	2.0	
2008	80	2.1	0.24	1.7	2.6	5	0.5	0.25	0.2	1.4	
2009	65	1.8	0.22	1.4	2.2	9	0.9	0.31	0.4	1.8	
2010	70	1.9	0.23	1.5	2.4	13	1.3	0.36	0.7	2.3	
2011	61	1.7	0.22	1.3	2.1	10	1.0	0.33	0.5	1.9	
2012	67	1.8	0.22	1.4	2.3	12	1.4	0.40	0.7	2.4	
2013	64	1.7	0.22	1.3	2.2	10	1.2	0.40	0.6	2.3	
2014	72	1.9	0.23	1.5	2.4	7	0.8	0.33	0.3	1.8	
2015	65	1.7	0.22	1.3	2.2	11	1.1	0.34	0.6	2.0	
2016	74	2.0	0.24	1.5	2.5	11	1.2	0.38	0.6	2.2	
2017	68	1.8	0.23	1.4	2.3	12	1.3	0.37	0.6	2.2	
2018	70	2.0	0.25	1.6	2.6	7	0.7	0.28	0.3	1.6	
2019	61	1.8	0.23	1.3	2.3	7	0.9	0.34	0.4	1.9	
2020	52	1.4	0.20	1.0	1.9	8	0.8	0.30	0.4	1.7	
2021	57	1.6	0.21	1.2	2.0	15	1.7	0.44	0.9	2.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Lymphocytic Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	626	2.2	0.10	2.0	2.4	2,058	1.2	0.03	1.2	1.3
1990	14	2.2	0.59	1.2	4.3	58	1.0	0.14	0.8	1.3
1991	10	2.1	0.73	0.9	4.4	49	0.9	0.13	0.7	1.2
1992	13	2.7	0.85	1.3	5.3	62	1.1	0.14	0.8	1.4
1993	8	1.2	0.44	0.5	3.0	64	1.2	0.15	0.9	1.5
1994	11	1.4	0.42	0.7	3.1	55	1.0	0.13	0.7	1.3
1995	14	2.7	0.84	1.3	5.1	75	1.4	0.16	1.1	1.7
1996	9	1.3	0.48	0.5	3.0	64	1.2	0.14	0.9	1.5
1997	17	2.5	0.67	1.3	4.5	58	1.1	0.14	0.8	1.4
1998	10	1.3	0.45	0.6	2.9	57	1.0	0.14	0.8	1.3
1999	9	1.2	0.42	0.5	2.7	64	1.2	0.15	0.9	1.5
2000	23	2.8	0.67	1.7	4.7	74	1.3	0.16	1.0	1.7
2001	10	1.1	0.35	0.5	2.4	67	1.2	0.15	1.0	1.6
2002	20	2.0	0.49	1.2	3.5	55	1.0	0.14	0.8	1.3
2003	15	1.6	0.46	0.9	3.0	76	1.5	0.17	1.1	1.8
2004	25	2.2	0.45	1.4	3.5	72	1.4	0.16	1.1	1.7
2005	17	1.3	0.33	0.8	2.4	74	1.4	0.16	1.1	1.7
2006	20	2.3	0.68	1.2	4.1	65	1.2	0.15	0.9	1.6
2007	22	2.0	0.45	1.2	3.3	64	1.3	0.16	1.0	1.6
2008	25	2.7	0.65	1.6	4.3	59	1.2	0.15	0.9	1.5
2009	18	1.7	0.41	0.9	2.8	64	1.2	0.16	1.0	1.6
2010	23	2.2	0.54	1.3	3.6	51	1.0	0.14	0.7	1.3
2011	21	2.1	0.53	1.2	3.5	69	1.3	0.16	1.0	1.7
2012	33	3.3	0.68	2.1	5.0	66	1.3	0.16	1.0	1.6
2013	29	2.7	0.55	1.7	4.1	65	1.3	0.16	1.0	1.6
2014	23	2.0	0.46	1.2	3.2	55	1.1	0.15	0.8	1.4
2015	24	2.1	0.45	1.3	3.2	70	1.3	0.16	1.0	1.7
2016	23	1.9	0.39	1.2	2.9	56	1.1	0.15	0.8	1.5
2017	31	2.8	0.53	1.8	4.1	68	1.2	0.16	1.0	1.6
2018	31	2.9	0.54	1.9	4.2	67	1.3	0.17	1.0	1.7
2019	28	2.5	0.51	1.6	3.8	77	1.5	0.18	1.2	1.9
2020	26	2.3	0.46	1.5	3.4	75	1.5	0.18	1.2	1.9
2021	24	2.1	0.43	1.3	3.1	63	1.3	0.17	1.0	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Lymphocytic Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,678	1.3	0.03	1.2	1.4	248	0.8	0.05	0.7	0.9
1990	51	1.1	0.16	0.8	1.5	7	1.0	0.37	0.4	2.0
1991	40	0.9	0.15	0.7	1.3	7	0.8	0.30	0.3	1.6
1992	51	1.2	0.16	0.9	1.5	8	1.0	0.36	0.4	2.0
1993	52	1.2	0.17	0.9	1.6	10	1.1	0.36	0.5	2.1
1994	47	1.1	0.16	0.8	1.4	4	0.4	0.23	0.1	1.2
1995	69	1.6	0.20	1.3	2.1	3	0.3	0.18	0.1	0.9
1996	52	1.2	0.17	0.9	1.6	11	1.1	0.35	0.6	2.1
1997	47	1.1	0.17	0.8	1.5	7	0.8	0.29	0.3	1.6
1998	46	1.1	0.16	0.8	1.5	7	0.7	0.26	0.3	1.4
1999	54	1.3	0.18	1.0	1.7	9	0.9	0.31	0.4	1.8
2000	66	1.6	0.20	1.2	2.0	6	0.6	0.26	0.2	1.4
2001	50	1.2	0.17	0.9	1.6	14	1.3	0.36	0.7	2.3
2002	49	1.2	0.17	0.9	1.6	3	0.3	0.16	0.1	0.8
2003	63	1.6	0.21	1.2	2.1	10	0.9	0.30	0.5	1.8
2004	57	1.5	0.20	1.1	1.9	8	0.8	0.27	0.3	1.5
2005	63	1.6	0.20	1.2	2.0	7	0.7	0.25	0.3	1.4
2006	49	1.2	0.18	0.9	1.6	9	0.9	0.31	0.4	1.8
2007	48	1.3	0.19	0.9	1.7	11	1.1	0.35	0.6	2.1
2008	48	1.3	0.19	1.0	1.7	7	0.7	0.27	0.3	1.5
2009	51	1.3	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8
2010	41	1.0	0.17	0.7	1.4	7	0.7	0.25	0.3	1.4
2011	57	1.5	0.20	1.1	1.9	8	0.8	0.28	0.3	1.6
2012	55	1.5	0.20	1.1	1.9	7	0.8	0.29	0.3	1.6
2013	56	1.5	0.21	1.1	2.0	7	0.7	0.28	0.3	1.5
2014	50	1.3	0.20	1.0	1.8	4	0.4	0.18	0.1	1.0
2015	58	1.5	0.21	1.1	2.0	5	0.5	0.22	0.2	1.1
2016	33	0.9	0.16	0.6	1.2	15	1.6	0.40	0.9	2.6
2017	54	1.4	0.20	1.0	1.8	10	0.9	0.29	0.4	1.7
2018	51	1.4	0.21	1.0	1.9	5	0.5	0.24	0.2	1.2
2019	62	1.6	0.22	1.2	2.1	11	1.2	0.37	0.6	2.2
2020	59	1.6	0.22	1.2	2.1	6	0.7	0.28	0.3	1.5
2021	49	1.4	0.21	1.0	1.9	6	0.6	0.25	0.2	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Lymphocytic Leukemia										
Both Sexes										
Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	424	1.9	0.10	1.7	2.1	18,007	4.6	0.03	4.5	4.6
1990	4	1.4	0.75	0.4	3.6	369	3.5	0.18	3.2	3.9
1991	6	2.0	0.88	0.7	4.4	381	3.6	0.18	3.2	4.0
1992	5	2.0	1.02	0.5	4.7	420	3.9	0.19	3.5	4.3
1993	6	1.7	0.78	0.6	3.8	401	3.7	0.18	3.3	4.0
1994	2	0.6	0.48	0.0	2.1	531	4.9	0.21	4.5	5.3
1995	2	0.4	0.31	0.0	1.6	460	4.2	0.20	3.8	4.6
1996	7	2.6	1.04	1.0	5.2	452	4.1	0.19	3.7	4.5
1997	5	1.4	0.71	0.4	3.4	439	3.9	0.19	3.6	4.3
1998	7	1.3	0.55	0.5	2.9	463	4.1	0.19	3.7	4.5
1999	10	2.5	0.87	1.1	4.6	487	4.3	0.19	3.9	4.7
2000	8	1.4	0.52	0.6	2.8	511	4.5	0.20	4.1	4.9
2001	5	0.6	0.26	0.2	1.4	589	5.1	0.21	4.7	5.5
2002	8	1.2	0.45	0.5	2.5	627	5.4	0.21	5.0	5.8
2003	12	2.7	0.87	1.3	4.8	624	5.3	0.21	4.9	5.8
2004	9	1.6	0.56	0.7	3.0	619	5.2	0.21	4.8	5.6
2005	12	2.0	0.60	1.0	3.5	589	5.0	0.20	4.6	5.4
2006	13	2.8	0.82	1.4	4.7	641	5.3	0.21	4.9	5.8
2007	14	1.8	0.52	0.9	3.1	537	4.4	0.19	4.0	4.8
2008	16	1.9	0.52	1.1	3.2	668	5.4	0.21	5.0	5.9
2009	16	2.1	0.60	1.1	3.6	613	4.9	0.20	4.5	5.3
2010	10	1.1	0.39	0.5	2.1	595	4.6	0.19	4.3	5.0
2011	11	1.4	0.44	0.6	2.5	587	4.5	0.19	4.2	4.9
2012	14	1.7	0.48	0.9	2.8	654	5.0	0.20	4.6	5.4
2013	21	2.5	0.57	1.5	3.8	615	4.6	0.19	4.3	5.0
2014	19	1.9	0.47	1.1	3.0	598	4.4	0.18	4.1	4.8
2015	24	1.9	0.41	1.2	2.9	653	4.7	0.19	4.4	5.1
2016	25	2.6	0.55	1.6	3.8	649	4.6	0.19	4.3	5.0
2017	25	2.2	0.47	1.4	3.3	696	4.9	0.19	4.6	5.3
2018	31	2.4	0.46	1.6	3.5	665	4.7	0.19	4.3	5.1
2019	24	1.9	0.42	1.2	2.9	650	4.5	0.18	4.2	4.9
2020	25	1.7	0.36	1.0	2.5	580	4.0	0.17	3.7	4.4
2021	28	1.9	0.37	1.2	2.7	644	4.4	0.18	4.1	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Lymphocytic Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	15,882	4.8	0.04	4.7	4.8	1,729	3.6	0.09	3.4	3.7
1990	340	3.7	0.20	3.3	4.1	28	2.7	0.52	1.8	3.9
1991	345	3.7	0.20	3.3	4.1	36	3.2	0.55	2.2	4.4
1992	381	4.0	0.21	3.6	4.4	38	3.4	0.56	2.4	4.7
1993	368	3.8	0.20	3.5	4.3	33	2.8	0.50	1.9	3.9
1994	480	5.0	0.23	4.6	5.5	46	3.8	0.57	2.8	5.1
1995	417	4.4	0.21	3.9	4.8	38	3.1	0.52	2.2	4.3
1996	417	4.3	0.21	3.9	4.8	34	2.8	0.49	1.9	3.9
1997	399	4.1	0.21	3.7	4.5	37	2.9	0.48	2.0	3.9
1998	416	4.3	0.21	3.9	4.7	41	3.1	0.49	2.2	4.2
1999	450	4.6	0.22	4.2	5.1	33	2.4	0.42	1.6	3.3
2000	427	4.4	0.21	4.0	4.8	78	5.7	0.65	4.5	7.1
2001	519	5.2	0.23	4.8	5.7	56	4.1	0.56	3.1	5.3
2002	555	5.5	0.24	5.1	6.0	64	4.8	0.61	3.7	6.1
2003	574	5.7	0.24	5.3	6.2	45	3.1	0.48	2.3	4.2
2004	552	5.5	0.23	5.0	6.0	48	3.1	0.46	2.3	4.1
2005	518	5.1	0.23	4.7	5.6	60	4.2	0.55	3.2	5.4
2006	566	5.5	0.23	5.1	6.0	69	4.6	0.56	3.6	5.8
2007	470	4.6	0.21	4.2	5.0	58	3.8	0.51	2.9	4.9
2008	588	5.7	0.24	5.2	6.1	68	4.6	0.56	3.5	5.8
2009	543	5.1	0.22	4.7	5.6	54	3.4	0.47	2.6	4.5
2010	510	4.8	0.21	4.3	5.2	65	4.1	0.52	3.1	5.2
2011	518	4.8	0.21	4.4	5.2	58	3.6	0.48	2.7	4.6
2012	566	5.3	0.23	4.8	5.7	70	4.1	0.50	3.1	5.2
2013	532	4.8	0.21	4.4	5.3	67	3.8	0.48	2.9	4.9
2014	511	4.6	0.21	4.2	5.0	69	3.9	0.48	3.0	4.9
2015	565	5.0	0.21	4.6	5.4	63	3.5	0.46	2.7	4.6
2016	557	4.8	0.21	4.4	5.2	69	3.7	0.46	2.9	4.7
2017	625	5.4	0.22	5.0	5.9	50	2.6	0.38	1.9	3.5
2018	560	4.9	0.21	4.4	5.3	79	4.3	0.49	3.4	5.3
2019	568	4.9	0.21	4.5	5.3	63	3.2	0.41	2.4	4.1
2020	495	4.2	0.19	3.9	4.6	57	3.0	0.40	2.2	3.9
2021	550	4.7	0.21	4.3	5.1	55	2.8	0.38	2.1	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Lymphocytic Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	236	2.2	0.16	1.9	2.5	10,724	6.4	0.06	6.3	6.5
1990	2	1.0	0.71	0.1	4.1	216	5.0	0.35	4.3	5.7
1991	3	1.9	1.13	0.3	5.6	224	5.0	0.34	4.4	5.7
1992	2	1.7	1.33	0.1	5.9	250	5.7	0.37	5.0	6.4
1993	3	2.0	1.34	0.3	6.1	208	4.6	0.33	4.0	5.3
1994	1	1.2	1.18	0.0	5.1	311	7.2	0.42	6.4	8.0
1995	2	0.9	0.67	0.1	3.5	258	5.8	0.37	5.1	6.6
1996	1	1.6	1.57	0.0	6.3	270	6.0	0.38	5.3	6.8
1997	3	2.1	1.44	0.3	6.3	260	5.6	0.36	5.0	6.4
1998	4	1.6	0.98	0.3	4.7	263	5.5	0.34	4.9	6.3
1999	5	3.0	1.60	0.7	7.3	280	6.0	0.36	5.3	6.7
2000	5	1.8	0.85	0.6	4.4	309	6.4	0.37	5.7	7.2
2001	4	0.9	0.47	0.2	2.8	316	6.6	0.38	5.9	7.4
2002	5	1.5	0.72	0.5	3.7	348	7.3	0.39	6.5	8.1
2003	7	4.1	1.82	1.3	8.7	376	7.7	0.40	6.9	8.5
2004	3	1.5	0.89	0.3	4.1	361	7.3	0.39	6.6	8.1
2005	3	1.1	0.66	0.2	3.1	353	7.1	0.38	6.4	7.9
2006	10	4.8	1.68	2.1	8.9	384	7.6	0.39	6.8	8.4
2007	11	3.2	1.07	1.5	5.9	331	6.5	0.36	5.8	7.2
2008	10	2.5	0.88	1.1	4.7	408	7.8	0.39	7.0	8.6
2009	10	2.4	0.90	0.9	4.7	366	6.7	0.36	6.1	7.5
2010	7	1.8	0.72	0.7	3.7	380	6.9	0.36	6.2	7.7
2011	6	1.5	0.65	0.5	3.2	354	6.4	0.34	5.7	7.1
2012	9	2.4	0.85	1.0	4.5	401	7.0	0.36	6.4	7.8
2013	9	2.1	0.77	0.9	4.1	380	6.5	0.34	5.8	7.2
2014	14	2.4	0.73	1.2	4.2	368	6.2	0.33	5.5	6.8
2015	16	2.3	0.62	1.3	3.9	395	6.5	0.34	5.9	7.2
2016	14	3.3	0.94	1.7	5.5	381	6.1	0.32	5.5	6.8
2017	10	1.8	0.61	0.8	3.3	404	6.5	0.33	5.9	7.2
2018	17	2.9	0.78	1.6	4.8	398	6.3	0.32	5.7	7.0
2019	13	2.2	0.67	1.1	3.9	401	6.3	0.32	5.7	6.9
2020	14	1.9	0.59	1.0	3.4	369	5.7	0.30	5.1	6.3
2021	13	1.9	0.59	1.0	3.4	401	6.1	0.32	5.5	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Lymphocytic Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	9,450	6.6	0.07	6.5	6.8	1,023	5.2	0.17	4.9	5.5
1990	199	5.1	0.37	4.4	5.9	17	4.6	1.19	2.6	7.4
1991	199	5.1	0.36	4.4	5.8	25	5.0	1.05	3.1	7.5
1992	228	5.9	0.40	5.1	6.7	22	4.8	1.05	2.9	7.2
1993	186	4.7	0.35	4.0	5.4	22	4.3	0.95	2.6	6.6
1994	282	7.4	0.45	6.5	8.3	26	5.9	1.25	3.7	8.7
1995	232	6.0	0.40	5.2	6.8	23	4.7	1.04	2.9	7.2
1996	246	6.3	0.41	5.5	7.1	23	4.7	1.06	2.9	7.2
1997	236	5.9	0.39	5.2	6.7	23	4.3	0.93	2.7	6.5
1998	233	5.7	0.37	5.0	6.5	27	4.7	0.94	3.1	6.9
1999	262	6.4	0.40	5.7	7.3	16	2.8	0.74	1.6	4.6
2000	256	6.2	0.39	5.5	7.0	49	8.6	1.27	6.3	11.4
2001	274	6.7	0.41	5.9	7.5	37	6.9	1.22	4.7	9.7
2002	310	7.5	0.43	6.7	8.4	32	6.0	1.14	3.9	8.6
2003	349	8.3	0.45	7.5	9.2	25	4.2	0.90	2.6	6.3
2004	322	7.6	0.43	6.8	8.5	27	4.3	0.87	2.8	6.3
2005	312	7.4	0.42	6.6	8.2	36	6.3	1.12	4.3	8.8
2006	340	7.9	0.43	7.1	8.8	40	6.3	1.03	4.4	8.6
2007	294	6.8	0.40	6.0	7.6	33	5.1	0.93	3.4	7.2
2008	357	8.0	0.43	7.2	8.9	42	7.0	1.13	5.0	9.5
2009	330	7.2	0.40	6.5	8.1	27	4.2	0.84	2.7	6.1
2010	323	7.0	0.40	6.2	7.8	44	7.0	1.13	5.0	9.5
2011	312	6.6	0.38	5.9	7.4	35	5.5	0.98	3.8	7.8
2012	351	7.4	0.40	6.6	8.2	39	5.8	0.99	4.0	8.0
2013	337	6.9	0.38	6.1	7.7	33	4.4	0.80	3.0	6.2
2014	314	6.3	0.37	5.7	7.1	41	5.5	0.91	3.9	7.6
2015	342	6.8	0.38	6.1	7.6	39	5.4	0.90	3.7	7.4
2016	330	6.4	0.36	5.7	7.1	34	4.5	0.80	3.0	6.3
2017	360	7.0	0.38	6.3	7.8	31	4.1	0.78	2.8	6.0
2018	337	6.5	0.36	5.8	7.2	43	5.7	0.91	4.1	7.8
2019	345	6.5	0.36	5.8	7.3	43	5.8	0.92	4.1	7.8
2020	312	5.8	0.34	5.2	6.5	38	4.9	0.83	3.4	6.8
2021	340	6.4	0.36	5.7	7.1	31	3.7	0.69	2.4	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Lymphocytic Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	188	1.6	0.12	1.4	1.8	7,283	3.2	0.04	3.1	3.3
1990	2	1.6	1.10	0.2	5.0	153	2.5	0.20	2.1	2.9
1991	3	2.0	1.19	0.4	5.5	157	2.4	0.20	2.1	2.9
1992	3	2.1	1.37	0.3	6.0	170	2.6	0.20	2.2	3.1
1993	3	1.6	0.96	0.3	4.5	193	2.9	0.21	2.5	3.4
1994	1	0.3	0.26	0.0	1.9	220	3.4	0.23	2.9	3.9
1995	0					202	3.1	0.22	2.7	3.6
1996	6	3.6	1.50	1.3	7.5	182	2.8	0.21	2.4	3.2
1997	2	1.0	0.74	0.1	3.4	179	2.6	0.20	2.2	3.0
1998	3	1.1	0.65	0.2	3.2	200	2.9	0.21	2.5	3.4
1999	5	2.2	1.04	0.6	5.0	207	3.2	0.22	2.7	3.6
2000	3	1.0	0.61	0.2	3.0	202	3.0	0.21	2.6	3.4
2001	1	0.2	0.20	0.0	1.4	273	4.0	0.25	3.6	4.5
2002	3	1.0	0.56	0.2	2.7	279	4.0	0.24	3.5	4.5
2003	5	1.9	0.89	0.6	4.3	248	3.6	0.23	3.2	4.1
2004	6	1.7	0.74	0.6	3.7	258	3.7	0.23	3.3	4.2
2005	9	2.8	0.95	1.2	5.2	236	3.4	0.22	3.0	3.9
2006	3	1.3	0.77	0.3	3.5	257	3.7	0.23	3.2	4.1
2007	3	0.6	0.38	0.1	1.9	206	2.9	0.20	2.5	3.3
2008	6	1.4	0.62	0.5	3.1	260	3.6	0.23	3.2	4.1
2009	6	1.9	0.79	0.6	3.9	247	3.4	0.22	2.9	3.8
2010	3	0.6	0.37	0.1	1.7	215	2.9	0.20	2.5	3.3
2011	5	1.2	0.58	0.4	2.8	233	3.2	0.21	2.8	3.6
2012	5	1.1	0.53	0.3	2.6	253	3.4	0.22	3.0	3.9
2013	12	2.7	0.79	1.4	4.6	235	3.2	0.21	2.8	3.7
2014	5	1.3	0.58	0.4	2.8	230	3.0	0.20	2.6	3.5
2015	8	1.5	0.53	0.6	2.8	258	3.3	0.21	2.9	3.8
2016	11	2.0	0.63	1.0	3.6	268	3.5	0.22	3.0	3.9
2017	15	2.6	0.69	1.4	4.2	292	3.7	0.22	3.3	4.1
2018	14	2.0	0.55	1.1	3.4	267	3.4	0.21	3.0	3.8
2019	11	1.7	0.52	0.8	3.0	249	3.1	0.20	2.7	3.6
2020	11	1.4	0.46	0.7	2.6	211	2.7	0.19	2.3	3.1
2021	15	1.8	0.49	1.0	3.0	243	3.0	0.20	2.7	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Lymphocytic Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	6,432	3.3	0.04	3.3	3.4	706	2.5	0.09	2.3	2.7
1990	141	2.6	0.23	2.2	3.1	11	1.6	0.50	0.8	2.9
1991	146	2.6	0.21	2.2	3.0	11	1.8	0.55	0.9	3.2
1992	153	2.7	0.22	2.3	3.1	16	2.4	0.61	1.4	3.9
1993	182	3.1	0.24	2.7	3.6	11	1.6	0.50	0.8	2.9
1994	198	3.4	0.25	2.9	3.9	20	2.8	0.62	1.7	4.2
1995	185	3.3	0.25	2.8	3.8	15	2.1	0.54	1.2	3.4
1996	171	3.0	0.24	2.6	3.5	11	1.5	0.47	0.8	2.7
1997	163	2.7	0.22	2.3	3.2	14	1.8	0.49	1.0	3.0
1998	183	3.1	0.23	2.6	3.6	14	1.8	0.50	1.0	3.1
1999	188	3.4	0.25	2.9	3.9	17	2.1	0.50	1.2	3.3
2000	171	2.9	0.23	2.5	3.4	29	3.7	0.68	2.4	5.2
2001	245	4.2	0.27	3.7	4.8	19	2.3	0.53	1.4	3.6
2002	245	4.1	0.27	3.6	4.7	32	4.0	0.71	2.7	5.6
2003	225	3.8	0.26	3.3	4.4	20	2.4	0.54	1.5	3.7
2004	230	3.9	0.26	3.4	4.4	21	2.4	0.52	1.5	3.6
2005	206	3.5	0.25	3.0	4.0	24	2.9	0.60	1.9	4.3
2006	226	3.8	0.26	3.3	4.3	29	3.4	0.63	2.3	4.8
2007	176	2.9	0.23	2.5	3.4	25	2.8	0.57	1.8	4.2
2008	231	3.8	0.26	3.4	4.4	26	2.9	0.58	1.9	4.3
2009	213	3.4	0.24	3.0	3.9	27	2.9	0.57	1.9	4.3
2010	187	3.0	0.23	2.6	3.5	21	2.3	0.50	1.4	3.5
2011	206	3.4	0.24	2.9	3.9	23	2.4	0.50	1.5	3.5
2012	215	3.6	0.25	3.1	4.1	31	3.0	0.54	2.0	4.3
2013	195	3.2	0.24	2.8	3.7	34	3.4	0.59	2.3	4.7
2014	197	3.2	0.24	2.8	3.7	28	2.7	0.52	1.8	4.0
2015	223	3.5	0.24	3.1	4.1	24	2.4	0.49	1.5	3.5
2016	227	3.6	0.25	3.1	4.1	35	3.2	0.56	2.2	4.5
2017	265	4.1	0.26	3.6	4.7	19	1.7	0.39	1.0	2.6
2018	223	3.5	0.24	3.0	4.0	36	3.3	0.55	2.3	4.5
2019	223	3.5	0.25	3.1	4.1	20	1.6	0.36	1.0	2.5
2020	183	2.9	0.22	2.5	3.4	19	1.7	0.39	1.0	2.7
2021	210	3.3	0.24	2.9	3.8	24	2.1	0.44	1.4	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
 Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Myeloid Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,161	3.7	0.13	3.4	3.9	15,916	4.2	0.03	4.1	4.2
1990	10	1.9	0.77	0.7	4.0	323	3.0	0.17	2.7	3.4
1991	10	1.6	0.66	0.6	3.5	296	2.8	0.16	2.5	3.1
1992	19	2.7	0.73	1.5	4.6	321	3.0	0.17	2.6	3.3
1993	13	1.3	0.40	0.6	2.6	341	3.1	0.17	2.8	3.5
1994	26	4.0	1.02	2.3	6.5	397	3.6	0.18	3.3	4.0
1995	23	3.0	0.78	1.7	5.0	409	3.7	0.18	3.4	4.1
1996	19	3.0	0.91	1.5	5.3	419	3.8	0.18	3.4	4.2
1997	13	1.9	0.59	0.9	3.5	460	4.1	0.19	3.8	4.5
1998	29	3.1	0.76	1.8	5.0	414	3.7	0.18	3.3	4.1
1999	31	4.2	1.04	2.4	6.7	453	4.0	0.19	3.7	4.4
2000	30	3.3	0.86	1.8	5.3	503	4.4	0.20	4.1	4.8
2001	24	3.0	0.77	1.7	4.8	525	4.6	0.20	4.2	5.0
2002	39	5.1	1.01	3.3	7.4	486	4.2	0.19	3.9	4.6
2003	22	2.2	0.57	1.3	3.7	471	4.1	0.19	3.7	4.5
2004	37	4.3	0.95	2.7	6.5	492	4.2	0.19	3.9	4.6
2005	31	2.9	0.61	1.9	4.4	483	4.2	0.19	3.8	4.5
2006	41	4.6	0.89	3.1	6.6	473	4.0	0.19	3.7	4.4
2007	30	2.6	0.57	1.6	4.0	477	4.1	0.19	3.7	4.5
2008	28	3.0	0.68	1.8	4.6	479	4.0	0.19	3.7	4.4
2009	41	3.8	0.73	2.5	5.5	508	4.1	0.19	3.8	4.5
2010	49	4.5	0.75	3.2	6.2	581	4.8	0.20	4.4	5.2
2011	38	3.4	0.64	2.3	4.9	573	4.6	0.20	4.3	5.0
2012	56	5.1	0.78	3.7	6.9	592	4.7	0.20	4.3	5.1
2013	63	5.0	0.72	3.7	6.5	626	4.9	0.20	4.5	5.3
2014	56	3.8	0.58	2.8	5.1	586	4.6	0.19	4.2	4.9
2015	50	3.7	0.60	2.7	5.1	598	4.7	0.20	4.3	5.1
2016	54	3.6	0.56	2.6	4.9	555	4.4	0.19	4.0	4.8
2017	61	4.3	0.61	3.2	5.6	607	4.6	0.19	4.2	5.0
2018	59	4.0	0.58	3.0	5.3	602	4.4	0.18	4.0	4.8
2019	53	3.5	0.53	2.6	4.7	594	4.4	0.19	4.1	4.8
2020	51	3.1	0.47	2.3	4.2	633	4.7	0.19	4.3	5.1
2021	55	3.5	0.52	2.6	4.7	639	4.8	0.20	4.4	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Myeloid Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	13,688	4.3	0.04	4.2	4.4	1,730	3.4	0.08	3.3	3.6
1990	293	3.2	0.19	2.8	3.6	27	1.9	0.39	1.2	2.8
1991	267	2.9	0.18	2.6	3.3	20	1.5	0.35	0.9	2.4
1992	288	3.1	0.18	2.7	3.5	23	1.8	0.39	1.1	2.8
1993	313	3.4	0.19	3.0	3.8	25	1.7	0.36	1.1	2.6
1994	358	3.8	0.20	3.4	4.2	32	2.3	0.42	1.5	3.2
1995	363	3.8	0.20	3.5	4.3	40	3.0	0.49	2.1	4.1
1996	371	3.9	0.21	3.5	4.4	35	2.5	0.44	1.7	3.5
1997	404	4.3	0.21	3.9	4.7	50	3.5	0.51	2.6	4.7
1998	355	3.7	0.20	3.4	4.1	49	3.4	0.50	2.5	4.5
1999	402	4.2	0.21	3.8	4.7	43	2.9	0.45	2.1	3.9
2000	451	4.7	0.22	4.3	5.2	44	2.9	0.45	2.1	3.9
2001	456	4.7	0.22	4.3	5.2	57	3.7	0.50	2.8	4.8
2002	438	4.5	0.22	4.1	5.0	38	2.6	0.43	1.8	3.5
2003	411	4.2	0.21	3.8	4.7	49	3.2	0.47	2.4	4.3
2004	423	4.4	0.21	4.0	4.8	56	3.6	0.49	2.7	4.7
2005	414	4.3	0.21	3.9	4.7	52	3.4	0.49	2.5	4.5
2006	420	4.3	0.21	3.9	4.7	42	2.7	0.42	1.9	3.6
2007	417	4.3	0.21	3.9	4.8	48	3.0	0.44	2.2	4.0
2008	418	4.2	0.21	3.8	4.7	42	2.7	0.43	2.0	3.7
2009	435	4.2	0.21	3.8	4.7	57	3.8	0.51	2.8	4.9
2010	488	4.9	0.23	4.5	5.4	73	4.4	0.53	3.4	5.6
2011	484	4.8	0.22	4.3	5.2	65	3.7	0.47	2.9	4.8
2012	489	4.8	0.22	4.3	5.2	84	5.0	0.56	4.0	6.3
2013	527	5.1	0.23	4.6	5.5	79	4.4	0.51	3.5	5.6
2014	499	4.7	0.22	4.3	5.2	64	3.8	0.48	2.9	4.8
2015	518	5.0	0.23	4.6	5.5	64	3.6	0.46	2.7	4.6
2016	450	4.4	0.22	4.0	4.8	72	3.8	0.46	3.0	4.9
2017	512	4.8	0.22	4.4	5.3	75	4.0	0.48	3.2	5.1
2018	495	4.4	0.21	4.0	4.9	78	4.1	0.47	3.2	5.1
2019	498	4.6	0.22	4.2	5.1	75	4.0	0.47	3.1	5.0
2020	517	4.8	0.22	4.4	5.3	94	4.9	0.51	3.9	6.0
2021	514	4.8	0.22	4.4	5.3	78	4.1	0.47	3.2	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Myeloid Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	609	4.2	0.21	3.8	4.6	8,508	5.2	0.06	5.1	5.3
1990	4	2.0	1.58	0.2	6.9	164	3.7	0.30	3.1	4.3
1991	7	2.8	1.49	0.7	7.2	153	3.4	0.28	2.9	4.0
1992	13	3.4	1.12	1.6	6.8	181	3.9	0.30	3.4	4.6
1993	8	1.3	0.51	0.5	3.7	193	4.2	0.31	3.7	4.9
1994	12	3.9	1.56	1.4	8.2	203	4.5	0.33	3.9	5.2
1995	9	2.8	1.46	0.7	7.0	227	5.0	0.34	4.3	5.7
1996	7	3.1	1.73	0.7	7.9	213	4.6	0.32	4.0	5.2
1997	4	1.1	0.61	0.3	3.5	224	4.7	0.32	4.1	5.4
1998	17	3.5	1.08	1.7	6.5	212	4.4	0.30	3.8	5.0
1999	12	3.6	1.49	1.3	7.6	235	4.9	0.32	4.3	5.6
2000	15	4.1	1.77	1.4	8.7	260	5.4	0.34	4.8	6.1
2001	12	1.9	0.70	0.8	4.1	286	6.0	0.36	5.3	6.7
2002	23	6.4	1.71	3.5	10.6	266	5.6	0.34	4.9	6.3
2003	10	2.6	1.07	1.0	5.5	244	5.0	0.32	4.4	5.7
2004	15	3.7	1.26	1.7	6.9	252	5.1	0.32	4.5	5.8
2005	17	3.2	0.93	1.7	5.6	253	5.1	0.33	4.5	5.8
2006	22	5.2	1.36	2.9	8.5	251	5.0	0.32	4.4	5.7
2007	18	3.5	1.07	1.8	6.2	260	5.1	0.32	4.5	5.8
2008	19	4.6	1.34	2.4	7.8	248	4.9	0.31	4.3	5.5
2009	15	2.3	0.74	1.1	4.2	268	5.1	0.32	4.5	5.8
2010	21	4.3	1.12	2.4	7.0	302	5.7	0.33	5.1	6.4
2011	19	4.2	1.17	2.2	7.0	280	5.2	0.32	4.6	5.9
2012	42	8.1	1.51	5.5	11.5	318	5.8	0.33	5.2	6.5
2013	38	6.5	1.28	4.2	9.4	337	6.0	0.34	5.4	6.7
2014	27	4.4	1.03	2.7	6.8	311	5.6	0.32	5.0	6.2
2015	29	4.7	1.04	2.9	7.1	346	6.0	0.33	5.4	6.7
2016	28	4.2	0.94	2.6	6.4	295	5.1	0.31	4.6	5.8
2017	33	4.8	0.97	3.1	7.0	332	5.7	0.32	5.1	6.4
2018	33	5.0	1.01	3.3	7.3	354	5.7	0.31	5.1	6.4
2019	29	4.0	0.83	2.5	5.9	338	5.6	0.31	5.0	6.3
2020	24	3.2	0.72	1.9	4.8	348	5.7	0.31	5.1	6.4
2021	27	3.8	0.84	2.4	5.8	354	5.8	0.32	5.2	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Myeloid Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	7,424	5.4	0.06	5.2	5.5	818	4.0	0.15	3.7	4.3
1990	150	3.9	0.33	3.3	4.6	11	1.5	0.46	0.7	2.8
1991	142	3.6	0.31	3.0	4.3	6	1.1	0.47	0.4	2.5
1992	165	4.1	0.33	3.5	4.8	11	2.1	0.70	1.0	3.9
1993	175	4.5	0.35	3.8	5.2	15	2.4	0.68	1.3	4.1
1994	178	4.6	0.35	3.9	5.3	22	4.0	0.93	2.4	6.2
1995	206	5.2	0.37	4.5	6.0	17	3.2	0.83	1.8	5.2
1996	188	4.7	0.34	4.0	5.4	20	4.0	0.96	2.3	6.2
1997	203	5.0	0.35	4.3	5.7	18	3.0	0.75	1.8	4.9
1998	185	4.5	0.33	3.9	5.2	24	4.3	0.96	2.6	6.5
1999	213	5.2	0.36	4.5	6.0	16	2.4	0.61	1.4	3.9
2000	234	5.8	0.38	5.0	6.5	22	3.6	0.81	2.2	5.5
2001	245	6.0	0.39	5.3	6.9	32	4.7	0.85	3.2	6.7
2002	241	5.9	0.38	5.2	6.7	18	3.3	0.86	1.9	5.4
2003	220	5.3	0.36	4.6	6.1	19	3.2	0.79	1.8	5.1
2004	226	5.4	0.36	4.7	6.2	20	2.9	0.71	1.7	4.6
2005	223	5.3	0.36	4.7	6.1	23	3.6	0.81	2.2	5.5
2006	230	5.4	0.36	4.7	6.2	16	2.2	0.57	1.2	3.6
2007	232	5.4	0.36	4.8	6.2	24	3.7	0.80	2.3	5.6
2008	217	5.1	0.35	4.4	5.8	21	3.3	0.76	2.0	5.1
2009	232	5.2	0.35	4.6	6.0	27	4.8	0.97	3.0	7.0
2010	258	5.9	0.37	5.2	6.7	34	5.1	0.93	3.5	7.2
2011	240	5.4	0.35	4.7	6.1	28	3.7	0.74	2.4	5.5
2012	267	5.9	0.37	5.2	6.6	46	7.0	1.09	5.1	9.5
2013	283	6.2	0.38	5.5	7.0	41	5.8	0.96	4.1	8.0
2014	269	5.8	0.36	5.1	6.6	29	4.5	0.87	2.9	6.5
2015	300	6.4	0.38	5.7	7.2	34	4.5	0.80	3.1	6.3
2016	244	5.2	0.34	4.6	5.9	33	4.2	0.76	2.9	6.0
2017	280	5.9	0.36	5.2	6.6	37	4.8	0.83	3.3	6.7
2018	301	5.9	0.35	5.2	6.6	38	4.7	0.79	3.2	6.5
2019	290	5.9	0.36	5.2	6.6	35	4.5	0.79	3.1	6.4
2020	299	6.1	0.36	5.4	6.8	42	5.2	0.83	3.7	7.1
2021	288	5.8	0.35	5.1	6.6	39	4.9	0.82	3.4	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Myeloid Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	552	3.3	0.16	3.0	3.6	7,408	3.5	0.04	3.4	3.6
1990	6	2.2	0.95	0.7	5.1	159	2.6	0.21	2.2	3.1
1991	3	0.7	0.46	0.1	2.7	143	2.5	0.21	2.1	2.9
1992	6	1.9	0.90	0.6	4.7	140	2.3	0.20	2.0	2.8
1993	5	1.3	0.62	0.4	3.5	148	2.4	0.20	2.0	2.8
1994	14	4.3	1.39	2.0	7.9	194	3.2	0.23	2.7	3.7
1995	14	3.6	1.04	1.8	6.4	182	2.9	0.22	2.5	3.4
1996	12	3.4	1.13	1.6	6.4	206	3.3	0.23	2.9	3.8
1997	9	2.7	0.98	1.1	5.4	236	3.7	0.25	3.3	4.3
1998	12	2.6	0.99	1.1	5.3	202	3.2	0.22	2.7	3.6
1999	19	4.7	1.43	2.4	8.3	218	3.4	0.24	3.0	3.9
2000	15	2.9	0.92	1.4	5.3	243	3.8	0.24	3.3	4.3
2001	12	3.7	1.25	1.7	6.9	239	3.7	0.24	3.3	4.3
2002	16	3.9	1.16	2.0	6.8	220	3.4	0.23	2.9	3.8
2003	12	2.1	0.64	1.0	3.9	227	3.5	0.23	3.0	4.0
2004	22	4.8	1.29	2.6	7.9	240	3.7	0.24	3.2	4.2
2005	14	2.6	0.81	1.3	4.7	230	3.5	0.24	3.1	4.0
2006	19	4.1	1.13	2.2	6.8	222	3.4	0.23	3.0	3.9
2007	12	1.9	0.61	0.9	3.5	217	3.4	0.23	2.9	3.9
2008	9	1.7	0.65	0.7	3.4	231	3.4	0.23	3.0	3.9
2009	26	4.9	1.14	2.9	7.6	240	3.5	0.23	3.1	4.0
2010	28	4.8	1.01	3.1	7.2	279	4.1	0.25	3.6	4.6
2011	19	2.9	0.75	1.7	4.8	293	4.3	0.26	3.8	4.8
2012	14	2.6	0.75	1.3	4.4	274	3.9	0.24	3.5	4.4
2013	25	3.7	0.82	2.3	5.7	289	4.0	0.24	3.5	4.5
2014	29	3.6	0.72	2.3	5.3	275	3.9	0.24	3.4	4.4
2015	21	3.0	0.71	1.8	4.7	252	3.6	0.23	3.1	4.1
2016	26	3.3	0.70	2.1	4.9	260	3.8	0.25	3.3	4.3
2017	28	3.9	0.80	2.5	5.8	275	3.8	0.24	3.4	4.4
2018	26	3.3	0.70	2.1	4.9	248	3.4	0.22	3.0	3.9
2019	24	3.1	0.67	1.9	4.6	256	3.5	0.23	3.0	4.0
2020	27	3.2	0.65	2.1	4.7	285	4.0	0.25	3.6	4.6
2021	28	3.4	0.68	2.2	5.0	285	4.1	0.25	3.6	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Acute Myeloid Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	6,264	3.6	0.05	3.5	3.7	912	3.1	0.10	2.9	3.3
1990	143	2.7	0.23	2.3	3.2	16	2.1	0.55	1.2	3.5
1991	125	2.5	0.23	2.1	3.0	14	1.8	0.49	1.0	3.0
1992	123	2.4	0.22	2.0	2.9	12	1.7	0.48	0.8	2.9
1993	138	2.6	0.23	2.2	3.1	10	1.3	0.41	0.6	2.4
1994	180	3.5	0.26	3.0	4.0	10	1.2	0.38	0.6	2.2
1995	157	3.0	0.24	2.5	3.5	23	2.9	0.61	1.8	4.4
1996	183	3.4	0.26	3.0	4.0	15	1.7	0.46	0.9	2.9
1997	201	3.7	0.27	3.2	4.3	32	3.9	0.70	2.6	5.5
1998	170	3.1	0.24	2.7	3.7	25	3.0	0.60	1.9	4.4
1999	189	3.6	0.26	3.1	4.1	27	3.1	0.61	2.1	4.6
2000	217	4.0	0.28	3.5	4.6	22	2.4	0.52	1.5	3.7
2001	211	4.0	0.28	3.4	4.6	25	2.9	0.59	1.9	4.3
2002	197	3.6	0.26	3.1	4.1	20	2.2	0.50	1.3	3.4
2003	191	3.5	0.26	3.0	4.1	30	3.4	0.62	2.3	4.8
2004	197	3.7	0.27	3.2	4.2	36	4.0	0.67	2.8	5.5
2005	191	3.6	0.27	3.1	4.2	29	3.3	0.62	2.2	4.7
2006	190	3.5	0.26	3.0	4.1	26	3.0	0.58	1.9	4.3
2007	185	3.5	0.27	3.0	4.1	24	2.6	0.53	1.6	3.8
2008	201	3.6	0.26	3.1	4.2	21	2.3	0.51	1.4	3.6
2009	203	3.6	0.26	3.1	4.2	30	3.3	0.61	2.2	4.7
2010	230	4.2	0.28	3.6	4.8	39	4.0	0.64	2.8	5.5
2011	244	4.3	0.29	3.8	4.9	37	3.8	0.63	2.6	5.2
2012	222	3.9	0.28	3.4	4.5	38	3.8	0.63	2.7	5.3
2013	244	4.2	0.28	3.6	4.8	38	3.6	0.59	2.5	4.9
2014	230	4.0	0.28	3.5	4.6	35	3.5	0.60	2.5	4.9
2015	218	3.9	0.28	3.4	4.5	30	2.9	0.54	1.9	4.1
2016	206	3.8	0.28	3.3	4.4	39	3.6	0.59	2.6	5.0
2017	232	4.1	0.28	3.5	4.6	38	3.6	0.59	2.5	4.9
2018	194	3.3	0.25	2.8	3.8	40	3.7	0.60	2.6	5.1
2019	208	3.7	0.27	3.2	4.2	40	3.5	0.56	2.5	4.8
2020	218	3.9	0.28	3.3	4.5	52	4.7	0.67	3.5	6.2
2021	226	4.0	0.29	3.5	4.7	39	3.6	0.59	2.6	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Myeloid Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	571	1.7	0.08	1.5	1.9	6,807	1.8	0.02	1.7	1.8
1990	3	0.8	0.56	0.1	2.6	154	1.5	0.12	1.2	1.7
1991	7	1.4	0.65	0.4	3.3	159	1.5	0.12	1.3	1.7
1992	5	1.1	0.49	0.4	2.6	150	1.4	0.12	1.2	1.7
1993	8	1.7	0.64	0.7	3.4	166	1.5	0.12	1.3	1.8
1994	14	2.9	0.99	1.3	5.4	199	1.8	0.13	1.6	2.1
1995	9	0.9	0.33	0.4	2.0	211	1.9	0.13	1.7	2.2
1996	4	0.4	0.23	0.1	1.4	201	1.8	0.13	1.6	2.1
1997	19	2.8	0.79	1.4	4.7	169	1.5	0.12	1.3	1.8
1998	11	1.4	0.51	0.6	2.8	192	1.7	0.12	1.5	2.0
1999	15	1.7	0.48	0.9	3.0	210	1.9	0.13	1.6	2.1
2000	13	1.6	0.57	0.7	3.1	207	1.8	0.13	1.6	2.1
2001	18	2.9	0.84	1.5	5.0	227	2.0	0.13	1.7	2.3
2002	14	2.5	0.82	1.2	4.5	183	1.6	0.12	1.4	1.8
2003	14	1.8	0.58	0.9	3.3	222	1.9	0.13	1.7	2.2
2004	13	0.8	0.27	0.4	1.6	240	2.1	0.13	1.8	2.4
2005	17	1.5	0.47	0.8	2.7	195	1.7	0.12	1.4	1.9
2006	16	1.8	0.54	0.9	3.2	218	1.9	0.13	1.6	2.1
2007	11	0.9	0.32	0.4	1.8	191	1.6	0.12	1.4	1.9
2008	25	2.1	0.48	1.3	3.3	203	1.7	0.12	1.5	1.9
2009	22	2.2	0.52	1.3	3.4	215	1.8	0.13	1.6	2.1
2010	22	1.9	0.47	1.1	3.0	246	2.0	0.13	1.8	2.3
2011	27	1.7	0.37	1.1	2.6	260	2.1	0.13	1.8	2.4
2012	22	1.7	0.39	1.0	2.6	222	1.8	0.13	1.6	2.1
2013	20	1.4	0.38	0.8	2.3	218	1.8	0.12	1.5	2.0
2014	26	1.7	0.37	1.1	2.6	243	1.9	0.13	1.7	2.2
2015	31	2.2	0.44	1.4	3.2	204	1.6	0.12	1.4	1.9
2016	24	1.3	0.29	0.8	2.0	246	1.9	0.12	1.6	2.1
2017	28	1.9	0.38	1.2	2.8	256	2.0	0.13	1.8	2.3
2018	37	2.3	0.43	1.6	3.3	258	2.0	0.13	1.7	2.2
2019	20	1.1	0.26	0.6	1.7	271	2.1	0.13	1.8	2.3
2020	22	1.3	0.30	0.8	2.0	233	1.7	0.12	1.5	2.0
2021	34	1.8	0.33	1.2	2.6	238	1.8	0.12	1.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Myeloid Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	5,648	1.8	0.02	1.7	1.8	899	1.8	0.06	1.7	1.9
1990	133	1.5	0.13	1.2	1.7	20	1.4	0.34	0.8	2.3
1991	144	1.6	0.13	1.3	1.9	15	1.2	0.32	0.7	2.0
1992	131	1.4	0.13	1.2	1.7	15	1.2	0.31	0.6	1.9
1993	142	1.5	0.13	1.3	1.8	21	1.6	0.38	1.0	2.5
1994	170	1.8	0.14	1.6	2.1	24	1.9	0.40	1.2	2.9
1995	174	1.9	0.14	1.6	2.2	34	2.5	0.45	1.7	3.6
1996	173	1.8	0.14	1.6	2.1	22	1.7	0.36	1.0	2.5
1997	144	1.5	0.13	1.3	1.8	21	1.5	0.34	0.9	2.3
1998	165	1.7	0.13	1.5	2.0	21	1.4	0.31	0.8	2.1
1999	175	1.8	0.14	1.6	2.1	29	2.1	0.40	1.4	3.0
2000	174	1.8	0.14	1.6	2.1	27	1.8	0.35	1.2	2.6
2001	198	2.1	0.15	1.8	2.4	19	1.4	0.32	0.8	2.1
2002	147	1.5	0.13	1.3	1.8	28	2.0	0.38	1.3	2.8
2003	193	2.0	0.14	1.7	2.3	24	1.7	0.35	1.1	2.5
2004	201	2.1	0.15	1.8	2.4	27	1.8	0.36	1.2	2.7
2005	159	1.6	0.13	1.4	1.9	28	1.9	0.37	1.2	2.8
2006	181	1.9	0.14	1.6	2.2	32	2.0	0.36	1.4	2.9
2007	153	1.6	0.13	1.3	1.9	26	1.6	0.32	1.0	2.4
2008	162	1.6	0.13	1.4	1.9	30	1.8	0.34	1.2	2.6
2009	184	1.9	0.14	1.6	2.2	22	1.3	0.29	0.8	2.0
2010	206	2.1	0.15	1.8	2.4	32	1.8	0.32	1.2	2.6
2011	209	2.0	0.14	1.8	2.4	38	2.1	0.35	1.5	3.0
2012	182	1.9	0.14	1.6	2.2	34	2.0	0.35	1.4	2.8
2013	177	1.8	0.14	1.5	2.0	30	1.6	0.31	1.1	2.3
2014	202	2.0	0.14	1.7	2.3	34	1.9	0.33	1.3	2.7
2015	166	1.6	0.13	1.4	1.9	28	1.5	0.29	1.0	2.2
2016	202	1.9	0.14	1.7	2.2	32	1.7	0.30	1.1	2.4
2017	205	2.0	0.14	1.7	2.3	40	2.1	0.35	1.5	2.9
2018	204	2.0	0.14	1.7	2.3	41	2.1	0.34	1.5	2.9
2019	221	2.1	0.15	1.8	2.4	34	1.8	0.31	1.2	2.5
2020	186	1.7	0.13	1.5	2.0	32	1.7	0.31	1.2	2.5
2021	185	1.7	0.13	1.5	2.0	39	2.1	0.34	1.5	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Myeloid Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	344	2.1	0.14	1.8	2.4	3,873	2.4	0.04	2.3	2.4
1990	1	0.1	0.12	0.0	2.8	82	1.9	0.21	1.5	2.3
1991	4	1.5	0.81	0.4	4.6	86	1.9	0.21	1.5	2.4
1992	4	1.8	0.92	0.5	5.0	86	1.9	0.21	1.5	2.4
1993	2	0.6	0.42	0.1	3.0	99	2.2	0.22	1.7	2.6
1994	8	2.1	0.91	0.7	5.1	103	2.2	0.23	1.8	2.7
1995	5	1.1	0.55	0.3	3.4	113	2.4	0.23	2.0	2.9
1996	3	0.7	0.43	0.1	2.9	117	2.6	0.25	2.1	3.1
1997	13	4.3	1.47	1.9	8.2	97	2.1	0.22	1.7	2.6
1998	7	2.2	1.06	0.6	5.3	110	2.3	0.22	1.9	2.8
1999	9	1.8	0.67	0.7	4.0	124	2.6	0.23	2.1	3.1
2000	10	1.9	0.67	0.8	4.1	113	2.3	0.22	1.9	2.8
2001	9	3.8	1.50	1.4	7.7	132	2.8	0.24	2.3	3.3
2002	6	3.2	1.43	1.0	6.9	107	2.2	0.22	1.8	2.7
2003	7	1.3	0.57	0.5	3.2	128	2.6	0.23	2.2	3.1
2004	10	1.2	0.45	0.5	2.8	136	2.8	0.24	2.3	3.3
2005	15	2.7	0.93	1.2	5.2	122	2.4	0.22	2.0	2.9
2006	10	2.6	1.12	0.9	5.5	130	2.6	0.23	2.2	3.1
2007	6	0.7	0.30	0.2	1.9	106	2.1	0.20	1.7	2.5
2008	11	2.2	0.82	0.9	4.3	117	2.3	0.21	1.9	2.7
2009	10	2.2	0.79	0.9	4.2	105	2.0	0.20	1.7	2.5
2010	12	2.4	0.90	0.9	4.7	147	2.8	0.23	2.4	3.3
2011	17	2.3	0.66	1.2	4.0	157	2.9	0.23	2.5	3.4
2012	14	2.4	0.75	1.1	4.3	125	2.3	0.21	1.9	2.8
2013	11	1.6	0.60	0.6	3.1	114	2.0	0.20	1.7	2.5
2014	17	2.6	0.73	1.3	4.4	137	2.4	0.21	2.0	2.9
2015	17	2.0	0.57	1.1	3.5	111	1.9	0.19	1.6	2.3
2016	14	1.8	0.52	0.9	3.1	138	2.4	0.21	2.0	2.9
2017	17	2.6	0.73	1.4	4.4	152	2.5	0.21	2.1	3.0
2018	24	3.0	0.70	1.8	4.6	156	2.6	0.22	2.2	3.1
2019	17	1.9	0.52	1.0	3.2	156	2.6	0.21	2.2	3.1
2020	14	1.9	0.56	1.0	3.3	122	2.0	0.19	1.7	2.4
2021	20	2.0	0.47	1.1	3.1	145	2.4	0.21	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Myeloid Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,240	2.4	0.04	2.3	2.4	490	2.3	0.11	2.1	2.5
1990	68	1.8	0.22	1.4	2.3	13	2.3	0.75	1.1	4.2
1991	81	2.1	0.24	1.6	2.6	5	0.8	0.38	0.3	2.0
1992	74	1.9	0.22	1.5	2.4	10	2.1	0.69	0.9	3.8
1993	85	2.2	0.24	1.7	2.7	12	1.9	0.64	0.9	3.6
1994	89	2.3	0.24	1.8	2.8	11	2.0	0.64	1.0	3.7
1995	97	2.4	0.25	2.0	3.0	14	2.3	0.66	1.2	4.0
1996	102	2.6	0.27	2.2	3.2	12	2.0	0.60	1.0	3.6
1997	84	2.1	0.23	1.7	2.6	13	2.4	0.73	1.2	4.2
1998	94	2.3	0.24	1.9	2.8	12	1.8	0.55	0.9	3.2
1999	107	2.6	0.25	2.1	3.1	13	2.5	0.76	1.3	4.4
2000	93	2.3	0.24	1.8	2.8	16	2.8	0.77	1.5	4.7
2001	114	2.8	0.27	2.3	3.4	10	1.8	0.60	0.8	3.3
2002	86	2.1	0.23	1.7	2.6	16	3.0	0.80	1.7	4.9
2003	108	2.6	0.25	2.1	3.2	17	2.8	0.72	1.6	4.6
2004	121	2.9	0.26	2.4	3.5	10	1.8	0.62	0.8	3.4
2005	101	2.4	0.24	1.9	2.9	16	2.7	0.74	1.5	4.5
2006	108	2.6	0.25	2.1	3.1	21	3.5	0.82	2.1	5.5
2007	82	1.9	0.22	1.5	2.4	16	2.4	0.62	1.3	3.9
2008	94	2.2	0.23	1.8	2.7	16	2.3	0.60	1.3	3.8
2009	88	2.1	0.22	1.7	2.6	12	1.9	0.59	1.0	3.4
2010	123	2.8	0.26	2.3	3.4	22	2.8	0.62	1.7	4.3
2011	125	2.8	0.25	2.3	3.3	22	2.9	0.63	1.8	4.4
2012	103	2.3	0.23	1.9	2.8	21	3.1	0.72	1.9	4.9
2013	93	2.0	0.21	1.6	2.5	14	1.9	0.52	1.0	3.2
2014	120	2.6	0.24	2.1	3.1	13	1.5	0.45	0.8	2.7
2015	90	1.9	0.20	1.5	2.3	17	2.1	0.53	1.2	3.4
2016	109	2.4	0.23	1.9	2.9	18	2.2	0.53	1.2	3.5
2017	124	2.5	0.23	2.1	3.0	22	2.6	0.60	1.6	4.1
2018	126	2.6	0.24	2.2	3.2	25	3.0	0.62	1.9	4.5
2019	128	2.6	0.24	2.1	3.1	18	2.0	0.48	1.2	3.2
2020	101	2.1	0.21	1.7	2.5	15	1.8	0.47	1.0	2.9
2021	122	2.5	0.23	2.1	3.0	18	2.1	0.50	1.2	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Myeloid Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	227	1.3	0.10	1.1	1.5	2,934	1.4	0.03	1.3	1.4
1990	2	1.3	0.94	0.1	4.3	72	1.2	0.14	0.9	1.5
1991	3	1.1	0.86	0.1	4.0	73	1.2	0.14	0.9	1.5
1992	1	0.4	0.40	0.0	2.4	64	1.1	0.13	0.8	1.4
1993	6	2.6	1.13	0.9	5.8	67	1.1	0.13	0.8	1.4
1994	6	3.1	1.45	0.9	6.9	96	1.6	0.16	1.3	1.9
1995	4	0.7	0.39	0.2	2.4	98	1.5	0.16	1.3	1.9
1996	1	0.1	0.12	0.0	1.5	84	1.3	0.14	1.0	1.6
1997	6	1.4	0.75	0.3	3.7	72	1.1	0.13	0.9	1.4
1998	4	0.8	0.40	0.2	2.4	82	1.3	0.14	1.0	1.6
1999	6	1.6	0.67	0.6	3.6	86	1.3	0.14	1.1	1.6
2000	3	1.1	0.79	0.1	3.5	94	1.5	0.15	1.2	1.8
2001	9	2.3	0.92	0.9	4.8	95	1.5	0.15	1.2	1.8
2002	8	2.0	0.91	0.7	4.5	76	1.2	0.14	0.9	1.5
2003	7	2.1	0.92	0.7	4.5	94	1.4	0.15	1.1	1.7
2004	3	0.5	0.29	0.1	1.6	104	1.6	0.16	1.3	1.9
2005	2	0.4	0.34	0.0	1.7	73	1.1	0.13	0.9	1.4
2006	6	1.3	0.55	0.4	2.8	88	1.3	0.14	1.0	1.6
2007	5	1.0	0.52	0.3	2.5	85	1.3	0.14	1.0	1.6
2008	14	2.1	0.61	1.1	3.7	86	1.2	0.14	1.0	1.6
2009	12	2.2	0.69	1.1	3.9	110	1.7	0.16	1.4	2.0
2010	10	1.6	0.54	0.7	3.0	99	1.4	0.14	1.1	1.7
2011	10	1.2	0.40	0.6	2.3	103	1.5	0.15	1.2	1.9
2012	8	1.1	0.39	0.5	2.2	97	1.5	0.16	1.2	1.9
2013	9	1.3	0.48	0.5	2.6	104	1.6	0.16	1.3	1.9
2014	9	1.0	0.35	0.5	2.0	106	1.6	0.16	1.3	1.9
2015	14	2.2	0.63	1.1	3.8	93	1.4	0.15	1.1	1.7
2016	10	1.0	0.31	0.5	1.9	108	1.5	0.14	1.2	1.8
2017	11	1.3	0.39	0.6	2.3	104	1.6	0.16	1.3	1.9
2018	13	1.7	0.51	0.9	3.0	102	1.5	0.15	1.2	1.8
2019	3	0.3	0.18	0.1	0.9	115	1.7	0.17	1.4	2.1
2020	8	0.8	0.28	0.3	1.6	111	1.6	0.16	1.3	1.9
2021	14	1.6	0.45	0.9	2.8	93	1.4	0.15	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Chronic Myeloid Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,408	1.4	0.03	1.3	1.4	409	1.4	0.07	1.3	1.5
1990	65	1.2	0.15	0.9	1.6	7	0.9	0.35	0.4	1.9
1991	63	1.2	0.15	0.9	1.5	10	1.4	0.44	0.7	2.5
1992	57	1.1	0.15	0.8	1.4	5	0.6	0.28	0.2	1.4
1993	57	1.0	0.14	0.8	1.4	9	1.4	0.45	0.6	2.5
1994	81	1.5	0.17	1.2	1.9	13	1.8	0.51	1.0	3.1
1995	77	1.4	0.16	1.1	1.8	20	2.6	0.60	1.6	4.0
1996	71	1.3	0.15	1.0	1.6	10	1.3	0.43	0.6	2.5
1997	60	1.1	0.14	0.8	1.4	8	1.0	0.35	0.4	1.9
1998	71	1.3	0.15	1.0	1.6	9	1.0	0.34	0.5	1.9
1999	68	1.2	0.15	1.0	1.6	16	1.9	0.48	1.1	3.1
2000	81	1.5	0.17	1.2	1.9	11	1.2	0.37	0.6	2.2
2001	84	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
2002	61	1.1	0.15	0.8	1.4	12	1.4	0.39	0.7	2.4
2003	85	1.6	0.17	1.2	1.9	7	0.9	0.33	0.3	1.8
2004	80	1.4	0.16	1.1	1.8	17	1.9	0.47	1.1	3.1
2005	58	1.1	0.15	0.8	1.4	12	1.4	0.39	0.7	2.4
2006	73	1.3	0.16	1.0	1.6	11	1.1	0.33	0.5	2.0
2007	71	1.3	0.16	1.0	1.7	10	1.1	0.33	0.5	1.9
2008	68	1.2	0.15	0.9	1.5	14	1.5	0.41	0.8	2.6
2009	96	1.8	0.19	1.4	2.2	10	1.0	0.33	0.5	1.9
2010	83	1.4	0.16	1.1	1.8	10	1.0	0.30	0.5	1.8
2011	84	1.5	0.17	1.2	1.9	16	1.6	0.39	0.9	2.5
2012	79	1.5	0.18	1.2	2.0	13	1.3	0.37	0.7	2.3
2013	84	1.6	0.18	1.3	2.0	16	1.5	0.38	0.9	2.5
2014	82	1.5	0.17	1.2	1.9	21	2.1	0.47	1.3	3.2
2015	76	1.5	0.18	1.1	1.8	11	1.0	0.31	0.5	1.8
2016	93	1.6	0.17	1.3	2.0	14	1.2	0.33	0.7	2.1
2017	81	1.6	0.18	1.2	2.0	18	1.8	0.43	1.1	2.9
2018	78	1.5	0.18	1.2	1.9	16	1.3	0.34	0.8	2.2
2019	93	1.8	0.19	1.4	2.2	16	1.6	0.40	0.9	2.6
2020	85	1.5	0.18	1.2	1.9	17	1.7	0.43	1.0	2.8
2021	63	1.1	0.15	0.8	1.5	21	2.1	0.46	1.3	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Other Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	191	0.7	0.06	0.6	0.8	3,497	0.9	0.02	0.9	0.9
1990	5	1.2	0.68	0.3	3.2	90	0.8	0.09	0.7	1.0
1991	5	1.1	0.60	0.3	2.9	66	0.6	0.08	0.5	0.8
1992	2	0.3	0.19	0.0	1.3	66	0.6	0.08	0.5	0.8
1993	3	0.6	0.40	0.1	2.0	121	1.1	0.10	0.9	1.3
1994	7	1.5	0.74	0.4	3.5	154	1.4	0.11	1.2	1.6
1995	7	2.2	0.94	0.7	4.6	154	1.4	0.11	1.2	1.6
1996	3	0.3	0.20	0.1	1.2	131	1.2	0.10	1.0	1.4
1997	6	1.2	0.66	0.3	3.0	121	1.1	0.10	0.9	1.3
1998	8	2.1	0.96	0.7	4.5	127	1.1	0.10	0.9	1.3
1999	6	0.9	0.44	0.3	2.2	167	1.5	0.11	1.2	1.7
2000	3	0.3	0.19	0.0	1.1	156	1.4	0.11	1.2	1.6
2001	3	0.5	0.41	0.1	1.8	88	0.8	0.08	0.6	0.9
2002	7	1.5	0.75	0.4	3.4	132	1.1	0.10	1.0	1.4
2003	4	0.7	0.44	0.1	2.0	112	1.0	0.09	0.8	1.1
2004	3	0.5	0.35	0.1	1.6	93	0.8	0.08	0.6	0.9
2005	4	0.9	0.47	0.2	2.1	111	0.9	0.09	0.8	1.1
2006	4	0.8	0.46	0.2	2.1	102	0.8	0.08	0.7	1.0
2007	6	0.5	0.25	0.1	1.2	103	0.8	0.08	0.7	1.0
2008	6	0.9	0.45	0.3	2.1	95	0.8	0.08	0.6	1.0
2009	4	0.4	0.27	0.1	1.2	90	0.7	0.08	0.6	0.9
2010	5	0.3	0.15	0.1	0.8	100	0.8	0.08	0.6	0.9
2011	5	0.3	0.19	0.1	0.9	120	1.0	0.09	0.8	1.1
2012	4	0.3	0.18	0.1	0.9	101	0.8	0.08	0.6	0.9
2013	11	1.0	0.34	0.4	1.8	98	0.8	0.08	0.6	0.9
2014	7	0.4	0.15	0.1	0.8	114	0.9	0.09	0.7	1.1
2015	9	0.9	0.34	0.4	1.8	89	0.7	0.07	0.6	0.9
2016	6	0.3	0.12	0.1	0.7	91	0.7	0.07	0.5	0.8
2017	5	0.4	0.17	0.1	0.9	120	0.9	0.08	0.7	1.1
2018	9	0.6	0.23	0.3	1.2	89	0.7	0.07	0.5	0.8
2019	11	0.8	0.26	0.4	1.5	90	0.6	0.07	0.5	0.8
2020	11	0.8	0.26	0.4	1.4	87	0.6	0.07	0.5	0.8
2021	12	0.8	0.26	0.4	1.5	119	0.9	0.08	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Other Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,002	0.9	0.02	0.9	0.9	418	0.9	0.04	0.8	1.0
1990	83	0.9	0.10	0.7	1.1	6	0.5	0.20	0.2	1.0
1991	58	0.6	0.09	0.5	0.8	8	0.7	0.27	0.3	1.4
1992	58	0.6	0.08	0.5	0.8	8	0.6	0.24	0.3	1.3
1993	108	1.1	0.11	0.9	1.4	11	1.0	0.31	0.5	1.8
1994	137	1.4	0.12	1.2	1.7	17	1.5	0.37	0.8	2.3
1995	142	1.5	0.12	1.2	1.7	10	0.8	0.27	0.4	1.5
1996	113	1.2	0.11	1.0	1.4	13	1.1	0.32	0.6	1.9
1997	101	1.0	0.10	0.8	1.3	20	1.6	0.36	0.9	2.4
1998	110	1.1	0.11	0.9	1.3	16	1.2	0.32	0.7	2.0
1999	146	1.5	0.12	1.2	1.7	20	1.6	0.36	0.9	2.4
2000	136	1.4	0.12	1.1	1.6	17	1.3	0.32	0.7	2.1
2001	75	0.7	0.08	0.6	0.9	11	0.9	0.26	0.4	1.5
2002	110	1.1	0.11	0.9	1.3	20	1.6	0.36	0.9	2.4
2003	96	0.9	0.10	0.8	1.1	16	1.2	0.30	0.7	1.9
2004	80	0.8	0.08	0.6	0.9	10	0.8	0.24	0.4	1.4
2005	96	0.9	0.09	0.7	1.1	12	0.9	0.26	0.5	1.5
2006	85	0.8	0.09	0.6	1.0	15	1.1	0.29	0.6	1.8
2007	87	0.8	0.09	0.7	1.0	13	0.9	0.26	0.5	1.5
2008	86	0.8	0.09	0.7	1.0	8	0.5	0.20	0.2	1.1
2009	76	0.7	0.08	0.6	0.9	12	0.8	0.22	0.4	1.3
2010	85	0.8	0.08	0.6	0.9	11	0.7	0.21	0.3	1.2
2011	104	1.0	0.10	0.8	1.2	13	0.9	0.25	0.5	1.5
2012	82	0.8	0.08	0.6	0.9	16	0.9	0.22	0.5	1.4
2013	77	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5
2014	96	0.9	0.09	0.7	1.1	15	0.9	0.23	0.5	1.4
2015	74	0.7	0.08	0.5	0.9	13	0.8	0.21	0.4	1.3
2016	82	0.7	0.08	0.6	0.9	8	0.4	0.15	0.2	0.8
2017	103	0.9	0.09	0.7	1.1	13	0.7	0.20	0.4	1.2
2018	74	0.7	0.08	0.5	0.9	12	0.6	0.19	0.3	1.1
2019	73	0.6	0.08	0.5	0.8	14	0.7	0.19	0.4	1.2
2020	73	0.6	0.08	0.5	0.8	9	0.4	0.14	0.2	0.8
2021	96	0.9	0.09	0.7	1.1	16	0.9	0.23	0.5	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Other Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	109	0.9	0.11	0.7	1.1	1,852	1.2	0.03	1.1	1.2
1990	1	0.2	0.15	0.0	2.8	54	1.2	0.17	0.9	1.6
1991	3	1.2	0.93	0.1	4.6	32	0.8	0.14	0.5	1.1
1992	2	0.5	0.36	0.0	3.0	40	0.9	0.15	0.7	1.3
1993	3	1.3	0.87	0.2	4.5	60	1.4	0.18	1.0	1.8
1994	6	1.7	0.86	0.5	4.7	78	1.8	0.22	1.4	2.3
1995	6	4.2	2.11	1.1	9.8	76	1.8	0.21	1.4	2.2
1996	2	0.4	0.36	0.0	2.6	75	1.8	0.21	1.4	2.3
1997	3	0.5	0.35	0.1	2.5	66	1.6	0.21	1.3	2.1
1998	5	2.6	1.68	0.4	7.3	66	1.5	0.19	1.2	1.9
1999	1	0.3	0.31	0.0	2.2	83	1.9	0.22	1.5	2.4
2000	1	0.4	0.38	0.0	2.3	71	1.5	0.18	1.2	1.9
2001	2	1.2	0.99	0.1	4.2	46	1.0	0.15	0.7	1.4
2002	3	2.5	1.68	0.3	7.0	74	1.6	0.18	1.2	2.0
2003	0					55	1.2	0.16	0.9	1.6
2004	2	1.1	0.78	0.1	3.5	53	1.2	0.16	0.9	1.5
2005	1	0.4	0.42	0.0	2.0	64	1.4	0.18	1.1	1.8
2006	3	1.9	1.15	0.4	5.0	53	1.1	0.15	0.8	1.5
2007	3	0.4	0.26	0.1	1.6	49	1.1	0.15	0.8	1.4
2008	4	1.4	0.86	0.2	3.8	52	1.1	0.15	0.8	1.4
2009	4	1.0	0.67	0.1	2.9	43	0.9	0.13	0.6	1.2
2010	2	0.1	0.10	0.0	1.0	51	1.0	0.14	0.7	1.3
2011	3	0.6	0.41	0.1	1.9	65	1.3	0.16	1.0	1.7
2012	3	0.3	0.15	0.1	1.0	55	1.0	0.14	0.8	1.4
2013	6	1.1	0.56	0.3	2.7	56	1.1	0.14	0.8	1.4
2014	3	0.3	0.20	0.1	1.1	60	1.1	0.15	0.9	1.5
2015	6	1.4	0.62	0.4	3.0	49	0.9	0.13	0.7	1.2
2016	3	0.3	0.17	0.1	1.0	51	0.9	0.12	0.6	1.1
2017	2	0.2	0.13	0.0	0.8	64	1.1	0.14	0.8	1.4
2018	3	0.5	0.31	0.1	1.4	47	0.8	0.12	0.6	1.1
2019	9	1.4	0.51	0.6	2.7	50	0.8	0.12	0.6	1.1
2020	6	1.0	0.45	0.3	2.2	51	0.8	0.12	0.6	1.1
2021	8	1.4	0.54	0.5	2.8	63	1.1	0.14	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Other Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,584	1.2	0.03	1.1	1.3	218	1.1	0.08	1.0	1.3
1990	51	1.3	0.19	1.0	1.8	3	0.6	0.33	0.1	1.7
1991	29	0.8	0.15	0.5	1.2	3	1.0	0.58	0.2	2.6
1992	35	0.9	0.16	0.7	1.3	5	1.0	0.51	0.2	2.4
1993	51	1.4	0.19	1.0	1.8	7	1.5	0.61	0.6	3.2
1994	70	1.9	0.23	1.5	2.4	8	1.8	0.73	0.7	3.7
1995	70	1.8	0.22	1.4	2.3	5	0.9	0.42	0.3	2.1
1996	62	1.7	0.22	1.3	2.2	11	2.6	0.84	1.2	4.6
1997	57	1.6	0.22	1.2	2.1	9	1.6	0.60	0.7	3.2
1998	60	1.6	0.21	1.2	2.1	5	0.7	0.33	0.2	1.8
1999	72	1.9	0.23	1.5	2.4	11	2.3	0.74	1.1	4.1
2000	63	1.6	0.20	1.2	2.0	6	1.1	0.46	0.4	2.4
2001	38	1.0	0.16	0.7	1.3	6	1.3	0.55	0.4	2.7
2002	64	1.6	0.20	1.2	2.0	9	1.5	0.51	0.6	2.8
2003	46	1.2	0.17	0.9	1.6	9	1.5	0.50	0.7	2.8
2004	46	1.2	0.17	0.9	1.6	4	0.8	0.46	0.2	2.1
2005	53	1.3	0.18	1.0	1.8	8	1.5	0.57	0.6	3.0
2006	42	1.0	0.16	0.7	1.4	11	1.8	0.56	0.9	3.2
2007	42	1.0	0.16	0.7	1.4	6	1.3	0.53	0.5	2.7
2008	48	1.1	0.17	0.8	1.5	4	0.6	0.34	0.2	1.7
2009	35	0.8	0.14	0.6	1.2	7	1.1	0.47	0.4	2.4
2010	44	1.0	0.15	0.7	1.4	5	0.6	0.25	0.2	1.3
2011	53	1.2	0.17	0.9	1.6	9	1.7	0.57	0.7	3.1
2012	44	1.0	0.15	0.7	1.4	9	1.2	0.42	0.5	2.3
2013	44	1.0	0.15	0.7	1.3	6	0.8	0.32	0.3	1.7
2014	50	1.1	0.16	0.8	1.5	9	1.3	0.44	0.6	2.4
2015	41	0.9	0.14	0.6	1.2	7	1.1	0.44	0.4	2.3
2016	48	1.0	0.14	0.7	1.3	2	0.2	0.14	0.0	0.8
2017	56	1.1	0.16	0.9	1.5	4	0.5	0.29	0.1	1.4
2018	38	0.8	0.14	0.6	1.2	6	0.7	0.32	0.3	1.7
2019	40	0.8	0.13	0.6	1.1	9	1.1	0.37	0.5	2.1
2020	42	0.8	0.13	0.6	1.1	5	0.6	0.26	0.2	1.4
2021	50	1.0	0.15	0.8	1.4	10	1.4	0.45	0.7	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Other Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	82	0.6	0.07	0.4	0.7	1,645	0.7	0.02	0.7	0.8
1990	4	2.0	1.16	0.4	5.5	36	0.6	0.09	0.4	0.8
1991	2	1.1	0.81	0.1	3.9	34	0.6	0.10	0.4	0.8
1992	0					26	0.4	0.09	0.3	0.6
1993	0					61	0.9	0.12	0.7	1.2
1994	1	0.9	0.94	0.0	4.0	76	1.1	0.13	0.9	1.4
1995	1	0.7	0.74	0.0	3.2	78	1.1	0.13	0.9	1.4
1996	1	0.2	0.18	0.0	1.6	56	0.8	0.11	0.6	1.0
1997	3	1.6	1.05	0.2	4.6	55	0.8	0.11	0.6	1.1
1998	3	1.7	1.13	0.2	4.9	61	0.9	0.12	0.7	1.2
1999	5	1.4	0.76	0.3	3.7	84	1.2	0.13	0.9	1.5
2000	2	0.3	0.19	0.0	1.5	85	1.2	0.13	1.0	1.5
2001	1	0.1	0.08	0.0	1.2	42	0.6	0.09	0.4	0.8
2002	4	1.0	0.70	0.1	3.1	58	0.8	0.11	0.6	1.0
2003	4	1.2	0.74	0.2	3.4	57	0.8	0.10	0.6	1.0
2004	1	0.1	0.09	0.0	1.0	40	0.5	0.09	0.4	0.7
2005	3	1.2	0.72	0.2	3.2	47	0.6	0.09	0.5	0.9
2006	1	0.1	0.12	0.0	1.0	49	0.6	0.09	0.5	0.8
2007	3	0.5	0.38	0.1	1.8	54	0.7	0.10	0.6	1.0
2008	2	0.5	0.46	0.0	2.0	43	0.6	0.09	0.4	0.8
2009	0					47	0.6	0.09	0.5	0.8
2010	3	0.5	0.29	0.1	1.5	49	0.6	0.09	0.4	0.8
2011	2	0.2	0.11	0.0	0.8	55	0.7	0.10	0.5	0.9
2012	1	0.3	0.29	0.0	1.3	46	0.6	0.09	0.4	0.8
2013	5	0.8	0.42	0.2	2.0	42	0.5	0.08	0.4	0.7
2014	4	0.4	0.22	0.1	1.2	54	0.7	0.10	0.5	0.9
2015	3	0.6	0.35	0.1	1.6	40	0.6	0.09	0.4	0.8
2016	3	0.3	0.16	0.1	0.9	40	0.5	0.08	0.4	0.7
2017	3	0.5	0.30	0.1	1.4	56	0.8	0.11	0.6	1.0
2018	6	0.8	0.32	0.3	1.7	42	0.6	0.09	0.4	0.8
2019	2	0.3	0.22	0.0	1.0	40	0.5	0.08	0.4	0.7
2020	5	0.6	0.30	0.2	1.5	36	0.5	0.08	0.3	0.7
2021	4	0.5	0.24	0.1	1.2	56	0.7	0.10	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Other Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,418	0.7	0.02	0.7	0.8	200	0.7	0.05	0.6	0.8
1990	32	0.6	0.10	0.4	0.8	3	0.4	0.23	0.1	1.2
1991	29	0.5	0.10	0.4	0.8	5	0.7	0.30	0.2	1.5
1992	23	0.5	0.10	0.3	0.7	3	0.4	0.26	0.1	1.3
1993	57	1.0	0.13	0.7	1.2	4	0.6	0.31	0.2	1.5
1994	67	1.1	0.14	0.9	1.4	9	1.3	0.43	0.6	2.4
1995	72	1.2	0.14	0.9	1.5	5	0.7	0.33	0.2	1.7
1996	51	0.8	0.12	0.6	1.1	2	0.3	0.21	0.0	1.0
1997	44	0.7	0.11	0.5	1.0	11	1.5	0.46	0.8	2.7
1998	50	0.9	0.12	0.6	1.1	11	1.4	0.43	0.7	2.5
1999	74	1.2	0.14	0.9	1.5	9	1.1	0.38	0.5	2.1
2000	73	1.2	0.14	0.9	1.5	11	1.4	0.41	0.7	2.4
2001	37	0.6	0.10	0.4	0.8	5	0.6	0.29	0.2	1.5
2002	46	0.7	0.11	0.5	1.0	11	1.5	0.44	0.7	2.6
2003	50	0.8	0.11	0.6	1.1	7	0.9	0.33	0.4	1.8
2004	34	0.5	0.09	0.4	0.7	6	0.7	0.30	0.3	1.5
2005	43	0.7	0.11	0.5	0.9	4	0.5	0.26	0.1	1.3
2006	43	0.7	0.10	0.5	0.9	4	0.5	0.26	0.1	1.3
2007	45	0.7	0.11	0.5	1.0	7	0.7	0.27	0.3	1.5
2008	38	0.6	0.11	0.4	0.9	4	0.5	0.24	0.1	1.2
2009	41	0.6	0.10	0.5	0.9	5	0.6	0.25	0.2	1.3
2010	41	0.6	0.09	0.4	0.8	6	0.7	0.27	0.2	1.4
2011	51	0.8	0.11	0.6	1.1	4	0.4	0.22	0.1	1.1
2012	38	0.6	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4
2013	33	0.5	0.09	0.3	0.7	9	0.9	0.30	0.4	1.7
2014	46	0.7	0.11	0.5	1.0	6	0.6	0.23	0.2	1.2
2015	33	0.6	0.10	0.4	0.8	6	0.6	0.24	0.2	1.3
2016	34	0.5	0.10	0.4	0.8	6	0.5	0.22	0.2	1.2
2017	47	0.8	0.12	0.6	1.1	9	0.9	0.32	0.4	1.8
2018	36	0.6	0.11	0.4	0.9	6	0.6	0.24	0.2	1.3
2019	33	0.5	0.10	0.4	0.8	5	0.5	0.20	0.1	1.1
2020	31	0.5	0.10	0.3	0.7	4	0.3	0.16	0.1	0.9
2021	46	0.7	0.11	0.5	1.0	6	0.6	0.23	0.2	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Mesothelioma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	213	0.8	0.06	0.7	1.0	4,322	1.1	0.02	1.1	1.1
1990	4	0.8	0.40	0.2	2.2	98	0.9	0.09	0.8	1.1
1991	2	0.5	0.33	0.1	1.8	118	1.1	0.10	0.9	1.3
1992	3	0.6	0.36	0.1	1.9	124	1.1	0.10	0.9	1.4
1993	4	1.4	0.72	0.4	3.4	115	1.0	0.10	0.9	1.3
1994	0					140	1.3	0.11	1.1	1.5
1995	5	1.1	0.55	0.3	2.7	158	1.4	0.11	1.2	1.7
1996	6	1.0	0.44	0.4	2.4	136	1.2	0.10	1.0	1.4
1997	0					138	1.2	0.10	1.0	1.5
1998	4	0.5	0.27	0.1	1.5	152	1.3	0.11	1.1	1.6
1999	5	1.0	0.46	0.3	2.3	135	1.2	0.10	1.0	1.4
2000	5	1.0	0.49	0.2	2.3	138	1.2	0.10	1.0	1.4
2001	7	1.3	0.48	0.5	2.6	175	1.5	0.11	1.3	1.8
2002	3	0.5	0.31	0.1	1.5	152	1.3	0.11	1.1	1.5
2003	9	1.5	0.54	0.6	2.9	157	1.4	0.11	1.2	1.6
2004	9	1.5	0.57	0.6	3.0	136	1.2	0.10	1.0	1.4
2005	12	1.9	0.61	0.9	3.4	143	1.2	0.10	1.0	1.4
2006	7	0.9	0.41	0.3	2.0	155	1.3	0.11	1.1	1.6
2007	8	1.1	0.42	0.4	2.2	137	1.1	0.10	0.9	1.3
2008	8	0.7	0.29	0.3	1.5	156	1.3	0.11	1.1	1.5
2009	10	1.2	0.41	0.6	2.3	132	1.1	0.10	0.9	1.3
2010	4	0.4	0.24	0.1	1.1	143	1.2	0.10	1.0	1.4
2011	9	1.1	0.40	0.4	2.1	137	1.1	0.10	0.9	1.3
2012	9	0.9	0.33	0.4	1.8	152	1.2	0.10	1.0	1.4
2013	9	0.8	0.29	0.3	1.6	135	1.0	0.09	0.9	1.2
2014	8	0.8	0.29	0.3	1.5	149	1.1	0.10	1.0	1.4
2015	9	0.7	0.26	0.3	1.4	127	1.0	0.09	0.8	1.1
2016	12	1.1	0.35	0.6	2.0	114	0.8	0.08	0.7	1.0
2017	7	0.6	0.22	0.2	1.1	121	0.9	0.08	0.7	1.1
2018	7	0.4	0.16	0.2	0.9	109	0.8	0.08	0.7	1.0
2019	9	0.6	0.20	0.3	1.1	129	0.9	0.08	0.8	1.1
2020	8	0.6	0.24	0.3	1.3	110	0.8	0.08	0.6	0.9
2021	11	0.8	0.27	0.4	1.5	101	0.7	0.07	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Mesothelioma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	4,063	1.2	0.02	1.2	1.3	202	0.4	0.03	0.4	0.5
1990	90	1.0	0.10	0.8	1.2	6	0.5	0.21	0.2	1.1
1991	114	1.2	0.11	1.0	1.5	3	0.3	0.15	0.1	0.7
1992	117	1.2	0.11	1.0	1.5	5	0.5	0.21	0.2	1.1
1993	108	1.1	0.11	0.9	1.4	5	0.5	0.22	0.2	1.1
1994	133	1.4	0.12	1.1	1.6	7	0.6	0.21	0.2	1.1
1995	144	1.5	0.13	1.3	1.8	14	1.1	0.31	0.6	1.9
1996	124	1.3	0.11	1.1	1.5	11	0.8	0.24	0.4	1.4
1997	129	1.3	0.12	1.1	1.6	8	0.6	0.20	0.2	1.1
1998	145	1.5	0.12	1.3	1.8	7	0.5	0.21	0.2	1.1
1999	128	1.3	0.12	1.1	1.6	6	0.4	0.17	0.2	0.9
2000	132	1.3	0.12	1.1	1.6	6	0.5	0.19	0.2	1.0
2001	165	1.7	0.13	1.4	1.9	9	0.6	0.22	0.3	1.2
2002	148	1.5	0.12	1.3	1.8	4	0.3	0.17	0.1	0.8
2003	147	1.5	0.12	1.3	1.8	4	0.3	0.13	0.1	0.7
2004	129	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2005	134	1.3	0.12	1.1	1.6	8	0.6	0.21	0.3	1.2
2006	145	1.5	0.12	1.2	1.7	6	0.4	0.17	0.2	0.9
2007	126	1.2	0.11	1.0	1.4	10	0.6	0.19	0.3	1.1
2008	152	1.5	0.12	1.3	1.8	2	0.2	0.11	0.0	0.5
2009	126	1.2	0.11	1.0	1.5	5	0.3	0.14	0.1	0.7
2010	135	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2011	126	1.2	0.11	1.0	1.5	8	0.5	0.18	0.2	1.0
2012	140	1.3	0.11	1.1	1.5	11	0.7	0.21	0.3	1.2
2013	124	1.1	0.10	0.9	1.4	7	0.4	0.16	0.2	0.9
2014	142	1.3	0.11	1.1	1.6	5	0.3	0.13	0.1	0.7
2015	122	1.1	0.10	0.9	1.3	5	0.3	0.12	0.1	0.6
2016	109	0.9	0.09	0.8	1.2	1	0.0	0.04	0.0	0.3
2017	109	1.0	0.10	0.8	1.2	7	0.4	0.15	0.2	0.8
2018	106	1.0	0.09	0.8	1.2	2	0.1	0.07	0.0	0.4
2019	117	1.0	0.09	0.8	1.2	8	0.4	0.14	0.2	0.8
2020	102	0.9	0.09	0.7	1.1	5	0.3	0.13	0.1	0.7
2021	95	0.8	0.09	0.7	1.0	3	0.2	0.11	0.0	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Mesothelioma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	155	1.4	0.13	1.2	1.7	3,222	2.0	0.04	1.9	2.1
1990	3	1.3	0.75	0.3	4.4	74	1.7	0.20	1.3	2.1
1991	2	1.0	0.67	0.1	3.9	95	2.1	0.22	1.7	2.6
1992	0					91	2.1	0.22	1.6	2.5
1993	4	3.2	1.70	0.8	8.0	82	1.9	0.21	1.5	2.3
1994	0					101	2.2	0.22	1.8	2.7
1995	4	2.0	1.22	0.4	5.7	119	2.7	0.25	2.2	3.2
1996	6	2.1	0.90	0.7	5.0	103	2.2	0.22	1.8	2.7
1997	0					111	2.4	0.23	2.0	2.9
1998	3	0.7	0.43	0.1	2.8	106	2.3	0.23	1.9	2.8
1999	3	1.4	0.88	0.2	4.2	101	2.1	0.22	1.7	2.6
2000	4	2.0	1.09	0.5	5.1	106	2.3	0.22	1.9	2.7
2001	5	2.0	0.93	0.6	4.7	140	3.0	0.26	2.5	3.5
2002	3	1.0	0.70	0.1	3.3	121	2.6	0.24	2.1	3.1
2003	9	3.2	1.19	1.3	6.3	124	2.6	0.23	2.2	3.1
2004	5	1.8	1.13	0.3	5.0	102	2.1	0.21	1.7	2.6
2005	9	2.9	1.04	1.2	5.6	109	2.3	0.22	1.9	2.8
2006	4	1.6	0.99	0.3	4.3	116	2.4	0.23	2.0	2.9
2007	6	2.1	0.91	0.7	4.5	101	2.0	0.20	1.7	2.5
2008	6	1.2	0.59	0.4	2.9	112	2.3	0.22	1.9	2.7
2009	5	1.6	0.72	0.5	3.5	109	2.2	0.21	1.8	2.6
2010	2	0.4	0.27	0.0	1.4	113	2.3	0.22	1.9	2.7
2011	8	2.3	0.96	0.9	4.8	93	1.8	0.19	1.4	2.2
2012	8	1.9	0.75	0.7	3.8	115	2.1	0.20	1.7	2.6
2013	7	1.4	0.63	0.5	3.1	96	1.7	0.18	1.4	2.1
2014	7	1.6	0.65	0.6	3.3	108	2.0	0.20	1.7	2.4
2015	8	1.5	0.60	0.6	3.1	92	1.6	0.17	1.3	2.0
2016	10	2.4	0.79	1.1	4.3	82	1.4	0.16	1.1	1.8
2017	3	0.5	0.35	0.1	1.6	77	1.4	0.16	1.1	1.7
2018	3	0.5	0.32	0.1	1.5	79	1.4	0.16	1.1	1.7
2019	6	0.8	0.37	0.3	1.9	97	1.6	0.16	1.3	2.0
2020	6	1.1	0.47	0.4	2.3	79	1.3	0.15	1.0	1.7
2021	6	0.9	0.41	0.3	2.0	68	1.2	0.14	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Mesothelioma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,042	2.2	0.04	2.1	2.3	142	0.8	0.07	0.6	0.9
1990	68	1.7	0.21	1.3	2.2	6	1.2	0.48	0.4	2.5
1991	91	2.3	0.24	1.8	2.8	3	0.6	0.38	0.1	1.9
1992	86	2.2	0.24	1.7	2.7	5	1.2	0.57	0.4	2.8
1993	76	1.9	0.23	1.5	2.4	4	1.1	0.61	0.3	2.8
1994	98	2.4	0.25	1.9	2.9	3	0.6	0.32	0.1	1.6
1995	110	2.8	0.27	2.3	3.4	9	2.1	0.73	0.9	3.9
1996	93	2.3	0.24	1.8	2.8	9	1.5	0.51	0.7	2.9
1997	105	2.6	0.26	2.1	3.2	5	0.8	0.36	0.3	1.9
1998	102	2.5	0.25	2.1	3.1	4	0.9	0.49	0.2	2.3
1999	96	2.4	0.24	1.9	2.9	4	0.7	0.36	0.2	1.8
2000	102	2.5	0.25	2.0	3.0	4	0.9	0.46	0.2	2.2
2001	131	3.2	0.28	2.7	3.8	8	1.4	0.55	0.6	2.9
2002	119	2.9	0.27	2.4	3.5	2	0.4	0.29	0.0	1.4
2003	118	2.9	0.26	2.4	3.4	2	0.3	0.20	0.0	1.1
2004	99	2.4	0.24	1.9	2.9	3	0.6	0.32	0.1	1.6
2005	102	2.5	0.25	2.0	3.0	6	1.3	0.56	0.5	2.8
2006	109	2.6	0.25	2.2	3.2	4	0.6	0.32	0.2	1.6
2007	95	2.2	0.23	1.8	2.7	6	0.8	0.35	0.3	1.9
2008	109	2.6	0.25	2.1	3.1	2	0.4	0.28	0.1	1.3
2009	104	2.4	0.24	2.0	2.9	4	0.6	0.30	0.2	1.5
2010	107	2.5	0.24	2.0	3.0	6	1.1	0.48	0.4	2.4
2011	85	1.9	0.21	1.6	2.4	7	1.2	0.48	0.5	2.5
2012	107	2.3	0.23	1.9	2.8	7	1.1	0.43	0.4	2.3
2013	88	1.9	0.21	1.5	2.3	5	0.7	0.31	0.2	1.6
2014	104	2.3	0.23	1.9	2.8	3	0.4	0.21	0.1	1.1
2015	89	1.9	0.20	1.5	2.3	3	0.4	0.26	0.1	1.2
2016	79	1.6	0.19	1.3	2.0	1	0.1	0.10	0.0	0.7
2017	68	1.4	0.18	1.1	1.8	5	0.7	0.32	0.2	1.6
2018	76	1.6	0.19	1.3	2.0	2	0.2	0.17	0.0	0.9
2019	87	1.7	0.19	1.4	2.2	7	0.9	0.35	0.3	1.9
2020	75	1.5	0.18	1.2	1.9	2	0.3	0.23	0.0	1.1
2021	64	1.3	0.17	1.0	1.7	1	0.2	0.19	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Mesothelioma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	58	0.4	0.05	0.3	0.5	1,100	0.5	0.02	0.5	0.5
1990	1	0.3	0.26	0.0	2.1	24	0.4	0.08	0.2	0.6
1991	0					23	0.4	0.08	0.2	0.6
1992	3	1.2	0.70	0.2	3.6	33	0.5	0.09	0.4	0.7
1993	0					33	0.5	0.09	0.4	0.7
1994	0					39	0.6	0.09	0.4	0.8
1995	1	0.4	0.36	0.0	2.1	39	0.6	0.10	0.4	0.9
1996	0					33	0.5	0.09	0.4	0.7
1997	0					27	0.4	0.08	0.3	0.6
1998	1	0.3	0.32	0.0	1.8	46	0.7	0.11	0.5	1.0
1999	2	0.6	0.45	0.1	2.3	34	0.5	0.09	0.4	0.7
2000	1	0.1	0.09	0.0	1.3	32	0.5	0.08	0.3	0.7
2001	2	0.6	0.42	0.1	2.1	35	0.5	0.09	0.4	0.7
2002	0					31	0.5	0.08	0.3	0.7
2003	0					33	0.5	0.09	0.3	0.7
2004	4	1.3	0.68	0.4	3.3	34	0.5	0.09	0.4	0.7
2005	3	1.0	0.64	0.2	2.8	34	0.5	0.09	0.4	0.7
2006	3	0.5	0.29	0.1	1.6	39	0.6	0.10	0.4	0.8
2007	2	0.3	0.21	0.0	1.2	36	0.5	0.09	0.4	0.7
2008	2	0.3	0.20	0.0	1.2	44	0.7	0.10	0.5	0.9
2009	5	1.0	0.47	0.3	2.3	23	0.3	0.07	0.2	0.5
2010	2	0.5	0.35	0.1	1.6	30	0.4	0.08	0.3	0.6
2011	1	0.2	0.15	0.0	0.9	44	0.6	0.09	0.4	0.8
2012	1	0.1	0.13	0.0	0.8	37	0.5	0.08	0.4	0.7
2013	2	0.3	0.22	0.0	1.1	39	0.5	0.09	0.4	0.7
2014	1	0.1	0.13	0.0	0.8	41	0.6	0.09	0.4	0.8
2015	1	0.1	0.11	0.0	0.7	35	0.5	0.09	0.4	0.7
2016	2	0.2	0.15	0.0	0.8	32	0.4	0.08	0.3	0.6
2017	4	0.6	0.33	0.2	1.6	44	0.6	0.09	0.4	0.8
2018	4	0.4	0.20	0.1	1.1	30	0.4	0.08	0.3	0.6
2019	3	0.4	0.22	0.1	1.1	32	0.4	0.07	0.3	0.6
2020	2	0.3	0.19	0.0	0.9	31	0.4	0.08	0.3	0.6
2021	5	0.8	0.36	0.2	1.8	33	0.4	0.07	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Mesothelioma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,021	0.6	0.02	0.5	0.6	60	0.2	0.03	0.2	0.3
1990	22	0.4	0.08	0.2	0.6	0				
1991	23	0.4	0.09	0.3	0.6	0				
1992	31	0.5	0.10	0.4	0.8	0				
1993	32	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
1994	35	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3
1995	34	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.5
1996	31	0.6	0.10	0.4	0.8	2	0.2	0.17	0.0	0.9
1997	24	0.4	0.08	0.3	0.6	3	0.4	0.21	0.1	1.1
1998	43	0.8	0.12	0.6	1.1	3	0.4	0.22	0.1	1.1
1999	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2000	30	0.5	0.10	0.3	0.8	2	0.2	0.15	0.0	0.8
2001	34	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
2002	29	0.5	0.10	0.4	0.8	2	0.3	0.20	0.0	0.9
2003	29	0.5	0.10	0.3	0.8	2	0.2	0.16	0.0	0.8
2004	30	0.5	0.10	0.4	0.8	4	0.4	0.22	0.1	1.1
2005	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2006	36	0.7	0.11	0.5	1.0	2	0.3	0.18	0.0	0.9
2007	31	0.5	0.09	0.3	0.7	4	0.4	0.22	0.1	1.1
2008	43	0.8	0.12	0.6	1.1	0				
2009	22	0.4	0.08	0.2	0.6	1	0.1	0.12	0.0	0.6
2010	28	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2011	41	0.7	0.11	0.5	0.9	1	0.1	0.08	0.0	0.5
2012	33	0.5	0.10	0.4	0.8	4	0.4	0.21	0.1	1.1
2013	36	0.6	0.10	0.4	0.9	2	0.2	0.15	0.0	0.8
2014	38	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8
2015	33	0.6	0.11	0.4	0.9	2	0.2	0.12	0.0	0.7
2016	30	0.5	0.09	0.3	0.7	0				
2017	41	0.7	0.11	0.5	1.0	2	0.2	0.14	0.0	0.7
2018	30	0.5	0.10	0.3	0.7	0				
2019	30	0.5	0.08	0.3	0.7	1	0.1	0.06	0.0	0.5
2020	27	0.4	0.09	0.3	0.7	3	0.3	0.17	0.1	0.9
2021	31	0.5	0.09	0.3	0.7	2	0.2	0.15	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kaposi Sarcoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	345	0.8	0.05	0.7	0.9	2,007	0.6	0.01	0.6	0.6
1990	16	2.0	0.62	1.0	3.8	160	1.5	0.12	1.2	1.7
1991	30	3.2	0.77	1.9	5.2	159	1.4	0.12	1.2	1.7
1992	19	1.6	0.41	0.9	2.9	168	1.5	0.12	1.3	1.8
1993	28	2.8	0.57	1.8	4.3	163	1.4	0.11	1.2	1.7
1994	22	2.4	0.65	1.3	4.1	162	1.5	0.11	1.2	1.7
1995	16	1.8	0.57	0.8	3.3	137	1.2	0.10	1.0	1.4
1996	27	3.7	0.95	2.1	6.0	122	1.1	0.10	0.9	1.3
1997	10	0.7	0.26	0.3	1.7	65	0.6	0.07	0.4	0.7
1998	7	0.6	0.23	0.2	1.5	48	0.4	0.06	0.3	0.6
1999	8	0.8	0.38	0.2	1.9	50	0.5	0.06	0.3	0.6
2000	4	0.3	0.16	0.1	1.1	36	0.3	0.05	0.2	0.5
2001	9	1.3	0.53	0.5	2.7	42	0.4	0.06	0.3	0.5
2002	7	0.7	0.34	0.2	1.7	43	0.4	0.06	0.3	0.5
2003	10	1.4	0.58	0.5	2.9	40	0.4	0.06	0.3	0.5
2004	9	0.6	0.21	0.2	1.3	45	0.4	0.06	0.3	0.5
2005	7	0.6	0.25	0.2	1.3	35	0.3	0.06	0.2	0.5
2006	7	1.0	0.42	0.3	2.1	35	0.3	0.06	0.2	0.5
2007	7	0.4	0.16	0.2	1.0	39	0.4	0.06	0.3	0.5
2008	5	0.6	0.31	0.2	1.5	37	0.4	0.06	0.3	0.5
2009	8	0.8	0.33	0.3	1.7	40	0.4	0.06	0.3	0.5
2010	7	0.6	0.27	0.2	1.4	39	0.4	0.06	0.3	0.5
2011	8	0.7	0.27	0.3	1.4	36	0.3	0.06	0.2	0.5
2012	7	0.4	0.13	0.1	0.8	20	0.2	0.04	0.1	0.3
2013	1	0.1	0.13	0.0	0.6	31	0.3	0.05	0.2	0.4
2014	8	0.6	0.26	0.2	1.3	37	0.3	0.05	0.2	0.5
2015	14	0.8	0.25	0.4	1.5	27	0.2	0.05	0.2	0.4
2016	13	0.8	0.24	0.4	1.4	35	0.3	0.05	0.2	0.4
2017	7	0.4	0.15	0.2	0.8	24	0.2	0.05	0.2	0.4
2018	6	0.3	0.14	0.1	0.8	32	0.3	0.05	0.2	0.4
2019	8	0.4	0.16	0.2	0.9	29	0.3	0.05	0.2	0.4
2020	2	0.1	0.07	0.0	0.4	35	0.3	0.05	0.2	0.4
2021	8	0.4	0.15	0.2	0.8	36	0.3	0.06	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kaposi Sarcoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,179	0.4	0.01	0.4	0.5	757	1.4	0.05	1.3	1.5
1990	107	1.2	0.12	1.0	1.5	49	2.8	0.41	2.1	3.8
1991	116	1.3	0.12	1.1	1.6	41	2.4	0.39	1.7	3.4
1992	121	1.3	0.12	1.1	1.6	46	2.6	0.38	1.9	3.4
1993	112	1.2	0.11	1.0	1.5	47	2.8	0.42	2.0	3.7
1994	109	1.2	0.12	1.0	1.5	52	3.0	0.43	2.2	4.0
1995	83	0.9	0.10	0.7	1.1	52	3.0	0.42	2.2	4.0
1996	65	0.7	0.09	0.6	0.9	53	2.9	0.40	2.2	3.8
1997	36	0.4	0.06	0.3	0.5	27	1.5	0.29	1.0	2.2
1998	23	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.0
1999	24	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.1
2000	17	0.2	0.04	0.1	0.3	17	1.0	0.23	0.6	1.5
2001	18	0.2	0.05	0.1	0.3	23	1.3	0.27	0.8	1.9
2002	23	0.3	0.05	0.2	0.4	18	1.0	0.25	0.6	1.7
2003	20	0.2	0.05	0.1	0.4	18	1.1	0.25	0.6	1.7
2004	23	0.2	0.05	0.2	0.4	19	1.1	0.26	0.7	1.8
2005	19	0.2	0.05	0.1	0.3	13	0.8	0.22	0.4	1.4
2006	16	0.2	0.05	0.1	0.3	17	1.0	0.25	0.6	1.7
2007	20	0.2	0.05	0.1	0.3	18	1.1	0.26	0.7	1.8
2008	19	0.2	0.05	0.1	0.3	15	0.9	0.23	0.5	1.5
2009	24	0.3	0.05	0.2	0.4	14	0.9	0.23	0.5	1.4
2010	22	0.3	0.06	0.2	0.4	15	0.9	0.23	0.5	1.4
2011	15	0.2	0.05	0.1	0.3	19	1.1	0.26	0.7	1.7
2012	12	0.1	0.04	0.1	0.3	5	0.3	0.13	0.1	0.7
2013	15	0.2	0.04	0.1	0.3	16	0.8	0.21	0.5	1.3
2014	18	0.2	0.05	0.1	0.3	17	0.9	0.22	0.5	1.4
2015	16	0.2	0.04	0.1	0.3	10	0.6	0.19	0.3	1.1
2016	24	0.3	0.05	0.2	0.4	10	0.6	0.18	0.3	1.0
2017	8	0.1	0.03	0.0	0.2	13	0.8	0.21	0.4	1.3
2018	13	0.2	0.04	0.1	0.3	17	0.9	0.21	0.5	1.4
2019	13	0.1	0.04	0.1	0.2	15	0.8	0.22	0.5	1.4
2020	14	0.2	0.04	0.1	0.3	18	1.0	0.23	0.6	1.5
2021	14	0.2	0.04	0.1	0.3	15	0.9	0.23	0.5	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kaposi Sarcoma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	330	1.5	0.10	1.3	1.7	1,837	1.1	0.03	1.1	1.2
1990	16	4.0	1.33	1.8	8.0	149	2.8	0.24	2.4	3.3
1991	30	6.5	1.83	3.4	11.3	155	3.0	0.24	2.5	3.5
1992	19	3.0	0.76	1.7	5.8	163	3.0	0.24	2.6	3.5
1993	28	5.2	1.09	3.3	8.5	151	2.7	0.22	2.3	3.2
1994	22	4.8	1.47	2.3	8.8	152	2.9	0.24	2.4	3.4
1995	16	3.5	1.30	1.5	7.2	130	2.4	0.21	2.0	2.8
1996	23	5.3	1.79	2.4	9.9	115	2.1	0.20	1.7	2.6
1997	10	1.4	0.49	0.6	3.5	57	1.1	0.14	0.8	1.4
1998	7	1.1	0.43	0.4	3.0	40	0.8	0.12	0.5	1.0
1999	7	0.8	0.33	0.3	2.6	45	0.9	0.13	0.6	1.2
2000	3	0.4	0.26	0.1	2.1	31	0.6	0.11	0.4	0.9
2001	8	2.5	1.17	0.8	5.7	35	0.7	0.11	0.5	0.9
2002	7	1.5	0.72	0.4	3.7	38	0.8	0.12	0.5	1.0
2003	9	2.2	0.95	0.7	4.8	37	0.7	0.12	0.5	1.0
2004	9	1.1	0.43	0.4	2.6	38	0.8	0.12	0.5	1.1
2005	7	1.2	0.53	0.4	2.8	30	0.6	0.11	0.4	0.9
2006	7	2.1	0.95	0.7	4.7	35	0.7	0.12	0.5	1.0
2007	7	0.8	0.31	0.3	2.0	35	0.7	0.12	0.5	1.0
2008	4	0.8	0.50	0.1	2.4	33	0.7	0.12	0.5	1.0
2009	6	0.9	0.43	0.3	2.3	35	0.7	0.12	0.5	1.0
2010	6	0.9	0.42	0.3	2.2	35	0.7	0.12	0.5	1.0
2011	7	1.1	0.43	0.4	2.3	29	0.6	0.11	0.4	0.8
2012	7	0.7	0.26	0.3	1.6	18	0.3	0.08	0.2	0.5
2013	0					28	0.5	0.10	0.3	0.7
2014	8	1.4	0.59	0.5	2.9	29	0.6	0.10	0.4	0.8
2015	14	1.7	0.53	0.8	3.1	23	0.4	0.09	0.3	0.7
2016	13	1.6	0.49	0.8	2.9	29	0.6	0.11	0.4	0.8
2017	7	0.8	0.31	0.3	1.7	22	0.4	0.09	0.3	0.7
2018	5	0.5	0.21	0.2	1.2	32	0.6	0.11	0.4	0.8
2019	8	0.9	0.31	0.4	1.7	24	0.4	0.09	0.3	0.7
2020	2	0.2	0.13	0.0	0.8	31	0.6	0.11	0.4	0.8
2021	8	0.9	0.34	0.3	1.8	33	0.6	0.11	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kaposi Sarcoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,062	0.8	0.03	0.8	0.9	712	2.8	0.11	2.6	3.0
1990	98	2.3	0.24	1.9	2.8	48	6.2	0.92	4.5	8.4
1991	113	2.6	0.25	2.2	3.2	40	5.4	0.88	3.8	7.4
1992	117	2.7	0.25	2.2	3.2	45	5.5	0.84	4.0	7.5
1993	103	2.2	0.22	1.8	2.7	44	5.9	0.96	4.2	8.2
1994	101	2.3	0.24	1.9	2.9	50	6.5	0.96	4.8	8.7
1995	78	1.7	0.20	1.4	2.2	51	6.5	0.93	4.8	8.7
1996	62	1.4	0.18	1.1	1.8	49	5.9	0.85	4.3	7.8
1997	31	0.7	0.13	0.5	1.0	25	3.1	0.63	2.0	4.6
1998	18	0.4	0.10	0.3	0.7	21	2.6	0.56	1.6	4.0
1999	21	0.5	0.11	0.3	0.8	22	2.8	0.61	1.7	4.3
2000	13	0.3	0.09	0.2	0.6	16	2.0	0.50	1.1	3.3
2001	14	0.3	0.09	0.2	0.6	20	2.4	0.53	1.5	3.7
2002	19	0.5	0.11	0.3	0.8	17	2.2	0.52	1.3	3.5
2003	17	0.4	0.10	0.3	0.7	18	2.5	0.63	1.4	4.0
2004	17	0.4	0.10	0.2	0.7	18	2.2	0.52	1.3	3.5
2005	17	0.4	0.11	0.3	0.7	10	1.4	0.46	0.7	2.6
2006	16	0.4	0.10	0.2	0.6	17	2.4	0.61	1.3	3.9
2007	16	0.4	0.10	0.2	0.6	18	2.5	0.60	1.5	4.0
2008	16	0.4	0.10	0.2	0.7	14	1.8	0.50	1.0	3.1
2009	19	0.5	0.11	0.3	0.7	14	1.9	0.53	1.0	3.3
2010	20	0.5	0.11	0.3	0.8	13	1.6	0.46	0.9	2.8
2011	11	0.3	0.08	0.1	0.5	16	2.0	0.51	1.1	3.3
2012	12	0.3	0.09	0.2	0.5	4	0.4	0.22	0.1	1.2
2013	12	0.3	0.08	0.1	0.5	16	1.8	0.45	1.0	2.9
2014	14	0.3	0.09	0.2	0.6	13	1.5	0.43	0.8	2.6
2015	12	0.3	0.08	0.1	0.5	10	1.3	0.40	0.6	2.3
2016	18	0.4	0.10	0.3	0.7	10	1.2	0.41	0.6	2.3
2017	8	0.2	0.06	0.1	0.4	11	1.3	0.40	0.6	2.4
2018	13	0.3	0.09	0.2	0.5	17	1.8	0.45	1.0	2.9
2019	9	0.2	0.07	0.1	0.4	15	1.9	0.51	1.0	3.2
2020	13	0.3	0.09	0.2	0.5	16	1.9	0.47	1.1	3.1
2021	14	0.3	0.09	0.2	0.6	14	1.8	0.48	1.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kaposi Sarcoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	15	0.1	0.04	0.1	0.2	170	0.1	0.01	0.1	0.1
1990	0					11	0.2	0.05	0.1	0.3
1991	0					4	0.1	0.03	0.0	0.2
1992	0					5	0.1	0.04	0.0	0.2
1993	0					12	0.2	0.06	0.1	0.4
1994	0					10	0.2	0.05	0.1	0.3
1995	0					7	0.1	0.04	0.0	0.2
1996	4	2.0	1.07	0.5	5.0	7	0.1	0.04	0.1	0.2
1997	0					8	0.1	0.04	0.1	0.2
1998	0					8	0.1	0.04	0.1	0.3
1999	1	0.6	0.61	0.0	2.7	5	0.1	0.03	0.0	0.2
2000	1	0.2	0.18	0.0	1.4	5	0.1	0.03	0.0	0.2
2001	1	0.3	0.28	0.0	1.6	7	0.1	0.04	0.1	0.2
2002	0					5	0.1	0.03	0.0	0.2
2003	1	0.6	0.64	0.0	2.7	3	0.0	0.02	0.0	0.1
2004	0					7	0.1	0.03	0.0	0.2
2005	0					5	0.1	0.04	0.0	0.2
2006	0					0				
2007	0					4	0.1	0.02	0.0	0.1
2008	1	0.4	0.37	0.0	1.6	4	0.1	0.03	0.0	0.2
2009	2	0.6	0.43	0.0	1.9	5	0.1	0.03	0.0	0.2
2010	1	0.3	0.31	0.0	1.4	4	0.1	0.03	0.0	0.2
2011	1	0.3	0.30	0.0	1.3	7	0.1	0.05	0.1	0.3
2012	0					2	0.0	0.02	0.0	0.1
2013	1	0.2	0.23	0.0	1.1	3	0.0	0.03	0.0	0.1
2014	0					8	0.1	0.04	0.1	0.3
2015	0					4	0.1	0.02	0.0	0.1
2016	0					6	0.1	0.03	0.0	0.2
2017	0					2	0.1	0.03	0.0	0.2
2018	1	0.2	0.17	0.0	0.8	0				
2019	0					5	0.1	0.03	0.0	0.2
2020	0					4	0.0	0.02	0.0	0.1
2021	0					3	0.0	0.02	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Kaposi Sarcoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	117	0.1	0.01	0.1	0.1	45	0.2	0.02	0.1	0.2
1990	9	0.2	0.05	0.1	0.3	1	0.1	0.09	0.0	0.6
1991	3	0.1	0.03	0.0	0.2	1	0.1	0.09	0.0	0.6
1992	4	0.1	0.03	0.0	0.2	1	0.2	0.15	0.0	0.8
1993	9	0.2	0.06	0.1	0.3	3	0.3	0.19	0.1	1.0
1994	8	0.1	0.05	0.1	0.3	2	0.2	0.15	0.0	0.8
1995	5	0.1	0.04	0.0	0.2	1	0.1	0.12	0.0	0.7
1996	3	0.1	0.03	0.0	0.2	4	0.4	0.20	0.1	1.1
1997	5	0.1	0.04	0.0	0.2	2	0.2	0.14	0.0	0.8
1998	5	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
1999	3	0.0	0.02	0.0	0.1	2	0.2	0.15	0.0	0.8
2000	4	0.1	0.03	0.0	0.2	1	0.1	0.10	0.0	0.6
2001	4	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
2002	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2003	3	0.0	0.03	0.0	0.2	0				
2004	6	0.1	0.04	0.0	0.2	1	0.1	0.14	0.0	0.7
2005	2	0.0	0.02	0.0	0.1	3	0.3	0.19	0.1	1.0
2006	0					0				
2007	4	0.1	0.03	0.0	0.2	0				
2008	3	0.0	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2009	5	0.1	0.03	0.0	0.2	0				
2010	2	0.0	0.02	0.0	0.1	2	0.2	0.16	0.0	0.8
2011	4	0.1	0.05	0.0	0.3	3	0.3	0.19	0.1	0.9
2012	0					1	0.1	0.12	0.0	0.6
2013	3	0.1	0.04	0.0	0.2	0				
2014	4	0.1	0.03	0.0	0.2	4	0.4	0.19	0.1	1.0
2015	4	0.1	0.03	0.0	0.2	0				
2016	6	0.1	0.04	0.0	0.2	0				
2017	0					2	0.3	0.19	0.0	0.9
2018	0					0				
2019	4	0.1	0.03	0.0	0.2	0				
2020	1	0.0	0.02	0.0	0.1	2	0.2	0.10	0.0	0.6
2021	0					1	0.1	0.07	0.0	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ill-defined and unknown Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	2,911	12.4	0.26	11.9	12.9	59,870	15.3	0.06	15.2	15.4
1990	29	10.2	2.21	6.4	15.3	1,389	13.3	0.36	12.6	14.0
1991	44	12.7	2.21	8.7	17.6	1,368	12.9	0.35	12.2	13.6
1992	33	9.2	1.87	5.9	13.5	1,380	12.8	0.35	12.2	13.5
1993	40	11.7	2.12	7.9	16.4	1,831	16.8	0.40	16.1	17.6
1994	38	10.0	1.90	6.6	14.2	1,862	17.0	0.40	16.3	17.8
1995	50	13.7	2.27	9.6	18.7	1,702	15.4	0.37	14.7	16.1
1996	51	13.7	2.20	9.7	18.6	1,618	14.6	0.36	13.9	15.3
1997	38	8.6	1.62	5.7	12.2	1,514	13.5	0.35	12.9	14.2
1998	62	13.0	2.02	9.4	17.4	1,461	12.9	0.34	12.2	13.6
1999	57	13.5	2.09	9.8	18.1	1,500	13.1	0.34	12.5	13.8
2000	57	11.3	1.81	8.0	15.2	1,565	13.6	0.34	12.9	14.3
2001	78	15.4	2.05	11.7	19.8	2,163	18.7	0.40	17.9	19.5
2002	92	15.3	1.89	11.8	19.3	2,182	18.7	0.40	17.9	19.5
2003	85	15.8	1.94	12.2	20.0	2,147	18.3	0.40	17.5	19.1
2004	93	15.7	1.89	12.3	19.8	2,006	17.0	0.38	16.2	17.7
2005	82	12.3	1.57	9.4	15.6	2,014	16.8	0.38	16.1	17.6
2006	83	12.3	1.55	9.5	15.7	2,026	16.9	0.38	16.2	17.7
2007	88	11.3	1.39	8.8	14.3	2,112	17.3	0.38	16.6	18.0
2008	93	13.7	1.59	10.8	17.1	2,142	17.4	0.38	16.6	18.1
2009	108	13.4	1.45	10.7	16.4	2,113	17.0	0.37	16.3	17.8
2010	97	11.3	1.28	8.9	14.0	2,141	17.1	0.37	16.4	17.9
2011	110	12.8	1.37	10.3	15.7	1,936	15.1	0.35	14.4	15.8
2012	122	13.2	1.33	10.7	16.0	2,040	15.8	0.36	15.1	16.5
2013	143	15.4	1.40	12.8	18.3	1,948	14.9	0.34	14.2	15.5
2014	135	13.2	1.25	10.9	15.8	2,013	15.2	0.35	14.5	15.9
2015	126	11.3	1.10	9.2	13.6	1,990	14.8	0.34	14.2	15.5
2016	145	12.4	1.12	10.3	14.8	1,953	14.4	0.33	13.7	15.0
2017	132	11.0	1.03	9.0	13.2	2,013	14.6	0.33	14.0	15.3
2018	166	13.2	1.10	11.1	15.5	2,006	14.5	0.33	13.8	15.1
2019	155	12.2	1.05	10.2	14.4	2,000	14.3	0.33	13.7	15.0
2020	133	9.9	0.91	8.2	11.8	1,876	13.3	0.31	12.7	13.9
2021	146	10.3	0.91	8.6	12.3	1,859	12.9	0.31	12.3	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ill-defined and unknown Sites										
Both Sexes										
Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	50,369	15.2	0.07	15.0	15.3	8,051	16.8	0.19	16.4	17.1
1990	1,161	12.6	0.37	11.9	13.3	219	18.9	1.32	16.4	21.7
1991	1,177	12.6	0.37	11.9	13.3	174	15.2	1.18	13.0	17.7
1992	1,183	12.5	0.37	11.8	13.3	185	15.9	1.20	13.7	18.4
1993	1,569	16.4	0.42	15.6	17.2	241	20.6	1.37	18.0	23.4
1994	1,601	16.7	0.42	15.9	17.6	252	20.4	1.32	17.9	23.1
1995	1,412	14.6	0.39	13.9	15.4	267	21.8	1.36	19.2	24.6
1996	1,327	13.7	0.38	13.0	14.5	276	22.2	1.37	19.6	25.1
1997	1,271	13.1	0.37	12.4	13.8	216	16.9	1.18	14.7	19.4
1998	1,225	12.4	0.36	11.7	13.1	205	16.0	1.15	13.9	18.4
1999	1,228	12.4	0.36	11.7	13.1	246	18.9	1.23	16.5	21.4
2000	1,293	13.0	0.36	12.3	13.7	242	17.8	1.17	15.6	20.2
2001	1,816	18.2	0.43	17.4	19.1	301	22.4	1.31	19.9	25.1
2002	1,881	18.8	0.44	18.0	19.7	271	19.7	1.22	17.4	22.2
2003	1,818	18.0	0.43	17.2	18.9	283	19.9	1.21	17.6	22.4
2004	1,746	17.3	0.42	16.5	18.2	217	15.2	1.05	13.2	17.4
2005	1,732	17.0	0.41	16.2	17.8	230	15.6	1.05	13.6	17.8
2006	1,719	16.9	0.41	16.1	17.7	259	17.9	1.13	15.7	20.2
2007	1,798	17.4	0.41	16.6	18.2	271	18.1	1.12	16.0	20.4
2008	1,830	17.6	0.42	16.7	18.4	274	17.8	1.10	15.7	20.1
2009	1,765	16.9	0.41	16.1	17.7	292	18.7	1.12	16.6	21.1
2010	1,800	17.2	0.41	16.4	18.0	291	18.4	1.10	16.3	20.7
2011	1,664	15.5	0.39	14.7	16.3	222	14.0	0.96	12.2	16.0
2012	1,717	15.9	0.39	15.2	16.7	272	16.2	1.00	14.3	18.3
2013	1,599	14.7	0.38	14.0	15.5	285	16.7	1.01	14.8	18.8
2014	1,690	15.4	0.38	14.6	16.2	256	14.9	0.95	13.1	16.9
2015	1,677	15.2	0.38	14.5	16.0	250	14.2	0.92	12.4	16.1
2016	1,630	14.6	0.37	13.9	15.4	235	13.1	0.88	11.4	14.9
2017	1,686	15.1	0.38	14.3	15.8	259	14.0	0.89	12.3	15.8
2018	1,658	14.7	0.37	14.0	15.4	273	14.8	0.91	13.1	16.7
2019	1,649	14.5	0.37	13.8	15.3	284	15.1	0.92	13.3	17.0
2020	1,535	13.5	0.35	12.8	14.2	253	12.8	0.83	11.3	14.6
2021	1,512	13.0	0.34	12.3	13.7	250	12.8	0.83	11.2	14.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ill-defined and unknown Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,452	13.6	0.42	12.8	14.5	29,437	18.0	0.11	17.8	18.3
1990	16	11.1	3.39	5.4	19.3	675	15.6	0.62	14.4	16.9
1991	19	15.6	4.34	8.3	25.8	686	15.8	0.62	14.6	17.0
1992	13	6.2	2.07	2.8	11.6	671	15.4	0.61	14.2	16.7
1993	20	15.1	4.16	8.1	24.8	820	18.8	0.68	17.5	20.2
1994	22	11.6	3.26	6.1	19.4	841	19.2	0.68	17.9	20.6
1995	22	13.2	3.60	7.1	21.7	807	18.0	0.65	16.7	19.3
1996	23	14.3	3.61	8.1	22.7	783	17.6	0.64	16.3	18.9
1997	20	10.5	3.07	5.4	17.8	723	15.8	0.60	14.7	17.1
1998	31	11.4	2.46	7.1	17.2	686	15.0	0.58	13.9	16.2
1999	29	16.3	3.63	10.0	24.6	679	14.6	0.57	13.5	15.7
2000	32	17.8	3.87	11.0	26.5	745	16.0	0.59	14.8	17.2
2001	38	16.8	3.38	10.8	24.3	1,075	22.8	0.70	21.4	24.2
2002	44	15.1	2.87	10.0	21.5	1,036	21.8	0.68	20.4	23.1
2003	43	17.0	3.14	11.4	24.0	1,050	21.9	0.68	20.6	23.3
2004	44	17.1	2.95	11.8	23.6	1,004	20.8	0.66	19.5	22.1
2005	43	12.6	2.25	8.6	17.7	972	19.8	0.64	18.5	21.1
2006	42	12.9	2.49	8.5	18.5	979	19.8	0.64	18.5	21.1
2007	40	11.4	2.17	7.6	16.3	1,036	20.5	0.65	19.3	21.8
2008	44	14.9	2.56	10.3	20.5	1,061	20.6	0.64	19.4	21.9
2009	48	12.0	2.05	8.3	16.5	1,044	19.9	0.63	18.7	21.2
2010	49	11.1	1.84	7.8	15.2	1,065	20.2	0.63	19.0	21.5
2011	50	13.2	2.18	9.2	18.0	981	18.3	0.60	17.2	19.5
2012	64	14.6	2.13	10.7	19.2	1,030	19.0	0.60	17.8	20.2
2013	74	16.9	2.20	12.8	21.6	987	17.5	0.57	16.4	18.7
2014	72	16.2	2.15	12.3	20.8	1,008	17.7	0.57	16.6	18.8
2015	62	11.7	1.71	8.6	15.5	1,070	18.4	0.58	17.3	19.6
2016	78	14.8	1.90	11.3	18.9	965	16.5	0.54	15.4	17.6
2017	67	11.9	1.60	8.9	15.3	1,037	17.5	0.56	16.4	18.6
2018	80	13.7	1.71	10.6	17.4	1,013	16.9	0.54	15.8	18.0
2019	78	14.2	1.77	10.9	18.0	1,018	16.7	0.54	15.7	17.8
2020	69	11.8	1.56	9.0	15.2	933	15.0	0.50	14.0	16.0
2021	76	12.0	1.50	9.2	15.2	957	15.3	0.51	14.4	16.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ill-defined and unknown Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	24,918	18.0	0.12	17.8	18.2	3,782	19.4	0.33	18.7	20.0
1990	557	14.8	0.64	13.5	16.1	114	23.5	2.33	19.1	28.5
1991	586	15.3	0.65	14.1	16.6	93	20.3	2.23	16.1	25.1
1992	568	14.9	0.64	13.6	16.2	98	22.0	2.40	17.6	27.2
1993	687	18.0	0.70	16.6	19.4	120	25.4	2.49	20.7	30.7
1994	722	19.0	0.72	17.6	20.4	113	21.7	2.20	17.6	26.4
1995	658	16.9	0.67	15.6	18.3	138	26.7	2.41	22.2	31.8
1996	645	16.7	0.67	15.4	18.1	127	25.0	2.38	20.6	30.1
1997	595	15.1	0.63	13.9	16.4	115	21.8	2.15	17.8	26.3
1998	582	14.7	0.62	13.5	16.0	91	16.5	1.80	13.1	20.3
1999	541	13.4	0.58	12.3	14.6	122	23.6	2.28	19.4	28.5
2000	612	15.3	0.62	14.1	16.5	118	21.3	2.08	17.4	25.8
2001	906	22.3	0.75	20.9	23.8	145	27.4	2.41	22.9	32.5
2002	890	21.8	0.74	20.4	23.3	129	22.6	2.08	18.7	27.0
2003	895	21.8	0.73	20.4	23.3	136	23.6	2.13	19.6	28.1
2004	880	21.3	0.72	19.9	22.7	98	17.4	1.88	13.9	21.4
2005	837	19.9	0.69	18.6	21.3	109	18.0	1.82	14.6	21.9
2006	834	19.7	0.69	18.4	21.1	119	20.7	2.01	16.9	24.9
2007	891	20.7	0.70	19.3	22.1	120	19.9	1.93	16.3	24.0
2008	922	21.1	0.70	19.8	22.6	121	20.3	1.97	16.6	24.5
2009	890	20.1	0.68	18.8	21.5	127	19.2	1.79	15.9	23.1
2010	904	20.3	0.69	19.0	21.7	134	22.0	2.02	18.2	26.3
2011	859	19.0	0.66	17.7	20.3	97	15.1	1.62	12.1	18.6
2012	891	19.7	0.67	18.4	21.0	120	17.5	1.69	14.4	21.1
2013	822	17.4	0.62	16.2	18.7	130	18.5	1.70	15.4	22.2
2014	847	17.7	0.62	16.5	19.0	125	18.2	1.71	15.0	21.8
2015	914	18.9	0.64	17.6	20.2	121	16.6	1.59	13.7	20.0
2016	830	17.1	0.61	15.9	18.3	94	12.8	1.40	10.2	15.8
2017	878	18.1	0.63	16.8	19.3	123	15.9	1.50	13.1	19.1
2018	851	17.3	0.61	16.1	18.5	126	16.9	1.58	14.0	20.3
2019	865	17.3	0.60	16.1	18.5	125	16.5	1.54	13.7	19.8
2020	770	15.2	0.56	14.1	16.3	119	14.1	1.36	11.6	17.0
2021	789	15.4	0.56	14.3	16.6	115	14.5	1.42	11.8	17.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ill-defined and unknown Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	1,459	11.5	0.33	10.9	12.2	30,433	13.3	0.08	13.2	13.5
1990	13	9.3	2.84	4.6	16.1	714	11.6	0.44	10.8	12.5
1991	25	11.6	2.53	7.2	17.6	682	10.9	0.42	10.1	11.7
1992	20	11.2	2.76	6.4	17.6	709	11.1	0.42	10.3	12.0
1993	20	9.8	2.41	5.7	15.5	1,011	15.6	0.50	14.6	16.6
1994	16	8.6	2.35	4.7	14.2	1,021	15.5	0.49	14.6	16.5
1995	28	14.1	2.98	8.8	20.9	895	13.4	0.45	12.5	14.3
1996	28	13.6	2.80	8.6	20.0	835	12.6	0.44	11.7	13.5
1997	18	7.5	1.91	4.3	12.1	791	11.8	0.42	11.0	12.7
1998	31	13.4	2.80	8.5	19.8	775	11.3	0.41	10.5	12.1
1999	28	11.5	2.50	7.2	17.3	821	12.0	0.42	11.2	12.8
2000	25	7.0	1.63	4.2	10.9	820	12.0	0.42	11.2	12.9
2001	40	14.5	2.60	9.9	20.3	1,088	15.8	0.49	14.9	16.8
2002	48	15.4	2.51	10.9	21.0	1,146	16.5	0.49	15.6	17.5
2003	42	14.9	2.49	10.5	20.4	1,097	15.8	0.48	14.9	16.8
2004	49	14.6	2.40	10.2	19.8	1,002	14.5	0.46	13.6	15.4
2005	39	11.6	2.09	7.9	16.3	1,042	14.9	0.47	14.0	15.9
2006	41	12.0	2.03	8.4	16.5	1,047	15.0	0.47	14.1	15.9
2007	48	11.4	1.83	8.1	15.5	1,076	15.2	0.47	14.2	16.1
2008	49	12.9	2.02	9.2	17.3	1,081	15.1	0.47	14.2	16.0
2009	60	14.4	2.01	10.7	18.8	1,069	14.8	0.46	13.9	15.7
2010	48	11.2	1.74	8.1	15.0	1,076	15.0	0.47	14.1	15.9
2011	60	12.8	1.79	9.5	16.7	955	12.9	0.43	12.1	13.8
2012	58	12.0	1.70	8.9	15.8	1,010	13.6	0.44	12.7	14.5
2013	69	14.0	1.80	10.7	17.9	961	12.8	0.43	12.0	13.7
2014	63	11.0	1.48	8.3	14.2	1,005	13.5	0.44	12.6	14.4
2015	64	11.0	1.46	8.3	14.1	920	12.1	0.41	11.3	13.0
2016	67	10.7	1.39	8.2	13.8	988	12.9	0.42	12.1	13.7
2017	65	10.1	1.34	7.7	13.0	976	12.5	0.41	11.7	13.4
2018	86	12.8	1.45	10.1	15.9	993	12.6	0.41	11.8	13.4
2019	77	10.9	1.31	8.5	13.7	982	12.7	0.42	11.9	13.6
2020	64	8.7	1.14	6.6	11.2	943	12.0	0.41	11.2	12.8
2021	70	9.2	1.14	7.1	11.7	902	11.1	0.38	10.4	11.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Ill-defined and unknown Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	25,451	13.2	0.08	13.0	13.4	4,269	15.0	0.23	14.5	15.4
1990	604	11.1	0.46	10.2	12.0	105	15.6	1.55	12.7	19.0
1991	591	10.6	0.44	9.7	11.5	81	11.9	1.35	9.5	14.9
1992	615	11.0	0.45	10.1	11.9	87	12.3	1.34	9.8	15.2
1993	882	15.4	0.53	14.4	16.5	121	17.3	1.60	14.4	20.7
1994	879	15.3	0.53	14.3	16.4	139	19.1	1.64	16.0	22.6
1995	754	12.8	0.48	11.9	13.8	129	17.9	1.59	14.9	21.3
1996	682	11.7	0.46	10.9	12.7	149	20.1	1.66	17.0	23.6
1997	676	11.5	0.45	10.7	12.5	101	13.5	1.36	11.0	16.4
1998	643	10.7	0.43	9.9	11.6	114	15.0	1.42	12.3	18.0
1999	687	11.5	0.45	10.7	12.5	124	15.8	1.43	13.2	18.9
2000	681	11.5	0.45	10.6	12.4	124	15.4	1.39	12.8	18.4
2001	910	15.4	0.52	14.4	16.4	156	19.2	1.55	16.3	22.5
2002	991	16.7	0.54	15.7	17.8	142	17.3	1.46	14.5	20.4
2003	923	15.5	0.52	14.5	16.6	147	17.4	1.44	14.7	20.4
2004	866	14.7	0.51	13.7	15.7	119	13.9	1.28	11.5	16.6
2005	895	15.0	0.52	14.0	16.1	121	13.9	1.27	11.5	16.6
2006	885	15.0	0.52	14.0	16.0	140	16.2	1.38	13.6	19.1
2007	907	15.2	0.52	14.2	16.2	151	16.8	1.38	14.2	19.8
2008	908	14.9	0.51	13.9	16.0	153	16.8	1.37	14.2	19.7
2009	875	14.4	0.50	13.4	15.4	165	18.0	1.42	15.4	21.0
2010	896	14.9	0.52	13.9	16.0	157	16.6	1.34	14.1	19.4
2011	805	13.1	0.48	12.2	14.1	125	13.2	1.20	11.0	15.8
2012	826	13.3	0.48	12.4	14.3	152	15.3	1.26	12.9	17.9
2013	777	12.7	0.48	11.8	13.7	155	15.1	1.23	12.8	17.8
2014	843	13.8	0.50	12.8	14.8	131	12.9	1.14	10.7	15.3
2015	763	12.4	0.47	11.5	13.3	129	12.3	1.10	10.2	14.7
2016	800	12.8	0.47	11.9	13.7	141	13.4	1.15	11.2	15.8
2017	808	12.9	0.48	11.9	13.8	136	12.5	1.09	10.5	14.9
2018	807	12.6	0.46	11.7	13.5	147	13.4	1.12	11.3	15.8
2019	784	12.6	0.47	11.7	13.5	159	14.4	1.17	12.2	16.9
2020	765	12.2	0.46	11.3	13.2	134	11.7	1.03	9.8	13.9
2021	723	11.2	0.44	10.4	12.1	135	11.6	1.01	9.6	13.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Female Breast Insitu										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	3,644	21.8	0.38	21.1	22.6	59,368	29.4	0.12	29.2	29.6
1990	17	6.9	1.71	4.0	11.2	766	14.1	0.52	13.1	15.1
1991	12	4.9	1.61	2.2	9.0	904	16.5	0.56	15.4	17.6
1992	21	8.5	1.96	5.1	13.2	990	17.8	0.58	16.7	19.0
1993	36	13.3	2.28	9.2	18.6	951	16.9	0.56	15.9	18.1
1994	20	7.6	1.84	4.4	12.0	1,043	18.1	0.57	17.0	19.2
1995	40	16.2	2.71	11.3	22.3	1,176	20.3	0.60	19.2	21.6
1996	45	14.1	2.30	10.0	19.4	1,303	22.4	0.63	21.2	23.6
1997	42	13.6	2.22	9.6	18.7	1,437	24.4	0.65	23.2	25.7
1998	49	16.0	2.50	11.5	21.6	1,664	28.1	0.69	26.7	29.5
1999	62	19.5	2.68	14.6	25.4	1,662	27.6	0.68	26.2	28.9
2000	73	18.6	2.25	14.5	23.6	1,871	30.9	0.72	29.6	32.4
2001	88	21.4	2.49	16.8	26.8	1,912	31.4	0.72	30.0	32.8
2002	84	18.0	2.11	14.1	22.7	1,808	29.3	0.69	27.9	30.6
2003	90	22.3	2.55	17.6	27.8	1,797	28.9	0.68	27.5	30.2
2004	94	20.7	2.30	16.4	25.6	1,955	31.1	0.71	29.7	32.5
2005	124	25.5	2.43	20.9	30.7	1,976	31.2	0.71	29.8	32.6
2006	89	18.0	2.05	14.2	22.5	2,053	32.3	0.72	30.9	33.7
2007	129	23.8	2.23	19.7	28.6	2,196	34.1	0.74	32.7	35.6
2008	112	20.6	2.08	16.7	25.0	2,192	33.8	0.73	32.4	35.3
2009	135	22.7	2.07	18.9	27.1	2,362	36.2	0.76	34.8	37.8
2010	132	20.8	1.91	17.2	24.9	2,262	34.5	0.74	33.0	36.0
2011	179	26.6	2.09	22.7	31.1	2,293	34.4	0.74	33.0	35.9
2012	155	24.0	2.05	20.2	28.3	2,391	35.8	0.75	34.4	37.4
2013	181	25.8	2.01	22.0	30.1	2,401	36.0	0.75	34.5	37.5
2014	173	23.4	1.85	19.9	27.3	2,307	34.1	0.73	32.6	35.5
2015	189	24.8	1.88	21.3	28.8	2,274	33.7	0.73	32.2	35.1
2016	188	24.7	1.88	21.2	28.7	2,247	33.2	0.73	31.8	34.6
2017	184	23.2	1.77	19.8	26.9	2,303	33.7	0.73	32.2	35.1
2018	199	23.3	1.70	20.1	26.9	2,140	31.7	0.72	30.3	33.1
2019	253	29.7	1.93	26.0	33.7	2,260	33.7	0.75	32.3	35.2
2020	212	23.5	1.65	20.4	26.9	2,030	30.0	0.70	28.7	31.4
2021	237	26.0	1.73	22.7	29.6	2,442	36.9	0.79	35.4	38.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2021

Female Breast Insitu										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2021	48,150	29.6	0.14	29.4	29.9	8,402	28.0	0.31	27.4	28.6
1990	702	15.3	0.59	14.1	16.5	54	7.7	1.06	5.7	10.0
1991	811	17.5	0.63	16.3	18.8	75	11.1	1.29	8.7	13.9
1992	888	19.0	0.65	17.7	20.3	83	11.3	1.25	9.0	14.0
1993	835	17.8	0.63	16.6	19.1	98	12.8	1.31	10.4	15.6
1994	917	18.9	0.64	17.7	20.2	102	13.2	1.32	10.7	16.0
1995	1,031	21.4	0.68	20.1	22.7	113	14.4	1.36	11.9	17.3
1996	1,106	22.8	0.70	21.5	24.2	150	19.2	1.58	16.2	22.5
1997	1,236	25.2	0.73	23.8	26.7	155	19.1	1.54	16.2	22.3
1998	1,447	29.5	0.78	28.0	31.1	166	20.1	1.57	17.2	23.5
1999	1,420	28.5	0.76	27.0	30.0	171	20.5	1.58	17.5	23.8
2000	1,609	32.4	0.81	30.9	34.1	179	20.9	1.57	18.0	24.3
2001	1,616	32.4	0.81	30.8	34.0	224	25.5	1.71	22.2	29.0
2002	1,533	30.3	0.78	28.8	31.9	214	23.9	1.64	20.8	27.3
2003	1,500	29.6	0.77	28.1	31.1	225	24.5	1.64	21.4	28.0
2004	1,607	31.6	0.80	30.0	33.2	274	30.0	1.83	26.6	33.8
2005	1,622	31.6	0.79	30.0	33.2	271	29.6	1.81	26.1	33.3
2006	1,694	33.2	0.82	31.6	34.8	295	31.0	1.82	27.5	34.7
2007	1,783	34.5	0.83	32.9	36.1	308	32.3	1.86	28.8	36.2
2008	1,783	34.3	0.83	32.7	36.0	318	32.6	1.84	29.0	36.4
2009	1,915	36.8	0.86	35.1	38.5	335	33.9	1.87	30.3	37.7
2010	1,808	34.8	0.84	33.2	36.5	341	33.5	1.84	30.0	37.3
2011	1,823	34.7	0.84	33.1	36.4	367	35.5	1.88	31.9	39.4
2012	1,858	35.3	0.85	33.7	37.1	410	39.4	1.98	35.6	43.5
2013	1,867	35.6	0.86	34.0	37.3	410	39.5	1.99	35.7	43.6
2014	1,785	33.8	0.83	32.2	35.5	391	36.2	1.86	32.6	40.1
2015	1,764	33.5	0.84	31.9	35.2	367	33.7	1.80	30.3	37.4
2016	1,763	33.7	0.85	32.1	35.4	364	33.1	1.78	29.7	36.8
2017	1,737	33.0	0.84	31.4	34.7	420	37.6	1.89	34.0	41.5
2018	1,587	30.7	0.82	29.1	32.4	391	35.4	1.84	31.9	39.3
2019	1,729	34.1	0.88	32.4	35.9	365	31.8	1.71	28.5	35.3
2020	1,555	30.1	0.82	28.5	31.7	339	30.4	1.70	27.2	33.9
2021	1,819	36.4	0.92	34.6	38.2	427	37.9	1.89	34.2	41.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

SECTION III
Pediatric Cancer Incidence
Illinois, 1986-2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

All Sites										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	14,076	152.3	1.28	149.8	154.8	20,812	167.8	1.16	165.5	170.1
1986	335	131.7	7.21	117.9	146.6	488	141.6	6.42	129.3	154.7
1987	372	147.2	7.65	132.6	163.0	540	158.1	6.81	145.0	172.0
1988	357	141.7	7.52	127.4	157.3	521	153.9	6.75	140.9	167.7
1989	345	136.2	7.35	122.2	151.4	495	146.9	6.61	134.2	160.4
1990	304	120.6	6.93	107.4	135.0	454	136.5	6.42	124.3	149.7
1991	351	135.7	7.26	121.9	150.7	485	144.1	6.56	131.5	157.5
1992	333	128.4	7.05	114.9	142.9	468	139.1	6.44	126.7	152.3
1993	339	127.2	6.92	113.9	141.5	494	144.2	6.51	131.7	157.5
1994	377	141.9	7.33	128.0	157.1	519	150.3	6.61	137.6	163.8
1995	419	156.1	7.64	141.5	171.9	567	161.5	6.80	148.5	175.4
1996	379	140.7	7.23	126.8	155.6	538	151.9	6.56	139.4	165.4
1997	402	148.8	7.42	134.6	164.0	572	160.3	6.71	147.4	174.0
1998	382	141.5	7.24	127.7	156.5	554	154.6	6.57	142.0	168.1
1999	408	150.8	7.47	136.5	166.2	591	164.4	6.76	151.4	178.2
2000	355	131.1	6.96	117.8	145.4	547	151.9	6.49	139.4	165.2
2001	415	153.1	7.52	138.7	168.5	595	165.0	6.77	152.0	178.9
2002	415	153.7	7.55	139.3	169.3	584	162.5	6.73	149.6	176.3
2003	371	138.1	7.17	124.4	152.9	573	160.1	6.69	147.2	173.7
2004	433	161.8	7.78	146.9	177.8	616	172.0	6.93	158.6	186.1
2005	424	160.0	7.77	145.1	176.0	614	172.0	6.94	158.7	186.2
2006	399	152.1	7.62	137.5	167.8	592	166.5	6.85	153.4	180.5
2007	406	155.5	7.72	140.7	171.4	630	177.1	7.06	163.5	191.5
2008	402	154.6	7.71	139.9	170.5	629	177.1	7.06	163.5	191.5
2009	387	149.6	7.61	135.1	165.3	610	172.4	6.98	159.0	186.7
2010	420	163.1	7.96	147.9	179.5	637	181.3	7.19	167.5	196.0
2011	424	165.9	8.06	150.5	182.4	637	182.8	7.24	168.8	197.5
2012	400	157.7	7.89	142.7	174.0	601	174.1	7.10	160.5	188.6
2013	440	175.1	8.35	159.1	192.3	647	189.5	7.45	175.2	204.7
2014	421	169.3	8.25	153.5	186.3	645	190.7	7.51	176.3	206.0
2015	408	165.6	8.20	149.9	182.5	631	188.0	7.49	173.6	203.3
2016	445	182.1	8.63	165.5	199.8	672	201.7	7.79	186.8	217.6
2017	414	171.7	8.44	155.5	189.0	642	194.6	7.68	179.8	210.2
2018	434	181.2	8.70	164.5	199.1	645	196.9	7.76	182.0	212.8
2019	415	176.2	8.66	159.7	194.1	629	194.1	7.75	179.2	209.9
2020	377	162.7	8.39	146.7	180.0	587	183.6	7.59	169.0	199.1
2021	368	163.8	8.55	147.4	181.4	563	181.4	7.66	166.7	197.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	4,496	48.6	0.72	47.2	50.0	5,455	44.0	0.60	42.9	45.2
1986	85	33.1	3.60	26.4	41.0	106	30.7	2.98	25.1	37.1
1987	128	50.4	4.46	42.0	60.0	152	44.6	3.62	37.8	52.3
1988	96	37.8	3.87	30.6	46.2	113	33.3	3.13	27.4	40.0
1989	99	38.8	3.90	31.5	47.2	112	32.9	3.11	27.1	39.6
1990	89	34.9	3.70	28.0	43.0	115	34.1	3.19	28.2	41.0
1991	113	43.8	4.13	36.1	52.7	137	40.4	3.46	33.9	47.8
1992	105	40.5	3.96	33.1	49.0	120	35.1	3.21	29.1	42.0
1993	100	37.3	3.74	30.4	45.4	131	37.8	3.31	31.5	44.8
1994	118	44.5	4.10	36.8	53.2	134	38.2	3.31	32.0	45.3
1995	142	52.1	4.38	43.9	61.5	163	45.4	3.56	38.6	52.9
1996	102	37.5	3.72	30.6	45.5	120	33.3	3.05	27.6	39.9
1997	117	43.0	3.98	35.6	51.5	146	40.5	3.36	34.2	47.7
1998	109	39.9	3.83	32.8	48.2	124	34.1	3.07	28.4	40.7
1999	132	48.6	4.23	40.7	57.6	163	45.1	3.53	38.4	52.6
2000	118	43.5	4.00	36.0	52.1	153	42.4	3.42	35.9	49.6
2001	147	54.5	4.49	46.0	64.0	179	49.7	3.72	42.7	57.6
2002	131	48.7	4.25	40.7	57.8	153	42.6	3.44	36.1	49.9
2003	135	50.5	4.35	42.3	59.8	164	45.9	3.59	39.2	53.5
2004	156	58.3	4.67	49.5	68.2	191	53.4	3.86	46.1	61.5
2005	130	48.9	4.29	40.9	58.1	160	44.9	3.55	38.2	52.4
2006	139	53.1	4.50	44.6	62.7	163	46.3	3.63	39.5	54.0
2007	127	48.9	4.34	40.7	58.2	153	43.6	3.53	37.0	51.1
2008	144	55.4	4.62	46.8	65.3	176	50.1	3.78	43.0	58.1
2009	133	51.3	4.45	42.9	60.8	163	46.5	3.64	39.6	54.2
2010	145	56.2	4.67	47.5	66.2	179	51.4	3.84	44.1	59.5
2011	143	55.9	4.68	47.1	65.9	175	50.7	3.83	43.4	58.7
2012	141	55.6	4.68	46.8	65.6	172	50.3	3.83	43.0	58.4
2013	134	53.4	4.61	44.7	63.2	166	49.0	3.80	41.8	57.0
2014	137	55.1	4.71	46.3	65.2	178	53.0	3.97	45.5	61.4
2015	127	51.7	4.59	43.1	61.6	153	46.2	3.74	39.2	54.1
2016	136	55.9	4.80	46.9	66.1	162	49.4	3.88	42.0	57.6
2017	131	54.5	4.76	45.6	64.7	162	49.8	3.91	42.4	58.1
2018	135	56.7	4.88	47.6	67.1	169	52.3	4.03	44.7	60.9
2019	132	56.1	4.88	46.9	66.5	156	49.0	3.92	41.6	57.3
2020	116	50.1	4.66	41.4	60.1	142	45.2	3.79	38.0	53.2
2021	124	55.0	4.94	45.7	65.6	150	49.0	4.01	41.5	57.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Lymphoid leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	3,503	37.8	0.64	36.6	39.1	4,045	32.7	0.51	31.7	33.7
1986	66	25.6	3.15	19.8	32.6	77	22.3	2.54	17.6	27.8
1987	107	42.1	4.07	34.5	50.9	123	36.1	3.26	30.0	43.1
1988	79	31.0	3.49	24.5	38.6	88	25.8	2.75	20.7	31.8
1989	83	32.5	3.57	25.9	40.3	90	26.4	2.78	21.2	32.5
1990	68	26.8	3.26	20.8	34.0	82	24.4	2.70	19.4	30.3
1991	81	31.4	3.49	24.9	39.0	96	28.2	2.89	22.9	34.5
1992	88	34.0	3.63	27.3	41.9	97	28.3	2.88	23.0	34.6
1993	79	29.5	3.32	23.3	36.8	99	28.4	2.86	23.1	34.6
1994	88	33.3	3.55	26.7	41.0	96	27.4	2.80	22.2	33.5
1995	127	46.4	4.13	38.7	55.3	139	38.4	3.26	32.2	45.3
1996	83	30.5	3.35	24.3	37.8	95	26.3	2.70	21.3	32.2
1997	93	34.0	3.53	27.5	41.7	113	31.2	2.94	25.7	37.6
1998	81	29.6	3.29	23.5	36.8	91	25.0	2.62	20.1	30.7
1999	97	35.7	3.62	28.9	43.5	115	31.8	2.96	26.2	38.1
2000	95	35.0	3.59	28.3	42.8	116	32.1	2.98	26.5	38.5
2001	113	41.9	3.94	34.5	50.4	134	37.3	3.22	31.2	44.1
2002	101	37.6	3.74	30.6	45.7	115	32.1	2.99	26.5	38.5
2003	111	41.6	3.95	34.2	50.1	127	35.6	3.16	29.7	42.4
2004	113	42.3	3.98	34.9	50.9	133	37.2	3.23	31.2	44.1
2005	99	37.3	3.75	30.3	45.4	121	34.0	3.09	28.2	40.6
2006	114	43.6	4.08	35.9	52.4	128	36.4	3.22	30.4	43.3
2007	93	35.9	3.72	29.0	44.0	109	31.2	2.99	25.6	37.6
2008	109	41.9	4.02	34.4	50.6	130	37.1	3.25	31.0	44.0
2009	103	39.7	3.91	32.4	48.1	116	33.2	3.09	27.5	39.9
2010	115	44.7	4.16	36.9	53.6	124	35.9	3.22	29.8	42.8
2011	113	44.2	4.16	36.4	53.2	128	37.2	3.29	31.0	44.3
2012	113	44.6	4.19	36.7	53.6	128	37.6	3.32	31.3	44.7
2013	106	42.2	4.10	34.6	51.1	124	36.7	3.30	30.5	43.7
2014	92	37.0	3.86	29.8	45.4	109	32.6	3.12	26.7	39.3
2015	96	39.2	4.00	31.7	47.8	109	33.0	3.17	27.1	39.9
2016	105	43.3	4.22	35.4	52.4	120	36.7	3.35	30.4	43.9
2017	91	37.9	3.98	30.5	46.6	108	33.3	3.21	27.3	40.2
2018	104	43.9	4.31	35.9	53.3	125	39.0	3.49	32.5	46.5
2019	104	44.2	4.33	36.1	53.5	117	36.8	3.41	30.5	44.1
2020	95	41.0	4.21	33.2	50.1	108	34.5	3.32	28.3	41.7
2021	98	43.5	4.40	35.3	53.0	115	37.7	3.52	31.1	45.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Acute myeloid leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	633	6.8	0.27	6.3	7.4	894	7.2	0.24	6.7	7.7
1986	9	3.5	1.18	1.6	6.7	15	4.3	1.12	2.4	7.1
1987	15	6.0	1.55	3.4	9.9	17	5.1	1.23	2.9	8.1
1988	12	4.9	1.42	2.5	8.6	15	4.6	1.18	2.6	7.5
1989	8	3.2	1.12	1.4	6.2	14	4.2	1.11	2.3	7.0
1990	14	5.4	1.45	3.0	9.1	21	6.2	1.36	3.8	9.5
1991	19	7.4	1.70	4.4	11.5	26	7.8	1.52	5.1	11.4
1992	14	5.3	1.43	2.9	9.0	18	5.3	1.24	3.1	8.3
1993	16	6.0	1.51	3.4	9.8	23	6.7	1.40	4.3	10.1
1994	20	7.4	1.67	4.5	11.5	26	7.4	1.46	4.9	10.9
1995	14	5.3	1.42	2.9	8.9	20	5.8	1.29	3.5	8.9
1996	17	6.2	1.51	3.6	10.0	23	6.4	1.34	4.1	9.7
1997	13	4.9	1.35	2.6	8.3	21	5.9	1.30	3.7	9.1
1998	22	8.2	1.74	5.1	12.4	26	7.2	1.42	4.7	10.6
1999	23	8.5	1.78	5.4	12.8	32	8.9	1.58	6.1	12.6
2000	20	7.4	1.65	4.5	11.4	31	8.6	1.55	5.9	12.2
2001	23	8.5	1.77	5.4	12.7	32	8.9	1.57	6.1	12.5
2002	18	6.6	1.56	3.9	10.5	24	6.7	1.36	4.3	9.9
2003	17	6.3	1.53	3.7	10.1	25	7.0	1.40	4.5	10.3
2004	28	10.4	1.97	6.9	15.1	36	10.0	1.67	7.0	13.9
2005	23	8.6	1.80	5.5	13.0	26	7.3	1.43	4.8	10.7
2006	18	6.9	1.63	4.1	10.9	23	6.5	1.36	4.1	9.8
2007	25	9.5	1.91	6.2	14.1	31	8.8	1.58	6.0	12.5
2008	21	8.1	1.77	5.0	12.4	27	7.7	1.48	5.1	11.2
2009	23	8.9	1.86	5.6	13.4	29	8.3	1.54	5.6	11.9
2010	15	5.8	1.50	3.2	9.6	34	9.5	1.63	6.6	13.3
2011	16	6.3	1.56	3.6	10.2	26	7.4	1.46	4.9	10.9
2012	16	6.3	1.57	3.6	10.2	26	7.5	1.47	4.9	11.0
2013	13	5.2	1.44	2.8	8.9	25	7.3	1.46	4.7	10.8
2014	18	7.2	1.70	4.3	11.4	33	9.7	1.69	6.7	13.6
2015	14	5.7	1.53	3.1	9.6	21	6.3	1.37	3.9	9.6
2016	22	9.0	1.91	5.6	13.6	30	9.0	1.65	6.1	12.9
2017	24	9.9	2.02	6.3	14.7	35	10.6	1.79	7.4	14.8
2018	12	4.9	1.42	2.5	8.6	19	5.7	1.31	3.4	8.9
2019	18	7.7	1.81	4.6	12.1	21	6.6	1.45	4.1	10.1
2020	14	6.0	1.61	3.3	10.1	20	6.3	1.41	3.8	9.7
2021	19	8.4	1.93	5.1	13.1	23	7.5	1.56	4.7	11.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Lymphoma and reticuloendothelial neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,629	17.8	0.44	16.9	18.6	3,272	26.4	0.46	25.5	27.3
1986	49	19.9	2.84	14.7	26.3	87	25.6	2.74	20.5	31.5
1987	45	18.2	2.71	13.3	24.3	89	26.2	2.78	21.0	32.2
1988	49	20.1	2.88	14.9	26.6	100	29.9	2.99	24.3	36.4
1989	41	16.9	2.64	12.1	22.9	82	24.9	2.75	19.8	30.9
1990	33	13.5	2.35	9.3	18.9	74	22.8	2.65	17.9	28.6
1991	36	14.5	2.41	10.1	20.0	68	21.0	2.55	16.3	26.6
1992	40	15.8	2.50	11.3	21.5	72	22.0	2.60	17.2	27.7
1993	42	16.1	2.50	11.6	21.8	80	24.1	2.70	19.1	30.0
1994	45	17.4	2.59	12.7	23.2	80	23.8	2.67	18.9	29.7
1995	34	13.1	2.25	9.1	18.3	73	21.6	2.53	16.9	27.1
1996	51	19.3	2.70	14.4	25.4	99	28.5	2.87	23.2	34.7
1997	48	18.1	2.61	13.3	24.0	103	29.4	2.89	24.0	35.6
1998	51	19.2	2.69	14.3	25.2	98	27.7	2.80	22.5	33.7
1999	50	18.6	2.63	13.8	24.5	89	24.9	2.64	20.0	30.7
2000	30	11.1	2.03	7.5	15.9	79	22.1	2.48	17.5	27.5
2001	41	15.2	2.37	10.9	20.5	80	22.3	2.49	17.7	27.7
2002	45	16.7	2.49	12.2	22.3	83	23.2	2.54	18.5	28.7
2003	44	16.4	2.47	11.9	22.0	85	23.8	2.58	19.0	29.4
2004	39	14.5	2.33	10.3	19.9	80	22.3	2.49	17.7	27.7
2005	38	14.3	2.32	10.1	19.6	79	22.0	2.47	17.4	27.4
2006	36	13.8	2.31	9.7	19.1	87	24.3	2.60	19.4	29.9
2007	48	18.3	2.65	13.5	24.3	105	29.2	2.85	23.9	35.3
2008	39	15.0	2.41	10.7	20.5	89	24.8	2.63	19.9	30.5
2009	37	14.3	2.35	10.1	19.7	82	22.9	2.53	18.2	28.4
2010	41	15.9	2.48	11.4	21.6	99	27.7	2.79	22.5	33.8
2011	42	16.4	2.53	11.8	22.2	92	26.0	2.72	21.0	31.9
2012	51	20.1	2.81	14.9	26.4	90	25.9	2.73	20.8	31.8
2013	65	25.8	3.19	19.9	32.8	116	33.7	3.13	27.8	40.4
2014	62	24.8	3.15	19.0	31.8	107	31.4	3.04	25.8	38.0
2015	56	22.5	3.01	17.0	29.3	117	34.4	3.18	28.4	41.2
2016	55	22.3	3.01	16.8	29.0	106	31.4	3.05	25.7	38.0
2017	57	23.5	3.11	17.8	30.4	104	31.2	3.06	25.5	37.8
2018	57	23.5	3.11	17.8	30.4	103	30.9	3.05	25.2	37.5
2019	43	18.1	2.77	13.1	24.5	97	29.3	2.98	23.7	35.7
2020	48	20.2	2.92	14.9	26.8	105	31.9	3.12	26.1	38.6
2021	41	17.9	2.79	12.8	24.3	93	29.0	3.01	23.4	35.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Hodgkin lymphoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	518	5.7	0.25	5.2	6.2	1,603	12.9	0.32	12.3	13.6
1986	16	6.7	1.68	3.8	10.8	42	12.3	1.91	8.9	16.7
1987	17	7.1	1.71	4.1	11.3	51	15.0	2.10	11.2	19.7
1988	15	6.4	1.64	3.6	10.5	57	17.0	2.25	12.9	22.0
1989	13	5.5	1.52	2.9	9.3	40	12.2	1.93	8.7	16.6
1990	14	5.9	1.59	3.3	9.9	47	14.6	2.13	10.8	19.4
1991	11	4.6	1.37	2.3	8.1	34	10.7	1.84	7.4	14.9
1992	13	5.3	1.47	2.8	9.0	35	11.0	1.86	7.6	15.2
1993	17	6.7	1.64	3.9	10.8	46	14.2	2.10	10.4	18.9
1994	12	4.7	1.36	2.4	8.2	36	11.0	1.83	7.7	15.2
1995	11	4.3	1.31	2.2	7.7	36	10.8	1.80	7.6	14.9
1996	18	6.9	1.63	4.1	10.9	52	15.2	2.10	11.3	19.9
1997	18	6.9	1.63	4.1	10.9	57	16.4	2.17	12.4	21.2
1998	17	6.5	1.57	3.8	10.4	47	13.4	1.95	9.8	17.8
1999	14	5.3	1.41	2.9	8.8	40	11.3	1.78	8.1	15.3
2000	8	3.0	1.06	1.3	5.9	46	12.9	1.90	9.4	17.2
2001	16	5.9	1.48	3.4	9.6	41	11.4	1.79	8.2	15.5
2002	19	7.0	1.61	4.2	11.0	41	11.5	1.79	8.2	15.5
2003	14	5.2	1.38	2.8	8.7	43	12.0	1.83	8.7	16.2
2004	15	5.6	1.44	3.1	9.2	44	12.2	1.84	8.9	16.4
2005	17	6.4	1.55	3.7	10.2	47	13.0	1.90	9.6	17.3
2006	10	3.9	1.23	1.9	7.1	44	12.2	1.84	8.9	16.4
2007	16	6.1	1.52	3.5	9.9	50	13.8	1.95	10.2	18.2
2008	19	7.3	1.67	4.4	11.4	55	15.2	2.05	11.4	19.8
2009	12	4.6	1.34	2.4	8.1	43	11.9	1.81	8.6	16.0
2010	15	5.8	1.50	3.3	9.6	53	14.7	2.02	11.0	19.3
2011	6	2.3	0.95	0.9	5.1	32	8.9	1.57	6.1	12.6
2012	12	4.7	1.36	2.4	8.2	30	8.5	1.56	5.8	12.2
2013	17	6.7	1.62	3.9	10.7	47	13.5	1.96	9.9	17.9
2014	14	5.5	1.48	3.0	9.3	40	11.6	1.83	8.3	15.8
2015	15	6.0	1.54	3.3	9.8	59	17.1	2.23	13.0	22.1
2016	14	5.6	1.50	3.1	9.5	42	12.3	1.90	8.9	16.6
2017	12	4.9	1.40	2.5	8.5	40	11.7	1.86	8.4	16.0
2018	22	9.0	1.92	5.6	13.6	53	15.7	2.16	11.8	20.6
2019	11	4.6	1.37	2.3	8.2	41	12.1	1.90	8.7	16.5
2020	16	6.6	1.65	3.8	10.8	50	15.0	2.12	11.1	19.8
2021	12	5.1	1.47	2.6	8.9	42	12.9	1.98	9.3	17.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Non-Hodgkin lymphoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	818	8.9	0.31	8.3	9.6	1,347	10.9	0.30	10.3	11.5
1986	25	10.1	2.02	6.5	14.9	37	10.9	1.80	7.7	15.1
1987	20	8.1	1.80	4.9	12.4	30	8.9	1.62	6.0	12.7
1988	26	10.7	2.10	7.0	15.6	35	10.6	1.80	7.4	14.8
1989	21	8.6	1.88	5.3	13.2	35	10.7	1.80	7.4	14.8
1990	18	7.2	1.70	4.3	11.4	26	7.9	1.54	5.1	11.5
1991	19	7.7	1.77	4.6	12.0	28	8.6	1.63	5.7	12.4
1992	23	9.0	1.88	5.7	13.5	33	9.9	1.73	6.8	13.9
1993	21	8.0	1.75	4.9	12.2	30	8.8	1.61	5.9	12.6
1994	25	9.7	1.94	6.3	14.3	36	10.7	1.78	7.5	14.8
1995	15	5.9	1.51	3.3	9.6	29	8.6	1.60	5.8	12.3
1996	22	8.4	1.78	5.2	12.6	36	10.4	1.73	7.3	14.3
1997	20	7.5	1.69	4.6	11.6	36	10.3	1.71	7.2	14.2
1998	28	10.5	1.99	7.0	15.2	45	12.7	1.89	9.3	17.0
1999	26	9.6	1.89	6.3	14.1	39	10.9	1.74	7.7	14.9
2000	19	7.0	1.61	4.2	11.0	30	8.4	1.52	5.6	11.9
2001	21	7.8	1.70	4.8	11.9	35	9.7	1.65	6.8	13.6
2002	25	9.3	1.86	6.0	13.7	41	11.4	1.79	8.2	15.5
2003	27	10.1	1.94	6.7	14.7	39	10.9	1.75	7.8	14.9
2004	20	7.5	1.67	4.6	11.6	32	8.9	1.58	6.1	12.6
2005	19	7.2	1.65	4.3	11.2	30	8.4	1.53	5.7	12.0
2006	20	7.7	1.71	4.7	11.8	36	10.1	1.68	7.1	14.0
2007	29	11.1	2.06	7.4	15.9	52	14.5	2.02	10.9	19.1
2008	19	7.4	1.69	4.4	11.5	33	9.3	1.62	6.4	13.1
2009	20	7.7	1.73	4.7	11.9	34	9.6	1.64	6.6	13.4
2010	18	7.0	1.64	4.1	11.0	38	10.7	1.73	7.6	14.7
2011	19	7.5	1.71	4.5	11.6	41	11.6	1.82	8.4	15.8
2012	27	10.6	2.04	7.0	15.5	45	13.0	1.93	9.5	17.4
2013	26	10.3	2.02	6.7	15.1	46	13.4	1.97	9.8	17.8
2014	29	11.6	2.15	7.8	16.6	45	13.2	1.97	9.7	17.7
2015	21	8.4	1.84	5.2	12.9	36	10.6	1.77	7.4	14.7
2016	31	12.6	2.26	8.6	17.9	52	15.5	2.15	11.6	20.3
2017	28	11.5	2.18	7.6	16.6	45	13.5	2.02	9.9	18.1
2018	19	7.8	1.79	4.7	12.2	32	9.6	1.70	6.6	13.6
2019	22	9.3	1.99	5.9	14.1	39	11.9	1.91	8.5	16.3
2020	24	10.1	2.06	6.5	15.0	44	13.4	2.03	9.8	18.1
2021	26	11.4	2.24	7.5	16.8	47	14.9	2.17	10.9	19.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

CNS and misc intracranial and intraspinal neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	2,822	30.6	0.58	29.5	31.8	3,441	27.9	0.48	27.0	28.8
1986	69	27.4	3.31	21.3	34.7	88	25.9	2.76	20.7	31.9
1987	63	25.2	3.17	19.3	32.2	78	23.1	2.62	18.3	28.8
1988	83	32.9	3.62	26.2	40.8	98	29.0	2.93	23.5	35.4
1989	78	31.2	3.54	24.7	39.0	92	27.6	2.88	22.2	33.8
1990	72	29.0	3.42	22.6	36.5	84	25.4	2.77	20.2	31.4
1991	76	29.6	3.41	23.3	37.1	89	26.3	2.79	21.1	32.4
1992	69	27.3	3.29	21.2	34.5	82	24.6	2.72	19.5	30.5
1993	63	23.9	3.02	18.4	30.6	81	23.6	2.63	18.7	29.3
1994	84	31.7	3.47	25.3	39.3	101	29.0	2.89	23.6	35.3
1995	91	34.5	3.62	27.7	42.3	110	31.5	3.01	25.9	38.0
1996	91	33.9	3.56	27.3	41.6	109	30.7	2.94	25.2	37.0
1997	81	30.2	3.35	23.9	37.5	96	26.9	2.75	21.8	32.8
1998	86	31.9	3.44	25.5	39.4	115	32.1	3.00	26.5	38.6
1999	77	28.4	3.23	22.4	35.5	98	27.2	2.74	22.0	33.1
2000	74	27.3	3.17	21.4	34.3	90	24.9	2.63	20.0	30.6
2001	80	29.6	3.30	23.4	36.8	96	26.6	2.72	21.5	32.5
2002	80	29.7	3.32	23.5	36.9	100	27.8	2.78	22.7	33.9
2003	55	20.6	2.78	15.5	26.8	74	20.8	2.41	16.3	26.1
2004	88	33.2	3.55	26.7	41.0	106	29.9	2.90	24.5	36.1
2005	94	35.7	3.68	28.8	43.7	119	33.6	3.08	27.8	40.2
2006	87	33.2	3.56	26.6	40.9	106	30.0	2.91	24.6	36.3
2007	84	32.2	3.52	25.7	39.9	101	28.7	2.86	23.4	34.9
2008	69	26.7	3.21	20.8	33.8	85	24.3	2.64	19.4	30.1
2009	73	28.4	3.32	22.2	35.7	91	26.1	2.74	21.0	32.1
2010	82	31.9	3.52	25.4	39.6	104	29.9	2.93	24.4	36.2
2011	94	36.8	3.79	29.7	45.0	114	33.0	3.10	27.3	39.7
2012	78	30.7	3.48	24.3	38.4	98	28.6	2.89	23.2	34.8
2013	89	35.5	3.76	28.5	43.7	98	29.1	2.94	23.6	35.5
2014	94	37.9	3.91	30.6	46.4	117	34.9	3.23	28.9	41.9
2015	79	32.2	3.62	25.5	40.1	97	29.3	2.97	23.7	35.7
2016	88	36.1	3.85	29.0	44.5	102	31.1	3.08	25.3	37.7
2017	65	27.0	3.35	20.8	34.4	85	26.0	2.82	20.8	32.2
2018	94	39.4	4.06	31.8	48.2	114	35.3	3.31	29.1	42.4
2019	72	30.6	3.61	23.9	38.5	82	25.8	2.85	20.5	32.0
2020	55	23.7	3.20	17.9	30.9	70	22.2	2.65	17.3	28.0
2021	65	28.8	3.57	22.2	36.7	71	23.3	2.77	18.2	29.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Ependymoma and choroid plexus tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2021	258	2.8	0.17	2.5	3.1	303	2.4	0.14	2.2	2.7	
1986	5	1.9	0.86	0.6	4.5	5	1.4	0.64	0.5	3.4	
1987	5	2.0	0.88	0.6	4.6	6	1.8	0.72	0.6	3.8	
1988	5	1.9	0.85	0.6	4.5	5	1.4	0.64	0.5	3.4	
1989	8	3.0	1.07	1.3	6.0	10	2.9	0.91	1.4	5.3	
1990	5	1.9	0.86	0.6	4.5	6	1.7	0.71	0.6	3.8	
1991	11	4.2	1.28	2.1	7.6	11	3.2	0.96	1.6	5.7	
1992	11	4.3	1.30	2.1	7.7	11	3.2	0.97	1.6	5.8	
1993	9	3.3	1.12	1.5	6.4	9	2.5	0.83	1.1	4.8	
1994	10	3.6	1.14	1.7	6.7	12	3.3	0.96	1.7	5.8	
1995	11	4.0	1.20	2.0	7.1	11	3.0	0.90	1.5	5.4	
1996	10	3.6	1.15	1.7	6.7	12	3.3	0.95	1.7	5.8	
1997	7	2.6	0.98	1.0	5.3	7	1.9	0.73	0.8	4.0	
1998	7	2.6	0.97	1.0	5.3	9	2.5	0.83	1.1	4.7	
1999	11	4.0	1.21	2.0	7.2	14	3.9	1.03	2.1	6.5	
2000	10	3.7	1.17	1.8	6.8	11	3.0	0.92	1.5	5.4	
2001	12	4.4	1.28	2.3	7.7	13	3.6	0.99	1.9	6.1	
2002	4	1.5	0.74	0.4	3.8	5	1.4	0.62	0.5	3.3	
2003	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6	
2004	11	4.2	1.25	2.1	7.4	15	4.2	1.09	2.4	7.0	
2005	8	3.1	1.09	1.3	6.0	12	3.4	0.98	1.8	5.9	
2006	3	1.2	0.66	0.2	3.4	7	2.0	0.74	0.8	4.0	
2007	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3	
2008	8	3.1	1.09	1.3	6.1	9	2.6	0.86	1.2	4.9	
2009	4	1.6	0.78	0.4	4.0	7	2.0	0.75	0.8	4.1	
2010	7	2.7	1.03	1.1	5.6	7	2.0	0.77	0.8	4.2	
2011	7	2.7	1.03	1.1	5.6	8	2.3	0.82	1.0	4.6	
2012	7	2.8	1.05	1.1	5.7	9	2.6	0.88	1.2	5.0	
2013	7	2.8	1.06	1.1	5.8	8	2.4	0.84	1.0	4.7	
2014	12	4.9	1.40	2.5	8.5	13	3.9	1.09	2.1	6.7	
2015	8	3.3	1.16	1.4	6.5	10	3.0	0.96	1.5	5.6	
2016	4	1.6	0.82	0.5	4.2	5	1.5	0.68	0.5	3.5	
2017	2	0.8	0.59	0.1	3.0	2	0.6	0.44	0.1	2.2	
2018	9	3.7	1.25	1.7	7.1	9	2.8	0.93	1.3	5.3	
2019	5	2.1	0.96	0.7	5.0	5	1.6	0.72	0.5	3.7	
2020	4	1.7	0.83	0.5	4.3	5	1.5	0.69	0.5	3.6	
2021	3	1.4	0.78	0.3	4.0	4	1.3	0.66	0.4	3.4	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Astrocytoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,410	15.3	0.41	14.5	16.1	1,768	14.3	0.34	13.7	15.0
1986	33	13.2	2.31	9.1	18.6	45	13.3	1.98	9.7	17.8
1987	30	11.9	2.17	8.0	17.0	39	11.5	1.84	8.1	15.7
1988	36	14.6	2.43	10.2	20.1	45	13.5	2.02	9.9	18.1
1989	49	19.9	2.85	14.7	26.3	58	17.6	2.32	13.4	22.8
1990	38	15.3	2.49	10.8	21.0	47	14.2	2.08	10.5	18.9
1991	31	12.1	2.17	8.2	17.1	39	11.6	1.86	8.2	15.8
1992	34	13.4	2.31	9.3	18.8	43	12.9	1.97	9.3	17.4
1993	28	10.8	2.04	7.2	15.6	36	10.6	1.77	7.4	14.7
1994	41	15.3	2.40	11.0	20.8	48	13.6	1.97	10.1	18.1
1995	41	15.6	2.43	11.2	21.1	51	14.7	2.06	10.9	19.3
1996	46	17.2	2.54	12.6	23.0	54	15.2	2.08	11.4	19.9
1997	41	15.3	2.39	11.0	20.8	47	13.2	1.92	9.7	17.5
1998	46	17.2	2.54	12.6	23.0	64	18.0	2.25	13.8	23.0
1999	33	12.2	2.13	8.4	17.2	44	12.3	1.85	8.9	16.4
2000	38	14.1	2.28	10.0	19.3	49	13.6	1.94	10.1	18.0
2001	33	12.2	2.13	8.4	17.2	41	11.4	1.78	8.2	15.4
2002	36	13.4	2.23	9.4	18.5	48	13.4	1.93	9.9	17.7
2003	26	9.7	1.91	6.4	14.3	38	10.7	1.73	7.5	14.6
2004	38	14.3	2.33	10.1	19.7	45	12.7	1.89	9.2	17.0
2005	53	20.1	2.76	15.0	26.2	66	18.6	2.29	14.4	23.7
2006	50	19.1	2.70	14.1	25.1	58	16.4	2.16	12.5	21.3
2007	42	16.1	2.49	11.6	21.8	54	15.3	2.09	11.5	20.0
2008	30	11.7	2.14	7.9	16.7	39	11.2	1.79	8.0	15.3
2009	30	11.7	2.13	7.9	16.7	38	10.9	1.77	7.7	15.0
2010	41	15.9	2.49	11.4	21.6	61	17.4	2.23	13.3	22.3
2011	45	17.6	2.62	12.8	23.6	57	16.5	2.18	12.5	21.4
2012	48	18.9	2.73	13.9	25.1	61	17.8	2.28	13.6	22.8
2013	44	17.5	2.64	12.7	23.5	48	14.3	2.06	10.5	18.9
2014	46	18.5	2.72	13.5	24.6	61	18.1	2.32	13.9	23.3
2015	35	14.2	2.40	9.9	19.8	44	13.2	1.99	9.6	17.8
2016	48	19.7	2.84	14.5	26.1	56	17.0	2.28	12.9	22.1
2017	33	13.6	2.37	9.4	19.1	47	14.3	2.08	10.5	19.0
2018	54	22.6	3.08	17.0	29.5	65	20.1	2.50	15.5	25.7
2019	40	17.0	2.70	12.2	23.2	47	14.8	2.16	10.9	19.7
2020	30	13.0	2.38	8.8	18.6	38	12.1	1.96	8.6	16.6
2021	43	19.1	2.92	13.8	25.8	47	15.5	2.27	11.4	20.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Intracranial and intraspinal embryonal tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	616	6.7	0.27	6.2	7.2	708	5.7	0.22	5.3	6.2
1986	10	3.9	1.23	1.9	7.2	14	4.0	1.08	2.2	6.8
1987	17	6.8	1.65	4.0	10.9	17	5.1	1.23	3.0	8.1
1988	20	7.8	1.74	4.8	12.0	23	6.7	1.40	4.3	10.1
1989	7	2.7	1.03	1.1	5.6	8	2.3	0.83	1.0	4.6
1990	17	6.8	1.65	4.0	10.9	17	5.1	1.24	3.0	8.2
1991	14	5.5	1.48	3.0	9.2	17	5.1	1.23	3.0	8.1
1992	16	6.3	1.59	3.6	10.3	16	4.8	1.19	2.7	7.7
1993	14	5.3	1.42	2.9	8.9	19	5.6	1.28	3.3	8.7
1994	19	7.4	1.70	4.4	11.5	24	7.1	1.45	4.5	10.5
1995	20	7.6	1.70	4.6	11.7	25	7.2	1.44	4.7	10.6
1996	19	7.0	1.61	4.2	10.9	23	6.4	1.34	4.1	9.6
1997	19	7.0	1.61	4.2	10.9	21	5.8	1.27	3.6	8.9
1998	17	6.3	1.52	3.7	10.0	22	6.1	1.30	3.8	9.3
1999	17	6.3	1.52	3.6	10.0	20	5.5	1.23	3.4	8.5
2000	16	5.9	1.47	3.4	9.5	18	5.0	1.17	2.9	7.8
2001	17	6.3	1.52	3.7	10.0	21	5.8	1.27	3.6	8.9
2002	19	7.0	1.61	4.2	11.0	24	6.7	1.36	4.3	9.9
2003	18	6.8	1.60	4.0	10.7	21	5.9	1.29	3.7	9.1
2004	24	9.1	1.85	5.8	13.5	26	7.3	1.44	4.8	10.7
2005	17	6.5	1.57	3.8	10.4	19	5.4	1.24	3.2	8.4
2006	19	7.2	1.65	4.3	11.2	23	6.5	1.35	4.1	9.7
2007	22	8.4	1.79	5.3	12.7	24	6.8	1.39	4.4	10.2
2008	17	6.5	1.58	3.8	10.4	19	5.4	1.24	3.3	8.5
2009	16	6.2	1.56	3.6	10.1	20	5.7	1.28	3.5	8.9
2010	17	6.6	1.60	3.8	10.6	19	5.5	1.26	3.3	8.6
2011	23	9.0	1.88	5.7	13.5	27	7.8	1.51	5.2	11.4
2012	12	4.7	1.36	2.4	8.3	14	4.1	1.09	2.2	6.9
2013	21	8.4	1.83	5.2	12.8	24	7.1	1.46	4.6	10.6
2014	24	9.7	1.99	6.2	14.5	24	7.3	1.49	4.7	10.8
2015	19	7.8	1.78	4.7	12.1	21	6.4	1.40	4.0	9.8
2016	18	7.4	1.75	4.4	11.7	20	6.1	1.37	3.7	9.5
2017	19	7.9	1.82	4.8	12.4	20	6.2	1.39	3.8	9.6
2018	21	8.8	1.92	5.5	13.5	23	7.2	1.50	4.6	10.8
2019	17	7.2	1.75	4.2	11.6	18	5.7	1.34	3.4	9.0
2020	6	2.6	1.08	1.0	5.7	9	2.9	0.95	1.3	5.4
2021	8	3.5	1.24	1.5	6.9	8	2.6	0.93	1.1	5.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Other glioma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	423	4.6	0.22	4.2	5.1	522	4.2	0.19	3.9	4.6
1986	13	5.2	1.43	2.7	8.8	15	4.4	1.14	2.5	7.3
1987	9	3.7	1.22	1.7	6.9	12	3.6	1.04	1.9	6.3
1988	10	4.0	1.26	1.9	7.3	11	3.3	0.99	1.6	5.8
1989	4	1.6	0.78	0.4	4.0	6	1.8	0.72	0.7	3.9
1990	9	3.7	1.22	1.7	6.9	11	3.4	1.01	1.7	6.0
1991	14	5.5	1.47	3.0	9.2	15	4.4	1.15	2.5	7.3
1992	7	2.8	1.06	1.1	5.8	11	3.4	1.02	1.7	6.0
1993	7	2.7	1.02	1.1	5.5	12	3.6	1.04	1.9	6.3
1994	12	4.7	1.34	2.4	8.1	15	4.4	1.14	2.5	7.3
1995	16	6.2	1.56	3.6	10.1	19	5.6	1.28	3.4	8.7
1996	15	5.7	1.47	3.2	9.4	18	5.1	1.21	3.0	8.1
1997	9	3.4	1.12	1.5	6.4	15	4.2	1.10	2.4	7.0
1998	11	4.1	1.23	2.0	7.3	14	3.9	1.04	2.1	6.6
1999	13	4.8	1.32	2.5	8.2	16	4.4	1.10	2.5	7.2
2000	10	3.7	1.16	1.8	6.8	12	3.3	0.95	1.7	5.8
2001	17	6.3	1.52	3.7	10.0	20	5.5	1.24	3.4	8.5
2002	20	7.4	1.66	4.6	11.5	21	5.9	1.28	3.6	8.9
2003	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2004	9	3.5	1.16	1.6	6.6	14	4.0	1.07	2.2	6.7
2005	12	4.6	1.33	2.4	8.0	18	5.1	1.20	3.0	8.1
2006	13	5.0	1.38	2.7	8.5	15	4.3	1.11	2.4	7.1
2007	14	5.4	1.44	3.0	9.0	14	4.0	1.08	2.2	6.8
2008	12	4.6	1.34	2.4	8.1	14	4.0	1.07	2.2	6.7
2009	20	7.8	1.74	4.7	12.0	21	6.1	1.33	3.8	9.3
2010	15	5.8	1.51	3.3	9.6	15	4.4	1.13	2.5	7.2
2011	16	6.3	1.57	3.6	10.2	19	5.5	1.27	3.3	8.6
2012	6	2.4	0.96	0.9	5.1	9	2.6	0.87	1.2	5.0
2013	14	5.6	1.48	3.0	9.3	15	4.4	1.15	2.5	7.3
2014	11	4.4	1.34	2.2	7.9	17	5.0	1.22	2.9	8.1
2015	17	6.9	1.68	4.0	11.1	21	6.3	1.38	3.9	9.7
2016	16	6.6	1.64	3.8	10.7	19	5.8	1.33	3.5	9.0
2017	10	4.2	1.33	2.0	7.7	13	4.0	1.11	2.1	6.9
2018	7	2.9	1.10	1.2	6.0	13	3.9	1.09	2.1	6.7
2019	8	3.4	1.18	1.4	6.6	10	3.1	0.98	1.5	5.7
2020	15	6.4	1.66	3.6	10.6	17	5.4	1.31	3.1	8.6
2021	8	3.5	1.25	1.5	7.0	9	2.9	0.98	1.3	5.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Neuroblastoma and other peripheral nervous cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,036	11.1	0.34	10.4	11.7	1,066	8.5	0.26	8.0	9.0
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	21	7.6	1.67	4.7	11.7	21	5.7	1.25	3.5	8.8
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	39	10.8	1.73	7.7	14.8
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	33	9.3	1.62	6.4	13.0
2006	18	6.9	1.62	4.1	10.9	19	5.4	1.25	3.3	8.5
2007	27	10.2	1.96	6.7	14.8	27	7.6	1.47	5.0	11.1
2008	23	8.8	1.83	5.6	13.2	24	6.8	1.40	4.4	10.2
2009	24	9.3	1.89	5.9	13.8	25	7.2	1.44	4.7	10.6
2010	37	14.4	2.37	10.1	19.9	39	11.3	1.81	8.1	15.5
2011	31	12.2	2.18	8.3	17.3	31	9.1	1.63	6.2	12.9
2012	19	7.5	1.73	4.5	11.8	20	5.9	1.33	3.6	9.2
2013	20	8.1	1.81	4.9	12.5	20	6.0	1.35	3.7	9.3
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	33	13.6	2.37	9.4	19.1	33	10.2	1.77	7.0	14.3
2017	23	9.7	2.02	6.1	14.5	25	7.8	1.57	5.1	11.6
2018	29	12.4	2.30	8.3	17.8	29	9.3	1.72	6.2	13.3
2019	24	10.4	2.12	6.7	15.5	25	8.1	1.62	5.2	11.9
2020	38	16.9	2.75	12.0	23.3	38	12.7	2.06	9.0	17.4
2021	30	13.6	2.49	9.2	19.5	31	10.5	1.89	7.1	14.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Neuroblastoma and ganglioneuroblastoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	1,017	10.8	0.34	10.2	11.5	1,035	8.3	0.26	7.8	8.8
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	38	10.5	1.71	7.5	14.5
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	32	9.0	1.59	6.2	12.7
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2007	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
2008	22	8.4	1.79	5.3	12.7	22	6.3	1.34	3.9	9.5
2009	23	8.9	1.85	5.6	13.3	23	6.6	1.38	4.2	10.0
2010	36	14.0	2.34	9.8	19.4	38	11.0	1.79	7.8	15.2
2011	30	11.8	2.15	7.9	16.8	30	8.8	1.61	5.9	12.6
2012	18	7.2	1.69	4.2	11.3	19	5.6	1.29	3.4	8.8
2013	19	7.7	1.76	4.6	12.0	19	5.8	1.32	3.5	9.0
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	33	13.6	2.37	9.4	19.1	33	10.2	1.77	7.0	14.3
2017	23	9.7	2.02	6.1	14.5	25	7.8	1.57	5.1	11.6
2018	29	12.4	2.30	8.3	17.8	29	9.3	1.72	6.2	13.3
2019	23	10.0	2.08	6.3	15.0	23	7.5	1.56	4.7	11.2
2020	38	16.9	2.75	12.0	23.3	38	12.7	2.06	9.0	17.4
2021	28	12.8	2.42	8.5	18.5	28	9.6	1.81	6.4	13.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Retinoblastoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	374	4.0	0.21	3.6	4.4	374	3.0	0.15	2.7	3.3
1986	10	3.8	1.20	1.8	7.0	10	2.8	0.90	1.4	5.2
1987	9	3.4	1.15	1.6	6.5	9	2.6	0.86	1.2	4.9
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.3
1989	8	3.0	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4
1990	10	3.6	1.15	1.8	6.8	10	2.7	0.86	1.3	5.1
1991	7	2.5	0.95	1.0	5.2	7	1.9	0.71	0.8	3.9
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1993	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1994	10	3.5	1.11	1.7	6.5	10	2.6	0.83	1.3	4.9
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4
1997	10	3.6	1.14	1.7	6.6	10	2.7	0.85	1.3	5.0
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.67	0.6	3.6
2001	12	4.3	1.25	2.2	7.6	12	3.3	0.94	1.7	5.7
2002	15	5.5	1.43	3.1	9.1	15	4.1	1.07	2.3	6.8
2003	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2004	12	4.4	1.28	2.3	7.8	12	3.3	0.96	1.7	5.8
2005	9	3.4	1.13	1.5	6.4	9	2.5	0.84	1.2	4.8
2006	10	3.8	1.20	1.8	7.0	10	2.9	0.90	1.4	5.2
2007	14	5.3	1.41	2.9	8.9	14	4.0	1.06	2.2	6.6
2008	9	3.4	1.14	1.6	6.5	9	2.6	0.85	1.2	4.9
2009	16	6.2	1.55	3.5	10.1	16	4.6	1.16	2.7	7.5
2010	10	3.9	1.23	1.9	7.2	10	2.9	0.92	1.4	5.3
2011	10	3.9	1.24	1.9	7.2	10	2.9	0.93	1.4	5.4
2012	5	2.0	0.89	0.7	4.7	5	1.5	0.67	0.5	3.5
2013	12	4.9	1.40	2.5	8.5	12	3.6	1.05	1.9	6.3
2014	7	2.9	1.08	1.2	5.9	7	2.1	0.81	0.9	4.4
2015	11	4.5	1.36	2.3	8.1	11	3.4	1.02	1.7	6.0
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0
2017	11	4.7	1.41	2.3	8.3	11	3.5	1.05	1.7	6.2
2018	10	4.3	1.35	2.1	7.9	10	3.2	1.01	1.5	5.9
2019	13	5.7	1.58	3.0	9.7	13	4.3	1.18	2.3	7.3
2020	12	5.4	1.55	2.8	9.4	12	4.0	1.16	2.1	7.0
2021	12	5.7	1.65	3.0	9.9	12	4.3	1.23	2.2	7.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Renal tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	767	8.2	0.30	7.7	8.8	814	6.5	0.23	6.1	7.0
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	29	11.1	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.6
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	19	7.2	1.65	4.3	11.2	19	5.4	1.24	3.2	8.4
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.37	4.4	10.1
1994	17	6.2	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8
1995	22	7.9	1.68	4.9	11.9	22	5.9	1.26	3.7	8.9
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	32	11.5	2.04	7.9	16.3	34	9.2	1.58	6.4	12.9
1998	22	8.0	1.71	5.0	12.2	24	6.6	1.34	4.2	9.8
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	26	9.6	1.87	6.2	14.0	28	7.7	1.46	5.1	11.2
2001	20	7.4	1.65	4.5	11.4	20	5.5	1.23	3.4	8.5
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	24	6.7	1.36	4.3	9.9
2004	16	6.0	1.49	3.4	9.7	18	5.0	1.18	3.0	7.9
2005	20	7.6	1.69	4.6	11.7	22	6.2	1.32	3.9	9.4
2006	19	7.2	1.65	4.3	11.3	22	6.2	1.33	3.9	9.4
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	20	7.7	1.71	4.7	11.8	23	6.6	1.37	4.2	9.8
2009	26	10.0	1.96	6.5	14.7	31	8.8	1.59	6.0	12.6
2010	19	7.4	1.69	4.4	11.5	20	5.8	1.29	3.5	8.9
2011	19	7.5	1.71	4.5	11.7	21	6.1	1.34	3.8	9.4
2012	24	9.5	1.94	6.1	14.1	26	7.7	1.50	5.0	11.2
2013	19	7.6	1.75	4.6	11.9	22	6.5	1.40	4.1	9.9
2014	13	5.3	1.46	2.8	9.0	14	4.2	1.13	2.3	7.1
2015	19	7.8	1.79	4.7	12.2	20	6.1	1.37	3.7	9.5
2016	15	6.2	1.60	3.5	10.2	15	4.6	1.20	2.6	7.6
2017	34	14.2	2.44	9.9	19.9	35	10.9	1.85	7.6	15.2
2018	14	5.9	1.58	3.2	9.9	17	5.3	1.29	3.1	8.5
2019	21	9.1	1.98	5.6	13.9	22	7.1	1.51	4.4	10.7
2020	26	11.5	2.25	7.5	16.8	26	8.6	1.69	5.6	12.6
2021	14	6.4	1.70	3.5	10.7	15	5.1	1.31	2.8	8.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Nephroblastoma and other nonepithelial renal tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	735	7.9	0.29	7.3	8.5	752	6.0	0.22	5.6	6.5
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	19	7.2	1.65	4.3	11.2	19	5.4	1.24	3.2	8.4
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	24	8.8	1.79	5.6	13.1	24	6.6	1.34	4.2	9.8
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.04	2.2	6.6
1995	20	7.1	1.58	4.3	11.0	20	5.3	1.19	3.2	8.2
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	31	11.1	2.00	7.6	15.8	32	8.6	1.52	5.9	12.2
1998	21	7.7	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	25	9.2	1.84	5.9	13.6	25	6.9	1.37	4.5	10.2
2001	19	7.0	1.61	4.2	11.0	19	5.3	1.20	3.2	8.2
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	22	6.1	1.30	3.8	9.2
2004	12	4.5	1.29	2.3	7.8	12	3.4	0.97	1.7	5.9
2005	19	7.2	1.64	4.3	11.2	21	5.9	1.29	3.7	9.0
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	18	6.9	1.62	4.1	10.9	18	5.2	1.22	3.1	8.2
2009	25	9.6	1.92	6.2	14.2	26	7.5	1.46	4.9	10.9
2010	19	7.4	1.69	4.4	11.5	19	5.5	1.26	3.3	8.6
2011	19	7.5	1.71	4.5	11.7	19	5.6	1.28	3.4	8.7
2012	24	9.5	1.94	6.1	14.1	25	7.4	1.48	4.8	10.9
2013	18	7.2	1.70	4.3	11.4	19	5.7	1.30	3.4	8.9
2014	12	4.9	1.41	2.5	8.5	12	3.7	1.05	1.9	6.4
2015	18	7.4	1.74	4.4	11.7	18	5.5	1.30	3.3	8.7
2016	15	6.2	1.60	3.5	10.2	15	4.6	1.20	2.6	7.6
2017	31	13.0	2.34	8.8	18.5	31	9.7	1.75	6.6	13.8
2018	13	5.5	1.53	2.9	9.4	16	5.0	1.25	2.9	8.1
2019	21	9.1	1.98	5.6	13.9	21	6.8	1.48	4.2	10.4
2020	23	10.2	2.13	6.5	15.3	23	7.6	1.59	4.8	11.4
2021	14	6.4	1.70	3.5	10.7	14	4.8	1.27	2.6	8.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Hepatic tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	207	2.2	0.15	1.9	2.5	235	1.9	0.12	1.7	2.1
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1988	0					0				
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4
2000	5	1.9	0.83	0.6	4.3	6	1.7	0.68	0.6	3.6
2001	7	2.6	0.96	1.0	5.3	8	2.2	0.77	0.9	4.3
2002	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2003	7	2.6	0.98	1.0	5.3	8	2.2	0.78	1.0	4.4
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	3	1.1	0.65	0.2	3.3	4	1.1	0.56	0.3	2.9
2007	4	1.5	0.77	0.4	3.9	6	1.7	0.69	0.6	3.7
2008	6	2.3	0.93	0.8	5.0	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2010	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6
2012	10	4.0	1.25	1.9	7.3	10	3.0	0.94	1.4	5.4
2013	10	4.0	1.27	1.9	7.4	10	3.0	0.95	1.5	5.5
2014	10	4.1	1.28	1.9	7.5	10	3.0	0.96	1.5	5.6
2015	6	2.5	1.00	0.9	5.3	7	2.1	0.80	0.9	4.4
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.75	0.7	4.0
2017	5	2.1	0.95	0.7	4.9	5	1.6	0.71	0.5	3.7
2018	6	2.5	1.04	0.9	5.5	8	2.5	0.88	1.1	4.9
2019	6	2.6	1.06	1.0	5.7	6	2.0	0.79	0.7	4.2
2020	5	2.1	0.95	0.7	5.0	6	1.9	0.77	0.7	4.1
2021	11	5.1	1.55	2.6	9.2	13	4.4	1.23	2.4	7.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Hepatoblastoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	174	1.9	0.14	1.6	2.2	177	1.4	0.11	1.2	1.6
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
1988	0					0				
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3
2000	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2001	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
2002	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2003	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
2007	4	1.5	0.77	0.4	3.9	4	1.2	0.57	0.3	2.9
2008	4	1.5	0.76	0.4	3.9	4	1.1	0.57	0.3	2.9
2009	5	1.9	0.87	0.6	4.5	5	1.5	0.65	0.5	3.4
2010	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6
2012	8	3.2	1.12	1.4	6.2	8	2.4	0.84	1.0	4.7
2013	10	4.0	1.27	1.9	7.4	10	3.0	0.95	1.5	5.5
2014	9	3.7	1.22	1.7	6.9	9	2.7	0.91	1.3	5.2
2015	5	2.1	0.92	0.7	4.8	5	1.5	0.69	0.5	3.6
2016	5	2.1	0.93	0.7	4.8	5	1.6	0.69	0.5	3.6
2017	5	2.1	0.95	0.7	4.9	5	1.6	0.71	0.5	3.7
2018	5	2.1	0.96	0.7	5.0	5	1.6	0.72	0.5	3.7
2019	5	2.2	0.97	0.7	5.1	5	1.6	0.73	0.5	3.8
2020	4	1.7	0.86	0.5	4.4	4	1.3	0.65	0.4	3.3
2021	10	4.7	1.48	2.2	8.6	10	3.5	1.11	1.7	6.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Malignant bone tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	561	6.2	0.26	5.7	6.7	1,014	8.2	0.26	7.7	8.7
1986	8	3.4	1.19	1.5	6.6	19	5.6	1.29	3.4	8.8
1987	10	4.2	1.32	2.0	7.6	27	8.0	1.54	5.3	11.6
1988	9	3.8	1.27	1.7	7.2	25	7.5	1.50	4.9	11.1
1989	12	5.1	1.46	2.6	8.8	23	7.1	1.48	4.5	10.6
1990	15	6.4	1.64	3.6	10.4	24	7.5	1.54	4.8	11.2
1991	10	4.0	1.28	1.9	7.4	22	6.8	1.46	4.3	10.3
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7
1993	16	6.4	1.61	3.7	10.4	25	7.7	1.53	5.0	11.3
1994	15	6.0	1.54	3.3	9.8	24	7.3	1.48	4.7	10.8
1995	21	8.2	1.80	5.1	12.6	38	11.3	1.83	8.0	15.5
1996	11	4.2	1.28	2.1	7.6	25	7.3	1.46	4.7	10.7
1997	20	7.7	1.72	4.7	11.9	30	8.6	1.58	5.8	12.3
1998	25	9.4	1.89	6.1	13.9	37	10.5	1.72	7.4	14.4
1999	19	7.2	1.64	4.3	11.2	31	8.7	1.57	5.9	12.4
2000	23	8.6	1.78	5.4	12.8	39	10.9	1.74	7.7	14.9
2001	13	4.8	1.33	2.6	8.2	24	6.7	1.36	4.3	9.9
2002	16	5.9	1.47	3.4	9.6	30	8.4	1.52	5.6	11.9
2003	14	5.1	1.37	2.8	8.6	26	7.2	1.41	4.7	10.6
2004	17	6.3	1.52	3.7	10.1	31	8.6	1.54	5.8	12.2
2005	21	7.9	1.73	4.9	12.1	36	10.1	1.68	7.1	14.0
2006	17	6.5	1.56	3.8	10.3	30	8.4	1.53	5.7	12.0
2007	17	6.5	1.58	3.8	10.4	35	9.7	1.65	6.8	13.6
2008	13	5.0	1.40	2.7	8.6	24	6.7	1.38	4.3	10.0
2009	15	5.8	1.50	3.3	9.6	31	8.7	1.56	5.9	12.4
2010	17	6.6	1.60	3.9	10.6	29	8.2	1.53	5.5	11.8
2011	13	5.1	1.41	2.7	8.7	25	7.1	1.42	4.6	10.5
2012	12	4.7	1.36	2.4	8.2	24	6.9	1.40	4.4	10.2
2013	18	7.1	1.66	4.2	11.2	28	8.1	1.53	5.4	11.7
2014	14	5.6	1.48	3.0	9.3	29	8.4	1.57	5.7	12.1
2015	17	6.8	1.64	4.0	10.9	28	8.2	1.56	5.5	11.9
2016	16	6.4	1.60	3.7	10.4	25	7.4	1.48	4.8	10.9
2017	16	6.5	1.62	3.7	10.5	32	9.5	1.68	6.5	13.4
2018	20	8.1	1.81	4.9	12.5	29	8.7	1.61	5.8	12.5
2019	18	7.6	1.78	4.5	12.0	31	9.4	1.70	6.4	13.4
2020	16	6.7	1.68	3.8	10.9	33	10.0	1.75	6.9	14.1
2021	15	6.4	1.66	3.6	10.6	27	8.4	1.62	5.6	12.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Osteosarcoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	328	3.6	0.20	3.2	4.0	599	4.9	0.20	4.5	5.3
1986	5	2.1	0.94	0.7	4.9	8	2.4	0.86	1.0	4.7
1987	4	1.7	0.86	0.5	4.3	15	4.4	1.15	2.5	7.3
1988	7	3.0	1.12	1.2	6.1	17	5.1	1.25	3.0	8.2
1989	4	1.7	0.85	0.5	4.3	9	2.8	0.92	1.3	5.2
1990	6	2.5	1.03	0.9	5.4	9	2.8	0.94	1.3	5.3
1991	2	0.8	0.58	0.1	2.9	12	3.8	1.09	2.0	6.6
1992	5	2.0	0.91	0.7	4.7	9	2.8	0.93	1.3	5.3
1993	7	2.8	1.07	1.1	5.8	14	4.3	1.16	2.4	7.2
1994	7	2.8	1.05	1.1	5.7	12	3.6	1.05	1.9	6.3
1995	15	5.9	1.52	3.3	9.7	26	7.7	1.51	5.0	11.3
1996	8	3.1	1.10	1.3	6.1	15	4.4	1.13	2.5	7.2
1997	11	4.3	1.28	2.1	7.6	18	5.2	1.22	3.1	8.2
1998	12	4.5	1.31	2.3	7.9	23	6.5	1.36	4.1	9.8
1999	13	4.9	1.36	2.6	8.4	22	6.2	1.32	3.9	9.4
2000	16	6.0	1.49	3.4	9.7	26	7.3	1.42	4.7	10.6
2001	6	2.2	0.91	0.8	4.8	11	3.1	0.92	1.5	5.5
2002	13	4.8	1.33	2.6	8.2	20	5.6	1.24	3.4	8.6
2003	10	3.6	1.15	1.7	6.7	19	5.3	1.20	3.2	8.2
2004	13	4.8	1.34	2.6	8.3	23	6.4	1.33	4.1	9.6
2005	15	5.6	1.46	3.2	9.3	23	6.4	1.34	4.1	9.6
2006	10	3.8	1.19	1.8	7.0	16	4.5	1.12	2.6	7.3
2007	11	4.2	1.26	2.1	7.5	19	5.3	1.22	3.2	8.3
2008	8	3.1	1.09	1.3	6.1	15	4.2	1.09	2.4	7.0
2009	9	3.5	1.16	1.6	6.6	19	5.3	1.22	3.2	8.3
2010	11	4.3	1.28	2.1	7.6	19	5.4	1.23	3.2	8.4
2011	6	2.3	0.95	0.9	5.1	12	3.4	0.98	1.8	6.0
2012	6	2.4	0.96	0.9	5.1	14	4.0	1.07	2.2	6.7
2013	12	4.7	1.36	2.4	8.2	19	5.5	1.26	3.3	8.6
2014	8	3.2	1.12	1.4	6.3	19	5.5	1.27	3.3	8.6
2015	9	3.6	1.19	1.6	6.8	15	4.4	1.14	2.5	7.3
2016	9	3.6	1.20	1.6	6.8	13	3.8	1.07	2.1	6.6
2017	10	4.0	1.28	1.9	7.4	19	5.6	1.29	3.4	8.8
2018	11	4.5	1.36	2.2	8.1	15	4.5	1.17	2.5	7.5
2019	10	4.2	1.34	2.0	7.8	20	6.1	1.36	3.7	9.4
2020	10	4.2	1.33	2.0	7.7	19	5.8	1.33	3.5	9.1
2021	9	3.9	1.28	1.8	7.4	15	4.7	1.21	2.6	7.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Ewing tumor and related sarcomas of bone										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	182	2.0	0.15	1.7	2.3	313	2.5	0.14	2.3	2.8
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.6
1987	4	1.7	0.83	0.5	4.2	6	1.8	0.74	0.7	3.9
1988	1	0.4	0.43	0.0	2.3	5	1.5	0.67	0.5	3.5
1989	5	2.1	0.92	0.7	4.8	10	3.0	0.96	1.5	5.6
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6
1991	6	2.5	1.00	0.9	5.3	7	2.2	0.82	0.9	4.4
1992	5	2.0	0.89	0.7	4.6	5	1.5	0.67	0.5	3.5
1993	6	2.4	0.97	0.9	5.2	7	2.1	0.79	0.8	4.3
1994	8	3.2	1.13	1.4	6.2	11	3.3	1.00	1.7	5.9
1995	4	1.6	0.79	0.4	4.0	9	2.7	0.90	1.2	5.1
1996	2	0.7	0.52	0.1	2.7	6	1.7	0.71	0.6	3.8
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	4.9
1998	8	3.0	1.07	1.3	5.9	9	2.5	0.85	1.2	4.8
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2
2001	7	2.6	0.98	1.0	5.3	12	3.3	0.96	1.7	5.8
2002	3	1.1	0.64	0.2	3.2	6	1.7	0.68	0.6	3.6
2003	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2004	3	1.1	0.63	0.2	3.2	7	1.9	0.73	0.8	4.0
2005	3	1.2	0.67	0.2	3.4	10	2.8	0.88	1.3	5.2
2006	6	2.3	0.94	0.8	5.0	12	3.4	0.97	1.7	5.9
2007	5	1.9	0.86	0.6	4.5	15	4.2	1.07	2.3	6.9
2008	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	11	3.1	0.93	1.5	5.5
2010	4	1.6	0.78	0.4	4.0	8	2.3	0.80	1.0	4.5
2011	6	2.4	0.96	0.9	5.1	11	3.1	0.94	1.6	5.6
2012	5	2.0	0.87	0.6	4.6	9	2.6	0.86	1.2	4.9
2013	3	1.2	0.68	0.2	3.5	4	1.2	0.58	0.3	3.0
2014	3	1.2	0.69	0.2	3.5	7	2.0	0.77	0.8	4.2
2015	7	2.8	1.06	1.1	5.8	9	2.7	0.89	1.2	5.1
2016	7	2.8	1.06	1.1	5.8	9	2.7	0.89	1.2	5.1
2017	6	2.4	0.99	0.9	5.3	12	3.6	1.03	1.8	6.2
2018	8	3.2	1.13	1.4	6.3	11	3.3	0.98	1.6	5.9
2019	5	2.1	0.92	0.7	4.9	8	2.4	0.86	1.0	4.8
2020	5	2.1	0.94	0.7	5.0	10	3.1	0.97	1.5	5.6
2021	5	2.1	0.95	0.7	5.0	10	3.1	0.98	1.5	5.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Soft tissue and other extrasosseous sarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	963	10.4	0.34	9.8	11.1	1,438	11.6	0.31	11.0	12.2
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5
1992	26	9.9	1.94	6.4	14.5	41	12.2	1.90	8.7	16.5
1993	19	7.4	1.69	4.4	11.5	29	8.7	1.62	5.8	12.5
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2
1997	29	10.7	1.99	7.2	15.4	35	9.7	1.65	6.8	13.5
1998	28	10.5	1.98	7.0	15.2	37	10.4	1.71	7.3	14.3
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9
2001	26	9.6	1.88	6.3	14.1	41	11.4	1.78	8.2	15.5
2002	33	12.2	2.12	8.4	17.1	41	11.4	1.77	8.2	15.4
2003	22	8.2	1.74	5.1	12.4	42	11.7	1.81	8.5	15.9
2004	28	10.5	1.98	7.0	15.1	42	11.7	1.81	8.5	15.8
2005	27	10.3	1.97	6.8	14.9	43	12.1	1.84	8.7	16.3
2006	25	9.5	1.89	6.1	14.0	35	9.8	1.66	6.8	13.6
2007	38	14.6	2.38	10.4	20.1	56	15.8	2.12	12.0	20.6
2008	33	12.7	2.21	8.7	17.8	51	14.4	2.01	10.7	18.9
2009	28	10.9	2.06	7.2	15.7	44	12.5	1.88	9.1	16.8
2010	30	11.7	2.13	7.9	16.7	44	12.6	1.90	9.1	16.9
2011	30	11.7	2.14	7.9	16.7	42	12.1	1.86	8.7	16.3
2012	24	9.5	1.93	6.1	14.1	39	11.3	1.81	8.0	15.4
2013	30	11.9	2.18	8.1	17.1	47	13.7	2.00	10.1	18.3
2014	23	9.3	1.93	5.9	13.9	33	9.8	1.70	6.7	13.7
2015	21	8.5	1.86	5.3	13.0	38	11.3	1.83	8.0	15.5
2016	38	15.6	2.53	11.0	21.4	54	16.3	2.22	12.2	21.2
2017	26	10.7	2.10	7.0	15.7	48	14.4	2.08	10.6	19.1
2018	21	8.7	1.90	5.4	13.3	29	8.9	1.64	5.9	12.7
2019	31	13.2	2.36	8.9	18.7	44	13.6	2.06	9.9	18.3
2020	21	9.0	1.97	5.6	13.8	34	10.6	1.82	7.3	14.8
2021	25	11.3	2.26	7.3	16.7	35	11.5	1.94	8.0	16.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Rhabdomyosarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	467	5.1	0.23	4.6	5.5	577	4.7	0.19	4.3	5.1
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.22	3.2	8.3
2002	18	6.7	1.57	4.0	10.5	20	5.6	1.24	3.4	8.6
2003	11	4.1	1.23	2.0	7.3	16	4.5	1.12	2.6	7.3
2004	8	3.0	1.07	1.3	5.9	11	3.1	0.93	1.5	5.5
2005	6	2.3	0.95	0.9	5.1	9	2.6	0.86	1.2	4.9
2006	11	4.2	1.26	2.1	7.5	15	4.2	1.09	2.4	7.0
2007	16	6.2	1.55	3.6	10.1	21	6.0	1.31	3.7	9.2
2008	11	4.2	1.27	2.1	7.5	15	4.2	1.09	2.4	7.0
2009	14	5.5	1.46	3.0	9.2	18	5.2	1.22	3.1	8.2
2010	16	6.2	1.56	3.6	10.1	17	5.0	1.20	2.9	7.9
2011	11	4.3	1.30	2.2	7.7	16	4.6	1.15	2.6	7.5
2012	12	4.8	1.37	2.5	8.3	16	4.7	1.17	2.7	7.6
2013	14	5.6	1.49	3.1	9.4	18	5.3	1.25	3.2	8.4
2014	8	3.2	1.14	1.4	6.4	9	2.7	0.90	1.2	5.1
2015	11	4.5	1.34	2.2	8.0	12	3.6	1.04	1.9	6.3
2016	18	7.4	1.74	4.4	11.7	20	6.1	1.37	3.7	9.4
2017	14	5.8	1.55	3.2	9.8	19	5.8	1.33	3.5	9.1
2018	10	4.2	1.33	2.0	7.7	11	3.4	1.04	1.7	6.2
2019	14	6.1	1.63	3.3	10.2	17	5.4	1.32	3.2	8.7
2020	11	4.7	1.43	2.4	8.5	16	5.0	1.26	2.9	8.2
2021	11	5.0	1.51	2.5	9.0	16	5.3	1.32	3.0	8.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Germ cell, trophoblastic tumors and neoplasms of gonads										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	499	5.4	0.24	4.9	5.9	1,411	11.3	0.30	10.7	11.9
1986	12	4.9	1.43	2.6	8.6	25	7.4	1.47	4.8	10.9
1987	11	4.6	1.38	2.3	8.1	34	10.0	1.71	6.9	13.9
1988	16	6.4	1.59	3.6	10.3	41	12.0	1.88	8.6	16.3
1989	17	6.6	1.61	3.8	10.6	37	10.9	1.80	7.7	15.1
1990	10	4.0	1.27	1.9	7.3	31	9.5	1.70	6.4	13.4
1991	11	4.4	1.34	2.2	7.9	26	8.1	1.58	5.3	11.8
1992	14	5.5	1.46	3.0	9.1	40	12.4	1.96	8.8	16.8
1993	13	4.8	1.34	2.6	8.3	34	10.3	1.76	7.1	14.3
1994	18	6.8	1.60	4.0	10.7	45	13.5	2.01	9.8	18.0
1995	15	5.8	1.49	3.2	9.5	27	7.9	1.53	5.2	11.5
1996	14	5.2	1.40	2.9	8.8	31	8.9	1.60	6.1	12.6
1997	12	4.6	1.32	2.4	8.0	27	7.8	1.49	5.1	11.3
1998	12	4.5	1.30	2.3	7.9	36	10.2	1.69	7.1	14.1
1999	19	7.0	1.61	4.2	11.0	44	12.3	1.85	8.9	16.5
2000	12	4.4	1.28	2.3	7.8	35	9.8	1.65	6.8	13.6
2001	11	4.0	1.20	2.0	7.1	38	10.6	1.71	7.5	14.5
2002	12	4.4	1.28	2.3	7.7	39	10.9	1.74	7.8	14.9
2003	12	4.4	1.28	2.3	7.7	46	12.9	1.90	9.4	17.1
2004	15	5.6	1.44	3.1	9.2	38	10.6	1.71	7.5	14.5
2005	19	7.1	1.64	4.3	11.2	43	12.0	1.82	8.7	16.1
2006	19	7.2	1.65	4.3	11.3	45	12.5	1.86	9.1	16.7
2007	11	4.2	1.27	2.1	7.5	35	9.7	1.63	6.7	13.4
2008	17	6.5	1.58	3.8	10.4	57	15.7	2.08	11.9	20.3
2009	9	3.5	1.17	1.6	6.7	39	10.8	1.72	7.6	14.7
2010	11	4.3	1.30	2.2	7.7	36	10.0	1.67	7.0	13.9
2011	15	5.9	1.51	3.3	9.7	50	14.0	1.98	10.4	18.5
2012	11	4.3	1.31	2.2	7.8	45	12.7	1.90	9.3	17.0
2013	12	4.8	1.38	2.5	8.3	39	11.2	1.79	8.0	15.3
2014	11	4.4	1.33	2.2	7.9	50	14.5	2.04	10.7	19.1
2015	13	5.2	1.45	2.8	8.9	46	13.4	1.97	9.8	17.9
2016	20	8.1	1.81	4.9	12.5	47	13.9	2.02	10.2	18.4
2017	21	8.7	1.90	5.4	13.3	48	14.3	2.07	10.6	19.0
2018	12	5.0	1.45	2.6	8.8	35	10.5	1.77	7.3	14.6
2019	19	8.1	1.85	4.9	12.6	42	12.7	1.97	9.2	17.2
2020	14	6.0	1.60	3.3	10.1	43	13.0	1.99	9.4	17.6
2021	9	4.1	1.35	1.9	7.7	37	11.5	1.89	8.1	15.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Intracranial and intraspinal germ cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	130	1.4	0.12	1.2	1.7	209	1.7	0.12	1.5	1.9
1986	3	1.3	0.72	0.3	3.6	4	1.2	0.61	0.3	3.1
1987	2	0.9	0.61	0.1	3.0	3	0.9	0.54	0.2	2.7
1988	3	1.3	0.72	0.3	3.6	6	1.8	0.74	0.7	3.9
1989	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1990	1	0.4	0.43	0.0	2.3	2	0.6	0.45	0.1	2.2
1991	5	2.1	0.92	0.7	4.8	8	2.5	0.88	1.1	4.9
1992	3	1.2	0.71	0.3	3.5	6	1.9	0.76	0.7	4.0
1993	1	0.4	0.40	0.0	2.2	2	0.6	0.44	0.1	2.2
1994	5	2.0	0.89	0.7	4.6	7	2.1	0.80	0.9	4.3
1995	3	1.2	0.68	0.2	3.4	3	0.9	0.51	0.2	2.6
1996	3	1.1	0.65	0.2	3.3	3	0.9	0.49	0.2	2.5
1997	3	1.2	0.66	0.2	3.3	3	0.9	0.50	0.2	2.5
1998	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
1999	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2000	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8
2001	1	0.4	0.37	0.0	2.1	3	0.8	0.48	0.2	2.4
2002	1	0.4	0.38	0.0	2.1	3	0.8	0.49	0.2	2.5
2003	3	1.1	0.64	0.2	3.3	6	1.7	0.68	0.6	3.7
2004	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2005	3	1.1	0.66	0.2	3.3	6	1.7	0.68	0.6	3.7
2006	4	1.5	0.76	0.4	3.9	8	2.2	0.79	1.0	4.4
2007	6	2.3	0.95	0.9	5.1	7	2.0	0.76	0.8	4.1
2008	4	1.5	0.77	0.4	3.9	9	2.5	0.84	1.1	4.8
2009	2	0.8	0.56	0.1	2.8	2	0.6	0.42	0.1	2.1
2010	6	2.3	0.96	0.9	5.1	10	2.9	0.90	1.4	5.2
2011	2	0.8	0.55	0.1	2.8	7	2.0	0.74	0.8	4.1
2012	3	1.2	0.68	0.2	3.5	6	1.7	0.70	0.6	3.8
2013	3	1.2	0.68	0.2	3.5	6	1.7	0.70	0.6	3.8
2014	2	0.8	0.58	0.1	2.9	5	1.5	0.66	0.5	3.4
2015	5	2.0	0.90	0.7	4.7	10	2.9	0.93	1.4	5.4
2016	10	4.0	1.27	1.9	7.4	12	3.6	1.04	1.9	6.3
2017	6	2.5	1.01	0.9	5.4	7	2.1	0.81	0.9	4.4
2018	3	1.2	0.71	0.3	3.6	4	1.2	0.61	0.3	3.1
2019	5	2.1	0.94	0.7	4.9	8	2.5	0.87	1.1	4.9
2020	6	2.5	1.04	0.9	5.6	9	2.8	0.93	1.3	5.3
2021	4	1.7	0.84	0.5	4.4	8	2.5	0.87	1.1	4.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Malignant gonadal germ cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	233	2.5	0.17	2.2	2.9	941	7.6	0.25	7.1	8.1
1986	9	3.7	1.23	1.7	7.0	17	5.0	1.22	2.9	8.0
1987	7	2.9	1.11	1.2	6.0	24	7.1	1.44	4.5	10.5
1988	7	2.8	1.06	1.1	5.8	21	6.2	1.35	3.8	9.4
1989	7	2.8	1.05	1.1	5.7	23	6.9	1.43	4.4	10.3
1990	4	1.7	0.84	0.5	4.2	21	6.5	1.42	4.0	9.9
1991	4	1.6	0.80	0.4	4.0	15	4.7	1.21	2.6	7.7
1992	9	3.5	1.17	1.6	6.6	29	9.0	1.67	6.0	12.9
1993	9	3.4	1.13	1.5	6.4	24	7.3	1.49	4.7	10.8
1994	6	2.2	0.90	0.8	4.8	22	6.6	1.41	4.1	10.0
1995	8	3.1	1.08	1.3	6.0	18	5.3	1.25	3.1	8.4
1996	9	3.3	1.11	1.5	6.3	22	6.3	1.35	4.0	9.6
1997	7	2.7	1.02	1.1	5.5	19	5.5	1.25	3.3	8.5
1998	7	2.7	1.00	1.1	5.5	26	7.4	1.44	4.8	10.8
1999	11	4.1	1.22	2.0	7.3	30	8.4	1.53	5.7	12.0
2000	5	1.9	0.83	0.6	4.3	25	7.0	1.40	4.5	10.3
2001	4	1.5	0.73	0.4	3.8	24	6.7	1.37	4.3	10.0
2002	6	2.2	0.90	0.8	4.8	26	7.3	1.43	4.8	10.7
2003	5	1.8	0.82	0.6	4.3	31	8.7	1.56	5.9	12.3
2004	8	3.0	1.05	1.3	5.9	24	6.7	1.36	4.3	9.9
2005	7	2.6	0.99	1.1	5.4	26	7.2	1.41	4.7	10.6
2006	11	4.2	1.26	2.1	7.5	30	8.3	1.52	5.6	11.9
2007	1	0.4	0.38	0.0	2.1	22	6.0	1.27	3.7	9.1
2008	9	3.5	1.15	1.6	6.6	39	10.7	1.71	7.6	14.6
2009	6	2.3	0.95	0.9	5.1	31	8.5	1.53	5.8	12.1
2010	2	0.8	0.55	0.1	2.8	22	6.0	1.29	3.8	9.2
2011	8	3.1	1.11	1.4	6.2	35	9.8	1.65	6.8	13.6
2012	1	0.4	0.39	0.0	2.2	29	8.1	1.50	5.4	11.7
2013	5	2.0	0.89	0.6	4.6	26	7.4	1.45	4.8	10.9
2014	9	3.6	1.20	1.7	6.9	42	12.1	1.87	8.7	16.4
2015	6	2.4	0.97	0.9	5.2	32	9.3	1.64	6.3	13.1
2016	7	2.8	1.07	1.1	5.8	28	8.2	1.55	5.4	11.8
2017	9	3.7	1.24	1.7	7.1	33	9.7	1.69	6.7	13.7
2018	6	2.5	1.02	0.9	5.5	24	7.1	1.45	4.6	10.6
2019	6	2.6	1.05	0.9	5.6	24	7.2	1.46	4.6	10.7
2020	6	2.5	1.03	0.9	5.5	32	9.5	1.69	6.5	13.5
2021	2	0.9	0.66	0.1	3.4	25	7.6	1.53	4.9	11.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Other malignant epithelial neoplasms and melanomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	625	6.8	0.27	6.3	7.4	2,158	17.4	0.37	16.6	18.1
1986	12	4.9	1.41	2.5	8.5	41	11.8	1.85	8.5	16.0
1987	13	5.5	1.52	2.9	9.3	40	11.8	1.87	8.4	16.1
1988	10	4.4	1.37	2.1	7.9	36	10.8	1.81	7.6	15.0
1989	7	2.9	1.09	1.2	5.9	41	12.4	1.93	8.9	16.7
1990	8	3.4	1.22	1.5	6.7	36	11.2	1.87	7.9	15.5
1991	10	4.1	1.30	2.0	7.5	40	12.6	1.99	9.0	17.1
1992	5	2.0	0.91	0.7	4.7	28	8.9	1.67	5.9	12.8
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.9	15.5
1994	10	3.9	1.23	1.9	7.1	35	10.7	1.80	7.4	14.8
1995	13	5.0	1.40	2.7	8.6	39	11.6	1.86	8.3	15.9
1996	10	3.9	1.23	1.9	7.1	39	11.4	1.83	8.1	15.6
1997	14	5.4	1.44	3.0	9.0	49	14.1	2.02	10.5	18.7
1998	11	4.2	1.25	2.1	7.4	42	11.9	1.83	8.6	16.1
1999	17	6.4	1.56	3.7	10.3	55	15.5	2.09	11.7	20.2
2000	13	4.8	1.34	2.6	8.3	51	14.3	2.00	10.6	18.8
2001	20	7.4	1.66	4.5	11.4	57	15.9	2.11	12.1	20.6
2002	21	7.7	1.68	4.8	11.8	60	16.7	2.16	12.8	21.5
2003	17	6.3	1.52	3.7	10.1	58	16.2	2.13	12.3	21.0
2004	21	7.8	1.71	4.9	12.0	55	15.3	2.07	11.5	19.9
2005	26	9.8	1.91	6.4	14.3	61	16.9	2.17	13.0	21.8
2006	25	9.5	1.91	6.2	14.1	69	19.1	2.30	14.9	24.2
2007	17	6.4	1.55	3.7	10.3	77	21.1	2.40	16.6	26.3
2008	26	9.9	1.95	6.5	14.6	80	22.0	2.46	17.5	27.4
2009	18	6.9	1.63	4.1	11.0	78	21.5	2.43	17.0	26.8
2010	24	9.3	1.90	6.0	13.9	71	19.8	2.35	15.5	25.0
2011	17	6.6	1.61	3.9	10.6	67	18.7	2.29	14.5	23.8
2012	24	9.4	1.92	6.0	14.0	69	19.6	2.36	15.3	24.8
2013	28	11.0	2.08	7.3	15.9	86	24.6	2.65	19.7	30.4
2014	22	8.7	1.86	5.5	13.2	71	20.5	2.44	16.0	25.9
2015	19	7.6	1.73	4.6	11.8	71	20.6	2.44	16.1	26.0
2016	29	11.7	2.16	7.8	16.8	111	32.4	3.07	26.6	39.0
2017	23	9.3	1.94	5.9	14.0	84	24.7	2.69	19.7	30.5
2018	30	12.2	2.22	8.2	17.4	94	27.7	2.86	22.4	33.9
2019	27	11.0	2.12	7.3	16.1	100	29.5	2.95	24.0	35.9
2020	16	6.6	1.66	3.8	10.8	63	18.8	2.37	14.5	24.1
2021	13	5.5	1.52	2.9	9.4	68	20.7	2.51	16.1	26.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Thyroid carcinoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	258	2.8	0.18	2.5	3.2	964	7.8	0.25	7.3	8.3
1986	3	1.3	0.74	0.3	3.7	17	4.9	1.19	2.9	7.8
1987	4	1.7	0.85	0.5	4.3	14	4.1	1.10	2.3	6.9
1988	5	2.2	0.97	0.7	5.0	15	4.5	1.17	2.5	7.5
1989	1	0.4	0.43	0.0	2.3	14	4.2	1.13	2.3	7.1
1990	1	0.4	0.43	0.0	2.3	15	4.6	1.20	2.6	7.6
1991	2	0.8	0.59	0.1	2.9	12	3.8	1.10	2.0	6.6
1992	1	0.4	0.41	0.0	2.2	11	3.5	1.05	1.7	6.2
1993	5	2.0	0.90	0.7	4.7	15	4.7	1.21	2.6	7.7
1994	4	1.6	0.80	0.4	4.0	13	4.0	1.10	2.1	6.8
1995	3	1.1	0.66	0.2	3.3	14	4.2	1.12	2.3	7.0
1996	4	1.6	0.78	0.4	4.0	15	4.4	1.13	2.5	7.2
1997	2	0.8	0.55	0.1	2.8	17	4.9	1.19	2.9	7.8
1998	3	1.1	0.66	0.2	3.3	12	3.4	0.98	1.8	5.9
1999	7	2.7	1.01	1.1	5.5	23	6.5	1.36	4.1	9.7
2000	5	1.9	0.83	0.6	4.3	18	5.0	1.19	3.0	8.0
2001	4	1.5	0.74	0.4	3.8	17	4.8	1.15	2.8	7.6
2002	11	4.0	1.22	2.0	7.2	27	7.5	1.45	5.0	10.9
2003	7	2.6	0.97	1.0	5.3	27	7.5	1.45	5.0	11.0
2004	11	4.1	1.23	2.0	7.3	34	9.5	1.62	6.6	13.2
2005	14	5.3	1.40	2.9	8.8	27	7.5	1.44	4.9	10.9
2006	14	5.3	1.43	2.9	9.0	35	9.7	1.65	6.8	13.5
2007	8	3.0	1.07	1.3	6.0	34	9.3	1.60	6.4	13.0
2008	10	3.8	1.21	1.8	7.0	33	9.1	1.58	6.3	12.8
2009	9	3.5	1.15	1.6	6.6	45	12.4	1.84	9.0	16.5
2010	15	5.8	1.50	3.3	9.6	38	10.6	1.73	7.5	14.6
2011	6	2.3	0.95	0.9	5.1	30	8.4	1.53	5.6	11.9
2012	12	4.7	1.36	2.4	8.2	38	10.8	1.75	7.6	14.8
2013	14	5.5	1.46	3.0	9.2	47	13.4	1.96	9.9	17.9
2014	10	4.0	1.25	1.9	7.3	37	10.7	1.75	7.5	14.7
2015	6	2.4	0.97	0.9	5.2	31	9.0	1.61	6.1	12.8
2016	16	6.4	1.60	3.7	10.4	60	17.5	2.26	13.3	22.5
2017	6	2.4	0.99	0.9	5.3	35	10.2	1.73	7.1	14.2
2018	13	5.3	1.46	2.8	9.0	39	11.5	1.84	8.2	15.7
2019	11	4.5	1.36	2.3	8.1	43	12.7	1.93	9.2	17.1
2020	6	2.5	1.02	0.9	5.5	30	8.9	1.63	6.0	12.8
2021	5	2.1	0.95	0.7	5.0	32	9.7	1.72	6.7	13.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Malignant melanoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	130	1.4	0.12	1.2	1.7	468	3.8	0.17	3.4	4.1
1986	6	2.3	0.96	0.9	5.1	13	3.7	1.03	2.0	6.4
1987	2	0.8	0.57	0.1	2.9	8	2.3	0.82	1.0	4.6
1988	3	1.3	0.75	0.3	3.7	12	3.6	1.04	1.9	6.3
1989	3	1.2	0.67	0.2	3.4	13	3.9	1.07	2.1	6.6
1990	3	1.3	0.75	0.3	3.7	11	3.4	1.04	1.7	6.1
1991	4	1.6	0.81	0.4	4.1	14	4.4	1.17	2.4	7.3
1992	3	1.2	0.71	0.3	3.5	9	2.8	0.94	1.3	5.3
1993	2	0.8	0.54	0.1	2.7	9	2.8	0.93	1.3	5.3
1994	3	1.2	0.66	0.2	3.3	10	3.0	0.96	1.5	5.6
1995	1	0.4	0.39	0.0	2.1	7	2.1	0.80	0.9	4.3
1996	2	0.8	0.55	0.1	2.8	8	2.4	0.83	1.0	4.6
1997	3	1.1	0.65	0.2	3.3	11	3.2	0.95	1.6	5.6
1998	4	1.5	0.75	0.4	3.8	13	3.7	1.02	2.0	6.3
1999	3	1.1	0.63	0.2	3.2	14	3.9	1.05	2.1	6.6
2000	1	0.4	0.37	0.0	2.1	12	3.4	0.97	1.7	5.9
2001	4	1.5	0.74	0.4	3.8	11	3.1	0.93	1.5	5.5
2002	6	2.2	0.90	0.8	4.8	17	4.7	1.15	2.8	7.6
2003	6	2.2	0.90	0.8	4.8	16	4.5	1.12	2.6	7.3
2004	5	1.9	0.83	0.6	4.3	12	3.3	0.96	1.7	5.8
2005	5	1.9	0.85	0.6	4.4	17	4.7	1.15	2.8	7.6
2006	4	1.5	0.76	0.4	3.9	19	5.2	1.20	3.2	8.2
2007	4	1.5	0.75	0.4	3.9	25	6.8	1.36	4.4	10.1
2008	4	1.5	0.76	0.4	3.9	21	5.7	1.25	3.6	8.8
2009	3	1.2	0.67	0.2	3.4	13	3.6	0.99	1.9	6.1
2010	4	1.6	0.78	0.4	4.0	15	4.2	1.08	2.3	6.9
2011	4	1.6	0.78	0.4	4.0	13	3.7	1.01	1.9	6.3
2012	5	2.0	0.88	0.6	4.6	12	3.4	0.99	1.8	6.0
2013	7	2.8	1.04	1.1	5.7	21	6.0	1.31	3.7	9.2
2014	6	2.4	0.98	0.9	5.2	13	3.8	1.05	2.0	6.5
2015	5	2.0	0.89	0.7	4.7	14	4.1	1.09	2.2	6.9
2016	3	1.2	0.71	0.3	3.6	18	5.2	1.24	3.1	8.3
2017	2	0.8	0.58	0.1	3.0	6	1.8	0.73	0.7	3.9
2018	2	0.8	0.59	0.1	3.0	12	3.5	1.02	1.8	6.2
2019	5	2.1	0.92	0.7	4.8	15	4.5	1.15	2.5	7.4
2020	1	0.4	0.41	0.0	2.4	9	2.7	0.89	1.2	5.1
2021	2	0.8	0.59	0.1	3.1	5	1.5	0.68	0.5	3.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2021

Other and unspecified malignant neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2021	53	0.6	0.08	0.4	0.8	73	0.6	0.07	0.5	0.7
1986	1	0.4	0.38	0.0	2.1	1	0.3	0.28	0.0	1.6
1987	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1988	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1989	2	0.7	0.50	0.1	2.7	3	0.8	0.48	0.2	2.5
1990	3	1.1	0.66	0.2	3.4	3	0.9	0.49	0.2	2.5
1991	2	0.8	0.58	0.1	2.9	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.5
1993	5	1.8	0.78	0.6	4.1	5	1.3	0.58	0.4	3.1
1994	0					2	0.6	0.44	0.1	2.2
1995	0					0				
1996	2	0.8	0.54	0.1	2.7	2	0.6	0.40	0.1	2.1
1997	2	0.7	0.51	0.1	2.6	2	0.5	0.38	0.1	2.0
1998	0					0				
1999	3	1.1	0.66	0.2	3.3	4	1.1	0.57	0.3	2.9
2000	0					1	0.3	0.28	0.0	1.6
2001	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2002	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.5
2003	0					1	0.3	0.28	0.0	1.6
2004	0					1	0.3	0.28	0.0	1.6
2005	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2006	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.6
2007	1	0.4	0.40	0.0	2.2	2	0.6	0.40	0.1	2.1
2008	2	0.8	0.54	0.1	2.8	3	0.8	0.48	0.2	2.5
2009	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2010	1	0.4	0.39	0.0	2.2	1	0.3	0.29	0.0	1.6
2011	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2012	1	0.4	0.39	0.0	2.2	3	0.9	0.49	0.2	2.5
2013	3	1.2	0.70	0.3	3.5	3	0.9	0.52	0.2	2.6
2014	1	0.4	0.40	0.0	2.3	1	0.3	0.30	0.0	1.7
2015	1	0.4	0.39	0.0	2.2	2	0.6	0.41	0.1	2.1
2016	2	0.8	0.58	0.1	3.0	4	1.2	0.60	0.3	3.1
2017	2	0.8	0.58	0.1	3.0	3	0.9	0.52	0.2	2.7
2018	1	0.4	0.42	0.0	2.4	1	0.3	0.31	0.0	1.7
2019	4	1.7	0.86	0.5	4.4	5	1.6	0.70	0.5	3.7
2020	0					2	0.6	0.42	0.1	2.2
2021	1	0.5	0.49	0.0	2.6	1	0.4	0.37	0.0	2.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

APPENDIX A
Illinois Populations Used for Rate Calculations
1986 - 2021

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1986 Both Sexes	All Races	White	Black	Asian/Other
00 years	179,676	141,272	33,619	4,785
01-04 years	685,741	539,747	127,126	18,868
05-09 years	840,015	654,792	163,228	21,995
10-14 years	801,106	625,887	153,631	21,588
15-19 years	894,573	708,528	164,820	21,225
20-24 years	970,457	789,299	158,083	23,075
25-29 years	1,029,119	849,144	153,831	26,144
30-34 years	965,832	798,020	139,838	27,974
35-39 years	857,675	717,002	115,594	25,079
40-44 years	669,691	563,036	87,200	19,455
45-49 years	563,123	470,845	77,378	14,900
50-54 years	508,174	430,308	67,379	10,487
55-59 years	534,011	461,509	64,395	8,107
60-64 years	514,443	452,016	55,853	6,574
65-69 years	447,559	397,070	45,347	5,142
70-74 years	358,683	321,299	33,754	3,630
75-79 years	264,995	240,179	22,611	2,205
80-84 years	167,694	153,372	13,180	1,142
85+ years	134,680	124,037	9,933	710
Total	11,387,247	9,437,362	1,686,800	263,085
1986 Males	All Races	White	Black	Asian/Other
00 years	91,652	72,253	16,960	2,439
01-04 years	350,680	276,795	64,257	9,628
05-09 years	430,022	336,492	82,234	11,296
10-14 years	409,806	321,055	77,696	11,055
15-19 years	460,191	366,032	83,033	11,126
20-24 years	488,879	401,885	74,977	12,017
25-29 years	514,242	430,908	70,890	12,444
30-34 years	478,642	402,311	62,635	13,696
35-39 years	421,737	358,559	51,342	11,836
40-44 years	327,713	279,665	38,471	9,577
45-49 years	274,431	232,401	34,403	7,627
50-54 years	246,234	211,007	30,024	5,203
55-59 years	255,211	222,740	28,764	3,707
60-64 years	239,267	211,702	24,582	2,983
65-69 years	197,789	176,318	19,304	2,167
70-74 years	147,709	132,678	13,468	1,563
75-79 years	99,020	89,518	8,571	931
80-84 years	55,243	50,177	4,603	463
85+ years	36,582	33,140	3,159	283
Total	5,525,050	4,605,636	789,373	130,041
1986 Females	All Races	White	Black	Asian/Other
00 years	88,024	69,019	16,659	2,346
01-04 years	335,061	262,952	62,869	9,240
05-09 years	409,993	318,300	80,994	10,699
10-14 years	391,300	304,832	75,935	10,533
15-19 years	434,382	342,496	81,787	10,099
20-24 years	481,578	387,414	83,106	11,058
25-29 years	514,877	418,236	82,941	13,700
30-34 years	487,190	395,709	77,203	14,278
35-39 years	435,938	358,443	64,252	13,243
40-44 years	341,978	283,371	48,729	9,878
45-49 years	288,692	238,444	42,975	7,273
50-54 years	261,940	219,301	37,355	5,284
55-59 years	278,800	238,769	35,631	4,400
60-64 years	275,176	240,314	31,271	3,591
65-69 years	249,770	220,752	26,043	2,975
70-74 years	210,974	188,621	20,286	2,067
75-79 years	165,975	150,661	14,040	1,274
80-84 years	112,451	103,195	8,577	679
85+ years	98,098	90,897	6,774	427
Total	5,862,197	4,831,726	897,427	133,044

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1987 Both Sexes	All Races	White	Black	Asian/Other
00 years	177,252	138,782	33,611	4,859
01-04 years	679,949	535,136	125,619	19,194
05-09 years	846,978	661,147	162,701	23,130
10-14 years	788,073	614,772	151,239	22,062
15-19 years	882,134	694,811	164,317	23,006
20-24 years	936,012	758,666	153,291	24,055
25-29 years	1,020,499	840,957	152,521	27,021
30-34 years	983,627	811,447	143,456	28,724
35-39 years	854,581	709,570	118,875	26,136
40-44 years	715,780	604,030	90,593	21,157
45-49 years	579,345	484,012	79,120	16,213
50-54 years	507,829	428,666	67,750	11,413
55-59 years	519,166	446,758	63,884	8,524
60-64 years	507,596	443,952	56,675	6,969
65-69 years	450,268	398,665	46,075	5,528
70-74 years	362,207	324,315	34,059	3,833
75-79 years	269,578	244,170	23,064	2,344
80-84 years	172,168	157,287	13,648	1,233
85+ years	138,133	127,069	10,310	754
Total	11,391,175	9,424,212	1,690,808	276,155
1987 Males	All Races	White	Black	Asian/Other
00 years	90,385	70,977	16,926	2,482
01-04 years	347,774	274,460	63,518	9,796
05-09 years	433,565	339,705	81,985	11,875
10-14 years	403,272	315,405	76,586	11,281
15-19 years	454,524	359,535	82,965	12,024
20-24 years	471,993	386,535	72,903	12,555
25-29 years	509,933	426,355	70,546	13,032
30-34 years	487,774	409,199	64,461	14,114
35-39 years	420,791	355,565	52,882	12,344
40-44 years	350,430	300,167	39,955	10,308
45-49 years	282,372	238,968	35,181	8,223
50-54 years	246,196	210,323	30,137	5,736
55-59 years	248,354	216,029	28,392	3,933
60-64 years	236,162	208,147	24,872	3,143
65-69 years	199,842	177,866	19,632	2,344
70-74 years	149,274	134,050	13,583	1,641
75-79 years	101,272	91,584	8,713	975
80-84 years	56,807	51,583	4,715	509
85+ years	37,404	33,862	3,241	301
Total	5,528,124	4,600,315	791,193	136,616
1987 Females	All Races	White	Black	Asian/Other
00 years	86,867	67,805	16,685	2,377
01-04 years	332,175	260,676	62,101	9,398
05-09 years	413,413	321,442	80,716	11,255
10-14 years	384,801	299,367	74,653	10,781
15-19 years	427,610	335,276	81,352	10,982
20-24 years	464,019	372,131	80,388	11,500
25-29 years	510,566	414,602	81,975	13,989
30-34 years	495,853	402,248	78,995	14,610
35-39 years	433,790	354,005	65,993	13,792
40-44 years	365,350	303,863	50,638	10,849
45-49 years	296,973	245,044	43,939	7,990
50-54 years	261,633	218,343	37,613	5,677
55-59 years	270,812	230,729	35,492	4,591
60-64 years	271,434	235,805	31,803	3,826
65-69 years	250,426	220,799	26,443	3,184
70-74 years	212,933	190,265	20,476	2,192
75-79 years	168,306	152,586	14,351	1,369
80-84 years	115,361	105,704	8,933	724
85+ years	100,729	93,207	7,069	453
Total	5,863,051	4,823,897	899,615	139,539

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1988 Both Sexes	All Races	White	Black	Asian/Other
00 years	177,317	138,312	33,939	5,066
01-04 years	675,117	530,725	124,964	19,428
05-09 years	845,772	661,385	160,250	24,137
10-14 years	782,814	610,766	149,335	22,713
15-19 years	863,630	676,133	162,854	24,643
20-24 years	903,266	729,750	148,411	25,105
25-29 years	1,010,154	830,759	151,419	27,976
30-34 years	997,737	822,319	146,041	29,377
35-39 years	867,996	718,386	122,322	27,288
40-44 years	734,259	617,242	94,054	22,963
45-49 years	605,845	507,719	80,517	17,609
50-54 years	516,184	434,676	69,048	12,460
55-59 years	502,006	429,781	63,248	8,977
60-64 years	503,969	439,391	57,245	7,333
65-69 years	449,701	396,690	47,031	5,980
70-74 years	364,391	326,276	34,111	4,004
75-79 years	274,351	248,443	23,429	2,479
80-84 years	175,511	160,161	14,034	1,316
85+ years	140,202	128,794	10,609	799
Total	11,390,222	9,407,708	1,692,861	289,653
1988 Males	All Races	White	Black	Asian/Other
00 years	90,386	70,713	17,089	2,584
01-04 years	345,288	272,195	63,161	9,932
05-09 years	433,108	339,894	80,816	12,398
10-14 years	400,627	313,342	75,700	11,585
15-19 years	445,886	350,543	82,470	12,873
20-24 years	456,704	372,708	70,842	13,154
25-29 years	504,868	420,899	70,293	13,676
30-34 years	495,061	414,825	65,770	14,466
35-39 years	427,865	360,420	54,542	12,903
40-44 years	359,675	307,035	41,557	11,083
45-49 years	295,278	250,662	35,769	8,847
50-54 years	250,273	213,335	30,600	6,338
55-59 years	240,191	208,007	28,009	4,175
60-64 years	234,936	206,600	25,053	3,283
65-69 years	199,788	177,233	20,006	2,549
70-74 years	150,827	135,482	13,638	1,707
75-79 years	103,515	93,697	8,799	1,019
80-84 years	57,836	52,508	4,779	549
85+ years	37,616	34,009	3,285	322
Total	5,529,728	4,594,107	792,178	143,443
1988 Females	All Races	White	Black	Asian/Other
00 years	86,931	67,599	16,850	2,482
01-04 years	329,829	258,530	61,803	9,496
05-09 years	412,664	321,491	79,434	11,739
10-14 years	382,187	297,424	73,635	11,128
15-19 years	417,744	325,590	80,384	11,770
20-24 years	446,562	357,042	77,569	11,951
25-29 years	505,286	409,860	81,126	14,300
30-34 years	502,676	407,494	80,271	14,911
35-39 years	440,131	357,966	67,780	14,385
40-44 years	374,584	310,207	52,497	11,880
45-49 years	310,567	257,057	44,748	8,762
50-54 years	265,911	221,341	38,448	6,122
55-59 years	261,815	221,774	35,239	4,802
60-64 years	269,033	232,791	32,192	4,050
65-69 years	249,913	219,457	27,025	3,431
70-74 years	213,564	190,794	20,473	2,297
75-79 years	170,836	154,746	14,630	1,460
80-84 years	117,675	107,653	9,255	767
85+ years	102,586	94,785	7,324	477
Total	5,860,494	4,813,601	900,683	146,210

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1989 Both Sexes	All Races	White	Black	Asian/Other
00 years	180,243	139,525	35,385	5,333
01-04 years	678,493	531,856	126,584	20,053
05-09 years	842,916	660,663	157,222	25,031
10-14 years	788,092	613,783	150,551	23,758
15-19 years	839,552	652,980	160,359	26,213
20-24 years	877,382	706,631	144,247	26,504
25-29 years	997,960	819,229	149,695	29,036
30-34 years	1,004,533	826,767	147,701	30,065
35-39 years	886,089	731,786	125,866	28,437
40-44 years	764,302	639,943	99,303	25,056
45-49 years	621,247	520,801	81,452	18,994
50-54 years	525,121	441,112	70,467	13,542
55-59 years	488,463	416,273	62,748	9,442
60-64 years	496,244	430,805	57,735	7,704
65-69 years	451,934	397,434	48,071	6,429
70-74 years	365,166	326,726	34,257	4,183
75-79 years	279,783	253,353	23,792	2,638
80-84 years	179,146	163,303	14,441	1,402
85+ years	143,135	131,404	10,884	847
Total	11,409,801	9,404,374	1,700,760	304,667
1989 Males	All Races	White	Black	Asian/Other
00 years	91,832	71,317	17,794	2,721
01-04 years	347,020	272,800	63,974	10,246
05-09 years	431,777	339,567	79,356	12,854
10-14 years	403,223	314,771	76,346	12,106
15-19 years	434,398	339,305	81,420	13,673
20-24 years	444,620	361,576	69,143	13,901
25-29 years	498,982	414,831	69,757	14,394
30-34 years	498,549	417,096	66,619	14,834
35-39 years	437,441	367,709	56,271	13,461
40-44 years	374,767	318,822	43,933	12,012
45-49 years	302,649	257,037	36,157	9,455
50-54 years	254,523	216,500	31,095	6,928
55-59 years	233,815	201,656	27,701	4,458
60-64 years	231,948	203,311	25,206	3,431
65-69 years	200,950	177,763	20,444	2,743
70-74 years	151,629	136,123	13,722	1,784
75-79 years	105,911	95,964	8,874	1,073
80-84 years	59,308	53,838	4,877	593
85+ years	38,197	34,536	3,317	344
Total	5,541,539	4,594,522	796,006	151,011
1989 Females	All Races	White	Black	Asian/Other
00 years	88,411	68,208	17,591	2,612
01-04 years	331,473	259,056	62,610	9,807
05-09 years	411,139	321,096	77,866	12,177
10-14 years	384,869	299,012	74,205	11,652
15-19 years	405,154	313,675	78,939	12,540
20-24 years	432,762	345,055	75,104	12,603
25-29 years	498,978	404,398	79,938	14,642
30-34 years	505,984	409,671	81,082	15,231
35-39 years	448,648	364,077	69,595	14,976
40-44 years	389,535	321,121	55,370	13,044
45-49 years	318,598	263,764	45,295	9,539
50-54 years	270,598	224,612	39,372	6,614
55-59 years	254,648	214,617	35,047	4,984
60-64 years	264,296	227,494	32,529	4,273
65-69 years	250,984	219,671	27,627	3,686
70-74 years	213,537	190,603	20,535	2,399
75-79 years	173,872	157,389	14,918	1,565
80-84 years	119,838	109,465	9,564	809
85+ years	104,938	96,868	7,567	503
Total	5,868,262	4,809,852	904,754	153,656

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1990 Both Sexes	All Races	White	Black	Asian/Other
00 years	184,854	143,704	35,567	5,583
01-04 years	677,463	528,227	128,927	20,309
05-09 years	825,298	647,828	152,454	25,016
10-14 years	789,976	613,327	152,009	24,640
15-19 years	815,587	629,540	158,885	27,162
20-24 years	867,197	697,611	141,256	28,330
25-29 years	985,945	807,516	148,336	30,093
30-34 years	1,015,289	834,970	149,294	31,025
35-39 years	910,904	750,932	130,175	29,797
40-44 years	803,653	669,867	106,272	27,514
45-49 years	636,041	533,000	82,477	20,564
50-54 years	532,198	445,608	71,907	14,683
55-59 years	483,955	411,049	62,904	10,002
60-64 years	490,499	424,124	58,253	8,122
65-69 years	453,212	397,613	48,824	6,775
70-74 years	366,919	328,035	34,492	4,392
75-79 years	285,100	258,313	24,064	2,723
80-84 years	182,890	166,637	14,794	1,459
85+ years	146,336	134,379	11,108	849
Total	11,453,316	9,422,280	1,711,998	319,038
1990 Males	All Races	White	Black	Asian/Other
00 years	94,230	73,486	17,895	2,849
01-04 years	346,537	270,974	65,150	10,413
05-09 years	422,865	333,034	76,987	12,844
10-14 years	404,043	314,423	77,106	12,514
15-19 years	422,426	327,555	80,739	14,132
20-24 years	440,742	357,813	68,026	14,903
25-29 years	492,990	408,710	69,266	15,014
30-34 years	504,019	421,281	67,386	15,352
35-39 years	450,185	377,737	58,308	14,140
40-44 years	394,313	334,102	47,090	13,121
45-49 years	309,805	263,102	36,562	10,141
50-54 years	257,853	218,652	31,680	7,521
55-59 years	231,602	199,162	27,650	4,790
60-64 years	230,057	201,067	25,383	3,607
65-69 years	201,641	177,975	20,793	2,873
70-74 years	152,849	137,185	13,800	1,864
75-79 years	108,375	98,334	8,944	1,097
80-84 years	60,751	55,203	4,931	617
85+ years	38,716	35,069	3,307	340
Total	5,563,999	4,604,864	801,003	158,132
1990 Females	All Races	White	Black	Asian/Other
00 years	90,624	70,218	17,672	2,734
01-04 years	330,926	257,253	63,777	9,896
05-09 years	402,433	314,794	75,467	12,172
10-14 years	385,933	298,904	74,903	12,126
15-19 years	393,161	301,985	78,146	13,030
20-24 years	426,455	339,798	73,230	13,427
25-29 years	492,955	398,806	79,070	15,079
30-34 years	511,270	413,689	81,908	15,673
35-39 years	460,719	373,195	71,867	15,657
40-44 years	409,340	335,765	59,182	14,393
45-49 years	326,236	269,898	45,915	10,423
50-54 years	274,345	226,956	40,227	7,162
55-59 years	252,353	211,887	35,254	5,212
60-64 years	260,442	223,057	32,870	4,515
65-69 years	251,571	219,638	28,031	3,902
70-74 years	214,070	190,850	20,692	2,528
75-79 years	176,725	159,979	15,120	1,626
80-84 years	122,139	111,434	9,863	842
85+ years	107,620	99,310	7,801	509
Total	5,889,317	4,817,416	910,995	160,906

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1991 Both Sexes	All Races	White	Black	Asian/Other
00 years	187,020	142,679	38,845	5,496
01-04 years	694,334	539,089	134,094	21,151
05-09 years	829,971	651,342	153,363	25,266
10-14 years	815,525	632,313	157,008	26,204
15-19 years	793,443	612,668	153,643	27,132
20-24 years	865,618	691,151	142,903	31,564
25-29 years	968,258	790,668	145,795	31,795
30-34 years	1,032,815	849,638	150,965	32,212
35-39 years	933,113	768,041	133,940	31,132
40-44 years	845,461	702,851	113,904	28,706
45-49 years	642,865	537,725	83,238	21,902
50-54 years	542,708	453,622	72,955	16,131
55-59 years	479,641	405,517	63,295	10,829
60-64 years	486,214	418,881	58,676	8,657
65-69 years	449,805	392,847	49,774	7,184
70-74 years	372,218	331,513	35,847	4,858
75-79 years	291,446	263,970	24,519	2,957
80-84 years	187,333	170,598	15,127	1,608
85+ years	151,176	138,576	11,647	953
Total	11,568,964	9,493,689	1,739,538	335,737
1991 Males	All Races	White	Black	Asian/Other
00 years	95,297	72,918	19,588	2,791
01-04 years	355,113	276,449	67,823	10,841
05-09 years	425,253	334,795	77,502	12,956
10-14 years	417,158	324,390	79,466	13,302
15-19 years	411,022	318,743	78,157	14,122
20-24 years	439,626	355,001	68,571	16,054
25-29 years	484,664	400,952	67,925	15,787
30-34 years	513,901	429,304	68,489	16,108
35-39 years	461,673	386,813	59,949	14,911
40-44 years	415,201	351,141	50,490	13,570
45-49 years	313,330	265,839	36,756	10,735
50-54 years	263,173	222,886	32,126	8,161
55-59 years	229,814	196,816	27,744	5,254
60-64 years	228,523	199,018	25,623	3,882
65-69 years	200,631	176,321	21,225	3,085
70-74 years	156,129	139,577	14,493	2,059
75-79 years	111,728	101,417	9,104	1,207
80-84 years	62,381	56,708	5,016	657
85+ years	39,716	35,919	3,418	379
Total	5,624,333	4,645,007	813,465	165,861
1991 Females	All Races	White	Black	Asian/Other
00 years	91,723	69,761	19,257	2,705
01-04 years	339,221	262,640	66,271	10,310
05-09 years	404,718	316,547	75,861	12,310
10-14 years	398,367	307,923	77,542	12,902
15-19 years	382,421	293,925	75,486	13,010
20-24 years	425,992	336,150	74,332	15,510
25-29 years	483,594	389,716	77,870	16,008
30-34 years	518,914	420,334	82,476	16,104
35-39 years	471,440	381,228	73,991	16,221
40-44 years	430,260	351,710	63,414	15,136
45-49 years	329,535	271,886	46,482	11,167
50-54 years	279,535	230,736	40,829	7,970
55-59 years	249,827	208,701	35,551	5,575
60-64 years	257,691	219,863	33,053	4,775
65-69 years	249,174	216,526	28,549	4,099
70-74 years	216,089	191,936	21,354	2,799
75-79 years	179,718	162,553	15,415	1,750
80-84 years	124,952	113,890	10,111	951
85+ years	111,460	102,657	8,229	574
Total	5,944,631	4,848,682	926,073	169,876

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1992 Both Sexes	All Races	White	Black	Asian/Other
00 years	187,167	141,601	39,249	6,317
01-04 years	712,317	548,459	141,943	21,915
05-09 years	829,299	649,833	153,933	25,533
10-14 years	832,910	645,739	159,763	27,408
15-19 years	790,067	611,175	151,340	27,552
20-24 years	862,353	682,304	145,996	34,053
25-29 years	947,988	771,699	143,043	33,246
30-34 years	1,043,131	856,956	152,641	33,534
35-39 years	958,420	786,728	139,009	32,683
40-44 years	846,525	699,300	117,886	29,339
45-49 years	694,355	583,645	86,864	23,846
50-54 years	561,083	467,581	75,835	17,667
55-59 years	482,596	406,263	64,383	11,950
60-64 years	476,695	408,990	58,498	9,207
65-69 years	446,061	387,945	50,564	7,552
70-74 years	380,054	337,297	37,353	5,404
75-79 years	295,593	267,200	25,176	3,217
80-84 years	191,099	174,190	15,202	1,707
85+ years	156,471	143,186	12,231	1,054
Total	11,694,184	9,570,091	1,770,909	353,184
1992 Males	All Races	White	Black	Asian/Other
00 years	95,291	72,378	19,670	3,243
01-04 years	364,267	281,260	71,749	11,258
05-09 years	424,876	333,895	77,873	13,108
10-14 years	426,078	331,338	80,852	13,888
15-19 years	409,299	317,944	77,036	14,319
20-24 years	438,548	350,937	70,351	17,260
25-29 years	475,131	392,493	66,640	15,998
30-34 years	519,971	433,535	69,562	16,874
35-39 years	474,815	396,638	62,222	15,955
40-44 years	415,791	349,847	52,193	13,751
45-49 years	339,159	289,056	38,509	11,594
50-54 years	272,261	229,875	33,450	8,936
55-59 years	231,472	197,598	28,086	5,788
60-64 years	224,388	194,634	25,552	4,202
65-69 years	199,285	174,438	21,595	3,252
70-74 years	160,488	142,998	15,196	2,294
75-79 years	113,489	102,900	9,269	1,320
80-84 years	64,359	58,599	5,072	688
85+ years	41,114	37,171	3,526	417
Total	5,690,082	4,687,534	828,403	174,145
1992 Females	All Races	White	Black	Asian/Other
00 years	91,876	69,223	19,579	3,074
01-04 years	348,050	267,199	70,194	10,657
05-09 years	404,423	315,938	76,060	12,425
10-14 years	406,832	314,401	78,911	13,520
15-19 years	380,768	293,231	74,304	13,233
20-24 years	423,805	331,367	75,645	16,793
25-29 years	472,857	379,206	76,403	17,248
30-34 years	523,160	423,421	83,079	16,660
35-39 years	483,605	390,090	76,787	16,728
40-44 years	430,734	349,453	65,693	15,588
45-49 years	355,196	294,589	48,355	12,252
50-54 years	288,822	237,706	42,385	8,731
55-59 years	251,124	208,665	36,297	6,162
60-64 years	252,307	214,356	32,946	5,005
65-69 years	246,776	213,507	28,969	4,300
70-74 years	219,566	194,299	22,157	3,110
75-79 years	182,104	164,300	15,907	1,897
80-84 years	126,740	115,591	10,130	1,019
85+ years	115,357	106,015	8,705	637
Total	6,004,102	4,882,557	942,506	179,039

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1993 Both Sexes	All Races	White	Black	Asian/Other
00 years	184,208	138,435	39,727	6,046
01-04 years	725,948	553,921	148,899	23,128
05-09 years	830,711	648,394	156,351	25,966
10-14 years	847,145	656,451	161,961	28,733
15-19 years	795,697	617,161	150,168	28,368
20-24 years	856,321	672,305	147,832	36,184
25-29 years	927,027	751,344	140,898	34,785
30-34 years	1,047,422	858,447	153,559	35,416
35-39 years	984,076	806,031	144,248	33,797
40-44 years	863,322	711,643	120,870	30,809
45-49 years	715,575	598,680	91,116	25,779
50-54 years	591,143	494,370	77,670	19,103
55-59 years	492,716	413,399	66,086	13,231
60-64 years	465,263	396,782	58,609	9,872
65-69 years	444,437	385,352	51,234	7,851
70-74 years	382,914	338,604	38,334	5,976
75-79 years	298,385	269,310	25,628	3,447
80-84 years	195,935	178,576	15,497	1,862
85+ years	161,334	147,393	12,780	1,161
Total	11,809,579	9,636,598	1,801,467	371,514
1993 Males	All Races	White	Black	Asian/Other
00 years	94,040	70,771	20,112	3,157
01-04 years	371,123	284,045	75,132	11,946
05-09 years	425,550	333,090	79,206	13,254
10-14 years	433,379	336,871	81,926	14,582
15-19 years	412,149	321,025	76,444	14,680
20-24 years	434,868	345,289	71,163	18,416
25-29 years	464,764	382,598	65,899	16,267
30-34 years	522,707	434,868	70,173	17,666
35-39 years	487,940	406,543	64,804	16,593
40-44 years	424,140	356,064	53,532	14,544
45-49 years	349,707	297,109	40,205	12,393
50-54 years	287,156	243,137	34,421	9,598
55-59 years	236,524	201,140	28,916	6,468
60-64 years	219,187	189,155	25,552	4,480
65-69 years	199,303	174,064	21,879	3,360
70-74 years	162,355	144,164	15,651	2,540
75-79 years	115,405	104,500	9,481	1,424
80-84 years	66,105	60,230	5,135	740
85+ years	42,368	38,307	3,611	450
Total	5,748,770	4,722,970	843,242	182,558
1993 Females	All Races	White	Black	Asian/Other
00 years	90,168	67,664	19,615	2,889
01-04 years	354,825	269,876	73,767	11,182
05-09 years	405,161	315,304	77,145	12,712
10-14 years	413,766	319,580	80,035	14,151
15-19 years	383,548	296,136	73,724	13,688
20-24 years	421,453	327,016	76,669	17,768
25-29 years	462,263	368,746	74,999	18,518
30-34 years	524,715	423,579	83,386	17,750
35-39 years	496,136	399,488	79,444	17,204
40-44 years	439,182	355,579	67,338	16,265
45-49 years	365,868	301,571	50,911	13,386
50-54 years	303,987	251,233	43,249	9,505
55-59 years	256,192	212,259	37,170	6,763
60-64 years	246,076	207,627	33,057	5,392
65-69 years	245,134	211,288	29,355	4,491
70-74 years	220,559	194,440	22,683	3,436
75-79 years	182,980	164,810	16,147	2,023
80-84 years	129,830	118,346	10,362	1,122
85+ years	118,966	109,086	9,169	711
Total	6,060,809	4,913,628	958,225	188,956

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1994 Both Sexes	All Races	White	Black	Asian/Other
00 years	182,330	138,089	38,016	6,225
01-04 years	736,628	557,506	154,972	24,150
05-09 years	844,037	655,985	161,341	26,711
10-14 years	855,594	663,826	162,112	29,656
15-19 years	811,431	629,624	152,211	29,596
20-24 years	844,634	658,501	148,569	37,564
25-29 years	906,858	732,968	137,662	36,228
30-34 years	1,045,381	856,005	152,494	36,882
35-39 years	1,001,695	819,085	147,799	34,811
40-44 years	882,538	725,863	124,538	32,137
45-49 years	745,618	621,929	95,955	27,734
50-54 years	607,853	507,855	79,405	20,593
55-59 years	502,517	420,763	67,264	14,490
60-64 years	454,505	385,371	58,527	10,607
65-69 years	439,453	379,448	51,800	8,205
70-74 years	385,481	340,182	38,919	6,380
75-79 years	299,961	269,996	26,216	3,749
80-84 years	201,076	183,273	15,749	2,054
85+ years	164,995	150,512	13,235	1,248
Total	11,912,585	9,696,781	1,826,784	389,020
1994 Males	All Races	White	Black	Asian/Other
00 years	92,993	70,653	19,147	3,193
01-04 years	376,684	285,796	78,488	12,400
05-09 years	432,387	336,881	81,779	13,727
10-14 years	437,683	340,796	81,794	15,093
15-19 years	420,411	327,618	77,538	15,255
20-24 years	429,286	338,556	71,668	19,062
25-29 years	455,390	374,269	64,271	16,850
30-34 years	522,495	434,309	70,071	18,115
35-39 years	497,285	413,566	66,556	17,163
40-44 years	433,997	363,195	55,530	15,272
45-49 years	364,678	309,279	42,150	13,249
50-54 years	295,391	249,953	35,270	10,168
55-59 years	241,297	204,854	29,300	7,143
60-64 years	214,328	183,931	25,523	4,874
65-69 years	197,716	172,101	22,088	3,527
70-74 years	163,877	145,377	15,801	2,699
75-79 years	116,678	105,296	9,828	1,554
80-84 years	68,348	62,271	5,257	820
85+ years	43,486	39,314	3,706	466
Total	5,804,410	4,758,015	855,765	190,630
1994 Females	All Races	White	Black	Asian/Other
00 years	89,337	67,436	18,869	3,032
01-04 years	359,944	271,710	76,484	11,750
05-09 years	411,650	319,104	79,562	12,984
10-14 years	417,911	323,030	80,318	14,563
15-19 years	391,020	302,006	74,673	14,341
20-24 years	415,348	319,945	76,901	18,502
25-29 years	451,468	358,699	73,391	19,378
30-34 years	522,886	421,696	82,423	18,767
35-39 years	504,410	405,519	81,243	17,648
40-44 years	448,541	362,668	69,008	16,865
45-49 years	380,940	312,650	53,805	14,485
50-54 years	312,462	257,902	44,135	10,425
55-59 years	261,220	215,909	37,964	7,347
60-64 years	240,177	201,440	33,004	5,733
65-69 years	241,737	207,347	29,712	4,678
70-74 years	221,604	194,805	23,118	3,681
75-79 years	183,283	164,700	16,388	2,195
80-84 years	132,728	121,002	10,492	1,234
85+ years	121,509	111,198	9,529	782
Total	6,108,175	4,938,766	971,019	198,390

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1995 Both Sexes	All Races	White	Black	Asian/Other
00 years	179,719	137,788	35,577	6,354
01-04 years	740,391	556,114	159,343	24,934
05-09 years	862,351	668,053	166,342	27,956
10-14 years	861,513	669,947	161,482	30,084
15-19 years	833,645	645,407	157,295	30,943
20-24 years	829,585	645,283	146,253	38,049
25-29 years	898,263	721,900	137,571	38,792
30-34 years	1,030,874	842,967	150,190	37,717
35-39 years	1,014,860	829,024	149,671	36,165
40-44 years	901,661	740,633	127,870	33,158
45-49 years	779,647	648,609	101,746	29,292
50-54 years	622,103	519,238	80,850	22,015
55-59 years	505,708	421,248	68,466	15,994
60-64 years	448,526	378,389	58,771	11,366
65-69 years	434,296	373,494	52,270	8,532
70-74 years	388,478	342,455	39,278	6,745
75-79 years	300,976	269,719	27,270	3,987
80-84 years	206,533	188,320	15,975	2,238
85+ years	169,308	154,212	13,707	1,389
Total	12,008,437	9,752,800	1,849,927	405,710
1995 Males	All Races	White	Black	Asian/Other
00 years	91,667	70,470	17,908	3,289
01-04 years	378,575	284,971	80,813	12,791
05-09 years	441,805	343,053	84,383	14,369
10-14 years	440,701	343,913	81,485	15,303
15-19 years	431,984	335,897	80,119	15,968
20-24 years	422,464	332,265	70,694	19,505
25-29 years	451,944	369,718	64,379	17,847
30-34 years	515,917	428,322	69,305	18,290
35-39 years	504,458	418,906	67,626	17,926
40-44 years	443,902	370,886	57,306	15,710
45-49 years	381,771	323,032	44,780	13,959
50-54 years	302,519	255,972	35,778	10,769
55-59 years	242,908	205,019	29,953	7,936
60-64 years	211,527	180,685	25,608	5,234
65-69 years	196,191	170,256	22,239	3,696
70-74 years	165,635	146,871	15,924	2,840
75-79 years	117,697	105,695	10,384	1,618
80-84 years	70,896	64,727	5,279	890
85+ years	44,772	40,441	3,830	501
Total	5,857,333	4,791,099	867,793	198,441
1995 Females	All Races	White	Black	Asian/Other
00 years	88,052	67,318	17,669	3,065
01-04 years	361,816	271,143	78,530	12,143
05-09 years	420,546	325,000	81,959	13,587
10-14 years	420,812	326,034	79,997	14,781
15-19 years	401,661	309,510	77,176	14,975
20-24 years	407,121	313,018	75,559	18,544
25-29 years	446,319	352,182	73,192	20,945
30-34 years	514,957	414,645	80,885	19,427
35-39 years	510,402	410,118	82,045	18,239
40-44 years	457,759	369,747	70,564	17,448
45-49 years	397,876	325,577	56,966	15,333
50-54 years	319,584	263,266	45,072	11,246
55-59 years	262,800	216,229	38,513	8,058
60-64 years	236,999	197,704	33,163	6,132
65-69 years	238,105	203,238	30,031	4,836
70-74 years	222,843	195,584	23,354	3,905
75-79 years	183,279	164,024	16,886	2,369
80-84 years	135,637	123,593	10,696	1,348
85+ years	124,536	113,771	9,877	888
Total	6,151,104	4,961,701	982,134	207,269

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1996 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,637	136,026	32,662	6,949
01-04 years	737,880	554,211	157,495	26,174
05-09 years	885,165	681,423	174,742	29,000
10-14 years	869,233	675,734	162,794	30,705
15-19 years	857,067	663,288	161,038	32,741
20-24 years	810,802	630,767	141,377	38,658
25-29 years	903,332	721,481	139,601	42,250
30-34 years	1,007,551	821,061	147,969	38,521
35-39 years	1,024,270	836,244	150,756	37,270
40-44 years	921,038	755,668	130,920	34,450
45-49 years	821,115	681,213	108,927	30,975
50-54 years	629,013	524,091	81,569	23,353
55-59 years	513,699	427,281	69,071	17,347
60-64 years	443,641	372,469	59,076	12,096
65-69 years	429,349	368,062	52,426	8,861
70-74 years	384,288	337,310	39,988	6,990
75-79 years	304,806	272,244	28,264	4,298
80-84 years	210,713	192,092	16,217	2,404
85+ years	173,398	157,969	13,921	1,508
Total	12,101,997	9,808,634	1,868,813	424,550
1996 Males	All Races	White	Black	Asian/Other
00 years	89,619	69,657	16,411	3,551
01-04 years	377,301	283,995	79,851	13,455
05-09 years	453,418	349,834	88,752	14,832
10-14 years	444,661	346,830	82,178	15,653
15-19 years	444,118	345,563	81,659	16,896
20-24 years	413,506	325,247	68,335	19,924
25-29 years	454,893	370,425	65,229	19,239
30-34 years	504,894	417,909	68,373	18,612
35-39 years	509,617	422,581	68,457	18,579
40-44 years	453,870	378,954	58,522	16,394
45-49 years	402,598	339,925	47,973	14,700
50-54 years	306,016	258,546	36,022	11,448
55-59 years	246,865	208,089	30,204	8,572
60-64 years	209,449	178,091	25,679	5,679
65-69 years	194,189	168,112	22,238	3,839
70-74 years	164,178	145,047	16,176	2,955
75-79 years	120,101	107,531	10,844	1,726
80-84 years	73,127	66,805	5,367	955
85+ years	45,938	41,566	3,847	525
Total	5,908,358	4,824,707	876,117	207,534
1996 Females	All Races	White	Black	Asian/Other
00 years	86,018	66,369	16,251	3,398
01-04 years	360,579	270,216	77,644	12,719
05-09 years	431,747	331,589	85,990	14,168
10-14 years	424,572	328,904	80,616	15,052
15-19 years	412,949	317,725	79,379	15,845
20-24 years	397,296	305,520	73,042	18,734
25-29 years	448,439	351,056	74,372	23,011
30-34 years	502,657	403,152	79,596	19,909
35-39 years	514,653	413,663	82,299	18,691
40-44 years	467,168	376,714	72,398	18,056
45-49 years	418,517	341,288	60,954	16,275
50-54 years	322,997	265,545	45,547	11,905
55-59 years	266,834	219,192	38,867	8,775
60-64 years	234,192	194,378	33,397	6,417
65-69 years	235,160	199,950	30,188	5,022
70-74 years	220,110	192,263	23,812	4,035
75-79 years	184,705	164,713	17,420	2,572
80-84 years	137,586	125,287	10,850	1,449
85+ years	127,460	116,403	10,074	983
Total	6,193,639	4,983,927	992,696	217,016

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1997 Both Sexes	All Races	White	Black	Asian/Other
00 years	174,269	135,324	32,089	6,856
01-04 years	729,498	550,145	152,355	26,998
05-09 years	908,107	694,320	182,755	31,032
10-14 years	873,516	677,670	164,432	31,414
15-19 years	873,507	676,014	163,248	34,245
20-24 years	808,831	630,943	139,051	38,837
25-29 years	902,993	715,831	142,076	45,086
30-34 years	978,564	794,584	144,450	39,530
35-39 years	1,023,563	833,515	151,384	38,664
40-44 years	940,893	769,921	135,203	35,769
45-49 years	821,035	677,430	112,043	31,562
50-54 years	676,901	566,437	85,081	25,383
55-59 years	527,799	438,205	71,098	18,496
60-64 years	444,622	371,663	59,734	13,225
65-69 years	419,481	358,371	51,795	9,315
70-74 years	380,559	332,605	40,698	7,256
75-79 years	310,635	276,680	29,314	4,641
80-84 years	213,552	194,369	16,575	2,608
85+ years	177,390	161,687	14,116	1,587
Total	12,185,715	9,855,714	1,887,497	442,504
1997 Males	All Races	White	Black	Asian/Other
00 years	88,899	69,285	16,115	3,499
01-04 years	373,121	281,966	77,344	13,811
05-09 years	465,065	356,586	92,613	15,866
10-14 years	446,792	347,645	83,076	16,071
15-19 years	452,411	352,133	82,591	17,687
20-24 years	412,553	325,510	67,083	19,960
25-29 years	454,846	367,748	66,422	20,676
30-34 years	490,423	405,082	66,687	18,654
35-39 years	509,366	420,721	69,252	19,393
40-44 years	464,192	386,469	60,528	17,195
45-49 years	402,690	338,475	49,376	14,839
50-54 years	329,884	279,747	37,778	12,359
55-59 years	253,747	213,412	31,158	9,177
60-64 years	210,129	178,041	25,868	6,220
65-69 years	189,892	163,885	21,868	4,139
70-74 years	162,973	143,506	16,400	3,067
75-79 years	123,607	110,427	11,307	1,873
80-84 years	74,307	67,878	5,418	1,011
85+ years	47,569	43,093	3,917	559
Total	5,952,466	4,851,609	884,801	216,056
1997 Females	All Races	White	Black	Asian/Other
00 years	85,370	66,039	15,974	3,357
01-04 years	356,377	268,179	75,011	13,187
05-09 years	443,042	337,734	90,142	15,166
10-14 years	426,724	330,025	81,356	15,343
15-19 years	421,096	323,881	80,657	16,558
20-24 years	396,278	305,433	71,968	18,877
25-29 years	448,147	348,083	75,654	24,410
30-34 years	488,141	389,502	77,763	20,876
35-39 years	514,197	412,794	82,132	19,271
40-44 years	476,701	383,452	74,675	18,574
45-49 years	418,345	338,955	62,667	16,723
50-54 years	347,017	286,690	47,303	13,024
55-59 years	274,052	224,793	39,940	9,319
60-64 years	234,493	193,622	33,866	7,005
65-69 years	229,589	194,486	29,927	5,176
70-74 years	217,586	189,099	24,298	4,189
75-79 years	187,028	166,253	18,007	2,768
80-84 years	139,245	126,491	11,157	1,597
85+ years	129,821	118,594	10,199	1,028
Total	6,233,249	5,004,105	1,002,696	226,448

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1998 Both Sexes	All Races	White	Black	Asian/Other
00 years	172,524	133,407	31,829	7,288
01-04 years	718,162	544,972	145,118	28,072
05-09 years	919,305	698,195	189,000	32,110
10-14 years	878,210	678,601	167,442	32,167
15-19 years	888,287	687,291	165,135	35,861
20-24 years	818,115	640,966	137,279	39,870
25-29 years	903,502	712,593	142,953	47,956
30-34 years	952,093	769,524	141,478	41,091
35-39 years	1,018,829	827,411	151,407	40,011
40-44 years	962,252	786,046	139,642	36,564
45-49 years	837,043	689,475	114,491	33,077
50-54 years	696,444	579,467	89,539	27,438
55-59 years	552,995	460,794	72,422	19,779
60-64 years	452,911	377,634	61,015	14,262
65-69 years	409,749	347,988	51,987	9,774
70-74 years	380,196	331,121	41,552	7,523
75-79 years	312,521	277,459	30,028	5,034
80-84 years	215,803	196,040	17,001	2,762
85+ years	182,906	166,528	14,661	1,717
Total	12,271,847	9,905,512	1,903,979	462,356
1998 Males	All Races	White	Black	Asian/Other
00 years	88,100	68,491	15,979	3,630
01-04 years	367,089	279,311	73,579	14,199
05-09 years	470,953	358,510	95,930	16,513
10-14 years	449,162	347,974	84,771	16,417
15-19 years	459,980	357,864	83,534	18,582
20-24 years	417,756	331,004	66,417	20,335
25-29 years	455,476	366,636	66,809	22,031
30-34 years	477,665	392,969	65,530	19,166
35-39 years	507,279	417,929	69,410	19,940
40-44 years	475,396	394,896	62,859	17,641
45-49 years	410,991	344,858	50,507	15,626
50-54 years	339,450	286,537	39,683	13,230
55-59 years	266,163	224,514	31,867	9,782
60-64 years	214,191	180,913	26,438	6,840
65-69 years	185,260	159,097	21,819	4,344
70-74 years	163,817	143,901	16,733	3,183
75-79 years	125,223	111,511	11,670	2,042
80-84 years	75,955	69,286	5,594	1,075
85+ years	49,585	44,903	4,087	595
Total	5,999,491	4,881,104	893,216	225,171
1998 Females	All Races	White	Black	Asian/Other
00 years	84,424	64,916	15,850	3,658
01-04 years	351,073	265,661	71,539	13,873
05-09 years	448,352	339,685	93,070	15,597
10-14 years	429,048	330,627	82,671	15,750
15-19 years	428,307	329,427	81,601	17,279
20-24 years	400,359	309,962	70,862	19,535
25-29 years	448,026	345,957	76,144	25,925
30-34 years	474,428	376,555	75,948	21,925
35-39 years	511,550	409,482	81,997	20,071
40-44 years	486,856	391,150	76,783	18,923
45-49 years	426,052	344,617	63,984	17,451
50-54 years	356,994	292,930	49,856	14,208
55-59 years	286,832	236,280	40,555	9,997
60-64 years	238,720	196,721	34,577	7,422
65-69 years	224,489	188,891	30,168	5,430
70-74 years	216,379	187,220	24,819	4,340
75-79 years	187,298	165,948	18,358	2,992
80-84 years	139,848	126,754	11,407	1,687
85+ years	133,321	121,625	10,574	1,122
Total	6,272,356	5,024,408	1,010,763	237,185

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1999 Both Sexes	All Races	White	Black	Asian/Other
00 years	173,288	134,127	31,863	7,298
01-04 years	708,678	539,504	140,005	29,169
05-09 years	929,962	703,954	192,642	33,366
10-14 years	893,453	686,974	173,479	33,000
15-19 years	893,729	691,705	165,124	36,900
20-24 years	833,765	652,675	139,240	41,850
25-29 years	897,285	701,726	143,116	52,443
30-34 years	928,426	746,084	138,566	43,776
35-39 years	1,009,780	818,825	149,972	40,983
40-44 years	977,421	797,160	143,048	37,213
45-49 years	857,556	704,703	118,651	34,202
50-54 years	726,545	602,803	94,330	29,412
55-59 years	567,540	472,587	73,865	21,088
60-64 years	461,748	384,371	62,216	15,161
65-69 years	400,609	338,610	51,741	10,258
70-74 years	377,467	327,533	42,204	7,730
75-79 years	315,497	279,619	30,553	5,325
80-84 years	217,871	197,360	17,535	2,976
85+ years	188,400	171,445	15,110	1,845
Total	12,359,020	9,951,765	1,923,260	483,995
1999 Males	All Races	White	Black	Asian/Other
00 years	88,454	68,706	16,094	3,654
01-04 years	362,225	276,613	71,029	14,583
05-09 years	476,378	361,466	97,991	16,921
10-14 years	456,954	352,152	87,847	16,955
15-19 years	462,476	360,107	83,178	19,191
20-24 years	425,667	337,145	67,256	21,266
25-29 years	452,885	360,468	66,712	25,705
30-34 years	466,410	381,527	64,237	20,646
35-39 years	502,699	413,380	69,063	20,256
40-44 years	483,354	400,703	64,671	17,980
45-49 years	421,594	352,729	52,663	16,202
50-54 years	354,365	298,604	41,651	14,110
55-59 years	273,277	230,392	32,611	10,274
60-64 years	218,350	184,171	26,857	7,322
65-69 years	181,963	155,500	21,797	4,666
70-74 years	163,272	143,034	16,948	3,290
75-79 years	126,587	112,697	11,741	2,149
80-84 years	77,148	70,104	5,880	1,164
85+ years	51,612	46,783	4,203	626
Total	6,045,670	4,906,281	902,429	236,960
1999 Females	All Races	White	Black	Asian/Other
00 years	84,834	65,421	15,769	3,644
01-04 years	346,453	262,891	68,976	14,586
05-09 years	453,584	342,488	94,651	16,445
10-14 years	436,499	334,822	85,632	16,045
15-19 years	431,253	331,598	81,946	17,709
20-24 years	408,098	315,530	71,984	20,584
25-29 years	444,400	341,258	76,404	26,738
30-34 years	462,016	364,557	74,329	23,130
35-39 years	507,081	405,445	80,909	20,727
40-44 years	494,067	396,457	78,377	19,233
45-49 years	435,962	351,974	65,988	18,000
50-54 years	372,180	304,199	52,679	15,302
55-59 years	294,263	242,195	41,254	10,814
60-64 years	243,398	200,200	35,359	7,839
65-69 years	218,646	183,110	29,944	5,592
70-74 years	214,195	184,499	25,256	4,440
75-79 years	188,910	166,922	18,812	3,176
80-84 years	140,723	127,256	11,655	1,812
85+ years	136,788	124,662	10,907	1,219
Total	6,313,350	5,045,484	1,020,831	247,035

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2000 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,439	135,164	32,354	7,921
01-04 years	699,946	533,719	136,105	30,122
05-09 years	924,569	698,589	191,462	34,518
10-14 years	908,672	696,055	178,442	34,175
15-19 years	897,721	695,571	164,253	37,897
20-24 years	855,309	667,560	143,375	44,374
25-29 years	886,378	691,821	140,263	54,294
30-34 years	919,791	733,038	137,469	49,284
35-39 years	992,982	803,424	147,287	42,271
40-44 years	988,790	804,931	145,186	38,673
45-49 years	877,971	720,097	122,297	35,577
50-54 years	760,140	628,268	100,377	31,495
55-59 years	581,134	483,404	75,181	22,549
60-64 years	464,665	385,031	63,277	16,357
65-69 years	396,176	333,444	51,763	10,969
70-74 years	374,113	323,205	42,751	8,157
75-79 years	317,375	280,714	30,920	5,741
80-84 years	220,139	198,536	18,305	3,298
85+ years	192,851	175,264	15,465	2,122
Total	12,434,161	9,987,835	1,936,532	509,794
2000 Males	All Races	White	Black	Asian/Other
00 years	89,554	69,242	16,345	3,967
01-04 years	357,727	273,665	69,166	14,896
05-09 years	473,486	358,575	97,429	17,482
10-14 years	464,675	356,784	90,373	17,518
15-19 years	465,393	362,751	82,818	19,824
20-24 years	436,995	345,243	69,135	22,617
25-29 years	448,493	356,362	65,283	26,848
30-34 years	463,249	374,852	63,763	24,634
35-39 years	494,563	405,930	67,704	20,929
40-44 years	489,472	404,743	65,968	18,761
45-49 years	432,205	360,781	54,624	16,800
50-54 years	370,935	311,464	44,426	15,045
55-59 years	279,918	235,938	33,101	10,879
60-64 years	219,856	184,422	27,442	7,992
65-69 years	180,469	153,690	21,793	4,986
70-74 years	162,737	142,060	17,212	3,465
75-79 years	127,478	113,321	11,813	2,344
80-84 years	78,370	70,896	6,188	1,286
85+ years	53,309	48,335	4,272	702
Total	6,088,884	4,929,054	908,855	250,975
2000 Females	All Races	White	Black	Asian/Other
00 years	85,885	65,922	16,009	3,954
01-04 years	342,219	260,054	66,939	15,226
05-09 years	451,083	340,014	94,033	17,036
10-14 years	443,997	339,271	88,069	16,657
15-19 years	432,328	332,820	81,435	18,073
20-24 years	418,314	322,317	74,240	21,757
25-29 years	437,885	335,459	74,980	27,446
30-34 years	456,542	358,186	73,706	24,650
35-39 years	498,419	397,494	79,583	21,342
40-44 years	499,318	400,188	79,218	19,912
45-49 years	445,766	359,316	67,673	18,777
50-54 years	389,205	316,804	55,951	16,450
55-59 years	301,216	247,466	42,080	11,670
60-64 years	244,809	200,609	35,835	8,365
65-69 years	215,707	179,754	29,970	5,983
70-74 years	211,376	181,145	25,539	4,692
75-79 years	189,897	167,393	19,107	3,397
80-84 years	141,769	127,640	12,117	2,012
85+ years	139,542	126,929	11,193	1,420
Total	6,345,277	5,058,781	1,027,677	258,819

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2001 Both Sexes	All Races	White	Black	Asian/Other
00 years	182,014	139,768	33,814	8,432
01-04 years	691,925	529,124	131,552	31,249
05-09 years	911,716	689,382	186,312	36,022
10-14 years	920,321	701,606	183,293	35,422
15-19 years	897,214	695,574	162,800	38,840
20-24 years	870,940	677,857	147,051	46,032
25-29 years	864,728	674,434	134,682	55,612
30-34 years	923,737	732,858	137,898	52,981
35-39 years	969,687	782,162	143,562	43,963
40-44 years	998,028	811,771	146,713	39,544
45-49 years	894,624	732,866	124,473	37,285
50-54 years	798,852	658,879	106,831	33,142
55-59 years	592,146	492,021	76,176	23,949
60-64 years	471,511	390,267	63,464	17,780
65-69 years	394,996	330,204	52,826	11,966
70-74 years	369,777	318,443	42,833	8,501
75-79 years	316,711	278,738	31,911	6,062
80-84 years	224,395	201,960	18,867	3,568
85+ years	195,123	177,585	15,191	2,347
Total	12,488,445	10,015,499	1,940,249	532,697
2001 Males	All Races	White	Black	Asian/Other
00 years	92,914	71,656	16,944	4,314
01-04 years	353,419	271,290	66,695	15,434
05-09 years	466,792	353,621	95,067	18,104
10-14 years	470,908	359,867	92,853	18,188
15-19 years	465,200	362,645	82,222	20,333
20-24 years	443,839	349,698	70,913	23,228
25-29 years	438,094	347,848	62,613	27,633
30-34 years	464,909	374,797	63,764	26,348
35-39 years	483,500	395,822	65,952	21,726
40-44 years	494,116	408,025	66,915	19,176
45-49 years	440,608	367,269	55,768	17,571
50-54 years	389,849	326,855	47,188	15,806
55-59 years	285,724	240,654	33,553	11,517
60-64 years	223,317	187,116	27,491	8,710
65-69 years	180,585	152,787	22,309	5,489
70-74 years	161,164	140,321	17,267	3,576
75-79 years	128,062	113,351	12,222	2,489
80-84 years	80,654	72,844	6,435	1,375
85+ years	54,348	49,454	4,133	761
Total	6,118,002	4,945,920	910,304	261,778
2001 Females	All Races	White	Black	Asian/Other
00 years	89,100	68,112	16,870	4,118
01-04 years	338,506	257,834	64,857	15,815
05-09 years	444,924	335,761	91,245	17,918
10-14 years	449,413	341,739	90,440	17,234
15-19 years	432,014	332,929	80,578	18,507
20-24 years	427,101	328,159	76,138	22,804
25-29 years	426,634	326,586	72,069	27,979
30-34 years	458,828	358,061	74,134	26,633
35-39 years	486,187	386,340	77,610	22,237
40-44 years	503,912	403,746	79,798	20,368
45-49 years	454,016	365,597	68,705	19,714
50-54 years	409,003	332,024	59,643	17,336
55-59 years	306,422	251,367	42,623	12,432
60-64 years	248,194	203,151	35,973	9,070
65-69 years	214,411	177,417	30,517	6,477
70-74 years	208,613	178,122	25,566	4,925
75-79 years	188,649	165,387	19,689	3,573
80-84 years	143,741	129,116	12,432	2,193
85+ years	140,775	128,131	11,058	1,586
Total	6,370,443	5,069,579	1,029,945	270,919

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2002 Both Sexes	All Races	White	Black	Asian/Other
00 years	176,591	135,929	32,285	8,377
01-04 years	696,170	533,230	130,001	32,939
05-09 years	895,265	677,247	180,461	37,557
10-14 years	930,923	706,977	187,495	36,451
15-19 years	895,240	693,020	162,783	39,437
20-24 years	877,701	681,248	148,863	47,590
25-29 years	855,133	667,415	130,814	56,904
30-34 years	923,515	727,731	138,456	57,328
35-39 years	944,575	759,619	139,430	45,526
40-44 years	996,885	809,482	146,794	40,609
45-49 years	914,730	747,879	128,338	38,513
50-54 years	798,777	656,037	108,853	33,887
55-59 years	633,979	527,900	79,829	26,250
60-64 years	487,129	403,571	64,414	19,144
65-69 years	395,915	329,367	53,689	12,859
70-74 years	362,437	311,122	42,405	8,910
75-79 years	315,212	276,349	32,617	6,246
80-84 years	228,489	205,034	19,558	3,897
85+ years	196,890	179,177	15,158	2,555
Total	12,525,556	10,028,334	1,942,243	554,979
2002 Males	All Races	White	Black	Asian/Other
00 years	90,111	69,256	16,508	4,347
01-04 years	355,630	273,540	65,738	16,352
05-09 years	458,034	347,237	92,159	18,638
10-14 years	476,398	362,564	95,097	18,737
15-19 years	463,262	360,294	82,303	20,665
20-24 years	447,211	351,282	71,912	24,017
25-29 years	432,783	343,693	60,943	28,147
30-34 years	465,021	373,019	63,688	28,314
35-39 years	471,247	384,756	64,026	22,465
40-44 years	493,648	406,813	67,013	19,822
45-49 years	450,261	374,460	57,608	18,193
50-54 years	390,501	326,356	48,134	16,011
55-59 years	306,029	258,246	35,225	12,558
60-64 years	230,644	193,426	27,910	9,308
65-69 years	182,095	153,440	22,658	5,997
70-74 years	158,320	137,392	17,134	3,794
75-79 years	128,269	113,206	12,509	2,554
80-84 years	82,888	74,633	6,729	1,526
85+ years	55,307	50,343	4,123	841
Total	6,137,659	4,953,956	911,417	272,286
2002 Females	All Races	White	Black	Asian/Other
00 years	86,480	66,673	15,777	4,030
01-04 years	340,540	259,690	64,263	16,587
05-09 years	437,231	330,010	88,302	18,919
10-14 years	454,525	344,413	92,398	17,714
15-19 years	431,978	332,726	80,480	18,772
20-24 years	430,490	329,966	76,951	23,573
25-29 years	422,350	323,722	69,871	28,757
30-34 years	458,494	354,712	74,768	29,014
35-39 years	473,328	374,863	75,404	23,061
40-44 years	503,237	402,669	79,781	20,787
45-49 years	464,469	373,419	70,730	20,320
50-54 years	408,276	329,681	60,719	17,876
55-59 years	327,950	269,654	44,604	13,692
60-64 years	256,485	210,145	36,504	9,836
65-69 years	213,820	175,927	31,031	6,862
70-74 years	204,117	173,730	25,271	5,116
75-79 years	186,943	163,143	20,108	3,692
80-84 years	145,601	130,401	12,829	2,371
85+ years	141,583	128,834	11,035	1,714
Total	6,387,897	5,074,378	1,030,826	282,693

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2003 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,067	135,034	31,058	8,975
01-04 years	696,763	534,659	127,731	34,373
05-09 years	878,647	666,289	173,483	38,875
10-14 years	934,873	706,646	190,737	37,490
15-19 years	895,952	691,039	164,755	40,158
20-24 years	885,309	686,442	149,675	49,192
25-29 years	851,314	665,779	128,340	57,195
30-34 years	913,055	715,550	137,170	60,335
35-39 years	921,738	738,187	135,798	47,753
40-44 years	989,314	801,882	145,641	41,791
45-49 years	932,188	760,534	131,824	39,830
50-54 years	811,359	665,374	111,042	34,943
55-59 years	655,253	543,591	83,428	28,234
60-64 years	509,631	423,500	65,743	20,388
65-69 years	403,600	335,044	54,682	13,874
70-74 years	355,695	303,372	42,888	9,435
75-79 years	314,438	274,963	32,826	6,649
80-84 years	231,567	207,279	20,178	4,110
85+ years	200,243	182,145	15,341	2,757
Total	12,556,006	10,037,309	1,942,340	576,357
2003 Males	All Races	White	Black	Asian/Other
00 years	89,850	69,567	15,633	4,650
01-04 years	355,505	273,624	64,739	17,142
05-09 years	449,053	341,643	88,188	19,222
10-14 years	478,322	362,351	96,799	19,172
15-19 years	463,364	358,903	83,406	21,055
20-24 years	450,472	353,123	72,435	24,914
25-29 years	430,703	342,658	59,963	28,082
30-34 years	459,817	366,949	63,135	29,733
35-39 years	459,961	374,154	62,215	23,592
40-44 years	489,999	403,245	66,410	20,344
45-49 years	458,797	380,429	59,499	18,869
50-54 years	396,751	331,113	49,142	16,496
55-59 years	316,817	266,718	36,787	13,312
60-64 years	241,245	202,941	28,419	9,885
65-69 years	186,314	156,680	23,089	6,545
70-74 years	155,480	134,079	17,369	4,032
75-79 years	128,800	113,594	12,451	2,755
80-84 years	84,771	76,137	7,063	1,571
85+ years	57,126	51,992	4,180	954
Total	6,153,147	4,959,900	910,922	282,325
2003 Females	All Races	White	Black	Asian/Other
00 years	85,217	65,467	15,425	4,325
01-04 years	341,258	261,035	62,992	17,231
05-09 years	429,594	324,646	85,295	19,653
10-14 years	456,551	344,295	93,938	18,318
15-19 years	432,588	332,136	81,349	19,103
20-24 years	434,837	333,319	77,240	24,278
25-29 years	420,611	323,121	68,377	29,113
30-34 years	453,238	348,601	74,035	30,602
35-39 years	461,777	364,033	73,583	24,161
40-44 years	499,315	398,637	79,231	21,447
45-49 years	473,391	380,105	72,325	20,961
50-54 years	414,608	334,261	61,900	18,447
55-59 years	338,436	276,873	46,641	14,922
60-64 years	268,386	220,559	37,324	10,503
65-69 years	217,286	178,364	31,593	7,329
70-74 years	200,215	169,293	25,519	5,403
75-79 years	185,638	161,369	20,375	3,894
80-84 years	146,796	131,142	13,115	2,539
85+ years	143,117	130,153	11,161	1,803
Total	6,402,859	5,077,409	1,031,418	294,032

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2004 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,433	135,407	31,034	8,992
01-04 years	696,198	534,707	125,405	36,086
05-09 years	862,340	655,867	166,227	40,246
10-14 years	932,571	702,514	191,598	38,459
15-19 years	905,172	694,617	169,203	41,352
20-24 years	893,225	692,923	149,887	50,415
25-29 years	855,707	668,244	129,000	58,463
30-34 years	895,938	699,034	134,999	61,905
35-39 years	901,438	719,081	132,142	50,215
40-44 years	980,971	793,549	143,952	43,470
45-49 years	944,741	769,622	134,714	40,405
50-54 years	827,820	677,801	113,904	36,115
55-59 years	683,028	565,307	87,543	30,178
60-64 years	523,872	435,057	67,013	21,802
65-69 years	412,331	342,020	55,201	15,110
70-74 years	349,297	296,285	43,064	9,948
75-79 years	310,471	270,401	33,136	6,934
80-84 years	235,573	210,408	20,820	4,345
85+ years	203,647	184,989	15,631	3,027
Total	12,589,773	10,047,833	1,944,473	597,467
2004 Males	All Races	White	Black	Asian/Other
00 years	89,786	69,300	15,834	4,652
01-04 years	355,473	273,990	63,384	18,099
05-09 years	441,115	336,583	84,673	19,859
10-14 years	476,921	360,245	97,185	19,491
15-19 years	468,246	360,697	85,752	21,797
20-24 years	457,173	357,998	73,230	25,945
25-29 years	432,643	343,665	60,449	28,529
30-34 years	450,964	358,566	61,884	30,514
35-39 years	450,439	364,956	60,738	24,745
40-44 years	486,070	399,090	65,924	21,056
45-49 years	465,474	385,191	60,949	19,334
50-54 years	405,133	337,662	50,618	16,853
55-59 years	330,198	277,505	38,502	14,191
60-64 years	248,476	208,894	29,061	10,521
65-69 years	190,601	160,079	23,301	7,221
70-74 years	152,876	131,221	17,372	4,283
75-79 years	128,269	112,805	12,588	2,876
80-84 years	86,963	77,945	7,347	1,671
85+ years	58,744	53,440	4,254	1,050
Total	6,175,564	4,969,832	913,045	292,687
2004 Females	All Races	White	Black	Asian/Other
00 years	85,647	66,107	15,200	4,340
01-04 years	340,725	260,717	62,021	17,987
05-09 years	421,225	319,284	81,554	20,387
10-14 years	455,650	342,269	94,413	18,968
15-19 years	436,926	333,920	83,451	19,555
20-24 years	436,052	334,925	76,657	24,470
25-29 years	423,064	324,579	68,551	29,934
30-34 years	444,974	340,468	73,115	31,391
35-39 years	450,999	354,125	71,404	25,470
40-44 years	494,901	394,459	78,028	22,414
45-49 years	479,267	384,431	73,765	21,071
50-54 years	422,687	340,139	63,286	19,262
55-59 years	352,830	287,802	49,041	15,987
60-64 years	275,396	226,163	37,952	11,281
65-69 years	221,730	181,941	31,900	7,889
70-74 years	196,421	165,064	25,692	5,665
75-79 years	182,202	157,596	20,548	4,058
80-84 years	148,610	132,463	13,473	2,674
85+ years	144,903	131,549	11,377	1,977
Total	6,414,209	5,078,001	1,031,428	304,780

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2005 Both Sexes	All Races	White	Black	Asian/Other
00 years	170,542	130,970	30,179	9,393
01-04 years	695,164	533,585	124,171	37,408
05-09 years	849,518	647,948	159,713	41,857
10-14 years	923,414	694,468	189,410	39,536
15-19 years	914,275	697,628	174,137	42,510
20-24 years	887,761	689,488	147,215	51,058
25-29 years	866,083	673,867	132,562	59,654
30-34 years	872,576	678,729	130,952	62,895
35-39 years	894,288	709,913	130,624	53,751
40-44 years	962,577	777,279	140,530	44,768
45-49 years	956,112	777,548	137,430	41,134
50-54 years	846,124	692,668	116,312	37,144
55-59 years	720,161	593,867	93,765	32,529
60-64 years	533,991	443,647	67,515	22,829
65-69 years	416,992	344,826	55,790	16,376
70-74 years	345,362	291,275	43,500	10,587
75-79 years	309,059	268,191	33,505	7,363
80-84 years	237,858	211,971	21,261	4,626
85+ years	208,046	188,509	16,282	3,255
Total	12,609,903	10,046,377	1,944,853	618,673
2005 Males	All Races	White	Black	Asian/Other
00 years	87,581	67,298	15,513	4,770
01-04 years	355,118	273,535	62,761	18,822
05-09 years	433,859	332,117	81,113	20,629
10-14 years	473,075	356,574	96,418	20,083
15-19 years	471,806	361,204	88,259	22,343
20-24 years	453,595	355,312	72,032	26,251
25-29 years	437,507	346,001	62,573	28,933
30-34 years	438,795	347,660	60,011	31,124
35-39 years	447,535	361,310	59,894	26,331
40-44 years	476,681	390,636	64,373	21,672
45-49 years	471,149	389,013	62,425	19,711
50-54 years	414,128	344,982	51,865	17,281
55-59 years	348,751	292,358	41,138	15,255
60-64 years	253,941	213,735	29,278	10,928
65-69 years	192,586	161,292	23,500	7,794
70-74 years	152,160	129,839	17,650	4,671
75-79 years	128,452	112,637	12,741	3,074
80-84 years	88,696	79,384	7,552	1,760
85+ years	60,657	55,081	4,444	1,132
Total	6,186,072	4,969,968	913,540	302,564
2005 Females	All Races	White	Black	Asian/Other
00 years	82,961	63,672	14,666	4,623
01-04 years	340,046	260,050	61,410	18,586
05-09 years	415,659	315,831	78,600	21,228
10-14 years	450,339	337,894	92,992	19,453
15-19 years	442,469	336,424	85,878	20,167
20-24 years	434,166	334,176	75,183	24,807
25-29 years	428,576	327,866	69,989	30,721
30-34 years	433,781	331,069	70,941	31,771
35-39 years	446,753	348,603	70,730	27,420
40-44 years	485,896	386,643	76,157	23,096
45-49 years	484,963	388,535	75,005	21,423
50-54 years	431,996	347,686	64,447	19,863
55-59 years	371,410	301,509	52,627	17,274
60-64 years	280,050	229,912	38,237	11,901
65-69 years	224,406	183,534	32,290	8,582
70-74 years	193,202	161,436	25,850	5,916
75-79 years	180,607	155,554	20,764	4,289
80-84 years	149,162	132,587	13,709	2,866
85+ years	147,389	133,428	11,838	2,123
Total	6,423,831	5,076,409	1,031,313	316,109

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2006 Both Sexes	All Races	White	Black	Asian/Other
00 years	169,033	129,304	30,309	9,420
01-04 years	684,749	525,037	121,213	38,499
05-09 years	847,980	646,466	157,625	43,889
10-14 years	913,671	687,592	185,037	41,042
15-19 years	921,587	699,365	178,697	43,525
20-24 years	882,932	685,638	145,009	52,285
25-29 years	885,291	687,133	135,922	62,236
30-34 years	852,538	662,240	126,417	63,881
35-39 years	896,374	707,605	131,981	56,788
40-44 years	938,217	754,709	137,191	46,317
45-49 years	964,149	783,274	139,172	41,703
50-54 years	862,914	705,216	119,055	38,643
55-59 years	756,726	622,889	99,654	34,183
60-64 years	544,441	451,676	68,545	24,220
65-69 years	422,623	349,241	55,767	17,615
70-74 years	343,777	288,001	44,271	11,505
75-79 years	305,729	264,851	33,291	7,587
80-84 years	237,652	210,948	21,859	4,845
85+ years	213,572	193,251	16,821	3,500
Total	12,643,955	10,054,436	1,947,836	641,683
2006 Males	All Races	White	Black	Asian/Other
00 years	86,058	65,851	15,414	4,793
01-04 years	350,282	269,353	61,558	19,371
05-09 years	432,746	331,345	79,660	21,741
10-14 years	467,938	352,755	94,453	20,730
15-19 years	475,323	361,879	90,613	22,831
20-24 years	452,086	354,015	71,209	26,862
25-29 years	445,687	351,515	64,046	30,126
30-34 years	429,108	339,463	57,939	31,706
35-39 years	448,168	359,800	60,540	27,828
40-44 years	465,428	379,985	63,027	22,416
45-49 years	475,339	391,809	63,505	20,025
50-54 years	422,184	350,992	53,263	17,929
55-59 years	366,500	306,801	43,680	16,019
60-64 years	259,204	217,995	29,717	11,492
65-69 years	195,347	163,484	23,431	8,432
70-74 years	152,414	129,198	18,075	5,141
75-79 years	127,262	111,519	12,642	3,101
80-84 years	89,680	79,996	7,776	1,908
85+ years	63,179	57,358	4,612	1,209
Total	6,203,933	4,975,113	915,160	313,660
2006 Females	All Races	White	Black	Asian/Other
00 years	82,975	63,453	14,895	4,627
01-04 years	334,467	255,684	59,655	19,128
05-09 years	415,234	315,121	77,965	22,148
10-14 years	445,733	334,837	90,584	20,312
15-19 years	446,264	337,486	88,084	20,694
20-24 years	430,846	331,623	73,800	25,423
25-29 years	439,604	335,618	71,876	32,110
30-34 years	423,430	322,777	68,478	32,175
35-39 years	448,206	347,805	71,441	28,960
40-44 years	472,789	374,724	74,164	23,901
45-49 years	488,810	391,465	75,667	21,678
50-54 years	440,730	354,224	65,792	20,714
55-59 years	390,226	316,088	55,974	18,164
60-64 years	285,237	233,681	38,828	12,728
65-69 years	227,276	185,757	32,336	9,183
70-74 years	191,363	158,803	26,196	6,364
75-79 years	178,467	153,332	20,649	4,486
80-84 years	147,972	130,952	14,083	2,937
85+ years	150,393	135,893	12,209	2,291
Total	6,440,022	5,079,323	1,032,676	328,023

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2007 Both Sexes	All Races	White	Black	Asian/Other
00 years	171,292	130,410	31,207	9,675
01-04 years	680,035	519,964	120,176	39,895
05-09 years	849,196	648,054	155,205	45,937
10-14 years	902,390	679,121	180,422	42,847
15-19 years	928,377	701,655	182,108	44,614
20-24 years	880,284	683,003	144,362	52,919
25-29 years	896,088	694,439	136,892	64,757
30-34 years	846,449	657,755	123,484	65,210
35-39 years	895,616	701,496	133,256	60,864
40-44 years	914,035	732,788	133,627	47,620
45-49 years	963,025	781,173	139,172	42,680
50-54 years	884,179	721,078	123,200	39,901
55-59 years	757,044	620,696	101,393	34,955
60-64 years	585,472	487,122	71,880	26,470
65-69 years	438,209	362,354	56,874	18,981
70-74 years	345,528	288,337	44,905	12,286
75-79 years	300,856	259,965	32,982	7,909
80-84 years	237,865	210,378	22,419	5,068
85+ years	219,926	198,555	17,593	3,778
Total	12,695,866	10,078,343	1,951,157	666,366
2007 Males	All Races	White	Black	Asian/Other
00 years	87,088	66,292	15,807	4,989
01-04 years	347,598	266,786	60,796	20,016
05-09 years	433,174	331,859	78,468	22,847
10-14 years	461,889	348,231	92,169	21,489
15-19 years	478,022	362,349	92,276	23,397
20-24 years	450,322	352,226	70,917	27,179
25-29 years	450,353	354,514	64,441	31,398
30-34 years	425,658	336,511	56,862	32,285
35-39 years	447,670	357,193	60,781	29,696
40-44 years	453,514	369,022	61,355	23,137
45-49 years	474,963	390,669	63,767	20,527
50-54 years	432,359	358,641	55,147	18,571
55-59 years	367,365	306,672	44,495	16,198
60-64 years	279,088	235,298	31,265	12,525
65-69 years	202,844	169,866	23,919	9,059
70-74 years	154,084	130,248	18,258	5,578
75-79 years	125,966	110,070	12,626	3,270
80-84 years	90,580	80,606	8,007	1,967
85+ years	65,752	59,575	4,851	1,326
Total	6,228,289	4,986,628	916,207	325,454
2007 Females	All Races	White	Black	Asian/Other
00 years	84,204	64,118	15,400	4,686
01-04 years	332,437	253,178	59,380	19,879
05-09 years	416,022	316,195	76,737	23,090
10-14 years	440,501	330,890	88,253	21,358
15-19 years	450,355	339,306	89,832	21,217
20-24 years	429,962	330,777	73,445	25,740
25-29 years	445,735	339,925	72,451	33,359
30-34 years	420,791	321,244	66,622	32,925
35-39 years	447,946	344,303	72,475	31,168
40-44 years	460,521	363,766	72,272	24,483
45-49 years	488,062	390,504	75,405	22,153
50-54 years	451,820	362,437	68,053	21,330
55-59 years	389,679	314,024	56,898	18,757
60-64 years	306,384	251,824	40,615	13,945
65-69 years	235,365	192,488	32,955	9,922
70-74 years	191,444	158,089	26,647	6,708
75-79 years	174,890	149,895	20,356	4,639
80-84 years	147,285	129,772	14,412	3,101
85+ years	154,174	138,980	12,742	2,452
Total	6,467,577	5,091,715	1,034,950	340,912

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2008 Both Sexes	All Races	White	Black	Asian/Other
00 years	167,968	127,193	30,801	9,974
01-04 years	679,695	517,513	121,197	40,985
05-09 years	851,542	649,864	153,271	48,407
10-14 years	892,352	673,078	174,996	44,278
15-19 years	931,065	699,910	185,452	45,703
20-24 years	876,545	677,997	144,948	53,600
25-29 years	910,258	706,342	137,419	66,497
30-34 years	847,213	659,641	122,168	65,404
35-39 years	886,700	690,639	132,618	63,443
40-44 years	893,262	713,156	130,473	49,633
45-49 years	956,686	774,510	138,174	44,002
50-54 years	903,901	735,748	126,902	41,251
55-59 years	773,071	632,972	103,768	36,331
60-64 years	607,263	503,406	75,316	28,541
65-69 years	459,748	381,396	58,171	20,181
70-74 years	352,243	293,507	45,534	13,202
75-79 years	295,130	253,451	33,366	8,313
80-84 years	237,298	209,555	22,366	5,377
85+ years	225,098	202,785	18,291	4,022
Total	12,747,038	10,102,663	1,955,231	689,144
2008 Males	All Races	White	Black	Asian/Other
00 years	85,428	64,702	15,710	5,016
01-04 years	346,730	264,666	61,431	20,633
05-09 years	434,399	332,826	77,447	24,126
10-14 years	456,320	345,265	88,833	22,222
15-19 years	479,091	361,261	94,041	23,789
20-24 years	448,311	349,338	71,346	27,627
25-29 years	457,001	360,012	64,698	32,291
30-34 years	425,636	337,220	56,357	32,059
35-39 years	443,154	351,802	60,537	30,815
40-44 years	443,341	359,266	59,849	24,226
45-49 years	472,034	387,652	63,214	21,168
50-54 years	442,161	365,669	57,261	19,231
55-59 years	375,209	312,749	45,517	16,943
60-64 years	290,220	244,078	32,795	13,347
65-69 years	213,062	179,051	24,419	9,592
70-74 years	157,850	133,217	18,533	6,100
75-79 years	123,871	107,660	12,759	3,452
80-84 years	91,303	81,319	7,874	2,110
85+ years	68,380	61,822	5,156	1,402
Total	6,253,501	4,999,575	917,777	336,149
2008 Females	All Races	White	Black	Asian/Other
00 years	82,540	62,491	15,091	4,958
01-04 years	332,965	252,847	59,766	20,352
05-09 years	417,143	317,038	75,824	24,281
10-14 years	436,032	327,813	86,163	22,056
15-19 years	451,974	338,649	91,411	21,914
20-24 years	428,234	328,659	73,602	25,973
25-29 years	453,257	346,330	72,721	34,206
30-34 years	421,577	322,421	65,811	33,345
35-39 years	443,546	338,837	72,081	32,628
40-44 years	449,921	353,890	70,624	25,407
45-49 years	484,652	386,858	74,960	22,834
50-54 years	461,740	370,079	69,641	22,020
55-59 years	397,862	320,223	58,251	19,388
60-64 years	317,043	259,328	42,521	15,194
65-69 years	246,686	202,345	33,752	10,589
70-74 years	194,393	160,290	27,001	7,102
75-79 years	171,259	145,791	20,607	4,861
80-84 years	145,995	128,236	14,492	3,267
85+ years	156,718	140,963	13,135	2,620
Total	6,493,537	5,103,088	1,037,454	352,995

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2009 Both Sexes	All Races	White	Black	Asian/Other
00 years	164,646	124,155	29,977	10,514
01-04 years	675,629	511,337	122,049	42,243
05-09 years	857,360	653,996	152,608	50,756
10-14 years	883,928	668,383	169,513	46,032
15-19 years	928,201	694,845	186,663	46,693
20-24 years	877,648	675,274	147,430	54,944
25-29 years	914,697	711,443	136,085	67,169
30-34 years	855,772	665,548	123,779	66,445
35-39 years	871,430	675,058	131,454	64,918
40-44 years	875,346	696,279	127,112	51,955
45-49 years	951,529	768,833	136,813	45,883
50-54 years	919,619	747,354	130,282	41,983
55-59 years	792,394	648,144	106,655	37,595
60-64 years	636,573	526,825	79,313	30,435
65-69 years	475,070	393,444	59,842	21,784
70-74 years	360,531	300,339	45,906	14,286
75-79 years	290,359	248,235	33,405	8,719
80-84 years	235,236	206,920	22,703	5,613
85+ years	230,810	207,326	19,237	4,247
Total	12,796,778	10,123,738	1,960,826	712,214
2009 Males	All Races	White	Black	Asian/Other
00 years	84,067	63,417	15,285	5,365
01-04 years	344,363	261,404	61,786	21,173
05-09 years	437,254	334,801	77,160	25,293
10-14 years	452,140	342,816	86,247	23,077
15-19 years	476,519	357,880	94,451	24,188
20-24 years	447,564	346,835	72,331	28,398
25-29 years	459,187	362,434	64,104	32,649
30-34 years	429,092	339,638	57,122	32,332
35-39 years	434,765	343,502	59,687	31,576
40-44 years	434,796	350,942	58,513	25,341
45-49 years	469,227	384,347	62,972	21,908
50-54 years	450,526	371,765	58,938	19,823
55-59 years	384,729	320,441	46,985	17,303
60-64 years	304,478	255,922	34,400	14,156
65-69 years	220,766	185,177	25,261	10,328
70-74 years	161,814	136,510	18,621	6,683
75-79 years	122,312	105,929	12,745	3,638
80-84 years	91,462	81,247	7,986	2,229
85+ years	70,994	64,042	5,450	1,502
Total	6,276,055	5,009,049	920,044	346,962
2009 Females	All Races	White	Black	Asian/Other
00 years	80,579	60,738	14,692	5,149
01-04 years	331,266	249,933	60,263	21,070
05-09 years	420,106	319,195	75,448	25,463
10-14 years	431,788	325,567	83,266	22,955
15-19 years	451,682	336,965	92,212	22,505
20-24 years	430,084	328,439	75,099	26,546
25-29 years	455,510	349,009	71,981	34,520
30-34 years	426,680	325,910	66,657	34,113
35-39 years	436,665	331,556	71,767	33,342
40-44 years	440,550	345,337	68,599	26,614
45-49 years	482,302	384,486	73,841	23,975
50-54 years	469,093	375,589	71,344	22,160
55-59 years	407,665	327,703	59,670	20,292
60-64 years	332,095	270,903	44,913	16,279
65-69 years	254,304	208,267	34,581	11,456
70-74 years	198,717	163,829	27,285	7,603
75-79 years	168,047	142,306	20,660	5,081
80-84 years	143,774	125,673	14,717	3,384
85+ years	159,816	143,284	13,787	2,745
Total	6,520,723	5,114,689	1,040,782	365,252

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2010 Both Sexes	All Races	White	Black	Asian/Other
00 years	163,753	123,239	30,007	10,507
01-04 years	671,045	506,588	121,476	42,981
05-09 years	857,507	652,366	152,047	53,094
10-14 years	878,782	665,800	165,264	47,718
15-19 years	921,460	689,094	184,623	47,743
20-24 years	880,589	672,731	151,877	55,981
25-29 years	909,577	708,798	133,651	67,128
30-34 years	869,104	674,422	127,555	67,127
35-39 years	851,810	658,451	127,961	65,398
40-44 years	870,545	688,720	126,600	55,225
45-49 years	936,590	755,356	134,140	47,094
50-54 years	932,918	756,873	133,339	42,706
55-59 years	813,265	664,811	109,588	38,866
60-64 years	673,083	555,153	85,206	32,724
65-69 years	488,059	404,110	60,939	23,010
70-74 years	366,058	303,951	46,586	15,521
75-79 years	288,839	245,411	34,098	9,330
80-84 years	235,740	206,539	23,256	5,945
85+ years	236,927	212,162	20,224	4,541
Total	12,845,651	10,144,575	1,968,437	732,639
2010 Males	All Races	White	Black	Asian/Other
00 years	83,873	63,114	15,365	5,394
01-04 years	341,750	258,609	61,448	21,693
05-09 years	437,656	334,200	76,982	26,474
10-14 years	448,557	340,979	83,754	23,824
15-19 years	473,437	354,962	93,766	24,709
20-24 years	448,301	345,027	74,368	28,906
25-29 years	456,698	360,839	63,164	32,695
30-34 years	435,426	343,768	59,086	32,572
35-39 years	424,736	334,792	58,142	31,802
40-44 years	433,036	347,866	58,304	26,866
45-49 years	461,994	377,657	61,867	22,470
50-54 years	457,313	376,560	60,569	20,184
55-59 years	395,100	328,694	48,469	17,937
60-64 years	322,620	270,490	36,898	15,232
65-69 years	227,534	190,881	25,833	10,820
70-74 years	164,250	138,133	18,852	7,265
75-79 years	122,708	105,600	13,109	3,999
80-84 years	92,293	81,729	8,222	2,342
85+ years	73,607	66,266	5,739	1,602
Total	6,300,889	5,020,166	923,937	356,786
2010 Females	All Races	White	Black	Asian/Other
00 years	79,880	60,125	14,642	5,113
01-04 years	329,295	247,979	60,028	21,288
05-09 years	419,851	318,166	75,065	26,620
10-14 years	430,225	324,821	81,510	23,894
15-19 years	448,023	334,132	90,857	23,034
20-24 years	432,288	327,704	77,509	27,075
25-29 years	452,879	347,959	70,487	34,433
30-34 years	433,678	330,654	68,469	34,555
35-39 years	427,074	323,659	69,819	33,596
40-44 years	437,509	340,854	68,296	28,359
45-49 years	474,596	377,699	72,273	24,624
50-54 years	475,605	380,313	72,770	22,522
55-59 years	418,165	336,117	61,119	20,929
60-64 years	350,463	284,663	48,308	17,492
65-69 years	260,525	213,229	35,106	12,190
70-74 years	201,808	165,818	27,734	8,256
75-79 years	166,131	139,811	20,989	5,331
80-84 years	143,447	124,810	15,034	3,603
85+ years	163,320	145,896	14,485	2,939
Total	6,544,762	5,124,409	1,044,500	375,853

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2011 Both Sexes	All Races	White	Black	Asian/Other
00 years	162,024	122,239	29,431	10,354
01-04 years	663,370	499,925	120,217	43,228
05-09 years	851,288	647,377	149,731	54,180
10-14 years	877,124	664,776	162,970	49,378
15-19 years	914,077	684,611	180,180	49,286
20-24 years	889,836	672,426	159,593	57,817
25-29 years	905,400	704,052	133,423	67,925
30-34 years	882,686	684,113	129,422	69,151
35-39 years	832,676	642,778	123,616	66,282
40-44 years	875,889	688,995	127,941	58,953
45-49 years	914,946	735,082	131,199	48,665
50-54 years	941,550	763,712	134,402	43,436
55-59 years	833,506	679,959	113,019	40,528
60-64 years	709,147	584,249	90,248	34,650
65-69 years	499,957	413,308	61,997	24,652
70-74 years	374,336	310,237	47,338	16,761
75-79 years	289,193	243,680	35,275	10,238
80-84 years	234,706	204,860	23,544	6,302
85+ years	241,768	215,754	21,017	4,997
Total	12,893,479	10,162,133	1,974,563	756,783
2011 Males	All Races	White	Black	Asian/Other
00 years	83,192	62,735	15,095	5,362
01-04 years	337,723	255,031	60,851	21,841
05-09 years	434,826	331,933	75,770	27,123
10-14 years	447,431	340,226	82,536	24,669
15-19 years	469,494	352,203	91,882	25,409
20-24 years	453,121	344,780	78,610	29,731
25-29 years	455,311	358,611	63,524	33,176
30-34 years	441,961	348,454	60,035	33,472
35-39 years	416,346	327,445	56,451	32,450
40-44 years	435,936	348,624	58,814	28,498
45-49 years	452,700	368,841	60,511	23,348
50-54 years	462,702	380,669	61,489	20,544
55-59 years	405,602	336,791	50,049	18,762
60-64 years	340,172	285,203	38,904	16,065
65-69 years	234,128	196,139	26,382	11,607
70-74 years	168,387	141,378	19,152	7,857
75-79 years	123,702	105,545	13,618	4,539
80-84 years	92,263	81,440	8,364	2,459
85+ years	75,903	68,134	6,014	1,755
Total	6,330,900	5,034,182	928,051	368,667
2011 Females	All Races	White	Black	Asian/Other
00 years	78,832	59,504	14,336	4,992
01-04 years	325,647	244,894	59,366	21,387
05-09 years	416,462	315,444	73,961	27,057
10-14 years	429,693	324,550	80,434	24,709
15-19 years	444,583	332,408	88,298	23,877
20-24 years	436,715	327,646	80,983	28,086
25-29 years	450,089	345,441	69,899	34,749
30-34 years	440,725	335,659	69,387	35,679
35-39 years	416,330	315,333	67,165	33,832
40-44 years	439,953	340,371	69,127	30,455
45-49 years	462,246	366,241	70,688	25,317
50-54 years	478,848	383,043	72,913	22,892
55-59 years	427,904	343,168	62,970	21,766
60-64 years	368,975	299,046	51,344	18,585
65-69 years	265,829	217,169	35,615	13,045
70-74 years	205,949	168,859	28,186	8,904
75-79 years	165,491	138,135	21,657	5,699
80-84 years	142,443	123,420	15,180	3,843
85+ years	165,865	147,620	15,003	3,242
Total	6,562,579	5,127,951	1,046,512	388,116

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2012 Both Sexes	All Races	White	Black	Asian/Other
00 years	159,567	119,468	29,589	10,510
01-04 years	654,309	492,600	118,088	43,621
05-09 years	848,302	644,105	148,972	55,225
10-14 years	873,589	662,455	160,159	50,975
15-19 years	902,016	676,208	175,197	50,611
20-24 years	902,757	675,885	166,837	60,035
25-29 years	897,662	694,977	134,110	68,575
30-34 years	891,949	690,132	130,392	71,425
35-39 years	826,574	638,235	121,186	67,153
40-44 years	874,316	682,803	128,677	62,836
45-49 years	894,162	715,811	128,168	50,183
50-54 years	938,874	760,539	133,963	44,372
55-59 years	854,952	696,153	116,983	41,816
60-64 years	711,584	583,782	91,938	35,864
65-69 years	539,235	447,009	65,408	26,818
70-74 years	388,970	322,074	48,713	18,183
75-79 years	291,931	244,599	36,161	11,171
80-84 years	231,335	200,858	23,784	6,693
85+ years	247,147	219,764	21,884	5,499
Total	12,929,231	10,167,457	1,980,209	781,565
2012 Males	All Races	White	Black	Asian/Other
00 years	81,270	60,791	15,058	5,421
01-04 years	334,124	252,018	59,987	22,119
05-09 years	432,600	329,577	75,339	27,684
10-14 years	446,059	339,249	81,168	25,642
15-19 years	462,793	347,472	89,349	25,972
20-24 years	460,229	346,912	82,565	30,752
25-29 years	451,778	353,707	64,376	33,695
30-34 years	446,717	351,486	60,629	34,602
35-39 years	414,130	325,641	55,623	32,866
40-44 years	435,777	346,295	59,129	30,353
45-49 years	443,587	360,379	59,066	24,142
50-54 years	462,131	379,649	61,487	20,995
55-59 years	416,768	345,264	52,094	19,410
60-64 years	342,366	286,222	39,602	16,542
65-69 years	253,654	213,128	27,888	12,638
70-74 years	175,278	147,109	19,666	8,503
75-79 years	125,710	106,671	13,950	5,089
80-84 years	91,296	80,188	8,445	2,663
85+ years	78,123	69,893	6,321	1,909
Total	6,354,390	5,041,651	931,742	380,997
2012 Females	All Races	White	Black	Asian/Other
00 years	78,297	58,677	14,531	5,089
01-04 years	320,185	240,582	58,101	21,502
05-09 years	415,702	314,528	73,633	27,541
10-14 years	427,530	323,206	78,991	25,333
15-19 years	439,223	328,736	85,848	24,639
20-24 years	442,528	328,973	84,272	29,283
25-29 years	445,884	341,270	69,734	34,880
30-34 years	445,232	338,646	69,763	36,823
35-39 years	412,444	312,594	65,563	34,287
40-44 years	438,539	336,508	69,548	32,483
45-49 years	450,575	355,432	69,102	26,041
50-54 years	476,743	380,890	72,476	23,377
55-59 years	438,184	350,889	64,889	22,406
60-64 years	369,218	297,560	52,336	19,322
65-69 years	285,581	233,881	37,520	14,180
70-74 years	213,692	174,965	29,047	9,680
75-79 years	166,221	137,928	22,211	6,082
80-84 years	140,039	120,670	15,339	4,030
85+ years	169,024	149,871	15,563	3,590
Total	6,574,841	5,125,806	1,048,467	400,568

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2013 Both Sexes	All Races	White	Black	Asian/Other
00 years	156,945	116,741	29,419	10,785
01-04 years	644,238	483,929	116,315	43,994
05-09 years	843,325	638,646	148,638	56,041
10-14 years	870,786	661,269	156,757	52,760
15-19 years	891,019	669,923	169,309	51,787
20-24 years	912,437	676,970	173,301	62,166
25-29 years	895,019	688,339	136,429	70,251
30-34 years	900,377	694,583	131,610	74,184
35-39 years	830,840	642,322	120,127	68,391
40-44 years	865,138	671,430	128,291	65,417
45-49 years	874,020	696,933	125,322	51,765
50-54 years	933,455	754,540	133,087	45,828
55-59 years	873,204	709,875	120,397	42,932
60-64 years	725,295	593,708	94,322	37,265
65-69 years	560,155	463,101	68,309	28,745
70-74 years	409,177	339,209	50,420	19,548
75-79 years	297,704	248,784	36,809	12,111
80-84 years	228,312	196,674	24,437	7,201
85+ years	250,798	222,157	22,601	6,040
Total	12,962,244	10,169,133	1,985,900	807,211
2013 Males	All Races	White	Black	Asian/Other
00 years	80,230	59,873	14,867	5,490
01-04 years	329,175	247,513	59,271	22,391
05-09 years	429,783	326,433	75,144	28,206
10-14 years	444,576	338,769	79,285	26,522
15-19 years	456,960	344,088	86,332	26,540
20-24 years	465,968	347,835	86,335	31,798
25-29 years	452,076	351,328	65,946	34,802
30-34 years	450,835	353,332	61,290	36,213
35-39 years	417,485	328,495	55,541	33,449
40-44 years	431,413	341,074	58,698	31,641
45-49 years	434,758	351,882	57,821	25,055
50-54 years	460,379	377,558	61,155	21,666
55-59 years	426,873	352,807	54,029	20,037
60-64 years	349,273	291,518	40,662	17,093
65-69 years	264,480	221,888	29,093	13,499
70-74 years	185,035	155,411	20,433	9,191
75-79 years	128,788	109,036	14,206	5,546
80-84 years	90,637	79,037	8,697	2,903
85+ years	79,816	71,176	6,525	2,115
Total	6,378,540	5,049,053	935,330	394,157
2013 Females	All Races	White	Black	Asian/Other
00 years	76,715	56,868	14,552	5,295
01-04 years	315,063	236,416	57,044	21,603
05-09 years	413,542	312,213	73,494	27,835
10-14 years	426,210	322,500	77,472	26,238
15-19 years	434,059	325,835	82,977	25,247
20-24 years	446,469	329,135	86,966	30,368
25-29 years	442,943	337,011	70,483	35,449
30-34 years	449,542	341,251	70,320	37,971
35-39 years	413,355	313,827	64,586	34,942
40-44 years	433,725	330,356	69,593	33,776
45-49 years	439,262	345,051	67,501	26,710
50-54 years	473,076	376,982	71,932	24,162
55-59 years	446,331	357,068	66,368	22,895
60-64 years	376,022	302,190	53,660	20,172
65-69 years	295,675	241,213	39,216	15,246
70-74 years	224,142	183,798	29,987	10,357
75-79 years	168,916	139,748	22,603	6,565
80-84 years	137,675	117,637	15,740	4,298
85+ years	170,982	150,981	16,076	3,925
Total	6,583,704	5,120,080	1,050,570	413,054

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2014 Both Sexes	All Races	White	Black	Asian/Other
00 years	156,680	116,741	29,451	10,488
01-04 years	636,855	476,494	115,867	44,494
05-09 years	830,652	627,166	147,317	56,169
10-14 years	868,615	660,472	153,493	54,650
15-19 years	880,410	664,061	163,551	52,798
20-24 years	915,258	675,862	175,783	63,613
25-29 years	892,973	680,790	141,008	71,175
30-34 years	900,646	693,802	131,012	75,832
35-39 years	837,906	646,933	120,989	69,984
40-44 years	850,323	656,792	126,971	66,560
45-49 years	855,573	679,682	122,252	53,639
50-54 years	925,556	746,712	131,199	47,645
55-59 years	885,070	718,875	122,787	43,408
60-64 years	742,401	606,581	97,311	38,509
65-69 years	585,729	483,301	71,784	30,644
70-74 years	422,207	349,406	51,714	21,087
75-79 years	304,704	254,120	37,402	13,182
80-84 years	225,361	192,746	24,936	7,679
85+ years	254,528	224,524	23,387	6,617
Total	12,971,447	10,155,060	1,988,214	828,173
2014 Males	All Races	White	Black	Asian/Other
00 years	80,129	59,832	14,942	5,355
01-04 years	325,743	243,894	59,066	22,783
05-09 years	423,030	320,175	74,535	28,320
10-14 years	443,645	338,577	77,641	27,427
15-19 years	451,478	341,240	83,241	26,997
20-24 years	467,025	346,683	87,980	32,362
25-29 years	451,669	347,952	68,540	35,177
30-34 years	451,620	353,176	61,194	37,250
35-39 years	421,580	331,282	56,266	34,032
40-44 years	424,318	334,036	57,923	32,359
45-49 years	426,658	344,062	56,466	26,130
50-54 years	457,505	374,425	60,565	22,515
55-59 years	433,534	357,926	55,260	20,348
60-64 years	358,300	298,607	42,098	17,595
65-69 years	277,068	232,411	30,330	14,327
70-74 years	191,730	160,709	21,114	9,907
75-79 years	132,099	111,555	14,511	6,033
80-84 years	89,876	77,823	8,870	3,183
85+ years	81,726	72,624	6,804	2,298
Total	6,388,733	5,046,989	937,346	404,398
2014 Females	All Races	White	Black	Asian/Other
00 years	76,551	56,909	14,509	5,133
01-04 years	311,112	232,600	56,801	21,711
05-09 years	407,622	306,991	72,782	27,849
10-14 years	424,970	321,895	75,852	27,223
15-19 years	428,932	322,821	80,310	25,801
20-24 years	448,233	329,179	87,803	31,251
25-29 years	441,304	332,838	72,468	35,998
30-34 years	449,026	340,626	69,818	38,582
35-39 years	416,326	315,651	64,723	35,952
40-44 years	426,005	322,756	69,048	34,201
45-49 years	428,915	335,620	65,786	27,509
50-54 years	468,051	372,287	70,634	25,130
55-59 years	451,536	360,949	67,527	23,060
60-64 years	384,101	307,974	55,213	20,914
65-69 years	308,661	250,890	41,454	16,317
70-74 years	230,477	188,697	30,600	11,180
75-79 years	172,605	142,565	22,891	7,149
80-84 years	135,485	114,923	16,066	4,496
85+ years	172,802	151,900	16,583	4,319
Total	6,582,714	5,108,071	1,050,868	423,775

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2015 Both Sexes	All Races	White	Black	Asian/Other
00 years	158,314	117,479	29,941	10,894
01-04 years	628,165	468,866	115,019	44,280
05-09 years	819,884	617,568	146,125	56,191
10-14 years	861,514	655,639	150,101	55,774
15-19 years	875,687	661,482	160,039	54,166
20-24 years	908,078	669,900	173,466	64,712
25-29 years	891,384	673,054	146,143	72,187
30-34 years	893,604	687,207	129,276	77,121
35-39 years	850,071	654,715	123,616	71,740
40-44 years	830,458	639,981	123,504	66,973
45-49 years	848,433	670,447	121,597	56,389
50-54 years	909,087	732,242	128,146	48,699
55-59 years	893,507	724,469	124,907	44,131
60-64 years	761,234	621,408	100,058	39,768
65-69 years	614,495	505,926	75,793	32,776
70-74 years	432,389	357,303	52,767	22,319
75-79 years	308,598	256,072	38,100	14,426
80-84 years	223,690	189,792	25,589	8,309
85+ years	257,068	225,650	24,128	7,290
Total	12,965,660	10,129,200	1,988,315	848,145
2015 Males	All Races	White	Black	Asian/Other
00 years	80,908	60,200	15,185	5,523
01-04 years	321,328	240,083	58,516	22,729
05-09 years	417,772	315,360	74,005	28,407
10-14 years	440,768	336,605	76,080	28,083
15-19 years	448,761	339,893	81,349	27,519
20-24 years	463,301	343,442	87,012	32,847
25-29 years	451,177	344,249	71,209	35,719
30-34 years	449,035	350,192	60,601	38,242
35-39 years	428,210	335,542	57,826	34,842
40-44 years	415,319	326,175	56,305	32,839
45-49 years	423,980	340,448	56,178	27,354
50-54 years	450,706	368,247	59,301	23,158
55-59 years	438,478	361,187	56,539	20,752
60-64 years	368,061	306,512	43,438	18,111
65-69 years	291,252	244,059	31,912	15,281
70-74 years	197,193	165,198	21,623	10,372
75-79 years	133,999	112,596	14,744	6,659
80-84 years	89,907	77,251	9,150	3,506
85+ years	82,854	73,246	7,090	2,518
Total	6,393,009	5,040,485	938,063	414,461
2015 Females	All Races	White	Black	Asian/Other
00 years	77,406	57,279	14,756	5,371
01-04 years	306,837	228,783	56,503	21,551
05-09 years	402,112	302,208	72,120	27,784
10-14 years	420,746	319,034	74,021	27,691
15-19 years	426,926	321,589	78,690	26,647
20-24 years	444,777	326,458	86,454	31,865
25-29 years	440,207	328,805	74,934	36,468
30-34 years	444,569	337,015	68,675	38,879
35-39 years	421,861	319,173	65,790	36,898
40-44 years	415,139	313,806	67,199	34,134
45-49 years	424,453	329,999	65,419	29,035
50-54 years	458,381	363,995	68,845	25,541
55-59 years	455,029	363,282	68,368	23,379
60-64 years	393,173	314,896	56,620	21,657
65-69 years	323,243	261,867	43,881	17,495
70-74 years	235,196	192,105	31,144	11,947
75-79 years	174,599	143,476	23,356	7,767
80-84 years	133,783	112,541	16,439	4,803
85+ years	174,214	152,404	17,038	4,772
Total	6,572,651	5,088,715	1,050,252	433,684

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2016 Both Sexes	All Races	White	Black	Asian/Other
00 years	155,677	115,637	29,231	10,809
01-04 years	623,259	463,765	115,172	44,322
05-09 years	807,601	607,859	143,650	56,092
10-14 years	856,548	651,884	147,963	56,701
15-19 years	872,104	659,595	157,302	55,207
20-24 years	891,575	659,249	167,556	64,770
25-29 years	893,423	667,791	152,668	72,964
30-34 years	888,637	681,908	128,735	77,994
35-39 years	859,855	662,012	125,016	72,827
40-44 years	807,620	621,925	118,555	67,140
45-49 years	849,851	668,023	122,406	59,422
50-54 years	884,515	709,665	124,865	49,985
55-59 years	897,492	727,589	125,492	44,411
60-64 years	776,027	632,471	102,442	41,114
65-69 years	643,669	529,244	80,012	34,413
70-74 years	440,963	363,751	53,588	23,624
75-79 years	314,232	260,325	38,471	15,436
80-84 years	224,719	188,987	26,604	9,128
85+ years	259,360	226,792	24,649	7,919
Total	12,947,127	10,098,472	1,984,377	864,278
2016 Males	All Races	White	Black	Asian/Other
00 years	79,749	59,344	14,923	5,482
01-04 years	318,399	237,411	58,325	22,663
05-09 years	412,249	310,569	73,131	28,549
10-14 years	438,511	334,881	75,059	28,571
15-19 years	446,585	338,764	79,829	27,992
20-24 years	454,902	337,715	84,288	32,899
25-29 years	452,336	341,721	74,720	35,895
30-34 years	448,255	348,484	60,962	38,809
35-39 years	433,557	339,520	58,457	35,580
40-44 years	404,930	317,649	54,200	33,081
45-49 years	425,300	340,114	56,389	28,797
50-54 years	439,924	358,214	57,798	23,912
55-59 years	441,737	363,527	57,273	20,937
60-64 years	376,011	312,547	44,658	18,806
65-69 years	305,217	255,834	33,492	15,891
70-74 years	201,856	168,789	22,102	10,965
75-79 years	136,882	114,904	14,859	7,119
80-84 years	90,950	77,434	9,570	3,946
85+ years	83,992	73,981	7,288	2,723
Total	6,391,342	5,031,402	937,323	422,617
2016 Females	All Races	White	Black	Asian/Other
00 years	75,928	56,293	14,308	5,327
01-04 years	304,860	226,354	56,847	21,659
05-09 years	395,352	297,290	70,519	27,543
10-14 years	418,037	317,003	72,904	28,130
15-19 years	425,519	320,831	77,473	27,215
20-24 years	436,673	321,534	83,268	31,871
25-29 years	441,087	326,070	77,948	37,069
30-34 years	440,382	333,424	67,773	39,185
35-39 years	426,298	322,492	66,559	37,247
40-44 years	402,690	304,276	64,355	34,059
45-49 years	424,551	327,909	66,017	30,625
50-54 years	444,591	351,451	67,067	26,073
55-59 years	455,755	364,062	68,219	23,474
60-64 years	400,016	319,924	57,784	22,308
65-69 years	338,452	273,410	46,520	18,522
70-74 years	239,107	194,962	31,486	12,659
75-79 years	177,350	145,421	23,612	8,317
80-84 years	133,769	111,553	17,034	5,182
85+ years	175,368	152,811	17,361	5,196
Total	6,555,785	5,067,070	1,047,054	441,661

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2017 Both Sexes	All Races	White	Black	Asian/Other
00 years	150,298	110,430	28,744	11,124
01-04 years	619,287	460,295	114,439	44,553
05-09 years	794,232	596,789	141,140	56,303
10-14 years	854,491	649,505	147,339	57,647
15-19 years	868,046	657,333	154,092	56,621
20-24 years	875,022	647,994	161,792	65,236
25-29 years	897,786	665,685	157,714	74,387
30-34 years	880,070	673,033	128,828	78,209
35-39 years	866,389	666,452	125,268	74,669
40-44 years	798,993	615,526	115,724	67,743
45-49 years	845,277	659,852	122,737	62,688
50-54 years	861,011	688,390	121,591	51,030
55-59 years	892,094	722,230	124,764	45,100
60-64 years	792,852	645,028	105,768	42,056
65-69 years	643,851	527,128	81,379	35,344
70-74 years	472,736	390,969	56,230	25,537
75-79 years	325,254	269,180	39,505	16,569
80-84 years	226,619	189,615	27,093	9,911
85+ years	259,716	225,911	25,235	8,570
Total	12,924,024	10,061,345	1,979,382	883,297
2017 Males	All Races	White	Black	Asian/Other
00 years	76,656	56,399	14,661	5,596
01-04 years	316,906	236,157	58,049	22,700
05-09 years	405,671	304,939	72,020	28,712
10-14 years	436,940	333,314	74,571	29,055
15-19 years	444,583	337,627	78,107	28,849
20-24 years	446,794	332,042	81,434	33,318
25-29 years	454,410	340,573	77,524	36,313
30-34 years	444,886	344,330	61,535	39,021
35-39 years	437,552	342,201	58,569	36,782
40-44 years	401,686	315,263	53,157	33,266
45-49 years	423,888	336,895	56,561	30,432
50-54 years	429,348	348,682	56,185	24,481
55-59 years	439,821	361,362	57,178	21,281
60-64 years	385,028	319,306	46,368	19,354
65-69 years	306,049	255,808	34,070	16,171
70-74 years	217,248	182,202	23,198	11,848
75-79 years	141,980	119,169	15,208	7,603
80-84 years	92,306	78,124	9,779	4,403
85+ years	84,502	74,061	7,484	2,957
Total	6,386,254	5,018,454	935,658	432,142
2017 Females	All Races	White	Black	Asian/Other
00 years	73,642	54,031	14,083	5,528
01-04 years	302,381	224,138	56,390	21,853
05-09 years	388,561	291,850	69,120	27,591
10-14 years	417,551	316,191	72,768	28,592
15-19 years	423,463	319,706	75,985	27,772
20-24 years	428,228	315,952	80,358	31,918
25-29 years	443,376	325,112	80,190	38,074
30-34 years	435,184	328,703	67,293	39,188
35-39 years	428,837	324,251	66,699	37,887
40-44 years	397,307	300,263	62,567	34,477
45-49 years	421,389	322,957	66,176	32,256
50-54 years	431,663	339,708	65,406	26,549
55-59 years	452,273	360,868	67,586	23,819
60-64 years	407,824	325,722	59,400	22,702
65-69 years	337,802	271,320	47,309	19,173
70-74 years	255,488	208,767	33,032	13,689
75-79 years	183,274	150,011	24,297	8,966
80-84 years	134,313	111,491	17,314	5,508
85+ years	175,214	151,850	17,751	5,613
Total	6,537,770	5,042,891	1,043,724	451,155

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2018 Both Sexes	All Races	White	Black	Asian/Other
00 years	146,956	107,536	28,728	10,692
01-04 years	612,544	454,044	113,681	44,819
05-09 years	780,198	584,646	139,162	56,390
10-14 years	850,878	645,081	147,479	58,318
15-19 years	865,514	656,302	151,252	57,960
20-24 years	859,318	638,527	155,976	64,815
25-29 years	895,302	658,788	162,042	74,472
30-34 years	873,020	664,127	130,448	78,445
35-39 years	871,386	668,500	126,068	76,818
40-44 years	799,075	616,516	114,274	68,285
45-49 years	832,914	646,587	121,646	64,681
50-54 years	836,939	666,492	118,454	51,993
55-59 years	882,916	713,288	123,458	46,170
60-64 years	805,443	654,329	108,311	42,803
65-69 years	653,745	534,315	82,989	36,441
70-74 years	489,867	404,067	58,548	27,252
75-79 years	341,366	282,831	40,860	17,675
80-84 years	231,140	192,744	27,676	10,720
85+ years	259,456	224,172	25,935	9,349
Total	12,887,977	10,012,892	1,976,987	898,098
2018 Males	All Races	White	Black	Asian/Other
00 years	74,943	54,832	14,676	5,435
01-04 years	313,451	232,792	57,843	22,816
05-09 years	399,011	299,182	71,063	28,766
10-14 years	434,919	330,630	74,806	29,483
15-19 years	443,127	337,253	76,374	29,500
20-24 years	438,885	327,199	78,533	33,153
25-29 years	453,036	336,664	79,957	36,415
30-34 years	442,455	340,633	62,715	39,107
35-39 years	440,456	343,123	59,090	38,243
40-44 years	403,103	316,759	52,921	33,423
45-49 years	418,064	330,743	55,809	31,512
50-54 years	418,265	338,461	54,684	25,120
55-59 years	436,243	357,880	56,609	21,754
60-64 years	392,031	324,492	47,744	19,795
65-69 years	310,985	259,580	34,808	16,597
70-74 years	226,289	189,564	24,113	12,612
75-79 years	149,469	125,519	15,784	8,166
80-84 years	94,724	79,965	9,976	4,783
85+ years	84,675	73,697	7,702	3,276
Total	6,374,131	4,998,968	935,207	439,956
2018 Females	All Races	White	Black	Asian/Other
00 years	72,013	52,704	14,052	5,257
01-04 years	299,093	221,252	55,838	22,003
05-09 years	381,187	285,464	68,099	27,624
10-14 years	415,959	314,451	72,673	28,835
15-19 years	422,387	319,049	74,878	28,460
20-24 years	420,433	311,328	77,443	31,662
25-29 years	442,266	322,124	82,085	38,057
30-34 years	430,565	323,494	67,733	39,338
35-39 years	430,930	325,377	66,978	38,575
40-44 years	395,972	299,757	61,353	34,862
45-49 years	414,850	315,844	65,837	33,169
50-54 years	418,674	328,031	63,770	26,873
55-59 years	446,673	355,408	66,849	24,416
60-64 years	413,412	329,837	60,567	23,008
65-69 years	342,760	274,735	48,181	19,844
70-74 years	263,578	214,503	34,435	14,640
75-79 years	191,897	157,312	25,076	9,509
80-84 years	136,416	112,779	17,700	5,937
85+ years	174,781	150,475	18,233	6,073
Total	6,513,846	5,013,924	1,041,780	458,142

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2019 Both Sexes	All Races	White	Black	Asian/Other
00 years	141,383	103,906	26,372	11,105
01-04 years	604,025	445,726	113,467	44,832
05-09 years	771,755	576,728	138,874	56,153
10-14 years	841,013	635,846	146,584	58,583
15-19 years	865,148	656,650	149,084	59,414
20-24 years	845,692	630,570	150,894	64,228
25-29 years	889,918	652,866	163,544	73,508
30-34 years	869,899	656,747	135,014	78,138
35-39 years	870,421	666,784	125,669	77,968
40-44 years	803,958	619,846	114,847	69,265
45-49 years	817,365	631,402	120,411	65,552
50-54 years	817,219	648,521	115,274	53,424
55-59 years	872,145	703,094	121,606	47,445
60-64 years	812,783	659,492	110,228	43,063
65-69 years	667,334	544,524	85,446	37,364
70-74 years	511,803	421,349	61,524	28,930
75-79 years	351,759	290,886	41,944	18,929
80-84 years	236,625	196,852	28,195	11,578
85+ years	259,427	222,714	26,679	10,034
Total	12,849,672	9,964,503	1,975,656	909,513
2019 Males	All Races	White	Black	Asian/Other
00 years	72,219	53,117	13,434	5,668
01-04 years	308,690	228,164	57,755	22,771
05-09 years	395,293	295,543	71,015	28,735
10-14 years	429,570	325,508	74,373	29,689
15-19 years	443,091	337,600	75,323	30,168
20-24 years	431,590	322,950	75,851	32,789
25-29 years	450,697	333,641	81,017	36,039
30-34 years	441,726	337,362	65,351	39,013
35-39 years	440,909	342,829	59,103	38,977
40-44 years	406,101	318,836	53,519	33,746
45-49 years	410,747	323,639	55,029	32,079
50-54 years	409,491	330,265	53,192	26,034
55-59 years	432,061	353,573	56,040	22,448
60-64 years	396,388	327,536	48,804	20,048
65-69 years	318,154	265,289	35,933	16,932
70-74 years	236,602	198,201	25,088	13,313
75-79 years	154,743	129,640	16,370	8,733
80-84 years	97,129	81,769	10,223	5,137
85+ years	85,097	73,586	7,922	3,589
Total	6,360,298	4,979,048	935,342	445,908
2019 Females	All Races	White	Black	Asian/Other
00 years	69,164	50,789	12,938	5,437
01-04 years	295,335	217,562	55,712	22,061
05-09 years	376,462	281,185	67,859	27,418
10-14 years	411,443	310,338	72,211	28,894
15-19 years	422,057	319,050	73,761	29,246
20-24 years	414,102	307,620	75,043	31,439
25-29 years	439,221	319,225	82,527	37,469
30-34 years	428,173	319,385	69,663	39,125
35-39 years	429,512	323,955	66,566	38,991
40-44 years	397,857	301,010	61,328	35,519
45-49 years	406,618	307,763	65,382	33,473
50-54 years	407,728	318,256	62,082	27,390
55-59 years	440,084	349,521	65,566	24,997
60-64 years	416,395	331,956	61,424	23,015
65-69 years	349,180	279,235	49,513	20,432
70-74 years	275,201	223,148	36,436	15,617
75-79 years	197,016	161,246	25,574	10,196
80-84 years	139,496	115,083	17,972	6,441
85+ years	174,330	149,128	18,757	6,445
Total	6,489,374	4,985,455	1,040,314	463,605

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2020 Both Sexes	All Races	White	Black	Asian/Other
00 years	138,571	102,006	25,662	10,903
01-04 years	587,518	432,147	110,695	44,676
05-09 years	765,599	570,358	138,906	56,335
10-14 years	831,174	626,797	145,939	58,438
15-19 years	854,363	648,857	145,702	59,804
20-24 years	842,605	629,244	149,180	64,181
25-29 years	874,892	641,840	161,161	71,891
30-34 years	867,164	649,474	140,401	77,289
35-39 years	863,021	660,705	124,284	78,032
40-44 years	814,140	626,668	117,205	70,267
45-49 years	796,622	614,168	116,968	65,486
50-54 years	808,550	638,325	114,731	55,494
55-59 years	853,392	686,397	118,754	48,241
60-64 years	815,983	660,798	111,810	43,375
65-69 years	681,087	555,484	87,444	38,159
70-74 years	535,591	440,242	64,589	30,760
75-79 years	358,514	295,989	42,501	20,024
80-84 years	238,801	197,779	28,506	12,516
85+ years	258,993	221,171	27,055	10,767
Total	12,786,580	9,898,449	1,971,493	916,638
2020 Males	All Races	White	Black	Asian/Other
00 years	70,818	52,171	13,080	5,567
01-04 years	300,106	220,987	56,451	22,668
05-09 years	391,925	292,432	70,755	28,738
10-14 years	424,617	320,656	74,202	29,759
15-19 years	438,089	333,991	73,731	30,367
20-24 years	429,799	322,086	74,909	32,804
25-29 years	443,091	327,723	80,004	35,364
30-34 years	440,612	333,724	68,173	38,715
35-39 years	437,858	340,034	58,834	38,990
40-44 years	411,963	322,758	54,951	34,254
45-49 years	401,212	315,560	53,342	32,310
50-54 years	405,890	325,984	52,938	26,968
55-59 years	423,641	345,981	54,751	22,909
60-64 years	398,964	328,800	49,861	20,303
65-69 years	324,804	270,751	36,789	17,264
70-74 years	248,028	207,770	26,157	14,101
75-79 years	158,115	132,332	16,608	9,175
80-84 years	97,998	82,134	10,276	5,588
85+ years	85,601	73,645	8,056	3,900
Total	6,333,131	4,949,519	933,868	449,744
2020 Females	All Races	White	Black	Asian/Other
00 years	67,753	49,835	12,582	5,336
01-04 years	287,412	211,160	54,244	22,008
05-09 years	373,674	277,926	68,151	27,597
10-14 years	406,557	306,141	71,737	28,679
15-19 years	416,274	314,866	71,971	29,437
20-24 years	412,806	307,158	74,271	31,377
25-29 years	431,801	314,117	81,157	36,527
30-34 years	426,552	315,750	72,228	38,574
35-39 years	425,163	320,671	65,450	39,042
40-44 years	402,177	303,910	62,254	36,013
45-49 years	395,410	298,608	63,626	33,176
50-54 years	402,660	312,341	61,793	28,526
55-59 years	429,751	340,416	64,003	25,332
60-64 years	417,019	331,998	61,949	23,072
65-69 years	356,283	284,733	50,655	20,895
70-74 years	287,563	232,472	38,432	16,659
75-79 years	200,399	163,657	25,893	10,849
80-84 years	140,803	115,645	18,230	6,928
85+ years	173,392	147,526	18,999	6,867
Total	6,453,449	4,948,930	1,037,625	466,894

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2021 Both Sexes	All Races	White	Black	Asian/Other
00 years	131,034	96,145	25,445	9,444
01-04 years	568,557	417,489	106,801	44,267
05-09 years	757,577	563,219	138,188	56,170
10-14 years	813,218	612,257	143,121	57,840
15-19 years	834,535	633,853	141,241	59,441
20-24 years	850,721	635,831	149,721	65,169
25-29 years	853,781	627,993	155,990	69,798
30-34 years	862,713	640,595	145,482	76,636
35-39 years	854,650	652,878	123,742	78,030
40-44 years	822,755	632,782	118,677	71,296
45-49 years	771,499	594,056	112,098	65,345
50-54 years	807,454	634,467	115,090	57,897
55-59 years	826,547	662,003	115,454	49,090
60-64 years	815,464	660,427	111,816	43,221
65-69 years	692,025	563,821	89,044	39,160
70-74 years	560,382	460,476	67,809	32,097
75-79 years	364,036	300,100	42,754	21,182
80-84 years	242,236	200,274	28,646	13,316
85+ years	257,285	218,139	27,444	11,702
Total	12,686,469	9,806,805	1,958,563	921,101
2021 Males	All Races	White	Black	Asian/Other
00 years	66,985	49,156	13,049	4,780
01-04 years	290,101	213,182	54,418	22,501
05-09 years	387,370	288,669	70,176	28,525
10-14 years	415,785	313,266	72,998	29,521
15-19 years	428,420	326,545	71,684	30,191
20-24 years	434,060	325,437	75,239	33,384
25-29 years	432,995	320,888	77,698	34,409
30-34 years	437,622	328,542	70,839	38,241
35-39 years	433,690	335,709	58,906	39,075
40-44 years	416,173	325,759	55,658	34,756
45-49 years	388,770	305,309	51,115	32,346
50-54 years	405,725	324,636	53,008	28,081
55-59 years	410,809	334,291	53,074	23,444
60-64 years	399,122	328,845	50,029	20,248
65-69 years	330,300	275,025	37,445	17,830
70-74 years	259,289	217,465	27,226	14,598
75-79 years	160,697	134,341	16,661	9,695
80-84 years	99,359	83,195	10,220	5,944
85+ years	85,516	72,965	8,234	4,317
Total	6,282,788	4,903,225	927,677	451,886
2021 Females	All Races	White	Black	Asian/Other
00 years	64,049	46,989	12,396	4,664
01-04 years	278,456	204,307	52,383	21,766
05-09 years	370,207	274,550	68,012	27,645
10-14 years	397,433	298,991	70,123	28,319
15-19 years	406,115	307,308	69,557	29,250
20-24 years	416,661	310,394	74,482	31,785
25-29 years	420,786	307,105	78,292	35,389
30-34 years	425,091	312,053	74,643	38,395
35-39 years	420,960	317,169	64,836	38,955
40-44 years	406,582	307,023	63,019	36,540
45-49 years	382,729	288,747	60,983	32,999
50-54 years	401,729	309,831	62,082	29,816
55-59 years	415,738	327,712	62,380	25,646
60-64 years	416,342	331,582	61,787	22,973
65-69 years	361,725	288,796	51,599	21,330
70-74 years	301,093	243,011	40,583	17,499
75-79 years	203,339	165,759	26,093	11,487
80-84 years	142,877	117,079	18,426	7,372
85+ years	171,769	145,174	19,210	7,385
Total	6,403,681	4,903,580	1,030,886	469,215

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1990 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	23,730	161,124	121,323	34,685
01-04 years	81,638	595,825	451,368	125,947
05-09 years	92,016	733,282	560,978	149,304
10-14 years	83,710	706,266	534,567	149,066
15-19 years	90,196	725,391	544,712	155,724
20-24 years	101,662	765,535	601,493	138,066
25-29 years	98,786	887,159	714,367	144,960
30-34 years	87,197	928,092	752,852	146,353
35-39 years	67,580	843,324	687,457	127,781
40-44 years	50,733	752,920	622,233	104,580
45-49 years	35,343	600,698	499,904	81,241
50-54 years	27,602	504,596	419,686	70,935
55-59 years	22,834	461,121	389,572	62,085
60-64 years	18,046	472,453	407,137	57,557
65-69 years	12,596	440,616	385,791	48,341
70-74 years	7,601	359,318	320,894	34,190
75-79 years	5,260	279,840	253,355	23,870
80-84 years	3,073	179,817	163,734	14,689
85+ years	2,101	144,235	132,401	11,024
Total	911,704	10,541,612	8,563,824	1,680,398
1990 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,148	82,082	62,010	17,452
01-04 years	41,514	305,023	231,876	63,646
05-09 years	47,295	375,570	288,410	75,388
10-14 years	42,556	361,487	274,358	75,626
15-19 years	49,699	372,727	280,721	79,068
20-24 years	58,452	382,290	302,468	66,270
25-29 years	54,661	438,329	357,118	67,445
30-34 years	47,520	456,499	376,468	65,813
35-39 years	36,185	414,000	343,708	57,006
40-44 years	26,699	367,614	308,953	46,244
45-49 years	18,284	291,521	245,929	35,941
50-54 years	14,126	243,727	205,400	31,172
55-59 years	11,517	220,085	188,285	27,262
60-64 years	9,018	221,039	192,542	25,053
65-69 years	6,058	195,583	172,272	20,564
70-74 years	3,200	149,649	134,183	13,672
75-79 years	2,017	106,358	96,416	8,882
80-84 years	1,147	59,604	54,114	4,901
85+ years	751	37,965	34,372	3,273
Total	482,847	5,081,152	4,149,603	784,678
1990 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	11,582	79,042	59,313	17,233
01-04 years	40,124	290,802	219,492	62,301
05-09 years	44,721	357,712	272,568	73,916
10-14 years	41,154	344,779	260,209	73,440
15-19 years	40,497	352,664	263,991	76,656
20-24 years	43,210	383,245	299,025	71,796
25-29 years	44,125	448,830	357,249	77,515
30-34 years	39,677	471,593	376,384	80,540
35-39 years	31,395	429,324	343,749	70,775
40-44 years	24,034	385,306	313,280	58,336
45-49 years	17,059	309,177	253,975	45,300
50-54 years	13,476	260,869	214,286	39,763
55-59 years	11,317	241,036	201,287	34,823
60-64 years	9,028	251,414	214,595	32,504
65-69 years	6,538	245,033	213,519	27,777
70-74 years	4,401	209,669	186,711	20,518
75-79 years	3,243	173,482	156,939	14,988
80-84 years	1,926	120,213	109,620	9,788
85+ years	1,350	106,270	98,029	7,751
Total	428,857	5,460,460	4,414,221	895,720

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1991 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	24,461	162,559	119,390	38,038
01-04 years	86,660	607,674	457,540	130,918
05-09 years	94,951	735,020	561,701	150,143
10-14 years	88,539	726,986	548,910	153,965
15-19 years	90,129	703,314	527,777	150,521
20-24 years	107,094	758,524	589,916	139,570
25-29 years	103,290	864,968	693,002	142,409
30-34 years	93,097	939,718	761,730	147,898
35-39 years	72,428	860,685	699,821	131,527
40-44 years	54,832	790,629	651,216	112,080
45-49 years	37,739	605,126	502,285	81,933
50-54 years	28,781	513,927	426,535	71,991
55-59 years	23,595	456,046	383,210	62,510
60-64 years	18,936	467,278	401,024	57,977
65-69 years	13,241	436,564	380,393	49,282
70-74 years	8,169	364,049	323,794	35,538
75-79 years	5,340	286,106	258,929	24,320
80-84 years	3,190	184,143	167,576	15,025
85+ years	2,175	149,001	136,527	11,569
Total	956,647	10,612,317	8,591,276	1,707,214
1991 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,444	82,853	61,052	19,183
01-04 years	44,185	310,928	234,832	66,228
05-09 years	48,633	376,620	288,871	75,886
10-14 years	45,209	371,949	281,756	77,925
15-19 years	48,812	362,210	272,713	76,523
20-24 years	61,828	377,798	296,454	66,755
25-29 years	57,950	426,714	346,072	66,090
30-34 years	50,939	462,962	381,115	66,873
35-39 years	39,096	422,577	349,913	58,650
40-44 years	28,920	386,281	323,838	49,547
45-49 years	19,453	293,877	247,497	36,133
50-54 years	14,766	248,407	209,004	31,621
55-59 years	11,936	217,878	185,501	27,365
60-64 years	9,479	219,044	190,030	25,301
65-69 years	6,385	194,246	170,303	20,986
70-74 years	3,494	152,635	136,282	14,357
75-79 years	2,072	109,656	99,441	9,046
80-84 years	1,158	61,223	55,601	4,988
85+ years	804	38,912	35,171	3,388
Total	507,563	5,116,770	4,165,446	796,845
1991 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,017	79,706	58,338	18,855
01-04 years	42,475	296,746	222,708	64,690
05-09 years	46,318	358,400	272,830	74,257
10-14 years	43,330	355,037	267,154	76,040
15-19 years	41,317	341,104	255,064	73,998
20-24 years	45,266	380,726	293,462	72,815
25-29 years	45,340	438,254	346,930	76,319
30-34 years	42,158	476,756	380,615	81,025
35-39 years	33,332	438,108	349,908	72,877
40-44 years	25,912	404,348	327,378	62,533
45-49 years	18,286	311,249	254,788	45,800
50-54 years	14,015	265,520	217,531	40,370
55-59 years	11,659	238,168	197,709	35,145
60-64 years	9,457	248,234	210,994	32,676
65-69 years	6,856	242,318	210,090	28,296
70-74 years	4,675	211,414	187,512	21,181
75-79 years	3,268	176,450	159,488	15,274
80-84 years	2,032	122,920	111,975	10,037
85+ years	1,371	110,089	101,356	8,181
Total	449,084	5,495,547	4,425,830	910,369

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1992 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	27,131	160,036	116,334	37,935
01-04 years	91,965	620,352	461,682	138,704
05-09 years	98,864	730,435	556,450	150,670
10-14 years	93,054	739,856	558,004	156,569
15-19 years	93,360	696,707	523,044	148,220
20-24 years	111,362	750,991	576,944	142,627
25-29 years	108,928	839,060	668,487	139,596
30-34 years	98,351	944,780	763,963	149,435
35-39 years	77,580	880,840	713,407	136,535
40-44 years	57,618	788,907	644,916	116,032
45-49 years	41,431	652,924	544,567	85,536
50-54 years	30,139	530,944	439,153	74,826
55-59 years	24,335	458,261	383,187	63,614
60-64 years	19,533	457,162	390,520	57,816
65-69 years	13,855	432,206	374,900	50,055
70-74 years	8,785	371,269	328,981	37,031
75-79 years	5,417	290,176	262,075	24,978
80-84 years	3,254	187,845	171,096	15,102
85+ years	2,319	154,152	140,999	12,149
Total	1,007,281	10,686,903	8,618,709	1,737,430
1992 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,821	81,470	59,470	19,013
01-04 years	47,027	317,240	236,834	70,126
05-09 years	50,367	374,509	286,307	76,241
10-14 years	47,689	378,389	286,332	79,225
15-19 years	49,958	359,341	270,722	75,427
20-24 years	64,001	374,547	290,234	68,571
25-29 years	61,333	413,798	334,275	64,775
30-34 years	53,718	466,253	382,621	67,884
35-39 years	42,162	432,653	356,740	60,894
40-44 years	30,468	385,323	320,992	51,239
45-49 years	21,359	317,800	268,840	37,876
50-54 years	15,405	256,856	215,358	32,921
55-59 years	12,373	219,099	185,838	27,712
60-64 years	9,843	214,545	185,289	25,238
65-69 years	6,579	192,706	168,227	21,354
70-74 years	3,853	156,635	139,347	15,055
75-79 years	2,117	111,372	100,885	9,204
80-84 years	1,176	63,183	57,466	5,047
85+ years	858	40,256	36,367	3,498
Total	534,107	5,155,975	4,182,144	811,300
1992 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,310	78,566	56,864	18,922
01-04 years	44,938	303,112	224,848	68,578
05-09 years	48,497	355,926	270,143	74,429
10-14 years	45,365	361,467	271,672	77,344
15-19 years	43,402	337,366	252,322	72,793
20-24 years	47,361	376,444	286,710	74,056
25-29 years	47,595	425,262	334,212	74,821
30-34 years	44,633	478,527	381,342	81,551
35-39 years	35,418	448,187	356,667	75,641
40-44 years	27,150	403,584	323,924	64,793
45-49 years	20,072	335,124	275,727	47,660
50-54 years	14,734	274,088	223,795	41,905
55-59 years	11,962	239,162	197,349	35,902
60-64 years	9,690	242,617	205,231	32,578
65-69 years	7,276	239,500	206,673	28,701
70-74 years	4,932	214,634	189,634	21,976
75-79 years	3,300	178,804	161,190	15,774
80-84 years	2,078	124,662	113,630	10,055
85+ years	1,461	113,896	104,632	8,651
Total	473,174	5,530,928	4,436,565	926,130

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1993 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	27,736	156,472	112,337	38,585
01-04 years	98,241	627,707	461,469	145,158
05-09 years	103,074	727,637	551,168	152,938
10-14 years	97,920	749,225	563,911	158,728
15-19 years	97,741	697,956	524,791	146,967
20-24 years	116,353	739,968	562,134	144,413
25-29 years	114,460	812,567	642,692	137,409
30-34 years	103,867	943,555	759,987	150,309
35-39 years	83,203	900,873	727,263	141,688
40-44 years	61,691	801,631	653,207	118,990
45-49 years	44,542	671,033	556,583	89,728
50-54 years	32,675	558,468	463,467	76,612
55-59 years	25,253	467,463	389,390	65,322
60-64 years	20,219	445,044	377,629	57,926
65-69 years	14,547	429,890	371,579	50,736
70-74 years	9,391	373,523	329,722	37,992
75-79 years	5,648	292,737	263,956	25,430
80-84 years	3,357	192,578	175,376	15,400
85+ years	2,418	158,916	145,114	12,693
Total	1,062,336	10,747,243	8,631,775	1,767,024
1993 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,278	79,762	57,286	19,576
01-04 years	50,297	320,826	236,632	73,264
05-09 years	52,457	373,093	283,577	77,498
10-14 years	50,377	383,002	289,226	80,279
15-19 years	51,884	360,265	271,924	74,803
20-24 years	66,181	368,687	282,442	69,386
25-29 years	64,573	400,191	321,152	64,041
30-34 years	56,823	465,884	380,873	68,481
35-39 years	45,203	442,737	363,681	63,465
40-44 years	32,678	391,462	325,032	52,549
45-49 years	23,099	326,608	275,211	39,542
50-54 years	16,664	270,492	227,377	33,876
55-59 years	12,709	223,815	189,045	28,542
60-64 years	10,221	208,966	179,426	25,238
65-69 years	6,880	192,423	167,534	21,646
70-74 years	4,196	158,159	140,193	15,497
75-79 years	2,205	113,200	102,392	9,419
80-84 years	1,244	64,861	59,037	5,108
85+ years	860	41,508	37,494	3,588
Total	562,829	5,185,941	4,189,534	825,798
1993 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,458	76,710	55,051	19,009
01-04 years	47,944	306,881	224,837	71,894
05-09 years	50,617	354,544	267,591	75,440
10-14 years	47,543	366,223	274,685	78,449
15-19 years	45,857	337,691	252,867	72,164
20-24 years	50,172	371,281	279,692	75,027
25-29 years	49,887	412,376	321,540	73,368
30-34 years	47,044	477,671	379,114	81,828
35-39 years	38,000	458,136	363,582	78,223
40-44 years	29,013	410,169	328,175	66,441
45-49 years	21,443	344,425	281,372	50,186
50-54 years	16,011	287,976	236,090	42,736
55-59 years	12,544	243,648	200,345	36,780
60-64 years	9,998	236,078	198,203	32,688
65-69 years	7,667	237,467	204,045	29,090
70-74 years	5,195	215,364	189,529	22,495
75-79 years	3,443	179,537	161,564	16,011
80-84 years	2,113	127,717	116,339	10,292
85+ years	1,558	117,408	107,620	9,105
Total	499,507	5,561,302	4,442,241	941,226

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1994 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	29,211	153,119	110,572	36,803
01-04 years	105,103	631,525	458,614	150,891
05-09 years	108,776	735,261	553,389	157,765
10-14 years	102,683	752,911	566,612	158,858
15-19 years	103,715	707,716	531,520	148,885
20-24 years	120,070	724,564	544,676	145,075
25-29 years	121,267	785,591	617,747	134,106
30-34 years	109,771	935,610	751,673	149,233
35-39 years	88,432	913,263	735,199	145,156
40-44 years	65,937	816,601	663,329	122,563
45-49 years	47,919	697,699	576,471	94,591
50-54 years	34,369	573,484	475,292	78,313
55-59 years	26,447	476,070	395,602	66,484
60-64 years	20,776	433,729	365,632	57,862
65-69 years	15,388	424,065	364,846	51,281
70-74 years	10,177	375,304	330,525	38,579
75-79 years	5,868	294,093	264,417	26,018
80-84 years	3,436	197,640	179,998	15,648
85+ years	2,542	162,453	148,108	13,150
Total	1,121,887	10,790,698	8,634,222	1,791,261
1994 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,935	78,058	56,585	18,523
01-04 years	53,829	322,855	235,023	76,497
05-09 years	55,389	376,998	284,602	79,973
10-14 years	52,978	384,705	290,594	80,145
15-19 years	55,028	365,383	275,464	75,851
20-24 years	67,771	361,515	274,095	69,886
25-29 years	68,716	386,674	308,850	62,376
30-34 years	60,193	462,302	376,964	68,381
35-39 years	48,060	449,225	367,872	65,189
40-44 years	34,864	399,133	330,060	54,502
45-49 years	24,910	339,768	285,585	41,500
50-54 years	17,500	277,891	233,346	34,722
55-59 years	13,325	227,972	192,162	28,923
60-64 years	10,434	203,894	173,991	25,202
65-69 years	7,263	190,453	165,174	21,861
70-74 years	4,679	159,198	140,931	15,646
75-79 years	2,293	114,385	103,109	9,758
80-84 years	1,275	67,073	61,048	5,227
85+ years	900	42,586	38,456	3,688
Total	594,342	5,210,068	4,193,911	837,850
1994 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,276	75,061	53,987	18,280
01-04 years	51,274	308,670	223,591	74,394
05-09 years	53,387	358,263	268,787	77,792
10-14 years	49,705	368,206	276,018	78,713
15-19 years	48,687	342,333	256,056	73,034
20-24 years	52,299	363,049	270,581	75,189
25-29 years	52,551	398,917	308,897	71,730
30-34 years	49,578	473,308	374,709	80,852
35-39 years	40,372	464,038	367,327	79,967
40-44 years	31,073	417,468	333,269	68,061
45-49 years	23,009	357,931	290,886	53,091
50-54 years	16,869	295,593	241,946	43,591
55-59 years	13,122	248,098	203,440	37,561
60-64 years	10,342	229,835	191,641	32,660
65-69 years	8,125	233,612	199,672	29,420
70-74 years	5,498	216,106	189,594	22,933
75-79 years	3,575	179,708	161,308	16,260
80-84 years	2,161	130,567	118,950	10,421
85+ years	1,642	119,867	109,652	9,462
Total	527,545	5,580,630	4,440,311	953,411

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1995 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	30,709	149,010	108,826	34,373
01-04 years	111,586	628,805	451,140	154,913
05-09 years	115,889	746,462	558,690	162,615
10-14 years	106,707	754,806	568,928	158,146
15-19 years	110,697	722,948	540,516	153,853
20-24 years	124,188	705,397	527,358	142,721
25-29 years	127,756	770,507	600,321	133,993
30-34 years	114,511	916,363	734,006	146,834
35-39 years	93,577	921,283	740,062	147,036
40-44 years	70,836	830,825	673,350	125,800
45-49 years	51,421	728,226	599,750	100,323
50-54 years	36,895	585,208	484,195	79,744
55-59 years	27,242	478,466	395,291	67,689
60-64 years	21,436	427,090	357,966	58,127
65-69 years	15,995	418,301	358,283	51,747
70-74 years	10,898	377,580	332,069	38,946
75-79 years	6,118	294,858	263,896	27,062
80-84 years	3,550	202,983	184,938	15,868
85+ years	2,645	166,663	151,699	13,628
Total	1,182,656	10,825,781	8,631,284	1,813,418
1995 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,752	75,915	55,656	17,273
01-04 years	57,025	321,550	231,211	78,645
05-09 years	59,239	382,566	287,100	82,485
10-14 years	54,867	385,834	291,926	79,807
15-19 years	58,922	373,062	279,962	78,358
20-24 years	69,596	352,868	265,935	68,923
25-29 years	72,650	379,294	300,430	62,483
30-34 years	62,878	453,039	368,330	67,590
35-39 years	51,024	453,434	370,301	66,268
40-44 years	37,583	406,319	335,101	56,223
45-49 years	26,807	354,964	297,510	44,102
50-54 years	18,939	283,580	237,946	35,227
55-59 years	13,690	229,218	191,965	29,573
60-64 years	10,693	200,834	170,471	25,303
65-69 years	7,575	188,616	163,011	22,011
70-74 years	5,032	160,603	142,071	15,773
75-79 years	2,453	115,244	103,355	10,306
80-84 years	1,320	69,576	63,459	5,249
85+ years	949	43,823	39,533	3,813
Total	626,994	5,230,339	4,195,273	849,412
1995 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,957	73,095	53,170	17,100
01-04 years	54,561	307,255	219,929	76,268
05-09 years	56,650	363,896	271,590	80,130
10-14 years	51,840	368,972	277,002	78,339
15-19 years	51,775	349,886	260,554	75,495
20-24 years	54,592	352,529	261,423	73,798
25-29 years	55,106	391,213	299,891	71,510
30-34 years	51,633	463,324	365,676	79,244
35-39 years	42,553	467,849	369,761	80,768
40-44 years	33,253	424,506	338,249	69,577
45-49 years	24,614	373,262	302,240	56,221
50-54 years	17,956	301,628	246,249	44,517
55-59 years	13,552	249,248	203,326	38,116
60-64 years	10,743	226,256	187,495	32,824
65-69 years	8,420	229,685	195,272	29,736
70-74 years	5,866	216,977	189,998	23,173
75-79 years	3,665	179,614	160,541	16,756
80-84 years	2,230	133,407	121,479	10,619
85+ years	1,696	122,840	112,166	9,815
Total	555,662	5,595,442	4,436,011	964,006

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1996 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	31,641	143,996	106,149	31,468
01-04 years	118,802	619,078	442,686	152,648
05-09 years	123,602	761,563	564,505	170,937
10-14 years	110,782	758,451	570,836	159,340
15-19 years	118,714	738,353	550,633	157,502
20-24 years	129,161	681,641	507,916	137,850
25-29 years	135,872	767,460	592,040	135,935
30-34 years	119,489	888,062	707,108	144,676
35-39 years	98,975	925,295	741,981	148,062
40-44 years	75,958	845,080	683,355	128,853
45-49 years	55,497	765,618	628,417	107,402
50-54 years	39,440	589,573	486,565	80,407
55-59 years	28,444	485,255	400,116	68,321
60-64 years	22,186	421,455	351,262	58,457
65-69 years	16,696	412,653	352,160	51,902
70-74 years	11,363	372,925	326,473	39,650
75-79 years	6,509	298,297	266,029	28,050
80-84 years	3,581	207,132	188,682	16,110
85+ years	2,784	170,614	155,323	13,841
Total	1,249,496	10,852,501	8,622,236	1,831,411
1996 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,269	73,350	54,279	15,790
01-04 years	60,763	316,538	226,908	77,463
05-09 years	63,216	390,202	289,964	86,811
10-14 years	56,750	387,911	293,029	80,457
15-19 years	63,752	380,366	284,917	79,847
20-24 years	71,562	341,944	256,991	66,574
25-29 years	77,023	377,870	296,880	63,315
30-34 years	65,930	438,964	354,848	66,701
35-39 years	53,870	455,747	371,135	67,096
40-44 years	40,435	413,435	340,359	57,457
45-49 years	28,973	373,625	312,331	47,226
50-54 years	20,213	285,803	239,276	35,460
55-59 years	14,397	232,468	194,328	29,834
60-64 years	11,092	198,357	167,470	25,380
65-69 years	7,880	186,309	160,551	22,019
70-74 years	5,261	158,917	140,027	16,020
75-79 years	2,614	117,487	105,027	10,763
80-84 years	1,343	71,784	65,518	5,341
85+ years	987	44,951	40,624	3,828
Total	662,330	5,246,028	4,194,462	857,382
1996 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,372	70,646	51,870	15,678
01-04 years	58,039	302,540	215,778	75,185
05-09 years	60,386	371,361	274,541	84,126
10-14 years	54,032	370,540	277,807	78,883
15-19 years	54,962	357,987	265,716	77,655
20-24 years	57,599	339,697	250,925	71,276
25-29 years	58,849	389,590	295,160	72,620
30-34 years	53,559	449,098	352,260	77,975
35-39 years	45,105	469,548	370,846	80,966
40-44 years	35,523	431,645	342,996	71,396
45-49 years	26,524	391,993	316,086	60,176
50-54 years	19,227	303,770	247,289	44,947
55-59 years	14,047	252,787	205,788	38,487
60-64 years	11,094	223,098	183,792	33,077
65-69 years	8,816	226,344	191,609	29,883
70-74 years	6,102	214,008	186,446	23,630
75-79 years	3,895	180,810	161,002	17,287
80-84 years	2,238	135,348	123,164	10,769
85+ years	1,797	125,663	114,699	10,013
Total	587,166	5,606,473	4,427,774	974,029

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1997 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	33,560	140,709	103,466	30,993
01-04 years	124,076	605,422	433,245	147,640
05-09 years	134,063	774,044	567,737	178,461
10-14 years	115,746	757,770	567,988	160,902
15-19 years	125,191	748,316	557,078	159,602
20-24 years	137,337	671,494	500,092	135,454
25-29 years	143,100	759,893	579,285	138,401
30-34 years	124,455	854,109	675,713	141,169
35-39 years	103,254	920,309	735,117	148,653
40-44 years	80,402	860,491	693,210	133,116
45-49 years	58,576	762,459	621,634	110,502
50-54 years	42,898	634,003	525,476	83,919
55-59 years	29,703	498,096	409,812	70,319
60-64 years	23,112	421,510	349,517	59,126
65-69 years	17,329	402,152	341,814	51,291
70-74 years	11,877	368,682	321,254	40,361
75-79 years	6,931	303,704	270,044	29,101
80-84 years	3,585	209,967	190,956	16,466
85+ years	2,874	174,516	158,953	14,031
Total	1,318,069	10,867,646	8,602,391	1,849,507
1997 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,333	71,566	52,838	15,540
01-04 years	63,544	309,577	222,070	75,010
05-09 years	68,654	396,411	291,653	90,438
10-14 years	58,969	387,823	291,696	81,328
15-19 years	67,656	384,755	287,711	80,704
20-24 years	75,745	336,808	253,131	65,302
25-29 years	80,639	374,207	290,586	64,552
30-34 years	68,770	421,653	339,202	65,034
35-39 years	55,953	453,413	367,239	67,889
40-44 years	43,037	421,155	345,337	59,457
45-49 years	30,625	372,065	309,249	48,629
50-54 years	21,944	307,940	258,762	37,213
55-59 years	14,972	238,775	199,097	30,771
60-64 years	11,549	198,580	166,968	25,576
65-69 years	8,194	181,698	156,015	21,652
70-74 years	5,450	157,523	138,297	16,247
75-79 years	2,862	120,745	107,662	11,233
80-84 years	1,374	72,933	66,571	5,381
85+ years	1,027	46,542	42,112	3,898
Total	698,297	5,254,169	4,186,196	865,854
1997 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,227	69,143	50,628	15,453
01-04 years	60,532	295,845	211,175	72,630
05-09 years	65,409	377,633	276,084	88,023
10-14 years	56,777	369,947	276,292	79,574
15-19 years	57,535	363,561	269,367	78,898
20-24 years	61,592	334,686	246,961	70,152
25-29 years	62,461	385,686	288,699	73,849
30-34 years	55,685	432,456	336,511	76,135
35-39 years	47,301	466,896	367,878	80,764
40-44 years	37,365	439,336	347,873	73,659
45-49 years	27,951	390,394	312,385	61,873
50-54 years	20,954	326,063	266,714	46,706
55-59 years	14,731	259,321	210,715	39,548
60-64 years	11,563	222,930	182,549	33,550
65-69 years	9,135	220,454	185,799	29,639
70-74 years	6,427	211,159	182,957	24,114
75-79 years	4,069	182,959	162,382	17,868
80-84 years	2,211	137,034	124,385	11,085
85+ years	1,847	127,974	116,841	10,133
Total	619,772	5,613,477	4,416,195	983,653

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1998 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	34,542	137,982	100,600	30,739
01-04 years	129,811	588,351	422,492	140,419
05-09 years	143,176	776,129	562,779	184,466
10-14 years	121,278	756,932	563,786	163,731
15-19 years	131,837	756,450	561,826	161,486
20-24 years	146,971	671,144	500,727	133,563
25-29 years	152,019	751,483	567,334	139,245
30-34 years	129,918	822,175	645,309	138,191
35-39 years	108,004	910,825	724,311	148,674
40-44 years	85,667	876,585	704,260	137,500
45-49 years	62,542	774,501	629,757	112,932
50-54 years	46,127	650,317	535,387	88,324
55-59 years	31,811	521,184	430,331	71,638
60-64 years	24,161	428,750	354,456	60,409
65-69 years	17,998	391,751	330,772	51,494
70-74 years	12,491	367,705	319,140	41,220
75-79 years	7,380	305,141	270,405	29,803
80-84 years	3,700	212,103	192,506	16,896
85+ years	2,980	179,926	163,689	14,575
Total	1,392,413	10,879,434	8,579,867	1,865,305
1998 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,785	70,315	51,572	15,400
01-04 years	66,463	300,626	216,634	71,205
05-09 years	73,385	397,568	288,970	93,654
10-14 years	61,632	387,530	289,538	82,943
15-19 years	71,425	388,555	289,752	81,646
20-24 years	80,918	336,838	253,575	64,570
25-29 years	85,154	370,322	285,022	64,952
30-34 years	71,524	406,141	324,349	63,908
35-39 years	58,643	448,636	361,799	68,045
40-44 years	45,785	429,611	351,094	61,791
45-49 years	32,756	378,235	313,547	49,740
50-54 years	23,616	315,834	263,934	39,091
55-59 years	16,016	250,147	209,169	31,483
60-64 years	11,851	202,340	169,545	26,147
65-69 years	8,460	176,800	150,957	21,608
70-74 years	5,727	158,090	138,408	16,584
75-79 years	3,146	122,077	108,487	11,584
80-84 years	1,411	74,544	67,937	5,561
85+ years	1,081	48,504	43,866	4,069
Total	736,778	5,262,713	4,178,155	873,981
1998 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,757	67,667	49,028	15,339
01-04 years	63,348	287,725	205,858	69,214
05-09 years	69,791	378,561	273,809	90,812
10-14 years	59,646	369,402	274,248	80,788
15-19 years	60,412	367,895	272,074	79,840
20-24 years	66,053	334,306	247,152	68,993
25-29 years	66,865	381,161	282,312	74,293
30-34 years	58,394	416,034	320,960	74,283
35-39 years	49,361	462,189	362,512	80,629
40-44 years	39,882	446,974	353,166	75,709
45-49 years	29,786	396,266	316,210	63,192
50-54 years	22,511	334,483	271,453	49,233
55-59 years	15,795	271,037	221,162	40,155
60-64 years	12,310	226,410	184,911	34,262
65-69 years	9,538	214,951	179,815	29,886
70-74 years	6,764	209,615	180,732	24,636
75-79 years	4,234	183,064	161,918	18,219
80-84 years	2,289	137,559	124,569	11,335
85+ years	1,899	131,422	119,823	10,506
Total	655,635	5,616,721	4,401,712	991,324

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

1999 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,521	136,767	99,470	30,713
01-04 years	134,941	573,737	412,010	135,436
05-09 years	153,886	776,076	558,293	187,800
10-14 years	127,759	765,694	565,959	169,591
15-19 years	137,384	756,345	560,864	161,457
20-24 years	156,578	677,187	503,153	135,413
25-29 years	159,120	738,165	549,446	139,361
30-34 years	135,774	792,652	616,127	135,340
35-39 years	113,288	896,492	710,511	147,274
40-44 years	90,515	886,906	710,673	140,842
45-49 years	66,790	790,766	640,911	117,009
50-54 years	49,943	676,602	554,984	93,121
55-59 years	33,464	534,076	440,506	73,062
60-64 years	25,298	436,450	360,081	61,603
65-69 years	18,718	381,891	320,646	51,273
70-74 years	13,239	364,228	314,798	41,872
75-79 years	7,968	307,529	271,993	30,329
80-84 years	3,788	214,083	193,733	17,429
85+ years	3,088	185,312	168,499	15,022
Total	1,468,062	10,890,958	8,552,657	1,883,947
1999 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,788	69,666	50,887	15,494
01-04 years	69,148	293,077	211,287	68,714
05-09 years	78,715	397,663	286,833	95,542
10-14 years	64,937	392,017	290,544	85,926
15-19 years	74,702	387,774	288,817	81,292
20-24 years	86,583	339,084	254,212	65,356
25-29 years	88,188	364,697	275,795	64,864
30-34 years	74,664	391,746	309,848	62,646
35-39 years	61,427	441,272	354,498	67,721
40-44 years	48,364	434,990	354,378	63,575
45-49 years	34,969	386,625	319,304	51,861
50-54 years	25,649	328,716	274,033	41,054
55-59 years	16,667	256,610	214,397	32,231
60-64 years	12,392	205,958	172,280	26,560
65-69 years	8,735	173,228	147,089	21,590
70-74 years	6,089	157,183	137,160	16,810
75-79 years	3,527	123,060	109,305	11,653
80-84 years	1,464	75,684	68,706	5,842
85+ years	1,134	50,478	45,692	4,183
Total	776,142	5,269,528	4,165,065	882,914
1999 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,733	67,101	48,583	15,219
01-04 years	65,793	280,660	200,723	66,722
05-09 years	75,171	378,413	271,460	92,258
10-14 years	62,822	373,677	275,415	83,665
15-19 years	62,682	368,571	272,047	80,165
20-24 years	69,995	338,103	248,941	70,057
25-29 years	70,932	373,468	273,651	74,497
30-34 years	61,110	400,906	306,279	72,694
35-39 years	51,861	455,220	356,013	79,553
40-44 years	42,151	451,916	356,295	77,267
45-49 years	31,821	404,141	321,607	65,148
50-54 years	24,294	347,886	280,951	52,067
55-59 years	16,797	277,466	226,109	40,831
60-64 years	12,906	230,492	187,801	35,043
65-69 years	9,983	208,663	173,557	29,683
70-74 years	7,150	207,045	177,638	25,062
75-79 years	4,441	184,469	162,688	18,676
80-84 years	2,324	138,399	125,027	11,587
85+ years	1,954	134,834	122,807	10,839
Total	691,920	5,621,430	4,387,592	1,001,033

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2000 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	38,562	136,877	98,656	31,151
01-04 years	139,352	560,594	402,247	131,481
05-09 years	162,031	762,538	545,386	186,335
10-14 years	135,837	772,835	567,585	174,297
15-19 years	142,644	755,077	559,945	160,474
20-24 years	165,960	689,349	509,183	139,325
25-29 years	166,983	719,395	532,035	136,351
30-34 years	142,211	777,580	597,005	134,187
35-39 years	118,187	874,795	690,619	144,482
40-44 years	95,717	893,073	713,560	142,915
45-49 years	71,632	806,339	651,815	120,528
50-54 years	53,635	706,505	577,037	99,066
55-59 years	35,768	545,366	449,143	74,362
60-64 years	26,259	438,406	359,908	62,617
65-69 years	19,564	376,612	314,713	51,285
70-74 years	13,928	360,185	309,855	42,384
75-79 years	8,510	308,865	272,586	30,688
80-84 years	4,085	216,054	194,655	18,178
85+ years	3,300	189,551	172,155	15,356
Total	1,544,165	10,889,996	8,518,088	1,895,462
2000 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,852	69,702	50,441	15,727
01-04 years	71,336	286,391	206,319	66,848
05-09 years	82,767	390,719	280,223	94,832
10-14 years	69,180	395,495	291,236	88,323
15-19 years	77,592	387,801	288,823	80,875
20-24 years	92,531	344,464	256,701	67,094
25-29 years	92,408	356,085	267,625	63,375
30-34 years	78,056	385,193	299,940	62,156
35-39 years	63,933	430,630	344,722	66,325
40-44 years	51,159	438,313	355,798	64,849
45-49 years	37,534	394,671	324,968	53,762
50-54 years	27,586	343,349	285,114	43,778
55-59 years	17,880	262,038	218,788	32,711
60-64 years	12,825	207,031	172,158	27,115
65-69 years	9,104	171,365	144,956	21,580
70-74 years	6,450	156,287	135,858	17,056
75-79 years	3,797	123,681	109,675	11,723
80-84 years	1,646	76,724	69,346	6,135
85+ years	1,216	52,093	47,178	4,247
Total	816,852	5,272,032	4,149,869	888,511
2000 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,710	67,175	48,215	15,424
01-04 years	68,016	274,203	195,928	64,633
05-09 years	79,264	371,819	265,163	91,503
10-14 years	66,657	377,340	276,349	85,974
15-19 years	65,052	367,276	271,122	79,599
20-24 years	73,429	344,885	252,482	72,231
25-29 years	74,575	363,310	264,410	72,976
30-34 years	64,155	392,387	297,065	72,031
35-39 years	54,254	444,165	345,897	78,157
40-44 years	44,558	454,760	357,762	78,066
45-49 years	34,098	411,668	326,847	66,766
50-54 years	26,049	363,156	291,923	55,288
55-59 years	17,888	283,328	230,355	41,651
60-64 years	13,434	231,375	187,750	35,502
65-69 years	10,460	205,247	169,757	29,705
70-74 years	7,478	203,898	173,997	25,328
75-79 years	4,713	185,184	162,911	18,965
80-84 years	2,439	139,330	125,309	12,043
85+ years	2,084	137,458	124,977	11,109
Total	727,313	5,617,964	4,368,219	1,006,951

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2001 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,104	140,910	100,342	32,607
01-04 years	143,644	548,281	393,965	126,644
05-09 years	166,083	745,633	532,963	180,817
10-14 years	143,008	777,313	566,771	178,846
15-19 years	143,747	753,467	559,389	158,907
20-24 years	168,328	702,612	517,700	142,781
25-29 years	172,003	692,725	510,325	130,532
30-34 years	148,554	775,183	591,191	134,334
35-39 years	123,112	846,575	664,958	140,646
40-44 years	100,704	897,324	715,855	144,306
45-49 years	75,720	818,904	660,875	122,615
50-54 years	57,580	741,272	604,028	105,437
55-59 years	38,274	553,872	455,391	75,307
60-64 years	27,395	444,116	364,086	62,791
65-69 years	20,474	374,522	310,635	52,337
70-74 years	14,562	355,215	304,458	42,504
75-79 years	9,227	307,484	269,898	31,692
80-84 years	4,586	219,809	197,598	18,734
85+ years	3,428	191,695	174,342	15,089
Total	1,601,533	10,886,912	8,494,770	1,896,926
2001 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,091	71,823	51,429	16,336
01-04 years	73,696	279,723	201,910	64,194
05-09 years	84,772	382,020	273,680	92,308
10-14 years	73,062	397,846	290,893	90,631
15-19 years	77,786	387,414	288,765	80,244
20-24 years	93,384	350,455	260,619	68,770
25-29 years	95,023	343,071	256,853	60,611
30-34 years	81,139	383,770	297,085	62,041
35-39 years	66,692	416,808	332,142	64,516
40-44 years	53,650	440,466	356,786	65,745
45-49 years	39,650	400,958	329,523	54,863
50-54 years	29,648	360,201	298,615	46,508
55-59 years	19,158	266,566	222,303	33,140
60-64 years	13,495	209,822	174,214	27,159
65-69 years	9,519	171,066	143,675	22,099
70-74 years	6,700	154,464	133,869	17,130
75-79 years	4,149	123,913	109,359	12,134
80-84 years	1,853	78,801	71,095	6,378
85+ years	1,249	53,099	48,255	4,119
Total	845,716	5,272,286	4,141,070	888,926
2001 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,013	69,087	48,913	16,271
01-04 years	69,948	268,558	192,055	62,450
05-09 years	81,311	363,613	259,283	88,509
10-14 years	69,946	379,467	275,878	88,215
15-19 years	65,961	366,053	270,624	78,663
20-24 years	74,944	352,157	257,081	74,011
25-29 years	76,980	349,654	253,472	69,921
30-34 years	67,415	391,413	294,106	72,293
35-39 years	56,420	429,767	332,816	76,130
40-44 years	47,054	456,858	359,069	78,561
45-49 years	36,070	417,946	331,352	67,752
50-54 years	27,932	381,071	305,413	58,929
55-59 years	19,116	287,306	233,088	42,167
60-64 years	13,900	234,294	189,872	35,632
65-69 years	10,955	203,456	166,960	30,238
70-74 years	7,862	200,751	170,589	25,374
75-79 years	5,078	183,571	160,539	19,558
80-84 years	2,733	141,008	126,503	12,356
85+ years	2,179	138,596	126,087	10,970
Total	755,817	5,614,626	4,353,700	1,008,000

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2002 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	40,895	135,696	96,716	31,113
01-04 years	150,256	545,914	391,710	124,871
05-09 years	168,672	726,593	519,054	174,624
10-14 years	149,769	781,154	566,206	182,714
15-19 years	144,951	750,289	556,248	158,714
20-24 years	169,662	708,039	520,281	144,387
25-29 years	175,364	679,769	500,571	126,501
30-34 years	155,780	767,735	579,599	134,554
35-39 years	126,891	817,684	639,246	136,326
40-44 years	105,446	891,439	709,291	144,250
45-49 years	80,422	834,308	671,527	126,363
50-54 years	60,256	738,521	598,727	107,405
55-59 years	41,700	592,279	488,093	78,875
60-64 years	28,406	458,723	376,404	63,754
65-69 years	21,283	374,632	309,036	53,206
70-74 years	15,128	347,309	296,571	42,111
75-79 years	9,788	305,424	266,945	32,431
80-84 years	5,030	223,459	200,227	19,438
85+ years	3,601	193,289	175,762	15,056
Total	1,653,300	10,872,256	8,462,214	1,896,693
2002 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,764	69,347	49,355	15,925
01-04 years	77,064	278,566	200,875	63,119
05-09 years	86,265	371,769	266,218	89,209
10-14 years	76,448	399,950	290,659	92,701
15-19 years	77,539	385,723	286,922	80,285
20-24 years	94,057	353,154	261,855	69,655
25-29 years	96,530	336,253	251,537	58,840
30-34 years	84,847	380,174	291,918	61,826
35-39 years	68,458	402,789	319,599	62,493
40-44 years	56,136	437,512	353,342	65,766
45-49 years	42,150	408,111	334,386	56,641
50-54 years	31,102	359,399	296,782	47,421
55-59 years	20,952	285,077	238,207	34,780
60-64 years	13,883	216,761	180,138	27,591
65-69 years	10,032	172,063	143,825	22,457
70-74 years	6,920	151,400	130,724	17,011
75-79 years	4,298	123,971	109,053	12,435
80-84 years	2,072	80,816	72,667	6,675
85+ years	1,304	54,003	49,088	4,112
Total	870,821	5,266,838	4,127,150	888,942
2002 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,131	66,349	47,361	15,188
01-04 years	73,192	267,348	190,835	61,752
05-09 years	82,407	354,824	252,836	85,415
10-14 years	73,321	381,204	275,547	90,013
15-19 years	67,412	364,566	269,326	78,429
20-24 years	75,605	354,885	258,426	74,732
25-29 years	78,834	343,516	249,034	67,661
30-34 years	70,933	387,561	287,681	72,728
35-39 years	58,433	414,895	319,647	73,833
40-44 years	49,310	453,927	355,949	78,484
45-49 years	38,272	426,197	337,141	69,722
50-54 years	29,154	379,122	301,945	59,984
55-59 years	20,748	307,202	249,886	44,095
60-64 years	14,523	241,962	196,266	36,163
65-69 years	11,251	202,569	165,211	30,749
70-74 years	8,208	195,909	165,847	25,100
75-79 years	5,490	181,453	157,892	19,996
80-84 years	2,958	142,643	127,560	12,763
85+ years	2,297	139,286	126,674	10,944
Total	782,479	5,605,418	4,335,064	1,007,751

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2003 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,379	133,688	95,351	29,861
01-04 years	156,169	540,594	387,645	122,442
05-09 years	170,992	707,655	506,615	167,279
10-14 years	156,214	778,659	560,306	185,579
15-19 years	146,392	749,560	553,510	160,433
20-24 years	169,938	715,371	525,495	145,226
25-29 years	176,734	674,580	498,342	123,649
30-34 years	161,347	751,708	562,572	133,061
35-39 years	132,109	789,629	613,155	132,580
40-44 years	109,674	879,640	698,016	142,911
45-49 years	84,704	847,484	680,316	129,755
50-54 years	63,304	748,055	605,304	109,495
55-59 years	45,150	610,103	500,600	82,351
60-64 years	29,731	479,900	395,112	65,074
65-69 years	22,404	381,196	313,654	54,180
70-74 years	15,708	339,987	288,283	42,588
75-79 years	10,587	303,851	264,780	32,627
80-84 years	5,537	226,030	201,963	20,064
85+ years	3,850	196,393	178,512	15,210
Total	1,701,923	10,854,083	8,429,531	1,894,365
2003 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,330	68,520	49,084	15,037
01-04 years	79,724	275,781	198,462	62,055
05-09 years	87,511	361,542	259,856	85,022
10-14 years	79,799	398,523	287,535	94,218
15-19 years	77,727	385,637	285,690	81,273
20-24 years	93,723	356,749	264,165	70,208
25-29 years	96,878	333,825	250,583	57,692
30-34 years	87,732	372,085	283,327	61,151
35-39 years	70,955	389,006	306,768	60,637
40-44 years	58,240	431,759	347,926	65,098
45-49 years	44,329	414,468	338,375	58,500
50-54 years	32,632	364,119	300,121	48,408
55-59 years	22,849	293,968	244,926	36,264
60-64 years	14,446	226,799	189,118	28,106
65-69 years	10,573	175,741	146,551	22,871
70-74 years	7,098	148,382	127,253	17,241
75-79 years	4,681	124,119	109,071	12,375
80-84 years	2,334	82,437	73,909	7,006
85+ years	1,422	55,704	50,648	4,145
Total	893,983	5,259,164	4,113,368	887,307
2003 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,049	65,168	46,267	14,824
01-04 years	76,445	264,813	189,183	60,387
05-09 years	83,481	346,113	246,759	82,257
10-14 years	76,415	380,136	272,771	91,361
15-19 years	68,665	363,923	267,820	79,160
20-24 years	76,215	358,622	261,330	75,018
25-29 years	79,856	340,755	247,759	65,957
30-34 years	73,615	379,623	279,245	71,910
35-39 years	61,154	400,623	306,387	71,943
40-44 years	51,434	447,881	350,090	77,813
45-49 years	40,375	433,016	341,941	71,255
50-54 years	30,672	383,936	305,183	61,087
55-59 years	22,301	316,135	255,674	46,087
60-64 years	15,285	253,101	205,994	36,968
65-69 years	11,831	205,455	167,103	31,309
70-74 years	8,610	191,605	161,030	25,347
75-79 years	5,906	179,732	155,709	20,252
80-84 years	3,203	143,593	128,054	13,058
85+ years	2,428	140,689	127,864	11,065
Total	807,940	5,594,919	4,316,163	1,007,058

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2004 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,262	133,171	94,894	29,818
01-04 years	161,057	535,141	383,134	119,969
05-09 years	173,109	689,231	494,952	159,684
10-14 years	162,799	769,772	550,541	186,011
15-19 years	149,006	756,166	555,265	164,566
20-24 years	168,255	724,970	534,134	145,351
25-29 years	178,342	677,365	499,863	124,012
30-34 years	166,019	729,919	542,154	130,597
35-39 years	136,060	765,378	590,721	128,749
40-44 years	114,136	866,835	685,679	141,084
45-49 years	88,827	855,914	685,696	132,476
50-54 years	66,689	761,131	614,752	112,201
55-59 years	48,327	634,701	519,394	86,390
60-64 years	31,303	492,569	405,178	66,337
65-69 years	23,201	389,130	319,934	54,657
70-74 years	16,468	332,829	280,495	42,736
75-79 years	11,111	299,360	259,750	32,912
80-84 years	6,297	229,276	204,376	20,681
85+ years	4,004	199,643	181,189	15,515
Total	1,747,272	10,842,501	8,402,101	1,893,746
2004 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,545	68,241	48,648	15,219
01-04 years	82,372	273,101	196,313	60,622
05-09 years	88,597	352,518	254,192	81,333
10-14 years	83,208	393,713	282,514	94,353
15-19 years	78,771	389,475	286,843	83,443
20-24 years	92,670	364,503	270,359	70,979
25-29 years	97,243	335,400	251,631	57,972
30-34 years	89,567	361,397	273,422	59,825
35-39 years	73,052	377,387	295,769	59,069
40-44 years	60,618	425,452	341,655	64,516
45-49 years	46,466	419,008	341,187	59,884
50-54 years	34,354	370,779	305,182	49,799
55-59 years	24,554	305,644	254,144	37,928
60-64 years	15,148	233,328	194,391	28,761
65-69 years	10,966	179,635	149,615	23,064
70-74 years	7,415	145,461	124,109	17,227
75-79 years	4,884	123,385	108,104	12,503
80-84 years	2,714	84,249	75,361	7,273
85+ years	1,475	57,269	52,024	4,239
Total	915,619	5,259,945	4,105,463	888,009
2004 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,717	64,930	46,246	14,599
01-04 years	78,685	262,040	186,821	59,347
05-09 years	84,512	336,713	240,760	78,351
10-14 years	79,591	376,059	268,027	91,658
15-19 years	70,235	366,691	268,422	81,123
20-24 years	75,585	360,467	263,775	74,372
25-29 years	81,099	341,965	248,232	66,040
30-34 years	76,452	368,522	268,732	70,772
35-39 years	63,008	387,991	294,952	69,680
40-44 years	53,518	441,383	344,024	76,568
45-49 years	42,361	436,906	344,509	72,592
50-54 years	32,335	390,352	309,570	62,402
55-59 years	23,773	329,057	265,250	48,462
60-64 years	16,155	259,241	210,787	37,576
65-69 years	12,235	209,495	170,319	31,593
70-74 years	9,053	187,368	156,386	25,509
75-79 years	6,227	175,975	151,646	20,409
80-84 years	3,583	145,027	129,015	13,408
85+ years	2,529	142,374	129,165	11,276
Total	831,653	5,582,556	4,296,638	1,005,737

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2005 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,473	129,069	91,352	28,867
01-04 years	164,169	530,995	379,356	118,565
05-09 years	176,794	672,724	484,407	152,726
10-14 years	168,562	754,852	537,504	183,517
15-19 years	153,264	761,011	554,941	169,054
20-24 years	165,540	722,221	533,993	142,488
25-29 years	179,751	686,332	504,904	127,237
30-34 years	169,057	703,519	519,481	126,352
35-39 years	142,157	752,131	576,263	126,940
40-44 years	117,325	845,252	666,641	137,578
45-49 years	93,875	862,237	688,979	135,049
50-54 years	70,243	775,881	626,470	114,418
55-59 years	52,308	667,853	544,299	92,500
60-64 years	33,322	500,669	411,889	66,765
65-69 years	23,991	393,001	322,091	55,166
70-74 years	17,157	328,205	274,874	43,142
75-79 years	12,009	297,050	256,682	33,259
80-84 years	6,755	231,103	205,535	21,118
85+ years	4,397	203,649	184,344	16,148
Total	1,792,149	10,817,754	8,364,005	1,890,889
2005 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,299	66,282	46,931	14,855
01-04 years	83,807	271,311	194,612	59,929
05-09 years	90,767	343,092	248,163	77,522
10-14 years	86,130	386,945	276,330	93,414
15-19 years	80,408	391,398	286,219	85,708
20-24 years	90,850	362,745	269,741	69,754
25-29 years	97,585	339,922	254,162	59,841
30-34 years	90,846	347,949	261,556	57,857
35-39 years	76,066	371,469	289,502	58,092
40-44 years	62,039	414,642	331,993	62,924
45-49 years	49,247	421,902	342,421	61,290
50-54 years	36,202	377,926	310,833	50,964
55-59 years	26,690	322,061	267,018	40,518
60-64 years	16,113	237,828	198,324	28,945
65-69 years	11,350	181,236	150,510	23,219
70-74 years	7,624	144,536	122,544	17,495
75-79 years	5,355	123,097	107,475	12,649
80-84 years	2,876	85,820	76,647	7,490
85+ years	1,644	59,013	53,517	4,414
Total	936,898	5,249,174	4,088,498	886,880
2005 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,174	62,787	44,421	14,012
01-04 years	80,362	259,684	184,744	58,636
05-09 years	86,027	329,632	236,244	75,204
10-14 years	82,432	367,907	261,174	90,103
15-19 years	72,856	369,613	268,722	83,346
20-24 years	74,690	359,476	264,252	72,734
25-29 years	82,166	346,410	250,742	67,396
30-34 years	78,211	355,570	257,925	68,495
35-39 years	66,091	380,662	286,761	68,848
40-44 years	55,286	430,610	334,648	74,654
45-49 years	44,628	440,335	346,558	73,759
50-54 years	34,041	397,955	315,637	63,454
55-59 years	25,618	345,792	277,281	51,982
60-64 years	17,209	262,841	213,565	37,820
65-69 years	12,641	211,765	171,581	31,947
70-74 years	9,533	183,669	152,330	25,647
75-79 years	6,654	173,953	149,207	20,610
80-84 years	3,879	145,283	128,888	13,628
85+ years	2,753	144,636	130,827	11,734
Total	855,251	5,568,580	4,275,507	1,004,009

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2006 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,032	127,001	89,200	28,996
01-04 years	164,664	520,085	371,005	115,317
05-09 years	182,389	665,591	478,147	150,198
10-14 years	173,928	739,743	526,209	178,764
15-19 years	159,164	762,423	551,706	173,170
20-24 years	165,546	717,386	530,939	139,911
25-29 years	180,748	704,543	517,955	130,252
30-34 years	172,611	679,927	500,219	121,577
35-39 years	147,168	749,206	569,650	128,061
40-44 years	121,375	816,842	640,531	134,096
45-49 years	97,873	866,276	691,193	136,602
50-54 years	73,959	788,955	635,744	117,025
55-59 years	55,684	701,042	570,233	98,304
60-64 years	35,482	508,959	417,946	67,707
65-69 years	25,085	397,538	325,559	55,090
70-74 years	17,864	325,913	270,974	43,855
75-79 years	12,602	293,127	252,793	33,033
80-84 years	7,293	230,359	203,990	21,692
85+ years	4,760	208,812	188,737	16,680
Total	1,840,227	10,803,728	8,332,730	1,890,330
2006 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,322	64,736	45,516	14,744
01-04 years	84,052	266,230	190,542	58,551
05-09 years	93,590	339,156	244,991	75,840
10-14 years	88,662	379,276	270,392	91,287
15-19 years	83,566	391,757	284,262	87,795
20-24 years	90,826	361,260	268,883	68,703
25-29 years	97,726	347,961	259,906	61,138
30-34 years	92,523	336,585	252,082	55,695
35-39 years	78,211	369,957	286,205	58,630
40-44 years	64,346	401,082	319,319	61,508
45-49 years	51,159	424,180	343,559	62,288
50-54 years	38,110	384,074	315,176	52,280
55-59 years	28,396	338,104	279,898	43,031
60-64 years	17,117	242,087	201,672	29,329
65-69 years	11,991	183,356	152,124	23,130
70-74 years	7,966	144,448	121,618	17,885
75-79 years	5,525	121,737	106,183	12,561
80-84 years	3,147	86,533	77,001	7,702
85+ years	1,771	61,408	55,671	4,581
Total	960,006	5,243,927	4,075,000	886,678
2006 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,710	62,265	43,684	14,252
01-04 years	80,612	253,855	180,463	56,766
05-09 years	88,799	326,435	233,156	74,358
10-14 years	85,266	360,467	255,817	87,477
15-19 years	75,598	370,666	267,444	85,375
20-24 years	74,720	356,126	262,056	71,208
25-29 years	83,022	356,582	258,049	69,114
30-34 years	80,088	343,342	248,137	65,882
35-39 years	68,957	379,249	283,445	69,431
40-44 years	57,029	415,760	321,212	72,588
45-49 years	46,714	442,096	347,634	74,314
50-54 years	35,849	404,881	320,568	64,745
55-59 years	27,288	362,938	290,335	55,273
60-64 years	18,365	266,872	216,274	38,378
65-69 years	13,094	214,182	173,435	31,960
70-74 years	9,898	181,465	149,356	25,970
75-79 years	7,077	171,390	146,610	20,472
80-84 years	4,146	143,826	126,989	13,990
85+ years	2,989	147,404	133,066	12,099
Total	880,221	5,559,801	4,257,730	1,003,652

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2007 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	43,014	128,278	89,469	29,774
01-04 years	166,521	513,514	365,038	113,857
05-09 years	189,178	660,018	473,836	147,491
10-14 years	178,163	724,227	514,388	173,774
15-19 years	164,953	763,424	549,174	176,109
20-24 years	165,210	715,074	529,228	139,029
25-29 years	181,335	714,753	525,483	130,866
30-34 years	175,109	671,340	494,045	118,398
35-39 years	153,709	741,907	557,814	129,011
40-44 years	124,591	789,444	615,959	130,349
45-49 years	101,821	861,204	685,607	136,457
50-54 years	78,473	805,706	647,499	121,008
55-59 years	57,997	699,047	565,904	99,989
60-64 years	38,551	546,921	450,571	70,914
65-69 years	26,098	412,111	337,771	56,163
70-74 years	18,711	326,817	270,535	44,450
75-79 years	13,208	287,648	247,371	32,696
80-84 years	7,839	230,026	202,930	22,230
85+ years	5,146	214,780	193,676	17,440
Total	1,889,627	10,806,239	8,316,298	1,890,005
2007 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,858	65,230	45,482	15,092
01-04 years	84,980	262,618	187,583	57,529
05-09 years	96,802	336,372	242,728	74,536
10-14 years	90,985	370,904	264,035	88,773
15-19 years	86,296	391,726	282,571	89,198
20-24 years	90,019	360,303	268,162	68,316
25-29 years	97,729	352,624	263,329	61,377
30-34 years	93,446	332,212	248,672	54,488
35-39 years	81,384	366,286	280,836	58,730
40-44 years	65,862	387,652	307,108	59,769
45-49 years	53,218	421,745	340,607	62,472
50-54 years	40,442	391,917	320,689	54,089
55-59 years	29,635	337,730	278,599	43,814
60-64 years	18,703	260,385	217,501	30,833
65-69 years	12,347	190,497	158,205	23,607
70-74 years	8,464	145,620	122,190	18,051
75-79 years	5,794	120,172	104,507	12,521
80-84 years	3,282	87,298	77,492	7,923
85+ years	1,954	63,798	57,713	4,813
Total	983,200	5,245,089	4,068,009	885,931
2007 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,156	63,048	43,987	14,682
01-04 years	81,541	250,896	177,455	56,328
05-09 years	92,376	323,646	231,108	72,955
10-14 years	87,178	353,323	250,353	85,001
15-19 years	78,657	371,698	266,603	86,911
20-24 years	75,191	354,771	261,066	70,713
25-29 years	83,606	362,129	262,154	69,489
30-34 years	81,663	339,128	245,373	63,910
35-39 years	72,325	375,621	276,978	70,281
40-44 years	58,729	401,792	308,851	70,580
45-49 years	48,603	439,459	345,000	73,985
50-54 years	38,031	413,789	326,810	66,919
55-59 years	28,362	361,317	287,305	56,175
60-64 years	19,848	286,536	233,070	40,081
65-69 years	13,751	221,614	179,566	32,556
70-74 years	10,247	181,197	148,345	26,399
75-79 years	7,414	167,476	142,864	20,175
80-84 years	4,557	142,728	125,438	14,307
85+ years	3,192	150,982	135,963	12,627
Total	906,427	5,561,150	4,248,289	1,004,074

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2008 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,012	125,956	87,337	29,329
01-04 years	169,784	509,911	360,632	114,158
05-09 years	196,021	655,521	469,776	145,222
10-14 years	182,935	709,417	504,546	167,945
15-19 years	171,103	759,962	542,230	178,975
20-24 years	166,301	710,244	524,013	139,159
25-29 years	181,703	728,555	537,509	131,359
30-34 years	176,403	670,810	495,529	116,643
35-39 years	159,681	727,019	541,829	128,101
40-44 years	129,694	763,568	591,741	127,087
45-49 years	105,642	851,044	675,710	135,249
50-54 years	82,853	821,048	658,241	124,579
55-59 years	61,009	712,062	575,522	102,264
60-64 years	41,683	565,580	464,043	74,214
65-69 years	27,274	432,474	355,714	57,437
70-74 years	19,636	332,607	274,877	45,037
75-79 years	13,562	281,568	240,563	33,045
80-84 years	8,414	228,884	201,543	22,172
85+ years	5,638	219,460	197,449	18,123
Total	1,941,348	10,805,690	8,298,804	1,890,098
2008 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,292	64,136	44,492	14,980
01-04 years	86,341	260,389	184,772	57,797
05-09 years	100,259	334,140	240,685	73,360
10-14 years	93,423	362,897	259,195	85,188
15-19 years	89,316	389,775	278,919	90,724
20-24 years	90,241	358,070	265,558	68,508
25-29 years	97,354	359,647	269,388	61,650
30-34 years	93,681	331,955	249,609	53,829
35-39 years	84,512	358,642	272,840	58,287
40-44 years	68,308	375,033	295,190	58,225
45-49 years	55,180	416,854	335,924	61,837
50-54 years	42,653	399,508	325,720	56,157
55-59 years	31,148	344,061	283,356	44,813
60-64 years	20,429	269,791	224,738	32,283
65-69 years	12,843	200,219	166,908	24,096
70-74 years	8,877	148,973	124,803	18,298
75-79 years	5,886	117,985	102,037	12,629
80-84 years	3,535	87,768	77,939	7,806
85+ years	2,167	66,213	59,765	5,108
Total	1,007,445	5,246,056	4,061,838	885,575
2008 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,720	61,820	42,845	14,349
01-04 years	83,443	249,522	175,860	56,361
05-09 years	95,762	321,381	229,091	71,862
10-14 years	89,512	346,520	245,351	82,757
15-19 years	81,787	370,187	263,311	88,251
20-24 years	76,060	352,174	258,455	70,651
25-29 years	84,349	368,908	268,121	69,709
30-34 years	82,722	338,855	245,920	62,814
35-39 years	75,169	368,377	268,989	69,814
40-44 years	61,386	388,535	296,551	68,862
45-49 years	50,462	434,190	339,786	73,412
50-54 years	40,200	421,540	332,521	68,422
55-59 years	29,861	368,001	292,166	57,451
60-64 years	21,254	295,789	239,305	41,931
65-69 years	14,431	232,255	188,806	33,341
70-74 years	10,759	183,634	150,074	26,739
75-79 years	7,676	163,583	138,526	20,416
80-84 years	4,879	141,116	123,604	14,366
85+ years	3,471	153,247	137,684	13,015
Total	933,903	5,559,634	4,236,966	1,004,523

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2009 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,747	122,899	85,709	28,122
01-04 years	171,143	504,486	354,417	114,367
05-09 years	203,209	654,151	467,751	144,120
10-14 years	187,630	696,298	496,144	162,034
15-19 years	177,072	751,129	532,284	179,653
20-24 years	167,357	710,291	521,055	141,286
25-29 years	180,158	734,539	544,708	129,897
30-34 years	178,300	677,472	500,293	117,932
35-39 years	164,597	706,833	522,144	126,637
40-44 years	134,088	741,258	571,090	123,495
45-49 years	109,989	841,540	666,186	133,758
50-54 years	87,093	832,526	666,101	127,772
55-59 years	64,438	727,956	587,554	105,015
60-64 years	44,681	591,892	484,754	78,097
65-69 years	28,984	446,086	366,230	59,084
70-74 years	20,498	340,033	280,973	45,349
75-79 years	14,464	275,895	234,527	33,031
80-84 years	8,903	226,333	198,480	22,474
85+ years	6,204	224,606	201,453	19,055
Total	1,990,555	10,806,223	8,281,853	1,891,178
2009 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,236	62,831	43,867	14,352
01-04 years	86,911	257,452	181,572	57,879
05-09 years	103,900	333,354	239,578	72,823
10-14 years	95,685	356,455	254,964	82,418
15-19 years	91,949	384,570	273,467	90,844
20-24 years	90,242	357,322	263,423	69,318
25-29 years	96,302	362,885	273,140	61,020
30-34 years	93,883	335,209	252,207	54,421
35-39 years	86,460	348,305	262,966	57,375
40-44 years	70,704	364,092	284,788	56,761
45-49 years	57,387	411,840	330,672	61,521
50-54 years	44,866	405,660	329,854	57,748
55-59 years	32,777	351,952	289,554	46,209
60-64 years	22,003	282,475	235,156	33,823
65-69 years	13,612	207,154	172,339	24,946
70-74 years	9,264	152,550	127,754	18,356
75-79 years	6,251	116,061	99,987	12,589
80-84 years	3,733	87,729	77,704	7,902
85+ years	2,440	68,554	61,723	5,393
Total	1,029,605	5,246,450	4,054,715	885,698
2009 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,511	60,068	41,842	13,770
01-04 years	84,232	247,034	172,845	56,488
05-09 years	99,309	320,797	228,173	71,297
10-14 years	91,945	339,843	241,180	79,616
15-19 years	85,123	366,559	258,817	88,809
20-24 years	77,115	352,969	257,632	71,968
25-29 years	83,856	371,654	271,568	68,877
30-34 years	84,417	342,263	248,086	63,511
35-39 years	78,137	358,528	259,178	69,262
40-44 years	63,384	377,166	286,302	66,734
45-49 years	52,602	429,700	335,514	72,237
50-54 years	42,227	426,866	336,247	70,024
55-59 years	31,661	376,004	298,000	58,806
60-64 years	22,678	309,417	249,598	44,274
65-69 years	15,372	238,932	193,891	34,138
70-74 years	11,234	187,483	153,219	26,993
75-79 years	8,213	159,834	134,540	20,442
80-84 years	5,170	138,604	120,776	14,572
85+ years	3,764	156,052	139,730	13,662
Total	960,950	5,559,773	4,227,138	1,005,480

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2010 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,188	122,565	85,556	28,025
01-04 years	171,705	499,340	350,559	113,171
05-09 years	207,890	649,617	462,618	143,013
10-14 years	193,204	685,578	488,847	157,352
15-19 years	182,362	739,098	521,892	177,278
20-24 years	169,136	711,453	517,401	145,359
25-29 years	177,738	731,839	544,835	127,328
30-34 years	179,427	689,677	508,578	121,475
35-39 years	167,679	684,131	502,894	123,006
40-44 years	139,969	730,576	558,329	122,712
45-49 years	113,146	823,444	650,028	130,965
50-54 years	92,006	840,912	671,080	130,672
55-59 years	68,032	745,233	601,079	107,760
60-64 years	48,158	624,925	509,916	83,880
65-69 years	30,985	457,074	375,032	60,105
70-74 years	21,282	344,776	283,932	45,974
75-79 years	15,225	273,614	231,030	33,688
80-84 years	9,699	226,041	197,372	22,993
85+ years	6,736	230,191	205,808	20,024
Total	2,035,567	10,810,084	8,266,786	1,894,780
2010 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,052	62,821	43,838	14,375
01-04 years	87,077	254,673	179,491	57,210
05-09 years	106,261	331,395	237,197	72,378
10-14 years	98,565	349,992	250,710	79,699
15-19 years	94,241	379,196	268,564	89,984
20-24 years	90,591	357,710	261,630	71,163
25-29 years	94,382	362,316	273,592	60,073
30-34 years	94,264	341,162	256,334	56,203
35-39 years	87,636	337,100	253,285	55,788
40-44 years	73,651	359,385	279,132	56,424
45-49 years	58,908	403,086	322,709	60,353
50-54 years	47,502	409,811	332,219	59,305
55-59 years	34,726	360,374	296,103	47,597
60-64 years	23,760	298,860	248,109	36,292
65-69 years	14,619	212,915	177,123	25,466
70-74 years	9,657	154,593	129,073	18,554
75-79 years	6,577	116,131	99,378	12,935
80-84 years	4,111	88,182	77,836	8,117
85+ years	2,615	70,992	63,796	5,672
Total	1,050,195	5,250,694	4,050,119	887,588
2010 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,136	59,744	41,718	13,650
01-04 years	84,628	244,667	171,068	55,961
05-09 years	101,629	318,222	225,421	70,635
10-14 years	94,639	335,586	238,137	77,653
15-19 years	88,121	359,902	253,328	87,294
20-24 years	78,545	353,743	255,771	74,196
25-29 years	83,356	369,523	271,243	67,255
30-34 years	85,163	348,515	252,244	65,272
35-39 years	80,043	347,031	249,609	67,218
40-44 years	66,318	371,191	279,197	66,288
45-49 years	54,238	420,358	327,319	70,612
50-54 years	44,504	431,101	338,861	71,367
55-59 years	33,306	384,859	304,976	60,163
60-64 years	24,398	326,065	261,807	47,588
65-69 years	16,366	244,159	197,909	34,639
70-74 years	11,625	190,183	154,859	27,420
75-79 years	8,648	157,483	131,652	20,753
80-84 years	5,588	137,859	119,536	14,876
85+ years	4,121	159,199	142,012	14,352
Total	985,372	5,559,390	4,216,667	1,007,192

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2011 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	38,870	123,154	85,960	27,820
01-04 years	169,644	493,726	345,576	111,926
05-09 years	210,116	641,172	455,722	140,454
10-14 years	197,216	679,908	484,170	154,821
15-19 years	185,474	728,603	514,490	172,754
20-24 years	170,698	719,138	515,765	152,871
25-29 years	176,248	729,152	541,529	127,132
30-34 years	179,260	703,426	518,504	123,195
35-39 years	170,020	662,656	485,075	118,512
40-44 years	145,598	730,291	553,587	123,822
45-49 years	117,079	797,867	626,131	127,873
50-54 years	95,705	845,845	674,522	131,660
55-59 years	71,925	761,581	612,682	111,035
60-64 years	51,586	657,561	535,827	88,851
65-69 years	33,278	466,679	382,074	61,095
70-74 years	22,264	352,072	289,299	46,699
75-79 years	15,988	273,205	228,613	34,809
80-84 years	10,335	224,371	195,121	23,263
85+ years	7,481	234,287	208,693	20,791
Total	2,068,785	10,824,694	8,253,340	1,899,383
2011 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,923	63,269	44,165	14,264
01-04 years	85,941	251,782	176,859	56,633
05-09 years	107,488	327,338	233,830	71,065
10-14 years	100,502	346,929	248,173	78,396
15-19 years	95,409	374,085	264,767	87,997
20-24 years	90,689	362,432	261,416	75,271
25-29 years	93,427	361,884	272,274	60,429
30-34 years	94,066	347,895	261,296	57,072
35-39 years	88,830	327,516	244,852	54,022
40-44 years	76,500	359,436	277,355	56,823
45-49 years	61,256	391,444	311,706	58,922
50-54 years	49,485	413,217	334,520	60,186
55-59 years	36,750	368,852	302,332	49,104
60-64 years	25,664	314,508	261,059	38,263
65-69 years	15,739	218,389	181,310	25,991
70-74 years	10,102	158,285	131,907	18,847
75-79 years	6,991	116,711	98,969	13,406
80-84 years	4,362	87,901	77,310	8,252
85+ years	2,890	73,013	65,404	5,939
Total	1,066,014	5,264,886	4,049,504	890,882
2011 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,947	59,885	41,795	13,556
01-04 years	83,703	241,944	168,717	55,293
05-09 years	102,628	313,834	221,892	69,389
10-14 years	96,714	332,979	235,997	76,425
15-19 years	90,065	354,518	249,723	84,757
20-24 years	80,009	356,706	254,349	77,600
25-29 years	82,821	367,268	269,255	66,703
30-34 years	85,194	355,531	257,208	66,123
35-39 years	81,190	335,140	240,223	64,490
40-44 years	69,098	370,855	276,232	66,999
45-49 years	55,823	406,423	314,425	68,951
50-54 years	46,220	432,628	340,002	71,474
55-59 years	35,175	392,729	310,350	61,931
60-64 years	25,922	343,053	274,768	50,588
65-69 years	17,539	248,290	200,764	35,104
70-74 years	12,162	193,787	157,392	27,852
75-79 years	8,997	156,494	129,644	21,403
80-84 years	5,973	136,470	117,811	15,011
85+ years	4,591	161,274	143,289	14,852
Total	1,002,771	5,559,808	4,203,836	1,008,501

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2012 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	37,605	121,962	84,469	27,916
01-04 years	164,863	489,446	341,666	110,292
05-09 years	212,980	635,322	450,023	139,339
10-14 years	201,019	672,570	478,476	151,790
15-19 years	187,280	714,736	504,600	167,582
20-24 years	173,511	729,246	516,893	159,871
25-29 years	172,853	724,809	535,630	127,943
30-34 years	178,939	713,010	524,933	124,046
35-39 years	171,537	655,037	479,262	115,912
40-44 years	150,948	723,368	542,607	124,342
45-49 years	121,019	773,143	603,224	124,685
50-54 years	98,731	840,143	668,601	131,147
55-59 years	76,394	778,558	624,820	114,834
60-64 years	53,914	657,670	533,181	90,484
65-69 years	36,362	502,873	412,903	64,415
70-74 years	23,414	365,556	300,079	48,036
75-79 years	16,642	275,289	228,937	35,667
80-84 years	10,873	220,462	190,605	23,495
85+ years	8,277	238,870	211,956	21,643
Total	2,097,161	10,832,070	8,232,865	1,903,439
2012 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,926	62,344	43,178	14,227
01-04 years	83,811	250,313	175,319	56,000
05-09 years	108,617	323,983	230,551	70,438
10-14 years	102,304	343,755	245,579	76,955
15-19 years	95,945	366,848	259,689	85,351
20-24 years	91,472	368,757	262,999	79,069
25-29 years	91,351	360,427	269,405	61,324
30-34 years	93,980	352,737	264,510	57,582
35-39 years	89,645	324,485	242,360	53,099
40-44 years	79,111	356,666	272,719	57,041
45-49 years	63,511	380,076	301,152	57,389
50-54 years	51,124	411,007	331,979	60,162
55-59 years	39,142	377,626	308,649	51,068
60-64 years	27,049	315,317	260,778	38,927
65-69 years	17,294	236,360	196,836	27,462
70-74 years	10,625	164,653	137,151	19,345
75-79 years	7,397	118,313	99,732	13,722
80-84 years	4,549	86,747	75,870	8,336
85+ years	3,176	74,947	66,892	6,241
Total	1,079,029	5,275,361	4,045,348	893,738
2012 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,679	59,618	41,291	13,689
01-04 years	81,052	239,133	166,347	54,292
05-09 years	104,363	311,339	219,472	68,901
10-14 years	98,715	328,815	232,897	74,835
15-19 years	91,335	347,888	244,911	82,231
20-24 years	82,039	360,489	253,894	80,802
25-29 years	81,502	364,382	266,225	66,619
30-34 years	84,959	360,273	260,423	66,464
35-39 years	81,892	330,552	236,902	62,813
40-44 years	71,837	366,702	269,888	67,301
45-49 years	57,508	393,067	302,072	67,296
50-54 years	47,607	429,136	336,622	70,985
55-59 years	37,252	400,932	316,171	63,766
60-64 years	26,865	342,353	272,403	51,557
65-69 years	19,068	266,513	216,067	36,953
70-74 years	12,789	200,903	162,928	28,691
75-79 years	9,245	156,976	129,205	21,945
80-84 years	6,324	133,715	114,735	15,159
85+ years	5,101	163,923	145,064	15,402
Total	1,018,132	5,556,709	4,187,517	1,009,701

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2013 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,456	120,489	82,925	27,743
01-04 years	158,850	485,388	337,711	108,980
05-09 years	214,108	629,217	443,714	138,724
10-14 years	204,845	665,941	473,961	148,099
15-19 years	189,554	701,465	496,235	161,628
20-24 years	176,411	736,026	515,443	166,168
25-29 years	170,752	724,267	530,951	130,236
30-34 years	178,027	722,350	530,390	125,236
35-39 years	172,572	658,268	482,542	114,560
40-44 years	154,904	710,234	527,778	123,751
45-49 years	125,489	748,531	580,052	121,838
50-54 years	102,315	831,140	659,352	130,146
55-59 years	80,319	792,885	634,934	118,102
60-64 years	56,661	668,634	540,609	92,805
65-69 years	39,212	520,943	426,262	67,236
70-74 years	24,771	384,406	315,967	49,712
75-79 years	17,404	280,300	232,430	36,285
80-84 years	11,432	216,880	185,907	24,118
85+ years	9,081	241,717	213,607	22,343
Total	2,123,163	10,839,081	8,210,770	1,907,710
2013 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,545	61,685	42,632	14,041
01-04 years	80,811	248,364	173,110	55,548
05-09 years	108,774	321,009	227,400	70,085
10-14 years	104,380	340,196	243,301	74,905
15-19 years	96,814	360,146	255,499	82,339
20-24 years	92,308	373,660	263,250	82,710
25-29 years	90,351	361,725	268,008	62,868
30-34 years	93,496	357,339	266,942	58,235
35-39 years	90,158	327,327	244,773	52,871
40-44 years	81,002	350,411	265,806	56,533
45-49 years	66,083	368,675	290,187	56,145
50-54 years	53,116	407,263	328,070	59,757
55-59 years	41,237	385,636	314,280	52,927
60-64 years	28,533	320,740	264,730	39,957
65-69 years	18,864	245,616	204,102	28,620
70-74 years	11,250	173,785	144,855	20,110
75-79 years	7,713	121,075	101,804	13,966
80-84 years	4,764	85,873	74,522	8,577
85+ years	3,495	76,321	67,882	6,437
Total	1,091,694	5,286,846	4,041,153	896,631
2013 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,911	58,804	40,293	13,702
01-04 years	78,039	237,024	164,601	53,432
05-09 years	105,334	308,208	216,314	68,639
10-14 years	100,465	325,745	230,660	73,194
15-19 years	92,740	341,319	240,736	79,289
20-24 years	84,103	362,366	252,193	83,458
25-29 years	80,401	362,542	262,943	67,368
30-34 years	84,531	365,011	263,448	67,001
35-39 years	82,414	330,941	237,769	61,689
40-44 years	73,902	359,823	261,972	67,218
45-49 years	59,406	379,856	289,865	65,693
50-54 years	49,199	423,877	331,282	70,389
55-59 years	39,082	407,249	320,654	65,175
60-64 years	28,128	347,894	275,879	52,848
65-69 years	20,348	275,327	222,160	38,616
70-74 years	13,521	210,621	171,112	29,602
75-79 years	9,691	159,225	130,626	22,319
80-84 years	6,668	131,007	111,385	15,541
85+ years	5,586	165,396	145,725	15,906
Total	1,031,469	5,552,235	4,169,617	1,011,079

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2014 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	35,877	120,803	83,605	27,686
01-04 years	153,832	483,023	334,256	108,874
05-09 years	212,958	617,694	433,507	137,181
10-14 years	208,693	659,922	469,710	144,604
15-19 years	192,408	688,002	487,904	155,732
20-24 years	179,673	735,585	511,290	168,504
25-29 years	169,252	723,721	524,889	134,752
30-34 years	177,051	723,595	530,654	124,629
35-39 years	172,548	665,358	487,374	115,204
40-44 years	158,724	691,599	509,744	122,238
45-49 years	129,419	726,154	559,151	118,664
50-54 years	106,026	819,530	648,166	128,148
55-59 years	83,930	801,140	640,640	120,339
60-64 years	60,127	682,274	550,272	95,692
65-69 years	41,935	543,794	443,962	70,607
70-74 years	26,441	395,766	324,642	50,977
75-79 years	18,053	286,651	237,161	36,864
80-84 years	12,030	213,331	181,442	24,586
85+ years	10,000	244,528	215,132	23,095
Total	2,148,977	10,822,470	8,173,501	1,908,376
2014 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,216	61,913	43,006	14,054
01-04 years	78,266	247,477	171,486	55,537
05-09 years	108,057	314,973	221,860	69,399
10-14 years	106,597	337,048	241,155	73,136
15-19 years	98,087	353,391	251,523	79,201
20-24 years	93,020	374,005	261,471	84,261
25-29 years	89,835	361,834	265,205	65,396
30-34 years	92,986	358,634	267,366	58,122
35-39 years	90,184	331,396	247,581	53,501
40-44 years	82,782	341,536	257,195	55,663
45-49 years	68,239	358,419	280,385	54,736
50-54 years	55,144	402,361	323,103	59,103
55-59 years	43,242	390,292	317,563	54,086
60-64 years	30,454	327,846	270,036	41,345
65-69 years	20,329	256,739	213,281	29,806
70-74 years	12,080	179,650	149,382	20,786
75-79 years	7,983	124,116	104,074	14,257
80-84 years	4,968	84,908	73,143	8,731
85+ years	3,875	77,851	68,973	6,703
Total	1,104,344	5,284,389	4,027,788	897,823
2014 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,661	58,890	40,599	13,632
01-04 years	75,566	235,546	162,770	53,337
05-09 years	104,901	302,721	211,647	67,782
10-14 years	102,096	322,874	228,555	71,468
15-19 years	94,321	334,611	236,381	76,531
20-24 years	86,653	361,580	249,819	84,243
25-29 years	79,417	361,887	259,684	69,356
30-34 years	84,065	364,961	263,288	66,507
35-39 years	82,364	333,962	239,793	61,703
40-44 years	75,942	350,063	252,549	66,575
45-49 years	61,180	367,735	278,766	63,928
50-54 years	50,882	417,169	325,063	69,045
55-59 years	40,688	410,848	323,077	66,253
60-64 years	29,673	354,428	280,236	54,347
65-69 years	21,606	287,055	230,681	40,801
70-74 years	14,361	216,116	175,260	30,191
75-79 years	10,070	162,535	133,087	22,607
80-84 years	7,062	128,423	108,299	15,855
85+ years	6,125	166,677	146,159	16,392
Total	1,044,633	5,538,081	4,145,713	1,010,553

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2015 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,796	121,518	83,526	28,084
01-04 years	148,395	479,770	331,396	108,220
05-09 years	210,905	608,979	425,668	135,973
10-14 years	210,908	650,606	463,005	140,992
15-19 years	196,569	679,118	481,521	152,028
20-24 years	181,837	726,241	503,270	166,116
25-29 years	168,418	722,966	518,200	139,794
30-34 years	173,970	719,634	526,934	122,965
35-39 years	173,767	676,304	494,280	117,560
40-44 years	161,359	669,099	490,404	118,700
45-49 years	134,427	714,006	545,379	117,781
50-54 years	108,907	800,180	631,010	125,059
55-59 years	87,910	805,597	642,666	122,306
60-64 years	64,032	697,202	561,459	98,343
65-69 years	44,722	569,773	464,017	74,535
70-74 years	28,195	404,194	330,941	51,974
75-79 years	18,804	289,794	238,440	37,535
80-84 years	12,588	211,102	177,972	25,225
85+ years	11,027	246,041	215,323	23,800
Total	2,173,536	10,792,124	8,125,411	1,906,990
2015 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,660	62,248	42,976	14,245
01-04 years	75,436	245,892	170,179	55,074
05-09 years	107,113	310,659	217,845	68,881
10-14 years	107,851	332,917	238,105	71,472
15-19 years	100,151	348,610	248,274	77,221
20-24 years	93,555	369,746	257,757	83,232
25-29 years	89,169	362,008	262,313	68,000
30-34 years	91,389	357,646	265,822	57,567
35-39 years	91,283	336,927	250,968	54,924
40-44 years	84,113	331,206	248,053	54,001
45-49 years	70,796	353,184	274,496	54,306
50-54 years	56,925	393,781	315,255	57,817
55-59 years	45,331	393,147	318,952	55,304
60-64 years	32,617	335,444	275,911	42,632
65-69 years	21,737	269,515	223,625	31,356
70-74 years	12,991	184,202	153,026	21,281
75-79 years	8,382	125,617	104,760	14,470
80-84 years	5,193	84,714	72,367	8,997
85+ years	4,229	78,625	69,268	6,982
Total	1,116,921	5,276,088	4,009,952	897,762
2015 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,136	59,270	40,550	13,839
01-04 years	72,959	233,878	161,217	53,146
05-09 years	103,792	298,320	207,823	67,092
10-14 years	103,057	317,689	224,900	69,520
15-19 years	96,418	330,508	233,247	74,807
20-24 years	88,282	356,495	245,513	82,884
25-29 years	79,249	360,958	255,887	71,794
30-34 years	82,581	361,988	261,112	65,398
35-39 years	82,484	339,377	243,312	62,636
40-44 years	77,246	337,893	242,351	64,699
45-49 years	63,631	360,822	270,883	63,475
50-54 years	51,982	406,399	315,755	67,242
55-59 years	42,579	412,450	323,714	67,002
60-64 years	31,415	361,758	285,548	55,711
65-69 years	22,985	300,258	240,392	43,179
70-74 years	15,204	219,992	177,915	30,693
75-79 years	10,422	164,177	133,680	23,065
80-84 years	7,395	126,388	105,605	16,228
85+ years	6,798	167,416	146,055	16,818
Total	1,056,615	5,516,036	4,115,459	1,009,228

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2016 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,117	119,560	82,336	27,376
01-04 years	146,174	477,085	328,762	108,120
05-09 years	206,414	601,187	419,253	133,872
10-14 years	213,988	642,560	456,612	138,616
15-19 years	200,776	671,328	475,731	149,076
20-24 years	183,219	708,356	491,336	160,202
25-29 years	168,368	725,055	513,301	146,175
30-34 years	172,794	715,843	522,787	122,475
35-39 years	173,512	686,343	501,910	118,803
40-44 years	163,182	644,438	470,629	113,602
45-49 years	139,570	710,281	538,410	118,378
50-54 years	112,412	772,103	605,178	121,657
55-59 years	91,062	806,430	642,897	122,835
60-64 years	67,280	708,747	569,570	100,574
65-69 years	47,723	595,946	484,516	78,719
70-74 years	30,097	410,866	335,632	52,717
75-79 years	19,519	294,713	242,019	37,898
80-84 years	13,260	211,459	176,575	26,193
85+ years	11,987	247,373	215,579	24,311
Total	2,197,454	10,749,673	8,073,033	1,901,599
2016 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,440	61,309	42,317	13,992
01-04 years	74,045	244,354	168,981	54,766
05-09 years	104,891	307,358	214,751	68,135
10-14 years	109,796	328,715	234,685	70,302
15-19 years	102,176	344,409	245,239	75,646
20-24 years	93,784	361,118	251,820	80,500
25-29 years	88,655	363,681	260,475	71,400
30-34 years	91,185	357,070	264,343	57,905
35-39 years	91,195	342,362	255,104	55,473
40-44 years	85,243	319,687	238,451	51,826
45-49 years	73,441	351,859	271,816	54,426
50-54 years	59,097	380,827	303,204	56,236
55-59 years	47,081	394,656	319,713	56,000
60-64 years	34,306	341,705	280,400	43,776
65-69 years	23,461	281,756	233,786	32,915
70-74 years	13,888	187,968	155,764	21,732
75-79 years	8,704	128,178	106,770	14,591
80-84 years	5,579	85,371	72,221	9,387
85+ years	4,589	79,403	69,672	7,166
Total	1,129,556	5,261,786	3,989,512	896,174
2016 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,677	58,251	40,019	13,384
01-04 years	72,129	232,731	159,781	53,354
05-09 years	101,523	293,829	204,502	65,737
10-14 years	104,192	313,845	221,927	68,314
15-19 years	98,600	326,919	230,492	73,430
20-24 years	89,435	347,238	239,516	79,702
25-29 years	79,713	361,374	252,826	74,775
30-34 years	81,609	358,773	258,444	64,570
35-39 years	82,317	343,981	246,806	63,330
40-44 years	77,939	324,751	232,178	61,776
45-49 years	66,129	358,422	266,594	63,952
50-54 years	53,315	391,276	301,974	65,421
55-59 years	43,981	411,774	323,184	66,835
60-64 years	32,974	367,042	289,170	56,798
65-69 years	24,262	314,190	250,730	45,804
70-74 years	16,209	222,898	179,868	30,985
75-79 years	10,815	166,535	135,249	23,307
80-84 years	7,681	126,088	104,354	16,806
85+ years	7,398	167,970	145,907	17,145
Total	1,067,898	5,487,887	4,083,521	1,005,425

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2017 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	34,726	115,572	78,636	26,838
01-04 years	144,844	474,443	326,886	107,158
05-09 years	200,103	594,129	413,155	131,863
10-14 years	217,501	636,990	451,129	137,669
15-19 years	204,682	663,364	469,927	145,652
20-24 years	184,491	690,531	478,946	154,360
25-29 years	170,345	727,441	509,606	150,982
30-34 years	169,900	710,170	516,522	122,675
35-39 years	173,541	692,848	506,385	119,005
40-44 years	164,594	634,399	463,053	110,570
45-49 years	144,551	700,726	525,782	118,509
50-54 years	115,935	745,076	580,638	118,226
55-59 years	93,848	798,246	634,965	122,066
60-64 years	71,474	721,378	578,367	103,713
65-69 years	49,947	593,904	480,365	80,012
70-74 years	32,669	440,067	360,413	55,300
75-79 years	20,382	304,872	250,085	38,906
80-84 years	13,788	212,831	176,713	26,659
85+ years	12,929	246,787	213,844	24,854
Total	2,220,250	10,703,774	8,015,417	1,895,017
2017 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,693	58,963	40,222	13,686
01-04 years	73,674	243,232	168,251	54,347
05-09 years	101,603	304,068	211,681	67,295
10-14 years	111,418	325,522	231,697	69,640
15-19 years	104,225	340,358	242,222	73,852
20-24 years	94,299	352,495	245,701	77,628
25-29 years	89,041	365,369	259,074	74,077
30-34 years	89,642	355,244	261,643	58,495
35-39 years	91,481	346,071	257,567	55,561
40-44 years	86,202	315,484	235,204	50,674
45-49 years	75,916	347,972	266,389	54,508
50-54 years	61,144	368,204	291,762	54,534
55-59 years	48,673	391,148	316,049	55,881
60-64 years	36,524	348,504	285,189	45,385
65-69 years	24,763	281,286	232,553	33,456
70-74 years	15,196	202,052	167,930	22,808
75-79 years	9,091	132,889	110,676	14,927
80-84 years	5,871	86,435	72,652	9,586
85+ years	4,853	79,649	69,510	7,347
Total	1,141,309	5,244,945	3,965,972	893,687
2017 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,033	56,609	38,414	13,152
01-04 years	71,170	231,211	158,635	52,811
05-09 years	98,500	290,061	201,474	64,568
10-14 years	106,083	311,468	219,432	68,029
15-19 years	100,457	323,006	227,705	71,800
20-24 years	90,192	338,036	233,245	76,732
25-29 years	81,304	362,072	250,532	76,905
30-34 years	80,258	354,926	254,879	64,180
35-39 years	82,060	346,777	248,818	63,444
40-44 years	78,392	318,915	227,849	59,896
45-49 years	68,635	352,754	259,393	64,001
50-54 years	54,791	376,872	288,876	63,692
55-59 years	45,175	407,098	318,916	66,185
60-64 years	34,950	372,874	293,178	58,328
65-69 years	25,184	312,618	247,812	46,556
70-74 years	17,473	238,015	192,483	32,492
75-79 years	11,291	171,983	139,409	23,979
80-84 years	7,917	126,396	104,061	17,073
85+ years	8,076	167,138	144,334	17,507
Total	1,078,941	5,458,829	4,049,445	1,001,330

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2018 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	33,731	113,225	76,690	26,866
01-04 years	143,539	469,005	322,210	106,212
05-09 years	193,630	586,568	406,460	130,252
10-14 years	220,103	630,775	444,544	137,407
15-19 years	208,991	656,523	465,095	142,511
20-24 years	186,261	673,057	467,798	148,523
25-29 years	171,936	723,366	501,317	155,233
30-34 years	167,714	705,306	509,812	124,144
35-39 years	173,236	698,150	508,912	119,752
40-44 years	165,536	633,539	463,332	108,869
45-49 years	148,309	684,605	509,169	117,239
50-54 years	119,963	716,976	554,904	115,050
55-59 years	96,910	786,006	623,278	120,641
60-64 years	75,030	730,413	584,468	106,087
65-69 years	52,330	601,415	485,390	81,567
70-74 years	35,193	454,674	371,109	57,535
75-79 years	21,651	319,715	262,591	40,227
80-84 years	14,478	216,662	179,237	27,200
85+ years	13,829	245,627	211,296	25,510
Total	2,242,370	10,645,607	7,947,612	1,890,825
2018 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,974	57,969	39,295	13,761
01-04 years	73,046	240,405	165,717	54,047
05-09 years	98,427	300,584	208,499	66,562
10-14 years	112,355	322,564	228,299	69,681
15-19 years	106,635	336,492	239,719	71,965
20-24 years	94,919	343,966	240,230	74,741
25-29 years	89,150	363,886	255,158	76,414
30-34 years	88,528	353,927	259,125	59,565
35-39 years	91,493	348,963	258,613	56,054
40-44 years	86,909	316,194	236,077	50,337
45-49 years	77,855	340,209	258,471	53,674
50-54 years	63,364	354,901	279,425	53,034
55-59 years	50,523	385,720	310,887	55,242
60-64 years	38,338	353,693	288,738	46,683
65-69 years	26,032	284,953	235,195	34,154
70-74 years	16,660	209,629	173,915	23,669
75-79 years	9,636	139,833	116,517	15,502
80-84 years	6,139	88,585	74,262	9,765
85+ years	5,211	79,464	68,840	7,545
Total	1,152,194	5,221,937	3,936,982	892,395
2018 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,757	55,256	37,395	13,105
01-04 years	70,493	228,600	156,493	52,165
05-09 years	95,203	285,984	197,961	63,690
10-14 years	107,748	308,211	216,245	67,726
15-19 years	102,356	320,031	225,376	70,546
20-24 years	91,342	329,091	227,568	73,782
25-29 years	82,786	359,480	246,159	78,819
30-34 years	79,186	351,379	250,687	64,579
35-39 years	81,743	349,187	250,299	63,698
40-44 years	78,627	317,345	227,255	58,532
45-49 years	70,454	344,396	250,698	63,565
50-54 years	56,599	362,075	275,479	62,016
55-59 years	46,387	400,286	312,391	65,399
60-64 years	36,692	376,720	295,730	59,404
65-69 years	26,298	316,462	250,195	47,413
70-74 years	18,533	245,045	197,194	33,866
75-79 years	12,015	179,882	146,074	24,725
80-84 years	8,339	128,077	104,975	17,435
85+ years	8,618	166,163	142,456	17,965
Total	1,090,176	5,423,670	4,010,630	998,430

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2019 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	33,212	108,171	74,279	24,555
01-04 years	141,844	462,181	315,815	105,840
05-09 years	188,145	583,610	403,184	130,204
10-14 years	220,121	620,892	435,560	136,286
15-19 years	213,353	651,795	461,490	140,111
20-24 years	188,540	657,152	457,951	143,235
25-29 years	174,362	715,556	493,143	156,580
30-34 years	165,919	703,980	504,240	128,668
35-39 years	172,359	698,062	508,168	119,303
40-44 years	165,212	638,746	467,114	109,283
45-49 years	151,886	665,479	490,790	115,806
50-54 years	123,886	693,333	533,244	111,786
55-59 years	100,225	771,920	610,020	118,706
60-64 years	78,187	734,596	586,779	107,876
65-69 years	55,197	612,137	492,901	83,964
70-74 years	37,554	474,249	386,205	60,427
75-79 years	22,972	328,787	269,433	41,285
80-84 years	15,061	221,564	182,794	27,709
85+ years	14,691	244,736	209,060	26,209
Total	2,262,726	10,586,946	7,882,170	1,887,833
2019 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,768	55,451	38,144	12,545
01-04 years	72,083	236,607	162,139	53,883
05-09 years	95,718	299,575	207,192	66,621
10-14 years	112,161	317,409	223,464	69,145
15-19 years	109,104	333,987	237,869	70,775
20-24 years	95,847	335,743	235,200	71,965
25-29 years	89,613	361,084	251,712	77,402
30-34 years	87,765	353,961	256,685	62,138
35-39 years	91,218	349,691	258,657	56,019
40-44 years	86,755	319,346	238,325	50,870
45-49 years	79,696	331,051	249,696	52,810
50-54 years	65,522	343,969	269,200	51,503
55-59 years	52,312	379,749	304,937	54,624
60-64 years	40,061	356,327	290,211	47,691
65-69 years	27,669	290,485	239,363	35,248
70-74 years	17,851	218,751	181,468	24,594
75-79 years	10,274	144,469	120,040	16,082
80-84 years	6,434	90,695	75,790	9,997
85+ years	5,506	79,591	68,472	7,744
Total	1,162,357	5,197,941	3,908,564	891,656
2019 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,444	52,720	36,135	12,010
01-04 years	69,761	225,574	153,676	51,957
05-09 years	92,427	284,035	195,992	63,583
10-14 years	107,960	303,483	212,096	67,141
15-19 years	104,249	317,808	223,621	69,336
20-24 years	92,693	321,409	222,751	71,270
25-29 years	84,749	354,472	241,431	79,178
30-34 years	78,154	350,019	247,555	66,530
35-39 years	81,141	348,371	249,511	63,284
40-44 years	78,457	319,400	228,789	58,413
45-49 years	72,190	334,428	241,094	62,996
50-54 years	58,364	349,364	264,044	60,283
55-59 years	47,913	392,171	305,083	64,082
60-64 years	38,126	378,269	296,568	60,185
65-69 years	27,528	321,652	253,538	48,716
70-74 years	19,703	255,498	204,737	35,833
75-79 years	12,698	184,318	149,393	25,203
80-84 years	8,627	130,869	107,004	17,712
85+ years	9,185	165,145	140,588	18,465
Total	1,100,369	5,389,005	3,973,606	996,177

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2020 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	32,853	105,718	72,751	23,827
01-04 years	138,614	448,904	306,245	103,102
05-09 years	184,595	581,004	400,280	130,145
10-14 years	218,147	613,027	428,148	135,636
15-19 years	215,087	639,276	452,384	136,538
20-24 years	192,917	649,688	452,627	141,331
25-29 years	176,222	698,670	480,385	154,137
30-34 years	165,286	701,878	497,781	133,959
35-39 years	169,790	693,231	504,434	118,046
40-44 years	166,247	647,893	473,180	111,409
45-49 years	154,230	642,392	471,295	112,266
50-54 years	128,341	680,209	518,988	111,048
55-59 years	103,249	750,143	590,574	115,753
60-64 years	81,752	734,231	584,903	109,320
65-69 years	58,602	622,485	500,724	85,846
70-74 years	40,296	495,295	402,576	63,423
75-79 years	24,427	334,087	273,242	41,779
80-84 years	15,626	223,175	183,208	28,006
85+ years	15,594	243,399	206,681	26,553
Total	2,281,875	10,504,705	7,800,406	1,882,124
2020 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,688	54,130	37,313	12,144
01-04 years	70,352	229,754	157,107	52,599
05-09 years	93,832	298,093	205,917	66,321
10-14 years	111,173	313,444	219,448	68,963
15-19 years	110,055	328,034	233,495	69,098
20-24 years	97,993	331,806	232,366	70,931
25-29 years	90,031	353,060	245,378	76,376
30-34 years	87,275	353,337	253,707	64,888
35-39 years	89,955	347,903	257,017	55,770
40-44 years	87,646	324,317	241,530	52,167
45-49 years	80,971	320,241	240,386	51,085
50-54 years	67,735	338,155	262,919	51,134
55-59 years	54,041	369,600	295,755	53,279
60-64 years	41,985	356,979	289,771	48,674
65-69 years	29,500	295,304	243,125	36,058
70-74 years	19,281	228,747	189,730	25,630
75-79 years	10,977	147,138	122,088	16,305
80-84 years	6,714	91,284	75,908	10,037
85+ years	5,818	79,783	68,248	7,861
Total	1,172,022	5,161,109	3,871,208	889,320
2020 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,165	51,588	35,438	11,683
01-04 years	68,262	219,150	149,138	50,503
05-09 years	90,763	282,911	194,363	63,824
10-14 years	106,974	299,583	208,700	66,673
15-19 years	105,032	311,242	218,889	67,440
20-24 years	94,924	317,882	220,261	70,400
25-29 years	86,191	345,610	235,007	77,761
30-34 years	78,011	348,541	244,074	69,071
35-39 years	79,835	345,328	247,417	62,276
40-44 years	78,601	323,576	231,650	59,242
45-49 years	73,259	322,151	230,909	61,181
50-54 years	60,606	342,054	256,069	59,914
55-59 years	49,208	380,543	294,819	62,474
60-64 years	39,767	377,252	295,132	60,646
65-69 years	29,102	327,181	257,599	49,788
70-74 years	21,015	266,548	212,846	37,793
75-79 years	13,450	186,949	151,154	25,474
80-84 years	8,912	131,891	107,300	17,969
85+ years	9,776	163,616	138,433	18,692
Total	1,109,853	5,343,596	3,929,198	992,804

Illinois populations used to calculate rates.

SOURCE: U.S. Census Bureau's Population Estimates Program

2021 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	31,260	99,774	67,444	23,811
01-04 years	134,577	433,980	296,173	99,311
05-09 years	181,522	576,055	396,273	129,291
10-14 years	211,871	601,347	418,728	133,213
15-19 years	213,814	620,721	438,790	131,971
20-24 years	199,997	650,724	452,861	141,492
25-29 years	177,544	676,237	465,169	149,010
30-34 years	164,654	698,059	489,741	138,930
35-39 years	168,166	686,484	498,139	117,566
40-44 years	166,276	656,479	479,383	112,740
45-49 years	155,615	615,884	449,898	107,291
50-54 years	133,271	674,183	510,694	111,214
55-59 years	106,592	719,955	563,052	112,337
60-64 years	84,487	730,977	581,976	109,296
65-69 years	61,632	630,393	506,318	87,294
70-74 years	42,954	517,428	420,309	66,608
75-79 years	26,080	337,956	275,797	41,980
80-84 years	16,073	226,163	185,281	28,138
85+ years	16,367	240,918	203,001	26,880
Total	2,292,752	10,393,717	7,699,027	1,868,373
2021 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,827	51,158	34,613	12,206
01-04 years	68,132	221,969	151,791	50,610
05-09 years	92,182	295,188	203,824	65,672
10-14 years	107,889	307,896	214,774	67,935
15-19 years	109,623	318,797	226,573	66,965
20-24 years	101,436	332,624	232,625	71,094
25-29 years	90,512	342,483	238,008	74,093
30-34 years	86,394	351,228	249,532	67,464
35-39 years	89,208	344,482	253,464	55,817
40-44 years	87,682	328,491	244,559	52,815
45-49 years	81,636	307,134	229,490	48,813
50-54 years	70,210	335,515	259,343	51,122
55-59 years	55,951	354,858	282,282	51,543
60-64 years	43,493	355,629	288,420	48,820
65-69 years	30,992	299,308	246,050	36,644
70-74 years	20,748	238,541	198,031	26,684
75-79 years	11,731	148,966	123,365	16,344
80-84 years	6,862	92,497	76,825	9,984
85+ years	6,078	79,438	67,375	7,998
Total	1,176,586	5,106,202	3,820,944	882,623
2021 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,433	48,616	32,831	11,605
01-04 years	66,445	212,011	144,382	48,701
05-09 years	89,340	280,867	192,449	63,619
10-14 years	103,982	293,451	203,954	65,278
15-19 years	104,191	301,924	212,217	65,006
20-24 years	98,561	318,100	220,236	70,398
25-29 years	87,032	333,754	227,161	74,917
30-34 years	78,260	346,831	240,209	71,466
35-39 years	78,958	342,002	244,675	61,749
40-44 years	78,594	327,988	234,824	59,925
45-49 years	73,979	308,750	220,408	58,478
50-54 years	63,061	338,668	251,351	60,092
55-59 years	50,641	365,097	280,770	60,794
60-64 years	40,994	375,348	293,556	60,476
65-69 years	30,640	331,085	260,268	50,650
70-74 years	22,206	278,887	222,278	39,924
75-79 years	14,349	188,990	152,432	25,636
80-84 years	9,211	133,666	108,456	18,154
85+ years	10,289	161,480	135,626	18,882
Total	1,116,166	5,287,515	3,878,083	985,750

APPENDIX B

SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008

SEER Site Groups for Primary Site Based on ICD-O-3/WHO 2008 Definition*^

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Oral Cavity and Pharynx			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089		20030
Floor of Mouth	C040-C049		20040
Gum and Other Mouth	C030-C039, C050-C059, C060-C069		20050
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
Digestive System			
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179		21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182		21043
Hepatic Flexure	C183		21044
Transverse Colon	C184		21045
Splenic Flexure	C185		21046
Descending Colon	C186		21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209		21052
Anus, Anal Canal, and Anorectum	C210-C212, C218		21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221		21072
Gallbladder	C239		21080
Other Biliary	C240-C249		21090

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Pancreas	C250-C259		21100
Retroperitoneum	C480		21110
Peritoneum, Omentum, and Mesentery	C481-C482		21120
Other Digestive Organs	C268-C269, C488		21130
Respiratory System			
Nose, Nasal Cavity, and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329		22020
Lung and Bronchus	C340-C349		22030
Pleura	C384		22050
Trachea, Mediastinum, and Other Respiratory Organs	C339, C381-C383, C388, C390, C398, C399		22060
Bones and Joints	C400-C419	excluding 9050-9055, 9140, 9590-9992	23000
Soft Tissue, Including Heart	C380, C470-C479, C490-C499	excluding 9050-9055, 9140, 9590-9992	24000
Skin, Excluding Basal and Squamous			
Melanoma of the Skin	C440-C449	8720-8790	25010
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050-8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020
Breast	C500-C509	excluding 9050-9055, 9140, 9590-9992	26000
Female Genital System			
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010
Corpus and Uterus, NOS			
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020
Uterus, NOS	C559		27030
Ovary	C569		27040
Vagina	C529		27050
Vulva	C510-C519		27060
Other Female Genital Organs	C570-C589		27070
Male Genital System			
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010
Testis	C620-C629		28020
Penis	C600-C609		28030
Other Male Genital Organs	C630-C639		28040
Urinary System			
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010
Kidney and Renal Pelvis	C649, C659		29020
Ureter	C669		29030
Other Urinary Organs	C680-C689		29040
Eye and Orbit	C690-C699	excluding 9050-9055, 9140, 9590-9992	30000

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Brain and Other Nervous System			
Brain	C710-C719	excluding 9050-9055, 9140, 9530-9539, 9590-9992	31010
Cranial Nerves Other Nervous System	C710-C719	9530-9539	31040
	C700-C709, C720-C729	excluding 9050-9055, 9140, 9590-9992	
Endocrine System			
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010
Other Endocrine, Including Thymus	C379, C740-C749, C750-C759		32020
Lymphoma			
Hodgkin Lymphoma			
Hodgkin - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin - Extranodal	All other sites		33012
Non-Hodgkin Lymphoma			
NHL - Nodal	C024, C098, C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738	33042
	All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424, C770-C779	9811-9818, 9823, 9827, 9837	
Myeloma		9731-9732, 9734	34000
Leukemia			
Lymphocytic Leukemia			
Acute Lymphocytic Leukemia		9826, 9835-9836	35011
	C420, C421, C424	9811-9818, 9837	
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	35012
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Chronic Myeloid Leukemia		9863, 9875-9876, 9945-9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic, and NOS		9733, 9742, 9800, 9831, 9870, 9948, 9963-9964	35043
	C420, C421, C424	9827	
Mesothelioma		9050-9055	36010
Kaposi Sarcoma		9140	36020
Miscellaneous		9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982-9987, 9989, 9991-9992	37000
	C760-C768, C809	excluding 9050-9055, 9140, 9590-9992	
	C420-C424		
	C770-C779		
Invalid	Site or histology code not within valid range or site code not found in this table.		99999

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX C

SEER Site/Histology Recode Based on ICCC Third Edition and ICD-O-3/WHO 2008

Site/Histology Recode Based on International Classification of Childhood Cancer, Third Edition (ICCC-3) Based on ICD-O-3 / WHO 2008*^

Main Classification Table

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
I Leukemias, Myeloproliferative Diseases, and Myelodysplastic Diseases					
(a) Lymphoid Leukemias					
(a.1) Precursor Cell Leukemias	C000-C809	9835-9836	3	001	011
	C420-C421, C424	9811-9818, 9837			
(a.2) Mature B-cell Leukemias	C000-C809	9826, 9832-9833, 9940	3	002	011
	C420-C421, C424	9823			
(a.3) Mature T-cell and NK Cell Leukemias	C000-C809	9831, 9834, 9948	3	003	011
	C420-C421, C424	9827			
(a.4) Lymphoid Leukemia, NOS	C000-C809	9820	3	004	011
(b) Acute Myeloid Leukemias	C000-C809	9840, 9861, 9865-9867, 9869-9874, 9891, 9895-9898, 9910-9911, 9920, 9931	3	005	012
(c) Chronic Myeloproliferative Diseases	C000-C809	9863, 9875-9876, 9950, 9960-9964	3	006	013
(d) Myelodysplastic Syndrome and Other Myeloproliferative Diseases	C000-C809	9945-9946, 9975, 9980, 9982-9987, 9989, 9991-9992	3	007	014
(e) Unspecified and Other Specified Leukemias	C000-C809	9800-9801, 9805-9809, 9860, 9930, 9965-9967, 9971	3	008	015
II Lymphomas and Reticuloendothelial Neoplasms					
(a) Hodgkin Lymphomas	C000-C809	9650-9655, 9659, 9661-9665, 9667	3	009	021
(b) Non-Hodgkin Lymphomas (except Burkitt Lymphoma)					
(b.1) Precursor Cell Lymphomas	C000-C809	9727-9729	3	010	022
	C000-C419, C422-C423, C425-C809	9811-9818, 9837			
(b.2) Mature B-cell Lymphomas (except Burkitt Lymphoma)	C000-C809	9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9688-9691, 9695, 9698-9699, 9712, 9731-9735, 9737-9738, 9761-9762, 9764-9766, 9769, 9970	3	011	022
	C000-C419, C422-C423, C425-C809	9823			
(b.3) Mature T-cell and NK-Cell Lymphomas	C000-C809	9700-9702, 9705, 9708-9709, 9714, 9716-9719, 9724-9726, 9767-9768	3	012	022
	C000-C419, C422-C423, C425-C809	9827			

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.4) Non-Hodgkin Lymphomas, NOS	C000-C809	9591, 9760	3	013	022
(c) Burkitt Lymphoma	C000-C809	9687	3	014	023
(d) Miscellaneous Lymphoreticular Neoplasms	C000-C809	9740-9742, 9750-9759	3	015	024
(e) Unspecified Lymphomas	C000-C809	9590, 9596	3	016	025
III CNS and Miscellaneous Intracranial and Intraspinal Neoplasms					
(a) Ependymomas and Choroid Plexus Tumor					
(a.1) Ependymomas	C000-C809	9383, 9391-9394	0,1,3	017	031
(a.2) Choroid Plexus Tumor	C000-C809	9390	0,1,3	018	031
(b) Astrocytomas	C723	9380	0,1,3	019	032
	C000-C809	9384, 9400-9411, 9420-9424, 9440-9442	0,1,3	019	032
(c) Intracranial and Intraspinal Embryonal Tumors					
(c.1) Medulloblastomas	C000-C809	9470-9472, 9474, 9480	0,1,3	020	033
(c.2) PNET	C000-C809	9473	0,1,3	021	033
(c.3) Medulloepithelioma	C700-C729	9501-9504	0,1,3	022	033
(c.4) Atypical Teratoid/Rhabdoid Tumor	C000-C809	9508	0,1,3	023	033
(d) Other Gliomas					
(d.1) Oligodendrogliomas	C000-C809	9450, 9451, 9460	0,1,3	024	034
(d.2) Mixed and Unspecified Gliomas	C700-C722, C724-C729, C751, C753	9380	0,1,3	025	034
	C000-C809	9382	0,1,3	025	034
(d.3) Neuroepithelial Glial Tumors of Uncertain Origin	C000-C809	9381, 9430, 9444	0,1,3	026	034
(e) Other Specified Intracranial and Intraspinal Neoplasms					
(e.1) Pituitary Adenomas and Carcinomas	C000-C809	8270-8281, 8300	0,1,3	027	035
(e.2) Tumors of the Sellar Region (Craniopharyngiomas)	C000-C809	9350-9352, 9582	0,1,3	028	035
(e.3) Pineal Parenchymal Tumors	C000-C809	9360-9362	0,1,3	029	035
(e.4) Neuronal and Mixed Neuronal-glial Tumors	C000-C809	9412-9413, 9492, 9493, 9505-9507	0,1,3	030	035
(e.5) Meningiomas	C000-C809	9530-9539	0,1,3	031	035
(f) Unspecified Intracranial and Intraspinal Neoplasms	C700-C729, C751-C753	8000-8005	0,1,3	032	036
IV Neuroblastoma and Other Peripheral Nervous Cell Tumors					
(a) Neuroblastoma and Ganglioneuroblastoma	C000-C809	9490, 9500	3	033	041

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other peripheral Nervous Cell Tumors	C000-C809	8680-8683, 8690-8693, 8700, 9520-9523	3	034	042
	C000-C699, C739-C768, C809	9501-9504	3	034	042
V Retinoblastoma	C000-C809	9510-9514	3	035	050
VI Renal tumors					
(a) Nephroblastoma and Other Nonepithelial Renal Tumors					
(a.1) Nephroblastoma	C000-C809	8959, 8960	3	036	061
(a.2) Rhabdoid Renal Tumor	C649	8963	3	037	061
(a.3) Kidney Sarcomas	C000-C809	8964-8967	3	038	061
(a.4) pPNET of Kidney	C649	9364	3	039	061
(b) Renal Carcinomas	C649	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8155, 8190-8201, 8210-8211, 8221-8231, 8240-8241, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	040	062
	C000-C809	8311-8312, 8316-8319, 8361	3	040	062
(c) Unspecified Malignant Renal Tumors	C649	8000-8005	3	041	063
VII Hepatic Tumors					
(a) Hepatoblastoma	C000-C809	8970	3	042	071
(b) Hepatic Carcinomas	C220, C221	8010-8041, 8050-8075, 8082, 8120-8122, 8140-8141, 8143, 8155, 8190-8201, 8210-8211, 8230, 8231, 8240-8241, 8244-8246, 8260-8264, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	043	072
	C000-C809	8160-8180	3	043	072
(c) Unspecified Malignant Hepatic Tumors	C220-C221	8000-8005	3	044	073
VIII Malignant Bone Tumors					
(a) Osteosarcomas	C400-C419, C760-C768, C809	9180-9187, 9191-9195, 9200	3	045	081
(b) Chondrosarcomas	C400-C419, C760-C768, C809	9210, 9220, 9240	3	046	082
	C000-C809	9221, 9230, 9241-9243	3	046	082
(c) Ewing Tumor and Related Sarcomas of Bone					
(c.1) Ewing Tumor and Askin Tumor of Bone	C400-C419, C760-C768, C809	9260	3	047	083
	C400-C419	9365	3	047	083
(c.2) pPNET of Bone	C400-C419	9363-9364	3	048	083
(d) Other Specified Malignant Bone Tumors					

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.1) Malignant Fibrous Neoplasms of Bone	C400-C419	8810-8811, 8823, 8830	3	049	084
	C000-C809	8812, 9262	3	049	084
(d.2) Malignant Chordomas	C000-C809	9370-9372	3	050	084
(d.3) Odontogenic Malignant Tumors	C000-C809	9270-9275, 9280-9282, 9290, 9300-9302, 9310-9312, 9320-9322, 9330, 9340-9342	3	051	084
(d.4) Miscellaneous Malignant Bone Tumors	C000-C809	9250, 9261	3	052	084
(e) Unspecified Malignant Bone Tumors	C400-C419	8000-8005, 8800-8801, 8803-8805	3	053	085
IX Soft Tissue and Other Extrasosseous Sarcomas					
(a) Rhabdomyosarcomas	C000-C809	8900-8905, 8910, 8912, 8920, 8991	3	054	091
(b) Fibrosarcomas, Peripheral Nerve Sheath Tumors, and Other Fibrous Neoplasms					
(b.1) Fibroblastic and Myofibroblastic Tumors	C000-C399, C440-C768, C809	8810-8811, 8813-8815, 8821, 8823, 8834-8835	3	055	092
	C000-C809	8820, 8822, 8824-8827, 9150, 9160	3	055	092
(b.2) Nerve Sheath Tumors	C000-C809	9540-9571	3	056	092
(b.3) Other Fibromatous Neoplasms	C000-C809	9491, 9580	3	057	092
(c) Kaposi Sarcoma	C000-C809	9140	3	058	093
(d) Other Specified Soft Tissue Sarcomas					
(d.1) Ewing Tumor and Askin Tumor of Soft Tissue	C000-C399, C470-C759	9260	3	059	094
	C000-C399, C470-C639, C659-C768, C809	9365	3	059	094
(d.2) pPNET of Soft Tissue	C000-C399, C470-C639, C659-C699, C739-C768, C809	9364	3	060	094
(d.3) Extrarenal Rhabdoid Tumor	C000-C639, C659-C699, C739-C768, C809	8963	3	061	094
(d.4) Liposarcomas	C000-C809	8850-8858, 8860-8862, 8870, 8880-8881	3	062	094
(d.5) Fibrohistiocytic Tumors	C000-C399, C440-C768, C809	8830	3	063	094
	C000-C809	8831-8833, 8836, 9251-9252	3	063	094
(d.6) Leiomyosarcomas	C000-C809	8890-8898	3	064	094
(d.7) Synovial Sarcomas	C000-C809	9040-9044	3	065	094
(d.8) Blood Vessel Tumors	C000-C809	9120-9125, 9130-9133, 9135-9136, 9141-9142, 9161, 9170-9175	3	066	094

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.9) Osseous and Chondromatous Neoplasms of Soft Tissue	C490-C499	9180, 9210, 9220, 9240	3	067	094
	C000-C809	9231	3	067	094
(d.10) Alveolar Soft Parts Sarcoma	C000-C809	9581	3	068	094
(d.11) Miscellaneous Soft Tissue Sarcomas	C000-C809	8587, 8710-8713, 8806, 8840-8842, 8921, 8982, 8990, 9373	3	069	094
(e) Unspecified Soft Tissue Sarcomas	C000-C399, C440-C768, C809	8800-8805	3	070	095
X Germ Cell Tumors, Trophoblastic Tumors, and Neoplasms of Gonads					
(a) Intracranial and Intraspinal Germ Cell Tumors					
(a.1) Intracranial and Intraspinal Germinomas	C700-C729, C751-C753	9060-9065	0,1,3	071	101
(a.2) Intracranial and Intraspinal Teratomas	C700-C729, C751-C753	9080-9084	0,1,3	072	101
(a.3) Intracranial and Intraspinal Embryonal Carcinomas	C700-C729, C751-C753	9070, 9072	0,1,3	073	101
(a.4) Intracranial and Intraspinal Yolk Sac Tumor	C700-C729, C751-C753	9071	0,1,3	074	101
(a.5) Intracranial and Intraspinal Choriocarcinoma	C700-C729, C751-C753	9100	0,1,3	075	101
(a.6) Intracranial and Intraspinal Tumors of Mixed Forms	C700-C729, C751-C753	9085, 9101	0,1,3	076	101
(b) Malignant Extracranial and Extragenadal Germ Cell Tumors					
(b.1) Malignant Germinomas of Extracranial and Extragenadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9060-9065	3	077	102
(b.2) Malignant Teratomas of Extracranial and Extragenadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9080-9084	3	078	102
(b.3) Embryonal Carcinomas of Extracranial and Extragenadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9070, 9072	3	079	102
(b.4) Yolk Sac Tumor of Extracranial and Extragenadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9071	3	080	102
(b.5) Choriocarcinomas of Extracranial and Extragenadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9100, 9103, 9104	3	081	102

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.6) Other and Unspecified Malignant Mixed Germ Cell Tumors of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9085, 9101-9102, 9105	3	082	102
(c) Malignant Gonadal Germ Cell Tumors					
(c.1) Malignant Gonadal Germinomas	C569, C620-C629	9060-9065	3	083	103
(c.2) Malignant Gonadal Teratomas	C569, C620-C629	9080-9084, 9090-9091	3	084	103
(c.3) Gonadal Embryonal Carcinomas	C569, C620-C629	9070, 9072	3	085	103
(c.4) Gonadal Yolk Sac Tumor	C569, C620-C629	9071	3	086	103
(c.5) Gonadal Choriocarcinoma	C569, C620-C629	9100	3	087	103
(c.6) Malignant Gonadal Tumors of Mixed Forms	C569, C620-C629	9085, 9101	3	088	103
(c.7) Malignant Gonadal Gonadoblastoma	C569, C620-C629	9073	3	089	103
(d) Gonadal Carcinomas	C569, C620-C629	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8190-8201, 8210-8211, 8221-8241, 8244-8246, 8260-8263, 8290, 8310, 8313, 8320, 8323, 8380-8384, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8573, 9000, 9014, 9015	3	090	104
	C000-C809	8441-8444, 8450-8451, 8460-8473	3	090	104
(e) Other and Unspecified Malignant Gonadal Tumors	C000-C809	8590-8671	3	091	105
	C569, C620-C629	8000-8005	3	091	105
XI Other Malignant Epithelial Neoplasms and Malignant Melanomas					
(a) Adrenocortical Carcinomas	C000-C809	8370-8375	3	092	111
(b) Thyroid Carcinomas	C739	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230, 8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8510, 8560-8573	3	093	112
	C000-C809	8330-8337, 8340-8347, 8350	3	093	112
(c) Nasopharyngeal Carcinomas	C110-C119	8010-8041, 8050-8075, 8082-8083, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230-8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8500-8576	3	094	113
(d) Malignant Melanomas	C000-C809	8720-8780, 8790	3	095	114

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(e) Skin Carcinomas	C440-C449	8010-8041, 8050-8075, 8078, 8082, 8090-8110, 8140, 8143, 8147, 8190, 8200, 8240, 8246-8247, 8260, 8310, 8320, 8323, 8390-8420, 8430, 8480, 8542, 8560, 8570-8573, 8940, 8941	3	096	115
(f) Other and Unspecified Carcinomas					
(f.1) Carcinomas of Salivary Glands	C079-C089	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	097	116
(f.2) Carcinomas of Colon and Rectum	C180, C182-C189, C199, C209, C210-C218	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	098	116
(f.3) Carcinomas of Appendix	C181	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	099	116
(f.4) Carcinomas of Lung	C340-C349	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	100	116
(f.5) Carcinomas of Thymus	C379	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	101	116
(f.6) Carcinomas of Breast	C500-C509	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	102	116

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(f.7) Carcinomas of Cervix Uteri	C530-C539	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	103	116
(f.8) Carcinomas of Bladder	C670-C679	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	104	116
(f.9) Carcinomas of Eye	C690-C699	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	105	116
(f.10) Carcinomas of Other Specified Sites	C000-069, C090-C109, C129-C179, C239-C339, C380-C399, C480-C488, C510-C529, C540-C549, C559, C570-C619, C630-C639, C659-C669, C680-C689, C700-C729, C750-C759	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	106	116
(f.11) Carcinomas of Unspecified Site	C760-C768, C809	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	107	116
XII Other and Unspecified Malignant Neoplasms					
(a) Other Specified Malignant Tumors					
(a.1) Gastrointestinal Stromal Tumor	C000-C809	8936	3	108	121
(a.2) Pancreatoblastoma	C000-C809	8971	3	109	121
(a.3) Pulmonary Blastoma and Pleuropulmonary Blastoma	C000-C809	8972, 8973	3	110	121
(a.4) Other Complex Mixed and Stromal Neoplasms	C000-C809	8930-8935, 8950-8951, 8974-8981	3	111	121
(a.5) Mesothelioma	C000-C809	9050-9055	3	112	121
(a.6) Other Specified Malignant Tumors	C000-C809	9110	3	113	121
	C000-C399, C470-C759	9363	3	113	121

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other Unspecified Malignant Tumors	C000-C218, C239-C399, C420-C559, C570-C619, C630-C639, C659-C699, C739-C750, C754-809	8000-8005	3	114	122

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX D
Formulas for Rates

Formulas for Rates

SEER*Stat software was used to calculate rates. The following are the rate algorithms.

Crude Rate

A crude rate is the number of new cases (or deaths) occurring in a specified population per year, usually expressed as the number of cases per 100,000 population at risk.

$$cruderate = \frac{count}{population} \times 100,000$$

SEER*Stat allows you to display rates as cases per 1,000; 10,000; 100,000; or 1,000,000.

Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, 1990, and 2000), 1991 and 1996 Canadian populations, European population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[\left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right) \right]$$

where $count_i$ is the number of cases for the i^{th} age group, pop_i is the relevant population for the same age group, and $stdmil_i$ is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100,000$$

Standard Error for an Age-adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y .

$$SE_{AARate} = \left[\sum_{i=x}^y \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100,000$$

Crude Rate Confidence Intervals

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2} \left(ChiInv \left(\frac{p}{2}, 2 \times count \right) \right) \right)}{population} \times 100,000$$

$$CI_{high} = \frac{\left(\frac{1}{2} \left(ChiInv \left(1 - \frac{p}{2}, 2 \times (count + 1) \right) \right) \right)}{population} \times 100,000$$

where $ChiInv(p,n)$ is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define $ChiInv(p,0) = 0$.

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts. When the count is large these two methods produce similar results.

Age-adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y , and let:

$$w_i = \frac{stdm\bar{a}_i}{\left(pop_i \times \sum_{j=x}^y stdm\bar{a}_j \right)}$$

$$v = \sum_{i=x}^y \{ w_i^2 \times count_i \}$$

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(\frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note: The rate used in the above formulas is not per 100,000 population.

References:

Johnson NL, Kotz S. Distributions in Statistics: Discrete Distributions. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.