


Medication or Drug Use

Percentage (%) of recent mothers in Illinois who reported using medications or drugs for any reason during pregnancy

Survey Question O13: During your most recent pregnancy, did you take or use any of the following medications or drugs for any reason? Response: Yes



	Percentage <sup>1</sup>	95% CI <sup>2</sup>		Respondents <sup>3</sup>	Estimated Population Affected <sup>4</sup>
Meds for depression	5.8	4.3	7.6	915	5,622
Marijuana or hash	3.9	2.7	5.6	915	3,821
Meds for anxiety	2.0	1.3	3.3	915	2,000
Cannabidiol (CBD) products	1.1	0.5	2.2	915	1,061

<sup>1</sup>Percentage = Weighted percentage

<sup>2</sup>CI = Confidence interval lower/upper bounds

<sup>3</sup>Respondents = The total number who responded to the survey question

<sup>4</sup>Estimated Population Affected = Estimated number of Illinois mothers/infants with characteristic or condition

Data collection period April - December 2019

Medication for depression (like Prozac®, Zoloft®, Lexapro®, Paxil®, or Celexa®)

Medication for anxiety (like Valium®, Xanax®, Ativan®, Klonopin®, 'benzos')

Not reported due to small cell size: Methadone, Adderall®/Ritalin®/other stimulant, synthetic marijuana (K2), hallucinogens, naloxone, heroin, amphetamines, cocaine, tranquilizers, sniffing gasoline/huffing