



State of Illinois
Illinois Department of Public Health

Illinois County Cancer Statistics Review Incidence, 2017-2021

Epidemiologic Report Series 24:02

June 2024



Illinois County Cancer Statistics Review

Incidence, 2017-2021



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

June 2024

Prepared by

Stephen Roy, PhD
Research Manager

Kyle Garner, MPH
Cancer Epidemiologist

Lori Koch, CCRP, ODS
Registry Director

Jane Fornoff, DPhil
Chief, Division of Epidemiologic Studies

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers of Disease Control and Prevention or the National Institutes of Health.

The Illinois State Cancer Registry has been funded in whole or in part with federal funds from the National Cancer Institute (NCI); National Institutes of Health; U.S. Department of Health and Human Services, under Contract No. 75N91021D00006: the National Program of Cancer Registries; Centers for Disease Control and Prevention under cooperative agreement 5NU58DP007162-02-00; and the state of Illinois.

Suggested citation

Roy S, Garner K, Koch L, Fornoff J. Illinois County Cancer Statistics Review Incidence, 2017-2021. Epidemiologic Report Series 24:02. Springfield, Ill.: Illinois Department of Public Health, June 2024.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health (IDPH), Illinois State Cancer Registry (ISCR), makes the cancer incidence data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH, and none should be inferred.

ILLINOIS COUNTY CANCER STATISTICS REVIEW INCIDENCE, 2017 – 2021

TABLE OF CONTENTS

Overview and Technical Notes	1
------------------------------------	---

SECTION I

Cancer Incidence Rates for Selected Sites by County and Race	I-1
All Sites Combined.....	I-2
Oral Cavity and Pharynx	I-6
Colon and Rectum.....	I-10
Lung and Bronchus	I-14
Melanoma of the Skin.....	I-18
Female Breast (invasive).....	I-22
Cervix	I-25
Female Breast (<i>in situ</i>).....	I-28
Prostate	I-31

SECTION II

Percent Distribution of Stage at Diagnosis by County.....	II-1
Oral Cavity and Pharynx	II-2
Colon and Rectum.....	II-5
Melanoma of the Skin.....	II-8
Female Breast (invasive).....	II-11
Cervix	II-14
Prostate	II-17

SECTION III

County-specific Cancer Incidence Rates, All Races	III-1
Illinois.....	III-2
Adams County	III-3
Alexander County	III-4
Bond County.....	III-5
Boone County	III-6
Brown County	III-7
Bureau County	III-8

Calhoun County	III-9
Carroll County	III-10
Cass County	III-11
Champaign County	III-12
Christian County	III-13
Clark County	III-14
Clay County	III-15
Clinton County	III-16
Coles County	III-17
Cook County	III-18
Crawford County	III-19
Cumberland County	III-20
DeKalb County	III-21
DeWitt County	III-22
Douglas County	III-23
DuPage County	III-24
Edgar County	III-25
Edwards County	III-26
Effingham County	III-27
Fayette County	III-28
Ford County	III-29
Franklin County	III-30
Fulton County	III-31
Gallatin County	III-32
Greene County	III-33
Grundy County	III-34
Hamilton County	III-35
Hancock County	III-36
Hardin County	III-37
Henderson County	III-38
Henry County	III-39
Iroquois County	III-40
Jackson County	III-41
Jasper County	III-42
Jefferson County	III-43
Jersey County	III-44
Jo Daviess County	III-45
Johnson County	III-46
Kane County	III-47
Kankakee County	III-48
Kendall County	III-49
Knox County	III-50
Lake County	III-51

LaSalle County	III-52
Lawrence County.....	III-53
Lee County	III-54
Livingston County.....	III-55
Logan County.....	III-56
McDonough County.....	III-57
McHenry County	III-58
McLean County.....	III-59
Macon County.....	III-60
Macoupin County	III-61
Madison County.....	III-62
Marion County	III-63
Marshall County.....	III-64
Mason County.....	III-65
Massac County.....	III-66
Menard County.....	III-67
Mercer County.....	III-68
Monroe County	III-69
Montgomery County.....	III-70
Morgan County.....	III-71
Moultrie County	III-72
Ogle County	III-73
Peoria County	III-74
Perry County.....	III-75
Piatt County.....	III-76
Pike County.....	III-77
Pope County	III-78
Pulaski County.....	III-79
Putnam County.....	III-80
Randolph County.....	III-81
Richland County	III-82
Rock Island County.....	III-83
St. Clair County	III-84
Saline County	III-85
Sangamon County.....	III-86
Schuylerville County	III-87
Scott County	III-88
Shelby County	III-89
Stark County	III-90
Stephenson County	III-91
Tazewell County.....	III-92
Union County	III-93
Vermilion County	III-94

Wabash County	III-95
Warren County	III-96
Washington County.....	III-97
Wayne County	III-98
White County	III-99
Whiteside County	III-100
Will County.....	III-101
Williamson County.....	III-102
Winnebago County.....	III-103
Woodford County	III-104

SECTION IV

County-specific Cancer Incidence Rates by Race.....	IV-1
---	------

Whites

Illinois	IV-2
Champaign County	IV-3
Cook County	IV-4
DuPage County	IV-5
Kane County.....	IV-6
Kankakee County	IV-7
Lake County.....	IV-8
Macon County.....	IV-9
Madison County.....	IV-10
Peoria County	IV-11
Rock Island County	IV-12
St. Clair County.....	IV-13
Sangamon County.....	IV-14
Vermilion County	IV-15
Will County.....	IV-16
Winnebago County.....	IV-17

Blacks

Illinois	IV-18
Champaign County	IV-19
Cook County	IV-20
DuPage County	IV-21
Kane County.....	IV-22
Kankakee County	IV-23
Lake County.....	IV-24
Macon County.....	IV-25

Madison County.....	IV-26
Peoria County	IV-27
Rock Island County	IV-28
St. Clair County	IV-29
Sangamon County.....	IV-30
Vermilion County	IV-31
Will County.....	IV-32
Winnebago County.....	IV-33

SECTION V

County-specific Cancer Incidence Rates by Hispanic Ethnicity.....	V-1
Non-Hispanics	
Illinois.....	V-2
Cook County	V-3
DuPage County	V-4
Kane County	V-5
Lake County.....	V-6
Will County	V-7
Hispanics	
Illinois.....	V-8
Cook County	V-9
DuPage County	V-10
Kane County	V-11
Lake County.....	V-12
Will County	V-13

OVERVIEW AND TECHNICAL NOTES

ILLINOIS COUNTY CANCER STATISTICS REVIEW INCIDENCE, 2017 – 2021

OVERVIEW

This report presents cancer incidence in Illinois' 102 counties for 2017 through 2021. The first two sections of the report include tables designed to facilitate county comparisons. County-specific tables with expanded cancer sites are included in Section III for all races. Cancer incidence data for Whites and Blacks are included in Section IV for 15 counties - Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, Sangamon, St. Clair, Vermilion, Will, and Winnebago. These counties have sufficiently large Black populations to allow meaningful statistics for the race group. Cancer incidence for Hispanics (of any race) and non-Hispanics (of any race) are included in Section V for five counties (Cook, DuPage, Kane, Lake, and Will) that have sufficiently large Hispanic populations to allow meaningful statistics for the ethnicity group. Details for each section follow.

Section I. Tables containing five-year aggregate incidence counts, average annual age-adjusted rates and lower- and upper-95% confidence intervals are presented for all sites combined; oral cavity and pharynx; colon and rectum; lung and bronchus; melanoma of the skin by sex, race, and Hispanic ethnicity (selected counties); and for female breast invasive and *in situ*, cervix and prostate by race and Hispanic ethnicity (selected counties). These sites were chosen based on two considerations: 1) the need to facilitate evaluation of various cancer prevention and control programs, and 2) a sufficient number of cases to allow meaningful presentation of rates.

Section II. Stage at diagnosis of cancer for counties is expressed as percentage localized, regional, distant, and unstaged for cancers of the oral cavity and pharynx (both sexes); colon and rectum (both sexes); melanoma and the skin (both sexes); and for invasive cervix and prostate. Female breast cancer incidence data are displayed with *in situ* stage in addition to localized, regional, distant, and unstaged stage categories. Data by race and Hispanic ethnicity are available for the selected counties.

Section III. In separate tables for each of the state's counties, cancer incidence data are presented for all sites combined, the sites in Sections I-II, as well as additional cancer sites included in the county-level public data set for 2017 – 2021. Since the incidence for female breast cancer *in situ* is highly correlated with mammography screening usage, it also is reported in the section. All tables in the section contain five-year aggregate incidence counts, average annual age-adjusted rates, and lower- and upper-95% confidence intervals for each cancer site by sex category for all races.

Section IV. For the 15 above-mentioned counties with sufficiently large Black populations, tables in the same format as Section III are presented for Whites and Blacks.

Section V. For the five above-mentioned counties with sufficiently large Hispanic populations, tables in the same format as Section III are presented for Hispanics (of any race) and non-Hispanics (of any race).

TECHNICAL NOTES

Data Sources

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health's Illinois State Cancer Registry (ISCR), which is the only source of state population-based cancer incidence data. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories, and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to exchange Illinois cancer cases identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (beginning in August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (beginning in February 2008), and the Mayo Clinic in Minnesota (beginning in October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents, and their standards of quality.¹ For data used in this publication, approximately 6% of ISCR cases were reported from out-of-state central registries.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths in an effort to identify the cases not reported to ISCR. Between 2017 and 2021, 1.5% of reported cases were identified from death certificate clearance.

The preparation and release of data used for this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as of November 2023.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements. The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public; however, the identification or contact of individuals is prohibited.

In an effort to exclude identifying information on individual patients, the data (e.g., age, race, Hispanic ethnicity, year of diagnosis, and type of cancer) have been reported in aggregate categories, the number of which depends on the size of the geographic area.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made. Uses of these data do not constitute an endorsement of the user's opinion or conclusions by the Illinois Department of Public Health, and none should be inferred.

Population Estimates

Age-, sex-, and race/ethnicity-specific population counts for Illinois and Illinois counties for each year were obtained from the Vintage 2020 bridged-race postcensal population estimates files. Some population estimates were calculated by Woods & Poole Economics, Inc. for the National Cancer Institute (NCI) released prior to the U. S. Bureau of Census Population Estimates Program (<http://www.census.gov/programs-surveys/popest.html>), scheduled to be released in fall 2024 ([U.S. County Population Data 1969-2022 - SEER Population Data \(cancer.gov\)](#)).² The population estimates incorporate intercensal (for 2000-2009 from Census Bureau and 2010-2019 from Woods & Poole) and Vintage 2020 (for 2020-2021) bridged race estimates are derived from the original multiple race categories in the 2000, 2010, and 2020 censuses (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm). For more information on the modifications to county population categorized for each decade, visit <https://seer.cancer.gov/popdata/modifications.html>.

The intercensal estimates from Woods & Poole Economics align with the anticipated Census Bureau's 2010-2020 intercensal estimates methodology (<https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/intercensal/2000-2010-intercensal-estimates-methodology.pdf>) ([Woods & Poole Economics, Inc. 2010-2020 County Intercensal Estimates \(cancer.gov\)](#)).^{2,3} Population estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census

are not very different from the previous estimates. However, there are more substantial differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. In addition, differences in incidence rates may not solely be the result of changes in population estimates. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Incidence Sites

All cases diagnosed during 2017 through 2021 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.⁴ Cancer sites in this report were grouped according to site group definitions established by the Surveillance Epidemiology and End Results (SEER) program of NCI⁵ and are used also by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national, and state publications.⁵⁻⁷ The ISCR cancer site groups used in the county tables are listed in Appendix B.

Beginning with the 1998-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to the previous site grouping method, this change had a slight impact on cancer incidence rates for a few specific cancers. However, due to small numbers of cases at the county level, these two sites are not shown in this report.

When comparing this report to the ones published before the 2001-2005 county report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Because of the way cancers are grouped in this report, these changes have a slight or small impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies were first used in the 2006-2010 report and continue to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data, subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers except for carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Incidence Rates

Rates are expressed per 100,000 population and are age-adjusted by the direct method to the 2000 U.S. standard million population. The SEER*Stat® software package, developed by Information Management Services Inc. for the NCI, was used to calculate average annual age-adjusted cancer incidence rates for 2017 – 2021.⁸ Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. Rates are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.⁹ The formulas for rate calculations are displayed in Appendix C.

Race Categories

The race-specific categories in this report are all races for Illinois and all 102 counties. Data for Whites and Blacks are presented for Illinois and 15 counties (Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, St. Clair, Sangamon, Vermilion, Will, and Winnebago) with sufficient Black population estimates and annual cancer incidence for Blacks to allow for stable statistics. Cases reported as “other” or “unknown” race are included in the “all races” category.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 were linked to the Indian Health Service (IHS), which provides medical services to an estimated 55% of the American Indian/Alaska Native population nationally.¹⁰ If a race code in the ISCR database is White, Black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice had minimal impact on the incidence rates for Whites or Blacks due to the small number of cases affected.

Hispanic Ethnicity Categories

Through the use of the NAACCR Hispanic identification algorithm (NHIA) improvements have been made in classifying cases as Hispanic or Latino for diagnosis years 1990 through 2021.¹¹ NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.¹² Cases that meet certain criteria around race and birthplace, and who are also identified as non-Hispanic, Hispanic not otherwise specified, Spanish surname only, and unknown ethnicity are examined. Using race, birthplace, last name, first name, and maiden name, NHIA assigns a more specific and sometimes different ethnicity to these cases.

The Hispanic ethnicity-specific categories are presented in this report for Illinois and

five counties (Cook, DuPage, Kane, Lake, and Will) with sufficient Hispanic population estimates and annual cancer incidence for Hispanics to allow meaningful statistics. To be consistent with national data, cases reported as “unknown” ethnicity are included in the non-Hispanic category.⁵⁻⁷

Quality Control

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data.¹³ In 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy, and timeliness of reporting (starting with cases diagnosed in 1995). ISCR has submitted data each year to the NAACCR for registry certification. Based on the certification criteria shown in the following table, ISCR has been awarded gold certification for every diagnosis year from 1996 through 2021. The table below shows the criteria used for silver and gold certification.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2023, ISCR quality control data for the diagnosis years considered in this report (2017 – 2021) are as follows:

Year	Completeness (NAACCR Method- As of 11-23)	Pass EDITS	DCO	Unresolved Duplicate Per 1,000	Missing Data Fields			
					Sex	Age	County	Race
2017	100%	100%	1.9%	0.6	0.0%	0.0%	0.0%	0.8%
2018	100%	100%	1.4%	0.7	0.0%	0.0%	0.0%	1.4%
2019	100%	100%	0.9%	0.2	0.0%	0.0%	0.0%	1.5%
2020	100%	100%	1.2%	0.2	0.0%	0.0%	0.0%	1.3%
2021	100%	100%	1.2%	0.0	0.0%	0.0%	0.0%	1.4%

Data Interpretation

Observed differences in cancer incidence among counties may reflect differences in risk factor modifications or consequences of screening and early detection programs within the county. However, county cancer incidence differences also could be the result of other factors. Any conclusions should be made only after carefully considering the following factors that influence the average annual age-adjusted cancer incidence rates:

- Aggregate cancer case counts for 2017–2021 produce more stable age-adjusted cancer incidence rates than those calculated for an individual year. Counties with smaller populations and smaller numbers of cancer incidence cases will still have less stable age-

adjusted rates than larger counties or the entire state. Where the number of cases is less than or equal to 16, the relative standard error for the rate in these instances is equal to or exceeds 25%. At this level, interpretation of the rate is limited by excessive uncertainty and these rates should be evaluated cautiously.

- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate county comparisons. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95% probability where the “true” rate for the county or the state may fall. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two county rates and is more conservative than the standard significance test when the null hypothesis is true.¹⁴
- Population estimates used for denominators may be inaccurate. These data are estimates based on demographic characteristics of the population rather than actual counts. Incidence rates produced using these population estimates would be expected to exhibit more error than those calculated using 2010 census population counts. Also, keep in mind when comparing this report to earlier versions, the methods for developing the population estimates have changed and denominator data will lack comparability. Ensuring the same estimate methods (e.g., revised intercensal estimates and Vintage 2020) are used across the time period being examined accounts for this issue.

REFERENCES

1. Lehnher M, Havener LA. Assessment of interstate exchange of cancer data, 1986–1998. ISCR Quality Control Series 02:1. Springfield, Ill.: Illinois Department of Public Health, January 2002.
2. Surveillance Epidemiology and End Results, National Cancer Institute, U.S. National Institutes of Health. SEER – website. <http://seer.cancer.gov/popdata/>. Accessed April 10, 2024
3. 2010 to 2019 Intercensal Estimates of County Population by Age, Sex and Bridged Race for Vintage 2020 Postcensal Estimates, Woods & Poole Economics, Inc., Washington D.C. February 2024.
4. Fritz A, Percy C, Jack A, Shanmugaratnam K, Sabin L, Parkin DM, Whelan S (eds). International Classification of Diseases for Oncology. 3rd edition. Geneva: World Health Organization, 2000.
5. Howlander N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975- 2018, National Cancer Institute. Bethesda, Md., https://seer.cancer.gov/csr/1975_2018/, based on November 2020 SEER data submission, posted to the SEER website, April 2021.
6. Sherman R, Firth R, Kahl A, et al (eds). Cancer in North America: 2015-2019. *Volume One: Combined Cancer Incidence for the United States, Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
7. Sherman R, Firth R, Kahl A, et al (eds). Cancer in North America: 2015-2019. *Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
8. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) version 8.4.3, January 18, 2024.
9. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006;15(6):547-569.
10. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.
11. NAACCR Expert Panel in Hispanic Identification. *Report of the Expert Panel on*

Hispanic Identification 2003. Springfield, Ill: North American Association of Central Cancer Registries, October 2003.

12. Howe HL. *Evaluation of NHIA Submission for 1997-2001.* Springfield, Ill: North American Association of Central Cancer Registries, October 2004.
13. Hofferkamp, J (Ed). Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
14. Schenke N, Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I

Cancer Incidence Rates for Selected Sites by County and Race Illinois, 2017-2021

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	354,923	459.2	457.7	460.8	178,271	496.5	494.1	498.9	176,652	436.9	434.8	439.0
Adams	2,339	517.6	495.8	540.2	1,211	551.0	519.4	584.2	1,128	493.7	463.2	525.6
Alexander	245	564.2	490.4	647.2	147	674.0	565.6	800.7	98	487.5	384.7	610.9
Bond	557	501.2	459.0	546.6	301	552.6	490.1	621.3	256	481.3	420.3	549.1
Boone	1,443	441.9	418.9	465.9	736	459.8	426.2	495.4	707	432.3	400.3	466.4
Brown	185	501.6	431.2	580.9	115	608.7	500.3	734.3	70	425.7	327.0	547.2
Bureau	1,272	513.1	483.6	544.0	670	560.6	517.3	606.9	602	479.4	438.8	523.1
Calhoun	186	478.5	409.5	558.2	99	520.9	420.0	643.6	87	452.8	357.4	570.9
Carroll	583	481.0	440.0	525.2	330	532.7	474.1	597.4	253	449.7	389.9	516.9
Cass	394	461.3	415.8	510.8	202	499.0	430.7	575.7	192	432.6	371.4	501.7
Champaign	4,693	458.1	444.7	471.8	2,395	503.1	482.5	524.3	2,298	428.2	410.3	446.8
Christian	1,307	543.5	513.5	575.0	727	625.9	580.3	674.5	580	490.1	448.2	535.3
Clark	465	440.9	399.9	485.2	231	462.0	401.5	529.4	234	439.8	381.8	504.7
Clay	531	554.3	506.1	606.1	285	618.5	546.4	698.2	246	507.0	441.4	580.5
Clinton	1,221	502.1	473.5	532.2	669	557.5	514.9	602.9	552	462.2	422.5	504.7
Coles	1,361	458.8	433.7	484.9	654	472.4	435.7	511.5	707	451.5	417.0	488.4
Cook	130,774	432.1	429.7	434.5	63,325	462.6	459.0	466.4	67,449	415.9	412.7	419.2
Crawford	595	449.5	412.9	488.7	323	516.3	460.0	578.1	272	415.7	364.6	472.5
Cumberland	356	496.8	443.9	554.7	196	550.1	472.5	637.6	160	450.0	378.7	531.6
DeKalb	2,826	556.8	536.0	578.2	1,463	617.3	585.0	650.8	1,363	520.9	492.8	550.3
DeWitt	521	466.2	425.5	510.1	253	478.9	419.3	545.2	268	461.8	405.7	524.3
Douglas	621	486.1	447.2	527.6	295	479.2	424.8	539.1	326	502.5	446.4	564.1
DuPage	25,528	447.9	442.3	453.6	12,603	475.6	467.1	484.3	12,925	434.5	426.8	442.3
Edgar	564	446.1	407.5	487.6	299	476.3	421.8	536.8	265	430.3	374.6	492.4
Edwards	199	436.6	375.0	506.4	111	510.6	416.8	621.3	88	374.2	293.9	471.3
Effingham	1,115	494.0	464.4	525.2	579	542.1	497.3	590.0	536	460.8	420.6	504.1
Fayette	691	478.8	442.9	517.1	390	547.3	493.4	605.9	301	431.7	381.4	487.2
Ford	473	513.0	465.8	564.0	272	644.3	567.4	729.3	201	426.4	365.8	494.7
Franklin	1,439	531.2	503.0	560.7	776	593.6	551.2	638.6	663	482.8	444.6	523.6
Fulton	1,288	524.6	495.3	555.3	687	582.3	538.6	629.0	601	493.3	451.9	537.7
Gallatin	177	453.4	385.0	531.9	91	481.5	383.6	600.4	86	447.2	349.4	566.5
Greene	474	544.6	494.7	598.7	250	599.8	525.6	682.5	224	510.7	441.8	588.3
Grundy	1,592	541.8	515.0	569.6	841	608.7	566.5	653.2	751	498.3	462.6	536.1
Hamilton	231	385.7	335.1	442.5	128	452.3	374.6	543.0	103	347.6	278.6	429.8
Hancock	636	464.1	426.1	504.9	339	495.3	441.1	555.0	297	438.3	385.1	497.4
Hardin	152	477.2	396.5	572.2	89	512.4	407.2	644.3	63	444.8	324.7	598.1
Henderson	238	421.7	365.6	485.4	133	454.6	377.8	546.3	105	401.1	319.5	499.9
Henry	1,675	472.0	448.6	496.3	849	488.2	454.7	523.7	826	462.4	429.4	497.4
Iroquois	1,032	507.3	475.1	541.4	561	570.3	522.0	622.2	471	462.6	418.5	510.4
Jackson	1,546	513.9	487.5	541.3	842	592.3	551.4	635.4	704	453.6	419.0	490.5
Jasper	343	524.7	467.7	587.3	199	614.3	528.6	711.1	144	453.1	376.5	541.6
Jefferson	1,253	491.3	463.6	520.5	723	579.5	536.9	624.7	530	423.5	386.1	463.8
Jersey	773	515.1	477.8	554.7	382	521.7	469.1	579.2	391	514.8	461.9	572.5
Jo Daviess	818	429.8	397.0	464.9	443	457.0	411.4	507.2	375	411.3	364.0	463.8
Johnson	442	469.3	425.5	516.8	258	528.8	465.2	599.6	184	423.2	359.7	496.2
Kane	12,925	446.0	438.1	453.9	6,449	472.7	460.8	484.8	6,476	432.1	421.4	443.0
Kankakee	3,357	496.0	478.9	513.7	1,643	501.4	476.8	527.1	1,714	496.4	472.3	521.4
Kendall	2,867	479.3	461.4	497.7	1,412	516.8	488.6	546.1	1,455	456.1	432.6	480.6
Knox	1,704	471.5	448.1	495.9	858	483.0	450.1	517.8	846	470.7	436.6	507.0
Lake	18,859	458.8	452.1	465.6	9,459	488.7	478.6	499.1	9,400	442.1	432.9	451.4
LaSalle	3,761	498.8	482.3	515.7	1,979	541.8	517.4	567.2	1,782	468.3	445.5	492.0
Lawrence	475	465.8	424.0	511.0	267	551.8	486.6	623.8	208	419.8	360.5	486.8
Lee	1,157	472.2	444.2	501.6	601	478.1	439.6	519.5	556	484.5	441.8	530.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	1,188	478.4	450.5	507.7	611	519.1	477.4	563.5	577	452.0	413.8	493.0
Logan	1,026	540.8	507.3	576.1	511	567.1	518.0	620.0	515	536.6	488.9	587.9
Macon	4,051	553.7	536.0	571.9	2,134	625.5	598.2	653.7	1,917	499.0	475.5	523.5
Macoupin	1,787	544.4	518.3	571.6	962	622.4	582.2	664.9	825	486.6	451.9	523.5
Madison	8,642	501.1	490.3	512.2	4,358	548.9	532.2	566.0	4,284	471.1	456.5	486.1
Marion	1,459	565.2	535.4	596.4	774	629.3	584.5	676.9	685	523.1	482.3	566.7
Marshall	437	489.6	441.3	542.2	231	526.5	456.9	604.9	206	461.8	394.8	537.9
Mason	560	549.5	502.6	600.1	307	637.2	565.2	716.9	253	492.2	429.3	562.7
Massac	476	456.8	414.8	502.4	257	516.8	453.3	587.5	219	407.0	351.5	469.6
McDonough	783	453.3	420.5	488.1	394	481.8	433.7	534.2	389	441.5	395.7	491.5
McHenry	8,958	479.4	469.2	489.8	4,485	501.7	486.4	517.4	4,473	468.6	454.5	483.0
McLean	3,879	431.8	418.0	446.0	1,971	470.2	449.0	492.1	1,908	408.0	389.4	427.4
Menard	512	591.0	538.7	647.4	280	681.6	600.7	771.3	232	524.6	455.7	601.7
Mercer	600	532.6	488.5	579.9	319	543.3	483.1	609.9	281	530.2	465.8	601.7
Monroe	1,067	457.6	429.5	487.3	542	478.8	437.7	522.9	525	446.6	407.4	488.9
Montgomery	993	489.1	457.8	522.1	531	530.6	485.2	579.4	462	466.6	421.5	515.6
Morgan	1,328	560.2	529.3	592.6	693	615.2	569.1	664.3	635	531.0	487.6	577.7
Moultrie	462	487.3	442.1	536.1	237	526.9	460.1	601.1	225	470.8	407.9	541.0
Ogle	1,715	480.6	457.3	504.8	865	500.6	466.8	536.5	850	469.7	437.2	504.2
Peoria	5,750	500.8	487.6	514.4	3,026	567.6	547.1	588.8	2,724	452.8	435.3	471.0
Perry	713	503.5	466.0	543.5	378	537.0	483.1	595.7	335	492.5	437.4	553.1
Piatt	561	478.1	437.5	521.7	295	511.7	452.8	576.8	266	454.0	397.7	516.6
Pike	606	557.7	511.9	606.8	320	613.7	546.1	688.2	286	516.8	453.8	586.7
Pope	153	422.3	350.0	509.3	94	488.6	384.5	621.5	59	356.9	259.6	488.5
Pulaski	217	546.9	472.5	631.0	118	582.2	479.0	704.6	99	521.9	415.9	648.6
Putnam	207	467.9	402.4	542.6	111	487.7	396.0	597.5	96	449.9	357.9	561.3
Randolph	1,050	479.1	449.4	510.4	539	515.2	471.4	562.2	511	480.1	435.6	528.1
Richland	523	454.3	414.5	497.1	302	542.4	481.6	609.5	221	388.8	335.6	448.8
Rock Island	4,308	437.2	423.7	451.0	2,261	482.2	461.9	503.1	2,047	406.7	388.1	426.0
Saline	812	471.5	438.3	506.8	432	537.3	486.2	592.9	380	421.1	377.3	469.0
Sangamon	7,070	545.7	532.5	559.0	3,601	608.9	588.4	629.9	3,469	505.1	487.6	523.1
Schuylerville	263	483.0	423.9	549.3	154	557.8	470.7	658.8	109	414.9	335.2	510.6
Scott	192	554.9	475.9	644.4	99	612.5	493.1	754.3	93	517.8	412.1	644.9
Shelby	911	567.9	529.1	609.0	513	646.5	589.1	708.6	398	501.4	448.8	558.8
St Clair	7,619	480.8	469.7	492.1	3,875	536.5	519.1	554.4	3,744	442.2	427.7	457.1
Stark	215	508.6	439.5	586.7	124	589.6	486.9	710.5	91	452.8	356.7	569.0
Stephenson	1,492	433.7	410.5	458.1	764	470.1	435.8	506.7	728	411.6	379.5	445.9
Tazewell	4,512	504.4	489.3	519.9	2,321	551.6	528.9	575.2	2,191	472.9	452.4	494.3
Union	613	460.5	422.8	501.0	330	500.0	445.2	560.3	283	432.6	379.8	491.5
Vermilion	2,769	536.1	515.5	557.4	1,460	586.3	555.7	618.2	1,309	500.9	472.5	530.8
Wabash	389	462.0	414.7	513.8	213	523.5	452.5	603.6	176	394.7	333.7	464.8
Warren	575	503.1	460.7	548.6	299	517.6	458.4	583.1	276	494.9	434.0	562.4
Washington	520	522.2	476.1	572.0	304	602.9	534.0	679.2	216	450.6	389.0	519.9
Wayne	530	424.7	387.8	464.7	278	462.8	408.3	523.2	252	397.4	346.7	454.2
White	455	421.6	381.4	465.4	253	494.8	433.5	563.3	202	361.1	308.5	421.1
Whiteside	1,903	460.4	439.0	482.7	998	505.0	473.1	538.7	905	432.4	402.8	463.8
Will	17,935	470.4	463.4	477.5	9,106	512.5	501.5	523.7	8,829	444.0	434.6	453.5
Williamson	2,261	497.8	476.8	519.4	1,267	586.3	553.6	620.5	994	429.4	401.8	458.5
Winnebago	8,359	457.1	447.0	467.4	4,198	486.2	471.2	501.7	4,161	440.9	427.0	455.2
Woodford	1,258	501.6	473.1	531.3	636	517.6	476.9	561.1	622	498.7	458.3	542.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, All Sites, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	290,628	463.5	461.8	465.2	146,865	496.6	494.0	499.2	143,763	445.2	442.8	447.6
Champaign	4,014	470.1	455.1	485.5	2,046	508.9	486.4	532.3	1,968	446.3	425.8	467.5
Cook	87,638	430.1	427.2	433.0	42,828	452.3	447.9	456.7	44,810	422.1	418.1	426.1
DuPage	22,409	465.3	459.0	471.6	11,119	495.2	485.7	504.8	11,290	451.9	443.2	460.7
Kane	11,675	446.2	438.0	454.6	5,802	470.2	457.7	482.9	5,873	435.4	424.1	447.0
Kankakee	2,866	489.8	471.4	508.7	1,392	487.4	461.4	514.6	1,474	497.7	471.5	525.1
Lake	16,608	468.6	461.3	476.0	8,346	496.0	485.0	507.2	8,262	454.4	444.3	464.7
Macon	3,448	546.2	527.0	566.0	1,818	610.0	581.1	640.1	1,630	498.5	472.6	525.6
Madison	7,984	499.0	487.7	510.5	4,016	541.7	524.5	559.3	3,968	473.7	458.3	489.5
Peoria	4,702	486.0	471.6	500.7	2,442	540.1	518.3	562.7	2,260	449.8	430.3	470.0
Rock Island	3,907	437.3	422.9	452.1	2,031	477.4	456.1	499.6	1,876	410.5	390.7	431.2
Sangamon	6,370	548.4	534.5	562.7	3,249	610.0	588.4	632.2	3,121	510.8	491.9	530.3
St Clair	5,546	484.9	471.8	498.4	2,897	538.9	518.7	559.7	2,649	448.9	431.2	467.3
Vermilion	2,517	541.1	519.1	564.0	1,307	574.7	542.9	608.1	1,210	521.0	489.8	553.8
Will	15,062	473.7	466.0	481.5	7,630	512.0	500.1	524.1	7,432	451.5	441.1	462.1
Winnebago	7,360	460.5	449.6	471.7	3,703	484.9	468.9	501.4	3,657	449.5	434.1	465.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, All Sites, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	47,319	463.8	459.5	468.1	22,957	529.2	522.1	536.4	24,362	421.8	416.4	427.2
Champaign	498	477.1	434.0	523.1	267	583.6	510.2	664.0	231	397.3	345.7	454.1
Cook	34,263	462.0	457.0	467.0	16,218	526.7	518.3	535.2	18,045	421.6	415.3	427.9
DuPage	914	447.2	415.6	480.4	407	485.9	432.4	543.6	507	425.3	386.1	467.2
Kane	638	451.8	415.7	490.0	335	522.2	463.2	586.3	303	399.7	354.6	448.7
Kankakee	444	542.4	491.1	597.4	228	604.2	523.9	693.1	216	493.6	428.1	566.3
Lake	1,033	416.6	390.2	444.3	508	462.0	418.4	508.7	525	389.6	355.9	425.6
Macon	527	569.4	520.0	622.0	285	704.1	619.8	796.5	242	467.8	409.2	532.4
Madison	560	535.0	489.8	583.1	294	666.7	586.9	753.8	266	443.0	390.0	500.9
Peoria	836	557.8	518.8	598.8	461	694.3	628.0	765.4	375	455.2	408.7	505.4
Rock Island	307	446.7	396.9	500.8	170	533.9	453.4	623.8	137	386.2	323.0	457.8
Sangamon	593	531.4	487.4	578.1	304	602.2	531.5	679.3	289	472.6	417.8	532.4
St Clair	1,949	479.2	457.5	501.7	932	534.2	498.7	571.6	1,017	440.3	413.0	468.9
Vermilion	228	532.3	462.6	609.0	138	725.4	599.4	868.4	90	383.3	306.1	473.6
Will	1,860	459.0	436.9	481.9	927	511.4	474.5	550.2	933	422.2	394.4	451.5
Winnebago	822	472.5	439.4	507.3	408	542.3	487.0	601.9	414	424.5	383.6	468.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, All Sites, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	27,431	355.3	350.8	359.9	12,970	363.7	356.7	370.7	14,461	357.7	351.6	363.8
Cook	17,156	344.7	339.2	350.2	8,146	355.8	347.3	364.4	9,010	344.9	337.6	352.4
DuPage	1,719	396.8	376.2	418.1	775	418.4	384.9	453.7	944	395.7	369.1	423.7
Kane	1,722	329.3	312.1	347.2	849	348.4	321.7	376.5	873	318.1	295.4	341.9
Lake	1,743	367.2	347.8	387.2	777	351.0	322.4	381.3	966	388.7	362.2	416.5
Will	1,474	396.8	374.5	420.0	691	409.7	375.0	446.5	783	396.9	367.3	428.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, All Sites, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	327,492	471.1	469.4	472.8	165,301	511.7	509.2	514.3	162,191	445.7	443.5	448.0
Cook	113,618	449.2	446.5	451.9	55,179	484.8	480.7	489.0	58,439	428.5	424.9	432.1
DuPage	23,809	452.5	446.6	458.5	11,828	482.2	473.2	491.3	11,981	436.8	428.6	445.1
Kane	11,203	471.8	462.8	481.0	5,600	500.2	486.7	514.0	5,603	457.0	444.5	469.7
Lake	17,116	470.9	463.6	478.3	8,682	505.4	494.4	516.6	8,434	450.1	440.0	460.3
Will	16,461	479.6	472.1	487.2	8,415	524.7	513.1	536.6	8,046	450.5	440.4	460.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	9,592	12.1	11.9	12.4	6,813	18.3	17.8	18.7	2,779	6.7	6.4	6.9
Adams	64	14.6	11.1	18.9	51	23.5	17.3	31.3	13	6.4	3.3	11.4
Alexander	10	29.8	12.8	59.0	5	29.6	8.5	76.1	5	32.5	8.6	83.3
Bond	12	10.3	5.2	18.8	12	20.7	10.5	37.6	0			
Boone	37	10.8	7.6	15.1	22	12.3	7.7	19.0	15	9.5	5.2	16.0
Brown	6	16.0	5.8	36.5	4	17.4	4.7	48.7	2	10.0	1.2	46.7
Bureau	48	19.1	13.8	26.0	37	30.1	20.8	42.6	11	8.9	4.1	17.3
Calhoun	3	7.2	1.5	27.7	3	14.5	2.9	55.2	0			
Carroll	26	21.8	13.7	33.5	16	26.8	14.6	46.2	10	19.3	8.5	38.8
Cass	15	15.8	8.8	26.9	11	25.4	12.5	47.1	4	7.8	2.1	22.6
Champaign	130	13.2	11.0	15.8	102	22.1	17.9	27.0	28	5.4	3.5	7.9
Christian	37	16.6	11.5	23.3	30	27.0	18.0	39.2	7	5.5	2.2	12.6
Clark	17	17.1	9.5	28.4	12	27.7	13.6	50.2	5	8.9	2.7	23.1
Clay	20	20.3	12.0	32.9	15	32.2	17.2	56.0	5	8.2	2.6	22.5
Clinton	31	13.3	8.9	19.3	21	18.9	11.5	29.4	10	7.2	3.4	14.3
Coles	40	12.7	8.9	17.6	27	18.2	11.8	27.1	13	7.7	3.9	14.0
Cook	3,372	10.9	10.5	11.3	2,282	16.1	15.4	16.8	1,090	6.5	6.1	6.9
Crawford	14	10.5	5.6	18.4	9	13.9	6.2	27.8	5	7.9	2.3	20.7
Cumberland	7	8.8	3.4	19.7	5	12.5	3.9	32.5	2	5.0	0.6	22.1
DeKalb	78	15.3	12.0	19.2	57	22.7	17.0	29.7	21	8.1	4.9	12.4
DeWitt	14	13.1	6.8	23.0	7	11.5	4.4	26.2	7	13.6	5.0	30.4
Douglas	15	10.1	5.6	17.3	11	15.7	7.7	29.3	4	4.6	1.2	13.9
DuPage	696	11.8	10.9	12.7	506	18.2	16.6	20.0	190	6.1	5.2	7.1
Edgar	16	10.5	6.0	18.1	14	19.9	10.8	35.4	2	2.5	0.3	12.6
Edwards	4	8.7	2.2	25.2	3	13.8	2.7	46.0	1	2.5	0.1	27.4
Effingham	27	12.3	7.9	18.4	20	18.4	10.8	29.4	7	5.9	2.3	13.0
Fayette	20	14.1	8.5	22.4	13	18.2	9.5	32.1	7	9.2	3.5	20.8
Ford	15	14.8	8.0	25.7	8	16.7	7.0	35.2	7	13.1	4.6	30.6
Franklin	48	17.5	12.8	23.6	38	28.2	19.7	39.5	10	7.6	3.5	14.7
Fulton	35	13.9	9.5	19.7	28	23.2	15.2	34.2	7	4.9	2.0	11.5
Gallatin	3	9.5	1.5	31.9	3	20.9	3.5	68.2	0			
Greene	13	13.7	7.3	24.7	10	22.8	10.8	44.3	3	6.0	1.2	21.3
Grundy	46	14.8	10.8	20.0	35	22.7	15.6	31.9	11	7.0	3.5	12.9
Hamilton	8	11.2	4.8	24.5	7	23.3	9.1	52.4	1	2.5	0.1	22.6
Hancock	17	10.5	6.0	17.9	13	17.1	8.9	31.4	4	4.0	1.1	14.0
Hardin	5	13.0	4.1	39.5	4	19.2	5.2	69.7	1	6.8	0.2	57.0
Henderson	9	14.8	6.5	32.3	8	26.1	10.7	60.3	1	3.3	0.1	30.8
Henry	50	14.5	10.6	19.5	33	19.0	12.8	27.4	17	9.8	5.6	16.5
Iroquois	27	11.7	7.6	17.6	21	18.8	11.5	30.0	6	4.9	1.6	12.4
Jackson	54	17.6	13.1	23.4	34	22.1	15.1	31.5	20	14.1	8.3	22.4
Jasper	8	13.6	5.6	28.3	7	24.7	9.3	53.6	1	2.9	0.1	21.2
Jefferson	43	17.4	12.4	23.8	35	29.1	20.0	41.0	8	5.5	2.4	11.8
Jersey	26	17.8	11.3	27.0	14	19.6	10.5	34.3	12	16.1	7.8	30.0
Jo Daviess	33	18.6	12.2	27.7	22	24.6	14.7	39.9	11	12.9	5.7	26.2
Johnson	11	12.1	6.0	22.7	9	20.2	9.1	40.0	2	4.0	0.5	20.2
Kane	352	11.7	10.4	13.0	255	17.4	15.3	19.8	97	6.5	5.2	7.9
Kankakee	106	14.7	12.0	17.9	74	21.5	16.7	27.2	32	8.3	5.7	11.9
Kendall	90	15.2	12.1	18.8	59	20.2	15.1	26.4	31	10.8	7.2	15.3
Knox	55	15.9	11.8	21.1	44	26.3	18.8	35.9	11	5.8	2.7	11.3
Lake	438	10.1	9.1	11.1	328	15.9	14.2	17.8	110	4.9	4.0	6.0
LaSalle	121	15.6	12.8	18.8	89	24.1	19.2	30.0	32	7.6	5.1	11.0
Lawrence	16	17.1	9.6	28.4	15	32.7	18.1	54.8	1	1.5	0.0	13.3
Lee	44	17.4	12.5	23.8	33	26.4	18.0	37.9	11	7.6	3.8	14.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	29	12.4	8.1	18.3	19	17.7	10.3	28.3	10	7.1	3.3	14.0
Logan	33	17.7	12.0	25.4	22	24.4	15.1	37.8	11	12.4	6.0	23.1
Macon	104	14.4	11.6	17.7	68	20.7	15.8	26.7	36	8.5	5.9	12.1
Macoupin	58	18.2	13.6	24.0	41	27.7	19.5	38.3	17	9.4	5.4	15.8
Madison	254	14.8	13.0	16.9	168	20.8	17.7	24.3	86	9.4	7.5	11.8
Marion	41	16.8	11.9	23.2	29	25.0	16.6	36.4	12	10.0	4.9	18.4
Marshall	10	10.2	4.7	20.5	7	12.8	4.9	30.6	3	7.1	1.4	24.3
Mason	13	13.7	7.0	24.7	6	12.6	4.4	30.3	7	14.6	5.3	33.3
Massac	18	16.4	9.5	27.0	13	25.8	13.5	46.1	5	7.0	2.2	20.0
McDonough	20	11.8	7.0	18.9	13	15.1	7.7	27.2	7	7.7	2.8	17.7
McHenry	255	12.6	11.1	14.4	183	18.8	16.1	22.0	72	7.0	5.4	8.9
McLean	108	12.1	9.9	14.7	85	20.1	16.0	25.0	23	4.8	3.0	7.3
Menard	18	22.9	13.1	37.5	11	28.9	13.8	54.1	7	18.5	7.0	40.3
Mercer	15	14.1	7.5	24.5	8	15.1	6.0	32.1	7	12.6	4.7	28.5
Monroe	26	8.8	5.7	13.4	17	11.3	6.5	19.1	9	6.0	2.7	12.5
Montgomery	35	17.2	11.8	24.5	28	27.4	18.0	40.5	7	7.7	2.9	17.3
Morgan	29	11.4	7.6	16.8	23	18.9	11.9	29.1	6	5.0	1.8	11.9
Moultrie	14	13.0	6.9	23.0	13	26.5	13.7	47.4	1	1.8	0.0	13.0
Ogle	51	14.0	10.3	18.7	34	18.7	12.8	26.6	17	9.8	5.5	16.3
Peoria	154	13.5	11.4	15.9	110	20.3	16.6	24.7	44	7.5	5.4	10.2
Perry	17	11.9	6.8	19.6	15	19.7	10.9	33.6	2	2.7	0.3	12.2
Piatt	18	15.7	9.1	25.8	11	18.7	9.2	35.1	7	13.2	4.9	29.3
Pike	21	20.6	12.4	32.6	17	31.6	18.0	52.6	4	10.4	2.6	27.5
Pope	5	10.3	3.3	38.3	4	16.6	4.5	70.1	1	4.1	0.1	62.1
Pulaski	6	13.7	5.0	33.6	6	28.0	10.2	68.5	0			
Putnam	3	10.1	1.9	31.3	3	20.0	3.8	62.0	0			
Randolph	24	10.9	6.9	16.8	16	15.0	8.4	25.1	8	6.6	2.8	14.3
Richland	14	10.5	5.7	18.6	9	13.9	6.3	28.6	5	7.6	2.4	20.2
Rock Island	140	14.2	11.8	16.9	106	23.3	18.9	28.4	34	6.2	4.2	8.9
Saline	28	16.6	10.8	24.8	16	20.4	11.3	34.4	12	12.4	6.1	23.5
Sangamon	202	15.7	13.5	18.2	157	26.6	22.4	31.3	45	6.4	4.6	8.7
Schuylerville	11	21.4	10.4	40.9	7	25.8	10.2	58.1	4	19.1	4.6	55.2
Scott	4	11.9	3.2	33.6	4	25.1	6.7	70.1	0			
Shelby	32	22.3	14.6	32.8	27	39.3	24.8	59.4	5	5.5	1.8	15.0
St Clair	211	12.8	11.1	14.7	156	21.1	17.8	24.8	55	6.0	4.5	8.0
Stark	5	10.6	3.4	28.7	3	15.6	2.9	52.8	2	8.8	1.1	41.6
Stephenson	41	12.0	8.4	16.9	30	18.9	12.4	27.9	11	5.7	2.6	11.3
Tazewell	116	13.1	10.8	15.9	88	21.1	16.8	26.2	28	5.9	3.8	8.7
Union	17	13.9	7.8	23.2	13	20.3	10.5	36.6	4	6.7	1.5	19.9
Vermilion	64	12.7	9.6	16.4	50	20.6	15.1	27.7	14	5.0	2.6	8.7
Wabash	10	11.2	4.9	22.6	6	14.6	4.8	35.5	4	5.7	1.5	20.8
Warren	15	13.7	7.3	23.6	8	14.8	6.0	31.2	7	11.6	4.0	26.7
Washington	13	13.6	7.0	24.6	11	22.9	10.8	43.7	2	3.6	0.4	16.4
Wayne	10	7.2	3.5	14.3	7	10.3	4.1	23.4	3	4.2	0.9	15.2
White	16	16.6	9.1	28.3	13	26.9	13.8	48.3	3	6.7	1.1	22.4
Whiteside	61	13.5	10.3	17.6	39	18.0	12.7	25.0	22	9.6	5.9	15.1
Will	443	11.0	10.0	12.1	328	16.6	14.8	18.6	115	5.7	4.7	6.9
Williamson	72	16.3	12.6	20.8	59	28.6	21.5	37.3	13	4.8	2.5	8.7
Winnebago	231	12.8	11.1	14.6	166	18.9	16.1	22.2	65	7.3	5.6	9.5
Woodford	25	10.1	6.4	15.2	19	16.1	9.5	25.7	6	4.2	1.5	10.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Oral Cavity and Pharynx, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	8,123	12.7	12.4	12.9	5,816	18.9	18.4	19.5	2,307	6.9	6.6	7.2
Champaign	113	14.2	11.6	17.2	91	24.3	19.4	30.1	22	4.9	3.0	7.6
Cook	2,379	11.4	10.9	11.9	1,628	16.5	15.7	17.4	751	6.7	6.2	7.2
DuPage	603	12.1	11.1	13.1	438	18.5	16.8	20.4	165	6.3	5.3	7.4
Kane	327	12.0	10.7	13.4	237	17.9	15.6	20.4	90	6.7	5.4	8.3
Kankakee	98	15.8	12.7	19.4	67	22.6	17.3	29.0	31	9.2	6.2	13.4
Lake	397	10.6	9.5	11.7	298	16.5	14.6	18.6	99	5.2	4.2	6.4
Macon	92	15.1	12.0	18.8	60	21.4	16.0	28.2	32	9.1	6.1	13.3
Madison	236	14.9	13.0	17.0	157	20.8	17.5	24.5	79	9.5	7.4	12.0
Peoria	137	14.5	12.1	17.3	95	21.1	16.9	26.0	42	8.6	6.1	11.9
Rock Island	126	14.1	11.6	17.1	96	23.5	18.8	29.0	30	6.0	3.9	9.0
Sangamon	178	15.5	13.2	18.1	139	26.1	21.8	31.1	39	6.2	4.3	8.8
St Clair	179	15.0	12.8	17.5	134	24.0	20.0	28.7	45	7.1	5.1	9.7
Vermilion	59	13.1	9.8	17.3	45	20.8	14.9	28.6	14	5.6	2.9	10.0
Will	379	11.3	10.1	12.5	279	16.8	14.8	18.9	100	6.0	4.8	7.3
Winnebago	205	13.1	11.3	15.2	151	19.8	16.7	23.4	54	7.1	5.2	9.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Oral Cavity and Pharynx, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	966	9.1	8.5	9.7	640	13.9	12.8	15.1	326	5.5	4.9	6.2
Champaign	10	9.5	4.4	17.6	7	15.0	5.7	31.5	3	5.2	1.1	15.0
Cook	722	9.5	8.8	10.2	467	14.5	13.2	16.0	255	6.0	5.3	6.8
DuPage	18	9.5	5.3	15.5	11	15.9	7.3	29.5	7	5.2	1.9	11.4
Kane	8	5.9	2.4	11.8	6	9.0	3.1	20.2	2	3.1	0.3	10.9
Kankakee	7	7.4	2.9	15.7	6	12.8	4.6	29.3	1	2.4	0.1	13.4
Lake	16	5.9	3.2	9.9	8	7.0	2.7	14.6	8	5.3	2.2	10.9
Macon	10	9.9	4.6	18.8	7	17.8	6.5	38.2	3	4.4	0.9	14.0
Madison	12	10.5	5.3	18.7	8	15.0	6.3	30.5	4	6.6	1.7	17.2
Peoria	14	8.2	4.4	14.0	13	17.3	8.9	30.4	1	0.9	0.0	5.9
Rock Island	10	13.5	6.4	24.8	7	19.4	7.7	40.2	3	7.5	1.5	22.3
Sangamon	17	13.5	7.8	21.9	12	21.5	10.9	38.5	5	6.8	2.2	16.3
St Clair	30	6.7	4.5	9.7	20	11.3	6.7	17.8	10	3.7	1.7	7.0
Vermilion	5	10.0	3.1	24.0	5	20.2	6.4	49.6	0			
Will	31	6.6	4.4	9.6	22	9.8	5.9	15.6	9	4.0	1.8	7.7
Winnebago	18	9.8	5.7	15.6	11	12.3	6.1	22.5	7	7.4	2.9	15.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Oral Cavity and Pharynx, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	566	7.5	6.8	8.2	392	10.7	9.5	11.9	174	4.6	3.9	5.3
Cook	360	7.5	6.7	8.3	244	10.5	9.1	12.0	116	4.8	3.9	5.7
DuPage	44	11.5	8.1	15.7	37	22.0	14.6	31.4	7	3.3	1.3	6.8
Kane	26	4.7	3.0	7.1	17	6.9	3.7	11.5	9	2.8	1.3	5.4
Lake	35	6.3	4.2	9.0	26	9.1	5.5	14.1	9	3.5	1.5	6.9
Will	22	5.7	3.4	8.9	15	8.5	4.4	14.7	7	3.1	1.2	6.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Oral Cavity and Pharynx, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	9,026	12.8	12.5	13.1	6,421	19.4	18.9	19.9	2,605	6.9	6.7	7.2
Cook	3,012	11.7	11.3	12.2	2,038	17.5	16.7	18.3	974	7.0	6.5	7.4
DuPage	652	12.0	11.0	13.0	469	18.3	16.6	20.2	183	6.3	5.4	7.4
Kane	326	13.4	11.9	15.0	238	20.3	17.7	23.2	88	7.2	5.7	9.1
Lake	403	10.5	9.5	11.6	302	16.6	14.7	18.7	101	5.1	4.1	6.2
Will	421	11.6	10.5	12.9	313	17.8	15.8	20.0	108	5.9	4.8	7.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	29,639	38.8	38.4	39.3	15,729	44.9	44.2	45.6	13,910	33.7	33.1	34.3
Adams	178	41.2	35.1	48.2	96	47.5	38.1	58.7	82	35.3	27.6	44.6
Alexander	22	53.3	32.3	84.8	10	46.9	21.9	93.5	12	61.7	30.3	115.0
Bond	50	46.8	34.4	62.6	30	60.6	40.4	87.6	20	35.2	21.0	56.4
Boone	101	31.5	25.5	38.5	53	33.3	24.7	44.0	48	29.4	21.6	39.4
Brown	15	40.8	22.7	68.5	9	49.9	22.6	96.3	6	32.9	12.0	78.6
Bureau	93	36.1	28.8	44.8	55	47.8	35.5	63.2	38	25.2	17.6	35.8
Calhoun	17	47.3	26.9	80.1	11	65.6	31.9	125.6	6	29.9	10.9	76.7
Carroll	37	28.5	19.8	40.6	21	34.1	20.8	54.2	16	23.6	12.5	42.6
Cass	34	41.1	28.1	58.4	17	47.1	26.9	76.7	17	34.0	19.7	56.3
Champaign	337	34.1	30.5	38.1	181	39.4	33.7	45.7	156	29.1	24.6	34.3
Christian	127	52.4	43.5	62.9	80	69.4	54.8	87.1	47	38.1	27.4	52.1
Clark	48	48.5	35.2	65.6	19	39.8	23.5	63.7	29	55.1	35.4	82.3
Clay	49	50.1	36.6	67.4	26	56.5	36.5	84.8	23	44.4	27.3	69.8
Clinton	89	38.4	30.6	47.7	43	39.7	28.5	54.0	46	38.2	27.5	52.0
Coles	137	45.7	38.1	54.4	69	51.6	39.8	66.0	68	40.7	31.2	52.5
Cook	11,477	38.2	37.5	38.9	6,048	44.9	43.7	46.1	5,429	32.9	32.0	33.8
Crawford	54	43.7	32.5	57.8	37	64.6	45.1	90.2	17	23.4	13.3	39.5
Cumberland	40	53.3	37.6	74.2	20	56.5	33.8	89.9	20	50.5	30.2	81.2
DeKalb	242	48.1	42.1	54.7	135	58.5	48.7	69.6	107	39.2	31.9	47.6
DeWitt	47	43.7	31.7	59.2	23	46.0	28.7	70.6	24	42.6	26.5	66.0
Douglas	49	37.6	27.5	50.4	23	37.3	23.3	57.0	26	38.2	24.3	57.6
DuPage	1,987	35.3	33.8	37.0	1,056	40.8	38.2	43.4	931	30.8	28.8	32.9
Edgar	55	43.1	31.8	57.5	34	57.8	39.3	83.0	21	28.9	16.8	47.6
Edwards	21	48.6	29.6	76.5	12	59.7	30.2	108.4	9	34.2	15.4	70.7
Effingham	117	56.1	46.1	67.9	59	62.5	47.0	81.5	58	50.0	37.4	65.7
Fayette	63	45.1	34.4	58.4	35	51.0	35.2	71.7	28	39.5	25.7	59.0
Ford	44	49.0	35.0	67.0	25	65.3	41.7	97.9	19	40.2	23.3	65.7
Franklin	143	53.6	44.8	63.7	86	69.5	55.0	86.9	57	38.7	29.0	51.2
Fulton	128	52.3	43.4	62.7	61	52.8	40.1	68.5	67	50.6	38.7	65.7
Gallatin	9	24.9	10.9	50.9	6	36.8	12.9	86.9	3	12.2	2.4	47.5
Greene	38	42.2	29.3	59.5	18	42.7	24.9	69.8	20	42.8	25.1	69.8
Grundy	141	50.0	41.9	59.1	77	59.5	46.4	75.0	64	43.1	33.0	55.4
Hamilton	24	39.0	24.2	60.6	12	40.6	20.3	75.4	12	36.0	16.9	69.7
Hancock	49	34.5	25.1	46.9	20	29.5	17.6	47.7	29	37.9	24.6	57.4
Hardin	18	55.8	31.2	96.3	11	72.8	33.0	146.9	7	38.3	15.3	95.5
Henderson	11	17.0	8.4	34.3	7	21.8	8.7	53.5	4	11.6	3.0	41.0
Henry	133	37.0	30.7	44.3	74	44.1	34.2	56.1	59	29.6	22.2	39.1
Iroquois	100	51.9	41.6	64.1	55	56.6	42.1	75.1	45	47.1	33.2	65.1
Jackson	138	46.5	38.7	55.4	78	55.9	43.7	70.6	60	36.6	27.4	48.1
Jasper	29	43.9	28.8	64.9	12	38.1	19.2	69.3	17	51.9	28.9	87.4
Jefferson	126	48.2	39.9	57.8	66	52.8	40.6	67.9	60	45.5	34.3	59.6
Jersey	69	48.0	36.9	61.6	29	40.8	27.0	59.9	40	54.1	37.7	75.8
Jo Daviess	61	33.1	24.5	44.2	31	34.0	22.2	50.9	30	31.9	20.1	49.3
Johnson	40	42.8	30.3	59.4	31	62.2	42.0	89.9	9	26.5	10.7	54.8
Kane	952	33.2	31.1	35.4	492	35.9	32.7	39.4	460	30.6	27.8	33.5
Kankakee	252	37.5	32.9	42.6	122	38.0	31.4	45.6	130	37.0	30.7	44.2
Kendall	222	37.6	32.7	43.1	112	41.2	33.5	50.1	110	35.3	28.9	42.7
Knox	148	40.2	33.7	47.8	72	42.5	32.9	54.2	76	38.3	29.5	49.2
Lake	1,421	35.1	33.3	37.1	733	38.7	35.9	41.7	688	31.9	29.5	34.5
LaSalle	320	42.7	38.0	47.9	169	48.8	41.4	57.2	151	37.3	31.3	44.2
Lawrence	40	38.6	27.3	53.3	26	52.0	33.7	77.3	14	24.7	13.3	44.1
Lee	89	39.1	31.0	48.7	50	42.2	31.0	56.5	39	35.2	24.0	50.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	132	53.7	44.7	64.2	74	65.3	50.9	82.7	58	43.5	32.7	57.2
Logan	83	45.1	35.6	56.5	44	50.1	36.1	68.1	39	40.6	28.2	57.0
Macon	353	49.3	44.0	55.1	182	55.2	47.2	64.3	171	44.3	37.5	52.1
Macoupin	133	42.7	35.4	51.1	69	48.7	37.6	62.4	64	37.8	28.5	49.4
Madison	728	42.9	39.7	46.2	368	48.0	43.1	53.4	360	38.9	34.8	43.3
Marion	142	56.3	47.0	66.9	79	66.3	52.1	83.4	63	49.6	37.4	64.6
Marshall	43	52.1	36.5	72.5	18	47.2	26.8	77.8	25	57.1	35.0	89.1
Mason	52	50.8	37.4	68.1	31	66.7	44.6	97.1	21	40.1	23.9	64.6
Massac	41	42.4	29.8	58.8	20	44.7	26.7	71.1	21	39.4	23.4	63.4
McDonough	80	46.4	36.4	58.6	42	51.6	36.7	70.8	38	42.8	29.5	60.4
McHenry	666	36.7	33.9	39.7	363	41.6	37.3	46.4	303	32.2	28.6	36.2
McLean	307	35.4	31.5	39.7	168	41.4	35.3	48.4	139	30.3	25.3	36.0
Menard	49	59.5	43.3	80.2	25	67.2	42.4	101.9	24	54.6	34.0	84.2
Mercer	60	51.7	39.0	67.9	29	49.3	32.5	73.0	31	53.0	35.1	77.9
Monroe	60	26.5	20.0	34.6	31	29.3	19.7	42.3	29	25.0	16.3	37.0
Montgomery	84	41.3	32.6	51.8	52	52.6	38.9	69.8	32	31.4	20.5	46.5
Morgan	135	58.2	48.4	69.6	71	66.6	51.6	84.8	64	51.3	38.7	67.1
Moultrie	46	48.6	35.1	65.9	23	53.6	33.5	81.8	23	43.9	27.0	68.3
Ogle	131	36.9	30.7	44.2	60	36.3	27.4	47.3	71	36.3	28.1	46.5
Peoria	477	42.4	38.5	46.5	232	46.4	40.5	53.0	245	39.2	34.2	44.7
Perry	76	54.8	42.8	69.4	37	54.7	38.2	76.4	39	56.0	38.8	79.0
Piatt	46	40.5	29.2	55.0	30	56.1	37.3	81.8	16	26.7	14.8	45.5
Pike	47	44.7	32.1	61.0	26	54.8	35.1	82.1	21	38.4	22.4	62.2
Pope	12	27.0	13.8	58.1	7	29.8	11.9	85.5	5	24.0	7.7	84.6
Pulaski	15	39.2	20.9	68.6	7	42.5	15.7	94.2	8	36.6	14.7	80.9
Putnam	15	35.0	18.6	61.9	10	50.0	22.2	99.9	5	20.2	6.5	56.6
Randolph	109	49.5	40.3	60.4	54	52.7	39.2	69.6	55	47.6	34.9	63.9
Richland	63	53.4	40.7	69.5	39	72.5	51.1	100.7	24	37.3	23.2	58.2
Rock Island	320	33.0	29.3	37.1	164	36.7	31.1	43.0	156	29.3	24.6	34.6
Saline	78	43.7	34.3	55.2	40	49.9	35.3	69.1	38	38.8	27.1	54.8
Sangamon	549	43.8	40.1	47.8	280	49.4	43.6	55.8	269	39.3	34.5	44.6
Schuylerville	28	50.6	32.9	76.2	18	65.0	37.5	108.0	10	29.6	13.9	63.0
Scott	18	59.6	34.4	97.0	9	61.0	26.7	121.3	9	55.4	24.3	111.3
Shelby	94	59.2	47.1	73.7	53	72.1	53.0	96.3	41	46.8	32.8	65.8
St Clair	574	36.7	33.7	40.0	318	44.9	39.9	50.4	256	29.5	25.9	33.5
Stark	18	44.2	25.1	73.6	10	53.1	24.5	103.8	8	39.6	14.8	88.1
Stephenson	116	35.5	28.9	43.4	63	42.7	32.3	55.6	53	29.1	21.0	39.6
Tazewell	386	42.6	38.4	47.3	200	49.0	42.3	56.6	186	36.9	31.5	43.0
Union	53	37.8	27.9	50.7	26	38.2	24.5	58.1	27	37.7	24.0	57.7
Vermilion	247	47.8	41.9	54.5	123	51.0	42.2	61.3	124	44.8	36.9	54.1
Wabash	39	51.6	35.6	72.8	22	59.0	35.7	92.6	17	44.3	23.8	75.8
Warren	52	46.0	33.7	61.5	35	59.5	40.7	84.7	17	34.1	18.9	56.9
Washington	43	43.8	31.2	60.3	27	54.1	35.2	80.9	16	34.7	18.9	59.2
Wayne	42	33.1	23.4	45.9	24	42.3	26.3	65.2	18	23.7	14.0	39.6
White	35	35.5	24.1	51.0	23	48.9	30.2	75.9	12	23.0	10.9	44.0
Whiteside	146	36.2	30.3	42.9	89	47.1	37.6	58.5	57	26.8	19.9	35.6
Will	1,422	37.8	35.8	39.9	823	46.8	43.5	50.3	599	30.1	27.7	32.7
Williamson	207	46.5	40.2	53.6	107	51.1	41.7	62.2	100	41.7	33.6	51.3
Winnebago	656	36.6	33.8	39.6	348	42.3	37.9	47.2	308	31.3	27.8	35.2
Woodford	100	39.3	31.7	48.3	59	50.3	37.9	65.5	41	29.2	20.6	40.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Colon and Rectum, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	23,620	38.1	37.6	38.6	12,627	43.8	43.0	44.6	10,993	33.0	32.4	33.7
Champaign	288	35.2	31.1	39.7	151	39.8	33.5	47.0	137	30.6	25.5	36.5
Cook	7,282	35.8	35.0	36.7	3,930	42.0	40.6	43.3	3,352	30.6	29.6	31.7
DuPage	1,722	36.2	34.4	38.0	912	41.6	38.8	44.5	810	31.7	29.4	34.1
Kane	841	32.5	30.3	34.8	435	35.1	31.8	38.7	406	29.8	26.9	32.9
Kankakee	217	37.5	32.6	43.1	105	37.4	30.3	45.6	112	37.4	30.5	45.4
Lake	1,225	35.0	33.0	37.1	634	38.5	35.5	41.8	591	31.8	29.2	34.6
Macon	293	47.0	41.5	53.2	159	55.3	46.6	65.2	134	39.8	32.7	48.0
Madison	666	42.1	38.8	45.6	328	45.7	40.7	51.2	338	39.5	35.2	44.2
Peoria	385	40.8	36.6	45.3	184	43.8	37.5	50.9	201	38.3	32.9	44.4
Rock Island	287	32.6	28.8	37.0	143	35.7	29.8	42.5	144	29.5	24.5	35.2
Sangamon	477	42.5	38.6	46.7	240	47.1	41.2	53.8	237	38.9	33.7	44.6
St Clair	375	32.9	29.6	36.6	213	40.3	34.8	46.4	162	25.9	21.9	30.5
Vermilion	222	47.7	41.4	54.8	107	49.0	39.9	59.8	115	46.2	37.7	56.4
Will	1,190	37.8	35.7	40.1	696	47.0	43.4	50.8	494	29.8	27.2	32.6
Winnebago	573	36.2	33.2	39.5	305	42.1	37.3	47.3	268	30.6	26.9	34.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Colon and Rectum, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	4,534	45.6	44.3	47.0	2,260	54.6	52.3	57.0	2,274	39.5	37.9	41.2
Champaign	36	35.5	24.3	49.6	21	42.3	25.4	65.9	15	28.8	15.6	47.8
Cook	3,354	46.0	44.5	47.7	1,645	55.7	52.9	58.5	1,709	39.7	37.8	41.7
DuPage	80	40.3	31.0	51.4	33	42.7	27.4	62.6	47	38.6	27.6	52.5
Kane	55	41.3	30.7	54.2	26	41.3	26.1	61.9	29	41.0	27.2	59.1
Kankakee	32	40.2	27.0	57.3	15	46.9	25.2	78.5	17	35.6	20.5	57.8
Lake	93	42.0	33.5	51.9	40	41.9	29.1	58.2	53	42.4	31.4	56.0
Macon	58	60.6	45.6	79.0	22	52.2	32.2	80.2	36	67.0	46.3	93.8
Madison	52	55.4	40.8	73.2	32	81.9	54.3	117.6	20	36.8	22.1	57.1
Peoria	71	50.6	39.0	64.4	36	66.5	45.4	93.3	35	40.1	27.6	56.3
Rock Island	28	40.6	26.7	59.0	17	52.4	29.5	85.1	11	30.6	15.0	54.8
Sangamon	56	55.7	41.4	73.0	31	65.7	43.8	94.4	25	45.0	28.5	66.8
St Clair	188	48.0	41.2	55.6	102	62.3	50.2	76.4	86	38.0	30.2	47.1
Vermilion	22	55.7	34.2	85.0	13	80.8	40.6	140.4	9	38.8	17.4	74.1
Will	169	44.1	37.2	51.9	92	55.9	43.6	70.3	77	35.4	27.6	44.6
Winnebago	68	41.1	31.5	52.4	32	44.4	29.4	63.9	36	38.7	26.8	53.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Colon and Rectum, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,518	33.2	31.8	34.6	1,413	38.2	36.0	40.5	1,105	28.7	26.9	30.5
Cook	1,653	33.7	32.0	35.5	941	40.1	37.3	43.0	712	28.4	26.2	30.6
DuPage	142	34.1	28.1	40.8	81	42.3	32.2	54.3	61	27.7	20.8	36.2
Kane	125	22.5	18.4	27.3	75	27.3	20.8	35.0	50	17.9	13.0	24.1
Lake	162	36.1	30.1	42.9	80	37.4	28.4	48.2	82	35.0	27.1	44.3
Will	124	33.4	27.1	40.5	67	34.5	25.5	45.5	57	31.3	23.2	41.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Colon and Rectum, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	27,121	39.5	39.1	40.0	14,316	45.8	45.0	46.6	12,805	34.2	33.6	34.8
Cook	9,824	39.1	38.3	39.9	5,107	46.0	44.7	47.3	4,717	33.7	32.7	34.7
DuPage	1,845	35.5	33.8	37.2	975	40.9	38.2	43.6	870	31.0	28.9	33.2
Kane	827	35.5	33.0	38.1	417	38.1	34.4	42.1	410	32.9	29.7	36.5
Lake	1,259	35.4	33.4	37.5	653	39.6	36.5	42.9	606	31.6	29.0	34.3
Will	1,298	38.2	36.1	40.4	756	48.1	44.5	51.8	542	30.0	27.5	32.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	46,491	58.3	57.8	58.9	23,110	64.9	64.0	65.7	23,381	53.7	53.0	54.4
Adams	375	75.5	67.9	83.9	194	83.0	71.5	96.0	181	69.2	59.2	80.8
Alexander	62	130.2	98.6	170.9	38	172.0	120.5	242.9	24	96.8	59.8	153.2
Bond	73	61.9	48.2	78.8	42	75.4	53.8	103.4	31	52.6	35.0	77.1
Boone	208	61.1	53.0	70.2	113	70.1	57.5	84.8	95	53.2	43.0	65.4
Brown	27	70.7	46.4	104.3	14	77.4	41.5	132.1	13	63.6	33.7	116.0
Bureau	199	74.6	64.3	86.3	89	71.2	56.9	88.5	110	78.2	63.7	95.5
Calhoun	23	53.2	33.6	84.1	13	59.9	31.6	112.3	10	45.8	21.8	95.5
Carroll	68	49.5	38.1	64.2	38	57.4	40.4	80.7	30	45.2	29.4	68.4
Cass	74	85.8	67.1	108.5	36	91.7	63.7	128.4	38	81.5	57.1	113.8
Champaign	573	54.8	50.3	59.6	281	59.7	52.7	67.3	292	51.4	45.5	57.8
Christian	254	101.5	89.3	115.3	139	118.8	99.5	141.0	115	88.2	72.4	107.1
Clark	82	70.2	55.5	88.1	46	85.5	61.7	116.3	36	58.1	40.4	82.3
Clay	91	89.3	71.7	110.6	52	116.9	86.7	155.1	39	69.2	49.1	96.8
Clinton	154	61.1	51.7	72.0	81	67.7	53.5	84.8	73	55.7	43.4	70.9
Coles	238	77.0	67.3	87.8	123	88.3	73.0	106.0	115	68.5	56.2	82.9
Cook	15,443	50.3	49.5	51.1	7,374	55.4	54.2	56.8	8,069	46.8	45.8	47.9
Crawford	95	69.9	56.3	86.2	54	86.3	64.3	113.9	41	59.3	42.1	82.4
Cumberland	49	60.4	44.4	81.2	26	66.4	43.0	99.8	23	55.7	34.6	86.9
DeKalb	322	62.5	55.8	69.9	163	72.0	61.0	84.3	159	56.9	48.2	66.7
DeWitt	90	77.5	62.0	96.2	53	102.5	76.1	136.0	37	60.2	41.8	85.2
Douglas	93	71.2	57.1	88.0	47	79.0	57.7	106.1	46	66.5	48.1	90.3
DuPage	2,656	46.0	44.2	47.8	1,215	47.1	44.4	50.0	1,441	45.5	43.1	47.9
Edgar	94	68.3	54.6	85.0	50	78.1	57.5	104.9	44	62.9	44.3	87.7
Edwards	42	88.1	62.4	122.1	27	121.4	78.5	182.2	15	56.9	30.7	100.4
Effingham	143	59.3	49.8	70.2	77	70.1	54.9	88.5	66	50.9	39.2	65.6
Fayette	125	83.0	68.9	99.4	68	92.2	71.3	117.8	57	74.7	56.0	98.4
Ford	68	69.0	53.1	88.7	45	102.6	73.9	139.5	23	42.0	26.2	65.5
Franklin	242	82.8	72.5	94.4	137	100.2	83.7	119.3	105	68.1	55.4	83.2
Fulton	219	83.8	72.9	96.2	116	94.2	77.5	113.7	103	77.0	62.3	94.7
Gallatin	34	76.1	52.1	110.4	17	86.6	49.1	147.1	17	66.9	38.7	115.4
Greene	85	89.3	71.1	111.5	45	101.4	73.4	137.8	40	81.1	57.7	112.7
Grundy	213	72.4	62.9	83.0	101	76.1	61.4	93.3	112	70.8	58.2	85.6
Hamilton	40	61.1	43.5	84.9	25	87.3	56.0	132.1	15	43.3	23.6	76.4
Hancock	106	72.2	58.6	88.5	54	74.0	55.1	98.7	52	68.4	50.2	92.4
Hardin	40	113.9	80.1	161.8	22	128.3	79.1	207.2	18	96.2	55.0	168.3
Henderson	48	79.7	57.9	109.3	27	90.7	59.2	138.3	21	73.7	43.7	121.4
Henry	249	63.9	56.1	72.7	113	61.5	50.4	74.5	136	67.1	56.0	80.1
Iroquois	161	72.2	61.2	84.9	94	86.4	69.5	106.8	67	60.9	46.7	78.8
Jackson	246	79.4	69.5	90.3	132	92.5	76.9	110.4	114	68.0	55.8	82.3
Jasper	48	68.3	49.9	92.2	31	94.9	63.8	137.5	17	46.4	26.3	78.3
Jefferson	219	82.6	71.7	94.7	125	97.4	80.8	116.7	94	69.8	55.8	86.7
Jersey	120	77.3	63.7	93.4	60	80.0	60.5	104.5	60	75.1	56.6	98.3
Jo Daviess	96	44.1	35.3	55.1	54	52.2	38.8	70.1	42	38.7	27.1	55.2
Johnson	76	76.3	59.9	96.5	42	86.2	61.8	118.2	34	66.1	45.7	95.5
Kane	1,349	46.6	44.1	49.2	641	48.9	45.1	53.0	708	45.1	41.8	48.6
Kankakee	527	74.3	68.0	81.1	262	79.4	69.8	89.9	265	70.3	62.0	79.6
Kendall	287	52.8	46.7	59.5	147	61.1	51.1	72.3	140	46.5	38.9	55.0
Knox	300	75.4	66.9	84.8	160	86.5	73.4	101.6	140	65.8	55.0	78.4
Lake	1,945	47.4	45.3	49.6	906	49.3	46.0	52.7	1,039	46.5	43.6	49.5
LaSalle	637	78.8	72.7	85.4	326	86.1	76.8	96.4	311	72.4	64.4	81.3
Lawrence	75	71.5	56.0	90.3	40	81.8	58.1	112.4	35	64.2	44.1	91.9
Lee	175	65.8	56.2	76.7	88	66.0	52.7	82.2	87	66.9	53.3	83.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	181	69.2	59.2	80.5	100	81.4	65.9	99.9	81	60.1	47.4	75.7
Logan	197	99.0	85.4	114.4	102	111.0	90.1	135.6	95	92.1	74.0	113.7
Macon	719	92.1	85.3	99.3	347	97.9	87.7	109.2	372	87.5	78.6	97.3
Macoupin	306	86.6	77.0	97.3	170	103.2	87.9	120.8	136	73.9	61.8	88.2
Madison	1,399	76.8	72.8	81.1	694	86.6	80.1	93.6	705	70.9	65.6	76.4
Marion	258	93.8	82.4	106.5	133	104.9	87.5	125.1	125	86.8	71.7	104.5
Marshall	74	73.7	57.6	94.0	45	95.9	69.5	131.0	29	56.4	37.2	84.4
Mason	117	105.8	87.1	128.1	63	124.8	95.2	162.2	54	91.9	68.8	122.2
Massac	86	77.8	62.0	97.1	43	82.5	59.5	112.9	43	73.9	52.8	102.1
McDonough	127	68.9	57.1	82.6	58	69.9	52.5	91.5	69	68.9	53.3	88.4
McHenry	1,107	58.5	55.0	62.1	575	66.2	60.7	72.2	532	52.7	48.2	57.5
McLean	513	54.7	50.0	59.8	264	62.5	54.9	70.7	249	49.1	43.1	55.8
Menard	68	72.8	56.2	93.5	38	84.3	59.0	118.2	30	61.9	41.3	90.9
Mercer	113	88.7	72.9	107.6	66	106.8	82.2	137.6	47	73.7	54.0	99.7
Monroe	124	51.1	42.3	61.4	64	58.3	44.5	75.3	60	45.7	34.6	59.7
Montgomery	173	82.2	70.2	96.0	92	89.9	72.1	111.2	81	74.3	58.6	93.8
Morgan	226	89.1	77.6	102.0	124	106.3	88.1	127.5	102	77.9	62.9	95.8
Moultrie	64	65.5	50.1	84.4	33	73.0	49.8	103.8	31	60.8	41.0	87.8
Ogle	242	63.5	55.6	72.3	122	68.6	56.7	82.4	120	59.7	49.4	71.9
Peoria	983	81.8	76.7	87.2	524	95.9	87.7	104.7	459	71.3	64.8	78.4
Perry	129	86.7	72.0	103.7	68	96.0	74.1	122.7	61	77.6	58.8	101.6
Piatt	74	58.0	45.2	73.7	39	68.8	48.3	95.8	35	49.2	34.2	70.1
Pike	116	99.0	81.5	119.8	65	123.9	95.0	159.7	51	77.0	57.0	103.3
Pope	31	70.7	47.5	109.4	18	82.3	48.1	148.9	13	57.5	30.4	122.6
Pulaski	51	124.5	91.6	167.3	27	144.0	93.7	215.3	24	104.9	66.0	163.6
Putnam	35	73.5	50.8	105.4	17	72.7	41.4	123.5	18	76.5	44.7	128.1
Randolph	175	75.5	64.4	88.1	84	76.0	60.3	95.0	91	78.2	62.1	97.9
Richland	81	68.0	53.6	85.5	48	85.2	62.6	114.4	33	53.2	35.6	77.5
Rock Island	659	62.0	57.3	67.1	329	68.0	60.7	76.0	330	57.7	51.5	64.6
Saline	131	69.9	58.3	83.4	72	86.1	67.0	109.5	59	57.2	43.4	75.0
Sangamon	1,059	77.2	72.6	82.2	529	88.7	81.1	97.0	530	69.5	63.5	75.9
Schuylerville	46	79.6	57.9	108.6	25	83.9	54.0	128.5	21	73.6	44.8	119.3
Scott	26	68.3	44.5	102.7	11	69.1	34.1	128.5	15	72.1	40.1	125.6
Shelby	128	75.2	62.2	90.4	73	87.4	68.0	111.5	55	65.1	48.3	86.7
St Clair	1,201	73.9	69.7	78.3	600	84.0	77.2	91.3	601	67.5	62.1	73.3
Stark	45	100.6	72.5	138.0	32	154.0	103.6	224.0	13	61.0	30.8	112.5
Stephenson	207	56.1	48.5	64.7	101	57.6	46.7	70.7	106	56.2	45.6	68.9
Tazewell	732	76.9	71.4	82.9	369	85.3	76.7	94.8	363	70.4	63.2	78.3
Union	114	80.3	65.8	97.5	55	80.0	59.5	106.4	59	82.1	61.9	108.0
Vermilion	523	95.4	87.2	104.2	282	108.7	96.1	122.6	241	84.9	74.2	96.9
Wabash	67	75.6	58.1	97.6	38	90.9	63.6	127.4	29	60.0	39.4	89.7
Warren	109	86.0	70.3	104.7	65	111.9	85.6	144.5	44	64.5	46.5	88.3
Washington	62	56.9	43.4	73.9	38	73.3	51.5	102.7	24	44.5	28.2	68.5
Wayne	93	70.4	56.6	87.1	44	70.6	51.1	96.2	49	72.0	52.7	97.3
White	80	65.6	51.9	82.7	44	79.4	57.6	108.4	36	53.0	36.8	76.3
Whiteside	301	68.1	60.4	76.5	152	72.9	61.5	86.1	149	63.1	53.2	74.7
Will	2,105	56.1	53.7	58.6	1,045	62.5	58.6	66.6	1,060	51.8	48.7	55.1
Williamson	383	79.0	71.1	87.5	219	98.4	85.5	112.8	164	63.6	54.0	74.6
Winnebago	1,228	63.3	59.8	67.0	612	68.7	63.2	74.5	616	59.3	54.6	64.4
Woodford	165	62.6	53.2	73.3	89	72.7	58.1	90.2	76	56.0	43.8	71.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Lung and Bronchus, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	38,588	59.1	58.5	59.7	19,185	64.8	63.9	65.8	19,403	55.1	54.3	55.9
Champaign	488	54.5	49.6	59.7	232	57.0	49.7	65.1	256	53.2	46.7	60.4
Cook	9,842	47.6	46.7	48.6	4,653	50.8	49.3	52.3	5,189	45.7	44.4	46.9
DuPage	2,428	49.0	47.0	51.0	1,102	50.0	47.0	53.2	1,326	48.6	46.0	51.4
Kane	1,226	46.5	43.9	49.2	574	48.1	44.1	52.4	652	45.5	42.1	49.2
Kankakee	464	75.0	68.2	82.4	230	79.0	68.9	90.2	234	71.8	62.8	82.0
Lake	1,740	48.5	46.2	50.9	796	49.2	45.7	52.9	944	48.5	45.4	51.8
Macon	620	91.4	84.2	99.2	293	94.9	84.1	107.0	327	88.9	79.2	99.7
Madison	1,303	76.4	72.2	80.8	652	86.5	79.8	93.6	651	70.1	64.7	75.8
Peoria	809	79.2	73.7	85.0	440	94.3	85.5	103.9	369	67.8	60.8	75.4
Rock Island	605	61.9	57.0	67.2	297	66.9	59.4	75.3	308	58.6	52.0	65.9
Sangamon	970	78.0	73.1	83.2	491	90.8	82.7	99.6	479	69.2	63.0	76.0
St Clair	885	74.4	69.5	79.7	451	84.1	76.2	92.6	434	68.5	62.0	75.5
Vermilion	481	97.0	88.3	106.5	260	109.7	96.4	124.5	221	87.2	75.6	100.4
Will	1,853	58.3	55.6	61.0	910	63.9	59.6	68.4	943	54.6	51.1	58.3
Winnebago	1,094	63.8	60.0	67.8	542	68.0	62.3	74.1	552	60.6	55.5	66.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Lung and Bronchus, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,675	65.5	63.9	67.1	3,226	77.8	75.0	80.6	3,449	57.4	55.5	59.4
Champaign	75	78.5	61.0	99.0	45	113.8	80.4	155.0	30	54.5	36.2	78.3
Cook	4,871	64.4	62.5	66.2	2,292	76.3	73.1	79.6	2,579	56.7	54.5	59.0
DuPage	74	42.4	32.3	54.3	29	44.0	27.2	66.2	45	42.5	30.1	57.9
Kane	80	58.9	46.0	74.1	46	74.5	53.2	101.0	34	46.0	31.3	65.0
Kankakee	61	76.4	57.6	99.1	31	92.2	60.8	133.1	30	66.0	43.8	95.3
Lake	119	49.5	40.5	59.8	61	63.6	46.9	83.8	58	41.6	31.3	54.2
Macon	97	103.4	83.1	127.0	54	128.3	94.2	170.6	43	83.6	60.0	113.3
Madison	88	86.1	68.3	106.9	41	105.4	73.1	146.0	47	76.6	55.8	102.5
Peoria	160	105.5	89.0	124.1	74	111.0	85.5	141.5	86	101.7	80.5	126.6
Rock Island	50	74.6	55.0	98.5	30	98.0	65.1	140.6	20	58.1	35.2	89.8
Sangamon	78	71.6	55.8	90.3	32	67.1	44.4	96.7	46	73.9	53.5	99.4
St Clair	305	75.4	66.9	84.7	147	87.7	73.3	104.1	158	67.7	57.3	79.5
Vermilion	39	89.1	62.2	123.2	19	95.3	54.5	153.1	20	82.5	49.5	128.8
Will	195	54.6	46.7	63.5	101	69.0	54.5	85.8	94	45.2	36.1	55.8
Winnebago	122	75.5	62.1	90.7	63	101.3	76.0	131.6	59	60.1	45.3	78.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Lung and Bronchus, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,664	26.3	25.0	27.7	854	30.3	28.1	32.6	810	23.6	21.9	25.3
Cook	1,013	24.3	22.8	26.0	532	28.8	26.2	31.5	481	21.2	19.3	23.2
DuPage	104	31.3	25.1	38.3	53	38.0	27.6	50.7	51	26.6	19.4	35.3
Kane	102	25.6	20.4	31.5	58	33.2	24.4	43.8	44	19.5	13.9	26.5
Lake	99	28.9	23.0	35.7	44	29.7	20.6	40.9	55	29.0	21.3	38.2
Will	88	29.9	23.5	37.2	42	33.5	23.2	46.2	46	28.7	20.6	38.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Lung and Bronchus, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	44,827	61.4	60.8	62.0	22,256	68.3	67.4	69.2	22,571	56.4	55.7	57.2
Cook	14,430	54.8	53.9	55.7	6,842	60.4	58.9	61.9	7,588	50.9	49.7	52.1
DuPage	2,552	46.9	45.1	48.8	1,162	47.9	45.1	50.8	1,390	46.6	44.1	49.2
Kane	1,247	50.0	47.2	52.9	583	51.9	47.6	56.5	664	48.8	45.1	52.8
Lake	1,846	49.1	46.9	51.5	862	51.2	47.7	54.9	984	48.0	45.0	51.2
Will	2,017	58.4	55.8	61.0	1,003	65.2	61.0	69.6	1,014	53.6	50.3	57.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	17,134	23.0	22.6	23.4	9,742	28.1	27.5	28.6	7,392	19.6	19.2	20.1
Adams	154	36.1	30.3	42.8	87	40.3	32.0	50.3	67	33.4	25.3	43.2
Alexander	5	11.0	3.4	30.2	3	14.6	2.9	51.2	2	10.1	1.0	45.0
Bond	33	31.7	21.4	45.4	21	38.4	23.5	60.1	12	29.8	14.8	53.4
Boone	67	21.3	16.4	27.3	33	21.3	14.4	30.3	34	22.4	15.3	31.7
Brown	17	47.0	27.2	76.4	11	54.3	26.6	100.2	6	39.6	13.4	93.0
Bureau	94	42.0	33.3	52.5	56	50.1	37.2	66.4	38	36.3	24.6	51.6
Calhoun	6	14.7	5.4	37.5	4	21.7	5.6	66.4	2	8.9	1.0	49.0
Carroll	33	26.2	17.8	38.0	22	34.4	21.3	54.0	11	19.0	8.8	37.7
Cass	13	16.0	8.3	28.1	7	18.4	7.3	39.0	6	16.2	5.5	36.7
Champaign	364	36.0	32.3	40.0	207	44.5	38.4	51.2	157	30.6	25.8	36.0
Christian	64	28.6	21.7	37.1	40	35.8	25.3	49.3	24	25.8	15.7	40.0
Clark	23	23.5	14.6	36.1	14	29.6	15.8	51.0	9	21.3	9.3	41.8
Clay	31	33.0	22.0	48.0	15	32.3	17.7	55.4	16	32.9	17.9	56.7
Clinton	80	34.9	27.4	43.9	48	39.9	29.1	53.6	32	30.2	20.2	43.6
Coles	78	27.9	21.8	35.3	46	33.8	24.4	45.7	32	23.5	15.7	34.0
Cook	4,601	15.5	15.0	16.0	2,566	19.3	18.5	20.0	2,035	13.0	12.4	13.6
Crawford	32	26.3	17.6	38.0	16	26.8	15.1	44.5	16	27.8	14.8	47.8
Cumberland	28	45.0	29.0	66.9	20	60.0	35.4	95.8	8	30.8	12.4	62.7
DeKalb	188	37.1	31.9	42.9	108	45.4	37.0	55.1	80	31.1	24.5	39.0
DeWitt	31	28.6	18.9	41.8	15	29.1	15.7	50.2	16	28.7	15.8	49.0
Douglas	54	41.3	30.7	54.7	25	40.1	25.7	60.2	29	45.0	29.3	66.4
DuPage	1,349	24.2	22.9	25.5	766	29.3	27.2	31.6	583	20.7	19.0	22.6
Edgar	22	21.7	13.2	33.8	12	22.4	11.4	40.5	10	23.2	10.5	44.0
Edwards	7	15.9	5.7	36.0	5	24.4	7.7	61.5	2	13.0	1.1	49.4
Effingham	78	37.2	29.1	46.9	46	47.2	34.3	63.5	32	31.2	20.7	45.1
Fayette	36	25.8	17.9	36.3	25	35.9	23.1	53.6	11	17.9	8.3	33.9
Ford	32	34.4	23.2	49.6	16	39.7	22.4	65.8	16	33.1	18.3	56.3
Franklin	92	36.5	29.1	45.3	53	41.8	31.0	55.4	39	32.9	22.9	45.8
Fulton	64	28.0	21.3	36.3	33	29.6	20.2	42.2	31	29.3	19.2	43.0
Gallatin	12	34.3	17.0	63.7	6	35.0	12.2	83.7	6	34.8	11.7	83.3
Greene	24	27.4	17.3	42.0	11	28.3	13.8	52.7	13	26.5	14.0	48.1
Grundy	77	27.1	21.3	34.0	47	36.3	26.2	48.9	30	21.7	14.5	31.3
Hamilton	18	32.3	18.4	53.5	9	29.0	13.2	59.2	9	36.7	15.3	74.4
Hancock	44	32.0	22.7	44.3	25	35.5	22.8	54.1	19	31.3	17.7	51.8
Hardin	7	25.0	8.6	60.0	5	28.3	9.1	82.7	2	20.9	1.4	87.4
Henderson	14	26.2	13.4	48.4	9	32.6	14.5	69.2	5	22.0	5.6	61.1
Henry	112	35.6	28.9	43.4	63	38.1	28.9	49.5	49	35.2	25.5	47.5
Iroquois	60	33.5	25.0	44.2	30	31.6	20.9	46.4	30	38.7	25.2	57.0
Jackson	77	26.9	20.9	34.0	46	35.2	25.4	47.4	31	21.0	13.9	30.6
Jasper	20	33.1	19.5	53.0	15	50.9	27.8	86.7	5	18.5	5.3	46.6
Jefferson	76	32.0	24.9	40.5	53	47.2	35.1	62.4	23	18.1	11.2	28.2
Jersey	47	32.6	23.4	44.4	24	31.6	20.0	48.4	23	35.7	21.7	55.6
Jo Daviess	42	20.9	14.5	29.8	24	24.4	15.0	38.8	18	18.3	10.0	32.3
Johnson	23	26.2	16.3	40.5	16	32.3	18.3	54.1	7	18.2	6.5	42.0
Kane	678	23.8	22.0	25.7	393	29.6	26.7	32.8	285	19.8	17.5	22.3
Kankakee	145	23.2	19.5	27.5	76	25.3	19.8	31.9	69	22.0	16.9	28.1
Kendall	165	26.5	22.6	31.0	87	30.9	24.4	38.5	78	23.9	18.8	29.9
Knox	110	31.3	25.3	38.3	61	34.2	25.9	44.6	49	30.7	21.8	42.0
Lake	1,172	29.4	27.7	31.2	674	36.0	33.2	38.9	498	24.9	22.7	27.3
LaSalle	194	27.4	23.5	31.8	113	31.0	25.4	37.6	81	25.2	19.6	31.8
Lawrence	23	22.0	13.8	33.8	14	28.8	15.5	49.4	9	17.6	7.6	36.3
Lee	61	25.6	19.3	33.5	38	30.0	21.0	42.0	23	24.7	15.0	38.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	65	28.2	21.5	36.5	38	35.7	24.9	49.7	27	22.1	14.1	33.4
Logan	65	36.4	27.9	47.0	32	38.2	25.9	54.7	33	37.2	25.0	53.5
Macon	192	28.9	24.7	33.6	107	34.2	27.8	41.7	85	25.6	20.1	32.2
Macoupin	98	32.0	25.6	39.5	58	39.6	29.7	52.0	40	26.6	18.5	37.3
Madison	421	26.2	23.7	28.9	239	31.6	27.6	36.0	182	22.6	19.3	26.4
Marion	88	37.2	29.5	46.5	53	45.3	33.7	59.9	35	32.7	22.1	46.6
Marshall	24	30.6	18.7	47.7	14	33.7	17.5	59.8	10	28.2	12.0	56.3
Mason	40	45.4	31.4	63.8	29	67.6	44.0	100.1	11	27.4	12.4	52.5
Massac	16	14.2	7.9	24.3	11	22.2	10.9	41.7	5	7.8	2.5	21.2
McDonough	34	21.2	14.4	30.4	16	20.5	11.5	34.2	18	23.8	13.5	39.0
McHenry	582	32.1	29.5	35.0	320	35.6	31.6	39.9	262	29.6	26.0	33.5
McLean	322	37.5	33.4	41.9	185	45.6	39.1	52.9	137	31.8	26.5	37.7
Menard	36	43.9	30.2	62.3	19	46.1	27.3	74.3	17	44.1	24.6	73.5
Mercer	41	41.5	29.0	57.6	22	44.1	26.9	69.0	19	39.1	22.5	63.7
Monroe	77	36.3	28.3	46.0	45	41.3	29.7	56.3	32	32.1	21.4	46.2
Montgomery	40	23.3	16.4	32.2	22	24.8	15.4	38.1	18	23.0	13.0	37.7
Morgan	52	22.4	16.4	30.0	31	28.0	18.7	40.6	21	17.7	10.4	28.7
Moultrie	22	26.4	16.1	40.9	11	22.6	11.2	42.0	11	30.5	14.6	55.5
Ogle	130	38.5	31.9	46.1	73	41.0	31.9	52.2	57	37.2	27.6	49.0
Peoria	320	29.6	26.4	33.2	180	35.9	30.7	41.7	140	26.1	21.7	31.1
Perry	40	28.4	20.0	39.5	25	37.3	23.9	56.0	15	24.0	12.4	42.2
Piatt	56	53.3	39.4	70.7	32	56.5	37.8	81.9	24	53.0	32.7	81.0
Pike	32	36.0	23.9	52.2	16	34.7	19.0	58.5	16	37.8	20.5	63.8
Pope	4	13.7	3.1	46.0	3	15.2	3.1	69.7	1	11.8	0.3	77.1
Pulaski	8	20.3	8.2	43.9	6	27.4	9.9	67.6	2	14.9	1.4	57.0
Putnam	17	47.9	26.0	81.3	11	56.0	26.5	107.2	6	42.7	13.3	100.0
Randolph	51	24.3	17.8	32.5	31	30.2	20.3	43.7	20	23.4	13.5	37.8
Richland	22	20.3	12.4	31.7	18	33.5	19.7	54.4	4	10.3	2.6	26.9
Rock Island	232	25.2	21.9	28.9	135	30.6	25.5	36.4	97	21.6	17.3	26.8
Saline	33	19.5	13.3	28.0	22	27.4	16.9	42.5	11	13.9	6.7	26.2
Sangamon	391	32.6	29.3	36.1	208	37.4	32.3	43.1	183	30.5	26.0	35.5
Schuylerville	13	24.3	12.4	44.8	9	32.7	14.5	67.3	4	18.1	4.5	52.8
Scott	10	34.9	16.0	66.8	5	27.9	8.7	72.5	5	45.1	14.4	104.7
Shelby	59	41.8	30.8	55.4	39	53.7	37.0	75.7	20	31.2	17.8	50.8
St Clair	359	23.5	21.0	26.1	229	32.3	28.1	36.9	130	16.9	14.0	20.3
Stark	13	30.6	15.4	56.5	5	24.2	7.5	63.7	8	41.3	15.7	90.6
Stephenson	102	33.3	26.7	41.2	52	32.9	24.3	43.9	50	35.3	25.2	48.0
Tazewell	318	38.5	34.2	43.1	180	45.2	38.7	52.6	138	34.6	28.8	41.2
Union	21	16.3	9.9	25.9	12	17.7	8.9	32.9	9	15.0	6.6	30.5
Vermilion	180	37.1	31.6	43.4	93	38.1	30.5	47.1	87	38.5	30.3	48.3
Wabash	10	13.0	5.8	25.7	7	17.9	6.6	40.0	3	7.9	1.3	26.6
Warren	26	23.2	14.8	35.1	11	19.3	9.2	36.5	15	28.6	15.4	49.1
Washington	46	47.1	33.9	64.2	30	57.5	38.2	84.4	16	36.4	19.9	61.7
Wayne	22	19.5	11.7	30.7	11	17.0	8.4	32.3	11	22.2	10.2	42.3
White	18	16.6	9.5	27.8	15	27.5	15.1	47.7	3	7.3	1.3	23.7
Whiteside	95	23.3	18.6	28.9	59	29.8	22.5	39.0	36	18.3	12.4	26.1
Will	788	21.0	19.5	22.6	450	25.3	23.0	27.9	338	17.9	16.0	20.0
Williamson	122	29.5	24.3	35.5	77	37.8	29.7	47.7	45	23.8	17.0	32.4
Winnebago	407	23.3	21.0	25.8	227	27.4	23.8	31.4	180	21.0	17.9	24.5
Woodford	97	44.4	35.7	54.6	60	54.2	41.0	70.5	37	36.0	24.8	50.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Melanoma of the Skin, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	16,195	27.0	26.5	27.4	9,242	32.2	31.6	32.9	6,953	23.5	23.0	24.1
Champaign	362	43.6	39.0	48.5	205	51.8	44.8	59.7	157	38.8	32.7	45.8
Cook	4,289	21.4	20.7	22.0	2,399	25.7	24.7	26.8	1,890	18.5	17.6	19.4
DuPage	1,303	28.0	26.4	29.6	740	33.5	31.0	36.1	563	24.5	22.4	26.8
Kane	642	25.0	23.0	27.0	376	31.2	28.0	34.6	266	20.7	18.2	23.4
Kankakee	137	25.6	21.3	30.6	73	27.8	21.6	35.3	64	24.3	18.4	31.5
Lake	1,084	31.8	29.8	33.8	624	38.3	35.2	41.5	460	27.5	25.0	30.3
Macon	189	33.7	28.7	39.4	107	39.2	31.8	47.9	82	30.5	23.7	38.7
Madison	414	28.1	25.3	31.1	234	33.2	28.9	37.9	180	24.9	21.2	29.1
Peoria	284	31.8	28.0	36.0	156	36.6	30.9	43.1	128	29.9	24.6	36.0
Rock Island	222	26.9	23.2	31.0	128	32.3	26.7	38.8	94	23.1	18.3	28.9
Sangamon	389	36.8	33.0	40.9	208	41.5	35.8	47.8	181	35.1	29.8	41.1
St Clair	349	31.9	28.5	35.6	225	42.2	36.6	48.4	124	24.0	19.7	28.9
Vermilion	179	41.6	35.3	48.7	92	41.5	33.1	51.5	87	44.0	34.5	55.5
Will	760	24.4	22.7	26.3	436	29.1	26.3	32.1	324	21.2	18.9	23.7
Winnebago	405	26.8	24.1	29.7	227	30.9	26.9	35.4	178	24.7	20.9	28.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Melanoma of the Skin, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	64	0.7	0.5	0.8	29	0.7	0.5	1.1	35	0.6	0.4	0.8
Champaign	0				0				0			
Cook	52	0.7	0.5	1.0	23	0.8	0.5	1.3	29	0.7	0.4	1.0
DuPage	4	1.7	0.4	4.6	2	1.6	0.2	7.5	2	1.7	0.2	6.2
Kane	0				0				0			
Kankakee	2	2.6	0.3	9.3	0				2	4.8	0.6	17.4
Lake	2	1.1	0.1	3.7	2	3.2	0.3	10.6	0			
Macon	0				0				0			
Madison	0				0				0			
Peoria	0				0				0			
Rock Island	0				0				0			
Sangamon	0				0				0			
St Clair	1	0.2	0.0	1.3	0				1	0.3	0.0	2.2
Vermilion	0				0				0			
Will	1	0.2	0.0	1.3	1	0.4	0.0	3.0	0			
Winnebago	0				0				0			

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Melanoma of the Skin, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	402	5.0	4.5	5.6	172	5.2	4.4	6.1	230	5.2	4.5	5.9
Cook	197	3.9	3.3	4.5	94	4.4	3.5	5.5	103	3.7	3.0	4.5
DuPage	27	5.6	3.5	8.4	7	5.4	1.9	11.0	20	6.7	4.1	10.6
Kane	23	3.8	2.3	5.8	11	4.3	1.9	8.2	12	3.6	1.8	6.4
Lake	24	4.7	2.8	7.3	5	2.9	0.7	7.2	19	6.7	3.8	10.8
Will	21	4.3	2.5	6.8	8	3.8	1.4	8.1	13	5.0	2.6	8.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Melanoma of the Skin, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	16,732	25.5	25.1	25.9	9,570	30.9	30.3	31.6	7,162	21.8	21.3	22.4
Cook	4,404	18.1	17.6	18.7	2,472	22.5	21.6	23.5	1,932	15.2	14.5	15.9
DuPage	1,322	26.1	24.6	27.6	759	31.7	29.4	34.1	563	22.2	20.3	24.3
Kane	655	29.2	26.9	31.6	382	35.7	32.1	39.6	273	24.7	21.7	28.1
Lake	1,148	33.3	31.4	35.4	669	40.8	37.6	44.1	479	28.3	25.7	31.1
Will	767	23.2	21.5	25.0	442	27.8	25.2	30.7	325	20.0	17.8	22.3

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	52,707	133.6	132.5	134.8	42,404	135.1	133.7	136.4	7,477	131.8	128.8	134.9
Adams	314	145.1	128.4	163.4								
Alexander	20	110.1	62.3	181.0								
Bond	81	153.7	120.0	194.4								
Boone	198	123.6	106.5	142.7								
Brown	17	107.5	61.3	178.1								
Bureau	160	133.5	111.9	158.3								
Calhoun	36	193.9	133.5	278.1								
Carroll	64	136.9	102.0	180.1								
Cass	39	91.2	63.9	126.9								
Champaign	714	135.8	125.7	146.6	600	138.3	126.9	150.4	85	146.9	116.4	182.5
Christian	149	133.8	111.6	159.3								
Clark	51	102.3	74.7	137.1								
Clay	60	128.7	96.1	169.5								
Clinton	159	135.0	113.7	159.3								
Coles	190	119.8	102.5	139.3								
Cook	20,597	130.7	128.8	132.5	13,552	132.2	129.9	134.5	5,475	131.7	128.1	135.4
Crawford	74	119.0	91.6	152.6								
Cumberland	51	153.2	111.5	205.9								
DeKalb	386	151.0	135.9	167.4								
DeWitt	57	94.7	70.9	125.0								
Douglas	82	129.0	101.0	162.6								
DuPage	4,241	144.0	139.5	148.6	3,607	146.7	141.7	151.8	186	150.5	128.1	175.6
Edgar	64	110.9	82.9	145.8								
Edwards	26	117.0	72.6	179.8								
Effingham	150	135.7	113.5	161.0								
Fayette	88	125.0	98.7	156.6								
Ford	56	119.2	88.7	157.6								
Franklin	169	128.2	108.5	150.7								
Fulton	175	145.8	123.5	171.3								
Gallatin	24	141.3	85.7	221.0								
Greene	56	132.7	97.9	176.6								
Grundy	228	149.8	130.6	171.1								
Hamilton	26	92.6	58.1	141.5								
Hancock	64	101.5	75.8	133.7								
Hardin	8	68.3	24.7	151.8								
Henderson	24	99.7	61.2	156.8								
Henry	213	116.4	100.5	134.4								
Iroquois	132	132.2	108.9	159.3								
Jackson	185	124.0	105.9	144.4								
Jasper	42	144.5	100.8	201.3								
Jefferson	134	115.0	95.1	138.0								
Jersey	100	134.4	107.7	166.2								
Jo Daviess	111	137.0	108.7	170.9								
Johnson	54	126.8	93.2	170.3								
Kane	2,035	136.3	130.4	142.6	1,855	138.4	132.0	145.0	90	115.9	92.7	143.0
Kankakee	515	152.0	138.6	166.4	427	147.3	133.0	162.8	79	176.3	138.5	221.1
Kendall	476	145.5	132.6	159.4								
Knox	236	131.3	113.6	151.2								
Lake	2,989	140.6	135.4	145.9	2,595	143.3	137.6	149.1	171	125.5	106.9	146.4
LaSalle	469	128.7	116.6	141.8								
Lawrence	63	128.9	96.9	168.9								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	142	125.3	103.9	150.2								
Livingston	154	125.8	105.6	148.9								
Logan	122	134.9	110.9	162.8								
Macon	451	119.2	107.7	131.5	379	118.8	106.1	132.6	67	127.7	98.2	163.1
Macoupin	217	133.3	115.0	153.9								
Madison	1,181	133.3	125.5	141.5	1,090	133.8	125.6	142.5	78	124.6	97.9	156.3
Marion	153	119.6	100.2	141.8								
Marshall	51	114.3	82.9	155.0								
Mason	62	125.1	94.3	163.9								
Massac	50	97.7	70.9	132.1								
McDonough	96	108.9	86.8	135.3								
McHenry	1,453	152.8	144.7	161.2								
McLean	624	133.5	122.9	144.8								
Menard	58	130.2	97.3	171.8								
Mercer	66	131.0	99.4	170.1								
Monroe	180	158.8	135.4	185.5								
Montgomery	119	126.9	103.3	154.6								
Morgan	186	167.1	142.2	195.3								
Moultrie	62	134.2	101.3	174.8								
Ogle	227	132.7	115.1	152.3								
Peoria	812	138.2	128.4	148.5	682	138.8	127.9	150.4	103	127.2	103.1	155.1
Perry	75	110.2	85.3	140.8								
Piatt	68	118.3	90.3	152.8								
Pike	73	126.4	97.2	162.5								
Pope	15	107.6	51.7	205.5								
Pulaski	27	164.5	103.6	248.8								
Putnam	26	131.0	82.1	201.3								
Randolph	142	135.7	112.5	162.7								
Richland	59	108.8	81.1	143.5								
Rock Island	571	119.0	108.8	130.0	517	118.6	107.8	130.4	43	122.3	87.8	165.3
Saline	95	103.9	83.0	129.0								
Sangamon	1,012	152.1	142.4	162.3	923	156.8	146.2	168.0	74	120.6	93.8	152.4
Schuyler	21	76.6	45.9	124.6								
Scott	28	155.3	100.4	232.8								
Shelby	101	120.5	96.6	149.3								
St Clair	1,086	129.9	122.0	138.2	782	133.3	123.7	143.6	292	127.2	112.7	143.1
Stark	18	80.6	45.6	136.2								
Stephenson	191	107.4	91.3	125.7								
Tazewell	617	136.9	125.7	148.8								
Union	72	112.7	86.1	145.5								
Vermilion	330	130.4	115.7	146.4	302	134.1	118.2	151.7	23	105.3	65.7	158.9
Wabash	41	95.6	66.4	134.4								
Warren	67	123.7	93.9	160.4								
Washington	63	139.0	105.0	181.2								
Wayne	71	115.3	88.3	148.8								
White	55	104.4	76.4	140.3								
Whiteside	223	108.8	94.0	125.4								
Will	2,819	141.2	136.0	146.7	2,323	141.7	135.9	147.7	339	148.4	132.4	165.7
Williamson	274	124.1	109.1	140.7								
Winnebago	1,141	122.9	115.5	130.6	997	124.2	116.1	132.7	117	121.1	99.7	145.6
Woodford	208	167.4	144.4	193.3								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	48,437	137.5	136.2	138.7	4,270	101.6	98.5	104.9
Cook	17,993	137.7	135.6	139.8	2,604	96.3	92.6	100.2
DuPage	3,932	145.8	141.1	150.7	309	122.1	108.1	137.3
Kane	1,771	146.6	139.5	154.0	264	90.1	78.8	102.6
Lake	2,711	146.1	140.4	152.0	278	105.9	92.9	120.1
Will	2,562	143.8	138.1	149.6	257	123.8	108.0	141.1

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,466	7.2	6.9	7.5	1,833	7.0	6.6	7.3	486	9.1	8.3	10.0
Adams	11	6.2	2.9	11.4								
Alexander	3	17.1	2.2	59.6								
Bond	3	8.1	1.5	24.3								
Boone	6	4.3	1.5	9.6								
Brown	1	10.1	0.3	52.8								
Bureau	6	7.7	2.6	17.3								
Calhoun	1	5.1	0.1	44.4								
Carroll	6	11.3	3.8	27.7								
Cass	3	8.2	1.5	25.5								
Champaign	20	4.6	2.8	7.1	13	4.0	2.1	6.9	6	9.0	3.3	19.8
Christian	8	10.3	4.1	20.9								
Clark	3	9.4	1.9	26.7								
Clay	2	6.4	0.8	22.9								
Clinton	9	10.2	4.5	19.8								
Coles	7	5.7	2.2	12.1								
Cook	1,085	7.4	7.0	7.9	633	6.8	6.3	7.4	360	9.3	8.4	10.4
Crawford	0											
Cumberland	2	7.0	0.6	27.6								
DeKalb	21	9.0	5.5	13.9								
DeWitt	2	2.9	0.3	13.9								
Douglas	5	9.7	2.8	23.5								
DuPage	118	4.7	3.8	5.6	103	5.1	4.1	6.2	9	6.3	2.8	12.2
Edgar	6	9.8	2.9	24.6								
Edwards	0											
Effingham	3	3.0	0.6	9.3								
Fayette	1	2.5	0.1	12.8								
Ford	2	3.7	0.4	16.7								
Franklin	16	15.1	8.3	25.2								
Fulton	13	16.1	8.2	28.3								
Gallatin	1	10.3	0.3	52.8								
Greene	3	8.7	1.4	28.2								
Grundy	12	9.7	4.9	16.9								
Hamilton	2	10.3	1.0	38.5								
Hancock	3	3.6	0.7	13.8								
Hardin	0											
Henderson	2	11.9	1.0	47.8								
Henry	22	16.1	9.8	25.1								
Iroquois	4	7.4	2.0	18.5								
Jackson	10	7.5	3.5	14.2								
Jasper	4	14.0	3.0	40.3								
Jefferson	11	11.0	5.3	20.2								
Jersey	0											
Jo Daviess	2	4.0	0.3	16.0								
Johnson	3	15.4	3.2	42.8								
Kane	79	5.9	4.7	7.5	66	5.7	4.3	7.2	8	11.4	4.8	22.5
Kankakee	24	9.2	5.8	13.8	21	9.7	5.9	15.1	2	4.5	0.5	16.8
Kendall	18	5.4	3.2	8.7								
Knox	12	11.4	5.6	20.1								
Lake	94	5.3	4.3	6.6	72	5.0	3.9	6.3	8	6.5	2.7	12.7
LaSalle	22	7.4	4.4	11.5								
Lawrence	2	6.1	0.6	22.7								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	10	13.4	6.1	25.3								
Livingston	7	7.9	2.9	16.7								
Logan	7	10.6	4.1	22.1								
Macon	21	8.2	5.0	12.7	16	7.8	4.3	12.9	5	12.1	3.9	27.5
Macoupin	11	7.9	3.7	14.9								
Madison	49	6.8	5.0	9.1	46	7.1	5.1	9.7	1	1.3	0.0	8.2
Marion	11	9.6	4.5	18.1								
Marshall	4	17.9	4.5	45.3								
Mason	1	3.6	0.1	19.2								
Massac	3	8.5	1.6	25.4								
McDonough	14	23.3	12.3	39.6								
McHenry	62	7.7	5.8	10.0								
McLean	28	6.9	4.5	10.1								
Menard	2	6.3	0.7	23.7								
Mercer	4	7.8	1.9	22.4								
Monroe	6	5.4	1.8	13.0								
Montgomery	9	13.2	5.6	25.9								
Morgan	11	12.7	5.9	23.8								
Moultrie	5	15.2	4.7	35.4								
Ogle	10	6.0	2.7	11.5								
Peoria	43	9.7	6.9	13.2	32	9.3	6.2	13.4	9	11.5	5.2	21.8
Perry	6	12.2	4.1	27.6								
Piatt	3	7.8	1.4	23.2								
Pike	0											
Pope	5	48.4	13.7	129.7								
Pulaski	1	10.3	0.3	51.4								
Putnam	1	9.8	0.2	50.0								
Randolph	2	3.9	0.5	13.1								
Richland	3	6.2	1.2	19.7								
Rock Island	29	8.1	5.3	11.8	26	9.0	5.7	13.4	2	4.8	0.6	17.9
Saline	9	15.8	7.0	30.4								
Sangamon	36	7.2	5.0	10.1	28	6.6	4.3	9.7	7	11.1	4.4	22.8
Schuylerville	4	24.6	5.3	68.3								
Scott	0											
Shelby	5	10.3	2.8	25.1								
St Clair	63	9.1	6.9	11.7	41	9.6	6.8	13.1	22	9.5	5.9	14.5
Stark	1	7.0	0.2	41.6								
Stephenson	7	6.4	2.4	13.5								
Tazewell	41	12.1	8.6	16.6								
Union	4	11.5	3.0	28.9								
Vermilion	17	8.5	4.8	14.0	16	9.4	5.2	15.8	1	3.7	0.1	22.3
Wabash	4	15.2	3.6	40.2								
Warren	6	16.0	5.5	35.2								
Washington	1	1.9	0.0	14.3								
Wayne	2	4.4	0.4	17.1								
White	3	5.0	1.0	18.4								
Whiteside	17	12.5	7.0	20.4								
Will	121	6.5	5.4	7.8	100	6.7	5.4	8.2	14	6.6	3.5	11.3
Williamson	13	5.3	2.8	9.6								
Winnebago	45	6.1	4.4	8.3	32	5.1	3.4	7.4	12	12.2	6.2	21.3
Woodford	6	8.2	3.0	17.3								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,060	6.9	6.6	7.3	406	9.1	8.2	10.1
Cook	810	6.8	6.4	7.4	275	9.9	8.7	11.1
DuPage	103	4.5	3.7	5.6	15	5.1	2.8	8.5
Kane	57	5.7	4.2	7.5	22	7.2	4.3	11.1
Lake	71	4.9	3.8	6.2	23	8.8	5.2	13.7
Will	100	6.2	5.0	7.6	21	8.5	5.1	13.3

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	12,260	32.1	31.6	32.7	9,420	31.5	30.8	32.2	1,964	34.2	32.6	35.8
Adams	60	29.3	21.9	38.4								
Alexander	4	20.8	4.9	61.3								
Bond	9	15.9	6.7	32.9								
Boone	50	32.5	23.9	43.3								
Brown	6	31.1	11.4	75.5								
Bureau	31	24.9	16.3	36.9								
Calhoun	3	16.6	3.2	60.8								
Carroll	12	22.2	10.5	42.6								
Cass	9	23.0	10.0	45.5								
Champaign	153	32.1	27.0	37.8	127	33.5	27.6	40.3	15	26.8	14.8	44.2
Christian	23	25.9	15.8	40.1								
Clark	6	11.9	4.1	27.9								
Clay	11	28.5	13.3	53.5								
Clinton	25	22.2	14.0	33.8								
Coles	29	19.5	12.7	28.9								
Cook	5,065	33.1	32.2	34.0	3,183	32.5	31.4	33.7	1,423	33.8	32.0	35.7
Crawford	8	11.8	4.8	25.5								
Cumberland	4	13.8	3.3	37.8								
DeKalb	87	35.0	27.8	43.4								
DeWitt	7	14.6	5.4	32.0								
Douglas	13	22.4	11.3	39.7								
DuPage	1,189	41.4	39.0	43.9	973	41.0	38.3	43.8	58	43.2	32.4	56.4
Edgar	11	20.0	9.2	38.3								
Edwards	2	9.7	1.0	40.1								
Effingham	13	12.2	6.1	21.9								
Fayette	12	18.3	9.0	33.8								
Ford	8	16.9	7.1	35.4								
Franklin	23	18.0	11.0	27.9								
Fulton	38	34.1	23.4	48.3								
Gallatin	3	11.7	2.4	46.5								
Greene	10	23.4	10.8	45.9								
Grundy	39	26.1	18.5	36.1								
Hamilton	7	23.2	8.6	52.8								
Hancock	14	19.6	10.2	35.6								
Hardin	2	10.8	1.2	61.2								
Henderson	7	20.6	8.3	52.0								
Henry	53	36.4	26.7	48.5								
Iroquois	19	19.5	11.3	31.9								
Jackson	30	20.4	13.3	29.8								
Jasper	3	10.3	1.7	33.9								
Jefferson	32	26.4	17.6	38.4								
Jersey	14	22.4	11.7	39.1								
Jo Daviess	22	29.1	16.7	47.7								
Johnson	5	10.6	3.2	29.6								
Kane	494	33.8	30.9	37.0	435	33.6	30.5	37.0	32	37.4	25.5	53.2
Kankakee	92	27.7	22.1	34.2	77	27.1	21.2	34.3	14	33.4	17.9	56.6
Kendall	136	41.0	34.4	48.6								
Knox	41	22.8	15.9	32.1								
Lake	716	33.8	31.3	36.5	600	34.1	31.3	37.1	48	35.4	25.7	47.4
LaSalle	90	24.9	19.8	31.0								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	7	12.1	4.8	27.7								
Lee	30	26.5	17.4	39.1								
Livingston	30	25.3	16.6	37.2								
Logan	24	26.9	16.7	41.5								
Macon	91	26.1	20.7	32.5	75	25.4	19.5	32.5	15	30.6	16.8	50.9
Macoupin	46	29.8	21.3	40.9								
Madison	250	29.8	26.0	34.0	223	28.7	24.8	33.0	23	37.4	23.6	56.4
Marion	24	19.1	11.7	29.6								
Marshall	10	24.2	10.6	48.5								
Mason	8	15.7	6.4	34.0								
Massac	14	24.5	12.9	43.7								
McDonough	17	20.7	11.6	34.6								
McHenry	273	28.4	25.0	32.2								
McLean	112	23.4	19.2	28.3								
Menard	8	16.7	6.6	36.6								
Mercer	17	36.7	20.6	60.9								
Monroe	27	26.2	16.8	39.1								
Montgomery	18	20.0	11.3	33.3								
Morgan	37	33.0	22.6	46.9								
Moultrie	11	24.7	11.9	45.9								
Ogle	49	29.0	21.1	39.0								
Peoria	195	34.3	29.4	39.8	160	34.7	29.1	41.0	25	28.3	18.0	42.2
Perry	13	18.6	9.4	33.9								
Piatt	14	25.3	13.2	44.7								
Pike	10	22.1	10.1	42.6								
Pope	1	5.2	0.1	63.7								
Pulaski	1	5.1	0.1	37.3								
Putnam	7	26.0	10.4	63.2								
Randolph	25	25.9	16.1	39.9								
Richland	11	22.7	10.7	42.7								
Rock Island	151	34.3	28.7	40.7	136	34.6	28.6	41.5	13	36.5	19.1	62.5
Saline	8	7.4	3.2	16.3								
Sangamon	242	35.1	30.6	40.1	205	34.4	29.6	39.9	29	41.6	27.6	60.3
Schuylerville	7	30.1	11.7	68.2								
Scott	3	22.7	4.3	69.7								
Shelby	16	19.6	10.6	34.0								
St Clair	261	32.3	28.3	36.6	165	30.5	25.8	35.9	88	36.3	28.9	45.1
Stark	8	44.0	16.9	95.1								
Stephenson	40	26.8	18.4	37.8								
Tazewell	141	33.4	27.8	39.8								
Union	10	20.0	9.1	38.5								
Vermilion	65	29.4	22.2	38.2	60	31.5	23.4	41.5	4	17.6	4.5	45.4
Wabash	6	12.1	4.4	30.1								
Warren	12	21.0	10.3	38.9								
Washington	8	19.9	8.2	41.0								
Wayne	10	15.7	7.1	31.2								
White	10	24.2	10.7	47.3								
Whiteside	48	26.1	18.8	35.4								
Will	773	38.4	35.7	41.2	610	37.3	34.3	40.5	102	41.9	34.0	51.2
Williamson	35	17.2	11.7	24.4								
Winnebago	239	27.1	23.6	31.0	215	28.7	24.8	33.2	21	21.6	13.2	33.2
Woodford	47	36.7	26.6	49.6								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	11,175	33.2	32.5	33.8	1,085	25.1	23.6	26.7
Cook	4,385	35.1	34.0	36.2	680	24.5	22.6	26.4
DuPage	1,109	42.7	40.1	45.5	80	33.7	26.3	42.4
Kane	416	36.3	32.8	40.2	78	24.7	19.3	31.1
Lake	658	36.2	33.4	39.3	58	20.6	15.3	26.9
Will	714	40.1	37.1	43.2	59	26.3	19.7	34.3

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	45,517	117.6	116.5	118.7	34,966	109.1	107.9	110.2	8,073	175.6	171.6	179.6
Adams	266	113.5	99.9	128.5								
Alexander	41	180.0	128.0	251.1								
Bond	77	131.0	102.6	165.5								
Boone	167	96.7	82.3	113.2								
Brown	27	138.6	90.4	204.5								
Bureau	150	114.3	96.3	135.1								
Calhoun	25	120.4	77.1	186.6								
Carroll	84	122.8	97.2	154.4								
Cass	48	107.3	78.4	144.3								
Champaign	654	129.1	119.1	139.7	530	122.7	112.2	134.0	102	214.9	172.6	263.9
Christian	150	120.9	102.0	142.7								
Clark	39	66.0	46.5	92.1								
Clay	65	128.4	98.3	166.1								
Clinton	181	136.7	117.2	159.0								
Coles	116	76.0	62.5	91.7								
Cook	17,474	119.6	117.8	121.5	10,615	104.8	102.8	106.9	5,719	174.9	170.2	179.6
Crawford	66	103.4	79.3	132.9								
Cumberland	45	120.0	86.2	163.9								
DeKalb	377	146.8	131.9	162.9								
DeWitt	42	65.4	46.7	90.5								
Douglas	76	115.0	90.2	145.2								
DuPage	3,401	116.3	112.3	120.5	2,917	117.2	112.8	121.7	183	198.5	167.2	233.8
Edgar	53	76.3	56.9	101.5								
Edwards	20	84.1	50.8	134.8								
Effingham	152	128.8	108.6	152.0								
Fayette	97	129.1	104.4	158.4								
Ford	57	118.8	89.2	156.1								
Franklin	147	103.4	87.1	122.3								
Fulton	167	132.7	113.0	155.2								
Gallatin	23	113.5	71.1	177.7								
Greene	55	123.3	92.1	163.0								
Grundy	211	137.5	119.0	158.2								
Hamilton	25	86.1	55.0	130.7								
Hancock	85	115.0	90.9	144.6								
Hardin	14	73.2	39.6	137.3								
Henderson	28	93.6	61.3	142.1								
Henry	212	110.4	95.7	127.0								
Iroquois	128	122.7	101.9	147.2								
Jackson	192	123.2	105.8	142.7								
Jasper	56	161.7	121.1	213.3								
Jefferson	149	113.5	95.7	134.0								
Jersey	85	109.2	86.7	136.4								
Jo Daviess	116	101.3	83.2	123.6								
Johnson	46	87.0	63.6	117.6								
Kane	1,756	118.5	112.8	124.3	1,519	112.9	107.1	118.9	133	190.6	157.6	228.3
Kankakee	379	107.5	96.7	119.3	286	92.7	82.0	104.5	87	218.8	172.8	273.1
Kendall	375	131.3	117.7	146.1								
Knox	174	89.5	76.4	104.6								
Lake	2,594	122.1	117.3	127.1	2,210	119.2	114.1	124.4	201	164.3	140.4	190.9
LaSalle	430	108.2	98.0	119.4								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	57	115.1	86.7	150.3								
Lee	128	95.2	79.1	114.0								
Livingston	142	113.0	94.8	134.1								
Logan	100	107.2	86.9	131.2								
Macon	464	122.6	111.4	134.7	375	112.3	101.0	124.7	84	198.1	156.2	247.7
Macoupin	185	108.1	92.7	125.8								
Madison	999	116.5	109.2	124.2	880	110.4	103.0	118.2	108	215.4	174.9	262.6
Marion	153	115.0	97.2	135.5								
Marshall	59	112.0	84.8	147.3								
Mason	70	129.1	100.1	165.4								
Massac	66	123.6	95.0	159.4								
McDonough	103	117.3	95.0	143.7								
McHenry	1,135	114.7	107.8	121.9								
McLean	441	95.3	86.4	105.0								
Menard	81	180.4	142.0	227.3								
Mercer	65	99.3	76.2	128.5								
Monroe	150	119.1	100.2	140.9								
Montgomery	102	94.7	76.9	116.0								
Morgan	149	124.3	104.8	146.8								
Moultrie	45	94.3	68.2	127.9								
Ogle	190	101.7	87.4	117.9								
Peoria	818	142.4	132.6	152.8	610	123.8	114.0	134.4	161	235.8	198.6	277.8
Perry	78	105.6	83.1	132.9								
Piatt	60	94.9	71.8	124.0								
Pike	53	95.1	70.6	126.5								
Pope	24	112.9	71.7	185.2								
Pulaski	36	165.0	114.7	234.7								
Putnam	23	83.2	52.3	132.3								
Randolph	120	110.3	90.9	132.9								
Richland	87	146.3	116.7	182.1								
Rock Island	515	102.0	93.2	111.5	453	97.4	88.4	107.1	47	152.7	110.6	204.5
Saline	101	114.7	92.9	140.7								
Sangamon	804	123.4	114.7	132.6	695	118.4	109.5	128.0	101	185.3	149.3	227.4
Schuylerville	33	114.0	77.8	164.6								
Scott	31	182.5	121.7	266.2								
Shelby	122	145.0	119.8	174.7								
St Clair	948	122.4	114.5	130.8	652	112.9	104.1	122.3	282	151.4	133.4	171.2
Stark	27	124.3	81.3	186.4								
Stephenson	166	91.6	78.0	107.4								
Tazewell	561	124.1	113.8	135.1								
Union	73	103.0	80.3	131.4								
Vermilion	328	125.6	112.1	140.4	283	117.9	104.2	133.1	44	238.9	169.0	326.2
Wabash	42	96.2	68.2	133.3								
Warren	48	78.8	57.4	106.3								
Washington	79	143.6	112.8	181.7								
Wayne	67	104.4	80.6	134.2								
White	51	92.1	68.4	123.1								
Whiteside	223	103.8	90.4	118.9								
Will	2,430	124.9	119.8	130.2	1,854	113.1	107.8	118.6	366	186.3	165.6	208.9
Williamson	296	126.5	112.2	142.2								
Winnebago	842	88.7	82.7	95.1	702	82.8	76.6	89.4	122	152.0	124.6	183.5
Woodford	150	110.4	93.0	130.4								

Cancer Incidence Counts and Age-adjusted Rates by County Prostate, Illinois, 2017-2021

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	42,442	120.9	119.8	122.1	3,075	89.3	85.9	92.8
Cook	15,527	126.9	124.8	128.9	1,947	86.4	82.3	90.6
DuPage	3,207	117.5	113.4	121.8	194	108.3	91.9	126.6
Kane	1,546	124.7	118.3	131.3	210	87.2	74.5	101.3
Lake	2,424	127.2	122.0	132.5	170	84.0	70.3	99.4
Will	2,263	127.3	121.9	132.8	167	103.4	86.5	122.2

SECTION II
Percent Distribution of Stage at Diagnosis by County
Illinois, 2017-2021

Percent Distribution of Stage at Diagnosis by County												
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2017-2021												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	30.1	57.6	7.9	4.4	30.7	57.7	7.4	4.2	21.8	60.4	12.2	5.6
Adams	18.8	68.8	9.4	3.1								
Alexander	50.0	30.0	0.0	20.0								
Bond	8.3	66.7	16.7	8.3								
Boone	32.4	51.4	13.5	2.7								
Brown	33.3	66.7	0.0	0.0								
Bureau	33.3	50.0	6.3	10.4								
Calhoun	33.3	33.3	33.3	0.0								
Carroll	30.8	50.0	11.5	7.7								
Cass	20.0	80.0	0.0	0.0								
Champaign	35.4	53.1	9.2	2.3	34.5	54.0	9.7	1.8	40.0	50.0	10.0	0.0
Christian	27.0	62.2	10.8	0.0								
Clark	23.5	76.5	0.0	0.0								
Clay	30.0	55.0	15.0	0.0								
Clinton	6.5	74.2	12.9	6.5								
Coles	32.5	55.0	7.5	5.0								
Cook	30.1	57.0	8.7	4.2	32.2	56.7	7.4	3.8	22.0	59.6	12.9	5.5
Crawford	50.0	42.9	0.0	7.1								
Cumberland	14.3	42.9	28.6	14.3								
DeKalb	23.1	66.7	6.4	3.8								
DeWitt	64.3	28.6	0.0	7.1								
Douglas	26.7	60.0	6.7	6.7								
DuPage	34.9	55.6	7.6	1.9	34.5	57.0	6.8	1.7	33.3	44.4	11.1	11.1
Edgar	25.0	50.0	12.5	12.5								
Edwards	50.0	50.0	0.0	0.0								
Effingham	14.8	77.8	3.7	3.7								
Fayette	35.0	65.0	0.0	0.0								
Ford	40.0	40.0	20.0	0.0								
Franklin	25.0	60.4	8.3	6.3								
Fulton	28.6	65.7	5.7	0.0								
Gallatin	0.0	100.0	0.0	0.0								
Greene	30.8	53.8	0.0	15.4								
Grundy	37.0	52.2	2.2	8.7								
Hamilton	37.5	37.5	0.0	25.0								
Hancock	47.1	29.4	5.9	17.6								
Hardin	20.0	60.0	20.0	0.0								
Henderson	11.1	66.7	0.0	22.2								
Henry	38.0	44.0	8.0	10.0								
Iroquois	29.6	51.9	7.4	11.1								
Jackson	35.2	50.0	7.4	7.4								

Percent Distribution of Stage at Diagnosis by County												
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2017-2021												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	25.0	50.0	25.0	0.0								
Jefferson	32.6	48.8	9.3	9.3								
Jersey	38.5	61.5	0.0	0.0								
Jo Daviess	36.4	36.4	6.1	21.2								
Johnson	54.5	36.4	9.1	0.0								
Kane	33.8	54.8	6.8	4.5	33.3	55.4	7.0	4.3	25.0	50.0	12.5	12.5
Kankakee	27.4	65.1	5.7	1.9	28.6	63.3	6.1	2.0	14.3	85.7	0.0	0.0
Kendall	38.9	52.2	6.7	2.2								
Knox	25.5	63.6	7.3	3.6								
Lake	29.5	61.0	6.2	3.4	29.5	60.7	6.5	3.3	25.0	68.8	0.0	6.3
LaSalle	32.2	56.2	5.0	6.6								
Lawrence	18.8	62.5	12.5	6.3								
Lee	22.7	61.4	11.4	4.5								
Livingston	48.3	34.5	3.4	13.8								
Logan	30.3	69.7	0.0	0.0								
Macon	30.8	56.7	9.6	2.9	30.4	58.7	8.7	2.2	20.0	50.0	20.0	10.0
Macoupin	31.0	60.3	5.2	3.4								
Madison	26.4	57.9	7.1	8.7	25.8	58.1	7.2	8.9	8.3	75.0	8.3	8.3
Marion	22.0	63.4	4.9	9.8								
Marshall	20.0	70.0	10.0	0.0								
Mason	38.5	53.8	7.7	0.0								
Massac	33.3	55.6	0.0	11.1								
McDonough	35.0	55.0	5.0	5.0								
McHenry	27.1	67.5	5.1	0.4								
McLean	25.9	66.7	4.6	2.8								
Menard	27.8	55.6	16.7	0.0								
Mercer	20.0	66.7	6.7	6.7								
Monroe	30.8	42.3	7.7	19.2								
Montgomery	20.0	71.4	5.7	2.9								
Morgan	24.1	69.0	3.4	3.4								
Moultrie	35.7	42.9	21.4	0.0								
Ogle	37.3	49.0	11.8	2.0								
Peoria	24.0	58.4	9.1	8.4	26.3	56.2	8.8	8.8	7.1	78.6	14.3	0.0
Perry	23.5	76.5	0.0	0.0								
Piatt	22.2	61.1	11.1	5.6								
Pike	28.6	71.4	0.0	0.0								
Pope	0.0	100.0	0.0	0.0								
Pulaski	33.3	50.0	0.0	16.7								
Putnam	66.7	33.3	0.0	0.0								
Randolph	16.7	66.7	12.5	4.2								

Percent Distribution of Stage at Diagnosis by County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	42.9	57.1	0.0	0.0								
Rock Island	26.4	56.4	10.7	6.4	27.0	56.3	10.3	6.3	10.0	80.0	10.0	0.0
Saline	21.4	60.7	7.1	10.7								
Sangamon	29.7	62.9	5.4	2.0	30.9	64.0	3.4	1.7	17.6	52.9	23.5	5.9
Schuylerville	18.2	63.6	9.1	9.1								
Scott	0.0	50.0	50.0	0.0								
Shelby	21.9	62.5	9.4	6.3								
St. Clair	19.0	62.6	10.9	7.6	20.1	63.7	9.5	6.7	6.7	60.0	20.0	13.3
Stark	40.0	20.0	40.0	0.0								
Stephenson	46.3	46.3	4.9	2.4								
Tazewell	27.6	57.8	8.6	6.0								
Union	23.5	47.1	17.6	11.8								
Vermilion	31.3	54.7	9.4	4.7	32.2	52.5	10.2	5.1	20.0	80.0	0.0	0.0
Wabash	40.0	30.0	20.0	10.0								
Warren	40.0	53.3	0.0	6.7								
Washington	46.2	53.8	0.0	0.0								
Wayne	30.0	70.0	0.0	0.0								
White	12.5	75.0	12.5	0.0								
Whiteside	39.3	45.9	6.6	8.2								
Will	33.2	56.0	7.7	3.2	33.8	55.4	8.2	2.6	22.6	64.5	6.5	6.5
Williamson	23.6	63.9	6.9	5.6								
Winnebago	29.4	57.1	10.8	2.6	28.8	56.6	11.7	2.9	44.4	55.6	0.0	0.0
Woodford	24.0	60.0	8.0	8.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	30.0	53.9	11.3	4.8	30.1	57.9	7.7	4.4
Cook	30.8	53.9	10.8	4.4	30.0	57.4	8.4	4.2
DuPage	31.8	52.3	15.9	0.0	35.1	55.8	7.1	2.0
Kane	30.8	50.0	7.7	11.5	34.0	55.2	6.7	4.0
Lake	31.4	57.1	8.6	2.9	29.3	61.3	6.0	3.5
Will	27.3	45.5	18.2	9.1	33.5	56.5	7.1	2.9

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	32.3	39.8	21.4	6.5	32.3	40.6	20.8	6.2	31.5	35.9	25.5	7.1
Adams	24.2	47.8	21.3	6.7								
Alexander	22.7	45.5	9.1	22.7								
Bond	42.0	30.0	18.0	10.0								
Boone	28.7	41.6	22.8	6.9								
Brown	40.0	40.0	20.0	0.0								
Bureau	35.5	41.9	18.3	4.3								
Calhoun	29.4	35.3	17.6	17.6								
Carroll	43.2	29.7	10.8	16.2								
Cass	32.4	38.2	17.6	11.8								
Champaign	38.6	37.4	18.1	5.9	39.6	37.2	17.0	6.3	30.6	38.9	27.8	2.8
Christian	29.1	49.6	14.2	7.1								
Clark	33.3	35.4	29.2	2.1								
Clay	28.6	32.7	30.6	8.2								
Clinton	34.8	38.2	24.7	2.2								
Coles	39.4	39.4	18.2	2.9								
Cook	31.9	39.7	22.2	6.2	32.4	40.9	21.0	5.7	30.6	36.3	26.0	7.1
Crawford	37.0	29.6	20.4	13.0								
Cumberland	30.0	40.0	15.0	15.0								
DeKalb	30.6	38.0	25.2	6.2								
DeWitt	38.3	31.9	25.5	4.3								
Douglas	42.9	30.6	24.5	2.0								
DuPage	33.4	41.3	21.2	4.2	32.6	42.0	21.1	4.2	35.0	28.8	31.3	5.0
Edgar	25.5	43.6	18.2	12.7								
Edwards	33.3	38.1	23.8	4.8								
Effingham	39.3	38.5	19.7	2.6								
Fayette	36.5	34.9	22.2	6.3								
Ford	36.4	38.6	25.0	0.0								
Franklin	32.2	38.5	23.1	6.3								
Fulton	29.7	43.8	18.0	8.6								
Gallatin	22.2	55.6	22.2	0.0								
Greene	23.7	28.9	36.8	10.5								
Grundy	38.3	34.0	22.0	5.7								
Hamilton	29.2	37.5	29.2	4.2								
Hancock	26.5	44.9	14.3	14.3								
Hardin	16.7	50.0	22.2	11.1								
Henderson	18.2	36.4	36.4	9.1								
Henry	42.1	30.1	21.8	6.0								
Iroquois	28.0	46.0	17.0	9.0								
Jackson	37.0	43.5	10.9	8.7								

Percent Distribution of Stage at Diagnosis by County												
Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2017-2021												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	41.4	31.0	27.6	0.0								
Jefferson	32.5	37.3	20.6	9.5								
Jersey	42.0	29.0	18.8	10.1								
Jo Daviess	36.1	32.8	19.7	11.5								
Johnson	20.0	42.5	20.0	17.5								
Kane	33.2	39.8	22.6	4.4	32.6	40.8	22.6	4.0	38.2	29.1	25.5	7.3
Kankakee	31.7	37.3	22.6	8.3	31.3	38.2	22.1	8.3	34.4	28.1	28.1	9.4
Kendall	41.0	38.3	14.9	5.9								
Knox	29.1	40.5	23.0	7.4								
Lake	34.8	36.9	21.9	6.3	35.3	37.5	21.7	5.6	33.3	32.3	29.0	5.4
LaSalle	34.1	40.0	20.6	5.3								
Lawrence	35.0	50.0	10.0	5.0								
Lee	33.7	40.4	21.3	4.5								
Livingston	25.0	36.4	26.5	12.1								
Logan	31.3	53.0	14.5	1.2								
Macon	30.3	45.0	19.5	5.1	29.4	45.7	19.5	5.5	34.5	41.4	20.7	3.4
Macoupin	25.6	45.1	19.5	9.8								
Madison	33.1	38.0	21.2	7.7	32.7	38.6	21.5	7.2	34.6	30.8	19.2	15.4
Marion	37.3	36.6	19.7	6.3								
Marshall	39.5	37.2	20.9	2.3								
Mason	32.7	40.4	19.2	7.7								
Massac	46.3	36.6	14.6	2.4								
McDonough	41.3	37.5	15.0	6.3								
McHenry	33.2	40.5	20.9	5.4								
McLean	35.8	39.7	19.2	5.2								
Menard	24.5	49.0	16.3	10.2								
Mercer	35.0	43.3	20.0	1.7								
Monroe	31.7	35.0	20.0	13.3								
Montgomery	29.8	52.4	11.9	6.0								
Morgan	36.3	42.2	18.5	3.0								
Moultrie	19.6	45.7	23.9	10.9								
Ogle	29.0	41.2	21.4	8.4								
Peoria	31.0	35.2	23.7	10.1	29.9	36.1	25.7	8.3	39.4	36.6	16.9	7.0
Perry	21.1	47.4	19.7	11.8								
Piatt	34.8	41.3	13.0	10.9								
Pike	19.1	48.9	27.7	4.3								
Pope	16.7	58.3	25.0	0.0								
Pulaski	20.0	40.0	6.7	33.3								
Putnam	33.3	33.3	33.3	0.0								
Randolph	32.1	48.6	15.6	3.7								

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	30.2	42.9	19.0	7.9								
Rock Island	30.6	38.4	20.3	10.6	29.3	38.7	20.6	11.5	39.3	39.3	17.9	3.6
Saline	20.5	39.7	26.9	12.8								
Sangamon	31.7	49.9	15.3	3.1	32.1	51.4	13.8	2.7	28.6	41.1	26.8	3.6
Schuylerville	14.3	64.3	17.9	3.6								
Scott	22.2	55.6	16.7	5.6								
Shelby	37.2	42.6	16.0	4.3								
St Clair	31.5	35.2	22.6	10.6	30.9	37.6	22.7	8.8	33.5	29.8	22.3	14.4
Stark	38.9	33.3	27.8	0.0								
Stephenson	46.6	30.2	19.0	4.3								
Tazewell	38.1	27.7	24.1	10.1								
Union	18.9	43.4	18.9	18.9								
Vermilion	33.6	41.7	20.2	4.5	33.3	42.3	19.4	5.0	36.4	36.4	27.3	0.0
Wabash	38.5	25.6	33.3	2.6								
Warren	28.8	44.2	19.2	7.7								
Washington	34.9	34.9	20.9	9.3								
Wayne	21.4	42.9	23.8	11.9								
White	20.0	34.3	31.4	14.3								
Whiteside	31.5	40.4	23.3	4.8								
Will	29.5	42.8	22.0	5.6	28.5	43.8	21.8	6.0	32.5	35.5	27.2	4.7
Williamson	26.6	39.6	18.8	15.0								
Winnebago	28.0	41.3	21.0	9.6	27.4	41.5	21.6	9.4	38.2	38.2	17.6	5.9
Woodford	33.0	36.0	23.0	8.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	32.7	40.1	21.7	5.5	32.3	39.8	21.4	6.6
Cook	33.3	39.7	21.4	5.6	31.6	39.6	22.4	6.4
DuPage	35.2	37.3	23.9	3.5	33.2	41.6	21.0	4.2
Kane	30.4	37.6	26.4	5.6	33.6	40.1	22.0	4.2
Lake	24.7	41.4	27.2	6.8	36.1	36.4	21.2	6.3
Will	27.4	43.5	20.2	8.9	29.7	42.8	22.2	5.3

Percent Distribution of Stage at Diagnosis by County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	83.2	9.9	3.8	3.1	83.0	10.3	3.9	2.8	43.8	23.4	23.4	9.4
Adams	83.8	11.0	3.2	1.9								
Alexander	80.0	20.0	0.0	0.0								
Bond	69.7	18.2	9.1	3.0								
Boone	76.1	10.4	6.0	7.5								
Brown	94.1	0.0	5.9	0.0								
Bureau	83.0	6.4	4.3	6.4								
Calhoun	66.7	16.7	0.0	16.7								
Carroll	75.8	9.1	12.1	3.0								
Cass	76.9	15.4	7.7	0.0								
Champaign	87.4	9.1	2.7	0.8	87.3	9.1	2.8	0.8				
Christian	76.6	14.1	7.8	1.6								
Clark	73.9	13.0	8.7	4.3								
Clay	74.2	22.6	0.0	3.2								
Clinton	90.0	5.0	5.0	0.0								
Coles	74.4	10.3	3.8	11.5								
Cook	84.2	9.4	3.9	2.5	84.5	9.6	3.8	2.1	42.3	25.0	23.1	9.6
Crawford	75.0	9.4	6.3	9.4								
Cumberland	71.4	17.9	7.1	3.6								
DeKalb	91.5	4.8	3.7	0.0								
DeWitt	77.4	16.1	0.0	6.5								
Douglas	83.3	14.8	1.9	0.0								
DuPage	84.9	9.5	4.4	1.3	85.1	9.4	4.3	1.2	0.0	50.0	50.0	0.0
Edgar	77.3	9.1	4.5	9.1								
Edwards	85.7	14.3	0.0	0.0								
Effingham	85.9	7.7	3.8	2.6								
Fayette	61.1	25.0	8.3	5.6								
Ford	96.9	0.0	0.0	3.1								
Franklin	72.8	21.7	2.2	3.3								
Fulton	84.4	10.9	3.1	1.6								
Gallatin	41.7	58.3	0.0	0.0								
Greene	70.8	20.8	4.2	4.2								
Grundy	79.2	13.0	3.9	3.9								
Hamilton	66.7	22.2	0.0	11.1								
Hancock	72.7	11.4	4.5	11.4								
Hardin	85.7	14.3	0.0	0.0								
Henderson	71.4	7.1	0.0	21.4								
Henry	80.4	8.9	4.5	6.3								
Iroquois	81.7	8.3	8.3	1.7								
Jackson	64.9	23.4	3.9	7.8								

Percent Distribution of Stage at Diagnosis by County												
Melanoma of the Skin (invasive), Both Sexes, Illinois 2017-2021												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	85.0	10.0	5.0	0.0								
Jefferson	77.6	9.2	9.2	3.9								
Jersey	80.9	6.4	4.3	8.5								
Jo Daviess	47.6	7.1	2.4	42.9								
Johnson	56.5	30.4	4.3	8.7								
Kane	83.8	11.5	3.1	1.6	83.8	11.7	3.3	1.2				
Kankakee	81.4	11.7	6.2	0.7	81.0	11.7	6.6	0.7	100.0	0.0	0.0	0.0
Kendall	86.1	10.3	2.4	1.2								
Knox	92.7	1.8	4.5	0.9								
Lake	85.1	8.4	2.8	3.8	84.4	8.8	3.0	3.9	100.0	0.0	0.0	0.0
LaSalle	86.6	7.2	3.6	2.6								
Lawrence	69.6	17.4	4.3	8.7								
Lee	88.5	6.6	3.3	1.6								
Livingston	78.5	12.3	3.1	6.2								
Logan	75.4	15.4	1.5	7.7								
Macon	84.9	8.3	5.7	1.0	85.7	7.9	5.8	0.5				
Macoupin	74.5	15.3	7.1	3.1								
Madison	78.9	9.7	3.8	7.6	79.2	9.9	3.9	7.0				
Marion	86.4	9.1	2.3	2.3								
Marshall	87.5	4.2	0.0	8.3								
Mason	87.5	10.0	2.5	0.0								
Massac	87.5	12.5	0.0	0.0								
McDonough	67.6	20.6	5.9	5.9								
McHenry	85.2	9.6	2.9	2.2								
McLean	82.9	4.7	2.5	9.9								
Menard	80.6	13.9	5.6	0.0								
Mercer	85.4	9.8	0.0	4.9								
Monroe	79.2	9.1	2.6	9.1								
Montgomery	77.5	15.0	2.5	5.0								
Morgan	67.3	23.1	7.7	1.9								
Moultrie	86.4	4.5	0.0	9.1								
Ogle	85.4	6.2	7.7	0.8								
Peoria	86.3	7.8	3.1	2.8	84.9	8.8	3.5	2.8				
Perry	75.0	17.5	7.5	0.0								
Piatt	85.7	8.9	5.4	0.0								
Pike	90.6	6.3	0.0	3.1								
Pope	75.0	25.0	0.0	0.0								
Pulaski	75.0	12.5	12.5	0.0								
Putnam	76.5	0.0	23.5	0.0								
Randolph	58.8	35.3	2.0	3.9								

Percent Distribution of Stage at Diagnosis by County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	77.3	9.1	4.5	9.1								
Rock Island	79.3	7.8	6.5	6.5	78.4	8.1	6.8	6.8				
Saline	69.7	30.3	0.0	0.0								
Sangamon	86.7	9.2	3.8	0.3	86.6	9.3	3.9	0.3				
Schuylerville	61.5	23.1	7.7	7.7								
Scott	80.0	10.0	0.0	10.0								
Shelby	79.7	10.2	6.8	3.4								
St Clair	84.4	6.7	3.9	5.0	84.2	6.9	4.0	4.9	0.0	0.0	0.0	100.0
Stark	92.3	7.7	0.0	0.0								
Stephenson	85.3	5.9	2.0	6.9								
Tazewell	86.2	8.8	3.5	1.6								
Union	52.4	33.3	4.8	9.5								
Vermilion	89.4	8.9	1.7	0.0	89.4	8.9	1.7	0.0				
Wabash	70.0	0.0	10.0	20.0								
Warren	73.1	11.5	3.8	11.5								
Washington	84.8	10.9	0.0	4.3								
Wayne	77.3	13.6	4.5	4.5								
White	50.0	44.4	5.6	0.0								
Whiteside	85.3	8.4	1.1	5.3								
Will	84.8	10.7	3.2	1.4	84.6	10.7	3.3	1.4	100.0	0.0	0.0	0.0
Williamson	73.8	19.7	2.5	4.1								
Winnebago	79.1	13.0	4.2	3.7	79.0	13.1	4.2	3.7				
Woodford	87.6	7.2	2.1	3.1								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	70.9	19.4	5.7	4.0	83.5	9.7	3.7	3.1
Cook	65.5	23.4	7.6	3.6	85.0	8.8	3.7	2.5
DuPage	74.1	11.1	7.4	7.4	85.1	9.5	4.3	1.1
Kane	56.5	39.1	4.3	0.0	84.7	10.5	3.1	1.7
Lake	75.0	12.5	4.2	8.3	85.3	8.3	2.8	3.7
Will	66.7	23.8	4.8	4.8	85.3	10.3	3.1	1.3

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Illinois	18.9	53.6	21.0	5.2	1.3	18.2	55.3	20.4	4.8	1.3	20.8	46.4	23.7	7.7	1.4
Adams	16.0	55.6	19.5	6.7	2.1										
Alexander	16.7	33.3	29.2	12.5	8.3										
Bond	10.0	58.9	20.0	3.3	7.8										
Boone	20.2	51.2	23.0	4.0	1.6										
Brown	26.1	56.5	13.0	4.3	0.0										
Bureau	16.2	62.8	15.2	4.7	1.0										
Calhoun	7.7	61.5	25.6	0.0	5.1										
Carroll	15.8	42.1	26.3	9.2	6.6										
Cass	18.8	52.1	20.8	6.3	2.1										
Champaign	17.6	58.1	18.8	4.7	0.7	17.5	59.4	18.3	4.0	0.8	15.0	52.0	23.0	10.0	0.0
Christian	13.4	62.8	20.3	2.9	0.6										
Clark	10.5	52.6	21.1	12.3	3.5										
Clay	15.5	54.9	25.4	1.4	2.8										
Clinton	13.6	62.5	15.2	5.4	3.3										
Coles	13.2	63.9	16.0	4.6	2.3										
Cook	19.7	52.1	21.4	5.7	1.0	19.0	54.7	20.4	5.0	0.9	20.6	46.6	23.6	7.8	1.3
Crawford	9.8	59.8	20.7	7.3	2.4										
Cumberland	7.3	60.0	27.3	3.6	1.8										
DeKalb	18.4	54.5	18.6	7.4	1.1										
DeWitt	10.9	53.1	21.9	4.7	9.4										
Douglas	13.7	51.6	22.1	10.5	2.1										
DuPage	21.9	54.4	19.4	3.9	0.4	21.2	55.6	18.9	3.8	0.4	23.8	44.7	24.2	6.6	0.8
Edgar	14.7	53.3	16.0	10.7	5.3										
Edwards	7.1	46.4	28.6	10.7	7.1										
Effingham	8.0	58.9	26.4	4.3	2.5										
Fayette	12.0	48.0	27.0	13.0	0.0										
Ford	12.5	56.3	23.4	3.1	4.7										
Franklin	12.0	49.0	29.7	5.7	3.6										
Fulton	17.8	54.0	16.4	8.9	2.8										
Gallatin	11.1	51.9	14.8	22.2	0.0										
Greene	15.2	57.6	18.2	4.5	4.5										
Grundy	14.6	59.6	20.2	4.9	0.7										
Hamilton	21.2	57.6	12.1	3.0	6.1										
Hancock	17.9	55.1	19.2	1.3	6.4										
Hardin	20.0	50.0	30.0	0.0	0.0										
Henderson	22.6	35.5	19.4	9.7	12.9										
Henry	19.9	52.3	21.8	3.0	3.0										
Iroquois	12.6	64.9	15.9	5.3	1.3										
Jackson	14.0	54.0	25.1	6.5	0.5										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Jasper	6.7	66.7	26.7	0.0	0.0										
Jefferson	19.3	48.2	23.5	8.4	0.6										
Jersey	12.3	51.8	24.6	5.3	6.1										
Jo Daviess	16.5	51.1	22.6	3.0	6.8										
Johnson	8.5	55.9	22.0	8.5	5.1										
Kane	19.5	54.9	20.3	4.4	0.8	19.0	56.1	19.8	4.3	0.8	26.2	49.2	16.4	7.4	0.8
Kankakee	15.2	58.3	21.7	4.3	0.5	15.3	58.9	21.4	4.2	0.2	15.1	55.9	23.7	5.4	0.0
Kendall	22.2	48.0	25.0	4.6	0.2										
Knox	14.8	66.4	15.9	2.9	0.0										
Lake	19.3	54.6	20.5	4.6	1.1	18.8	56.0	19.6	4.5	1.1	21.9	39.3	29.7	7.3	1.8
LaSalle	16.1	56.5	22.2	3.2	2.0										
Lawrence	10.0	64.3	21.4	2.9	1.4										
Lee	17.4	55.8	20.9	5.2	0.6										
Livingston	16.3	63.6	13.6	5.4	1.1										
Logan	16.4	57.5	21.9	3.4	0.7										
Macon	16.8	53.3	24.0	5.5	0.4	16.5	53.7	23.8	5.5	0.4	18.3	52.4	23.2	6.1	0.0
Macoupin	17.5	50.2	24.7	5.7	1.9										
Madison	17.5	50.4	20.8	4.8	6.6	17.0	51.7	20.3	4.6	6.4	22.8	36.6	25.7	6.9	7.9
Marion	13.6	53.7	23.7	6.8	2.3										
Marshall	16.4	59.0	18.0	3.3	3.3										
Mason	11.4	58.6	21.4	5.7	2.9										
Massac	21.9	56.3	12.5	7.8	1.6										
McDonough	15.0	57.5	21.2	4.4	1.8										
McHenry	15.8	56.4	22.0	5.0	0.7										
McLean	15.2	59.2	21.9	2.7	1.0										
Menard	12.1	62.1	18.2	6.1	1.5										
Mercer	20.5	53.0	21.7	3.6	1.2										
Monroe	13.0	49.3	24.6	2.9	10.1										
Montgomery	13.1	55.5	21.9	8.0	1.5										
Morgan	16.6	51.1	25.1	5.8	1.3										
Moultrie	15.1	58.9	20.5	2.7	2.7										
Ogle	17.8	51.8	25.0	4.3	1.1										
Peoria	19.4	57.2	17.2	5.4	0.9	19.0	59.9	15.8	4.6	0.7	19.5	44.5	22.7	10.9	2.3
Perry	14.8	55.7	26.1	2.3	1.1										
Piatt	17.1	52.4	22.0	6.1	2.4										
Pike	12.0	55.4	18.1	7.2	7.2										
Pope	6.3	50.0	25.0	12.5	6.3										
Pulaski	3.6	50.0	25.0	7.1	14.3										
Putnam	21.2	45.5	24.2	9.1	0.0										
Randolph	15.0	56.3	23.4	3.6	1.8										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Richland	15.7	54.3	28.6	1.4	0.0										
Rock Island	20.9	53.5	20.8	4.4	0.4	20.8	55.1	19.9	3.7	0.5	23.2	33.9	28.6	14.3	0.0
Saline	7.8	58.3	20.4	8.7	4.9										
Sangamon	19.3	57.8	17.5	4.9	0.6	18.2	58.4	18.1	4.7	0.6	28.2	52.4	12.6	6.8	0.0
Schuylerville	25.0	50.0	17.9	7.1	0.0										
Scott	9.7	58.1	19.4	12.9	0.0										
Shelby	13.7	57.3	23.9	5.1	0.0										
St Clair	19.4	50.2	20.9	6.1	3.5	17.4	54.1	19.3	5.2	4.0	23.2	41.3	24.7	8.4	2.4
Stark	30.8	57.7	11.5	0.0	0.0										
Stephenson	17.3	51.9	21.6	5.2	3.9										
Tazewell	18.6	57.0	19.1	4.1	1.2										
Union	12.2	53.7	28.0	2.4	3.7										
Vermilion	16.5	52.7	23.0	6.6	1.3	16.6	51.7	23.2	7.2	1.4	14.8	66.7	18.5	0.0	0.0
Wabash	12.8	51.1	27.7	6.4	2.1										
Warren	15.2	64.6	17.7	2.5	0.0										
Washington	11.3	59.2	23.9	2.8	2.8										
Wayne	12.3	54.3	28.4	4.9	0.0										
White	15.4	60.0	15.4	6.2	3.1										
Whiteside	17.7	52.8	22.5	4.4	2.6										
Will	21.5	52.0	21.1	4.8	0.6	20.8	53.1	20.9	4.6	0.5	23.1	45.8	23.8	6.3	0.9
Williamson	11.3	58.9	23.6	5.5	0.6										
Winnebago	17.3	53.3	22.5	5.7	1.1	17.7	53.5	22.1	5.5	1.1	15.2	52.9	23.9	6.5	1.4
Woodford	18.4	55.3	19.6	5.9	0.8										

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Female Breast, Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Hispanic					Non-Hispanic				
	<i>In Situ</i>	Localized	Regional	Distant	Unknown	<i>In Situ</i>	Localized	Regional	Distant	Unknown
Illinois	20.3	48.1	26.0	4.7	0.9	18.7	54.1	20.6	5.2	1.3
Cook	20.7	47.8	25.7	4.9	0.9	19.6	52.7	20.8	5.8	1.1
DuPage	20.6	51.2	22.9	4.6	0.8	22.0	54.6	19.1	3.8	0.4
Kane	22.8	44.2	27.5	5.0	0.6	19.0	56.6	19.2	4.3	0.8
Lake	17.3	46.7	30.4	4.5	1.2	19.5	55.4	19.5	4.6	1.0
Will	18.7	47.8	28.5	4.1	0.9	21.8	52.4	20.4	4.9	0.5

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	43.7	35.9	15.9	4.5	44.7	35.2	16.1	4.0	38.1	39.7	17.1	5.1
Adams	27.3	18.2	45.5	9.1								
Alexander	0.0	0.0	66.7	33.3								
Bond	0.0	33.3	0.0	66.7								
Boone	66.7	16.7	16.7	0.0								
Brown	0.0	0.0	100.0	0.0								
Bureau	50.0	0.0	50.0	0.0								
Calhoun	0.0	0.0	100.0	0.0								
Carroll	0.0	83.3	16.7	0.0								
Cass	0.0	100.0	0.0	0.0								
Champaign	35.0	55.0	10.0	0.0	23.1	61.5	15.4	0.0	50.0	50.0	0.0	0.0
Christian	37.5	50.0	12.5	0.0								
Clark	0.0	100.0	0.0	0.0								
Clay	0.0	50.0	50.0	0.0								
Clinton	55.6	22.2	11.1	11.1								
Coles	14.3	71.4	14.3	0.0								
Cook	44.2	38.1	14.4	3.3	47.6	36.8	13.1	2.5	37.8	39.4	18.1	4.7
Crawford												
Cumberland	50.0	0.0	50.0	0.0								
DeKalb	61.9	33.3	4.8	0.0								
DeWitt	50.0	50.0	0.0	0.0								
Douglas	40.0	20.0	20.0	20.0								
DuPage	50.0	33.1	14.4	2.5	51.5	34.0	12.6	1.9	44.4	44.4	11.1	0.0
Edgar	33.3	33.3	16.7	16.7								
Edwards												
Effingham	33.3	0.0	66.7	0.0								
Fayette	0.0	100.0	0.0	0.0								
Ford	50.0	50.0	0.0	0.0								
Franklin	50.0	31.3	6.3	12.5								
Fulton	69.2	23.1	7.7	0.0								
Gallatin	0.0	0.0	100.0	0.0								
Greene	0.0	100.0	0.0	0.0								
Grundy	66.7	16.7	8.3	8.3								
Hamilton	50.0	50.0	0.0	0.0								
Hancock	33.3	0.0	33.3	33.3								
Hardin												
Henderson	100.0	0.0	0.0	0.0								
Henry	54.5	31.8	13.6	0.0								
Iroquois	25.0	50.0	0.0	25.0								
Jackson	50.0	30.0	0.0	20.0								

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	25.0	75.0	0.0	0.0								
Jefferson	36.4	27.3	27.3	9.1								
Jersey												
Jo Daviess	50.0	0.0	0.0	50.0								
Johnson	33.3	66.7	0.0	0.0								
Kane	46.8	27.8	20.3	5.1	48.5	27.3	19.7	4.5	12.5	50.0	37.5	0.0
Kankakee	54.2	29.2	8.3	8.3	47.6	33.3	9.5	9.5	100.0	0.0	0.0	0.0
Kendall	50.0	33.3	16.7	0.0								
Knox	33.3	41.7	25.0	0.0								
Lake	39.4	36.2	19.1	5.3	34.7	37.5	22.2	5.6	50.0	37.5	12.5	0.0
LaSalle	31.8	31.8	36.4	0.0								
Lawrence	50.0	0.0	50.0	0.0								
Lee	50.0	30.0	20.0	0.0								
Livingston	71.4	14.3	14.3	0.0								
Logan	71.4	14.3	14.3	0.0								
Macon	42.9	52.4	4.8	0.0	43.8	50.0	6.3	0.0	40.0	60.0	0.0	0.0
Macoupin	36.4	54.5	9.1	0.0								
Madison	28.6	34.7	20.4	16.3	30.4	34.8	21.7	13.0	0.0	100.0	0.0	0.0
Marion	18.2	45.5	27.3	9.1								
Marshall	25.0	50.0	25.0	0.0								
Mason	0.0	100.0	0.0	0.0								
Massac	0.0	66.7	33.3	0.0								
McDonough	57.1	7.1	21.4	14.3								
McHenry	46.8	30.6	21.0	1.6								
McLean	46.4	28.6	25.0	0.0								
Menard	100.0	0.0	0.0	0.0								
Mercer	25.0	50.0	0.0	25.0								
Monroe	33.3	50.0	16.7	0.0								
Montgomery	77.8	11.1	11.1	0.0								
Morgan	81.8	18.2	0.0	0.0								
Moultrie	60.0	40.0	0.0	0.0								
Ogle	40.0	50.0	10.0	0.0								
Peoria	44.2	30.2	18.6	7.0	43.8	28.1	21.9	6.3	33.3	44.4	11.1	11.1
Perry	16.7	16.7	66.7	0.0								
Piatt	100.0	0.0	0.0	0.0								
Pike												
Pope	20.0	40.0	20.0	20.0								
Pulaski	100.0	0.0	0.0	0.0								
Putnam	0.0	100.0	0.0	0.0								
Randolph	0.0	0.0	0.0	100.0								

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	0.0	0.0	33.3	66.7								
Rock Island	31.0	44.8	20.7	3.4	34.6	42.3	19.2	3.8	0.0	50.0	50.0	0.0
Saline	22.2	22.2	44.4	11.1								
Sangamon	52.8	33.3	13.9	0.0	57.1	32.1	10.7	0.0	42.9	28.6	28.6	0.0
Schuylerville	100.0	0.0	0.0	0.0								
Scott												
Shelby	60.0	20.0	20.0	0.0								
St. Clair	39.7	33.3	9.5	17.5	41.5	31.7	9.8	17.1	36.4	36.4	9.1	18.2
Stark	0.0	100.0	0.0	0.0								
Stephenson	0.0	57.1	28.6	14.3								
Tazewell	48.8	31.7	14.6	4.9								
Union	50.0	50.0	0.0	0.0								
Vermilion	47.1	29.4	17.6	5.9	43.8	31.3	18.8	6.3	100.0	0.0	0.0	0.0
Wabash	50.0	0.0	50.0	0.0								
Warren	33.3	33.3	16.7	16.7								
Washington	0.0	100.0	0.0	0.0								
Wayne	50.0	50.0	0.0	0.0								
White	100.0	0.0	0.0	0.0								
Whiteside	47.1	41.2	11.8	0.0								
Will	40.5	37.2	19.8	2.5	41.0	37.0	19.0	3.0	35.7	42.9	21.4	0.0
Williamson	30.8	46.2	15.4	7.7								
Winnebago	37.8	46.7	11.1	4.4	37.5	43.8	15.6	3.1	33.3	58.3	0.0	8.3
Woodford	50.0	33.3	16.7	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Cervical Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	53.7	32.0	10.6	3.7	41.7	36.7	16.9	4.7
Cook	52.0	32.7	11.3	4.0	41.6	39.9	15.4	3.1
DuPage	66.7	26.7	6.7	0.0	47.6	34.0	15.5	2.9
Kane	50.0	31.8	18.2	0.0	45.6	26.3	21.1	7.0
Lake	56.5	39.1	4.3	0.0	33.8	35.2	23.9	7.0
Will	47.6	33.3	9.5	9.5	39.0	38.0	22.0	1.0

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	70.8	15.4	8.3	5.6	71.7	16.0	7.9	4.4	71.5	13.4	10.5	4.6
Adams	75.6	12.8	8.6	3.0								
Alexander	48.8	7.3	0.0	43.9								
Bond	74.0	7.8	5.2	13.0								
Boone	64.1	19.2	10.8	6.0								
Brown	74.1	7.4	14.8	3.7								
Bureau	62.0	26.0	6.7	5.3								
Calhoun	68.0	8.0	8.0	16.0								
Carroll	70.2	10.7	6.0	13.1								
Cass	81.3	12.5	4.2	2.1								
Champaign	77.5	13.6	7.6	1.2	79.1	13.6	6.2	1.1	69.6	15.7	13.7	1.0
Christian	80.0	10.0	9.3	0.7								
Clark	71.8	7.7	10.3	10.3								
Clay	66.2	15.4	6.2	12.3								
Clinton	80.1	8.3	5.5	6.1								
Coles	69.8	12.1	12.9	5.2								
Cook	70.1	15.7	9.3	4.9	70.7	17.3	8.4	3.6	71.2	13.1	11.1	4.6
Crawford	60.6	16.7	13.6	9.1								
Cumberland	57.8	17.8	11.1	13.3								
DeKalb	70.3	20.7	7.2	1.9								
DeWitt	69.0	19.0	11.9	0.0								
Douglas	78.9	11.8	9.2	0.0								
DuPage	70.4	18.5	7.0	4.1	71.0	18.9	7.1	3.1	72.1	20.2	7.1	0.5
Edgar	67.9	11.3	7.5	13.2								
Edwards	60.0	15.0	5.0	20.0								
Effingham	72.4	11.8	3.3	12.5								
Fayette	77.3	9.3	2.1	11.3								
Ford	66.7	14.0	19.3	0.0								
Franklin	73.5	11.6	8.8	6.1								
Fulton	69.5	13.2	7.8	9.6								
Gallatin	69.6	13.0	8.7	8.7								
Greene	70.9	14.5	12.7	1.8								
Grundy	79.6	13.3	3.3	3.8								
Hamilton	84.0	8.0	0.0	8.0								
Hancock	64.7	18.8	7.1	9.4								
Hardin	85.7	0.0	7.1	7.1								
Henderson	67.9	7.1	3.6	21.4								
Henry	67.5	15.1	4.2	13.2								
Iroquois	66.4	23.4	8.6	1.6								
Jackson	70.3	9.4	12.5	7.8								

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	60.7	14.3	10.7	14.3								
Jefferson	75.2	8.1	10.1	6.7								
Jersey	67.1	7.1	11.8	14.1								
Jo Daviess	63.8	13.8	4.3	18.1								
Johnson	80.4	8.7	4.3	6.5								
Kane	69.8	18.3	7.0	4.9	70.8	18.8	7.1	3.3	72.2	17.3	6.8	3.8
Kankakee	71.8	16.4	10.3	1.6	71.0	18.2	9.4	1.4	74.7	11.5	12.6	1.1
Kendall	73.1	15.5	9.1	2.4								
Knox	74.7	13.2	6.3	5.7								
Lake	70.2	16.4	6.7	6.7	72.2	16.2	6.9	4.7	71.1	18.9	6.0	4.0
LaSalle	68.6	18.6	8.6	4.2								
Lawrence	68.4	14.0	10.5	7.0								
Lee	78.9	9.4	10.2	1.6								
Livingston	68.3	19.7	8.5	3.5								
Logan	84.0	6.0	7.0	3.0								
Macon	76.7	11.4	10.8	1.1	76.8	12.5	9.9	0.8	77.4	6.0	14.3	2.4
Macoupin	82.2	9.2	3.8	4.9								
Madison	71.1	15.0	5.0	8.9	71.3	14.7	5.0	9.1	69.4	17.6	5.6	7.4
Marion	74.5	10.5	5.2	9.8								
Marshall	59.3	16.9	5.1	18.6								
Mason	70.0	11.4	8.6	10.0								
Massac	74.2	10.6	6.1	9.1								
McDonough	65.0	13.6	10.7	10.7								
McHenry	62.2	23.2	8.8	5.8								
McLean	73.0	15.0	7.5	4.5								
Menard	85.2	11.1	3.7	0.0								
Mercer	55.4	18.5	12.3	13.8								
Monroe	66.0	13.3	3.3	17.3								
Montgomery	70.6	15.7	9.8	3.9								
Morgan	80.5	10.1	8.1	1.3								
Moultrie	80.0	13.3	4.4	2.2								
Ogle	67.9	19.5	10.0	2.6								
Peoria	71.6	11.0	6.1	11.2	75.2	10.2	6.1	8.5	70.2	14.9	6.8	8.1
Perry	78.2	9.0	5.1	7.7								
Piatt	80.0	6.7	13.3	0.0								
Pike	75.5	13.2	5.7	5.7								
Pope	75.0	16.7	4.2	4.2								
Pulaski	69.4	5.6	5.6	19.4								
Putnam	73.9	17.4	4.3	4.3								
Randolph	76.7	7.5	5.0	10.8								

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	60.9	14.9	9.2	14.9								
Rock Island	62.9	13.4	9.5	14.2	62.9	13.9	10.2	13.0	72.3	6.4	6.4	14.9
Saline	81.2	5.0	3.0	10.9								
Sangamon	80.6	11.2	6.7	1.5	81.2	11.2	6.0	1.6	78.2	9.9	10.9	1.0
Schuylerville	60.6	9.1	21.2	9.1								
Scott	87.1	0.0	9.7	3.2								
Shelby	71.3	10.7	10.7	7.4								
St Clair	69.6	12.4	8.5	9.4	71.8	12.0	7.5	8.7	64.9	13.8	11.0	10.3
Stark	48.1	18.5	18.5	14.8								
Stephenson	67.5	15.7	11.4	5.4								
Tazewell	69.7	13.7	5.9	10.7								
Union	41.1	13.7	15.1	30.1								
Vermilion	77.1	12.8	8.8	1.2	77.0	12.7	9.2	1.1	77.3	13.6	6.8	2.3
Wabash	81.0	7.1	7.1	4.8								
Warren	62.5	16.7	12.5	8.3								
Washington	75.9	12.7	6.3	5.1								
Wayne	80.6	9.0	6.0	4.5								
White	82.4	9.8	3.9	3.9								
Whiteside	69.1	14.8	8.1	8.1								
Will	75.4	14.9	6.3	3.5	75.9	15.4	6.5	2.2	79.0	13.1	5.5	2.5
Williamson	73.6	8.1	13.2	5.1								
Winnebago	63.3	17.1	13.8	5.8	63.7	17.2	13.8	5.3	62.3	16.4	13.1	8.2
Woodford	64.7	16.7	4.0	14.7								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Prostate Cancer (invasive), Illinois 2017-2021

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	68.2	17.2	9.3	5.3	71.0	15.2	8.2	5.6
Cook	67.7	16.8	9.9	5.5	70.4	15.5	9.2	4.8
DuPage	61.9	24.2	8.8	5.2	71.0	18.1	6.9	4.0
Kane	69.5	19.5	6.2	4.8	69.8	18.2	7.1	4.9
Lake	70.0	15.3	7.6	7.1	70.3	16.5	6.6	6.6
Will	71.3	14.4	10.8	3.6	75.7	14.9	6.0	3.4

SECTION III
County-specific Cancer Incidence Rates
All Races, Illinois, 2017-2021

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	354,923	459.2	457.7	460.8	178,271	496.5	494.1	498.9	176,652	436.9	434.8	439.0
Oral Cavity and Pharynx	9,592	12.1	11.9	12.4	6,813	18.3	17.8	18.7	2,779	6.7	6.4	6.9
Esophagus	3,907	4.9	4.7	5.0	3,050	8.3	8.0	8.6	857	2.0	1.8	2.1
Stomach	5,364	7.0	6.8	7.2	3,279	9.4	9.0	9.7	2,085	5.1	4.8	5.3
Colon and Rectum	29,639	38.8	38.4	39.3	15,729	44.9	44.2	45.6	13,910	33.7	33.1	34.3
Liver	5,132	6.3	6.1	6.5	3,692	9.7	9.4	10.0	1,440	3.3	3.2	3.5
Pancreas	11,274	14.3	14.0	14.6	5,780	16.2	15.8	16.6	5,494	12.7	12.3	13.0
Lung and Bronchus	46,491	58.3	57.8	58.9	23,110	64.9	64.0	65.7	23,381	53.7	53.0	54.4
Bones and Joints	639	0.9	0.9	1.0	360	1.1	1.0	1.2	279	0.8	0.7	0.9
Melanoma of the Skin	17,134	23.0	22.6	23.4	9,742	28.1	27.5	28.6	7,392	19.6	19.2	20.1
Breast (invasive)	53,201	70.8	70.2	71.4	494	1.4	1.3	1.6	52,707	133.6	132.5	134.8
Cervix									2,466	7.2	6.9	7.5
Corpus and Uterus, NOS									12,805	30.6	30.1	31.2
Ovary									4,100	10.3	10.0	10.7
Prostate					45,517	117.6	116.5	118.7				
Testis					1,901	6.2	5.9	6.4				
Urinary Bladder (includes in situ)	15,317	19.5	19.2	19.9	11,596	34.1	33.5	34.7	3,721	8.5	8.2	8.8
Kidney and Renal Pelvis	13,889	18.1	17.8	18.4	8,802	24.5	23.9	25.0	5,087	12.6	12.2	12.9
Brain and Nervous System	4,345	6.1	5.9	6.3	2,462	7.3	7.0	7.6	1,883	5.0	4.8	5.3
Hodgkin Lymphoma	1,882	2.8	2.7	3.0	1,018	3.1	2.9	3.3	864	2.6	2.4	2.8
Non-Hodgkin Lymphoma	14,362	18.9	18.6	19.2	7,850	22.7	22.2	23.3	6,512	15.8	15.4	16.2
Myeloma	5,398	6.9	6.7	7.1	2,878	8.2	7.8	8.5	2,520	5.9	5.7	6.1
Leukemia	10,220	13.8	13.5	14.1	5,952	17.6	17.2	18.1	4,268	10.8	10.5	11.1
All Other Sites	40,348	54.0	53.5	54.6	18,246	53.2	52.4	53.9	22,102	56.3	55.6	57.1
Breast in Situ (not in total)									12,260	32.1	31.6	32.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Adams

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,339	517.6	495.8	540.2	1,211	551.0	519.4	584.2	1,128	493.7	463.2	525.6
Oral Cavity and Pharynx	64	14.6	11.1	18.9	51	23.5	17.3	31.3	13	6.4	3.3	11.4
Esophagus	32	7.2	4.9	10.3	27	12.4	8.1	18.3	5	2.4	0.7	6.0
Stomach	18	3.8	2.1	6.2	13	5.6	2.9	10.0	5	2.2	0.6	5.9
Colon and Rectum	178	41.2	35.1	48.2	96	47.5	38.1	58.7	82	35.3	27.6	44.6
Liver	30	6.2	4.1	9.2	19	8.0	4.7	12.8	11	4.5	2.1	8.8
Pancreas	73	15.5	12.0	19.7	43	19.6	14.1	26.7	30	12.2	8.0	17.9
Lung and Bronchus	375	75.5	67.9	83.9	194	83.0	71.5	96.0	181	69.2	59.2	80.8
Bones and Joints	6	2.0	0.7	4.3	3	1.7	0.3	5.1	3	2.3	0.5	6.3
Melanoma of the Skin	154	36.1	30.3	42.8	87	40.3	32.0	50.3	67	33.4	25.3	43.2
Breast (invasive)	315	75.1	66.6	84.5	1	0.4	0.0	2.8	314	145.1	128.4	163.4
Cervix									11	6.2	2.9	11.4
Corpus and Uterus, NOS									88	38.4	30.4	48.0
Ovary									34	16.0	10.7	23.1
Prostate					266	113.5	99.9	128.5				
Testis					3	2.3	0.5	6.4				
Urinary Bladder (includes in situ)	121	25.3	20.9	30.4	102	46.0	37.3	56.2	19	7.6	4.5	12.3
Kidney and Renal Pelvis	77	18.5	14.4	23.5	43	20.8	14.8	28.4	34	16.7	11.2	23.9
Brain and Nervous System	25	6.3	4.0	9.5	15	8.6	4.7	14.4	10	4.1	1.8	8.2
Hodgkin Lymphoma	10	3.3	1.6	6.1	5	3.5	1.1	8.0	5	3.2	1.0	7.4
Non-Hodgkin Lymphoma	83	17.4	13.7	22.0	44	21.3	15.3	29.1	39	14.3	9.9	20.1
Myeloma	33	7.0	4.8	10.1	16	7.8	4.4	13.0	17	6.1	3.5	10.3
Leukemia	66	14.9	11.4	19.3	39	19.3	13.5	26.9	27	10.6	6.8	16.1
All Other Sites	277	61.2	53.9	69.4	144	66.1	55.4	78.4	133	57.6	47.5	69.4
Breast in Situ (not in total)									60	29.3	21.9	38.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Alexander

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	245	564.2	490.4	647.2	147	674.0	565.6	800.7	98	487.5	384.7	610.9
Oral Cavity and Pharynx	10	29.8	12.8	59.0	5	29.6	8.5	76.1	5	32.5	8.6	83.3
Esophagus	2	4.1	0.5	20.4	2	9.1	1.0	43.3	0			
Stomach	3	7.0	1.4	24.6	2	11.2	1.4	47.3	1	4.2	0.1	35.0
Colon and Rectum	22	53.3	32.3	84.8	10	46.9	21.9	93.5	12	61.7	30.3	115.0
Liver	1	2.3	0.1	18.2	1	5.4	0.1	38.5	0			
Pancreas	4	8.9	2.4	27.2	2	9.1	1.0	43.3	2	8.5	1.0	40.9
Lung and Bronchus	62	130.2	98.6	170.9	38	172.0	120.5	242.9	24	96.8	59.8	153.2
Bones and Joints	0				0				0			
Melanoma of the Skin	5	11.0	3.4	30.2	3	14.6	2.9	51.2	2	10.1	1.0	45.0
Breast (invasive)	20	57.9	33.2	94.3	0				20	110.1	62.3	181.0
Cervix									3	17.1	2.2	59.6
Corpus and Uterus, NOS									10	45.3	18.9	94.5
Ovary									1	4.4	0.1	35.4
Prostate					41	180.0	128.0	251.1				
Testis					0							
Urinary Bladder (includes in situ)	10	25.3	11.2	50.8	7	34.7	13.7	78.3	3	18.8	2.8	62.2
Kidney and Renal Pelvis	5	10.1	3.3	28.1	5	22.4	7.1	60.8	0			
Brain and Nervous System	3	10.0	1.5	32.5	2	10.0	1.2	44.9	1	12.3	0.3	57.2
Hodgkin Lymphoma	1	2.1	0.1	17.8	0				1	4.2	0.1	35.0
Non-Hodgkin Lymphoma	5	11.9	3.7	31.7	3	13.1	2.6	48.2	2	11.3	1.3	47.1
Myeloma	3	5.5	1.1	21.9	2	6.8	0.8	38.6	1	4.2	0.1	35.0
Leukemia	7	15.8	6.2	36.4	6	28.4	10.1	69.6	1	4.1	0.1	34.8
All Other Sites	27	60.1	37.6	92.9	18	80.7	45.2	137.6	9	42.0	16.7	90.3
Breast in Situ (not in total)									4	20.8	4.9	61.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Bond

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	557	501.2	459.0	546.6	301	552.6	490.1	621.3	256	481.3	420.3	549.1
Oral Cavity and Pharynx	12	10.3	5.2	18.8	12	20.7	10.5	37.6	0			
Esophagus	8	6.8	2.8	14.5	7	12.2	4.7	26.8	1	2.0	0.0	13.1
Stomach	1	1.2	0.0	6.9	1	2.2	0.1	13.1	0			
Colon and Rectum	50	46.8	34.4	62.6	30	60.6	40.4	87.6	20	35.2	21.0	56.4
Liver	9	7.8	3.5	15.7	8	14.5	6.1	30.0	1	1.7	0.0	12.6
Pancreas	14	12.5	6.8	21.7	6	11.5	4.1	26.3	8	14.2	6.1	29.7
Lung and Bronchus	73	61.9	48.2	78.8	42	75.4	53.8	103.4	31	52.6	35.0	77.1
Bones and Joints	0				0				0			
Melanoma of the Skin	33	31.7	21.4	45.4	21	38.4	23.5	60.1	12	29.8	14.8	53.4
Breast (invasive)	82	76.2	60.0	95.7	1	1.4	0.0	10.9	81	153.7	120.0	194.4
Cervix									3	8.1	1.5	24.3
Corpus and Uterus, NOS									17	28.2	15.9	47.7
Ovary									9	15.0	6.4	31.2
Prostate					77	131.0	102.6	165.5				
Testis					2	5.0	0.6	17.9				
Urinary Bladder (includes in situ)	21	18.1	11.1	28.4	15	29.5	16.3	49.6	6	9.2	3.3	22.5
Kidney and Renal Pelvis	20	18.8	11.2	30.1	13	23.0	12.0	40.8	7	17.8	6.7	37.8
Brain and Nervous System	8	7.9	3.1	16.6	6	12.0	3.9	27.9	2	3.1	0.3	14.4
Hodgkin Lymphoma	3	2.4	0.5	8.2	2	2.8	0.3	13.0	1	2.3	0.1	14.0
Non-Hodgkin Lymphoma	21	19.2	11.8	30.2	15	30.5	16.8	51.3	6	10.8	3.6	26.2
Myeloma	4	3.3	0.9	9.5	2	2.9	0.4	13.3	2	3.4	0.4	15.0
Leukemia	16	13.8	7.7	23.2	10	19.8	9.2	37.6	6	7.9	2.8	20.3
All Other Sites	74	70.7	55.0	89.8	31	59.4	39.9	85.8	43	86.5	60.9	119.5
Breast in Situ (not in total)									9	15.9	6.7	32.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Boone

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,443	441.9	418.9	465.9	736	459.8	426.2	495.4	707	432.3	400.3	466.4
Oral Cavity and Pharynx	37	10.8	7.6	15.1	22	12.3	7.7	19.0	15	9.5	5.2	16.0
Esophagus	18	5.3	3.1	8.5	15	9.1	5.0	15.4	3	1.5	0.3	5.1
Stomach	21	6.4	3.9	9.9	15	9.4	5.2	16.0	6	3.6	1.3	8.2
Colon and Rectum	101	31.5	25.5	38.5	53	33.3	24.7	44.0	48	29.4	21.6	39.4
Liver	16	4.7	2.7	7.8	12	7.7	3.9	13.8	4	2.2	0.6	6.2
Pancreas	55	15.8	11.8	20.7	31	19.6	13.1	28.3	24	13.2	8.4	20.0
Lung and Bronchus	208	61.1	53.0	70.2	113	70.1	57.5	84.8	95	53.2	43.0	65.4
Bones and Joints	2	0.7	0.1	2.6	0				2	1.4	0.2	5.3
Melanoma of the Skin	67	21.3	16.4	27.3	33	21.3	14.4	30.3	34	22.4	15.3	31.7
Breast (invasive)	202	64.4	55.6	74.3	4	2.5	0.7	6.7	198	123.6	106.5	142.7
Cervix									6	4.3	1.5	9.6
Corpus and Uterus, NOS									57	32.6	24.6	42.7
Ovary									18	10.7	6.2	17.4
Prostate					167	96.7	82.3	113.2				
Testis					6	5.2	1.9	11.2				
Urinary Bladder (includes in situ)	63	18.7	14.3	24.1	49	30.7	22.5	41.1	14	8.1	4.4	13.9
Kidney and Renal Pelvis	56	17.4	13.1	22.8	33	19.8	13.5	28.3	23	14.9	9.4	22.7
Brain and Nervous System	11	3.9	1.9	7.1	9	6.6	3.0	12.7	2	1.2	0.2	4.9
Hodgkin Lymphoma	1	0.4	0.0	2.2	0				1	0.8	0.0	4.4
Non-Hodgkin Lymphoma	70	21.8	16.9	27.8	45	28.5	20.6	38.7	25	16.2	10.4	24.3
Myeloma	20	6.0	3.6	9.5	14	9.5	5.0	16.3	6	3.2	1.2	7.5
Leukemia	48	15.4	11.3	20.7	32	21.9	14.8	31.4	16	9.7	5.4	16.1
All Other Sites	193	62.5	53.8	72.3	83	55.5	43.9	69.4	110	70.5	57.6	85.5
Breast in Situ (not in total)									50	32.5	23.9	43.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Brown

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	185	501.6	431.2	580.9	115	608.7	500.3	734.3	70	425.7	327.0	547.2
Oral Cavity and Pharynx	6	16.0	5.8	36.5	4	17.4	4.7	48.7	2	10.0	1.2	46.7
Esophagus	3	8.0	1.6	25.2	3	16.3	3.3	49.8	0			
Stomach	5	13.4	4.3	32.8	3	17.3	3.4	51.9	2	8.7	1.0	44.2
Colon and Rectum	15	40.8	22.7	68.5	9	49.9	22.6	96.3	6	32.9	12.0	78.6
Liver	4	9.9	2.7	27.5	2	8.6	1.0	36.3	2	11.4	1.4	49.6
Pancreas	4	10.6	2.9	28.9	4	21.6	5.7	57.5	0			
Lung and Bronchus	27	70.7	46.4	104.3	14	77.4	41.5	132.1	13	63.6	33.7	116.0
Bones and Joints	0				0				0			
Melanoma of the Skin	17	47.0	27.2	76.4	11	54.3	26.6	100.2	6	39.6	13.4	93.0
Breast (invasive)	18	49.9	29.3	80.1	1	6.7	0.2	36.3	17	107.5	61.3	178.1
Cervix									1	10.1	0.3	52.8
Corpus and Uterus, NOS									3	21.6	3.5	69.7
Ovary									1	5.3	0.1	40.5
Prostate					27	138.6	90.4	204.5				
Testis					1	4.2	0.1	29.6				
Urinary Bladder (includes in situ)	8	21.8	9.3	44.4	6	36.1	12.9	79.5	2	9.3	1.1	45.4
Kidney and Renal Pelvis	7	19.2	7.7	40.9	5	28.6	9.1	68.3	2	9.3	1.1	45.5
Brain and Nervous System	2	5.1	0.6	20.8	1	6.5	0.2	35.5	1	5.0	0.1	39.8
Hodgkin Lymphoma	2	6.9	0.7	25.6	1	3.9	0.1	29.0	1	11.9	0.3	58.4
Non-Hodgkin Lymphoma	7	19.1	7.6	40.8	6	29.4	10.5	67.2	1	5.4	0.1	40.6
Myeloma	2	6.2	0.7	23.2	2	11.3	1.3	42.4	0			
Leukemia	4	11.5	3.1	30.5	2	11.3	1.3	42.5	2	11.4	1.4	49.6
All Other Sites	21	57.1	35.1	88.6	13	69.3	36.5	120.5	8	62.7	25.7	127.8
Breast in Situ (not in total)									6	31.1	11.4	75.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Bureau

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,272	513.1	483.6	544.0	670	560.6	517.3	606.9	602	479.4	438.8	523.1
Oral Cavity and Pharynx	48	19.1	13.8	26.0	37	30.1	20.8	42.6	11	8.9	4.1	17.3
Esophagus	18	6.2	3.7	10.3	14	10.6	5.8	18.8	4	2.1	0.6	7.4
Stomach	13	4.8	2.5	8.7	10	8.4	4.0	16.4	3	2.0	0.4	7.5
Colon and Rectum	93	36.1	28.8	44.8	55	47.8	35.5	63.2	38	25.2	17.6	35.8
Liver	13	4.3	2.3	7.9	9	6.0	2.7	12.6	4	2.7	0.7	8.3
Pancreas	48	18.2	13.3	24.7	28	22.8	15.0	33.7	20	14.0	8.3	22.9
Lung and Bronchus	199	74.6	64.3	86.3	89	71.2	56.9	88.5	110	78.2	63.7	95.5
Bones and Joints	1	0.3	0.0	2.7	0				1	0.6	0.0	5.5
Melanoma of the Skin	94	42.0	33.3	52.5	56	50.1	37.2	66.4	38	36.3	24.6	51.6
Breast (invasive)	161	69.0	58.0	81.5	1	0.6	0.0	5.5	160	133.5	111.9	158.3
Cervix									6	7.7	2.6	17.3
Corpus and Uterus, NOS									39	28.8	20.1	40.6
Ovary									12	10.2	5.0	19.1
Prostate					150	114.3	96.3	135.1				
Testis					9	12.9	5.8	24.3				
Urinary Bladder (includes in situ)	47	18.3	13.3	24.8	40	33.8	23.9	46.9	7	5.5	2.2	12.4
Kidney and Renal Pelvis	63	26.7	20.2	34.8	38	34.3	23.9	48.0	25	20.5	12.8	31.6
Brain and Nervous System	14	6.5	3.3	11.5	11	10.8	5.1	20.2	3	2.7	0.4	9.1
Hodgkin Lymphoma	6	3.6	1.2	8.0	4	5.0	1.3	13.0	2	2.1	0.2	8.4
Non-Hodgkin Lymphoma	45	16.4	11.9	22.5	22	17.7	11.0	27.7	23	15.5	9.7	24.4
Myeloma	12	4.5	2.2	8.4	6	4.6	1.7	11.2	6	4.9	1.7	11.9
Leukemia	31	13.4	8.9	19.7	16	14.2	7.9	24.0	15	12.8	6.8	22.3
All Other Sites	150	64.2	53.7	76.4	75	65.5	50.9	83.3	75	65.2	50.0	83.8
Breast in Situ (not in total)									31	24.9	16.3	36.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Calhoun

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	186	478.5	409.5	558.2	99	520.9	420.0	643.6	87	452.8	357.4	570.9
Oral Cavity and Pharynx	3	7.2	1.5	27.7	3	14.5	2.9	55.2	0			
Esophagus	4	9.6	2.6	30.7	4	19.4	5.2	61.6	0			
Stomach	1	2.2	0.1	21.1	1	4.1	0.1	41.1	0			
Colon and Rectum	17	47.3	26.9	80.1	11	65.6	31.9	125.6	6	29.9	10.9	76.7
Liver	2	4.9	0.6	24.7	1	4.1	0.1	41.1	1	5.1	0.1	44.4
Pancreas	4	10.9	2.8	33.5	3	17.2	3.3	60.9	1	4.5	0.1	43.3
Lung and Bronchus	23	53.2	33.6	84.1	13	59.9	31.6	112.3	10	45.8	21.8	95.5
Bones and Joints	1	2.7	0.1	21.9	1	5.0	0.1	42.8	0			
Melanoma of the Skin	6	14.7	5.4	37.5	4	21.7	5.6	66.4	2	8.9	1.0	49.0
Breast (invasive)	36	96.0	66.3	137.5	0				36	193.9	133.5	278.1
Cervix									1	5.1	0.1	44.4
Corpus and Uterus, NOS									6	28.4	10.3	74.1
Ovary									2	9.0	1.1	48.9
Prostate					25	120.4	77.1	186.6				
Testis					0							
Urinary Bladder (includes in situ)	4	9.9	2.7	31.2	4	19.9	5.4	62.6	0			
Kidney and Renal Pelvis	12	29.1	15.0	55.5	8	40.4	17.3	89.2	4	17.9	4.7	60.3
Brain and Nervous System	1	2.6	0.1	21.9	0				1	5.1	0.1	44.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	10	30.3	13.9	60.3	5	31.9	9.6	83.2	5	28.1	8.6	76.7
Myeloma	2	4.4	0.5	23.9	1	4.0	0.1	40.9	1	4.0	0.1	42.4
Leukemia	4	9.3	2.5	30.2	2	11.3	1.4	52.0	2	7.7	0.9	46.7
All Other Sites	22	65.5	38.4	105.9	13	81.4	41.4	148.0	9	59.5	23.0	127.1
Breast in Situ (not in total)									3	16.6	3.2	60.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Carroll

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	583	481.0	440.0	525.2	330	532.7	474.1	597.4	253	449.7	389.9	516.9
Oral Cavity and Pharynx	26	21.8	13.7	33.5	16	26.8	14.6	46.2	10	19.3	8.5	38.8
Esophagus	11	9.9	4.7	19.0	10	18.2	8.4	35.4	1	1.3	0.0	13.0
Stomach	6	5.1	1.8	12.5	6	10.3	3.6	24.6	0			
Colon and Rectum	37	28.5	19.8	40.6	21	34.1	20.8	54.2	16	23.6	12.5	42.6
Liver	8	7.0	2.9	15.2	7	12.2	4.6	27.5	1	1.6	0.0	13.5
Pancreas	16	11.1	6.3	19.3	12	18.4	9.4	34.2	4	5.4	1.5	18.1
Lung and Bronchus	68	49.5	38.1	64.2	38	57.4	40.4	80.7	30	45.2	29.4	68.4
Bones and Joints	0				0				0			
Melanoma of the Skin	33	26.2	17.8	38.0	22	34.4	21.3	54.0	11	19.0	8.8	37.7
Breast (invasive)	64	65.4	49.1	85.6	0				64	136.9	102.0	180.1
Cervix									6	11.3	3.8	27.7
Corpus and Uterus, NOS									22	36.5	21.8	58.9
Ovary									8	14.8	5.2	33.7
Prostate					84	122.8	97.2	154.4				
Testis					3	7.6	1.5	22.5				
Urinary Bladder (includes in situ)	32	23.7	15.9	34.8	23	37.6	23.5	58.4	9	12.5	5.3	27.9
Kidney and Renal Pelvis	17	16.8	9.1	28.5	13	26.4	13.1	47.7	4	6.7	1.6	20.9
Brain and Nervous System	5	4.1	1.2	11.3	3	4.1	0.8	15.4	2	4.8	0.4	20.0
Hodgkin Lymphoma	3	3.1	0.5	10.4	2	4.2	0.4	17.1	1	1.6	0.0	13.5
Non-Hodgkin Lymphoma	31	23.2	15.5	34.3	22	35.0	21.5	55.3	9	11.5	5.2	25.7
Myeloma	7	5.3	2.1	12.4	3	4.7	0.9	16.4	4	6.4	1.7	19.9
Leukemia	24	23.1	14.0	36.1	16	30.4	16.4	52.1	8	15.4	5.8	34.1
All Other Sites	72	60.4	46.2	77.9	29	48.3	31.4	72.0	43	76.0	52.8	107.0
Breast in Situ (not in total)									12	22.2	10.5	42.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Cass

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	394	461.3	415.8	510.8	202	499.0	430.7	575.7	192	432.6	371.4	501.7
Oral Cavity and Pharynx	15	15.8	8.8	26.9	11	25.4	12.5	47.1	4	7.8	2.1	22.6
Esophagus	6	7.1	2.5	16.5	6	14.2	4.9	33.0	0			
Stomach	7	8.7	3.2	18.9	3	7.3	1.3	23.5	4	10.0	2.4	27.6
Colon and Rectum	34	41.1	28.1	58.4	17	47.1	26.9	76.7	17	34.0	19.7	56.3
Liver	9	10.9	4.8	21.5	6	15.0	5.3	34.2	3	8.5	1.6	25.9
Pancreas	13	14.8	7.8	26.2	6	13.5	4.7	31.4	7	14.7	5.9	32.3
Lung and Bronchus	74	85.8	67.1	108.5	36	91.7	63.7	128.4	38	81.5	57.1	113.8
Bones and Joints	1	1.1	0.0	7.5	1	2.4	0.1	15.3	0			
Melanoma of the Skin	13	16.0	8.3	28.1	7	18.4	7.3	39.0	6	16.2	5.5	36.7
Breast (invasive)	39	47.0	33.0	65.2	0				39	91.2	63.9	126.9
Cervix									3	8.2	1.5	25.5
Corpus and Uterus, NOS									16	38.8	21.7	64.8
Ovary									2	3.7	0.4	16.7
Prostate					48	107.3	78.4	144.3				
Testis					1	3.1	0.1	17.2				
Urinary Bladder (includes in situ)	19	22.6	13.5	35.9	13	35.8	18.8	62.1	6	12.7	4.6	29.8
Kidney and Renal Pelvis	17	19.5	11.1	32.2	9	21.1	9.3	41.8	8	17.9	7.3	37.7
Brain and Nervous System	3	3.8	0.7	11.9	0				3	7.1	1.3	23.2
Hodgkin Lymphoma	1	1.8	0.0	9.2	1	3.3	0.1	17.8	0			
Non-Hodgkin Lymphoma	9	10.7	4.8	21.1	6	16.1	5.7	36.1	3	6.8	1.3	22.0
Myeloma	6	6.2	2.2	14.5	5	11.1	3.5	28.0	1	1.8	0.0	14.1
Leukemia	11	13.9	6.9	25.4	6	15.8	5.7	35.5	5	12.3	3.9	30.0
All Other Sites	47	56.0	40.8	75.4	20	50.2	30.2	79.2	27	59.5	38.3	89.0
Breast in Situ (not in total)									9	23.0	10.0	45.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,693	458.1	444.7	471.8	2,395	503.1	482.5	524.3	2,298	428.2	410.3	446.8
Oral Cavity and Pharynx	130	13.2	11.0	15.8	102	22.1	17.9	27.0	28	5.4	3.5	7.9
Esophagus	55	5.2	3.9	6.8	36	7.2	5.0	10.1	19	3.4	2.0	5.4
Stomach	59	5.8	4.4	7.5	34	7.4	5.0	10.3	25	4.5	2.9	6.7
Colon and Rectum	337	34.1	30.5	38.1	181	39.4	33.7	45.7	156	29.1	24.6	34.3
Liver	54	5.1	3.8	6.7	39	8.3	5.9	11.5	15	2.5	1.4	4.2
Pancreas	142	13.4	11.2	15.9	72	15.1	11.7	19.1	70	11.9	9.2	15.2
Lung and Bronchus	573	54.8	50.3	59.6	281	59.7	52.7	67.3	292	51.4	45.5	57.8
Bones and Joints	11	1.2	0.6	2.2	6	1.3	0.5	2.9	5	1.2	0.4	2.8
Melanoma of the Skin	364	36.0	32.3	40.0	207	44.5	38.4	51.2	157	30.6	25.8	36.0
Breast (invasive)	726	72.8	67.5	78.5	12	2.5	1.3	4.4	714	135.8	125.7	146.6
Cervix									20	4.6	2.8	7.1
Corpus and Uterus, NOS									145	26.6	22.3	31.4
Ovary									53	9.9	7.3	13.1
Prostate					654	129.1	119.1	139.7				
Testis					27	5.5	3.5	8.2				
Urinary Bladder (includes in situ)	189	18.1	15.5	20.9	140	30.0	25.1	35.6	49	8.8	6.4	11.7
Kidney and Renal Pelvis	148	14.5	12.2	17.1	90	18.7	14.9	23.2	58	10.9	8.2	14.2
Brain and Nervous System	67	7.0	5.4	9.0	42	9.0	6.4	12.4	25	5.5	3.5	8.1
Hodgkin Lymphoma	23	2.2	1.4	3.4	13	2.9	1.5	5.0	10	1.5	0.7	2.9
Non-Hodgkin Lymphoma	172	16.9	14.4	19.7	101	21.4	17.3	26.1	71	13.3	10.3	16.9
Myeloma	80	7.8	6.1	9.7	38	8.5	6.0	11.7	42	7.2	5.2	9.9
Leukemia	140	14.0	11.7	16.6	76	17.0	13.3	21.4	64	11.8	9.0	15.3
All Other Sites	524	52.1	47.6	56.9	244	53.5	46.8	60.9	280	52.5	46.3	59.2
Breast in Situ (not in total)									153	32.1	27.0	37.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Christian

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,307	543.5	513.5	575.0	727	625.9	580.3	674.5	580	490.1	448.2	535.3
Oral Cavity and Pharynx	37	16.6	11.5	23.3	30	27.0	18.0	39.2	7	5.5	2.2	12.6
Esophagus	12	5.5	2.7	9.9	8	7.1	3.0	14.5	4	4.8	1.1	13.1
Stomach	14	5.8	3.1	10.1	9	7.5	3.4	15.0	5	4.6	1.3	12.1
Colon and Rectum	127	52.4	43.5	62.9	80	69.4	54.8	87.1	47	38.1	27.4	52.1
Liver	20	7.7	4.7	12.3	15	12.1	6.7	20.7	5	3.6	1.2	9.7
Pancreas	33	12.7	8.7	18.2	21	17.7	10.9	27.7	12	7.7	3.9	14.8
Lung and Bronchus	254	101.5	89.3	115.3	139	118.8	99.5	141.0	115	88.2	72.4	107.1
Bones and Joints	3	1.8	0.3	5.4	1	1.4	0.0	7.2	2	2.1	0.2	8.6
Melanoma of the Skin	64	28.6	21.7	37.1	40	35.8	25.3	49.3	24	25.8	15.7	40.0
Breast (invasive)	150	66.1	55.5	78.2	1	0.7	0.0	5.3	149	133.8	111.6	159.3
Cervix									8	10.3	4.1	20.9
Corpus and Uterus, NOS									25	18.8	12.0	28.9
Ovary									20	17.3	10.1	28.2
Prostate					150	120.9	102.0	142.7				
Testis					6	6.2	2.2	13.9				
Urinary Bladder (includes in situ)	60	23.4	17.8	30.5	48	41.8	30.7	56.1	12	9.2	4.5	17.4
Kidney and Renal Pelvis	58	24.0	18.1	31.5	41	35.4	25.2	48.7	17	14.9	8.4	25.1
Brain and Nervous System	19	8.7	5.1	14.1	11	9.9	4.8	18.4	8	7.6	2.9	16.3
Hodgkin Lymphoma	4	2.3	0.6	6.0	3	3.5	0.7	10.3	1	0.7	0.0	5.8
Non-Hodgkin Lymphoma	47	19.3	14.1	26.2	27	23.4	15.2	34.7	20	15.7	9.3	25.5
Myeloma	14	5.1	2.8	8.9	10	8.4	4.0	16.2	4	2.8	0.8	8.7
Leukemia	43	17.6	12.6	24.1	23	20.4	12.8	31.3	20	14.8	8.9	24.1
All Other Sites	139	59.4	49.6	70.8	64	58.4	44.8	75.2	75	63.7	48.9	81.8
Breast in Situ (not in total)									23	25.9	15.8	40.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Clark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	465	440.9	399.9	485.2	231	462.0	401.5	529.4	234	439.8	381.8	504.7
Oral Cavity and Pharynx	17	17.1	9.5	28.4	12	27.7	13.6	50.2	5	8.9	2.7	23.1
Esophagus	6	4.9	1.8	11.8	6	11.6	4.0	27.1	0			
Stomach	4	4.8	1.3	12.5	3	7.5	1.5	22.3	1	1.8	0.0	12.7
Colon and Rectum	48	48.5	35.2	65.6	19	39.8	23.5	63.7	29	55.1	35.4	82.3
Liver	5	4.0	1.3	10.4	3	5.0	1.0	17.1	2	2.6	0.3	13.2
Pancreas	11	9.0	4.5	17.1	5	10.4	3.1	26.2	6	9.8	3.6	23.5
Lung and Bronchus	82	70.2	55.5	88.1	46	85.5	61.7	116.3	36	58.1	40.4	82.3
Bones and Joints	1	0.9	0.0	6.4	1	2.0	0.1	13.2	0			
Melanoma of the Skin	23	23.5	14.6	36.1	14	29.6	15.8	51.0	9	21.3	9.3	41.8
Breast (invasive)	52	53.4	39.2	71.2	1	2.9	0.1	15.4	51	102.3	74.7	137.1
Cervix									3	9.4	1.9	26.7
Corpus and Uterus, NOS									23	41.6	25.6	64.7
Ovary									5	11.3	3.3	28.0
Prostate					39	66.0	46.5	92.1				
Testis					1	3.0	0.1	15.7				
Urinary Bladder (includes in situ)	29	23.9	15.9	35.2	20	37.8	22.5	60.4	9	14.1	6.3	29.1
Kidney and Renal Pelvis	22	21.4	13.0	33.4	13	25.9	13.2	46.3	9	16.6	7.3	33.5
Brain and Nervous System	7	8.0	3.0	17.1	2	5.8	0.6	20.6	5	9.8	3.0	24.8
Hodgkin Lymphoma	2	2.2	0.2	8.6	0				2	4.6	0.5	17.9
Non-Hodgkin Lymphoma	24	22.9	14.4	35.0	17	35.2	20.0	58.1	7	13.4	5.1	29.7
Myeloma	2	1.6	0.2	7.1	1	1.3	0.0	11.6	1	1.6	0.0	12.1
Leukemia	17	17.4	9.7	28.9	8	17.2	6.8	35.9	9	16.3	6.9	33.5
All Other Sites	42	42.5	30.0	58.6	20	47.8	28.4	75.4	22	41.3	24.8	65.3
Breast in Situ (not in total)									6	11.9	4.1	27.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Clay

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	531	554.3	506.1	606.1	285	618.5	546.4	698.2	246	507.0	441.4	580.5
Oral Cavity and Pharynx	20	20.3	12.0	32.9	15	32.2	17.2	56.0	5	8.2	2.6	22.5
Esophagus	8	8.1	3.4	17.0	7	15.2	5.9	33.4	1	1.8	0.0	14.1
Stomach	3	2.8	0.6	9.8	2	4.3	0.5	18.2	1	1.3	0.0	13.1
Colon and Rectum	49	50.1	36.6	67.4	26	56.5	36.5	84.8	23	44.4	27.3	69.8
Liver	4	3.9	1.0	11.3	4	8.1	2.1	23.4	0			
Pancreas	8	7.3	3.1	15.6	5	9.2	2.9	24.5	3	5.3	1.1	19.0
Lung and Bronchus	91	89.3	71.7	110.6	52	116.9	86.7	155.1	39	69.2	49.1	96.8
Bones and Joints	1	1.0	0.0	7.2	1	2.0	0.1	14.5	0			
Melanoma of the Skin	31	33.0	22.0	48.0	15	32.3	17.7	55.4	16	32.9	17.9	56.7
Breast (invasive)	61	66.7	50.2	87.4	1	2.6	0.1	16.1	60	128.7	96.1	169.5
Cervix									2	6.4	0.8	22.9
Corpus and Uterus, NOS									14	31.5	16.1	55.9
Ovary									6	15.8	5.2	36.6
Prostate					65	128.4	98.3	166.1				
Testis					2	4.7	0.5	19.2				
Urinary Bladder (includes in situ)	24	23.2	14.6	35.8	19	39.7	23.6	64.1	5	10.3	2.7	27.7
Kidney and Renal Pelvis	32	37.8	25.2	54.9	17	42.7	24.1	70.4	15	34.0	17.9	59.3
Brain and Nervous System	3	4.2	0.7	13.1	1	4.4	0.1	21.0	2	3.7	0.4	16.8
Hodgkin Lymphoma	2	3.1	0.3	11.4	1	2.0	0.1	14.5	1	4.3	0.1	20.8
Non-Hodgkin Lymphoma	23	23.4	14.7	36.2	15	32.8	18.0	56.2	8	13.0	5.5	28.9
Myeloma	5	4.6	1.5	12.1	2	3.3	0.4	15.9	3	5.1	1.0	18.7
Leukemia	12	13.3	6.7	24.3	4	8.8	2.3	24.7	8	18.1	7.4	38.0
All Other Sites	65	71.9	54.8	93.0	31	72.5	48.6	104.8	34	73.1	49.2	105.4
Breast in Situ (not in total)									11	28.5	13.3	53.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Clinton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,221	502.1	473.5	532.2	669	557.5	514.9	602.9	552	462.2	422.5	504.7
Oral Cavity and Pharynx	31	13.3	8.9	19.3	21	18.9	11.5	29.4	10	7.2	3.4	14.3
Esophagus	31	13.8	9.2	19.9	21	17.8	10.8	27.8	10	10.0	4.5	19.2
Stomach	11	4.7	2.3	8.8	10	8.8	4.1	16.8	1	0.9	0.0	5.8
Colon and Rectum	89	38.4	30.6	47.7	43	39.7	28.5	54.0	46	38.2	27.5	52.0
Liver	11	4.8	2.3	8.8	8	6.7	2.8	13.7	3	2.7	0.6	8.6
Pancreas	27	11.2	7.3	16.6	13	12.3	6.5	21.4	14	10.7	5.8	18.7
Lung and Bronchus	154	61.1	51.7	72.0	81	67.7	53.5	84.8	73	55.7	43.4	70.9
Bones and Joints	1	0.3	0.0	2.5	1	0.7	0.0	4.9	0			
Melanoma of the Skin	80	34.9	27.4	43.9	48	39.9	29.1	53.6	32	30.2	20.2	43.6
Breast (invasive)	159	67.3	56.8	79.2	0				159	135.0	113.7	159.3
Cervix									9	10.2	4.5	19.8
Corpus and Uterus, NOS									41	32.8	23.1	45.5
Ovary									6	4.8	1.6	11.4
Prostate					181	136.7	117.2	159.0				
Testis					9	9.3	4.2	17.8				
Urinary Bladder (includes in situ)	56	22.8	17.1	29.9	47	41.0	29.9	55.1	9	7.7	3.5	15.4
Kidney and Renal Pelvis	65	26.2	20.0	33.8	40	32.1	22.6	44.4	25	20.6	13.1	31.3
Brain and Nervous System	16	6.9	3.8	11.5	11	10.0	4.9	18.4	5	3.5	1.1	9.2
Hodgkin Lymphoma	2	1.3	0.2	4.4	2	2.3	0.3	8.1	0			
Non-Hodgkin Lymphoma	40	16.3	11.5	22.6	23	19.2	12.0	29.4	17	14.1	7.9	23.5
Myeloma	13	4.9	2.6	8.8	8	6.4	2.7	13.2	5	3.8	1.2	9.8
Leukemia	44	19.4	13.9	26.4	28	24.3	16.0	35.7	16	15.1	8.3	25.4
All Other Sites	145	59.3	49.7	70.2	74	63.7	49.7	80.6	71	58.7	45.3	75.1
Breast in Situ (not in total)									25	22.2	14.0	33.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Coles

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,361	458.8	433.7	484.9	654	472.4	435.7	511.5	707	451.5	417.0	488.4
Oral Cavity and Pharynx	40	12.7	8.9	17.6	27	18.2	11.8	27.1	13	7.7	3.9	14.0
Esophagus	20	6.0	3.6	9.6	17	10.9	6.2	18.1	3	1.9	0.3	6.4
Stomach	12	3.8	1.9	7.0	5	3.4	1.1	8.4	7	4.1	1.4	9.5
Colon and Rectum	137	45.7	38.1	54.4	69	51.6	39.8	66.0	68	40.7	31.2	52.5
Liver	24	7.8	4.9	12.0	17	11.8	6.7	19.5	7	4.4	1.6	9.8
Pancreas	41	12.9	9.1	17.8	20	14.1	8.4	22.3	21	11.7	7.0	18.7
Lung and Bronchus	238	77.0	67.3	87.8	123	88.3	73.0	106.0	115	68.5	56.2	82.9
Bones and Joints	2	0.8	0.1	3.0	1	0.9	0.0	5.0	1	0.8	0.0	4.8
Melanoma of the Skin	78	27.9	21.8	35.3	46	33.8	24.4	45.7	32	23.5	15.7	34.0
Breast (invasive)	192	64.3	55.2	74.6	2	1.2	0.1	5.2	190	119.8	102.5	139.3
Cervix									7	5.7	2.2	12.1
Corpus and Uterus, NOS									47	27.8	20.2	37.8
Ovary									12	9.4	4.6	17.1
Prostate					116	76.0	62.5	91.7				
Testis					9	9.2	4.1	17.3				
Urinary Bladder (includes in situ)	59	18.8	14.2	24.6	43	32.2	23.1	43.8	16	9.2	5.2	15.5
Kidney and Renal Pelvis	69	26.3	20.1	33.7	40	32.0	22.5	44.2	29	20.7	13.4	30.6
Brain and Nervous System	19	7.3	4.3	11.7	10	8.2	3.8	15.4	9	6.2	2.7	12.4
Hodgkin Lymphoma	8	3.4	1.4	7.0	3	2.1	0.4	7.0	5	4.8	1.5	11.3
Non-Hodgkin Lymphoma	51	16.9	12.5	22.5	27	19.3	12.6	28.6	24	14.0	8.9	21.4
Myeloma	9	2.8	1.3	5.6	5	3.3	1.0	8.2	4	2.4	0.6	6.8
Leukemia	30	12.0	7.9	17.4	14	11.6	6.2	19.8	16	12.7	6.9	21.4
All Other Sites	141	50.3	42.0	59.9	60	44.6	33.7	58.1	81	55.7	43.5	70.4
Breast in Situ (not in total)									29	19.5	12.7	28.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	130,774	432.1	429.7	434.5	63,325	462.6	459.0	466.4	67,449	415.9	412.7	419.2
Oral Cavity and Pharynx	3,372	10.9	10.5	11.3	2,282	16.1	15.4	16.8	1,090	6.5	6.1	6.9
Esophagus	1,226	3.9	3.7	4.1	902	6.5	6.0	6.9	324	1.8	1.6	2.0
Stomach	2,514	8.4	8.1	8.7	1,450	10.9	10.4	11.5	1,064	6.5	6.1	6.9
Colon and Rectum	11,477	38.2	37.5	38.9	6,048	44.9	43.7	46.1	5,429	32.9	32.0	33.8
Liver	2,259	7.1	6.8	7.4	1,551	10.8	10.2	11.3	708	4.1	3.8	4.4
Pancreas	4,521	14.8	14.3	15.2	2,229	16.4	15.7	17.2	2,292	13.4	12.8	13.9
Lung and Bronchus	15,443	50.3	49.5	51.1	7,374	55.4	54.2	56.8	8,069	46.8	45.8	47.9
Bones and Joints	258	1.0	0.8	1.1	142	1.1	0.9	1.3	116	0.8	0.7	1.0
Melanoma of the Skin	4,601	15.5	15.0	16.0	2,566	19.3	18.5	20.0	2,035	13.0	12.4	13.6
Breast (invasive)	20,797	70.5	69.5	71.5	200	1.5	1.3	1.7	20,597	130.7	128.8	132.5
Cervix									1,085	7.4	7.0	7.9
Corpus and Uterus, NOS									5,284	31.7	30.9	32.6
Ovary									1,709	10.8	10.3	11.4
Prostate					17,474	119.6	117.8	121.5				
Testis					744	5.6	5.2	6.0				
Urinary Bladder (includes in situ)	5,083	16.8	16.3	17.2	3,743	29.3	28.3	30.3	1,340	7.7	7.3	8.1
Kidney and Renal Pelvis	4,688	15.5	15.1	16.0	2,912	21.1	20.3	21.9	1,776	10.9	10.4	11.5
Brain and Nervous System	1,527	5.4	5.1	5.7	854	6.5	6.1	7.0	673	4.5	4.1	4.8
Hodgkin Lymphoma	777	2.8	2.6	3.0	398	3.0	2.7	3.3	379	2.7	2.4	3.0
Non-Hodgkin Lymphoma	5,219	17.6	17.1	18.1	2,738	20.9	20.1	21.7	2,481	15.1	14.5	15.7
Myeloma	2,259	7.5	7.1	7.8	1,128	8.4	7.9	9.0	1,131	6.7	6.3	7.1
Leukemia	3,642	12.6	12.1	13.0	2,086	16.2	15.5	16.9	1,556	9.9	9.4	10.4
All Other Sites	14,815	50.2	49.4	51.0	6,504	49.3	48.1	50.5	8,311	52.1	50.9	53.2
Breast in Situ (not in total)									5,065	33.1	32.2	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Crawford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	595	449.5	412.9	488.7	323	516.3	460.0	578.1	272	415.7	364.6	472.5
Oral Cavity and Pharynx	14	10.5	5.6	18.4	9	13.9	6.2	27.8	5	7.9	2.3	20.7
Esophagus	10	7.7	3.6	14.9	9	15.2	6.7	29.9	1	2.3	0.1	12.9
Stomach	8	6.4	2.6	13.4	6	7.9	2.9	18.9	2	5.9	0.7	20.0
Colon and Rectum	54	43.7	32.5	57.8	37	64.6	45.1	90.2	17	23.4	13.3	39.5
Liver	10	7.5	3.5	14.6	7	10.1	3.9	22.4	3	4.5	0.9	15.2
Pancreas	18	12.4	7.3	20.4	9	14.5	6.4	28.8	9	12.4	5.5	25.7
Lung and Bronchus	95	69.9	56.3	86.2	54	86.3	64.3	113.9	41	59.3	42.1	82.4
Bones and Joints	0				0				0			
Melanoma of the Skin	32	26.3	17.6	38.0	16	26.8	15.1	44.5	16	27.8	14.8	47.8
Breast (invasive)	75	59.7	46.4	75.9	1	1.9	0.0	11.3	74	119.0	91.6	152.6
Cervix									0			
Corpus and Uterus, NOS									22	27.5	17.0	43.6
Ovary									8	12.3	5.0	26.5
Prostate					66	103.4	79.3	132.9				
Testis					4	7.5	2.0	19.6				
Urinary Bladder (includes in situ)	24	16.3	10.4	25.0	20	30.8	18.5	48.9	4	5.6	1.4	16.9
Kidney and Renal Pelvis	29	22.2	14.7	32.6	19	28.0	16.6	45.0	10	18.2	8.4	34.9
Brain and Nervous System	10	7.8	3.6	15.1	4	7.0	1.7	19.1	6	8.2	3.0	20.1
Hodgkin Lymphoma	2	2.0	0.2	7.6	1	2.7	0.1	13.5	1	1.2	0.0	10.3
Non-Hodgkin Lymphoma	29	20.5	13.6	30.2	13	18.3	9.6	32.8	16	21.6	12.0	37.2
Myeloma	2	1.2	0.1	5.7	2	2.3	0.3	11.1	0			
Leukemia	14	10.5	5.7	18.2	10	18.0	8.5	33.9	4	5.4	1.5	16.1
All Other Sites	69	53.7	41.4	68.9	36	57.2	39.6	80.5	33	53.2	35.4	77.3
Breast in Situ (not in total)									8	11.8	4.8	25.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Cumberland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	356	496.8	443.9	554.7	196	550.1	472.5	637.6	160	450.0	378.7	531.6
Oral Cavity and Pharynx	7	8.8	3.4	19.7	5	12.5	3.9	32.5	2	5.0	0.6	22.1
Esophagus	7	9.4	3.6	21.0	5	12.3	3.9	32.0	2	6.4	0.6	26.2
Stomach	2	2.8	0.3	11.8	1	1.9	0.0	16.9	1	3.9	0.1	22.0
Colon and Rectum	40	53.3	37.6	74.2	20	56.5	33.8	89.9	20	50.5	30.2	81.2
Liver	3	4.9	1.0	15.3	3	9.5	1.9	29.6	0			
Pancreas	6	8.9	3.2	20.4	3	9.3	1.9	29.2	3	8.2	1.7	26.9
Lung and Bronchus	49	60.4	44.4	81.2	26	66.4	43.0	99.8	23	55.7	34.6	86.9
Bones and Joints	1	1.1	0.0	8.8	1	3.0	0.1	19.5	0			
Melanoma of the Skin	28	45.0	29.0	66.9	20	60.0	35.4	95.8	8	30.8	12.4	62.7
Breast (invasive)	52	77.5	56.8	103.7	1	3.0	0.1	19.5	51	153.2	111.5	205.9
Cervix									2	7.0	0.6	27.6
Corpus and Uterus, NOS									9	22.0	9.4	45.9
Ovary									3	7.1	1.5	24.9
Prostate					45	120.0	86.2	163.9				
Testis					2	9.7	1.2	32.8				
Urinary Bladder (includes in situ)	13	16.5	8.5	29.7	12	28.9	14.7	53.4	1	4.7	0.1	24.3
Kidney and Renal Pelvis	21	27.3	16.5	43.2	14	36.0	19.4	63.2	7	20.3	7.7	44.8
Brain and Nervous System	7	14.7	5.7	30.3	7	29.3	11.6	60.2	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	8	9.9	4.2	21.2	6	14.5	5.2	34.8	2	5.8	0.6	24.3
Myeloma	3	4.3	0.7	14.3	3	8.4	1.5	28.1	0			
Leukemia	5	8.3	2.5	20.3	3	8.2	1.6	27.1	2	9.0	1.1	31.2
All Other Sites	43	61.7	43.9	84.8	19	60.6	35.5	97.3	24	60.5	38.0	93.2
Breast in Situ (not in total)									4	13.8	3.3	37.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

DeKalb

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,826	556.8	536.0	578.2	1,463	617.3	585.0	650.8	1,363	520.9	492.8	550.3
Oral Cavity and Pharynx	78	15.3	12.0	19.2	57	22.7	17.0	29.7	21	8.1	4.9	12.4
Esophagus	32	6.2	4.2	8.8	28	11.7	7.7	17.1	4	1.3	0.4	3.7
Stomach	40	7.5	5.3	10.3	26	10.9	7.0	16.1	14	5.2	2.8	8.9
Colon and Rectum	242	48.1	42.1	54.7	135	58.5	48.7	69.6	107	39.2	31.9	47.6
Liver	21	3.7	2.3	5.7	15	5.4	3.0	9.1	6	1.8	0.7	4.2
Pancreas	78	16.0	12.6	20.1	43	19.4	13.9	26.3	35	13.1	9.1	18.4
Lung and Bronchus	322	62.5	55.8	69.9	163	72.0	61.0	84.3	159	56.9	48.2	66.7
Bones and Joints	3	0.6	0.1	1.8	1	0.4	0.0	2.4	2	0.8	0.1	2.9
Melanoma of the Skin	188	37.1	31.9	42.9	108	45.4	37.0	55.1	80	31.1	24.5	39.0
Breast (invasive)	390	79.1	71.2	87.6	4	1.3	0.4	3.6	386	151.0	135.9	167.4
Cervix									21	9.0	5.5	13.9
Corpus and Uterus, NOS									75	27.4	21.4	34.6
Ovary									25	9.3	5.9	13.9
Prostate					377	146.8	131.9	162.9				
Testis					17	6.9	3.9	11.3				
Urinary Bladder (includes in situ)	111	22.4	18.4	27.1	90	42.6	34.0	52.6	21	7.7	4.7	11.9
Kidney and Renal Pelvis	97	18.9	15.2	23.1	56	23.5	17.5	30.7	41	14.8	10.5	20.3
Brain and Nervous System	36	7.4	5.1	10.3	26	11.7	7.5	17.3	10	3.9	1.8	7.4
Hodgkin Lymphoma	21	3.5	2.1	5.5	12	4.3	2.2	7.8	9	2.8	1.1	5.7
Non-Hodgkin Lymphoma	111	22.4	18.3	27.1	55	23.6	17.6	30.9	56	21.9	16.4	28.7
Myeloma	51	10.3	7.6	13.6	32	14.5	9.8	20.6	19	7.4	4.4	11.8
Leukemia	105	21.0	17.1	25.6	55	23.2	17.4	30.5	50	19.0	13.9	25.3
All Other Sites	385	79.2	71.3	87.7	163	72.6	61.6	85.0	222	89.4	77.6	102.4
Breast in Situ (not in total)									87	35.0	27.8	43.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

DeWitt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	521	466.2	425.5	510.1	253	478.9	419.3	545.2	268	461.8	405.7	524.3
Oral Cavity and Pharynx	14	13.1	6.8	23.0	7	11.5	4.4	26.2	7	13.6	5.0	30.4
Esophagus	8	5.9	2.5	12.8	7	10.0	4.0	23.2	1	1.7	0.0	12.4
Stomach	5	3.6	1.1	9.9	4	6.4	1.6	19.3	1	1.3	0.0	11.6
Colon and Rectum	47	43.7	31.7	59.2	23	46.0	28.7	70.6	24	42.6	26.5	66.0
Liver	6	4.3	1.6	10.8	5	7.6	2.4	20.3	1	1.3	0.0	11.6
Pancreas	16	13.2	7.5	22.3	6	10.3	3.6	24.7	10	15.5	7.4	30.6
Lung and Bronchus	90	77.5	62.0	96.2	53	102.5	76.1	136.0	37	60.2	41.8	85.2
Bones and Joints	0				0				0			
Melanoma of the Skin	31	28.6	18.9	41.8	15	29.1	15.7	50.2	16	28.7	15.8	49.0
Breast (invasive)	57	49.6	37.2	65.4	0				57	94.7	70.9	125.0
Cervix									2	2.9	0.3	13.9
Corpus and Uterus, NOS									29	51.4	33.7	76.1
Ovary									7	12.0	4.7	26.7
Prostate					42	65.4	46.7	90.5				
Testis					1	3.1	0.1	16.2				
Urinary Bladder (includes in situ)	27	24.9	16.2	37.2	17	35.1	20.0	57.8	10	16.9	7.8	33.3
Kidney and Renal Pelvis	17	16.4	9.2	27.2	15	30.5	16.5	52.1	2	3.3	0.4	14.6
Brain and Nervous System	8	7.6	3.1	16.0	4	8.3	2.0	23.1	4	6.0	1.6	18.2
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	23	21.0	13.1	32.5	10	21.1	9.7	40.4	13	20.1	10.6	36.3
Myeloma	8	7.1	3.0	14.8	5	9.8	3.1	24.6	3	4.7	0.9	16.5
Leukemia	17	17.1	9.6	28.4	7	16.5	6.2	35.3	10	17.7	8.0	34.9
All Other Sites	66	64.9	49.6	83.8	32	65.9	44.3	94.9	34	67.2	45.3	96.5
Breast in Situ (not in total)									7	14.6	5.4	32.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Douglas

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	621	486.1	447.2	527.6	295	479.2	424.8	539.1	326	502.5	446.4	564.1
Oral Cavity and Pharynx	15	10.1	5.6	17.3	11	15.7	7.7	29.3	4	4.6	1.2	13.9
Esophagus	11	8.9	4.2	16.6	8	12.8	5.3	26.5	3	5.2	0.8	16.5
Stomach	2	2.0	0.2	7.5	2	4.0	0.4	15.0	0			
Colon and Rectum	49	37.6	27.5	50.4	23	37.3	23.3	57.0	26	38.2	24.3	57.6
Liver	6	4.6	1.6	10.7	3	4.8	1.0	15.1	3	5.2	1.0	16.2
Pancreas	17	12.7	7.3	20.8	12	20.0	10.2	35.8	5	6.4	2.1	16.7
Lung and Bronchus	93	71.2	57.1	88.0	47	79.0	57.7	106.1	46	66.5	48.1	90.3
Bones and Joints	2	1.8	0.2	6.8	1	2.1	0.1	11.7	1	1.1	0.0	9.1
Melanoma of the Skin	54	41.3	30.7	54.7	25	40.1	25.7	60.2	29	45.0	29.3	66.4
Breast (invasive)	83	68.7	54.0	86.2	1	2.7	0.1	13.4	82	129.0	101.0	162.6
Cervix									5	9.7	2.8	23.5
Corpus and Uterus, NOS									17	28.9	16.1	47.7
Ovary									4	6.7	1.6	18.5
Prostate					76	115.0	90.2	145.2				
Testis					2	4.6	0.6	15.9				
Urinary Bladder (includes in situ)	26	18.1	11.7	27.1	19	28.8	17.1	46.0	7	9.7	3.7	21.5
Kidney and Renal Pelvis	26	20.0	12.9	30.0	14	22.9	12.2	39.5	12	16.4	8.1	30.3
Brain and Nervous System	5	4.2	1.3	10.3	2	4.2	0.5	15.1	3	3.8	0.8	13.0
Hodgkin Lymphoma	4	4.4	1.2	11.1	2	4.1	0.5	14.7	2	4.8	0.6	16.4
Non-Hodgkin Lymphoma	24	19.6	12.3	29.9	6	10.1	3.7	22.8	18	28.8	16.4	47.2
Myeloma	4	2.9	0.8	8.2	2	3.6	0.4	13.5	2	3.1	0.4	12.5
Leukemia	25	18.2	11.6	27.4	10	16.5	7.8	31.2	15	20.7	11.2	35.7
All Other Sites	71	59.7	46.1	76.1	29	51.2	33.8	74.6	42	69.0	48.7	95.1
Breast in Situ (not in total)									13	22.4	11.3	39.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	25,528	447.9	442.3	453.6	12,603	475.6	467.1	484.3	12,925	434.5	426.8	442.3
Oral Cavity and Pharynx	696	11.8	10.9	12.7	506	18.2	16.6	20.0	190	6.1	5.2	7.1
Esophagus	239	4.1	3.6	4.7	162	6.2	5.3	7.3	77	2.3	1.8	2.9
Stomach	371	6.5	5.8	7.2	230	8.8	7.7	10.1	141	4.6	3.8	5.4
Colon and Rectum	1,987	35.3	33.8	37.0	1,056	40.8	38.2	43.4	931	30.8	28.8	32.9
Liver	280	4.7	4.1	5.3	207	7.6	6.5	8.7	73	2.4	1.9	3.0
Pancreas	805	14.1	13.1	15.1	433	17.0	15.4	18.8	372	11.7	10.5	13.0
Lung and Bronchus	2,656	46.0	44.2	47.8	1,215	47.1	44.4	50.0	1,441	45.5	43.1	47.9
Bones and Joints	53	1.1	0.8	1.5	29	1.2	0.8	1.8	24	1.0	0.6	1.5
Melanoma of the Skin	1,349	24.2	22.9	25.5	766	29.3	27.2	31.6	583	20.7	19.0	22.6
Breast (invasive)	4,279	76.1	73.8	78.5	38	1.6	1.1	2.3	4,241	144.0	139.5	148.6
Cervix									118	4.7	3.8	5.6
Corpus and Uterus, NOS									1,012	32.0	30.0	34.1
Ovary									316	10.9	9.7	12.2
Prostate					3,401	116.3	112.3	120.5				
Testis					152	6.9	5.9	8.1				
Urinary Bladder (includes in situ)	1,185	20.7	19.5	22.0	931	37.7	35.2	40.3	254	8.0	7.0	9.1
Kidney and Renal Pelvis	885	15.6	14.6	16.7	567	21.2	19.4	23.1	318	10.7	9.6	12.0
Brain and Nervous System	367	6.9	6.2	7.7	215	8.7	7.5	10.0	152	5.3	4.5	6.3
Hodgkin Lymphoma	171	3.7	3.1	4.3	82	3.4	2.7	4.3	89	3.9	3.1	4.8
Non-Hodgkin Lymphoma	1,127	20.2	19.0	21.5	651	25.4	23.4	27.5	476	16.1	14.6	17.6
Myeloma	368	6.2	5.6	6.9	204	7.7	6.7	8.9	164	5.0	4.3	5.9
Leukemia	799	14.7	13.6	15.7	481	19.4	17.6	21.2	318	10.9	9.7	12.3
All Other Sites	2,912	53.6	51.6	55.6	1,277	51.0	48.2	54.0	1,635	57.8	55.0	60.8
Breast in Situ (not in total)									1,189	41.4	39.0	43.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Edgar

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	564	446.1	407.5	487.6	299	476.3	421.8	536.8	265	430.3	374.6	492.4
Oral Cavity and Pharynx	16	10.5	6.0	18.1	14	19.9	10.8	35.4	2	2.5	0.3	12.6
Esophagus	13	8.9	4.6	16.4	10	13.7	6.4	27.8	3	4.0	0.8	14.7
Stomach	8	7.3	2.8	15.5	5	7.2	2.3	19.4	3	7.8	1.4	23.3
Colon and Rectum	55	43.1	31.8	57.5	34	57.8	39.3	83.0	21	28.9	16.8	47.6
Liver	9	5.9	2.7	12.4	6	7.9	2.8	19.9	3	3.6	0.7	14.2
Pancreas	15	10.2	5.7	17.8	8	13.2	5.6	27.8	7	8.5	3.4	20.5
Lung and Bronchus	94	68.3	54.6	85.0	50	78.1	57.5	104.9	44	62.9	44.3	87.7
Bones and Joints	1	0.6	0.0	5.3	0				1	0.8	0.0	10.2
Melanoma of the Skin	22	21.7	13.2	33.8	12	22.4	11.4	40.5	10	23.2	10.5	44.0
Breast (invasive)	65	59.1	44.6	77.0	1	2.3	0.1	13.5	64	110.9	82.9	145.8
Cervix									6	9.8	2.9	24.6
Corpus and Uterus, NOS									20	27.6	16.2	45.5
Ovary									6	9.2	3.2	22.5
Prostate					53	76.3	56.9	101.5				
Testis					3	9.6	2.0	26.6				
Urinary Bladder (includes in situ)	44	32.7	23.3	45.3	33	52.2	35.4	75.5	11	17.7	8.0	34.8
Kidney and Renal Pelvis	26	22.9	14.4	34.9	16	26.6	14.9	45.0	10	21.4	9.5	41.4
Brain and Nervous System	3	2.1	0.4	7.6	1	1.5	0.0	11.4	2	2.7	0.3	13.0
Hodgkin Lymphoma	5	5.5	1.7	13.3	5	10.9	3.4	26.4	0			
Non-Hodgkin Lymphoma	20	14.4	8.6	23.3	12	17.6	9.0	32.8	8	13.2	5.4	28.1
Myeloma	10	7.1	3.1	14.4	3	3.8	0.8	14.3	7	9.5	3.3	23.1
Leukemia	13	13.3	6.8	23.7	9	18.7	8.1	37.0	4	8.2	1.9	22.9
All Other Sites	57	47.6	35.1	63.3	24	36.5	23.0	56.3	33	57.8	37.8	85.0
Breast in Situ (not in total)									11	20.0	9.2	38.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Edwards

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	199	436.6	375.0	506.4	111	510.6	416.8	621.3	88	374.2	293.9	471.3
Oral Cavity and Pharynx	4	8.7	2.2	25.2	3	13.8	2.7	46.0	1	2.5	0.1	27.4
Esophagus	4	7.1	1.9	22.0	4	15.9	4.1	47.8	0			
Stomach	2	3.3	0.4	16.7	0				2	6.5	0.8	33.0
Colon and Rectum	21	48.6	29.6	76.5	12	59.7	30.2	108.4	9	34.2	15.4	70.7
Liver	3	5.2	1.1	19.2	3	10.9	2.2	40.1	0			
Pancreas	4	7.6	2.0	22.8	2	9.4	1.0	39.9	2	7.9	0.9	35.7
Lung and Bronchus	42	88.1	62.4	122.1	27	121.4	78.5	182.2	15	56.9	30.7	100.4
Bones and Joints	2	5.6	0.5	22.3	1	7.8	0.2	40.8	1	3.1	0.1	28.5
Melanoma of the Skin	7	15.9	5.7	36.0	5	24.4	7.7	61.5	2	13.0	1.1	49.4
Breast (invasive)	26	61.6	38.7	93.6	0				26	117.0	72.6	179.8
Cervix									0			
Corpus and Uterus, NOS									7	37.2	13.2	82.6
Ovary									1	3.4	0.1	29.0
Prostate					20	84.1	50.8	134.8				
Testis					1	7.8	0.2	40.8				
Urinary Bladder (includes in situ)	7	14.6	5.7	32.8	5	24.1	7.5	61.1	2	7.0	0.8	33.9
Kidney and Renal Pelvis	12	28.0	13.7	51.7	10	43.7	20.4	85.8	2	12.0	1.0	47.0
Brain and Nervous System	1	1.7	0.0	14.5	1	3.6	0.1	30.1	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	12.2	3.9	30.3	2	10.2	1.2	41.3	3	14.0	2.7	46.0
Myeloma	5	9.5	3.0	25.4	4	17.4	4.5	50.7	1	3.4	0.1	29.0
Leukemia	6	11.8	4.2	28.9	4	16.1	4.1	48.3	2	6.5	0.8	33.0
All Other Sites	19	42.9	25.0	69.8	7	40.4	15.6	86.4	12	49.8	24.8	92.7
Breast in Situ (not in total)									2	9.7	1.0	40.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Effingham

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,115	494.0	464.4	525.2	579	542.1	497.3	590.0	536	460.8	420.6	504.1
Oral Cavity and Pharynx	27	12.3	7.9	18.4	20	18.4	10.8	29.4	7	5.9	2.3	13.0
Esophagus	11	4.5	2.2	8.5	9	7.8	3.4	15.7	2	1.3	0.2	6.2
Stomach	7	2.9	1.1	6.3	6	6.0	2.1	13.6	1	0.8	0.0	5.5
Colon and Rectum	117	56.1	46.1	67.9	59	62.5	47.0	81.5	58	50.0	37.4	65.7
Liver	12	4.8	2.4	8.7	11	9.4	4.5	17.6	1	0.8	0.0	5.6
Pancreas	30	12.5	8.4	18.1	11	9.5	4.6	17.6	19	14.2	8.5	23.0
Lung and Bronchus	143	59.3	49.8	70.2	77	70.1	54.9	88.5	66	50.9	39.2	65.6
Bones and Joints	5	3.3	1.0	7.6	2	2.8	0.3	9.6	3	3.7	0.7	11.1
Melanoma of the Skin	78	37.2	29.1	46.9	46	47.2	34.3	63.5	32	31.2	20.7	45.1
Breast (invasive)	152	70.9	59.5	83.8	2	2.1	0.2	7.9	150	135.7	113.5	161.0
Cervix									3	3.0	0.6	9.3
Corpus and Uterus, NOS									42	33.3	23.8	45.9
Ovary									11	11.7	5.6	21.7
Prostate					152	128.8	108.6	152.0				
Testis					5	6.4	2.0	15.0				
Urinary Bladder (includes in situ)	49	20.6	15.2	27.6	36	34.4	23.9	48.2	13	9.9	5.3	17.7
Kidney and Renal Pelvis	42	18.8	13.4	25.8	28	26.5	17.3	39.0	14	12.2	6.5	21.4
Brain and Nervous System	12	5.5	2.8	9.9	8	8.0	3.4	16.2	4	3.2	0.8	9.3
Hodgkin Lymphoma	3	1.6	0.3	4.9	3	3.1	0.6	9.5	0			
Non-Hodgkin Lymphoma	39	17.8	12.4	24.7	19	19.4	11.4	31.0	20	16.3	9.7	26.2
Myeloma	17	7.2	4.1	11.9	9	7.8	3.5	15.5	8	6.8	2.8	14.4
Leukemia	25	10.3	6.6	15.5	15	12.6	7.0	21.6	10	7.6	3.5	14.8
All Other Sites	133	59.6	49.5	71.2	61	59.2	44.8	76.9	72	62.2	47.9	79.7
Breast in Situ (not in total)									13	12.2	6.1	21.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Fayette

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	691	478.8	442.9	517.1	390	547.3	493.4	605.9	301	431.7	381.4	487.2
Oral Cavity and Pharynx	20	14.1	8.5	22.4	13	18.2	9.5	32.1	7	9.2	3.5	20.8
Esophagus	4	2.8	0.8	7.7	3	4.2	0.9	13.1	1	1.4	0.0	10.0
Stomach	6	3.8	1.4	9.0	4	5.1	1.4	14.1	2	2.7	0.3	11.8
Colon and Rectum	63	45.1	34.4	58.4	35	51.0	35.2	71.7	28	39.5	25.7	59.0
Liver	9	5.5	2.5	11.1	7	8.9	3.5	19.4	2	2.1	0.2	10.6
Pancreas	18	12.2	7.1	19.8	14	19.2	10.4	32.9	4	6.3	1.6	17.7
Lung and Bronchus	125	83.0	68.9	99.4	68	92.2	71.3	117.8	57	74.7	56.0	98.4
Bones and Joints	1	0.7	0.0	4.6	0				1	1.2	0.0	9.5
Melanoma of the Skin	36	25.8	17.9	36.3	25	35.9	23.1	53.6	11	17.9	8.3	33.9
Breast (invasive)	88	61.2	48.8	76.1	0				88	125.0	98.7	156.6
Cervix									1	2.5	0.1	12.8
Corpus and Uterus, NOS									20	28.1	16.7	45.2
Ovary									1	1.2	0.0	9.5
Prostate					97	129.1	104.4	158.4				
Testis					4	7.3	2.0	18.5				
Urinary Bladder (includes in situ)	33	22.3	15.3	31.9	27	38.5	25.2	56.8	6	7.8	2.9	18.7
Kidney and Renal Pelvis	31	23.2	15.5	33.5	18	24.4	14.3	39.5	13	23.5	12.0	41.7
Brain and Nervous System	6	5.6	1.9	12.3	5	8.6	2.6	20.4	1	2.5	0.1	13.0
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	28	19.8	13.0	29.1	17	25.3	14.6	41.2	11	15.0	7.1	29.0
Myeloma	11	7.0	3.5	13.2	6	8.7	3.2	19.6	5	5.9	1.9	15.9
Leukemia	18	13.2	7.7	21.5	15	23.2	12.8	38.9	3	3.5	0.7	12.6
All Other Sites	71	51.7	40.1	65.8	32	47.5	32.3	67.7	39	61.7	42.6	86.6
Breast in Situ (not in total)									12	18.3	9.0	33.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Ford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	473	513.0	465.8	564.0	272	644.3	567.4	729.3	201	426.4	365.8	494.7
Oral Cavity and Pharynx	15	14.8	8.0	25.7	8	16.7	7.0	35.2	7	13.1	4.6	30.6
Esophagus	9	10.2	4.4	20.3	7	18.5	7.2	39.3	2	3.7	0.4	16.7
Stomach	9	9.7	4.1	19.6	6	15.1	5.2	34.6	3	3.5	0.7	15.5
Colon and Rectum	44	49.0	35.0	67.0	25	65.3	41.7	97.9	19	40.2	23.3	65.7
Liver	8	8.1	3.3	17.2	6	13.2	4.6	30.8	2	6.1	0.7	22.5
Pancreas	19	21.0	12.3	33.8	14	35.0	18.5	60.6	5	10.1	3.3	25.8
Lung and Bronchus	68	69.0	53.1	88.7	45	102.6	73.9	139.5	23	42.0	26.2	65.5
Bones and Joints	0				0				0			
Melanoma of the Skin	32	34.4	23.2	49.6	16	39.7	22.4	65.8	16	33.1	18.3	56.3
Breast (invasive)	57	63.1	47.2	82.9	1	1.8	0.0	13.8	56	119.2	88.7	157.6
Cervix									2	3.7	0.4	16.7
Corpus and Uterus, NOS									5	8.9	2.9	23.6
Ovary									8	15.0	6.2	32.2
Prostate					57	118.8	89.2	156.1				
Testis					2	7.6	0.9	25.8				
Urinary Bladder (includes in situ)	17	18.0	10.3	29.9	13	32.8	17.1	57.4	4	6.5	1.6	20.4
Kidney and Renal Pelvis	19	22.2	13.0	35.8	13	34.9	18.1	61.1	6	11.8	4.3	28.1
Brain and Nervous System	6	6.9	2.4	15.9	3	7.9	1.6	24.0	3	7.9	1.5	24.4
Hodgkin Lymphoma	2	2.9	0.3	10.8	1	2.3	0.1	14.9	1	3.7	0.1	18.8
Non-Hodgkin Lymphoma	19	19.9	11.6	32.4	13	31.5	16.4	55.4	6	12.9	4.0	31.3
Myeloma	12	13.3	6.7	24.3	8	19.2	8.0	39.7	4	7.0	1.8	21.1
Leukemia	15	18.5	10.2	31.3	12	31.0	15.8	55.4	3	6.9	1.4	22.1
All Other Sites	48	58.5	42.3	79.0	22	50.4	31.0	78.2	26	71.1	44.9	106.7
Breast in Situ (not in total)									8	16.9	7.1	35.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Franklin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,439	531.2	503.0	560.7	776	593.6	551.2	638.6	663	482.8	444.6	523.6
Oral Cavity and Pharynx	48	17.5	12.8	23.6	38	28.2	19.7	39.5	10	7.6	3.5	14.7
Esophagus	26	8.8	5.7	13.2	23	16.0	10.1	24.8	3	2.0	0.4	6.8
Stomach	17	6.5	3.7	10.8	11	9.0	4.3	16.9	6	4.6	1.5	10.8
Colon and Rectum	143	53.6	44.8	63.7	86	69.5	55.0	86.9	57	38.7	29.0	51.2
Liver	20	7.0	4.2	11.3	16	11.4	6.4	19.2	4	3.0	0.7	8.5
Pancreas	42	14.4	10.3	19.8	21	14.8	9.1	23.3	21	13.3	8.0	21.2
Lung and Bronchus	242	82.8	72.5	94.4	137	100.2	83.7	119.3	105	68.1	55.4	83.2
Bones and Joints	1	0.4	0.0	2.5	0				1	0.5	0.0	4.7
Melanoma of the Skin	92	36.5	29.1	45.3	53	41.8	31.0	55.4	39	32.9	22.9	45.8
Breast (invasive)	170	67.2	57.0	78.8	1	0.6	0.0	4.8	169	128.2	108.5	150.7
Cervix									16	15.1	8.3	25.2
Corpus and Uterus, NOS									37	26.9	18.4	38.3
Ovary									8	4.7	2.0	10.2
Prostate					147	103.4	87.1	122.3				
Testis					4	5.1	1.4	12.6				
Urinary Bladder (includes in situ)	74	26.1	20.3	33.2	48	37.3	27.2	50.2	26	16.6	10.7	25.3
Kidney and Renal Pelvis	64	24.7	18.8	32.0	36	30.2	20.9	42.6	28	19.7	12.7	29.6
Brain and Nervous System	17	8.3	4.6	13.6	8	7.8	3.2	15.9	9	8.8	3.8	17.3
Hodgkin Lymphoma	7	3.4	1.3	7.2	4	3.5	0.9	9.6	3	3.3	0.6	9.8
Non-Hodgkin Lymphoma	58	22.3	16.6	29.3	35	29.9	20.5	42.4	23	17.2	10.6	26.9
Myeloma	20	6.8	4.1	11.0	14	9.7	5.2	16.9	6	4.4	1.4	10.7
Leukemia	31	11.7	7.8	17.0	19	16.3	9.6	26.0	12	8.2	4.1	15.3
All Other Sites	155	58.4	49.2	68.9	75	59.0	46.0	74.7	80	59.1	46.2	74.8
Breast in Situ (not in total)									23	18.0	11.0	27.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Fulton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,288	524.6	495.3	555.3	687	582.3	538.6	629.0	601	493.3	451.9	537.7
Oral Cavity and Pharynx	35	13.9	9.5	19.7	28	23.2	15.2	34.2	7	4.9	2.0	11.5
Esophagus	26	9.8	6.4	14.9	20	16.0	9.7	25.6	6	4.1	1.5	10.3
Stomach	6	2.1	0.8	5.1	4	2.7	0.7	8.1	2	1.4	0.2	6.8
Colon and Rectum	128	52.3	43.4	62.7	61	52.8	40.1	68.5	67	50.6	38.7	65.7
Liver	21	8.4	5.2	13.3	17	14.8	8.5	24.3	4	3.4	0.9	9.8
Pancreas	48	19.0	13.9	25.7	26	22.4	14.5	33.5	22	16.0	9.7	25.6
Lung and Bronchus	219	83.8	72.9	96.2	116	94.2	77.5	113.7	103	77.0	62.3	94.7
Bones and Joints	1	0.3	0.0	2.7	1	0.6	0.0	5.2	0			
Melanoma of the Skin	64	28.0	21.3	36.3	33	29.6	20.2	42.2	31	29.3	19.2	43.0
Breast (invasive)	176	73.6	62.7	86.1	1	1.0	0.0	6.0	175	145.8	123.5	171.3
Cervix									13	16.1	8.2	28.3
Corpus and Uterus, NOS									28	24.0	15.4	36.1
Ovary									12	9.8	4.8	18.4
Prostate					167	132.7	113.0	155.2				
Testis					5	6.4	2.1	14.7				
Urinary Bladder (includes in situ)	63	24.4	18.6	31.6	54	47.8	35.7	62.9	9	5.9	2.6	12.5
Kidney and Renal Pelvis	48	20.0	14.6	26.9	37	32.2	22.5	45.1	11	8.8	4.3	16.9
Brain and Nervous System	18	8.8	5.1	14.4	7	7.2	2.8	15.3	11	10.4	4.9	19.7
Hodgkin Lymphoma	3	1.8	0.3	5.5	2	2.7	0.3	9.4	1	0.6	0.0	5.7
Non-Hodgkin Lymphoma	50	20.3	14.9	27.3	27	23.7	15.4	35.2	23	17.8	11.0	27.9
Myeloma	14	5.9	3.1	10.4	9	8.3	3.7	16.3	5	4.3	1.2	11.2
Leukemia	16	7.0	3.9	11.8	10	8.9	4.2	17.0	6	5.5	1.9	13.0
All Other Sites	127	54.7	45.2	65.8	62	55.3	42.1	71.6	65	57.6	43.5	75.1
Breast in Situ (not in total)									38	34.1	23.4	48.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Gallatin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	177	453.4	385.0	531.9	91	481.5	383.6	600.4	86	447.2	349.4	566.5
Oral Cavity and Pharynx	3	9.5	1.5	31.9	3	20.9	3.5	68.2	0			
Esophagus	2	4.2	0.5	21.5	2	8.8	1.1	44.7	0			
Stomach	3	6.1	1.2	23.9	2	8.2	1.0	43.6	1	4.5	0.1	37.7
Colon and Rectum	9	24.9	10.9	50.9	6	36.8	12.9	86.9	3	12.2	2.4	47.5
Liver	1	2.5	0.1	19.7	0				1	5.1	0.1	39.0
Pancreas	5	10.8	3.5	30.2	1	5.4	0.1	41.0	4	16.6	4.5	53.3
Lung and Bronchus	34	76.1	52.1	110.4	17	86.6	49.1	147.1	17	66.9	38.7	115.4
Bones and Joints	1	4.3	0.1	24.2	0				1	9.4	0.2	49.9
Melanoma of the Skin	12	34.3	17.0	63.7	6	35.0	12.2	83.7	6	34.8	11.7	83.3
Breast (invasive)	25	72.7	45.2	112.0	1	5.4	0.1	41.0	24	141.3	85.7	221.0
Cervix									1	10.3	0.3	52.8
Corpus and Uterus, NOS									5	27.1	8.0	71.7
Ovary									2	7.2	0.9	40.5
Prostate					23	113.5	71.1	177.7				
Testis					0							
Urinary Bladder (includes in situ)	10	22.9	10.9	46.2	9	45.8	20.5	95.0	1	4.1	0.1	37.0
Kidney and Renal Pelvis	7	15.5	6.2	36.5	5	24.2	7.8	65.9	2	9.6	1.2	44.9
Brain and Nervous System	2	5.0	0.6	23.3	0				2	8.6	1.0	43.2
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	8	18.3	7.6	40.7	5	22.9	7.4	63.6	3	15.4	2.7	54.8
Myeloma	2	6.3	0.6	26.5	1	8.1	0.2	47.6	1	3.7	0.1	36.1
Leukemia	2	5.6	0.7	24.3	1	8.0	0.2	47.2	1	5.1	0.1	39.0
All Other Sites	20	58.6	33.8	95.7	9	52.0	21.9	107.9	11	65.5	29.1	127.8
Breast in Situ (not in total)									3	11.7	2.4	46.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Greene

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	474	544.6	494.7	598.7	250	599.8	525.6	682.5	224	510.7	441.8	588.3
Oral Cavity and Pharynx	13	13.7	7.3	24.7	10	22.8	10.8	44.3	3	6.0	1.2	21.3
Esophagus	6	5.9	2.1	14.4	5	10.8	3.4	28.2	1	1.8	0.0	15.3
Stomach	3	3.2	0.6	10.9	2	4.1	0.5	18.5	1	2.2	0.1	16.1
Colon and Rectum	38	42.2	29.3	59.5	18	42.7	24.9	69.8	20	42.8	25.1	69.8
Liver	7	6.9	2.7	15.7	3	6.6	1.3	22.4	4	7.2	1.9	22.4
Pancreas	15	16.1	8.9	27.7	8	19.1	8.1	39.9	7	13.8	5.5	31.6
Lung and Bronchus	85	89.3	71.1	111.5	45	101.4	73.4	137.8	40	81.1	57.7	112.7
Bones and Joints	0				0				0			
Melanoma of the Skin	24	27.4	17.3	42.0	11	28.3	13.8	52.7	13	26.5	14.0	48.1
Breast (invasive)	57	70.0	52.1	92.5	1	3.0	0.1	17.9	56	132.7	97.9	176.6
Cervix									3	8.7	1.4	28.2
Corpus and Uterus, NOS									14	33.2	17.2	59.0
Ovary									7	18.0	6.5	40.1
Prostate					55	123.3	92.1	163.0				
Testis					0							
Urinary Bladder (includes in situ)	21	21.7	13.4	34.2	18	43.6	25.7	70.7	3	5.2	1.1	19.8
Kidney and Renal Pelvis	28	37.7	24.4	55.8	19	50.4	29.5	81.1	9	26.4	11.5	51.9
Brain and Nervous System	1	2.3	0.1	11.4	1	4.4	0.1	21.9	0			
Hodgkin Lymphoma	4	8.1	2.2	20.2	1	3.8	0.1	20.0	3	13.0	2.6	36.2
Non-Hodgkin Lymphoma	25	28.4	18.1	43.2	16	38.7	21.7	65.1	9	19.9	8.6	40.9
Myeloma	5	5.4	1.7	14.2	2	5.7	0.7	21.9	3	5.6	1.1	20.4
Leukemia	18	22.9	13.2	37.5	12	30.9	15.5	56.0	6	15.3	4.9	36.6
All Other Sites	45	55.0	39.5	75.0	23	60.2	37.6	92.3	22	51.5	31.1	81.4
Breast in Situ (not in total)									10	23.4	10.8	45.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Grundy

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,592	541.8	515.0	569.6	841	608.7	566.5	653.2	751	498.3	462.6	536.1
Oral Cavity and Pharynx	46	14.8	10.8	20.0	35	22.7	15.6	31.9	11	7.0	3.5	12.9
Esophagus	17	5.4	3.1	8.8	14	9.3	4.9	16.0	3	1.9	0.4	5.9
Stomach	22	7.7	4.8	11.8	16	11.8	6.6	19.5	6	4.4	1.6	9.6
Colon and Rectum	141	50.0	41.9	59.1	77	59.5	46.4	75.0	64	43.1	33.0	55.4
Liver	15	4.9	2.7	8.2	12	8.2	4.2	14.7	3	1.6	0.3	5.2
Pancreas	51	18.0	13.3	23.8	36	28.7	19.7	40.2	15	10.0	5.5	16.7
Lung and Bronchus	213	72.4	62.9	83.0	101	76.1	61.4	93.3	112	70.8	58.2	85.6
Bones and Joints	2	0.6	0.1	2.3	2	1.2	0.1	4.8	0			
Melanoma of the Skin	77	27.1	21.3	34.0	47	36.3	26.2	48.9	30	21.7	14.5	31.3
Breast (invasive)	229	78.0	68.1	89.1	1	0.9	0.0	4.8	228	149.8	130.6	171.1
Cervix									12	9.7	4.9	16.9
Corpus and Uterus, NOS									44	28.1	20.3	38.1
Ovary									9	6.0	2.7	11.7
Prostate					211	137.5	119.0	158.2				
Testis					7	5.3	2.1	11.2				
Urinary Bladder (includes in situ)	62	20.9	15.9	26.9	44	33.2	23.7	45.1	18	11.7	6.9	18.7
Kidney and Renal Pelvis	61	20.6	15.6	26.6	33	22.3	15.2	31.8	28	18.1	11.9	26.5
Brain and Nervous System	23	8.6	5.4	13.0	12	8.6	4.4	15.3	11	8.6	4.3	15.5
Hodgkin Lymphoma	9	3.5	1.6	6.6	7	5.8	2.3	11.9	2	1.3	0.1	5.0
Non-Hodgkin Lymphoma	62	20.9	16.0	27.0	41	31.1	22.0	42.8	21	13.1	8.0	20.3
Myeloma	29	10.4	6.9	15.0	15	12.1	6.7	20.3	14	9.3	5.0	15.8
Leukemia	57	19.6	14.8	25.6	34	24.8	16.8	35.1	23	15.6	9.8	23.7
All Other Sites	193	67.9	58.5	78.5	96	73.4	58.9	90.3	97	66.5	53.7	81.5
Breast in Situ (not in total)									39	26.1	18.5	36.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Hamilton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	231	385.7	335.1	442.5	128	452.3	374.6	543.0	103	347.6	278.6	429.8
Oral Cavity and Pharynx	8	11.2	4.8	24.5	7	23.3	9.1	52.4	1	2.5	0.1	22.6
Esophagus	5	7.5	2.4	20.0	4	14.2	3.7	40.6	1	3.2	0.1	24.0
Stomach	1	1.7	0.0	12.1	0				1	3.2	0.1	24.0
Colon and Rectum	24	39.0	24.2	60.6	12	40.6	20.3	75.4	12	36.0	16.9	69.7
Liver	1	1.3	0.0	11.3	0				1	1.8	0.0	21.3
Pancreas	8	12.4	5.3	26.5	3	9.7	1.9	33.6	5	15.3	4.8	40.8
Lung and Bronchus	40	61.1	43.5	84.9	25	87.3	56.0	132.1	15	43.3	23.6	76.4
Bones and Joints	0				0				0			
Melanoma of the Skin	18	32.3	18.4	53.5	9	29.0	13.2	59.2	9	36.7	15.3	74.4
Breast (invasive)	26	47.9	30.4	72.6	0				26	92.6	58.1	141.5
Cervix									2	10.3	1.0	38.5
Corpus and Uterus, NOS									6	19.7	6.7	47.7
Ovary									4	12.2	3.3	36.4
Prostate					25	86.1	55.0	130.7				
Testis					2	13.2	1.6	44.6				
Urinary Bladder (includes in situ)	13	18.9	10.0	34.4	12	39.7	20.2	73.3	1	2.6	0.1	22.8
Kidney and Renal Pelvis	7	13.4	5.1	29.4	4	15.8	4.0	44.1	3	10.5	1.9	35.6
Brain and Nervous System	3	4.7	1.0	16.2	2	6.6	0.8	29.1	1	2.9	0.1	23.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	10	16.7	7.6	33.1	7	26.6	9.9	59.3	3	7.8	1.6	29.5
Myeloma	2	4.4	0.4	17.4	2	8.7	0.8	34.7	0			
Leukemia	4	6.8	1.6	19.9	2	7.6	0.8	31.7	2	8.5	0.8	34.2
All Other Sites	22	40.7	24.6	64.0	12	44.0	21.8	81.0	10	38.3	17.2	74.7
Breast in Situ (not in total)									7	23.2	8.6	52.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Hancock

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	636	464.1	426.1	504.9	339	495.3	441.1	555.0	297	438.3	385.1	497.4
Oral Cavity and Pharynx	17	10.5	6.0	17.9	13	17.1	8.9	31.4	4	4.0	1.1	14.0
Esophagus	6	3.5	1.3	9.0	5	5.8	1.9	16.4	1	0.9	0.0	10.1
Stomach	8	5.1	2.2	11.2	7	9.2	3.7	21.3	1	1.3	0.0	10.9
Colon and Rectum	49	34.5	25.1	46.9	20	29.5	17.6	47.7	29	37.9	24.6	57.4
Liver	7	6.8	2.6	14.8	6	11.9	4.1	27.2	1	1.2	0.0	10.8
Pancreas	18	13.3	7.4	22.4	6	11.3	3.5	27.1	12	14.6	7.5	27.8
Lung and Bronchus	106	72.2	58.6	88.5	54	74.0	55.1	98.7	52	68.4	50.2	92.4
Bones and Joints	0				0				0			
Melanoma of the Skin	44	32.0	22.7	44.3	25	35.5	22.8	54.1	19	31.3	17.7	51.8
Breast (invasive)	66	52.6	39.6	68.7	2	3.2	0.4	13.7	64	101.5	75.8	133.7
Cervix									3	3.6	0.7	13.8
Corpus and Uterus, NOS									27	40.0	25.1	61.4
Ovary									12	21.7	10.2	40.8
Prostate					85	115.0	90.9	144.6				
Testis					2	6.6	0.8	21.9				
Urinary Bladder (includes in situ)	34	22.5	15.2	32.6	26	34.9	22.4	53.3	8	12.2	4.8	26.8
Kidney and Renal Pelvis	25	21.4	13.3	32.9	18	30.5	17.1	50.6	7	12.5	4.7	27.7
Brain and Nervous System	6	5.4	1.8	12.8	2	3.5	0.3	14.7	4	6.9	1.5	20.1
Hodgkin Lymphoma	2	2.2	0.2	8.6	1	1.3	0.0	10.6	1	3.2	0.1	16.0
Non-Hodgkin Lymphoma	24	17.5	10.8	27.3	16	26.6	14.5	45.4	8	10.0	4.3	22.3
Myeloma	9	6.3	2.7	13.2	6	8.9	2.9	21.9	3	3.5	0.7	13.7
Leukemia	23	16.1	9.8	25.5	14	21.0	11.1	37.3	9	12.4	5.1	26.7
All Other Sites	63	49.6	37.2	65.1	31	49.5	32.9	72.3	32	51.0	33.1	75.6
Breast in Situ (not in total)									14	19.6	10.2	35.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Hardin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	152	477.2	396.5	572.2	89	512.4	407.2	644.3	63	444.8	324.7	598.1
Oral Cavity and Pharynx	5	13.0	4.1	39.5	4	19.2	5.2	69.7	1	6.8	0.2	57.0
Esophagus	2	7.7	0.9	34.9	2	14.6	1.6	67.8	0			
Stomach	3	8.2	1.6	33.8	2	11.3	1.3	61.1	1	5.0	0.1	53.7
Colon and Rectum	18	55.8	31.2	96.3	11	72.8	33.0	146.9	7	38.3	15.3	95.5
Liver	1	2.4	0.1	26.4	1	4.7	0.1	52.2	0			
Pancreas	7	16.0	6.4	42.5	5	23.7	7.7	75.0	2	9.0	1.1	58.0
Lung and Bronchus	40	113.9	80.1	161.8	22	128.3	79.1	207.2	18	96.2	55.0	168.3
Bones and Joints	0				0				0			
Melanoma of the Skin	7	25.0	8.6	60.0	5	28.3	9.1	82.7	2	20.9	1.4	87.4
Breast (invasive)	8	33.2	12.2	73.6	0				8	68.3	24.7	151.8
Cervix									0			
Corpus and Uterus, NOS									6	54.9	15.6	136.7
Ovary									1	16.9	0.4	83.5
Prostate					14	73.2	39.6	137.3				
Testis					0							
Urinary Bladder (includes in situ)	6	17.3	6.3	45.6	5	28.8	9.2	83.5	1	5.2	0.1	54.0
Kidney and Renal Pelvis	5	13.5	4.3	40.5	5	27.9	8.9	82.2	0			
Brain and Nervous System	2	5.1	0.6	29.7	1	4.6	0.1	52.0	1	6.4	0.2	56.2
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	3	7.5	1.5	32.5	2	11.3	1.3	61.1	1	4.0	0.1	52.1
Myeloma	0				0				0			
Leukemia	4	17.5	3.6	52.3	2	11.2	1.3	60.9	2	25.0	2.0	96.0
All Other Sites	20	69.9	39.7	117.0	8	52.6	21.5	117.7	12	87.9	39.3	173.7
Breast in Situ (not in total)									2	10.8	1.2	61.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Henderson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	238	421.7	365.6	485.4	133	454.6	377.8	546.3	105	401.1	319.5	499.9
Oral Cavity and Pharynx	9	14.8	6.5	32.3	8	26.1	10.7	60.3	1	3.3	0.1	30.8
Esophagus	6	9.8	3.6	25.6	5	16.9	5.4	47.9	1	3.0	0.1	30.3
Stomach	3	4.2	0.8	18.1	2	7.0	0.8	35.2	1	1.9	0.0	28.6
Colon and Rectum	11	17.0	8.4	34.3	7	21.8	8.7	53.5	4	11.6	3.0	41.0
Liver	2	3.4	0.4	17.5	2	6.6	0.8	34.4	0			
Pancreas	6	9.3	3.4	24.7	3	10.4	2.1	39.7	3	8.7	1.8	37.2
Lung and Bronchus	48	79.7	57.9	109.3	27	90.7	59.2	138.3	21	73.7	43.7	121.4
Bones and Joints	0				0				0			
Melanoma of the Skin	14	26.2	13.4	48.4	9	32.6	14.5	69.2	5	22.0	5.6	61.1
Breast (invasive)	24	51.2	31.2	80.4	0				24	99.7	61.2	156.8
Cervix									2	11.9	1.0	47.8
Corpus and Uterus, NOS									5	13.5	4.3	42.9
Ovary									3	7.4	1.5	35.0
Prostate					28	93.6	61.3	142.1				
Testis					1	9.1	0.2	45.2				
Urinary Bladder (includes in situ)	14	20.8	11.3	38.8	12	41.7	21.4	79.6	2	4.8	0.5	32.1
Kidney and Renal Pelvis	12	21.6	10.4	42.1	6	19.8	7.2	51.4	6	22.8	7.1	59.4
Brain and Nervous System	3	7.3	1.1	25.2	0				3	14.6	2.2	50.8
Hodgkin Lymphoma	1	4.4	0.1	22.2	0				1	9.3	0.2	46.1
Non-Hodgkin Lymphoma	7	21.1	7.5	46.4	3	15.2	2.2	51.9	4	28.3	6.6	75.7
Myeloma	2	2.8	0.3	16.4	0				2	5.8	0.7	33.6
Leukemia	4	5.7	1.6	20.1	2	5.4	0.6	32.2	2	5.7	0.7	33.5
All Other Sites	33	55.6	37.5	81.9	18	57.6	34.0	97.9	15	53.1	28.2	96.3
Breast in Situ (not in total)									7	20.6	8.3	52.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Henry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,675	472.0	448.6	496.3	849	488.2	454.7	523.7	826	462.4	429.4	497.4
Oral Cavity and Pharynx	50	14.5	10.6	19.5	33	19.0	12.8	27.4	17	9.8	5.6	16.5
Esophagus	22	6.1	3.7	9.5	18	10.4	6.0	17.0	4	2.4	0.6	6.9
Stomach	12	3.2	1.6	5.8	10	6.0	2.8	11.5	2	0.8	0.1	4.2
Colon and Rectum	133	37.0	30.7	44.3	74	44.1	34.2	56.1	59	29.6	22.2	39.1
Liver	26	6.6	4.3	10.0	22	12.0	7.4	18.7	4	1.8	0.5	5.6
Pancreas	45	12.5	9.0	17.1	27	16.1	10.5	23.8	18	10.2	5.8	17.0
Lung and Bronchus	249	63.9	56.1	72.7	113	61.5	50.4	74.5	136	67.1	56.0	80.1
Bones and Joints	3	0.9	0.2	3.1	2	1.3	0.1	5.3	1	0.5	0.0	3.8
Melanoma of the Skin	112	35.6	28.9	43.4	63	38.1	28.9	49.5	49	35.2	25.5	47.5
Breast (invasive)	216	60.9	52.7	70.1	3	1.7	0.3	5.6	213	116.4	100.5	134.4
Cervix									22	16.1	9.8	25.1
Corpus and Uterus, NOS									51	28.8	21.1	38.8
Ovary									21	13.2	7.8	21.1
Prostate					212	110.4	95.7	127.0				
Testis					11	10.0	4.9	17.9				
Urinary Bladder (includes in situ)	64	16.3	12.5	21.1	45	24.7	17.9	33.6	19	9.6	5.6	15.9
Kidney and Renal Pelvis	69	21.5	16.4	27.7	41	25.7	18.0	35.7	28	17.0	10.9	25.5
Brain and Nervous System	12	4.4	2.2	7.9	9	6.9	3.1	13.4	3	1.9	0.3	6.2
Hodgkin Lymphoma	3	1.1	0.2	3.3	2	1.5	0.1	5.8	1	0.5	0.0	3.9
Non-Hodgkin Lymphoma	74	19.6	15.2	25.0	45	25.5	18.4	34.8	29	14.6	9.5	21.9
Myeloma	17	4.3	2.5	7.2	13	7.4	3.9	13.1	4	1.7	0.5	5.4
Leukemia	45	14.0	10.0	19.1	25	16.0	10.2	24.2	20	13.0	7.6	20.9
All Other Sites	206	61.3	52.8	70.8	81	50.1	39.4	63.0	125	71.8	59.0	86.8
Breast in Situ (not in total)									53	36.4	26.7	48.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Iroquois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,032	507.3	475.1	541.4	561	570.3	522.0	622.2	471	462.6	418.5	510.4
Oral Cavity and Pharynx	27	11.7	7.6	17.6	21	18.8	11.5	30.0	6	4.9	1.6	12.4
Esophagus	13	7.9	3.9	14.3	12	15.5	7.5	28.3	1	0.6	0.0	6.4
Stomach	15	6.9	3.8	12.0	12	12.0	6.1	22.1	3	2.5	0.5	9.1
Colon and Rectum	100	51.9	41.6	64.1	55	56.6	42.1	75.1	45	47.1	33.2	65.1
Liver	16	7.5	4.2	12.9	8	8.3	3.4	17.6	8	7.2	3.0	15.5
Pancreas	35	16.2	11.1	23.2	22	24.3	15.0	37.9	13	10.3	5.5	19.1
Lung and Bronchus	161	72.2	61.2	84.9	94	86.4	69.5	106.8	67	60.9	46.7	78.8
Bones and Joints	3	1.1	0.2	4.3	3	2.6	0.5	9.4	0			
Melanoma of the Skin	60	33.5	25.0	44.2	30	31.6	20.9	46.4	30	38.7	25.2	57.0
Breast (invasive)	133	69.3	57.3	83.2	1	1.5	0.0	8.5	132	132.2	108.9	159.3
Cervix									4	7.4	2.0	18.5
Corpus and Uterus, NOS									28	22.3	14.8	33.4
Ovary									14	14.9	7.6	26.7
Prostate					128	122.7	101.9	147.2				
Testis					5	9.6	3.1	21.7				
Urinary Bladder (includes in situ)	36	16.8	11.7	23.8	29	29.0	19.3	42.6	7	6.6	2.6	15.0
Kidney and Renal Pelvis	49	23.1	16.8	31.3	33	33.6	22.6	48.7	16	13.8	7.7	23.9
Brain and Nervous System	16	9.1	5.0	15.4	5	4.7	1.5	12.3	11	13.6	6.4	25.5
Hodgkin Lymphoma	6	3.7	1.2	8.7	6	7.5	2.5	17.4	0			
Non-Hodgkin Lymphoma	37	18.7	12.8	26.5	23	26.4	16.2	40.9	14	11.4	6.2	20.5
Myeloma	26	12.0	7.7	18.3	14	13.0	7.1	23.0	12	11.7	5.7	21.9
Leukemia	19	10.2	5.9	16.7	12	14.1	7.0	25.7	7	7.5	2.7	16.9
All Other Sites	101	50.5	40.5	62.4	48	51.9	37.5	70.3	53	49.0	35.7	66.3
Breast in Situ (not in total)									19	19.5	11.3	31.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Jackson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,546	513.9	487.5	541.3	842	592.3	551.4	635.4	704	453.6	419.0	490.5
Oral Cavity and Pharynx	54	17.6	13.1	23.4	34	22.1	15.1	31.5	20	14.1	8.3	22.4
Esophagus	22	7.7	4.7	11.9	17	12.1	6.8	19.9	5	3.4	1.1	8.4
Stomach	17	5.8	3.3	9.5	11	7.8	3.8	14.4	6	3.8	1.3	8.9
Colon and Rectum	138	46.5	38.7	55.4	78	55.9	43.7	70.6	60	36.6	27.4	48.1
Liver	23	7.3	4.6	11.2	14	9.1	4.8	15.9	9	5.5	2.5	10.9
Pancreas	32	9.6	6.5	13.8	17	11.3	6.4	18.7	15	7.7	4.2	13.3
Lung and Bronchus	246	79.4	69.5	90.3	132	92.5	76.9	110.4	114	68.0	55.8	82.3
Bones and Joints	2	0.6	0.1	2.4	1	0.6	0.0	4.2	1	0.5	0.0	3.8
Melanoma of the Skin	77	26.9	20.9	34.0	46	35.2	25.4	47.4	31	21.0	13.9	30.6
Breast (invasive)	186	64.9	55.5	75.4	1	0.8	0.0	4.7	185	124.0	105.9	144.4
Cervix									10	7.5	3.5	14.2
Corpus and Uterus, NOS									43	29.3	20.8	40.3
Ovary									17	11.4	6.5	18.7
Prostate					192	123.2	105.8	142.7				
Testis					3	3.1	0.6	8.6				
Urinary Bladder (includes in situ)	81	25.7	20.3	32.2	67	47.8	36.7	61.2	14	8.4	4.6	14.6
Kidney and Renal Pelvis	68	25.4	19.4	32.5	35	27.9	19.1	39.2	33	22.8	15.3	32.9
Brain and Nervous System	16	6.4	3.6	10.7	13	10.6	5.5	18.4	3	2.6	0.5	7.9
Hodgkin Lymphoma	5	1.7	0.5	4.4	4	3.2	0.8	8.3	1	0.3	0.0	3.5
Non-Hodgkin Lymphoma	66	22.2	17.0	28.6	37	26.5	18.4	37.1	29	18.9	12.4	27.7
Myeloma	13	3.9	2.1	6.9	10	6.0	2.8	11.6	3	1.8	0.4	5.9
Leukemia	47	15.6	11.3	21.0	36	26.4	18.2	37.1	11	6.6	3.2	12.5
All Other Sites	188	63.1	54.1	73.4	94	70.2	56.2	86.6	94	59.2	47.2	73.5
Breast in Situ (not in total)									30	20.4	13.3	29.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Jasper

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	343	524.7	467.7	587.3	199	614.3	528.6	711.1	144	453.1	376.5	541.6
Oral Cavity and Pharynx	8	13.6	5.6	28.3	7	24.7	9.3	53.6	1	2.9	0.1	21.2
Esophagus	3	4.0	0.8	13.9	3	8.2	1.7	28.2	0			
Stomach	4	4.9	1.3	15.1	4	10.8	2.9	31.6	0			
Colon and Rectum	29	43.9	28.8	64.9	12	38.1	19.2	69.3	17	51.9	28.9	87.4
Liver	4	4.8	1.3	14.7	2	5.0	0.6	23.4	2	4.5	0.5	22.7
Pancreas	11	17.3	8.1	33.0	4	12.3	2.9	35.7	7	20.6	7.5	47.0
Lung and Bronchus	48	68.3	49.9	92.2	31	94.9	63.8	137.5	17	46.4	26.3	78.3
Bones and Joints	0				0				0			
Melanoma of the Skin	20	33.1	19.5	53.0	15	50.9	27.8	86.7	5	18.5	5.3	46.6
Breast (invasive)	43	73.6	51.9	101.6	1	2.3	0.1	19.5	42	144.5	100.8	201.3
Cervix									4	14.0	3.0	40.3
Corpus and Uterus, NOS									9	30.8	12.9	62.6
Ovary									5	11.9	3.8	32.6
Prostate					56	161.7	121.1	213.3				
Testis					2	11.1	1.3	37.4				
Urinary Bladder (includes in situ)	20	30.9	18.4	49.5	13	43.0	22.2	76.5	7	19.2	7.5	43.6
Kidney and Renal Pelvis	14	24.1	12.4	42.4	10	33.4	14.9	65.4	4	14.0	3.4	39.1
Brain and Nervous System	4	6.6	1.5	18.9	2	7.7	0.7	30.0	2	4.9	0.6	23.5
Hodgkin Lymphoma	2	3.7	0.4	14.9	1	2.3	0.1	19.3	1	5.1	0.1	27.0
Non-Hodgkin Lymphoma	16	22.1	12.4	37.6	7	20.8	8.1	46.3	9	24.0	10.8	49.5
Myeloma	4	5.1	1.4	15.4	2	4.6	0.6	22.6	2	4.8	0.5	23.5
Leukemia	16	25.5	14.0	43.2	14	42.4	22.6	74.4	2	10.0	1.0	36.1
All Other Sites	21	31.3	18.9	49.7	13	40.2	21.0	71.5	8	25.1	10.2	53.3
Breast in Situ (not in total)									3	10.3	1.7	33.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Jefferson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,253	491.3	463.6	520.5	723	579.5	536.9	624.7	530	423.5	386.1	463.8
Oral Cavity and Pharynx	43	17.4	12.4	23.8	35	29.1	20.0	41.0	8	5.5	2.4	11.8
Esophagus	18	6.3	3.7	10.4	16	11.5	6.5	19.4	2	1.2	0.1	5.8
Stomach	14	4.9	2.6	8.5	8	5.9	2.5	12.2	6	3.9	1.4	9.5
Colon and Rectum	126	48.2	39.9	57.8	66	52.8	40.6	67.9	60	45.5	34.3	59.6
Liver	24	8.4	5.3	12.9	23	16.9	10.6	26.1	1	0.6	0.0	5.0
Pancreas	46	17.5	12.7	23.6	25	20.8	13.3	31.2	21	14.4	8.8	23.0
Lung and Bronchus	219	82.6	71.7	94.7	125	97.4	80.8	116.7	94	69.8	55.8	86.7
Bones and Joints	2	1.0	0.1	3.7	0				2	2.0	0.2	7.8
Melanoma of the Skin	76	32.0	24.9	40.5	53	47.2	35.1	62.4	23	18.1	11.2	28.2
Breast (invasive)	134	57.3	47.6	68.5	0				134	115.0	95.1	138.0
Cervix									11	11.0	5.3	20.2
Corpus and Uterus, NOS									33	25.9	17.4	37.4
Ovary									15	10.8	5.9	18.7
Prostate					149	113.5	95.7	134.0				
Testis					3	3.2	0.6	9.4				
Urinary Bladder (includes in situ)	65	24.9	19.1	32.0	54	43.7	32.6	57.6	11	8.8	4.2	16.8
Kidney and Renal Pelvis	47	19.5	14.0	26.4	32	27.0	18.1	38.8	15	12.8	6.8	22.2
Brain and Nervous System	13	5.9	3.0	10.4	7	6.5	2.5	14.0	6	5.2	1.8	12.1
Hodgkin Lymphoma	5	3.0	0.9	6.8	2	2.3	0.3	8.1	3	3.7	0.8	10.6
Non-Hodgkin Lymphoma	41	15.7	11.1	21.6	25	19.0	12.2	28.6	16	12.8	7.1	21.7
Myeloma	8	3.0	1.3	6.3	5	4.9	1.6	11.6	3	1.9	0.4	6.9
Leukemia	40	15.2	10.7	21.0	24	19.6	12.4	29.8	16	10.8	6.0	18.6
All Other Sites	121	49.4	40.7	59.6	71	58.1	45.1	73.9	50	43.5	31.6	58.7
Breast in Situ (not in total)									32	26.4	17.6	38.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Jersey

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	773	515.1	477.8	554.7	382	521.7	469.1	579.2	391	514.8	461.9	572.5
Oral Cavity and Pharynx	26	17.8	11.3	27.0	14	19.6	10.5	34.3	12	16.1	7.8	30.0
Esophagus	8	5.0	2.1	10.6	6	8.0	2.9	18.8	2	2.3	0.3	10.5
Stomach	11	6.3	3.1	12.1	4	4.6	1.2	13.7	7	7.6	3.0	17.4
Colon and Rectum	69	48.0	36.9	61.6	29	40.8	27.0	59.9	40	54.1	37.7	75.8
Liver	4	2.1	0.6	6.5	4	4.3	1.2	13.2	0			
Pancreas	25	15.8	10.2	23.9	15	20.2	11.2	34.6	10	11.2	5.3	22.2
Lung and Bronchus	120	77.3	63.7	93.4	60	80.0	60.5	104.5	60	75.1	56.6	98.3
Bones and Joints	0				0				0			
Melanoma of the Skin	47	32.6	23.4	44.4	24	31.6	20.0	48.4	23	35.7	21.7	55.6
Breast (invasive)	101	70.6	56.9	87.0	1	1.1	0.0	8.8	100	134.4	107.7	166.2
Cervix									0			
Corpus and Uterus, NOS									26	35.7	22.6	54.2
Ovary									5	6.0	1.9	15.8
Prostate					85	109.2	86.7	136.4				
Testis					1	2.4	0.1	12.4				
Urinary Bladder (includes in situ)	32	20.9	14.1	30.2	23	31.2	19.5	48.1	9	11.4	4.9	23.6
Kidney and Renal Pelvis	31	21.5	14.3	31.4	21	31.0	18.7	48.7	10	12.8	5.7	25.5
Brain and Nervous System	10	7.2	3.3	14.1	5	7.5	2.2	19.1	5	6.6	1.9	17.3
Hodgkin Lymphoma	7	5.6	2.2	12.0	4	6.0	1.6	16.5	3	5.5	1.1	16.4
Non-Hodgkin Lymphoma	39	25.8	18.1	36.1	23	33.1	20.6	51.0	16	19.8	10.9	34.0
Myeloma	11	8.7	4.2	16.2	4	8.4	2.2	21.5	7	9.0	3.6	20.0
Leukemia	30	20.9	13.8	30.7	16	23.5	13.1	39.7	14	18.7	9.8	33.2
All Other Sites	85	55.0	43.5	69.0	43	59.3	42.5	81.2	42	52.7	37.1	73.3
Breast in Situ (not in total)									14	22.4	11.7	39.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Jo Daviess

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	818	429.8	397.0	464.9	443	457.0	411.4	507.2	375	411.3	364.0	463.8
Oral Cavity and Pharynx	33	18.6	12.2	27.7	22	24.6	14.7	39.9	11	12.9	5.7	26.2
Esophagus	17	8.3	4.4	14.9	13	11.3	5.9	21.7	4	5.6	1.0	17.7
Stomach	4	2.6	0.6	8.0	4	5.3	1.2	15.9	0			
Colon and Rectum	61	33.1	24.5	44.2	31	34.0	22.2	50.9	30	31.9	20.1	49.3
Liver	2	0.7	0.1	4.8	1	0.7	0.0	8.6	1	0.7	0.0	9.1
Pancreas	28	12.8	8.1	20.0	15	14.8	7.6	27.5	13	10.3	5.4	20.6
Lung and Bronchus	96	44.1	35.3	55.1	54	52.2	38.8	70.1	42	38.7	27.1	55.2
Bones and Joints	2	0.9	0.1	5.1	0				2	1.7	0.2	10.3
Melanoma of the Skin	42	20.9	14.5	29.8	24	24.4	15.0	38.8	18	18.3	10.0	32.3
Breast (invasive)	112	69.1	55.0	85.9	1	1.0	0.0	9.0	111	137.0	108.7	170.9
Cervix									2	4.0	0.3	16.0
Corpus and Uterus, NOS									25	21.6	13.7	34.5
Ovary									9	9.5	3.6	21.6
Prostate					116	101.3	83.2	123.6				
Testis					3	7.8	1.6	21.8				
Urinary Bladder (includes in situ)	51	23.4	17.2	31.9	40	39.4	27.8	55.8	11	8.7	4.3	18.6
Kidney and Renal Pelvis	33	20.3	13.0	30.5	21	26.2	14.9	43.5	12	14.5	6.6	28.8
Brain and Nervous System	5	5.0	1.3	12.5	4	6.9	1.4	19.7	1	3.0	0.1	14.8
Hodgkin Lymphoma	4	2.8	0.5	8.5	3	4.9	0.7	16.2	1	0.7	0.0	9.1
Non-Hodgkin Lymphoma	30	16.9	10.6	25.9	20	25.0	14.2	41.6	10	9.7	4.2	21.2
Myeloma	10	5.1	2.1	11.1	8	8.7	3.1	20.4	2	1.6	0.2	10.2
Leukemia	17	9.3	4.8	16.7	12	12.8	6.0	25.4	5	5.8	1.3	17.3
All Other Sites	116	64.6	51.8	80.0	51	55.7	40.2	76.3	65	75.2	55.0	101.1
Breast in Situ (not in total)									22	29.1	16.7	47.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Johnson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	442	469.3	425.5	516.8	258	528.8	465.2	599.6	184	423.2	359.7	496.2
Oral Cavity and Pharynx	11	12.1	6.0	22.7	9	20.2	9.1	40.0	2	4.0	0.5	20.2
Esophagus	7	8.2	3.2	18.1	5	11.0	3.5	27.4	2	3.6	0.4	19.4
Stomach	4	4.5	1.2	12.7	3	6.5	1.3	21.0	1	1.8	0.0	17.3
Colon and Rectum	40	42.8	30.3	59.4	31	62.2	42.0	89.9	9	26.5	10.7	54.8
Liver	13	13.4	7.1	24.0	10	19.7	9.4	38.1	3	6.3	1.3	23.5
Pancreas	13	12.4	6.6	22.4	8	16.3	6.9	34.0	5	9.1	2.9	26.4
Lung and Bronchus	76	76.3	59.9	96.5	42	86.2	61.8	118.2	34	66.1	45.7	95.5
Bones and Joints	1	1.1	0.0	7.7	1	2.1	0.1	14.3	0			
Melanoma of the Skin	23	26.2	16.3	40.5	16	32.3	18.3	54.1	7	18.2	6.5	42.0
Breast (invasive)	54	58.9	43.9	78.0	0				54	126.8	93.2	170.3
Cervix									3	15.4	3.2	42.8
Corpus and Uterus, NOS									8	18.8	7.5	41.5
Ovary									0			
Prostate					46	87.0	63.6	117.6				
Testis					1	2.5	0.1	15.3				
Urinary Bladder (includes in situ)	29	29.2	19.5	42.8	21	42.1	25.9	65.9	8	15.2	6.5	34.4
Kidney and Renal Pelvis	21	21.7	13.2	34.3	11	22.2	10.8	41.6	10	21.5	10.1	43.5
Brain and Nervous System	7	8.2	3.1	18.3	4	10.1	2.4	27.8	3	6.5	1.3	23.7
Hodgkin Lymphoma	2	2.0	0.2	8.9	1	2.1	0.1	14.3	1	1.8	0.0	17.2
Non-Hodgkin Lymphoma	14	14.9	8.1	26.1	9	19.5	8.8	38.6	5	9.3	3.0	26.9
Myeloma	5	4.8	1.6	12.8	3	5.9	1.2	19.6	2	3.7	0.4	19.6
Leukemia	13	13.6	7.2	24.3	9	19.9	9.0	39.3	4	8.6	2.3	26.5
All Other Sites	51	58.5	43.1	78.2	28	61.2	40.3	90.0	23	60.2	36.2	95.3
Breast in Situ (not in total)									5	10.6	3.2	29.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	12,925	446.0	438.1	453.9	6,449	472.7	460.8	484.8	6,476	432.1	421.4	443.0
Oral Cavity and Pharynx	352	11.7	10.4	13.0	255	17.4	15.3	19.8	97	6.5	5.2	7.9
Esophagus	114	3.7	3.1	4.5	96	6.6	5.3	8.2	18	1.2	0.7	1.9
Stomach	201	7.0	6.1	8.1	124	9.3	7.7	11.2	77	5.1	4.0	6.5
Colon and Rectum	952	33.2	31.1	35.4	492	35.9	32.7	39.4	460	30.6	27.8	33.5
Liver	157	5.3	4.4	6.2	112	8.1	6.7	9.9	45	2.8	2.1	3.8
Pancreas	421	14.6	13.2	16.1	213	16.2	14.0	18.6	208	13.2	11.5	15.2
Lung and Bronchus	1,349	46.6	44.1	49.2	641	48.9	45.1	53.0	708	45.1	41.8	48.6
Bones and Joints	34	1.2	0.8	1.7	19	1.4	0.8	2.2	15	1.0	0.5	1.6
Melanoma of the Skin	678	23.8	22.0	25.7	393	29.6	26.7	32.8	285	19.8	17.5	22.3
Breast (invasive)	2,045	71.1	68.0	74.4	10	0.8	0.3	1.4	2,035	136.3	130.4	142.6
Cervix									79	5.9	4.7	7.5
Corpus and Uterus, NOS									456	29.0	26.3	31.8
Ovary									148	9.7	8.1	11.4
Prostate					1,756	118.5	112.8	124.3				
Testis					101	8.2	6.6	9.9				
Urinary Bladder (includes in situ)	571	20.0	18.4	21.8	445	35.5	32.1	39.1	126	7.9	6.6	9.5
Kidney and Renal Pelvis	506	17.6	16.1	19.3	335	24.7	22.1	27.6	171	11.4	9.7	13.3
Brain and Nervous System	188	6.8	5.9	7.9	106	7.9	6.4	9.6	82	5.8	4.6	7.3
Hodgkin Lymphoma	66	2.4	1.9	3.1	32	2.3	1.6	3.3	34	2.6	1.8	3.6
Non-Hodgkin Lymphoma	565	19.8	18.2	21.5	322	24.5	21.8	27.4	243	16.0	14.0	18.1
Myeloma	205	7.2	6.2	8.3	104	7.8	6.3	9.5	101	6.7	5.5	8.2
Leukemia	377	13.7	12.4	15.2	218	17.0	14.7	19.5	159	11.3	9.5	13.2
All Other Sites	1,604	57.4	54.6	60.4	675	52.1	48.1	56.4	929	64.3	60.1	68.7
Breast in Situ (not in total)									494	33.8	30.9	37.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,357	496.0	478.9	513.7	1,643	501.4	476.8	527.1	1,714	496.4	472.3	521.4
Oral Cavity and Pharynx	106	14.7	12.0	17.9	74	21.5	16.7	27.2	32	8.3	5.7	11.9
Esophagus	50	7.0	5.1	9.3	42	11.9	8.5	16.3	8	2.6	1.0	5.3
Stomach	51	7.3	5.4	9.7	36	10.5	7.3	14.8	15	4.4	2.4	7.4
Colon and Rectum	252	37.5	32.9	42.6	122	38.0	31.4	45.6	130	37.0	30.7	44.2
Liver	42	5.8	4.1	7.9	30	8.1	5.4	11.7	12	3.6	1.8	6.5
Pancreas	100	14.4	11.7	17.7	51	15.2	11.2	20.2	49	13.5	9.9	18.1
Lung and Bronchus	527	74.3	68.0	81.1	262	79.4	69.8	89.9	265	70.3	62.0	79.6
Bones and Joints	2	0.3	0.0	1.2	2	0.6	0.1	2.4	0			
Melanoma of the Skin	145	23.2	19.5	27.5	76	25.3	19.8	31.9	69	22.0	16.9	28.1
Breast (invasive)	521	79.4	72.5	86.9	6	1.9	0.7	4.4	515	152.0	138.6	166.4
Cervix									24	9.2	5.8	13.8
Corpus and Uterus, NOS									113	31.0	25.4	37.5
Ovary									43	13.5	9.7	18.5
Prostate					379	107.5	96.7	119.3				
Testis					20	7.9	4.8	12.3				
Urinary Bladder (includes in situ)	170	24.1	20.6	28.1	131	40.5	33.7	48.3	39	10.2	7.2	14.1
Kidney and Renal Pelvis	148	22.4	18.8	26.5	85	26.8	21.2	33.5	63	18.3	13.9	23.7
Brain and Nervous System	26	4.2	2.7	6.3	14	4.5	2.4	7.6	12	4.0	2.0	7.1
Hodgkin Lymphoma	15	2.5	1.4	4.2	8	2.6	1.1	5.3	7	2.4	1.0	5.1
Non-Hodgkin Lymphoma	133	20.0	16.7	23.9	62	20.9	15.9	27.0	71	19.4	15.0	24.6
Myeloma	48	7.4	5.4	9.9	23	7.9	5.0	12.0	25	7.0	4.5	10.5
Leukemia	96	14.5	11.7	17.9	52	17.0	12.6	22.5	44	12.4	8.9	16.9
All Other Sites	346	54.1	48.4	60.3	168	53.4	45.4	62.5	178	55.5	47.3	64.7
Breast in Situ (not in total)									92	27.7	22.1	34.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kendall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,867	479.3	461.4	497.7	1,412	516.8	488.6	546.1	1,455	456.1	432.6	480.6
Oral Cavity and Pharynx	90	15.2	12.1	18.8	59	20.2	15.1	26.4	31	10.8	7.2	15.3
Esophagus	26	4.3	2.8	6.3	22	7.5	4.6	11.6	4	1.4	0.4	3.5
Stomach	43	7.2	5.2	9.8	27	10.1	6.5	14.9	16	4.8	2.8	7.9
Colon and Rectum	222	37.6	32.7	43.1	112	41.2	33.5	50.1	110	35.3	28.9	42.7
Liver	25	4.3	2.8	6.5	17	7.0	4.0	11.3	8	2.2	1.0	4.5
Pancreas	97	16.4	13.2	20.1	55	19.9	14.7	26.3	42	13.3	9.5	18.1
Lung and Bronchus	287	52.8	46.7	59.5	147	61.1	51.1	72.3	140	46.5	38.9	55.0
Bones and Joints	6	0.9	0.3	2.0	4	1.2	0.3	3.3	2	0.6	0.1	2.2
Melanoma of the Skin	165	26.5	22.6	31.0	87	30.9	24.4	38.5	78	23.9	18.8	29.9
Breast (invasive)	482	77.1	70.2	84.5	6	2.7	0.9	5.9	476	145.5	132.6	159.4
Cervix									18	5.4	3.2	8.7
Corpus and Uterus, NOS									100	30.2	24.5	36.9
Ovary									24	7.5	4.8	11.2
Prostate					375	131.3	117.7	146.1				
Testis					30	9.6	6.5	13.8				
Urinary Bladder (includes in situ)	137	25.9	21.6	30.8	103	45.5	36.7	55.6	34	11.2	7.7	15.7
Kidney and Renal Pelvis	95	15.6	12.5	19.1	56	19.6	14.5	25.7	39	12.1	8.6	16.6
Brain and Nervous System	39	6.4	4.5	8.8	21	6.6	4.0	10.3	18	6.0	3.5	9.5
Hodgkin Lymphoma	20	3.1	1.9	4.9	16	5.1	2.9	8.4	4	1.2	0.3	3.1
Non-Hodgkin Lymphoma	113	19.1	15.7	23.1	60	20.6	15.5	26.8	53	17.4	12.9	22.8
Myeloma	35	6.4	4.4	9.0	16	6.4	3.5	10.5	19	6.6	3.9	10.3
Leukemia	99	16.6	13.4	20.3	60	21.2	15.9	27.6	39	12.7	9.0	17.5
All Other Sites	339	55.4	49.5	61.8	139	49.1	40.9	58.5	200	61.7	53.3	71.0
Breast in Situ (not in total)									136	41.0	34.4	48.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Knox

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,704	471.5	448.1	495.9	858	483.0	450.1	517.8	846	470.7	436.6	507.0
Oral Cavity and Pharynx	55	15.9	11.8	21.1	44	26.3	18.8	35.9	11	5.8	2.7	11.3
Esophagus	22	5.8	3.5	9.2	16	8.6	4.8	14.5	6	3.4	1.1	8.5
Stomach	19	5.1	3.0	8.3	7	3.6	1.4	8.1	12	6.5	3.2	12.3
Colon and Rectum	148	40.2	33.7	47.8	72	42.5	32.9	54.2	76	38.3	29.5	49.2
Liver	19	5.1	3.0	8.3	17	9.5	5.4	15.9	2	0.9	0.1	4.4
Pancreas	62	16.5	12.5	21.6	36	20.4	14.1	28.8	26	12.4	7.9	19.1
Lung and Bronchus	300	75.4	66.9	84.8	160	86.5	73.4	101.6	140	65.8	55.0	78.4
Bones and Joints	1	0.2	0.0	1.9	0				1	0.4	0.0	3.8
Melanoma of the Skin	110	31.3	25.3	38.3	61	34.2	25.9	44.6	49	30.7	21.8	42.0
Breast (invasive)	238	67.5	58.7	77.4	2	1.2	0.1	4.9	236	131.3	113.6	151.2
Cervix									12	11.4	5.6	20.1
Corpus and Uterus, NOS									57	35.8	26.3	47.7
Ovary									11	6.8	3.1	13.2
Prostate					174	89.5	76.4	104.6				
Testis					10	9.0	4.3	16.5				
Urinary Bladder (includes in situ)	78	20.5	16.1	25.9	59	33.8	25.6	44.0	19	9.8	5.6	16.2
Kidney and Renal Pelvis	76	22.5	17.4	28.6	45	27.1	19.4	37.1	31	17.7	11.6	26.1
Brain and Nervous System	25	9.0	5.6	13.7	13	9.0	4.6	15.8	12	9.2	4.4	16.9
Hodgkin Lymphoma	5	1.9	0.6	4.6	4	3.0	0.8	8.0	1	0.6	0.0	4.0
Non-Hodgkin Lymphoma	51	13.2	9.7	17.7	28	15.1	9.8	22.5	23	11.6	7.1	18.4
Myeloma	10	2.8	1.3	5.3	5	2.9	0.9	7.3	5	2.8	0.8	7.2
Leukemia	47	14.0	10.1	19.0	21	11.8	7.1	18.6	26	16.4	10.2	25.1
All Other Sites	174	50.2	42.6	58.9	84	48.8	38.7	61.1	90	53.3	41.8	67.0
Breast in Situ (not in total)									41	22.8	15.9	32.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	18,859	458.8	452.1	465.6	9,459	488.7	478.6	499.1	9,400	442.1	432.9	451.4
Oral Cavity and Pharynx	438	10.1	9.1	11.1	328	15.9	14.2	17.8	110	4.9	4.0	6.0
Esophagus	184	4.4	3.8	5.1	141	7.5	6.3	8.9	43	1.9	1.3	2.6
Stomach	263	6.5	5.8	7.4	164	8.7	7.4	10.2	99	4.7	3.8	5.8
Colon and Rectum	1,421	35.1	33.3	37.1	733	38.7	35.9	41.7	688	31.9	29.5	34.5
Liver	234	5.5	4.8	6.2	167	8.2	6.9	9.6	67	3.1	2.4	4.0
Pancreas	591	14.3	13.2	15.6	317	16.6	14.8	18.6	274	12.3	10.9	13.9
Lung and Bronchus	1,945	47.4	45.3	49.6	906	49.3	46.0	52.7	1,039	46.5	43.6	49.5
Bones and Joints	34	0.9	0.6	1.3	18	1.0	0.6	1.6	16	0.8	0.5	1.4
Melanoma of the Skin	1,172	29.4	27.7	31.2	674	36.0	33.2	38.9	498	24.9	22.7	27.3
Breast (invasive)	3,018	73.5	70.8	76.3	29	1.6	1.0	2.3	2,989	140.6	135.4	145.9
Cervix									94	5.3	4.3	6.6
Corpus and Uterus, NOS									679	30.2	27.9	32.6
Ovary									222	10.3	8.9	11.7
Prostate					2,594	122.1	117.3	127.1				
Testis					109	6.6	5.4	7.9				
Urinary Bladder (includes in situ)	857	21.1	19.7	22.6	642	35.6	32.8	38.6	215	9.7	8.4	11.1
Kidney and Renal Pelvis	658	15.7	14.5	17.0	462	23.0	20.8	25.2	196	9.2	7.9	10.6
Brain and Nervous System	262	6.9	6.0	7.8	142	7.7	6.4	9.1	120	6.2	5.1	7.5
Hodgkin Lymphoma	91	2.5	2.0	3.1	48	2.6	1.9	3.4	43	2.4	1.7	3.3
Non-Hodgkin Lymphoma	902	22.4	20.9	24.0	511	27.4	25.0	30.0	391	18.2	16.4	20.2
Myeloma	299	7.2	6.4	8.1	159	8.3	7.0	9.8	140	6.3	5.3	7.5
Leukemia	611	15.6	14.3	16.9	363	20.3	18.2	22.6	248	12.1	10.6	13.7
All Other Sites	2,181	55.6	53.2	58.0	952	51.7	48.3	55.2	1,229	60.6	57.1	64.2
Breast in Situ (not in total)									716	33.8	31.3	36.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

LaSalle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,761	498.8	482.3	515.7	1,979	541.8	517.4	567.2	1,782	468.3	445.5	492.0
Oral Cavity and Pharynx	121	15.6	12.8	18.8	89	24.1	19.2	30.0	32	7.6	5.1	11.0
Esophagus	54	6.6	5.0	8.8	46	12.3	8.9	16.6	8	1.8	0.8	3.8
Stomach	39	5.2	3.6	7.2	26	6.7	4.3	10.1	13	4.0	2.1	7.1
Colon and Rectum	320	42.7	38.0	47.9	169	48.8	41.4	57.2	151	37.3	31.3	44.2
Liver	52	6.3	4.6	8.4	42	10.6	7.6	14.6	10	2.6	1.2	5.2
Pancreas	123	15.8	13.0	19.0	61	16.3	12.3	21.2	62	14.7	11.2	19.2
Lung and Bronchus	637	78.8	72.7	85.4	326	86.1	76.8	96.4	311	72.4	64.4	81.3
Bones and Joints	10	2.0	0.9	3.6	3	0.9	0.2	2.9	7	3.2	1.2	6.5
Melanoma of the Skin	194	27.4	23.5	31.8	113	31.0	25.4	37.6	81	25.2	19.6	31.8
Breast (invasive)	471	65.8	59.7	72.4	2	0.7	0.1	2.5	469	128.7	116.6	141.8
Cervix									22	7.4	4.4	11.5
Corpus and Uterus, NOS									109	28.4	23.0	34.8
Ovary									40	11.2	7.8	15.6
Prostate					430	108.2	98.0	119.4				
Testis					21	8.0	4.9	12.4				
Urinary Bladder (includes in situ)	183	23.7	20.4	27.6	138	39.5	33.1	47.0	45	10.7	7.8	14.6
Kidney and Renal Pelvis	166	22.5	19.1	26.4	104	29.6	24.0	36.3	62	15.1	11.5	19.7
Brain and Nervous System	42	6.8	4.8	9.4	21	6.9	4.2	10.7	21	7.0	4.2	11.1
Hodgkin Lymphoma	12	2.1	1.1	3.7	8	2.7	1.1	5.4	4	1.5	0.4	4.0
Non-Hodgkin Lymphoma	130	17.8	14.7	21.3	67	19.0	14.6	24.4	63	17.3	13.0	22.5
Myeloma	54	7.1	5.3	9.5	34	9.7	6.6	13.7	20	4.6	2.8	7.5
Leukemia	114	15.4	12.6	18.6	79	22.1	17.4	27.8	35	9.2	6.3	13.2
All Other Sites	417	57.7	52.1	63.8	200	58.6	50.5	67.6	217	58.5	50.5	67.4
Breast in Situ (not in total)									90	24.9	19.8	31.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Lawrence

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	475	465.8	424.0	511.0	267	551.8	486.6	623.8	208	419.8	360.5	486.8
Oral Cavity and Pharynx	16	17.1	9.6	28.4	15	32.7	18.1	54.8	1	1.5	0.0	13.3
Esophagus	2	2.1	0.2	8.5	2	4.9	0.6	17.9	0			
Stomach	7	7.4	2.9	15.8	5	10.9	3.5	26.3	2	5.6	0.5	21.4
Colon and Rectum	40	38.6	27.3	53.3	26	52.0	33.7	77.3	14	24.7	13.3	44.1
Liver	10	9.0	4.3	17.4	9	17.1	7.7	33.9	1	1.9	0.0	14.2
Pancreas	18	15.6	9.2	25.5	9	16.7	7.5	33.1	9	13.6	6.2	29.1
Lung and Bronchus	75	71.5	56.0	90.3	40	81.8	58.1	112.4	35	64.2	44.1	91.9
Bones and Joints	1	1.5	0.0	7.8	1	2.4	0.1	13.8	0			
Melanoma of the Skin	23	22.0	13.8	33.8	14	28.8	15.5	49.4	9	17.6	7.6	36.3
Breast (invasive)	63	63.2	48.3	81.8	0				63	128.9	96.9	168.9
Cervix									2	6.1	0.6	22.7
Corpus and Uterus, NOS									14	32.4	16.7	57.1
Ovary									5	9.4	2.8	25.0
Prostate					57	115.1	86.7	150.3				
Testis					1	1.6	0.0	11.8				
Urinary Bladder (includes in situ)	20	19.3	11.7	30.4	16	35.1	19.9	57.9	4	6.7	1.8	20.6
Kidney and Renal Pelvis	18	18.7	10.9	30.3	12	26.6	13.6	47.1	6	12.6	4.3	30.2
Brain and Nervous System	3	3.6	0.7	10.9	2	5.2	0.6	18.6	1	4.2	0.1	20.4
Hodgkin Lymphoma	1	0.9	0.0	6.4	1	2.0	0.0	12.7	0			
Non-Hodgkin Lymphoma	27	27.6	18.0	40.9	15	30.3	16.8	51.0	12	24.9	11.9	46.9
Myeloma	2	2.0	0.2	8.1	2	4.5	0.5	17.2	0			
Leukemia	14	13.8	7.4	24.0	11	24.3	12.0	44.3	3	6.7	1.0	22.7
All Other Sites	56	56.1	42.1	73.7	29	60.0	39.9	87.2	27	58.8	37.1	89.3
Breast in Situ (not in total)									7	12.1	4.8	27.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Lee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,157	472.2	444.2	501.6	601	478.1	439.6	519.5	556	484.5	441.8	530.5
Oral Cavity and Pharynx	44	17.4	12.5	23.8	33	26.4	18.0	37.9	11	7.6	3.8	14.8
Esophagus	9	3.0	1.4	6.3	7	5.2	2.0	11.6	2	1.3	0.2	6.6
Stomach	17	6.8	3.9	11.3	14	11.2	6.0	19.6	3	2.0	0.4	7.7
Colon and Rectum	89	39.1	31.0	48.7	50	42.2	31.0	56.5	39	35.2	24.0	50.0
Liver	15	6.4	3.4	11.0	13	9.9	5.1	17.7	2	2.5	0.2	9.5
Pancreas	43	16.3	11.7	22.4	22	16.6	10.2	26.0	21	15.0	9.2	24.0
Lung and Bronchus	175	65.8	56.2	76.7	88	66.0	52.7	82.2	87	66.9	53.3	83.6
Bones and Joints	3	1.6	0.3	4.9	1	0.6	0.0	5.0	2	2.5	0.3	9.3
Melanoma of the Skin	61	25.6	19.3	33.5	38	30.0	21.0	42.0	23	24.7	15.0	38.5
Breast (invasive)	143	60.4	50.4	72.0	1	0.6	0.0	5.0	142	125.3	103.9	150.2
Cervix									10	13.4	6.1	25.3
Corpus and Uterus, NOS									41	35.3	24.6	49.4
Ovary									15	12.3	6.6	21.5
Prostate					128	95.2	79.1	114.0				
Testis					5	5.2	1.6	12.5				
Urinary Bladder (includes in situ)	53	20.5	15.3	27.2	39	31.7	22.3	44.0	14	10.8	5.9	19.2
Kidney and Renal Pelvis	47	19.8	14.3	26.8	30	24.9	16.6	36.3	17	15.6	8.7	26.3
Brain and Nervous System	14	6.4	3.4	11.1	5	4.1	1.3	10.4	9	9.3	4.0	18.6
Hodgkin Lymphoma	2	1.0	0.1	4.0	1	0.6	0.0	5.2	1	1.7	0.0	8.4
Non-Hodgkin Lymphoma	52	20.8	15.3	27.8	28	21.8	14.3	32.4	24	19.3	11.8	30.2
Myeloma	12	5.1	2.5	9.5	7	6.5	2.5	14.0	5	3.5	1.0	9.7
Leukemia	33	14.2	9.6	20.5	22	19.7	12.2	30.5	11	9.1	4.2	17.6
All Other Sites	146	63.9	53.4	75.9	69	59.9	46.2	76.6	77	71.2	54.8	91.1
Breast in Situ (not in total)									30	26.5	17.4	39.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Livingston

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,188	478.4	450.5	507.7	611	519.1	477.4	563.5	577	452.0	413.8	493.0
Oral Cavity and Pharynx	29	12.4	8.1	18.3	19	17.7	10.3	28.3	10	7.1	3.3	14.0
Esophagus	23	8.1	5.1	12.6	20	15.8	9.6	25.2	3	1.6	0.3	6.5
Stomach	14	6.6	3.5	11.5	10	9.5	4.4	18.1	4	4.1	1.0	11.2
Colon and Rectum	132	53.7	44.7	64.2	74	65.3	50.9	82.7	58	43.5	32.7	57.2
Liver	11	4.3	2.1	8.1	8	6.3	2.6	13.2	3	2.0	0.4	7.2
Pancreas	40	15.3	10.8	21.4	18	14.3	8.3	23.4	22	16.0	9.6	25.5
Lung and Bronchus	181	69.2	59.2	80.5	100	81.4	65.9	99.9	81	60.1	47.4	75.7
Bones and Joints	2	0.7	0.1	3.2	1	1.0	0.0	5.8	1	0.6	0.0	5.2
Melanoma of the Skin	65	28.2	21.5	36.5	38	35.7	24.9	49.7	27	22.1	14.1	33.4
Breast (invasive)	157	65.0	54.8	76.7	3	2.3	0.4	7.6	154	125.8	105.6	148.9
Cervix									7	7.9	2.9	16.7
Corpus and Uterus, NOS									34	27.6	18.8	39.6
Ovary									12	8.6	4.2	16.1
Prostate					142	113.0	94.8	134.1				
Testis					6	8.0	2.9	17.2				
Urinary Bladder (includes in situ)	63	23.7	18.2	30.7	42	36.4	26.1	49.7	21	13.9	8.5	22.2
Kidney and Renal Pelvis	62	24.8	18.8	32.3	36	31.4	21.8	44.2	26	19.9	12.7	30.2
Brain and Nervous System	8	4.2	1.7	8.6	5	4.6	1.4	11.3	3	4.4	0.9	12.1
Hodgkin Lymphoma	4	1.5	0.4	4.3	4	3.5	0.9	9.5	0			
Non-Hodgkin Lymphoma	40	16.6	11.8	23.0	20	16.4	9.9	25.9	20	17.2	10.2	27.4
Myeloma	11	4.7	2.3	8.8	4	3.6	0.9	9.8	7	5.5	2.1	12.5
Leukemia	24	10.8	6.7	16.5	13	13.1	6.8	22.8	11	8.0	3.8	15.4
All Other Sites	121	48.6	40.0	58.7	48	39.7	28.9	53.4	73	56.1	43.1	72.0
Breast in Situ (not in total)									30	25.3	16.6	37.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Logan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,026	540.8	507.3	576.1	511	567.1	518.0	620.0	515	536.6	488.9	587.9
Oral Cavity and Pharynx	33	17.7	12.0	25.4	22	24.4	15.1	37.8	11	12.4	6.0	23.1
Esophagus	14	7.0	3.8	12.2	10	11.4	5.4	21.5	4	3.6	1.0	10.6
Stomach	9	4.3	1.9	8.7	6	6.2	2.2	14.5	3	3.3	0.6	10.7
Colon and Rectum	83	45.1	35.6	56.5	44	50.1	36.1	68.1	39	40.6	28.2	57.0
Liver	13	6.0	3.2	10.7	9	8.4	3.8	17.0	4	3.6	1.0	10.7
Pancreas	35	16.8	11.7	23.8	13	13.6	7.2	24.1	22	18.0	11.2	28.5
Lung and Bronchus	197	99.0	85.4	114.4	102	111.0	90.1	135.6	95	92.1	74.0	113.7
Bones and Joints	0				0				0			
Melanoma of the Skin	65	36.4	27.9	47.0	32	38.2	25.9	54.7	33	37.2	25.0	53.5
Breast (invasive)	124	70.2	58.0	84.3	2	2.7	0.3	10.2	122	134.9	110.9	162.8
Cervix									7	10.6	4.1	22.1
Corpus and Uterus, NOS									35	36.4	24.8	51.9
Ovary									9	10.0	4.3	20.2
Prostate					100	107.2	86.9	131.2				
Testis					6	8.3	3.0	18.3				
Urinary Bladder (includes in situ)	45	23.1	16.7	31.3	32	35.9	24.4	51.3	13	13.5	7.0	24.1
Kidney and Renal Pelvis	47	25.0	18.2	33.8	25	27.0	17.3	40.6	22	23.7	14.4	37.2
Brain and Nervous System	14	7.3	3.9	12.8	6	6.2	2.2	14.5	8	9.1	3.7	19.0
Hodgkin Lymphoma	6	3.5	1.2	8.1	4	5.5	1.5	14.2	2	1.6	0.2	7.8
Non-Hodgkin Lymphoma	42	21.0	15.0	28.9	22	25.7	15.9	39.6	20	16.6	10.1	26.9
Myeloma	14	7.1	3.8	12.4	11	11.6	5.6	21.6	3	2.5	0.5	9.1
Leukemia	23	12.8	8.0	19.7	17	20.0	11.5	32.7	6	8.2	2.8	18.4
All Other Sites	105	55.4	45.1	67.7	48	53.8	39.4	72.1	57	58.7	43.7	77.5
Breast in Situ (not in total)									24	26.9	16.7	41.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,051	553.7	536.0	571.9	2,134	625.5	598.2	653.7	1,917	499.0	475.5	523.5
Oral Cavity and Pharynx	104	14.4	11.6	17.7	68	20.7	15.8	26.7	36	8.5	5.9	12.1
Esophagus	55	7.1	5.3	9.4	48	13.7	10.0	18.4	7	1.7	0.6	3.8
Stomach	40	5.3	3.7	7.4	24	7.7	4.8	11.7	16	3.3	1.9	5.7
Colon and Rectum	353	49.3	44.0	55.1	182	55.2	47.2	64.3	171	44.3	37.5	52.1
Liver	56	7.3	5.5	9.7	45	12.4	8.9	16.9	11	2.8	1.4	5.2
Pancreas	103	13.8	11.2	16.9	60	17.4	13.1	22.7	43	10.9	7.7	15.1
Lung and Bronchus	719	92.1	85.3	99.3	347	97.9	87.7	109.2	372	87.5	78.6	97.3
Bones and Joints	5	0.8	0.2	2.0	3	1.0	0.2	3.2	2	0.5	0.1	2.2
Melanoma of the Skin	192	28.9	24.7	33.6	107	34.2	27.8	41.7	85	25.6	20.1	32.2
Breast (invasive)	456	64.1	58.0	70.6	5	1.6	0.5	4.0	451	119.2	107.7	131.5
Cervix									21	8.2	5.0	12.7
Corpus and Uterus, NOS									96	25.2	20.1	31.3
Ovary									35	10.4	7.0	14.8
Prostate					464	122.6	111.4	134.7				
Testis					11	5.1	2.5	9.0				
Urinary Bladder (includes in situ)	210	26.7	23.1	30.8	160	45.9	38.9	53.9	50	11.7	8.5	15.7
Kidney and Renal Pelvis	195	28.3	24.3	32.8	115	37.0	30.2	44.8	80	20.8	16.3	26.4
Brain and Nervous System	55	9.2	6.8	12.2	33	11.1	7.5	16.0	22	7.4	4.5	11.4
Hodgkin Lymphoma	14	2.8	1.5	4.7	10	4.0	1.9	7.6	4	1.6	0.4	4.0
Non-Hodgkin Lymphoma	168	22.5	19.1	26.3	92	27.9	22.3	34.5	76	18.1	14.1	23.0
Myeloma	65	8.6	6.6	11.2	38	11.1	7.8	15.6	27	6.6	4.2	9.9
Leukemia	113	15.5	12.7	18.8	71	20.8	16.1	26.5	42	11.0	7.8	15.3
All Other Sites	521	74.8	68.1	81.9	251	78.1	68.4	88.9	270	73.8	64.6	84.0
Breast in Situ (not in total)									91	26.1	20.7	32.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Macoupin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,787	544.4	518.3	571.6	962	622.4	582.2	664.9	825	486.6	451.9	523.5
Oral Cavity and Pharynx	58	18.2	13.6	24.0	41	27.7	19.5	38.3	17	9.4	5.4	15.8
Esophagus	22	6.5	3.9	10.3	17	10.7	5.9	18.1	5	2.5	0.8	6.9
Stomach	25	8.6	5.4	13.2	19	14.7	8.6	23.7	6	2.8	1.0	7.1
Colon and Rectum	133	42.7	35.4	51.1	69	48.7	37.6	62.4	64	37.8	28.5	49.4
Liver	18	5.5	3.2	9.0	15	9.9	5.5	16.9	3	1.4	0.3	5.3
Pancreas	46	13.3	9.6	18.1	27	16.6	10.8	24.8	19	10.2	6.0	16.8
Lung and Bronchus	306	86.6	77.0	97.3	170	103.2	87.9	120.8	136	73.9	61.8	88.2
Bones and Joints	7	2.7	1.0	5.9	5	4.1	1.2	10.0	2	1.3	0.1	5.5
Melanoma of the Skin	98	32.0	25.6	39.5	58	39.6	29.7	52.0	40	26.6	18.5	37.3
Breast (invasive)	220	69.4	60.0	79.9	3	1.5	0.3	5.5	217	133.3	115.0	153.9
Cervix									11	7.9	3.7	14.9
Corpus and Uterus, NOS									61	34.4	25.9	45.2
Ovary									7	4.5	1.7	10.1
Prostate					185	108.1	92.7	125.8				
Testis					6	6.5	2.3	14.0				
Urinary Bladder (includes in situ)	89	25.9	20.7	32.2	70	45.4	35.1	58.1	19	10.1	5.9	16.6
Kidney and Renal Pelvis	97	30.3	24.3	37.5	59	39.5	29.7	51.9	38	21.9	15.1	31.2
Brain and Nervous System	7	1.8	0.7	4.2	2	1.2	0.1	5.1	5	2.3	0.7	6.6
Hodgkin Lymphoma	5	2.0	0.6	4.8	1	0.4	0.0	4.0	4	3.4	0.9	9.0
Non-Hodgkin Lymphoma	83	23.8	18.9	29.9	49	32.3	23.7	43.4	34	17.1	11.8	24.7
Myeloma	29	8.7	5.8	12.8	19	12.4	7.4	19.9	10	5.5	2.6	10.9
Leukemia	62	19.3	14.7	25.1	35	24.2	16.7	34.2	27	15.3	9.9	23.0
All Other Sites	212	68.9	59.5	79.5	112	75.5	61.7	91.6	100	65.0	51.9	80.5
Breast in Situ (not in total)									46	29.8	21.3	40.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,642	501.1	490.3	512.2	4,358	548.9	532.2	566.0	4,284	471.1	456.5	486.1
Oral Cavity and Pharynx	254	14.8	13.0	16.9	168	20.8	17.7	24.3	86	9.4	7.5	11.8
Esophagus	93	5.4	4.3	6.6	81	9.8	7.7	12.3	12	1.4	0.7	2.5
Stomach	118	6.8	5.6	8.3	72	9.1	7.1	11.6	46	4.8	3.5	6.6
Colon and Rectum	728	42.9	39.7	46.2	368	48.0	43.1	53.4	360	38.9	34.8	43.3
Liver	111	6.0	4.9	7.3	86	9.8	7.8	12.3	25	2.7	1.7	4.0
Pancreas	252	14.4	12.6	16.3	129	17.0	14.1	20.4	123	12.1	10.0	14.6
Lung and Bronchus	1,399	76.8	72.8	81.1	694	86.6	80.1	93.6	705	70.9	65.6	76.4
Bones and Joints	9	0.6	0.3	1.2	7	1.0	0.4	2.1	2	0.2	0.0	1.0
Melanoma of the Skin	421	26.2	23.7	28.9	239	31.6	27.6	36.0	182	22.6	19.3	26.4
Breast (invasive)	1,197	71.6	67.4	75.9	16	2.2	1.3	3.7	1,181	133.3	125.5	141.5
Cervix									49	6.8	5.0	9.1
Corpus and Uterus, NOS									283	30.5	26.9	34.4
Ovary									96	10.6	8.5	13.1
Prostate					999	116.5	109.2	124.2				
Testis					37	6.2	4.4	8.6				
Urinary Bladder (includes in situ)	403	22.8	20.5	25.2	282	37.5	33.1	42.3	121	12.5	10.3	15.0
Kidney and Renal Pelvis	437	25.8	23.3	28.4	278	35.1	31.0	39.7	159	17.7	14.9	20.8
Brain and Nervous System	109	7.1	5.8	8.6	64	8.9	6.8	11.4	45	5.4	3.9	7.3
Hodgkin Lymphoma	33	2.3	1.5	3.2	20	2.7	1.6	4.2	13	2.0	1.0	3.4
Non-Hodgkin Lymphoma	325	18.9	16.9	21.2	163	20.1	17.0	23.6	162	18.0	15.2	21.1
Myeloma	110	6.2	5.0	7.5	69	8.7	6.7	11.1	41	4.2	3.0	5.7
Leukemia	263	16.1	14.2	18.2	139	18.4	15.4	21.8	124	14.3	11.8	17.2
All Other Sites	916	54.8	51.2	58.6	447	58.7	53.2	64.6	469	52.9	48.0	58.2
Breast in Situ (not in total)									250	29.8	26.0	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Marion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,459	565.2	535.4	596.4	774	629.3	584.5	676.9	685	523.1	482.3	566.7
Oral Cavity and Pharynx	41	16.8	11.9	23.2	29	25.0	16.6	36.4	12	10.0	4.9	18.4
Esophagus	28	10.1	6.6	14.9	25	19.0	12.2	28.8	3	2.4	0.5	7.8
Stomach	18	6.3	3.7	10.3	11	8.6	4.2	16.1	7	4.5	1.8	10.2
Colon and Rectum	142	56.3	47.0	66.9	79	66.3	52.1	83.4	63	49.6	37.4	64.6
Liver	15	5.2	2.9	9.0	12	8.9	4.5	16.3	3	1.8	0.4	6.5
Pancreas	33	11.6	7.9	16.6	18	13.6	8.0	22.1	15	9.7	5.4	16.9
Lung and Bronchus	258	93.8	82.4	106.5	133	104.9	87.5	125.1	125	86.8	71.7	104.5
Bones and Joints	4	1.3	0.3	3.8	2	1.2	0.1	5.7	2	1.2	0.1	5.6
Melanoma of the Skin	88	37.2	29.5	46.5	53	45.3	33.7	59.9	35	32.7	22.1	46.6
Breast (invasive)	154	62.5	52.5	73.9	1	0.9	0.0	5.6	153	119.6	100.2	141.8
Cervix									11	9.6	4.5	18.1
Corpus and Uterus, NOS									42	29.9	21.1	41.5
Ovary									11	8.0	3.9	15.1
Prostate					153	115.0	97.2	135.5				
Testis					6	7.7	2.8	16.6				
Urinary Bladder (includes in situ)	57	20.7	15.6	27.3	45	35.1	25.5	47.6	12	8.9	4.4	16.5
Kidney and Renal Pelvis	54	21.8	16.1	28.9	32	26.6	17.9	38.4	22	17.8	10.8	28.0
Brain and Nervous System	19	8.1	4.7	13.1	9	8.6	3.8	16.9	10	7.4	3.4	14.5
Hodgkin Lymphoma	5	2.7	0.9	6.5	3	3.6	0.7	10.4	2	1.8	0.2	7.1
Non-Hodgkin Lymphoma	52	21.5	15.8	28.6	30	25.4	16.9	37.0	22	18.2	11.1	28.5
Myeloma	14	4.7	2.6	8.3	9	6.5	2.9	13.1	5	3.0	0.9	8.1
Leukemia	51	20.7	15.2	27.7	26	23.3	15.0	34.8	25	18.0	11.3	27.6
All Other Sites	203	81.9	70.5	94.6	98	83.6	67.3	102.7	105	82.2	66.3	100.9
Breast in Situ (not in total)									24	19.1	11.7	29.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Marshall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	437	489.6	441.3	542.2	231	526.5	456.9	604.9	206	461.8	394.8	537.9
Oral Cavity and Pharynx	10	10.2	4.7	20.5	7	12.8	4.9	30.6	3	7.1	1.4	24.3
Esophagus	7	8.8	3.2	20.0	7	17.6	6.4	39.6	0			
Stomach	8	9.1	3.5	20.0	8	20.9	8.6	43.9	0			
Colon and Rectum	43	52.1	36.5	72.5	18	47.2	26.8	77.8	25	57.1	35.0	89.1
Liver	6	5.4	2.0	13.8	3	6.2	1.3	22.0	3	5.1	1.0	20.2
Pancreas	10	9.6	4.6	19.3	5	10.0	3.2	26.9	5	8.6	2.7	24.9
Lung and Bronchus	74	73.7	57.6	94.0	45	95.9	69.5	131.0	29	56.4	37.2	84.4
Bones and Joints	0				0				0			
Melanoma of the Skin	24	30.6	18.7	47.7	14	33.7	17.5	59.8	10	28.2	12.0	56.3
Breast (invasive)	51	58.3	42.5	78.7	0				51	114.3	82.9	155.0
Cervix									4	17.9	4.5	45.3
Corpus and Uterus, NOS									17	31.7	18.2	54.2
Ovary									6	12.1	4.3	30.4
Prostate					59	112.0	84.8	147.3				
Testis					4	18.9	5.1	46.2				
Urinary Bladder (includes in situ)	11	12.7	6.0	24.4	10	26.6	12.4	51.2	1	1.8	0.0	16.2
Kidney and Renal Pelvis	18	22.7	12.7	37.8	12	33.4	16.1	61.6	6	10.9	3.9	28.1
Brain and Nervous System	5	8.9	2.7	21.4	2	6.4	0.7	24.5	3	11.6	2.1	34.5
Hodgkin Lymphoma	2	4.9	0.6	16.1	0				2	10.1	1.2	33.4
Non-Hodgkin Lymphoma	21	20.9	12.8	33.5	11	25.0	12.2	47.6	10	17.1	8.1	35.6
Myeloma	7	7.0	2.8	16.1	4	7.9	2.1	24.0	3	6.0	1.2	22.0
Leukemia	14	16.0	8.3	28.7	7	17.9	6.6	40.0	7	13.8	5.4	32.4
All Other Sites	36	43.5	29.4	62.5	15	34.2	18.4	59.8	21	52.0	29.8	84.9
Breast in Situ (not in total)									10	24.2	10.6	48.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Mason

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	560	549.5	502.6	600.1	307	637.2	565.2	716.9	253	492.2	429.3	562.7
Oral Cavity and Pharynx	13	13.7	7.0	24.7	6	12.6	4.4	30.3	7	14.6	5.3	33.3
Esophagus	5	4.9	1.4	13.2	4	9.0	2.3	25.7	1	1.6	0.0	14.1
Stomach	8	8.0	3.4	17.1	5	10.9	3.5	27.7	3	6.8	1.3	22.5
Colon and Rectum	52	50.8	37.4	68.1	31	66.7	44.6	97.1	21	40.1	23.9	64.6
Liver	5	4.1	1.3	11.5	4	8.9	2.4	25.2	1	1.1	0.0	13.2
Pancreas	14	14.7	7.7	26.2	8	17.6	7.4	36.9	6	12.1	3.8	30.2
Lung and Bronchus	117	105.8	87.1	128.1	63	124.8	95.2	162.2	54	91.9	68.8	122.2
Bones and Joints	1	1.8	0.0	9.4	0				1	3.4	0.1	18.6
Melanoma of the Skin	40	45.4	31.4	63.8	29	67.6	44.0	100.1	11	27.4	12.4	52.5
Breast (invasive)	63	63.4	48.1	82.8	1	2.1	0.1	15.1	62	125.1	94.3	163.9
Cervix									1	3.6	0.1	19.2
Corpus and Uterus, NOS									11	26.3	12.2	50.0
Ovary									4	9.2	2.0	27.0
Prostate					70	129.1	100.1	165.4				
Testis					2	7.8	0.9	26.8				
Urinary Bladder (includes in situ)	25	23.5	14.9	36.0	21	45.8	28.0	72.2	4	6.7	1.8	20.8
Kidney and Renal Pelvis	21	20.6	12.4	32.9	9	17.7	7.8	36.5	12	23.2	11.3	43.9
Brain and Nervous System	6	6.2	2.0	15.1	3	7.0	1.2	23.3	3	5.1	1.0	18.9
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	24	23.6	14.8	36.6	16	32.8	18.3	56.0	8	14.2	5.6	31.8
Myeloma	7	5.9	2.4	13.8	2	4.5	0.5	18.9	5	8.3	2.7	23.0
Leukemia	14	13.2	7.0	23.4	8	16.7	7.0	35.5	6	9.5	3.4	24.4
All Other Sites	57	58.3	43.2	77.4	25	55.6	34.9	85.0	32	62.1	41.0	91.6
Breast in Situ (not in total)									8	15.7	6.4	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Massac

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	476	456.8	414.8	502.4	257	516.8	453.3	587.5	219	407.0	351.5	469.6
Oral Cavity and Pharynx	18	16.4	9.5	27.0	13	25.8	13.5	46.1	5	7.0	2.2	20.0
Esophagus	4	3.0	0.8	9.4	3	5.0	1.0	18.0	1	1.0	0.0	11.9
Stomach	6	5.3	1.9	12.7	3	5.7	1.2	19.4	3	5.0	1.0	17.7
Colon and Rectum	41	42.4	29.8	58.8	20	44.7	26.7	71.1	21	39.4	23.4	63.4
Liver	6	6.0	2.0	14.2	3	5.6	1.1	19.2	3	6.5	1.1	21.4
Pancreas	11	10.1	4.9	19.2	5	8.8	2.8	23.3	6	10.9	3.7	26.5
Lung and Bronchus	86	77.8	62.0	97.1	43	82.5	59.5	112.9	43	73.9	52.8	102.1
Bones and Joints	0				0				0			
Melanoma of the Skin	16	14.2	7.9	24.3	11	22.2	10.9	41.7	5	7.8	2.5	21.2
Breast (invasive)	50	51.1	37.2	68.8	0				50	97.7	70.9	132.1
Cervix									3	8.5	1.6	25.4
Corpus and Uterus, NOS									14	25.7	13.4	45.8
Ovary									0			
Prostate					66	123.6	95.0	159.4				
Testis					1	3.5	0.1	18.0				
Urinary Bladder (includes in situ)	21	17.4	10.7	27.6	18	33.0	19.5	54.2	3	5.0	1.0	17.7
Kidney and Renal Pelvis	21	21.0	12.4	33.5	16	35.4	19.3	60.3	5	8.3	2.7	22.2
Brain and Nervous System	11	13.2	6.3	24.7	7	17.8	6.8	38.0	4	9.0	2.2	25.0
Hodgkin Lymphoma	3	4.7	1.0	13.7	1	3.3	0.1	17.5	2	6.3	0.7	22.4
Non-Hodgkin Lymphoma	15	16.4	8.8	28.2	8	19.3	7.8	40.1	7	13.8	5.2	30.9
Myeloma	6	5.1	1.9	12.5	4	6.9	1.9	20.8	2	3.4	0.4	15.5
Leukemia	17	17.5	9.8	29.3	9	19.8	8.8	39.4	8	15.5	6.0	33.5
All Other Sites	60	57.7	43.3	75.9	26	54.0	34.3	82.0	34	62.4	42.1	90.3
Breast in Situ (not in total)									14	24.5	12.9	43.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

McDonough

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	783	453.3	420.5	488.1	394	481.8	433.7	534.2	389	441.5	395.7	491.5
Oral Cavity and Pharynx	20	11.8	7.0	18.9	13	15.1	7.7	27.2	7	7.7	2.8	17.7
Esophagus	7	3.4	1.3	7.7	6	6.8	2.4	15.9	1	0.5	0.0	6.7
Stomach	6	3.5	1.1	8.3	5	7.4	2.3	17.8	1	1.2	0.0	8.0
Colon and Rectum	80	46.4	36.4	58.6	42	51.6	36.7	70.8	38	42.8	29.5	60.4
Liver	5	2.6	0.8	6.7	4	4.2	1.1	12.3	1	1.2	0.0	8.0
Pancreas	18	10.2	5.8	16.8	9	12.5	5.5	24.6	9	8.4	3.8	17.5
Lung and Bronchus	127	68.9	57.1	82.6	58	69.9	52.5	91.5	69	68.9	53.3	88.4
Bones and Joints	1	0.6	0.0	4.1	1	1.5	0.0	8.9	0			
Melanoma of the Skin	34	21.2	14.4	30.4	16	20.5	11.5	34.2	18	23.8	13.5	39.0
Breast (invasive)	97	57.0	45.6	70.5	1	0.9	0.0	7.4	96	108.9	86.8	135.3
Cervix									14	23.3	12.3	39.6
Corpus and Uterus, NOS									28	33.5	21.4	50.3
Ovary									4	4.9	1.2	13.6
Prostate					103	117.3	95.0	143.7				
Testis					8	13.3	5.5	26.6				
Urinary Bladder (includes in situ)	34	17.4	11.9	24.9	27	33.5	21.8	49.6	7	5.3	2.0	13.2
Kidney and Renal Pelvis	32	17.8	11.9	25.8	18	19.2	11.2	31.5	14	16.8	8.7	29.7
Brain and Nervous System	9	7.0	3.0	13.7	4	6.4	1.6	17.0	5	7.6	2.3	18.5
Hodgkin Lymphoma	4	2.0	0.5	6.0	1	1.4	0.0	8.5	3	2.8	0.6	9.9
Non-Hodgkin Lymphoma	35	19.7	13.4	28.1	15	18.9	10.1	32.5	20	20.5	12.3	32.8
Myeloma	5	2.3	0.7	6.3	2	1.8	0.2	8.7	3	2.4	0.5	9.4
Leukemia	26	15.3	9.7	23.2	16	21.7	12.0	36.3	10	10.4	4.8	20.5
All Other Sites	86	53.0	41.8	66.3	45	58.0	41.9	78.7	41	50.6	35.2	70.7
Breast in Situ (not in total)									17	20.7	11.6	34.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

McHenry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,958	479.4	469.2	489.8	4,485	501.7	486.4	517.4	4,473	468.6	454.5	483.0
Oral Cavity and Pharynx	255	12.6	11.1	14.4	183	18.8	16.1	22.0	72	7.0	5.4	8.9
Esophagus	83	4.4	3.4	5.4	68	7.9	6.0	10.2	15	1.5	0.8	2.5
Stomach	99	5.4	4.4	6.6	67	7.9	6.0	10.1	32	3.3	2.3	4.8
Colon and Rectum	666	36.7	33.9	39.7	363	41.6	37.3	46.4	303	32.2	28.6	36.2
Liver	109	5.6	4.6	6.8	72	7.7	5.9	9.8	37	3.6	2.5	5.1
Pancreas	271	14.3	12.6	16.2	147	16.2	13.5	19.2	124	12.3	10.2	14.7
Lung and Bronchus	1,107	58.5	55.0	62.1	575	66.2	60.7	72.2	532	52.7	48.2	57.5
Bones and Joints	19	1.2	0.7	1.8	14	1.7	0.9	2.9	5	0.6	0.2	1.5
Melanoma of the Skin	582	32.1	29.5	35.0	320	35.6	31.6	39.9	262	29.6	26.0	33.5
Breast (invasive)	1,469	79.7	75.6	84.1	16	1.8	1.0	3.0	1,453	152.8	144.7	161.2
Cervix									62	7.7	5.8	10.0
Corpus and Uterus, NOS									330	31.4	28.0	35.1
Ovary									106	10.8	8.8	13.1
Prostate					1,135	114.7	107.8	121.9				
Testis					47	6.9	5.0	9.1				
Urinary Bladder (includes in situ)	395	21.3	19.2	23.6	311	37.4	33.1	42.1	84	8.4	6.7	10.5
Kidney and Renal Pelvis	347	18.2	16.3	20.3	233	25.6	22.3	29.3	114	11.6	9.5	14.1
Brain and Nervous System	133	7.9	6.6	9.4	82	9.8	7.8	12.3	51	6.1	4.5	8.1
Hodgkin Lymphoma	39	2.5	1.7	3.4	21	2.6	1.6	4.0	18	2.4	1.4	3.8
Non-Hodgkin Lymphoma	376	20.5	18.4	22.8	205	24.0	20.6	27.7	171	17.5	15.0	20.5
Myeloma	106	5.6	4.5	6.8	57	6.3	4.7	8.2	49	4.9	3.6	6.5
Leukemia	262	14.7	12.9	16.7	148	18.0	15.1	21.3	114	12.3	10.0	14.8
All Other Sites	960	54.9	51.4	58.6	421	51.1	46.1	56.5	539	60.0	54.8	65.4
Breast in Situ (not in total)									273	28.4	25.0	32.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

McLean

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,879	431.8	418.0	446.0	1,971	470.2	449.0	492.1	1,908	408.0	389.4	427.4
Oral Cavity and Pharynx	108	12.1	9.9	14.7	85	20.1	16.0	25.0	23	4.8	3.0	7.3
Esophagus	38	3.9	2.7	5.4	35	8.0	5.5	11.2	3	0.7	0.1	2.0
Stomach	38	4.4	3.1	6.0	27	6.7	4.4	9.9	11	2.5	1.2	4.5
Colon and Rectum	307	35.4	31.5	39.7	168	41.4	35.3	48.4	139	30.3	25.3	36.0
Liver	38	4.1	2.9	5.7	29	6.6	4.4	9.6	9	2.0	0.9	3.9
Pancreas	110	11.6	9.5	14.1	54	12.3	9.2	16.2	56	11.0	8.2	14.4
Lung and Bronchus	513	54.7	50.0	59.8	264	62.5	54.9	70.7	249	49.1	43.1	55.8
Bones and Joints	7	0.8	0.3	1.8	4	1.0	0.3	2.6	3	0.7	0.1	2.1
Melanoma of the Skin	322	37.5	33.4	41.9	185	45.6	39.1	52.9	137	31.8	26.5	37.7
Breast (invasive)	632	70.7	65.2	76.6	8	1.8	0.8	3.6	624	133.5	122.9	144.8
Cervix									28	6.9	4.5	10.1
Corpus and Uterus, NOS									133	28.3	23.6	33.7
Ovary									37	8.1	5.6	11.2
Prostate					441	95.3	86.4	105.0				
Testis					29	7.2	4.7	10.4				
Urinary Bladder (includes in situ)	207	23.0	19.9	26.5	158	40.6	34.3	47.6	49	9.5	7.0	12.6
Kidney and Renal Pelvis	149	17.0	14.3	20.0	102	24.6	19.9	30.0	47	10.2	7.4	13.7
Brain and Nervous System	59	6.8	5.1	8.8	31	7.4	5.0	10.7	28	6.4	4.2	9.3
Hodgkin Lymphoma	29	3.5	2.3	5.0	18	4.4	2.6	7.0	11	2.5	1.2	4.6
Non-Hodgkin Lymphoma	139	15.5	13.0	18.4	83	20.3	16.0	25.3	56	11.9	9.0	15.6
Myeloma	51	6.1	4.5	8.1	25	6.7	4.3	10.0	26	5.8	3.7	8.6
Leukemia	81	9.6	7.6	12.0	51	13.3	9.8	17.5	30	6.8	4.6	9.8
All Other Sites	383	44.2	39.8	49.0	174	44.4	37.9	51.7	209	45.3	39.2	52.1
Breast in Situ (not in total)									112	23.4	19.2	28.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Menard

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	512	591.0	538.7	647.4	280	681.6	600.7	771.3	232	524.6	455.7	601.7
Oral Cavity and Pharynx	18	22.9	13.1	37.5	11	28.9	13.8	54.1	7	18.5	7.0	40.3
Esophagus	10	11.0	5.2	21.5	10	25.2	11.8	48.6	0			
Stomach	7	7.2	2.6	16.6	3	5.4	1.1	20.1	4	9.0	2.1	26.5
Colon and Rectum	49	59.5	43.3	80.2	25	67.2	42.4	101.9	24	54.6	34.0	84.2
Liver	8	8.1	3.4	17.5	8	17.8	7.3	38.1	0			
Pancreas	16	17.9	10.0	30.5	6	12.8	4.5	31.0	10	22.0	10.1	43.4
Lung and Bronchus	68	72.8	56.2	93.5	38	84.3	59.0	118.2	30	61.9	41.3	90.9
Bones and Joints	0				0				0			
Melanoma of the Skin	36	43.9	30.2	62.3	19	46.1	27.3	74.3	17	44.1	24.6	73.5
Breast (invasive)	58	67.2	50.3	88.6	0				58	130.2	97.3	171.8
Cervix									2	6.3	0.7	23.7
Corpus and Uterus, NOS									10	20.8	9.5	41.4
Ovary									9	23.0	9.9	46.1
Prostate					81	180.4	142.0	227.3				
Testis					3	11.6	2.3	33.4				
Urinary Bladder (includes in situ)	18	21.0	12.2	34.4	13	32.6	16.7	58.3	5	11.2	3.6	28.7
Kidney and Renal Pelvis	18	18.1	10.6	29.9	10	21.1	9.7	41.9	8	16.3	6.9	35.0
Brain and Nervous System	2	1.8	0.2	8.8	1	2.0	0.1	15.8	1	1.7	0.0	14.8
Hodgkin Lymphoma	3	4.4	0.8	13.7	2	7.2	0.8	25.9	1	1.7	0.0	14.9
Non-Hodgkin Lymphoma	19	24.0	14.0	38.8	9	24.7	11.0	48.8	10	23.7	10.5	46.9
Myeloma	7	9.1	3.5	19.9	5	14.2	4.4	35.0	2	5.3	0.6	21.1
Leukemia	18	21.3	12.2	35.2	12	30.3	14.9	55.8	6	14.1	4.8	33.5
All Other Sites	52	63.0	46.3	84.1	24	69.8	44.0	105.7	28	60.2	39.1	90.0
Breast in Situ (not in total)									8	16.7	6.6	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Mercer

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	600	532.6	488.5	579.9	319	543.3	483.1	609.9	281	530.2	465.8	601.7
Oral Cavity and Pharynx	15	14.1	7.5	24.5	8	15.1	6.0	32.1	7	12.6	4.7	28.5
Esophagus	9	6.7	3.0	13.9	7	10.3	4.1	23.7	2	3.0	0.4	14.4
Stomach	1	1.2	0.0	7.0	0				1	2.3	0.1	14.1
Colon and Rectum	60	51.7	39.0	67.9	29	49.3	32.5	73.0	31	53.0	35.1	77.9
Liver	3	2.1	0.4	7.7	3	4.3	0.9	15.9	0			
Pancreas	26	21.9	14.2	32.9	12	21.2	10.8	38.9	14	22.2	12.0	39.3
Lung and Bronchus	113	88.7	72.9	107.6	66	106.8	82.2	137.6	47	73.7	54.0	99.7
Bones and Joints	1	1.7	0.0	8.5	0				1	3.7	0.1	18.0
Melanoma of the Skin	41	41.5	29.0	57.6	22	44.1	26.9	69.0	19	39.1	22.5	63.7
Breast (invasive)	66	65.4	49.7	84.8	0				66	131.0	99.4	170.1
Cervix									4	7.8	1.9	22.4
Corpus and Uterus, NOS									22	45.2	27.5	70.6
Ovary									8	17.1	6.7	36.1
Prostate					65	99.3	76.2	128.5				
Testis					0							
Urinary Bladder (includes in situ)	24	19.0	11.9	29.6	22	33.4	20.9	52.6	2	5.8	0.5	21.4
Kidney and Renal Pelvis	11	11.4	5.4	21.5	6	10.8	3.7	25.7	5	12.3	3.7	30.0
Brain and Nervous System	5	5.6	1.6	14.0	4	10.0	2.5	26.7	1	1.4	0.0	12.1
Hodgkin Lymphoma	6	7.3	2.5	16.5	3	6.9	1.3	21.5	3	8.2	1.5	24.5
Non-Hodgkin Lymphoma	34	29.1	19.7	41.9	20	34.6	20.8	55.4	14	24.7	12.6	44.6
Myeloma	10	7.7	3.7	15.3	4	6.3	1.7	18.8	6	9.1	3.3	22.4
Leukemia	15	12.9	7.0	22.3	9	15.7	6.9	32.0	6	10.1	3.5	24.6
All Other Sites	61	60.7	45.4	79.7	39	75.2	52.4	105.1	22	48.0	28.5	75.9
Breast in Situ (not in total)									17	36.7	20.6	60.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Monroe

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,067	457.6	429.5	487.3	542	478.8	437.7	522.9	525	446.6	407.4	488.9
Oral Cavity and Pharynx	26	8.8	5.7	13.4	17	11.3	6.5	19.1	9	6.0	2.7	12.5
Esophagus	9	4.0	1.8	7.9	7	6.6	2.6	14.3	2	1.6	0.2	7.0
Stomach	12	5.1	2.6	9.3	7	6.6	2.6	14.2	5	3.9	1.2	10.1
Colon and Rectum	60	26.5	20.0	34.6	31	29.3	19.7	42.3	29	25.0	16.3	37.0
Liver	13	5.4	2.8	9.6	11	9.8	4.8	18.2	2	1.7	0.2	7.2
Pancreas	28	11.5	7.6	17.0	14	11.8	6.3	20.7	14	11.2	6.0	19.6
Lung and Bronchus	124	51.1	42.3	61.4	64	58.3	44.5	75.3	60	45.7	34.6	59.7
Bones and Joints	2	0.6	0.1	3.0	1	0.6	0.0	5.2	1	0.7	0.0	5.4
Melanoma of the Skin	77	36.3	28.3	46.0	45	41.3	29.7	56.3	32	32.1	21.4	46.2
Breast (invasive)	182	81.7	69.7	95.2	2	1.7	0.2	7.1	180	158.8	135.4	185.5
Cervix									6	5.4	1.8	13.0
Corpus and Uterus, NOS									28	22.8	14.8	33.9
Ovary									5	3.8	1.2	9.9
Prostate					150	119.1	100.2	140.9				
Testis					7	10.0	4.0	20.2				
Urinary Bladder (includes in situ)	44	17.1	12.3	23.4	32	28.6	19.3	41.1	12	8.7	4.4	16.1
Kidney and Renal Pelvis	49	21.1	15.4	28.3	32	27.8	18.6	40.2	17	14.7	8.4	24.5
Brain and Nervous System	17	6.7	3.8	11.3	11	9.5	4.5	17.9	6	4.1	1.5	10.0
Hodgkin Lymphoma	3	1.9	0.4	5.4	0				3	3.7	0.7	10.8
Non-Hodgkin Lymphoma	58	24.2	18.2	31.8	31	27.4	18.3	39.8	27	22.7	14.7	34.0
Myeloma	13	6.3	3.3	11.0	7	7.8	3.1	16.3	6	4.7	1.7	11.1
Leukemia	33	15.1	10.2	21.7	18	17.1	9.9	27.6	15	14.1	7.5	24.3
All Other Sites	121	54.4	44.7	65.6	55	54.3	40.4	71.5	66	55.4	42.3	71.7
Breast in Situ (not in total)									27	26.2	16.8	39.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Montgomery

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	993	489.1	457.8	522.1	531	530.6	485.2	579.4	462	466.6	421.5	515.6
Oral Cavity and Pharynx	35	17.2	11.8	24.5	28	27.4	18.0	40.5	7	7.7	2.9	17.3
Esophagus	15	6.8	3.8	11.7	15	14.4	8.0	24.6	0			
Stomach	8	3.6	1.5	7.6	3	3.1	0.6	10.0	5	3.6	1.1	10.5
Colon and Rectum	84	41.3	32.6	51.8	52	52.6	38.9	69.8	32	31.4	20.5	46.5
Liver	13	5.8	3.0	10.6	10	9.6	4.5	18.5	3	2.8	0.4	10.6
Pancreas	25	11.9	7.6	18.1	11	11.7	5.8	21.7	14	12.2	6.5	22.1
Lung and Bronchus	173	82.2	70.2	96.0	92	89.9	72.1	111.2	81	74.3	58.6	93.8
Bones and Joints	1	0.5	0.0	3.4	1	0.9	0.0	6.5	0			
Melanoma of the Skin	40	23.3	16.4	32.2	22	24.8	15.4	38.1	18	23.0	13.0	37.7
Breast (invasive)	120	62.3	51.2	75.4	1	0.8	0.0	6.2	119	126.9	103.3	154.6
Cervix									9	13.2	5.6	25.9
Corpus and Uterus, NOS									37	34.7	23.8	49.5
Ovary									6	5.9	1.9	14.7
Prostate					102	94.7	76.9	116.0				
Testis					4	4.4	1.1	12.1				
Urinary Bladder (includes in situ)	47	20.7	15.2	28.0	38	38.0	26.7	52.9	9	7.2	3.2	15.4
Kidney and Renal Pelvis	59	29.5	22.1	38.8	35	35.4	24.2	50.3	24	22.7	14.0	35.5
Brain and Nervous System	16	9.5	5.2	15.9	9	11.8	5.3	22.7	7	7.2	2.5	16.7
Hodgkin Lymphoma	4	2.6	0.7	6.9	2	2.6	0.3	9.6	2	2.6	0.2	10.5
Non-Hodgkin Lymphoma	35	16.6	11.4	23.6	18	19.1	11.2	30.9	17	14.1	8.1	24.1
Myeloma	13	5.6	2.9	10.2	10	9.0	4.3	17.5	3	2.9	0.5	10.3
Leukemia	38	19.3	13.3	27.2	23	23.9	14.9	36.8	15	15.1	7.8	27.1
All Other Sites	109	56.2	45.6	68.7	55	56.4	42.0	74.4	54	59.1	43.0	79.6
Breast in Situ (not in total)									18	20.0	11.3	33.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Morgan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,328	560.2	529.3	592.6	693	615.2	569.1	664.3	635	531.0	487.6	577.7
Oral Cavity and Pharynx	29	11.4	7.6	16.8	23	18.9	11.9	29.1	6	5.0	1.8	11.9
Esophagus	24	10.7	6.7	16.4	18	17.0	9.8	27.6	6	4.4	1.6	10.7
Stomach	17	6.7	3.9	11.2	13	11.6	6.1	20.6	4	2.8	0.7	8.6
Colon and Rectum	135	58.2	48.4	69.6	71	66.6	51.6	84.8	64	51.3	38.7	67.1
Liver	20	7.4	4.5	11.9	16	12.7	7.2	21.5	4	2.6	0.7	8.3
Pancreas	29	11.5	7.6	16.9	16	13.7	7.7	23.0	13	9.7	5.0	18.0
Lung and Bronchus	226	89.1	77.6	102.0	124	106.3	88.1	127.5	102	77.9	62.9	95.8
Bones and Joints	2	1.1	0.1	4.4	1	0.7	0.0	5.5	1	1.7	0.0	8.3
Melanoma of the Skin	52	22.4	16.4	30.0	31	28.0	18.7	40.6	21	17.7	10.4	28.7
Breast (invasive)	189	86.4	73.9	100.5	3	2.7	0.5	8.8	186	167.1	142.2	195.3
Cervix									11	12.7	5.9	23.8
Corpus and Uterus, NOS									39	29.3	20.6	41.1
Ovary									12	8.1	4.1	15.3
Prostate					149	124.3	104.8	146.8				
Testis					5	6.4	2.1	14.9				
Urinary Bladder (includes in situ)	64	25.0	19.2	32.3	50	45.5	33.6	60.7	14	8.7	4.7	16.0
Kidney and Renal Pelvis	57	24.3	18.2	32.1	29	26.7	17.6	39.2	28	22.2	14.3	33.5
Brain and Nervous System	6	3.0	1.0	6.9	3	2.2	0.4	7.6	3	4.1	0.8	11.8
Hodgkin Lymphoma	7	3.8	1.4	8.2	4	3.9	1.0	10.7	3	4.1	0.8	12.2
Non-Hodgkin Lymphoma	51	21.8	16.0	29.2	36	33.3	23.0	47.0	15	11.1	6.1	19.4
Myeloma	16	6.0	3.4	10.2	4	3.6	0.9	9.9	12	7.9	4.1	15.1
Leukemia	33	16.2	10.9	23.2	20	20.1	12.0	31.7	13	13.2	6.6	23.6
All Other Sites	155	68.4	57.6	80.8	77	71.2	55.9	89.7	78	69.4	53.7	88.6
Breast in Situ (not in total)									37	33.0	22.6	46.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Moultrie

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	462	487.3	442.1	536.1	237	526.9	460.1	601.1	225	470.8	407.9	541.0
Oral Cavity and Pharynx	14	13.0	6.9	23.0	13	26.5	13.7	47.4	1	1.8	0.0	13.0
Esophagus	8	8.2	3.4	17.1	7	13.8	5.5	30.3	1	3.4	0.1	17.3
Stomach	5	5.4	1.7	13.5	3	7.8	1.6	23.3	2	2.6	0.3	13.8
Colon and Rectum	46	48.6	35.1	65.9	23	53.6	33.5	81.8	23	43.9	27.0	68.3
Liver	6	5.8	2.1	13.5	5	10.6	3.4	26.2	1	1.6	0.0	12.5
Pancreas	19	19.8	11.7	31.8	8	20.3	8.7	40.6	11	19.7	9.3	37.9
Lung and Bronchus	64	65.5	50.1	84.4	33	73.0	49.8	103.8	31	60.8	41.0	87.8
Bones and Joints	0				0				0			
Melanoma of the Skin	22	26.4	16.1	40.9	11	22.6	11.2	42.0	11	30.5	14.6	55.5
Breast (invasive)	62	69.6	52.6	90.5	0				62	134.2	101.3	174.8
Cervix									5	15.2	4.7	35.4
Corpus and Uterus, NOS									20	42.9	25.5	68.3
Ovary									3	5.8	1.2	19.0
Prostate					45	94.3	68.2	127.9				
Testis					0							
Urinary Bladder (includes in situ)	21	20.2	12.3	31.8	16	36.7	20.7	60.8	5	8.2	2.4	22.3
Kidney and Renal Pelvis	31	32.8	21.6	47.9	19	44.2	25.8	70.8	12	22.8	10.7	43.0
Brain and Nervous System	6	7.9	2.8	17.7	3	8.1	1.6	24.2	3	8.3	1.5	25.0
Hodgkin Lymphoma	3	4.2	0.8	12.4	2	5.1	0.5	19.5	1	3.3	0.1	17.0
Non-Hodgkin Lymphoma	14	12.7	6.9	22.3	11	21.5	10.5	40.2	3	4.5	0.9	16.6
Myeloma	5	5.7	1.7	14.2	4	10.2	2.5	27.3	1	1.6	0.0	12.5
Leukemia	9	9.2	4.1	18.4	5	11.2	3.5	27.7	4	7.1	1.9	20.6
All Other Sites	54	56.8	42.2	75.1	29	67.4	44.7	98.1	25	52.6	33.5	79.3
Breast in Situ (not in total)									11	24.7	11.9	45.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Ogle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,715	480.6	457.3	504.8	865	500.6	466.8	536.5	850	469.7	437.2	504.2
Oral Cavity and Pharynx	51	14.0	10.3	18.7	34	18.7	12.8	26.6	17	9.8	5.5	16.3
Esophagus	25	6.5	4.2	9.9	19	10.4	6.2	16.7	6	2.8	1.0	6.7
Stomach	19	5.1	3.0	8.2	16	9.1	5.1	15.2	3	1.7	0.3	5.5
Colon and Rectum	131	36.9	30.7	44.2	60	36.3	27.4	47.3	71	36.3	28.1	46.5
Liver	14	3.5	1.9	6.2	8	3.9	1.7	8.3	6	3.1	1.1	7.3
Pancreas	42	11.3	8.1	15.6	24	13.9	8.7	21.2	18	9.0	5.3	14.7
Lung and Bronchus	242	63.5	55.6	72.3	122	68.6	56.7	82.4	120	59.7	49.4	71.9
Bones and Joints	1	0.2	0.0	1.8	1	0.4	0.0	3.6	0			
Melanoma of the Skin	130	38.5	31.9	46.1	73	41.0	31.9	52.2	57	37.2	27.6	49.0
Breast (invasive)	228	67.8	58.9	77.8	1	0.7	0.0	4.2	227	132.7	115.1	152.3
Cervix									10	6.0	2.7	11.5
Corpus and Uterus, NOS									51	25.9	19.1	34.7
Ovary									18	9.5	5.5	15.6
Prostate					190	101.7	87.4	117.9				
Testis					9	7.4	3.3	14.2				
Urinary Bladder (includes in situ)	68	18.5	14.3	23.7	55	33.5	25.1	44.1	13	6.8	3.6	12.3
Kidney and Renal Pelvis	64	17.9	13.7	23.1	34	20.3	13.9	28.9	30	15.9	10.6	23.3
Brain and Nervous System	26	8.1	5.2	12.2	11	7.1	3.4	13.3	15	9.2	5.0	15.8
Hodgkin Lymphoma	7	2.7	1.1	5.6	6	4.7	1.7	10.3	1	0.7	0.0	4.2
Non-Hodgkin Lymphoma	82	23.3	18.4	29.2	50	31.1	22.8	41.5	32	16.5	11.2	23.8
Myeloma	26	6.8	4.4	10.2	17	9.6	5.5	15.9	9	4.3	2.0	8.8
Leukemia	68	19.5	15.0	25.0	35	22.5	15.5	31.7	33	16.4	11.2	23.6
All Other Sites	213	62.3	53.9	71.8	100	59.9	48.3	73.6	113	66.3	54.0	80.8
Breast in Situ (not in total)									49	29.0	21.1	39.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,750	500.8	487.6	514.4	3,026	567.6	547.1	588.8	2,724	452.8	435.3	471.0
Oral Cavity and Pharynx	154	13.5	11.4	15.9	110	20.3	16.6	24.7	44	7.5	5.4	10.2
Esophagus	81	7.0	5.5	8.8	65	12.2	9.4	15.7	16	2.7	1.5	4.6
Stomach	55	4.8	3.6	6.3	33	6.5	4.4	9.2	22	3.7	2.3	5.8
Colon and Rectum	477	42.4	38.5	46.5	232	46.4	40.5	53.0	245	39.2	34.2	44.7
Liver	83	6.7	5.3	8.4	67	11.2	8.6	14.3	16	2.8	1.6	4.7
Pancreas	162	13.9	11.8	16.2	80	15.4	12.2	19.4	82	12.4	9.8	15.5
Lung and Bronchus	983	81.8	76.7	87.2	524	95.9	87.7	104.7	459	71.3	64.8	78.4
Bones and Joints	11	1.0	0.5	1.8	5	1.0	0.3	2.4	6	1.0	0.4	2.4
Melanoma of the Skin	320	29.6	26.4	33.2	180	35.9	30.7	41.7	140	26.1	21.7	31.1
Breast (invasive)	819	74.0	68.9	79.5	7	1.6	0.6	3.2	812	138.2	128.4	148.5
Cervix									43	9.7	6.9	13.2
Corpus and Uterus, NOS									144	23.7	19.8	28.1
Ovary									50	8.4	6.1	11.3
Prostate					818	142.4	132.6	152.8				
Testis					24	6.0	3.8	8.9				
Urinary Bladder (includes in situ)	239	20.2	17.6	23.0	180	35.1	30.0	40.7	59	8.8	6.6	11.5
Kidney and Renal Pelvis	261	23.9	21.0	27.2	171	34.5	29.4	40.3	90	15.0	12.0	18.6
Brain and Nervous System	67	6.5	5.0	8.3	36	7.3	5.1	10.2	31	5.9	3.9	8.5
Hodgkin Lymphoma	32	3.3	2.2	4.7	20	4.4	2.7	6.9	12	2.2	1.1	4.0
Non-Hodgkin Lymphoma	208	18.0	15.6	20.7	113	20.9	17.2	25.3	95	15.4	12.4	19.0
Myeloma	58	4.6	3.5	6.1	30	5.5	3.7	8.0	28	4.0	2.6	5.9
Leukemia	123	10.9	9.0	13.1	80	15.6	12.3	19.5	43	6.9	4.9	9.4
All Other Sites	538	47.9	43.8	52.3	251	49.4	43.3	56.1	287	47.8	42.2	54.0
Breast in Situ (not in total)									195	34.3	29.4	39.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Perry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	713	503.5	466.0	543.5	378	537.0	483.1	595.7	335	492.5	437.4	553.1
Oral Cavity and Pharynx	17	11.9	6.8	19.6	15	19.7	10.9	33.6	2	2.7	0.3	12.2
Esophagus	12	7.7	3.9	14.1	11	14.4	7.0	26.9	1	1.1	0.0	9.7
Stomach	9	6.7	2.9	13.4	6	9.1	3.2	20.9	3	3.5	0.7	13.0
Colon and Rectum	76	54.8	42.8	69.4	37	54.7	38.2	76.4	39	56.0	38.8	79.0
Liver	11	8.2	3.9	15.3	8	11.3	4.8	23.3	3	4.8	0.8	16.1
Pancreas	16	11.3	6.3	19.1	8	10.9	4.6	22.7	8	12.2	4.8	26.3
Lung and Bronchus	129	86.7	72.0	103.7	68	96.0	74.1	122.7	61	77.6	58.8	101.6
Bones and Joints	2	1.3	0.2	5.5	1	1.3	0.0	8.8	1	1.1	0.0	9.7
Melanoma of the Skin	40	28.4	20.0	39.5	25	37.3	23.9	56.0	15	24.0	12.4	42.2
Breast (invasive)	75	53.8	42.0	68.2	0				75	110.2	85.3	140.8
Cervix									6	12.2	4.1	27.6
Corpus and Uterus, NOS									19	24.4	14.3	40.1
Ovary									11	18.4	8.4	35.1
Prostate					78	105.6	83.1	132.9				
Testis					0							
Urinary Bladder (includes in situ)	37	24.2	16.9	33.9	27	39.6	25.9	58.4	10	12.0	5.4	24.6
Kidney and Renal Pelvis	46	34.9	25.2	47.4	34	49.5	33.9	70.1	12	21.3	10.3	39.1
Brain and Nervous System	4	3.3	0.8	8.8	1	2.1	0.1	11.1	3	3.9	0.8	13.6
Hodgkin Lymphoma	8	7.5	3.1	15.0	4	5.7	1.5	15.7	4	9.9	2.6	25.1
Non-Hodgkin Lymphoma	18	11.4	6.7	18.6	9	11.7	5.3	23.4	9	11.1	5.1	23.0
Myeloma	4	2.6	0.7	7.3	1	1.6	0.0	9.8	3	3.6	0.7	13.2
Leukemia	17	13.3	7.5	21.9	9	12.7	5.7	25.1	8	14.2	5.6	29.6
All Other Sites	78	59.3	46.5	74.8	36	53.8	37.4	75.4	42	68.2	47.9	94.6
Breast in Situ (not in total)									13	18.6	9.4	33.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Piatt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	561	478.1	437.5	521.7	295	511.7	452.8	576.8	266	454.0	397.7	516.6
Oral Cavity and Pharynx	18	15.7	9.1	25.8	11	18.7	9.2	35.1	7	13.2	4.9	29.3
Esophagus	6	4.4	1.6	10.6	5	8.4	2.7	21.4	1	1.2	0.0	10.9
Stomach	7	5.8	2.2	13.2	7	12.1	4.5	27.1	0			
Colon and Rectum	46	40.5	29.2	55.0	30	56.1	37.3	81.8	16	26.7	14.8	45.5
Liver	7	5.9	2.3	13.1	6	10.8	3.8	25.1	1	1.4	0.0	11.3
Pancreas	19	16.3	9.6	26.3	11	19.1	9.3	36.0	8	13.4	5.5	28.4
Lung and Bronchus	74	58.0	45.2	73.7	39	68.8	48.3	95.8	35	49.2	34.2	70.1
Bones and Joints	1	1.2	0.0	6.9	1	2.4	0.1	13.7	0			
Melanoma of the Skin	56	53.3	39.4	70.7	32	56.5	37.8	81.9	24	53.0	32.7	81.0
Breast (invasive)	68	60.9	46.6	78.4	0				68	118.3	90.3	152.8
Cervix									3	7.8	1.4	23.2
Corpus and Uterus, NOS									20	30.6	18.2	49.5
Ovary									11	20.9	9.8	39.5
Prostate					60	94.9	71.8	124.0				
Testis					1	3.0	0.1	15.3				
Urinary Bladder (includes in situ)	22	16.9	10.5	26.4	19	31.2	18.5	50.3	3	4.2	0.9	15.2
Kidney and Renal Pelvis	25	20.6	13.0	31.5	16	26.4	14.6	45.0	9	14.7	6.5	30.0
Brain and Nervous System	6	5.1	1.7	12.3	5	9.1	2.7	23.3	1	1.2	0.0	10.9
Hodgkin Lymphoma	2	2.8	0.3	9.8	2	5.5	0.7	19.3	0			
Non-Hodgkin Lymphoma	34	27.1	18.5	38.9	19	31.4	18.5	50.9	15	23.0	12.6	39.9
Myeloma	8	6.3	2.7	13.3	5	8.2	2.6	21.2	3	4.6	0.9	15.8
Leukemia	17	14.9	8.3	24.9	7	13.5	5.0	29.8	10	15.4	7.1	30.5
All Other Sites	50	44.8	32.8	60.1	19	35.5	21.1	56.9	31	55.2	36.4	80.8
Breast in Situ (not in total)									14	25.3	13.2	44.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pike

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	606	557.7	511.9	606.8	320	613.7	546.1	688.2	286	516.8	453.8	586.7
Oral Cavity and Pharynx	21	20.6	12.4	32.6	17	31.6	18.0	52.6	4	10.4	2.6	27.5
Esophagus	7	6.9	2.7	15.1	5	10.1	3.2	25.3	2	3.4	0.4	15.2
Stomach	1	0.7	0.0	6.1	1	1.4	0.0	12.0	0			
Colon and Rectum	47	44.7	32.1	61.0	26	54.8	35.1	82.1	21	38.4	22.4	62.2
Liver	10	7.8	3.7	15.5	8	14.4	6.1	30.4	2	3.1	0.4	14.7
Pancreas	15	12.0	6.7	20.8	7	10.7	4.3	24.7	8	12.5	5.3	27.1
Lung and Bronchus	116	99.0	81.5	119.8	65	123.9	95.0	159.7	51	77.0	57.0	103.3
Bones and Joints	0				0				0			
Melanoma of the Skin	32	36.0	23.9	52.2	16	34.7	19.0	58.5	16	37.8	20.5	63.8
Breast (invasive)	74	66.8	51.7	85.3	1	1.4	0.0	12.0	73	126.4	97.2	162.5
Cervix									0			
Corpus and Uterus, NOS									22	41.3	25.0	65.1
Ovary									5	11.1	3.3	27.5
Prostate					53	95.1	70.6	126.5				
Testis					1	4.1	0.1	19.3				
Urinary Bladder (includes in situ)	15	12.6	6.9	21.8	12	22.1	11.3	40.4	3	5.5	0.9	18.8
Kidney and Renal Pelvis	27	24.6	15.8	37.0	21	39.3	24.0	61.9	6	12.2	3.9	29.2
Brain and Nervous System	4	3.8	0.9	10.8	1	2.0	0.1	13.3	3	5.9	1.0	19.8
Hodgkin Lymphoma	6	5.6	1.9	13.5	5	9.3	2.7	24.2	1	1.7	0.0	12.8
Non-Hodgkin Lymphoma	28	28.0	18.0	41.9	18	36.7	21.5	59.5	10	23.2	10.0	45.4
Myeloma	10	8.8	4.0	17.5	6	9.9	3.5	24.0	4	8.6	1.9	24.3
Leukemia	23	22.0	13.5	34.3	14	27.5	14.7	47.9	9	16.1	6.2	34.5
All Other Sites	89	82.3	65.3	102.8	43	84.7	60.5	116.0	46	82.5	58.7	113.6
Breast in Situ (not in total)									10	22.1	10.1	42.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pope

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	153	422.3	350.0	509.3	94	488.6	384.5	621.5	59	356.9	259.6	488.5
Oral Cavity and Pharynx	5	10.3	3.3	38.3	4	16.6	4.5	70.1	1	4.1	0.1	62.1
Esophagus	2	8.9	0.9	40.7	2	17.8	1.6	80.3	0			
Stomach	0				0				0			
Colon and Rectum	12	27.0	13.8	58.1	7	29.8	11.9	85.5	5	24.0	7.7	84.6
Liver	2	4.2	0.5	31.6	0				2	8.9	1.1	67.2
Pancreas	4	9.0	2.4	37.0	4	18.2	4.9	72.5	0			
Lung and Bronchus	31	70.7	47.5	109.4	18	82.3	48.1	148.9	13	57.5	30.4	122.6
Bones and Joints	0				0				0			
Melanoma of the Skin	4	13.7	3.1	46.0	3	15.2	3.1	69.7	1	11.8	0.3	77.1
Breast (invasive)	15	53.1	25.8	100.4	0				15	107.6	51.7	205.5
Cervix									5	48.4	13.7	129.7
Corpus and Uterus, NOS									1	5.7	0.1	64.5
Ovary									1	9.6	0.2	72.1
Prostate					24	112.9	71.7	185.2				
Testis					1	16.8	0.4	86.3				
Urinary Bladder (includes in situ)	6	13.5	4.9	42.2	6	25.4	9.2	80.2	0			
Kidney and Renal Pelvis	7	22.5	7.5	58.2	4	28.7	5.5	95.5	3	16.1	3.3	76.1
Brain and Nervous System	2	5.1	0.6	32.9	2	10.3	1.3	64.1	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	8	22.3	9.1	54.7	5	29.1	8.8	88.9	3	13.5	2.7	72.2
Myeloma	3	7.0	1.4	34.8	2	10.7	1.3	64.6	1	4.1	0.1	62.2
Leukemia	7	18.1	6.9	48.9	4	19.6	5.2	74.7	3	17.5	2.9	79.8
All Other Sites	13	40.4	18.8	81.2	8	55.1	18.2	133.5	5	28.1	8.3	92.0
Breast in Situ (not in total)									1	5.2	0.1	63.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Pulaski

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	217	546.9	472.5	631.0	118	582.2	479.0	704.6	99	521.9	415.9	648.6
Oral Cavity and Pharynx	6	13.7	5.0	33.6	6	28.0	10.2	68.5	0			
Esophagus	4	8.4	2.2	26.3	2	7.2	0.9	39.2	2	9.5	1.1	43.2
Stomach	2	7.8	0.7	29.6	0				2	15.4	1.3	59.1
Colon and Rectum	15	39.2	20.9	68.6	7	42.5	15.7	94.2	8	36.6	14.7	80.9
Liver	5	12.4	4.0	32.4	3	14.8	3.0	51.3	2	9.8	1.2	43.8
Pancreas	3	7.5	1.5	25.6	2	10.5	1.3	45.6	1	4.6	0.1	36.3
Lung and Bronchus	51	124.5	91.6	167.3	27	144.0	93.7	215.3	24	104.9	66.0	163.6
Bones and Joints	0				0				0			
Melanoma of the Skin	8	20.3	8.2	43.9	6	27.4	9.9	67.6	2	14.9	1.4	57.0
Breast (invasive)	27	83.7	53.0	126.2	0				27	164.5	103.6	248.8
Cervix									1	10.3	0.3	51.4
Corpus and Uterus, NOS									8	31.4	13.5	70.6
Ovary									0			
Prostate					36	165.0	114.7	234.7				
Testis					0							
Urinary Bladder (includes in situ)	11	24.6	12.2	47.6	9	43.4	19.6	89.2	2	7.9	0.9	40.2
Kidney and Renal Pelvis	6	14.2	5.1	34.4	5	23.5	7.5	62.6	1	4.9	0.1	36.9
Brain and Nervous System	3	6.8	1.4	24.3	2	10.3	1.2	45.2	1	3.3	0.1	33.7
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	10.4	3.3	28.9	4	16.5	4.4	52.2	1	4.9	0.1	36.9
Myeloma	5	13.2	3.9	34.4	0				5	25.8	7.5	68.2
Leukemia	1	2.5	0.1	18.6	0				1	5.1	0.1	37.3
All Other Sites	20	58.3	34.3	93.7	9	49.1	21.4	100.0	11	68.1	32.0	128.3
Breast in Situ (not in total)									1	5.1	0.1	37.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Putnam

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	207	467.9	402.4	542.6	111	487.7	396.0	597.5	96	449.9	357.9	561.3
Oral Cavity and Pharynx	3	10.1	1.9	31.3	3	20.0	3.8	62.0	0			
Esophagus	7	15.3	6.1	35.1	7	31.3	12.5	71.2	0			
Stomach	2	3.4	0.4	18.8	2	6.6	0.8	36.9	0			
Colon and Rectum	15	35.0	18.6	61.9	10	50.0	22.2	99.9	5	20.2	6.5	56.6
Liver	2	6.7	0.5	27.1	2	13.4	1.0	54.1	0			
Pancreas	6	14.0	5.1	33.8	1	4.9	0.1	36.1	5	21.8	7.0	59.3
Lung and Bronchus	35	73.5	50.8	105.4	17	72.7	41.4	123.5	18	76.5	44.7	128.1
Bones and Joints	1	1.7	0.0	16.6	1	3.1	0.1	32.4	0			
Melanoma of the Skin	17	47.9	26.0	81.3	11	56.0	26.5	107.2	6	42.7	13.3	100.0
Breast (invasive)	27	67.7	42.9	102.9	1	3.1	0.1	32.4	26	131.0	82.1	201.3
Cervix									1	9.8	0.2	50.0
Corpus and Uterus, NOS									7	25.0	10.0	61.5
Ovary									2	8.7	1.1	42.0
Prostate					23	83.2	52.3	132.3				
Testis					0							
Urinary Bladder (includes in situ)	14	27.0	14.6	49.1	14	55.3	29.6	100.7	0			
Kidney and Renal Pelvis	6	13.1	4.6	32.6	3	11.5	2.3	43.9	3	13.7	2.6	49.6
Brain and Nervous System	3	8.4	1.4	28.4	1	9.0	0.2	46.8	2	7.9	0.9	40.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	8	15.7	6.7	35.2	4	16.5	4.4	51.2	4	14.2	3.8	47.8
Myeloma	4	7.8	2.1	25.0	2	7.9	0.9	39.5	2	8.0	0.9	40.5
Leukemia	8	18.8	7.7	41.0	3	14.8	2.8	50.8	5	24.0	6.8	65.4
All Other Sites	16	37.2	20.5	64.2	6	28.4	9.6	69.7	10	46.5	21.4	93.5
Breast in Situ (not in total)									7	26.0	10.4	63.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Randolph

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,050	479.1	449.4	510.4	539	515.2	471.4	562.2	511	480.1	435.6	528.1
Oral Cavity and Pharynx	24	10.9	6.9	16.8	16	15.0	8.4	25.1	8	6.6	2.8	14.3
Esophagus	14	6.8	3.7	11.9	13	13.6	7.1	23.9	1	0.7	0.0	6.4
Stomach	15	6.7	3.7	11.7	6	6.4	2.2	14.5	9	7.5	3.3	15.8
Colon and Rectum	109	49.5	40.3	60.4	54	52.7	39.2	69.6	55	47.6	34.9	63.9
Liver	20	8.0	4.9	12.8	15	12.7	7.0	21.9	5	3.8	1.2	10.5
Pancreas	28	11.6	7.6	17.2	17	15.8	9.1	26.1	11	7.2	3.5	14.7
Lung and Bronchus	175	75.5	64.4	88.1	84	76.0	60.3	95.0	91	78.2	62.1	97.9
Bones and Joints	0				0				0			
Melanoma of the Skin	51	24.3	17.8	32.5	31	30.2	20.3	43.7	20	23.4	13.5	37.8
Breast (invasive)	143	67.0	56.0	79.7	1	1.2	0.0	6.9	142	135.7	112.5	162.7
Cervix									2	3.9	0.5	13.1
Corpus and Uterus, NOS									24	20.5	12.7	32.2
Ovary									9	8.6	3.6	17.8
Prostate					120	110.3	90.9	132.9				
Testis					4	5.3	1.4	13.5				
Urinary Bladder (includes in situ)	36	15.0	10.4	21.3	26	25.5	16.5	38.0	10	6.7	3.1	14.0
Kidney and Renal Pelvis	34	17.1	11.7	24.4	21	20.8	12.7	32.4	13	17.5	8.9	30.6
Brain and Nervous System	13	7.2	3.7	12.8	8	8.1	3.4	16.7	5	6.2	1.8	15.6
Hodgkin Lymphoma	7	4.9	1.9	10.1	3	4.0	0.8	11.6	4	6.6	1.7	16.7
Non-Hodgkin Lymphoma	48	19.8	14.5	26.7	27	25.0	16.3	37.2	21	17.1	10.4	27.5
Myeloma	18	7.8	4.6	12.8	12	11.2	5.7	20.3	6	4.5	1.6	11.4
Leukemia	32	14.9	9.9	21.7	19	18.6	10.9	30.0	13	11.8	5.8	21.9
All Other Sites	124	61.2	50.5	73.7	62	62.8	47.8	81.2	62	65.9	49.0	87.0
Breast in Situ (not in total)									25	25.9	16.1	39.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Richland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	523	454.3	414.5	497.1	302	542.4	481.6	609.5	221	388.8	335.6	448.8
Oral Cavity and Pharynx	14	10.5	5.7	18.6	9	13.9	6.3	28.6	5	7.6	2.4	20.2
Esophagus	7	5.4	2.1	12.4	6	9.8	3.5	23.4	1	2.6	0.1	14.5
Stomach	3	2.3	0.5	8.1	2	3.2	0.4	14.2	1	1.7	0.0	12.3
Colon and Rectum	63	53.4	40.7	69.5	39	72.5	51.1	100.7	24	37.3	23.2	58.2
Liver	7	6.1	2.4	13.5	2	3.7	0.4	15.3	5	8.7	2.7	22.5
Pancreas	15	14.0	7.5	24.2	8	16.7	6.9	34.4	7	10.8	3.9	25.4
Lung and Bronchus	81	68.0	53.6	85.5	48	85.2	62.6	114.4	33	53.2	35.6	77.5
Bones and Joints	0				0				0			
Melanoma of the Skin	22	20.3	12.4	31.7	18	33.5	19.7	54.4	4	10.3	2.6	26.9
Breast (invasive)	60	56.3	42.2	73.9	1	1.9	0.0	12.7	59	108.8	81.1	143.5
Cervix									3	6.2	1.2	19.7
Corpus and Uterus, NOS									15	25.8	14.1	44.4
Ovary									1	1.3	0.0	11.5
Prostate					87	146.3	116.7	182.1				
Testis					1	2.7	0.1	14.9				
Urinary Bladder (includes in situ)	18	14.7	8.5	24.3	17	29.0	16.7	48.0	1	3.2	0.1	16.3
Kidney and Renal Pelvis	22	20.7	12.6	32.4	12	23.3	11.9	42.0	10	19.5	8.6	38.6
Brain and Nervous System	5	3.9	1.3	10.3	1	1.5	0.0	11.6	4	6.1	1.6	18.2
Hodgkin Lymphoma	2	2.2	0.2	8.7	2	4.4	0.4	17.3	0			
Non-Hodgkin Lymphoma	16	13.9	7.7	23.6	8	14.3	6.1	29.8	8	13.9	5.4	30.2
Myeloma	6	5.4	1.8	12.8	4	8.7	2.2	23.4	2	2.7	0.3	13.4
Leukemia	15	13.1	7.1	22.7	9	14.6	6.6	29.7	6	11.7	3.7	28.0
All Other Sites	60	56.9	42.7	74.6	28	57.3	37.6	84.2	32	57.4	37.6	84.5
Breast in Situ (not in total)									11	22.7	10.7	42.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,308	437.2	423.7	451.0	2,261	482.2	461.9	503.1	2,047	406.7	388.1	426.0
Oral Cavity and Pharynx	140	14.2	11.8	16.9	106	23.3	18.9	28.4	34	6.2	4.2	8.9
Esophagus	69	6.5	5.0	8.4	55	10.7	8.0	14.1	14	2.8	1.5	5.0
Stomach	48	4.7	3.5	6.4	31	6.9	4.7	9.9	17	2.8	1.6	4.8
Colon and Rectum	320	33.0	29.3	37.1	164	36.7	31.1	43.0	156	29.3	24.6	34.6
Liver	65	5.8	4.5	7.5	53	9.9	7.4	13.2	12	2.0	1.0	3.7
Pancreas	141	13.8	11.6	16.4	78	16.6	13.0	21.0	63	11.4	8.7	14.9
Lung and Bronchus	659	62.0	57.3	67.1	329	68.0	60.7	76.0	330	57.7	51.5	64.6
Bones and Joints	7	0.8	0.3	1.7	5	1.1	0.3	2.7	2	0.5	0.0	1.8
Melanoma of the Skin	232	25.2	21.9	28.9	135	30.6	25.5	36.4	97	21.6	17.3	26.8
Breast (invasive)	572	62.0	56.8	67.6	1	0.2	0.0	1.3	571	119.0	108.8	130.0
Cervix									29	8.1	5.3	11.8
Corpus and Uterus, NOS									148	28.9	24.2	34.3
Ovary									51	10.0	7.3	13.4
Prostate					515	102.0	93.2	111.5				
Testis					22	6.4	4.0	9.8				
Urinary Bladder (includes in situ)	191	18.4	15.8	21.3	152	33.1	28.0	39.0	39	7.0	4.9	9.9
Kidney and Renal Pelvis	177	18.3	15.6	21.3	120	25.8	21.2	31.0	57	11.9	8.8	15.8
Brain and Nervous System	53	5.8	4.3	7.8	32	7.4	5.0	10.6	21	4.4	2.6	7.0
Hodgkin Lymphoma	21	2.8	1.7	4.3	12	3.1	1.6	5.5	9	2.6	1.2	5.0
Non-Hodgkin Lymphoma	167	17.6	14.9	20.7	99	22.1	17.8	27.1	68	13.5	10.3	17.5
Myeloma	65	6.2	4.8	8.1	35	7.3	5.0	10.3	30	5.4	3.6	8.0
Leukemia	104	10.9	8.8	13.3	61	14.1	10.7	18.2	43	8.3	5.9	11.4
All Other Sites	512	54.2	49.4	59.4	256	57.1	50.1	64.8	256	53.1	46.3	60.6
Breast in Situ (not in total)									151	34.3	28.7	40.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Saline

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	812	471.5	438.3	506.8	432	537.3	486.2	592.9	380	421.1	377.3	469.0
Oral Cavity and Pharynx	28	16.6	10.8	24.8	16	20.4	11.3	34.4	12	12.4	6.1	23.5
Esophagus	13	7.6	3.9	13.6	10	11.6	5.5	22.6	3	4.2	0.7	13.6
Stomach	13	7.9	4.1	14.1	6	8.9	3.2	20.1	7	6.4	2.6	15.0
Colon and Rectum	78	43.7	34.3	55.2	40	49.9	35.3	69.1	38	38.8	27.1	54.8
Liver	10	5.3	2.5	10.3	10	11.7	5.5	22.8	0			
Pancreas	26	14.4	9.2	21.8	15	19.0	10.3	32.6	11	9.8	4.9	19.2
Lung and Bronchus	131	69.9	58.3	83.4	72	86.1	67.0	109.5	59	57.2	43.4	75.0
Bones and Joints	0				0				0			
Melanoma of the Skin	33	19.5	13.3	28.0	22	27.4	16.9	42.5	11	13.9	6.7	26.2
Breast (invasive)	95	55.0	44.1	68.1	0				95	103.9	83.0	129.0
Cervix									9	15.8	7.0	30.4
Corpus and Uterus, NOS									19	20.9	12.3	34.1
Ovary									2	2.0	0.2	9.3
Prostate					101	114.7	92.9	140.7				
Testis					1	1.5	0.0	9.1				
Urinary Bladder (includes in situ)	40	22.3	15.7	31.2	29	37.1	24.5	54.4	11	11.5	5.4	22.5
Kidney and Renal Pelvis	33	18.7	12.7	26.9	17	20.3	11.6	33.6	16	17.2	9.5	29.4
Brain and Nervous System	5	4.9	1.5	11.4	2	4.8	0.6	15.8	3	5.3	1.0	15.8
Hodgkin Lymphoma	6	5.2	1.8	11.6	4	6.3	1.5	17.0	2	4.3	0.5	14.7
Non-Hodgkin Lymphoma	25	16.3	10.2	24.9	15	19.9	10.9	33.9	10	13.1	5.7	25.8
Myeloma	13	8.6	4.4	15.3	5	6.4	2.0	15.9	8	11.1	4.4	23.1
Leukemia	26	15.9	10.2	24.0	16	21.3	11.8	35.9	10	11.1	5.2	21.8
All Other Sites	105	65.3	52.8	80.0	51	70.0	51.4	93.4	54	61.9	45.5	82.8
Breast in Situ (not in total)									8	7.4	3.2	16.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,070	545.7	532.5	559.0	3,601	608.9	588.4	629.9	3,469	505.1	487.6	523.1
Oral Cavity and Pharynx	202	15.7	13.5	18.2	157	26.6	22.4	31.3	45	6.4	4.6	8.7
Esophagus	83	6.3	5.0	7.9	64	10.9	8.3	14.1	19	2.7	1.6	4.4
Stomach	75	5.6	4.3	7.1	44	7.1	5.1	9.7	31	4.4	2.9	6.4
Colon and Rectum	549	43.8	40.1	47.8	280	49.4	43.6	55.8	269	39.3	34.5	44.6
Liver	114	8.1	6.6	9.8	95	14.8	11.9	18.3	19	2.7	1.6	4.4
Pancreas	235	17.8	15.6	20.3	133	22.7	18.9	27.1	102	14.0	11.3	17.1
Lung and Bronchus	1,059	77.2	72.6	82.2	529	88.7	81.1	97.0	530	69.5	63.5	75.9
Bones and Joints	12	1.1	0.6	2.0	7	1.3	0.5	2.8	5	1.0	0.3	2.3
Melanoma of the Skin	391	32.6	29.3	36.1	208	37.4	32.3	43.1	183	30.5	26.0	35.5
Breast (invasive)	1,025	82.6	77.4	88.0	13	2.0	1.0	3.5	1,012	152.1	142.4	162.3
Cervix									36	7.2	5.0	10.1
Corpus and Uterus, NOS									211	30.2	26.0	34.8
Ovary									79	11.1	8.7	14.1
Prostate					804	123.4	114.7	132.6				
Testis					40	9.3	6.6	12.7				
Urinary Bladder (includes in situ)	307	22.7	20.2	25.4	248	43.6	38.2	49.6	59	7.6	5.8	10.0
Kidney and Renal Pelvis	339	26.2	23.4	29.3	218	36.4	31.5	41.8	121	17.8	14.6	21.5
Brain and Nervous System	82	6.8	5.3	8.5	49	8.7	6.3	11.6	33	5.1	3.4	7.4
Hodgkin Lymphoma	19	1.8	1.1	2.9	14	2.8	1.5	4.8	5	0.9	0.3	2.1
Non-Hodgkin Lymphoma	333	25.7	23.0	28.8	166	29.9	25.4	35.1	167	23.3	19.8	27.4
Myeloma	94	7.1	5.7	8.8	55	9.9	7.4	13.0	39	5.0	3.5	7.0
Leukemia	206	16.3	14.1	18.8	113	19.7	16.1	23.9	93	13.4	10.7	16.7
All Other Sites	775	61.5	57.0	66.1	364	64.3	57.7	71.6	411	61.0	54.9	67.5
Breast in Situ (not in total)									242	35.1	30.6	40.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Schuyler

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	263	483.0	423.9	549.3	154	557.8	470.7	658.8	109	414.9	335.2	510.6
Oral Cavity and Pharynx	11	21.4	10.4	40.9	7	25.8	10.2	58.1	4	19.1	4.6	55.2
Esophagus	2	2.8	0.3	15.3	2	8.8	1.1	36.0	0			
Stomach	5	10.6	3.3	27.2	4	15.9	4.2	45.7	1	3.2	0.1	30.0
Colon and Rectum	28	50.6	32.9	76.2	18	65.0	37.5	108.0	10	29.6	13.9	63.0
Liver	2	3.6	0.4	16.8	1	3.0	0.1	26.3	1	3.9	0.1	31.2
Pancreas	7	15.0	5.7	33.6	3	10.2	2.1	36.6	4	19.6	4.8	55.9
Lung and Bronchus	46	79.6	57.9	108.6	25	83.9	54.0	128.5	21	73.6	44.8	119.3
Bones and Joints	2	6.6	0.8	23.6	2	12.7	1.4	45.6	0			
Melanoma of the Skin	13	24.3	12.4	44.8	9	32.7	14.5	67.3	4	18.1	4.5	52.8
Breast (invasive)	22	39.7	24.5	62.7	1	4.2	0.1	29.0	21	76.6	45.9	124.6
Cervix									4	24.6	5.3	68.3
Corpus and Uterus, NOS									6	20.8	7.6	53.1
Ovary									1	3.9	0.1	31.2
Prostate					33	114.0	77.8	164.6				
Testis					0							
Urinary Bladder (includes in situ)	15	24.7	13.7	43.4	10	34.9	16.5	69.3	5	16.8	5.4	47.8
Kidney and Renal Pelvis	8	13.7	5.9	30.0	6	21.9	7.9	52.8	2	6.6	0.8	34.3
Brain and Nervous System	1	1.8	0.0	14.4	0				1	3.2	0.1	30.0
Hodgkin Lymphoma	1	2.9	0.1	17.0	1	4.9	0.1	30.7	0			
Non-Hodgkin Lymphoma	13	22.5	11.5	41.7	6	20.6	7.1	51.1	7	22.8	9.0	55.2
Myeloma	3	5.2	1.1	18.9	3	10.2	2.1	36.6	0			
Leukemia	9	21.9	9.3	44.1	6	26.6	9.2	62.1	3	16.4	2.7	53.6
All Other Sites	31	56.5	37.4	83.5	17	62.5	35.8	104.7	14	56.0	28.7	102.1
Breast in Situ (not in total)									7	30.1	11.7	68.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Scott

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	192	554.9	475.9	644.4	99	612.5	493.1	754.3	93	517.8	412.1	644.9
Oral Cavity and Pharynx	4	11.9	3.2	33.6	4	25.1	6.7	70.1	0			
Esophagus	3	10.6	2.1	33.0	2	16.2	1.8	60.4	1	5.3	0.1	39.6
Stomach	2	4.6	0.6	22.1	1	4.6	0.1	38.5	1	4.4	0.1	37.7
Colon and Rectum	18	59.6	34.4	97.0	9	61.0	26.7	121.3	9	55.4	24.3	111.3
Liver	1	2.9	0.1	20.4	1	6.5	0.2	42.9	0			
Pancreas	5	12.3	3.9	32.9	2	12.5	1.4	51.8	3	13.3	2.7	49.8
Lung and Bronchus	26	68.3	44.5	102.7	11	69.1	34.1	128.5	15	72.1	40.1	125.6
Bones and Joints	0				0				0			
Melanoma of the Skin	10	34.9	16.0	66.8	5	27.9	8.7	72.5	5	45.1	14.4	104.7
Breast (invasive)	30	87.5	57.9	128.3	2	10.4	1.1	47.8	28	155.3	100.4	232.8
Cervix									0			
Corpus and Uterus, NOS									7	32.5	13.0	75.1
Ovary									1	3.5	0.1	36.0
Prostate					31	182.5	121.7	266.2				
Testis					1	11.8	0.3	57.5				
Urinary Bladder (includes in situ)	7	19.5	7.8	43.3	6	41.3	15.1	93.4	1	5.3	0.1	39.6
Kidney and Renal Pelvis	7	20.3	7.5	45.9	5	33.6	9.4	85.8	2	9.3	1.1	44.5
Brain and Nervous System	0				0				0			
Hodgkin Lymphoma	1	4.7	0.1	25.0	1	9.6	0.2	51.2	0			
Non-Hodgkin Lymphoma	8	19.5	8.3	42.2	4	20.7	5.5	61.5	4	16.8	4.5	54.0
Myeloma	1	3.0	0.1	20.5	0				1	5.3	0.1	39.6
Leukemia	3	7.5	1.5	26.4	2	9.2	1.1	44.8	1	5.3	0.1	39.6
All Other Sites	26	78.1	49.7	118.1	12	70.4	35.2	129.8	14	88.9	45.7	157.3
Breast in Situ (not in total)									3	22.7	4.3	69.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Shelby

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	911	567.9	529.1	609.0	513	646.5	589.1	708.6	398	501.4	448.8	558.8
Oral Cavity and Pharynx	32	22.3	14.6	32.8	27	39.3	24.8	59.4	5	5.5	1.8	15.0
Esophagus	14	7.0	3.8	12.6	12	12.3	6.3	23.3	2	2.1	0.2	10.3
Stomach	9	6.3	2.6	12.9	7	9.6	3.6	21.5	2	3.4	0.3	13.5
Colon and Rectum	94	59.2	47.1	73.7	53	72.1	53.0	96.3	41	46.8	32.8	65.8
Liver	8	4.6	2.0	9.9	7	8.5	3.4	19.1	1	0.9	0.0	8.7
Pancreas	21	12.0	7.3	19.1	11	12.6	6.2	24.1	10	11.3	5.1	23.0
Lung and Bronchus	128	75.2	62.2	90.4	73	87.4	68.0	111.5	55	65.1	48.3	86.7
Bones and Joints	0				0				0			
Melanoma of the Skin	59	41.8	30.8	55.4	39	53.7	37.0	75.7	20	31.2	17.8	50.8
Breast (invasive)	102	62.0	49.9	76.5	1	1.0	0.0	8.6	101	120.5	96.6	149.3
Cervix									5	10.3	2.8	25.1
Corpus and Uterus, NOS									31	41.2	26.8	61.0
Ovary									7	10.8	3.9	24.1
Prostate					122	145.0	119.8	174.7				
Testis					2	5.1	0.6	17.1				
Urinary Bladder (includes in situ)	42	23.2	16.6	32.0	34	39.7	27.4	56.9	8	7.9	3.4	17.8
Kidney and Renal Pelvis	48	30.7	22.1	41.9	30	40.8	26.8	60.0	18	21.6	12.2	36.3
Brain and Nervous System	12	7.1	3.5	13.5	8	10.9	4.4	23.2	4	3.6	1.0	12.1
Hodgkin Lymphoma	7	6.9	2.6	14.6	2	3.2	0.3	12.9	5	10.8	3.3	25.3
Non-Hodgkin Lymphoma	31	18.1	12.0	26.8	21	26.7	16.2	42.3	10	10.8	4.8	22.2
Myeloma	15	9.1	4.9	16.0	6	8.5	2.8	20.3	9	9.6	4.3	20.2
Leukemia	23	13.8	8.5	21.6	8	9.3	4.0	19.9	15	18.0	9.5	32.0
All Other Sites	99	64.4	51.3	80.2	50	60.8	44.5	82.1	49	70.0	49.7	96.2
Breast in Situ (not in total)									16	19.6	10.6	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,619	480.8	469.7	492.1	3,875	536.5	519.1	554.4	3,744	442.2	427.7	457.1
Oral Cavity and Pharynx	211	12.8	11.1	14.7	156	21.1	17.8	24.8	55	6.0	4.5	8.0
Esophagus	82	4.9	3.8	6.1	67	8.7	6.7	11.2	15	1.7	0.9	2.9
Stomach	97	5.8	4.7	7.1	59	7.7	5.8	10.1	38	4.2	2.9	5.8
Colon and Rectum	574	36.7	33.7	40.0	318	44.9	39.9	50.4	256	29.5	25.9	33.5
Liver	130	7.8	6.5	9.3	90	11.9	9.5	14.8	40	4.7	3.3	6.4
Pancreas	210	13.2	11.4	15.2	97	13.2	10.6	16.2	113	12.8	10.5	15.5
Lung and Bronchus	1,201	73.9	69.7	78.3	600	84.0	77.2	91.3	601	67.5	62.1	73.3
Bones and Joints	9	0.6	0.3	1.2	4	0.6	0.2	1.6	5	0.6	0.2	1.4
Melanoma of the Skin	359	23.5	21.0	26.1	229	32.3	28.1	36.9	130	16.9	14.0	20.3
Breast (invasive)	1,094	70.6	66.3	75.1	8	1.0	0.4	2.1	1,086	129.9	122.0	138.2
Cervix									63	9.1	6.9	11.7
Corpus and Uterus, NOS									296	34.6	30.6	38.9
Ovary									76	9.1	7.1	11.5
Prostate					948	122.4	114.5	130.8				
Testis					37	6.2	4.4	8.6				
Urinary Bladder (includes in situ)	329	21.2	18.9	23.6	252	37.5	32.9	42.7	77	8.9	6.9	11.2
Kidney and Renal Pelvis	402	25.6	23.1	28.4	254	34.5	30.2	39.2	148	17.9	15.1	21.2
Brain and Nervous System	92	6.2	4.9	7.6	53	7.5	5.6	10.0	39	4.7	3.3	6.5
Hodgkin Lymphoma	46	3.5	2.5	4.7	22	3.6	2.2	5.5	24	3.4	2.2	5.2
Non-Hodgkin Lymphoma	247	15.9	13.9	18.1	135	20.0	16.7	23.9	112	12.8	10.5	15.5
Myeloma	127	8.1	6.7	9.6	64	9.3	7.1	12.0	63	7.3	5.6	9.5
Leukemia	200	13.5	11.6	15.6	110	16.4	13.4	19.8	90	11.2	8.9	13.9
All Other Sites	789	50.8	47.2	54.6	372	53.5	48.0	59.5	417	49.5	44.7	54.7
Breast in Situ (not in total)									261	32.3	28.3	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Stark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	215	508.6	439.5	586.7	124	589.6	486.9	710.5	91	452.8	356.7	569.0
Oral Cavity and Pharynx	5	10.6	3.4	28.7	3	15.6	2.9	52.8	2	8.8	1.1	41.6
Esophagus	5	10.4	3.3	28.4	4	15.8	4.3	49.8	1	5.4	0.1	37.7
Stomach	4	8.8	2.4	26.6	3	13.7	2.8	48.1	1	3.6	0.1	33.9
Colon and Rectum	18	44.2	25.1	73.6	10	53.1	24.5	103.8	8	39.6	14.8	88.1
Liver	2	4.4	0.5	20.5	1	3.9	0.1	34.1	1	5.4	0.1	37.7
Pancreas	10	21.3	10.2	42.6	7	29.9	11.9	69.0	3	13.3	2.7	47.7
Lung and Bronchus	45	100.6	72.5	138.0	32	154.0	103.6	224.0	13	61.0	30.8	112.5
Bones and Joints	1	2.3	0.1	17.8	1	4.9	0.1	36.1	0			
Melanoma of the Skin	13	30.6	15.4	56.5	5	24.2	7.5	63.7	8	41.3	15.7	90.6
Breast (invasive)	18	41.2	23.6	69.0	0				18	80.6	45.6	136.2
Cervix									1	7.0	0.2	41.6
Corpus and Uterus, NOS									4	19.7	4.4	59.9
Ovary									3	14.2	2.9	49.5
Prostate					27	124.3	81.3	186.4				
Testis					2	19.7	2.3	66.6				
Urinary Bladder (includes in situ)	6	12.0	4.4	30.3	6	24.3	8.8	61.3	0			
Kidney and Renal Pelvis	9	18.5	8.4	38.8	6	24.2	8.8	61.0	3	12.3	2.5	46.0
Brain and Nervous System	1	4.4	0.1	23.2	0				1	8.9	0.2	47.1
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	11.0	3.5	29.4	3	13.0	2.7	46.8	2	8.6	1.0	41.1
Myeloma	2	4.3	0.5	20.4	0				2	9.1	1.0	42.4
Leukemia	8	20.1	8.4	42.6	6	29.2	10.4	70.2	2	9.7	0.9	44.6
All Other Sites	26	73.0	46.0	110.9	8	39.8	17.0	84.3	18	104.3	57.6	174.8
Breast in Situ (not in total)									8	44.0	16.9	95.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Stephenson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,492	433.7	410.5	458.1	764	470.1	435.8	506.7	728	411.6	379.5	445.9
Oral Cavity and Pharynx	41	12.0	8.4	16.9	30	18.9	12.4	27.9	11	5.7	2.6	11.3
Esophagus	23	5.6	3.5	8.8	18	10.2	6.0	16.8	5	2.2	0.7	6.4
Stomach	15	5.3	2.7	9.3	12	8.7	4.3	16.1	3	2.2	0.3	7.5
Colon and Rectum	116	35.5	28.9	43.4	63	42.7	32.3	55.6	53	29.1	21.0	39.6
Liver	19	4.9	2.9	8.1	15	8.4	4.7	14.7	4	1.7	0.5	5.7
Pancreas	40	11.3	7.9	16.0	22	13.4	8.1	21.2	18	9.5	5.4	16.0
Lung and Bronchus	207	56.1	48.5	64.7	101	57.6	46.7	70.7	106	56.2	45.6	68.9
Bones and Joints	1	0.3	0.0	2.2	1	0.6	0.0	4.4	0			
Melanoma of the Skin	102	33.3	26.7	41.2	52	32.9	24.3	43.9	50	35.3	25.2	48.0
Breast (invasive)	194	57.3	49.0	66.9	3	2.1	0.4	6.8	191	107.4	91.3	125.7
Cervix									7	6.4	2.4	13.5
Corpus and Uterus, NOS									51	25.5	18.6	34.7
Ovary									22	12.9	7.6	20.7
Prostate					166	91.6	78.0	107.4				
Testis					8	9.6	4.0	18.8				
Urinary Bladder (includes in situ)	76	20.1	15.7	25.7	58	35.4	26.6	46.6	18	8.3	4.8	14.1
Kidney and Renal Pelvis	62	16.7	12.7	21.9	37	22.4	15.5	31.7	25	12.1	7.7	18.7
Brain and Nervous System	16	4.7	2.6	8.1	9	5.3	2.3	11.0	7	4.0	1.5	9.3
Hodgkin Lymphoma	5	2.9	0.9	6.5	4	4.6	1.2	11.3	1	1.1	0.0	5.8
Non-Hodgkin Lymphoma	71	20.9	16.1	27.0	41	27.2	19.1	37.8	30	15.6	10.2	23.4
Myeloma	22	6.2	3.8	9.8	12	7.3	3.7	13.7	10	5.1	2.4	10.4
Leukemia	48	13.7	9.9	18.7	26	16.5	10.6	24.9	22	11.9	7.2	19.1
All Other Sites	180	56.1	47.6	65.8	86	54.7	43.3	68.6	94	59.3	46.8	74.2
Breast in Situ (not in total)									40	26.8	18.4	37.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Tazewell

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,512	504.4	489.3	519.9	2,321	551.6	528.9	575.2	2,191	472.9	452.4	494.3
Oral Cavity and Pharynx	116	13.1	10.8	15.9	88	21.1	16.8	26.2	28	5.9	3.8	8.7
Esophagus	79	8.4	6.6	10.6	67	16.0	12.3	20.5	12	2.1	1.1	4.0
Stomach	44	5.2	3.8	7.1	28	6.9	4.6	10.1	16	4.1	2.3	6.9
Colon and Rectum	386	42.6	38.4	47.3	200	49.0	42.3	56.6	186	36.9	31.5	43.0
Liver	60	6.4	4.8	8.3	50	11.4	8.4	15.2	10	2.0	0.9	3.9
Pancreas	128	13.4	11.1	16.0	60	13.8	10.5	18.0	68	13.1	10.1	16.9
Lung and Bronchus	732	76.9	71.4	82.9	369	85.3	76.7	94.8	363	70.4	63.2	78.3
Bones and Joints	8	1.2	0.5	2.3	2	0.7	0.1	2.3	6	1.7	0.6	3.7
Melanoma of the Skin	318	38.5	34.2	43.1	180	45.2	38.7	52.6	138	34.6	28.8	41.2
Breast (invasive)	618	71.6	65.9	77.8	1	0.2	0.0	1.5	617	136.9	125.7	148.8
Cervix									41	12.1	8.6	16.6
Corpus and Uterus, NOS									130	27.1	22.5	32.5
Ovary									35	7.7	5.3	10.9
Prostate					561	124.1	113.8	135.1				
Testis					22	7.3	4.5	11.0				
Urinary Bladder (includes in situ)	220	23.0	20.0	26.3	158	37.3	31.6	43.8	62	11.7	8.9	15.2
Kidney and Renal Pelvis	222	25.0	21.7	28.7	147	35.9	30.1	42.4	75	15.3	11.9	19.5
Brain and Nervous System	52	6.7	5.0	9.0	30	8.1	5.4	11.7	22	5.5	3.3	8.6
Hodgkin Lymphoma	16	2.4	1.3	3.9	7	2.2	0.9	4.5	9	2.5	1.1	4.9
Non-Hodgkin Lymphoma	178	20.8	17.8	24.2	97	24.8	20.0	30.5	81	17.5	13.7	22.1
Myeloma	40	4.0	2.8	5.6	21	4.7	2.9	7.4	19	3.6	2.1	5.8
Leukemia	96	11.6	9.3	14.3	55	14.4	10.8	18.9	41	9.1	6.4	12.7
All Other Sites	410	47.8	43.1	52.9	178	43.3	37.0	50.4	232	53.2	46.2	61.0
Breast in Situ (not in total)									141	33.4	27.8	39.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Union

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	613	460.5	422.8	501.0	330	500.0	445.2	560.3	283	432.6	379.8	491.5
Oral Cavity and Pharynx	17	13.9	7.8	23.2	13	20.3	10.5	36.6	4	6.7	1.5	19.9
Esophagus	5	3.4	1.1	9.1	5	6.7	2.2	18.1	0			
Stomach	5	4.2	1.2	11.2	3	6.8	1.2	20.6	2	2.6	0.3	12.7
Colon and Rectum	53	37.8	27.9	50.7	26	38.2	24.5	58.1	27	37.7	24.0	57.7
Liver	8	6.1	2.6	13.0	6	9.2	3.3	22.0	2	2.9	0.4	13.3
Pancreas	18	13.8	7.9	23.0	10	16.6	7.4	32.8	8	10.6	4.5	23.3
Lung and Bronchus	114	80.3	65.8	97.5	55	80.0	59.5	106.4	59	82.1	61.9	108.0
Bones and Joints	1	0.7	0.0	5.5	1	1.5	0.0	11.1	0			
Melanoma of the Skin	21	16.3	9.9	25.9	12	17.7	8.9	32.9	9	15.0	6.6	30.5
Breast (invasive)	74	57.7	44.5	74.0	2	3.0	0.4	13.3	72	112.7	86.1	145.5
Cervix									4	11.5	3.0	28.9
Corpus and Uterus, NOS									14	21.9	11.2	39.4
Ovary									6	9.8	3.4	23.5
Prostate					73	103.0	80.3	131.4				
Testis					4	11.2	3.0	27.9				
Urinary Bladder (includes in situ)	45	29.6	21.5	40.5	38	56.5	39.7	79.3	7	7.6	3.0	19.0
Kidney and Renal Pelvis	35	26.9	18.3	38.5	21	31.3	19.1	49.8	14	21.8	11.2	39.3
Brain and Nervous System	5	6.1	1.9	14.5	4	9.0	2.2	23.8	1	3.0	0.1	15.5
Hodgkin Lymphoma	2	2.2	0.2	8.5	1	1.5	0.0	11.2	1	3.0	0.1	15.5
Non-Hodgkin Lymphoma	19	14.0	8.2	22.9	10	16.6	7.5	32.5	9	11.4	5.2	24.2
Myeloma	10	7.5	3.5	14.9	3	5.2	1.0	16.8	7	10.0	3.9	23.1
Leukemia	22	16.3	10.0	25.8	16	25.0	14.0	42.5	6	9.4	3.2	22.9
All Other Sites	58	46.4	34.4	61.6	27	40.7	26.1	61.5	31	52.8	34.1	78.6
Breast in Situ (not in total)									10	20.0	9.1	38.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,769	536.1	515.5	557.4	1,460	586.3	555.7	618.2	1,309	500.9	472.5	530.8
Oral Cavity and Pharynx	64	12.7	9.6	16.4	50	20.6	15.1	27.7	14	5.0	2.6	8.7
Esophagus	36	6.6	4.6	9.4	27	10.9	7.1	16.2	9	3.1	1.4	6.2
Stomach	41	7.9	5.6	10.9	30	12.2	8.1	17.8	11	4.0	1.9	7.6
Colon and Rectum	247	47.8	41.9	54.5	123	51.0	42.2	61.3	124	44.8	36.9	54.1
Liver	38	6.8	4.8	9.5	28	10.4	6.8	15.4	10	3.7	1.7	7.2
Pancreas	87	16.2	12.9	20.2	47	18.8	13.7	25.4	40	13.8	9.7	19.3
Lung and Bronchus	523	95.4	87.2	104.2	282	108.7	96.1	122.6	241	84.9	74.2	96.9
Bones and Joints	4	1.1	0.3	2.9	1	0.4	0.0	2.6	3	2.0	0.4	5.5
Melanoma of the Skin	180	37.1	31.6	43.4	93	38.1	30.5	47.1	87	38.5	30.3	48.3
Breast (invasive)	334	68.1	60.6	76.3	4	1.6	0.4	4.4	330	130.4	115.7	146.4
Cervix									17	8.5	4.8	14.0
Corpus and Uterus, NOS									83	29.6	23.3	37.2
Ovary									19	7.7	4.4	12.5
Prostate					328	125.6	112.1	140.4				
Testis					4	2.7	0.7	6.7				
Urinary Bladder (includes in situ)	126	23.3	19.3	27.9	97	39.2	31.7	48.1	29	10.4	6.8	15.5
Kidney and Renal Pelvis	103	20.0	16.2	24.6	66	27.1	20.7	35.0	37	13.1	9.1	18.6
Brain and Nervous System	24	5.8	3.6	8.9	9	4.8	2.1	9.3	15	6.7	3.6	11.4
Hodgkin Lymphoma	11	2.6	1.2	4.7	7	3.2	1.2	6.8	4	1.9	0.5	5.2
Non-Hodgkin Lymphoma	93	17.8	14.2	22.0	54	22.6	16.8	29.8	39	13.9	9.6	19.7
Myeloma	40	7.7	5.4	10.7	25	9.9	6.3	14.9	15	5.8	3.1	10.1
Leukemia	71	14.9	11.5	19.1	39	17.1	12.0	23.8	32	13.0	8.6	19.0
All Other Sites	296	60.3	53.3	68.0	146	61.3	51.4	72.5	150	60.1	50.3	71.5
Breast in Situ (not in total)									65	29.4	22.2	38.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Wabash

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	389	462.0	414.7	513.8	213	523.5	452.5	603.6	176	394.7	333.7	464.8
Oral Cavity and Pharynx	10	11.2	4.9	22.6	6	14.6	4.8	35.5	4	5.7	1.5	20.8
Esophagus	3	2.9	0.6	10.7	2	4.1	0.5	19.1	1	1.7	0.0	15.8
Stomach	7	7.4	2.9	16.9	4	8.5	2.3	25.4	3	6.1	1.2	22.0
Colon and Rectum	39	51.6	35.6	72.8	22	59.0	35.7	92.6	17	44.3	23.8	75.8
Liver	6	6.9	2.4	16.8	5	11.5	3.4	30.4	1	2.1	0.1	16.7
Pancreas	16	17.6	9.9	30.1	9	20.0	8.8	41.2	7	14.1	5.5	32.9
Lung and Bronchus	67	75.6	58.1	97.6	38	90.9	63.6	127.4	29	60.0	39.4	89.7
Bones and Joints	0				0				0			
Melanoma of the Skin	10	13.0	5.8	25.7	7	17.9	6.6	40.0	3	7.9	1.3	26.6
Breast (invasive)	41	50.0	35.0	69.7	0				41	95.6	66.4	134.4
Cervix									4	15.2	3.6	40.2
Corpus and Uterus, NOS									14	32.3	16.3	58.6
Ovary									7	17.6	6.4	40.0
Prostate					42	96.2	68.2	133.3				
Testis					2	8.6	1.0	29.7				
Urinary Bladder (includes in situ)	12	12.9	6.6	24.0	9	22.9	10.4	45.5	3	5.4	1.0	20.9
Kidney and Renal Pelvis	19	22.0	12.8	35.9	13	35.0	18.1	62.2	6	9.4	3.4	25.5
Brain and Nervous System	3	4.5	0.8	14.2	2	6.4	0.7	24.6	1	2.1	0.1	16.7
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	21	24.8	15.0	39.4	12	32.1	16.0	58.7	9	19.0	8.6	39.2
Myeloma	6	7.5	2.7	17.4	2	5.0	0.6	21.1	4	9.4	2.5	27.3
Leukemia	17	19.2	10.8	32.4	14	33.9	18.0	59.7	3	4.5	0.9	19.4
All Other Sites	43	49.3	35.2	68.0	24	56.8	35.9	87.2	19	42.4	24.4	70.2
Breast in Situ (not in total)									6	12.1	4.4	30.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Warren

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	575	503.1	460.7	548.6	299	517.6	458.4	583.1	276	494.9	434.0	562.4
Oral Cavity and Pharynx	15	13.7	7.3	23.6	8	14.8	6.0	31.2	7	11.6	4.0	26.7
Esophagus	5	4.0	1.3	10.2	3	5.0	1.0	16.7	2	3.2	0.4	13.8
Stomach	14	16.2	8.6	27.8	5	9.9	3.1	24.4	9	22.8	9.9	43.9
Colon and Rectum	52	46.0	33.7	61.5	35	59.5	40.7	84.7	17	34.1	18.9	56.9
Liver	11	9.2	4.4	17.4	7	11.8	4.4	26.5	4	6.3	1.7	18.1
Pancreas	17	14.8	8.3	24.6	6	11.0	3.7	25.9	11	16.8	8.0	32.4
Lung and Bronchus	109	86.0	70.3	104.7	65	111.9	85.6	144.5	44	64.5	46.5	88.3
Bones and Joints	0				0				0			
Melanoma of the Skin	26	23.2	14.8	35.1	11	19.3	9.2	36.5	15	28.6	15.4	49.1
Breast (invasive)	67	63.2	48.1	81.6	0				67	123.7	93.9	160.4
Cervix									6	16.0	5.5	35.2
Corpus and Uterus, NOS									18	30.2	17.5	49.5
Ovary									6	11.3	3.6	26.8
Prostate					48	78.8	57.4	106.3				
Testis					2	5.0	0.6	18.2				
Urinary Bladder (includes in situ)	28	21.3	14.1	31.6	25	40.6	26.1	61.5	3	3.9	0.8	14.5
Kidney and Renal Pelvis	30	27.4	18.0	40.2	20	36.3	21.6	58.0	10	19.2	8.6	37.1
Brain and Nervous System	8	7.9	3.2	16.4	4	8.2	2.1	21.9	4	7.7	1.7	21.8
Hodgkin Lymphoma	3	4.8	1.0	13.2	1	3.1	0.1	15.5	2	6.6	0.8	21.9
Non-Hodgkin Lymphoma	26	22.9	14.7	34.4	16	28.6	16.0	48.0	10	17.6	8.2	34.1
Myeloma	9	7.1	3.1	14.4	7	11.7	4.5	25.9	2	2.7	0.3	12.8
Leukemia	10	9.8	4.3	19.0	5	10.0	2.9	25.2	5	8.6	2.2	23.0
All Other Sites	65	55.8	42.5	72.2	31	51.9	34.8	75.4	34	59.6	40.0	85.9
Breast in Situ (not in total)									12	21.0	10.3	38.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Washington

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	520	522.2	476.1	572.0	304	602.9	534.0	679.2	216	450.6	389.0	519.9
Oral Cavity and Pharynx	13	13.6	7.0	24.6	11	22.9	10.8	43.7	2	3.6	0.4	16.4
Esophagus	10	9.6	4.5	19.0	8	15.9	6.5	33.9	2	3.3	0.4	16.0
Stomach	7	8.0	3.1	17.3	5	11.6	3.6	29.0	2	3.9	0.5	17.0
Colon and Rectum	43	43.8	31.2	60.3	27	54.1	35.2	80.9	16	34.7	18.9	59.2
Liver	5	4.7	1.5	12.3	4	8.0	2.1	22.9	1	1.9	0.0	14.1
Pancreas	14	13.6	7.2	24.2	4	6.7	1.7	20.5	10	19.9	9.0	39.4
Lung and Bronchus	62	56.9	43.4	73.9	38	73.3	51.5	102.7	24	44.5	28.2	68.5
Bones and Joints	0				0				0			
Melanoma of the Skin	46	47.1	33.9	64.2	30	57.5	38.2	84.4	16	36.4	19.9	61.7
Breast (invasive)	63	68.7	52.0	89.5	0				63	139.0	105.0	181.2
Cervix									1	1.9	0.0	14.3
Corpus and Uterus, NOS									20	42.1	24.8	67.9
Ovary									4	6.9	1.9	20.9
Prostate					79	143.6	112.8	181.7				
Testis					2	7.8	0.9	26.1				
Urinary Bladder (includes in situ)	26	23.3	15.1	35.3	20	37.5	22.5	60.2	6	10.0	3.4	25.3
Kidney and Renal Pelvis	30	31.1	20.4	45.8	19	40.6	23.5	66.2	11	21.8	10.5	41.7
Brain and Nervous System	7	8.9	3.3	19.2	5	10.6	3.1	27.4	2	7.0	0.8	24.2
Hodgkin Lymphoma	2	2.8	0.3	10.8	2	5.6	0.5	21.3	0			
Non-Hodgkin Lymphoma	10	11.2	5.0	21.9	9	20.3	8.6	41.1	1	1.9	0.0	14.3
Myeloma	8	7.5	3.1	16.2	5	9.6	2.8	25.4	3	5.0	1.0	18.2
Leukemia	12	12.2	5.9	22.6	8	18.7	7.6	38.9	4	5.9	1.6	19.1
All Other Sites	56	58.4	43.3	77.4	28	58.5	38.0	87.0	28	60.7	39.0	90.9
Breast in Situ (not in total)									8	19.9	8.2	41.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Wayne

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	530	424.7	387.8	464.7	278	462.8	408.3	523.2	252	397.4	346.7	454.2
Oral Cavity and Pharynx	10	7.2	3.5	14.3	7	10.3	4.1	23.4	3	4.2	0.9	15.2
Esophagus	5	4.0	1.2	10.5	4	7.3	1.9	20.5	1	1.3	0.0	11.2
Stomach	7	4.9	2.0	11.2	6	8.6	3.1	21.2	1	1.3	0.0	11.2
Colon and Rectum	42	33.1	23.4	45.9	24	42.3	26.3	65.2	18	23.7	14.0	39.6
Liver	9	6.4	2.9	13.3	8	11.8	5.1	25.5	1	1.4	0.0	11.3
Pancreas	11	9.1	4.3	17.3	8	14.3	5.8	30.3	3	3.9	0.8	14.7
Lung and Bronchus	93	70.4	56.6	87.1	44	70.6	51.1	96.2	49	72.0	52.7	97.3
Bones and Joints	1	0.7	0.0	5.8	1	1.5	0.0	11.7	0			
Melanoma of the Skin	22	19.5	11.7	30.7	11	17.0	8.4	32.3	11	22.2	10.2	42.3
Breast (invasive)	72	60.4	46.5	77.5	1	1.5	0.0	11.7	71	115.3	88.3	148.8
Cervix									2	4.4	0.4	17.1
Corpus and Uterus, NOS									12	19.7	9.7	36.6
Ovary									1	3.2	0.1	15.9
Prostate					67	104.4	80.6	134.2				
Testis					2	6.0	0.7	20.8				
Urinary Bladder (includes in situ)	32	25.7	17.2	37.5	23	41.3	25.7	63.7	9	13.5	5.7	28.4
Kidney and Renal Pelvis	21	18.2	10.8	29.1	13	22.4	11.6	40.3	8	15.2	5.9	32.2
Brain and Nervous System	6	5.3	1.8	12.6	4	7.4	1.8	21.1	2	3.1	0.4	13.9
Hodgkin Lymphoma	2	1.4	0.2	6.6	1	1.3	0.0	11.2	1	1.4	0.0	11.4
Non-Hodgkin Lymphoma	22	16.8	10.3	26.5	11	18.3	9.0	34.4	11	16.7	7.8	32.6
Myeloma	8	5.9	2.5	12.7	6	9.7	3.5	23.2	2	2.5	0.3	12.6
Leukemia	16	11.5	6.5	19.5	11	18.0	8.9	33.9	5	6.2	2.0	17.6
All Other Sites	67	57.8	44.2	74.8	26	48.7	31.2	73.3	41	66.3	46.5	92.6
Breast in Situ (not in total)									10	15.7	7.1	31.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

White

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	455	421.6	381.4	465.4	253	494.8	433.5	563.3	202	361.1	308.5	421.1
Oral Cavity and Pharynx	16	16.6	9.1	28.3	13	26.9	13.8	48.3	3	6.7	1.1	22.4
Esophagus	3	3.0	0.5	10.2	2	4.3	0.4	18.1	1	1.5	0.0	13.5
Stomach	8	5.8	2.5	13.1	5	9.0	2.9	23.8	3	4.3	0.9	17.1
Colon and Rectum	35	35.5	24.1	51.0	23	48.9	30.2	75.9	12	23.0	10.9	44.0
Liver	6	5.2	1.9	12.7	6	10.7	3.9	25.9	0			
Pancreas	16	15.5	8.3	26.8	7	16.0	5.9	35.3	9	14.6	6.0	31.8
Lung and Bronchus	80	65.6	51.9	82.7	44	79.4	57.6	108.4	36	53.0	36.8	76.3
Bones and Joints	0				0				0			
Melanoma of the Skin	18	16.6	9.5	27.8	15	27.5	15.1	47.7	3	7.3	1.3	23.7
Breast (invasive)	55	54.3	39.9	72.6	0				55	104.4	76.4	140.3
Cervix									3	5.0	1.0	18.4
Corpus and Uterus, NOS									19	45.2	25.9	73.8
Ovary									2	3.0	0.4	15.5
Prostate					51	92.1	68.4	123.1				
Testis					1	3.6	0.1	18.6				
Urinary Bladder (includes in situ)	29	24.5	16.2	36.5	27	50.8	33.3	75.9	2	3.1	0.4	15.8
Kidney and Renal Pelvis	18	18.3	10.4	30.4	9	20.0	8.6	40.4	9	16.0	6.8	34.0
Brain and Nervous System	4	4.7	1.1	13.3	3	8.1	1.4	25.3	1	1.5	0.0	13.5
Hodgkin Lymphoma	3	4.4	0.8	13.4	0				3	8.9	1.6	27.1
Non-Hodgkin Lymphoma	20	17.8	10.5	28.9	9	18.0	7.9	36.8	11	17.3	8.2	34.5
Myeloma	3	2.3	0.4	8.7	3	5.3	1.1	18.7	0			
Leukemia	16	13.7	7.4	24.1	9	19.8	8.6	39.7	7	8.0	3.1	21.4
All Other Sites	49	45.4	32.7	62.0	26	54.4	34.4	82.6	23	38.1	22.9	61.1
Breast in Situ (not in total)									10	24.2	10.7	47.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Whiteside

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,903	460.4	439.0	482.7	998	505.0	473.1	538.7	905	432.4	402.8	463.8
Oral Cavity and Pharynx	61	13.5	10.3	17.6	39	18.0	12.7	25.0	22	9.6	5.9	15.1
Esophagus	17	3.5	2.1	6.0	14	6.1	3.3	10.8	3	1.0	0.2	4.0
Stomach	20	4.9	2.9	7.8	16	8.5	4.8	14.3	4	1.8	0.5	5.3
Colon and Rectum	146	36.2	30.3	42.9	89	47.1	37.6	58.5	57	26.8	19.9	35.6
Liver	34	7.9	5.4	11.3	24	11.4	7.2	17.5	10	4.6	2.2	8.9
Pancreas	59	14.0	10.5	18.4	32	16.1	10.8	23.2	27	12.4	7.9	18.8
Lung and Bronchus	301	68.1	60.4	76.5	152	72.9	61.5	86.1	149	63.1	53.2	74.7
Bones and Joints	2	0.8	0.1	2.8	0				2	1.7	0.2	5.9
Melanoma of the Skin	95	23.3	18.6	28.9	59	29.8	22.5	39.0	36	18.3	12.4	26.1
Breast (invasive)	227	57.0	49.5	65.5	4	2.2	0.6	6.0	223	108.8	94.0	125.4
Cervix									17	12.5	7.0	20.4
Corpus and Uterus, NOS									74	34.1	26.5	43.6
Ovary									21	9.3	5.5	15.0
Prostate					223	103.8	90.4	118.9				
Testis					11	9.2	4.5	16.4				
Urinary Bladder (includes in situ)	112	26.0	21.3	31.6	94	48.8	39.3	60.1	18	8.7	4.9	14.6
Kidney and Renal Pelvis	68	18.0	13.7	23.2	49	27.2	19.8	36.7	19	9.3	5.3	15.4
Brain and Nervous System	27	7.5	4.8	11.2	17	10.7	6.1	17.6	10	4.5	2.1	9.0
Hodgkin Lymphoma	6	2.0	0.7	4.5	3	1.8	0.4	5.8	3	2.1	0.4	6.4
Non-Hodgkin Lymphoma	72	17.3	13.4	22.1	35	19.1	13.1	27.1	37	16.7	11.6	23.8
Myeloma	30	6.6	4.4	9.7	19	8.8	5.2	14.3	11	4.9	2.4	9.4
Leukemia	62	14.5	11.0	18.9	32	15.5	10.5	22.4	30	14.2	9.3	21.1
All Other Sites	218	57.6	49.7	66.5	86	47.9	37.8	60.0	132	68.1	56.0	82.1
Breast in Situ (not in total)									48	26.1	18.8	35.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,935	470.4	463.4	477.5	9,106	512.5	501.5	523.7	8,829	444.0	434.6	453.5
Oral Cavity and Pharynx	443	11.0	10.0	12.1	328	16.6	14.8	18.6	115	5.7	4.7	6.9
Esophagus	193	5.1	4.4	5.9	155	8.7	7.3	10.3	38	1.9	1.3	2.6
Stomach	290	7.9	7.0	8.8	175	10.4	8.8	12.1	115	5.8	4.8	7.0
Colon and Rectum	1,422	37.8	35.8	39.9	823	46.8	43.5	50.3	599	30.1	27.7	32.7
Liver	218	5.5	4.8	6.4	158	8.3	7.0	9.8	60	3.1	2.3	4.0
Pancreas	517	13.9	12.7	15.2	268	15.7	13.8	17.8	249	12.4	10.9	14.1
Lung and Bronchus	2,105	56.1	53.7	58.6	1,045	62.5	58.6	66.6	1,060	51.8	48.7	55.1
Bones and Joints	36	1.0	0.7	1.4	28	1.6	1.0	2.3	8	0.5	0.2	0.9
Melanoma of the Skin	788	21.0	19.5	22.6	450	25.3	23.0	27.9	338	17.9	16.0	20.0
Breast (invasive)	2,840	74.2	71.4	77.0	21	1.2	0.7	1.9	2,819	141.2	136.0	146.7
Cervix									121	6.5	5.4	7.8
Corpus and Uterus, NOS									670	31.5	29.1	34.0
Ovary									196	9.6	8.3	11.1
Prostate					2,430	124.9	119.8	130.2				
Testis					102	6.0	4.9	7.3				
Urinary Bladder (includes in situ)	791	22.0	20.4	23.6	580	36.9	33.8	40.2	211	10.7	9.3	12.2
Kidney and Renal Pelvis	650	16.4	15.2	17.8	427	22.3	20.1	24.6	223	11.0	9.6	12.6
Brain and Nervous System	259	7.1	6.2	8.0	155	8.8	7.5	10.4	104	5.5	4.4	6.7
Hodgkin Lymphoma	112	3.1	2.6	3.8	62	3.6	2.8	4.7	50	2.7	2.0	3.6
Non-Hodgkin Lymphoma	715	19.5	18.1	21.0	400	23.8	21.4	26.4	315	16.2	14.4	18.1
Myeloma	284	7.4	6.5	8.3	162	9.2	7.8	10.9	122	5.9	4.9	7.1
Leukemia	549	15.0	13.8	16.4	332	19.5	17.4	21.9	217	11.2	9.8	12.9
All Other Sites	2,204	60.2	57.7	62.8	1,005	60.1	56.3	64.1	1,199	62.6	59.0	66.3
Breast in Situ (not in total)									773	38.4	35.7	41.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Williamson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,261	497.8	476.8	519.4	1,267	586.3	553.6	620.5	994	429.4	401.8	458.5
Oral Cavity and Pharynx	72	16.3	12.6	20.8	59	28.6	21.5	37.3	13	4.8	2.5	8.7
Esophagus	30	6.3	4.2	9.1	28	12.5	8.2	18.3	2	1.0	0.1	4.1
Stomach	29	6.3	4.2	9.2	21	10.1	6.2	15.7	8	3.1	1.3	6.6
Colon and Rectum	207	46.5	40.2	53.6	107	51.1	41.7	62.2	100	41.7	33.6	51.3
Liver	29	6.1	4.0	8.9	21	9.1	5.6	14.3	8	3.5	1.4	7.3
Pancreas	65	13.7	10.5	17.7	32	14.4	9.7	20.7	33	12.6	8.6	18.1
Lung and Bronchus	383	79.0	71.1	87.5	219	98.4	85.5	112.8	164	63.6	54.0	74.6
Bones and Joints	0				0				0			
Melanoma of the Skin	122	29.5	24.3	35.5	77	37.8	29.7	47.7	45	23.8	17.0	32.4
Breast (invasive)	276	64.4	56.8	72.9	2	0.9	0.1	3.7	274	124.1	109.1	140.7
Cervix									13	5.3	2.8	9.6
Corpus and Uterus, NOS									57	23.7	17.7	31.3
Ovary									15	6.4	3.5	11.1
Prostate					296	126.5	112.2	142.2				
Testis					7	4.3	1.7	8.9				
Urinary Bladder (includes in situ)	103	21.3	17.3	26.0	79	36.4	28.6	45.7	24	9.0	5.8	13.9
Kidney and Renal Pelvis	101	22.9	18.5	28.1	65	30.0	23.0	38.7	36	16.1	11.0	22.8
Brain and Nervous System	16	4.0	2.2	6.7	8	4.2	1.7	8.5	8	3.6	1.5	7.6
Hodgkin Lymphoma	9	2.6	1.1	4.9	6	3.1	1.1	7.1	3	2.0	0.4	5.7
Non-Hodgkin Lymphoma	80	18.0	14.2	22.7	39	18.7	13.2	25.9	41	17.5	12.4	24.4
Myeloma	22	4.6	2.8	7.1	10	4.7	2.2	9.0	12	4.6	2.4	8.5
Leukemia	66	15.9	12.2	20.4	45	23.1	16.7	31.2	21	10.0	5.9	15.8
All Other Sites	263	60.8	53.4	68.9	146	72.3	60.8	85.6	117	52.9	43.3	64.2
Breast in Situ (not in total)									35	17.2	11.7	24.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,359	457.1	447.0	467.4	4,198	486.2	471.2	501.7	4,161	440.9	427.0	455.2
Oral Cavity and Pharynx	231	12.8	11.1	14.6	166	18.9	16.1	22.2	65	7.3	5.6	9.5
Esophagus	115	6.0	5.0	7.3	84	9.5	7.5	11.8	31	3.1	2.1	4.4
Stomach	122	6.6	5.5	8.0	87	10.2	8.1	12.7	35	3.5	2.4	5.0
Colon and Rectum	656	36.6	33.8	39.6	348	42.3	37.9	47.2	308	31.3	27.8	35.2
Liver	153	7.7	6.5	9.1	111	12.0	9.8	14.6	42	3.9	2.8	5.4
Pancreas	268	13.8	12.2	15.6	131	14.8	12.3	17.6	137	13.0	10.9	15.5
Lung and Bronchus	1,228	63.3	59.8	67.0	612	68.7	63.2	74.5	616	59.3	54.6	64.4
Bones and Joints	10	0.7	0.3	1.3	5	0.7	0.2	1.6	5	0.7	0.2	1.6
Melanoma of the Skin	407	23.3	21.0	25.8	227	27.4	23.8	31.4	180	21.0	17.9	24.5
Breast (invasive)	1,151	65.2	61.3	69.2	10	1.2	0.5	2.2	1,141	122.9	115.5	130.6
Cervix									45	6.1	4.4	8.3
Corpus and Uterus, NOS									271	28.5	25.0	32.3
Ovary									110	12.2	10.0	14.9
Prostate					842	88.7	82.7	95.1				
Testis					37	6.1	4.3	8.4				
Urinary Bladder (includes in situ)	372	19.4	17.4	21.5	279	33.3	29.4	37.6	93	8.8	7.1	10.9
Kidney and Renal Pelvis	376	20.9	18.8	23.3	242	28.3	24.7	32.3	134	14.4	12.0	17.3
Brain and Nervous System	93	5.5	4.4	6.8	53	6.7	5.0	8.8	40	4.4	3.1	6.1
Hodgkin Lymphoma	43	3.0	2.2	4.1	28	3.9	2.5	5.7	15	2.2	1.2	3.6
Non-Hodgkin Lymphoma	345	19.3	17.2	21.5	194	23.6	20.3	27.3	151	15.9	13.4	18.8
Myeloma	144	7.6	6.4	9.1	86	10.4	8.2	13.0	58	5.3	4.0	6.9
Leukemia	272	15.5	13.7	17.5	162	20.0	17.0	23.4	110	12.1	9.9	14.7
All Other Sites	1,068	61.4	57.6	65.3	494	59.7	54.4	65.4	574	64.8	59.4	70.7
Breast in Situ (not in total)									239	27.1	23.6	31.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Woodford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,258	501.6	473.1	531.3	636	517.6	476.9	561.1	622	498.7	458.3	542.0
Oral Cavity and Pharynx	25	10.1	6.4	15.2	19	16.1	9.5	25.7	6	4.2	1.5	10.0
Esophagus	18	6.2	3.6	10.1	15	11.0	6.0	18.9	3	1.8	0.3	6.5
Stomach	11	4.4	2.1	8.2	6	4.7	1.6	11.0	5	3.9	1.2	10.1
Colon and Rectum	100	39.3	31.7	48.3	59	50.3	37.9	65.5	41	29.2	20.6	40.7
Liver	10	3.8	1.8	7.4	6	5.0	1.8	11.5	4	2.5	0.6	7.6
Pancreas	37	14.0	9.7	19.6	15	12.1	6.6	20.5	22	16.1	9.8	25.2
Lung and Bronchus	165	62.6	53.2	73.3	89	72.7	58.1	90.2	76	56.0	43.8	71.0
Bones and Joints	3	1.5	0.3	4.4	2	1.8	0.2	7.1	1	1.1	0.0	6.0
Melanoma of the Skin	97	44.4	35.7	54.6	60	54.2	41.0	70.5	37	36.0	24.8	50.5
Breast (invasive)	209	85.0	73.4	98.0	1	0.9	0.0	5.4	208	167.4	144.4	193.3
Cervix									6	8.2	3.0	17.3
Corpus and Uterus, NOS									40	31.0	21.9	43.0
Ovary									18	14.0	8.0	23.2
Prostate					150	110.4	93.0	130.4				
Testis					6	7.0	2.5	15.1				
Urinary Bladder (includes in situ)	59	21.2	16.0	27.8	45	34.8	25.1	47.3	14	9.3	4.9	16.6
Kidney and Renal Pelvis	64	25.2	19.2	32.6	45	35.9	25.8	48.9	19	15.5	9.1	24.9
Brain and Nervous System	11	5.0	2.4	9.1	8	7.8	3.3	15.8	3	2.2	0.5	7.4
Hodgkin Lymphoma	8	4.1	1.7	8.4	5	5.6	1.8	13.1	3	2.9	0.6	9.0
Non-Hodgkin Lymphoma	48	19.3	14.0	25.9	24	19.5	12.3	29.7	24	19.4	12.1	29.6
Myeloma	17	6.1	3.5	10.2	13	10.1	5.3	17.8	4	3.2	0.8	9.0
Leukemia	19	7.5	4.4	12.0	10	8.8	4.1	16.8	9	6.6	2.9	13.2
All Other Sites	137	58.1	48.4	69.3	58	48.9	36.7	64.0	79	68.1	53.1	86.2
Breast in Situ (not in total)									47	36.7	26.6	49.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

SECTION IV
County-specific Cancer Incidence Rates by Race
Illinois, 2017-2021

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	290,628	463.5	461.8	465.2	146,865	496.6	494.0	499.2	143,763	445.2	442.8	447.6
Oral Cavity and Pharynx	8,123	12.7	12.4	12.9	5,816	18.9	18.4	19.5	2,307	6.9	6.6	7.2
Esophagus	3,423	5.2	5.0	5.4	2,729	9.0	8.6	9.3	694	2.0	1.8	2.1
Stomach	3,999	6.4	6.2	6.6	2,530	8.7	8.4	9.1	1,469	4.5	4.2	4.7
Colon and Rectum	23,620	38.1	37.6	38.6	12,627	43.8	43.0	44.6	10,993	33.0	32.4	33.7
Liver	3,935	5.9	5.7	6.1	2,859	9.1	8.8	9.5	1,076	3.1	2.9	3.3
Pancreas	9,178	14.2	14.0	14.5	4,809	16.3	15.9	16.8	4,369	12.4	12.0	12.8
Lung and Bronchus	38,588	59.1	58.5	59.7	19,185	64.8	63.9	65.8	19,403	55.1	54.3	55.9
Bones and Joints	513	1.0	0.9	1.0	294	1.1	1.0	1.2	219	0.8	0.7	0.9
Melanoma of the Skin	16,195	27.0	26.5	27.4	9,242	32.2	31.6	32.9	6,953	23.5	23.0	24.1
Breast (invasive)	42,779	70.5	69.8	71.2	375	1.3	1.2	1.5	42,404	135.1	133.7	136.4
Cervix									1,833	7.0	6.6	7.3
Corpus and Uterus, NOS									10,189	30.6	30.0	31.2
Ovary									3,343	10.6	10.2	11.0
Prostate					34,966	109.1	107.9	110.2				
Testis					1,683	7.1	6.7	7.4				
Urinary Bladder (includes in situ)	13,604	21.1	20.7	21.4	10,383	36.5	35.8	37.3	3,221	9.1	8.7	9.4
Kidney and Renal Pelvis	11,459	18.5	18.1	18.8	7,312	24.7	24.1	25.3	4,147	12.9	12.5	13.3
Brain and Nervous System	3,784	6.6	6.4	6.9	2,139	7.8	7.5	8.2	1,645	5.6	5.3	5.9
Hodgkin Lymphoma	1,493	2.9	2.7	3.0	820	3.2	2.9	3.4	673	2.6	2.4	2.8
Non-Hodgkin Lymphoma	12,248	19.7	19.3	20.1	6,745	23.6	23.0	24.2	5,503	16.5	16.1	17.0
Myeloma	3,861	6.0	5.8	6.2	2,139	7.3	7.0	7.6	1,722	5.0	4.7	5.2
Leukemia	8,592	14.3	14.0	14.6	5,046	18.2	17.7	18.7	3,546	11.2	10.8	11.6
All Other Sites	33,220	55.0	54.3	55.6	15,166	53.7	52.8	54.5	18,054	57.9	57.0	58.8
Breast in situ (not in total)									9,420	31.5	30.8	32.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,014	470.1	455.1	485.5	2,046	508.9	486.4	532.3	1,968	446.3	425.8	467.5
Oral Cavity and Pharynx	113	14.2	11.6	17.2	91	24.3	19.4	30.1	22	4.9	3.0	7.6
Esophagus	49	5.5	4.0	7.3	32	7.5	5.0	10.8	17	3.7	2.1	6.2
Stomach	42	4.9	3.5	6.6	25	6.3	4.0	9.4	17	3.7	2.1	6.1
Colon and Rectum	288	35.2	31.1	39.7	151	39.8	33.5	47.0	137	30.6	25.5	36.5
Liver	45	4.9	3.6	6.7	35	8.7	6.0	12.3	10	1.8	0.9	3.6
Pancreas	116	12.9	10.6	15.6	61	15.0	11.4	19.5	55	11.0	8.2	14.6
Lung and Bronchus	488	54.5	49.6	59.7	232	57.0	49.7	65.1	256	53.2	46.7	60.4
Bones and Joints	10	1.4	0.7	2.7	5	1.3	0.4	3.3	5	1.6	0.5	3.8
Melanoma of the Skin	362	43.6	39.0	48.5	205	51.8	44.8	59.7	157	38.8	32.7	45.8
Breast (invasive)	609	73.3	67.4	79.7	9	2.1	0.9	4.1	600	138.3	126.9	150.5
Cervix									13	4.0	2.1	6.9
Corpus and Uterus, NOS									127	28.1	23.3	33.8
Ovary									40	9.0	6.3	12.5
Prostate					530	122.7	112.2	134.0				
Testis					26	7.4	4.8	11.0				
Urinary Bladder (includes in situ)	178	19.8	17.0	23.1	133	32.9	27.4	39.3	45	9.4	6.8	12.9
Kidney and Renal Pelvis	116	13.9	11.4	16.8	72	18.0	14.0	23.0	44	10.4	7.4	14.2
Brain and Nervous System	62	8.2	6.2	10.7	37	9.5	6.6	13.3	25	7.4	4.6	11.0
Hodgkin Lymphoma	19	2.5	1.4	4.0	10	3.2	1.5	6.0	9	1.7	0.8	3.5
Non-Hodgkin Lymphoma	153	17.8	15.0	21.0	90	22.3	17.8	27.6	63	14.1	10.7	18.3
Myeloma	66	7.4	5.7	9.5	28	7.3	4.8	10.7	38	7.6	5.3	10.6
Leukemia	123	14.8	12.2	17.8	66	17.5	13.4	22.4	57	13.0	9.7	17.1
All Other Sites	439	53.1	48.0	58.5	208	54.2	46.8	62.4	231	53.9	46.8	61.7
Breast in situ (not in total)									127	33.5	27.6	40.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	87,638	430.1	427.2	433.0	42,828	452.3	447.9	456.7	44,810	422.1	418.1	426.1
Oral Cavity and Pharynx	2,379	11.4	10.9	11.9	1,628	16.5	15.7	17.4	751	6.7	6.2	7.2
Esophagus	896	4.2	3.9	4.5	687	7.0	6.5	7.6	209	1.8	1.5	2.0
Stomach	1,532	7.5	7.2	7.9	918	9.9	9.2	10.5	614	5.7	5.2	6.1
Colon and Rectum	7,282	35.8	35.0	36.7	3,930	42.0	40.6	43.3	3,352	30.6	29.6	31.7
Liver	1,412	6.6	6.3	7.0	969	9.8	9.1	10.4	443	3.9	3.5	4.3
Pancreas	3,037	14.7	14.2	15.2	1,548	16.5	15.7	17.4	1,489	13.1	12.4	13.8
Lung and Bronchus	9,842	47.6	46.7	48.6	4,653	50.8	49.3	52.3	5,189	45.7	44.4	46.9
Bones and Joints	178	1.0	0.8	1.1	99	1.1	0.9	1.4	79	0.8	0.7	1.1
Melanoma of the Skin	4,289	21.4	20.7	22.0	2,399	25.7	24.7	26.8	1,890	18.5	17.6	19.4
Breast (invasive)	13,666	68.9	67.7	70.1	114	1.2	1.0	1.5	13,552	132.2	129.9	134.5
Cervix									633	6.8	6.3	7.4
Corpus and Uterus, NOS									3,421	31.7	30.6	32.8
Ovary									1,182	11.5	10.8	12.2
Prostate					10,615	104.8	102.8	106.9				
Testis					629	6.9	6.4	7.5				
Urinary Bladder (includes in situ)	4,012	19.4	18.8	20.0	2,997	33.5	32.2	34.7	1,015	8.7	8.2	9.3
Kidney and Renal Pelvis	3,137	15.5	14.9	16.0	1,999	20.7	19.8	21.7	1,138	10.8	10.2	11.5
Brain and Nervous System	1,167	6.1	5.8	6.5	654	7.2	6.6	7.8	513	5.2	4.7	5.7
Hodgkin Lymphoma	534	2.9	2.7	3.2	274	3.0	2.7	3.4	260	2.8	2.5	3.2
Non-Hodgkin Lymphoma	3,837	19.0	18.4	19.6	2,058	22.5	21.5	23.5	1,779	16.3	15.5	17.1
Myeloma	1,222	5.9	5.6	6.3	649	6.9	6.4	7.5	573	5.1	4.7	5.6
Leukemia	2,625	13.4	12.9	14.0	1,525	17.2	16.3	18.1	1,100	10.5	9.9	11.2
All Other Sites	10,111	50.7	49.7	51.8	4,483	49.1	47.6	50.6	5,628	53.8	52.3	55.2
Breast in situ (not in total)									3,183	32.5	31.4	33.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	22,409	465.3	459.0	471.6	11,119	495.2	485.7	504.8	11,290	451.9	443.2	460.7
Oral Cavity and Pharynx	603	12.1	11.1	13.1	438	18.5	16.8	20.4	165	6.3	5.3	7.4
Esophagus	221	4.4	3.9	5.1	150	6.7	5.7	8.0	71	2.5	1.9	3.2
Stomach	320	6.6	5.9	7.4	200	9.1	7.8	10.5	120	4.6	3.8	5.6
Colon and Rectum	1,722	36.2	34.4	38.0	912	41.6	38.8	44.5	810	31.7	29.4	34.1
Liver	232	4.6	4.0	5.2	167	7.1	6.1	8.4	65	2.6	1.9	3.3
Pancreas	715	14.7	13.6	15.8	386	17.9	16.1	19.9	329	12.2	10.8	13.6
Lung and Bronchus	2,428	49.0	47.0	51.0	1,102	50.0	47.0	53.2	1,326	48.6	46.0	51.4
Bones and Joints	42	1.1	0.8	1.5	22	1.1	0.7	1.7	20	1.0	0.6	1.6
Melanoma of the Skin	1,303	28.0	26.4	29.6	740	33.5	31.0	36.1	563	24.5	22.4	26.8
Breast (invasive)	3,639	77.2	74.6	79.9	32	1.7	1.1	2.4	3,607	146.7	141.7	151.8
Cervix									103	5.1	4.1	6.2
Corpus and Uterus, NOS									886	33.2	31.0	35.6
Ovary									264	10.9	9.6	12.4
Prostate					2,917	117.2	112.8	121.7				
Testis					135	7.8	6.5	9.2				
Urinary Bladder (includes in situ)	1,078	21.9	20.6	23.3	856	40.5	37.8	43.5	222	8.1	7.0	9.3
Kidney and Renal Pelvis	758	16.0	14.9	17.2	487	21.7	19.7	23.8	271	11.0	9.7	12.5
Brain and Nervous System	340	7.6	6.8	8.5	198	9.6	8.2	11.1	142	5.9	4.9	7.0
Hodgkin Lymphoma	140	3.7	3.1	4.4	66	3.4	2.6	4.3	74	4.1	3.2	5.1
Non-Hodgkin Lymphoma	999	21.2	19.9	22.6	576	26.4	24.2	28.8	423	16.9	15.3	18.7
Myeloma	303	6.0	5.3	6.8	174	7.8	6.6	9.1	129	4.6	3.9	5.6
Leukemia	702	15.1	14.0	16.3	425	20.1	18.1	22.1	277	11.2	9.8	12.6
All Other Sites	2,559	55.8	53.6	58.1	1,136	53.5	50.3	56.8	1,423	60.2	57.0	63.6
Breast in situ (not in total)									973	41.0	38.3	43.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,675	446.2	438.0	454.6	5,802	470.2	457.7	482.9	5,873	435.4	424.1	447.0
Oral Cavity and Pharynx	327	12.0	10.7	13.4	237	17.9	15.6	20.4	90	6.7	5.4	8.3
Esophagus	108	3.9	3.2	4.7	91	6.8	5.5	8.5	17	1.3	0.7	2.0
Stomach	181	7.0	6.0	8.1	112	9.3	7.6	11.3	69	5.1	4.0	6.5
Colon and Rectum	841	32.5	30.3	34.8	435	35.1	31.8	38.7	406	29.8	26.9	32.9
Liver	137	5.0	4.2	6.0	98	7.8	6.3	9.5	39	2.8	2.0	3.8
Pancreas	388	14.7	13.3	16.3	193	16.2	13.9	18.7	195	13.6	11.7	15.7
Lung and Bronchus	1,226	46.5	43.9	49.2	574	48.1	44.1	52.4	652	45.5	42.1	49.2
Bones and Joints	29	1.2	0.8	1.7	16	1.4	0.8	2.3	13	0.9	0.5	1.6
Melanoma of the Skin	642	25.0	23.0	27.0	376	31.2	28.0	34.6	266	20.7	18.2	23.4
Breast (invasive)	1,863	72.0	68.7	75.4	8	0.7	0.3	1.4	1,855	138.4	132.0	145.0
Cervix									66	5.7	4.3	7.2
Corpus and Uterus, NOS									406	28.7	26.0	31.8
Ovary									129	9.4	7.8	11.2
Prostate					1,519	112.9	107.1	118.9				
Testis					95	8.9	7.1	10.8				
Urinary Bladder (includes in situ)	534	20.5	18.8	22.3	416	36.3	32.8	40.1	118	8.1	6.7	9.8
Kidney and Renal Pelvis	461	17.8	16.2	19.6	302	24.7	21.9	27.7	159	11.8	10.0	13.8
Brain and Nervous System	173	7.0	6.0	8.2	98	8.2	6.6	10.0	75	5.9	4.6	7.5
Hodgkin Lymphoma	62	2.6	2.0	3.4	30	2.5	1.7	3.6	32	2.8	1.9	4.0
Non-Hodgkin Lymphoma	516	20.1	18.3	21.9	295	24.8	22.0	27.9	221	16.2	14.1	18.5
Myeloma	179	7.0	6.0	8.1	90	7.5	6.0	9.3	89	6.6	5.3	8.2
Leukemia	345	13.9	12.4	15.5	201	17.3	14.9	19.9	144	11.2	9.4	13.3
All Other Sites	1,448	57.6	54.6	60.7	616	52.7	48.5	57.2	832	64.3	59.8	68.9
Breast in situ (not in total)									435	33.6	30.5	37.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,866	489.8	471.4	508.7	1,392	487.4	461.4	514.6	1,474	497.7	471.5	525.1
Oral Cavity and Pharynx	98	15.8	12.7	19.4	67	22.6	17.3	29.0	31	9.2	6.2	13.4
Esophagus	43	6.8	4.9	9.4	37	12.2	8.5	17.1	6	2.1	0.7	4.9
Stomach	41	6.6	4.7	9.2	29	9.6	6.3	14.1	12	3.7	1.9	6.9
Colon and Rectum	217	37.5	32.6	43.1	105	37.4	30.3	45.6	112	37.4	30.5	45.4
Liver	33	5.3	3.6	7.6	25	7.9	5.1	12.0	8	2.7	1.1	5.7
Pancreas	89	14.7	11.7	18.2	47	16.1	11.7	21.7	42	13.2	9.5	18.2
Lung and Bronchus	464	75.0	68.2	82.4	230	79.0	68.9	90.2	234	71.8	62.8	82.0
Bones and Joints	2	0.3	0.0	1.4	2	0.7	0.1	2.8	0			
Melanoma of the Skin	137	25.6	21.3	30.6	73	27.8	21.6	35.3	64	24.3	18.4	31.5
Breast (invasive)	432	76.4	69.1	84.4	5	1.8	0.6	4.4	427	147.3	133.0	162.8
Cervix									21	9.7	5.9	15.1
Corpus and Uterus, NOS									98	31.4	25.3	38.7
Ovary									38	13.9	9.7	19.5
Prostate					286	92.7	82.0	104.5				
Testis					19	9.2	5.5	14.4				
Urinary Bladder (includes in situ)	155	24.9	21.1	29.3	117	40.7	33.6	49.1	38	11.3	8.0	15.8
Kidney and Renal Pelvis	126	21.8	18.0	26.2	70	24.9	19.2	31.8	56	19.1	14.2	25.1
Brain and Nervous System	21	3.8	2.3	6.0	11	4.0	1.9	7.4	10	3.6	1.6	7.0
Hodgkin Lymphoma	12	2.4	1.2	4.3	6	2.2	0.8	5.0	6	2.7	1.0	5.9
Non-Hodgkin Lymphoma	120	20.7	17.1	25.0	53	20.4	15.1	26.9	67	21.3	16.3	27.3
Myeloma	35	6.1	4.2	8.7	20	7.7	4.6	12.0	15	5.0	2.7	8.5
Leukemia	85	14.6	11.6	18.3	48	17.9	13.1	24.1	37	11.8	8.2	16.7
All Other Sites	294	54.0	47.8	60.9	142	52.7	44.1	62.5	152	56.2	47.1	66.5
Breast in situ (not in total)									77	27.1	21.2	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	16,608	468.6	461.3	476.0	8,346	496.0	485.0	507.2	8,262	454.4	444.3	464.7
Oral Cavity and Pharynx	397	10.6	9.5	11.7	298	16.5	14.6	18.6	99	5.2	4.2	6.4
Esophagus	176	4.8	4.1	5.6	138	8.3	7.0	9.9	38	1.9	1.3	2.7
Stomach	215	6.3	5.4	7.2	141	8.6	7.2	10.2	74	4.2	3.3	5.4
Colon and Rectum	1,225	35.0	33.0	37.1	634	38.5	35.5	41.8	591	31.8	29.2	34.6
Liver	200	5.4	4.7	6.3	144	8.2	6.8	9.7	56	3.1	2.3	4.1
Pancreas	515	14.3	13.1	15.6	285	17.0	15.0	19.1	230	11.9	10.4	13.6
Lung and Bronchus	1,740	48.5	46.2	50.9	796	49.2	45.7	52.9	944	48.5	45.4	51.8
Bones and Joints	31	1.0	0.7	1.5	17	1.1	0.6	1.8	14	0.9	0.5	1.6
Melanoma of the Skin	1,084	31.8	29.8	33.8	624	38.3	35.2	41.5	460	27.5	25.0	30.3
Breast (invasive)	2,623	74.6	71.7	77.6	28	1.8	1.2	2.7	2,595	143.3	137.6	149.1
Cervix									72	5.0	3.9	6.3
Corpus and Uterus, NOS									602	31.2	28.6	33.9
Ovary									197	10.6	9.1	12.3
Prostate					2,210	119.2	114.1	124.4				
Testis					91	6.9	5.5	8.5				
Urinary Bladder (includes in situ)	800	22.5	20.9	24.1	604	38.0	34.9	41.2	196	10.1	8.7	11.7
Kidney and Renal Pelvis	596	16.6	15.2	18.0	418	24.0	21.7	26.6	178	9.7	8.3	11.3
Brain and Nervous System	243	7.5	6.6	8.6	131	8.4	6.9	10.0	112	6.9	5.6	8.4
Hodgkin Lymphoma	74	2.4	1.9	3.0	40	2.5	1.8	3.5	34	2.3	1.6	3.3
Non-Hodgkin Lymphoma	822	23.7	22.0	25.4	459	28.5	25.9	31.4	363	19.6	17.6	21.9
Myeloma	242	6.7	5.9	7.6	126	7.5	6.2	9.0	116	6.1	5.0	7.3
Leukemia	548	16.2	14.8	17.6	327	21.0	18.7	23.5	221	12.6	10.9	14.4
All Other Sites	1,905	56.6	54.0	59.3	835	52.5	48.9	56.4	1,070	61.9	58.1	65.9
Breast in situ (not in total)									600	34.1	31.3	37.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,448	546.2	527.0	566.0	1,818	610.0	581.1	640.1	1,630	498.5	472.6	525.6
Oral Cavity and Pharynx	92	15.1	12.0	18.8	60	21.4	16.0	28.2	32	9.1	6.1	13.3
Esophagus	49	7.4	5.4	10.0	43	14.0	10.1	19.3	6	1.8	0.6	4.4
Stomach	33	4.9	3.3	7.2	19	6.7	4.0	10.9	14	3.4	1.9	6.3
Colon and Rectum	293	47.0	41.5	53.2	159	55.3	46.6	65.2	134	39.8	32.7	48.0
Liver	47	7.2	5.2	9.8	37	11.9	8.2	16.9	10	3.0	1.4	5.9
Pancreas	83	12.8	10.1	16.2	48	16.2	11.8	21.9	35	10.2	6.9	14.7
Lung and Bronchus	620	91.4	84.2	99.2	293	94.9	84.1	107.0	327	88.9	79.2	99.7
Bones and Joints	3	0.6	0.1	2.0	2	0.9	0.1	3.6	1	0.3	0.0	2.3
Melanoma of the Skin	189	33.7	28.7	39.4	107	39.2	31.8	47.9	82	30.5	23.7	38.7
Breast (invasive)	382	63.2	56.6	70.4	3	1.2	0.2	3.9	379	118.8	106.1	132.6
Cervix									16	7.8	4.3	12.9
Corpus and Uterus, NOS									82	25.8	20.1	32.7
Ovary									29	10.3	6.7	15.4
Prostate					375	112.3	101.0	124.7				
Testis					8	4.5	1.9	8.9				
Urinary Bladder (includes in situ)	196	28.5	24.5	33.1	150	48.5	40.8	57.4	46	12.4	8.9	17.2
Kidney and Renal Pelvis	168	28.2	23.8	33.2	100	36.5	29.3	44.9	68	21.1	16.0	27.6
Brain and Nervous System	48	9.9	7.1	13.5	28	11.7	7.4	17.5	20	8.3	4.8	13.2
Hodgkin Lymphoma	12	2.9	1.4	5.2	8	3.7	1.5	7.7	4	2.1	0.5	5.4
Non-Hodgkin Lymphoma	143	21.5	18.0	25.7	77	26.5	20.6	33.7	66	17.4	13.2	22.6
Myeloma	49	7.1	5.2	9.7	30	9.5	6.4	14.1	19	5.1	3.0	8.5
Leukemia	91	14.9	11.8	18.7	58	20.3	15.2	26.7	33	10.2	6.8	15.0
All Other Sites	440	72.3	65.2	80.0	213	74.7	64.6	86.2	227	72.3	62.3	83.6
Breast in situ (not in total)									75	25.4	19.5	32.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,984	499.0	487.7	510.5	4,016	541.7	524.5	559.3	3,968	473.7	458.3	489.5
Oral Cavity and Pharynx	236	14.9	13.0	17.0	157	20.8	17.5	24.5	79	9.5	7.4	12.0
Esophagus	87	5.4	4.3	6.8	77	10.0	7.8	12.7	10	1.3	0.6	2.4
Stomach	102	6.3	5.1	7.7	65	8.7	6.7	11.3	37	4.1	2.9	5.9
Colon and Rectum	666	42.1	38.8	45.6	328	45.7	40.7	51.2	338	39.5	35.2	44.2
Liver	101	5.9	4.8	7.3	77	9.6	7.5	12.1	24	2.7	1.7	4.1
Pancreas	240	14.6	12.8	16.6	122	17.1	14.1	20.6	118	12.6	10.3	15.2
Lung and Bronchus	1,303	76.4	72.2	80.8	652	86.5	79.8	93.6	651	70.1	64.7	75.8
Bones and Joints	8	0.6	0.2	1.2	7	1.1	0.4	2.3	1	0.1	0.0	0.7
Melanoma of the Skin	414	28.1	25.3	31.1	234	33.2	28.9	37.9	180	24.9	21.2	29.1
Breast (invasive)	1,106	71.5	67.2	76.1	16	2.4	1.3	4.0	1,090	133.8	125.6	142.5
Cervix									46	7.1	5.1	9.7
Corpus and Uterus, NOS									255	29.9	26.2	34.0
Ovary									93	11.3	9.0	14.1
Prostate					880	110.4	103.0	118.2				
Testis					36	6.9	4.8	9.5				
Urinary Bladder (includes in situ)	392	23.6	21.3	26.1	272	38.1	33.6	43.1	120	13.3	11.0	16.1
Kidney and Renal Pelvis	403	25.6	23.1	28.4	255	34.7	30.4	39.4	148	17.8	14.9	21.1
Brain and Nervous System	100	7.1	5.7	8.7	58	8.7	6.6	11.4	42	5.6	3.9	7.7
Hodgkin Lymphoma	30	2.3	1.5	3.3	18	2.6	1.5	4.2	12	2.1	1.0	3.7
Non-Hodgkin Lymphoma	308	19.2	17.1	21.6	158	20.8	17.6	24.5	150	17.9	15.0	21.1
Myeloma	92	5.4	4.3	6.7	59	7.7	5.8	10.1	33	3.5	2.4	5.1
Leukemia	249	16.6	14.5	18.9	132	19.0	15.8	22.7	117	14.6	11.9	17.8
All Other Sites	837	53.9	50.2	57.9	413	57.6	52.0	63.7	424	52.2	47.1	57.8
Breast in situ (not in total)									223	28.7	24.8	33.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,702	486.0	471.6	500.7	2,442	540.1	518.3	562.7	2,260	449.8	430.3	470.0
Oral Cavity and Pharynx	137	14.5	12.1	17.3	95	21.1	16.9	26.0	42	8.6	6.1	11.9
Esophagus	68	6.8	5.3	8.8	56	12.3	9.2	16.2	12	2.4	1.2	4.4
Stomach	45	4.6	3.3	6.2	26	6.1	3.9	9.1	19	3.7	2.2	6.1
Colon and Rectum	385	40.8	36.6	45.3	184	43.8	37.5	50.9	201	38.3	32.9	44.4
Liver	61	6.0	4.5	7.8	48	9.6	7.0	13.0	13	2.8	1.4	5.1
Pancreas	134	13.4	11.1	16.0	67	15.1	11.6	19.5	67	11.7	8.9	15.1
Lung and Bronchus	809	79.2	73.7	85.0	440	94.3	85.5	103.9	369	67.8	60.8	75.4
Bones and Joints	7	0.7	0.3	1.6	3	0.8	0.1	2.4	4	0.7	0.2	2.1
Melanoma of the Skin	284	31.8	28.0	36.0	156	36.6	30.9	43.1	128	29.9	24.6	36.0
Breast (invasive)	689	74.0	68.3	80.0	7	1.9	0.7	3.9	682	138.8	127.9	150.4
Cervix									32	9.3	6.2	13.4
Corpus and Uterus, NOS									115	22.9	18.7	27.8
Ovary									44	9.1	6.4	12.5
Prostate					610	123.8	114.0	134.4				
Testis					22	7.4	4.6	11.1				
Urinary Bladder (includes in situ)	215	20.9	18.1	24.0	166	37.3	31.8	43.7	49	8.1	5.9	11.0
Kidney and Renal Pelvis	207	22.4	19.3	25.8	133	31.5	26.2	37.6	74	14.7	11.4	18.8
Brain and Nervous System	56	6.4	4.8	8.5	30	7.1	4.7	10.4	26	5.8	3.7	8.9
Hodgkin Lymphoma	23	3.0	1.9	4.6	16	4.4	2.4	7.2	7	1.7	0.6	3.7
Non-Hodgkin Lymphoma	170	17.3	14.7	20.3	89	19.3	15.4	24.0	81	15.8	12.4	20.0
Myeloma	37	3.5	2.5	5.0	14	3.3	1.7	5.6	23	3.8	2.4	6.0
Leukemia	100	10.5	8.5	12.9	65	15.0	11.4	19.3	35	6.7	4.6	9.7
All Other Sites	452	47.5	43.0	52.4	215	49.5	42.9	56.9	237	47.2	41.0	54.2
Breast in situ (not in total)									160	34.7	29.1	41.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,907	437.3	422.9	452.1	2,031	477.4	456.1	499.6	1,876	410.5	390.7	431.2
Oral Cavity and Pharynx	126	14.1	11.6	17.1	96	23.5	18.8	29.0	30	6.0	3.9	9.0
Esophagus	62	6.3	4.8	8.2	51	10.6	7.9	14.2	11	2.4	1.1	4.6
Stomach	40	4.4	3.1	6.1	26	6.5	4.2	9.8	14	2.6	1.4	4.7
Colon and Rectum	287	32.6	28.8	37.0	143	35.7	29.8	42.5	144	29.5	24.5	35.2
Liver	58	5.6	4.2	7.4	47	9.5	6.9	12.9	11	2.0	1.0	3.9
Pancreas	127	13.4	11.1	16.1	70	16.4	12.6	21.0	57	10.8	8.1	14.4
Lung and Bronchus	605	61.9	57.0	67.2	297	66.9	59.4	75.3	308	58.6	52.0	65.9
Bones and Joints	6	0.8	0.3	1.9	4	1.1	0.3	3.1	2	0.5	0.1	2.1
Melanoma of the Skin	222	26.9	23.2	31.0	128	32.3	26.7	38.8	94	23.1	18.3	28.9
Breast (invasive)	518	62.2	56.6	68.2	1	0.2	0.0	1.5	517	118.6	107.8	130.4
Cervix									26	9.0	5.7	13.4
Corpus and Uterus, NOS									142	30.8	25.6	36.8
Ovary									50	11.0	7.9	14.9
Prostate					453	97.4	88.4	107.1				
Testis					19	7.0	4.1	11.0				
Urinary Bladder (includes in situ)	182	19.1	16.3	22.2	145	34.3	28.8	40.6	37	7.4	5.1	10.5
Kidney and Renal Pelvis	161	18.3	15.4	21.6	111	26.2	21.4	32.0	50	11.6	8.4	15.8
Brain and Nervous System	50	6.2	4.5	8.3	31	8.1	5.4	11.7	19	4.4	2.5	7.2
Hodgkin Lymphoma	18	2.8	1.6	4.5	12	3.6	1.8	6.5	6	2.1	0.7	4.6
Non-Hodgkin Lymphoma	147	16.9	14.2	20.2	85	20.9	16.5	26.1	62	13.4	10.0	17.6
Myeloma	50	5.3	3.9	7.1	30	6.9	4.6	10.1	20	3.9	2.3	6.3
Leukemia	94	10.9	8.7	13.5	54	13.7	10.2	18.1	40	8.7	6.0	12.3
All Other Sites	464	54.7	49.5	60.3	228	56.7	49.2	65.0	236	54.3	47.0	62.5
Breast in situ (not in total)									136	34.6	28.6	41.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,370	548.4	534.5	562.7	3,249	610.0	588.4	632.2	3,121	510.8	491.9	530.3
Oral Cavity and Pharynx	178	15.5	13.2	18.1	139	26.1	21.8	31.1	39	6.2	4.3	8.8
Esophagus	76	6.4	5.0	8.2	60	11.2	8.5	14.7	16	2.7	1.5	4.7
Stomach	62	4.8	3.7	6.3	40	6.9	4.9	9.6	22	3.0	1.9	4.8
Colon and Rectum	477	42.5	38.6	46.7	240	47.1	41.2	53.8	237	38.9	33.7	44.6
Liver	93	7.3	5.8	9.0	80	13.8	10.9	17.4	13	2.1	1.1	3.8
Pancreas	212	17.7	15.4	20.4	122	22.9	18.9	27.6	90	13.5	10.8	16.8
Lung and Bronchus	970	78.0	73.1	83.2	491	90.8	82.7	99.6	479	69.2	63.0	76.0
Bones and Joints	9	1.0	0.4	2.0	7	1.6	0.6	3.4	2	0.5	0.0	1.8
Melanoma of the Skin	389	36.8	33.0	40.9	208	41.5	35.8	47.8	181	35.1	29.8	41.1
Breast (invasive)	934	84.6	78.9	90.5	11	1.9	0.9	3.5	923	156.8	146.2	168.0
Cervix									28	6.6	4.3	9.7
Corpus and Uterus, NOS									191	30.7	26.3	35.8
Ovary									76	11.9	9.2	15.2
Prostate					695	118.4	109.5	128.0				
Testis					36	10.1	7.1	14.0				
Urinary Bladder (includes in situ)	292	23.5	20.9	26.5	236	45.3	39.6	51.7	56	7.8	5.9	10.4
Kidney and Renal Pelvis	304	26.4	23.4	29.8	195	36.2	31.1	42.0	109	18.3	14.8	22.5
Brain and Nervous System	77	7.4	5.8	9.4	46	9.3	6.7	12.7	31	5.7	3.7	8.4
Hodgkin Lymphoma	15	1.7	0.9	2.9	11	2.7	1.3	4.9	4	0.8	0.2	2.3
Non-Hodgkin Lymphoma	299	25.3	22.4	28.5	150	29.6	24.9	35.0	149	22.6	19.0	26.9
Myeloma	74	6.2	4.8	7.9	48	9.5	6.9	12.8	26	3.7	2.4	5.7
Leukemia	191	17.0	14.6	19.8	103	20.4	16.4	25.0	88	14.2	11.2	17.8
All Other Sites	692	61.1	56.5	66.1	331	64.5	57.5	72.2	361	60.4	53.9	67.5
Breast in situ (not in total)									205	34.4	29.6	39.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,546	484.9	471.8	498.4	2,897	538.9	518.7	559.7	2,649	448.9	431.2	467.3
Oral Cavity and Pharynx	179	15.0	12.8	17.5	134	24.0	20.0	28.7	45	7.1	5.1	9.7
Esophagus	62	5.2	3.9	6.8	53	9.5	7.0	12.6	9	1.5	0.6	3.0
Stomach	51	4.1	3.0	5.5	32	5.4	3.7	7.8	19	2.9	1.7	4.7
Colon and Rectum	375	32.9	29.6	36.6	213	40.3	34.8	46.4	162	25.9	21.9	30.5
Liver	93	7.8	6.3	9.7	64	11.6	8.8	15.0	29	5.0	3.3	7.3
Pancreas	150	12.8	10.8	15.2	73	13.0	10.1	16.6	77	12.1	9.5	15.3
Lung and Bronchus	885	74.4	69.5	79.7	451	84.1	76.2	92.6	434	68.5	62.0	75.5
Bones and Joints	6	0.7	0.2	1.5	3	0.7	0.1	2.1	3	0.6	0.1	1.8
Melanoma of the Skin	349	31.9	28.5	35.6	225	42.2	36.6	48.4	124	24.0	19.7	28.9
Breast (invasive)	787	70.0	65.0	75.3	5	0.8	0.3	2.1	782	133.3	123.7	143.6
Cervix									41	9.6	6.8	13.1
Corpus and Uterus, NOS									197	34.2	29.4	39.6
Ovary									52	9.0	6.6	12.0
Prostate					652	112.9	104.1	122.3				
Testis					35	8.9	6.1	12.4				
Urinary Bladder (includes in situ)	270	23.6	20.8	26.7	210	40.8	35.3	47.0	60	9.8	7.4	12.8
Kidney and Renal Pelvis	290	25.6	22.6	28.8	181	33.1	28.3	38.6	109	18.7	15.2	22.9
Brain and Nervous System	74	6.9	5.3	8.8	42	8.3	5.9	11.5	32	5.3	3.6	7.7
Hodgkin Lymphoma	33	3.8	2.6	5.4	19	4.4	2.6	7.0	14	3.3	1.7	5.5
Non-Hodgkin Lymphoma	195	17.1	14.7	19.8	109	21.7	17.7	26.4	86	13.7	10.9	17.2
Myeloma	69	5.7	4.4	7.2	40	7.6	5.4	10.5	29	4.1	2.7	6.0
Leukemia	141	13.1	10.9	15.6	82	16.5	13.0	20.6	59	10.3	7.7	13.5
All Other Sites	560	50.4	46.1	54.9	274	53.0	46.7	60.0	286	50.2	44.2	56.7
Breast in situ (not in total)									165	30.5	25.8	35.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,517	541.1	519.1	564.0	1,307	574.7	542.9	608.1	1,210	521.0	489.8	553.8
Oral Cavity and Pharynx	59	13.1	9.8	17.3	45	20.8	14.9	28.6	14	5.6	2.9	10.0
Esophagus	34	6.9	4.7	10.0	26	11.5	7.4	17.3	8	3.0	1.3	6.5
Stomach	34	7.2	4.9	10.5	25	11.3	7.1	17.3	9	3.7	1.6	7.7
Colon and Rectum	222	47.7	41.4	54.8	107	49.0	39.9	59.8	115	46.2	37.7	56.4
Liver	32	6.4	4.3	9.4	23	9.5	5.9	14.8	9	3.8	1.6	7.9
Pancreas	77	15.6	12.2	19.8	40	17.5	12.3	24.3	37	13.9	9.6	19.9
Lung and Bronchus	481	97.0	88.3	106.5	260	109.7	96.4	124.5	221	87.2	75.6	100.4
Bones and Joints	4	1.4	0.4	3.7	1	0.4	0.0	3.1	3	2.5	0.5	7.0
Melanoma of the Skin	179	41.6	35.3	48.7	92	41.5	33.1	51.5	87	44.0	34.5	55.5
Breast (invasive)	305	69.8	61.7	78.7	3	1.4	0.3	4.6	302	134.1	118.2	151.7
Cervix									16	9.4	5.2	15.8
Corpus and Uterus, NOS									68	26.2	20.1	33.8
Ovary									19	8.6	4.9	14.2
Prostate					283	117.9	104.2	133.1				
Testis					4	3.4	0.9	8.3				
Urinary Bladder (includes in situ)	121	24.4	20.1	29.4	93	40.9	32.8	50.5	28	10.9	7.0	16.4
Kidney and Renal Pelvis	90	18.9	15.0	23.6	55	24.4	18.1	32.4	35	13.6	9.3	19.5
Brain and Nervous System	21	5.7	3.4	9.0	7	4.0	1.5	8.6	14	7.3	3.8	12.9
Hodgkin Lymphoma	8	2.1	0.9	4.5	4	1.9	0.5	5.5	4	2.4	0.6	6.4
Non-Hodgkin Lymphoma	89	18.8	14.9	23.5	51	23.3	17.1	31.1	38	15.2	10.4	21.8
Myeloma	37	7.8	5.4	11.0	24	10.1	6.4	15.5	13	5.8	2.9	10.6
Leukemia	62	14.5	10.9	19.0	32	15.1	10.1	21.9	30	14.2	9.2	21.0
All Other Sites	272	62.0	54.5	70.5	132	61.2	50.8	73.3	140	63.5	52.5	76.2
Breast in situ (not in total)									60	31.5	23.4	41.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,062	473.7	466.0	481.5	7,630	512.0	500.1	524.1	7,432	451.5	441.1	462.1
Oral Cavity and Pharynx	379	11.3	10.1	12.5	279	16.8	14.8	18.9	100	6.0	4.8	7.3
Esophagus	176	5.5	4.7	6.4	142	9.5	7.9	11.2	34	2.1	1.4	2.9
Stomach	238	7.7	6.7	8.8	143	10.0	8.4	11.9	95	5.8	4.6	7.1
Colon and Rectum	1,190	37.8	35.7	40.1	696	47.0	43.4	50.8	494	29.8	27.2	32.6
Liver	181	5.5	4.7	6.4	133	8.3	6.9	9.9	48	2.9	2.2	3.9
Pancreas	439	14.1	12.8	15.5	239	16.7	14.6	19.1	200	11.8	10.2	13.6
Lung and Bronchus	1,853	58.3	55.6	61.0	910	63.9	59.6	68.4	943	54.6	51.1	58.3
Bones and Joints	30	1.0	0.7	1.5	25	1.8	1.1	2.6	5	0.3	0.1	0.8
Melanoma of the Skin	760	24.4	22.7	26.3	436	29.1	26.3	32.1	324	21.2	18.9	23.7
Breast (invasive)	2,339	73.8	70.8	77.0	16	1.1	0.6	1.9	2,323	141.7	135.9	147.7
Cervix									100	6.7	5.4	8.2
Corpus and Uterus, NOS									554	31.5	28.9	34.3
Ovary									165	9.8	8.3	11.5
Prostate					1,854	113.1	107.8	118.6				
Testis					92	6.8	5.5	8.4				
Urinary Bladder (includes in situ)	679	22.3	20.6	24.1	497	37.3	34.0	40.9	182	10.9	9.4	12.7
Kidney and Renal Pelvis	536	16.4	15.0	17.9	353	22.1	19.8	24.7	183	11.0	9.4	12.7
Brain and Nervous System	228	7.6	6.7	8.7	136	9.6	8.0	11.4	92	5.9	4.7	7.3
Hodgkin Lymphoma	91	3.2	2.5	3.9	54	4.0	3.0	5.2	37	2.5	1.7	3.5
Non-Hodgkin Lymphoma	630	20.4	18.8	22.1	350	24.7	22.1	27.5	280	17.3	15.3	19.5
Myeloma	225	7.0	6.1	8.0	130	9.0	7.5	10.8	95	5.5	4.4	6.7
Leukemia	469	15.3	14.0	16.8	290	20.4	18.0	23.0	179	11.1	9.5	12.9
All Other Sites	1,854	60.6	57.8	63.5	855	60.9	56.7	65.3	999	63.1	59.2	67.3
Breast in situ (not in total)									610	37.3	34.3	40.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,360	460.5	449.6	471.7	3,703	484.9	468.9	501.4	3,657	449.5	434.1	465.2
Oral Cavity and Pharynx	205	13.1	11.3	15.2	151	19.8	16.7	23.4	54	7.1	5.2	9.4
Esophagus	108	6.4	5.2	7.8	78	10.0	7.8	12.6	30	3.3	2.2	4.8
Stomach	104	6.3	5.1	7.7	77	10.0	7.8	12.6	27	3.2	2.0	4.8
Colon and Rectum	573	36.2	33.2	39.5	305	42.1	37.3	47.3	268	30.6	26.9	34.8
Liver	133	7.6	6.4	9.1	103	12.5	10.1	15.3	30	3.3	2.2	4.9
Pancreas	228	13.2	11.5	15.1	110	13.9	11.4	16.9	118	12.6	10.4	15.2
Lung and Bronchus	1,094	63.8	60.0	67.8	542	68.0	62.3	74.1	552	60.6	55.5	66.1
Bones and Joints	8	0.6	0.2	1.2	4	0.6	0.1	1.6	4	0.6	0.1	1.6
Melanoma of the Skin	405	26.8	24.1	29.7	227	30.9	26.9	35.4	178	24.7	20.9	28.9
Breast (invasive)	1,007	65.4	61.2	69.8	10	1.3	0.6	2.5	997	124.2	116.1	132.7
Cervix									32	5.1	3.4	7.4
Corpus and Uterus, NOS									240	29.9	26.0	34.3
Ovary									101	13.2	10.6	16.3
Prostate					702	82.8	76.6	89.4				
Testis					32	6.6	4.5	9.3				
Urinary Bladder (includes in situ)	353	20.6	18.5	22.9	267	35.3	31.1	40.0	86	9.2	7.4	11.6
Kidney and Renal Pelvis	318	20.1	17.9	22.6	202	26.7	23.0	30.9	116	14.4	11.7	17.5
Brain and Nervous System	86	5.8	4.6	7.3	51	7.4	5.4	9.9	35	4.5	3.0	6.4
Hodgkin Lymphoma	37	3.3	2.3	4.6	23	4.0	2.5	6.0	14	2.6	1.4	4.4
Non-Hodgkin Lymphoma	309	19.8	17.5	22.2	174	24.1	20.5	28.1	135	16.5	13.7	19.7
Myeloma	108	6.5	5.3	7.9	65	8.8	6.7	11.3	43	4.6	3.3	6.3
Leukemia	240	15.8	13.8	18.0	147	20.6	17.3	24.4	93	12.1	9.6	15.0
All Other Sites	937	62.4	58.3	66.8	433	59.7	54.0	65.8	504	67.3	61.1	73.9
Breast in situ (not in total)									215	28.7	24.8	33.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	47,319	463.8	459.5	468.1	22,957	529.2	522.1	536.4	24,362	421.8	416.4	427.2
Oral Cavity and Pharynx	966	9.1	8.5	9.7	640	13.9	12.8	15.1	326	5.5	4.9	6.2
Esophagus	394	3.7	3.4	4.1	254	5.8	5.0	6.5	140	2.3	1.9	2.7
Stomach	1,000	10.2	9.6	10.9	541	13.6	12.4	14.9	459	8.0	7.3	8.8
Colon and Rectum	4,534	45.6	44.3	47.0	2,260	54.6	52.3	57.0	2,274	39.5	37.9	41.2
Liver	830	7.5	7.0	8.1	570	12.1	11.1	13.2	260	4.2	3.7	4.7
Pancreas	1,707	16.8	16.0	17.7	784	18.2	16.9	19.6	923	15.7	14.7	16.7
Lung and Bronchus	6,675	65.5	63.9	67.1	3,226	77.8	75.0	80.6	3,449	57.4	55.5	59.4
Bones and Joints	76	0.8	0.6	1.0	37	0.8	0.6	1.2	39	0.8	0.5	1.0
Melanoma of the Skin	64	0.7	0.5	0.8	29	0.7	0.5	1.1	35	0.6	0.4	0.8
Breast (invasive)	7,574	76.1	74.4	77.9	97	2.4	1.9	2.9	7,477	131.8	128.8	134.9
Cervix									486	9.1	8.3	10.0
Corpus and Uterus, NOS									1,913	31.4	30.0	32.9
Ovary									504	8.7	8.0	9.5
Prostate					8,073	175.6	171.6	179.6				
Testis					82	1.8	1.5	2.3				
Urinary Bladder (includes in situ)	1,100	11.2	10.6	11.9	739	19.0	17.6	20.5	361	6.1	5.5	6.8
Kidney and Renal Pelvis	1,924	18.8	17.9	19.7	1,159	26.4	24.9	28.1	765	13.0	12.1	14.0
Brain and Nervous System	374	3.8	3.4	4.2	217	4.9	4.3	5.7	157	2.9	2.5	3.4
Hodgkin Lymphoma	269	2.7	2.4	3.1	136	2.9	2.4	3.4	133	2.5	2.1	3.0
Non-Hodgkin Lymphoma	1,360	13.9	13.2	14.7	703	17.0	15.7	18.4	657	11.6	10.8	12.6
Myeloma	1,305	13.1	12.4	13.8	613	15.0	13.8	16.3	692	11.8	10.9	12.8
Leukemia	1,093	11.2	10.5	11.9	588	14.2	13.0	15.4	505	9.1	8.3	9.9
All Other Sites	5,016	50.6	49.2	52.0	2,209	52.3	50.1	54.6	2,807	49.6	47.7	51.5
Breast in situ (not in total)									1,964	34.2	32.6	35.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	498	477.1	434.0	523.1	267	583.6	510.2	664.0	231	397.3	345.7	454.1
Oral Cavity and Pharynx	10	9.5	4.4	17.6	7	15.0	5.7	31.5	3	5.2	1.1	15.0
Esophagus	5	4.1	1.3	9.7	4	7.1	1.9	19.2	1	1.5	0.0	8.7
Stomach	12	12.2	6.1	21.4	8	20.0	7.8	40.4	4	7.3	1.8	18.6
Colon and Rectum	36	35.5	24.3	49.6	21	42.3	25.4	65.9	15	28.8	15.6	47.8
Liver	7	6.3	2.4	13.2	3	5.9	1.1	17.9	4	6.9	1.7	18.0
Pancreas	22	22.2	13.5	34.1	8	19.1	7.6	38.4	14	24.2	12.8	40.9
Lung and Bronchus	75	78.5	61.0	99.0	45	113.8	80.4	155.0	30	54.5	36.2	78.3
Bones and Joints	1	0.6	0.0	4.2	1	1.1	0.0	9.7	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	87	84.6	67.0	105.1	2	5.8	0.5	20.3	85	146.9	116.4	182.5
Cervix									6	9.0	3.3	19.8
Corpus and Uterus, NOS									10	13.9	6.6	26.1
Ovary									4	6.1	1.6	16.0
Prostate					102	214.9	172.6	263.9				
Testis					0							
Urinary Bladder (includes in situ)	8	6.9	2.8	14.0	6	12.3	4.2	27.6	2	2.6	0.3	10.2
Kidney and Renal Pelvis	26	22.6	14.5	33.6	15	29.4	15.2	50.8	11	18.0	8.8	32.5
Brain and Nervous System	2	1.9	0.2	6.8	2	4.1	0.5	15.2	0			
Hodgkin Lymphoma	1	0.5	0.0	3.9	1	1.0	0.0	9.4	0			
Non-Hodgkin Lymphoma	9	8.3	3.6	16.2	7	14.4	5.7	30.1	2	3.3	0.2	12.7
Myeloma	12	14.0	7.0	24.5	9	24.3	10.1	47.2	3	7.3	1.4	19.7
Leukemia	13	11.0	5.5	19.5	7	13.3	4.9	28.7	6	8.8	2.9	20.2
All Other Sites	50	48.2	35.0	64.4	19	39.7	22.7	63.9	31	52.9	35.2	75.9
Breast in situ (not in total)									15	26.8	14.8	44.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	34,263	462.0	457.0	467.0	16,218	526.7	518.3	535.2	18,045	421.6	415.3	427.9
Oral Cavity and Pharynx	722	9.5	8.8	10.2	467	14.5	13.2	16.0	255	6.0	5.3	6.8
Esophagus	287	3.7	3.3	4.2	180	5.8	4.9	6.7	107	2.3	1.9	2.8
Stomach	753	10.4	9.7	11.2	395	13.9	12.5	15.4	358	8.3	7.5	9.3
Colon and Rectum	3,354	46.0	44.5	47.7	1,645	55.7	52.9	58.5	1,709	39.7	37.8	41.7
Liver	609	7.6	7.0	8.3	406	12.3	11.1	13.6	203	4.3	3.8	5.0
Pancreas	1,274	17.0	16.0	18.0	589	19.0	17.5	20.7	685	15.4	14.2	16.6
Lung and Bronchus	4,871	64.4	62.5	66.2	2,292	76.3	73.1	79.6	2,579	56.7	54.5	59.0
Bones and Joints	50	0.8	0.6	1.0	25	0.9	0.6	1.4	25	0.7	0.5	1.1
Melanoma of the Skin	52	0.7	0.5	1.0	23	0.8	0.5	1.3	29	0.7	0.4	1.0
Breast (invasive)	5,547	77.7	75.7	79.9	72	2.5	2.0	3.2	5,475	131.7	128.1	135.4
Cervix									360	9.3	8.4	10.4
Corpus and Uterus, NOS									1,459	32.2	30.5	33.9
Ovary									393	9.3	8.4	10.3
Prostate					5,719	174.9	170.2	179.6				
Testis					46	1.7	1.2	2.2				
Urinary Bladder (includes in situ)	790	10.8	10.0	11.6	522	18.5	16.9	20.2	268	5.9	5.2	6.7
Kidney and Renal Pelvis	1,290	17.4	16.5	18.5	743	24.3	22.5	26.2	547	12.6	11.5	13.7
Brain and Nervous System	245	3.6	3.1	4.1	138	4.7	3.9	5.6	107	2.8	2.3	3.4
Hodgkin Lymphoma	180	2.8	2.4	3.2	92	3.1	2.5	3.9	88	2.5	2.0	3.1
Non-Hodgkin Lymphoma	987	14.1	13.3	15.1	483	17.0	15.5	18.6	504	12.2	11.1	13.3
Myeloma	913	12.5	11.6	13.3	410	14.1	12.7	15.5	503	11.4	10.4	12.5
Leukemia	761	10.8	10.0	11.6	406	13.9	12.5	15.4	355	8.8	7.8	9.7
All Other Sites	3,601	50.3	48.6	52.0	1,565	52.9	50.2	55.6	2,036	48.6	46.5	50.8
Breast in situ (not in total)									1,423	33.8	32.0	35.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	914	447.2	415.6	480.4	407	485.9	432.4	543.6	507	425.3	386.1	467.2
Oral Cavity and Pharynx	18	9.5	5.3	15.5	11	15.9	7.3	29.5	7	5.2	1.9	11.4
Esophagus	1	0.9	0.0	4.1	1	2.3	0.1	10.4	0			
Stomach	18	9.5	5.4	15.5	9	13.5	5.7	26.1	9	7.1	3.1	13.9
Colon and Rectum	80	40.3	31.0	51.4	33	42.7	27.4	62.6	47	38.6	27.6	52.5
Liver	12	6.6	3.1	12.1	10	15.3	5.9	30.5	2	1.5	0.2	5.9
Pancreas	30	17.3	11.0	25.4	8	9.6	3.5	20.5	22	22.2	13.1	34.5
Lung and Bronchus	74	42.4	32.3	54.3	29	44.0	27.2	66.2	45	42.5	30.1	57.9
Bones and Joints	4	2.2	0.4	5.9	2	1.6	0.2	7.4	2	2.5	0.2	8.6
Melanoma of the Skin	4	1.7	0.4	4.6	2	1.6	0.2	7.5	2	1.7	0.2	6.2
Breast (invasive)	190	90.0	76.4	105.2	4	6.3	0.9	18.5	186	150.5	128.1	175.6
Cervix									9	6.3	2.8	12.2
Corpus and Uterus, NOS									38	27.7	19.1	38.7
Ovary									8	6.1	2.5	12.6
Prostate					183	198.5	167.2	233.8				
Testis					2	1.4	0.2	7.0				
Urinary Bladder (includes in situ)	26	16.1	10.1	24.1	16	18.4	10.1	30.6	10	12.9	6.0	23.5
Kidney and Renal Pelvis	47	23.1	16.3	31.6	26	29.0	17.3	45.3	21	19.6	11.5	30.9
Brain and Nervous System	9	3.8	1.7	7.4	3	2.8	0.6	9.4	6	4.7	1.7	10.4
Hodgkin Lymphoma	8	2.5	1.1	5.3	5	3.1	1.0	9.1	3	1.9	0.4	6.2
Non-Hodgkin Lymphoma	25	11.5	7.1	17.5	13	16.5	7.3	30.7	12	8.9	4.4	16.0
Myeloma	31	13.3	8.8	19.4	14	17.2	8.7	30.3	17	10.9	6.4	17.9
Leukemia	21	11.0	6.3	17.4	9	12.2	4.8	24.7	12	10.2	4.9	18.6
All Other Sites	76	39.8	30.6	50.8	27	33.9	20.7	51.6	49	44.4	32.0	59.7
Breast in situ (not in total)									58	43.2	32.4	56.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	638	451.8	415.7	490.0	335	522.2	463.2	586.3	303	399.7	354.6	448.7
Oral Cavity and Pharynx	8	5.9	2.4	11.8	6	9.0	3.1	20.2	2	3.1	0.3	10.9
Esophagus	4	3.8	1.0	9.4	3	7.7	1.4	21.4	1	1.4	0.0	7.6
Stomach	13	9.8	5.0	16.9	7	12.0	4.2	25.8	6	8.5	3.0	18.4
Colon and Rectum	55	41.3	30.7	54.2	26	41.3	26.1	61.9	29	41.0	27.2	59.1
Liver	8	6.0	2.4	12.0	5	9.5	2.7	22.5	3	3.4	0.7	10.5
Pancreas	23	18.5	11.3	28.1	15	28.3	14.8	48.0	8	11.2	4.6	22.4
Lung and Bronchus	80	58.9	46.0	74.1	46	74.5	53.2	101.0	34	46.0	31.3	65.0
Bones and Joints	3	1.6	0.3	5.1	2	2.2	0.3	9.3	1	1.0	0.0	6.6
Melanoma of the Skin	0				0				0			
Breast (invasive)	91	62.3	49.7	77.0	1	1.0	0.0	7.7	90	115.9	92.7	143.0
Cervix									8	11.4	4.8	22.5
Corpus and Uterus, NOS									22	26.8	16.6	41.1
Ovary									10	12.6	5.9	23.5
Prostate					133	190.6	157.6	228.3				
Testis					1	0.9	0.0	7.4				
Urinary Bladder (includes in situ)	19	15.4	9.0	24.2	14	27.4	14.2	46.5	5	6.4	2.0	15.4
Kidney and Renal Pelvis	31	21.4	14.2	30.7	24	35.8	22.0	54.7	7	9.1	3.5	18.9
Brain and Nervous System	8	6.6	2.7	13.1	4	6.7	1.4	18.0	4	6.4	1.7	16.0
Hodgkin Lymphoma	2	1.2	0.1	4.6	0				2	2.3	0.3	8.7
Non-Hodgkin Lymphoma	16	10.6	5.8	17.7	5	6.2	1.9	15.3	11	14.1	6.8	25.7
Myeloma	21	15.9	9.5	24.7	11	18.5	8.4	34.5	10	14.0	6.5	26.0
Leukemia	12	9.2	4.5	16.3	5	8.9	2.3	21.8	7	9.9	3.8	20.4
All Other Sites	70	48.3	37.2	61.6	27	41.9	26.5	62.5	43	55.1	39.5	74.8
Breast in situ (not in total)									32	37.4	25.5	53.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	444	542.4	491.1	597.4	228	604.2	523.9	693.1	216	493.6	428.1	566.3
Oral Cavity and Pharynx	7	7.4	2.9	15.7	6	12.8	4.6	29.3	1	2.4	0.1	13.4
Esophagus	6	7.1	2.4	15.9	4	7.6	2.1	21.6	2	6.2	0.8	20.8
Stomach	9	12.2	5.5	23.2	7	22.0	8.5	45.5	2	5.0	0.6	17.6
Colon and Rectum	32	40.2	27.0	57.3	15	46.9	25.2	78.5	17	35.6	20.5	57.8
Liver	7	8.3	3.1	17.8	4	7.6	2.1	21.6	3	8.2	1.6	23.5
Pancreas	11	14.6	7.1	26.4	4	8.9	2.4	24.1	7	18.1	7.2	37.0
Lung and Bronchus	61	76.4	57.6	99.1	31	92.2	60.8	133.1	30	66.0	43.8	95.3
Bones and Joints	0				0				0			
Melanoma of the Skin	2	2.6	0.3	9.3	0				2	4.8	0.6	17.4
Breast (invasive)	80	97.5	76.7	122.2	1	4.6	0.1	21.3	79	176.3	138.5	221.1
Cervix									2	4.5	0.5	16.8
Corpus and Uterus, NOS									13	28.1	14.5	49.2
Ovary									5	11.8	3.7	27.8
Prostate					87	218.8	172.8	273.1				
Testis					1	2.6	0.1	15.1				
Urinary Bladder (includes in situ)	13	17.2	8.8	29.8	12	35.1	17.2	62.5	1	3.4	0.1	16.3
Kidney and Renal Pelvis	19	22.3	13.2	35.3	13	32.2	16.7	56.5	6	13.0	4.7	28.7
Brain and Nervous System	5	5.1	1.6	12.4	3	6.8	1.3	21.4	2	3.7	0.4	14.7
Hodgkin Lymphoma	3	3.2	0.6	9.9	2	3.6	0.4	15.8	1	2.4	0.1	13.4
Non-Hodgkin Lymphoma	9	12.0	5.3	23.0	6	16.9	6.1	37.0	3	7.5	1.4	22.0
Myeloma	12	16.4	8.2	28.9	3	8.6	1.7	25.3	9	21.7	9.5	41.8
Leukemia	11	15.5	7.5	27.9	4	11.8	2.8	30.9	7	17.8	7.0	36.8
All Other Sites	49	60.9	44.5	81.3	25	65.3	41.2	98.2	24	57.1	36.1	85.7
Breast in situ (not in total)									14	33.4	17.9	56.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,033	416.6	390.2	444.3	508	462.0	418.4	508.7	525	389.6	355.9	425.6
Oral Cavity and Pharynx	16	5.9	3.2	9.9	8	7.0	2.7	14.6	8	5.3	2.2	10.9
Esophagus	5	2.0	0.6	4.8	1	1.1	0.0	5.8	4	2.8	0.7	7.5
Stomach	28	12.3	8.0	18.1	15	15.7	8.3	26.5	13	9.7	5.0	16.8
Colon and Rectum	93	42.0	33.5	51.9	40	41.9	29.1	58.2	53	42.4	31.4	56.0
Liver	18	6.3	3.7	10.2	13	9.1	4.7	16.1	5	3.6	1.1	8.5
Pancreas	40	16.6	11.6	22.9	16	15.1	8.1	25.4	24	18.1	11.4	27.2
Lung and Bronchus	119	49.5	40.5	59.8	61	63.6	46.9	83.8	58	41.6	31.3	54.2
Bones and Joints	1	0.3	0.0	1.9	0				1	0.6	0.0	3.7
Melanoma of the Skin	2	1.1	0.1	3.7	2	3.2	0.3	10.6	0			
Breast (invasive)	172	68.3	58.1	79.8	1	0.7	0.0	4.9	171	125.5	106.9	146.4
Cervix									8	6.5	2.7	12.7
Corpus and Uterus, NOS									37	26.9	18.6	37.5
Ovary									10	7.1	3.4	13.3
Prostate					201	164.3	140.4	190.9				
Testis					8	4.8	2.0	10.4				
Urinary Bladder (includes in situ)	18	8.2	4.7	13.2	11	12.9	5.9	23.7	7	5.3	2.1	11.0
Kidney and Renal Pelvis	29	10.6	7.0	15.5	18	14.3	8.2	23.2	11	7.4	3.6	13.5
Brain and Nervous System	10	3.9	1.8	7.4	6	5.8	2.0	13.0	4	2.5	0.7	6.6
Hodgkin Lymphoma	6	2.1	0.7	4.7	3	2.5	0.5	7.7	3	1.8	0.4	5.6
Non-Hodgkin Lymphoma	27	10.7	6.9	15.9	17	16.0	8.6	26.9	10	7.2	3.3	13.5
Myeloma	42	17.9	12.7	24.5	23	25.4	15.2	39.3	19	13.6	8.0	21.5
Leukemia	31	12.9	8.6	18.6	19	17.6	9.9	28.6	12	9.5	4.7	16.7
All Other Sites	112	46.7	38.0	56.7	45	41.2	28.6	57.2	67	52.4	40.2	66.9
Breast in situ (not in total)									48	35.4	25.7	47.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	527	569.4	520.0	622.0	285	704.1	619.8	796.5	242	467.8	409.2	532.4
Oral Cavity and Pharynx	10	9.9	4.6	18.8	7	17.8	6.5	38.2	3	4.4	0.9	14.0
Esophagus	6	6.4	2.2	14.3	5	14.6	3.9	35.8	1	1.4	0.0	9.7
Stomach	7	9.5	3.6	19.4	5	15.5	4.3	37.2	2	4.8	0.6	16.4
Colon and Rectum	58	60.6	45.6	79.0	22	52.2	32.2	80.2	36	67.0	46.3	93.8
Liver	9	9.0	4.1	17.4	8	18.3	7.8	36.9	1	1.4	0.0	9.7
Pancreas	19	21.9	12.9	34.5	11	23.8	11.6	43.9	8	18.4	7.8	35.9
Lung and Bronchus	97	103.4	83.1	127.0	54	128.3	94.2	170.6	43	83.6	60.0	113.3
Bones and Joints	1	0.9	0.0	5.7	1	1.9	0.0	13.1	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	69	73.5	56.6	93.7	2	7.5	0.6	26.6	67	127.7	98.2	163.1
Cervix									5	12.1	3.9	27.5
Corpus and Uterus, NOS									12	21.7	11.0	38.4
Ovary									4	6.2	1.7	17.0
Prostate					84	198.1	156.2	247.7				
Testis					3	8.9	1.8	25.4				
Urinary Bladder (includes in situ)	12	13.3	6.6	23.6	9	26.2	11.1	50.9	3	4.6	0.9	14.6
Kidney and Renal Pelvis	26	29.2	18.8	43.2	14	33.8	18.1	57.6	12	24.1	12.2	42.4
Brain and Nervous System	6	5.5	2.0	12.5	5	10.1	3.2	25.0	1	1.7	0.0	10.4
Hodgkin Lymphoma	2	2.8	0.3	9.5	2	6.2	0.8	21.5	0			
Non-Hodgkin Lymphoma	19	22.2	13.1	35.1	13	39.3	19.5	68.9	6	11.8	4.2	26.0
Myeloma	12	14.2	7.1	25.0	7	17.0	6.6	35.9	5	11.0	3.4	25.7
Leukemia	9	9.0	3.9	17.7	5	11.0	3.4	27.2	4	7.0	1.8	18.9
All Other Sites	57	65.4	48.9	85.3	28	73.7	47.7	108.3	29	58.8	38.9	85.1
Breast in situ (not in total)									15	30.6	16.8	50.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	560	535.0	489.8	583.1	294	666.7	586.9	753.8	266	443.0	390.0	500.9
Oral Cavity and Pharynx	12	10.5	5.3	18.7	8	15.0	6.3	30.5	4	6.6	1.7	17.2
Esophagus	4	4.2	1.0	10.8	3	7.8	1.2	23.6	1	1.8	0.0	9.6
Stomach	13	13.1	6.8	22.7	6	12.0	4.3	27.1	7	12.8	5.0	26.3
Colon and Rectum	52	55.4	40.8	73.2	32	81.9	54.3	117.6	20	36.8	22.1	57.1
Liver	8	6.0	2.6	12.2	7	10.8	4.3	23.8	1	1.8	0.0	9.7
Pancreas	11	13.2	6.4	23.4	7	18.2	7.0	37.6	4	8.6	2.2	21.2
Lung and Bronchus	88	86.1	68.3	106.9	41	105.4	73.1	146.0	47	76.6	55.8	102.5
Bones and Joints	1	0.6	0.0	4.4	0				1	1.2	0.0	7.9
Melanoma of the Skin	0				0				0			
Breast (invasive)	78	69.7	54.7	87.6	0				78	124.6	97.9	156.3
Cervix									1	1.3	0.0	8.2
Corpus and Uterus, NOS									24	42.0	26.6	62.6
Ovary									3	4.1	0.8	12.6
Prostate					108	215.4	174.9	262.6				
Testis					1	1.7	0.0	11.5				
Urinary Bladder (includes in situ)	8	10.5	4.4	20.3	7	25.3	9.5	51.4	1	1.8	0.0	9.6
Kidney and Renal Pelvis	31	29.8	20.0	42.6	21	47.9	28.7	74.7	10	16.9	8.1	31.1
Brain and Nervous System	6	7.1	2.5	15.3	5	14.9	4.5	34.5	1	1.8	0.0	9.6
Hodgkin Lymphoma	3	2.4	0.5	7.4	2	3.8	0.5	14.9	1	1.3	0.0	8.3
Non-Hodgkin Lymphoma	14	12.3	6.5	21.0	4	5.7	1.5	16.7	10	16.8	7.9	31.2
Myeloma	17	17.0	9.7	27.4	9	22.1	9.5	42.8	8	13.4	5.7	26.3
Leukemia	9	8.0	3.6	15.3	5	9.7	3.0	23.5	4	6.7	1.8	17.2
All Other Sites	68	66.5	51.0	84.9	28	69.1	44.2	101.9	40	66.1	46.7	90.7
Breast in situ (not in total)									23	37.4	23.6	56.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	836	557.8	518.8	598.8	461	694.3	628.0	765.4	375	455.2	408.7	505.4
Oral Cavity and Pharynx	14	8.2	4.4	14.0	13	17.3	8.9	30.4	1	0.9	0.0	5.9
Esophagus	13	8.8	4.5	15.2	9	13.3	5.8	25.8	4	5.2	1.3	13.5
Stomach	10	6.7	3.1	12.5	7	10.5	3.8	22.5	3	4.2	0.8	11.9
Colon and Rectum	71	50.6	39.0	64.4	36	66.5	45.4	93.3	35	40.1	27.6	56.3
Liver	21	11.8	7.2	18.4	19	24.1	14.2	38.5	2	2.1	0.2	8.0
Pancreas	24	15.7	9.9	23.6	11	16.8	8.2	30.5	13	14.8	7.7	25.5
Lung and Bronchus	160	105.5	89.0	124.1	74	111.0	85.5	141.5	86	101.7	80.5	126.6
Bones and Joints	2	0.9	0.1	3.9	1	1.3	0.0	7.9	1	0.7	0.0	5.4
Melanoma of the Skin	0				0				0			
Breast (invasive)	103	71.7	58.0	87.5	0				103	127.2	103.1	155.1
Cervix									9	11.5	5.2	21.8
Corpus and Uterus, NOS									20	24.2	14.5	37.9
Ovary									5	6.0	1.9	14.3
Prostate					161	235.8	198.6	277.8				
Testis					1	1.7	0.0	9.1				
Urinary Bladder (includes in situ)	19	14.3	8.3	22.5	9	14.6	6.2	28.6	10	14.2	6.6	26.1
Kidney and Renal Pelvis	49	34.6	25.3	46.0	34	54.8	37.0	77.8	15	19.3	10.6	31.8
Brain and Nervous System	7	4.2	1.6	9.1	4	6.2	1.4	16.5	3	2.9	0.5	9.1
Hodgkin Lymphoma	8	4.1	1.7	8.5	4	4.9	1.2	13.5	4	3.4	0.9	9.6
Non-Hodgkin Lymphoma	27	18.0	11.6	26.5	19	27.4	15.9	43.7	8	10.4	4.3	20.6
Myeloma	21	13.2	7.9	20.6	16	23.3	12.5	39.2	5	5.7	1.7	13.8
Leukemia	21	14.6	8.7	22.7	13	19.1	9.3	34.1	8	11.1	4.6	21.9
All Other Sites	70	48.1	37.0	61.4	30	45.7	29.8	66.7	40	49.4	34.8	67.8
Breast in situ (not in total)									25	28.3	18.0	42.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	307	446.7	396.9	500.8	170	533.9	453.4	623.8	137	386.2	323.0	457.8
Oral Cavity and Pharynx	10	13.5	6.4	24.8	7	19.4	7.7	40.2	3	7.5	1.5	22.3
Esophagus	4	7.2	1.9	17.9	2	8.4	0.9	28.1	2	7.3	0.9	24.1
Stomach	4	6.8	1.8	17.0	3	10.1	2.0	28.7	1	3.9	0.1	18.4
Colon and Rectum	28	40.6	26.7	59.0	17	52.4	29.5	85.1	11	30.6	15.0	54.8
Liver	4	5.0	1.4	13.0	4	10.5	2.8	27.5	0			
Pancreas	10	13.0	6.2	24.0	6	16.5	6.0	36.2	4	11.3	2.9	29.0
Lung and Bronchus	50	74.6	55.0	98.5	30	98.0	65.1	140.6	20	58.1	35.2	89.8
Bones and Joints	1	1.3	0.0	7.3	1	3.0	0.1	16.6	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	43	61.0	43.9	82.5	0				43	122.3	87.8	165.3
Cervix									2	4.8	0.6	17.9
Corpus and Uterus, NOS									5	12.5	4.0	29.5
Ovary									1	3.4	0.1	16.9
Prostate					47	152.7	110.6	204.5				
Testis					0							
Urinary Bladder (includes in situ)	6	9.1	3.2	19.7	4	14.2	3.6	35.9	2	4.9	0.6	18.2
Kidney and Renal Pelvis	12	21.2	10.7	36.6	6	20.2	7.0	44.1	6	20.2	7.4	42.7
Brain and Nervous System	3	3.4	0.7	10.5	1	1.6	0.0	13.1	2	5.4	0.6	19.7
Hodgkin Lymphoma	3	3.8	0.8	11.2	0				3	8.2	1.7	23.8
Non-Hodgkin Lymphoma	15	21.3	11.7	35.4	12	36.7	18.2	65.1	3	7.3	1.4	22.2
Myeloma	13	18.4	9.7	31.5	4	12.2	3.2	31.4	9	23.7	10.6	45.4
Leukemia	9	11.6	5.2	22.2	6	15.8	5.6	35.3	3	6.8	1.4	20.7
All Other Sites	37	54.9	38.2	76.1	20	62.2	36.9	97.2	17	48.0	27.6	77.0
Breast in situ (not in total)									13	36.5	19.1	62.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	593	531.4	487.4	578.1	304	602.2	531.5	679.3	289	472.6	417.8	532.4
Oral Cavity and Pharynx	17	13.5	7.8	21.9	12	21.5	10.9	38.5	5	6.8	2.2	16.3
Esophagus	7	4.8	1.9	10.4	4	6.0	1.6	17.1	3	3.6	0.7	11.3
Stomach	10	9.8	4.6	18.0	4	11.4	2.3	30.2	6	10.1	3.6	21.8
Colon and Rectum	56	55.7	41.4	73.0	31	65.7	43.8	94.4	25	45.0	28.5	66.8
Liver	19	15.7	9.2	25.0	14	24.9	13.1	43.2	5	7.9	2.5	18.7
Pancreas	21	19.8	12.0	30.6	10	24.5	10.6	46.7	11	17.3	8.5	31.1
Lung and Bronchus	78	71.6	55.8	90.3	32	67.1	44.4	96.7	46	73.9	53.5	99.4
Bones and Joints	2	1.1	0.1	4.9	0				2	2.2	0.3	9.2
Melanoma of the Skin	0				0				0			
Breast (invasive)	76	68.9	53.6	87.1	2	3.2	0.4	13.4	74	120.6	93.8	152.4
Cervix									7	11.1	4.4	22.8
Corpus and Uterus, NOS									16	29.3	16.3	47.9
Ovary									2	3.4	0.4	12.1
Prostate					101	185.3	149.3	227.4				
Testis					3	4.4	0.8	15.1				
Urinary Bladder (includes in situ)	11	9.2	4.6	16.7	8	15.9	6.7	31.9	3	4.5	0.9	13.5
Kidney and Renal Pelvis	32	29.1	19.4	41.8	22	46.9	27.7	73.4	10	15.9	7.3	29.7
Brain and Nervous System	4	2.8	0.7	7.8	2	2.6	0.3	12.2	2	2.9	0.3	10.8
Hodgkin Lymphoma	3	2.2	0.4	6.8	2	3.5	0.4	14.1	1	1.0	0.0	7.4
Non-Hodgkin Lymphoma	28	26.2	17.0	38.4	13	31.4	15.1	56.0	15	23.7	13.0	39.5
Myeloma	18	18.3	10.5	29.3	7	14.4	5.5	30.5	11	19.4	9.4	34.9
Leukemia	12	10.8	5.3	19.2	7	12.4	4.9	26.6	5	8.8	2.6	20.7
All Other Sites	70	63.3	48.8	80.5	30	61.2	39.9	89.4	40	65.5	46.3	89.7
Breast in situ (not in total)									29	41.6	27.6	60.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,949	479.2	457.5	501.7	932	534.2	498.7	571.6	1,017	440.3	413.0	468.9
Oral Cavity and Pharynx	30	6.7	4.5	9.7	20	11.3	6.7	17.8	10	3.7	1.7	7.0
Esophagus	19	3.9	2.3	6.2	13	5.8	3.1	10.3	6	2.3	0.8	5.2
Stomach	39	9.6	6.7	13.2	25	14.6	9.2	21.8	14	6.0	3.2	10.1
Colon and Rectum	188	48.0	41.2	55.6	102	62.3	50.2	76.4	86	38.0	30.2	47.1
Liver	34	7.4	5.1	10.5	25	12.4	7.9	18.7	9	3.7	1.7	7.1
Pancreas	58	15.3	11.5	19.9	24	15.2	9.5	23.0	34	15.2	10.4	21.4
Lung and Bronchus	305	75.4	66.9	84.7	147	87.7	73.3	104.1	158	67.7	57.3	79.5
Bones and Joints	3	0.9	0.2	2.5	1	0.6	0.0	3.3	2	0.9	0.1	3.3
Melanoma of the Skin	1	0.2	0.0	1.3	0				1	0.3	0.0	2.2
Breast (invasive)	295	74.6	66.1	83.9	3	1.7	0.3	5.2	292	127.2	112.7	143.1
Cervix									22	9.5	5.9	14.5
Corpus and Uterus, NOS									92	38.2	30.6	47.1
Ovary									23	10.0	6.2	15.1
Prostate					282	151.4	133.4	171.2				
Testis					2	1.0	0.1	4.0				
Urinary Bladder (includes in situ)	54	14.9	11.1	19.6	38	27.1	18.8	37.6	16	7.3	4.1	12.0
Kidney and Renal Pelvis	109	26.7	21.8	32.4	72	39.9	30.8	50.7	37	16.8	11.7	23.3
Brain and Nervous System	16	3.8	2.2	6.3	10	4.8	2.3	9.2	6	2.8	1.0	6.1
Hodgkin Lymphoma	12	2.8	1.4	5.0	2	1.0	0.1	4.0	10	4.3	2.0	7.9
Non-Hodgkin Lymphoma	51	13.2	9.7	17.4	26	15.3	9.8	22.8	25	11.3	7.3	16.9
Myeloma	52	13.9	10.3	18.4	21	14.1	8.5	21.9	31	14.4	9.7	20.6
Leukemia	57	14.7	11.1	19.2	27	16.3	10.5	24.1	30	13.4	9.0	19.2
All Other Sites	205	50.0	43.2	57.5	92	51.5	41.2	63.7	113	47.4	38.9	57.2
Breast in situ (not in total)									88	36.3	28.9	45.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	228	532.3	462.6	609.0	138	725.4	599.4	868.4	90	383.3	306.1	473.6
Oral Cavity and Pharynx	5	10.0	3.1	24.0	5	20.2	6.4	49.6	0			
Esophagus	2	6.0	0.6	20.7	1	10.6	0.3	46.0	1	3.7	0.1	22.3
Stomach	6	12.5	4.5	27.5	4	16.6	4.5	44.8	2	8.2	1.0	30.0
Colon and Rectum	22	55.7	34.2	85.0	13	80.8	40.6	140.4	9	38.8	17.4	74.1
Liver	4	10.2	2.6	25.8	3	20.0	3.8	56.4	1	3.7	0.1	22.3
Pancreas	9	20.4	8.9	39.4	6	24.9	9.1	56.1	3	15.6	2.9	44.7
Lung and Bronchus	39	89.1	62.2	123.2	19	95.3	54.5	153.1	20	82.5	49.5	128.8
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	24	59.8	37.5	89.7	1	4.2	0.1	26.4	23	105.3	65.7	158.9
Cervix									1	3.7	0.1	22.3
Corpus and Uterus, NOS									14	55.1	29.6	93.7
Ovary									0			
Prostate					44	238.9	169.0	326.2				
Testis					0							
Urinary Bladder (includes in situ)	4	11.0	2.9	27.6	3	23.2	4.0	65.4	1	5.1	0.1	26.1
Kidney and Renal Pelvis	13	29.1	15.0	50.5	11	54.4	25.0	101.4	2	6.7	0.7	27.2
Brain and Nervous System	2	4.6	0.6	16.6	2	8.1	1.0	32.2	0			
Hodgkin Lymphoma	3	4.7	1.0	15.4	3	9.2	1.9	32.4	0			
Non-Hodgkin Lymphoma	4	8.1	2.1	21.2	3	12.0	2.4	37.9	1	3.6	0.1	22.1
Myeloma	2	4.7	0.5	16.7	0				2	8.1	1.0	29.8
Leukemia	7	19.0	7.3	38.9	6	32.5	11.0	72.1	1	6.6	0.2	30.9
All Other Sites	23	53.6	33.2	81.4	14	74.7	37.2	130.9	9	36.7	16.6	70.1
Breast in situ (not in total)									4	17.6	4.5	45.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,860	459.0	436.9	481.9	927	511.4	474.5	550.2	933	422.2	394.4	451.5
Oral Cavity and Pharynx	31	6.6	4.4	9.6	22	9.8	5.9	15.6	9	4.0	1.8	7.7
Esophagus	10	2.0	1.0	3.8	7	3.1	1.2	6.8	3	1.1	0.2	3.4
Stomach	39	11.1	7.7	15.5	23	15.8	9.1	25.0	16	8.2	4.6	13.4
Colon and Rectum	169	44.1	37.2	51.9	92	55.9	43.6	70.3	77	35.4	27.6	44.6
Liver	21	4.5	2.7	7.0	14	6.8	3.6	11.9	7	2.7	1.1	5.7
Pancreas	58	14.9	11.1	19.7	20	11.7	6.1	19.7	38	18.0	12.5	25.0
Lung and Bronchus	195	54.6	46.7	63.5	101	69.0	54.5	85.8	94	45.2	36.1	55.8
Bones and Joints	3	0.7	0.1	2.1	1	0.4	0.0	3.0	2	1.0	0.1	3.6
Melanoma of the Skin	1	0.2	0.0	1.3	1	0.4	0.0	3.0	0			
Breast (invasive)	343	82.5	73.5	92.3	4	1.7	0.5	4.9	339	148.4	132.4	165.7
Cervix									14	6.6	3.5	11.3
Corpus and Uterus, NOS									74	31.7	24.6	40.2
Ovary									16	6.7	3.7	11.3
Prostate					366	186.3	165.6	208.9				
Testis					5	2.2	0.7	5.6				
Urinary Bladder (includes in situ)	51	14.0	10.1	18.9	35	23.7	15.2	34.8	16	7.9	4.3	13.1
Kidney and Renal Pelvis	82	19.1	14.9	24.0	52	27.1	19.4	36.7	30	12.8	8.5	18.6
Brain and Nervous System	21	4.5	2.7	7.1	13	6.3	3.1	11.5	8	3.2	1.4	6.5
Hodgkin Lymphoma	14	3.1	1.7	5.3	4	1.6	0.4	4.7	10	4.4	2.1	8.3
Non-Hodgkin Lymphoma	42	11.1	7.8	15.3	23	11.8	7.2	18.3	19	9.8	5.7	15.5
Myeloma	51	12.6	9.1	16.9	26	12.5	7.7	19.1	25	11.9	7.5	17.9
Leukemia	48	12.5	9.0	16.9	26	15.0	9.4	22.7	22	10.2	6.2	15.8
All Other Sites	206	52.2	44.8	60.3	92	50.5	39.8	63.3	114	53.2	43.5	64.4
Breast in situ (not in total)									102	41.9	34.0	51.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	822	472.5	439.4	507.3	408	542.3	487.0	601.9	414	424.5	383.6	468.6
Oral Cavity and Pharynx	18	9.8	5.7	15.6	11	12.3	6.1	22.5	7	7.4	2.9	15.4
Esophagus	5	2.5	0.8	6.1	4	4.2	1.1	11.5	1	1.1	0.0	5.9
Stomach	13	7.4	3.8	12.7	7	8.2	3.2	17.3	6	6.2	2.2	13.6
Colon and Rectum	68	41.1	31.5	52.4	32	44.4	29.4	63.9	36	38.7	26.8	53.8
Liver	16	7.4	4.2	12.3	7	7.7	3.1	16.3	9	7.2	3.3	14.0
Pancreas	37	23.1	15.9	32.2	18	24.3	13.8	39.4	19	21.4	12.6	33.6
Lung and Bronchus	122	75.5	62.1	90.7	63	101.3	76.0	131.6	59	60.1	45.3	78.0
Bones and Joints	2	1.3	0.2	4.6	1	1.4	0.0	7.5	1	1.3	0.0	6.4
Melanoma of the Skin	0				0				0			
Breast (invasive)	117	67.9	55.8	81.7	0				117	121.1	99.7	145.6
Cervix									12	12.2	6.2	21.3
Corpus and Uterus, NOS									27	25.4	16.6	37.3
Ovary									4	3.9	1.0	10.0
Prostate					122	152.0	124.6	183.5				
Testis					3	2.9	0.5	9.4				
Urinary Bladder (includes in situ)	10	8.0	3.7	14.4	6	12.9	4.4	27.3	4	5.0	1.3	12.5
Kidney and Renal Pelvis	50	27.8	20.4	37.0	34	41.5	28.2	58.8	16	16.1	9.0	26.5
Brain and Nervous System	6	2.1	0.8	5.0	2	1.6	0.2	7.4	4	2.7	0.7	7.6
Hodgkin Lymphoma	6	2.7	1.0	6.1	5	4.6	1.5	11.6	1	1.1	0.0	5.9
Non-Hodgkin Lymphoma	26	13.7	8.8	20.3	16	19.7	10.7	33.0	10	9.3	4.4	17.3
Myeloma	34	20.6	14.0	29.0	19	29.0	16.7	46.2	15	14.8	8.1	24.7
Leukemia	25	14.8	9.4	22.0	13	17.3	8.7	30.2	12	12.5	6.3	21.9
All Other Sites	99	56.8	45.7	69.6	45	57.1	40.7	77.6	54	57.0	42.5	74.7
Breast in situ (not in total)									21	21.6	13.2	33.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

SECTION V
County-specific Cancer Incidence Rates by Hispanic Ethnicity
Illinois, 2017-2021

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	327,492	471.1	469.4	472.8	165,301	511.7	509.2	514.3	162,191	445.7	443.5	448.0
Oral Cavity and Pharynx	9,026	12.8	12.5	13.1	6,421	19.4	18.9	19.9	2,605	6.9	6.7	7.2
Esophagus	3,703	5.1	4.9	5.2	2,882	8.7	8.4	9.0	821	2.1	1.9	2.2
Stomach	4,563	6.5	6.3	6.7	2,837	8.9	8.6	9.3	1,726	4.6	4.3	4.8
Colon and Rectum	27,121	39.5	39.1	40.0	14,316	45.8	45.0	46.6	12,805	34.2	33.6	34.8
Liver	4,254	5.7	5.6	5.9	3,106	9.0	8.7	9.4	1,148	2.9	2.8	3.1
Pancreas	10,321	14.3	14.1	14.6	5,308	16.4	16.0	16.9	5,013	12.6	12.2	12.9
Lung and Bronchus	44,827	61.4	60.8	62.0	22,256	68.3	67.4	69.2	22,571	56.4	55.7	57.2
Bones and Joints	536	0.9	0.9	1.0	296	1.1	0.9	1.2	240	0.8	0.7	1.0
Melanoma of the Skin	16,732	25.5	25.1	25.9	9,570	30.9	30.3	31.6	7,162	21.8	21.3	22.4
Breast (invasive)	48,914	73.3	72.6	74.0	477	1.5	1.4	1.7	48,437	137.5	136.2	138.7
Cervix									2,060	6.9	6.6	7.3
Corpus and Uterus, NOS									11,550	30.4	29.8	31.0
Ovary									3,655	10.3	9.9	10.6
Prostate					42,442	120.9	119.8	122.1				
Testis					1,487	6.0	5.7	6.3				
Urinary Bladder (includes in situ)	14,675	20.4	20.1	20.7	11,117	35.7	35.0	36.4	3,558	8.8	8.5	9.1
Kidney and Renal Pelvis	12,468	18.2	17.8	18.5	7,910	24.7	24.2	25.3	4,558	12.5	12.1	12.9
Brain and Nervous System	3,912	6.4	6.2	6.6	2,212	7.6	7.3	8.0	1,700	5.2	5.0	5.5
Hodgkin Lymphoma	1,630	3.0	2.8	3.1	876	3.2	3.0	3.5	754	2.7	2.5	2.9
Non-Hodgkin Lymphoma	12,986	18.9	18.6	19.3	7,131	23.1	22.5	23.6	5,855	15.7	15.3	16.1
Myeloma	4,928	6.9	6.7	7.1	2,630	8.2	7.9	8.6	2,298	5.9	5.6	6.1
Leukemia	9,248	13.9	13.6	14.2	5,401	17.9	17.4	18.4	3,847	10.8	10.5	11.2
All Other Sites	36,454	54.7	54.1	55.3	16,626	54.2	53.3	55.0	19,828	56.6	55.7	57.4
Breast in situ (not in total)									11,175	33.2	32.5	33.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	113,618	449.2	446.5	451.9	55,179	484.8	480.7	489.0	58,439	428.5	424.9	432.1
Oral Cavity and Pharynx	3,012	11.7	11.3	12.2	2,038	17.5	16.7	18.3	974	7.0	6.5	7.4
Esophagus	1,101	4.1	3.9	4.4	797	6.8	6.3	7.3	304	2.0	1.8	2.2
Stomach	1,980	7.8	7.4	8.1	1,155	10.4	9.8	11.0	825	5.8	5.4	6.2
Colon and Rectum	9,824	39.1	38.3	39.9	5,107	46.0	44.7	47.3	4,717	33.7	32.7	34.7
Liver	1,672	6.2	5.9	6.5	1,155	9.6	9.1	10.2	517	3.5	3.2	3.8
Pancreas	3,895	14.9	14.4	15.4	1,933	17.0	16.2	17.8	1,962	13.2	12.6	13.8
Lung and Bronchus	14,430	54.8	53.9	55.7	6,842	60.4	58.9	61.9	7,588	50.9	49.7	52.1
Bones and Joints	186	0.9	0.8	1.1	102	1.0	0.8	1.3	84	0.8	0.6	1.0
Melanoma of the Skin	4,404	18.1	17.6	18.7	2,472	22.5	21.6	23.5	1,932	15.2	14.5	15.9
Breast (invasive)	18,181	75.2	74.1	76.3	188	1.7	1.4	1.9	17,993	137.7	135.6	139.8
Cervix									810	6.8	6.4	7.4
Corpus and Uterus, NOS									4,480	31.6	30.7	32.6
Ovary									1,415	10.8	10.2	11.4
Prostate					15,527	126.9	124.8	128.9				
Testis					500	5.1	4.7	5.6				
Urinary Bladder (includes in situ)	4,685	17.9	17.4	18.5	3,447	31.7	30.6	32.8	1,238	8.1	7.7	8.6
Kidney and Renal Pelvis	3,798	15.1	14.6	15.6	2,368	20.9	20.0	21.8	1,430	10.4	9.8	10.9
Brain and Nervous System	1,274	5.7	5.3	6.0	721	7.0	6.5	7.5	553	4.6	4.2	5.0
Hodgkin Lymphoma	611	3.0	2.7	3.2	315	3.2	2.9	3.6	296	2.7	2.4	3.1
Non-Hodgkin Lymphoma	4,361	17.6	17.1	18.2	2,302	21.3	20.4	22.2	2,059	14.9	14.2	15.6
Myeloma	1,961	7.7	7.3	8.0	969	8.7	8.1	9.3	992	6.9	6.5	7.4
Leukemia	3,062	12.6	12.2	13.1	1,759	16.5	15.7	17.3	1,303	9.8	9.2	10.3
All Other Sites	12,449	50.9	50.0	51.9	5,482	50.5	49.2	51.9	6,967	52.2	51.0	53.5
Breast in situ (not in total)									4,385	35.1	34.0	36.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	23,809	452.5	446.6	458.5	11,828	482.2	473.2	491.3	11,981	436.8	428.6	445.1
Oral Cavity and Pharynx	652	12.0	11.0	13.0	469	18.3	16.6	20.2	183	6.3	5.4	7.4
Esophagus	224	4.1	3.6	4.7	150	6.2	5.2	7.4	74	2.4	1.9	3.0
Stomach	328	6.1	5.4	6.8	208	8.5	7.4	9.8	120	4.0	3.3	4.9
Colon and Rectum	1,845	35.5	33.8	37.2	975	40.9	38.2	43.6	870	31.0	28.9	33.2
Liver	239	4.3	3.7	4.9	186	7.3	6.2	8.5	53	1.8	1.4	2.5
Pancreas	751	14.0	13.0	15.1	405	17.0	15.3	18.8	346	11.6	10.4	13.0
Lung and Bronchus	2,552	46.9	45.1	48.8	1,162	47.9	45.1	50.8	1,390	46.6	44.1	49.2
Bones and Joints	49	1.2	0.9	1.6	26	1.3	0.8	1.9	23	1.1	0.7	1.7
Melanoma of the Skin	1,322	26.1	24.6	27.6	759	31.7	29.4	34.1	563	22.2	20.3	24.3
Breast (invasive)	3,969	77.4	74.9	79.9	37	1.7	1.2	2.4	3,932	145.8	141.1	150.7
Cervix									103	4.5	3.7	5.6
Corpus and Uterus, NOS									938	31.9	29.8	34.1
Ovary									285	10.7	9.4	12.1
Prostate					3,207	117.5	113.4	121.8				
Testis					126	6.9	5.7	8.2				
Urinary Bladder (includes in situ)	1,143	21.2	20.0	22.5	896	38.5	36.0	41.2	247	8.3	7.2	9.4
Kidney and Renal Pelvis	815	15.7	14.6	16.8	518	21.0	19.2	23.0	297	11.0	9.7	12.4
Brain and Nervous System	344	7.2	6.4	8.1	198	9.0	7.7	10.4	146	5.7	4.8	6.8
Hodgkin Lymphoma	155	4.0	3.4	4.7	70	3.5	2.7	4.5	85	4.4	3.5	5.5
Non-Hodgkin Lymphoma	1,022	19.8	18.6	21.1	601	25.5	23.4	27.7	421	15.1	13.6	16.7
Myeloma	346	6.3	5.6	7.0	193	7.9	6.8	9.2	153	5.1	4.3	6.0
Leukemia	736	14.6	13.6	15.8	448	19.6	17.7	21.6	288	10.7	9.5	12.1
All Other Sites	2,658	53.4	51.4	55.6	1,194	52.0	49.0	55.2	1,464	56.5	53.5	59.6
Breast in situ (not in total)									1,109	42.7	40.1	45.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,203	471.8	462.8	481.0	5,600	500.2	486.7	514.0	5,603	457.0	444.5	469.7
Oral Cavity and Pharynx	326	13.4	11.9	15.0	238	20.3	17.7	23.2	88	7.2	5.7	9.1
Esophagus	101	3.9	3.2	4.8	84	6.9	5.4	8.6	17	1.4	0.8	2.3
Stomach	159	6.7	5.7	7.9	105	9.6	7.8	11.7	54	4.4	3.2	5.8
Colon and Rectum	827	35.5	33.0	38.1	417	38.1	34.4	42.1	410	32.9	29.7	36.5
Liver	114	4.5	3.7	5.5	85	7.6	6.0	9.5	29	2.1	1.4	3.1
Pancreas	367	15.0	13.4	16.6	182	16.4	14.0	19.0	185	13.8	11.9	16.1
Lung and Bronchus	1,247	50.0	47.2	52.9	583	51.9	47.6	56.5	664	48.8	45.1	52.8
Bones and Joints	28	1.4	0.9	2.0	14	1.5	0.8	2.6	14	1.2	0.6	2.1
Melanoma of the Skin	655	29.2	26.9	31.6	382	35.7	32.1	39.6	273	24.7	21.7	28.1
Breast (invasive)	1,781	77.4	73.7	81.3	10	0.9	0.4	1.8	1,771	146.6	139.5	154.0
Cervix									57	5.7	4.2	7.5
Corpus and Uterus, NOS									387	29.2	26.3	32.4
Ovary									132	10.5	8.7	12.6
Prostate					1,546	124.7	118.3	131.3				
Testis					66	8.4	6.4	10.7				
Urinary Bladder (includes in situ)	531	21.7	19.8	23.7	414	38.8	35.0	42.8	117	8.4	6.9	10.2
Kidney and Renal Pelvis	411	17.5	15.8	19.3	271	24.8	21.9	28.1	140	11.2	9.4	13.4
Brain and Nervous System	156	7.7	6.5	9.0	85	8.6	6.8	10.8	71	6.7	5.2	8.6
Hodgkin Lymphoma	51	2.8	2.0	3.7	25	2.7	1.7	4.1	26	2.8	1.8	4.2
Non-Hodgkin Lymphoma	471	19.9	18.1	21.9	264	24.7	21.7	28.1	207	16.0	13.9	18.5
Myeloma	173	7.0	6.0	8.2	88	7.8	6.2	9.7	85	6.5	5.2	8.1
Leukemia	305	13.7	12.1	15.4	178	17.2	14.7	20.0	127	11.0	9.1	13.3
All Other Sites	1,312	58.8	55.5	62.2	563	53.6	49.1	58.4	749	65.7	60.8	70.9
Breast in situ (not in total)									416	36.3	32.8	40.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Non-Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,116	470.9	463.6	478.3	8,682	505.4	494.4	516.6	8,434	450.1	440.0	460.3
Oral Cavity and Pharynx	403	10.5	9.5	11.6	302	16.6	14.7	18.7	101	5.1	4.1	6.2
Esophagus	176	4.7	4.0	5.5	136	8.1	6.7	9.6	40	2.0	1.4	2.7
Stomach	206	5.7	4.9	6.6	131	7.7	6.4	9.2	75	4.0	3.1	5.1
Colon and Rectum	1,259	35.4	33.4	37.5	653	39.6	36.5	42.9	606	31.6	29.0	34.3
Liver	176	4.6	3.9	5.4	133	7.3	6.1	8.8	43	2.3	1.6	3.2
Pancreas	534	14.3	13.0	15.6	286	16.6	14.7	18.7	248	12.2	10.7	13.9
Lung and Bronchus	1,846	49.1	46.9	51.5	862	51.2	47.7	54.9	984	48.0	45.0	51.2
Bones and Joints	28	1.0	0.6	1.4	14	1.0	0.6	1.7	14	0.9	0.5	1.6
Melanoma of the Skin	1,148	33.3	31.4	35.4	669	40.8	37.6	44.1	479	28.3	25.7	31.1
Breast (invasive)	2,738	76.9	73.9	80.0	27	1.7	1.1	2.6	2,711	146.1	140.4	152.0
Cervix									71	4.9	3.8	6.2
Corpus and Uterus, NOS									598	29.7	27.2	32.3
Ovary									188	10.0	8.5	11.6
Prostate					2,424	127.2	122.0	132.5				
Testis					75	6.3	4.9	7.9				
Urinary Bladder (includes in situ)	825	22.3	20.8	24.0	616	37.7	34.6	40.9	209	10.3	8.9	11.8
Kidney and Renal Pelvis	569	15.3	14.0	16.7	399	22.5	20.2	24.9	170	8.9	7.6	10.5
Brain and Nervous System	224	7.1	6.1	8.1	119	7.7	6.4	9.3	105	6.6	5.3	8.1
Hodgkin Lymphoma	75	2.6	2.0	3.3	38	2.5	1.7	3.5	37	2.8	1.9	3.9
Non-Hodgkin Lymphoma	812	22.6	21.1	24.3	462	28.1	25.5	30.9	350	18.3	16.3	20.4
Myeloma	269	7.1	6.3	8.1	146	8.6	7.2	10.2	123	6.0	5.0	7.2
Leukemia	553	16.2	14.8	17.7	331	21.0	18.7	23.5	222	12.6	10.9	14.5
All Other Sites	1,919	55.9	53.3	58.5	859	53.3	49.6	57.1	1,060	59.6	55.9	63.5
Breast in situ (not in total)									658	36.2	33.4	39.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	16,461	479.6	472.1	487.2	8,415	524.7	513.1	536.6	8,046	450.5	440.4	460.7
Oral Cavity and Pharynx	421	11.6	10.5	12.9	313	17.8	15.8	20.0	108	5.9	4.8	7.2
Esophagus	180	5.2	4.4	6.0	145	8.9	7.4	10.6	35	1.9	1.3	2.7
Stomach	252	7.5	6.6	8.5	150	9.8	8.2	11.6	102	5.7	4.6	6.9
Colon and Rectum	1,298	38.2	36.1	40.4	756	48.1	44.5	51.8	542	30.0	27.5	32.7
Liver	178	5.0	4.3	5.8	133	7.8	6.5	9.3	45	2.5	1.8	3.5
Pancreas	468	13.8	12.5	15.1	243	15.7	13.7	17.9	225	12.2	10.6	14.0
Lung and Bronchus	2,017	58.4	55.8	61.0	1,003	65.2	61.0	69.6	1,014	53.6	50.3	57.1
Bones and Joints	30	1.0	0.7	1.4	22	1.5	0.9	2.3	8	0.5	0.2	1.1
Melanoma of the Skin	767	23.2	21.5	25.0	442	27.8	25.2	30.7	325	20.0	17.8	22.3
Breast (invasive)	2,582	75.9	72.9	79.0	20	1.3	0.8	2.0	2,562	143.8	138.1	149.6
Cervix									100	6.2	5.0	7.6
Corpus and Uterus, NOS									596	31.0	28.5	33.6
Ovary									177	9.7	8.3	11.3
Prostate					2,263	127.3	121.9	132.8				
Testis					82	6.1	4.8	7.5				
Urinary Bladder (includes in situ)	758	22.7	21.1	24.5	555	38.2	35.0	41.7	203	11.1	9.6	12.8
Kidney and Renal Pelvis	569	16.1	14.7	17.5	375	22.0	19.8	24.5	194	10.5	9.1	12.2
Brain and Nervous System	232	7.4	6.4	8.4	136	9.1	7.6	10.8	96	5.8	4.7	7.2
Hodgkin Lymphoma	101	3.4	2.8	4.2	53	3.7	2.8	4.9	48	3.2	2.4	4.3
Non-Hodgkin Lymphoma	647	19.7	18.1	21.3	359	24.0	21.5	26.8	288	16.4	14.5	18.5
Myeloma	251	7.1	6.3	8.1	145	9.2	7.7	10.9	106	5.6	4.6	6.8
Leukemia	485	14.9	13.5	16.3	292	19.5	17.2	21.9	193	11.1	9.6	12.9
All Other Sites	2,007	61.6	58.9	64.5	928	61.9	57.8	66.2	1,079	63.6	59.8	67.7
Breast in situ (not in total)									714	40.1	37.1	43.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	27,431	355.3	350.8	359.9	12,970	363.7	356.7	370.7	14,461	357.7	351.6	363.8
Oral Cavity and Pharynx	566	7.5	6.8	8.2	392	10.7	9.5	11.9	174	4.6	3.9	5.3
Esophagus	204	2.8	2.4	3.3	168	4.9	4.1	5.8	36	1.0	0.7	1.3
Stomach	801	11.1	10.3	12.0	442	13.2	11.9	14.7	359	9.5	8.5	10.5
Colon and Rectum	2,518	33.2	31.8	34.6	1,413	38.2	36.0	40.5	1,105	28.7	26.9	30.5
Liver	878	12.2	11.4	13.1	586	15.9	14.5	17.4	292	8.6	7.6	9.6
Pancreas	953	14.2	13.3	15.2	472	14.6	13.2	16.1	481	13.8	12.6	15.2
Lung and Bronchus	1,664	26.3	25.0	27.7	854	30.3	28.1	32.6	810	23.6	21.9	25.3
Bones and Joints	103	1.0	0.8	1.2	64	1.2	0.9	1.6	39	0.8	0.5	1.1
Melanoma of the Skin	402	5.0	4.5	5.6	172	5.2	4.4	6.1	230	5.2	4.5	5.9
Breast (invasive)	4,287	51.1	49.5	52.7	17	0.5	0.3	0.8	4,270	101.6	98.5	104.9
Cervix									406	9.1	8.2	10.1
Corpus and Uterus, NOS									1,255	29.0	27.3	30.7
Ovary									445	10.4	9.5	11.5
Prostate					3,075	89.3	85.9	92.8				
Testis					414	6.4	5.8	7.1				
Urinary Bladder (includes in situ)	642	10.2	9.4	11.1	479	16.6	15.0	18.3	163	5.0	4.2	5.8
Kidney and Renal Pelvis	1,421	17.7	16.7	18.7	892	22.6	21.0	24.3	529	13.1	11.9	14.3
Brain and Nervous System	433	4.7	4.3	5.2	250	5.6	4.9	6.4	183	3.9	3.4	4.6
Hodgkin Lymphoma	252	2.5	2.2	2.8	142	2.7	2.3	3.3	110	2.2	1.8	2.7
Non-Hodgkin Lymphoma	1,376	18.2	17.2	19.2	719	19.4	17.9	21.1	657	17.2	15.8	18.6
Myeloma	470	6.7	6.1	7.4	248	7.3	6.3	8.3	222	6.2	5.4	7.1
Leukemia	972	11.4	10.6	12.2	551	13.2	12.0	14.5	421	9.8	8.8	10.8
All Other Sites	3,894	49.3	47.7	51.0	1,620	45.8	43.3	48.3	2,274	54.5	52.1	56.9
Breast in situ (not in total)									1,085	25.1	23.6	26.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,156	344.7	339.2	350.2	8,146	355.8	347.3	364.4	9,010	344.9	337.6	352.4
Oral Cavity and Pharynx	360	7.5	6.7	8.3	244	10.5	9.1	12.0	116	4.8	3.9	5.7
Esophagus	125	2.6	2.1	3.1	105	4.5	3.6	5.6	20	0.8	0.5	1.3
Stomach	534	11.5	10.5	12.5	295	13.7	12.1	15.6	239	9.7	8.4	11.0
Colon and Rectum	1,653	33.7	32.0	35.5	941	40.1	37.3	43.0	712	28.4	26.2	30.6
Liver	587	12.4	11.3	13.5	396	16.6	14.8	18.5	191	8.4	7.2	9.7
Pancreas	626	14.1	13.0	15.3	296	13.9	12.2	15.7	330	14.3	12.7	15.9
Lung and Bronchus	1,013	24.3	22.8	26.0	532	28.8	26.2	31.5	481	21.2	19.3	23.2
Bones and Joints	72	1.2	0.9	1.5	40	1.3	0.9	1.8	32	1.0	0.7	1.5
Melanoma of the Skin	197	3.9	3.3	4.5	94	4.4	3.5	5.5	103	3.7	3.0	4.5
Breast (invasive)	2,616	48.8	46.8	50.8	12	0.6	0.3	1.0	2,604	96.3	92.6	100.2
Cervix									275	9.9	8.7	11.1
Corpus and Uterus, NOS									804	28.6	26.6	30.7
Ovary									294	10.9	9.7	12.3
Prostate					1,947	86.4	82.3	90.6				
Testis					244	6.4	5.6	7.3				
Urinary Bladder (includes in situ)	398	9.6	8.6	10.6	296	15.6	13.7	17.6	102	4.7	3.8	5.7
Kidney and Renal Pelvis	890	17.2	16.0	18.4	544	21.8	19.8	23.9	346	13.1	11.7	14.6
Brain and Nervous System	253	4.4	3.9	5.0	133	4.8	4.0	5.8	120	4.1	3.4	5.0
Hodgkin Lymphoma	166	2.7	2.3	3.1	83	2.6	2.1	3.3	83	2.7	2.1	3.4
Non-Hodgkin Lymphoma	858	17.7	16.5	19.0	436	18.7	16.8	20.7	422	17.0	15.4	18.8
Myeloma	298	6.6	5.8	7.4	159	7.2	6.0	8.6	139	5.9	4.9	7.0
Leukemia	580	10.8	9.9	11.8	327	12.8	11.3	14.5	253	9.2	8.0	10.4
All Other Sites	2,366	46.9	44.9	49.0	1,022	45.1	42.1	48.2	1,344	50.4	47.6	53.3
Breast in situ (not in total)									680	24.5	22.6	26.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,719	396.8	376.2	418.1	775	418.4	384.9	453.7	944	395.7	369.1	423.7
Oral Cavity and Pharynx	44	11.5	8.1	15.7	37	22.0	14.6	31.4	7	3.3	1.3	6.8
Esophagus	15	3.4	1.8	5.8	12	5.6	2.5	10.6	3	1.4	0.3	4.1
Stomach	43	10.1	7.1	13.9	22	10.1	5.9	15.9	21	9.9	5.9	15.4
Colon and Rectum	142	34.1	28.1	40.8	81	42.3	32.2	54.3	61	27.7	20.8	36.2
Liver	41	10.1	7.0	14.0	21	11.7	6.8	18.3	20	8.9	5.3	14.0
Pancreas	54	16.4	11.9	21.7	28	19.7	12.5	29.1	26	13.7	8.6	20.4
Lung and Bronchus	104	31.3	25.1	38.3	53	38.0	27.6	50.7	51	26.6	19.4	35.3
Bones and Joints	4	0.5	0.1	1.5	3	0.7	0.1	2.9	1	0.2	0.0	1.9
Melanoma of the Skin	27	5.6	3.5	8.4	7	5.4	1.9	11.0	20	6.7	4.1	10.6
Breast (invasive)	310	62.1	54.7	70.1	1	0.3	0.0	2.3	309	122.1	108.1	137.3
Cervix									15	5.1	2.8	8.5
Corpus and Uterus, NOS									74	29.2	22.6	37.0
Ovary									31	12.3	8.1	17.9
Prostate					194	108.3	91.9	126.6				
Testis					26	6.7	4.4	10.2				
Urinary Bladder (includes in situ)	42	12.9	9.0	17.7	35	23.5	15.5	33.6	7	4.4	1.7	8.9
Kidney and Renal Pelvis	70	15.5	11.7	20.0	49	22.7	15.9	31.1	21	9.1	5.4	14.1
Brain and Nervous System	23	4.0	2.4	6.2	17	5.5	3.1	9.3	6	2.3	0.7	5.3
Hodgkin Lymphoma	16	3.2	1.7	5.4	12	4.7	2.2	8.7	4	1.7	0.4	4.6
Non-Hodgkin Lymphoma	105	24.7	19.8	30.5	50	27.6	19.4	37.7	55	23.9	17.5	31.6
Myeloma	22	5.6	3.3	8.6	11	5.0	2.4	9.2	11	5.6	2.6	10.3
Leukemia	63	13.8	10.1	18.2	33	15.2	9.4	22.8	30	13.1	8.5	19.2
All Other Sites	254	55.0	47.7	63.1	83	43.3	32.8	55.6	171	68.5	57.9	80.3
Breast in situ (not in total)									80	33.7	26.3	42.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,722	329.3	312.1	347.2	849	348.4	321.7	376.5	873	318.1	295.4	341.9
Oral Cavity and Pharynx	26	4.7	3.0	7.1	17	6.9	3.7	11.5	9	2.8	1.3	5.4
Esophagus	13	3.0	1.5	5.3	12	5.7	2.6	10.5	1	0.5	0.0	2.6
Stomach	42	9.1	6.2	12.6	19	8.8	4.8	14.5	23	9.5	5.7	14.7
Colon and Rectum	125	22.5	18.4	27.3	75	27.3	20.8	35.0	50	17.9	13.0	24.1
Liver	43	9.9	6.9	13.6	27	11.8	7.2	17.9	16	8.0	4.4	13.1
Pancreas	54	13.5	9.8	17.9	31	16.1	10.3	23.4	23	11.1	6.8	16.8
Lung and Bronchus	102	25.6	20.4	31.5	58	33.2	24.4	43.8	44	19.5	13.9	26.5
Bones and Joints	6	0.6	0.2	1.6	5	0.9	0.3	2.7	1	0.3	0.0	1.9
Melanoma of the Skin	23	3.8	2.3	5.8	11	4.3	1.9	8.2	12	3.6	1.8	6.4
Breast (invasive)	264	44.0	38.4	50.3	0				264	90.1	78.8	102.6
Cervix									22	7.2	4.3	11.1
Corpus and Uterus, NOS									69	22.8	17.5	29.2
Ovary									16	4.9	2.7	8.2
Prostate					210	87.2	74.5	101.3				
Testis					35	7.1	4.9	10.2				
Urinary Bladder (includes in situ)	40	10.5	7.2	14.5	31	18.1	11.7	26.4	9	4.0	1.7	7.7
Kidney and Renal Pelvis	95	18.3	14.4	22.7	64	22.1	16.4	28.9	31	13.9	9.1	20.1
Brain and Nervous System	32	5.3	3.4	7.7	21	7.1	4.1	11.6	11	3.5	1.6	6.6
Hodgkin Lymphoma	15	1.7	1.0	3.0	7	1.6	0.6	3.7	8	1.9	0.8	4.1
Non-Hodgkin Lymphoma	94	17.9	14.1	22.3	58	23.1	16.8	30.8	36	12.9	8.7	18.2
Myeloma	32	7.4	4.8	10.7	16	7.2	3.7	12.3	16	7.3	3.9	12.2
Leukemia	72	12.0	9.0	15.7	40	13.4	8.8	19.3	32	10.8	6.9	15.8
All Other Sites	292	55.7	48.6	63.4	112	46.4	36.7	57.5	180	65.7	55.5	77.0
Breast in situ (not in total)									78	24.7	19.3	31.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,743	367.2	347.8	387.2	777	351.0	322.4	381.3	966	388.7	362.2	416.5
Oral Cavity and Pharynx	35	6.3	4.2	9.0	26	9.1	5.5	14.1	9	3.5	1.5	6.9
Esophagus	8	1.7	0.7	3.5	5	2.5	0.6	6.1	3	1.1	0.2	3.3
Stomach	57	12.5	9.1	16.6	33	16.1	10.3	23.7	24	9.5	5.8	14.5
Colon and Rectum	162	36.1	30.1	42.9	80	37.4	28.4	48.2	82	35.0	27.1	44.3
Liver	58	14.7	10.8	19.3	34	16.0	10.6	23.0	24	12.9	8.0	19.3
Pancreas	57	14.7	10.7	19.5	31	18.3	11.6	26.8	26	12.1	7.5	18.2
Lung and Bronchus	99	28.9	23.0	35.7	44	29.7	20.6	40.9	55	29.0	21.3	38.2
Bones and Joints	6	0.8	0.3	1.8	4	1.0	0.3	3.1	2	0.5	0.1	2.2
Melanoma of the Skin	24	4.7	2.8	7.3	5	2.9	0.7	7.2	19	6.7	3.8	10.8
Breast (invasive)	280	53.1	46.4	60.4	2	0.7	0.1	2.9	278	105.9	92.9	120.1
Cervix									23	8.8	5.2	13.7
Corpus and Uterus, NOS									81	29.7	23.2	37.3
Ovary									34	13.0	8.6	18.7
Prostate					170	84.0	70.3	99.4				
Testis					34	7.1	4.9	10.3				
Urinary Bladder (includes in situ)	32	7.9	5.1	11.4	26	13.6	8.2	20.7	6	2.8	0.9	6.2
Kidney and Renal Pelvis	89	17.9	13.9	22.5	63	25.2	18.4	33.5	26	10.7	6.7	16.0
Brain and Nervous System	38	5.8	3.9	8.5	23	7.3	4.1	12.0	15	4.3	2.2	7.6
Hodgkin Lymphoma	16	2.2	1.1	4.0	10	2.1	1.0	4.4	6	2.2	0.6	5.3
Non-Hodgkin Lymphoma	90	18.6	14.5	23.4	49	17.5	12.2	24.2	41	18.8	13.1	26.0
Myeloma	30	7.2	4.6	10.5	13	6.2	3.0	10.9	17	7.9	4.3	13.0
Leukemia	58	10.2	7.4	13.6	32	12.9	8.0	19.5	26	8.1	5.1	12.3
All Other Sites	262	54.1	46.8	62.2	93	41.4	32.0	52.4	169	66.5	55.7	78.6
Breast in situ (not in total)									58	20.6	15.3	26.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2017-2021

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,474	396.8	374.5	420.0	691	409.7	375.0	446.5	783	396.9	367.3	428.1
Oral Cavity and Pharynx	22	5.7	3.4	8.9	15	8.5	4.4	14.7	7	3.1	1.2	6.5
Esophagus	13	4.6	2.3	8.0	10	8.1	3.5	15.2	3	1.6	0.3	4.8
Stomach	38	12.4	8.4	17.3	25	18.1	11.0	27.6	13	7.3	3.6	12.8
Colon and Rectum	124	33.4	27.1	40.5	67	34.5	25.5	45.5	57	31.3	23.2	41.2
Liver	40	12.7	8.8	17.5	25	14.5	8.9	22.2	15	10.4	5.6	17.2
Pancreas	49	15.6	11.1	21.0	25	17.0	10.2	26.1	24	14.7	9.1	22.2
Lung and Bronchus	88	29.9	23.5	37.2	42	33.5	23.2	46.2	46	28.7	20.6	38.6
Bones and Joints	6	0.9	0.3	2.2	6	1.7	0.6	4.5	0			
Melanoma of the Skin	21	4.3	2.5	6.8	8	3.8	1.4	8.1	13	5.0	2.6	8.8
Breast (invasive)	258	61.5	53.5	70.4	1	0.3	0.0	2.6	257	123.8	108.0	141.1
Cervix									21	8.5	5.1	13.3
Corpus and Uterus, NOS									74	36.1	27.8	46.0
Ovary									19	7.4	4.4	11.8
Prostate					167	103.4	86.5	122.2				
Testis					20	5.6	3.4	9.1				
Urinary Bladder (includes in situ)	33	13.5	9.1	19.0	25	23.4	14.6	34.8	8	5.8	2.4	11.3
Kidney and Renal Pelvis	81	19.8	15.3	25.2	52	26.2	18.7	35.5	29	13.4	8.7	19.6
Brain and Nervous System	27	6.4	3.9	9.6	19	9.7	5.1	16.4	8	3.7	1.5	7.5
Hodgkin Lymphoma	11	2.3	1.0	4.5	9	4.0	1.4	8.7	2	0.9	0.1	3.3
Non-Hodgkin Lymphoma	68	17.7	13.3	23.0	41	21.8	14.7	30.8	27	13.6	8.7	20.1
Myeloma	33	10.0	6.7	14.3	17	9.6	5.3	15.9	16	10.0	5.5	16.3
Leukemia	64	15.3	11.3	20.2	40	17.0	11.5	24.2	24	13.2	8.0	20.4
All Other Sites	197	52.2	44.3	61.1	77	48.9	36.9	63.1	120	58.4	47.5	70.9
Breast in situ (not in total)									59	26.3	19.7	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2023

APPENDIX A
Illinois County Population Totals
2017-2021

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Illinois		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	361,621	265,675	68,900	346,621	254,348	66,051	
1-4	1,529,254	1,131,282	284,516	1,462,677	1,078,419	274,567	
5-9	1,979,270	1,480,765	355,029	1,890,091	1,410,975	341,241	
10-14	2,141,831	1,623,374	370,950	2,048,943	1,546,112	359,512	
15-19	2,197,310	1,673,016	375,219	2,090,296	1,579,979	366,152	
20-24	2,181,128	1,629,714	385,966	2,092,230	1,552,452	381,597	
25-29	2,234,229	1,659,489	396,200	2,177,450	1,587,683	404,251	
30-34	2,207,301	1,684,591	328,613	2,145,565	1,599,385	351,560	
35-39	2,190,465	1,703,896	294,502	2,135,402	1,611,423	330,529	
40-44	2,039,026	1,599,375	270,206	1,999,895	1,511,963	310,521	
45-49	2,042,681	1,612,146	271,856	2,020,996	1,533,919	322,004	
50-54	2,068,719	1,668,028	270,007	2,062,454	1,608,167	315,133	
55-59	2,142,575	1,753,087	277,652	2,184,519	1,733,925	326,384	
60-64	1,971,533	1,628,979	242,806	2,070,992	1,651,095	305,127	
65-69	1,590,292	1,326,453	179,045	1,747,750	1,398,819	247,257	
70-74	1,187,456	995,202	125,782	1,382,923	1,121,901	182,918	
75-79	765,004	641,001	80,631	975,925	797,985	126,933	
80-84	481,516	405,187	50,474	693,905	572,077	89,642	
85+	425,391	367,954	39,398	869,486	744,153	92,950	
Total	31,736,602	24,849,214	4,667,752	32,398,120	24,894,780	5,194,329	
Adams	Males			Females			
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,949	1,741	184	1,876	1,648	203	
1-4	8,472	7,501	780	7,864	6,876	787	
5-9	10,662	9,586	902	9,741	8,808	742	
10-14	11,019	9,957	906	10,393	9,442	829	
15-19	10,590	9,555	877	10,038	9,068	867	
20-24	9,692	8,710	814	9,319	8,411	667	
25-29	9,656	8,916	646	9,769	9,034	581	
30-34	9,939	9,215	570	9,913	9,274	509	
35-39	10,214	9,533	532	9,953	9,435	353	
40-44	9,313	8,690	480	8,888	8,305	405	
45-49	9,273	8,828	325	9,067	8,628	306	
50-54	10,038	9,565	369	10,283	9,858	306	
55-59	11,769	11,227	411	11,778	11,293	359	
60-64	11,183	10,702	379	11,402	10,925	332	
65-69	9,593	9,224	287	10,010	9,649	262	
70-74	7,308	7,061	154	8,298	8,012	203	
75-79	5,115	4,989	93	6,267	6,094	122	
80-84	3,644	3,543	66	4,698	4,546	121	
85+	4,194	4,082	99	6,523	6,365	110	
Total	163,623	152,625	8,874	166,080	155,671	8,064	
Alexander	Males			Females			
Age	Total Population	White	Black	Total Population	White	Black	
<1	134	87	47	140	78	62	
1-4	592	354	233	650	379	271	
5-9	929	576	351	885	490	390	
10-14	878	527	351	872	473	397	
15-19	818	461	349	803	493	310	
20-24	566	314	244	584	326	257	
25-29	736	444	287	662	415	246	
30-34	659	416	230	645	421	223	
35-39	718	483	230	657	451	192	
40-44	688	490	193	732	450	260	
45-49	673	460	198	808	547	249	
50-54	960	654	294	904	537	356	
55-59	1,112	785	315	1,159	741	396	
60-64	1,109	783	310	1,095	740	328	
65-69	1,037	705	319	1,094	711	372	
70-74	721	573	134	781	590	181	
75-79	465	386	79	617	502	110	
80-84	331	247	80	430	333	97	
85+	273	167	99	524	393	122	

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Total	13,399	8,912	4,343	14,042	9,070	4,819
Bond	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	387	344	34	343	311	23
1-4	1,532	1,401	103	1,478	1,355	107
5-9	2,112	1,945	117	1,987	1,851	95
10-14	2,429	2,317	82	2,237	2,131	98
15-19	3,445	3,184	166	3,106	2,926	139
20-24	3,486	2,950	422	2,896	2,685	176
25-29	3,038	2,287	576	2,227	2,034	149
30-34	3,482	2,537	846	2,296	2,097	125
35-39	3,243	2,558	637	2,291	2,109	145
40-44	2,895	2,400	449	2,387	2,226	111
45-49	2,679	2,370	268	2,163	2,039	106
50-54	2,801	2,545	251	2,358	2,269	64
55-59	3,056	2,868	157	3,007	2,902	69
60-64	2,868	2,706	144	2,821	2,706	77
65-69	2,436	2,366	57	2,574	2,488	73
70-74	1,842	1,771	56	1,905	1,837	49
75-79	1,163	1,098	51	1,377	1,346	26
80-84	757	739	17	1,028	1,007	21
85+	657	630	21	1,377	1,360	7
Total	44,308	39,016	4,454	39,858	37,679	1,660
Boone	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,380	1,270	73	1,292	1,189	71
1-4	6,253	5,779	274	5,629	5,133	342
5-9	8,780	8,003	529	8,058	7,391	431
10-14	10,748	9,860	555	10,091	9,310	461
15-19	10,968	10,027	493	10,414	9,694	434
20-24	8,946	8,279	399	8,293	7,728	315
25-29	7,727	7,169	345	7,049	6,515	297
30-34	7,011	6,573	251	7,228	6,687	313
35-39	7,818	7,314	272	8,251	7,730	280
40-44	8,325	7,851	230	8,250	7,727	265
45-49	9,480	8,897	356	9,413	8,692	248
50-54	9,920	9,364	289	9,378	8,856	236
55-59	9,609	9,164	306	9,080	8,725	161
60-64	8,285	7,967	189	8,060	7,740	161
65-69	6,708	6,481	104	6,870	6,544	152
70-74	5,296	5,122	76	5,952	5,747	72
75-79	3,940	3,822	46	4,353	4,262	44
80-84	2,201	2,130	30	2,660	2,592	32
85+	1,517	1,470	17	2,840	2,773	21
Total	134,912	126,542	4,834	133,161	125,035	4,336
Brown	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	163	156	7	145	135	10
1-4	623	611	3	560	538	17
5-9	754	731	11	643	642	1
10-14	699	680	14	805	773	25
15-19	930	715	185	605	588	12
20-24	2,046	935	955	569	543	16
25-29	2,311	1,200	993	708	683	17
30-34	2,053	1,100	874	706	674	21
35-39	1,898	1,090	787	679	674	0
40-44	1,627	1,002	614	649	636	8
45-49	1,428	890	513	735	734	1
50-54	1,289	944	330	694	690	4
55-59	1,152	1,003	144	798	784	4
60-64	992	925	48	774	765	4
65-69	729	704	21	735	720	5
70-74	508	502	0	596	586	5
75-79	374	369	5	457	452	0
80-84	276	270	0	333	328	0

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

85+	230	230	0	387	372	5
Total	20,082	14,057	5,504	11,578	11,317	155
Bureau	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	830	788	27	783	739	28
1-4	3,602	3,388	132	3,404	3,217	129
5-9	4,803	4,618	134	4,533	4,298	158
10-14	5,406	5,214	132	5,216	4,947	141
15-19	5,483	5,215	188	5,201	4,876	148
20-24	4,625	4,382	163	4,324	4,106	115
25-29	4,642	4,439	97	4,395	4,239	87
30-34	4,395	4,188	132	4,274	4,093	61
35-39	5,043	4,842	84	4,668	4,425	70
40-44	4,773	4,655	52	4,504	4,297	131
45-49	4,938	4,796	86	4,928	4,773	68
50-54	5,638	5,485	73	5,450	5,191	41
55-59	6,094	5,948	64	6,100	5,965	34
60-64	6,046	5,956	43	6,349	6,239	45
65-69	5,527	5,459	15	5,599	5,460	29
70-74	4,311	4,244	11	4,618	4,537	25
75-79	2,867	2,824	5	3,472	3,397	17
80-84	2,056	2,031	1	2,745	2,729	1
85+	1,748	1,738	5	3,568	3,545	5
Total	82,827	80,210	1,444	84,131	81,073	1,333
Calhoun	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	103	99	4	88	84	4
1-4	422	420	2	441	428	6
5-9	616	611	5	680	657	18
10-14	764	746	10	663	654	3
15-19	648	632	7	592	586	1
20-24	554	533	16	527	516	0
25-29	558	548	6	499	474	15
30-34	585	564	14	482	471	7
35-39	536	532	4	574	569	5
40-44	664	664	0	590	579	11
45-49	746	741	5	661	653	4
50-54	810	810	0	826	812	3
55-59	964	944	5	854	841	1
60-64	975	971	3	869	858	0
65-69	833	828	5	700	694	0
70-74	647	647	0	705	702	3
75-79	495	495	0	529	520	0
80-84	316	316	0	446	441	0
85+	205	200	5	485	477	3
Total	11,441	11,301	91	11,211	11,016	84
Carroll	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	333	310	15	335	317	13
1-4	1,477	1,432	27	1,508	1,441	45
5-9	1,860	1,775	60	1,979	1,897	57
10-14	2,105	2,019	54	2,020	1,913	57
15-19	2,355	2,233	100	1,911	1,835	57
20-24	3,495	3,099	347	1,697	1,613	25
25-29	2,430	2,147	252	1,777	1,679	51
30-34	2,806	2,178	604	1,717	1,673	22
35-39	2,693	2,166	515	1,949	1,899	21
40-44	2,179	2,036	126	1,920	1,869	25
45-49	2,708	2,366	308	2,024	1,967	22
50-54	2,364	2,330	15	2,213	2,131	45
55-59	3,008	2,753	235	2,700	2,661	23
60-64	2,901	2,860	17	2,977	2,919	19
65-69	2,901	2,814	40	2,813	2,785	13
70-74	2,422	2,368	33	2,444	2,403	11
75-79	1,667	1,647	9	1,737	1,727	5

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

80-84	1,028	1,001	8	1,166	1,159	1
85+	884	874	5	1,561	1,523	33
Total	41,616	38,408	2,770	36,448	35,411	545
Cass	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	446	375	56	437	370	54
1-4	1,796	1,472	273	1,782	1,498	242
5-9	2,249	1,975	218	1,960	1,693	237
10-14	2,454	2,179	208	2,188	2,028	124
15-19	2,318	2,152	135	2,024	1,880	114
20-24	2,011	1,803	163	1,762	1,652	85
25-29	1,820	1,650	117	1,869	1,680	127
30-34	1,941	1,677	182	1,778	1,619	101
35-39	2,168	1,934	210	1,942	1,767	135
40-44	2,193	1,854	281	1,993	1,834	126
45-49	2,068	1,862	182	1,978	1,878	72
50-54	2,051	1,941	71	2,156	2,052	70
55-59	2,425	2,246	149	2,171	2,113	38
60-64	2,154	2,110	34	2,117	1,992	86
65-69	1,876	1,825	47	1,813	1,763	18
70-74	1,337	1,296	21	1,477	1,461	10
75-79	876	872	3	1,060	1,045	5
80-84	570	562	4	869	869	0
85+	480	477	2	964	935	19
Total	33,233	30,262	2,356	32,340	30,129	1,663
Campaign	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	5,599	3,626	1,397	5,214	3,323	1,312
1-4	22,572	14,586	5,792	21,547	14,085	5,336
5-9	27,659	18,371	6,726	25,965	17,311	6,294
10-14	27,086	18,307	6,395	26,725	17,927	6,630
15-19	52,941	35,978	7,555	50,585	34,718	8,252
20-24	88,541	58,608	10,308	78,118	51,801	11,322
25-29	39,673	26,607	6,852	37,160	24,681	7,045
30-34	34,236	24,236	4,910	32,822	23,396	5,369
35-39	31,265	23,278	4,042	30,874	22,400	4,963
40-44	27,050	20,307	3,569	27,097	19,594	4,325
45-49	25,436	19,557	3,287	25,614	18,958	4,070
50-54	24,112	18,926	3,265	24,597	19,093	3,337
55-59	25,751	21,231	2,801	27,320	22,053	3,188
60-64	25,547	21,677	2,564	28,183	23,249	3,177
65-69	22,060	18,999	2,125	24,323	20,394	2,439
70-74	15,655	13,631	1,193	17,816	15,139	1,752
75-79	9,556	8,268	816	11,933	10,480	970
80-84	6,331	5,661	420	8,759	7,822	666
85+	6,146	5,653	292	11,793	10,785	711
Total	517,216	377,507	74,309	516,445	377,209	81,158
Christian	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	806	774	18	814	791	18
1-4	3,353	3,173	92	3,332	3,229	69
5-9	4,481	4,315	104	4,263	4,100	68
10-14	5,153	4,987	124	4,943	4,749	106
15-19	5,182	4,963	174	4,421	4,295	74
20-24	6,131	5,663	435	4,218	4,112	58
25-29	6,417	5,760	560	4,456	4,344	38
30-34	6,046	5,563	382	4,429	4,333	39
35-39	6,397	5,936	370	4,563	4,453	50
40-44	6,093	5,582	463	4,396	4,294	31
45-49	6,499	5,844	631	4,810	4,688	47
50-54	6,330	5,940	368	5,285	5,195	33
55-59	6,682	6,360	270	6,031	5,933	24
60-64	6,312	6,134	154	5,739	5,683	11
65-69	4,932	4,858	34	5,143	5,102	20
70-74	3,561	3,517	16	4,233	4,201	2

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

75-79	2,583	2,562	6	3,361	3,315	7
80-84	1,890	1,860	10	2,434	2,408	10
85+	1,536	1,509	18	3,173	3,111	24
Total	90,384	85,300	4,229	80,044	78,336	729
Clark				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	467	453	9	459	445	8
1-4	1,895	1,869	20	1,732	1,695	25
5-9	2,571	2,542	26	2,266	2,228	26
10-14	2,612	2,556	46	2,509	2,446	46
15-19	2,644	2,605	34	2,321	2,278	23
20-24	2,148	2,117	21	2,112	2,035	43
25-29	2,182	2,140	25	2,052	2,003	22
30-34	2,205	2,155	20	2,168	2,122	23
35-39	2,330	2,288	22	2,381	2,348	13
40-44	2,307	2,275	16	2,124	2,079	25
45-49	2,516	2,479	27	2,219	2,176	21
50-54	2,600	2,568	17	2,574	2,544	10
55-59	3,056	3,024	15	2,942	2,889	10
60-64	2,893	2,882	5	2,652	2,604	17
65-69	2,432	2,399	24	2,350	2,329	6
70-74	1,672	1,671	0	2,004	1,994	0
75-79	1,319	1,318	1	1,550	1,545	5
80-84	796	795	1	971	952	14
85+	510	504	1	1,390	1,385	5
Total	39,155	38,640	330	38,776	38,097	342
Clay				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	394	383	7	356	344	7
1-4	1,669	1,628	26	1,495	1,463	17
5-9	2,143	2,082	48	2,059	2,001	41
10-14	2,225	2,191	23	2,200	2,125	47
15-19	2,060	2,017	38	1,980	1,899	38
20-24	1,766	1,722	21	1,727	1,679	24
25-29	2,136	2,050	24	1,955	1,881	22
30-34	1,800	1,739	36	1,812	1,778	25
35-39	1,996	1,954	32	1,889	1,862	14
40-44	1,881	1,840	24	1,822	1,748	9
45-49	2,031	1,987	22	1,864	1,815	13
50-54	2,236	2,176	13	2,038	1,980	11
55-59	2,430	2,404	8	2,410	2,372	8
60-64	2,300	2,262	22	2,383	2,327	16
65-69	2,183	2,154	18	2,118	2,085	5
70-74	1,724	1,711	3	1,775	1,763	5
75-79	1,001	1,001	0	1,321	1,306	5
80-84	661	645	1	977	976	1
85+	586	580	1	1,205	1,196	3
Total	33,222	32,526	367	33,386	32,600	311
Clinton				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,043	1,002	27	920	873	31
1-4	4,510	4,317	130	4,161	3,973	147
5-9	5,536	5,334	113	5,144	4,953	136
10-14	5,958	5,758	131	5,402	5,204	117
15-19	5,693	5,364	235	5,192	4,994	116
20-24	5,800	5,108	604	4,637	4,460	120
25-29	6,410	5,463	872	5,276	5,065	82
30-34	6,676	5,807	796	5,495	5,318	70
35-39	7,027	6,208	778	5,628	5,439	80
40-44	6,292	5,685	537	5,024	4,947	44
45-49	5,963	5,427	496	5,291	5,139	87
50-54	6,731	6,350	322	6,075	5,932	85
55-59	7,211	6,962	208	6,984	6,855	45
60-64	6,669	6,519	100	6,393	6,242	66
65-69	5,171	5,058	72	5,248	5,132	55

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

70-74	3,756	3,680	55	4,055	3,962	40
75-79	2,582	2,519	31	2,958	2,863	35
80-84	1,743	1,718	11	2,143	2,100	15
85+	1,580	1,554	4	2,829	2,780	28
Total	96,351	89,833	5,522	88,855	86,231	1,399
Coles	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,154	1,024	112	1,080	972	87
1-4	4,793	4,317	403	4,461	3,992	373
5-9	5,990	5,443	433	5,626	5,175	372
10-14	6,305	5,846	380	6,021	5,630	307
15-19	8,624	7,840	640	9,025	8,039	824
20-24	13,773	12,290	1,198	14,449	12,779	1,297
25-29	8,069	7,154	647	7,910	7,204	548
30-34	7,736	7,089	467	7,426	7,027	278
35-39	7,113	6,703	236	6,759	6,357	269
40-44	6,479	6,180	211	6,217	5,972	136
45-49	6,776	6,453	242	6,235	5,936	154
50-54	6,561	6,294	207	6,560	6,334	128
55-59	7,376	7,125	157	7,736	7,531	125
60-64	7,739	7,492	137	8,092	7,821	168
65-69	6,355	6,182	106	6,931	6,733	98
70-74	4,669	4,584	59	5,334	5,193	54
75-79	3,088	3,039	27	4,024	3,956	36
80-84	2,115	2,072	32	3,020	2,988	17
85+	1,813	1,775	5	4,112	4,061	31
Total	116,528	108,902	5,699	121,018	113,700	5,302
Cook	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	155,782	100,250	40,541	149,885	96,540	39,070
1-4	635,697	406,755	168,888	609,410	389,579	162,875
5-9	794,129	511,804	212,861	762,931	489,342	206,550
10-14	833,006	541,414	221,285	801,607	517,578	217,173
15-19	821,207	534,340	218,214	804,626	517,784	219,981
20-24	843,345	543,350	220,531	856,015	543,493	232,749
25-29	1,062,667	706,322	246,455	1,075,096	689,561	268,350
30-34	1,051,329	727,063	204,688	1,035,893	681,852	235,583
35-39	959,662	671,508	181,156	949,634	621,065	221,540
40-44	854,749	598,236	168,558	850,514	547,933	208,475
45-49	826,123	571,598	172,570	834,561	526,302	221,991
50-54	814,039	565,929	179,496	823,854	528,524	222,149
55-59	818,657	566,799	191,900	855,364	551,779	236,025
60-64	751,378	523,633	171,774	820,008	530,392	224,881
65-69	594,743	419,083	126,855	688,950	446,241	184,035
70-74	438,821	308,709	91,650	540,671	355,990	138,859
75-79	278,262	192,397	61,160	382,499	252,390	99,875
80-84	178,163	123,780	39,488	275,516	184,115	71,934
85+	164,072	121,805	31,325	345,017	249,711	75,113
Total	12,875,831	8,734,775	2,949,395	13,462,051	8,720,171	3,487,208
Crawford	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	510	488	12	462	446	12
1-4	2,062	2,007	42	1,944	1,865	65
5-9	2,554	2,486	58	2,627	2,499	83
10-14	2,873	2,760	94	2,681	2,583	51
15-19	2,685	2,526	139	2,563	2,467	50
20-24	2,944	2,479	417	2,179	2,080	74
25-29	3,676	2,886	716	2,593	2,521	33
30-34	3,568	2,844	701	2,640	2,577	30
35-39	3,603	2,966	601	2,580	2,488	32
40-44	3,353	2,743	564	2,529	2,490	21
45-49	3,310	2,787	461	2,572	2,525	17
50-54	3,202	2,947	232	2,762	2,689	27
55-59	3,596	3,408	156	3,323	3,234	21
60-64	3,412	3,309	76	3,275	3,206	32

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

65-69	2,831	2,770	37	2,923	2,853	17
70-74	2,128	2,117	1	2,435	2,416	6
75-79	1,395	1,390	5	1,720	1,703	4
80-84	926	920	2	1,325	1,310	4
85+	734	715	5	1,624	1,612	4
Total	49,362	44,548	4,319	44,757	43,564	583
Cumberland		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	291	285	6	277	273	4
1-4	1,225	1,194	23	1,207	1,179	28
5-9	1,675	1,625	39	1,592	1,557	29
10-14	1,812	1,768	30	1,666	1,631	35
15-19	1,620	1,584	27	1,494	1,417	31
20-24	1,277	1,227	14	1,359	1,286	39
25-29	1,481	1,438	28	1,375	1,349	11
30-34	1,548	1,523	14	1,446	1,411	15
35-39	1,656	1,619	22	1,587	1,542	16
40-44	1,615	1,589	12	1,491	1,472	5
45-49	1,627	1,590	21	1,534	1,513	9
50-54	1,764	1,748	16	1,611	1,604	0
55-59	2,039	2,011	3	1,905	1,837	4
60-64	2,038	2,022	4	2,026	1,989	13
65-69	1,709	1,686	18	1,691	1,680	1
70-74	1,260	1,233	8	1,293	1,273	6
75-79	830	827	3	945	932	12
80-84	579	574	0	650	649	1
85+	510	509	0	906	894	7
Total	26,556	26,052	288	26,055	25,488	266
DeKalb		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	2,665	2,108	472	2,573	2,061	427
1-4	11,602	9,577	1,707	11,100	8,943	1,839
5-9	15,477	13,118	1,930	14,785	12,272	1,978
10-14	15,835	13,725	1,685	15,347	13,152	1,694
15-19	22,173	18,719	2,681	21,751	17,653	3,210
20-24	35,792	28,873	3,935	36,022	27,348	5,592
25-29	17,753	14,710	2,269	17,547	14,083	2,841
30-34	15,811	13,936	1,366	14,885	12,681	1,757
35-39	15,596	14,146	1,010	14,939	13,121	1,239
40-44	13,795	12,453	867	13,379	11,972	896
45-49	13,604	12,525	657	13,067	11,972	610
50-54	13,826	12,854	529	13,507	12,554	572
55-59	14,649	13,810	457	14,769	13,753	512
60-64	13,509	12,758	412	13,250	12,557	441
65-69	10,569	10,148	263	11,196	10,648	363
70-74	7,762	7,511	122	8,639	8,313	181
75-79	4,944	4,829	50	6,102	5,890	120
80-84	3,168	3,088	51	4,542	4,420	71
85+	2,756	2,696	20	5,572	5,490	57
Total	251,286	221,584	20,483	252,972	218,883	24,400
DeWitt		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	428	404	18	389	364	18
1-4	1,624	1,562	56	1,782	1,735	35
5-9	2,235	2,139	86	2,205	2,129	47
10-14	2,632	2,539	58	2,253	2,170	68
15-19	2,553	2,480	58	2,393	2,317	42
20-24	1,991	1,906	45	1,994	1,951	18
25-29	2,184	2,111	40	2,145	2,082	35
30-34	2,275	2,164	87	2,135	2,099	14
35-39	2,384	2,330	45	2,424	2,361	54
40-44	2,399	2,357	35	2,261	2,212	21
45-49	2,543	2,498	25	2,360	2,307	22
50-54	2,755	2,715	14	2,660	2,598	27
55-59	3,098	3,025	10	2,976	2,934	29

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

60-64	3,133	3,102	20	2,915	2,877	14
65-69	2,378	2,369	4	2,470	2,445	5
70-74	1,852	1,844	8	2,000	1,990	1
75-79	1,274	1,261	13	1,595	1,574	1
80-84	716	715	0	1,066	1,055	4
85+	633	622	1	1,188	1,184	4
Total	39,087	38,143	623	39,211	38,384	459

Douglas		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	628	609	13	594	581	8	
1-4	2,661	2,531	82	2,511	2,402	78	
5-9	3,293	3,155	78	3,177	3,071	63	
10-14	3,605	3,512	67	3,494	3,368	93	
15-19	3,592	3,501	63	3,287	3,172	79	
20-24	2,905	2,811	64	2,674	2,605	48	
25-29	3,010	2,876	89	2,890	2,806	56	
30-34	3,141	3,046	54	2,989	2,915	29	
35-39	2,973	2,889	44	2,975	2,900	24	
40-44	2,915	2,872	16	2,904	2,834	15	
45-49	2,751	2,688	17	2,793	2,712	36	
50-54	3,053	2,934	25	2,751	2,686	20	
55-59	3,298	3,234	36	3,178	3,147	13	
60-64	3,378	3,324	13	3,343	3,300	12	
65-69	2,673	2,627	17	2,777	2,760	0	
70-74	2,106	2,085	7	2,223	2,188	14	
75-79	1,337	1,329	1	1,612	1,602	5	
80-84	1,014	1,000	4	1,570	1,569	1	
85+	863	849	5	1,716	1,701	4	
Total	49,196	47,872	695	49,458	48,319	598	

DuPage		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	25,511	19,407	1,967	24,359	18,554	1,813	
1-4	111,219	85,365	7,897	105,974	81,063	7,535	
5-9	145,220	112,442	10,104	138,664	106,915	9,459	
10-14	158,650	124,225	11,443	150,027	117,358	10,850	
15-19	160,212	127,038	12,081	151,660	120,440	11,249	
20-24	145,937	116,549	11,121	140,135	111,615	10,717	
25-29	144,785	113,639	11,215	138,180	105,399	11,051	
30-34	151,350	117,825	9,322	145,711	109,344	10,798	
35-39	162,780	125,091	8,865	156,401	118,261	10,419	
40-44	151,342	118,492	7,836	147,720	112,015	10,318	
45-49	151,259	120,749	7,501	151,632	118,015	10,407	
50-54	158,347	131,786	7,128	161,944	132,118	9,102	
55-59	166,026	142,471	6,400	172,639	145,864	8,116	
60-64	152,621	131,444	5,440	160,152	135,835	6,905	
65-69	121,969	104,109	3,673	129,876	109,253	4,839	
70-74	89,161	75,351	2,191	101,300	85,498	3,283	
75-79	55,716	47,039	1,196	69,171	59,573	1,799	
80-84	33,570	28,725	621	47,514	41,578	988	
85+	29,642	26,817	383	63,785	58,616	1,064	
Total	2,315,317	1,868,564	126,384	2,356,844	1,887,314	140,712	

Edgar		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	451	442	8	403	394	9	
1-4	1,829	1,789	35	1,653	1,616	33	
5-9	2,345	2,302	41	2,090	2,036	36	
10-14	2,547	2,489	49	2,554	2,500	32	
15-19	2,573	2,512	40	2,454	2,391	28	
20-24	2,232	2,181	33	2,148	2,125	17	
25-29	2,181	2,149	18	2,188	2,150	28	
30-34	2,324	2,259	48	2,231	2,165	32	
35-39	2,479	2,423	30	2,616	2,519	48	
40-44	2,480	2,438	14	2,447	2,400	17	
45-49	2,828	2,777	13	2,529	2,487	34	
50-54	2,672	2,638	18	2,497	2,482	10	

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

55-59	3,274	3,235	33	3,164	3,115	28
60-64	3,305	3,260	30	3,407	3,377	8
65-69	2,971	2,935	22	2,899	2,879	7
70-74	2,151	2,135	10	2,500	2,471	9
75-79	1,542	1,532	10	1,908	1,884	7
80-84	913	907	5	1,568	1,552	16
85+	811	797	4	1,970	1,949	7
Total	41,908	41,200	461	43,226	42,492	406

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	172	167	5	191	188	3
1-4	645	633	12	807	776	26
5-9	927	893	17	1,005	953	24
10-14	1,079	1,032	33	986	969	17
15-19	1,030	1,013	8	921	873	26
20-24	783	755	17	771	735	30
25-29	829	819	10	803	775	14
30-34	778	768	0	742	722	8
35-39	906	898	8	870	860	0
40-44	907	892	5	922	889	6
45-49	1,023	1,005	3	913	888	10
50-54	1,063	1,046	6	999	983	1
55-59	1,120	1,099	7	1,035	1,035	0
60-64	1,169	1,146	14	1,146	1,125	4
65-69	965	964	0	1,096	1,090	1
70-74	833	816	17	890	878	7
75-79	529	525	0	627	620	1
80-84	315	309	0	527	527	0
85+	265	261	4	624	615	0
Total	15,338	15,041	166	15,875	15,501	178

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,108	1,079	22	1,125	1,092	22
1-4	4,646	4,534	78	4,495	4,371	70
5-9	5,747	5,589	98	5,548	5,368	112
10-14	6,031	5,853	87	5,695	5,489	105
15-19	5,506	5,316	64	5,063	4,912	63
20-24	5,219	5,060	57	4,687	4,599	39
25-29	5,824	5,658	76	5,400	5,293	77
30-34	5,651	5,487	77	5,200	5,079	65
35-39	5,650	5,480	76	5,110	4,986	44
40-44	4,870	4,762	61	4,626	4,553	12
45-49	4,858	4,770	34	4,546	4,448	26
50-54	5,456	5,371	30	5,367	5,244	40
55-59	6,533	6,459	30	6,395	6,327	10
60-64	6,092	6,012	41	6,083	6,018	31
65-69	4,922	4,868	16	4,934	4,895	2
70-74	3,524	3,491	9	3,965	3,924	7
75-79	2,376	2,356	0	3,109	3,076	6
80-84	1,569	1,562	1	2,289	2,276	3
85+	1,300	1,291	4	2,577	2,562	5
Total	86,882	84,998	861	86,214	84,512	739

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	565	549	12	562	547	9
1-4	2,455	2,405	31	2,237	2,196	28
5-9	2,996	2,906	54	2,678	2,577	62
10-14	3,224	3,149	48	3,090	2,974	80
15-19	3,694	3,269	424	2,920	2,814	60
20-24	4,589	3,268	1,283	2,581	2,529	27
25-29	4,601	3,350	1,192	2,795	2,760	15
30-34	3,934	3,053	838	2,810	2,758	27
35-39	4,269	3,244	971	2,893	2,849	19
40-44	4,295	3,454	806	2,725	2,694	21
45-49	4,059	3,333	695	2,906	2,856	20

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

50-54	3,880	3,406	449	2,964	2,926	15
55-59	3,918	3,697	192	3,431	3,383	8
60-64	3,686	3,631	45	3,399	3,371	14
65-69	2,962	2,925	26	2,949	2,922	12
70-74	2,294	2,276	13	2,531	2,493	16
75-79	1,487	1,473	5	1,903	1,889	1
80-84	1,134	1,128	0	1,522	1,502	5
85+	1,045	1,040	4	1,673	1,662	5
Total	59,087	51,556	7,088	48,569	47,702	444

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	385	359	18	365	345	16
1-4	1,717	1,632	64	1,583	1,498	59
5-9	2,235	2,149	55	1,849	1,777	61
10-14	2,360	2,261	77	2,223	2,139	52
15-19	2,298	2,217	72	2,328	2,245	51
20-24	1,995	1,902	83	1,792	1,694	59
25-29	1,961	1,844	85	1,866	1,807	38
30-34	1,973	1,876	74	1,923	1,846	52
35-39	2,103	2,073	19	2,013	1,972	24
40-44	2,033	1,995	23	1,942	1,901	13
45-49	2,081	2,030	35	1,937	1,875	27
50-54	2,117	2,061	31	2,192	2,162	7
55-59	2,445	2,405	24	2,508	2,489	10
60-64	2,619	2,589	11	2,617	2,578	7
65-69	1,936	1,885	25	1,980	1,954	1
70-74	1,407	1,394	8	1,438	1,428	10
75-79	956	942	0	1,221	1,206	5
80-84	678	677	0	954	949	5
85+	518	511	7	1,509	1,499	5
Total	33,817	32,802	711	34,240	33,364	502

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,090	1,064	17	1,063	1,036	19
1-4	4,659	4,533	85	4,375	4,258	95
5-9	6,000	5,786	142	5,303	5,118	133
10-14	6,445	6,242	147	5,677	5,535	98
15-19	6,103	5,924	108	5,644	5,474	117
20-24	5,225	5,108	93	4,869	4,709	105
25-29	5,669	5,540	86	5,336	5,197	74
30-34	5,399	5,251	123	5,172	5,083	52
35-39	5,381	5,289	76	5,510	5,373	50
40-44	5,559	5,448	62	5,821	5,702	23
45-49	6,158	6,076	40	5,972	5,858	43
50-54	6,426	6,286	57	6,337	6,223	26
55-59	6,667	6,587	47	6,833	6,754	29
60-64	6,680	6,571	71	6,524	6,469	16
65-69	5,724	5,672	28	6,143	6,075	17
70-74	4,708	4,643	31	5,318	5,260	13
75-79	3,315	3,300	4	4,157	4,108	16
80-84	2,117	2,075	11	2,768	2,727	12
85+	1,522	1,507	4	2,835	2,799	13
Total	94,847	92,902	1,232	95,657	93,758	951

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	800	781	19	764	746	16
1-4	3,389	3,287	72	3,320	3,203	87
5-9	4,619	4,463	81	4,454	4,322	85
10-14	5,137	4,983	100	5,043	4,898	96
15-19	5,389	5,141	195	4,748	4,628	71
20-24	5,618	4,648	836	4,051	3,931	77
25-29	5,702	4,698	829	4,194	4,102	81
30-34	5,649	4,608	871	4,378	4,296	68
35-39	6,100	5,208	778	4,705	4,618	55
40-44	5,989	5,337	581	4,906	4,793	57

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

45-49	6,223	5,596	542	4,789	4,716	32
50-54	5,925	5,528	348	5,268	5,219	9
55-59	6,224	5,980	189	5,986	5,908	30
60-64	5,862	5,746	67	6,200	6,127	40
65-69	5,455	5,399	39	5,590	5,551	18
70-74	4,208	4,146	36	4,590	4,547	22
75-79	2,811	2,774	14	3,311	3,293	7
80-84	1,816	1,797	9	2,426	2,378	15
85+	1,566	1,543	16	2,966	2,930	26
Total	88,482	81,663	5,622	81,689	80,206	892

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	91	90	1	115	111	4
1-4	491	487	4	509	475	14
5-9	621	590	19	732	685	33
10-14	796	771	19	772	740	26
15-19	697	677	6	727	700	11
20-24	578	541	21	556	543	8
25-29	700	681	14	665	627	9
30-34	659	651	3	646	624	5
35-39	752	741	11	677	662	6
40-44	730	708	12	792	759	18
45-49	893	872	16	771	750	10
50-54	861	831	30	777	760	2
55-59	964	918	21	949	930	3
60-64	829	807	13	870	848	5
65-69	790	774	5	935	930	2
70-74	776	766	5	893	871	8
75-79	581	570	6	656	639	1
80-84	331	326	0	505	499	1
85+	195	182	4	312	302	5
Total	12,335	11,983	210	12,859	12,455	171

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	322	315	7	298	292	6
1-4	1,308	1,299	5	1,288	1,260	13
5-9	1,846	1,785	39	1,760	1,728	23
10-14	1,927	1,892	27	1,958	1,935	23
15-19	1,906	1,856	38	1,810	1,758	42
20-24	1,720	1,697	14	1,572	1,522	30
25-29	1,797	1,745	32	1,611	1,574	32
30-34	1,694	1,636	42	1,575	1,561	10
35-39	1,829	1,806	18	1,622	1,610	11
40-44	1,877	1,835	32	1,773	1,744	10
45-49	1,918	1,866	44	1,787	1,775	10
50-54	2,096	2,064	13	2,103	2,061	22
55-59	2,428	2,394	29	2,370	2,346	6
60-64	2,358	2,321	27	2,253	2,233	3
65-69	1,917	1,896	11	1,909	1,891	0
70-74	1,377	1,362	11	1,581	1,570	6
75-79	1,015	1,004	4	1,245	1,234	0
80-84	628	623	0	922	908	4
85+	602	589	4	911	901	5
Total	30,565	29,985	397	30,348	29,903	256

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,425	1,351	53	1,354	1,289	43
1-4	6,575	6,287	209	6,260	5,966	220
5-9	9,080	8,713	247	8,515	8,073	245
10-14	10,386	9,918	303	9,748	9,305	278
15-19	9,855	9,293	317	8,921	8,552	248
20-24	7,691	7,370	234	7,549	7,223	232
25-29	7,983	7,550	272	7,776	7,338	275
30-34	8,149	7,744	264	8,293	7,945	212
35-39	9,387	8,996	236	9,339	8,992	210

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

40-44	9,155	8,830	179	8,783	8,334	171
45-49	8,820	8,524	186	8,627	8,263	214
50-54	9,162	8,862	174	8,624	8,337	145
55-59	9,020	8,837	89	8,637	8,415	97
60-64	7,780	7,621	69	7,780	7,599	86
65-69	6,071	5,979	39	6,382	6,278	30
70-74	4,772	4,656	70	5,081	4,959	55
75-79	3,063	3,014	20	3,628	3,610	7
80-84	1,806	1,776	10	2,348	2,327	6
85+	1,202	1,170	18	2,806	2,772	5
Total	131,382	126,491	2,989	130,451	125,577	2,779

Hamilton		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	215	211	4	206	202	4	
1-4	883	866	17	898	884	9	
5-9	1,166	1,099	35	1,153	1,124	27	
10-14	1,343	1,304	28	1,339	1,307	13	
15-19	1,328	1,295	27	1,203	1,178	15	
20-24	1,055	1,032	19	993	969	19	
25-29	1,098	1,065	13	1,022	996	16	
30-34	1,030	990	16	1,089	1,070	13	
35-39	1,258	1,250	7	1,139	1,131	1	
40-44	1,142	1,098	20	1,255	1,106	1	
45-49	1,198	1,167	5	1,140	1,114	14	
50-54	1,277	1,253	19	1,178	1,162	0	
55-59	1,514	1,484	29	1,364	1,333	12	
60-64	1,498	1,484	0	1,529	1,497	20	
65-69	1,275	1,262	8	1,301	1,286	5	
70-74	1,044	1,025	9	1,090	1,084	6	
75-79	765	759	5	838	825	5	
80-84	448	443	5	710	703	0	
85+	316	311	0	865	849	8	
Total	19,853	19,398	266	20,312	19,820	188	

Hancock		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	469	456	9	419	404	9	
1-4	1,872	1,823	36	1,907	1,840	49	
5-9	2,639	2,565	65	2,344	2,239	84	
10-14	2,995	2,922	59	2,709	2,597	82	
15-19	2,587	2,521	57	2,502	2,410	62	
20-24	2,187	2,125	35	2,041	1,953	47	
25-29	2,426	2,351	49	2,186	2,143	36	
30-34	2,344	2,258	40	2,234	2,203	16	
35-39	2,511	2,435	31	2,493	2,440	32	
40-44	2,467	2,448	18	2,411	2,355	25	
45-49	2,511	2,477	14	2,346	2,308	13	
50-54	2,956	2,912	28	2,730	2,707	23	
55-59	3,446	3,367	51	3,382	3,331	20	
60-64	3,587	3,544	17	3,416	3,397	5	
65-69	3,097	3,094	2	3,139	3,117	4	
70-74	2,479	2,456	13	2,713	2,683	12	
75-79	1,592	1,574	6	2,070	2,057	1	
80-84	1,222	1,211	9	1,436	1,422	0	
85+	1,016	1,002	0	1,822	1,809	7	
Total	44,403	43,541	539	44,300	43,415	527	

Hardin		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	70	69	1	75	70	5	
1-4	270	250	15	321	315	5	
5-9	442	434	7	387	366	17	
10-14	533	507	20	480	457	15	
15-19	542	516	8	478	461	10	
20-24	409	384	13	458	438	6	
25-29	431	410	12	380	345	15	
30-34	420	400	9	422	406	11	

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

35-39	501	488	8	478	476	1
40-44	513	491	2	469	464	0
45-49	665	659	0	567	556	6
50-54	694	670	23	630	625	0
55-59	735	718	12	716	692	5
60-64	730	705	5	745	720	9
65-69	749	734	0	858	841	4
70-74	679	677	2	631	625	0
75-79	483	483	0	424	414	5
80-84	271	271	0	337	313	4
85+	227	223	4	249	249	0
Total	9,364	9,089	141	9,105	8,833	118

Henderson	Males			Females		
	Age	Total Population	White	Black	Total Population	White
<1	152	151	1	138	135	3
1-4	706	686	20	579	569	10
5-9	845	817	20	790	743	37
10-14	851	818	22	866	818	43
15-19	790	775	15	855	805	22
20-24	789	763	17	717	703	14
25-29	759	733	15	750	747	3
30-34	789	753	31	734	719	5
35-39	834	808	16	816	804	7
40-44	878	860	13	763	750	0
45-49	842	825	7	981	926	8
50-54	1,048	1,035	6	1,153	1,123	11
55-59	1,423	1,405	8	1,327	1,315	1
60-64	1,485	1,456	5	1,429	1,420	3
65-69	1,250	1,250	0	1,187	1,163	9
70-74	994	985	5	971	961	5
75-79	778	772	0	817	811	6
80-84	472	472	0	594	585	3
85+	406	402	4	807	793	0
Total	16,091	15,766	205	16,274	15,890	190

Henry	Males			Females		
	Age	Total Population	White	Black	Total Population	White
<1	1,177	1,096	67	1,191	1,116	60
1-4	5,310	4,989	282	5,467	5,059	318
5-9	7,524	7,087	374	7,282	6,872	310
10-14	8,521	8,095	342	7,807	7,432	296
15-19	9,019	8,245	658	7,100	6,760	240
20-24	6,709	6,301	353	5,822	5,473	231
25-29	6,734	6,409	259	6,191	5,907	228
30-34	6,724	6,410	259	6,734	6,469	202
35-39	7,640	7,378	203	7,343	7,111	172
40-44	7,869	7,527	252	7,371	7,155	134
45-49	7,615	7,371	139	7,549	7,375	96
50-54	7,918	7,738	134	7,880	7,704	115
55-59	8,976	8,801	105	9,029	8,869	66
60-64	9,001	8,843	128	8,929	8,773	78
65-69	7,955	7,792	115	8,043	7,875	97
70-74	6,201	6,138	48	6,624	6,505	88
75-79	4,336	4,297	27	4,845	4,769	35
80-84	2,573	2,526	26	3,415	3,369	22
85+	2,298	2,252	30	4,407	4,349	37
Total	124,100	119,295	3,801	123,029	118,942	2,825

Iroquois	Males			Females		
	Age	Total Population	White	Black	Total Population	White
<1	771	746	16	686	652	25
1-4	3,056	2,932	86	3,001	2,888	98
5-9	3,840	3,684	111	3,934	3,788	126
10-14	4,416	4,214	123	4,234	4,108	100
15-19	4,647	4,389	195	4,164	3,960	108
20-24	3,884	3,698	152	3,419	3,268	76
25-29	3,690	3,492	136	3,367	3,285	53

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

30-34	3,557	3,434	89	3,488	3,379	40
35-39	3,821	3,692	85	4,019	3,931	43
40-44	3,937	3,861	39	3,875	3,816	21
45-49	4,121	4,013	79	3,806	3,698	53
50-54	4,186	4,093	54	4,444	4,344	53
55-59	5,125	5,051	46	5,243	5,175	37
60-64	5,235	5,130	50	5,402	5,319	31
65-69	4,369	4,336	18	4,402	4,310	49
70-74	3,434	3,387	28	3,804	3,748	32
75-79	2,402	2,372	25	2,993	2,975	10
80-84	1,686	1,643	23	2,081	2,052	9
85+	1,383	1,355	18	2,815	2,769	16
Total	67,560	65,522	1,373	69,177	67,465	980

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,504	1,091	367	1,485	1,058	381
1-4	6,004	4,481	1,352	5,464	3,991	1,323
5-9	6,888	5,164	1,470	6,609	4,966	1,464
10-14	6,583	4,878	1,434	6,708	4,825	1,625
15-19	11,156	8,195	2,464	10,737	7,470	2,842
20-24	22,978	17,227	3,908	21,377	14,633	5,265
25-29	10,101	7,309	2,181	9,300	6,711	2,117
30-34	8,130	6,443	1,261	7,703	5,896	1,347
35-39	7,360	6,027	936	6,885	5,443	1,011
40-44	6,632	5,509	760	6,364	4,921	1,014
45-49	6,643	5,595	754	6,311	5,116	897
50-54	6,493	5,632	584	6,486	5,370	904
55-59	7,240	6,353	673	7,713	6,476	931
60-64	7,569	6,579	774	7,619	6,577	803
65-69	6,833	6,039	620	7,118	6,223	678
70-74	5,249	4,737	376	5,726	5,071	519
75-79	3,016	2,816	137	3,786	3,428	317
80-84	1,930	1,782	122	2,758	2,524	169
85+	1,897	1,735	111	3,915	3,428	266
Total	134,206	107,592	20,284	134,064	104,127	23,873

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	275	271	4	256	253	3
1-4	1,147	1,141	6	1,116	1,086	19
5-9	1,545	1,519	21	1,370	1,360	5
10-14	1,583	1,552	23	1,408	1,394	9
15-19	1,472	1,451	10	1,469	1,434	16
20-24	1,159	1,121	21	1,232	1,198	22
25-29	1,202	1,183	13	1,258	1,214	17
30-34	1,243	1,230	4	1,206	1,184	7
35-39	1,515	1,491	10	1,295	1,281	8
40-44	1,445	1,424	15	1,216	1,197	2
45-49	1,337	1,304	18	1,274	1,250	9
50-54	1,474	1,468	0	1,593	1,564	10
55-59	2,069	2,053	6	1,733	1,721	0
60-64	1,724	1,703	5	1,736	1,717	1
65-69	1,494	1,470	14	1,453	1,421	3
70-74	1,155	1,134	11	1,192	1,178	8
75-79	679	664	6	816	811	0
80-84	558	544	5	608	604	0
85+	507	493	8	815	787	5
Total	23,583	23,216	200	23,046	22,654	144

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,146	941	182	1,037	846	170
1-4	4,722	3,989	656	4,582	3,767	728
5-9	5,880	5,013	744	5,769	4,771	868
10-14	5,895	5,080	745	5,886	5,005	716
15-19	5,861	4,958	812	5,039	4,387	593
20-24	5,710	4,524	1,077	4,586	3,943	566

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

25-29	6,701	5,359	1,199	5,440	4,676	617
30-34	5,958	4,876	993	5,057	4,477	452
35-39	6,310	5,328	873	5,389	4,821	467
40-44	6,187	5,222	809	5,045	4,533	397
45-49	6,066	5,346	590	5,387	4,955	314
50-54	6,351	5,787	475	5,614	5,244	290
55-59	6,475	6,004	377	6,138	5,811	277
60-64	6,175	5,860	259	6,424	6,010	327
65-69	5,559	5,249	234	5,881	5,498	295
70-74	4,477	4,224	181	4,803	4,568	190
75-79	2,917	2,787	114	3,426	3,331	65
80-84	1,926	1,821	61	2,394	2,284	93
85+	1,454	1,402	25	2,968	2,870	64
Total	95,770	83,770	10,406	90,865	81,797	7,489

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	520	499	13	509	496	9
1-4	2,189	2,117	56	2,134	2,057	44
5-9	2,932	2,858	39	2,909	2,709	48
10-14	3,309	3,239	36	3,239	3,129	45
15-19	3,648	3,493	93	3,697	3,549	87
20-24	3,632	3,476	115	3,583	3,440	87
25-29	2,838	2,741	58	2,800	2,751	17
30-34	2,915	2,854	43	2,914	2,870	24
35-39	3,232	3,171	39	3,081	3,023	37
40-44	2,993	2,935	19	3,014	2,971	22
45-49	3,376	3,317	31	3,132	3,096	12
50-54	3,697	3,650	16	3,656	3,594	15
55-59	4,237	4,184	21	4,505	4,331	38
60-64	4,092	4,009	55	4,180	4,011	44
65-69	3,250	3,211	20	3,438	3,386	32
70-74	2,377	2,336	17	2,664	2,641	8
75-79	1,800	1,779	11	2,029	2,012	3
80-84	1,140	1,127	8	1,564	1,559	4
85+	905	885	5	1,657	1,637	5
Total	53,082	51,881	695	54,705	53,262	581

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	415	404	11	390	382	8
1-4	1,977	1,898	69	1,830	1,758	64
5-9	2,862	2,728	95	2,694	2,590	43
10-14	3,436	3,341	62	3,063	2,969	68
15-19	3,310	3,193	90	2,808	2,726	58
20-24	2,772	2,667	81	2,268	2,189	44
25-29	2,389	2,306	52	2,250	2,214	18
30-34	2,547	2,491	31	2,288	2,212	46
35-39	2,795	2,707	58	2,787	2,714	36
40-44	2,825	2,756	45	2,585	2,550	12
45-49	3,075	3,010	36	2,978	2,927	25
50-54	3,372	3,302	47	3,327	3,260	34
55-59	4,319	4,257	20	4,177	4,130	11
60-64	4,478	4,435	19	4,800	4,766	16
65-69	4,751	4,692	20	4,860	4,813	23
70-74	4,282	4,235	12	4,263	4,218	16
75-79	2,790	2,769	10	2,975	2,954	5
80-84	1,741	1,715	3	1,939	1,926	8
85+	1,320	1,292	0	2,381	2,361	2
Total	55,456	54,198	761	54,663	53,659	537

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	267	260	4	240	237	3
1-4	1,098	1,085	13	1,147	1,112	32
5-9	1,533	1,495	18	1,514	1,479	12
10-14	1,675	1,622	47	1,620	1,588	13
15-19	2,361	1,820	518	1,525	1,477	24

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

20-24	3,332	1,873	1,386	1,209	1,162	24
25-29	3,492	2,136	1,294	1,397	1,357	30
30-34	3,175	1,936	1,166	1,433	1,404	19
35-39	2,751	1,887	850	1,523	1,496	16
40-44	2,858	1,925	907	1,461	1,429	10
45-49	2,883	2,051	822	1,489	1,466	19
50-54	2,545	2,014	517	1,821	1,783	31
55-59	2,487	2,168	309	2,082	2,045	16
60-64	2,133	2,075	52	2,153	2,130	3
65-69	1,992	1,967	21	1,907	1,890	17
70-74	1,771	1,717	33	1,735	1,709	16
75-79	1,269	1,256	13	1,271	1,260	8
80-84	851	844	6	814	801	3
85+	527	511	15	872	864	2
Total	39,000	30,642	7,991	27,213	26,689	298

Kane		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	15,299	13,117	1,348	14,278	12,234	1,252
1-4	65,809	56,896	5,432	62,093	53,372	5,365
5-9	87,624	75,194	6,967	84,286	72,302	6,928
10-14	100,888	86,456	7,825	95,814	81,998	7,328
15-19	100,955	86,628	8,128	94,828	81,337	7,361
20-24	85,470	73,189	7,072	81,967	70,260	6,789
25-29	77,506	65,519	7,037	73,669	62,435	6,352
30-34	78,934	68,206	5,461	75,616	64,562	5,623
35-39	88,620	77,107	5,630	83,681	72,116	5,569
40-44	87,841	76,974	4,792	85,033	73,268	5,341
45-49	91,111	79,621	4,921	89,174	77,475	5,137
50-54	90,787	81,166	4,497	87,831	77,594	4,764
55-59	89,153	80,654	4,342	87,339	78,333	4,507
60-64	75,800	68,739	3,731	76,779	69,014	3,884
65-69	59,833	54,336	2,831	64,684	58,327	3,347
70-74	44,596	40,742	1,852	50,930	46,543	2,230
75-79	28,163	25,786	1,090	34,809	31,909	1,554
80-84	16,892	15,571	564	22,475	20,809	870
85+	13,848	12,956	411	27,219	25,719	784
Total	1,299,129	1,138,857	83,931	1,292,505	1,129,607	84,985

Kankakee		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	3,045	2,259	734	3,061	2,252	760
1-4	13,215	9,963	3,019	12,513	9,384	2,983
5-9	16,745	12,858	3,546	15,889	12,169	3,461
10-14	19,005	14,878	3,805	18,219	14,217	3,671
15-19	20,501	15,936	4,112	19,845	15,824	3,622
20-24	19,166	15,179	3,515	18,665	15,101	3,155
25-29	17,451	13,679	3,426	16,934	12,949	3,647
30-34	15,771	12,683	2,765	15,753	12,462	2,943
35-39	16,373	13,491	2,586	16,543	13,514	2,683
40-44	15,805	13,272	2,233	16,081	13,134	2,565
45-49	16,506	13,939	2,216	16,256	13,344	2,541
50-54	17,098	14,518	2,276	17,146	14,377	2,482
55-59	18,437	15,901	2,280	18,578	15,733	2,585
60-64	17,306	14,921	2,139	17,551	15,016	2,321
65-69	14,462	12,614	1,578	15,303	13,018	2,002
70-74	10,630	9,410	1,057	12,336	10,869	1,308
75-79	7,073	6,435	564	8,562	7,643	795
80-84	4,648	4,146	410	6,089	5,428	586
85+	4,783	4,401	334	7,131	6,411	611
Total	268,020	220,483	42,595	272,455	222,845	44,721

Kendall		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	3,666	3,197	309	3,639	3,101	340
1-4	17,567	15,153	1,461	16,672	14,385	1,504
5-9	26,032	22,317	2,568	24,657	21,192	2,317
10-14	29,510	25,156	3,046	27,984	23,829	2,852

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

15-19	26,841	22,904	2,772	25,001	21,017	2,720
20-24	19,738	16,798	2,180	18,423	15,562	1,997
25-29	17,694	15,263	1,784	17,897	15,432	1,727
30-34	21,900	19,100	1,744	22,695	19,575	1,870
35-39	26,703	22,988	2,237	26,921	23,056	2,301
40-44	25,748	22,338	2,156	26,272	22,259	2,514
45-49	25,866	22,134	2,380	24,921	21,275	2,332
50-54	22,453	19,572	1,974	20,695	18,089	1,754
55-59	18,660	16,628	1,422	17,938	15,973	1,322
60-64	14,343	13,035	855	15,282	13,770	944
65-69	11,301	10,268	594	13,003	11,614	768
70-74	8,547	7,955	327	10,135	9,313	432
75-79	5,358	4,960	169	6,454	6,099	196
80-84	2,778	2,622	62	3,915	3,673	139
85+	2,282	2,155	74	4,463	4,166	122
Total	326,987	284,543	28,114	326,967	283,380	28,151

Knox	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,463	1,133	303	1,301	1,031	234
1-4	6,125	4,733	1,297	5,337	4,267	932
5-9	6,837	5,644	1,070	6,430	5,264	1,020
10-14	7,216	6,236	880	6,897	5,900	912
15-19	8,173	7,006	994	7,984	6,912	816
20-24	9,130	7,028	1,743	7,994	6,814	908
25-29	8,156	6,215	1,776	6,575	5,691	764
30-34	8,136	6,285	1,704	6,288	5,666	542
35-39	7,823	6,434	1,289	6,550	5,911	535
40-44	7,868	6,571	1,233	6,629	6,143	382
45-49	7,502	6,464	949	6,634	6,172	308
50-54	7,749	7,045	620	7,489	7,077	310
55-59	8,615	8,010	488	8,772	8,365	305
60-64	8,813	8,324	410	9,008	8,612	295
65-69	8,177	7,796	315	8,705	8,392	230
70-74	6,303	6,095	181	7,154	6,915	195
75-79	4,387	4,221	133	5,130	4,960	143
80-84	2,792	2,665	113	3,853	3,707	119
85+	2,492	2,443	36	4,808	4,585	168
Total	127,757	110,348	15,534	123,538	112,384	9,118

Lake	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	17,975	14,010	2,075	17,397	13,501	2,030
1-4	82,456	64,819	8,741	79,585	62,418	8,599
5-9	116,338	91,119	11,598	111,156	87,791	10,952
10-14	133,722	106,296	12,679	128,617	101,615	12,129
15-19	152,029	123,660	14,395	132,889	106,482	12,586
20-24	141,552	115,379	14,439	117,385	94,691	11,908
25-29	106,306	83,499	11,710	94,459	72,933	11,613
30-34	99,347	78,009	9,269	95,935	73,032	10,292
35-39	111,887	88,108	8,716	110,192	84,518	9,568
40-44	114,911	90,446	7,624	113,466	88,125	8,863
45-49	120,940	98,370	7,521	120,178	96,223	8,441
50-54	126,152	106,744	7,679	126,148	105,357	8,461
55-59	128,679	111,266	8,223	129,578	110,890	8,639
60-64	113,044	98,891	6,854	115,046	98,947	7,525
65-69	86,250	75,956	4,694	91,065	78,846	5,370
70-74	63,579	56,265	2,971	69,969	61,317	3,585
75-79	39,312	34,790	1,655	47,289	41,648	2,269
80-84	23,716	21,218	933	32,307	28,583	1,647
85+	21,838	19,970	700	41,167	37,269	1,725
Total	1,800,033	1,478,815	142,476	1,773,828	1,444,186	146,202

LaSalle	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,831	2,649	125	2,678	2,495	130
1-4	12,466	11,655	580	11,627	10,774	593
5-9	15,974	14,986	655	15,020	14,116	508

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

10-14	17,628	16,670	664	17,324	16,005	672
15-19	18,374	17,133	1,026	16,866	15,964	645
20-24	17,545	15,519	1,809	14,888	14,132	506
25-29	17,495	15,582	1,651	15,590	14,722	515
30-34	17,408	15,815	1,273	15,173	14,429	410
35-39	18,060	16,713	1,082	16,231	15,549	354
40-44	16,898	15,615	1,045	14,926	14,380	243
45-49	17,019	15,917	895	15,745	15,293	206
50-54	18,768	17,931	600	17,985	17,396	225
55-59	21,470	20,857	386	20,687	20,158	246
60-64	20,625	20,236	247	20,046	19,654	200
65-69	17,036	16,706	154	16,820	16,535	118
70-74	11,882	11,708	74	12,905	12,677	87
75-79	8,104	8,008	36	9,981	9,823	26
80-84	5,279	5,220	31	7,165	7,091	29
85+	4,702	4,633	44	9,188	9,115	16
Total	279,564	263,553	12,377	270,845	260,308	5,729

Lawrence	Males			Females		
	Age	Total Population	White	Black	Total Population	White
<1	356	338	13	355	337	14
1-4	1,541	1,489	49	1,509	1,431	65
5-9	2,037	1,943	62	2,066	2,011	29
10-14	2,259	2,190	59	2,045	1,979	55
15-19	2,291	2,036	231	1,804	1,730	56
20-24	3,594	2,078	1,470	1,654	1,605	45
25-29	4,047	2,635	1,309	1,948	1,880	34
30-34	3,469	2,313	1,066	1,857	1,804	22
35-39	3,409	2,441	928	1,930	1,891	17
40-44	3,292	2,394	868	2,115	2,077	27
45-49	3,016	2,426	576	1,957	1,929	14
50-54	2,765	2,396	340	2,018	1,988	10
55-59	2,619	2,459	146	2,606	2,554	41
60-64	2,409	2,338	65	2,648	2,587	35
65-69	2,015	1,969	31	2,158	2,104	30
70-74	1,619	1,580	34	1,819	1,780	23
75-79	1,050	1,020	22	1,427	1,411	11
80-84	687	672	0	1,102	1,085	12
85+	600	573	22	1,280	1,246	17
Total	43,075	35,290	7,291	34,298	33,429	557

Lee	Males			Females		
	Age	Total Population	White	Black	Total Population	White
<1	842	797	35	796	753	30
1-4	3,515	3,282	169	3,472	3,251	134
5-9	4,669	4,388	194	4,723	4,418	173
10-14	5,250	4,997	208	4,934	4,645	204
15-19	4,894	4,515	310	4,510	4,279	168
20-24	5,053	4,440	540	4,107	3,876	138
25-29	6,228	5,211	901	4,623	4,441	140
30-34	6,384	5,097	1,223	4,271	4,096	139
35-39	6,191	5,131	943	4,418	4,256	116
40-44	6,058	4,966	1,000	4,391	4,228	79
45-49	6,196	5,252	853	4,609	4,477	57
50-54	6,249	5,544	652	5,565	5,358	119
55-59	7,133	6,467	587	5,968	5,830	83
60-64	6,770	6,186	482	6,119	5,943	118
65-69	5,385	5,151	189	5,288	5,171	66
70-74	4,361	4,246	87	4,543	4,477	27
75-79	2,727	2,649	43	3,073	3,001	38
80-84	1,832	1,766	43	2,301	2,272	10
85+	1,632	1,598	15	2,992	2,938	19
Total	91,369	81,683	8,474	80,703	77,710	1,858

Livingston	Males			Females		
	Age	Total Population	White	Black	Total Population	White
<1	1,077	991	61	1,004	930	51
1-4	4,233	3,944	230	4,020	3,809	173

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

5-9	5,486	5,180	220	4,967	4,680	225
10-14	6,070	5,721	266	5,332	5,042	202
15-19	6,259	5,817	371	5,224	4,950	220
20-24	5,565	4,946	553	5,033	4,637	346
25-29	5,711	5,044	566	5,225	4,803	337
30-34	5,643	5,013	494	5,209	4,756	334
35-39	5,635	5,091	436	5,288	4,940	277
40-44	5,359	4,877	403	4,967	4,618	287
45-49	5,394	4,930	413	4,959	4,700	222
50-54	5,836	5,440	353	5,598	5,360	177
55-59	6,681	6,432	224	6,570	6,433	95
60-64	6,661	6,504	110	6,460	6,316	88
65-69	5,440	5,352	49	5,348	5,243	49
70-74	3,828	3,786	21	4,377	4,337	17
75-79	2,647	2,608	14	3,224	3,209	4
80-84	1,848	1,827	6	2,353	2,315	19
85+	1,656	1,651	4	3,512	3,479	4
Total	91,029	85,154	4,794	88,670	84,557	3,127

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	702	652	44	671	622	42
1-4	3,093	2,859	205	2,873	2,722	135
5-9	3,839	3,588	199	3,614	3,388	189
10-14	4,117	3,928	147	3,974	3,763	160
15-19	4,601	4,089	416	4,091	3,693	324
20-24	5,130	4,078	961	4,183	3,690	417
25-29	5,371	4,132	1,136	4,215	3,795	365
30-34	5,353	4,111	1,143	4,254	3,804	403
35-39	5,327	4,337	937	4,456	3,936	445
40-44	4,574	3,780	732	4,396	3,826	515
45-49	4,348	3,771	555	4,017	3,603	364
50-54	4,480	4,029	383	4,109	3,854	214
55-59	4,884	4,567	269	4,791	4,561	168
60-64	4,720	4,568	122	4,668	4,555	72
65-69	3,885	3,817	53	4,212	4,138	49
70-74	2,958	2,890	44	3,375	3,302	27
75-79	2,036	1,983	26	2,578	2,527	26
80-84	1,318	1,285	18	2,064	2,032	23
85+	1,216	1,199	1	2,661	2,619	29
Total	71,952	63,663	7,391	69,202	64,430	3,967

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	3,153	2,009	1,084	3,091	2,012	1,018
1-4	13,247	8,734	4,228	12,548	8,327	3,990
5-9	16,522	11,245	4,927	15,523	10,565	4,683
10-14	16,973	12,060	4,587	16,447	11,630	4,530
15-19	16,995	12,331	4,372	16,672	11,905	4,418
20-24	15,655	11,235	4,081	16,452	11,810	4,321
25-29	15,519	11,354	3,747	16,487	11,745	4,446
30-34	14,140	11,077	2,679	15,422	11,619	3,455
35-39	14,554	11,680	2,546	15,674	12,227	3,062
40-44	14,346	11,581	2,414	15,684	12,372	3,018
45-49	14,598	11,936	2,363	15,152	11,875	2,878
50-54	15,009	12,482	2,157	15,477	12,630	2,583
55-59	17,494	14,712	2,520	18,285	15,248	2,783
60-64	18,039	15,566	2,296	19,358	16,489	2,681
65-69	15,548	13,603	1,794	17,416	14,895	2,337
70-74	12,305	10,874	1,312	13,887	12,099	1,614
75-79	8,082	7,235	809	9,832	8,717	1,055
80-84	5,166	4,751	365	7,163	6,468	668
85+	4,681	4,377	268	9,689	8,985	648
Total	252,026	198,842	48,549	270,259	211,618	54,188

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,159	1,107	42	1,048	1,009	26

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

1-4	4,972	4,788	132	4,453	4,329	102
5-9	6,313	6,137	132	6,022	5,827	121
10-14	7,778	7,583	126	6,839	6,644	141
15-19	7,463	7,218	173	6,778	6,452	220
20-24	6,449	6,207	177	5,847	5,604	198
25-29	5,884	5,725	125	5,930	5,784	98
30-34	6,172	6,062	66	6,329	6,178	79
35-39	6,952	6,808	72	6,798	6,688	52
40-44	6,807	6,640	92	6,708	6,550	51
45-49	7,228	7,056	99	6,583	6,458	46
50-54	7,339	7,224	83	7,510	7,357	62
55-59	8,565	8,449	85	8,834	8,678	65
60-64	8,703	8,545	76	8,617	8,481	53
65-69	7,365	7,275	62	7,624	7,497	76
70-74	5,354	5,267	30	6,035	5,951	56
75-79	3,519	3,478	14	4,120	4,073	35
80-84	2,274	2,256	7	3,255	3,213	21
85+	2,070	2,039	19	4,238	4,181	22
Total	112,366	109,864	1,612	113,568	110,954	1,524

Madison		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	7,032	5,747	1,149	6,659	5,438	1,102	
1-4	30,464	25,162	4,683	28,833	23,888	4,325	
5-9	40,558	33,833	5,669	38,542	32,342	5,318	
10-14	43,149	36,143	6,130	40,986	34,464	5,537	
15-19	45,723	38,918	5,889	43,879	36,692	6,163	
20-24	40,163	33,910	5,431	40,621	33,432	6,021	
25-29	42,989	37,133	5,114	42,706	35,748	6,147	
30-34	43,888	38,985	4,137	43,903	37,710	5,437	
35-39	42,864	38,573	3,526	42,894	37,471	4,464	
40-44	38,487	34,662	3,107	39,965	35,146	3,947	
45-49	40,547	36,622	3,144	41,483	36,667	3,953	
50-54	43,041	39,377	2,999	42,801	38,504	3,528	
55-59	47,897	44,376	2,799	48,308	44,095	3,515	
60-64	45,973	42,809	2,629	47,008	43,304	3,059	
65-69	35,576	33,260	1,991	39,310	36,351	2,438	
70-74	26,232	24,767	1,207	31,244	29,078	1,777	
75-79	17,554	16,528	730	22,601	21,238	1,086	
80-84	11,102	10,621	392	16,386	15,559	695	
85+	9,304	8,957	295	20,424	19,567	737	
Total	652,543	580,383	61,021	678,553	596,694	69,249	

Marion		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,198	1,057	130	1,113	995	109	
1-4	4,888	4,395	458	4,624	4,140	442	
5-9	6,207	5,625	510	6,020	5,378	573	
10-14	6,641	5,963	596	6,222	5,654	520	
15-19	5,794	5,225	488	5,473	4,931	469	
20-24	5,412	4,880	465	5,007	4,608	359	
25-29	5,981	5,481	427	5,719	5,311	325	
30-34	5,352	5,016	296	5,310	4,927	287	
35-39	5,517	5,165	260	5,383	5,120	224	
40-44	5,425	5,088	265	5,261	4,971	237	
45-49	5,679	5,327	304	5,450	5,231	172	
50-54	5,857	5,567	229	5,794	5,533	192	
55-59	6,631	6,379	207	7,011	6,670	264	
60-64	6,492	6,212	211	6,952	6,647	232	
65-69	5,631	5,395	170	5,888	5,633	182	
70-74	4,224	4,041	136	4,910	4,705	150	
75-79	2,934	2,822	74	3,563	3,439	89	
80-84	1,978	1,906	55	2,605	2,528	68	
85+	1,696	1,634	40	3,215	3,103	94	
Total	93,537	87,178	5,321	95,520	89,524	4,988	

Marshall	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

<1	299	291	8	280	267	10
1-4	1,256	1,199	40	1,252	1,201	44
5-9	1,608	1,525	62	1,610	1,554	49
10-14	1,833	1,770	41	1,681	1,633	33
15-19	1,738	1,676	47	1,485	1,446	16
20-24	1,544	1,498	33	1,465	1,412	28
25-29	1,727	1,671	34	1,599	1,566	20
30-34	1,569	1,523	25	1,475	1,436	33
35-39	1,668	1,632	17	1,541	1,494	8
40-44	1,717	1,645	24	1,522	1,484	17
45-49	1,731	1,692	9	1,633	1,583	23
50-54	1,940	1,907	21	2,006	1,975	10
55-59	2,277	2,244	14	2,262	2,238	9
60-64	2,354	2,337	7	2,233	2,219	0
65-69	2,155	2,122	21	2,065	2,048	10
70-74	1,582	1,569	8	1,756	1,742	4
75-79	1,230	1,211	3	1,347	1,333	3
80-84	713	708	3	1,033	1,027	1
85+	606	603	0	1,214	1,192	2
Total	29,547	28,823	417	29,459	28,850	320

Mason	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	326	312	10	313	302	7
1-4	1,290	1,249	27	1,373	1,349	18
5-9	1,959	1,913	22	1,714	1,658	40
10-14	2,031	1,967	35	2,136	2,096	23
15-19	1,974	1,911	32	2,069	2,008	41
20-24	1,759	1,708	31	1,666	1,601	37
25-29	1,806	1,764	25	1,697	1,644	25
30-34	1,668	1,619	47	1,613	1,582	9
35-39	1,791	1,713	44	1,923	1,878	12
40-44	1,995	1,902	48	1,886	1,845	16
45-49	2,187	2,124	27	1,987	1,939	12
50-54	2,283	2,254	24	2,054	2,030	8
55-59	2,547	2,495	32	2,590	2,537	21
60-64	2,390	2,375	6	2,424	2,384	3
65-69	2,235	2,217	7	2,168	2,147	5
70-74	1,894	1,875	5	1,930	1,914	1
75-79	1,299	1,289	0	1,403	1,381	1
80-84	769	769	0	996	996	0
85+	631	631	0	1,386	1,378	0
Total	32,834	32,087	422	33,328	32,669	279

Massac	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	361	305	52	344	297	47
1-4	1,592	1,395	185	1,582	1,310	255
5-9	2,093	1,858	207	2,019	1,789	194
10-14	2,303	2,026	269	2,451	2,217	214
15-19	2,195	1,938	202	2,233	2,002	185
20-24	1,846	1,663	150	1,812	1,626	168
25-29	1,869	1,729	139	1,801	1,633	146
30-34	1,727	1,578	123	1,762	1,607	124
35-39	1,897	1,747	127	2,192	2,049	110
40-44	2,102	1,920	163	2,204	2,022	147
45-49	2,314	2,105	190	2,283	2,154	99
50-54	2,482	2,300	154	2,346	2,168	148
55-59	2,729	2,470	232	2,693	2,443	211
60-64	2,536	2,311	202	2,849	2,614	194
65-69	2,019	1,867	146	2,158	2,005	128
70-74	1,657	1,547	101	1,974	1,837	122
75-79	1,225	1,121	63	1,527	1,446	69
80-84	855	799	41	1,089	1,045	42
85+	827	764	50	1,534	1,422	102
Total	34,629	31,443	2,796	36,853	33,686	2,705

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

McDonough		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	636	551	73	598	514	73	
1-4	2,597	2,271	264	2,483	2,181	271	
5-9	3,365	3,012	246	3,141	2,775	233	
10-14	3,629	3,249	266	3,378	3,000	251	
15-19	5,746	5,088	419	6,554	5,556	746	
20-24	10,638	8,968	1,193	10,123	8,504	1,067	
25-29	4,485	4,011	377	3,701	3,220	390	
30-34	4,090	3,820	197	3,669	3,268	320	
35-39	3,701	3,417	183	3,814	3,371	320	
40-44	3,300	3,040	154	3,306	2,981	115	
45-49	3,403	3,153	134	3,273	3,062	120	
50-54	3,416	3,151	137	3,485	3,266	92	
55-59	4,119	3,843	109	4,169	3,976	113	
60-64	4,258	4,077	111	4,299	4,132	94	
65-69	3,867	3,754	72	4,055	3,869	108	
70-74	3,011	2,933	24	3,157	3,096	20	
75-79	1,942	1,883	48	2,284	2,209	42	
80-84	1,173	1,131	14	1,717	1,673	21	
85+	1,139	1,109	13	2,886	2,856	14	
Total	68,515	62,461	4,034	70,092	63,509	4,410	
McHenry		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	7,672	7,146	234	7,333	6,786	241	
1-4	34,420	31,987	1,074	33,248	30,752	1,098	
5-9	49,067	45,369	1,711	46,608	42,990	1,454	
10-14	57,242	52,765	1,850	54,104	49,810	1,552	
15-19	57,694	53,410	1,623	53,791	49,837	1,396	
20-24	48,200	44,981	1,332	44,757	41,603	1,177	
25-29	44,342	41,526	1,157	41,918	39,035	1,093	
30-34	45,839	42,997	1,148	43,590	40,669	954	
35-39	50,476	47,183	1,129	48,410	45,107	959	
40-44	49,889	46,382	1,177	48,653	45,047	1,025	
45-49	54,211	50,381	1,243	53,962	50,272	901	
50-54	59,794	56,607	1,049	59,650	56,387	939	
55-59	61,750	59,086	1,002	60,585	57,737	746	
60-64	52,809	50,813	639	52,531	50,212	576	
65-69	39,896	38,519	342	41,399	39,656	375	
70-74	28,948	27,989	192	32,455	31,130	260	
75-79	18,839	18,182	96	22,562	21,783	133	
80-84	10,386	10,024	47	13,780	13,320	81	
85+	7,866	7,621	42	15,770	15,357	62	
Total	779,340	732,968	17,087	775,106	727,490	15,022	
McLean		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	4,586	3,472	702	4,496	3,366	655	
1-4	20,106	15,173	2,857	19,579	14,625	2,897	
5-9	25,523	20,020	3,548	25,105	19,643	3,424	
10-14	26,999	21,901	3,460	26,117	21,224	3,328	
15-19	34,261	28,654	3,966	37,992	32,030	4,363	
20-24	52,236	44,210	5,596	54,941	46,266	6,166	
25-29	28,180	22,369	3,533	27,985	22,091	3,375	
30-34	26,476	20,628	2,508	26,358	21,268	2,723	
35-39	27,378	21,882	2,331	26,878	22,009	2,476	
40-44	25,390	21,160	1,914	24,944	20,998	2,204	
45-49	24,508	20,760	2,129	23,646	20,390	2,008	
50-54	23,945	21,088	1,918	24,703	21,562	2,080	
55-59	25,588	23,037	1,801	26,459	23,803	1,871	
60-64	22,943	21,038	1,397	24,525	22,448	1,454	
65-69	18,708	17,272	1,035	21,100	19,718	918	
70-74	14,176	13,374	517	15,242	14,369	610	
75-79	8,535	8,131	200	10,465	9,871	367	
80-84	5,397	5,196	123	7,503	7,067	287	
85+	4,928	4,728	100	9,729	9,368	225	

Total	419,863	354,093	39,635	437,767	372,116	41,431
Menard	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	290	279	11	277	267	9
1-4	1,343	1,283	47	1,336	1,288	37
5-9	1,867	1,793	52	1,702	1,651	36
10-14	2,052	1,986	52	2,142	2,058	64
15-19	1,983	1,911	50	1,832	1,758	60
20-24	1,641	1,597	21	1,423	1,355	31
25-29	1,543	1,475	51	1,655	1,605	25
30-34	1,650	1,600	34	1,796	1,759	22
35-39	1,933	1,913	15	2,027	1,980	21
40-44	1,938	1,885	42	1,869	1,837	19
45-49	1,775	1,727	29	1,802	1,768	10
50-54	2,066	2,035	20	2,172	2,139	19
55-59	2,460	2,433	17	2,529	2,471	18
60-64	2,448	2,428	19	2,277	2,241	7
65-69	1,856	1,848	7	1,999	1,981	6
70-74	1,550	1,519	16	1,686	1,671	5
75-79	907	889	4	1,114	1,093	7
80-84	638	624	9	798	795	2
85+	474	468	6	924	915	0
Total	30,414	29,693	502	31,360	30,632	398
Mercer	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	355	344	9	334	326	8
1-4	1,598	1,552	32	1,588	1,548	33
5-9	2,154	2,082	60	2,200	2,143	36
10-14	2,603	2,534	44	2,633	2,539	30
15-19	2,564	2,495	42	2,390	2,300	45
20-24	2,162	2,104	42	1,821	1,777	34
25-29	2,089	2,001	53	1,835	1,792	26
30-34	2,155	2,102	36	1,956	1,920	26
35-39	2,322	2,263	39	2,410	2,374	19
40-44	2,416	2,359	32	2,301	2,275	13
45-49	2,458	2,418	31	2,355	2,332	9
50-54	2,608	2,562	31	2,771	2,740	11
55-59	3,122	3,078	19	3,038	2,982	35
60-64	2,978	2,948	8	2,745	2,701	16
65-69	2,684	2,652	3	2,556	2,535	7
70-74	2,066	2,061	0	2,126	2,114	1
75-79	1,550	1,529	10	1,667	1,659	7
80-84	868	858	5	1,100	1,100	0
85+	901	896	5	1,326	1,313	8
Total	39,653	38,838	501	39,152	38,470	364
Monroe	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	919	891	10	778	754	9
1-4	4,260	4,157	43	3,620	3,542	36
5-9	5,266	5,163	44	5,088	4,939	52
10-14	5,770	5,667	53	5,706	5,564	66
15-19	5,861	5,783	35	4,971	4,877	49
20-24	4,730	4,634	48	4,119	3,999	68
25-29	4,411	4,311	51	4,161	4,051	30
30-34	4,764	4,655	52	5,014	4,877	31
35-39	5,895	5,782	68	5,874	5,764	45
40-44	5,855	5,750	60	5,204	5,126	38
45-49	5,523	5,438	47	5,454	5,357	35
50-54	5,929	5,833	55	6,424	6,367	15
55-59	6,991	6,904	29	6,820	6,727	30
60-64	6,849	6,797	15	6,731	6,655	15
65-69	5,181	5,120	21	5,179	5,067	30
70-74	3,702	3,683	5	3,736	3,693	11
75-79	2,334	2,313	7	2,678	2,656	5
80-84	1,561	1,529	18	2,266	2,246	7

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

85+	1,489	1,473	1	2,830	2,812	7
Total	87,290	85,883	662	86,653	85,073	579
Montgomery				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	750	731	10	694	666	17
1-4	2,905	2,836	53	2,984	2,898	44
5-9	3,921	3,828	71	3,876	3,779	66
10-14	4,452	4,356	73	4,135	4,039	85
15-19	4,331	4,103	186	3,707	3,624	61
20-24	4,920	4,118	760	3,129	3,067	44
25-29	5,322	4,438	844	3,459	3,364	44
30-34	4,990	4,266	699	3,505	3,420	32
35-39	5,382	4,672	631	4,008	3,962	24
40-44	4,819	4,257	535	3,532	3,473	15
45-49	4,933	4,442	442	3,651	3,596	29
50-54	4,991	4,663	288	4,355	4,290	15
55-59	5,318	5,106	180	5,263	5,190	20
60-64	5,269	5,195	65	5,115	5,046	31
65-69	4,517	4,434	44	4,365	4,315	15
70-74	3,259	3,212	22	3,390	3,325	11
75-79	2,201	2,187	4	2,762	2,726	10
80-84	1,530	1,516	5	2,178	2,161	6
85+	1,462	1,440	6	3,199	3,152	18
Total	75,272	69,800	4,918	67,307	66,093	587
Morgan				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	831	720	100	837	732	93
1-4	3,468	3,022	399	3,321	2,834	454
5-9	4,272	3,779	432	4,132	3,712	386
10-14	4,896	4,376	454	4,349	3,940	368
15-19	5,610	4,846	633	4,966	4,414	452
20-24	5,651	4,667	829	5,193	4,710	406
25-29	5,425	4,508	789	4,631	4,160	382
30-34	5,672	4,598	983	4,694	4,352	277
35-39	5,989	4,816	1,062	4,670	4,330	230
40-44	5,273	4,451	725	4,572	4,325	191
45-49	5,008	4,403	526	4,646	4,420	141
50-54	5,425	4,946	420	5,116	4,907	151
55-59	6,163	5,792	309	6,160	5,931	183
60-64	5,787	5,472	249	5,963	5,743	170
65-69	4,955	4,763	136	5,254	5,135	78
70-74	3,959	3,875	49	4,364	4,280	59
75-79	2,551	2,463	63	3,405	3,324	70
80-84	1,749	1,695	45	2,377	2,347	25
85+	1,480	1,457	13	3,270	3,240	9
Total	84,164	74,649	8,216	81,920	76,836	4,125
Moultrie				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	463	452	7	387	372	11
1-4	1,925	1,874	46	1,802	1,764	25
5-9	2,469	2,412	51	2,492	2,417	53
10-14	2,885	2,843	31	2,735	2,662	61
15-19	2,695	2,630	35	2,399	2,343	55
20-24	2,119	2,071	28	1,816	1,778	23
25-29	2,107	2,019	63	2,034	1,981	24
30-34	2,068	2,014	34	2,159	2,117	33
35-39	2,323	2,254	54	2,371	2,330	22
40-44	2,106	2,066	40	2,134	2,111	12
45-49	2,058	2,026	12	2,069	2,039	7
50-54	2,214	2,185	21	2,141	2,117	8
55-59	2,407	2,374	8	2,667	2,618	11
60-64	2,367	2,361	0	2,392	2,380	2
65-69	2,107	2,071	19	2,169	2,146	8
70-74	1,492	1,483	8	1,683	1,672	2
75-79	1,013	1,002	3	1,187	1,171	5

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

80-84	691	681	10	953	953	0
85+	631	631	0	1,449	1,444	0
Total	36,140	35,449	470	37,039	36,415	362
Ogle				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,310	1,249	37	1,288	1,218	43
1-4	5,859	5,542	228	5,527	5,210	220
5-9	7,774	7,448	227	7,628	7,163	328
10-14	8,995	8,609	237	8,747	8,356	282
15-19	8,685	8,325	218	8,499	8,152	248
20-24	7,371	7,007	249	7,007	6,687	229
25-29	7,557	7,189	250	7,093	6,820	132
30-34	7,234	7,000	173	7,310	7,079	113
35-39	7,948	7,678	159	7,608	7,379	117
40-44	7,561	7,241	204	7,367	7,154	76
45-49	8,228	7,952	134	7,948	7,750	70
50-54	9,024	8,820	112	8,714	8,551	83
55-59	10,254	10,062	119	9,939	9,738	102
60-64	9,119	8,981	64	9,101	8,949	67
65-69	7,600	7,455	78	7,426	7,316	22
70-74	5,995	5,895	41	6,450	6,374	22
75-79	4,211	4,143	19	4,790	4,712	22
80-84	2,692	2,679	7	3,303	3,269	7
85+	2,021	2,011	5	4,002	3,991	7
Total	129,438	125,286	2,561	129,747	125,868	2,190
Peoria				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	6,117	3,707	2,010	5,964	3,608	1,963
1-4	25,299	15,634	8,125	24,156	14,595	7,693
5-9	31,118	19,517	9,549	28,736	17,872	8,906
10-14	30,960	19,697	9,507	29,425	18,979	8,592
15-19	30,508	20,808	8,391	30,084	20,512	8,197
20-24	28,293	19,540	7,266	29,131	19,915	8,065
25-29	30,583	21,474	7,232	31,150	21,130	8,525
30-34	29,406	21,890	5,225	30,353	21,320	6,970
35-39	29,473	21,815	4,773	28,768	20,715	5,922
40-44	26,738	20,431	4,245	27,037	20,407	4,936
45-49	26,080	20,549	3,950	27,208	20,755	4,957
50-54	27,005	21,870	3,951	27,539	21,533	4,696
55-59	27,910	23,179	3,821	29,512	23,923	4,694
60-64	27,060	22,610	3,706	30,172	24,940	4,567
65-69	24,004	20,406	3,014	26,689	22,332	3,715
70-74	18,713	16,324	1,926	21,802	18,812	2,524
75-79	12,129	10,778	1,074	14,837	13,020	1,503
80-84	7,635	6,737	660	10,638	9,501	941
85+	6,658	6,040	498	14,280	13,109	998
Total	445,689	333,006	88,923	467,481	346,978	98,364
Perry				Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	478	444	31	472	451	21
1-4	2,010	1,909	96	2,149	2,017	106
5-9	2,716	2,525	166	2,641	2,495	111
10-14	3,265	2,957	258	3,048	2,837	173
15-19	3,805	3,129	634	2,663	2,504	125
20-24	4,848	3,037	1,698	2,176	2,061	99
25-29	4,645	3,407	1,138	2,618	2,506	91
30-34	4,312	3,130	1,106	2,474	2,384	73
35-39	4,080	3,122	881	2,772	2,687	55
40-44	3,880	3,105	714	2,859	2,764	72
45-49	3,834	3,167	617	2,950	2,860	45
50-54	3,599	3,193	370	2,986	2,888	58
55-59	3,846	3,541	240	3,458	3,325	97
60-64	3,544	3,311	190	3,369	3,273	80
65-69	3,133	3,060	53	3,160	3,081	48
70-74	2,382	2,321	48	2,897	2,823	62

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

75-79	1,675	1,637	24	1,976	1,909	44
80-84	1,096	1,080	11	1,331	1,292	28
85+	827	811	16	1,892	1,864	23
Total	57,975	48,886	8,291	47,891	46,021	1,411
Piatt	Males					
Age	Total Population	White	Black	Total Population	White	Black
<1	457	440	12	429	415	9
1-4	1,898	1,857	33	1,862	1,770	76
5-9	2,480	2,421	41	2,498	2,442	45
10-14	2,721	2,624	74	2,541	2,452	53
15-19	2,790	2,717	50	2,529	2,426	72
20-24	2,222	2,138	52	1,973	1,926	28
25-29	2,146	2,072	46	2,027	1,958	39
30-34	2,412	2,345	53	2,470	2,430	24
35-39	2,747	2,682	46	2,510	2,480	9
40-44	2,539	2,480	35	2,526	2,488	19
45-49	2,538	2,487	30	2,479	2,416	17
50-54	2,598	2,566	12	2,567	2,524	15
55-59	3,262	3,192	48	3,279	3,228	20
60-64	3,187	3,158	19	3,123	3,110	0
65-69	2,598	2,572	5	2,641	2,619	5
70-74	2,090	2,084	1	2,200	2,188	6
75-79	1,321	1,311	0	1,607	1,604	3
80-84	845	843	1	1,241	1,234	2
85+	822	817	5	1,215	1,210	0
Total	41,673	40,806	563	41,717	40,920	442
Pike	Males					
Age	Total Population	White	Black	Total Population	White	Black
<1	461	451	10	451	440	11
1-4	1,911	1,875	36	1,813	1,783	26
5-9	2,318	2,266	32	2,147	2,125	15
10-14	2,526	2,488	23	2,398	2,376	17
15-19	2,388	2,306	58	2,144	2,101	34
20-24	2,099	1,966	96	1,801	1,747	41
25-29	2,123	1,990	104	2,058	2,027	26
30-34	2,089	1,971	100	2,125	2,108	16
35-39	2,279	2,208	53	2,093	2,080	13
40-44	2,009	1,920	69	1,974	1,939	22
45-49	2,274	2,203	52	2,076	2,061	5
50-54	2,438	2,387	33	2,291	2,264	0
55-59	2,465	2,413	29	2,746	2,706	10
60-64	2,736	2,726	1	2,627	2,600	12
65-69	2,477	2,452	16	2,367	2,351	8
70-74	1,779	1,769	5	1,869	1,845	10
75-79	1,307	1,293	9	1,626	1,611	6
80-84	895	877	3	1,192	1,185	2
85+	691	690	0	1,624	1,603	1
Total	37,265	36,251	729	37,422	36,952	275
Pope	Males					
Age	Total Population	White	Black	Total Population	White	Black
<1	60	49	11	60	52	8
1-4	218	210	8	196	188	8
5-9	291	258	33	251	229	15
10-14	388	354	25	340	309	26
15-19	524	389	131	339	278	61
20-24	555	406	149	358	314	39
25-29	383	342	31	392	375	13
30-34	347	328	5	401	386	5
35-39	552	528	19	482	468	13
40-44	540	527	5	497	493	4
45-49	563	555	8	612	591	5
50-54	780	740	30	651	646	4
55-59	961	948	12	939	923	7
60-64	943	904	13	1,032	998	8
65-69	920	903	6	844	832	2

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

70-74	738	730	7	652	636	5
75-79	488	476	7	476	461	5
80-84	357	351	1	292	292	0
85+	290	281	0	379	379	0
Total	9,898	9,279	501	9,193	8,850	228
Pulaski		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	131	85	46	153	99	53
1-4	521	331	180	635	383	248
5-9	668	423	219	702	453	232
10-14	826	523	284	855	535	302
15-19	838	535	285	815	471	332
20-24	657	416	228	587	371	200
25-29	1,034	512	496	687	464	193
30-34	689	476	206	714	482	226
35-39	872	568	291	783	586	181
40-44	731	521	203	722	470	242
45-49	680	473	207	777	497	268
50-54	756	546	204	703	467	231
55-59	959	684	263	957	605	339
60-64	1,017	689	310	1,119	713	397
65-69	948	666	274	1,042	732	294
70-74	701	504	197	779	536	237
75-79	442	266	176	552	346	202
80-84	341	247	89	366	265	100
85+	298	193	105	336	253	83
Total	13,109	8,658	4,263	13,284	8,728	4,360
Putnam		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	115	111	3	115	114	1
1-4	531	517	14	548	510	18
5-9	820	795	24	705	652	26
10-14	899	865	17	759	756	3
15-19	874	851	19	808	771	13
20-24	778	744	25	619	576	27
25-29	762	732	24	661	627	13
30-34	713	693	14	712	685	16
35-39	856	839	5	826	804	6
40-44	772	752	11	725	708	17
45-49	802	787	5	755	719	6
50-54	919	912	7	974	962	2
55-59	1,157	1,154	2	1,115	1,099	2
60-64	1,244	1,228	6	1,100	1,084	16
65-69	1,154	1,145	9	999	988	0
70-74	870	865	4	915	910	0
75-79	576	571	5	597	583	0
80-84	362	362	0	407	406	0
85+	231	231	0	406	405	1
Total	14,435	14,154	194	13,746	13,359	167
Randolph		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	803	728	62	769	699	54
1-4	3,276	3,031	208	3,333	3,104	190
5-9	4,206	3,915	255	4,063	3,749	270
10-14	4,575	4,259	254	4,215	3,914	244
15-19	4,541	4,131	337	4,014	3,699	264
20-24	5,058	3,900	1,069	3,505	3,213	266
25-29	5,659	3,982	1,630	3,825	3,544	210
30-34	6,012	4,171	1,765	3,744	3,508	187
35-39	5,810	4,368	1,388	4,057	3,844	155
40-44	5,475	4,327	1,082	4,025	3,808	155
45-49	5,434	4,468	908	4,046	3,848	142
50-54	5,486	4,787	676	4,234	4,110	78
55-59	6,256	5,759	468	5,218	5,038	118
60-64	5,760	5,438	271	5,297	5,129	114

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

65-69	4,660	4,487	157	4,696	4,555	107
70-74	3,351	3,266	59	3,830	3,713	88
75-79	2,261	2,187	69	3,070	2,958	64
80-84	1,448	1,421	22	2,351	2,315	26
85+	1,422	1,399	23	3,355	3,309	32
Total	81,493	70,024	10,703	71,647	68,057	2,764
Richland		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	413	401	8	408	392	11
1-4	1,954	1,913	30	1,983	1,927	41
5-9	2,631	2,544	71	2,414	2,329	53
10-14	2,691	2,621	51	2,418	2,315	56
15-19	2,549	2,421	81	2,225	2,159	41
20-24	2,008	1,930	43	1,853	1,801	40
25-29	2,365	2,300	23	2,255	2,175	16
30-34	2,342	2,255	38	2,335	2,156	65
35-39	2,371	2,292	46	2,348	2,275	33
40-44	2,400	2,335	47	2,192	2,150	21
45-49	2,269	2,206	41	2,266	2,211	5
50-54	2,464	2,431	15	2,431	2,400	5
55-59	2,877	2,835	27	2,927	2,881	16
60-64	2,881	2,827	40	2,915	2,883	17
65-69	2,363	2,317	30	2,432	2,392	7
70-74	1,708	1,683	11	1,873	1,840	10
75-79	1,350	1,328	6	1,564	1,518	5
80-84	984	972	2	1,298	1,295	1
85+	803	799	0	1,680	1,654	8
Total	39,423	38,410	610	39,817	38,753	451
Rock Island		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	4,285	3,095	955	4,090	2,890	926
1-4	18,117	13,119	4,015	17,034	12,230	3,649
5-9	22,749	16,860	4,683	22,131	16,267	4,633
10-14	23,810	18,322	4,609	22,501	17,384	4,087
15-19	24,176	19,232	4,097	22,790	18,372	3,491
20-24	22,838	18,092	3,827	22,150	17,926	3,330
25-29	22,149	17,425	3,657	22,363	17,610	3,716
30-34	22,492	17,672	3,595	20,988	16,997	2,907
35-39	23,415	18,604	3,173	21,661	17,898	2,696
40-44	21,680	17,737	2,870	20,487	17,212	2,553
45-49	21,392	17,662	2,942	20,126	17,347	2,117
50-54	21,574	18,701	2,236	21,141	18,770	1,766
55-59	23,869	21,367	1,949	24,307	22,030	1,750
60-64	24,407	22,337	1,569	25,788	23,406	1,907
65-69	21,082	19,656	1,128	23,291	21,210	1,555
70-74	16,450	15,277	953	19,044	17,464	1,167
75-79	11,381	10,516	635	13,397	12,464	767
80-84	7,094	6,599	332	10,181	9,626	458
85+	6,000	5,681	238	11,828	11,233	457
Total	358,960	297,954	47,463	365,298	308,336	43,932
Saline		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	703	652	42	644	597	38
1-4	2,931	2,771	142	2,879	2,641	182
5-9	3,441	3,219	193	3,268	2,989	236
10-14	3,535	3,220	254	3,249	3,003	170
15-19	3,750	3,287	411	3,084	2,873	139
20-24	3,158	2,901	208	3,069	2,836	166
25-29	3,663	3,437	164	3,738	3,532	119
30-34	3,603	3,358	173	3,469	3,327	89
35-39	3,521	3,335	136	3,520	3,378	98
40-44	3,298	3,131	127	3,418	3,244	122
45-49	3,755	3,606	110	3,741	3,546	125
50-54	4,153	3,984	136	4,017	3,867	112
55-59	4,256	4,093	126	4,552	4,373	118

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

60-64	4,090	3,969	87	4,532	4,352	140
65-69	3,779	3,647	95	3,859	3,709	128
70-74	2,910	2,792	86	3,266	3,170	62
75-79	1,999	1,901	78	2,503	2,418	69
80-84	1,183	1,128	44	1,821	1,731	74
85+	1,074	1,070	4	2,078	1,990	62
Total	58,802	55,501	2,616	60,707	57,576	2,249

Sangamon		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	5,640	4,000	1,457	5,307	3,795	1,325	
1-4	23,045	16,753	5,535	21,708	15,504	5,509	
5-9	30,470	22,584	6,664	28,120	20,907	6,373	
10-14	32,710	24,905	6,874	31,760	24,148	6,696	
15-19	32,191	24,782	6,578	30,688	23,464	6,398	
20-24	28,902	21,782	5,826	28,996	21,806	6,082	
25-29	28,970	22,689	5,381	31,147	23,588	6,357	
30-34	29,887	24,421	4,522	31,782	25,351	5,367	
35-39	30,898	25,925	3,886	32,972	26,775	4,984	
40-44	29,351	24,598	3,653	29,766	24,701	4,178	
45-49	29,602	25,697	3,072	30,572	25,799	3,773	
50-54	31,697	27,586	3,302	32,343	27,908	3,595	
55-59	34,884	30,863	3,300	36,395	32,139	3,558	
60-64	32,228	29,065	2,688	35,617	31,751	3,277	
65-69	27,786	25,471	1,925	31,959	28,820	2,568	
70-74	20,791	19,139	1,349	25,387	23,074	1,865	
75-79	12,543	11,499	799	16,812	15,562	1,023	
80-84	8,005	7,422	399	11,977	11,129	726	
85+	6,777	6,461	273	15,099	14,131	729	
Total	476,377	395,642	67,483	508,407	420,352	74,383	

Schuyler		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	144	135	9	130	117	13	
1-4	613	571	42	541	511	26	
5-9	812	775	37	841	807	19	
10-14	941	918	17	1,027	979	45	
15-19	906	887	12	970	939	23	
20-24	895	874	19	736	727	9	
25-29	1,043	932	106	760	737	18	
30-34	1,100	875	215	840	775	55	
35-39	1,307	1,102	186	922	881	28	
40-44	1,426	1,244	181	821	803	8	
45-49	1,465	1,255	210	1,022	987	30	
50-54	1,542	1,352	185	1,044	999	31	
55-59	1,440	1,268	167	1,196	1,172	8	
60-64	1,306	1,269	32	1,178	1,161	12	
65-69	1,223	1,207	16	1,226	1,210	7	
70-74	1,018	999	14	898	897	0	
75-79	654	643	6	697	696	0	
80-84	423	419	4	552	547	5	
85+	352	351	1	751	746	0	
Total	18,610	17,076	1,459	16,152	15,691	337	

Scott		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	112	101	5	112	105	1	
1-4	516	496	10	488	462	15	
5-9	778	755	20	651	628	17	
10-14	830	798	19	856	838	17	
15-19	845	809	21	655	646	9	
20-24	662	654	8	650	634	7	
25-29	623	594	17	690	547	15	
30-34	563	548	15	686	658	10	
35-39	687	666	16	741	726	6	
40-44	817	802	15	724	709	4	
45-49	749	741	4	794	789	5	
50-54	843	822	15	818	808	0	

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

55-59	1,060	1,060	0	1,039	1,029	5
60-64	1,067	1,061	0	862	862	0
65-69	741	733	2	779	774	2
70-74	486	486	0	598	588	10
75-79	398	398	0	510	508	2
80-84	344	340	4	352	351	1
85+	212	211	1	440	435	0
Total	12,333	12,075	172	12,445	12,097	126

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	554	544	9	533	524	9
1-4	2,377	2,311	60	2,356	2,288	49
5-9	3,056	2,975	61	2,949	2,867	62
10-14	3,616	3,534	54	3,154	3,090	47
15-19	3,211	3,143	38	2,915	2,861	40
20-24	2,579	2,531	26	2,712	2,683	19
25-29	2,978	2,899	43	2,751	2,700	36
30-34	2,811	2,733	34	2,784	2,739	17
35-39	3,117	3,081	14	2,920	2,891	6
40-44	3,084	3,022	27	2,747	2,718	13
45-49	3,186	3,097	54	3,024	2,995	15
50-54	3,448	3,405	21	3,362	3,315	8
55-59	3,967	3,927	20	3,988	3,946	6
60-64	3,983	3,959	10	4,032	4,001	15
65-69	3,576	3,557	6	3,684	3,643	7
70-74	2,940	2,914	9	3,088	3,062	6
75-79	2,121	2,111	1	2,229	2,213	1
80-84	1,250	1,235	0	1,513	1,496	7
85+	1,231	1,214	1	2,182	2,170	1
Total	53,085	52,192	488	52,923	52,202	364

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	7,583	4,193	3,183	7,207	4,036	2,974
1-4	33,086	19,243	12,968	31,238	17,687	12,573
5-9	42,885	25,705	15,938	39,919	23,599	15,142
10-14	45,301	26,975	17,077	43,086	25,743	16,231
15-19	43,944	26,690	16,147	41,228	24,257	15,909
20-24	40,097	23,978	15,124	38,054	21,762	15,136
25-29	41,438	25,565	14,656	42,110	24,449	16,344
30-34	39,848	26,756	11,937	43,036	26,963	14,835
35-39	42,532	30,388	10,998	44,423	28,887	14,203
40-44	38,394	27,326	10,127	41,308	26,501	13,567
45-49	37,803	26,152	10,613	41,010	25,556	14,117
50-54	40,129	28,623	10,753	42,991	28,145	13,706
55-59	45,133	33,112	11,288	47,334	32,626	13,633
60-64	41,748	31,070	9,991	45,489	31,973	12,410
65-69	33,055	24,953	7,577	37,318	25,916	10,386
70-74	23,945	18,435	5,195	27,866	19,699	7,426
75-79	14,692	11,338	3,087	19,017	13,917	4,646
80-84	9,056	7,064	1,837	14,223	10,772	3,162
85+	8,096	6,524	1,455	17,492	13,752	3,503
Total	628,765	424,090	189,951	664,349	426,240	219,903

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	145	142	3	127	126	1
1-4	591	568	20	589	552	33
5-9	725	700	15	875	799	54
10-14	917	878	26	812	780	16
15-19	820	796	18	856	825	20
20-24	783	751	19	718	695	16
25-29	740	716	11	723	691	17
30-34	649	627	14	607	590	12
35-39	771	742	19	675	659	11
40-44	854	846	4	765	744	4
45-49	792	787	0	790	770	10

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

50-54	897	885	8	901	876	11
55-59	1,045	1,033	6	900	898	0
60-64	1,103	1,075	2	1,039	1,026	5
65-69	878	873	0	962	932	7
70-74	759	743	11	741	711	4
75-79	555	549	5	597	591	1
80-84	386	376	5	397	397	0
85+	208	208	0	560	550	5
Total	13,618	13,295	186	13,634	13,212	227

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	1,186	853	312	1,145	860	266
1-4	5,080	3,678	1,302	4,872	3,601	1,176
5-9	6,497	5,001	1,395	6,381	4,925	1,343
10-14	7,101	5,609	1,390	7,037	5,479	1,459
15-19	7,098	5,802	1,216	6,444	5,050	1,275
20-24	6,204	5,095	1,032	5,900	4,727	1,087
25-29	5,814	4,822	938	5,892	4,767	1,030
30-34	5,494	4,690	718	5,820	4,816	927
35-39	5,957	5,159	718	6,131	5,265	757
40-44	5,562	4,840	643	5,731	4,985	629
45-49	6,413	5,647	700	6,281	5,648	556
50-54	7,318	6,510	721	7,295	6,533	686
55-59	8,448	7,692	682	8,656	7,825	742
60-64	8,540	7,842	631	8,660	7,900	670
65-69	7,545	7,028	451	7,865	7,381	407
70-74	5,786	5,453	285	6,513	6,119	314
75-79	4,016	3,824	170	4,817	4,517	262
80-84	2,844	2,725	96	3,897	3,682	193
85+	2,611	2,540	40	5,454	5,243	179
Total	109,514	94,810	13,440	114,791	99,323	13,958

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	3,459	3,287	122	3,234	3,060	111
1-4	15,434	14,700	483	14,224	13,499	477
5-9	20,782	19,744	587	20,039	19,170	552
10-14	22,666	21,646	603	22,093	21,051	540
15-19	21,192	20,308	554	19,996	19,088	472
20-24	18,067	17,144	592	16,484	15,859	405
25-29	19,225	17,903	878	18,614	17,673	405
30-34	20,651	19,340	898	19,494	18,819	364
35-39	22,670	21,670	739	21,466	20,669	339
40-44	21,680	20,763	577	20,676	19,941	269
45-49	20,915	20,161	449	20,633	19,997	208
50-54	21,098	20,461	354	20,755	20,241	201
55-59	22,577	22,089	297	23,054	22,675	105
60-64	21,849	21,554	142	22,947	22,681	96
65-69	18,759	18,558	78	20,282	20,026	84
70-74	14,592	14,466	45	16,730	16,533	16
75-79	9,614	9,492	35	11,902	11,720	38
80-84	6,370	6,316	25	8,998	8,887	34
85+	5,736	5,690	21	11,198	11,095	24
Total	327,336	315,292	7,479	332,819	322,684	4,740

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	432	414	12	443	428	9
1-4	1,847	1,790	31	1,871	1,799	43
5-9	2,397	2,305	74	2,238	2,139	70
10-14	2,707	2,591	60	2,609	2,508	59
15-19	2,702	2,569	79	2,528	2,414	64
20-24	2,146	2,060	52	1,916	1,844	46
25-29	2,612	2,506	82	2,369	2,289	50
30-34	2,522	2,402	84	2,341	2,286	33
35-39	2,624	2,449	125	2,341	2,255	38
40-44	2,522	2,419	51	2,353	2,246	57

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

45-49	2,785	2,596	113	2,640	2,538	43
50-54	2,872	2,807	29	2,733	2,674	40
55-59	3,166	3,111	43	3,061	3,017	25
60-64	3,162	3,062	47	3,087	3,011	27
65-69	3,053	2,980	50	2,759	2,706	16
70-74	2,112	2,053	23	2,409	2,384	4
75-79	1,818	1,796	16	1,860	1,839	10
80-84	1,417	1,301	101	1,246	1,233	4
85+	772	771	1	1,956	1,931	5
Total	43,668	41,982	1,073	42,760	41,541	643
Vermilion		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	2,290	1,638	630	2,202	1,577	599
1-4	9,514	6,895	2,470	9,236	6,711	2,423
5-9	12,399	9,232	2,966	11,905	9,092	2,652
10-14	13,316	10,323	2,794	12,339	9,393	2,770
15-19	12,401	9,761	2,443	11,335	8,926	2,223
20-24	11,349	8,644	2,580	10,141	7,795	2,201
25-29	11,609	8,709	2,706	10,798	8,526	2,138
30-34	11,116	8,699	2,265	10,259	8,372	1,723
35-39	11,343	9,000	2,184	10,756	8,816	1,711
40-44	11,208	9,181	1,875	10,115	8,586	1,316
45-49	11,262	9,584	1,512	10,351	8,915	1,195
50-54	11,202	9,787	1,256	11,511	10,069	1,239
55-59	13,170	11,822	1,166	13,108	11,649	1,311
60-64	12,932	11,716	1,120	13,202	11,717	1,311
65-69	10,885	9,935	823	12,003	10,858	948
70-74	8,677	8,106	452	9,710	8,870	713
75-79	6,127	5,670	307	7,174	6,594	461
80-84	3,821	3,578	149	5,173	4,742	317
85+	3,281	3,113	146	5,888	5,609	234
Total	187,902	155,393	29,844	187,206	156,817	27,485
Wabash		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	316	300	10	345	320	8
1-4	1,385	1,315	25	1,244	1,183	32
5-9	1,881	1,728	115	1,605	1,548	39
10-14	1,883	1,798	40	1,757	1,693	36
15-19	1,745	1,681	37	1,618	1,516	49
20-24	1,482	1,356	33	1,396	1,339	28
25-29	1,870	1,715	47	1,539	1,470	33
30-34	1,601	1,495	67	1,673	1,585	25
35-39	1,753	1,689	27	1,565	1,514	12
40-44	1,713	1,642	18	1,481	1,426	27
45-49	1,538	1,468	15	1,692	1,607	45
50-54	1,620	1,581	25	1,623	1,572	17
55-59	2,122	2,065	27	2,067	2,012	13
60-64	2,163	2,122	16	2,340	2,281	25
65-69	1,913	1,874	29	1,869	1,836	10
70-74	1,441	1,406	15	1,500	1,476	10
75-79	988	938	16	1,037	1,012	0
80-84	605	589	1	850	818	5
85+	601	596	0	1,288	1,264	5
Total	28,620	27,358	563	28,489	27,472	419
Warren		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	541	461	53	517	440	54
1-4	2,075	1,781	180	1,974	1,718	177
5-9	2,660	2,360	188	2,276	2,072	119
10-14	2,583	2,410	80	2,674	2,462	142
15-19	3,351	3,117	178	3,467	3,223	173
20-24	3,371	3,095	168	3,214	2,973	184
25-29	2,197	1,903	134	2,073	1,864	112
30-34	2,310	1,924	170	2,221	1,949	54
35-39	2,410	2,180	138	2,324	2,155	68

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

40-44	2,442	2,198	122	2,216	2,080	51
45-49	2,377	2,252	58	2,316	2,190	55
50-54	2,442	2,318	84	2,367	2,295	48
55-59	2,763	2,634	89	2,895	2,808	51
60-64	2,876	2,745	46	2,909	2,815	45
65-69	2,672	2,576	38	2,660	2,595	25
70-74	1,996	1,940	40	2,117	2,079	21
75-79	1,408	1,376	22	1,585	1,580	5
80-84	967	952	0	1,260	1,224	22
85+	645	626	13	1,406	1,383	13
Total	42,086	38,848	1,801	42,471	39,905	1,419

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	378	367	10	343	334	9
1-4	1,569	1,512	36	1,508	1,469	34
5-9	1,872	1,780	62	1,911	1,858	41
10-14	2,130	2,056	43	2,132	2,059	60
15-19	2,158	2,049	99	2,042	1,935	80
20-24	1,685	1,604	66	1,642	1,573	36
25-29	1,985	1,908	41	1,863	1,819	27
30-34	2,049	1,973	56	1,968	1,950	14
35-39	2,104	2,052	31	1,993	1,960	17
40-44	2,125	2,085	27	2,034	1,979	35
45-49	2,167	2,137	15	1,988	1,956	14
50-54	2,346	2,300	35	2,233	2,192	11
55-59	2,796	2,751	13	2,731	2,717	8
60-64	2,795	2,778	11	2,534	2,513	12
65-69	2,425	2,391	20	2,034	2,020	6
70-74	1,672	1,653	8	1,683	1,662	12
75-79	1,113	1,099	6	1,390	1,370	4
80-84	794	789	1	982	972	0
85+	753	747	1	1,210	1,203	1
Total	34,916	34,031	581	34,221	33,541	421

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	454	438	8	487	469	10
1-4	1,921	1,888	18	2,043	1,983	48
5-9	2,512	2,455	34	2,542	2,449	70
10-14	2,692	2,620	52	2,513	2,456	43
15-19	2,478	2,408	55	2,389	2,293	60
20-24	2,052	1,977	33	1,946	1,884	25
25-29	2,378	2,310	31	2,124	2,082	21
30-34	2,309	2,297	10	2,125	2,068	39
35-39	2,329	2,303	17	2,337	2,259	17
40-44	2,282	2,249	18	2,385	2,314	10
45-49	2,364	2,317	21	2,289	2,242	19
50-54	2,592	2,539	17	2,524	2,476	21
55-59	2,936	2,886	21	2,869	2,850	9
60-64	3,000	2,964	16	2,824	2,794	20
65-69	2,500	2,467	28	2,604	2,599	0
70-74	2,052	2,036	1	2,253	2,235	2
75-79	1,555	1,526	3	1,838	1,832	0
80-84	1,144	1,132	6	1,342	1,337	0
85+	791	790	1	1,478	1,455	1
Total	40,341	39,602	390	40,912	40,077	415

Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	347	341	6	280	278	1
1-4	1,654	1,617	35	1,390	1,348	33
5-9	2,160	2,091	51	2,155	2,071	22
10-14	2,272	2,226	22	2,255	2,213	25
15-19	1,959	1,923	26	1,862	1,838	18
20-24	1,681	1,608	43	1,519	1,492	12
25-29	1,764	1,708	24	1,810	1,759	36
30-34	1,968	1,896	57	1,889	1,860	15

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

35-39	2,164	2,104	36	2,098	2,068	12
40-44	1,941	1,914	11	2,005	1,966	29
45-49	1,917	1,875	33	1,904	1,853	17
50-54	2,246	2,185	24	2,108	2,082	1
55-59	2,671	2,633	19	2,665	2,614	26
60-64	2,597	2,556	26	2,612	2,579	13
65-69	2,072	2,037	29	2,297	2,257	12
70-74	1,727	1,692	7	1,914	1,902	6
75-79	1,309	1,294	4	1,522	1,509	3
80-84	964	956	5	1,345	1,333	5
85+	894	879	1	1,844	1,824	5
Total	34,307	33,535	459	35,474	34,846	291

Whiteside	Males			Females			
	Age	Total Population	White	Black	Total Population	White	Black
<1		1,496	1,362	110	1,497	1,396	84
1-4		6,357	5,864	412	6,266	5,813	354
5-9		8,624	8,129	407	7,927	7,423	389
10-14		9,392	8,886	399	8,898	8,382	388
15-19		9,221	8,717	352	8,403	7,955	334
20-24		7,960	7,524	335	7,574	7,140	348
25-29		8,110	7,651	350	7,578	7,257	207
30-34		7,624	7,238	287	7,586	7,267	217
35-39		7,926	7,530	295	7,652	7,348	194
40-44		7,820	7,464	261	7,463	7,236	127
45-49		8,873	8,602	162	8,411	8,139	148
50-54		9,107	8,819	161	8,902	8,718	99
55-59		10,115	9,904	128	10,217	9,971	166
60-64		10,390	10,159	115	10,387	10,177	109
65-69		9,065	8,884	93	9,272	9,061	82
70-74		6,877	6,731	65	7,551	7,430	53
75-79		4,688	4,624	37	5,464	5,368	42
80-84		3,220	3,169	38	4,037	3,973	22
85+		2,675	2,641	13	5,178	5,126	15
Total		139,540	133,898	4,020	140,263	135,180	3,378

Will	Males			Females			
	Age	Total Population	White	Black	Total Population	White	Black
<1		17,986	14,079	2,708	17,468	13,555	2,727
1-4		81,351	63,785	11,841	79,140	61,623	11,512
5-9		115,002	89,566	15,849	109,755	85,551	15,016
10-14		135,108	106,042	18,252	129,830	101,143	17,864
15-19		138,058	107,983	20,216	128,052	100,327	18,116
20-24		117,805	91,571	19,192	108,854	85,128	16,890
25-29		104,813	81,208	17,456	99,798	76,840	16,248
30-34		103,646	82,731	14,329	100,881	78,857	13,800
35-39		116,318	93,404	14,183	116,203	90,295	15,006
40-44		119,648	94,649	14,177	120,028	92,892	15,511
45-49		129,759	102,868	15,376	128,440	99,935	17,079
50-54		130,019	106,674	14,403	126,797	102,315	15,693
55-59		122,119	101,805	13,610	120,118	98,870	14,677
60-64		101,429	85,402	10,625	101,556	83,821	12,010
65-69		77,026	65,087	7,741	82,365	68,260	9,442
70-74		58,065	49,609	5,424	65,987	55,796	6,742
75-79		36,341	31,683	2,808	44,557	38,253	3,886
80-84		20,253	17,510	1,404	29,358	25,481	2,407
85+		15,856	14,132	823	32,454	29,070	2,166
Total		1,740,602	1,399,788	220,417	1,741,641	1,388,012	226,792

Williamson	Males			Females			
	Age	Total Population	White	Black	Total Population	White	Black
<1		1,792	1,592	177	1,687	1,512	153
1-4		8,174	7,331	693	7,395	6,484	709
5-9		10,574	9,454	871	9,671	8,630	768
10-14		10,995	9,874	932	10,127	9,147	757
15-19		9,993	9,036	805	9,333	8,556	607
20-24		9,093	7,989	920	8,124	7,447	536
25-29		10,846	9,482	1,135	10,197	9,371	660

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

30-34	11,517	9,968	1,298	10,512	9,734	509
35-39	11,831	10,453	1,088	10,908	10,088	495
40-44	11,221	10,045	966	10,180	9,355	432
45-49	11,175	10,180	759	10,362	9,738	389
50-54	10,853	10,196	500	10,303	9,778	334
55-59	11,566	11,011	375	11,774	11,272	318
60-64	11,097	10,719	277	11,476	10,978	334
65-69	9,478	9,205	189	10,224	9,844	259
70-74	8,014	7,759	170	9,089	8,818	178
75-79	5,313	5,130	108	6,708	6,527	92
80-84	3,193	3,110	41	4,688	4,567	78
85+	2,435	2,329	68	4,436	4,356	55
Total	169,160	154,863	11,372	167,194	156,202	7,663
Winnebago		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	8,718	6,085	2,264	8,303	5,832	2,108
1-4	36,573	25,731	9,221	34,936	24,881	8,527
5-9	46,326	33,717	10,498	43,992	32,389	9,821
10-14	49,878	36,687	10,923	47,092	34,922	10,017
15-19	48,315	36,381	9,866	45,485	34,291	9,034
20-24	43,547	33,351	8,283	43,635	33,037	8,742
25-29	45,085	34,801	8,456	46,072	34,432	9,724
30-34	42,608	33,613	7,069	44,074	33,755	8,266
35-39	42,488	34,408	6,024	43,959	34,651	7,173
40-44	40,502	33,624	5,099	41,518	33,146	6,442
45-49	44,216	37,090	5,340	43,961	35,897	5,974
50-54	45,593	39,025	4,924	46,028	38,690	5,546
55-59	49,433	43,031	4,994	50,319	43,021	5,690
60-64	46,300	40,908	4,119	48,273	41,881	4,954
65-69	39,118	34,767	3,276	42,598	37,276	4,206
70-74	30,275	27,314	2,296	34,523	30,830	2,868
75-79	20,061	18,185	1,195	24,302	21,619	2,004
80-84	12,187	11,178	705	16,771	15,166	1,246
85+	10,438	9,688	542	20,735	19,407	1,014
Total	701,661	569,584	105,094	726,576	585,123	113,356
Woodford		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	1,036	999	20	956	921	23
1-4	4,617	4,492	80	4,271	4,143	94
5-9	6,661	6,392	156	6,094	5,869	152
10-14	7,375	7,093	150	6,730	6,538	123
15-19	7,236	6,984	162	6,698	6,511	129
20-24	5,778	5,535	121	5,408	5,211	119
25-29	4,947	4,828	82	4,657	4,542	76
30-34	5,178	5,058	81	5,124	5,004	42
35-39	6,145	6,023	87	6,310	6,058	29
40-44	6,024	5,928	57	5,772	5,676	43
45-49	5,791	5,715	37	5,587	5,461	33
50-54	6,287	6,198	45	6,059	5,953	30
55-59	7,006	6,886	48	6,743	6,634	34
60-64	6,765	6,684	26	6,651	6,578	29
65-69	5,788	5,726	27	5,645	5,545	29
70-74	4,119	4,048	12	4,114	4,032	26
75-79	2,627	2,597	7	3,153	3,125	3
80-84	1,725	1,703	11	2,359	2,333	10
85+	1,805	1,803	2	3,563	3,546	12
Total	96,910	94,692	1,211	95,894	93,680	1,036

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Illinois		Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic	
<1	361,621	83,950	277,671	346,621	81,832	264,789	
1-4	1,529,254	357,287	1,171,967	1,462,677	346,131	1,116,546	
5-9	1,979,270	481,762	1,497,508	1,890,091	466,233	1,423,858	
10-14	2,141,831	554,996	1,586,835	2,048,943	532,747	1,516,196	
15-19	2,197,310	539,642	1,657,668	2,090,296	516,285	1,574,011	
20-24	2,181,128	484,494	1,696,634	2,092,230	467,712	1,624,518	
25-29	2,234,229	448,347	1,785,882	2,177,450	422,062	1,755,388	
30-34	2,207,301	439,604	1,767,697	2,145,565	393,869	1,751,696	
35-39	2,190,465	453,355	1,737,110	2,135,402	403,737	1,731,665	
40-44	2,039,026	435,194	1,603,832	1,999,895	392,671	1,607,224	
45-49	2,042,681	396,074	1,646,607	2,020,996	358,517	1,662,479	
50-54	2,068,719	327,975	1,740,744	2,062,454	293,421	1,769,033	
55-59	2,142,575	261,500	1,881,075	2,184,519	239,324	1,945,195	
60-64	1,971,533	200,401	1,771,132	2,070,992	190,529	1,880,463	
65-69	1,590,292	138,956	1,451,336	1,747,750	138,752	1,608,998	
70-74	1,187,456	89,736	1,097,720	1,382,923	98,930	1,283,993	
75-79	765,004	51,709	713,295	975,925	63,803	912,122	
80-84	481,516	32,020	449,496	693,905	43,006	650,899	
85+	425,391	27,466	397,925	869,486	45,944	823,542	
Total	31,736,602	5,804,468	25,932,134	32,398,120	5,495,505	26,902,615	
Cook	Males			Females			
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic	
<1	155,782	47,432	108,350	149,885	46,505	103,380	
1-4	635,697	201,238	434,459	609,410	194,819	414,591	
5-9	794,129	272,654	521,475	762,931	262,781	500,150	
10-14	833,006	314,585	518,421	801,607	300,809	500,798	
15-19	821,207	301,765	519,442	804,626	291,971	512,655	
20-24	843,345	276,447	566,898	856,015	272,583	583,432	
25-29	1,062,667	274,972	787,695	1,075,096	264,081	811,015	
30-34	1,051,329	270,521	780,808	1,035,893	246,800	789,093	
35-39	959,662	272,589	687,073	949,634	245,946	703,688	
40-44	854,749	260,927	593,822	850,514	236,662	613,852	
45-49	826,123	239,558	586,565	834,561	216,794	617,767	
50-54	814,039	200,908	613,131	823,854	181,728	642,126	
55-59	818,657	163,652	655,005	855,364	153,356	702,008	
60-64	751,378	130,318	621,060	820,008	126,401	693,607	
65-69	594,743	92,575	502,168	688,950	93,874	595,076	
70-74	438,821	60,361	378,460	540,671	67,849	472,822	
75-79	278,262	34,515	243,747	382,499	43,921	338,578	
80-84	178,163	21,558	156,605	275,516	29,652	245,864	
85+	164,072	18,215	145,857	345,017	31,283	313,734	
Total	12,875,831	3,454,790	9,421,041	13,462,051	3,307,815	10,154,236	

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

DuPage		Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic	
<1	25,511	5,228	20,283	24,359	5,065	19,294	
1-4	111,219	22,100	89,119	105,974	21,399	84,575	
5-9	145,220	30,129	115,091	138,664	29,713	108,951	
10-14	158,650	35,560	123,090	150,027	33,983	116,044	
15-19	160,212	33,357	126,855	151,660	31,981	119,679	
20-24	145,937	28,611	117,326	140,135	27,530	112,605	
25-29	144,785	25,193	119,592	138,180	23,326	114,854	
30-34	151,350	25,623	125,727	145,711	22,756	122,955	
35-39	162,780	27,692	135,088	156,401	24,839	131,562	
40-44	151,342	26,961	124,381	147,720	24,600	123,120	
45-49	151,259	23,823	127,436	151,632	22,907	128,725	
50-54	158,347	20,545	137,802	161,944	18,428	143,516	
55-59	166,026	15,732	150,294	172,639	14,755	157,884	
60-64	152,621	11,035	141,586	160,152	11,001	149,151	
65-69	121,969	7,359	114,610	129,876	7,395	122,481	
70-74	89,161	4,397	84,764	101,300	5,190	96,110	
75-79	55,716	2,497	53,219	69,171	3,213	65,958	
80-84	33,570	1,623	31,947	47,514	2,207	45,307	
85+	29,642	1,276	28,366	63,785	2,437	61,348	
Total	2,315,317	348,741	1,966,576	2,356,844	332,725	2,024,119	
Kane	Males			Females			
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic	
<1	15,299	6,887	8,412	14,278	6,485	7,793	
1-4	65,809	28,616	37,193	62,093	26,940	35,153	
5-9	87,624	37,424	50,200	84,286	36,832	47,454	
10-14	100,888	44,785	56,103	95,814	43,157	52,657	
15-19	100,955	42,947	58,008	94,828	41,366	53,462	
20-24	85,470	36,289	49,181	81,967	35,504	46,463	
25-29	77,506	30,957	46,549	73,669	29,626	44,043	
30-34	78,934	29,622	49,312	75,616	26,444	49,172	
35-39	88,620	32,777	55,843	83,681	28,707	54,974	
40-44	87,841	33,203	54,638	85,033	29,955	55,078	
45-49	91,111	30,131	60,980	89,174	28,157	61,017	
50-54	90,787	24,761	66,026	87,831	21,297	66,534	
55-59	89,153	19,070	70,083	87,339	16,311	71,028	
60-64	75,800	13,283	62,517	76,779	12,447	64,332	
65-69	59,833	8,931	50,902	64,684	8,699	55,985	
70-74	44,596	5,899	38,697	50,930	5,902	45,028	
75-79	28,163	3,420	24,743	34,809	3,764	31,045	
80-84	16,892	1,831	15,061	22,475	2,286	20,189	
85+	13,848	1,529	12,319	27,219	2,278	24,941	
Total	1,299,129	432,362	866,767	1,292,505	406,157	886,348	

Total five-year population, 2017-2021, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Lake	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	17,975	6,162	11,813	17,397	6,030	11,367
1-4	82,456	27,011	55,445	79,585	26,473	53,112
5-9	116,338	37,216	79,122	111,156	36,042	75,114
10-14	133,722	42,535	91,187	128,617	41,303	87,314
15-19	152,029	44,031	107,998	132,889	40,224	92,665
20-24	141,552	38,744	102,808	117,385	34,650	82,735
25-29	106,306	30,135	76,171	94,459	27,828	66,631
30-34	99,347	27,485	71,862	95,935	24,850	71,085
35-39	111,887	29,638	82,249	110,192	26,987	83,205
40-44	114,911	30,300	84,611	113,466	27,738	85,728
45-49	120,940	27,928	93,012	120,178	25,992	94,186
50-54	126,152	23,383	102,769	126,148	21,055	105,093
55-59	128,679	18,313	110,366	129,578	16,222	113,356
60-64	113,044	12,527	100,517	115,046	11,323	103,723
65-69	86,250	7,835	78,415	91,065	7,648	83,417
70-74	63,579	4,820	58,759	69,969	5,272	64,697
75-79	39,312	2,639	36,673	47,289	3,221	44,068
80-84	23,716	1,705	22,011	32,307	2,145	30,162
85+	21,838	1,310	20,528	41,167	2,112	39,055
Total	1,800,033	413,717	1,386,316	1,773,828	387,115	1,386,713

Will	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	17,986	4,648	13,338	17,468	4,653	12,815
1-4	81,351	20,420	60,931	79,140	20,511	58,629
5-9	115,002	27,951	87,051	109,755	27,578	82,177
10-14	135,108	33,663	101,445	129,830	32,785	97,045
15-19	138,058	33,596	104,462	128,052	31,104	96,948
20-24	117,805	28,577	89,228	108,854	26,339	82,515
25-29	104,813	23,456	81,357	99,798	22,476	77,322
30-34	103,646	22,874	80,772	100,881	21,260	79,621
35-39	116,318	25,130	91,188	116,203	22,767	93,436
40-44	119,648	25,029	94,619	120,028	23,231	96,797
45-49	129,759	23,348	106,411	128,440	21,397	107,043
50-54	130,019	18,882	111,137	126,797	16,507	110,290
55-59	122,119	13,757	108,362	120,118	12,090	108,028
60-64	101,429	9,606	91,823	101,556	8,413	93,143
65-69	77,026	6,104	70,922	82,365	5,865	76,500
70-74	58,065	4,008	54,057	65,987	4,206	61,781
75-79	36,341	2,483	33,858	44,557	2,734	41,823
80-84	20,253	1,338	18,915	29,358	1,867	27,491
85+	15,856	1,137	14,719	32,454	1,952	30,502
Total	1,740,602	326,007	1,414,595	1,741,641	307,735	1,433,906

APPENDIX B

ISCR County Cancer Site Groups

ISCR cancer site groups used in county tables	SEER site recodes
1 oral cavity and pharynx	20010-20100
2 esophagus	21010
3 stomach	21020
4 colorectal	21041-21052
5 liver	21071
6 pancreas	21100
7 lung and bronchus	22030
8 bone	23000
9 melanoma of skin	25010
10 breast-invasive	26000 (behavior 3 only)
11 cervix	27010
12 uterus	27020-27030
13 ovary	27040
14 prostate	28010
15 testis	28020
16 urinary bladder	29010
17 kidney and renal pelvis	29020
18 brain and CNS	31010-31040
19 Hodgkin lymphoma	33011-33012
20 non-Hodgkin lymphoma	33041-33042
21 myeloma	34000
22 leukemia	35011-35043
23 all other sites	21030, 21060, 21072, 21080, 21090, 21110, 21120, 21130, 22010, 22020, 22050, 22060, 24000, 25020, 27050, 27060, 27070 28030, 28040, 29030, 29040, 30000, 32010, 32020, 36010, 36020, 37000
24 breast <i>in situ</i>	26000 (behavior 2 only)

APPENDIX C

Formulas for Rates

Age-Adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. The standard populations used for this report is the U.S. populations 2000. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[\left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right) \right]$$

where $count_i$ is the number of cases for the ith age group, pop_i is the relevant population for the same age group, and $stdmil_i$ is the standard population for the same age group.

Standard Error for an Age-Adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AArate} = \left[\sum_{i=x}^y \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i} \right)^{\frac{1}{2}} \right]^{\frac{1}{2}} \times 100,000$$

Age-Adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$\begin{aligned} w_i &= \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^y stdmil_j \right)} \\ v &= \sum_{i=x}^y \left(w_i^2 \times \frac{count_i}{population_i} \right) \end{aligned}$$

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(\frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studies is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

References:

Johnson NL, Kotz S. *Distributions in Statistics: Discrete Distributions*. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.