

# INFLUENZA SURVEILLANCE UPDATE

# ILLINOIS DEPARTMENT OF PUBLIC HEALTH

Divisions of Infectious Disease
Week 41: Week Ending Saturday, October 17, 2015


Vaccination is the best way to protect against influenza infection. All Illinois residents aged six months and older should be vaccinated annually.

All data in this report are provisional and may change as additional reports are received. For questions, please contact the IDPH CD Section at 217-782-2016 or <a href="mailto:dph.influenza@illinois.gov">dph.influenza@illinois.gov</a>. Additional data on influenza in Chicago can be found on the City of Chicago Influenza Website

Current Week Quick Stats			
Illinois Influenza Geographic Spread	No Activity		
Percent of outpatients visits for ILI <sup>1</sup>	1.06% (baseline 1.9%)		
Percent/Number of influenza positive tests <sup>2</sup>	1.0% (3/314)		
Influenza-associated ICU admissions <sup>3</sup>	2		
Influenza outbreaks	0		
Influenza-associated pediatric deaths (Season Total)	0		

### Illinois Influenza-Like Illness (ILI) Surveillance

# Influenza-Like Illness Percent by Season, Illinois, 2009-2010-2016





<sup>&</sup>lt;sup>1</sup> ILI "Influenza like Illness" is defined as fever ≥ 100°F and cough and/or sore throat.

<sup>&</sup>lt;sup>2</sup> Specimens tested by WHO/NREVSS collaborating laboratories and IDPH laboratories.

<sup>&</sup>lt;sup>3</sup> For the purpose of diagnosis, influenza can be diagnosed by using the following test: reverse transcription polymerase chain reaction RT-PCR], viral culture, Immunofluorescence [Direct Fluorescent Antibody (DFA) or Indirect Fluorescent Antibody (IFA) Staining], Enzyme Immuno Assay (EIA) or any rapid diagnostic test. Sensitivities of rapid diagnostic tests are approximately 50-70% when compared with viral culture or reverse transcription polymerase chain reaction (RT-PCR), and specificities of rapid diagnostic tests for influenza are approximately 90-95%. False-positive (and true-negative) results are more likely to occur when disease prevalence in the community is low, which is generally at the beginning and end of the influenza seasons. False-negative (and true-positive) results are more likely to occur when disease prevalence is high in the community, which is typically at the height of the influenza season.

# Percent of ILI Reported From Sentinel Providers by Region, Illinois, Influenza Season 2015-2016





# **Become an Illinois Sentinel Provider**

Illinois outpatient health care providers are encouraged to join the Illinois influenza surveillance program. Each week, providers report data to CDC on the number of patients seen and the number with influenza-like illness. These reporters are critical to determining when and where influenza activity is occurring and who it is affecting. For more information on how to participate, contact <a href="mailto:DPH.INFLUENZA@ILLINOIS.GOV">DPH.INFLUENZA@ILLINOIS.GOV</a>.

#### **Resources**


- IDPH Seasonal Influenza
- IDPH Immunization
- CDC Influenza
- CDC Influenza Vaccine
- Cook County Influenza Report
- <u>DuPage County Influenza Report</u>
- Kane County Influenza Report

- Vaccine Finder
- Immunization Action Coalition
- National Respiratory and Enteric Virus Surveillance System (NREVSS), CDC
- St Louis Children's Hospital Weekly Virus/Microbiology Update

# Illinois Influenza-associated Intensive Care Unit (ICU) Admissions

Age	Current Week	Season Total (10/04/2015 – Present Week)
0-4	0	0
5-24	0	0
25-49	0	1
50-64	1	1
>64	1	1
Total	2	3


# Influenza Related ICU Admissions by Age Group, Illinois, 2014-2016



# **Illinois Laboratory Surveillance (IDPH, NREVSS & ACL Laboratories)**

Current Week					
A (H1N1)	A (H3)	А	В	В	В
pdm09		(Sub typing not performed)	(Victoria Lineage)	(Yamagata Lineage)	(Lineage not performed)
0	1	2	0	0	0


Season Total (10/04/2015 – Present Week)					
A (H1N1) pdm09	A (H3)	A (Sub typing not performed)	B (Victoria Lineage)	B (Yamagata Lineage)	B (Lineage not performed)
0	1	5	0	0	0



# **Influenza Outbreaks**

Region	Current Week	Season Total (10/04/2015 – Present Week)
Rockford	0	0
Peoria	0	0
Edwardsville	0	1
Marion	0	0
Champaign	0	0
West Chicago	0	0
Chicago/Cook	0	0
Total	0	1


Influenza Outbreaks by First Onset Date, Illinois, 2015-2016



**Date of First Onset** 

# National Influenza Surveillance (CDC)

# Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet 2015-16 Influenza Season Week 41 ending Oct 17, 2015



- \* This map uses the proportion of outpatient visits to healthcare providers for influenza-like illness (ILI) to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state.
- \* Click Link to View The Animated National Activity Level Map

#### **Additional National Influenza Resources**

International influenza surveillance (WHO)—Map shows spread not severity –information is available at: <a href="http://who.int/influenza/surveillance">http://who.int/influenza/surveillance</a> monitoring/updates/latest update GIP surveillance/en/

National Influenza Surveillance (CDC) information can be found in the weekly FluView reports available at: <a href="https://www.cdc.gov/flu/weekly/">www.cdc.gov/flu/weekly/</a>

CDC FluView Website—Link to CDC's Weekly Influenza Report http://www.cdc.gov/flu/weekly/#S5

# **Antiviral Resistance:**

This information
will be updated
as the season progresses.