



State of Illinois
Illinois Department of Public Health

Illinois State Cancer Incidence Review and Update, 1986-2018

Epidemiologic Report Series 21:04

May 2021

Illinois State Cancer Incidence Review and Update, 1986-2018



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois

May 2021

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Tiefu Shen, M.D., Ph.D.
Division Chief

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number 5-NU58DP006315-04-00 from the U.S. Centers for Disease Control and Prevention (CDC) National Cancer Prevention and Control Program. The contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Garner K, Shen T. Illinois State Cancer Incidence Review and Update, 1986-2018. Epidemiologic Report Series 21:04. Springfield, Ill.: Illinois Department of Public Health, May 2021.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), makes these data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE
1986-2018

TABLE OF CONTENTS

Overview	1
Technical Notes	2

SECTION I

Cancer Incidence by Race, Illinois, 1986-2018.....	I-1 All
Sites Combined.....	I-2 Oral
Cavity and Pharynx.....	I-8 Digestive
System.....	I-62 Respiratory
System	-128
Bones and Joints.....	-146
Soft Tissue, Including Heart	-152
Skin Excluding Basal and Squamous.....	-158
Breast Excluding <i>In Situ</i>	-170
Female Genital System	-176
Male Genital System	-188
Urinary System	-196
Eye and Orbit	-220
Brain and Other Nervous System.....	-226
Endocrine System.....	-238
Lymphoma	-250
Myeloma.....	-268
Leukemia	-274
Mesothelioma.....	-310
Kaposi Sarcoma	-316
Ill-defined and Unknown Sites	-322
Female Breast <i>In Situ</i>	-328

SECTION II

Cancer Incidence by Hispanic Ethnicity and Race, Illinois, 1990-2018.....	-1
All Sites Combined.....	II-2 Oral
Cavity and Pharynx.....	II-5 Digestive
System.....	II-32 Respiratory
System	-65
Bones and Joints.....	-74

Soft Tissue, Including Heart.....	-77
Skin Excluding Basal and Squamous	-80
Breast Excluding In Situ.....	II-86
Female Genital System.....	II-89
Male Genital System	-95
Urinary System (Including Bladder In Situ)	-99
Eye and Orbit	-111
Brain and Other Nervous System.....	-114
Endocrine System	-120
Lymphoma.....	-126
Myeloma.....	-135
Leukemia	-138
Mesothelioma	-156
Kaposi Sarcoma.....	-159
III-defined and Unknown Sites.....	-162
Female Breast In Situ.....	-165

SECTION III

Pediatric Cancer Incidence, Illinois, 1986-2018.....	III-1All
Sites.....	III-2
Leukemia.....	III-3
Lymphomas and Reticuloendothelial Neoplasms.....	III-6 CNS
and Miscellaneous Intracranial and Intrap spinal Neoplasms.....	III-9
Neuroblastoma and Other Peripheral Nervous Cell Tumors.....	III-14
Retinoblastoma	-16
Renal Tumor	-17
Hepatic Tumor.....	III-19
Malignant Bone Tumor.....	III-21
Soft Tissue and Other Extraskeletal Sarcomas	-24
Germ Cell, Trophoblastic Tumors and Neoplasms of Gonads.....	III-26
Other Malignant Epithelial Neoplasms and Melanomas	-29
Other and Unspecified Malignant Neoplasms	-32

Appendix A: Illinois Populations Used for Rate Calculations 1986-2018	A-1
Appendix B: SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008	B-1
Appendix C: SEER Site Groups for Pediatric Incidence Based on ICD-O-3 / WHO 2008...	C-1
Appendix D: Formulas for Rates	D-1

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE 1986-2018

OVERVIEW

This is the 28th release of the annual Illinois state cancer statistics report. This report presents Illinois' cancer incidence for 1986 through 2018 for all races combined, Whites, Blacks and Asian/other races and for 1990 through 2018 for Hispanics (any race), non-Hispanics (any race), non-Hispanic Whites and non-Hispanic Blacks. Pediatric cancer incidence statistics on Illinois children for 1986 through 2018 are included in a separate section. Cancer mortality data is presented in a separate report. To be consistent with national guidelines, all rates in this report were created using both the intercensal and Vintage 2019 population estimates and age-adjusted to the 2000 U.S. standard million population.

Cancer group definitions for major and minor sites are those established by the Surveillance Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR) and the United States Cancer Statistics (USCS) of the U.S Centers for Disease Control and Prevention (CDC). These standardized classification schemes allow direct comparisons of Illinois cancer statistics with international, national, and state publications.¹⁻⁵

In this report, incidence data were tabulated for each major or minor cancer site for four race groups and four ethnicity/race groups. Counts, age-adjusted rates, standard errors, and 95% confidence intervals for rates are displayed for the combined 1986-2018 time-period as well as for individual years. For cancers occurring in both genders, separate tables are presented for both males and females. Pediatric cancer incidence rates are presented for all races, both sexes, and by two age groups: 0- 14 and 0-19 years.

INCIDENCE HIGHLIGHTS

- A total of 1,964,240 cases of invasive cancer among Illinois residents were reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2018, including 69,412 new cases reported in 2018. The overall race distribution for cases in 2018 was 81.8% White, 13.3% Black, 3.2% Asian/other races, and 1.7% percent unknown race.
- For the ethnicity/race categories, a total of 1,785,303 cases of invasive cancer among Illinois residents were reported to ISCR from 1990 through 2018. The ethnicity/race distribution for cases diagnosed in 2018 was 7.7% Hispanics(any race) and 92.2% non-Hispanics (any race); among non-Hispanic cases, non-Hispanic Whites accounted for 81.0% and non-Hispanic Blacks 14.3%.

- In 2018, Black males continue to have the highest overall age-adjusted invasive cancer incidence rates of all major race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their white or black counterparts.
- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for 29.6% of 35,222 invasive cancer diagnoses in women during 2018. The predominance of breast cancer among females persists for all major race and ethnicity groups.
- The incidence of female breast cancer diagnosed in the *in situ* stage increased steadily for every race and ethnicity group across 1986-1999 with an annual percent increase of 8.2%, but slowed after 1999. The annual percent change between 1999 and 2012 was an increase of 1.7% for all races. Between 2012 and 2018 the annual percent changed direction and decreased by 2.0% annually. These trends suggested that screening mammography usage and the earlier detection of breast cancer among Illinois women has plateaued.
- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for 25.2% of 34,190 new cancer diagnoses in men during 2018. Black males had the highest prostate cancer incidence rates among all race groups, approximately 63.9% higher than those observed for White males and over three times those observed for males of Asian/other races in 2018.
- The incidence of male prostate cancer realized an 18.7% annual increase between 1989 and 1992. The rate then dropped slightly before plateauing between 1995 and 2008. From 2008 to 2013 the annual percent change for prostate cancer incidence indicated a 7.9% decrease on average. After 2013 the trend again flattened out through 2018. The same trend was seen across 1986-2018 in both White and Black men.
- A total of 19,026 new cases of cancer were diagnosed during 1986-2018 among Illinois children aged 0 to 19 years. The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system, and lymphoma.

TECHNICAL NOTES

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories, and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are believed to be reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008), and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents, and their standards of quality.⁶ Between 1986 and 2018, 5.8% of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths to identify cases not reported to ISCR. Between 1986 and 2018, 1.6% of reported cases were identified from death certificate clearance.

Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the 2-to-4-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as of November 2020.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public, however the identification or contact of individuals is prohibited.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made.

Uses of these data do not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

Population Estimates

The population estimates of the sex- and race-specific, as well as sex- and ethnicity/race-specific groups in five-year age categories, were used as denominators in the formulation of rates. These population estimates of Illinois for all races, Whites, Blacks and Asian/other races from 1986 through 2018, and for Hispanics, non-Hispanics, non-Hispanic White and non-Hispanic Black for 1990 through 2018 were obtained from both the intercensal and Vintage 2019 bridged-race post census population estimates files. Population estimates by age, sex, race, and Hispanic origin were produced by the U. S. Census Bureau's Population Estimates Program (<http://www.census.gov/programs-surveys/popest.html>), in collaboration with the National Center for Health Statistics, and with support from the National Cancer Institute (NCI) through an interagency agreement. The population estimates incorporate intercensal (for 2000-2009) and Vintage 2019 (for 2010-2018) bridged single-race estimates derived from the original multiple race categories in the 2000 and 2010 censuses (as specified in the 1997 U.S. Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm).

The intercensal estimates provide an adjustment of previous population estimates based on the actual 2010 census results (<https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/intercensal/2000-2010-intercensal-estimates-methodology.pdf>).^{7,8} Previous estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Site Coding for Incidence Data: All cases diagnosed during 1986 through 2018 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.⁹ Cancer sites in this report were grouped according to site group definitions established by the SEER program of the National Cancer Institute (NCI)⁵ and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national, and other state publications.³⁻⁵ The ISCR cancer site groups used in this report are listed in Appendix B.

Beginning with the 1986-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers.

When comparing this report to the ones published before the 1986-2002 report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, Myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Overall, these changes would have a slight impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 1986-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data, subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Pediatric Cancer Groups: Tumors diagnosed in children are classified using SEER site/histology recode based on the *International Classification of Childhood Cancer, Third Edition* (ICCC-3)¹⁰ and ICD-O-3. The main classification table of SEER recode scheme used in the present report was listed in Appendix C.

Rate Calculation: The SEER*Stat® software package,¹¹ developed by the Information Management Services Inc. for NCI, was used to calculate both incidence and mortality rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1 million population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. They are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.¹² Algorithms used for the calculation of standard errors and 95% confidence intervals are displayed in Appendix D.

Race-specific Rates: The race-specific categories in this report are all races combined, Whites, Blacks, and Asian/other races. Cases reported as unknown race were included in the "all races" category, but not in any race-specific group.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 was linked to the Indian Health Service (IHS), which provides medical services to an estimated 55% of the American Indian/Alaska Native population.¹³ If a race code in the ISCR database is White, Black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/AlaskanNative, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for Whites, Blacks, or Asian/other races due to the relatively small number of cases affected.

Through the utilization of the NAACCR Asian Pacific Islander Identification Algorithm (NAPIIA), improvements have been, and will continue to be, made in classifying cancer incidence cases as Asian or Pacific Islander. Through the use of the birthplace and first, last, and maiden name fields, NAPIIA assigns a more specific race group to cases identified as Asian NOS, Pacific Islander NOS, other, and unknown.¹⁴

Since 1991, the ISCR has included the race category “Other Unspecified” in an aggregate group that contained “Asian and Other Races.” Beginning with the 2010 data year the “Other Unspecified” race group will not be included in the aggregate “Asian and Other Races” aggregate group used in the report. Cases identified as a race of “Other Unspecified” will continue to be included in the “All Races” grouping. This was done in an effort to maintain comparability to other state and national reporting sources.

Ethnicity/Race Rates: Hispanic ethnicity was derived according to the NAACCR Hispanic identification algorithm (NHIA).¹⁵ NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.¹⁶ Ethnic categories are reported as Hispanic (any race), non-Hispanic (any race), non-Hispanic Whites and non-Hispanic Blacks. In order to be consistent with national and other state reports, cases reported as “unknown” ethnicity are included in the non-Hispanic group.

QUALITY CONTROL

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In addition to these activities, in 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy, and timeliness of reporting (starting with cases diagnosed in 1995). Since then,ISCR has submitted data each year to the NAACCR *Call for Data* and for NAACCR registry certification. Based on the certification criteria shown in the following table,² ISCR has been awarded gold certification for all diagnosis years from 1996 through 2017.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2020, ISCR quality control data for each diagnosis year are as follow:

Year	Completeness (NAACCR Method) ^a (% As of 11-20)	Pass EDITS (%)	DCO ^b (%)	Unresolved Duplicate ^c (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1986	88	~	~	~	0.0	0.0	0.0	0.2
1987	90	~	~	~	0.0	0.0	0.0	0.2
1988	87	~	~	0.04	0.0	0.0	0.0	0.2
1989	88	~	~	0.04	0.0	0.0	0.0	0.2
1990	89	100	~	0.04	0.0	0.0	0.0	0.2
1991	88	100	~	0.04	0.0	0.0	0.0	0.5
1992	91	100	~	0.04	0.0	0.0	0.0	0.3
1993	92	100	2.2	0.04	0.0	0.0	0.0	0.2
1994	97	100	6.1	0.06	0.0	0.0	0.0	0.3
1995	99	100	2.6	0.03	0.0	0.0	0.0	0.3
1996	100	100	1.8	0.02	0.0	0.0	0.0	0.4
1997	100	100	1.8	0.09	0.0	0.0	0.0	0.5
1998	100	100	1.5	0.03	0.0	0.0	0.0	0.7
1999	100	100	1.8	0.02	0.0	0.0	0.0	0.7
2000	100	100	2.3	0.03	0.0	0.0	0.0	0.8
2001	100	100	2.4	0.00	0.0	0.0	0.0	0.7
2002	100	100	2.6	0.00	0.0	0.0	0.0	0.8
2003	100	100	1.5	0.02	0.0	0.0	0.0	0.9
2004	100	100	1.7	0.01	0.0	0.0	0.0	0.9
2005	100	100	1.9	0.00	0.0	0.0	0.0	1.1
2006	100	100	2.0	0.00	0.0	0.0	0.0	0.8
2007	100	100	1.2	0.00	0.0	0.0	0.0	0.8
2008	100	100	1.6	0.07	0.0	0.0	0.0	1.0
2009	100	100	1.6	0.03	0.0	0.0	0.0	1.1
2010	100	100	1.8	0.03	0.0	0.0	0.0	1.1
2011	100	100	1.8	0.00	0.0	0.0	0.0	1.3
2012	100	100	0.9	0.02	0.0	0.0	0.0	1.1
2013	100	100	1.0	0.02	0.0	0.0	0.0	1.0
2014	100	100	2.1	0.02	0.0	0.0	0.0	1.1
2015	100	100	2.1	0.09	0.0	0.0	0.0	1.1
2016	100	100	2.0	0.09	0.0	0.0	0.0	1.0
2017	100	100	2.0	0.06	0.0	0.0	0.0	0.9
2018	100	100	1.5	0.07	0.0	0.0	0.0	1.7

~ not applicable

a. For data prior to 1995, the NAACCR's completeness estimating algorithm (version 1) was used. For data on or after 1995, the NAACCR's completeness estimating algorithm (version 2) was used.

b. DCO follow back not started until end of 1993 reporting year.

c. NAACCR's duplicate protocol was run for each year at the time of data submission for registry certification.

DATA INTERPRETATION

Observed variations and differences over years and across sex and race groups in cancer incidence and/or mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes or differences, however, may not be real but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts (i.e., fewer than 16).
- Differences in registry database completeness and data quality will influence the magnitude of cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95% complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the “true” rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.
- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990, 2000, and 2010, the years of the U.S. decennial census, are the most accurate for all age-, race-, ethnicity-, and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence rates based on these population estimates would be expected to be less accurate than those for 1990, 2000, or 2010 (see notes under “Population Estimates”).
- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex, race, and ethnicity/race groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines, with 95% probability, where the “true” rate may fall. The comparison of two sets of confidence intervals is only approximately equivalent to statistical significance tests for differences between two rates and may be more conservative than the standard significance test when the null hypothesis is true.¹⁷

REFERENCES

1. Thornton ML (ed). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Record Layout Version 21.* Twenty Second Edition. Springfield, Ill.: North American Association of Central Cancer Registries, August 2020.
2. Hofferkamp, J (Ed). *Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data.* Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
3. Sherman R, Firth R, Charlton M, et al (eds). *Cancer in North America: 2013-2017. Volume One: Combined Cancer Incidence for the United States, Canada, and North America.* Springfield, Ill.: North American Association of Central Cancer Registries, Inc. June 2020.
4. Sherman R, Firth R, Charlton M, et al (eds). *Cancer in North America: 2013-2017. Volume Two: Registry-specific Cancer Incidence in the United States and Canada.* Springfield, Ill.: North American Association of Central Cancer Registries, Inc. June 2020.
5. Howlander N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975-2018, National Cancer Institute. Bethesda, Md., https://seer.cancer.gov/csr/1975_2018/, based on November 2020 SEER data submission, posted to the SEER website, April 2021.
6. Lehnher M and Havener LA. Assessment of Interstate Exchange of Cancer Data, 1986-1998. *ISCR Quality Control Series 02:1.* Springfield, Ill.: Illinois Department of Public Health, January 2002.
7. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2019.* U.S. Census Bureau . [2019-est-relnotes.pdf \(census.gov\)](https://www.census.gov/popest/estimates/2019/est-relnotes.pdf) Accessed May 13, 2021.
8. Surveillance Epidemiology and End Results, National Cancer Institute, U.S. National Institutes of Health. SEER – website. <http://seer.cancer.gov/popdata/>. Accessed April 5, 2020.
9. Fritz A, Percy C, Jack A, et al (eds). *International Classification of Diseases for Oncology.* Third edition. Geneva: World Health Organization, 2000.
10. Steliarova-Foucher E, Stiller C, Lacour B, and Kaatsch P. The International Classification of Childhood Cancer, Third Edition. *Cancer.* 2005;103:1457-67.

11. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) Version 8.3.6, August 6, 2019.
12. Tiwari RC, Clegg LX, and Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.
13. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, and Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.
14. NAACCR Race and Ethnicity Workgroup. *NAACCR Asian/Pacific Islander identification Algorithm [ANPIIA v1.2.1]: Enhancing the Specificity of Identification*. Springfield, Ill.: North American Association of Central Cancer Registries, August 2011.
15. NAACCR Race and Ethnicity Workgroup. *NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino identification Algorithm [NHIA v2.2.1]*. Springfield, Ill.: North American Association of Central Cancer Registries, September 2011.
16. Howe HL. *Evaluation of NHIA Submission for 1997-2001*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
17. Schenke N and Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I
Cancer Incidence by Race
Illinois, 1986-2018

Invasive Cancer Incidence by Race, Illinois 1986-2018

All Sites											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,964,240	474.4	0.34	473.7	475.1	1,660,227	473.3	0.37	472.5	474.0	
1986	43,026	406.3	1.99	402.4	410.2	37,704	403.0	2.11	398.8	407.1	
1987	45,266	424.3	2.02	420.3	428.3	39,758	423.1	2.15	418.8	427.3	
1988	45,204	420.6	2.00	416.7	424.5	39,356	416.2	2.13	412.1	420.4	
1989	45,441	420.7	2.00	416.8	424.6	39,594	417.5	2.12	413.3	421.6	
1990	47,507	435.3	2.02	431.4	439.3	41,484	433.5	2.15	429.3	437.7	
1991	49,083	443.6	2.02	439.7	447.6	43,145	445.3	2.16	441.1	449.6	
1992	52,042	464.1	2.05	460.0	468.1	45,604	465.7	2.20	461.4	470.0	
1993	52,845	465.9	2.04	461.9	469.9	45,737	462.8	2.18	458.6	467.1	
1994	55,555	486.6	2.07	482.5	490.6	47,898	482.5	2.21	478.2	486.9	
1995	55,198	479.7	2.05	475.7	483.8	47,215	474.1	2.19	469.8	478.4	
1996	56,369	487.0	2.06	483.0	491.1	48,094	481.2	2.20	476.9	485.6	
1997	56,673	485.6	2.04	481.6	489.6	48,418	481.5	2.19	477.2	485.8	
1998	57,776	490.1	2.04	486.1	494.1	49,095	484.5	2.19	480.2	488.8	
1999	58,866	494.8	2.04	490.8	498.8	50,315	493.8	2.20	489.5	498.1	
2000	59,194	493.5	2.03	489.6	497.5	50,247	490.7	2.19	486.4	495.0	
2001	60,952	504.0	2.04	500.0	508.0	51,763	502.6	2.21	498.3	506.9	
2002	62,377	510.8	2.05	506.8	514.8	52,910	509.9	2.22	505.5	514.2	
2003	61,025	493.6	2.00	489.7	497.6	51,545	492.0	2.17	487.8	496.3	
2004	61,646	493.9	2.00	489.9	497.8	52,022	493.4	2.17	489.2	497.7	
2005	62,054	491.3	1.98	487.4	495.2	52,070	489.5	2.16	485.3	493.7	
2006	63,951	501.5	2.00	497.6	505.4	53,551	500.0	2.18	495.7	504.3	
2007	65,178	503.3	1.99	499.4	507.2	54,568	503.1	2.17	498.8	507.4	
2008	66,611	505.9	1.98	502.0	509.8	55,732	506.5	2.17	502.3	510.8	
2009	66,988	501.1	1.96	497.2	504.9	55,818	501.2	2.15	497.0	505.4	
2010	65,720	483.6	1.91	479.9	487.4	54,557	483.1	2.10	479.0	487.3	
2011	67,100	485.7	1.90	482.0	489.4	55,676	486.4	2.10	482.3	490.5	
2012	66,069	469.6	1.86	466.0	473.3	54,667	470.3	2.05	466.3	474.3	
2013	66,663	466.0	1.84	462.4	469.6	55,126	467.7	2.03	463.8	471.7	
2014	68,256	469.4	1.83	465.9	473.1	56,318	471.3	2.03	467.4	475.3	
2015	69,657	473.2	1.83	469.6	476.8	57,350	475.9	2.03	471.9	479.9	
2016	70,166	471.6	1.82	468.0	475.2	57,965	476.9	2.03	472.9	480.9	
2017	70,370	466.4	1.80	462.9	469.9	58,146	472.8	2.01	468.8	476.7	
2018	69,412	454.2	1.76	450.7	457.7	56,779	456.6	1.97	452.7	460.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

All Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	252,000	507.2	1.03	505.2	509.2	36,929	265.4	1.47	262.5	268.3
1986	4,902	442.1	6.56	429.3	455.1	345	230.0	14.40	202.7	259.8
1987	5,075	449.5	6.53	436.7	462.4	358	220.8	13.30	195.5	248.2
1988	5,353	465.6	6.59	452.7	478.6	389	243.7	14.18	216.7	272.8
1989	5,351	461.3	6.51	448.6	474.2	410	238.3	13.53	212.6	266.1
1990	5,512	468.7	6.52	456.0	481.6	411	230.5	13.01	205.7	257.2
1991	5,309	439.9	6.22	427.8	452.2	375	201.8	11.91	179.1	226.3
1992	5,810	472.1	6.37	459.7	484.7	467	244.6	13.04	219.8	271.3
1993	6,402	510.9	6.57	498.1	523.9	586	267.0	12.59	242.9	292.7
1994	6,910	545.2	6.74	532.1	558.6	608	270.9	12.40	247.1	296.1
1995	7,108	547.0	6.65	534.1	560.2	703	279.4	11.81	256.7	303.4
1996	7,335	555.0	6.63	542.1	568.1	749	288.7	11.95	265.8	313.0
1997	7,178	533.1	6.43	520.5	545.8	786	271.1	10.74	250.4	292.9
1998	7,462	545.2	6.45	532.7	558.0	818	280.3	10.94	259.3	302.5
1999	7,280	520.2	6.22	508.1	532.6	862	281.3	10.74	260.7	303.1
2000	7,590	531.7	6.22	519.6	544.1	906	271.1	9.93	251.9	291.1
2001	7,806	541.8	6.26	529.6	554.2	963	268.4	9.54	250.1	287.7
2002	7,929	539.3	6.18	527.3	551.6	1,014	276.9	9.51	258.6	296.1
2003	7,927	528.6	6.05	516.8	540.6	1,002	256.4	8.80	239.4	274.1
2004	8,009	524.9	5.98	513.2	536.7	1,076	261.3	8.66	244.6	278.7
2005	8,100	522.9	5.93	511.3	534.6	1,225	276.9	8.59	260.3	294.2
2006	8,580	542.6	5.98	530.9	554.4	1,316	282.4	8.41	266.2	299.3
2007	8,700	540.1	5.91	528.5	551.8	1,391	280.4	8.11	264.7	296.7
2008	8,804	534.2	5.82	522.9	545.7	1,442	271.9	7.72	257.0	287.4
2009	9,010	533.5	5.75	522.3	544.9	1,436	265.9	7.57	251.3	281.1
2010	8,857	514.9	5.60	503.9	526.0	1,595	276.8	7.43	262.4	291.7
2011	8,891	503.7	5.47	493.0	514.5	1,667	275.1	7.19	261.2	289.5
2012	8,874	492.8	5.36	482.3	503.4	1,771	272.0	6.83	258.8	285.7
2013	9,074	492.8	5.30	482.4	503.2	1,807	266.0	6.58	253.3	279.2
2014	9,264	494.7	5.26	484.4	505.1	1,938	268.6	6.36	256.3	281.3
2015	9,508	495.8	5.21	485.7	506.2	2,023	269.4	6.21	257.4	281.9
2016	9,435	487.6	5.15	477.5	497.8	2,091	264.3	5.95	252.8	276.3
2017	9,399	477.2	5.04	467.4	487.2	2,198	268.7	5.87	257.3	280.4
2018	9,256	462.4	4.92	452.9	472.2	2,201	260.0	5.65	249.0	271.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

All Sites											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	989,417	550.9	0.56	549.8	552.0	835,344	544.3	0.60	543.1	545.5	
1986	21,079	482.7	3.48	476.0	489.6	18,368	474.7	3.65	467.6	481.9	
1987	22,157	502.1	3.51	495.3	509.1	19,354	495.7	3.70	488.5	503.0	
1988	21,854	492.6	3.47	485.8	499.4	18,982	484.6	3.65	477.5	491.8	
1989	22,287	497.2	3.45	490.4	504.0	19,404	490.4	3.64	483.3	497.6	
1990	23,468	519.4	3.51	512.6	526.3	20,418	512.0	3.70	504.8	519.3	
1991	24,993	543.7	3.55	536.7	550.7	21,999	543.2	3.77	535.8	550.6	
1992	27,222	583.3	3.64	576.2	590.5	23,766	578.7	3.85	571.1	586.2	
1993	27,311	576.8	3.58	569.8	583.9	23,591	568.2	3.78	560.8	575.6	
1994	28,164	591.8	3.62	584.8	599.0	24,113	578.9	3.81	571.5	586.5	
1995	28,009	579.3	3.54	572.3	586.2	23,745	563.4	3.72	556.2	570.8	
1996	28,342	580.4	3.51	573.5	587.3	23,945	564.2	3.70	557.0	571.5	
1997	28,669	581.4	3.49	574.6	588.3	24,412	570.9	3.70	563.7	578.2	
1998	28,964	581.3	3.47	574.5	588.1	24,521	568.3	3.67	561.1	575.5	
1999	29,773	589.8	3.46	583.0	596.6	25,385	582.2	3.69	575.0	589.5	
2000	30,056	588.8	3.44	582.1	595.6	25,380	577.5	3.65	570.3	584.7	
2001	31,063	603.4	3.47	596.6	610.2	26,344	595.5	3.70	588.3	602.8	
2002	32,123	617.0	3.49	610.2	623.9	27,307	611.7	3.74	604.4	619.1	
2003	31,451	593.8	3.39	587.2	600.5	26,557	586.7	3.63	579.6	593.8	
2004	31,669	588.5	3.36	581.9	595.1	26,659	581.1	3.60	574.1	588.2	
2005	31,484	575.3	3.29	568.9	581.8	26,345	566.0	3.53	559.1	572.9	
2006	32,527	585.5	3.30	579.0	592.0	27,218	577.4	3.54	570.5	584.4	
2007	33,537	591.7	3.29	585.3	598.2	27,935	582.0	3.53	575.1	589.0	
2008	34,199	589.8	3.25	583.4	596.2	28,552	582.8	3.50	576.0	589.7	
2009	33,995	573.2	3.17	567.0	579.4	28,240	565.4	3.42	558.7	572.1	
2010	33,165	548.6	3.08	542.5	554.6	27,534	541.8	3.33	535.3	548.4	
2011	33,868	547.7	3.05	541.8	553.7	28,157	542.9	3.31	536.5	549.4	
2012	32,959	520.8	2.94	515.1	526.6	27,320	516.0	3.19	509.7	522.3	
2013	33,022	511.1	2.88	505.4	516.8	27,438	508.6	3.14	502.4	514.7	
2014	33,518	507.3	2.84	501.8	512.9	27,747	504.1	3.10	498.0	510.2	
2015	34,600	514.7	2.84	509.2	520.3	28,485	510.5	3.10	504.4	516.6	
2016	34,457	505.6	2.80	500.1	511.1	28,648	507.6	3.08	501.6	513.7	
2017	35,242	508.0	2.78	502.6	513.5	29,334	510.9	3.06	504.9	516.9	
2018	34,190	483.6	2.68	478.3	488.9	28,141	482.1	2.95	476.4	487.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

All Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	128,470	634.9	1.86	631.2	638.5	16,898	285.3	2.41	280.6	290.0
1986	2,531	567.3	12.13	543.8	591.5	158	245.6	22.76	203.0	293.7
1987	2,606	580.3	12.17	556.7	604.6	166	263.1	24.22	217.8	314.1
1988	2,644	573.1	11.95	550.0	597.0	180	279.8	24.27	234.3	330.7
1989	2,676	580.2	12.01	556.9	604.1	163	237.1	21.69	196.5	282.7
1990	2,792	600.4	12.21	576.7	624.8	207	303.7	24.59	257.4	355.0
1991	2,712	565.3	11.60	542.8	588.4	163	225.9	20.54	187.4	269.0
1992	3,155	655.4	12.49	631.1	680.2	236	314.9	24.13	269.4	365.0
1993	3,400	683.4	12.53	659.0	708.3	269	310.6	22.26	268.5	356.7
1994	3,691	740.3	13.04	715.0	766.2	283	307.6	21.31	267.3	351.7
1995	3,865	749.2	12.84	724.3	774.7	314	314.9	20.40	276.1	357.0
1996	3,941	742.5	12.54	718.2	767.5	360	346.3	21.65	305.2	390.8
1997	3,725	685.5	11.88	662.4	709.2	369	316.0	18.91	280.0	354.9
1998	3,848	703.4	11.99	680.1	727.3	370	311.7	18.70	276.1	350.2
1999	3,738	670.4	11.56	647.9	693.4	413	338.5	19.96	300.6	379.5
2000	4,038	707.6	11.72	684.9	730.9	409	292.0	16.64	260.3	326.1
2001	4,003	692.5	11.53	670.1	715.4	451	304.2	16.74	272.2	338.5
2002	4,026	684.0	11.38	661.8	706.6	473	316.1	16.47	284.6	349.7
2003	4,149	682.6	11.15	660.9	704.8	434	268.6	14.62	240.7	298.6
2004	4,170	677.1	11.08	655.6	699.1	511	300.3	15.04	271.5	331.0
2005	4,177	669.6	10.98	648.3	691.5	573	315.1	14.89	286.6	345.5
2006	4,415	688.2	10.93	666.9	709.9	623	322.9	14.47	295.1	352.3
2007	4,625	708.0	10.98	686.7	729.8	650	302.6	13.30	277.0	329.6
2008	4,617	685.7	10.63	665.0	706.8	664	293.5	12.87	268.8	319.6
2009	4,605	659.4	10.23	639.5	679.7	700	297.2	12.63	273.0	322.9
2010	4,484	631.1	9.94	611.7	650.8	721	294.6	12.22	271.1	319.4
2011	4,435	603.3	9.52	584.7	622.2	745	291.6	11.79	268.9	315.5
2012	4,386	587.3	9.32	569.2	605.8	806	284.4	10.93	263.4	306.6
2013	4,413	576.9	9.11	559.2	595.0	802	269.4	10.23	249.7	290.1
2014	4,479	572.4	8.97	555.0	590.2	884	279.4	10.04	260.1	299.7
2015	4,712	586.3	8.94	568.9	604.0	940	283.0	9.77	264.2	302.8
2016	4,487	548.5	8.56	531.9	565.6	940	263.1	8.95	245.9	281.2
2017	4,554	549.8	8.50	533.3	566.7	964	266.8	8.92	249.6	284.8
2018	4,371	511.6	8.04	496.0	527.6	957	251.3	8.38	235.1	268.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

All Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	974,823	426.4	0.44	425.6	427.3	824,883	430.0	0.48	429.1	431.0
1986	21,947	367.9	2.54	363.0	372.9	19,336	369.5	2.73	364.1	374.8
1987	23,109	385.4	2.59	380.3	390.5	20,404	389.1	2.80	383.6	394.6
1988	23,350	385.8	2.57	380.8	390.9	20,374	385.4	2.76	380.0	390.8
1989	23,154	381.8	2.55	376.8	386.9	20,190	382.1	2.75	376.7	387.5
1990	24,039	392.2	2.57	387.2	397.3	21,066	395.5	2.79	390.1	401.0
1991	24,090	388.1	2.54	383.2	393.1	21,146	392.7	2.76	387.3	398.1
1992	24,820	395.1	2.54	390.2	400.1	21,838	401.7	2.77	396.3	407.2
1993	25,534	400.0	2.53	395.1	405.0	22,146	401.4	2.74	396.1	406.8
1994	27,391	424.3	2.59	419.2	429.4	23,785	427.0	2.81	421.5	432.6
1995	27,189	419.9	2.57	414.9	425.0	23,470	422.2	2.80	416.7	427.7
1996	28,027	429.7	2.59	424.7	434.8	24,149	432.5	2.82	427.0	438.0
1997	28,004	426.1	2.57	421.1	431.1	24,006	427.6	2.80	422.1	433.1
1998	28,812	434.0	2.57	429.0	439.1	24,574	434.5	2.81	429.0	440.0
1999	29,093	435.3	2.57	430.3	440.3	24,930	439.4	2.82	433.9	445.0
2000	29,138	432.6	2.55	427.7	437.7	24,867	436.6	2.80	431.1	442.1
2001	29,889	440.0	2.56	435.0	445.0	25,419	443.8	2.82	438.3	449.3
2002	30,254	441.9	2.56	436.9	447.0	25,603	444.2	2.81	438.7	449.8
2003	29,574	428.3	2.51	423.4	433.2	24,988	431.3	2.76	425.9	436.7
2004	29,977	431.0	2.51	426.1	436.0	25,363	436.0	2.77	430.6	441.5
2005	30,570	435.8	2.51	430.9	440.8	25,725	439.8	2.78	434.4	445.3
2006	31,424	445.2	2.54	440.2	450.2	26,333	448.7	2.81	443.2	454.2
2007	31,641	443.8	2.52	438.9	448.8	26,633	451.0	2.81	445.5	456.5
2008	32,412	448.8	2.53	443.9	453.8	27,180	455.3	2.81	449.9	460.9
2009	32,993	452.0	2.52	447.1	457.0	27,578	458.6	2.82	453.1	464.1
2010	32,555	439.6	2.48	434.7	444.5	27,023	444.0	2.76	438.6	449.4
2011	33,232	443.9	2.48	439.0	448.8	27,519	449.0	2.77	443.6	454.5
2012	33,110	436.5	2.45	431.7	441.3	27,347	441.7	2.74	436.3	447.1
2013	33,641	437.4	2.44	432.6	442.2	27,688	442.9	2.74	437.6	448.3
2014	34,738	447.2	2.46	442.4	452.0	28,571	453.5	2.76	448.1	459.0
2015	35,057	447.3	2.45	442.5	452.1	28,865	455.9	2.77	450.5	461.4
2016	35,709	451.9	2.46	447.1	456.8	29,317	460.5	2.79	455.0	466.0
2017	35,128	439.7	2.42	435.0	444.5	28,812	448.8	2.74	443.4	454.2
2018	35,222	436.6	2.40	431.9	441.4	28,638	442.9	2.72	437.6	448.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

All Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	123,530	425.7	1.22	423.3	428.1	20,031	254.6	1.88	251.0	258.3
1986	2,371	363.2	7.64	348.4	378.5	187	221.0	18.64	186.0	260.2
1987	2,469	369.1	7.59	354.4	384.3	192	194.7	15.26	165.9	226.9
1988	2,709	399.6	7.84	384.4	415.3	209	221.3	17.27	188.7	257.5
1989	2,675	389.7	7.68	374.8	405.1	247	246.8	17.64	213.4	283.6
1990	2,720	390.0	7.61	375.2	405.1	204	181.1	14.04	154.6	210.6
1991	2,597	362.9	7.25	348.8	377.3	212	189.0	14.51	161.6	219.4
1992	2,655	361.4	7.12	347.6	375.6	231	198.9	14.66	171.2	229.5
1993	3,002	403.5	7.48	389.0	418.4	317	241.2	15.02	212.7	272.3
1994	3,219	426.2	7.61	411.4	441.3	325	248.8	15.20	219.9	280.2
1995	3,243	420.0	7.47	405.5	434.9	389	260.8	14.47	233.2	290.6
1996	3,394	434.0	7.54	419.4	449.1	389	253.9	14.14	227.0	283.0
1997	3,453	434.2	7.47	419.7	449.1	417	245.0	12.95	220.2	271.6
1998	3,614	445.0	7.48	430.5	459.9	448	262.7	13.50	236.9	290.4
1999	3,542	426.5	7.23	412.4	440.9	449	248.9	12.65	224.7	274.9
2000	3,552	419.3	7.09	405.5	433.4	497	259.9	12.50	236.0	285.5
2001	3,803	445.2	7.28	431.0	459.7	512	248.4	11.71	226.0	272.4
2002	3,903	448.5	7.24	434.4	462.9	541	253.2	11.60	231.0	276.9
2003	3,778	428.0	7.02	414.4	442.0	568	253.2	11.26	231.6	276.2
2004	3,839	427.5	6.96	414.0	441.3	565	237.6	10.59	217.3	259.2
2005	3,923	430.7	6.94	417.2	444.5	652	254.2	10.53	234.0	275.7
2006	4,165	449.6	7.03	435.9	463.6	693	257.2	10.31	237.4	278.1
2007	4,075	432.6	6.85	419.3	446.3	741	266.7	10.33	246.8	287.7
2008	4,187	436.2	6.81	422.9	449.7	778	261.2	9.85	242.2	281.2
2009	4,405	451.1	6.88	437.7	464.8	736	244.7	9.51	226.4	264.0
2010	4,373	439.3	6.73	426.2	452.7	874	268.2	9.52	249.9	287.5
2011	4,456	437.7	6.65	424.8	450.9	922	267.9	9.21	250.2	286.6
2012	4,488	432.3	6.55	419.5	445.3	965	266.9	8.94	249.7	285.0
2013	4,661	439.2	6.54	426.5	452.2	1,005	265.8	8.68	249.0	283.3
2014	4,785	446.2	6.56	433.4	459.2	1,054	264.3	8.38	248.1	281.2
2015	4,796	438.5	6.45	425.9	451.3	1,083	262.2	8.18	246.4	278.7
2016	4,948	449.7	6.52	437.0	462.7	1,151	267.9	8.06	252.4	284.2
2017	4,845	432.2	6.34	419.9	444.8	1,234	274.5	7.95	259.2	290.6
2018	4,885	429.2	6.27	417.0	441.6	1,244	270.6	7.79	255.6	286.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oral Cavity and Pharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	47,138	11.3	0.05	11.2	11.4	38,939	11.1	0.06	11.0	11.2
1986	1,208	11.5	0.34	10.8	12.2	973	10.4	0.34	9.7	11.1
1987	1,199	11.3	0.33	10.7	12.0	976	10.4	0.34	9.8	11.1
1988	1,184	11.2	0.33	10.5	11.8	954	10.2	0.33	9.5	10.9
1989	1,126	10.5	0.32	9.9	11.1	918	9.7	0.33	9.1	10.4
1990	1,156	10.8	0.32	10.2	11.4	928	9.9	0.33	9.3	10.6
1991	1,132	10.4	0.31	9.8	11.0	910	9.6	0.32	9.0	10.3
1992	1,120	10.2	0.31	9.6	10.8	940	9.8	0.32	9.2	10.4
1993	1,135	10.2	0.30	9.6	10.8	938	9.8	0.32	9.1	10.4
1994	1,186	10.5	0.31	9.9	11.2	953	9.8	0.32	9.2	10.4
1995	1,302	11.5	0.32	10.9	12.1	1,076	11.0	0.34	10.4	11.7
1996	1,296	11.3	0.32	10.7	12.0	1,057	10.7	0.33	10.1	11.4
1997	1,314	11.4	0.31	10.8	12.0	1,072	10.9	0.33	10.2	11.5
1998	1,253	10.7	0.30	10.1	11.3	1,007	10.1	0.32	9.5	10.7
1999	1,312	11.1	0.31	10.5	11.7	1,082	10.8	0.33	10.1	11.4
2000	1,294	10.8	0.30	10.2	11.4	1,063	10.5	0.32	9.9	11.1
2001	1,266	10.4	0.29	9.9	11.0	1,049	10.2	0.32	9.6	10.9
2002	1,353	11.0	0.30	10.4	11.6	1,118	10.8	0.32	10.2	11.5
2003	1,334	10.7	0.29	10.1	11.3	1,111	10.6	0.32	10.0	11.2
2004	1,434	11.3	0.30	10.8	11.9	1,146	10.8	0.32	10.2	11.5
2005	1,344	10.5	0.29	9.9	11.0	1,117	10.4	0.31	9.8	11.1
2006	1,402	10.8	0.29	10.2	11.3	1,160	10.7	0.32	10.1	11.3
2007	1,521	11.5	0.30	10.9	12.1	1,258	11.5	0.33	10.8	12.1
2008	1,584	11.7	0.30	11.2	12.3	1,319	11.8	0.33	11.2	12.5
2009	1,596	11.7	0.30	11.2	12.3	1,334	11.8	0.33	11.2	12.5
2010	1,599	11.5	0.29	10.9	12.1	1,298	11.2	0.32	10.6	11.9
2011	1,741	12.3	0.30	11.7	12.9	1,452	12.4	0.33	11.8	13.1
2012	1,732	12.0	0.29	11.4	12.6	1,444	12.1	0.33	11.5	12.8
2013	1,763	12.0	0.29	11.5	12.6	1,468	12.1	0.32	11.5	12.8
2014	1,786	12.0	0.29	11.4	12.6	1,494	12.2	0.32	11.5	12.8
2015	1,862	12.4	0.29	11.9	13.0	1,558	12.7	0.33	12.1	13.4
2016	1,874	12.3	0.29	11.7	12.9	1,572	12.6	0.33	12.0	13.3
2017	1,927	12.5	0.29	11.9	13.1	1,664	13.2	0.33	12.6	13.9
2018	1,803	11.6	0.28	11.1	12.2	1,530	12.0	0.32	11.4	12.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oral Cavity and Pharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,673	12.7	0.16	12.4	13.0	1,207	8.0	0.24	7.6	8.5
1986	218	18.9	1.31	16.4	21.6	14	8.6	2.59	4.3	15.3
1987	206	17.4	1.24	15.0	20.0	16	10.7	2.94	5.7	18.0
1988	208	17.1	1.21	14.8	19.6	18	10.1	2.67	5.6	16.7
1989	195	16.1	1.18	13.9	18.6	12	5.6	1.69	2.8	10.2
1990	215	17.3	1.20	15.0	19.8	9	5.7	2.08	2.4	11.2
1991	203	15.6	1.12	13.5	18.0	10	3.7	1.20	1.7	7.2
1992	163	12.4	0.98	10.5	14.4	14	5.3	1.53	2.7	9.3
1993	172	12.9	0.99	11.0	15.0	22	9.7	2.42	5.6	15.5
1994	208	15.5	1.09	13.4	17.7	21	6.6	1.50	4.0	10.4
1995	199	14.3	1.03	12.3	16.4	22	7.5	1.85	4.4	12.0
1996	215	15.2	1.05	13.2	17.4	19	7.1	1.76	4.1	11.4
1997	209	14.6	1.02	12.6	16.7	29	9.6	1.95	6.1	14.2
1998	210	14.3	1.00	12.4	16.4	27	7.4	1.49	4.8	11.0
1999	198	13.1	0.94	11.3	15.0	27	7.1	1.46	4.6	10.6
2000	195	12.7	0.92	10.9	14.6	26	6.7	1.43	4.2	10.1
2001	180	11.4	0.86	9.8	13.2	26	6.7	1.45	4.1	10.1
2002	202	12.9	0.92	11.1	14.8	27	6.5	1.35	4.2	9.7
2003	187	11.5	0.85	9.9	13.3	26	6.5	1.39	4.1	9.8
2004	232	14.0	0.93	12.2	16.0	42	9.5	1.59	6.6	13.1
2005	173	10.2	0.79	8.7	11.9	44	8.9	1.44	6.3	12.2
2006	180	10.3	0.78	8.8	11.9	53	11.5	1.72	8.3	15.3
2007	212	12.3	0.86	10.6	14.1	45	7.9	1.26	5.7	10.8
2008	217	12.2	0.85	10.6	14.0	39	7.4	1.25	5.1	10.2
2009	197	11.0	0.80	9.5	12.7	48	7.5	1.12	5.5	10.1
2010	221	12.2	0.84	10.6	13.9	67	11.0	1.42	8.4	14.2
2011	216	11.5	0.80	10.0	13.2	56	9.1	1.30	6.7	12.0
2012	224	11.8	0.80	10.3	13.5	55	7.5	1.05	5.6	9.9
2013	220	11.7	0.80	10.1	13.3	54	7.3	1.04	5.4	9.6
2014	218	11.5	0.80	10.0	13.2	61	7.8	1.02	5.9	10.1
2015	217	10.7	0.75	9.3	12.3	70	9.1	1.12	7.0	11.6
2016	210	10.5	0.75	9.1	12.1	67	8.2	1.03	6.4	10.5
2017	181	8.6	0.65	7.4	10.0	64	7.6	0.98	5.8	9.8
2018	172	8.5	0.66	7.2	9.9	77	8.9	1.03	7.0	11.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oral Cavity and Pharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	32,536	17.3	0.10	17.1	17.5	26,759	16.8	0.10	16.6	17.0
1986	826	18.0	0.65	16.8	19.3	655	16.1	0.65	14.9	17.5
1987	811	17.6	0.64	16.4	18.9	658	16.2	0.65	15.0	17.6
1988	813	17.7	0.64	16.4	19.0	643	15.9	0.65	14.7	17.2
1989	753	16.1	0.60	15.0	17.4	604	14.8	0.62	13.6	16.0
1990	787	17.0	0.62	15.8	18.2	633	15.7	0.64	14.4	17.0
1991	757	15.9	0.59	14.8	17.1	602	14.5	0.60	13.3	15.7
1992	749	15.6	0.58	14.5	16.8	619	14.9	0.61	13.7	16.1
1993	777	15.7	0.57	14.6	16.9	636	14.9	0.60	13.8	16.1
1994	791	16.0	0.58	14.9	17.2	632	14.8	0.60	13.7	16.1
1995	890	17.7	0.60	16.6	18.9	723	16.7	0.63	15.5	18.0
1996	881	17.5	0.60	16.3	18.7	711	16.4	0.62	15.2	17.7
1997	879	17.2	0.59	16.1	18.4	706	16.2	0.62	15.0	17.4
1998	851	16.2	0.56	15.2	17.4	671	15.0	0.58	13.9	16.2
1999	875	16.5	0.56	15.4	17.6	721	15.9	0.60	14.8	17.2
2000	890	16.6	0.56	15.5	17.7	720	15.8	0.59	14.7	17.0
2001	876	16.1	0.55	15.0	17.2	728	15.8	0.59	14.6	17.0
2002	913	16.5	0.55	15.4	17.6	737	15.7	0.58	14.6	16.9
2003	905	16.2	0.55	15.2	17.3	743	15.8	0.58	14.7	17.0
2004	1,012	17.6	0.56	16.5	18.7	797	16.4	0.59	15.3	17.6
2005	931	15.9	0.53	14.9	17.0	772	15.7	0.57	14.6	16.8
2006	953	16.0	0.53	15.0	17.0	788	15.7	0.57	14.6	16.9
2007	1,062	17.4	0.54	16.4	18.5	872	17.1	0.59	15.9	18.2
2008	1,085	17.4	0.54	16.4	18.5	900	17.2	0.58	16.1	18.4
2009	1,098	17.4	0.53	16.3	18.5	929	17.6	0.59	16.5	18.8
2010	1,134	17.6	0.53	16.5	18.7	928	17.1	0.57	16.0	18.3
2011	1,243	18.8	0.55	17.7	19.9	1,029	18.6	0.59	17.5	19.8
2012	1,216	18.1	0.53	17.1	19.2	1,008	18.0	0.58	16.9	19.2
2013	1,267	18.7	0.54	17.7	19.8	1,060	18.7	0.59	17.6	19.9
2014	1,239	17.9	0.52	16.8	18.9	1,046	18.0	0.57	16.9	19.2
2015	1,316	18.8	0.53	17.8	19.9	1,106	19.0	0.59	17.9	20.2
2016	1,332	18.7	0.53	17.7	19.7	1,123	18.9	0.58	17.8	20.1
2017	1,360	18.9	0.53	17.9	19.9	1,181	19.8	0.59	18.7	21.0
2018	1,264	17.4	0.50	16.4	18.4	1,078	17.9	0.56	16.8	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oral Cavity and Pharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,756	21.2	0.32	20.5	21.8	811	11.8	0.45	11.0	12.7
1986	160	32.1	2.65	27.1	37.7	9	14.7	5.52	6.0	29.4
1987	142	27.8	2.43	23.3	33.0	10	16.5	5.79	7.2	31.5
1988	159	30.2	2.46	25.6	35.4	9	12.7	4.99	4.8	26.0
1989	145	28.4	2.46	23.8	33.6	4	3.1	1.64	0.7	9.7
1990	145	27.5	2.36	23.1	32.5	5	7.4	3.74	2.0	18.1
1991	143	26.2	2.27	22.0	31.1	6	5.1	2.08	1.8	12.0
1992	116	21.0	2.01	17.2	25.3	12	10.4	3.38	4.8	19.5
1993	125	21.7	1.99	18.0	26.0	13	16.2	5.37	7.4	29.5
1994	144	25.2	2.18	21.1	29.8	12	7.6	2.34	3.7	14.2
1995	146	24.8	2.13	20.8	29.4	17	14.9	4.25	7.7	25.4
1996	155	25.3	2.09	21.4	29.8	12	10.3	3.34	4.8	18.9
1997	153	25.2	2.12	21.2	29.7	20	13.6	3.22	8.0	21.6
1998	155	24.8	2.07	21.0	29.2	16	9.3	2.51	5.0	15.8
1999	138	21.1	1.84	17.6	25.0	12	7.0	2.14	3.5	12.8
2000	152	23.2	1.94	19.6	27.3	13	7.9	2.46	3.8	14.2
2001	125	18.4	1.70	15.2	22.1	18	11.0	3.18	5.7	18.8
2002	153	22.9	1.91	19.3	26.9	19	10.7	2.72	6.1	17.4
2003	141	19.7	1.70	16.5	23.4	14	7.4	2.16	3.8	12.9
2004	176	25.1	1.98	21.4	29.3	31	16.4	3.31	10.5	24.0
2005	130	18.0	1.62	14.9	21.4	24	10.3	2.26	6.3	15.7
2006	121	15.9	1.49	13.2	19.1	40	19.2	3.38	13.1	26.9
2007	156	21.2	1.77	17.9	25.0	29	10.6	2.13	6.9	15.7
2008	151	20.4	1.75	17.1	24.1	29	13.0	2.69	8.2	19.2
2009	128	16.4	1.51	13.6	19.6	29	9.6	1.85	6.3	14.0
2010	149	19.6	1.69	16.4	23.2	47	16.8	2.68	11.9	22.9
2011	160	20.0	1.64	16.9	23.4	40	13.7	2.36	9.5	19.1
2012	160	19.6	1.60	16.5	23.0	41	11.5	1.90	8.0	15.9
2013	153	19.2	1.62	16.2	22.7	39	11.1	1.88	7.7	15.5
2014	139	17.6	1.56	14.7	20.9	44	11.9	1.83	8.6	16.1
2015	155	18.2	1.52	15.4	21.5	47	12.9	1.94	9.4	17.3
2016	143	17.0	1.47	14.2	20.1	50	13.0	1.89	9.6	17.3
2017	121	13.5	1.28	11.1	16.3	44	11.7	1.81	8.4	15.8
2018	117	13.5	1.29	11.1	16.3	56	13.9	1.90	10.4	18.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oral Cavity and Pharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	14,602	6.4	0.05	6.3	6.5	12,180	6.3	0.06	6.2	6.4
1986	382	6.5	0.34	5.8	7.2	318	6.0	0.35	5.4	6.8
1987	388	6.5	0.34	5.9	7.2	318	6.1	0.35	5.4	6.8
1988	371	6.1	0.32	5.5	6.8	311	5.9	0.34	5.2	6.6
1989	373	6.2	0.33	5.6	6.9	314	6.0	0.35	5.3	6.7
1990	369	6.0	0.32	5.4	6.7	295	5.4	0.32	4.8	6.1
1991	375	6.2	0.32	5.6	6.9	308	5.9	0.34	5.2	6.6
1992	371	6.0	0.32	5.4	6.7	321	5.9	0.34	5.3	6.6
1993	358	5.7	0.30	5.1	6.3	302	5.5	0.32	4.9	6.2
1994	395	6.2	0.31	5.6	6.8	321	5.7	0.32	5.1	6.4
1995	412	6.3	0.32	5.7	7.0	353	6.3	0.34	5.7	7.0
1996	415	6.4	0.32	5.8	7.0	346	6.2	0.34	5.5	6.9
1997	435	6.7	0.33	6.1	7.4	366	6.6	0.35	6.0	7.4
1998	402	6.1	0.31	5.5	6.7	336	6.0	0.33	5.4	6.7
1999	437	6.6	0.32	6.0	7.3	361	6.5	0.35	5.8	7.2
2000	404	6.1	0.30	5.5	6.7	343	6.1	0.33	5.5	6.8
2001	390	5.8	0.29	5.2	6.4	321	5.6	0.32	5.0	6.3
2002	440	6.5	0.31	5.9	7.1	381	6.7	0.34	6.0	7.4
2003	429	6.2	0.30	5.6	6.8	368	6.3	0.33	5.7	7.0
2004	422	6.1	0.30	5.5	6.7	349	6.1	0.33	5.4	6.7
2005	413	5.9	0.29	5.4	6.5	345	6.0	0.32	5.3	6.6
2006	449	6.3	0.30	5.7	6.9	372	6.3	0.33	5.6	6.9
2007	459	6.5	0.30	5.9	7.1	386	6.6	0.34	5.9	7.3
2008	499	6.9	0.31	6.3	7.5	419	7.0	0.34	6.3	7.7
2009	498	6.9	0.31	6.3	7.5	405	6.8	0.34	6.1	7.5
2010	465	6.3	0.30	5.7	6.9	370	6.1	0.32	5.5	6.8
2011	498	6.6	0.30	6.0	7.2	423	6.8	0.34	6.2	7.5
2012	516	6.7	0.30	6.1	7.3	436	6.9	0.34	6.2	7.6
2013	496	6.3	0.29	5.8	6.9	408	6.4	0.32	5.7	7.0
2014	547	6.9	0.30	6.3	7.5	448	6.9	0.33	6.2	7.6
2015	546	6.9	0.30	6.3	7.5	452	7.1	0.35	6.5	7.9
2016	542	6.8	0.30	6.2	7.4	449	7.0	0.34	6.3	7.7
2017	567	6.9	0.30	6.4	7.5	483	7.3	0.34	6.7	8.0
2018	539	6.6	0.29	6.0	7.2	452	6.8	0.33	6.1	7.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oral Cavity and Pharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,917	6.4	0.15	6.1	6.7	396	4.9	0.26	4.4	5.4
1986	58	9.0	1.19	6.8	11.6	5	4.2	1.98	1.3	11.1
1987	64	9.4	1.21	7.2	12.1	6	6.4	2.83	2.1	14.7
1988	49	7.0	1.02	5.2	9.3	9	8.4	2.96	3.6	16.7
1989	50	7.3	1.04	5.4	9.6	8	7.6	2.74	3.2	15.3
1990	70	9.8	1.19	7.6	12.4	4	4.3	2.24	1.1	11.2
1991	60	7.8	1.03	5.9	10.1	4	2.4	1.24	0.6	7.1
1992	47	6.2	0.91	4.5	8.2	2	1.2	0.83	0.1	5.1
1993	47	6.2	0.91	4.5	8.2	9	5.4	1.87	2.3	10.8
1994	64	8.4	1.06	6.4	10.7	9	5.8	1.96	2.6	11.2
1995	53	6.5	0.91	4.9	8.6	5	1.9	0.88	0.6	5.3
1996	60	7.5	0.98	5.7	9.7	7	4.6	1.82	1.8	9.7
1997	56	6.8	0.93	5.2	8.9	9	5.9	2.20	2.4	11.7
1998	55	6.5	0.89	4.9	8.5	11	5.8	1.79	2.8	10.6
1999	60	7.0	0.91	5.3	9.0	15	7.3	1.98	3.9	12.3
2000	43	4.9	0.75	3.5	6.6	13	5.9	1.73	3.0	10.4
2001	55	6.1	0.83	4.6	8.0	8	3.6	1.30	1.5	7.2
2002	49	5.5	0.79	4.1	7.3	8	3.3	1.21	1.3	6.7
2003	46	5.1	0.76	3.7	6.8	12	5.7	1.76	2.8	10.2
2004	56	6.0	0.80	4.5	7.8	11	4.2	1.35	2.0	7.8
2005	43	4.4	0.68	3.2	6.0	20	7.5	1.77	4.5	11.8
2006	59	6.0	0.79	4.6	7.8	13	5.1	1.53	2.6	9.0
2007	56	5.8	0.78	4.3	7.5	16	5.6	1.46	3.1	9.2
2008	66	6.6	0.82	5.1	8.4	10	3.0	0.98	1.4	5.7
2009	69	6.9	0.85	5.4	8.8	19	5.7	1.33	3.4	9.0
2010	72	7.0	0.83	5.4	8.8	20	6.3	1.47	3.8	9.9
2011	56	5.3	0.72	4.0	6.9	16	5.1	1.35	2.8	8.4
2012	64	6.0	0.76	4.6	7.7	14	4.1	1.12	2.2	6.9
2013	67	6.2	0.77	4.8	7.9	15	4.0	1.08	2.2	6.7
2014	79	7.3	0.84	5.8	9.2	17	4.1	1.03	2.4	6.7
2015	62	5.3	0.69	4.1	6.9	23	5.5	1.17	3.5	8.4
2016	67	5.9	0.74	4.5	7.5	17	4.1	1.02	2.4	6.7
2017	60	5.1	0.67	3.9	6.6	20	4.2	0.96	2.5	6.6
2018	55	4.9	0.67	3.6	6.4	21	4.7	1.04	2.9	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lip										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,829	0.7	0.01	0.7	0.7	2,725	0.8	0.01	0.8	0.8
1986	119	1.1	0.11	0.9	1.4	116	1.3	0.12	1.0	1.5
1987	114	1.1	0.10	0.9	1.3	114	1.2	0.12	1.0	1.5
1988	137	1.3	0.11	1.1	1.5	135	1.4	0.12	1.2	1.7
1989	111	1.0	0.10	0.9	1.3	108	1.2	0.11	0.9	1.4
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5
1991	103	0.9	0.09	0.8	1.1	101	1.0	0.10	0.8	1.3
1992	96	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2
1993	81	0.7	0.08	0.6	0.9	80	0.8	0.09	0.7	1.0
1994	94	0.8	0.09	0.7	1.0	90	0.9	0.10	0.7	1.1
1995	102	0.9	0.09	0.7	1.1	99	1.0	0.10	0.8	1.2
1996	108	0.9	0.09	0.8	1.1	106	1.1	0.10	0.9	1.3
1997	97	0.8	0.08	0.7	1.0	94	0.9	0.10	0.8	1.1
1998	81	0.7	0.08	0.5	0.9	80	0.8	0.09	0.6	1.0
1999	86	0.7	0.08	0.6	0.9	84	0.8	0.09	0.7	1.0
2000	80	0.7	0.07	0.5	0.8	76	0.7	0.09	0.6	0.9
2001	60	0.5	0.06	0.4	0.6	58	0.6	0.07	0.4	0.7
2002	99	0.8	0.08	0.7	1.0	96	0.9	0.09	0.7	1.1
2003	69	0.6	0.07	0.4	0.7	66	0.6	0.08	0.5	0.8
2004	83	0.7	0.07	0.5	0.8	79	0.8	0.09	0.6	1.0
2005	72	0.6	0.07	0.4	0.7	68	0.6	0.08	0.5	0.8
2006	72	0.6	0.07	0.5	0.7	72	0.7	0.08	0.5	0.9
2007	77	0.6	0.07	0.5	0.7	73	0.7	0.08	0.5	0.8
2008	79	0.6	0.07	0.5	0.8	73	0.7	0.08	0.5	0.9
2009	74	0.6	0.07	0.4	0.7	67	0.6	0.07	0.5	0.8
2010	84	0.6	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2011	61	0.4	0.06	0.3	0.6	60	0.5	0.07	0.4	0.7
2012	58	0.4	0.05	0.3	0.5	56	0.5	0.06	0.4	0.6
2013	71	0.5	0.06	0.4	0.6	64	0.5	0.07	0.4	0.7
2014	66	0.5	0.06	0.4	0.6	61	0.5	0.06	0.4	0.6
2015	75	0.5	0.06	0.4	0.7	70	0.6	0.07	0.5	0.8
2016	73	0.5	0.06	0.4	0.6	64	0.5	0.07	0.4	0.7
2017	76	0.5	0.06	0.4	0.7	72	0.6	0.07	0.5	0.8
2018	51	0.3	0.05	0.3	0.5	48	0.4	0.06	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lip										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	41	0.1	0.01	0.1	0.1	8	0.1	0.02	0.0	0.1
1986	2	0.2	0.15	0.0	0.7	1	0.4	0.42	0.0	3.4
1987	0					0				
1988	1	0.1	0.12	0.0	0.5	0				
1989	3	0.3	0.16	0.1	0.8	0				
1990	0					0				
1991	1	0.1	0.09	0.0	0.5	0				
1992	0					0				
1993	1	0.1	0.05	0.0	0.3	0				
1994	3	0.3	0.18	0.1	0.8	0				
1995	1	0.1	0.05	0.0	0.3	0				
1996	1	0.1	0.08	0.0	0.4	1	0.5	0.45	0.0	2.4
1997	2	0.2	0.15	0.0	0.7	0				
1998	1	0.1	0.05	0.0	0.3	0				
1999	0					0				
2000	2	0.1	0.10	0.0	0.5	0				
2001	1	0.1	0.06	0.0	0.4	0				
2002	2	0.1	0.08	0.0	0.4	0				
2003	1	0.1	0.05	0.0	0.3	0				
2004	3	0.2	0.11	0.0	0.6	0				
2005	2	0.1	0.08	0.0	0.4	0				
2006	0					0				
2007	3	0.2	0.12	0.0	0.6	0				
2008	3	0.2	0.12	0.0	0.6	0				
2009	2	0.2	0.10	0.0	0.5	0				
2010	3	0.2	0.10	0.0	0.5	0				
2011	0					1	0.1	0.14	0.0	0.9
2012	0					1	0.1	0.14	0.0	0.8
2013	1	0.1	0.07	0.0	0.4	2	0.3	0.25	0.0	1.2
2014	0					0				
2015	0					0				
2016	0					1	0.1	0.12	0.0	0.7
2017	0					0				
2018	2	0.1	0.09	0.0	0.4	1	0.2	0.15	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lip										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,229	1.3	0.03	1.2	1.3	2,163	1.5	0.03	1.4	1.5
1986	106	2.5	0.25	2.0	3.0	105	2.8	0.28	2.3	3.4
1987	99	2.4	0.25	1.9	2.9	99	2.6	0.28	2.1	3.2
1988	115	2.7	0.26	2.2	3.3	114	3.0	0.29	2.5	3.6
1989	94	2.3	0.24	1.8	2.8	92	2.5	0.27	2.0	3.1
1990	97	2.2	0.23	1.7	2.6	97	2.4	0.25	2.0	3.0
1991	88	1.9	0.21	1.5	2.4	86	2.1	0.23	1.7	2.6
1992	82	1.8	0.21	1.5	2.3	82	2.1	0.23	1.6	2.6
1993	70	1.5	0.18	1.1	1.9	70	1.7	0.20	1.3	2.1
1994	69	1.5	0.18	1.1	1.9	68	1.7	0.20	1.3	2.1
1995	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5
1997	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1998	64	1.3	0.17	1.0	1.7	63	1.5	0.19	1.1	1.9
1999	73	1.5	0.18	1.2	1.9	71	1.7	0.20	1.3	2.1
2000	66	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2001	45	0.9	0.14	0.7	1.2	45	1.1	0.16	0.8	1.4
2002	69	1.4	0.17	1.1	1.8	68	1.6	0.19	1.2	2.0
2003	50	1.0	0.14	0.7	1.3	49	1.1	0.16	0.8	1.5
2004	65	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2005	59	1.1	0.15	0.8	1.4	55	1.2	0.17	0.9	1.6
2006	52	1.0	0.14	0.7	1.3	52	1.1	0.16	0.8	1.5
2007	58	1.0	0.14	0.8	1.3	56	1.1	0.16	0.9	1.5
2008	52	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2009	55	1.0	0.13	0.7	1.3	49	1.0	0.15	0.7	1.3
2010	63	1.1	0.14	0.8	1.4	60	1.2	0.16	0.9	1.6
2011	44	0.8	0.12	0.6	1.0	43	0.9	0.14	0.6	1.2
2012	46	0.8	0.11	0.5	1.0	44	0.9	0.13	0.6	1.2
2013	50	0.8	0.12	0.6	1.1	48	1.0	0.14	0.7	1.3
2014	46	0.7	0.11	0.5	1.0	42	0.8	0.12	0.6	1.1
2015	55	0.9	0.12	0.7	1.1	52	1.0	0.14	0.7	1.3
2016	58	0.9	0.12	0.7	1.2	51	0.9	0.13	0.7	1.3
2017	56	0.9	0.12	0.7	1.1	53	1.0	0.14	0.7	1.3
2018	38	0.6	0.09	0.4	0.8	36	0.6	0.11	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lip										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	23	0.1	0.03	0.1	0.2	4	0.1	0.03	0.0	0.2
1986	1	0.2	0.16	0.0	1.0	0				
1987	0					0				
1988	0					0				
1989	2	0.5	0.40	0.1	1.8	0				
1990	0					0				
1991	1	0.2	0.20	0.0	1.1	0				
1992	0					0				
1993	0					0				
1994	0					0				
1995	0					0				
1996	1	0.2	0.20	0.0	1.0	1	1.1	1.08	0.0	5.7
1997	2	0.7	0.47	0.1	2.0	0				
1998	1	0.1	0.12	0.0	0.8	0				
1999	0					0				
2000	1	0.2	0.18	0.0	1.0	0				
2001	0					0				
2002	1	0.1	0.12	0.0	0.8	0				
2003	1	0.1	0.12	0.0	0.8	0				
2004	1	0.1	0.13	0.0	0.8	0				
2005	2	0.3	0.18	0.0	1.0	0				
2006	0					0				
2007	1	0.2	0.21	0.0	1.0	0				
2008	2	0.4	0.25	0.0	1.2	0				
2009	2	0.4	0.25	0.0	1.2	0				
2010	2	0.3	0.20	0.0	1.0	0				
2011	0					1	0.3	0.30	0.0	1.9
2012	0					1	0.3	0.30	0.0	1.8
2013	0					0				
2014	0					0				
2015	0					0				
2016	0					1	0.3	0.26	0.0	1.5
2017	0					0				
2018	2	0.3	0.22	0.0	1.0	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lip											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	600	0.3	0.01	0.2	0.3	562	0.3	0.01	0.3	0.3	
1986	13	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4	
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5	
1988	22	0.4	0.08	0.2	0.5	21	0.4	0.08	0.2	0.6	
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5	
1990	23	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6	
1991	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.4	
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4	
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3	
1994	25	0.4	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6	
1995	23	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6	
1996	21	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6	
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
1998	17	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
1999	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4	
2000	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4	
2001	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4	
2002	30	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7	
2003	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
2004	18	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4	
2005	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4	
2006	20	0.3	0.06	0.2	0.4	20	0.3	0.08	0.2	0.5	
2007	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
2008	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7	
2009	19	0.2	0.06	0.1	0.4	18	0.3	0.06	0.2	0.4	
2010	21	0.3	0.06	0.2	0.4	19	0.3	0.07	0.2	0.5	
2011	17	0.2	0.05	0.1	0.4	17	0.3	0.06	0.2	0.4	
2012	12	0.2	0.04	0.1	0.3	12	0.2	0.05	0.1	0.3	
2013	21	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4	
2014	20	0.2	0.05	0.1	0.4	19	0.3	0.06	0.2	0.4	
2015	20	0.3	0.06	0.2	0.4	18	0.3	0.07	0.2	0.5	
2016	15	0.2	0.05	0.1	0.3	13	0.2	0.05	0.1	0.3	
2017	20	0.2	0.06	0.1	0.4	19	0.3	0.07	0.2	0.5	
2018	13	0.2	0.04	0.1	0.3	12	0.2	0.05	0.1	0.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lip Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	18	0.1	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
1986	1	0.2	0.21	0.0	1.0	1	0.8	0.83	0.0	6.2
1987	0					0				
1988	1	0.2	0.18	0.0	0.9	0				
1989	1	0.1	0.12	0.0	0.7	0				
1990	0					0				
1991	0					0				
1992	0					0				
1993	1	0.1	0.09	0.0	0.6	0				
1994	3	0.5	0.28	0.1	1.3	0				
1995	1	0.1	0.10	0.0	0.6	0				
1996	0					0				
1997	0					0				
1998	0					0				
1999	0					0				
2000	1	0.1	0.12	0.0	0.6	0				
2001	1	0.1	0.11	0.0	0.6	0				
2002	1	0.1	0.10	0.0	0.6	0				
2003	0					0				
2004	2	0.2	0.16	0.0	0.8	0				
2005	0					0				
2006	0					0				
2007	2	0.2	0.15	0.0	0.8	0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	1	0.1	0.10	0.0	0.6	0				
2011	0					0				
2012	0					0				
2013	1	0.1	0.11	0.0	0.6	2	0.6	0.47	0.1	2.2
2014	0					0				
2015	0					0				
2016	0					0				
2017	0					0				
2018	0					1	0.3	0.28	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Tongue										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	12,498	3.0	0.03	2.9	3.1	10,665	3.0	0.03	3.0	3.1
1986	261	2.5	0.15	2.2	2.8	215	2.3	0.16	2.0	2.6
1987	253	2.4	0.16	2.1	2.8	193	2.1	0.15	1.8	2.4
1988	232	2.2	0.15	1.9	2.5	189	2.0	0.15	1.8	2.4
1989	244	2.3	0.15	2.0	2.6	200	2.1	0.15	1.9	2.5
1990	254	2.4	0.15	2.1	2.7	202	2.1	0.15	1.8	2.5
1991	277	2.6	0.16	2.3	3.0	216	2.4	0.16	2.1	2.7
1992	265	2.4	0.15	2.1	2.7	221	2.3	0.16	2.0	2.6
1993	271	2.4	0.15	2.1	2.7	232	2.4	0.16	2.1	2.7
1994	269	2.4	0.15	2.1	2.7	224	2.3	0.15	2.0	2.6
1995	284	2.5	0.15	2.2	2.8	234	2.4	0.16	2.1	2.7
1996	297	2.6	0.15	2.3	2.9	248	2.5	0.16	2.2	2.9
1997	342	3.0	0.16	2.7	3.3	289	3.0	0.17	2.6	3.3
1998	273	2.3	0.14	2.1	2.6	228	2.3	0.15	2.0	2.6
1999	332	2.8	0.15	2.5	3.1	286	2.9	0.17	2.5	3.2
2000	306	2.6	0.15	2.3	2.9	253	2.5	0.16	2.2	2.8
2001	291	2.4	0.14	2.1	2.7	238	2.3	0.15	2.0	2.6
2002	355	2.9	0.15	2.6	3.2	296	2.9	0.17	2.5	3.2
2003	343	2.7	0.15	2.5	3.1	294	2.8	0.16	2.5	3.2
2004	384	3.0	0.15	2.7	3.3	317	3.0	0.17	2.7	3.3
2005	397	3.1	0.16	2.8	3.4	341	3.2	0.17	2.8	3.5
2006	375	2.9	0.15	2.6	3.2	315	2.9	0.16	2.6	3.2
2007	457	3.5	0.16	3.2	3.8	404	3.7	0.19	3.3	4.1
2008	429	3.2	0.15	2.9	3.5	385	3.4	0.18	3.1	3.8
2009	432	3.2	0.16	2.9	3.5	375	3.3	0.17	3.0	3.7
2010	419	3.0	0.15	2.7	3.3	365	3.2	0.17	2.8	3.5
2011	477	3.4	0.16	3.1	3.7	405	3.5	0.18	3.1	3.8
2012	535	3.7	0.16	3.4	4.0	471	4.0	0.19	3.6	4.4
2013	541	3.6	0.16	3.3	3.9	465	3.8	0.18	3.4	4.2
2014	560	3.8	0.16	3.4	4.1	489	4.0	0.18	3.6	4.3
2015	564	3.7	0.16	3.4	4.1	499	4.0	0.18	3.7	4.4
2016	562	3.7	0.16	3.4	4.0	497	4.0	0.18	3.6	4.4
2017	638	4.1	0.17	3.8	4.5	567	4.5	0.19	4.1	4.9
2018	579	3.7	0.16	3.4	4.0	512	4.0	0.18	3.7	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Tongue										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,454	2.8	0.07	2.6	2.9	295	2.0	0.12	1.7	2.2
1986	42	3.7	0.58	2.6	5.0	2	1.7	1.29	0.1	6.1
1987	54	4.8	0.67	3.6	6.3	6	3.8	1.66	1.3	8.6
1988	42	3.5	0.54	2.5	4.7	1	0.6	0.57	0.0	3.5
1989	40	3.3	0.52	2.3	4.4	4	2.3	1.19	0.6	6.1
1990	52	4.1	0.58	3.1	5.4	0				
1991	54	4.2	0.58	3.2	5.5	3	1.2	0.71	0.3	3.9
1992	42	3.3	0.50	2.3	4.4	2	0.7	0.49	0.1	2.9
1993	34	2.6	0.45	1.8	3.6	3	1.1	0.65	0.2	3.5
1994	42	3.1	0.49	2.3	4.2	3	1.0	0.63	0.2	3.3
1995	42	3.0	0.47	2.2	4.1	6	1.6	0.65	0.6	3.8
1996	46	3.2	0.48	2.4	4.3	3	0.8	0.45	0.2	2.6
1997	47	3.4	0.51	2.5	4.6	6	2.0	0.86	0.7	4.5
1998	38	2.6	0.43	1.9	3.6	5	1.6	0.78	0.5	3.9
1999	40	2.5	0.40	1.8	3.4	6	1.6	0.69	0.6	3.7
2000	45	3.0	0.45	2.2	4.0	5	1.5	0.70	0.4	3.5
2001	45	2.8	0.42	2.0	3.8	6	1.4	0.58	0.5	3.1
2002	50	3.1	0.43	2.3	4.0	7	1.7	0.66	0.6	3.6
2003	39	2.5	0.40	1.8	3.4	8	2.0	0.74	0.8	4.0
2004	47	2.9	0.42	2.1	3.8	15	3.0	0.83	1.6	5.1
2005	36	2.2	0.37	1.5	3.0	17	3.4	0.88	1.9	5.6
2006	43	2.4	0.37	1.7	3.3	13	2.5	0.78	1.2	4.5
2007	40	2.3	0.37	1.6	3.1	12	2.5	0.78	1.2	4.5
2008	34	1.9	0.33	1.3	2.7	9	1.7	0.62	0.8	3.4
2009	36	2.0	0.34	1.4	2.8	17	2.7	0.69	1.6	4.5
2010	35	1.9	0.34	1.3	2.7	16	2.8	0.74	1.5	4.6
2011	52	2.8	0.40	2.1	3.7	14	1.9	0.51	1.0	3.2
2012	51	2.7	0.39	2.0	3.6	10	1.4	0.48	0.7	2.7
2013	58	2.9	0.39	2.2	3.8	11	1.5	0.49	0.7	2.8
2014	51	2.7	0.39	2.0	3.6	18	2.4	0.56	1.4	3.8
2015	46	2.3	0.35	1.7	3.1	15	1.8	0.46	1.0	3.0
2016	45	2.2	0.33	1.6	3.0	16	1.9	0.49	1.1	3.2
2017	45	2.2	0.34	1.6	3.0	19	2.3	0.54	1.4	3.6
2018	41	1.9	0.30	1.3	2.6	17	2.1	0.51	1.2	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Tongue										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	8,563	4.5	0.05	4.4	4.6	7,246	4.5	0.05	4.4	4.6
1986	175	3.7	0.28	3.1	4.3	137	3.2	0.28	2.7	3.8
1987	162	3.5	0.28	2.9	4.1	123	3.0	0.27	2.4	3.5
1988	155	3.3	0.27	2.8	3.9	120	2.9	0.27	2.4	3.5
1989	159	3.4	0.28	2.9	4.0	127	3.1	0.29	2.6	3.7
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.28	2.7	3.8
1991	198	4.2	0.31	3.6	4.9	149	3.7	0.31	3.1	4.3
1992	172	3.5	0.27	3.0	4.0	140	3.3	0.28	2.7	3.9
1993	178	3.5	0.27	3.0	4.1	149	3.4	0.28	2.9	4.0
1994	180	3.6	0.27	3.1	4.2	150	3.5	0.29	2.9	4.1
1995	201	4.0	0.28	3.4	4.6	164	3.7	0.30	3.2	4.4
1996	199	3.9	0.28	3.4	4.5	165	3.8	0.30	3.2	4.4
1997	219	4.2	0.29	3.7	4.8	180	4.0	0.30	3.5	4.7
1998	174	3.3	0.25	2.8	3.8	138	3.1	0.26	2.6	3.6
1999	211	3.9	0.27	3.4	4.4	180	3.9	0.29	3.3	4.5
2000	200	3.7	0.26	3.2	4.2	162	3.5	0.28	3.0	4.1
2001	203	3.6	0.26	3.2	4.2	164	3.5	0.27	3.0	4.1
2002	245	4.3	0.28	3.8	4.9	200	4.2	0.30	3.6	4.8
2003	239	4.2	0.28	3.7	4.8	202	4.2	0.30	3.7	4.9
2004	264	4.5	0.28	4.0	5.1	212	4.3	0.30	3.7	4.9
2005	273	4.6	0.28	4.1	5.2	233	4.6	0.31	4.1	5.3
2006	260	4.3	0.27	3.7	4.8	220	4.3	0.29	3.7	4.9
2007	316	5.1	0.29	4.6	5.7	275	5.3	0.32	4.7	6.0
2008	295	4.7	0.28	4.1	5.2	266	5.0	0.31	4.4	5.7
2009	286	4.5	0.27	4.0	5.0	249	4.7	0.30	4.1	5.3
2010	297	4.5	0.27	4.0	5.1	260	4.7	0.30	4.1	5.3
2011	329	4.9	0.28	4.4	5.5	279	5.0	0.30	4.4	5.6
2012	376	5.6	0.30	5.0	6.2	327	5.8	0.33	5.2	6.5
2013	384	5.5	0.29	4.9	6.1	333	5.7	0.32	5.1	6.4
2014	381	5.4	0.28	4.9	6.0	338	5.7	0.32	5.1	6.4
2015	399	5.6	0.29	5.1	6.2	353	6.0	0.33	5.4	6.7
2016	400	5.5	0.28	5.0	6.1	353	5.9	0.32	5.3	6.5
2017	453	6.2	0.30	5.7	6.9	403	6.7	0.34	6.1	7.4
2018	408	5.5	0.28	5.0	6.1	362	6.0	0.32	5.4	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Tongue										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,075	4.8	0.15	4.5	5.1	189	2.8	0.22	2.4	3.3
1986	35	7.2	1.28	4.9	10.1	2	3.8	3.02	0.3	14.2
1987	36	7.2	1.25	5.0	10.1	3	5.2	3.27	0.9	15.6
1988	35	7.0	1.22	4.8	9.7	0				
1989	31	5.9	1.08	4.0	8.4	1	1.3	1.25	0.0	7.7
1990	39	7.1	1.16	5.0	9.7	0				
1991	43	7.9	1.26	5.6	10.8	3	2.6	1.52	0.5	8.7
1992	30	5.3	0.98	3.6	7.6	2	1.4	1.05	0.2	6.6
1993	25	4.2	0.84	2.7	6.2	2	2.0	1.44	0.3	7.6
1994	29	5.2	1.01	3.4	7.5	1	0.4	0.39	0.0	4.5
1995	30	5.3	1.02	3.5	7.6	5	2.8	1.25	0.9	7.5
1996	34	5.5	0.96	3.8	7.7	0				
1997	34	6.0	1.08	4.0	8.5	5	3.6	1.69	1.1	8.9
1998	29	4.8	0.90	3.2	6.9	5	3.7	1.83	1.0	9.2
1999	29	4.1	0.76	2.7	5.9	2	1.4	1.06	0.1	5.5
2000	36	5.4	0.91	3.8	7.5	1	1.2	1.15	0.0	5.4
2001	36	5.2	0.88	3.6	7.3	2	0.9	0.60	0.1	3.8
2002	38	5.4	0.88	3.8	7.4	5	2.9	1.37	0.8	7.0
2003	30	4.5	0.87	3.0	6.6	5	2.5	1.16	0.7	6.1
2004	38	5.2	0.86	3.7	7.2	11	5.4	1.86	2.4	10.3
2005	29	4.2	0.80	2.8	6.1	9	4.1	1.48	1.8	8.2
2006	28	3.6	0.69	2.4	5.2	11	5.1	1.78	2.3	9.8
2007	33	4.4	0.78	3.0	6.2	7	3.4	1.43	1.2	7.3
2008	23	3.3	0.72	2.0	5.0	6	3.0	1.33	1.0	6.7
2009	22	2.7	0.59	1.7	4.2	12	4.2	1.30	2.1	7.7
2010	24	3.3	0.71	2.1	5.0	11	4.2	1.37	2.0	7.8
2011	37	4.7	0.81	3.3	6.6	8	2.4	0.85	1.0	4.9
2012	40	5.1	0.85	3.6	7.1	7	2.3	1.01	0.8	5.1
2013	40	4.8	0.79	3.4	6.6	6	1.7	0.72	0.6	3.8
2014	31	4.0	0.74	2.7	5.7	11	3.0	0.90	1.5	5.4
2015	33	4.0	0.72	2.7	5.7	11	2.8	0.85	1.4	5.1
2016	34	3.9	0.69	2.7	5.5	13	3.3	0.93	1.8	5.8
2017	34	4.1	0.72	2.8	5.7	11	3.2	1.00	1.5	5.8
2018	30	3.1	0.58	2.1	4.5	11	3.0	0.94	1.4	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Tongue											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	3,935	1.7	0.03	1.7	1.8	3,419	1.8	0.03	1.7	1.9	
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9	
1987	91	1.6	0.17	1.3	1.9	70	1.4	0.17	1.1	1.7	
1988	77	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.6	
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8	
1990	82	1.4	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6	
1991	79	1.4	0.15	1.1	1.7	67	1.3	0.17	1.0	1.7	
1992	93	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9	
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9	
1994	89	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7	
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5	
1996	98	1.5	0.16	1.2	1.9	83	1.5	0.17	1.2	1.9	
1997	123	1.9	0.17	1.6	2.3	109	2.0	0.19	1.6	2.4	
1998	99	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0	
1999	121	1.9	0.17	1.5	2.2	106	1.9	0.19	1.6	2.3	
2000	106	1.6	0.15	1.3	1.9	91	1.6	0.17	1.3	2.0	
2001	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6	
2002	110	1.6	0.16	1.3	2.0	96	1.7	0.17	1.4	2.1	
2003	104	1.5	0.15	1.2	1.9	92	1.6	0.17	1.3	2.0	
2004	120	1.7	0.16	1.4	2.1	105	1.8	0.18	1.5	2.2	
2005	124	1.8	0.16	1.5	2.1	108	1.9	0.18	1.5	2.2	
2006	115	1.6	0.15	1.3	1.9	95	1.6	0.17	1.3	2.0	
2007	141	2.0	0.17	1.7	2.4	129	2.2	0.20	1.8	2.6	
2008	134	1.9	0.16	1.6	2.2	119	2.0	0.19	1.7	2.4	
2009	146	2.1	0.17	1.7	2.4	126	2.1	0.19	1.8	2.6	
2010	122	1.7	0.15	1.4	2.0	105	1.7	0.17	1.4	2.1	
2011	148	2.0	0.17	1.7	2.4	126	2.1	0.19	1.7	2.5	
2012	159	2.1	0.17	1.8	2.4	144	2.3	0.20	1.9	2.7	
2013	157	2.0	0.16	1.7	2.3	132	2.0	0.18	1.7	2.4	
2014	179	2.3	0.17	2.0	2.7	151	2.4	0.20	2.0	2.8	
2015	165	2.0	0.16	1.7	2.4	146	2.3	0.19	1.9	2.7	
2016	162	2.1	0.17	1.7	2.4	144	2.3	0.20	1.9	2.7	
2017	185	2.3	0.17	1.9	2.6	164	2.5	0.20	2.1	2.9	
2018	171	2.1	0.16	1.8	2.4	150	2.3	0.19	1.9	2.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Tongue										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	379	1.3	0.07	1.1	1.4	106	1.3	0.13	1.0	1.5
1986	7	1.1	0.42	0.4	2.2	0				
1987	18	2.9	0.69	1.7	4.6	3	2.8	1.65	0.6	9.0
1988	7	0.8	0.32	0.3	1.8	1	1.0	1.00	0.0	6.1
1989	9	1.3	0.43	0.6	2.4	3	3.2	1.89	0.7	9.5
1990	13	1.8	0.52	1.0	3.1	0				
1991	11	1.5	0.46	0.8	2.7	0				
1992	12	1.7	0.49	0.9	2.9	0				
1993	9	1.3	0.44	0.6	2.4	1	0.4	0.40	0.0	3.7
1994	13	1.7	0.47	0.9	2.8	2	1.5	1.09	0.2	5.6
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	3.4
1996	12	1.5	0.43	0.8	2.6	3	1.5	0.89	0.3	4.9
1997	13	1.7	0.47	0.9	2.8	1	0.8	0.76	0.0	3.9
1998	9	1.1	0.36	0.5	2.0	0				
1999	11	1.3	0.38	0.6	2.3	4	1.9	0.96	0.5	5.0
2000	9	1.1	0.36	0.5	2.0	4	1.8	0.95	0.5	4.9
2001	9	1.0	0.32	0.4	1.8	4	1.8	0.93	0.5	4.7
2002	12	1.3	0.37	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	9	1.0	0.34	0.5	1.9	3	1.6	0.92	0.3	4.4
2004	9	1.0	0.34	0.5	1.9	4	1.1	0.57	0.3	3.2
2005	7	0.7	0.28	0.3	1.5	8	2.8	1.02	1.1	5.6
2006	15	1.5	0.40	0.9	2.5	2	0.5	0.37	0.1	2.2
2007	7	0.7	0.28	0.3	1.5	5	1.9	0.90	0.6	4.5
2008	11	1.1	0.32	0.5	1.9	3	0.9	0.50	0.2	2.7
2009	14	1.5	0.39	0.8	2.4	5	1.5	0.66	0.5	3.5
2010	11	1.0	0.31	0.5	1.8	5	1.6	0.74	0.5	3.8
2011	15	1.4	0.37	0.8	2.4	6	1.5	0.60	0.5	3.3
2012	11	1.0	0.31	0.5	1.8	3	0.9	0.49	0.2	2.5
2013	18	1.6	0.39	1.0	2.6	5	1.4	0.66	0.4	3.4
2014	20	1.9	0.42	1.1	2.9	7	1.8	0.69	0.7	3.8
2015	13	1.1	0.32	0.6	1.9	4	0.8	0.42	0.2	2.3
2016	11	0.9	0.28	0.5	1.7	3	0.7	0.41	0.1	2.1
2017	11	0.9	0.28	0.5	1.7	8	1.6	0.58	0.7	3.3
2018	11	1.0	0.30	0.5	1.8	6	1.3	0.54	0.5	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Salivary Gland											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	4,958	1.2	0.02	1.2	1.2	4,187	1.2	0.02	1.2	1.2	
1986	107	1.0	0.10	0.8	1.2	90	1.0	0.10	0.8	1.2	
1987	122	1.1	0.10	0.9	1.4	110	1.2	0.11	1.0	1.4	
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4	
1989	104	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2	
1990	98	0.9	0.09	0.7	1.1	91	1.0	0.10	0.8	1.2	
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1	
1992	116	1.0	0.10	0.9	1.3	103	1.1	0.11	0.9	1.3	
1993	116	1.0	0.10	0.9	1.2	95	1.0	0.10	0.8	1.2	
1994	134	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4	
1995	135	1.2	0.10	1.0	1.4	115	1.2	0.11	1.0	1.4	
1996	141	1.2	0.10	1.0	1.4	121	1.2	0.11	1.0	1.5	
1997	156	1.3	0.11	1.1	1.6	135	1.4	0.12	1.1	1.6	
1998	140	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4	
1999	151	1.3	0.10	1.1	1.5	135	1.3	0.11	1.1	1.6	
2000	138	1.1	0.10	1.0	1.4	122	1.2	0.11	1.0	1.4	
2001	137	1.1	0.10	0.9	1.3	118	1.1	0.11	1.0	1.4	
2002	153	1.2	0.10	1.1	1.5	136	1.3	0.11	1.1	1.6	
2003	143	1.2	0.10	1.0	1.4	128	1.2	0.11	1.0	1.4	
2004	136	1.1	0.09	0.9	1.3	112	1.1	0.10	0.9	1.3	
2005	132	1.0	0.09	0.9	1.2	117	1.1	0.10	0.9	1.3	
2006	149	1.2	0.10	1.0	1.4	123	1.2	0.10	1.0	1.4	
2007	173	1.3	0.10	1.1	1.6	147	1.4	0.11	1.1	1.6	
2008	153	1.2	0.10	1.0	1.4	122	1.1	0.10	0.9	1.3	
2009	179	1.4	0.10	1.2	1.6	151	1.4	0.12	1.2	1.6	
2010	175	1.3	0.10	1.1	1.5	137	1.2	0.11	1.0	1.5	
2011	168	1.3	0.10	1.1	1.5	142	1.3	0.11	1.1	1.5	
2012	210	1.5	0.11	1.3	1.7	171	1.5	0.12	1.3	1.7	
2013	171	1.2	0.10	1.1	1.4	132	1.1	0.10	1.0	1.4	
2014	192	1.3	0.10	1.2	1.6	152	1.3	0.11	1.1	1.5	
2015	202	1.4	0.10	1.2	1.6	166	1.4	0.11	1.2	1.7	
2016	197	1.4	0.10	1.2	1.6	159	1.4	0.11	1.2	1.6	
2017	203	1.4	0.10	1.2	1.6	170	1.4	0.11	1.2	1.6	
2018	207	1.4	0.10	1.2	1.6	167	1.4	0.11	1.2	1.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Salivary Gland										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	589	1.1	0.05	1.0	1.2	142	0.9	0.08	0.8	1.1
1986	14	1.1	0.29	0.6	1.8	3	1.1	0.71	0.2	4.4
1987	11	1.0	0.30	0.5	1.7	1	1.2	1.15	0.0	5.3
1988	6	0.5	0.22	0.2	1.2	4	2.1	1.11	0.5	5.8
1989	9	0.7	0.24	0.3	1.3	0				
1990	6	0.4	0.17	0.2	0.9	0				
1991	15	1.1	0.28	0.6	1.8	0				
1992	10	0.8	0.25	0.4	1.4	2	0.6	0.41	0.1	2.7
1993	18	1.4	0.32	0.8	2.1	3	1.7	1.08	0.3	5.0
1994	13	0.9	0.26	0.5	1.5	4	1.4	0.74	0.4	3.9
1995	16	1.1	0.30	0.6	1.9	4	0.9	0.46	0.2	2.8
1996	16	1.1	0.28	0.6	1.8	2	1.0	0.79	0.1	3.6
1997	15	1.0	0.27	0.6	1.7	3	0.9	0.54	0.2	2.8
1998	16	1.1	0.27	0.6	1.8	6	1.5	0.61	0.5	3.4
1999	12	0.8	0.24	0.4	1.4	2	0.3	0.24	0.0	1.7
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.32	0.1	1.9
2001	12	0.7	0.21	0.4	1.3	4	0.9	0.52	0.2	2.6
2002	12	0.8	0.22	0.4	1.3	4	1.0	0.53	0.3	2.7
2003	13	0.8	0.21	0.4	1.3	2	0.6	0.44	0.1	2.1
2004	19	1.1	0.26	0.7	1.8	5	1.1	0.54	0.3	2.8
2005	13	0.7	0.20	0.4	1.2	2	0.6	0.42	0.1	2.0
2006	20	1.2	0.27	0.7	1.8	5	1.3	0.61	0.4	3.0
2007	20	1.1	0.26	0.7	1.8	4	0.6	0.32	0.2	1.7
2008	25	1.4	0.29	0.9	2.1	5	1.1	0.54	0.3	2.7
2009	21	1.3	0.29	0.8	2.0	5	0.7	0.33	0.2	1.8
2010	26	1.6	0.32	1.0	2.4	10	1.8	0.57	0.8	3.3
2011	17	1.0	0.24	0.6	1.6	7	1.2	0.49	0.4	2.6
2012	29	1.5	0.29	1.0	2.2	8	1.2	0.45	0.5	2.5
2013	29	1.6	0.30	1.1	2.3	6	0.8	0.36	0.3	1.9
2014	33	1.8	0.32	1.3	2.6	7	0.9	0.33	0.3	1.8
2015	26	1.3	0.26	0.8	1.9	8	1.0	0.35	0.4	2.0
2016	33	1.8	0.32	1.2	2.5	4	0.6	0.28	0.2	1.4
2017	26	1.3	0.26	0.8	1.9	7	0.8	0.32	0.3	1.7
2018	25	1.3	0.27	0.8	1.9	12	1.4	0.40	0.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Salivary Gland											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	2,765	1.6	0.03	1.5	1.6	2,390	1.6	0.03	1.5	1.7	
1986	48	1.1	0.17	0.8	1.5	42	1.1	0.18	0.8	1.6	
1987	67	1.5	0.19	1.2	1.9	63	1.6	0.21	1.2	2.1	
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1	
1989	48	1.1	0.16	0.8	1.4	44	1.1	0.17	0.8	1.5	
1990	60	1.4	0.19	1.0	1.8	56	1.5	0.21	1.1	2.0	
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5	
1992	66	1.4	0.18	1.1	1.8	60	1.5	0.20	1.1	1.9	
1993	66	1.4	0.17	1.0	1.7	55	1.3	0.18	1.0	1.7	
1994	68	1.5	0.19	1.2	2.0	63	1.6	0.21	1.3	2.1	
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.1	
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.0	
1997	81	1.6	0.18	1.3	2.0	70	1.6	0.20	1.3	2.0	
1998	77	1.5	0.18	1.2	1.9	65	1.5	0.19	1.2	1.9	
1999	85	1.7	0.19	1.3	2.1	76	1.7	0.20	1.4	2.2	
2000	80	1.6	0.18	1.2	1.9	70	1.6	0.19	1.2	2.0	
2001	80	1.6	0.18	1.2	2.0	71	1.6	0.20	1.3	2.1	
2002	89	1.7	0.18	1.4	2.1	80	1.8	0.20	1.4	2.2	
2003	81	1.6	0.18	1.2	1.9	73	1.7	0.20	1.3	2.1	
2004	79	1.5	0.17	1.2	1.9	67	1.5	0.19	1.2	1.9	
2005	71	1.3	0.15	1.0	1.6	62	1.3	0.17	1.0	1.7	
2006	78	1.4	0.16	1.1	1.8	68	1.5	0.18	1.1	1.9	
2007	102	1.9	0.19	1.5	2.3	88	1.9	0.21	1.5	2.4	
2008	88	1.5	0.17	1.2	1.9	72	1.5	0.18	1.2	1.9	
2009	103	1.8	0.18	1.5	2.2	92	1.9	0.20	1.6	2.4	
2010	97	1.6	0.17	1.3	2.0	81	1.6	0.18	1.3	2.0	
2011	104	1.8	0.18	1.5	2.2	87	1.8	0.19	1.4	2.2	
2012	119	1.9	0.18	1.6	2.3	96	1.9	0.20	1.5	2.3	
2013	97	1.6	0.17	1.3	2.0	74	1.5	0.17	1.2	1.9	
2014	104	1.6	0.16	1.3	2.0	85	1.6	0.18	1.3	2.0	
2015	128	2.0	0.18	1.7	2.4	107	2.0	0.20	1.7	2.5	
2016	103	1.6	0.16	1.3	2.0	88	1.7	0.18	1.3	2.1	
2017	109	1.6	0.16	1.3	2.0	96	1.7	0.18	1.4	2.1	
2018	116	1.8	0.17	1.5	2.2	97	1.8	0.18	1.4	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Salivary Gland										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	286	1.3	0.08	1.2	1.5	72	1.1	0.14	0.8	1.4
1986	6	1.0	0.43	0.3	2.3	0				
1987	4	0.8	0.42	0.2	2.1	0				
1988	4	0.8	0.39	0.2	2.0	0				
1989	4	0.8	0.41	0.2	2.1	0				
1990	3	0.5	0.28	0.1	1.5	0				
1991	8	1.4	0.49	0.6	2.7	0				
1992	5	1.0	0.45	0.3	2.3	1	0.6	0.60	0.0	5.4
1993	10	1.9	0.62	0.9	3.5	1	2.4	2.41	0.1	10.3
1994	4	0.6	0.30	0.2	1.6	1	1.2	1.18	0.0	6.3
1995	4	0.6	0.30	0.2	1.6	2	1.0	0.70	0.1	5.0
1996	8	1.3	0.47	0.5	2.6	2	2.4	1.95	0.2	8.7
1997	8	1.5	0.57	0.6	3.0	3	2.0	1.16	0.4	6.4
1998	8	1.4	0.55	0.6	2.9	3	1.5	0.87	0.3	5.3
1999	7	1.3	0.52	0.5	2.7	1	0.5	0.45	0.0	3.6
2000	9	1.3	0.43	0.6	2.4	1	0.5	0.45	0.0	3.4
2001	4	0.7	0.43	0.2	2.0	3	1.6	1.15	0.2	5.6
2002	7	1.0	0.37	0.4	2.0	2	1.0	0.71	0.1	4.0
2003	7	0.9	0.34	0.4	1.9	1	0.3	0.34	0.0	2.7
2004	9	1.3	0.46	0.6	2.6	3	1.7	1.08	0.3	5.1
2005	8	1.0	0.37	0.4	2.1	1	0.4	0.36	0.0	2.5
2006	6	0.8	0.32	0.3	1.7	4	2.6	1.43	0.6	6.7
2007	11	1.4	0.43	0.7	2.6	2	0.7	0.48	0.1	2.8
2008	12	1.8	0.57	0.9	3.2	4	2.2	1.20	0.5	5.7
2009	9	1.3	0.46	0.6	2.5	2	0.7	0.47	0.1	2.6
2010	10	1.8	0.59	0.8	3.3	4	1.3	0.67	0.4	3.6
2011	12	1.6	0.48	0.8	2.8	3	1.3	0.81	0.2	3.8
2012	18	2.2	0.54	1.3	3.5	4	1.1	0.54	0.3	2.9
2013	18	2.4	0.57	1.4	3.8	3	1.2	0.80	0.2	3.7
2014	15	1.7	0.46	1.0	2.9	4	1.1	0.55	0.3	2.9
2015	15	1.9	0.51	1.1	3.2	5	1.3	0.61	0.4	3.2
2016	11	1.2	0.38	0.6	2.2	3	0.8	0.46	0.2	2.4
2017	10	1.1	0.37	0.5	2.1	3	0.7	0.41	0.1	2.2
2018	12	1.5	0.46	0.8	2.7	6	1.5	0.61	0.5	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Salivary Gland											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	2,193	1.0	0.02	0.9	1.0	1,797	1.0	0.02	0.9	1.0	
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2	
1987	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2	
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2	
1989	56	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.3	
1990	38	0.6	0.10	0.4	0.9	35	0.7	0.11	0.5	0.9	
1991	46	0.8	0.11	0.6	1.0	38	0.7	0.12	0.5	1.0	
1992	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1	
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0	
1994	66	1.0	0.13	0.8	1.3	54	1.0	0.14	0.7	1.3	
1995	60	0.9	0.12	0.7	1.2	46	0.9	0.13	0.6	1.2	
1996	64	1.0	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2	
1997	75	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.6	
1998	63	1.0	0.12	0.7	1.2	52	0.9	0.13	0.7	1.2	
1999	66	1.0	0.12	0.8	1.3	59	1.1	0.14	0.8	1.4	
2000	58	0.9	0.12	0.7	1.2	52	1.0	0.13	0.7	1.3	
2001	57	0.9	0.11	0.7	1.1	47	0.9	0.13	0.6	1.1	
2002	64	1.0	0.12	0.7	1.2	56	1.0	0.14	0.8	1.3	
2003	62	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2	
2004	57	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1	
2005	61	0.9	0.12	0.7	1.2	55	1.0	0.14	0.8	1.3	
2006	71	1.0	0.12	0.8	1.3	55	0.9	0.13	0.7	1.2	
2007	71	1.0	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3	
2008	65	0.9	0.11	0.7	1.2	50	0.8	0.12	0.6	1.1	
2009	76	1.1	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3	
2010	78	1.1	0.13	0.9	1.4	56	1.0	0.13	0.7	1.3	
2011	64	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2	
2012	91	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5	
2013	74	1.0	0.12	0.8	1.2	58	1.0	0.13	0.7	1.3	
2014	88	1.1	0.12	0.9	1.4	67	1.1	0.13	0.8	1.4	
2015	74	1.0	0.12	0.8	1.3	59	1.0	0.14	0.8	1.3	
2016	94	1.3	0.13	1.0	1.6	71	1.2	0.15	0.9	1.5	
2017	94	1.2	0.13	1.0	1.5	74	1.2	0.15	0.9	1.5	
2018	91	1.2	0.13	1.0	1.5	70	1.1	0.14	0.9	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Salivary Gland										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	303	1.0	0.06	0.9	1.1	70	0.8	0.10	0.7	1.1
1986	8	1.1	0.41	0.5	2.2	3	2.3	1.42	0.4	8.3
1987	7	1.0	0.40	0.4	2.1	1	2.0	1.97	0.1	9.1
1988	2	0.4	0.25	0.0	1.2	4	3.9	2.05	1.0	10.6
1989	5	0.7	0.30	0.2	1.5	0				
1990	3	0.4	0.23	0.1	1.1	0				
1991	7	0.8	0.31	0.3	1.7	0				
1992	5	0.7	0.30	0.2	1.5	1	0.6	0.59	0.0	4.3
1993	8	1.0	0.36	0.4	2.0	2	1.4	0.97	0.2	5.4
1994	9	1.1	0.37	0.5	2.1	3	1.7	1.01	0.3	5.5
1995	12	1.5	0.44	0.8	2.6	2	0.8	0.57	0.1	3.8
1996	8	1.0	0.36	0.4	2.0	0				
1997	7	0.8	0.30	0.3	1.6	0				
1998	8	0.9	0.33	0.4	1.8	3	1.5	0.85	0.3	4.5
1999	5	0.5	0.24	0.2	1.3	1	0.2	0.24	0.0	2.4
2000	4	0.4	0.21	0.1	1.1	2	0.7	0.48	0.1	2.9
2001	8	0.8	0.29	0.4	1.6	1	0.4	0.37	0.0	2.4
2002	5	0.6	0.26	0.2	1.3	2	1.0	0.74	0.1	3.6
2003	6	0.6	0.26	0.2	1.4	1	0.7	0.69	0.0	3.2
2004	10	1.0	0.32	0.5	1.9	2	0.8	0.54	0.1	2.9
2005	5	0.5	0.21	0.2	1.1	1	0.6	0.62	0.0	2.9
2006	14	1.5	0.40	0.8	2.5	1	0.4	0.37	0.0	2.1
2007	9	0.9	0.31	0.4	1.8	2	0.6	0.43	0.1	2.3
2008	13	1.3	0.37	0.7	2.2	1	0.3	0.32	0.0	1.9
2009	12	1.3	0.37	0.7	2.2	3	0.8	0.45	0.2	2.5
2010	16	1.6	0.41	0.9	2.6	6	2.1	0.88	0.7	4.6
2011	5	0.5	0.22	0.2	1.2	4	1.2	0.62	0.3	3.1
2012	11	1.0	0.31	0.5	1.8	4	1.3	0.67	0.3	3.3
2013	11	1.0	0.29	0.5	1.8	3	0.6	0.36	0.1	2.0
2014	18	1.8	0.44	1.1	2.9	3	0.7	0.38	0.1	2.0
2015	11	0.9	0.28	0.4	1.7	3	0.7	0.40	0.1	2.1
2016	22	2.2	0.47	1.3	3.3	1	0.3	0.32	0.0	1.6
2017	16	1.4	0.36	0.8	2.3	4	1.0	0.48	0.3	2.5
2018	13	1.2	0.35	0.7	2.1	6	1.3	0.52	0.5	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Floor of Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,507	0.8	0.01	0.8	0.9	2,813	0.8	0.02	0.8	0.8
1986	148	1.5	0.12	1.2	1.7	113	1.2	0.12	1.0	1.5
1987	110	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1988	115	1.1	0.11	0.9	1.3	82	0.9	0.10	0.7	1.1
1989	136	1.3	0.11	1.1	1.5	104	1.1	0.11	0.9	1.4
1990	129	1.3	0.11	1.0	1.5	103	1.2	0.12	0.9	1.4
1991	136	1.2	0.11	1.0	1.5	109	1.1	0.11	0.9	1.4
1992	127	1.2	0.10	1.0	1.4	97	1.0	0.10	0.8	1.3
1993	107	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1
1994	124	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1995	133	1.2	0.10	1.0	1.4	108	1.1	0.11	0.9	1.4
1996	128	1.1	0.10	1.0	1.4	98	1.0	0.10	0.8	1.3
1997	109	0.9	0.09	0.8	1.1	88	0.9	0.10	0.7	1.1
1998	106	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
1999	99	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0
2000	126	1.1	0.09	0.9	1.3	97	1.0	0.10	0.8	1.2
2001	116	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
2002	93	0.8	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
2003	96	0.8	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9
2004	99	0.8	0.08	0.6	1.0	76	0.7	0.08	0.6	0.9
2005	76	0.6	0.07	0.5	0.8	62	0.6	0.08	0.5	0.8
2006	105	0.8	0.08	0.7	1.0	86	0.8	0.09	0.6	1.0
2007	88	0.7	0.07	0.5	0.8	72	0.7	0.08	0.5	0.8
2008	110	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2009	105	0.8	0.08	0.6	0.9	83	0.7	0.08	0.6	0.9
2010	81	0.6	0.06	0.5	0.7	64	0.5	0.07	0.4	0.7
2011	92	0.6	0.07	0.5	0.8	78	0.6	0.07	0.5	0.8
2012	97	0.7	0.07	0.5	0.8	76	0.6	0.07	0.5	0.8
2013	101	0.7	0.07	0.5	0.8	81	0.6	0.07	0.5	0.8
2014	82	0.5	0.06	0.4	0.7	62	0.5	0.06	0.4	0.6
2015	100	0.7	0.07	0.5	0.8	90	0.7	0.08	0.6	0.9
2016	82	0.5	0.06	0.4	0.7	74	0.6	0.07	0.5	0.8
2017	77	0.5	0.06	0.4	0.6	67	0.5	0.06	0.4	0.7
2018	74	0.5	0.06	0.4	0.6	64	0.5	0.06	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Floor of Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	643	1.2	0.05	1.1	1.3	35	0.3	0.04	0.2	0.4
1986	35	3.1	0.54	2.1	4.3	0				
1987	17	1.5	0.37	0.9	2.4	1	0.6	0.57	0.0	3.6
1988	31	2.6	0.47	1.8	3.7	1	0.5	0.54	0.0	3.4
1989	31	2.6	0.47	1.7	3.7	1	0.5	0.50	0.0	3.2
1990	25	2.0	0.40	1.3	2.9	1	0.5	0.48	0.0	3.1
1991	26	2.0	0.38	1.3	2.9	0				
1992	29	2.2	0.42	1.5	3.2	1	0.2	0.20	0.0	2.2
1993	20	1.4	0.32	0.9	2.2	1	0.4	0.39	0.0	2.5
1994	31	2.4	0.44	1.6	3.4	0				
1995	24	1.7	0.35	1.1	2.5	1	0.4	0.40	0.0	2.3
1996	28	2.1	0.40	1.4	3.0	1	0.3	0.27	0.0	1.9
1997	19	1.3	0.30	0.8	2.0	2	1.0	0.69	0.1	3.2
1998	18	1.2	0.29	0.7	1.9	0				
1999	21	1.4	0.30	0.8	2.1	2	0.6	0.46	0.1	2.3
2000	28	1.8	0.35	1.2	2.6	0				
2001	16	1.0	0.24	0.6	1.6	0				
2002	13	0.8	0.24	0.4	1.4	1	0.2	0.18	0.0	1.3
2003	18	1.1	0.25	0.6	1.7	0				
2004	18	1.1	0.26	0.6	1.7	4	0.9	0.47	0.2	2.4
2005	12	0.7	0.21	0.4	1.3	2	0.6	0.43	0.1	2.0
2006	18	1.1	0.25	0.6	1.7	0				
2007	15	0.9	0.23	0.5	1.5	1	0.4	0.41	0.0	1.8
2008	18	0.9	0.22	0.6	1.5	1	0.2	0.16	0.0	1.0
2009	21	1.2	0.26	0.7	1.8	1	0.3	0.32	0.0	1.4
2010	15	0.8	0.20	0.4	1.3	0				
2011	13	0.6	0.17	0.3	1.1	1	0.2	0.19	0.0	1.0
2012	20	1.1	0.26	0.7	1.8	1	0.1	0.12	0.0	0.8
2013	18	0.8	0.20	0.5	1.4	1	0.1	0.10	0.0	0.7
2014	16	0.9	0.23	0.5	1.5	4	0.5	0.26	0.1	1.4
2015	7	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2016	6	0.3	0.13	0.1	0.7	2	0.3	0.23	0.0	1.1
2017	9	0.4	0.12	0.2	0.7	1	0.1	0.09	0.0	0.6
2018	7	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Floor of Mouth											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	2,489	1.3	0.03	1.2	1.4	1,959	1.2	0.03	1.2	1.3	
1986	107	2.3	0.23	1.9	2.8	77	1.9	0.22	1.5	2.4	
1987	82	1.8	0.20	1.4	2.3	68	1.7	0.21	1.3	2.2	
1988	88	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0	
1989	95	2.0	0.20	1.6	2.4	71	1.7	0.20	1.3	2.1	
1990	98	2.1	0.22	1.7	2.6	78	2.0	0.23	1.6	2.5	
1991	93	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2	
1992	88	1.9	0.20	1.5	2.3	64	1.6	0.20	1.2	2.0	
1993	79	1.6	0.18	1.2	1.9	61	1.4	0.18	1.1	1.8	
1994	87	1.7	0.18	1.4	2.1	63	1.4	0.18	1.1	1.8	
1995	96	1.9	0.20	1.5	2.3	76	1.8	0.20	1.4	2.2	
1996	98	1.9	0.19	1.5	2.3	74	1.7	0.20	1.3	2.1	
1997	71	1.4	0.17	1.1	1.8	55	1.3	0.17	1.0	1.7	
1998	79	1.5	0.16	1.2	1.8	61	1.3	0.17	1.0	1.7	
1999	71	1.3	0.16	1.0	1.7	53	1.2	0.16	0.9	1.5	
2000	94	1.7	0.18	1.4	2.1	71	1.5	0.18	1.2	1.9	
2001	86	1.6	0.17	1.2	1.9	73	1.6	0.18	1.2	2.0	
2002	57	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3	
2003	68	1.2	0.14	0.9	1.5	53	1.1	0.15	0.8	1.4	
2004	72	1.2	0.15	1.0	1.5	52	1.1	0.15	0.8	1.4	
2005	54	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.2	
2006	73	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5	
2007	58	0.9	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2	
2008	73	1.1	0.14	0.9	1.4	61	1.2	0.15	0.9	1.5	
2009	75	1.2	0.14	0.9	1.5	58	1.1	0.14	0.8	1.4	
2010	55	0.8	0.11	0.6	1.1	44	0.8	0.12	0.6	1.1	
2011	65	0.9	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2	
2012	68	1.0	0.12	0.7	1.2	54	0.9	0.12	0.7	1.2	
2013	77	1.1	0.13	0.9	1.4	61	1.0	0.14	0.8	1.4	
2014	62	0.9	0.11	0.7	1.1	50	0.8	0.12	0.6	1.1	
2015	69	1.0	0.12	0.8	1.3	64	1.1	0.14	0.8	1.4	
2016	49	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1	
2017	50	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0	
2018	52	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Floor of Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	490	2.1	0.10	1.9	2.3	26	0.4	0.07	0.2	0.5
1986	30	6.0	1.13	3.9	8.6	0				
1987	13	2.5	0.69	1.3	4.2	1	1.2	1.23	0.0	8.2
1988	24	4.4	0.91	2.8	6.6	1	1.2	1.16	0.0	7.7
1989	24	4.5	0.93	2.8	6.7	0				
1990	19	3.6	0.83	2.1	5.6	1	1.0	1.01	0.0	7.0
1991	16	2.7	0.68	1.5	4.4	0				
1992	23	4.3	0.94	2.6	6.5	1	0.4	0.39	0.0	5.0
1993	17	2.8	0.70	1.6	4.6	1	0.9	0.87	0.0	5.7
1994	23	4.3	0.94	2.6	6.5	0				
1995	19	3.1	0.72	1.9	4.9	1	0.9	0.93	0.0	5.4
1996	22	3.6	0.77	2.2	5.4	1	0.6	0.55	0.0	4.4
1997	14	2.1	0.56	1.1	3.5	2	2.3	1.66	0.3	7.8
1998	16	2.5	0.62	1.4	4.0	0				
1999	16	2.4	0.61	1.4	3.9	2	1.4	1.04	0.1	5.4
2000	22	3.4	0.72	2.1	5.1	0				
2001	13	1.8	0.49	0.9	3.0	0				
2002	10	1.4	0.45	0.7	2.6	0				
2003	15	2.0	0.52	1.1	3.4	0				
2004	16	2.4	0.63	1.3	3.9	4	1.9	1.03	0.5	5.2
2005	9	1.1	0.37	0.5	2.2	1	0.4	0.38	0.0	2.6
2006	13	1.7	0.49	0.9	3.0	0				
2007	13	1.9	0.53	1.0	3.2	0				
2008	11	1.3	0.41	0.6	2.4	1	0.3	0.34	0.0	2.2
2009	17	2.2	0.55	1.3	3.6	0				
2010	9	1.0	0.34	0.5	2.0	0				
2011	10	1.1	0.36	0.5	2.1	0				
2012	13	1.7	0.49	0.9	3.0	1	0.3	0.25	0.0	1.7
2013	14	1.5	0.41	0.8	2.6	1	0.2	0.23	0.0	1.6
2014	9	1.3	0.45	0.6	2.5	3	0.8	0.46	0.2	2.4
2015	3	0.3	0.19	0.1	1.0	2	0.5	0.37	0.1	2.0
2016	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.5
2017	7	0.7	0.25	0.3	1.4	0				
2018	6	0.8	0.34	0.3	1.8	1	0.3	0.26	0.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Floor of Mouth											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,018	0.4	0.01	0.4	0.5	854	0.4	0.02	0.4	0.5	
1986	41	0.7	0.12	0.5	1.0	36	0.7	0.12	0.5	1.0	
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7	
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6	
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0	
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7	
1991	43	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.9	
1992	39	0.6	0.10	0.4	0.9	33	0.6	0.10	0.4	0.8	
1993	28	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7	
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8	
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.8	
1996	30	0.5	0.08	0.3	0.7	24	0.4	0.09	0.3	0.7	
1997	38	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.8	
1998	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7	
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7	
2000	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7	
2001	30	0.5	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7	
2002	36	0.5	0.09	0.4	0.7	32	0.6	0.10	0.4	0.8	
2003	28	0.4	0.08	0.3	0.6	25	0.5	0.09	0.3	0.7	
2004	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6	
2005	22	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5	
2006	32	0.5	0.08	0.3	0.7	27	0.5	0.09	0.3	0.7	
2007	30	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.7	
2008	37	0.5	0.08	0.4	0.7	30	0.5	0.09	0.3	0.7	
2009	30	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6	
2010	26	0.4	0.07	0.2	0.5	20	0.3	0.07	0.2	0.5	
2011	27	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6	
2012	29	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6	
2013	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5	
2014	20	0.2	0.05	0.1	0.4	12	0.2	0.05	0.1	0.3	
2015	31	0.4	0.07	0.3	0.5	26	0.4	0.08	0.3	0.6	
2016	33	0.4	0.07	0.3	0.6	30	0.4	0.08	0.3	0.6	
2017	27	0.3	0.06	0.2	0.5	24	0.4	0.07	0.2	0.5	
2018	22	0.3	0.06	0.2	0.4	21	0.3	0.07	0.2	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Floor of Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	153	0.5	0.04	0.4	0.6	9	0.2	0.05	0.1	0.3
1986	5	0.9	0.40	0.3	2.0	0				
1987	4	0.6	0.33	0.2	1.6	0				
1988	7	1.1	0.42	0.4	2.2	0				
1989	7	1.1	0.43	0.5	2.3	1	0.9	0.91	0.0	5.7
1990	6	0.8	0.32	0.3	1.7	0				
1991	10	1.3	0.42	0.6	2.4	0				
1992	6	0.8	0.32	0.3	1.7	0				
1993	3	0.4	0.22	0.1	1.1	0				
1994	8	1.1	0.39	0.5	2.1	0				
1995	5	0.6	0.27	0.2	1.4	0				
1996	6	0.8	0.34	0.3	1.8	0				
1997	5	0.6	0.28	0.2	1.5	0				
1998	2	0.2	0.17	0.0	0.8	0				
1999	5	0.6	0.26	0.2	1.3	0				
2000	6	0.7	0.28	0.3	1.5	0				
2001	3	0.3	0.19	0.1	1.0	0				
2002	3	0.4	0.21	0.1	1.0	1	0.4	0.35	0.0	2.3
2003	3	0.3	0.18	0.1	0.9	0				
2004	2	0.2	0.14	0.0	0.7	0				
2005	3	0.4	0.21	0.1	1.0	1	0.6	0.62	0.0	2.9
2006	5	0.5	0.23	0.2	1.2	0				
2007	2	0.2	0.13	0.0	0.7	1	0.6	0.63	0.0	2.9
2008	7	0.7	0.26	0.3	1.4	0				
2009	4	0.4	0.20	0.1	1.0	1	0.5	0.53	0.0	2.4
2010	6	0.6	0.24	0.2	1.3	0				
2011	3	0.2	0.14	0.1	0.7	1	0.4	0.36	0.0	1.8
2012	7	0.7	0.27	0.3	1.5	0				
2013	4	0.3	0.15	0.1	0.8	0				
2014	7	0.6	0.24	0.3	1.3	1	0.3	0.28	0.0	1.5
2015	4	0.3	0.17	0.1	0.9	0				
2016	2	0.2	0.14	0.0	0.7	1	0.3	0.30	0.0	1.5
2017	2	0.2	0.10	0.0	0.6	1	0.2	0.17	0.0	1.2
2018	1	0.1	0.06	0.0	0.5	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gum and Other Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	7,095	1.7	0.02	1.7	1.8	5,844	1.7	0.02	1.6	1.7
1986	189	1.8	0.13	1.5	2.1	157	1.6	0.13	1.4	1.9
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	208	2.0	0.14	1.7	2.3	169	1.8	0.14	1.5	2.1
1989	186	1.7	0.13	1.5	2.0	142	1.5	0.13	1.3	1.8
1990	186	1.8	0.13	1.5	2.0	146	1.6	0.13	1.3	1.8
1991	161	1.5	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1992	172	1.6	0.12	1.3	1.8	146	1.5	0.13	1.3	1.8
1993	183	1.7	0.12	1.4	1.9	156	1.6	0.13	1.4	1.9
1994	169	1.5	0.12	1.3	1.8	145	1.5	0.12	1.3	1.8
1995	200	1.8	0.12	1.5	2.0	165	1.7	0.13	1.4	2.0
1996	203	1.8	0.12	1.5	2.0	167	1.7	0.13	1.4	2.0
1997	199	1.7	0.12	1.5	2.0	169	1.7	0.13	1.5	2.0
1998	181	1.5	0.11	1.3	1.8	154	1.5	0.12	1.3	1.8
1999	208	1.8	0.12	1.5	2.0	169	1.7	0.13	1.4	1.9
2000	193	1.6	0.12	1.4	1.9	173	1.7	0.13	1.5	2.0
2001	199	1.6	0.12	1.4	1.9	167	1.6	0.13	1.4	1.9
2002	207	1.7	0.12	1.5	1.9	163	1.6	0.12	1.3	1.8
2003	223	1.8	0.12	1.6	2.1	180	1.7	0.13	1.5	2.0
2004	227	1.8	0.12	1.6	2.1	182	1.7	0.13	1.5	2.0
2005	192	1.5	0.11	1.3	1.7	159	1.5	0.12	1.3	1.7
2006	216	1.7	0.11	1.5	1.9	178	1.6	0.12	1.4	1.9
2007	206	1.6	0.11	1.4	1.8	161	1.5	0.12	1.3	1.7
2008	258	1.9	0.12	1.7	2.2	206	1.9	0.13	1.6	2.1
2009	238	1.8	0.12	1.5	2.0	197	1.8	0.13	1.5	2.0
2010	255	1.9	0.12	1.6	2.1	203	1.8	0.13	1.6	2.1
2011	263	1.9	0.12	1.6	2.1	219	1.9	0.13	1.6	2.1
2012	238	1.7	0.11	1.5	1.9	199	1.7	0.12	1.5	2.0
2013	239	1.7	0.11	1.5	1.9	204	1.7	0.12	1.5	2.0
2014	256	1.7	0.11	1.5	2.0	211	1.8	0.12	1.5	2.0
2015	278	1.9	0.11	1.7	2.1	220	1.8	0.12	1.6	2.1
2016	258	1.7	0.11	1.5	1.9	207	1.7	0.12	1.4	1.9
2017	269	1.8	0.11	1.6	2.0	227	1.8	0.12	1.6	2.1
2018	230	1.5	0.10	1.3	1.7	193	1.5	0.11	1.3	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gum and Other Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	962	1.9	0.06	1.8	2.0	238	1.6	0.11	1.4	1.9
1986	29	2.7	0.52	1.8	3.9	2	0.9	0.68	0.1	4.2
1987	30	2.5	0.46	1.6	3.5	0				
1988	38	3.2	0.53	2.2	4.4	1	0.6	0.57	0.0	3.5
1989	41	3.6	0.58	2.6	4.9	3	1.1	0.65	0.2	3.9
1990	38	3.3	0.54	2.3	4.5	0				
1991	24	1.8	0.37	1.1	2.6	0				
1992	24	1.9	0.40	1.2	2.8	1	0.6	0.59	0.0	3.1
1993	24	1.8	0.38	1.2	2.7	3	1.5	0.87	0.3	4.3
1994	21	1.6	0.36	1.0	2.5	2	0.6	0.40	0.1	2.5
1995	30	2.3	0.43	1.5	3.3	4	1.7	0.95	0.3	4.5
1996	29	2.0	0.37	1.3	2.9	5	2.2	1.02	0.7	5.1
1997	28	2.0	0.39	1.3	2.9	2	0.7	0.51	0.1	2.6
1998	23	1.7	0.36	1.1	2.5	3	0.7	0.40	0.1	2.3
1999	34	2.4	0.43	1.7	3.4	5	1.5	0.75	0.4	3.7
2000	15	1.0	0.25	0.5	1.6	4	1.1	0.59	0.3	2.9
2001	26	1.7	0.35	1.1	2.6	5	1.1	0.53	0.3	2.8
2002	37	2.4	0.41	1.7	3.4	7	1.7	0.69	0.6	3.6
2003	34	2.2	0.38	1.5	3.1	5	1.4	0.73	0.4	3.5
2004	36	2.3	0.38	1.6	3.1	4	1.2	0.62	0.3	3.0
2005	22	1.3	0.27	0.8	1.9	9	2.1	0.74	0.9	4.0
2006	26	1.5	0.30	1.0	2.2	11	2.7	0.89	1.2	4.9
2007	36	2.2	0.37	1.5	3.0	8	1.3	0.48	0.6	2.7
2008	38	2.2	0.37	1.5	3.0	12	2.2	0.68	1.1	4.0
2009	30	1.7	0.32	1.1	2.5	9	1.4	0.45	0.6	2.6
2010	38	2.0	0.33	1.4	2.8	12	1.8	0.55	0.9	3.3
2011	26	1.5	0.29	0.9	2.1	15	2.9	0.79	1.5	4.8
2012	27	1.4	0.27	0.9	2.0	10	1.2	0.38	0.6	2.3
2013	24	1.3	0.28	0.8	2.0	10	1.2	0.38	0.6	2.2
2014	30	1.6	0.29	1.1	2.3	13	1.5	0.43	0.8	2.6
2015	37	1.9	0.32	1.3	2.7	18	2.4	0.59	1.4	3.9
2016	27	1.4	0.28	0.9	2.1	19	2.2	0.53	1.3	3.5
2017	21	1.0	0.22	0.6	1.6	20	2.4	0.54	1.4	3.7
2018	19	0.9	0.22	0.6	1.5	16	2.0	0.50	1.1	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gum and Other Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,002	2.2	0.03	2.1	2.2	3,203	2.0	0.04	2.0	2.1
1986	105	2.3	0.23	1.9	2.8	83	2.0	0.23	1.6	2.5
1987	107	2.2	0.22	1.8	2.7	84	2.0	0.23	1.6	2.5
1988	127	2.7	0.25	2.3	3.3	99	2.4	0.25	2.0	3.0
1989	122	2.6	0.24	2.1	3.1	89	2.1	0.23	1.7	2.6
1990	116	2.6	0.25	2.1	3.1	90	2.3	0.25	1.8	2.8
1991	87	1.8	0.20	1.4	2.2	70	1.7	0.20	1.3	2.1
1992	95	2.0	0.21	1.6	2.5	79	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	84	2.0	0.23	1.6	2.5
1994	93	1.9	0.20	1.5	2.3	75	1.8	0.20	1.4	2.2
1995	104	2.0	0.20	1.7	2.5	79	1.8	0.20	1.4	2.2
1996	117	2.3	0.22	1.9	2.8	97	2.3	0.23	1.8	2.8
1997	118	2.4	0.22	2.0	2.8	102	2.4	0.24	1.9	2.9
1998	104	2.0	0.20	1.6	2.4	89	2.0	0.21	1.6	2.5
1999	115	2.2	0.21	1.8	2.7	93	2.1	0.22	1.7	2.6
2000	97	1.9	0.19	1.5	2.3	88	2.0	0.21	1.6	2.4
2001	108	2.1	0.20	1.7	2.5	92	2.1	0.22	1.7	2.5
2002	107	2.0	0.19	1.6	2.4	78	1.7	0.20	1.4	2.1
2003	117	2.1	0.20	1.8	2.6	92	2.0	0.21	1.6	2.4
2004	126	2.3	0.20	1.9	2.7	100	2.1	0.21	1.7	2.6
2005	107	1.9	0.18	1.5	2.3	87	1.8	0.20	1.5	2.3
2006	118	2.0	0.19	1.7	2.5	92	1.9	0.20	1.5	2.3
2007	116	2.0	0.19	1.6	2.4	88	1.8	0.19	1.4	2.2
2008	144	2.4	0.20	2.0	2.8	109	2.1	0.21	1.8	2.6
2009	135	2.1	0.19	1.8	2.5	108	2.0	0.20	1.7	2.5
2010	147	2.4	0.20	2.0	2.8	115	2.2	0.21	1.8	2.7
2011	152	2.3	0.19	2.0	2.8	122	2.2	0.21	1.8	2.7
2012	134	2.0	0.18	1.7	2.4	110	2.0	0.20	1.7	2.4
2013	145	2.2	0.19	1.9	2.6	120	2.2	0.21	1.8	2.7
2014	144	2.2	0.18	1.8	2.6	116	2.1	0.20	1.7	2.5
2015	167	2.4	0.19	2.0	2.8	127	2.2	0.20	1.8	2.6
2016	148	2.1	0.18	1.8	2.5	115	2.0	0.19	1.6	2.4
2017	151	2.1	0.18	1.8	2.5	126	2.1	0.19	1.7	2.5
2018	128	1.8	0.16	1.5	2.1	105	1.7	0.17	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gum and Other Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	600	2.8	0.12	2.6	3.0	166	2.3	0.19	2.0	2.7
1986	19	4.2	0.99	2.5	6.5	2	1.9	1.39	0.2	9.3
1987	22	4.2	0.92	2.6	6.4	0				
1988	28	5.5	1.09	3.6	8.1	0				
1989	32	6.9	1.33	4.6	10.0	1	0.5	0.48	0.0	6.1
1990	24	5.2	1.13	3.2	7.9	0				
1991	17	3.0	0.75	1.7	4.8	0				
1992	14	2.9	0.83	1.5	4.9	1	1.4	1.38	0.0	7.3
1993	16	2.9	0.75	1.6	4.8	1	1.3	1.25	0.0	6.7
1994	15	2.8	0.76	1.5	4.6	2	1.2	0.82	0.1	5.6
1995	22	4.0	0.88	2.4	6.1	3	3.5	2.28	0.5	10.5
1996	17	2.7	0.66	1.6	4.4	2	1.5	1.06	0.2	5.9
1997	16	2.7	0.69	1.5	4.4	0				
1998	12	2.1	0.64	1.1	3.7	2	1.0	0.68	0.1	4.5
1999	20	3.2	0.74	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	8	1.2	0.43	0.5	2.4	1	0.4	0.42	0.0	3.3
2001	12	1.7	0.50	0.9	3.0	4	2.0	1.11	0.5	5.8
2002	24	3.9	0.84	2.4	5.9	5	2.7	1.33	0.8	6.8
2003	21	2.9	0.65	1.8	4.5	1	0.4	0.36	0.0	2.8
2004	20	3.3	0.80	1.9	5.2	3	2.0	1.24	0.4	5.8
2005	14	1.8	0.49	1.0	3.1	6	3.0	1.33	1.0	6.8
2006	17	2.3	0.58	1.3	3.8	9	4.0	1.45	1.7	7.9
2007	20	2.9	0.68	1.7	4.5	7	2.5	0.96	1.0	5.3
2008	26	3.4	0.70	2.2	5.1	8	3.7	1.50	1.4	7.7
2009	18	2.4	0.62	1.4	4.0	7	2.2	0.83	0.9	4.7
2010	23	3.0	0.66	1.8	4.5	8	2.3	0.83	1.0	4.8
2011	16	2.2	0.57	1.2	3.6	12	4.6	1.50	2.2	8.5
2012	13	1.6	0.45	0.8	2.7	9	2.2	0.75	1.0	4.4
2013	16	2.0	0.52	1.1	3.3	8	2.1	0.74	0.9	4.2
2014	16	2.2	0.57	1.2	3.6	11	2.7	0.83	1.4	5.0
2015	28	3.5	0.69	2.3	5.1	10	2.6	0.83	1.2	4.9
2016	15	2.1	0.58	1.2	3.6	14	3.5	0.95	1.9	6.0
2017	9	1.0	0.34	0.5	2.0	15	3.8	0.99	2.1	6.3
2018	10	1.2	0.37	0.6	2.2	12	3.1	0.91	1.6	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gum and Other Mouth											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	3,093	1.3	0.02	1.3	1.4	2,641	1.3	0.03	1.3	1.4	
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7	
1987	98	1.6	0.16	1.3	2.0	90	1.7	0.18	1.3	2.1	
1988	81	1.3	0.15	1.1	1.7	70	1.3	0.16	1.0	1.7	
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3	
1990	70	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3	
1991	74	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.6	
1992	77	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5	
1993	82	1.3	0.15	1.0	1.6	72	1.3	0.16	1.0	1.7	
1994	76	1.1	0.13	0.9	1.4	70	1.2	0.14	0.9	1.5	
1995	96	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9	
1996	86	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5	
1997	81	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5	
1998	77	1.1	0.13	0.9	1.4	65	1.1	0.14	0.9	1.4	
1999	93	1.4	0.14	1.1	1.7	76	1.3	0.16	1.1	1.7	
2000	96	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8	
2001	91	1.3	0.14	1.0	1.6	75	1.2	0.14	1.0	1.5	
2002	100	1.4	0.14	1.2	1.7	85	1.4	0.15	1.1	1.7	
2003	106	1.5	0.15	1.2	1.8	88	1.5	0.16	1.2	1.8	
2004	101	1.4	0.14	1.2	1.7	82	1.4	0.15	1.1	1.7	
2005	85	1.2	0.13	0.9	1.5	72	1.2	0.14	0.9	1.5	
2006	98	1.3	0.14	1.1	1.6	86	1.4	0.15	1.1	1.7	
2007	90	1.3	0.13	1.0	1.6	73	1.2	0.15	1.0	1.6	
2008	114	1.5	0.14	1.3	1.8	97	1.5	0.16	1.3	1.9	
2009	103	1.4	0.14	1.2	1.8	89	1.5	0.16	1.2	1.9	
2010	108	1.4	0.14	1.2	1.7	88	1.4	0.15	1.1	1.8	
2011	111	1.4	0.14	1.2	1.7	97	1.5	0.16	1.2	1.8	
2012	104	1.3	0.13	1.1	1.6	89	1.4	0.15	1.1	1.7	
2013	94	1.2	0.13	1.0	1.5	84	1.3	0.14	1.0	1.6	
2014	112	1.4	0.13	1.1	1.7	95	1.4	0.15	1.1	1.7	
2015	111	1.4	0.13	1.1	1.7	93	1.4	0.15	1.2	1.8	
2016	110	1.4	0.13	1.1	1.6	92	1.4	0.15	1.1	1.7	
2017	118	1.4	0.14	1.2	1.7	101	1.5	0.16	1.2	1.9	
2018	102	1.2	0.12	0.9	1.4	88	1.2	0.13	1.0	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gum and Other Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	362	1.2	0.07	1.1	1.4	72	1.0	0.12	0.8	1.3
1986	10	1.6	0.53	0.8	3.0	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	10	1.4	0.47	0.7	2.6	1	1.0	1.00	0.0	6.1
1989	9	1.4	0.47	0.6	2.6	2	1.5	1.10	0.2	6.5
1990	14	2.1	0.55	1.1	3.4	0				
1991	7	0.9	0.33	0.4	1.8	0				
1992	10	1.3	0.41	0.6	2.4	0				
1993	8	1.1	0.38	0.5	2.1	2	1.7	1.20	0.2	6.1
1994	6	0.8	0.34	0.3	1.8	0				
1995	8	1.1	0.39	0.5	2.1	1	0.3	0.31	0.0	3.1
1996	12	1.4	0.42	0.7	2.5	3	2.6	1.53	0.5	7.3
1997	12	1.5	0.44	0.8	2.6	2	1.3	0.92	0.2	4.6
1998	11	1.4	0.42	0.7	2.4	1	0.4	0.44	0.0	2.9
1999	14	1.8	0.48	1.0	2.9	3	1.9	1.17	0.3	5.6
2000	7	0.8	0.31	0.3	1.7	3	1.6	0.98	0.3	4.8
2001	14	1.7	0.45	0.9	2.8	1	0.4	0.39	0.0	2.5
2002	13	1.5	0.40	0.8	2.5	2	0.9	0.67	0.1	3.3
2003	13	1.5	0.43	0.8	2.6	4	2.2	1.17	0.5	5.5
2004	16	1.7	0.43	1.0	2.8	1	0.6	0.56	0.0	2.8
2005	8	0.8	0.29	0.4	1.6	3	1.2	0.76	0.2	3.7
2006	9	0.9	0.29	0.4	1.7	2	1.4	0.96	0.2	4.3
2007	16	1.7	0.42	1.0	2.7	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.36	0.6	2.2	4	1.2	0.58	0.3	3.1
2009	12	1.2	0.36	0.6	2.2	2	0.6	0.41	0.1	2.2
2010	15	1.4	0.36	0.8	2.3	4	1.3	0.71	0.3	3.5
2011	10	0.9	0.30	0.5	1.8	3	1.4	0.82	0.3	3.8
2012	14	1.3	0.34	0.7	2.1	1	0.3	0.28	0.0	1.6
2013	8	0.8	0.29	0.3	1.6	2	0.4	0.28	0.1	1.6
2014	14	1.2	0.33	0.7	2.1	2	0.5	0.34	0.1	1.8
2015	9	0.8	0.27	0.4	1.5	8	2.1	0.76	0.9	4.2
2016	12	1.0	0.29	0.5	1.8	5	1.2	0.54	0.4	2.8
2017	12	1.0	0.30	0.5	1.8	5	1.1	0.49	0.4	2.6
2018	9	0.7	0.25	0.3	1.5	4	1.0	0.52	0.3	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Nasopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,340	0.6	0.01	0.5	0.6	1,529	0.4	0.01	0.4	0.5
1986	74	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1987	54	0.5	0.07	0.4	0.7	39	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1989	58	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	72	0.7	0.08	0.5	0.8	53	0.6	0.08	0.4	0.8
1991	61	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1992	46	0.4	0.06	0.3	0.6	33	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	70	0.6	0.07	0.5	0.8	47	0.5	0.07	0.4	0.7
1995	78	0.7	0.08	0.5	0.8	64	0.7	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1998	71	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1999	64	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	78	0.6	0.07	0.5	0.8	51	0.5	0.07	0.4	0.7
2001	64	0.5	0.07	0.4	0.7	43	0.4	0.06	0.3	0.6
2002	73	0.6	0.07	0.5	0.7	49	0.5	0.07	0.4	0.6
2003	70	0.6	0.07	0.4	0.7	50	0.5	0.07	0.4	0.6
2004	77	0.6	0.07	0.5	0.8	44	0.4	0.06	0.3	0.6
2005	67	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.6
2006	78	0.6	0.07	0.5	0.8	53	0.5	0.07	0.4	0.6
2007	71	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.6
2008	65	0.5	0.06	0.4	0.6	42	0.4	0.06	0.3	0.5
2009	79	0.6	0.07	0.5	0.7	46	0.4	0.06	0.3	0.5
2010	83	0.6	0.07	0.5	0.8	51	0.5	0.07	0.3	0.6
2011	77	0.6	0.06	0.4	0.7	50	0.5	0.06	0.3	0.6
2012	78	0.6	0.06	0.4	0.7	44	0.4	0.06	0.3	0.5
2013	73	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.5
2014	69	0.5	0.06	0.4	0.6	39	0.3	0.05	0.2	0.4
2015	85	0.6	0.07	0.5	0.7	48	0.4	0.06	0.3	0.6
2016	80	0.5	0.06	0.4	0.7	49	0.4	0.06	0.3	0.5
2017	74	0.5	0.06	0.4	0.6	49	0.4	0.06	0.3	0.6
2018	77	0.5	0.06	0.4	0.7	47	0.4	0.06	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Nasopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	465	0.9	0.04	0.8	0.9	328	2.0	0.12	1.8	2.3
1986	16	1.3	0.34	0.7	2.1	4	2.9	1.64	0.7	7.9
1987	10	0.7	0.23	0.3	1.3	5	2.0	0.95	0.6	5.5
1988	12	0.9	0.26	0.4	1.6	9	4.2	1.61	1.7	8.8
1989	11	0.8	0.25	0.4	1.5	3	1.2	0.70	0.2	4.1
1990	15	1.1	0.31	0.6	1.9	4	2.7	1.41	0.7	6.9
1991	12	1.0	0.29	0.5	1.7	6	2.0	0.85	0.7	4.9
1992	6	0.3	0.14	0.1	0.8	6	1.9	0.81	0.7	4.6
1993	11	0.7	0.23	0.4	1.3	8	2.8	1.10	1.1	6.0
1994	12	0.8	0.24	0.4	1.4	10	2.8	0.92	1.3	5.5
1995	7	0.5	0.19	0.2	1.0	7	3.0	1.31	1.0	6.6
1996	18	1.2	0.29	0.7	1.9	6	1.7	0.74	0.6	4.0
1997	17	1.0	0.25	0.6	1.6	12	3.8	1.30	1.7	7.2
1998	17	1.0	0.25	0.6	1.6	11	3.0	0.92	1.4	5.5
1999	16	0.9	0.23	0.5	1.5	10	2.6	0.85	1.2	5.0
2000	16	1.0	0.25	0.6	1.6	9	2.1	0.76	0.9	4.2
2001	16	0.9	0.22	0.5	1.4	5	1.2	0.55	0.4	2.9
2002	16	1.0	0.24	0.5	1.6	8	2.0	0.77	0.8	4.1
2003	12	0.7	0.20	0.4	1.2	8	1.5	0.57	0.6	3.2
2004	21	1.2	0.28	0.8	1.9	11	2.4	0.81	1.1	4.5
2005	9	0.6	0.19	0.3	1.1	9	1.4	0.48	0.6	2.8
2006	6	0.3	0.14	0.1	0.7	19	3.9	0.97	2.2	6.3
2007	14	0.8	0.21	0.4	1.3	12	1.8	0.52	0.9	3.2
2008	16	0.9	0.23	0.5	1.5	7	1.2	0.45	0.5	2.5
2009	20	1.1	0.25	0.7	1.7	12	1.8	0.52	0.9	3.2
2010	17	0.9	0.23	0.5	1.5	15	2.2	0.57	1.2	3.7
2011	19	0.9	0.22	0.6	1.5	8	1.2	0.45	0.5	2.4
2012	17	0.9	0.23	0.5	1.5	17	2.2	0.55	1.2	3.6
2013	11	0.6	0.19	0.3	1.1	16	2.0	0.52	1.1	3.4
2014	17	0.9	0.22	0.5	1.5	11	1.4	0.42	0.7	2.5
2015	17	0.8	0.19	0.5	1.3	19	2.5	0.58	1.5	3.9
2016	17	0.9	0.21	0.5	1.4	13	1.7	0.48	0.9	2.9
2017	15	0.7	0.18	0.4	1.2	9	1.1	0.38	0.5	2.2
2018	9	0.4	0.15	0.2	0.8	19	2.2	0.50	1.3	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Nasopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,591	0.8	0.02	0.8	0.9	1,039	0.7	0.02	0.6	0.7
1986	49	1.0	0.15	0.8	1.4	35	0.8	0.15	0.6	1.2
1987	37	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.0
1988	45	0.9	0.14	0.7	1.2	31	0.7	0.13	0.5	1.0
1989	37	0.7	0.12	0.5	1.0	27	0.6	0.12	0.4	0.9
1990	49	1.0	0.14	0.7	1.3	38	0.9	0.15	0.6	1.2
1991	37	0.8	0.13	0.6	1.1	27	0.6	0.12	0.4	0.9
1992	27	0.6	0.11	0.4	0.8	17	0.4	0.11	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.2	36	0.9	0.14	0.6	1.2
1995	53	1.0	0.14	0.8	1.3	41	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	34	0.8	0.13	0.5	1.1
1998	37	0.7	0.11	0.5	0.9	21	0.5	0.10	0.3	0.7
1999	36	0.6	0.11	0.5	0.9	23	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.2	36	0.8	0.13	0.5	1.1
2001	42	0.7	0.12	0.5	1.0	27	0.6	0.11	0.4	0.8
2002	53	0.9	0.13	0.7	1.2	34	0.7	0.12	0.5	1.0
2003	53	0.9	0.13	0.7	1.2	38	0.8	0.13	0.6	1.1
2004	56	1.0	0.13	0.7	1.2	31	0.6	0.11	0.4	0.9
2005	45	0.8	0.11	0.6	1.0	34	0.7	0.12	0.5	0.9
2006	53	0.9	0.12	0.7	1.2	38	0.8	0.12	0.5	1.0
2007	53	0.9	0.12	0.6	1.1	35	0.7	0.12	0.5	1.0
2008	44	0.7	0.11	0.5	1.0	28	0.5	0.10	0.4	0.8
2009	47	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
2010	63	1.0	0.12	0.7	1.2	40	0.7	0.12	0.5	1.0
2011	56	0.8	0.11	0.6	1.1	35	0.7	0.11	0.5	0.9
2012	60	0.9	0.12	0.7	1.1	34	0.6	0.11	0.4	0.9
2013	60	0.9	0.12	0.7	1.2	37	0.6	0.11	0.5	0.9
2014	46	0.7	0.10	0.5	0.9	26	0.4	0.09	0.3	0.7
2015	52	0.8	0.11	0.6	1.0	28	0.5	0.09	0.3	0.7
2016	56	0.8	0.11	0.6	1.0	34	0.5	0.10	0.4	0.8
2017	51	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.8
2018	52	0.8	0.11	0.6	1.0	30	0.5	0.10	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Nasopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	320	1.4	0.08	1.2	1.5	221	2.9	0.21	2.5	3.4
1986	11	2.2	0.76	1.0	4.2	3	5.5	3.58	0.8	16.8
1987	6	1.1	0.57	0.3	2.7	3	2.5	1.50	0.5	9.6
1988	8	1.3	0.49	0.5	2.7	6	6.2	3.09	1.7	15.8
1989	8	1.3	0.45	0.5	2.6	2	1.3	0.95	0.2	7.2
1990	10	1.8	0.62	0.8	3.4	1	1.7	1.70	0.0	8.8
1991	8	1.9	0.69	0.8	3.7	2	1.5	1.09	0.2	7.1
1992	4	0.5	0.28	0.1	1.5	5	3.5	1.61	1.1	9.4
1993	9	1.4	0.46	0.6	2.7	5	4.7	2.38	1.3	12.0
1994	5	0.8	0.40	0.3	2.0	6	3.1	1.29	1.1	8.0
1995	6	1.1	0.47	0.3	2.4	6	6.7	3.16	2.0	15.3
1996	13	2.1	0.64	1.0	3.8	5	3.2	1.52	1.0	8.3
1997	14	1.8	0.48	1.0	3.1	7	3.8	1.45	1.5	8.5
1998	11	1.4	0.43	0.7	2.6	5	2.7	1.22	0.8	6.9
1999	9	1.1	0.36	0.5	2.1	3	1.9	1.14	0.4	6.1
2000	10	1.5	0.50	0.7	2.9	6	3.4	1.56	1.1	8.1
2001	10	1.2	0.38	0.6	2.3	5	2.6	1.22	0.8	6.5
2002	12	1.7	0.49	0.8	2.9	7	4.2	1.80	1.4	9.2
2003	11	1.4	0.43	0.7	2.6	4	1.9	1.01	0.5	5.2
2004	17	2.5	0.64	1.4	4.0	8	3.9	1.56	1.5	8.2
2005	7	1.2	0.45	0.5	2.4	3	0.8	0.48	0.2	3.1
2006	3	0.4	0.25	0.1	1.3	12	5.4	1.72	2.6	9.9
2007	11	1.5	0.48	0.7	2.7	7	2.1	0.82	0.9	4.7
2008	10	1.5	0.51	0.7	2.8	6	1.9	0.77	0.7	4.3
2009	11	1.4	0.42	0.7	2.5	6	1.9	0.81	0.7	4.4
2010	12	1.5	0.43	0.7	2.6	11	3.5	1.05	1.7	6.3
2011	15	1.6	0.43	0.9	2.7	6	1.6	0.65	0.6	3.7
2012	12	1.5	0.43	0.7	2.6	14	3.5	0.95	1.9	6.1
2013	8	1.1	0.41	0.5	2.2	15	4.0	1.07	2.2	6.8
2014	10	1.4	0.44	0.6	2.5	8	2.0	0.71	0.9	4.1
2015	11	1.1	0.35	0.6	2.1	13	3.5	1.01	1.8	6.2
2016	14	1.6	0.43	0.8	2.7	7	2.0	0.81	0.8	4.3
2017	9	0.9	0.32	0.4	1.8	8	2.2	0.79	0.9	4.4
2018	5	0.6	0.25	0.2	1.3	16	3.9	0.99	2.2	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Nasopharynx											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	749	0.3	0.01	0.3	0.4	490	0.3	0.01	0.2	0.3	
1986	25	0.4	0.09	0.3	0.7	19	0.4	0.09	0.2	0.6	
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4	
1988	30	0.5	0.10	0.3	0.7	23	0.5	0.10	0.3	0.7	
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6	
1990	23	0.4	0.08	0.3	0.6	15	0.3	0.09	0.2	0.5	
1991	24	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5	
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5	
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4	
1994	23	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4	
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7	
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5	
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3	
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.3	0.6	
1999	28	0.4	0.08	0.3	0.6	14	0.2	0.07	0.1	0.4	
2000	25	0.4	0.08	0.3	0.6	15	0.3	0.07	0.2	0.5	
2001	22	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5	
2002	20	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4	
2003	17	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4	
2004	21	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4	
2005	22	0.3	0.07	0.2	0.5	12	0.2	0.06	0.1	0.4	
2006	25	0.4	0.07	0.2	0.5	15	0.3	0.06	0.1	0.4	
2007	18	0.3	0.06	0.2	0.4	10	0.2	0.06	0.1	0.3	
2008	21	0.3	0.06	0.2	0.5	14	0.2	0.06	0.1	0.4	
2009	32	0.4	0.08	0.3	0.6	17	0.3	0.07	0.2	0.5	
2010	20	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4	
2011	21	0.3	0.06	0.2	0.4	15	0.3	0.07	0.1	0.4	
2012	18	0.3	0.06	0.2	0.4	10	0.2	0.05	0.1	0.3	
2013	13	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3	
2014	23	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4	
2015	33	0.4	0.08	0.3	0.6	20	0.3	0.08	0.2	0.5	
2016	24	0.3	0.07	0.2	0.5	15	0.3	0.07	0.1	0.4	
2017	23	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4	
2018	25	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Nasopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	145	0.5	0.04	0.4	0.6	107	1.2	0.12	1.0	1.5
1986	5	0.7	0.32	0.2	1.6	1	1.1	1.10	0.0	6.8
1987	4	0.4	0.21	0.1	1.1	2	1.6	1.20	0.2	7.1
1988	4	0.5	0.27	0.1	1.4	3	2.5	1.61	0.4	8.5
1989	3	0.4	0.25	0.1	1.2	1	1.0	0.97	0.0	5.9
1990	5	0.7	0.30	0.2	1.5	3	3.4	2.07	0.6	10.0
1991	4	0.4	0.22	0.1	1.2	4	2.4	1.24	0.6	7.1
1992	2	0.2	0.13	0.0	0.7	1	0.6	0.59	0.0	4.3
1993	2	0.3	0.18	0.0	0.9	3	1.2	0.72	0.3	4.7
1994	7	0.8	0.32	0.3	1.7	4	2.5	1.28	0.7	6.8
1995	1	0.1	0.12	0.0	0.7	1	0.4	0.36	0.0	3.2
1996	5	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	3	0.4	0.21	0.1	1.0	5	3.4	1.79	0.9	8.5
1998	6	0.6	0.26	0.2	1.4	6	3.2	1.33	1.1	7.1
1999	7	0.8	0.28	0.3	1.6	7	3.3	1.25	1.3	6.9
2000	6	0.6	0.26	0.2	1.4	3	1.1	0.67	0.2	3.7
2001	6	0.6	0.25	0.2	1.3	0				
2002	4	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	2.1
2003	1	0.1	0.09	0.0	0.5	4	1.3	0.65	0.3	3.6
2004	4	0.4	0.21	0.1	1.1	3	1.2	0.77	0.2	3.7
2005	2	0.2	0.13	0.0	0.7	6	2.0	0.80	0.7	4.4
2006	3	0.3	0.17	0.1	0.9	7	2.6	1.03	1.0	5.4
2007	3	0.3	0.17	0.1	0.9	5	1.5	0.66	0.5	3.6
2008	6	0.6	0.23	0.2	1.2	1	0.5	0.45	0.0	2.2
2009	9	0.9	0.29	0.4	1.7	6	1.6	0.67	0.6	3.7
2010	5	0.5	0.22	0.2	1.2	4	1.1	0.54	0.3	2.9
2011	4	0.4	0.20	0.1	1.0	2	0.7	0.54	0.1	2.6
2012	5	0.5	0.25	0.2	1.3	3	0.9	0.54	0.2	2.6
2013	3	0.3	0.20	0.1	1.0	1	0.2	0.23	0.0	1.4
2014	7	0.6	0.23	0.2	1.2	3	0.8	0.47	0.1	2.3
2015	6	0.5	0.22	0.2	1.2	6	1.4	0.59	0.5	3.2
2016	3	0.3	0.17	0.1	0.9	6	1.5	0.61	0.5	3.2
2017	6	0.5	0.22	0.2	1.2	1	0.2	0.20	0.0	1.3
2018	4	0.4	0.19	0.1	1.0	3	0.6	0.35	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oropharynx											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	2,186	0.5	0.01	0.5	0.5	1,702	0.5	0.01	0.5	0.5	
1986	43	0.4	0.06	0.3	0.6	29	0.3	0.06	0.2	0.4	
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5	
1988	34	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3	
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3	
1990	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4	
1991	41	0.4	0.06	0.3	0.5	33	0.4	0.06	0.2	0.5	
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4	
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4	
1994	51	0.5	0.07	0.4	0.6	38	0.4	0.07	0.3	0.6	
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4	
1996	58	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.6	
1997	45	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5	
1998	69	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6	
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5	
2000	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6	
2001	66	0.5	0.07	0.4	0.7	53	0.5	0.07	0.4	0.7	
2002	67	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7	
2003	69	0.6	0.07	0.4	0.7	58	0.6	0.07	0.4	0.7	
2004	63	0.5	0.06	0.4	0.6	47	0.4	0.06	0.3	0.6	
2005	74	0.6	0.07	0.5	0.7	59	0.6	0.07	0.4	0.7	
2006	69	0.5	0.06	0.4	0.7	54	0.5	0.07	0.4	0.6	
2007	92	0.7	0.07	0.6	0.9	69	0.6	0.08	0.5	0.8	
2008	85	0.6	0.07	0.5	0.8	67	0.6	0.07	0.5	0.8	
2009	80	0.6	0.07	0.5	0.7	70	0.6	0.07	0.5	0.8	
2010	107	0.8	0.07	0.6	0.9	77	0.7	0.08	0.5	0.8	
2011	119	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0	
2012	80	0.5	0.06	0.4	0.7	59	0.5	0.06	0.4	0.6	
2013	84	0.6	0.06	0.4	0.7	72	0.6	0.07	0.5	0.7	
2014	91	0.6	0.06	0.5	0.7	66	0.5	0.07	0.4	0.7	
2015	78	0.5	0.06	0.4	0.6	64	0.5	0.06	0.4	0.7	
2016	89	0.6	0.06	0.5	0.7	78	0.6	0.07	0.5	0.8	
2017	86	0.5	0.06	0.4	0.6	67	0.5	0.06	0.4	0.6	
2018	134	0.9	0.08	0.7	1.0	114	0.9	0.09	0.7	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oropharynx										
Both Sexes										
Blacks							Asian or Other Races			
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	454	0.9	0.04	0.8	0.9	24	0.2	0.04	0.1	0.3
1986	14	1.2	0.32	0.7	2.0	0				
1987	11	0.8	0.26	0.4	1.5	0				
1988	11	0.9	0.28	0.5	1.7	0				
1989	7	0.6	0.21	0.2	1.1	0				
1990	10	0.8	0.26	0.4	1.5	2	1.7	1.31	0.2	5.9
1991	7	0.6	0.22	0.2	1.2	0				
1992	8	0.6	0.21	0.3	1.2	0				
1993	8	0.6	0.22	0.3	1.2	0				
1994	13	1.0	0.27	0.5	1.7	0				
1995	7	0.5	0.18	0.2	1.0	0				
1996	17	1.2	0.30	0.7	1.9	1	0.6	0.63	0.0	2.9
1997	12	0.9	0.25	0.4	1.5	1	0.3	0.25	0.0	1.7
1998	25	1.7	0.35	1.1	2.6	0				
1999	9	0.6	0.19	0.3	1.1	0				
2000	8	0.5	0.18	0.2	1.0	0				
2001	11	0.8	0.23	0.4	1.4	1	0.4	0.37	0.0	1.8
2002	11	0.7	0.21	0.3	1.2	0				
2003	11	0.6	0.19	0.3	1.1	0				
2004	16	0.9	0.23	0.5	1.5	0				
2005	14	0.8	0.22	0.4	1.4	1	0.2	0.21	0.0	1.2
2006	11	0.6	0.19	0.3	1.2	2	0.4	0.25	0.0	1.4
2007	23	1.4	0.29	0.9	2.1	0				
2008	15	0.8	0.20	0.4	1.3	3	0.6	0.39	0.1	1.9
2009	10	0.5	0.17	0.3	1.0	0				
2010	25	1.4	0.28	0.9	2.0	5	1.0	0.47	0.3	2.3
2011	26	1.4	0.27	0.9	2.0	2	0.4	0.30	0.0	1.4
2012	21	1.1	0.25	0.7	1.7	0				
2013	12	0.7	0.19	0.3	1.1	0				
2014	24	1.2	0.25	0.8	1.8	1	0.2	0.15	0.0	0.8
2015	14	0.7	0.20	0.4	1.2	0				
2016	10	0.5	0.15	0.2	0.9	0				
2017	17	0.8	0.20	0.5	1.3	2	0.2	0.15	0.0	0.8
2018	16	0.8	0.19	0.4	1.2	3	0.3	0.17	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oropharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,661	0.9	0.02	0.8	0.9	1,293	0.8	0.02	0.8	0.8
1986	37	0.8	0.13	0.5	1.1	24	0.6	0.11	0.4	0.8
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.11	0.3	0.8
1988	23	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.5
1989	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	18	0.5	0.11	0.3	0.7
1991	24	0.5	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	42	0.9	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1995	26	0.5	0.10	0.3	0.7	23	0.5	0.11	0.3	0.8
1996	43	0.8	0.13	0.6	1.1	30	0.7	0.12	0.5	1.0
1997	34	0.7	0.12	0.5	0.9	23	0.5	0.11	0.3	0.8
1998	56	1.0	0.14	0.8	1.4	35	0.8	0.13	0.5	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.4	0.8
2000	43	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
2001	52	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2002	52	0.9	0.13	0.7	1.2	43	0.9	0.14	0.7	1.2
2003	49	0.9	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
2004	45	0.8	0.12	0.6	1.0	34	0.7	0.12	0.5	1.0
2005	61	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	55	0.9	0.12	0.7	1.2	43	0.8	0.13	0.6	1.1
2007	72	1.2	0.14	0.9	1.5	54	1.0	0.14	0.8	1.3
2008	67	1.0	0.13	0.8	1.3	50	1.0	0.14	0.7	1.3
2009	63	1.0	0.12	0.7	1.3	54	1.0	0.14	0.8	1.3
2010	84	1.3	0.14	1.0	1.6	61	1.1	0.14	0.8	1.4
2011	89	1.3	0.15	1.1	1.7	67	1.2	0.15	0.9	1.6
2012	58	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.0
2013	59	0.9	0.12	0.7	1.1	52	0.9	0.13	0.7	1.2
2014	71	1.0	0.12	0.8	1.3	51	0.8	0.12	0.6	1.1
2015	61	0.8	0.11	0.6	1.1	50	0.8	0.12	0.6	1.1
2016	77	1.1	0.12	0.8	1.3	67	1.1	0.14	0.9	1.5
2017	67	0.8	0.10	0.7	1.1	53	0.8	0.11	0.6	1.0
2018	103	1.4	0.14	1.1	1.7	89	1.5	0.16	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oropharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	344	1.5	0.08	1.3	1.7	20	0.4	0.09	0.2	0.6
1986	13	2.5	0.70	1.3	4.3	0				
1987	9	1.7	0.56	0.8	3.2	0				
1988	9	1.8	0.61	0.8	3.4	0				
1989	3	0.6	0.32	0.1	1.6	0				
1990	3	0.6	0.34	0.1	1.7	2	4.0	3.09	0.4	13.8
1991	4	0.7	0.36	0.2	1.9	0				
1992	5	0.8	0.37	0.3	2.0	0				
1993	5	0.9	0.38	0.3	2.0	0				
1994	11	1.9	0.58	1.0	3.4	0				
1995	3	0.5	0.28	0.1	1.4	0				
1996	12	1.9	0.54	1.0	3.3	1	1.6	1.56	0.0	7.2
1997	10	1.7	0.55	0.8	3.1	1	0.5	0.51	0.0	4.1
1998	21	3.4	0.75	2.0	5.2	0				
1999	7	1.0	0.39	0.4	2.1	0				
2000	8	1.2	0.41	0.5	2.3	0				
2001	8	1.2	0.41	0.5	2.3	0				
2002	9	1.3	0.43	0.6	2.5	0				
2003	9	1.2	0.40	0.5	2.3	0				
2004	11	1.5	0.44	0.7	2.6	0				
2005	12	1.7	0.49	0.8	2.9	1	0.4	0.44	0.0	2.7
2006	9	1.2	0.40	0.5	2.3	1	0.4	0.41	0.0	2.6
2007	18	2.6	0.65	1.5	4.2	0				
2008	15	1.7	0.44	1.0	2.9	2	1.2	0.91	0.1	4.1
2009	9	1.0	0.34	0.5	2.0	0				
2010	18	2.2	0.54	1.3	3.6	5	2.3	1.18	0.6	5.6
2011	20	2.4	0.56	1.4	3.8	2	0.9	0.66	0.1	3.1
2012	13	1.6	0.46	0.8	2.8	0				
2013	7	0.9	0.36	0.4	1.9	0				
2014	19	2.3	0.56	1.4	3.7	1	0.3	0.32	0.0	1.8
2015	11	1.3	0.40	0.6	2.4	0				
2016	9	1.0	0.35	0.4	2.0	0				
2017	13	1.5	0.43	0.8	2.6	1	0.2	0.23	0.0	1.4
2018	11	1.3	0.41	0.6	2.4	3	0.7	0.38	0.1	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oropharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	525	0.2	0.01	0.2	0.3	409	0.2	0.01	0.2	0.2
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1988	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3
1994	9	0.2	0.05	0.1	0.3	7	0.2	0.06	0.1	0.3
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1998	13	0.2	0.06	0.1	0.3	9	0.2	0.06	0.1	0.3
1999	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3
2000	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2001	14	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
2002	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2003	20	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
2006	14	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2007	20	0.3	0.06	0.2	0.4	15	0.3	0.07	0.2	0.4
2008	18	0.2	0.06	0.1	0.4	17	0.3	0.07	0.2	0.5
2009	17	0.2	0.06	0.1	0.4	16	0.3	0.07	0.2	0.4
2010	23	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.4
2011	30	0.4	0.07	0.3	0.6	24	0.4	0.08	0.2	0.6
2012	22	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4
2013	25	0.3	0.06	0.2	0.5	20	0.3	0.07	0.2	0.5
2014	20	0.2	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2015	17	0.2	0.05	0.1	0.4	14	0.2	0.06	0.1	0.4
2016	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2017	19	0.2	0.05	0.1	0.3	14	0.2	0.05	0.1	0.3
2018	31	0.4	0.07	0.3	0.5	25	0.4	0.08	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Oropharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	110	0.4	0.04	0.3	0.4	4	0.1	0.02	0.0	0.1
1986	1	0.2	0.17	0.0	0.9	0				
1987	2	0.2	0.17	0.0	0.9	0				
1988	2	0.3	0.20	0.0	1.0	0				
1989	4	0.5	0.27	0.1	1.4	0				
1990	7	1.0	0.37	0.4	2.0	0				
1991	3	0.5	0.27	0.1	1.3	0				
1992	3	0.4	0.23	0.1	1.2	0				
1993	3	0.4	0.25	0.1	1.2	0				
1994	2	0.3	0.20	0.0	1.0	0				
1995	4	0.5	0.23	0.1	1.2	0				
1996	5	0.6	0.29	0.2	1.5	0				
1997	2	0.2	0.17	0.0	0.9	0				
1998	4	0.5	0.25	0.1	1.2	0				
1999	2	0.2	0.16	0.0	0.8	0				
2000	0					0				
2001	3	0.4	0.23	0.1	1.1	1	0.7	0.65	0.0	3.2
2002	2	0.2	0.16	0.0	0.8	0				
2003	2	0.2	0.14	0.0	0.7	0				
2004	5	0.5	0.23	0.2	1.2	0				
2005	2	0.2	0.14	0.0	0.7	0				
2006	2	0.2	0.15	0.0	0.8	1	0.3	0.30	0.0	1.9
2007	5	0.5	0.24	0.2	1.2	0				
2008	0					1	0.3	0.25	0.0	1.7
2009	1	0.1	0.12	0.0	0.6	0				
2010	7	0.7	0.27	0.3	1.5	0				
2011	6	0.6	0.25	0.2	1.3	0				
2012	8	0.7	0.26	0.3	1.4	0				
2013	5	0.5	0.21	0.1	1.1	0				
2014	5	0.4	0.18	0.1	1.0	0				
2015	3	0.3	0.18	0.1	0.9	0				
2016	1	0.1	0.07	0.0	0.5	0				
2017	4	0.3	0.14	0.1	0.8	1	0.2	0.18	0.0	1.2
2018	5	0.4	0.19	0.1	1.0	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hypopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,531	0.8	0.01	0.8	0.9	2,687	0.8	0.01	0.7	0.8
1986	96	0.9	0.09	0.7	1.1	70	0.8	0.09	0.6	1.0
1987	110	1.0	0.10	0.8	1.2	80	0.8	0.09	0.6	1.0
1988	107	1.0	0.10	0.8	1.2	81	0.9	0.10	0.7	1.1
1989	91	0.9	0.09	0.7	1.1	71	0.8	0.09	0.6	1.0
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0
1991	92	0.9	0.09	0.7	1.1	62	0.7	0.09	0.5	0.9
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.09	0.7	1.1
1994	97	0.9	0.09	0.7	1.0	69	0.7	0.09	0.6	0.9
1995	127	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1996	115	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0
1998	111	1.0	0.09	0.8	1.1	82	0.8	0.09	0.7	1.0
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	1.0
2000	109	0.9	0.09	0.8	1.1	80	0.8	0.09	0.6	1.0
2001	107	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
2002	98	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2003	104	0.8	0.08	0.7	1.0	83	0.8	0.09	0.6	1.0
2004	125	1.0	0.09	0.8	1.2	87	0.8	0.09	0.7	1.0
2005	104	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2006	112	0.9	0.08	0.7	1.0	81	0.8	0.08	0.6	0.9
2007	108	0.8	0.08	0.7	1.0	75	0.7	0.08	0.5	0.8
2008	122	0.9	0.08	0.7	1.1	85	0.8	0.08	0.6	0.9
2009	85	0.6	0.07	0.5	0.8	75	0.7	0.08	0.5	0.8
2010	110	0.8	0.08	0.6	1.0	81	0.7	0.08	0.6	0.9
2011	125	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1
2012	116	0.8	0.07	0.6	0.9	89	0.7	0.08	0.6	0.9
2013	100	0.7	0.07	0.6	0.8	76	0.6	0.07	0.5	0.8
2014	103	0.7	0.07	0.6	0.8	82	0.7	0.07	0.5	0.8
2015	109	0.7	0.07	0.6	0.9	85	0.7	0.08	0.6	0.9
2016	118	0.7	0.07	0.6	0.9	97	0.7	0.08	0.6	0.9
2017	98	0.6	0.06	0.5	0.8	79	0.6	0.07	0.5	0.8
2018	99	0.6	0.06	0.5	0.7	75	0.6	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hypopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	789	1.5	0.05	1.4	1.6	49	0.4	0.06	0.3	0.5
1986	25	2.1	0.42	1.3	3.1	1	0.7	0.67	0.0	4.0
1987	28	2.3	0.45	1.5	3.4	2	2.0	1.42	0.2	6.5
1988	25	2.0	0.41	1.3	3.0	1	1.1	1.09	0.0	5.0
1989	19	1.6	0.36	0.9	2.4	1	0.5	0.51	0.0	3.2
1990	26	2.2	0.43	1.4	3.2	0				
1991	29	2.3	0.43	1.5	3.3	1	0.5	0.45	0.0	2.8
1992	18	1.4	0.33	0.8	2.2	1	0.5	0.45	0.0	2.7
1993	24	1.9	0.39	1.2	2.8	0				
1994	26	1.9	0.38	1.2	2.8	2	0.8	0.56	0.1	3.0
1995	25	1.8	0.37	1.2	2.7	0				
1996	21	1.5	0.32	0.9	2.3	0				
1997	24	1.7	0.34	1.1	2.5	0				
1998	25	1.7	0.35	1.1	2.6	2	0.7	0.49	0.1	2.5
1999	25	1.7	0.33	1.1	2.4	2	0.4	0.31	0.1	1.9
2000	26	1.8	0.35	1.1	2.6	3	1.1	0.66	0.2	3.1
2001	21	1.5	0.32	0.9	2.2	0				
2002	22	1.5	0.32	0.9	2.2	0				
2003	20	1.2	0.27	0.7	1.8	1	0.4	0.43	0.0	2.0
2004	36	2.1	0.36	1.5	3.0	2	0.6	0.44	0.1	2.0
2005	27	1.6	0.31	1.1	2.4	2	0.4	0.27	0.1	1.5
2006	30	1.7	0.32	1.2	2.5	1	0.2	0.19	0.0	1.1
2007	30	1.7	0.32	1.2	2.5	3	0.5	0.27	0.1	1.5
2008	36	2.1	0.35	1.4	2.9	1	0.2	0.17	0.0	1.0
2009	10	0.6	0.18	0.3	1.1	0				
2010	27	1.5	0.30	1.0	2.2	2	0.6	0.40	0.1	1.8
2011	23	1.3	0.27	0.8	1.9	3	0.6	0.34	0.1	1.6
2012	27	1.4	0.28	0.9	2.1	0				
2013	23	1.2	0.25	0.7	1.8	1	0.3	0.25	0.0	1.1
2014	18	1.0	0.24	0.6	1.6	3	0.5	0.30	0.1	1.5
2015	22	1.1	0.24	0.7	1.7	2	0.3	0.25	0.0	1.2
2016	16	0.8	0.21	0.5	1.3	4	0.5	0.26	0.1	1.3
2017	16	0.7	0.18	0.4	1.2	3	0.4	0.24	0.1	1.2
2018	19	0.9	0.22	0.6	1.5	5	0.5	0.23	0.2	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hypopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,823	1.5	0.03	1.4	1.6	2,126	1.3	0.03	1.3	1.4
1986	80	1.7	0.20	1.4	2.2	60	1.5	0.20	1.1	1.9
1987	88	1.9	0.21	1.5	2.3	65	1.5	0.20	1.2	2.0
1988	81	1.7	0.20	1.4	2.2	60	1.5	0.19	1.1	1.9
1989	69	1.5	0.18	1.2	1.9	52	1.3	0.18	0.9	1.7
1990	78	1.6	0.19	1.3	2.1	57	1.4	0.18	1.0	1.8
1991	75	1.6	0.19	1.3	2.1	51	1.3	0.19	1.0	1.7
1992	95	1.9	0.20	1.5	2.3	77	1.8	0.20	1.4	2.2
1993	90	1.8	0.19	1.5	2.2	73	1.7	0.20	1.3	2.1
1994	74	1.4	0.17	1.1	1.8	50	1.2	0.16	0.9	1.5
1995	97	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1996	95	1.8	0.19	1.5	2.3	77	1.7	0.20	1.4	2.2
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	92	1.8	0.19	1.4	2.2	67	1.5	0.19	1.2	1.9
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7
2000	89	1.7	0.18	1.4	2.1	66	1.5	0.18	1.1	1.9
2001	87	1.6	0.17	1.3	2.0	70	1.5	0.18	1.2	1.9
2002	78	1.4	0.16	1.1	1.8	58	1.2	0.16	0.9	1.6
2003	86	1.6	0.17	1.2	1.9	66	1.4	0.18	1.1	1.8
2004	109	1.9	0.18	1.6	2.3	74	1.6	0.18	1.2	2.0
2005	79	1.4	0.16	1.1	1.7	55	1.1	0.16	0.9	1.5
2006	88	1.5	0.16	1.2	1.8	62	1.3	0.16	1.0	1.6
2007	85	1.4	0.15	1.1	1.7	56	1.1	0.14	0.8	1.4
2008	95	1.5	0.16	1.2	1.9	67	1.3	0.16	1.0	1.6
2009	71	1.2	0.14	0.9	1.5	64	1.2	0.16	1.0	1.6
2010	93	1.5	0.16	1.2	1.9	70	1.4	0.16	1.1	1.7
2011	99	1.6	0.16	1.3	1.9	75	1.4	0.17	1.1	1.8
2012	97	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
2013	84	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
2014	76	1.1	0.13	0.9	1.4	59	1.0	0.14	0.8	1.3
2015	90	1.3	0.14	1.1	1.6	70	1.3	0.15	1.0	1.6
2016	94	1.3	0.14	1.0	1.6	77	1.2	0.15	1.0	1.6
2017	77	1.1	0.12	0.8	1.3	61	1.0	0.14	0.8	1.3
2018	74	1.0	0.11	0.8	1.2	55	0.9	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hypopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	651	2.9	0.12	2.7	3.2	41	0.8	0.13	0.5	1.0
1986	19	3.8	0.89	2.2	5.9	1	1.6	1.58	0.0	9.5
1987	21	4.3	0.98	2.6	6.6	2	4.7	3.38	0.5	15.5
1988	20	3.7	0.84	2.3	5.8	1	2.7	2.65	0.1	12.0
1989	17	3.2	0.79	1.9	5.2	0				
1990	20	3.8	0.86	2.3	5.9	0				
1991	23	4.2	0.88	2.6	6.3	1	0.9	0.92	0.0	6.4
1992	17	3.1	0.75	1.8	4.9	1	1.1	1.05	0.0	6.4
1993	17	3.2	0.79	1.8	5.1	0				
1994	22	3.7	0.79	2.3	5.6	2	1.8	1.26	0.2	6.9
1995	21	3.6	0.79	2.2	5.5	0				
1996	18	3.0	0.71	1.7	4.7	0				
1997	21	3.4	0.75	2.1	5.2	0				
1998	22	3.6	0.80	2.2	5.5	1	0.5	0.50	0.0	3.9
1999	20	3.2	0.73	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	21	3.6	0.83	2.1	5.5	2	1.6	1.25	0.2	5.9
2001	17	3.0	0.75	1.7	4.8	0				
2002	19	3.1	0.73	1.8	4.9	0				
2003	19	2.6	0.60	1.6	4.1	1	1.1	1.14	0.0	5.0
2004	33	4.6	0.81	3.1	6.5	2	1.4	1.12	0.1	5.1
2005	22	3.0	0.64	1.9	4.5	2	0.8	0.57	0.1	3.2
2006	25	3.2	0.66	2.1	4.8	1	0.4	0.41	0.0	2.6
2007	26	3.6	0.73	2.4	5.4	3	1.0	0.57	0.2	3.2
2008	27	3.6	0.73	2.3	5.3	1	0.4	0.36	0.0	2.3
2009	7	0.9	0.36	0.4	1.9	0				
2010	21	2.9	0.66	1.7	4.5	2	1.4	1.06	0.1	4.6
2011	20	2.7	0.62	1.6	4.2	3	1.2	0.76	0.2	3.6
2012	23	2.7	0.58	1.7	4.2	0				
2013	17	2.2	0.55	1.2	3.5	0				
2014	15	2.0	0.55	1.1	3.4	2	0.9	0.63	0.1	2.9
2015	19	2.3	0.57	1.4	3.7	1	0.5	0.50	0.0	2.3
2016	14	1.8	0.50	0.9	3.0	3	0.9	0.52	0.2	2.6
2017	13	1.4	0.39	0.7	2.4	3	0.9	0.53	0.2	2.6
2018	15	1.8	0.47	1.0	2.9	4	0.9	0.46	0.3	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hypopharynx											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	708	0.3	0.01	0.3	0.3	561	0.3	0.01	0.3	0.3	
1986	16	0.3	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3	
1987	22	0.4	0.08	0.2	0.5	15	0.3	0.07	0.2	0.5	
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.3	0.6	
1989	22	0.4	0.08	0.2	0.5	19	0.3	0.08	0.2	0.5	
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6	
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4	
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5	
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4	
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5	
1995	30	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7	
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5	
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6	
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4	
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5	
2000	20	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.4	
2001	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5	
2002	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5	
2003	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
2004	16	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4	
2005	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6	
2006	24	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5	
2007	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5	
2008	27	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5	
2009	14	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3	
2010	17	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3	
2011	26	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6	
2012	19	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4	
2013	16	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3	
2014	27	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.5	
2015	19	0.2	0.05	0.1	0.4	15	0.2	0.06	0.1	0.4	
2016	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5	
2017	21	0.2	0.05	0.2	0.4	18	0.3	0.06	0.2	0.4	
2018	25	0.3	0.06	0.2	0.4	20	0.3	0.06	0.2	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hypopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	138	0.5	0.04	0.4	0.5	8	0.1	0.04	0.0	0.2
1986	6	0.8	0.33	0.3	1.8	0				
1987	7	0.9	0.36	0.4	1.9	0				
1988	5	0.7	0.33	0.2	1.7	0				
1989	2	0.3	0.20	0.0	1.0	1	1.0	0.97	0.0	5.9
1990	6	0.9	0.38	0.3	2.0	0				
1991	6	0.8	0.32	0.3	1.7	0				
1992	1	0.1	0.13	0.0	0.7	0				
1993	7	1.0	0.36	0.4	2.0	0				
1994	4	0.6	0.29	0.2	1.4	0				
1995	4	0.5	0.26	0.1	1.3	0				
1996	3	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.20	0.1	1.0	0				
1998	3	0.4	0.23	0.1	1.1	1	0.7	0.73	0.0	3.7
1999	5	0.6	0.25	0.2	1.3	0				
2000	5	0.6	0.26	0.2	1.3	1	0.7	0.68	0.0	3.4
2001	4	0.4	0.22	0.1	1.1	0				
2002	3	0.4	0.21	0.1	1.0	0				
2003	1	0.1	0.10	0.0	0.6	0				
2004	3	0.3	0.18	0.1	0.9	0				
2005	5	0.6	0.25	0.2	1.3	0				
2006	5	0.5	0.23	0.2	1.2	0				
2007	4	0.4	0.18	0.1	1.0	0				
2008	9	0.9	0.31	0.4	1.8	0				
2009	3	0.3	0.17	0.1	0.9	0				
2010	6	0.6	0.23	0.2	1.2	0				
2011	3	0.3	0.16	0.1	0.8	0				
2012	4	0.5	0.22	0.1	1.1	0				
2013	6	0.5	0.22	0.2	1.2	1	0.4	0.41	0.0	2.0
2014	3	0.3	0.18	0.1	0.9	1	0.2	0.19	0.0	1.3
2015	3	0.3	0.15	0.1	0.8	1	0.3	0.25	0.0	1.4
2016	2	0.2	0.13	0.0	0.7	1	0.2	0.18	0.0	1.2
2017	3	0.3	0.15	0.1	0.8	0				
2018	4	0.3	0.16	0.1	0.9	1	0.2	0.17	0.0	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Digestive System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	381,108	92.2	0.15	91.9	92.5	315,662	89.3	0.16	89.0	89.6
1986	9,867	93.9	0.96	92.0	95.8	8,530	91.1	1.00	89.1	93.0
1987	10,108	95.3	0.96	93.5	97.2	8,751	92.8	1.00	90.9	94.8
1988	10,119	94.8	0.95	92.9	96.7	8,692	91.6	0.99	89.7	93.6
1989	9,938	92.6	0.94	90.8	94.5	8,556	89.9	0.98	88.0	91.9
1990	10,199	94.1	0.94	92.2	95.9	8,780	91.4	0.98	89.4	93.3
1991	9,971	90.8	0.92	89.0	92.6	8,618	88.8	0.96	86.9	90.7
1992	10,169	91.3	0.91	89.5	93.1	8,781	89.4	0.96	87.5	91.3
1993	10,272	91.1	0.90	89.4	92.9	8,786	88.5	0.95	86.7	90.4
1994	10,917	96.0	0.92	94.2	97.8	9,328	93.3	0.97	91.5	95.3
1995	10,921	95.3	0.91	93.5	97.1	9,159	91.3	0.96	89.5	93.2
1996	11,101	96.2	0.91	94.4	98.0	9,335	92.6	0.96	90.7	94.5
1997	11,208	96.2	0.91	94.5	98.0	9,443	93.1	0.96	91.2	95.0
1998	11,896	101.0	0.93	99.2	102.8	10,005	97.8	0.98	95.9	99.7
1999	11,679	98.2	0.91	96.4	100.0	9,865	95.8	0.97	93.9	97.7
2000	11,909	99.3	0.91	97.5	101.1	9,964	96.2	0.97	94.4	98.2
2001	11,750	97.1	0.90	95.4	98.9	9,790	94.0	0.95	92.1	95.9
2002	12,024	98.6	0.90	96.8	100.4	9,940	94.9	0.95	93.1	96.8
2003	11,824	95.7	0.88	94.0	97.4	9,739	92.0	0.94	90.2	93.9
2004	12,178	97.7	0.89	95.9	99.4	10,110	95.1	0.95	93.2	96.9
2005	12,051	95.4	0.87	93.7	97.1	9,904	92.1	0.93	90.3	94.0
2006	12,069	94.5	0.87	92.8	96.2	9,799	90.4	0.92	88.6	92.2
2007	12,104	93.3	0.85	91.6	95.0	9,882	90.0	0.91	88.2	91.8
2008	12,096	91.7	0.84	90.0	93.3	9,806	88.2	0.90	86.5	90.0
2009	12,006	89.7	0.83	88.1	91.3	9,763	86.8	0.89	85.1	88.6
2010	11,972	88.0	0.82	86.4	89.6	9,643	84.6	0.87	82.9	86.3
2011	12,260	88.6	0.81	87.0	90.2	9,820	85.2	0.87	83.5	86.9
2012	12,145	85.7	0.79	84.2	87.3	9,806	83.1	0.85	81.4	84.8
2013	12,347	85.8	0.78	84.3	87.3	9,894	82.9	0.85	81.3	84.6
2014	12,511	85.3	0.78	83.8	86.9	9,988	82.3	0.84	80.7	84.0
2015	12,835	86.7	0.78	85.2	88.2	10,302	84.5	0.85	82.8	86.1
2016	13,012	86.9	0.78	85.4	88.4	10,402	84.6	0.85	82.9	86.3
2017	12,829	84.5	0.76	83.0	86.0	10,324	83.2	0.84	81.5	84.8
2018	12,821	83.4	0.75	82.0	84.9	10,157	80.8	0.82	79.2	82.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Digestive System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	55,078	114.3	0.50	113.3	115.2	8,796	67.9	0.77	66.4	69.4
1986	1,222	114.1	3.39	107.6	121.0	105	78.9	9.09	62.1	98.4
1987	1,254	115.3	3.37	108.8	122.1	96	69.3	8.04	54.4	86.6
1988	1,306	120.0	3.43	113.4	126.9	103	81.0	9.00	64.3	100.1
1989	1,254	112.5	3.27	106.2	119.1	111	75.1	8.12	60.1	92.4
1990	1,296	115.2	3.30	108.8	121.8	117	78.8	8.28	63.4	96.4
1991	1,220	106.3	3.13	100.3	112.6	101	61.9	6.94	49.0	76.7
1992	1,233	102.8	3.01	97.0	108.9	126	69.9	7.02	56.8	84.8
1993	1,311	110.4	3.13	104.3	116.6	162	83.3	7.46	69.3	99.0
1994	1,421	117.4	3.19	111.2	123.8	152	73.1	6.57	60.7	86.9
1995	1,556	125.1	3.25	118.8	131.6	188	84.4	6.80	71.6	98.6
1996	1,549	122.9	3.19	116.7	129.3	199	88.9	7.11	75.5	103.7
1997	1,550	121.1	3.15	115.0	127.4	189	72.6	5.89	61.5	84.9
1998	1,654	127.3	3.20	121.1	133.7	203	78.2	6.08	66.7	90.8
1999	1,537	114.3	2.97	108.6	120.3	241	88.0	6.40	75.9	101.3
2000	1,657	120.4	3.01	114.6	126.4	244	82.5	5.80	71.5	94.5
2001	1,686	121.1	3.01	115.3	127.2	234	71.4	5.13	61.7	82.1
2002	1,761	124.4	3.03	118.5	130.5	271	85.8	5.67	75.1	97.5
2003	1,774	123.5	3.00	117.7	129.5	257	71.5	4.81	62.4	81.5
2004	1,770	120.2	2.92	114.6	126.1	263	69.2	4.62	60.4	78.8
2005	1,814	121.2	2.91	115.6	127.0	276	67.0	4.38	58.7	76.1
2006	1,896	122.8	2.88	117.3	128.6	317	71.6	4.34	63.4	80.6
2007	1,838	116.9	2.79	111.5	122.5	339	72.4	4.26	64.3	81.2
2008	1,893	117.9	2.77	112.5	123.5	344	69.6	4.06	61.9	78.0
2009	1,860	112.8	2.68	107.6	118.2	315	63.7	3.88	56.3	71.7
2010	1,909	114.3	2.68	109.1	119.6	354	67.0	3.82	59.7	74.9
2011	2,007	115.5	2.64	110.4	120.8	361	63.2	3.55	56.4	70.5
2012	1,835	104.3	2.50	99.5	109.3	433	71.6	3.65	64.6	79.1
2013	2,002	109.8	2.51	104.9	114.8	382	58.4	3.15	52.4	64.9
2014	1,992	107.6	2.47	102.8	112.5	426	62.1	3.14	56.1	68.5
2015	1,998	105.2	2.41	100.6	110.1	459	63.9	3.11	58.0	70.3
2016	2,052	107.1	2.42	102.4	112.0	476	62.0	2.93	56.4	68.0
2017	1,955	100.1	2.32	95.6	104.7	470	58.5	2.77	53.2	64.2
2018	2,016	102.1	2.33	97.6	106.7	482	58.2	2.71	53.0	63.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Digestive System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	201,834	114.0	0.26	113.5	114.5	167,574	110.6	0.27	110.0	111.1
1986	5,052	117.9	1.73	114.5	121.3	4,373	115.2	1.82	111.7	118.9
1987	5,183	120.2	1.74	116.8	123.6	4,446	116.5	1.82	112.9	120.1
1988	5,195	119.8	1.73	116.4	123.2	4,457	116.1	1.81	112.6	119.7
1989	5,070	115.5	1.68	112.3	118.9	4,363	112.4	1.76	109.0	115.9
1990	5,209	117.6	1.69	114.3	121.0	4,465	114.0	1.76	110.5	117.5
1991	5,155	114.9	1.65	111.7	118.2	4,467	113.0	1.74	109.6	116.5
1992	5,324	117.0	1.65	113.7	120.2	4,592	114.5	1.74	111.2	118.0
1993	5,244	113.4	1.61	110.2	116.6	4,463	109.8	1.68	106.5	113.1
1994	5,529	118.8	1.64	115.6	122.1	4,716	115.5	1.72	112.2	118.9
1995	5,662	120.5	1.64	117.3	123.7	4,715	114.9	1.71	111.6	118.3
1996	5,697	119.9	1.62	116.8	123.2	4,767	115.3	1.70	112.0	118.6
1997	5,762	120.0	1.61	116.9	123.2	4,863	116.4	1.69	113.1	119.8
1998	6,112	125.7	1.63	122.5	128.9	5,160	122.0	1.72	118.7	125.5
1999	6,140	124.1	1.61	121.0	127.3	5,186	121.0	1.70	117.7	124.4
2000	6,260	124.8	1.60	121.6	127.9	5,241	121.0	1.69	117.7	124.3
2001	6,098	120.6	1.57	117.5	123.7	5,107	117.3	1.66	114.1	120.6
2002	6,350	123.4	1.57	120.4	126.5	5,281	119.4	1.66	116.2	122.7
2003	6,311	120.9	1.54	117.9	123.9	5,234	117.0	1.63	113.8	120.2
2004	6,487	122.0	1.54	119.0	125.0	5,422	119.2	1.64	116.0	122.5
2005	6,369	117.5	1.50	114.6	120.5	5,239	113.3	1.58	110.2	116.4
2006	6,457	117.0	1.48	114.1	119.9	5,261	112.1	1.57	109.0	115.2
2007	6,415	114.0	1.45	111.2	116.9	5,232	109.5	1.53	106.5	112.5
2008	6,483	112.9	1.43	110.1	115.7	5,254	108.0	1.51	105.0	111.0
2009	6,485	110.4	1.40	107.6	113.1	5,256	105.9	1.49	103.0	108.9
2010	6,511	108.8	1.38	106.1	111.5	5,303	105.0	1.47	102.1	107.9
2011	6,685	108.9	1.36	106.3	111.6	5,414	105.2	1.46	102.4	108.1
2012	6,752	107.2	1.34	104.5	109.8	5,486	103.5	1.43	100.7	106.4
2013	6,758	105.2	1.31	102.7	107.9	5,451	101.6	1.41	98.9	104.4
2014	6,893	104.6	1.29	102.1	107.2	5,535	100.7	1.39	98.0	103.4
2015	7,153	107.1	1.30	104.6	109.7	5,797	104.4	1.41	101.7	107.2
2016	7,047	103.6	1.27	101.1	106.1	5,685	100.5	1.37	97.9	103.2
2017	7,019	101.9	1.25	99.5	104.4	5,745	100.7	1.36	98.0	103.4
2018	6,967	99.6	1.22	97.2	102.0	5,598	96.8	1.33	94.2	99.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Digestive System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	28,347	143.2	0.90	141.4	145.0	5,027	86.1	1.34	83.5	88.7
1986	618	137.1	5.91	125.7	149.1	58	80.8	12.38	58.4	108.5
1987	671	150.6	6.22	138.6	163.2	63	102.9	15.33	75.0	136.5
1988	670	150.9	6.23	138.9	163.5	58	99.3	14.80	72.4	131.8
1989	642	142.1	6.00	130.6	154.3	54	84.9	13.21	61.0	114.1
1990	662	145.6	6.04	134.0	157.8	79	121.6	16.03	92.2	156.2
1991	619	130.7	5.59	120.0	142.1	52	73.7	11.72	52.5	99.6
1992	638	134.9	5.72	123.9	146.5	77	92.9	12.24	70.5	119.5
1993	684	141.4	5.77	130.4	153.1	91	108.3	13.59	83.3	137.5
1994	730	150.8	5.95	139.4	162.9	76	78.5	10.38	59.5	101.2
1995	823	165.0	6.14	153.2	177.4	112	114.1	12.16	91.5	140.0
1996	798	153.1	5.74	142.1	164.7	121	121.0	13.04	96.8	148.8
1997	777	146.8	5.58	136.1	158.1	107	102.4	11.62	80.9	127.2
1998	835	158.7	5.83	147.5	170.5	104	91.8	10.42	72.5	114.1
1999	786	145.4	5.47	134.9	156.5	142	122.5	12.83	98.6	149.6
2000	858	153.8	5.54	143.2	165.0	139	100.5	9.80	82.2	121.2
2001	836	146.2	5.33	136.0	157.0	132	89.2	9.05	72.3	108.4
2002	890	154.5	5.49	143.9	165.6	152	110.5	10.23	91.4	132.0
2003	916	155.5	5.43	145.0	166.5	130	81.1	8.11	66.0	98.3
2004	898	148.4	5.24	138.3	159.0	146	87.4	8.17	72.2	104.7
2005	939	154.1	5.34	143.9	164.9	155	83.5	7.59	69.3	99.6
2006	990	155.0	5.18	145.0	165.4	176	91.0	7.70	76.5	107.2
2007	948	147.5	5.08	137.7	157.8	204	97.0	7.70	82.5	113.1
2008	996	152.9	5.13	143.1	163.3	199	92.8	7.41	78.8	108.3
2009	1,004	147.6	4.92	138.2	157.6	186	80.9	6.68	68.3	94.9
2010	967	140.2	4.77	131.0	149.8	204	87.2	6.78	74.4	101.4
2011	1,027	142.2	4.67	133.1	151.6	204	78.9	6.11	67.4	91.7
2012	967	134.1	4.54	125.4	143.3	261	93.6	6.30	81.6	106.7
2013	1,055	138.9	4.50	130.3	148.0	206	68.4	5.12	58.7	79.1
2014	1,064	138.3	4.45	129.7	147.2	243	77.1	5.29	67.0	88.1
2015	1,039	131.0	4.26	122.8	139.6	275	84.0	5.37	73.8	95.2
2016	1,040	131.4	4.27	123.2	140.1	285	81.5	5.04	71.9	91.9
2017	964	119.7	4.03	111.9	127.8	257	71.0	4.61	62.3	80.6
2018	996	118.8	3.91	111.2	126.7	279	73.5	4.54	64.9	82.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Digestive System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	179,274	75.6	0.18	75.2	75.9	148,088	73.0	0.19	72.6	73.4
1986	4,815	77.6	1.13	75.4	79.8	4,157	74.8	1.18	72.5	77.1
1987	4,925	78.4	1.13	76.2	80.7	4,305	76.9	1.19	74.5	79.2
1988	4,924	77.5	1.12	75.3	79.7	4,235	74.6	1.16	72.4	77.0
1989	4,868	76.8	1.11	74.6	79.0	4,193	74.3	1.17	72.0	76.6
1990	4,990	77.9	1.12	75.7	80.1	4,315	75.8	1.17	73.5	78.2
1991	4,816	74.1	1.08	72.0	76.2	4,151	72.0	1.14	69.8	74.2
1992	4,845	73.5	1.07	71.4	75.6	4,189	71.7	1.12	69.5	73.9
1993	5,028	75.3	1.07	73.3	77.5	4,323	73.5	1.13	71.3	75.7
1994	5,388	79.7	1.10	77.6	81.9	4,612	77.4	1.16	75.1	79.7
1995	5,259	77.7	1.08	75.6	79.9	4,444	74.8	1.14	72.6	77.0
1996	5,404	79.0	1.08	76.9	81.1	4,568	76.2	1.14	74.0	78.5
1997	5,446	79.2	1.08	77.1	81.3	4,580	76.3	1.14	74.1	78.6
1998	5,784	83.5	1.11	81.3	85.7	4,845	80.4	1.17	78.1	82.7
1999	5,539	79.3	1.07	77.2	81.4	4,679	77.1	1.14	74.9	79.4
2000	5,649	80.4	1.08	78.3	82.5	4,723	77.6	1.15	75.4	79.9
2001	5,652	80.0	1.07	77.9	82.1	4,683	76.9	1.14	74.6	79.1
2002	5,674	79.8	1.07	77.8	82.0	4,659	76.2	1.13	74.0	78.4
2003	5,513	77.0	1.05	75.0	79.1	4,505	73.4	1.11	71.3	75.6
2004	5,691	78.9	1.06	76.8	81.0	4,688	76.1	1.13	73.9	78.3
2005	5,682	78.3	1.05	76.2	80.3	4,665	75.5	1.12	73.3	77.7
2006	5,612	77.0	1.04	75.0	79.1	4,538	73.4	1.11	71.2	75.6
2007	5,689	77.2	1.04	75.2	79.2	4,650	74.6	1.12	72.5	76.8
2008	5,613	75.4	1.02	73.4	77.4	4,552	72.7	1.10	70.6	74.9
2009	5,521	73.3	1.00	71.4	75.3	4,507	71.4	1.09	69.3	73.6
2010	5,461	71.4	0.98	69.5	73.4	4,340	68.0	1.06	66.0	70.1
2011	5,575	72.0	0.98	70.1	74.0	4,406	68.5	1.06	66.4	70.6
2012	5,393	68.5	0.95	66.7	70.4	4,320	66.3	1.03	64.3	68.4
2013	5,589	70.1	0.96	68.3	72.0	4,443	67.6	1.04	65.6	69.7
2014	5,618	69.8	0.95	68.0	71.7	4,453	67.2	1.03	65.2	69.2
2015	5,682	69.9	0.95	68.0	71.8	4,505	67.5	1.04	65.5	69.6
2016	5,965	73.2	0.97	71.3	75.2	4,717	71.2	1.07	69.1	73.3
2017	5,810	70.1	0.94	68.2	72.0	4,579	68.1	1.04	66.1	70.2
2018	5,854	69.9	0.94	68.0	71.7	4,559	67.1	1.03	65.1	69.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Digestive System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	26,731	94.5	0.58	93.3	95.6	3,769	53.5	0.91	51.7	55.3
1986	604	97.6	4.06	89.8	105.9	47	74.3	12.50	51.8	102.0
1987	583	91.4	3.86	84.0	99.3	33	43.1	8.28	28.4	62.0
1988	636	99.2	4.01	91.5	107.3	45	66.9	11.18	46.8	91.7
1989	612	93.2	3.83	85.8	101.0	57	68.4	10.29	49.8	91.1
1990	634	95.0	3.84	87.6	102.8	38	45.9	8.24	31.2	64.5
1991	601	89.1	3.69	82.0	96.6	49	53.4	8.50	38.0	72.3
1992	595	83.2	3.45	76.5	90.2	49	51.5	8.16	36.7	69.5
1993	627	89.2	3.60	82.2	96.5	71	64.6	8.45	49.1	83.0
1994	691	95.8	3.69	88.7	103.3	76	67.9	8.44	52.3	86.1
1995	733	99.1	3.70	92.0	106.6	76	61.9	7.72	47.7	78.6
1996	751	101.2	3.73	94.0	108.8	78	64.8	8.03	50.1	82.2
1997	773	102.3	3.72	95.2	109.9	82	52.7	6.28	41.1	66.4
1998	819	106.2	3.74	99.0	113.7	99	68.0	7.37	54.3	83.8
1999	751	93.9	3.45	87.3	100.9	99	65.3	6.99	52.3	80.3
2000	799	97.9	3.49	91.2	105.0	105	67.1	6.98	54.2	82.0
2001	850	103.1	3.57	96.3	110.3	102	57.6	6.07	46.3	70.6
2002	871	104.0	3.55	97.2	111.2	119	67.5	6.55	55.3	81.4
2003	858	101.3	3.48	94.6	108.3	127	64.6	6.01	53.4	77.4
2004	872	100.6	3.43	94.0	107.5	117	55.5	5.42	45.4	67.1
2005	875	99.2	3.38	92.7	106.1	121	53.9	5.19	44.2	64.9
2006	906	100.2	3.36	93.8	107.0	141	57.2	5.07	47.7	68.0
2007	890	96.6	3.27	90.3	103.2	135	53.3	4.84	44.2	63.6
2008	897	94.9	3.20	88.7	101.3	145	52.3	4.59	43.7	62.0
2009	856	89.0	3.08	83.1	95.3	129	49.3	4.58	40.7	59.0
2010	942	96.1	3.17	90.0	102.5	150	51.1	4.41	42.9	60.4
2011	980	96.5	3.13	90.5	102.8	157	50.8	4.24	42.8	59.8
2012	868	84.2	2.90	78.6	90.0	172	53.3	4.26	45.3	62.3
2013	947	89.5	2.95	83.8	95.5	176	49.6	3.90	42.3	57.8
2014	928	87.1	2.91	81.5	93.0	183	49.8	3.80	42.6	57.8
2015	959	87.5	2.88	82.0	93.4	184	47.5	3.61	40.7	55.1
2016	1,012	90.8	2.91	85.2	96.7	191	46.1	3.42	39.7	53.3
2017	991	87.2	2.82	81.8	92.9	213	48.4	3.39	42.0	55.5
2018	1,020	89.3	2.85	83.8	95.1	203	45.5	3.25	39.4	52.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Esophagus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	21,498	5.1	0.04	5.1	5.2	17,341	4.9	0.04	4.8	5.0
1986	545	5.2	0.23	4.7	5.6	364	3.9	0.21	3.5	4.3
1987	516	4.8	0.22	4.4	5.3	357	3.8	0.20	3.4	4.2
1988	499	4.7	0.21	4.3	5.1	354	3.7	0.20	3.4	4.2
1989	539	5.0	0.22	4.6	5.5	393	4.1	0.21	3.7	4.6
1990	514	4.7	0.21	4.3	5.2	362	3.8	0.20	3.4	4.2
1991	538	4.9	0.21	4.5	5.3	395	4.1	0.21	3.7	4.5
1992	578	5.2	0.22	4.8	5.6	436	4.5	0.22	4.1	4.9
1993	552	4.9	0.21	4.5	5.3	416	4.2	0.21	3.8	4.6
1994	605	5.3	0.22	4.9	5.8	463	4.6	0.22	4.2	5.1
1995	652	5.7	0.22	5.3	6.2	489	4.9	0.22	4.5	5.4
1996	641	5.6	0.22	5.2	6.0	475	4.8	0.22	4.4	5.2
1997	556	4.8	0.20	4.4	5.2	416	4.2	0.20	3.8	4.6
1998	672	5.7	0.22	5.3	6.2	538	5.3	0.23	4.9	5.8
1999	668	5.6	0.22	5.2	6.1	545	5.4	0.23	4.9	5.8
2000	710	5.9	0.22	5.5	6.4	568	5.5	0.23	5.1	6.0
2001	680	5.7	0.22	5.2	6.1	556	5.4	0.23	5.0	5.9
2002	657	5.4	0.21	5.0	5.8	545	5.3	0.23	4.8	5.7
2003	661	5.3	0.21	4.9	5.8	555	5.3	0.22	4.8	5.7
2004	701	5.6	0.21	5.2	6.1	586	5.6	0.23	5.1	6.0
2005	665	5.2	0.20	4.9	5.7	568	5.3	0.22	4.9	5.8
2006	698	5.4	0.21	5.0	5.9	575	5.3	0.22	4.9	5.8
2007	710	5.4	0.20	5.0	5.8	595	5.4	0.22	4.9	5.8
2008	722	5.4	0.20	5.0	5.8	623	5.6	0.22	5.1	6.0
2009	724	5.4	0.20	5.0	5.8	622	5.5	0.22	5.1	6.0
2010	662	4.8	0.19	4.4	5.2	552	4.8	0.21	4.4	5.2
2011	734	5.2	0.20	4.9	5.6	622	5.3	0.22	4.9	5.8
2012	762	5.3	0.20	5.0	5.7	654	5.5	0.22	5.1	5.9
2013	712	4.9	0.18	4.5	5.2	610	5.0	0.21	4.6	5.5
2014	740	4.9	0.18	4.6	5.3	633	5.1	0.21	4.7	5.5
2015	761	5.0	0.18	4.6	5.4	659	5.2	0.21	4.8	5.7
2016	705	4.6	0.18	4.3	5.0	593	4.7	0.20	4.3	5.1
2017	701	4.5	0.17	4.2	4.9	603	4.8	0.20	4.4	5.2
2018	718	4.4	0.17	4.1	4.8	619	4.7	0.19	4.3	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Esophagus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,828	7.5	0.12	7.3	7.8	293	2.3	0.14	2.0	2.6
1986	176	15.3	1.18	13.1	17.8	5	5.6	2.58	1.7	12.5
1987	156	13.5	1.11	11.4	15.8	2	2.0	1.55	0.2	6.9
1988	141	11.8	1.01	9.9	14.0	3	1.6	0.93	0.3	5.0
1989	141	11.8	1.02	9.9	14.0	3	1.9	1.14	0.4	5.6
1990	148	12.2	1.02	10.3	14.3	4	2.9	1.58	0.7	7.5
1991	137	10.9	0.95	9.1	12.9	6	3.5	1.55	1.1	7.8
1992	135	10.9	0.95	9.1	12.9	7	3.7	1.46	1.4	7.7
1993	128	9.8	0.89	8.2	11.7	8	3.5	1.30	1.4	7.1
1994	136	10.5	0.91	8.8	12.5	6	2.3	0.97	0.8	5.2
1995	153	11.6	0.95	9.8	13.5	10	5.0	1.77	2.2	9.5
1996	156	11.5	0.93	9.7	13.4	9	4.3	1.50	1.9	8.2
1997	135	9.8	0.86	8.2	11.7	4	1.5	0.79	0.4	3.9
1998	126	9.2	0.83	7.6	10.9	8	2.4	0.86	1.0	4.8
1999	117	8.5	0.80	7.0	10.2	6	2.5	1.14	0.8	5.5
2000	135	9.4	0.82	7.8	11.1	7	1.8	0.72	0.7	3.9
2001	112	7.8	0.75	6.4	9.4	9	2.6	0.98	1.1	5.2
2002	106	7.0	0.69	5.7	8.5	4	1.1	0.55	0.3	2.8
2003	94	6.3	0.66	5.1	7.7	10	2.8	0.95	1.3	5.3
2004	108	7.0	0.69	5.8	8.5	6	2.0	0.88	0.7	4.3
2005	92	5.9	0.63	4.7	7.3	5	1.4	0.72	0.4	3.4
2006	113	7.0	0.67	5.8	8.5	10	2.7	0.91	1.2	5.0
2007	100	6.2	0.64	5.1	7.6	13	2.4	0.70	1.2	4.2
2008	90	5.4	0.58	4.3	6.6	8	1.4	0.54	0.6	2.9
2009	88	5.0	0.55	4.0	6.2	11	2.4	0.77	1.1	4.3
2010	94	5.2	0.55	4.2	6.4	14	2.7	0.75	1.4	4.5
2011	98	5.6	0.58	4.5	6.8	13	2.7	0.79	1.3	4.6
2012	95	5.3	0.56	4.3	6.5	10	2.0	0.67	0.9	3.7
2013	93	4.9	0.52	3.9	6.0	8	1.2	0.46	0.5	2.5
2014	80	4.2	0.48	3.3	5.3	25	3.4	0.72	2.2	5.1
2015	88	4.4	0.49	3.5	5.5	13	1.8	0.50	0.9	3.0
2016	92	4.7	0.50	3.8	5.8	20	2.7	0.62	1.6	4.2
2017	84	4.1	0.46	3.2	5.1	12	1.5	0.44	0.8	2.6
2018	81	3.9	0.44	3.1	4.9	14	1.5	0.42	0.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Esophagus											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	16,400	9.0	0.07	8.8	9.1	13,491	8.7	0.08	8.5	8.8	
1986	398	8.8	0.46	7.9	9.7	273	6.9	0.43	6.1	7.8	
1987	380	8.3	0.44	7.5	9.2	263	6.5	0.41	5.7	7.4	
1988	364	8.0	0.43	7.2	8.9	260	6.6	0.42	5.8	7.4	
1989	393	8.5	0.44	7.7	9.4	285	7.0	0.43	6.2	7.9	
1990	354	7.5	0.41	6.7	8.4	248	6.0	0.39	5.3	6.8	
1991	401	8.5	0.43	7.6	9.4	298	7.3	0.43	6.4	8.1	
1992	427	9.1	0.45	8.2	10.0	330	8.0	0.45	7.2	8.9	
1993	392	8.0	0.41	7.2	8.8	299	7.0	0.41	6.2	7.8	
1994	458	9.4	0.45	8.6	10.3	354	8.3	0.45	7.5	9.3	
1995	503	10.3	0.46	9.4	11.2	383	9.0	0.47	8.1	9.9	
1996	487	9.8	0.45	8.9	10.7	368	8.6	0.45	7.7	9.5	
1997	406	8.1	0.41	7.3	8.9	315	7.3	0.42	6.5	8.2	
1998	520	10.4	0.46	9.5	11.3	425	9.8	0.48	8.9	10.8	
1999	528	10.4	0.46	9.5	11.3	433	9.9	0.48	9.0	10.9	
2000	539	10.5	0.46	9.7	11.5	440	10.0	0.48	9.1	11.0	
2001	498	9.6	0.43	8.7	10.5	409	9.2	0.46	8.3	10.1	
2002	498	9.4	0.43	8.6	10.2	421	9.3	0.46	8.4	10.2	
2003	518	9.8	0.43	8.9	10.6	446	9.8	0.47	8.9	10.8	
2004	529	9.6	0.42	8.8	10.5	457	9.8	0.46	8.9	10.7	
2005	520	9.4	0.42	8.6	10.3	452	9.6	0.46	8.7	10.5	
2006	556	9.8	0.42	9.0	10.7	466	9.7	0.46	8.8	10.6	
2007	532	9.2	0.41	8.4	10.0	456	9.3	0.44	8.4	10.2	
2008	580	9.9	0.42	9.1	10.7	509	10.2	0.46	9.3	11.2	
2009	556	9.4	0.41	8.6	10.2	475	9.5	0.44	8.7	10.4	
2010	500	8.2	0.37	7.4	8.9	426	8.3	0.41	7.5	9.1	
2011	569	9.1	0.39	8.4	9.9	499	9.5	0.43	8.6	10.4	
2012	587	9.3	0.39	8.5	10.1	521	9.7	0.44	8.9	10.6	
2013	570	8.7	0.38	8.0	9.5	498	9.1	0.42	8.3	10.0	
2014	589	8.7	0.37	8.0	9.4	518	9.1	0.41	8.3	9.9	
2015	613	8.9	0.37	8.2	9.7	537	9.4	0.41	8.6	10.2	
2016	540	7.8	0.34	7.1	8.5	461	7.9	0.38	7.2	8.7	
2017	550	7.8	0.34	7.2	8.5	485	8.3	0.39	7.6	9.1	
2018	545	7.4	0.32	6.8	8.1	481	7.8	0.37	7.1	8.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Esophagus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,683	12.6	0.25	12.1	13.1	196	3.3	0.26	2.8	3.9
1986	122	24.5	2.30	20.2	29.4	3	7.8	4.58	1.6	21.2
1987	115	23.5	2.30	19.2	28.4	1	1.1	1.09	0.0	7.9
1988	102	19.9	2.02	16.2	24.2	1	1.2	1.16	0.0	7.7
1989	103	20.2	2.07	16.3	24.7	3	4.3	2.63	0.8	12.9
1990	102	19.8	2.02	16.1	24.2	4	6.9	3.72	1.6	17.6
1991	101	18.6	1.90	15.1	22.7	2	1.7	1.20	0.2	7.4
1992	93	17.9	1.95	14.3	22.1	4	5.3	2.79	1.3	13.6
1993	87	16.2	1.81	12.8	20.1	6	5.0	2.12	1.8	11.6
1994	100	18.8	1.95	15.1	22.9	4	3.3	1.68	0.9	9.0
1995	112	20.5	2.02	16.7	24.8	8	10.5	4.32	3.8	21.5
1996	115	20.1	1.95	16.5	24.3	4	4.9	2.55	1.2	12.2
1997	90	15.7	1.71	12.6	19.4	0				
1998	88	15.7	1.77	12.4	19.5	7	4.8	1.83	1.9	10.1
1999	90	15.7	1.72	12.5	19.5	5	5.7	3.01	1.4	13.8
2000	95	16.4	1.77	13.1	20.2	4	1.9	0.93	0.5	5.4
2001	80	13.4	1.55	10.6	16.8	6	2.8	1.14	1.0	6.5
2002	73	11.5	1.40	8.9	14.5	3	1.8	1.09	0.3	5.4
2003	65	10.5	1.35	8.0	13.4	5	3.0	1.43	0.8	7.1
2004	68	10.5	1.32	8.1	13.4	3	1.5	0.92	0.3	4.6
2005	67	10.7	1.41	8.2	13.8	1	0.4	0.36	0.0	2.5
2006	83	12.7	1.47	10.0	15.9	7	4.0	1.64	1.5	8.4
2007	66	10.1	1.31	7.7	13.0	8	2.7	1.01	1.1	5.7
2008	64	9.7	1.27	7.4	12.5	6	2.6	1.17	0.8	5.9
2009	69	9.3	1.17	7.2	11.9	9	4.4	1.63	1.8	8.6
2010	60	7.8	1.06	5.9	10.2	13	5.2	1.55	2.6	9.2
2011	61	8.7	1.18	6.6	11.3	8	3.9	1.57	1.5	7.9
2012	60	8.2	1.13	6.2	10.7	4	1.6	0.85	0.4	4.1
2013	66	8.5	1.11	6.5	11.0	5	1.9	0.92	0.6	4.6
2014	52	6.7	0.96	4.9	8.8	18	5.6	1.41	3.2	9.0
2015	66	7.9	1.01	6.0	10.1	9	2.6	0.91	1.2	5.1
2016	62	7.9	1.06	6.0	10.3	17	5.2	1.35	2.9	8.5
2017	56	6.5	0.90	4.8	8.5	7	2.0	0.78	0.7	4.1
2018	50	5.6	0.82	4.1	7.4	11	2.7	0.85	1.3	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Esophagus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,098	2.2	0.03	2.1	2.2	3,850	1.9	0.03	1.8	2.0
1986	147	2.5	0.21	2.1	2.9	91	1.7	0.18	1.3	2.0
1987	136	2.2	0.19	1.8	2.6	94	1.7	0.18	1.4	2.1
1988	135	2.1	0.19	1.8	2.5	94	1.6	0.17	1.3	2.0
1989	146	2.3	0.19	1.9	2.7	108	1.9	0.18	1.5	2.2
1990	160	2.6	0.20	2.2	3.0	114	2.0	0.19	1.6	2.4
1991	137	2.1	0.18	1.8	2.5	97	1.7	0.17	1.4	2.1
1992	151	2.3	0.19	2.0	2.7	106	1.9	0.18	1.5	2.3
1993	160	2.5	0.20	2.1	2.9	117	2.0	0.19	1.7	2.4
1994	147	2.2	0.19	1.9	2.6	109	1.9	0.18	1.5	2.3
1995	149	2.3	0.19	1.9	2.6	106	1.8	0.17	1.4	2.1
1996	154	2.3	0.19	2.0	2.7	107	1.8	0.18	1.5	2.2
1997	150	2.3	0.19	1.9	2.7	101	1.7	0.17	1.4	2.1
1998	152	2.2	0.18	1.9	2.6	113	1.9	0.18	1.6	2.3
1999	140	2.0	0.17	1.7	2.4	112	1.9	0.18	1.5	2.3
2000	171	2.5	0.19	2.1	2.9	128	2.1	0.19	1.8	2.5
2001	182	2.6	0.19	2.2	3.0	147	2.4	0.20	2.0	2.8
2002	159	2.3	0.18	1.9	2.7	124	2.0	0.18	1.7	2.4
2003	143	2.0	0.17	1.7	2.4	109	1.8	0.17	1.5	2.1
2004	172	2.5	0.19	2.1	2.9	129	2.2	0.19	1.8	2.6
2005	145	2.0	0.17	1.7	2.4	116	1.9	0.18	1.6	2.3
2006	142	2.0	0.17	1.7	2.3	109	1.8	0.17	1.5	2.2
2007	178	2.4	0.18	2.1	2.8	139	2.2	0.19	1.9	2.6
2008	142	1.9	0.16	1.6	2.3	114	1.8	0.18	1.5	2.2
2009	168	2.2	0.17	1.9	2.5	147	2.3	0.19	1.9	2.7
2010	162	2.1	0.17	1.8	2.4	126	1.9	0.18	1.6	2.3
2011	165	2.1	0.17	1.8	2.5	123	1.9	0.18	1.6	2.3
2012	175	2.2	0.17	1.9	2.6	133	2.0	0.18	1.7	2.4
2013	142	1.7	0.15	1.4	2.0	112	1.6	0.16	1.3	2.0
2014	151	1.8	0.15	1.6	2.2	115	1.7	0.16	1.4	2.1
2015	148	1.7	0.14	1.5	2.0	122	1.7	0.16	1.4	2.1
2016	165	2.0	0.16	1.7	2.3	132	1.9	0.17	1.6	2.3
2017	151	1.8	0.15	1.5	2.1	118	1.8	0.17	1.4	2.1
2018	173	2.0	0.15	1.7	2.3	138	1.9	0.17	1.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Esophagus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,145	3.9	0.12	3.7	4.2	97	1.4	0.15	1.1	1.8
1986	54	8.5	1.17	6.3	11.0	2	3.8	2.87	0.4	12.9
1987	41	6.2	0.98	4.4	8.4	1	2.5	2.46	0.1	10.7
1988	39	5.7	0.92	4.0	7.8	2	2.0	1.43	0.2	7.7
1989	38	5.7	0.93	4.0	7.8	0				
1990	46	6.6	0.99	4.8	8.8	0				
1991	36	5.1	0.86	3.6	7.0	4	4.7	2.50	1.2	12.0
1992	42	5.9	0.92	4.2	7.9	3	2.6	1.51	0.5	7.7
1993	41	5.4	0.85	3.9	7.3	2	2.1	1.52	0.2	7.1
1994	36	4.8	0.79	3.3	6.6	2	1.5	1.10	0.2	5.6
1995	41	5.4	0.85	3.9	7.3	2	1.3	0.94	0.1	4.9
1996	41	5.3	0.83	3.8	7.2	5	4.0	1.85	1.2	9.2
1997	45	5.6	0.85	4.1	7.5	4	2.7	1.39	0.7	6.9
1998	38	4.7	0.77	3.3	6.5	1	0.5	0.48	0.0	3.0
1999	27	3.4	0.65	2.2	4.9	1	0.4	0.40	0.0	2.7
2000	40	4.7	0.75	3.4	6.4	3	1.6	1.00	0.3	4.9
2001	32	3.8	0.68	2.6	5.4	3	2.1	1.29	0.4	5.9
2002	33	3.8	0.66	2.6	5.3	1	0.5	0.50	0.0	2.7
2003	29	3.4	0.63	2.3	4.8	5	2.7	1.24	0.8	6.2
2004	40	4.6	0.73	3.3	6.2	3	2.1	1.23	0.4	5.6
2005	25	2.8	0.56	1.8	4.1	4	2.0	1.09	0.4	5.1
2006	30	3.2	0.59	2.1	4.6	3	1.6	0.94	0.3	4.4
2007	34	3.6	0.63	2.5	5.1	5	2.0	0.92	0.6	4.6
2008	26	2.6	0.51	1.7	3.8	2	0.5	0.36	0.1	2.1
2009	19	1.9	0.44	1.1	3.0	2	0.8	0.61	0.1	2.9
2010	34	3.3	0.58	2.3	4.7	1	0.5	0.51	0.0	2.3
2011	37	3.5	0.58	2.5	4.9	5	1.9	0.86	0.6	4.3
2012	35	3.3	0.57	2.3	4.7	6	2.2	0.93	0.8	4.7
2013	27	2.5	0.48	1.6	3.6	3	0.7	0.39	0.1	2.1
2014	28	2.5	0.48	1.6	3.6	7	1.7	0.65	0.7	3.6
2015	22	1.9	0.41	1.2	2.9	4	1.0	0.49	0.2	2.5
2016	30	2.6	0.48	1.8	3.8	3	0.7	0.42	0.1	2.1
2017	28	2.3	0.45	1.5	3.4	5	1.1	0.50	0.3	2.6
2018	31	2.6	0.47	1.8	3.7	3	0.6	0.37	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Stomach											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	32,077	7.8	0.04	7.7	7.9	24,586	7.0	0.04	6.9	7.1	
1986	922	8.9	0.30	8.3	9.5	744	8.0	0.30	7.5	8.7	
1987	942	8.9	0.29	8.4	9.5	739	7.9	0.29	7.4	8.5	
1988	951	9.0	0.30	8.4	9.6	750	8.0	0.30	7.5	8.6	
1989	1,002	9.4	0.30	8.8	10.0	806	8.5	0.30	7.9	9.1	
1990	954	8.8	0.29	8.3	9.4	777	8.1	0.29	7.5	8.7	
1991	922	8.4	0.28	7.9	9.0	739	7.6	0.28	7.1	8.2	
1992	938	8.4	0.28	7.9	9.0	736	7.5	0.28	7.0	8.1	
1993	974	8.7	0.28	8.1	9.2	770	7.8	0.28	7.3	8.4	
1994	945	8.3	0.27	7.8	8.9	746	7.5	0.28	7.0	8.1	
1995	977	8.5	0.27	8.0	9.1	747	7.4	0.27	6.9	8.0	
1996	968	8.4	0.27	7.9	8.9	746	7.4	0.27	6.9	8.0	
1997	977	8.4	0.27	7.9	8.9	753	7.4	0.27	6.9	8.0	
1998	1,004	8.5	0.27	8.0	9.1	769	7.5	0.27	7.0	8.1	
1999	937	7.9	0.26	7.4	8.4	743	7.2	0.26	6.7	7.7	
2000	911	7.6	0.25	7.1	8.1	686	6.6	0.25	6.1	7.1	
2001	923	7.6	0.25	7.1	8.1	700	6.7	0.25	6.2	7.2	
2002	975	8.0	0.26	7.5	8.5	753	7.2	0.26	6.7	7.7	
2003	962	7.8	0.25	7.3	8.3	752	7.1	0.26	6.6	7.6	
2004	936	7.5	0.25	7.1	8.0	715	6.7	0.25	6.2	7.2	
2005	915	7.2	0.24	6.8	7.7	686	6.3	0.24	5.9	6.8	
2006	916	7.2	0.24	6.7	7.7	667	6.2	0.24	5.7	6.7	
2007	946	7.3	0.24	6.9	7.8	703	6.5	0.25	6.0	7.0	
2008	945	7.2	0.24	6.8	7.7	702	6.4	0.24	5.9	6.9	
2009	969	7.3	0.24	6.9	7.8	708	6.4	0.24	5.9	6.9	
2010	935	7.0	0.23	6.5	7.4	699	6.2	0.24	5.8	6.7	
2011	1,009	7.3	0.23	6.9	7.8	748	6.5	0.24	6.1	7.0	
2012	978	7.0	0.23	6.5	7.4	755	6.4	0.24	6.0	6.9	
2013	1,056	7.5	0.23	7.0	8.0	782	6.7	0.24	6.2	7.2	
2014	1,032	7.1	0.23	6.7	7.6	768	6.4	0.24	6.0	6.9	
2015	1,068	7.3	0.23	6.8	7.7	805	6.6	0.24	6.2	7.1	
2016	1,063	7.2	0.22	6.8	7.6	794	6.5	0.24	6.1	7.0	
2017	1,078	7.2	0.22	6.8	7.7	807	6.6	0.24	6.1	7.1	
2018	1,047	6.9	0.22	6.4	7.3	791	6.3	0.23	5.9	6.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Stomach										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,022	12.8	0.17	12.5	13.2	1,316	10.4	0.31	9.8	11.0
1986	149	14.2	1.21	11.9	16.8	27	21.1	4.98	12.5	32.7
1987	182	17.2	1.32	14.7	19.9	21	15.8	4.12	8.7	25.5
1988	182	17.6	1.35	15.0	20.4	18	12.5	3.07	7.2	20.0
1989	169	15.7	1.25	13.4	18.3	26	18.2	4.17	10.9	27.8
1990	154	13.8	1.15	11.6	16.2	23	15.8	3.87	9.1	24.9
1991	159	14.6	1.19	12.3	17.1	22	14.4	3.71	8.1	23.1
1992	175	15.0	1.17	12.8	17.4	22	14.8	3.58	8.7	23.1
1993	166	14.3	1.14	12.1	16.7	35	18.4	3.52	12.1	26.4
1994	178	14.5	1.11	12.4	16.8	21	9.6	2.34	5.6	15.2
1995	189	14.9	1.12	12.8	17.3	40	17.0	2.92	11.7	23.6
1996	191	15.6	1.15	13.4	18.0	28	12.3	2.54	7.9	18.2
1997	180	14.1	1.08	12.1	16.4	41	15.1	2.71	10.3	21.3
1998	198	15.9	1.15	13.7	18.3	35	12.6	2.35	8.5	18.0
1999	154	11.6	0.96	9.8	13.6	36	13.2	2.46	8.9	18.8
2000	180	13.4	1.02	11.5	15.5	41	12.9	2.24	8.9	18.0
2001	180	13.5	1.03	11.6	15.7	41	12.7	2.21	8.7	17.6
2002	169	12.1	0.95	10.3	14.1	51	17.1	2.65	12.3	22.9
2003	168	12.1	0.95	10.3	14.1	38	11.5	2.02	7.9	16.0
2004	178	12.5	0.95	10.7	14.5	42	10.7	1.77	7.5	14.7
2005	183	12.7	0.96	10.9	14.7	42	11.0	1.84	7.7	15.1
2006	196	12.8	0.93	11.0	14.7	45	10.8	1.73	7.7	14.7
2007	188	12.3	0.92	10.6	14.3	51	11.5	1.76	8.4	15.4
2008	194	12.7	0.93	10.9	14.6	43	9.3	1.54	6.6	12.8
2009	212	13.0	0.91	11.3	14.9	41	8.2	1.39	5.7	11.3
2010	174	10.7	0.83	9.1	12.4	54	11.0	1.63	8.1	14.6
2011	203	12.0	0.86	10.4	13.8	49	8.8	1.35	6.4	11.9
2012	159	9.3	0.76	7.9	10.9	57	9.4	1.31	7.0	12.3
2013	206	11.8	0.84	10.2	13.6	59	9.9	1.36	7.4	12.9
2014	213	11.8	0.83	10.2	13.5	47	7.2	1.09	5.2	9.6
2015	193	10.4	0.76	8.9	12.0	63	9.0	1.18	6.8	11.6
2016	216	11.7	0.82	10.2	13.4	48	6.5	0.96	4.8	8.7
2017	209	11.1	0.78	9.6	12.7	54	6.8	0.96	5.1	9.0
2018	175	9.0	0.69	7.7	10.4	55	6.5	0.90	4.9	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Stomach											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	19,523	11.1	0.08	11.0	11.3	15,171	10.1	0.08	9.9	10.3	
1986	550	12.8	0.57	11.7	14.0	452	12.0	0.59	10.9	13.3	
1987	569	13.5	0.59	12.3	14.7	439	11.9	0.59	10.8	13.1	
1988	609	14.2	0.60	13.1	15.5	485	12.9	0.61	11.7	14.1	
1989	619	14.3	0.60	13.1	15.5	500	13.0	0.60	11.9	14.3	
1990	571	13.1	0.57	12.0	14.3	455	11.9	0.57	10.8	13.0	
1991	567	12.7	0.55	11.7	13.8	459	11.7	0.57	10.7	12.9	
1992	560	12.3	0.54	11.3	13.4	445	11.1	0.54	10.0	12.2	
1993	572	12.5	0.54	11.4	13.6	443	11.0	0.54	10.0	12.1	
1994	579	12.5	0.53	11.5	13.6	456	11.3	0.54	10.3	12.4	
1995	608	13.1	0.54	12.0	14.2	475	11.8	0.55	10.8	12.9	
1996	603	12.8	0.53	11.8	13.9	469	11.4	0.54	10.4	12.5	
1997	606	12.7	0.53	11.7	13.8	478	11.5	0.53	10.5	12.6	
1998	593	12.2	0.51	11.2	13.3	467	11.0	0.52	10.0	12.1	
1999	564	11.4	0.49	10.5	12.4	447	10.5	0.50	9.5	11.5	
2000	549	11.0	0.48	10.1	12.0	414	9.6	0.48	8.7	10.6	
2001	541	10.6	0.46	9.7	11.6	415	9.5	0.47	8.6	10.5	
2002	594	11.7	0.49	10.7	12.6	467	10.7	0.50	9.7	11.7	
2003	571	11.1	0.47	10.2	12.1	456	10.4	0.49	9.4	11.4	
2004	583	11.1	0.46	10.2	12.0	456	10.1	0.48	9.2	11.1	
2005	555	10.4	0.45	9.5	11.3	413	9.0	0.45	8.1	9.9	
2006	549	10.0	0.44	9.2	10.9	409	8.8	0.44	8.0	9.7	
2007	569	10.2	0.44	9.4	11.1	426	9.0	0.44	8.2	9.9	
2008	570	10.2	0.43	9.3	11.1	423	8.8	0.44	8.0	9.7	
2009	590	10.0	0.42	9.2	10.9	434	8.8	0.43	8.0	9.7	
2010	587	10.0	0.42	9.2	10.8	446	9.0	0.43	8.2	9.9	
2011	625	10.4	0.43	9.6	11.3	467	9.3	0.44	8.4	10.1	
2012	638	10.3	0.42	9.5	11.2	506	9.7	0.44	8.8	10.6	
2013	647	10.3	0.42	9.5	11.2	498	9.4	0.43	8.6	10.3	
2014	618	9.6	0.39	8.8	10.4	471	8.7	0.41	7.9	9.6	
2015	658	9.9	0.40	9.2	10.8	514	9.3	0.42	8.5	10.2	
2016	638	9.7	0.39	8.9	10.5	496	9.0	0.41	8.2	9.8	
2017	643	9.6	0.39	8.8	10.4	506	9.1	0.41	8.3	9.9	
2018	628	9.0	0.37	8.3	9.8	484	8.5	0.39	7.7	9.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Stomach										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,487	18.4	0.33	17.7	19.0	771	13.5	0.54	12.5	14.6
1986	84	18.7	2.20	14.6	23.5	13	13.5	3.94	7.0	24.7
1987	112	25.0	2.53	20.3	30.4	18	33.9	9.77	17.6	57.2
1988	113	26.5	2.67	21.6	32.2	10	16.0	5.37	7.3	29.9
1989	102	23.9	2.53	19.2	29.2	17	27.2	7.74	14.2	45.9
1990	100	22.0	2.35	17.7	27.1	16	25.4	7.57	12.8	43.7
1991	94	20.2	2.22	16.1	24.9	13	18.3	6.08	8.4	33.4
1992	97	21.6	2.37	17.2	26.7	14	23.6	7.14	11.8	40.8
1993	107	22.7	2.34	18.3	27.6	21	25.9	6.59	14.7	41.5
1994	111	21.6	2.17	17.6	26.3	12	13.0	4.65	5.6	24.8
1995	112	21.9	2.21	17.8	26.6	20	18.5	4.49	10.8	29.4
1996	114	23.4	2.35	19.0	28.4	17	17.8	4.96	9.4	29.7
1997	108	21.4	2.21	17.3	26.1	18	18.6	5.30	9.7	31.3
1998	104	21.4	2.25	17.2	26.2	21	17.7	4.27	10.3	27.9
1999	90	16.7	1.85	13.2	20.7	23	21.3	5.35	12.1	33.8
2000	103	19.4	2.03	15.6	23.7	28	20.2	4.42	12.5	30.5
2001	103	18.5	1.94	14.9	22.7	21	13.1	3.37	7.4	21.2
2002	100	17.3	1.83	13.9	21.3	26	19.0	4.29	11.5	28.9
2003	98	17.6	1.89	14.1	21.6	14	9.0	2.74	4.5	15.8
2004	100	17.8	1.91	14.3	21.9	26	15.0	3.29	9.2	22.7
2005	111	19.0	1.91	15.4	23.0	28	15.9	3.40	10.0	23.8
2006	112	17.5	1.75	14.3	21.3	23	12.2	2.85	7.2	18.9
2007	113	18.5	1.85	15.1	22.5	28	14.7	3.21	9.1	22.1
2008	116	20.1	1.98	16.4	24.3	26	13.1	2.86	8.1	19.7
2009	126	18.7	1.75	15.4	22.4	26	10.7	2.37	6.6	16.3
2010	102	15.6	1.64	12.6	19.1	32	14.7	3.02	9.4	21.6
2011	120	17.6	1.69	14.4	21.2	32	13.1	2.56	8.6	19.0
2012	89	13.4	1.51	10.6	16.7	41	15.0	2.54	10.4	20.7
2013	112	15.8	1.56	12.9	19.1	33	11.5	2.14	7.7	16.5
2014	121	16.7	1.60	13.7	20.1	23	7.6	1.69	4.6	11.6
2015	105	13.7	1.40	11.1	16.7	36	11.1	1.93	7.6	15.5
2016	107	14.6	1.47	11.9	17.8	32	9.6	1.75	6.4	13.6
2017	106	14.4	1.46	11.6	17.5	27	7.7	1.56	4.9	11.3
2018	95	11.6	1.23	9.3	14.2	36	9.2	1.59	6.4	12.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Stomach										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	12,554	5.3	0.05	5.2	5.4	9,415	4.7	0.05	4.6	4.8
1986	372	6.1	0.32	5.5	6.8	292	5.3	0.32	4.7	6.0
1987	373	5.9	0.31	5.3	6.5	300	5.3	0.31	4.7	5.9
1988	342	5.5	0.30	4.9	6.1	265	4.8	0.30	4.2	5.4
1989	383	6.0	0.31	5.4	6.7	306	5.4	0.31	4.8	6.0
1990	383	5.9	0.31	5.3	6.6	322	5.6	0.32	5.0	6.3
1991	355	5.4	0.29	4.8	6.0	280	4.8	0.29	4.2	5.4
1992	378	5.7	0.30	5.2	6.4	291	5.0	0.30	4.4	5.6
1993	402	6.0	0.30	5.4	6.6	327	5.5	0.31	4.9	6.1
1994	366	5.4	0.28	4.8	6.0	290	4.8	0.29	4.3	5.4
1995	369	5.5	0.29	4.9	6.1	272	4.6	0.28	4.0	5.2
1996	365	5.3	0.28	4.8	5.9	277	4.6	0.28	4.0	5.2
1997	371	5.4	0.28	4.9	6.0	275	4.5	0.28	4.0	5.1
1998	411	5.8	0.29	5.3	6.4	302	4.9	0.29	4.4	5.5
1999	373	5.3	0.28	4.8	5.9	296	4.8	0.28	4.3	5.4
2000	362	5.1	0.27	4.6	5.7	272	4.4	0.27	3.9	5.0
2001	382	5.3	0.27	4.8	5.9	285	4.6	0.28	4.1	5.2
2002	381	5.3	0.28	4.8	5.9	286	4.7	0.28	4.1	5.3
2003	391	5.4	0.28	4.9	6.0	296	4.8	0.28	4.2	5.4
2004	353	4.9	0.26	4.4	5.5	259	4.2	0.26	3.7	4.8
2005	360	4.9	0.26	4.4	5.5	273	4.4	0.27	3.9	5.0
2006	367	5.1	0.27	4.6	5.6	258	4.2	0.27	3.7	4.8
2007	377	5.2	0.27	4.7	5.7	277	4.5	0.28	4.0	5.1
2008	375	5.1	0.27	4.6	5.7	279	4.5	0.27	4.0	5.1
2009	379	5.2	0.27	4.6	5.7	274	4.5	0.28	4.0	5.1
2010	348	4.7	0.25	4.2	5.2	253	4.0	0.26	3.5	4.6
2011	384	4.9	0.26	4.5	5.5	281	4.4	0.27	3.8	4.9
2012	340	4.4	0.24	3.9	4.9	249	3.8	0.25	3.4	4.4
2013	409	5.2	0.26	4.7	5.7	284	4.4	0.27	3.9	5.0
2014	414	5.2	0.26	4.7	5.8	297	4.6	0.27	4.0	5.1
2015	410	5.2	0.26	4.7	5.7	291	4.5	0.27	4.0	5.0
2016	425	5.2	0.26	4.7	5.7	298	4.5	0.27	4.0	5.1
2017	435	5.3	0.26	4.8	5.9	301	4.5	0.27	4.0	5.1
2018	419	5.1	0.26	4.6	5.6	307	4.6	0.27	4.1	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Stomach										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,535	9.1	0.18	8.8	9.5	545	7.9	0.35	7.2	8.6
1986	65	11.0	1.40	8.5	14.1	14	25.6	7.85	12.6	44.5
1987	70	11.6	1.42	9.0	14.7	3	2.1	1.28	0.4	7.6
1988	69	11.6	1.42	9.0	14.7	8	10.0	3.62	4.2	19.7
1989	67	10.5	1.31	8.1	13.4	9	11.1	4.48	4.2	22.7
1990	54	8.2	1.14	6.1	10.7	7	8.4	3.83	2.7	18.7
1991	65	10.4	1.30	8.0	13.3	9	11.5	4.61	4.3	23.2
1992	78	11.0	1.26	8.6	13.7	8	8.6	3.51	3.2	17.8
1993	59	8.6	1.14	6.5	11.1	14	12.7	3.82	6.4	22.2
1994	67	9.3	1.15	7.2	11.8	9	7.1	2.43	3.2	13.6
1995	77	10.1	1.17	8.0	12.7	20	15.6	3.78	9.1	24.7
1996	77	10.5	1.21	8.3	13.2	11	8.6	2.75	4.0	15.5
1997	72	9.5	1.13	7.4	11.9	23	13.6	3.07	8.3	21.0
1998	94	12.5	1.30	10.1	15.3	14	8.8	2.58	4.5	15.2
1999	64	8.2	1.04	6.3	10.5	13	8.0	2.34	4.1	13.8
2000	77	9.5	1.10	7.5	11.9	13	7.3	2.22	3.6	12.9
2001	77	9.8	1.13	7.7	12.3	20	11.8	2.83	6.9	18.5
2002	69	8.5	1.03	6.6	10.7	25	15.1	3.24	9.4	22.6
2003	70	8.4	1.01	6.5	10.6	24	13.2	2.83	8.2	19.7
2004	78	9.2	1.05	7.3	11.5	16	7.4	1.93	4.1	12.1
2005	72	8.4	1.00	6.6	10.6	14	6.9	1.96	3.6	11.7
2006	84	9.4	1.03	7.5	11.6	22	9.9	2.19	6.1	15.1
2007	75	8.4	0.97	6.6	10.5	23	9.3	2.04	5.7	14.1
2008	78	8.4	0.96	6.6	10.5	17	6.5	1.67	3.6	10.5
2009	86	8.9	0.98	7.1	11.1	15	6.1	1.66	3.3	10.2
2010	72	7.6	0.91	5.9	9.6	22	8.6	1.92	5.2	13.1
2011	83	8.2	0.91	6.5	10.2	17	5.6	1.41	3.1	9.0
2012	70	6.9	0.84	5.4	8.8	16	4.9	1.28	2.8	8.1
2013	94	9.0	0.94	7.2	11.0	26	8.2	1.66	5.3	12.1
2014	92	8.7	0.92	7.0	10.7	24	6.7	1.41	4.2	10.0
2015	88	8.2	0.89	6.5	10.1	27	7.1	1.41	4.6	10.4
2016	109	9.8	0.96	8.0	11.9	16	3.9	1.00	2.2	6.4
2017	103	9.4	0.93	7.6	11.4	27	6.1	1.20	4.0	9.0
2018	80	7.1	0.81	5.6	8.9	19	4.2	0.99	2.5	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Small Intestine										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	8,504	2.1	0.02	2.0	2.1	6,676	1.9	0.02	1.9	2.0
1986	128	1.2	0.11	1.0	1.5	104	1.1	0.11	0.9	1.4
1987	122	1.2	0.11	1.0	1.4	101	1.1	0.11	0.9	1.3
1988	135	1.2	0.11	1.0	1.5	112	1.2	0.11	1.0	1.4
1989	145	1.3	0.11	1.1	1.6	123	1.3	0.12	1.1	1.5
1990	140	1.3	0.11	1.1	1.6	118	1.3	0.12	1.1	1.5
1991	145	1.3	0.11	1.1	1.5	114	1.2	0.11	1.0	1.4
1992	156	1.4	0.11	1.2	1.6	126	1.3	0.12	1.1	1.6
1993	182	1.6	0.12	1.4	1.9	155	1.6	0.13	1.3	1.9
1994	172	1.5	0.12	1.3	1.8	141	1.4	0.12	1.2	1.7
1995	165	1.4	0.11	1.2	1.7	129	1.3	0.11	1.1	1.5
1996	184	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1997	185	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1998	216	1.8	0.13	1.6	2.1	178	1.8	0.13	1.5	2.1
1999	212	1.8	0.12	1.6	2.0	171	1.7	0.13	1.4	2.0
2000	211	1.8	0.12	1.5	2.0	173	1.7	0.13	1.5	2.0
2001	237	2.0	0.13	1.7	2.2	188	1.8	0.13	1.6	2.1
2002	268	2.2	0.13	1.9	2.5	210	2.0	0.14	1.8	2.3
2003	210	1.7	0.12	1.5	2.0	163	1.5	0.12	1.3	1.8
2004	250	2.0	0.13	1.8	2.3	196	1.9	0.13	1.6	2.1
2005	281	2.2	0.13	2.0	2.5	226	2.1	0.14	1.8	2.4
2006	264	2.1	0.13	1.8	2.3	201	1.9	0.13	1.6	2.2
2007	305	2.3	0.13	2.1	2.6	242	2.2	0.14	1.9	2.5
2008	311	2.4	0.14	2.1	2.7	234	2.1	0.14	1.9	2.4
2009	343	2.6	0.14	2.3	2.9	267	2.4	0.15	2.1	2.7
2010	346	2.6	0.14	2.3	2.9	259	2.3	0.15	2.0	2.6
2011	356	2.6	0.14	2.3	2.9	274	2.4	0.15	2.1	2.7
2012	389	2.7	0.14	2.4	3.0	306	2.6	0.15	2.3	2.9
2013	383	2.7	0.14	2.4	3.0	299	2.5	0.15	2.2	2.8
2014	379	2.7	0.14	2.4	2.9	289	2.5	0.15	2.2	2.8
2015	423	2.9	0.14	2.6	3.2	334	2.7	0.15	2.4	3.0
2016	408	2.8	0.14	2.5	3.0	308	2.6	0.15	2.3	2.9
2017	411	2.8	0.14	2.5	3.1	313	2.6	0.15	2.3	2.9
2018	442	2.9	0.14	2.6	3.2	334	2.7	0.15	2.4	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Small Intestine										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,599	3.2	0.08	3.1	3.4	176	1.3	0.10	1.1	1.5
1986	22	2.0	0.44	1.3	3.0	1	0.3	0.32	0.0	3.2
1987	19	1.7	0.39	1.0	2.6	2	1.4	1.00	0.2	5.1
1988	21	1.9	0.42	1.1	2.9	1	1.1	1.09	0.0	5.0
1989	20	1.6	0.37	1.0	2.5	2	1.3	0.92	0.2	4.6
1990	21	1.7	0.38	1.1	2.6	1	1.0	0.99	0.0	4.6
1991	30	2.4	0.45	1.6	3.5	1	0.4	0.39	0.0	2.7
1992	28	2.0	0.38	1.3	2.9	2	0.7	0.47	0.1	2.9
1993	25	1.9	0.38	1.2	2.8	2	0.5	0.38	0.1	2.5
1994	26	2.0	0.40	1.3	2.9	5	2.9	1.35	0.9	6.6
1995	34	2.7	0.48	1.9	3.8	2	0.7	0.50	0.1	2.7
1996	37	2.6	0.44	1.8	3.7	3	0.7	0.42	0.2	2.5
1997	39	2.8	0.46	2.0	3.8	2	0.8	0.63	0.1	3.0
1998	36	2.6	0.44	1.8	3.6	1	0.2	0.22	0.0	1.6
1999	33	2.3	0.41	1.6	3.3	7	2.2	0.92	0.8	4.8
2000	34	2.4	0.42	1.7	3.4	3	0.8	0.45	0.2	2.3
2001	44	3.1	0.47	2.2	4.1	4	1.4	0.71	0.4	3.5
2002	52	3.5	0.49	2.6	4.6	4	1.2	0.62	0.3	3.0
2003	41	2.8	0.44	2.0	3.7	4	1.0	0.54	0.2	2.6
2004	46	3.2	0.48	2.3	4.2	8	2.5	0.94	1.0	4.9
2005	48	3.1	0.46	2.3	4.2	7	1.2	0.47	0.5	2.6
2006	48	3.1	0.46	2.3	4.1	12	2.3	0.69	1.1	4.1
2007	57	3.4	0.46	2.6	4.5	5	1.2	0.56	0.3	2.7
2008	69	4.3	0.53	3.3	5.5	7	1.0	0.39	0.4	2.2
2009	67	4.1	0.51	3.1	5.2	6	1.6	0.67	0.6	3.4
2010	74	4.4	0.53	3.4	5.6	11	1.7	0.56	0.8	3.2
2011	65	3.6	0.46	2.8	4.6	13	2.3	0.67	1.2	4.0
2012	70	3.9	0.48	3.1	5.0	12	1.9	0.58	0.9	3.4
2013	79	4.2	0.49	3.3	5.3	3	0.6	0.35	0.1	1.7
2014	76	4.2	0.49	3.3	5.2	5	0.6	0.27	0.2	1.5
2015	77	4.2	0.48	3.3	5.2	9	1.2	0.41	0.5	2.3
2016	84	4.4	0.49	3.5	5.4	8	1.1	0.40	0.5	2.2
2017	87	4.6	0.50	3.7	5.7	11	1.5	0.46	0.7	2.7
2018	90	4.6	0.50	3.7	5.7	12	1.4	0.42	0.7	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Small Intestine										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,451	2.5	0.04	2.4	2.5	3,538	2.3	0.04	2.2	2.4
1986	69	1.7	0.21	1.3	2.2	56	1.6	0.22	1.2	2.1
1987	75	1.7	0.20	1.3	2.2	62	1.6	0.21	1.2	2.1
1988	66	1.4	0.18	1.1	1.8	56	1.4	0.19	1.0	1.8
1989	73	1.5	0.18	1.2	1.9	61	1.5	0.19	1.1	1.9
1990	74	1.6	0.20	1.3	2.1	67	1.7	0.21	1.3	2.2
1991	72	1.6	0.19	1.2	2.0	58	1.4	0.19	1.1	1.9
1992	76	1.6	0.18	1.2	2.0	62	1.5	0.19	1.1	1.9
1993	99	2.1	0.21	1.7	2.5	85	2.1	0.23	1.6	2.6
1994	81	1.7	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1995	92	1.9	0.20	1.5	2.3	72	1.7	0.20	1.3	2.1
1996	93	1.9	0.20	1.5	2.4	71	1.7	0.21	1.3	2.2
1997	87	1.7	0.19	1.4	2.1	69	1.6	0.19	1.2	2.0
1998	118	2.3	0.21	1.9	2.8	91	2.1	0.22	1.7	2.5
1999	116	2.2	0.21	1.9	2.7	92	2.1	0.22	1.7	2.5
2000	106	2.1	0.21	1.7	2.6	83	1.9	0.21	1.5	2.4
2001	124	2.4	0.22	2.0	2.9	99	2.3	0.23	1.8	2.8
2002	135	2.5	0.22	2.1	3.0	108	2.4	0.23	1.9	2.8
2003	121	2.3	0.21	1.9	2.8	92	2.1	0.22	1.7	2.5
2004	140	2.5	0.22	2.1	3.0	111	2.4	0.23	1.9	2.8
2005	151	2.7	0.22	2.3	3.2	125	2.6	0.24	2.2	3.1
2006	138	2.4	0.21	2.0	2.9	113	2.4	0.23	1.9	2.9
2007	146	2.5	0.21	2.1	3.0	119	2.4	0.23	2.0	2.9
2008	151	2.6	0.22	2.2	3.1	114	2.3	0.22	1.9	2.8
2009	185	3.1	0.23	2.6	3.6	146	2.9	0.24	2.4	3.4
2010	184	3.1	0.23	2.7	3.6	141	2.9	0.25	2.4	3.4
2011	176	2.8	0.22	2.4	3.2	143	2.7	0.23	2.3	3.2
2012	218	3.5	0.24	3.0	4.0	168	3.2	0.25	2.7	3.7
2013	177	2.7	0.21	2.3	3.2	139	2.6	0.22	2.1	3.0
2014	194	3.0	0.22	2.6	3.5	144	2.7	0.23	2.2	3.1
2015	232	3.5	0.24	3.1	4.0	192	3.5	0.26	3.0	4.0
2016	228	3.3	0.23	2.9	3.8	176	3.1	0.24	2.7	3.7
2017	223	3.3	0.22	2.8	3.7	175	3.1	0.24	2.6	3.6
2018	231	3.4	0.23	2.9	3.8	179	3.2	0.24	2.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Small Intestine										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	783	3.8	0.14	3.5	4.1	98	1.7	0.18	1.3	2.1
1986	11	2.3	0.73	1.1	4.2	1	0.7	0.68	0.0	7.5
1987	12	2.6	0.80	1.3	4.6	1	1.9	1.94	0.1	10.1
1988	8	1.5	0.54	0.6	3.0	1	2.7	2.65	0.1	12.0
1989	11	1.7	0.52	0.8	3.1	1	1.8	1.78	0.1	9.1
1990	7	1.4	0.54	0.5	2.9	0				
1991	14	3.0	0.85	1.6	5.1	0				
1992	13	1.9	0.56	1.0	3.4	1	0.6	0.62	0.0	5.4
1993	13	2.4	0.66	1.2	4.0	1	0.6	0.56	0.0	5.0
1994	10	1.8	0.60	0.8	3.4	2	3.0	2.32	0.3	10.3
1995	19	4.1	1.01	2.3	6.4	1	0.6	0.61	0.0	4.7
1996	20	3.2	0.74	2.0	5.0	2	1.1	0.75	0.1	5.0
1997	16	2.6	0.66	1.5	4.3	2	1.9	1.52	0.2	7.2
1998	26	4.5	0.90	2.9	6.6	0				
1999	20	3.5	0.83	2.1	5.5	3	1.4	0.80	0.3	4.9
2000	20	3.4	0.79	2.1	5.3	2	1.1	0.81	0.1	4.5
2001	23	4.2	0.91	2.6	6.3	2	2.0	1.40	0.2	6.5
2002	21	3.5	0.81	2.1	5.4	4	2.7	1.47	0.6	7.1
2003	25	3.9	0.83	2.5	5.9	2	0.8	0.56	0.1	3.4
2004	28	5.0	0.99	3.2	7.2	1	0.4	0.37	0.0	2.7
2005	22	3.5	0.78	2.1	5.3	4	1.4	0.71	0.4	4.0
2006	19	3.0	0.72	1.7	4.7	5	1.9	0.90	0.6	4.8
2007	23	3.2	0.68	2.0	4.8	3	1.5	0.93	0.2	4.4
2008	33	5.0	0.90	3.4	7.1	4	1.2	0.62	0.3	3.5
2009	33	5.0	0.91	3.4	7.1	5	2.8	1.32	0.9	6.5
2010	36	5.3	0.93	3.6	7.4	5	2.1	1.13	0.5	5.4
2011	23	2.9	0.63	1.8	4.4	8	3.0	1.13	1.2	6.1
2012	42	5.9	0.95	4.2	8.1	7	2.5	1.06	0.9	5.4
2013	35	4.7	0.82	3.2	6.6	2	0.7	0.55	0.1	2.6
2014	43	5.6	0.89	4.0	7.6	2	0.5	0.35	0.1	2.0
2015	33	4.2	0.75	2.8	5.9	4	1.3	0.67	0.3	3.3
2016	42	5.2	0.84	3.7	7.1	7	2.1	0.84	0.8	4.4
2017	40	5.0	0.82	3.5	6.9	8	2.6	0.92	1.1	5.0
2018	42	5.0	0.80	3.6	6.9	7	2.0	0.78	0.7	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Small Intestine										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,053	1.8	0.03	1.7	1.8	3,138	1.6	0.03	1.6	1.7
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	47	0.8	0.11	0.6	1.0	39	0.7	0.12	0.5	1.0
1988	69	1.1	0.14	0.9	1.4	56	1.0	0.14	0.8	1.4
1989	72	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1990	66	1.1	0.14	0.8	1.4	51	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1992	80	1.3	0.15	1.0	1.6	64	1.2	0.15	0.9	1.5
1993	83	1.3	0.15	1.0	1.6	70	1.3	0.15	1.0	1.6
1994	91	1.4	0.15	1.1	1.7	72	1.2	0.15	1.0	1.6
1995	73	1.1	0.13	0.9	1.4	57	1.0	0.14	0.8	1.3
1996	91	1.4	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1997	98	1.5	0.15	1.2	1.8	75	1.3	0.15	1.0	1.6
1998	98	1.5	0.15	1.2	1.8	87	1.5	0.16	1.2	1.9
1999	96	1.4	0.14	1.1	1.7	79	1.3	0.15	1.1	1.7
2000	105	1.6	0.15	1.3	1.9	90	1.6	0.17	1.3	2.0
2001	113	1.7	0.16	1.4	2.0	89	1.6	0.17	1.2	1.9
2002	133	1.9	0.17	1.6	2.3	102	1.8	0.18	1.4	2.1
2003	89	1.3	0.13	1.0	1.6	71	1.2	0.14	0.9	1.5
2004	110	1.6	0.15	1.3	1.9	85	1.4	0.16	1.1	1.8
2005	130	1.8	0.16	1.5	2.1	101	1.7	0.17	1.4	2.0
2006	126	1.8	0.16	1.5	2.2	88	1.5	0.16	1.2	1.9
2007	159	2.2	0.18	1.9	2.6	123	2.1	0.19	1.7	2.5
2008	160	2.2	0.18	1.9	2.6	120	2.0	0.19	1.7	2.4
2009	158	2.1	0.17	1.8	2.5	121	2.0	0.18	1.6	2.4
2010	162	2.1	0.17	1.8	2.5	118	1.9	0.18	1.5	2.2
2011	180	2.4	0.18	2.1	2.8	131	2.1	0.19	1.8	2.6
2012	171	2.1	0.17	1.8	2.5	138	2.1	0.18	1.8	2.5
2013	206	2.6	0.19	2.3	3.0	160	2.5	0.20	2.1	3.0
2014	185	2.4	0.18	2.1	2.8	145	2.4	0.20	2.0	2.8
2015	191	2.3	0.17	2.0	2.7	142	2.1	0.18	1.7	2.5
2016	180	2.3	0.17	1.9	2.6	132	2.0	0.18	1.7	2.4
2017	188	2.4	0.18	2.1	2.8	138	2.2	0.19	1.8	2.6
2018	211	2.6	0.18	2.2	3.0	155	2.3	0.19	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Small Intestine										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	816	2.8	0.10	2.6	3.0	78	1.0	0.12	0.8	1.3
1986	11	1.8	0.53	0.9	3.1	0				
1987	7	1.0	0.38	0.4	2.1	1	1.0	1.01	0.0	6.4
1988	13	2.0	0.57	1.1	3.5	0				
1989	9	1.4	0.48	0.7	2.7	1	1.0	0.97	0.0	5.9
1990	14	2.0	0.54	1.1	3.4	1	1.7	1.66	0.0	7.8
1991	16	2.1	0.54	1.2	3.5	1	0.8	0.79	0.0	5.0
1992	15	2.0	0.51	1.1	3.2	1	0.7	0.72	0.0	4.6
1993	12	1.6	0.46	0.8	2.8	1	0.5	0.50	0.0	3.9
1994	16	2.1	0.53	1.2	3.4	3	2.8	1.67	0.6	8.0
1995	15	2.0	0.52	1.1	3.3	1	0.7	0.71	0.0	4.0
1996	17	2.1	0.52	1.2	3.4	1	0.4	0.43	0.0	3.1
1997	23	2.9	0.60	1.8	4.3	0				
1998	10	1.2	0.39	0.6	2.2	1	0.4	0.41	0.0	2.9
1999	13	1.6	0.44	0.8	2.7	4	2.7	1.43	0.7	6.9
2000	14	1.7	0.45	0.9	2.8	1	0.5	0.46	0.0	2.8
2001	21	2.4	0.53	1.5	3.7	2	1.1	0.75	0.1	3.7
2002	31	3.5	0.64	2.4	5.0	0				
2003	16	1.9	0.47	1.1	3.0	2	1.0	0.77	0.1	3.7
2004	18	2.0	0.48	1.2	3.2	7	3.9	1.53	1.5	7.9
2005	26	2.9	0.57	1.9	4.2	3	1.0	0.60	0.2	3.2
2006	29	3.2	0.60	2.1	4.6	7	2.6	1.00	1.0	5.4
2007	34	3.5	0.61	2.4	5.0	2	0.9	0.68	0.1	3.2
2008	36	3.8	0.64	2.7	5.3	3	0.8	0.48	0.2	2.6
2009	34	3.5	0.60	2.4	4.9	1	0.6	0.56	0.0	2.6
2010	38	3.8	0.63	2.7	5.3	6	1.6	0.65	0.6	3.6
2011	42	4.1	0.64	2.9	5.6	5	1.6	0.74	0.5	3.8
2012	28	2.6	0.50	1.7	3.8	5	1.4	0.67	0.4	3.4
2013	44	4.0	0.61	2.9	5.4	1	0.4	0.41	0.0	2.0
2014	33	3.1	0.56	2.1	4.4	3	0.7	0.40	0.1	2.1
2015	44	4.1	0.63	3.0	5.6	5	1.1	0.51	0.4	2.7
2016	42	3.9	0.61	2.8	5.3	1	0.3	0.25	0.0	1.4
2017	47	4.4	0.65	3.2	5.8	3	0.6	0.36	0.1	1.9
2018	48	4.2	0.62	3.1	5.6	5	1.1	0.48	0.4	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon and Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	220,832	53.5	0.11	53.3	53.7	186,487	52.8	0.12	52.6	53.0
1986	6,475	61.7	0.78	60.2	63.3	5,792	61.9	0.82	60.3	63.5
1987	6,703	63.1	0.78	61.6	64.7	6,008	63.6	0.83	62.0	65.2
1988	6,653	62.3	0.77	60.8	63.8	5,872	61.9	0.82	60.3	63.5
1989	6,405	59.6	0.75	58.1	61.1	5,677	59.5	0.80	57.9	61.1
1990	6,635	61.2	0.76	59.7	62.7	5,879	61.1	0.80	59.5	62.7
1991	6,572	59.8	0.74	58.4	61.3	5,828	59.9	0.79	58.4	61.5
1992	6,569	59.0	0.73	57.5	60.4	5,855	59.5	0.78	58.0	61.1
1993	6,594	58.4	0.72	57.0	59.9	5,777	58.1	0.77	56.6	59.6
1994	6,832	60.0	0.73	58.6	61.5	5,990	59.8	0.78	58.3	61.4
1995	6,713	58.6	0.72	57.2	60.0	5,802	57.8	0.76	56.3	59.3
1996	6,803	58.9	0.72	57.5	60.3	5,888	58.3	0.76	56.8	59.8
1997	7,050	60.5	0.72	59.1	62.0	6,063	59.6	0.77	58.2	61.2
1998	7,372	62.6	0.73	61.2	64.0	6,310	61.5	0.78	60.0	63.1
1999	7,187	60.4	0.71	59.0	61.8	6,185	59.9	0.76	58.4	61.4
2000	7,327	61.1	0.71	59.7	62.5	6,257	60.3	0.76	58.8	61.8
2001	7,080	58.5	0.70	57.2	59.9	6,001	57.5	0.74	56.0	59.0
2002	7,279	59.7	0.70	58.3	61.1	6,122	58.4	0.75	56.9	59.9
2003	7,093	57.4	0.68	56.1	58.8	5,892	55.7	0.73	54.3	57.1
2004	7,198	57.8	0.68	56.4	59.1	6,032	56.7	0.73	55.3	58.1
2005	6,976	55.3	0.66	54.0	56.6	5,792	53.9	0.71	52.5	55.3
2006	7,041	55.1	0.66	53.8	56.4	5,798	53.5	0.71	52.1	54.9
2007	6,829	52.7	0.64	51.5	54.0	5,644	51.5	0.69	50.1	52.9
2008	6,718	51.0	0.63	49.8	52.2	5,503	49.6	0.67	48.2	50.9
2009	6,297	47.2	0.60	46.0	48.3	5,164	46.0	0.65	44.7	47.3
2010	6,363	46.8	0.59	45.7	48.0	5,151	45.2	0.64	44.0	46.5
2011	6,446	46.7	0.59	45.6	47.9	5,192	45.1	0.64	43.9	46.4
2012	6,179	43.9	0.57	42.8	45.1	4,984	42.5	0.61	41.3	43.7
2013	6,226	43.4	0.56	42.4	44.6	4,996	42.1	0.61	40.9	43.3
2014	6,211	42.7	0.55	41.6	43.8	4,984	41.3	0.60	40.2	42.5
2015	6,286	42.9	0.55	41.8	44.0	5,087	42.2	0.60	41.0	43.4
2016	6,466	43.7	0.55	42.6	44.8	5,176	42.6	0.61	41.5	43.8
2017	6,114	40.7	0.53	39.7	41.8	4,923	40.2	0.59	39.1	41.4
2018	6,140	40.6	0.53	39.6	41.7	4,863	39.5	0.58	38.3	40.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon and Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	29,126	60.8	0.36	60.1	61.5	4,129	31.5	0.52	30.5	32.6
1986	636	60.7	2.50	55.9	65.8	41	33.2	6.23	22.2	47.3
1987	643	59.5	2.43	54.9	64.4	46	35.3	5.80	24.8	48.2
1988	715	65.8	2.54	60.9	71.0	52	42.5	6.69	30.4	57.2
1989	666	60.6	2.42	55.9	65.5	49	32.5	5.30	23.0	44.3
1990	700	63.6	2.48	58.8	68.6	50	36.1	5.82	25.6	48.9
1991	671	59.1	2.35	54.6	63.9	46	28.1	4.51	20.0	38.2
1992	640	54.3	2.21	50.1	58.8	54	31.5	4.88	22.7	42.3
1993	736	63.0	2.39	58.4	67.9	72	36.3	4.81	27.5	46.8
1994	759	63.3	2.36	58.8	68.1	69	32.8	4.40	24.7	42.3
1995	806	65.7	2.37	61.1	70.5	90	41.2	4.83	32.3	51.6
1996	802	64.2	2.32	59.8	68.9	102	45.4	5.08	36.0	56.3
1997	876	69.6	2.40	64.9	74.4	90	34.5	4.04	27.1	43.2
1998	942	73.2	2.43	68.5	78.1	94	37.8	4.37	29.7	47.2
1999	862	64.2	2.23	59.9	68.7	111	40.9	4.39	32.7	50.2
2000	921	67.3	2.26	62.9	71.9	118	39.9	4.06	32.3	48.5
2001	936	67.9	2.26	63.5	72.5	112	33.4	3.45	27.0	40.7
2002	997	71.2	2.30	66.8	75.8	123	38.6	3.78	31.6	46.6
2003	1,036	72.4	2.30	68.0	77.0	122	33.4	3.26	27.3	40.3
2004	1,017	68.8	2.20	64.5	73.2	120	31.1	3.09	25.3	37.7
2005	985	65.9	2.14	61.8	70.2	154	36.4	3.16	30.4	43.0
2006	1,039	67.8	2.15	63.7	72.1	164	36.7	3.09	30.9	43.2
2007	990	63.0	2.05	59.1	67.2	161	34.7	2.96	29.2	41.0
2008	1,011	63.3	2.04	59.3	67.4	166	33.0	2.78	27.8	38.9
2009	953	58.1	1.93	54.3	61.9	135	27.1	2.53	22.4	32.4
2010	999	60.2	1.95	56.4	64.1	170	32.4	2.67	27.4	38.1
2011	1,050	60.5	1.91	56.8	64.3	159	28.0	2.37	23.5	33.0
2012	946	54.4	1.81	50.9	58.0	206	33.9	2.50	29.2	39.1
2013	997	55.1	1.79	51.7	58.8	191	28.0	2.14	24.0	32.5
2014	972	53.2	1.75	49.8	56.7	180	26.1	2.03	22.2	30.3
2015	941	50.0	1.67	46.8	53.4	207	28.0	2.02	24.2	32.3
2016	1,001	52.7	1.70	49.4	56.1	228	29.1	1.97	25.3	33.2
2017	912	47.1	1.60	44.0	50.3	226	28.2	1.92	24.5	32.2
2018	969	49.7	1.63	46.6	53.1	221	26.4	1.81	23.0	30.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon and Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	111,301	63.4	0.19	63.0	63.8	94,473	62.7	0.21	62.3	63.1
1986	3,177	75.1	1.39	72.4	77.9	2,872	76.2	1.48	73.3	79.2
1987	3,289	76.6	1.39	73.9	79.3	2,957	77.4	1.48	74.5	80.4
1988	3,282	76.3	1.39	73.6	79.1	2,908	76.1	1.47	73.3	79.1
1989	3,129	72.0	1.34	69.4	74.7	2,786	72.2	1.41	69.4	75.0
1990	3,265	74.4	1.35	71.8	77.1	2,899	74.4	1.43	71.7	77.3
1991	3,281	73.9	1.33	71.3	76.5	2,937	74.8	1.42	72.0	77.6
1992	3,344	74.3	1.32	71.7	76.9	2,990	75.2	1.41	72.5	78.1
1993	3,241	70.8	1.28	68.3	73.4	2,843	70.5	1.36	67.8	73.2
1994	3,255	70.4	1.27	67.9	72.9	2,875	70.6	1.35	67.9	73.2
1995	3,263	70.2	1.26	67.7	72.7	2,821	69.3	1.33	66.7	71.9
1996	3,289	69.9	1.25	67.5	72.4	2,863	69.7	1.33	67.1	72.3
1997	3,478	73.0	1.26	70.5	75.5	3,007	72.3	1.34	69.7	75.0
1998	3,616	74.9	1.27	72.5	77.4	3,118	74.1	1.34	71.5	76.8
1999	3,607	73.7	1.25	71.3	76.2	3,124	73.5	1.33	70.9	76.1
2000	3,690	74.1	1.24	71.7	76.6	3,166	73.5	1.32	70.9	76.1
2001	3,529	70.6	1.21	68.2	73.0	3,024	70.0	1.29	67.5	72.6
2002	3,675	72.0	1.21	69.7	74.4	3,126	71.1	1.28	68.6	73.6
2003	3,633	70.0	1.18	67.7	72.4	3,054	68.6	1.25	66.1	71.1
2004	3,618	68.6	1.16	66.3	70.9	3,047	67.5	1.24	65.1	70.0
2005	3,510	65.3	1.12	63.1	67.5	2,929	63.7	1.19	61.4	66.1
2006	3,532	64.6	1.11	62.4	66.8	2,923	62.7	1.17	60.4	65.1
2007	3,466	62.2	1.08	60.1	64.4	2,879	60.8	1.15	58.6	63.1
2008	3,420	59.9	1.04	57.9	62.0	2,793	57.8	1.11	55.7	60.0
2009	3,212	55.2	0.99	53.2	57.2	2,616	53.2	1.06	51.1	55.3
2010	3,326	55.9	0.99	54.0	57.9	2,728	54.3	1.06	52.2	56.4
2011	3,323	54.5	0.97	52.7	56.5	2,712	53.1	1.04	51.1	55.2
2012	3,244	52.2	0.94	50.4	54.1	2,642	50.5	1.00	48.6	52.5
2013	3,243	50.9	0.91	49.1	52.7	2,607	49.0	0.98	47.1	50.9
2014	3,263	50.1	0.90	48.3	51.9	2,629	48.3	0.96	46.4	50.2
2015	3,350	50.7	0.90	49.0	52.5	2,733	49.8	0.98	47.9	51.8
2016	3,342	49.6	0.88	47.9	51.4	2,702	48.3	0.95	46.5	50.2
2017	3,220	47.3	0.86	45.7	49.1	2,617	46.5	0.93	44.7	48.4
2018	3,189	46.3	0.84	44.7	48.0	2,546	44.9	0.91	43.1	46.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon and Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	13,964	72.1	0.64	70.8	73.3	2,260	38.6	0.89	36.9	40.4
1986	283	66.6	4.27	58.5	75.5	21	36.2	9.42	20.2	58.7
1987	304	70.6	4.35	62.3	79.5	26	43.9	9.94	26.6	67.0
1988	337	78.3	4.57	69.6	87.6	31	58.9	12.09	37.6	86.3
1989	315	72.8	4.40	64.4	81.9	20	37.2	9.24	21.4	58.8
1990	330	76.0	4.48	67.5	85.2	33	54.6	11.25	34.8	80.1
1991	311	68.0	4.12	60.1	76.5	19	27.5	6.83	15.8	43.8
1992	312	67.9	4.12	60.0	76.3	31	37.3	7.73	23.8	55.1
1993	355	76.2	4.34	67.9	85.1	39	44.5	8.24	29.8	63.1
1994	342	73.6	4.27	65.4	82.3	32	31.6	6.24	20.6	46.0
1995	387	80.0	4.33	71.7	88.9	45	45.4	7.50	31.9	62.2
1996	361	70.0	3.90	62.6	78.0	60	57.6	8.87	41.6	77.2
1997	405	78.7	4.16	70.7	87.2	54	53.0	8.47	37.7	71.7
1998	443	85.7	4.32	77.4	94.5	46	43.1	7.64	29.5	60.1
1999	403	76.5	4.04	68.8	84.7	61	53.5	8.54	38.1	72.3
2000	447	81.9	4.09	74.1	90.2	63	45.2	6.63	33.2	59.8
2001	424	76.0	3.90	68.6	84.0	64	43.2	6.20	31.9	56.8
2002	467	84.5	4.15	76.6	93.0	63	48.1	6.89	35.6	63.2
2003	496	85.5	4.06	77.8	93.8	60	39.0	5.80	28.5	51.7
2004	488	81.1	3.88	73.7	89.0	66	41.3	5.81	30.7	54.0
2005	470	79.3	3.88	71.9	87.2	84	44.0	5.43	34.0	55.8
2006	506	81.4	3.81	74.1	89.2	84	43.5	5.34	33.7	55.1
2007	476	74.7	3.62	67.8	82.1	89	43.9	5.26	34.2	55.2
2008	502	77.4	3.66	70.4	84.9	99	44.9	5.10	35.5	55.9
2009	498	74.8	3.55	68.0	82.1	72	31.2	4.13	23.7	40.2
2010	487	71.8	3.44	65.3	78.9	90	39.6	4.63	31.1	49.6
2011	505	69.4	3.25	63.2	76.1	81	31.7	3.90	24.5	40.2
2012	459	65.0	3.19	58.9	71.5	117	41.6	4.14	33.9	50.4
2013	499	67.0	3.16	61.0	73.5	106	33.7	3.55	27.1	41.4
2014	499	66.4	3.12	60.4	72.8	99	30.9	3.31	24.7	38.0
2015	465	60.8	2.96	55.1	66.8	121	35.6	3.41	29.2	42.9
2016	486	62.1	2.94	56.4	68.1	126	35.4	3.28	29.3	42.4
2017	440	56.2	2.79	50.9	61.9	127	35.5	3.27	29.4	42.5
2018	462	56.8	2.74	51.6	62.4	131	33.5	3.01	27.9	40.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon and Rectum											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	109,531	46.1	0.14	45.9	46.4	92,014	45.3	0.15	45.0	45.6	
1986	3,298	53.0	0.93	51.2	54.9	2,920	52.4	0.99	50.5	54.4	
1987	3,414	54.4	0.94	52.5	56.2	3,051	54.4	1.00	52.5	56.4	
1988	3,371	52.9	0.92	51.1	54.7	2,964	52.1	0.97	50.2	54.0	
1989	3,276	51.5	0.91	49.7	53.3	2,891	50.9	0.96	49.1	52.9	
1990	3,370	52.3	0.91	50.6	54.1	2,980	52.0	0.97	50.2	54.0	
1991	3,291	50.5	0.89	48.8	52.3	2,891	50.0	0.94	48.2	51.9	
1992	3,225	48.8	0.87	47.1	50.5	2,865	48.8	0.93	47.0	50.7	
1993	3,353	50.0	0.87	48.3	51.7	2,934	49.6	0.93	47.8	51.4	
1994	3,577	52.9	0.89	51.2	54.7	3,115	52.2	0.95	50.4	54.1	
1995	3,450	50.8	0.87	49.1	52.5	2,981	50.0	0.93	48.2	51.8	
1996	3,514	51.2	0.87	49.5	52.9	3,025	50.3	0.93	48.5	52.2	
1997	3,572	51.7	0.87	50.0	53.5	3,056	50.7	0.93	48.9	52.6	
1998	3,756	54.1	0.89	52.3	55.8	3,192	52.8	0.95	51.0	54.7	
1999	3,580	51.1	0.86	49.5	52.9	3,061	50.3	0.92	48.5	52.1	
2000	3,637	51.5	0.86	49.9	53.3	3,091	50.5	0.92	48.7	52.4	
2001	3,551	50.1	0.85	48.4	51.8	2,977	48.6	0.90	46.9	50.4	
2002	3,604	50.6	0.85	48.9	52.3	2,996	48.8	0.90	47.0	50.6	
2003	3,460	48.3	0.83	46.7	50.0	2,838	46.2	0.88	44.4	47.9	
2004	3,580	49.5	0.84	47.9	51.2	2,985	48.3	0.90	46.5	50.1	
2005	3,466	47.7	0.82	46.1	49.3	2,863	46.2	0.88	44.4	47.9	
2006	3,509	48.0	0.82	46.4	49.7	2,875	46.4	0.88	44.7	48.1	
2007	3,363	45.5	0.80	44.0	47.1	2,765	44.3	0.86	42.6	46.0	
2008	3,298	44.2	0.78	42.7	45.8	2,710	43.2	0.85	41.6	44.9	
2009	3,085	41.0	0.75	39.6	42.5	2,548	40.4	0.82	38.8	42.1	
2010	3,037	39.6	0.73	38.2	41.1	2,423	37.9	0.79	36.4	39.5	
2011	3,123	40.3	0.73	38.8	41.7	2,480	38.4	0.79	36.9	40.0	
2012	2,935	37.3	0.70	36.0	38.7	2,342	35.9	0.76	34.4	37.5	
2013	2,983	37.6	0.70	36.2	39.0	2,389	36.5	0.77	35.0	38.0	
2014	2,948	36.7	0.69	35.4	38.1	2,355	35.6	0.75	34.1	37.1	
2015	2,936	36.4	0.69	35.1	37.8	2,354	35.6	0.76	34.1	37.1	
2016	3,124	38.9	0.72	37.5	40.3	2,474	37.9	0.79	36.4	39.5	
2017	2,894	35.3	0.68	34.0	36.6	2,306	34.7	0.75	33.3	36.2	
2018	2,951	35.7	0.68	34.4	37.1	2,317	34.7	0.75	33.2	36.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon and Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	15,162	53.5	0.44	52.7	54.4	1,869	26.0	0.63	24.8	27.3
1986	353	57.0	3.10	51.1	63.4	20	30.6	8.18	16.8	50.0
1987	339	52.8	2.93	47.2	58.8	20	28.5	6.92	16.6	44.9
1988	378	58.3	3.05	52.4	64.5	21	30.7	7.59	17.7	48.5
1989	351	53.4	2.90	47.9	59.4	29	30.8	6.48	19.4	45.9
1990	370	56.0	2.96	50.3	62.1	17	22.2	5.91	12.2	36.3
1991	360	53.2	2.85	47.8	59.1	27	28.8	6.03	18.3	42.8
1992	328	46.4	2.60	41.5	51.8	23	26.5	6.19	15.8	40.9
1993	381	54.6	2.83	49.2	60.4	33	29.9	5.75	19.7	43.0
1994	417	57.9	2.87	52.4	63.8	37	32.9	5.96	22.3	46.4
1995	419	56.8	2.80	51.4	62.5	45	37.5	6.15	26.4	51.2
1996	441	59.6	2.87	54.1	65.5	42	35.7	5.99	24.9	49.0
1997	471	62.7	2.92	57.1	68.7	36	22.3	3.94	15.3	31.4
1998	499	64.9	2.93	59.2	70.8	48	34.3	5.32	24.7	46.1
1999	459	57.0	2.68	51.9	62.5	50	32.9	4.98	23.9	44.0
2000	474	58.0	2.68	52.9	63.5	55	35.0	5.04	25.8	46.1
2001	512	62.2	2.77	56.9	67.9	48	25.9	3.99	18.7	34.8
2002	530	63.1	2.76	57.8	68.7	60	32.3	4.41	24.2	41.9
2003	540	63.5	2.75	58.2	69.1	62	30.1	4.01	22.8	39.0
2004	529	60.5	2.65	55.4	65.9	54	24.3	3.49	18.0	32.0
2005	515	57.8	2.57	52.9	63.0	70	30.3	3.82	23.3	38.7
2006	533	58.7	2.57	53.8	64.0	80	31.7	3.74	24.8	39.9
2007	514	55.5	2.47	50.8	60.6	72	28.0	3.49	21.6	35.6
2008	509	54.0	2.42	49.4	59.0	67	23.9	3.09	18.2	30.7
2009	455	47.3	2.24	43.0	51.9	63	23.3	3.11	17.6	30.1
2010	512	52.1	2.33	47.6	56.8	80	26.9	3.17	21.0	33.8
2011	545	53.7	2.33	49.2	58.5	78	25.2	2.98	19.7	31.7
2012	487	47.4	2.18	43.3	51.9	89	27.4	3.04	21.7	34.0
2013	498	47.2	2.15	43.1	51.6	85	23.3	2.64	18.4	29.0
2014	473	44.6	2.08	40.6	48.9	81	22.0	2.52	17.3	27.5
2015	476	43.5	2.03	39.6	47.7	86	21.7	2.41	17.2	26.9
2016	515	46.5	2.09	42.5	50.8	102	24.1	2.44	19.6	29.4
2017	472	41.6	1.95	37.8	45.6	99	22.4	2.29	18.1	27.4
2018	507	44.7	2.02	40.8	48.8	90	20.3	2.16	16.2	25.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon excluding Rectum											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	159,851	38.8	0.10	38.6	39.0	134,352	38.0	0.10	37.8	38.2	
1986	4,687	44.9	0.66	43.6	46.3	4,163	44.7	0.70	43.3	46.1	
1987	4,852	45.8	0.67	44.6	47.2	4,341	46.0	0.71	44.7	47.4	
1988	4,857	45.6	0.66	44.3	46.9	4,254	44.9	0.69	43.5	46.3	
1989	4,680	43.6	0.64	42.3	44.9	4,129	43.3	0.68	41.9	44.6	
1990	4,860	44.9	0.65	43.7	46.2	4,271	44.4	0.69	43.1	45.8	
1991	4,721	43.1	0.63	41.8	44.3	4,185	43.1	0.67	41.8	44.4	
1992	4,754	42.7	0.62	41.5	43.9	4,207	42.7	0.66	41.4	44.0	
1993	4,811	42.7	0.62	41.5	43.9	4,208	42.3	0.65	41.0	43.6	
1994	5,113	45.0	0.63	43.8	46.2	4,456	44.5	0.67	43.2	45.8	
1995	4,882	42.6	0.61	41.4	43.8	4,169	41.4	0.64	40.1	42.7	
1996	5,000	43.3	0.61	42.1	44.5	4,294	42.4	0.65	41.1	43.7	
1997	5,136	44.1	0.62	42.9	45.3	4,398	43.1	0.65	41.9	44.4	
1998	5,422	46.0	0.62	44.8	47.2	4,583	44.5	0.66	43.3	45.9	
1999	5,275	44.3	0.61	43.1	45.5	4,494	43.4	0.65	42.1	44.7	
2000	5,417	45.1	0.61	44.0	46.4	4,592	44.1	0.65	42.8	45.4	
2001	5,239	43.3	0.60	42.1	44.5	4,402	42.0	0.63	40.8	43.3	
2002	5,260	43.1	0.60	41.9	44.3	4,378	41.6	0.63	40.4	42.9	
2003	5,234	42.4	0.59	41.2	43.6	4,323	40.7	0.62	39.5	42.0	
2004	5,236	42.1	0.58	40.9	43.2	4,376	41.0	0.62	39.8	42.3	
2005	5,030	39.9	0.57	38.8	41.1	4,163	38.7	0.60	37.5	39.9	
2006	5,107	40.1	0.56	39.0	41.3	4,190	38.6	0.60	37.5	39.8	
2007	4,986	38.6	0.55	37.5	39.7	4,120	37.5	0.59	36.4	38.7	
2008	4,775	36.4	0.53	35.4	37.5	3,890	35.1	0.57	34.0	36.2	
2009	4,537	34.2	0.51	33.2	35.2	3,710	33.1	0.55	32.0	34.2	
2010	4,499	33.3	0.50	32.3	34.3	3,604	31.7	0.54	30.7	32.8	
2011	4,627	33.7	0.50	32.8	34.7	3,728	32.5	0.54	31.4	33.6	
2012	4,396	31.4	0.48	30.5	32.4	3,540	30.2	0.52	29.2	31.3	
2013	4,416	30.9	0.47	30.0	31.9	3,536	29.8	0.51	28.8	30.8	
2014	4,410	30.4	0.47	29.5	31.3	3,509	29.1	0.50	28.2	30.1	
2015	4,461	30.5	0.47	29.6	31.4	3,611	29.9	0.51	28.9	30.9	
2016	4,588	31.1	0.47	30.2	32.0	3,688	30.4	0.51	29.4	31.4	
2017	4,287	28.6	0.45	27.7	29.5	3,473	28.3	0.49	27.3	29.2	
2018	4,296	28.4	0.44	27.5	29.3	3,367	27.2	0.48	26.3	28.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon excluding Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	22,269	47.0	0.32	46.3	47.6	2,559	20.1	0.42	19.3	20.9
1986	493	47.4	2.22	43.2	51.9	26	23.1	5.41	13.8	35.6
1987	479	44.6	2.11	40.6	49.0	27	19.7	4.20	12.3	29.4
1988	568	53.0	2.30	48.5	57.6	28	24.1	5.22	15.0	36.0
1989	511	46.8	2.13	42.7	51.1	32	20.1	4.01	13.0	29.3
1990	551	50.2	2.21	46.0	54.7	34	25.0	4.94	16.3	36.2
1991	497	44.0	2.03	40.1	48.1	21	14.4	3.42	8.5	22.4
1992	497	42.3	1.95	38.6	46.3	34	21.9	4.21	14.4	31.4
1993	556	47.5	2.07	43.5	51.7	43	22.9	3.96	15.8	31.8
1994	600	50.7	2.12	46.6	55.0	51	24.9	3.89	17.9	33.5
1995	645	53.0	2.14	48.9	57.4	57	26.7	3.88	19.6	35.2
1996	634	51.1	2.08	47.1	55.3	65	31.6	4.46	23.5	41.3
1997	667	53.3	2.11	49.2	57.5	55	21.7	3.20	15.9	28.8
1998	759	59.5	2.21	55.3	64.0	65	27.2	3.75	20.4	35.4
1999	680	51.1	2.00	47.2	55.1	79	29.6	3.73	22.8	37.7
2000	728	53.8	2.03	49.9	57.9	83	28.5	3.45	22.2	36.0
2001	738	54.0	2.03	50.1	58.1	76	21.8	2.75	16.8	27.8
2002	779	55.9	2.04	52.0	60.0	82	26.7	3.21	20.7	33.6
2003	807	57.0	2.05	53.1	61.1	76	20.9	2.58	16.1	26.5
2004	772	52.9	1.94	49.2	56.8	72	19.3	2.48	14.7	24.7
2005	748	50.9	1.90	47.2	54.7	90	21.8	2.46	17.3	27.1
2006	797	52.5	1.90	48.9	56.4	96	20.7	2.29	16.5	25.6
2007	753	48.6	1.81	45.1	52.3	90	20.2	2.29	16.0	25.1
2008	762	48.3	1.79	44.8	51.9	102	21.2	2.28	17.0	26.1
2009	716	44.4	1.70	41.1	47.9	80	16.9	2.04	13.1	21.3
2010	765	46.7	1.73	43.3	50.2	100	19.7	2.11	15.7	24.2
2011	776	45.4	1.67	42.2	48.8	92	16.3	1.81	12.9	20.2
2012	700	41.0	1.59	38.0	44.3	131	22.5	2.08	18.6	26.9
2013	740	41.6	1.57	38.6	44.8	115	17.7	1.75	14.5	21.5
2014	742	40.9	1.54	38.0	44.1	108	15.9	1.60	12.9	19.3
2015	700	37.5	1.45	34.7	40.4	130	18.1	1.64	15.0	21.6
2016	726	38.6	1.47	35.7	41.5	137	17.6	1.55	14.7	21.0
2017	650	33.9	1.36	31.3	36.7	134	17.2	1.53	14.4	20.5
2018	733	37.8	1.43	35.1	40.7	148	17.9	1.50	15.1	21.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon excluding Rectum											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	76,724	44.3	0.16	43.9	44.6	64,697	43.4	0.17	43.1	43.8	
1986	2,226	53.3	1.18	51.0	55.7	2,004	53.8	1.25	51.4	56.3	
1987	2,276	53.8	1.18	51.5	56.2	2,037	54.2	1.25	51.7	56.7	
1988	2,269	53.2	1.16	51.0	55.6	1,989	52.5	1.22	50.1	54.9	
1989	2,202	51.0	1.13	48.8	53.2	1,950	50.9	1.19	48.6	53.3	
1990	2,296	52.7	1.14	50.5	55.0	2,019	52.2	1.20	49.8	54.6	
1991	2,274	51.6	1.12	49.4	53.9	2,032	52.2	1.20	49.9	54.6	
1992	2,343	52.7	1.12	50.5	54.9	2,074	52.8	1.19	50.5	55.2	
1993	2,254	49.7	1.08	47.6	51.8	1,971	49.3	1.14	47.1	51.5	
1994	2,333	51.2	1.09	49.0	53.3	2,047	50.9	1.15	48.6	53.2	
1995	2,272	49.3	1.06	47.2	51.4	1,930	47.8	1.11	45.6	50.0	
1996	2,291	49.3	1.05	47.2	51.4	1,969	48.4	1.11	46.3	50.7	
1997	2,397	50.8	1.06	48.8	52.9	2,052	49.8	1.12	47.7	52.1	
1998	2,519	52.6	1.07	50.6	54.8	2,135	51.2	1.12	49.0	53.4	
1999	2,501	51.6	1.05	49.6	53.7	2,150	51.0	1.11	48.9	53.2	
2000	2,584	52.5	1.05	50.5	54.6	2,200	51.6	1.11	49.4	53.8	
2001	2,482	50.2	1.02	48.3	52.3	2,100	49.2	1.08	47.1	51.4	
2002	2,519	50.0	1.01	48.1	52.0	2,111	48.6	1.07	46.5	50.7	
2003	2,587	50.4	1.01	48.4	52.4	2,161	48.9	1.06	46.9	51.1	
2004	2,484	47.8	0.97	45.9	49.7	2,099	47.1	1.04	45.1	49.2	
2005	2,406	45.3	0.94	43.5	47.2	2,009	44.1	1.00	42.2	46.1	
2006	2,452	45.6	0.94	43.8	47.5	2,020	44.0	0.99	42.1	46.0	
2007	2,414	43.9	0.91	42.1	45.7	1,992	42.5	0.97	40.7	44.5	
2008	2,296	40.8	0.87	39.1	42.6	1,851	38.8	0.91	37.0	40.6	
2009	2,179	38.1	0.83	36.5	39.8	1,767	36.5	0.88	34.8	38.2	
2010	2,238	38.3	0.83	36.7	40.0	1,806	36.6	0.88	34.9	38.4	
2011	2,258	37.7	0.81	36.1	39.3	1,845	36.6	0.87	34.9	38.4	
2012	2,182	35.8	0.78	34.3	37.4	1,770	34.4	0.83	32.8	36.1	
2013	2,192	34.9	0.76	33.4	36.5	1,752	33.3	0.81	31.8	35.0	
2014	2,229	34.7	0.75	33.2	36.2	1,779	33.1	0.80	31.6	34.7	
2015	2,242	34.4	0.75	33.0	35.9	1,826	33.6	0.81	32.1	35.3	
2016	2,277	34.3	0.74	32.9	35.8	1,838	33.3	0.80	31.7	34.9	
2017	2,131	31.7	0.70	30.4	33.1	1,745	31.3	0.77	29.8	32.8	
2018	2,119	31.0	0.69	29.6	32.3	1,667	29.5	0.74	28.1	31.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon excluding Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	10,333	54.2	0.56	53.1	55.3	1,337	23.8	0.72	22.4	25.2
1986	210	50.7	3.78	43.6	58.6	11	23.8	8.51	10.1	45.0
1987	223	52.9	3.83	45.7	60.9	14	19.6	5.51	10.4	33.7
1988	258	61.4	4.09	53.7	69.9	17	35.3	10.07	18.4	59.2
1989	235	54.9	3.83	47.7	62.9	12	20.4	6.29	10.0	36.1
1990	251	58.4	3.94	50.9	66.5	24	39.4	9.59	22.9	61.7
1991	226	49.1	3.49	42.5	56.4	8	12.8	4.79	5.2	25.2
1992	241	52.7	3.64	45.9	60.3	18	24.5	6.64	13.2	40.3
1993	260	55.9	3.71	48.9	63.6	23	26.2	6.47	15.1	41.5
1994	260	57.3	3.82	50.0	65.2	24	25.8	5.88	15.6	39.6
1995	305	63.4	3.87	56.0	71.4	30	33.0	6.57	21.4	48.0
1996	284	56.1	3.54	49.4	63.5	36	38.8	7.75	25.1	56.3
1997	305	59.5	3.62	52.6	67.0	31	30.4	6.24	19.5	44.7
1998	352	68.5	3.88	61.1	76.5	27	27.1	6.20	16.3	41.3
1999	298	57.2	3.52	50.5	64.5	40	37.7	7.30	24.8	54.1
2000	337	63.2	3.64	56.2	70.7	44	32.8	5.85	22.3	45.9
2001	329	59.8	3.48	53.2	67.0	41	26.5	4.71	18.1	37.2
2002	358	65.1	3.64	58.1	72.6	39	31.4	5.73	21.2	44.2
2003	375	66.4	3.63	59.5	73.9	36	24.1	4.70	15.8	34.7
2004	342	57.7	3.29	51.4	64.5	35	23.4	4.47	15.5	33.5
2005	339	59.0	3.40	52.6	66.0	40	21.4	3.70	14.7	29.7
2006	374	61.3	3.34	54.9	68.2	50	25.1	4.07	17.8	34.2
2007	362	57.9	3.22	51.8	64.5	45	23.4	3.89	16.4	32.1
2008	375	58.8	3.22	52.7	65.4	57	27.6	4.11	20.1	36.7
2009	349	54.2	3.06	48.4	60.5	43	20.7	3.54	14.3	28.6
2010	362	54.2	3.01	48.4	60.3	55	25.0	3.75	18.2	33.3
2011	356	50.2	2.80	44.9	56.0	41	17.1	2.95	11.8	23.8
2012	325	47.7	2.78	42.4	53.4	72	26.7	3.39	20.4	34.1
2013	360	49.6	2.75	44.3	55.3	62	21.6	3.00	16.1	28.2
2014	374	50.7	2.75	45.5	56.4	53	16.5	2.40	12.1	21.8
2015	330	43.6	2.52	38.8	48.8	76	22.9	2.77	17.8	28.9
2016	343	44.6	2.52	39.8	49.8	78	22.5	2.65	17.6	28.3
2017	293	38.3	2.33	33.8	43.1	73	21.1	2.57	16.4	26.8
2018	342	42.6	2.38	38.0	47.5	82	21.2	2.41	16.7	26.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon excluding Rectum											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	83,127	34.8	0.12	34.6	35.0	69,655	33.9	0.13	33.7	34.2	
1986	2,461	39.6	0.81	38.1	41.2	2,159	38.8	0.85	37.2	40.5	
1987	2,576	40.9	0.81	39.3	42.5	2,304	40.9	0.86	39.2	42.6	
1988	2,588	40.5	0.80	38.9	42.1	2,265	39.6	0.84	38.0	41.3	
1989	2,478	38.8	0.79	37.2	40.3	2,179	38.1	0.83	36.5	39.8	
1990	2,564	39.7	0.79	38.2	41.3	2,252	39.1	0.84	37.5	40.8	
1991	2,447	37.5	0.77	36.0	39.0	2,153	37.0	0.81	35.5	38.7	
1992	2,411	36.3	0.75	34.8	37.8	2,133	36.1	0.79	34.6	37.7	
1993	2,557	38.0	0.76	36.5	39.5	2,237	37.5	0.80	35.9	39.1	
1994	2,780	40.9	0.78	39.4	42.5	2,409	40.1	0.83	38.5	41.8	
1995	2,610	38.2	0.75	36.8	39.7	2,239	37.2	0.80	35.7	38.8	
1996	2,709	39.3	0.76	37.8	40.8	2,325	38.4	0.81	36.8	40.0	
1997	2,739	39.4	0.76	38.0	41.0	2,346	38.6	0.81	37.0	40.2	
1998	2,903	41.5	0.78	40.0	43.0	2,448	40.1	0.82	38.5	41.7	
1999	2,774	39.4	0.75	37.9	40.9	2,344	38.1	0.80	36.5	39.7	
2000	2,833	39.9	0.76	38.4	41.4	2,392	38.7	0.80	37.1	40.3	
2001	2,757	38.6	0.74	37.1	40.1	2,302	37.1	0.79	35.6	38.7	
2002	2,741	38.3	0.74	36.8	39.7	2,267	36.6	0.78	35.1	38.1	
2003	2,647	36.7	0.72	35.3	38.2	2,162	34.8	0.76	33.3	36.3	
2004	2,752	37.8	0.73	36.4	39.2	2,277	36.4	0.78	34.9	38.0	
2005	2,624	35.9	0.71	34.5	37.3	2,154	34.3	0.75	32.9	35.8	
2006	2,655	36.2	0.71	34.8	37.6	2,170	34.7	0.76	33.2	36.2	
2007	2,572	34.6	0.69	33.3	36.0	2,128	33.7	0.75	32.2	35.2	
2008	2,479	33.2	0.68	31.8	34.5	2,039	32.3	0.73	30.9	33.8	
2009	2,358	31.2	0.65	29.9	32.5	1,943	30.5	0.71	29.2	32.0	
2010	2,261	29.3	0.63	28.1	30.6	1,798	27.8	0.67	26.5	29.2	
2011	2,369	30.5	0.64	29.2	31.7	1,883	29.0	0.69	27.7	30.4	
2012	2,214	28.0	0.61	26.8	29.2	1,770	26.8	0.66	25.6	28.2	
2013	2,224	27.9	0.60	26.7	29.1	1,784	27.0	0.66	25.7	28.3	
2014	2,181	27.0	0.59	25.8	28.1	1,730	25.9	0.64	24.6	27.1	
2015	2,219	27.3	0.59	26.1	28.5	1,785	26.7	0.65	25.4	28.0	
2016	2,311	28.5	0.61	27.4	29.8	1,850	28.1	0.68	26.8	29.4	
2017	2,156	26.0	0.58	24.9	27.2	1,728	25.6	0.64	24.4	26.9	
2018	2,177	26.0	0.57	24.9	27.2	1,700	25.0	0.63	23.8	26.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Colon excluding Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	11,936	42.3	0.39	41.6	43.1	1,222	17.3	0.52	16.3	18.3
1986	283	45.7	2.78	40.4	51.4	15	22.8	6.99	11.3	39.9
1987	256	40.0	2.55	35.2	45.3	13	19.3	5.93	9.5	33.9
1988	310	48.0	2.78	42.7	53.7	11	16.1	5.42	7.3	29.6
1989	276	42.2	2.58	37.3	47.6	20	20.8	5.33	11.7	33.7
1990	300	45.3	2.66	40.3	50.8	10	14.4	5.03	6.3	27.0
1991	271	40.5	2.50	35.7	45.7	13	15.5	4.74	7.7	27.2
1992	256	36.3	2.29	31.9	41.0	16	19.7	5.40	10.6	32.6
1993	296	42.1	2.48	37.4	47.3	20	20.0	4.92	11.5	31.6
1994	340	47.6	2.61	42.6	52.9	27	24.0	5.13	15.1	35.9
1995	340	46.5	2.55	41.6	51.7	27	22.1	4.65	13.9	32.8
1996	350	47.3	2.56	42.5	52.6	29	26.1	5.33	16.8	38.3
1997	362	48.4	2.57	43.5	53.7	24	15.9	3.43	9.9	24.0
1998	407	53.3	2.67	48.2	58.8	38	27.7	4.81	19.1	38.5
1999	382	47.6	2.46	42.9	52.7	39	25.2	4.27	17.5	34.8
2000	391	48.1	2.45	43.4	53.2	39	25.1	4.26	17.4	34.6
2001	409	49.9	2.48	45.1	55.0	35	18.0	3.27	12.2	25.5
2002	421	50.3	2.47	45.5	55.3	43	23.6	3.83	16.7	32.2
2003	432	51.0	2.47	46.3	56.1	40	19.5	3.20	13.8	26.7
2004	430	49.5	2.41	44.9	54.4	37	16.8	2.93	11.6	23.5
2005	409	46.3	2.31	41.9	51.0	50	22.0	3.27	16.0	29.2
2006	423	46.9	2.30	42.5	51.6	46	17.7	2.74	12.7	23.8
2007	391	42.7	2.18	38.5	47.2	45	17.9	2.81	12.8	24.2
2008	387	41.5	2.13	37.4	45.9	45	16.5	2.61	11.8	22.4
2009	367	38.3	2.02	34.4	42.5	37	13.8	2.41	9.5	19.3
2010	403	41.3	2.09	37.3	45.6	45	15.7	2.46	11.2	21.2
2011	420	41.7	2.06	37.8	46.0	51	16.1	2.36	11.8	21.4
2012	375	36.9	1.93	33.2	40.8	59	18.9	2.57	14.2	24.5
2013	380	36.5	1.90	32.8	40.4	53	14.9	2.15	11.0	19.7
2014	368	34.6	1.84	31.1	38.4	55	15.1	2.11	11.3	19.8
2015	370	33.8	1.79	30.4	37.5	54	14.0	1.97	10.5	18.4
2016	383	34.7	1.80	31.2	38.4	59	13.8	1.84	10.4	17.9
2017	357	31.6	1.70	28.3	35.1	61	14.2	1.86	10.8	18.3
2018	391	34.4	1.77	31.0	38.0	66	15.0	1.87	11.6	19.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Rectum and Rectosigmoid Junction										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	60,981	14.7	0.06	14.6	14.8	52,135	14.8	0.07	14.7	14.9
1986	1,788	16.8	0.40	16.0	17.6	1,629	17.2	0.43	16.4	18.1
1987	1,851	17.3	0.41	16.5	18.1	1,667	17.5	0.44	16.7	18.4
1988	1,796	16.7	0.40	15.9	17.5	1,618	17.0	0.43	16.2	17.8
1989	1,725	16.0	0.39	15.3	16.8	1,548	16.2	0.42	15.4	17.1
1990	1,775	16.3	0.39	15.5	17.1	1,608	16.7	0.42	15.9	17.5
1991	1,851	16.8	0.39	16.0	17.5	1,643	16.9	0.42	16.1	17.7
1992	1,815	16.3	0.38	15.5	17.0	1,648	16.8	0.42	16.0	17.6
1993	1,783	15.8	0.37	15.0	16.5	1,569	15.8	0.40	15.0	16.6
1994	1,719	15.0	0.36	14.3	15.8	1,534	15.3	0.39	14.6	16.1
1995	1,831	16.0	0.37	15.3	16.7	1,633	16.4	0.41	15.6	17.2
1996	1,803	15.6	0.37	14.9	16.4	1,594	15.9	0.40	15.1	16.7
1997	1,914	16.5	0.38	15.7	17.2	1,665	16.5	0.41	15.7	17.3
1998	1,950	16.6	0.38	15.9	17.3	1,727	17.0	0.41	16.2	17.8
1999	1,912	16.1	0.37	15.4	16.8	1,691	16.5	0.40	15.8	17.3
2000	1,910	15.9	0.36	15.2	16.7	1,665	16.2	0.40	15.4	17.0
2001	1,841	15.2	0.36	14.5	15.9	1,599	15.5	0.39	14.7	16.3
2002	2,019	16.6	0.37	15.8	17.3	1,744	16.8	0.40	16.0	17.6
2003	1,859	15.0	0.35	14.4	15.7	1,569	14.9	0.38	14.2	15.7
2004	1,962	15.7	0.36	15.0	16.4	1,656	15.7	0.39	14.9	16.4
2005	1,946	15.4	0.35	14.7	16.1	1,629	15.2	0.38	14.5	16.0
2006	1,934	15.0	0.34	14.3	15.7	1,608	14.8	0.37	14.1	15.6
2007	1,843	14.2	0.33	13.5	14.8	1,524	14.0	0.36	13.3	14.7
2008	1,943	14.6	0.33	13.9	15.3	1,613	14.5	0.36	13.8	15.2
2009	1,760	13.0	0.31	12.4	13.6	1,454	12.9	0.34	12.2	13.6
2010	1,864	13.5	0.32	12.9	14.2	1,547	13.5	0.35	12.8	14.2
2011	1,819	13.0	0.31	12.4	13.6	1,464	12.7	0.34	12.0	13.3
2012	1,783	12.5	0.30	11.9	13.1	1,444	12.3	0.33	11.6	12.9
2013	1,810	12.5	0.30	11.9	13.1	1,460	12.3	0.33	11.7	13.0
2014	1,801	12.3	0.29	11.7	12.9	1,475	12.2	0.32	11.6	12.9
2015	1,825	12.4	0.30	11.8	13.0	1,476	12.3	0.33	11.6	12.9
2016	1,878	12.6	0.30	12.0	13.2	1,488	12.2	0.33	11.6	12.9
2017	1,827	12.2	0.29	11.6	12.8	1,450	12.0	0.32	11.3	12.6
2018	1,844	12.2	0.29	11.7	12.8	1,496	12.3	0.33	11.6	12.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Rectum and Rectosigmoid Junction										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,857	13.9	0.17	13.5	14.2	1,570	11.4	0.31	10.8	12.0
1986	143	13.3	1.15	11.1	15.7	15	10.1	3.10	5.0	17.9
1987	164	14.9	1.19	12.6	17.4	19	15.6	4.00	8.8	25.1
1988	147	12.9	1.10	10.8	15.2	24	18.4	4.18	11.1	28.1
1989	155	13.8	1.14	11.6	16.2	17	12.4	3.46	6.6	20.7
1990	149	13.4	1.13	11.3	15.8	16	11.0	3.07	5.9	18.4
1991	174	15.1	1.18	12.9	17.6	25	13.8	2.94	8.6	20.7
1992	143	12.0	1.04	10.1	14.2	20	9.6	2.47	5.4	15.6
1993	180	15.6	1.19	13.3	18.1	29	13.4	2.72	8.6	19.7
1994	159	12.6	1.02	10.7	14.8	18	7.9	2.05	4.4	12.9
1995	161	12.6	1.02	10.7	14.8	33	14.5	2.88	9.5	21.1
1996	168	13.2	1.03	11.2	15.3	37	13.8	2.44	9.4	19.4
1997	209	16.3	1.16	14.1	18.7	35	12.8	2.47	8.4	18.5
1998	183	13.6	1.03	11.7	15.8	29	10.6	2.24	6.7	15.8
1999	182	13.2	0.99	11.3	15.2	32	11.3	2.32	7.2	16.6
2000	193	13.5	0.99	11.6	15.6	35	11.4	2.13	7.6	16.2
2001	198	13.9	1.01	12.0	16.0	36	11.6	2.09	7.9	16.3
2002	218	15.3	1.06	13.3	17.5	41	12.0	1.99	8.4	16.4
2003	229	15.4	1.04	13.4	17.6	46	12.5	2.00	8.9	17.0
2004	245	15.9	1.03	13.9	18.0	48	11.8	1.84	8.5	15.9
2005	237	15.1	1.00	13.2	17.1	64	14.5	1.99	10.9	18.9
2006	242	15.3	1.00	13.4	17.3	68	16.0	2.08	12.2	20.5
2007	237	14.4	0.96	12.6	16.4	71	14.6	1.88	11.1	18.7
2008	249	15.0	0.97	13.1	17.0	64	11.8	1.58	8.9	15.3
2009	237	13.7	0.91	11.9	15.5	55	10.2	1.49	7.5	13.6
2010	234	13.6	0.91	11.8	15.4	70	12.8	1.64	9.8	16.4
2011	274	15.0	0.93	13.3	17.0	67	11.7	1.52	8.9	15.0
2012	246	13.4	0.87	11.7	15.2	75	11.4	1.38	8.9	14.5
2013	257	13.5	0.86	11.9	15.3	76	10.3	1.23	8.0	13.0
2014	230	12.3	0.83	10.7	14.0	72	10.2	1.25	7.9	12.9
2015	241	12.5	0.83	11.0	14.3	77	10.0	1.18	7.8	12.5
2016	275	14.1	0.87	12.5	15.9	91	11.4	1.22	9.2	14.1
2017	262	13.2	0.84	11.6	14.9	92	10.9	1.16	8.8	13.5
2018	236	11.9	0.79	10.4	13.6	73	8.5	1.01	6.6	10.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Rectum and Rectosigmoid Junction											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	34,577	19.2	0.10	19.0	19.4	29,776	19.3	0.11	19.1	19.5	
1986	951	21.8	0.74	20.4	23.3	868	22.4	0.79	20.9	24.0	
1987	1,013	22.8	0.74	21.3	24.3	920	23.3	0.79	21.7	24.9	
1988	1,013	23.1	0.75	21.6	24.6	919	23.7	0.81	22.1	25.3	
1989	927	21.0	0.72	19.6	22.5	836	21.3	0.76	19.8	22.8	
1990	969	21.8	0.72	20.4	23.2	880	22.3	0.77	20.8	23.8	
1991	1,007	22.2	0.72	20.8	23.7	905	22.6	0.77	21.1	24.2	
1992	1,001	21.6	0.70	20.3	23.0	916	22.4	0.76	21.0	24.0	
1993	987	21.2	0.69	19.8	22.6	872	21.2	0.74	19.8	22.7	
1994	922	19.2	0.65	18.0	20.5	828	19.7	0.70	18.4	21.1	
1995	991	20.9	0.68	19.6	22.3	891	21.5	0.73	20.1	23.0	
1996	998	20.6	0.66	19.3	21.9	894	21.2	0.72	19.8	22.7	
1997	1,081	22.2	0.68	20.8	23.5	955	22.5	0.74	21.1	24.0	
1998	1,097	22.3	0.68	21.0	23.7	983	23.0	0.74	21.5	24.5	
1999	1,106	22.1	0.67	20.8	23.4	974	22.5	0.73	21.1	23.9	
2000	1,106	21.6	0.66	20.3	22.9	966	21.9	0.71	20.5	23.3	
2001	1,047	20.4	0.64	19.1	21.6	924	20.8	0.69	19.5	22.2	
2002	1,156	22.0	0.66	20.8	23.3	1,015	22.5	0.71	21.1	23.9	
2003	1,046	19.6	0.62	18.4	20.9	893	19.7	0.66	18.4	21.0	
2004	1,134	20.8	0.63	19.6	22.1	948	20.4	0.67	19.1	21.8	
2005	1,104	19.9	0.61	18.8	21.2	920	19.5	0.65	18.3	20.9	
2006	1,080	19.0	0.59	17.9	20.2	903	18.7	0.63	17.5	20.0	
2007	1,052	18.3	0.58	17.2	19.5	887	18.3	0.62	17.1	19.5	
2008	1,124	19.1	0.58	18.0	20.3	942	19.0	0.63	17.8	20.3	
2009	1,033	17.0	0.54	16.0	18.1	849	16.7	0.58	15.6	17.9	
2010	1,088	17.6	0.55	16.6	18.7	922	17.7	0.59	16.5	18.9	
2011	1,065	16.9	0.53	15.9	17.9	867	16.5	0.57	15.4	17.7	
2012	1,062	16.4	0.52	15.4	17.4	872	16.1	0.56	15.1	17.3	
2013	1,051	15.9	0.50	15.0	17.0	855	15.6	0.55	14.6	16.7	
2014	1,034	15.4	0.49	14.4	16.4	850	15.2	0.53	14.2	16.3	
2015	1,108	16.3	0.50	15.4	17.3	907	16.2	0.55	15.1	17.3	
2016	1,065	15.4	0.48	14.4	16.3	864	15.1	0.53	14.0	16.1	
2017	1,089	15.6	0.49	14.7	16.6	872	15.2	0.53	14.2	16.3	
2018	1,070	15.3	0.48	14.4	16.3	879	15.3	0.53	14.3	16.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Rectum and Rectosigmoid Junction										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,631	17.8	0.31	17.2	18.4	923	14.8	0.53	13.8	15.9
1986	73	15.9	1.99	12.3	20.3	10	12.4	4.04	5.8	23.9
1987	81	17.7	2.05	13.9	22.1	12	24.3	8.28	10.9	44.7
1988	79	16.8	2.03	13.1	21.2	14	23.5	6.68	12.3	40.0
1989	80	17.9	2.16	13.9	22.6	8	16.8	6.77	6.3	33.9
1990	79	17.6	2.13	13.7	22.2	9	15.2	5.88	6.0	30.3
1991	85	18.9	2.19	14.8	23.6	11	14.7	4.86	6.8	27.1
1992	71	15.1	1.93	11.6	19.3	13	12.9	3.96	6.3	23.1
1993	95	20.2	2.25	16.1	25.0	16	18.3	5.10	9.7	30.7
1994	82	16.3	1.90	12.8	20.4	8	5.8	2.10	2.5	12.1
1995	82	16.6	1.95	13.0	20.8	15	12.4	3.62	6.4	21.6
1996	77	13.8	1.64	10.8	17.4	24	18.8	4.33	11.3	29.2
1997	100	19.1	2.04	15.4	23.5	23	22.6	5.73	12.8	36.0
1998	91	17.2	1.90	13.6	21.3	19	16.0	4.47	8.5	26.8
1999	105	19.3	1.98	15.6	23.5	21	15.8	4.43	8.4	26.4
2000	110	18.7	1.86	15.2	22.7	19	12.5	3.12	7.1	20.1
2001	95	16.2	1.75	12.9	19.9	23	16.7	4.03	9.8	26.2
2002	109	19.4	1.99	15.7	23.7	24	16.7	3.84	10.0	25.7
2003	121	19.1	1.82	15.7	23.0	24	14.9	3.39	9.0	22.9
2004	146	23.4	2.04	19.6	27.7	31	17.9	3.70	11.4	26.4
2005	131	20.3	1.86	16.8	24.2	44	22.7	3.97	15.6	31.6
2006	132	20.1	1.84	16.7	24.0	34	18.4	3.46	12.2	26.3
2007	114	16.8	1.66	13.7	20.4	44	20.4	3.53	14.1	28.4
2008	127	18.6	1.74	15.3	22.3	42	17.3	3.02	11.9	24.2
2009	149	20.6	1.79	17.2	24.4	29	10.5	2.12	6.8	15.6
2010	125	17.7	1.66	14.6	21.2	35	14.6	2.71	9.8	20.8
2011	149	19.2	1.65	16.1	22.7	40	14.6	2.55	10.0	20.4
2012	134	17.3	1.57	14.4	20.7	45	14.9	2.38	10.6	20.3
2013	139	17.4	1.55	14.5	20.7	44	12.2	1.90	8.8	16.6
2014	125	15.7	1.47	12.9	18.8	46	14.4	2.29	10.2	19.5
2015	135	17.1	1.55	14.2	20.4	45	12.8	2.00	9.1	17.3
2016	143	17.5	1.53	14.6	20.7	48	12.9	1.93	9.4	17.3
2017	147	18.0	1.54	15.1	21.2	54	14.4	2.02	10.7	18.9
2018	120	14.2	1.35	11.7	17.1	49	12.3	1.81	9.0	16.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Rectum and Rectosigmoid Junction											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	26,404	11.3	0.07	11.2	11.5	22,359	11.3	0.08	11.2	11.5	
1986	837	13.4	0.47	12.5	14.3	761	13.6	0.50	12.7	14.6	
1987	838	13.5	0.47	12.6	14.4	747	13.5	0.50	12.6	14.6	
1988	783	12.4	0.45	11.5	13.3	699	12.4	0.48	11.5	13.4	
1989	798	12.7	0.46	11.8	13.6	712	12.8	0.49	11.9	13.8	
1990	806	12.6	0.45	11.8	13.6	728	12.9	0.49	12.0	13.9	
1991	844	13.1	0.46	12.2	14.0	738	13.0	0.49	12.0	14.0	
1992	814	12.5	0.44	11.6	13.4	732	12.7	0.48	11.8	13.7	
1993	796	12.0	0.43	11.2	12.9	697	12.1	0.46	11.2	13.0	
1994	797	12.0	0.43	11.2	12.9	706	12.1	0.46	11.2	13.1	
1995	840	12.6	0.44	11.7	13.5	742	12.8	0.48	11.9	13.7	
1996	805	11.9	0.42	11.1	12.8	700	11.9	0.46	11.0	12.8	
1997	833	12.3	0.43	11.5	13.2	710	12.1	0.46	11.2	13.0	
1998	853	12.6	0.43	11.8	13.5	744	12.8	0.47	11.9	13.7	
1999	806	11.8	0.42	11.0	12.6	717	12.2	0.46	11.3	13.1	
2000	804	11.6	0.41	10.9	12.5	699	11.8	0.45	10.9	12.7	
2001	794	11.5	0.41	10.7	12.3	675	11.5	0.45	10.6	12.4	
2002	863	12.4	0.42	11.5	13.2	729	12.2	0.46	11.3	13.2	
2003	813	11.6	0.41	10.8	12.4	676	11.3	0.44	10.5	12.2	
2004	828	11.7	0.41	10.9	12.6	708	11.9	0.45	11.0	12.8	
2005	842	11.8	0.41	11.0	12.7	709	11.8	0.45	11.0	12.8	
2006	854	11.9	0.41	11.1	12.7	705	11.7	0.45	10.9	12.6	
2007	791	10.9	0.39	10.2	11.7	637	10.6	0.43	9.8	11.4	
2008	819	11.1	0.39	10.3	11.9	671	10.9	0.43	10.1	11.8	
2009	727	9.9	0.37	9.2	10.6	605	9.9	0.41	9.1	10.7	
2010	776	10.3	0.38	9.6	11.0	625	10.1	0.41	9.3	10.9	
2011	754	9.8	0.36	9.1	10.5	597	9.4	0.39	8.7	10.2	
2012	721	9.3	0.35	8.7	10.1	572	9.1	0.39	8.3	9.9	
2013	759	9.7	0.36	9.0	10.4	605	9.5	0.40	8.7	10.3	
2014	767	9.8	0.36	9.1	10.5	625	9.7	0.40	9.0	10.5	
2015	717	9.2	0.35	8.5	9.9	569	8.9	0.39	8.2	9.7	
2016	813	10.4	0.37	9.7	11.1	624	9.9	0.41	9.1	10.7	
2017	738	9.3	0.35	8.6	10.0	578	9.1	0.39	8.4	9.9	
2018	774	9.7	0.36	9.0	10.4	617	9.6	0.40	8.9	10.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Rectum and Rectosigmoid Junction										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,226	11.2	0.20	10.8	11.6	647	8.7	0.36	8.0	9.4
1986	70	11.4	1.38	8.8	14.4	5	7.8	4.25	1.8	19.6
1987	83	12.8	1.43	10.2	15.9	7	9.2	3.57	3.6	19.0
1988	68	10.3	1.27	7.9	13.0	10	14.7	5.32	6.2	28.1
1989	75	11.2	1.32	8.8	14.1	9	10.0	3.67	4.1	19.7
1990	70	10.7	1.29	8.3	13.5	7	7.8	3.09	3.0	16.3
1991	89	12.7	1.38	10.2	15.7	14	13.3	3.72	7.0	22.7
1992	72	10.2	1.22	7.9	12.8	7	6.8	3.03	2.2	15.0
1993	85	12.4	1.36	9.9	15.3	13	9.9	2.96	5.0	17.5
1994	77	10.4	1.19	8.2	13.0	10	8.9	3.04	3.9	16.6
1995	79	10.3	1.17	8.1	12.8	18	15.4	4.03	8.6	25.1
1996	91	12.3	1.30	9.9	15.1	13	9.5	2.75	4.9	16.4
1997	109	14.3	1.38	11.7	17.3	12	6.4	1.93	3.2	11.5
1998	92	11.5	1.21	9.3	14.1	10	6.6	2.27	2.9	12.4
1999	77	9.4	1.07	7.4	11.7	11	7.8	2.57	3.6	14.2
2000	83	9.9	1.09	7.9	12.3	16	9.9	2.70	5.4	16.5
2001	103	12.3	1.23	10.1	15.0	13	7.9	2.28	4.1	13.5
2002	109	12.8	1.24	10.5	15.5	17	8.7	2.18	4.9	14.0
2003	108	12.5	1.21	10.2	15.1	22	10.6	2.41	6.4	16.4
2004	99	10.9	1.11	8.9	13.3	17	7.5	1.88	4.2	12.1
2005	106	11.5	1.13	9.4	14.0	20	8.4	1.98	4.9	13.1
2006	110	11.9	1.14	9.7	14.3	34	14.1	2.54	9.5	19.9
2007	123	12.8	1.17	10.6	15.3	27	10.2	2.07	6.5	15.0
2008	122	12.5	1.15	10.4	15.0	22	7.4	1.65	4.5	11.4
2009	88	9.0	0.97	7.2	11.1	26	9.5	1.97	6.0	14.1
2010	109	10.7	1.04	8.8	13.0	35	11.2	2.00	7.6	15.8
2011	125	12.0	1.09	10.0	14.3	27	9.1	1.82	5.9	13.3
2012	112	10.6	1.01	8.7	12.8	30	8.5	1.62	5.6	12.3
2013	118	10.8	1.01	8.9	12.9	32	8.4	1.53	5.6	11.9
2014	105	10.0	0.99	8.1	12.1	26	6.9	1.38	4.4	10.2
2015	106	9.7	0.96	7.9	11.8	32	7.6	1.39	5.1	10.9
2016	132	11.9	1.05	9.9	14.1	43	10.4	1.61	7.5	14.0
2017	115	10.0	0.95	8.2	12.1	38	8.2	1.35	5.8	11.3
2018	116	10.3	0.98	8.5	12.4	24	5.3	1.09	3.4	7.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Anus, Anal Canal and Anorectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,016	1.5	0.02	1.4	1.5	5,020	1.4	0.02	1.4	1.5
1986	97	0.9	0.09	0.7	1.1	81	0.9	0.10	0.7	1.1
1987	111	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1988	107	1.0	0.10	0.8	1.2	88	0.9	0.10	0.8	1.2
1989	115	1.1	0.10	0.9	1.3	102	1.1	0.11	0.9	1.3
1990	117	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2
1991	106	1.0	0.09	0.8	1.2	92	1.0	0.10	0.8	1.2
1992	113	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2
1993	104	0.9	0.09	0.8	1.1	96	1.0	0.10	0.8	1.2
1994	107	1.0	0.09	0.8	1.2	91	0.9	0.10	0.8	1.2
1995	124	1.1	0.10	0.9	1.3	104	1.1	0.10	0.9	1.3
1996	116	1.0	0.09	0.8	1.2	101	1.0	0.10	0.8	1.2
1997	125	1.1	0.10	0.9	1.3	107	1.1	0.11	0.9	1.3
1998	139	1.2	0.10	1.0	1.4	115	1.1	0.11	0.9	1.4
1999	152	1.3	0.10	1.1	1.5	131	1.3	0.11	1.1	1.5
2000	171	1.4	0.11	1.2	1.7	141	1.4	0.12	1.2	1.6
2001	173	1.4	0.11	1.2	1.7	138	1.3	0.11	1.1	1.6
2002	156	1.3	0.10	1.1	1.5	129	1.3	0.11	1.1	1.5
2003	196	1.6	0.11	1.4	1.8	162	1.6	0.12	1.3	1.8
2004	232	1.8	0.12	1.6	2.1	196	1.9	0.13	1.6	2.1
2005	175	1.4	0.10	1.2	1.6	143	1.3	0.11	1.1	1.6
2006	180	1.4	0.11	1.2	1.6	143	1.3	0.11	1.1	1.6
2007	223	1.7	0.11	1.5	1.9	187	1.7	0.13	1.5	2.0
2008	206	1.5	0.11	1.3	1.8	162	1.5	0.12	1.2	1.7
2009	244	1.8	0.12	1.6	2.1	205	1.8	0.13	1.6	2.1
2010	232	1.7	0.11	1.5	1.9	183	1.6	0.12	1.4	1.9
2011	226	1.6	0.11	1.4	1.9	179	1.6	0.12	1.3	1.8
2012	246	1.7	0.11	1.5	2.0	207	1.7	0.12	1.5	2.0
2013	275	1.9	0.12	1.7	2.2	238	2.0	0.13	1.8	2.3
2014	300	2.0	0.12	1.8	2.3	250	2.1	0.13	1.8	2.3
2015	257	1.7	0.11	1.5	1.9	217	1.7	0.12	1.5	2.0
2016	308	2.0	0.12	1.8	2.3	262	2.1	0.13	1.9	2.4
2017	292	1.9	0.11	1.7	2.1	238	1.9	0.13	1.7	2.2
2018	291	1.9	0.11	1.7	2.1	245	1.9	0.13	1.7	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Anus, Anal Canal and Anorectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	916	1.8	0.06	1.7	1.9	47	0.3	0.05	0.2	0.5
1986	16	1.4	0.36	0.8	2.3	0				
1987	13	1.1	0.33	0.6	2.0	0				
1988	18	1.7	0.40	1.0	2.6	1	0.4	0.36	0.0	3.0
1989	12	1.0	0.29	0.5	1.7	1	0.5	0.46	0.0	3.1
1990	24	2.1	0.43	1.3	3.1	0				
1991	14	1.0	0.28	0.6	1.8	0				
1992	17	1.3	0.32	0.7	2.1	0				
1993	7	0.6	0.22	0.2	1.2	0				
1994	14	1.1	0.31	0.6	1.9	2	1.2	0.88	0.1	4.1
1995	20	1.4	0.31	0.8	2.1	0				
1996	15	1.2	0.32	0.7	2.0	0				
1997	16	1.2	0.30	0.7	1.9	2	0.5	0.36	0.1	2.1
1998	23	1.6	0.33	1.0	2.3	0				
1999	19	1.3	0.30	0.8	2.0	2	0.8	0.64	0.1	2.9
2000	28	1.9	0.36	1.2	2.7	0				
2001	35	2.4	0.41	1.6	3.3	0				
2002	24	1.5	0.30	0.9	2.2	1	0.5	0.46	0.0	2.1
2003	32	2.0	0.36	1.4	2.8	1	0.2	0.18	0.0	1.2
2004	29	1.9	0.36	1.3	2.7	5	1.6	0.78	0.5	3.8
2005	28	1.6	0.31	1.1	2.3	1	0.2	0.17	0.0	1.1
2006	34	2.0	0.35	1.4	2.8	2	0.4	0.26	0.0	1.4
2007	34	1.9	0.34	1.3	2.7	1	0.2	0.17	0.0	1.0
2008	41	2.5	0.39	1.7	3.3	2	0.4	0.28	0.0	1.4
2009	34	2.0	0.35	1.4	2.8	3	0.5	0.27	0.1	1.4
2010	48	2.8	0.41	2.0	3.7	1	0.1	0.12	0.0	0.8
2011	40	2.3	0.36	1.6	3.1	5	0.6	0.28	0.2	1.5
2012	33	1.8	0.32	1.3	2.6	4	0.6	0.28	0.2	1.5
2013	34	1.9	0.32	1.3	2.6	0				
2014	48	2.5	0.37	1.8	3.3	1	0.2	0.20	0.0	1.0
2015	35	1.8	0.31	1.2	2.5	2	0.2	0.16	0.0	0.9
2016	41	2.1	0.34	1.5	2.9	4	0.5	0.24	0.1	1.3
2017	49	2.5	0.37	1.9	3.4	4	0.5	0.26	0.1	1.3
2018	41	2.2	0.34	1.5	3.0	2	0.2	0.13	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Anus, Anal Canal and Anorectum											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	2,306	1.3	0.03	1.2	1.3	1,832	1.2	0.03	1.1	1.2	
1986	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1	
1987	39	0.9	0.15	0.7	1.3	34	0.9	0.16	0.6	1.3	
1988	38	0.8	0.13	0.6	1.1	31	0.8	0.14	0.5	1.1	
1989	48	1.0	0.15	0.8	1.4	45	1.1	0.17	0.8	1.5	
1990	52	1.2	0.17	0.9	1.5	41	1.0	0.17	0.7	1.4	
1991	33	0.7	0.12	0.5	0.9	27	0.6	0.12	0.4	0.9	
1992	44	0.9	0.14	0.6	1.2	36	0.8	0.14	0.6	1.2	
1993	32	0.7	0.12	0.5	0.9	29	0.7	0.13	0.5	1.0	
1994	25	0.5	0.11	0.3	0.8	23	0.6	0.12	0.4	0.9	
1995	45	0.9	0.13	0.6	1.2	34	0.8	0.13	0.5	1.1	
1996	45	0.9	0.14	0.7	1.2	41	1.0	0.15	0.7	1.3	
1997	44	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.1	
1998	54	1.0	0.14	0.8	1.3	40	0.9	0.14	0.6	1.2	
1999	58	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5	
2000	66	1.2	0.15	1.0	1.6	54	1.2	0.17	0.9	1.6	
2001	71	1.3	0.15	1.0	1.6	55	1.2	0.16	0.9	1.6	
2002	64	1.1	0.14	0.9	1.5	50	1.1	0.15	0.8	1.4	
2003	87	1.5	0.17	1.2	1.9	66	1.4	0.17	1.1	1.8	
2004	101	1.8	0.18	1.5	2.2	80	1.7	0.19	1.3	2.1	
2005	76	1.3	0.15	1.0	1.6	55	1.1	0.15	0.9	1.5	
2006	80	1.4	0.16	1.1	1.7	56	1.2	0.16	0.9	1.5	
2007	79	1.4	0.16	1.1	1.7	65	1.4	0.17	1.0	1.7	
2008	86	1.4	0.16	1.1	1.8	63	1.3	0.16	1.0	1.6	
2009	88	1.5	0.16	1.2	1.8	71	1.4	0.17	1.1	1.8	
2010	94	1.5	0.16	1.2	1.9	64	1.2	0.15	0.9	1.5	
2011	76	1.3	0.15	1.0	1.6	55	1.1	0.15	0.8	1.4	
2012	101	1.5	0.16	1.3	1.9	81	1.5	0.17	1.2	1.9	
2013	106	1.7	0.17	1.4	2.1	88	1.7	0.18	1.4	2.1	
2014	122	1.8	0.17	1.5	2.2	99	1.8	0.18	1.4	2.2	
2015	100	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8	
2016	105	1.5	0.15	1.2	1.8	83	1.4	0.16	1.1	1.8	
2017	111	1.6	0.16	1.3	2.0	82	1.4	0.16	1.1	1.8	
2018	102	1.5	0.15	1.2	1.8	80	1.4	0.16	1.1	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Anus, Anal Canal and Anorectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	433	1.9	0.10	1.8	2.1	22	0.4	0.08	0.2	0.6
1986	2	0.5	0.36	0.1	1.7	0				
1987	5	1.0	0.51	0.3	2.5	0				
1988	6	1.3	0.57	0.5	2.9	1	0.7	0.74	0.0	6.9
1989	2	0.4	0.26	0.0	1.4	1	0.9	0.91	0.0	6.9
1990	11	2.3	0.76	1.1	4.2	0				
1991	6	0.9	0.39	0.3	2.1	0				
1992	8	1.3	0.46	0.6	2.6	0				
1993	2	0.5	0.39	0.1	1.7	0				
1994	1	0.2	0.15	0.0	0.9	1	1.2	1.18	0.0	6.3
1995	11	1.5	0.47	0.8	2.8	0				
1996	4	0.7	0.33	0.2	1.7	0				
1997	7	1.1	0.40	0.4	2.2	0				
1998	13	1.8	0.52	1.0	3.2	0				
1999	7	1.0	0.38	0.4	2.1	1	0.4	0.44	0.0	3.6
2000	11	1.6	0.48	0.8	2.8	0				
2001	16	2.3	0.59	1.3	3.8	0				
2002	13	1.7	0.46	0.9	2.9	0				
2003	19	2.6	0.60	1.5	4.1	1	0.4	0.38	0.0	2.8
2004	17	2.8	0.72	1.5	4.5	3	2.7	1.72	0.4	7.6
2005	19	2.4	0.54	1.4	3.7	0				
2006	22	3.0	0.66	1.9	4.6	1	0.4	0.37	0.0	2.4
2007	12	1.6	0.46	0.8	2.8	1	0.4	0.35	0.0	2.3
2008	23	3.3	0.73	2.0	5.0	0				
2009	14	2.0	0.57	1.1	3.5	1	0.3	0.32	0.0	2.1
2010	30	4.3	0.84	2.9	6.3	0				
2011	18	2.4	0.57	1.4	3.8	2	0.6	0.39	0.1	2.3
2012	16	1.9	0.47	1.1	3.1	3	0.8	0.47	0.2	2.6
2013	15	2.0	0.52	1.1	3.3	0				
2014	22	2.4	0.53	1.5	3.7	1	0.4	0.44	0.0	2.1
2015	14	1.5	0.40	0.8	2.5	1	0.2	0.22	0.0	1.5
2016	21	2.5	0.56	1.5	3.8	1	0.3	0.27	0.0	1.6
2017	26	3.3	0.67	2.1	4.9	3	1.0	0.61	0.2	2.9
2018	20	2.3	0.53	1.4	3.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Anus, Anal Canal and Anorectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,710	1.6	0.03	1.6	1.7	3,188	1.7	0.03	1.6	1.7
1986	63	1.0	0.13	0.8	1.3	49	0.9	0.13	0.7	1.2
1987	72	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5
1988	69	1.2	0.14	0.9	1.5	57	1.1	0.14	0.8	1.4
1989	67	1.1	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5
1990	65	1.1	0.14	0.9	1.4	52	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.5
1992	69	1.1	0.13	0.8	1.4	60	1.1	0.14	0.8	1.4
1993	72	1.1	0.13	0.9	1.4	67	1.2	0.15	0.9	1.5
1994	82	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6
1995	79	1.3	0.14	1.0	1.6	70	1.3	0.16	1.0	1.7
1996	71	1.1	0.13	0.9	1.4	60	1.1	0.14	0.8	1.4
1997	81	1.3	0.14	1.0	1.6	70	1.3	0.15	1.0	1.6
1998	85	1.3	0.14	1.0	1.6	75	1.3	0.16	1.1	1.7
1999	94	1.4	0.15	1.2	1.7	81	1.5	0.16	1.2	1.8
2000	105	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
2001	102	1.5	0.15	1.2	1.8	83	1.5	0.16	1.2	1.8
2002	92	1.4	0.14	1.1	1.7	79	1.4	0.16	1.1	1.8
2003	109	1.6	0.15	1.3	1.9	96	1.7	0.17	1.4	2.0
2004	131	1.9	0.17	1.6	2.2	116	2.0	0.19	1.7	2.4
2005	99	1.4	0.14	1.1	1.7	88	1.5	0.16	1.2	1.8
2006	100	1.4	0.14	1.2	1.7	87	1.5	0.16	1.2	1.9
2007	144	2.0	0.17	1.7	2.4	122	2.1	0.19	1.7	2.5
2008	120	1.6	0.15	1.4	2.0	99	1.7	0.17	1.3	2.0
2009	156	2.1	0.17	1.8	2.4	134	2.2	0.19	1.8	2.6
2010	138	1.9	0.16	1.6	2.2	119	2.0	0.18	1.6	2.4
2011	150	2.0	0.16	1.7	2.3	124	2.0	0.18	1.7	2.4
2012	145	1.9	0.16	1.6	2.2	126	2.0	0.18	1.6	2.4
2013	169	2.2	0.17	1.9	2.5	150	2.4	0.20	2.0	2.8
2014	178	2.2	0.17	1.9	2.6	151	2.3	0.19	2.0	2.7
2015	157	1.9	0.16	1.6	2.3	132	2.0	0.18	1.6	2.4
2016	203	2.5	0.18	2.2	2.9	179	2.7	0.21	2.3	3.2
2017	181	2.2	0.16	1.8	2.5	156	2.3	0.19	2.0	2.7
2018	189	2.3	0.17	1.9	2.6	165	2.4	0.20	2.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Anus, Anal Canal and Anorectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	483	1.7	0.08	1.5	1.8	25	0.3	0.07	0.2	0.5
1986	14	2.1	0.57	1.1	3.5	0				
1987	8	1.2	0.44	0.5	2.4	0				
1988	12	1.9	0.55	1.0	3.3	0				
1989	10	1.4	0.46	0.7	2.6	0				
1990	13	2.0	0.54	1.0	3.3	0				
1991	8	1.1	0.39	0.5	2.1	0				
1992	9	1.2	0.41	0.6	2.3	0				
1993	5	0.7	0.30	0.2	1.5	0				
1994	13	1.8	0.49	0.9	3.0	1	1.2	1.23	0.0	5.7
1995	9	1.2	0.40	0.5	2.3	0				
1996	11	1.5	0.47	0.8	2.7	0				
1997	9	1.2	0.39	0.5	2.2	2	1.0	0.71	0.1	4.0
1998	10	1.2	0.40	0.6	2.3	0				
1999	12	1.4	0.41	0.7	2.5	1	1.0	0.98	0.0	4.4
2000	17	2.0	0.49	1.2	3.2	0				
2001	19	2.3	0.53	1.4	3.5	0				
2002	11	1.2	0.38	0.6	2.2	1	0.8	0.75	0.0	3.5
2003	13	1.5	0.41	0.8	2.5	0				
2004	12	1.3	0.38	0.7	2.3	2	1.0	0.74	0.1	3.5
2005	9	1.0	0.32	0.4	1.8	1	0.3	0.32	0.0	2.0
2006	12	1.2	0.35	0.6	2.1	1	0.4	0.37	0.0	2.1
2007	22	2.2	0.47	1.4	3.3	0				
2008	18	1.9	0.45	1.1	3.0	2	0.7	0.51	0.1	2.6
2009	20	2.0	0.46	1.2	3.1	2	0.6	0.42	0.1	2.2
2010	18	1.7	0.41	1.0	2.7	1	0.2	0.23	0.0	1.6
2011	22	2.1	0.45	1.3	3.2	3	0.7	0.40	0.1	2.2
2012	17	1.7	0.42	1.0	2.7	1	0.3	0.33	0.0	1.7
2013	19	1.8	0.42	1.1	2.8	0				
2014	26	2.4	0.49	1.6	3.6	0				
2015	21	1.9	0.42	1.2	2.9	1	0.3	0.25	0.0	1.4
2016	20	1.9	0.42	1.1	2.9	3	0.7	0.39	0.1	2.0
2017	23	2.0	0.42	1.2	3.0	1	0.2	0.17	0.0	1.2
2018	21	2.0	0.44	1.2	3.0	2	0.3	0.24	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Liver										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	20,182	4.8	0.03	4.8	4.9	15,200	4.3	0.03	4.2	4.4
1986	243	2.3	0.15	2.0	2.6	183	2.0	0.15	1.7	2.3
1987	230	2.2	0.14	1.9	2.5	177	1.9	0.14	1.6	2.2
1988	260	2.4	0.15	2.1	2.7	205	2.1	0.15	1.8	2.4
1989	262	2.4	0.15	2.1	2.7	191	2.0	0.15	1.7	2.3
1990	253	2.3	0.15	2.0	2.6	195	2.0	0.15	1.7	2.3
1991	257	2.3	0.15	2.1	2.6	196	2.0	0.15	1.8	2.3
1992	263	2.4	0.15	2.1	2.7	211	2.1	0.15	1.9	2.5
1993	320	2.8	0.16	2.5	3.1	240	2.4	0.16	2.1	2.8
1994	421	3.7	0.18	3.3	4.1	324	3.2	0.18	2.9	3.6
1995	438	3.8	0.18	3.5	4.2	325	3.3	0.18	2.9	3.6
1996	461	4.0	0.19	3.6	4.4	329	3.3	0.18	2.9	3.7
1997	464	4.0	0.19	3.6	4.4	349	3.5	0.19	3.1	3.9
1998	497	4.2	0.19	3.9	4.6	382	3.8	0.19	3.4	4.2
1999	538	4.5	0.20	4.2	4.9	401	3.9	0.20	3.6	4.3
2000	551	4.6	0.20	4.2	5.0	408	4.0	0.20	3.6	4.4
2001	553	4.6	0.19	4.2	5.0	426	4.1	0.20	3.7	4.5
2002	592	4.9	0.20	4.5	5.3	444	4.3	0.20	3.9	4.7
2003	577	4.7	0.19	4.3	5.1	445	4.2	0.20	3.9	4.7
2004	640	5.1	0.20	4.7	5.5	491	4.7	0.21	4.3	5.1
2005	692	5.4	0.21	5.0	5.9	531	5.0	0.22	4.6	5.4
2006	688	5.3	0.20	4.9	5.7	518	4.8	0.21	4.4	5.2
2007	751	5.7	0.21	5.3	6.1	548	5.0	0.21	4.6	5.4
2008	743	5.5	0.20	5.1	5.9	543	4.8	0.21	4.4	5.3
2009	852	6.2	0.22	5.8	6.6	662	5.8	0.23	5.4	6.3
2010	889	6.4	0.22	6.0	6.8	680	5.9	0.23	5.5	6.4
2011	852	5.9	0.21	5.5	6.4	629	5.3	0.22	4.9	5.8
2012	905	6.1	0.21	5.7	6.5	690	5.6	0.22	5.2	6.1
2013	908	6.1	0.21	5.7	6.5	673	5.5	0.22	5.1	6.0
2014	1,005	6.5	0.21	6.1	7.0	740	5.9	0.22	5.5	6.4
2015	1,041	6.7	0.21	6.3	7.2	775	6.1	0.22	5.7	6.6
2016	1,031	6.5	0.21	6.1	6.9	759	5.9	0.22	5.5	6.3
2017	1,003	6.3	0.20	5.9	6.7	756	5.8	0.22	5.4	6.3
2018	1,002	6.2	0.20	5.8	6.6	774	5.9	0.22	5.5	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Liver										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,706	7.2	0.12	7.0	7.5	1,207	8.9	0.27	8.4	9.5
1986	46	3.9	0.59	2.8	5.2	14	7.6	2.07	4.1	13.2
1987	40	3.7	0.61	2.6	5.1	13	6.6	1.89	3.4	11.7
1988	47	4.4	0.66	3.2	5.8	8	4.7	1.71	2.0	9.5
1989	56	4.7	0.65	3.5	6.2	14	7.4	2.08	3.9	12.8
1990	40	3.3	0.55	2.4	4.6	18	9.0	2.31	5.1	14.8
1991	46	3.5	0.53	2.5	4.7	14	7.6	2.22	3.9	13.1
1992	34	2.7	0.48	1.9	3.8	16	7.4	1.95	4.0	12.2
1993	58	4.6	0.62	3.5	6.0	22	10.9	2.59	6.4	17.0
1994	79	6.6	0.76	5.2	8.2	17	6.8	1.75	3.8	11.2
1995	92	7.4	0.79	5.9	9.1	21	10.3	2.48	6.0	16.1
1996	100	7.7	0.79	6.2	9.4	31	13.5	2.75	8.6	19.8
1997	90	6.9	0.74	5.5	8.5	25	9.7	2.19	5.9	14.8
1998	88	6.5	0.71	5.2	8.1	25	8.3	1.81	5.2	12.6
1999	100	7.2	0.73	5.9	8.8	35	11.0	2.13	7.2	15.9
2000	107	7.5	0.74	6.1	9.1	35	12.5	2.25	8.5	17.6
2001	93	6.3	0.66	5.0	7.7	34	10.6	1.99	7.1	15.2
2002	107	7.3	0.72	6.0	8.9	39	12.1	2.08	8.3	16.7
2003	98	6.5	0.67	5.3	8.0	34	9.0	1.64	6.1	12.7
2004	111	7.3	0.71	6.0	8.8	37	8.9	1.55	6.1	12.4
2005	130	8.0	0.71	6.7	9.5	29	7.2	1.43	4.6	10.5
2006	130	7.8	0.69	6.5	9.2	39	7.7	1.29	5.4	10.7
2007	151	8.9	0.74	7.5	10.5	51	10.7	1.62	7.8	14.3
2008	146	8.3	0.70	7.0	9.8	52	10.3	1.52	7.5	13.7
2009	137	7.5	0.65	6.3	8.9	51	10.2	1.54	7.4	13.6
2010	158	8.7	0.71	7.4	10.2	48	8.3	1.26	6.0	11.1
2011	171	8.9	0.70	7.6	10.4	47	7.2	1.10	5.3	9.7
2012	155	8.0	0.65	6.7	9.4	55	9.1	1.31	6.8	12.1
2013	184	9.1	0.69	7.8	10.6	48	7.2	1.10	5.2	9.7
2014	187	9.0	0.67	7.7	10.4	72	10.5	1.28	8.1	13.3
2015	188	9.0	0.67	7.7	10.4	72	9.9	1.22	7.7	12.6
2016	191	9.0	0.66	7.7	10.4	77	9.5	1.12	7.5	12.0
2017	178	8.1	0.62	6.9	9.5	65	7.6	0.96	5.8	9.7
2018	168	7.7	0.61	6.5	9.0	49	5.7	0.83	4.2	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Liver											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	14,252	7.7	0.07	7.5	7.8	10,721	6.8	0.07	6.7	6.9	
1986	154	3.5	0.30	3.0	4.2	106	2.8	0.29	2.3	3.4	
1987	153	3.4	0.29	2.9	4.1	113	2.9	0.28	2.4	3.5	
1988	165	3.6	0.29	3.1	4.2	134	3.3	0.30	2.8	4.0	
1989	173	3.9	0.30	3.3	4.5	128	3.3	0.30	2.7	3.9	
1990	175	3.7	0.29	3.2	4.3	130	3.1	0.28	2.6	3.7	
1991	158	3.3	0.27	2.8	3.9	117	2.8	0.27	2.3	3.4	
1992	176	3.8	0.30	3.3	4.5	138	3.4	0.30	2.9	4.1	
1993	211	4.4	0.31	3.8	5.0	162	3.9	0.31	3.3	4.6	
1994	280	5.9	0.36	5.2	6.6	213	5.1	0.35	4.4	5.8	
1995	297	6.1	0.36	5.4	6.9	222	5.2	0.35	4.5	6.0	
1996	307	6.2	0.36	5.5	6.9	208	4.8	0.34	4.2	5.6	
1997	308	6.2	0.36	5.6	7.0	230	5.4	0.36	4.7	6.2	
1998	344	6.8	0.37	6.1	7.5	268	6.1	0.38	5.4	6.9	
1999	348	6.7	0.36	6.0	7.5	253	5.7	0.36	5.0	6.5	
2000	368	7.0	0.37	6.3	7.8	278	6.2	0.37	5.5	7.0	
2001	378	7.2	0.38	6.5	8.0	292	6.5	0.39	5.8	7.3	
2002	409	7.6	0.38	6.9	8.4	312	6.8	0.39	6.1	7.6	
2003	408	7.4	0.37	6.7	8.2	318	6.8	0.39	6.1	7.6	
2004	449	7.9	0.38	7.2	8.7	350	7.3	0.39	6.6	8.1	
2005	502	8.8	0.40	8.1	9.7	388	8.1	0.42	7.3	9.0	
2006	491	8.4	0.39	7.7	9.2	371	7.6	0.40	6.9	8.4	
2007	545	9.1	0.40	8.4	9.9	390	7.8	0.40	7.0	8.6	
2008	517	8.4	0.38	7.7	9.2	377	7.3	0.38	6.6	8.1	
2009	648	10.4	0.42	9.6	11.3	504	9.7	0.44	8.8	10.6	
2010	625	9.8	0.40	9.0	10.6	484	9.1	0.42	8.3	10.0	
2011	642	9.7	0.39	9.0	10.6	464	8.5	0.40	7.7	9.4	
2012	671	9.7	0.39	9.0	10.5	510	8.9	0.40	8.1	9.7	
2013	668	9.7	0.38	8.9	10.5	490	8.6	0.40	7.8	9.4	
2014	751	10.5	0.40	9.8	11.3	556	9.5	0.41	8.7	10.3	
2015	770	10.8	0.40	10.0	11.6	574	9.7	0.42	8.9	10.6	
2016	744	10.0	0.38	9.3	10.8	549	9.0	0.39	8.2	9.8	
2017	702	9.4	0.36	8.7	10.2	535	8.8	0.39	8.0	9.6	
2018	715	9.6	0.37	8.9	10.4	557	9.1	0.39	8.3	9.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Liver										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,609	12.0	0.24	11.5	12.5	879	14.1	0.52	13.1	15.2
1986	36	7.3	1.30	5.0	10.3	12	13.1	3.85	6.7	24.1
1987	29	6.6	1.33	4.2	9.7	11	11.0	3.43	5.3	21.0
1988	26	5.6	1.19	3.5	8.4	5	5.7	2.57	1.8	14.1
1989	35	7.5	1.34	5.1	10.5	9	10.9	3.98	4.5	21.8
1990	28	6.0	1.23	3.9	8.9	17	18.6	5.06	10.0	31.4
1991	29	5.2	1.01	3.4	7.6	11	13.7	4.62	6.2	25.7
1992	23	4.7	1.08	2.8	7.3	14	13.9	4.11	7.0	24.4
1993	36	6.3	1.06	4.4	8.7	13	13.4	4.57	6.0	25.0
1994	53	11.6	1.70	8.5	15.3	13	11.2	3.32	5.6	19.8
1995	58	11.7	1.68	8.7	15.4	17	18.7	5.36	9.8	31.7
1996	74	13.5	1.65	10.5	17.1	24	24.0	5.91	13.9	37.9
1997	59	10.6	1.47	7.9	13.9	19	14.7	3.66	8.5	23.7
1998	60	10.6	1.44	8.0	13.7	15	11.5	3.38	5.8	19.9
1999	65	11.6	1.49	8.8	14.8	28	20.1	4.83	11.8	31.4
2000	69	11.6	1.46	9.0	14.8	21	14.4	3.50	8.4	22.8
2001	61	9.6	1.29	7.3	12.5	25	17.9	4.28	10.5	27.9
2002	68	10.7	1.36	8.2	13.7	28	19.2	4.23	11.9	29.0
2003	66	10.1	1.30	7.8	13.0	24	13.9	3.16	8.4	21.4
2004	74	11.2	1.37	8.7	14.2	25	13.3	2.88	8.3	20.1
2005	92	13.0	1.41	10.4	16.1	20	10.8	2.72	6.2	17.3
2006	92	12.5	1.36	10.0	15.5	27	12.2	2.59	7.7	18.3
2007	115	15.9	1.56	13.0	19.2	39	18.5	3.32	12.6	26.1
2008	108	14.3	1.44	11.6	17.4	31	14.3	2.89	9.2	21.0
2009	102	13.1	1.35	10.6	16.0	41	17.9	3.18	12.2	25.1
2010	105	13.3	1.35	10.8	16.2	34	12.2	2.23	8.2	17.4
2011	137	16.8	1.51	14.0	20.0	38	12.3	2.06	8.6	17.1
2012	120	14.2	1.34	11.7	17.0	40	15.6	2.73	10.7	21.7
2013	141	16.3	1.43	13.6	19.4	35	11.6	2.10	7.9	16.5
2014	139	15.6	1.38	13.0	18.6	51	16.0	2.41	11.7	21.4
2015	141	15.4	1.34	12.9	18.3	53	15.9	2.31	11.7	21.1
2016	135	14.7	1.31	12.2	17.5	58	15.2	2.08	11.4	19.8
2017	120	13.0	1.24	10.7	15.6	44	10.9	1.70	7.9	14.8
2018	113	12.3	1.20	10.0	14.9	37	9.7	1.63	6.7	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Liver										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,930	2.5	0.03	2.5	2.6	4,479	2.2	0.03	2.2	2.3
1986	89	1.5	0.16	1.2	1.8	77	1.4	0.17	1.1	1.8
1987	77	1.3	0.15	1.0	1.6	64	1.2	0.16	0.9	1.6
1988	95	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
1989	89	1.4	0.15	1.1	1.8	63	1.2	0.15	0.9	1.5
1990	78	1.3	0.15	1.0	1.6	65	1.2	0.16	1.0	1.6
1991	99	1.5	0.16	1.3	1.9	79	1.4	0.16	1.1	1.8
1992	87	1.3	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1993	109	1.7	0.16	1.4	2.0	78	1.4	0.16	1.1	1.7
1994	141	2.1	0.17	1.7	2.4	111	1.8	0.17	1.5	2.2
1995	141	2.1	0.18	1.8	2.5	103	1.8	0.18	1.5	2.2
1996	154	2.3	0.18	1.9	2.7	121	2.0	0.18	1.7	2.4
1997	156	2.3	0.19	2.0	2.7	119	2.1	0.19	1.7	2.5
1998	153	2.2	0.18	1.9	2.6	114	1.9	0.18	1.6	2.3
1999	190	2.8	0.20	2.4	3.2	148	2.5	0.21	2.1	3.0
2000	183	2.6	0.20	2.3	3.1	130	2.2	0.19	1.8	2.6
2001	175	2.5	0.19	2.2	2.9	134	2.2	0.20	1.9	2.7
2002	183	2.6	0.19	2.2	3.0	132	2.2	0.19	1.8	2.6
2003	169	2.4	0.19	2.0	2.8	127	2.1	0.19	1.8	2.5
2004	191	2.7	0.20	2.3	3.1	141	2.4	0.20	2.0	2.8
2005	190	2.7	0.20	2.3	3.1	143	2.4	0.20	2.0	2.8
2006	197	2.7	0.20	2.4	3.1	147	2.4	0.20	2.0	2.8
2007	206	2.8	0.20	2.5	3.3	158	2.5	0.21	2.2	3.0
2008	226	3.0	0.20	2.6	3.4	166	2.6	0.21	2.2	3.1
2009	204	2.8	0.20	2.4	3.2	158	2.6	0.21	2.2	3.0
2010	264	3.5	0.22	3.1	4.0	196	3.2	0.23	2.7	3.7
2011	210	2.8	0.19	2.4	3.2	165	2.6	0.21	2.3	3.1
2012	234	3.0	0.20	2.6	3.4	180	2.7	0.21	2.4	3.2
2013	240	3.0	0.20	2.7	3.5	183	2.9	0.22	2.5	3.3
2014	254	3.1	0.20	2.8	3.6	184	2.8	0.21	2.4	3.3
2015	271	3.3	0.20	2.9	3.7	201	3.0	0.21	2.6	3.4
2016	287	3.4	0.20	3.0	3.8	210	3.1	0.22	2.7	3.5
2017	301	3.5	0.21	3.1	4.0	221	3.2	0.22	2.8	3.7
2018	287	3.3	0.20	2.9	3.7	217	3.1	0.22	2.7	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Liver										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,097	3.8	0.12	3.6	4.0	328	4.7	0.27	4.2	5.3
1986	10	1.5	0.48	0.7	2.7	2	2.3	1.65	0.3	8.8
1987	11	1.8	0.55	0.9	3.2	2	2.5	1.77	0.3	9.0
1988	21	3.4	0.76	2.1	5.2	3	3.8	2.20	0.8	10.9
1989	21	2.9	0.65	1.8	4.4	5	4.5	2.04	1.5	11.0
1990	12	1.6	0.48	0.8	2.9	1	0.9	0.93	0.0	5.6
1991	17	2.2	0.55	1.3	3.6	3	2.7	1.74	0.4	8.5
1992	11	1.5	0.46	0.7	2.7	2	1.8	1.30	0.2	6.6
1993	22	3.1	0.68	2.0	4.7	9	8.8	3.05	3.9	16.7
1994	26	3.6	0.71	2.3	5.2	4	3.2	1.68	0.8	8.3
1995	34	4.7	0.81	3.2	6.5	4	4.1	2.10	1.1	10.0
1996	26	3.5	0.70	2.3	5.2	7	5.9	2.44	2.1	12.3
1997	31	4.2	0.76	2.9	6.0	6	5.2	2.41	1.6	11.6
1998	28	3.7	0.70	2.4	5.3	10	5.9	1.97	2.7	11.1
1999	35	4.3	0.74	3.0	6.0	7	4.3	1.71	1.6	8.9
2000	38	4.6	0.75	3.2	6.3	14	10.6	2.85	5.7	17.4
2001	32	3.7	0.67	2.5	5.3	9	5.5	1.89	2.4	10.4
2002	39	4.7	0.76	3.4	6.5	11	6.8	2.10	3.3	12.0
2003	32	3.8	0.67	2.6	5.3	10	5.1	1.67	2.4	9.4
2004	37	4.3	0.72	3.0	6.0	12	5.4	1.63	2.7	9.5
2005	38	4.2	0.69	3.0	5.8	9	4.4	1.53	2.0	8.4
2006	38	4.1	0.68	2.9	5.7	12	4.1	1.21	2.1	7.3
2007	36	3.9	0.65	2.7	5.3	12	4.5	1.38	2.2	8.1
2008	38	3.9	0.64	2.7	5.3	21	7.4	1.68	4.5	11.5
2009	35	3.5	0.59	2.4	4.8	10	4.2	1.37	1.9	7.6
2010	53	5.3	0.73	3.9	6.9	14	4.9	1.36	2.6	8.3
2011	34	3.3	0.57	2.2	4.6	9	2.7	0.96	1.2	5.3
2012	35	3.3	0.57	2.3	4.6	15	4.4	1.17	2.4	7.3
2013	43	3.8	0.59	2.8	5.2	13	3.5	1.02	1.8	6.2
2014	48	4.2	0.61	3.1	5.6	21	6.1	1.37	3.8	9.4
2015	47	4.2	0.62	3.0	5.6	19	5.1	1.20	3.0	8.0
2016	56	4.7	0.64	3.5	6.1	19	4.8	1.13	2.8	7.5
2017	58	4.6	0.62	3.5	6.0	21	4.8	1.07	2.9	7.4
2018	55	4.4	0.60	3.3	5.7	12	2.4	0.70	1.2	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gallbladder										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,839	1.4	0.02	1.4	1.5	4,878	1.4	0.02	1.3	1.4
1986	159	1.5	0.12	1.3	1.8	145	1.6	0.13	1.3	1.9
1987	152	1.5	0.12	1.2	1.7	139	1.5	0.13	1.3	1.8
1988	188	1.8	0.13	1.6	2.1	165	1.8	0.14	1.5	2.1
1989	167	1.6	0.12	1.3	1.8	149	1.6	0.13	1.3	1.8
1990	161	1.5	0.12	1.3	1.7	148	1.5	0.13	1.3	1.8
1991	154	1.4	0.12	1.2	1.7	132	1.4	0.12	1.2	1.6
1992	177	1.6	0.12	1.4	1.9	152	1.5	0.13	1.3	1.8
1993	131	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4
1994	175	1.6	0.12	1.3	1.8	162	1.6	0.13	1.4	1.9
1995	161	1.4	0.11	1.2	1.6	142	1.4	0.12	1.2	1.7
1996	172	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.7
1997	165	1.4	0.11	1.2	1.7	150	1.5	0.12	1.2	1.7
1998	186	1.6	0.12	1.4	1.8	156	1.5	0.12	1.3	1.8
1999	159	1.3	0.11	1.1	1.6	143	1.4	0.12	1.2	1.6
2000	164	1.4	0.11	1.2	1.6	140	1.4	0.11	1.1	1.6
2001	171	1.4	0.11	1.2	1.6	155	1.5	0.12	1.3	1.7
2002	168	1.4	0.11	1.2	1.6	141	1.4	0.11	1.1	1.6
2003	172	1.4	0.11	1.2	1.6	144	1.4	0.11	1.1	1.6
2004	169	1.4	0.10	1.2	1.6	137	1.3	0.11	1.1	1.5
2005	189	1.5	0.11	1.3	1.8	161	1.5	0.12	1.3	1.8
2006	168	1.3	0.10	1.1	1.5	145	1.3	0.11	1.1	1.6
2007	170	1.3	0.10	1.1	1.5	146	1.3	0.11	1.1	1.6
2008	194	1.5	0.11	1.3	1.7	155	1.4	0.11	1.2	1.7
2009	186	1.4	0.10	1.2	1.6	148	1.3	0.11	1.1	1.5
2010	176	1.3	0.10	1.1	1.5	133	1.2	0.10	1.0	1.4
2011	201	1.5	0.11	1.3	1.7	157	1.4	0.11	1.2	1.6
2012	182	1.3	0.10	1.1	1.5	139	1.2	0.10	1.0	1.4
2013	196	1.4	0.10	1.2	1.6	149	1.3	0.11	1.1	1.5
2014	206	1.4	0.10	1.2	1.6	159	1.3	0.11	1.1	1.6
2015	216	1.5	0.10	1.3	1.7	169	1.4	0.11	1.2	1.6
2016	208	1.4	0.10	1.2	1.6	161	1.3	0.11	1.1	1.6
2017	194	1.3	0.09	1.1	1.5	144	1.2	0.10	1.0	1.4
2018	202	1.3	0.09	1.1	1.5	147	1.2	0.10	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gallbladder										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	779	1.6	0.06	1.5	1.8	162	1.3	0.11	1.1	1.5
1986	12	1.4	0.40	0.7	2.3	2	1.9	1.39	0.2	6.5
1987	11	1.0	0.33	0.5	1.9	2	2.0	1.55	0.2	6.9
1988	19	2.0	0.46	1.2	3.0	4	4.0	2.07	1.1	9.8
1989	16	1.5	0.38	0.8	2.4	2	1.8	1.27	0.2	5.9
1990	10	1.1	0.34	0.5	1.9	3	1.9	1.13	0.4	5.6
1991	21	1.9	0.43	1.2	2.9	1	0.9	0.91	0.0	4.2
1992	21	1.7	0.39	1.1	2.7	4	1.8	0.92	0.5	4.8
1993	11	1.0	0.32	0.5	1.8	4	1.4	0.71	0.3	3.8
1994	10	0.9	0.29	0.4	1.7	3	1.3	0.84	0.2	4.0
1995	17	1.4	0.34	0.8	2.2	2	0.8	0.57	0.1	2.9
1996	21	1.7	0.38	1.1	2.6	2	1.3	1.07	0.1	4.5
1997	11	0.9	0.27	0.4	1.5	4	1.4	0.71	0.4	3.6
1998	22	1.7	0.37	1.1	2.6	7	3.1	1.34	1.1	6.6
1999	12	0.9	0.26	0.5	1.5	4	1.3	0.66	0.3	3.3
2000	21	1.5	0.32	0.9	2.2	1	0.3	0.31	0.0	1.7
2001	13	0.9	0.26	0.5	1.6	3	0.6	0.35	0.1	2.0
2002	19	1.3	0.30	0.8	2.0	8	2.8	1.06	1.1	5.5
2003	22	1.6	0.35	1.0	2.4	6	2.3	0.97	0.8	4.8
2004	26	2.0	0.39	1.3	2.9	6	1.3	0.53	0.5	2.8
2005	24	1.8	0.37	1.1	2.6	4	0.8	0.43	0.2	2.2
2006	19	1.3	0.29	0.7	2.0	4	1.0	0.54	0.2	2.6
2007	22	1.4	0.31	0.9	2.1	2	0.5	0.39	0.1	1.8
2008	33	2.0	0.35	1.3	2.8	6	1.1	0.44	0.4	2.3
2009	31	1.9	0.35	1.3	2.7	5	1.2	0.57	0.3	2.8
2010	37	2.3	0.38	1.6	3.1	5	0.9	0.44	0.3	2.2
2011	37	2.2	0.37	1.5	3.0	5	0.9	0.42	0.3	2.1
2012	34	1.9	0.33	1.3	2.6	7	1.4	0.56	0.6	2.9
2013	36	2.0	0.34	1.4	2.8	10	1.5	0.49	0.7	2.8
2014	34	1.8	0.31	1.2	2.5	11	1.6	0.52	0.8	3.0
2015	35	1.8	0.32	1.3	2.6	10	1.5	0.48	0.7	2.7
2016	42	2.2	0.34	1.6	3.0	5	0.6	0.26	0.2	1.4
2017	40	2.1	0.33	1.5	2.8	9	1.0	0.35	0.5	2.0
2018	40	2.1	0.33	1.5	2.8	11	1.5	0.44	0.7	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gallbladder											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,618	1.0	0.02	0.9	1.0	1,338	0.9	0.03	0.9	1.0	
1986	45	1.1	0.18	0.8	1.5	41	1.1	0.19	0.8	1.6	
1987	42	1.1	0.17	0.8	1.4	36	1.0	0.18	0.7	1.5	
1988	44	1.1	0.18	0.8	1.5	37	1.0	0.18	0.7	1.4	
1989	38	0.9	0.15	0.6	1.2	35	0.9	0.16	0.6	1.3	
1990	40	0.9	0.15	0.7	1.2	38	1.0	0.16	0.7	1.3	
1991	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3	
1992	34	0.7	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2	
1993	28	0.6	0.12	0.4	0.9	24	0.6	0.12	0.4	0.9	
1994	50	1.1	0.17	0.8	1.5	45	1.2	0.18	0.9	1.6	
1995	35	0.8	0.14	0.6	1.2	30	0.8	0.15	0.5	1.2	
1996	54	1.2	0.17	0.9	1.6	50	1.3	0.19	1.0	1.7	
1997	49	1.1	0.16	0.8	1.5	43	1.1	0.17	0.8	1.5	
1998	44	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4	
1999	53	1.1	0.15	0.8	1.5	48	1.2	0.17	0.9	1.5	
2000	41	0.8	0.13	0.6	1.1	33	0.8	0.13	0.5	1.1	
2001	45	0.9	0.14	0.7	1.2	40	0.9	0.15	0.7	1.3	
2002	55	1.1	0.15	0.8	1.4	44	1.0	0.15	0.7	1.4	
2003	37	0.8	0.12	0.5	1.0	31	0.7	0.13	0.5	1.0	
2004	51	1.0	0.14	0.7	1.3	45	1.0	0.15	0.7	1.4	
2005	51	1.0	0.14	0.7	1.3	39	0.9	0.14	0.6	1.2	
2006	50	1.0	0.14	0.7	1.3	43	1.0	0.15	0.7	1.3	
2007	50	0.9	0.13	0.7	1.2	39	0.9	0.14	0.6	1.2	
2008	47	0.8	0.12	0.6	1.1	36	0.8	0.13	0.5	1.1	
2009	55	1.0	0.13	0.7	1.3	42	0.9	0.14	0.6	1.2	
2010	58	1.1	0.14	0.8	1.4	44	0.9	0.14	0.7	1.3	
2011	69	1.2	0.15	0.9	1.5	56	1.2	0.16	0.9	1.5	
2012	52	0.9	0.13	0.7	1.2	39	0.8	0.13	0.6	1.1	
2013	58	1.0	0.13	0.7	1.2	43	0.9	0.13	0.6	1.2	
2014	49	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0	
2015	60	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2	
2016	62	0.9	0.12	0.7	1.2	47	0.8	0.13	0.6	1.1	
2017	65	0.9	0.12	0.7	1.2	48	0.9	0.13	0.6	1.1	
2018	64	1.0	0.12	0.7	1.2	46	0.8	0.12	0.6	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gallbladder										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	217	1.2	0.08	1.0	1.4	58	0.9	0.13	0.7	1.2
1986	4	1.1	0.63	0.3	2.9	0				
1987	4	0.7	0.35	0.2	1.8	2	4.7	3.72	0.4	16.4
1988	6	1.8	0.79	0.6	3.9	1	2.7	2.65	0.1	12.0
1989	3	0.8	0.48	0.2	2.2	0				
1990	1	0.2	0.16	0.0	1.0	1	1.7	1.70	0.0	8.8
1991	3	1.1	0.62	0.2	2.8	1	2.2	2.24	0.1	10.1
1992	0					0				
1993	4	0.7	0.33	0.2	1.7	0				
1994	3	0.7	0.40	0.1	1.9	2	1.2	0.87	0.2	5.7
1995	4	1.0	0.53	0.2	2.5	1	0.9	0.93	0.0	5.4
1996	3	0.7	0.42	0.1	2.0	1	0.6	0.57	0.0	4.4
1997	4	0.9	0.44	0.2	2.2	2	1.7	1.21	0.2	6.2
1998	3	0.7	0.45	0.1	2.1	1	1.3	1.32	0.0	6.2
1999	3	0.5	0.31	0.1	1.5	2	0.9	0.65	0.1	4.3
2000	7	1.2	0.45	0.5	2.4	1	0.7	0.69	0.0	4.0
2001	3	0.4	0.25	0.1	1.3	2	0.9	0.61	0.1	3.8
2002	7	1.1	0.43	0.4	2.3	4	2.5	1.32	0.6	6.6
2003	6	1.1	0.45	0.4	2.3	0				
2004	5	0.9	0.42	0.3	2.1	1	0.3	0.34	0.0	2.6
2005	10	1.7	0.59	0.8	3.2	2	1.1	0.81	0.1	4.0
2006	6	1.0	0.41	0.3	2.1	1	0.4	0.41	0.0	2.6
2007	10	1.6	0.53	0.8	3.0	1	0.3	0.34	0.0	2.3
2008	8	1.2	0.44	0.5	2.4	3	1.0	0.60	0.2	3.3
2009	10	1.5	0.50	0.7	2.8	2	1.3	1.06	0.1	4.6
2010	11	2.0	0.63	0.9	3.5	3	1.4	0.86	0.3	4.1
2011	11	1.9	0.60	0.9	3.4	1	0.3	0.26	0.0	1.8
2012	10	1.6	0.51	0.7	2.9	2	0.8	0.59	0.1	2.9
2013	13	1.8	0.53	0.9	3.2	2	0.6	0.42	0.1	2.2
2014	8	1.1	0.39	0.4	2.1	5	1.8	0.85	0.5	4.2
2015	8	1.1	0.40	0.4	2.1	5	1.4	0.64	0.4	3.3
2016	13	1.7	0.48	0.9	2.9	2	0.6	0.43	0.1	2.1
2017	13	1.6	0.48	0.8	2.8	3	0.7	0.38	0.1	2.1
2018	13	1.7	0.48	0.9	2.9	4	1.0	0.48	0.3	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gallbladder											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	4,221	1.8	0.03	1.7	1.8	3,540	1.7	0.03	1.7	1.8	
1986	114	1.8	0.17	1.5	2.2	104	1.9	0.19	1.5	2.3	
1987	110	1.8	0.17	1.4	2.1	103	1.8	0.18	1.5	2.2	
1988	144	2.3	0.19	1.9	2.7	128	2.3	0.21	1.9	2.7	
1989	129	2.0	0.18	1.7	2.4	114	2.0	0.19	1.7	2.4	
1990	121	1.9	0.17	1.5	2.2	110	1.9	0.18	1.6	2.3	
1991	111	1.7	0.17	1.4	2.1	93	1.6	0.17	1.3	2.0	
1992	143	2.2	0.18	1.8	2.6	118	2.0	0.18	1.6	2.4	
1993	103	1.6	0.16	1.3	1.9	92	1.6	0.17	1.3	2.0	
1994	125	1.8	0.17	1.5	2.2	117	2.0	0.18	1.6	2.4	
1995	126	1.9	0.17	1.6	2.3	112	1.9	0.18	1.6	2.3	
1996	118	1.8	0.16	1.5	2.1	99	1.7	0.17	1.4	2.1	
1997	116	1.7	0.16	1.4	2.0	107	1.8	0.17	1.4	2.1	
1998	142	2.1	0.18	1.8	2.5	116	2.0	0.18	1.6	2.4	
1999	106	1.5	0.15	1.2	1.8	95	1.6	0.16	1.3	1.9	
2000	123	1.8	0.16	1.5	2.1	107	1.8	0.18	1.5	2.2	
2001	126	1.8	0.16	1.5	2.2	115	1.9	0.18	1.6	2.3	
2002	113	1.6	0.15	1.3	1.9	97	1.6	0.17	1.3	2.0	
2003	135	1.9	0.16	1.6	2.2	113	1.8	0.18	1.5	2.2	
2004	118	1.6	0.15	1.3	1.9	92	1.5	0.16	1.2	1.8	
2005	138	1.9	0.16	1.6	2.3	122	2.0	0.18	1.6	2.4	
2006	118	1.6	0.15	1.3	1.9	102	1.6	0.16	1.3	1.9	
2007	120	1.6	0.15	1.3	2.0	107	1.7	0.17	1.4	2.1	
2008	147	2.0	0.17	1.7	2.4	119	1.9	0.18	1.6	2.3	
2009	131	1.7	0.15	1.4	2.0	106	1.6	0.16	1.3	2.0	
2010	118	1.5	0.14	1.3	1.9	89	1.4	0.15	1.1	1.7	
2011	132	1.7	0.15	1.4	2.0	101	1.6	0.16	1.3	1.9	
2012	130	1.6	0.15	1.4	1.9	100	1.5	0.15	1.2	1.8	
2013	138	1.7	0.15	1.5	2.1	106	1.6	0.16	1.3	2.0	
2014	157	2.0	0.16	1.7	2.3	123	1.8	0.17	1.5	2.2	
2015	156	1.9	0.15	1.6	2.2	122	1.8	0.17	1.5	2.2	
2016	146	1.8	0.15	1.5	2.1	114	1.8	0.17	1.4	2.1	
2017	129	1.6	0.14	1.3	1.9	96	1.4	0.15	1.2	1.8	
2018	138	1.6	0.14	1.4	2.0	101	1.5	0.15	1.2	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Gallbladder										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	562	2.0	0.08	1.8	2.2	104	1.5	0.16	1.2	1.9
1986	8	1.5	0.53	0.6	2.8	2	3.3	2.41	0.4	11.3
1987	7	1.2	0.46	0.5	2.4	0				
1988	13	2.1	0.60	1.1	3.6	3	5.1	3.04	1.0	14.0
1989	13	1.9	0.55	1.0	3.3	2	3.1	2.17	0.4	10.1
1990	9	1.5	0.52	0.7	2.9	2	2.1	1.52	0.2	7.7
1991	18	2.6	0.63	1.6	4.2	0				
1992	21	2.9	0.65	1.8	4.5	4	3.3	1.67	0.9	8.7
1993	7	1.1	0.43	0.5	2.3	4	2.5	1.27	0.6	6.9
1994	7	1.1	0.40	0.4	2.1	1	1.2	1.23	0.0	5.7
1995	13	1.7	0.47	0.9	2.9	1	0.7	0.71	0.0	4.0
1996	18	2.4	0.56	1.4	3.7	1	1.6	1.58	0.0	6.6
1997	7	0.9	0.34	0.4	1.8	2	1.2	0.86	0.2	4.5
1998	19	2.4	0.56	1.5	3.8	6	4.3	1.99	1.3	9.7
1999	9	1.1	0.37	0.5	2.1	2	1.4	1.01	0.2	4.8
2000	14	1.7	0.45	0.9	2.8	0				
2001	10	1.2	0.38	0.6	2.2	1	0.4	0.36	0.0	2.4
2002	12	1.4	0.40	0.7	2.4	4	2.8	1.43	0.7	6.8
2003	16	1.9	0.48	1.1	3.1	6	3.8	1.59	1.4	8.0
2004	21	2.6	0.56	1.6	3.9	5	2.1	0.94	0.7	4.9
2005	14	1.7	0.46	0.9	2.9	2	0.6	0.43	0.1	2.4
2006	13	1.4	0.39	0.7	2.4	3	1.3	0.82	0.2	3.9
2007	12	1.3	0.36	0.6	2.2	1	0.6	0.58	0.0	2.7
2008	25	2.5	0.51	1.6	3.8	3	1.1	0.62	0.2	3.1
2009	21	2.2	0.48	1.3	3.3	3	1.2	0.70	0.2	3.3
2010	26	2.6	0.52	1.7	3.9	2	0.6	0.41	0.1	2.2
2011	26	2.5	0.50	1.6	3.7	4	1.5	0.74	0.4	3.6
2012	24	2.2	0.46	1.4	3.3	5	1.9	0.85	0.6	4.3
2013	23	2.2	0.46	1.4	3.3	8	2.3	0.83	1.0	4.5
2014	26	2.4	0.48	1.6	3.5	6	1.5	0.65	0.5	3.4
2015	27	2.4	0.46	1.6	3.5	5	1.4	0.65	0.5	3.3
2016	29	2.5	0.47	1.7	3.6	3	0.5	0.31	0.1	1.7
2017	27	2.3	0.46	1.5	3.4	6	1.4	0.56	0.5	3.0
2018	27	2.4	0.47	1.6	3.5	7	1.8	0.70	0.7	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Pancreas											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	50,626	12.2	0.05	12.1	12.3	42,054	11.9	0.06	11.7	12.0	
1986	1,045	9.8	0.31	9.2	10.4	889	9.4	0.32	8.7	10.0	
1987	1,062	10.0	0.31	9.4	10.6	883	9.4	0.32	8.8	10.0	
1988	1,043	9.7	0.30	9.2	10.4	899	9.4	0.32	8.8	10.1	
1989	1,053	9.9	0.31	9.3	10.5	894	9.5	0.32	8.9	10.2	
1990	1,116	10.3	0.31	9.7	10.9	931	9.7	0.32	9.1	10.4	
1991	1,028	9.4	0.29	8.8	10.0	893	9.2	0.31	8.6	9.9	
1992	1,068	9.6	0.30	9.0	10.2	899	9.2	0.31	8.6	9.8	
1993	1,078	9.6	0.29	9.0	10.2	904	9.1	0.31	8.6	9.8	
1994	1,327	11.7	0.32	11.0	12.3	1,105	11.1	0.33	10.4	11.7	
1995	1,335	11.7	0.32	11.1	12.3	1,116	11.2	0.34	10.5	11.9	
1996	1,383	12.0	0.32	11.4	12.7	1,174	11.7	0.34	11.0	12.4	
1997	1,317	11.3	0.31	10.7	11.9	1,128	11.1	0.33	10.5	11.8	
1998	1,416	12.0	0.32	11.4	12.7	1,205	11.8	0.34	11.1	12.5	
1999	1,432	12.1	0.32	11.5	12.7	1,203	11.7	0.34	11.0	12.4	
2000	1,484	12.4	0.32	11.8	13.0	1,248	12.1	0.34	11.4	12.8	
2001	1,509	12.5	0.32	11.9	13.1	1,259	12.1	0.34	11.5	12.8	
2002	1,506	12.4	0.32	11.8	13.0	1,238	11.8	0.34	11.2	12.5	
2003	1,535	12.4	0.32	11.8	13.1	1,260	11.9	0.34	11.2	12.6	
2004	1,602	12.8	0.32	12.2	13.5	1,353	12.6	0.34	12.0	13.3	
2005	1,675	13.2	0.32	12.6	13.9	1,366	12.6	0.34	12.0	13.3	
2006	1,600	12.6	0.32	12.0	13.2	1,295	11.9	0.33	11.3	12.6	
2007	1,661	12.8	0.32	12.2	13.5	1,377	12.5	0.34	11.9	13.2	
2008	1,731	13.1	0.32	12.5	13.8	1,433	12.8	0.34	12.2	13.5	
2009	1,828	13.7	0.32	13.1	14.3	1,516	13.4	0.35	12.8	14.1	
2010	1,780	13.2	0.32	12.6	13.8	1,488	13.1	0.34	12.4	13.8	
2011	1,800	13.1	0.31	12.5	13.7	1,491	12.9	0.34	12.3	13.6	
2012	1,846	13.0	0.31	12.4	13.6	1,517	12.8	0.33	12.2	13.5	
2013	1,901	13.1	0.31	12.5	13.7	1,564	12.9	0.33	12.3	13.6	
2014	1,947	13.2	0.30	12.6	13.8	1,585	12.9	0.33	12.3	13.6	
2015	2,055	13.9	0.31	13.3	14.5	1,653	13.5	0.34	12.8	14.2	
2016	2,030	13.5	0.31	12.9	14.1	1,681	13.5	0.34	12.8	14.2	
2017	2,232	14.5	0.31	13.9	15.1	1,868	14.7	0.35	14.0	15.4	
2018	2,201	14.1	0.31	13.5	14.7	1,739	13.6	0.33	12.9	14.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Pancreas										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	7,565	16.0	0.19	15.7	16.4	928	7.7	0.27	7.2	8.2
1986	145	13.6	1.17	11.4	16.0	11	6.9	2.14	3.4	12.7
1987	170	15.8	1.25	13.5	18.4	9	5.9	2.09	2.5	11.5
1988	133	12.4	1.11	10.3	14.7	11	11.0	3.93	4.7	20.6
1989	148	13.1	1.11	11.0	15.4	11	9.9	3.33	4.5	18.1
1990	173	15.2	1.20	13.0	17.7	12	8.0	2.54	3.9	14.4
1991	125	11.4	1.04	9.4	13.6	9	5.6	2.19	2.2	11.3
1992	157	13.0	1.07	11.0	15.3	11	5.2	1.64	2.5	9.5
1993	161	13.6	1.09	11.5	15.9	13	7.8	2.52	3.7	13.9
1994	197	16.7	1.22	14.4	19.2	25	14.2	3.15	8.7	21.4
1995	204	17.1	1.22	14.7	19.6	13	6.3	1.84	3.2	10.8
1996	194	15.8	1.16	13.6	18.3	14	6.6	1.98	3.3	11.4
1997	175	13.6	1.05	11.7	15.9	14	6.4	1.86	3.3	10.9
1998	190	14.5	1.07	12.5	16.7	20	8.9	2.12	5.3	13.9
1999	200	15.3	1.10	13.2	17.6	29	12.8	2.61	8.2	18.7
2000	202	15.0	1.08	13.0	17.3	31	11.3	2.19	7.4	16.2
2001	227	16.2	1.09	14.1	18.4	20	6.1	1.53	3.5	9.8
2002	242	17.4	1.14	15.3	19.8	23	7.6	1.71	4.6	11.6
2003	246	17.4	1.14	15.3	19.8	28	8.5	1.71	5.5	12.4
2004	222	15.2	1.04	13.3	17.4	27	8.1	1.70	5.1	12.0
2005	279	19.1	1.17	16.9	21.6	29	8.1	1.62	5.3	11.8
2006	273	18.3	1.13	16.2	20.6	29	7.4	1.49	4.8	10.9
2007	251	16.7	1.08	14.7	19.0	31	6.4	1.25	4.2	9.3
2008	256	16.2	1.04	14.3	18.4	40	9.2	1.56	6.4	12.7
2009	274	17.3	1.07	15.3	19.5	37	7.8	1.38	5.3	10.9
2010	253	15.9	1.02	13.9	18.0	34	6.4	1.18	4.3	9.1
2011	264	15.7	0.99	13.9	17.8	42	7.6	1.24	5.3	10.3
2012	280	16.2	0.99	14.3	18.3	44	7.5	1.22	5.3	10.3
2013	293	16.5	0.99	14.6	18.6	39	6.3	1.07	4.4	8.8
2014	302	16.6	0.98	14.7	18.6	56	8.4	1.17	6.2	11.0
2015	351	19.0	1.04	17.1	21.2	48	7.0	1.05	5.1	9.3
2016	303	16.1	0.95	14.3	18.0	43	5.9	0.93	4.2	8.0
2017	312	16.1	0.93	14.3	18.0	42	5.4	0.86	3.9	7.4
2018	363	18.5	0.99	16.6	20.6	83	10.4	1.17	8.3	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Pancreas											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	24,913	14.1	0.09	13.9	14.3	20,934	13.8	0.10	13.6	14.0	
1986	493	11.1	0.52	10.1	12.2	421	10.8	0.55	9.7	11.9	
1987	514	11.9	0.55	10.9	13.1	430	11.3	0.57	10.2	12.5	
1988	486	11.2	0.53	10.1	12.2	424	11.0	0.55	9.9	12.1	
1989	475	10.6	0.50	9.6	11.6	413	10.5	0.53	9.5	11.6	
1990	526	11.8	0.53	10.8	12.9	447	11.3	0.55	10.3	12.5	
1991	478	10.6	0.50	9.6	11.6	420	10.5	0.53	9.5	11.6	
1992	514	11.1	0.50	10.1	12.1	430	10.5	0.52	9.5	11.6	
1993	502	10.8	0.49	9.9	11.8	423	10.3	0.51	9.4	11.4	
1994	649	13.9	0.56	12.8	15.0	541	13.2	0.58	12.1	14.4	
1995	645	13.6	0.55	12.5	14.7	531	12.8	0.57	11.8	14.0	
1996	653	13.7	0.55	12.6	14.8	554	13.3	0.57	12.2	14.5	
1997	620	12.8	0.52	11.8	13.9	534	12.7	0.56	11.7	13.9	
1998	644	13.3	0.53	12.3	14.4	551	13.1	0.57	12.1	14.3	
1999	692	13.9	0.54	12.9	15.0	590	13.7	0.57	12.6	14.8	
2000	744	14.8	0.55	13.8	15.9	633	14.6	0.59	13.5	15.8	
2001	738	14.5	0.54	13.4	15.6	625	14.2	0.57	13.1	15.4	
2002	723	14.1	0.53	13.1	15.2	595	13.5	0.56	12.4	14.6	
2003	763	14.6	0.54	13.6	15.7	618	13.8	0.56	12.7	14.9	
2004	819	15.5	0.55	14.5	16.6	699	15.5	0.59	14.4	16.7	
2005	789	14.7	0.53	13.7	15.8	645	14.1	0.56	13.0	15.2	
2006	804	14.6	0.53	13.6	15.7	654	14.0	0.55	12.9	15.1	
2007	815	14.6	0.52	13.6	15.6	682	14.3	0.55	13.2	15.4	
2008	872	15.4	0.53	14.4	16.5	730	15.1	0.57	14.0	16.2	
2009	904	15.5	0.53	14.5	16.6	758	15.3	0.57	14.3	16.5	
2010	888	15.1	0.52	14.1	16.2	759	15.2	0.56	14.1	16.4	
2011	903	14.9	0.51	13.9	16.0	769	15.0	0.55	14.0	16.2	
2012	919	14.6	0.49	13.6	15.6	758	14.3	0.53	13.2	15.3	
2013	979	15.3	0.50	14.4	16.4	824	15.4	0.55	14.3	16.5	
2014	1,012	15.5	0.50	14.6	16.5	843	15.4	0.54	14.4	16.5	
2015	1,050	16.0	0.51	15.0	17.0	852	15.6	0.55	14.5	16.7	
2016	1,033	15.6	0.50	14.6	16.6	876	15.8	0.55	14.7	16.9	
2017	1,151	16.6	0.50	15.6	17.6	989	17.2	0.56	16.1	18.3	
2018	1,116	15.9	0.49	15.0	16.9	916	15.7	0.53	14.7	16.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Pancreas										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,478	17.8	0.32	17.2	18.5	459	8.5	0.44	7.7	9.4
1986	68	14.4	1.85	11.0	18.4	4	4.6	2.36	1.2	13.3
1987	80	18.2	2.15	14.2	22.8	4	6.3	3.19	1.7	16.3
1988	57	13.2	1.87	9.8	17.3	5	7.7	4.03	1.9	19.3
1989	59	11.8	1.61	8.8	15.3	3	2.6	1.52	0.5	9.1
1990	73	15.7	1.95	12.1	20.0	6	11.5	5.13	3.7	25.1
1991	53	12.0	1.74	8.8	15.9	4	7.0	4.48	1.1	19.6
1992	76	16.7	2.05	12.9	21.1	7	7.4	3.05	2.6	16.0
1993	73	15.2	1.87	11.7	19.2	6	9.5	4.63	2.7	21.7
1994	99	20.4	2.18	16.4	25.1	9	13.4	5.03	5.4	26.0
1995	100	20.6	2.19	16.6	25.3	13	14.8	4.43	7.5	25.8
1996	90	18.3	2.06	14.5	22.8	8	11.0	4.43	4.1	22.2
1997	77	13.6	1.62	10.6	17.2	9	10.1	3.94	3.9	20.1
1998	84	15.7	1.80	12.3	19.5	9	9.9	3.48	4.3	18.7
1999	89	16.5	1.82	13.1	20.4	13	14.0	4.65	6.4	25.3
2000	93	16.3	1.78	13.0	20.1	16	12.7	3.43	6.9	21.1
2001	105	18.0	1.84	14.6	21.9	7	4.1	1.68	1.5	8.9
2002	113	19.4	1.94	15.8	23.6	13	9.8	3.12	4.7	17.5
2003	128	22.2	2.08	18.3	26.6	17	11.5	3.18	6.2	19.2
2004	105	16.6	1.71	13.5	20.3	15	9.1	2.64	4.7	15.6
2005	130	21.4	2.01	17.7	25.7	13	8.9	2.76	4.3	15.6
2006	128	20.3	1.88	16.8	24.3	19	11.1	2.88	6.2	17.9
2007	109	18.1	1.86	14.7	22.1	22	9.1	2.23	5.3	14.5
2008	121	18.8	1.80	15.5	22.7	21	11.8	2.87	6.9	18.5
2009	130	20.1	1.86	16.6	24.0	16	6.9	1.98	3.6	11.8
2010	108	16.1	1.63	13.1	19.6	18	7.4	1.88	4.2	12.0
2011	117	17.2	1.67	14.1	20.8	17	7.5	2.02	4.1	12.4
2012	138	19.4	1.74	16.1	23.1	22	7.8	1.80	4.7	12.1
2013	136	18.3	1.65	15.2	21.8	16	5.9	1.57	3.2	9.7
2014	140	18.5	1.64	15.4	22.0	28	8.7	1.76	5.6	12.9
2015	169	22.1	1.78	18.8	25.9	27	8.2	1.67	5.2	12.1
2016	137	18.1	1.62	15.1	21.5	19	6.0	1.46	3.5	9.5
2017	139	16.8	1.49	14.0	20.0	16	4.6	1.19	2.5	7.5
2018	154	18.4	1.55	15.5	21.7	37	10.4	1.77	7.3	14.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Pancreas											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	25,713	10.7	0.07	10.6	10.9	21,120	10.3	0.07	10.2	10.4	
1986	552	8.7	0.38	8.0	9.5	468	8.3	0.39	7.6	9.1	
1987	548	8.7	0.37	7.9	9.4	453	8.0	0.38	7.3	8.8	
1988	557	8.8	0.38	8.1	9.5	475	8.4	0.39	7.7	9.2	
1989	578	9.2	0.39	8.5	10.0	481	8.7	0.40	7.9	9.5	
1990	590	9.3	0.39	8.5	10.0	484	8.6	0.40	7.8	9.4	
1991	550	8.5	0.37	7.8	9.3	473	8.3	0.39	7.5	9.1	
1992	554	8.4	0.36	7.7	9.1	469	8.0	0.38	7.3	8.8	
1993	576	8.7	0.36	8.0	9.4	481	8.2	0.38	7.5	9.0	
1994	678	9.9	0.38	9.2	10.7	564	9.4	0.40	8.6	10.2	
1995	690	10.1	0.39	9.4	10.9	585	9.7	0.41	9.0	10.6	
1996	730	10.6	0.40	9.9	11.5	620	10.3	0.42	9.5	11.2	
1997	697	10.1	0.38	9.3	10.9	594	9.8	0.41	9.1	10.7	
1998	772	11.1	0.40	10.3	11.9	654	10.8	0.43	10.0	11.7	
1999	740	10.5	0.39	9.8	11.3	613	10.0	0.41	9.2	10.9	
2000	740	10.5	0.39	9.8	11.3	615	10.1	0.41	9.3	11.0	
2001	771	10.9	0.40	10.2	11.7	634	10.4	0.42	9.6	11.2	
2002	783	10.9	0.39	10.2	11.7	643	10.4	0.42	9.6	11.3	
2003	772	10.7	0.39	10.0	11.5	642	10.4	0.42	9.6	11.2	
2004	783	10.7	0.39	9.9	11.4	654	10.4	0.41	9.6	11.2	
2005	886	12.1	0.41	11.3	12.9	721	11.5	0.44	10.7	12.4	
2006	796	10.9	0.39	10.1	11.7	641	10.2	0.41	9.4	11.1	
2007	846	11.4	0.40	10.6	12.2	695	11.0	0.43	10.2	11.9	
2008	859	11.4	0.39	10.6	12.2	703	11.0	0.42	10.2	11.9	
2009	924	12.1	0.40	11.3	12.9	758	11.8	0.44	10.9	12.6	
2010	892	11.6	0.39	10.8	12.4	729	11.3	0.43	10.5	12.2	
2011	897	11.5	0.39	10.7	12.3	722	11.1	0.42	10.3	11.9	
2012	927	11.7	0.39	10.9	12.5	759	11.6	0.43	10.8	12.5	
2013	922	11.4	0.38	10.6	12.2	740	11.0	0.41	10.2	11.8	
2014	935	11.5	0.38	10.7	12.2	742	11.0	0.41	10.2	11.8	
2015	1,005	12.1	0.39	11.3	12.9	801	11.7	0.42	10.9	12.6	
2016	997	11.9	0.39	11.1	12.7	805	11.7	0.42	10.9	12.5	
2017	1,081	12.6	0.39	11.9	13.4	879	12.6	0.43	11.7	13.4	
2018	1,085	12.6	0.39	11.9	13.4	823	11.7	0.42	10.9	12.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Pancreas										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,087	14.6	0.23	14.2	15.1	469	7.1	0.34	6.4	7.8
1986	77	12.6	1.47	9.8	15.7	7	8.7	3.31	3.4	18.0
1987	90	14.2	1.52	11.4	17.5	5	5.7	2.81	1.6	14.1
1988	76	11.9	1.39	9.4	14.9	6	13.0	5.94	4.1	28.2
1989	89	13.7	1.47	10.9	16.8	8	15.0	5.56	6.1	28.8
1990	100	14.8	1.51	12.0	18.0	6	5.7	2.40	2.0	12.8
1991	72	10.9	1.30	8.5	13.8	5	4.8	2.19	1.6	11.3
1992	81	11.0	1.24	8.7	13.7	4	3.4	1.71	0.9	8.8
1993	88	12.4	1.34	10.0	15.3	7	6.8	2.91	2.4	14.6
1994	98	13.8	1.41	11.2	16.9	16	15.0	4.11	8.1	24.9
1995	104	14.6	1.44	11.9	17.6	0				
1996	104	14.1	1.40	11.5	17.1	6	4.1	1.78	1.4	9.1
1997	98	13.2	1.34	10.7	16.0	5	3.9	1.80	1.2	9.0
1998	106	13.6	1.33	11.1	16.4	11	8.3	2.63	4.0	14.9
1999	111	14.2	1.36	11.7	17.1	16	12.2	3.21	6.8	19.9
2000	109	13.8	1.33	11.3	16.6	15	9.8	2.70	5.3	16.4
2001	122	14.8	1.35	12.3	17.6	13	7.4	2.21	3.8	12.9
2002	129	15.7	1.40	13.1	18.7	10	6.0	1.99	2.8	11.0
2003	118	14.1	1.31	11.7	16.9	11	6.3	1.95	3.0	11.1
2004	117	13.8	1.29	11.4	16.6	12	7.0	2.13	3.5	12.3
2005	149	17.4	1.44	14.7	20.5	16	7.6	2.01	4.2	12.5
2006	145	16.6	1.38	14.0	19.5	10	4.8	1.58	2.2	8.8
2007	142	15.9	1.35	13.4	18.8	9	4.1	1.42	1.8	7.7
2008	135	14.3	1.25	12.0	17.0	19	7.4	1.78	4.3	11.7
2009	144	15.4	1.30	13.0	18.2	21	8.2	1.89	5.0	12.7
2010	145	15.3	1.29	12.9	18.0	16	5.5	1.45	3.0	9.0
2011	147	14.6	1.22	12.3	17.2	25	7.9	1.64	5.0	11.8
2012	142	13.9	1.18	11.7	16.4	22	7.1	1.59	4.3	10.9
2013	157	15.3	1.23	12.9	17.9	23	6.7	1.45	4.1	10.1
2014	162	15.3	1.22	13.0	17.9	28	8.0	1.57	5.3	11.7
2015	182	16.7	1.26	14.3	19.3	21	5.8	1.31	3.6	9.0
2016	166	14.8	1.17	12.6	17.3	24	6.0	1.26	3.8	9.0
2017	173	15.3	1.18	13.1	17.8	26	6.0	1.21	3.9	8.9
2018	209	18.3	1.28	15.8	21.0	46	10.4	1.56	7.5	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Respiratory System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	308,115	74.0	0.13	73.8	74.3	259,277	73.1	0.14	72.8	73.4
1986	7,206	66.6	0.80	65.0	68.2	6,186	64.5	0.83	62.9	66.2
1987	7,760	71.6	0.82	70.0	73.2	6,662	69.7	0.87	68.0	71.4
1988	7,443	68.2	0.80	66.6	69.7	6,328	65.7	0.84	64.1	67.4
1989	7,653	69.8	0.81	68.2	71.4	6,513	67.4	0.85	65.8	69.1
1990	7,959	72.1	0.82	70.5	73.7	6,791	70.0	0.86	68.3	71.7
1991	7,926	70.9	0.80	69.3	72.5	6,809	69.3	0.85	67.6	71.0
1992	8,358	74.2	0.82	72.6	75.8	7,140	72.5	0.86	70.8	74.2
1993	8,757	77.1	0.83	75.5	78.7	7,378	74.4	0.87	72.7	76.1
1994	9,334	81.5	0.85	79.9	83.2	7,949	79.6	0.90	77.8	81.4
1995	9,361	81.3	0.84	79.6	82.9	7,879	78.7	0.89	77.0	80.5
1996	9,369	81.1	0.84	79.5	82.8	7,862	78.5	0.89	76.7	80.2
1997	9,246	79.4	0.83	77.8	81.0	7,796	77.3	0.88	75.6	79.1
1998	9,383	79.8	0.82	78.2	81.5	7,894	77.7	0.88	76.0	79.5
1999	9,461	79.9	0.82	78.3	81.5	7,993	78.4	0.88	76.7	80.1
2000	9,335	78.3	0.81	76.7	79.9	7,934	77.6	0.87	75.9	79.3
2001	9,459	78.8	0.81	77.2	80.4	8,013	77.9	0.87	76.2	79.7
2002	9,759	80.5	0.82	78.9	82.1	8,229	79.4	0.88	77.7	81.2
2003	9,771	79.6	0.81	78.1	81.2	8,239	78.9	0.87	77.2	80.6
2004	9,516	76.9	0.79	75.4	78.5	7,966	75.8	0.85	74.1	77.5
2005	9,707	77.6	0.79	76.0	79.1	8,157	77.1	0.86	75.4	78.8
2006	9,930	78.7	0.79	77.1	80.2	8,318	77.9	0.86	76.2	79.6
2007	10,070	78.5	0.79	77.0	80.1	8,437	78.0	0.86	76.4	79.7
2008	10,085	77.2	0.78	75.7	78.8	8,519	77.5	0.85	75.9	79.2
2009	10,286	77.8	0.78	76.2	79.3	8,664	78.2	0.85	76.5	79.9
2010	9,984	74.2	0.75	72.7	75.7	8,349	74.1	0.82	72.5	75.8
2011	10,055	73.2	0.74	71.8	74.7	8,423	73.4	0.81	71.9	75.1
2012	10,021	71.6	0.73	70.2	73.1	8,294	71.1	0.79	69.6	72.7
2013	9,840	68.6	0.70	67.2	70.0	8,156	68.4	0.77	66.9	69.9
2014	10,381	71.0	0.71	69.6	72.4	8,677	71.7	0.78	70.2	73.3
2015	10,238	68.7	0.69	67.4	70.1	8,433	68.6	0.76	67.1	70.1
2016	10,171	67.5	0.68	66.1	68.8	8,427	67.8	0.75	66.3	69.3
2017	10,244	66.5	0.67	65.2	67.9	8,505	67.1	0.74	65.7	68.6
2018	10,047	63.7	0.65	62.5	65.0	8,357	64.4	0.72	63.0	65.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Respiratory System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	44,433	90.3	0.44	89.4	91.1	3,972	32.0	0.54	31.0	33.1
1986	989	86.0	2.80	80.6	91.7	27	23.2	5.00	14.5	34.7
1987	1,047	90.1	2.85	84.6	95.8	46	34.0	5.60	23.9	46.5
1988	1,066	89.8	2.82	84.4	95.5	45	32.5	5.37	22.9	44.5
1989	1,087	93.1	2.89	87.5	98.9	45	27.1	4.32	19.3	36.8
1990	1,115	92.6	2.83	87.1	98.3	49	31.6	5.04	22.5	42.9
1991	1,055	85.5	2.69	80.3	90.9	45	29.6	4.95	20.7	40.6
1992	1,159	93.5	2.81	88.1	99.2	50	27.3	4.25	19.6	36.8
1993	1,300	103.5	2.93	97.8	109.4	76	40.1	5.26	30.5	51.5
1994	1,302	102.2	2.89	96.6	108.0	76	36.9	4.63	28.4	46.9
1995	1,395	106.3	2.90	100.7	112.1	81	34.3	4.19	26.6	43.4
1996	1,406	107.0	2.90	101.4	112.8	93	41.5	4.78	32.7	51.7
1997	1,352	100.4	2.77	95.0	106.0	90	35.7	4.14	28.1	44.6
1998	1,365	100.3	2.76	95.0	105.9	107	40.8	4.23	32.9	49.8
1999	1,368	98.5	2.71	93.3	104.0	93	36.7	4.11	29.1	45.5
2000	1,290	91.1	2.58	86.2	96.3	99	34.0	3.67	27.2	41.9
2001	1,336	93.9	2.61	88.9	99.2	99	32.8	3.60	26.1	40.5
2002	1,401	96.3	2.62	91.2	101.6	118	37.7	3.74	30.7	45.6
2003	1,413	95.5	2.58	90.5	100.6	105	31.3	3.27	25.2	38.2
2004	1,425	95.3	2.57	90.3	100.4	115	33.2	3.32	27.0	40.3
2005	1,407	92.0	2.50	87.2	97.0	128	32.4	3.07	26.7	38.9
2006	1,463	94.3	2.51	89.4	99.3	138	34.9	3.18	28.9	41.6
2007	1,472	94.0	2.50	89.1	99.0	152	36.5	3.18	30.5	43.2
2008	1,408	87.3	2.38	82.7	92.1	143	31.1	2.81	25.8	37.0
2009	1,441	86.6	2.33	82.0	91.3	162	32.9	2.78	27.7	38.8
2010	1,442	85.5	2.31	81.0	90.1	174	34.1	2.76	28.9	39.9
2011	1,435	83.8	2.27	79.4	88.3	173	32.0	2.59	27.1	37.4
2012	1,521	87.2	2.29	82.7	91.8	190	31.9	2.45	27.3	37.0
2013	1,471	81.5	2.18	77.3	85.9	198	31.7	2.37	27.2	36.7
2014	1,486	80.3	2.14	76.2	84.6	196	29.8	2.23	25.6	34.5
2015	1,554	81.6	2.12	77.5	85.9	233	34.0	2.32	29.6	38.9
2016	1,524	79.9	2.10	75.8	84.1	206	27.3	1.97	23.6	31.4
2017	1,506	77.1	2.04	73.2	81.2	209	27.4	1.94	23.7	31.4
2018	1,432	72.4	1.96	68.6	76.3	211	25.6	1.80	22.2	29.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Respiratory System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	176,743	98.8	0.24	98.3	99.2	148,043	96.5	0.25	96.0	97.0
1986	4,891	107.4	1.59	104.3	110.6	4,175	103.4	1.66	100.2	106.7
1987	5,166	112.7	1.62	109.5	115.9	4,410	108.8	1.69	105.5	112.2
1988	4,837	104.7	1.55	101.7	107.8	4,133	101.2	1.62	98.1	104.5
1989	4,965	106.9	1.56	103.8	110.0	4,196	102.1	1.62	98.9	105.3
1990	5,089	109.2	1.57	106.2	112.4	4,310	105.0	1.64	101.8	108.3
1991	5,030	106.3	1.54	103.3	109.3	4,306	103.3	1.61	100.2	106.5
1992	5,215	108.7	1.54	105.7	111.8	4,426	105.1	1.61	102.0	108.3
1993	5,418	112.9	1.56	109.8	116.0	4,540	107.9	1.63	104.7	111.1
1994	5,701	118.6	1.60	115.5	121.8	4,832	114.9	1.68	111.7	118.3
1995	5,670	116.2	1.57	113.1	119.3	4,719	110.9	1.64	107.7	114.2
1996	5,592	114.7	1.56	111.6	117.7	4,663	109.8	1.63	106.6	113.0
1997	5,514	111.9	1.53	108.9	114.9	4,594	107.5	1.60	104.4	110.7
1998	5,546	111.3	1.51	108.4	114.3	4,612	106.7	1.58	103.6	109.9
1999	5,527	110.0	1.50	107.1	113.0	4,638	106.7	1.58	103.6	109.8
2000	5,436	106.9	1.46	104.0	109.8	4,568	104.1	1.55	101.1	107.2
2001	5,460	107.2	1.47	104.3	110.1	4,575	104.3	1.55	101.3	107.4
2002	5,537	107.7	1.46	104.8	110.6	4,670	105.8	1.56	102.7	108.9
2003	5,497	104.7	1.43	101.9	107.5	4,611	102.5	1.52	99.5	105.5
2004	5,305	99.9	1.39	97.2	102.6	4,403	96.9	1.47	94.0	99.8
2005	5,378	99.6	1.38	96.9	102.3	4,472	97.1	1.47	94.3	100.1
2006	5,448	100.4	1.38	97.7	103.1	4,544	98.2	1.47	95.4	101.2
2007	5,498	99.3	1.36	96.6	102.0	4,569	97.0	1.45	94.1	99.9
2008	5,416	95.5	1.32	93.0	98.2	4,555	94.7	1.42	91.9	97.5
2009	5,485	94.9	1.31	92.3	97.5	4,609	94.4	1.41	91.7	97.2
2010	5,328	90.4	1.27	87.9	92.9	4,438	89.3	1.36	86.6	92.0
2011	5,456	90.7	1.26	88.2	93.2	4,545	89.4	1.35	86.8	92.1
2012	5,309	86.3	1.21	83.9	88.7	4,396	84.7	1.31	82.2	87.4
2013	5,359	84.5	1.18	82.2	86.9	4,441	83.3	1.28	80.8	85.8
2014	5,460	84.2	1.17	82.0	86.6	4,539	83.5	1.27	81.1	86.1
2015	5,399	81.7	1.14	79.5	84.0	4,425	80.1	1.23	77.7	82.6
2016	5,292	79.0	1.12	76.8	81.2	4,394	78.6	1.22	76.2	81.0
2017	5,405	79.0	1.10	76.8	81.2	4,455	78.0	1.20	75.7	80.4
2018	5,114	72.3	1.04	70.3	74.3	4,280	72.6	1.14	70.4	74.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Respiratory System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	25,964	129.2	0.84	127.5	130.8	2,476	45.3	0.99	43.4	47.3
1986	693	146.1	5.84	134.9	158.0	21	41.1	10.27	23.5	65.3
1987	721	151.0	5.92	139.7	163.0	32	58.7	12.08	37.5	86.2
1988	668	137.4	5.59	126.7	148.8	34	55.4	10.96	36.0	80.3
1989	731	154.8	6.06	143.2	167.1	31	42.6	8.31	27.9	61.9
1990	739	150.1	5.80	138.9	161.8	38	53.1	9.88	35.5	75.5
1991	681	134.7	5.41	124.3	145.7	32	46.8	9.32	30.4	68.0
1992	752	148.1	5.67	137.1	159.5	31	35.8	6.93	23.5	51.8
1993	825	161.1	5.91	149.7	173.0	50	59.7	9.80	42.0	81.4
1994	817	158.0	5.83	146.8	169.8	47	52.4	8.49	37.1	71.4
1995	899	168.3	5.90	156.9	180.2	48	50.9	8.51	35.6	69.9
1996	865	162.5	5.79	151.4	174.2	61	64.3	9.44	47.2	85.0
1997	855	155.4	5.54	144.7	166.6	59	51.3	7.27	38.0	67.4
1998	846	154.4	5.56	143.7	165.6	77	64.1	8.04	49.3	81.6
1999	824	147.3	5.36	136.9	158.1	59	57.2	8.33	42.1	75.4
2000	802	138.8	5.12	129.0	149.2	57	43.5	6.41	31.8	57.6
2001	807	138.9	5.11	129.0	149.2	72	59.6	8.20	44.6	77.3
2002	796	133.7	4.96	124.1	143.7	66	48.9	6.68	36.7	63.4
2003	805	133.2	4.92	123.8	143.2	69	49.6	6.67	37.4	64.0
2004	823	136.9	5.02	127.2	147.0	74	47.3	6.14	36.0	60.6
2005	811	130.9	4.84	121.6	140.7	84	50.0	6.01	38.9	62.9
2006	810	129.3	4.79	120.0	139.0	87	54.8	6.52	42.8	68.8
2007	842	133.3	4.85	124.0	143.1	82	48.2	5.83	37.4	60.7
2008	777	118.7	4.49	110.0	127.7	78	38.1	4.95	29.1	48.9
2009	763	111.5	4.25	103.3	120.1	104	48.5	5.38	38.6	60.0
2010	780	112.0	4.23	103.8	120.5	103	46.9	5.09	37.4	57.8
2011	787	113.0	4.22	104.9	121.6	112	47.7	4.90	38.5	58.1
2012	788	111.7	4.18	103.6	120.1	117	45.1	4.56	36.6	54.8
2013	795	108.9	4.06	101.1	117.2	115	40.7	4.10	33.1	49.5
2014	788	105.2	3.94	97.6	113.2	118	39.3	3.85	32.1	47.5
2015	827	107.8	3.93	100.2	115.7	137	45.2	4.12	37.5	53.9
2016	761	97.5	3.70	90.4	105.0	129	36.8	3.38	30.5	44.0
2017	799	101.9	3.77	94.6	109.5	135	39.4	3.53	32.8	46.9
2018	687	84.2	3.35	77.8	91.0	117	31.1	2.97	25.5	37.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Respiratory System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	131,372	56.2	0.16	55.9	56.5	111,234	56.1	0.17	55.8	56.5	
1986	2,315	38.4	0.82	36.8	40.0	2,011	37.9	0.87	36.3	39.7	
1987	2,594	43.2	0.87	41.5	44.9	2,252	42.8	0.93	41.0	44.6	
1988	2,606	42.8	0.85	41.1	44.5	2,195	41.1	0.90	39.4	42.9	
1989	2,688	43.7	0.86	42.0	45.4	2,317	43.0	0.91	41.3	44.9	
1990	2,870	46.5	0.88	44.7	48.2	2,481	46.0	0.94	44.2	47.9	
1991	2,896	46.0	0.87	44.3	47.7	2,503	45.5	0.93	43.7	47.3	
1992	3,143	49.7	0.90	47.9	51.4	2,714	49.4	0.97	47.5	51.3	
1993	3,339	52.1	0.91	50.3	53.9	2,838	51.0	0.97	49.1	53.0	
1994	3,633	55.9	0.94	54.0	57.7	3,117	55.2	1.00	53.3	57.2	
1995	3,691	56.7	0.94	54.9	58.6	3,160	56.1	1.01	54.1	58.1	
1996	3,777	57.7	0.95	55.9	59.6	3,199	56.7	1.02	54.7	58.7	
1997	3,732	56.4	0.93	54.6	58.2	3,202	56.2	1.00	54.2	58.2	
1998	3,837	57.5	0.93	55.6	59.3	3,282	57.2	1.01	55.3	59.2	
1999	3,934	58.6	0.94	56.8	60.5	3,355	58.3	1.02	56.3	60.3	
2000	3,899	57.7	0.93	55.9	59.5	3,366	58.4	1.02	56.4	60.4	
2001	3,999	58.7	0.93	56.9	60.6	3,438	59.4	1.02	57.4	61.5	
2002	4,222	61.5	0.95	59.7	63.4	3,559	61.1	1.03	59.1	63.2	
2003	4,274	61.9	0.95	60.1	63.8	3,628	62.2	1.04	60.2	64.3	
2004	4,211	60.5	0.94	58.7	62.4	3,563	60.7	1.03	58.7	62.7	
2005	4,329	61.7	0.94	59.8	63.6	3,685	62.5	1.04	60.5	64.6	
2006	4,482	63.3	0.95	61.4	65.2	3,774	63.4	1.04	61.4	65.5	
2007	4,572	63.6	0.95	61.8	65.5	3,868	64.3	1.05	62.3	66.4	
2008	4,669	64.0	0.95	62.2	65.9	3,964	65.1	1.05	63.1	67.2	
2009	4,801	65.2	0.95	63.4	67.1	4,055	66.2	1.05	64.1	68.3	
2010	4,656	62.2	0.92	60.4	64.1	3,911	62.9	1.02	60.9	65.0	
2011	4,599	60.2	0.90	58.5	62.0	3,878	61.4	1.00	59.5	63.4	
2012	4,712	60.9	0.90	59.2	62.7	3,898	61.1	1.00	59.2	63.1	
2013	4,481	56.6	0.86	55.0	58.4	3,715	57.0	0.95	55.2	58.9	
2014	4,921	61.1	0.89	59.4	62.9	4,138	62.9	0.99	60.9	64.9	
2015	4,839	59.2	0.87	57.5	60.9	4,008	60.0	0.97	58.2	62.0	
2016	4,879	58.8	0.86	57.1	60.5	4,033	59.6	0.96	57.8	61.5	
2017	4,839	57.1	0.83	55.4	58.7	4,050	58.7	0.94	56.9	60.6	
2018	4,933	57.2	0.83	55.6	58.8	4,077	58.1	0.93	56.3	59.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Respiratory System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	18,469	64.1	0.48	63.2	65.0	1,496	21.8	0.59	20.6	23.0
1986	296	44.0	2.59	39.0	49.3	6	9.4	4.26	3.0	21.0
1987	326	48.2	2.70	43.1	53.8	14	15.7	4.29	8.4	26.6
1988	398	57.2	2.91	51.7	63.2	11	14.8	4.70	7.1	26.7
1989	356	51.6	2.77	46.3	57.3	14	15.5	4.41	8.1	26.5
1990	376	53.5	2.79	48.1	59.2	11	14.6	4.81	6.8	26.6
1991	374	51.9	2.71	46.7	57.5	13	16.4	5.15	7.9	28.9
1992	407	56.3	2.82	50.9	62.1	19	20.5	5.21	11.6	32.9
1993	475	64.6	2.99	58.8	70.7	26	25.3	5.66	15.4	38.4
1994	485	65.0	2.98	59.3	71.1	29	25.3	5.11	16.3	37.1
1995	496	64.6	2.93	59.0	70.6	33	23.0	4.24	15.5	32.8
1996	541	69.9	3.03	64.1	76.1	32	24.8	4.79	16.3	35.7
1997	497	62.9	2.84	57.4	68.7	31	23.1	4.59	15.0	33.6
1998	519	64.7	2.86	59.2	70.5	30	22.4	4.31	14.7	32.2
1999	544	66.5	2.87	61.0	72.3	34	22.5	4.10	15.2	31.8
2000	488	58.8	2.68	53.7	64.3	42	26.6	4.30	18.8	36.2
2001	529	63.4	2.77	58.1	69.1	27	15.0	3.03	9.7	22.1
2002	605	71.0	2.91	65.4	76.9	52	29.3	4.30	21.5	38.8
2003	608	70.1	2.86	64.6	75.9	36	18.4	3.21	12.7	25.7
2004	602	68.1	2.80	62.7	73.8	41	22.4	3.64	15.9	30.6
2005	596	66.5	2.75	61.2	72.1	44	19.5	3.09	13.9	26.4
2006	653	71.6	2.83	66.2	77.4	51	21.3	3.12	15.6	28.2
2007	630	68.6	2.76	63.3	74.2	70	28.1	3.55	21.6	35.8
2008	631	66.7	2.68	61.5	72.1	65	26.1	3.40	19.9	33.5
2009	678	69.9	2.72	64.7	75.5	58	21.5	2.97	16.1	28.1
2010	662	67.6	2.66	62.4	73.0	71	24.6	3.06	18.9	31.3
2011	648	64.0	2.55	59.1	69.2	61	19.7	2.64	14.9	25.5
2012	733	71.3	2.67	66.1	76.7	73	21.9	2.67	17.0	27.8
2013	676	63.8	2.49	59.0	68.9	83	24.5	2.79	19.3	30.6
2014	698	63.9	2.46	59.1	68.9	78	21.8	2.55	17.1	27.4
2015	727	64.9	2.45	60.2	69.9	96	25.3	2.67	20.3	31.1
2016	763	67.9	2.50	63.1	73.0	77	19.2	2.24	15.0	24.1
2017	707	61.1	2.34	56.6	65.9	74	17.7	2.10	13.8	22.3
2018	745	64.3	2.40	59.6	69.1	94	21.1	2.22	17.0	26.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Larynx											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	19,031	4.5	0.03	4.5	4.6	15,278	4.3	0.03	4.2	4.4	
1986	552	5.1	0.22	4.7	5.5	450	4.7	0.23	4.3	5.2	
1987	630	5.9	0.24	5.4	6.3	525	5.5	0.25	5.1	6.0	
1988	520	4.8	0.22	4.4	5.3	439	4.6	0.22	4.2	5.1	
1989	607	5.6	0.23	5.2	6.1	500	5.3	0.24	4.8	5.8	
1990	591	5.4	0.23	5.0	5.9	473	5.0	0.23	4.5	5.4	
1991	615	5.6	0.23	5.1	6.0	496	5.1	0.23	4.7	5.6	
1992	602	5.4	0.22	5.0	5.9	477	5.0	0.23	4.5	5.4	
1993	604	5.3	0.22	4.9	5.8	485	4.9	0.23	4.5	5.4	
1994	592	5.2	0.22	4.8	5.7	484	5.0	0.23	4.5	5.4	
1995	658	5.8	0.23	5.4	6.2	520	5.3	0.23	4.9	5.8	
1996	642	5.6	0.22	5.2	6.1	521	5.3	0.23	4.9	5.8	
1997	616	5.3	0.22	4.9	5.8	476	4.8	0.22	4.4	5.3	
1998	566	4.8	0.20	4.4	5.2	450	4.5	0.21	4.1	4.9	
1999	576	4.9	0.20	4.5	5.3	460	4.6	0.21	4.2	5.0	
2000	603	5.1	0.21	4.7	5.5	493	4.9	0.22	4.5	5.3	
2001	563	4.7	0.20	4.3	5.1	440	4.3	0.21	3.9	4.7	
2002	594	4.9	0.20	4.5	5.3	474	4.6	0.21	4.2	5.0	
2003	559	4.5	0.19	4.1	4.9	429	4.1	0.20	3.7	4.5	
2004	536	4.2	0.18	3.9	4.6	419	4.0	0.19	3.6	4.4	
2005	559	4.4	0.19	4.0	4.8	454	4.2	0.20	3.9	4.7	
2006	532	4.1	0.18	3.8	4.5	433	4.0	0.19	3.7	4.4	
2007	580	4.4	0.18	4.0	4.8	458	4.2	0.20	3.8	4.6	
2008	556	4.1	0.18	3.8	4.5	466	4.2	0.19	3.8	4.6	
2009	555	4.0	0.17	3.7	4.4	442	3.9	0.19	3.5	4.3	
2010	584	4.1	0.17	3.8	4.5	463	4.0	0.19	3.6	4.4	
2011	554	3.9	0.17	3.6	4.3	460	3.9	0.19	3.6	4.3	
2012	544	3.8	0.16	3.5	4.1	434	3.6	0.18	3.3	4.0	
2013	529	3.6	0.16	3.3	3.9	415	3.4	0.17	3.1	3.7	
2014	568	3.8	0.16	3.4	4.1	450	3.6	0.17	3.3	4.0	
2015	545	3.6	0.16	3.3	3.9	421	3.4	0.17	3.1	3.7	
2016	558	3.5	0.15	3.2	3.9	451	3.5	0.17	3.2	3.9	
2017	556	3.5	0.15	3.2	3.8	452	3.5	0.17	3.2	3.8	
2018	585	3.6	0.15	3.3	4.0	468	3.6	0.17	3.2	3.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Larynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,515	6.8	0.12	6.6	7.0	172	1.3	0.10	1.1	1.5
1986	101	8.5	0.86	6.9	10.3	1	0.7	0.67	0.0	4.0
1987	102	8.6	0.86	7.0	10.4	3	1.7	0.98	0.3	5.3
1988	77	6.7	0.78	5.3	8.4	4	3.5	1.89	0.8	8.8
1989	103	8.7	0.87	7.1	10.5	2	1.0	0.73	0.1	4.0
1990	112	9.1	0.87	7.5	10.9	3	1.7	0.99	0.3	5.1
1991	116	9.2	0.86	7.5	11.0	2	0.9	0.71	0.1	3.7
1992	120	9.4	0.88	7.8	11.3	3	1.6	0.93	0.3	4.6
1993	112	8.7	0.84	7.2	10.5	7	3.9	1.56	1.5	8.0
1994	100	7.4	0.75	6.0	9.0	7	2.5	0.98	1.0	5.4
1995	134	10.0	0.87	8.3	11.8	2	0.9	0.67	0.1	3.3
1996	113	8.3	0.79	6.8	10.0	5	1.9	0.95	0.5	4.7
1997	130	9.2	0.81	7.7	10.9	9	2.8	0.95	1.2	5.4
1998	110	7.8	0.76	6.4	9.5	1	0.2	0.24	0.0	1.7
1999	110	7.4	0.72	6.1	9.0	5	1.4	0.63	0.4	3.3
2000	99	6.7	0.68	5.4	8.2	7	2.0	0.78	0.8	4.2
2001	115	7.6	0.71	6.2	9.1	7	1.6	0.63	0.6	3.5
2002	117	7.7	0.72	6.3	9.2	1	0.2	0.20	0.0	1.3
2003	124	8.0	0.73	6.6	9.6	4	1.2	0.65	0.3	3.1
2004	107	6.8	0.67	5.6	8.2	8	2.2	0.84	0.9	4.4
2005	101	6.1	0.62	5.0	7.5	2	0.5	0.34	0.1	1.7
2006	91	5.5	0.59	4.4	6.8	4	1.0	0.51	0.2	2.5
2007	115	6.8	0.65	5.6	8.2	5	0.8	0.37	0.3	2.0
2008	82	4.7	0.53	3.8	5.9	4	0.8	0.42	0.2	2.0
2009	105	5.8	0.58	4.7	7.1	4	0.8	0.40	0.2	2.0
2010	115	6.0	0.57	4.9	7.2	4	0.8	0.42	0.2	2.0
2011	86	4.8	0.53	3.8	5.9	5	1.2	0.55	0.4	2.7
2012	104	5.7	0.58	4.7	7.0	6	0.9	0.38	0.3	2.0
2013	104	5.6	0.57	4.6	6.9	8	1.1	0.38	0.5	2.1
2014	106	5.4	0.54	4.4	6.6	10	1.4	0.46	0.6	2.6
2015	108	5.3	0.52	4.3	6.4	12	1.7	0.50	0.8	3.0
2016	96	4.7	0.49	3.8	5.8	11	1.4	0.44	0.7	2.6
2017	98	4.9	0.51	4.0	6.0	3	0.5	0.29	0.1	1.4
2018	102	4.9	0.50	4.0	6.0	13	1.6	0.45	0.8	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Larynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	15,149	8.1	0.07	8.0	8.2	12,241	7.7	0.07	7.6	7.8
1986	444	9.4	0.46	8.5	10.3	363	8.7	0.47	7.8	9.7
1987	508	10.8	0.49	9.8	11.8	425	10.2	0.51	9.2	11.2
1988	426	9.1	0.45	8.2	10.0	365	8.7	0.47	7.8	9.7
1989	498	10.7	0.49	9.7	11.7	418	10.2	0.51	9.2	11.2
1990	461	9.8	0.46	8.9	10.7	366	8.9	0.47	8.0	9.8
1991	496	10.2	0.47	9.3	11.2	406	9.5	0.48	8.6	10.5
1992	474	9.8	0.46	9.0	10.8	385	9.1	0.47	8.2	10.1
1993	493	9.8	0.45	8.9	10.7	398	9.0	0.46	8.1	9.9
1994	472	9.4	0.44	8.6	10.3	384	8.9	0.46	8.0	9.8
1995	509	10.3	0.46	9.4	11.3	409	9.6	0.48	8.7	10.6
1996	493	9.8	0.45	9.0	10.8	398	9.2	0.47	8.3	10.2
1997	488	9.6	0.44	8.7	10.4	376	8.6	0.45	7.7	9.5
1998	467	9.1	0.42	8.3	10.0	376	8.5	0.44	7.7	9.4
1999	479	9.2	0.42	8.4	10.1	382	8.6	0.44	7.7	9.5
2000	488	9.2	0.42	8.4	10.1	401	8.9	0.44	8.0	9.8
2001	451	8.6	0.41	7.8	9.4	355	7.9	0.43	7.1	8.8
2002	474	8.8	0.41	8.0	9.6	386	8.4	0.43	7.6	9.3
2003	435	8.0	0.39	7.2	8.8	344	7.4	0.40	6.6	8.2
2004	436	7.8	0.38	7.1	8.6	348	7.4	0.40	6.6	8.2
2005	443	7.8	0.37	7.1	8.5	357	7.4	0.40	6.7	8.2
2006	436	7.5	0.37	6.8	8.3	357	7.3	0.39	6.6	8.1
2007	465	7.9	0.37	7.2	8.7	360	7.3	0.39	6.5	8.1
2008	450	7.4	0.35	6.7	8.1	375	7.3	0.38	6.5	8.1
2009	436	7.0	0.34	6.4	7.7	346	6.7	0.37	6.0	7.4
2010	450	7.0	0.34	6.4	7.7	358	6.8	0.37	6.1	7.5
2011	440	7.0	0.34	6.3	7.7	372	7.0	0.37	6.3	7.8
2012	415	6.5	0.33	5.8	7.1	338	6.2	0.35	5.6	7.0
2013	426	6.3	0.31	5.7	6.9	337	5.9	0.33	5.3	6.6
2014	443	6.4	0.31	5.8	7.1	351	6.1	0.34	5.5	6.8
2015	437	6.2	0.31	5.6	6.9	339	5.8	0.33	5.2	6.5
2016	436	6.1	0.30	5.5	6.7	356	6.0	0.33	5.4	6.7
2017	431	6.0	0.30	5.4	6.6	350	5.9	0.32	5.3	6.5
2018	449	6.1	0.29	5.5	6.7	360	5.8	0.32	5.2	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Larynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,716	12.6	0.25	12.1	13.1	145	2.4	0.21	2.0	2.8
1986	80	15.8	1.82	12.4	19.8	1	1.6	1.58	0.0	9.5
1987	81	16.2	1.86	12.7	20.2	2	2.3	1.70	0.3	9.9
1988	57	12.3	1.70	9.2	16.0	4	8.1	4.47	1.8	20.7
1989	76	15.8	1.91	12.3	19.9	2	2.4	1.68	0.3	9.3
1990	91	17.5	1.88	14.0	21.5	2	2.8	2.02	0.3	10.3
1991	87	16.3	1.79	13.0	20.2	2	2.2	1.66	0.2	8.7
1992	84	16.0	1.83	12.6	20.0	3	3.6	2.13	0.7	10.6
1993	89	16.7	1.86	13.3	20.8	6	8.3	3.62	2.8	18.1
1994	82	14.5	1.65	11.5	18.1	5	3.6	1.70	1.1	9.3
1995	97	17.3	1.82	13.9	21.2	2	2.2	1.58	0.3	7.8
1996	89	15.6	1.71	12.5	19.3	5	4.3	2.26	1.1	11.0
1997	104	17.3	1.73	14.1	21.0	7	4.4	1.75	1.7	9.7
1998	86	14.7	1.63	11.6	18.2	1	0.5	0.50	0.0	3.9
1999	91	14.8	1.60	11.9	18.3	5	2.9	1.38	0.9	7.4
2000	80	13.2	1.55	10.4	16.6	4	2.3	1.26	0.6	6.5
2001	90	13.9	1.50	11.2	17.2	6	3.0	1.30	1.0	7.1
2002	86	13.7	1.54	10.9	17.1	1	0.4	0.41	0.0	3.0
2003	86	13.7	1.55	10.8	17.1	3	2.5	1.48	0.5	6.9
2004	80	12.4	1.46	9.7	15.5	6	3.4	1.47	1.1	7.5
2005	82	11.6	1.32	9.2	14.5	2	1.0	0.75	0.1	3.8
2006	72	10.6	1.32	8.2	13.5	4	2.2	1.18	0.5	5.7
2007	100	14.1	1.46	11.4	17.3	4	1.4	0.68	0.4	3.7
2008	70	9.8	1.23	7.6	12.5	3	0.9	0.53	0.2	3.0
2009	85	11.2	1.27	8.9	14.0	3	1.4	0.92	0.2	4.3
2010	88	10.7	1.18	8.5	13.2	3	1.1	0.62	0.2	3.2
2011	62	8.4	1.12	6.4	10.9	4	2.1	1.14	0.5	5.3
2012	73	10.1	1.23	7.8	12.7	4	1.4	0.72	0.4	3.6
2013	80	10.9	1.28	8.5	13.7	7	2.0	0.77	0.8	4.3
2014	81	10.0	1.16	7.8	12.5	10	3.1	1.03	1.4	5.8
2015	84	10.0	1.14	7.9	12.5	11	3.2	1.02	1.6	5.9
2016	72	8.8	1.08	6.8	11.1	8	2.1	0.76	0.9	4.2
2017	75	8.9	1.08	7.0	11.3	3	1.1	0.64	0.2	3.0
2018	76	8.9	1.06	7.0	11.3	12	3.2	0.95	1.6	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Larynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,882	1.7	0.03	1.6	1.8	3,037	1.6	0.03	1.5	1.7
1986	108	1.9	0.18	1.5	2.2	87	1.7	0.19	1.4	2.1
1987	122	2.1	0.20	1.7	2.5	100	2.0	0.20	1.6	2.4
1988	94	1.6	0.17	1.3	2.0	74	1.4	0.17	1.1	1.8
1989	109	1.8	0.18	1.5	2.2	82	1.6	0.18	1.2	1.9
1990	130	2.2	0.19	1.8	2.6	107	2.1	0.20	1.7	2.5
1991	119	2.0	0.18	1.6	2.4	90	1.7	0.18	1.4	2.1
1992	128	2.1	0.19	1.8	2.5	92	1.8	0.19	1.4	2.2
1993	111	1.8	0.17	1.5	2.2	87	1.6	0.18	1.3	2.0
1994	120	1.9	0.18	1.6	2.3	100	1.9	0.19	1.5	2.3
1995	149	2.4	0.20	2.0	2.8	111	2.1	0.20	1.7	2.5
1996	149	2.4	0.20	2.0	2.8	123	2.3	0.21	1.9	2.8
1997	128	2.0	0.18	1.7	2.4	100	1.9	0.19	1.5	2.3
1998	99	1.5	0.15	1.2	1.8	74	1.3	0.15	1.0	1.7
1999	97	1.5	0.15	1.2	1.9	78	1.5	0.16	1.1	1.8
2000	115	1.8	0.16	1.5	2.1	92	1.7	0.18	1.4	2.1
2001	112	1.7	0.16	1.4	2.1	85	1.6	0.17	1.2	1.9
2002	120	1.8	0.16	1.5	2.1	88	1.6	0.17	1.3	1.9
2003	124	1.8	0.17	1.5	2.2	85	1.5	0.17	1.2	1.9
2004	100	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
2005	116	1.7	0.16	1.4	2.0	97	1.7	0.18	1.4	2.1
2006	96	1.4	0.14	1.1	1.7	76	1.3	0.15	1.0	1.6
2007	115	1.7	0.15	1.4	2.0	98	1.7	0.17	1.4	2.1
2008	106	1.5	0.14	1.2	1.8	91	1.5	0.16	1.2	1.9
2009	119	1.6	0.15	1.3	1.9	96	1.6	0.16	1.3	1.9
2010	134	1.7	0.15	1.4	2.1	105	1.6	0.16	1.3	2.0
2011	114	1.5	0.14	1.2	1.8	88	1.4	0.15	1.1	1.8
2012	129	1.6	0.15	1.4	1.9	96	1.5	0.15	1.2	1.8
2013	103	1.3	0.13	1.1	1.6	78	1.2	0.14	1.0	1.6
2014	125	1.5	0.14	1.3	1.9	99	1.5	0.15	1.2	1.8
2015	108	1.3	0.13	1.1	1.6	82	1.3	0.14	1.0	1.6
2016	122	1.4	0.13	1.2	1.7	95	1.4	0.14	1.1	1.7
2017	125	1.5	0.14	1.3	1.8	102	1.5	0.15	1.2	1.8
2018	136	1.6	0.14	1.3	1.9	108	1.6	0.15	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Larynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	799	2.7	0.09	2.5	2.9	27	0.4	0.08	0.2	0.6
1986	21	3.1	0.67	1.9	4.7	0				
1987	21	3.1	0.67	1.9	4.7	1	1.1	1.08	0.0	6.5
1988	20	2.8	0.64	1.7	4.4	0				
1989	27	3.8	0.74	2.5	5.6	0				
1990	21	3.0	0.66	1.8	4.6	1	0.9	0.86	0.0	5.5
1991	29	4.0	0.74	2.6	5.7	0				
1992	36	4.9	0.83	3.4	6.8	0				
1993	23	3.0	0.64	1.9	4.6	1	0.7	0.66	0.0	4.2
1994	18	2.3	0.54	1.3	3.6	2	1.5	1.09	0.2	5.6
1995	37	4.8	0.79	3.4	6.6	0				
1996	24	3.1	0.64	2.0	4.6	0				
1997	26	3.1	0.62	2.1	4.6	2	1.3	0.94	0.2	4.7
1998	24	3.0	0.61	1.9	4.4	0				
1999	19	2.2	0.51	1.3	3.5	0				
2000	19	2.2	0.50	1.3	3.4	3	1.7	0.99	0.4	4.9
2001	25	2.9	0.58	1.9	4.2	1	0.4	0.43	0.0	2.6
2002	31	3.4	0.62	2.3	4.9	0				
2003	38	4.2	0.68	2.9	5.7	1	0.3	0.32	0.0	2.2
2004	27	3.0	0.58	2.0	4.3	2	1.1	0.85	0.1	3.9
2005	19	2.1	0.47	1.2	3.2	0				
2006	19	2.0	0.46	1.2	3.1	0				
2007	15	1.6	0.42	0.9	2.6	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.35	0.6	2.1	1	0.6	0.55	0.0	2.5
2009	20	1.9	0.43	1.2	2.9	1	0.2	0.24	0.0	1.6
2010	27	2.5	0.49	1.7	3.7	1	0.5	0.50	0.0	2.3
2011	24	2.2	0.46	1.4	3.4	1	0.5	0.48	0.0	2.2
2012	31	2.9	0.52	1.9	4.1	2	0.5	0.34	0.1	1.9
2013	24	2.2	0.45	1.4	3.2	1	0.2	0.22	0.0	1.4
2014	25	2.3	0.46	1.5	3.4	0				
2015	24	2.0	0.41	1.3	3.0	1	0.3	0.34	0.0	1.7
2016	24	1.9	0.39	1.2	2.9	3	0.8	0.49	0.2	2.4
2017	23	2.2	0.46	1.4	3.3	0				
2018	26	2.1	0.43	1.4	3.2	1	0.2	0.22	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lung and Bronchus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	285,432	68.6	0.13	68.4	68.9	240,886	67.9	0.14	67.6	68.1
1986	6,552	60.6	0.76	59.1	62.1	5,645	58.9	0.80	57.3	60.5
1987	7,001	64.6	0.78	63.0	66.1	6,023	63.0	0.82	61.3	64.6
1988	6,802	62.2	0.76	60.7	63.7	5,787	60.0	0.80	58.4	61.6
1989	6,957	63.3	0.77	61.8	64.8	5,943	61.4	0.81	59.8	63.0
1990	7,284	65.9	0.78	64.4	67.5	6,246	64.3	0.82	62.7	65.9
1991	7,201	64.3	0.76	62.8	65.8	6,215	63.2	0.81	61.6	64.8
1992	7,645	67.8	0.78	66.2	69.3	6,567	66.5	0.83	64.9	68.1
1993	8,035	70.7	0.79	69.2	72.3	6,791	68.4	0.83	66.8	70.0
1994	8,639	75.4	0.81	73.8	77.0	7,375	73.7	0.86	72.0	75.4
1995	8,614	74.7	0.81	73.1	76.3	7,283	72.6	0.85	70.9	74.3
1996	8,620	74.6	0.80	73.0	76.2	7,244	72.2	0.85	70.5	73.9
1997	8,534	73.2	0.79	71.7	74.8	7,239	71.7	0.84	70.1	73.4
1998	8,703	74.0	0.79	72.5	75.6	7,345	72.3	0.84	70.6	74.0
1999	8,763	74.0	0.79	72.4	75.6	7,425	72.8	0.85	71.1	74.4
2000	8,619	72.3	0.78	70.8	73.8	7,350	71.8	0.84	70.1	73.4
2001	8,794	73.2	0.78	71.7	74.8	7,485	72.8	0.84	71.1	74.4
2002	9,041	74.6	0.79	73.1	76.2	7,644	73.8	0.85	72.1	75.5
2003	9,090	74.2	0.78	72.7	75.7	7,700	73.8	0.84	72.1	75.4
2004	8,881	71.9	0.77	70.4	73.4	7,458	71.0	0.83	69.4	72.6
2005	9,054	72.4	0.77	71.0	74.0	7,625	72.1	0.83	70.5	73.7
2006	9,281	73.6	0.77	72.1	75.2	7,787	73.0	0.83	71.3	74.6
2007	9,366	73.2	0.76	71.7	74.7	7,878	72.9	0.83	71.3	74.6
2008	9,401	72.1	0.75	70.6	73.6	7,947	72.4	0.82	70.8	74.0
2009	9,618	72.9	0.75	71.4	74.4	8,129	73.4	0.82	71.8	75.1
2010	9,294	69.3	0.73	67.8	70.7	7,791	69.3	0.80	67.7	70.8
2011	9,388	68.5	0.72	67.1	69.9	7,868	68.7	0.79	67.1	70.2
2012	9,366	67.0	0.70	65.7	68.4	7,765	66.7	0.77	65.2	68.2
2013	9,197	64.2	0.68	62.9	65.5	7,641	64.1	0.75	62.7	65.6
2014	9,687	66.4	0.69	65.1	67.8	8,121	67.2	0.76	65.7	68.7
2015	9,581	64.4	0.67	63.1	65.7	7,914	64.4	0.74	62.9	65.8
2016	9,490	63.0	0.66	61.7	64.3	7,886	63.5	0.73	62.1	65.0
2017	9,578	62.3	0.65	61.0	63.5	7,963	62.9	0.72	61.5	64.3
2018	9,356	59.4	0.62	58.2	60.6	7,806	60.2	0.69	58.8	61.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lung and Bronchus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	40,483	82.6	0.42	81.8	83.5	3,716	30.2	0.53	29.2	31.3
1986	877	76.5	2.65	71.4	81.8	26	22.5	4.95	13.9	34.0
1987	933	80.5	2.70	75.3	85.9	41	31.6	5.49	21.8	44.0
1988	972	81.9	2.69	76.7	87.3	39	28.4	5.01	19.4	39.6
1989	969	83.1	2.73	77.8	88.6	39	23.3	3.98	16.2	32.4
1990	991	82.6	2.68	77.4	88.0	46	30.0	4.94	21.1	41.0
1991	931	75.9	2.54	71.0	81.0	40	27.7	4.86	19.0	38.5
1992	1,025	83.0	2.65	77.9	88.4	46	25.4	4.14	18.0	34.7
1993	1,174	93.7	2.79	88.3	99.3	67	34.9	4.92	25.9	45.6
1994	1,190	93.9	2.78	88.5	99.5	68	33.7	4.47	25.5	43.4
1995	1,248	95.6	2.76	90.2	101.1	79	33.3	4.14	25.7	42.3
1996	1,285	98.1	2.79	92.8	103.7	87	39.4	4.68	30.8	49.5
1997	1,214	90.7	2.64	85.6	96.0	76	31.6	3.99	24.3	40.3
1998	1,243	91.7	2.64	86.6	97.0	104	39.7	4.17	31.9	48.6
1999	1,245	90.3	2.60	85.3	95.5	87	35.1	4.06	27.6	43.8
2000	1,174	83.3	2.47	78.6	88.3	87	30.5	3.50	24.0	38.0
2001	1,209	85.6	2.50	80.7	90.6	90	30.7	3.53	24.2	38.3
2002	1,274	88.0	2.51	83.2	93.1	114	36.7	3.70	29.8	44.5
2003	1,277	86.8	2.47	82.0	91.7	101	30.0	3.20	24.1	36.9
2004	1,309	87.9	2.47	83.1	92.8	106	30.8	3.20	24.8	37.6
2005	1,291	85.0	2.41	80.3	89.8	126	32.0	3.05	26.3	38.4
2006	1,356	87.8	2.43	83.1	92.7	131	33.3	3.12	27.5	39.9
2007	1,340	86.0	2.40	81.4	90.9	142	34.8	3.14	29.0	41.5
2008	1,310	81.6	2.31	77.2	86.3	135	29.6	2.75	24.4	35.4
2009	1,321	79.8	2.25	75.5	84.4	153	31.4	2.73	26.3	37.1
2010	1,317	78.9	2.23	74.6	83.4	169	33.2	2.73	28.0	38.9
2011	1,335	78.2	2.19	74.0	82.6	165	30.4	2.52	25.7	35.7
2012	1,403	80.7	2.21	76.4	85.1	183	30.9	2.42	26.3	36.0
2013	1,356	75.3	2.09	71.2	79.5	187	30.3	2.33	25.9	35.2
2014	1,366	74.1	2.06	70.1	78.3	182	27.9	2.16	23.8	32.5
2015	1,435	75.7	2.05	71.7	79.8	218	32.0	2.26	27.7	36.7
2016	1,406	74.0	2.02	70.1	78.1	187	24.8	1.88	21.3	28.8
2017	1,393	71.5	1.96	67.7	75.4	203	26.5	1.91	22.9	30.5
2018	1,314	66.6	1.88	63.0	70.4	192	23.3	1.72	20.0	26.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lung and Bronchus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	159,359	89.5	0.23	89.0	89.9	133,882	87.6	0.24	87.1	88.0
1986	4,383	96.6	1.51	93.6	99.6	3,755	93.2	1.58	90.2	96.4
1987	4,571	100.1	1.53	97.1	103.1	3,909	96.8	1.60	93.7	100.0
1988	4,338	94.1	1.47	91.3	97.1	3,707	91.1	1.54	88.1	94.1
1989	4,415	95.1	1.47	92.2	98.0	3,738	91.0	1.53	88.0	94.0
1990	4,574	98.3	1.49	95.4	101.3	3,900	95.1	1.56	92.0	98.2
1991	4,480	94.9	1.45	92.1	97.8	3,853	92.6	1.53	89.7	95.7
1992	4,679	97.7	1.46	94.8	100.6	3,987	94.7	1.53	91.7	97.8
1993	4,863	101.9	1.49	99.0	104.8	4,086	97.6	1.55	94.6	100.7
1994	5,167	107.9	1.53	104.9	110.9	4,394	104.8	1.61	101.7	108.0
1995	5,097	104.6	1.49	101.7	107.6	4,256	100.1	1.56	97.0	103.2
1996	5,030	103.5	1.48	100.6	106.4	4,201	99.2	1.55	96.1	102.2
1997	4,960	101.1	1.46	98.3	104.0	4,162	97.7	1.53	94.7	100.8
1998	5,012	101.0	1.44	98.2	103.8	4,178	96.9	1.51	94.0	99.9
1999	4,977	99.5	1.43	96.7	102.3	4,194	96.7	1.51	93.8	99.7
2000	4,880	96.4	1.39	93.7	99.2	4,110	94.0	1.48	91.2	97.0
2001	4,951	97.5	1.40	94.8	100.3	4,171	95.3	1.49	92.4	98.2
2002	4,975	97.3	1.40	94.6	100.1	4,205	95.7	1.49	92.8	98.6
2003	4,990	95.5	1.37	92.8	98.2	4,203	93.8	1.46	90.9	96.7
2004	4,813	91.0	1.33	88.5	93.7	4,002	88.4	1.41	85.6	91.2
2005	4,874	90.8	1.32	88.2	93.4	4,066	88.7	1.41	86.0	91.5
2006	4,944	91.7	1.32	89.1	94.3	4,132	89.8	1.41	87.0	92.6
2007	4,964	90.2	1.30	87.6	92.8	4,145	88.4	1.39	85.7	91.2
2008	4,881	86.7	1.26	84.3	89.3	4,108	85.9	1.36	83.3	88.7
2009	4,983	86.8	1.25	84.3	89.2	4,209	86.6	1.36	84.0	89.3
2010	4,811	82.3	1.21	79.9	84.7	4,019	81.3	1.31	78.7	83.9
2011	4,942	82.5	1.20	80.2	84.9	4,109	81.2	1.29	78.7	83.8
2012	4,836	78.9	1.16	76.6	81.2	4,008	77.6	1.25	75.1	80.1
2013	4,866	77.2	1.13	75.0	79.4	4,044	76.3	1.23	73.9	78.7
2014	4,947	76.8	1.12	74.6	79.0	4,127	76.3	1.22	73.9	78.7
2015	4,886	74.3	1.09	72.2	76.5	4,019	73.0	1.18	70.7	75.3
2016	4,774	71.6	1.06	69.5	73.7	3,977	71.4	1.16	69.2	73.8
2017	4,901	71.9	1.05	69.8	74.0	4,045	71.1	1.14	68.9	73.4
2018	4,595	65.2	0.99	63.3	67.1	3,863	65.8	1.08	63.7	67.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lung and Bronchus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	22,996	115.4	0.80	113.9	117.0	2,279	42.2	0.97	40.4	44.2
1986	606	128.9	5.52	118.3	140.1	20	39.5	10.15	22.2	63.5
1987	631	133.0	5.58	122.3	144.3	28	54.9	11.91	34.1	82.2
1988	601	123.5	5.30	113.3	134.2	28	45.9	9.96	28.5	68.9
1989	646	137.0	5.70	126.0	148.5	26	36.4	7.68	22.9	54.4
1990	638	130.8	5.45	120.3	141.8	36	50.3	9.67	33.2	72.4
1991	590	117.8	5.10	108.0	128.2	27	42.5	9.08	26.6	63.4
1992	661	131.0	5.35	120.7	141.8	27	31.5	6.57	20.0	46.9
1993	732	143.7	5.60	133.0	155.1	42	48.1	8.74	32.5	67.7
1994	728	142.4	5.57	131.7	153.7	41	47.1	8.14	32.5	65.4
1995	792	149.5	5.59	138.7	160.8	46	48.7	8.36	33.7	67.4
1996	772	146.1	5.52	135.5	157.3	56	60.0	9.17	43.4	80.1
1997	746	137.4	5.25	127.3	148.0	48	44.6	6.96	32.0	60.1
1998	752	138.4	5.30	128.2	149.2	76	63.6	8.02	48.9	81.1
1999	724	131.2	5.10	121.4	141.5	54	54.3	8.22	39.4	72.3
2000	715	124.6	4.87	115.3	134.5	49	38.9	6.17	27.8	52.6
2001	708	123.7	4.87	114.3	133.5	66	56.6	8.10	41.8	74.2
2002	702	118.8	4.70	109.8	128.3	64	48.1	6.65	35.9	62.6
2003	711	118.4	4.65	109.4	127.8	66	47.1	6.50	35.2	61.2
2004	740	124.1	4.80	114.9	133.9	68	43.9	5.96	33.0	56.9
2005	718	117.7	4.64	108.8	127.1	82	49.0	5.96	38.0	61.8
2006	727	117.0	4.57	108.2	126.2	81	51.8	6.39	40.1	65.6
2007	739	118.7	4.62	109.8	128.1	76	46.1	5.76	35.5	58.5
2008	699	107.7	4.29	99.4	116.4	71	35.6	4.83	26.8	46.1
2009	669	99.1	4.04	91.4	107.3	98	46.2	5.27	36.5	57.5
2010	686	100.7	4.06	92.9	108.9	100	45.8	5.05	36.4	56.6
2011	717	103.6	4.05	95.8	111.8	106	45.0	4.75	36.2	55.2
2012	709	100.8	3.98	93.2	108.9	112	43.5	4.50	35.1	53.1
2013	710	97.4	3.84	90.0	105.2	106	38.3	4.01	30.8	46.9
2014	701	94.4	3.74	87.2	102.0	107	36.0	3.70	29.1	43.9
2015	737	96.9	3.75	89.7	104.5	123	41.2	3.97	33.8	49.7
2016	675	87.0	3.50	80.2	94.1	116	33.2	3.21	27.2	40.0
2017	714	91.7	3.59	84.8	99.0	130	37.8	3.45	31.3	45.1
2018	600	73.9	3.15	67.9	80.4	103	27.3	2.78	22.1	33.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lung and Bronchus											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	126,073	53.9	0.15	53.6	54.2	107,004	53.9	0.17	53.6	54.3	
1986	2,169	35.9	0.79	34.4	37.5	1,890	35.6	0.84	34.0	37.3	
1987	2,430	40.4	0.84	38.8	42.1	2,114	40.0	0.89	38.3	41.8	
1988	2,464	40.3	0.83	38.7	42.0	2,080	38.9	0.87	37.2	40.6	
1989	2,542	41.2	0.83	39.6	42.9	2,205	40.9	0.89	39.2	42.7	
1990	2,710	43.8	0.85	42.2	45.5	2,346	43.4	0.91	41.6	45.2	
1991	2,721	43.1	0.84	41.5	44.8	2,362	42.8	0.90	41.1	44.6	
1992	2,966	46.8	0.87	45.1	48.5	2,580	46.9	0.94	45.0	48.7	
1993	3,172	49.4	0.89	47.7	51.2	2,705	48.6	0.95	46.7	50.5	
1994	3,472	53.3	0.91	51.5	55.1	2,981	52.6	0.98	50.7	54.6	
1995	3,517	53.9	0.92	52.1	55.8	3,027	53.6	0.99	51.7	55.6	
1996	3,590	54.8	0.92	53.0	56.6	3,043	53.8	0.99	51.9	55.8	
1997	3,574	53.9	0.91	52.2	55.7	3,077	53.9	0.98	52.0	55.9	
1998	3,691	55.2	0.91	53.5	57.1	3,167	55.2	0.99	53.3	57.2	
1999	3,786	56.3	0.92	54.5	58.2	3,231	56.1	1.00	54.1	58.1	
2000	3,739	55.3	0.91	53.5	57.1	3,240	56.1	1.00	54.2	58.1	
2001	3,843	56.4	0.91	54.6	58.2	3,314	57.2	1.00	55.2	59.2	
2002	4,066	59.2	0.93	57.4	61.1	3,439	59.0	1.02	57.0	61.0	
2003	4,100	59.3	0.93	57.5	61.2	3,497	59.9	1.02	57.9	61.9	
2004	4,068	58.4	0.92	56.6	60.3	3,456	58.8	1.01	56.8	60.8	
2005	4,180	59.5	0.93	57.7	61.4	3,559	60.3	1.02	58.3	62.3	
2006	4,337	61.2	0.94	59.4	63.1	3,655	61.4	1.03	59.4	63.4	
2007	4,402	61.2	0.93	59.4	63.1	3,733	62.0	1.03	60.0	64.1	
2008	4,520	62.0	0.93	60.1	63.8	3,839	63.1	1.03	61.1	65.1	
2009	4,635	63.0	0.94	61.2	64.9	3,920	64.0	1.04	62.0	66.0	
2010	4,483	60.0	0.91	58.2	61.8	3,772	60.7	1.00	58.8	62.7	
2011	4,446	58.2	0.89	56.5	59.9	3,759	59.5	0.99	57.6	61.5	
2012	4,530	58.6	0.88	56.9	60.3	3,757	58.9	0.98	57.0	60.9	
2013	4,331	54.7	0.84	53.0	56.3	3,597	55.1	0.93	53.3	56.9	
2014	4,740	58.9	0.87	57.2	60.6	3,994	60.7	0.98	58.8	62.6	
2015	4,695	57.4	0.85	55.7	59.1	3,895	58.3	0.95	56.4	60.2	
2016	4,716	56.8	0.84	55.2	58.5	3,909	57.8	0.94	56.0	59.7	
2017	4,677	55.1	0.82	53.5	56.8	3,918	56.8	0.92	55.0	58.6	
2018	4,761	55.2	0.81	53.6	56.8	3,943	56.1	0.91	54.4	58.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lung and Bronchus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	17,487	60.8	0.46	59.9	61.7	1,437	21.0	0.58	19.9	22.2
1986	271	40.2	2.48	35.5	45.3	6	9.4	4.26	3.0	21.0
1987	302	44.7	2.61	39.8	50.1	13	14.6	4.16	7.6	25.3
1988	371	53.5	2.81	48.1	59.3	11	14.8	4.70	7.1	26.7
1989	323	46.9	2.65	41.9	52.4	13	13.8	4.05	7.0	24.1
1990	353	50.2	2.71	45.1	55.8	10	13.8	4.74	6.1	25.7
1991	341	47.5	2.60	42.5	52.8	13	16.4	5.15	7.9	28.9
1992	364	50.4	2.67	45.3	55.9	19	20.5	5.21	11.6	32.9
1993	442	60.2	2.89	54.7	66.1	25	24.6	5.62	14.9	37.7
1994	462	62.0	2.91	56.4	68.0	27	23.8	4.99	15.0	35.3
1995	456	59.6	2.81	54.2	65.3	33	23.0	4.24	15.5	32.8
1996	513	66.4	2.95	60.7	72.4	31	24.4	4.78	16.0	35.4
1997	468	59.3	2.76	54.0	65.0	28	21.4	4.47	13.5	31.6
1998	491	61.2	2.78	55.9	66.9	28	20.9	4.16	13.6	30.5
1999	521	63.8	2.82	58.4	69.6	33	22.1	4.07	14.8	31.3
2000	459	55.5	2.61	50.5	60.8	38	24.0	4.09	16.7	33.2
2001	501	60.1	2.70	54.9	65.7	24	13.8	2.95	8.7	20.7
2002	572	67.4	2.84	61.9	73.1	50	28.2	4.21	20.5	37.5
2003	566	65.5	2.77	60.2	71.2	35	18.1	3.20	12.4	25.3
2004	569	64.4	2.72	59.2	70.0	38	20.9	3.52	14.6	28.8
2005	573	64.0	2.70	58.8	69.5	44	19.5	3.09	13.9	26.4
2006	629	69.2	2.78	63.8	74.8	50	20.9	3.10	15.3	27.8
2007	601	65.4	2.70	60.3	70.9	66	26.8	3.49	20.4	34.5
2008	611	64.7	2.65	59.6	70.1	64	25.5	3.35	19.4	32.9
2009	652	67.4	2.67	62.2	72.8	55	20.5	2.92	15.2	27.0
2010	631	64.6	2.61	59.6	69.9	69	23.8	3.00	18.3	30.4
2011	618	61.2	2.50	56.4	66.2	59	19.0	2.58	14.2	24.7
2012	694	67.6	2.61	62.6	72.9	71	21.4	2.65	16.6	27.3
2013	646	61.1	2.44	56.4	66.0	81	24.0	2.77	18.9	30.1
2014	665	60.8	2.40	56.2	65.7	75	21.1	2.52	16.4	26.6
2015	698	62.4	2.41	57.8	67.4	95	24.9	2.64	20.0	30.7
2016	731	65.3	2.46	60.6	70.3	71	17.7	2.15	13.7	22.4
2017	679	58.5	2.29	54.2	63.2	73	17.5	2.09	13.6	22.1
2018	714	61.7	2.35	57.1	66.4	89	20.0	2.16	16.0	24.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Bones and Joints										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,546	0.9	0.01	0.8	0.9	2,974	0.9	0.02	0.9	0.9
1986	90	0.8	0.09	0.7	1.0	80	0.9	0.10	0.7	1.1
1987	94	0.8	0.09	0.7	1.0	84	0.9	0.10	0.7	1.1
1988	81	0.7	0.08	0.6	0.9	63	0.7	0.09	0.5	0.9
1989	79	0.7	0.08	0.6	0.9	74	0.8	0.09	0.6	1.0
1990	106	0.9	0.09	0.8	1.1	95	1.0	0.11	0.8	1.3
1991	100	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	82	0.7	0.08	0.6	0.9	73	0.7	0.09	0.6	0.9
1993	84	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1994	92	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	1.0
1995	127	1.1	0.10	0.9	1.3	100	1.0	0.10	0.8	1.3
1996	105	0.9	0.09	0.7	1.1	93	1.0	0.10	0.8	1.2
1997	111	0.9	0.09	0.8	1.1	98	1.0	0.10	0.8	1.2
1998	101	0.8	0.08	0.7	1.0	83	0.8	0.09	0.7	1.0
1999	102	0.8	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2000	119	1.0	0.09	0.8	1.2	104	1.0	0.10	0.9	1.3
2001	107	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1
2002	109	0.9	0.08	0.7	1.1	93	0.9	0.10	0.7	1.1
2003	109	0.9	0.08	0.7	1.1	94	0.9	0.10	0.8	1.1
2004	111	0.9	0.08	0.7	1.1	81	0.8	0.09	0.6	1.0
2005	113	0.9	0.08	0.7	1.1	91	0.9	0.09	0.7	1.1
2006	129	1.0	0.09	0.9	1.2	107	1.1	0.10	0.9	1.3
2007	129	1.0	0.09	0.8	1.2	105	1.0	0.10	0.9	1.3
2008	94	0.7	0.08	0.6	0.9	81	0.8	0.09	0.6	1.0
2009	111	0.9	0.08	0.7	1.0	89	0.9	0.09	0.7	1.1
2010	103	0.8	0.08	0.7	1.0	86	0.8	0.09	0.7	1.0
2011	108	0.8	0.08	0.7	1.0	85	0.8	0.09	0.6	1.0
2012	121	0.9	0.08	0.8	1.1	102	1.0	0.10	0.8	1.2
2013	128	1.0	0.09	0.8	1.2	111	1.1	0.10	0.9	1.3
2014	122	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1
2015	103	0.8	0.08	0.6	0.9	89	0.9	0.09	0.7	1.1
2016	125	0.9	0.08	0.8	1.1	105	1.0	0.10	0.8	1.2
2017	139	1.1	0.09	0.9	1.2	107	1.0	0.10	0.8	1.2
2018	112	0.8	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Bones and Joints										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	420	0.7	0.04	0.6	0.8	108	0.6	0.06	0.5	0.8
1986	9	0.6	0.21	0.3	1.2	1	0.3	0.34	0.0	3.3
1987	8	0.4	0.15	0.2	0.9	0				
1988	16	1.0	0.29	0.6	1.8	2	0.8	0.58	0.1	3.7
1989	5	0.3	0.15	0.1	0.8	0				
1990	10	0.6	0.21	0.3	1.2	1	0.5	0.51	0.0	3.2
1991	13	0.7	0.20	0.4	1.2	1	0.3	0.27	0.0	2.4
1992	8	0.4	0.16	0.2	0.9	1	0.3	0.26	0.0	2.3
1993	10	0.6	0.20	0.3	1.1	1	0.2	0.19	0.0	2.0
1994	11	0.6	0.20	0.3	1.2	4	1.3	0.67	0.3	3.6
1995	19	1.1	0.26	0.6	1.7	6	1.6	0.69	0.5	3.9
1996	11	0.7	0.21	0.3	1.2	1	0.2	0.17	0.0	1.7
1997	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	2.0
1998	15	0.8	0.22	0.4	1.4	2	0.4	0.30	0.1	1.9
1999	11	0.7	0.22	0.3	1.2	2	0.4	0.27	0.0	1.8
2000	8	0.4	0.16	0.2	0.9	6	1.2	0.48	0.4	2.8
2001	13	0.8	0.24	0.4	1.4	2	0.5	0.34	0.1	1.8
2002	12	0.6	0.18	0.3	1.1	3	0.6	0.33	0.1	1.8
2003	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	1.6
2004	22	1.2	0.26	0.7	1.8	5	0.9	0.39	0.3	2.1
2005	11	0.6	0.18	0.3	1.0	6	1.0	0.43	0.4	2.4
2006	17	0.8	0.21	0.5	1.4	5	0.7	0.31	0.2	1.8
2007	16	0.8	0.21	0.5	1.4	7	1.2	0.49	0.4	2.6
2008	8	0.4	0.13	0.2	0.8	3	0.4	0.25	0.1	1.4
2009	18	1.0	0.24	0.6	1.6	2	0.5	0.35	0.1	1.6
2010	14	0.8	0.21	0.4	1.3	2	0.3	0.19	0.0	1.1
2011	17	0.8	0.20	0.5	1.3	6	1.1	0.46	0.4	2.4
2012	12	0.7	0.20	0.3	1.2	3	0.4	0.22	0.1	1.2
2013	13	0.7	0.18	0.3	1.1	3	0.4	0.21	0.1	1.1
2014	15	0.8	0.21	0.4	1.3	8	0.9	0.33	0.4	1.9
2015	9	0.4	0.14	0.2	0.8	5	0.8	0.36	0.2	1.8
2016	14	0.7	0.20	0.4	1.3	5	0.7	0.30	0.2	1.6
2017	18	1.0	0.24	0.6	1.6	8	1.0	0.36	0.4	2.0
2018	15	0.8	0.20	0.4	1.3	3	0.3	0.17	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Bones and Joints											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,947	1.0	0.02	1.0	1.1	1,630	1.0	0.03	1.0	1.1	
1986	57	1.2	0.17	0.9	1.6	49	1.2	0.18	0.9	1.6	
1987	54	1.0	0.14	0.7	1.3	47	1.0	0.15	0.7	1.4	
1988	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1	
1989	50	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4	
1990	57	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5	
1991	54	1.0	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4	
1992	41	0.8	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1	
1993	43	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2	
1994	44	0.8	0.12	0.6	1.1	36	0.8	0.13	0.6	1.1	
1995	68	1.2	0.15	0.9	1.5	51	1.1	0.16	0.8	1.5	
1996	61	1.1	0.15	0.8	1.4	53	1.2	0.16	0.9	1.5	
1997	64	1.2	0.15	0.9	1.5	57	1.2	0.17	0.9	1.6	
1998	48	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1	
1999	64	1.1	0.14	0.8	1.4	56	1.2	0.16	0.9	1.5	
2000	66	1.1	0.14	0.9	1.4	54	1.1	0.15	0.8	1.5	
2001	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1	
2002	55	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3	
2003	67	1.1	0.14	0.9	1.4	59	1.2	0.16	0.9	1.6	
2004	65	1.1	0.13	0.8	1.4	46	0.9	0.14	0.7	1.3	
2005	64	1.1	0.13	0.8	1.4	50	1.0	0.15	0.8	1.4	
2006	67	1.1	0.14	0.9	1.4	53	1.1	0.16	0.8	1.5	
2007	72	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6	
2008	44	0.7	0.11	0.5	1.0	39	0.8	0.13	0.6	1.1	
2009	60	1.0	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4	
2010	58	0.9	0.12	0.7	1.2	50	1.0	0.14	0.7	1.3	
2011	60	1.0	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2	
2012	69	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5	
2013	76	1.2	0.14	1.0	1.5	66	1.3	0.17	1.0	1.7	
2014	75	1.1	0.13	0.9	1.4	59	1.1	0.14	0.8	1.4	
2015	58	0.9	0.12	0.7	1.2	51	1.0	0.14	0.7	1.3	
2016	64	1.0	0.12	0.7	1.2	51	0.9	0.14	0.7	1.3	
2017	70	1.1	0.13	0.9	1.4	52	1.0	0.15	0.8	1.4	
2018	60	0.9	0.12	0.7	1.2	50	1.0	0.14	0.7	1.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Bones and Joints										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	230	0.9	0.06	0.7	1.0	62	0.7	0.10	0.5	0.9
1986	7	1.0	0.41	0.4	2.3	1	0.7	0.65	0.0	7.5
1987	5	0.5	0.25	0.2	1.5	0				
1988	8	0.9	0.34	0.4	2.0	1	0.6	0.56	0.0	6.6
1989	3	0.5	0.28	0.1	1.5	0				
1990	5	0.7	0.38	0.2	1.9	1	1.2	1.19	0.0	7.4
1991	7	0.9	0.38	0.4	2.1	0				
1992	5	0.5	0.25	0.2	1.4	1	0.5	0.50	0.0	5.2
1993	4	0.5	0.24	0.1	1.4	0				
1994	6	0.7	0.27	0.2	1.6	2	1.1	0.76	0.1	5.4
1995	13	1.7	0.49	0.8	3.0	3	1.4	0.81	0.3	5.5
1996	7	0.9	0.33	0.3	1.9	1	0.3	0.33	0.0	4.0
1997	6	0.8	0.36	0.3	1.9	1	0.5	0.45	0.0	4.0
1998	7	0.8	0.32	0.3	1.8	1	0.4	0.39	0.0	3.7
1999	7	1.1	0.44	0.4	2.3	1	0.5	0.46	0.0	3.7
2000	6	0.8	0.37	0.2	1.9	5	1.9	0.86	0.6	5.2
2001	4	0.8	0.44	0.2	2.0	1	0.6	0.62	0.0	3.7
2002	6	0.6	0.26	0.2	1.5	1	0.4	0.40	0.0	3.0
2003	6	0.9	0.37	0.3	2.0	2	0.9	0.63	0.1	3.6
2004	15	1.8	0.51	0.9	3.1	2	0.5	0.34	0.1	2.7
2005	5	0.6	0.29	0.2	1.5	4	1.4	0.70	0.4	4.0
2006	10	0.9	0.30	0.4	1.8	4	1.2	0.59	0.3	3.5
2007	8	0.9	0.33	0.4	1.9	3	1.0	0.58	0.2	3.3
2008	4	0.4	0.21	0.1	1.2	1	0.2	0.20	0.0	1.9
2009	6	0.7	0.29	0.3	1.6	1	0.7	0.74	0.0	3.3
2010	6	0.7	0.28	0.2	1.5	2	0.5	0.38	0.1	2.3
2011	13	1.4	0.41	0.7	2.5	2	0.5	0.37	0.1	2.2
2012	3	0.6	0.34	0.1	1.6	3	0.8	0.44	0.2	2.5
2013	8	0.8	0.30	0.3	1.7	2	0.5	0.32	0.1	1.9
2014	9	1.1	0.41	0.5	2.2	6	1.4	0.58	0.5	3.2
2015	3	0.3	0.17	0.1	0.9	4	1.2	0.66	0.3	3.2
2016	9	1.0	0.36	0.5	2.0	3	0.7	0.40	0.1	2.2
2017	10	1.2	0.39	0.6	2.2	2	0.7	0.48	0.1	2.3
2018	9	1.0	0.33	0.4	1.9	1	0.2	0.18	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Bones and Joints										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,599	0.8	0.02	0.7	0.8	1,344	0.8	0.02	0.8	0.8
1986	33	0.5	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	37	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.5	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.8
1990	49	0.8	0.12	0.6	1.1	44	0.9	0.14	0.7	1.3
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	41	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1993	41	0.7	0.10	0.5	0.9	34	0.7	0.12	0.5	0.9
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	59	1.0	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	47	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
1998	53	0.8	0.12	0.6	1.1	43	0.9	0.13	0.6	1.2
1999	38	0.6	0.09	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	53	0.8	0.11	0.6	1.1	50	1.0	0.14	0.7	1.3
2001	59	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2002	54	0.8	0.11	0.6	1.1	45	0.9	0.13	0.6	1.2
2003	42	0.6	0.10	0.5	0.9	35	0.7	0.11	0.5	0.9
2004	46	0.7	0.10	0.5	0.9	35	0.6	0.11	0.4	0.9
2005	49	0.7	0.11	0.5	1.0	41	0.8	0.12	0.6	1.1
2006	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2007	57	0.9	0.11	0.7	1.1	44	0.8	0.13	0.6	1.1
2008	50	0.8	0.11	0.6	1.0	42	0.8	0.12	0.6	1.1
2009	51	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2010	45	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
2011	48	0.7	0.10	0.5	1.0	40	0.8	0.12	0.5	1.0
2012	52	0.8	0.11	0.6	1.0	41	0.8	0.12	0.5	1.0
2013	52	0.8	0.11	0.6	1.0	45	0.8	0.13	0.6	1.1
2014	47	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
2015	45	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
2016	61	0.9	0.12	0.7	1.1	54	1.0	0.14	0.8	1.3
2017	69	1.0	0.12	0.8	1.2	55	1.0	0.14	0.7	1.3
2018	52	0.7	0.11	0.6	1.0	43	0.8	0.12	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Bones and Joints										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	190	0.6	0.04	0.5	0.7	46	0.6	0.08	0.4	0.8
1986	2	0.3	0.18	0.0	1.0	0				
1987	3	0.3	0.19	0.1	1.0	0				
1988	8	1.0	0.40	0.4	2.1	1	1.0	1.02	0.0	6.2
1989	2	0.2	0.15	0.0	0.8	0				
1990	5	0.5	0.25	0.2	1.3	0				
1991	6	0.5	0.22	0.2	1.3	1	0.6	0.55	0.0	4.5
1992	3	0.3	0.19	0.1	1.0	0				
1993	6	0.6	0.27	0.2	1.4	1	0.4	0.35	0.0	3.6
1994	5	0.6	0.27	0.2	1.4	2	1.4	1.00	0.2	5.2
1995	6	0.6	0.26	0.2	1.4	3	1.7	1.02	0.3	5.4
1996	4	0.5	0.25	0.1	1.2	0				
1997	5	0.5	0.23	0.2	1.2	1	0.4	0.44	0.0	3.0
1998	8	0.8	0.31	0.4	1.7	1	0.4	0.41	0.0	2.9
1999	4	0.4	0.21	0.1	1.1	1	0.3	0.31	0.0	2.5
2000	2	0.2	0.13	0.0	0.7	1	0.4	0.41	0.0	2.6
2001	9	1.0	0.32	0.4	1.8	1	0.4	0.39	0.0	2.5
2002	6	0.6	0.24	0.2	1.3	2	0.7	0.52	0.1	2.9
2003	5	0.5	0.22	0.2	1.2	0				
2004	7	0.7	0.27	0.3	1.5	3	1.2	0.69	0.2	3.5
2005	6	0.6	0.23	0.2	1.3	2	0.7	0.50	0.1	2.7
2006	7	0.7	0.27	0.3	1.5	1	0.2	0.20	0.0	1.7
2007	8	0.7	0.26	0.3	1.5	4	1.3	0.71	0.3	3.6
2008	4	0.3	0.17	0.1	0.9	2	0.7	0.46	0.1	2.4
2009	12	1.2	0.35	0.6	2.1	1	0.3	0.32	0.0	1.8
2010	8	0.8	0.29	0.3	1.6	0				
2011	4	0.4	0.18	0.1	0.9	4	1.5	0.78	0.4	3.8
2012	9	0.9	0.29	0.4	1.6	0				
2013	5	0.5	0.21	0.2	1.1	1	0.3	0.27	0.0	1.5
2014	6	0.6	0.24	0.2	1.3	2	0.4	0.31	0.1	1.7
2015	6	0.5	0.22	0.2	1.2	1	0.3	0.32	0.0	1.6
2016	5	0.5	0.23	0.2	1.2	2	0.6	0.39	0.1	1.9
2017	8	0.8	0.29	0.4	1.6	6	1.3	0.54	0.5	2.9
2018	6	0.6	0.26	0.2	1.4	2	0.4	0.30	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Soft Tissue including Heart										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	12,226	3.0	0.03	2.9	3.0	10,010	2.9	0.03	2.9	3.0
1986	247	2.3	0.15	2.0	2.6	206	2.2	0.16	1.9	2.5
1987	274	2.5	0.16	2.2	2.9	230	2.5	0.17	2.2	2.8
1988	264	2.4	0.15	2.1	2.7	227	2.4	0.16	2.1	2.8
1989	251	2.3	0.15	2.0	2.6	209	2.2	0.15	1.9	2.5
1990	254	2.3	0.14	2.0	2.6	209	2.2	0.16	1.9	2.5
1991	224	2.0	0.14	1.8	2.3	191	2.0	0.15	1.7	2.3
1992	261	2.3	0.14	2.0	2.6	213	2.2	0.15	1.9	2.5
1993	255	2.2	0.14	1.9	2.5	217	2.2	0.15	1.9	2.5
1994	292	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1995	294	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1996	385	3.3	0.17	3.0	3.6	319	3.2	0.18	2.9	3.6
1997	362	3.1	0.16	2.8	3.4	296	3.0	0.17	2.6	3.3
1998	348	2.9	0.16	2.6	3.2	283	2.8	0.17	2.5	3.2
1999	335	2.8	0.15	2.5	3.1	267	2.6	0.16	2.3	3.0
2000	302	2.5	0.14	2.2	2.8	250	2.5	0.16	2.2	2.8
2001	373	3.0	0.16	2.7	3.4	311	3.1	0.17	2.7	3.4
2002	344	2.8	0.15	2.5	3.1	289	2.8	0.17	2.5	3.1
2003	407	3.3	0.16	3.0	3.6	344	3.3	0.18	3.0	3.7
2004	391	3.1	0.16	2.8	3.5	316	3.0	0.17	2.7	3.4
2005	392	3.1	0.16	2.8	3.4	310	3.0	0.17	2.6	3.3
2006	433	3.4	0.16	3.1	3.8	351	3.3	0.18	3.0	3.7
2007	422	3.3	0.16	3.0	3.6	349	3.3	0.18	3.0	3.7
2008	435	3.4	0.16	3.1	3.7	357	3.4	0.18	3.0	3.8
2009	426	3.3	0.16	3.0	3.6	346	3.2	0.18	2.9	3.6
2010	452	3.4	0.16	3.1	3.7	369	3.4	0.18	3.0	3.7
2011	430	3.2	0.16	2.9	3.5	354	3.2	0.18	2.9	3.6
2012	462	3.4	0.16	3.1	3.7	378	3.4	0.18	3.1	3.8
2013	483	3.5	0.16	3.2	3.9	387	3.5	0.18	3.1	3.8
2014	494	3.6	0.16	3.3	3.9	388	3.4	0.18	3.1	3.8
2015	449	3.2	0.15	2.9	3.5	356	3.1	0.17	2.8	3.5
2016	501	3.6	0.17	3.3	4.0	408	3.6	0.18	3.3	4.0
2017	504	3.6	0.16	3.3	3.9	391	3.4	0.18	3.1	3.8
2018	480	3.4	0.16	3.1	3.7	391	3.4	0.18	3.1	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Soft Tissue including Heart										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,787	3.3	0.08	3.1	3.5	303	2.0	0.12	1.7	2.2
1986	33	2.5	0.46	1.7	3.5	5	3.6	1.71	1.1	8.6
1987	42	2.9	0.47	2.0	4.0	1	0.4	0.44	0.0	3.3
1988	33	2.3	0.43	1.6	3.3	3	0.8	0.49	0.2	3.5
1989	40	2.7	0.46	1.9	3.8	1	0.5	0.50	0.0	3.2
1990	42	2.9	0.48	2.1	4.0	1	1.2	1.22	0.0	5.3
1991	30	2.3	0.45	1.5	3.4	1	0.5	0.48	0.0	2.9
1992	41	2.9	0.47	2.1	4.0	6	4.0	1.97	1.1	9.3
1993	35	2.4	0.43	1.7	3.4	3	0.8	0.46	0.2	2.9
1994	41	2.8	0.45	2.0	3.8	2	0.7	0.53	0.1	2.8
1995	40	2.4	0.40	1.7	3.4	3	0.7	0.39	0.1	2.5
1996	52	3.6	0.51	2.6	4.7	9	2.5	0.97	0.9	5.2
1997	57	3.8	0.52	2.8	5.0	6	1.4	0.56	0.5	3.3
1998	57	3.6	0.50	2.7	4.8	4	1.2	0.67	0.3	3.3
1999	56	3.6	0.49	2.7	4.7	9	1.9	0.66	0.8	3.9
2000	44	2.7	0.42	1.9	3.6	3	0.6	0.36	0.1	2.0
2001	50	3.2	0.46	2.3	4.2	9	1.8	0.62	0.8	3.6
2002	45	2.8	0.42	2.0	3.7	4	0.9	0.45	0.2	2.4
2003	50	3.1	0.44	2.3	4.1	10	1.9	0.62	0.8	3.6
2004	61	3.6	0.47	2.7	4.6	7	1.3	0.52	0.5	2.8
2005	61	3.7	0.48	2.8	4.7	13	2.9	0.87	1.4	5.1
2006	73	4.2	0.50	3.2	5.2	6	1.3	0.60	0.4	3.0
2007	57	3.3	0.45	2.5	4.3	14	3.0	0.88	1.5	5.2
2008	65	3.7	0.47	2.9	4.8	9	1.7	0.62	0.7	3.4
2009	55	3.1	0.42	2.3	4.0	16	2.4	0.66	1.3	4.1
2010	61	3.4	0.45	2.6	4.4	15	2.5	0.70	1.3	4.2
2011	62	3.3	0.43	2.5	4.3	11	1.8	0.58	0.8	3.3
2012	67	3.6	0.44	2.7	4.5	13	1.9	0.56	1.0	3.3
2013	65	3.5	0.45	2.7	4.5	21	3.3	0.75	2.0	5.1
2014	80	4.2	0.48	3.3	5.3	22	2.9	0.66	1.8	4.5
2015	74	4.0	0.47	3.1	5.0	15	1.9	0.51	1.1	3.2
2016	74	3.9	0.46	3.1	4.9	16	2.1	0.53	1.2	3.4
2017	79	4.2	0.48	3.3	5.2	28	3.2	0.62	2.1	4.7
2018	65	3.2	0.41	2.5	4.1	17	1.9	0.48	1.1	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Soft Tissue including Heart										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,532	3.6	0.04	3.5	3.6	5,444	3.5	0.05	3.4	3.6
1986	125	2.6	0.25	2.2	3.2	106	2.6	0.26	2.1	3.1
1987	143	2.9	0.26	2.5	3.5	119	2.9	0.28	2.4	3.5
1988	145	3.0	0.26	2.5	3.6	125	3.0	0.28	2.5	3.6
1989	121	2.4	0.23	2.0	2.9	98	2.3	0.24	1.9	2.8
1990	138	2.8	0.24	2.3	3.3	114	2.7	0.25	2.2	3.2
1991	107	2.1	0.21	1.7	2.6	89	2.1	0.22	1.7	2.6
1992	120	2.4	0.23	2.0	2.9	100	2.3	0.24	1.9	2.9
1993	129	2.5	0.22	2.0	2.9	111	2.5	0.24	2.0	3.0
1994	160	3.2	0.26	2.7	3.7	140	3.2	0.28	2.7	3.8
1995	154	2.9	0.24	2.5	3.4	137	3.1	0.27	2.6	3.7
1996	204	3.9	0.28	3.4	4.5	171	3.8	0.30	3.3	4.5
1997	197	3.8	0.27	3.3	4.4	165	3.7	0.29	3.2	4.4
1998	189	3.6	0.27	3.1	4.2	159	3.6	0.29	3.0	4.2
1999	188	3.5	0.26	3.0	4.0	147	3.2	0.27	2.7	3.8
2000	153	2.8	0.23	2.4	3.3	127	2.8	0.25	2.3	3.3
2001	202	3.6	0.26	3.1	4.1	170	3.6	0.28	3.1	4.2
2002	177	3.3	0.25	2.8	3.9	153	3.4	0.28	2.9	4.0
2003	206	3.7	0.26	3.2	4.2	174	3.7	0.28	3.2	4.3
2004	212	3.8	0.26	3.3	4.3	179	3.8	0.29	3.3	4.4
2005	210	3.7	0.26	3.2	4.2	173	3.6	0.28	3.1	4.2
2006	213	3.8	0.26	3.3	4.3	183	3.9	0.29	3.3	4.5
2007	233	4.0	0.27	3.5	4.6	199	4.1	0.30	3.6	4.7
2008	229	3.9	0.26	3.4	4.5	193	4.0	0.29	3.5	4.6
2009	218	3.7	0.26	3.2	4.2	184	3.8	0.28	3.2	4.4
2010	247	4.1	0.27	3.6	4.7	201	4.0	0.29	3.4	4.6
2011	250	4.0	0.26	3.5	4.6	212	4.1	0.29	3.6	4.7
2012	240	3.8	0.25	3.3	4.3	198	3.8	0.28	3.3	4.4
2013	269	4.3	0.27	3.8	4.9	219	4.2	0.29	3.7	4.9
2014	280	4.4	0.27	3.9	5.0	230	4.4	0.30	3.9	5.1
2015	273	4.3	0.26	3.8	4.8	222	4.2	0.29	3.6	4.8
2016	267	4.2	0.26	3.7	4.7	220	4.2	0.29	3.6	4.8
2017	276	4.3	0.26	3.8	4.8	214	4.1	0.28	3.5	4.7
2018	257	3.9	0.25	3.4	4.4	212	3.9	0.27	3.4	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Soft Tissue including Heart										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	832	3.5	0.13	3.3	3.8	179	2.5	0.21	2.1	2.9
1986	15	2.5	0.69	1.3	4.2	2	4.2	3.18	0.4	14.9
1987	23	3.2	0.72	2.0	5.0	0				
1988	17	3.1	0.83	1.7	5.1	2	1.2	0.88	0.1	7.3
1989	21	3.0	0.70	1.8	4.8	1	1.1	1.13	0.0	7.4
1990	22	3.4	0.85	2.0	5.5	1	2.9	2.89	0.1	12.5
1991	15	2.8	0.78	1.5	4.7	1	1.1	1.11	0.0	6.9
1992	18	3.1	0.76	1.8	4.9	1	3.7	3.72	0.1	15.0
1993	18	2.9	0.70	1.7	4.6	0				
1994	19	3.0	0.72	1.7	4.8	1	0.4	0.38	0.0	4.5
1995	14	1.8	0.48	0.9	3.0	1	0.4	0.39	0.0	4.3
1996	26	4.3	0.91	2.7	6.4	5	2.3	1.04	0.7	6.5
1997	28	4.3	0.87	2.7	6.3	2	1.0	0.70	0.1	4.7
1998	27	3.6	0.77	2.3	5.4	2	1.7	1.38	0.1	6.6
1999	31	4.9	0.96	3.2	7.2	7	3.2	1.27	1.2	7.4
2000	21	3.0	0.70	1.8	4.7	2	0.9	0.62	0.1	4.0
2001	28	4.0	0.80	2.6	5.9	2	1.0	0.75	0.1	4.2
2002	19	2.6	0.64	1.5	4.2	2	0.9	0.66	0.1	3.8
2003	23	3.2	0.73	2.0	5.0	7	2.8	1.17	1.0	6.4
2004	23	3.4	0.75	2.0	5.1	6	2.6	1.10	0.9	6.0
2005	28	4.2	0.89	2.7	6.3	4	1.9	1.04	0.4	5.1
2006	27	3.5	0.70	2.2	5.1	3	1.3	0.77	0.2	4.0
2007	28	3.8	0.76	2.4	5.6	5	2.0	1.02	0.5	5.1
2008	27	3.5	0.70	2.3	5.2	7	3.1	1.29	1.1	6.6
2009	20	2.5	0.60	1.5	4.0	9	2.2	0.75	1.0	4.6
2010	31	4.4	0.85	2.9	6.4	11	3.8	1.34	1.7	7.3
2011	27	3.4	0.67	2.2	5.0	8	3.1	1.24	1.1	6.4
2012	29	3.5	0.66	2.3	5.0	10	3.1	1.11	1.3	6.1
2013	30	3.6	0.68	2.4	5.3	15	4.7	1.27	2.6	7.9
2014	34	3.9	0.68	2.7	5.5	13	3.5	1.03	1.8	6.2
2015	38	5.1	0.86	3.5	7.1	10	2.8	0.89	1.3	5.2
2016	35	4.4	0.76	3.0	6.1	10	2.7	0.88	1.3	5.1
2017	39	4.7	0.78	3.3	6.5	20	4.9	1.14	2.9	7.7
2018	31	3.4	0.62	2.3	4.8	9	2.2	0.78	1.0	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Soft Tissue including Heart										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,694	2.6	0.03	2.5	2.6	4,566	2.5	0.04	2.4	2.6
1986	122	2.1	0.19	1.7	2.5	100	2.0	0.20	1.6	2.4
1987	131	2.2	0.20	1.9	2.6	111	2.2	0.21	1.8	2.7
1988	119	1.9	0.18	1.6	2.3	102	1.9	0.20	1.6	2.4
1989	130	2.2	0.19	1.8	2.6	111	2.2	0.21	1.8	2.6
1990	116	1.9	0.18	1.6	2.3	95	1.9	0.20	1.5	2.3
1991	117	2.0	0.18	1.6	2.4	102	2.0	0.21	1.6	2.5
1992	141	2.3	0.20	1.9	2.7	113	2.2	0.21	1.8	2.6
1993	126	2.0	0.18	1.7	2.4	106	2.0	0.20	1.6	2.4
1994	132	2.1	0.18	1.7	2.5	109	2.0	0.20	1.7	2.5
1995	140	2.2	0.19	1.9	2.6	112	2.1	0.20	1.7	2.5
1996	181	2.8	0.21	2.4	3.3	148	2.7	0.23	2.3	3.2
1997	165	2.5	0.20	2.2	3.0	131	2.4	0.21	2.0	2.8
1998	159	2.5	0.20	2.1	2.9	124	2.3	0.21	1.9	2.8
1999	147	2.2	0.18	1.9	2.6	120	2.2	0.20	1.8	2.6
2000	149	2.2	0.18	1.9	2.6	123	2.2	0.20	1.8	2.7
2001	171	2.6	0.20	2.2	3.0	141	2.6	0.22	2.2	3.1
2002	167	2.5	0.19	2.1	2.9	136	2.5	0.22	2.1	3.0
2003	201	3.0	0.21	2.6	3.4	170	3.1	0.24	2.6	3.6
2004	179	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2005	182	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2006	220	3.2	0.22	2.8	3.7	168	3.0	0.23	2.5	3.5
2007	189	2.8	0.20	2.4	3.2	150	2.7	0.23	2.3	3.2
2008	206	3.0	0.21	2.6	3.4	164	2.9	0.23	2.5	3.4
2009	208	3.0	0.21	2.6	3.4	162	2.9	0.23	2.5	3.4
2010	205	2.9	0.20	2.5	3.3	168	2.9	0.23	2.4	3.3
2011	180	2.5	0.19	2.2	2.9	142	2.5	0.22	2.1	3.0
2012	222	3.0	0.21	2.6	3.4	180	3.0	0.23	2.6	3.5
2013	214	3.0	0.21	2.6	3.4	168	2.9	0.23	2.5	3.4
2014	214	2.9	0.20	2.5	3.3	158	2.6	0.22	2.2	3.1
2015	176	2.4	0.18	2.0	2.7	134	2.2	0.20	1.8	2.6
2016	234	3.2	0.21	2.8	3.6	188	3.2	0.24	2.7	3.7
2017	228	3.0	0.21	2.6	3.5	177	2.9	0.23	2.5	3.4
2018	223	3.0	0.21	2.6	3.5	179	3.0	0.24	2.6	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Soft Tissue including Heart										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	955	3.1	0.10	2.9	3.3	124	1.5	0.15	1.3	1.9
1986	18	2.4	0.60	1.4	3.9	3	3.5	2.00	0.7	10.5
1987	19	2.5	0.60	1.5	4.0	1	0.9	0.90	0.0	6.1
1988	16	1.9	0.49	1.0	3.1	1	0.5	0.48	0.0	5.0
1989	19	2.5	0.59	1.5	3.9	0				
1990	20	2.6	0.60	1.6	4.1	0				
1991	15	2.0	0.54	1.1	3.4	0				
1992	23	2.9	0.61	1.8	4.3	5	4.6	2.29	1.3	11.3
1993	17	2.1	0.51	1.2	3.3	3	1.6	0.89	0.3	5.3
1994	22	2.6	0.57	1.6	4.0	1	0.9	0.86	0.0	4.6
1995	26	2.9	0.59	1.9	4.3	2	1.0	0.69	0.1	4.1
1996	26	3.1	0.63	2.0	4.6	4	2.4	1.41	0.5	6.8
1997	29	3.4	0.65	2.3	4.9	4	1.7	0.85	0.4	4.8
1998	30	3.5	0.66	2.4	5.1	2	0.9	0.67	0.1	3.7
1999	25	2.7	0.55	1.8	4.0	2	0.8	0.55	0.1	3.3
2000	23	2.5	0.52	1.6	3.8	1	0.4	0.38	0.0	2.6
2001	22	2.5	0.54	1.6	3.8	7	2.7	1.02	1.1	5.7
2002	26	2.8	0.56	1.8	4.2	2	0.9	0.61	0.1	3.2
2003	27	2.9	0.56	1.9	4.2	3	1.0	0.59	0.2	3.2
2004	38	3.9	0.64	2.7	5.4	1	0.2	0.22	0.0	1.8
2005	33	3.5	0.61	2.4	4.9	9	3.7	1.30	1.6	7.2
2006	46	4.7	0.69	3.4	6.2	3	1.2	0.78	0.2	3.7
2007	29	2.9	0.55	2.0	4.2	9	3.7	1.30	1.6	7.1
2008	38	3.9	0.63	2.7	5.3	2	0.7	0.50	0.1	2.5
2009	35	3.6	0.61	2.5	5.0	7	2.5	0.98	0.9	5.1
2010	30	2.9	0.54	2.0	4.2	4	1.3	0.71	0.3	3.5
2011	35	3.3	0.56	2.3	4.6	3	0.9	0.52	0.2	2.6
2012	38	3.6	0.59	2.5	4.9	3	0.9	0.54	0.2	2.7
2013	35	3.4	0.58	2.4	4.7	6	1.9	0.81	0.7	4.2
2014	46	4.4	0.66	3.2	5.9	9	2.4	0.83	1.1	4.6
2015	36	3.3	0.56	2.3	4.6	5	1.2	0.54	0.4	2.8
2016	39	3.6	0.58	2.5	4.9	6	1.5	0.60	0.5	3.2
2017	40	3.8	0.61	2.7	5.2	8	1.8	0.65	0.8	3.6
2018	34	3.0	0.53	2.1	4.3	8	1.8	0.65	0.8	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Skin excluding Basal and Squamous											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	64,256	15.7	0.06	15.5	15.8	60,707	17.7	0.07	17.5	17.8	
1986	891	8.5	0.29	8.0	9.1	858	9.5	0.33	8.9	10.2	
1987	888	8.3	0.29	7.8	8.9	862	9.4	0.33	8.8	10.1	
1988	855	8.0	0.28	7.5	8.6	820	8.9	0.32	8.3	9.6	
1989	969	9.0	0.29	8.4	9.5	936	10.1	0.33	9.4	10.8	
1990	912	8.4	0.28	7.8	9.0	880	9.4	0.32	8.8	10.1	
1991	973	8.9	0.29	8.4	9.5	946	10.2	0.33	9.5	10.8	
1992	1,038	9.3	0.29	8.7	9.9	997	10.4	0.33	9.8	11.1	
1993	984	8.7	0.28	8.1	9.2	956	9.8	0.32	9.2	10.5	
1994	1,190	10.4	0.30	9.8	11.0	1,147	11.8	0.35	11.1	12.5	
1995	1,242	10.8	0.31	10.2	11.4	1,187	12.1	0.35	11.4	12.8	
1996	1,343	11.5	0.31	10.9	12.1	1,285	13.0	0.36	12.3	13.7	
1997	1,465	12.4	0.33	11.8	13.1	1,387	13.9	0.37	13.2	14.7	
1998	1,499	12.6	0.33	12.0	13.3	1,415	14.1	0.37	13.3	14.8	
1999	1,561	13.0	0.33	12.4	13.7	1,496	14.8	0.38	14.1	15.6	
2000	1,689	14.0	0.34	13.3	14.6	1,594	15.7	0.39	14.9	16.5	
2001	1,801	14.8	0.35	14.1	15.5	1,692	16.5	0.40	15.7	17.3	
2002	1,829	14.8	0.35	14.2	15.5	1,710	16.6	0.40	15.8	17.4	
2003	1,874	15.1	0.35	14.4	15.8	1,729	16.6	0.40	15.8	17.4	
2004	2,011	16.1	0.36	15.4	16.8	1,873	18.0	0.42	17.1	18.8	
2005	2,235	17.7	0.38	17.0	18.4	2,040	19.4	0.43	18.5	20.2	
2006	2,284	18.0	0.38	17.2	18.7	2,135	20.2	0.44	19.4	21.1	
2007	2,374	18.4	0.38	17.7	19.2	2,241	21.0	0.45	20.2	21.9	
2008	2,548	19.5	0.39	18.8	20.3	2,388	22.1	0.46	21.2	23.0	
2009	2,576	19.5	0.39	18.8	20.3	2,418	22.2	0.46	21.3	23.2	
2010	2,516	18.7	0.38	18.0	19.5	2,350	21.3	0.45	20.4	22.2	
2011	2,686	19.8	0.39	19.1	20.6	2,512	22.5	0.46	21.6	23.4	
2012	2,780	20.2	0.39	19.5	21.0	2,615	23.2	0.46	22.3	24.1	
2013	2,710	19.4	0.38	18.6	20.1	2,585	22.5	0.45	21.7	23.5	
2014	2,896	20.3	0.38	19.5	21.0	2,736	23.4	0.46	22.5	24.3	
2015	3,150	22.2	0.40	21.4	23.0	2,983	25.7	0.48	24.8	26.7	
2016	3,465	23.9	0.42	23.1	24.7	3,297	28.0	0.50	27.0	29.0	
2017	3,543	24.4	0.42	23.6	25.3	3,410	29.1	0.51	28.1	30.1	
2018	3,479	23.5	0.41	22.7	24.3	3,227	27.0	0.49	26.0	27.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Skin excluding Basal and Squamous										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	919	1.8	0.06	1.7	1.9	265	1.8	0.12	1.5	2.0
1986	17	1.4	0.36	0.8	2.3	6	2.6	1.08	0.9	6.3
1987	12	0.9	0.27	0.4	1.6	3	1.2	0.72	0.2	4.3
1988	16	1.4	0.35	0.8	2.2	0				
1989	23	1.8	0.39	1.1	2.7	1	0.5	0.51	0.0	3.2
1990	23	1.9	0.40	1.2	2.9	2	0.7	0.55	0.1	3.4
1991	18	1.4	0.35	0.8	2.3	2	0.6	0.44	0.1	2.9
1992	22	1.5	0.33	0.9	2.3	6	3.5	1.74	0.9	8.2
1993	24	1.7	0.35	1.0	2.5	1	0.3	0.25	0.0	2.1
1994	19	1.3	0.30	0.8	2.0	3	1.1	0.67	0.2	3.5
1995	23	1.5	0.33	1.0	2.3	4	1.1	0.58	0.3	3.2
1996	24	1.7	0.37	1.1	2.6	7	2.8	1.26	0.9	6.2
1997	31	2.0	0.37	1.3	2.9	5	1.5	0.68	0.5	3.6
1998	32	2.2	0.41	1.5	3.2	5	2.1	1.12	0.5	5.2
1999	31	2.1	0.38	1.4	2.9	5	1.7	0.94	0.4	4.4
2000	25	1.5	0.30	1.0	2.2	8	1.8	0.72	0.7	3.9
2001	31	2.1	0.39	1.4	3.0	5	1.2	0.59	0.4	3.0
2002	25	1.5	0.30	0.9	2.2	9	1.9	0.69	0.8	3.8
2003	37	2.3	0.38	1.6	3.1	5	1.0	0.43	0.3	2.4
2004	25	1.5	0.31	1.0	2.3	7	1.5	0.62	0.6	3.3
2005	32	2.1	0.37	1.4	2.9	17	3.9	1.04	2.1	6.4
2006	42	2.5	0.39	1.8	3.4	7	1.1	0.41	0.4	2.3
2007	37	2.2	0.37	1.6	3.1	6	0.9	0.35	0.3	2.0
2008	34	2.0	0.36	1.4	2.9	11	1.7	0.55	0.8	3.2
2009	43	2.5	0.39	1.8	3.4	12	1.8	0.56	0.9	3.3
2010	34	2.0	0.35	1.4	2.8	12	1.9	0.61	0.9	3.5
2011	30	1.6	0.29	1.0	2.2	12	2.1	0.68	1.0	3.8
2012	29	1.6	0.31	1.1	2.3	16	2.3	0.60	1.3	3.8
2013	31	1.7	0.31	1.1	2.4	6	0.7	0.30	0.3	1.6
2014	25	1.4	0.28	0.9	2.0	15	2.2	0.59	1.2	3.6
2015	33	1.9	0.33	1.3	2.6	17	2.4	0.61	1.4	3.9
2016	30	1.7	0.32	1.1	2.5	15	1.8	0.49	1.0	3.1
2017	26	1.4	0.28	0.9	2.0	18	2.2	0.52	1.3	3.4
2018	35	1.7	0.30	1.2	2.4	17	1.8	0.44	1.0	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Skin excluding Basal and Squamous											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	35,848	19.9	0.11	19.7	20.1	34,138	22.2	0.12	22.0	22.4	
1986	483	10.4	0.49	9.4	11.4	470	11.6	0.55	10.5	12.7	
1987	463	9.6	0.46	8.7	10.5	454	10.8	0.52	9.8	11.9	
1988	411	8.6	0.44	7.7	9.4	396	9.5	0.49	8.5	10.5	
1989	534	11.1	0.50	10.2	12.1	515	12.3	0.56	11.3	13.5	
1990	480	10.2	0.48	9.3	11.2	458	11.2	0.54	10.2	12.3	
1991	511	10.6	0.48	9.7	11.6	500	11.9	0.55	10.9	13.0	
1992	572	11.7	0.50	10.7	12.7	554	13.0	0.57	12.0	14.2	
1993	534	10.8	0.48	9.9	11.8	522	12.2	0.55	11.2	13.3	
1994	639	12.8	0.52	11.8	13.9	612	14.2	0.59	13.1	15.4	
1995	704	14.0	0.54	12.9	15.1	683	15.7	0.61	14.5	16.9	
1996	718	13.9	0.53	12.9	15.0	694	15.7	0.60	14.5	16.9	
1997	830	16.0	0.56	14.9	17.2	794	17.8	0.64	16.6	19.1	
1998	838	16.3	0.57	15.2	17.5	800	18.1	0.65	16.9	19.4	
1999	912	17.3	0.58	16.2	18.5	878	19.5	0.66	18.2	20.8	
2000	939	17.7	0.58	16.6	18.9	890	19.7	0.66	18.4	21.0	
2001	1,000	18.6	0.60	17.5	19.8	941	20.6	0.68	19.3	22.0	
2002	1,056	19.6	0.61	18.4	20.8	999	21.8	0.69	20.4	23.2	
2003	1,032	18.8	0.60	17.7	20.0	980	21.0	0.68	19.7	22.4	
2004	1,162	20.9	0.62	19.7	22.2	1,092	23.2	0.71	21.9	24.7	
2005	1,224	21.9	0.64	20.7	23.2	1,134	24.0	0.72	22.6	25.5	
2006	1,241	22.1	0.64	20.9	23.4	1,175	24.7	0.73	23.3	26.2	
2007	1,284	22.5	0.64	21.3	23.8	1,223	25.4	0.74	24.0	26.9	
2008	1,447	25.0	0.67	23.7	26.4	1,380	28.2	0.77	26.7	29.8	
2009	1,422	24.2	0.65	22.9	25.5	1,336	27.0	0.75	25.5	28.5	
2010	1,452	24.1	0.65	22.8	25.4	1,363	26.9	0.74	25.4	28.4	
2011	1,517	25.0	0.66	23.7	26.3	1,436	28.1	0.76	26.6	29.6	
2012	1,576	25.4	0.65	24.1	26.7	1,495	28.8	0.76	27.3	30.3	
2013	1,525	24.3	0.64	23.0	25.5	1,464	27.8	0.74	26.4	29.3	
2014	1,660	25.8	0.65	24.5	27.1	1,585	29.3	0.75	27.9	30.9	
2015	1,745	26.8	0.66	25.6	28.2	1,666	30.7	0.77	29.2	32.3	
2016	1,935	29.1	0.68	27.8	30.5	1,850	33.6	0.80	32.0	35.2	
2017	2,045	30.6	0.69	29.2	31.9	1,979	35.7	0.82	34.1	37.3	
2018	1,957	28.7	0.67	27.4	30.1	1,820	32.2	0.77	30.7	33.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Skin excluding Basal and Squamous										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	397	1.8	0.10	1.6	2.0	142	2.1	0.20	1.7	2.5
1986	5	0.9	0.41	0.3	2.1	3	2.8	1.69	0.5	10.5
1987	2	0.3	0.23	0.0	1.2	1	0.7	0.65	0.0	7.1
1988	9	1.8	0.64	0.8	3.5	0				
1989	14	2.5	0.70	1.3	4.3	1	1.1	1.09	0.0	7.3
1990	14	2.9	0.82	1.5	4.9	2	1.6	1.19	0.2	7.7
1991	8	1.7	0.64	0.6	3.4	0				
1992	8	1.2	0.44	0.5	2.5	4	3.4	1.85	0.8	9.8
1993	10	1.7	0.59	0.8	3.3	0				
1994	11	1.9	0.61	0.9	3.5	3	2.5	1.52	0.5	8.0
1995	10	1.8	0.63	0.8	3.5	2	1.0	0.71	0.1	5.1
1996	9	1.5	0.53	0.7	3.0	3	2.1	1.31	0.4	6.9
1997	11	1.7	0.58	0.8	3.2	3	2.3	1.36	0.4	7.1
1998	14	2.0	0.55	1.1	3.5	4	4.9	2.99	0.9	13.2
1999	17	2.3	0.58	1.3	3.8	2	0.9	0.63	0.1	4.2
2000	10	1.4	0.44	0.6	2.5	3	2.1	1.33	0.3	6.4
2001	17	2.7	0.69	1.5	4.4	4	2.3	1.30	0.5	6.5
2002	9	1.2	0.42	0.5	2.4	6	3.0	1.43	0.9	7.3
2003	10	1.5	0.50	0.7	2.9	0				
2004	9	1.1	0.37	0.5	2.1	4	1.5	0.76	0.4	4.3
2005	11	1.8	0.59	0.8	3.3	10	4.2	1.53	1.8	8.4
2006	19	2.9	0.74	1.7	4.7	5	1.7	0.76	0.5	4.3
2007	16	2.2	0.56	1.2	3.6	4	1.3	0.65	0.4	3.7
2008	16	2.2	0.59	1.2	3.7	6	2.3	1.04	0.7	5.4
2009	19	2.5	0.60	1.5	4.0	6	2.4	1.09	0.8	5.5
2010	14	2.2	0.62	1.2	3.7	7	1.9	0.72	0.7	4.1
2011	14	1.8	0.50	1.0	3.1	5	2.3	1.21	0.6	5.7
2012	16	1.9	0.51	1.1	3.2	7	1.9	0.73	0.8	4.1
2013	13	1.6	0.47	0.8	2.8	1	0.2	0.24	0.0	1.6
2014	10	1.4	0.47	0.7	2.6	7	2.2	0.91	0.8	4.7
2015	13	1.7	0.49	0.9	3.0	12	3.7	1.12	1.8	6.5
2016	10	1.2	0.40	0.6	2.3	7	1.8	0.71	0.7	3.9
2017	13	1.6	0.47	0.8	2.8	11	3.3	1.04	1.6	5.9
2018	16	2.1	0.53	1.2	3.4	9	2.1	0.71	0.9	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Skin excluding Basal and Squamous											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	28,408	12.9	0.08	12.8	13.1	26,569	14.7	0.09	14.5	14.9	
1986	408	7.2	0.37	6.5	8.0	388	8.1	0.42	7.3	8.9	
1987	425	7.4	0.37	6.7	8.2	408	8.4	0.43	7.6	9.3	
1988	444	7.7	0.37	7.0	8.5	424	8.7	0.43	7.8	9.6	
1989	435	7.4	0.36	6.7	8.1	421	8.4	0.42	7.6	9.3	
1990	432	7.2	0.35	6.5	8.0	422	8.4	0.42	7.6	9.2	
1991	462	7.8	0.37	7.1	8.6	446	8.9	0.43	8.1	9.8	
1992	466	7.6	0.36	6.9	8.4	443	8.6	0.42	7.8	9.4	
1993	450	7.2	0.34	6.6	7.9	434	8.3	0.40	7.5	9.1	
1994	551	8.8	0.38	8.1	9.6	535	10.2	0.45	9.3	11.1	
1995	538	8.6	0.37	7.9	9.3	504	9.6	0.43	8.8	10.5	
1996	625	9.8	0.40	9.0	10.6	591	11.1	0.46	10.2	12.1	
1997	635	9.9	0.40	9.2	10.7	593	11.1	0.46	10.3	12.1	
1998	661	10.1	0.40	9.4	10.9	615	11.3	0.46	10.4	12.2	
1999	649	10.0	0.39	9.2	10.8	618	11.5	0.47	10.6	12.4	
2000	750	11.4	0.42	10.6	12.3	704	13.0	0.49	12.0	14.0	
2001	801	12.1	0.43	11.2	12.9	751	13.7	0.51	12.8	14.8	
2002	773	11.6	0.42	10.8	12.5	711	13.1	0.49	12.1	14.1	
2003	842	12.5	0.43	11.7	13.4	749	13.6	0.50	12.6	14.6	
2004	849	12.6	0.44	11.8	13.5	781	14.2	0.51	13.2	15.2	
2005	1,011	14.9	0.47	14.0	15.8	906	16.3	0.55	15.3	17.5	
2006	1,043	15.3	0.48	14.4	16.3	960	17.3	0.57	16.3	18.5	
2007	1,090	15.9	0.49	15.0	16.9	1,018	18.4	0.59	17.3	19.6	
2008	1,101	16.0	0.49	15.1	17.0	1,008	18.1	0.58	17.0	19.3	
2009	1,154	16.5	0.49	15.5	17.5	1,082	19.2	0.60	18.0	20.4	
2010	1,064	15.0	0.47	14.1	16.0	987	17.4	0.57	16.3	18.5	
2011	1,169	16.5	0.49	15.5	17.5	1,076	18.9	0.59	17.7	20.1	
2012	1,204	16.8	0.50	15.9	17.8	1,120	19.5	0.60	18.3	20.7	
2013	1,185	16.1	0.48	15.2	17.1	1,121	19.1	0.59	17.9	20.2	
2014	1,236	16.5	0.48	15.6	17.5	1,151	19.2	0.59	18.1	20.4	
2015	1,405	19.1	0.52	18.1	20.2	1,317	22.5	0.64	21.2	23.8	
2016	1,530	20.5	0.54	19.5	21.6	1,447	24.5	0.67	23.2	25.9	
2017	1,498	20.1	0.54	19.1	21.2	1,431	24.3	0.67	23.0	25.7	
2018	1,522	20.0	0.53	19.0	21.1	1,407	23.5	0.65	22.3	24.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Skin excluding Basal and Squamous										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	522	1.8	0.08	1.6	1.9	123	1.5	0.14	1.2	1.8
1986	12	1.7	0.52	0.9	3.1	3	2.4	1.43	0.5	8.4
1987	10	1.3	0.43	0.6	2.4	2	1.6	1.21	0.2	7.2
1988	7	1.0	0.40	0.4	2.1	0				
1989	9	1.2	0.43	0.6	2.4	0				
1990	9	1.2	0.41	0.5	2.3	0				
1991	10	1.3	0.43	0.6	2.4	2	1.2	0.84	0.1	5.4
1992	14	1.6	0.45	0.9	2.8	2	3.2	2.56	0.3	10.8
1993	14	1.7	0.45	0.9	2.8	1	0.5	0.53	0.0	3.9
1994	8	0.9	0.33	0.4	1.8	0				
1995	13	1.4	0.40	0.7	2.4	2	1.2	0.85	0.1	4.6
1996	15	1.8	0.47	1.0	3.0	4	3.1	1.81	0.6	8.4
1997	20	2.3	0.52	1.4	3.5	2	0.9	0.62	0.1	3.7
1998	18	2.2	0.53	1.3	3.5	1	0.4	0.44	0.0	2.9
1999	14	1.7	0.46	0.9	2.9	3	2.1	1.39	0.3	6.3
2000	15	1.6	0.41	0.9	2.6	5	1.8	0.83	0.5	4.6
2001	14	1.6	0.44	0.9	2.7	1	0.4	0.37	0.0	2.4
2002	16	1.7	0.42	1.0	2.7	3	1.1	0.66	0.2	3.5
2003	27	2.8	0.55	1.9	4.1	5	1.8	0.83	0.6	4.5
2004	16	1.8	0.45	1.0	2.9	3	1.4	0.86	0.3	4.1
2005	21	2.3	0.50	1.4	3.5	7	3.4	1.34	1.3	6.9
2006	23	2.3	0.49	1.5	3.5	2	0.5	0.37	0.1	2.2
2007	21	2.2	0.48	1.4	3.4	2	0.5	0.34	0.1	2.1
2008	18	1.9	0.46	1.1	3.1	5	1.3	0.61	0.4	3.3
2009	24	2.4	0.50	1.5	3.6	6	1.4	0.59	0.5	3.3
2010	20	1.9	0.44	1.2	3.0	5	1.8	0.86	0.5	4.3
2011	16	1.4	0.36	0.8	2.3	7	2.1	0.86	0.8	4.5
2012	13	1.3	0.37	0.7	2.3	9	2.6	0.89	1.1	5.0
2013	18	1.8	0.42	1.0	2.8	5	1.2	0.52	0.4	2.8
2014	15	1.3	0.35	0.8	2.2	8	2.2	0.79	0.9	4.3
2015	20	2.0	0.45	1.2	3.1	5	1.4	0.63	0.4	3.2
2016	20	2.1	0.47	1.3	3.2	8	1.8	0.64	0.8	3.6
2017	13	1.2	0.33	0.6	2.0	7	1.4	0.55	0.6	3.0
2018	19	1.6	0.36	0.9	2.5	8	1.5	0.55	0.7	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Melanoma of the Skin											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	58,916	14.4	0.06	14.2	14.5	56,111	16.3	0.07	16.2	16.5	
1986	800	7.7	0.28	7.1	8.2	779	8.6	0.32	8.0	9.3	
1987	818	7.7	0.27	7.1	8.2	798	8.7	0.31	8.1	9.4	
1988	775	7.3	0.26	6.7	7.8	752	8.2	0.30	7.6	8.8	
1989	864	8.0	0.28	7.5	8.6	848	9.2	0.32	8.5	9.8	
1990	812	7.4	0.26	6.9	8.0	796	8.5	0.31	7.9	9.1	
1991	879	8.1	0.27	7.5	8.6	863	9.3	0.32	8.6	9.9	
1992	923	8.3	0.28	7.8	8.8	903	9.5	0.32	8.9	10.1	
1993	854	7.5	0.26	7.0	8.0	846	8.7	0.30	8.1	9.3	
1994	1,064	9.3	0.29	8.8	9.9	1,037	10.7	0.33	10.0	11.3	
1995	1,122	9.7	0.29	9.2	10.3	1,085	11.1	0.34	10.5	11.8	
1996	1,205	10.3	0.30	9.8	10.9	1,168	11.8	0.35	11.1	12.5	
1997	1,323	11.2	0.31	10.6	11.8	1,264	12.7	0.36	12.0	13.4	
1998	1,344	11.3	0.31	10.7	11.9	1,287	12.8	0.36	12.1	13.5	
1999	1,415	11.8	0.31	11.2	12.5	1,369	13.6	0.37	12.9	14.3	
2000	1,521	12.6	0.32	12.0	13.2	1,445	14.2	0.37	13.5	15.0	
2001	1,626	13.3	0.33	12.7	14.0	1,538	15.0	0.38	14.3	15.8	
2002	1,661	13.5	0.33	12.8	14.1	1,569	15.2	0.39	14.5	16.0	
2003	1,694	13.6	0.33	13.0	14.3	1,575	15.2	0.38	14.4	15.9	
2004	1,839	14.7	0.34	14.0	15.4	1,724	16.5	0.40	15.8	17.3	
2005	2,042	16.2	0.36	15.5	16.9	1,881	17.9	0.41	17.1	18.7	
2006	2,062	16.2	0.36	15.5	16.9	1,945	18.4	0.42	17.6	19.3	
2007	2,189	17.0	0.37	16.3	17.7	2,083	19.6	0.43	18.7	20.4	
2008	2,331	17.9	0.37	17.1	18.6	2,203	20.4	0.44	19.6	21.3	
2009	2,367	18.0	0.37	17.2	18.7	2,249	20.7	0.44	19.9	21.6	
2010	2,339	17.4	0.36	16.7	18.1	2,198	19.9	0.43	19.1	20.8	
2011	2,504	18.5	0.38	17.8	19.3	2,354	21.1	0.44	20.3	22.0	
2012	2,590	18.8	0.38	18.1	19.6	2,455	21.7	0.45	20.9	22.6	
2013	2,524	18.0	0.36	17.3	18.7	2,421	21.1	0.44	20.3	22.0	
2014	2,697	18.9	0.37	18.2	19.6	2,561	21.9	0.44	21.0	22.8	
2015	2,920	20.6	0.39	19.8	21.3	2,781	24.0	0.47	23.1	25.0	
2016	3,232	22.3	0.40	21.5	23.1	3,090	26.3	0.49	25.3	27.3	
2017	3,310	22.8	0.41	22.0	23.7	3,195	27.3	0.50	26.3	28.2	
2018	3,270	22.1	0.40	21.4	22.9	3,049	25.5	0.48	24.6	26.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Melanoma of the Skin										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	390	0.8	0.04	0.7	0.9	171	1.1	0.09	0.9	1.3
1986	7	0.7	0.28	0.3	1.4	4	1.8	0.93	0.5	5.4
1987	8	0.7	0.25	0.3	1.3	2	0.9	0.65	0.1	4.0
1988	6	0.5	0.21	0.2	1.1	0				
1989	8	0.6	0.22	0.2	1.2	1	0.5	0.51	0.0	3.2
1990	9	0.8	0.26	0.4	1.5	2	0.7	0.55	0.1	3.4
1991	10	0.8	0.28	0.4	1.6	2	0.6	0.44	0.1	2.9
1992	9	0.6	0.20	0.3	1.2	3	2.2	1.56	0.3	6.7
1993	4	0.3	0.13	0.1	0.7	1	0.3	0.25	0.0	2.1
1994	8	0.6	0.22	0.3	1.2	2	0.8	0.56	0.1	3.0
1995	9	0.7	0.25	0.3	1.4	2	0.6	0.43	0.1	2.5
1996	10	0.9	0.29	0.4	1.6	5	1.5	0.70	0.5	3.7
1997	15	1.1	0.28	0.6	1.7	3	1.0	0.57	0.2	2.9
1998	10	0.8	0.24	0.4	1.4	4	1.2	0.66	0.3	3.3
1999	16	1.2	0.30	0.6	1.9	5	1.7	0.94	0.4	4.4
2000	11	0.7	0.22	0.4	1.3	5	1.1	0.51	0.3	2.8
2001	17	1.3	0.31	0.7	2.0	3	0.8	0.52	0.1	2.5
2002	10	0.6	0.20	0.3	1.2	7	1.5	0.63	0.5	3.3
2003	21	1.3	0.30	0.8	2.1	2	0.3	0.24	0.0	1.4
2004	10	0.7	0.21	0.3	1.2	3	0.6	0.33	0.1	1.8
2005	14	1.0	0.27	0.5	1.7	8	1.5	0.58	0.6	3.2
2006	18	1.2	0.28	0.7	1.8	4	0.6	0.29	0.2	1.6
2007	16	1.0	0.26	0.6	1.6	3	0.4	0.25	0.1	1.4
2008	8	0.5	0.19	0.2	1.1	9	1.5	0.52	0.6	2.9
2009	13	0.8	0.21	0.4	1.3	7	1.1	0.44	0.4	2.3
2010	17	1.0	0.26	0.6	1.7	7	1.1	0.45	0.4	2.4
2011	14	0.8	0.21	0.4	1.3	8	1.5	0.59	0.6	3.1
2012	7	0.4	0.16	0.2	0.8	13	1.9	0.56	1.0	3.4
2013	15	0.9	0.22	0.5	1.4	5	0.6	0.27	0.2	1.5
2014	12	0.7	0.20	0.3	1.2	6	0.8	0.31	0.3	1.7
2015	15	0.9	0.22	0.5	1.4	10	1.4	0.46	0.7	2.6
2016	13	0.7	0.20	0.4	1.2	11	1.3	0.41	0.7	2.4
2017	14	0.8	0.21	0.4	1.3	15	1.8	0.47	1.0	3.0
2018	16	0.8	0.21	0.5	1.3	9	0.9	0.29	0.4	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Melanoma of the Skin										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	32,959	18.2	0.10	18.0	18.4	31,595	20.5	0.12	20.2	20.7
1986	444	9.5	0.47	8.6	10.5	435	10.7	0.53	9.7	11.8
1987	424	8.8	0.44	7.9	9.7	416	9.9	0.50	8.9	10.9
1988	375	7.8	0.41	7.0	8.6	365	8.7	0.47	7.8	9.6
1989	481	10.1	0.47	9.2	11.0	473	11.4	0.54	10.4	12.5
1990	424	8.9	0.45	8.1	9.9	410	9.9	0.50	9.0	10.9
1991	472	9.8	0.46	8.9	10.7	468	11.1	0.52	10.1	12.2
1992	504	10.3	0.47	9.4	11.2	496	11.6	0.53	10.6	12.7
1993	473	9.5	0.44	8.6	10.4	469	10.8	0.51	9.8	11.9
1994	563	11.3	0.49	10.4	12.3	546	12.7	0.55	11.6	13.8
1995	645	12.7	0.51	11.7	13.8	631	14.4	0.58	13.3	15.6
1996	656	12.7	0.50	11.7	13.7	639	14.4	0.58	13.3	15.5
1997	749	14.4	0.53	13.4	15.5	721	16.1	0.61	14.9	17.3
1998	762	14.8	0.54	13.7	15.9	737	16.6	0.62	15.4	17.8
1999	831	15.7	0.55	14.6	16.8	806	17.8	0.63	16.6	19.1
2000	850	15.9	0.55	14.8	17.0	809	17.7	0.63	16.5	19.0
2001	910	17.0	0.57	15.9	18.1	863	18.9	0.65	17.6	20.2
2002	962	17.7	0.58	16.6	18.8	917	19.8	0.66	18.5	21.2
2003	953	17.3	0.57	16.2	18.4	905	19.3	0.65	18.1	20.7
2004	1,072	19.2	0.59	18.1	20.4	1,012	21.4	0.68	20.1	22.8
2005	1,107	19.8	0.60	18.6	21.0	1,037	21.9	0.69	20.6	23.3
2006	1,121	20.0	0.61	18.8	21.2	1,070	22.5	0.70	21.2	23.9
2007	1,195	21.0	0.62	19.8	22.2	1,145	23.7	0.71	22.4	25.2
2008	1,324	22.9	0.64	21.6	24.2	1,272	26.0	0.74	24.5	27.4
2009	1,319	22.4	0.63	21.2	23.7	1,253	25.3	0.73	23.9	26.8
2010	1,348	22.3	0.62	21.1	23.5	1,270	24.9	0.71	23.6	26.4
2011	1,410	23.2	0.63	21.9	24.4	1,341	26.2	0.73	24.8	27.7
2012	1,464	23.6	0.63	22.3	24.8	1,400	26.9	0.73	25.5	28.4
2013	1,429	22.7	0.61	21.5	23.9	1,379	26.1	0.72	24.7	27.6
2014	1,541	23.8	0.62	22.6	25.0	1,477	27.2	0.73	25.8	28.7
2015	1,609	24.7	0.63	23.4	25.9	1,543	28.4	0.74	26.9	29.8
2016	1,801	27.0	0.65	25.7	28.3	1,728	31.2	0.77	29.7	32.7
2017	1,911	28.5	0.67	27.2	29.8	1,854	33.3	0.79	31.8	34.9
2018	1,830	26.8	0.64	25.6	28.1	1,708	30.2	0.75	28.7	31.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Melanoma of the Skin										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	158	0.8	0.07	0.7	0.9	90	1.3	0.15	1.0	1.6
1986	2	0.4	0.26	0.0	1.4	2	2.3	1.61	0.3	10.0
1987	1	0.2	0.21	0.0	1.1	1	0.7	0.65	0.0	7.1
1988	4	0.9	0.49	0.2	2.3	0				
1989	5	0.8	0.36	0.2	1.9	1	1.1	1.09	0.0	7.3
1990	7	1.5	0.58	0.6	3.0	2	1.6	1.19	0.2	7.7
1991	2	0.6	0.49	0.1	2.1	0				
1992	3	0.4	0.25	0.1	1.4	2	1.6	1.11	0.2	6.8
1993	2	0.3	0.23	0.0	1.2	0				
1994	4	0.8	0.41	0.2	2.0	2	1.7	1.30	0.2	6.9
1995	4	1.0	0.52	0.2	2.5	1	0.4	0.36	0.0	4.2
1996	3	0.6	0.33	0.1	1.6	2	1.6	1.21	0.2	6.3
1997	5	0.9	0.48	0.2	2.3	2	1.7	1.21	0.2	6.2
1998	4	0.7	0.37	0.2	1.9	3	2.3	1.47	0.3	7.2
1999	8	1.1	0.41	0.5	2.3	2	0.9	0.63	0.1	4.2
2000	5	0.8	0.34	0.2	1.8	2	0.9	0.66	0.1	4.1
2001	9	1.6	0.54	0.7	3.0	2	1.5	1.15	0.1	5.5
2002	4	0.6	0.31	0.2	1.6	5	2.6	1.37	0.6	6.8
2003	7	1.1	0.43	0.4	2.3	0				
2004	2	0.3	0.19	0.0	1.0	3	1.2	0.69	0.2	3.8
2005	2	0.5	0.37	0.0	1.6	4	1.3	0.65	0.4	3.8
2006	8	1.5	0.60	0.6	3.1	2	0.7	0.46	0.1	2.8
2007	8	1.2	0.43	0.5	2.4	2	0.7	0.47	0.1	2.8
2008	4	0.6	0.31	0.2	1.6	6	2.3	1.04	0.7	5.4
2009	5	0.7	0.31	0.2	1.6	3	1.4	0.89	0.2	4.2
2010	8	1.5	0.54	0.6	2.8	4	1.1	0.56	0.3	3.1
2011	6	0.9	0.36	0.3	1.9	3	1.8	1.16	0.3	5.2
2012	3	0.3	0.18	0.1	1.0	5	1.4	0.61	0.4	3.4
2013	6	0.8	0.36	0.3	1.8	1	0.2	0.24	0.0	1.6
2014	4	0.7	0.35	0.2	1.7	3	0.8	0.46	0.2	2.4
2015	7	1.0	0.37	0.4	2.0	6	2.0	0.84	0.7	4.3
2016	4	0.5	0.25	0.1	1.2	5	1.3	0.57	0.4	3.0
2017	6	0.7	0.31	0.3	1.6	9	2.6	0.89	1.1	4.9
2018	6	0.9	0.37	0.3	1.9	5	1.0	0.47	0.3	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Melanoma of the Skin											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	25,957	11.9	0.07	11.7	12.0	24,516	13.7	0.09	13.5	13.8	
1986	356	6.3	0.34	5.7	7.0	344	7.2	0.40	6.4	8.0	
1987	394	6.9	0.35	6.2	7.6	382	7.9	0.41	7.1	8.7	
1988	400	7.0	0.36	6.3	7.7	387	8.0	0.41	7.2	8.8	
1989	383	6.5	0.34	5.9	7.2	375	7.6	0.40	6.8	8.4	
1990	388	6.5	0.34	5.9	7.2	386	7.7	0.40	6.9	8.5	
1991	407	6.9	0.35	6.2	7.6	395	8.0	0.41	7.2	8.8	
1992	419	6.9	0.34	6.2	7.6	407	7.9	0.40	7.2	8.7	
1993	381	6.2	0.32	5.6	6.8	377	7.3	0.38	6.5	8.0	
1994	501	8.0	0.36	7.4	8.8	491	9.4	0.43	8.6	10.3	
1995	477	7.6	0.35	7.0	8.4	454	8.7	0.41	7.9	9.6	
1996	549	8.7	0.37	7.9	9.4	529	10.0	0.44	9.2	10.9	
1997	574	9.0	0.38	8.3	9.8	543	10.3	0.45	9.5	11.2	
1998	582	9.0	0.37	8.3	9.8	550	10.2	0.44	9.4	11.1	
1999	584	9.0	0.37	8.3	9.8	563	10.5	0.45	9.7	11.4	
2000	671	10.3	0.40	9.5	11.1	636	11.8	0.47	10.9	12.8	
2001	716	10.9	0.41	10.1	11.7	675	12.5	0.48	11.5	13.5	
2002	699	10.6	0.40	9.8	11.4	652	12.1	0.48	11.2	13.1	
2003	741	11.1	0.41	10.3	11.9	670	12.3	0.48	11.3	13.2	
2004	767	11.4	0.41	10.6	12.3	712	13.0	0.49	12.0	14.0	
2005	935	13.8	0.46	12.9	14.7	844	15.3	0.53	14.3	16.4	
2006	941	13.9	0.46	13.0	14.8	875	15.9	0.54	14.9	17.0	
2007	994	14.6	0.47	13.7	15.5	938	17.1	0.57	16.0	18.2	
2008	1,007	14.7	0.47	13.8	15.7	931	16.9	0.56	15.8	18.0	
2009	1,048	15.0	0.47	14.1	16.0	996	17.8	0.58	16.7	19.0	
2010	991	14.0	0.45	13.2	14.9	928	16.4	0.55	15.3	17.5	
2011	1,094	15.5	0.48	14.6	16.5	1,013	17.9	0.58	16.8	19.1	
2012	1,126	15.7	0.48	14.8	16.7	1,055	18.4	0.58	17.2	19.5	
2013	1,095	14.9	0.46	14.0	15.9	1,042	17.8	0.57	16.7	19.0	
2014	1,156	15.5	0.47	14.6	16.5	1,084	18.2	0.57	17.1	19.3	
2015	1,311	17.9	0.51	16.9	18.9	1,238	21.3	0.63	20.1	22.5	
2016	1,431	19.3	0.53	18.3	20.4	1,362	23.3	0.66	22.0	24.6	
2017	1,399	18.8	0.52	17.8	19.9	1,341	22.9	0.65	21.7	24.2	
2018	1,440	19.0	0.52	18.0	20.1	1,341	22.5	0.64	21.3	23.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Melanoma of the Skin										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	232	0.8	0.05	0.7	0.9	81	1.0	0.11	0.7	1.2
1986	5	0.9	0.41	0.3	2.0	2	1.4	1.03	0.2	6.9
1987	7	1.0	0.39	0.4	2.0	1	1.1	1.06	0.0	6.5
1988	2	0.3	0.17	0.0	0.9	0				
1989	3	0.4	0.25	0.1	1.2	0				
1990	2	0.3	0.22	0.0	1.1	0				
1991	8	1.1	0.38	0.4	2.1	2	1.2	0.84	0.1	5.4
1992	6	0.7	0.31	0.3	1.6	1	2.4	2.43	0.1	10.0
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.53	0.0	3.9
1994	4	0.5	0.25	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	1	0.7	0.71	0.0	4.0
1996	7	1.0	0.39	0.4	2.1	3	1.5	0.89	0.3	4.9
1997	10	1.2	0.38	0.6	2.2	1	0.4	0.44	0.0	3.1
1998	6	0.8	0.32	0.3	1.6	1	0.4	0.44	0.0	2.9
1999	8	1.1	0.38	0.5	2.1	3	2.1	1.39	0.3	6.3
2000	6	0.7	0.28	0.2	1.5	3	1.2	0.74	0.2	3.9
2001	8	1.0	0.35	0.4	1.9	1	0.4	0.37	0.0	2.4
2002	6	0.7	0.28	0.3	1.5	2	0.7	0.52	0.1	2.9
2003	14	1.5	0.41	0.8	2.6	2	0.7	0.47	0.1	2.7
2004	8	0.9	0.32	0.4	1.8	0				
2005	12	1.4	0.40	0.7	2.4	4	1.6	0.86	0.4	4.3
2006	10	1.1	0.34	0.5	2.0	2	0.5	0.37	0.1	2.2
2007	8	0.8	0.30	0.4	1.6	1	0.2	0.22	0.0	1.7
2008	4	0.5	0.23	0.1	1.2	3	0.9	0.51	0.2	2.7
2009	8	0.8	0.29	0.3	1.6	4	0.9	0.47	0.3	2.6
2010	9	0.8	0.28	0.4	1.6	3	1.1	0.65	0.2	3.1
2011	8	0.8	0.27	0.3	1.5	5	1.5	0.69	0.4	3.5
2012	4	0.4	0.21	0.1	1.1	8	2.4	0.87	1.0	4.7
2013	9	0.9	0.30	0.4	1.7	4	0.9	0.47	0.3	2.5
2014	8	0.7	0.26	0.3	1.4	3	0.7	0.43	0.2	2.2
2015	8	0.8	0.28	0.3	1.5	4	1.0	0.51	0.3	2.6
2016	9	0.9	0.30	0.4	1.7	6	1.3	0.55	0.5	3.0
2017	8	0.7	0.26	0.3	1.5	6	1.3	0.52	0.5	2.8
2018	10	0.8	0.26	0.4	1.5	4	0.7	0.36	0.2	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Breast excluding in situ										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	291,158	70.9	0.13	70.7	71.2	245,973	71.2	0.14	70.9	71.4
1986	6,727	65.2	0.81	63.6	66.8	6,001	66.2	0.87	64.5	68.0
1987	7,254	69.7	0.83	68.1	71.3	6,486	71.1	0.90	69.4	72.9
1988	7,408	70.7	0.83	69.1	72.4	6,574	71.7	0.90	70.0	73.5
1989	7,125	67.7	0.81	66.1	69.3	6,257	68.1	0.87	66.4	69.9
1990	7,523	70.7	0.82	69.1	72.4	6,692	72.3	0.89	70.5	74.1
1991	7,741	71.7	0.82	70.1	73.3	6,846	73.0	0.89	71.3	74.8
1992	7,915	72.3	0.82	70.7	73.9	6,980	73.5	0.89	71.8	75.3
1993	7,764	69.6	0.79	68.1	71.2	6,752	70.0	0.86	68.3	71.7
1994	8,349	74.4	0.82	72.8	76.0	7,301	75.4	0.89	73.6	77.1
1995	8,278	73.0	0.80	71.4	74.6	7,188	73.7	0.87	72.0	75.4
1996	8,479	73.9	0.81	72.4	75.5	7,338	74.6	0.87	72.9	76.3
1997	8,614	74.4	0.80	72.8	75.9	7,376	74.4	0.87	72.8	76.2
1998	8,883	75.7	0.80	74.2	77.3	7,569	75.6	0.87	73.9	77.3
1999	9,137	76.9	0.80	75.3	78.5	7,820	77.4	0.88	75.7	79.2
2000	8,897	74.0	0.79	72.5	75.6	7,612	74.8	0.86	73.1	76.5
2001	9,083	74.7	0.78	73.2	76.3	7,715	75.1	0.86	73.4	76.8
2002	8,868	72.1	0.77	70.6	73.6	7,465	72.0	0.83	70.3	73.6
2003	8,254	66.2	0.73	64.8	67.6	6,918	66.0	0.80	64.5	67.6
2004	8,380	66.5	0.73	65.1	68.0	7,080	67.0	0.80	65.4	68.6
2005	8,579	67.3	0.73	65.9	68.8	7,171	67.2	0.80	65.7	68.8
2006	8,957	69.6	0.74	68.1	71.0	7,468	69.5	0.81	67.9	71.1
2007	9,003	68.9	0.73	67.5	70.3	7,538	69.3	0.81	67.7	70.9
2008	9,177	69.3	0.73	67.9	70.7	7,665	69.6	0.80	68.0	71.2
2009	9,386	69.9	0.73	68.5	71.3	7,748	69.6	0.80	68.0	71.1
2010	9,483	69.5	0.72	68.0	70.9	7,846	69.4	0.80	67.9	71.0
2011	9,800	71.1	0.73	69.7	72.5	8,050	70.8	0.80	69.2	72.4
2012	9,633	68.8	0.71	67.4	70.2	7,897	68.7	0.79	67.1	70.2
2013	10,065	70.9	0.72	69.5	72.4	8,197	70.4	0.79	68.9	72.0
2014	10,360	72.3	0.73	70.9	73.7	8,395	71.6	0.80	70.1	73.2
2015	10,462	72.1	0.72	70.7	73.5	8,476	71.5	0.80	70.0	73.1
2016	10,569	72.2	0.72	70.7	73.6	8,629	72.3	0.80	70.8	73.9
2017	10,475	71.0	0.71	69.6	72.4	8,437	70.4	0.79	68.8	71.9
2018	10,530	70.9	0.71	69.5	72.3	8,486	70.6	0.79	69.1	72.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Breast excluding in situ										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	36,641	72.3	0.38	71.6	73.1	7,033	44.9	0.56	43.8	46.0
1986	654	57.0	2.30	52.6	61.7	52	27.4	4.02	20.1	36.6
1987	681	59.4	2.34	54.9	64.1	74	37.6	4.72	28.9	48.1
1988	770	66.2	2.46	61.4	71.2	55	27.5	4.02	20.2	36.6
1989	773	65.2	2.41	60.6	70.1	84	41.6	5.17	32.1	53.0
1990	733	61.3	2.32	56.8	66.0	82	34.5	4.13	26.9	43.7
1991	785	62.3	2.28	57.9	67.0	67	26.9	3.59	20.3	34.9
1992	816	64.3	2.31	59.9	69.0	77	29.2	3.68	22.4	37.4
1993	887	68.4	2.36	63.8	73.1	101	38.0	4.19	30.2	47.1
1994	917	69.6	2.36	65.0	74.3	106	38.0	4.08	30.4	46.8
1995	945	70.2	2.34	65.7	74.9	120	38.6	3.89	31.3	47.0
1996	981	71.3	2.33	66.8	76.0	125	37.2	3.56	30.5	44.9
1997	1,053	76.2	2.40	71.6	81.0	144	39.8	3.45	33.4	47.3
1998	1,102	77.6	2.38	73.0	82.4	148	40.5	3.55	33.9	48.1
1999	1,084	74.5	2.31	70.1	79.2	158	41.9	3.62	35.1	49.6
2000	1,050	71.0	2.23	66.6	75.5	158	41.0	3.57	34.3	48.6
2001	1,159	77.6	2.32	73.1	82.2	168	40.3	3.39	33.9	47.5
2002	1,164	75.0	2.24	70.6	79.5	184	41.0	3.24	34.9	47.9
2003	1,099	69.9	2.15	65.8	74.2	195	41.7	3.18	35.7	48.4
2004	1,071	67.1	2.09	63.1	71.3	196	40.3	3.09	34.5	46.8
2005	1,154	71.9	2.16	67.7	76.3	209	39.4	2.86	34.0	45.4
2006	1,196	73.1	2.15	68.9	77.4	249	45.7	3.09	39.8	52.1
2007	1,171	70.0	2.08	65.9	74.2	246	44.3	2.98	38.7	50.6
2008	1,190	70.7	2.09	66.6	74.9	271	46.4	2.98	40.8	52.7
2009	1,326	77.0	2.16	72.8	81.3	263	43.3	2.81	38.0	49.2
2010	1,278	72.9	2.08	68.9	77.1	307	46.8	2.79	41.4	52.6
2011	1,335	75.6	2.12	71.5	79.9	334	48.7	2.78	43.4	54.5
2012	1,325	72.8	2.04	68.8	76.9	361	49.8	2.72	44.6	55.4
2013	1,449	78.3	2.10	74.2	82.5	364	49.0	2.65	44.0	54.5
2014	1,511	81.3	2.14	77.1	85.6	377	47.6	2.51	42.8	52.8
2015	1,520	80.2	2.11	76.1	84.4	399	49.6	2.54	44.8	54.9
2016	1,467	76.6	2.05	72.6	80.7	409	49.5	2.49	44.7	54.6
2017	1,506	78.3	2.07	74.3	82.4	488	57.2	2.63	52.2	62.6
2018	1,489	75.7	2.01	71.8	79.8	462	52.9	2.49	48.1	58.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Breast excluding in situ										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,283	1.3	0.03	1.2	1.3	1,874	1.2	0.03	1.2	1.3
1986	46	1.1	0.17	0.8	1.5	43	1.2	0.18	0.8	1.6
1987	55	1.2	0.17	0.9	1.6	48	1.2	0.17	0.9	1.6
1988	43	1.0	0.16	0.7	1.4	38	1.0	0.17	0.7	1.4
1989	35	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.1
1990	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1991	47	1.1	0.17	0.8	1.5	41	1.1	0.18	0.8	1.5
1992	67	1.5	0.19	1.1	1.9	55	1.4	0.19	1.0	1.8
1993	67	1.4	0.17	1.1	1.7	57	1.3	0.17	1.0	1.7
1994	58	1.3	0.18	1.0	1.7	46	1.2	0.18	0.9	1.6
1995	74	1.5	0.18	1.2	1.9	64	1.5	0.19	1.2	2.0
1996	68	1.4	0.17	1.1	1.8	57	1.4	0.18	1.0	1.8
1997	71	1.5	0.18	1.1	1.8	56	1.3	0.18	1.0	1.7
1998	58	1.1	0.15	0.9	1.5	47	1.1	0.16	0.8	1.4
1999	74	1.5	0.17	1.2	1.9	61	1.4	0.18	1.1	1.8
2000	66	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.6
2001	68	1.3	0.16	1.0	1.6	58	1.3	0.17	1.0	1.7
2002	79	1.6	0.18	1.2	2.0	64	1.5	0.19	1.1	1.9
2003	71	1.4	0.16	1.1	1.7	59	1.3	0.17	1.0	1.7
2004	69	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6
2005	59	1.1	0.15	0.9	1.5	50	1.1	0.16	0.8	1.5
2006	61	1.1	0.14	0.9	1.4	52	1.1	0.16	0.8	1.5
2007	70	1.3	0.15	1.0	1.6	57	1.2	0.16	0.9	1.6
2008	74	1.3	0.16	1.0	1.7	60	1.3	0.17	1.0	1.6
2009	78	1.3	0.15	1.1	1.7	59	1.2	0.16	0.9	1.6
2010	71	1.2	0.14	0.9	1.5	58	1.1	0.15	0.9	1.5
2011	89	1.4	0.16	1.1	1.8	73	1.3	0.16	1.0	1.7
2012	93	1.5	0.16	1.2	1.9	74	1.5	0.17	1.2	1.9
2013	87	1.3	0.15	1.1	1.7	65	1.2	0.15	0.9	1.5
2014	86	1.3	0.14	1.0	1.6	67	1.2	0.15	0.9	1.6
2015	76	1.1	0.13	0.9	1.4	60	1.1	0.15	0.8	1.4
2016	94	1.4	0.15	1.1	1.7	78	1.4	0.16	1.1	1.7
2017	104	1.5	0.15	1.3	1.9	83	1.5	0.17	1.2	1.8
2018	91	1.3	0.14	1.0	1.6	73	1.3	0.15	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Breast excluding in situ										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	352	1.8	0.10	1.6	2.0	44	0.7	0.12	0.5	1.0
1986	3	0.8	0.47	0.1	2.2	0				
1987	6	1.5	0.68	0.5	3.3	1	1.1	1.09	0.0	7.9
1988	4	1.2	0.65	0.3	3.0	1	1.2	1.16	0.0	7.7
1989	6	1.3	0.55	0.4	2.8	1	1.8	1.78	0.1	9.1
1990	3	0.7	0.39	0.1	1.9	0				
1991	6	1.1	0.45	0.4	2.4	0				
1992	12	2.3	0.70	1.2	4.1	0				
1993	10	2.4	0.81	1.1	4.4	0				
1994	10	2.1	0.69	1.0	3.9	1	1.0	0.97	0.0	5.7
1995	9	1.7	0.58	0.7	3.2	1	1.7	1.67	0.0	7.6
1996	8	1.7	0.66	0.7	3.4	3	1.7	0.98	0.3	5.9
1997	13	2.7	0.80	1.4	4.7	2	1.8	1.49	0.1	7.0
1998	10	1.9	0.61	0.9	3.4	1	0.6	0.57	0.0	4.0
1999	11	2.1	0.67	1.0	3.8	2	0.8	0.60	0.1	4.1
2000	9	1.5	0.55	0.6	2.9	0				
2001	9	1.4	0.49	0.6	2.7	0				
2002	13	2.6	0.79	1.3	4.5	1	0.4	0.39	0.0	3.0
2003	12	2.0	0.60	1.0	3.5	0				
2004	11	2.0	0.66	0.9	3.7	1	0.5	0.47	0.0	2.9
2005	8	1.4	0.52	0.5	2.7	1	1.0	1.01	0.0	4.4
2006	7	1.2	0.46	0.5	2.4	1	0.3	0.29	0.0	2.3
2007	12	1.8	0.54	0.9	3.2	1	0.3	0.34	0.0	2.3
2008	11	1.5	0.45	0.7	2.6	3	2.5	1.49	0.5	6.6
2009	17	2.2	0.55	1.3	3.6	1	0.3	0.27	0.0	2.0
2010	12	1.7	0.51	0.9	3.0	0				
2011	13	2.0	0.59	1.1	3.5	1	0.3	0.25	0.0	1.8
2012	14	1.8	0.51	1.0	3.1	5	1.5	0.67	0.5	3.6
2013	20	2.9	0.67	1.7	4.5	1	0.2	0.23	0.0	1.6
2014	15	2.0	0.55	1.1	3.4	4	1.0	0.50	0.3	2.7
2015	12	1.5	0.45	0.7	2.6	4	0.9	0.46	0.3	2.5
2016	15	2.1	0.57	1.2	3.5	0				
2017	19	2.5	0.60	1.5	4.0	2	0.5	0.34	0.1	1.8
2018	12	1.4	0.44	0.7	2.6	5	1.5	0.70	0.5	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Breast excluding in situ										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	288,875	129.1	0.24	128.6	129.6	244,099	130.8	0.27	130.3	131.3
1986	6,681	115.5	1.45	112.7	118.3	5,958	117.9	1.58	114.9	121.1
1987	7,199	123.8	1.49	120.9	126.8	6,438	127.2	1.63	124.0	130.4
1988	7,365	125.7	1.49	122.8	128.7	6,536	128.3	1.63	125.1	131.5
1989	7,090	120.7	1.46	117.8	123.6	6,229	122.3	1.59	119.2	125.4
1990	7,489	126.0	1.48	123.1	129.0	6,661	129.8	1.63	126.6	133.0
1991	7,694	127.9	1.48	125.0	130.9	6,805	131.2	1.63	128.0	134.4
1992	7,848	128.7	1.47	125.9	131.7	6,925	132.0	1.62	128.8	135.2
1993	7,697	124.0	1.43	121.2	126.8	6,695	125.5	1.56	122.5	128.6
1994	8,291	132.3	1.47	129.5	135.3	7,255	135.2	1.61	132.1	138.4
1995	8,204	130.5	1.45	127.7	133.4	7,124	133.0	1.60	129.9	136.1
1996	8,411	132.4	1.46	129.6	135.3	7,281	134.7	1.60	131.5	137.8
1997	8,543	133.6	1.46	130.7	136.5	7,320	135.0	1.60	131.9	138.2
1998	8,825	136.2	1.46	133.4	139.1	7,522	137.1	1.60	134.0	140.3
1999	9,063	138.8	1.47	136.0	141.7	7,759	141.1	1.62	138.0	144.3
2000	8,831	133.8	1.43	131.0	136.7	7,556	136.5	1.59	133.4	139.7
2001	9,015	135.2	1.43	132.4	138.1	7,657	137.3	1.58	134.2	140.4
2002	8,789	130.8	1.40	128.1	133.6	7,401	131.9	1.55	128.9	134.9
2003	8,183	120.5	1.34	117.9	123.2	6,859	121.4	1.48	118.6	124.4
2004	8,311	121.3	1.34	118.7	123.9	7,024	123.4	1.49	120.5	126.4
2005	8,520	123.0	1.34	120.4	125.7	7,121	124.1	1.49	121.2	127.1
2006	8,896	127.5	1.36	124.9	130.2	7,416	128.8	1.51	125.9	131.8
2007	8,933	126.8	1.35	124.1	129.5	7,481	129.1	1.51	126.1	132.1
2008	9,103	127.2	1.35	124.6	129.9	7,605	129.2	1.51	126.3	132.2
2009	9,308	128.6	1.35	125.9	131.2	7,689	129.6	1.50	126.7	132.6
2010	9,412	128.2	1.34	125.5	130.8	7,788	129.7	1.50	126.7	132.6
2011	9,711	131.2	1.36	128.6	133.9	7,977	132.3	1.52	129.4	135.3
2012	9,540	127.2	1.33	124.6	129.9	7,823	128.7	1.49	125.8	131.6
2013	9,978	131.6	1.35	128.9	134.2	8,132	132.4	1.51	129.5	135.4
2014	10,274	134.4	1.36	131.8	137.1	8,328	135.0	1.52	132.1	138.1
2015	10,386	134.3	1.35	131.7	137.0	8,416	135.1	1.52	132.2	138.1
2016	10,475	134.6	1.35	131.9	137.3	8,551	136.8	1.53	133.8	139.8
2017	10,371	132.6	1.34	130.0	135.3	8,354	133.3	1.51	130.3	136.3
2018	10,439	132.7	1.34	130.1	135.4	8,413	134.1	1.52	131.1	137.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Breast excluding in situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	36,289	123.7	0.65	122.4	125.0	6,989	83.0	1.02	81.0	85.0
1986	651	98.1	3.92	90.6	106.1	52	52.1	7.55	38.4	69.3
1987	675	101.3	3.97	93.7	109.4	73	69.3	8.61	53.5	88.5
1988	766	113.1	4.16	105.1	121.5	54	50.2	7.28	37.0	66.7
1989	767	111.3	4.08	103.4	119.5	83	76.0	9.23	59.0	96.3
1990	730	104.5	3.92	96.9	112.4	82	65.0	7.65	50.9	81.9
1991	779	106.6	3.88	99.2	114.5	67	50.2	6.56	38.1	64.8
1992	804	108.8	3.89	101.3	116.6	77	55.1	6.75	42.6	70.0
1993	877	115.6	3.96	108.0	123.6	101	70.2	7.54	56.2	86.6
1994	907	117.4	3.95	109.8	125.4	105	69.6	7.29	56.0	85.4
1995	936	119.1	3.94	111.5	127.0	119	70.6	6.91	57.7	85.5
1996	973	121.4	3.93	113.8	129.3	122	68.0	6.46	56.0	81.9
1997	1,040	128.5	4.02	120.8	136.6	142	73.7	6.34	61.8	87.3
1998	1,092	131.9	4.02	124.1	140.0	147	75.2	6.47	63.1	89.0
1999	1,073	126.6	3.89	119.0	134.4	156	76.9	6.50	64.6	90.7
2000	1,041	120.6	3.76	113.3	128.2	158	75.5	6.35	63.5	88.9
2001	1,150	131.7	3.91	124.2	139.6	168	74.2	6.03	62.9	87.0
2002	1,151	128.1	3.80	120.8	135.8	183	76.0	5.86	65.0	88.4
2003	1,087	119.3	3.64	112.3	126.6	195	77.6	5.79	66.6	89.8
2004	1,060	114.6	3.54	107.8	121.8	195	74.1	5.57	63.6	85.9
2005	1,146	123.0	3.66	115.9	130.4	208	72.9	5.23	63.0	83.9
2006	1,189	125.5	3.67	118.4	132.9	248	84.3	5.60	73.7	96.0
2007	1,159	120.1	3.56	113.2	127.3	245	82.2	5.45	71.9	93.6
2008	1,179	121.1	3.56	114.2	128.3	268	84.6	5.37	74.4	95.8
2009	1,309	131.7	3.68	124.6	139.2	262	80.2	5.15	70.5	91.0
2010	1,266	125.4	3.57	118.5	132.6	307	87.2	5.14	77.4	97.9
2011	1,322	129.4	3.61	122.4	136.7	333	90.6	5.12	80.9	101.2
2012	1,311	125.0	3.51	118.3	132.1	356	91.7	5.01	82.2	102.1
2013	1,429	134.0	3.60	127.1	141.3	363	91.6	4.93	82.2	101.8
2014	1,496	139.9	3.68	132.7	147.3	373	88.4	4.67	79.5	98.1
2015	1,508	138.4	3.64	131.4	145.7	395	92.1	4.73	83.1	101.9
2016	1,452	132.2	3.54	125.3	139.3	409	92.7	4.65	83.8	102.3
2017	1,487	134.9	3.58	128.0	142.1	486	106.4	4.89	97.0	116.4
2018	1,477	131.1	3.49	124.3	138.1	457	97.6	4.62	88.7	107.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Female Genital System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	122,204	54.4	0.16	54.1	54.7	102,787	55.0	0.17	54.7	55.4	
1986	3,257	55.5	1.00	53.5	57.5	2,884	56.5	1.08	54.4	58.7	
1987	3,310	56.1	1.00	54.1	58.1	2,877	56.2	1.08	54.1	58.3	
1988	3,230	54.2	0.97	52.4	56.2	2,776	53.9	1.05	51.8	56.0	
1989	3,205	53.9	0.97	52.0	55.8	2,772	54.1	1.05	52.1	56.2	
1990	3,364	55.9	0.98	54.0	57.8	2,895	55.8	1.06	53.8	58.0	
1991	3,343	54.8	0.96	53.0	56.7	2,920	55.9	1.06	53.8	58.0	
1992	3,385	55.2	0.96	53.3	57.1	3,001	57.3	1.07	55.2	59.4	
1993	3,406	54.7	0.95	52.9	56.6	2,933	55.3	1.04	53.3	57.4	
1994	3,502	55.5	0.95	53.7	57.4	3,007	55.9	1.04	53.9	58.0	
1995	3,518	55.7	0.95	53.9	57.6	3,030	56.6	1.04	54.6	58.7	
1996	3,740	58.9	0.97	57.0	60.8	3,224	60.1	1.07	58.0	62.2	
1997	3,539	55.2	0.93	53.4	57.0	3,027	55.9	1.03	53.9	58.0	
1998	3,665	56.6	0.94	54.8	58.5	3,140	57.6	1.04	55.6	59.7	
1999	3,507	53.7	0.91	52.0	55.5	2,978	54.3	1.00	52.4	56.3	
2000	3,503	53.2	0.90	51.5	55.0	2,927	53.2	0.99	51.3	55.2	
2001	3,552	53.5	0.90	51.8	55.3	2,985	54.0	1.00	52.0	56.0	
2002	3,607	53.9	0.90	52.1	55.7	3,044	54.7	1.00	52.7	56.7	
2003	3,488	51.3	0.87	49.6	53.0	2,941	52.0	0.97	50.1	53.9	
2004	3,557	51.8	0.87	50.1	53.6	2,993	52.7	0.97	50.8	54.6	
2005	3,693	53.2	0.88	51.5	55.0	3,098	54.2	0.98	52.3	56.2	
2006	3,786	54.2	0.89	52.5	56.0	3,160	54.9	0.99	52.9	56.8	
2007	3,722	52.7	0.87	51.0	54.4	3,115	53.6	0.97	51.8	55.6	
2008	3,876	54.1	0.88	52.4	55.9	3,228	55.0	0.98	53.1	56.9	
2009	3,963	54.5	0.88	52.8	56.2	3,265	54.9	0.98	53.0	56.8	
2010	3,959	53.4	0.86	51.7	55.1	3,268	53.9	0.96	52.1	55.9	
2011	4,042	54.2	0.87	52.5	55.9	3,322	54.6	0.97	52.7	56.5	
2012	3,952	51.8	0.84	50.1	53.4	3,258	52.5	0.94	50.7	54.4	
2013	4,129	53.2	0.85	51.6	54.9	3,371	53.7	0.95	51.9	55.6	
2014	4,188	53.7	0.85	52.1	55.4	3,413	54.5	0.96	52.6	56.4	
2015	4,242	53.7	0.85	52.0	55.4	3,442	54.1	0.95	52.3	56.0	
2016	4,403	55.6	0.86	54.0	57.4	3,575	56.3	0.98	54.4	58.3	
2017	4,316	54.2	0.85	52.5	55.9	3,490	54.9	0.96	53.0	56.8	
2018	4,255	52.7	0.84	51.1	54.4	3,428	53.2	0.94	51.3	55.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Female Genital System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	15,617	52.8	0.43	52.0	53.7	2,786	33.4	0.66	32.2	34.8
1986	333	49.6	2.79	44.2	55.3	32	28.7	5.36	19.2	41.6
1987	395	56.3	2.91	50.7	62.2	29	28.0	5.75	17.9	41.7
1988	395	56.2	2.89	50.7	62.1	45	41.2	6.66	29.2	56.5
1989	386	53.6	2.79	48.3	59.4	39	34.0	5.81	23.6	47.5
1990	424	59.4	2.94	53.7	65.4	31	22.2	4.14	14.8	32.2
1991	362	49.0	2.63	44.0	54.4	36	31.2	5.62	21.2	44.2
1992	336	44.9	2.49	40.2	50.1	32	22.9	4.18	15.4	32.8
1993	413	53.2	2.67	48.2	58.7	42	27.7	4.72	19.2	38.6
1994	445	57.7	2.78	52.4	63.4	46	34.8	5.80	24.4	47.9
1995	407	51.3	2.58	46.3	56.6	67	41.2	5.37	31.4	53.1
1996	439	54.8	2.65	49.7	60.2	62	38.1	5.17	28.7	49.6
1997	442	53.4	2.57	48.5	58.7	49	25.5	3.74	18.7	34.1
1998	446	52.7	2.52	47.8	57.8	60	33.1	4.69	24.5	43.5
1999	433	50.6	2.45	45.9	55.6	59	29.2	4.03	21.8	38.2
2000	455	52.0	2.46	47.3	57.1	82	38.5	4.51	30.2	48.4
2001	459	52.2	2.46	47.5	57.3	89	40.1	4.47	31.9	49.9
2002	454	51.0	2.41	46.4	55.9	84	34.9	3.97	27.6	43.6
2003	420	47.0	2.31	42.6	51.7	69	28.1	3.54	21.6	35.9
2004	459	50.8	2.39	46.2	55.7	69	27.1	3.42	20.9	34.7
2005	468	50.3	2.34	45.8	55.1	81	30.5	3.57	23.9	38.3
2006	499	53.6	2.42	49.0	58.5	86	31.2	3.54	24.7	39.0
2007	483	50.5	2.32	46.0	55.2	93	31.1	3.36	24.9	38.4
2008	505	51.3	2.31	46.9	56.1	99	32.2	3.39	25.9	39.5
2009	548	54.9	2.37	50.3	59.8	104	33.3	3.42	26.9	40.7
2010	516	50.8	2.26	46.4	55.4	130	37.5	3.39	31.1	44.7
2011	539	52.7	2.31	48.3	57.5	129	35.6	3.25	29.5	42.6
2012	537	50.7	2.22	46.4	55.2	113	29.9	2.91	24.5	36.2
2013	563	51.7	2.22	47.4	56.2	139	34.4	3.00	28.8	40.8
2014	602	54.8	2.28	50.4	59.5	130	31.0	2.78	25.8	37.0
2015	616	55.7	2.29	51.3	60.4	148	34.2	2.88	28.8	40.4
2016	633	57.3	2.33	52.8	62.1	165	36.7	2.91	31.2	42.9
2017	628	55.4	2.26	51.0	60.0	167	35.8	2.82	30.5	41.8
2018	577	49.2	2.10	45.1	53.5	180	38.2	2.89	32.8	44.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Cervix Uteri											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	20,941	9.9	0.07	9.8	10.1	15,416	9.0	0.07	8.9	9.2	
1986	727	13.0	0.50	12.1	14.0	555	11.7	0.51	10.7	12.8	
1987	753	13.3	0.50	12.4	14.4	558	11.6	0.51	10.6	12.7	
1988	741	13.0	0.49	12.1	14.0	541	11.2	0.49	10.3	12.2	
1989	657	11.5	0.46	10.6	12.5	471	9.8	0.46	8.9	10.8	
1990	739	12.8	0.48	11.9	13.8	532	10.9	0.48	10.0	11.9	
1991	720	12.1	0.46	11.2	13.0	531	10.6	0.47	9.7	11.6	
1992	670	11.3	0.44	10.4	12.2	518	10.4	0.46	9.5	11.4	
1993	740	12.3	0.46	11.4	13.2	540	10.8	0.47	9.9	11.8	
1994	660	10.8	0.42	10.0	11.7	456	9.0	0.43	8.2	9.9	
1995	747	12.2	0.45	11.3	13.1	543	10.7	0.46	9.8	11.7	
1996	751	12.1	0.45	11.3	13.0	565	11.1	0.47	10.2	12.1	
1997	717	11.4	0.43	10.6	12.3	545	10.6	0.46	9.7	11.5	
1998	750	11.9	0.44	11.0	12.8	560	10.8	0.46	9.9	11.7	
1999	694	10.9	0.42	10.1	11.8	502	9.7	0.43	8.8	10.6	
2000	728	11.4	0.42	10.6	12.2	508	9.7	0.43	8.9	10.6	
2001	645	10.0	0.39	9.2	10.8	487	9.3	0.42	8.5	10.1	
2002	607	9.4	0.38	8.7	10.2	454	8.7	0.41	7.9	9.5	
2003	625	9.6	0.39	8.9	10.4	449	8.5	0.41	7.8	9.4	
2004	571	8.7	0.37	8.0	9.4	425	8.0	0.39	7.2	8.8	
2005	580	8.8	0.37	8.1	9.5	428	8.1	0.40	7.4	8.9	
2006	587	8.9	0.37	8.2	9.7	440	8.3	0.40	7.6	9.2	
2007	570	8.6	0.36	7.9	9.3	416	7.8	0.39	7.0	8.6	
2008	647	9.7	0.39	8.9	10.5	459	8.6	0.41	7.9	9.5	
2009	566	8.4	0.36	7.7	9.1	385	7.2	0.37	6.5	7.9	
2010	530	7.8	0.34	7.1	8.5	384	7.1	0.37	6.4	7.9	
2011	560	8.2	0.35	7.5	8.9	421	7.7	0.39	7.0	8.5	
2012	492	7.1	0.33	6.5	7.8	366	6.7	0.36	6.0	7.5	
2013	510	7.3	0.33	6.7	8.0	381	7.0	0.37	6.3	7.8	
2014	576	8.4	0.36	7.7	9.2	445	8.4	0.41	7.6	9.3	
2015	500	7.3	0.34	6.7	8.0	375	7.0	0.38	6.3	7.8	
2016	564	8.2	0.36	7.6	9.0	418	7.9	0.40	7.1	8.7	
2017	526	7.5	0.34	6.9	8.2	398	7.4	0.39	6.7	8.2	
2018	491	7.2	0.34	6.5	7.9	360	6.9	0.38	6.1	7.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Cervix Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,715	15.8	0.23	15.3	16.2	555	6.5	0.29	6.0	7.1
1986	157	22.7	1.87	19.2	26.6	11	9.4	2.95	4.5	17.8
1987	178	24.6	1.90	21.0	28.6	13	15.6	4.73	7.8	27.6
1988	174	24.3	1.89	20.7	28.3	19	16.1	3.83	9.4	25.8
1989	167	22.5	1.78	19.1	26.2	16	13.1	3.44	7.2	22.0
1990	184	25.2	1.89	21.6	29.2	17	11.9	3.00	6.8	19.9
1991	164	21.2	1.70	18.0	24.8	12	10.0	3.08	4.9	18.1
1992	133	17.3	1.53	14.4	20.6	10	8.3	2.67	3.9	15.4
1993	177	21.6	1.66	18.5	25.1	10	7.4	2.51	3.4	14.2
1994	184	22.6	1.70	19.4	26.2	18	12.9	3.39	7.2	21.2
1995	175	21.4	1.65	18.3	24.9	27	15.5	3.12	10.0	23.1
1996	156	18.3	1.49	15.5	21.5	20	13.0	3.04	7.7	20.4
1997	150	16.8	1.39	14.2	19.8	15	7.8	2.12	4.2	13.3
1998	167	18.7	1.46	16.0	21.8	21	10.9	2.52	6.5	17.1
1999	163	18.3	1.45	15.6	21.4	18	9.1	2.25	5.2	14.7
2000	184	20.2	1.50	17.3	23.3	27	11.8	2.36	7.6	17.5
2001	140	15.1	1.29	12.7	17.9	17	6.9	1.74	3.9	11.3
2002	132	14.4	1.26	12.0	17.0	16	7.4	1.96	4.1	12.2
2003	144	15.5	1.30	13.1	18.3	15	5.7	1.50	3.1	9.5
2004	120	13.0	1.19	10.7	15.5	14	5.4	1.48	2.9	9.1
2005	130	13.7	1.21	11.5	16.3	14	5.0	1.42	2.7	8.7
2006	125	13.1	1.18	10.9	15.6	10	4.3	1.43	2.0	8.0
2007	131	13.5	1.19	11.3	16.1	11	3.3	1.00	1.7	6.0
2008	157	16.0	1.29	13.6	18.7	17	5.2	1.33	2.9	8.5
2009	147	14.5	1.21	12.2	17.1	22	6.2	1.36	3.8	9.5
2010	118	11.5	1.07	9.5	13.8	16	4.4	1.15	2.5	7.4
2011	119	11.9	1.10	9.8	14.2	11	2.9	0.88	1.4	5.3
2012	97	9.5	0.98	7.7	11.6	16	4.4	1.13	2.5	7.2
2013	107	10.2	1.00	8.4	12.4	15	3.5	0.91	1.9	5.9
2014	108	10.2	1.00	8.3	12.4	22	5.3	1.15	3.3	8.1
2015	99	9.7	1.00	7.9	11.9	23	5.7	1.21	3.6	8.6
2016	123	11.9	1.10	9.9	14.3	19	4.1	0.95	2.4	6.4
2017	107	10.0	0.99	8.1	12.1	18	4.1	0.97	2.4	6.5
2018	98	9.1	0.94	7.4	11.2	25	5.4	1.09	3.5	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Uterus											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	61,452	26.9	0.11	26.7	27.1	52,908	27.9	0.12	27.6	28.1	
1986	1,449	24.1	0.65	22.8	25.4	1,345	25.6	0.72	24.2	27.0	
1987	1,431	23.6	0.64	22.3	24.8	1,320	25.0	0.71	23.6	26.4	
1988	1,385	22.8	0.62	21.6	24.1	1,248	23.7	0.69	22.4	25.1	
1989	1,445	24.0	0.64	22.8	25.3	1,312	25.3	0.72	23.9	26.7	
1990	1,434	23.4	0.63	22.2	24.7	1,303	24.7	0.70	23.3	26.1	
1991	1,472	23.7	0.63	22.5	25.0	1,357	25.3	0.70	24.0	26.7	
1992	1,558	25.2	0.65	23.9	26.5	1,426	26.9	0.73	25.5	28.4	
1993	1,511	24.1	0.63	22.9	25.4	1,371	25.6	0.70	24.2	27.0	
1994	1,588	25.0	0.63	23.8	26.3	1,449	26.7	0.71	25.3	28.1	
1995	1,594	25.2	0.64	23.9	26.5	1,441	26.7	0.71	25.3	28.1	
1996	1,742	27.4	0.66	26.1	28.8	1,567	29.1	0.75	27.7	30.6	
1997	1,606	24.9	0.63	23.7	26.2	1,427	26.2	0.70	24.8	27.6	
1998	1,699	26.2	0.64	25.0	27.5	1,503	27.4	0.71	26.1	28.9	
1999	1,606	24.6	0.62	23.4	25.8	1,416	25.8	0.69	24.4	27.1	
2000	1,628	24.8	0.62	23.6	26.0	1,408	25.6	0.69	24.3	27.0	
2001	1,746	26.3	0.63	25.1	27.5	1,514	27.2	0.70	25.9	28.6	
2002	1,775	26.4	0.63	25.2	27.7	1,536	27.4	0.70	26.0	28.8	
2003	1,679	24.6	0.60	23.4	25.8	1,455	25.6	0.68	24.3	27.0	
2004	1,780	25.8	0.62	24.7	27.1	1,534	26.8	0.69	25.5	28.2	
2005	1,868	26.7	0.62	25.5	28.0	1,600	27.7	0.70	26.4	29.2	
2006	1,976	28.0	0.64	26.8	29.3	1,661	28.6	0.71	27.2	30.0	
2007	1,921	26.9	0.62	25.7	28.1	1,627	27.7	0.69	26.4	29.1	
2008	1,989	27.2	0.62	26.0	28.5	1,698	28.3	0.70	27.0	29.7	
2009	2,175	29.4	0.64	28.2	30.7	1,858	30.7	0.72	29.3	32.2	
2010	2,184	28.9	0.63	27.7	30.1	1,839	29.8	0.71	28.4	31.2	
2011	2,221	29.1	0.63	27.8	30.3	1,834	29.3	0.70	28.0	30.7	
2012	2,235	28.5	0.61	27.4	29.8	1,859	29.2	0.69	27.9	30.6	
2013	2,350	29.5	0.62	28.3	30.7	1,940	30.1	0.70	28.8	31.5	
2014	2,370	29.4	0.62	28.2	30.6	1,906	29.4	0.69	28.0	30.8	
2015	2,436	29.7	0.62	28.5	31.0	1,979	30.0	0.69	28.6	31.3	
2016	2,537	30.9	0.63	29.7	32.2	2,071	31.5	0.71	30.1	33.0	
2017	2,537	30.8	0.63	29.6	32.1	2,039	31.0	0.71	29.6	32.4	
2018	2,525	30.1	0.62	28.9	31.4	2,065	30.8	0.70	29.4	32.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Uterus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,680	22.6	0.28	22.0	23.1	1,308	15.6	0.44	14.8	16.5
1986	91	13.9	1.48	11.1	17.1	11	12.0	3.74	5.8	22.0
1987	100	14.2	1.45	11.5	17.4	7	5.2	2.06	2.0	11.9
1988	123	17.9	1.64	14.8	21.4	10	10.6	3.66	4.7	20.3
1989	118	16.9	1.58	13.9	20.3	11	10.2	3.25	4.8	18.8
1990	120	16.8	1.56	13.9	20.2	5	3.4	1.57	1.1	8.9
1991	98	14.0	1.43	11.4	17.1	11	10.4	3.41	4.9	19.3
1992	118	16.0	1.50	13.2	19.2	11	7.7	2.37	3.8	14.2
1993	121	16.7	1.53	13.8	19.9	15	8.9	2.35	4.9	15.2
1994	126	17.2	1.55	14.3	20.4	12	8.6	2.82	4.0	15.9
1995	121	15.8	1.45	13.1	18.9	25	17.4	3.75	10.9	26.3
1996	148	19.6	1.62	16.5	23.0	24	15.6	3.36	9.7	23.6
1997	158	20.0	1.60	17.0	23.4	12	6.5	1.92	3.3	11.6
1998	166	20.5	1.60	17.4	23.8	22	12.0	2.87	7.0	18.9
1999	148	18.0	1.49	15.2	21.1	22	11.0	2.42	6.8	16.9
2000	170	20.1	1.55	17.2	23.4	31	13.9	2.60	9.3	20.1
2001	180	21.1	1.58	18.1	24.4	38	16.7	2.83	11.6	23.2
2002	190	21.7	1.58	18.7	25.0	32	13.1	2.40	8.8	18.7
2003	160	18.5	1.47	15.7	21.6	34	13.3	2.34	9.1	18.8
2004	193	21.3	1.54	18.4	24.6	37	14.5	2.49	10.1	20.3
2005	206	22.2	1.56	19.2	25.4	33	11.9	2.17	8.1	17.0
2006	248	27.0	1.73	23.7	30.6	43	15.5	2.49	11.0	21.2
2007	234	24.6	1.62	21.5	27.9	46	15.0	2.28	10.8	20.2
2008	217	21.9	1.50	19.1	25.1	51	16.6	2.44	12.2	22.1
2009	246	24.7	1.59	21.6	28.0	47	15.3	2.35	11.1	20.6
2010	253	24.9	1.59	21.9	28.2	67	19.3	2.44	14.8	24.7
2011	281	27.1	1.64	24.0	30.5	70	18.9	2.34	14.6	24.1
2012	290	26.8	1.60	23.7	30.1	64	17.1	2.22	13.0	22.1
2013	289	25.4	1.52	22.5	28.6	79	19.3	2.23	15.2	24.2
2014	362	32.2	1.73	28.9	35.8	70	16.1	1.95	12.5	20.4
2015	356	31.1	1.68	27.9	34.6	76	17.4	2.03	13.6	21.9
2016	357	30.9	1.67	27.7	34.4	90	19.7	2.11	15.8	24.3
2017	377	32.6	1.71	29.3	36.1	96	20.2	2.09	16.3	24.8
2018	315	25.9	1.49	23.0	29.0	106	22.1	2.17	18.0	26.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Corpus Uteri											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	59,801	26.2	0.11	26.0	26.4	51,711	27.3	0.12	27.0	27.5	
1986	1,416	23.5	0.64	22.3	24.8	1,315	25.0	0.71	23.6	26.4	
1987	1,402	23.1	0.63	21.9	24.4	1,296	24.5	0.70	23.2	25.9	
1988	1,355	22.3	0.62	21.1	23.6	1,226	23.3	0.68	22.0	24.6	
1989	1,420	23.6	0.64	22.4	24.9	1,291	24.9	0.71	23.5	26.3	
1990	1,389	22.7	0.62	21.5	24.0	1,274	24.1	0.69	22.8	25.5	
1991	1,422	22.9	0.62	21.7	24.1	1,321	24.6	0.69	23.3	26.0	
1992	1,501	24.3	0.64	23.1	25.6	1,379	26.0	0.71	24.6	27.5	
1993	1,444	23.1	0.61	21.9	24.3	1,319	24.6	0.69	23.3	26.0	
1994	1,502	23.7	0.62	22.6	25.0	1,380	25.5	0.70	24.1	26.9	
1995	1,554	24.6	0.63	23.4	25.8	1,408	26.1	0.71	24.8	27.5	
1996	1,711	27.0	0.66	25.7	28.3	1,541	28.7	0.74	27.2	30.2	
1997	1,565	24.3	0.62	23.1	25.6	1,396	25.6	0.69	24.3	27.0	
1998	1,653	25.5	0.63	24.3	26.8	1,469	26.9	0.71	25.5	28.3	
1999	1,564	24.0	0.61	22.8	25.2	1,386	25.3	0.68	24.0	26.7	
2000	1,585	24.2	0.61	23.0	25.4	1,377	25.1	0.68	23.8	26.5	
2001	1,709	25.8	0.63	24.6	27.0	1,485	26.8	0.70	25.4	28.2	
2002	1,728	25.7	0.62	24.5	27.0	1,503	26.9	0.70	25.5	28.3	
2003	1,648	24.2	0.60	23.0	25.4	1,428	25.2	0.67	23.9	26.5	
2004	1,738	25.3	0.61	24.1	26.5	1,503	26.4	0.69	25.1	27.8	
2005	1,822	26.1	0.62	24.9	27.3	1,565	27.2	0.69	25.8	28.6	
2006	1,923	27.3	0.63	26.1	28.6	1,628	28.1	0.70	26.7	29.5	
2007	1,887	26.4	0.61	25.2	27.7	1,606	27.4	0.69	26.0	28.8	
2008	1,933	26.4	0.61	25.3	27.7	1,662	27.7	0.69	26.4	29.1	
2009	2,131	28.8	0.63	27.6	30.1	1,826	30.2	0.72	28.8	31.6	
2010	2,120	28.0	0.62	26.8	29.3	1,795	29.1	0.70	27.7	30.5	
2011	2,168	28.4	0.62	27.2	29.6	1,802	28.8	0.69	27.5	30.2	
2012	2,187	27.9	0.61	26.7	29.1	1,825	28.7	0.68	27.3	30.0	
2013	2,297	28.9	0.61	27.7	30.1	1,908	29.7	0.69	28.3	31.1	
2014	2,311	28.7	0.61	27.5	29.9	1,867	28.8	0.68	27.5	30.2	
2015	2,374	29.0	0.61	27.8	30.2	1,940	29.4	0.69	28.1	30.8	
2016	2,460	30.0	0.62	28.8	31.3	2,016	30.8	0.71	29.4	32.2	
2017	2,431	29.5	0.62	28.3	30.8	1,961	29.7	0.69	28.4	31.1	
2018	2,451	29.2	0.61	28.0	30.4	2,013	30.0	0.69	28.7	31.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Corpus Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,262	21.1	0.27	20.6	21.7	1,283	15.3	0.44	14.5	16.2
1986	88	13.4	1.46	10.7	16.6	11	12.0	3.74	5.8	22.0
1987	95	13.5	1.41	10.9	16.6	7	5.2	2.06	2.0	11.9
1988	115	16.6	1.57	13.6	19.9	10	10.6	3.66	4.7	20.3
1989	114	16.3	1.55	13.4	19.6	11	10.2	3.25	4.8	18.8
1990	107	14.9	1.46	12.2	18.1	4	2.7	1.41	0.7	7.9
1991	84	12.0	1.32	9.5	14.9	11	10.4	3.41	4.9	19.3
1992	108	14.7	1.43	12.0	17.7	11	7.7	2.37	3.8	14.2
1993	108	14.8	1.44	12.1	17.9	14	8.2	2.24	4.4	14.2
1994	109	14.6	1.42	12.0	17.7	12	8.6	2.82	4.0	15.9
1995	114	14.8	1.40	12.2	17.8	25	17.4	3.75	10.9	26.3
1996	144	19.0	1.60	16.0	22.4	23	15.1	3.34	9.3	23.1
1997	148	18.7	1.55	15.8	22.0	12	6.5	1.92	3.3	11.6
1998	155	19.1	1.55	16.2	22.4	21	10.6	2.52	6.3	16.8
1999	136	16.5	1.43	13.9	19.6	22	11.0	2.42	6.8	16.9
2000	159	18.7	1.49	15.9	21.9	30	13.6	2.57	9.0	19.6
2001	174	20.4	1.55	17.4	23.6	36	15.6	2.70	10.7	21.8
2002	176	20.1	1.52	17.2	23.3	32	13.1	2.40	8.8	18.7
2003	156	18.0	1.45	15.3	21.1	34	13.3	2.34	9.1	18.8
2004	182	20.1	1.50	17.3	23.3	37	14.5	2.49	10.1	20.3
2005	195	21.0	1.52	18.1	24.2	33	11.9	2.17	8.1	17.0
2006	229	24.8	1.65	21.7	28.3	42	14.9	2.42	10.6	20.4
2007	224	23.4	1.58	20.4	26.7	43	13.8	2.16	9.8	18.7
2008	199	20.1	1.44	17.4	23.2	51	16.6	2.44	12.2	22.1
2009	235	23.6	1.56	20.7	26.9	46	15.0	2.33	10.8	20.3
2010	235	23.1	1.53	20.2	26.2	65	18.7	2.40	14.3	24.0
2011	264	25.6	1.60	22.5	28.9	66	17.6	2.24	13.5	22.6
2012	277	25.5	1.56	22.5	28.7	63	16.7	2.18	12.7	21.5
2013	270	23.7	1.47	21.0	26.8	79	19.3	2.23	15.2	24.2
2014	342	30.4	1.68	27.2	33.9	70	16.1	1.95	12.5	20.4
2015	335	29.0	1.62	25.9	32.4	74	16.9	2.00	13.2	21.3
2016	335	28.9	1.61	25.8	32.2	90	19.7	2.11	15.8	24.3
2017	350	30.3	1.66	27.1	33.7	96	20.2	2.09	16.3	24.8
2018	300	24.6	1.45	21.8	27.6	102	21.2	2.13	17.3	25.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Uterus, NOS										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,651	0.7	0.02	0.7	0.7	1,197	0.6	0.02	0.6	0.6
1986	33	0.6	0.10	0.4	0.8	30	0.6	0.10	0.4	0.8
1987	29	0.5	0.09	0.3	0.7	24	0.5	0.10	0.3	0.7
1988	30	0.5	0.09	0.3	0.7	22	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	45	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	57	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1993	67	1.1	0.13	0.8	1.3	52	1.0	0.13	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	40	0.6	0.10	0.4	0.8	33	0.6	0.10	0.4	0.8
1996	31	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1997	41	0.6	0.10	0.4	0.8	31	0.5	0.10	0.4	0.8
1998	46	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
1999	42	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
2000	43	0.6	0.09	0.4	0.8	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.08	0.4	0.7	29	0.4	0.08	0.3	0.6
2002	47	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2003	31	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
2004	42	0.6	0.09	0.4	0.8	31	0.5	0.08	0.3	0.7
2005	46	0.6	0.09	0.5	0.8	35	0.6	0.10	0.4	0.8
2006	53	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2007	34	0.5	0.08	0.3	0.7	21	0.3	0.08	0.2	0.5
2008	56	0.8	0.10	0.6	1.0	36	0.6	0.11	0.4	0.9
2009	44	0.6	0.09	0.4	0.8	32	0.5	0.10	0.4	0.8
2010	64	0.9	0.11	0.7	1.1	44	0.7	0.11	0.5	1.0
2011	53	0.7	0.10	0.5	0.9	32	0.5	0.09	0.3	0.7
2012	48	0.6	0.09	0.5	0.9	34	0.6	0.10	0.4	0.8
2013	53	0.6	0.09	0.5	0.8	32	0.5	0.08	0.3	0.6
2014	59	0.7	0.09	0.5	0.9	39	0.6	0.09	0.4	0.8
2015	62	0.8	0.10	0.6	1.0	39	0.6	0.09	0.4	0.8
2016	77	0.9	0.11	0.7	1.1	55	0.8	0.11	0.6	1.0
2017	106	1.3	0.13	1.1	1.6	78	1.2	0.14	1.0	1.5
2018	74	0.9	0.11	0.7	1.2	52	0.8	0.11	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Uterus, NOS										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	418	1.5	0.07	1.3	1.6	25	0.3	0.07	0.2	0.5
1986	3	0.4	0.25	0.1	1.3	0				
1987	5	0.7	0.34	0.2	1.7	0				
1988	8	1.3	0.48	0.6	2.6	0				
1989	4	0.6	0.31	0.2	1.5	0				
1990	13	1.9	0.54	1.0	3.3	1	0.7	0.69	0.0	5.1
1991	14	2.1	0.55	1.1	3.4	0				
1992	10	1.4	0.44	0.6	2.5	0				
1993	13	1.9	0.52	1.0	3.2	1	0.7	0.72	0.0	4.4
1994	17	2.5	0.61	1.5	4.0	0				
1995	7	1.0	0.39	0.4	2.1	0				
1996	4	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	10	1.3	0.41	0.6	2.4	0				
1998	11	1.3	0.40	0.7	2.4	1	1.4	1.38	0.0	5.8
1999	12	1.4	0.42	0.7	2.5	0				
2000	11	1.4	0.43	0.7	2.5	1	0.4	0.38	0.0	2.6
2001	6	0.7	0.30	0.3	1.6	2	1.2	0.85	0.1	4.0
2002	14	1.6	0.43	0.9	2.7	0				
2003	4	0.5	0.23	0.1	1.2	0				
2004	11	1.2	0.36	0.6	2.1	0				
2005	11	1.2	0.35	0.6	2.1	0				
2006	19	2.2	0.51	1.3	3.4	1	0.6	0.60	0.0	2.8
2007	10	1.1	0.36	0.5	2.1	3	1.2	0.73	0.2	3.5
2008	18	1.8	0.42	1.1	2.8	0				
2009	11	1.0	0.31	0.5	1.9	1	0.3	0.30	0.0	1.8
2010	18	1.8	0.44	1.1	2.9	2	0.6	0.44	0.1	2.3
2011	17	1.6	0.39	0.9	2.5	4	1.3	0.66	0.3	3.3
2012	13	1.3	0.35	0.7	2.2	1	0.4	0.44	0.0	2.1
2013	19	1.7	0.40	1.0	2.7	0				
2014	20	1.8	0.41	1.1	2.8	0				
2015	21	2.1	0.47	1.3	3.2	2	0.5	0.35	0.1	1.8
2016	22	2.1	0.45	1.3	3.2	0				
2017	27	2.3	0.45	1.5	3.4	0				
2018	15	1.3	0.35	0.7	2.2	4	0.8	0.42	0.2	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ovary										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	30,231	13.4	0.08	13.3	13.6	26,308	14.0	0.09	13.8	14.2
1986	854	14.6	0.51	13.6	15.7	787	15.6	0.57	14.5	16.7
1987	895	15.4	0.53	14.4	16.5	801	15.9	0.58	14.8	17.1
1988	898	15.1	0.51	14.1	16.2	801	15.6	0.57	14.5	16.8
1989	882	14.8	0.51	13.9	15.9	800	15.6	0.57	14.6	16.8
1990	982	16.2	0.53	15.2	17.3	883	17.0	0.58	15.8	18.2
1991	951	15.9	0.52	14.8	16.9	860	16.8	0.59	15.7	18.0
1992	927	15.2	0.51	14.3	16.3	847	16.3	0.57	15.2	17.5
1993	919	14.8	0.49	13.8	15.8	820	15.4	0.55	14.4	16.5
1994	1,009	15.9	0.51	15.0	17.0	900	16.7	0.56	15.6	17.8
1995	937	14.8	0.49	13.9	15.8	837	15.6	0.55	14.5	16.7
1996	996	15.5	0.50	14.6	16.5	874	16.0	0.55	15.0	17.1
1997	967	15.1	0.49	14.2	16.1	847	15.6	0.54	14.6	16.7
1998	957	14.7	0.48	13.8	15.6	853	15.5	0.54	14.5	16.6
1999	964	14.7	0.47	13.8	15.6	861	15.5	0.54	14.5	16.6
2000	893	13.3	0.45	12.5	14.3	793	14.1	0.51	13.1	15.1
2001	895	13.4	0.45	12.5	14.3	759	13.6	0.50	12.7	14.6
2002	945	14.0	0.46	13.1	14.9	817	14.5	0.51	13.5	15.6
2003	924	13.4	0.44	12.5	14.3	808	14.0	0.50	13.1	15.0
2004	942	13.6	0.45	12.7	14.5	827	14.3	0.50	13.4	15.4
2005	951	13.6	0.44	12.8	14.5	825	14.3	0.50	13.3	15.3
2006	969	13.7	0.44	12.8	14.6	841	14.3	0.50	13.4	15.4
2007	935	13.2	0.44	12.3	14.1	816	13.9	0.49	13.0	14.9
2008	903	12.6	0.42	11.8	13.4	781	13.2	0.48	12.3	14.2
2009	907	12.4	0.42	11.6	13.3	757	12.7	0.47	11.8	13.6
2010	923	12.5	0.42	11.7	13.3	763	12.6	0.46	11.7	13.5
2011	899	12.1	0.41	11.3	13.0	754	12.4	0.46	11.6	13.4
2012	859	11.3	0.39	10.6	12.1	730	11.8	0.45	10.9	12.7
2013	875	11.4	0.39	10.7	12.2	715	11.5	0.44	10.6	12.4
2014	860	11.1	0.39	10.3	11.9	733	11.6	0.44	10.8	12.5
2015	905	11.6	0.40	10.9	12.4	753	12.0	0.45	11.1	12.9
2016	860	11.0	0.39	10.3	11.8	706	11.1	0.43	10.3	12.0
2017	829	10.6	0.38	9.9	11.4	700	11.2	0.44	10.4	12.1
2018	819	10.4	0.38	9.7	11.2	659	10.5	0.43	9.7	11.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ovary										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,029	10.4	0.19	10.0	10.8	759	9.1	0.34	8.4	9.8
1986	57	8.5	1.15	6.4	11.1	9	6.7	2.37	2.9	14.1
1987	85	12.9	1.43	10.3	16.0	8	5.7	2.09	2.4	12.4
1988	79	11.3	1.29	8.9	14.1	16	14.6	4.03	7.8	24.9
1989	73	10.4	1.24	8.1	13.1	8	7.1	2.64	2.9	14.7
1990	90	12.8	1.37	10.2	15.7	9	6.8	2.39	3.0	13.8
1991	76	10.4	1.22	8.2	13.1	11	7.7	2.39	3.7	14.3
1992	69	9.3	1.14	7.2	11.8	8	4.8	1.79	2.0	10.2
1993	86	11.3	1.24	9.0	14.0	12	8.3	2.90	3.6	15.9
1994	94	12.4	1.30	10.0	15.2	14	9.9	2.85	5.1	17.1
1995	81	10.1	1.14	8.0	12.6	15	8.3	2.24	4.5	14.1
1996	102	13.0	1.30	10.6	15.8	18	9.6	2.47	5.4	15.8
1997	97	12.0	1.24	9.7	14.7	20	10.1	2.31	6.1	15.9
1998	84	10.0	1.10	7.9	12.4	14	7.8	2.32	3.9	13.7
1999	85	10.0	1.09	8.0	12.4	15	6.6	1.76	3.6	11.2
2000	72	8.3	0.99	6.5	10.4	23	12.0	2.71	7.3	18.5
2001	101	11.7	1.18	9.5	14.3	31	14.8	2.77	9.8	21.2
2002	94	10.6	1.10	8.5	12.9	32	12.8	2.35	8.6	18.3
2003	91	10.3	1.09	8.3	12.7	17	7.5	1.96	4.1	12.3
2004	98	11.0	1.12	8.9	13.5	12	4.4	1.32	2.2	7.9
2005	91	9.9	1.04	7.9	12.1	29	11.5	2.27	7.5	16.8
2006	92	9.9	1.04	7.9	12.1	31	10.9	2.03	7.2	15.6
2007	92	9.7	1.02	7.8	11.9	26	9.0	1.86	5.7	13.4
2008	92	9.4	0.99	7.6	11.6	25	7.9	1.62	5.0	11.7
2009	117	11.9	1.12	9.9	14.3	27	9.2	1.83	5.9	13.4
2010	112	11.0	1.06	9.1	13.3	42	12.2	1.93	8.7	16.6
2011	96	9.4	0.97	7.6	11.5	43	12.0	1.90	8.6	16.3
2012	96	9.2	0.95	7.4	11.3	27	7.0	1.38	4.6	10.3
2013	119	11.6	1.07	9.6	13.9	36	9.1	1.56	6.3	12.7
2014	90	8.4	0.90	6.7	10.4	29	7.3	1.38	4.8	10.5
2015	117	10.7	1.01	8.9	12.9	32	7.6	1.39	5.2	10.9
2016	109	10.4	1.02	8.5	12.6	42	9.8	1.54	7.0	13.3
2017	89	8.0	0.87	6.4	9.9	37	7.9	1.32	5.6	11.0
2018	103	9.1	0.91	7.4	11.0	41	8.9	1.41	6.4	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Male Genital System											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	272,599	149.4	0.29	148.8	149.9	222,368	142.3	0.31	141.8	142.9	
1986	4,450	108.3	1.71	104.9	111.6	3,852	105.0	1.77	101.5	108.5	
1987	4,854	115.9	1.74	112.5	119.3	4,273	114.0	1.82	110.5	117.6	
1988	4,892	115.7	1.73	112.3	119.1	4,239	112.7	1.81	109.2	116.3	
1989	5,163	120.6	1.75	117.1	124.0	4,516	118.6	1.83	115.0	122.2	
1990	5,879	135.8	1.84	132.2	139.4	5,154	133.1	1.92	129.4	136.9	
1991	7,401	165.7	2.00	161.8	169.7	6,567	165.3	2.11	161.2	169.5	
1992	8,963	195.2	2.13	191.1	199.4	7,859	192.7	2.23	188.3	197.1	
1993	8,624	184.7	2.04	180.7	188.7	7,450	180.5	2.14	176.3	184.7	
1994	8,408	178.3	2.00	174.4	182.2	7,047	169.1	2.06	165.1	173.2	
1995	7,893	164.1	1.89	160.4	167.9	6,550	155.1	1.95	151.3	158.9	
1996	8,048	164.5	1.87	160.8	168.2	6,611	154.5	1.93	150.7	158.3	
1997	8,359	169.3	1.88	165.6	173.0	7,000	162.6	1.97	158.8	166.5	
1998	8,288	166.1	1.85	162.5	169.8	6,815	157.2	1.92	153.5	161.0	
1999	8,782	173.7	1.87	170.0	177.4	7,313	167.0	1.97	163.2	170.9	
2000	8,842	173.3	1.86	169.7	177.0	7,212	163.7	1.94	159.9	167.6	
2001	9,383	181.9	1.90	178.2	185.6	7,744	174.3	1.99	170.4	178.2	
2002	9,678	184.9	1.90	181.2	188.7	7,995	178.0	2.01	174.1	182.0	
2003	8,977	168.0	1.79	164.5	171.5	7,297	159.8	1.89	156.2	163.6	
2004	8,870	163.1	1.75	159.7	166.6	7,149	154.3	1.84	150.7	158.0	
2005	8,717	157.3	1.71	153.9	160.7	6,954	147.6	1.79	144.1	151.2	
2006	9,475	167.1	1.74	163.7	170.6	7,597	158.2	1.84	154.6	161.8	
2007	10,256	177.2	1.78	173.7	180.7	8,170	166.8	1.87	163.2	170.5	
2008	10,312	172.7	1.73	169.4	176.2	8,184	162.6	1.83	159.1	166.2	
2009	10,080	163.8	1.67	160.5	167.1	7,900	152.5	1.75	149.1	156.0	
2010	9,149	145.1	1.55	142.0	148.1	7,202	136.1	1.64	132.9	139.4	
2011	9,329	144.4	1.53	141.4	147.4	7,380	136.6	1.63	133.4	139.8	
2012	8,336	124.8	1.40	122.0	127.6	6,435	115.5	1.47	112.6	118.4	
2013	8,046	117.8	1.35	115.1	120.4	6,365	111.6	1.43	108.8	114.5	
2014	8,039	114.9	1.31	112.3	117.5	6,265	107.8	1.39	105.0	110.5	
2015	8,459	118.4	1.32	115.8	121.0	6,477	109.5	1.40	106.8	112.3	
2016	8,555	117.8	1.31	115.3	120.4	6,724	112.5	1.41	109.7	115.3	
2017	9,016	122.0	1.32	119.4	124.6	7,040	115.2	1.41	112.4	118.0	
2018	9,076	120.6	1.30	118.0	123.1	7,032	113.3	1.38	110.6	116.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Male Genital System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	42,484	212.3	1.08	210.2	214.5	3,685	63.1	1.13	60.9	65.3
1986	575	148.1	6.65	135.4	161.6	19	37.1	9.99	20.2	60.9
1987	562	145.0	6.52	132.5	158.3	15	28.4	8.83	13.8	49.8
1988	612	149.1	6.47	136.7	162.2	28	50.2	10.68	31.5	74.7
1989	608	146.9	6.36	134.7	159.8	25	45.2	10.37	27.2	69.0
1990	667	168.8	7.02	155.3	183.0	37	56.5	10.59	37.7	80.5
1991	756	176.0	6.86	162.8	189.9	30	53.5	10.67	34.7	77.6
1992	1,031	234.7	7.80	219.7	250.4	53	94.1	14.54	67.8	125.7
1993	1,109	241.0	7.72	226.1	256.6	42	64.1	10.99	44.4	88.5
1994	1,265	275.9	8.30	259.9	292.6	71	97.8	13.19	73.6	126.2
1995	1,251	260.0	7.81	244.9	275.7	60	69.6	10.14	51.2	91.8
1996	1,337	267.2	7.73	252.2	282.7	62	68.3	9.97	50.1	90.0
1997	1,206	233.9	7.10	220.2	248.2	70	62.7	8.49	47.2	81.2
1998	1,274	243.4	7.18	229.5	257.8	72	64.5	8.49	48.9	83.0
1999	1,241	230.1	6.85	216.9	243.9	103	90.3	10.24	71.3	112.1
2000	1,443	263.4	7.26	249.4	278.0	87	70.4	8.63	54.5	89.0
2001	1,404	251.8	7.05	238.2	266.0	97	72.1	8.36	56.6	90.0
2002	1,392	240.7	6.78	227.6	254.3	110	73.1	7.72	58.7	89.6
2003	1,427	237.2	6.58	224.5	250.4	102	62.2	6.95	49.3	77.1
2004	1,452	238.5	6.58	225.8	251.7	117	70.0	7.28	56.5	85.5
2005	1,451	234.4	6.50	221.9	247.5	137	78.4	7.46	64.5	94.2
2006	1,598	249.4	6.55	236.7	262.5	161	82.2	7.09	68.9	97.1
2007	1,742	266.0	6.68	253.1	279.4	164	73.6	6.28	61.8	86.8
2008	1,764	257.2	6.40	244.9	270.1	177	72.2	5.95	61.0	84.8
2009	1,768	248.9	6.20	236.9	261.3	172	71.5	6.04	60.1	84.2
2010	1,588	217.5	5.72	206.4	229.0	168	63.0	5.33	53.0	74.3
2011	1,484	194.2	5.27	184.0	204.8	177	67.9	5.61	57.3	79.7
2012	1,495	189.4	5.13	179.5	199.7	177	60.7	4.90	51.5	71.0
2013	1,376	173.4	4.89	163.9	183.2	166	55.8	4.61	47.2	65.5
2014	1,404	169.5	4.72	160.4	179.0	198	60.6	4.57	51.9	70.2
2015	1,572	187.0	4.93	177.4	196.9	190	52.9	4.02	45.3	61.4
2016	1,500	171.4	4.61	162.4	180.6	190	51.0	3.85	43.8	59.1
2017	1,607	182.2	4.72	173.0	191.7	197	52.1	3.84	44.9	60.2
2018	1,523	167.5	4.44	158.9	176.5	211	55.2	3.91	47.8	63.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Prostate										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	260,023	143.0	0.29	142.5	143.6	210,850	135.3	0.30	134.7	135.9
1986	4,167	103.2	1.68	99.9	106.5	3,586	99.4	1.74	96.0	102.8
1987	4,537	110.1	1.71	106.8	113.5	3,974	107.7	1.78	104.3	111.3
1988	4,579	110.2	1.70	106.9	113.6	3,943	106.6	1.77	103.2	110.1
1989	4,836	114.7	1.72	111.4	118.1	4,218	112.3	1.80	108.8	115.9
1990	5,545	130.0	1.81	126.4	133.6	4,845	126.9	1.89	123.2	130.6
1991	7,087	160.3	1.97	156.4	164.2	6,276	159.4	2.08	155.3	163.5
1992	8,660	190.1	2.10	186.0	194.3	7,575	187.0	2.21	182.7	191.4
1993	8,283	178.8	2.02	174.9	182.8	7,130	173.9	2.11	169.8	178.1
1994	8,064	172.5	1.97	168.7	176.4	6,726	162.7	2.03	158.7	166.7
1995	7,554	158.5	1.86	154.9	162.2	6,236	148.9	1.92	145.1	152.7
1996	7,695	158.7	1.84	155.1	162.3	6,294	148.2	1.89	144.5	152.0
1997	7,972	162.8	1.85	159.2	166.4	6,642	155.4	1.93	151.7	159.3
1998	7,928	160.1	1.82	156.5	163.7	6,481	150.4	1.89	146.8	154.2
1999	8,406	167.5	1.85	163.9	171.1	6,980	160.4	1.93	156.6	164.2
2000	8,485	167.4	1.84	163.9	171.1	6,883	157.1	1.91	153.4	160.9
2001	8,987	175.3	1.87	171.6	178.9	7,384	167.0	1.96	163.2	170.9
2002	9,300	178.7	1.87	175.1	182.5	7,650	171.1	1.97	167.3	175.0
2003	8,597	161.8	1.77	158.4	165.3	6,945	152.8	1.85	149.2	156.5
2004	8,469	156.6	1.72	153.2	160.0	6,779	146.9	1.80	143.4	150.5
2005	8,349	151.3	1.68	148.0	154.6	6,628	141.1	1.75	137.7	144.5
2006	9,071	160.5	1.71	157.2	163.9	7,225	150.7	1.80	147.2	154.3
2007	9,861	170.7	1.75	167.3	174.2	7,812	159.6	1.83	156.0	163.2
2008	9,876	165.6	1.70	162.3	169.0	7,792	154.6	1.78	151.2	158.2
2009	9,689	157.3	1.63	154.1	160.6	7,534	145.0	1.70	141.7	148.4
2010	8,697	137.8	1.51	134.8	140.8	6,788	127.8	1.59	124.7	130.9
2011	8,930	138.0	1.50	135.1	141.0	7,012	129.2	1.58	126.1	132.3
2012	7,900	117.8	1.36	115.1	120.5	6,041	107.6	1.42	104.8	110.4
2013	7,623	110.9	1.30	108.4	113.5	5,985	103.9	1.37	101.2	106.6
2014	7,610	108.0	1.27	105.5	110.5	5,886	100.1	1.34	97.5	102.8
2015	7,989	110.9	1.27	108.4	113.4	6,050	100.7	1.33	98.1	103.4
2016	8,080	110.2	1.26	107.7	112.7	6,280	103.3	1.34	100.7	106.0
2017	8,584	114.9	1.27	112.4	117.4	6,645	106.9	1.34	104.3	109.6
2018	8,613	113.0	1.25	110.6	115.5	6,625	104.8	1.32	102.2	107.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Prostate										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	41,864	209.7	1.08	207.6	211.8	3,489	61.0	1.12	58.8	63.2
1986	562	145.8	6.61	133.2	159.3	17	35.9	9.95	19.1	59.6
1987	548	142.2	6.46	129.9	155.4	12	26.9	8.79	12.5	48.3
1988	599	146.8	6.43	134.4	159.8	24	48.0	10.63	29.5	72.5
1989	584	142.9	6.29	130.8	155.7	22	43.5	10.32	25.7	67.4
1990	648	164.8	6.95	151.5	178.9	32	53.9	10.53	35.3	77.8
1991	740	173.2	6.81	160.1	186.9	29	49.4	9.86	32.0	71.8
1992	1,015	232.2	7.77	217.3	247.9	51	92.3	14.49	66.1	123.9
1993	1,090	238.3	7.70	223.5	253.8	42	64.1	10.99	44.4	88.5
1994	1,248	273.3	8.27	257.4	289.9	67	94.0	12.98	70.3	122.1
1995	1,235	257.5	7.78	242.5	273.1	56	67.8	10.10	49.5	89.9
1996	1,317	264.3	7.70	249.4	279.7	56	66.0	9.93	48.0	87.7
1997	1,188	231.3	7.07	217.6	245.5	67	61.5	8.46	46.1	80.0
1998	1,257	241.2	7.15	227.4	255.6	68	62.2	8.40	46.8	80.5
1999	1,222	227.8	6.82	214.6	241.5	93	83.4	9.76	65.4	104.4
2000	1,426	261.0	7.24	247.0	275.5	81	67.8	8.53	52.1	86.2
2001	1,387	249.6	7.02	236.0	263.7	90	69.8	8.31	54.5	87.7
2002	1,371	237.9	6.75	224.9	251.5	108	72.3	7.70	58.0	88.8
2003	1,409	234.9	6.55	222.2	248.0	98	60.9	6.92	48.1	75.8
2004	1,435	236.3	6.55	223.6	249.5	111	68.3	7.24	54.8	83.7
2005	1,429	231.2	6.45	218.7	244.2	132	76.9	7.43	63.0	92.6
2006	1,583	247.5	6.54	234.8	260.6	156	81.0	7.07	67.7	95.9
2007	1,721	263.4	6.66	250.5	276.8	155	71.0	6.22	59.4	84.2
2008	1,740	254.2	6.37	241.9	267.0	167	69.6	5.89	58.5	82.0
2009	1,755	247.3	6.18	235.3	259.7	171	71.3	6.03	59.9	84.0
2010	1,565	214.5	5.68	203.5	225.9	162	61.6	5.29	51.7	72.8
2011	1,469	192.5	5.26	182.3	203.0	166	65.3	5.56	54.9	77.0
2012	1,476	187.0	5.10	177.1	197.2	165	57.4	4.80	48.4	67.6
2013	1,356	170.8	4.85	161.4	180.6	154	53.0	4.54	44.5	62.6
2014	1,379	166.1	4.66	157.0	175.4	189	58.3	4.51	49.8	67.8
2015	1,549	184.2	4.89	174.8	194.1	181	50.9	3.97	43.4	59.3
2016	1,483	169.3	4.58	160.4	178.5	179	48.4	3.76	41.3	56.3
2017	1,584	179.6	4.69	170.5	189.0	186	49.4	3.73	42.3	57.2
2018	1,494	163.8	4.38	155.3	172.6	202	53.3	3.86	46.0	61.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Testis											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	10,648	5.2	0.05	5.1	5.3	9,893	6.0	0.06	5.9	6.1	
1986	230	3.9	0.27	3.4	4.5	220	4.5	0.31	3.9	5.1	
1987	252	4.2	0.27	3.7	4.8	241	4.8	0.32	4.2	5.5	
1988	272	4.6	0.29	4.0	5.2	262	5.3	0.33	4.6	6.0	
1989	269	4.6	0.29	4.0	5.2	251	5.1	0.33	4.5	5.8	
1990	273	4.4	0.27	3.9	5.0	258	5.0	0.32	4.4	5.6	
1991	263	4.2	0.27	3.7	4.8	251	4.9	0.31	4.3	5.5	
1992	259	4.1	0.26	3.6	4.7	245	4.7	0.31	4.2	5.4	
1993	285	4.6	0.28	4.1	5.2	269	5.2	0.32	4.6	5.9	
1994	286	4.6	0.27	4.0	5.1	274	5.3	0.32	4.7	6.0	
1995	280	4.4	0.27	3.9	5.0	262	5.0	0.31	4.4	5.7	
1996	292	4.6	0.27	4.1	5.2	264	5.1	0.31	4.5	5.7	
1997	335	5.4	0.30	4.8	6.0	316	6.2	0.35	5.5	6.9	
1998	300	4.8	0.28	4.3	5.4	281	5.5	0.33	4.9	6.2	
1999	325	5.2	0.29	4.6	5.8	292	5.7	0.33	5.1	6.4	
2000	298	4.7	0.27	4.2	5.3	279	5.4	0.33	4.8	6.1	
2001	328	5.2	0.29	4.7	5.8	300	5.9	0.34	5.2	6.6	
2002	330	5.3	0.29	4.7	5.9	305	6.0	0.34	5.3	6.7	
2003	328	5.2	0.29	4.7	5.8	310	6.1	0.35	5.5	6.9	
2004	345	5.5	0.30	4.9	6.1	321	6.3	0.35	5.7	7.1	
2005	323	5.1	0.29	4.6	5.7	292	5.8	0.34	5.2	6.5	
2006	341	5.4	0.30	4.9	6.0	317	6.3	0.36	5.6	7.0	
2007	331	5.3	0.29	4.8	5.9	305	6.1	0.35	5.5	6.9	
2008	367	5.9	0.31	5.3	6.5	336	6.8	0.37	6.1	7.5	
2009	340	5.5	0.30	4.9	6.1	319	6.5	0.37	5.8	7.2	
2010	381	6.1	0.31	5.5	6.7	354	7.1	0.38	6.4	7.9	
2011	342	5.5	0.30	4.9	6.1	319	6.4	0.36	5.7	7.2	
2012	364	5.8	0.31	5.2	6.5	333	6.8	0.37	6.0	7.5	
2013	373	6.0	0.31	5.4	6.7	340	6.9	0.38	6.2	7.7	
2014	369	5.9	0.31	5.3	6.5	328	6.7	0.37	6.0	7.5	
2015	398	6.4	0.32	5.8	7.1	370	7.7	0.40	6.9	8.5	
2016	413	6.7	0.33	6.0	7.3	392	8.1	0.42	7.3	9.0	
2017	365	6.0	0.32	5.4	6.6	341	7.2	0.40	6.5	8.1	
2018	391	6.5	0.33	5.8	7.2	346	7.4	0.40	6.7	8.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Testis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	371	1.3	0.07	1.2	1.5	162	1.5	0.12	1.3	1.8
1986	7	0.9	0.33	0.3	2.0	1	0.6	0.55	0.0	7.3
1987	7	0.9	0.35	0.3	2.0	3	1.5	0.86	0.3	7.8
1988	6	0.9	0.37	0.3	2.0	4	2.2	1.12	0.6	8.4
1989	14	1.7	0.47	0.9	3.0	3	1.6	0.95	0.3	7.4
1990	10	1.5	0.49	0.7	2.9	4	2.0	1.04	0.5	7.8
1991	6	0.6	0.24	0.2	1.5	0				
1992	12	1.3	0.37	0.7	2.4	1	0.8	0.84	0.0	5.9
1993	15	1.9	0.51	1.0	3.2	0				
1994	8	0.8	0.30	0.4	1.8	3	1.6	0.93	0.3	6.1
1995	9	1.1	0.37	0.5	2.2	4	1.8	0.91	0.5	6.0
1996	12	1.5	0.43	0.7	2.7	6	2.2	0.92	0.8	6.2
1997	9	1.2	0.41	0.5	2.3	3	1.2	0.68	0.2	4.8
1998	12	1.3	0.37	0.6	2.3	2	0.8	0.58	0.1	4.2
1999	14	1.6	0.43	0.9	2.7	7	2.3	0.89	0.9	5.8
2000	9	1.0	0.32	0.4	1.9	5	1.5	0.65	0.5	4.5
2001	11	1.2	0.36	0.6	2.2	6	1.8	0.76	0.7	4.9
2002	14	1.6	0.44	0.9	2.8	1	0.4	0.36	0.0	2.9
2003	9	1.0	0.33	0.5	2.0	3	0.8	0.49	0.2	3.3
2004	11	1.3	0.40	0.7	2.4	6	1.8	0.73	0.6	4.4
2005	14	1.6	0.42	0.9	2.7	3	0.7	0.40	0.1	2.8
2006	10	1.2	0.37	0.6	2.2	4	0.9	0.45	0.2	3.0
2007	12	1.5	0.43	0.8	2.6	7	1.7	0.63	0.7	3.9
2008	14	1.6	0.45	0.9	2.8	8	2.0	0.72	0.9	4.4
2009	9	1.0	0.32	0.4	1.9	1	0.2	0.22	0.0	1.9
2010	13	1.5	0.43	0.8	2.7	6	1.4	0.59	0.5	3.5
2011	8	0.9	0.33	0.4	1.8	10	2.3	0.72	1.1	4.5
2012	12	1.4	0.40	0.7	2.4	9	2.4	0.86	1.0	4.9
2013	11	1.3	0.40	0.6	2.3	11	2.6	0.80	1.3	4.9
2014	17	1.9	0.47	1.1	3.1	8	1.9	0.68	0.8	3.9
2015	9	1.1	0.37	0.5	2.1	9	2.0	0.67	0.9	3.9
2016	11	1.3	0.41	0.7	2.4	8	1.9	0.70	0.8	3.9
2017	15	1.7	0.45	0.9	2.8	7	1.5	0.55	0.6	3.1
2018	21	2.6	0.59	1.6	4.1	9	1.9	0.64	0.9	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Penis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,537	0.9	0.02	0.8	0.9	1,291	0.9	0.02	0.8	0.9
1986	42	0.9	0.15	0.7	1.3	35	0.9	0.15	0.6	1.2
1987	57	1.4	0.19	1.0	1.8	50	1.3	0.20	1.0	1.8
1988	32	0.7	0.13	0.5	1.0	28	0.7	0.14	0.5	1.1
1989	45	1.0	0.15	0.7	1.4	34	0.9	0.15	0.6	1.2
1990	38	0.9	0.15	0.6	1.2	31	0.8	0.14	0.5	1.1
1991	41	1.0	0.16	0.7	1.3	31	0.8	0.15	0.5	1.1
1992	38	0.8	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1993	41	0.9	0.15	0.7	1.3	37	1.0	0.16	0.7	1.3
1994	49	1.0	0.15	0.8	1.4	38	0.9	0.15	0.6	1.3
1995	46	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
1996	48	1.0	0.14	0.7	1.3	41	0.9	0.15	0.7	1.3
1997	42	0.9	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1998	46	1.0	0.15	0.7	1.3	41	1.0	0.16	0.7	1.4
1999	49	1.0	0.15	0.7	1.3	39	0.9	0.15	0.7	1.3
2000	47	1.0	0.14	0.7	1.3	40	0.9	0.15	0.7	1.3
2001	54	1.1	0.15	0.8	1.4	47	1.1	0.16	0.8	1.5
2002	37	0.7	0.12	0.5	1.0	31	0.7	0.12	0.5	1.0
2003	39	0.7	0.12	0.5	1.0	32	0.7	0.13	0.5	1.0
2004	49	0.9	0.13	0.7	1.2	43	1.0	0.15	0.7	1.3
2005	34	0.6	0.11	0.4	0.9	25	0.6	0.11	0.4	0.8
2006	55	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2007	50	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
2008	48	0.9	0.13	0.6	1.2	40	0.9	0.14	0.6	1.2
2009	47	0.9	0.13	0.6	1.2	43	0.9	0.14	0.7	1.2
2010	58	1.0	0.13	0.8	1.3	49	1.0	0.14	0.7	1.3
2011	45	0.8	0.12	0.6	1.0	39	0.8	0.13	0.6	1.1
2012	55	0.9	0.12	0.7	1.2	47	0.9	0.14	0.7	1.2
2013	36	0.6	0.11	0.4	0.9	28	0.6	0.11	0.4	0.9
2014	50	0.8	0.12	0.6	1.1	42	0.8	0.12	0.6	1.1
2015	57	0.9	0.12	0.7	1.2	49	0.9	0.13	0.7	1.2
2016	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
2017	51	0.8	0.12	0.6	1.1	45	0.9	0.13	0.6	1.2
2018	61	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Penis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	205	1.1	0.08	0.9	1.2	25	0.5	0.10	0.3	0.7
1986	6	1.4	0.62	0.5	3.1	1	0.7	0.68	0.0	7.5
1987	7	1.9	0.78	0.7	3.9	0				
1988	4	0.7	0.35	0.2	1.8	0				
1989	10	2.3	0.77	1.1	4.3	0				
1990	7	2.1	0.81	0.8	4.2	0				
1991	9	2.2	0.80	0.9	4.2	1	4.1	4.09	0.1	16.4
1992	4	1.2	0.63	0.3	2.9	1	0.9	0.92	0.0	6.1
1993	4	0.8	0.43	0.2	2.1	0				
1994	9	1.8	0.60	0.8	3.3	1	2.2	2.18	0.1	9.4
1995	6	1.3	0.55	0.4	2.8	0				
1996	7	1.2	0.48	0.4	2.5	0				
1997	8	1.4	0.51	0.6	2.8	0				
1998	4	0.8	0.46	0.2	2.1	1	0.5	0.50	0.0	3.9
1999	5	0.8	0.37	0.3	1.9	3	4.5	2.96	0.7	12.8
2000	6	1.1	0.46	0.4	2.4	1	1.2	1.15	0.0	5.4
2001	5	1.0	0.44	0.3	2.2	1	0.4	0.41	0.0	3.2
2002	5	0.8	0.35	0.3	1.8	1	0.4	0.39	0.0	3.0
2003	7	1.0	0.37	0.4	2.1	0				
2004	5	0.8	0.36	0.2	1.8	0				
2005	7	1.3	0.54	0.5	2.7	1	0.4	0.44	0.0	2.7
2006	5	0.7	0.33	0.2	1.7	1	0.3	0.30	0.0	2.3
2007	8	1.0	0.36	0.4	2.0	2	0.9	0.66	0.1	3.4
2008	7	1.0	0.38	0.4	2.0	1	0.3	0.26	0.0	2.0
2009	4	0.7	0.35	0.2	1.7	0				
2010	8	1.2	0.45	0.5	2.4	0				
2011	5	0.6	0.26	0.2	1.4	1	0.3	0.31	0.0	1.9
2012	6	1.0	0.42	0.3	2.1	1	0.3	0.25	0.0	1.7
2013	8	1.2	0.44	0.5	2.3	0				
2014	7	1.4	0.52	0.6	2.7	1	0.3	0.32	0.0	1.8
2015	8	1.0	0.35	0.4	1.9	0				
2016	3	0.4	0.26	0.1	1.3	3	0.7	0.40	0.1	2.2
2017	3	0.4	0.22	0.1	1.1	3	1.0	0.63	0.2	3.0
2018	8	1.1	0.41	0.5	2.2	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary System											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	153,641	37.2	0.10	37.0	37.3	136,725	38.8	0.11	38.6	39.0	
1986	3,160	29.8	0.54	28.8	30.9	2,907	30.9	0.58	29.8	32.1	
1987	3,297	31.1	0.55	30.0	32.2	3,027	32.3	0.59	31.1	33.5	
1988	3,270	30.6	0.54	29.5	31.6	3,022	32.0	0.59	30.9	33.2	
1989	3,354	31.1	0.54	30.1	32.2	3,080	32.4	0.59	31.3	33.6	
1990	3,344	30.7	0.54	29.7	31.8	3,098	32.4	0.59	31.3	33.6	
1991	3,412	31.0	0.53	30.0	32.1	3,163	32.7	0.59	31.6	33.9	
1992	3,551	31.8	0.54	30.7	32.8	3,262	33.3	0.59	32.1	34.4	
1993	3,677	32.4	0.54	31.4	33.5	3,338	33.7	0.59	32.6	34.9	
1994	3,814	33.5	0.54	32.4	34.6	3,475	34.9	0.60	33.8	36.1	
1995	3,821	33.2	0.54	32.2	34.3	3,495	34.9	0.59	33.8	36.1	
1996	4,070	35.3	0.55	34.2	36.4	3,685	36.8	0.61	35.6	38.0	
1997	4,193	36.0	0.56	34.9	37.1	3,785	37.5	0.61	36.3	38.7	
1998	4,154	35.3	0.55	34.2	36.4	3,757	36.9	0.60	35.8	38.1	
1999	4,276	36.0	0.55	34.9	37.1	3,857	37.7	0.61	36.5	38.9	
2000	4,502	37.6	0.56	36.5	38.7	4,028	39.2	0.62	38.0	40.4	
2001	4,517	37.4	0.56	36.4	38.6	4,048	39.2	0.62	38.0	40.4	
2002	4,841	39.7	0.57	38.6	40.9	4,337	41.6	0.63	40.4	42.9	
2003	4,981	40.5	0.57	39.3	41.6	4,462	42.5	0.64	41.3	43.8	
2004	5,029	40.4	0.57	39.3	41.5	4,517	42.7	0.64	41.4	43.9	
2005	5,149	40.9	0.57	39.8	42.1	4,564	42.9	0.64	41.6	44.1	
2006	5,131	40.5	0.57	39.4	41.6	4,535	42.3	0.63	41.1	43.6	
2007	5,235	40.7	0.57	39.6	41.8	4,590	42.3	0.63	41.0	43.5	
2008	5,471	41.8	0.57	40.7	43.0	4,784	43.4	0.63	42.2	44.7	
2009	5,590	42.1	0.57	41.0	43.2	4,903	44.0	0.64	42.7	45.2	
2010	5,340	39.5	0.55	38.4	40.6	4,684	41.4	0.61	40.2	42.6	
2011	5,511	40.0	0.55	38.9	41.0	4,821	41.9	0.61	40.7	43.1	
2012	5,544	39.6	0.54	38.5	40.7	4,852	41.6	0.61	40.4	42.8	
2013	5,815	40.8	0.54	39.8	41.9	5,053	42.7	0.61	41.5	43.9	
2014	5,896	40.6	0.54	39.5	41.6	5,078	42.2	0.60	41.0	43.4	
2015	6,056	41.1	0.54	40.1	42.2	5,232	43.0	0.61	41.9	44.3	
2016	5,962	40.2	0.53	39.1	41.2	5,171	42.3	0.60	41.1	43.5	
2017	5,956	39.4	0.52	38.4	40.4	5,192	41.8	0.59	40.7	43.0	
2018	5,722	37.4	0.50	36.4	38.4	4,923	39.3	0.57	38.2	40.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	13,929	28.6	0.25	28.1	29.1	1,852	14.4	0.36	13.7	15.1
1986	232	21.8	1.49	19.0	24.9	17	12.8	3.71	6.6	21.9
1987	245	22.1	1.46	19.4	25.2	18	11.2	2.84	6.4	18.2
1988	223	20.0	1.39	17.4	22.9	16	9.9	2.90	5.0	17.1
1989	256	22.9	1.48	20.1	26.0	12	7.8	2.61	3.6	14.4
1990	221	18.9	1.31	16.4	21.6	19	12.4	3.06	7.1	19.7
1991	219	19.1	1.33	16.6	21.9	22	10.8	2.45	6.5	16.7
1992	253	21.6	1.40	18.9	24.5	30	18.0	3.80	11.3	26.7
1993	300	23.2	1.38	20.6	26.1	31	12.8	2.42	8.5	18.5
1994	296	23.6	1.41	20.9	26.5	32	16.4	3.23	10.7	23.8
1995	291	22.6	1.36	20.0	25.4	25	9.4	1.99	5.9	14.1
1996	332	25.5	1.44	22.8	28.5	41	16.9	2.95	11.6	23.5
1997	334	25.2	1.42	22.5	28.2	49	17.6	2.73	12.7	23.8
1998	337	24.8	1.38	22.2	27.7	33	12.5	2.46	8.2	18.2
1999	355	26.6	1.44	23.8	29.5	34	11.1	2.06	7.4	15.8
2000	406	29.1	1.47	26.2	32.1	33	10.0	1.84	6.7	14.2
2001	400	28.4	1.45	25.7	31.4	40	11.7	1.99	8.1	16.2
2002	429	30.4	1.50	27.5	33.5	34	8.9	1.66	6.0	12.7
2003	436	29.1	1.42	26.4	32.0	44	13.2	2.14	9.3	18.0
2004	423	28.1	1.39	25.4	30.9	52	14.8	2.21	10.8	19.7
2005	458	30.0	1.43	27.3	33.0	66	15.9	2.13	12.0	20.6
2006	487	31.4	1.45	28.7	34.4	64	14.7	1.98	11.0	19.0
2007	537	34.2	1.51	31.3	37.3	68	15.5	2.02	11.8	19.9
2008	582	36.0	1.52	33.1	39.1	57	11.6	1.68	8.5	15.3
2009	569	34.6	1.48	31.8	37.6	77	15.4	1.90	11.9	19.6
2010	515	30.6	1.38	28.0	33.5	81	15.6	1.86	12.2	19.7
2011	539	31.1	1.37	28.4	33.9	91	16.1	1.80	12.8	20.0
2012	549	31.3	1.37	28.7	34.1	90	14.9	1.66	11.8	18.5
2013	600	33.4	1.40	30.8	36.3	108	17.3	1.75	14.0	21.0
2014	650	35.2	1.41	32.5	38.1	110	16.5	1.64	13.5	20.0
2015	640	33.8	1.37	31.2	36.6	115	15.9	1.54	13.1	19.2
2016	635	33.8	1.37	31.2	36.6	104	14.3	1.46	11.6	17.4
2017	598	30.4	1.27	28.0	33.0	118	15.1	1.42	12.5	18.2
2018	582	29.5	1.25	27.1	32.1	121	15.1	1.40	12.5	18.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary System											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	105,095	59.9	0.19	59.6	60.3	94,568	62.8	0.21	62.4	63.2	
1986	2,208	51.4	1.14	49.2	53.7	2,054	53.7	1.24	51.3	56.2	
1987	2,304	53.2	1.15	50.9	55.5	2,136	55.6	1.25	53.2	58.1	
1988	2,183	50.5	1.13	48.3	52.8	2,035	53.2	1.22	50.8	55.6	
1989	2,283	51.9	1.13	49.8	54.2	2,127	54.7	1.22	52.3	57.1	
1990	2,302	52.1	1.13	50.0	54.4	2,162	55.4	1.23	53.0	57.8	
1991	2,354	52.1	1.11	50.0	54.3	2,208	55.4	1.21	53.0	57.8	
1992	2,417	53.0	1.11	50.8	55.2	2,236	55.5	1.20	53.1	57.9	
1993	2,508	53.8	1.10	51.7	56.0	2,310	56.5	1.20	54.2	58.9	
1994	2,549	54.5	1.11	52.4	56.7	2,352	57.3	1.21	55.0	59.7	
1995	2,588	54.8	1.10	52.6	57.0	2,395	58.0	1.21	55.6	60.4	
1996	2,754	57.5	1.12	55.3	59.7	2,529	60.5	1.22	58.2	63.0	
1997	2,814	58.0	1.11	55.8	60.2	2,570	60.8	1.21	58.4	63.2	
1998	2,818	57.6	1.10	55.5	59.8	2,583	60.7	1.21	58.4	63.1	
1999	2,877	58.3	1.10	56.2	60.5	2,618	61.1	1.21	58.7	63.5	
2000	3,035	60.6	1.11	58.4	62.8	2,749	63.4	1.22	61.1	65.9	
2001	3,072	60.5	1.10	58.3	62.7	2,795	63.7	1.21	61.3	66.1	
2002	3,343	65.6	1.15	63.3	67.9	3,039	69.0	1.26	66.6	71.5	
2003	3,398	65.5	1.14	63.3	67.8	3,060	68.7	1.25	66.2	71.2	
2004	3,431	65.2	1.13	63.0	67.4	3,110	68.8	1.25	66.3	71.2	
2005	3,498	65.2	1.12	63.0	67.4	3,139	68.4	1.23	66.0	70.8	
2006	3,445	63.6	1.10	61.4	65.8	3,081	66.5	1.21	64.2	69.0	
2007	3,543	64.3	1.10	62.2	66.5	3,140	66.9	1.21	64.5	69.3	
2008	3,745	66.5	1.11	64.4	68.7	3,330	69.5	1.22	67.2	72.0	
2009	3,805	66.2	1.10	64.1	68.4	3,377	69.3	1.21	66.9	71.7	
2010	3,669	62.6	1.06	60.6	64.7	3,251	65.6	1.17	63.3	67.9	
2011	3,774	62.7	1.04	60.6	64.7	3,358	66.0	1.16	63.7	68.3	
2012	3,793	61.6	1.02	59.6	63.6	3,369	64.9	1.14	62.7	67.2	
2013	4,039	64.4	1.04	62.4	66.5	3,530	66.9	1.15	64.7	69.2	
2014	4,095	63.9	1.02	62.0	66.0	3,545	66.1	1.14	63.9	68.4	
2015	4,215	64.3	1.02	62.4	66.4	3,652	66.8	1.13	64.6	69.1	
2016	4,167	63.4	1.01	61.4	65.4	3,668	66.9	1.13	64.7	69.1	
2017	4,164	61.6	0.98	59.7	63.5	3,669	65.1	1.10	63.0	67.3	
2018	3,905	57.2	0.94	55.4	59.1	3,391	59.9	1.05	57.8	62.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	8,425	42.3	0.49	41.4	43.3	1,294	22.8	0.70	21.5	24.2
1986	143	33.9	3.07	28.1	40.3	10	17.1	6.18	7.2	33.2
1987	150	33.8	2.97	28.3	40.1	14	19.8	5.85	10.0	34.7
1988	131	29.0	2.72	24.0	34.8	12	18.4	6.53	7.9	34.9
1989	142	31.1	2.78	25.9	37.0	10	16.0	6.03	6.5	31.4
1990	123	25.7	2.50	21.0	31.0	12	20.5	6.40	10.0	36.3
1991	128	27.3	2.57	22.5	32.8	13	14.3	4.26	7.2	25.3
1992	155	33.6	2.90	28.2	39.7	22	34.8	8.80	19.7	55.2
1993	174	32.8	2.65	27.8	38.4	19	16.0	3.95	9.2	25.9
1994	162	32.1	2.70	27.0	37.7	25	27.8	6.51	16.5	43.0
1995	169	32.3	2.62	27.3	37.8	18	13.7	3.45	7.8	22.4
1996	190	34.9	2.68	29.9	40.5	26	26.4	6.14	15.8	40.7
1997	196	36.5	2.78	31.3	42.3	32	26.1	5.06	17.1	37.8
1998	195	35.0	2.65	30.0	40.5	22	17.8	4.47	10.2	28.5
1999	214	39.1	2.85	33.7	45.0	22	14.8	3.48	8.8	23.2
2000	234	41.8	2.90	36.3	47.8	28	19.3	3.95	12.4	28.5
2001	227	39.9	2.81	34.5	45.7	29	17.6	3.55	11.3	25.9
2002	255	46.0	3.08	40.2	52.4	23	14.9	3.56	8.7	23.3
2003	281	46.0	2.90	40.5	52.0	27	19.7	4.24	12.3	29.4
2004	260	43.0	2.84	37.6	48.9	36	24.7	4.63	16.5	35.1
2005	273	44.8	2.90	39.3	50.8	43	24.8	4.32	17.1	34.5
2006	286	46.7	2.94	41.1	52.7	43	23.1	3.92	16.1	31.9
2007	325	51.1	3.00	45.4	57.3	44	21.5	3.63	15.0	29.7
2008	338	50.6	2.89	45.1	56.5	44	21.1	3.71	14.5	29.4
2009	342	50.7	2.90	45.1	56.6	59	25.3	3.65	18.7	33.4
2010	322	46.0	2.70	40.9	51.6	55	24.4	3.66	17.8	32.5
2011	320	44.5	2.63	39.5	49.9	58	23.6	3.46	17.3	31.2
2012	330	45.6	2.64	40.5	51.0	60	23.6	3.40	17.4	31.1
2013	383	51.9	2.77	46.6	57.6	83	29.5	3.47	23.1	37.0
2014	425	55.8	2.83	50.4	61.6	86	29.2	3.38	23.0	36.5
2015	427	53.9	2.73	48.7	59.6	83	25.4	2.93	20.0	31.8
2016	387	49.6	2.63	44.6	55.0	76	22.9	2.76	17.8	28.9
2017	379	46.9	2.51	42.1	52.1	79	22.4	2.60	17.6	28.1
2018	359	43.6	2.39	39.0	48.5	81	22.3	2.56	17.6	27.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	48,546	20.7	0.09	20.5	20.9	42,157	21.3	0.10	21.0	21.5	
1986	952	15.3	0.50	14.4	16.4	853	15.6	0.54	14.5	16.7	
1987	993	16.1	0.52	15.1	17.1	891	16.3	0.56	15.2	17.4	
1988	1,087	17.7	0.54	16.6	18.8	987	18.3	0.60	17.2	19.5	
1989	1,071	17.2	0.53	16.2	18.3	953	17.4	0.58	16.3	18.6	
1990	1,042	16.6	0.52	15.6	17.6	936	17.1	0.57	16.0	18.2	
1991	1,058	16.4	0.51	15.5	17.5	955	16.9	0.56	15.8	18.0	
1992	1,134	17.5	0.53	16.5	18.6	1,026	18.1	0.58	17.0	19.3	
1993	1,169	17.8	0.53	16.8	18.9	1,028	17.9	0.57	16.8	19.1	
1994	1,265	19.0	0.54	18.0	20.1	1,123	19.4	0.59	18.3	20.6	
1995	1,233	18.5	0.53	17.4	19.5	1,100	19.0	0.58	17.9	20.2	
1996	1,316	19.7	0.55	18.6	20.8	1,156	20.0	0.60	18.9	21.3	
1997	1,379	20.5	0.56	19.4	21.6	1,215	20.9	0.61	19.7	22.1	
1998	1,336	19.8	0.54	18.7	20.9	1,174	20.3	0.60	19.1	21.5	
1999	1,399	20.4	0.55	19.4	21.5	1,239	21.2	0.61	20.0	22.4	
2000	1,467	21.4	0.56	20.3	22.5	1,279	21.8	0.62	20.6	23.1	
2001	1,445	20.9	0.55	19.8	22.0	1,253	21.3	0.61	20.1	22.6	
2002	1,498	21.4	0.56	20.4	22.6	1,298	21.8	0.61	20.6	23.1	
2003	1,583	22.7	0.57	21.6	23.9	1,402	23.7	0.64	22.5	25.0	
2004	1,598	22.6	0.57	21.5	23.8	1,407	23.6	0.64	22.4	24.9	
2005	1,651	23.2	0.58	22.1	24.3	1,425	23.8	0.64	22.6	25.1	
2006	1,686	23.5	0.58	22.4	24.7	1,454	24.1	0.64	22.9	25.4	
2007	1,692	23.3	0.57	22.2	24.5	1,450	23.9	0.64	22.7	25.2	
2008	1,726	23.5	0.57	22.4	24.7	1,454	23.7	0.63	22.5	25.0	
2009	1,785	24.1	0.58	22.9	25.2	1,526	24.7	0.65	23.5	26.0	
2010	1,671	22.1	0.55	21.0	23.2	1,433	22.8	0.62	21.6	24.1	
2011	1,737	22.8	0.56	21.7	23.9	1,463	23.3	0.62	22.1	24.6	
2012	1,751	22.7	0.55	21.6	23.8	1,483	23.1	0.62	22.0	24.4	
2013	1,776	22.6	0.55	21.5	23.7	1,523	23.6	0.62	22.4	24.8	
2014	1,801	22.4	0.54	21.3	23.5	1,533	23.3	0.61	22.1	24.5	
2015	1,841	22.8	0.54	21.8	23.9	1,580	24.0	0.62	22.8	25.2	
2016	1,795	21.9	0.53	20.9	23.0	1,503	22.6	0.60	21.4	23.8	
2017	1,792	21.9	0.53	20.9	23.0	1,523	23.0	0.61	21.8	24.3	
2018	1,817	21.8	0.52	20.8	22.8	1,532	22.8	0.60	21.6	24.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,504	19.3	0.26	18.8	19.8	558	7.8	0.35	7.2	8.6
1986	89	13.9	1.51	11.1	17.2	7	9.6	4.51	2.9	21.8
1987	95	14.5	1.52	11.7	17.8	4	4.4	2.24	1.1	11.6
1988	92	14.0	1.50	11.2	17.2	4	3.3	1.67	0.8	9.2
1989	114	17.4	1.66	14.3	20.9	2	1.7	1.18	0.2	6.8
1990	98	14.3	1.47	11.6	17.4	7	6.7	2.72	2.5	14.4
1991	91	13.6	1.45	10.9	16.7	9	8.1	2.86	3.5	15.8
1992	98	14.0	1.44	11.4	17.1	8	6.3	2.29	2.7	12.7
1993	126	16.8	1.52	13.9	20.0	12	9.8	2.93	5.0	17.4
1994	134	18.0	1.58	15.0	21.3	7	7.8	3.07	3.0	15.7
1995	122	15.9	1.46	13.2	19.0	7	5.6	2.20	2.1	11.5
1996	142	18.7	1.59	15.7	22.0	15	10.4	2.94	5.5	17.7
1997	138	17.7	1.52	14.8	20.9	17	11.1	2.89	6.2	18.2
1998	142	17.9	1.51	15.0	21.1	11	8.2	2.72	3.8	15.0
1999	141	18.1	1.54	15.2	21.4	12	7.9	2.41	3.9	14.0
2000	172	20.8	1.60	17.8	24.2	5	2.7	1.25	0.8	6.4
2001	173	20.8	1.60	17.8	24.2	11	6.5	2.08	3.1	11.8
2002	174	20.6	1.57	17.6	23.9	11	4.6	1.45	2.2	8.4
2003	155	17.8	1.44	15.1	20.8	17	8.6	2.19	4.8	13.9
2004	163	18.4	1.45	15.7	21.5	16	7.7	2.02	4.2	12.6
2005	185	20.6	1.52	17.7	23.8	23	9.4	2.07	5.8	14.3
2006	201	21.9	1.56	19.0	25.2	21	8.2	1.89	4.9	12.7
2007	212	23.1	1.60	20.0	26.4	24	10.5	2.26	6.6	15.8
2008	244	25.9	1.68	22.7	29.4	13	4.7	1.37	2.4	8.2
2009	227	23.9	1.60	20.8	27.2	18	7.2	1.78	4.1	11.4
2010	193	19.8	1.44	17.0	22.8	26	9.0	1.86	5.7	13.4
2011	219	21.7	1.49	18.9	24.8	33	10.5	1.90	7.1	14.8
2012	219	21.7	1.49	18.9	24.8	30	8.8	1.66	5.8	12.7
2013	217	20.9	1.44	18.2	23.9	25	7.1	1.48	4.5	10.7
2014	225	20.9	1.42	18.2	23.9	24	6.5	1.37	4.1	9.8
2015	213	19.8	1.38	17.1	22.6	32	8.2	1.48	5.5	11.6
2016	248	22.8	1.48	20.0	25.9	28	7.2	1.39	4.7	10.4
2017	219	19.2	1.32	16.7	21.9	39	9.0	1.47	6.3	12.4
2018	223	19.6	1.33	17.0	22.4	40	9.2	1.48	6.5	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary Bladder (incl in situ)										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	88,907	21.5	0.07	21.4	21.7	81,688	23.0	0.08	22.9	23.2
1986	2,125	20.1	0.44	19.3	21.0	1,988	21.1	0.48	20.2	22.1
1987	2,201	20.7	0.45	19.8	21.6	2,050	21.8	0.49	20.8	22.7
1988	2,122	19.8	0.43	19.0	20.7	1,990	20.9	0.47	20.0	21.9
1989	2,162	20.0	0.43	19.2	20.9	2,025	21.2	0.48	20.3	22.1
1990	2,201	20.2	0.43	19.3	21.0	2,078	21.6	0.48	20.6	22.5
1991	2,164	19.7	0.43	18.8	20.5	2,039	21.0	0.47	20.1	21.9
1992	2,251	20.1	0.43	19.3	20.9	2,101	21.3	0.47	20.4	22.2
1993	2,384	21.0	0.43	20.2	21.9	2,228	22.4	0.48	21.5	23.3
1994	2,417	21.2	0.43	20.3	22.0	2,253	22.5	0.48	21.6	23.4
1995	2,351	20.4	0.42	19.6	21.3	2,191	21.8	0.47	20.9	22.7
1996	2,599	22.5	0.44	21.6	23.3	2,408	23.9	0.49	22.9	24.9
1997	2,584	22.1	0.44	21.3	23.0	2,391	23.5	0.48	22.6	24.5
1998	2,567	21.8	0.43	20.9	22.6	2,374	23.2	0.48	22.3	24.2
1999	2,657	22.4	0.43	21.5	23.2	2,456	23.9	0.48	22.9	24.8
2000	2,763	23.1	0.44	22.2	24.0	2,554	24.7	0.49	23.8	25.7
2001	2,690	22.3	0.43	21.5	23.2	2,490	24.0	0.48	23.1	25.0
2002	2,875	23.7	0.44	22.8	24.5	2,659	25.4	0.49	24.5	26.4
2003	2,919	23.8	0.44	22.9	24.7	2,714	25.8	0.50	24.8	26.8
2004	2,875	23.2	0.43	22.4	24.1	2,649	25.0	0.49	24.1	26.0
2005	2,978	23.8	0.44	22.9	24.6	2,726	25.5	0.49	24.6	26.5
2006	2,777	22.0	0.42	21.2	22.9	2,542	23.7	0.47	22.7	24.6
2007	2,860	22.3	0.42	21.5	23.2	2,602	23.9	0.47	23.0	24.9
2008	3,015	23.2	0.43	22.4	24.1	2,720	24.7	0.48	23.7	25.6
2009	3,059	23.1	0.42	22.3	24.0	2,768	24.7	0.47	23.8	25.7
2010	2,920	21.7	0.41	20.9	22.5	2,661	23.4	0.46	22.5	24.3
2011	2,953	21.5	0.40	20.7	22.3	2,690	23.3	0.46	22.4	24.2
2012	2,913	20.9	0.39	20.2	21.7	2,666	22.8	0.45	21.9	23.7
2013	3,155	22.2	0.40	21.4	23.0	2,832	23.8	0.46	23.0	24.8
2014	3,072	21.2	0.39	20.4	21.9	2,750	22.8	0.44	21.9	23.7
2015	3,207	21.7	0.39	20.9	22.5	2,902	23.6	0.45	22.7	24.5
2016	3,100	20.8	0.38	20.0	21.5	2,793	22.6	0.44	21.7	23.4
2017	3,095	20.3	0.37	19.6	21.0	2,817	22.3	0.43	21.4	23.1
2018	2,896	18.7	0.35	18.0	19.4	2,581	20.2	0.40	19.4	21.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary Bladder (incl in situ)										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,622	12.2	0.17	11.9	12.6	885	7.4	0.26	6.9	7.9
1986	126	12.8	1.18	10.6	15.3	7	6.8	3.04	2.2	14.7
1987	135	12.8	1.14	10.7	15.2	10	7.2	2.45	3.3	13.6
1988	117	11.1	1.06	9.1	13.4	9	6.9	2.66	2.7	13.7
1989	124	12.0	1.11	9.9	14.3	8	5.8	2.39	2.1	12.0
1990	107	9.6	0.96	7.8	11.6	12	8.6	2.62	4.3	15.1
1991	109	10.0	0.99	8.2	12.1	12	6.4	1.98	3.2	11.5
1992	127	11.4	1.04	9.5	13.6	18	11.9	3.31	6.3	19.7
1993	139	11.6	1.01	9.7	13.7	11	4.7	1.54	2.2	8.8
1994	140	11.8	1.03	9.9	14.0	15	8.0	2.25	4.2	13.5
1995	136	11.1	0.97	9.3	13.1	16	5.9	1.57	3.3	9.9
1996	155	12.8	1.05	10.8	15.0	27	10.4	2.17	6.5	15.4
1997	149	12.3	1.03	10.4	14.5	26	10.3	2.21	6.5	15.5
1998	155	12.0	0.99	10.2	14.1	18	8.0	2.13	4.4	13.0
1999	162	13.0	1.04	11.0	15.2	13	4.0	1.21	2.0	7.0
2000	174	13.1	1.01	11.2	15.2	12	4.1	1.24	2.0	7.2
2001	163	12.4	0.99	10.6	14.5	19	6.1	1.51	3.5	9.7
2002	176	13.4	1.03	11.5	15.6	16	5.0	1.34	2.7	8.2
2003	155	11.1	0.91	9.4	13.0	25	8.3	1.78	5.2	12.4
2004	164	11.5	0.92	9.8	13.4	30	8.7	1.72	5.6	12.6
2005	179	12.4	0.95	10.7	14.4	30	7.8	1.56	5.0	11.3
2006	176	12.4	0.95	10.6	14.4	28	6.8	1.38	4.3	10.0
2007	194	13.0	0.95	11.2	15.0	36	9.0	1.60	6.1	12.6
2008	238	15.7	1.04	13.7	17.8	26	6.5	1.38	4.1	9.7
2009	229	14.8	1.00	12.9	16.9	33	7.2	1.36	4.8	10.3
2010	189	12.0	0.89	10.3	13.9	36	7.0	1.24	4.8	9.8
2011	196	12.0	0.87	10.3	13.8	43	7.9	1.29	5.6	10.8
2012	187	11.4	0.85	9.8	13.2	35	6.4	1.14	4.4	9.0
2013	242	14.2	0.94	12.5	16.2	56	9.3	1.30	6.9	12.2
2014	242	13.4	0.88	11.8	15.3	56	8.9	1.25	6.6	11.7
2015	213	11.9	0.83	10.3	13.6	46	6.8	1.03	4.9	9.1
2016	225	12.2	0.83	10.6	13.9	46	6.9	1.05	5.0	9.3
2017	198	10.4	0.76	9.0	12.0	52	6.8	0.97	5.1	9.0
2018	201	10.5	0.75	9.0	12.0	58	7.6	1.02	5.7	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary Bladder (incl in situ)											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	65,555	38.4	0.15	38.1	38.7	60,834	41.1	0.17	40.8	41.5	
1986	1,557	37.1	0.98	35.2	39.1	1,471	39.2	1.07	37.1	41.3	
1987	1,630	38.0	0.98	36.1	40.0	1,537	40.3	1.07	38.2	42.4	
1988	1,509	35.6	0.96	33.8	37.5	1,427	37.9	1.04	35.8	40.0	
1989	1,566	36.2	0.95	34.4	38.1	1,480	38.5	1.04	36.5	40.6	
1990	1,632	37.4	0.96	35.6	39.4	1,563	40.4	1.06	38.3	42.5	
1991	1,587	35.8	0.93	34.0	37.6	1,514	38.5	1.02	36.5	40.6	
1992	1,645	36.7	0.93	34.9	38.5	1,549	38.9	1.02	37.0	41.0	
1993	1,742	38.0	0.94	36.2	39.8	1,645	40.7	1.03	38.7	42.8	
1994	1,706	37.0	0.92	35.3	38.9	1,608	39.6	1.01	37.6	41.6	
1995	1,723	37.1	0.92	35.4	39.0	1,627	39.9	1.01	38.0	42.0	
1996	1,873	39.8	0.94	38.0	41.7	1,766	42.8	1.04	40.8	44.9	
1997	1,875	39.4	0.92	37.6	41.2	1,751	41.9	1.01	39.9	43.9	
1998	1,881	39.1	0.92	37.3	40.9	1,753	41.7	1.01	39.7	43.7	
1999	1,928	39.7	0.92	37.9	41.6	1,800	42.4	1.01	40.5	44.5	
2000	2,000	40.8	0.92	39.0	42.6	1,865	43.6	1.02	41.7	45.7	
2001	1,977	39.9	0.91	38.1	41.7	1,856	43.0	1.01	41.1	45.0	
2002	2,137	43.1	0.94	41.2	44.9	2,013	46.6	1.05	44.6	48.7	
2003	2,114	41.9	0.92	40.1	43.7	1,974	45.1	1.02	43.1	47.1	
2004	2,148	41.9	0.92	40.1	43.8	1,996	45.1	1.02	43.1	47.1	
2005	2,181	41.7	0.91	39.9	43.5	2,026	45.0	1.01	43.0	47.0	
2006	2,013	38.4	0.87	36.7	40.1	1,857	41.1	0.96	39.2	43.0	
2007	2,113	39.6	0.87	37.9	41.3	1,941	42.3	0.97	40.4	44.3	
2008	2,233	41.1	0.88	39.4	42.9	2,048	43.9	0.98	42.0	45.9	
2009	2,304	41.4	0.88	39.7	43.2	2,109	44.2	0.98	42.3	46.2	
2010	2,199	38.7	0.84	37.1	40.4	2,018	41.6	0.94	39.8	43.5	
2011	2,188	37.6	0.82	36.0	39.2	2,017	40.6	0.92	38.8	42.5	
2012	2,171	36.6	0.80	35.0	38.2	2,018	40.0	0.91	38.2	41.8	
2013	2,384	39.1	0.82	37.5	40.7	2,156	41.7	0.92	39.9	43.5	
2014	2,310	37.1	0.79	35.6	38.7	2,080	39.6	0.89	37.9	41.4	
2015	2,384	37.3	0.78	35.8	38.9	2,162	40.1	0.88	38.4	41.9	
2016	2,321	36.2	0.77	34.7	37.7	2,109	39.1	0.87	37.4	40.8	
2017	2,369	35.9	0.76	34.4	37.4	2,166	39.1	0.86	37.4	40.8	
2018	2,155	32.1	0.71	30.7	33.5	1,932	34.3	0.80	32.8	35.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary Bladder (incl in situ)										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,520	19.4	0.34	18.7	20.0	671	13.0	0.55	11.9	14.1
1986	79	20.9	2.54	16.3	26.4	6	10.7	5.01	3.2	24.6
1987	81	19.5	2.33	15.2	24.5	8	13.4	5.22	5.2	27.4
1988	71	16.8	2.12	12.9	21.4	8	14.6	6.24	5.1	30.8
1989	76	17.9	2.19	13.9	22.7	7	12.3	5.60	3.9	27.1
1990	57	12.9	1.85	9.5	16.9	8	14.7	5.52	6.0	28.9
1991	62	14.2	1.91	10.7	18.4	8	9.0	3.48	3.5	18.7
1992	76	17.6	2.18	13.6	22.3	16	26.2	7.98	12.9	45.1
1993	87	17.8	2.01	14.0	22.1	5	4.5	2.31	1.2	11.6
1994	79	16.9	2.04	13.2	21.3	11	12.0	4.06	5.4	22.4
1995	79	16.1	1.91	12.6	20.3	12	9.1	2.83	4.4	16.7
1996	82	16.1	1.88	12.7	20.2	17	14.5	3.87	8.0	24.1
1997	92	19.6	2.18	15.6	24.3	20	17.7	4.33	10.3	28.1
1998	101	18.9	1.99	15.3	23.2	14	13.3	4.15	6.4	23.4
1999	96	20.0	2.18	16.0	24.7	10	6.2	2.24	2.6	12.3
2000	107	20.6	2.12	16.7	25.2	12	9.4	2.94	4.6	16.8
2001	93	18.1	2.00	14.4	22.4	14	8.9	2.56	4.6	15.3
2002	97	19.8	2.13	15.8	24.3	14	11.0	3.32	5.5	19.1
2003	104	18.6	1.94	15.0	22.8	16	13.8	3.76	7.4	22.6
2004	108	19.2	1.98	15.5	23.4	23	16.4	3.81	9.8	25.3
2005	107	19.3	1.99	15.6	23.6	19	11.9	3.15	6.5	19.4
2006	111	21.0	2.11	17.1	25.5	22	13.2	3.12	7.8	20.5
2007	123	20.9	2.01	17.1	25.1	24	13.7	3.08	8.3	20.8
2008	142	23.1	2.05	19.3	27.5	19	12.1	3.15	6.7	19.4
2009	149	24.4	2.12	20.4	28.8	27	12.9	2.80	8.0	19.3
2010	125	19.5	1.83	16.1	23.4	27	11.8	2.52	7.4	17.6
2011	123	19.2	1.83	15.8	23.1	29	13.0	2.67	8.3	19.2
2012	110	16.6	1.67	13.5	20.1	25	11.2	2.50	6.9	17.0
2013	162	24.4	2.01	20.6	28.6	47	17.3	2.69	12.4	23.3
2014	165	22.6	1.85	19.1	26.5	48	17.5	2.74	12.6	23.6
2015	148	20.7	1.79	17.4	24.5	40	13.2	2.20	9.2	18.1
2016	156	21.3	1.78	17.9	25.0	31	10.2	1.93	6.8	14.7
2017	142	19.1	1.67	16.0	22.6	39	11.7	1.94	8.2	16.1
2018	130	16.9	1.54	14.0	20.1	45	13.2	2.04	9.5	17.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary Bladder (incl in situ)											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	23,352	9.8	0.06	9.6	9.9	20,854	10.2	0.07	10.1	10.4	
1986	568	9.1	0.39	8.4	9.9	517	9.3	0.42	8.5	10.2	
1987	571	9.1	0.39	8.4	9.9	513	9.3	0.42	8.5	10.1	
1988	613	9.8	0.40	9.0	10.6	563	10.2	0.44	9.3	11.1	
1989	596	9.4	0.39	8.6	10.2	545	9.7	0.42	8.9	10.6	
1990	569	8.9	0.38	8.2	9.7	515	9.2	0.41	8.4	10.0	
1991	577	8.9	0.37	8.1	9.6	525	9.1	0.40	8.3	9.9	
1992	606	9.2	0.38	8.4	9.9	552	9.5	0.41	8.7	10.4	
1993	642	9.7	0.38	8.9	10.4	583	10.0	0.42	9.2	10.8	
1994	711	10.5	0.40	9.7	11.3	645	10.9	0.43	10.0	11.8	
1995	628	9.2	0.37	8.5	10.0	564	9.5	0.41	8.7	10.3	
1996	726	10.6	0.40	9.8	11.4	642	10.8	0.43	10.0	11.7	
1997	709	10.3	0.39	9.6	11.1	640	10.8	0.43	9.9	11.7	
1998	686	10.0	0.38	9.2	10.8	621	10.5	0.43	9.7	11.4	
1999	729	10.4	0.39	9.7	11.2	656	10.9	0.43	10.1	11.8	
2000	763	10.9	0.40	10.2	11.8	689	11.5	0.45	10.7	12.4	
2001	713	10.1	0.38	9.4	10.9	634	10.5	0.42	9.7	11.4	
2002	738	10.3	0.38	9.6	11.1	646	10.5	0.42	9.7	11.4	
2003	805	11.4	0.40	10.6	12.2	740	12.3	0.46	11.4	13.2	
2004	727	10.1	0.38	9.4	10.8	653	10.6	0.42	9.8	11.5	
2005	797	11.0	0.39	10.2	11.8	700	11.4	0.44	10.5	12.3	
2006	764	10.5	0.38	9.7	11.3	685	11.1	0.43	10.3	12.0	
2007	747	10.1	0.37	9.4	10.8	661	10.6	0.42	9.8	11.4	
2008	782	10.4	0.38	9.7	11.2	672	10.6	0.42	9.8	11.5	
2009	755	10.0	0.37	9.3	10.7	659	10.3	0.41	9.5	11.2	
2010	721	9.2	0.35	8.6	9.9	643	9.8	0.40	9.1	10.6	
2011	765	9.8	0.36	9.1	10.6	673	10.4	0.41	9.6	11.2	
2012	742	9.4	0.35	8.7	10.1	648	9.8	0.39	9.0	10.6	
2013	771	9.6	0.35	8.9	10.3	676	10.1	0.40	9.3	10.9	
2014	762	9.3	0.34	8.6	10.0	670	9.9	0.39	9.2	10.7	
2015	823	9.9	0.35	9.2	10.6	740	10.7	0.40	10.0	11.6	
2016	779	9.1	0.33	8.5	9.8	684	9.8	0.38	9.0	10.5	
2017	726	8.4	0.32	7.8	9.1	651	9.2	0.37	8.5	10.0	
2018	741	8.6	0.32	8.0	9.3	649	9.2	0.37	8.5	10.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Urinary Bladder (incl in situ)										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,102	7.7	0.17	7.3	8.0	214	3.2	0.23	2.8	3.7
1986	47	7.8	1.16	5.7	10.3	1	3.6	3.63	0.1	14.9
1987	54	8.6	1.19	6.4	11.2	2	2.6	1.82	0.3	9.2
1988	46	7.4	1.12	5.4	9.9	1	1.0	1.00	0.0	6.1
1989	48	8.0	1.17	5.8	10.6	1	0.9	0.91	0.0	5.7
1990	50	7.6	1.08	5.6	10.0	4	4.4	2.27	1.1	11.3
1991	47	7.3	1.08	5.3	9.7	4	4.3	2.23	1.1	11.0
1992	51	7.6	1.08	5.7	10.0	2	1.8	1.29	0.2	6.6
1993	52	7.4	1.04	5.5	9.7	6	4.8	2.06	1.6	10.7
1994	61	8.6	1.11	6.5	11.0	4	4.9	2.50	1.3	11.8
1995	57	7.7	1.03	5.8	10.0	4	3.1	1.64	0.8	8.0
1996	73	10.2	1.20	8.0	12.8	10	7.1	2.44	3.1	13.4
1997	57	7.7	1.03	5.8	10.0	6	4.6	2.07	1.5	10.2
1998	54	7.2	0.99	5.4	9.4	4	3.9	2.13	0.9	9.7
1999	66	8.8	1.09	6.8	11.2	3	2.1	1.24	0.4	5.9
2000	67	8.4	1.04	6.5	10.7	0				
2001	70	8.8	1.06	6.9	11.1	5	3.6	1.66	1.1	8.1
2002	79	9.8	1.10	7.7	12.1	2	0.7	0.50	0.1	2.8
2003	51	6.3	0.88	4.7	8.3	9	4.7	1.65	2.0	8.9
2004	56	6.6	0.89	5.0	8.6	7	3.1	1.27	1.2	6.6
2005	72	8.3	0.99	6.5	10.5	11	4.8	1.56	2.3	8.8
2006	65	7.5	0.93	5.8	9.5	6	2.1	0.90	0.7	4.7
2007	71	8.1	0.97	6.3	10.2	12	5.4	1.65	2.7	9.5
2008	96	10.8	1.11	8.7	13.1	7	2.9	1.16	1.1	6.0
2009	80	8.8	0.99	6.9	10.9	6	2.8	1.17	1.0	5.9
2010	64	6.9	0.87	5.3	8.8	9	3.3	1.14	1.4	6.2
2011	73	7.5	0.89	5.8	9.4	14	4.2	1.16	2.2	7.1
2012	77	8.1	0.93	6.4	10.1	10	3.3	1.08	1.6	6.1
2013	80	7.9	0.89	6.2	9.8	9	2.7	0.92	1.2	5.1
2014	77	7.3	0.84	5.8	9.2	8	2.4	0.87	1.0	4.7
2015	65	6.2	0.78	4.8	7.9	6	1.6	0.66	0.6	3.5
2016	69	6.3	0.76	4.8	8.0	15	4.2	1.10	2.3	6.9
2017	56	4.8	0.66	3.6	6.3	13	2.9	0.82	1.5	5.0
2018	71	6.3	0.76	4.9	8.0	13	3.2	0.89	1.7	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kidney and Renal Pelvis										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	60,986	14.7	0.06	14.6	14.8	51,686	14.8	0.07	14.7	14.9
1986	941	8.8	0.29	8.2	9.4	837	8.9	0.31	8.3	9.6
1987	1,001	9.5	0.30	8.9	10.1	891	9.6	0.33	9.0	10.3
1988	1,047	9.8	0.31	9.2	10.5	935	10.1	0.34	9.4	10.8
1989	1,087	10.2	0.31	9.6	10.8	959	10.3	0.34	9.6	10.9
1990	1,039	9.6	0.30	9.0	10.2	927	9.9	0.33	9.2	10.5
1991	1,138	10.4	0.31	9.8	11.0	1,025	10.7	0.34	10.1	11.4
1992	1,208	10.8	0.31	10.2	11.5	1,076	11.1	0.34	10.5	11.8
1993	1,199	10.6	0.31	10.0	11.2	1,026	10.5	0.33	9.9	11.2
1994	1,289	11.4	0.32	10.7	12.0	1,124	11.5	0.34	10.8	12.2
1995	1,372	12.0	0.32	11.3	12.6	1,212	12.2	0.35	11.5	12.9
1996	1,387	12.1	0.32	11.4	12.7	1,201	12.2	0.35	11.5	12.9
1997	1,509	13.0	0.33	12.3	13.7	1,302	13.1	0.36	12.4	13.8
1998	1,480	12.6	0.33	12.0	13.3	1,283	12.8	0.36	12.1	13.5
1999	1,526	12.8	0.33	12.2	13.5	1,322	13.0	0.36	12.3	13.8
2000	1,632	13.6	0.34	13.0	14.3	1,379	13.5	0.36	12.8	14.3
2001	1,731	14.3	0.34	13.6	15.0	1,470	14.3	0.37	13.6	15.1
2002	1,853	15.2	0.35	14.5	15.9	1,572	15.2	0.38	14.5	16.0
2003	1,953	15.8	0.36	15.1	16.5	1,654	15.8	0.39	15.1	16.6
2004	2,049	16.3	0.36	15.6	17.1	1,783	16.9	0.40	16.1	17.7
2005	2,058	16.3	0.36	15.6	17.0	1,735	16.4	0.40	15.6	17.2
2006	2,230	17.5	0.37	16.8	18.2	1,884	17.6	0.41	16.8	18.4
2007	2,248	17.3	0.37	16.6	18.1	1,878	17.3	0.40	16.6	18.1
2008	2,331	17.6	0.37	16.9	18.4	1,948	17.7	0.40	16.9	18.5
2009	2,405	18.0	0.37	17.3	18.7	2,023	18.3	0.41	17.5	19.1
2010	2,283	16.8	0.36	16.1	17.5	1,901	16.9	0.39	16.1	17.7
2011	2,428	17.5	0.36	16.8	18.2	2,016	17.6	0.40	16.9	18.4
2012	2,498	17.7	0.36	17.0	18.4	2,065	17.7	0.40	16.9	18.5
2013	2,543	17.8	0.36	17.1	18.5	2,118	18.0	0.40	17.2	18.8
2014	2,681	18.4	0.36	17.7	19.1	2,204	18.4	0.40	17.6	19.2
2015	2,720	18.5	0.36	17.8	19.2	2,217	18.5	0.40	17.8	19.4
2016	2,718	18.4	0.36	17.7	19.1	2,252	18.7	0.40	17.9	19.5
2017	2,710	18.1	0.36	17.4	18.8	2,243	18.5	0.40	17.7	19.3
2018	2,692	17.8	0.35	17.1	18.5	2,224	18.2	0.40	17.4	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kidney and Renal Pelvis										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	7,989	15.7	0.18	15.3	16.0	900	6.4	0.23	6.0	6.9
1986	96	8.1	0.87	6.5	10.0	8	4.8	1.92	1.8	10.2
1987	102	8.6	0.87	6.9	10.4	7	3.4	1.30	1.3	7.4
1988	102	8.5	0.88	6.9	10.4	7	3.0	1.17	1.2	6.7
1989	123	10.2	0.95	8.4	12.2	4	2.0	1.06	0.5	5.5
1990	104	8.3	0.83	6.7	10.1	7	3.8	1.58	1.3	8.2
1991	101	8.3	0.85	6.7	10.1	8	3.7	1.35	1.5	7.5
1992	121	9.8	0.91	8.1	11.7	11	5.7	1.81	2.7	10.3
1993	151	10.8	0.90	9.1	12.7	20	8.1	1.87	4.9	12.7
1994	148	11.1	0.94	9.3	13.1	15	7.0	2.09	3.6	12.2
1995	150	11.1	0.93	9.3	13.0	8	3.2	1.18	1.3	6.4
1996	170	12.2	0.96	10.4	14.2	13	5.8	1.85	2.7	10.4
1997	178	12.4	0.95	10.6	14.4	23	7.3	1.61	4.5	11.2
1998	179	12.6	0.96	10.8	14.6	13	3.7	1.05	1.9	6.5
1999	183	12.8	0.97	11.0	14.9	17	5.6	1.46	3.2	9.2
2000	220	15.0	1.03	13.1	17.2	21	6.0	1.36	3.6	9.2
2001	230	15.4	1.04	13.5	17.6	21	5.6	1.29	3.3	8.7
2002	246	16.5	1.07	14.5	18.7	18	4.0	0.97	2.3	6.4
2003	268	17.2	1.07	15.1	19.4	18	4.6	1.15	2.6	7.4
2004	241	15.3	1.00	13.4	17.4	20	5.8	1.38	3.4	9.0
2005	273	17.2	1.06	15.2	19.4	32	7.3	1.39	4.8	10.5
2006	298	18.1	1.07	16.1	20.3	34	7.5	1.38	5.0	10.6
2007	327	20.1	1.13	17.9	22.4	32	6.5	1.24	4.3	9.4
2008	337	19.9	1.11	17.8	22.2	29	4.8	0.93	3.2	7.0
2009	328	19.0	1.07	17.0	21.2	42	8.0	1.31	5.6	10.9
2010	315	17.8	1.03	15.9	20.0	41	7.9	1.32	5.5	10.9
2011	335	18.6	1.04	16.6	20.8	41	6.6	1.10	4.7	9.1
2012	352	19.2	1.05	17.2	21.4	53	8.1	1.17	6.0	10.7
2013	345	18.5	1.02	16.6	20.6	51	7.9	1.17	5.8	10.5
2014	397	21.2	1.09	19.1	23.4	48	6.6	0.98	4.8	8.8
2015	416	21.3	1.07	19.3	23.5	64	8.5	1.10	6.5	10.9
2016	395	20.8	1.07	18.8	23.0	55	6.8	0.95	5.1	9.0
2017	387	19.4	1.01	17.4	21.5	60	7.4	0.97	5.6	9.6
2018	371	18.5	0.98	16.6	20.5	59	7.0	0.93	5.3	9.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kidney and Renal Pelvis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	37,240	20.2	0.11	20.0	20.4	31,628	20.2	0.11	20.0	20.4
1986	589	12.9	0.55	11.8	14.0	528	13.1	0.59	12.0	14.3
1987	614	13.8	0.58	12.7	15.0	547	14.0	0.62	12.8	15.3
1988	617	13.6	0.57	12.5	14.8	551	13.9	0.61	12.7	15.2
1989	647	14.2	0.57	13.1	15.3	581	14.5	0.62	13.3	15.8
1990	609	13.4	0.56	12.3	14.5	540	13.6	0.60	12.4	14.8
1991	705	14.9	0.58	13.8	16.1	637	15.4	0.62	14.2	16.7
1992	715	15.0	0.58	13.9	16.2	636	15.3	0.62	14.1	16.5
1993	712	14.7	0.56	13.6	15.8	616	14.7	0.60	13.5	15.9
1994	781	16.1	0.59	15.0	17.3	685	16.2	0.63	15.0	17.5
1995	802	16.3	0.58	15.2	17.5	709	16.6	0.63	15.4	17.9
1996	831	16.6	0.58	15.5	17.8	715	16.5	0.62	15.3	17.8
1997	873	17.2	0.59	16.1	18.4	757	17.4	0.64	16.2	18.7
1998	871	17.2	0.59	16.0	18.4	767	17.6	0.64	16.3	18.9
1999	891	17.4	0.59	16.2	18.6	766	17.4	0.63	16.2	18.7
2000	975	18.6	0.60	17.5	19.8	829	18.5	0.65	17.3	19.8
2001	1,037	19.4	0.61	18.2	20.6	886	19.4	0.66	18.2	20.8
2002	1,134	21.0	0.63	19.8	22.3	956	20.8	0.68	19.5	22.2
2003	1,216	22.4	0.65	21.1	23.7	1,027	22.2	0.70	20.9	23.6
2004	1,224	22.1	0.64	20.9	23.4	1,064	22.6	0.70	21.2	24.0
2005	1,246	22.1	0.64	20.9	23.4	1,046	21.9	0.68	20.6	23.3
2006	1,357	23.7	0.66	22.5	25.1	1,155	23.9	0.71	22.6	25.4
2007	1,353	23.3	0.64	22.0	24.6	1,131	23.0	0.69	21.7	24.4
2008	1,436	24.0	0.65	22.7	25.3	1,211	24.0	0.70	22.7	25.5
2009	1,427	23.5	0.63	22.2	24.7	1,199	23.6	0.69	22.2	25.0
2010	1,388	22.4	0.62	21.2	23.7	1,161	22.4	0.67	21.2	23.8
2011	1,497	23.6	0.62	22.4	24.8	1,259	23.7	0.68	22.4	25.1
2012	1,540	23.6	0.62	22.4	24.8	1,278	23.5	0.67	22.2	24.8
2013	1,582	24.1	0.62	22.9	25.3	1,305	23.8	0.68	22.5	25.2
2014	1,705	25.5	0.63	24.3	26.8	1,397	25.1	0.69	23.8	26.5
2015	1,750	25.7	0.63	24.4	26.9	1,416	25.2	0.69	23.9	26.6
2016	1,744	25.6	0.63	24.4	26.9	1,468	26.1	0.70	24.7	27.5
2017	1,706	24.3	0.61	23.2	25.6	1,425	24.7	0.67	23.4	26.0
2018	1,666	23.8	0.60	22.6	25.0	1,380	24.0	0.67	22.8	25.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kidney and Renal Pelvis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,754	22.1	0.34	21.5	22.8	588	9.2	0.41	8.4	10.1
1986	57	11.4	1.60	8.5	14.9	4	6.5	3.62	1.4	17.7
1987	62	12.8	1.73	9.6	16.6	5	4.9	2.20	1.6	12.9
1988	60	12.2	1.69	9.1	15.9	4	3.7	1.94	1.0	11.1
1989	62	12.4	1.67	9.4	16.1	3	3.7	2.24	0.7	11.5
1990	64	12.2	1.61	9.3	15.8	4	5.8	3.23	1.3	15.5
1991	62	12.4	1.68	9.3	16.1	4	4.1	2.18	1.0	11.4
1992	74	14.8	1.83	11.4	18.8	5	7.7	3.59	2.4	17.6
1993	82	13.8	1.61	10.9	17.4	14	11.5	3.20	6.1	20.0
1994	82	14.9	1.76	11.7	18.8	12	12.4	4.45	5.3	23.7
1995	87	15.5	1.76	12.3	19.4	5	4.0	1.88	1.2	9.9
1996	106	18.4	1.87	14.9	22.4	9	11.9	4.77	4.4	23.8
1997	101	16.2	1.67	13.1	19.8	12	8.4	2.62	4.0	15.3
1998	92	15.7	1.73	12.5	19.4	8	4.6	1.65	1.9	9.5
1999	114	18.3	1.78	14.9	22.1	10	7.0	2.32	3.2	13.2
2000	122	20.0	1.90	16.4	24.0	16	9.9	2.64	5.4	16.6
2001	130	20.7	1.91	17.1	24.8	15	8.7	2.46	4.6	15.0
2002	156	25.9	2.21	21.8	30.6	9	3.8	1.28	1.7	7.6
2003	169	26.2	2.11	22.2	30.6	11	6.0	1.96	2.8	11.1
2004	145	22.4	1.95	18.7	26.5	11	7.6	2.58	3.4	14.0
2005	164	25.1	2.09	21.2	29.5	22	11.9	2.85	7.0	18.7
2006	169	24.6	1.99	20.8	28.8	21	9.9	2.37	5.8	15.6
2007	194	28.9	2.17	24.8	33.4	20	7.9	1.92	4.6	12.6
2008	193	27.1	2.03	23.3	31.4	23	8.4	1.90	5.1	13.0
2009	189	25.5	1.94	21.8	29.5	31	12.2	2.31	8.1	17.6
2010	190	25.2	1.92	21.6	29.2	25	11.4	2.53	7.0	17.3
2011	193	24.8	1.87	21.3	28.7	26	8.8	1.91	5.5	13.4
2012	212	27.6	1.99	23.9	31.8	34	11.7	2.20	7.8	16.8
2013	218	27.0	1.90	23.4	31.0	35	11.9	2.18	8.1	16.9
2014	254	32.5	2.12	28.4	36.9	34	10.0	1.77	6.9	14.1
2015	273	32.3	2.04	28.4	36.5	42	12.0	1.93	8.5	16.4
2016	222	27.2	1.90	23.6	31.2	43	11.8	1.88	8.4	16.1
2017	231	27.2	1.86	23.7	31.1	35	9.2	1.59	6.4	12.9
2018	225	26.0	1.79	22.6	29.7	36	9.1	1.56	6.3	12.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kidney and Renal Pelvis											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	23,746	10.4	0.07	10.2	10.5	20,058	10.4	0.07	10.3	10.6	
1986	352	5.7	0.31	5.1	6.4	309	5.8	0.33	5.1	6.5	
1987	387	6.4	0.33	5.8	7.1	344	6.4	0.35	5.8	7.2	
1988	430	7.2	0.35	6.5	7.9	384	7.4	0.39	6.7	8.2	
1989	440	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9	
1990	430	7.0	0.34	6.3	7.7	387	7.3	0.38	6.6	8.1	
1991	433	6.9	0.34	6.3	7.6	388	7.1	0.37	6.4	7.9	
1992	493	7.8	0.36	7.1	8.5	440	8.1	0.39	7.3	8.9	
1993	487	7.6	0.35	6.9	8.3	410	7.4	0.37	6.6	8.1	
1994	508	7.8	0.35	7.2	8.6	439	7.9	0.38	7.1	8.6	
1995	570	8.7	0.37	8.0	9.5	503	8.9	0.40	8.2	9.8	
1996	556	8.6	0.37	7.9	9.4	486	8.8	0.40	8.0	9.6	
1997	636	9.6	0.38	8.9	10.4	545	9.6	0.42	8.8	10.5	
1998	609	9.2	0.38	8.5	10.0	516	9.2	0.41	8.4	10.0	
1999	635	9.5	0.38	8.8	10.3	556	9.8	0.42	9.0	10.7	
2000	657	9.8	0.38	9.0	10.6	550	9.7	0.42	8.9	10.5	
2001	694	10.3	0.39	9.5	11.1	584	10.2	0.43	9.4	11.1	
2002	719	10.6	0.40	9.8	11.4	616	10.8	0.44	9.9	11.6	
2003	737	10.8	0.40	10.0	11.6	627	10.9	0.44	10.1	11.8	
2004	825	11.9	0.42	11.1	12.7	719	12.4	0.47	11.5	13.3	
2005	812	11.6	0.41	10.8	12.5	689	11.9	0.46	11.0	12.8	
2006	873	12.4	0.42	11.6	13.2	729	12.4	0.46	11.5	13.3	
2007	895	12.6	0.43	11.8	13.5	747	12.7	0.47	11.8	13.7	
2008	895	12.4	0.42	11.6	13.3	737	12.4	0.46	11.5	13.3	
2009	978	13.4	0.44	12.6	14.3	824	13.7	0.49	12.8	14.7	
2010	895	12.1	0.41	11.3	12.9	740	12.2	0.46	11.3	13.2	
2011	931	12.5	0.42	11.7	13.3	757	12.5	0.46	11.6	13.4	
2012	958	12.6	0.42	11.8	13.5	787	12.7	0.46	11.8	13.6	
2013	961	12.5	0.41	11.7	13.3	813	13.0	0.47	12.1	13.9	
2014	976	12.3	0.40	11.6	13.2	807	12.6	0.45	11.7	13.5	
2015	970	12.4	0.41	11.6	13.2	801	12.7	0.46	11.8	13.7	
2016	974	12.3	0.40	11.5	13.1	784	12.3	0.45	11.4	13.2	
2017	1,004	12.7	0.41	11.9	13.6	818	13.0	0.47	12.1	14.0	
2018	1,026	12.6	0.40	11.8	13.4	844	13.0	0.46	12.1	13.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kidney and Renal Pelvis										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,235	11.1	0.20	10.7	11.4	312	4.2	0.25	3.7	4.7
1986	39	5.7	0.95	4.0	7.9	4	3.8	2.09	0.9	11.0
1987	40	5.7	0.92	4.1	7.8	2	1.8	1.30	0.2	7.5
1988	42	6.0	0.95	4.3	8.1	3	2.3	1.34	0.4	7.7
1989	61	8.7	1.14	6.6	11.2	1	0.8	0.76	0.0	5.3
1990	40	5.5	0.88	3.9	7.5	3	2.4	1.49	0.4	7.9
1991	39	5.5	0.90	3.9	7.6	4	3.4	1.74	0.9	9.0
1992	47	6.4	0.95	4.7	8.5	6	4.5	1.89	1.6	10.2
1993	69	8.7	1.06	6.7	11.0	6	5.1	2.08	1.9	11.0
1994	66	8.5	1.06	6.5	10.8	3	2.9	1.79	0.5	8.4
1995	63	8.0	1.01	6.1	10.2	3	2.5	1.47	0.5	7.1
1996	64	7.9	1.00	6.0	10.1	4	2.1	1.06	0.6	5.7
1997	77	9.4	1.09	7.4	11.8	11	6.5	2.03	3.1	11.8
1998	87	10.5	1.14	8.4	13.0	5	2.8	1.29	0.9	6.7
1999	69	8.6	1.05	6.7	10.9	7	4.4	1.78	1.7	9.3
2000	98	11.5	1.17	9.3	14.0	5	2.7	1.25	0.8	6.4
2001	100	11.7	1.18	9.5	14.2	6	2.9	1.26	1.0	6.5
2002	90	10.3	1.09	8.3	12.6	9	3.9	1.36	1.7	7.6
2003	99	10.9	1.11	8.9	13.3	7	3.3	1.31	1.3	6.9
2004	96	10.5	1.08	8.5	12.9	9	4.5	1.57	2.0	8.6
2005	109	11.8	1.14	9.7	14.3	10	3.9	1.28	1.8	7.3
2006	129	13.7	1.21	11.4	16.3	13	5.3	1.56	2.7	9.3
2007	133	14.1	1.23	11.8	16.7	12	5.1	1.54	2.5	9.0
2008	144	14.8	1.24	12.4	17.4	6	1.8	0.73	0.7	4.0
2009	139	14.2	1.22	11.9	16.8	11	4.2	1.33	2.0	7.5
2010	125	12.5	1.13	10.3	14.9	16	5.4	1.42	2.9	8.9
2011	142	13.8	1.18	11.6	16.3	15	4.8	1.30	2.6	8.0
2012	140	13.4	1.15	11.3	15.9	19	5.3	1.25	3.1	8.3
2013	127	12.1	1.09	10.0	14.4	16	4.5	1.16	2.5	7.4
2014	143	13.1	1.12	11.0	15.5	14	3.6	0.98	1.9	6.1
2015	143	13.1	1.12	11.0	15.5	22	5.5	1.21	3.4	8.4
2016	173	16.0	1.24	13.7	18.7	12	2.7	0.79	1.3	4.7
2017	156	13.7	1.12	11.6	16.1	25	5.8	1.18	3.7	8.6
2018	146	12.7	1.07	10.7	15.0	23	5.1	1.08	3.2	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ureter										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,597	0.6	0.01	0.6	0.7	2,436	0.7	0.01	0.7	0.7
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1995	79	0.7	0.08	0.5	0.9	77	0.8	0.09	0.6	1.0
1996	70	0.6	0.07	0.5	0.8	66	0.7	0.08	0.5	0.8
1997	74	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.9
1998	80	0.7	0.08	0.5	0.8	76	0.7	0.08	0.6	0.9
1999	63	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2000	79	0.7	0.07	0.5	0.8	73	0.7	0.08	0.6	0.9
2001	68	0.6	0.07	0.4	0.7	67	0.7	0.08	0.5	0.8
2002	82	0.7	0.08	0.5	0.8	79	0.8	0.08	0.6	0.9
2003	76	0.6	0.07	0.5	0.8	70	0.7	0.08	0.5	0.9
2004	69	0.6	0.07	0.4	0.7	62	0.6	0.07	0.5	0.8
2005	82	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2006	96	0.8	0.08	0.6	0.9	86	0.8	0.09	0.7	1.0
2007	90	0.7	0.08	0.6	0.9	84	0.8	0.08	0.6	1.0
2008	81	0.6	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9
2009	86	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2010	90	0.7	0.07	0.6	0.8	83	0.7	0.08	0.6	0.9
2011	89	0.6	0.07	0.5	0.8	80	0.7	0.08	0.5	0.9
2012	88	0.7	0.07	0.5	0.8	82	0.7	0.08	0.6	0.9
2013	68	0.5	0.06	0.4	0.6	65	0.6	0.07	0.4	0.7
2014	104	0.7	0.07	0.6	0.9	93	0.8	0.08	0.6	1.0
2015	87	0.6	0.07	0.5	0.8	79	0.7	0.08	0.5	0.8
2016	91	0.6	0.07	0.5	0.8	82	0.7	0.08	0.5	0.8
2017	93	0.6	0.07	0.5	0.8	84	0.7	0.07	0.5	0.8
2018	80	0.5	0.06	0.4	0.7	76	0.6	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ureter										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	107	0.2	0.02	0.2	0.3	44	0.4	0.06	0.3	0.5
1986	5	0.5	0.22	0.2	1.1	1	0.9	0.88	0.0	4.6
1987	2	0.2	0.15	0.0	0.7	0				
1988	0					0				
1989	0					0				
1990	2	0.2	0.17	0.0	0.8	0				
1991	2	0.2	0.14	0.0	0.6	0				
1992	2	0.2	0.11	0.0	0.6	1	0.4	0.42	0.0	2.6
1993	3	0.3	0.16	0.1	0.8	0				
1994	1	0.1	0.10	0.0	0.5	2	1.4	1.00	0.2	4.5
1995	1	0.1	0.07	0.0	0.4	1	0.3	0.30	0.0	2.0
1996	3	0.2	0.13	0.1	0.6	1	0.7	0.74	0.0	3.3
1997	2	0.2	0.13	0.0	0.6	0				
1998	1	0.1	0.07	0.0	0.4	1	0.4	0.35	0.0	1.9
1999	5	0.4	0.16	0.1	0.8	2	0.7	0.53	0.1	2.5
2000	6	0.5	0.20	0.2	1.0	0				
2001	0					0				
2002	3	0.2	0.12	0.0	0.6	0				
2003	5	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.6
2004	6	0.4	0.18	0.2	0.9	1	0.2	0.16	0.0	1.1
2005	1	0.1	0.08	0.0	0.4	2	0.5	0.37	0.1	1.8
2006	8	0.6	0.21	0.3	1.2	2	0.4	0.31	0.0	1.6
2007	5	0.3	0.15	0.1	0.7	0				
2008	1	0.1	0.05	0.0	0.3	2	0.3	0.22	0.0	1.2
2009	5	0.3	0.16	0.1	0.8	2	0.3	0.20	0.0	1.1
2010	5	0.4	0.16	0.1	0.8	2	0.4	0.25	0.0	1.3
2011	4	0.2	0.12	0.1	0.6	5	1.1	0.52	0.3	2.5
2012	4	0.3	0.14	0.1	0.7	2	0.4	0.29	0.0	1.4
2013	2	0.1	0.07	0.0	0.4	1	0.1	0.10	0.0	0.7
2014	4	0.2	0.12	0.1	0.6	5	0.8	0.36	0.2	1.8
2015	5	0.3	0.14	0.1	0.7	3	0.4	0.24	0.1	1.2
2016	7	0.3	0.13	0.1	0.7	2	0.4	0.26	0.0	1.2
2017	6	0.3	0.13	0.1	0.7	3	0.4	0.25	0.1	1.2
2018	1	0.1	0.06	0.0	0.3	2	0.3	0.22	0.0	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ureter											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,563	0.9	0.02	0.9	1.0	1,472	1.0	0.03	1.0	1.1	
1986	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4	
1987	30	0.7	0.12	0.4	0.9	29	0.7	0.14	0.5	1.0	
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2	
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7	
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.17	0.8	1.5	
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.5	
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3	
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1	
1994	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6	
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.6	
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5	
1997	50	1.1	0.16	0.8	1.4	47	1.2	0.17	0.9	1.5	
1998	50	1.1	0.15	0.8	1.4	48	1.2	0.17	0.9	1.5	
1999	38	0.8	0.13	0.6	1.1	33	0.8	0.14	0.5	1.1	
2000	44	0.9	0.13	0.6	1.2	40	0.9	0.14	0.7	1.2	
2001	40	0.8	0.13	0.6	1.1	39	0.9	0.14	0.6	1.2	
2002	51	1.0	0.15	0.8	1.4	50	1.2	0.17	0.9	1.5	
2003	47	0.9	0.13	0.7	1.2	44	1.0	0.15	0.7	1.3	
2004	41	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.2	
2005	49	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4	
2006	55	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5	
2007	54	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5	
2008	44	0.8	0.13	0.6	1.1	41	0.9	0.14	0.7	1.2	
2009	51	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.3	
2010	53	0.9	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3	
2011	57	0.9	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4	
2012	52	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3	
2013	43	0.7	0.12	0.5	1.0	42	0.9	0.13	0.6	1.2	
2014	54	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3	
2015	57	1.0	0.13	0.7	1.3	54	1.1	0.15	0.8	1.4	
2016	60	1.0	0.13	0.7	1.2	54	1.0	0.14	0.8	1.3	
2017	53	0.8	0.11	0.6	1.1	49	0.9	0.13	0.7	1.2	
2018	48	0.8	0.11	0.6	1.0	47	0.9	0.13	0.6	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ureter										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	60	0.3	0.04	0.2	0.4	25	0.5	0.11	0.3	0.7
1986	4	1.0	0.52	0.2	2.5	0				
1987	1	0.2	0.17	0.0	1.0	0				
1988	0					0				
1989	0					0				
1990	0					0				
1991	1	0.2	0.15	0.0	1.0	0				
1992	2	0.4	0.27	0.1	1.4	1	0.9	0.92	0.0	6.1
1993	2	0.3	0.24	0.0	1.3	0				
1994	0					2	3.4	2.47	0.4	11.0
1995	1	0.2	0.16	0.0	0.9	1	0.6	0.61	0.0	4.7
1996	1	0.2	0.20	0.0	1.0	0				
1997	2	0.5	0.36	0.1	1.6	0				
1998	1	0.2	0.16	0.0	0.9	0				
1999	3	0.6	0.42	0.1	1.9	2	1.6	1.30	0.1	6.2
2000	4	0.8	0.42	0.2	2.0	0				
2001	0					0				
2002	1	0.2	0.15	0.0	0.9	0				
2003	3	0.4	0.24	0.1	1.3	0				
2004	3	0.5	0.30	0.1	1.5	1	0.3	0.34	0.0	2.6
2005	1	0.2	0.24	0.0	1.1	1	0.7	0.68	0.0	3.4
2006	4	0.7	0.36	0.2	1.8	0				
2007	3	0.4	0.23	0.1	1.2	0				
2008	1	0.1	0.11	0.0	0.7	2	0.6	0.46	0.1	2.7
2009	3	0.6	0.38	0.1	1.7	1	0.3	0.33	0.0	2.1
2010	3	0.5	0.32	0.1	1.5	1	0.3	0.32	0.0	2.0
2011	1	0.1	0.10	0.0	0.7	3	1.7	1.07	0.3	4.8
2012	4	0.7	0.37	0.2	1.8	1	0.7	0.67	0.0	2.9
2013	0					1	0.2	0.23	0.0	1.6
2014	2	0.3	0.21	0.0	1.0	3	1.2	0.76	0.2	3.5
2015	2	0.3	0.20	0.0	1.0	1	0.2	0.24	0.0	1.5
2016	4	0.5	0.27	0.1	1.3	2	0.8	0.58	0.1	2.7
2017	2	0.2	0.15	0.0	0.8	2	0.5	0.38	0.1	2.0
2018	1	0.2	0.19	0.0	0.9	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ureter											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,034	0.4	0.01	0.4	0.5	964	0.5	0.02	0.4	0.5	
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5	
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7	
1988	34	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9	
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6	
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7	
1991	31	0.5	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7	
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7	
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6	
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.4	0.7	
1995	27	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6	
1996	26	0.4	0.07	0.3	0.6	23	0.4	0.08	0.2	0.6	
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6	
1998	30	0.4	0.08	0.3	0.6	28	0.4	0.08	0.3	0.6	
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.3	0.6	
2000	35	0.5	0.08	0.3	0.7	33	0.5	0.09	0.4	0.7	
2001	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7	
2002	31	0.4	0.08	0.3	0.6	29	0.4	0.08	0.3	0.7	
2003	29	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6	
2004	28	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6	
2005	33	0.5	0.08	0.3	0.6	32	0.5	0.09	0.3	0.7	
2006	41	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8	
2007	36	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.8	
2008	37	0.5	0.08	0.3	0.7	37	0.6	0.10	0.4	0.8	
2009	35	0.5	0.08	0.3	0.7	32	0.5	0.09	0.3	0.7	
2010	37	0.5	0.08	0.4	0.7	34	0.5	0.09	0.4	0.8	
2011	32	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6	
2012	36	0.5	0.08	0.3	0.6	35	0.5	0.09	0.4	0.8	
2013	25	0.3	0.06	0.2	0.5	23	0.3	0.07	0.2	0.5	
2014	50	0.6	0.09	0.5	0.8	46	0.7	0.10	0.5	0.9	
2015	30	0.3	0.06	0.2	0.5	25	0.3	0.07	0.2	0.5	
2016	31	0.4	0.07	0.3	0.6	28	0.4	0.08	0.3	0.6	
2017	40	0.5	0.08	0.3	0.6	35	0.5	0.09	0.3	0.7	
2018	32	0.4	0.07	0.3	0.5	29	0.4	0.08	0.3	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ureter										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	47	0.2	0.03	0.1	0.2	19	0.3	0.07	0.2	0.5
1986	1	0.2	0.16	0.0	0.8	1	1.5	1.54	0.0	8.0
1987	1	0.2	0.20	0.0	0.9	0				
1988	0					0				
1989	0					0				
1990	2	0.4	0.26	0.0	1.2	0				
1991	1	0.2	0.18	0.0	0.9	0				
1992	0					0				
1993	1	0.2	0.17	0.0	0.8	0				
1994	1	0.2	0.16	0.0	0.8	0				
1995	0					0				
1996	2	0.3	0.17	0.0	0.9	1	1.2	1.23	0.0	5.5
1997	0					0				
1998	0					1	0.6	0.63	0.0	3.4
1999	2	0.2	0.16	0.0	0.8	0				
2000	2	0.3	0.19	0.0	0.9	0				
2001	0					0				
2002	2	0.2	0.17	0.0	0.8	0				
2003	2	0.2	0.15	0.0	0.8	1	0.6	0.59	0.0	2.9
2004	3	0.4	0.22	0.1	1.1	0				
2005	0					1	0.4	0.40	0.0	2.2
2006	4	0.5	0.25	0.1	1.3	2	0.8	0.57	0.1	2.8
2007	2	0.2	0.17	0.0	0.8	0				
2008	0					0				
2009	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.6
2010	2	0.2	0.16	0.0	0.8	1	0.4	0.38	0.0	2.0
2011	3	0.3	0.20	0.1	1.0	2	0.7	0.51	0.1	2.4
2012	0					1	0.2	0.22	0.0	1.4
2013	2	0.2	0.14	0.0	0.7	0				
2014	2	0.2	0.13	0.0	0.7	2	0.6	0.40	0.1	2.0
2015	3	0.3	0.19	0.1	0.9	2	0.5	0.39	0.1	1.9
2016	3	0.2	0.14	0.1	0.8	0				
2017	4	0.4	0.19	0.1	1.0	1	0.3	0.32	0.0	1.6
2018	0					2	0.5	0.38	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Eye and Orbit										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,221	0.8	0.01	0.8	0.8	2,975	0.9	0.02	0.8	0.9
1986	65	0.6	0.08	0.5	0.8	62	0.7	0.09	0.5	0.9
1987	83	0.8	0.09	0.6	1.0	74	0.8	0.09	0.6	1.0
1988	83	0.8	0.08	0.6	0.9	73	0.8	0.09	0.6	1.0
1989	63	0.6	0.07	0.4	0.7	58	0.6	0.08	0.5	0.8
1990	66	0.6	0.07	0.5	0.8	56	0.6	0.08	0.5	0.8
1991	72	0.6	0.08	0.5	0.8	65	0.7	0.08	0.5	0.9
1992	97	0.8	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1993	78	0.7	0.08	0.5	0.8	71	0.7	0.09	0.6	0.9
1994	81	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	0.9
1995	96	0.8	0.08	0.7	1.0	88	0.9	0.10	0.7	1.1
1996	118	1.0	0.09	0.8	1.2	106	1.1	0.11	0.9	1.3
1997	80	0.7	0.08	0.5	0.9	76	0.8	0.09	0.6	1.0
1998	68	0.6	0.07	0.4	0.7	64	0.6	0.08	0.5	0.8
1999	94	0.8	0.08	0.6	1.0	90	0.9	0.09	0.7	1.1
2000	95	0.8	0.08	0.6	1.0	88	0.9	0.09	0.7	1.1
2001	105	0.9	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2002	91	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
2003	127	1.0	0.09	0.9	1.2	124	1.2	0.11	1.0	1.4
2004	103	0.8	0.08	0.7	1.0	97	0.9	0.09	0.8	1.1
2005	123	1.0	0.09	0.8	1.2	116	1.1	0.10	0.9	1.3
2006	107	0.8	0.08	0.7	1.0	104	1.0	0.10	0.8	1.2
2007	122	1.0	0.09	0.8	1.1	119	1.1	0.10	0.9	1.4
2008	101	0.8	0.08	0.6	0.9	92	0.9	0.09	0.7	1.0
2009	144	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.5
2010	105	0.8	0.08	0.7	1.0	100	0.9	0.09	0.8	1.1
2011	115	0.9	0.08	0.7	1.1	101	0.9	0.09	0.8	1.1
2012	103	0.7	0.07	0.6	0.9	97	0.8	0.09	0.7	1.0
2013	118	0.9	0.08	0.7	1.0	106	0.9	0.09	0.8	1.1
2014	91	0.6	0.07	0.5	0.8	83	0.7	0.08	0.6	0.9
2015	108	0.8	0.08	0.6	0.9	101	0.9	0.09	0.7	1.1
2016	114	0.8	0.07	0.6	0.9	104	0.9	0.09	0.7	1.1
2017	97	0.7	0.07	0.5	0.8	91	0.8	0.08	0.6	0.9
2018	108	0.7	0.07	0.6	0.9	99	0.8	0.08	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Eye and Orbit										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	145	0.2	0.02	0.2	0.3	45	0.3	0.05	0.2	0.4
1986	2	0.1	0.09	0.0	0.5	1	0.9	0.88	0.0	4.6
1987	6	0.4	0.17	0.1	0.9	1	0.3	0.29	0.0	3.0
1988	8	0.4	0.15	0.2	0.8	2	0.6	0.40	0.1	3.2
1989	4	0.2	0.09	0.1	0.6	1	0.3	0.28	0.0	2.7
1990	8	0.5	0.19	0.2	1.0	1	0.3	0.25	0.0	2.6
1991	2	0.1	0.07	0.0	0.4	0				
1992	9	0.5	0.18	0.2	1.0	0				
1993	4	0.2	0.10	0.0	0.5	1	0.3	0.25	0.0	2.1
1994	5	0.3	0.14	0.1	0.7	0				
1995	5	0.2	0.10	0.1	0.6	0				
1996	6	0.3	0.15	0.1	0.8	4	1.5	0.80	0.3	3.9
1997	3	0.2	0.09	0.0	0.5	1	0.2	0.21	0.0	1.7
1998	2	0.1	0.09	0.0	0.4	1	0.2	0.20	0.0	1.6
1999	4	0.2	0.10	0.1	0.5	0				
2000	3	0.2	0.12	0.0	0.6	2	0.6	0.50	0.1	2.4
2001	7	0.4	0.14	0.1	0.8	2	0.9	0.69	0.1	3.0
2002	8	0.3	0.12	0.2	0.7	3	0.5	0.31	0.1	1.8
2003	1	0.0	0.04	0.0	0.3	0				
2004	3	0.1	0.08	0.0	0.4	0				
2005	4	0.2	0.09	0.1	0.5	2	0.5	0.40	0.1	1.9
2006	1	0.1	0.05	0.0	0.3	1	0.2	0.16	0.0	1.1
2007	1	0.0	0.04	0.0	0.3	1	0.1	0.14	0.0	1.0
2008	4	0.2	0.09	0.1	0.5	3	0.4	0.23	0.1	1.3
2009	8	0.4	0.15	0.2	0.8	0				
2010	4	0.2	0.12	0.1	0.6	1	0.1	0.13	0.0	0.9
2011	7	0.4	0.13	0.1	0.7	3	0.7	0.43	0.2	2.0
2012	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.8
2013	6	0.3	0.13	0.1	0.7	2	0.3	0.20	0.0	1.0
2014	5	0.3	0.12	0.1	0.6	1	0.2	0.15	0.0	0.8
2015	3	0.2	0.10	0.0	0.5	3	0.4	0.25	0.1	1.2
2016	2	0.1	0.08	0.0	0.4	4	0.5	0.23	0.1	1.2
2017	3	0.2	0.09	0.0	0.5	2	0.3	0.18	0.0	0.9
2018	5	0.3	0.11	0.1	0.6	1	0.1	0.12	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Eye and Orbit											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,703	0.9	0.02	0.9	1.0	1,570	1.0	0.03	1.0	1.1	
1986	36	0.8	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2	
1987	40	0.8	0.14	0.6	1.1	35	0.9	0.15	0.6	1.2	
1988	43	0.9	0.14	0.6	1.2	37	0.9	0.15	0.6	1.2	
1989	27	0.6	0.12	0.4	0.9	24	0.6	0.13	0.4	0.9	
1990	35	0.7	0.12	0.5	1.0	30	0.7	0.13	0.5	1.0	
1991	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1	
1992	50	1.0	0.14	0.7	1.3	44	1.0	0.16	0.7	1.4	
1993	38	0.7	0.12	0.5	1.0	35	0.8	0.14	0.6	1.1	
1994	41	0.8	0.13	0.6	1.1	39	0.9	0.15	0.6	1.2	
1995	54	1.0	0.14	0.7	1.3	49	1.1	0.15	0.8	1.4	
1996	65	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.7	
1997	46	0.9	0.14	0.7	1.2	42	1.0	0.15	0.7	1.3	
1998	32	0.6	0.11	0.4	0.9	31	0.7	0.12	0.5	1.0	
1999	50	1.0	0.14	0.7	1.3	50	1.1	0.16	0.8	1.5	
2000	56	1.1	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5	
2001	54	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4	
2002	58	1.0	0.14	0.8	1.3	50	1.1	0.15	0.8	1.4	
2003	64	1.2	0.15	0.9	1.5	63	1.3	0.17	1.0	1.7	
2004	50	0.9	0.13	0.7	1.2	46	1.0	0.15	0.7	1.3	
2005	69	1.2	0.14	0.9	1.5	66	1.4	0.17	1.0	1.7	
2006	54	0.9	0.13	0.7	1.2	53	1.1	0.15	0.8	1.4	
2007	60	1.0	0.13	0.8	1.3	59	1.2	0.16	0.9	1.6	
2008	58	1.0	0.13	0.8	1.3	56	1.2	0.16	0.9	1.5	
2009	83	1.3	0.15	1.1	1.6	76	1.5	0.17	1.1	1.8	
2010	54	0.9	0.13	0.7	1.2	52	1.1	0.15	0.8	1.4	
2011	66	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5	
2012	54	0.9	0.12	0.7	1.2	53	1.0	0.14	0.8	1.4	
2013	66	1.1	0.13	0.8	1.3	59	1.1	0.15	0.9	1.5	
2014	50	0.7	0.10	0.5	1.0	45	0.8	0.12	0.6	1.1	
2015	52	0.8	0.11	0.6	1.1	48	0.9	0.13	0.7	1.2	
2016	59	0.9	0.11	0.6	1.1	52	0.9	0.13	0.7	1.2	
2017	56	0.9	0.12	0.6	1.1	54	1.0	0.14	0.7	1.3	
2018	49	0.7	0.10	0.5	0.9	42	0.7	0.11	0.5	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Eye and Orbit										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	81	0.3	0.03	0.2	0.4	24	0.3	0.08	0.2	0.5
1986	2	0.3	0.19	0.0	1.1	0				
1987	4	0.5	0.28	0.1	1.6	1	0.6	0.56	0.0	6.9
1988	4	0.5	0.28	0.1	1.5	2	1.1	0.79	0.1	7.1
1989	2	0.2	0.14	0.0	1.0	1	0.5	0.53	0.0	6.2
1990	5	0.5	0.26	0.2	1.5	0				
1991	1	0.1	0.13	0.0	0.9	0				
1992	6	0.5	0.23	0.2	1.4	0				
1993	2	0.1	0.10	0.0	0.8	0				
1994	2	0.2	0.19	0.0	1.1	0				
1995	3	0.3	0.19	0.1	1.1	0				
1996	5	0.7	0.34	0.2	1.7	2	2.3	1.71	0.2	8.0
1997	3	0.3	0.20	0.1	1.1	1	0.4	0.42	0.0	3.9
1998	0					0				
1999	0					0				
2000	3	0.6	0.40	0.1	1.8	1	0.4	0.35	0.0	3.2
2001	4	0.5	0.29	0.1	1.5	2	2.4	2.08	0.2	8.6
2002	5	0.4	0.19	0.1	1.1	2	0.7	0.48	0.1	3.3
2003	1	0.1	0.09	0.0	0.7	0				
2004	1	0.1	0.09	0.0	0.7	0				
2005	3	0.3	0.15	0.1	0.9	0				
2006	1	0.1	0.09	0.0	0.7	0				
2007	0					1	0.3	0.28	0.0	2.2
2008	1	0.1	0.09	0.0	0.7	0				
2009	6	0.7	0.28	0.2	1.5	0				
2010	1	0.2	0.21	0.0	1.0	1	0.3	0.26	0.0	1.9
2011	2	0.2	0.17	0.0	0.9	1	0.6	0.59	0.0	2.8
2012	0					1	0.3	0.25	0.0	1.7
2013	3	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	1.7
2014	3	0.3	0.20	0.1	1.0	1	0.3	0.29	0.0	1.7
2015	1	0.2	0.15	0.0	0.8	3	0.9	0.51	0.2	2.6
2016	2	0.3	0.21	0.0	1.0	2	0.5	0.35	0.1	1.9
2017	2	0.2	0.15	0.0	0.8	0				
2018	3	0.3	0.17	0.1	0.9	1	0.3	0.26	0.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Eye and Orbit											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,518	0.7	0.02	0.7	0.7	1,405	0.8	0.02	0.7	0.8	
1986	29	0.5	0.10	0.3	0.8	28	0.6	0.12	0.4	0.9	
1987	43	0.7	0.11	0.5	1.0	39	0.8	0.13	0.5	1.1	
1988	40	0.7	0.11	0.5	0.9	36	0.7	0.12	0.5	1.0	
1989	36	0.6	0.11	0.4	0.9	34	0.7	0.12	0.5	1.0	
1990	31	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.7	
1991	38	0.6	0.10	0.4	0.9	34	0.6	0.11	0.4	0.9	
1992	47	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1	
1993	40	0.6	0.10	0.5	0.9	36	0.7	0.11	0.5	0.9	
1994	40	0.6	0.10	0.4	0.9	36	0.7	0.11	0.5	0.9	
1995	42	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0	
1996	53	0.8	0.12	0.6	1.1	50	0.9	0.13	0.7	1.2	
1997	34	0.5	0.09	0.4	0.7	34	0.6	0.11	0.4	0.9	
1998	36	0.6	0.09	0.4	0.8	33	0.6	0.11	0.4	0.9	
1999	44	0.7	0.10	0.5	0.9	40	0.8	0.12	0.5	1.0	
2000	39	0.6	0.09	0.4	0.8	37	0.7	0.11	0.5	0.9	
2001	51	0.8	0.11	0.6	1.0	46	0.9	0.13	0.6	1.1	
2002	33	0.5	0.08	0.3	0.7	29	0.5	0.10	0.3	0.7	
2003	63	0.9	0.12	0.7	1.2	61	1.1	0.14	0.8	1.4	
2004	53	0.8	0.11	0.6	1.0	51	0.9	0.13	0.7	1.2	
2005	54	0.8	0.11	0.6	1.1	50	0.9	0.13	0.7	1.2	
2006	53	0.8	0.11	0.6	1.0	51	0.9	0.13	0.7	1.2	
2007	62	0.9	0.12	0.7	1.2	60	1.1	0.14	0.8	1.4	
2008	43	0.6	0.10	0.4	0.8	36	0.6	0.10	0.4	0.9	
2009	61	0.9	0.11	0.7	1.1	59	1.1	0.14	0.8	1.4	
2010	51	0.7	0.10	0.5	1.0	48	0.8	0.12	0.6	1.1	
2011	49	0.7	0.10	0.5	0.9	40	0.7	0.12	0.5	1.0	
2012	49	0.7	0.10	0.5	0.9	44	0.7	0.11	0.5	1.0	
2013	52	0.7	0.10	0.5	1.0	47	0.8	0.12	0.6	1.1	
2014	41	0.5	0.08	0.4	0.7	38	0.6	0.10	0.4	0.8	
2015	56	0.8	0.10	0.6	1.0	53	0.9	0.12	0.7	1.2	
2016	55	0.7	0.10	0.5	1.0	52	0.9	0.12	0.6	1.1	
2017	41	0.5	0.08	0.4	0.7	37	0.5	0.09	0.4	0.8	
2018	59	0.7	0.10	0.6	1.0	57	0.9	0.12	0.7	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Eye and Orbit											
Females											
Blacks							Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	64	0.2	0.02	0.1	0.2	21	0.3	0.06	0.2	0.4	
1986	0					1	1.5	1.54	0.0	8.0	
1987	2	0.2	0.18	0.0	0.9	0					
1988	4	0.3	0.17	0.1	1.0	0					
1989	2	0.2	0.14	0.0	0.8	0					
1990	3	0.4	0.23	0.1	1.2	1	0.5	0.51	0.0	4.7	
1991	1	0.1	0.08	0.0	0.6	0					
1992	3	0.4	0.23	0.1	1.1	0					
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.52	0.0	3.9	
1994	3	0.3	0.20	0.1	1.0	0					
1995	2	0.1	0.10	0.0	0.6	0					
1996	1	0.1	0.07	0.0	0.5	2	1.0	0.73	0.1	4.1	
1997	0					0					
1998	2	0.2	0.15	0.0	0.8	1	0.4	0.40	0.0	2.8	
1999	4	0.4	0.19	0.1	1.0	0					
2000	0					1	0.8	0.79	0.0	3.7	
2001	3	0.3	0.14	0.1	0.8	0					
2002	3	0.3	0.15	0.1	0.8	1	0.4	0.39	0.0	2.4	
2003	0					0					
2004	2	0.2	0.13	0.0	0.7	0					
2005	1	0.1	0.09	0.0	0.6	2	0.9	0.70	0.1	3.3	
2006	0					1	0.3	0.30	0.0	1.9	
2007	1	0.1	0.09	0.0	0.5	0					
2008	3	0.3	0.16	0.1	0.8	3	0.8	0.47	0.2	2.6	
2009	2	0.2	0.14	0.0	0.7	0					
2010	3	0.3	0.16	0.1	0.8	0					
2011	5	0.5	0.21	0.2	1.1	2	0.8	0.58	0.1	2.7	
2012	2	0.2	0.14	0.0	0.7	0					
2013	3	0.3	0.17	0.1	0.9	1	0.3	0.27	0.0	1.5	
2014	2	0.2	0.13	0.0	0.7	0					
2015	2	0.2	0.14	0.0	0.7	0					
2016	0					2	0.4	0.28	0.1	1.6	
2017	1	0.1	0.10	0.0	0.6	2	0.5	0.36	0.1	1.8	
2018	2	0.2	0.15	0.0	0.8	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain and Other Nervous System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	26,454	6.4	0.04	6.4	6.5	23,584	6.9	0.05	6.9	7.0
1986	652	5.9	0.24	5.5	6.4	598	6.3	0.26	5.8	6.9
1987	681	6.3	0.25	5.8	6.8	608	6.6	0.27	6.1	7.1
1988	711	6.4	0.24	6.0	6.9	635	6.7	0.27	6.2	7.3
1989	757	6.8	0.25	6.4	7.4	685	7.3	0.28	6.7	7.8
1990	680	6.1	0.24	5.6	6.5	625	6.6	0.27	6.1	7.1
1991	727	6.5	0.24	6.0	6.9	669	7.0	0.27	6.5	7.5
1992	711	6.3	0.24	5.8	6.7	639	6.6	0.26	6.1	7.2
1993	716	6.2	0.23	5.8	6.7	645	6.6	0.26	6.1	7.2
1994	770	6.7	0.24	6.2	7.1	685	7.0	0.27	6.5	7.5
1995	725	6.2	0.23	5.8	6.7	667	6.8	0.27	6.3	7.4
1996	761	6.4	0.23	6.0	6.9	684	6.9	0.26	6.4	7.4
1997	797	6.7	0.24	6.3	7.2	722	7.3	0.27	6.8	7.8
1998	756	6.3	0.23	5.9	6.8	668	6.7	0.26	6.2	7.2
1999	791	6.6	0.23	6.1	7.0	702	7.0	0.26	6.5	7.5
2000	774	6.4	0.23	5.9	6.8	693	6.9	0.26	6.4	7.4
2001	795	6.5	0.23	6.1	7.0	724	7.1	0.27	6.6	7.7
2002	763	6.2	0.22	5.8	6.6	685	6.7	0.26	6.2	7.2
2003	802	6.5	0.23	6.0	6.9	724	7.1	0.26	6.5	7.6
2004	854	6.8	0.23	6.4	7.3	766	7.4	0.27	6.9	8.0
2005	811	6.4	0.23	6.0	6.9	716	6.9	0.26	6.4	7.4
2006	893	7.0	0.24	6.6	7.5	786	7.6	0.27	7.0	8.1
2007	835	6.5	0.23	6.1	6.9	737	7.0	0.26	6.5	7.5
2008	896	6.9	0.23	6.5	7.4	793	7.4	0.27	6.9	8.0
2009	845	6.5	0.22	6.0	6.9	749	7.0	0.26	6.5	7.5
2010	902	6.8	0.23	6.4	7.3	795	7.4	0.27	6.9	7.9
2011	914	6.8	0.23	6.4	7.3	796	7.3	0.26	6.8	7.9
2012	839	6.1	0.21	5.7	6.5	744	6.6	0.25	6.2	7.1
2013	850	6.3	0.22	5.8	6.7	765	7.0	0.26	6.5	7.5
2014	891	6.5	0.22	6.1	6.9	779	7.0	0.26	6.5	7.5
2015	908	6.5	0.22	6.1	7.0	798	7.1	0.26	6.6	7.7
2016	899	6.4	0.22	6.0	6.8	767	6.8	0.25	6.3	7.3
2017	876	6.2	0.22	5.8	6.7	779	6.9	0.25	6.4	7.4
2018	872	6.3	0.22	5.9	6.7	756	6.8	0.26	6.3	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain and Other Nervous System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,194	3.9	0.09	3.8	4.1	533	3.4	0.16	3.1	3.7
1986	53	3.7	0.53	2.7	4.9	1	0.4	0.42	0.0	3.4
1987	66	4.9	0.63	3.7	6.3	6	2.5	1.06	0.9	6.1
1988	69	4.7	0.60	3.6	6.1	6	2.8	1.34	0.8	6.9
1989	65	4.4	0.58	3.4	5.7	6	2.9	1.39	0.8	7.0
1990	48	3.3	0.50	2.4	4.4	7	3.0	1.22	1.1	6.7
1991	46	3.2	0.49	2.3	4.3	6	2.4	1.04	0.8	5.6
1992	67	4.3	0.55	3.3	5.6	4	1.6	0.81	0.4	4.3
1993	58	3.8	0.52	2.9	5.0	12	4.3	1.35	2.1	7.9
1994	77	5.0	0.60	3.9	6.3	5	1.4	0.62	0.4	3.6
1995	52	3.4	0.49	2.5	4.5	5	1.6	0.82	0.4	4.1
1996	63	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	6.0
1997	53	3.2	0.45	2.3	4.2	18	4.9	1.24	2.8	8.1
1998	67	4.0	0.51	3.1	5.2	18	5.5	1.50	3.0	9.2
1999	68	4.2	0.52	3.2	5.3	14	3.5	0.99	1.8	6.0
2000	68	4.1	0.52	3.2	5.3	11	2.5	0.79	1.2	4.7
2001	51	3.2	0.47	2.4	4.3	17	3.8	1.01	2.1	6.4
2002	56	3.3	0.46	2.5	4.4	19	3.8	0.88	2.2	6.0
2003	59	3.6	0.48	2.7	4.7	14	3.4	1.06	1.6	6.1
2004	67	4.0	0.50	3.1	5.1	15	2.9	0.80	1.5	4.9
2005	72	4.1	0.50	3.2	5.2	14	2.8	0.80	1.5	4.8
2006	81	4.8	0.55	3.8	6.0	20	4.1	0.96	2.4	6.4
2007	68	3.9	0.48	3.0	4.9	26	4.4	0.93	2.8	6.6
2008	73	4.0	0.48	3.1	5.0	24	4.0	0.86	2.5	6.0
2009	66	3.7	0.47	2.9	4.8	22	3.5	0.81	2.1	5.5
2010	78	4.2	0.49	3.3	5.3	24	4.2	0.91	2.6	6.3
2011	88	4.8	0.52	3.8	5.9	22	3.1	0.67	1.9	4.7
2012	59	3.1	0.41	2.3	4.0	27	3.9	0.79	2.5	5.8
2013	59	3.3	0.43	2.5	4.2	20	3.1	0.72	1.8	4.8
2014	70	3.7	0.45	2.9	4.7	34	4.7	0.83	3.2	6.6
2015	77	4.0	0.47	3.2	5.0	26	3.4	0.68	2.2	5.0
2016	96	4.9	0.51	4.0	6.0	28	3.6	0.70	2.4	5.2
2017	72	3.8	0.46	3.0	4.9	21	2.5	0.55	1.5	3.8
2018	82	4.3	0.48	3.4	5.3	28	3.5	0.66	2.3	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain and Other Nervous System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	14,381	7.6	0.06	7.5	7.7	12,868	8.1	0.07	8.0	8.3
1986	335	6.6	0.37	5.9	7.4	313	7.2	0.42	6.4	8.1
1987	372	7.6	0.41	6.8	8.4	330	7.8	0.44	7.0	8.8
1988	380	7.5	0.40	6.8	8.3	349	8.0	0.44	7.2	9.0
1989	396	7.9	0.41	7.1	8.8	359	8.4	0.45	7.5	9.3
1990	375	7.3	0.39	6.6	8.1	344	7.8	0.43	7.0	8.7
1991	397	7.8	0.40	7.0	8.6	368	8.4	0.45	7.6	9.4
1992	388	7.6	0.39	6.8	8.4	352	8.1	0.44	7.2	9.0
1993	392	7.6	0.39	6.8	8.4	357	8.1	0.44	7.3	9.0
1994	433	8.3	0.41	7.5	9.1	388	8.7	0.45	7.9	9.7
1995	399	7.4	0.38	6.7	8.2	373	8.2	0.43	7.4	9.1
1996	417	7.6	0.38	6.9	8.4	380	8.2	0.43	7.4	9.1
1997	452	8.4	0.40	7.6	9.2	405	8.9	0.45	8.1	9.8
1998	417	7.6	0.38	6.9	8.3	366	8.0	0.42	7.2	8.8
1999	430	7.9	0.38	7.1	8.7	380	8.3	0.43	7.5	9.1
2000	404	7.2	0.36	6.6	8.0	361	7.7	0.41	6.9	8.5
2001	442	8.0	0.38	7.2	8.7	399	8.5	0.43	7.7	9.4
2002	383	6.7	0.35	6.1	7.4	346	7.3	0.39	6.5	8.1
2003	446	7.8	0.37	7.1	8.5	401	8.4	0.42	7.5	9.2
2004	442	7.8	0.37	7.1	8.5	399	8.4	0.42	7.6	9.3
2005	442	7.6	0.36	6.9	8.3	392	8.0	0.41	7.3	8.9
2006	489	8.3	0.38	7.6	9.1	438	9.0	0.43	8.2	9.9
2007	432	7.1	0.35	6.5	7.9	380	7.6	0.40	6.9	8.4
2008	468	7.8	0.37	7.1	8.6	412	8.3	0.42	7.5	9.2
2009	455	7.5	0.36	6.8	8.2	403	8.0	0.41	7.2	8.9
2010	495	8.0	0.37	7.3	8.8	444	8.7	0.42	7.9	9.6
2011	505	8.2	0.37	7.5	8.9	438	8.6	0.42	7.8	9.5
2012	467	7.2	0.34	6.6	7.9	416	7.8	0.39	7.1	8.6
2013	475	7.4	0.35	6.7	8.1	423	8.1	0.40	7.3	8.9
2014	470	7.3	0.34	6.7	8.0	423	8.0	0.40	7.3	8.9
2015	520	7.9	0.35	7.2	8.6	457	8.5	0.41	7.7	9.4
2016	488	7.3	0.34	6.7	8.0	425	7.8	0.39	7.1	8.6
2017	500	7.6	0.35	6.9	8.3	441	8.2	0.40	7.4	9.0
2018	475	7.2	0.34	6.5	7.9	406	7.6	0.39	6.9	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain and Other Nervous System										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,158	4.7	0.15	4.4	5.0	282	3.8	0.24	3.3	4.3
1986	21	3.4	0.76	2.0	5.2	1	0.9	0.85	0.0	7.8
1987	37	6.2	1.10	4.3	8.8	4	3.5	1.80	0.9	10.9
1988	28	4.3	0.87	2.8	6.4	2	1.1	0.79	0.1	7.2
1989	33	5.0	0.96	3.3	7.2	4	2.2	1.12	0.6	8.1
1990	29	4.3	0.86	2.8	6.3	2	2.2	1.56	0.3	8.8
1991	25	4.2	0.93	2.6	6.4	2	1.2	0.86	0.1	6.5
1992	33	4.7	0.86	3.2	6.7	2	1.2	0.88	0.2	6.2
1993	28	4.0	0.81	2.6	6.0	7	5.8	2.53	2.0	13.3
1994	42	6.5	1.07	4.5	8.9	3	1.8	1.08	0.4	6.5
1995	23	3.4	0.79	2.0	5.3	3	1.5	0.85	0.3	5.7
1996	27	3.2	0.64	2.1	4.7	9	5.2	1.87	2.2	10.8
1997	32	4.6	0.90	3.0	6.7	12	7.6	2.44	3.6	14.2
1998	39	4.8	0.83	3.3	6.7	10	5.8	1.93	2.6	11.3
1999	36	5.0	0.88	3.4	7.0	9	4.4	1.56	1.9	9.1
2000	36	5.2	0.96	3.5	7.4	5	2.1	0.98	0.6	5.6
2001	33	5.0	0.94	3.4	7.2	9	4.9	1.88	1.9	10.1
2002	26	4.0	0.88	2.5	6.1	10	4.4	1.45	2.0	8.6
2003	36	4.9	0.85	3.4	6.9	7	4.0	1.79	1.3	8.9
2004	32	4.2	0.81	2.8	6.1	9	3.9	1.48	1.6	8.0
2005	39	5.0	0.84	3.5	7.0	6	2.6	1.16	0.9	6.1
2006	38	5.2	0.92	3.6	7.4	10	4.3	1.49	1.9	8.3
2007	32	3.9	0.72	2.7	5.6	17	5.6	1.47	3.1	9.5
2008	38	4.5	0.75	3.1	6.2	15	5.1	1.42	2.7	8.8
2009	37	4.5	0.78	3.1	6.3	12	4.3	1.44	2.0	8.1
2010	37	4.7	0.82	3.3	6.6	12	3.7	1.09	1.9	6.7
2011	54	6.6	0.93	4.9	8.6	9	2.9	1.01	1.2	5.7
2012	32	3.6	0.65	2.4	5.1	15	5.5	1.60	2.9	9.5
2013	37	4.2	0.72	2.9	5.9	12	4.0	1.25	1.9	7.2
2014	33	4.0	0.73	2.7	5.7	10	2.7	0.85	1.3	5.0
2015	42	5.0	0.79	3.5	6.8	17	4.9	1.27	2.7	8.1
2016	48	5.6	0.83	4.0	7.4	10	2.5	0.79	1.2	4.6
2017	44	5.2	0.81	3.8	7.1	13	3.1	0.87	1.6	5.4
2018	51	5.8	0.83	4.2	7.6	14	3.6	0.98	2.0	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain and Other Nervous System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	12,073	5.5	0.05	5.4	5.6	10,716	5.9	0.06	5.8	6.0
1986	317	5.3	0.30	4.7	5.9	285	5.6	0.34	4.9	6.3
1987	309	5.2	0.30	4.6	5.8	278	5.5	0.34	4.9	6.2
1988	331	5.5	0.31	5.0	6.2	286	5.6	0.34	5.0	6.4
1989	361	6.1	0.33	5.5	6.8	326	6.5	0.37	5.8	7.3
1990	305	5.1	0.29	4.5	5.7	281	5.5	0.34	4.9	6.2
1991	330	5.3	0.30	4.8	5.9	301	5.7	0.34	5.1	6.4
1992	323	5.2	0.29	4.6	5.8	287	5.5	0.33	4.8	6.1
1993	324	5.1	0.29	4.6	5.7	288	5.4	0.32	4.8	6.1
1994	337	5.3	0.29	4.7	5.9	297	5.5	0.32	4.9	6.2
1995	326	5.2	0.29	4.6	5.8	294	5.6	0.33	5.0	6.3
1996	344	5.4	0.29	4.8	6.0	304	5.7	0.33	5.1	6.4
1997	345	5.4	0.29	4.8	6.0	317	6.0	0.34	5.3	6.7
1998	339	5.3	0.29	4.7	5.9	302	5.7	0.33	5.1	6.4
1999	361	5.5	0.29	4.9	6.1	322	5.9	0.33	5.3	6.6
2000	370	5.7	0.30	5.1	6.3	332	6.2	0.34	5.5	6.9
2001	353	5.4	0.29	4.8	6.0	325	6.0	0.34	5.4	6.7
2002	380	5.7	0.30	5.2	6.4	339	6.2	0.34	5.6	6.9
2003	356	5.3	0.28	4.8	5.9	323	5.9	0.33	5.3	6.6
2004	412	6.1	0.30	5.6	6.8	367	6.7	0.35	6.0	7.5
2005	369	5.5	0.29	4.9	6.1	324	5.9	0.33	5.3	6.6
2006	404	6.0	0.30	5.4	6.6	348	6.4	0.34	5.7	7.1
2007	403	5.9	0.30	5.3	6.5	357	6.5	0.35	5.8	7.2
2008	428	6.1	0.30	5.6	6.8	381	6.7	0.35	6.1	7.5
2009	390	5.6	0.29	5.1	6.2	346	6.2	0.34	5.5	6.9
2010	407	5.7	0.29	5.2	6.3	351	6.1	0.33	5.5	6.8
2011	409	5.7	0.29	5.2	6.3	358	6.3	0.34	5.6	7.0
2012	372	5.2	0.28	4.7	5.8	328	5.7	0.32	5.0	6.3
2013	375	5.2	0.28	4.7	5.8	342	5.9	0.33	5.3	6.6
2014	421	5.8	0.29	5.2	6.4	356	6.1	0.34	5.5	6.8
2015	388	5.4	0.28	4.8	5.9	341	5.9	0.33	5.3	6.6
2016	411	5.6	0.28	5.1	6.2	342	5.9	0.33	5.2	6.5
2017	376	5.0	0.27	4.5	5.5	338	5.6	0.32	5.0	6.3
2018	397	5.5	0.28	5.0	6.1	350	6.1	0.34	5.5	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain and Other Nervous System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,036	3.4	0.11	3.2	3.6	251	3.1	0.20	2.7	3.5
1986	32	3.9	0.72	2.6	5.6	0				
1987	29	3.8	0.74	2.5	5.6	2	1.6	1.21	0.2	7.1
1988	41	5.1	0.82	3.6	7.0	4	4.2	2.30	0.9	11.4
1989	32	4.0	0.74	2.7	5.7	2	3.1	2.17	0.4	10.1
1990	19	2.4	0.56	1.4	3.7	5	3.8	1.80	1.1	9.7
1991	21	2.5	0.56	1.5	3.8	4	3.3	1.71	0.8	8.9
1992	34	4.0	0.70	2.7	5.6	2	1.7	1.25	0.2	6.4
1993	30	3.6	0.67	2.4	5.2	5	3.2	1.44	1.0	7.8
1994	35	4.0	0.69	2.7	5.6	2	1.0	0.70	0.1	4.3
1995	29	3.5	0.65	2.3	5.0	2	1.5	1.18	0.1	5.6
1996	36	4.1	0.70	2.8	5.7	4	1.8	0.91	0.5	5.1
1997	21	2.2	0.49	1.3	3.4	6	2.8	1.17	1.0	6.5
1998	28	3.2	0.63	2.1	4.7	8	4.8	1.98	1.8	10.1
1999	32	3.5	0.62	2.4	4.9	5	2.6	1.23	0.8	6.3
2000	32	3.5	0.63	2.4	4.9	6	2.9	1.20	1.0	6.4
2001	18	2.0	0.47	1.1	3.1	8	3.2	1.17	1.3	6.5
2002	30	3.1	0.58	2.1	4.5	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	35	3.7	0.64	2.6	5.2	6	2.1	0.89	0.7	4.7
2005	33	3.4	0.59	2.3	4.7	8	2.9	1.09	1.2	5.9
2006	43	4.4	0.69	3.2	6.0	10	3.9	1.28	1.8	7.3
2007	36	3.7	0.62	2.6	5.1	9	3.2	1.13	1.4	6.2
2008	35	3.5	0.60	2.4	4.9	9	2.9	1.01	1.3	5.6
2009	29	3.1	0.58	2.1	4.5	10	3.0	0.98	1.4	5.6
2010	41	3.9	0.62	2.8	5.4	12	4.3	1.31	2.1	7.6
2011	34	3.3	0.58	2.3	4.7	13	3.3	0.93	1.8	5.8
2012	27	2.6	0.51	1.7	3.8	12	2.9	0.85	1.5	5.2
2013	22	2.4	0.50	1.5	3.6	8	2.4	0.87	1.0	4.8
2014	37	3.4	0.57	2.4	4.7	24	6.4	1.34	4.0	9.6
2015	35	3.3	0.56	2.3	4.6	9	2.2	0.75	1.0	4.3
2016	48	4.6	0.67	3.4	6.1	18	4.4	1.05	2.6	7.0
2017	28	2.6	0.51	1.7	3.8	8	2.0	0.70	0.8	3.9
2018	31	3.0	0.55	2.1	4.3	14	3.2	0.87	1.7	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	24,812	6.0	0.04	6.0	6.1	22,253	6.5	0.04	6.5	6.6	
1986	606	5.5	0.23	5.1	6.0	561	6.0	0.26	5.5	6.5	
1987	620	5.7	0.23	5.3	6.2	559	6.0	0.26	5.5	6.6	
1988	649	5.9	0.23	5.4	6.3	590	6.2	0.26	5.7	6.8	
1989	706	6.4	0.24	5.9	6.9	646	6.8	0.27	6.3	7.4	
1990	626	5.6	0.23	5.2	6.0	579	6.1	0.26	5.6	6.6	
1991	682	6.0	0.23	5.6	6.5	634	6.6	0.27	6.1	7.2	
1992	677	6.0	0.23	5.5	6.4	611	6.3	0.26	5.8	6.9	
1993	655	5.7	0.22	5.3	6.1	596	6.1	0.25	5.6	6.6	
1994	729	6.3	0.23	5.9	6.8	651	6.7	0.26	6.2	7.2	
1995	689	5.9	0.23	5.5	6.4	636	6.5	0.26	6.0	7.0	
1996	708	6.0	0.23	5.5	6.4	646	6.5	0.26	6.0	7.0	
1997	756	6.4	0.23	5.9	6.9	686	6.9	0.26	6.4	7.5	
1998	706	5.9	0.22	5.5	6.4	628	6.3	0.25	5.8	6.8	
1999	746	6.2	0.23	5.8	6.6	664	6.6	0.26	6.1	7.1	
2000	731	6.0	0.22	5.6	6.5	659	6.5	0.25	6.0	7.1	
2001	753	6.2	0.22	5.7	6.6	690	6.8	0.26	6.3	7.3	
2002	727	5.9	0.22	5.5	6.3	657	6.4	0.25	6.0	7.0	
2003	772	6.2	0.22	5.8	6.7	696	6.8	0.26	6.3	7.3	
2004	798	6.4	0.23	6.0	6.8	715	6.9	0.26	6.4	7.5	
2005	751	5.9	0.22	5.5	6.4	670	6.4	0.25	5.9	6.9	
2006	848	6.7	0.23	6.2	7.1	753	7.2	0.27	6.7	7.8	
2007	775	6.0	0.22	5.6	6.5	685	6.5	0.25	6.0	7.0	
2008	843	6.5	0.23	6.1	7.0	748	7.0	0.26	6.5	7.5	
2009	794	6.1	0.22	5.6	6.5	709	6.6	0.25	6.2	7.2	
2010	858	6.5	0.22	6.0	6.9	760	7.0	0.26	6.5	7.6	
2011	862	6.4	0.22	6.0	6.9	752	6.9	0.26	6.4	7.4	
2012	788	5.7	0.21	5.3	6.2	701	6.2	0.24	5.8	6.7	
2013	798	5.8	0.21	5.4	6.3	720	6.5	0.25	6.0	7.0	
2014	831	6.0	0.21	5.6	6.5	729	6.6	0.25	6.1	7.1	
2015	849	6.1	0.21	5.7	6.5	754	6.7	0.25	6.2	7.2	
2016	844	6.0	0.21	5.6	6.4	726	6.4	0.24	5.9	6.9	
2017	815	5.8	0.21	5.4	6.2	727	6.4	0.24	5.9	6.9	
2018	820	5.9	0.21	5.5	6.3	715	6.4	0.25	5.9	6.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,952	3.5	0.08	3.4	3.7	488	3.1	0.15	2.8	3.4
1986	44	3.0	0.48	2.2	4.1	1	0.4	0.42	0.0	3.4
1987	55	4.1	0.58	3.1	5.4	5	1.9	0.90	0.6	5.3
1988	53	3.6	0.52	2.6	4.7	5	2.3	1.24	0.5	6.3
1989	53	3.6	0.52	2.6	4.7	6	2.9	1.39	0.8	7.0
1990	40	2.8	0.47	2.0	3.9	7	3.0	1.22	1.1	6.7
1991	38	2.6	0.44	1.8	3.6	4	1.3	0.67	0.3	3.9
1992	62	4.0	0.53	3.1	5.2	3	1.3	0.75	0.2	3.9
1993	48	3.2	0.48	2.3	4.3	10	3.5	1.21	1.5	6.9
1994	70	4.5	0.56	3.5	5.7	5	1.4	0.62	0.4	3.6
1995	49	3.2	0.48	2.3	4.3	3	1.2	0.76	0.2	3.7
1996	54	3.2	0.45	2.3	4.2	8	2.0	0.76	0.8	4.3
1997	50	3.0	0.44	2.2	4.0	16	4.3	1.14	2.3	7.2
1998	59	3.5	0.47	2.6	4.6	17	5.3	1.48	2.8	8.9
1999	62	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	5.9
2000	59	3.6	0.49	2.7	4.7	11	2.5	0.79	1.2	4.7
2001	45	2.9	0.44	2.1	3.9	15	3.2	0.86	1.7	5.4
2002	50	3.0	0.44	2.2	4.0	18	3.6	0.86	2.1	5.8
2003	57	3.5	0.47	2.6	4.5	14	3.4	1.06	1.6	6.1
2004	62	3.7	0.48	2.8	4.7	15	2.9	0.80	1.5	4.9
2005	63	3.6	0.46	2.7	4.6	12	2.5	0.77	1.2	4.5
2006	74	4.3	0.51	3.3	5.4	17	3.4	0.87	1.9	5.6
2007	61	3.5	0.45	2.6	4.5	25	4.3	0.92	2.7	6.5
2008	66	3.6	0.45	2.8	4.6	23	3.6	0.77	2.2	5.5
2009	59	3.4	0.46	2.6	4.4	20	3.3	0.79	1.9	5.2
2010	73	4.0	0.47	3.1	5.0	22	3.9	0.89	2.3	6.0
2011	81	4.5	0.50	3.5	5.6	22	3.1	0.67	1.9	4.7
2012	54	2.9	0.40	2.1	3.8	26	3.8	0.78	2.4	5.7
2013	54	2.9	0.41	2.2	3.8	19	3.0	0.71	1.7	4.7
2014	64	3.3	0.43	2.6	4.3	31	4.4	0.81	2.9	6.2
2015	66	3.4	0.43	2.6	4.4	25	3.2	0.67	2.1	4.8
2016	84	4.3	0.48	3.4	5.4	28	3.6	0.70	2.4	5.2
2017	67	3.6	0.44	2.7	4.5	18	2.1	0.51	1.3	3.4
2018	76	4.0	0.47	3.1	5.0	24	3.0	0.62	1.9	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	13,630	7.2	0.06	7.1	7.3	12,269	7.8	0.07	7.6	7.9
1986	315	6.3	0.36	5.6	7.0	298	6.9	0.41	6.1	7.7
1987	338	6.9	0.39	6.1	7.7	304	7.2	0.42	6.4	8.0
1988	361	7.2	0.39	6.4	8.0	336	7.7	0.43	6.9	8.6
1989	374	7.5	0.40	6.7	8.3	342	8.0	0.44	7.1	8.9
1990	349	6.8	0.37	6.1	7.6	322	7.3	0.42	6.5	8.2
1991	369	7.2	0.38	6.5	8.0	344	7.8	0.43	7.0	8.7
1992	371	7.2	0.38	6.5	8.0	339	7.7	0.43	6.9	8.6
1993	363	7.0	0.38	6.3	7.8	333	7.6	0.42	6.8	8.5
1994	421	8.1	0.40	7.3	8.9	378	8.5	0.45	7.7	9.5
1995	380	7.1	0.37	6.4	7.9	356	7.9	0.42	7.1	8.7
1996	393	7.2	0.37	6.5	8.0	364	7.9	0.42	7.1	8.8
1997	430	8.0	0.39	7.3	8.8	387	8.5	0.44	7.7	9.4
1998	390	7.1	0.36	6.4	7.8	341	7.4	0.40	6.6	8.3
1999	408	7.5	0.38	6.8	8.3	363	7.9	0.42	7.1	8.8
2000	386	6.9	0.36	6.2	7.7	346	7.4	0.40	6.6	8.2
2001	420	7.6	0.37	6.9	8.3	381	8.2	0.42	7.3	9.0
2002	364	6.4	0.34	5.7	7.1	332	7.0	0.38	6.2	7.8
2003	436	7.6	0.37	6.9	8.4	393	8.2	0.42	7.4	9.0
2004	420	7.4	0.37	6.7	8.2	380	8.0	0.41	7.2	8.9
2005	415	7.1	0.35	6.4	7.8	371	7.6	0.40	6.9	8.4
2006	472	8.1	0.38	7.3	8.8	425	8.7	0.43	7.9	9.6
2007	406	6.7	0.34	6.1	7.4	357	7.2	0.38	6.4	7.9
2008	449	7.5	0.36	6.8	8.2	397	8.0	0.41	7.2	8.8
2009	428	7.0	0.34	6.3	7.7	381	7.6	0.39	6.8	8.4
2010	482	7.8	0.36	7.1	8.6	433	8.5	0.42	7.7	9.4
2011	485	7.8	0.36	7.1	8.6	421	8.3	0.41	7.5	9.1
2012	443	6.9	0.33	6.2	7.6	399	7.5	0.38	6.8	8.3
2013	448	6.9	0.33	6.3	7.6	398	7.6	0.39	6.8	8.4
2014	450	7.0	0.33	6.3	7.7	407	7.7	0.39	7.0	8.5
2015	489	7.4	0.34	6.8	8.1	433	8.1	0.40	7.3	8.9
2016	457	6.8	0.33	6.2	7.5	404	7.4	0.38	6.7	8.2
2017	471	7.1	0.34	6.5	7.8	418	7.7	0.39	7.0	8.6
2018	447	6.7	0.33	6.1	7.4	386	7.2	0.37	6.5	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,041	4.2	0.14	4.0	4.5	258	3.5	0.23	3.0	3.9
1986	16	2.5	0.64	1.4	4.1	1	0.9	0.85	0.0	7.8
1987	29	5.2	1.03	3.4	7.6	4	3.5	1.80	0.9	10.9
1988	22	3.5	0.80	2.1	5.5	2	1.1	0.79	0.1	7.2
1989	28	4.3	0.91	2.7	6.5	4	2.2	1.12	0.6	8.1
1990	25	3.7	0.81	2.3	5.7	2	2.2	1.56	0.3	8.8
1991	21	3.7	0.89	2.2	5.9	2	1.2	0.86	0.1	6.5
1992	30	4.3	0.83	2.8	6.3	1	0.6	0.62	0.0	5.4
1993	24	3.5	0.76	2.2	5.4	6	4.8	2.32	1.4	11.9
1994	40	6.1	1.04	4.2	8.5	3	1.8	1.08	0.4	6.5
1995	22	3.2	0.78	1.9	5.1	2	1.0	0.68	0.1	5.0
1996	24	2.9	0.61	1.8	4.4	5	3.0	1.45	0.9	8.0
1997	30	4.5	0.89	2.9	6.6	10	6.1	2.17	2.7	12.3
1998	38	4.7	0.82	3.2	6.7	9	5.3	1.87	2.3	10.7
1999	32	4.5	0.84	3.0	6.5	8	4.1	1.53	1.7	8.7
2000	33	4.7	0.92	3.1	6.8	5	2.1	0.98	0.6	5.6
2001	30	4.6	0.91	3.0	6.8	8	3.6	1.36	1.4	7.7
2002	23	3.5	0.79	2.1	5.3	9	4.0	1.40	1.8	8.1
2003	34	4.6	0.82	3.1	6.5	7	4.0	1.79	1.3	8.9
2004	29	3.8	0.77	2.5	5.6	9	3.9	1.48	1.6	8.0
2005	35	4.5	0.80	3.0	6.3	4	2.1	1.09	0.5	5.4
2006	36	5.0	0.90	3.4	7.1	10	4.3	1.49	1.9	8.3
2007	29	3.5	0.68	2.3	5.2	17	5.6	1.47	3.1	9.5
2008	34	4.0	0.72	2.8	5.7	15	5.1	1.42	2.7	8.8
2009	33	4.1	0.75	2.7	5.8	11	4.1	1.41	1.8	7.8
2010	35	4.5	0.80	3.1	6.3	12	3.7	1.09	1.9	6.7
2011	52	6.4	0.92	4.7	8.4	9	2.9	1.01	1.2	5.7
2012	28	3.2	0.62	2.1	4.7	14	5.3	1.57	2.6	9.2
2013	36	4.1	0.70	2.8	5.7	11	3.8	1.23	1.8	6.9
2014	30	3.5	0.67	2.4	5.1	9	2.4	0.80	1.1	4.6
2015	37	4.4	0.75	3.1	6.1	17	4.9	1.27	2.7	8.1
2016	39	4.6	0.77	3.3	6.4	10	2.5	0.79	1.2	4.6
2017	40	4.8	0.77	3.4	6.5	11	2.7	0.81	1.3	4.8
2018	47	5.3	0.80	3.9	7.2	11	2.9	0.87	1.4	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	11,182	5.1	0.05	5.0	5.2	9,984	5.5	0.06	5.4	5.6
1986	291	4.9	0.29	4.3	5.5	263	5.2	0.33	4.5	5.8
1987	282	4.7	0.29	4.2	5.3	255	5.0	0.32	4.4	5.7
1988	288	4.8	0.29	4.3	5.4	254	5.0	0.32	4.4	5.7
1989	332	5.6	0.31	5.0	6.2	304	6.1	0.35	5.4	6.8
1990	277	4.6	0.28	4.1	5.2	257	5.1	0.32	4.5	5.7
1991	313	5.0	0.29	4.5	5.6	290	5.5	0.33	4.9	6.2
1992	306	4.9	0.28	4.4	5.5	272	5.2	0.32	4.6	5.8
1993	292	4.6	0.27	4.1	5.2	263	4.9	0.31	4.3	5.6
1994	308	4.8	0.28	4.3	5.4	273	5.1	0.31	4.5	5.7
1995	309	4.9	0.28	4.3	5.5	280	5.3	0.32	4.7	6.0
1996	315	4.9	0.28	4.4	5.5	282	5.3	0.32	4.7	6.0
1997	326	5.1	0.28	4.5	5.7	299	5.6	0.33	5.0	6.3
1998	316	4.9	0.28	4.4	5.5	287	5.4	0.32	4.8	6.1
1999	338	5.2	0.28	4.6	5.7	301	5.5	0.32	4.9	6.2
2000	345	5.3	0.29	4.7	5.9	313	5.8	0.33	5.2	6.5
2001	333	5.1	0.28	4.5	5.6	309	5.7	0.33	5.1	6.4
2002	363	5.5	0.29	4.9	6.1	325	6.0	0.33	5.3	6.7
2003	336	5.0	0.27	4.5	5.6	303	5.5	0.32	4.9	6.2
2004	378	5.6	0.29	5.1	6.2	335	6.1	0.34	5.5	6.8
2005	336	5.0	0.27	4.4	5.5	299	5.4	0.32	4.8	6.0
2006	376	5.6	0.29	5.0	6.1	328	6.0	0.33	5.3	6.6
2007	369	5.4	0.28	4.8	6.0	328	5.9	0.33	5.3	6.6
2008	394	5.7	0.29	5.1	6.3	351	6.2	0.34	5.5	6.9
2009	366	5.3	0.28	4.7	5.8	328	5.8	0.33	5.2	6.5
2010	376	5.3	0.28	4.7	5.8	327	5.7	0.32	5.1	6.3
2011	377	5.3	0.28	4.7	5.8	331	5.8	0.33	5.2	6.4
2012	345	4.8	0.26	4.3	5.4	302	5.2	0.31	4.6	5.8
2013	350	4.9	0.27	4.4	5.4	322	5.5	0.32	4.9	6.2
2014	381	5.2	0.27	4.7	5.8	322	5.5	0.32	4.9	6.2
2015	360	4.9	0.27	4.4	5.5	321	5.6	0.32	4.9	6.2
2016	387	5.2	0.27	4.7	5.8	322	5.5	0.32	4.9	6.1
2017	344	4.5	0.25	4.0	5.0	309	5.1	0.30	4.5	5.7
2018	373	5.1	0.27	4.6	5.7	329	5.7	0.33	5.1	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Brain										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	911	2.9	0.10	2.8	3.1	230	2.8	0.19	2.5	3.2
1986	28	3.4	0.67	2.2	5.0	0				
1987	26	3.3	0.68	2.1	4.9	1	0.5	0.49	0.0	5.3
1988	31	3.6	0.68	2.4	5.2	3	3.1	2.06	0.5	10.0
1989	25	3.1	0.64	2.0	4.6	2	3.1	2.17	0.4	10.1
1990	15	2.0	0.53	1.1	3.3	5	3.8	1.80	1.1	9.7
1991	17	1.9	0.48	1.1	3.1	2	1.3	0.94	0.1	5.6
1992	32	3.8	0.69	2.6	5.4	2	1.7	1.25	0.2	6.4
1993	24	2.9	0.61	1.8	4.3	4	2.5	1.24	0.7	6.8
1994	30	3.3	0.62	2.2	4.8	2	1.0	0.70	0.1	4.3
1995	27	3.2	0.62	2.1	4.7	1	1.1	1.14	0.0	5.3
1996	30	3.3	0.61	2.2	4.7	3	1.2	0.74	0.2	4.3
1997	20	2.1	0.47	1.2	3.2	6	2.8	1.17	1.0	6.5
1998	21	2.4	0.53	1.5	3.7	8	4.8	1.98	1.8	10.1
1999	30	3.2	0.60	2.2	4.7	5	2.6	1.23	0.8	6.3
2000	26	2.9	0.58	1.9	4.3	6	2.9	1.20	1.0	6.4
2001	15	1.7	0.43	0.9	2.7	7	2.9	1.13	1.1	6.2
2002	27	2.8	0.55	1.9	4.1	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	33	3.5	0.62	2.4	4.9	6	2.1	0.89	0.7	4.7
2005	28	2.8	0.54	1.9	4.1	8	2.9	1.09	1.2	5.9
2006	38	3.9	0.63	2.7	5.3	7	2.8	1.06	1.1	5.7
2007	32	3.3	0.59	2.2	4.7	8	2.9	1.10	1.2	5.9
2008	32	3.2	0.57	2.2	4.5	8	2.3	0.82	1.0	4.7
2009	26	2.8	0.56	1.8	4.2	9	2.7	0.95	1.2	5.3
2010	38	3.6	0.59	2.6	5.0	10	3.7	1.25	1.7	6.9
2011	29	2.9	0.54	1.9	4.1	13	3.3	0.93	1.8	5.8
2012	26	2.6	0.51	1.7	3.8	12	2.9	0.85	1.5	5.2
2013	18	1.9	0.46	1.1	3.0	8	2.4	0.87	1.0	4.8
2014	34	3.1	0.55	2.2	4.4	22	6.0	1.31	3.7	9.1
2015	29	2.6	0.50	1.8	3.8	8	2.0	0.72	0.9	4.0
2016	45	4.2	0.64	3.1	5.7	18	4.4	1.05	2.6	7.0
2017	27	2.5	0.50	1.7	3.7	7	1.7	0.65	0.7	3.5
2018	29	2.8	0.53	1.9	4.1	13	3.0	0.85	1.6	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Endocrine System											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	42,056	10.3	0.05	10.2	10.4	35,966	10.8	0.06	10.7	10.9	
1986	521	4.8	0.22	4.4	5.3	459	5.0	0.24	4.5	5.5	
1987	552	5.1	0.22	4.6	5.5	495	5.4	0.25	4.9	5.9	
1988	549	5.0	0.22	4.6	5.4	474	5.1	0.24	4.6	5.5	
1989	527	4.8	0.21	4.4	5.2	451	4.8	0.23	4.4	5.3	
1990	601	5.4	0.22	4.9	5.8	531	5.6	0.25	5.2	6.1	
1991	566	5.0	0.21	4.6	5.5	500	5.3	0.24	4.8	5.8	
1992	631	5.6	0.22	5.1	6.0	561	5.9	0.25	5.4	6.4	
1993	672	5.8	0.23	5.4	6.3	592	6.1	0.25	5.7	6.7	
1994	667	5.7	0.22	5.3	6.2	584	6.0	0.25	5.5	6.5	
1995	735	6.2	0.23	5.8	6.7	636	6.5	0.26	6.0	7.0	
1996	796	6.7	0.24	6.2	7.2	697	7.1	0.27	6.5	7.6	
1997	832	7.0	0.24	6.5	7.5	705	7.1	0.27	6.6	7.7	
1998	846	7.0	0.24	6.6	7.5	713	7.1	0.27	6.6	7.7	
1999	948	7.8	0.25	7.3	8.3	827	8.3	0.29	7.7	8.8	
2000	941	7.7	0.25	7.2	8.2	812	8.1	0.28	7.5	8.6	
2001	1,024	8.3	0.26	7.8	8.8	879	8.7	0.29	8.1	9.3	
2002	1,206	9.7	0.28	9.2	10.3	1,050	10.3	0.32	9.7	10.9	
2003	1,223	9.8	0.28	9.2	10.3	1,061	10.4	0.32	9.8	11.0	
2004	1,372	10.9	0.30	10.4	11.5	1,202	11.8	0.34	11.1	12.5	
2005	1,391	11.0	0.30	10.4	11.6	1,189	11.5	0.34	10.9	12.2	
2006	1,554	12.2	0.31	11.6	12.9	1,331	12.9	0.36	12.2	13.6	
2007	1,661	13.0	0.32	12.3	13.6	1,424	13.7	0.37	13.0	14.5	
2008	1,761	13.6	0.33	13.0	14.2	1,517	14.5	0.38	13.8	15.3	
2009	1,870	14.3	0.34	13.7	15.0	1,621	15.4	0.39	14.7	16.2	
2010	1,882	14.3	0.33	13.7	15.0	1,593	15.1	0.38	14.4	15.9	
2011	1,986	14.9	0.34	14.2	15.6	1,690	15.7	0.39	15.0	16.5	
2012	2,149	16.1	0.35	15.4	16.8	1,818	17.0	0.41	16.2	17.8	
2013	2,188	16.4	0.36	15.7	17.1	1,845	17.4	0.41	16.6	18.2	
2014	2,173	16.2	0.35	15.5	16.9	1,826	17.1	0.41	16.3	17.9	
2015	2,296	17.0	0.36	16.3	17.8	1,953	18.3	0.42	17.4	19.1	
2016	2,123	15.7	0.35	15.1	16.4	1,759	16.5	0.40	15.7	17.3	
2017	1,908	14.0	0.33	13.4	14.7	1,562	14.5	0.38	13.7	15.2	
2018	1,905	14.0	0.33	13.3	14.6	1,609	15.0	0.39	14.2	15.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Endocrine System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,496	6.4	0.11	6.2	6.7	1,987	11.5	0.27	11.0	12.0
1986	40	3.1	0.51	2.1	4.2	18	8.8	2.42	4.7	15.0
1987	35	2.8	0.49	1.9	3.9	18	7.6	1.93	4.3	12.7
1988	53	4.1	0.59	3.0	5.4	21	8.3	2.02	4.9	13.5
1989	47	3.5	0.54	2.5	4.7	24	10.6	2.76	5.9	17.3
1990	51	3.6	0.53	2.7	4.8	17	6.1	1.59	3.4	10.4
1991	41	3.0	0.48	2.1	4.1	8	2.7	1.03	1.1	5.9
1992	48	3.2	0.48	2.4	4.3	14	5.9	1.78	2.9	10.4
1993	48	3.4	0.51	2.5	4.6	23	6.5	1.41	4.1	10.2
1994	57	3.9	0.54	3.0	5.1	21	6.4	1.52	3.8	10.2
1995	61	4.0	0.53	3.1	5.2	30	8.3	1.62	5.4	12.3
1996	68	4.3	0.54	3.4	5.5	28	7.8	1.71	4.8	11.9
1997	82	5.6	0.63	4.4	7.0	35	8.7	1.58	5.9	12.4
1998	80	5.1	0.59	4.1	6.4	39	9.4	1.71	6.3	13.4
1999	64	3.8	0.48	2.9	4.8	38	9.3	1.65	6.4	13.2
2000	73	4.4	0.53	3.5	5.6	37	9.0	1.67	6.1	12.9
2001	98	6.0	0.62	4.9	7.4	38	8.6	1.52	5.8	12.1
2002	98	6.0	0.61	4.8	7.3	41	7.8	1.29	5.5	10.8
2003	100	5.9	0.60	4.8	7.2	37	6.8	1.19	4.7	9.6
2004	99	5.7	0.58	4.6	7.0	55	10.8	1.54	8.0	14.3
2005	109	6.4	0.63	5.3	7.8	69	12.7	1.64	9.7	16.3
2006	129	7.3	0.66	6.1	8.7	76	13.1	1.58	10.2	16.6
2007	132	7.6	0.67	6.3	9.0	77	12.4	1.49	9.6	15.7
2008	141	7.8	0.67	6.5	9.2	83	12.2	1.40	9.6	15.3
2009	155	8.7	0.71	7.4	10.2	70	10.1	1.26	7.8	12.9
2010	169	9.1	0.71	7.7	10.6	84	11.4	1.29	9.0	14.2
2011	168	9.0	0.71	7.7	10.5	106	14.4	1.46	11.7	17.6
2012	177	9.5	0.73	8.2	11.1	118	15.5	1.47	12.7	18.7
2013	180	9.4	0.72	8.1	10.9	122	15.1	1.41	12.5	18.2
2014	192	10.2	0.75	8.7	11.7	128	15.5	1.40	12.9	18.5
2015	182	9.7	0.74	8.4	11.3	124	15.0	1.38	12.4	18.0
2016	196	10.4	0.76	9.0	12.0	139	16.2	1.40	13.6	19.2
2017	180	9.3	0.71	7.9	10.8	138	15.8	1.37	13.3	18.8
2018	143	7.3	0.63	6.1	8.7	111	12.3	1.19	10.1	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Endocrine System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	11,265	5.9	0.06	5.8	6.0	9,821	6.1	0.06	6.0	6.3
1986	147	3.0	0.26	2.6	3.6	136	3.2	0.28	2.7	3.8
1987	164	3.3	0.27	2.8	3.9	146	3.5	0.30	2.9	4.1
1988	144	2.8	0.24	2.4	3.4	123	2.8	0.26	2.3	3.4
1989	136	2.7	0.24	2.3	3.2	122	2.8	0.26	2.3	3.4
1990	172	3.4	0.26	2.9	3.9	151	3.4	0.29	2.9	4.1
1991	156	3.1	0.25	2.6	3.6	139	3.2	0.28	2.7	3.8
1992	185	3.6	0.27	3.0	4.1	162	3.6	0.29	3.1	4.3
1993	194	3.7	0.27	3.2	4.3	180	4.0	0.30	3.5	4.7
1994	191	3.6	0.26	3.1	4.1	162	3.5	0.28	3.0	4.1
1995	191	3.5	0.26	3.0	4.0	170	3.7	0.29	3.2	4.3
1996	221	4.1	0.28	3.5	4.6	193	4.2	0.30	3.6	4.8
1997	228	4.2	0.28	3.7	4.8	197	4.3	0.31	3.7	4.9
1998	255	4.6	0.29	4.1	5.2	213	4.6	0.32	4.0	5.2
1999	255	4.5	0.28	3.9	5.0	228	4.8	0.32	4.2	5.4
2000	227	4.0	0.27	3.5	4.5	204	4.3	0.30	3.7	4.9
2001	293	5.1	0.30	4.5	5.7	253	5.3	0.33	4.6	5.9
2002	307	5.3	0.30	4.7	5.9	271	5.6	0.34	5.0	6.3
2003	291	5.0	0.29	4.4	5.6	251	5.2	0.33	4.5	5.8
2004	361	6.1	0.32	5.5	6.7	324	6.6	0.37	5.9	7.3
2005	367	6.1	0.32	5.5	6.8	325	6.5	0.37	5.8	7.3
2006	404	6.7	0.34	6.1	7.4	349	7.0	0.38	6.3	7.8
2007	429	7.1	0.35	6.4	7.8	372	7.4	0.39	6.7	8.2
2008	432	6.9	0.34	6.3	7.6	383	7.4	0.38	6.7	8.2
2009	441	7.0	0.34	6.4	7.7	386	7.5	0.39	6.7	8.3
2010	501	8.0	0.36	7.3	8.8	436	8.5	0.41	7.7	9.4
2011	521	8.2	0.37	7.5	8.9	453	8.6	0.41	7.8	9.4
2012	554	8.6	0.37	7.9	9.3	484	9.1	0.42	8.3	10.0
2013	596	9.1	0.38	8.3	9.8	521	9.7	0.43	8.9	10.6
2014	592	9.0	0.38	8.2	9.7	515	9.6	0.43	8.7	10.4
2015	609	9.2	0.38	8.5	10.0	514	9.6	0.43	8.7	10.5
2016	602	9.2	0.38	8.4	9.9	503	9.5	0.43	8.6	10.3
2017	565	8.5	0.36	7.8	9.2	484	8.9	0.42	8.1	9.8
2018	534	8.0	0.35	7.3	8.7	471	8.7	0.41	7.9	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Endocrine System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	814	3.5	0.13	3.3	3.8	490	6.2	0.30	5.6	6.8
1986	7	1.4	0.54	0.6	2.9	4	5.5	3.30	1.0	16.1
1987	12	2.4	0.79	1.1	4.4	5	4.3	2.11	1.2	12.2
1988	14	2.5	0.69	1.3	4.2	7	7.0	3.26	2.2	16.9
1989	9	1.6	0.65	0.6	3.4	5	7.1	4.70	1.0	20.4
1990	16	3.0	0.84	1.6	5.1	4	3.2	1.62	0.8	9.7
1991	9	1.3	0.44	0.6	2.5	5	4.0	1.98	1.1	10.8
1992	16	2.5	0.64	1.4	4.1	6	6.7	3.18	2.0	15.7
1993	11	1.7	0.55	0.8	3.1	1	0.4	0.36	0.0	4.7
1994	21	4.1	0.94	2.4	6.3	5	3.5	1.69	1.0	9.2
1995	14	1.9	0.54	1.0	3.4	4	1.9	0.94	0.5	6.1
1996	21	3.2	0.71	2.0	4.9	7	3.7	1.45	1.4	8.6
1997	20	3.2	0.77	1.9	5.1	10	4.5	1.45	2.1	9.1
1998	24	3.5	0.71	2.2	5.2	12	6.7	2.08	3.2	12.4
1999	16	2.2	0.56	1.2	3.6	9	4.7	1.71	2.0	9.7
2000	11	1.4	0.43	0.7	2.5	9	4.7	1.66	2.0	9.5
2001	27	4.2	0.83	2.7	6.1	10	4.5	1.59	1.9	9.0
2002	19	2.6	0.63	1.6	4.2	13	4.6	1.32	2.4	8.4
2003	23	3.2	0.68	2.0	4.8	7	3.7	1.46	1.4	7.8
2004	20	2.6	0.60	1.5	4.0	13	6.0	1.87	2.9	10.9
2005	26	3.6	0.72	2.3	5.3	12	4.5	1.41	2.2	8.4
2006	31	3.9	0.72	2.6	5.6	20	7.6	1.82	4.4	12.1
2007	30	4.3	0.84	2.8	6.3	22	7.9	1.82	4.7	12.4
2008	31	3.8	0.72	2.5	5.5	13	3.6	1.02	1.9	6.5
2009	31	3.9	0.72	2.6	5.6	20	5.9	1.37	3.6	9.4
2010	35	4.2	0.74	2.9	6.0	18	5.4	1.30	3.2	8.7
2011	37	4.5	0.78	3.1	6.3	25	7.7	1.64	4.8	11.7
2012	39	5.1	0.85	3.6	7.1	24	6.7	1.42	4.2	10.2
2013	35	4.1	0.71	2.8	5.7	29	8.0	1.51	5.3	11.6
2014	45	5.3	0.82	3.8	7.2	27	7.1	1.39	4.6	10.4
2015	51	6.3	0.91	4.6	8.3	32	8.4	1.51	5.7	12.0
2016	50	6.0	0.88	4.4	8.0	41	10.4	1.68	7.4	14.3
2017	39	4.7	0.78	3.3	6.5	40	9.7	1.57	6.9	13.4
2018	24	3.0	0.62	1.9	4.4	31	7.4	1.33	5.0	10.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Endocrine System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	30,791	14.6	0.08	14.4	14.8	26,145	15.4	0.10	15.2	15.6	
1986	374	6.5	0.34	5.8	7.2	323	6.6	0.38	5.9	7.4	
1987	388	6.8	0.35	6.1	7.5	349	7.3	0.40	6.5	8.1	
1988	405	6.9	0.35	6.3	7.7	351	7.2	0.39	6.4	8.0	
1989	391	6.7	0.35	6.0	7.4	329	6.8	0.38	6.0	7.5	
1990	429	7.2	0.35	6.5	7.9	380	7.7	0.40	6.9	8.5	
1991	410	7.0	0.35	6.3	7.7	361	7.4	0.39	6.6	8.2	
1992	446	7.4	0.36	6.7	8.2	399	8.0	0.41	7.2	8.8	
1993	478	7.9	0.36	7.2	8.6	412	8.2	0.41	7.4	9.0	
1994	476	7.8	0.36	7.1	8.6	422	8.4	0.41	7.6	9.3	
1995	544	8.8	0.38	8.1	9.6	466	9.2	0.43	8.4	10.1	
1996	575	9.2	0.39	8.5	10.0	504	9.9	0.44	9.0	10.8	
1997	604	9.6	0.39	8.9	10.4	508	9.9	0.44	9.0	10.8	
1998	591	9.4	0.39	8.7	10.2	500	9.8	0.44	9.0	10.7	
1999	693	11.0	0.42	10.2	11.8	599	11.7	0.48	10.8	12.7	
2000	714	11.2	0.42	10.4	12.0	608	11.8	0.48	10.8	12.7	
2001	731	11.4	0.42	10.6	12.3	626	12.1	0.49	11.2	13.1	
2002	899	13.9	0.47	13.0	14.9	779	15.0	0.54	13.9	16.1	
2003	932	14.4	0.47	13.5	15.3	810	15.6	0.55	14.5	16.7	
2004	1,011	15.6	0.49	14.7	16.6	878	17.0	0.58	15.9	18.2	
2005	1,024	15.7	0.49	14.7	16.7	864	16.5	0.57	15.4	17.7	
2006	1,150	17.5	0.52	16.5	18.5	982	18.8	0.60	17.6	20.0	
2007	1,232	18.6	0.54	17.6	19.7	1,052	20.0	0.62	18.8	21.2	
2008	1,329	20.0	0.55	18.9	21.1	1,134	21.5	0.65	20.3	22.8	
2009	1,429	21.4	0.57	20.3	22.5	1,235	23.4	0.68	22.1	24.8	
2010	1,381	20.5	0.56	19.5	21.7	1,157	21.8	0.65	20.5	23.1	
2011	1,465	21.3	0.57	20.2	22.5	1,237	22.8	0.66	21.6	24.2	
2012	1,595	23.4	0.60	22.3	24.6	1,334	24.9	0.70	23.5	26.3	
2013	1,592	23.5	0.60	22.3	24.7	1,324	25.1	0.71	23.7	26.5	
2014	1,581	23.2	0.60	22.1	24.4	1,311	24.7	0.70	23.3	26.1	
2015	1,687	24.6	0.62	23.4	25.9	1,439	27.0	0.74	25.6	28.5	
2016	1,521	22.2	0.59	21.1	23.4	1,256	23.6	0.69	22.3	25.0	
2017	1,343	19.4	0.55	18.4	20.5	1,078	20.1	0.63	18.9	21.4	
2018	1,371	19.8	0.55	18.8	21.0	1,138	21.4	0.66	20.1	22.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Endocrine System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,682	8.8	0.17	8.4	9.1	1,497	16.2	0.43	15.4	17.1
1986	33	4.4	0.79	3.0	6.2	14	11.8	3.57	5.9	21.5
1987	23	3.1	0.67	1.9	4.7	13	10.5	3.10	5.3	19.0
1988	39	5.3	0.88	3.7	7.4	14	9.9	2.76	5.3	17.6
1989	38	4.9	0.83	3.4	6.8	19	13.9	3.51	7.9	22.9
1990	35	4.3	0.74	3.0	6.0	13	8.5	2.50	4.3	15.5
1991	32	4.2	0.76	2.8	5.9	3	1.7	0.98	0.3	6.0
1992	32	3.9	0.69	2.6	5.5	8	5.4	2.09	2.1	11.4
1993	37	4.7	0.79	3.3	6.5	22	12.3	2.70	7.6	19.2
1994	36	4.1	0.69	2.9	5.7	16	8.9	2.39	4.9	15.2
1995	47	5.5	0.82	4.1	7.4	26	13.7	2.84	8.7	20.7
1996	47	5.3	0.78	3.9	7.0	21	10.8	2.69	6.2	17.5
1997	62	7.5	0.96	5.7	9.6	25	12.2	2.59	7.7	18.5
1998	56	6.3	0.85	4.8	8.2	27	11.7	2.51	7.3	17.8
1999	48	5.1	0.74	3.7	6.7	29	13.3	2.65	8.6	19.6
2000	62	6.7	0.86	5.1	8.6	28	12.6	2.61	8.0	18.8
2001	71	7.6	0.91	5.9	9.6	28	12.0	2.39	7.7	17.6
2002	79	8.5	0.96	6.7	10.6	28	10.7	2.10	7.0	15.7
2003	77	8.0	0.92	6.3	10.1	30	9.8	1.87	6.4	14.3
2004	79	8.2	0.93	6.5	10.2	42	15.1	2.42	10.8	20.7
2005	83	8.7	0.96	6.9	10.8	57	19.8	2.77	14.8	26.0
2006	98	9.9	1.01	8.1	12.1	56	18.2	2.52	13.6	23.9
2007	102	10.3	1.03	8.4	12.6	55	16.5	2.30	12.3	21.7
2008	110	11.0	1.06	9.0	13.3	70	19.8	2.45	15.3	25.3
2009	124	12.4	1.12	10.3	14.8	50	13.8	2.02	10.1	18.4
2010	134	13.1	1.14	10.9	15.5	66	16.7	2.11	12.8	21.4
2011	131	12.6	1.12	10.5	15.0	81	20.6	2.36	16.2	25.8
2012	138	13.2	1.14	11.1	15.7	94	23.4	2.47	18.8	28.8
2013	145	13.7	1.16	11.5	16.2	93	21.8	2.31	17.5	26.8
2014	147	14.1	1.19	11.9	16.7	101	23.1	2.35	18.7	28.2
2015	131	12.7	1.13	10.6	15.1	92	20.7	2.20	16.6	25.5
2016	146	14.2	1.20	11.9	16.7	98	21.6	2.21	17.5	26.4
2017	141	13.1	1.13	11.0	15.5	98	21.5	2.19	17.4	26.2
2018	119	11.0	1.04	9.1	13.2	80	16.7	1.90	13.2	20.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Thyroid											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	39,161	9.6	0.05	9.5	9.7	33,696	10.1	0.06	10.0	10.2	
1986	468	4.3	0.21	3.9	4.8	412	4.5	0.23	4.0	4.9	
1987	482	4.5	0.21	4.1	4.9	435	4.8	0.23	4.3	5.2	
1988	502	4.6	0.21	4.2	5.0	438	4.7	0.23	4.2	5.1	
1989	462	4.2	0.20	3.8	4.6	394	4.2	0.22	3.8	4.7	
1990	537	4.8	0.21	4.4	5.2	481	5.1	0.24	4.7	5.6	
1991	508	4.5	0.20	4.1	4.9	452	4.8	0.23	4.3	5.2	
1992	541	4.8	0.21	4.4	5.2	484	5.0	0.23	4.6	5.5	
1993	595	5.2	0.21	4.8	5.6	527	5.5	0.24	5.0	6.0	
1994	604	5.2	0.21	4.8	5.6	532	5.5	0.24	5.0	5.9	
1995	653	5.5	0.22	5.1	6.0	567	5.8	0.24	5.3	6.3	
1996	718	6.1	0.23	5.6	6.5	636	6.4	0.26	6.0	7.0	
1997	758	6.4	0.23	5.9	6.8	651	6.6	0.26	6.1	7.1	
1998	781	6.5	0.23	6.0	6.9	665	6.7	0.26	6.2	7.2	
1999	866	7.1	0.24	6.6	7.6	762	7.6	0.28	7.1	8.2	
2000	873	7.1	0.24	6.7	7.6	758	7.5	0.27	7.0	8.1	
2001	928	7.5	0.25	7.0	8.0	802	7.9	0.28	7.4	8.5	
2002	1,112	8.9	0.27	8.4	9.5	972	9.5	0.31	8.9	10.2	
2003	1,127	9.0	0.27	8.5	9.5	980	9.6	0.31	9.0	10.2	
2004	1,256	10.0	0.28	9.5	10.6	1,107	10.8	0.33	10.2	11.5	
2005	1,303	10.3	0.29	9.7	10.9	1,118	10.8	0.33	10.2	11.5	
2006	1,441	11.3	0.30	10.8	11.9	1,245	12.1	0.34	11.4	12.8	
2007	1,559	12.2	0.31	11.6	12.8	1,352	13.0	0.36	12.4	13.8	
2008	1,664	12.9	0.32	12.2	13.5	1,438	13.8	0.37	13.1	14.5	
2009	1,776	13.6	0.33	13.0	14.3	1,554	14.8	0.38	14.1	15.6	
2010	1,781	13.6	0.33	12.9	14.2	1,518	14.4	0.37	13.7	15.1	
2011	1,884	14.1	0.33	13.5	14.8	1,614	15.0	0.38	14.3	15.8	
2012	2,048	15.4	0.35	14.7	16.1	1,738	16.3	0.40	15.5	17.1	
2013	2,104	15.8	0.35	15.1	16.5	1,786	16.8	0.41	16.0	17.6	
2014	2,079	15.5	0.35	14.8	16.2	1,751	16.4	0.40	15.6	17.2	
2015	2,187	16.2	0.36	15.5	16.9	1,872	17.5	0.42	16.7	18.3	
2016	2,010	14.9	0.34	14.3	15.6	1,677	15.7	0.40	15.0	16.5	
2017	1,793	13.2	0.32	12.5	13.8	1,479	13.7	0.37	13.0	14.4	
2018	1,761	12.9	0.32	12.3	13.5	1,499	14.0	0.37	13.2	14.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Thyroid										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,022	5.6	0.10	5.4	5.8	1,863	10.7	0.26	10.2	11.2
1986	35	2.7	0.47	1.8	3.8	17	8.4	2.39	4.4	14.6
1987	29	2.4	0.47	1.6	3.5	15	6.4	1.79	3.4	11.3
1988	45	3.6	0.55	2.6	4.8	18	7.6	1.97	4.2	12.7
1989	41	3.1	0.51	2.2	4.3	22	10.0	2.73	5.4	16.7
1990	39	2.9	0.48	2.0	4.0	15	5.3	1.49	2.8	9.4
1991	33	2.5	0.45	1.7	3.5	7	2.5	0.99	0.9	5.6
1992	38	2.6	0.43	1.8	3.6	11	4.7	1.65	2.0	9.0
1993	39	2.7	0.44	1.9	3.7	20	5.8	1.34	3.5	9.3
1994	49	3.4	0.49	2.5	4.5	19	5.6	1.41	3.2	9.3
1995	52	3.5	0.50	2.6	4.6	27	7.6	1.57	4.8	11.5
1996	54	3.4	0.48	2.6	4.5	25	7.1	1.67	4.2	11.2
1997	64	4.5	0.58	3.5	5.8	33	8.3	1.56	5.6	12.1
1998	67	4.4	0.54	3.4	5.6	35	8.2	1.60	5.4	12.0
1999	50	3.0	0.43	2.2	3.9	35	8.6	1.60	5.7	12.3
2000	65	4.0	0.51	3.1	5.1	33	8.1	1.60	5.3	11.8
2001	85	5.2	0.58	4.2	6.5	33	7.1	1.31	4.7	10.2
2002	85	5.2	0.57	4.1	6.4	39	7.5	1.27	5.3	10.5
2003	88	5.2	0.56	4.2	6.5	34	6.3	1.16	4.3	9.1
2004	81	4.7	0.52	3.7	5.8	53	10.2	1.48	7.5	13.6
2005	93	5.5	0.58	4.4	6.8	68	12.5	1.63	9.5	16.1
2006	104	6.0	0.59	4.9	7.2	74	12.7	1.55	9.8	16.2
2007	115	6.7	0.63	5.5	8.1	68	10.9	1.39	8.3	14.0
2008	129	7.2	0.65	6.0	8.6	78	11.5	1.36	9.0	14.5
2009	134	7.5	0.66	6.3	8.9	66	9.5	1.23	7.3	12.3
2010	147	8.0	0.67	6.7	9.4	80	10.6	1.22	8.4	13.3
2011	145	7.8	0.66	6.5	9.2	103	14.0	1.44	11.3	17.1
2012	162	8.7	0.70	7.4	10.2	112	14.6	1.42	12.0	17.7
2013	161	8.4	0.68	7.2	9.9	118	14.6	1.38	12.0	17.6
2014	179	9.5	0.73	8.2	11.1	124	15.0	1.38	12.4	18.0
2015	163	8.8	0.70	7.4	10.2	117	14.1	1.34	11.6	17.0
2016	176	9.4	0.73	8.1	11.0	130	15.0	1.34	12.5	17.9
2017	158	8.2	0.67	6.9	9.6	130	14.7	1.31	12.3	17.6
2018	117	6.0	0.57	5.0	7.3	104	11.5	1.14	9.3	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Thyroid										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	9,732	5.1	0.05	5.0	5.2	8,615	5.4	0.06	5.3	5.5
1986	117	2.4	0.23	2.0	2.9	107	2.6	0.25	2.1	3.1
1987	128	2.6	0.24	2.2	3.2	113	2.7	0.26	2.2	3.3
1988	121	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	2.9
1989	97	2.0	0.21	1.6	2.4	89	2.1	0.23	1.7	2.6
1990	139	2.8	0.24	2.3	3.3	125	2.9	0.26	2.4	3.4
1991	124	2.4	0.22	2.0	2.9	112	2.6	0.25	2.1	3.1
1992	138	2.7	0.23	2.2	3.2	124	2.8	0.26	2.3	3.3
1993	150	2.8	0.23	2.4	3.3	142	3.2	0.27	2.7	3.7
1994	152	2.9	0.24	2.4	3.4	129	2.8	0.25	2.4	3.4
1995	151	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.6
1996	178	3.3	0.25	2.8	3.8	160	3.5	0.28	3.0	4.1
1997	192	3.5	0.26	3.0	4.1	170	3.7	0.28	3.1	4.3
1998	219	4.0	0.27	3.5	4.5	186	4.0	0.29	3.4	4.6
1999	219	3.8	0.26	3.3	4.4	198	4.1	0.30	3.6	4.8
2000	195	3.4	0.25	3.0	3.9	179	3.7	0.28	3.2	4.3
2001	238	4.2	0.27	3.7	4.7	211	4.4	0.30	3.8	5.0
2002	254	4.3	0.27	3.8	4.9	227	4.7	0.31	4.1	5.3
2003	246	4.2	0.27	3.7	4.8	210	4.3	0.30	3.7	4.9
2004	305	5.1	0.30	4.6	5.7	274	5.5	0.34	4.9	6.2
2005	315	5.2	0.30	4.7	5.9	283	5.7	0.34	5.0	6.4
2006	334	5.5	0.31	5.0	6.2	295	5.9	0.35	5.2	6.6
2007	377	6.3	0.33	5.6	6.9	337	6.7	0.37	6.0	7.5
2008	386	6.2	0.32	5.5	6.8	349	6.7	0.37	6.0	7.5
2009	401	6.4	0.33	5.8	7.1	358	6.9	0.37	6.2	7.7
2010	450	7.2	0.35	6.5	7.9	396	7.7	0.39	6.9	8.5
2011	461	7.2	0.34	6.5	7.9	412	7.8	0.39	7.0	8.6
2012	501	7.7	0.35	7.1	8.5	444	8.3	0.40	7.6	9.2
2013	541	8.2	0.36	7.5	9.0	478	8.9	0.42	8.1	9.8
2014	543	8.2	0.36	7.5	9.0	477	8.8	0.41	8.0	9.7
2015	545	8.3	0.36	7.6	9.0	466	8.7	0.41	7.9	9.5
2016	539	8.2	0.36	7.5	8.9	461	8.6	0.41	7.8	9.5
2017	507	7.6	0.35	6.9	8.3	445	8.2	0.40	7.4	9.0
2018	469	6.9	0.33	6.3	7.6	417	7.6	0.38	6.9	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Thyroid										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	571	2.6	0.11	2.3	2.8	421	5.4	0.28	4.8	5.9
1986	7	1.4	0.54	0.6	2.9	3	4.6	3.18	0.6	15.2
1987	10	2.2	0.77	0.9	4.1	4	3.6	1.96	0.8	11.3
1988	12	2.2	0.67	1.1	3.9	6	6.6	3.23	1.8	16.4
1989	4	0.9	0.54	0.2	2.5	4	6.5	4.67	0.8	20.0
1990	10	2.2	0.76	0.9	4.1	3	2.4	1.38	0.5	8.6
1991	6	1.0	0.41	0.4	2.2	4	3.5	1.90	0.8	10.2
1992	10	1.7	0.54	0.8	3.2	3	4.2	2.84	0.6	12.9
1993	6	0.9	0.36	0.3	1.9	0				
1994	17	3.3	0.85	1.9	5.4	4	2.3	1.21	0.6	7.2
1995	9	1.3	0.46	0.6	2.6	2	1.0	0.69	0.1	5.0
1996	14	2.2	0.60	1.2	3.7	4	2.4	1.26	0.6	7.1
1997	12	2.1	0.66	1.0	3.8	9	4.2	1.42	1.9	8.8
1998	18	2.6	0.62	1.5	4.1	9	4.7	1.69	2.0	9.7
1999	11	1.6	0.47	0.8	2.8	8	4.0	1.54	1.6	8.7
2000	9	1.2	0.41	0.5	2.3	5	2.7	1.32	0.8	6.9
2001	17	2.7	0.67	1.5	4.3	7	3.2	1.40	1.1	7.4
2002	11	1.5	0.44	0.7	2.6	12	4.4	1.30	2.2	8.2
2003	19	2.7	0.64	1.6	4.3	7	3.7	1.46	1.4	7.8
2004	14	1.8	0.51	1.0	3.1	13	6.0	1.87	2.9	10.9
2005	16	2.2	0.58	1.3	3.7	12	4.5	1.41	2.2	8.4
2006	17	2.3	0.57	1.3	3.7	18	6.7	1.70	3.8	11.0
2007	21	3.3	0.76	1.9	5.1	16	5.5	1.44	3.1	9.3
2008	23	3.0	0.65	1.8	4.5	10	2.7	0.88	1.3	5.4
2009	23	2.8	0.61	1.8	4.3	18	5.3	1.30	3.1	8.7
2010	24	3.1	0.66	1.9	4.7	18	5.4	1.30	3.2	8.7
2011	20	2.5	0.58	1.5	3.9	23	7.1	1.59	4.4	11.0
2012	28	3.6	0.71	2.4	5.3	22	6.2	1.39	3.8	9.6
2013	26	3.2	0.64	2.1	4.7	27	7.2	1.41	4.7	10.7
2014	36	4.3	0.75	3.0	6.1	25	6.6	1.34	4.2	9.8
2015	39	4.7	0.77	3.3	6.5	29	7.7	1.45	5.1	11.1
2016	39	4.8	0.79	3.4	6.6	32	8.1	1.49	5.4	11.6
2017	27	3.4	0.67	2.2	5.0	35	8.4	1.45	5.8	11.8
2018	16	2.1	0.53	1.2	3.4	29	6.9	1.28	4.6	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Thyroid										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	29,429	14.0	0.08	13.8	14.1	25,081	14.8	0.09	14.6	15.0
1986	351	6.1	0.34	5.5	6.8	305	6.3	0.37	5.6	7.1
1987	354	6.2	0.34	5.6	6.9	322	6.8	0.39	6.0	7.6
1988	381	6.5	0.34	5.9	7.2	335	6.8	0.38	6.1	7.6
1989	365	6.3	0.33	5.6	6.9	305	6.3	0.37	5.6	7.0
1990	398	6.7	0.34	6.1	7.4	356	7.2	0.39	6.5	8.0
1991	384	6.5	0.34	5.9	7.2	340	6.9	0.38	6.2	7.7
1992	403	6.7	0.34	6.1	7.4	360	7.2	0.39	6.5	8.0
1993	445	7.3	0.35	6.7	8.1	385	7.7	0.40	6.9	8.5
1994	452	7.4	0.35	6.8	8.2	403	8.1	0.41	7.3	8.9
1995	502	8.1	0.36	7.4	8.8	429	8.5	0.41	7.7	9.3
1996	540	8.7	0.38	8.0	9.4	476	9.4	0.43	8.5	10.2
1997	566	9.0	0.38	8.3	9.8	481	9.3	0.43	8.5	10.2
1998	562	9.0	0.38	8.2	9.7	479	9.4	0.43	8.6	10.3
1999	647	10.3	0.40	9.5	11.1	564	11.1	0.47	10.2	12.1
2000	678	10.6	0.41	9.8	11.4	579	11.2	0.47	10.3	12.2
2001	690	10.8	0.41	10.0	11.6	591	11.5	0.47	10.5	12.4
2002	858	13.3	0.45	12.4	14.2	745	14.3	0.53	13.3	15.4
2003	881	13.6	0.46	12.7	14.5	770	14.8	0.54	13.8	15.9
2004	951	14.7	0.48	13.8	15.7	833	16.1	0.56	15.1	17.3
2005	988	15.1	0.48	14.2	16.1	835	16.0	0.56	14.9	17.1
2006	1,107	16.9	0.51	15.9	17.9	950	18.2	0.60	17.0	19.4
2007	1,182	17.9	0.52	16.9	18.9	1,015	19.3	0.61	18.1	20.5
2008	1,278	19.2	0.54	18.2	20.3	1,089	20.7	0.64	19.5	22.0
2009	1,375	20.6	0.56	19.5	21.7	1,196	22.7	0.67	21.4	24.0
2010	1,331	19.8	0.55	18.7	20.9	1,122	21.1	0.64	19.9	22.4
2011	1,423	20.8	0.56	19.7	21.9	1,202	22.2	0.66	21.0	23.6
2012	1,547	22.8	0.59	21.6	23.9	1,294	24.2	0.69	22.9	25.6
2013	1,563	23.1	0.60	21.9	24.3	1,308	24.8	0.70	23.4	26.2
2014	1,536	22.6	0.59	21.4	23.7	1,274	24.0	0.69	22.7	25.4
2015	1,642	24.0	0.61	22.8	25.2	1,406	26.4	0.73	25.0	27.9
2016	1,471	21.6	0.58	20.5	22.8	1,216	22.9	0.68	21.6	24.3
2017	1,286	18.6	0.54	17.6	19.7	1,034	19.3	0.62	18.1	20.5
2018	1,292	18.8	0.54	17.7	19.9	1,082	20.4	0.64	19.1	21.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Thyroid										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,451	8.0	0.16	7.7	8.4	1,442	15.6	0.42	14.7	16.4
1986	28	3.7	0.72	2.4	5.4	14	11.8	3.57	5.9	21.5
1987	19	2.6	0.63	1.6	4.2	11	8.9	2.87	4.2	17.1
1988	33	4.6	0.82	3.1	6.5	12	8.8	2.65	4.4	16.4
1989	37	4.8	0.82	3.4	6.7	18	13.3	3.46	7.4	22.3
1990	29	3.6	0.69	2.4	5.2	12	7.8	2.41	3.8	14.6
1991	27	3.6	0.71	2.3	5.2	3	1.7	0.98	0.3	6.0
1992	28	3.4	0.64	2.2	4.9	8	5.4	2.09	2.1	11.4
1993	33	4.1	0.73	2.8	5.8	20	11.2	2.57	6.7	17.8
1994	32	3.7	0.65	2.5	5.2	15	8.4	2.34	4.5	14.6
1995	43	5.1	0.79	3.7	6.9	25	13.2	2.81	8.3	20.1
1996	40	4.5	0.71	3.2	6.1	21	10.8	2.69	6.2	17.5
1997	52	6.4	0.90	4.8	8.4	24	11.8	2.56	7.3	18.1
1998	49	5.6	0.81	4.1	7.4	26	11.2	2.46	6.9	17.3
1999	39	4.1	0.66	2.9	5.6	27	12.5	2.59	8.0	18.7
2000	56	6.1	0.82	4.6	7.9	28	12.6	2.61	8.0	18.8
2001	68	7.3	0.89	5.7	9.3	26	10.6	2.14	6.8	15.8
2002	74	8.0	0.93	6.3	10.0	27	10.3	2.07	6.7	15.3
2003	69	7.3	0.88	5.6	9.2	27	8.8	1.79	5.7	13.2
2004	67	6.9	0.85	5.4	8.8	40	14.1	2.30	10.0	19.5
2005	77	8.1	0.93	6.4	10.1	56	19.5	2.74	14.5	25.6
2006	87	8.8	0.95	7.0	10.9	56	18.2	2.52	13.6	23.9
2007	94	9.6	1.00	7.7	11.8	52	15.5	2.24	11.5	20.6
2008	106	10.6	1.04	8.7	12.9	68	19.3	2.41	14.8	24.6
2009	111	11.1	1.06	9.1	13.4	48	13.2	1.98	9.6	17.8
2010	123	12.0	1.10	10.0	14.4	62	15.3	1.99	11.7	19.8
2011	125	12.1	1.09	10.0	14.4	80	20.3	2.33	15.9	25.4
2012	134	12.8	1.13	10.7	15.2	90	22.2	2.39	17.8	27.4
2013	135	12.6	1.11	10.6	15.0	91	21.3	2.29	17.1	26.4
2014	143	13.8	1.17	11.6	16.2	99	22.7	2.33	18.3	27.7
2015	124	12.1	1.11	10.0	14.4	88	19.8	2.15	15.8	24.5
2016	137	13.4	1.17	11.2	15.8	98	21.6	2.21	17.5	26.4
2017	131	12.2	1.10	10.2	14.6	95	20.7	2.14	16.7	25.4
2018	101	9.3	0.96	7.6	11.4	75	15.6	1.83	12.3	19.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lymphoma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	88,627	21.5	0.07	21.4	21.7	77,978	22.5	0.08	22.3	22.6	
1986	1,698	15.9	0.39	15.1	16.7	1,550	16.6	0.43	15.8	17.5	
1987	1,747	16.2	0.39	15.4	16.9	1,618	17.2	0.43	16.4	18.1	
1988	1,852	17.0	0.40	16.2	17.8	1,686	17.8	0.44	17.0	18.7	
1989	1,903	17.4	0.40	16.6	18.2	1,733	18.3	0.45	17.5	19.2	
1990	2,070	18.8	0.42	18.0	19.6	1,874	19.7	0.46	18.8	20.6	
1991	2,058	18.4	0.41	17.6	19.2	1,882	19.5	0.45	18.6	20.4	
1992	2,258	20.0	0.42	19.2	20.8	2,063	21.2	0.47	20.2	22.1	
1993	2,309	20.2	0.42	19.4	21.1	2,087	21.2	0.47	20.3	22.2	
1994	2,436	21.2	0.43	20.3	22.0	2,172	21.9	0.47	21.0	22.9	
1995	2,528	21.8	0.43	20.9	22.6	2,247	22.6	0.48	21.6	23.5	
1996	2,636	22.5	0.44	21.7	23.4	2,350	23.5	0.49	22.6	24.5	
1997	2,566	21.8	0.43	20.9	22.6	2,275	22.6	0.47	21.7	23.5	
1998	2,628	22.1	0.43	21.3	23.0	2,310	22.8	0.48	21.9	23.8	
1999	2,738	22.9	0.44	22.0	23.7	2,467	24.2	0.49	23.3	25.2	
2000	2,727	22.5	0.43	21.7	23.4	2,410	23.6	0.48	22.6	24.5	
2001	2,732	22.4	0.43	21.6	23.3	2,425	23.5	0.48	22.6	24.5	
2002	2,776	22.6	0.43	21.8	23.5	2,469	23.8	0.48	22.9	24.8	
2003	2,806	22.6	0.43	21.8	23.5	2,468	23.6	0.48	22.7	24.6	
2004	2,979	23.9	0.44	23.0	24.8	2,598	24.8	0.49	23.8	25.7	
2005	2,922	23.2	0.43	22.4	24.1	2,560	24.2	0.48	23.3	25.2	
2006	2,882	22.7	0.43	21.9	23.6	2,552	24.1	0.48	23.1	25.0	
2007	2,922	22.7	0.42	21.9	23.5	2,562	23.9	0.48	22.9	24.8	
2008	3,048	23.3	0.43	22.5	24.2	2,658	24.4	0.48	23.5	25.4	
2009	3,031	23.0	0.42	22.1	23.8	2,641	24.0	0.47	23.1	25.0	
2010	3,124	23.4	0.42	22.6	24.3	2,693	24.3	0.47	23.4	25.2	
2011	3,049	22.5	0.41	21.7	23.3	2,620	23.3	0.46	22.4	24.2	
2012	3,001	22.0	0.41	21.2	22.8	2,598	23.0	0.46	22.1	23.9	
2013	3,084	22.1	0.40	21.3	22.9	2,654	23.1	0.46	22.2	24.0	
2014	3,248	22.9	0.41	22.1	23.7	2,787	23.9	0.46	23.0	24.8	
2015	3,275	22.9	0.41	22.1	23.7	2,827	24.1	0.46	23.2	25.0	
2016	3,214	22.4	0.40	21.6	23.2	2,775	23.6	0.46	22.7	24.5	
2017	3,248	22.3	0.40	21.5	23.1	2,749	23.0	0.45	22.1	23.9	
2018	3,132	21.2	0.39	20.4	22.0	2,618	21.7	0.44	20.8	22.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	8,111	15.4	0.17	15.1	15.8	1,796	12.9	0.33	12.3	13.5
1986	124	9.9	0.93	8.1	11.9	24	15.2	3.37	9.3	23.3
1987	113	8.9	0.87	7.3	10.8	10	4.7	1.58	2.1	9.2
1988	147	11.0	0.96	9.2	13.0	15	9.1	2.78	4.5	16.1
1989	151	11.3	0.97	9.5	13.4	18	9.6	2.57	5.2	15.9
1990	171	12.7	1.02	10.8	14.9	19	8.6	2.15	4.9	14.0
1991	141	10.3	0.91	8.6	12.3	19	9.0	2.43	4.9	14.9
1992	171	12.5	1.00	10.6	14.6	18	9.6	2.75	5.0	16.2
1993	194	13.2	0.99	11.3	15.3	21	9.7	2.29	5.7	15.2
1994	226	15.5	1.07	13.5	17.8	32	15.5	3.13	10.0	22.7
1995	231	16.1	1.10	14.0	18.4	39	15.9	2.90	10.8	22.5
1996	235	15.4	1.04	13.5	17.6	37	12.7	2.33	8.6	18.1
1997	235	15.3	1.03	13.3	17.4	43	16.2	2.77	11.2	22.4
1998	259	16.7	1.07	14.7	18.9	38	11.2	2.12	7.4	16.1
1999	225	14.7	1.01	12.8	16.8	27	7.7	1.61	4.9	11.5
2000	248	15.6	1.01	13.7	17.7	45	11.0	1.82	7.7	15.2
2001	250	15.7	1.02	13.8	17.8	45	11.6	1.93	8.2	16.0
2002	242	15.0	0.99	13.2	17.1	45	13.3	2.18	9.4	18.2
2003	261	16.0	1.01	14.1	18.1	59	14.8	2.10	11.0	19.5
2004	298	18.6	1.11	16.5	20.9	53	12.3	1.83	9.0	16.4
2005	271	16.7	1.04	14.7	18.8	68	16.1	2.12	12.2	20.8
2006	254	15.3	0.98	13.4	17.3	50	10.5	1.62	7.6	14.1
2007	289	17.0	1.02	15.0	19.1	56	10.7	1.55	7.9	14.2
2008	281	16.6	1.01	14.7	18.7	73	12.7	1.60	9.8	16.3
2009	274	15.8	0.97	13.9	17.8	70	13.6	1.75	10.4	17.4
2010	303	17.2	1.01	15.3	19.3	76	13.6	1.69	10.4	17.3
2011	308	17.2	1.00	15.3	19.2	77	13.0	1.58	10.0	16.4
2012	297	16.2	0.96	14.4	18.2	71	11.3	1.41	8.7	14.4
2013	296	15.9	0.95	14.1	17.9	96	14.0	1.51	11.2	17.3
2014	317	16.9	0.97	15.1	18.9	107	15.3	1.54	12.4	18.6
2015	307	16.3	0.95	14.5	18.2	105	14.3	1.46	11.6	17.5
2016	299	16.2	0.96	14.4	18.2	109	14.1	1.39	11.5	17.1
2017	350	18.7	1.02	16.7	20.8	109	13.9	1.36	11.3	16.8
2018	343	17.8	0.98	15.9	19.9	122	14.7	1.36	12.1	17.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lymphoma											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	47,114	26.0	0.12	25.8	26.2	41,398	27.0	0.13	26.7	27.2	
1986	835	17.9	0.65	16.7	19.2	745	18.4	0.70	17.1	19.8	
1987	887	18.8	0.66	17.6	20.2	811	19.8	0.72	18.4	21.2	
1988	972	20.4	0.68	19.1	21.8	887	21.5	0.75	20.1	23.0	
1989	985	20.7	0.68	19.3	22.0	898	21.7	0.75	20.3	23.2	
1990	1,104	22.8	0.71	21.4	24.2	990	23.7	0.77	22.2	25.2	
1991	1,071	21.7	0.68	20.4	23.1	979	23.0	0.75	21.5	24.5	
1992	1,174	24.2	0.73	22.8	25.7	1,065	25.4	0.80	23.8	27.0	
1993	1,217	24.3	0.71	22.9	25.7	1,094	25.4	0.78	23.8	26.9	
1994	1,243	24.7	0.72	23.3	26.2	1,097	25.5	0.78	24.0	27.0	
1995	1,333	26.2	0.73	24.8	27.7	1,175	26.9	0.80	25.4	28.5	
1996	1,383	26.8	0.73	25.4	28.3	1,204	27.3	0.80	25.8	28.9	
1997	1,337	25.9	0.72	24.5	27.3	1,171	26.5	0.79	25.0	28.1	
1998	1,405	27.1	0.73	25.6	28.5	1,228	27.8	0.80	26.2	29.4	
1999	1,457	27.8	0.74	26.4	29.3	1,296	29.0	0.81	27.4	30.6	
2000	1,447	27.2	0.72	25.8	28.6	1,273	28.2	0.80	26.7	29.8	
2001	1,405	26.3	0.71	25.0	27.8	1,247	27.5	0.79	26.0	29.1	
2002	1,482	27.6	0.73	26.2	29.0	1,320	29.0	0.80	27.4	30.6	
2003	1,491	27.3	0.72	25.9	28.8	1,313	28.4	0.79	26.9	30.0	
2004	1,621	29.6	0.75	28.2	31.1	1,418	30.7	0.82	29.1	32.4	
2005	1,558	28.2	0.73	26.8	29.6	1,366	29.2	0.80	27.7	30.8	
2006	1,560	27.8	0.72	26.4	29.3	1,384	29.3	0.80	27.8	30.9	
2007	1,588	27.7	0.71	26.4	29.2	1,392	29.0	0.79	27.5	30.6	
2008	1,603	27.7	0.70	26.3	29.1	1,405	28.9	0.78	27.4	30.5	
2009	1,588	27.2	0.69	25.8	28.6	1,392	28.3	0.77	26.8	29.9	
2010	1,699	28.6	0.71	27.2	30.0	1,460	29.3	0.78	27.8	30.8	
2011	1,631	26.9	0.68	25.6	28.2	1,400	27.6	0.75	26.1	29.1	
2012	1,600	26.1	0.67	24.8	27.4	1,398	27.4	0.75	25.9	28.9	
2013	1,691	27.0	0.67	25.7	28.4	1,477	28.5	0.76	27.0	30.0	
2014	1,737	26.9	0.66	25.6	28.3	1,503	28.1	0.74	26.6	29.6	
2015	1,814	27.9	0.67	26.6	29.2	1,564	29.0	0.75	27.5	30.5	
2016	1,728	26.7	0.66	25.5	28.1	1,509	28.3	0.74	26.8	29.8	
2017	1,802	27.0	0.65	25.8	28.3	1,527	27.6	0.72	26.2	29.0	
2018	1,666	24.6	0.62	23.4	25.9	1,410	25.2	0.69	23.9	26.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,350	19.1	0.30	18.5	19.7	976	15.9	0.56	14.8	17.0
1986	75	13.2	1.66	10.2	16.9	15	19.4	5.43	10.3	33.6
1987	67	12.8	1.67	9.7	16.5	5	5.0	2.52	1.3	13.6
1988	75	12.5	1.56	9.6	15.9	8	9.0	3.32	3.7	18.7
1989	77	13.2	1.65	10.1	16.8	9	12.3	4.62	4.9	24.6
1990	96	16.5	1.84	13.1	20.5	14	15.1	4.55	7.6	27.0
1991	75	12.1	1.52	9.3	15.5	8	9.9	4.68	2.9	22.4
1992	95	16.6	1.85	13.2	20.6	10	13.5	5.01	5.5	26.2
1993	109	16.1	1.68	13.0	19.8	13	14.1	4.30	6.9	24.9
1994	127	18.8	1.74	15.5	22.5	16	17.3	5.24	8.6	30.1
1995	138	22.0	2.05	18.2	26.4	15	15.2	4.82	7.3	27.1
1996	151	22.7	1.99	18.9	26.9	20	14.9	3.96	8.2	24.7
1997	133	19.0	1.72	15.7	22.7	26	22.7	5.33	13.4	35.2
1998	146	21.4	1.85	17.9	25.3	20	14.5	4.10	7.6	24.5
1999	129	19.4	1.85	16.0	23.4	16	9.8	2.74	5.2	16.8
2000	137	19.1	1.70	15.9	22.7	22	13.2	3.46	7.3	21.6
2001	128	18.3	1.72	15.1	22.0	22	12.1	2.91	7.1	19.2
2002	125	17.6	1.66	14.5	21.1	28	19.1	4.13	11.8	28.6
2003	138	19.7	1.75	16.4	23.4	31	15.8	3.16	10.2	23.2
2004	160	23.2	1.96	19.6	27.4	29	14.2	3.02	8.9	21.3
2005	139	20.2	1.84	16.7	24.1	41	22.3	4.02	15.2	31.4
2006	130	17.9	1.64	14.8	21.4	31	15.7	3.24	10.0	23.2
2007	161	21.7	1.83	18.3	25.6	26	10.6	2.36	6.5	16.3
2008	141	19.5	1.74	16.3	23.2	36	13.5	2.54	9.0	19.4
2009	135	18.1	1.65	15.0	21.6	43	19.1	3.28	13.3	26.5
2010	169	22.6	1.83	19.1	26.5	39	16.9	3.09	11.4	23.9
2011	164	21.6	1.78	18.2	25.3	45	17.2	2.81	12.1	23.5
2012	145	18.1	1.56	15.2	21.5	38	13.5	2.36	9.3	18.9
2013	148	18.3	1.57	15.4	21.7	52	16.4	2.44	11.9	21.9
2014	163	19.9	1.63	16.8	23.3	56	18.6	2.69	13.7	24.6
2015	170	21.0	1.67	17.8	24.5	62	18.8	2.57	14.1	24.5
2016	153	19.0	1.60	16.0	22.4	48	13.0	1.93	9.5	17.4
2017	185	23.6	1.80	20.2	27.3	70	20.4	2.54	15.8	26.0
2018	166	19.9	1.60	16.9	23.3	62	16.3	2.13	12.4	21.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	41,513	18.1	0.09	17.9	18.3	36,580	19.0	0.10	18.8	19.2
1986	863	14.1	0.49	13.2	15.1	805	15.1	0.55	14.1	16.2
1987	860	13.9	0.48	13.0	14.9	807	15.0	0.54	14.0	16.1
1988	880	14.3	0.49	13.4	15.3	799	14.9	0.54	13.9	16.0
1989	918	14.9	0.50	14.0	15.9	835	15.7	0.55	14.6	16.8
1990	966	15.6	0.51	14.6	16.6	884	16.5	0.57	15.4	17.6
1991	987	15.6	0.50	14.7	16.7	903	16.5	0.56	15.4	17.7
1992	1,084	16.8	0.52	15.8	17.9	998	18.0	0.58	16.9	19.2
1993	1,092	16.9	0.52	15.9	17.9	993	17.8	0.57	16.7	19.0
1994	1,193	18.3	0.53	17.3	19.4	1,075	19.1	0.59	18.0	20.3
1995	1,195	18.1	0.53	17.1	19.2	1,072	18.9	0.58	17.7	20.0
1996	1,253	19.0	0.54	17.9	20.1	1,146	20.3	0.61	19.1	21.5
1997	1,229	18.5	0.53	17.5	19.6	1,104	19.5	0.59	18.3	20.7
1998	1,223	18.3	0.53	17.3	19.4	1,082	19.0	0.59	17.9	20.2
1999	1,281	19.1	0.54	18.0	20.1	1,171	20.6	0.61	19.4	21.8
2000	1,280	19.0	0.53	18.0	20.1	1,137	20.0	0.60	18.9	21.3
2001	1,327	19.4	0.54	18.4	20.5	1,178	20.4	0.60	19.2	21.6
2002	1,294	18.8	0.53	17.8	19.8	1,149	19.8	0.59	18.6	21.0
2003	1,315	19.0	0.53	18.0	20.1	1,155	19.8	0.59	18.7	21.0
2004	1,358	19.5	0.53	18.5	20.6	1,180	20.2	0.60	19.0	21.4
2005	1,364	19.5	0.53	18.4	20.5	1,194	20.4	0.60	19.2	21.6
2006	1,322	18.7	0.52	17.7	19.7	1,168	19.9	0.59	18.7	21.1
2007	1,334	18.7	0.52	17.7	19.8	1,170	19.7	0.59	18.6	20.9
2008	1,445	20.1	0.53	19.0	21.1	1,253	21.0	0.60	19.8	22.2
2009	1,443	19.8	0.53	18.8	20.9	1,249	20.7	0.60	19.6	21.9
2010	1,425	19.5	0.53	18.5	20.6	1,233	20.5	0.60	19.3	21.7
2011	1,418	19.1	0.52	18.1	20.1	1,220	19.9	0.58	18.8	21.1
2012	1,401	18.7	0.51	17.7	19.7	1,200	19.4	0.58	18.3	20.6
2013	1,393	18.1	0.50	17.1	19.1	1,177	18.7	0.56	17.6	19.8
2014	1,511	19.7	0.52	18.7	20.8	1,284	20.6	0.59	19.4	21.8
2015	1,461	18.9	0.51	17.9	19.9	1,263	20.0	0.58	18.9	21.2
2016	1,486	19.0	0.51	18.0	20.0	1,266	19.9	0.58	18.8	21.0
2017	1,446	18.5	0.50	17.6	19.5	1,222	19.4	0.57	18.3	20.5
2018	1,466	18.5	0.50	17.5	19.5	1,208	18.8	0.56	17.7	19.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,761	12.7	0.21	12.2	13.1	820	10.6	0.39	9.9	11.4
1986	49	7.2	1.06	5.3	9.6	9	11.6	4.17	4.9	22.7
1987	46	6.1	0.94	4.4	8.2	5	4.5	2.08	1.4	11.4
1988	72	9.7	1.19	7.5	12.3	7	8.8	4.01	2.8	19.6
1989	74	10.0	1.20	7.8	12.7	9	7.9	3.00	3.1	16.2
1990	75	10.0	1.19	7.8	12.6	5	3.6	1.64	1.1	9.2
1991	66	8.8	1.11	6.8	11.2	11	8.7	2.73	4.2	16.1
1992	76	9.6	1.13	7.5	12.1	8	6.9	3.08	2.2	15.2
1993	85	10.8	1.20	8.5	13.4	8	6.4	2.43	2.6	13.0
1994	99	12.6	1.29	10.2	15.3	16	14.2	3.91	7.6	23.7
1995	93	11.7	1.24	9.4	14.4	24	16.9	3.74	10.4	25.8
1996	84	10.0	1.11	7.9	12.4	17	11.1	2.86	6.2	18.1
1997	102	12.1	1.22	9.8	14.7	17	11.5	3.01	6.4	18.8
1998	113	13.0	1.24	10.7	15.6	18	9.1	2.36	5.1	15.0
1999	96	11.3	1.17	9.1	13.8	11	6.0	1.91	2.8	10.9
2000	111	12.6	1.20	10.3	15.1	23	9.8	2.15	6.0	15.0
2001	122	13.7	1.25	11.4	16.4	23	11.0	2.51	6.7	17.0
2002	117	13.0	1.21	10.7	15.6	17	9.0	2.33	5.0	14.6
2003	123	13.4	1.21	11.1	16.0	28	13.7	2.74	8.9	20.1
2004	138	15.3	1.31	12.8	18.0	24	10.7	2.30	6.7	16.1
2005	132	14.3	1.25	11.9	17.0	27	11.6	2.36	7.5	17.1
2006	124	13.1	1.19	10.9	15.7	19	6.8	1.64	4.0	10.8
2007	128	13.5	1.20	11.2	16.1	30	10.6	2.06	7.0	15.5
2008	140	14.6	1.24	12.2	17.2	37	12.3	2.13	8.5	17.2
2009	139	14.2	1.21	11.9	16.7	27	9.4	1.90	6.0	13.8
2010	134	13.5	1.18	11.3	16.1	37	11.4	1.99	7.9	16.0
2011	144	14.1	1.19	11.9	16.7	32	9.5	1.76	6.4	13.6
2012	152	14.7	1.21	12.4	17.2	33	9.5	1.73	6.4	13.5
2013	148	14.1	1.18	11.9	16.6	44	12.0	1.88	8.6	16.3
2014	154	14.7	1.20	12.4	17.2	51	13.1	1.88	9.7	17.4
2015	137	12.9	1.12	10.8	15.3	43	10.8	1.70	7.7	14.7
2016	146	14.0	1.18	11.7	16.5	61	14.8	1.92	11.2	19.0
2017	165	15.4	1.23	13.1	18.0	39	8.6	1.40	6.1	11.9
2018	177	16.2	1.24	13.8	18.8	60	13.3	1.75	10.1	17.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	11,635	2.8	0.03	2.8	2.9	9,689	2.9	0.03	2.9	3.0
1986	324	2.9	0.17	2.6	3.2	288	3.1	0.18	2.7	3.4
1987	287	2.5	0.15	2.2	2.8	255	2.6	0.17	2.3	3.0
1988	286	2.4	0.15	2.1	2.7	248	2.5	0.16	2.2	2.9
1989	324	2.8	0.16	2.5	3.1	290	3.0	0.18	2.7	3.4
1990	335	2.9	0.16	2.6	3.2	289	3.0	0.18	2.7	3.4
1991	329	2.8	0.16	2.5	3.1	290	3.0	0.18	2.6	3.4
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	318	2.6	0.15	2.3	2.9	262	2.6	0.16	2.3	3.0
1994	328	2.7	0.15	2.4	3.0	283	2.8	0.17	2.5	3.2
1995	322	2.6	0.15	2.4	3.0	278	2.8	0.17	2.5	3.1
1996	377	3.1	0.16	2.8	3.4	315	3.1	0.18	2.8	3.5
1997	363	3.0	0.16	2.7	3.3	299	3.0	0.17	2.7	3.3
1998	326	2.6	0.15	2.4	3.0	270	2.7	0.16	2.4	3.0
1999	348	2.8	0.15	2.5	3.1	297	3.0	0.17	2.6	3.3
2000	363	2.9	0.15	2.6	3.2	304	3.0	0.17	2.7	3.4
2001	365	2.9	0.15	2.6	3.2	302	3.0	0.17	2.7	3.4
2002	367	2.9	0.15	2.6	3.2	316	3.1	0.18	2.8	3.5
2003	353	2.8	0.15	2.5	3.1	298	2.9	0.17	2.6	3.3
2004	361	2.9	0.15	2.6	3.2	299	3.0	0.17	2.6	3.3
2005	384	3.1	0.16	2.8	3.4	307	3.1	0.18	2.7	3.4
2006	388	3.1	0.16	2.8	3.4	324	3.2	0.18	2.9	3.6
2007	345	2.7	0.15	2.4	3.0	290	2.8	0.17	2.5	3.2
2008	416	3.3	0.16	3.0	3.6	338	3.3	0.18	3.0	3.7
2009	369	2.9	0.15	2.6	3.2	301	3.0	0.17	2.6	3.3
2010	384	3.0	0.16	2.7	3.3	309	3.1	0.18	2.7	3.4
2011	358	2.8	0.15	2.5	3.1	282	2.8	0.17	2.5	3.1
2012	356	2.8	0.15	2.5	3.1	283	2.8	0.17	2.4	3.1
2013	362	2.7	0.15	2.5	3.1	291	2.8	0.17	2.5	3.2
2014	380	2.9	0.15	2.6	3.2	311	3.0	0.17	2.7	3.3
2015	360	2.8	0.15	2.5	3.1	288	2.9	0.17	2.6	3.3
2016	346	2.7	0.15	2.4	3.0	276	2.7	0.17	2.4	3.1
2017	387	3.0	0.15	2.7	3.3	306	3.0	0.17	2.7	3.4
2018	383	2.9	0.15	2.6	3.2	302	3.0	0.17	2.6	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hodgkin Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,539	2.6	0.07	2.4	2.7	247	1.4	0.10	1.2	1.6
1986	32	2.0	0.38	1.4	3.0	4	2.1	1.11	0.6	6.0
1987	28	1.7	0.35	1.1	2.6	0				
1988	35	2.0	0.36	1.4	2.8	3	1.6	0.94	0.3	5.0
1989	34	2.1	0.37	1.4	2.9	0				
1990	44	2.6	0.41	1.9	3.6	1	0.5	0.51	0.0	3.2
1991	31	1.8	0.34	1.2	2.6	4	1.3	0.68	0.3	3.9
1992	39	2.3	0.39	1.6	3.2	3	0.7	0.42	0.2	2.8
1993	50	2.8	0.42	2.1	3.8	4	1.4	0.73	0.3	3.9
1994	37	2.2	0.36	1.5	3.0	5	1.4	0.64	0.4	3.6
1995	37	2.0	0.33	1.4	2.7	4	2.0	1.25	0.3	5.6
1996	48	2.7	0.40	2.0	3.6	8	2.1	0.84	0.8	4.6
1997	57	3.2	0.44	2.4	4.2	3	0.7	0.42	0.2	2.4
1998	42	2.2	0.35	1.6	3.1	8	2.1	0.86	0.8	4.6
1999	37	2.1	0.36	1.5	2.9	6	1.2	0.49	0.4	2.8
2000	47	2.6	0.39	1.9	3.5	3	0.6	0.32	0.1	1.9
2001	49	2.7	0.38	2.0	3.5	10	2.0	0.68	0.9	3.9
2002	43	2.4	0.37	1.7	3.2	2	0.5	0.37	0.0	1.9
2003	43	2.3	0.36	1.7	3.2	8	1.3	0.47	0.6	2.8
2004	52	2.8	0.40	2.1	3.7	5	0.8	0.38	0.3	2.1
2005	65	3.6	0.46	2.8	4.6	8	1.4	0.53	0.6	3.0
2006	46	2.5	0.37	1.8	3.3	10	1.8	0.65	0.8	3.6
2007	45	2.3	0.35	1.7	3.1	7	1.0	0.38	0.4	2.2
2008	57	3.0	0.41	2.3	3.9	14	1.9	0.52	1.0	3.3
2009	50	2.7	0.38	2.0	3.5	7	1.0	0.38	0.4	2.1
2010	57	2.9	0.39	2.2	3.8	10	1.3	0.41	0.6	2.5
2011	59	3.1	0.41	2.3	4.0	5	0.5	0.22	0.2	1.3
2012	59	3.1	0.41	2.4	4.0	11	1.4	0.45	0.7	2.6
2013	53	2.7	0.38	2.0	3.5	13	1.7	0.48	0.9	3.0
2014	48	2.5	0.37	1.8	3.4	15	2.0	0.53	1.1	3.3
2015	50	2.5	0.37	1.9	3.4	18	2.2	0.54	1.3	3.5
2016	53	2.8	0.39	2.1	3.7	15	1.9	0.49	1.0	3.1
2017	57	2.9	0.39	2.2	3.8	17	1.9	0.47	1.1	3.1
2018	55	2.9	0.39	2.1	3.7	16	1.9	0.49	1.1	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,419	3.3	0.04	3.2	3.3	5,313	3.3	0.05	3.2	3.4
1986	158	3.0	0.25	2.5	3.5	138	3.1	0.27	2.6	3.7
1987	168	3.1	0.24	2.6	3.6	149	3.2	0.27	2.7	3.8
1988	158	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.5
1989	166	3.0	0.24	2.6	3.5	148	3.2	0.27	2.7	3.8
1990	192	3.5	0.26	3.0	4.0	164	3.5	0.28	3.0	4.1
1991	180	3.3	0.25	2.8	3.8	158	3.4	0.28	2.9	4.0
1992	172	3.1	0.24	2.6	3.6	154	3.3	0.27	2.8	3.8
1993	181	3.1	0.24	2.7	3.6	150	3.1	0.26	2.6	3.7
1994	185	3.2	0.24	2.7	3.7	152	3.1	0.26	2.6	3.7
1995	192	3.3	0.24	2.8	3.8	160	3.3	0.27	2.8	3.9
1996	215	3.7	0.25	3.2	4.2	172	3.5	0.27	3.0	4.1
1997	187	3.1	0.23	2.7	3.6	147	3.0	0.25	2.5	3.5
1998	188	3.2	0.24	2.8	3.7	160	3.3	0.26	2.8	3.9
1999	189	3.2	0.23	2.7	3.7	155	3.2	0.26	2.7	3.7
2000	216	3.6	0.25	3.1	4.1	184	3.7	0.28	3.2	4.3
2001	198	3.3	0.24	2.9	3.8	160	3.3	0.26	2.8	3.8
2002	198	3.3	0.23	2.8	3.8	174	3.5	0.27	3.0	4.1
2003	183	3.1	0.23	2.6	3.5	156	3.2	0.25	2.7	3.7
2004	212	3.5	0.24	3.1	4.1	173	3.5	0.27	3.0	4.1
2005	217	3.6	0.24	3.1	4.1	177	3.6	0.27	3.1	4.2
2006	203	3.3	0.24	2.9	3.8	170	3.5	0.27	2.9	4.0
2007	202	3.3	0.23	2.8	3.8	165	3.3	0.26	2.8	3.9
2008	215	3.5	0.24	3.0	4.0	174	3.5	0.26	3.0	4.0
2009	200	3.3	0.23	2.8	3.8	163	3.3	0.26	2.8	3.8
2010	207	3.4	0.24	2.9	3.9	163	3.3	0.26	2.8	3.9
2011	203	3.3	0.23	2.9	3.8	160	3.2	0.26	2.7	3.8
2012	195	3.1	0.23	2.7	3.6	157	3.2	0.26	2.7	3.7
2013	190	3.0	0.22	2.6	3.4	159	3.2	0.25	2.7	3.7
2014	211	3.2	0.23	2.8	3.7	171	3.3	0.25	2.8	3.8
2015	216	3.4	0.23	3.0	3.9	170	3.4	0.26	2.9	4.0
2016	211	3.3	0.23	2.9	3.8	165	3.3	0.26	2.8	3.8
2017	205	3.2	0.23	2.8	3.7	164	3.2	0.26	2.7	3.8
2018	206	3.2	0.23	2.8	3.7	163	3.2	0.26	2.8	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	868	3.2	0.11	3.0	3.4	147	1.8	0.16	1.5	2.2
1986	17	2.2	0.58	1.2	3.8	3	3.4	2.12	0.6	11.8
1987	16	2.6	0.71	1.4	4.4	0				
1988	18	2.1	0.54	1.2	3.6	2	2.4	1.67	0.3	9.5
1989	18	2.6	0.71	1.4	4.4	0				
1990	26	3.5	0.71	2.2	5.2	1	1.2	1.19	0.0	7.4
1991	17	2.3	0.57	1.3	3.8	2	1.3	0.92	0.2	6.6
1992	18	2.8	0.74	1.6	4.6	0				
1993	28	3.4	0.66	2.2	5.0	3	2.5	1.52	0.4	8.1
1994	26	3.3	0.67	2.1	5.0	4	2.6	1.35	0.7	7.7
1995	29	3.4	0.64	2.2	4.9	1	0.4	0.39	0.0	4.3
1996	32	3.9	0.71	2.6	5.6	6	3.8	1.88	1.1	9.6
1997	36	4.5	0.79	3.1	6.4	2	0.9	0.67	0.1	4.6
1998	21	2.3	0.52	1.4	3.7	3	2.9	1.88	0.4	8.7
1999	22	2.6	0.58	1.6	4.1	5	2.0	0.93	0.6	5.7
2000	26	3.1	0.64	2.0	4.6	0				
2001	29	3.4	0.65	2.3	5.0	6	3.1	1.40	1.0	7.3
2002	21	2.4	0.54	1.4	3.7	1	0.8	0.84	0.0	4.2
2003	21	2.5	0.57	1.5	3.9	6	2.0	0.83	0.7	4.9
2004	36	4.4	0.76	3.0	6.2	2	0.8	0.54	0.1	3.2
2005	31	3.5	0.64	2.4	5.1	6	2.4	1.03	0.8	5.6
2006	24	2.8	0.59	1.8	4.3	4	1.4	0.78	0.3	4.1
2007	28	3.1	0.60	2.1	4.6	6	1.7	0.71	0.6	4.1
2008	28	3.3	0.64	2.2	4.8	9	2.5	0.83	1.1	5.0
2009	29	3.4	0.64	2.2	4.9	4	1.0	0.52	0.3	3.0
2010	34	3.9	0.70	2.7	5.5	6	1.7	0.69	0.6	3.9
2011	33	3.9	0.72	2.7	5.6	2	0.4	0.29	0.1	2.0
2012	29	3.3	0.62	2.2	4.8	6	1.7	0.74	0.6	3.9
2013	23	2.6	0.56	1.6	3.9	7	1.8	0.69	0.7	3.9
2014	30	3.5	0.65	2.3	5.0	10	2.9	1.00	1.3	5.6
2015	32	3.4	0.63	2.3	4.9	12	3.2	0.98	1.6	5.8
2016	36	4.1	0.70	2.8	5.7	9	2.1	0.69	0.9	4.0
2017	27	3.0	0.59	1.9	4.4	9	2.3	0.76	1.0	4.3
2018	27	2.9	0.56	1.9	4.2	10	2.7	0.89	1.2	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hodgkin Lymphoma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	5,216	2.5	0.03	2.4	2.5	4,376	2.6	0.04	2.5	2.7	
1986	166	2.8	0.22	2.4	3.2	150	2.9	0.25	2.5	3.5	
1987	119	1.9	0.18	1.6	2.3	106	2.1	0.20	1.7	2.5	
1988	128	2.1	0.18	1.7	2.4	110	2.1	0.20	1.7	2.5	
1989	158	2.6	0.21	2.2	3.0	142	2.8	0.24	2.3	3.3	
1990	143	2.4	0.20	2.0	2.8	125	2.5	0.23	2.1	3.0	
1991	149	2.4	0.20	2.0	2.8	132	2.6	0.23	2.2	3.1	
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2	
1993	137	2.2	0.19	1.8	2.6	112	2.2	0.21	1.8	2.6	
1994	143	2.2	0.19	1.9	2.6	131	2.5	0.22	2.1	3.0	
1995	130	2.1	0.18	1.7	2.5	118	2.3	0.22	1.9	2.8	
1996	162	2.6	0.20	2.2	3.0	143	2.8	0.24	2.4	3.3	
1997	176	2.8	0.21	2.4	3.2	152	3.0	0.24	2.5	3.5	
1998	138	2.2	0.19	1.8	2.6	110	2.2	0.21	1.8	2.6	
1999	159	2.5	0.20	2.1	2.9	142	2.8	0.23	2.3	3.3	
2000	147	2.3	0.19	1.9	2.7	120	2.4	0.22	1.9	2.8	
2001	167	2.6	0.20	2.2	3.0	142	2.8	0.23	2.3	3.3	
2002	169	2.6	0.20	2.2	3.0	142	2.7	0.23	2.3	3.2	
2003	170	2.6	0.20	2.3	3.1	142	2.8	0.23	2.3	3.3	
2004	149	2.3	0.19	2.0	2.7	126	2.5	0.22	2.0	2.9	
2005	167	2.6	0.20	2.2	3.0	130	2.6	0.23	2.1	3.0	
2006	185	2.8	0.21	2.4	3.3	154	3.0	0.24	2.5	3.5	
2007	143	2.2	0.19	1.9	2.6	125	2.4	0.22	2.0	2.9	
2008	201	3.1	0.22	2.7	3.6	164	3.2	0.26	2.8	3.8	
2009	169	2.6	0.20	2.2	3.0	138	2.7	0.23	2.3	3.2	
2010	177	2.7	0.21	2.3	3.2	146	2.9	0.24	2.4	3.4	
2011	155	2.4	0.19	2.0	2.8	122	2.4	0.22	2.0	2.9	
2012	161	2.4	0.19	2.1	2.8	126	2.4	0.22	2.0	2.9	
2013	172	2.5	0.20	2.2	3.0	132	2.5	0.22	2.1	3.0	
2014	169	2.6	0.20	2.2	3.0	140	2.7	0.24	2.3	3.2	
2015	144	2.3	0.20	1.9	2.7	118	2.4	0.23	2.0	2.9	
2016	135	2.1	0.18	1.7	2.5	111	2.2	0.22	1.8	2.7	
2017	182	2.8	0.21	2.4	3.2	142	2.8	0.24	2.3	3.3	
2018	177	2.6	0.20	2.3	3.1	139	2.7	0.23	2.2	3.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	671	2.1	0.08	1.9	2.2	100	1.1	0.11	0.8	1.3
1986	15	1.9	0.50	1.0	3.2	1	1.2	1.19	0.0	7.1
1987	12	1.2	0.35	0.6	2.2	0				
1988	17	1.9	0.48	1.1	3.1	1	1.0	1.00	0.0	6.1
1989	16	1.8	0.45	1.0	2.9	0				
1990	18	2.0	0.48	1.2	3.2	0				
1991	14	1.5	0.41	0.8	2.6	2	1.3	0.96	0.1	5.6
1992	21	2.1	0.47	1.3	3.3	3	1.5	0.86	0.3	5.4
1993	22	2.3	0.51	1.4	3.6	1	0.5	0.53	0.0	3.9
1994	11	1.2	0.36	0.6	2.2	1	0.3	0.33	0.0	3.3
1995	8	0.8	0.28	0.3	1.6	3	3.0	1.98	0.5	8.8
1996	16	1.7	0.42	0.9	2.7	2	0.7	0.50	0.1	3.5
1997	21	2.2	0.49	1.4	3.4	1	0.5	0.52	0.0	3.2
1998	21	2.1	0.47	1.3	3.3	5	1.8	0.83	0.6	4.8
1999	15	1.6	0.43	0.9	2.7	1	0.3	0.32	0.0	2.6
2000	21	2.2	0.48	1.3	3.3	3	1.1	0.65	0.2	3.6
2001	20	2.0	0.45	1.2	3.1	4	1.1	0.57	0.3	3.4
2002	22	2.3	0.49	1.4	3.5	1	0.2	0.22	0.0	2.0
2003	22	2.2	0.47	1.4	3.3	2	0.6	0.44	0.1	2.6
2004	16	1.6	0.39	0.9	2.6	3	0.9	0.54	0.2	3.0
2005	34	3.5	0.61	2.4	4.9	2	0.6	0.41	0.1	2.4
2006	22	2.2	0.46	1.3	3.3	6	2.1	0.94	0.7	4.8
2007	17	1.7	0.41	1.0	2.7	1	0.3	0.26	0.0	1.8
2008	29	2.8	0.53	1.9	4.1	5	1.4	0.65	0.5	3.5
2009	21	2.0	0.45	1.2	3.1	3	0.9	0.54	0.2	2.7
2010	23	2.1	0.45	1.3	3.2	4	1.0	0.51	0.3	2.7
2011	26	2.5	0.49	1.6	3.7	3	0.6	0.34	0.1	2.0
2012	30	2.9	0.54	2.0	4.2	5	1.2	0.55	0.4	3.0
2013	30	2.8	0.52	1.9	4.0	6	1.6	0.67	0.6	3.5
2014	18	1.8	0.42	1.0	2.8	5	1.3	0.58	0.4	3.0
2015	18	1.8	0.43	1.1	2.9	6	1.3	0.53	0.5	2.9
2016	17	1.7	0.42	1.0	2.7	6	1.6	0.65	0.6	3.4
2017	30	2.8	0.53	1.9	4.1	8	1.7	0.59	0.7	3.3
2018	28	2.8	0.53	1.8	4.0	6	1.2	0.52	0.4	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Non-Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	76,992	18.7	0.07	18.6	18.9	68,289	19.6	0.08	19.4	19.7
1986	1,374	13.0	0.36	12.3	13.7	1,262	13.6	0.39	12.8	14.4
1987	1,460	13.7	0.36	13.0	14.4	1,363	14.6	0.40	13.8	15.4
1988	1,566	14.6	0.37	13.9	15.3	1,438	15.3	0.41	14.5	16.1
1989	1,579	14.6	0.37	13.9	15.4	1,443	15.3	0.41	14.5	16.2
1990	1,735	15.9	0.39	15.2	16.7	1,585	16.7	0.42	15.9	17.6
1991	1,729	15.6	0.38	14.8	16.3	1,592	16.5	0.42	15.7	17.3
1992	1,917	17.1	0.39	16.4	17.9	1,765	18.2	0.44	17.3	19.1
1993	1,991	17.6	0.40	16.8	18.4	1,825	18.6	0.44	17.8	19.5
1994	2,108	18.5	0.40	17.7	19.3	1,889	19.1	0.44	18.3	20.0
1995	2,206	19.1	0.41	18.3	20.0	1,969	19.8	0.45	18.9	20.7
1996	2,259	19.4	0.41	18.7	20.3	2,035	20.4	0.45	19.5	21.3
1997	2,203	18.8	0.40	18.0	19.6	1,976	19.6	0.44	18.7	20.5
1998	2,302	19.5	0.41	18.7	20.3	2,040	20.1	0.45	19.3	21.0
1999	2,390	20.0	0.41	19.2	20.9	2,170	21.3	0.46	20.4	22.2
2000	2,364	19.6	0.40	18.9	20.4	2,106	20.6	0.45	19.7	21.5
2001	2,367	19.5	0.40	18.7	20.3	2,123	20.5	0.45	19.7	21.4
2002	2,409	19.7	0.40	18.9	20.5	2,153	20.7	0.45	19.9	21.6
2003	2,453	19.8	0.40	19.1	20.6	2,170	20.7	0.45	19.8	21.6
2004	2,618	21.0	0.41	20.2	21.8	2,299	21.8	0.46	20.9	22.7
2005	2,538	20.2	0.40	19.4	21.0	2,253	21.2	0.45	20.3	22.1
2006	2,494	19.6	0.40	18.9	20.4	2,228	20.9	0.45	20.0	21.8
2007	2,577	20.0	0.40	19.2	20.8	2,272	21.0	0.44	20.1	21.9
2008	2,632	20.1	0.39	19.3	20.9	2,320	21.1	0.44	20.2	22.0
2009	2,662	20.1	0.39	19.3	20.9	2,340	21.1	0.44	20.2	21.9
2010	2,740	20.4	0.39	19.6	21.2	2,384	21.2	0.44	20.4	22.1
2011	2,691	19.7	0.39	18.9	20.5	2,338	20.5	0.43	19.7	21.4
2012	2,645	19.2	0.38	18.5	20.0	2,315	20.3	0.43	19.4	21.1
2013	2,722	19.3	0.38	18.6	20.1	2,363	20.3	0.42	19.4	21.1
2014	2,868	20.0	0.38	19.3	20.8	2,476	20.9	0.43	20.1	21.8
2015	2,915	20.1	0.38	19.3	20.8	2,539	21.2	0.43	20.3	22.0
2016	2,868	19.7	0.38	19.0	20.5	2,499	20.9	0.43	20.1	21.7
2017	2,861	19.3	0.37	18.6	20.0	2,443	20.0	0.42	19.2	20.9
2018	2,749	18.3	0.36	17.6	19.0	2,316	18.7	0.40	18.0	19.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Non-Hodgkin Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,572	12.8	0.16	12.5	13.2	1,549	11.5	0.31	10.9	12.1
1986	92	7.8	0.85	6.3	9.7	20	13.1	3.18	7.6	20.8
1987	85	7.2	0.80	5.7	8.9	10	4.7	1.58	2.1	9.2
1988	112	9.0	0.89	7.3	10.9	12	7.5	2.62	3.3	14.2
1989	117	9.3	0.89	7.6	11.2	18	9.6	2.57	5.2	15.9
1990	127	10.1	0.93	8.4	12.1	18	8.1	2.09	4.6	13.4
1991	110	8.5	0.84	6.9	10.3	15	7.7	2.33	3.8	13.5
1992	132	10.2	0.92	8.4	12.1	15	8.8	2.72	4.3	15.4
1993	144	10.4	0.90	8.7	12.3	17	8.3	2.17	4.6	13.6
1994	189	13.4	1.00	11.5	15.5	27	14.2	3.06	8.8	21.2
1995	194	14.1	1.05	12.1	16.3	35	13.9	2.62	9.3	20.0
1996	187	12.8	0.96	10.9	14.8	29	10.7	2.18	6.8	15.8
1997	178	12.0	0.93	10.3	14.0	40	15.4	2.74	10.6	21.6
1998	217	14.5	1.01	12.6	16.6	30	9.1	1.93	5.7	13.6
1999	188	12.6	0.94	10.8	14.6	21	6.5	1.54	3.9	10.2
2000	201	13.0	0.94	11.2	15.0	42	10.5	1.79	7.3	14.6
2001	201	13.1	0.94	11.3	15.0	35	9.7	1.81	6.5	13.8
2002	199	12.7	0.92	11.0	14.6	43	12.8	2.15	9.0	17.6
2003	218	13.7	0.94	11.9	15.7	51	13.5	2.05	9.8	18.1
2004	246	15.8	1.03	13.9	18.0	48	11.5	1.80	8.2	15.5
2005	206	13.1	0.93	11.3	15.0	60	14.7	2.06	10.9	19.2
2006	208	12.8	0.91	11.1	14.7	40	8.7	1.48	6.0	12.0
2007	244	14.6	0.96	12.8	16.6	49	9.7	1.51	7.0	13.1
2008	224	13.6	0.93	11.8	15.5	59	10.8	1.52	8.1	14.2
2009	224	13.1	0.89	11.4	15.0	63	12.6	1.71	9.5	16.4
2010	246	14.3	0.93	12.6	16.3	66	12.3	1.64	9.3	15.9
2011	249	14.1	0.91	12.4	16.0	72	12.5	1.56	9.6	15.9
2012	238	13.1	0.87	11.4	14.9	60	9.9	1.34	7.4	12.8
2013	243	13.3	0.87	11.6	15.1	83	12.3	1.43	9.7	15.4
2014	269	14.4	0.90	12.7	16.3	92	13.3	1.44	10.6	16.4
2015	257	13.7	0.88	12.1	15.6	87	12.1	1.36	9.6	15.1
2016	246	13.4	0.87	11.7	15.2	94	12.2	1.30	9.8	15.1
2017	293	15.8	0.94	14.0	17.8	92	12.0	1.28	9.6	14.7
2018	288	15.0	0.90	13.3	16.8	106	12.8	1.27	10.4	15.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Non-Hodgkin Lymphoma											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	40,695	22.7	0.11	22.5	23.0	36,085	23.7	0.13	23.4	23.9	
1986	677	14.9	0.60	13.8	16.2	607	15.3	0.64	14.1	16.6	
1987	719	15.8	0.61	14.6	17.0	662	16.6	0.67	15.3	17.9	
1988	814	17.6	0.64	16.4	18.9	749	18.6	0.70	17.2	20.0	
1989	819	17.6	0.64	16.4	18.9	750	18.5	0.70	17.2	19.9	
1990	912	19.3	0.66	18.1	20.7	826	20.1	0.72	18.7	21.6	
1991	891	18.5	0.64	17.2	19.8	821	19.6	0.70	18.2	21.0	
1992	1,002	21.1	0.69	19.8	22.5	911	22.1	0.75	20.7	23.6	
1993	1,036	21.1	0.67	19.8	22.5	944	22.2	0.74	20.8	23.7	
1994	1,058	21.5	0.68	20.2	22.9	945	22.3	0.74	20.9	23.8	
1995	1,141	22.9	0.69	21.6	24.3	1,015	23.6	0.75	22.1	25.1	
1996	1,168	23.1	0.69	21.8	24.5	1,032	23.8	0.75	22.3	25.3	
1997	1,150	22.7	0.68	21.4	24.1	1,024	23.6	0.75	22.1	25.1	
1998	1,217	23.8	0.69	22.5	25.2	1,068	24.4	0.76	23.0	26.0	
1999	1,268	24.6	0.70	23.3	26.1	1,141	25.8	0.77	24.3	27.4	
2000	1,231	23.6	0.68	22.2	24.9	1,089	24.5	0.75	23.0	26.0	
2001	1,207	23.0	0.67	21.7	24.4	1,087	24.3	0.74	22.9	25.8	
2002	1,284	24.3	0.69	23.0	25.7	1,146	25.5	0.76	24.0	27.0	
2003	1,308	24.3	0.68	23.0	25.6	1,157	25.2	0.75	23.8	26.8	
2004	1,409	26.1	0.71	24.7	27.5	1,245	27.2	0.78	25.7	28.7	
2005	1,341	24.6	0.68	23.3	26.0	1,189	25.6	0.75	24.2	27.1	
2006	1,357	24.5	0.68	23.2	25.8	1,214	25.9	0.75	24.4	27.4	
2007	1,386	24.5	0.67	23.2	25.8	1,227	25.7	0.74	24.2	27.2	
2008	1,388	24.2	0.66	22.9	25.5	1,231	25.4	0.73	24.0	26.9	
2009	1,388	23.9	0.65	22.6	25.2	1,229	25.1	0.73	23.7	26.5	
2010	1,492	25.2	0.67	23.9	26.5	1,297	26.0	0.73	24.5	27.4	
2011	1,428	23.6	0.64	22.3	24.9	1,240	24.4	0.71	23.0	25.8	
2012	1,405	23.0	0.63	21.7	24.2	1,241	24.2	0.70	22.8	25.6	
2013	1,501	24.0	0.63	22.8	25.3	1,318	25.3	0.71	24.0	26.8	
2014	1,526	23.7	0.62	22.5	24.9	1,332	24.8	0.69	23.5	26.2	
2015	1,598	24.5	0.63	23.3	25.7	1,394	25.6	0.70	24.2	27.0	
2016	1,517	23.4	0.62	22.2	24.7	1,344	25.0	0.70	23.7	26.4	
2017	1,597	23.8	0.61	22.7	25.1	1,363	24.3	0.68	23.0	25.7	
2018	1,460	21.4	0.57	20.3	22.5	1,247	22.0	0.64	20.8	23.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Non-Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,482	15.9	0.28	15.3	16.5	829	14.0	0.54	13.0	15.1
1986	58	11.0	1.55	8.2	14.5	12	16.0	5.00	7.8	29.4
1987	51	10.2	1.51	7.5	13.6	5	5.0	2.52	1.3	13.6
1988	57	10.4	1.46	7.7	13.6	6	6.6	2.87	2.2	15.6
1989	59	10.6	1.49	7.9	13.9	9	12.3	4.62	4.9	24.6
1990	70	13.1	1.70	10.0	16.8	13	14.0	4.39	6.7	25.5
1991	58	9.9	1.41	7.3	13.0	6	8.6	4.59	2.1	21.1
1992	77	13.8	1.69	10.7	17.5	10	13.5	5.01	5.5	26.2
1993	81	12.8	1.55	9.9	16.2	10	11.6	4.02	5.1	22.0
1994	101	15.4	1.60	12.5	18.9	12	14.7	5.07	6.5	27.3
1995	109	18.7	1.95	15.0	22.8	14	14.9	4.81	7.0	26.7
1996	119	18.8	1.86	15.3	22.7	14	11.1	3.48	5.4	20.0
1997	97	14.4	1.53	11.6	17.8	24	21.7	5.29	12.6	34.2
1998	125	19.1	1.78	15.7	22.9	17	11.6	3.65	5.6	20.7
1999	107	16.8	1.76	13.5	20.6	11	7.8	2.58	3.6	14.5
2000	111	16.0	1.58	13.1	19.4	22	13.2	3.46	7.3	21.6
2001	99	14.9	1.59	11.9	18.3	16	9.0	2.55	4.8	15.5
2002	104	15.2	1.57	12.3	18.6	27	18.2	4.05	11.2	27.6
2003	117	17.2	1.66	14.1	20.7	25	13.8	3.05	8.5	21.0
2004	124	18.8	1.81	15.5	22.7	27	13.5	2.98	8.3	20.5
2005	108	16.6	1.72	13.4	20.3	35	19.9	3.89	13.1	28.8
2006	106	15.1	1.53	12.2	18.4	27	14.3	3.15	8.8	21.6
2007	133	18.6	1.72	15.4	22.3	20	8.9	2.25	5.1	14.4
2008	113	16.2	1.62	13.2	19.7	27	11.0	2.39	6.9	16.7
2009	106	14.7	1.52	11.9	18.0	39	18.1	3.24	12.3	25.4
2010	135	18.7	1.70	15.5	22.3	33	15.2	3.01	9.9	22.1
2011	131	17.6	1.63	14.6	21.1	43	16.8	2.79	11.8	23.1
2012	116	14.9	1.43	12.2	17.9	32	11.9	2.24	7.9	17.0
2013	125	15.8	1.47	13.0	18.9	45	14.6	2.34	10.4	19.9
2014	133	16.4	1.49	13.6	19.6	46	15.7	2.49	11.2	21.3
2015	138	17.5	1.55	14.6	20.8	50	15.6	2.37	11.3	20.9
2016	117	15.0	1.44	12.3	18.0	39	10.9	1.81	7.7	15.1
2017	158	20.6	1.70	17.4	24.2	61	18.2	2.43	13.8	23.6
2018	139	17.1	1.50	14.3	20.3	52	13.6	1.94	10.1	18.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Non-Hodgkin Lymphoma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	36,297	15.7	0.08	15.5	15.8	32,204	16.4	0.09	16.2	16.6	
1986	697	11.4	0.44	10.5	12.3	655	12.2	0.49	11.2	13.2	
1987	741	12.0	0.45	11.2	12.9	701	12.9	0.50	12.0	14.0	
1988	752	12.3	0.45	11.4	13.2	689	12.8	0.50	11.9	13.8	
1989	760	12.4	0.45	11.5	13.3	693	12.9	0.50	11.9	13.9	
1990	823	13.2	0.47	12.3	14.2	759	14.0	0.52	13.0	15.0	
1991	838	13.2	0.46	12.3	14.2	771	13.9	0.51	13.0	15.0	
1992	915	14.2	0.48	13.3	15.2	854	15.3	0.53	14.3	16.4	
1993	955	14.7	0.48	13.8	15.7	881	15.7	0.54	14.6	16.7	
1994	1,050	16.1	0.50	15.1	17.1	944	16.6	0.55	15.6	17.7	
1995	1,065	16.1	0.50	15.1	17.1	954	16.5	0.54	15.5	17.6	
1996	1,091	16.4	0.50	15.4	17.4	1,003	17.5	0.56	16.4	18.6	
1997	1,053	15.7	0.49	14.8	16.7	952	16.5	0.54	15.5	17.6	
1998	1,085	16.2	0.49	15.2	17.1	972	16.9	0.55	15.8	18.0	
1999	1,122	16.6	0.50	15.6	17.6	1,029	17.8	0.56	16.7	18.9	
2000	1,133	16.7	0.50	15.8	17.7	1,017	17.7	0.56	16.6	18.8	
2001	1,160	16.8	0.50	15.8	17.8	1,036	17.6	0.55	16.5	18.7	
2002	1,125	16.2	0.49	15.2	17.2	1,007	17.0	0.54	16.0	18.1	
2003	1,145	16.4	0.49	15.4	17.3	1,013	17.1	0.54	16.0	18.2	
2004	1,209	17.2	0.50	16.2	18.2	1,054	17.7	0.55	16.6	18.8	
2005	1,197	16.9	0.49	15.9	17.9	1,064	17.8	0.55	16.7	18.9	
2006	1,137	15.9	0.48	14.9	16.8	1,014	16.9	0.54	15.8	18.0	
2007	1,191	16.5	0.48	15.6	17.5	1,045	17.3	0.55	16.3	18.4	
2008	1,244	17.0	0.49	16.0	17.9	1,089	17.8	0.55	16.7	18.9	
2009	1,274	17.3	0.49	16.3	18.3	1,111	18.0	0.55	16.9	19.1	
2010	1,248	16.8	0.48	15.9	17.8	1,087	17.6	0.55	16.6	18.7	
2011	1,263	16.7	0.48	15.8	17.7	1,098	17.5	0.54	16.5	18.6	
2012	1,240	16.2	0.47	15.3	17.2	1,074	17.0	0.53	16.0	18.1	
2013	1,221	15.6	0.46	14.7	16.5	1,045	16.2	0.51	15.2	17.2	
2014	1,342	17.2	0.48	16.3	18.2	1,144	17.8	0.54	16.8	18.9	
2015	1,317	16.6	0.47	15.7	17.5	1,145	17.6	0.53	16.5	18.6	
2016	1,351	16.9	0.47	16.0	17.8	1,155	17.7	0.54	16.6	18.7	
2017	1,264	15.8	0.46	14.9	16.7	1,080	16.6	0.52	15.6	17.6	
2018	1,289	15.8	0.45	14.9	16.7	1,069	16.1	0.51	15.1	17.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Non-Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,090	10.6	0.19	10.2	11.0	720	9.6	0.37	8.9	10.3
1986	34	5.3	0.93	3.6	7.4	8	10.4	3.99	4.1	21.2
1987	34	4.9	0.87	3.4	6.9	5	4.5	2.08	1.4	11.4
1988	55	7.8	1.09	5.8	10.3	6	7.8	3.88	2.1	18.4
1989	58	8.3	1.11	6.2	10.7	9	7.9	3.00	3.1	16.2
1990	57	8.0	1.08	6.1	10.4	5	3.6	1.64	1.1	9.2
1991	52	7.3	1.03	5.4	9.6	9	7.4	2.55	3.3	14.5
1992	55	7.5	1.03	5.6	9.8	5	5.4	2.96	1.2	13.6
1993	63	8.4	1.08	6.4	10.8	7	5.9	2.38	2.2	12.4
1994	88	11.4	1.23	9.1	14.1	15	13.9	3.90	7.3	23.3
1995	85	10.9	1.20	8.7	13.5	21	13.9	3.18	8.4	21.6
1996	68	8.3	1.02	6.4	10.6	15	10.3	2.82	5.6	17.3
1997	81	9.9	1.11	7.8	12.3	16	11.0	2.96	6.0	18.2
1998	92	10.8	1.14	8.7	13.3	13	7.3	2.21	3.6	12.9
1999	81	9.7	1.09	7.7	12.0	10	5.6	1.88	2.6	10.6
2000	90	10.4	1.11	8.4	12.8	20	8.6	2.05	5.1	13.7
2001	102	11.7	1.17	9.5	14.2	19	9.9	2.44	5.7	15.8
2002	95	10.7	1.11	8.7	13.1	16	8.7	2.32	4.8	14.4
2003	101	11.2	1.12	9.1	13.6	26	13.1	2.70	8.3	19.4
2004	122	13.7	1.25	11.4	16.4	21	9.8	2.24	5.9	15.1
2005	98	10.8	1.10	8.7	13.1	25	11.1	2.32	7.0	16.5
2006	102	11.0	1.09	8.9	13.3	13	4.7	1.35	2.4	8.1
2007	111	11.8	1.13	9.7	14.3	29	10.4	2.04	6.8	15.2
2008	111	11.8	1.13	9.7	14.2	32	10.9	2.02	7.3	15.6
2009	118	12.1	1.13	10.0	14.6	24	8.5	1.83	5.3	12.8
2010	111	11.4	1.10	9.4	13.8	33	10.4	1.92	7.0	14.9
2011	118	11.7	1.09	9.6	14.0	29	8.9	1.73	5.8	12.9
2012	122	11.7	1.08	9.7	14.0	28	8.3	1.64	5.4	12.1
2013	118	11.3	1.06	9.3	13.6	38	10.4	1.76	7.3	14.4
2014	136	12.9	1.13	10.8	15.3	46	11.9	1.79	8.6	15.9
2015	119	11.1	1.04	9.2	13.4	37	9.5	1.62	6.6	13.2
2016	129	12.3	1.10	10.2	14.6	55	13.2	1.81	9.9	17.2
2017	135	12.6	1.11	10.5	15.0	31	7.0	1.27	4.7	10.0
2018	149	13.4	1.13	11.3	15.8	54	12.1	1.67	9.0	15.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Myeloma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	25,114	6.1	0.04	6.0	6.1	18,878	5.3	0.04	5.3	5.4
1986	429	4.1	0.20	3.7	4.5	339	3.6	0.20	3.2	4.0
1987	462	4.3	0.20	4.0	4.8	360	3.8	0.20	3.4	4.2
1988	468	4.4	0.20	4.0	4.8	382	4.0	0.21	3.6	4.5
1989	505	4.7	0.21	4.3	5.2	412	4.4	0.22	3.9	4.8
1990	512	4.7	0.21	4.3	5.1	391	4.0	0.21	3.6	4.5
1991	553	5.1	0.22	4.6	5.5	453	4.7	0.22	4.3	5.2
1992	531	4.8	0.21	4.4	5.2	424	4.3	0.21	3.9	4.8
1993	619	5.5	0.22	5.1	5.9	477	4.8	0.22	4.4	5.3
1994	709	6.2	0.23	5.8	6.7	536	5.4	0.23	4.9	5.8
1995	716	6.2	0.23	5.8	6.7	550	5.5	0.23	5.0	5.9
1996	650	5.6	0.22	5.2	6.1	502	5.0	0.22	4.6	5.5
1997	697	6.0	0.23	5.6	6.5	533	5.3	0.23	4.8	5.7
1998	739	6.3	0.23	5.8	6.8	553	5.4	0.23	5.0	5.9
1999	726	6.1	0.23	5.7	6.6	538	5.2	0.23	4.8	5.7
2000	753	6.3	0.23	5.9	6.8	555	5.4	0.23	4.9	5.8
2001	751	6.2	0.23	5.8	6.7	568	5.5	0.23	5.0	6.0
2002	850	7.0	0.24	6.5	7.5	664	6.4	0.25	5.9	6.9
2003	815	6.6	0.23	6.2	7.1	620	5.9	0.24	5.4	6.3
2004	763	6.1	0.22	5.7	6.6	568	5.4	0.23	4.9	5.8
2005	801	6.4	0.23	5.9	6.8	598	5.6	0.23	5.1	6.1
2006	813	6.4	0.23	6.0	6.8	605	5.6	0.23	5.2	6.1
2007	760	5.9	0.22	5.5	6.3	571	5.2	0.22	4.8	5.7
2008	866	6.6	0.23	6.2	7.1	658	5.9	0.23	5.5	6.4
2009	894	6.7	0.23	6.2	7.1	669	5.9	0.23	5.5	6.4
2010	859	6.3	0.22	5.9	6.7	640	5.6	0.22	5.2	6.1
2011	927	6.7	0.22	6.3	7.1	692	6.0	0.23	5.6	6.5
2012	951	6.8	0.22	6.3	7.2	688	5.9	0.23	5.4	6.3
2013	916	6.4	0.21	6.0	6.8	672	5.6	0.22	5.2	6.0
2014	954	6.5	0.21	6.1	6.9	694	5.7	0.22	5.3	6.1
2015	1,003	6.8	0.22	6.4	7.2	715	5.8	0.22	5.4	6.3
2016	1,052	6.9	0.22	6.5	7.4	768	6.1	0.23	5.7	6.6
2017	1,047	6.8	0.21	6.4	7.2	784	6.2	0.23	5.8	6.7
2018	1,023	6.6	0.21	6.2	7.0	699	5.5	0.21	5.1	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Myeloma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,675	11.8	0.16	11.5	12.1	451	3.5	0.17	3.2	3.8
1986	84	8.1	0.92	6.4	10.1	5	3.1	1.42	1.0	7.5
1987	99	8.9	0.92	7.2	10.9	3	1.8	1.04	0.4	5.5
1988	79	7.1	0.81	5.6	8.8	7	4.9	1.99	1.8	10.3
1989	87	8.1	0.89	6.4	10.0	6	3.7	1.71	1.2	8.5
1990	117	10.5	1.00	8.6	12.6	1	1.0	0.99	0.0	4.6
1991	94	8.3	0.87	6.6	10.1	3	2.4	1.71	0.3	7.3
1992	104	8.4	0.84	6.8	10.2	2	1.0	0.74	0.1	3.8
1993	132	11.3	1.01	9.4	13.5	10	4.0	1.31	1.9	7.5
1994	165	13.6	1.09	11.6	15.9	7	2.8	1.13	1.1	6.0
1995	155	12.7	1.04	10.7	14.9	11	4.9	1.53	2.3	8.8
1996	140	10.9	0.94	9.1	12.9	8	3.3	1.28	1.3	6.7
1997	150	11.8	0.98	9.9	13.9	12	5.5	1.74	2.6	9.8
1998	177	13.5	1.03	11.6	15.7	7	2.2	0.93	0.8	4.8
1999	177	12.9	0.99	11.0	15.0	8	2.6	0.95	1.1	5.1
2000	178	12.7	0.97	10.9	14.7	18	5.2	1.31	3.0	8.4
2001	167	11.8	0.93	10.0	13.7	13	3.9	1.22	1.9	7.0
2002	176	12.4	0.95	10.6	14.4	9	2.6	0.91	1.2	5.0
2003	186	13.1	0.98	11.3	15.2	8	2.7	0.99	1.1	5.2
2004	181	12.1	0.92	10.4	14.0	9	2.3	0.81	1.0	4.4
2005	190	12.6	0.93	10.8	14.5	10	2.4	0.81	1.1	4.5
2006	194	12.8	0.94	11.0	14.8	12	2.7	0.84	1.4	4.9
2007	170	10.8	0.84	9.2	12.5	16	3.3	0.87	1.8	5.4
2008	179	11.3	0.86	9.7	13.1	25	5.7	1.20	3.6	8.5
2009	198	12.2	0.88	10.5	14.0	23	4.7	1.06	2.8	7.2
2010	202	12.1	0.87	10.5	14.0	12	2.2	0.67	1.1	3.9
2011	208	12.0	0.85	10.4	13.8	21	3.5	0.81	2.1	5.4
2012	226	13.0	0.89	11.4	14.9	27	4.0	0.80	2.6	5.9
2013	218	12.6	0.87	10.9	14.4	21	3.6	0.84	2.2	5.6
2014	227	12.6	0.86	11.0	14.4	25	4.0	0.83	2.5	5.9
2015	254	13.6	0.87	11.9	15.4	26	3.7	0.75	2.4	5.5
2016	253	13.4	0.86	11.7	15.2	24	2.9	0.60	1.8	4.3
2017	225	11.8	0.80	10.3	13.5	32	4.1	0.75	2.8	5.9
2018	283	14.3	0.87	12.7	16.2	30	3.7	0.70	2.5	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Myeloma											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	13,061	7.4	0.07	7.3	7.5	10,067	6.7	0.07	6.5	6.8	
1986	210	4.8	0.35	4.2	5.6	167	4.3	0.34	3.6	5.0	
1987	225	5.2	0.36	4.5	6.0	173	4.6	0.36	3.9	5.3	
1988	232	5.3	0.36	4.6	6.1	189	4.9	0.37	4.2	5.7	
1989	240	5.6	0.37	4.9	6.4	196	5.2	0.39	4.5	6.0	
1990	244	5.3	0.35	4.7	6.0	195	4.8	0.35	4.1	5.5	
1991	280	6.2	0.38	5.5	7.0	229	5.8	0.39	5.0	6.6	
1992	271	5.9	0.37	5.2	6.7	215	5.4	0.38	4.7	6.2	
1993	301	6.4	0.38	5.7	7.2	237	5.7	0.38	5.0	6.5	
1994	364	7.8	0.42	7.0	8.7	275	6.8	0.42	6.0	7.6	
1995	369	7.8	0.42	7.0	8.7	280	6.8	0.41	6.0	7.6	
1996	331	6.9	0.39	6.2	7.7	254	6.1	0.39	5.4	7.0	
1997	351	7.3	0.39	6.5	8.1	278	6.6	0.40	5.9	7.5	
1998	380	7.8	0.41	7.1	8.7	293	6.9	0.41	6.1	7.8	
1999	360	7.2	0.38	6.4	8.0	284	6.6	0.39	5.8	7.4	
2000	381	7.5	0.39	6.8	8.3	294	6.8	0.40	6.0	7.6	
2001	369	7.2	0.38	6.5	8.0	287	6.6	0.39	5.8	7.4	
2002	437	8.5	0.41	7.7	9.3	350	7.9	0.43	7.1	8.8	
2003	418	8.1	0.40	7.3	8.9	322	7.3	0.41	6.5	8.1	
2004	391	7.4	0.38	6.7	8.2	295	6.6	0.39	5.9	7.4	
2005	430	8.0	0.39	7.2	8.8	330	7.2	0.40	6.4	8.0	
2006	434	8.0	0.39	7.2	8.8	329	7.1	0.39	6.3	7.9	
2007	414	7.5	0.38	6.8	8.3	321	6.9	0.39	6.1	7.7	
2008	482	8.5	0.39	7.7	9.3	382	8.0	0.41	7.2	8.8	
2009	473	8.2	0.39	7.5	9.0	359	7.4	0.40	6.6	8.2	
2010	448	7.4	0.36	6.7	8.2	340	6.7	0.37	6.0	7.5	
2011	499	8.3	0.38	7.5	9.0	382	7.5	0.39	6.8	8.3	
2012	534	8.7	0.38	7.9	9.4	405	7.8	0.40	7.1	8.6	
2013	482	7.7	0.36	7.0	8.4	371	7.0	0.37	6.3	7.7	
2014	523	8.0	0.36	7.3	8.8	396	7.2	0.37	6.5	8.0	
2015	536	8.1	0.36	7.4	8.8	398	7.2	0.37	6.5	7.9	
2016	585	8.7	0.37	8.0	9.4	437	7.9	0.39	7.1	8.7	
2017	530	7.7	0.34	7.1	8.4	413	7.2	0.36	6.5	8.0	
2018	537	7.7	0.34	7.1	8.4	391	6.7	0.35	6.1	7.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Myeloma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,675	13.7	0.28	13.2	14.3	263	4.6	0.31	4.0	5.2
1986	39	9.8	1.67	6.8	13.5	4	5.4	2.83	1.4	15.0
1987	51	11.4	1.70	8.3	15.1	1	1.5	1.46	0.0	8.8
1988	39	8.5	1.46	5.9	11.8	4	7.3	4.04	1.6	19.0
1989	40	8.9	1.51	6.2	12.3	4	4.6	2.43	1.1	12.7
1990	46	10.0	1.55	7.2	13.4	1	2.5	2.46	0.1	11.1
1991	47	10.1	1.56	7.3	13.6	1	0.6	0.60	0.0	5.8
1992	55	10.8	1.54	8.0	14.3	1	1.1	1.05	0.0	6.4
1993	57	12.8	1.82	9.4	16.8	7	5.8	2.35	2.2	12.8
1994	85	17.3	1.98	13.6	21.6	4	4.4	2.32	1.1	11.4
1995	80	16.5	1.97	12.9	20.8	9	9.6	3.40	4.1	18.5
1996	72	13.7	1.72	10.6	17.5	5	5.2	2.55	1.5	12.5
1997	65	12.3	1.61	9.4	15.8	6	4.8	2.12	1.6	10.9
1998	82	16.6	1.96	13.0	20.8	4	3.6	2.05	0.8	9.7
1999	71	12.3	1.54	9.5	15.7	4	2.4	1.27	0.6	6.7
2000	77	13.0	1.54	10.2	16.4	10	5.6	1.92	2.5	10.8
2001	75	12.7	1.53	9.9	16.0	5	3.9	1.87	1.1	9.2
2002	80	14.3	1.67	11.2	17.9	7	4.5	1.75	1.7	9.3
2003	90	16.4	1.82	13.0	20.3	5	4.0	2.07	1.1	9.7
2004	88	14.6	1.63	11.6	18.1	6	3.8	1.73	1.2	8.5
2005	91	14.3	1.55	11.4	17.6	6	2.8	1.17	1.0	6.2
2006	100	16.7	1.77	13.4	20.4	5	2.3	1.12	0.6	5.6
2007	85	13.2	1.49	10.5	16.4	6	2.1	0.86	0.8	4.8
2008	87	13.1	1.48	10.4	16.4	13	6.8	1.99	3.5	11.7
2009	96	14.4	1.55	11.5	17.7	15	7.5	2.13	3.9	12.6
2010	98	13.8	1.48	11.1	17.0	8	3.7	1.46	1.4	7.6
2011	104	15.1	1.56	12.2	18.4	12	4.5	1.41	2.2	8.1
2012	107	15.0	1.52	12.2	18.3	18	5.7	1.39	3.3	9.1
2013	96	13.6	1.45	10.9	16.7	12	4.4	1.43	2.1	8.0
2014	105	14.9	1.52	12.0	18.1	16	5.6	1.51	3.0	9.3
2015	120	15.6	1.48	12.8	18.7	15	4.9	1.32	2.7	8.2
2016	128	16.0	1.47	13.2	19.1	16	4.0	1.02	2.3	6.6
2017	96	12.4	1.31	9.9	15.2	17	5.0	1.28	2.9	8.2
2018	123	15.5	1.45	12.8	18.6	16	4.7	1.20	2.6	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Myeloma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	12,053	5.1	0.05	5.0	5.2	8,811	4.4	0.05	4.3	4.5
1986	219	3.6	0.25	3.2	4.2	172	3.2	0.25	2.7	3.7
1987	237	3.8	0.25	3.3	4.3	187	3.4	0.25	2.9	3.9
1988	236	3.7	0.25	3.3	4.2	193	3.5	0.26	3.0	4.0
1989	265	4.2	0.26	3.7	4.8	216	3.9	0.27	3.4	4.5
1990	268	4.2	0.26	3.7	4.8	196	3.5	0.25	3.0	4.0
1991	273	4.2	0.26	3.7	4.8	224	3.9	0.26	3.4	4.4
1992	260	4.0	0.25	3.6	4.6	209	3.6	0.26	3.2	4.2
1993	318	4.8	0.27	4.3	5.4	240	4.1	0.27	3.6	4.7
1994	345	5.2	0.28	4.7	5.8	261	4.5	0.28	4.0	5.1
1995	347	5.2	0.28	4.6	5.7	270	4.6	0.28	4.1	5.2
1996	319	4.8	0.27	4.3	5.3	248	4.2	0.27	3.7	4.8
1997	346	5.1	0.28	4.6	5.7	255	4.3	0.27	3.8	4.9
1998	359	5.3	0.28	4.8	5.9	260	4.5	0.28	3.9	5.0
1999	366	5.3	0.28	4.8	5.9	254	4.2	0.27	3.7	4.8
2000	372	5.4	0.28	4.9	6.0	261	4.4	0.27	3.8	4.9
2001	382	5.5	0.28	5.0	6.1	281	4.7	0.28	4.1	5.3
2002	413	5.9	0.29	5.3	6.5	314	5.2	0.29	4.6	5.8
2003	397	5.6	0.28	5.1	6.2	298	4.9	0.29	4.3	5.5
2004	372	5.3	0.28	4.7	5.8	273	4.5	0.28	4.0	5.1
2005	371	5.2	0.27	4.7	5.7	268	4.4	0.27	3.9	5.0
2006	379	5.2	0.27	4.7	5.8	276	4.5	0.27	4.0	5.1
2007	346	4.8	0.26	4.3	5.3	250	4.1	0.26	3.6	4.6
2008	384	5.2	0.27	4.7	5.8	276	4.4	0.27	3.9	5.0
2009	421	5.6	0.27	5.0	6.1	310	4.9	0.28	4.3	5.4
2010	411	5.4	0.27	4.9	5.9	300	4.7	0.28	4.2	5.3
2011	428	5.6	0.27	5.1	6.1	310	4.9	0.28	4.3	5.5
2012	417	5.4	0.27	4.8	5.9	283	4.4	0.26	3.9	4.9
2013	434	5.5	0.27	5.0	6.0	301	4.6	0.27	4.0	5.1
2014	431	5.3	0.26	4.8	5.9	298	4.5	0.26	4.0	5.0
2015	467	5.7	0.27	5.2	6.3	317	4.7	0.27	4.2	5.3
2016	467	5.6	0.27	5.1	6.2	331	4.8	0.27	4.3	5.4
2017	517	6.1	0.27	5.6	6.6	371	5.3	0.28	4.8	5.9
2018	486	5.7	0.26	5.2	6.2	308	4.4	0.26	3.9	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Myeloma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,000	10.6	0.19	10.2	11.0	188	2.6	0.20	2.3	3.1
1986	45	7.3	1.10	5.3	9.7	1	1.1	1.08	0.0	6.8
1987	48	7.3	1.07	5.3	9.7	2	2.1	1.48	0.3	8.1
1988	40	6.0	0.97	4.3	8.2	3	3.0	1.71	0.6	9.1
1989	47	7.4	1.09	5.4	9.8	2	3.0	2.33	0.3	10.5
1990	71	10.7	1.29	8.3	13.5	0				
1991	47	7.0	1.03	5.1	9.2	2	3.6	2.84	0.3	12.0
1992	49	6.8	0.98	5.0	9.0	1	1.0	1.02	0.0	5.4
1993	75	10.7	1.24	8.4	13.4	3	2.4	1.40	0.5	7.1
1994	80	11.2	1.26	8.9	13.9	3	1.8	1.05	0.4	5.7
1995	75	10.3	1.20	8.1	12.9	2	1.4	1.01	0.2	5.2
1996	68	8.9	1.10	6.9	11.3	3	2.0	1.26	0.4	6.1
1997	85	11.2	1.23	9.0	13.9	6	5.6	2.41	1.9	11.9
1998	95	12.0	1.24	9.7	14.6	3	1.3	0.76	0.3	4.2
1999	106	13.1	1.28	10.7	15.9	4	2.6	1.33	0.7	6.5
2000	101	12.2	1.23	10.0	14.9	8	4.7	1.74	2.0	9.3
2001	92	11.1	1.16	8.9	13.6	8	4.0	1.54	1.6	8.1
2002	96	11.3	1.16	9.1	13.8	2	1.1	0.81	0.1	3.8
2003	96	11.3	1.16	9.1	13.7	3	1.8	1.02	0.4	4.8
2004	93	10.5	1.10	8.5	12.9	3	1.2	0.72	0.2	3.6
2005	99	11.2	1.13	9.1	13.6	4	1.9	0.99	0.5	4.8
2006	94	10.4	1.08	8.4	12.7	7	3.1	1.21	1.2	6.4
2007	85	9.2	1.00	7.3	11.3	10	4.1	1.35	1.9	7.6
2008	92	10.0	1.05	8.0	12.2	12	4.9	1.47	2.4	8.6
2009	102	10.7	1.07	8.7	13.0	8	2.5	0.97	1.0	5.2
2010	104	10.8	1.07	8.8	13.1	4	1.1	0.54	0.3	2.9
2011	104	10.1	1.01	8.2	12.3	9	2.7	0.96	1.2	5.3
2012	119	11.6	1.08	9.6	13.9	9	2.6	0.89	1.1	4.9
2013	122	11.8	1.08	9.8	14.1	9	3.1	1.06	1.4	5.8
2014	122	11.4	1.05	9.4	13.7	9	2.7	0.95	1.2	5.2
2015	134	12.3	1.08	10.3	14.6	11	2.8	0.85	1.4	5.0
2016	125	11.5	1.05	9.6	13.8	8	1.9	0.69	0.8	3.8
2017	129	11.4	1.02	9.5	13.6	15	3.4	0.91	1.9	5.7
2018	160	13.7	1.11	11.6	16.1	14	2.9	0.80	1.6	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Leukemia											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	53,644	13.1	0.06	12.9	13.2	46,824	13.5	0.06	13.4	13.6	
1986	987	9.3	0.30	8.7	9.9	887	9.5	0.32	8.9	10.2	
1987	1,100	10.1	0.31	9.5	10.7	1,002	10.6	0.34	9.9	11.3	
1988	1,075	10.0	0.31	9.4	10.6	946	10.1	0.33	9.4	10.7	
1989	1,092	10.1	0.31	9.5	10.7	975	10.4	0.34	9.7	11.0	
1990	1,186	10.7	0.31	10.1	11.4	1,079	11.2	0.35	10.6	11.9	
1991	1,163	10.4	0.31	9.8	11.1	1,044	10.8	0.34	10.2	11.5	
1992	1,245	11.1	0.32	10.4	11.7	1,108	11.4	0.34	10.7	12.1	
1993	1,312	11.5	0.32	10.9	12.2	1,186	12.1	0.35	11.4	12.8	
1994	1,582	13.8	0.35	13.1	14.5	1,413	14.3	0.38	13.5	15.0	
1995	1,572	13.6	0.34	12.9	14.3	1,405	14.1	0.38	13.4	14.9	
1996	1,510	13.0	0.33	12.3	13.6	1,346	13.5	0.37	12.7	14.2	
1997	1,523	12.9	0.33	12.3	13.6	1,344	13.3	0.36	12.6	14.1	
1998	1,534	12.9	0.33	12.3	13.6	1,354	13.3	0.36	12.6	14.1	
1999	1,662	13.8	0.34	13.2	14.5	1,485	14.5	0.38	13.8	15.3	
2000	1,704	14.1	0.34	13.4	14.8	1,491	14.6	0.38	13.8	15.3	
2001	1,783	14.7	0.35	14.0	15.4	1,548	15.0	0.38	14.3	15.8	
2002	1,801	14.7	0.35	14.0	15.4	1,588	15.3	0.38	14.5	16.0	
2003	1,789	14.5	0.34	13.8	15.2	1,593	15.2	0.38	14.5	16.0	
2004	1,808	14.4	0.34	13.8	15.1	1,566	14.8	0.38	14.1	15.6	
2005	1,743	13.9	0.33	13.2	14.5	1,509	14.3	0.37	13.6	15.0	
2006	1,800	14.2	0.34	13.5	14.9	1,575	14.8	0.37	14.0	15.5	
2007	1,659	13.0	0.32	12.4	13.6	1,432	13.4	0.36	12.7	14.1	
2008	1,829	14.1	0.33	13.5	14.8	1,589	14.7	0.37	14.0	15.4	
2009	1,778	13.5	0.32	12.9	14.1	1,541	14.0	0.36	13.3	14.7	
2010	1,873	14.1	0.33	13.4	14.7	1,592	14.4	0.37	13.7	15.2	
2011	1,924	14.3	0.33	13.6	14.9	1,646	14.7	0.37	14.0	15.5	
2012	1,973	14.4	0.33	13.8	15.1	1,667	14.8	0.37	14.1	15.5	
2013	1,939	14.0	0.32	13.4	14.6	1,641	14.4	0.36	13.7	15.2	
2014	1,915	13.6	0.32	13.0	14.2	1,651	14.3	0.36	13.6	15.0	
2015	1,950	13.7	0.32	13.1	14.4	1,686	14.5	0.36	13.8	15.2	
2016	1,911	13.3	0.31	12.7	13.9	1,605	13.7	0.35	13.0	14.4	
2017	2,022	13.9	0.32	13.3	14.6	1,747	14.7	0.36	14.0	15.5	
2018	1,900	13.0	0.31	12.4	13.6	1,583	13.4	0.35	12.7	14.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	5,300	10.5	0.15	10.2	10.8	1,017	7.1	0.24	6.6	7.6
1986	91	7.8	0.87	6.2	9.7	6	2.9	1.24	1.0	6.9
1987	80	6.7	0.80	5.2	8.4	16	9.0	2.67	4.6	15.8
1988	111	9.6	0.96	7.8	11.6	14	5.8	1.76	2.9	10.6
1989	106	8.6	0.88	7.0	10.5	10	3.6	1.19	1.7	7.2
1990	97	7.6	0.82	6.1	9.3	8	6.0	2.60	2.1	12.7
1991	103	7.9	0.82	6.4	9.7	10	4.1	1.84	1.3	9.1
1992	114	8.9	0.88	7.3	10.8	19	9.0	2.46	4.8	14.9
1993	110	8.2	0.82	6.6	9.9	13	4.1	1.27	2.0	7.6
1994	141	10.6	0.93	8.9	12.6	21	6.6	1.65	3.8	10.7
1995	144	10.6	0.92	8.9	12.6	19	7.4	1.92	4.1	12.1
1996	135	9.8	0.88	8.1	11.6	26	8.4	2.03	4.9	13.3
1997	156	10.9	0.90	9.2	12.8	17	4.8	1.41	2.4	8.3
1998	147	10.2	0.87	8.6	12.1	26	9.3	2.08	5.7	14.2
1999	151	10.2	0.86	8.6	12.0	21	6.0	1.47	3.5	9.6
2000	182	12.5	0.95	10.7	14.4	22	6.1	1.44	3.6	9.6
2001	183	11.9	0.91	10.2	13.8	38	8.0	1.41	5.5	11.3
2002	171	12.0	0.94	10.2	13.9	27	6.7	1.41	4.2	10.0
2003	161	10.5	0.86	8.9	12.4	26	5.8	1.22	3.7	8.7
2004	176	11.2	0.87	9.5	13.0	34	7.1	1.34	4.7	10.2
2005	176	11.6	0.90	9.9	13.4	38	8.3	1.50	5.7	11.7
2006	188	12.0	0.90	10.3	13.9	25	4.6	0.99	2.9	7.0
2007	176	10.8	0.83	9.2	12.5	42	8.9	1.49	6.2	12.3
2008	171	10.8	0.85	9.2	12.6	43	8.5	1.40	6.0	11.7
2009	174	10.8	0.84	9.2	12.6	34	5.6	1.03	3.7	8.0
2010	209	12.2	0.87	10.6	14.0	44	8.8	1.42	6.2	11.9
2011	198	11.3	0.83	9.8	13.1	44	8.3	1.34	5.9	11.3
2012	231	13.2	0.89	11.6	15.1	36	5.7	1.01	3.9	8.1
2013	217	12.0	0.83	10.4	13.7	50	8.2	1.23	6.0	11.0
2014	197	11.0	0.80	9.5	12.6	43	6.0	0.95	4.2	8.1
2015	188	10.2	0.76	8.8	11.8	40	5.3	0.87	3.7	7.2
2016	209	10.9	0.77	9.4	12.5	67	8.7	1.08	6.7	11.1
2017	192	10.0	0.74	8.6	11.5	64	8.2	1.05	6.3	10.5
2018	215	11.1	0.77	9.7	12.8	74	8.8	1.04	6.8	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Leukemia											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	30,231	17.1	0.10	16.9	17.3	26,505	17.6	0.11	17.4	17.8	
1986	532	12.0	0.55	11.0	13.2	480	12.4	0.59	11.2	13.6	
1987	603	13.1	0.56	12.0	14.2	557	13.9	0.61	12.7	15.2	
1988	580	12.9	0.56	11.8	14.1	506	12.9	0.59	11.7	14.1	
1989	592	12.7	0.54	11.7	13.9	535	13.2	0.59	12.1	14.4	
1990	630	13.5	0.56	12.4	14.7	572	14.0	0.60	12.8	15.2	
1991	652	13.5	0.55	12.5	14.7	588	14.1	0.60	12.9	15.3	
1992	729	15.2	0.58	14.1	16.4	650	15.6	0.63	14.4	16.9	
1993	721	14.9	0.57	13.8	16.1	645	15.5	0.63	14.3	16.8	
1994	873	18.4	0.64	17.1	19.7	776	18.9	0.69	17.5	20.3	
1995	861	17.7	0.62	16.5	18.9	774	18.4	0.68	17.1	19.8	
1996	849	17.5	0.62	16.3	18.8	752	18.0	0.67	16.7	19.3	
1997	843	17.0	0.60	15.9	18.2	753	17.7	0.66	16.5	19.1	
1998	854	16.8	0.59	15.7	18.0	761	17.5	0.64	16.2	18.8	
1999	918	18.1	0.61	16.9	19.3	833	19.1	0.67	17.8	20.5	
2000	931	18.0	0.60	16.8	19.2	812	18.4	0.65	17.1	19.7	
2001	993	19.2	0.62	18.0	20.5	852	19.4	0.67	18.1	20.8	
2002	1,019	19.7	0.63	18.5	21.0	901	20.3	0.68	19.0	21.7	
2003	1,006	19.2	0.61	18.0	20.4	904	20.2	0.68	18.9	21.6	
2004	993	18.6	0.60	17.5	19.8	876	19.3	0.66	18.1	20.7	
2005	1,000	18.6	0.60	17.5	19.8	872	19.1	0.65	17.8	20.4	
2006	1,046	19.1	0.60	18.0	20.4	923	20.0	0.66	18.7	21.3	
2007	960	17.3	0.57	16.2	18.5	838	18.0	0.63	16.7	19.2	
2008	1,063	18.7	0.58	17.6	19.9	923	19.3	0.64	18.1	20.6	
2009	977	17.0	0.55	15.9	18.1	851	17.5	0.61	16.4	18.8	
2010	1,087	18.6	0.57	17.5	19.7	928	19.0	0.63	17.8	20.3	
2011	1,082	18.2	0.56	17.1	19.4	920	18.5	0.62	17.3	19.8	
2012	1,135	18.7	0.57	17.6	19.9	971	19.2	0.63	18.0	20.5	
2013	1,104	17.9	0.55	16.8	19.0	941	18.4	0.61	17.2	19.6	
2014	1,106	17.6	0.54	16.5	18.7	961	18.4	0.61	17.3	19.7	
2015	1,126	17.7	0.54	16.7	18.8	976	18.5	0.61	17.3	19.7	
2016	1,096	16.9	0.52	15.9	18.0	934	17.5	0.59	16.3	18.6	
2017	1,151	17.5	0.53	16.5	18.6	995	18.4	0.60	17.2	19.6	
2018	1,119	16.8	0.51	15.8	17.8	945	17.3	0.58	16.2	18.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,849	13.7	0.27	13.1	14.2	574	8.9	0.42	8.1	9.8
1986	48	10.4	1.73	7.3	14.3	2	2.2	1.68	0.2	10.0
1987	36	6.4	1.15	4.4	9.1	9	13.7	5.64	4.9	28.6
1988	65	13.2	1.84	9.8	17.2	6	5.1	2.16	1.8	12.8
1989	49	9.7	1.51	7.0	13.1	7	5.5	2.20	2.1	12.9
1990	52	10.3	1.64	7.4	14.0	6	11.9	6.04	3.1	27.8
1991	54	9.6	1.42	7.1	12.8	6	6.5	4.23	1.0	18.5
1992	67	12.6	1.69	9.5	16.3	10	10.2	4.41	3.5	21.8
1993	65	11.0	1.49	8.2	14.2	9	5.5	1.98	2.4	11.7
1994	82	15.2	1.88	11.7	19.2	11	7.3	2.82	2.9	15.2
1995	74	12.7	1.60	9.7	16.2	11	9.4	3.31	4.1	18.1
1996	83	15.3	1.85	11.9	19.3	12	8.8	3.51	3.3	17.9
1997	81	13.4	1.62	10.4	16.9	5	2.1	0.97	0.7	6.1
1998	77	12.8	1.55	9.9	16.1	14	13.8	4.46	6.5	24.7
1999	69	11.4	1.49	8.6	14.6	12	7.0	2.41	3.1	13.4
2000	101	16.8	1.77	13.5	20.6	15	8.4	2.40	4.4	14.6
2001	107	17.1	1.79	13.8	20.9	28	11.3	2.33	7.2	17.1
2002	90	15.5	1.78	12.2	19.3	17	10.6	2.93	5.7	17.8
2003	84	13.1	1.53	10.2	16.4	15	6.9	1.91	3.7	11.8
2004	83	12.6	1.53	9.8	15.9	15	7.6	2.39	3.7	13.6
2005	98	15.8	1.74	12.6	19.5	22	12.2	2.96	7.1	19.2
2006	107	16.4	1.68	13.2	20.0	12	4.6	1.45	2.2	8.5
2007	96	14.1	1.53	11.3	17.4	20	9.1	2.30	5.1	14.6
2008	97	14.9	1.61	11.9	18.3	24	11.2	2.64	6.7	17.4
2009	87	13.4	1.54	10.5	16.7	22	8.6	2.12	5.0	13.7
2010	121	17.0	1.65	13.9	20.5	22	9.3	2.22	5.4	14.5
2011	108	15.0	1.52	12.1	18.2	26	12.2	2.64	7.6	18.3
2012	129	18.4	1.72	15.2	22.1	11	3.9	1.28	1.8	7.2
2013	108	14.2	1.44	11.6	17.3	35	11.8	2.18	8.0	16.8
2014	102	13.7	1.43	11.0	16.7	25	7.9	1.70	4.9	12.0
2015	110	14.3	1.42	11.6	17.3	22	6.2	1.40	3.8	9.6
2016	102	12.5	1.29	10.1	15.3	41	11.4	1.82	8.1	15.5
2017	101	12.6	1.32	10.2	15.5	43	12.0	1.89	8.5	16.3
2018	116	14.2	1.37	11.7	17.2	39	9.9	1.62	7.0	13.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Leukemia											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	23,413	10.2	0.07	10.0	10.3	20,319	10.5	0.07	10.4	10.6	
1986	455	7.5	0.36	6.8	8.2	407	7.7	0.39	6.9	8.5	
1987	497	8.1	0.37	7.4	8.9	445	8.4	0.40	7.6	9.2	
1988	495	8.0	0.37	7.3	8.8	440	8.2	0.40	7.5	9.0	
1989	500	8.2	0.37	7.4	8.9	440	8.3	0.40	7.5	9.1	
1990	556	8.8	0.38	8.1	9.6	507	9.3	0.42	8.5	10.2	
1991	511	8.1	0.36	7.4	8.8	456	8.4	0.40	7.6	9.2	
1992	516	8.1	0.36	7.4	8.8	458	8.3	0.40	7.6	9.2	
1993	591	9.1	0.38	8.3	9.8	541	9.6	0.42	8.8	10.5	
1994	709	10.8	0.41	10.0	11.7	637	11.3	0.45	10.4	12.2	
1995	711	10.7	0.41	10.0	11.6	631	11.2	0.45	10.3	12.1	
1996	661	9.9	0.39	9.1	10.7	594	10.4	0.43	9.6	11.3	
1997	680	10.1	0.39	9.3	10.9	591	10.2	0.43	9.4	11.1	
1998	680	9.9	0.38	9.2	10.7	593	10.1	0.42	9.3	11.0	
1999	744	10.9	0.40	10.2	11.8	652	11.3	0.45	10.5	12.3	
2000	773	11.3	0.41	10.5	12.1	679	11.7	0.46	10.8	12.7	
2001	790	11.5	0.41	10.7	12.3	696	12.0	0.46	11.1	12.9	
2002	782	11.1	0.40	10.4	12.0	687	11.6	0.45	10.8	12.5	
2003	783	11.2	0.40	10.4	12.0	689	11.7	0.45	10.8	12.6	
2004	815	11.6	0.41	10.8	12.4	690	11.7	0.45	10.8	12.6	
2005	743	10.5	0.39	9.8	11.3	637	10.8	0.44	10.0	11.7	
2006	754	10.5	0.39	9.7	11.3	652	10.8	0.43	10.0	11.7	
2007	699	9.9	0.38	9.1	10.6	594	10.1	0.42	9.3	11.0	
2008	766	10.6	0.39	9.8	11.4	666	11.1	0.44	10.2	12.0	
2009	801	10.9	0.39	10.1	11.7	690	11.3	0.44	10.4	12.2	
2010	786	10.5	0.38	9.8	11.3	664	10.7	0.43	9.9	11.6	
2011	842	11.3	0.40	10.5	12.1	726	11.8	0.45	10.9	12.7	
2012	838	11.1	0.39	10.4	11.9	696	11.3	0.44	10.5	12.2	
2013	835	11.0	0.39	10.3	11.8	700	11.4	0.44	10.5	12.3	
2014	809	10.5	0.38	9.8	11.3	690	11.0	0.43	10.2	11.9	
2015	824	10.7	0.38	10.0	11.5	710	11.4	0.45	10.6	12.3	
2016	815	10.5	0.38	9.8	11.3	671	10.6	0.43	9.8	11.5	
2017	871	11.1	0.39	10.3	11.9	752	11.8	0.45	10.9	12.7	
2018	781	9.9	0.37	9.2	10.7	638	10.1	0.42	9.3	10.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,451	8.4	0.17	8.1	8.8	443	5.7	0.28	5.1	6.2
1986	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
1987	44	6.6	1.05	4.8	9.0	7	5.8	2.24	2.3	12.8
1988	46	7.1	1.07	5.1	9.5	8	6.2	2.51	2.3	13.6
1989	57	8.0	1.08	6.0	10.4	3	2.0	1.20	0.4	7.1
1990	45	6.0	0.92	4.3	8.1	2	1.8	1.38	0.2	7.2
1991	49	6.5	0.96	4.7	8.6	4	2.5	1.25	0.6	7.2
1992	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
1993	45	6.0	0.92	4.3	8.1	4	2.8	1.58	0.6	7.9
1994	59	7.8	1.03	5.9	10.1	10	6.1	2.07	2.8	11.8
1995	70	9.0	1.10	7.0	11.4	8	5.8	2.29	2.2	11.9
1996	52	6.3	0.90	4.7	8.3	14	8.3	2.56	4.0	14.8
1997	75	9.2	1.08	7.2	11.6	12	6.7	2.24	3.0	12.5
1998	70	8.3	1.01	6.4	10.5	12	6.6	2.05	3.3	12.0
1999	82	9.5	1.06	7.5	11.8	9	5.1	1.84	2.2	10.0
2000	81	9.4	1.06	7.5	11.7	7	3.9	1.62	1.4	8.3
2001	76	8.5	0.99	6.7	10.7	10	4.8	1.60	2.2	9.0
2002	81	9.6	1.08	7.6	11.9	10	4.0	1.32	1.9	7.6
2003	77	8.7	1.01	6.9	10.9	11	4.8	1.51	2.3	8.7
2004	93	10.2	1.07	8.2	12.6	19	7.1	1.72	4.2	11.4
2005	78	8.8	1.01	6.9	11.0	16	5.5	1.48	3.0	9.3
2006	81	9.0	1.01	7.1	11.2	13	4.6	1.35	2.4	8.1
2007	80	8.5	0.96	6.7	10.5	22	8.8	1.98	5.3	13.5
2008	74	8.1	0.95	6.3	10.1	19	6.7	1.61	3.9	10.6
2009	87	9.3	1.01	7.4	11.5	12	3.4	0.99	1.7	6.0
2010	88	8.8	0.95	7.1	10.9	22	8.3	1.85	5.0	12.6
2011	90	8.9	0.95	7.2	11.0	18	5.6	1.38	3.2	8.9
2012	102	9.9	1.00	8.1	12.1	25	7.3	1.52	4.7	10.9
2013	109	10.4	1.01	8.5	12.5	15	4.9	1.31	2.7	8.1
2014	95	9.3	0.96	7.5	11.3	18	4.4	1.08	2.6	7.1
2015	78	7.3	0.84	5.7	9.1	18	4.6	1.11	2.7	7.3
2016	107	9.7	0.96	8.0	11.8	26	6.5	1.29	4.2	9.6
2017	91	8.4	0.90	6.7	10.4	21	5.0	1.11	3.1	7.7
2018	99	8.9	0.91	7.2	10.8	35	7.9	1.36	5.5	11.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,086	1.5	0.02	1.5	1.5	5,207	1.6	0.02	1.6	1.7
1986	125	1.1	0.10	0.9	1.3	112	1.2	0.11	1.0	1.4
1987	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
1988	137	1.2	0.10	1.0	1.4	115	1.2	0.12	1.0	1.5
1989	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
1990	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
1991	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
1992	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
1993	169	1.4	0.11	1.2	1.7	147	1.5	0.13	1.3	1.8
1994	160	1.3	0.10	1.1	1.6	135	1.4	0.12	1.2	1.7
1995	202	1.6	0.12	1.4	1.9	183	1.9	0.14	1.6	2.2
1996	166	1.4	0.10	1.2	1.6	142	1.5	0.12	1.2	1.7
1997	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
1998	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
1999	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2000	173	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2001	188	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
2002	189	1.5	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2003	193	1.6	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2004	189	1.5	0.11	1.3	1.7	154	1.6	0.13	1.3	1.8
2005	200	1.6	0.11	1.4	1.8	178	1.8	0.14	1.6	2.1
2006	206	1.7	0.12	1.4	1.9	175	1.8	0.14	1.5	2.1
2007	188	1.5	0.11	1.3	1.7	155	1.6	0.13	1.4	1.9
2008	217	1.8	0.12	1.5	2.0	191	2.0	0.14	1.7	2.3
2009	190	1.5	0.11	1.3	1.8	159	1.6	0.13	1.4	1.9
2010	197	1.6	0.11	1.4	1.8	163	1.7	0.13	1.4	2.0
2011	205	1.6	0.12	1.4	1.9	170	1.8	0.14	1.5	2.0
2012	217	1.7	0.12	1.5	2.0	182	1.9	0.14	1.6	2.2
2013	208	1.7	0.12	1.5	1.9	179	1.9	0.14	1.6	2.2
2014	198	1.6	0.11	1.4	1.8	179	1.9	0.14	1.6	2.2
2015	213	1.7	0.12	1.5	2.0	185	1.9	0.14	1.7	2.2
2016	207	1.7	0.12	1.5	1.9	163	1.7	0.14	1.5	2.0
2017	224	1.8	0.12	1.6	2.0	185	1.9	0.14	1.6	2.2
2018	225	1.9	0.13	1.6	2.1	189	2.0	0.15	1.8	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Lymphocytic Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	582	0.9	0.04	0.8	1.0	212	1.2	0.08	1.0	1.4
1986	10	0.6	0.21	0.3	1.2	3	0.9	0.53	0.2	3.9
1987	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
1988	18	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
1989	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
1990	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
1991	18	1.0	0.24	0.6	1.6	3	0.7	0.43	0.2	3.0
1992	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
1993	18	1.0	0.25	0.6	1.6	3	0.7	0.41	0.2	2.7
1994	15	0.7	0.20	0.4	1.3	8	1.7	0.61	0.7	3.8
1995	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
1996	20	1.0	0.24	0.6	1.6	3	0.6	0.33	0.1	2.2
1997	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
1998	12	0.6	0.20	0.3	1.2	7	1.6	0.62	0.6	3.5
1999	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
2000	13	0.7	0.21	0.4	1.3	3	0.6	0.36	0.1	2.0
2001	32	1.6	0.29	1.1	2.3	7	1.3	0.48	0.5	2.8
2002	14	0.7	0.19	0.4	1.2	6	1.1	0.43	0.4	2.5
2003	19	0.9	0.21	0.5	1.4	5	0.9	0.40	0.3	2.2
2004	24	1.3	0.27	0.8	1.9	10	1.7	0.54	0.8	3.2
2005	15	0.7	0.18	0.4	1.2	5	0.9	0.43	0.3	2.2
2006	20	1.1	0.24	0.6	1.7	9	1.4	0.47	0.6	2.7
2007	22	1.1	0.24	0.7	1.7	10	1.5	0.48	0.7	2.9
2008	12	0.6	0.18	0.3	1.1	7	1.1	0.41	0.4	2.3
2009	20	1.0	0.23	0.6	1.6	6	0.8	0.34	0.3	1.9
2010	21	1.0	0.21	0.6	1.5	7	1.0	0.36	0.4	2.0
2011	18	0.9	0.21	0.5	1.4	5	0.7	0.30	0.2	1.6
2012	19	1.1	0.25	0.6	1.7	6	0.8	0.34	0.3	1.8
2013	17	0.9	0.22	0.5	1.5	9	1.1	0.37	0.5	2.2
2014	11	0.5	0.16	0.3	1.0	3	0.4	0.23	0.1	1.2
2015	16	0.8	0.20	0.4	1.3	9	1.2	0.41	0.5	2.3
2016	25	1.3	0.26	0.8	1.9	15	2.0	0.53	1.1	3.4
2017	22	1.0	0.23	0.7	1.6	15	1.9	0.50	1.1	3.2
2018	12	0.6	0.18	0.3	1.1	17	2.2	0.54	1.3	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,410	1.7	0.03	1.7	1.8	2,927	1.9	0.03	1.8	1.9
1986	65	1.2	0.15	0.9	1.5	59	1.3	0.17	1.0	1.7
1987	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
1988	73	1.3	0.16	1.0	1.7	63	1.4	0.18	1.1	1.8
1989	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
1990	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1991	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
1992	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
1993	97	1.7	0.18	1.4	2.1	87	1.9	0.21	1.5	2.4
1994	94	1.6	0.17	1.3	2.0	77	1.6	0.19	1.3	2.1
1995	113	1.9	0.18	1.5	2.3	100	2.1	0.21	1.7	2.6
1996	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
1997	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
1998	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
1999	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
2000	76	1.2	0.14	1.0	1.5	67	1.4	0.17	1.1	1.7
2001	111	1.8	0.18	1.5	2.2	90	1.9	0.20	1.5	2.3
2002	114	1.9	0.18	1.6	2.3	99	2.0	0.21	1.7	2.5
2003	102	1.7	0.17	1.4	2.0	90	1.9	0.20	1.5	2.3
2004	92	1.5	0.16	1.2	1.8	73	1.5	0.18	1.2	1.9
2005	109	1.8	0.17	1.4	2.1	98	2.0	0.20	1.6	2.4
2006	121	1.9	0.18	1.6	2.3	106	2.2	0.21	1.8	2.6
2007	102	1.7	0.17	1.4	2.0	86	1.8	0.19	1.4	2.2
2008	132	2.1	0.18	1.8	2.5	117	2.4	0.22	2.0	2.9
2009	108	1.7	0.17	1.4	2.1	91	1.9	0.20	1.5	2.3
2010	123	2.0	0.18	1.6	2.4	100	2.1	0.21	1.7	2.5
2011	114	1.9	0.17	1.5	2.2	92	1.9	0.20	1.6	2.4
2012	118	1.9	0.18	1.6	2.3	98	2.0	0.21	1.7	2.5
2013	115	1.9	0.18	1.5	2.2	96	2.0	0.20	1.6	2.4
2014	119	1.9	0.18	1.6	2.3	105	2.2	0.21	1.8	2.6
2015	119	1.9	0.18	1.6	2.3	104	2.2	0.22	1.8	2.6
2016	128	2.1	0.19	1.8	2.5	109	2.3	0.22	1.9	2.8
2017	126	2.1	0.19	1.7	2.5	103	2.2	0.22	1.8	2.6
2018	129	2.2	0.19	1.8	2.6	111	2.4	0.23	2.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Lymphocytic Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	322	1.0	0.06	0.9	1.2	104	1.2	0.12	0.9	1.4
1986	5	0.7	0.36	0.2	1.8	1	0.6	0.57	0.0	7.4
1987	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
1988	10	1.2	0.43	0.5	2.5	0				
1989	6	0.6	0.25	0.2	1.5	0				
1990	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
1991	11	1.2	0.38	0.6	2.3	2	1.0	0.67	0.1	6.1
1992	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
1993	8	0.8	0.31	0.3	1.8	1	0.5	0.46	0.0	4.9
1994	11	1.0	0.31	0.5	2.0	5	2.1	0.95	0.7	6.5
1995	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
1996	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
1997	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
1998	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
1999	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
2000	7	0.8	0.30	0.3	1.7	2	0.8	0.60	0.1	3.9
2001	17	1.8	0.49	1.0	3.1	4	1.4	0.72	0.4	4.5
2002	11	1.2	0.37	0.6	2.3	3	1.1	0.62	0.2	3.9
2003	9	0.8	0.29	0.4	1.7	3	1.1	0.61	0.2	3.7
2004	16	2.1	0.64	1.1	3.7	3	1.1	0.61	0.2	3.6
2005	8	0.7	0.25	0.3	1.5	3	1.2	0.78	0.2	4.0
2006	11	1.2	0.37	0.6	2.2	4	1.4	0.69	0.4	3.8
2007	11	1.1	0.34	0.5	2.1	4	1.1	0.58	0.3	3.4
2008	5	0.5	0.24	0.2	1.3	4	1.1	0.57	0.3	3.3
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.47	0.2	2.7
2010	14	1.3	0.36	0.7	2.3	4	1.1	0.55	0.3	3.1
2011	10	1.0	0.31	0.5	1.9	2	0.6	0.42	0.1	2.4
2012	12	1.3	0.39	0.7	2.3	2	0.6	0.39	0.1	2.2
2013	10	1.2	0.38	0.5	2.2	7	1.8	0.67	0.7	3.8
2014	7	0.8	0.32	0.3	1.7	3	0.8	0.45	0.2	2.4
2015	11	1.1	0.33	0.5	2.0	2	0.5	0.35	0.1	1.9
2016	10	1.1	0.35	0.5	2.0	7	1.8	0.70	0.7	3.8
2017	11	1.1	0.34	0.5	2.0	11	3.0	0.95	1.5	5.5
2018	7	0.7	0.27	0.3	1.5	6	1.6	0.64	0.6	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,676	1.3	0.03	1.3	1.4	2,280	1.4	0.03	1.4	1.5
1986	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
1987	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
1988	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
1989	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
1990	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
1991	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
1992	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
1993	72	1.2	0.14	0.9	1.5	60	1.2	0.16	0.9	1.6
1994	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
1995	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
1996	73	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
1997	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
1998	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
1999	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2000	97	1.5	0.15	1.2	1.9	89	1.8	0.19	1.4	2.2
2001	77	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2002	75	1.2	0.14	0.9	1.5	69	1.4	0.17	1.1	1.8
2003	91	1.4	0.15	1.2	1.8	78	1.6	0.18	1.2	2.0
2004	97	1.5	0.16	1.3	1.9	81	1.7	0.19	1.3	2.1
2005	91	1.4	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
2006	85	1.3	0.14	1.1	1.6	69	1.4	0.17	1.1	1.7
2007	86	1.4	0.15	1.1	1.7	69	1.4	0.17	1.1	1.8
2008	85	1.4	0.15	1.1	1.7	74	1.6	0.18	1.2	2.0
2009	82	1.3	0.14	1.0	1.6	68	1.4	0.17	1.1	1.8
2010	74	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2011	91	1.4	0.15	1.2	1.8	78	1.6	0.18	1.3	2.0
2012	99	1.6	0.16	1.3	1.9	84	1.7	0.19	1.4	2.1
2013	93	1.5	0.16	1.2	1.8	83	1.7	0.19	1.4	2.2
2014	79	1.3	0.15	1.0	1.6	74	1.6	0.18	1.2	2.0
2015	94	1.5	0.16	1.2	1.8	81	1.7	0.19	1.3	2.1
2016	79	1.3	0.15	1.0	1.6	54	1.1	0.16	0.8	1.5
2017	98	1.5	0.16	1.2	1.8	82	1.6	0.19	1.3	2.0
2018	96	1.6	0.16	1.3	1.9	78	1.6	0.19	1.3	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Lymphocytic Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	260	0.8	0.05	0.7	0.9	108	1.2	0.12	1.0	1.5
1986	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
1987	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
1988	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
1989	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
1990	7	0.9	0.37	0.4	2.0	0				
1991	7	0.8	0.30	0.3	1.6	1	0.5	0.54	0.0	4.4
1992	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
1993	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
1994	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
1995	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
1996	11	1.1	0.34	0.6	2.0	1	0.5	0.46	0.0	3.2
1997	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
1998	7	0.7	0.26	0.3	1.4	3	1.2	0.69	0.3	4.0
1999	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
2000	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
2001	15	1.4	0.37	0.8	2.3	3	1.1	0.65	0.2	3.6
2002	3	0.3	0.15	0.1	0.8	3	1.1	0.61	0.2	3.3
2003	10	0.9	0.29	0.4	1.7	2	0.7	0.49	0.1	2.7
2004	8	0.7	0.26	0.3	1.5	7	2.4	0.90	1.0	5.0
2005	7	0.6	0.24	0.3	1.3	2	0.6	0.45	0.1	2.5
2006	9	0.9	0.30	0.4	1.7	5	1.4	0.64	0.5	3.5
2007	11	1.1	0.34	0.6	2.0	6	1.9	0.77	0.7	4.2
2008	7	0.7	0.26	0.3	1.4	3	0.9	0.57	0.2	2.9
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.48	0.2	2.6
2010	7	0.6	0.24	0.3	1.3	3	0.8	0.47	0.2	2.5
2011	8	0.8	0.27	0.3	1.5	3	0.7	0.41	0.1	2.2
2012	7	0.8	0.29	0.3	1.6	4	1.1	0.56	0.3	2.9
2013	7	0.7	0.27	0.3	1.5	2	0.5	0.32	0.1	1.8
2014	4	0.4	0.18	0.1	0.9	0				
2015	5	0.5	0.21	0.2	1.1	7	1.9	0.73	0.8	3.9
2016	15	1.5	0.39	0.8	2.5	8	2.2	0.78	0.9	4.3
2017	11	1.0	0.30	0.5	1.8	4	0.9	0.47	0.3	2.4
2018	5	0.5	0.23	0.2	1.2	11	2.7	0.84	1.4	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Lymphocytic Leukemia											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	17,339	4.2	0.03	4.1	4.3	15,339	4.3	0.03	4.3	4.4	
1986	273	2.6	0.16	2.3	3.0	249	2.7	0.17	2.4	3.0	
1987	322	3.0	0.17	2.7	3.4	294	3.1	0.19	2.8	3.5	
1988	351	3.3	0.18	3.0	3.7	313	3.3	0.19	2.9	3.7	
1989	342	3.2	0.17	2.8	3.5	311	3.3	0.19	2.9	3.7	
1990	373	3.4	0.18	3.1	3.8	344	3.6	0.19	3.2	4.0	
1991	385	3.5	0.18	3.2	3.9	348	3.6	0.19	3.2	4.0	
1992	426	3.8	0.19	3.5	4.2	387	3.9	0.20	3.6	4.4	
1993	407	3.6	0.18	3.3	4.0	374	3.8	0.20	3.4	4.2	
1994	533	4.7	0.20	4.3	5.1	481	4.8	0.22	4.4	5.3	
1995	463	4.1	0.19	3.7	4.5	420	4.2	0.21	3.8	4.7	
1996	460	4.0	0.19	3.6	4.4	425	4.2	0.21	3.8	4.7	
1997	442	3.8	0.18	3.5	4.2	401	4.0	0.20	3.6	4.4	
1998	470	4.0	0.18	3.7	4.4	423	4.1	0.20	3.8	4.6	
1999	494	4.2	0.19	3.8	4.6	456	4.5	0.21	4.1	4.9	
2000	514	4.3	0.19	3.9	4.7	430	4.2	0.20	3.8	4.6	
2001	592	4.9	0.20	4.5	5.3	520	5.0	0.22	4.6	5.4	
2002	629	5.2	0.21	4.8	5.6	558	5.3	0.22	4.9	5.8	
2003	634	5.2	0.20	4.8	5.6	584	5.5	0.23	5.1	6.0	
2004	625	5.0	0.20	4.6	5.4	556	5.2	0.22	4.8	5.7	
2005	587	4.7	0.19	4.3	5.1	511	4.8	0.21	4.4	5.2	
2006	644	5.1	0.20	4.7	5.5	570	5.3	0.22	4.8	5.7	
2007	544	4.2	0.18	3.9	4.6	479	4.4	0.20	4.0	4.8	
2008	671	5.1	0.20	4.8	5.5	587	5.3	0.22	4.9	5.7	
2009	613	4.6	0.19	4.2	5.0	541	4.8	0.21	4.4	5.2	
2010	590	4.3	0.18	4.0	4.7	503	4.4	0.20	4.0	4.8	
2011	580	4.2	0.18	3.8	4.5	511	4.4	0.20	4.0	4.8	
2012	651	4.6	0.18	4.2	5.0	556	4.7	0.20	4.3	5.2	
2013	605	4.2	0.17	3.9	4.6	519	4.3	0.19	4.0	4.7	
2014	584	4.0	0.17	3.7	4.3	495	4.1	0.19	3.7	4.5	
2015	641	4.3	0.17	3.9	4.6	545	4.4	0.19	4.0	4.8	
2016	639	4.2	0.17	3.9	4.5	547	4.3	0.19	3.9	4.7	
2017	654	4.3	0.17	3.9	4.6	592	4.7	0.20	4.3	5.1	
2018	601	3.9	0.16	3.6	4.2	509	4.0	0.18	3.6	4.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Lymphocytic Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,637	3.5	0.09	3.3	3.6	133	1.1	0.10	0.9	1.3
1986	24	2.4	0.51	1.5	3.6	0				
1987	23	2.3	0.50	1.4	3.5	4	3.2	1.76	0.7	8.3
1988	36	3.6	0.61	2.5	5.0	0				
1989	30	2.6	0.49	1.8	3.8	1	0.5	0.50	0.0	3.2
1990	28	2.7	0.52	1.7	3.8	1	0.7	0.72	0.0	3.7
1991	37	3.2	0.55	2.2	4.5	0				
1992	38	3.4	0.56	2.4	4.6	0				
1993	33	2.8	0.49	1.9	3.9	0				
1994	47	3.8	0.57	2.8	5.1	2	1.4	1.00	0.2	4.5
1995	38	3.1	0.52	2.2	4.3	1	0.7	0.68	0.0	3.1
1996	34	2.8	0.49	1.9	3.9	0				
1997	37	2.8	0.47	2.0	3.9	2	0.5	0.32	0.1	2.0
1998	41	3.0	0.48	2.2	4.1	4	1.3	0.66	0.3	3.4
1999	33	2.3	0.41	1.6	3.3	3	1.4	0.85	0.3	3.9
2000	77	5.6	0.65	4.4	7.0	3	1.1	0.65	0.2	3.1
2001	56	4.0	0.55	3.0	5.3	6	1.7	0.74	0.6	3.8
2002	63	4.7	0.60	3.6	6.0	4	1.7	0.84	0.5	4.0
2003	45	3.1	0.47	2.3	4.2	2	0.4	0.26	0.0	1.5
2004	48	3.1	0.45	2.3	4.1	2	0.4	0.29	0.1	1.5
2005	61	4.2	0.55	3.2	5.4	6	1.2	0.49	0.4	2.6
2006	68	4.5	0.55	3.5	5.7	1	0.4	0.37	0.0	1.7
2007	56	3.6	0.49	2.7	4.7	6	1.4	0.61	0.5	3.1
2008	68	4.5	0.56	3.5	5.8	5	1.3	0.60	0.4	2.9
2009	52	3.3	0.47	2.5	4.3	4	0.9	0.46	0.2	2.3
2010	65	4.0	0.51	3.1	5.2	9	2.0	0.72	0.9	3.9
2011	55	3.3	0.46	2.5	4.3	4	0.9	0.45	0.2	2.2
2012	70	4.0	0.49	3.1	5.0	4	0.8	0.40	0.2	1.9
2013	66	3.7	0.47	2.8	4.7	8	1.5	0.56	0.6	3.0
2014	69	3.8	0.47	3.0	4.9	5	0.6	0.28	0.2	1.5
2015	63	3.5	0.45	2.7	4.5	8	1.1	0.40	0.4	2.2
2016	66	3.5	0.44	2.7	4.5	10	1.2	0.39	0.6	2.2
2017	40	2.1	0.33	1.5	2.8	13	1.7	0.48	0.9	2.9
2018	70	3.7	0.45	2.9	4.7	15	1.7	0.46	1.0	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	10,174	5.8	0.06	5.7	5.9	8,999	6.0	0.06	5.9	6.1
1986	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
1987	177	4.0	0.32	3.5	4.7	163	4.2	0.35	3.6	5.0
1988	187	4.3	0.33	3.7	5.0	162	4.2	0.35	3.6	5.0
1989	177	4.0	0.31	3.4	4.6	165	4.1	0.33	3.5	4.9
1990	218	4.9	0.34	4.2	5.6	201	5.0	0.36	4.3	5.8
1991	227	4.9	0.33	4.3	5.6	201	4.9	0.35	4.2	5.7
1992	252	5.5	0.36	4.9	6.3	230	5.7	0.38	5.0	6.5
1993	211	4.5	0.32	3.9	5.1	189	4.6	0.34	3.9	5.3
1994	312	7.0	0.41	6.2	7.8	283	7.1	0.44	6.3	8.1
1995	260	5.6	0.36	5.0	6.4	234	5.8	0.39	5.1	6.6
1996	271	5.9	0.36	5.2	6.6	247	6.1	0.39	5.3	6.9
1997	262	5.5	0.34	4.8	6.2	237	5.7	0.37	5.0	6.5
1998	267	5.4	0.33	4.7	6.1	237	5.5	0.36	4.8	6.3
1999	284	5.8	0.35	5.1	6.5	266	6.2	0.39	5.5	7.0
2000	311	6.1	0.35	5.5	6.9	259	5.9	0.37	5.2	6.7
2001	318	6.4	0.36	5.7	7.1	275	6.4	0.39	5.6	7.2
2002	347	6.9	0.38	6.2	7.7	310	7.1	0.41	6.4	8.0
2003	381	7.4	0.38	6.7	8.2	354	8.0	0.43	7.1	8.8
2004	362	7.0	0.37	6.2	7.7	323	7.2	0.41	6.5	8.1
2005	346	6.6	0.36	5.9	7.3	303	6.7	0.39	6.0	7.6
2006	387	7.3	0.37	6.5	8.0	343	7.5	0.41	6.7	8.4
2007	340	6.3	0.34	5.6	7.0	303	6.5	0.38	5.8	7.3
2008	412	7.4	0.37	6.7	8.1	358	7.4	0.40	6.7	8.3
2009	366	6.3	0.34	5.7	7.0	327	6.6	0.37	5.9	7.4
2010	380	6.5	0.34	5.8	7.2	321	6.4	0.37	5.7	7.2
2011	351	5.9	0.32	5.3	6.5	309	6.1	0.35	5.4	6.8
2012	400	6.5	0.33	5.9	7.2	343	6.6	0.37	5.9	7.4
2013	374	6.0	0.32	5.4	6.6	329	6.2	0.35	5.5	6.9
2014	363	5.6	0.30	5.0	6.2	308	5.7	0.33	5.1	6.4
2015	382	5.8	0.31	5.2	6.5	325	5.9	0.34	5.3	6.6
2016	372	5.5	0.29	4.9	6.1	322	5.7	0.32	5.0	6.3
2017	377	5.5	0.29	5.0	6.1	340	6.0	0.33	5.3	6.6
2018	358	5.2	0.28	4.6	5.8	303	5.2	0.31	4.7	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Lymphocytic Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	959	5.0	0.17	4.6	5.3	85	1.6	0.19	1.3	2.0
1986	13	3.2	1.00	1.6	5.7	0				
1987	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
1988	23	5.3	1.19	3.2	8.1	0				
1989	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
1990	17	4.5	1.18	2.5	7.3	0				
1991	26	5.1	1.05	3.2	7.6	0				
1992	22	4.7	1.04	2.9	7.2	0				
1993	22	4.2	0.94	2.6	6.5	0				
1994	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
1995	23	4.7	1.03	2.9	7.1	1	1.7	1.67	0.0	7.6
1996	23	4.7	1.05	2.9	7.1	0				
1997	23	4.3	0.92	2.7	6.4	0				
1998	27	4.7	0.93	3.0	6.8	2	1.6	1.15	0.2	5.9
1999	16	2.8	0.74	1.6	4.6	1	1.5	1.53	0.0	6.7
2000	48	8.4	1.25	6.1	11.2	2	1.8	1.34	0.2	6.3
2001	37	6.9	1.21	4.7	9.6	4	2.4	1.31	0.5	6.5
2002	31	5.8	1.12	3.8	8.3	3	3.1	1.78	0.6	8.2
2003	25	4.1	0.89	2.6	6.2	2	0.8	0.54	0.1	3.3
2004	27	4.2	0.86	2.7	6.3	1	0.5	0.47	0.0	2.9
2005	37	6.4	1.12	4.4	8.9	3	1.5	0.89	0.3	4.5
2006	40	6.2	1.02	4.3	8.5	1	0.9	0.94	0.0	4.1
2007	33	5.0	0.92	3.4	7.1	2	0.6	0.44	0.1	2.7
2008	43	7.1	1.14	5.1	9.7	4	2.5	1.43	0.5	6.5
2009	26	4.1	0.83	2.6	6.0	3	1.6	0.97	0.3	4.5
2010	44	6.9	1.12	4.9	9.4	7	3.5	1.55	1.2	7.6
2011	33	5.1	0.94	3.5	7.3	4	2.0	1.07	0.5	5.1
2012	40	5.8	0.97	4.1	8.0	1	0.7	0.67	0.0	2.9
2013	33	4.3	0.79	2.9	6.2	5	2.1	0.99	0.6	4.9
2014	41	5.4	0.89	3.8	7.5	4	1.1	0.56	0.3	2.9
2015	40	5.5	0.91	3.9	7.6	5	1.5	0.72	0.5	3.6
2016	33	4.3	0.78	2.9	6.1	8	2.1	0.79	0.9	4.3
2017	25	3.3	0.69	2.1	4.9	8	2.4	0.88	1.0	4.7
2018	39	5.1	0.85	3.6	7.1	10	2.4	0.78	1.2	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	7,165	3.0	0.04	2.9	3.1	6,340	3.1	0.04	3.0	3.2
1986	131	2.1	0.19	1.8	2.5	120	2.2	0.20	1.8	2.6
1987	145	2.3	0.19	2.0	2.7	131	2.4	0.21	2.0	2.8
1988	164	2.6	0.21	2.2	3.1	151	2.7	0.22	2.3	3.2
1989	165	2.6	0.21	2.2	3.1	146	2.6	0.22	2.2	3.1
1990	155	2.5	0.20	2.1	2.9	143	2.6	0.22	2.2	3.1
1991	158	2.4	0.19	2.0	2.8	147	2.5	0.21	2.1	2.9
1992	174	2.6	0.20	2.2	3.0	157	2.7	0.21	2.3	3.1
1993	196	2.9	0.21	2.5	3.3	185	3.1	0.23	2.7	3.6
1994	221	3.3	0.22	2.9	3.8	198	3.3	0.24	2.9	3.8
1995	203	3.0	0.21	2.6	3.5	186	3.2	0.24	2.7	3.7
1996	189	2.8	0.20	2.4	3.2	178	3.0	0.23	2.6	3.5
1997	180	2.6	0.19	2.2	3.0	164	2.6	0.21	2.2	3.1
1998	203	2.9	0.20	2.5	3.3	186	3.0	0.22	2.6	3.5
1999	210	3.1	0.21	2.7	3.5	190	3.2	0.24	2.8	3.7
2000	203	2.9	0.20	2.5	3.3	171	2.8	0.22	2.4	3.3
2001	274	3.9	0.24	3.4	4.4	245	4.0	0.26	3.5	4.6
2002	282	3.9	0.23	3.4	4.4	248	4.0	0.26	3.5	4.5
2003	253	3.5	0.22	3.1	4.0	230	3.7	0.25	3.3	4.2
2004	263	3.6	0.22	3.2	4.1	233	3.7	0.25	3.3	4.3
2005	241	3.3	0.22	2.9	3.8	208	3.3	0.24	2.9	3.8
2006	257	3.5	0.22	3.1	3.9	227	3.6	0.24	3.1	4.1
2007	204	2.7	0.19	2.3	3.1	176	2.8	0.21	2.4	3.2
2008	259	3.4	0.22	3.0	3.9	229	3.6	0.24	3.1	4.1
2009	247	3.2	0.20	2.8	3.6	214	3.2	0.22	2.8	3.7
2010	210	2.7	0.19	2.3	3.1	182	2.8	0.21	2.4	3.2
2011	229	2.9	0.19	2.5	3.3	202	3.0	0.22	2.6	3.5
2012	251	3.1	0.20	2.8	3.6	213	3.2	0.23	2.8	3.7
2013	231	2.9	0.20	2.6	3.3	190	2.9	0.21	2.5	3.3
2014	221	2.7	0.18	2.3	3.1	187	2.8	0.21	2.4	3.2
2015	259	3.1	0.20	2.7	3.5	220	3.2	0.22	2.8	3.7
2016	267	3.2	0.20	2.8	3.6	225	3.2	0.22	2.8	3.7
2017	277	3.2	0.20	2.9	3.7	252	3.6	0.23	3.1	4.1
2018	243	2.8	0.18	2.5	3.2	206	2.9	0.21	2.5	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Lymphocytic Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	678	2.4	0.09	2.3	2.6	48	0.7	0.10	0.5	0.9
1986	11	1.9	0.59	1.0	3.4	0				
1987	11	2.1	0.63	1.0	3.6	3	3.1	1.79	0.6	9.5
1988	13	2.4	0.65	1.2	3.9	0				
1989	19	2.7	0.63	1.6	4.2	0				
1990	11	1.6	0.49	0.8	2.9	1	1.3	1.26	0.0	6.5
1991	11	1.8	0.54	0.9	3.1	0				
1992	16	2.4	0.60	1.4	3.8	0				
1993	11	1.6	0.50	0.8	2.9	0				
1994	21	2.8	0.62	1.8	4.3	0				
1995	15	2.1	0.54	1.1	3.4	0				
1996	11	1.5	0.46	0.8	2.7	0				
1997	14	1.8	0.49	1.0	3.0	2	0.9	0.61	0.1	3.7
1998	14	1.8	0.49	1.0	3.0	2	1.1	0.80	0.1	4.1
1999	17	2.1	0.50	1.2	3.3	2	1.5	1.05	0.2	4.9
2000	29	3.6	0.68	2.4	5.2	1	0.6	0.57	0.0	3.1
2001	19	2.3	0.53	1.4	3.6	2	1.2	0.83	0.1	4.0
2002	32	4.0	0.70	2.7	5.6	1	0.7	0.73	0.0	3.4
2003	20	2.4	0.54	1.5	3.7	0				
2004	21	2.3	0.51	1.4	3.6	1	0.3	0.34	0.0	2.1
2005	24	2.9	0.59	1.8	4.3	3	0.9	0.53	0.2	2.9
2006	28	3.3	0.62	2.2	4.7	0				
2007	23	2.6	0.54	1.6	3.9	4	1.9	0.97	0.5	4.7
2008	25	2.8	0.56	1.8	4.1	1	0.5	0.45	0.0	2.2
2009	26	2.8	0.56	1.8	4.1	1	0.4	0.42	0.0	2.1
2010	21	2.3	0.50	1.4	3.5	2	1.0	0.71	0.1	3.2
2011	22	2.2	0.48	1.4	3.4	0				
2012	30	2.8	0.52	1.9	4.1	3	0.9	0.56	0.2	2.7
2013	33	3.2	0.57	2.2	4.5	3	1.0	0.61	0.2	2.9
2014	28	2.7	0.52	1.8	3.9	1	0.2	0.21	0.0	1.3
2015	23	2.2	0.46	1.4	3.3	3	0.7	0.43	0.1	2.2
2016	33	3.0	0.53	2.1	4.3	2	0.4	0.30	0.1	1.6
2017	15	1.3	0.35	0.7	2.2	5	1.2	0.55	0.4	2.8
2018	31	2.7	0.50	1.9	3.9	5	1.2	0.53	0.4	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	16,132	3.9	0.03	3.9	4.0	14,090	4.1	0.03	4.0	4.1
1986	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
1987	275	2.5	0.15	2.2	2.9	250	2.6	0.17	2.3	3.0
1988	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
1989	266	2.4	0.15	2.2	2.8	242	2.5	0.17	2.2	2.9
1990	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
1991	306	2.8	0.16	2.5	3.1	277	2.9	0.17	2.6	3.3
1992	340	3.0	0.16	2.7	3.3	307	3.1	0.18	2.8	3.5
1993	354	3.1	0.17	2.8	3.5	325	3.3	0.18	3.0	3.7
1994	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
1995	431	3.7	0.18	3.4	4.1	385	3.9	0.20	3.5	4.3
1996	438	3.8	0.18	3.4	4.1	389	3.9	0.20	3.5	4.3
1997	473	4.0	0.19	3.7	4.4	416	4.1	0.20	3.7	4.5
1998	443	3.7	0.18	3.4	4.1	384	3.8	0.19	3.4	4.2
1999	484	4.0	0.18	3.7	4.4	433	4.2	0.20	3.9	4.7
2000	532	4.4	0.19	4.0	4.8	479	4.7	0.21	4.3	5.1
2001	550	4.5	0.19	4.2	4.9	480	4.7	0.21	4.2	5.1
2002	525	4.3	0.19	3.9	4.7	476	4.6	0.21	4.2	5.0
2003	493	4.0	0.18	3.6	4.4	433	4.1	0.20	3.8	4.5
2004	532	4.2	0.18	3.9	4.6	462	4.4	0.20	4.0	4.8
2005	515	4.1	0.18	3.8	4.5	445	4.2	0.20	3.8	4.6
2006	514	4.0	0.18	3.7	4.4	460	4.3	0.20	3.9	4.7
2007	507	4.0	0.18	3.6	4.4	447	4.2	0.20	3.8	4.6
2008	510	4.0	0.18	3.6	4.3	445	4.1	0.20	3.7	4.5
2009	556	4.2	0.18	3.9	4.6	482	4.3	0.20	3.9	4.7
2010	631	4.8	0.19	4.4	5.2	535	4.9	0.21	4.5	5.3
2011	612	4.5	0.19	4.2	4.9	520	4.6	0.21	4.2	5.1
2012	648	4.7	0.19	4.4	5.1	544	4.8	0.21	4.4	5.2
2013	688	4.9	0.19	4.6	5.3	581	5.1	0.21	4.7	5.5
2014	642	4.5	0.18	4.2	4.9	554	4.7	0.21	4.3	5.2
2015	649	4.6	0.18	4.2	5.0	569	4.9	0.21	4.5	5.3
2016	604	4.3	0.18	3.9	4.7	497	4.3	0.20	3.9	4.7
2017	665	4.6	0.18	4.2	5.0	567	4.8	0.21	4.4	5.2
2018	646	4.3	0.17	4.0	4.7	534	4.3	0.19	4.0	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Myeloid Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,597	3.2	0.08	3.0	3.3	395	2.9	0.16	2.6	3.2
1986	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
1987	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
1988	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
1989	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
1990	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
1991	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
1992	23	1.8	0.39	1.1	2.7	9	4.3	1.82	1.5	9.1
1993	25	1.7	0.36	1.1	2.6	3	1.0	0.60	0.2	3.3
1994	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
1995	40	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
1996	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
1997	51	3.6	0.51	2.6	4.7	6	1.7	0.77	0.5	4.0
1998	49	3.4	0.50	2.5	4.5	9	3.7	1.36	1.5	7.2
1999	43	2.9	0.45	2.1	3.9	7	1.5	0.58	0.6	3.3
2000	45	2.9	0.45	2.1	3.9	7	2.2	0.97	0.8	4.9
2001	57	3.7	0.50	2.8	4.8	12	2.3	0.70	1.1	4.3
2002	38	2.5	0.42	1.8	3.5	8	1.7	0.67	0.7	3.6
2003	49	3.2	0.47	2.3	4.2	10	2.1	0.70	1.0	4.0
2004	57	3.6	0.50	2.7	4.7	12	2.7	0.83	1.3	4.8
2005	52	3.4	0.49	2.5	4.5	15	3.1	0.91	1.6	5.4
2006	43	2.7	0.42	1.9	3.7	10	1.8	0.61	0.8	3.5
2007	48	2.9	0.43	2.1	3.9	12	3.0	0.91	1.4	5.2
2008	43	2.7	0.43	2.0	3.7	19	4.0	1.00	2.3	6.4
2009	58	3.8	0.51	2.9	4.9	14	2.5	0.74	1.3	4.4
2010	75	4.4	0.53	3.5	5.6	19	4.0	0.97	2.3	6.3
2011	67	3.8	0.47	2.9	4.8	22	4.3	0.98	2.6	6.6
2012	84	5.0	0.55	3.9	6.2	15	2.6	0.71	1.4	4.3
2013	81	4.5	0.51	3.5	5.6	20	3.6	0.83	2.1	5.5
2014	64	3.7	0.47	2.8	4.7	24	3.6	0.78	2.3	5.5
2015	64	3.5	0.45	2.7	4.5	15	2.0	0.55	1.1	3.4
2016	72	3.8	0.45	2.9	4.8	31	4.0	0.73	2.7	5.7
2017	76	4.0	0.47	3.1	5.0	22	2.7	0.59	1.7	4.2
2018	79	4.1	0.47	3.2	5.1	27	3.2	0.63	2.1	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	8,571	4.9	0.05	4.8	5.0	7,569	5.1	0.06	4.9	5.2
1986	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
1987	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
1988	152	3.4	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
1989	152	3.2	0.27	2.7	3.8	139	3.4	0.29	2.8	4.0
1990	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
1991	160	3.4	0.28	2.8	4.0	149	3.6	0.30	3.0	4.2
1992	194	4.0	0.30	3.4	4.6	178	4.2	0.32	3.6	4.9
1993	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
1994	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
1995	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
1996	220	4.5	0.31	3.9	5.1	194	4.5	0.33	3.9	5.2
1997	228	4.5	0.30	4.0	5.2	206	4.8	0.33	4.1	5.5
1998	229	4.4	0.30	3.9	5.1	202	4.5	0.32	3.9	5.2
1999	247	4.8	0.31	4.3	5.5	225	5.1	0.35	4.5	5.9
2000	274	5.3	0.33	4.7	6.0	248	5.7	0.36	5.0	6.4
2001	298	5.8	0.34	5.2	6.5	256	5.9	0.37	5.2	6.6
2002	289	5.6	0.34	5.0	6.3	263	5.9	0.37	5.2	6.7
2003	254	4.9	0.31	4.3	5.5	230	5.2	0.34	4.5	5.9
2004	269	5.0	0.31	4.4	5.7	243	5.3	0.34	4.7	6.0
2005	270	5.0	0.31	4.5	5.7	240	5.3	0.34	4.6	6.0
2006	273	5.0	0.31	4.4	5.7	251	5.4	0.35	4.8	6.2
2007	278	5.0	0.31	4.4	5.7	250	5.3	0.34	4.7	6.1
2008	270	4.9	0.30	4.3	5.5	236	5.0	0.33	4.4	5.7
2009	287	5.1	0.30	4.5	5.7	250	5.2	0.33	4.5	5.8
2010	324	5.6	0.32	5.0	6.3	280	5.8	0.35	5.1	6.5
2011	299	5.1	0.30	4.5	5.7	256	5.2	0.33	4.6	5.9
2012	360	6.0	0.32	5.4	6.7	308	6.1	0.35	5.4	6.9
2013	375	6.1	0.32	5.5	6.8	316	6.2	0.36	5.6	7.0
2014	337	5.5	0.30	4.9	6.1	295	5.7	0.34	5.0	6.4
2015	376	6.0	0.31	5.4	6.6	330	6.3	0.35	5.6	7.0
2016	321	5.0	0.29	4.5	5.6	269	5.1	0.32	4.5	5.8
2017	361	5.6	0.30	5.0	6.2	307	5.8	0.34	5.1	6.4
2018	371	5.4	0.29	4.9	6.0	314	5.5	0.32	4.9	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	762	3.7	0.14	3.4	4.0	214	3.6	0.28	3.1	4.2
1986	13	2.9	0.95	1.4	5.3	0				
1987	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
1988	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
1989	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
1990	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
1991	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
1992	11	2.1	0.69	1.0	3.8	5	6.2	3.95	1.0	17.3
1993	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
1994	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
1995	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
1996	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
1997	19	3.2	0.76	1.9	5.0	3	1.3	0.75	0.3	5.0
1998	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
1999	16	2.4	0.60	1.3	3.9	5	2.4	1.11	0.7	6.4
2000	22	3.5	0.80	2.1	5.4	4	2.0	1.00	0.5	5.6
2001	32	4.6	0.84	3.1	6.6	9	3.8	1.38	1.6	7.9
2002	18	3.3	0.86	1.9	5.4	5	2.6	1.39	0.7	6.8
2003	19	3.1	0.78	1.8	5.0	5	2.2	1.09	0.6	5.7
2004	20	2.9	0.70	1.7	4.6	5	2.5	1.30	0.6	6.4
2005	23	3.6	0.80	2.2	5.5	6	2.7	1.24	0.8	6.3
2006	17	2.3	0.58	1.3	3.7	5	1.6	0.73	0.5	4.1
2007	24	3.6	0.79	2.2	5.5	4	2.1	1.15	0.5	5.5
2008	22	3.3	0.76	2.0	5.1	10	5.2	1.86	2.2	9.9
2009	28	4.8	0.97	3.1	7.1	9	4.3	1.66	1.7	8.5
2010	34	5.0	0.91	3.4	7.1	9	4.0	1.41	1.7	7.6
2011	30	3.9	0.74	2.5	5.6	10	5.3	1.85	2.3	9.9
2012	46	6.9	1.07	5.0	9.3	4	1.5	0.83	0.3	4.0
2013	42	5.8	0.94	4.1	7.9	14	5.5	1.61	2.8	9.5
2014	29	4.4	0.85	2.9	6.4	13	4.8	1.43	2.4	8.3
2015	34	4.4	0.79	3.0	6.2	12	3.5	1.09	1.7	6.3
2016	34	4.3	0.76	2.9	6.0	16	4.5	1.16	2.5	7.4
2017	38	4.9	0.82	3.4	6.7	16	4.3	1.11	2.4	7.1
2018	39	4.8	0.79	3.3	6.6	14	3.8	1.04	2.0	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	7,561	3.3	0.04	3.2	3.4	6,521	3.4	0.04	3.3	3.5
1986	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
1987	128	2.1	0.19	1.8	2.5	114	2.2	0.21	1.8	2.6
1988	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
1989	114	1.8	0.17	1.5	2.2	103	1.9	0.19	1.6	2.3
1990	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
1991	146	2.4	0.20	2.0	2.8	128	2.5	0.22	2.0	2.9
1992	146	2.3	0.19	2.0	2.7	129	2.4	0.21	2.0	2.9
1993	153	2.4	0.20	2.0	2.8	143	2.6	0.22	2.2	3.1
1994	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
1995	195	3.0	0.22	2.6	3.4	170	3.1	0.24	2.6	3.6
1996	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
1997	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
1998	214	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
1999	237	3.5	0.23	3.1	4.0	208	3.7	0.26	3.2	4.2
2000	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
2001	252	3.7	0.23	3.3	4.2	224	3.9	0.26	3.4	4.5
2002	236	3.4	0.22	3.0	3.9	213	3.6	0.25	3.1	4.2
2003	239	3.4	0.22	3.0	3.9	203	3.5	0.25	3.0	4.0
2004	263	3.8	0.23	3.3	4.2	219	3.8	0.26	3.3	4.3
2005	245	3.5	0.23	3.1	4.0	205	3.5	0.25	3.1	4.1
2006	241	3.4	0.22	3.0	3.9	209	3.6	0.25	3.1	4.1
2007	229	3.3	0.22	2.9	3.7	197	3.4	0.25	2.9	3.9
2008	240	3.3	0.22	2.9	3.7	209	3.4	0.24	3.0	3.9
2009	269	3.7	0.23	3.2	4.1	232	3.8	0.26	3.3	4.4
2010	307	4.2	0.24	3.7	4.7	255	4.2	0.27	3.7	4.8
2011	313	4.2	0.24	3.7	4.7	264	4.3	0.27	3.8	4.9
2012	288	3.8	0.23	3.3	4.2	236	3.8	0.25	3.3	4.3
2013	313	4.0	0.23	3.5	4.5	265	4.2	0.26	3.7	4.7
2014	305	3.9	0.23	3.5	4.4	259	4.1	0.26	3.6	4.6
2015	273	3.5	0.22	3.1	4.0	239	3.8	0.26	3.3	4.3
2016	283	3.7	0.23	3.3	4.2	228	3.7	0.26	3.2	4.3
2017	304	3.9	0.23	3.4	4.3	260	4.1	0.26	3.6	4.6
2018	275	3.4	0.21	3.0	3.9	220	3.4	0.24	2.9	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Acute Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	835	2.9	0.10	2.7	3.1	181	2.4	0.19	2.0	2.8
1986	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6
1987	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8
1988	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1
1989	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7
1990	16	2.1	0.54	1.2	3.4	0				
1991	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5
1992	12	1.6	0.48	0.8	2.8	4	3.2	1.61	0.8	8.4
1993	10	1.3	0.41	0.6	2.3	0				
1994	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3
1995	23	2.9	0.61	1.8	4.3	2	2.0	1.50	0.2	6.8
1996	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0
1997	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7
1998	25	2.9	0.59	1.9	4.3	6	3.9	1.70	1.3	8.6
1999	27	3.1	0.61	2.0	4.5	2	0.7	0.49	0.1	3.1
2000	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.1
2001	25	2.9	0.58	1.9	4.2	3	1.0	0.60	0.2	3.3
2002	20	2.2	0.50	1.3	3.4	3	1.1	0.64	0.2	3.4
2003	30	3.3	0.61	2.2	4.8	5	2.0	0.92	0.6	4.8
2004	37	4.1	0.68	2.9	5.6	7	2.9	1.15	1.1	6.1
2005	29	3.2	0.61	2.2	4.6	9	3.3	1.23	1.4	6.7
2006	26	2.9	0.58	1.9	4.3	5	2.0	0.91	0.6	4.6
2007	24	2.5	0.52	1.6	3.7	8	3.6	1.33	1.5	7.1
2008	21	2.3	0.51	1.4	3.5	9	3.3	1.17	1.5	6.4
2009	30	3.3	0.60	2.2	4.7	5	1.4	0.61	0.4	3.3
2010	41	4.1	0.65	2.9	5.6	10	3.9	1.28	1.8	7.1
2011	37	3.7	0.62	2.6	5.1	12	3.8	1.17	1.9	6.8
2012	38	3.8	0.62	2.6	5.2	11	3.4	1.07	1.7	6.2
2013	39	3.6	0.58	2.5	4.9	6	2.0	0.84	0.7	4.3
2014	35	3.5	0.59	2.4	4.8	11	2.8	0.88	1.4	5.1
2015	30	2.8	0.53	1.9	4.1	3	0.7	0.45	0.1	2.2
2016	38	3.4	0.57	2.4	4.8	15	3.6	0.94	2.0	5.9
2017	38	3.5	0.58	2.5	4.8	6	1.4	0.59	0.5	3.1
2018	40	3.6	0.59	2.6	5.0	13	2.9	0.80	1.5	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	6,988	1.7	0.02	1.7	1.8	5,900	1.7	0.02	1.7	1.8
1986	139	1.3	0.11	1.1	1.6	122	1.3	0.12	1.1	1.6
1987	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
1988	113	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	131	1.3	0.11	1.1	1.5	105	1.2	0.11	0.9	1.4
1990	156	1.4	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1991	166	1.5	0.12	1.3	1.7	151	1.6	0.13	1.3	1.8
1992	155	1.4	0.11	1.2	1.6	135	1.4	0.12	1.2	1.7
1993	174	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.8
1994	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	219	1.9	0.13	1.6	2.2	183	1.8	0.14	1.6	2.1
1996	205	1.8	0.12	1.5	2.0	177	1.8	0.13	1.5	2.1
1997	188	1.6	0.12	1.4	1.9	162	1.6	0.13	1.4	1.9
1998	203	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
1999	225	1.9	0.13	1.6	2.1	190	1.9	0.13	1.6	2.1
2000	219	1.8	0.12	1.6	2.1	185	1.8	0.13	1.6	2.1
2001	245	2.0	0.13	1.8	2.3	214	2.1	0.14	1.8	2.4
2002	195	1.6	0.11	1.4	1.8	160	1.5	0.12	1.3	1.8
2003	236	1.9	0.12	1.7	2.2	207	2.0	0.14	1.7	2.3
2004	252	2.0	0.13	1.8	2.3	213	2.0	0.14	1.8	2.3
2005	212	1.7	0.12	1.5	1.9	176	1.7	0.13	1.4	1.9
2006	231	1.8	0.12	1.6	2.1	194	1.8	0.13	1.6	2.1
2007	200	1.6	0.11	1.4	1.8	162	1.5	0.12	1.3	1.8
2008	227	1.7	0.12	1.5	2.0	184	1.7	0.13	1.5	2.0
2009	238	1.8	0.12	1.6	2.1	203	1.9	0.13	1.6	2.2
2010	264	2.0	0.12	1.8	2.2	226	2.1	0.14	1.8	2.3
2011	282	2.1	0.13	1.9	2.4	230	2.1	0.14	1.8	2.4
2012	240	1.8	0.12	1.6	2.0	200	1.8	0.13	1.6	2.1
2013	237	1.7	0.11	1.5	2.0	195	1.7	0.13	1.5	2.0
2014	263	1.9	0.12	1.7	2.1	223	1.9	0.13	1.7	2.2
2015	229	1.6	0.11	1.4	1.9	192	1.7	0.12	1.4	1.9
2016	263	1.8	0.11	1.6	2.1	216	1.8	0.13	1.6	2.1
2017	264	1.8	0.12	1.6	2.1	214	1.8	0.13	1.6	2.1
2018	269	1.9	0.12	1.6	2.1	213	1.8	0.13	1.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Myeloid Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	840	1.7	0.06	1.6	1.8	163	1.1	0.09	0.9	1.3
1986	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
1987	7	0.6	0.22	0.2	1.2	2	0.7	0.51	0.1	3.6
1988	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
1989	22	2.0	0.43	1.2	3.0	4	1.5	0.76	0.4	4.4
1990	19	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
1991	15	1.2	0.31	0.6	2.0	0				
1992	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
1993	21	1.6	0.37	1.0	2.5	3	0.8	0.45	0.2	2.8
1994	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
1995	33	2.4	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
1996	22	1.6	0.36	1.0	2.5	5	1.0	0.45	0.3	2.7
1997	21	1.5	0.34	0.9	2.3	2	0.5	0.35	0.1	2.1
1998	21	1.4	0.30	0.8	2.1	5	2.5	1.27	0.7	6.0
1999	29	2.1	0.40	1.4	3.0	4	1.5	0.84	0.3	4.0
2000	27	1.8	0.35	1.1	2.6	6	1.5	0.67	0.5	3.5
2001	20	1.4	0.32	0.8	2.1	8	1.8	0.74	0.7	3.9
2002	28	1.9	0.38	1.3	2.8	6	1.4	0.63	0.5	3.2
2003	24	1.7	0.35	1.1	2.5	4	1.2	0.67	0.3	3.2
2004	27	1.8	0.36	1.2	2.7	7	1.6	0.73	0.5	3.6
2005	27	1.8	0.36	1.2	2.7	4	0.8	0.41	0.2	2.1
2006	32	2.0	0.36	1.3	2.8	2	0.3	0.21	0.0	1.3
2007	25	1.5	0.31	1.0	2.3	9	1.7	0.62	0.7	3.4
2008	31	1.9	0.34	1.3	2.7	7	1.3	0.51	0.5	2.7
2009	25	1.5	0.31	1.0	2.2	5	0.7	0.31	0.2	1.7
2010	29	1.6	0.30	1.1	2.3	5	1.0	0.50	0.3	2.4
2011	37	2.1	0.34	1.4	2.8	9	1.7	0.61	0.7	3.3
2012	33	1.9	0.34	1.3	2.7	6	0.7	0.30	0.3	1.7
2013	30	1.6	0.30	1.1	2.3	9	1.5	0.53	0.6	2.8
2014	33	1.8	0.32	1.2	2.6	7	0.8	0.31	0.3	1.7
2015	27	1.4	0.28	0.9	2.1	6	0.8	0.33	0.3	1.7
2016	32	1.6	0.30	1.1	2.3	9	1.2	0.41	0.5	2.3
2017	38	2.0	0.33	1.4	2.7	5	0.6	0.27	0.2	1.4
2018	38	1.9	0.31	1.3	2.6	11	1.1	0.34	0.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,996	2.3	0.04	2.2	2.3	3,390	2.3	0.04	2.2	2.3
1986	85	1.8	0.21	1.4	2.3	74	1.8	0.22	1.4	2.3
1987	80	1.8	0.20	1.4	2.2	75	1.9	0.23	1.5	2.4
1988	64	1.5	0.20	1.2	2.0	55	1.5	0.21	1.1	2.0
1989	78	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
1990	82	1.8	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1991	90	1.9	0.21	1.5	2.3	85	2.1	0.23	1.6	2.6
1992	90	1.9	0.21	1.5	2.3	77	1.9	0.22	1.5	2.3
1993	101	2.1	0.22	1.7	2.6	87	2.1	0.23	1.7	2.6
1994	111	2.3	0.22	1.9	2.7	97	2.3	0.24	1.8	2.8
1995	118	2.4	0.22	1.9	2.8	102	2.4	0.24	1.9	2.9
1996	120	2.5	0.24	2.1	3.0	105	2.6	0.26	2.1	3.1
1997	110	2.3	0.22	1.8	2.7	96	2.3	0.24	1.8	2.8
1998	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
1999	133	2.6	0.23	2.2	3.1	116	2.6	0.24	2.2	3.1
2000	123	2.4	0.22	2.0	2.8	103	2.3	0.23	1.9	2.8
2001	141	2.8	0.24	2.3	3.3	122	2.8	0.26	2.3	3.4
2002	111	2.2	0.21	1.8	2.6	91	2.1	0.22	1.7	2.6
2003	135	2.6	0.22	2.2	3.1	115	2.6	0.24	2.1	3.1
2004	145	2.7	0.23	2.3	3.2	130	2.9	0.25	2.4	3.4
2005	137	2.5	0.22	2.1	3.0	115	2.5	0.23	2.0	3.0
2006	139	2.5	0.22	2.1	3.0	117	2.5	0.23	2.1	3.0
2007	111	2.0	0.19	1.6	2.4	87	1.9	0.20	1.5	2.3
2008	127	2.2	0.20	1.9	2.7	103	2.2	0.22	1.8	2.7
2009	117	2.1	0.19	1.7	2.5	98	2.1	0.21	1.7	2.5
2010	155	2.7	0.22	2.3	3.1	134	2.8	0.24	2.3	3.3
2011	172	2.9	0.22	2.5	3.3	139	2.8	0.24	2.3	3.3
2012	137	2.3	0.20	1.9	2.7	116	2.3	0.22	1.9	2.8
2013	126	2.0	0.19	1.7	2.4	104	2.0	0.20	1.6	2.5
2014	150	2.4	0.20	2.0	2.8	134	2.6	0.23	2.1	3.1
2015	122	1.9	0.18	1.6	2.3	102	1.9	0.20	1.6	2.4
2016	149	2.3	0.19	2.0	2.7	117	2.2	0.21	1.8	2.7
2017	155	2.3	0.19	2.0	2.7	127	2.3	0.21	1.9	2.8
2018	165	2.5	0.20	2.1	2.9	135	2.5	0.22	2.1	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	460	2.2	0.11	2.0	2.4	95	1.4	0.16	1.1	1.7
1986	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
1987	3	0.5	0.32	0.1	1.6	2	1.4	1.01	0.2	8.0
1988	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
1989	12	2.7	0.82	1.3	4.7	4	3.2	1.69	0.8	9.9
1990	12	2.1	0.73	1.0	4.0	1	4.6	4.56	0.1	18.3
1991	5	0.8	0.37	0.3	2.0	0				
1992	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
1993	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
1994	11	2.0	0.63	0.9	3.6	1	0.5	0.54	0.0	4.8
1995	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
1996	12	2.0	0.59	1.0	3.5	3	1.2	0.69	0.2	5.0
1997	13	2.4	0.73	1.2	4.2	0				
1998	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
1999	13	2.5	0.75	1.2	4.3	2	1.6	1.29	0.1	6.1
2000	16	2.8	0.76	1.5	4.6	4	2.5	1.42	0.5	7.0
2001	10	1.8	0.59	0.8	3.3	6	2.0	0.82	0.7	5.1
2002	16	3.0	0.79	1.7	4.9	4	2.4	1.36	0.5	6.6
2003	17	2.8	0.71	1.6	4.5	2	0.8	0.54	0.1	3.3
2004	10	1.8	0.61	0.8	3.3	3	2.0	1.52	0.2	6.5
2005	16	2.7	0.73	1.5	4.5	3	1.4	0.83	0.2	4.2
2006	21	3.5	0.81	2.1	5.4	1	0.4	0.36	0.0	2.4
2007	15	2.2	0.60	1.2	3.7	7	3.2	1.36	1.1	6.9
2008	17	2.3	0.60	1.3	3.8	3	1.0	0.60	0.2	3.3
2009	13	2.0	0.59	1.0	3.5	4	1.2	0.60	0.3	3.3
2010	19	2.4	0.57	1.4	3.8	1	0.3	0.25	0.0	1.9
2011	21	2.7	0.60	1.6	4.1	6	2.7	1.20	0.9	5.9
2012	20	3.0	0.70	1.8	4.6	1	0.2	0.24	0.0	1.7
2013	14	1.8	0.51	1.0	3.1	5	1.2	0.55	0.4	3.0
2014	12	1.4	0.42	0.7	2.5	4	1.0	0.50	0.3	2.7
2015	16	1.9	0.51	1.1	3.2	2	0.4	0.31	0.1	1.8
2016	18	2.1	0.52	1.2	3.4	8	2.2	0.81	0.9	4.5
2017	20	2.4	0.56	1.4	3.7	2	0.4	0.29	0.1	1.7
2018	22	2.6	0.56	1.6	3.9	5	1.1	0.48	0.4	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,992	1.3	0.02	1.3	1.4	2,510	1.3	0.03	1.3	1.4
1986	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1989	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
1990	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1991	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
1992	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1993	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1994	102	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
1995	101	1.5	0.15	1.2	1.9	81	1.4	0.16	1.1	1.8
1996	85	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.5
1997	78	1.2	0.13	0.9	1.5	66	1.1	0.14	0.9	1.5
1998	86	1.3	0.14	1.0	1.6	75	1.3	0.15	1.0	1.6
1999	92	1.4	0.14	1.1	1.7	74	1.3	0.15	1.0	1.6
2000	96	1.4	0.15	1.2	1.7	82	1.4	0.16	1.1	1.8
2001	104	1.5	0.15	1.3	1.9	92	1.6	0.17	1.3	2.0
2002	84	1.2	0.13	1.0	1.5	69	1.2	0.14	0.9	1.5
2003	101	1.4	0.14	1.2	1.7	92	1.6	0.17	1.3	1.9
2004	107	1.5	0.15	1.3	1.9	83	1.4	0.16	1.1	1.7
2005	75	1.1	0.12	0.8	1.3	61	1.1	0.14	0.8	1.4
2006	92	1.3	0.13	1.0	1.6	77	1.3	0.15	1.0	1.6
2007	89	1.3	0.13	1.0	1.6	75	1.3	0.15	1.0	1.6
2008	100	1.4	0.14	1.1	1.7	81	1.3	0.15	1.1	1.7
2009	121	1.7	0.15	1.4	2.0	105	1.8	0.17	1.4	2.1
2010	109	1.4	0.14	1.2	1.7	92	1.5	0.16	1.2	1.8
2011	110	1.5	0.15	1.2	1.8	91	1.5	0.17	1.2	1.9
2012	103	1.4	0.14	1.2	1.7	84	1.4	0.16	1.1	1.8
2013	111	1.5	0.15	1.2	1.8	91	1.5	0.17	1.2	1.9
2014	113	1.5	0.14	1.2	1.8	89	1.4	0.16	1.1	1.8
2015	107	1.4	0.14	1.2	1.7	90	1.5	0.16	1.2	1.8
2016	114	1.4	0.14	1.2	1.7	99	1.5	0.16	1.2	1.9
2017	109	1.4	0.14	1.2	1.8	87	1.4	0.16	1.1	1.8
2018	104	1.3	0.14	1.1	1.6	78	1.3	0.15	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Chronic Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	380	1.3	0.07	1.2	1.4	68	0.9	0.11	0.7	1.1
1986	6	0.9	0.35	0.3	1.9	0				
1987	4	0.6	0.31	0.2	1.6	0				
1988	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
1989	10	1.5	0.49	0.7	2.8	0				
1990	7	0.9	0.34	0.4	1.9	0				
1991	10	1.4	0.44	0.6	2.5	0				
1992	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
1993	9	1.3	0.45	0.6	2.5	1	0.5	0.47	0.0	3.8
1994	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
1995	19	2.5	0.58	1.5	3.9	1	0.6	0.60	0.0	3.7
1996	10	1.3	0.43	0.6	2.4	2	0.8	0.60	0.1	3.7
1997	8	1.0	0.34	0.4	1.9	2	1.0	0.68	0.1	3.9
1998	9	1.0	0.34	0.5	1.9	1	0.4	0.44	0.0	2.9
1999	16	1.9	0.48	1.1	3.1	2	1.5	1.10	0.2	5.1
2000	11	1.2	0.36	0.6	2.1	2	0.8	0.54	0.1	3.1
2001	10	1.2	0.37	0.5	2.1	2	1.5	1.04	0.2	4.8
2002	12	1.3	0.39	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	7	0.9	0.33	0.3	1.7	2	1.4	0.99	0.2	4.5
2004	17	1.9	0.47	1.1	3.1	4	1.5	0.83	0.4	4.1
2005	11	1.2	0.38	0.6	2.2	1	0.3	0.29	0.0	2.0
2006	11	1.1	0.32	0.5	1.9	1	0.3	0.26	0.0	1.8
2007	10	1.0	0.33	0.5	1.9	2	0.5	0.37	0.1	2.1
2008	14	1.5	0.40	0.8	2.5	4	1.4	0.74	0.4	3.7
2009	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.5
2010	10	0.9	0.30	0.4	1.7	4	1.5	0.81	0.4	3.9
2011	16	1.5	0.38	0.9	2.5	3	1.0	0.62	0.2	3.0
2012	13	1.3	0.36	0.7	2.2	5	1.2	0.53	0.4	2.9
2013	16	1.5	0.37	0.8	2.4	4	1.4	0.72	0.4	3.5
2014	21	2.1	0.46	1.3	3.2	3	0.6	0.38	0.1	2.0
2015	11	1.0	0.30	0.5	1.8	4	1.0	0.53	0.3	2.7
2016	14	1.2	0.32	0.6	2.0	1	0.3	0.32	0.0	1.6
2017	18	1.7	0.42	1.0	2.8	3	0.7	0.40	0.1	2.1
2018	16	1.3	0.34	0.8	2.2	6	1.2	0.48	0.4	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Other Leukemia											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	3,734	0.9	0.01	0.9	0.9	3,239	0.9	0.02	0.9	1.0	
1986	95	0.9	0.09	0.7	1.1	87	0.9	0.10	0.8	1.2	
1987	118	1.1	0.10	0.9	1.3	108	1.2	0.11	1.0	1.4	
1988	97	0.9	0.09	0.7	1.1	81	0.9	0.09	0.7	1.1	
1989	97	0.9	0.09	0.7	1.1	85	0.9	0.10	0.7	1.1	
1990	95	0.9	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1	
1991	71	0.7	0.08	0.5	0.8	63	0.7	0.08	0.5	0.9	
1992	67	0.6	0.07	0.5	0.8	60	0.6	0.08	0.5	0.8	
1993	124	1.1	0.10	0.9	1.3	111	1.1	0.11	0.9	1.3	
1994	161	1.4	0.11	1.2	1.7	144	1.4	0.12	1.2	1.7	
1995	161	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.7	
1996	135	1.2	0.10	1.0	1.4	116	1.1	0.11	0.9	1.4	
1997	127	1.1	0.10	0.9	1.3	107	1.0	0.10	0.9	1.3	
1998	136	1.1	0.10	1.0	1.4	118	1.1	0.10	0.9	1.4	
1999	173	1.4	0.11	1.2	1.7	152	1.4	0.12	1.2	1.7	
2000	158	1.3	0.10	1.1	1.5	138	1.3	0.11	1.1	1.6	
2001	92	0.8	0.08	0.6	0.9	79	0.7	0.08	0.6	0.9	
2002	139	1.1	0.10	1.0	1.3	116	1.1	0.10	0.9	1.3	
2003	116	0.9	0.09	0.8	1.1	100	0.9	0.09	0.8	1.1	
2004	96	0.8	0.08	0.6	0.9	81	0.7	0.08	0.6	0.9	
2005	115	0.9	0.08	0.7	1.1	99	0.9	0.09	0.7	1.1	
2006	107	0.8	0.08	0.7	1.0	90	0.8	0.09	0.7	1.0	
2007	108	0.8	0.08	0.7	1.0	92	0.8	0.09	0.7	1.0	
2008	100	0.8	0.08	0.6	0.9	91	0.8	0.09	0.7	1.0	
2009	94	0.7	0.07	0.6	0.9	80	0.7	0.08	0.6	0.9	
2010	104	0.8	0.07	0.6	0.9	88	0.7	0.08	0.6	0.9	
2011	125	0.9	0.08	0.8	1.1	109	0.9	0.09	0.8	1.1	
2012	104	0.7	0.07	0.6	0.9	84	0.7	0.08	0.6	0.9	
2013	109	0.8	0.08	0.6	0.9	86	0.7	0.08	0.6	0.9	
2014	119	0.8	0.08	0.7	1.0	101	0.9	0.09	0.7	1.0	
2015	96	0.7	0.07	0.6	0.8	81	0.7	0.08	0.5	0.9	
2016	95	0.6	0.07	0.5	0.8	86	0.7	0.08	0.6	0.9	
2017	116	0.8	0.07	0.6	0.9	99	0.8	0.08	0.6	1.0	
2018	84	0.6	0.07	0.5	0.7	70	0.6	0.07	0.5	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Other Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	420	0.9	0.04	0.8	1.0	56	0.4	0.06	0.3	0.5
1986	8	0.7	0.26	0.3	1.4	0				
1987	8	0.6	0.22	0.3	1.2	2	0.9	0.68	0.1	4.0
1988	12	1.1	0.32	0.5	1.9	3	1.1	0.66	0.2	4.0
1989	11	0.9	0.27	0.4	1.6	1	0.3	0.28	0.0	2.7
1990	6	0.5	0.20	0.2	1.0	1	0.3	0.27	0.0	2.6
1991	8	0.7	0.27	0.3	1.4	0				
1992	7	0.6	0.23	0.2	1.2	0				
1993	11	1.0	0.30	0.5	1.7	2	0.6	0.48	0.1	2.8
1994	17	1.4	0.36	0.8	2.3	0				
1995	10	0.8	0.27	0.4	1.5	2	1.1	0.87	0.1	3.9
1996	14	1.2	0.32	0.6	2.0	5	1.6	0.79	0.4	4.0
1997	20	1.6	0.36	0.9	2.4	0				
1998	16	1.2	0.31	0.7	2.0	1	0.2	0.17	0.0	1.5
1999	20	1.5	0.35	0.9	2.4	1	0.2	0.21	0.0	1.5
2000	17	1.3	0.32	0.7	2.0	2	0.5	0.34	0.1	1.9
2001	11	0.9	0.26	0.4	1.5	2	0.4	0.26	0.0	1.6
2002	21	1.7	0.37	1.0	2.5	0				
2003	16	1.2	0.29	0.7	1.9	0				
2004	12	0.9	0.26	0.4	1.5	2	0.5	0.42	0.1	2.0
2005	12	0.9	0.26	0.5	1.5	4	1.1	0.60	0.2	2.8
2006	15	1.1	0.29	0.6	1.8	2	0.6	0.42	0.1	1.9
2007	13	0.9	0.25	0.5	1.5	3	0.9	0.52	0.2	2.4
2008	8	0.5	0.19	0.2	1.0	1	0.1	0.12	0.0	0.9
2009	12	0.7	0.22	0.4	1.3	2	0.3	0.20	0.0	1.1
2010	11	0.7	0.21	0.3	1.2	2	0.4	0.25	0.0	1.3
2011	13	0.9	0.25	0.5	1.5	2	0.4	0.28	0.0	1.3
2012	16	0.9	0.22	0.5	1.4	4	0.7	0.38	0.2	1.8
2013	15	0.9	0.23	0.5	1.5	3	0.5	0.28	0.1	1.4
2014	15	0.9	0.22	0.5	1.4	2	0.3	0.18	0.0	1.0
2015	13	0.7	0.20	0.4	1.3	1	0.1	0.11	0.0	0.7
2016	8	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2017	13	0.7	0.19	0.4	1.2	3	0.4	0.25	0.1	1.2
2018	11	0.6	0.18	0.3	1.0	2	0.2	0.16	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Other Leukemia											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,976	1.2	0.03	1.2	1.3	1,711	1.2	0.03	1.2	1.3	
1986	45	1.1	0.16	0.8	1.4	41	1.1	0.17	0.8	1.5	
1987	63	1.4	0.19	1.1	1.8	58	1.5	0.20	1.1	2.0	
1988	51	1.1	0.17	0.8	1.5	42	1.1	0.17	0.8	1.5	
1989	54	1.2	0.17	0.9	1.6	48	1.2	0.18	0.9	1.6	
1990	55	1.2	0.17	0.9	1.6	52	1.3	0.19	1.0	1.7	
1991	35	0.8	0.14	0.6	1.1	32	0.8	0.15	0.6	1.2	
1992	41	0.9	0.15	0.7	1.3	37	0.9	0.16	0.7	1.3	
1993	63	1.4	0.18	1.0	1.8	54	1.4	0.19	1.0	1.8	
1994	84	1.9	0.21	1.5	2.3	76	1.9	0.23	1.5	2.4	
1995	82	1.8	0.21	1.4	2.3	76	1.9	0.22	1.5	2.4	
1996	78	1.8	0.21	1.4	2.3	64	1.7	0.21	1.3	2.2	
1997	69	1.6	0.20	1.3	2.1	60	1.6	0.22	1.2	2.1	
1998	71	1.6	0.19	1.2	2.0	65	1.7	0.21	1.3	2.1	
1999	84	1.9	0.21	1.5	2.3	73	1.9	0.22	1.5	2.3	
2000	72	1.5	0.18	1.2	1.9	63	1.5	0.19	1.2	1.9	
2001	49	1.0	0.15	0.8	1.4	41	1.0	0.16	0.7	1.4	
2002	77	1.5	0.18	1.2	1.9	67	1.6	0.19	1.2	2.0	
2003	55	1.1	0.16	0.9	1.5	46	1.1	0.16	0.8	1.5	
2004	55	1.2	0.16	0.9	1.5	47	1.1	0.17	0.8	1.5	
2005	65	1.4	0.17	1.0	1.7	53	1.3	0.18	1.0	1.7	
2006	57	1.1	0.15	0.9	1.5	46	1.1	0.16	0.8	1.4	
2007	52	1.0	0.15	0.8	1.4	45	1.0	0.15	0.8	1.4	
2008	56	1.1	0.15	0.8	1.4	52	1.2	0.16	0.9	1.5	
2009	45	0.8	0.13	0.6	1.1	37	0.8	0.13	0.6	1.1	
2010	52	0.9	0.13	0.7	1.2	45	1.0	0.14	0.7	1.3	
2011	68	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6	
2012	57	1.0	0.13	0.8	1.3	45	1.0	0.14	0.7	1.3	
2013	62	1.1	0.14	0.8	1.4	49	1.0	0.15	0.7	1.3	
2014	62	1.1	0.14	0.8	1.4	52	1.1	0.15	0.8	1.4	
2015	54	0.9	0.13	0.7	1.2	46	0.9	0.14	0.7	1.2	
2016	53	0.8	0.11	0.6	1.1	50	0.9	0.13	0.7	1.2	
2017	65	1.0	0.13	0.8	1.3	57	1.1	0.14	0.8	1.4	
2018	45	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Other Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	216	1.1	0.08	1.0	1.3	37	0.6	0.10	0.4	0.8
1986	4	1.0	0.55	0.2	2.6	0				
1987	3	0.6	0.39	0.1	1.9	2	2.0	1.56	0.2	9.4
1988	7	1.6	0.67	0.5	3.4	1	1.2	1.18	0.0	7.8
1989	6	1.1	0.46	0.4	2.4	0				
1990	3	0.6	0.33	0.1	1.7	0				
1991	3	1.0	0.58	0.2	2.6	0				
1992	4	0.8	0.50	0.2	2.3	0				
1993	7	1.5	0.61	0.6	3.1	2	1.4	1.10	0.1	6.5
1994	8	1.8	0.72	0.7	3.6	0				
1995	5	0.9	0.41	0.3	2.1	1	0.7	0.74	0.0	5.0
1996	12	2.7	0.85	1.3	4.8	2	1.2	0.85	0.1	5.3
1997	9	1.6	0.60	0.7	3.2	0				
1998	5	0.7	0.33	0.2	1.7	1	0.3	0.33	0.0	3.6
1999	11	2.3	0.73	1.1	4.1	0				
2000	7	1.2	0.49	0.5	2.6	2	1.0	0.69	0.1	4.2
2001	6	1.2	0.55	0.4	2.7	2	0.8	0.53	0.1	3.6
2002	9	1.4	0.51	0.6	2.8	0				
2003	9	1.4	0.49	0.6	2.7	0				
2004	5	1.0	0.49	0.3	2.4	2	1.2	0.98	0.1	4.6
2005	8	1.5	0.56	0.6	2.9	4	2.7	1.59	0.5	7.2
2006	11	1.8	0.55	0.9	3.2	0				
2007	6	1.3	0.53	0.5	2.7	1	0.9	0.91	0.0	4.0
2008	4	0.6	0.34	0.2	1.6	0				
2009	7	1.1	0.46	0.4	2.3	1	0.3	0.26	0.0	2.0
2010	5	0.5	0.24	0.2	1.3	1	0.4	0.44	0.0	2.3
2011	9	1.6	0.56	0.7	3.1	2	0.8	0.63	0.1	3.0
2012	9	1.1	0.41	0.5	2.2	3	0.9	0.53	0.2	2.8
2013	6	0.8	0.31	0.3	1.7	3	1.0	0.60	0.2	2.9
2014	9	1.2	0.43	0.5	2.4	0				
2015	7	1.1	0.42	0.4	2.2	1	0.2	0.23	0.0	1.5
2016	2	0.2	0.14	0.0	0.8	1	0.3	0.25	0.0	1.5
2017	4	0.5	0.28	0.1	1.4	3	0.9	0.54	0.2	2.6
2018	6	0.7	0.31	0.3	1.6	2	0.5	0.33	0.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Other Leukemia											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,758	0.7	0.02	0.7	0.8	1,528	0.7	0.02	0.7	0.8	
1986	50	0.8	0.12	0.6	1.1	46	0.9	0.13	0.6	1.2	
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2	
1988	46	0.7	0.11	0.5	1.0	39	0.7	0.11	0.5	0.9	
1989	43	0.7	0.11	0.5	1.0	37	0.7	0.12	0.5	1.0	
1990	40	0.6	0.10	0.4	0.8	36	0.6	0.11	0.4	0.9	
1991	36	0.6	0.09	0.4	0.8	31	0.6	0.10	0.4	0.8	
1992	26	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7	
1993	61	0.9	0.11	0.7	1.1	57	0.9	0.12	0.7	1.2	
1994	77	1.1	0.13	0.9	1.4	68	1.1	0.13	0.8	1.4	
1995	79	1.1	0.13	0.9	1.4	73	1.2	0.14	0.9	1.5	
1996	57	0.8	0.10	0.6	1.0	52	0.8	0.11	0.6	1.1	
1997	58	0.8	0.11	0.6	1.1	47	0.8	0.11	0.6	1.0	
1998	65	0.9	0.11	0.7	1.2	53	0.9	0.12	0.6	1.1	
1999	89	1.2	0.13	1.0	1.5	79	1.2	0.14	1.0	1.5	
2000	86	1.2	0.13	0.9	1.5	75	1.2	0.14	0.9	1.5	
2001	43	0.6	0.09	0.4	0.8	38	0.6	0.10	0.4	0.8	
2002	62	0.8	0.11	0.6	1.1	49	0.8	0.11	0.6	1.0	
2003	61	0.8	0.10	0.6	1.0	54	0.8	0.11	0.6	1.1	
2004	41	0.5	0.08	0.4	0.7	34	0.5	0.09	0.3	0.7	
2005	50	0.6	0.09	0.5	0.9	46	0.7	0.10	0.5	0.9	
2006	50	0.6	0.09	0.5	0.8	44	0.6	0.10	0.5	0.9	
2007	56	0.7	0.10	0.6	1.0	47	0.7	0.11	0.5	1.0	
2008	44	0.6	0.09	0.4	0.8	39	0.6	0.10	0.4	0.8	
2009	49	0.6	0.09	0.5	0.8	43	0.6	0.10	0.5	0.9	
2010	52	0.6	0.09	0.5	0.8	43	0.6	0.09	0.4	0.8	
2011	57	0.7	0.09	0.5	0.9	53	0.8	0.11	0.6	1.0	
2012	47	0.6	0.08	0.4	0.8	39	0.6	0.09	0.4	0.8	
2013	47	0.6	0.08	0.4	0.8	37	0.5	0.09	0.4	0.7	
2014	57	0.7	0.09	0.5	0.9	49	0.7	0.10	0.5	0.9	
2015	42	0.5	0.08	0.4	0.7	35	0.5	0.09	0.4	0.8	
2016	42	0.5	0.08	0.4	0.7	36	0.5	0.09	0.4	0.8	
2017	51	0.6	0.09	0.5	0.8	42	0.6	0.10	0.4	0.8	
2018	39	0.5	0.08	0.4	0.7	34	0.5	0.10	0.4	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Other Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	204	0.7	0.05	0.6	0.8	19	0.3	0.06	0.2	0.4
1986	4	0.5	0.28	0.1	1.4	0				
1987	5	0.6	0.29	0.2	1.5	0				
1988	5	0.8	0.36	0.3	1.8	2	1.1	0.80	0.1	5.8
1989	5	0.7	0.33	0.2	1.7	1	0.5	0.54	0.0	4.9
1990	3	0.4	0.23	0.1	1.1	1	0.6	0.56	0.0	4.8
1991	5	0.6	0.30	0.2	1.5	0				
1992	3	0.4	0.26	0.1	1.2	0				
1993	4	0.6	0.31	0.2	1.5	0				
1994	9	1.3	0.43	0.6	2.4	0				
1995	5	0.7	0.33	0.2	1.7	1	1.3	1.32	0.0	5.9
1996	2	0.3	0.21	0.0	1.0	3	1.8	1.17	0.3	5.7
1997	11	1.5	0.46	0.8	2.7	0				
1998	11	1.4	0.43	0.7	2.5	0				
1999	9	1.1	0.37	0.5	2.1	1	0.4	0.40	0.0	2.7
2000	10	1.2	0.39	0.6	2.3	0				
2001	5	0.6	0.29	0.2	1.5	0				
2002	12	1.6	0.46	0.8	2.7	0				
2003	7	0.9	0.33	0.3	1.8	0				
2004	7	0.8	0.31	0.3	1.7	0				
2005	4	0.5	0.25	0.1	1.3	0				
2006	4	0.5	0.25	0.1	1.3	2	1.0	0.71	0.1	3.3
2007	7	0.7	0.27	0.3	1.5	2	0.9	0.68	0.1	3.2
2008	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.7
2009	5	0.5	0.24	0.2	1.3	1	0.3	0.32	0.0	1.8
2010	6	0.7	0.27	0.2	1.4	1	0.3	0.28	0.0	1.7
2011	4	0.4	0.22	0.1	1.1	0				
2012	7	0.7	0.26	0.3	1.4	1	0.4	0.43	0.0	2.0
2013	9	0.9	0.30	0.4	1.7	0				
2014	6	0.6	0.23	0.2	1.2	2	0.5	0.37	0.1	1.9
2015	6	0.6	0.23	0.2	1.2	0				
2016	6	0.5	0.22	0.2	1.2	0				
2017	9	0.9	0.30	0.4	1.7	0				
2018	5	0.5	0.23	0.2	1.2	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Mesothelioma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	4,613	1.1	0.02	1.1	1.2	4,359	1.2	0.02	1.2	1.3	
1986	98	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2	
1987	127	1.2	0.11	1.0	1.4	122	1.3	0.12	1.1	1.5	
1988	134	1.2	0.11	1.0	1.4	126	1.3	0.12	1.1	1.5	
1989	102	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2	
1990	102	0.9	0.09	0.8	1.1	94	1.0	0.10	0.8	1.2	
1991	120	1.1	0.10	0.9	1.3	116	1.2	0.11	1.0	1.4	
1992	127	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4	
1993	119	1.0	0.10	0.9	1.3	112	1.1	0.11	0.9	1.3	
1994	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6	
1995	163	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.8	
1996	142	1.2	0.10	1.0	1.4	128	1.3	0.11	1.1	1.5	
1997	138	1.2	0.10	1.0	1.4	129	1.3	0.11	1.1	1.5	
1998	156	1.3	0.11	1.1	1.6	149	1.5	0.12	1.2	1.7	
1999	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6	
2000	143	1.2	0.10	1.0	1.4	137	1.3	0.11	1.1	1.6	
2001	182	1.5	0.11	1.3	1.8	172	1.7	0.13	1.4	1.9	
2002	155	1.3	0.10	1.1	1.5	151	1.5	0.12	1.2	1.7	
2003	166	1.4	0.11	1.2	1.6	156	1.5	0.12	1.3	1.8	
2004	145	1.2	0.10	1.0	1.4	138	1.3	0.11	1.1	1.6	
2005	155	1.3	0.10	1.1	1.5	146	1.4	0.11	1.2	1.6	
2006	162	1.3	0.10	1.1	1.5	152	1.4	0.12	1.2	1.7	
2007	144	1.1	0.09	0.9	1.3	134	1.2	0.11	1.0	1.4	
2008	164	1.3	0.10	1.1	1.5	160	1.5	0.12	1.3	1.7	
2009	142	1.1	0.09	0.9	1.3	136	1.2	0.11	1.0	1.5	
2010	147	1.1	0.09	1.0	1.3	139	1.3	0.11	1.1	1.5	
2011	145	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.4	
2012	161	1.2	0.09	1.0	1.4	148	1.3	0.11	1.1	1.5	
2013	144	1.0	0.09	0.8	1.2	133	1.1	0.10	0.9	1.3	
2014	157	1.1	0.09	0.9	1.3	150	1.3	0.10	1.1	1.5	
2015	136	0.9	0.08	0.8	1.1	131	1.1	0.10	0.9	1.3	
2016	124	0.8	0.08	0.7	1.0	119	1.0	0.09	0.8	1.1	
2017	125	0.9	0.08	0.7	1.0	114	0.9	0.09	0.8	1.1	
2018	108	0.7	0.07	0.6	0.9	105	0.9	0.09	0.7	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Mesothelioma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	207	0.4	0.03	0.4	0.5	42	0.3	0.05	0.2	0.4
1986	3	0.3	0.15	0.1	0.8	0				
1987	4	0.4	0.18	0.1	0.9	1	0.6	0.62	0.0	3.7
1988	8	0.7	0.26	0.3	1.4	0				
1989	5	0.4	0.19	0.1	1.0	0				
1990	6	0.5	0.20	0.2	1.1	1	0.5	0.51	0.0	3.2
1991	3	0.3	0.15	0.1	0.7	1	0.3	0.33	0.0	2.6
1992	5	0.5	0.21	0.2	1.1	2	0.7	0.48	0.1	2.9
1993	5	0.5	0.21	0.2	1.1	2	0.9	0.65	0.1	3.3
1994	7	0.6	0.21	0.2	1.1	0				
1995	14	1.1	0.31	0.6	1.9	0				
1996	13	0.9	0.25	0.5	1.5	1	0.2	0.24	0.0	1.8
1997	8	0.6	0.20	0.2	1.1	1	0.7	0.68	0.0	3.0
1998	7	0.5	0.21	0.2	1.1	0				
1999	6	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	2.1
2000	6	0.5	0.19	0.2	1.0	0				
2001	9	0.6	0.22	0.3	1.2	1	0.3	0.29	0.0	1.6
2002	4	0.3	0.17	0.1	0.8	0				
2003	4	0.3	0.13	0.1	0.6	5	1.5	0.68	0.5	3.4
2004	7	0.5	0.18	0.2	1.0	0				
2005	8	0.6	0.21	0.3	1.1	1	0.2	0.15	0.0	1.1
2006	6	0.4	0.17	0.2	0.9	4	0.9	0.48	0.2	2.3
2007	9	0.5	0.18	0.2	1.0	0				
2008	2	0.2	0.11	0.0	0.5	2	0.3	0.20	0.0	1.2
2009	5	0.3	0.14	0.1	0.7	1	0.3	0.31	0.0	1.4
2010	7	0.5	0.18	0.2	1.0	1	0.3	0.30	0.0	1.4
2011	8	0.5	0.18	0.2	1.0	2	0.4	0.30	0.0	1.4
2012	12	0.7	0.22	0.4	1.3	1	0.1	0.12	0.0	0.8
2013	7	0.4	0.16	0.2	0.8	4	0.7	0.37	0.2	1.8
2014	5	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2015	5	0.3	0.12	0.1	0.6	0				
2016	1	0.0	0.04	0.0	0.3	3	0.4	0.20	0.1	1.1
2017	6	0.3	0.14	0.1	0.7	4	0.6	0.31	0.2	1.5
2018	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Mesothelioma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,459	2.1	0.04	2.0	2.1	3,279	2.2	0.04	2.2	2.3
1986	74	1.6	0.19	1.3	2.0	73	1.8	0.22	1.4	2.3
1987	97	2.2	0.23	1.7	2.6	92	2.3	0.25	1.8	2.8
1988	96	2.1	0.21	1.7	2.5	90	2.2	0.23	1.7	2.7
1989	82	1.8	0.21	1.5	2.3	77	2.0	0.23	1.5	2.4
1990	77	1.7	0.19	1.3	2.1	71	1.7	0.21	1.3	2.2
1991	97	2.1	0.22	1.7	2.5	93	2.2	0.24	1.8	2.8
1992	91	2.0	0.21	1.6	2.5	86	2.1	0.23	1.7	2.6
1993	86	1.9	0.21	1.5	2.3	80	2.0	0.22	1.6	2.5
1994	101	2.1	0.21	1.7	2.6	98	2.3	0.24	1.9	2.8
1995	123	2.7	0.25	2.2	3.2	114	2.8	0.27	2.3	3.4
1996	109	2.2	0.22	1.8	2.7	97	2.3	0.23	1.8	2.8
1997	111	2.3	0.22	1.9	2.8	105	2.5	0.25	2.0	3.0
1998	108	2.2	0.22	1.8	2.7	104	2.5	0.24	2.0	3.0
1999	104	2.1	0.21	1.7	2.6	99	2.3	0.23	1.9	2.8
2000	110	2.3	0.22	1.8	2.7	106	2.5	0.24	2.0	3.0
2001	145	3.0	0.25	2.5	3.5	136	3.2	0.28	2.7	3.8
2002	124	2.5	0.23	2.1	3.0	122	2.9	0.26	2.4	3.4
2003	133	2.6	0.23	2.2	3.1	127	2.9	0.26	2.4	3.5
2004	107	2.1	0.21	1.7	2.6	104	2.4	0.24	1.9	2.9
2005	118	2.4	0.22	1.9	2.8	111	2.5	0.24	2.1	3.1
2006	120	2.4	0.22	2.0	2.8	113	2.6	0.24	2.1	3.1
2007	107	2.0	0.20	1.7	2.5	101	2.2	0.22	1.8	2.7
2008	118	2.3	0.21	1.9	2.7	115	2.5	0.24	2.1	3.1
2009	114	2.1	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2010	115	2.2	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2011	101	1.8	0.18	1.5	2.2	93	2.0	0.21	1.6	2.4
2012	123	2.1	0.19	1.7	2.5	114	2.3	0.22	1.9	2.8
2013	103	1.7	0.17	1.4	2.1	95	1.9	0.19	1.5	2.3
2014	115	2.0	0.19	1.6	2.4	111	2.3	0.22	1.8	2.7
2015	100	1.6	0.17	1.3	2.0	97	1.9	0.19	1.5	2.3
2016	93	1.5	0.16	1.2	1.8	90	1.7	0.18	1.4	2.1
2017	77	1.2	0.14	1.0	1.6	70	1.3	0.16	1.0	1.7
2018	80	1.3	0.15	1.0	1.6	77	1.5	0.17	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Mesothelioma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	150	0.8	0.07	0.7	0.9	28	0.5	0.11	0.3	0.8
1986	1	0.2	0.17	0.0	1.1	0				
1987	4	0.8	0.43	0.2	2.1	1	1.5	1.46	0.0	8.8
1988	6	1.3	0.57	0.5	2.9	0				
1989	5	1.0	0.48	0.3	2.4	0				
1990	6	1.2	0.47	0.4	2.5	0				
1991	3	0.6	0.38	0.1	1.8	1	0.7	0.67	0.0	5.9
1992	5	1.2	0.56	0.4	2.8	0				
1993	4	1.1	0.61	0.3	2.8	2	2.0	1.46	0.2	7.7
1994	3	0.5	0.32	0.1	1.6	0				
1995	9	2.0	0.73	0.9	3.9	0				
1996	11	1.8	0.55	0.9	3.3	1	0.5	0.50	0.0	4.3
1997	5	0.8	0.36	0.3	1.9	1	1.8	1.76	0.0	7.7
1998	4	0.9	0.49	0.2	2.3	0				
1999	4	0.7	0.36	0.2	1.8	1	1.0	0.97	0.0	5.0
2000	4	0.9	0.46	0.2	2.2	0				
2001	8	1.4	0.55	0.6	2.9	1	0.6	0.62	0.0	3.7
2002	2	0.4	0.29	0.0	1.4	0				
2003	2	0.3	0.20	0.0	1.0	3	2.3	1.36	0.4	6.4
2004	3	0.5	0.32	0.1	1.5	0				
2005	6	1.3	0.56	0.5	2.8	1	0.3	0.32	0.0	2.4
2006	4	0.6	0.32	0.2	1.6	3	1.4	0.95	0.2	4.5
2007	6	0.8	0.35	0.3	1.8	0				
2008	2	0.4	0.27	0.1	1.3	1	0.3	0.29	0.0	2.1
2009	4	0.6	0.30	0.1	1.5	1	0.7	0.74	0.0	3.3
2010	6	1.1	0.48	0.4	2.4	0				
2011	7	1.2	0.48	0.5	2.5	1	0.6	0.59	0.0	2.8
2012	8	1.2	0.44	0.5	2.4	1	0.3	0.25	0.0	1.7
2013	5	0.7	0.31	0.2	1.6	3	1.2	0.80	0.2	3.6
2014	3	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.6
2015	3	0.4	0.25	0.1	1.2	0				
2016	1	0.1	0.10	0.0	0.6	1	0.2	0.22	0.0	1.4
2017	4	0.6	0.30	0.2	1.5	3	1.2	0.67	0.2	3.2
2018	2	0.2	0.17	0.0	0.9	1	0.3	0.26	0.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Mesothelioma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,154	0.5	0.01	0.5	0.5	1,080	0.5	0.02	0.5	0.6	
1986	24	0.4	0.08	0.3	0.6	22	0.4	0.09	0.3	0.6	
1987	30	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8	
1988	38	0.6	0.10	0.4	0.8	36	0.7	0.11	0.5	0.9	
1989	20	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6	
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6	
1991	23	0.4	0.08	0.2	0.5	23	0.4	0.09	0.3	0.6	
1992	36	0.5	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8	
1993	33	0.5	0.09	0.3	0.7	32	0.6	0.10	0.4	0.8	
1994	39	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8	
1995	40	0.6	0.10	0.4	0.8	35	0.6	0.10	0.4	0.9	
1996	33	0.5	0.09	0.3	0.7	31	0.5	0.10	0.4	0.8	
1997	27	0.4	0.07	0.3	0.6	24	0.4	0.08	0.3	0.6	
1998	48	0.7	0.10	0.5	0.9	45	0.8	0.12	0.6	1.1	
1999	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8	
2000	33	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7	
2001	37	0.5	0.09	0.4	0.7	36	0.6	0.10	0.4	0.8	
2002	31	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7	
2003	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7	
2004	38	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8	
2005	37	0.5	0.09	0.4	0.7	35	0.6	0.10	0.4	0.8	
2006	42	0.6	0.10	0.4	0.8	39	0.7	0.11	0.5	0.9	
2007	37	0.5	0.08	0.4	0.7	33	0.5	0.09	0.4	0.7	
2008	46	0.6	0.10	0.5	0.9	45	0.8	0.12	0.6	1.0	
2009	28	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.6	
2010	32	0.4	0.07	0.3	0.6	30	0.5	0.09	0.3	0.7	
2011	44	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9	
2012	38	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.7	
2013	41	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8	
2014	42	0.5	0.08	0.4	0.7	39	0.6	0.09	0.4	0.8	
2015	36	0.5	0.08	0.3	0.7	34	0.6	0.10	0.4	0.8	
2016	31	0.4	0.07	0.3	0.6	29	0.4	0.08	0.3	0.6	
2017	48	0.6	0.09	0.4	0.8	44	0.7	0.10	0.5	0.9	
2018	28	0.4	0.07	0.2	0.5	28	0.4	0.09	0.3	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Mesothelioma										
Females										
Blacks							Asian or Other Races			
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	57	0.2	0.03	0.2	0.3	14	0.2	0.05	0.1	0.3
1986	2	0.3	0.24	0.0	1.1	0				
1987	0					0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	0					0				
1990	0					1	0.9	0.88	0.0	5.5
1991	0					0				
1992	0					2	1.3	0.96	0.2	5.5
1993	1	0.1	0.14	0.0	0.7	0				
1994	4	0.5	0.26	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	0				
1996	2	0.2	0.17	0.0	0.8	0				
1997	3	0.4	0.21	0.1	1.1	0				
1998	3	0.4	0.21	0.1	1.1	0				
1999	2	0.2	0.15	0.0	0.8	0				
2000	2	0.2	0.14	0.0	0.8	0				
2001	1	0.1	0.14	0.0	0.7	0				
2002	2	0.3	0.19	0.0	0.9	0				
2003	2	0.2	0.16	0.0	0.8	2	0.9	0.66	0.1	3.3
2004	4	0.4	0.22	0.1	1.1	0				
2005	2	0.2	0.15	0.0	0.8	0				
2006	2	0.3	0.18	0.0	0.9	1	0.5	0.50	0.0	2.5
2007	3	0.3	0.20	0.1	1.0	0				
2008	0					1	0.3	0.28	0.0	1.8
2009	1	0.1	0.12	0.0	0.6	0				
2010	1	0.1	0.10	0.0	0.6	1	0.5	0.50	0.0	2.3
2011	1	0.1	0.08	0.0	0.5	1	0.3	0.29	0.0	1.6
2012	4	0.4	0.21	0.1	1.0	0				
2013	2	0.2	0.15	0.0	0.7	1	0.4	0.41	0.0	1.9
2014	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.4
2015	2	0.2	0.12	0.0	0.6	0				
2016	0					2	0.5	0.34	0.1	1.8
2017	2	0.2	0.13	0.0	0.7	1	0.2	0.18	0.0	1.2
2018	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kaposi Sarcoma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	2,672	0.7	0.01	0.6	0.7	1,817	0.6	0.01	0.5	0.6	
1986	90	0.9	0.09	0.7	1.1	74	0.8	0.10	0.7	1.1	
1987	95	0.8	0.09	0.7	1.0	79	0.8	0.10	0.7	1.0	
1988	117	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3	
1989	145	1.3	0.11	1.1	1.5	123	1.3	0.12	1.1	1.6	
1990	176	1.5	0.11	1.3	1.7	123	1.3	0.12	1.1	1.5	
1991	189	1.6	0.12	1.4	1.8	146	1.5	0.12	1.2	1.7	
1992	187	1.5	0.11	1.3	1.8	140	1.4	0.12	1.2	1.7	
1993	191	1.5	0.11	1.3	1.8	139	1.4	0.12	1.1	1.6	
1994	184	1.5	0.11	1.3	1.8	128	1.3	0.11	1.1	1.5	
1995	153	1.2	0.10	1.1	1.5	99	1.0	0.10	0.8	1.2	
1996	149	1.2	0.10	1.0	1.4	92	0.9	0.10	0.7	1.1	
1997	75	0.6	0.07	0.5	0.8	45	0.4	0.07	0.3	0.6	
1998	55	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4	
1999	58	0.5	0.06	0.4	0.6	32	0.3	0.06	0.2	0.4	
2000	40	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3	
2001	51	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4	
2002	51	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4	
2003	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4	
2004	53	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4	
2005	42	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4	
2006	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4	
2007	46	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4	
2008	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.1	0.3	
2009	48	0.4	0.06	0.3	0.5	32	0.3	0.05	0.2	0.4	
2010	46	0.4	0.06	0.3	0.5	28	0.3	0.05	0.2	0.4	
2011	43	0.3	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4	
2012	27	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3	
2013	32	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2	
2014	44	0.3	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4	
2015	40	0.3	0.05	0.2	0.4	26	0.3	0.05	0.2	0.4	
2016	45	0.3	0.05	0.3	0.5	34	0.3	0.06	0.2	0.5	
2017	30	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2	
2018	36	0.3	0.05	0.2	0.4	17	0.2	0.04	0.1	0.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kaposi Sarcoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	779	1.4	0.05	1.3	1.5	34	0.2	0.03	0.1	0.3
1986	15	1.2	0.33	0.6	2.0	0				
1987	15	1.0	0.29	0.5	1.8	1	0.3	0.31	0.0	3.1
1988	18	1.1	0.27	0.6	1.7	0				
1989	21	1.2	0.26	0.7	1.8	0				
1990	49	2.8	0.41	2.0	3.7	1	0.4	0.35	0.0	2.8
1991	41	2.4	0.39	1.7	3.3	0				
1992	46	2.5	0.38	1.8	3.4	1	0.3	0.30	0.0	2.4
1993	48	2.8	0.41	2.0	3.7	4	0.9	0.46	0.2	3.0
1994	53	3.0	0.42	2.2	4.0	1	0.3	0.30	0.0	2.1
1995	52	3.0	0.42	2.2	3.9	2	0.7	0.47	0.1	2.6
1996	53	2.8	0.39	2.1	3.7	3	0.7	0.38	0.1	2.4
1997	28	1.5	0.29	1.0	2.2	2	0.7	0.60	0.1	2.8
1998	24	1.3	0.27	0.9	2.0	0				
1999	24	1.3	0.28	0.9	2.0	0				
2000	17	0.9	0.23	0.5	1.5	1	0.2	0.19	0.0	1.4
2001	23	1.3	0.26	0.8	1.9	1	0.2	0.21	0.0	1.4
2002	19	1.1	0.25	0.7	1.7	2	0.4	0.29	0.1	1.6
2003	18	1.0	0.25	0.6	1.6	1	0.2	0.17	0.0	1.2
2004	19	1.1	0.25	0.7	1.7	1	0.2	0.19	0.0	1.2
2005	13	0.8	0.22	0.4	1.3	1	0.3	0.30	0.0	1.5
2006	17	1.0	0.25	0.6	1.6	0				
2007	18	1.1	0.26	0.6	1.7	1	0.1	0.11	0.0	0.9
2008	15	0.9	0.23	0.5	1.4	1	0.1	0.11	0.0	0.9
2009	14	0.8	0.23	0.5	1.4	1	0.2	0.16	0.0	1.0
2010	16	0.9	0.22	0.5	1.5	1	0.1	0.12	0.0	0.8
2011	18	1.0	0.24	0.6	1.6	1	0.1	0.11	0.0	0.8
2012	5	0.3	0.12	0.1	0.6	2	0.3	0.21	0.0	1.1
2013	16	0.8	0.20	0.5	1.3	0				
2014	16	0.8	0.21	0.5	1.4	1	0.1	0.09	0.0	0.7
2015	10	0.6	0.18	0.3	1.0	1	0.1	0.13	0.0	0.8
2016	9	0.5	0.16	0.2	0.9	1	0.1	0.12	0.0	0.7
2017	12	0.7	0.20	0.3	1.2	2	0.3	0.18	0.0	0.9
2018	17	0.8	0.21	0.5	1.3	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kaposi Sarcoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,467	1.3	0.03	1.2	1.3	1,663	1.1	0.03	1.0	1.1
1986	84	1.8	0.20	1.4	2.2	71	1.8	0.22	1.4	2.3
1987	88	1.7	0.19	1.3	2.1	73	1.6	0.20	1.3	2.1
1988	105	2.0	0.20	1.6	2.4	88	2.0	0.22	1.6	2.5
1989	136	2.5	0.22	2.1	2.9	115	2.5	0.24	2.1	3.0
1990	165	2.9	0.23	2.4	3.4	114	2.4	0.23	2.0	2.9
1991	185	3.2	0.24	2.8	3.7	143	3.0	0.26	2.5	3.5
1992	182	3.1	0.23	2.6	3.6	136	2.8	0.24	2.3	3.3
1993	179	2.9	0.22	2.5	3.4	130	2.5	0.22	2.1	3.0
1994	174	3.0	0.23	2.5	3.5	120	2.5	0.23	2.0	3.0
1995	146	2.4	0.20	2.0	2.9	94	1.9	0.19	1.5	2.3
1996	138	2.3	0.20	1.9	2.7	85	1.7	0.19	1.4	2.2
1997	67	1.1	0.14	0.9	1.4	40	0.8	0.13	0.6	1.1
1998	47	0.8	0.12	0.6	1.1	25	0.5	0.10	0.3	0.8
1999	52	0.9	0.13	0.7	1.2	28	0.6	0.12	0.4	0.9
2000	34	0.6	0.10	0.4	0.8	16	0.4	0.09	0.2	0.6
2001	43	0.7	0.11	0.5	1.0	21	0.4	0.10	0.3	0.7
2002	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2003	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2004	46	0.8	0.12	0.6	1.1	24	0.5	0.11	0.3	0.8
2005	37	0.7	0.11	0.5	0.9	24	0.5	0.11	0.3	0.8
2006	42	0.7	0.12	0.5	1.0	23	0.5	0.10	0.3	0.8
2007	42	0.7	0.11	0.5	1.0	22	0.5	0.10	0.3	0.7
2008	37	0.7	0.11	0.5	0.9	19	0.4	0.10	0.3	0.7
2009	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.4	0.8
2010	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.3	0.8
2011	36	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6
2012	25	0.4	0.08	0.3	0.6	18	0.4	0.09	0.2	0.6
2013	28	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
2014	37	0.6	0.10	0.4	0.9	22	0.5	0.10	0.3	0.7
2015	36	0.6	0.10	0.4	0.8	22	0.5	0.10	0.3	0.7
2016	39	0.6	0.10	0.4	0.9	28	0.6	0.11	0.4	0.8
2017	28	0.5	0.09	0.3	0.7	15	0.3	0.08	0.2	0.5
2018	35	0.6	0.09	0.4	0.8	16	0.3	0.08	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kaposi Sarcoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	732	2.8	0.10	2.6	3.0	31	0.4	0.06	0.2	0.5
1986	12	1.8	0.53	0.9	3.2	0				
1987	14	2.1	0.63	1.0	3.7	1	0.7	0.65	0.0	7.1
1988	16	2.0	0.51	1.1	3.3	0				
1989	20	2.4	0.55	1.4	3.8	0				
1990	48	6.1	0.90	4.4	8.2	1	0.7	0.71	0.0	6.4
1991	40	5.2	0.86	3.7	7.3	0				
1992	45	5.4	0.82	3.9	7.3	1	0.6	0.62	0.0	5.4
1993	45	6.0	0.95	4.2	8.2	4	1.9	0.98	0.5	6.6
1994	51	6.5	0.95	4.7	8.7	1	0.6	0.62	0.0	4.9
1995	51	6.4	0.91	4.7	8.5	1	0.5	0.52	0.0	4.5
1996	49	5.7	0.83	4.2	7.7	3	1.4	0.79	0.3	5.3
1997	26	3.1	0.63	2.0	4.7	1	0.3	0.31	0.0	3.7
1998	21	2.5	0.55	1.6	3.9	0				
1999	22	2.7	0.60	1.7	4.2	0				
2000	16	1.9	0.49	1.1	3.2	1	0.4	0.39	0.0	3.3
2001	20	2.3	0.52	1.4	3.7	1	0.4	0.43	0.0	3.2
2002	18	2.2	0.53	1.3	3.6	2	0.8	0.59	0.1	3.6
2003	18	2.4	0.62	1.3	3.9	1	0.3	0.34	0.0	2.7
2004	18	2.2	0.51	1.3	3.4	1	0.4	0.39	0.0	2.7
2005	10	1.4	0.45	0.6	2.6	1	0.7	0.68	0.0	3.4
2006	17	2.3	0.60	1.3	3.8	0				
2007	18	2.4	0.59	1.4	3.9	1	0.2	0.22	0.0	2.0
2008	14	1.8	0.49	1.0	3.0	1	0.2	0.22	0.0	2.0
2009	14	1.9	0.52	1.0	3.2	1	0.3	0.32	0.0	2.1
2010	14	1.7	0.45	0.9	2.9	1	0.3	0.25	0.0	1.9
2011	16	1.9	0.49	1.1	3.2	1	0.2	0.24	0.0	1.8
2012	4	0.4	0.21	0.1	1.2	1	0.2	0.24	0.0	1.7
2013	16	1.7	0.44	1.0	2.9	0				
2014	13	1.5	0.42	0.8	2.5	1	0.2	0.19	0.0	1.5
2015	10	1.2	0.39	0.6	2.2	1	0.3	0.28	0.0	1.6
2016	9	1.1	0.37	0.5	2.1	1	0.3	0.25	0.0	1.5
2017	10	1.1	0.36	0.5	2.1	2	0.5	0.37	0.1	1.9
2018	17	1.7	0.44	1.0	2.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kaposi Sarcoma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	205	0.1	0.01	0.1	0.1	154	0.1	0.01	0.1	0.1	
1986	6	0.1	0.04	0.0	0.2	3	0.1	0.03	0.0	0.2	
1987	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2	
1988	12	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3	
1989	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3	
1990	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3	
1991	4	0.1	0.03	0.0	0.2	3	0.1	0.03	0.0	0.2	
1992	5	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2	
1993	12	0.2	0.06	0.1	0.3	9	0.2	0.05	0.1	0.3	
1994	10	0.1	0.05	0.1	0.3	8	0.1	0.04	0.1	0.3	
1995	7	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2	
1996	11	0.2	0.05	0.1	0.3	7	0.1	0.05	0.1	0.3	
1997	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2	
1998	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2	
1999	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2	
2000	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2	
2001	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2	
2002	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2	
2003	4	0.1	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2	
2004	7	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2	
2005	5	0.1	0.03	0.0	0.2	2	0.0	0.02	0.0	0.1	
2006	0					0					
2007	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2	
2008	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2	
2009	7	0.1	0.03	0.0	0.2	7	0.1	0.04	0.0	0.2	
2010	5	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.1	
2011	7	0.1	0.04	0.0	0.2	5	0.1	0.05	0.0	0.2	
2012	2	0.0	0.02	0.0	0.1	0					
2013	4	0.1	0.03	0.0	0.1	4	0.1	0.03	0.0	0.2	
2014	7	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2	
2015	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2	
2016	6	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2	
2017	2	0.0	0.03	0.0	0.1	0					
2018	1	0.0	0.01	0.0	0.1	1	0.0	0.01	0.0	0.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Kaposi Sarcoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	47	0.2	0.02	0.1	0.2	3	0.1	0.03	0.0	0.1
1986	3	0.6	0.35	0.1	1.6	0				
1987	1	0.2	0.20	0.0	0.9	0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	1	0.2	0.15	0.0	0.8	0				
1990	1	0.1	0.09	0.0	0.6	0				
1991	1	0.1	0.09	0.0	0.6	0				
1992	1	0.2	0.15	0.0	0.8	0				
1993	3	0.3	0.19	0.1	1.0	0				
1994	2	0.2	0.15	0.0	0.8	0				
1995	1	0.1	0.11	0.0	0.6	1	0.7	0.71	0.0	4.0
1996	4	0.4	0.20	0.1	1.0	0				
1997	2	0.2	0.14	0.0	0.8	1	1.0	0.98	0.0	4.6
1998	3	0.3	0.19	0.1	1.0	0				
1999	2	0.2	0.14	0.0	0.8	0				
2000	1	0.1	0.10	0.0	0.6	0				
2001	3	0.3	0.19	0.1	0.9	0				
2002	1	0.1	0.11	0.0	0.6	0				
2003	0					0				
2004	1	0.1	0.14	0.0	0.7	0				
2005	3	0.3	0.19	0.1	0.9	0				
2006	0					0				
2007	0					0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	2	0.2	0.15	0.0	0.8	0				
2011	2	0.2	0.16	0.0	0.8	0				
2012	1	0.1	0.12	0.0	0.6	1	0.3	0.33	0.0	1.7
2013	0					0				
2014	3	0.3	0.17	0.1	0.9	0				
2015	0					0				
2016	0					0				
2017	2	0.3	0.18	0.0	0.9	0				
2018	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

III-defined and unknown Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	61,848	15.0	0.06	14.9	15.1	52,424	14.8	0.06	14.7	14.9
1986	1,383	13.2	0.36	12.5	14.0	1,163	12.5	0.37	11.8	13.3
1987	1,381	13.1	0.36	12.4	13.8	1,172	12.5	0.37	11.8	13.3
1988	1,469	13.7	0.36	13.0	14.5	1,241	13.1	0.38	12.4	13.9
1989	1,484	13.9	0.36	13.2	14.6	1,229	13.0	0.37	12.3	13.8
1990	1,418	13.1	0.35	12.4	13.8	1,189	12.5	0.37	11.8	13.2
1991	1,412	12.9	0.35	12.2	13.6	1,217	12.6	0.36	11.9	13.3
1992	1,413	12.7	0.34	12.1	13.4	1,215	12.4	0.36	11.7	13.2
1993	1,871	16.7	0.39	15.9	17.4	1,608	16.2	0.41	15.4	17.1
1994	1,902	16.8	0.39	16.0	17.6	1,639	16.5	0.41	15.7	17.3
1995	1,753	15.3	0.37	14.6	16.0	1,461	14.6	0.38	13.8	15.3
1996	1,671	14.5	0.36	13.8	15.2	1,380	13.7	0.37	13.0	14.4
1997	1,554	13.4	0.34	12.7	14.0	1,309	12.9	0.36	12.2	13.6
1998	1,524	12.9	0.33	12.3	13.6	1,286	12.5	0.35	11.8	13.2
1999	1,557	13.1	0.33	12.4	13.7	1,282	12.4	0.35	11.7	13.1
2000	1,625	13.5	0.34	12.9	14.2	1,352	13.0	0.35	12.3	13.7
2001	2,238	18.5	0.39	17.7	19.3	1,891	18.1	0.42	17.3	18.9
2002	2,272	18.6	0.39	17.8	19.4	1,974	18.7	0.42	17.9	19.6
2003	2,228	18.1	0.38	17.3	18.8	1,895	17.8	0.41	17.0	18.6
2004	2,092	16.8	0.37	16.1	17.5	1,826	17.1	0.40	16.3	17.9
2005	2,086	16.5	0.36	15.8	17.3	1,804	16.7	0.39	15.9	17.5
2006	2,102	16.6	0.36	15.9	17.3	1,793	16.6	0.39	15.8	17.4
2007	2,193	17.0	0.36	16.2	17.7	1,878	17.0	0.40	16.3	17.8
2008	2,226	17.0	0.36	16.3	17.7	1,911	17.2	0.40	16.4	18.0
2009	2,216	16.7	0.36	16.0	17.5	1,864	16.6	0.39	15.8	17.4
2010	2,225	16.6	0.36	15.9	17.3	1,882	16.7	0.39	15.9	17.4
2011	2,035	14.8	0.33	14.2	15.5	1,754	15.1	0.37	14.4	15.8
2012	2,139	15.4	0.34	14.7	16.1	1,808	15.5	0.37	14.8	16.2
2013	2,066	14.6	0.33	14.0	15.2	1,708	14.4	0.35	13.7	15.1
2014	2,110	14.7	0.32	14.0	15.3	1,790	14.8	0.36	14.1	15.6
2015	2,085	14.3	0.32	13.6	14.9	1,765	14.5	0.35	13.8	15.2
2016	2,047	13.8	0.31	13.2	14.5	1,724	14.0	0.35	13.4	14.7
2017	2,068	13.7	0.31	13.1	14.3	1,745	14.0	0.34	13.4	14.7
2018	2,003	13.1	0.30	12.6	13.7	1,669	13.3	0.33	12.6	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ill-defined and unknown Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	8,112	17.2	0.20	16.8	17.6	1,017	8.8	0.29	8.2	9.3
1986	208	20.0	1.45	17.2	23.0	12	10.4	3.44	4.8	19.0
1987	205	19.0	1.38	16.4	21.9	4	2.5	1.26	0.6	6.5
1988	215	19.2	1.35	16.6	22.0	9	6.1	2.20	2.6	11.9
1989	238	21.4	1.43	18.7	24.4	15	11.8	3.44	6.1	20.1
1990	219	18.7	1.31	16.2	21.4	8	3.4	1.21	1.5	7.0
1991	177	15.3	1.18	13.1	17.8	13	7.0	2.06	3.6	12.3
1992	184	15.7	1.19	13.5	18.2	12	8.0	2.62	3.7	14.4
1993	242	20.4	1.36	17.9	23.3	19	9.5	2.35	5.5	15.1
1994	254	20.3	1.32	17.8	23.1	8	3.8	1.59	1.3	8.0
1995	268	21.6	1.35	19.0	24.4	21	11.7	2.91	6.7	18.4
1996	276	22.0	1.36	19.4	24.8	11	4.6	1.58	2.1	8.6
1997	218	16.9	1.17	14.7	19.4	24	10.3	2.36	6.2	15.8
1998	207	16.0	1.14	13.9	18.4	28	13.5	2.77	8.6	19.8
1999	247	18.8	1.22	16.4	21.3	22	9.2	2.24	5.3	14.4
2000	242	17.6	1.15	15.4	20.0	24	8.0	1.80	4.8	12.2
2001	300	22.1	1.30	19.6	24.8	39	12.4	2.18	8.6	17.3
2002	270	19.4	1.21	17.1	21.9	24	8.0	1.79	4.9	12.1
2003	283	19.7	1.20	17.4	22.2	37	11.6	2.07	7.9	16.3
2004	219	15.1	1.04	13.1	17.3	36	10.1	1.81	6.9	14.2
2005	228	15.3	1.04	13.3	17.5	45	11.5	1.93	8.1	15.8
2006	259	17.7	1.12	15.6	20.0	42	11.6	1.92	8.1	15.8
2007	272	17.9	1.11	15.8	20.2	38	9.0	1.58	6.2	12.6
2008	272	17.5	1.08	15.4	19.7	35	8.0	1.47	5.4	11.3
2009	291	18.4	1.10	16.3	20.7	44	10.5	1.70	7.5	14.3
2010	291	18.1	1.08	16.0	20.3	42	8.6	1.44	6.0	11.9
2011	224	13.9	0.95	12.1	15.8	41	8.2	1.37	5.8	11.3
2012	271	15.9	0.99	14.0	17.9	37	7.4	1.27	5.1	10.2
2013	285	16.4	0.99	14.5	18.5	51	9.1	1.34	6.7	12.1
2014	252	14.5	0.93	12.7	16.4	54	9.0	1.28	6.6	11.8
2015	249	13.9	0.90	12.2	15.7	47	7.2	1.08	5.2	9.6
2016	231	12.6	0.85	11.0	14.4	63	9.2	1.20	7.0	11.9
2017	255	13.5	0.86	11.9	15.3	59	8.0	1.07	6.1	10.4
2018	260	13.9	0.87	12.2	15.7	53	6.8	0.95	5.1	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ill-defined and unknown Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	30,319	17.7	0.10	17.5	18.0	25,775	17.6	0.11	17.3	17.8
1986	688	16.0	0.64	14.7	17.3	572	15.0	0.65	13.7	16.3
1987	648	15.2	0.62	14.0	16.4	546	14.4	0.64	13.2	15.7
1988	739	17.0	0.65	15.7	18.3	612	16.0	0.68	14.8	17.4
1989	719	16.3	0.63	15.1	17.6	584	15.1	0.65	13.8	16.4
1990	691	15.4	0.61	14.3	16.7	573	14.6	0.63	13.4	15.9
1991	705	15.7	0.61	14.5	16.9	603	15.2	0.64	14.0	16.5
1992	684	15.1	0.60	14.0	16.4	580	14.6	0.62	13.4	15.8
1993	839	18.6	0.66	17.3	19.9	706	17.8	0.69	16.5	19.2
1994	865	19.0	0.67	17.7	20.3	745	18.8	0.71	17.4	20.2
1995	830	17.7	0.63	16.5	19.0	679	16.7	0.66	15.5	18.0
1996	806	17.3	0.63	16.1	18.6	668	16.5	0.65	15.3	17.8
1997	744	15.6	0.58	14.5	16.8	616	14.9	0.61	13.7	16.2
1998	718	15.0	0.57	13.9	16.1	613	14.7	0.60	13.6	16.0
1999	708	14.5	0.55	13.5	15.6	569	13.4	0.57	12.3	14.6
2000	779	15.9	0.58	14.8	17.1	646	15.3	0.61	14.1	16.5
2001	1,112	22.4	0.68	21.1	23.8	943	22.0	0.72	20.6	23.5
2002	1,079	21.5	0.66	20.2	22.8	935	21.6	0.71	20.2	23.1
2003	1,092	21.6	0.66	20.3	22.9	933	21.4	0.71	20.1	22.9
2004	1,045	20.5	0.64	19.2	21.8	919	20.9	0.70	19.5	22.3
2005	1,013	19.4	0.62	18.2	20.7	876	19.6	0.67	18.3	20.9
2006	1,018	19.4	0.62	18.2	20.6	872	19.3	0.66	18.0	20.6
2007	1,072	20.0	0.62	18.8	21.2	927	20.2	0.67	18.9	21.5
2008	1,103	20.1	0.62	18.9	21.4	962	20.5	0.67	19.3	21.9
2009	1,092	19.4	0.60	18.3	20.7	936	19.6	0.65	18.4	20.9
2010	1,106	19.5	0.60	18.4	20.7	946	19.7	0.65	18.4	21.0
2011	1,024	17.8	0.57	16.7	18.9	900	18.4	0.62	17.2	19.6
2012	1,083	18.5	0.57	17.4	19.7	939	19.0	0.63	17.8	20.3
2013	1,051	17.2	0.54	16.2	18.3	879	17.0	0.59	15.9	18.2
2014	1,061	17.1	0.54	16.1	18.2	900	17.2	0.58	16.0	18.4
2015	1,113	17.5	0.54	16.4	18.5	953	17.8	0.59	16.6	18.9
2016	1,014	15.8	0.51	14.8	16.8	877	16.3	0.56	15.2	17.4
2017	1,074	16.4	0.51	15.4	17.5	917	16.9	0.57	15.8	18.0
2018	1,004	15.1	0.49	14.1	16.0	849	15.3	0.54	14.3	16.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ill-defined and unknown Sites										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	3,874	20.2	0.34	19.5	20.8	510	9.7	0.47	8.8	10.6
1986	107	24.6	2.58	19.8	30.1	9	13.8	5.04	5.8	27.5
1987	99	23.8	2.59	19.0	29.4	3	4.6	2.72	0.9	13.8
1988	119	24.8	2.42	20.3	30.0	6	10.4	4.65	3.4	23.2
1989	129	27.7	2.60	22.9	33.2	6	9.2	4.36	2.7	21.2
1990	114	23.2	2.31	18.9	28.2	4	3.4	1.71	0.9	10.0
1991	95	20.5	2.24	16.4	25.3	6	8.6	3.83	2.8	19.2
1992	98	21.8	2.38	17.4	26.9	5	6.0	3.12	1.5	15.0
1993	120	25.1	2.47	20.5	30.4	11	10.9	3.43	5.2	19.9
1994	114	21.7	2.18	17.6	26.3	5	3.7	1.74	1.1	9.4
1995	139	26.6	2.39	22.1	31.6	9	9.1	3.37	3.7	17.9
1996	127	24.8	2.36	20.4	29.8	7	7.7	3.65	2.3	17.4
1997	115	21.5	2.13	17.6	26.1	11	10.3	3.41	4.7	18.9
1998	92	16.5	1.79	13.1	20.3	11	12.3	4.23	5.5	22.7
1999	122	23.4	2.26	19.2	28.2	12	12.1	4.33	5.2	22.8
2000	118	21.1	2.06	17.3	25.5	12	11.1	3.88	4.8	20.6
2001	144	26.8	2.37	22.4	31.8	18	10.7	2.78	6.0	17.6
2002	128	22.3	2.06	18.4	26.6	14	8.7	2.50	4.5	15.0
2003	136	23.4	2.11	19.4	27.8	14	8.0	2.40	4.0	14.0
2004	98	17.0	1.83	13.6	20.9	21	13.5	3.25	7.9	21.1
2005	109	17.8	1.80	14.4	21.6	22	14.3	3.67	8.0	22.8
2006	119	20.4	1.99	16.7	24.7	22	12.4	2.96	7.3	19.3
2007	120	19.6	1.91	16.1	23.7	21	11.2	2.71	6.5	17.6
2008	122	20.2	1.96	16.6	24.4	17	7.5	2.07	4.0	12.6
2009	128	19.0	1.77	15.7	22.8	19	9.2	2.46	5.1	15.1
2010	134	21.6	1.99	17.9	25.8	23	10.5	2.51	6.2	16.4
2011	98	14.9	1.60	12.0	18.4	18	7.8	2.02	4.4	12.7
2012	120	17.4	1.67	14.3	20.9	16	6.8	1.88	3.6	11.3
2013	132	18.4	1.68	15.3	22.0	30	12.3	2.38	8.0	17.7
2014	124	17.8	1.67	14.6	21.3	28	10.7	2.17	6.9	15.7
2015	119	16.0	1.54	13.1	19.3	26	9.6	1.99	6.1	14.2
2016	94	12.4	1.35	9.9	15.3	30	10.5	2.02	7.0	15.2
2017	122	15.3	1.45	12.6	18.4	29	8.9	1.72	5.8	12.9
2018	119	15.7	1.49	12.9	18.8	25	6.9	1.43	4.4	10.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ill-defined and unknown Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	31,529	13.1	0.07	13.0	13.3	26,649	12.9	0.08	12.8	13.1
1986	695	11.4	0.44	10.5	12.3	591	10.9	0.46	10.0	11.8
1987	733	11.9	0.45	11.1	12.8	626	11.5	0.47	10.6	12.4
1988	730	11.6	0.43	10.7	12.5	629	11.2	0.46	10.4	12.2
1989	765	12.2	0.45	11.3	13.1	645	11.6	0.46	10.7	12.5
1990	727	11.5	0.43	10.6	12.3	616	10.9	0.45	10.1	11.9
1991	707	10.9	0.42	10.1	11.8	614	10.7	0.44	9.9	11.6
1992	729	11.1	0.42	10.3	12.0	635	11.0	0.44	10.1	11.9
1993	1,032	15.4	0.48	14.5	16.4	902	15.3	0.52	14.3	16.3
1994	1,037	15.3	0.48	14.4	16.3	894	15.0	0.51	14.0	16.1
1995	923	13.4	0.44	12.5	14.3	782	12.9	0.47	12.0	13.9
1996	865	12.6	0.43	11.8	13.5	712	11.8	0.45	11.0	12.8
1997	810	11.7	0.41	10.9	12.5	693	11.4	0.44	10.6	12.3
1998	806	11.3	0.40	10.6	12.2	673	10.8	0.42	10.0	11.7
1999	849	11.9	0.41	11.1	12.8	713	11.5	0.44	10.6	12.4
2000	846	11.9	0.41	11.1	12.8	706	11.5	0.44	10.6	12.4
2001	1,126	15.7	0.47	14.8	16.7	948	15.3	0.51	14.3	16.3
2002	1,193	16.5	0.48	15.6	17.5	1,039	16.7	0.53	15.7	17.8
2003	1,136	15.7	0.47	14.8	16.6	962	15.4	0.50	14.4	16.4
2004	1,047	14.4	0.45	13.6	15.3	907	14.6	0.49	13.7	15.6
2005	1,073	14.6	0.45	13.7	15.5	928	14.7	0.49	13.8	15.7
2006	1,084	14.7	0.45	13.8	15.6	921	14.7	0.49	13.7	15.7
2007	1,121	15.0	0.45	14.1	15.9	951	15.0	0.50	14.0	16.0
2008	1,123	14.8	0.45	14.0	15.7	949	14.7	0.49	13.8	15.7
2009	1,124	14.7	0.44	13.8	15.6	928	14.3	0.48	13.3	15.2
2010	1,119	14.6	0.44	13.7	15.5	936	14.5	0.49	13.5	15.5
2011	1,011	12.8	0.41	12.0	13.7	854	12.9	0.45	12.0	13.8
2012	1,056	13.2	0.42	12.4	14.1	869	13.0	0.45	12.1	13.9
2013	1,015	12.6	0.40	11.8	13.4	829	12.4	0.44	11.6	13.3
2014	1,049	12.9	0.41	12.1	13.8	890	13.2	0.46	12.3	14.1
2015	972	11.8	0.39	11.1	12.6	812	12.0	0.44	11.2	12.9
2016	1,033	12.4	0.40	11.6	13.2	847	12.3	0.44	11.5	13.2
2017	994	11.7	0.38	11.0	12.5	828	11.9	0.43	11.1	12.7
2018	999	11.6	0.38	10.9	12.4	820	11.6	0.42	10.8	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Ill-defined and unknown Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	4,238	15.2	0.24	14.7	15.6	507	7.9	0.37	7.2	8.7
1986	101	16.7	1.71	13.5	20.4	3	7.3	4.48	1.3	19.8
1987	106	16.4	1.62	13.4	19.8	1	0.9	0.90	0.0	6.1
1988	96	14.9	1.55	12.0	18.2	3	3.0	1.74	0.6	9.2
1989	109	16.8	1.64	13.7	20.3	9	13.8	5.03	5.8	26.5
1990	105	15.5	1.54	12.6	18.8	4	3.3	1.66	0.9	9.0
1991	82	11.9	1.34	9.5	14.8	7	6.0	2.30	2.4	12.6
1992	86	12.1	1.32	9.6	15.0	7	9.2	3.82	3.3	19.1
1993	122	17.3	1.59	14.3	20.7	8	8.3	3.12	3.4	16.4
1994	140	19.1	1.64	16.0	22.5	3	3.5	2.24	0.5	9.9
1995	129	17.8	1.58	14.8	21.1	12	12.9	4.13	6.1	22.9
1996	149	19.9	1.65	16.8	23.4	4	2.7	1.36	0.7	6.9
1997	103	13.6	1.35	11.1	16.5	13	10.2	3.12	5.0	17.9
1998	115	15.0	1.41	12.4	18.0	17	14.3	3.66	8.0	22.9
1999	125	15.8	1.43	13.2	18.9	10	7.2	2.51	3.2	13.6
2000	124	15.3	1.38	12.7	18.2	12	6.4	1.94	3.2	11.4
2001	156	19.1	1.54	16.2	22.3	21	13.0	3.00	7.8	20.0
2002	142	17.1	1.45	14.4	20.2	10	6.6	2.23	3.0	12.2
2003	147	17.2	1.43	14.5	20.2	23	13.6	2.98	8.4	20.5
2004	121	14.0	1.28	11.6	16.7	15	7.5	2.04	4.0	12.4
2005	119	13.5	1.25	11.2	16.2	23	10.2	2.27	6.2	15.5
2006	140	16.0	1.36	13.4	18.9	20	10.5	2.43	6.3	16.2
2007	152	16.7	1.37	14.2	19.6	17	7.3	1.87	4.1	11.8
2008	150	16.2	1.34	13.7	19.0	18	8.0	1.96	4.6	12.7
2009	163	17.6	1.39	15.0	20.5	25	11.4	2.34	7.3	16.7
2010	157	16.3	1.32	13.9	19.1	19	7.2	1.74	4.2	11.3
2011	126	13.1	1.18	10.9	15.7	23	8.3	1.81	5.2	12.6
2012	151	14.9	1.23	12.6	17.5	21	7.7	1.73	4.7	11.8
2013	153	14.7	1.20	12.4	17.3	21	6.4	1.44	3.9	9.8
2014	128	12.4	1.11	10.3	14.8	26	7.6	1.54	4.9	11.2
2015	130	12.2	1.09	10.2	14.5	21	5.5	1.23	3.3	8.4
2016	137	12.7	1.10	10.6	15.1	33	8.3	1.48	5.6	11.7
2017	133	12.1	1.06	10.1	14.3	30	7.3	1.37	4.9	10.5
2018	141	12.7	1.08	10.7	15.0	28	6.5	1.24	4.3	9.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Female Breast In situ										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	58,097	26.6	0.11	26.4	26.9	48,093	26.8	0.12	26.5	27.0
1986	541	10.0	0.44	9.1	10.9	498	10.7	0.50	9.8	11.7
1987	578	10.7	0.45	9.8	11.6	536	11.6	0.52	10.6	12.7
1988	699	12.6	0.49	11.7	13.6	629	13.3	0.54	12.2	14.4
1989	688	12.4	0.48	11.5	13.4	631	13.3	0.54	12.3	14.4
1990	783	13.8	0.50	12.9	14.9	719	15.0	0.57	13.9	16.2
1991	916	16.0	0.54	15.0	17.1	823	16.9	0.60	15.7	18.1
1992	1,011	17.4	0.56	16.3	18.5	909	18.5	0.63	17.3	19.7
1993	988	16.8	0.54	15.8	17.9	871	17.7	0.61	16.5	18.9
1994	1,063	17.6	0.54	16.5	18.7	936	18.3	0.61	17.2	19.6
1995	1,216	20.0	0.58	18.9	21.2	1,069	20.9	0.65	19.7	22.2
1996	1,349	22.0	0.60	20.9	23.3	1,145	22.3	0.67	21.0	23.7
1997	1,479	23.9	0.62	22.6	25.1	1,270	24.4	0.69	23.1	25.8
1998	1,714	27.3	0.66	26.1	28.7	1,484	28.3	0.74	26.9	29.8
1999	1,724	27.0	0.65	25.8	28.3	1,471	27.6	0.73	26.2	29.1
2000	1,944	30.3	0.69	28.9	31.7	1,673	31.4	0.77	29.9	33.0
2001	2,000	30.8	0.69	29.5	32.2	1,698	31.6	0.77	30.1	33.2
2002	1,893	28.7	0.66	27.4	30.1	1,614	29.6	0.74	28.2	31.1
2003	1,889	28.3	0.65	27.1	29.7	1,587	28.9	0.73	27.5	30.4
2004	2,052	30.4	0.67	29.1	31.8	1,702	30.7	0.75	29.3	32.3
2005	2,099	30.8	0.68	29.5	32.2	1,738	31.1	0.75	29.6	32.6
2006	2,142	31.1	0.68	29.8	32.4	1,780	31.7	0.76	30.2	33.2
2007	2,325	33.3	0.70	32.0	34.7	1,906	33.5	0.78	32.0	35.1
2008	2,307	32.7	0.69	31.4	34.1	1,891	32.9	0.77	31.4	34.5
2009	2,500	35.1	0.71	33.7	36.5	2,047	35.4	0.79	33.9	37.0
2010	2,396	33.2	0.69	31.9	34.6	1,936	33.3	0.77	31.8	34.9
2011	2,477	33.9	0.69	32.5	35.2	1,999	34.0	0.78	32.5	35.5
2012	2,548	34.6	0.70	33.3	36.0	2,007	34.0	0.78	32.5	35.5
2013	2,584	34.9	0.70	33.5	36.3	2,042	34.4	0.78	32.9	36.0
2014	2,482	33.1	0.68	31.8	34.4	1,945	32.5	0.76	31.0	34.0
2015	2,463	32.6	0.68	31.3	34.0	1,940	32.2	0.76	30.8	33.8
2016	2,447	32.4	0.67	31.1	33.7	1,946	32.5	0.76	31.1	34.1
2017	2,471	32.1	0.67	30.9	33.5	1,898	31.2	0.75	29.8	32.7
2018	2,329	30.6	0.66	29.4	32.0	1,753	29.3	0.73	27.9	30.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Race, Illinois 1986-2018

Female Breast In situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	7,478	25.2	0.29	24.7	25.8	1,924	22.6	0.52	21.5	23.6
1986	35	5.5	0.94	3.8	7.6	4	4.4	2.20	1.2	11.7
1987	37	5.7	0.96	4.0	7.9	3	2.8	1.63	0.6	8.9
1988	55	8.3	1.14	6.2	10.8	13	11.9	3.32	6.3	20.7
1989	40	6.1	0.97	4.3	8.2	10	8.0	2.58	3.8	15.3
1990	54	7.6	1.05	5.7	9.9	8	5.7	2.05	2.4	12.0
1991	73	10.7	1.26	8.4	13.4	9	6.5	2.29	2.8	13.0
1992	83	11.1	1.23	8.9	13.8	10	8.2	2.66	3.9	15.3
1993	98	12.7	1.29	10.3	15.5	13	8.6	2.54	4.4	15.3
1994	102	13.0	1.30	10.6	15.8	18	12.2	3.15	6.8	20.0
1995	114	14.4	1.36	11.9	17.3	21	13.0	2.97	7.9	20.3
1996	151	19.2	1.57	16.2	22.5	30	16.6	3.12	11.1	24.1
1997	155	18.9	1.52	16.0	22.1	26	12.9	2.58	8.4	19.2
1998	167	20.0	1.56	17.1	23.3	28	14.2	2.80	9.3	20.9
1999	171	20.3	1.56	17.4	23.6	40	19.6	3.22	13.8	27.1
2000	178	20.6	1.55	17.7	23.9	56	25.3	3.51	18.9	33.2
2001	223	25.1	1.69	21.9	28.6	56	22.8	3.11	17.1	29.8
2002	216	23.8	1.63	20.8	27.3	51	20.4	2.93	15.1	27.1
2003	226	24.4	1.63	21.3	27.8	52	20.6	2.95	15.3	27.3
2004	278	30.1	1.82	26.7	33.9	64	22.9	2.94	17.5	29.5
2005	271	29.2	1.78	25.8	32.9	65	22.9	2.93	17.5	29.5
2006	295	30.5	1.79	27.1	34.2	54	17.4	2.41	13.0	22.9
2007	309	32.0	1.84	28.5	35.8	89	30.7	3.37	24.4	38.0
2008	322	32.5	1.83	29.0	36.3	72	22.5	2.72	17.5	28.5
2009	339	33.7	1.85	30.2	37.6	97	28.6	2.98	23.1	35.1
2010	343	33.1	1.81	29.6	36.8	94	26.3	2.76	21.2	32.3
2011	366	34.8	1.85	31.3	38.7	91	25.5	2.75	20.4	31.5
2012	413	39.0	1.95	35.2	43.0	108	27.8	2.72	22.8	33.7
2013	414	39.2	1.96	35.5	43.2	107	26.2	2.58	21.4	31.8
2014	394	35.9	1.84	32.4	39.7	114	27.3	2.60	22.5	33.0
2015	375	33.8	1.78	30.4	37.5	131	31.2	2.78	26.0	37.2
2016	370	33.1	1.76	29.7	36.7	108	24.0	2.33	19.6	29.0
2017	416	36.5	1.84	33.0	40.3	131	28.6	2.53	23.8	34.0
2018	395	35.1	1.81	31.7	38.9	151	31.8	2.62	26.9	37.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

SECTION II
Cancer Incidence by Hispanic Ethnicity and Race
Illinois, 1990-2018

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

All Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	85,428	361.4	1.40	358.7	364.2	1,699,875	489.5	0.38	488.8	490.3
1990	1,163	305.9	10.52	285.6	327.1	46,344	439.8	2.06	435.7	443.8
1991	1,186	292.1	9.98	272.8	312.2	47,897	448.8	2.07	444.8	452.9
1992	1,299	313.7	10.27	293.9	334.4	50,743	469.5	2.10	465.4	473.6
1993	1,467	336.6	10.31	316.7	357.3	51,378	470.7	2.09	466.6	474.8
1994	1,639	360.2	10.52	339.9	381.3	53,916	491.4	2.12	487.2	495.6
1995	1,739	381.5	10.91	360.4	403.4	53,459	484.9	2.10	480.7	489.0
1996	1,841	398.2	11.03	376.8	420.2	54,528	492.6	2.12	488.5	496.8
1997	1,891	382.0	10.47	361.7	402.9	54,782	491.6	2.10	487.5	495.7
1998	2,046	400.0	10.57	379.5	421.1	55,730	495.9	2.10	491.8	500.1
1999	2,230	398.9	10.10	379.4	419.1	56,636	500.9	2.11	496.7	505.0
2000	2,165	353.0	9.05	335.5	371.1	57,029	501.4	2.10	497.3	505.6
2001	2,322	376.1	9.27	358.1	394.6	58,630	512.4	2.12	508.3	516.6
2002	2,499	374.3	8.83	357.2	391.9	59,878	519.3	2.13	515.2	523.5
2003	2,545	359.4	8.39	343.1	376.1	58,480	502.5	2.08	498.4	506.6
2004	2,787	374.4	8.35	358.2	391.1	58,859	502.2	2.08	498.2	506.3
2005	2,904	366.3	7.89	351.0	382.0	59,150	500.2	2.07	496.2	504.3
2006	3,033	371.2	7.80	356.1	386.7	60,918	511.8	2.09	507.7	515.9
2007	3,245	370.2	7.44	355.8	385.1	61,933	513.7	2.08	509.6	517.8
2008	3,437	377.2	7.36	362.9	391.8	63,174	516.6	2.08	512.5	520.7
2009	3,654	381.8	7.19	367.8	396.1	63,334	511.7	2.06	507.7	515.8
2010	3,664	355.1	6.64	342.2	368.3	62,056	494.9	2.02	490.9	498.9
2011	3,886	363.1	6.56	350.3	376.2	63,214	496.9	2.01	493.0	500.9
2012	4,025	358.3	6.30	346.0	370.8	62,044	480.5	1.97	476.7	484.4
2013	4,243	357.9	6.10	346.1	370.1	62,420	476.7	1.95	472.8	480.5
2014	4,431	353.0	5.85	341.6	364.6	63,825	481.1	1.95	477.3	484.9
2015	4,696	356.9	5.71	345.8	368.2	64,961	484.8	1.95	480.9	488.6
2016	4,940	357.9	5.54	347.1	368.9	65,226	483.2	1.95	479.4	487.0
2017	5,128	362.7	5.48	352.0	373.6	65,242	477.8	1.93	474.0	481.6
2018	5,323	358.8	5.29	348.5	369.3	64,089	464.7	1.89	461.0	468.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

All Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,422,466	489.8	0.41	489.0	490.6	229,885	516.9	1.10	514.7	519.0
1990	40,362	437.9	2.21	433.6	442.3	5,489	471.9	6.57	459.1	484.9
1991	41,998	450.8	2.22	446.4	455.2	5,290	443.2	6.28	431.0	455.7
1992	44,347	471.5	2.26	467.1	475.9	5,786	475.3	6.43	462.8	488.0
1993	44,319	467.7	2.24	463.3	472.1	6,373	514.1	6.62	501.2	527.2
1994	46,326	487.6	2.28	483.1	492.0	6,870	547.6	6.78	534.4	561.1
1995	45,554	479.6	2.26	475.1	484.0	7,069	549.7	6.70	536.6	562.9
1996	46,326	487.2	2.27	482.8	491.7	7,278	556.3	6.67	543.3	569.6
1997	46,606	488.1	2.27	483.7	492.6	7,124	534.6	6.47	522.0	547.4
1998	47,133	490.9	2.27	486.4	495.3	7,411	546.8	6.48	534.2	559.7
1999	48,164	500.6	2.29	496.1	505.1	7,228	521.7	6.26	509.5	534.1
2000	48,169	499.6	2.28	495.1	504.1	7,542	534.0	6.26	521.8	546.4
2001	49,532	512.2	2.31	507.7	516.8	7,763	544.5	6.30	532.3	557.0
2002	50,490	519.4	2.32	514.9	524.0	7,892	542.4	6.22	530.3	554.8
2003	49,091	502.0	2.28	497.5	506.5	7,884	531.4	6.10	519.5	543.5
2004	49,317	502.6	2.28	498.2	507.1	7,964	527.7	6.03	516.0	539.7
2005	49,297	499.6	2.27	495.2	504.1	8,044	525.8	5.98	514.2	537.7
2006	50,620	511.3	2.30	506.8	515.8	8,536	546.8	6.03	535.0	558.8
2007	51,423	514.4	2.30	509.9	518.9	8,658	545.1	5.98	533.4	556.9
2008	52,425	518.4	2.30	513.9	522.9	8,760	539.2	5.88	527.8	550.9
2009	52,332	513.3	2.28	508.8	517.8	8,961	538.9	5.82	527.6	550.5
2010	51,086	495.9	2.24	491.5	500.3	8,808	520.8	5.68	509.7	532.0
2011	52,058	499.7	2.24	495.3	504.1	8,826	509.0	5.55	498.2	520.0
2012	50,922	483.6	2.20	479.3	487.9	8,810	498.3	5.43	487.7	509.1
2013	51,178	480.9	2.19	476.6	485.2	9,012	498.7	5.38	488.2	509.4
2014	52,128	484.8	2.19	480.5	489.1	9,206	501.3	5.35	490.8	511.8
2015	52,902	489.4	2.20	485.1	493.7	9,442	502.4	5.30	492.1	512.9
2016	53,253	490.4	2.21	486.1	494.7	9,362	494.2	5.24	484.0	504.5
2017	53,208	485.7	2.19	481.4	490.0	9,328	484.3	5.14	474.3	494.5
2018	51,900	470.2	2.15	466.0	474.4	9,169	468.6	5.01	458.9	478.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

All Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	41,623	400.1	2.30	395.6	404.6	860,417	568.6	0.62	567.3	569.8
1990	524	335.7	18.53	300.3	373.5	22,944	525.8	3.58	518.8	532.8
1991	562	314.0	16.74	282.0	348.2	24,431	551.1	3.63	544.0	558.3
1992	610	350.6	17.86	316.5	387.0	26,612	591.5	3.72	584.2	598.8
1993	707	384.1	18.26	349.1	421.1	26,604	584.0	3.67	576.9	591.3
1994	816	413.9	18.33	378.8	451.1	27,348	598.7	3.70	591.5	606.0
1995	851	449.3	19.50	411.9	488.7	27,158	586.3	3.63	579.3	593.5
1996	934	472.2	19.52	434.7	511.6	27,408	587.1	3.60	580.1	594.2
1997	953	446.4	18.03	411.8	482.8	27,716	588.9	3.58	581.9	596.0
1998	1,001	483.9	19.10	447.2	522.4	27,963	588.7	3.56	581.7	595.7
1999	1,108	460.5	17.38	427.1	495.5	28,665	597.5	3.56	590.6	604.6
2000	1,063	408.9	15.44	379.2	440.0	28,993	599.1	3.55	592.2	606.1
2001	1,154	442.0	15.97	411.3	474.2	29,909	614.0	3.58	607.0	621.1
2002	1,247	443.1	15.30	413.6	473.9	30,876	628.1	3.61	621.0	635.2
2003	1,320	427.6	14.31	400.0	456.4	30,131	604.2	3.52	597.3	611.1
2004	1,361	427.5	14.08	400.4	455.8	30,308	599.8	3.48	593.0	606.6
2005	1,466	417.2	13.05	392.0	443.3	30,018	585.9	3.42	579.3	592.7
2006	1,521	422.5	12.92	397.6	448.4	31,006	597.5	3.44	590.8	604.3
2007	1,632	435.2	12.75	410.6	460.8	31,905	603.8	3.43	597.1	610.6
2008	1,723	440.3	12.49	416.2	465.3	32,476	602.3	3.40	595.7	609.0
2009	1,798	436.5	12.04	413.2	460.6	32,197	585.4	3.32	578.9	591.9
2010	1,815	393.1	10.74	372.3	414.6	31,350	561.3	3.24	554.9	567.6
2011	1,904	396.0	10.60	375.5	417.3	31,964	560.7	3.21	554.5	567.1
2012	1,982	397.3	10.31	377.4	417.9	30,977	532.7	3.10	526.6	538.8
2013	2,003	374.5	9.61	355.9	393.7	31,019	524.0	3.05	518.1	530.0
2014	2,055	368.9	9.27	350.9	387.4	31,463	521.0	3.01	515.1	526.9
2015	2,224	368.8	8.87	351.6	386.5	32,376	528.6	3.02	522.7	534.5
2016	2,359	373.4	8.65	356.6	390.6	32,098	518.8	2.98	513.0	524.7
2017	2,427	373.5	8.46	357.1	390.3	32,815	522.5	2.97	516.7	528.4
2018	2,503	365.8	8.13	350.0	382.0	31,687	496.7	2.87	491.1	502.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

All Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	719,626	562.8	0.67	561.5	564.2	117,353	647.1	1.98	643.2	651.0
1990	19,911	518.2	3.78	510.8	525.7	2,783	605.0	12.31	581.1	629.5
1991	21,455	550.8	3.86	543.3	558.4	2,702	569.6	11.69	546.9	592.9
1992	23,173	587.1	3.95	579.4	594.9	3,144	660.1	12.59	635.6	685.1
1993	22,903	575.4	3.88	567.8	583.0	3,386	687.9	12.63	663.4	713.1
1994	23,328	585.8	3.91	578.2	593.5	3,671	743.5	13.11	718.0	769.5
1995	22,935	570.7	3.83	563.2	578.2	3,842	752.3	12.91	727.2	778.0
1996	23,053	570.9	3.81	563.4	578.4	3,907	743.4	12.60	718.9	768.4
1997	23,497	578.6	3.81	571.2	586.2	3,703	689.0	11.96	665.8	712.8
1998	23,554	575.8	3.78	568.4	583.3	3,827	706.0	12.05	682.6	730.0
1999	24,322	590.6	3.81	583.1	598.1	3,708	671.2	11.61	648.6	694.3
2000	24,351	588.2	3.79	580.8	595.7	4,016	711.6	11.81	688.6	735.0
2001	25,237	607.1	3.84	599.6	614.7	3,985	697.0	11.62	674.5	720.1
2002	26,098	623.7	3.89	616.1	631.4	4,011	688.1	11.46	665.9	710.9
2003	25,280	597.6	3.78	590.2	605.0	4,132	687.4	11.24	665.5	709.7
2004	25,346	593.1	3.75	585.8	600.5	4,144	680.0	11.15	658.4	702.2
2005	24,947	577.3	3.69	570.1	584.5	4,148	673.3	11.06	651.8	695.3
2006	25,740	589.8	3.71	582.5	597.1	4,394	693.5	11.02	672.0	715.4
2007	26,346	594.2	3.70	586.9	601.5	4,609	715.3	11.10	693.7	737.3
2008	26,896	596.1	3.69	588.9	603.4	4,598	692.6	10.74	671.7	713.9
2009	26,530	578.5	3.61	571.5	585.6	4,584	666.9	10.36	646.7	687.5
2010	25,816	555.4	3.52	548.5	562.3	4,462	638.8	10.08	619.2	658.8
2011	26,391	557.4	3.51	550.6	564.3	4,408	610.5	9.66	591.7	629.7
2012	25,481	529.7	3.39	523.0	536.4	4,356	594.2	9.46	575.9	613.1
2013	25,577	523.6	3.35	517.1	530.2	4,389	585.0	9.25	567.0	603.4
2014	25,811	519.3	3.32	512.8	525.8	4,452	579.9	9.11	562.2	598.0
2015	26,393	525.7	3.33	519.2	532.3	4,682	595.1	9.10	577.4	613.2
2016	26,398	522.2	3.31	515.7	528.8	4,453	556.5	8.72	539.5	573.8
2017	27,002	526.8	3.31	520.4	533.4	4,522	558.6	8.67	541.8	575.9
2018	25,855	497.8	3.20	491.6	504.1	4,335	519.6	8.20	503.7	535.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

All Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	43,805	337.6	1.77	334.1	341.1	839,458	438.5	0.48	437.6	439.5
1990	639	299.6	13.13	274.4	326.3	23,400	395.2	2.63	390.0	400.4
1991	624	283.5	12.68	259.2	309.3	23,466	391.9	2.60	386.8	397.0
1992	689	297.0	12.72	272.6	322.9	24,131	398.5	2.61	393.5	403.7
1993	760	313.7	12.65	289.3	339.3	24,774	403.0	2.60	398.0	408.1
1994	823	329.0	12.91	304.2	355.1	26,568	427.7	2.66	422.5	433.0
1995	888	343.2	13.11	318.0	369.7	26,301	423.4	2.64	418.3	428.6
1996	907	351.6	13.24	326.1	378.3	27,120	434.4	2.67	429.2	439.7
1997	938	338.7	12.72	314.2	364.4	27,066	430.9	2.65	425.8	436.2
1998	1,045	349.6	12.40	325.7	374.6	27,767	438.3	2.66	433.2	443.6
1999	1,122	359.0	12.32	335.3	383.8	27,971	440.0	2.65	434.8	445.2
2000	1,102	315.9	11.01	294.7	338.1	28,036	438.6	2.64	433.4	443.8
2001	1,168	331.4	11.16	309.8	353.8	28,721	446.7	2.66	441.5	451.9
2002	1,252	327.5	10.58	307.1	348.8	29,002	448.5	2.66	443.3	453.7
2003	1,225	309.4	10.13	289.8	329.7	28,349	436.1	2.62	431.0	441.3
2004	1,426	339.3	10.28	319.5	360.0	28,551	437.0	2.62	431.9	442.2
2005	1,438	329.9	9.83	310.9	349.6	29,132	443.5	2.63	438.4	448.7
2006	1,512	334.6	9.68	315.9	354.0	29,912	454.1	2.66	448.9	459.4
2007	1,613	326.2	9.02	308.8	344.3	30,028	452.6	2.65	447.4	457.8
2008	1,714	333.8	8.98	316.5	351.8	30,698	457.8	2.66	452.6	463.1
2009	1,856	345.3	8.89	328.1	363.1	31,137	461.1	2.67	455.9	466.4
2010	1,849	328.5	8.41	312.2	345.3	30,706	449.7	2.63	444.5	454.9
2011	1,982	342.1	8.41	325.8	359.0	31,250	453.6	2.63	448.5	458.8
2012	2,043	333.3	8.00	317.8	349.3	31,067	446.4	2.60	441.3	451.6
2013	2,240	351.1	8.01	335.5	367.1	31,401	446.1	2.59	441.0	451.2
2014	2,376	348.8	7.67	333.9	364.1	32,362	456.9	2.63	451.7	462.1
2015	2,472	353.3	7.57	338.6	368.4	32,585	456.9	2.62	451.8	462.1
2016	2,581	352.0	7.35	337.8	366.7	33,128	462.1	2.64	456.9	467.3
2017	2,701	360.7	7.33	346.5	375.4	32,427	448.4	2.60	443.3	453.5
2018	2,820	361.2	7.14	347.4	375.5	32,402	444.7	2.58	439.7	449.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

All Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	702,840	443.8	0.54	442.7	444.8	112,532	433.5	1.30	430.9	436.0
1990	20,451	398.7	2.86	393.1	404.3	2,706	392.1	7.67	377.2	407.4
1991	20,543	396.7	2.84	391.2	402.3	2,588	365.5	7.31	351.4	380.1
1992	21,174	405.5	2.85	400.0	411.2	2,642	363.5	7.18	349.6	377.9
1993	21,416	404.6	2.82	399.0	410.1	2,987	405.9	7.54	391.3	420.9
1994	22,998	430.8	2.90	425.2	436.6	3,199	427.9	7.67	413.0	443.1
1995	22,619	426.2	2.89	420.5	431.9	3,227	422.2	7.52	407.6	437.2
1996	23,273	437.9	2.93	432.2	443.7	3,371	435.6	7.59	420.8	450.7
1997	23,109	433.3	2.90	427.6	439.0	3,421	434.6	7.51	420.0	449.5
1998	23,579	439.6	2.91	433.9	445.3	3,584	445.8	7.52	431.2	460.8
1999	23,842	445.0	2.93	439.3	450.8	3,520	428.1	7.28	414.0	442.6
2000	23,818	443.8	2.92	438.1	449.6	3,526	420.6	7.14	406.8	434.9
2001	24,295	451.7	2.95	446.0	457.6	3,778	446.9	7.33	432.6	461.5
2002	24,392	451.8	2.94	446.0	457.6	3,881	450.7	7.29	436.6	465.3
2003	23,811	440.6	2.91	434.9	446.4	3,752	429.7	7.07	415.9	443.8
2004	23,971	442.7	2.92	437.0	448.5	3,820	430.3	7.02	416.6	444.2
2005	24,350	449.1	2.94	443.3	454.9	3,896	433.3	7.00	419.7	447.2
2006	24,880	459.2	2.98	453.4	465.1	4,142	453.1	7.10	439.3	467.2
2007	25,077	461.4	2.99	455.6	467.3	4,049	436.1	6.92	422.7	449.9
2008	25,529	465.8	2.99	460.0	471.7	4,162	440.1	6.89	426.7	453.8
2009	25,802	469.6	3.01	463.7	475.5	4,377	455.4	6.97	441.8	469.3
2010	25,270	456.1	2.96	450.3	462.0	4,346	444.1	6.83	430.9	457.7
2011	25,667	461.4	2.99	455.6	467.3	4,418	441.7	6.74	428.6	455.1
2012	25,441	454.5	2.96	448.7	460.3	4,454	437.0	6.65	424.0	450.2
2013	25,601	454.4	2.96	448.6	460.3	4,623	443.9	6.64	431.0	457.1
2014	26,317	465.4	3.00	459.5	471.3	4,754	452.2	6.68	439.2	465.5
2015	26,509	467.9	3.02	462.0	473.8	4,760	443.9	6.56	431.1	456.9
2016	26,855	472.9	3.04	467.0	478.9	4,909	455.6	6.64	442.7	468.8
2017	26,206	459.0	3.00	453.1	464.9	4,806	438.3	6.46	425.8	451.2
2018	26,045	454.5	2.98	448.6	460.4	4,834	434.3	6.39	421.9	447.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oral Cavity and Pharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,684	7.0	0.19	6.7	7.4	40,737	11.7	0.06	11.6	11.8
1990	27	6.5	1.36	4.1	9.7	1,129	10.9	0.33	10.3	11.6
1991	24	4.9	1.08	3.0	7.5	1,108	10.6	0.32	10.0	11.3
1992	13	2.7	0.82	1.3	4.8	1,107	10.5	0.32	9.9	11.1
1993	27	6.6	1.47	4.0	10.0	1,108	10.4	0.31	9.8	11.1
1994	33	7.9	1.59	5.1	11.5	1,153	10.7	0.32	10.1	11.4
1995	23	5.1	1.22	3.0	8.0	1,279	11.8	0.33	11.2	12.5
1996	49	13.6	2.21	9.6	18.4	1,247	11.4	0.32	10.8	12.1
1997	59	13.0	1.97	9.4	17.3	1,255	11.4	0.32	10.8	12.1
1998	39	7.7	1.47	5.1	11.1	1,214	10.9	0.31	10.3	11.6
1999	49	6.5	1.00	4.7	8.8	1,263	11.3	0.32	10.7	11.9
2000	38	6.0	1.20	3.9	8.8	1,256	11.1	0.31	10.5	11.8
2001	46	7.6	1.36	5.2	10.7	1,220	10.7	0.31	10.1	11.3
2002	52	7.2	1.15	5.1	9.8	1,301	11.3	0.31	10.7	11.9
2003	49	7.8	1.28	5.4	10.6	1,285	11.0	0.31	10.4	11.6
2004	48	6.3	1.00	4.5	8.5	1,386	11.8	0.32	11.1	12.4
2005	41	4.2	0.73	2.9	5.9	1,303	10.9	0.30	10.3	11.5
2006	58	6.6	1.01	4.8	8.9	1,344	11.1	0.31	10.5	11.8
2007	73	7.5	1.01	5.7	9.8	1,448	11.9	0.31	11.3	12.5
2008	75	8.2	1.07	6.3	10.6	1,509	12.1	0.32	11.5	12.8
2009	75	6.9	0.89	5.3	8.8	1,521	12.2	0.32	11.5	12.8
2010	74	7.0	0.92	5.3	9.0	1,525	11.9	0.31	11.3	12.6
2011	82	7.0	0.85	5.4	8.8	1,659	12.8	0.32	12.2	13.5
2012	76	6.5	0.82	5.0	8.3	1,656	12.6	0.32	12.0	13.2
2013	73	6.4	0.81	4.9	8.2	1,690	12.7	0.32	12.1	13.3
2014	75	6.2	0.78	4.8	7.9	1,711	12.6	0.31	12.0	13.2
2015	95	7.5	0.84	5.9	9.3	1,767	13.1	0.32	12.4	13.7
2016	91	6.4	0.72	5.1	8.0	1,783	13.0	0.32	12.4	13.6
2017	110	7.6	0.78	6.2	9.3	1,817	13.1	0.32	12.5	13.8
2018	110	7.4	0.75	6.0	9.0	1,693	12.2	0.31	11.6	12.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oral Cavity and Pharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	33,517	11.6	0.06	11.5	11.7	5,816	12.4	0.16	12.0	12.7
1990	902	10.0	0.34	9.3	10.7	215	17.5	1.22	15.2	20.1
1991	888	9.8	0.33	9.2	10.5	202	15.8	1.13	13.6	18.1
1992	928	10.1	0.34	9.5	10.8	163	12.5	0.99	10.7	14.6
1993	912	10.0	0.33	9.3	10.6	171	13.0	1.00	11.1	15.1
1994	922	10.0	0.33	9.3	10.6	207	15.6	1.10	13.5	17.9
1995	1,055	11.4	0.35	10.7	12.1	199	14.5	1.04	12.5	16.6
1996	1,009	10.8	0.34	10.2	11.5	214	15.3	1.06	13.3	17.5
1997	1,017	10.9	0.34	10.2	11.6	207	14.6	1.03	12.6	16.8
1998	971	10.3	0.33	9.7	11.0	210	14.5	1.01	12.6	16.6
1999	1,036	11.0	0.34	10.3	11.7	196	13.1	0.95	11.3	15.1
2000	1,026	10.8	0.34	10.2	11.5	194	12.7	0.92	11.0	14.7
2001	1,005	10.5	0.33	9.9	11.2	179	11.5	0.87	9.8	13.3
2002	1,067	11.1	0.34	10.4	11.8	202	13.0	0.93	11.3	15.0
2003	1,064	10.9	0.34	10.3	11.6	186	11.6	0.86	9.9	13.4
2004	1,100	11.3	0.34	10.6	11.9	231	14.1	0.94	12.4	16.1
2005	1,083	11.0	0.34	10.4	11.7	170	10.2	0.79	8.7	11.8
2006	1,103	11.1	0.34	10.4	11.8	179	10.4	0.79	8.9	12.1
2007	1,187	11.8	0.35	11.2	12.5	210	12.3	0.87	10.7	14.2
2008	1,244	12.2	0.35	11.5	12.9	217	12.4	0.86	10.8	14.2
2009	1,262	12.3	0.35	11.6	13.0	195	11.1	0.81	9.5	12.8
2010	1,227	11.7	0.34	11.1	12.4	221	12.4	0.85	10.8	14.2
2011	1,376	13.0	0.36	12.3	13.7	216	11.7	0.82	10.2	13.5
2012	1,375	12.9	0.36	12.2	13.6	224	12.0	0.82	10.5	13.7
2013	1,398	12.8	0.35	12.2	13.6	219	11.9	0.82	10.3	13.6
2014	1,426	12.9	0.35	12.2	13.6	215	11.6	0.81	10.1	13.3
2015	1,465	13.5	0.36	12.7	14.2	216	10.9	0.76	9.5	12.5
2016	1,483	13.4	0.36	12.7	14.1	210	10.8	0.76	9.3	12.4
2017	1,558	14.1	0.37	13.4	14.8	179	8.7	0.67	7.4	10.1
2018	1,428	12.7	0.35	12.1	13.5	169	8.5	0.67	7.2	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oral Cavity and Pharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,160	10.1	0.34	9.4	10.8	28,173	17.9	0.11	17.7	18.1
1990	15	8.2	2.42	4.2	14.4	772	17.3	0.64	16.1	18.6
1991	16	7.4	2.08	3.9	12.8	741	16.3	0.61	15.1	17.5
1992	9	3.3	1.16	1.4	6.8	740	16.1	0.60	14.9	17.3
1993	19	10.3	3.01	5.3	17.6	758	16.1	0.59	15.0	17.3
1994	20	10.5	2.93	5.6	17.6	771	16.4	0.60	15.2	17.6
1995	16	6.9	1.92	3.7	11.7	874	18.3	0.63	17.1	19.6
1996	35	19.7	4.03	12.7	28.9	846	17.6	0.61	16.5	18.9
1997	40	18.8	3.70	12.3	27.2	839	17.4	0.61	16.2	18.6
1998	24	11.8	3.05	6.6	18.9	827	16.7	0.59	15.6	17.9
1999	32	9.1	1.73	6.0	13.3	843	16.9	0.58	15.7	18.0
2000	25	7.8	1.87	4.5	12.3	865	17.2	0.59	16.0	18.4
2001	31	9.3	2.09	5.6	14.2	845	16.6	0.57	15.5	17.7
2002	38	10.4	1.92	7.0	14.9	875	16.9	0.58	15.8	18.1
2003	37	13.8	2.77	8.9	20.1	868	16.6	0.57	15.5	17.8
2004	38	10.3	1.92	6.9	14.7	974	18.2	0.59	17.1	19.4
2005	28	5.9	1.27	3.7	8.9	903	16.7	0.56	15.6	17.8
2006	42	9.4	1.72	6.3	13.3	911	16.5	0.56	15.5	17.7
2007	57	12.2	1.91	8.8	16.5	1,005	17.9	0.57	16.8	19.1
2008	53	11.9	1.89	8.5	16.1	1,032	18.0	0.57	16.9	19.1
2009	49	9.4	1.53	6.7	12.9	1,049	18.1	0.57	17.0	19.3
2010	53	10.9	1.69	7.8	14.6	1,081	18.3	0.57	17.2	19.4
2011	55	9.7	1.51	6.9	13.0	1,188	19.7	0.59	18.6	20.9
2012	57	10.0	1.54	7.3	13.5	1,159	19.0	0.57	17.9	20.2
2013	52	9.5	1.51	6.8	12.8	1,215	19.8	0.58	18.7	21.0
2014	48	8.4	1.37	5.9	11.4	1,191	18.9	0.56	17.8	20.1
2015	55	9.1	1.38	6.6	12.2	1,261	20.0	0.58	18.9	21.2
2016	68	9.8	1.30	7.4	12.7	1,264	19.7	0.57	18.6	20.8
2017	70	10.0	1.33	7.6	13.0	1,290	20.1	0.58	18.9	21.2
2018	78	10.7	1.32	8.3	13.6	1,186	18.3	0.55	17.3	19.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oral Cavity and Pharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	23,096	17.6	0.12	17.3	17.8	4,132	20.6	0.33	20.0	21.3
1990	619	16.0	0.66	14.7	17.3	145	27.9	2.39	23.4	33.0
1991	588	14.8	0.62	13.6	16.1	142	26.5	2.30	22.1	31.3
1992	610	15.4	0.63	14.1	16.7	116	21.2	2.03	17.4	25.6
1993	617	15.2	0.62	14.0	16.5	125	22.0	2.02	18.3	26.4
1994	612	15.2	0.62	14.0	16.4	144	25.5	2.21	21.3	30.2
1995	708	17.3	0.66	16.0	18.6	146	25.2	2.16	21.1	29.7
1996	676	16.5	0.64	15.3	17.8	155	25.7	2.11	21.7	30.2
1997	668	16.3	0.63	15.0	17.5	152	25.3	2.14	21.3	29.8
1998	649	15.5	0.61	14.3	16.7	155	25.2	2.09	21.2	29.6
1999	691	16.4	0.62	15.2	17.6	137	21.2	1.86	17.7	25.2
2000	696	16.4	0.62	15.2	17.7	151	23.4	1.95	19.7	27.5
2001	699	16.3	0.62	15.1	17.6	124	18.5	1.71	15.3	22.2
2002	700	16.2	0.61	15.0	17.4	153	23.1	1.93	19.5	27.2
2003	707	16.2	0.61	15.0	17.4	141	20.0	1.73	16.8	23.7
2004	760	17.0	0.62	15.8	18.3	175	25.3	2.00	21.6	29.6
2005	748	16.6	0.61	15.4	17.8	128	17.9	1.63	14.9	21.4
2006	747	16.3	0.60	15.2	17.6	120	16.1	1.50	13.3	19.3
2007	817	17.5	0.62	16.3	18.8	154	21.3	1.79	17.9	25.1
2008	847	17.8	0.62	16.6	19.1	151	20.7	1.78	17.4	24.5
2009	880	18.4	0.63	17.2	19.7	128	16.7	1.53	13.8	20.0
2010	878	17.9	0.62	16.7	19.1	149	20.0	1.72	16.7	23.6
2011	979	19.7	0.64	18.5	21.0	160	20.3	1.67	17.2	23.9
2012	957	19.1	0.63	17.9	20.4	160	19.9	1.64	16.9	23.4
2013	1,010	19.9	0.64	18.6	21.2	152	19.5	1.65	16.4	23.1
2014	1,003	19.3	0.63	18.1	20.6	137	17.8	1.58	14.8	21.1
2015	1,053	20.4	0.65	19.2	21.7	154	18.6	1.55	15.6	21.9
2016	1,057	20.1	0.64	18.8	21.4	143	17.4	1.51	14.5	20.6
2017	1,113	21.3	0.66	20.0	22.7	120	13.7	1.30	11.3	16.6
2018	1,007	19.1	0.62	17.9	20.3	115	13.6	1.31	11.1	16.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oral Cavity and Pharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	524	4.3	0.20	3.9	4.7	12,564	6.6	0.06	6.5	6.7
1990	12	5.1	1.57	2.5	9.2	357	6.0	0.32	5.4	6.7
1991	8	2.7	1.02	1.1	5.7	367	6.3	0.34	5.7	7.0
1992	4	1.9	1.04	0.5	5.0	367	6.2	0.33	5.6	6.9
1993	8	3.7	1.44	1.4	7.5	350	5.8	0.31	5.2	6.5
1994	13	5.8	1.81	2.9	10.3	382	6.2	0.32	5.6	6.9
1995	7	3.2	1.40	1.1	6.9	405	6.5	0.33	5.9	7.2
1996	14	8.4	2.39	4.4	14.0	401	6.5	0.33	5.8	7.1
1997	19	8.2	2.12	4.6	13.2	416	6.8	0.33	6.1	7.4
1998	15	4.9	1.41	2.5	8.4	387	6.2	0.32	5.6	6.8
1999	17	4.2	1.06	2.3	6.9	420	6.8	0.33	6.1	7.4
2000	13	4.2	1.44	1.8	7.8	391	6.2	0.32	5.6	6.9
2001	15	5.8	1.72	2.9	9.9	375	5.9	0.31	5.3	6.5
2002	14	4.1	1.28	2.0	7.3	426	6.6	0.32	6.0	7.3
2003	12	2.9	0.96	1.4	5.4	417	6.4	0.32	5.8	7.1
2004	10	2.6	0.87	1.2	4.9	412	6.4	0.32	5.8	7.0
2005	13	2.6	0.78	1.3	4.6	400	6.1	0.31	5.5	6.8
2006	16	4.0	1.12	2.1	6.7	433	6.5	0.32	5.9	7.2
2007	16	3.2	0.94	1.6	5.5	443	6.7	0.32	6.1	7.4
2008	22	4.8	1.15	2.8	7.5	477	7.1	0.33	6.5	7.8
2009	26	4.6	0.98	2.9	6.9	472	7.0	0.33	6.4	7.7
2010	21	3.6	0.89	2.1	5.7	444	6.6	0.32	6.0	7.2
2011	27	4.5	0.94	2.8	6.7	471	6.8	0.32	6.2	7.4
2012	19	3.3	0.82	1.9	5.3	497	7.0	0.32	6.4	7.7
2013	21	3.7	0.85	2.2	5.7	475	6.7	0.31	6.1	7.3
2014	27	4.4	0.90	2.8	6.5	520	7.1	0.32	6.5	7.8
2015	40	6.1	1.03	4.2	8.4	506	7.0	0.32	6.4	7.7
2016	23	3.2	0.70	2.0	4.9	519	7.2	0.33	6.6	7.9
2017	40	5.4	0.90	3.8	7.5	527	7.1	0.32	6.5	7.8
2018	32	4.4	0.81	2.9	6.2	507	6.8	0.32	6.2	7.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oral Cavity and Pharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,421	6.6	0.07	6.4	6.7	1,684	6.3	0.15	6.0	6.6
1990	283	5.4	0.33	4.8	6.1	70	9.9	1.20	7.7	12.5
1991	300	6.0	0.36	5.3	6.7	60	7.9	1.04	6.0	10.2
1992	318	6.1	0.35	5.5	6.9	47	6.3	0.92	4.6	8.3
1993	295	5.7	0.34	5.0	6.4	46	6.2	0.91	4.5	8.2
1994	310	5.8	0.33	5.1	6.5	63	8.4	1.07	6.4	10.7
1995	347	6.5	0.35	5.8	7.2	53	6.6	0.92	4.9	8.7
1996	333	6.3	0.35	5.6	7.0	59	7.5	0.98	5.7	9.6
1997	349	6.7	0.36	6.0	7.4	55	6.8	0.93	5.1	8.9
1998	322	6.1	0.34	5.4	6.8	55	6.6	0.90	5.0	8.6
1999	345	6.6	0.36	5.9	7.4	59	6.9	0.91	5.3	8.9
2000	330	6.2	0.35	5.6	7.0	43	4.9	0.76	3.6	6.6
2001	306	5.7	0.33	5.1	6.4	55	6.2	0.84	4.7	8.1
2002	367	6.9	0.36	6.2	7.6	49	5.5	0.80	4.1	7.3
2003	357	6.6	0.35	5.9	7.3	45	5.1	0.76	3.7	6.8
2004	340	6.4	0.35	5.7	7.1	56	6.0	0.81	4.6	7.9
2005	335	6.3	0.35	5.6	7.0	42	4.4	0.68	3.2	6.0
2006	356	6.5	0.35	5.8	7.2	59	6.1	0.80	4.6	7.9
2007	370	6.8	0.36	6.1	7.6	56	5.9	0.79	4.4	7.6
2008	397	7.2	0.37	6.5	7.9	66	6.7	0.83	5.2	8.5
2009	382	7.0	0.37	6.3	7.8	67	6.8	0.85	5.3	8.7
2010	349	6.3	0.35	5.7	7.1	72	7.1	0.85	5.5	9.0
2011	397	7.0	0.36	6.3	7.8	56	5.4	0.73	4.1	7.0
2012	418	7.3	0.37	6.6	8.1	64	6.1	0.78	4.7	7.8
2013	388	6.7	0.35	6.0	7.4	67	6.3	0.79	4.9	8.1
2014	423	7.2	0.36	6.5	7.9	78	7.4	0.86	5.8	9.3
2015	412	7.3	0.37	6.5	8.0	62	5.5	0.71	4.2	7.0
2016	426	7.5	0.38	6.7	8.3	67	6.0	0.75	4.6	7.7
2017	445	7.6	0.38	6.9	8.4	59	5.1	0.68	3.9	6.6
2018	421	7.1	0.36	6.4	7.8	54	4.9	0.68	3.6	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lip										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	82	0.4	0.05	0.3	0.5	2,266	0.7	0.01	0.6	0.7
1990	1	0.2	0.23	0.0	1.4	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	1.3	102	1.0	0.09	0.8	1.2
1992	0					96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	1.0	80	0.7	0.08	0.6	0.9
1994	0					94	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	1.0	101	0.9	0.09	0.8	1.1
1996	2	0.6	0.50	0.0	2.2	106	1.0	0.09	0.8	1.2
1997	0					97	0.9	0.09	0.7	1.1
1998	1	0.2	0.16	0.0	1.0	80	0.7	0.08	0.6	0.9
1999	4	0.4	0.21	0.1	1.2	82	0.7	0.08	0.6	0.9
2000	3	0.7	0.47	0.1	2.1	77	0.7	0.08	0.5	0.9
2001	1	0.1	0.14	0.0	0.9	59	0.5	0.07	0.4	0.7
2002	3	0.6	0.39	0.1	1.8	96	0.8	0.08	0.7	1.0
2003	3	0.4	0.21	0.1	1.1	66	0.6	0.07	0.4	0.7
2004	1	0.2	0.24	0.0	1.1	82	0.7	0.08	0.6	0.9
2005	3	0.4	0.20	0.1	1.1	69	0.6	0.07	0.5	0.7
2006	4	0.6	0.34	0.1	1.6	68	0.6	0.07	0.5	0.7
2007	3	0.2	0.13	0.1	0.8	74	0.6	0.07	0.5	0.8
2008	7	0.9	0.39	0.3	1.9	72	0.6	0.07	0.5	0.8
2009	3	0.4	0.27	0.1	1.2	71	0.6	0.07	0.5	0.7
2010	4	0.5	0.25	0.1	1.2	80	0.6	0.07	0.5	0.8
2011	5	0.5	0.25	0.1	1.2	56	0.4	0.06	0.3	0.6
2012	4	0.3	0.13	0.1	0.7	54	0.4	0.06	0.3	0.5
2013	2	0.2	0.16	0.0	0.7	69	0.5	0.06	0.4	0.7
2014	3	0.3	0.20	0.1	0.9	63	0.5	0.06	0.4	0.6
2015	8	0.8	0.29	0.3	1.5	67	0.5	0.06	0.4	0.7
2016	2	0.2	0.12	0.0	0.6	71	0.5	0.06	0.4	0.7
2017	10	0.9	0.29	0.4	1.6	66	0.5	0.06	0.4	0.6
2018	2	0.2	0.11	0.0	0.5	49	0.4	0.05	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lip											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,171	0.7	0.02	0.7	0.8	35	0.1	0.01	0.1	0.1	
1990	119	1.3	0.12	1.1	1.5	0					
1991	100	1.1	0.11	0.9	1.3	1	0.1	0.09	0.0	0.5	
1992	96	1.0	0.11	0.8	1.3	0					
1993	79	0.9	0.10	0.7	1.1	1	0.1	0.05	0.0	0.3	
1994	90	1.0	0.10	0.8	1.2	3	0.3	0.18	0.1	0.8	
1995	98	1.0	0.10	0.8	1.3	1	0.1	0.05	0.0	0.3	
1996	104	1.1	0.11	0.9	1.3	1	0.1	0.08	0.0	0.4	
1997	94	1.0	0.10	0.8	1.2	2	0.2	0.15	0.0	0.7	
1998	79	0.8	0.09	0.7	1.0	1	0.1	0.05	0.0	0.3	
1999	80	0.8	0.09	0.6	1.0	0					
2000	73	0.8	0.09	0.6	1.0	2	0.1	0.10	0.0	0.5	
2001	57	0.6	0.08	0.4	0.8	1	0.1	0.07	0.0	0.4	
2002	93	0.9	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4	
2003	63	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3	
2004	78	0.8	0.09	0.6	1.0	3	0.2	0.11	0.0	0.6	
2005	65	0.7	0.08	0.5	0.8	2	0.1	0.08	0.0	0.4	
2006	68	0.7	0.09	0.5	0.9	0					
2007	70	0.7	0.08	0.5	0.9	3	0.2	0.12	0.0	0.6	
2008	66	0.7	0.08	0.5	0.8	3	0.2	0.12	0.0	0.6	
2009	64	0.6	0.08	0.5	0.8	2	0.2	0.11	0.0	0.5	
2010	75	0.7	0.08	0.6	0.9	3	0.2	0.10	0.0	0.5	
2011	55	0.5	0.07	0.4	0.7	0					
2012	53	0.5	0.07	0.4	0.7	0					
2013	62	0.6	0.07	0.4	0.7	1	0.1	0.07	0.0	0.4	
2014	58	0.5	0.07	0.4	0.7	0					
2015	62	0.6	0.08	0.5	0.8	0					
2016	62	0.5	0.07	0.4	0.7	0					
2017	62	0.6	0.08	0.4	0.8	0					
2018	46	0.4	0.06	0.3	0.6	2	0.1	0.09	0.0	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lip										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	58	0.5	0.08	0.4	0.7	1,757	1.2	0.03	1.2	1.3
1990	1	0.4	0.44	0.0	3.3	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.41	0.0	3.1	87	2.0	0.22	1.6	2.4
1992	0					82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	2.5	69	1.5	0.19	1.2	1.9
1994	0					69	1.5	0.19	1.2	1.9
1995	0					79	1.8	0.21	1.4	2.2
1996	2	1.5	1.34	0.1	5.6	85	1.9	0.20	1.5	2.3
1997	0					79	1.8	0.21	1.4	2.2
1998	1	0.3	0.33	0.0	2.3	63	1.3	0.17	1.0	1.7
1999	3	0.6	0.40	0.1	2.6	70	1.5	0.18	1.2	1.9
2000	1	0.3	0.27	0.0	2.0	65	1.3	0.17	1.0	1.7
2001	1	0.3	0.29	0.0	2.0	44	0.9	0.14	0.7	1.3
2002	2	0.5	0.36	0.0	2.1	67	1.4	0.18	1.1	1.8
2003	2	0.4	0.30	0.0	1.9	48	1.0	0.14	0.7	1.3
2004	1	0.6	0.55	0.0	2.5	64	1.3	0.16	1.0	1.7
2005	1	0.2	0.17	0.0	1.4	58	1.2	0.16	0.9	1.5
2006	3	0.8	0.52	0.1	2.5	49	1.0	0.14	0.7	1.3
2007	3	0.4	0.26	0.1	1.6	55	1.0	0.14	0.8	1.4
2008	4	0.9	0.45	0.2	2.3	48	0.9	0.14	0.7	1.2
2009	2	0.3	0.18	0.0	1.2	53	1.0	0.14	0.8	1.3
2010	4	1.0	0.57	0.2	2.7	59	1.1	0.14	0.8	1.4
2011	2	0.3	0.18	0.0	1.1	42	0.8	0.12	0.6	1.1
2012	4	0.5	0.25	0.1	1.4	42	0.7	0.12	0.5	1.0
2013	2	0.5	0.36	0.0	1.6	48	0.9	0.13	0.6	1.2
2014	2	0.5	0.41	0.0	1.8	44	0.8	0.12	0.5	1.0
2015	5	1.0	0.51	0.3	2.4	50	0.9	0.12	0.6	1.1
2016	1	0.1	0.10	0.0	0.7	57	1.0	0.13	0.7	1.3
2017	8	1.5	0.60	0.6	3.1	48	0.8	0.12	0.6	1.1
2018	1	0.1	0.13	0.0	0.8	37	0.6	0.10	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lip											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,696	1.4	0.03	1.3	1.4	20	0.1	0.03	0.1	0.2	
1990	96	2.5	0.26	2.0	3.1	0					
1991	85	2.2	0.24	1.7	2.7	1	0.2	0.20	0.0	1.1	
1992	82	2.2	0.24	1.7	2.7	0					
1993	69	1.7	0.21	1.3	2.2	0					
1994	68	1.7	0.21	1.3	2.2	0					
1995	77	2.0	0.23	1.6	2.5	0					
1996	83	2.1	0.23	1.7	2.6	1	0.2	0.20	0.0	1.0	
1997	77	2.0	0.23	1.6	2.5	2	0.7	0.47	0.1	2.1	
1998	62	1.5	0.20	1.2	2.0	1	0.1	0.12	0.0	0.8	
1999	68	1.7	0.21	1.3	2.2	0					
2000	62	1.5	0.19	1.2	1.9	1	0.2	0.19	0.0	1.0	
2001	44	1.1	0.17	0.8	1.5	0					
2002	66	1.6	0.20	1.3	2.1	1	0.1	0.12	0.0	0.8	
2003	47	1.1	0.16	0.8	1.5	1	0.1	0.12	0.0	0.8	
2004	62	1.5	0.19	1.1	1.9	1	0.1	0.13	0.0	0.8	
2005	54	1.3	0.18	1.0	1.7	2	0.3	0.18	0.0	1.0	
2006	49	1.2	0.17	0.9	1.5	0					
2007	53	1.2	0.16	0.9	1.5	1	0.2	0.22	0.0	1.0	
2008	44	1.0	0.15	0.7	1.4	2	0.4	0.26	0.0	1.2	
2009	47	1.1	0.16	0.8	1.4	2	0.4	0.26	0.0	1.2	
2010	56	1.2	0.17	0.9	1.6	2	0.3	0.20	0.0	1.0	
2011	41	0.9	0.14	0.7	1.2	0					
2012	41	0.9	0.14	0.6	1.2	0					
2013	46	1.0	0.15	0.7	1.3	0					
2014	40	0.8	0.13	0.6	1.1	0					
2015	47	1.0	0.15	0.7	1.3	0					
2016	50	1.0	0.15	0.8	1.4	0					
2017	45	0.9	0.15	0.7	1.3	0					
2018	35	0.7	0.12	0.5	1.0	2	0.3	0.22	0.0	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lip										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	24	0.3	0.05	0.2	0.4	509	0.3	0.01	0.2	0.3
1990	0					23	0.4	0.07	0.2	0.5
1991	0					15	0.2	0.06	0.1	0.4
1992	0					14	0.2	0.05	0.1	0.4
1993	0					11	0.2	0.05	0.1	0.3
1994	0					25	0.4	0.08	0.2	0.6
1995	1	0.3	0.29	0.0	1.9	22	0.3	0.07	0.2	0.5
1996	0					21	0.3	0.07	0.2	0.5
1997	0					18	0.3	0.07	0.2	0.4
1998	0					17	0.3	0.06	0.2	0.4
1999	1	0.1	0.09	0.0	1.3	12	0.2	0.05	0.1	0.3
2000	2	1.0	0.77	0.1	3.3	12	0.2	0.05	0.1	0.3
2001	0					15	0.2	0.06	0.1	0.4
2002	1	0.6	0.60	0.0	2.6	29	0.4	0.08	0.3	0.6
2003	1	0.3	0.29	0.0	1.5	18	0.3	0.06	0.2	0.4
2004	0					18	0.3	0.06	0.2	0.4
2005	2	0.5	0.35	0.1	1.8	11	0.2	0.05	0.1	0.3
2006	1	0.4	0.43	0.0	1.9	19	0.3	0.07	0.2	0.5
2007	0					19	0.3	0.07	0.2	0.4
2008	3	0.9	0.55	0.1	2.4	24	0.4	0.08	0.2	0.6
2009	1	0.4	0.41	0.0	1.7	18	0.2	0.06	0.1	0.4
2010	0					21	0.3	0.07	0.2	0.5
2011	3	0.6	0.39	0.1	1.8	14	0.2	0.05	0.1	0.3
2012	0					12	0.2	0.05	0.1	0.3
2013	0					21	0.3	0.06	0.2	0.5
2014	1	0.2	0.22	0.0	1.0	19	0.2	0.05	0.1	0.4
2015	3	0.5	0.33	0.1	1.5	17	0.2	0.06	0.1	0.4
2016	1	0.2	0.19	0.0	0.9	14	0.2	0.05	0.1	0.3
2017	2	0.3	0.22	0.0	1.0	18	0.2	0.06	0.1	0.4
2018	1	0.2	0.17	0.0	0.8	12	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lip											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	475	0.3	0.01	0.3	0.3	15	0.1	0.02	0.0	0.1	
1990	23	0.4	0.08	0.3	0.6	0					
1991	15	0.3	0.07	0.2	0.5	0					
1992	14	0.2	0.06	0.1	0.4	0					
1993	10	0.2	0.06	0.1	0.4	1	0.1	0.09	0.0	0.6	
1994	22	0.4	0.08	0.2	0.6	3	0.5	0.28	0.1	1.3	
1995	21	0.4	0.08	0.2	0.6	1	0.1	0.10	0.0	0.6	
1996	21	0.4	0.09	0.2	0.6	0					
1997	17	0.3	0.07	0.2	0.5	0					
1998	17	0.3	0.08	0.2	0.5	0					
1999	12	0.2	0.06	0.1	0.4	0					
2000	11	0.2	0.06	0.1	0.4	1	0.1	0.12	0.0	0.6	
2001	13	0.2	0.06	0.1	0.4	1	0.1	0.11	0.0	0.6	
2002	27	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6	
2003	16	0.3	0.07	0.2	0.5	0					
2004	16	0.3	0.07	0.2	0.5	2	0.2	0.17	0.0	0.8	
2005	11	0.2	0.06	0.1	0.3	0					
2006	19	0.4	0.08	0.2	0.6	0					
2007	17	0.3	0.07	0.2	0.5	2	0.2	0.15	0.0	0.8	
2008	22	0.4	0.09	0.3	0.6	1	0.1	0.12	0.0	0.6	
2009	17	0.3	0.07	0.2	0.5	0					
2010	19	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6	
2011	14	0.2	0.06	0.1	0.4	0					
2012	12	0.2	0.06	0.1	0.4	0					
2013	16	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6	
2014	18	0.3	0.06	0.2	0.4	0					
2015	15	0.3	0.07	0.2	0.5	0					
2016	12	0.2	0.05	0.1	0.3	0					
2017	17	0.3	0.07	0.2	0.5	0					
2018	11	0.2	0.05	0.1	0.3	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Tongue										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	449	1.9	0.10	1.7	2.1	11,059	3.2	0.03	3.1	3.2
1990	4	1.1	0.56	0.3	2.8	250	2.4	0.15	2.1	2.7
1991	8	1.8	0.73	0.7	3.9	269	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	1.9	261	2.5	0.15	2.2	2.8
1993	6	1.4	0.65	0.5	3.3	265	2.5	0.15	2.2	2.8
1994	9	2.4	0.90	0.9	4.7	260	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	3.8	276	2.5	0.15	2.3	2.9
1996	14	4.2	1.27	2.1	7.3	283	2.6	0.16	2.3	2.9
1997	15	3.8	1.11	2.0	6.5	327	3.0	0.17	2.7	3.3
1998	9	1.5	0.53	0.7	3.0	264	2.4	0.15	2.1	2.7
1999	10	1.3	0.44	0.6	2.6	322	2.9	0.16	2.6	3.2
2000	7	1.2	0.48	0.4	2.5	299	2.6	0.15	2.4	3.0
2001	7	1.5	0.65	0.5	3.2	284	2.5	0.15	2.2	2.8
2002	10	1.5	0.55	0.7	3.0	345	3.0	0.16	2.7	3.3
2003	15	2.2	0.62	1.1	3.7	328	2.8	0.16	2.5	3.1
2004	16	2.2	0.59	1.2	3.6	368	3.1	0.16	2.8	3.5
2005	11	1.4	0.46	0.6	2.6	386	3.2	0.16	2.9	3.6
2006	12	1.3	0.43	0.6	2.4	363	3.0	0.16	2.7	3.3
2007	14	1.5	0.44	0.8	2.6	443	3.6	0.17	3.3	4.0
2008	17	2.0	0.53	1.1	3.2	412	3.3	0.16	3.0	3.6
2009	19	1.9	0.47	1.1	3.0	413	3.3	0.17	3.0	3.7
2010	22	2.0	0.47	1.2	3.1	397	3.1	0.16	2.8	3.4
2011	28	2.5	0.52	1.6	3.7	449	3.5	0.17	3.2	3.8
2012	19	1.6	0.40	0.9	2.6	516	3.9	0.18	3.6	4.3
2013	20	1.5	0.37	0.9	2.4	521	3.8	0.17	3.5	4.2
2014	20	1.8	0.44	1.1	2.9	540	4.0	0.17	3.6	4.3
2015	29	2.4	0.48	1.6	3.5	535	3.9	0.17	3.6	4.3
2016	28	1.9	0.39	1.2	2.8	534	3.9	0.17	3.5	4.2
2017	29	1.8	0.35	1.2	2.6	609	4.4	0.18	4.0	4.7
2018	39	2.7	0.46	1.9	3.8	540	3.8	0.17	3.5	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Tongue											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	9,443	3.3	0.03	3.2	3.3	1,269	2.7	0.08	2.5	2.8	
1990	198	2.2	0.16	1.9	2.5	52	4.2	0.58	3.1	5.5	
1991	209	2.4	0.17	2.1	2.7	54	4.3	0.59	3.2	5.6	
1992	217	2.4	0.16	2.1	2.7	42	3.3	0.51	2.4	4.5	
1993	227	2.5	0.16	2.1	2.8	33	2.6	0.45	1.8	3.6	
1994	215	2.3	0.16	2.0	2.7	42	3.2	0.50	2.3	4.3	
1995	227	2.4	0.16	2.1	2.8	42	3.0	0.48	2.2	4.1	
1996	234	2.5	0.17	2.2	2.9	46	3.3	0.49	2.4	4.4	
1997	275	3.0	0.18	2.7	3.4	47	3.5	0.51	2.5	4.6	
1998	220	2.4	0.16	2.1	2.7	38	2.7	0.43	1.9	3.7	
1999	276	3.0	0.18	2.6	3.3	40	2.6	0.41	1.8	3.5	
2000	247	2.6	0.17	2.3	3.0	44	2.9	0.45	2.1	4.0	
2001	232	2.4	0.16	2.1	2.8	45	2.8	0.42	2.1	3.8	
2002	286	3.0	0.18	2.7	3.4	50	3.1	0.44	2.3	4.1	
2003	280	2.9	0.17	2.6	3.3	39	2.5	0.41	1.8	3.4	
2004	301	3.1	0.18	2.7	3.4	47	2.9	0.43	2.1	3.9	
2005	332	3.4	0.19	3.0	3.7	36	2.2	0.37	1.5	3.1	
2006	303	3.0	0.18	2.7	3.4	43	2.4	0.38	1.8	3.3	
2007	390	3.9	0.20	3.5	4.3	40	2.3	0.37	1.7	3.2	
2008	368	3.6	0.19	3.3	4.0	34	2.0	0.34	1.3	2.7	
2009	358	3.5	0.19	3.2	3.9	34	1.9	0.33	1.3	2.7	
2010	344	3.3	0.18	2.9	3.7	35	2.0	0.34	1.4	2.8	
2011	379	3.6	0.19	3.3	4.0	52	2.9	0.40	2.1	3.8	
2012	452	4.2	0.21	3.9	4.7	51	2.8	0.40	2.0	3.7	
2013	447	4.1	0.20	3.7	4.5	57	3.0	0.40	2.2	3.9	
2014	471	4.2	0.20	3.9	4.7	51	2.8	0.40	2.0	3.7	
2015	471	4.3	0.20	3.9	4.7	46	2.4	0.36	1.7	3.2	
2016	469	4.2	0.20	3.9	4.7	45	2.2	0.34	1.6	3.0	
2017	540	4.9	0.22	4.4	5.3	44	2.2	0.34	1.6	3.0	
2018	475	4.2	0.20	3.9	4.7	40	1.9	0.30	1.3	2.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Tongue											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	300	2.6	0.17	2.3	3.0	7,612	4.8	0.06	4.7	4.9	
1990	3	1.9	1.17	0.3	5.8	169	3.7	0.29	3.1	4.3	
1991	6	3.3	1.62	0.9	8.0	192	4.3	0.32	3.7	5.0	
1992	3	0.8	0.57	0.1	3.6	169	3.6	0.28	3.1	4.2	
1993	5	2.7	1.43	0.6	6.9	173	3.6	0.28	3.1	4.2	
1994	5	3.7	2.05	0.8	9.3	175	3.7	0.28	3.2	4.3	
1995	6	2.4	0.97	0.9	5.4	195	4.1	0.29	3.5	4.7	
1996	10	6.6	2.43	2.7	12.7	189	3.9	0.29	3.4	4.5	
1997	10	4.9	1.88	1.9	9.7	209	4.3	0.30	3.7	4.9	
1998	5	2.0	0.92	0.6	4.8	169	3.4	0.26	2.9	3.9	
1999	6	1.7	0.71	0.6	4.0	205	4.0	0.28	3.5	4.6	
2000	7	2.4	1.04	0.8	5.4	193	3.8	0.27	3.3	4.4	
2001	4	0.9	0.43	0.2	2.6	199	3.8	0.27	3.3	4.4	
2002	8	2.5	1.00	0.9	5.2	237	4.5	0.30	4.0	5.1	
2003	12	3.9	1.30	1.8	7.2	227	4.3	0.29	3.8	4.9	
2004	13	3.8	1.18	1.9	6.8	251	4.6	0.29	4.0	5.2	
2005	8	1.9	0.80	0.6	4.1	265	4.8	0.30	4.2	5.4	
2006	7	1.4	0.68	0.4	3.4	253	4.5	0.29	4.0	5.1	
2007	8	1.6	0.63	0.6	3.4	308	5.4	0.31	4.8	6.1	
2008	10	2.5	0.91	1.0	4.9	285	4.9	0.30	4.4	5.5	
2009	13	2.7	0.84	1.3	4.8	273	4.7	0.29	4.1	5.3	
2010	15	2.7	0.75	1.4	4.6	282	4.7	0.29	4.2	5.3	
2011	18	3.2	0.85	1.8	5.3	311	5.1	0.30	4.5	5.7	
2012	14	2.3	0.70	1.1	4.1	362	5.9	0.32	5.3	6.6	
2013	17	2.5	0.67	1.4	4.2	367	5.8	0.31	5.2	6.4	
2014	10	2.0	0.69	0.9	3.7	371	5.8	0.31	5.2	6.4	
2015	18	2.8	0.73	1.6	4.6	381	6.0	0.31	5.4	6.6	
2016	19	2.6	0.66	1.5	4.2	381	5.8	0.31	5.2	6.5	
2017	17	2.3	0.60	1.3	3.7	436	6.7	0.33	6.1	7.4	
2018	23	3.3	0.75	2.0	5.1	385	5.9	0.31	5.3	6.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Tongue											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	6,455	4.8	0.06	4.7	5.0	936	4.7	0.16	4.4	5.0	
1990	130	3.2	0.29	2.7	3.9	39	7.2	1.17	5.1	9.9	
1991	144	3.7	0.32	3.1	4.4	43	8.0	1.27	5.7	10.9	
1992	137	3.4	0.29	2.8	4.0	30	5.4	0.99	3.6	7.7	
1993	144	3.5	0.29	2.9	4.1	25	4.3	0.86	2.7	6.3	
1994	145	3.6	0.30	3.0	4.2	29	5.2	1.02	3.4	7.6	
1995	159	3.8	0.31	3.3	4.5	30	5.3	1.03	3.5	7.7	
1996	155	3.8	0.31	3.2	4.4	34	5.6	0.97	3.8	7.8	
1997	171	4.1	0.31	3.5	4.8	34	6.0	1.09	4.1	8.5	
1998	134	3.2	0.28	2.7	3.8	29	4.8	0.91	3.2	6.9	
1999	174	4.0	0.31	3.5	4.7	29	4.2	0.77	2.8	6.0	
2000	156	3.6	0.29	3.1	4.3	35	5.3	0.91	3.7	7.4	
2001	161	3.7	0.29	3.2	4.3	36	5.3	0.89	3.7	7.4	
2002	192	4.4	0.32	3.8	5.0	38	5.4	0.89	3.8	7.5	
2003	191	4.3	0.32	3.8	5.0	30	4.6	0.88	3.0	6.6	
2004	199	4.4	0.31	3.8	5.0	38	5.3	0.88	3.7	7.3	
2005	227	4.9	0.33	4.3	5.6	29	4.3	0.81	2.8	6.2	
2006	213	4.6	0.32	4.0	5.2	28	3.6	0.70	2.4	5.3	
2007	267	5.7	0.35	5.0	6.4	33	4.4	0.79	3.0	6.3	
2008	256	5.3	0.34	4.7	6.0	23	3.3	0.73	2.0	5.1	
2009	236	4.9	0.32	4.3	5.6	22	2.8	0.60	1.7	4.2	
2010	246	4.9	0.32	4.3	5.6	24	3.4	0.72	2.1	5.1	
2011	263	5.2	0.33	4.6	5.9	37	4.8	0.82	3.3	6.7	
2012	313	6.2	0.36	5.5	7.0	40	5.2	0.86	3.7	7.2	
2013	317	6.1	0.35	5.4	6.8	39	4.8	0.80	3.3	6.6	
2014	329	6.2	0.35	5.6	7.0	31	4.0	0.76	2.7	5.8	
2015	336	6.4	0.36	5.7	7.2	33	4.1	0.74	2.8	5.8	
2016	334	6.3	0.35	5.6	7.0	34	4.0	0.71	2.7	5.6	
2017	386	7.3	0.39	6.6	8.1	34	4.2	0.74	2.8	5.9	
2018	340	6.4	0.36	5.7	7.2	30	3.2	0.59	2.1	4.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Tongue										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	149	1.3	0.11	1.1	1.5	3,447	1.8	0.03	1.8	1.9
1990	1	0.4	0.43	0.0	2.5	81	1.4	0.16	1.1	1.7
1991	2	0.7	0.51	0.1	2.8	77	1.4	0.16	1.1	1.7
1992	1	0.4	0.40	0.0	2.4	92	1.6	0.17	1.3	2.0
1993	1	0.5	0.45	0.0	2.4	92	1.5	0.16	1.2	1.9
1994	4	1.7	0.87	0.4	4.3	85	1.4	0.15	1.1	1.7
1995	2	1.2	0.90	0.1	4.0	81	1.3	0.14	1.0	1.6
1996	4	2.4	1.29	0.6	5.9	94	1.5	0.16	1.2	1.9
1997	5	2.8	1.32	0.9	6.3	118	1.9	0.18	1.6	2.3
1998	4	1.2	0.60	0.3	3.2	95	1.5	0.16	1.2	1.9
1999	4	1.0	0.52	0.2	2.8	117	1.9	0.18	1.6	2.3
2000	0					106	1.7	0.16	1.4	2.0
2001	3	1.8	1.04	0.4	4.6	85	1.3	0.15	1.1	1.7
2002	2	0.7	0.54	0.1	2.5	108	1.7	0.16	1.4	2.1
2003	3	0.7	0.42	0.2	2.2	101	1.6	0.16	1.3	1.9
2004	3	0.7	0.43	0.1	2.2	117	1.8	0.17	1.5	2.2
2005	3	0.9	0.52	0.2	2.5	121	1.8	0.17	1.5	2.2
2006	5	1.2	0.56	0.4	2.8	110	1.7	0.16	1.4	2.0
2007	6	1.4	0.61	0.5	3.1	135	2.1	0.18	1.7	2.4
2008	7	1.5	0.61	0.6	3.2	127	1.9	0.17	1.6	2.3
2009	6	1.2	0.51	0.4	2.6	140	2.1	0.18	1.8	2.5
2010	7	1.3	0.54	0.5	2.8	115	1.7	0.16	1.4	2.0
2011	10	1.8	0.62	0.8	3.4	138	2.0	0.18	1.7	2.4
2012	5	0.9	0.44	0.3	2.2	154	2.2	0.18	1.9	2.6
2013	3	0.5	0.33	0.1	1.6	154	2.1	0.17	1.8	2.5
2014	10	1.7	0.56	0.8	3.1	169	2.4	0.19	2.0	2.8
2015	11	1.9	0.62	0.9	3.5	154	2.1	0.17	1.8	2.5
2016	9	1.2	0.43	0.6	2.4	153	2.2	0.18	1.8	2.5
2017	12	1.4	0.40	0.7	2.4	173	2.3	0.18	2.0	2.7
2018	16	2.3	0.59	1.3	3.7	155	2.1	0.17	1.8	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Tongue											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,988	1.9	0.04	1.8	2.0	333	1.3	0.07	1.1	1.4	
1990	68	1.3	0.16	1.0	1.7	13	1.9	0.52	1.0	3.2	
1991	65	1.3	0.17	1.0	1.7	11	1.5	0.46	0.8	2.7	
1992	80	1.6	0.18	1.3	2.0	12	1.7	0.50	0.9	3.0	
1993	83	1.6	0.18	1.3	2.0	8	1.2	0.43	0.5	2.3	
1994	70	1.3	0.16	1.0	1.7	13	1.7	0.47	0.9	2.9	
1995	68	1.2	0.15	1.0	1.6	12	1.5	0.43	0.8	2.6	
1996	79	1.5	0.17	1.2	1.9	12	1.5	0.44	0.8	2.6	
1997	104	2.0	0.20	1.7	2.5	13	1.7	0.47	0.9	2.9	
1998	86	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0	
1999	102	2.0	0.20	1.6	2.4	11	1.3	0.39	0.6	2.3	
2000	91	1.7	0.18	1.4	2.1	9	1.1	0.36	0.5	2.0	
2001	71	1.3	0.16	1.0	1.7	9	1.0	0.33	0.5	1.9	
2002	94	1.8	0.19	1.4	2.2	12	1.3	0.38	0.7	2.3	
2003	89	1.7	0.18	1.4	2.1	9	1.0	0.34	0.5	1.9	
2004	102	1.9	0.19	1.6	2.4	9	1.0	0.35	0.5	1.9	
2005	105	1.9	0.19	1.6	2.4	7	0.7	0.28	0.3	1.5	
2006	90	1.6	0.18	1.3	2.0	15	1.6	0.40	0.9	2.6	
2007	123	2.3	0.21	1.9	2.7	7	0.7	0.28	0.3	1.5	
2008	112	2.1	0.20	1.7	2.5	11	1.1	0.33	0.5	2.0	
2009	122	2.3	0.21	1.9	2.7	12	1.3	0.37	0.6	2.2	
2010	98	1.8	0.19	1.5	2.2	11	1.0	0.31	0.5	1.9	
2011	116	2.1	0.20	1.7	2.5	15	1.5	0.38	0.8	2.4	
2012	139	2.5	0.22	2.1	3.0	11	1.0	0.31	0.5	1.9	
2013	130	2.2	0.20	1.8	2.6	18	1.7	0.40	1.0	2.7	
2014	142	2.5	0.21	2.1	2.9	20	1.9	0.43	1.2	3.0	
2015	135	2.3	0.21	1.9	2.8	13	1.1	0.32	0.6	2.0	
2016	135	2.4	0.22	2.0	2.9	11	0.9	0.29	0.5	1.7	
2017	154	2.6	0.22	2.2	3.1	10	0.8	0.26	0.4	1.6	
2018	135	2.3	0.20	1.9	2.7	10	0.9	0.29	0.4	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Salivary Gland											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	225	0.9	0.07	0.8	1.0	4,279	1.3	0.02	1.2	1.3	
1990	7	1.7	0.75	0.5	3.8	91	0.9	0.09	0.7	1.1	
1991	2	0.4	0.28	0.0	1.6	97	0.9	0.09	0.8	1.1	
1992	1	0.1	0.14	0.0	1.2	115	1.1	0.10	0.9	1.3	
1993	4	0.7	0.41	0.2	2.1	112	1.0	0.10	0.9	1.3	
1994	3	0.6	0.48	0.1	2.2	131	1.2	0.11	1.0	1.4	
1995	2	0.3	0.22	0.0	1.3	133	1.2	0.11	1.0	1.5	
1996	9	3.0	1.09	1.3	5.7	132	1.2	0.11	1.0	1.4	
1997	14	2.7	0.86	1.3	4.8	142	1.3	0.11	1.1	1.5	
1998	6	1.0	0.44	0.3	2.3	134	1.2	0.10	1.0	1.4	
1999	4	0.5	0.26	0.1	1.4	147	1.3	0.11	1.1	1.5	
2000	6	0.5	0.25	0.2	1.4	132	1.2	0.10	1.0	1.4	
2001	4	0.4	0.20	0.1	1.1	133	1.2	0.10	1.0	1.4	
2002	11	1.1	0.40	0.4	2.2	142	1.2	0.10	1.0	1.5	
2003	8	1.5	0.66	0.5	3.2	135	1.2	0.10	1.0	1.4	
2004	5	0.6	0.31	0.2	1.5	131	1.1	0.10	1.0	1.4	
2005	3	0.2	0.12	0.0	0.7	129	1.1	0.10	0.9	1.3	
2006	5	0.4	0.19	0.1	1.0	144	1.2	0.10	1.0	1.5	
2007	12	1.2	0.41	0.5	2.2	161	1.4	0.11	1.2	1.6	
2008	8	0.8	0.31	0.3	1.6	145	1.2	0.10	1.0	1.4	
2009	16	1.5	0.43	0.8	2.6	163	1.4	0.11	1.2	1.6	
2010	7	0.4	0.16	0.2	0.9	168	1.4	0.11	1.2	1.6	
2011	5	0.4	0.17	0.1	0.9	163	1.3	0.11	1.1	1.6	
2012	12	1.2	0.35	0.6	2.0	198	1.6	0.12	1.4	1.8	
2013	7	0.7	0.27	0.2	1.4	164	1.3	0.11	1.1	1.6	
2014	11	0.9	0.29	0.4	1.7	181	1.4	0.11	1.2	1.6	
2015	14	0.9	0.27	0.5	1.6	188	1.5	0.11	1.3	1.7	
2016	10	0.7	0.25	0.3	1.4	187	1.5	0.11	1.3	1.7	
2017	18	1.3	0.32	0.7	2.0	185	1.4	0.11	1.2	1.6	
2018	11	0.8	0.27	0.4	1.5	196	1.5	0.11	1.3	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Salivary Gland											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,570	1.3	0.02	1.2	1.3	545	1.2	0.05	1.1	1.3	
1990	84	0.9	0.10	0.7	1.2	6	0.4	0.18	0.2	1.0	
1991	81	0.9	0.10	0.7	1.1	15	1.1	0.29	0.6	1.8	
1992	103	1.1	0.11	0.9	1.4	10	0.8	0.25	0.4	1.4	
1993	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2	
1994	115	1.2	0.12	1.0	1.5	12	0.9	0.25	0.4	1.5	
1995	113	1.2	0.11	1.0	1.5	16	1.2	0.30	0.6	1.9	
1996	113	1.2	0.11	1.0	1.5	15	1.0	0.27	0.6	1.7	
1997	123	1.3	0.12	1.1	1.6	14	1.0	0.26	0.5	1.6	
1998	111	1.2	0.11	1.0	1.4	16	1.1	0.28	0.6	1.8	
1999	132	1.4	0.12	1.2	1.7	12	0.8	0.25	0.4	1.5	
2000	116	1.2	0.11	1.0	1.5	13	0.8	0.23	0.4	1.4	
2001	114	1.2	0.11	1.0	1.4	12	0.7	0.22	0.4	1.3	
2002	125	1.3	0.12	1.1	1.6	12	0.8	0.23	0.4	1.4	
2003	120	1.2	0.11	1.0	1.5	13	0.8	0.21	0.4	1.3	
2004	107	1.1	0.11	0.9	1.4	19	1.1	0.26	0.7	1.8	
2005	115	1.2	0.11	1.0	1.5	12	0.7	0.19	0.3	1.2	
2006	118	1.2	0.11	1.0	1.5	20	1.2	0.27	0.7	1.9	
2007	135	1.4	0.12	1.1	1.6	20	1.2	0.26	0.7	1.8	
2008	114	1.2	0.11	0.9	1.4	25	1.5	0.30	0.9	2.2	
2009	136	1.4	0.12	1.2	1.6	21	1.3	0.29	0.8	2.0	
2010	131	1.3	0.12	1.1	1.6	26	1.6	0.33	1.1	2.4	
2011	137	1.4	0.12	1.1	1.6	17	1.0	0.24	0.6	1.6	
2012	159	1.6	0.13	1.3	1.8	29	1.6	0.29	1.0	2.2	
2013	126	1.2	0.11	1.0	1.5	29	1.6	0.31	1.1	2.4	
2014	141	1.3	0.12	1.1	1.6	33	1.9	0.33	1.3	2.7	
2015	152	1.5	0.12	1.2	1.7	26	1.3	0.26	0.9	2.0	
2016	150	1.5	0.13	1.2	1.7	33	1.8	0.32	1.3	2.6	
2017	152	1.4	0.12	1.2	1.7	26	1.3	0.27	0.9	2.0	
2018	156	1.5	0.12	1.2	1.7	25	1.4	0.27	0.9	2.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Salivary Gland											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	107	1.0	0.11	0.8	1.2	2,429	1.7	0.03	1.6	1.7	
1990	3	1.6	1.09	0.2	5.4	57	1.4	0.19	1.0	1.8	
1991	0					53	1.2	0.16	0.9	1.5	
1992	0					66	1.5	0.19	1.2	1.9	
1993	1	0.3	0.31	0.0	2.7	65	1.4	0.17	1.1	1.8	
1994	0					68	1.6	0.20	1.2	2.0	
1995	0					75	1.7	0.19	1.3	2.1	
1996	3	1.9	1.22	0.3	5.6	74	1.6	0.19	1.3	2.0	
1997	5	2.0	0.92	0.6	4.8	76	1.6	0.19	1.3	2.0	
1998	2	0.4	0.31	0.0	2.3	75	1.6	0.18	1.2	2.0	
1999	3	0.8	0.46	0.2	2.8	82	1.7	0.19	1.4	2.1	
2000	2	0.3	0.24	0.0	2.0	78	1.6	0.18	1.3	2.0	
2001	0					80	1.7	0.19	1.3	2.1	
2002	8	1.8	0.84	0.6	4.3	81	1.7	0.19	1.3	2.1	
2003	4	2.4	1.41	0.5	6.2	77	1.6	0.18	1.2	2.0	
2004	3	0.8	0.57	0.1	2.7	76	1.6	0.18	1.2	2.0	
2005	1	0.2	0.18	0.0	1.4	70	1.4	0.16	1.1	1.7	
2006	3	0.6	0.35	0.1	1.9	75	1.5	0.17	1.2	1.9	
2007	6	1.5	0.70	0.5	3.5	96	1.9	0.20	1.5	2.3	
2008	6	1.4	0.66	0.4	3.3	82	1.6	0.17	1.2	1.9	
2009	8	1.6	0.68	0.5	3.4	95	1.8	0.19	1.4	2.2	
2010	5	0.6	0.27	0.2	1.6	92	1.7	0.18	1.4	2.1	
2011	2	0.3	0.21	0.0	1.2	102	1.9	0.19	1.6	2.4	
2012	7	1.5	0.62	0.6	3.2	112	2.0	0.20	1.7	2.5	
2013	4	1.0	0.55	0.2	2.5	93	1.7	0.18	1.4	2.1	
2014	4	0.8	0.46	0.2	2.1	100	1.7	0.18	1.4	2.1	
2015	5	1.0	0.50	0.3	2.4	123	2.1	0.20	1.8	2.6	
2016	8	1.2	0.50	0.4	2.6	95	1.6	0.17	1.3	2.0	
2017	9	1.0	0.36	0.5	2.0	100	1.7	0.17	1.4	2.1	
2018	5	1.0	0.46	0.3	2.2	111	1.9	0.18	1.5	2.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Salivary Gland											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,078	1.7	0.04	1.6	1.8	266	1.4	0.09	1.2	1.6	
1990	53	1.5	0.21	1.1	2.0	3	0.5	0.28	0.1	1.5	
1991	45	1.1	0.17	0.8	1.5	8	1.4	0.50	0.6	2.8	
1992	60	1.6	0.21	1.2	2.0	5	1.0	0.46	0.3	2.3	
1993	54	1.3	0.18	1.0	1.7	10	1.9	0.62	0.9	3.5	
1994	63	1.7	0.22	1.3	2.2	4	0.6	0.30	0.2	1.6	
1995	69	1.8	0.22	1.4	2.2	4	0.6	0.31	0.2	1.6	
1996	63	1.6	0.21	1.2	2.1	8	1.3	0.47	0.5	2.6	
1997	66	1.6	0.20	1.3	2.1	7	1.3	0.54	0.5	2.7	
1998	63	1.6	0.20	1.2	2.0	8	1.4	0.55	0.6	2.9	
1999	74	1.8	0.21	1.4	2.3	7	1.3	0.52	0.5	2.7	
2000	68	1.7	0.20	1.3	2.1	9	1.3	0.43	0.6	2.5	
2001	71	1.7	0.21	1.3	2.2	4	0.8	0.44	0.2	2.0	
2002	72	1.7	0.21	1.4	2.2	7	1.0	0.37	0.4	2.0	
2003	69	1.7	0.20	1.3	2.1	7	0.9	0.35	0.4	1.9	
2004	64	1.6	0.20	1.2	2.0	9	1.4	0.47	0.6	2.6	
2005	62	1.4	0.18	1.1	1.9	7	0.9	0.36	0.4	1.9	
2006	65	1.5	0.19	1.2	2.0	6	0.8	0.32	0.3	1.7	
2007	82	1.9	0.22	1.5	2.4	11	1.4	0.44	0.7	2.6	
2008	66	1.5	0.19	1.2	1.9	12	1.8	0.57	0.9	3.3	
2009	84	1.9	0.21	1.5	2.4	9	1.3	0.47	0.6	2.5	
2010	77	1.7	0.19	1.3	2.1	10	1.8	0.59	0.9	3.3	
2011	85	1.9	0.21	1.5	2.4	12	1.6	0.49	0.8	2.9	
2012	89	2.0	0.22	1.6	2.5	18	2.2	0.55	1.3	3.6	
2013	71	1.6	0.19	1.2	2.0	18	2.4	0.58	1.4	3.9	
2014	81	1.7	0.20	1.3	2.1	15	1.8	0.47	1.0	3.0	
2015	102	2.2	0.22	1.8	2.6	15	2.0	0.53	1.1	3.3	
2016	81	1.7	0.20	1.4	2.2	11	1.3	0.39	0.6	2.3	
2017	87	1.8	0.20	1.4	2.2	10	1.1	0.38	0.5	2.2	
2018	92	1.9	0.20	1.5	2.3	12	1.6	0.48	0.8	2.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Salivary Gland										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	118	0.9	0.09	0.7	1.0	1,850	1.0	0.02	1.0	1.1
1990	4	1.8	1.01	0.4	4.9	34	0.6	0.10	0.4	0.8
1991	2	0.7	0.56	0.1	3.0	44	0.8	0.12	0.5	1.0
1992	1	0.3	0.30	0.0	2.1	49	0.9	0.12	0.6	1.1
1993	3	1.1	0.71	0.2	3.5	47	0.8	0.12	0.6	1.1
1994	3	1.2	0.81	0.2	3.7	63	1.0	0.13	0.8	1.3
1995	2	0.6	0.46	0.1	2.5	58	1.0	0.13	0.7	1.2
1996	6	3.7	1.58	1.3	7.8	58	0.9	0.12	0.7	1.2
1997	9	3.2	1.26	1.2	6.5	66	1.1	0.14	0.9	1.4
1998	4	1.4	0.76	0.3	3.7	59	1.0	0.13	0.7	1.3
1999	1	0.2	0.23	0.0	1.6	65	1.1	0.13	0.8	1.4
2000	4	0.8	0.43	0.2	2.3	54	0.9	0.12	0.7	1.2
2001	4	0.7	0.39	0.2	2.2	53	0.9	0.12	0.6	1.1
2002	3	0.4	0.22	0.1	1.5	61	1.0	0.13	0.7	1.3
2003	4	1.0	0.64	0.2	2.9	58	0.9	0.12	0.7	1.2
2004	2	0.5	0.33	0.1	1.7	55	0.9	0.12	0.7	1.2
2005	2	0.2	0.15	0.0	1.1	59	0.9	0.12	0.7	1.2
2006	2	0.2	0.18	0.0	1.2	69	1.1	0.13	0.8	1.4
2007	6	0.9	0.46	0.2	2.3	65	1.0	0.13	0.8	1.3
2008	2	0.3	0.20	0.0	1.2	63	1.0	0.12	0.7	1.2
2009	8	1.5	0.56	0.6	3.0	68	1.0	0.13	0.8	1.3
2010	2	0.2	0.16	0.0	1.0	76	1.2	0.15	1.0	1.6
2011	3	0.4	0.25	0.1	1.3	61	0.9	0.12	0.7	1.2
2012	5	0.9	0.41	0.3	2.0	86	1.3	0.14	1.0	1.6
2013	3	0.4	0.25	0.1	1.3	71	1.1	0.13	0.8	1.4
2014	7	1.1	0.42	0.4	2.2	81	1.2	0.13	0.9	1.5
2015	9	1.0	0.32	0.4	1.9	65	1.0	0.13	0.7	1.3
2016	2	0.3	0.21	0.0	1.0	92	1.4	0.15	1.1	1.7
2017	9	1.4	0.49	0.6	2.7	85	1.3	0.14	1.0	1.6
2018	6	0.8	0.34	0.3	1.8	85	1.3	0.15	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Salivary Gland											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,492	1.0	0.03	0.9	1.0	279	1.0	0.06	0.9	1.2	
1990	31	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.2	
1991	36	0.7	0.13	0.5	1.0	7	0.8	0.32	0.3	1.7	
1992	43	0.9	0.14	0.6	1.2	5	0.7	0.30	0.2	1.5	
1993	37	0.7	0.12	0.5	1.0	8	1.0	0.37	0.4	2.0	
1994	52	1.0	0.14	0.8	1.3	8	1.0	0.36	0.4	2.0	
1995	44	0.9	0.13	0.6	1.2	12	1.5	0.44	0.8	2.6	
1996	50	0.9	0.13	0.7	1.2	7	0.9	0.32	0.3	1.8	
1997	57	1.1	0.15	0.9	1.5	7	0.8	0.30	0.3	1.7	
1998	48	0.9	0.14	0.7	1.3	8	0.9	0.33	0.4	1.8	
1999	58	1.1	0.15	0.9	1.5	5	0.6	0.25	0.2	1.3	
2000	48	1.0	0.14	0.7	1.3	4	0.4	0.22	0.1	1.1	
2001	43	0.8	0.13	0.6	1.1	8	0.8	0.30	0.4	1.7	
2002	53	1.0	0.14	0.8	1.4	5	0.6	0.27	0.2	1.4	
2003	51	0.9	0.13	0.7	1.2	6	0.6	0.26	0.2	1.4	
2004	43	0.8	0.13	0.6	1.1	10	1.0	0.33	0.5	1.9	
2005	53	1.1	0.15	0.8	1.4	5	0.5	0.22	0.2	1.2	
2006	53	1.0	0.14	0.7	1.3	14	1.5	0.40	0.8	2.5	
2007	53	1.0	0.14	0.7	1.3	9	1.0	0.32	0.4	1.8	
2008	48	0.9	0.13	0.6	1.2	13	1.3	0.37	0.7	2.3	
2009	52	1.0	0.14	0.7	1.3	12	1.3	0.38	0.7	2.3	
2010	54	1.1	0.15	0.8	1.4	16	1.7	0.42	0.9	2.7	
2011	52	1.0	0.14	0.7	1.3	5	0.5	0.23	0.2	1.2	
2012	70	1.3	0.16	1.0	1.6	11	1.0	0.31	0.5	1.9	
2013	55	1.1	0.15	0.8	1.4	11	1.0	0.30	0.5	1.8	
2014	60	1.0	0.14	0.8	1.4	18	1.9	0.45	1.1	3.0	
2015	50	1.0	0.14	0.7	1.3	11	0.9	0.29	0.5	1.7	
2016	69	1.3	0.17	1.0	1.7	22	2.2	0.48	1.4	3.4	
2017	65	1.2	0.16	0.9	1.6	16	1.5	0.37	0.8	2.4	
2018	64	1.2	0.16	0.9	1.6	13	1.3	0.36	0.7	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Floor of Mouth										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	90	0.4	0.04	0.3	0.5	2,908	0.8	0.02	0.8	0.9
1990	3	0.7	0.40	0.1	2.1	126	1.3	0.11	1.1	1.5
1991	2	0.4	0.30	0.1	1.7	134	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	2.3	123	1.2	0.11	1.0	1.4
1993	4	1.3	0.63	0.3	3.1	103	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	2.3	120	1.1	0.10	0.9	1.4
1995	1	0.2	0.18	0.0	1.1	132	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	1.6	125	1.2	0.11	1.0	1.4
1997	6	1.8	0.81	0.5	3.9	103	0.9	0.09	0.8	1.1
1998	5	0.7	0.33	0.2	1.8	101	0.9	0.09	0.7	1.1
1999	6	0.8	0.34	0.3	1.9	93	0.8	0.09	0.7	1.0
2000	4	0.5	0.25	0.1	1.4	122	1.1	0.10	0.9	1.3
2001	9	1.5	0.60	0.6	3.1	107	0.9	0.09	0.8	1.1
2002	1	0.1	0.12	0.0	0.8	92	0.8	0.08	0.7	1.0
2003	1	0.1	0.11	0.0	0.7	95	0.8	0.08	0.7	1.0
2004	3	0.4	0.23	0.1	1.1	96	0.8	0.08	0.7	1.0
2005	1	0.1	0.06	0.0	0.6	75	0.6	0.07	0.5	0.8
2006	4	0.4	0.18	0.1	1.0	101	0.8	0.08	0.7	1.0
2007	3	0.4	0.25	0.1	1.2	85	0.7	0.07	0.6	0.9
2008	4	0.5	0.24	0.1	1.2	106	0.8	0.08	0.7	1.0
2009	1	0.1	0.08	0.0	0.5	104	0.8	0.08	0.7	1.0
2010	1	0.1	0.07	0.0	0.5	80	0.6	0.07	0.5	0.8
2011	2	0.1	0.09	0.0	0.5	90	0.7	0.07	0.5	0.8
2012	3	0.3	0.19	0.1	0.9	94	0.7	0.07	0.6	0.9
2013	1	0.1	0.09	0.0	0.5	100	0.7	0.07	0.6	0.9
2014	2	0.1	0.08	0.0	0.5	80	0.6	0.06	0.5	0.7
2015	4	0.4	0.22	0.1	1.0	96	0.7	0.07	0.6	0.9
2016	2	0.2	0.15	0.0	0.7	80	0.6	0.07	0.5	0.7
2017	3	0.2	0.12	0.0	0.6	74	0.5	0.06	0.4	0.6
2018	3	0.2	0.15	0.0	0.7	71	0.5	0.06	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Floor of Mouth											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,336	0.8	0.02	0.8	0.8	527	1.1	0.05	1.0	1.2	
1990	100	1.2	0.12	1.0	1.4	25	2.0	0.41	1.3	3.0	
1991	107	1.2	0.11	1.0	1.4	26	2.0	0.39	1.3	2.9	
1992	93	1.0	0.11	0.8	1.3	29	2.2	0.42	1.5	3.2	
1993	82	0.9	0.10	0.7	1.1	20	1.5	0.33	0.9	2.3	
1994	88	1.0	0.10	0.8	1.2	31	2.4	0.44	1.6	3.4	
1995	107	1.2	0.11	1.0	1.4	24	1.7	0.35	1.1	2.6	
1996	95	1.1	0.11	0.9	1.3	28	2.1	0.40	1.4	3.0	
1997	82	0.9	0.10	0.7	1.1	19	1.3	0.30	0.8	2.0	
1998	82	0.9	0.10	0.7	1.1	18	1.2	0.29	0.7	1.9	
1999	71	0.8	0.09	0.6	1.0	20	1.3	0.30	0.8	2.0	
2000	93	1.0	0.10	0.8	1.2	28	1.8	0.35	1.2	2.7	
2001	91	1.0	0.10	0.8	1.2	16	1.0	0.24	0.6	1.6	
2002	77	0.8	0.09	0.6	1.0	13	0.8	0.24	0.4	1.5	
2003	77	0.8	0.09	0.6	1.0	18	1.1	0.25	0.6	1.7	
2004	74	0.8	0.09	0.6	1.0	18	1.1	0.26	0.6	1.7	
2005	61	0.6	0.08	0.5	0.8	12	0.7	0.22	0.4	1.3	
2006	82	0.8	0.09	0.7	1.0	18	1.1	0.26	0.6	1.7	
2007	69	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5	
2008	87	0.8	0.09	0.7	1.0	18	1.0	0.23	0.6	1.5	
2009	82	0.8	0.09	0.6	1.0	21	1.2	0.26	0.7	1.8	
2010	63	0.6	0.07	0.4	0.8	15	0.8	0.21	0.4	1.3	
2011	76	0.7	0.08	0.5	0.9	13	0.6	0.18	0.3	1.1	
2012	73	0.7	0.08	0.5	0.8	20	1.2	0.26	0.7	1.8	
2013	80	0.7	0.08	0.6	0.9	18	0.9	0.20	0.5	1.4	
2014	60	0.5	0.07	0.4	0.7	16	0.9	0.23	0.5	1.5	
2015	86	0.8	0.09	0.6	1.0	7	0.4	0.13	0.1	0.7	
2016	72	0.7	0.08	0.5	0.8	6	0.3	0.13	0.1	0.7	
2017	64	0.6	0.07	0.4	0.7	9	0.4	0.13	0.2	0.7	
2018	62	0.5	0.07	0.4	0.7	6	0.3	0.14	0.1	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Floor of Mouth										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	70	0.6	0.08	0.4	0.8	2,047	1.3	0.03	1.2	1.3
1990	3	1.4	0.81	0.3	4.6	95	2.2	0.23	1.8	2.7
1991	1	0.4	0.42	0.0	3.1	92	1.9	0.20	1.5	2.4
1992	3	1.3	0.77	0.3	4.3	85	1.9	0.21	1.5	2.3
1993	3	2.0	1.18	0.4	5.7	76	1.6	0.18	1.2	2.0
1994	3	1.2	0.70	0.2	4.0	84	1.7	0.19	1.4	2.2
1995	1	0.4	0.36	0.0	2.6	95	2.0	0.21	1.6	2.4
1996	3	1.0	0.61	0.2	3.5	95	2.0	0.20	1.6	2.4
1997	5	3.3	1.85	0.7	8.3	66	1.4	0.17	1.0	1.7
1998	3	0.9	0.51	0.2	3.0	76	1.5	0.17	1.2	1.9
1999	6	1.6	0.67	0.6	3.9	65	1.3	0.16	1.0	1.6
2000	4	1.0	0.52	0.3	3.0	90	1.8	0.19	1.4	2.2
2001	7	1.7	0.68	0.7	3.9	79	1.5	0.17	1.2	1.9
2002	1	0.2	0.23	0.0	1.8	56	1.1	0.14	0.8	1.4
2003	1	0.2	0.21	0.0	1.6	67	1.2	0.15	1.0	1.6
2004	2	0.6	0.45	0.0	2.3	70	1.3	0.15	1.0	1.6
2005	1	0.1	0.11	0.0	1.3	53	1.0	0.13	0.7	1.3
2006	2	0.3	0.24	0.0	1.5	71	1.3	0.15	1.0	1.6
2007	3	0.9	0.56	0.1	2.6	55	1.0	0.13	0.7	1.2
2008	4	1.0	0.51	0.2	2.5	69	1.2	0.14	0.9	1.5
2009	1	0.2	0.15	0.0	1.1	74	1.3	0.15	1.0	1.6
2010	1	0.1	0.14	0.0	1.0	54	0.9	0.12	0.6	1.1
2011	2	0.3	0.18	0.0	1.1	63	1.0	0.13	0.7	1.3
2012	2	0.5	0.42	0.1	1.9	66	1.0	0.13	0.8	1.3
2013	1	0.2	0.18	0.0	1.0	76	1.2	0.14	0.9	1.5
2014	2	0.2	0.15	0.0	0.9	60	0.9	0.12	0.7	1.2
2015	1	0.3	0.25	0.0	1.2	68	1.1	0.13	0.8	1.4
2016	1	0.2	0.23	0.0	1.1	48	0.8	0.12	0.6	1.1
2017	1	0.2	0.21	0.0	1.0	49	0.7	0.10	0.5	1.0
2018	2	0.4	0.30	0.0	1.3	50	0.8	0.11	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Floor of Mouth											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,614	1.2	0.03	1.1	1.3	397	1.9	0.10	1.7	2.1	
1990	75	2.0	0.24	1.6	2.5	19	3.6	0.84	2.2	5.7	
1991	75	1.8	0.21	1.4	2.3	16	2.8	0.70	1.6	4.5	
1992	61	1.6	0.21	1.2	2.0	23	4.3	0.95	2.7	6.6	
1993	58	1.4	0.18	1.1	1.8	17	2.9	0.71	1.7	4.6	
1994	60	1.4	0.19	1.1	1.8	23	4.3	0.95	2.7	6.5	
1995	75	1.8	0.21	1.5	2.3	19	3.2	0.73	1.9	5.0	
1996	71	1.7	0.21	1.4	2.2	22	3.6	0.78	2.3	5.5	
1997	50	1.2	0.17	0.9	1.6	14	2.1	0.57	1.2	3.6	
1998	59	1.4	0.18	1.0	1.8	16	2.5	0.63	1.4	4.1	
1999	48	1.1	0.16	0.8	1.5	15	2.3	0.60	1.3	3.8	
2000	67	1.6	0.19	1.2	2.0	22	3.4	0.73	2.1	5.2	
2001	66	1.5	0.19	1.2	1.9	13	1.8	0.49	0.9	3.1	
2002	45	1.0	0.15	0.8	1.4	10	1.4	0.46	0.7	2.7	
2003	52	1.2	0.16	0.9	1.5	15	2.0	0.53	1.1	3.4	
2004	50	1.1	0.16	0.8	1.4	16	2.4	0.64	1.3	4.0	
2005	43	0.9	0.14	0.7	1.3	9	1.1	0.38	0.5	2.2	
2006	57	1.2	0.16	0.9	1.6	13	1.8	0.50	0.9	3.1	
2007	42	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.3	
2008	57	1.2	0.16	0.9	1.5	11	1.3	0.42	0.7	2.5	
2009	57	1.2	0.16	0.9	1.5	17	2.2	0.56	1.3	3.6	
2010	43	0.8	0.13	0.6	1.1	9	1.1	0.35	0.5	2.0	
2011	53	1.0	0.14	0.7	1.3	10	1.1	0.36	0.5	2.1	
2012	52	0.9	0.13	0.7	1.2	13	1.8	0.50	0.9	3.0	
2013	60	1.1	0.15	0.9	1.5	14	1.6	0.42	0.8	2.7	
2014	48	0.9	0.13	0.6	1.2	9	1.3	0.46	0.6	2.5	
2015	63	1.2	0.16	0.9	1.6	3	0.3	0.19	0.1	1.0	
2016	43	0.9	0.14	0.6	1.2	4	0.5	0.24	0.1	1.2	
2017	42	0.8	0.12	0.5	1.0	7	0.7	0.25	0.3	1.4	
2018	42	0.8	0.12	0.5	1.0	5	0.7	0.33	0.2	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Floor of Mouth										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	20	0.2	0.04	0.1	0.3	861	0.5	0.02	0.4	0.5
1990	0					31	0.5	0.10	0.4	0.8
1991	1	0.4	0.41	0.0	2.4	42	0.7	0.11	0.5	1.0
1992	1	0.4	0.40	0.0	2.4	38	0.6	0.10	0.4	0.9
1993	1	0.6	0.61	0.0	2.9	27	0.5	0.09	0.3	0.7
1994	1	0.6	0.58	0.0	2.8	36	0.6	0.10	0.4	0.8
1995	0					37	0.6	0.10	0.4	0.8
1996	0					30	0.5	0.09	0.3	0.7
1997	1	0.7	0.66	0.0	2.9	37	0.6	0.10	0.4	0.8
1998	2	0.6	0.43	0.1	2.3	25	0.4	0.08	0.3	0.6
1999	0					28	0.5	0.09	0.3	0.7
2000	0					32	0.5	0.09	0.4	0.7
2001	2	1.1	0.82	0.1	3.5	28	0.4	0.08	0.3	0.6
2002	0					36	0.6	0.09	0.4	0.8
2003	0					28	0.5	0.09	0.3	0.7
2004	1	0.2	0.19	0.0	1.2	26	0.4	0.08	0.3	0.6
2005	0					22	0.3	0.07	0.2	0.5
2006	2	0.4	0.27	0.1	1.5	30	0.5	0.08	0.3	0.7
2007	0					30	0.4	0.08	0.3	0.6
2008	0					37	0.5	0.09	0.4	0.8
2009	0					30	0.4	0.08	0.3	0.6
2010	0					26	0.4	0.08	0.3	0.6
2011	0					27	0.4	0.07	0.3	0.6
2012	1	0.1	0.13	0.0	0.8	28	0.4	0.08	0.3	0.6
2013	0					24	0.3	0.07	0.2	0.5
2014	0					20	0.3	0.06	0.2	0.4
2015	3	0.6	0.33	0.1	1.6	28	0.4	0.07	0.2	0.6
2016	1	0.2	0.19	0.0	0.9	32	0.4	0.08	0.3	0.6
2017	2	0.2	0.15	0.0	0.8	25	0.3	0.07	0.2	0.5
2018	1	0.1	0.13	0.0	0.7	21	0.3	0.06	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Floor of Mouth											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	722	0.5	0.02	0.4	0.5	130	0.5	0.04	0.4	0.6	
1990	25	0.5	0.10	0.3	0.7	6	0.8	0.33	0.3	1.7	
1991	32	0.6	0.11	0.4	0.9	10	1.4	0.43	0.6	2.5	
1992	32	0.6	0.10	0.4	0.8	6	0.8	0.32	0.3	1.7	
1993	24	0.5	0.10	0.3	0.7	3	0.4	0.22	0.1	1.1	
1994	28	0.5	0.10	0.4	0.8	8	1.1	0.39	0.5	2.2	
1995	32	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.4	
1996	24	0.5	0.09	0.3	0.7	6	0.8	0.35	0.3	1.8	
1997	32	0.6	0.11	0.4	0.9	5	0.6	0.29	0.2	1.5	
1998	23	0.4	0.09	0.3	0.7	2	0.2	0.17	0.0	0.9	
1999	23	0.5	0.10	0.3	0.7	5	0.6	0.26	0.2	1.4	
2000	26	0.5	0.10	0.3	0.7	6	0.7	0.28	0.3	1.5	
2001	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	1.0	
2002	32	0.6	0.11	0.4	0.9	3	0.4	0.21	0.1	1.0	
2003	25	0.5	0.10	0.3	0.7	3	0.3	0.18	0.1	0.9	
2004	24	0.5	0.09	0.3	0.7	2	0.2	0.14	0.0	0.8	
2005	18	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0	
2006	25	0.5	0.09	0.3	0.7	5	0.5	0.24	0.2	1.2	
2007	27	0.5	0.09	0.3	0.7	2	0.2	0.13	0.0	0.7	
2008	30	0.5	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4	
2009	25	0.4	0.09	0.3	0.7	4	0.4	0.20	0.1	1.0	
2010	20	0.4	0.08	0.2	0.6	6	0.6	0.25	0.2	1.3	
2011	23	0.4	0.09	0.3	0.6	3	0.2	0.14	0.1	0.8	
2012	21	0.4	0.08	0.2	0.6	7	0.7	0.28	0.3	1.5	
2013	20	0.3	0.08	0.2	0.5	4	0.3	0.16	0.1	0.9	
2014	12	0.2	0.06	0.1	0.4	7	0.6	0.25	0.3	1.3	
2015	23	0.4	0.08	0.2	0.6	4	0.4	0.18	0.1	0.9	
2016	29	0.5	0.09	0.3	0.7	2	0.2	0.15	0.0	0.7	
2017	22	0.4	0.08	0.2	0.6	2	0.2	0.10	0.0	0.6	
2018	20	0.3	0.08	0.2	0.6	1	0.1	0.07	0.0	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gum and Other Mouth											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	277	1.3	0.09	1.1	1.4	6,030	1.7	0.02	1.7	1.8	
1990	4	0.9	0.44	0.2	2.4	182	1.8	0.13	1.5	2.1	
1991	7	1.2	0.48	0.4	2.7	154	1.5	0.12	1.2	1.7	
1992	0					172	1.6	0.12	1.4	1.9	
1993	6	1.9	0.91	0.6	4.3	177	1.7	0.13	1.4	1.9	
1994	6	1.4	0.71	0.4	3.4	163	1.5	0.12	1.3	1.8	
1995	2	0.7	0.59	0.0	2.5	198	1.8	0.13	1.6	2.1	
1996	9	2.2	0.91	0.8	4.6	194	1.8	0.13	1.5	2.0	
1997	9	1.6	0.59	0.7	3.2	190	1.7	0.12	1.5	2.0	
1998	6	2.0	0.93	0.6	4.4	175	1.6	0.12	1.3	1.8	
1999	7	0.9	0.37	0.3	2.0	201	1.8	0.13	1.6	2.1	
2000	5	0.8	0.48	0.1	2.2	188	1.7	0.12	1.4	1.9	
2001	5	1.1	0.52	0.3	2.5	194	1.7	0.12	1.5	2.0	
2002	5	1.0	0.51	0.3	2.4	202	1.7	0.12	1.5	2.0	
2003	10	1.7	0.60	0.7	3.2	213	1.8	0.12	1.6	2.1	
2004	11	1.5	0.50	0.7	2.8	216	1.8	0.13	1.6	2.1	
2005	3	0.3	0.15	0.1	0.9	189	1.6	0.12	1.4	1.8	
2006	9	1.4	0.54	0.5	2.7	207	1.7	0.12	1.5	2.0	
2007	14	1.4	0.46	0.6	2.6	192	1.6	0.12	1.4	1.8	
2008	17	1.8	0.48	1.0	2.9	241	1.9	0.13	1.7	2.2	
2009	12	0.9	0.28	0.5	1.7	226	1.8	0.12	1.6	2.1	
2010	19	2.1	0.56	1.2	3.5	236	1.9	0.12	1.6	2.1	
2011	11	0.9	0.29	0.4	1.6	252	1.9	0.12	1.7	2.2	
2012	12	1.4	0.43	0.7	2.4	226	1.7	0.12	1.5	2.0	
2013	15	1.8	0.48	1.0	2.9	224	1.7	0.12	1.5	1.9	
2014	7	0.7	0.28	0.2	1.4	249	1.9	0.12	1.6	2.1	
2015	21	1.7	0.40	1.0	2.6	257	1.9	0.12	1.7	2.2	
2016	12	0.9	0.26	0.4	1.5	246	1.8	0.12	1.6	2.0	
2017	20	1.6	0.37	0.9	2.4	249	1.8	0.12	1.6	2.1	
2018	13	1.0	0.28	0.5	1.7	217	1.5	0.11	1.3	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gum and Other Mouth											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	4,934	1.7	0.02	1.6	1.7	821	1.8	0.06	1.7	1.9	
1990	142	1.6	0.13	1.3	1.9	38	3.3	0.55	2.3	4.6	
1991	129	1.4	0.12	1.2	1.7	24	1.8	0.37	1.1	2.7	
1992	146	1.6	0.13	1.3	1.9	24	1.9	0.40	1.2	2.9	
1993	150	1.6	0.13	1.4	1.9	24	1.9	0.39	1.2	2.8	
1994	139	1.5	0.13	1.3	1.8	21	1.6	0.36	1.0	2.5	
1995	164	1.8	0.14	1.5	2.0	30	2.3	0.43	1.6	3.3	
1996	158	1.7	0.13	1.4	2.0	29	2.0	0.38	1.4	2.9	
1997	160	1.7	0.13	1.4	2.0	28	2.0	0.39	1.3	3.0	
1998	148	1.6	0.13	1.3	1.8	23	1.7	0.36	1.1	2.5	
1999	162	1.7	0.13	1.5	2.0	34	2.5	0.43	1.7	3.5	
2000	168	1.7	0.13	1.5	2.0	15	1.0	0.26	0.6	1.6	
2001	163	1.7	0.13	1.4	2.0	25	1.7	0.34	1.1	2.5	
2002	158	1.6	0.13	1.4	1.9	37	2.5	0.41	1.7	3.4	
2003	171	1.7	0.13	1.5	2.0	33	2.2	0.38	1.5	3.0	
2004	171	1.7	0.13	1.5	2.0	36	2.3	0.39	1.6	3.2	
2005	156	1.6	0.13	1.3	1.8	22	1.3	0.28	0.8	2.0	
2006	169	1.7	0.13	1.4	2.0	26	1.5	0.30	1.0	2.2	
2007	147	1.5	0.12	1.2	1.7	36	2.2	0.37	1.5	3.0	
2008	189	1.8	0.14	1.6	2.1	38	2.2	0.37	1.6	3.1	
2009	185	1.8	0.14	1.6	2.1	30	1.7	0.32	1.2	2.5	
2010	185	1.8	0.13	1.5	2.1	38	2.1	0.34	1.4	2.8	
2011	209	1.9	0.14	1.7	2.2	26	1.5	0.30	1.0	2.2	
2012	189	1.8	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1	
2013	189	1.7	0.13	1.5	2.0	24	1.4	0.28	0.9	2.0	
2014	204	1.9	0.13	1.6	2.2	30	1.6	0.30	1.1	2.3	
2015	200	1.8	0.13	1.6	2.1	36	1.9	0.33	1.3	2.7	
2016	195	1.7	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1	
2017	208	1.9	0.13	1.6	2.1	21	1.0	0.23	0.6	1.6	
2018	180	1.5	0.12	1.3	1.8	19	1.0	0.22	0.6	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gum and Other Mouth											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	168	1.6	0.15	1.3	1.9	3,373	2.2	0.04	2.1	2.3	
1990	3	1.2	0.69	0.2	4.2	113	2.6	0.25	2.1	3.1	
1991	5	2.0	0.93	0.7	5.3	82	1.8	0.20	1.4	2.2	
1992	0					95	2.1	0.22	1.7	2.6	
1993	4	2.7	1.89	0.3	8.1	97	2.1	0.22	1.7	2.6	
1994	2	0.7	0.47	0.1	3.1	91	1.9	0.21	1.6	2.4	
1995	0					104	2.2	0.21	1.8	2.6	
1996	5	1.9	1.14	0.4	5.4	112	2.4	0.23	1.9	2.8	
1997	7	2.8	1.22	0.9	6.2	111	2.4	0.23	1.9	2.8	
1998	4	3.4	1.98	0.7	8.7	100	2.0	0.20	1.7	2.5	
1999	3	0.9	0.58	0.1	3.1	112	2.3	0.22	1.9	2.7	
2000	2	1.2	1.09	0.0	4.5	95	1.9	0.20	1.6	2.4	
2001	3	1.1	0.65	0.2	3.3	105	2.1	0.21	1.7	2.6	
2002	1	0.5	0.46	0.0	2.3	106	2.1	0.20	1.7	2.5	
2003	7	2.9	1.26	1.0	6.2	110	2.1	0.21	1.8	2.6	
2004	8	2.2	0.88	0.9	4.6	118	2.3	0.21	1.9	2.7	
2005	3	0.5	0.29	0.1	1.8	104	2.0	0.20	1.6	2.4	
2006	6	2.0	1.02	0.5	4.7	112	2.1	0.20	1.7	2.5	
2007	10	1.9	0.71	0.7	3.8	106	2.0	0.19	1.6	2.4	
2008	12	2.8	0.91	1.3	5.1	132	2.3	0.21	1.9	2.8	
2009	5	0.9	0.41	0.3	2.2	130	2.2	0.20	1.9	2.7	
2010	11	3.1	1.02	1.4	5.6	136	2.4	0.21	2.0	2.8	
2011	4	0.6	0.32	0.2	1.7	148	2.5	0.21	2.1	2.9	
2012	8	1.9	0.78	0.7	3.9	126	2.1	0.19	1.7	2.5	
2013	6	1.7	0.75	0.6	3.7	139	2.3	0.20	1.9	2.8	
2014	5	0.8	0.42	0.2	2.0	139	2.3	0.20	1.9	2.7	
2015	14	2.3	0.70	1.1	4.0	153	2.4	0.20	2.0	2.9	
2016	9	1.1	0.38	0.5	2.2	139	2.2	0.19	1.8	2.6	
2017	10	1.6	0.55	0.7	3.0	141	2.2	0.19	1.8	2.6	
2018	11	1.6	0.54	0.8	3.0	117	1.8	0.17	1.5	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gum and Other Mouth											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,687	2.1	0.04	2.0	2.1	497	2.6	0.12	2.3	2.8	
1990	87	2.3	0.25	1.8	2.8	24	5.3	1.15	3.3	8.0	
1991	65	1.6	0.21	1.3	2.1	17	3.0	0.76	1.7	4.9	
1992	79	2.0	0.23	1.6	2.5	14	2.9	0.84	1.5	5.0	
1993	80	2.0	0.23	1.6	2.5	16	3.0	0.76	1.7	4.9	
1994	73	1.8	0.21	1.4	2.3	15	2.8	0.76	1.5	4.7	
1995	79	1.9	0.21	1.5	2.4	22	4.0	0.89	2.4	6.1	
1996	92	2.3	0.24	1.8	2.8	17	2.8	0.67	1.6	4.4	
1997	95	2.3	0.24	1.9	2.9	16	2.7	0.70	1.5	4.4	
1998	85	2.0	0.22	1.6	2.5	12	2.1	0.65	1.1	3.8	
1999	90	2.2	0.23	1.7	2.7	20	3.2	0.75	1.9	5.0	
2000	86	2.1	0.22	1.6	2.5	8	1.2	0.43	0.5	2.4	
2001	90	2.2	0.23	1.7	2.7	11	1.6	0.48	0.8	2.9	
2002	77	1.8	0.21	1.4	2.3	24	3.9	0.85	2.4	5.9	
2003	85	2.0	0.21	1.6	2.4	21	3.0	0.66	1.8	4.6	
2004	92	2.1	0.22	1.7	2.6	20	3.3	0.81	2.0	5.3	
2005	84	1.9	0.21	1.5	2.4	14	1.8	0.50	1.0	3.1	
2006	86	1.9	0.21	1.5	2.4	17	2.4	0.59	1.4	3.8	
2007	78	1.7	0.20	1.4	2.2	20	2.9	0.69	1.7	4.6	
2008	97	2.1	0.21	1.7	2.5	26	3.5	0.71	2.2	5.2	
2009	103	2.1	0.21	1.7	2.6	18	2.5	0.63	1.4	4.0	
2010	105	2.2	0.22	1.8	2.7	23	3.0	0.67	1.8	4.6	
2011	119	2.4	0.22	2.0	2.9	16	2.2	0.58	1.2	3.7	
2012	104	2.1	0.21	1.7	2.6	13	1.6	0.46	0.8	2.8	
2013	114	2.3	0.22	1.9	2.8	16	2.1	0.53	1.2	3.4	
2014	111	2.3	0.22	1.9	2.7	16	2.2	0.58	1.2	3.7	
2015	114	2.2	0.21	1.8	2.6	27	3.5	0.70	2.3	5.2	
2016	106	2.0	0.20	1.6	2.5	15	2.2	0.59	1.2	3.6	
2017	117	2.2	0.21	1.8	2.7	9	1.0	0.35	0.5	2.0	
2018	94	1.8	0.19	1.4	2.2	10	1.2	0.38	0.6	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gum and Other Mouth										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	109	1.0	0.10	0.8	1.2	2,657	1.3	0.03	1.3	1.4
1990	1	0.5	0.52	0.0	2.8	69	1.2	0.14	0.9	1.5
1991	2	0.3	0.24	0.0	2.1	72	1.2	0.14	0.9	1.5
1992	0					77	1.2	0.14	1.0	1.5
1993	2	1.4	0.99	0.2	4.4	80	1.3	0.15	1.1	1.7
1994	4	1.8	1.09	0.4	5.0	72	1.1	0.13	0.9	1.4
1995	2	1.1	0.92	0.1	4.0	94	1.5	0.15	1.2	1.8
1996	4	2.2	1.25	0.5	5.7	82	1.3	0.14	1.0	1.6
1997	2	0.7	0.47	0.1	2.5	79	1.2	0.14	1.0	1.6
1998	2	1.1	0.88	0.1	3.8	75	1.2	0.14	0.9	1.5
1999	4	0.9	0.49	0.2	2.6	89	1.4	0.15	1.1	1.7
2000	3	0.6	0.38	0.1	2.1	93	1.4	0.15	1.2	1.8
2001	2	1.0	0.72	0.1	3.2	89	1.3	0.14	1.1	1.6
2002	4	1.4	0.81	0.3	3.7	96	1.4	0.15	1.2	1.7
2003	3	0.7	0.46	0.1	2.2	103	1.5	0.15	1.3	1.9
2004	3	0.9	0.55	0.2	2.6	98	1.5	0.15	1.2	1.8
2005	0					85	1.3	0.14	1.0	1.6
2006	3	0.9	0.57	0.1	2.5	95	1.4	0.14	1.1	1.7
2007	4	0.9	0.54	0.2	2.5	86	1.3	0.14	1.0	1.6
2008	5	0.9	0.45	0.2	2.2	109	1.5	0.15	1.3	1.9
2009	7	1.0	0.38	0.4	2.1	96	1.4	0.15	1.2	1.8
2010	8	1.4	0.58	0.5	3.0	100	1.4	0.15	1.2	1.7
2011	7	1.1	0.45	0.4	2.4	104	1.4	0.14	1.2	1.7
2012	4	1.0	0.49	0.2	2.3	100	1.4	0.14	1.1	1.7
2013	9	1.8	0.63	0.8	3.5	85	1.2	0.13	0.9	1.5
2014	2	0.5	0.37	0.1	1.6	110	1.5	0.14	1.2	1.8
2015	7	1.2	0.47	0.4	2.4	104	1.4	0.14	1.1	1.7
2016	3	0.5	0.32	0.1	1.5	107	1.4	0.14	1.2	1.8
2017	10	1.5	0.51	0.7	2.8	108	1.5	0.15	1.2	1.8
2018	2	0.3	0.25	0.0	1.1	100	1.2	0.13	1.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gum and Other Mouth											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,247	1.4	0.03	1.3	1.4	324	1.2	0.07	1.1	1.4	
1990	55	1.0	0.14	0.8	1.4	14	2.1	0.56	1.1	3.5	
1991	64	1.2	0.16	0.9	1.6	7	0.9	0.34	0.4	1.8	
1992	67	1.2	0.15	0.9	1.6	10	1.3	0.42	0.6	2.4	
1993	70	1.4	0.17	1.1	1.7	8	1.1	0.38	0.5	2.1	
1994	66	1.2	0.14	0.9	1.5	6	0.8	0.34	0.3	1.8	
1995	85	1.6	0.17	1.2	1.9	8	1.1	0.39	0.5	2.1	
1996	66	1.2	0.15	0.9	1.5	12	1.5	0.42	0.8	2.5	
1997	65	1.2	0.15	0.9	1.5	12	1.5	0.45	0.8	2.6	
1998	63	1.1	0.15	0.9	1.5	11	1.4	0.42	0.7	2.5	
1999	72	1.4	0.16	1.1	1.7	14	1.8	0.48	1.0	3.0	
2000	82	1.5	0.17	1.2	1.9	7	0.8	0.31	0.3	1.7	
2001	73	1.3	0.15	1.0	1.6	14	1.7	0.46	0.9	2.8	
2002	81	1.4	0.16	1.1	1.7	13	1.5	0.41	0.8	2.5	
2003	86	1.5	0.17	1.2	1.9	12	1.4	0.42	0.7	2.5	
2004	79	1.4	0.16	1.1	1.8	16	1.7	0.43	1.0	2.8	
2005	72	1.3	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7	
2006	83	1.5	0.16	1.2	1.8	9	0.9	0.30	0.4	1.7	
2007	69	1.3	0.15	1.0	1.6	16	1.7	0.43	1.0	2.8	
2008	92	1.6	0.17	1.3	1.9	12	1.3	0.37	0.6	2.2	
2009	82	1.5	0.17	1.2	1.9	12	1.3	0.37	0.6	2.2	
2010	80	1.4	0.16	1.1	1.7	15	1.4	0.37	0.8	2.3	
2011	90	1.5	0.16	1.2	1.9	10	1.0	0.31	0.5	1.8	
2012	85	1.4	0.16	1.1	1.8	14	1.3	0.35	0.7	2.2	
2013	75	1.2	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7	
2014	93	1.5	0.16	1.2	1.9	14	1.2	0.34	0.7	2.1	
2015	86	1.5	0.16	1.2	1.8	9	0.8	0.27	0.4	1.6	
2016	89	1.5	0.17	1.2	1.9	12	1.0	0.29	0.5	1.8	
2017	91	1.5	0.17	1.2	1.9	12	1.0	0.30	0.5	1.8	
2018	86	1.3	0.15	1.0	1.7	9	0.8	0.26	0.3	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Nasopharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	103	0.4	0.04	0.3	0.5	1,976	0.6	0.01	0.6	0.6
1990	2	0.3	0.23	0.0	1.5	70	0.7	0.08	0.5	0.9
1991	2	0.5	0.32	0.1	1.7	59	0.6	0.08	0.4	0.7
1992	1	0.5	0.50	0.0	2.2	45	0.4	0.06	0.3	0.6
1993	1	0.1	0.10	0.0	1.0	62	0.6	0.08	0.5	0.8
1994	3	0.6	0.37	0.1	1.8	67	0.6	0.08	0.5	0.8
1995	1	0.2	0.21	0.0	1.2	77	0.7	0.08	0.6	0.9
1996	1	0.3	0.28	0.0	1.4	63	0.6	0.07	0.4	0.7
1997	5	0.7	0.34	0.2	1.8	67	0.6	0.08	0.5	0.8
1998	2	0.1	0.09	0.0	0.9	69	0.6	0.08	0.5	0.8
1999	2	0.2	0.14	0.0	1.0	62	0.6	0.07	0.4	0.7
2000	3	0.6	0.49	0.1	2.1	75	0.7	0.08	0.5	0.8
2001	2	0.1	0.06	0.0	0.7	62	0.6	0.07	0.4	0.7
2002	5	0.6	0.27	0.2	1.4	68	0.6	0.07	0.5	0.8
2003	2	0.7	0.48	0.1	2.0	68	0.6	0.07	0.5	0.8
2004	1	0.1	0.10	0.0	0.7	76	0.7	0.08	0.5	0.8
2005	5	0.4	0.21	0.1	1.1	62	0.5	0.07	0.4	0.7
2006	5	0.4	0.19	0.1	1.1	73	0.6	0.07	0.5	0.8
2007	7	0.8	0.33	0.3	1.7	64	0.5	0.07	0.4	0.7
2008	5	0.6	0.31	0.1	1.5	60	0.5	0.06	0.4	0.6
2009	3	0.2	0.09	0.0	0.6	76	0.6	0.07	0.5	0.8
2010	7	0.6	0.28	0.2	1.4	76	0.6	0.07	0.5	0.8
2011	4	0.2	0.11	0.1	0.6	73	0.6	0.07	0.5	0.7
2012	5	0.3	0.12	0.1	0.7	73	0.6	0.07	0.5	0.7
2013	5	0.4	0.19	0.1	0.9	68	0.6	0.07	0.4	0.7
2014	2	0.1	0.07	0.0	0.4	67	0.5	0.06	0.4	0.7
2015	4	0.2	0.12	0.1	0.6	81	0.7	0.07	0.5	0.8
2016	5	0.4	0.18	0.1	0.9	75	0.6	0.07	0.4	0.7
2017	4	0.2	0.11	0.1	0.6	70	0.5	0.07	0.4	0.7
2018	9	0.5	0.16	0.2	0.9	68	0.6	0.07	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Nasopharynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,247	0.4	0.01	0.4	0.5	412	0.9	0.04	0.8	0.9	
1990	51	0.6	0.08	0.4	0.8	15	1.1	0.31	0.6	1.9	
1991	41	0.5	0.07	0.3	0.6	12	1.0	0.30	0.5	1.7	
1992	32	0.4	0.06	0.2	0.5	6	0.3	0.14	0.1	0.8	
1993	42	0.5	0.07	0.3	0.7	11	0.8	0.23	0.4	1.4	
1994	45	0.5	0.07	0.4	0.7	12	0.8	0.25	0.4	1.5	
1995	63	0.7	0.09	0.5	0.9	7	0.5	0.19	0.2	1.0	
1996	39	0.4	0.07	0.3	0.6	18	1.2	0.30	0.7	2.0	
1997	39	0.4	0.07	0.3	0.6	16	1.0	0.24	0.5	1.6	
1998	42	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6	
1999	35	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5	
2000	48	0.5	0.08	0.4	0.7	16	1.0	0.26	0.6	1.6	
2001	41	0.4	0.07	0.3	0.6	16	0.9	0.22	0.5	1.4	
2002	44	0.5	0.07	0.3	0.6	16	1.0	0.25	0.6	1.6	
2003	48	0.5	0.07	0.4	0.7	12	0.7	0.20	0.4	1.2	
2004	44	0.5	0.07	0.3	0.6	20	1.2	0.27	0.7	1.9	
2005	44	0.5	0.07	0.3	0.6	8	0.5	0.19	0.2	1.0	
2006	48	0.5	0.07	0.4	0.7	6	0.3	0.14	0.1	0.8	
2007	38	0.4	0.06	0.3	0.5	14	0.8	0.21	0.4	1.3	
2008	37	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5	
2009	43	0.4	0.07	0.3	0.6	20	1.1	0.25	0.7	1.7	
2010	44	0.4	0.07	0.3	0.6	17	0.9	0.23	0.5	1.5	
2011	46	0.5	0.07	0.3	0.6	19	1.0	0.22	0.6	1.5	
2012	40	0.4	0.06	0.3	0.5	17	1.0	0.24	0.6	1.5	
2013	41	0.4	0.06	0.3	0.5	11	0.7	0.20	0.3	1.2	
2014	38	0.3	0.06	0.2	0.5	16	0.9	0.22	0.5	1.4	
2015	44	0.4	0.07	0.3	0.6	17	0.8	0.20	0.5	1.3	
2016	44	0.4	0.06	0.3	0.5	17	0.9	0.22	0.5	1.4	
2017	45	0.4	0.07	0.3	0.6	15	0.7	0.19	0.4	1.2	
2018	41	0.4	0.07	0.3	0.6	9	0.5	0.15	0.2	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Nasopharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	65	0.5	0.08	0.4	0.7	1,358	0.9	0.02	0.8	0.9
1990	0					49	1.0	0.15	0.8	1.4
1991	1	0.4	0.37	0.0	3.0	36	0.8	0.13	0.6	1.1
1992	0					27	0.6	0.12	0.4	0.9
1993	1	0.2	0.18	0.0	2.5	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	2.8	45	1.0	0.14	0.7	1.3
1995	1	0.5	0.45	0.0	2.8	52	1.0	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	3.2	40	0.8	0.13	0.6	1.1
1997	4	1.3	0.67	0.3	3.7	51	1.0	0.14	0.8	1.3
1998	0					37	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	1.8	35	0.7	0.12	0.5	1.0
2000	1	0.2	0.23	0.0	1.9	52	1.0	0.14	0.7	1.3
2001	1	0.1	0.10	0.0	1.6	41	0.8	0.12	0.6	1.1
2002	3	0.8	0.50	0.2	2.7	50	1.0	0.14	0.7	1.3
2003	2	1.7	1.23	0.2	5.2	51	1.0	0.14	0.7	1.3
2004	1	0.2	0.20	0.0	1.5	55	1.0	0.14	0.8	1.3
2005	2	0.4	0.31	0.0	1.8	43	0.8	0.12	0.6	1.1
2006	4	0.7	0.34	0.2	2.0	49	0.9	0.13	0.7	1.2
2007	7	1.7	0.72	0.6	3.7	46	0.8	0.12	0.6	1.1
2008	3	1.0	0.74	0.1	3.2	41	0.7	0.12	0.5	1.0
2009	1	0.1	0.07	0.0	1.0	46	0.8	0.12	0.6	1.1
2010	4	1.1	0.60	0.3	2.8	59	1.0	0.13	0.7	1.3
2011	3	0.3	0.18	0.1	1.2	53	0.9	0.13	0.7	1.2
2012	3	0.3	0.18	0.1	1.1	57	0.9	0.13	0.7	1.2
2013	3	0.4	0.24	0.1	1.3	57	1.0	0.13	0.7	1.3
2014	2	0.2	0.13	0.0	0.9	44	0.7	0.12	0.5	1.0
2015	0					52	0.9	0.12	0.6	1.2
2016	4	0.7	0.39	0.2	1.9	52	0.8	0.12	0.6	1.1
2017	3	0.4	0.21	0.1	1.1	48	0.8	0.12	0.6	1.1
2018	7	0.8	0.30	0.3	1.7	45	0.8	0.12	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Nasopharynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	860	0.7	0.02	0.6	0.7	284	1.4	0.08	1.2	1.6	
1990	38	0.9	0.15	0.7	1.3	10	1.8	0.62	0.8	3.5	
1991	26	0.6	0.13	0.4	0.9	8	1.9	0.70	0.8	3.7	
1992	17	0.5	0.11	0.3	0.7	4	0.5	0.28	0.1	1.5	
1993	30	0.7	0.14	0.5	1.1	9	1.4	0.47	0.6	2.7	
1994	34	0.9	0.15	0.6	1.2	5	0.9	0.40	0.3	2.1	
1995	40	0.9	0.15	0.7	1.3	6	1.1	0.47	0.4	2.4	
1996	22	0.5	0.11	0.3	0.8	13	2.1	0.65	1.1	3.8	
1997	30	0.7	0.13	0.5	1.0	14	1.8	0.49	1.0	3.1	
1998	21	0.5	0.11	0.3	0.8	11	1.4	0.44	0.7	2.6	
1999	22	0.5	0.11	0.3	0.8	9	1.1	0.37	0.5	2.1	
2000	35	0.8	0.14	0.6	1.1	10	1.5	0.51	0.7	2.9	
2001	26	0.6	0.12	0.4	0.9	10	1.2	0.39	0.6	2.3	
2002	31	0.7	0.13	0.5	1.0	12	1.7	0.50	0.9	3.0	
2003	36	0.8	0.14	0.6	1.2	11	1.4	0.44	0.7	2.6	
2004	31	0.7	0.12	0.5	1.0	16	2.4	0.64	1.3	3.9	
2005	33	0.7	0.13	0.5	1.0	6	1.0	0.43	0.4	2.2	
2006	34	0.8	0.13	0.5	1.1	3	0.4	0.26	0.1	1.3	
2007	28	0.6	0.12	0.4	0.9	11	1.5	0.49	0.7	2.8	
2008	25	0.5	0.11	0.3	0.8	10	1.5	0.51	0.7	2.9	
2009	28	0.6	0.11	0.4	0.9	11	1.4	0.43	0.7	2.5	
2010	36	0.7	0.12	0.5	1.0	12	1.5	0.44	0.8	2.6	
2011	32	0.7	0.12	0.5	1.0	15	1.7	0.44	0.9	2.8	
2012	32	0.7	0.12	0.4	0.9	12	1.5	0.44	0.8	2.6	
2013	34	0.7	0.12	0.5	1.0	8	1.1	0.42	0.5	2.3	
2014	25	0.5	0.10	0.3	0.7	9	1.3	0.43	0.6	2.4	
2015	28	0.6	0.11	0.4	0.9	11	1.2	0.36	0.6	2.1	
2016	30	0.5	0.10	0.4	0.8	14	1.6	0.44	0.9	2.7	
2017	30	0.7	0.12	0.4	0.9	9	1.0	0.33	0.4	1.9	
2018	26	0.5	0.11	0.3	0.8	5	0.6	0.26	0.2	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Nasopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	38	0.2	0.04	0.2	0.3	618	0.3	0.01	0.3	0.4
1990	2	0.6	0.46	0.1	2.7	21	0.4	0.08	0.2	0.6
1991	1	0.5	0.50	0.0	2.7	23	0.4	0.09	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	18	0.3	0.08	0.2	0.5
1993	0					17	0.3	0.07	0.2	0.5
1994	1	0.6	0.58	0.0	2.8	22	0.4	0.09	0.3	0.6
1995	0					25	0.4	0.09	0.3	0.6
1996	0					23	0.4	0.08	0.2	0.6
1997	1	0.2	0.22	0.0	1.7	16	0.3	0.07	0.2	0.4
1998	2	0.3	0.19	0.0	1.6	32	0.5	0.09	0.4	0.7
1999	1	0.3	0.26	0.0	1.7	27	0.5	0.09	0.3	0.7
2000	2	0.8	0.75	0.0	3.2	23	0.4	0.08	0.3	0.6
2001	1	0.1	0.09	0.0	1.2	21	0.4	0.08	0.2	0.5
2002	2	0.4	0.26	0.0	1.6	18	0.3	0.07	0.2	0.5
2003	0					17	0.3	0.07	0.2	0.5
2004	0					21	0.3	0.07	0.2	0.5
2005	3	0.5	0.30	0.1	1.6	19	0.3	0.07	0.2	0.5
2006	1	0.2	0.17	0.0	1.1	24	0.4	0.07	0.2	0.5
2007	0					18	0.3	0.07	0.2	0.5
2008	2	0.3	0.22	0.0	1.2	19	0.3	0.07	0.2	0.5
2009	2	0.2	0.16	0.0	1.0	30	0.5	0.08	0.3	0.7
2010	3	0.3	0.17	0.1	1.1	17	0.3	0.07	0.2	0.4
2011	1	0.1	0.13	0.0	0.8	20	0.3	0.07	0.2	0.5
2012	2	0.2	0.15	0.0	0.9	16	0.2	0.06	0.1	0.4
2013	2	0.4	0.27	0.0	1.3	11	0.2	0.06	0.1	0.3
2014	0					23	0.3	0.07	0.2	0.5
2015	4	0.5	0.24	0.1	1.3	29	0.4	0.08	0.3	0.6
2016	1	0.1	0.07	0.0	0.6	23	0.4	0.08	0.2	0.5
2017	1	0.1	0.08	0.0	0.6	22	0.3	0.07	0.2	0.5
2018	2	0.2	0.13	0.0	0.8	23	0.3	0.08	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Nasopharynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	387	0.3	0.01	0.2	0.3	128	0.5	0.04	0.4	0.6	
1990	13	0.3	0.08	0.2	0.5	5	0.7	0.30	0.2	1.6	
1991	15	0.3	0.08	0.2	0.5	4	0.4	0.23	0.1	1.2	
1992	15	0.3	0.08	0.2	0.5	2	0.2	0.13	0.0	0.8	
1993	12	0.2	0.07	0.1	0.4	2	0.3	0.18	0.0	0.9	
1994	11	0.2	0.07	0.1	0.4	7	0.8	0.32	0.3	1.7	
1995	23	0.5	0.10	0.3	0.7	1	0.1	0.12	0.0	0.7	
1996	17	0.3	0.08	0.2	0.5	5	0.6	0.28	0.2	1.4	
1997	9	0.2	0.06	0.1	0.4	2	0.3	0.18	0.0	0.9	
1998	21	0.4	0.09	0.3	0.6	6	0.6	0.26	0.2	1.4	
1999	13	0.3	0.07	0.1	0.4	7	0.8	0.29	0.3	1.6	
2000	13	0.3	0.07	0.1	0.5	6	0.7	0.27	0.2	1.4	
2001	15	0.3	0.08	0.2	0.5	6	0.6	0.25	0.2	1.4	
2002	13	0.2	0.07	0.1	0.4	4	0.4	0.22	0.1	1.1	
2003	12	0.2	0.07	0.1	0.4	1	0.1	0.09	0.0	0.6	
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1	
2005	11	0.2	0.07	0.1	0.4	2	0.2	0.13	0.0	0.7	
2006	14	0.2	0.07	0.1	0.4	3	0.3	0.17	0.1	0.9	
2007	10	0.2	0.06	0.1	0.4	3	0.3	0.18	0.1	0.9	
2008	12	0.2	0.07	0.1	0.4	6	0.6	0.24	0.2	1.3	
2009	15	0.3	0.07	0.2	0.5	9	0.9	0.30	0.4	1.7	
2010	8	0.2	0.06	0.1	0.4	5	0.5	0.23	0.2	1.2	
2011	14	0.3	0.07	0.1	0.5	4	0.4	0.20	0.1	1.0	
2012	8	0.1	0.05	0.1	0.3	5	0.6	0.25	0.2	1.3	
2013	7	0.1	0.05	0.1	0.3	3	0.4	0.20	0.1	1.0	
2014	13	0.2	0.07	0.1	0.4	7	0.6	0.23	0.2	1.3	
2015	16	0.3	0.08	0.2	0.5	6	0.6	0.23	0.2	1.2	
2016	14	0.3	0.08	0.1	0.5	3	0.3	0.17	0.1	0.9	
2017	15	0.2	0.06	0.1	0.4	6	0.5	0.22	0.2	1.2	
2018	15	0.3	0.08	0.2	0.5	4	0.4	0.19	0.1	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oropharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	66	0.3	0.04	0.2	0.4	1,976	0.6	0.01	0.5	0.6
1990	1	0.3	0.27	0.0	1.5	42	0.4	0.06	0.3	0.5
1991	0					41	0.4	0.06	0.3	0.5
1992	0					36	0.3	0.06	0.2	0.5
1993	0					37	0.4	0.06	0.3	0.5
1994	2	0.7	0.55	0.1	2.4	49	0.5	0.07	0.4	0.6
1995	1	0.3	0.29	0.0	1.4	31	0.3	0.05	0.2	0.4
1996	3	0.8	0.55	0.1	2.5	55	0.5	0.07	0.4	0.7
1997	2	0.9	0.67	0.1	2.8	43	0.4	0.06	0.3	0.5
1998	1	0.2	0.19	0.0	1.1	68	0.6	0.07	0.5	0.8
1999	0					42	0.4	0.06	0.3	0.5
2000	2	0.4	0.27	0.0	1.3	53	0.5	0.06	0.4	0.6
2001	4	0.8	0.48	0.1	2.1	62	0.5	0.07	0.4	0.7
2002	5	0.8	0.38	0.2	1.9	62	0.5	0.07	0.4	0.7
2003	1	0.1	0.10	0.0	0.7	68	0.6	0.07	0.5	0.7
2004	2	0.2	0.17	0.0	0.9	61	0.5	0.07	0.4	0.7
2005	1	0.1	0.06	0.0	0.6	73	0.6	0.07	0.5	0.8
2006	2	0.2	0.13	0.0	0.7	67	0.6	0.07	0.4	0.7
2007	3	0.3	0.17	0.1	0.9	89	0.7	0.08	0.6	0.9
2008	5	0.5	0.21	0.1	1.1	80	0.6	0.07	0.5	0.8
2009	3	0.3	0.21	0.0	1.0	77	0.6	0.07	0.5	0.8
2010	4	0.5	0.26	0.1	1.2	103	0.8	0.08	0.7	1.0
2011	4	0.3	0.13	0.1	0.7	115	0.9	0.08	0.7	1.1
2012	3	0.2	0.11	0.0	0.6	77	0.6	0.07	0.5	0.7
2013	1	0.2	0.17	0.0	0.7	83	0.6	0.07	0.5	0.8
2014	2	0.1	0.08	0.0	0.5	89	0.6	0.07	0.5	0.8
2015	3	0.2	0.10	0.0	0.5	75	0.5	0.06	0.4	0.7
2016	3	0.2	0.10	0.0	0.5	86	0.6	0.07	0.5	0.8
2017	4	0.2	0.12	0.1	0.6	82	0.6	0.06	0.4	0.7
2018	4	0.3	0.13	0.1	0.6	130	0.9	0.08	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oropharynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,537	0.5	0.01	0.5	0.6	409	0.9	0.04	0.8	1.0	
1990	30	0.3	0.06	0.2	0.5	10	0.8	0.27	0.4	1.5	
1991	33	0.4	0.06	0.3	0.5	7	0.6	0.23	0.2	1.2	
1992	28	0.3	0.06	0.2	0.4	8	0.6	0.21	0.3	1.2	
1993	29	0.3	0.06	0.2	0.5	8	0.6	0.22	0.3	1.2	
1994	36	0.4	0.07	0.3	0.6	13	1.0	0.28	0.5	1.7	
1995	24	0.3	0.05	0.2	0.4	7	0.5	0.18	0.2	1.0	
1996	37	0.4	0.07	0.3	0.6	17	1.2	0.30	0.7	2.0	
1997	30	0.3	0.06	0.2	0.5	12	0.9	0.25	0.4	1.5	
1998	43	0.5	0.07	0.3	0.6	25	1.8	0.35	1.1	2.6	
1999	33	0.4	0.06	0.2	0.5	9	0.6	0.20	0.3	1.1	
2000	45	0.5	0.07	0.3	0.6	8	0.5	0.18	0.2	1.0	
2001	49	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4	
2002	51	0.5	0.07	0.4	0.7	11	0.7	0.21	0.4	1.2	
2003	57	0.6	0.08	0.4	0.8	11	0.6	0.19	0.3	1.2	
2004	45	0.5	0.07	0.3	0.6	16	1.0	0.24	0.5	1.5	
2005	58	0.6	0.08	0.5	0.8	14	0.8	0.22	0.4	1.4	
2006	52	0.5	0.07	0.4	0.7	11	0.7	0.20	0.3	1.2	
2007	67	0.7	0.08	0.5	0.8	22	1.3	0.29	0.8	2.0	
2008	62	0.6	0.08	0.5	0.8	15	0.8	0.20	0.4	1.3	
2009	67	0.6	0.08	0.5	0.8	10	0.5	0.17	0.3	1.0	
2010	73	0.7	0.08	0.5	0.9	25	1.4	0.28	0.9	2.1	
2011	87	0.8	0.09	0.7	1.0	26	1.4	0.28	0.9	2.1	
2012	56	0.5	0.07	0.4	0.7	21	1.1	0.25	0.7	1.7	
2013	71	0.6	0.08	0.5	0.8	12	0.7	0.19	0.3	1.2	
2014	65	0.6	0.07	0.5	0.8	23	1.2	0.25	0.7	1.8	
2015	61	0.5	0.07	0.4	0.7	14	0.7	0.20	0.4	1.3	
2016	75	0.7	0.08	0.5	0.9	10	0.5	0.15	0.2	0.9	
2017	63	0.5	0.07	0.4	0.7	17	0.8	0.21	0.5	1.4	
2018	110	1.0	0.10	0.8	1.2	16	0.8	0.20	0.4	1.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oropharynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	55	0.5	0.08	0.4	0.7	1,499	0.9	0.02	0.9	1.0
1990	0					23	0.5	0.11	0.3	0.8
1991	0					24	0.5	0.11	0.3	0.8
1992	0					23	0.5	0.10	0.3	0.7
1993	0					23	0.5	0.10	0.3	0.7
1994	2	1.8	1.45	0.1	6.2	40	0.9	0.14	0.6	1.2
1995	1	0.6	0.63	0.0	3.3	25	0.5	0.10	0.3	0.8
1996	3	2.0	1.41	0.2	6.1	40	0.8	0.13	0.6	1.1
1997	1	1.5	1.51	0.0	6.1	33	0.7	0.12	0.5	0.9
1998	1	0.4	0.41	0.0	2.5	55	1.1	0.15	0.8	1.4
1999	0					32	0.6	0.11	0.4	0.9
2000	1	0.5	0.49	0.0	2.6	42	0.8	0.13	0.6	1.1
2001	4	1.8	1.29	0.2	5.5	48	0.9	0.13	0.7	1.2
2002	4	1.4	0.77	0.3	3.8	48	0.9	0.13	0.7	1.2
2003	1	0.2	0.19	0.0	1.6	48	0.9	0.13	0.7	1.2
2004	2	0.5	0.35	0.1	2.0	43	0.8	0.12	0.6	1.1
2005	1	0.1	0.11	0.0	1.3	60	1.1	0.14	0.8	1.4
2006	2	0.4	0.27	0.0	1.6	53	0.9	0.13	0.7	1.2
2007	3	0.6	0.34	0.1	1.8	69	1.2	0.15	0.9	1.5
2008	5	0.9	0.44	0.3	2.3	62	1.1	0.13	0.8	1.4
2009	3	0.7	0.47	0.1	2.2	60	1.0	0.13	0.8	1.3
2010	3	0.6	0.39	0.1	1.9	81	1.3	0.15	1.1	1.7
2011	4	0.5	0.26	0.1	1.5	85	1.4	0.16	1.1	1.8
2012	3	0.4	0.20	0.1	1.2	55	0.9	0.12	0.7	1.2
2013	1	0.4	0.43	0.0	1.8	58	0.9	0.12	0.7	1.2
2014	1	0.1	0.11	0.0	0.8	70	1.1	0.13	0.8	1.4
2015	1	0.2	0.16	0.0	0.9	60	0.9	0.12	0.7	1.2
2016	3	0.3	0.19	0.1	1.0	74	1.1	0.14	0.9	1.5
2017	2	0.2	0.15	0.0	0.9	65	0.9	0.12	0.7	1.2
2018	3	0.4	0.24	0.1	1.2	100	1.5	0.16	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oropharynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,166	0.9	0.03	0.8	0.9	309	1.5	0.09	1.3	1.7	
1990	18	0.5	0.11	0.3	0.7	3	0.6	0.35	0.1	1.7	
1991	19	0.5	0.11	0.3	0.7	4	0.7	0.37	0.2	1.9	
1992	18	0.4	0.10	0.3	0.7	5	0.8	0.37	0.3	2.0	
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.39	0.3	2.0	
1994	29	0.7	0.13	0.5	1.0	11	2.0	0.59	1.0	3.5	
1995	22	0.5	0.11	0.3	0.8	3	0.5	0.28	0.1	1.5	
1996	27	0.6	0.12	0.4	0.9	12	1.9	0.55	1.0	3.3	
1997	22	0.5	0.11	0.3	0.8	10	1.7	0.56	0.8	3.2	
1998	34	0.8	0.14	0.6	1.1	21	3.4	0.76	2.1	5.2	
1999	25	0.6	0.12	0.4	0.9	7	1.0	0.39	0.4	2.2	
2000	34	0.8	0.14	0.6	1.1	8	1.2	0.42	0.5	2.3	
2001	40	0.9	0.15	0.7	1.3	8	1.2	0.41	0.5	2.3	
2002	39	0.9	0.14	0.6	1.2	9	1.3	0.44	0.6	2.5	
2003	39	0.9	0.14	0.6	1.2	9	1.2	0.40	0.6	2.3	
2004	32	0.7	0.13	0.5	1.0	11	1.5	0.45	0.7	2.7	
2005	47	1.0	0.15	0.8	1.4	12	1.7	0.50	0.8	3.0	
2006	41	0.9	0.14	0.6	1.2	9	1.2	0.41	0.6	2.3	
2007	52	1.1	0.15	0.8	1.4	17	2.5	0.65	1.4	4.1	
2008	45	0.9	0.14	0.7	1.3	15	1.7	0.45	1.0	2.9	
2009	51	1.0	0.15	0.8	1.4	9	1.1	0.35	0.5	2.0	
2010	58	1.2	0.16	0.9	1.5	18	2.3	0.55	1.3	3.7	
2011	63	1.3	0.17	1.0	1.7	20	2.5	0.57	1.5	3.9	
2012	42	0.8	0.12	0.6	1.1	13	1.6	0.47	0.8	2.8	
2013	51	1.0	0.14	0.7	1.3	7	0.9	0.37	0.4	2.0	
2014	50	0.9	0.14	0.7	1.3	19	2.4	0.57	1.4	3.8	
2015	49	0.9	0.13	0.7	1.2	11	1.3	0.41	0.6	2.4	
2016	64	1.2	0.16	0.9	1.6	9	1.0	0.36	0.5	2.0	
2017	51	0.9	0.12	0.6	1.2	13	1.5	0.44	0.8	2.7	
2018	86	1.6	0.18	1.3	2.0	11	1.3	0.42	0.6	2.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oropharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11	0.1	0.03	0.0	0.2	477	0.3	0.01	0.2	0.3
1990	1	0.5	0.52	0.0	2.8	19	0.3	0.07	0.2	0.5
1991	0					17	0.3	0.07	0.2	0.5
1992	0					13	0.2	0.06	0.1	0.4
1993	0					14	0.2	0.06	0.1	0.4
1994	0					9	0.2	0.06	0.1	0.3
1995	0					6	0.1	0.04	0.0	0.2
1996	0					15	0.2	0.06	0.1	0.4
1997	1	0.7	0.66	0.0	2.9	10	0.2	0.05	0.1	0.3
1998	0					13	0.2	0.06	0.1	0.4
1999	0					10	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	1.6	11	0.2	0.05	0.1	0.3
2001	0					14	0.2	0.06	0.1	0.4
2002	1	0.3	0.27	0.0	1.5	14	0.2	0.06	0.1	0.4
2003	0					20	0.3	0.07	0.2	0.5
2004	0					18	0.3	0.07	0.2	0.5
2005	0					13	0.2	0.06	0.1	0.4
2006	0					14	0.2	0.06	0.1	0.4
2007	0					20	0.3	0.07	0.2	0.5
2008	0					18	0.3	0.06	0.2	0.4
2009	0					17	0.3	0.06	0.2	0.4
2010	1	0.3	0.32	0.0	1.4	22	0.3	0.07	0.2	0.5
2011	0					30	0.4	0.08	0.3	0.6
2012	0					22	0.3	0.07	0.2	0.5
2013	0					25	0.3	0.07	0.2	0.5
2014	1	0.1	0.12	0.0	0.7	19	0.3	0.06	0.2	0.4
2015	2	0.2	0.14	0.0	0.8	15	0.2	0.06	0.1	0.4
2016	0					12	0.2	0.05	0.1	0.3
2017	2	0.3	0.18	0.0	0.9	17	0.2	0.05	0.1	0.3
2018	1	0.1	0.11	0.0	0.6	30	0.4	0.07	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Oropharynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	371	0.2	0.01	0.2	0.3	100	0.4	0.04	0.3	0.5	
1990	12	0.2	0.06	0.1	0.4	7	1.0	0.37	0.4	2.0	
1991	14	0.3	0.08	0.2	0.5	3	0.5	0.27	0.1	1.3	
1992	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.2	
1993	11	0.2	0.06	0.1	0.3	3	0.4	0.25	0.1	1.2	
1994	7	0.2	0.06	0.1	0.3	2	0.3	0.20	0.0	1.0	
1995	2	0.0	0.02	0.0	0.1	4	0.5	0.24	0.1	1.2	
1996	10	0.2	0.06	0.1	0.4	5	0.6	0.29	0.2	1.5	
1997	8	0.2	0.05	0.1	0.3	2	0.3	0.17	0.0	0.9	
1998	9	0.2	0.06	0.1	0.3	4	0.5	0.25	0.1	1.3	
1999	8	0.2	0.06	0.1	0.3	2	0.2	0.16	0.0	0.8	
2000	11	0.2	0.06	0.1	0.4	0					
2001	9	0.2	0.06	0.1	0.3	3	0.4	0.23	0.1	1.1	
2002	12	0.2	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8	
2003	18	0.3	0.08	0.2	0.6	2	0.2	0.15	0.0	0.8	
2004	13	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.2	
2005	11	0.2	0.06	0.1	0.4	2	0.2	0.14	0.0	0.7	
2006	11	0.2	0.06	0.1	0.4	2	0.2	0.16	0.0	0.8	
2007	15	0.3	0.07	0.2	0.5	5	0.5	0.24	0.2	1.2	
2008	17	0.3	0.07	0.2	0.5	0					
2009	16	0.3	0.07	0.2	0.5	1	0.1	0.12	0.0	0.6	
2010	15	0.3	0.07	0.2	0.5	7	0.7	0.28	0.3	1.5	
2011	24	0.4	0.08	0.3	0.6	6	0.6	0.25	0.2	1.3	
2012	14	0.2	0.07	0.1	0.4	8	0.7	0.26	0.3	1.5	
2013	20	0.3	0.08	0.2	0.5	5	0.5	0.21	0.2	1.1	
2014	15	0.3	0.07	0.1	0.5	4	0.3	0.16	0.1	0.9	
2015	12	0.2	0.06	0.1	0.4	3	0.3	0.19	0.1	0.9	
2016	11	0.2	0.07	0.1	0.4	1	0.1	0.07	0.0	0.5	
2017	12	0.2	0.06	0.1	0.4	4	0.3	0.14	0.1	0.8	
2018	24	0.4	0.08	0.2	0.6	5	0.4	0.19	0.1	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hypopharynx											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	115	0.5	0.05	0.4	0.6	3,012	0.9	0.02	0.8	0.9	
1990	2	0.7	0.56	0.1	2.5	105	1.0	0.10	0.8	1.2	
1991	0					92	0.9	0.10	0.7	1.1	
1992	2	0.4	0.28	0.1	1.6	110	1.0	0.10	0.9	1.3	
1993	1	0.2	0.19	0.0	1.2	109	1.0	0.10	0.8	1.2	
1994	2	0.5	0.36	0.1	1.8	95	0.9	0.09	0.7	1.1	
1995	3	0.7	0.49	0.1	2.2	124	1.1	0.10	0.9	1.4	
1996	5	1.0	0.47	0.3	2.4	110	1.0	0.10	0.8	1.2	
1997	2	0.3	0.20	0.0	1.2	99	0.9	0.09	0.7	1.1	
1998	2	0.4	0.28	0.0	1.4	109	1.0	0.09	0.8	1.2	
1999	2	0.5	0.34	0.1	1.6	101	0.9	0.09	0.7	1.1	
2000	2	0.6	0.45	0.0	1.9	107	1.0	0.09	0.8	1.2	
2001	4	0.8	0.46	0.2	2.2	103	0.9	0.09	0.7	1.1	
2002	3	0.4	0.23	0.1	1.2	95	0.8	0.08	0.7	1.0	
2003	3	0.4	0.22	0.1	1.2	101	0.9	0.09	0.7	1.1	
2004	2	0.2	0.11	0.0	0.7	123	1.0	0.09	0.9	1.2	
2005	4	0.4	0.21	0.1	1.1	100	0.8	0.08	0.7	1.0	
2006	5	0.5	0.23	0.2	1.2	107	0.9	0.09	0.7	1.1	
2007	4	0.3	0.16	0.1	0.9	104	0.8	0.08	0.7	1.0	
2008	5	0.8	0.38	0.2	1.8	117	0.9	0.09	0.8	1.1	
2009	4	0.5	0.26	0.1	1.3	81	0.6	0.07	0.5	0.8	
2010	3	0.3	0.20	0.1	1.0	107	0.8	0.08	0.7	1.0	
2011	9	1.0	0.38	0.4	2.0	116	0.9	0.09	0.8	1.1	
2012	4	0.4	0.22	0.1	1.0	112	0.8	0.08	0.7	1.0	
2013	8	0.6	0.22	0.3	1.2	92	0.7	0.07	0.5	0.8	
2014	9	0.8	0.29	0.3	1.6	94	0.7	0.07	0.5	0.8	
2015	2	0.2	0.15	0.0	0.7	107	0.8	0.08	0.6	1.0	
2016	10	0.8	0.25	0.3	1.4	108	0.7	0.07	0.6	0.9	
2017	6	0.5	0.22	0.2	1.1	92	0.6	0.07	0.5	0.8	
2018	7	0.4	0.15	0.2	0.8	92	0.6	0.06	0.5	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hypopharynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,275	0.8	0.02	0.7	0.8	690	1.5	0.06	1.4	1.6	
1990	79	0.8	0.10	0.7	1.1	26	2.2	0.43	1.4	3.2	
1991	62	0.7	0.09	0.5	0.9	29	2.3	0.43	1.5	3.3	
1992	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2	
1993	85	0.9	0.10	0.7	1.1	24	1.9	0.39	1.2	2.8	
1994	67	0.7	0.09	0.6	0.9	26	1.9	0.38	1.3	2.8	
1995	99	1.0	0.11	0.9	1.3	25	1.9	0.37	1.2	2.7	
1996	89	1.0	0.10	0.8	1.2	21	1.5	0.33	0.9	2.3	
1997	75	0.8	0.09	0.6	1.0	24	1.7	0.34	1.1	2.5	
1998	80	0.8	0.09	0.7	1.1	25	1.8	0.36	1.1	2.6	
1999	74	0.8	0.09	0.6	1.0	25	1.7	0.34	1.1	2.5	
2000	78	0.8	0.09	0.7	1.0	26	1.8	0.35	1.2	2.6	
2001	82	0.9	0.10	0.7	1.1	21	1.5	0.32	0.9	2.2	
2002	73	0.8	0.09	0.6	1.0	22	1.5	0.32	0.9	2.3	
2003	80	0.8	0.09	0.7	1.0	20	1.2	0.27	0.7	1.9	
2004	85	0.9	0.09	0.7	1.1	36	2.2	0.36	1.5	3.0	
2005	71	0.7	0.09	0.6	0.9	27	1.6	0.32	1.1	2.4	
2006	77	0.8	0.09	0.6	1.0	29	1.7	0.32	1.1	2.4	
2007	71	0.7	0.08	0.5	0.9	30	1.8	0.33	1.2	2.5	
2008	80	0.8	0.09	0.6	1.0	36	2.1	0.35	1.5	2.9	
2009	71	0.7	0.08	0.5	0.9	10	0.6	0.19	0.3	1.1	
2010	78	0.7	0.08	0.6	0.9	27	1.5	0.30	1.0	2.2	
2011	90	0.9	0.09	0.7	1.1	23	1.3	0.28	0.8	2.0	
2012	85	0.8	0.09	0.6	1.0	27	1.5	0.29	1.0	2.1	
2013	68	0.6	0.08	0.5	0.8	23	1.2	0.26	0.8	1.8	
2014	73	0.6	0.08	0.5	0.8	18	1.0	0.24	0.6	1.6	
2015	83	0.8	0.08	0.6	0.9	22	1.1	0.25	0.7	1.7	
2016	87	0.7	0.08	0.6	0.9	16	0.8	0.21	0.5	1.4	
2017	73	0.6	0.08	0.5	0.8	16	0.7	0.19	0.4	1.2	
2018	69	0.6	0.07	0.4	0.7	18	0.9	0.21	0.5	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hypopharynx											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	104	1.0	0.11	0.8	1.2	2,401	1.5	0.03	1.5	1.6	
1990	1	1.3	1.34	0.0	5.9	77	1.7	0.19	1.3	2.1	
1991	0					75	1.7	0.20	1.3	2.2	
1992	2	0.8	0.56	0.1	3.5	93	2.0	0.20	1.6	2.4	
1993	1	0.4	0.38	0.0	2.9	89	1.9	0.20	1.5	2.3	
1994	2	1.1	0.77	0.1	4.0	72	1.5	0.17	1.2	1.9	
1995	3	1.7	1.17	0.2	5.3	94	1.9	0.20	1.6	2.4	
1996	5	2.1	0.98	0.7	5.2	90	1.8	0.19	1.5	2.3	
1997	2	0.6	0.40	0.1	2.7	76	1.6	0.18	1.2	2.0	
1998	2	0.8	0.60	0.1	3.1	90	1.8	0.19	1.5	2.3	
1999	1	0.5	0.52	0.0	2.7	79	1.6	0.18	1.3	2.0	
2000	1	0.2	0.23	0.0	1.9	88	1.8	0.19	1.4	2.2	
2001	4	1.9	1.10	0.4	5.0	83	1.6	0.18	1.3	2.0	
2002	3	0.8	0.47	0.2	2.6	75	1.4	0.17	1.1	1.8	
2003	3	0.8	0.46	0.2	2.5	83	1.6	0.18	1.3	2.0	
2004	2	0.3	0.21	0.0	1.6	107	2.0	0.19	1.6	2.4	
2005	2	0.5	0.35	0.1	1.9	77	1.4	0.17	1.1	1.8	
2006	5	1.0	0.47	0.3	2.5	83	1.5	0.17	1.2	1.9	
2007	4	0.6	0.31	0.2	1.8	81	1.4	0.16	1.1	1.8	
2008	3	0.5	0.31	0.1	1.7	92	1.6	0.17	1.3	2.0	
2009	4	1.1	0.59	0.2	2.8	67	1.2	0.15	0.9	1.5	
2010	3	0.7	0.44	0.1	2.1	90	1.6	0.17	1.3	1.9	
2011	9	2.3	0.88	0.9	4.6	90	1.6	0.17	1.2	1.9	
2012	4	0.9	0.53	0.2	2.4	93	1.5	0.16	1.2	1.8	
2013	8	1.2	0.47	0.5	2.5	76	1.2	0.14	1.0	1.5	
2014	6	1.4	0.60	0.4	3.0	70	1.1	0.14	0.9	1.4	
2015	2	0.5	0.37	0.0	1.6	88	1.4	0.15	1.1	1.8	
2016	9	1.5	0.53	0.6	2.9	85	1.3	0.14	1.0	1.6	
2017	6	1.0	0.48	0.3	2.3	71	1.1	0.13	0.8	1.4	
2018	7	0.8	0.29	0.3	1.6	67	1.0	0.12	0.7	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hypopharynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,790	1.3	0.03	1.3	1.4	572	2.9	0.12	2.7	3.2	
1990	57	1.4	0.19	1.1	1.8	20	3.8	0.87	2.3	6.0	
1991	51	1.4	0.19	1.0	1.8	23	4.2	0.90	2.7	6.4	
1992	75	1.8	0.21	1.4	2.3	17	3.1	0.76	1.8	5.0	
1993	72	1.7	0.21	1.4	2.2	17	3.2	0.80	1.8	5.2	
1994	48	1.2	0.17	0.9	1.6	22	3.7	0.80	2.3	5.6	
1995	73	1.7	0.20	1.4	2.2	21	3.6	0.80	2.2	5.6	
1996	72	1.7	0.20	1.3	2.2	18	3.0	0.72	1.8	4.8	
1997	55	1.4	0.18	1.0	1.8	21	3.5	0.76	2.1	5.3	
1998	65	1.6	0.19	1.2	2.0	22	3.7	0.81	2.2	5.6	
1999	57	1.4	0.18	1.0	1.8	20	3.2	0.74	1.9	5.0	
2000	65	1.5	0.19	1.2	2.0	21	3.6	0.84	2.1	5.6	
2001	66	1.5	0.19	1.2	1.9	17	3.0	0.76	1.7	4.9	
2002	56	1.3	0.17	1.0	1.7	19	3.1	0.74	1.8	4.9	
2003	63	1.5	0.18	1.1	1.9	19	2.6	0.61	1.6	4.2	
2004	72	1.6	0.19	1.3	2.1	33	4.6	0.82	3.2	6.6	
2005	53	1.2	0.17	0.9	1.6	22	3.0	0.65	1.9	4.6	
2006	58	1.3	0.17	1.0	1.7	24	3.2	0.66	2.0	4.8	
2007	52	1.1	0.15	0.8	1.4	26	3.7	0.74	2.4	5.4	
2008	64	1.3	0.17	1.0	1.7	27	3.7	0.74	2.4	5.4	
2009	60	1.3	0.16	1.0	1.6	7	0.9	0.36	0.4	2.0	
2010	67	1.4	0.18	1.1	1.8	21	2.9	0.67	1.7	4.5	
2011	67	1.4	0.17	1.1	1.8	20	2.7	0.63	1.6	4.2	
2012	70	1.4	0.17	1.1	1.8	23	2.8	0.59	1.8	4.2	
2013	59	1.1	0.15	0.9	1.5	17	2.2	0.56	1.2	3.6	
2014	53	1.0	0.14	0.8	1.4	15	2.1	0.56	1.1	3.5	
2015	68	1.3	0.17	1.0	1.7	19	2.4	0.58	1.4	3.8	
2016	68	1.2	0.15	0.9	1.6	14	1.8	0.51	1.0	3.1	
2017	55	1.0	0.14	0.8	1.4	13	1.4	0.40	0.7	2.5	
2018	49	0.9	0.13	0.6	1.2	14	1.7	0.46	0.9	2.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hypopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11	0.1	0.03	0.1	0.2	611	0.3	0.01	0.3	0.3
1990	1	0.4	0.43	0.0	2.5	28	0.5	0.09	0.3	0.7
1991	0					17	0.3	0.07	0.2	0.5
1992	0					17	0.3	0.07	0.2	0.5
1993	0					20	0.3	0.07	0.2	0.5
1994	0					23	0.4	0.08	0.2	0.6
1995	0					30	0.5	0.09	0.3	0.7
1996	0					20	0.3	0.08	0.2	0.5
1997	0					23	0.4	0.08	0.2	0.6
1998	0					19	0.3	0.07	0.2	0.5
1999	1	0.4	0.44	0.0	2.2	22	0.4	0.08	0.2	0.5
2000	1	0.7	0.73	0.0	3.1	19	0.3	0.07	0.2	0.5
2001	0					20	0.3	0.07	0.2	0.5
2002	0					20	0.3	0.07	0.2	0.5
2003	0					18	0.3	0.07	0.2	0.4
2004	0					16	0.3	0.06	0.2	0.4
2005	2	0.4	0.26	0.0	1.4	23	0.4	0.07	0.2	0.5
2006	0					24	0.4	0.07	0.2	0.5
2007	0					23	0.3	0.07	0.2	0.5
2008	2	0.8	0.58	0.1	2.5	25	0.4	0.07	0.2	0.6
2009	0					14	0.2	0.05	0.1	0.3
2010	0					17	0.2	0.06	0.1	0.4
2011	0					26	0.4	0.08	0.3	0.6
2012	0					19	0.3	0.06	0.2	0.4
2013	0					16	0.2	0.06	0.1	0.4
2014	3	0.4	0.23	0.1	1.2	24	0.3	0.07	0.2	0.5
2015	0					19	0.3	0.06	0.2	0.4
2016	1	0.1	0.11	0.0	0.7	23	0.3	0.07	0.2	0.5
2017	0					21	0.3	0.06	0.2	0.4
2018	0					25	0.3	0.06	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hypopharynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	485	0.3	0.01	0.3	0.3	118	0.4	0.04	0.4	0.5	
1990	22	0.4	0.08	0.2	0.6	6	0.9	0.38	0.3	2.0	
1991	11	0.2	0.07	0.1	0.4	6	0.8	0.33	0.3	1.7	
1992	16	0.3	0.08	0.2	0.5	1	0.1	0.13	0.0	0.7	
1993	13	0.2	0.07	0.1	0.4	7	1.0	0.37	0.4	2.0	
1994	19	0.4	0.08	0.2	0.6	4	0.6	0.29	0.2	1.4	
1995	26	0.5	0.10	0.3	0.7	4	0.5	0.26	0.1	1.3	
1996	17	0.4	0.09	0.2	0.6	3	0.4	0.20	0.1	1.0	
1997	20	0.4	0.09	0.2	0.6	3	0.3	0.20	0.1	1.0	
1998	15	0.3	0.07	0.2	0.5	3	0.4	0.24	0.1	1.1	
1999	17	0.3	0.08	0.2	0.5	5	0.6	0.25	0.2	1.3	
2000	13	0.3	0.07	0.1	0.4	5	0.6	0.26	0.2	1.4	
2001	16	0.3	0.08	0.2	0.5	4	0.5	0.22	0.1	1.1	
2002	17	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0	
2003	17	0.3	0.08	0.2	0.5	1	0.1	0.10	0.0	0.6	
2004	13	0.3	0.07	0.1	0.4	3	0.3	0.18	0.1	0.9	
2005	18	0.3	0.08	0.2	0.6	5	0.6	0.26	0.2	1.3	
2006	19	0.4	0.08	0.2	0.6	5	0.5	0.24	0.2	1.2	
2007	19	0.4	0.08	0.2	0.6	4	0.4	0.19	0.1	1.0	
2008	16	0.3	0.07	0.2	0.5	9	0.9	0.32	0.4	1.8	
2009	11	0.2	0.06	0.1	0.3	3	0.3	0.18	0.1	0.9	
2010	11	0.2	0.06	0.1	0.3	6	0.6	0.23	0.2	1.3	
2011	23	0.4	0.09	0.3	0.6	3	0.3	0.16	0.1	0.8	
2012	15	0.3	0.07	0.1	0.4	4	0.5	0.23	0.1	1.1	
2013	9	0.2	0.05	0.1	0.3	6	0.5	0.22	0.2	1.2	
2014	20	0.3	0.08	0.2	0.5	3	0.3	0.18	0.1	0.9	
2015	15	0.3	0.07	0.1	0.4	3	0.3	0.15	0.1	0.8	
2016	19	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7	
2017	18	0.3	0.07	0.2	0.5	3	0.3	0.15	0.1	0.8	
2018	20	0.3	0.07	0.2	0.5	4	0.3	0.17	0.1	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Digestive System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	17,612	84.3	0.71	82.9	85.7	323,464	92.4	0.16	92.1	92.7
1990	238	70.9	5.21	61.1	81.8	9,961	94.6	0.96	92.7	96.5
1991	206	61.0	4.83	51.9	71.1	9,765	91.7	0.94	89.9	93.6
1992	238	69.0	5.08	59.4	79.5	9,931	92.0	0.93	90.2	93.8
1993	322	90.5	5.72	79.6	102.2	9,950	91.2	0.92	89.4	93.0
1994	318	85.1	5.46	74.7	96.3	10,599	96.4	0.94	94.5	98.2
1995	340	89.3	5.56	78.8	100.7	10,581	95.7	0.93	93.9	97.5
1996	342	86.1	5.33	76.0	97.0	10,759	96.7	0.93	94.9	98.6
1997	350	83.6	5.07	74.0	94.0	10,858	96.9	0.93	95.1	98.7
1998	416	95.3	5.42	85.0	106.4	11,480	101.4	0.95	99.6	103.3
1999	422	86.9	4.92	77.5	96.9	11,257	98.7	0.93	96.9	100.6
2000	407	79.7	4.56	71.0	89.0	11,502	100.3	0.94	98.4	102.1
2001	484	89.5	4.69	80.5	99.1	11,266	97.6	0.92	95.8	99.4
2002	498	87.1	4.43	78.6	96.1	11,526	99.2	0.93	97.4	101.0
2003	514	81.9	4.11	74.0	90.3	11,310	96.3	0.91	94.6	98.1
2004	593	93.2	4.40	84.8	102.1	11,585	98.1	0.91	96.3	99.9
2005	609	89.5	4.11	81.6	97.8	11,442	95.8	0.90	94.1	97.6
2006	639	91.1	4.08	83.3	99.4	11,430	95.0	0.89	93.3	96.8
2007	640	83.8	3.74	76.7	91.4	11,464	94.0	0.89	92.3	95.8
2008	646	78.1	3.43	71.5	85.0	11,450	92.6	0.87	90.9	94.4
2009	724	85.2	3.54	78.4	92.3	11,282	90.2	0.86	88.6	91.9
2010	777	84.6	3.37	78.1	91.4	11,195	88.3	0.85	86.7	90.0
2011	789	83.1	3.28	76.8	89.8	11,471	89.3	0.85	87.6	90.9
2012	854	85.0	3.20	78.9	91.5	11,291	86.1	0.82	84.4	87.7
2013	839	79.2	3.00	73.5	85.3	11,508	86.7	0.82	85.1	88.3
2014	897	78.8	2.87	73.3	84.6	11,614	86.2	0.82	84.6	87.8
2015	1,002	83.1	2.86	77.6	88.9	11,833	87.3	0.82	85.6	88.9
2016	1,118	87.1	2.82	81.7	92.8	11,894	87.0	0.82	85.4	88.6
2017	1,163	87.9	2.78	82.5	93.5	11,666	84.3	0.80	82.7	85.9
2018	1,227	89.8	2.75	84.5	95.3	11,594	83.1	0.79	81.5	84.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Digestive System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	264,295	89.3	0.17	88.9	89.6	49,712	114.9	0.53	113.9	116.0
1990	8,547	91.7	1.00	89.7	93.6	1,292	116.1	3.33	109.7	122.8
1991	8,415	89.5	0.98	87.6	91.5	1,218	107.3	3.16	101.2	113.6
1992	8,554	90.0	0.98	88.1	91.9	1,227	103.3	3.03	97.5	109.4
1993	8,477	88.4	0.97	86.5	90.3	1,304	110.9	3.15	104.8	117.2
1994	9,031	93.6	0.99	91.7	95.6	1,408	117.3	3.20	111.1	123.8
1995	8,832	91.5	0.98	89.6	93.5	1,548	125.7	3.27	119.3	132.2
1996	9,004	92.9	0.98	91.0	94.9	1,539	123.4	3.22	117.1	129.8
1997	9,108	93.6	0.98	91.6	95.5	1,539	121.4	3.16	115.3	127.7
1998	9,613	98.1	1.00	96.2	100.1	1,636	127.0	3.20	120.8	133.4
1999	9,458	96.2	0.99	94.2	98.1	1,527	114.6	2.99	108.8	120.6
2000	9,576	97.1	1.00	95.2	99.1	1,644	120.6	3.03	114.7	126.7
2001	9,322	94.2	0.98	92.3	96.2	1,676	121.6	3.03	115.7	127.7
2002	9,457	95.3	0.98	93.4	97.3	1,751	124.9	3.04	119.0	131.0
2003	9,240	92.4	0.97	90.5	94.3	1,763	124.0	3.01	118.2	130.0
2004	9,533	95.2	0.98	93.3	97.1	1,760	120.7	2.94	115.1	126.6
2005	9,318	92.3	0.96	90.4	94.2	1,802	121.8	2.93	116.1	127.6
2006	9,188	90.7	0.95	88.8	92.5	1,880	123.2	2.90	117.6	129.0
2007	9,253	90.3	0.95	88.5	92.2	1,832	118.0	2.82	112.6	123.7
2008	9,180	88.8	0.94	87.0	90.7	1,883	118.9	2.80	113.4	124.5
2009	9,061	87.0	0.93	85.2	88.8	1,850	113.8	2.71	108.6	119.3
2010	8,896	84.5	0.91	82.7	86.3	1,897	115.2	2.71	110.0	120.7
2011	9,077	85.5	0.92	83.7	87.3	1,994	116.6	2.67	111.4	121.9
2012	8,998	83.1	0.90	81.4	84.9	1,818	105.2	2.53	100.3	110.2
2013	9,098	83.5	0.90	81.8	85.3	1,992	111.3	2.55	106.3	116.4
2014	9,140	82.9	0.89	81.1	84.6	1,978	108.8	2.51	104.0	113.8
2015	9,343	84.6	0.90	82.9	86.4	1,985	106.6	2.45	101.8	111.5
2016	9,334	84.2	0.90	82.5	86.0	2,031	108.2	2.46	103.5	113.2
2017	9,205	82.6	0.89	80.8	84.3	1,940	101.4	2.36	96.8	106.1
2018	9,037	80.2	0.87	78.5	82.0	1,998	103.5	2.37	98.9	108.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Digestive System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	9,887	100.0	1.16	97.7	102.3	171,447	114.5	0.28	114.0	115.1
1990	131	87.4	9.28	70.2	107.1	5,078	118.5	1.72	115.1	121.9
1991	126	75.0	7.97	60.2	92.0	5,029	116.0	1.69	112.8	119.4
1992	131	81.8	8.75	65.6	100.4	5,193	118.1	1.68	114.8	121.4
1993	162	94.2	9.16	77.1	113.5	5,082	113.9	1.64	110.7	117.2
1994	167	90.7	8.51	74.7	108.6	5,362	119.7	1.67	116.5	123.0
1995	183	104.2	9.55	86.3	124.2	5,479	121.3	1.67	118.0	124.6
1996	193	106.1	9.30	88.7	125.5	5,504	120.8	1.66	117.5	124.1
1997	204	99.9	8.27	84.4	117.2	5,558	120.9	1.65	117.7	124.1
1998	223	116.6	9.56	98.6	136.4	5,889	126.5	1.67	123.2	129.8
1999	253	113.5	8.92	96.7	132.0	5,887	124.8	1.65	121.6	128.0
2000	204	83.0	7.00	69.9	97.7	6,056	126.8	1.65	123.6	130.1
2001	265	107.2	7.94	92.2	123.6	5,833	121.5	1.61	118.4	124.7
2002	298	111.8	7.79	97.1	127.9	6,052	124.2	1.61	121.0	127.4
2003	308	100.9	6.80	88.0	114.9	6,003	121.7	1.59	118.6	124.9
2004	338	112.3	7.46	98.2	127.7	6,149	122.7	1.58	119.6	125.8
2005	333	104.3	6.76	91.4	118.2	6,036	118.6	1.55	115.6	121.7
2006	358	107.2	6.60	94.7	120.7	6,099	117.9	1.53	114.9	121.0
2007	365	102.3	6.37	90.2	115.4	6,050	115.1	1.50	112.2	118.1
2008	370	98.1	5.93	86.8	110.3	6,113	114.2	1.49	111.3	117.2
2009	394	99.8	5.87	88.7	111.8	6,091	111.5	1.46	108.7	114.4
2010	453	100.4	5.44	90.0	111.5	6,058	109.3	1.43	106.5	112.2
2011	452	97.4	5.30	87.3	108.2	6,233	110.0	1.42	107.2	112.8
2012	484	103.4	5.37	93.1	114.3	6,268	108.0	1.40	105.3	110.8
2013	487	95.0	4.90	85.6	105.0	6,271	106.4	1.38	103.8	109.2
2014	490	90.9	4.63	82.0	100.4	6,403	106.2	1.36	103.6	108.9
2015	561	97.9	4.66	89.0	107.4	6,592	108.4	1.37	105.7	111.1
2016	609	96.7	4.38	88.3	105.6	6,438	104.4	1.34	101.8	107.0
2017	669	105.0	4.51	96.3	114.1	6,350	101.8	1.31	99.3	104.5
2018	676	102.9	4.39	94.5	111.8	6,291	99.7	1.29	97.2	102.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Digestive System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	140,455	110.7	0.30	110.1	111.3	25,593	144.2	0.95	142.4	146.1
1990	4,336	114.5	1.79	111.0	118.1	661	147.0	6.10	135.3	159.4
1991	4,344	114.0	1.78	110.5	117.5	617	131.8	5.65	121.0	143.3
1992	4,467	115.6	1.77	112.2	119.1	635	135.6	5.76	124.5	147.2
1993	4,304	110.1	1.72	106.7	113.5	683	142.7	5.82	131.5	154.5
1994	4,556	116.3	1.76	112.9	119.8	724	150.7	5.96	139.2	162.8
1995	4,539	115.5	1.74	112.1	118.9	819	166.0	6.18	154.1	178.5
1996	4,579	115.8	1.74	112.4	119.2	794	154.0	5.78	142.8	165.7
1997	4,667	117.1	1.73	113.7	120.5	773	147.6	5.62	136.8	159.0
1998	4,946	122.8	1.76	119.3	126.3	827	158.3	5.83	147.1	170.1
1999	4,944	121.5	1.74	118.1	125.0	780	145.6	5.49	135.0	156.7
2000	5,046	123.0	1.74	119.6	126.5	853	154.5	5.58	143.8	165.8
2001	4,847	117.9	1.70	114.6	121.3	833	147.3	5.38	136.9	158.2
2002	4,991	119.9	1.71	116.6	123.3	886	155.0	5.52	144.4	166.2
2003	4,936	117.5	1.68	114.2	120.8	909	156.0	5.46	145.5	167.0
2004	5,092	119.7	1.69	116.4	123.0	894	149.2	5.27	139.1	159.9
2005	4,918	114.1	1.64	110.9	117.4	931	154.5	5.37	144.2	165.4
2006	4,917	112.6	1.62	109.5	115.8	981	155.5	5.22	145.4	166.0
2007	4,872	110.0	1.59	106.9	113.1	946	149.2	5.13	139.3	159.5
2008	4,895	108.8	1.58	105.8	112.0	993	154.6	5.19	144.6	165.1
2009	4,875	106.7	1.55	103.6	109.7	1,000	149.2	4.98	139.6	159.3
2010	4,868	105.0	1.53	102.0	108.0	962	141.5	4.82	132.2	151.3
2011	4,989	105.9	1.53	102.9	108.9	1,021	143.8	4.74	134.6	153.3
2012	5,028	104.1	1.50	101.1	107.0	956	135.0	4.59	126.1	144.2
2013	4,991	102.5	1.48	99.6	105.5	1,051	141.1	4.57	132.3	150.4
2014	5,073	102.0	1.47	99.2	105.0	1,055	139.5	4.51	130.8	148.6
2015	5,255	105.1	1.49	102.2	108.1	1,031	132.8	4.33	124.4	141.5
2016	5,097	100.6	1.45	97.8	103.5	1,032	133.3	4.34	125.0	142.1
2017	5,105	100.4	1.45	97.5	103.2	956	121.5	4.10	113.6	129.8
2018	4,978	96.8	1.41	94.0	99.6	990	121.1	3.99	113.4	129.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Digestive System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,725	71.0	0.87	69.3	72.7	152,017	75.5	0.20	75.2	75.9
1990	107	58.9	6.18	47.5	72.1	4,883	78.2	1.13	76.0	80.5
1991	80	47.6	5.81	36.9	60.1	4,736	74.9	1.10	72.7	77.1
1992	107	58.5	6.15	47.1	71.6	4,738	73.9	1.09	71.8	76.1
1993	160	86.8	7.38	73.0	102.2	4,868	75.1	1.09	73.0	77.2
1994	151	78.9	7.02	65.8	93.6	5,237	79.8	1.11	77.6	82.0
1995	157	78.2	6.81	65.4	92.4	5,102	77.9	1.10	75.7	80.1
1996	149	70.5	6.33	58.6	83.8	5,255	79.3	1.11	77.1	81.5
1997	146	68.4	6.22	56.7	81.4	5,300	79.8	1.11	77.6	82.0
1998	193	80.0	6.43	67.9	93.4	5,591	83.5	1.13	81.3	85.8
1999	169	66.0	5.63	55.5	77.8	5,370	79.8	1.10	77.7	82.0
2000	203	76.4	5.98	65.2	88.9	5,446	80.6	1.10	78.4	82.8
2001	219	75.3	5.67	64.6	87.0	5,433	80.1	1.10	77.9	82.3
2002	200	66.9	5.19	57.1	77.7	5,474	80.4	1.10	78.3	82.6
2003	206	65.0	4.99	55.6	75.4	5,307	77.7	1.08	75.6	79.8
2004	255	77.5	5.36	67.4	88.6	5,436	79.1	1.09	77.0	81.2
2005	276	77.0	5.11	67.4	87.6	5,406	78.3	1.08	76.2	80.4
2006	281	76.7	5.05	67.1	87.1	5,331	77.3	1.08	75.3	79.5
2007	275	68.8	4.52	60.3	78.2	5,414	77.7	1.07	75.6	79.9
2008	276	62.0	4.05	54.3	70.3	5,337	76.1	1.06	74.0	78.2
2009	330	73.3	4.38	65.0	82.3	5,191	73.4	1.04	71.4	75.5
2010	324	69.9	4.19	62.0	78.5	5,137	71.8	1.02	69.8	73.8
2011	337	70.4	4.11	62.6	78.8	5,238	72.4	1.03	70.4	74.5
2012	370	70.0	3.89	62.6	78.0	5,023	68.4	0.99	66.5	70.4
2013	352	65.2	3.72	58.1	72.8	5,237	70.8	1.01	68.9	72.8
2014	407	68.5	3.60	61.6	75.9	5,211	70.1	1.00	68.2	72.1
2015	441	70.3	3.55	63.5	77.6	5,241	69.9	1.00	68.0	71.9
2016	509	78.4	3.67	71.4	85.9	5,456	72.9	1.02	70.9	74.9
2017	494	72.7	3.46	66.1	79.8	5,316	69.9	0.99	67.9	71.8
2018	551	78.4	3.50	71.7	85.5	5,303	69.1	0.98	67.2	71.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Digestive System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	123,840	72.7	0.21	72.3	73.1	24,119	94.9	0.62	93.7	96.1
1990	4,211	76.0	1.19	73.7	78.4	631	95.5	3.87	88.1	103.4
1991	4,071	72.7	1.16	70.4	75.0	601	90.0	3.72	82.8	97.5
1992	4,087	72.0	1.15	69.7	74.3	592	83.5	3.48	76.9	90.6
1993	4,173	73.1	1.15	70.9	75.4	621	89.1	3.62	82.2	96.5
1994	4,475	77.4	1.18	75.1	79.7	684	95.7	3.70	88.6	103.2
1995	4,293	74.7	1.16	72.5	77.0	729	99.4	3.72	92.3	107.0
1996	4,425	76.4	1.17	74.1	78.7	745	101.4	3.75	94.1	109.0
1997	4,441	76.8	1.17	74.5	79.1	766	102.3	3.73	95.1	109.9
1998	4,667	80.5	1.20	78.1	82.8	809	105.8	3.75	98.6	113.4
1999	4,514	77.4	1.17	75.1	79.7	747	94.2	3.47	87.5	101.3
2000	4,530	77.7	1.18	75.4	80.0	791	97.9	3.50	91.1	105.0
2001	4,475	76.8	1.17	74.5	79.1	843	103.3	3.58	96.4	110.5
2002	4,466	76.6	1.17	74.3	78.9	865	104.3	3.57	97.4	111.5
2003	4,304	73.9	1.15	71.6	76.1	854	101.7	3.51	95.0	108.8
2004	4,441	76.0	1.17	73.8	78.4	866	100.9	3.45	94.2	107.9
2005	4,400	75.2	1.16	72.9	77.5	871	99.9	3.41	93.3	106.8
2006	4,271	73.4	1.15	71.2	75.7	899	100.6	3.38	94.1	107.4
2007	4,381	74.8	1.16	72.6	77.1	886	97.3	3.30	91.0	104.0
2008	4,285	73.1	1.15	70.9	75.4	890	95.3	3.23	89.1	101.9
2009	4,186	71.1	1.13	68.9	73.3	850	89.7	3.11	83.7	96.0
2010	4,028	68.0	1.10	65.9	70.2	935	96.8	3.21	90.6	103.2
2011	4,088	68.6	1.11	66.4	70.8	973	97.2	3.16	91.1	103.6
2012	3,970	65.9	1.08	63.8	68.1	862	85.0	2.94	79.3	90.9
2013	4,107	68.0	1.10	65.9	70.2	941	90.5	3.00	84.7	96.6
2014	4,067	67.1	1.09	65.0	69.3	923	88.3	2.96	82.6	94.3
2015	4,088	67.2	1.10	65.1	69.4	954	88.6	2.92	83.0	94.5
2016	4,237	70.5	1.13	68.3	72.7	999	91.4	2.95	85.7	97.4
2017	4,100	67.3	1.10	65.2	69.5	984	88.3	2.87	82.8	94.2
2018	4,059	66.1	1.09	64.0	68.3	1,008	90.1	2.90	84.5	96.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Esophagus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	641	3.2	0.14	2.9	3.5	18,758	5.3	0.04	5.2	5.4
1990	12	3.5	1.10	1.7	6.2	502	4.8	0.22	4.4	5.2
1991	11	2.9	0.92	1.4	5.2	527	5.0	0.22	4.6	5.4
1992	6	1.8	0.79	0.6	3.9	572	5.3	0.22	4.9	5.8
1993	15	3.9	1.18	1.9	6.8	537	4.9	0.21	4.5	5.4
1994	15	4.6	1.28	2.4	7.6	590	5.4	0.22	5.0	5.9
1995	14	3.4	0.99	1.8	5.9	638	5.8	0.23	5.4	6.3
1996	25	6.4	1.43	3.9	9.7	616	5.6	0.23	5.2	6.1
1997	14	3.0	0.95	1.4	5.3	542	4.9	0.21	4.5	5.3
1998	19	4.3	1.14	2.3	7.0	653	5.8	0.23	5.4	6.3
1999	23	5.9	1.36	3.5	9.0	645	5.7	0.22	5.3	6.2
2000	11	2.2	0.73	1.0	4.0	699	6.1	0.23	5.7	6.6
2001	27	6.4	1.39	3.9	9.5	653	5.7	0.22	5.3	6.2
2002	22	3.7	0.89	2.2	5.8	635	5.5	0.22	5.1	5.9
2003	25	4.6	1.01	2.9	6.9	636	5.4	0.22	5.0	5.9
2004	21	3.1	0.79	1.7	5.0	680	5.8	0.22	5.4	6.2
2005	29	5.0	1.01	3.2	7.3	636	5.3	0.21	4.9	5.7
2006	26	4.1	0.86	2.5	6.0	672	5.6	0.22	5.1	6.0
2007	24	3.1	0.69	1.9	4.7	686	5.6	0.21	5.1	6.0
2008	22	2.9	0.67	1.7	4.4	700	5.6	0.21	5.2	6.0
2009	26	2.8	0.61	1.8	4.3	698	5.6	0.21	5.1	6.0
2010	22	2.6	0.63	1.5	4.1	640	5.0	0.20	4.6	5.4
2011	34	3.7	0.68	2.5	5.2	700	5.4	0.21	5.0	5.8
2012	27	3.0	0.64	1.9	4.5	735	5.5	0.21	5.1	6.0
2013	21	1.8	0.43	1.1	2.9	691	5.1	0.20	4.7	5.5
2014	20	1.6	0.39	0.9	2.5	720	5.2	0.20	4.8	5.6
2015	28	2.8	0.56	1.8	4.0	733	5.2	0.20	4.8	5.6
2016	34	2.7	0.49	1.8	3.8	671	4.8	0.19	4.4	5.2
2017	36	2.7	0.49	1.9	3.8	665	4.7	0.19	4.4	5.1
2018	32	2.4	0.45	1.6	3.5	686	4.7	0.18	4.3	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Esophagus										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	15,252	5.1	0.04	5.1	5.2	3,201	7.1	0.13	6.8	7.3
1990	350	3.7	0.20	3.4	4.2	148	12.3	1.03	10.4	14.5
1991	385	4.1	0.21	3.7	4.6	136	11.0	0.95	9.2	13.0
1992	430	4.6	0.22	4.1	5.0	135	11.0	0.96	9.2	13.0
1993	403	4.2	0.21	3.8	4.7	126	9.8	0.89	8.2	11.7
1994	449	4.7	0.22	4.3	5.2	135	10.5	0.92	8.8	12.5
1995	477	5.0	0.23	4.6	5.5	151	11.5	0.95	9.8	13.6
1996	450	4.7	0.22	4.3	5.2	156	11.6	0.94	9.8	13.6
1997	402	4.2	0.21	3.8	4.6	135	9.9	0.87	8.3	11.8
1998	519	5.4	0.24	4.9	5.9	126	9.2	0.84	7.7	11.0
1999	523	5.4	0.24	5.0	5.9	116	8.5	0.80	7.0	10.2
2000	557	5.7	0.24	5.3	6.2	135	9.5	0.82	7.9	11.2
2001	531	5.5	0.24	5.0	5.9	111	7.8	0.75	6.4	9.4
2002	524	5.4	0.23	4.9	5.8	105	7.0	0.69	5.7	8.5
2003	530	5.3	0.23	4.9	5.8	94	6.4	0.67	5.1	7.8
2004	565	5.7	0.24	5.3	6.2	108	7.1	0.69	5.8	8.6
2005	539	5.4	0.23	4.9	5.8	92	6.0	0.63	4.8	7.3
2006	549	5.4	0.23	5.0	5.9	113	7.1	0.68	5.8	8.6
2007	571	5.5	0.23	5.1	6.0	100	6.3	0.65	5.1	7.7
2008	601	5.8	0.24	5.3	6.3	90	5.5	0.59	4.4	6.7
2009	597	5.7	0.24	5.3	6.2	87	5.0	0.55	4.0	6.2
2010	530	5.0	0.22	4.6	5.4	94	5.3	0.56	4.2	6.5
2011	590	5.5	0.23	5.1	6.0	98	5.7	0.59	4.6	6.9
2012	628	5.7	0.23	5.3	6.2	94	5.3	0.56	4.3	6.5
2013	590	5.3	0.22	4.9	5.8	93	5.0	0.53	4.0	6.2
2014	614	5.4	0.22	5.0	5.9	80	4.3	0.49	3.4	5.3
2015	632	5.5	0.22	5.1	6.0	87	4.5	0.49	3.6	5.6
2016	559	4.9	0.21	4.5	5.3	92	4.8	0.51	3.8	5.9
2017	567	5.0	0.22	4.6	5.5	84	4.1	0.46	3.3	5.2
2018	590	4.9	0.21	4.5	5.4	80	3.9	0.45	3.1	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Esophagus										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	508	5.4	0.27	4.8	5.9	14,357	9.3	0.08	9.2	9.5
1990	11	6.5	2.28	2.8	12.5	343	7.6	0.42	6.8	8.4
1991	10	5.3	1.86	2.3	10.3	391	8.6	0.44	7.7	9.5
1992	6	4.1	1.85	1.3	9.1	421	9.3	0.46	8.4	10.2
1993	7	3.6	1.69	1.1	8.3	385	8.2	0.42	7.4	9.0
1994	12	9.4	3.06	4.4	16.8	446	9.5	0.46	8.6	10.5
1995	13	7.3	2.30	3.5	13.0	490	10.4	0.48	9.5	11.4
1996	20	10.5	2.83	5.7	17.2	467	9.8	0.46	8.9	10.8
1997	13	6.4	2.32	2.7	12.2	393	8.2	0.42	7.4	9.1
1998	15	6.6	2.02	3.3	11.6	505	10.6	0.48	9.7	11.6
1999	16	8.6	2.47	4.5	14.5	512	10.6	0.47	9.7	11.5
2000	8	3.2	1.37	1.1	6.8	531	10.9	0.48	10.0	11.9
2001	21	10.6	2.73	5.9	16.9	477	9.7	0.45	8.8	10.6
2002	17	5.5	1.67	2.7	9.6	481	9.6	0.44	8.7	10.5
2003	20	8.4	2.08	4.9	13.3	498	9.9	0.45	9.1	10.8
2004	16	3.9	1.11	2.1	6.8	513	9.9	0.44	9.1	10.8
2005	23	9.4	2.17	5.6	14.4	497	9.6	0.44	8.7	10.5
2006	18	5.4	1.41	3.0	8.8	538	10.1	0.44	9.3	11.0
2007	17	4.8	1.35	2.5	8.0	515	9.5	0.43	8.7	10.4
2008	18	5.3	1.42	2.9	8.7	562	10.2	0.44	9.4	11.1
2009	24	5.8	1.35	3.5	9.0	532	9.6	0.43	8.8	10.5
2010	16	3.0	0.81	1.6	5.0	484	8.5	0.40	7.7	9.3
2011	27	6.1	1.32	3.8	9.1	542	9.4	0.41	8.6	10.2
2012	20	5.2	1.34	3.0	8.4	567	9.6	0.41	8.8	10.5
2013	19	3.4	0.88	1.9	5.5	551	9.2	0.40	8.4	10.0
2014	16	2.7	0.77	1.4	4.6	573	9.2	0.39	8.4	10.0
2015	23	4.9	1.12	3.0	7.5	590	9.3	0.40	8.6	10.2
2016	28	4.3	0.88	2.7	6.3	512	8.1	0.37	7.4	8.8
2017	31	5.1	1.02	3.3	7.4	519	8.1	0.37	7.4	8.9
2018	23	3.6	0.82	2.2	5.5	522	7.8	0.35	7.1	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Esophagus											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	11,916	9.2	0.08	9.0	9.3	2,233	11.8	0.26	11.3	12.4	
1990	237	6.0	0.40	5.2	6.8	102	20.1	2.05	16.3	24.5	
1991	289	7.3	0.44	6.5	8.2	100	18.7	1.91	15.1	22.8	
1992	324	8.2	0.46	7.3	9.1	93	18.1	1.97	14.5	22.4	
1993	292	7.1	0.42	6.3	8.0	87	16.4	1.83	13.0	20.3	
1994	343	8.4	0.46	7.5	9.4	99	18.8	1.96	15.1	23.0	
1995	372	9.1	0.48	8.2	10.1	110	20.4	2.03	16.6	24.7	
1996	348	8.5	0.46	7.6	9.5	115	20.3	1.97	16.6	24.5	
1997	302	7.4	0.43	6.5	8.2	90	15.9	1.73	12.7	19.6	
1998	410	10.0	0.50	9.0	11.0	88	15.9	1.78	12.6	19.7	
1999	418	10.1	0.49	9.1	11.1	89	15.7	1.73	12.5	19.5	
2000	432	10.4	0.50	9.4	11.4	95	16.6	1.78	13.2	20.4	
2001	389	9.3	0.47	8.4	10.2	80	13.6	1.56	10.7	16.9	
2002	405	9.5	0.48	8.6	10.5	72	11.5	1.41	8.9	14.5	
2003	426	10.0	0.49	9.1	11.0	65	10.6	1.36	8.1	13.6	
2004	441	10.1	0.48	9.2	11.1	68	10.6	1.34	8.2	13.6	
2005	429	9.7	0.47	8.8	10.7	67	10.9	1.42	8.3	14.0	
2006	448	10.0	0.48	9.1	11.0	83	12.9	1.48	10.2	16.1	
2007	439	9.6	0.46	8.7	10.6	66	10.3	1.33	7.8	13.2	
2008	491	10.6	0.49	9.7	11.6	64	9.8	1.28	7.5	12.6	
2009	452	9.8	0.47	8.9	10.8	68	9.3	1.17	7.1	11.9	
2010	410	8.7	0.44	7.8	9.6	60	7.9	1.08	6.0	10.3	
2011	474	9.8	0.46	8.9	10.7	61	8.9	1.20	6.7	11.5	
2012	501	10.2	0.47	9.3	11.2	60	8.4	1.14	6.3	10.9	
2013	480	9.7	0.45	8.8	10.6	66	8.7	1.12	6.6	11.2	
2014	503	9.7	0.44	8.8	10.6	52	6.8	0.98	5.0	9.0	
2015	515	9.9	0.45	9.0	10.8	65	7.9	1.02	6.1	10.2	
2016	433	8.3	0.41	7.5	9.2	62	8.1	1.08	6.1	10.5	
2017	454	8.7	0.42	7.9	9.6	56	6.6	0.92	4.9	8.7	
2018	459	8.3	0.40	7.6	9.2	50	5.7	0.84	4.2	7.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Esophagus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	133	1.4	0.13	1.1	1.6	4,401	2.2	0.03	2.1	2.3
1990	1	0.8	0.83	0.0	3.7	159	2.6	0.21	2.2	3.1
1991	1	0.7	0.68	0.0	3.2	136	2.2	0.19	1.8	2.6
1992	0					151	2.4	0.20	2.0	2.8
1993	8	4.1	1.60	1.6	8.2	152	2.4	0.20	2.0	2.8
1994	3	1.2	0.68	0.2	3.4	144	2.3	0.19	1.9	2.7
1995	1	0.4	0.36	0.0	2.1	148	2.3	0.19	2.0	2.7
1996	5	3.0	1.37	0.9	6.6	149	2.3	0.19	2.0	2.7
1997	1	0.3	0.33	0.0	1.9	149	2.3	0.19	2.0	2.7
1998	4	2.1	1.19	0.5	5.4	148	2.3	0.19	1.9	2.7
1999	7	3.6	1.44	1.3	7.2	133	2.0	0.17	1.7	2.4
2000	3	1.3	0.77	0.3	3.6	168	2.6	0.20	2.2	3.0
2001	6	3.0	1.33	1.0	6.4	176	2.6	0.20	2.2	3.0
2002	5	2.1	0.97	0.7	4.7	154	2.3	0.19	1.9	2.7
2003	5	1.5	0.74	0.4	3.6	138	2.0	0.17	1.7	2.4
2004	5	2.0	0.99	0.6	4.6	167	2.5	0.20	2.2	2.9
2005	6	1.6	0.69	0.6	3.5	139	2.0	0.17	1.7	2.4
2006	8	2.7	1.02	1.1	5.3	134	2.0	0.17	1.6	2.3
2007	7	1.7	0.68	0.7	3.5	171	2.5	0.19	2.1	2.9
2008	4	0.9	0.47	0.2	2.3	138	2.0	0.17	1.7	2.4
2009	2	0.3	0.22	0.0	1.2	166	2.3	0.18	2.0	2.7
2010	6	2.0	0.83	0.7	4.1	156	2.2	0.18	1.8	2.5
2011	7	1.6	0.63	0.6	3.2	158	2.2	0.18	1.8	2.6
2012	7	1.4	0.56	0.5	2.9	168	2.3	0.18	1.9	2.6
2013	2	0.4	0.32	0.1	1.4	140	1.8	0.16	1.5	2.2
2014	4	0.6	0.31	0.2	1.5	147	1.9	0.16	1.6	2.3
2015	5	1.0	0.45	0.3	2.2	143	1.8	0.15	1.5	2.1
2016	6	1.1	0.48	0.4	2.4	159	2.1	0.17	1.8	2.4
2017	5	0.7	0.30	0.2	1.5	146	1.9	0.16	1.6	2.3
2018	9	1.4	0.47	0.6	2.6	164	2.0	0.16	1.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Esophagus											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,336	2.0	0.03	1.9	2.0	968	3.7	0.12	3.5	3.9	
1990	113	2.0	0.19	1.7	2.5	46	6.7	1.00	4.9	8.9	
1991	96	1.7	0.18	1.4	2.1	36	5.1	0.87	3.6	7.1	
1992	106	1.9	0.19	1.6	2.3	42	5.9	0.92	4.3	8.0	
1993	111	2.0	0.19	1.6	2.4	39	5.2	0.84	3.7	7.1	
1994	106	1.9	0.18	1.5	2.3	36	4.8	0.80	3.4	6.6	
1995	105	1.8	0.18	1.5	2.2	41	5.5	0.86	3.9	7.4	
1996	102	1.8	0.18	1.5	2.2	41	5.3	0.84	3.8	7.2	
1997	100	1.8	0.18	1.4	2.2	45	5.7	0.85	4.1	7.6	
1998	109	1.9	0.19	1.6	2.3	38	4.8	0.78	3.4	6.6	
1999	105	1.8	0.18	1.5	2.2	27	3.4	0.66	2.2	4.9	
2000	125	2.2	0.20	1.8	2.6	40	4.8	0.76	3.4	6.5	
2001	142	2.5	0.21	2.1	2.9	31	3.8	0.68	2.5	5.3	
2002	119	2.0	0.19	1.7	2.5	33	3.8	0.67	2.6	5.4	
2003	104	1.8	0.18	1.4	2.2	29	3.4	0.63	2.3	4.9	
2004	124	2.2	0.20	1.8	2.7	40	4.6	0.74	3.3	6.3	
2005	110	1.9	0.18	1.6	2.3	25	2.8	0.57	1.8	4.1	
2006	101	1.8	0.18	1.4	2.2	30	3.2	0.59	2.2	4.6	
2007	132	2.3	0.20	1.9	2.7	34	3.7	0.64	2.5	5.1	
2008	110	1.9	0.19	1.6	2.3	26	2.6	0.51	1.7	3.8	
2009	145	2.4	0.21	2.0	2.9	19	1.9	0.45	1.2	3.0	
2010	120	2.0	0.18	1.6	2.4	34	3.4	0.59	2.3	4.8	
2011	116	2.0	0.19	1.6	2.4	37	3.6	0.59	2.5	4.9	
2012	127	2.1	0.19	1.7	2.5	34	3.3	0.57	2.3	4.6	
2013	110	1.8	0.17	1.4	2.1	27	2.5	0.49	1.6	3.7	
2014	111	1.8	0.17	1.5	2.2	28	2.5	0.49	1.7	3.7	
2015	117	1.8	0.17	1.5	2.2	22	1.9	0.42	1.2	2.9	
2016	126	2.0	0.18	1.7	2.4	30	2.7	0.49	1.8	3.8	
2017	113	1.9	0.19	1.5	2.3	28	2.4	0.46	1.6	3.5	
2018	131	2.0	0.18	1.7	2.4	30	2.5	0.47	1.7	3.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Stomach										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,569	12.2	0.27	11.7	12.7	25,691	7.4	0.05	7.3	7.5
1990	38	12.4	2.36	8.2	17.7	916	8.7	0.29	8.2	9.3
1991	37	9.6	1.81	6.4	13.8	885	8.3	0.28	7.8	8.9
1992	44	11.8	2.10	8.1	16.5	894	8.3	0.28	7.7	8.8
1993	59	16.7	2.50	12.2	22.2	915	8.4	0.28	7.9	9.0
1994	54	14.5	2.26	10.4	19.4	891	8.2	0.27	7.6	8.7
1995	54	12.5	1.97	8.9	16.9	923	8.4	0.28	7.8	8.9
1996	51	13.1	2.13	9.2	17.8	917	8.2	0.27	7.7	8.8
1997	45	9.4	1.57	6.6	12.9	932	8.3	0.27	7.8	8.9
1998	68	14.1	2.02	10.4	18.5	936	8.3	0.27	7.7	8.8
1999	62	10.7	1.62	7.8	14.3	875	7.7	0.26	7.2	8.2
2000	66	13.2	1.85	9.8	17.2	845	7.4	0.25	6.9	7.9
2001	76	12.2	1.67	9.1	15.8	847	7.3	0.25	6.8	7.8
2002	76	14.0	1.85	10.6	18.0	899	7.7	0.26	7.2	8.3
2003	79	11.6	1.53	8.8	14.9	883	7.5	0.25	7.0	8.0
2004	87	13.2	1.66	10.1	16.7	849	7.2	0.25	6.7	7.7
2005	89	13.2	1.60	10.2	16.6	826	6.9	0.24	6.4	7.4
2006	89	12.9	1.56	10.0	16.3	827	6.9	0.24	6.5	7.4
2007	92	11.5	1.33	9.0	14.4	854	7.1	0.24	6.6	7.5
2008	89	10.9	1.29	8.5	13.7	856	7.0	0.24	6.5	7.5
2009	123	14.7	1.50	12.0	17.9	846	6.8	0.24	6.4	7.3
2010	107	10.6	1.16	8.5	13.1	828	6.6	0.23	6.2	7.1
2011	112	11.9	1.26	9.6	14.6	897	7.0	0.24	6.6	7.5
2012	105	10.0	1.08	8.0	12.3	873	6.7	0.23	6.3	7.2
2013	118	11.1	1.13	9.0	13.5	938	7.2	0.24	6.7	7.7
2014	129	11.5	1.10	9.4	13.8	903	6.8	0.23	6.3	7.2
2015	145	11.8	1.07	9.8	14.1	923	6.8	0.23	6.4	7.3
2016	145	11.9	1.07	9.9	14.1	918	6.8	0.23	6.3	7.2
2017	159	12.3	1.05	10.3	14.5	919	6.7	0.23	6.3	7.2
2018	171	12.9	1.06	10.9	15.1	876	6.3	0.22	5.8	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Stomach											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	19,085	6.5	0.05	6.4	6.5	5,303	12.6	0.18	12.2	12.9	
1990	740	7.9	0.29	7.4	8.5	153	13.9	1.16	11.7	16.3	
1991	703	7.5	0.29	7.0	8.1	158	14.6	1.20	12.4	17.2	
1992	696	7.3	0.28	6.8	7.9	173	14.9	1.17	12.7	17.4	
1993	712	7.5	0.28	6.9	8.0	165	14.3	1.15	12.2	16.7	
1994	693	7.2	0.28	6.7	7.8	177	14.5	1.12	12.4	16.8	
1995	693	7.2	0.27	6.6	7.7	189	15.1	1.13	12.9	17.4	
1996	697	7.2	0.27	6.7	7.7	190	15.6	1.16	13.4	18.1	
1997	711	7.3	0.27	6.8	7.8	178	14.1	1.08	12.0	16.3	
1998	706	7.2	0.27	6.7	7.7	194	15.7	1.15	13.6	18.1	
1999	681	6.9	0.26	6.4	7.4	154	11.7	0.97	9.9	13.8	
2000	622	6.3	0.25	5.8	6.8	179	13.4	1.02	11.5	15.6	
2001	624	6.3	0.25	5.8	6.8	180	13.6	1.04	11.7	15.8	
2002	678	6.8	0.26	6.3	7.4	169	12.2	0.96	10.4	14.3	
2003	675	6.7	0.26	6.2	7.2	167	12.1	0.96	10.3	14.1	
2004	629	6.3	0.25	5.8	6.8	177	12.5	0.96	10.7	14.6	
2005	600	5.9	0.24	5.4	6.4	182	12.8	0.97	11.0	14.8	
2006	584	5.8	0.24	5.3	6.3	193	12.7	0.93	10.9	14.6	
2007	614	6.0	0.25	5.6	6.5	186	12.4	0.92	10.6	14.3	
2008	616	6.0	0.24	5.5	6.5	194	12.8	0.94	11.0	14.8	
2009	590	5.7	0.24	5.3	6.2	210	13.0	0.92	11.3	15.0	
2010	599	5.7	0.24	5.3	6.2	172	10.7	0.83	9.1	12.4	
2011	643	6.1	0.24	5.6	6.6	202	12.1	0.87	10.5	14.0	
2012	654	6.1	0.24	5.6	6.6	159	9.5	0.77	8.0	11.1	
2013	672	6.2	0.25	5.8	6.7	205	12.0	0.86	10.4	13.8	
2014	643	5.9	0.24	5.4	6.4	210	11.9	0.84	10.3	13.6	
2015	667	6.0	0.24	5.6	6.5	192	10.5	0.78	9.0	12.1	
2016	653	5.9	0.24	5.4	6.4	214	11.9	0.83	10.3	13.6	
2017	653	5.9	0.24	5.4	6.4	207	11.2	0.79	9.7	12.9	
2018	637	5.6	0.23	5.2	6.1	174	9.1	0.71	7.8	10.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Stomach										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,449	15.0	0.46	14.1	15.9	15,727	10.6	0.09	10.4	10.8
1990	20	18.3	5.11	9.7	30.2	551	13.0	0.57	11.9	14.2
1991	27	14.3	3.28	8.6	22.1	540	12.6	0.56	11.5	13.7
1992	23	15.3	4.05	8.4	24.8	537	12.2	0.54	11.2	13.3
1993	32	18.0	4.11	10.8	27.4	540	12.2	0.54	11.2	13.3
1994	33	19.4	4.14	12.1	28.8	546	12.2	0.54	11.2	13.3
1995	34	17.3	3.74	10.8	25.9	574	12.9	0.55	11.8	14.0
1996	35	20.6	4.34	13.0	30.4	568	12.6	0.54	11.6	13.7
1997	32	13.9	2.84	8.9	20.5	574	12.6	0.54	11.6	13.7
1998	35	17.6	3.70	11.1	26.0	558	12.0	0.52	11.1	13.1
1999	36	14.3	3.12	8.9	21.5	528	11.3	0.50	10.3	12.3
2000	33	15.9	3.23	10.2	23.2	516	10.9	0.48	9.9	11.8
2001	46	18.1	3.47	12.0	25.9	495	10.3	0.47	9.4	11.2
2002	40	15.9	3.07	10.5	22.8	554	11.5	0.49	10.5	12.5
2003	45	13.0	2.35	8.8	18.4	526	10.9	0.48	10.0	11.9
2004	52	14.2	2.39	9.9	19.5	531	10.7	0.47	9.8	11.7
2005	50	16.9	2.96	11.6	23.5	505	10.0	0.45	9.2	10.9
2006	46	14.6	2.58	10.0	20.3	503	9.8	0.44	9.0	10.7
2007	55	15.7	2.43	11.3	21.1	514	9.9	0.44	9.1	10.8
2008	53	14.3	2.25	10.3	19.3	517	9.9	0.44	9.0	10.8
2009	68	18.5	2.61	13.7	24.1	522	9.5	0.42	8.7	10.4
2010	62	14.6	2.15	10.7	19.3	525	9.6	0.43	8.8	10.5
2011	66	14.3	2.04	10.6	18.8	559	10.1	0.44	9.3	11.0
2012	63	14.2	2.06	10.4	18.7	575	10.1	0.43	9.3	11.0
2013	72	14.0	1.91	10.5	18.2	575	10.0	0.43	9.2	10.9
2014	66	12.2	1.69	9.1	15.9	552	9.3	0.40	8.5	10.1
2015	71	12.1	1.63	9.2	15.7	587	9.7	0.41	8.9	10.5
2016	76	13.0	1.69	9.9	16.7	562	9.3	0.40	8.6	10.2
2017	87	14.6	1.72	11.4	18.3	556	9.1	0.40	8.4	10.0
2018	91	15.0	1.75	11.7	18.7	537	8.5	0.37	7.7	9.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Stomach										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11,900	9.5	0.09	9.3	9.6	3,060	18.0	0.34	17.3	18.7
1990	435	11.7	0.58	10.6	12.9	100	22.3	2.37	17.9	27.4
1991	433	11.5	0.57	10.4	12.7	93	20.2	2.24	16.1	25.0
1992	425	11.0	0.54	9.9	12.1	95	21.2	2.34	16.9	26.2
1993	412	10.7	0.54	9.6	11.8	106	22.7	2.35	18.3	27.7
1994	424	11.0	0.54	10.0	12.1	110	21.4	2.15	17.4	26.0
1995	441	11.5	0.56	10.4	12.6	112	22.1	2.23	18.0	26.9
1996	435	11.1	0.54	10.1	12.2	114	23.6	2.37	19.2	28.7
1997	448	11.3	0.54	10.3	12.4	107	21.5	2.22	17.3	26.2
1998	432	10.7	0.52	9.7	11.8	104	21.6	2.26	17.4	26.4
1999	411	10.2	0.51	9.2	11.2	90	16.8	1.87	13.4	20.9
2000	383	9.4	0.48	8.5	10.4	102	19.4	2.04	15.6	23.7
2001	369	9.0	0.47	8.1	9.9	103	18.7	1.96	15.1	22.9
2002	428	10.4	0.51	9.4	11.4	100	17.5	1.85	14.1	21.5
2003	412	10.0	0.50	9.0	11.0	98	17.8	1.90	14.2	21.8
2004	405	9.6	0.48	8.7	10.6	99	17.9	1.93	14.3	22.0
2005	365	8.5	0.45	7.7	9.4	110	19.0	1.92	15.5	23.1
2006	363	8.4	0.44	7.5	9.3	112	17.8	1.77	14.5	21.6
2007	371	8.5	0.44	7.6	9.4	113	18.8	1.87	15.3	22.8
2008	372	8.4	0.44	7.6	9.3	116	20.3	2.00	16.6	24.6
2009	369	8.1	0.43	7.3	9.0	125	18.8	1.77	15.5	22.6
2010	391	8.5	0.44	7.7	9.4	100	15.4	1.63	12.4	18.9
2011	404	8.8	0.44	7.9	9.7	120	17.9	1.71	14.7	21.6
2012	446	9.3	0.45	8.5	10.3	89	13.7	1.53	10.8	17.0
2013	431	9.0	0.44	8.1	9.9	111	16.0	1.59	13.0	19.4
2014	406	8.2	0.42	7.4	9.1	120	16.9	1.62	13.8	20.3
2015	444	8.9	0.43	8.0	9.7	105	14.0	1.43	11.3	17.1
2016	421	8.4	0.42	7.6	9.3	107	14.9	1.50	12.1	18.2
2017	420	8.4	0.42	7.6	9.3	105	14.6	1.48	11.8	17.7
2018	404	7.8	0.40	7.1	8.7	94	11.8	1.26	9.4	14.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Stomach										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,120	10.0	0.32	9.3	10.6	9,964	5.0	0.05	4.9	5.1
1990	18	9.3	2.37	5.3	15.0	365	5.8	0.31	5.2	6.4
1991	10	5.5	1.93	2.4	10.4	345	5.4	0.29	4.8	6.0
1992	21	9.6	2.34	5.6	15.2	357	5.6	0.30	5.0	6.2
1993	27	15.4	3.19	9.8	22.7	375	5.7	0.30	5.1	6.3
1994	21	10.5	2.56	6.1	16.5	345	5.2	0.28	4.7	5.8
1995	20	8.8	2.17	5.1	14.0	349	5.3	0.29	4.8	5.9
1996	16	7.5	2.10	4.0	12.5	349	5.2	0.28	4.7	5.8
1997	13	5.4	1.63	2.7	9.4	358	5.4	0.29	4.8	6.0
1998	33	11.9	2.31	7.8	17.2	378	5.5	0.29	5.0	6.1
1999	26	8.1	1.77	5.0	12.3	347	5.1	0.28	4.5	5.6
2000	33	11.3	2.21	7.4	16.3	329	4.8	0.27	4.3	5.3
2001	30	8.0	1.62	5.1	11.8	352	5.0	0.27	4.5	5.6
2002	36	12.4	2.33	8.3	17.6	345	5.0	0.27	4.5	5.6
2003	34	10.2	1.97	6.7	14.7	357	5.2	0.28	4.6	5.7
2004	35	11.7	2.20	7.7	16.6	318	4.7	0.27	4.2	5.2
2005	39	10.5	1.83	7.2	14.6	321	4.6	0.26	4.1	5.1
2006	43	11.6	1.96	8.1	16.0	324	4.7	0.27	4.2	5.3
2007	37	8.2	1.47	5.6	11.5	340	4.9	0.27	4.4	5.5
2008	36	8.1	1.48	5.4	11.4	339	4.9	0.27	4.4	5.5
2009	55	11.9	1.76	8.7	15.8	324	4.7	0.26	4.2	5.2
2010	45	7.6	1.24	5.3	10.4	303	4.4	0.26	3.9	4.9
2011	46	9.7	1.55	6.9	13.1	338	4.6	0.26	4.2	5.2
2012	42	6.9	1.14	4.8	9.5	298	4.1	0.24	3.6	4.6
2013	46	8.6	1.36	6.1	11.6	363	4.9	0.27	4.4	5.5
2014	63	10.8	1.44	8.1	13.9	351	4.8	0.26	4.3	5.3
2015	74	11.6	1.43	9.0	14.7	336	4.6	0.26	4.1	5.1
2016	69	10.9	1.39	8.4	13.9	356	4.7	0.26	4.2	5.2
2017	72	10.3	1.28	8.0	13.1	363	4.8	0.26	4.3	5.3
2018	80	11.4	1.34	8.9	14.3	339	4.5	0.25	4.0	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Stomach										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,185	4.2	0.05	4.1	4.3	2,243	9.0	0.19	8.6	9.4
1990	305	5.4	0.32	4.8	6.1	53	8.1	1.14	6.0	10.7
1991	270	4.7	0.29	4.2	5.4	65	10.5	1.32	8.1	13.4
1992	271	4.8	0.30	4.2	5.4	78	11.1	1.27	8.7	13.8
1993	300	5.2	0.30	4.6	5.8	59	8.7	1.15	6.6	11.2
1994	269	4.6	0.29	4.1	5.2	67	9.4	1.16	7.3	12.0
1995	252	4.4	0.28	3.8	4.9	77	10.2	1.18	8.0	12.8
1996	262	4.5	0.28	3.9	5.1	76	10.5	1.21	8.2	13.1
1997	263	4.5	0.28	3.9	5.1	71	9.4	1.13	7.3	11.9
1998	274	4.5	0.28	4.0	5.1	90	12.1	1.29	9.7	14.9
1999	270	4.5	0.28	4.0	5.1	64	8.3	1.05	6.4	10.6
2000	239	3.9	0.26	3.5	4.5	77	9.6	1.11	7.6	12.0
2001	255	4.2	0.27	3.7	4.8	77	9.9	1.13	7.8	12.4
2002	250	4.3	0.28	3.8	4.9	69	8.5	1.03	6.6	10.8
2003	263	4.4	0.28	3.9	5.0	69	8.4	1.02	6.5	10.6
2004	224	3.8	0.26	3.3	4.4	78	9.3	1.06	7.3	11.6
2005	235	4.0	0.26	3.5	4.5	72	8.5	1.01	6.7	10.7
2006	221	3.8	0.26	3.3	4.3	81	9.1	1.02	7.2	11.3
2007	243	4.2	0.28	3.7	4.8	73	8.2	0.97	6.4	10.4
2008	244	4.2	0.27	3.6	4.7	78	8.5	0.98	6.7	10.7
2009	221	3.9	0.27	3.4	4.4	85	8.9	0.98	7.1	11.1
2010	208	3.5	0.25	3.1	4.1	72	7.7	0.92	6.0	9.7
2011	239	4.0	0.26	3.5	4.5	82	8.2	0.92	6.5	10.3
2012	208	3.4	0.25	3.0	3.9	70	7.0	0.85	5.5	8.9
2013	241	4.0	0.27	3.5	4.6	94	9.1	0.95	7.3	11.2
2014	237	4.0	0.27	3.5	4.6	90	8.7	0.93	7.0	10.8
2015	223	3.7	0.26	3.2	4.3	87	8.2	0.90	6.6	10.2
2016	232	3.8	0.26	3.3	4.4	107	9.8	0.97	8.0	11.9
2017	233	3.8	0.26	3.3	4.4	102	9.4	0.95	7.7	11.5
2018	233	3.8	0.26	3.3	4.4	80	7.3	0.82	5.7	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Small Intestine										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	371	1.6	0.09	1.5	1.8	7,603	2.2	0.03	2.1	2.2
1990	6	1.3	0.55	0.5	3.0	134	1.3	0.11	1.1	1.5
1991	2	0.6	0.44	0.1	2.1	143	1.3	0.11	1.1	1.6
1992	4	1.1	0.64	0.2	3.0	152	1.4	0.12	1.2	1.7
1993	7	1.5	0.58	0.6	3.1	175	1.6	0.12	1.4	1.9
1994	7	1.8	0.76	0.6	3.8	165	1.5	0.12	1.3	1.8
1995	6	1.5	0.71	0.4	3.4	159	1.5	0.12	1.2	1.7
1996	4	0.5	0.28	0.1	1.6	180	1.6	0.12	1.4	1.9
1997	3	1.1	0.65	0.2	2.9	182	1.6	0.12	1.4	1.9
1998	12	2.4	0.79	1.1	4.4	204	1.8	0.13	1.6	2.1
1999	8	2.0	0.77	0.8	4.0	204	1.8	0.13	1.6	2.1
2000	3	0.4	0.26	0.1	1.3	208	1.8	0.13	1.6	2.1
2001	6	1.3	0.56	0.4	2.8	231	2.0	0.13	1.8	2.3
2002	10	2.2	0.77	0.9	4.1	258	2.2	0.14	2.0	2.5
2003	9	1.7	0.68	0.6	3.4	201	1.7	0.12	1.5	2.0
2004	12	1.6	0.62	0.7	3.2	238	2.0	0.13	1.8	2.3
2005	7	0.8	0.33	0.3	1.7	274	2.3	0.14	2.0	2.6
2006	14	1.8	0.54	0.9	3.1	250	2.1	0.13	1.8	2.4
2007	13	1.3	0.40	0.7	2.4	292	2.4	0.14	2.1	2.7
2008	14	1.4	0.40	0.7	2.4	297	2.5	0.14	2.2	2.7
2009	18	2.2	0.61	1.2	3.7	325	2.6	0.15	2.3	2.9
2010	20	2.4	0.58	1.4	3.8	326	2.6	0.15	2.3	2.9
2011	14	1.4	0.41	0.7	2.4	342	2.7	0.15	2.4	3.0
2012	19	1.7	0.43	1.0	2.8	370	2.8	0.15	2.5	3.1
2013	22	1.7	0.39	1.0	2.6	361	2.7	0.15	2.5	3.1
2014	14	1.1	0.31	0.6	1.8	365	2.8	0.15	2.5	3.1
2015	25	1.9	0.41	1.2	2.9	398	3.0	0.15	2.7	3.3
2016	30	2.3	0.45	1.5	3.3	378	2.8	0.15	2.5	3.1
2017	30	1.9	0.37	1.2	2.7	381	2.9	0.15	2.6	3.2
2018	32	2.4	0.46	1.6	3.5	410	3.0	0.15	2.7	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Small Intestine											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	5,885	2.0	0.03	2.0	2.1	1,506	3.4	0.09	3.2	3.6	
1990	113	1.3	0.12	1.0	1.5	20	1.7	0.38	1.0	2.6	
1991	112	1.2	0.11	1.0	1.4	30	2.4	0.45	1.6	3.5	
1992	122	1.3	0.12	1.1	1.6	28	2.0	0.38	1.3	2.9	
1993	148	1.6	0.13	1.3	1.8	25	1.9	0.39	1.2	2.8	
1994	135	1.4	0.12	1.2	1.7	25	1.9	0.40	1.2	2.9	
1995	123	1.3	0.12	1.1	1.5	34	2.8	0.48	1.9	3.9	
1996	141	1.5	0.12	1.2	1.7	36	2.6	0.45	1.8	3.6	
1997	141	1.5	0.12	1.2	1.7	39	2.8	0.46	2.0	3.9	
1998	166	1.7	0.14	1.5	2.0	36	2.6	0.44	1.8	3.6	
1999	164	1.7	0.13	1.5	2.0	32	2.3	0.41	1.5	3.2	
2000	170	1.8	0.14	1.5	2.1	34	2.4	0.43	1.7	3.4	
2001	182	1.9	0.14	1.6	2.2	44	3.1	0.47	2.2	4.2	
2002	201	2.1	0.15	1.8	2.4	51	3.4	0.49	2.6	4.5	
2003	154	1.5	0.12	1.3	1.8	41	2.8	0.44	2.0	3.8	
2004	184	1.9	0.14	1.6	2.2	46	3.2	0.48	2.3	4.3	
2005	219	2.2	0.15	1.9	2.5	48	3.2	0.47	2.3	4.2	
2006	187	1.9	0.14	1.6	2.2	48	3.1	0.46	2.3	4.2	
2007	229	2.3	0.15	2.0	2.6	57	3.5	0.47	2.6	4.5	
2008	220	2.2	0.15	1.9	2.5	69	4.4	0.54	3.4	5.6	
2009	250	2.4	0.16	2.1	2.8	67	4.1	0.52	3.2	5.3	
2010	239	2.3	0.15	2.0	2.7	74	4.5	0.53	3.5	5.7	
2011	262	2.5	0.16	2.2	2.8	64	3.6	0.46	2.8	4.6	
2012	287	2.6	0.16	2.3	3.0	70	4.0	0.49	3.1	5.1	
2013	279	2.6	0.16	2.3	2.9	77	4.2	0.49	3.3	5.3	
2014	278	2.6	0.16	2.3	3.0	76	4.2	0.50	3.3	5.3	
2015	310	2.8	0.16	2.5	3.2	76	4.2	0.49	3.3	5.3	
2016	281	2.6	0.16	2.3	2.9	83	4.4	0.50	3.5	5.5	
2017	283	2.6	0.16	2.3	3.0	87	4.7	0.51	3.8	5.8	
2018	305	2.8	0.16	2.4	3.1	89	4.7	0.51	3.7	5.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Small Intestine											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	192	1.7	0.14	1.5	2.0	3,976	2.6	0.04	2.5	2.7	
1990	5	2.1	0.95	0.6	5.5	69	1.6	0.20	1.2	2.0	
1991	1	0.4	0.41	0.0	3.1	71	1.6	0.19	1.2	2.0	
1992	2	0.7	0.48	0.1	3.3	74	1.6	0.19	1.2	2.0	
1993	3	1.4	0.88	0.2	4.5	96	2.1	0.22	1.7	2.6	
1994	4	2.3	1.35	0.5	6.3	77	1.7	0.20	1.4	2.2	
1995	1	0.4	0.35	0.0	2.6	91	2.0	0.21	1.6	2.4	
1996	2	0.4	0.25	0.0	2.4	91	2.0	0.21	1.6	2.4	
1997	0					87	1.8	0.20	1.5	2.3	
1998	4	1.3	0.66	0.4	3.7	114	2.3	0.22	1.9	2.8	
1999	4	2.9	1.67	0.6	7.4	112	2.3	0.22	1.9	2.7	
2000	0					106	2.2	0.22	1.8	2.7	
2001	3	0.9	0.54	0.2	2.9	121	2.5	0.23	2.1	3.0	
2002	5	2.0	0.90	0.6	4.5	130	2.6	0.23	2.1	3.0	
2003	4	0.8	0.44	0.2	2.5	117	2.4	0.22	1.9	2.8	
2004	5	1.7	1.10	0.3	4.8	135	2.6	0.23	2.2	3.1	
2005	5	1.3	0.65	0.4	3.2	146	2.8	0.23	2.4	3.3	
2006	9	2.4	0.95	0.9	4.9	129	2.5	0.22	2.0	2.9	
2007	6	1.5	0.68	0.5	3.4	140	2.6	0.22	2.2	3.1	
2008	7	1.5	0.67	0.5	3.4	144	2.7	0.23	2.3	3.2	
2009	9	2.2	0.90	0.8	4.5	176	3.2	0.24	2.7	3.7	
2010	9	1.6	0.57	0.7	3.1	175	3.2	0.25	2.8	3.8	
2011	10	2.2	0.82	0.9	4.3	166	2.9	0.23	2.4	3.3	
2012	12	2.2	0.67	1.0	3.9	206	3.6	0.26	3.1	4.1	
2013	11	1.6	0.51	0.7	2.9	166	2.8	0.22	2.4	3.3	
2014	6	0.8	0.37	0.3	1.9	188	3.2	0.24	2.7	3.7	
2015	14	2.3	0.70	1.1	4.0	218	3.7	0.25	3.2	4.2	
2016	20	2.9	0.71	1.6	4.6	208	3.4	0.24	2.9	3.9	
2017	14	2.0	0.59	1.0	3.5	209	3.4	0.24	2.9	3.9	
2018	17	3.0	0.81	1.7	5.0	214	3.5	0.24	3.0	4.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Small Intestine											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,117	2.4	0.04	2.4	2.5	738	4.0	0.15	3.7	4.3	
1990	62	1.6	0.21	1.2	2.1	7	1.4	0.55	0.5	2.9	
1991	57	1.5	0.20	1.1	1.9	14	3.0	0.86	1.6	5.1	
1992	60	1.5	0.20	1.1	2.0	13	2.0	0.56	1.0	3.5	
1993	82	2.1	0.23	1.6	2.6	13	2.4	0.67	1.3	4.1	
1994	65	1.7	0.21	1.3	2.2	10	1.8	0.60	0.9	3.4	
1995	71	1.7	0.21	1.4	2.2	19	4.1	1.01	2.4	6.5	
1996	70	1.8	0.21	1.4	2.3	19	3.2	0.74	1.9	5.0	
1997	69	1.7	0.21	1.3	2.2	16	2.6	0.67	1.5	4.3	
1998	87	2.1	0.23	1.7	2.6	26	4.5	0.91	2.9	6.6	
1999	88	2.1	0.22	1.7	2.6	20	3.5	0.83	2.1	5.5	
2000	83	2.0	0.23	1.6	2.5	20	3.5	0.79	2.1	5.4	
2001	96	2.3	0.24	1.9	2.8	23	4.2	0.92	2.6	6.4	
2002	103	2.4	0.24	2.0	2.9	21	3.5	0.81	2.1	5.4	
2003	88	2.1	0.22	1.7	2.6	25	4.0	0.83	2.5	5.9	
2004	106	2.4	0.24	2.0	2.9	28	5.0	1.00	3.2	7.3	
2005	120	2.7	0.25	2.3	3.3	22	3.5	0.79	2.1	5.4	
2006	104	2.4	0.23	1.9	2.9	19	3.0	0.73	1.8	4.8	
2007	113	2.5	0.24	2.0	3.0	23	3.2	0.69	2.0	4.9	
2008	107	2.4	0.23	1.9	2.9	33	5.1	0.91	3.5	7.2	
2009	137	2.9	0.26	2.5	3.5	33	5.1	0.92	3.4	7.2	
2010	132	3.0	0.26	2.5	3.5	36	5.4	0.95	3.7	7.5	
2011	134	2.8	0.25	2.3	3.3	23	3.0	0.65	1.8	4.5	
2012	156	3.3	0.27	2.8	3.8	42	6.0	0.97	4.3	8.2	
2013	128	2.6	0.23	2.2	3.1	35	4.8	0.84	3.3	6.7	
2014	139	2.9	0.25	2.4	3.4	43	5.7	0.91	4.1	7.8	
2015	179	3.7	0.28	3.1	4.3	32	4.2	0.76	2.8	6.0	
2016	157	3.1	0.26	2.7	3.7	41	5.2	0.85	3.7	7.1	
2017	161	3.2	0.26	2.7	3.7	40	5.1	0.84	3.6	7.0	
2018	163	3.2	0.26	2.7	3.8	42	5.2	0.83	3.7	7.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Small Intestine										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	179	1.6	0.13	1.3	1.8	3,627	1.9	0.03	1.8	1.9
1990	1	0.5	0.52	0.0	2.8	65	1.1	0.14	0.9	1.4
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	2	1.3	0.96	0.1	4.3	78	1.3	0.15	1.0	1.6
1993	4	1.6	0.81	0.4	4.2	79	1.3	0.15	1.0	1.6
1994	3	1.4	0.88	0.2	4.1	88	1.4	0.15	1.1	1.7
1995	5	2.3	1.15	0.6	5.5	68	1.1	0.13	0.9	1.4
1996	2	0.7	0.49	0.1	2.6	89	1.4	0.15	1.1	1.7
1997	3	1.8	1.10	0.3	4.9	95	1.5	0.16	1.2	1.8
1998	8	3.2	1.26	1.3	6.5	90	1.4	0.15	1.1	1.7
1999	4	1.5	0.75	0.4	3.7	92	1.4	0.15	1.1	1.7
2000	3	0.8	0.49	0.2	2.5	102	1.6	0.16	1.3	2.0
2001	3	1.5	0.87	0.3	3.9	110	1.7	0.17	1.4	2.1
2002	5	2.1	1.05	0.6	4.9	128	2.0	0.18	1.7	2.4
2003	5	2.2	1.08	0.6	5.1	84	1.3	0.14	1.0	1.6
2004	7	1.7	0.77	0.6	3.8	103	1.5	0.15	1.3	1.9
2005	2	0.4	0.27	0.0	1.5	128	1.9	0.17	1.6	2.2
2006	5	1.3	0.60	0.4	3.0	121	1.9	0.17	1.5	2.2
2007	7	1.3	0.50	0.5	2.7	152	2.3	0.19	1.9	2.6
2008	7	1.3	0.51	0.5	2.7	153	2.3	0.19	2.0	2.7
2009	9	2.2	0.82	0.9	4.3	149	2.2	0.18	1.8	2.5
2010	11	2.9	0.91	1.4	5.1	151	2.1	0.18	1.8	2.5
2011	4	0.7	0.38	0.2	1.8	176	2.5	0.20	2.2	3.0
2012	7	1.3	0.53	0.5	2.7	164	2.2	0.18	1.9	2.6
2013	11	1.8	0.57	0.9	3.2	195	2.7	0.20	2.3	3.2
2014	8	1.3	0.47	0.5	2.5	177	2.6	0.20	2.2	3.0
2015	11	1.5	0.49	0.7	2.8	180	2.4	0.19	2.1	2.8
2016	10	1.7	0.55	0.8	3.0	170	2.4	0.19	2.0	2.8
2017	16	1.8	0.47	1.0	3.0	172	2.4	0.19	2.1	2.8
2018	15	1.9	0.52	1.1	3.2	196	2.7	0.20	2.3	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Small Intestine											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,768	1.7	0.03	1.7	1.8	768	3.0	0.11	2.7	3.2	
1990	51	1.0	0.14	0.7	1.3	13	1.9	0.53	1.0	3.3	
1991	55	1.0	0.14	0.8	1.3	16	2.2	0.54	1.2	3.5	
1992	62	1.2	0.16	0.9	1.6	15	2.0	0.51	1.1	3.2	
1993	66	1.2	0.15	0.9	1.5	12	1.6	0.47	0.8	2.8	
1994	70	1.2	0.15	1.0	1.6	15	2.0	0.52	1.1	3.3	
1995	52	1.0	0.14	0.7	1.3	15	2.0	0.53	1.1	3.3	
1996	71	1.3	0.15	1.0	1.6	17	2.1	0.53	1.2	3.4	
1997	72	1.3	0.16	1.0	1.6	23	2.9	0.61	1.8	4.4	
1998	79	1.4	0.16	1.1	1.8	10	1.2	0.39	0.6	2.3	
1999	76	1.4	0.16	1.1	1.7	12	1.5	0.42	0.8	2.5	
2000	87	1.6	0.18	1.3	2.0	14	1.7	0.46	0.9	2.8	
2001	86	1.6	0.17	1.3	2.0	21	2.4	0.54	1.5	3.7	
2002	98	1.8	0.18	1.5	2.2	30	3.5	0.64	2.3	5.0	
2003	66	1.2	0.15	0.9	1.5	16	1.9	0.48	1.1	3.1	
2004	78	1.4	0.16	1.1	1.8	18	2.0	0.48	1.2	3.2	
2005	99	1.8	0.18	1.4	2.1	26	2.9	0.57	1.9	4.3	
2006	83	1.5	0.17	1.2	1.9	29	3.2	0.61	2.2	4.7	
2007	116	2.1	0.20	1.7	2.5	34	3.6	0.62	2.5	5.0	
2008	113	2.1	0.20	1.7	2.5	36	3.9	0.65	2.7	5.4	
2009	113	2.0	0.19	1.6	2.4	34	3.5	0.61	2.4	4.9	
2010	107	1.8	0.18	1.5	2.2	38	3.9	0.64	2.7	5.4	
2011	128	2.3	0.21	1.9	2.7	41	4.1	0.65	2.9	5.6	
2012	131	2.2	0.20	1.8	2.6	28	2.6	0.50	1.8	3.8	
2013	151	2.6	0.22	2.2	3.1	42	3.9	0.61	2.8	5.3	
2014	139	2.5	0.22	2.1	3.0	33	3.2	0.57	2.2	4.5	
2015	131	2.1	0.19	1.7	2.5	44	4.2	0.65	3.1	5.7	
2016	124	2.1	0.20	1.7	2.5	42	4.0	0.62	2.8	5.4	
2017	122	2.2	0.21	1.8	2.6	47	4.5	0.66	3.3	6.0	
2018	142	2.4	0.21	2.0	2.9	47	4.2	0.64	3.1	5.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon and Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,810	36.6	0.46	35.7	37.5	186,786	53.4	0.12	53.2	53.7
1990	131	38.9	3.85	31.8	47.1	6,504	61.7	0.77	60.2	63.3
1991	98	31.3	3.62	24.6	39.0	6,474	60.7	0.76	59.2	62.2
1992	125	37.4	3.77	30.4	45.3	6,444	59.6	0.75	58.2	61.1
1993	149	43.4	3.99	35.9	51.8	6,445	59.0	0.74	57.5	60.4
1994	154	41.0	3.80	33.9	49.0	6,678	60.6	0.74	59.1	62.1
1995	168	48.8	4.29	40.7	57.7	6,545	59.1	0.73	57.7	60.6
1996	154	38.1	3.50	31.5	45.4	6,649	59.7	0.73	58.2	61.1
1997	184	45.1	3.74	38.1	52.9	6,866	61.2	0.74	59.7	62.6
1998	185	45.2	3.82	38.0	53.2	7,187	63.4	0.75	61.9	64.9
1999	189	40.4	3.42	34.0	47.5	6,998	61.3	0.73	59.9	62.7
2000	200	39.5	3.23	33.5	46.3	7,127	62.0	0.74	60.6	63.5
2001	220	41.6	3.22	35.5	48.3	6,860	59.3	0.72	57.9	60.7
2002	245	43.2	3.15	37.3	49.7	7,034	60.5	0.72	59.1	61.9
2003	245	39.3	2.88	33.9	45.3	6,848	58.3	0.71	57.0	59.7
2004	277	44.6	3.09	38.7	51.0	6,921	58.6	0.71	57.2	60.0
2005	282	41.4	2.79	36.1	47.1	6,694	56.1	0.69	54.8	57.5
2006	296	41.3	2.74	36.2	47.0	6,745	56.1	0.69	54.7	57.4
2007	299	38.9	2.56	34.0	44.1	6,530	53.7	0.67	52.4	55.0
2008	291	34.1	2.24	29.9	38.7	6,427	52.0	0.66	50.8	53.3
2009	299	33.9	2.19	29.8	38.4	5,998	48.1	0.63	46.9	49.3
2010	314	32.5	2.05	28.6	36.8	6,049	47.8	0.62	46.6	49.1
2011	342	34.0	2.04	30.1	38.2	6,104	47.7	0.62	46.5	48.9
2012	344	33.0	1.96	29.2	37.0	5,835	44.8	0.60	43.7	46.0
2013	335	31.3	1.88	27.7	35.2	5,891	44.6	0.59	43.5	45.8
2014	406	34.8	1.89	31.2	38.7	5,805	43.5	0.58	42.3	44.6
2015	429	34.0	1.79	30.6	37.7	5,857	43.7	0.59	42.6	44.9
2016	472	34.7	1.72	31.4	38.2	5,994	44.5	0.59	43.4	45.7
2017	475	33.6	1.66	30.4	37.0	5,639	41.5	0.57	40.4	42.6
2018	502	34.4	1.65	31.3	37.8	5,638	41.3	0.57	40.2	42.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon and Rectum										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	155,721	52.6	0.13	52.4	52.9	26,306	61.2	0.38	60.4	62.0
1990	5,750	61.6	0.82	60.0	63.2	699	64.2	2.50	59.4	69.3
1991	5,730	60.8	0.81	59.2	62.4	671	59.7	2.37	55.1	64.5
1992	5,734	60.2	0.80	58.6	61.8	638	54.7	2.22	50.4	59.2
1993	5,636	58.6	0.78	57.1	60.2	733	63.4	2.40	58.7	68.2
1994	5,848	60.4	0.79	58.9	62.0	753	63.4	2.37	58.8	68.2
1995	5,640	58.3	0.78	56.8	59.8	804	66.1	2.39	61.5	70.9
1996	5,740	59.1	0.78	57.5	60.6	796	64.4	2.33	59.9	69.1
1997	5,890	60.4	0.79	58.8	61.9	868	69.6	2.42	64.9	74.5
1998	6,137	62.5	0.80	60.9	64.0	933	73.1	2.44	68.4	78.1
1999	6,005	60.9	0.79	59.3	62.4	857	64.4	2.24	60.1	69.0
2000	6,070	61.4	0.79	59.9	63.0	911	67.2	2.27	62.9	71.8
2001	5,787	58.3	0.77	56.8	59.8	933	68.3	2.28	63.9	72.9
2002	5,885	59.2	0.77	57.7	60.7	992	71.5	2.31	67.0	76.1
2003	5,655	56.5	0.76	55.1	58.0	1,030	72.6	2.31	68.2	77.3
2004	5,766	57.5	0.76	56.0	59.0	1,011	69.0	2.21	64.7	73.5
2005	5,522	54.7	0.74	53.3	56.2	980	66.3	2.16	62.1	70.7
2006	5,519	54.4	0.74	53.0	55.9	1,029	67.9	2.16	63.8	72.3
2007	5,352	52.3	0.72	50.9	53.8	987	63.7	2.07	59.7	67.8
2008	5,223	50.6	0.71	49.2	52.0	1,003	63.6	2.05	59.6	67.7
2009	4,873	46.8	0.68	45.5	48.2	950	58.7	1.95	55.0	62.7
2010	4,851	46.2	0.68	44.9	47.5	994	60.8	1.98	57.0	64.8
2011	4,869	46.0	0.67	44.7	47.4	1,046	61.2	1.94	57.5	65.1
2012	4,660	43.4	0.65	42.1	44.7	936	54.7	1.83	51.2	58.4
2013	4,679	43.2	0.65	42.0	44.5	994	56.0	1.82	52.5	59.6
2014	4,605	42.1	0.64	40.9	43.4	965	53.8	1.77	50.4	57.4
2015	4,680	43.1	0.65	41.8	44.3	934	50.6	1.70	47.3	54.0
2016	4,734	43.5	0.65	42.2	44.8	992	53.3	1.73	49.9	56.8
2017	4,476	41.0	0.64	39.8	42.3	902	47.6	1.62	44.5	50.9
2018	4,405	40.2	0.63	39.0	41.5	965	50.7	1.67	47.5	54.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon and Rectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,298	43.0	0.76	41.5	44.5	94,126	63.3	0.21	62.9	63.7
1990	70	45.8	6.49	34.0	60.0	3,195	75.2	1.38	72.5	77.9
1991	53	36.3	6.08	25.4	49.7	3,228	75.0	1.36	72.4	77.8
1992	70	45.3	6.57	33.3	59.6	3,274	75.2	1.35	72.5	77.9
1993	74	44.8	6.33	33.3	58.6	3,167	71.7	1.31	69.2	74.3
1994	77	40.9	5.69	30.5	53.3	3,178	71.3	1.30	68.8	73.9
1995	87	58.7	7.70	44.6	75.2	3,176	70.9	1.28	68.4	73.4
1996	77	40.8	5.64	30.5	53.1	3,212	71.0	1.28	68.5	73.6
1997	105	54.9	6.28	43.3	68.3	3,373	73.8	1.29	71.3	76.4
1998	99	56.5	6.94	43.8	71.3	3,517	75.9	1.30	73.4	78.5
1999	115	52.9	6.16	41.5	66.0	3,492	74.7	1.28	72.2	77.2
2000	102	42.3	5.02	33.0	53.0	3,588	75.6	1.28	73.1	78.1
2001	113	47.9	5.34	38.0	59.2	3,416	71.8	1.24	69.4	74.3
2002	155	61.0	5.92	49.9	73.4	3,520	72.7	1.24	70.3	75.2
2003	148	48.5	4.82	39.5	58.6	3,485	71.0	1.22	68.7	73.5
2004	161	57.8	5.62	47.4	69.6	3,457	69.4	1.19	67.1	71.8
2005	147	46.1	4.50	37.7	55.6	3,363	66.5	1.16	64.3	68.8
2006	155	46.0	4.31	37.9	55.1	3,377	65.8	1.15	63.6	68.1
2007	168	45.9	4.24	38.0	54.8	3,298	63.3	1.12	61.2	65.6
2008	158	41.9	3.93	34.5	50.1	3,262	61.3	1.09	59.2	63.5
2009	156	40.2	3.73	33.2	48.0	3,056	56.4	1.04	54.4	58.5
2010	184	38.7	3.30	32.5	45.6	3,142	57.1	1.04	55.1	59.2
2011	190	39.7	3.35	33.4	46.7	3,133	55.7	1.02	53.8	57.8
2012	193	40.4	3.33	34.1	47.3	3,051	53.3	0.99	51.4	55.3
2013	178	34.9	2.97	29.3	41.1	3,065	52.5	0.97	50.6	54.4
2014	218	40.4	3.10	34.6	46.8	3,045	51.2	0.95	49.4	53.1
2015	245	41.1	2.97	35.5	47.3	3,105	51.8	0.95	49.9	53.7
2016	242	36.6	2.63	31.7	42.1	3,100	50.9	0.94	49.1	52.8
2017	279	40.8	2.72	35.7	46.4	2,941	48.1	0.91	46.3	49.9
2018	279	39.0	2.60	34.1	44.4	2,910	47.2	0.90	45.4	49.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon and Rectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	78,864	62.5	0.22	62.1	63.0	12,653	72.6	0.68	71.3	74.0
1990	2,831	75.2	1.46	72.3	78.1	329	76.6	4.52	68.0	85.9
1991	2,884	76.0	1.46	73.2	78.9	311	68.7	4.16	60.8	77.3
1992	2,921	76.2	1.45	73.4	79.1	312	68.6	4.15	60.7	77.1
1993	2,771	71.3	1.39	68.7	74.1	355	76.9	4.38	68.6	85.9
1994	2,801	71.5	1.38	68.8	74.3	340	73.8	4.29	65.6	82.6
1995	2,737	69.9	1.36	67.3	72.7	386	80.6	4.36	72.2	89.5
1996	2,788	70.9	1.36	68.2	73.6	359	70.3	3.93	62.8	78.4
1997	2,908	73.2	1.37	70.5	75.9	402	78.9	4.18	70.9	87.4
1998	3,026	75.3	1.38	72.6	78.0	437	85.1	4.31	76.9	93.9
1999	3,015	74.5	1.37	71.9	77.3	401	76.6	4.05	68.9	84.9
2000	3,069	75.1	1.36	72.4	77.8	443	82.0	4.11	74.1	90.4
2001	2,913	71.3	1.33	68.7	74.0	423	76.6	3.93	69.1	84.6
2002	2,976	71.8	1.33	69.2	74.4	465	84.6	4.16	76.7	93.1
2003	2,911	69.5	1.30	67.0	72.1	492	85.6	4.08	77.8	94.0
2004	2,891	68.3	1.28	65.8	70.9	486	81.4	3.89	74.0	89.4
2005	2,785	64.9	1.24	62.5	67.4	468	79.6	3.89	72.2	87.6
2006	2,780	64.1	1.23	61.7	66.5	498	81.1	3.83	73.8	89.0
2007	2,716	61.8	1.20	59.5	64.2	474	75.4	3.65	68.4	82.9
2008	2,639	59.1	1.16	56.8	61.4	500	78.2	3.70	71.1	85.7
2009	2,466	54.3	1.11	52.2	56.6	497	75.7	3.59	68.8	83.1
2010	2,551	55.4	1.12	53.2	57.6	486	72.9	3.49	66.2	80.0
2011	2,532	54.2	1.10	52.1	56.4	504	70.6	3.30	64.3	77.3
2012	2,461	51.7	1.06	49.6	53.8	452	65.0	3.21	58.9	71.6
2013	2,442	50.7	1.05	48.6	52.8	498	68.1	3.21	61.9	74.6
2014	2,427	49.5	1.03	47.5	51.6	495	67.0	3.16	60.9	73.4
2015	2,500	50.9	1.05	48.8	53.0	461	61.5	3.00	55.8	67.7
2016	2,474	49.6	1.03	47.6	51.6	482	62.9	2.99	57.2	69.0
2017	2,358	47.5	1.01	45.5	49.5	436	57.0	2.85	51.6	62.9
2018	2,291	45.8	0.99	43.9	47.8	461	58.1	2.80	52.8	63.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon and Rectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,512	31.3	0.57	30.2	32.4	92,660	46.0	0.15	45.7	46.3
1990	61	33.7	4.72	25.1	44.0	3,309	52.7	0.93	50.9	54.5
1991	45	26.9	4.41	19.0	36.7	3,246	51.2	0.91	49.4	53.0
1992	55	31.0	4.52	22.8	40.9	3,170	49.2	0.88	47.5	51.0
1993	75	41.9	5.16	32.4	53.0	3,278	50.3	0.89	48.6	52.1
1994	77	40.3	5.01	31.0	51.0	3,500	53.3	0.91	51.5	55.1
1995	81	42.4	5.13	33.0	53.4	3,369	51.2	0.89	49.5	53.0
1996	77	35.8	4.46	27.6	45.4	3,437	51.7	0.89	49.9	53.5
1997	79	36.8	4.52	28.5	46.5	3,493	52.3	0.89	50.6	54.1
1998	86	37.5	4.46	29.3	47.0	3,670	54.8	0.91	53.0	56.6
1999	74	30.5	3.93	23.3	39.0	3,506	52.0	0.89	50.3	53.8
2000	98	37.0	4.19	29.2	45.9	3,539	52.1	0.89	50.4	53.9
2001	107	36.8	3.97	29.4	45.2	3,444	50.6	0.87	48.9	52.3
2002	90	29.3	3.39	23.0	36.5	3,514	51.5	0.88	49.8	53.3
2003	97	31.3	3.51	24.8	38.7	3,363	49.2	0.86	47.5	50.9
2004	116	34.7	3.57	28.0	42.2	3,464	50.3	0.87	48.6	52.0
2005	135	37.5	3.54	30.9	45.0	3,331	48.2	0.85	46.6	49.9
2006	141	37.1	3.47	30.6	44.4	3,368	48.8	0.85	47.1	50.5
2007	131	33.0	3.15	27.1	39.6	3,232	46.4	0.83	44.7	48.0
2008	133	28.4	2.66	23.4	34.0	3,165	45.0	0.81	43.5	46.7
2009	143	29.4	2.66	24.4	35.0	2,942	41.7	0.78	40.2	43.3
2010	130	26.7	2.55	21.9	32.1	2,907	40.5	0.77	39.0	42.1
2011	152	29.3	2.55	24.5	34.6	2,971	41.1	0.77	39.6	42.6
2012	151	27.0	2.36	22.6	32.0	2,784	38.1	0.74	36.6	39.5
2013	157	28.3	2.42	23.7	33.4	2,826	38.4	0.74	37.0	39.9
2014	188	30.4	2.36	26.0	35.4	2,760	37.3	0.73	35.9	38.7
2015	184	28.0	2.19	23.9	32.6	2,752	37.2	0.73	35.8	38.7
2016	230	33.1	2.31	28.8	37.9	2,894	39.4	0.76	37.9	40.9
2017	196	27.2	2.06	23.3	31.5	2,698	36.0	0.72	34.6	37.5
2018	223	30.2	2.13	26.2	34.6	2,728	36.2	0.72	34.8	37.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon and Rectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	76,857	45.0	0.17	44.7	45.4	13,653	53.7	0.46	52.8	54.6
1990	2,919	52.3	0.99	50.4	54.3	370	56.5	2.99	50.8	62.7
1991	2,846	50.6	0.97	48.8	52.6	360	53.7	2.88	48.3	59.7
1992	2,813	49.3	0.95	47.5	51.2	326	46.5	2.61	41.6	51.9
1993	2,865	49.9	0.95	48.1	51.8	378	54.6	2.84	49.2	60.5
1994	3,047	52.7	0.97	50.8	54.6	413	57.9	2.88	52.4	63.8
1995	2,903	50.3	0.95	48.5	52.2	418	57.1	2.82	51.7	62.9
1996	2,952	50.8	0.95	49.0	52.7	437	59.6	2.88	54.1	65.5
1997	2,982	51.3	0.96	49.5	53.3	466	62.6	2.93	57.0	68.6
1998	3,111	53.6	0.98	51.7	55.5	496	65.1	2.95	59.4	71.1
1999	2,990	51.2	0.95	49.3	53.1	456	57.1	2.70	52.0	62.6
2000	3,001	51.2	0.95	49.3	53.1	468	57.8	2.69	52.7	63.3
2001	2,874	49.1	0.93	47.3	50.9	510	62.5	2.79	57.2	68.2
2002	2,909	49.7	0.94	47.9	51.6	527	63.3	2.78	58.0	69.0
2003	2,744	47.0	0.92	45.2	48.9	538	63.8	2.77	58.5	69.5
2004	2,875	49.1	0.94	47.3	50.9	525	60.5	2.66	55.4	66.0
2005	2,737	46.7	0.91	44.9	48.5	512	58.1	2.59	53.2	63.4
2006	2,739	47.0	0.92	45.3	48.9	531	59.2	2.59	54.2	64.5
2007	2,636	45.0	0.90	43.2	46.8	513	56.1	2.50	51.3	61.2
2008	2,584	44.0	0.89	42.3	45.8	503	54.1	2.44	49.4	59.1
2009	2,407	41.0	0.86	39.3	42.7	453	47.8	2.27	43.4	52.4
2010	2,300	38.9	0.84	37.3	40.6	508	52.4	2.35	47.9	57.2
2011	2,337	39.1	0.84	37.5	40.8	542	54.2	2.36	49.7	59.1
2012	2,199	36.6	0.81	35.0	38.2	484	48.0	2.21	43.7	52.5
2013	2,237	37.2	0.82	35.6	38.9	496	47.9	2.18	43.7	52.4
2014	2,178	36.0	0.80	34.5	37.6	470	45.2	2.12	41.1	49.5
2015	2,180	36.4	0.82	34.8	38.0	473	44.0	2.06	40.1	48.3
2016	2,260	38.4	0.85	36.8	40.1	510	47.0	2.12	43.0	51.4
2017	2,118	35.5	0.82	33.9	37.1	466	41.9	1.98	38.1	46.0
2018	2,114	35.2	0.81	33.6	36.8	504	45.4	2.06	41.4	49.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon excluding Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,090	24.8	0.39	24.0	25.6	135,685	38.8	0.11	38.6	39.0
1990	84	25.2	3.10	19.5	31.9	4,776	45.4	0.66	44.1	46.7
1991	64	21.4	3.03	15.9	28.0	4,657	43.7	0.65	42.5	45.0
1992	89	27.7	3.32	21.5	34.8	4,665	43.1	0.63	41.9	44.4
1993	98	28.7	3.27	22.6	35.6	4,713	43.1	0.63	41.9	44.4
1994	105	29.2	3.27	23.1	36.1	5,008	45.5	0.64	44.2	46.7
1995	118	35.3	3.66	28.4	43.0	4,764	43.0	0.62	41.8	44.2
1996	99	25.0	2.85	19.7	31.0	4,901	43.9	0.63	42.7	45.2
1997	128	32.0	3.18	26.0	38.7	5,008	44.5	0.63	43.3	45.8
1998	119	30.6	3.21	24.6	37.3	5,303	46.7	0.64	45.4	48.0
1999	127	27.4	2.79	22.2	33.3	5,148	45.0	0.63	43.8	46.2
2000	141	28.3	2.77	23.1	34.1	5,276	45.8	0.63	44.6	47.1
2001	150	29.6	2.75	24.4	35.3	5,089	43.9	0.62	42.7	45.1
2002	153	27.7	2.54	23.0	33.0	5,107	43.8	0.61	42.6	45.0
2003	163	26.1	2.38	21.7	31.1	5,071	43.1	0.61	42.0	44.3
2004	188	32.0	2.68	27.0	37.6	5,048	42.7	0.60	41.5	43.9
2005	185	29.2	2.40	24.7	34.2	4,845	40.6	0.59	39.5	41.8
2006	211	29.9	2.33	25.5	34.7	4,896	40.7	0.59	39.6	41.9
2007	202	28.3	2.25	24.0	32.9	4,784	39.3	0.57	38.2	40.4
2008	179	21.3	1.78	18.0	25.0	4,596	37.3	0.56	36.2	38.4
2009	192	23.5	1.88	20.0	27.4	4,345	34.9	0.54	33.9	36.0
2010	201	22.2	1.75	18.9	25.8	4,298	34.1	0.53	33.0	35.1
2011	232	23.0	1.68	19.9	26.5	4,395	34.4	0.53	33.4	35.5
2012	226	22.8	1.67	19.7	26.3	4,170	32.1	0.51	31.1	33.1
2013	203	20.0	1.54	17.1	23.2	4,213	31.9	0.50	30.9	32.9
2014	264	23.9	1.61	20.8	27.2	4,146	31.0	0.49	30.1	32.0
2015	279	23.0	1.50	20.2	26.1	4,182	31.2	0.49	30.2	32.1
2016	302	23.3	1.45	20.5	26.3	4,286	31.8	0.50	30.8	32.7
2017	287	21.1	1.34	18.5	23.8	4,000	29.3	0.48	28.4	30.2
2018	301	21.1	1.31	18.6	23.8	3,995	29.1	0.47	28.2	30.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon excluding Rectum										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	112,633	37.9	0.11	37.7	38.1	20,098	47.2	0.34	46.5	47.9
1990	4,188	44.8	0.70	43.5	46.2	551	50.7	2.23	46.5	55.3
1991	4,121	43.7	0.69	42.4	45.1	497	44.4	2.05	40.5	48.6
1992	4,122	43.2	0.68	41.9	44.5	495	42.5	1.96	38.8	46.5
1993	4,116	42.7	0.67	41.4	44.0	554	47.8	2.08	43.8	52.0
1994	4,359	45.0	0.68	43.7	46.4	595	50.7	2.13	46.6	55.0
1995	4,056	41.8	0.66	40.5	43.1	643	53.3	2.15	49.2	57.7
1996	4,201	43.1	0.67	41.8	44.4	628	51.1	2.09	47.1	55.3
1997	4,278	43.6	0.67	42.3	45.0	661	53.3	2.12	49.2	57.6
1998	4,472	45.3	0.68	44.0	46.6	753	59.6	2.22	55.3	64.1
1999	4,373	44.1	0.67	42.8	45.4	677	51.3	2.01	47.4	55.4
2000	4,461	44.8	0.67	43.5	46.2	720	53.8	2.04	49.8	57.9
2001	4,258	42.6	0.66	41.3	43.9	735	54.3	2.04	50.4	58.4
2002	4,230	42.3	0.65	41.0	43.6	776	56.2	2.06	52.2	60.4
2003	4,167	41.4	0.64	40.2	42.7	802	57.2	2.06	53.2	61.3
2004	4,198	41.7	0.65	40.4	42.9	767	53.0	1.95	49.3	57.0
2005	3,985	39.3	0.63	38.1	40.5	745	51.2	1.91	47.5	55.0
2006	3,989	39.2	0.63	38.0	40.4	789	52.6	1.91	49.0	56.5
2007	3,921	38.1	0.62	36.9	39.4	752	49.2	1.83	45.6	52.9
2008	3,715	35.9	0.60	34.7	37.1	759	48.7	1.81	45.3	52.4
2009	3,523	33.8	0.58	32.7	34.9	713	44.9	1.72	41.6	48.4
2010	3,413	32.5	0.57	31.4	33.6	761	47.1	1.75	43.7	50.6
2011	3,510	33.1	0.57	32.0	34.3	772	45.9	1.69	42.7	49.4
2012	3,325	30.8	0.55	29.8	31.9	692	41.3	1.60	38.2	44.5
2013	3,342	30.7	0.54	29.7	31.8	737	42.2	1.59	39.1	45.4
2014	3,262	29.7	0.53	28.7	30.8	737	41.4	1.56	38.4	44.5
2015	3,345	30.6	0.54	29.5	31.6	695	37.9	1.47	35.1	40.9
2016	3,407	31.1	0.55	30.1	32.2	719	39.0	1.49	36.1	42.0
2017	3,205	29.1	0.53	28.1	30.2	643	34.3	1.38	31.6	37.1
2018	3,091	28.0	0.52	27.0	29.0	730	38.5	1.46	35.7	41.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon excluding Rectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,655	27.8	0.63	26.6	29.1	65,096	44.2	0.18	43.9	44.6
1990	44	30.7	5.50	20.9	43.0	2,252	53.3	1.16	51.1	55.6
1991	34	23.1	4.77	14.7	33.9	2,240	52.5	1.15	50.3	54.8
1992	53	36.2	6.10	25.2	49.7	2,290	53.1	1.14	50.9	55.4
1993	47	30.0	5.38	20.4	42.0	2,207	50.3	1.10	48.2	52.5
1994	48	25.9	4.54	17.8	36.1	2,285	51.9	1.11	49.8	54.2
1995	62	42.5	6.56	30.6	56.7	2,210	49.7	1.08	47.6	51.8
1996	44	23.6	4.23	16.0	33.1	2,247	50.2	1.08	48.1	52.4
1997	69	35.6	4.98	26.5	46.5	2,328	51.4	1.08	49.3	53.6
1998	58	36.1	5.73	25.8	48.6	2,461	53.5	1.09	51.4	55.7
1999	73	34.5	4.96	25.5	45.3	2,428	52.4	1.08	50.3	54.5
2000	69	28.9	4.23	21.2	38.1	2,515	53.6	1.08	51.5	55.7
2001	74	32.9	4.50	24.7	42.6	2,408	51.2	1.05	49.1	53.3
2002	85	35.1	4.54	26.7	44.8	2,434	50.8	1.04	48.8	52.9
2003	102	33.0	4.00	25.7	41.6	2,485	51.1	1.04	49.1	53.2
2004	99	38.2	4.68	29.6	48.2	2,385	48.5	1.00	46.5	50.5
2005	92	30.8	3.72	24.0	38.8	2,314	46.2	0.97	44.4	48.2
2006	106	33.2	3.69	26.4	41.1	2,346	46.4	0.97	44.5	48.3
2007	107	31.6	3.65	24.9	39.4	2,307	44.7	0.94	42.9	46.6
2008	90	23.7	2.96	18.3	30.1	2,206	41.9	0.91	40.2	43.8
2009	90	26.2	3.14	20.4	32.9	2,089	39.2	0.87	37.5	40.9
2010	113	24.9	2.70	19.8	30.6	2,125	39.2	0.87	37.5	41.0
2011	124	25.3	2.65	20.4	30.9	2,134	38.5	0.85	36.9	40.2
2012	124	27.0	2.76	21.9	32.9	2,058	36.6	0.82	35.0	38.2
2013	102	21.5	2.43	17.0	26.7	2,090	36.2	0.81	34.6	37.8
2014	133	27.7	2.71	22.6	33.4	2,096	35.6	0.80	34.0	37.2
2015	148	25.0	2.33	20.7	29.9	2,094	35.3	0.79	33.7	36.8
2016	151	24.2	2.20	20.0	28.8	2,126	35.2	0.78	33.7	36.8
2017	157	24.4	2.16	20.4	29.0	1,974	32.6	0.75	31.1	34.1
2018	157	22.5	1.99	18.7	26.7	1,962	32.0	0.74	30.5	33.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon excluding Rectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	54,190	43.3	0.19	42.9	43.7	9,355	54.6	0.59	53.4	55.8
1990	1,976	52.8	1.22	50.4	55.2	251	59.0	3.98	51.5	67.2
1991	1,998	53.1	1.22	50.7	55.5	226	49.6	3.52	43.0	56.9
1992	2,022	53.3	1.22	50.9	55.7	241	53.3	3.67	46.3	60.9
1993	1,926	49.9	1.17	47.7	52.3	260	56.5	3.75	49.4	64.3
1994	2,001	51.7	1.18	49.4	54.0	259	57.5	3.84	50.3	65.5
1995	1,870	48.1	1.13	45.9	50.4	304	63.8	3.90	56.4	71.8
1996	1,927	49.4	1.14	47.2	51.7	282	56.3	3.56	49.5	63.6
1997	1,987	50.4	1.15	48.2	52.7	303	59.7	3.64	52.8	67.3
1998	2,082	52.1	1.15	49.9	54.4	347	68.1	3.88	60.7	76.1
1999	2,081	51.8	1.14	49.5	54.1	297	57.6	3.54	50.8	64.9
2000	2,134	52.6	1.15	50.4	54.9	334	63.3	3.66	56.3	70.8
2001	2,028	50.1	1.12	47.9	52.4	328	60.2	3.51	53.5	67.4
2002	2,028	49.4	1.10	47.2	51.6	358	65.7	3.67	58.7	73.2
2003	2,063	49.6	1.10	47.5	51.8	372	66.5	3.65	59.6	74.0
2004	2,005	47.8	1.08	45.8	50.0	340	57.8	3.30	51.5	64.6
2005	1,919	45.1	1.04	43.1	47.1	337	59.1	3.41	52.6	66.1
2006	1,921	44.8	1.03	42.8	46.9	367	60.9	3.35	54.5	67.8
2007	1,886	43.3	1.01	41.3	45.3	362	58.7	3.25	52.5	65.4
2008	1,763	39.8	0.96	38.0	41.8	374	59.4	3.25	53.2	66.1
2009	1,680	37.4	0.93	35.6	39.3	348	54.8	3.10	48.9	61.2
2010	1,697	37.4	0.92	35.6	39.3	361	54.9	3.05	49.1	61.2
2011	1,727	37.4	0.92	35.6	39.2	355	51.0	2.84	45.6	56.9
2012	1,653	35.1	0.88	33.4	36.9	319	47.6	2.79	42.3	53.3
2013	1,656	34.6	0.87	32.9	36.3	359	50.3	2.79	45.0	56.1
2014	1,654	34.0	0.86	32.3	35.7	371	51.1	2.78	45.8	56.8
2015	1,684	34.5	0.86	32.8	36.2	328	44.3	2.56	39.4	49.6
2016	1,697	34.2	0.85	32.5	35.9	341	45.2	2.56	40.3	50.5
2017	1,601	32.4	0.83	30.8	34.1	290	38.8	2.37	34.3	43.7
2018	1,524	30.6	0.81	29.0	32.2	341	43.5	2.44	38.9	48.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon excluding Rectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,435	22.4	0.49	21.5	23.4	70,589	34.7	0.13	34.5	35.0
1990	40	21.4	3.69	14.8	29.7	2,524	40.0	0.81	38.5	41.6
1991	30	19.5	3.86	12.7	28.2	2,417	38.0	0.78	36.5	39.6
1992	36	21.0	3.77	14.3	29.5	2,375	36.7	0.76	35.2	38.2
1993	51	27.8	4.17	20.2	37.0	2,506	38.3	0.77	36.8	39.8
1994	57	30.9	4.47	22.8	40.7	2,723	41.2	0.80	39.7	42.8
1995	56	30.5	4.37	22.5	40.0	2,554	38.6	0.77	37.1	40.1
1996	55	25.9	3.81	19.0	34.2	2,654	39.7	0.78	38.2	41.3
1997	59	28.3	4.03	21.0	37.1	2,680	39.9	0.78	38.4	41.4
1998	61	27.3	3.85	20.2	35.6	2,842	42.0	0.80	40.5	43.6
1999	54	21.9	3.29	16.0	29.2	2,720	40.0	0.78	38.5	41.6
2000	72	27.5	3.63	20.9	35.4	2,761	40.4	0.78	38.9	41.9
2001	76	27.1	3.44	20.8	34.6	2,681	39.0	0.76	37.5	40.5
2002	68	22.3	2.97	16.8	28.7	2,673	38.9	0.76	37.4	40.4
2003	61	19.9	2.84	14.7	26.1	2,586	37.6	0.75	36.1	39.1
2004	89	27.8	3.26	21.8	34.8	2,663	38.3	0.75	36.8	39.8
2005	93	27.7	3.14	21.9	34.4	2,531	36.3	0.73	34.9	37.8
2006	105	27.1	2.94	21.6	33.3	2,550	36.6	0.74	35.2	38.1
2007	95	25.5	2.85	20.2	31.6	2,477	35.2	0.72	33.8	36.7
2008	89	19.8	2.25	15.6	24.6	2,390	33.8	0.70	32.5	35.2
2009	102	22.0	2.35	17.7	27.0	2,256	31.7	0.68	30.4	33.0
2010	88	19.5	2.24	15.4	24.3	2,173	30.0	0.66	28.8	31.4
2011	108	21.1	2.18	17.0	25.7	2,261	31.1	0.67	29.8	32.4
2012	102	19.4	2.05	15.6	23.8	2,112	28.6	0.64	27.4	29.9
2013	101	18.9	2.01	15.1	23.2	2,123	28.6	0.64	27.4	29.9
2014	131	21.4	1.99	17.7	25.6	2,050	27.4	0.62	26.1	28.6
2015	131	21.1	1.96	17.4	25.2	2,088	27.8	0.63	26.6	29.1
2016	151	22.7	1.95	19.0	26.8	2,160	29.0	0.65	27.8	30.3
2017	130	18.2	1.69	15.0	21.8	2,026	26.7	0.62	25.5	27.9
2018	144	19.8	1.73	16.5	23.4	2,033	26.6	0.61	25.4	27.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Colon excluding Rectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	58,443	33.8	0.14	33.5	34.1	10,743	42.5	0.41	41.6	43.3
1990	2,212	39.4	0.85	37.8	41.1	300	45.8	2.69	40.7	51.3
1991	2,123	37.6	0.83	36.0	39.2	271	40.9	2.52	36.1	46.1
1992	2,100	36.6	0.81	35.0	38.2	254	36.3	2.31	31.9	41.1
1993	2,190	37.8	0.82	36.2	39.5	294	42.3	2.49	37.5	47.4
1994	2,358	40.5	0.85	38.8	42.2	336	47.4	2.61	42.4	52.8
1995	2,186	37.5	0.82	36.0	39.2	339	46.8	2.56	41.9	52.0
1996	2,274	38.8	0.83	37.2	40.5	346	47.3	2.57	42.4	52.5
1997	2,291	39.1	0.83	37.5	40.7	358	48.3	2.57	43.3	53.5
1998	2,390	40.6	0.85	39.0	42.3	406	53.7	2.69	48.6	59.2
1999	2,292	38.7	0.82	37.1	40.4	380	47.8	2.47	43.1	52.9
2000	2,327	39.2	0.83	37.6	40.9	386	48.0	2.46	43.3	53.0
2001	2,230	37.5	0.81	35.9	39.1	407	50.1	2.50	45.3	55.2
2002	2,202	37.2	0.81	35.6	38.8	418	50.4	2.48	45.6	55.5
2003	2,104	35.6	0.79	34.1	37.2	430	51.2	2.49	46.5	56.3
2004	2,193	36.9	0.80	35.3	38.5	427	49.6	2.42	45.0	54.6
2005	2,066	34.7	0.78	33.2	36.3	408	46.6	2.33	42.2	51.4
2006	2,068	35.0	0.79	33.5	36.6	422	47.3	2.32	42.9	52.1
2007	2,035	34.2	0.78	32.7	35.8	390	43.1	2.21	38.9	47.7
2008	1,952	32.9	0.77	31.4	34.5	385	41.8	2.15	37.7	46.2
2009	1,843	30.9	0.74	29.5	32.4	365	38.6	2.05	34.7	42.9
2010	1,716	28.6	0.71	27.2	30.0	400	41.6	2.11	37.6	45.9
2011	1,783	29.5	0.73	28.1	31.0	417	42.0	2.09	38.0	46.3
2012	1,672	27.4	0.69	26.0	28.8	373	37.3	1.96	33.5	41.3
2013	1,686	27.7	0.70	26.3	29.1	378	36.9	1.93	33.2	40.9
2014	1,608	26.2	0.68	24.9	27.5	366	35.1	1.86	31.5	38.9
2015	1,661	27.3	0.70	25.9	28.7	367	34.1	1.82	30.7	37.9
2016	1,710	28.6	0.73	27.2	30.1	378	34.9	1.83	31.4	38.7
2017	1,604	26.3	0.69	24.9	27.7	353	31.9	1.73	28.6	35.4
2018	1,567	25.6	0.68	24.2	26.9	389	34.9	1.81	31.4	38.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Rectum and Rectosigmoid Junction										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,720	11.8	0.25	11.3	12.3	51,101	14.7	0.07	14.5	14.8
1990	47	13.7	2.29	9.6	18.8	1,728	16.3	0.40	15.6	17.1
1991	34	9.8	1.97	6.4	14.3	1,817	17.0	0.40	16.2	17.8
1992	36	9.7	1.79	6.5	13.8	1,779	16.5	0.39	15.7	17.3
1993	51	14.7	2.30	10.6	19.8	1,732	15.8	0.38	15.1	16.6
1994	49	11.8	1.94	8.3	16.2	1,670	15.1	0.37	14.4	15.9
1995	50	13.5	2.24	9.5	18.5	1,781	16.1	0.38	15.4	16.9
1996	55	13.1	2.04	9.4	17.6	1,748	15.7	0.38	15.0	16.5
1997	56	13.1	1.97	9.6	17.5	1,858	16.6	0.39	15.9	17.4
1998	66	14.7	2.07	10.9	19.2	1,884	16.7	0.39	16.0	17.5
1999	62	13.0	1.97	9.5	17.3	1,850	16.3	0.38	15.6	17.1
2000	59	11.3	1.66	8.3	14.9	1,851	16.2	0.38	15.5	17.0
2001	70	12.0	1.68	9.0	15.7	1,771	15.4	0.37	14.7	16.2
2002	92	15.5	1.86	12.1	19.5	1,927	16.7	0.38	15.9	17.4
2003	82	13.2	1.64	10.2	16.7	1,777	15.2	0.36	14.5	15.9
2004	89	12.5	1.54	9.7	15.9	1,873	15.9	0.37	15.2	16.7
2005	97	12.2	1.42	9.6	15.2	1,849	15.5	0.36	14.8	16.3
2006	85	11.5	1.43	8.8	14.5	1,849	15.3	0.36	14.6	16.0
2007	97	10.6	1.22	8.4	13.2	1,746	14.4	0.35	13.7	15.1
2008	112	12.8	1.37	10.2	15.7	1,831	14.8	0.35	14.1	15.5
2009	107	10.4	1.13	8.3	12.9	1,653	13.2	0.33	12.6	13.9
2010	113	10.3	1.08	8.3	12.6	1,751	13.8	0.33	13.1	14.4
2011	110	11.0	1.16	8.8	13.4	1,709	13.3	0.33	12.6	13.9
2012	118	10.1	1.03	8.2	12.3	1,665	12.7	0.32	12.1	13.4
2013	132	11.3	1.07	9.3	13.6	1,678	12.7	0.32	12.1	13.4
2014	142	10.9	0.99	9.1	13.0	1,659	12.5	0.31	11.9	13.1
2015	150	11.0	0.97	9.2	13.1	1,675	12.6	0.32	12.0	13.2
2016	170	11.4	0.93	9.6	13.4	1,708	12.8	0.32	12.1	13.4
2017	188	12.6	0.98	10.7	14.6	1,639	12.2	0.31	11.6	12.8
2018	201	13.3	1.01	11.4	15.5	1,643	12.2	0.31	11.6	12.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Rectum and Rectosigmoid Junction										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	43,088	14.7	0.07	14.6	14.9	6,208	14.0	0.18	13.6	14.3
1990	1,562	16.7	0.43	15.9	17.6	148	13.5	1.14	11.3	15.9
1991	1,609	17.1	0.43	16.3	18.0	174	15.3	1.20	13.0	17.8
1992	1,612	17.0	0.43	16.2	17.9	143	12.1	1.05	10.2	14.4
1993	1,520	15.9	0.41	15.1	16.7	179	15.6	1.20	13.3	18.1
1994	1,489	15.5	0.40	14.7	16.3	158	12.7	1.03	10.7	14.8
1995	1,584	16.5	0.42	15.7	17.4	161	12.8	1.03	10.8	14.9
1996	1,539	16.0	0.41	15.2	16.8	168	13.3	1.04	11.3	15.5
1997	1,612	16.7	0.42	15.9	17.6	207	16.3	1.16	14.1	18.7
1998	1,665	17.2	0.42	16.4	18.0	180	13.5	1.03	11.6	15.7
1999	1,632	16.8	0.42	16.0	17.6	180	13.1	0.99	11.2	15.2
2000	1,609	16.6	0.41	15.8	17.4	191	13.5	0.99	11.6	15.5
2001	1,529	15.7	0.40	14.9	16.5	198	14.0	1.02	12.1	16.2
2002	1,655	16.9	0.42	16.1	17.8	216	15.3	1.06	13.3	17.5
2003	1,488	15.1	0.39	14.3	15.9	228	15.5	1.04	13.5	17.6
2004	1,568	15.9	0.40	15.1	16.7	244	16.0	1.04	14.0	18.2
2005	1,537	15.4	0.40	14.6	16.2	235	15.1	1.01	13.2	17.2
2006	1,530	15.2	0.39	14.5	16.0	240	15.3	1.01	13.4	17.4
2007	1,431	14.2	0.38	13.5	15.0	235	14.5	0.97	12.7	16.5
2008	1,508	14.7	0.38	14.0	15.5	244	14.9	0.97	13.0	16.9
2009	1,350	13.1	0.36	12.4	13.8	237	13.9	0.92	12.1	15.8
2010	1,438	13.7	0.37	13.0	14.5	233	13.7	0.92	12.0	15.6
2011	1,359	12.9	0.36	12.2	13.6	274	15.3	0.95	13.5	17.3
2012	1,335	12.5	0.35	11.9	13.2	244	13.5	0.88	11.8	15.3
2013	1,337	12.5	0.35	11.9	13.2	257	13.8	0.88	12.1	15.6
2014	1,343	12.4	0.35	11.7	13.1	228	12.4	0.84	10.8	14.2
2015	1,335	12.5	0.35	11.8	13.2	239	12.7	0.84	11.1	14.5
2016	1,327	12.3	0.35	11.7	13.1	273	14.3	0.89	12.6	16.2
2017	1,271	11.9	0.35	11.2	12.6	259	13.4	0.85	11.7	15.1
2018	1,314	12.2	0.35	11.5	12.9	235	12.2	0.81	10.6	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Rectum and Rectosigmoid Junction										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,643	15.2	0.44	14.3	16.0	29,030	19.1	0.11	18.9	19.3
1990	26	15.1	3.45	9.1	23.3	943	21.9	0.74	20.5	23.4
1991	19	13.2	3.77	6.9	22.2	988	22.6	0.74	21.1	24.1
1992	17	9.1	2.43	5.0	15.1	984	22.0	0.72	20.6	23.5
1993	27	14.8	3.33	9.0	22.6	960	21.4	0.71	20.0	22.8
1994	29	15.0	3.44	9.0	23.0	893	19.4	0.66	18.1	20.7
1995	25	16.2	4.03	9.3	25.5	966	21.2	0.70	19.8	22.6
1996	33	17.3	3.73	10.7	25.8	965	20.8	0.68	19.5	22.2
1997	36	19.3	3.82	12.5	27.9	1,045	22.4	0.70	21.0	23.8
1998	41	20.4	3.92	13.5	29.2	1,056	22.4	0.70	21.1	23.8
1999	42	18.4	3.66	11.9	26.6	1,064	22.3	0.69	21.0	23.7
2000	33	13.4	2.71	8.7	19.6	1,073	22.1	0.68	20.7	23.4
2001	39	15.0	2.89	9.9	21.5	1,008	20.7	0.66	19.4	22.0
2002	70	25.9	3.81	19.0	34.2	1,086	21.9	0.67	20.6	23.3
2003	46	15.4	2.68	10.6	21.4	1,000	19.9	0.64	18.7	21.2
2004	62	19.6	3.10	14.0	26.5	1,072	21.0	0.65	19.7	22.3
2005	55	15.3	2.54	10.7	20.9	1,049	20.3	0.63	19.1	21.6
2006	49	12.8	2.23	8.8	17.8	1,031	19.4	0.61	18.3	20.7
2007	61	14.3	2.16	10.4	19.1	991	18.6	0.60	17.5	19.8
2008	68	18.1	2.58	13.4	23.8	1,056	19.3	0.61	18.2	20.6
2009	66	14.0	2.01	10.4	18.4	967	17.3	0.57	16.2	18.4
2010	71	13.9	1.89	10.4	18.0	1,017	17.9	0.57	16.8	19.0
2011	66	14.4	2.06	10.7	18.9	999	17.2	0.56	16.1	18.3
2012	69	13.4	1.85	10.0	17.4	993	16.7	0.54	15.7	17.8
2013	76	13.3	1.71	10.2	17.1	975	16.3	0.53	15.3	17.4
2014	85	12.7	1.50	9.9	16.0	949	15.7	0.52	14.7	16.7
2015	97	16.1	1.84	12.7	20.0	1,011	16.5	0.53	15.5	17.6
2016	91	12.5	1.43	9.8	15.6	974	15.7	0.52	14.7	16.8
2017	122	16.4	1.64	13.3	19.9	967	15.6	0.52	14.6	16.6
2018	122	16.5	1.67	13.4	20.1	948	15.2	0.51	14.3	16.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Rectum and Rectosigmoid Junction										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	24,674	19.2	0.12	19.0	19.4	3,298	18.1	0.33	17.4	18.7
1990	855	22.4	0.79	20.9	24.0	78	17.6	2.15	13.7	22.3
1991	886	22.9	0.79	21.4	24.6	85	19.1	2.21	15.0	23.8
1992	899	22.9	0.78	21.4	24.5	71	15.3	1.95	11.7	19.5
1993	845	21.4	0.75	20.0	23.0	95	20.4	2.27	16.2	25.3
1994	800	19.8	0.71	18.5	21.3	81	16.2	1.91	12.7	20.4
1995	867	21.8	0.75	20.4	23.3	82	16.8	1.96	13.1	21.0
1996	861	21.4	0.74	20.0	22.9	77	14.0	1.65	11.0	17.6
1997	921	22.8	0.76	21.3	24.3	99	19.1	2.05	15.3	23.5
1998	944	23.2	0.76	21.7	24.7	90	17.0	1.89	13.5	21.1
1999	934	22.8	0.75	21.3	24.3	104	19.1	1.97	15.4	23.3
2000	935	22.5	0.74	21.1	24.0	109	18.7	1.87	15.2	22.7
2001	885	21.2	0.72	19.8	22.7	95	16.3	1.77	13.1	20.1
2002	948	22.4	0.73	21.0	23.9	107	19.0	1.95	15.3	23.1
2003	848	20.0	0.69	18.6	21.4	120	19.1	1.83	15.7	23.0
2004	886	20.5	0.69	19.2	21.9	146	23.7	2.06	19.8	28.0
2005	866	19.8	0.68	18.5	21.2	131	20.5	1.88	17.0	24.6
2006	859	19.2	0.66	18.0	20.6	131	20.3	1.85	16.8	24.2
2007	830	18.6	0.65	17.3	19.9	112	16.7	1.66	13.6	20.3
2008	876	19.2	0.66	18.0	20.6	126	18.7	1.76	15.4	22.5
2009	786	16.9	0.61	15.7	18.2	149	20.9	1.82	17.5	24.8
2010	854	18.0	0.63	16.8	19.2	125	18.0	1.69	14.8	21.6
2011	805	16.8	0.61	15.7	18.1	149	19.6	1.68	16.4	23.1
2012	808	16.5	0.60	15.4	17.8	133	17.4	1.59	14.5	20.8
2013	786	16.1	0.59	14.9	17.3	139	17.8	1.58	14.8	21.1
2014	773	15.5	0.57	14.4	16.7	124	15.9	1.49	13.1	19.1
2015	816	16.4	0.59	15.3	17.6	133	17.2	1.57	14.3	20.6
2016	777	15.4	0.57	14.3	16.6	141	17.7	1.55	14.8	21.0
2017	757	15.1	0.57	14.0	16.3	146	18.2	1.57	15.3	21.6
2018	767	15.2	0.57	14.1	16.4	120	14.6	1.38	12.0	17.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Rectum and Rectosigmoid Junction											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,077	8.9	0.29	8.3	9.5	22,071	11.3	0.08	11.1	11.4	
1990	21	12.2	2.95	7.2	19.1	785	12.7	0.46	11.8	13.6	
1991	15	7.4	2.13	3.8	12.6	829	13.2	0.47	12.3	14.1	
1992	19	10.0	2.48	5.8	15.9	795	12.5	0.45	11.7	13.4	
1993	24	14.1	3.05	8.7	21.0	772	12.0	0.44	11.2	12.9	
1994	20	9.3	2.27	5.4	14.7	777	12.1	0.44	11.2	13.0	
1995	25	11.9	2.68	7.3	18.1	815	12.6	0.45	11.8	13.5	
1996	22	9.9	2.33	5.9	15.3	783	12.0	0.43	11.2	12.9	
1997	20	8.5	2.03	5.0	13.2	813	12.5	0.44	11.6	13.3	
1998	25	10.2	2.26	6.3	15.5	828	12.8	0.45	11.9	13.7	
1999	20	8.6	2.15	4.9	13.6	786	12.0	0.43	11.2	12.9	
2000	26	9.4	2.08	5.8	14.2	778	11.8	0.43	11.0	12.7	
2001	31	9.6	1.98	6.2	14.2	763	11.6	0.42	10.8	12.4	
2002	22	7.0	1.63	4.2	10.8	841	12.6	0.44	11.8	13.5	
2003	36	11.4	2.06	7.7	16.0	777	11.6	0.42	10.8	12.5	
2004	27	6.9	1.46	4.3	10.3	801	12.0	0.43	11.2	12.9	
2005	42	9.8	1.65	6.8	13.5	800	11.9	0.43	11.1	12.8	
2006	36	10.1	1.85	6.8	14.2	818	12.1	0.43	11.3	13.0	
2007	36	7.5	1.36	5.0	10.6	755	11.2	0.41	10.4	12.0	
2008	44	8.6	1.42	6.1	11.8	775	11.2	0.41	10.4	12.1	
2009	41	7.4	1.26	5.1	10.2	686	10.0	0.39	9.3	10.8	
2010	42	7.2	1.20	5.0	9.9	734	10.5	0.40	9.7	11.3	
2011	44	8.2	1.33	5.8	11.2	710	10.0	0.38	9.3	10.8	
2012	49	7.6	1.15	5.5	10.2	672	9.4	0.37	8.7	10.2	
2013	56	9.4	1.35	7.0	12.4	703	9.8	0.38	9.1	10.6	
2014	57	9.0	1.27	6.7	11.8	710	9.9	0.38	9.2	10.7	
2015	53	6.9	0.98	5.1	9.1	664	9.4	0.38	8.6	10.1	
2016	79	10.5	1.23	8.2	13.1	734	10.3	0.40	9.6	11.2	
2017	66	8.9	1.16	6.8	11.5	672	9.4	0.38	8.6	10.1	
2018	79	10.5	1.24	8.2	13.1	695	9.6	0.38	8.9	10.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Rectum and Rectosigmoid Junction										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,414	11.2	0.08	11.1	11.4	2,910	11.3	0.21	10.8	11.7
1990	707	12.9	0.50	12.0	13.9	70	10.8	1.31	8.4	13.6
1991	723	13.1	0.50	12.1	14.1	89	12.9	1.39	10.3	15.9
1992	713	12.8	0.49	11.8	13.8	72	10.3	1.23	8.0	12.9
1993	675	12.1	0.47	11.2	13.1	84	12.4	1.36	9.8	15.3
1994	689	12.2	0.48	11.3	13.2	77	10.5	1.21	8.3	13.1
1995	717	12.8	0.49	11.9	13.8	79	10.4	1.18	8.2	12.9
1996	678	12.0	0.47	11.1	12.9	91	12.4	1.31	10.0	15.2
1997	691	12.3	0.47	11.3	13.2	108	14.3	1.39	11.7	17.3
1998	721	13.0	0.49	12.0	14.0	90	11.4	1.21	9.1	14.0
1999	698	12.4	0.48	11.5	13.4	76	9.3	1.08	7.3	11.7
2000	674	12.0	0.47	11.1	12.9	82	9.9	1.09	7.8	12.2
2001	644	11.6	0.46	10.7	12.5	103	12.5	1.24	10.2	15.1
2002	707	12.5	0.48	11.6	13.5	109	12.9	1.25	10.6	15.6
2003	640	11.4	0.46	10.5	12.3	108	12.6	1.22	10.3	15.2
2004	682	12.2	0.48	11.3	13.2	98	10.9	1.11	8.9	13.3
2005	671	12.0	0.47	11.1	12.9	104	11.5	1.13	9.4	13.9
2006	671	12.1	0.48	11.1	13.0	109	11.9	1.15	9.7	14.4
2007	601	10.7	0.45	9.9	11.7	123	13.0	1.18	10.8	15.5
2008	632	11.1	0.45	10.3	12.1	118	12.3	1.14	10.1	14.7
2009	564	10.0	0.43	9.2	10.9	88	9.1	0.99	7.3	11.3
2010	584	10.3	0.44	9.5	11.2	108	10.8	1.05	8.8	13.1
2011	554	9.6	0.42	8.8	10.4	125	12.2	1.11	10.1	14.6
2012	527	9.2	0.42	8.4	10.0	111	10.7	1.03	8.8	12.9
2013	551	9.6	0.42	8.8	10.5	118	11.0	1.02	9.1	13.2
2014	570	9.9	0.43	9.0	10.8	104	10.1	1.01	8.2	12.3
2015	519	9.1	0.42	8.3	10.0	106	9.9	0.98	8.1	12.0
2016	550	9.8	0.44	8.9	10.7	132	12.1	1.08	10.1	14.4
2017	514	9.2	0.43	8.4	10.1	113	10.1	0.97	8.3	12.2
2018	547	9.7	0.44	8.8	10.6	115	10.5	1.00	8.6	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Anus, Anal Canal and Anorectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	292	1.3	0.08	1.1	1.5	5,294	1.5	0.02	1.5	1.6
1990	0					117	1.2	0.11	1.0	1.4
1991	2	0.6	0.44	0.1	2.1	104	1.0	0.10	0.8	1.2
1992	7	2.5	1.05	0.9	5.2	106	1.0	0.10	0.8	1.2
1993	8	1.9	0.77	0.7	4.0	96	0.9	0.09	0.7	1.1
1994	2	0.3	0.24	0.0	1.4	105	1.0	0.10	0.8	1.2
1995	6	2.1	0.98	0.6	4.6	118	1.1	0.10	0.9	1.3
1996	7	2.6	1.08	1.0	5.3	109	1.0	0.10	0.8	1.2
1997	5	0.6	0.27	0.2	1.6	120	1.1	0.10	0.9	1.3
1998	8	1.6	0.74	0.5	3.6	131	1.2	0.10	1.0	1.4
1999	8	1.4	0.54	0.6	2.9	144	1.3	0.11	1.1	1.5
2000	6	0.7	0.31	0.3	1.7	165	1.5	0.11	1.2	1.7
2001	8	1.0	0.41	0.4	2.2	165	1.4	0.11	1.2	1.7
2002	8	1.3	0.49	0.5	2.6	148	1.3	0.11	1.1	1.5
2003	10	1.7	0.58	0.7	3.2	186	1.6	0.12	1.4	1.9
2004	10	1.7	0.62	0.7	3.3	222	1.9	0.13	1.6	2.2
2005	9	0.9	0.34	0.4	1.8	166	1.4	0.11	1.2	1.6
2006	9	1.2	0.43	0.5	2.3	171	1.4	0.11	1.2	1.7
2007	11	1.4	0.47	0.6	2.6	212	1.8	0.12	1.5	2.0
2008	13	1.6	0.49	0.8	2.9	193	1.6	0.11	1.3	1.8
2009	18	1.8	0.50	1.0	3.0	226	1.9	0.12	1.6	2.1
2010	13	1.3	0.41	0.6	2.3	219	1.8	0.12	1.5	2.0
2011	13	1.2	0.37	0.6	2.1	213	1.7	0.12	1.5	1.9
2012	11	0.7	0.22	0.4	1.3	235	1.8	0.12	1.6	2.1
2013	15	1.1	0.31	0.6	1.9	260	2.0	0.13	1.8	2.3
2014	13	1.1	0.34	0.6	2.0	287	2.1	0.13	1.9	2.4
2015	19	1.6	0.39	0.9	2.5	238	1.7	0.12	1.5	2.0
2016	13	1.0	0.29	0.5	1.7	295	2.2	0.13	1.9	2.5
2017	17	1.3	0.35	0.7	2.2	275	2.0	0.12	1.8	2.2
2018	23	1.4	0.30	0.9	2.1	268	2.0	0.12	1.7	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Anus, Anal Canal and Anorectum											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	4,376	1.5	0.02	1.5	1.6	846	1.9	0.06	1.7	2.0	
1990	93	1.0	0.11	0.8	1.3	24	2.1	0.44	1.3	3.1	
1991	90	1.0	0.10	0.8	1.2	14	1.1	0.29	0.6	1.8	
1992	90	1.0	0.10	0.8	1.2	16	1.2	0.31	0.7	2.0	
1993	88	0.9	0.10	0.8	1.2	7	0.6	0.22	0.2	1.2	
1994	89	1.0	0.10	0.8	1.2	14	1.1	0.31	0.6	1.9	
1995	98	1.1	0.11	0.9	1.3	20	1.4	0.32	0.8	2.2	
1996	94	1.0	0.10	0.8	1.2	15	1.2	0.33	0.7	2.0	
1997	102	1.1	0.11	0.9	1.3	16	1.2	0.30	0.7	1.9	
1998	107	1.1	0.11	0.9	1.4	23	1.6	0.33	1.0	2.4	
1999	123	1.3	0.12	1.1	1.6	19	1.3	0.30	0.8	2.0	
2000	135	1.4	0.12	1.2	1.7	28	1.9	0.36	1.2	2.7	
2001	131	1.4	0.12	1.1	1.6	34	2.4	0.41	1.6	3.3	
2002	122	1.3	0.12	1.1	1.5	23	1.4	0.30	0.9	2.1	
2003	154	1.6	0.13	1.4	1.9	31	2.0	0.36	1.3	2.8	
2004	186	1.9	0.14	1.6	2.2	29	1.9	0.36	1.3	2.8	
2005	137	1.4	0.12	1.2	1.6	27	1.6	0.31	1.0	2.3	
2006	135	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8	
2007	176	1.8	0.13	1.5	2.0	34	2.0	0.34	1.4	2.8	
2008	149	1.5	0.12	1.3	1.7	41	2.5	0.40	1.8	3.4	
2009	189	1.9	0.14	1.6	2.2	33	2.0	0.36	1.4	2.8	
2010	170	1.7	0.13	1.4	1.9	48	2.8	0.42	2.1	3.8	
2011	167	1.6	0.13	1.4	1.9	39	2.3	0.37	1.6	3.1	
2012	197	1.8	0.13	1.6	2.1	33	1.9	0.33	1.3	2.6	
2013	224	2.2	0.15	1.9	2.5	33	1.9	0.33	1.3	2.6	
2014	237	2.2	0.14	1.9	2.5	48	2.5	0.38	1.9	3.4	
2015	198	1.8	0.13	1.5	2.1	35	1.8	0.31	1.3	2.5	
2016	249	2.3	0.15	2.0	2.6	41	2.2	0.34	1.5	3.0	
2017	221	2.0	0.14	1.7	2.3	49	2.6	0.38	1.9	3.4	
2018	225	2.0	0.14	1.8	2.3	39	2.1	0.34	1.5	2.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Anus, Anal Canal and Anorectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	119	1.1	0.11	0.8	1.3	2,028	1.3	0.03	1.3	1.4
1990	0					52	1.2	0.17	0.9	1.6
1991	1	0.4	0.41	0.0	3.1	32	0.7	0.12	0.5	1.0
1992	2	1.2	0.91	0.1	4.6	42	0.9	0.14	0.6	1.2
1993	3	2.4	1.63	0.3	7.2	29	0.6	0.12	0.4	0.9
1994	2	0.7	0.46	0.1	3.1	23	0.5	0.11	0.3	0.8
1995	3	2.1	1.49	0.2	6.5	42	0.9	0.13	0.6	1.2
1996	6	6.3	2.84	2.0	13.5	39	0.8	0.13	0.6	1.1
1997	1	0.3	0.32	0.0	2.4	43	0.9	0.13	0.6	1.2
1998	2	0.3	0.23	0.0	2.2	52	1.1	0.15	0.8	1.4
1999	3	1.1	0.65	0.2	3.4	55	1.1	0.15	0.8	1.4
2000	3	0.7	0.39	0.1	2.5	63	1.3	0.16	1.0	1.6
2001	4	0.7	0.38	0.2	2.4	67	1.3	0.16	1.0	1.7
2002	2	0.7	0.51	0.1	2.6	62	1.2	0.15	0.9	1.5
2003	6	2.2	1.04	0.7	5.1	81	1.5	0.17	1.2	1.9
2004	3	1.1	0.71	0.2	3.3	98	1.9	0.19	1.5	2.3
2005	6	0.9	0.36	0.3	2.2	70	1.3	0.16	1.0	1.7
2006	2	0.3	0.19	0.0	1.4	78	1.5	0.17	1.2	1.8
2007	2	0.5	0.47	0.0	2.2	77	1.5	0.17	1.2	1.8
2008	6	1.6	0.73	0.5	3.6	80	1.5	0.16	1.1	1.8
2009	7	0.8	0.33	0.3	2.0	81	1.5	0.17	1.2	1.9
2010	4	0.7	0.40	0.2	2.0	90	1.6	0.17	1.3	2.0
2011	3	0.5	0.26	0.1	1.4	73	1.4	0.16	1.1	1.7
2012	6	0.7	0.30	0.3	1.7	95	1.6	0.17	1.3	2.0
2013	5	0.5	0.23	0.2	1.3	101	1.8	0.18	1.5	2.2
2014	3	0.6	0.38	0.1	1.8	119	2.0	0.18	1.6	2.4
2015	9	1.6	0.60	0.6	3.1	91	1.4	0.15	1.1	1.8
2016	8	1.3	0.49	0.5	2.6	97	1.5	0.16	1.2	1.9
2017	5	0.9	0.45	0.2	2.2	106	1.7	0.17	1.4	2.1
2018	12	1.6	0.49	0.8	2.8	90	1.5	0.16	1.2	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Anus, Anal Canal and Anorectum											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,582	1.2	0.03	1.2	1.3	412	2.1	0.11	1.9	2.3	
1990	41	1.1	0.18	0.8	1.5	11	2.3	0.77	1.1	4.3	
1991	26	0.6	0.13	0.4	0.9	6	0.9	0.40	0.3	2.1	
1992	35	0.9	0.15	0.6	1.2	7	1.1	0.43	0.5	2.4	
1993	26	0.6	0.13	0.4	0.9	2	0.5	0.39	0.1	1.8	
1994	21	0.5	0.12	0.3	0.8	1	0.2	0.15	0.0	0.9	
1995	31	0.7	0.13	0.5	1.1	11	1.6	0.48	0.8	2.9	
1996	35	0.8	0.14	0.6	1.2	4	0.7	0.34	0.2	1.7	
1997	36	0.9	0.14	0.6	1.2	7	1.1	0.40	0.4	2.2	
1998	38	0.9	0.15	0.6	1.3	13	1.9	0.52	1.0	3.2	
1999	47	1.1	0.16	0.8	1.5	7	1.0	0.39	0.4	2.1	
2000	51	1.2	0.17	0.9	1.6	11	1.6	0.49	0.8	2.9	
2001	52	1.2	0.17	0.9	1.6	15	2.2	0.59	1.2	3.7	
2002	48	1.1	0.16	0.8	1.5	13	1.7	0.47	0.9	3.0	
2003	62	1.4	0.18	1.1	1.8	18	2.5	0.60	1.5	4.0	
2004	77	1.8	0.20	1.4	2.2	17	2.8	0.73	1.6	4.6	
2005	52	1.2	0.17	0.9	1.6	18	2.3	0.54	1.4	3.7	
2006	54	1.2	0.17	0.9	1.6	22	3.1	0.67	1.9	4.7	
2007	63	1.4	0.18	1.1	1.8	12	1.6	0.47	0.8	2.8	
2008	57	1.3	0.17	1.0	1.7	23	3.3	0.74	2.0	5.1	
2009	65	1.5	0.19	1.1	1.9	14	2.1	0.58	1.1	3.5	
2010	60	1.3	0.17	1.0	1.6	30	4.4	0.86	2.9	6.4	
2011	53	1.2	0.17	0.9	1.6	17	2.3	0.58	1.3	3.7	
2012	75	1.5	0.18	1.2	1.9	16	1.9	0.49	1.1	3.2	
2013	83	1.8	0.21	1.5	2.3	15	2.0	0.54	1.1	3.3	
2014	96	1.9	0.20	1.5	2.3	22	2.5	0.54	1.6	3.8	
2015	76	1.5	0.17	1.1	1.8	14	1.5	0.41	0.8	2.6	
2016	75	1.5	0.18	1.1	1.9	21	2.5	0.57	1.5	3.9	
2017	77	1.5	0.18	1.2	1.9	26	3.4	0.69	2.2	5.0	
2018	70	1.4	0.17	1.1	1.8	19	2.3	0.54	1.3	3.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Anus, Anal Canal and Anorectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	173	1.5	0.12	1.3	1.7	3,266	1.7	0.03	1.7	1.8
1990	0					65	1.2	0.15	0.9	1.5
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	5	3.4	1.61	1.0	7.7	64	1.0	0.13	0.8	1.3
1993	5	1.9	0.87	0.6	4.6	67	1.1	0.13	0.8	1.4
1994	0					82	1.3	0.15	1.1	1.7
1995	3	2.0	1.25	0.4	5.5	76	1.3	0.15	1.0	1.6
1996	1	0.4	0.39	0.0	2.1	70	1.1	0.14	0.9	1.4
1997	4	0.9	0.44	0.2	2.6	77	1.2	0.14	1.0	1.6
1998	6	2.5	1.22	0.8	5.8	79	1.3	0.14	1.0	1.6
1999	5	1.8	0.84	0.5	4.2	89	1.4	0.15	1.1	1.8
2000	3	0.8	0.45	0.1	2.4	102	1.6	0.16	1.3	2.0
2001	4	1.3	0.68	0.3	3.3	98	1.5	0.16	1.2	1.9
2002	6	1.8	0.79	0.6	4.0	86	1.4	0.15	1.1	1.7
2003	4	1.3	0.65	0.3	3.2	105	1.6	0.16	1.3	2.0
2004	7	2.2	0.91	0.8	4.6	124	1.9	0.17	1.6	2.3
2005	3	0.9	0.52	0.2	2.4	96	1.4	0.15	1.2	1.8
2006	7	1.9	0.77	0.7	3.9	93	1.4	0.15	1.2	1.8
2007	9	2.1	0.76	0.9	4.0	135	2.0	0.18	1.7	2.4
2008	7	1.7	0.66	0.6	3.4	113	1.7	0.16	1.4	2.0
2009	11	2.5	0.82	1.2	4.5	145	2.1	0.18	1.8	2.5
2010	9	1.8	0.65	0.8	3.5	129	1.9	0.17	1.6	2.3
2011	10	1.9	0.64	0.9	3.5	140	2.0	0.17	1.6	2.3
2012	5	0.7	0.31	0.2	1.6	140	2.0	0.17	1.6	2.3
2013	10	1.6	0.54	0.7	3.0	159	2.3	0.18	1.9	2.6
2014	10	1.6	0.54	0.7	3.0	168	2.3	0.18	2.0	2.7
2015	10	1.5	0.51	0.7	2.8	147	2.0	0.17	1.7	2.4
2016	5	0.7	0.32	0.2	1.6	198	2.7	0.20	2.3	3.2
2017	12	1.7	0.52	0.9	3.0	169	2.2	0.18	1.9	2.6
2018	11	1.2	0.38	0.6	2.3	178	2.4	0.18	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Anus, Anal Canal and Anorectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,794	1.8	0.03	1.7	1.9	434	1.7	0.08	1.5	1.8
1990	52	1.1	0.15	0.8	1.4	13	2.0	0.55	1.0	3.3
1991	64	1.2	0.15	0.9	1.5	8	1.1	0.39	0.5	2.1
1992	55	1.0	0.14	0.8	1.3	9	1.2	0.42	0.6	2.3
1993	62	1.2	0.15	0.9	1.5	5	0.7	0.30	0.2	1.5
1994	68	1.3	0.16	1.0	1.7	13	1.8	0.50	0.9	3.0
1995	67	1.4	0.17	1.1	1.8	9	1.2	0.41	0.6	2.3
1996	59	1.1	0.15	0.8	1.4	11	1.6	0.47	0.8	2.8
1997	66	1.3	0.16	1.0	1.6	9	1.2	0.40	0.5	2.2
1998	69	1.3	0.16	1.0	1.7	10	1.3	0.40	0.6	2.3
1999	76	1.5	0.17	1.1	1.8	12	1.4	0.41	0.7	2.5
2000	84	1.6	0.18	1.3	2.0	17	2.0	0.49	1.2	3.2
2001	79	1.5	0.17	1.2	1.9	19	2.3	0.53	1.4	3.6
2002	74	1.4	0.17	1.1	1.8	10	1.1	0.36	0.5	2.1
2003	92	1.7	0.18	1.4	2.1	13	1.5	0.42	0.8	2.6
2004	109	2.1	0.20	1.7	2.5	12	1.3	0.39	0.7	2.3
2005	85	1.5	0.17	1.2	1.9	9	1.0	0.33	0.4	1.8
2006	81	1.5	0.17	1.2	1.9	11	1.1	0.34	0.6	2.0
2007	113	2.1	0.20	1.7	2.5	22	2.2	0.48	1.4	3.4
2008	92	1.7	0.18	1.4	2.1	18	1.9	0.45	1.1	3.0
2009	124	2.2	0.20	1.8	2.7	19	2.0	0.46	1.2	3.1
2010	110	2.0	0.19	1.6	2.4	18	1.8	0.42	1.0	2.8
2011	114	2.0	0.19	1.6	2.4	22	2.1	0.46	1.3	3.3
2012	122	2.1	0.20	1.7	2.5	17	1.7	0.42	1.0	2.8
2013	141	2.5	0.21	2.1	2.9	18	1.8	0.43	1.0	2.8
2014	141	2.4	0.21	2.0	2.9	26	2.5	0.50	1.6	3.7
2015	122	2.1	0.20	1.7	2.5	21	1.9	0.43	1.2	3.0
2016	174	3.0	0.24	2.6	3.5	20	1.9	0.44	1.2	3.0
2017	144	2.4	0.20	2.0	2.8	23	2.0	0.43	1.3	3.1
2018	155	2.6	0.22	2.2	3.1	20	1.9	0.42	1.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Liver										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,147	10.0	0.24	9.6	10.5	17,040	4.8	0.04	4.8	4.9
1990	10	3.4	1.16	1.5	6.3	243	2.3	0.15	2.0	2.6
1991	14	3.2	0.90	1.6	5.5	243	2.3	0.15	2.0	2.6
1992	14	3.8	1.15	1.9	6.6	249	2.3	0.15	2.0	2.6
1993	27	6.5	1.38	4.1	9.7	293	2.7	0.16	2.4	3.0
1994	20	5.3	1.35	3.0	8.5	401	3.6	0.18	3.3	4.0
1995	28	6.1	1.30	3.8	9.1	410	3.7	0.18	3.4	4.1
1996	39	9.0	1.64	6.1	12.7	422	3.8	0.19	3.5	4.2
1997	35	8.3	1.60	5.5	11.9	429	3.9	0.19	3.5	4.2
1998	46	10.4	1.76	7.2	14.3	451	4.0	0.19	3.7	4.4
1999	50	9.7	1.67	6.7	13.4	488	4.3	0.20	4.0	4.7
2000	50	8.9	1.46	6.3	12.2	501	4.4	0.20	4.0	4.8
2001	54	10.1	1.52	7.4	13.5	499	4.4	0.19	4.0	4.8
2002	60	9.1	1.28	6.8	11.9	532	4.6	0.20	4.2	5.0
2003	57	8.4	1.22	6.2	11.1	520	4.5	0.20	4.1	4.9
2004	60	8.8	1.27	6.5	11.6	580	4.9	0.21	4.5	5.3
2005	72	9.4	1.24	7.2	12.1	620	5.2	0.21	4.8	5.6
2006	61	8.7	1.23	6.4	11.3	627	5.2	0.21	4.8	5.6
2007	76	9.3	1.17	7.1	11.8	675	5.5	0.21	5.1	5.9
2008	64	7.6	1.05	5.7	9.9	679	5.4	0.21	5.0	5.9
2009	106	11.8	1.28	9.5	14.6	746	5.8	0.22	5.4	6.3
2010	128	13.6	1.32	11.2	16.4	761	5.9	0.22	5.5	6.3
2011	97	10.1	1.13	8.0	12.5	755	5.7	0.21	5.3	6.1
2012	127	12.5	1.21	10.3	15.1	778	5.7	0.21	5.3	6.1
2013	130	11.4	1.10	9.3	13.7	778	5.6	0.21	5.2	6.1
2014	112	10.1	1.02	8.2	12.2	893	6.3	0.22	5.9	6.8
2015	125	10.4	1.01	8.5	12.6	916	6.5	0.22	6.1	6.9
2016	160	11.9	1.01	10.0	14.0	871	6.0	0.21	5.6	6.5
2017	155	11.8	1.01	9.9	13.9	848	5.8	0.20	5.4	6.2
2018	170	12.9	1.05	10.9	15.1	832	5.6	0.20	5.2	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Liver										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,360	4.2	0.04	4.1	4.3	3,489	7.6	0.13	7.3	7.9
1990	185	2.0	0.15	1.7	2.3	40	3.4	0.55	2.4	4.6
1991	182	2.0	0.15	1.7	2.3	46	3.5	0.53	2.6	4.7
1992	197	2.1	0.15	1.8	2.4	34	2.7	0.48	1.9	3.9
1993	214	2.2	0.15	1.9	2.6	57	4.6	0.62	3.4	5.9
1994	305	3.2	0.18	2.8	3.6	78	6.5	0.76	5.1	8.2
1995	300	3.2	0.18	2.8	3.5	89	7.2	0.79	5.7	8.9
1996	290	3.0	0.18	2.7	3.4	100	7.8	0.80	6.3	9.5
1997	314	3.3	0.19	2.9	3.7	90	6.9	0.75	5.6	8.6
1998	339	3.5	0.19	3.2	3.9	86	6.4	0.71	5.1	7.9
1999	351	3.6	0.19	3.3	4.0	100	7.3	0.74	5.9	8.9
2000	359	3.7	0.20	3.3	4.1	107	7.6	0.75	6.2	9.2
2001	375	3.8	0.20	3.5	4.3	91	6.2	0.66	4.9	7.6
2002	385	3.9	0.20	3.6	4.4	107	7.4	0.73	6.0	9.0
2003	389	4.0	0.20	3.6	4.4	97	6.5	0.67	5.3	8.0
2004	432	4.4	0.21	4.0	4.8	110	7.3	0.71	6.0	8.8
2005	460	4.6	0.22	4.2	5.1	129	8.0	0.72	6.7	9.6
2006	457	4.5	0.21	4.1	5.0	130	7.9	0.70	6.5	9.4
2007	472	4.6	0.22	4.2	5.1	151	9.0	0.75	7.6	10.6
2008	482	4.7	0.22	4.3	5.1	145	8.4	0.71	7.1	9.9
2009	557	5.3	0.23	4.9	5.8	136	7.6	0.66	6.3	9.0
2010	556	5.2	0.22	4.8	5.7	155	8.7	0.71	7.4	10.2
2011	534	4.9	0.22	4.5	5.4	171	9.1	0.71	7.7	10.6
2012	570	5.1	0.22	4.7	5.6	152	8.0	0.66	6.7	9.4
2013	549	4.9	0.21	4.5	5.4	182	9.2	0.70	7.9	10.7
2014	634	5.6	0.23	5.2	6.1	185	9.0	0.68	7.7	10.5
2015	653	5.7	0.23	5.2	6.1	188	9.2	0.68	7.9	10.6
2016	602	5.2	0.22	4.8	5.6	190	9.1	0.68	7.8	10.5
2017	602	5.1	0.21	4.7	5.6	177	8.2	0.64	7.0	9.6
2018	615	5.2	0.21	4.8	5.6	166	7.8	0.62	6.6	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Liver										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,562	14.7	0.43	13.9	15.6	12,045	7.7	0.07	7.6	7.9
1990	6	3.9	1.89	1.2	9.3	169	3.7	0.29	3.2	4.4
1991	13	6.1	1.87	3.0	11.1	145	3.2	0.27	2.7	3.8
1992	11	6.2	2.15	2.7	11.8	165	3.8	0.30	3.2	4.4
1993	20	9.2	2.47	5.1	15.3	191	4.1	0.30	3.6	4.8
1994	11	4.6	1.48	2.2	8.7	269	5.9	0.37	5.2	6.6
1995	18	6.9	1.82	3.8	11.5	279	6.0	0.37	5.3	6.8
1996	24	10.2	2.42	6.0	16.0	283	6.0	0.36	5.3	6.7
1997	24	8.8	1.93	5.5	13.5	284	6.1	0.36	5.4	6.8
1998	35	16.8	3.45	10.7	24.6	309	6.4	0.37	5.7	7.2
1999	33	13.0	3.03	7.8	20.0	315	6.5	0.37	5.8	7.2
2000	30	8.5	1.71	5.5	12.7	338	6.9	0.38	6.1	7.6
2001	37	13.1	2.43	8.8	18.7	341	6.9	0.38	6.2	7.7
2002	48	14.6	2.34	10.3	19.8	361	7.1	0.38	6.4	7.9
2003	40	11.8	2.10	8.1	16.6	368	7.2	0.38	6.4	7.9
2004	45	12.8	2.29	8.7	18.0	404	7.6	0.38	6.9	8.4
2005	54	15.2	2.39	10.8	20.5	448	8.5	0.40	7.7	9.3
2006	49	13.7	2.18	9.7	18.5	442	8.2	0.39	7.4	9.0
2007	60	14.7	2.16	10.8	19.5	485	8.8	0.40	8.0	9.6
2008	51	12.0	1.93	8.5	16.3	466	8.2	0.39	7.5	9.0
2009	79	18.3	2.40	13.9	23.5	569	9.9	0.42	9.1	10.7
2010	101	22.6	2.55	17.9	28.1	524	8.9	0.40	8.1	9.7
2011	72	15.3	2.08	11.5	19.8	570	9.4	0.40	8.6	10.2
2012	94	18.7	2.19	14.7	23.4	577	9.2	0.39	8.4	10.0
2013	92	15.8	1.87	12.3	19.8	576	9.1	0.39	8.3	9.9
2014	87	16.6	1.97	12.9	20.8	664	10.2	0.40	9.4	11.0
2015	90	15.7	1.88	12.2	19.7	680	10.4	0.41	9.6	11.3
2016	122	18.2	1.82	14.8	22.1	622	9.3	0.38	8.5	10.0
2017	103	15.8	1.71	12.6	19.5	599	8.8	0.37	8.1	9.6
2018	113	16.9	1.75	13.7	20.7	602	8.9	0.37	8.2	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Liver											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	8,717	6.7	0.07	6.5	6.8	2,466	12.6	0.26	12.1	13.2	
1990	124	3.1	0.28	2.6	3.7	28	6.1	1.24	3.9	9.0	
1991	104	2.7	0.26	2.2	3.2	29	5.3	1.02	3.5	7.7	
1992	127	3.3	0.30	2.7	4.0	23	4.8	1.09	2.9	7.3	
1993	142	3.6	0.30	3.0	4.2	36	6.4	1.08	4.4	8.9	
1994	202	5.0	0.36	4.4	5.8	53	11.7	1.72	8.6	15.5	
1995	205	5.1	0.36	4.4	5.8	57	11.7	1.69	8.6	15.4	
1996	184	4.5	0.34	3.9	5.2	74	13.7	1.66	10.6	17.3	
1997	206	5.1	0.36	4.4	5.9	59	10.7	1.48	8.0	14.0	
1998	234	5.7	0.37	5.0	6.5	59	10.5	1.44	7.9	13.7	
1999	220	5.3	0.36	4.6	6.0	65	11.7	1.51	8.9	15.0	
2000	249	5.9	0.38	5.2	6.7	69	11.8	1.48	9.1	15.0	
2001	256	6.1	0.38	5.4	6.9	60	9.6	1.30	7.2	12.5	
2002	264	6.2	0.38	5.5	7.0	68	10.9	1.38	8.3	13.9	
2003	279	6.5	0.39	5.7	7.3	65	10.1	1.30	7.7	13.0	
2004	306	6.9	0.40	6.1	7.7	73	11.2	1.38	8.7	14.2	
2005	335	7.6	0.42	6.8	8.5	91	13.1	1.42	10.5	16.2	
2006	322	7.2	0.40	6.4	8.0	92	12.7	1.38	10.1	15.7	
2007	330	7.2	0.40	6.4	8.0	115	16.1	1.58	13.2	19.5	
2008	329	7.0	0.39	6.3	7.9	107	14.4	1.45	11.7	17.5	
2009	425	8.9	0.44	8.0	9.8	102	13.3	1.37	10.7	16.2	
2010	385	7.9	0.41	7.1	8.7	104	13.3	1.36	10.8	16.3	
2011	394	7.9	0.41	7.1	8.8	137	17.1	1.53	14.2	20.4	
2012	420	8.1	0.40	7.3	8.9	118	14.2	1.36	11.7	17.1	
2013	403	7.8	0.40	7.0	8.6	139	16.4	1.45	13.7	19.5	
2014	474	9.0	0.42	8.2	9.8	137	15.6	1.39	13.0	18.6	
2015	484	9.1	0.42	8.2	9.9	141	15.7	1.37	13.2	18.7	
2016	430	7.9	0.39	7.1	8.7	134	14.9	1.34	12.4	17.8	
2017	433	7.9	0.39	7.1	8.7	119	13.2	1.26	10.8	15.9	
2018	451	8.2	0.39	7.4	9.0	112	12.5	1.23	10.2	15.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Liver											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	585	5.8	0.25	5.3	6.3	4,995	2.5	0.04	2.5	2.6	
1990	4	2.8	1.43	0.7	6.8	74	1.3	0.15	1.0	1.6	
1991	1	0.4	0.41	0.0	2.4	98	1.6	0.16	1.3	1.9	
1992	3	1.6	1.08	0.2	4.9	84	1.3	0.15	1.1	1.7	
1993	7	3.9	1.53	1.5	7.9	102	1.6	0.16	1.3	2.0	
1994	9	5.2	1.89	2.2	9.9	132	2.0	0.17	1.6	2.3	
1995	10	5.0	1.69	2.3	9.2	131	2.1	0.18	1.7	2.4	
1996	15	7.5	2.11	4.0	12.6	139	2.1	0.18	1.8	2.5	
1997	11	6.9	2.17	3.3	12.1	145	2.3	0.19	1.9	2.7	
1998	11	5.1	1.71	2.3	9.3	142	2.1	0.18	1.8	2.5	
1999	17	6.9	1.91	3.7	11.5	173	2.7	0.20	2.3	3.1	
2000	20	8.5	2.08	5.0	13.4	163	2.5	0.19	2.1	2.9	
2001	17	7.2	1.82	4.0	11.4	158	2.4	0.19	2.0	2.8	
2002	12	4.1	1.23	2.0	7.1	171	2.5	0.20	2.2	3.0	
2003	17	5.2	1.37	2.9	8.5	152	2.3	0.19	1.9	2.7	
2004	15	5.2	1.38	2.8	8.5	176	2.6	0.20	2.2	3.0	
2005	18	4.4	1.15	2.4	7.2	172	2.6	0.20	2.2	3.0	
2006	12	4.0	1.24	2.0	7.0	185	2.7	0.20	2.3	3.2	
2007	16	4.3	1.14	2.4	7.0	190	2.8	0.20	2.4	3.2	
2008	13	3.6	1.05	1.9	6.2	213	3.0	0.21	2.6	3.5	
2009	27	6.2	1.28	3.9	9.1	177	2.6	0.20	2.2	3.0	
2010	27	5.8	1.19	3.7	8.5	237	3.4	0.22	3.0	3.9	
2011	25	5.6	1.18	3.6	8.3	185	2.6	0.20	2.3	3.0	
2012	33	6.9	1.28	4.7	9.8	201	2.7	0.20	2.4	3.2	
2013	38	7.1	1.24	4.9	9.9	202	2.7	0.20	2.4	3.1	
2014	25	4.3	0.92	2.7	6.5	229	3.1	0.21	2.7	3.5	
2015	35	5.8	1.03	3.9	8.1	236	3.1	0.21	2.7	3.6	
2016	38	6.0	1.02	4.2	8.3	249	3.2	0.21	2.8	3.6	
2017	52	7.9	1.15	5.9	10.5	249	3.2	0.21	2.8	3.6	
2018	57	9.2	1.26	6.9	11.9	230	2.9	0.19	2.5	3.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Liver											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,643	2.2	0.04	2.1	2.3	1,023	3.9	0.12	3.7	4.2	
1990	61	1.2	0.16	0.9	1.6	12	1.6	0.48	0.8	2.9	
1991	78	1.4	0.17	1.1	1.8	17	2.3	0.56	1.3	3.6	
1992	70	1.3	0.15	1.0	1.6	11	1.5	0.46	0.7	2.7	
1993	72	1.3	0.16	1.0	1.7	21	3.0	0.66	1.9	4.6	
1994	103	1.7	0.17	1.4	2.1	25	3.4	0.69	2.2	5.0	
1995	95	1.7	0.18	1.4	2.1	32	4.4	0.79	3.0	6.2	
1996	106	1.8	0.18	1.5	2.2	26	3.6	0.71	2.3	5.2	
1997	108	2.0	0.20	1.6	2.4	31	4.3	0.77	2.9	6.0	
1998	105	1.8	0.18	1.5	2.2	27	3.5	0.69	2.3	5.1	
1999	131	2.3	0.21	1.9	2.8	35	4.4	0.74	3.0	6.1	
2000	110	1.9	0.19	1.6	2.3	38	4.6	0.76	3.3	6.4	
2001	119	2.1	0.20	1.7	2.5	31	3.6	0.66	2.5	5.2	
2002	121	2.1	0.19	1.7	2.5	39	4.8	0.77	3.4	6.5	
2003	110	1.9	0.19	1.6	2.3	32	3.8	0.68	2.6	5.4	
2004	126	2.2	0.20	1.8	2.7	37	4.4	0.72	3.1	6.0	
2005	125	2.2	0.20	1.8	2.6	38	4.3	0.70	3.0	5.9	
2006	135	2.4	0.21	2.0	2.8	38	4.2	0.69	2.9	5.7	
2007	142	2.4	0.21	2.0	2.9	36	3.9	0.66	2.7	5.4	
2008	153	2.6	0.21	2.2	3.1	38	3.9	0.64	2.8	5.4	
2009	132	2.3	0.21	1.9	2.8	34	3.4	0.59	2.4	4.8	
2010	171	3.0	0.23	2.5	3.5	51	5.1	0.73	3.8	6.8	
2011	140	2.4	0.21	2.0	2.9	34	3.3	0.58	2.3	4.6	
2012	150	2.5	0.21	2.1	2.9	34	3.3	0.56	2.2	4.6	
2013	146	2.5	0.21	2.1	2.9	43	3.9	0.60	2.8	5.3	
2014	160	2.7	0.23	2.3	3.2	48	4.2	0.62	3.1	5.7	
2015	169	2.8	0.22	2.3	3.2	47	4.2	0.63	3.1	5.7	
2016	172	2.8	0.22	2.4	3.3	56	4.8	0.65	3.6	6.2	
2017	169	2.8	0.22	2.3	3.2	58	4.7	0.63	3.6	6.1	
2018	164	2.6	0.21	2.2	3.1	54	4.4	0.61	3.3	5.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gallbladder										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	489	2.4	0.12	2.2	2.7	4,684	1.3	0.02	1.3	1.4
1990	9	2.3	0.83	1.0	4.6	152	1.4	0.12	1.2	1.7
1991	8	2.6	1.02	1.0	5.2	146	1.4	0.12	1.2	1.6
1992	6	1.5	0.65	0.5	3.4	171	1.6	0.12	1.4	1.9
1993	11	4.1	1.38	1.9	7.5	120	1.1	0.10	0.9	1.3
1994	12	3.3	1.06	1.5	5.9	163	1.5	0.12	1.3	1.7
1995	15	3.3	0.95	1.7	5.6	146	1.3	0.11	1.1	1.6
1996	8	1.4	0.53	0.6	2.9	164	1.5	0.12	1.3	1.7
1997	11	3.4	1.14	1.5	6.1	154	1.4	0.11	1.2	1.6
1998	12	3.3	1.08	1.5	5.9	174	1.5	0.12	1.3	1.8
1999	14	3.1	0.89	1.6	5.3	145	1.3	0.10	1.1	1.5
2000	10	1.6	0.59	0.6	3.1	154	1.3	0.11	1.1	1.6
2001	15	2.7	0.81	1.3	4.6	156	1.3	0.11	1.1	1.6
2002	17	3.2	0.85	1.7	5.2	151	1.3	0.11	1.1	1.5
2003	15	2.1	0.61	1.1	3.6	157	1.3	0.11	1.1	1.6
2004	20	2.9	0.70	1.7	4.6	149	1.3	0.10	1.1	1.5
2005	13	1.8	0.58	0.8	3.2	176	1.5	0.11	1.3	1.7
2006	23	3.2	0.75	1.9	4.9	145	1.2	0.10	1.0	1.4
2007	13	1.9	0.59	1.0	3.4	157	1.3	0.10	1.1	1.5
2008	18	2.0	0.50	1.2	3.2	176	1.4	0.11	1.2	1.7
2009	25	2.8	0.62	1.8	4.3	161	1.3	0.10	1.1	1.5
2010	19	2.3	0.57	1.3	3.7	157	1.2	0.10	1.1	1.5
2011	18	2.0	0.51	1.1	3.2	183	1.4	0.11	1.2	1.7
2012	29	3.5	0.70	2.2	5.1	153	1.2	0.10	1.0	1.4
2013	16	1.7	0.46	0.9	2.8	180	1.4	0.10	1.2	1.6
2014	24	2.1	0.45	1.3	3.1	182	1.4	0.10	1.2	1.6
2015	27	2.3	0.47	1.4	3.3	189	1.4	0.10	1.2	1.6
2016	34	3.1	0.57	2.1	4.4	174	1.3	0.10	1.1	1.5
2017	23	1.9	0.42	1.1	2.9	171	1.2	0.10	1.0	1.4
2018	24	1.8	0.38	1.1	2.7	178	1.3	0.10	1.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gallbladder											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,810	1.3	0.02	1.2	1.3	717	1.7	0.06	1.6	1.8	
1990	139	1.5	0.13	1.2	1.8	10	1.1	0.35	0.5	1.9	
1991	124	1.3	0.12	1.1	1.6	21	1.9	0.44	1.2	3.0	
1992	146	1.5	0.13	1.3	1.8	21	1.8	0.40	1.1	2.7	
1993	106	1.1	0.11	0.9	1.4	11	1.0	0.32	0.5	1.8	
1994	150	1.5	0.13	1.3	1.8	10	0.9	0.30	0.4	1.7	
1995	127	1.3	0.12	1.1	1.6	17	1.4	0.34	0.8	2.2	
1996	141	1.5	0.12	1.2	1.7	21	1.7	0.39	1.1	2.7	
1997	139	1.4	0.12	1.2	1.7	11	0.9	0.27	0.4	1.6	
1998	145	1.5	0.12	1.2	1.7	21	1.6	0.36	1.0	2.5	
1999	129	1.3	0.11	1.1	1.5	12	0.9	0.26	0.5	1.5	
2000	130	1.3	0.11	1.1	1.6	21	1.5	0.33	0.9	2.3	
2001	140	1.4	0.12	1.2	1.7	13	0.9	0.26	0.5	1.6	
2002	124	1.2	0.11	1.0	1.5	19	1.3	0.30	0.8	2.0	
2003	129	1.3	0.11	1.1	1.5	22	1.6	0.35	1.0	2.5	
2004	117	1.1	0.11	0.9	1.4	26	2.0	0.40	1.3	2.9	
2005	150	1.5	0.12	1.3	1.8	22	1.6	0.35	1.0	2.5	
2006	123	1.2	0.11	1.0	1.4	18	1.2	0.29	0.7	1.9	
2007	133	1.3	0.11	1.1	1.5	22	1.4	0.31	0.9	2.2	
2008	138	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8	
2009	125	1.2	0.11	1.0	1.4	31	1.9	0.35	1.3	2.8	
2010	116	1.1	0.10	0.9	1.3	37	2.3	0.39	1.6	3.2	
2011	139	1.3	0.11	1.1	1.6	37	2.2	0.37	1.5	3.1	
2012	110	1.0	0.10	0.8	1.2	34	1.9	0.34	1.3	2.7	
2013	134	1.3	0.11	1.0	1.5	36	2.1	0.35	1.4	2.9	
2014	137	1.2	0.11	1.0	1.5	34	1.8	0.32	1.3	2.6	
2015	144	1.3	0.11	1.1	1.5	35	1.9	0.32	1.3	2.6	
2016	127	1.2	0.10	1.0	1.4	42	2.2	0.35	1.6	3.0	
2017	123	1.1	0.10	0.9	1.3	40	2.1	0.34	1.5	2.9	
2018	125	1.1	0.10	0.9	1.3	40	2.1	0.34	1.5	2.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gallbladder										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	131	1.5	0.15	1.2	1.8	1,318	0.9	0.03	0.9	1.0
1990	3	2.2	1.47	0.3	6.8	37	0.9	0.15	0.6	1.2
1991	3	1.7	1.08	0.3	5.4	40	0.9	0.15	0.7	1.3
1992	1	0.5	0.52	0.0	3.3	33	0.8	0.13	0.5	1.1
1993	2	1.8	1.47	0.1	6.3	26	0.6	0.11	0.4	0.8
1994	0					50	1.2	0.17	0.9	1.6
1995	2	0.9	0.67	0.1	3.5	33	0.8	0.14	0.6	1.1
1996	3	1.4	0.88	0.2	4.4	51	1.2	0.17	0.9	1.6
1997	4	3.1	1.83	0.6	8.1	45	1.1	0.16	0.8	1.4
1998	1	1.3	1.26	0.0	5.2	43	1.0	0.15	0.7	1.3
1999	6	2.9	1.23	1.0	6.3	47	1.0	0.15	0.8	1.4
2000	3	1.7	1.20	0.2	5.2	38	0.8	0.13	0.6	1.1
2001	4	2.2	1.38	0.4	6.0	41	0.9	0.14	0.6	1.2
2002	2	1.5	1.22	0.1	5.0	53	1.1	0.15	0.8	1.4
2003	4	2.1	1.05	0.5	5.0	33	0.7	0.12	0.5	1.0
2004	8	2.8	1.06	1.1	5.6	43	0.9	0.14	0.7	1.2
2005	3	0.5	0.34	0.1	1.9	48	1.0	0.14	0.7	1.3
2006	6	1.9	0.86	0.6	4.3	44	0.9	0.14	0.7	1.2
2007	3	1.3	0.89	0.2	3.9	47	0.9	0.14	0.7	1.2
2008	6	1.2	0.51	0.4	2.7	41	0.8	0.13	0.6	1.1
2009	6	1.1	0.54	0.3	2.7	49	0.9	0.14	0.7	1.2
2010	5	1.1	0.52	0.3	2.6	53	1.0	0.14	0.8	1.3
2011	4	0.8	0.45	0.2	2.1	65	1.2	0.15	0.9	1.6
2012	7	2.5	0.99	0.9	4.9	45	0.8	0.13	0.6	1.1
2013	4	0.5	0.25	0.1	1.4	54	1.0	0.13	0.7	1.3
2014	6	1.0	0.44	0.3	2.3	43	0.8	0.12	0.5	1.0
2015	9	1.5	0.56	0.6	3.0	51	0.9	0.12	0.6	1.1
2016	11	2.2	0.76	1.0	4.1	51	0.8	0.12	0.6	1.1
2017	9	1.7	0.59	0.7	3.2	56	0.9	0.12	0.7	1.2
2018	6	0.9	0.41	0.3	2.0	58	1.0	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gallbladder											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,062	0.9	0.03	0.8	0.9	199	1.2	0.09	1.0	1.4	
1990	35	0.9	0.16	0.6	1.3	1	0.2	0.17	0.0	1.0	
1991	36	0.9	0.16	0.7	1.3	3	1.1	0.62	0.2	2.8	
1992	33	0.8	0.15	0.6	1.2	0					
1993	22	0.6	0.12	0.3	0.8	4	0.7	0.33	0.2	1.7	
1994	45	1.2	0.18	0.9	1.6	3	0.7	0.41	0.1	1.9	
1995	28	0.8	0.15	0.5	1.1	4	1.0	0.53	0.2	2.5	
1996	47	1.3	0.19	0.9	1.7	3	0.7	0.43	0.1	2.0	
1997	39	1.1	0.17	0.7	1.4	4	0.9	0.45	0.2	2.2	
1998	39	1.0	0.17	0.7	1.4	3	0.7	0.46	0.1	2.1	
1999	42	1.1	0.17	0.8	1.4	3	0.5	0.31	0.1	1.5	
2000	30	0.7	0.13	0.5	1.0	7	1.2	0.46	0.5	2.4	
2001	36	0.9	0.15	0.6	1.2	3	0.4	0.26	0.1	1.3	
2002	42	1.0	0.16	0.7	1.4	7	1.1	0.44	0.4	2.3	
2003	27	0.7	0.13	0.4	1.0	6	1.1	0.46	0.4	2.3	
2004	37	0.9	0.15	0.6	1.2	5	1.0	0.43	0.3	2.2	
2005	37	0.9	0.15	0.6	1.2	9	1.6	0.57	0.7	3.1	
2006	37	0.9	0.15	0.6	1.2	6	1.0	0.42	0.4	2.2	
2007	36	0.8	0.14	0.6	1.2	10	1.7	0.54	0.8	3.0	
2008	31	0.7	0.13	0.5	1.0	8	1.2	0.45	0.5	2.4	
2009	37	0.8	0.14	0.6	1.2	10	1.5	0.50	0.7	2.8	
2010	39	0.9	0.14	0.6	1.2	11	2.0	0.64	0.9	3.6	
2011	52	1.2	0.16	0.9	1.5	11	1.9	0.61	0.9	3.4	
2012	32	0.7	0.13	0.5	1.0	10	1.6	0.52	0.7	2.9	
2013	39	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.2	
2014	30	0.6	0.12	0.4	0.9	8	1.1	0.39	0.4	2.1	
2015	38	0.8	0.13	0.5	1.1	8	1.1	0.41	0.4	2.2	
2016	36	0.7	0.12	0.5	1.0	13	1.7	0.49	0.9	3.0	
2017	40	0.8	0.13	0.6	1.1	13	1.7	0.49	0.9	2.9	
2018	40	0.8	0.13	0.6	1.1	13	1.7	0.49	0.9	3.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gallbladder										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	358	3.3	0.18	2.9	3.6	3,366	1.7	0.03	1.6	1.7
1990	6	2.8	1.15	1.0	6.1	115	1.8	0.17	1.5	2.2
1991	5	3.1	1.52	0.9	7.3	106	1.7	0.17	1.4	2.1
1992	5	2.4	1.13	0.7	5.6	138	2.1	0.18	1.8	2.5
1993	9	5.8	2.07	2.5	10.9	94	1.5	0.15	1.2	1.8
1994	12	6.0	1.84	2.9	10.5	113	1.7	0.16	1.4	2.0
1995	13	5.4	1.61	2.7	9.4	113	1.7	0.16	1.4	2.1
1996	5	1.5	0.70	0.5	3.7	113	1.7	0.17	1.4	2.1
1997	7	3.7	1.51	1.4	7.6	109	1.6	0.16	1.3	2.0
1998	11	4.9	1.65	2.3	9.0	131	2.0	0.17	1.7	2.4
1999	8	3.2	1.22	1.3	6.4	98	1.4	0.15	1.2	1.8
2000	7	1.7	0.64	0.7	3.6	116	1.7	0.16	1.4	2.1
2001	11	3.2	1.07	1.5	6.0	115	1.7	0.16	1.4	2.0
2002	15	4.9	1.32	2.6	8.1	98	1.4	0.15	1.2	1.8
2003	11	2.5	0.76	1.2	4.5	124	1.8	0.16	1.5	2.1
2004	12	3.1	0.96	1.5	5.5	106	1.5	0.15	1.2	1.8
2005	10	2.8	0.98	1.2	5.3	128	1.9	0.17	1.5	2.2
2006	17	4.3	1.14	2.3	7.0	101	1.4	0.14	1.1	1.7
2007	10	2.6	0.85	1.2	4.7	110	1.6	0.15	1.3	1.9
2008	12	2.7	0.81	1.4	4.7	135	1.9	0.17	1.6	2.3
2009	19	4.3	1.04	2.5	6.7	112	1.5	0.15	1.3	1.9
2010	14	3.3	0.93	1.7	5.6	104	1.4	0.14	1.2	1.8
2011	14	3.0	0.85	1.6	5.0	118	1.6	0.15	1.4	2.0
2012	22	4.5	1.02	2.7	6.9	108	1.4	0.14	1.2	1.7
2013	12	2.5	0.76	1.2	4.4	126	1.7	0.15	1.4	2.0
2014	18	3.0	0.75	1.7	4.8	139	1.8	0.16	1.5	2.2
2015	18	2.9	0.72	1.6	4.6	138	1.8	0.15	1.5	2.1
2016	23	3.9	0.85	2.4	5.8	123	1.6	0.15	1.3	1.9
2017	14	2.1	0.59	1.1	3.6	115	1.5	0.14	1.2	1.8
2018	18	2.6	0.62	1.5	4.0	120	1.5	0.14	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Gallbladder											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,748	1.6	0.03	1.5	1.7	518	2.0	0.09	1.9	2.2	
1990	104	1.8	0.18	1.5	2.2	9	1.5	0.52	0.7	2.9	
1991	88	1.6	0.17	1.3	2.0	18	2.7	0.64	1.6	4.2	
1992	113	1.9	0.18	1.6	2.3	21	3.0	0.66	1.8	4.5	
1993	84	1.5	0.17	1.2	1.9	7	1.1	0.43	0.5	2.3	
1994	105	1.8	0.18	1.5	2.2	7	1.1	0.41	0.4	2.2	
1995	99	1.7	0.18	1.4	2.1	13	1.7	0.48	0.9	2.9	
1996	94	1.7	0.17	1.3	2.0	18	2.4	0.57	1.4	3.8	
1997	100	1.7	0.17	1.4	2.1	7	0.9	0.34	0.4	1.8	
1998	106	1.9	0.18	1.5	2.3	18	2.3	0.54	1.4	3.6	
1999	87	1.5	0.16	1.2	1.8	9	1.1	0.38	0.5	2.1	
2000	100	1.7	0.18	1.4	2.1	14	1.7	0.45	0.9	2.8	
2001	104	1.8	0.18	1.5	2.2	10	1.2	0.38	0.6	2.2	
2002	82	1.4	0.16	1.1	1.8	12	1.4	0.40	0.7	2.4	
2003	102	1.7	0.17	1.4	2.1	16	1.9	0.49	1.1	3.1	
2004	80	1.3	0.15	1.0	1.7	21	2.6	0.56	1.6	3.9	
2005	113	1.9	0.18	1.6	2.3	13	1.6	0.45	0.9	2.7	
2006	86	1.4	0.15	1.1	1.8	12	1.3	0.39	0.7	2.3	
2007	97	1.7	0.17	1.4	2.1	12	1.3	0.37	0.7	2.2	
2008	107	1.8	0.18	1.5	2.2	25	2.6	0.52	1.7	3.8	
2009	88	1.4	0.16	1.1	1.8	21	2.2	0.49	1.4	3.4	
2010	77	1.3	0.15	1.0	1.6	26	2.7	0.53	1.7	3.9	
2011	87	1.5	0.16	1.2	1.8	26	2.5	0.50	1.6	3.7	
2012	78	1.2	0.14	1.0	1.6	24	2.2	0.46	1.4	3.3	
2013	95	1.6	0.16	1.3	1.9	23	2.2	0.47	1.4	3.3	
2014	107	1.7	0.17	1.4	2.1	26	2.4	0.49	1.6	3.6	
2015	106	1.7	0.17	1.4	2.0	27	2.4	0.47	1.6	3.6	
2016	91	1.5	0.16	1.2	1.9	29	2.6	0.48	1.7	3.7	
2017	83	1.3	0.15	1.1	1.7	27	2.4	0.47	1.6	3.5	
2018	85	1.3	0.15	1.1	1.7	27	2.4	0.47	1.6	3.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Pancreas											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,231	11.7	0.27	11.2	12.2	44,192	12.6	0.06	12.5	12.7	
1990	21	5.7	1.35	3.3	8.9	1,095	10.4	0.32	9.8	11.0	
1991	30	9.3	1.89	6.0	13.6	998	9.4	0.30	8.8	10.0	
1992	22	6.9	1.67	4.1	10.8	1,046	9.7	0.30	9.1	10.3	
1993	34	9.8	1.85	6.5	13.9	1,044	9.6	0.30	9.0	10.2	
1994	34	9.4	1.80	6.2	13.5	1,293	11.7	0.33	11.1	12.4	
1995	36	9.1	1.68	6.1	12.9	1,299	11.8	0.33	11.1	12.4	
1996	37	10.8	1.98	7.3	15.2	1,346	12.1	0.33	11.5	12.8	
1997	41	10.2	1.80	6.9	14.2	1,276	11.4	0.32	10.8	12.0	
1998	42	9.4	1.68	6.4	13.1	1,374	12.1	0.33	11.5	12.8	
1999	50	9.9	1.55	7.1	13.3	1,382	12.1	0.33	11.5	12.8	
2000	47	10.5	1.73	7.4	14.3	1,437	12.5	0.33	11.9	13.2	
2001	57	10.9	1.67	7.9	14.6	1,452	12.6	0.33	12.0	13.3	
2002	45	8.3	1.39	5.8	11.4	1,461	12.6	0.33	11.9	13.2	
2003	51	8.6	1.33	6.2	11.5	1,484	12.6	0.33	12.0	13.3	
2004	74	12.5	1.60	9.6	16.0	1,528	12.9	0.33	12.2	13.5	
2005	72	12.1	1.61	9.2	15.6	1,603	13.4	0.33	12.7	14.0	
2006	90	13.7	1.61	10.7	17.2	1,510	12.5	0.32	11.9	13.2	
2007	82	11.4	1.42	8.8	14.5	1,579	12.9	0.33	12.3	13.6	
2008	98	13.1	1.47	10.4	16.3	1,633	13.2	0.33	12.6	13.9	
2009	70	10.0	1.30	7.6	12.7	1,758	14.0	0.34	13.4	14.7	
2010	102	12.9	1.40	10.3	15.9	1,678	13.2	0.33	12.6	13.9	
2011	104	13.1	1.39	10.5	16.0	1,696	13.2	0.33	12.5	13.8	
2012	121	13.1	1.29	10.7	15.8	1,725	13.0	0.32	12.4	13.7	
2013	118	12.0	1.20	9.8	14.6	1,783	13.3	0.32	12.7	13.9	
2014	117	11.2	1.13	9.1	13.6	1,830	13.4	0.32	12.8	14.1	
2015	126	11.4	1.09	9.3	13.7	1,929	14.1	0.33	13.5	14.8	
2016	145	12.5	1.12	10.4	14.9	1,885	13.6	0.32	13.0	14.2	
2017	180	15.1	1.21	12.8	17.6	2,052	14.4	0.32	13.8	15.1	
2018	185	14.8	1.16	12.6	17.2	2,016	14.1	0.32	13.5	14.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Pancreas											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	36,360	12.2	0.06	12.1	12.3	6,918	16.3	0.20	16.0	16.7	
1990	910	9.8	0.33	9.2	10.5	173	15.4	1.21	13.1	17.9	
1991	864	9.2	0.32	8.6	9.9	125	11.5	1.05	9.5	13.7	
1992	877	9.3	0.32	8.7	9.9	157	13.2	1.08	11.1	15.4	
1993	870	9.1	0.31	8.5	9.7	161	13.7	1.10	11.6	16.0	
1994	1,075	11.2	0.34	10.5	11.9	194	16.5	1.22	14.2	19.1	
1995	1,082	11.3	0.34	10.6	12.0	203	17.1	1.23	14.8	19.7	
1996	1,139	11.8	0.35	11.1	12.5	192	15.8	1.17	13.6	18.3	
1997	1,088	11.2	0.34	10.5	11.8	174	13.7	1.06	11.7	15.9	
1998	1,166	11.9	0.35	11.2	12.6	188	14.4	1.07	12.4	16.7	
1999	1,156	11.7	0.35	11.1	12.4	197	15.2	1.10	13.1	17.5	
2000	1,204	12.2	0.35	11.5	12.9	200	15.0	1.08	13.0	17.3	
2001	1,205	12.2	0.35	11.5	12.9	225	16.2	1.10	14.1	18.5	
2002	1,195	12.0	0.35	11.3	12.7	240	17.5	1.15	15.3	19.8	
2003	1,211	12.1	0.35	11.4	12.8	244	17.5	1.14	15.3	19.9	
2004	1,281	12.6	0.36	12.0	13.4	220	15.3	1.05	13.3	17.5	
2005	1,296	12.7	0.36	12.0	13.4	277	19.2	1.18	17.0	21.7	
2006	1,208	11.8	0.34	11.2	12.5	272	18.4	1.14	16.3	20.8	
2007	1,296	12.6	0.35	11.9	13.3	250	16.9	1.09	14.8	19.1	
2008	1,336	12.8	0.35	12.1	13.5	255	16.4	1.05	14.4	18.5	
2009	1,448	13.8	0.37	13.1	14.5	272	17.4	1.08	15.4	19.7	
2010	1,388	13.1	0.36	12.4	13.8	252	16.0	1.03	14.0	18.1	
2011	1,393	13.1	0.36	12.4	13.8	262	15.8	1.00	13.9	17.9	
2012	1,406	12.9	0.35	12.2	13.6	277	16.3	1.00	14.4	18.4	
2013	1,451	13.0	0.35	12.4	13.7	292	16.7	1.00	14.8	18.8	
2014	1,474	13.1	0.35	12.4	13.8	300	16.8	0.99	14.9	18.8	
2015	1,532	13.7	0.36	13.0	14.4	349	19.3	1.06	17.3	21.5	
2016	1,543	13.6	0.35	12.9	14.3	298	16.1	0.95	14.3	18.1	
2017	1,695	14.6	0.36	13.9	15.4	311	16.3	0.95	14.5	18.3	
2018	1,571	13.6	0.35	12.9	14.3	358	18.6	1.01	16.7	20.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Pancreas										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,140	12.5	0.42	11.7	13.4	21,805	14.6	0.10	14.4	14.8
1990	11	5.6	1.85	2.6	10.6	515	11.9	0.54	10.9	13.0
1991	15	8.7	2.51	4.5	15.0	463	10.7	0.51	9.7	11.7
1992	10	6.9	2.68	2.7	13.7	504	11.2	0.51	10.3	12.3
1993	16	11.2	3.38	5.5	19.3	486	10.8	0.50	9.9	11.8
1994	19	10.4	2.82	5.6	17.1	630	14.0	0.57	12.9	15.1
1995	19	9.3	2.45	5.1	15.2	626	13.8	0.56	12.7	14.9
1996	16	10.5	2.99	5.5	17.6	637	13.9	0.56	12.8	15.0
1997	21	9.3	2.20	5.5	14.6	599	12.9	0.54	11.9	14.0
1998	20	11.4	3.03	6.3	18.5	624	13.5	0.55	12.4	14.6
1999	29	12.0	2.60	7.4	18.0	663	14.0	0.55	12.9	15.1
2000	20	8.7	2.33	4.7	14.2	724	15.1	0.57	14.0	16.3
2001	27	10.5	2.31	6.4	15.8	711	14.7	0.56	13.6	15.8
2002	22	9.1	2.18	5.3	14.1	701	14.4	0.55	13.3	15.5
2003	29	9.8	2.06	6.2	14.6	734	14.8	0.55	13.8	16.0
2004	36	13.4	2.45	9.0	18.9	783	15.7	0.57	14.6	16.9
2005	30	9.4	1.94	6.0	13.9	759	15.0	0.55	13.9	16.1
2006	58	18.3	2.84	13.2	24.6	746	14.5	0.54	13.4	15.6
2007	42	11.7	2.16	7.9	16.6	773	14.8	0.54	13.7	15.9
2008	47	14.2	2.34	10.0	19.4	825	15.5	0.55	14.5	16.7
2009	32	9.0	1.79	5.8	13.0	872	16.1	0.55	15.0	17.2
2010	51	13.9	2.25	9.9	18.9	837	15.2	0.54	14.2	16.3
2011	49	12.3	1.96	8.7	16.6	854	15.2	0.53	14.2	16.3
2012	62	13.6	1.94	10.1	17.8	857	14.7	0.51	13.7	15.7
2013	80	17.9	2.23	13.8	22.7	899	15.3	0.52	14.3	16.3
2014	60	11.7	1.72	8.6	15.5	952	15.8	0.53	14.8	16.9
2015	64	12.1	1.68	9.0	15.8	986	16.4	0.54	15.4	17.5
2016	67	12.0	1.62	9.0	15.5	966	15.9	0.52	14.9	16.9
2017	97	16.7	1.88	13.2	20.7	1,054	16.6	0.52	15.6	17.7
2018	91	15.7	1.78	12.4	19.5	1,025	16.0	0.51	15.1	17.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Pancreas										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,154	14.3	0.11	14.1	14.5	3,191	18.3	0.34	17.6	19.0
1990	436	11.5	0.56	10.4	12.6	73	15.9	1.97	12.3	20.2
1991	406	10.6	0.54	9.5	11.7	53	12.1	1.76	8.9	16.0
1992	420	10.7	0.53	9.6	11.7	76	16.9	2.06	13.1	21.3
1993	407	10.3	0.52	9.3	11.4	73	15.3	1.89	11.8	19.4
1994	524	13.3	0.59	12.2	14.6	97	20.1	2.16	16.1	24.7
1995	513	13.0	0.58	11.9	14.2	100	20.8	2.21	16.7	25.6
1996	539	13.5	0.59	12.4	14.7	89	18.3	2.06	14.5	22.8
1997	513	12.8	0.57	11.7	14.0	77	13.8	1.64	10.8	17.3
1998	532	13.3	0.58	12.2	14.5	83	15.4	1.77	12.2	19.3
1999	564	13.8	0.58	12.6	14.9	86	16.1	1.82	12.8	20.0
2000	614	14.9	0.61	13.8	16.2	93	16.4	1.79	13.1	20.3
2001	598	14.4	0.59	13.3	15.7	105	18.2	1.85	14.7	22.2
2002	574	13.8	0.58	12.7	15.0	112	19.5	1.95	15.9	23.6
2003	590	14.0	0.58	12.9	15.2	127	22.3	2.10	18.4	26.8
2004	663	15.6	0.61	14.5	16.9	105	16.8	1.72	13.6	20.5
2005	617	14.4	0.58	13.2	15.6	128	21.4	2.02	17.6	25.7
2006	598	13.7	0.57	12.6	14.9	127	20.4	1.89	16.9	24.4
2007	640	14.4	0.58	13.3	15.6	109	18.4	1.88	14.9	22.4
2008	683	15.2	0.59	14.1	16.4	121	19.1	1.83	15.7	23.0
2009	727	15.9	0.60	14.8	17.1	129	20.2	1.88	16.7	24.2
2010	709	15.3	0.58	14.2	16.5	108	16.4	1.66	13.3	19.9
2011	722	15.3	0.58	14.2	16.5	116	17.3	1.69	14.2	21.0
2012	701	14.3	0.55	13.3	15.5	136	19.5	1.76	16.2	23.3
2013	747	15.2	0.57	14.1	16.4	136	18.6	1.68	15.5	22.2
2014	787	15.7	0.57	14.6	16.9	138	18.5	1.65	15.4	22.0
2015	791	16.0	0.58	14.9	17.2	167	22.3	1.81	18.9	26.1
2016	810	16.1	0.58	14.9	17.2	136	18.4	1.65	15.3	21.9
2017	897	17.2	0.59	16.1	18.4	138	17.1	1.52	14.2	20.3
2018	832	15.9	0.57	14.8	17.1	153	18.7	1.57	15.8	22.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Pancreas										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,091	10.9	0.35	10.2	11.6	22,387	11.0	0.07	10.8	11.1
1990	10	5.5	1.85	2.5	10.2	580	9.4	0.39	8.6	10.2
1991	15	9.2	2.57	4.9	15.4	535	8.5	0.37	7.8	9.3
1992	12	7.0	2.18	3.4	12.3	542	8.4	0.37	7.7	9.2
1993	18	9.1	2.28	5.2	14.6	558	8.7	0.37	8.0	9.4
1994	15	8.5	2.32	4.6	14.1	663	10.0	0.39	9.2	10.8
1995	17	8.6	2.24	4.8	13.9	673	10.2	0.40	9.4	11.0
1996	21	11.0	2.60	6.5	17.0	709	10.7	0.40	9.9	11.5
1997	20	10.1	2.51	5.8	15.9	677	10.1	0.39	9.4	10.9
1998	22	8.1	1.95	4.7	12.7	750	11.2	0.41	10.4	12.0
1999	21	8.1	1.91	4.8	12.6	719	10.6	0.40	9.8	11.4
2000	27	11.8	2.46	7.5	17.4	713	10.5	0.40	9.8	11.3
2001	30	11.0	2.25	7.0	16.1	741	10.9	0.41	10.2	11.8
2002	23	7.7	1.75	4.7	11.8	760	11.0	0.41	10.3	11.9
2003	22	7.4	1.70	4.5	11.3	750	10.9	0.40	10.1	11.7
2004	38	11.8	2.07	8.1	16.4	745	10.6	0.39	9.8	11.4
2005	42	13.8	2.33	9.7	19.0	844	12.1	0.42	11.3	13.0
2006	32	9.8	1.84	6.5	13.9	764	11.0	0.40	10.2	11.8
2007	40	11.1	1.89	7.7	15.3	806	11.4	0.41	10.6	12.2
2008	51	12.4	1.88	9.0	16.5	808	11.3	0.41	10.5	12.2
2009	38	10.5	1.81	7.3	14.5	886	12.3	0.42	11.5	13.2
2010	51	12.2	1.81	9.0	16.2	841	11.6	0.41	10.8	12.4
2011	55	13.3	1.90	9.9	17.5	842	11.5	0.40	10.7	12.3
2012	59	12.4	1.70	9.3	16.1	868	11.7	0.40	10.9	12.5
2013	38	7.2	1.24	5.0	10.0	884	11.7	0.40	10.9	12.5
2014	57	10.7	1.49	7.9	13.9	878	11.6	0.40	10.8	12.4
2015	62	10.7	1.43	8.1	13.8	943	12.2	0.41	11.4	13.0
2016	78	13.0	1.55	10.1	16.3	919	11.8	0.40	11.0	12.6
2017	83	13.7	1.58	10.8	17.1	998	12.5	0.41	11.8	13.4
2018	94	14.1	1.52	11.2	17.3	991	12.5	0.41	11.7	13.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Pancreas											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	18,206	10.5	0.08	10.4	10.7	3,727	14.9	0.25	14.4	15.3	
1990	474	8.7	0.41	7.9	9.5	100	14.9	1.52	12.1	18.2	
1991	458	8.3	0.39	7.5	9.1	72	11.0	1.31	8.6	13.9	
1992	457	8.0	0.38	7.3	8.8	81	11.1	1.25	8.8	13.8	
1993	463	8.1	0.38	7.4	8.9	88	12.6	1.35	10.1	15.5	
1994	551	9.4	0.41	8.7	10.3	97	13.8	1.42	11.2	16.9	
1995	569	9.8	0.42	9.0	10.7	103	14.5	1.45	11.8	17.6	
1996	600	10.3	0.43	9.5	11.2	103	14.1	1.40	11.5	17.1	
1997	575	9.9	0.42	9.1	10.7	97	13.1	1.34	10.6	16.0	
1998	634	10.9	0.44	10.0	11.8	105	13.6	1.33	11.1	16.4	
1999	592	10.0	0.42	9.2	10.9	111	14.3	1.37	11.8	17.2	
2000	590	10.2	0.43	9.3	11.0	107	13.6	1.33	11.2	16.5	
2001	607	10.4	0.43	9.5	11.3	120	14.7	1.35	12.2	17.6	
2002	621	10.5	0.43	9.7	11.4	128	15.8	1.40	13.1	18.7	
2003	621	10.5	0.43	9.7	11.4	117	14.2	1.32	11.7	17.0	
2004	618	10.2	0.42	9.4	11.1	115	13.7	1.29	11.3	16.5	
2005	679	11.5	0.45	10.6	12.4	149	17.6	1.45	14.9	20.7	
2006	610	10.3	0.43	9.5	11.2	145	16.7	1.40	14.1	19.7	
2007	656	11.0	0.44	10.1	11.9	141	15.9	1.35	13.4	18.8	
2008	653	10.9	0.44	10.1	11.8	134	14.4	1.26	12.0	17.1	
2009	721	11.9	0.46	11.1	12.9	143	15.5	1.31	13.1	18.3	
2010	679	11.2	0.44	10.4	12.1	144	15.4	1.30	12.9	18.1	
2011	671	11.1	0.44	10.2	12.0	146	14.7	1.23	12.4	17.3	
2012	705	11.6	0.45	10.7	12.5	141	14.0	1.20	11.8	16.6	
2013	704	11.3	0.44	10.5	12.2	156	15.4	1.25	13.1	18.1	
2014	687	11.0	0.43	10.2	11.9	162	15.5	1.24	13.2	18.2	
2015	741	11.8	0.45	11.0	12.7	182	17.0	1.28	14.6	19.7	
2016	733	11.5	0.44	10.7	12.5	162	14.7	1.17	12.5	17.2	
2017	798	12.4	0.45	11.5	13.3	173	15.6	1.20	13.3	18.1	
2018	739	11.5	0.44	10.7	12.4	205	18.3	1.30	15.8	21.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Respiratory System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,916	36.1	0.47	35.2	37.0	271,137	77.1	0.15	76.8	77.4
1990	123	39.3	3.99	31.9	47.7	7,836	73.4	0.84	71.7	75.0
1991	120	35.3	3.63	28.6	43.0	7,806	72.2	0.82	70.6	73.8
1992	128	36.1	3.55	29.5	43.7	8,230	75.6	0.84	74.0	77.3
1993	147	36.8	3.38	30.5	43.9	8,610	78.6	0.85	76.9	80.3
1994	164	40.9	3.60	34.1	48.4	9,170	83.0	0.87	81.3	84.8
1995	175	50.6	4.27	42.6	59.5	9,186	82.9	0.87	81.2	84.6
1996	194	49.7	4.02	42.1	58.1	9,175	82.6	0.86	81.0	84.4
1997	181	45.9	3.83	38.7	53.9	9,065	81.1	0.85	79.4	82.8
1998	212	54.9	4.20	47.0	63.6	9,171	81.4	0.85	79.7	83.1
1999	203	43.5	3.45	37.0	50.7	9,258	81.7	0.85	80.0	83.4
2000	201	39.3	3.14	33.4	45.8	9,134	80.2	0.84	78.6	81.9
2001	205	41.2	3.27	35.1	48.0	9,254	80.8	0.84	79.2	82.5
2002	190	36.1	2.95	30.5	42.2	9,569	82.9	0.85	81.3	84.6
2003	211	36.4	2.78	31.2	42.2	9,560	82.1	0.84	80.4	83.7
2004	251	42.0	2.99	36.4	48.2	9,265	79.0	0.82	77.4	80.6
2005	236	37.5	2.70	32.4	43.1	9,471	80.0	0.83	78.4	81.7
2006	246	37.8	2.65	32.8	43.3	9,684	81.2	0.83	79.6	82.9
2007	268	39.3	2.60	34.4	44.6	9,802	81.1	0.83	79.5	82.7
2008	306	41.3	2.60	36.3	46.6	9,779	79.6	0.81	78.0	81.2
2009	251	33.8	2.32	29.4	38.5	10,035	80.8	0.82	79.2	82.5
2010	263	32.5	2.17	28.4	37.0	9,721	77.2	0.79	75.6	78.8
2011	322	38.7	2.33	34.2	43.4	9,733	75.9	0.78	74.4	77.5
2012	306	34.9	2.15	30.8	39.3	9,715	74.5	0.77	73.0	76.0
2013	268	28.0	1.85	24.5	31.8	9,572	71.7	0.75	70.3	73.2
2014	319	30.5	1.84	27.0	34.3	10,062	74.2	0.75	72.7	75.6
2015	363	32.7	1.85	29.2	36.5	9,875	71.6	0.73	70.2	73.1
2016	321	28.4	1.70	25.2	31.9	9,850	70.8	0.73	69.4	72.2
2017	389	33.6	1.81	30.1	37.3	9,855	69.5	0.71	68.1	70.9
2018	353	28.3	1.61	25.3	31.6	9,694	67.0	0.69	65.6	68.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Respiratory System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	226,998	76.5	0.16	76.2	76.9	40,058	91.1	0.46	90.2	92.0
1990	6,671	71.2	0.88	69.5	72.9	1,112	93.3	2.86	87.8	99.0
1991	6,693	70.6	0.87	68.9	72.3	1,054	86.4	2.71	81.1	91.9
1992	7,014	73.9	0.89	72.2	75.7	1,157	94.4	2.83	88.9	100.1
1993	7,237	75.8	0.90	74.1	77.6	1,295	104.2	2.95	98.5	110.1
1994	7,795	81.2	0.92	79.4	83.0	1,297	102.9	2.91	97.2	108.7
1995	7,713	80.4	0.92	78.6	82.2	1,389	106.9	2.92	101.2	112.7
1996	7,683	80.1	0.92	78.4	82.0	1,393	107.1	2.92	101.5	113.0
1997	7,622	79.1	0.91	77.3	80.9	1,345	100.8	2.79	95.4	106.4
1998	7,696	79.4	0.91	77.7	81.2	1,356	100.6	2.77	95.3	106.2
1999	7,795	80.3	0.91	78.5	82.1	1,363	99.1	2.73	93.8	104.6
2000	7,742	79.7	0.91	77.9	81.5	1,282	91.5	2.59	86.4	96.7
2001	7,817	80.2	0.91	78.4	82.0	1,330	94.4	2.63	89.3	99.7
2002	8,048	82.1	0.92	80.3	83.9	1,395	96.8	2.63	91.7	102.1
2003	8,033	81.6	0.91	79.8	83.4	1,409	96.1	2.60	91.1	101.3
2004	7,724	78.0	0.89	76.3	79.8	1,420	95.9	2.59	90.9	101.1
2005	7,932	79.8	0.90	78.0	81.6	1,400	92.6	2.52	87.7	97.6
2006	8,078	80.7	0.90	78.9	82.5	1,461	95.2	2.54	90.3	100.3
2007	8,180	80.9	0.90	79.1	82.7	1,464	94.6	2.52	89.7	99.7
2008	8,218	80.2	0.89	78.4	82.0	1,404	88.2	2.40	83.5	93.0
2009	8,421	81.6	0.90	79.9	83.4	1,434	87.4	2.36	82.8	92.1
2010	8,099	77.5	0.87	75.8	79.2	1,437	86.5	2.34	81.9	91.1
2011	8,120	76.5	0.86	74.8	78.2	1,428	84.7	2.30	80.2	89.3
2012	8,014	74.4	0.85	72.8	76.1	1,512	88.0	2.32	83.5	92.7
2013	7,905	72.0	0.82	70.4	73.6	1,463	82.4	2.21	78.1	86.8
2014	8,375	75.3	0.84	73.7	77.0	1,477	81.2	2.17	77.0	85.6
2015	8,089	71.9	0.82	70.3	73.5	1,547	82.7	2.16	78.5	87.0
2016	8,119	71.6	0.81	70.0	73.2	1,516	80.9	2.13	76.8	85.2
2017	8,129	70.5	0.80	68.9	72.1	1,498	78.2	2.07	74.2	82.3
2018	8,036	68.2	0.78	66.7	69.8	1,420	73.2	1.99	69.3	77.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Respiratory System											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	4,082	47.4	0.84	45.8	49.1	152,802	101.0	0.26	100.5	101.5	
1990	65	49.4	7.51	35.8	65.8	5,024	111.4	1.61	108.2	114.6	
1991	70	47.1	6.61	35.1	61.5	4,960	108.5	1.58	105.4	111.6	
1992	75	49.0	6.73	36.7	63.6	5,140	111.1	1.58	108.0	114.2	
1993	95	52.4	6.40	40.6	66.2	5,323	115.1	1.61	112.0	118.3	
1994	99	52.3	6.42	40.5	66.1	5,602	121.0	1.65	117.8	124.3	
1995	114	77.1	8.55	61.3	95.2	5,556	118.4	1.61	115.3	121.6	
1996	136	76.5	7.83	61.9	93.0	5,456	116.5	1.60	113.4	119.7	
1997	114	63.8	7.05	50.7	78.7	5,400	114.3	1.57	111.2	117.4	
1998	121	74.1	7.87	59.5	90.7	5,425	113.6	1.56	110.6	116.7	
1999	125	57.9	6.07	46.6	70.7	5,402	112.6	1.55	109.6	115.6	
2000	134	55.5	5.55	45.2	67.3	5,302	109.4	1.51	106.5	112.4	
2001	125	58.0	5.99	46.8	70.6	5,335	110.0	1.52	107.0	113.0	
2002	107	49.0	5.50	38.8	60.6	5,430	111.0	1.52	108.1	114.0	
2003	145	55.4	5.21	45.7	66.4	5,352	107.5	1.48	104.6	110.5	
2004	146	51.0	4.93	41.8	61.3	5,159	102.7	1.45	99.9	105.6	
2005	153	52.6	4.83	43.5	62.7	5,225	102.5	1.43	99.7	105.3	
2006	155	51.9	4.76	43.0	61.9	5,293	103.4	1.44	100.6	106.3	
2007	163	53.8	4.70	45.0	63.6	5,335	102.3	1.42	99.6	105.2	
2008	179	52.0	4.36	43.8	61.0	5,237	98.4	1.38	95.8	101.2	
2009	131	40.0	3.91	32.7	48.2	5,354	98.8	1.37	96.1	101.5	
2010	151	43.5	3.92	36.1	51.6	5,177	93.9	1.33	91.3	96.6	
2011	178	49.6	4.13	41.8	58.2	5,278	94.0	1.32	91.5	96.7	
2012	173	45.4	3.81	38.2	53.3	5,136	89.6	1.28	87.1	92.1	
2013	154	35.8	3.22	29.8	42.6	5,205	88.3	1.25	85.9	90.8	
2014	174	38.1	3.19	32.1	44.8	5,286	88.0	1.24	85.6	90.5	
2015	205	38.6	2.99	32.9	44.8	5,194	85.2	1.21	82.8	87.6	
2016	180	35.2	2.89	29.8	41.2	5,112	82.9	1.19	80.6	85.2	
2017	217	40.6	3.01	34.9	46.8	5,188	82.6	1.18	80.3	84.9	
2018	198	35.8	2.77	30.6	41.6	4,916	75.9	1.11	73.8	78.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Respiratory System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	127,247	99.0	0.28	98.5	99.6	23,044	128.6	0.89	126.9	130.4
1990	4,245	107.0	1.68	103.7	110.3	739	151.8	5.86	140.5	163.7
1991	4,237	105.5	1.66	102.2	108.7	681	136.3	5.47	125.7	147.4
1992	4,351	107.4	1.66	104.1	110.6	752	149.7	5.73	138.7	161.3
1993	4,449	110.0	1.68	106.8	113.4	822	162.3	5.95	150.8	174.3
1994	4,739	117.4	1.73	114.0	120.9	814	159.3	5.87	148.0	171.1
1995	4,612	113.1	1.69	109.8	116.5	894	168.8	5.93	157.4	180.8
1996	4,538	111.7	1.68	108.5	115.1	856	162.5	5.81	151.4	174.3
1997	4,483	109.9	1.66	106.6	113.2	852	156.5	5.58	145.8	167.8
1998	4,497	109.1	1.64	105.9	112.3	843	155.4	5.60	144.6	166.7
1999	4,515	109.3	1.64	106.1	112.5	822	148.3	5.40	137.9	159.3
2000	4,438	106.7	1.61	103.5	109.9	799	139.8	5.16	129.8	150.2
2001	4,455	107.2	1.61	104.1	110.4	803	139.7	5.15	129.8	150.2
2002	4,568	109.3	1.63	106.2	112.6	793	134.5	4.99	124.9	144.7
2003	4,470	105.4	1.59	102.3	108.6	802	134.2	4.96	124.6	144.2
2004	4,264	99.8	1.54	96.8	102.9	818	137.5	5.05	127.8	147.7
2005	4,326	100.1	1.54	97.1	103.2	808	131.9	4.89	122.5	141.8
2006	4,392	101.4	1.54	98.4	104.4	809	130.6	4.84	121.3	140.4
2007	4,411	100.2	1.52	97.2	103.2	838	134.3	4.89	124.8	144.2
2008	4,378	97.7	1.50	94.8	100.7	775	119.9	4.53	111.2	129.1
2009	4,482	98.7	1.50	95.8	101.6	759	112.6	4.30	104.3	121.3
2010	4,295	93.0	1.44	90.2	95.9	776	113.2	4.29	105.0	121.9
2011	4,382	93.2	1.43	90.4	96.0	782	114.2	4.28	105.9	122.8
2012	4,237	88.4	1.39	85.7	91.2	783	112.7	4.23	104.6	121.3
2013	4,297	87.5	1.36	84.9	90.3	791	110.3	4.12	102.4	118.7
2014	4,375	87.6	1.35	85.0	90.3	783	106.4	3.99	98.7	114.5
2015	4,236	83.9	1.32	81.3	86.5	822	109.2	4.00	101.5	117.3
2016	4,227	83.0	1.31	80.4	85.6	753	98.3	3.75	91.1	105.9
2017	4,247	81.9	1.29	79.4	84.5	793	103.2	3.83	95.8	110.9
2018	4,101	76.9	1.23	74.5	79.3	682	85.4	3.41	78.8	92.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Respiratory System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,834	27.1	0.54	26.1	28.2	118,335	59.8	0.18	59.5	60.2
1990	58	33.0	4.62	24.6	43.1	2,812	47.0	0.90	45.3	48.8
1991	50	26.3	4.10	18.9	35.3	2,846	46.7	0.89	45.0	48.5
1992	53	27.3	3.98	20.1	36.0	3,090	50.5	0.92	48.7	52.3
1993	52	24.4	3.63	17.8	32.4	3,287	53.1	0.94	51.3	55.0
1994	65	31.8	4.23	24.0	41.0	3,568	56.8	0.96	54.9	58.7
1995	61	31.7	4.34	23.8	41.2	3,630	57.9	0.97	56.0	59.9
1996	58	28.6	4.08	21.2	37.5	3,719	59.1	0.98	57.2	61.1
1997	67	32.0	4.23	24.2	41.1	3,665	57.6	0.96	55.7	59.5
1998	91	41.2	4.67	32.6	51.2	3,746	58.4	0.96	56.6	60.3
1999	78	31.7	3.96	24.4	40.2	3,856	59.9	0.97	58.0	61.9
2000	67	25.1	3.42	18.9	32.5	3,832	59.3	0.96	57.4	61.2
2001	80	27.7	3.49	21.3	35.2	3,919	60.2	0.97	58.4	62.2
2002	83	26.6	3.23	20.7	33.6	4,139	63.3	0.99	61.4	65.3
2003	66	20.6	2.77	15.5	26.6	4,208	64.1	1.00	62.2	66.1
2004	105	34.1	3.64	27.4	41.8	4,106	62.1	0.98	60.2	64.0
2005	83	25.0	2.96	19.5	31.3	4,246	63.9	0.99	62.0	65.9
2006	91	26.3	2.95	20.8	32.6	4,391	65.6	1.00	63.6	67.5
2007	105	27.9	2.88	22.5	34.0	4,467	65.9	1.00	63.9	67.8
2008	127	32.1	3.10	26.3	38.7	4,542	66.1	0.99	64.2	68.1
2009	120	29.1	2.83	23.9	35.1	4,681	67.7	1.00	65.7	69.7
2010	112	24.1	2.43	19.6	29.3	4,544	64.8	0.98	62.9	66.8
2011	144	30.7	2.71	25.6	36.4	4,455	62.3	0.95	60.5	64.2
2012	133	27.0	2.47	22.4	32.2	4,579	63.4	0.95	61.5	65.3
2013	114	21.9	2.16	17.8	26.5	4,367	59.3	0.91	57.5	61.1
2014	145	24.8	2.17	20.7	29.4	4,776	63.8	0.94	62.0	65.7
2015	158	27.7	2.32	23.3	32.5	4,681	61.7	0.92	59.9	63.5
2016	141	23.3	2.05	19.4	27.6	4,738	61.7	0.92	59.9	63.6
2017	172	27.9	2.22	23.7	32.5	4,667	59.6	0.89	57.9	61.4
2018	155	22.6	1.90	19.0	26.6	4,778	60.1	0.89	58.4	61.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Respiratory System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	99,751	60.2	0.19	59.9	60.6	17,014	66.0	0.51	65.0	67.0
1990	2,426	46.6	0.97	44.7	48.5	373	53.5	2.80	48.2	59.3
1991	2,456	46.2	0.95	44.4	48.1	373	52.3	2.74	47.1	57.9
1992	2,663	50.3	1.00	48.4	52.3	405	56.6	2.84	51.2	62.4
1993	2,788	52.1	1.00	50.2	54.1	473	65.0	3.02	59.2	71.2
1994	3,056	56.2	1.03	54.2	58.3	483	65.4	3.00	59.6	71.5
1995	3,101	57.4	1.05	55.4	59.5	495	65.1	2.95	59.4	71.1
1996	3,145	58.3	1.06	56.2	60.4	537	70.1	3.05	64.3	76.3
1997	3,139	57.6	1.04	55.6	59.7	493	62.9	2.85	57.4	68.7
1998	3,199	58.4	1.05	56.4	60.5	513	64.5	2.87	59.0	70.3
1999	3,280	59.8	1.06	57.7	61.9	541	66.7	2.89	61.2	72.6
2000	3,304	60.3	1.06	58.2	62.4	483	58.8	2.69	53.6	64.3
2001	3,362	61.2	1.07	59.2	63.4	527	63.7	2.79	58.4	69.4
2002	3,480	63.1	1.08	61.0	65.3	602	71.3	2.93	65.7	77.3
2003	3,563	64.7	1.10	62.6	66.9	607	70.6	2.89	65.1	76.5
2004	3,460	62.5	1.08	60.4	64.6	602	68.8	2.82	63.3	74.5
2005	3,606	65.1	1.10	63.0	67.3	592	66.7	2.77	61.4	72.4
2006	3,686	66.0	1.10	63.9	68.2	652	72.3	2.86	66.8	78.1
2007	3,769	67.0	1.11	64.8	69.2	626	69.0	2.78	63.6	74.6
2008	3,840	67.6	1.11	65.4	69.8	629	67.3	2.71	62.1	72.8
2009	3,939	69.0	1.12	66.8	71.3	675	70.5	2.75	65.3	76.1
2010	3,804	66.0	1.09	63.8	68.1	661	68.4	2.70	63.2	73.9
2011	3,738	63.9	1.07	61.8	66.1	646	64.7	2.59	59.8	70.0
2012	3,777	64.0	1.06	62.0	66.1	729	72.0	2.70	66.7	77.5
2013	3,608	60.1	1.02	58.1	62.1	672	64.4	2.52	59.6	69.6
2014	4,000	66.1	1.07	64.0	68.3	694	64.5	2.49	59.8	69.6
2015	3,853	62.9	1.04	60.9	65.0	725	65.8	2.49	61.0	70.9
2016	3,892	63.0	1.04	61.0	65.1	763	69.1	2.54	64.2	74.2
2017	3,882	61.7	1.01	59.7	63.7	705	62.0	2.38	57.5	66.9
2018	3,935	61.6	1.00	59.6	63.6	738	64.8	2.43	60.1	69.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Larynx											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	592	2.8	0.12	2.5	3.0	16,130	4.6	0.04	4.5	4.7	
1990	12	3.2	1.03	1.5	5.9	579	5.5	0.23	5.1	6.0	
1991	12	3.4	1.06	1.7	6.1	603	5.7	0.23	5.2	6.1	
1992	14	3.9	1.12	2.0	6.7	588	5.5	0.23	5.1	6.0	
1993	19	3.9	0.96	2.2	6.3	585	5.4	0.22	5.0	5.9	
1994	20	4.4	1.08	2.6	7.0	572	5.3	0.22	4.8	5.7	
1995	19	4.6	1.18	2.6	7.4	639	5.9	0.23	5.4	6.3	
1996	21	5.3	1.30	3.0	8.3	621	5.7	0.23	5.3	6.2	
1997	20	5.5	1.40	3.1	8.8	596	5.4	0.22	5.0	5.9	
1998	14	3.6	1.11	1.8	6.3	552	4.9	0.21	4.5	5.4	
1999	17	3.5	0.93	1.9	5.7	559	5.0	0.21	4.6	5.4	
2000	20	3.2	0.77	1.9	5.1	583	5.2	0.21	4.8	5.6	
2001	17	2.7	0.76	1.5	4.6	546	4.8	0.21	4.4	5.2	
2002	15	2.5	0.72	1.3	4.3	579	5.0	0.21	4.6	5.4	
2003	20	2.8	0.66	1.6	4.4	539	4.6	0.20	4.2	5.0	
2004	16	2.6	0.76	1.3	4.4	520	4.4	0.19	4.0	4.8	
2005	14	2.4	0.68	1.3	4.0	545	4.6	0.20	4.2	5.0	
2006	15	1.9	0.56	1.0	3.3	517	4.3	0.19	3.9	4.7	
2007	30	3.8	0.74	2.5	5.5	550	4.5	0.19	4.1	4.8	
2008	31	3.2	0.61	2.1	4.6	525	4.2	0.19	3.9	4.6	
2009	18	2.2	0.56	1.3	3.6	537	4.2	0.18	3.8	4.6	
2010	16	2.0	0.54	1.1	3.3	568	4.3	0.18	4.0	4.7	
2011	26	3.2	0.67	2.0	4.7	528	4.0	0.18	3.7	4.4	
2012	21	2.1	0.50	1.3	3.3	523	3.9	0.17	3.6	4.3	
2013	18	1.8	0.45	1.0	2.9	511	3.7	0.17	3.4	4.1	
2014	28	2.3	0.47	1.5	3.4	540	3.9	0.17	3.6	4.2	
2015	29	2.2	0.44	1.4	3.2	516	3.7	0.17	3.4	4.0	
2016	22	1.7	0.38	1.0	2.6	536	3.7	0.17	3.4	4.1	
2017	30	2.2	0.43	1.4	3.2	526	3.7	0.16	3.4	4.0	
2018	38	2.8	0.48	1.9	3.8	547	3.8	0.16	3.4	4.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Larynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,805	4.4	0.04	4.3	4.4	3,115	6.7	0.12	6.5	7.0
1990	461	5.0	0.24	4.6	5.5	112	9.2	0.88	7.5	11.1
1991	484	5.2	0.24	4.7	5.7	116	9.3	0.87	7.6	11.1
1992	465	5.1	0.24	4.6	5.5	118	9.4	0.88	7.8	11.3
1993	467	5.0	0.23	4.5	5.4	111	8.7	0.84	7.2	10.6
1994	468	5.0	0.23	4.6	5.5	98	7.4	0.75	6.0	9.0
1995	501	5.4	0.24	4.9	5.9	134	10.1	0.88	8.4	11.9
1996	501	5.4	0.24	4.9	5.9	112	8.3	0.79	6.8	10.0
1997	458	4.9	0.23	4.5	5.4	128	9.1	0.81	7.6	10.8
1998	436	4.6	0.22	4.2	5.0	110	7.9	0.76	6.5	9.5
1999	443	4.7	0.22	4.2	5.1	110	7.5	0.72	6.2	9.1
2000	475	5.0	0.23	4.6	5.5	98	6.7	0.69	5.4	8.2
2001	423	4.4	0.22	4.0	4.9	115	7.6	0.72	6.3	9.2
2002	459	4.7	0.22	4.3	5.2	117	7.7	0.72	6.4	9.3
2003	409	4.2	0.21	3.8	4.6	124	8.1	0.74	6.7	9.7
2004	404	4.1	0.20	3.7	4.5	106	6.8	0.67	5.6	8.3
2005	441	4.4	0.21	4.0	4.9	101	6.2	0.62	5.0	7.6
2006	418	4.2	0.21	3.8	4.6	91	5.6	0.60	4.5	6.9
2007	430	4.2	0.20	3.8	4.6	114	6.9	0.65	5.6	8.3
2008	435	4.2	0.21	3.8	4.7	82	4.8	0.54	3.8	6.0
2009	425	4.1	0.20	3.7	4.5	104	5.9	0.58	4.8	7.1
2010	448	4.2	0.20	3.8	4.6	115	6.1	0.58	5.0	7.4
2011	436	4.1	0.20	3.7	4.5	86	4.9	0.54	3.9	6.0
2012	414	3.8	0.19	3.4	4.2	103	5.8	0.58	4.7	7.0
2013	401	3.6	0.18	3.2	4.0	102	5.6	0.57	4.6	6.9
2014	422	3.8	0.19	3.4	4.1	106	5.5	0.55	4.5	6.7
2015	395	3.5	0.18	3.2	3.9	108	5.4	0.53	4.4	6.5
2016	430	3.7	0.19	3.4	4.1	95	4.7	0.50	3.8	5.8
2017	422	3.6	0.18	3.3	4.0	98	5.0	0.52	4.0	6.1
2018	434	3.7	0.18	3.3	4.1	101	5.0	0.51	4.0	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Larynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	494	5.1	0.26	4.6	5.7	12,779	8.2	0.07	8.0	8.3
1990	7	3.8	1.70	1.3	8.7	454	10.0	0.48	9.1	11.0
1991	11	7.2	2.47	3.2	13.5	485	10.4	0.48	9.5	11.4
1992	10	6.2	2.26	2.6	12.0	464	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	11.7	478	9.9	0.46	9.0	10.9
1994	16	8.1	2.39	4.1	14.0	456	9.5	0.45	8.7	10.5
1995	16	9.1	2.72	4.6	15.7	493	10.4	0.48	9.5	11.4
1996	19	10.9	3.09	5.7	18.2	474	9.9	0.46	9.0	10.9
1997	17	10.9	3.13	5.6	18.3	471	9.7	0.45	8.8	10.6
1998	9	5.5	2.21	2.0	11.0	458	9.4	0.44	8.5	10.3
1999	14	6.2	1.92	3.0	10.9	465	9.4	0.44	8.6	10.3
2000	20	6.8	1.62	4.0	10.7	468	9.4	0.43	8.5	10.2
2001	13	5.2	1.66	2.5	9.4	438	8.8	0.42	8.0	9.7
2002	14	5.1	1.59	2.5	9.1	460	9.0	0.42	8.2	9.9
2003	19	5.6	1.41	3.2	9.1	416	8.1	0.40	7.3	8.9
2004	13	5.4	1.78	2.5	9.8	423	8.1	0.40	7.3	8.9
2005	13	5.1	1.50	2.6	8.7	430	8.0	0.39	7.3	8.8
2006	14	3.8	1.17	1.8	6.7	422	7.8	0.39	7.1	8.6
2007	27	7.6	1.59	4.8	11.3	438	7.9	0.39	7.2	8.7
2008	28	6.1	1.24	3.9	9.0	422	7.5	0.37	6.8	8.3
2009	15	4.4	1.24	2.4	7.4	421	7.3	0.36	6.6	8.0
2010	10	2.7	0.91	1.2	5.0	440	7.4	0.36	6.7	8.2
2011	21	5.8	1.40	3.4	9.0	419	7.2	0.36	6.5	7.9
2012	17	4.0	1.08	2.1	6.5	398	6.7	0.34	6.0	7.4
2013	15	3.2	0.93	1.7	5.5	411	6.6	0.33	6.0	7.3
2014	21	3.7	0.92	2.2	5.9	422	6.7	0.33	6.1	7.4
2015	25	3.8	0.86	2.3	5.9	412	6.5	0.33	5.8	7.1
2016	22	3.6	0.85	2.1	5.6	414	6.4	0.32	5.8	7.1
2017	22	3.6	0.85	2.1	5.6	409	6.3	0.32	5.6	6.9
2018	31	5.1	1.02	3.3	7.5	418	6.2	0.31	5.6	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Larynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,201	7.7	0.08	7.6	7.9	2,410	12.6	0.27	12.0	13.1
1990	359	9.0	0.49	8.1	10.0	91	17.7	1.91	14.1	21.8
1991	395	9.7	0.49	8.7	10.7	87	16.5	1.81	13.2	20.5
1992	375	9.3	0.49	8.4	10.3	84	16.2	1.85	12.8	20.2
1993	384	9.1	0.47	8.2	10.1	88	16.8	1.87	13.3	20.8
1994	371	9.0	0.47	8.1	10.0	80	14.4	1.65	11.3	18.0
1995	393	9.6	0.49	8.7	10.7	97	17.5	1.84	14.0	21.4
1996	380	9.3	0.48	8.3	10.2	88	15.6	1.72	12.5	19.4
1997	360	8.6	0.46	7.8	9.6	103	17.4	1.74	14.1	21.1
1998	367	8.8	0.46	7.9	9.7	86	14.8	1.65	11.8	18.4
1999	368	8.7	0.46	7.9	9.7	91	15.0	1.62	12.0	18.5
2000	383	9.0	0.46	8.1	10.0	79	13.2	1.55	10.4	16.6
2001	342	8.2	0.44	7.3	9.1	90	14.1	1.52	11.3	17.4
2002	372	8.6	0.45	7.8	9.6	86	13.9	1.55	11.0	17.3
2003	325	7.5	0.42	6.7	8.4	86	13.9	1.57	11.0	17.3
2004	336	7.6	0.42	6.8	8.5	79	12.4	1.47	9.7	15.6
2005	345	7.7	0.42	6.9	8.6	82	11.8	1.33	9.3	14.7
2006	343	7.6	0.42	6.8	8.5	72	10.8	1.34	8.3	13.7
2007	335	7.3	0.40	6.5	8.1	99	14.2	1.47	11.4	17.3
2008	347	7.4	0.40	6.6	8.2	70	10.0	1.24	7.7	12.7
2009	332	7.0	0.39	6.2	7.8	84	11.3	1.28	9.0	14.1
2010	348	7.2	0.39	6.4	8.0	88	10.8	1.20	8.6	13.5
2011	353	7.2	0.39	6.5	8.1	62	8.6	1.14	6.5	11.1
2012	322	6.5	0.37	5.8	7.3	72	10.0	1.24	7.8	12.7
2013	325	6.3	0.35	5.6	7.0	79	11.0	1.29	8.6	13.8
2014	330	6.4	0.36	5.7	7.1	81	10.2	1.19	8.0	12.8
2015	317	6.1	0.35	5.4	6.8	84	10.2	1.16	8.0	12.7
2016	335	6.3	0.36	5.6	7.1	71	8.8	1.10	6.8	11.3
2017	328	6.1	0.35	5.5	6.9	75	9.1	1.10	7.1	11.6
2018	331	6.0	0.34	5.4	6.7	76	9.1	1.09	7.1	11.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Larynx											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	98	0.8	0.09	0.6	1.0	3,351	1.8	0.03	1.7	1.8	
1990	5	2.7	1.27	0.8	6.3	125	2.2	0.20	1.8	2.6	
1991	1	0.5	0.45	0.0	2.5	118	2.0	0.19	1.7	2.5	
1992	4	2.1	1.07	0.6	5.2	124	2.1	0.19	1.8	2.5	
1993	4	1.5	0.76	0.4	3.9	107	1.8	0.18	1.5	2.2	
1994	4	1.5	0.74	0.4	3.8	116	1.9	0.18	1.6	2.3	
1995	3	1.2	0.68	0.2	3.4	146	2.5	0.21	2.1	2.9	
1996	2	1.0	0.74	0.1	3.4	147	2.5	0.21	2.1	2.9	
1997	3	1.4	0.98	0.2	4.3	125	2.1	0.19	1.7	2.5	
1998	5	2.3	1.15	0.6	5.5	94	1.5	0.15	1.2	1.8	
1999	3	1.3	0.76	0.2	3.6	94	1.6	0.16	1.3	1.9	
2000	0					115	1.9	0.17	1.5	2.2	
2001	4	0.7	0.37	0.2	2.1	108	1.7	0.17	1.4	2.1	
2002	1	0.3	0.27	0.0	1.5	119	1.9	0.17	1.6	2.3	
2003	1	0.2	0.20	0.0	1.3	123	2.0	0.18	1.6	2.3	
2004	3	0.4	0.26	0.1	1.5	97	1.5	0.15	1.2	1.8	
2005	1	0.2	0.23	0.0	1.3	115	1.8	0.17	1.5	2.2	
2006	1	0.3	0.32	0.0	1.5	95	1.4	0.15	1.2	1.8	
2007	3	0.5	0.30	0.1	1.6	112	1.7	0.16	1.4	2.1	
2008	3	0.6	0.33	0.1	1.7	103	1.5	0.15	1.2	1.9	
2009	3	0.5	0.27	0.1	1.4	116	1.7	0.16	1.4	2.0	
2010	6	1.4	0.62	0.5	3.1	128	1.8	0.16	1.5	2.1	
2011	5	1.1	0.51	0.3	2.5	109	1.5	0.15	1.3	1.9	
2012	4	0.6	0.31	0.2	1.6	125	1.7	0.16	1.4	2.1	
2013	3	0.6	0.35	0.1	1.7	100	1.4	0.14	1.1	1.7	
2014	7	1.0	0.41	0.4	2.1	118	1.6	0.15	1.3	1.9	
2015	4	0.7	0.35	0.2	1.7	104	1.4	0.14	1.1	1.7	
2016	0					122	1.5	0.14	1.3	1.8	
2017	8	1.0	0.35	0.4	1.9	117	1.6	0.15	1.3	1.9	
2018	7	0.8	0.30	0.3	1.7	129	1.7	0.15	1.4	2.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Larynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,604	1.7	0.03	1.6	1.7	705	2.6	0.10	2.4	2.8	
1990	102	2.1	0.21	1.7	2.5	21	3.0	0.66	1.9	4.6	
1991	89	1.7	0.19	1.4	2.2	29	4.0	0.75	2.7	5.7	
1992	90	1.8	0.19	1.4	2.2	34	4.7	0.81	3.3	6.6	
1993	83	1.6	0.18	1.3	2.0	23	3.1	0.65	1.9	4.6	
1994	97	1.9	0.20	1.6	2.3	18	2.3	0.55	1.4	3.6	
1995	108	2.2	0.21	1.8	2.6	37	4.8	0.79	3.4	6.6	
1996	121	2.4	0.22	2.0	2.9	24	3.1	0.64	2.0	4.7	
1997	98	1.9	0.20	1.6	2.4	25	3.0	0.61	2.0	4.5	
1998	69	1.3	0.16	1.0	1.6	24	3.0	0.62	1.9	4.5	
1999	75	1.5	0.17	1.2	1.9	19	2.2	0.51	1.3	3.5	
2000	92	1.8	0.19	1.4	2.2	19	2.2	0.51	1.3	3.5	
2001	81	1.6	0.18	1.3	2.0	25	2.9	0.59	1.9	4.3	
2002	87	1.7	0.18	1.3	2.1	31	3.5	0.62	2.3	4.9	
2003	84	1.6	0.18	1.3	2.0	38	4.2	0.68	3.0	5.8	
2004	68	1.3	0.16	1.0	1.6	27	3.0	0.58	2.0	4.4	
2005	96	1.8	0.19	1.5	2.3	19	2.1	0.48	1.2	3.2	
2006	75	1.4	0.16	1.1	1.8	19	2.0	0.46	1.2	3.1	
2007	95	1.8	0.19	1.5	2.2	15	1.6	0.42	0.9	2.7	
2008	88	1.6	0.17	1.3	2.0	12	1.2	0.35	0.6	2.1	
2009	93	1.7	0.17	1.3	2.1	20	1.9	0.43	1.2	3.0	
2010	100	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.8	
2011	83	1.5	0.16	1.2	1.8	24	2.3	0.47	1.4	3.4	
2012	92	1.6	0.17	1.2	1.9	31	2.9	0.53	2.0	4.2	
2013	76	1.3	0.16	1.0	1.7	23	2.1	0.45	1.3	3.2	
2014	92	1.6	0.16	1.2	1.9	25	2.3	0.47	1.5	3.5	
2015	78	1.3	0.16	1.1	1.7	24	2.0	0.42	1.3	3.1	
2016	95	1.5	0.16	1.2	1.8	24	1.9	0.40	1.2	2.9	
2017	94	1.5	0.16	1.2	1.9	23	2.2	0.47	1.4	3.4	
2018	103	1.7	0.17	1.4	2.1	25	2.1	0.42	1.3	3.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lung and Bronchus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,104	32.6	0.45	31.8	33.5	252,016	71.7	0.14	71.4	72.0
1990	110	35.9	3.85	28.8	44.1	7,174	67.1	0.80	65.5	68.7
1991	99	30.5	3.41	24.2	37.8	7,102	65.6	0.79	64.0	67.1
1992	108	31.3	3.34	25.0	38.4	7,537	69.1	0.80	67.6	70.7
1993	122	32.2	3.22	26.2	39.0	7,913	72.2	0.82	70.6	73.8
1994	139	36.0	3.43	29.6	43.2	8,500	76.9	0.84	75.2	78.5
1995	149	45.2	4.09	37.5	53.8	8,465	76.3	0.83	74.7	77.9
1996	169	43.5	3.76	36.4	51.3	8,451	76.0	0.83	74.4	77.7
1997	158	40.1	3.56	33.4	47.6	8,376	74.8	0.82	73.2	76.4
1998	194	50.1	3.99	42.5	58.3	8,509	75.4	0.82	73.9	77.1
1999	181	39.5	3.31	33.3	46.4	8,582	75.7	0.82	74.1	77.3
2000	170	34.3	2.98	28.7	40.6	8,449	74.2	0.81	72.6	75.7
2001	180	37.9	3.17	31.9	44.5	8,614	75.2	0.81	73.6	76.8
2002	166	32.3	2.81	27.0	38.2	8,875	76.9	0.82	75.3	78.5
2003	182	33.0	2.69	27.9	38.6	8,908	76.5	0.81	74.9	78.1
2004	225	38.4	2.86	33.0	44.4	8,656	73.8	0.80	72.3	75.4
2005	213	34.2	2.58	29.3	39.6	8,841	74.7	0.80	73.2	76.3
2006	226	35.2	2.57	30.4	40.5	9,055	76.0	0.80	74.4	77.6
2007	233	35.3	2.49	30.6	40.4	9,133	75.6	0.80	74.1	77.2
2008	265	37.5	2.52	32.7	42.7	9,136	74.4	0.79	72.9	76.0
2009	225	30.7	2.22	26.5	35.3	9,393	75.8	0.79	74.2	77.3
2010	237	29.7	2.09	25.8	34.1	9,057	72.0	0.77	70.6	73.6
2011	287	34.8	2.22	30.6	39.4	9,101	71.0	0.76	69.5	72.5
2012	276	32.3	2.08	28.4	36.6	9,090	69.7	0.74	68.3	71.2
2013	241	25.6	1.78	22.3	29.3	8,956	67.2	0.72	65.8	68.6
2014	281	27.6	1.76	24.2	31.2	9,406	69.4	0.73	68.0	70.9
2015	321	29.8	1.78	26.4	33.5	9,260	67.1	0.71	65.8	68.6
2016	286	25.9	1.63	22.8	29.2	9,204	66.2	0.70	64.8	67.6
2017	351	30.9	1.75	27.6	34.5	9,227	65.1	0.69	63.7	66.5
2018	310	25.3	1.53	22.4	28.5	9,046	62.4	0.67	61.1	63.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lung and Bronchus										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	211,667	71.3	0.16	71.0	71.6	36,564	83.6	0.44	82.7	84.4
1990	6,139	65.4	0.85	63.7	67.1	988	83.2	2.70	78.0	88.7
1991	6,119	64.4	0.83	62.8	66.1	930	76.6	2.56	71.7	81.8
1992	6,459	67.9	0.85	66.2	69.6	1,025	83.9	2.67	78.7	89.3
1993	6,674	69.8	0.86	68.2	71.6	1,170	94.4	2.82	89.0	100.1
1994	7,242	75.2	0.89	73.5	77.0	1,187	94.6	2.80	89.2	100.2
1995	7,143	74.3	0.88	72.5	76.0	1,242	96.0	2.77	90.6	101.6
1996	7,089	73.8	0.88	72.0	75.5	1,273	98.2	2.80	92.8	103.9
1997	7,086	73.4	0.87	71.7	75.1	1,209	91.2	2.66	86.0	96.5
1998	7,164	73.8	0.87	72.1	75.6	1,234	91.9	2.66	86.7	97.2
1999	7,249	74.6	0.88	72.8	76.3	1,240	90.8	2.62	85.7	96.0
2000	7,187	73.8	0.87	72.1	75.5	1,167	83.6	2.48	78.8	88.6
2001	7,313	74.9	0.88	73.2	76.7	1,203	86.0	2.52	81.1	91.1
2002	7,487	76.3	0.88	74.6	78.1	1,268	88.5	2.52	83.6	93.5
2003	7,523	76.3	0.88	74.6	78.1	1,273	87.3	2.49	82.5	92.3
2004	7,240	73.1	0.86	71.4	74.8	1,305	88.5	2.49	83.7	93.5
2005	7,421	74.6	0.87	72.9	76.4	1,284	85.4	2.43	80.7	90.3
2006	7,567	75.5	0.87	73.8	77.3	1,354	88.7	2.45	83.9	93.6
2007	7,654	75.7	0.87	74.0	77.4	1,333	86.6	2.42	82.0	91.5
2008	7,687	75.0	0.86	73.3	76.7	1,306	82.4	2.33	77.9	87.1
2009	7,911	76.7	0.87	75.0	78.4	1,315	80.6	2.27	76.2	85.2
2010	7,566	72.4	0.84	70.8	74.1	1,312	79.8	2.26	75.5	84.4
2011	7,597	71.5	0.83	69.9	73.2	1,328	79.0	2.22	74.7	83.5
2012	7,513	69.8	0.82	68.2	71.4	1,395	81.5	2.23	77.1	85.9
2013	7,412	67.5	0.80	65.9	69.1	1,351	76.2	2.12	72.1	80.5
2014	7,856	70.7	0.81	69.1	72.3	1,357	74.9	2.08	70.9	79.1
2015	7,609	67.5	0.79	65.9	69.0	1,428	76.7	2.08	72.6	80.8
2016	7,611	67.1	0.79	65.6	68.7	1,399	74.9	2.05	70.9	79.0
2017	7,625	66.1	0.77	64.6	67.6	1,385	72.4	1.99	68.6	76.4
2018	7,524	63.8	0.75	62.4	65.3	1,303	67.3	1.91	63.7	71.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lung and Bronchus											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,435	41.3	0.79	39.8	42.9	138,217	91.7	0.25	91.2	92.2	
1990	57	45.2	7.31	32.1	61.2	4,517	100.2	1.53	97.3	103.3	
1991	57	39.4	6.12	28.3	52.8	4,423	97.0	1.49	94.1	99.9	
1992	61	41.4	6.30	30.0	55.2	4,618	99.8	1.50	96.9	102.8	
1993	77	45.0	6.07	33.9	58.2	4,786	103.9	1.53	101.0	107.0	
1994	79	43.5	5.95	32.6	56.4	5,088	110.2	1.57	107.2	113.4	
1995	94	67.4	8.09	52.5	84.6	5,003	106.7	1.53	103.7	109.7	
1996	113	63.4	7.05	50.3	78.3	4,917	105.3	1.52	102.3	108.3	
1997	94	52.3	6.30	40.6	65.7	4,866	103.4	1.50	100.5	106.4	
1998	110	67.2	7.48	53.4	83.1	4,902	103.0	1.48	100.1	105.9	
1999	109	51.2	5.75	40.5	63.4	4,868	101.8	1.47	98.9	104.7	
2000	106	46.0	5.18	36.4	57.0	4,774	98.9	1.44	96.1	101.7	
2001	109	52.3	5.75	41.7	64.5	4,842	100.1	1.45	97.3	103.0	
2002	88	42.5	5.22	32.9	53.7	4,887	100.4	1.45	97.6	103.3	
2003	119	48.7	4.99	39.4	59.2	4,871	98.2	1.42	95.4	101.0	
2004	126	44.3	4.54	35.9	53.9	4,687	93.6	1.38	90.9	96.4	
2005	133	46.1	4.55	37.7	55.7	4,741	93.4	1.37	90.7	96.1	
2006	136	46.8	4.55	38.3	56.4	4,808	94.4	1.38	91.8	97.2	
2007	133	45.9	4.42	37.7	55.2	4,831	93.1	1.36	90.5	95.8	
2008	141	44.8	4.16	37.0	53.5	4,740	89.6	1.32	87.0	92.2	
2009	111	34.4	3.66	27.6	42.2	4,872	90.3	1.32	87.8	93.0	
2010	131	39.3	3.76	32.2	47.2	4,680	85.5	1.27	83.0	88.0	
2011	152	43.0	3.86	35.7	51.0	4,790	85.6	1.26	83.2	88.1	
2012	149	40.8	3.64	33.9	48.4	4,687	82.0	1.23	79.6	84.5	
2013	134	32.1	3.08	26.3	38.6	4,732	80.7	1.20	78.4	83.1	
2014	148	33.8	3.04	28.1	40.2	4,799	80.3	1.19	78.0	82.6	
2015	169	33.6	2.84	28.3	39.5	4,717	77.6	1.16	75.3	79.9	
2016	146	29.9	2.70	24.9	35.6	4,628	75.3	1.14	73.1	77.5	
2017	189	36.2	2.86	30.8	42.1	4,712	75.2	1.12	73.0	77.5	
2018	164	30.4	2.57	25.6	35.8	4,431	68.6	1.05	66.5	70.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lung and Bronchus										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	115,507	90.1	0.27	89.6	90.6	20,418	115.0	0.84	113.3	116.7
1990	3,843	96.9	1.60	93.7	100.0	638	132.3	5.51	121.7	143.5
1991	3,797	94.6	1.57	91.6	97.8	590	119.2	5.15	109.3	129.6
1992	3,926	96.8	1.57	93.8	100.0	661	132.4	5.41	122.1	143.4
1993	4,012	99.6	1.60	96.5	102.8	730	144.9	5.64	134.0	156.3
1994	4,318	107.2	1.66	103.9	110.5	727	143.8	5.62	132.9	155.1
1995	4,169	102.2	1.60	99.1	105.4	787	149.8	5.61	139.0	161.2
1996	4,098	101.0	1.60	97.9	104.2	764	146.2	5.54	135.5	157.4
1997	4,070	100.0	1.58	96.9	103.1	744	138.5	5.29	128.3	149.2
1998	4,073	98.9	1.56	95.9	102.0	749	139.2	5.34	129.0	150.1
1999	4,087	99.1	1.56	96.0	102.2	722	132.0	5.13	122.2	142.5
2000	4,006	96.5	1.53	93.5	99.6	713	125.5	4.91	116.1	135.5
2001	4,067	98.0	1.54	95.0	101.1	704	124.3	4.90	114.9	134.3
2002	4,122	99.0	1.55	96.0	102.1	699	119.5	4.73	110.4	129.1
2003	4,088	96.6	1.52	93.7	99.7	708	119.1	4.69	110.1	128.6
2004	3,882	91.1	1.47	88.2	94.0	736	124.8	4.83	115.5	134.5
2005	3,938	91.5	1.47	88.6	94.4	715	118.5	4.68	109.5	128.0
2006	3,999	92.6	1.48	89.7	95.6	726	118.2	4.61	109.3	127.5
2007	4,015	91.5	1.46	88.7	94.4	736	119.6	4.66	110.7	129.1
2008	3,969	88.9	1.43	86.1	91.8	697	108.7	4.34	100.4	117.5
2009	4,101	90.6	1.43	87.8	93.4	666	100.1	4.09	92.3	108.4
2010	3,896	84.7	1.38	82.0	87.4	682	101.7	4.11	93.8	110.1
2011	3,970	84.6	1.37	82.0	87.4	712	104.5	4.10	96.6	112.9
2012	3,871	81.0	1.33	78.4	83.6	705	101.9	4.03	94.2	110.1
2013	3,916	80.1	1.31	77.6	82.7	708	98.8	3.90	91.3	106.7
2014	3,988	80.2	1.30	77.6	82.7	696	95.4	3.79	88.1	103.1
2015	3,863	76.6	1.26	74.1	79.1	732	98.2	3.81	90.8	105.9
2016	3,842	75.6	1.25	73.2	78.1	668	87.6	3.55	80.8	94.8
2017	3,865	74.7	1.23	72.3	77.2	708	92.8	3.64	85.8	100.3
2018	3,716	69.7	1.17	67.5	72.1	595	74.9	3.20	68.7	81.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lung and Bronchus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,669	25.9	0.53	24.9	27.0	113,799	57.5	0.17	57.1	57.8
1990	53	30.4	4.44	22.3	40.1	2,657	44.4	0.88	42.7	46.1
1991	42	23.8	3.95	16.7	32.6	2,679	43.8	0.86	42.2	45.6
1992	47	24.6	3.80	17.7	33.0	2,919	47.6	0.89	45.9	49.4
1993	45	22.3	3.53	15.9	30.1	3,127	50.5	0.91	48.7	52.3
1994	60	30.2	4.16	22.6	39.2	3,412	54.2	0.94	52.4	56.1
1995	55	29.7	4.26	21.9	38.9	3,462	55.1	0.95	53.3	57.0
1996	56	27.6	4.01	20.3	36.3	3,534	56.0	0.95	54.2	57.9
1997	64	30.5	4.12	23.0	39.5	3,510	55.1	0.94	53.2	56.9
1998	84	38.0	4.45	29.7	47.5	3,607	56.2	0.94	54.4	58.1
1999	72	29.8	3.87	22.7	38.2	3,714	57.7	0.95	55.8	59.6
2000	64	24.3	3.38	18.1	31.6	3,675	56.7	0.94	54.9	58.6
2001	71	26.2	3.44	19.9	33.6	3,772	57.9	0.95	56.1	59.8
2002	78	25.2	3.15	19.4	32.0	3,988	60.9	0.97	59.0	62.8
2003	63	20.1	2.76	15.1	26.1	4,037	61.4	0.97	59.5	63.3
2004	99	32.9	3.60	26.3	40.6	3,969	60.0	0.96	58.1	61.9
2005	80	24.3	2.92	18.9	30.6	4,100	61.6	0.97	59.7	63.6
2006	90	26.0	2.93	20.5	32.2	4,247	63.4	0.98	61.5	65.3
2007	100	27.2	2.87	21.9	33.3	4,302	63.3	0.98	61.4	65.3
2008	124	31.6	3.08	25.8	38.1	4,396	64.0	0.98	62.1	65.9
2009	114	28.1	2.79	22.9	34.0	4,521	65.4	0.99	63.5	67.3
2010	106	22.7	2.35	18.4	27.7	4,377	62.5	0.96	60.6	64.4
2011	135	29.1	2.65	24.1	34.7	4,311	60.3	0.93	58.4	62.1
2012	127	26.2	2.45	21.6	31.4	4,403	60.9	0.93	59.1	62.8
2013	107	20.7	2.11	16.8	25.2	4,224	57.3	0.90	55.5	59.1
2014	133	23.0	2.10	19.1	27.4	4,607	61.6	0.92	59.8	63.4
2015	152	26.8	2.28	22.5	31.6	4,543	59.8	0.91	58.0	61.6
2016	140	23.1	2.04	19.3	27.4	4,576	59.6	0.90	57.9	61.4
2017	162	26.7	2.19	22.6	31.3	4,515	57.6	0.87	55.9	59.4
2018	146	21.6	1.87	18.1	25.5	4,615	58.0	0.87	56.3	59.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lung and Bronchus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	96,160	58.0	0.19	57.6	58.3	16,146	62.7	0.50	61.8	63.7
1990	2,296	44.0	0.94	42.2	45.9	350	50.3	2.72	45.1	55.9
1991	2,322	43.6	0.92	41.8	45.5	340	47.8	2.62	42.8	53.2
1992	2,533	47.7	0.97	45.9	49.7	364	50.9	2.70	45.8	56.5
1993	2,662	49.7	0.98	47.8	51.6	440	60.6	2.92	55.0	66.5
1994	2,924	53.6	1.01	51.6	55.6	460	62.3	2.93	56.7	68.3
1995	2,974	54.9	1.02	52.9	57.0	455	60.0	2.84	54.6	65.8
1996	2,991	55.3	1.03	53.3	57.3	509	66.6	2.97	60.9	72.6
1997	3,016	55.2	1.02	53.2	57.2	465	59.5	2.78	54.1	65.1
1998	3,091	56.4	1.03	54.4	58.4	485	61.0	2.79	55.7	66.7
1999	3,162	57.6	1.04	55.5	59.6	518	64.0	2.83	58.6	69.8
2000	3,181	57.9	1.04	55.9	60.0	454	55.4	2.61	50.4	60.7
2001	3,246	59.0	1.05	57.0	61.1	499	60.4	2.72	55.2	66.0
2002	3,365	60.9	1.06	58.8	63.0	569	67.6	2.85	62.2	73.4
2003	3,435	62.3	1.08	60.2	64.4	565	66.0	2.80	60.6	71.7
2004	3,358	60.6	1.06	58.5	62.7	569	65.1	2.75	59.8	70.7
2005	3,483	62.8	1.08	60.7	64.9	569	64.2	2.71	59.0	69.8
2006	3,568	63.8	1.08	61.7	66.0	628	69.8	2.81	64.4	75.5
2007	3,639	64.6	1.09	62.4	66.7	597	65.8	2.72	60.6	71.3
2008	3,718	65.4	1.09	63.3	67.5	609	65.3	2.67	60.1	70.7
2009	3,810	66.7	1.10	64.6	68.9	649	68.0	2.70	62.8	73.5
2010	3,670	63.6	1.07	61.5	65.8	630	65.4	2.64	60.3	70.8
2011	3,627	61.9	1.05	59.9	64.0	616	61.8	2.53	57.0	67.0
2012	3,642	61.7	1.04	59.7	63.8	690	68.2	2.64	63.1	73.6
2013	3,496	58.1	1.00	56.1	60.1	643	61.7	2.47	57.0	66.8
2014	3,868	63.9	1.05	61.9	66.0	661	61.4	2.43	56.8	66.4
2015	3,746	61.1	1.02	59.1	63.1	696	63.3	2.44	58.6	68.3
2016	3,769	61.0	1.02	59.0	63.1	731	66.4	2.50	61.6	71.5
2017	3,760	59.7	1.00	57.8	61.7	677	59.4	2.32	55.0	64.2
2018	3,808	59.6	0.99	57.6	61.5	708	62.3	2.38	57.7	67.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Bones and Joints										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	359	0.9	0.05	0.8	1.0	2,843	0.9	0.02	0.9	0.9
1990	9	1.9	0.78	0.7	4.0	97	0.9	0.10	0.8	1.1
1991	10	1.2	0.43	0.5	2.6	90	0.9	0.09	0.7	1.0
1992	9	0.9	0.35	0.4	2.1	73	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	2.1	77	0.7	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	1.3	86	0.8	0.09	0.7	1.0
1995	8	0.6	0.25	0.2	1.6	119	1.1	0.10	0.9	1.3
1996	7	0.6	0.27	0.2	1.6	98	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	2.9	99	0.9	0.09	0.8	1.1
1998	11	0.8	0.26	0.4	1.7	90	0.8	0.09	0.7	1.0
1999	7	0.3	0.13	0.1	1.1	95	0.9	0.09	0.7	1.1
2000	16	0.9	0.24	0.5	1.7	103	0.9	0.09	0.8	1.1
2001	15	1.1	0.34	0.5	2.1	92	0.8	0.09	0.7	1.0
2002	13	1.2	0.46	0.5	2.4	96	0.9	0.09	0.7	1.1
2003	9	0.7	0.36	0.2	1.8	100	0.9	0.09	0.7	1.1
2004	9	0.4	0.14	0.2	1.0	102	0.9	0.09	0.7	1.1
2005	12	0.7	0.25	0.3	1.5	101	0.9	0.09	0.7	1.1
2006	15	1.4	0.47	0.6	2.6	114	1.0	0.10	0.9	1.2
2007	15	0.8	0.21	0.4	1.4	114	1.0	0.10	0.9	1.2
2008	6	0.5	0.23	0.1	1.2	88	0.8	0.09	0.6	1.0
2009	15	0.7	0.21	0.4	1.3	96	0.9	0.09	0.7	1.1
2010	9	0.5	0.22	0.2	1.2	94	0.8	0.09	0.7	1.0
2011	13	0.7	0.25	0.3	1.4	95	0.8	0.09	0.7	1.0
2012	20	1.1	0.27	0.6	1.8	101	0.9	0.09	0.7	1.1
2013	22	1.3	0.33	0.7	2.1	106	1.0	0.09	0.8	1.2
2014	14	0.7	0.18	0.4	1.2	108	1.0	0.09	0.8	1.2
2015	17	0.8	0.19	0.4	1.3	86	0.8	0.08	0.6	0.9
2016	16	0.7	0.18	0.4	1.2	109	0.9	0.09	0.8	1.1
2017	19	1.0	0.26	0.6	1.6	120	1.1	0.10	0.9	1.3
2018	18	0.9	0.24	0.5	1.5	94	0.8	0.09	0.7	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Bones and Joints											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,329	0.9	0.02	0.9	1.0	380	0.7	0.04	0.7	0.8	
1990	86	1.0	0.11	0.8	1.3	10	0.6	0.21	0.3	1.2	
1991	74	0.8	0.10	0.7	1.1	13	0.7	0.21	0.4	1.3	
1992	64	0.7	0.09	0.5	0.9	8	0.4	0.16	0.2	0.9	
1993	65	0.7	0.09	0.6	0.9	10	0.6	0.20	0.3	1.1	
1994	71	0.8	0.10	0.6	1.0	11	0.7	0.20	0.3	1.2	
1995	92	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.7	
1996	86	1.0	0.11	0.8	1.2	11	0.7	0.22	0.3	1.3	
1997	86	1.0	0.11	0.8	1.2	11	0.6	0.20	0.3	1.2	
1998	72	0.8	0.10	0.7	1.0	15	0.8	0.23	0.5	1.4	
1999	81	0.9	0.11	0.7	1.2	11	0.7	0.22	0.3	1.3	
2000	88	1.0	0.11	0.8	1.2	8	0.4	0.16	0.2	0.9	
2001	77	0.9	0.10	0.7	1.1	13	0.8	0.24	0.4	1.5	
2002	80	0.9	0.10	0.7	1.1	12	0.6	0.18	0.3	1.1	
2003	85	1.0	0.11	0.8	1.2	11	0.7	0.20	0.3	1.2	
2004	72	0.8	0.10	0.6	1.0	22	1.2	0.26	0.7	1.9	
2005	79	0.9	0.10	0.7	1.1	11	0.6	0.18	0.3	1.1	
2006	92	1.1	0.11	0.9	1.3	17	0.9	0.21	0.5	1.4	
2007	90	1.1	0.11	0.9	1.3	16	0.8	0.21	0.5	1.4	
2008	75	0.9	0.10	0.7	1.1	8	0.4	0.14	0.2	0.8	
2009	74	0.9	0.10	0.7	1.1	18	1.0	0.25	0.6	1.6	
2010	77	0.9	0.10	0.7	1.1	14	0.8	0.21	0.4	1.3	
2011	73	0.8	0.10	0.6	1.0	17	0.8	0.20	0.5	1.3	
2012	86	1.0	0.11	0.8	1.2	11	0.6	0.19	0.3	1.1	
2013	90	1.1	0.12	0.9	1.3	13	0.7	0.19	0.4	1.2	
2014	85	1.0	0.11	0.8	1.2	15	0.8	0.21	0.4	1.3	
2015	73	0.9	0.10	0.7	1.1	9	0.4	0.14	0.2	0.8	
2016	90	1.0	0.11	0.8	1.3	13	0.7	0.20	0.4	1.2	
2017	89	1.0	0.11	0.8	1.3	18	1.0	0.25	0.6	1.7	
2018	77	0.9	0.11	0.7	1.1	15	0.8	0.21	0.5	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Bones and Joints											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	196	0.9	0.07	0.7	1.0	1,546	1.0	0.03	1.0	1.1	
1990	7	3.7	1.82	1.0	8.9	50	1.0	0.14	0.7	1.3	
1991	1	0.1	0.11	0.0	2.6	53	1.1	0.15	0.8	1.4	
1992	6	1.4	0.63	0.4	4.1	35	0.7	0.12	0.5	1.0	
1993	3	0.3	0.18	0.1	2.6	40	0.8	0.13	0.6	1.1	
1994	1	0.1	0.14	0.0	2.4	43	0.9	0.13	0.6	1.2	
1995	4	0.5	0.23	0.1	2.5	64	1.3	0.16	1.0	1.6	
1996	3	0.7	0.43	0.1	2.9	58	1.2	0.15	0.9	1.5	
1997	8	0.9	0.32	0.4	2.8	56	1.1	0.15	0.9	1.5	
1998	4	0.4	0.20	0.1	2.2	44	0.9	0.13	0.6	1.1	
1999	4	0.4	0.17	0.1	2.0	60	1.2	0.15	0.9	1.5	
2000	9	1.1	0.39	0.4	2.8	57	1.1	0.15	0.8	1.4	
2001	8	0.8	0.29	0.3	2.3	40	0.8	0.12	0.5	1.0	
2002	8	1.6	0.91	0.4	4.3	47	0.9	0.13	0.7	1.2	
2003	5	0.4	0.19	0.1	1.7	62	1.2	0.15	0.9	1.5	
2004	6	0.5	0.21	0.2	1.8	59	1.1	0.15	0.9	1.4	
2005	7	1.0	0.47	0.3	2.5	57	1.1	0.14	0.8	1.4	
2006	10	1.6	0.67	0.6	3.5	57	1.1	0.15	0.8	1.4	
2007	8	0.8	0.28	0.3	1.9	64	1.2	0.16	1.0	1.6	
2008	3	0.7	0.50	0.1	2.3	41	0.8	0.13	0.6	1.1	
2009	11	0.9	0.29	0.4	2.0	49	0.9	0.13	0.7	1.2	
2010	1	0.1	0.11	0.0	1.0	57	1.0	0.14	0.8	1.4	
2011	8	0.8	0.33	0.3	1.9	52	0.9	0.13	0.7	1.3	
2012	10	0.8	0.27	0.4	1.8	59	1.1	0.14	0.8	1.4	
2013	11	1.3	0.48	0.5	2.6	65	1.2	0.15	0.9	1.6	
2014	9	0.9	0.30	0.4	1.8	66	1.2	0.15	0.9	1.5	
2015	11	1.1	0.33	0.5	2.0	47	0.9	0.13	0.6	1.1	
2016	8	0.7	0.26	0.3	1.5	56	1.0	0.14	0.7	1.3	
2017	12	1.0	0.30	0.5	1.9	58	1.1	0.15	0.8	1.4	
2018	10	0.8	0.27	0.4	1.6	50	0.9	0.13	0.7	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Bones and Joints											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,264	1.1	0.03	1.0	1.1	206	0.9	0.07	0.8	1.0	
1990	44	1.1	0.16	0.8	1.4	5	0.8	0.38	0.2	2.0	
1991	45	1.1	0.17	0.8	1.5	7	1.0	0.38	0.4	2.1	
1992	29	0.7	0.13	0.5	1.0	5	0.6	0.25	0.2	1.5	
1993	35	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.4	
1994	35	0.9	0.15	0.6	1.2	6	0.7	0.28	0.2	1.6	
1995	47	1.1	0.17	0.8	1.5	13	1.7	0.50	0.9	3.0	
1996	50	1.2	0.17	0.9	1.6	7	0.9	0.34	0.3	1.9	
1997	49	1.2	0.17	0.9	1.6	6	0.9	0.36	0.3	1.9	
1998	36	0.9	0.14	0.6	1.2	7	0.8	0.33	0.3	1.8	
1999	52	1.3	0.18	1.0	1.7	7	1.1	0.44	0.4	2.3	
2000	45	1.1	0.16	0.8	1.5	6	0.8	0.38	0.3	1.9	
2001	35	0.8	0.14	0.6	1.2	4	0.8	0.44	0.2	2.0	
2002	40	1.0	0.15	0.7	1.3	6	0.7	0.27	0.2	1.5	
2003	54	1.3	0.18	1.0	1.7	6	0.9	0.38	0.3	2.0	
2004	40	1.0	0.15	0.7	1.3	15	1.8	0.51	1.0	3.2	
2005	43	1.0	0.16	0.8	1.4	5	0.6	0.30	0.2	1.5	
2006	43	1.1	0.17	0.8	1.5	10	1.0	0.31	0.5	1.9	
2007	53	1.3	0.18	1.0	1.7	8	1.0	0.34	0.4	1.9	
2008	36	0.9	0.15	0.6	1.2	4	0.4	0.22	0.1	1.2	
2009	42	1.0	0.15	0.7	1.3	6	0.7	0.30	0.3	1.6	
2010	49	1.1	0.16	0.8	1.5	6	0.7	0.29	0.2	1.6	
2011	37	0.8	0.14	0.6	1.2	13	1.4	0.43	0.7	2.5	
2012	53	1.2	0.17	0.9	1.6	3	0.6	0.34	0.1	1.6	
2013	55	1.4	0.19	1.0	1.8	8	0.8	0.31	0.4	1.7	
2014	51	1.2	0.17	0.9	1.5	9	1.2	0.42	0.5	2.3	
2015	41	1.0	0.16	0.7	1.3	3	0.3	0.18	0.1	1.0	
2016	44	1.0	0.15	0.7	1.3	8	1.0	0.35	0.4	2.0	
2017	41	1.0	0.16	0.7	1.4	10	1.2	0.41	0.6	2.3	
2018	40	1.0	0.16	0.7	1.3	9	1.0	0.34	0.5	2.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Bones and Joints										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	163	0.8	0.08	0.7	1.0	1,297	0.8	0.02	0.7	0.8
1990	2	0.5	0.38	0.1	2.5	47	0.9	0.13	0.6	1.2
1991	9	2.4	0.88	1.0	5.1	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	2.1	38	0.7	0.11	0.5	0.9
1993	4	1.4	0.73	0.4	3.8	37	0.6	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	2.3	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	2.5	55	1.0	0.13	0.7	1.3
1996	4	0.6	0.31	0.1	2.1	40	0.7	0.11	0.5	1.0
1997	4	1.4	0.92	0.2	4.2	43	0.8	0.12	0.6	1.1
1998	7	1.2	0.49	0.4	2.9	46	0.8	0.12	0.6	1.1
1999	3	0.3	0.20	0.1	1.6	35	0.6	0.10	0.4	0.8
2000	7	0.7	0.27	0.3	2.0	46	0.8	0.12	0.6	1.1
2001	7	1.4	0.59	0.5	3.2	52	0.9	0.13	0.7	1.2
2002	5	0.8	0.45	0.2	2.3	49	0.9	0.12	0.6	1.1
2003	4	1.0	0.61	0.2	2.8	38	0.7	0.11	0.5	0.9
2004	3	0.3	0.18	0.1	1.3	43	0.7	0.11	0.5	1.0
2005	5	0.5	0.25	0.2	1.6	44	0.7	0.11	0.5	1.0
2006	5	1.1	0.60	0.3	2.8	57	1.0	0.13	0.8	1.3
2007	7	0.8	0.31	0.3	1.8	50	0.9	0.12	0.6	1.1
2008	3	0.3	0.15	0.1	1.1	47	0.8	0.12	0.6	1.1
2009	4	0.5	0.29	0.1	1.5	47	0.8	0.12	0.6	1.1
2010	8	0.9	0.40	0.3	2.1	37	0.7	0.11	0.5	0.9
2011	5	0.6	0.34	0.1	1.7	43	0.7	0.12	0.5	1.0
2012	10	1.2	0.43	0.6	2.4	42	0.7	0.11	0.5	0.9
2013	11	1.3	0.46	0.6	2.6	41	0.7	0.11	0.5	1.0
2014	5	0.5	0.22	0.2	1.2	42	0.7	0.12	0.5	1.0
2015	6	0.5	0.18	0.2	1.1	39	0.7	0.11	0.5	0.9
2016	8	0.7	0.26	0.3	1.5	53	0.9	0.13	0.7	1.2
2017	7	0.9	0.37	0.3	1.9	62	1.0	0.14	0.8	1.3
2018	8	0.9	0.36	0.4	1.9	44	0.8	0.12	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Bones and Joints											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,065	0.8	0.03	0.8	0.9	174	0.6	0.05	0.5	0.7	
1990	42	1.0	0.15	0.7	1.3	5	0.5	0.25	0.2	1.3	
1991	29	0.6	0.12	0.4	0.9	6	0.6	0.23	0.2	1.3	
1992	35	0.8	0.13	0.5	1.1	3	0.3	0.19	0.1	1.0	
1993	30	0.6	0.12	0.4	0.9	6	0.7	0.28	0.2	1.5	
1994	36	0.8	0.14	0.6	1.1	5	0.6	0.27	0.2	1.4	
1995	45	1.0	0.15	0.7	1.3	6	0.6	0.26	0.2	1.4	
1996	36	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.3	
1997	37	0.9	0.14	0.6	1.2	5	0.5	0.23	0.2	1.2	
1998	36	0.8	0.13	0.6	1.1	8	0.9	0.31	0.4	1.7	
1999	29	0.6	0.12	0.4	0.9	4	0.4	0.21	0.1	1.1	
2000	43	0.9	0.15	0.7	1.3	2	0.2	0.13	0.0	0.7	
2001	42	1.0	0.15	0.7	1.3	9	1.0	0.33	0.4	1.9	
2002	40	0.9	0.14	0.6	1.2	6	0.6	0.24	0.2	1.3	
2003	31	0.7	0.13	0.5	1.0	5	0.5	0.23	0.2	1.2	
2004	32	0.7	0.12	0.4	0.9	7	0.7	0.27	0.3	1.5	
2005	36	0.8	0.13	0.5	1.1	6	0.6	0.24	0.2	1.3	
2006	49	1.1	0.16	0.8	1.5	7	0.7	0.27	0.3	1.5	
2007	37	0.8	0.14	0.6	1.1	8	0.8	0.27	0.3	1.5	
2008	39	0.9	0.14	0.6	1.2	4	0.4	0.18	0.1	0.9	
2009	32	0.8	0.14	0.5	1.1	12	1.2	0.36	0.6	2.1	
2010	28	0.6	0.13	0.4	0.9	8	0.8	0.29	0.4	1.6	
2011	36	0.8	0.14	0.6	1.1	4	0.4	0.19	0.1	1.0	
2012	33	0.7	0.13	0.5	1.0	8	0.8	0.27	0.3	1.5	
2013	35	0.8	0.14	0.5	1.1	5	0.5	0.22	0.2	1.2	
2014	34	0.8	0.14	0.5	1.1	6	0.6	0.25	0.2	1.4	
2015	32	0.7	0.14	0.5	1.1	6	0.6	0.23	0.2	1.2	
2016	46	1.1	0.17	0.8	1.4	5	0.5	0.24	0.2	1.2	
2017	48	1.0	0.16	0.8	1.4	8	0.9	0.30	0.4	1.7	
2018	37	0.8	0.15	0.6	1.2	6	0.7	0.27	0.2	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Soft Tissue including Heart										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	923	2.9	0.11	2.7	3.1	10,267	3.1	0.03	3.0	3.1
1990	12	1.7	0.60	0.7	3.4	242	2.3	0.15	2.0	2.6
1991	11	1.7	0.56	0.8	3.3	213	2.0	0.14	1.8	2.3
1992	16	2.6	0.81	1.3	4.7	245	2.3	0.15	2.0	2.6
1993	11	1.4	0.50	0.6	2.8	244	2.3	0.15	2.0	2.6
1994	14	1.7	0.53	0.8	3.2	278	2.6	0.15	2.3	2.9
1995	18	1.9	0.52	1.0	3.4	276	2.5	0.15	2.2	2.8
1996	23	2.9	0.84	1.5	5.0	362	3.3	0.17	3.0	3.7
1997	24	3.4	0.86	1.9	5.5	338	3.1	0.17	2.7	3.4
1998	26	3.0	0.70	1.8	4.8	322	2.9	0.16	2.6	3.2
1999	15	1.6	0.50	0.7	2.9	320	2.9	0.16	2.6	3.2
2000	16	1.5	0.46	0.7	2.8	286	2.5	0.15	2.3	2.9
2001	31	3.3	0.78	2.0	5.2	342	3.1	0.17	2.7	3.4
2002	17	1.3	0.40	0.7	2.4	327	2.9	0.16	2.6	3.2
2003	32	2.4	0.56	1.4	3.8	375	3.3	0.17	3.0	3.7
2004	33	2.8	0.59	1.7	4.2	358	3.1	0.17	2.8	3.5
2005	35	2.4	0.50	1.6	3.7	357	3.1	0.17	2.8	3.4
2006	31	3.4	0.73	2.2	5.1	402	3.5	0.18	3.2	3.9
2007	38	3.4	0.67	2.2	5.0	384	3.3	0.17	3.0	3.7
2008	35	2.8	0.60	1.8	4.2	400	3.5	0.18	3.1	3.8
2009	39	3.1	0.61	2.0	4.5	387	3.3	0.17	3.0	3.7
2010	49	3.8	0.67	2.6	5.3	403	3.4	0.17	3.1	3.8
2011	38	2.9	0.55	1.9	4.2	392	3.3	0.17	3.0	3.7
2012	56	3.7	0.56	2.7	5.0	406	3.3	0.17	3.0	3.7
2013	50	3.4	0.54	2.4	4.6	433	3.6	0.18	3.2	3.9
2014	42	3.0	0.51	2.1	4.1	452	3.7	0.18	3.4	4.1
2015	49	2.8	0.43	2.0	3.8	400	3.2	0.17	2.9	3.6
2016	53	3.2	0.48	2.3	4.3	448	3.6	0.18	3.3	4.0
2017	54	3.5	0.52	2.5	4.6	450	3.6	0.18	3.3	4.0
2018	55	3.3	0.48	2.4	4.3	425	3.4	0.17	3.0	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Soft Tissue including Heart										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,262	3.0	0.03	3.0	3.1	1,624	3.4	0.09	3.2	3.6
1990	197	2.2	0.16	1.9	2.6	42	3.0	0.48	2.1	4.1
1991	180	2.0	0.15	1.7	2.3	30	2.4	0.46	1.6	3.4
1992	197	2.2	0.16	1.9	2.5	41	3.0	0.47	2.1	4.0
1993	206	2.3	0.16	2.0	2.6	35	2.5	0.43	1.7	3.5
1994	235	2.6	0.17	2.2	2.9	41	2.8	0.46	2.0	3.9
1995	231	2.5	0.17	2.2	2.9	40	2.5	0.40	1.8	3.4
1996	297	3.2	0.19	2.9	3.6	52	3.6	0.52	2.7	4.8
1997	273	2.9	0.18	2.6	3.3	56	3.8	0.53	2.8	5.0
1998	258	2.8	0.17	2.5	3.2	56	3.6	0.50	2.7	4.7
1999	253	2.7	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7
2000	235	2.5	0.17	2.2	2.9	44	2.7	0.42	2.0	3.7
2001	282	3.1	0.19	2.7	3.5	48	3.1	0.46	2.3	4.1
2002	272	2.9	0.18	2.6	3.3	45	2.8	0.43	2.0	3.8
2003	313	3.4	0.19	3.0	3.8	50	3.1	0.45	2.3	4.1
2004	284	3.0	0.18	2.7	3.4	60	3.6	0.47	2.7	4.6
2005	277	2.9	0.18	2.6	3.3	60	3.7	0.49	2.8	4.8
2006	320	3.4	0.19	3.0	3.8	73	4.2	0.51	3.3	5.4
2007	313	3.4	0.20	3.0	3.8	56	3.3	0.45	2.5	4.3
2008	323	3.5	0.20	3.1	3.9	64	3.8	0.48	2.9	4.8
2009	309	3.3	0.19	2.9	3.7	54	3.1	0.43	2.3	4.1
2010	322	3.3	0.19	2.9	3.7	61	3.5	0.46	2.7	4.5
2011	317	3.4	0.20	3.0	3.8	62	3.4	0.44	2.6	4.4
2012	328	3.3	0.19	3.0	3.7	66	3.6	0.45	2.8	4.6
2013	343	3.5	0.20	3.2	3.9	65	3.6	0.46	2.8	4.7
2014	346	3.6	0.20	3.2	4.0	80	4.4	0.50	3.4	5.4
2015	310	3.1	0.18	2.7	3.5	74	4.1	0.49	3.2	5.2
2016	358	3.6	0.20	3.2	4.0	73	4.0	0.47	3.1	5.0
2017	341	3.5	0.20	3.1	3.9	78	4.3	0.49	3.3	5.3
2018	342	3.4	0.19	3.0	3.8	63	3.2	0.42	2.5	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Soft Tissue including Heart										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	512	3.4	0.19	3.0	3.8	5,486	3.7	0.05	3.6	3.8
1990	9	3.1	1.29	1.1	7.0	129	2.7	0.25	2.3	3.3
1991	2	0.8	0.55	0.1	3.6	105	2.2	0.22	1.8	2.7
1992	9	3.6	1.66	1.1	8.3	111	2.4	0.23	2.0	2.9
1993	6	1.1	0.57	0.3	3.7	123	2.5	0.23	2.1	3.0
1994	9	2.0	0.83	0.7	4.9	151	3.2	0.26	2.7	3.7
1995	15	3.0	0.93	1.4	5.9	139	2.9	0.25	2.4	3.4
1996	14	2.4	0.75	1.2	5.0	190	3.9	0.29	3.4	4.5
1997	15	3.8	1.19	1.8	7.1	182	3.8	0.28	3.2	4.4
1998	12	3.2	1.22	1.3	6.6	177	3.6	0.28	3.1	4.2
1999	11	2.5	1.00	1.0	5.5	177	3.5	0.27	3.0	4.1
2000	5	0.9	0.48	0.2	2.8	148	3.0	0.25	2.5	3.5
2001	15	2.8	0.91	1.3	5.3	187	3.7	0.27	3.2	4.2
2002	7	0.6	0.24	0.2	2.0	170	3.5	0.27	3.0	4.1
2003	22	3.6	1.25	1.6	6.8	184	3.6	0.27	3.1	4.2
2004	20	3.6	1.11	1.8	6.4	192	3.8	0.27	3.2	4.3
2005	22	2.7	0.72	1.5	4.6	188	3.7	0.27	3.1	4.2
2006	21	4.7	1.21	2.6	7.6	192	3.8	0.27	3.2	4.3
2007	13	3.1	1.14	1.3	6.0	220	4.2	0.29	3.7	4.8
2008	14	2.0	0.81	0.7	4.1	215	4.2	0.29	3.6	4.8
2009	23	4.7	1.27	2.5	7.7	195	3.7	0.27	3.2	4.2
2010	26	3.7	0.89	2.1	5.9	221	4.1	0.28	3.6	4.7
2011	22	3.5	0.92	2.0	5.8	228	4.2	0.28	3.6	4.7
2012	30	4.4	0.94	2.7	6.6	210	3.8	0.27	3.3	4.3
2013	30	4.4	0.95	2.7	6.6	239	4.3	0.29	3.8	4.9
2014	24	3.9	0.92	2.3	6.1	256	4.6	0.29	4.0	5.2
2015	32	3.5	0.68	2.3	5.1	241	4.3	0.28	3.7	4.8
2016	32	4.3	0.88	2.8	6.4	235	4.2	0.28	3.7	4.8
2017	22	2.9	0.71	1.7	4.6	254	4.5	0.29	4.0	5.1
2018	30	4.1	0.87	2.6	6.1	227	3.9	0.26	3.4	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Soft Tissue including Heart										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,515	3.7	0.05	3.5	3.8	747	3.6	0.14	3.4	3.9
1990	105	2.6	0.26	2.1	3.2	22	3.5	0.86	2.0	5.6
1991	87	2.1	0.23	1.7	2.7	15	2.8	0.79	1.5	4.8
1992	91	2.3	0.25	1.8	2.8	18	3.1	0.77	1.8	5.0
1993	105	2.6	0.25	2.1	3.1	18	2.9	0.71	1.7	4.7
1994	131	3.3	0.29	2.7	3.9	19	3.0	0.73	1.8	4.8
1995	122	3.0	0.28	2.5	3.6	14	1.8	0.49	1.0	3.1
1996	158	3.9	0.31	3.3	4.5	26	4.3	0.92	2.7	6.5
1997	151	3.7	0.30	3.1	4.3	27	4.2	0.87	2.7	6.3
1998	147	3.6	0.30	3.0	4.2	27	3.7	0.78	2.3	5.5
1999	137	3.3	0.28	2.8	3.9	30	4.9	0.97	3.2	7.2
2000	122	3.0	0.27	2.5	3.5	21	3.1	0.71	1.8	4.8
2001	156	3.7	0.30	3.1	4.3	27	4.0	0.81	2.5	5.9
2002	146	3.6	0.30	3.0	4.2	19	2.6	0.64	1.5	4.2
2003	153	3.7	0.30	3.1	4.3	23	3.3	0.74	2.0	5.1
2004	160	3.8	0.30	3.2	4.4	22	3.3	0.75	2.0	5.1
2005	151	3.5	0.29	3.0	4.2	28	4.3	0.91	2.7	6.4
2006	162	3.8	0.30	3.2	4.4	27	3.5	0.71	2.3	5.2
2007	187	4.4	0.33	3.8	5.1	27	3.8	0.77	2.4	5.6
2008	179	4.3	0.32	3.7	5.0	27	3.6	0.72	2.3	5.3
2009	163	3.7	0.30	3.2	4.4	19	2.5	0.60	1.4	3.9
2010	177	3.9	0.30	3.4	4.6	31	4.5	0.87	3.0	6.5
2011	191	4.3	0.32	3.7	5.0	27	3.4	0.69	2.2	5.1
2012	172	3.8	0.30	3.3	4.5	28	3.5	0.67	2.3	5.0
2013	193	4.3	0.32	3.7	5.0	30	3.8	0.71	2.5	5.4
2014	206	4.6	0.33	4.0	5.3	34	4.0	0.70	2.8	5.7
2015	193	4.1	0.31	3.6	4.8	38	5.2	0.88	3.6	7.3
2016	191	4.2	0.32	3.6	4.9	34	4.4	0.77	3.0	6.2
2017	194	4.3	0.32	3.7	5.0	39	4.9	0.81	3.4	6.7
2018	185	3.9	0.30	3.3	4.5	30	3.4	0.64	2.3	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Soft Tissue including Heart										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	411	2.5	0.14	2.2	2.8	4,781	2.7	0.04	2.6	2.7
1990	3	0.5	0.26	0.1	2.3	113	2.0	0.19	1.6	2.4
1991	9	2.7	1.00	1.1	5.6	108	1.9	0.18	1.5	2.3
1992	7	2.0	0.84	0.7	4.6	134	2.3	0.20	1.9	2.7
1993	5	1.6	0.81	0.4	4.1	121	2.0	0.19	1.7	2.4
1994	5	1.4	0.67	0.4	3.6	127	2.1	0.19	1.8	2.5
1995	3	0.9	0.50	0.2	2.7	137	2.3	0.20	1.9	2.7
1996	9	3.0	1.26	1.1	6.4	172	2.9	0.22	2.4	3.3
1997	9	2.8	1.12	1.1	5.8	156	2.5	0.21	2.2	3.0
1998	14	3.0	0.87	1.6	5.4	145	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.2	2.2	143	2.3	0.20	2.0	2.8
2000	11	2.1	0.77	0.9	4.3	138	2.2	0.19	1.9	2.6
2001	16	3.7	1.14	1.8	6.6	155	2.6	0.21	2.2	3.0
2002	10	2.0	0.72	0.9	4.0	157	2.6	0.21	2.2	3.0
2003	10	1.4	0.47	0.6	2.9	191	3.1	0.23	2.7	3.6
2004	13	2.1	0.62	1.1	3.8	166	2.7	0.21	2.3	3.1
2005	13	2.1	0.69	1.0	3.9	169	2.7	0.21	2.3	3.1
2006	10	2.3	0.83	1.0	4.4	210	3.4	0.24	3.0	3.9
2007	25	3.9	0.90	2.4	6.1	164	2.7	0.21	2.3	3.1
2008	21	3.6	0.91	2.0	5.8	185	3.0	0.22	2.5	3.4
2009	16	2.0	0.53	1.1	3.4	192	3.1	0.23	2.7	3.6
2010	23	3.7	0.93	2.1	5.9	182	2.9	0.22	2.5	3.3
2011	16	2.4	0.67	1.2	4.0	164	2.6	0.21	2.2	3.1
2012	26	3.2	0.69	2.0	4.9	196	2.9	0.21	2.5	3.4
2013	20	2.5	0.61	1.4	4.0	194	3.0	0.23	2.6	3.5
2014	18	2.3	0.55	1.3	3.6	196	3.0	0.22	2.6	3.5
2015	17	2.2	0.55	1.2	3.5	159	2.4	0.20	2.0	2.9
2016	21	2.3	0.52	1.4	3.6	213	3.2	0.23	2.7	3.7
2017	32	4.0	0.76	2.6	5.8	196	2.9	0.22	2.5	3.4
2018	25	2.7	0.57	1.7	4.1	198	3.0	0.22	2.6	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Soft Tissue including Heart										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,747	2.6	0.04	2.5	2.7	877	3.3	0.11	3.0	3.5
1990	92	2.0	0.21	1.6	2.4	20	2.6	0.60	1.6	4.1
1991	93	1.9	0.21	1.6	2.4	15	2.1	0.55	1.1	3.4
1992	106	2.2	0.21	1.8	2.6	23	2.9	0.61	1.8	4.4
1993	101	2.0	0.21	1.7	2.5	17	2.1	0.52	1.2	3.4
1994	104	2.1	0.21	1.7	2.6	22	2.7	0.58	1.7	4.1
1995	109	2.2	0.22	1.8	2.7	26	3.0	0.60	1.9	4.4
1996	139	2.8	0.24	2.3	3.3	26	3.2	0.63	2.1	4.7
1997	122	2.4	0.22	2.0	2.8	29	3.5	0.66	2.3	5.0
1998	111	2.3	0.22	1.8	2.7	29	3.5	0.65	2.3	5.0
1999	116	2.3	0.22	1.9	2.8	25	2.8	0.56	1.8	4.1
2000	113	2.2	0.21	1.8	2.7	23	2.5	0.53	1.6	3.8
2001	126	2.6	0.24	2.2	3.1	21	2.4	0.53	1.5	3.7
2002	126	2.6	0.24	2.2	3.1	26	2.9	0.57	1.9	4.2
2003	160	3.3	0.26	2.8	3.8	27	2.9	0.57	1.9	4.3
2004	124	2.4	0.22	2.0	2.9	38	4.0	0.65	2.8	5.5
2005	126	2.5	0.23	2.0	2.9	32	3.4	0.61	2.3	4.9
2006	158	3.2	0.26	2.7	3.7	46	4.8	0.71	3.5	6.4
2007	126	2.6	0.24	2.2	3.1	29	3.0	0.56	2.0	4.3
2008	144	2.9	0.25	2.4	3.4	37	3.9	0.64	2.7	5.3
2009	146	3.0	0.26	2.5	3.5	35	3.6	0.62	2.5	5.1
2010	145	2.8	0.24	2.3	3.3	30	3.0	0.55	2.0	4.3
2011	126	2.6	0.25	2.2	3.2	35	3.4	0.58	2.3	4.7
2012	156	2.9	0.24	2.4	3.4	38	3.7	0.60	2.6	5.0
2013	150	3.0	0.26	2.5	3.5	35	3.5	0.60	2.4	4.9
2014	140	2.7	0.24	2.3	3.2	46	4.5	0.68	3.3	6.0
2015	117	2.2	0.22	1.8	2.7	36	3.4	0.58	2.4	4.8
2016	167	3.1	0.26	2.6	3.7	39	3.7	0.60	2.6	5.0
2017	147	2.7	0.24	2.3	3.2	39	3.8	0.62	2.7	5.2
2018	157	3.0	0.26	2.6	3.6	33	3.0	0.54	2.1	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Skin excluding Basal and Squamous										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,312	5.1	0.16	4.8	5.4	59,341	17.5	0.07	17.4	17.7
1990	12	2.4	0.91	1.0	4.9	900	8.7	0.29	8.1	9.3
1991	16	3.8	1.24	1.7	6.8	957	9.3	0.30	8.7	9.9
1992	17	2.7	0.70	1.5	4.6	1,021	9.6	0.30	9.1	10.3
1993	19	4.1	1.08	2.2	6.7	965	9.0	0.29	8.4	9.5
1994	19	3.2	0.88	1.7	5.4	1,171	10.8	0.32	10.2	11.5
1995	30	5.2	1.15	3.2	7.9	1,212	11.1	0.32	10.5	11.8
1996	27	4.2	1.04	2.4	6.6	1,316	12.0	0.33	11.3	12.7
1997	25	3.9	1.03	2.1	6.4	1,440	13.0	0.34	12.4	13.7
1998	27	5.1	1.21	3.0	8.0	1,472	13.2	0.34	12.5	13.9
1999	38	6.4	1.32	4.1	9.4	1,523	13.6	0.35	12.9	14.3
2000	33	5.0	1.08	3.2	7.5	1,656	14.7	0.36	14.0	15.4
2001	24	2.6	0.64	1.5	4.2	1,777	15.7	0.37	15.0	16.4
2002	41	5.7	1.08	3.7	8.1	1,788	15.7	0.37	15.0	16.4
2003	41	4.5	0.88	2.9	6.5	1,833	16.0	0.37	15.3	16.7
2004	41	4.2	0.82	2.7	6.0	1,970	17.1	0.39	16.3	17.9
2005	45	4.9	0.87	3.3	6.9	2,190	18.9	0.41	18.1	19.7
2006	48	5.1	0.89	3.5	7.1	2,236	19.3	0.41	18.5	20.1
2007	52	5.4	0.92	3.8	7.5	2,322	19.8	0.42	19.0	20.6
2008	39	3.6	0.66	2.4	5.1	2,509	21.1	0.43	20.3	22.0
2009	58	4.3	0.65	3.1	5.8	2,518	21.1	0.43	20.3	21.9
2010	56	4.9	0.76	3.5	6.6	2,460	20.3	0.42	19.4	21.1
2011	68	6.5	0.90	4.9	8.5	2,618	21.4	0.43	20.6	22.3
2012	70	5.7	0.78	4.3	7.4	2,710	21.9	0.43	21.1	22.8
2013	67	6.0	0.81	4.5	7.8	2,643	21.0	0.42	20.2	21.8
2014	72	5.9	0.78	4.5	7.6	2,824	22.0	0.42	21.1	22.8
2015	66	5.0	0.67	3.8	6.5	3,084	24.3	0.45	23.4	25.2
2016	70	4.9	0.64	3.7	6.3	3,395	26.2	0.47	25.3	27.2
2017	97	6.9	0.76	5.5	8.5	3,446	26.7	0.47	25.8	27.7
2018	94	6.1	0.67	4.8	7.5	3,385	25.8	0.46	24.9	26.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Skin excluding Basal and Squamous										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	55,988	20.1	0.09	19.9	20.3	847	1.8	0.06	1.7	2.0
1990	869	9.8	0.34	9.2	10.5	23	1.9	0.41	1.2	2.9
1991	930	10.6	0.35	9.9	11.3	18	1.5	0.36	0.8	2.3
1992	980	10.9	0.35	10.2	11.6	22	1.5	0.33	0.9	2.3
1993	937	10.2	0.34	9.6	10.9	24	1.7	0.36	1.1	2.5
1994	1,130	12.3	0.37	11.6	13.1	19	1.3	0.31	0.8	2.0
1995	1,158	12.7	0.37	11.9	13.4	23	1.6	0.34	1.0	2.4
1996	1,258	13.7	0.39	12.9	14.4	24	1.7	0.37	1.1	2.6
1997	1,363	14.7	0.40	13.9	15.5	30	2.0	0.37	1.3	2.8
1998	1,388	14.9	0.40	14.1	15.7	32	2.3	0.41	1.5	3.2
1999	1,460	15.7	0.41	14.9	16.5	30	2.0	0.38	1.3	2.9
2000	1,561	16.7	0.42	15.9	17.6	25	1.5	0.31	1.0	2.3
2001	1,669	17.8	0.44	17.0	18.7	31	2.1	0.40	1.4	3.1
2002	1,670	17.8	0.44	16.9	18.7	25	1.5	0.30	1.0	2.2
2003	1,689	17.9	0.44	17.0	18.7	37	2.3	0.39	1.6	3.2
2004	1,832	19.3	0.46	18.5	20.3	25	1.6	0.32	1.0	2.3
2005	2,001	21.0	0.48	20.1	22.0	32	2.1	0.38	1.4	3.0
2006	2,092	22.0	0.49	21.1	23.0	42	2.5	0.40	1.8	3.4
2007	2,191	23.0	0.50	22.0	24.0	37	2.3	0.38	1.6	3.1
2008	2,350	24.3	0.51	23.3	25.3	34	2.1	0.36	1.4	2.9
2009	2,365	24.5	0.51	23.5	25.5	42	2.5	0.39	1.8	3.4
2010	2,299	23.4	0.50	22.4	24.4	34	2.0	0.36	1.4	2.9
2011	2,451	24.8	0.52	23.8	25.9	30	1.6	0.30	1.1	2.3
2012	2,553	25.6	0.52	24.6	26.7	29	1.6	0.31	1.1	2.4
2013	2,522	25.0	0.51	24.0	26.0	31	1.7	0.32	1.2	2.5
2014	2,668	25.8	0.52	24.8	26.9	24	1.3	0.27	0.8	2.0
2015	2,920	28.8	0.56	27.7	29.9	33	1.9	0.34	1.3	2.7
2016	3,229	31.5	0.58	30.4	32.7	30	1.8	0.33	1.2	2.5
2017	3,316	32.6	0.59	31.4	33.8	26	1.4	0.28	0.9	2.1
2018	3,137	30.3	0.57	29.2	31.4	35	1.8	0.31	1.2	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Skin excluding Basal and Squamous											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	615	5.6	0.27	5.1	6.1	33,342	22.2	0.12	21.9	22.4	
1990	6	2.9	1.70	0.6	7.9	474	10.6	0.50	9.6	11.6	
1991	8	3.1	1.67	0.7	7.9	503	11.0	0.50	10.0	12.0	
1992	7	2.4	0.98	0.9	5.6	565	12.1	0.52	11.1	13.2	
1993	9	5.9	2.38	2.2	12.1	525	11.2	0.50	10.2	12.2	
1994	10	4.5	1.88	1.6	9.5	629	13.3	0.54	12.3	14.4	
1995	17	7.9	2.33	4.0	13.6	687	14.4	0.56	13.3	15.6	
1996	12	2.8	0.95	1.3	5.7	706	14.6	0.55	13.5	15.7	
1997	13	3.4	1.30	1.4	7.0	817	16.8	0.59	15.6	18.0	
1998	16	9.3	2.82	4.6	16.1	822	17.0	0.60	15.8	18.2	
1999	25	11.6	3.04	6.5	18.7	887	18.0	0.61	16.8	19.2	
2000	16	5.9	1.95	2.8	10.7	923	18.6	0.62	17.4	19.9	
2001	13	3.7	1.29	1.6	7.1	987	19.7	0.63	18.5	21.0	
2002	18	6.4	1.94	3.2	11.1	1,038	20.6	0.65	19.4	21.9	
2003	17	3.5	0.99	1.8	6.1	1,015	20.0	0.63	18.8	21.3	
2004	18	4.6	1.50	2.1	8.3	1,144	22.3	0.66	21.0	23.6	
2005	25	5.4	1.34	3.1	8.7	1,199	23.3	0.68	21.9	24.6	
2006	19	5.4	1.56	2.8	9.2	1,222	23.6	0.68	22.3	25.0	
2007	26	7.0	1.77	4.0	11.1	1,258	24.0	0.69	22.7	25.4	
2008	20	3.9	0.98	2.2	6.3	1,427	26.8	0.72	25.4	28.2	
2009	21	3.5	0.89	2.0	5.7	1,401	26.0	0.71	24.6	27.4	
2010	27	5.9	1.37	3.5	9.1	1,425	25.8	0.70	24.5	27.2	
2011	26	5.6	1.30	3.3	8.6	1,491	26.8	0.71	25.5	28.3	
2012	29	4.9	1.03	3.1	7.3	1,547	27.4	0.71	26.0	28.8	
2013	38	7.7	1.42	5.2	10.9	1,487	26.0	0.69	24.6	27.4	
2014	37	7.2	1.37	4.8	10.3	1,623	27.7	0.70	26.3	29.1	
2015	26	4.6	1.02	2.8	6.9	1,719	29.2	0.72	27.8	30.7	
2016	30	4.6	0.96	2.9	6.8	1,905	31.8	0.75	30.3	33.3	
2017	43	7.1	1.20	5.0	9.8	2,002	33.3	0.77	31.8	34.9	
2018	43	6.1	1.03	4.2	8.4	1,914	31.4	0.74	29.9	32.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Skin excluding Basal and Squamous										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	31,725	25.1	0.14	24.8	25.4	364	1.9	0.10	1.7	2.1
1990	453	11.7	0.56	10.6	12.8	14	3.0	0.83	1.6	5.0
1991	492	12.4	0.57	11.3	13.6	8	1.7	0.65	0.7	3.4
1992	547	13.6	0.59	12.5	14.8	8	1.2	0.44	0.5	2.5
1993	513	12.7	0.57	11.6	13.9	10	1.8	0.60	0.8	3.3
1994	604	14.9	0.62	13.7	16.2	11	1.9	0.62	0.9	3.5
1995	666	16.3	0.64	15.1	17.6	10	1.9	0.64	0.8	3.5
1996	682	16.5	0.64	15.3	17.8	9	1.6	0.54	0.7	3.0
1997	782	18.8	0.68	17.5	20.2	10	1.6	0.58	0.7	3.1
1998	784	19.0	0.68	17.6	20.3	14	2.1	0.56	1.1	3.5
1999	855	20.4	0.70	19.1	21.8	16	2.2	0.57	1.3	3.7
2000	874	20.9	0.71	19.5	22.3	10	1.4	0.44	0.7	2.6
2001	928	22.0	0.72	20.6	23.4	17	2.8	0.70	1.6	4.5
2002	982	23.2	0.74	21.8	24.7	9	1.2	0.42	0.6	2.4
2003	963	22.6	0.73	21.2	24.0	10	1.6	0.51	0.7	2.9
2004	1,074	25.0	0.77	23.5	26.5	9	1.1	0.38	0.5	2.2
2005	1,113	25.8	0.78	24.3	27.4	11	1.8	0.60	0.9	3.4
2006	1,159	26.8	0.79	25.2	28.4	19	3.0	0.75	1.7	4.8
2007	1,198	27.4	0.80	25.8	29.0	16	2.2	0.57	1.2	3.7
2008	1,361	30.6	0.84	29.0	32.3	16	2.2	0.60	1.2	3.7
2009	1,317	29.4	0.82	27.8	31.1	18	2.5	0.60	1.4	4.0
2010	1,339	29.3	0.82	27.7	30.9	14	2.3	0.63	1.2	3.8
2011	1,413	30.7	0.83	29.1	32.4	14	1.9	0.51	1.0	3.2
2012	1,469	31.5	0.84	29.9	33.2	16	2.0	0.52	1.1	3.3
2013	1,428	30.2	0.82	28.6	31.9	13	1.6	0.48	0.8	2.8
2014	1,550	32.0	0.84	30.4	33.7	10	1.5	0.48	0.7	2.7
2015	1,642	34.0	0.86	32.3	35.7	13	1.8	0.51	0.9	3.1
2016	1,821	37.3	0.90	35.5	39.1	10	1.2	0.41	0.6	2.3
2017	1,938	39.6	0.93	37.8	41.5	13	1.7	0.48	0.9	2.9
2018	1,778	35.7	0.88	34.0	37.5	16	2.1	0.54	1.2	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Skin excluding Basal and Squamous										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	697	4.8	0.21	4.5	5.3	25,999	14.5	0.09	14.3	14.7
1990	6	2.2	1.08	0.6	5.4	426	7.5	0.37	6.8	8.2
1991	8	4.1	1.75	1.5	8.7	454	8.1	0.39	7.3	8.9
1992	10	3.1	1.04	1.4	6.1	456	7.8	0.37	7.1	8.6
1993	10	3.1	1.03	1.4	6.0	440	7.4	0.36	6.8	8.2
1994	9	2.5	0.86	1.1	5.0	542	9.1	0.40	8.4	10.0
1995	13	3.2	1.07	1.5	6.1	525	8.9	0.39	8.1	9.7
1996	15	5.0	1.58	2.4	8.9	610	10.2	0.42	9.4	11.0
1997	12	4.0	1.45	1.7	7.7	623	10.4	0.42	9.6	11.3
1998	11	2.3	0.80	1.0	4.6	650	10.6	0.42	9.8	11.5
1999	13	2.7	0.86	1.3	5.0	636	10.5	0.42	9.7	11.3
2000	17	4.5	1.28	2.4	7.7	733	12.0	0.45	11.2	13.0
2001	11	1.8	0.57	0.8	3.5	790	12.9	0.46	12.0	13.8
2002	23	5.4	1.32	3.1	8.6	750	12.3	0.45	11.5	13.3
2003	24	5.2	1.32	3.0	8.4	818	13.3	0.47	12.4	14.2
2004	23	4.1	0.99	2.4	6.5	826	13.4	0.47	12.5	14.3
2005	20	4.3	1.13	2.4	7.1	991	16.1	0.52	15.1	17.1
2006	29	5.1	1.08	3.2	7.7	1,014	16.5	0.52	15.4	17.5
2007	26	4.5	1.02	2.7	6.9	1,064	17.3	0.54	16.2	18.3
2008	19	3.4	0.87	1.9	5.5	1,082	17.5	0.54	16.5	18.6
2009	37	5.2	0.96	3.5	7.5	1,117	17.8	0.55	16.8	19.0
2010	29	4.3	0.88	2.8	6.4	1,035	16.4	0.52	15.3	17.4
2011	42	7.4	1.27	5.2	10.3	1,127	17.9	0.55	16.9	19.0
2012	41	6.5	1.13	4.5	9.1	1,163	18.3	0.56	17.3	19.4
2013	29	4.6	0.92	3.0	6.7	1,156	17.7	0.54	16.7	18.8
2014	35	5.1	0.93	3.4	7.2	1,201	18.1	0.54	17.0	19.2
2015	40	5.6	0.94	3.9	7.7	1,365	21.1	0.59	19.9	22.3
2016	40	5.3	0.90	3.7	7.4	1,490	22.7	0.62	21.5	24.0
2017	54	7.0	1.00	5.1	9.2	1,444	22.1	0.61	20.9	23.3
2018	51	6.2	0.91	4.6	8.3	1,471	22.1	0.60	20.9	23.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Skin excluding Basal and Squamous										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	24,263	16.8	0.11	16.6	17.0	483	1.8	0.08	1.7	2.0
1990	416	8.7	0.44	7.9	9.6	9	1.2	0.42	0.6	2.3
1991	438	9.3	0.46	8.5	10.3	10	1.3	0.43	0.6	2.5
1992	433	8.9	0.44	8.1	9.8	14	1.7	0.46	0.9	2.8
1993	424	8.6	0.42	7.7	9.4	14	1.7	0.46	0.9	2.8
1994	526	10.7	0.47	9.8	11.7	8	0.9	0.33	0.4	1.8
1995	492	10.1	0.46	9.2	11.0	13	1.4	0.40	0.8	2.5
1996	576	11.7	0.49	10.7	12.7	15	1.8	0.48	1.0	3.0
1997	581	11.8	0.50	10.9	12.9	20	2.3	0.52	1.4	3.6
1998	604	12.1	0.50	11.1	13.1	18	2.3	0.54	1.3	3.6
1999	605	12.3	0.51	11.3	13.3	14	1.7	0.47	0.9	2.9
2000	687	13.8	0.54	12.8	14.9	15	1.6	0.42	0.9	2.7
2001	741	14.9	0.56	13.9	16.1	14	1.7	0.45	0.9	2.8
2002	688	14.1	0.55	13.0	15.2	16	1.7	0.43	1.0	2.8
2003	726	14.6	0.55	13.5	15.7	27	2.9	0.56	1.9	4.2
2004	758	15.3	0.57	14.2	16.4	16	1.8	0.45	1.0	2.9
2005	888	18.0	0.62	16.8	19.3	21	2.3	0.51	1.4	3.5
2006	933	19.0	0.64	17.7	20.3	23	2.4	0.50	1.5	3.6
2007	993	20.4	0.67	19.1	21.8	21	2.2	0.49	1.4	3.4
2008	989	20.3	0.66	19.0	21.6	18	2.0	0.47	1.2	3.1
2009	1,048	21.3	0.68	20.0	22.7	24	2.5	0.51	1.6	3.7
2010	960	19.4	0.65	18.1	20.7	20	2.0	0.45	1.2	3.1
2011	1,038	21.1	0.68	19.8	22.5	16	1.5	0.37	0.8	2.4
2012	1,084	21.8	0.69	20.4	23.2	13	1.3	0.38	0.7	2.3
2013	1,094	21.6	0.69	20.3	23.0	18	1.8	0.44	1.1	2.9
2014	1,118	21.6	0.68	20.3	23.0	14	1.3	0.34	0.7	2.2
2015	1,278	25.5	0.75	24.0	27.0	20	2.1	0.47	1.2	3.2
2016	1,408	28.0	0.79	26.4	29.6	20	2.1	0.48	1.3	3.3
2017	1,378	27.6	0.79	26.0	29.2	13	1.2	0.34	0.6	2.1
2018	1,359	26.8	0.78	25.3	28.3	19	1.6	0.37	1.0	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Melanoma of the Skin											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,054	4.2	0.15	3.9	4.4	54,605	16.1	0.07	16.0	16.3	
1990	10	2.2	0.90	0.8	4.6	802	7.7	0.28	7.2	8.3	
1991	12	3.1	1.19	1.2	6.1	867	8.4	0.29	7.8	9.0	
1992	13	2.3	0.66	1.2	4.1	910	8.6	0.29	8.0	9.2	
1993	15	3.2	0.92	1.6	5.5	839	7.8	0.27	7.3	8.3	
1994	13	2.5	0.82	1.2	4.6	1,051	9.7	0.30	9.1	10.3	
1995	24	3.8	0.93	2.2	6.1	1,098	10.1	0.31	9.5	10.7	
1996	17	2.5	0.76	1.2	4.4	1,188	10.8	0.32	10.2	11.5	
1997	18	3.1	0.94	1.5	5.4	1,305	11.8	0.33	11.2	12.5	
1998	23	4.4	1.08	2.5	6.9	1,321	11.9	0.33	11.2	12.5	
1999	27	4.7	1.15	2.8	7.4	1,388	12.4	0.33	11.8	13.1	
2000	29	4.7	1.07	2.9	7.2	1,492	13.3	0.34	12.6	14.0	
2001	20	2.2	0.60	1.2	3.7	1,606	14.2	0.35	13.5	14.9	
2002	32	4.3	0.90	2.7	6.4	1,629	14.3	0.36	13.6	15.0	
2003	34	3.9	0.85	2.5	5.9	1,660	14.5	0.36	13.8	15.2	
2004	37	3.9	0.81	2.5	5.8	1,802	15.6	0.37	14.9	16.4	
2005	34	3.7	0.76	2.4	5.5	2,008	17.3	0.39	16.6	18.1	
2006	37	3.6	0.71	2.4	5.3	2,025	17.4	0.39	16.7	18.2	
2007	38	4.3	0.84	2.8	6.2	2,151	18.4	0.40	17.6	19.2	
2008	30	3.1	0.63	2.0	4.6	2,301	19.4	0.41	18.6	20.2	
2009	45	3.3	0.57	2.3	4.6	2,322	19.5	0.41	18.7	20.3	
2010	45	3.8	0.66	2.7	5.3	2,294	18.9	0.40	18.1	19.7	
2011	55	5.2	0.81	3.8	7.0	2,449	20.1	0.41	19.3	20.9	
2012	53	4.4	0.69	3.2	5.9	2,537	20.5	0.42	19.7	21.4	
2013	60	5.4	0.77	4.0	7.1	2,464	19.6	0.40	18.8	20.4	
2014	57	4.9	0.72	3.6	6.5	2,640	20.6	0.41	19.8	21.4	
2015	58	4.2	0.60	3.1	5.5	2,862	22.6	0.43	21.7	23.4	
2016	63	4.5	0.63	3.4	5.9	3,169	24.5	0.45	23.6	25.4	
2017	79	5.6	0.68	4.3	7.1	3,231	25.1	0.46	24.2	26.0	
2018	76	4.9	0.60	3.8	6.2	3,194	24.4	0.45	23.5	25.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Melanoma of the Skin										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	51,932	18.7	0.08	18.5	18.8	360	0.8	0.04	0.7	0.9
1990	786	8.9	0.32	8.3	9.5	9	0.8	0.27	0.4	1.5
1991	851	9.7	0.34	9.0	10.4	10	0.8	0.28	0.4	1.6
1992	890	9.9	0.34	9.3	10.6	9	0.6	0.21	0.3	1.2
1993	831	9.1	0.32	8.5	9.7	4	0.3	0.13	0.1	0.7
1994	1,025	11.2	0.35	10.5	11.9	8	0.6	0.22	0.3	1.2
1995	1,062	11.6	0.36	10.9	12.4	9	0.7	0.25	0.3	1.4
1996	1,151	12.5	0.37	11.8	13.3	10	0.9	0.29	0.4	1.6
1997	1,246	13.5	0.38	12.8	14.3	15	1.1	0.28	0.6	1.8
1998	1,264	13.6	0.38	12.8	14.4	10	0.8	0.24	0.4	1.4
1999	1,343	14.5	0.40	13.7	15.3	16	1.2	0.30	0.7	1.9
2000	1,416	15.2	0.41	14.4	16.0	11	0.7	0.22	0.4	1.3
2001	1,519	16.2	0.42	15.4	17.1	17	1.3	0.32	0.7	2.0
2002	1,538	16.5	0.42	15.6	17.3	10	0.7	0.21	0.3	1.2
2003	1,542	16.4	0.42	15.6	17.2	21	1.4	0.30	0.8	2.1
2004	1,687	17.8	0.44	17.0	18.7	10	0.7	0.22	0.3	1.2
2005	1,852	19.5	0.46	18.7	20.5	14	1.0	0.28	0.5	1.7
2006	1,912	20.2	0.47	19.3	21.1	18	1.2	0.29	0.7	1.9
2007	2,046	21.6	0.48	20.6	22.5	16	1.0	0.26	0.6	1.7
2008	2,173	22.5	0.49	21.6	23.5	8	0.5	0.19	0.2	1.1
2009	2,209	23.0	0.50	22.0	24.0	12	0.7	0.21	0.4	1.3
2010	2,157	22.0	0.49	21.1	23.0	17	1.1	0.26	0.6	1.7
2011	2,303	23.5	0.50	22.5	24.5	14	0.8	0.22	0.4	1.3
2012	2,408	24.2	0.51	23.2	25.2	7	0.4	0.16	0.2	0.9
2013	2,364	23.5	0.50	22.5	24.5	15	0.9	0.23	0.5	1.5
2014	2,506	24.3	0.50	23.4	25.4	12	0.7	0.20	0.4	1.2
2015	2,726	27.0	0.54	26.0	28.1	15	0.9	0.23	0.5	1.4
2016	3,029	29.7	0.56	28.6	30.8	13	0.7	0.21	0.4	1.3
2017	3,119	30.7	0.58	29.6	31.9	14	0.8	0.21	0.4	1.3
2018	2,977	28.9	0.56	27.8	30.0	16	0.8	0.21	0.5	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Melanoma of the Skin											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	476	4.6	0.25	4.1	5.1	30,759	20.4	0.12	20.2	20.6	
1990	4	2.5	1.68	0.4	7.6	420	9.3	0.46	8.4	10.2	
1991	6	2.6	1.61	0.4	7.4	466	10.1	0.48	9.2	11.1	
1992	5	2.1	0.96	0.7	5.4	499	10.7	0.49	9.7	11.7	
1993	8	4.5	1.89	1.6	9.6	465	9.8	0.46	8.9	10.7	
1994	6	3.6	1.79	1.0	8.5	557	11.8	0.51	10.8	12.8	
1995	14	6.1	1.99	2.9	11.2	631	13.2	0.53	12.1	14.2	
1996	8	1.7	0.73	0.6	4.3	648	13.3	0.53	12.3	14.4	
1997	9	3.0	1.27	1.0	6.6	740	15.1	0.56	14.0	16.2	
1998	13	7.5	2.41	3.5	13.4	749	15.4	0.57	14.3	16.5	
1999	18	8.8	2.69	4.4	15.2	813	16.4	0.58	15.3	17.5	
2000	13	5.4	1.92	2.3	10.2	837	16.7	0.58	15.6	17.9	
2001	12	3.5	1.28	1.5	6.9	898	17.9	0.60	16.8	19.1	
2002	13	4.7	1.51	2.2	8.4	949	18.7	0.61	17.6	20.0	
2003	12	2.6	0.88	1.2	5.0	941	18.4	0.61	17.3	19.7	
2004	16	4.3	1.49	1.9	8.0	1,056	20.5	0.64	19.2	21.8	
2005	16	3.6	1.08	1.8	6.3	1,091	21.1	0.65	19.8	22.4	
2006	15	4.4	1.42	2.0	7.8	1,106	21.3	0.65	20.1	22.6	
2007	20	5.8	1.65	3.0	9.7	1,175	22.4	0.66	21.1	23.7	
2008	13	3.0	0.91	1.5	5.3	1,311	24.6	0.69	23.2	26.0	
2009	14	2.6	0.80	1.3	4.7	1,305	24.2	0.68	22.9	25.6	
2010	21	4.4	1.18	2.4	7.3	1,327	24.0	0.67	22.7	25.3	
2011	20	4.5	1.19	2.5	7.3	1,390	25.0	0.69	23.7	26.4	
2012	24	4.3	0.99	2.6	6.6	1,440	25.5	0.69	24.1	26.8	
2013	33	6.8	1.35	4.4	9.9	1,396	24.3	0.67	23.0	25.7	
2014	30	6.1	1.27	3.9	9.0	1,511	25.7	0.68	24.4	27.0	
2015	21	3.4	0.86	1.9	5.5	1,588	26.9	0.69	25.6	28.3	
2016	26	4.3	0.95	2.6	6.5	1,775	29.5	0.72	28.1	30.9	
2017	35	6.0	1.11	4.0	8.5	1,876	31.2	0.74	29.7	32.7	
2018	31	4.9	0.98	3.2	7.2	1,799	29.5	0.71	28.1	30.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Melanoma of the Skin										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	29,457	23.2	0.14	23.0	23.5	145	0.8	0.07	0.7	1.0
1990	406	10.3	0.52	9.3	11.4	7	1.5	0.58	0.6	3.1
1991	462	11.6	0.55	10.5	12.7	2	0.6	0.49	0.1	2.1
1992	491	12.2	0.56	11.1	13.3	3	0.4	0.25	0.1	1.4
1993	461	11.3	0.53	10.3	12.4	2	0.3	0.23	0.0	1.2
1994	541	13.3	0.58	12.2	14.5	4	0.8	0.42	0.2	2.1
1995	617	15.0	0.61	13.9	16.3	4	1.0	0.53	0.2	2.5
1996	631	15.2	0.61	14.1	16.5	3	0.6	0.34	0.1	1.6
1997	712	17.1	0.64	15.8	18.4	5	1.0	0.49	0.3	2.3
1998	724	17.4	0.65	16.2	18.8	4	0.7	0.38	0.2	1.9
1999	789	18.8	0.67	17.5	20.1	8	1.1	0.41	0.5	2.3
2000	796	18.9	0.67	17.6	20.2	5	0.8	0.35	0.3	1.8
2001	851	20.1	0.69	18.8	21.5	9	1.6	0.55	0.7	3.0
2002	905	21.3	0.71	19.9	22.7	4	0.6	0.31	0.2	1.6
2003	893	20.8	0.70	19.5	22.3	7	1.1	0.44	0.4	2.3
2004	996	23.1	0.74	21.6	24.6	2	0.3	0.19	0.0	1.0
2005	1,025	23.7	0.75	22.2	25.2	2	0.5	0.37	0.0	1.6
2006	1,058	24.4	0.76	22.9	25.9	8	1.6	0.60	0.6	3.1
2007	1,125	25.7	0.78	24.2	27.3	8	1.2	0.44	0.5	2.4
2008	1,259	28.2	0.81	26.7	29.9	4	0.6	0.32	0.2	1.6
2009	1,241	27.7	0.80	26.2	29.3	4	0.6	0.30	0.1	1.5
2010	1,251	27.3	0.79	25.7	28.8	8	1.5	0.55	0.6	2.9
2011	1,323	28.7	0.81	27.1	30.3	6	0.9	0.37	0.3	1.9
2012	1,379	29.6	0.82	28.0	31.2	3	0.3	0.19	0.1	1.0
2013	1,347	28.5	0.80	26.9	30.1	6	0.9	0.37	0.3	1.9
2014	1,448	29.9	0.81	28.3	31.5	4	0.7	0.35	0.2	1.7
2015	1,524	31.5	0.83	29.9	33.2	7	1.0	0.38	0.4	2.0
2016	1,703	34.7	0.87	33.0	36.5	4	0.5	0.25	0.1	1.3
2017	1,821	37.2	0.90	35.4	39.0	6	0.8	0.32	0.3	1.7
2018	1,678	33.7	0.85	32.1	35.5	6	0.9	0.37	0.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Melanoma of the Skin										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	578	4.0	0.18	3.6	4.4	23,846	13.4	0.09	13.2	13.5
1990	6	2.2	1.08	0.6	5.4	382	6.7	0.35	6.1	7.5
1991	6	3.4	1.67	1.0	7.9	401	7.2	0.36	6.5	7.9
1992	8	2.6	0.95	1.1	5.3	411	7.1	0.35	6.4	7.8
1993	7	2.3	0.92	0.9	5.0	374	6.4	0.33	5.7	7.1
1994	7	2.1	0.81	0.8	4.5	494	8.4	0.38	7.6	9.2
1995	10	2.1	0.72	1.0	4.3	467	7.9	0.37	7.2	8.7
1996	9	3.1	1.19	1.2	6.2	540	9.1	0.39	8.3	9.9
1997	9	3.1	1.27	1.1	6.4	565	9.5	0.40	8.8	10.4
1998	10	2.2	0.80	0.9	4.5	572	9.5	0.40	8.7	10.3
1999	9	1.9	0.70	0.8	3.9	575	9.5	0.40	8.8	10.3
2000	16	4.4	1.27	2.3	7.6	655	10.8	0.43	10.0	11.7
2001	8	1.2	0.44	0.5	2.7	708	11.7	0.44	10.8	12.6
2002	19	4.2	1.12	2.3	7.0	680	11.3	0.44	10.4	12.2
2003	22	5.1	1.31	2.8	8.2	719	11.8	0.44	10.9	12.7
2004	21	3.9	0.98	2.2	6.3	746	12.1	0.45	11.3	13.1
2005	18	3.9	1.05	2.1	6.4	917	14.9	0.50	14.0	16.0
2006	22	3.4	0.77	2.1	5.4	919	15.0	0.50	14.0	16.0
2007	18	3.3	0.89	1.8	5.5	976	15.9	0.52	14.9	17.0
2008	17	3.2	0.87	1.8	5.4	990	16.1	0.52	15.1	17.2
2009	31	4.2	0.83	2.7	6.1	1,017	16.4	0.53	15.4	17.4
2010	24	3.5	0.79	2.2	5.4	967	15.3	0.51	14.3	16.3
2011	35	6.0	1.12	4.0	8.5	1,059	17.0	0.54	15.9	18.1
2012	29	4.5	0.94	2.9	6.7	1,097	17.3	0.54	16.3	18.4
2013	27	4.3	0.88	2.7	6.3	1,068	16.4	0.52	15.4	17.5
2014	27	4.1	0.85	2.6	6.0	1,129	17.1	0.53	16.1	18.1
2015	37	5.1	0.89	3.5	7.1	1,274	19.8	0.58	18.6	20.9
2016	37	5.0	0.88	3.4	7.0	1,394	21.4	0.60	20.2	22.6
2017	44	5.5	0.88	3.9	7.5	1,355	20.8	0.59	19.7	22.0
2018	45	5.2	0.79	3.7	7.0	1,395	21.0	0.59	19.9	22.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Melanoma of the Skin											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	22,475	15.7	0.11	15.5	15.9	215	0.8	0.06	0.7	1.0	
1990	380	8.0	0.42	7.2	8.9	2	0.3	0.22	0.0	1.1	
1991	389	8.4	0.43	7.5	9.2	8	1.1	0.39	0.4	2.1	
1992	399	8.2	0.42	7.4	9.1	6	0.8	0.31	0.3	1.6	
1993	370	7.6	0.40	6.8	8.4	2	0.2	0.15	0.0	0.8	
1994	484	9.9	0.46	9.0	10.8	4	0.5	0.26	0.1	1.3	
1995	445	9.2	0.44	8.3	10.1	5	0.6	0.28	0.2	1.4	
1996	520	10.6	0.47	9.7	11.6	7	1.0	0.39	0.4	2.1	
1997	534	11.0	0.48	10.1	12.0	10	1.2	0.38	0.6	2.2	
1998	540	10.9	0.48	10.0	11.9	6	0.8	0.32	0.3	1.7	
1999	554	11.3	0.49	10.4	12.3	8	1.1	0.38	0.5	2.1	
2000	620	12.6	0.51	11.6	13.6	6	0.7	0.28	0.3	1.5	
2001	668	13.6	0.54	12.6	14.7	8	1.0	0.35	0.4	1.9	
2002	633	13.1	0.53	12.1	14.2	6	0.7	0.28	0.3	1.5	
2003	649	13.2	0.53	12.2	14.3	14	1.5	0.42	0.8	2.6	
2004	691	14.0	0.54	13.0	15.1	8	0.9	0.33	0.4	1.8	
2005	827	16.9	0.60	15.7	18.1	12	1.4	0.40	0.7	2.4	
2006	854	17.5	0.61	16.3	18.8	10	1.1	0.35	0.5	2.0	
2007	921	19.1	0.65	17.9	20.4	8	0.8	0.30	0.4	1.7	
2008	914	18.9	0.64	17.7	20.3	4	0.5	0.23	0.1	1.2	
2009	968	19.9	0.66	18.6	21.3	8	0.8	0.29	0.4	1.6	
2010	906	18.3	0.63	17.1	19.6	9	0.9	0.29	0.4	1.7	
2011	980	20.1	0.67	18.8	21.4	8	0.8	0.28	0.3	1.5	
2012	1,029	20.8	0.68	19.4	22.1	4	0.4	0.21	0.1	1.1	
2013	1,017	20.2	0.67	18.9	21.6	9	0.9	0.31	0.4	1.7	
2014	1,058	20.6	0.67	19.3	21.9	8	0.7	0.26	0.3	1.5	
2015	1,202	24.2	0.74	22.8	25.7	8	0.8	0.28	0.3	1.6	
2016	1,326	26.6	0.78	25.1	28.2	9	0.9	0.31	0.4	1.8	
2017	1,298	26.1	0.77	24.7	27.7	8	0.7	0.27	0.3	1.5	
2018	1,299	25.8	0.76	24.3	27.3	10	0.8	0.27	0.4	1.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Breast excluding in situ										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,542	47.2	0.47	46.2	48.1	250,102	73.0	0.15	72.7	73.3
1990	169	39.8	3.41	33.4	47.0	7,354	71.8	0.85	70.2	73.5
1991	181	41.1	3.41	34.7	48.3	7,560	72.9	0.85	71.2	74.6
1992	194	44.5	3.73	37.5	52.3	7,721	73.5	0.84	71.8	75.2
1993	223	42.7	3.24	36.6	49.5	7,541	70.6	0.82	69.0	72.2
1994	228	44.3	3.35	38.0	51.3	8,121	75.6	0.84	74.0	77.3
1995	265	49.0	3.49	42.4	56.2	8,013	74.0	0.83	72.4	75.6
1996	286	56.8	3.97	49.3	65.0	8,193	75.0	0.83	73.4	76.7
1997	308	53.4	3.64	46.5	60.9	8,306	75.4	0.83	73.8	77.1
1998	272	47.0	3.36	40.7	54.0	8,611	77.3	0.83	75.7	79.0
1999	338	53.9	3.43	47.4	61.0	8,799	78.3	0.84	76.7	80.0
2000	333	43.8	2.81	38.5	49.7	8,564	75.5	0.82	74.0	77.2
2001	317	45.5	3.04	39.7	51.7	8,766	76.7	0.82	75.1	78.3
2002	366	45.4	2.77	40.2	51.2	8,502	73.7	0.80	72.2	75.3
2003	348	43.9	2.78	38.6	49.6	7,906	67.9	0.77	66.4	69.4
2004	376	42.7	2.52	37.9	47.9	8,004	68.2	0.77	66.7	69.7
2005	428	47.3	2.60	42.4	52.7	8,151	68.9	0.77	67.4	70.4
2006	417	44.9	2.50	40.1	50.0	8,540	71.6	0.78	70.1	73.2
2007	465	45.6	2.36	41.1	50.4	8,538	70.8	0.77	69.3	72.3
2008	466	43.6	2.27	39.2	48.2	8,711	71.4	0.77	69.9	72.9
2009	498	45.4	2.29	41.0	50.1	8,888	72.1	0.78	70.6	73.6
2010	536	46.9	2.26	42.6	51.5	8,947	71.6	0.77	70.1	73.2
2011	527	43.1	2.09	39.1	47.4	9,273	73.7	0.78	72.2	75.3
2012	560	44.8	2.08	40.8	49.0	9,073	71.4	0.77	69.9	72.9
2013	637	48.9	2.12	44.8	53.2	9,428	73.2	0.77	71.7	74.8
2014	684	48.7	2.01	44.8	52.8	9,676	74.9	0.78	73.4	76.4
2015	727	50.6	2.03	46.7	54.7	9,735	74.4	0.78	72.8	75.9
2016	773	52.5	2.03	48.6	56.6	9,796	74.5	0.78	73.0	76.1
2017	790	50.4	1.91	46.7	54.3	9,685	73.4	0.77	71.9	74.9
2018	830	51.6	1.90	47.9	55.4	9,700	73.2	0.77	71.7	74.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Breast excluding in situ										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	208,706	73.3	0.16	73.0	73.7	33,516	74.0	0.41	73.2	74.8
1990	6,529	73.5	0.92	71.7	75.4	729	61.7	2.34	57.2	66.5
1991	6,669	74.3	0.92	72.5	76.1	784	63.0	2.31	58.6	67.7
1992	6,792	74.8	0.92	73.0	76.6	814	65.0	2.33	60.5	69.7
1993	6,539	71.0	0.89	69.2	72.7	883	68.9	2.38	64.3	73.7
1994	7,084	76.7	0.92	74.9	78.5	912	70.0	2.38	65.4	74.8
1995	6,935	74.9	0.90	73.1	76.7	940	70.7	2.36	66.1	75.5
1996	7,063	75.8	0.91	74.0	77.6	974	71.6	2.34	67.1	76.4
1997	7,085	75.7	0.90	73.9	77.5	1,043	76.4	2.41	71.7	81.2
1998	7,310	77.4	0.91	75.6	79.2	1,095	78.0	2.40	73.3	82.8
1999	7,492	79.0	0.92	77.2	80.8	1,078	75.0	2.33	70.5	79.7
2000	7,299	76.6	0.90	74.8	78.3	1,041	71.2	2.25	66.9	75.7
2001	7,411	77.3	0.90	75.5	79.1	1,152	77.9	2.34	73.4	82.6
2002	7,111	73.7	0.88	72.0	75.4	1,156	75.4	2.26	71.0	79.9
2003	6,594	68.0	0.84	66.4	69.7	1,085	69.8	2.16	65.7	74.2
2004	6,712	68.8	0.85	67.2	70.5	1,065	67.6	2.11	63.5	71.8
2005	6,760	68.9	0.84	67.2	70.6	1,145	72.4	2.18	68.2	76.8
2006	7,072	71.8	0.86	70.2	73.5	1,187	73.6	2.18	69.4	78.0
2007	7,093	71.4	0.86	69.7	73.1	1,163	70.6	2.11	66.5	74.9
2008	7,216	71.9	0.86	70.2	73.6	1,184	71.5	2.12	67.4	75.8
2009	7,271	71.9	0.86	70.2	73.6	1,320	78.0	2.19	73.8	82.4
2010	7,338	71.8	0.86	70.2	73.6	1,270	73.8	2.11	69.7	78.1
2011	7,559	73.8	0.87	72.1	75.5	1,321	76.3	2.14	72.1	80.6
2012	7,365	71.6	0.86	69.9	73.3	1,315	73.7	2.08	69.7	77.9
2013	7,590	72.9	0.86	71.3	74.7	1,436	79.2	2.14	75.1	83.5
2014	7,746	74.5	0.88	72.7	76.2	1,501	82.5	2.18	78.3	86.8
2015	7,789	74.1	0.87	72.4	75.8	1,503	81.0	2.14	76.8	85.3
2016	7,891	74.9	0.88	73.2	76.7	1,459	78.0	2.09	73.9	82.2
2017	7,674	72.7	0.87	71.0	74.4	1,492	79.5	2.11	75.4	83.7
2018	7,717	73.3	0.88	71.6	75.0	1,469	76.6	2.05	72.7	80.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Breast excluding in situ										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	56	0.5	0.08	0.4	0.7	2,048	1.4	0.03	1.3	1.4
1990	0					34	0.8	0.13	0.5	1.1
1991	0					47	1.1	0.17	0.8	1.5
1992	0					67	1.5	0.19	1.2	1.9
1993	3	1.1	0.65	0.2	3.8	64	1.4	0.17	1.0	1.7
1994	0					58	1.4	0.18	1.0	1.8
1995	1	0.3	0.27	0.0	2.4	73	1.6	0.19	1.2	2.0
1996	4	1.8	1.13	0.3	5.3	64	1.4	0.18	1.1	1.8
1997	0					71	1.5	0.18	1.2	1.9
1998	0					58	1.2	0.16	0.9	1.5
1999	1	0.8	0.77	0.0	3.5	73	1.5	0.18	1.2	1.9
2000	1	0.2	0.19	0.0	1.8	65	1.3	0.17	1.0	1.7
2001	3	0.8	0.46	0.2	2.6	65	1.3	0.16	1.0	1.7
2002	3	1.8	1.25	0.2	5.3	76	1.6	0.19	1.3	2.0
2003	2	1.0	0.73	0.1	3.3	69	1.4	0.17	1.1	1.8
2004	0					69	1.3	0.16	1.0	1.7
2005	0					59	1.2	0.16	0.9	1.5
2006	1	0.1	0.13	0.0	1.2	60	1.2	0.15	0.9	1.5
2007	0					70	1.3	0.16	1.0	1.7
2008	3	0.2	0.13	0.1	1.2	71	1.3	0.16	1.0	1.7
2009	3	0.5	0.30	0.1	1.6	75	1.4	0.16	1.1	1.7
2010	1	0.1	0.12	0.0	1.0	70	1.3	0.15	1.0	1.6
2011	5	1.0	0.50	0.2	2.4	84	1.5	0.16	1.2	1.8
2012	3	0.4	0.26	0.1	1.4	90	1.6	0.17	1.3	2.0
2013	4	0.7	0.42	0.1	2.0	83	1.4	0.15	1.1	1.7
2014	4	0.9	0.46	0.2	2.2	82	1.4	0.15	1.1	1.7
2015	5	0.7	0.39	0.2	1.9	71	1.1	0.14	0.9	1.5
2016	5	0.9	0.44	0.2	2.1	89	1.4	0.16	1.1	1.8
2017	2	0.4	0.32	0.0	1.4	102	1.7	0.17	1.4	2.0
2018	2	0.2	0.14	0.0	0.8	89	1.4	0.15	1.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Breast excluding in situ											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,665	1.3	0.03	1.2	1.4	331	1.9	0.11	1.7	2.1	
1990	31	0.8	0.14	0.5	1.1	3	0.7	0.39	0.1	1.9	
1991	41	1.1	0.18	0.8	1.5	6	1.1	0.46	0.4	2.4	
1992	55	1.4	0.20	1.1	1.9	12	2.4	0.71	1.2	4.2	
1993	54	1.3	0.18	1.0	1.7	10	2.4	0.81	1.1	4.4	
1994	46	1.3	0.19	0.9	1.7	10	2.1	0.70	1.0	3.9	
1995	63	1.6	0.20	1.2	2.0	9	1.7	0.59	0.7	3.2	
1996	54	1.3	0.18	1.0	1.8	7	1.6	0.66	0.6	3.4	
1997	56	1.4	0.19	1.0	1.8	13	2.7	0.81	1.4	4.7	
1998	47	1.1	0.17	0.8	1.5	10	1.9	0.61	0.9	3.5	
1999	60	1.5	0.19	1.1	1.9	11	2.1	0.68	1.0	3.8	
2000	55	1.3	0.18	1.0	1.7	9	1.5	0.56	0.6	3.0	
2001	55	1.3	0.18	1.0	1.7	9	1.4	0.50	0.6	2.8	
2002	61	1.5	0.19	1.1	1.9	13	2.6	0.80	1.3	4.6	
2003	57	1.4	0.18	1.0	1.8	12	2.0	0.61	1.0	3.6	
2004	56	1.3	0.17	1.0	1.7	11	2.0	0.66	1.0	3.7	
2005	50	1.2	0.17	0.9	1.6	8	1.4	0.53	0.5	2.8	
2006	51	1.2	0.17	0.9	1.6	7	1.2	0.47	0.5	2.4	
2007	57	1.3	0.17	1.0	1.7	12	1.8	0.55	0.9	3.2	
2008	57	1.3	0.17	1.0	1.7	11	1.5	0.45	0.7	2.7	
2009	58	1.3	0.17	1.0	1.7	16	2.2	0.55	1.2	3.5	
2010	57	1.2	0.16	0.9	1.6	12	1.7	0.52	0.9	3.1	
2011	68	1.4	0.17	1.0	1.7	13	2.1	0.60	1.1	3.6	
2012	71	1.5	0.19	1.2	2.0	14	1.9	0.52	1.0	3.2	
2013	61	1.2	0.16	0.9	1.6	20	2.9	0.68	1.8	4.6	
2014	63	1.3	0.16	1.0	1.6	15	2.1	0.56	1.1	3.4	
2015	55	1.1	0.15	0.8	1.5	12	1.5	0.45	0.7	2.7	
2016	74	1.4	0.17	1.1	1.8	15	2.2	0.58	1.2	3.6	
2017	81	1.6	0.18	1.3	2.0	19	2.6	0.62	1.5	4.1	
2018	71	1.4	0.17	1.1	1.8	12	1.5	0.45	0.7	2.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Breast excluding in situ										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,486	91.4	0.88	89.7	93.1	248,054	132.8	0.27	132.3	133.3
1990	169	76.7	6.32	64.9	90.0	7,320	127.8	1.52	124.8	130.8
1991	181	79.3	6.32	67.4	92.6	7,513	129.7	1.53	126.8	132.8
1992	194	84.1	6.67	71.6	98.1	7,654	130.6	1.52	127.6	133.6
1993	220	82.4	6.01	71.0	94.9	7,477	125.3	1.47	122.5	128.2
1994	228	85.6	6.17	73.9	98.5	8,063	134.2	1.51	131.2	137.2
1995	264	94.3	6.39	82.2	107.6	7,940	132.0	1.50	129.1	135.0
1996	282	105.2	6.99	91.9	119.6	8,129	134.1	1.50	131.2	137.1
1997	308	102.1	6.56	89.6	115.7	8,235	135.1	1.50	132.2	138.1
1998	272	89.5	6.07	78.0	102.1	8,553	138.8	1.51	135.8	141.8
1999	337	102.8	6.25	90.9	115.7	8,726	141.0	1.52	138.0	144.0
2000	332	86.0	5.27	75.9	96.9	8,499	136.1	1.49	133.2	139.1
2001	314	86.3	5.51	75.9	97.7	8,701	138.4	1.49	135.5	141.4
2002	363	87.3	5.08	77.6	97.8	8,426	133.4	1.46	130.5	136.3
2003	346	83.5	5.05	73.9	93.9	7,837	123.2	1.40	120.5	126.0
2004	376	83.2	4.73	74.2	92.9	7,935	123.9	1.40	121.2	126.7
2005	428	91.9	4.87	82.6	101.9	8,092	125.3	1.41	122.6	128.1
2006	416	86.6	4.63	77.7	96.1	8,480	130.9	1.44	128.1	133.8
2007	465	88.9	4.45	80.4	98.0	8,468	129.8	1.43	127.0	132.6
2008	463	84.5	4.27	76.4	93.3	8,640	130.6	1.43	127.8	133.4
2009	495	87.4	4.26	79.2	96.1	8,813	132.2	1.44	129.4	135.0
2010	535	90.7	4.23	82.6	99.3	8,877	131.7	1.43	128.9	134.5
2011	522	83.1	3.91	75.6	91.1	9,189	135.6	1.45	132.7	138.5
2012	557	86.7	3.92	79.2	94.7	8,983	131.5	1.43	128.7	134.4
2013	633	94.6	4.00	86.9	102.8	9,345	135.3	1.44	132.5	138.2
2014	680	95.0	3.83	87.6	102.7	9,594	138.7	1.46	135.8	141.6
2015	722	98.5	3.87	91.0	106.3	9,664	138.0	1.46	135.1	140.9
2016	768	102.0	3.87	94.6	109.9	9,707	138.3	1.46	135.5	141.2
2017	788	99.2	3.69	92.1	106.7	9,583	136.2	1.45	133.4	139.1
2018	828	101.9	3.68	94.9	109.4	9,611	136.2	1.46	133.3	139.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Breast excluding in situ										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	207,041	134.9	0.30	134.3	135.4	33,185	126.5	0.70	125.1	127.9
1990	6,498	131.8	1.68	128.5	135.1	726	105.0	3.95	97.4	113.1
1991	6,628	133.2	1.68	129.9	136.5	778	107.7	3.92	100.2	115.7
1992	6,737	134.1	1.67	130.8	137.4	802	109.7	3.93	102.2	117.7
1993	6,485	127.0	1.61	123.9	130.2	873	116.4	3.99	108.7	124.5
1994	7,038	137.4	1.67	134.1	140.7	902	118.1	3.98	110.4	126.1
1995	6,872	134.7	1.66	131.5	138.0	931	119.8	3.97	112.1	127.8
1996	7,009	136.6	1.66	133.4	139.9	967	121.9	3.96	114.3	129.9
1997	7,029	136.9	1.66	133.7	140.2	1,030	128.7	4.05	120.9	136.9
1998	7,263	140.1	1.67	136.9	143.4	1,085	132.4	4.05	124.6	140.6
1999	7,432	143.7	1.69	140.4	147.0	1,067	127.2	3.92	119.6	135.1
2000	7,244	139.4	1.66	136.2	142.7	1,032	120.9	3.79	113.6	128.6
2001	7,356	141.1	1.67	137.8	144.4	1,143	132.3	3.94	124.7	140.2
2002	7,050	134.6	1.62	131.5	137.9	1,143	128.8	3.83	121.4	136.5
2003	6,537	124.8	1.57	121.7	127.9	1,073	119.1	3.66	112.0	126.5
2004	6,656	126.4	1.57	123.3	129.5	1,054	115.4	3.58	108.5	122.7
2005	6,710	126.8	1.57	123.7	129.9	1,137	123.7	3.70	116.6	131.2
2006	7,021	132.8	1.62	129.7	136.0	1,180	126.3	3.71	119.2	133.8
2007	7,036	132.6	1.61	129.4	135.8	1,151	121.2	3.60	114.2	128.4
2008	7,159	133.1	1.61	130.0	136.3	1,173	122.4	3.61	115.4	129.7
2009	7,213	133.6	1.62	130.5	136.8	1,304	133.5	3.74	126.3	141.1
2010	7,281	133.8	1.62	130.6	137.0	1,258	126.9	3.63	119.9	134.2
2011	7,491	137.6	1.64	134.4	140.8	1,308	130.4	3.66	123.4	137.8
2012	7,294	133.8	1.63	130.6	137.0	1,301	126.5	3.56	119.6	133.7
2013	7,529	136.7	1.64	133.5	140.0	1,416	135.5	3.66	128.4	142.8
2014	7,683	139.9	1.67	136.6	143.2	1,486	141.8	3.75	134.5	149.3
2015	7,734	139.4	1.66	136.2	142.7	1,491	139.7	3.70	132.6	147.2
2016	7,817	141.2	1.68	137.9	144.5	1,444	134.5	3.62	127.5	141.8
2017	7,593	137.1	1.66	133.9	140.4	1,473	136.9	3.66	129.8	144.2
2018	7,646	138.4	1.68	135.1	141.7	1,457	132.6	3.56	125.7	139.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Female Genital System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,222	50.4	0.64	49.1	51.6	101,980	54.4	0.17	54.1	54.8
1990	131	54.2	5.15	44.6	65.2	3,233	55.7	1.00	53.8	57.7
1991	141	59.1	5.60	48.7	71.0	3,202	54.6	0.98	52.7	56.6
1992	150	56.6	5.13	47.0	67.5	3,235	54.9	0.98	53.0	56.9
1993	144	50.3	4.63	41.7	60.2	3,262	54.7	0.97	52.8	56.6
1994	158	53.4	4.69	44.6	63.4	3,344	55.3	0.97	53.4	57.2
1995	162	50.8	4.49	42.4	60.4	3,356	55.7	0.97	53.8	57.6
1996	159	51.5	4.65	42.8	61.3	3,581	59.2	1.00	57.2	61.2
1997	166	53.4	4.80	44.4	63.6	3,373	55.4	0.96	53.5	57.3
1998	196	57.5	4.73	48.6	67.4	3,469	56.5	0.97	54.6	58.4
1999	200	59.4	4.89	50.2	69.7	3,307	53.6	0.94	51.7	55.4
2000	189	49.7	4.10	42.0	58.3	3,314	53.4	0.93	51.6	55.3
2001	197	47.5	3.82	40.3	55.5	3,355	53.7	0.93	51.9	55.6
2002	221	52.2	4.02	44.6	60.6	3,386	53.9	0.93	52.1	55.8
2003	192	40.4	3.32	34.2	47.4	3,296	51.7	0.91	49.9	53.5
2004	249	53.7	3.82	46.5	61.7	3,308	51.5	0.90	49.8	53.3
2005	217	43.2	3.27	37.0	50.1	3,476	53.8	0.92	52.0	55.6
2006	257	49.9	3.48	43.3	57.2	3,529	54.3	0.93	52.5	56.2
2007	244	45.6	3.18	39.5	52.2	3,478	53.1	0.91	51.4	55.0
2008	295	53.3	3.41	46.8	60.4	3,581	54.1	0.92	52.3	55.9
2009	291	49.5	3.18	43.4	56.1	3,672	54.7	0.92	52.9	56.5
2010	259	40.6	2.78	35.3	46.4	3,700	54.3	0.91	52.5	56.1
2011	318	51.2	3.13	45.2	57.7	3,724	54.5	0.92	52.7	56.3
2012	315	46.9	2.84	41.5	52.8	3,637	52.0	0.88	50.2	53.7
2013	386	56.7	3.08	50.8	63.0	3,743	52.8	0.89	51.1	54.6
2014	371	49.2	2.70	44.0	54.7	3,817	53.7	0.90	52.0	55.5
2015	374	49.9	2.72	44.7	55.5	3,868	53.9	0.90	52.1	55.7
2016	391	48.9	2.58	44.0	54.2	4,012	55.9	0.92	54.1	57.7
2017	404	49.9	2.59	45.0	55.3	3,912	54.3	0.91	52.6	56.1
2018	445	53.8	2.66	48.7	59.2	3,810	52.3	0.89	50.5	54.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Female Genital System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	84,634	55.1	0.19	54.7	55.5	13,997	53.1	0.45	52.2	54.0
1990	2,772	55.7	1.09	53.6	57.9	422	59.7	2.96	54.0	65.8
1991	2,787	55.7	1.08	53.6	57.8	356	48.7	2.64	43.7	54.2
1992	2,857	57.0	1.09	54.9	59.2	332	44.9	2.51	40.1	50.1
1993	2,792	55.1	1.06	53.0	57.2	412	53.7	2.69	48.6	59.3
1994	2,852	55.5	1.06	53.5	57.6	442	58.0	2.80	52.6	63.7
1995	2,877	56.5	1.07	54.4	58.7	404	51.5	2.59	46.5	56.8
1996	3,071	60.4	1.11	58.3	62.6	435	54.9	2.66	49.8	60.3
1997	2,865	56.1	1.06	54.0	58.2	438	53.5	2.59	48.6	58.8
1998	2,948	57.4	1.07	55.3	59.5	445	53.1	2.54	48.3	58.3
1999	2,784	54.1	1.04	52.1	56.2	429	50.7	2.47	45.9	55.7
2000	2,745	53.3	1.03	51.3	55.4	453	52.4	2.48	47.7	57.5
2001	2,792	54.1	1.04	52.1	56.1	457	52.6	2.48	47.9	57.7
2002	2,834	54.8	1.04	52.7	56.8	452	51.3	2.43	46.7	56.3
2003	2,759	52.5	1.02	50.6	54.6	418	47.3	2.33	42.8	52.1
2004	2,749	52.2	1.01	50.2	54.2	457	51.2	2.41	46.6	56.1
2005	2,890	54.9	1.04	52.9	57.0	466	50.7	2.37	46.2	55.6
2006	2,911	54.9	1.04	52.9	57.0	498	54.3	2.45	49.6	59.3
2007	2,878	54.1	1.03	52.1	56.1	480	51.0	2.35	46.5	55.8
2008	2,950	54.9	1.04	52.9	57.0	501	51.8	2.34	47.3	56.6
2009	2,988	55.0	1.03	53.0	57.1	543	55.3	2.40	50.7	60.2
2010	3,030	55.1	1.03	53.1	57.1	513	51.4	2.30	47.0	56.1
2011	3,029	55.0	1.03	53.0	57.0	532	53.1	2.34	48.6	57.9
2012	2,967	52.8	1.00	50.9	54.9	534	51.4	2.26	47.1	56.1
2013	3,031	53.7	1.01	51.7	55.7	555	51.9	2.24	47.6	56.5
2014	3,059	54.4	1.03	52.4	56.5	598	55.6	2.32	51.2	60.4
2015	3,085	54.2	1.02	52.2	56.2	608	56.1	2.33	51.7	60.9
2016	3,208	56.6	1.05	54.6	58.7	621	57.4	2.36	52.9	62.2
2017	3,103	54.9	1.04	52.9	57.0	624	56.3	2.31	51.9	61.1
2018	3,021	52.8	1.02	50.8	54.9	572	49.8	2.14	45.7	54.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Cervix Uteri										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,197	13.6	0.31	13.0	14.2	15,866	9.3	0.07	9.1	9.4
1990	57	20.4	2.94	15.0	27.0	682	12.5	0.49	11.5	13.5
1991	75	30.2	3.99	22.9	39.0	645	11.4	0.46	10.5	12.3
1992	73	25.6	3.44	19.3	33.2	597	10.6	0.44	9.8	11.5
1993	69	20.4	2.61	15.6	26.3	671	11.8	0.46	10.9	12.7
1994	72	21.2	2.78	16.1	27.4	588	10.2	0.42	9.4	11.1
1995	68	19.3	2.60	14.6	25.1	679	11.7	0.45	10.9	12.7
1996	77	20.5	2.55	15.8	26.2	674	11.7	0.45	10.8	12.6
1997	80	21.0	2.71	16.0	26.9	637	10.9	0.43	10.1	11.8
1998	89	22.3	2.75	17.2	28.3	661	11.3	0.44	10.4	12.2
1999	78	19.6	2.48	15.1	25.1	616	10.5	0.42	9.7	11.3
2000	67	15.1	2.10	11.2	19.8	661	11.2	0.44	10.4	12.1
2001	80	15.7	1.89	12.2	19.9	565	9.5	0.40	8.8	10.4
2002	71	14.5	2.01	10.9	19.0	536	9.1	0.40	8.3	9.9
2003	80	14.9	1.88	11.5	19.1	545	9.2	0.40	8.4	10.0
2004	78	14.9	1.87	11.5	19.0	493	8.2	0.37	7.5	9.0
2005	64	10.7	1.43	8.1	13.9	516	8.7	0.39	7.9	9.5
2006	79	14.9	1.92	11.4	19.2	508	8.6	0.39	7.8	9.4
2007	83	14.5	1.74	11.3	18.4	487	8.2	0.38	7.5	9.0
2008	83	13.7	1.69	10.6	17.4	564	9.5	0.41	8.7	10.3
2009	70	10.1	1.31	7.7	13.0	496	8.2	0.38	7.5	9.0
2010	70	9.3	1.20	7.1	12.0	460	7.6	0.36	6.9	8.4
2011	94	13.4	1.50	10.6	16.7	466	7.7	0.37	7.0	8.4
2012	62	8.2	1.11	6.2	10.7	430	7.1	0.35	6.4	7.8
2013	76	10.1	1.23	7.9	12.8	434	7.2	0.36	6.5	7.9
2014	87	10.6	1.20	8.4	13.3	489	8.2	0.39	7.5	9.0
2015	68	8.1	1.03	6.2	10.4	432	7.3	0.36	6.6	8.0
2016	89	10.9	1.21	8.6	13.5	475	8.0	0.38	7.3	8.8
2017	79	9.1	1.07	7.2	11.5	447	7.3	0.36	6.6	8.0
2018	79	9.2	1.07	7.2	11.6	412	7.0	0.36	6.3	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Cervix Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11,198	8.3	0.08	8.1	8.4	4,006	15.1	0.24	14.6	15.6
1990	477	10.4	0.49	9.5	11.4	184	25.5	1.92	21.9	29.5
1991	460	9.7	0.46	8.9	10.7	160	20.9	1.70	17.7	24.5
1992	447	9.5	0.46	8.6	10.5	132	17.4	1.54	14.5	20.6
1993	471	10.0	0.47	9.1	11.0	177	21.9	1.68	18.8	25.5
1994	384	8.1	0.42	7.3	9.0	184	22.9	1.72	19.7	26.5
1995	477	10.1	0.47	9.2	11.1	173	21.5	1.66	18.3	24.9
1996	492	10.5	0.48	9.6	11.5	154	18.3	1.50	15.5	21.5
1997	466	9.8	0.46	8.9	10.8	149	17.0	1.41	14.3	20.0
1998	472	9.9	0.46	9.0	10.8	166	18.9	1.48	16.1	22.0
1999	428	9.0	0.44	8.2	9.9	160	18.1	1.45	15.4	21.2
2000	445	9.4	0.45	8.5	10.3	183	20.3	1.51	17.5	23.5
2001	408	8.6	0.43	7.8	9.5	139	15.3	1.30	12.8	18.0
2002	386	8.3	0.43	7.5	9.2	132	14.6	1.27	12.2	17.3
2003	372	7.9	0.42	7.1	8.8	144	15.7	1.32	13.2	18.5
2004	347	7.2	0.40	6.5	8.1	120	13.2	1.21	10.9	15.8
2005	368	8.0	0.42	7.1	8.8	129	13.9	1.23	11.6	16.5
2006	365	7.9	0.42	7.1	8.8	125	13.3	1.20	11.0	15.8
2007	335	7.2	0.40	6.4	8.0	131	13.8	1.21	11.5	16.4
2008	383	8.3	0.44	7.5	9.2	155	16.1	1.31	13.7	18.9
2009	320	6.8	0.39	6.1	7.6	146	14.7	1.23	12.4	17.3
2010	324	7.0	0.40	6.2	7.8	116	11.5	1.08	9.5	13.9
2011	338	7.2	0.41	6.4	8.0	116	11.9	1.12	9.8	14.3
2012	311	6.6	0.39	5.9	7.4	97	9.8	1.01	7.9	12.0
2013	311	6.8	0.40	6.0	7.6	106	10.4	1.03	8.5	12.6
2014	360	8.1	0.45	7.2	9.0	107	10.4	1.03	8.5	12.6
2015	308	6.9	0.41	6.1	7.7	98	9.9	1.02	8.0	12.1
2016	334	7.5	0.44	6.7	8.4	122	12.2	1.13	10.1	14.6
2017	322	7.1	0.42	6.3	7.9	105	10.1	1.01	8.2	12.3
2018	287	6.6	0.42	5.8	7.4	96	9.2	0.96	7.4	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Uterus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,145	22.7	0.43	21.9	23.6	52,597	27.5	0.12	27.2	27.7
1990	43	20.2	3.21	14.4	27.4	1,391	23.5	0.64	22.2	24.7
1991	28	14.1	2.81	9.1	20.5	1,444	24.0	0.64	22.8	25.3
1992	37	16.4	2.86	11.3	22.9	1,521	25.5	0.66	24.2	26.8
1993	40	15.4	2.62	10.7	21.3	1,471	24.4	0.64	23.1	25.7
1994	37	15.3	2.66	10.5	21.3	1,551	25.4	0.65	24.1	26.7
1995	43	15.3	2.47	10.8	20.9	1,551	25.5	0.66	24.2	26.8
1996	46	19.3	3.20	13.6	26.4	1,696	27.9	0.68	26.6	29.3
1997	52	18.8	2.98	13.4	25.5	1,554	25.2	0.65	24.0	26.5
1998	61	21.7	3.10	16.0	28.5	1,638	26.5	0.66	25.2	27.8
1999	62	21.1	3.05	15.6	27.8	1,544	24.9	0.64	23.6	26.2
2000	71	19.2	2.52	14.6	24.8	1,557	25.0	0.64	23.8	26.3
2001	69	19.5	2.61	14.7	25.2	1,677	26.7	0.65	25.4	28.0
2002	95	23.4	2.65	18.5	29.2	1,680	26.4	0.65	25.2	27.7
2003	66	15.4	2.09	11.6	20.1	1,613	25.1	0.63	23.9	26.3
2004	105	22.9	2.46	18.3	28.2	1,675	25.9	0.64	24.7	27.2
2005	94	19.6	2.20	15.5	24.4	1,774	27.1	0.65	25.8	28.4
2006	111	22.1	2.29	17.8	27.0	1,865	28.3	0.66	27.0	29.6
2007	103	20.5	2.18	16.4	25.2	1,818	27.3	0.65	26.0	28.6
2008	126	23.4	2.23	19.2	28.1	1,863	27.4	0.64	26.2	28.7
2009	146	24.4	2.17	20.3	29.0	2,029	29.5	0.66	28.2	30.9
2010	116	18.5	1.87	15.0	22.5	2,068	29.6	0.66	28.3	30.9
2011	151	24.0	2.09	20.1	28.4	2,070	29.4	0.66	28.1	30.7
2012	163	24.3	2.03	20.5	28.6	2,072	28.7	0.64	27.4	30.0
2013	205	30.0	2.21	25.8	34.6	2,145	29.2	0.65	28.0	30.5
2014	204	27.2	1.99	23.4	31.3	2,166	29.2	0.65	28.0	30.5
2015	195	25.5	1.90	21.9	29.5	2,241	29.9	0.65	28.6	31.2
2016	209	25.7	1.83	22.2	29.5	2,328	31.0	0.67	29.7	32.4
2017	220	27.2	1.90	23.6	31.2	2,317	30.9	0.67	29.6	32.2
2018	247	29.6	1.95	25.9	33.6	2,278	29.8	0.65	28.6	31.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Uterus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	44,714	28.5	0.14	28.2	28.7	6,202	23.4	0.30	22.8	24.0
1990	1,265	24.8	0.72	23.4	26.3	119	16.9	1.57	13.9	20.2
1991	1,329	25.7	0.72	24.3	27.2	98	14.2	1.45	11.5	17.3
1992	1,390	27.3	0.75	25.9	28.8	117	16.1	1.51	13.2	19.3
1993	1,332	25.9	0.72	24.5	27.4	121	16.8	1.55	14.0	20.1
1994	1,414	27.2	0.74	25.8	28.7	124	17.1	1.55	14.2	20.4
1995	1,400	27.2	0.74	25.7	28.7	121	16.0	1.47	13.2	19.1
1996	1,523	29.8	0.78	28.3	31.3	146	19.4	1.62	16.4	22.8
1997	1,375	26.5	0.73	25.1	28.0	158	20.2	1.62	17.1	23.6
1998	1,443	27.8	0.74	26.4	29.3	166	20.6	1.61	17.6	24.0
1999	1,355	26.1	0.72	24.8	27.6	147	18.0	1.50	15.2	21.2
2000	1,340	25.9	0.71	24.5	27.3	169	20.2	1.57	17.3	23.5
2001	1,447	27.7	0.74	26.3	29.2	179	21.2	1.59	18.2	24.5
2002	1,445	27.5	0.73	26.1	29.0	189	21.8	1.59	18.8	25.1
2003	1,393	26.3	0.71	24.9	27.8	159	18.5	1.48	15.7	21.6
2004	1,434	27.0	0.72	25.6	28.4	191	21.3	1.55	18.4	24.6
2005	1,511	28.2	0.73	26.8	29.7	205	22.3	1.57	19.3	25.6
2006	1,554	28.8	0.74	27.4	30.3	247	27.3	1.75	23.9	30.9
2007	1,529	28.2	0.73	26.8	29.7	231	24.6	1.63	21.5	28.0
2008	1,578	28.6	0.73	27.2	30.1	215	22.1	1.52	19.2	25.2
2009	1,717	30.9	0.76	29.4	32.4	244	24.8	1.61	21.8	28.2
2010	1,729	30.6	0.75	29.2	32.1	253	25.3	1.61	22.2	28.7
2011	1,694	29.7	0.74	28.3	31.2	278	27.3	1.67	24.2	30.8
2012	1,709	29.5	0.73	28.1	31.0	287	27.0	1.62	23.9	30.3
2013	1,760	30.1	0.74	28.6	31.5	287	25.7	1.55	22.8	28.9
2014	1,713	29.1	0.73	27.7	30.6	359	32.5	1.75	29.2	36.2
2015	1,795	30.1	0.74	28.7	31.6	351	31.2	1.70	28.0	34.7
2016	1,873	31.7	0.76	30.2	33.2	351	30.9	1.69	27.7	34.4
2017	1,831	31.0	0.76	29.5	32.5	376	33.2	1.75	29.8	36.8
2018	1,836	30.5	0.75	29.1	32.0	314	26.3	1.52	23.4	29.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Corpus Uteri										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,049	22.0	0.42	21.1	22.8	51,159	26.7	0.12	26.5	27.0
1990	39	18.4	3.08	12.9	25.4	1,350	22.8	0.63	21.6	24.1
1991	26	13.0	2.69	8.2	19.2	1,396	23.2	0.63	22.0	24.5
1992	35	15.5	2.78	10.5	21.8	1,466	24.6	0.65	23.3	25.9
1993	37	14.4	2.56	9.8	20.2	1,407	23.4	0.63	22.1	24.6
1994	33	13.8	2.55	9.3	19.6	1,469	24.1	0.64	22.9	25.4
1995	40	14.2	2.34	10.0	19.6	1,514	24.9	0.65	23.7	26.2
1996	45	18.5	3.10	13.0	25.4	1,666	27.4	0.68	26.1	28.8
1997	49	18.0	2.94	12.7	24.6	1,516	24.6	0.64	23.4	25.9
1998	56	19.9	2.94	14.5	26.4	1,597	25.9	0.65	24.6	27.2
1999	58	19.6	2.92	14.3	26.1	1,506	24.3	0.63	23.1	25.6
2000	69	18.8	2.50	14.2	24.3	1,516	24.4	0.63	23.2	25.7
2001	69	19.5	2.61	14.7	25.2	1,640	26.1	0.65	24.9	27.5
2002	93	22.9	2.62	18.0	28.6	1,635	25.8	0.64	24.5	27.1
2003	65	15.3	2.08	11.5	19.9	1,583	24.6	0.62	23.4	25.9
2004	103	22.6	2.46	18.1	27.9	1,635	25.3	0.63	24.1	26.6
2005	92	19.1	2.17	15.1	23.8	1,730	26.4	0.64	25.2	27.7
2006	106	21.1	2.24	16.9	25.9	1,817	27.6	0.65	26.4	28.9
2007	103	20.5	2.18	16.4	25.2	1,784	26.8	0.64	25.6	28.1
2008	122	22.3	2.16	18.3	26.9	1,811	26.7	0.63	25.4	27.9
2009	145	24.2	2.17	20.2	28.8	1,986	28.9	0.66	27.6	30.2
2010	113	17.9	1.83	14.5	21.8	2,007	28.7	0.65	27.4	30.0
2011	150	23.8	2.08	19.9	28.2	2,018	28.6	0.65	27.4	29.9
2012	159	23.6	1.99	19.8	27.8	2,028	28.1	0.64	26.8	29.3
2013	202	29.5	2.19	25.3	34.1	2,095	28.5	0.64	27.3	29.8
2014	200	26.6	1.97	22.9	30.8	2,111	28.5	0.64	27.3	29.8
2015	192	25.0	1.88	21.5	29.0	2,182	29.1	0.64	27.9	30.4
2016	204	24.9	1.79	21.6	28.7	2,256	30.1	0.65	28.8	31.4
2017	207	25.6	1.84	22.1	29.4	2,224	29.7	0.65	28.4	31.0
2018	237	28.1	1.89	24.6	32.1	2,214	29.0	0.64	27.7	30.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Corpus Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	43,704	27.9	0.14	27.6	28.1	5,806	21.9	0.29	21.3	22.4
1990	1,239	24.3	0.71	23.0	25.8	106	14.9	1.47	12.2	18.1
1991	1,295	25.0	0.71	23.6	26.4	84	12.1	1.34	9.6	15.0
1992	1,345	26.4	0.74	25.0	27.9	107	14.7	1.44	12.0	17.8
1993	1,283	25.0	0.71	23.6	26.4	108	15.0	1.45	12.2	18.1
1994	1,348	26.0	0.72	24.6	27.5	108	14.6	1.43	12.0	17.7
1995	1,370	26.6	0.73	25.2	28.1	114	14.9	1.41	12.3	17.9
1996	1,498	29.3	0.77	27.8	30.9	142	18.9	1.60	15.9	22.2
1997	1,347	26.0	0.72	24.6	27.5	148	18.9	1.56	15.9	22.2
1998	1,414	27.3	0.74	25.9	28.8	155	19.3	1.56	16.4	22.6
1999	1,329	25.7	0.71	24.3	27.2	135	16.6	1.44	13.9	19.6
2000	1,311	25.4	0.71	24.0	26.8	158	18.8	1.50	16.0	22.0
2001	1,418	27.3	0.73	25.9	28.7	173	20.4	1.56	17.5	23.7
2002	1,413	27.0	0.72	25.6	28.4	176	20.3	1.54	17.4	23.5
2003	1,367	25.9	0.71	24.5	27.3	155	18.0	1.46	15.3	21.1
2004	1,405	26.5	0.72	25.2	28.0	180	20.1	1.51	17.3	23.3
2005	1,478	27.6	0.73	26.2	29.1	194	21.1	1.53	18.2	24.3
2006	1,526	28.4	0.74	27.0	29.9	228	25.0	1.67	21.9	28.5
2007	1,508	27.8	0.73	26.4	29.3	221	23.5	1.59	20.4	26.8
2008	1,545	28.0	0.73	26.6	29.5	197	20.3	1.46	17.5	23.3
2009	1,686	30.3	0.75	28.8	31.8	233	23.8	1.58	20.8	27.1
2010	1,688	29.9	0.74	28.5	31.4	235	23.4	1.55	20.5	26.6
2011	1,663	29.2	0.73	27.7	30.6	261	25.7	1.62	22.7	29.1
2012	1,679	29.0	0.73	27.5	30.4	274	25.7	1.58	22.7	29.0
2013	1,731	29.6	0.73	28.2	31.1	268	24.0	1.49	21.2	27.1
2014	1,678	28.6	0.72	27.2	30.0	339	30.7	1.70	27.5	34.3
2015	1,759	29.6	0.73	28.1	31.0	330	29.1	1.63	25.9	32.5
2016	1,823	30.9	0.76	29.4	32.4	329	28.8	1.62	25.7	32.2
2017	1,766	29.9	0.74	28.4	31.4	349	30.8	1.69	27.6	34.3
2018	1,792	29.8	0.74	28.4	31.3	299	24.9	1.48	22.1	28.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Uterus, NOS										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	96	0.8	0.08	0.6	0.9	1,438	0.7	0.02	0.7	0.8
1990	4	1.8	0.89	0.5	4.6	41	0.7	0.11	0.5	0.9
1991	2	1.1	0.79	0.1	3.8	48	0.8	0.12	0.6	1.1
1992	2	0.9	0.67	0.1	3.3	55	0.9	0.13	0.7	1.2
1993	3	1.0	0.59	0.2	3.1	64	1.0	0.13	0.8	1.3
1994	4	1.5	0.76	0.4	3.9	82	1.3	0.14	1.0	1.6
1995	3	1.0	0.77	0.1	3.5	37	0.6	0.10	0.4	0.8
1996	1	0.8	0.80	0.0	3.4	30	0.5	0.09	0.3	0.7
1997	3	0.8	0.49	0.2	2.6	38	0.6	0.09	0.4	0.8
1998	5	1.8	0.97	0.4	4.5	41	0.6	0.10	0.4	0.8
1999	4	1.5	0.88	0.3	4.0	38	0.6	0.09	0.4	0.8
2000	2	0.4	0.30	0.1	1.8	41	0.6	0.09	0.4	0.8
2001	0					37	0.5	0.09	0.4	0.7
2002	2	0.5	0.38	0.1	2.0	45	0.7	0.10	0.5	0.9
2003	1	0.2	0.18	0.0	1.3	30	0.4	0.08	0.3	0.6
2004	2	0.2	0.17	0.0	1.2	40	0.6	0.09	0.4	0.8
2005	2	0.5	0.38	0.1	1.8	44	0.6	0.10	0.5	0.9
2006	5	1.0	0.49	0.3	2.5	48	0.7	0.10	0.5	0.9
2007	0					34	0.5	0.09	0.3	0.7
2008	4	1.1	0.55	0.3	2.6	52	0.8	0.11	0.6	1.0
2009	1	0.1	0.14	0.0	0.9	43	0.6	0.09	0.4	0.8
2010	3	0.6	0.38	0.1	1.8	61	0.9	0.12	0.7	1.2
2011	1	0.2	0.20	0.0	1.0	52	0.7	0.10	0.5	1.0
2012	4	0.8	0.40	0.2	1.9	44	0.6	0.10	0.5	0.9
2013	3	0.5	0.33	0.1	1.5	50	0.7	0.10	0.5	0.9
2014	4	0.5	0.26	0.1	1.4	55	0.7	0.10	0.5	0.9
2015	3	0.5	0.30	0.1	1.4	59	0.8	0.11	0.6	1.1
2016	5	0.8	0.35	0.2	1.8	72	0.9	0.12	0.7	1.2
2017	13	1.6	0.46	0.8	2.8	93	1.2	0.13	1.0	1.5
2018	10	1.5	0.48	0.7	2.7	64	0.9	0.11	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Uterus, NOS											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,010	0.6	0.02	0.6	0.6	396	1.5	0.08	1.4	1.7	
1990	26	0.5	0.10	0.3	0.7	13	1.9	0.55	1.0	3.3	
1991	34	0.7	0.12	0.5	1.0	14	2.1	0.56	1.1	3.5	
1992	45	0.9	0.13	0.6	1.2	10	1.4	0.44	0.7	2.5	
1993	49	0.9	0.13	0.7	1.2	13	1.9	0.53	1.0	3.2	
1994	66	1.2	0.15	0.9	1.5	16	2.4	0.61	1.4	3.9	
1995	30	0.6	0.10	0.4	0.8	7	1.0	0.39	0.4	2.1	
1996	25	0.5	0.10	0.3	0.7	4	0.6	0.28	0.2	1.4	
1997	28	0.5	0.09	0.3	0.7	10	1.3	0.42	0.6	2.4	
1998	29	0.5	0.09	0.3	0.7	11	1.3	0.40	0.7	2.4	
1999	26	0.4	0.08	0.3	0.6	12	1.5	0.42	0.7	2.5	
2000	29	0.5	0.09	0.3	0.7	11	1.4	0.44	0.7	2.5	
2001	29	0.5	0.09	0.3	0.7	6	0.7	0.31	0.3	1.6	
2002	32	0.5	0.10	0.4	0.8	13	1.5	0.42	0.8	2.6	
2003	26	0.4	0.09	0.3	0.7	4	0.5	0.23	0.1	1.2	
2004	29	0.4	0.08	0.3	0.6	11	1.2	0.36	0.6	2.2	
2005	33	0.6	0.10	0.4	0.8	11	1.2	0.35	0.6	2.1	
2006	28	0.4	0.08	0.3	0.6	19	2.2	0.51	1.3	3.5	
2007	21	0.4	0.08	0.2	0.6	10	1.1	0.36	0.5	2.1	
2008	33	0.6	0.11	0.4	0.9	18	1.8	0.43	1.1	2.9	
2009	31	0.6	0.10	0.4	0.8	11	1.1	0.32	0.5	1.9	
2010	41	0.7	0.12	0.5	1.0	18	1.9	0.45	1.1	3.0	
2011	31	0.5	0.10	0.4	0.8	17	1.6	0.39	0.9	2.6	
2012	30	0.5	0.10	0.4	0.8	13	1.3	0.36	0.7	2.2	
2013	29	0.4	0.09	0.3	0.7	19	1.7	0.40	1.0	2.7	
2014	35	0.5	0.09	0.4	0.8	20	1.8	0.42	1.1	2.9	
2015	36	0.5	0.09	0.4	0.8	21	2.2	0.48	1.3	3.3	
2016	50	0.8	0.12	0.6	1.0	22	2.1	0.46	1.3	3.2	
2017	65	1.1	0.14	0.8	1.4	27	2.3	0.46	1.5	3.4	
2018	44	0.7	0.12	0.5	1.0	15	1.4	0.35	0.8	2.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ovary										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,453	10.5	0.30	9.9	11.1	25,249	13.4	0.09	13.3	13.6
1990	28	12.1	2.59	7.5	18.2	954	16.4	0.54	15.3	17.5
1991	35	13.4	2.56	8.9	19.3	916	15.9	0.54	14.9	17.0
1992	30	10.4	2.03	6.8	15.2	897	15.3	0.52	14.3	16.4
1993	28	12.1	2.59	7.6	18.1	891	14.9	0.51	13.9	16.0
1994	39	12.9	2.22	8.9	18.0	970	16.0	0.52	15.0	17.0
1995	38	10.1	1.90	6.7	14.6	899	14.9	0.50	13.9	15.9
1996	31	10.2	2.05	6.6	14.9	965	15.8	0.51	14.8	16.8
1997	24	10.2	2.29	6.2	15.5	943	15.5	0.51	14.5	16.5
1998	32	10.2	2.07	6.6	15.0	925	14.9	0.50	14.0	15.9
1999	49	14.2	2.43	9.8	19.6	915	14.7	0.49	13.7	15.7
2000	37	10.4	1.95	6.9	14.8	856	13.5	0.47	12.6	14.4
2001	40	9.9	1.79	6.7	14.0	855	13.6	0.47	12.7	14.5
2002	41	9.4	1.65	6.4	13.2	904	14.3	0.48	13.3	15.2
2003	37	7.9	1.58	5.1	11.6	887	13.7	0.46	12.8	14.6
2004	56	13.1	2.03	9.5	17.6	886	13.6	0.46	12.7	14.6
2005	53	11.9	1.89	8.5	16.1	898	13.8	0.47	12.9	14.7
2006	59	11.5	1.71	8.4	15.3	910	13.8	0.46	12.9	14.7
2007	43	7.8	1.32	5.4	10.8	892	13.5	0.46	12.6	14.5
2008	66	12.0	1.67	9.0	15.7	837	12.5	0.44	11.7	13.4
2009	60	11.5	1.64	8.5	15.1	847	12.6	0.44	11.7	13.5
2010	57	9.0	1.34	6.6	12.0	866	12.7	0.44	11.9	13.6
2011	61	11.1	1.59	8.2	14.5	838	12.4	0.44	11.5	13.3
2012	56	8.1	1.15	6.0	10.6	803	11.5	0.42	10.7	12.4
2013	75	11.5	1.44	8.8	14.6	800	11.5	0.42	10.7	12.3
2014	59	8.3	1.16	6.1	10.8	801	11.3	0.41	10.5	12.2
2015	88	12.8	1.47	10.1	16.0	817	11.5	0.42	10.7	12.4
2016	67	8.4	1.08	6.4	10.8	793	11.2	0.41	10.4	12.0
2017	80	10.1	1.19	7.9	12.7	749	10.8	0.41	10.0	11.6
2018	84	10.4	1.20	8.2	13.0	735	10.4	0.41	9.7	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ovary										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	21,742	14.1	0.10	13.9	14.3	2,712	10.4	0.20	10.0	10.8
1990	856	17.1	0.60	16.0	18.4	89	12.7	1.38	10.2	15.7
1991	829	17.0	0.61	15.9	18.3	74	10.3	1.23	8.1	13.0
1992	820	16.5	0.59	15.4	17.7	67	9.2	1.14	7.1	11.7
1993	794	15.7	0.57	14.6	16.8	85	11.3	1.25	9.0	14.0
1994	862	16.7	0.58	15.6	17.9	93	12.4	1.30	10.0	15.2
1995	802	15.7	0.56	14.6	16.8	81	10.2	1.15	8.1	12.7
1996	843	16.3	0.57	15.2	17.4	102	13.1	1.31	10.7	15.9
1997	825	16.1	0.57	15.0	17.3	95	11.9	1.23	9.6	14.6
1998	823	15.9	0.56	14.8	17.0	84	10.1	1.11	8.0	12.5
1999	812	15.6	0.55	14.5	16.7	85	10.1	1.10	8.1	12.5
2000	756	14.3	0.53	13.3	15.4	72	8.4	1.00	6.5	10.6
2001	720	13.8	0.52	12.8	14.9	101	11.9	1.19	9.6	14.4
2002	779	14.9	0.54	13.8	16.0	94	10.7	1.11	8.6	13.1
2003	774	14.4	0.53	13.4	15.5	90	10.3	1.10	8.3	12.7
2004	771	14.4	0.53	13.4	15.5	98	11.2	1.14	9.1	13.6
2005	772	14.5	0.53	13.5	15.6	91	10.0	1.06	8.0	12.3
2006	782	14.4	0.53	13.4	15.5	92	10.0	1.05	8.1	12.3
2007	773	14.4	0.53	13.3	15.4	92	9.8	1.03	7.9	12.1
2008	718	13.2	0.51	12.2	14.2	92	9.6	1.01	7.7	11.8
2009	700	12.9	0.50	11.9	13.9	115	11.9	1.12	9.8	14.3
2010	711	12.8	0.50	11.9	13.8	111	11.2	1.07	9.2	13.5
2011	696	12.7	0.50	11.8	13.7	95	9.4	0.98	7.6	11.6
2012	677	12.1	0.48	11.1	13.1	96	9.4	0.97	7.6	11.5
2013	653	11.7	0.47	10.8	12.6	115	11.4	1.07	9.4	13.7
2014	678	12.1	0.48	11.1	13.0	90	8.6	0.92	6.9	10.6
2015	668	11.9	0.48	11.0	12.9	116	10.9	1.03	8.9	13.1
2016	645	11.4	0.47	10.5	12.4	105	10.3	1.03	8.4	12.5
2017	621	11.3	0.48	10.4	12.3	89	8.2	0.89	6.5	10.1
2018	582	10.6	0.47	9.7	11.5	103	9.3	0.94	7.5	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Male Genital System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11,863	119.9	1.25	117.4	122.3	241,377	155.9	0.32	155.3	156.5
1990	117	99.4	10.89	79.2	122.5	5,762	136.8	1.87	133.2	140.5
1991	114	83.5	9.39	66.1	103.4	7,287	168.0	2.04	164.0	172.0
1992	157	119.1	11.30	98.0	142.7	8,806	197.6	2.17	193.4	201.9
1993	173	124.1	11.20	103.2	147.5	8,451	186.9	2.09	182.9	191.1
1994	241	151.8	11.66	129.8	175.9	8,167	179.5	2.03	175.5	183.5
1995	233	142.6	11.15	121.6	165.7	7,660	165.5	1.93	161.7	169.3
1996	265	161.1	11.74	138.9	185.3	7,783	165.6	1.91	161.9	169.4
1997	272	144.4	10.34	124.8	165.7	8,087	170.9	1.92	167.2	174.7
1998	273	153.6	11.06	132.7	176.4	8,015	167.9	1.89	164.2	171.6
1999	329	158.3	10.38	138.6	179.7	8,453	175.3	1.92	171.5	179.1
2000	335	142.2	9.23	124.6	161.1	8,507	175.3	1.92	171.6	179.1
2001	344	146.2	9.28	128.6	165.3	9,039	184.5	1.96	180.7	188.4
2002	373	144.2	8.70	127.7	162.1	9,305	187.7	1.96	183.9	191.6
2003	380	134.6	8.14	119.1	151.3	8,597	170.4	1.86	166.8	174.1
2004	386	129.7	7.54	115.4	145.2	8,484	165.7	1.82	162.1	169.3
2005	427	128.8	7.14	115.2	143.5	8,290	159.3	1.77	155.9	162.8
2006	455	133.3	7.16	119.6	147.9	9,020	169.9	1.81	166.3	173.5
2007	512	146.8	7.39	132.7	161.8	9,744	179.9	1.85	176.3	183.6
2008	566	153.0	7.35	138.9	167.9	9,746	175.1	1.80	171.6	178.7
2009	609	154.4	7.07	140.8	168.7	9,471	165.6	1.73	162.2	169.0
2010	560	124.6	5.98	113.1	136.8	8,589	147.1	1.62	144.0	150.3
2011	562	113.8	5.44	103.4	124.9	8,767	146.9	1.61	143.7	150.1
2012	548	110.2	5.31	100.1	121.0	7,788	126.7	1.47	123.8	129.6
2013	565	106.5	5.01	96.9	116.7	7,481	119.3	1.41	116.6	122.1
2014	564	98.7	4.65	89.9	108.2	7,475	116.7	1.38	114.0	119.5
2015	575	93.5	4.36	85.1	102.3	7,884	120.7	1.40	118.0	123.5
2016	626	97.6	4.34	89.3	106.4	7,929	120.0	1.39	117.3	122.8
2017	628	94.9	4.18	86.9	103.4	8,388	124.8	1.40	122.1	127.6
2018	674	96.1	4.08	88.3	104.4	8,402	123.3	1.38	120.6	126.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Male Genital System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	194,345	148.5	0.34	147.9	149.2	39,907	220.8	1.16	218.6	223.1
1990	5,044	134.2	1.95	130.4	138.1	661	168.7	7.04	155.2	182.9
1991	6,459	167.7	2.15	163.5	172.0	753	176.9	6.90	163.6	190.8
1992	7,707	195.2	2.28	190.8	199.7	1,027	236.0	7.85	220.8	251.8
1993	7,285	182.9	2.19	178.6	187.2	1,101	241.6	7.77	226.6	257.2
1994	6,814	170.1	2.10	166.0	174.3	1,258	276.7	8.34	260.6	293.5
1995	6,334	156.5	2.00	152.6	160.5	1,240	260.0	7.84	244.9	275.8
1996	6,361	155.6	1.97	151.7	159.5	1,325	266.6	7.74	251.7	282.2
1997	6,744	164.4	2.02	160.5	168.5	1,199	234.8	7.15	221.0	249.2
1998	6,556	158.9	1.98	155.1	162.9	1,266	244.0	7.21	230.0	258.4
1999	7,006	168.8	2.03	164.9	172.8	1,224	228.6	6.84	215.4	242.4
2000	6,892	165.6	2.00	161.7	169.6	1,433	264.4	7.31	250.3	279.1
2001	7,418	177.1	2.07	173.1	181.2	1,399	253.3	7.10	239.6	267.6
2002	7,637	180.8	2.08	176.8	185.0	1,387	242.0	6.83	228.9	255.8
2003	6,934	162.2	1.96	158.4	166.1	1,422	238.9	6.63	226.0	252.2
2004	6,779	156.8	1.92	153.1	160.6	1,446	239.6	6.61	226.8	252.9
2005	6,554	149.6	1.86	145.9	153.3	1,441	235.6	6.55	223.0	248.8
2006	7,156	160.7	1.92	156.9	164.5	1,593	251.5	6.61	238.7	264.8
2007	7,678	169.2	1.96	165.4	173.1	1,738	268.9	6.75	255.8	282.4
2008	7,652	164.7	1.91	161.0	168.5	1,755	259.5	6.47	247.0	272.5
2009	7,331	154.0	1.83	150.5	157.7	1,761	251.6	6.27	239.5	264.2
2010	6,682	138.0	1.72	134.7	141.4	1,582	220.2	5.80	209.0	231.8
2011	6,874	139.2	1.72	135.9	142.6	1,472	196.0	5.34	185.7	206.7
2012	5,927	117.1	1.56	114.0	120.2	1,492	192.5	5.22	182.4	203.0
2013	5,840	113.1	1.52	110.1	116.1	1,368	175.5	4.96	165.9	185.4
2014	5,746	109.5	1.48	106.6	112.4	1,396	171.7	4.79	162.5	181.4
2015	5,953	111.6	1.49	108.7	114.5	1,563	189.6	5.01	179.9	199.7
2016	6,130	114.3	1.50	111.4	117.3	1,492	174.0	4.69	164.9	183.4
2017	6,432	117.4	1.51	114.5	120.4	1,601	185.4	4.82	176.1	195.1
2018	6,420	115.9	1.49	113.0	118.8	1,512	170.1	4.53	161.4	179.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Prostate										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,445	114.2	1.24	111.8	116.7	231,459	149.4	0.31	148.7	150.0
1990	99	93.5	10.64	73.8	116.0	5,446	130.9	1.84	127.3	134.5
1991	96	78.1	9.14	61.2	97.6	6,991	162.4	2.01	158.5	166.4
1992	140	116.2	11.27	95.2	139.8	8,520	192.3	2.14	188.1	196.6
1993	155	121.2	11.17	100.3	144.5	8,128	180.8	2.06	176.8	184.9
1994	221	148.7	11.63	126.7	172.8	7,843	173.4	2.01	169.5	177.4
1995	207	138.1	11.09	117.2	161.1	7,347	159.7	1.90	156.0	163.5
1996	242	156.8	11.68	134.7	180.9	7,453	159.5	1.88	155.9	163.2
1997	247	141.5	10.32	122.0	162.9	7,725	164.1	1.89	160.4	167.8
1998	248	150.2	11.03	129.3	172.9	7,680	161.5	1.86	157.8	165.1
1999	298	155.0	10.36	135.4	176.4	8,108	168.7	1.89	165.0	172.5
2000	294	137.2	9.19	119.7	156.1	8,191	169.3	1.89	165.6	173.0
2001	311	142.3	9.24	124.7	161.2	8,676	177.6	1.92	173.8	181.4
2002	331	139.0	8.62	122.6	156.7	8,969	181.3	1.93	177.5	185.1
2003	335	129.5	8.04	114.3	146.0	8,262	164.0	1.82	160.5	167.6
2004	351	126.1	7.51	111.8	141.5	8,118	158.6	1.78	155.1	162.1
2005	382	124.0	7.07	110.5	138.5	7,967	153.1	1.74	149.7	156.5
2006	401	128.1	7.11	114.5	142.6	8,670	163.1	1.78	159.6	166.6
2007	454	141.7	7.35	127.7	156.7	9,407	173.4	1.82	169.8	177.0
2008	505	146.7	7.28	132.8	161.5	9,371	167.7	1.76	164.3	171.2
2009	560	149.0	7.01	135.6	163.3	9,129	158.8	1.69	155.5	162.1
2010	491	118.0	5.91	106.7	130.0	8,206	139.7	1.58	136.6	142.8
2011	486	107.5	5.39	97.2	118.5	8,444	140.6	1.57	137.6	143.7
2012	486	104.7	5.25	94.6	115.4	7,414	119.4	1.42	116.7	122.3
2013	506	101.2	4.95	91.7	111.3	7,117	112.2	1.36	109.5	114.9
2014	493	91.9	4.55	83.2	101.2	7,117	109.8	1.33	107.2	112.4
2015	478	84.9	4.25	76.7	93.5	7,511	113.5	1.34	110.9	116.1
2016	537	89.8	4.24	81.6	98.4	7,543	112.5	1.33	109.9	115.1
2017	533	85.3	4.02	77.6	93.5	8,051	118.2	1.35	115.5	120.9
2018	558	85.8	3.96	78.3	93.9	8,055	116.3	1.33	113.7	119.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Prostate										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	185,335	141.0	0.33	140.3	141.6	39,358	218.2	1.15	216.0	220.5
1990	4,753	127.8	1.92	124.1	131.6	642	164.6	6.97	151.3	178.8
1991	6,184	161.6	2.12	157.4	165.8	737	174.0	6.85	160.8	187.8
1992	7,440	189.2	2.25	184.8	193.7	1,011	233.5	7.82	218.4	249.2
1993	6,983	176.0	2.15	171.8	180.2	1,082	238.8	7.74	223.9	254.4
1994	6,513	163.3	2.06	159.3	167.4	1,241	274.1	8.31	258.0	290.8
1995	6,045	150.0	1.96	146.2	153.9	1,224	257.5	7.81	242.4	273.2
1996	6,066	148.9	1.93	145.1	152.7	1,305	263.7	7.71	248.8	279.2
1997	6,409	156.6	1.98	152.8	160.6	1,182	232.3	7.12	218.6	246.6
1998	6,246	151.6	1.93	147.8	155.4	1,249	241.7	7.19	227.9	256.2
1999	6,703	161.6	1.99	157.8	165.6	1,205	226.2	6.82	213.1	239.9
2000	6,603	158.7	1.96	154.9	162.6	1,416	261.9	7.29	247.8	276.5
2001	7,088	169.2	2.02	165.3	173.2	1,382	251.0	7.07	237.3	265.2
2002	7,333	173.5	2.04	169.6	177.6	1,366	239.3	6.80	226.1	252.9
2003	6,625	154.7	1.91	151.0	158.5	1,406	236.8	6.61	224.0	250.0
2004	6,443	148.6	1.86	144.9	152.3	1,429	237.3	6.59	224.6	250.6
2005	6,270	142.5	1.82	139.0	146.1	1,419	232.4	6.50	219.8	245.4
2006	6,837	152.7	1.87	149.1	156.5	1,578	249.6	6.59	236.8	262.8
2007	7,375	161.6	1.90	157.9	165.4	1,717	266.2	6.73	253.2	279.7
2008	7,317	156.2	1.85	152.6	159.9	1,731	256.5	6.43	244.0	269.3
2009	7,011	145.8	1.77	142.4	149.3	1,749	250.1	6.26	238.0	262.6
2010	6,334	129.3	1.66	126.0	132.5	1,559	217.2	5.76	206.0	228.7
2011	6,581	131.8	1.66	128.6	135.1	1,457	194.3	5.32	184.0	205.0
2012	5,590	108.6	1.48	105.7	111.5	1,473	190.0	5.18	179.9	200.4
2013	5,514	104.7	1.44	101.9	107.6	1,348	172.8	4.92	163.3	182.7
2014	5,431	101.4	1.41	98.7	104.2	1,372	168.3	4.73	159.2	177.8
2015	5,617	102.8	1.40	100.1	105.6	1,541	186.9	4.98	177.3	197.0
2016	5,774	105.0	1.42	102.3	107.9	1,475	171.8	4.66	162.8	181.2
2017	6,132	109.4	1.43	106.6	112.2	1,578	182.8	4.78	173.5	192.4
2018	6,118	107.7	1.41	105.0	110.5	1,484	166.4	4.47	157.8	175.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Testis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,248	4.2	0.13	3.9	4.4	8,377	5.5	0.06	5.4	5.6
1990	13	2.4	0.76	1.1	5.3	260	4.6	0.29	4.1	5.2
1991	14	2.2	0.65	1.1	4.9	249	4.5	0.29	3.9	5.1
1992	14	1.9	0.56	1.0	4.4	245	4.4	0.28	3.8	5.0
1993	15	2.0	0.59	1.1	4.5	270	4.9	0.30	4.3	5.5
1994	18	2.6	0.66	1.5	5.1	268	4.8	0.30	4.3	5.4
1995	21	2.5	0.62	1.5	4.9	259	4.7	0.29	4.1	5.3
1996	18	2.1	0.52	1.2	4.3	274	4.9	0.30	4.4	5.6
1997	23	2.3	0.50	1.5	4.3	312	5.7	0.33	5.1	6.4
1998	22	2.4	0.60	1.3	4.5	278	5.1	0.31	4.6	5.8
1999	29	2.8	0.56	1.8	4.8	296	5.5	0.32	4.9	6.2
2000	36	3.8	0.70	2.5	5.9	262	4.9	0.30	4.3	5.5
2001	29	2.7	0.54	1.8	4.5	299	5.6	0.32	5.0	6.3
2002	37	4.0	1.03	2.3	6.7	293	5.5	0.32	4.9	6.2
2003	43	3.8	0.64	2.7	5.6	285	5.4	0.32	4.8	6.1
2004	28	2.3	0.45	1.5	3.8	317	6.1	0.34	5.4	6.8
2005	41	4.0	0.83	2.5	6.2	282	5.4	0.32	4.8	6.1
2006	49	4.3	0.64	3.1	6.0	292	5.7	0.33	5.0	6.3
2007	54	4.6	0.65	3.4	6.3	277	5.4	0.33	4.8	6.1
2008	56	4.8	0.66	3.6	6.4	311	6.1	0.35	5.4	6.8
2009	40	3.4	0.56	2.4	4.9	300	5.9	0.34	5.3	6.6
2010	61	5.2	0.70	3.9	6.9	320	6.3	0.36	5.6	7.0
2011	72	5.8	0.69	4.5	7.5	270	5.3	0.33	4.7	6.0
2012	55	4.7	0.70	3.4	6.4	309	6.1	0.35	5.4	6.8
2013	53	4.3	0.60	3.2	5.8	320	6.4	0.36	5.7	7.1
2014	63	5.3	0.72	4.0	7.0	306	6.1	0.35	5.4	6.8
2015	87	6.9	0.74	5.5	8.6	311	6.2	0.36	5.5	6.9
2016	80	6.4	0.72	5.1	8.1	333	6.6	0.37	5.9	7.4
2017	78	6.3	0.73	5.0	8.0	287	5.8	0.35	5.2	6.6
2018	99	8.1	0.82	6.6	9.9	292	6.1	0.36	5.4	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Testis											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	7,734	6.5	0.07	6.4	6.7	331	1.4	0.08	1.2	1.5	
1990	245	5.3	0.34	4.6	6.0	10	1.5	0.50	0.7	2.9	
1991	239	5.2	0.34	4.6	5.9	6	0.6	0.25	0.2	1.5	
1992	231	5.1	0.34	4.4	5.8	12	1.3	0.38	0.7	2.4	
1993	254	5.6	0.36	5.0	6.4	15	1.9	0.52	1.1	3.3	
1994	256	5.7	0.36	5.0	6.4	8	0.9	0.31	0.4	1.8	
1995	242	5.4	0.35	4.7	6.1	9	1.1	0.37	0.5	2.2	
1996	247	5.5	0.35	4.9	6.3	12	1.5	0.44	0.8	2.7	
1997	294	6.7	0.39	6.0	7.6	9	1.2	0.42	0.5	2.4	
1998	260	6.0	0.38	5.3	6.8	12	1.3	0.38	0.7	2.4	
1999	264	6.2	0.38	5.5	7.0	14	1.6	0.44	0.9	2.8	
2000	244	5.8	0.37	5.1	6.6	9	1.0	0.33	0.5	2.0	
2001	274	6.5	0.39	5.8	7.3	11	1.2	0.37	0.6	2.3	
2002	269	6.5	0.40	5.7	7.3	14	1.7	0.45	0.9	2.9	
2003	269	6.5	0.40	5.8	7.4	7	0.8	0.29	0.3	1.7	
2004	294	7.2	0.42	6.4	8.1	11	1.4	0.41	0.7	2.5	
2005	253	6.3	0.40	5.6	7.2	14	1.6	0.44	0.9	2.8	
2006	269	6.8	0.41	6.0	7.6	10	1.2	0.38	0.6	2.3	
2007	254	6.5	0.41	5.7	7.3	12	1.5	0.44	0.8	2.7	
2008	284	7.3	0.43	6.4	8.2	14	1.7	0.46	0.9	2.9	
2009	282	7.3	0.44	6.5	8.2	8	0.9	0.31	0.4	1.8	
2010	296	7.7	0.45	6.8	8.6	13	1.6	0.45	0.8	2.8	
2011	247	6.3	0.41	5.6	7.2	8	1.0	0.34	0.4	1.9	
2012	283	7.3	0.44	6.5	8.3	12	1.4	0.42	0.7	2.6	
2013	292	7.7	0.46	6.8	8.6	11	1.3	0.42	0.7	2.4	
2014	272	7.2	0.44	6.4	8.1	16	1.9	0.47	1.1	3.1	
2015	289	7.7	0.46	6.8	8.7	8	1.0	0.36	0.4	2.0	
2016	312	8.3	0.48	7.4	9.3	11	1.4	0.43	0.7	2.5	
2017	263	7.3	0.46	6.4	8.2	15	1.8	0.47	1.0	3.0	
2018	256	7.2	0.46	6.4	8.2	20	2.6	0.61	1.6	4.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Penis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	151	1.3	0.13	1.1	1.6	1,210	0.8	0.02	0.8	0.9
1990	4	3.2	2.17	0.4	9.4	34	0.8	0.14	0.6	1.1
1991	4	3.1	2.05	0.5	9.0	37	0.9	0.15	0.6	1.2
1992	2	0.8	0.56	0.1	3.5	36	0.8	0.14	0.6	1.1
1993	2	0.6	0.44	0.1	3.1	39	0.9	0.15	0.7	1.3
1994	2	0.5	0.41	0.1	2.9	47	1.0	0.15	0.8	1.4
1995	5	2.0	0.90	0.6	5.0	41	0.9	0.13	0.6	1.2
1996	5	2.2	1.05	0.7	5.4	43	0.9	0.14	0.6	1.2
1997	2	0.5	0.37	0.1	2.6	40	0.9	0.14	0.6	1.2
1998	3	1.1	0.67	0.2	3.5	43	1.0	0.15	0.7	1.3
1999	1	0.3	0.29	0.0	2.2	48	1.0	0.15	0.8	1.4
2000	5	1.2	0.58	0.4	3.3	42	0.9	0.14	0.7	1.2
2001	4	1.2	0.74	0.2	3.6	50	1.1	0.15	0.8	1.4
2002	5	1.2	0.54	0.4	3.1	32	0.7	0.12	0.4	0.9
2003	2	1.3	1.11	0.1	4.5	37	0.7	0.12	0.5	1.0
2004	6	1.1	0.46	0.4	2.7	43	0.9	0.14	0.6	1.2
2005	4	0.9	0.55	0.1	2.7	30	0.6	0.11	0.4	0.9
2006	4	0.9	0.55	0.2	2.7	51	1.0	0.14	0.7	1.3
2007	4	0.5	0.25	0.1	1.6	46	0.9	0.13	0.7	1.2
2008	4	1.4	0.82	0.3	3.7	44	0.9	0.13	0.6	1.2
2009	9	1.9	0.73	0.7	3.8	38	0.8	0.13	0.5	1.1
2010	6	1.1	0.53	0.4	2.7	52	1.0	0.13	0.7	1.3
2011	4	0.5	0.24	0.1	1.4	41	0.8	0.12	0.5	1.0
2012	7	0.9	0.35	0.3	2.0	48	0.9	0.13	0.6	1.2
2013	4	0.7	0.39	0.1	1.9	32	0.6	0.11	0.4	0.8
2014	5	1.0	0.53	0.3	2.5	45	0.8	0.12	0.6	1.1
2015	10	1.7	0.62	0.7	3.3	47	0.8	0.12	0.6	1.1
2016	8	1.2	0.47	0.5	2.5	42	0.8	0.12	0.5	1.0
2017	15	3.1	0.88	1.6	5.2	36	0.6	0.10	0.4	0.9
2018	15	1.9	0.53	1.0	3.2	46	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Penis											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	999	0.8	0.03	0.8	0.9	177	1.0	0.08	0.9	1.2	
1990	27	0.7	0.13	0.5	1.0	7	2.1	0.82	0.8	4.2	
1991	27	0.7	0.14	0.5	1.0	9	2.2	0.80	0.9	4.3	
1992	31	0.8	0.15	0.5	1.1	4	1.2	0.63	0.3	2.9	
1993	35	1.0	0.16	0.7	1.3	4	0.9	0.44	0.2	2.1	
1994	36	0.9	0.15	0.6	1.3	9	1.8	0.61	0.8	3.4	
1995	35	0.9	0.14	0.6	1.2	6	1.3	0.55	0.5	2.8	
1996	36	0.9	0.15	0.6	1.2	7	1.2	0.49	0.4	2.6	
1997	32	0.8	0.15	0.6	1.2	7	1.2	0.49	0.5	2.6	
1998	38	1.0	0.16	0.7	1.4	4	0.8	0.46	0.2	2.1	
1999	38	1.0	0.15	0.7	1.3	5	0.8	0.37	0.3	1.9	
2000	35	0.9	0.15	0.6	1.2	6	1.1	0.47	0.4	2.4	
2001	43	1.1	0.16	0.8	1.4	5	1.0	0.44	0.3	2.2	
2002	26	0.6	0.12	0.4	0.9	5	0.8	0.36	0.3	1.8	
2003	30	0.7	0.13	0.5	1.0	7	1.0	0.38	0.4	2.1	
2004	37	0.9	0.15	0.6	1.2	5	0.8	0.36	0.2	1.9	
2005	22	0.5	0.11	0.3	0.8	7	1.3	0.54	0.5	2.8	
2006	43	1.0	0.15	0.7	1.4	5	0.7	0.34	0.2	1.7	
2007	36	0.9	0.14	0.6	1.2	8	1.0	0.37	0.4	2.1	
2008	36	0.8	0.14	0.6	1.2	7	1.0	0.39	0.4	2.1	
2009	34	0.8	0.14	0.6	1.1	4	0.7	0.35	0.2	1.7	
2010	43	0.9	0.14	0.7	1.3	8	1.2	0.46	0.5	2.5	
2011	36	0.8	0.14	0.6	1.2	5	0.6	0.26	0.2	1.4	
2012	40	0.9	0.14	0.6	1.2	6	1.0	0.42	0.3	2.1	
2013	24	0.5	0.11	0.3	0.8	8	1.2	0.44	0.5	2.4	
2014	37	0.7	0.12	0.5	1.0	7	1.4	0.53	0.6	2.8	
2015	39	0.8	0.13	0.6	1.1	8	1.0	0.35	0.4	2.0	
2016	36	0.8	0.13	0.5	1.1	3	0.5	0.27	0.1	1.3	
2017	30	0.6	0.12	0.4	0.9	3	0.4	0.22	0.1	1.1	
2018	37	0.8	0.13	0.5	1.1	8	1.1	0.42	0.5	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,044	27.8	0.40	27.1	28.6	134,516	38.5	0.11	38.3	38.7
1990	72	22.8	3.04	17.3	29.4	3,272	31.1	0.55	30.0	32.2
1991	81	22.7	2.86	17.4	28.9	3,331	31.3	0.55	30.2	32.4
1992	76	20.5	2.63	15.7	26.2	3,475	32.1	0.55	31.1	33.2
1993	74	19.3	2.49	14.7	24.7	3,603	32.9	0.55	31.9	34.0
1994	106	27.7	3.02	22.1	34.1	3,708	33.7	0.56	32.6	34.8
1995	100	23.9	2.82	18.7	30.0	3,721	33.6	0.55	32.5	34.7
1996	98	23.9	2.79	18.7	29.8	3,972	35.8	0.57	34.7	36.9
1997	142	35.6	3.53	29.1	43.1	4,051	36.2	0.57	35.1	37.4
1998	141	28.7	2.81	23.5	34.6	4,013	35.6	0.56	34.5	36.7
1999	139	28.7	2.84	23.4	34.7	4,137	36.4	0.57	35.3	37.5
2000	141	24.4	2.35	20.0	29.4	4,361	38.2	0.58	37.1	39.3
2001	159	27.3	2.51	22.6	32.6	4,358	38.0	0.58	36.9	39.1
2002	153	25.7	2.37	21.3	30.7	4,688	40.5	0.59	39.3	41.7
2003	191	28.9	2.39	24.4	33.8	4,790	41.1	0.59	39.9	42.2
2004	164	23.7	2.12	19.7	28.1	4,865	41.3	0.59	40.2	42.5
2005	205	29.4	2.35	25.0	34.3	4,944	41.7	0.60	40.6	42.9
2006	193	26.0	2.16	22.0	30.5	4,938	41.4	0.59	40.3	42.6
2007	232	27.8	2.04	24.0	32.0	5,003	41.4	0.59	40.3	42.6
2008	235	27.8	2.06	23.9	32.1	5,236	42.8	0.60	41.6	44.0
2009	260	30.4	2.12	26.3	34.7	5,330	43.0	0.60	41.9	44.2
2010	262	26.9	1.88	23.3	30.8	5,078	40.3	0.57	39.2	41.5
2011	311	31.4	1.99	27.7	35.5	5,200	40.5	0.57	39.4	41.7
2012	310	29.1	1.83	25.6	32.9	5,234	40.4	0.57	39.2	41.5
2013	323	28.6	1.75	25.3	32.3	5,492	41.7	0.57	40.6	42.9
2014	363	32.6	1.87	29.0	36.4	5,533	41.3	0.57	40.2	42.5
2015	367	29.8	1.69	26.6	33.3	5,689	42.0	0.57	40.9	43.2
2016	363	28.2	1.60	25.1	31.5	5,599	41.1	0.56	40.0	42.3
2017	395	29.3	1.59	26.2	32.5	5,561	40.3	0.55	39.2	41.4
2018	388	27.0	1.47	24.2	30.0	5,334	38.4	0.54	37.3	39.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary System											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	118,935	40.4	0.12	40.2	40.6	12,905	29.5	0.26	29.0	30.0	
1990	3,027	32.8	0.60	31.6	34.0	221	19.1	1.32	16.6	21.8	
1991	3,085	33.0	0.60	31.9	34.2	219	19.3	1.34	16.8	22.1	
1992	3,189	33.7	0.60	32.6	34.9	251	21.7	1.41	19.0	24.6	
1993	3,264	34.2	0.60	33.1	35.4	300	23.5	1.40	20.8	26.4	
1994	3,371	35.2	0.61	34.1	36.5	295	23.8	1.42	21.1	26.7	
1995	3,398	35.4	0.61	34.2	36.6	290	22.7	1.37	20.1	25.5	
1996	3,590	37.5	0.63	36.3	38.7	330	25.7	1.45	22.9	28.6	
1997	3,648	37.8	0.63	36.6	39.1	330	25.2	1.42	22.4	28.1	
1998	3,617	37.3	0.62	36.1	38.5	336	25.0	1.39	22.4	27.9	
1999	3,721	38.2	0.63	37.0	39.5	353	26.7	1.45	23.9	29.7	
2000	3,890	39.9	0.64	38.6	41.1	406	29.4	1.49	26.5	32.4	
2001	3,898	39.9	0.64	38.7	41.2	396	28.5	1.46	25.7	31.5	
2002	4,185	42.6	0.66	41.3	43.9	428	30.6	1.51	27.7	33.7	
2003	4,275	43.3	0.66	42.0	44.6	435	29.3	1.43	26.6	32.2	
2004	4,360	43.8	0.67	42.5	45.2	420	28.2	1.40	25.5	31.1	
2005	4,365	43.8	0.67	42.5	45.2	456	30.3	1.45	27.5	33.2	
2006	4,346	43.5	0.67	42.2	44.8	485	31.7	1.47	28.9	34.7	
2007	4,363	43.1	0.66	41.9	44.5	534	34.5	1.52	31.6	37.6	
2008	4,561	44.6	0.67	43.3	45.9	578	36.2	1.54	33.2	39.3	
2009	4,656	45.2	0.67	43.9	46.5	568	35.1	1.51	32.2	38.2	
2010	4,433	42.5	0.65	41.2	43.8	514	31.0	1.40	28.3	33.9	
2011	4,527	42.7	0.65	41.5	44.0	537	31.4	1.39	28.8	34.3	
2012	4,566	42.7	0.65	41.4	44.0	545	31.6	1.39	29.0	34.4	
2013	4,763	44.1	0.65	42.8	45.4	595	33.8	1.42	31.0	36.7	
2014	4,739	43.3	0.65	42.0	44.6	646	35.7	1.44	32.9	38.6	
2015	4,887	44.3	0.65	43.0	45.6	635	34.3	1.39	31.6	37.1	
2016	4,824	43.6	0.65	42.3	44.9	633	34.4	1.40	31.7	37.3	
2017	4,817	43.1	0.64	41.8	44.3	591	30.7	1.30	28.3	33.4	
2018	4,570	40.8	0.62	39.6	42.0	578	30.0	1.28	27.5	32.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,944	40.0	0.74	38.6	41.5	92,173	62.1	0.21	61.7	62.5
1990	42	32.3	5.85	21.8	45.3	2,260	52.9	1.15	50.7	55.2
1991	57	34.8	5.58	24.8	47.2	2,297	52.7	1.13	50.5	54.9
1992	52	32.2	5.25	22.7	43.8	2,365	53.7	1.13	51.5	55.9
1993	50	28.4	4.75	19.8	39.0	2,458	54.7	1.13	52.5	57.0
1994	69	39.3	5.63	29.0	51.6	2,480	55.1	1.13	52.9	57.4
1995	67	35.9	5.53	25.9	48.0	2,521	55.5	1.13	53.3	57.8
1996	59	33.0	5.35	23.3	44.7	2,695	58.6	1.15	56.4	60.9
1997	99	58.2	7.36	44.7	73.9	2,715	58.3	1.14	56.1	60.6
1998	99	46.8	5.81	36.2	59.3	2,719	58.1	1.13	56.0	60.4
1999	77	32.3	4.52	24.1	42.2	2,800	59.4	1.14	57.2	61.7
2000	93	36.9	4.51	28.6	46.6	2,942	61.7	1.15	59.5	64.0
2001	102	38.5	4.61	30.0	48.4	2,970	61.6	1.14	59.4	63.9
2002	98	35.6	4.24	27.8	44.7	3,245	67.1	1.19	64.8	69.5
2003	121	40.4	4.39	32.2	49.7	3,277	66.8	1.18	64.5	69.2
2004	114	38.0	4.24	30.1	47.0	3,317	66.7	1.17	64.4	69.1
2005	139	43.9	4.50	35.5	53.3	3,359	66.6	1.16	64.3	68.9
2006	116	34.0	3.77	27.0	42.0	3,329	65.4	1.15	63.2	67.7
2007	145	39.0	3.74	32.0	46.9	3,398	65.8	1.15	63.6	68.1
2008	151	39.2	3.84	32.1	47.3	3,594	68.3	1.16	66.1	70.7
2009	175	46.3	4.05	38.7	54.8	3,630	67.8	1.14	65.5	70.0
2010	171	37.3	3.33	31.0	44.3	3,498	64.2	1.11	62.1	66.4
2011	193	44.2	3.71	37.3	52.0	3,581	64.1	1.09	62.0	66.3
2012	196	40.6	3.34	34.3	47.6	3,597	63.2	1.08	61.1	65.4
2013	194	36.3	2.98	30.7	42.6	3,845	66.5	1.10	64.4	68.7
2014	237	46.6	3.43	40.1	53.7	3,858	65.6	1.08	63.5	67.7
2015	243	42.4	3.06	36.6	48.8	3,972	66.2	1.08	64.1	68.4
2016	258	43.6	3.04	37.8	49.9	3,909	65.1	1.07	63.0	67.2
2017	274	43.2	2.92	37.6	49.2	3,890	63.2	1.04	61.2	65.3
2018	253	37.8	2.62	32.8	43.2	3,652	59.1	1.00	57.2	61.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	82,466	65.3	0.23	64.8	65.7	7,818	43.8	0.52	42.8	44.8
1990	2,121	56.3	1.26	53.8	58.8	123	26.0	2.53	21.3	31.4
1991	2,153	56.1	1.24	53.7	58.6	128	27.6	2.60	22.8	33.1
1992	2,187	56.4	1.24	54.0	58.9	153	33.6	2.91	28.1	39.7
1993	2,260	57.6	1.24	55.2	60.0	174	33.2	2.67	28.2	38.8
1994	2,285	58.0	1.24	55.6	60.5	161	32.3	2.72	27.2	38.0
1995	2,329	58.8	1.24	56.4	61.3	169	32.6	2.65	27.6	38.2
1996	2,472	61.9	1.26	59.4	64.4	188	35.0	2.69	29.9	40.6
1997	2,474	61.3	1.24	58.8	63.7	194	36.5	2.80	31.2	42.4
1998	2,485	61.4	1.24	59.0	63.9	194	35.2	2.67	30.2	40.8
1999	2,542	62.4	1.25	60.0	64.9	213	39.3	2.87	33.9	45.3
2000	2,656	64.7	1.26	62.2	67.2	234	42.2	2.93	36.7	48.3
2001	2,699	65.1	1.26	62.7	67.7	225	40.0	2.83	34.6	45.9
2002	2,942	70.9	1.32	68.3	73.5	254	46.3	3.10	40.4	52.7
2003	2,942	70.2	1.30	67.7	72.8	281	46.5	2.93	40.9	52.6
2004	3,001	70.7	1.30	68.2	73.3	257	43.1	2.86	37.6	49.0
2005	3,005	70.1	1.29	67.6	72.6	271	45.1	2.92	39.6	51.1
2006	2,967	68.8	1.27	66.3	71.3	285	47.1	2.97	41.5	53.3
2007	2,997	68.6	1.27	66.1	71.1	325	51.8	3.03	46.0	58.0
2008	3,185	71.7	1.29	69.2	74.3	337	51.1	2.92	45.6	57.2
2009	3,210	71.2	1.28	68.7	73.7	342	51.5	2.95	45.9	57.5
2010	3,087	67.5	1.24	65.1	70.0	322	46.8	2.74	41.6	52.5
2011	3,175	67.8	1.23	65.4	70.2	319	45.0	2.66	40.0	50.5
2012	3,188	67.2	1.21	64.8	69.6	328	46.1	2.68	41.0	51.7
2013	3,359	69.8	1.23	67.4	72.2	380	52.4	2.81	47.0	58.2
2014	3,322	68.1	1.21	65.8	70.5	423	56.6	2.88	51.1	62.5
2015	3,423	69.1	1.21	66.7	71.5	424	54.8	2.79	49.5	60.6
2016	3,423	69.1	1.21	66.7	71.5	385	50.5	2.69	45.4	56.1
2017	3,411	67.2	1.18	64.9	69.6	374	47.4	2.55	42.5	52.7
2018	3,166	62.6	1.14	60.4	64.9	355	44.2	2.44	39.5	49.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,100	17.8	0.42	17.0	18.7	42,343	21.4	0.11	21.2	21.6
1990	30	16.2	3.29	10.4	23.8	1,012	16.6	0.53	15.6	17.7
1991	24	12.9	2.88	7.8	19.6	1,034	16.6	0.52	15.6	17.6
1992	24	11.4	2.54	7.0	17.4	1,110	17.6	0.54	16.6	18.7
1993	24	12.0	2.61	7.5	18.1	1,145	18.0	0.54	17.0	19.1
1994	37	18.3	3.25	12.5	25.6	1,228	19.0	0.55	18.0	20.2
1995	33	14.7	2.90	9.5	21.2	1,200	18.6	0.54	17.5	19.7
1996	39	17.3	3.06	11.8	24.1	1,277	19.9	0.56	18.8	21.0
1997	43	19.4	3.35	13.4	26.8	1,336	20.6	0.57	19.5	21.8
1998	42	14.8	2.53	10.3	20.5	1,294	20.0	0.56	18.9	21.1
1999	62	25.2	3.59	18.6	33.0	1,337	20.4	0.56	19.3	21.5
2000	48	14.1	2.30	10.0	19.3	1,419	21.6	0.58	20.5	22.8
2001	57	18.1	2.71	13.1	24.0	1,388	21.1	0.57	20.0	22.2
2002	55	17.3	2.58	12.7	23.0	1,443	21.7	0.58	20.6	22.8
2003	70	19.4	2.58	14.6	25.0	1,513	22.9	0.59	21.7	24.1
2004	50	12.0	1.90	8.6	16.3	1,548	23.1	0.59	22.0	24.3
2005	66	17.8	2.42	13.4	23.1	1,585	23.6	0.60	22.4	24.8
2006	77	19.4	2.48	14.9	24.8	1,609	23.8	0.60	22.7	25.1
2007	87	18.7	2.17	14.7	23.4	1,605	23.6	0.60	22.4	24.8
2008	84	18.7	2.22	14.6	23.5	1,642	23.8	0.60	22.7	25.0
2009	85	17.5	2.09	13.6	22.0	1,700	24.6	0.61	23.4	25.8
2010	91	17.8	2.07	14.0	22.3	1,580	22.4	0.58	21.3	23.6
2011	118	21.4	2.14	17.4	26.0	1,619	22.8	0.58	21.6	23.9
2012	114	19.7	1.98	16.0	23.9	1,637	22.8	0.58	21.7	23.9
2013	129	22.0	2.08	18.1	26.4	1,647	22.6	0.57	21.5	23.8
2014	126	21.0	1.99	17.3	25.3	1,675	22.6	0.57	21.5	23.7
2015	124	18.8	1.80	15.5	22.7	1,717	23.2	0.58	22.0	24.3
2016	105	15.1	1.55	12.2	18.4	1,690	22.5	0.57	21.4	23.6
2017	121	17.1	1.64	14.0	20.6	1,671	22.4	0.57	21.3	23.5
2018	135	17.8	1.60	14.8	21.2	1,682	22.1	0.56	21.0	23.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	36,469	22.0	0.12	21.8	22.3	5,087	19.9	0.28	19.4	20.5
1990	906	17.1	0.58	16.0	18.3	98	14.4	1.48	11.7	17.6
1991	932	17.0	0.57	15.9	18.2	91	13.7	1.46	11.0	16.8
1992	1,002	18.3	0.59	17.2	19.5	98	14.2	1.45	11.5	17.3
1993	1,004	18.1	0.58	17.0	19.3	126	16.9	1.54	14.1	20.2
1994	1,086	19.4	0.60	18.3	20.6	134	18.2	1.59	15.2	21.5
1995	1,069	19.2	0.60	18.0	20.4	121	15.9	1.47	13.2	19.0
1996	1,118	20.2	0.62	19.1	21.5	142	18.8	1.60	15.8	22.2
1997	1,174	21.1	0.63	19.9	22.4	136	17.5	1.52	14.7	20.8
1998	1,132	20.5	0.62	19.3	21.7	142	18.0	1.53	15.2	21.3
1999	1,179	21.3	0.63	20.0	22.5	140	18.2	1.55	15.3	21.4
2000	1,234	22.2	0.64	20.9	23.5	172	21.0	1.62	18.0	24.4
2001	1,199	21.6	0.63	20.3	22.8	171	20.8	1.60	17.8	24.2
2002	1,243	22.1	0.64	20.8	23.4	174	20.8	1.59	17.8	24.1
2003	1,333	24.0	0.67	22.7	25.3	154	17.8	1.45	15.1	20.9
2004	1,359	24.2	0.67	22.9	25.5	163	18.6	1.47	15.8	21.7
2005	1,360	24.3	0.67	23.0	25.7	185	20.8	1.54	17.9	24.0
2006	1,379	24.5	0.67	23.2	25.9	200	22.1	1.58	19.1	25.4
2007	1,366	24.2	0.67	22.9	25.6	209	23.1	1.61	20.0	26.4
2008	1,376	24.1	0.67	22.8	25.4	241	25.8	1.68	22.7	29.4
2009	1,446	25.4	0.69	24.0	26.8	226	24.1	1.62	21.0	27.5
2010	1,346	23.3	0.65	22.0	24.6	192	20.0	1.46	17.2	23.0
2011	1,352	23.3	0.65	22.1	24.7	218	21.9	1.51	19.1	25.1
2012	1,378	23.4	0.65	22.1	24.7	217	21.9	1.51	19.0	25.1
2013	1,404	23.8	0.66	22.5	25.1	215	21.1	1.46	18.3	24.1
2014	1,417	23.7	0.65	22.4	25.0	223	21.1	1.44	18.4	24.1
2015	1,464	24.5	0.67	23.2	25.8	211	19.9	1.40	17.3	22.9
2016	1,401	23.2	0.65	21.9	24.5	248	23.3	1.51	20.4	26.4
2017	1,406	23.7	0.66	22.4	25.0	217	19.4	1.34	16.8	22.2
2018	1,404	23.3	0.65	22.0	24.6	223	20.0	1.36	17.4	22.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary Bladder (incl in situ)											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,179	12.0	0.28	11.5	12.6	78,118	22.3	0.08	22.1	22.4	
1990	36	13.0	2.38	8.8	18.3	2,165	20.4	0.44	19.6	21.3	
1991	45	13.9	2.33	9.7	19.0	2,119	19.8	0.43	19.0	20.7	
1992	38	10.2	1.80	7.0	14.2	2,213	20.4	0.44	19.5	21.2	
1993	39	10.8	1.91	7.4	15.1	2,345	21.4	0.44	20.5	22.3	
1994	51	14.5	2.27	10.4	19.5	2,366	21.4	0.44	20.6	22.3	
1995	41	10.8	1.98	7.3	15.2	2,310	20.8	0.43	19.9	21.6	
1996	42	11.2	1.94	7.7	15.5	2,557	22.9	0.45	22.0	23.8	
1997	65	19.9	2.78	14.8	25.8	2,519	22.4	0.45	21.5	23.3	
1998	64	14.7	2.11	10.9	19.3	2,503	22.1	0.44	21.2	23.0	
1999	64	14.7	2.11	10.9	19.3	2,593	22.7	0.45	21.9	23.6	
2000	59	10.9	1.60	8.0	14.5	2,704	23.6	0.45	22.7	24.5	
2001	73	15.5	2.05	11.8	19.9	2,617	22.7	0.44	21.9	23.6	
2002	68	13.8	1.88	10.4	17.9	2,807	24.2	0.46	23.3	25.1	
2003	80	13.4	1.69	10.3	17.0	2,839	24.3	0.46	23.4	25.2	
2004	66	11.7	1.61	8.7	15.1	2,809	23.8	0.45	22.9	24.7	
2005	81	13.6	1.68	10.5	17.2	2,897	24.4	0.45	23.5	25.3	
2006	60	10.1	1.45	7.5	13.3	2,717	22.7	0.44	21.9	23.6	
2007	80	11.2	1.39	8.7	14.2	2,780	23.0	0.44	22.1	23.8	
2008	73	11.1	1.44	8.5	14.2	2,942	24.0	0.45	23.1	24.9	
2009	88	12.3	1.43	9.7	15.4	2,971	23.9	0.44	23.0	24.7	
2010	91	11.7	1.35	9.2	14.6	2,829	22.4	0.43	21.5	23.2	
2011	96	12.3	1.36	9.8	15.2	2,857	22.2	0.42	21.4	23.1	
2012	102	12.3	1.32	9.9	15.1	2,811	21.6	0.41	20.8	22.4	
2013	99	10.0	1.08	8.0	12.3	3,056	23.1	0.42	22.3	23.9	
2014	125	13.8	1.31	11.3	16.5	2,947	21.8	0.41	21.0	22.7	
2015	123	12.2	1.18	10.0	14.7	3,084	22.5	0.41	21.7	23.3	
2016	103	10.2	1.06	8.2	12.4	2,997	21.7	0.40	20.9	22.5	
2017	112	9.7	0.98	7.9	11.8	2,983	21.2	0.39	20.4	22.0	
2018	115	9.3	0.93	7.6	11.3	2,781	19.6	0.38	18.8	20.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary Bladder (incl in situ)										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	71,553	24.0	0.09	23.8	24.2	5,092	12.3	0.18	12.0	12.7
1990	2,043	21.9	0.49	21.0	22.9	107	9.7	0.97	7.9	11.8
1991	1,994	21.2	0.48	20.3	22.2	109	10.1	0.99	8.3	12.2
1992	2,066	21.7	0.48	20.7	22.6	125	11.3	1.04	9.4	13.5
1993	2,189	22.8	0.49	21.9	23.8	139	11.7	1.02	9.8	13.8
1994	2,203	22.8	0.49	21.9	23.8	140	11.9	1.03	10.0	14.1
1995	2,152	22.2	0.48	21.3	23.2	135	11.1	0.98	9.3	13.2
1996	2,367	24.4	0.50	23.5	25.5	154	12.9	1.06	10.9	15.1
1997	2,328	23.9	0.50	22.9	24.9	148	12.3	1.04	10.4	14.5
1998	2,310	23.6	0.49	22.7	24.6	155	12.1	0.99	10.3	14.2
1999	2,394	24.4	0.50	23.4	25.4	160	13.0	1.05	11.0	15.2
2000	2,496	25.4	0.51	24.4	26.4	174	13.2	1.02	11.3	15.4
2001	2,419	24.6	0.50	23.6	25.6	162	12.5	1.00	10.6	14.6
2002	2,591	26.1	0.51	25.1	27.1	176	13.5	1.04	11.6	15.7
2003	2,635	26.4	0.52	25.4	27.5	155	11.2	0.91	9.5	13.1
2004	2,585	25.8	0.51	24.8	26.8	163	11.5	0.92	9.8	13.5
2005	2,647	26.3	0.51	25.3	27.3	178	12.5	0.96	10.7	14.5
2006	2,484	24.6	0.50	23.7	25.6	175	12.5	0.96	10.7	14.5
2007	2,523	24.7	0.50	23.7	25.7	194	13.2	0.96	11.3	15.2
2008	2,651	25.7	0.50	24.7	26.7	236	15.7	1.04	13.7	17.9
2009	2,686	25.7	0.50	24.7	26.7	228	14.9	1.01	13.0	17.0
2010	2,576	24.3	0.49	23.4	25.3	188	12.1	0.90	10.4	14.0
2011	2,597	24.2	0.48	23.3	25.2	195	12.1	0.88	10.4	13.9
2012	2,569	23.7	0.48	22.8	24.7	186	11.5	0.86	9.9	13.3
2013	2,745	25.0	0.49	24.1	26.0	240	14.3	0.94	12.5	16.3
2014	2,632	23.7	0.47	22.8	24.6	239	13.5	0.89	11.8	15.3
2015	2,788	24.6	0.48	23.7	25.6	211	11.9	0.84	10.4	13.7
2016	2,695	23.8	0.47	22.9	24.8	225	12.4	0.85	10.8	14.2
2017	2,708	23.4	0.46	22.6	24.4	196	10.5	0.77	9.1	12.1
2018	2,480	21.3	0.44	20.5	22.2	199	10.6	0.77	9.1	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary Bladder (incl in situ)										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,559	19.3	0.55	18.2	20.4	57,734	39.7	0.17	39.3	40.0
1990	27	22.2	4.85	13.7	33.3	1,605	38.0	0.98	36.1	39.9
1991	34	23.8	4.92	15.1	34.9	1,553	36.2	0.95	34.3	38.1
1992	31	18.3	3.71	11.8	26.9	1,614	37.2	0.95	35.4	39.1
1993	26	16.1	3.65	9.7	24.5	1,716	38.7	0.96	36.9	40.6
1994	34	21.0	4.29	13.5	30.7	1,672	37.6	0.94	35.8	39.5
1995	30	17.0	3.92	10.2	26.0	1,693	37.8	0.94	36.0	39.7
1996	28	16.3	3.79	9.7	25.0	1,845	40.7	0.97	38.9	42.7
1997	49	35.5	6.04	24.6	48.7	1,826	39.8	0.94	38.0	41.7
1998	47	25.3	4.38	17.5	35.0	1,834	39.7	0.94	37.9	41.6
1999	39	18.6	3.58	12.2	26.6	1,889	40.6	0.95	38.8	42.5
2000	42	18.7	3.41	12.6	26.4	1,958	41.7	0.95	39.9	43.7
2001	50	24.3	4.01	17.1	33.2	1,927	40.7	0.94	38.9	42.6
2002	50	22.8	3.66	16.2	30.9	2,087	44.1	0.98	42.2	46.0
2003	56	20.8	3.32	14.8	28.0	2,058	42.8	0.95	41.0	44.7
2004	51	20.7	3.34	14.7	28.0	2,097	43.1	0.95	41.2	45.0
2005	60	23.3	3.55	16.8	31.0	2,121	42.8	0.94	41.0	44.7
2006	39	15.3	2.80	10.3	21.5	1,974	39.8	0.91	38.0	41.6
2007	58	18.5	2.75	13.5	24.5	2,055	40.7	0.91	39.0	42.6
2008	53	18.8	2.98	13.4	25.3	2,180	42.6	0.92	40.8	44.4
2009	63	20.8	2.89	15.5	27.0	2,241	42.8	0.92	41.0	44.7
2010	63	17.8	2.53	13.2	23.3	2,136	40.1	0.88	38.4	41.9
2011	67	19.8	2.65	14.9	25.5	2,121	38.9	0.86	37.3	40.7
2012	73	20.2	2.61	15.4	25.8	2,098	37.8	0.84	36.2	39.5
2013	63	13.0	1.84	9.7	17.1	2,321	40.9	0.87	39.3	42.7
2014	91	22.4	2.57	17.7	27.9	2,219	38.4	0.83	36.7	40.0
2015	86	18.6	2.21	14.5	23.3	2,298	38.8	0.83	37.2	40.5
2016	82	18.3	2.17	14.3	23.0	2,239	37.8	0.82	36.2	39.4
2017	86	16.4	1.96	12.8	20.6	2,283	37.5	0.80	36.0	39.1
2018	81	14.7	1.77	11.4	18.5	2,074	33.7	0.76	32.3	35.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary Bladder (incl in situ)										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	53,430	42.8	0.19	42.4	43.2	3,197	19.6	0.37	18.9	20.3
1990	1,537	41.0	1.08	38.9	43.2	57	13.0	1.87	9.6	17.1
1991	1,480	39.0	1.04	37.0	41.1	62	14.4	1.93	10.8	18.6
1992	1,521	39.7	1.04	37.6	41.8	74	17.4	2.18	13.4	22.1
1993	1,619	41.6	1.06	39.5	43.7	87	17.9	2.03	14.2	22.3
1994	1,575	40.3	1.04	38.3	42.4	79	17.1	2.05	13.3	21.5
1995	1,598	40.8	1.04	38.8	42.9	79	16.3	1.93	12.7	20.4
1996	1,739	44.0	1.07	41.9	46.1	81	16.1	1.89	12.6	20.2
1997	1,704	42.5	1.04	40.5	44.6	91	19.6	2.19	15.5	24.3
1998	1,706	42.4	1.04	40.4	44.5	101	19.1	2.01	15.4	23.4
1999	1,762	43.6	1.05	41.5	45.7	95	20.0	2.19	16.0	24.7
2000	1,823	44.8	1.06	42.8	47.0	107	20.8	2.14	16.9	25.4
2001	1,808	44.1	1.04	42.1	46.2	92	18.2	2.01	14.4	22.4
2002	1,963	47.9	1.09	45.8	50.1	97	20.0	2.15	16.0	24.5
2003	1,919	46.4	1.07	44.3	48.5	104	18.8	1.96	15.1	23.0
2004	1,946	46.5	1.06	44.5	48.6	107	19.2	1.99	15.5	23.5
2005	1,968	46.4	1.06	44.4	48.5	106	19.4	2.00	15.6	23.6
2006	1,820	42.8	1.01	40.9	44.8	110	21.1	2.13	17.2	25.6
2007	1,884	43.8	1.02	41.8	45.8	123	21.1	2.03	17.3	25.4
2008	1,997	45.7	1.03	43.7	47.8	142	23.4	2.07	19.6	27.8
2009	2,050	46.0	1.03	44.0	48.1	149	24.7	2.15	20.7	29.2
2010	1,959	43.4	1.00	41.5	45.4	125	19.8	1.86	16.4	23.8
2011	1,951	42.3	0.97	40.4	44.3	123	19.5	1.86	16.0	23.5
2012	1,947	41.6	0.96	39.8	43.6	110	16.9	1.69	13.7	20.5
2013	2,100	44.1	0.98	42.2	46.0	161	24.6	2.03	20.8	28.9
2014	1,994	41.3	0.94	39.4	43.1	163	22.7	1.87	19.2	26.6
2015	2,081	42.0	0.94	40.2	43.9	148	21.1	1.82	17.7	25.0
2016	2,031	41.2	0.93	39.4	43.1	156	21.7	1.82	18.3	25.5
2017	2,083	41.1	0.92	39.3	43.0	140	19.3	1.70	16.1	22.9
2018	1,865	36.6	0.86	34.9	38.3	128	17.0	1.56	14.1	20.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary Bladder (incl in situ)										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	620	6.2	0.27	5.7	6.7	20,384	10.0	0.07	9.9	10.2
1990	9	6.2	2.23	2.6	11.8	560	9.0	0.39	8.3	9.8
1991	11	6.5	2.06	3.1	11.6	566	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	7.1	599	9.3	0.38	8.6	10.1
1993	13	6.7	1.99	3.4	11.6	629	9.7	0.39	9.0	10.5
1994	17	9.3	2.43	5.2	15.0	694	10.6	0.40	9.8	11.4
1995	11	5.9	1.98	2.7	10.8	617	9.3	0.38	8.6	10.1
1996	14	7.4	2.07	3.9	12.3	712	10.7	0.41	10.0	11.6
1997	16	9.0	2.41	4.9	14.6	693	10.5	0.40	9.7	11.3
1998	17	6.5	1.80	3.5	10.9	669	10.1	0.39	9.3	10.9
1999	25	11.4	2.51	7.0	17.1	704	10.5	0.40	9.7	11.3
2000	17	4.9	1.23	2.7	7.9	746	11.1	0.41	10.3	12.0
2001	23	8.6	2.00	5.1	13.2	690	10.2	0.39	9.4	11.0
2002	18	6.5	1.72	3.6	10.5	720	10.5	0.40	9.7	11.3
2003	24	7.5	1.66	4.6	11.3	781	11.5	0.42	10.7	12.4
2004	15	4.5	1.29	2.3	7.6	712	10.3	0.39	9.6	11.1
2005	21	6.3	1.45	3.8	9.7	776	11.2	0.41	10.5	12.1
2006	21	6.2	1.49	3.6	9.7	743	10.8	0.40	10.0	11.6
2007	22	5.4	1.25	3.2	8.3	725	10.3	0.39	9.6	11.1
2008	20	5.4	1.28	3.2	8.4	762	10.8	0.40	10.0	11.6
2009	25	5.8	1.26	3.6	8.7	730	10.2	0.38	9.5	11.0
2010	28	6.6	1.37	4.2	9.7	693	9.4	0.36	8.7	10.1
2011	29	6.6	1.30	4.3	9.5	736	10.1	0.38	9.4	10.9
2012	29	6.2	1.22	4.1	9.0	713	9.6	0.37	8.9	10.4
2013	36	7.3	1.27	5.0	10.1	735	9.7	0.37	9.0	10.5
2014	34	6.9	1.23	4.7	9.6	728	9.5	0.36	8.9	10.3
2015	37	6.9	1.18	4.8	9.5	786	10.1	0.37	9.4	10.9
2016	21	3.8	0.85	2.3	5.8	758	9.6	0.36	8.9	10.3
2017	26	4.3	0.86	2.7	6.3	700	8.9	0.34	8.2	9.6
2018	34	5.1	0.92	3.4	7.1	707	8.9	0.34	8.2	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urinary Bladder (incl in situ)										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,123	10.6	0.08	10.4	10.7	1,895	7.7	0.18	7.3	8.0
1990	506	9.3	0.42	8.5	10.2	50	7.6	1.09	5.6	10.1
1991	514	9.2	0.41	8.4	10.0	47	7.4	1.09	5.4	9.8
1992	545	9.7	0.42	8.9	10.6	51	7.7	1.09	5.7	10.1
1993	570	10.1	0.43	9.2	11.0	52	7.4	1.05	5.5	9.8
1994	628	11.0	0.44	10.1	11.9	61	8.6	1.12	6.6	11.1
1995	554	9.7	0.42	8.9	10.5	56	7.6	1.03	5.7	9.9
1996	628	11.0	0.45	10.1	11.9	73	10.3	1.21	8.0	12.9
1997	624	10.9	0.45	10.1	11.9	57	7.8	1.04	5.9	10.1
1998	604	10.7	0.44	9.8	11.6	54	7.3	1.00	5.5	9.5
1999	632	11.0	0.44	10.1	11.9	65	8.7	1.09	6.7	11.1
2000	673	11.8	0.46	10.9	12.7	67	8.5	1.05	6.6	10.8
2001	611	10.7	0.44	9.8	11.6	70	8.9	1.07	6.9	11.2
2002	628	10.7	0.44	9.9	11.6	79	9.8	1.11	7.8	12.3
2003	716	12.5	0.48	11.6	13.5	51	6.3	0.89	4.7	8.3
2004	639	11.0	0.44	10.1	11.9	56	6.7	0.90	5.0	8.6
2005	679	11.7	0.46	10.8	12.6	72	8.4	1.00	6.6	10.6
2006	664	11.5	0.46	10.6	12.4	65	7.5	0.94	5.8	9.6
2007	639	10.8	0.44	10.0	11.7	71	8.2	0.98	6.4	10.3
2008	654	11.0	0.44	10.2	11.9	94	10.6	1.10	8.6	13.0
2009	636	10.7	0.43	9.8	11.6	79	8.8	1.00	6.9	10.9
2010	617	10.1	0.42	9.3	10.9	63	6.9	0.87	5.3	8.8
2011	646	10.8	0.43	9.9	11.7	72	7.5	0.89	5.8	9.4
2012	622	10.1	0.41	9.3	10.9	76	8.1	0.94	6.4	10.1
2013	645	10.4	0.42	9.6	11.3	79	7.9	0.90	6.2	9.8
2014	638	10.3	0.42	9.5	11.2	76	7.3	0.85	5.8	9.2
2015	707	11.1	0.43	10.3	12.0	63	6.1	0.78	4.7	7.8
2016	664	10.3	0.42	9.5	11.2	69	6.4	0.78	4.9	8.1
2017	625	9.8	0.40	9.0	10.6	56	4.9	0.67	3.7	6.4
2018	615	9.6	0.40	8.8	10.4	71	6.4	0.78	5.0	8.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kidney and Renal Pelvis											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,753	15.2	0.28	14.7	15.8	53,157	15.3	0.07	15.2	15.5	
1990	35	9.3	1.80	6.1	13.4	1,004	9.7	0.31	9.1	10.3	
1991	32	7.1	1.35	4.7	10.2	1,106	10.5	0.32	9.8	11.1	
1992	36	9.2	1.73	6.1	13.1	1,172	10.9	0.32	10.3	11.6	
1993	31	7.6	1.52	4.9	11.1	1,168	10.7	0.32	10.1	11.4	
1994	52	12.4	1.94	8.9	16.7	1,237	11.3	0.32	10.7	12.0	
1995	59	13.1	2.01	9.5	17.6	1,313	11.9	0.33	11.3	12.6	
1996	53	11.3	1.82	8.0	15.3	1,334	12.2	0.33	11.5	12.8	
1997	74	14.9	2.10	11.1	19.5	1,435	13.0	0.34	12.3	13.7	
1998	70	12.5	1.74	9.3	16.3	1,410	12.6	0.34	12.0	13.3	
1999	69	12.7	1.82	9.3	16.7	1,457	12.9	0.34	12.3	13.6	
2000	79	12.7	1.66	9.7	16.3	1,553	13.7	0.35	13.0	14.4	
2001	83	11.0	1.37	8.5	14.0	1,648	14.5	0.36	13.8	15.2	
2002	81	11.3	1.41	8.7	14.4	1,772	15.4	0.37	14.7	16.1	
2003	106	14.8	1.66	11.8	18.4	1,847	15.9	0.37	15.2	16.6	
2004	97	11.9	1.37	9.3	14.8	1,952	16.6	0.38	15.9	17.4	
2005	122	15.6	1.63	12.5	19.0	1,936	16.4	0.38	15.7	17.2	
2006	131	15.6	1.58	12.7	19.0	2,099	17.7	0.39	16.9	18.4	
2007	147	16.0	1.46	13.2	19.1	2,101	17.5	0.38	16.7	18.2	
2008	159	16.3	1.45	13.6	19.4	2,172	17.8	0.39	17.0	18.5	
2009	169	17.5	1.53	14.7	20.7	2,236	18.2	0.39	17.4	18.9	
2010	169	14.9	1.28	12.5	17.6	2,114	16.9	0.37	16.1	17.6	
2011	212	18.8	1.45	16.1	21.8	2,216	17.4	0.38	16.6	18.1	
2012	201	16.0	1.23	13.7	18.6	2,297	17.8	0.38	17.0	18.5	
2013	218	18.1	1.35	15.5	20.9	2,325	17.8	0.38	17.1	18.6	
2014	232	18.3	1.31	15.8	21.0	2,449	18.5	0.38	17.7	19.3	
2015	235	16.7	1.18	14.5	19.2	2,485	18.7	0.39	18.0	19.5	
2016	255	17.6	1.19	15.3	20.1	2,463	18.4	0.38	17.7	19.2	
2017	278	19.0	1.23	16.7	21.6	2,432	18.1	0.38	17.3	18.8	
2018	268	17.3	1.13	15.2	19.7	2,424	17.9	0.38	17.2	18.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kidney and Renal Pelvis											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	44,502	15.4	0.07	15.3	15.6	7,526	16.5	0.19	16.1	16.9	
1990	892	9.9	0.34	9.3	10.6	104	8.4	0.84	6.8	10.2	
1991	996	10.8	0.35	10.2	11.6	101	8.4	0.86	6.8	10.2	
1992	1,040	11.2	0.35	10.5	11.9	121	9.9	0.92	8.2	11.8	
1993	995	10.6	0.34	10.0	11.3	151	10.9	0.91	9.2	12.8	
1994	1,073	11.4	0.35	10.7	12.1	147	11.2	0.95	9.4	13.2	
1995	1,154	12.2	0.36	11.5	12.9	150	11.2	0.94	9.4	13.2	
1996	1,150	12.3	0.36	11.6	13.0	169	12.3	0.97	10.5	14.3	
1997	1,231	13.0	0.37	12.3	13.8	175	12.3	0.95	10.5	14.3	
1998	1,214	12.8	0.37	12.1	13.5	178	12.7	0.97	10.8	14.7	
1999	1,254	13.1	0.37	12.4	13.9	183	13.0	0.98	11.1	15.0	
2000	1,302	13.6	0.38	12.9	14.3	220	15.2	1.04	13.2	17.3	
2001	1,394	14.5	0.39	13.8	15.3	227	15.4	1.04	13.5	17.6	
2002	1,492	15.5	0.40	14.7	16.3	245	16.6	1.08	14.6	18.9	
2003	1,551	15.9	0.41	15.2	16.8	267	17.3	1.08	15.3	19.5	
2004	1,691	17.2	0.42	16.4	18.0	239	15.4	1.01	13.5	17.5	
2005	1,617	16.5	0.41	15.7	17.4	272	17.4	1.08	15.4	19.6	
2006	1,755	17.8	0.43	17.0	18.6	297	18.3	1.08	16.3	20.6	
2007	1,735	17.4	0.42	16.6	18.3	324	20.2	1.14	18.1	22.6	
2008	1,797	17.8	0.43	17.0	18.7	335	20.1	1.12	18.0	22.4	
2009	1,861	18.5	0.44	17.6	19.3	328	19.3	1.09	17.3	21.6	
2010	1,737	17.0	0.42	16.2	17.8	315	18.1	1.05	16.2	20.3	
2011	1,818	17.5	0.42	16.6	18.3	334	18.9	1.06	16.9	21.1	
2012	1,883	17.9	0.42	17.1	18.8	349	19.4	1.06	17.4	21.6	
2013	1,920	18.1	0.43	17.3	19.0	342	18.7	1.03	16.7	20.9	
2014	1,988	18.5	0.43	17.7	19.4	396	21.6	1.11	19.5	23.9	
2015	1,995	18.8	0.44	17.9	19.6	413	21.7	1.09	19.6	23.9	
2016	2,008	18.7	0.43	17.9	19.6	393	21.2	1.09	19.1	23.5	
2017	1,982	18.5	0.44	17.7	19.4	382	19.6	1.02	17.6	21.7	
2018	1,977	18.5	0.44	17.6	19.3	369	18.8	1.01	16.9	20.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kidney and Renal Pelvis										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,317	19.9	0.48	19.0	20.9	32,456	21.1	0.12	20.8	21.3
1990	14	8.6	2.87	3.9	15.7	595	13.6	0.57	12.5	14.7
1991	22	10.7	2.60	6.2	17.0	683	15.1	0.59	14.0	16.3
1992	20	12.0	3.25	6.5	19.8	695	15.2	0.59	14.1	16.4
1993	21	10.7	2.87	5.8	17.6	691	14.8	0.57	13.7	16.0
1994	32	16.7	3.54	10.5	24.9	749	16.1	0.60	15.0	17.3
1995	37	18.8	3.91	12.0	27.7	765	16.3	0.60	15.1	17.5
1996	29	14.5	3.39	8.6	22.3	802	16.8	0.60	15.7	18.0
1997	50	22.7	4.22	15.2	32.2	823	17.1	0.60	16.0	18.3
1998	48	19.4	3.55	13.1	27.4	823	17.1	0.60	16.0	18.3
1999	34	12.2	2.64	7.6	18.4	857	17.6	0.61	16.5	18.9
2000	48	16.5	2.77	11.5	22.7	927	18.8	0.62	17.6	20.0
2001	51	13.5	2.18	9.6	18.5	986	19.7	0.63	18.5	21.0
2002	46	12.2	2.08	8.5	17.0	1,088	21.5	0.66	20.3	22.9
2003	62	18.8	2.83	13.6	25.0	1,154	22.6	0.67	21.3	24.0
2004	63	17.3	2.61	12.6	23.1	1,161	22.4	0.67	21.2	23.8
2005	77	20.0	2.72	15.0	25.9	1,169	22.3	0.66	21.1	23.7
2006	76	18.5	2.52	13.9	24.0	1,281	24.2	0.68	22.9	25.6
2007	82	19.2	2.44	14.7	24.5	1,271	23.6	0.67	22.3	24.9
2008	96	19.8	2.36	15.4	24.9	1,340	24.3	0.68	23.0	25.7
2009	112	25.5	2.84	20.3	31.6	1,315	23.5	0.66	22.2	24.8
2010	107	19.3	2.16	15.3	23.9	1,281	22.6	0.64	21.3	23.9
2011	124	24.0	2.57	19.3	29.5	1,373	23.6	0.65	22.3	24.9
2012	118	19.5	2.02	15.7	23.8	1,422	24.0	0.65	22.7	25.3
2013	129	22.8	2.31	18.5	27.7	1,453	24.3	0.65	23.0	25.6
2014	142	23.4	2.25	19.2	28.2	1,563	25.9	0.67	24.6	27.3
2015	153	22.8	2.04	18.9	27.1	1,597	26.0	0.67	24.7	27.4
2016	172	24.5	2.09	20.6	28.9	1,572	25.6	0.67	24.4	27.0
2017	184	25.9	2.12	21.9	30.3	1,522	24.3	0.64	23.0	25.6
2018	168	22.5	1.90	18.9	26.5	1,498	24.0	0.64	22.8	25.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kidney and Renal Pelvis											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	27,226	21.0	0.13	20.8	21.3	4,488	23.4	0.36	22.7	24.1	
1990	526	13.8	0.61	12.6	15.0	64	12.4	1.63	9.4	16.0	
1991	617	15.6	0.64	14.4	16.9	62	12.6	1.70	9.5	16.3	
1992	616	15.5	0.63	14.3	16.8	74	15.0	1.85	11.6	19.0	
1993	595	14.8	0.62	13.6	16.1	82	14.0	1.63	11.0	17.6	
1994	654	16.3	0.64	15.0	17.6	81	15.0	1.77	11.7	18.8	
1995	672	16.5	0.64	15.3	17.8	87	15.7	1.78	12.4	19.6	
1996	687	16.8	0.64	15.5	18.1	105	18.4	1.89	14.9	22.5	
1997	708	17.2	0.65	16.0	18.6	100	16.2	1.69	13.1	19.9	
1998	720	17.5	0.66	16.2	18.8	91	15.7	1.73	12.5	19.4	
1999	732	17.7	0.66	16.4	19.0	114	18.5	1.80	15.1	22.3	
2000	781	18.6	0.67	17.3	20.0	122	20.2	1.92	16.6	24.3	
2001	839	19.8	0.69	18.4	21.2	129	20.8	1.92	17.2	24.9	
2002	911	21.3	0.71	19.9	22.7	155	26.0	2.22	21.9	30.7	
2003	967	22.5	0.73	21.1	24.0	169	26.5	2.13	22.5	31.0	
2004	1,005	23.0	0.73	21.6	24.5	143	22.4	1.96	18.7	26.5	
2005	972	22.1	0.72	20.7	23.5	163	25.3	2.11	21.4	29.8	
2006	1,079	24.3	0.75	22.9	25.9	169	24.9	2.01	21.1	29.2	
2007	1,050	23.3	0.73	21.9	24.8	194	29.3	2.19	25.2	33.9	
2008	1,119	24.4	0.74	23.0	25.9	192	27.4	2.05	23.5	31.7	
2009	1,091	23.6	0.73	22.2	25.1	189	25.9	1.97	22.2	30.1	
2010	1,057	22.6	0.71	21.2	24.0	190	25.7	1.95	22.0	29.8	
2011	1,144	23.8	0.72	22.4	25.2	192	25.0	1.89	21.5	29.0	
2012	1,173	24.0	0.72	22.6	25.5	210	27.9	2.02	24.1	32.2	
2013	1,191	24.2	0.72	22.8	25.7	216	27.4	1.93	23.7	31.4	
2014	1,263	25.5	0.74	24.1	27.0	254	33.2	2.17	29.1	37.7	
2015	1,272	25.6	0.74	24.1	27.1	270	32.8	2.07	28.8	37.1	
2016	1,305	26.1	0.75	24.7	27.7	220	27.7	1.94	24.0	31.7	
2017	1,254	24.7	0.72	23.3	26.1	228	27.5	1.89	23.9	31.5	
2018	1,226	24.5	0.73	23.1	26.0	223	26.4	1.83	23.0	30.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kidney and Renal Pelvis										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,436	11.2	0.32	10.6	11.8	20,701	10.8	0.08	10.6	10.9
1990	21	10.1	2.41	5.9	15.8	409	6.9	0.35	6.2	7.6
1991	10	3.9	1.33	1.7	7.5	423	7.0	0.34	6.3	7.7
1992	16	7.3	1.96	4.0	12.1	477	7.8	0.36	7.1	8.6
1993	10	4.9	1.64	2.2	9.1	477	7.7	0.36	7.0	8.4
1994	20	9.0	2.17	5.3	14.1	488	7.8	0.36	7.1	8.5
1995	22	8.7	2.12	5.1	13.7	548	8.7	0.38	8.0	9.5
1996	24	9.1	2.08	5.5	14.0	532	8.6	0.38	7.9	9.4
1997	24	8.9	2.12	5.3	13.9	612	9.7	0.39	8.9	10.5
1998	22	7.2	1.65	4.3	11.1	587	9.3	0.39	8.6	10.1
1999	35	12.8	2.46	8.4	18.3	600	9.4	0.39	8.7	10.2
2000	31	9.3	1.94	5.9	13.8	626	9.8	0.40	9.0	10.6
2001	32	8.5	1.70	5.5	12.5	662	10.3	0.41	9.5	11.2
2002	35	10.2	1.87	6.9	14.4	684	10.6	0.41	9.8	11.5
2003	44	11.4	1.94	7.9	15.8	693	10.8	0.41	10.0	11.6
2004	34	7.3	1.38	4.9	10.5	791	12.1	0.44	11.3	13.0
2005	45	11.5	1.94	8.1	15.9	767	11.8	0.43	10.9	12.6
2006	55	12.9	1.95	9.3	17.2	818	12.4	0.44	11.5	13.3
2007	65	13.3	1.78	10.0	17.2	830	12.6	0.44	11.7	13.5
2008	63	13.1	1.79	9.8	17.0	832	12.4	0.44	11.6	13.3
2009	57	10.8	1.58	7.9	14.3	921	13.7	0.46	12.8	14.6
2010	62	10.8	1.51	8.1	14.2	833	12.2	0.43	11.4	13.1
2011	88	14.7	1.69	11.5	18.3	843	12.1	0.43	11.3	13.0
2012	83	12.9	1.51	10.1	16.2	875	12.5	0.43	11.7	13.4
2013	89	14.1	1.62	11.2	17.6	872	12.4	0.43	11.5	13.2
2014	90	13.8	1.55	11.0	17.2	886	12.2	0.42	11.4	13.1
2015	82	11.2	1.31	8.8	14.1	888	12.5	0.43	11.7	13.4
2016	83	11.2	1.29	8.8	14.0	891	12.4	0.43	11.5	13.2
2017	94	12.6	1.37	10.1	15.6	910	12.8	0.44	11.9	13.7
2018	100	12.6	1.31	10.2	15.4	926	12.6	0.43	11.8	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kidney and Renal Pelvis											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	17,276	10.9	0.08	10.7	11.0	3,038	11.6	0.21	11.2	12.0	
1990	366	7.2	0.39	6.5	8.0	40	5.6	0.89	3.9	7.6	
1991	379	7.2	0.38	6.5	8.0	39	5.6	0.91	3.9	7.6	
1992	424	8.1	0.40	7.3	8.9	47	6.5	0.96	4.7	8.6	
1993	400	7.5	0.38	6.8	8.3	69	8.7	1.07	6.8	11.1	
1994	419	7.8	0.39	7.0	8.6	66	8.5	1.07	6.6	10.9	
1995	482	8.9	0.41	8.1	9.8	63	8.0	1.02	6.2	10.3	
1996	463	8.8	0.42	8.0	9.7	64	8.0	1.01	6.1	10.2	
1997	523	9.7	0.43	8.8	10.6	75	9.2	1.08	7.3	11.6	
1998	494	9.3	0.42	8.5	10.1	87	10.6	1.15	8.5	13.1	
1999	522	9.8	0.44	9.0	10.7	69	8.7	1.06	6.7	11.0	
2000	521	9.7	0.43	8.9	10.6	98	11.6	1.19	9.4	14.2	
2001	555	10.3	0.45	9.5	11.2	98	11.6	1.18	9.4	14.1	
2002	581	10.8	0.45	9.9	11.7	90	10.4	1.10	8.3	12.8	
2003	584	10.9	0.46	10.0	11.8	98	11.0	1.12	8.9	13.4	
2004	686	12.7	0.49	11.7	13.7	96	10.7	1.10	8.6	13.0	
2005	645	12.0	0.48	11.1	13.0	109	12.0	1.16	9.8	14.5	
2006	676	12.3	0.48	11.4	13.3	128	13.8	1.23	11.5	16.4	
2007	685	12.7	0.50	11.7	13.7	130	14.0	1.24	11.7	16.6	
2008	678	12.3	0.49	11.4	13.3	143	14.9	1.25	12.5	17.5	
2009	770	14.0	0.52	13.0	15.1	139	14.5	1.24	12.1	17.1	
2010	680	12.4	0.49	11.4	13.4	125	12.7	1.15	10.5	15.1	
2011	674	12.1	0.48	11.1	13.0	142	14.1	1.20	11.8	16.6	
2012	710	12.5	0.49	11.6	13.5	139	13.6	1.17	11.4	16.1	
2013	729	12.9	0.50	11.9	13.9	126	12.2	1.11	10.2	14.6	
2014	725	12.5	0.48	11.6	13.5	142	13.3	1.13	11.2	15.7	
2015	723	12.9	0.50	11.9	13.9	143	13.3	1.14	11.2	15.8	
2016	703	12.3	0.49	11.4	13.3	173	16.4	1.27	14.0	19.1	
2017	728	13.1	0.51	12.1	14.1	154	13.8	1.13	11.7	16.2	
2018	751	13.1	0.51	12.1	14.1	146	13.0	1.10	10.9	15.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ureter											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	71	0.4	0.05	0.3	0.5	2,261	0.7	0.01	0.6	0.7	
1990	0					75	0.7	0.08	0.5	0.9	
1991	3	1.5	0.94	0.3	4.1	72	0.7	0.08	0.5	0.8	
1992	2	1.2	0.83	0.1	3.6	71	0.7	0.08	0.5	0.8	
1993	1	0.3	0.34	0.0	1.6	61	0.6	0.07	0.4	0.7	
1994	3	0.7	0.43	0.1	2.1	79	0.7	0.08	0.6	0.9	
1995	0					79	0.7	0.08	0.6	0.9	
1996	2	1.1	0.79	0.1	3.3	68	0.6	0.07	0.5	0.8	
1997	2	0.7	0.57	0.1	2.4	72	0.6	0.08	0.5	0.8	
1998	2	0.4	0.25	0.0	1.3	78	0.7	0.08	0.5	0.9	
1999	4	0.9	0.47	0.2	2.3	59	0.5	0.07	0.4	0.7	
2000	1	0.2	0.23	0.0	1.1	78	0.7	0.08	0.5	0.9	
2001	2	0.5	0.36	0.1	1.7	66	0.6	0.07	0.4	0.7	
2002	3	0.6	0.33	0.1	1.6	79	0.7	0.08	0.5	0.9	
2003	2	0.3	0.23	0.0	1.1	74	0.6	0.07	0.5	0.8	
2004	1	0.1	0.12	0.0	0.7	68	0.6	0.07	0.5	0.7	
2005	2	0.3	0.20	0.0	1.0	80	0.7	0.08	0.5	0.9	
2006	2	0.3	0.23	0.0	1.1	94	0.8	0.08	0.6	1.0	
2007	3	0.3	0.18	0.1	0.9	87	0.7	0.08	0.6	0.9	
2008	3	0.4	0.26	0.1	1.2	78	0.7	0.07	0.5	0.8	
2009	2	0.3	0.19	0.0	0.9	84	0.7	0.08	0.6	0.9	
2010	1	0.1	0.08	0.0	0.5	89	0.7	0.08	0.6	0.9	
2011	2	0.2	0.12	0.0	0.6	87	0.7	0.07	0.5	0.8	
2012	6	0.7	0.30	0.2	1.5	82	0.6	0.07	0.5	0.8	
2013	4	0.5	0.25	0.1	1.2	64	0.5	0.06	0.4	0.6	
2014	5	0.5	0.21	0.1	1.0	99	0.8	0.08	0.6	0.9	
2015	5	0.6	0.27	0.2	1.3	82	0.6	0.07	0.5	0.8	
2016	3	0.3	0.17	0.1	0.8	88	0.6	0.07	0.5	0.8	
2017	3	0.4	0.22	0.1	1.0	90	0.7	0.07	0.5	0.8	
2018	2	0.2	0.12	0.0	0.6	78	0.6	0.06	0.4	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ureter											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,110	0.7	0.02	0.7	0.7	100	0.2	0.02	0.2	0.3	
1990	72	0.8	0.09	0.6	0.9	2	0.2	0.17	0.0	0.8	
1991	70	0.7	0.09	0.6	0.9	2	0.2	0.14	0.0	0.6	
1992	67	0.7	0.09	0.5	0.9	2	0.2	0.11	0.0	0.6	
1993	58	0.6	0.08	0.5	0.8	3	0.3	0.16	0.1	0.8	
1994	76	0.8	0.09	0.6	1.0	1	0.1	0.10	0.0	0.5	
1995	77	0.8	0.09	0.6	1.0	1	0.1	0.07	0.0	0.4	
1996	64	0.7	0.08	0.5	0.8	3	0.2	0.13	0.1	0.6	
1997	69	0.7	0.09	0.6	0.9	2	0.2	0.13	0.0	0.6	
1998	74	0.7	0.09	0.6	0.9	1	0.1	0.07	0.0	0.4	
1999	52	0.5	0.07	0.4	0.7	5	0.4	0.16	0.1	0.8	
2000	72	0.7	0.09	0.6	0.9	6	0.5	0.20	0.2	1.0	
2001	65	0.7	0.08	0.5	0.8	0					
2002	76	0.8	0.09	0.6	0.9	3	0.2	0.12	0.0	0.6	
2003	68	0.7	0.08	0.5	0.9	5	0.3	0.14	0.1	0.7	
2004	61	0.6	0.08	0.5	0.8	6	0.4	0.18	0.2	0.9	
2005	77	0.8	0.09	0.6	1.0	1	0.1	0.08	0.0	0.4	
2006	84	0.8	0.09	0.7	1.0	8	0.6	0.22	0.3	1.2	
2007	81	0.8	0.09	0.6	1.0	5	0.3	0.15	0.1	0.8	
2008	75	0.7	0.09	0.6	0.9	1	0.1	0.05	0.0	0.3	
2009	77	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8	
2010	82	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8	
2011	78	0.7	0.08	0.6	0.9	4	0.3	0.13	0.1	0.6	
2012	76	0.7	0.08	0.6	0.9	4	0.3	0.14	0.1	0.7	
2013	62	0.6	0.07	0.4	0.8	2	0.1	0.08	0.0	0.4	
2014	89	0.8	0.09	0.7	1.0	4	0.2	0.12	0.1	0.6	
2015	74	0.7	0.08	0.5	0.9	5	0.3	0.15	0.1	0.7	
2016	79	0.7	0.08	0.6	0.9	7	0.4	0.13	0.1	0.7	
2017	81	0.7	0.08	0.6	0.9	6	0.3	0.14	0.1	0.7	
2018	74	0.7	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urter										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	40	0.5	0.09	0.4	0.7	1,362	0.9	0.03	0.9	1.0
1990	0					45	1.0	0.15	0.7	1.3
1991	0					44	1.1	0.16	0.8	1.4
1992	1	1.8	1.81	0.1	7.3	41	0.9	0.14	0.7	1.2
1993	1	0.8	0.76	0.0	3.8	33	0.7	0.13	0.5	1.0
1994	3	1.5	0.91	0.3	4.6	47	1.1	0.16	0.8	1.4
1995	0					52	1.2	0.17	0.9	1.5
1996	1	1.6	1.57	0.0	6.3	43	1.0	0.15	0.7	1.3
1997	0					50	1.1	0.16	0.8	1.5
1998	1	0.3	0.33	0.0	2.3	49	1.1	0.16	0.8	1.4
1999	2	0.6	0.46	0.1	2.7	36	0.8	0.13	0.5	1.1
2000	1	0.5	0.49	0.0	2.6	43	0.9	0.14	0.6	1.2
2001	1	0.7	0.65	0.0	3.0	39	0.8	0.13	0.6	1.1
2002	1	0.5	0.46	0.0	2.3	50	1.1	0.15	0.8	1.4
2003	1	0.5	0.45	0.0	2.2	46	0.9	0.14	0.7	1.2
2004	0					41	0.8	0.13	0.6	1.1
2005	2	0.6	0.43	0.1	2.2	47	1.0	0.14	0.7	1.3
2006	1	0.2	0.17	0.0	1.3	54	1.1	0.15	0.8	1.4
2007	3	0.6	0.36	0.1	1.9	51	1.1	0.15	0.8	1.4
2008	2	0.7	0.53	0.1	2.3	42	0.8	0.13	0.6	1.1
2009	0					51	1.0	0.14	0.7	1.3
2010	1	0.2	0.16	0.0	1.1	52	1.0	0.14	0.7	1.3
2011	1	0.1	0.13	0.0	1.0	56	1.0	0.13	0.7	1.3
2012	4	0.9	0.48	0.2	2.3	48	0.9	0.13	0.7	1.2
2013	2	0.5	0.37	0.0	1.7	41	0.8	0.12	0.5	1.0
2014	3	0.6	0.34	0.1	1.6	51	0.9	0.13	0.7	1.2
2015	3	0.9	0.53	0.2	2.4	54	1.0	0.14	0.7	1.3
2016	2	0.6	0.40	0.1	1.7	58	1.0	0.13	0.8	1.3
2017	2	0.6	0.42	0.1	1.8	51	0.9	0.12	0.6	1.1
2018	1	0.3	0.28	0.0	1.2	47	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urter											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,278	1.0	0.03	1.0	1.1	55	0.3	0.05	0.2	0.4	
1990	45	1.1	0.17	0.8	1.5	0					
1991	43	1.2	0.18	0.8	1.6	1	0.2	0.15	0.0	1.0	
1992	38	1.0	0.16	0.7	1.3	2	0.4	0.27	0.1	1.4	
1993	31	0.8	0.14	0.5	1.1	2	0.3	0.24	0.0	1.3	
1994	45	1.2	0.18	0.8	1.6	0					
1995	50	1.3	0.18	1.0	1.7	1	0.2	0.16	0.0	1.0	
1996	42	1.1	0.17	0.8	1.5	1	0.2	0.20	0.0	1.0	
1997	47	1.2	0.18	0.9	1.6	2	0.5	0.36	0.1	1.6	
1998	47	1.2	0.17	0.9	1.6	1	0.2	0.16	0.0	0.9	
1999	31	0.8	0.14	0.5	1.1	3	0.7	0.42	0.1	1.9	
2000	39	0.9	0.15	0.7	1.3	4	0.8	0.43	0.2	2.0	
2001	38	0.9	0.15	0.6	1.3	0					
2002	49	1.2	0.17	0.9	1.6	1	0.2	0.15	0.0	0.9	
2003	43	1.0	0.16	0.7	1.4	3	0.4	0.25	0.1	1.3	
2004	37	0.9	0.15	0.6	1.2	3	0.5	0.30	0.1	1.5	
2005	45	1.1	0.16	0.8	1.5	1	0.2	0.24	0.0	1.1	
2006	50	1.2	0.17	0.9	1.5	4	0.7	0.36	0.2	1.8	
2007	47	1.1	0.17	0.8	1.5	3	0.4	0.24	0.1	1.2	
2008	39	0.9	0.15	0.7	1.3	1	0.1	0.11	0.0	0.7	
2009	47	1.1	0.16	0.8	1.4	3	0.6	0.38	0.1	1.8	
2010	48	1.0	0.15	0.8	1.4	3	0.6	0.32	0.1	1.5	
2011	52	1.1	0.15	0.8	1.4	1	0.1	0.10	0.0	0.7	
2012	43	1.0	0.15	0.7	1.3	4	0.7	0.37	0.2	1.8	
2013	41	0.9	0.14	0.6	1.2	0					
2014	45	1.0	0.15	0.7	1.3	2	0.3	0.22	0.0	1.1	
2015	51	1.1	0.16	0.8	1.5	2	0.3	0.21	0.0	1.0	
2016	52	1.1	0.15	0.8	1.4	4	0.5	0.27	0.1	1.4	
2017	47	1.0	0.14	0.7	1.3	2	0.2	0.15	0.0	0.8	
2018	46	0.9	0.14	0.7	1.3	1	0.2	0.19	0.0	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urter										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	31	0.3	0.06	0.2	0.5	899	0.4	0.01	0.4	0.5
1990	0					30	0.5	0.08	0.3	0.7
1991	3	2.5	1.52	0.5	6.8	28	0.4	0.08	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	30	0.5	0.08	0.3	0.7
1993	0					28	0.4	0.08	0.3	0.6
1994	0					32	0.5	0.09	0.3	0.7
1995	0					27	0.4	0.08	0.3	0.6
1996	1	0.9	0.86	0.0	3.6	25	0.4	0.08	0.2	0.6
1997	2	1.2	0.90	0.1	3.9	22	0.3	0.07	0.2	0.5
1998	1	0.4	0.36	0.0	2.0	29	0.4	0.08	0.3	0.6
1999	2	1.1	0.75	0.1	3.4	23	0.4	0.07	0.2	0.5
2000	0					35	0.5	0.08	0.3	0.7
2001	1	0.4	0.40	0.0	2.0	27	0.4	0.08	0.3	0.6
2002	2	0.7	0.47	0.1	2.3	29	0.4	0.08	0.3	0.6
2003	1	0.2	0.22	0.0	1.3	28	0.4	0.08	0.3	0.6
2004	1	0.2	0.24	0.0	1.4	27	0.4	0.08	0.3	0.6
2005	0					33	0.5	0.08	0.3	0.7
2006	1	0.4	0.38	0.0	1.7	40	0.6	0.09	0.4	0.8
2007	0					36	0.5	0.09	0.4	0.7
2008	1	0.2	0.24	0.0	1.2	36	0.5	0.08	0.4	0.7
2009	2	0.5	0.36	0.1	1.7	33	0.5	0.08	0.3	0.7
2010	0					37	0.5	0.09	0.4	0.7
2011	1	0.2	0.20	0.0	1.0	31	0.4	0.08	0.3	0.6
2012	2	0.5	0.38	0.1	1.7	34	0.5	0.08	0.3	0.7
2013	2	0.4	0.31	0.0	1.4	23	0.3	0.07	0.2	0.5
2014	2	0.3	0.25	0.0	1.2	48	0.6	0.09	0.5	0.8
2015	2	0.4	0.26	0.0	1.2	28	0.3	0.07	0.2	0.5
2016	1	0.1	0.12	0.0	0.7	30	0.4	0.07	0.3	0.6
2017	1	0.2	0.22	0.0	1.0	39	0.5	0.08	0.3	0.7
2018	1	0.1	0.11	0.0	0.6	31	0.4	0.07	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Urter											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	832	0.5	0.02	0.4	0.5	45	0.2	0.03	0.1	0.3	
1990	27	0.5	0.09	0.3	0.7	2	0.4	0.26	0.0	1.2	
1991	27	0.5	0.09	0.3	0.7	1	0.2	0.18	0.0	0.9	
1992	29	0.5	0.09	0.3	0.7	0					
1993	27	0.5	0.09	0.3	0.7	1	0.2	0.17	0.0	0.8	
1994	31	0.5	0.10	0.4	0.8	1	0.2	0.17	0.0	0.8	
1995	27	0.5	0.09	0.3	0.7	0					
1996	22	0.4	0.08	0.2	0.6	2	0.3	0.18	0.0	0.9	
1997	22	0.4	0.09	0.3	0.6	0					
1998	27	0.4	0.08	0.3	0.6	0					
1999	21	0.4	0.08	0.2	0.6	2	0.2	0.16	0.0	0.8	
2000	33	0.5	0.10	0.4	0.8	2	0.3	0.19	0.0	0.9	
2001	27	0.5	0.09	0.3	0.7	0					
2002	27	0.4	0.08	0.3	0.6	2	0.2	0.17	0.0	0.8	
2003	25	0.4	0.08	0.3	0.6	2	0.2	0.15	0.0	0.8	
2004	24	0.4	0.08	0.3	0.6	3	0.4	0.22	0.1	1.1	
2005	32	0.5	0.10	0.4	0.8	0					
2006	34	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3	
2007	34	0.6	0.10	0.4	0.8	2	0.3	0.17	0.0	0.8	
2008	36	0.6	0.10	0.4	0.8	0					
2009	30	0.5	0.09	0.3	0.7	2	0.2	0.16	0.0	0.8	
2010	34	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8	
2011	26	0.4	0.08	0.3	0.6	3	0.3	0.20	0.1	1.0	
2012	33	0.5	0.10	0.4	0.8	0					
2013	21	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7	
2014	44	0.7	0.11	0.5	1.0	2	0.2	0.13	0.0	0.7	
2015	23	0.3	0.07	0.2	0.5	3	0.3	0.19	0.1	0.9	
2016	27	0.4	0.09	0.3	0.7	3	0.2	0.14	0.1	0.8	
2017	34	0.5	0.09	0.4	0.7	4	0.4	0.19	0.1	1.0	
2018	28	0.5	0.09	0.3	0.7	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Eye and Orbit										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	204	0.6	0.05	0.5	0.7	2,723	0.8	0.02	0.8	0.8
1990	6	1.7	0.85	0.5	4.1	60	0.6	0.07	0.4	0.7
1991	6	0.7	0.36	0.2	2.0	66	0.6	0.08	0.5	0.8
1992	5	0.7	0.37	0.2	2.0	92	0.8	0.09	0.7	1.0
1993	2	0.2	0.17	0.0	1.2	76	0.7	0.08	0.5	0.9
1994	1	0.1	0.05	0.0	0.9	80	0.7	0.08	0.6	0.9
1995	7	0.5	0.22	0.2	1.4	89	0.8	0.09	0.7	1.0
1996	7	1.2	0.64	0.3	3.0	111	1.0	0.10	0.8	1.2
1997	2	0.4	0.39	0.0	1.8	78	0.7	0.08	0.6	0.9
1998	3	0.6	0.40	0.1	1.9	65	0.6	0.07	0.5	0.7
1999	3	0.3	0.25	0.0	1.3	91	0.8	0.09	0.7	1.0
2000	7	1.2	0.65	0.3	2.9	88	0.8	0.08	0.6	1.0
2001	9	0.6	0.27	0.2	1.5	96	0.9	0.09	0.7	1.0
2002	7	0.6	0.37	0.1	1.7	84	0.8	0.08	0.6	0.9
2003	11	1.3	0.51	0.5	2.7	116	1.0	0.09	0.8	1.2
2004	11	1.0	0.37	0.4	2.0	92	0.8	0.08	0.7	1.0
2005	8	0.8	0.31	0.3	1.7	115	1.0	0.09	0.8	1.2
2006	9	0.8	0.35	0.3	1.8	98	0.8	0.09	0.7	1.0
2007	10	0.7	0.31	0.3	1.6	112	1.0	0.09	0.8	1.2
2008	4	0.2	0.11	0.1	0.7	97	0.8	0.08	0.7	1.0
2009	10	0.6	0.24	0.3	1.3	134	1.1	0.10	0.9	1.3
2010	7	0.7	0.33	0.2	1.6	98	0.8	0.09	0.7	1.0
2011	14	0.9	0.28	0.4	1.6	101	0.9	0.09	0.7	1.0
2012	9	0.5	0.16	0.2	1.0	94	0.8	0.08	0.6	0.9
2013	12	0.8	0.26	0.3	1.4	106	0.9	0.08	0.7	1.0
2014	7	0.4	0.19	0.2	1.0	84	0.6	0.07	0.5	0.8
2015	5	0.3	0.14	0.1	0.7	103	0.8	0.08	0.7	1.0
2016	7	0.5	0.21	0.2	1.1	107	0.8	0.08	0.7	1.0
2017	11	0.6	0.20	0.3	1.2	86	0.7	0.07	0.5	0.8
2018	4	0.3	0.14	0.1	0.7	104	0.8	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Eye and Orbit											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,516	0.9	0.02	0.9	0.9	122	0.2	0.02	0.2	0.3	
1990	51	0.6	0.08	0.4	0.8	7	0.4	0.17	0.1	0.9	
1991	59	0.7	0.09	0.5	0.8	2	0.1	0.07	0.0	0.4	
1992	83	0.9	0.10	0.7	1.1	9	0.5	0.18	0.2	1.0	
1993	69	0.7	0.09	0.6	0.9	4	0.2	0.10	0.1	0.5	
1994	74	0.8	0.09	0.6	1.0	5	0.3	0.14	0.1	0.7	
1995	82	0.9	0.10	0.7	1.1	5	0.2	0.10	0.1	0.6	
1996	99	1.1	0.11	0.9	1.3	6	0.3	0.15	0.1	0.8	
1997	74	0.8	0.10	0.6	1.0	3	0.2	0.09	0.0	0.5	
1998	61	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.5	
1999	87	0.9	0.10	0.8	1.2	4	0.2	0.10	0.1	0.6	
2000	81	0.9	0.10	0.7	1.1	3	0.2	0.13	0.0	0.6	
2001	85	0.9	0.10	0.7	1.1	7	0.4	0.14	0.1	0.8	
2002	72	0.8	0.09	0.6	1.0	8	0.4	0.13	0.2	0.7	
2003	113	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3	
2004	87	0.9	0.10	0.7	1.1	3	0.1	0.08	0.0	0.4	
2005	108	1.1	0.11	0.9	1.4	4	0.2	0.09	0.1	0.5	
2006	95	1.0	0.10	0.8	1.2	1	0.1	0.05	0.0	0.3	
2007	109	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3	
2008	88	0.9	0.10	0.7	1.1	4	0.2	0.10	0.1	0.5	
2009	125	1.3	0.12	1.1	1.6	8	0.4	0.15	0.2	0.9	
2010	93	1.0	0.10	0.8	1.2	4	0.2	0.12	0.1	0.6	
2011	90	0.9	0.10	0.8	1.2	6	0.3	0.13	0.1	0.7	
2012	90	0.9	0.10	0.7	1.1	2	0.1	0.07	0.0	0.4	
2013	96	1.0	0.10	0.8	1.2	5	0.3	0.13	0.1	0.7	
2014	76	0.7	0.08	0.6	0.9	5	0.3	0.12	0.1	0.6	
2015	96	1.0	0.10	0.8	1.2	3	0.2	0.10	0.0	0.5	
2016	98	1.0	0.10	0.8	1.2	2	0.1	0.09	0.0	0.4	
2017	80	0.8	0.09	0.6	1.0	3	0.2	0.09	0.0	0.5	
2018	95	0.9	0.09	0.7	1.1	5	0.3	0.12	0.1	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Eye and Orbit											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	109	0.7	0.09	0.5	0.9	1,448	1.0	0.03	0.9	1.0	
1990	3	1.9	1.40	0.2	6.4	32	0.7	0.12	0.5	1.0	
1991	4	0.5	0.25	0.1	2.9	30	0.7	0.13	0.5	1.0	
1992	1	0.5	0.52	0.0	3.3	49	1.0	0.15	0.8	1.4	
1993	0					38	0.8	0.13	0.6	1.1	
1994	0					41	0.9	0.14	0.6	1.2	
1995	3	0.3	0.17	0.1	2.4	51	1.0	0.14	0.8	1.3	
1996	5	2.5	1.66	0.4	7.2	60	1.3	0.16	1.0	1.6	
1997	1	0.1	0.09	0.0	2.0	45	0.9	0.14	0.7	1.3	
1998	1	0.3	0.33	0.0	2.3	31	0.6	0.11	0.4	0.9	
1999	0					50	1.0	0.15	0.8	1.4	
2000	4	1.5	1.28	0.1	5.3	52	1.1	0.15	0.8	1.4	
2001	4	0.5	0.28	0.1	2.1	50	1.0	0.15	0.8	1.3	
2002	4	1.2	0.88	0.1	3.9	54	1.1	0.15	0.8	1.4	
2003	6	0.8	0.40	0.2	2.4	58	1.1	0.15	0.9	1.5	
2004	4	0.8	0.47	0.1	2.5	46	0.9	0.14	0.7	1.2	
2005	6	1.3	0.58	0.4	3.1	63	1.2	0.15	0.9	1.5	
2006	6	1.0	0.56	0.2	2.7	48	0.9	0.13	0.7	1.2	
2007	8	1.4	0.70	0.4	3.4	52	1.0	0.14	0.7	1.3	
2008	4	0.4	0.20	0.1	1.4	54	1.0	0.14	0.8	1.3	
2009	4	0.6	0.35	0.2	1.8	79	1.4	0.16	1.1	1.8	
2010	5	0.9	0.51	0.2	2.4	49	0.9	0.13	0.7	1.2	
2011	6	0.8	0.38	0.2	2.0	60	1.1	0.14	0.8	1.4	
2012	3	0.3	0.18	0.1	1.1	51	0.9	0.13	0.7	1.2	
2013	6	0.8	0.40	0.2	2.0	60	1.1	0.14	0.8	1.4	
2014	4	0.4	0.20	0.1	1.2	46	0.8	0.11	0.6	1.0	
2015	3	0.2	0.14	0.1	0.9	49	0.9	0.12	0.6	1.1	
2016	4	0.7	0.38	0.2	1.8	55	0.9	0.13	0.7	1.2	
2017	8	1.0	0.41	0.4	2.1	48	0.8	0.12	0.6	1.1	
2018	2	0.2	0.16	0.0	0.9	47	0.7	0.11	0.5	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Eye and Orbit											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,337	1.1	0.03	1.0	1.1	67	0.3	0.04	0.2	0.4	
1990	28	0.7	0.14	0.5	1.0	4	0.3	0.17	0.1	1.1	
1991	27	0.7	0.14	0.5	1.1	1	0.1	0.14	0.0	0.9	
1992	43	1.1	0.16	0.8	1.4	6	0.5	0.23	0.2	1.4	
1993	35	0.8	0.14	0.6	1.2	2	0.1	0.10	0.0	0.9	
1994	39	1.0	0.16	0.7	1.3	2	0.3	0.19	0.0	1.1	
1995	47	1.1	0.17	0.8	1.5	3	0.3	0.20	0.1	1.1	
1996	51	1.3	0.18	0.9	1.7	5	0.7	0.34	0.2	1.8	
1997	41	1.0	0.16	0.7	1.4	3	0.3	0.20	0.1	1.1	
1998	30	0.7	0.13	0.5	1.0	0					
1999	50	1.2	0.17	0.9	1.6	0					
2000	47	1.1	0.16	0.8	1.5	3	0.6	0.40	0.1	1.8	
2001	43	1.0	0.16	0.7	1.4	4	0.5	0.29	0.1	1.5	
2002	46	1.1	0.16	0.8	1.5	5	0.4	0.20	0.1	1.2	
2003	57	1.3	0.18	1.0	1.7	1	0.1	0.09	0.0	0.7	
2004	43	1.0	0.16	0.7	1.4	1	0.1	0.09	0.0	0.7	
2005	60	1.4	0.18	1.0	1.7	3	0.3	0.15	0.1	0.9	
2006	47	1.0	0.15	0.8	1.4	1	0.1	0.09	0.0	0.7	
2007	51	1.2	0.17	0.9	1.6	0					
2008	52	1.2	0.17	0.9	1.6	1	0.1	0.10	0.0	0.7	
2009	72	1.6	0.19	1.2	2.0	6	0.7	0.29	0.2	1.6	
2010	47	1.1	0.16	0.8	1.4	1	0.2	0.21	0.0	1.0	
2011	55	1.2	0.17	0.9	1.6	2	0.2	0.18	0.0	0.9	
2012	50	1.1	0.16	0.8	1.5	0					
2013	55	1.2	0.16	0.9	1.6	2	0.3	0.20	0.0	1.0	
2014	41	0.8	0.13	0.6	1.1	3	0.4	0.21	0.1	1.1	
2015	45	1.0	0.15	0.7	1.3	1	0.2	0.15	0.0	0.8	
2016	49	1.0	0.14	0.7	1.3	2	0.3	0.22	0.0	1.0	
2017	46	1.0	0.15	0.7	1.4	2	0.2	0.16	0.0	0.9	
2018	40	0.7	0.12	0.5	1.0	3	0.3	0.18	0.1	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Eye and Orbit										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	95	0.6	0.07	0.5	0.7	1,275	0.7	0.02	0.7	0.7
1990	3	1.6	1.07	0.2	4.9	28	0.5	0.09	0.3	0.7
1991	2	1.0	0.67	0.1	3.4	36	0.6	0.10	0.4	0.9
1992	4	1.0	0.57	0.2	3.1	43	0.7	0.11	0.5	1.0
1993	2	0.4	0.35	0.0	2.2	38	0.6	0.11	0.5	0.9
1994	1	0.1	0.11	0.0	1.6	39	0.7	0.11	0.5	0.9
1995	4	0.7	0.40	0.1	2.4	38	0.6	0.10	0.4	0.9
1996	2	0.5	0.35	0.0	2.1	51	0.9	0.12	0.6	1.1
1997	1	0.7	0.66	0.0	2.9	33	0.5	0.09	0.4	0.8
1998	2	0.7	0.64	0.0	2.9	34	0.6	0.10	0.4	0.8
1999	3	0.6	0.46	0.1	2.3	41	0.7	0.11	0.5	1.0
2000	3	1.0	0.76	0.1	3.3	36	0.6	0.10	0.4	0.8
2001	5	0.7	0.43	0.1	2.3	46	0.8	0.11	0.6	1.0
2002	3	0.2	0.12	0.0	1.3	30	0.5	0.09	0.3	0.7
2003	5	1.7	0.84	0.5	4.0	58	0.9	0.12	0.7	1.2
2004	7	1.2	0.57	0.4	2.9	46	0.7	0.11	0.5	1.0
2005	2	0.4	0.28	0.0	1.5	52	0.9	0.12	0.6	1.1
2006	3	0.6	0.44	0.1	2.0	50	0.8	0.11	0.6	1.1
2007	2	0.1	0.10	0.0	0.9	60	1.0	0.13	0.7	1.2
2008	0					43	0.7	0.11	0.5	1.0
2009	6	0.6	0.32	0.2	1.7	55	0.9	0.12	0.7	1.2
2010	2	0.5	0.40	0.1	1.8	49	0.8	0.11	0.6	1.0
2011	8	1.0	0.40	0.4	2.1	41	0.7	0.11	0.5	0.9
2012	6	0.6	0.27	0.2	1.5	43	0.7	0.10	0.5	0.9
2013	6	0.8	0.34	0.3	1.8	46	0.7	0.11	0.5	1.0
2014	3	0.5	0.30	0.1	1.4	38	0.5	0.09	0.4	0.7
2015	2	0.3	0.22	0.0	1.1	54	0.8	0.11	0.6	1.1
2016	3	0.4	0.24	0.1	1.2	52	0.8	0.11	0.6	1.0
2017	3	0.3	0.19	0.1	1.0	38	0.5	0.09	0.4	0.7
2018	2	0.3	0.21	0.0	1.0	57	0.8	0.11	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Eye and Orbit											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,179	0.8	0.02	0.7	0.8	55	0.2	0.03	0.1	0.2	
1990	23	0.5	0.10	0.3	0.7	3	0.4	0.24	0.1	1.2	
1991	32	0.6	0.12	0.4	0.9	1	0.1	0.09	0.0	0.6	
1992	40	0.8	0.12	0.5	1.0	3	0.4	0.23	0.1	1.1	
1993	34	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8	
1994	35	0.7	0.12	0.5	1.0	3	0.4	0.21	0.1	1.0	
1995	35	0.7	0.12	0.5	1.0	2	0.2	0.10	0.0	0.6	
1996	48	1.0	0.14	0.7	1.3	1	0.1	0.07	0.0	0.5	
1997	33	0.7	0.12	0.5	0.9	0					
1998	31	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8	
1999	37	0.8	0.13	0.5	1.1	4	0.4	0.19	0.1	1.0	
2000	34	0.7	0.12	0.5	0.9	0					
2001	42	0.8	0.13	0.6	1.2	3	0.3	0.15	0.1	0.8	
2002	26	0.5	0.10	0.3	0.7	3	0.3	0.16	0.1	0.8	
2003	56	1.1	0.14	0.8	1.4	0					
2004	44	0.9	0.14	0.6	1.2	2	0.2	0.13	0.0	0.7	
2005	48	1.0	0.14	0.7	1.3	1	0.1	0.10	0.0	0.6	
2006	48	1.0	0.14	0.7	1.3	0					
2007	58	1.1	0.16	0.9	1.5	1	0.1	0.09	0.0	0.6	
2008	36	0.7	0.12	0.5	1.0	3	0.3	0.17	0.1	0.9	
2009	53	1.1	0.15	0.8	1.4	2	0.2	0.14	0.0	0.7	
2010	46	0.9	0.14	0.7	1.2	3	0.3	0.17	0.1	0.9	
2011	35	0.7	0.13	0.5	1.0	4	0.4	0.19	0.1	1.0	
2012	40	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8	
2013	41	0.8	0.12	0.5	1.1	3	0.3	0.18	0.1	0.9	
2014	35	0.6	0.10	0.4	0.8	2	0.2	0.13	0.0	0.7	
2015	51	1.0	0.14	0.7	1.3	2	0.2	0.15	0.0	0.8	
2016	49	1.0	0.14	0.7	1.3	0					
2017	34	0.5	0.09	0.4	0.8	1	0.1	0.11	0.0	0.6	
2018	55	1.0	0.14	0.7	1.3	2	0.2	0.16	0.0	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain and Other Nervous System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,765	5.4	0.15	5.1	5.7	21,888	6.6	0.04	6.5	6.7
1990	27	4.4	1.03	2.6	6.9	653	6.2	0.24	5.7	6.7
1991	35	5.2	1.03	3.4	7.7	692	6.5	0.25	6.0	7.0
1992	32	4.0	0.81	2.6	6.0	679	6.3	0.24	5.9	6.8
1993	33	5.2	1.09	3.3	7.8	683	6.3	0.24	5.8	6.8
1994	30	3.4	0.80	2.1	5.4	740	6.8	0.25	6.3	7.3
1995	36	3.8	0.73	2.6	5.7	689	6.3	0.24	5.9	6.8
1996	38	4.6	0.90	3.0	6.8	723	6.6	0.25	6.1	7.1
1997	50	5.7	1.03	3.8	8.0	747	6.8	0.25	6.3	7.3
1998	44	4.3	0.83	2.8	6.3	712	6.5	0.24	6.0	6.9
1999	49	5.5	0.99	3.7	7.8	742	6.7	0.24	6.2	7.2
2000	48	5.7	1.03	3.9	8.1	726	6.5	0.24	6.1	7.0
2001	62	6.6	1.13	4.6	9.1	733	6.5	0.24	6.1	7.0
2002	65	6.7	1.03	4.8	9.0	698	6.2	0.24	5.8	6.7
2003	59	6.5	1.09	4.5	9.0	743	6.6	0.24	6.1	7.1
2004	65	5.9	0.97	4.1	8.0	789	7.0	0.25	6.5	7.5
2005	56	4.7	0.82	3.2	6.5	755	6.6	0.24	6.2	7.1
2006	66	6.1	0.91	4.4	8.1	827	7.2	0.25	6.8	7.8
2007	76	6.1	0.84	4.5	7.9	759	6.6	0.24	6.1	7.1
2008	60	4.7	0.73	3.4	6.4	836	7.2	0.25	6.7	7.7
2009	79	5.8	0.79	4.4	7.5	766	6.5	0.24	6.1	7.0
2010	75	5.8	0.80	4.4	7.6	827	7.1	0.25	6.6	7.6
2011	79	5.2	0.70	4.0	6.8	835	7.1	0.25	6.6	7.6
2012	78	5.5	0.74	4.1	7.1	761	6.3	0.23	5.8	6.7
2013	64	4.2	0.61	3.1	5.6	786	6.6	0.24	6.1	7.1
2014	92	5.3	0.62	4.2	6.7	799	6.7	0.24	6.2	7.1
2015	80	5.0	0.64	3.9	6.4	828	6.8	0.25	6.3	7.3
2016	100	6.4	0.70	5.1	7.9	799	6.5	0.24	6.1	7.0
2017	86	5.1	0.59	4.0	6.4	790	6.5	0.24	6.0	7.0
2018	101	5.6	0.60	4.5	6.9	771	6.4	0.24	6.0	6.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain and Other Nervous System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	19,352	7.2	0.05	7.1	7.3	1,925	3.9	0.09	3.8	4.1
1990	598	6.7	0.28	6.2	7.3	48	3.3	0.51	2.4	4.5
1991	635	7.1	0.28	6.5	7.7	46	3.2	0.49	2.3	4.3
1992	608	6.7	0.28	6.2	7.3	66	4.4	0.56	3.3	5.6
1993	612	6.8	0.28	6.2	7.3	58	3.9	0.53	2.9	5.0
1994	655	7.2	0.28	6.7	7.8	77	5.1	0.60	4.0	6.4
1995	632	7.0	0.28	6.5	7.6	52	3.5	0.50	2.5	4.6
1996	646	7.1	0.28	6.6	7.7	63	3.8	0.50	2.9	5.0
1997	673	7.4	0.29	6.9	8.0	53	3.2	0.46	2.4	4.3
1998	626	6.9	0.28	6.4	7.5	65	4.0	0.51	3.0	5.1
1999	654	7.1	0.28	6.6	7.7	68	4.2	0.53	3.2	5.4
2000	645	7.1	0.28	6.5	7.7	68	4.2	0.53	3.2	5.4
2001	663	7.3	0.28	6.7	7.8	51	3.3	0.47	2.4	4.3
2002	621	6.8	0.28	6.3	7.4	56	3.4	0.47	2.5	4.4
2003	667	7.3	0.28	6.7	7.9	58	3.6	0.48	2.7	4.7
2004	702	7.7	0.29	7.1	8.3	67	4.1	0.51	3.1	5.2
2005	663	7.2	0.28	6.7	7.8	71	4.2	0.51	3.2	5.3
2006	722	7.9	0.30	7.3	8.5	80	4.8	0.55	3.8	6.0
2007	661	7.2	0.29	6.7	7.8	68	3.9	0.49	3.0	5.0
2008	735	7.8	0.29	7.2	8.4	72	4.1	0.49	3.2	5.1
2009	673	7.2	0.28	6.6	7.8	66	3.8	0.48	2.9	4.9
2010	722	7.8	0.30	7.2	8.4	76	4.3	0.50	3.4	5.4
2011	721	7.7	0.30	7.1	8.3	88	4.9	0.53	3.9	6.1
2012	672	6.9	0.28	6.4	7.5	58	3.1	0.42	2.4	4.1
2013	705	7.5	0.30	7.0	8.1	59	3.3	0.44	2.5	4.3
2014	691	7.3	0.29	6.7	7.9	70	3.8	0.47	3.0	4.8
2015	720	7.6	0.30	7.0	8.2	77	4.1	0.48	3.3	5.2
2016	672	7.0	0.29	6.5	7.6	94	5.0	0.52	4.0	6.1
2017	694	7.2	0.29	6.7	7.8	71	3.9	0.48	3.1	5.0
2018	664	7.2	0.29	6.6	7.8	79	4.2	0.49	3.3	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain and Other Nervous System

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,015	6.3	0.25	5.8	6.8	11,883	7.8	0.07	7.7	7.9	
1990	15	3.2	1.19	1.3	6.9	360	7.5	0.40	6.7	8.3	
1991	19	4.4	1.13	2.4	7.8	378	7.9	0.41	7.1	8.8	
1992	18	4.5	1.17	2.5	8.0	370	7.7	0.41	6.9	8.5	
1993	20	6.4	1.93	3.2	11.4	372	7.7	0.41	6.9	8.5	
1994	15	3.6	1.39	1.4	7.5	418	8.6	0.43	7.8	9.5	
1995	19	3.8	1.06	2.0	6.9	380	7.7	0.40	6.9	8.5	
1996	21	4.6	1.24	2.5	8.0	396	7.9	0.40	7.1	8.7	
1997	27	4.9	1.07	3.0	7.9	425	8.5	0.42	7.8	9.4	
1998	30	6.0	1.54	3.4	9.9	387	7.7	0.39	6.9	8.5	
1999	30	5.9	1.58	3.2	9.9	400	8.0	0.40	7.2	8.8	
2000	23	6.2	1.60	3.5	10.1	381	7.5	0.38	6.7	8.3	
2001	39	8.6	1.86	5.4	13.0	403	7.9	0.40	7.2	8.8	
2002	35	7.2	1.67	4.3	11.2	348	6.8	0.37	6.1	7.5	
2003	35	7.2	1.69	4.2	11.2	411	7.9	0.39	7.2	8.7	
2004	34	6.7	1.48	4.1	10.2	408	8.0	0.40	7.2	8.8	
2005	37	6.3	1.41	3.8	9.7	405	7.7	0.39	7.0	8.5	
2006	32	6.6	1.47	4.0	10.0	457	8.7	0.41	7.9	9.6	
2007	47	8.0	1.53	5.3	11.5	385	7.2	0.37	6.5	7.9	
2008	34	5.6	1.17	3.5	8.4	434	8.1	0.39	7.3	8.9	
2009	45	6.9	1.27	4.7	9.8	410	7.5	0.38	6.8	8.3	
2010	44	6.7	1.28	4.4	9.7	451	8.3	0.40	7.5	9.1	
2011	50	6.6	1.16	4.6	9.3	455	8.4	0.40	7.6	9.2	
2012	40	5.4	1.06	3.6	7.9	427	7.5	0.37	6.8	8.3	
2013	36	4.6	0.91	3.0	6.7	439	7.8	0.38	7.1	8.6	
2014	51	6.0	0.98	4.3	8.3	419	7.5	0.37	6.8	8.3	
2015	46	6.1	1.04	4.2	8.4	474	8.3	0.39	7.6	9.1	
2016	57	7.5	1.13	5.4	10.0	431	7.4	0.37	6.7	8.2	
2017	56	6.9	1.04	5.0	9.3	444	7.9	0.39	7.2	8.7	
2018	60	6.9	0.98	5.1	9.1	415	7.3	0.37	6.6	8.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain and Other Nervous System

Males

Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,528	8.4	0.08	8.3	8.6	1,031	4.8	0.16	4.5	5.1
1990	329	8.1	0.45	7.2	9.0	29	4.4	0.87	2.8	6.4
1991	349	8.6	0.47	7.7	9.6	25	4.3	0.94	2.6	6.5
1992	335	8.2	0.46	7.4	9.2	32	4.7	0.87	3.1	6.7
1993	337	8.3	0.46	7.4	9.2	28	4.1	0.82	2.7	6.1
1994	373	9.1	0.48	8.2	10.1	42	6.6	1.09	4.6	9.0
1995	354	8.6	0.46	7.7	9.5	23	3.4	0.80	2.0	5.4
1996	359	8.6	0.45	7.7	9.5	27	3.2	0.65	2.1	4.8
1997	379	9.1	0.47	8.2	10.1	32	4.7	0.91	3.1	6.8
1998	336	8.1	0.44	7.2	9.0	39	4.9	0.84	3.4	6.9
1999	350	8.4	0.45	7.5	9.3	36	5.1	0.89	3.5	7.1
2000	338	8.0	0.44	7.2	8.9	36	5.2	0.97	3.5	7.5
2001	361	8.6	0.45	7.7	9.5	33	5.1	0.95	3.4	7.3
2002	312	7.4	0.42	6.6	8.3	26	4.1	0.89	2.5	6.2
2003	367	8.6	0.45	7.8	9.6	35	4.9	0.86	3.3	6.9
2004	365	8.7	0.46	7.8	9.6	32	4.3	0.82	2.8	6.2
2005	356	8.3	0.44	7.4	9.2	39	5.1	0.86	3.6	7.1
2006	406	9.5	0.48	8.6	10.5	38	5.4	0.94	3.7	7.5
2007	333	7.7	0.43	6.9	8.6	32	4.0	0.74	2.7	5.8
2008	379	8.7	0.45	7.8	9.6	38	4.6	0.77	3.2	6.4
2009	359	8.2	0.44	7.4	9.1	37	4.6	0.80	3.2	6.5
2010	401	9.2	0.47	8.3	10.1	36	4.8	0.83	3.3	6.7
2011	389	8.9	0.46	8.0	9.8	54	6.7	0.95	5.0	8.9
2012	378	8.2	0.43	7.4	9.1	31	3.6	0.67	2.4	5.2
2013	389	8.8	0.46	7.9	9.7	37	4.3	0.74	3.0	6.1
2014	374	8.3	0.45	7.5	9.3	33	4.2	0.75	2.8	5.9
2015	412	9.2	0.47	8.3	10.1	42	5.1	0.82	3.6	7.0
2016	370	8.0	0.44	7.2	8.9	47	5.6	0.85	4.1	7.6
2017	386	8.6	0.46	7.8	9.6	43	5.4	0.84	3.8	7.3
2018	352	7.9	0.44	7.1	8.8	49	5.8	0.85	4.2	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain and Other Nervous System

Females

Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	750	4.5	0.19	4.2	4.9	10,005	5.6	0.06	5.5	5.7
1990	12	5.4	1.66	2.7	9.7	293	5.1	0.30	4.5	5.8
1991	16	5.7	1.60	3.0	9.8	314	5.3	0.31	4.8	6.0
1992	14	3.3	1.04	1.6	6.3	309	5.2	0.30	4.6	5.8
1993	13	4.1	1.30	2.0	7.5	311	5.2	0.30	4.6	5.8
1994	15	3.5	1.06	1.8	6.4	322	5.3	0.30	4.8	6.0
1995	17	3.9	1.03	2.2	6.7	309	5.2	0.30	4.6	5.8
1996	17	4.6	1.28	2.4	7.8	327	5.5	0.31	4.9	6.2
1997	23	5.9	1.54	3.3	9.7	322	5.4	0.30	4.8	6.0
1998	14	2.7	0.85	1.3	5.1	325	5.4	0.30	4.9	6.1
1999	19	5.1	1.35	2.8	8.4	342	5.6	0.31	5.0	6.3
2000	25	5.3	1.31	3.0	8.5	345	5.7	0.31	5.1	6.4
2001	23	4.7	1.30	2.5	7.9	330	5.5	0.30	4.9	6.1
2002	30	6.2	1.34	3.9	9.4	350	5.8	0.31	5.2	6.4
2003	24	5.7	1.44	3.3	9.1	332	5.4	0.30	4.8	6.0
2004	31	5.0	1.19	2.9	7.9	381	6.3	0.33	5.6	6.9
2005	19	3.1	0.92	1.6	5.4	350	5.8	0.31	5.2	6.4
2006	34	5.7	1.17	3.7	8.4	370	6.0	0.32	5.4	6.7
2007	29	4.4	0.92	2.8	6.7	374	6.1	0.32	5.5	6.8
2008	26	3.9	0.91	2.4	6.1	402	6.4	0.33	5.8	7.1
2009	34	4.7	0.97	3.0	7.0	356	5.7	0.31	5.1	6.3
2010	31	5.0	1.02	3.2	7.4	376	6.0	0.32	5.4	6.6
2011	29	3.9	0.84	2.4	5.9	380	6.0	0.32	5.4	6.6
2012	38	5.4	1.01	3.6	7.7	334	5.2	0.30	4.7	5.9
2013	28	3.9	0.82	2.4	5.8	347	5.5	0.31	4.9	6.1
2014	41	4.7	0.79	3.2	6.5	380	6.0	0.32	5.4	6.6
2015	34	4.1	0.77	2.7	5.9	354	5.5	0.31	5.0	6.2
2016	43	5.3	0.86	3.7	7.3	368	5.8	0.32	5.2	6.5
2017	30	3.4	0.66	2.2	5.0	346	5.2	0.29	4.6	5.8
2018	41	4.4	0.72	3.1	6.1	356	5.7	0.32	5.1	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain and Other Nervous System

Females

Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,824	6.2	0.07	6.0	6.3	894	3.3	0.11	3.1	3.5
1990	269	5.6	0.35	5.0	6.4	19	2.4	0.57	1.4	3.8
1991	286	5.8	0.35	5.1	6.5	21	2.5	0.56	1.5	3.9
1992	273	5.5	0.34	4.8	6.2	34	4.0	0.71	2.8	5.7
1993	275	5.5	0.34	4.9	6.2	30	3.6	0.68	2.4	5.2
1994	282	5.6	0.34	4.9	6.3	35	4.0	0.70	2.8	5.6
1995	278	5.7	0.35	5.0	6.4	29	3.5	0.66	2.3	5.1
1996	287	5.9	0.36	5.2	6.7	36	4.1	0.70	2.9	5.7
1997	294	6.0	0.36	5.4	6.8	21	2.2	0.49	1.4	3.4
1998	290	6.0	0.36	5.3	6.7	26	3.1	0.61	2.0	4.5
1999	304	6.1	0.36	5.4	6.9	32	3.5	0.63	2.4	5.0
2000	307	6.3	0.37	5.6	7.1	32	3.5	0.63	2.4	5.0
2001	302	6.2	0.37	5.6	7.0	18	2.0	0.47	1.2	3.1
2002	309	6.3	0.37	5.6	7.1	30	3.2	0.58	2.1	4.5
2003	300	6.1	0.36	5.4	6.8	23	2.6	0.54	1.6	3.8
2004	337	6.9	0.39	6.2	7.7	35	3.8	0.65	2.6	5.3
2005	307	6.3	0.37	5.6	7.1	32	3.3	0.60	2.3	4.7
2006	316	6.5	0.37	5.8	7.3	42	4.4	0.69	3.2	6.0
2007	328	6.8	0.39	6.1	7.6	36	3.8	0.64	2.6	5.2
2008	356	7.1	0.39	6.4	7.9	34	3.5	0.61	2.4	4.9
2009	314	6.3	0.37	5.6	7.1	29	3.2	0.60	2.1	4.6
2010	321	6.5	0.38	5.8	7.3	40	4.0	0.63	2.8	5.4
2011	332	6.7	0.38	5.9	7.5	34	3.4	0.59	2.4	4.8
2012	294	5.8	0.36	5.1	6.6	27	2.7	0.53	1.8	4.0
2013	316	6.4	0.38	5.7	7.2	22	2.4	0.52	1.5	3.6
2014	317	6.4	0.38	5.7	7.2	37	3.5	0.59	2.5	4.9
2015	308	6.3	0.38	5.5	7.0	35	3.4	0.58	2.3	4.7
2016	302	6.2	0.38	5.5	7.0	47	4.6	0.68	3.4	6.1
2017	308	6.0	0.37	5.3	6.7	28	2.7	0.52	1.8	4.0
2018	312	6.5	0.40	5.8	7.4	30	3.0	0.56	2.0	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,620	5.0	0.15	4.7	5.3	20,611	6.2	0.04	6.1	6.3
1990	25	4.1	1.01	2.4	6.6	601	5.7	0.23	5.2	6.2
1991	31	4.5	0.97	2.8	6.9	651	6.1	0.24	5.6	6.6
1992	28	3.4	0.75	2.1	5.4	649	6.0	0.24	5.6	6.5
1993	29	4.8	1.07	2.9	7.3	626	5.8	0.23	5.3	6.3
1994	27	3.0	0.76	1.7	5.0	702	6.5	0.25	6.0	7.0
1995	34	3.7	0.72	2.4	5.5	655	6.0	0.24	5.6	6.5
1996	35	4.3	0.87	2.8	6.4	673	6.1	0.24	5.7	6.6
1997	49	5.6	1.02	3.8	8.0	707	6.4	0.24	6.0	6.9
1998	39	4.0	0.82	2.6	6.0	667	6.0	0.23	5.6	6.5
1999	43	4.9	0.96	3.2	7.1	703	6.3	0.24	5.9	6.8
2000	45	5.5	1.02	3.7	7.8	686	6.2	0.23	5.7	6.6
2001	55	6.2	1.12	4.2	8.7	698	6.2	0.24	5.8	6.7
2002	61	6.5	1.03	4.6	8.8	666	5.9	0.23	5.5	6.4
2003	56	6.1	1.06	4.3	8.5	716	6.3	0.24	5.9	6.8
2004	63	5.8	0.97	4.0	7.9	735	6.5	0.24	6.0	7.0
2005	48	4.3	0.82	2.9	6.2	703	6.2	0.23	5.7	6.6
2006	63	5.8	0.90	4.2	7.8	785	6.9	0.25	6.4	7.4
2007	66	5.5	0.82	4.0	7.3	709	6.1	0.23	5.7	6.6
2008	56	4.6	0.72	3.2	6.2	787	6.7	0.24	6.3	7.2
2009	72	5.2	0.74	3.9	6.9	722	6.1	0.23	5.7	6.6
2010	68	5.3	0.77	3.9	7.0	790	6.7	0.24	6.2	7.2
2011	73	5.0	0.69	3.7	6.5	789	6.7	0.24	6.2	7.1
2012	72	4.9	0.69	3.7	6.4	716	5.9	0.22	5.4	6.3
2013	58	4.0	0.60	2.9	5.3	740	6.2	0.23	5.7	6.7
2014	83	4.9	0.60	3.8	6.2	748	6.2	0.23	5.8	6.7
2015	74	4.7	0.62	3.6	6.1	775	6.3	0.24	5.9	6.8
2016	92	5.9	0.68	4.7	7.4	752	6.1	0.23	5.7	6.6
2017	80	4.8	0.58	3.7	6.0	735	6.0	0.23	5.6	6.5
2018	95	5.4	0.59	4.3	6.7	725	6.0	0.23	5.6	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	18,326	6.8	0.05	6.7	6.9	1,733	3.5	0.09	3.4	3.7	
1990	554	6.2	0.27	5.7	6.8	40	2.8	0.48	2.0	3.9	
1991	604	6.7	0.28	6.2	7.3	38	2.6	0.45	1.8	3.7	
1992	584	6.4	0.27	5.9	7.0	61	4.0	0.54	3.1	5.3	
1993	567	6.3	0.26	5.7	6.8	48	3.2	0.49	2.4	4.3	
1994	624	6.9	0.28	6.3	7.4	70	4.6	0.57	3.5	5.8	
1995	603	6.7	0.27	6.2	7.3	49	3.2	0.48	2.4	4.3	
1996	611	6.7	0.27	6.2	7.3	54	3.2	0.46	2.4	4.2	
1997	638	7.0	0.28	6.5	7.6	50	3.1	0.45	2.2	4.1	
1998	591	6.5	0.27	6.0	7.1	57	3.4	0.47	2.6	4.5	
1999	622	6.8	0.27	6.2	7.3	62	3.9	0.50	2.9	5.0	
2000	614	6.7	0.27	6.2	7.3	59	3.7	0.50	2.8	4.8	
2001	636	7.0	0.28	6.4	7.5	45	2.9	0.45	2.1	3.9	
2002	597	6.6	0.27	6.0	7.1	50	3.0	0.44	2.2	4.0	
2003	642	7.0	0.28	6.5	7.6	56	3.5	0.47	2.6	4.5	
2004	653	7.1	0.28	6.6	7.7	62	3.7	0.49	2.8	4.8	
2005	624	6.7	0.27	6.2	7.3	62	3.6	0.47	2.7	4.6	
2006	692	7.5	0.29	7.0	8.1	73	4.3	0.52	3.4	5.4	
2007	619	6.7	0.27	6.2	7.2	61	3.5	0.46	2.7	4.5	
2008	694	7.3	0.28	6.8	7.9	65	3.7	0.46	2.8	4.7	
2009	639	6.8	0.28	6.3	7.4	59	3.5	0.47	2.6	4.5	
2010	693	7.4	0.29	6.8	8.0	72	4.0	0.49	3.1	5.1	
2011	682	7.2	0.29	6.7	7.8	81	4.6	0.52	3.6	5.7	
2012	635	6.5	0.27	6.0	7.0	53	2.9	0.41	2.2	3.8	
2013	665	7.0	0.28	6.5	7.6	54	3.0	0.42	2.2	3.9	
2014	649	6.8	0.28	6.3	7.4	64	3.5	0.44	2.7	4.4	
2015	681	7.1	0.29	6.6	7.7	66	3.5	0.44	2.7	4.5	
2016	638	6.6	0.28	6.1	7.2	82	4.4	0.49	3.5	5.4	
2017	648	6.7	0.28	6.2	7.3	66	3.6	0.46	2.8	4.7	
2018	627	6.7	0.28	6.1	7.3	74	4.0	0.47	3.1	5.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	958	6.0	0.24	5.6	6.5	11,284	7.4	0.07	7.3	7.5
1990	14	3.1	1.18	1.2	6.8	335	7.0	0.39	6.2	7.8
1991	18	4.0	1.06	2.2	7.3	351	7.3	0.40	6.6	8.1
1992	16	3.9	1.08	2.1	7.2	355	7.4	0.40	6.6	8.2
1993	17	6.0	1.90	2.8	10.9	346	7.2	0.39	6.4	8.0
1994	15	3.6	1.39	1.4	7.5	406	8.4	0.42	7.6	9.2
1995	18	3.7	1.06	1.9	6.8	362	7.3	0.39	6.6	8.1
1996	20	4.5	1.24	2.4	7.9	373	7.4	0.39	6.7	8.2
1997	27	4.9	1.07	3.0	7.9	403	8.1	0.41	7.3	9.0
1998	26	5.6	1.52	3.0	9.5	364	7.2	0.38	6.5	8.0
1999	29	5.8	1.57	3.2	9.8	379	7.6	0.39	6.8	8.4
2000	22	6.1	1.60	3.4	10.1	364	7.1	0.38	6.4	7.9
2001	35	8.3	1.85	5.1	12.7	385	7.6	0.39	6.9	8.4
2002	35	7.2	1.67	4.3	11.2	329	6.4	0.36	5.7	7.1
2003	35	7.2	1.69	4.2	11.2	401	7.7	0.39	7.0	8.5
2004	34	6.7	1.48	4.1	10.2	386	7.5	0.39	6.8	8.3
2005	35	6.1	1.41	3.7	9.5	380	7.2	0.37	6.5	8.0
2006	32	6.6	1.47	4.0	10.0	440	8.4	0.40	7.6	9.2
2007	41	7.6	1.52	4.9	11.1	365	6.8	0.36	6.1	7.5
2008	33	5.5	1.17	3.5	8.3	416	7.8	0.39	7.0	8.5
2009	42	6.3	1.21	4.2	9.1	386	7.1	0.37	6.4	7.9
2010	42	6.5	1.27	4.3	9.5	440	8.1	0.39	7.3	8.9
2011	46	6.3	1.15	4.3	9.0	439	8.0	0.39	7.3	8.8
2012	38	5.3	1.05	3.4	7.7	405	7.1	0.36	6.4	7.8
2013	33	4.4	0.90	2.8	6.5	415	7.4	0.37	6.7	8.1
2014	49	5.8	0.96	4.1	8.0	401	7.1	0.36	6.4	7.9
2015	43	5.7	1.02	3.9	8.0	446	7.8	0.38	7.1	8.6
2016	54	7.0	1.08	5.0	9.4	403	6.9	0.36	6.2	7.7
2017	53	6.7	1.03	4.8	9.0	418	7.4	0.38	6.7	8.2
2018	56	6.6	0.97	4.9	8.8	391	6.8	0.36	6.2	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	10,053	8.0	0.08	7.9	8.2	939	4.4	0.15	4.1	4.7	
1990	308	7.5	0.44	6.7	8.5	25	3.8	0.82	2.3	5.8	
1991	326	8.0	0.45	7.1	8.9	21	3.8	0.90	2.2	5.9	
1992	324	7.9	0.45	7.1	8.9	29	4.3	0.84	2.8	6.3	
1993	316	7.8	0.44	6.9	8.7	24	3.6	0.77	2.2	5.5	
1994	363	8.9	0.47	8.0	9.8	40	6.2	1.06	4.3	8.6	
1995	338	8.2	0.45	7.3	9.1	22	3.3	0.79	1.9	5.2	
1996	344	8.2	0.44	7.3	9.1	24	2.9	0.62	1.8	4.5	
1997	361	8.7	0.46	7.8	9.6	30	4.5	0.90	2.9	6.6	
1998	315	7.6	0.43	6.8	8.5	38	4.8	0.84	3.3	6.8	
1999	334	8.0	0.44	7.2	8.9	32	4.6	0.85	3.1	6.6	
2000	324	7.7	0.43	6.8	8.5	33	4.8	0.93	3.1	6.9	
2001	347	8.3	0.45	7.4	9.2	30	4.7	0.92	3.1	6.8	
2002	298	7.1	0.41	6.3	7.9	23	3.5	0.80	2.1	5.4	
2003	359	8.5	0.45	7.6	9.4	33	4.5	0.82	3.1	6.5	
2004	346	8.2	0.44	7.4	9.1	29	3.9	0.78	2.5	5.7	
2005	337	7.8	0.43	7.0	8.7	35	4.6	0.81	3.1	6.5	
2006	393	9.2	0.47	8.3	10.2	36	5.1	0.92	3.4	7.2	
2007	316	7.2	0.41	6.4	8.1	29	3.6	0.69	2.4	5.3	
2008	365	8.3	0.44	7.5	9.2	34	4.2	0.74	2.8	5.9	
2009	340	7.7	0.43	6.9	8.6	33	4.2	0.76	2.8	6.0	
2010	392	9.0	0.46	8.1	9.9	34	4.5	0.81	3.1	6.4	
2011	375	8.5	0.45	7.6	9.4	52	6.5	0.94	4.8	8.7	
2012	363	7.8	0.42	7.0	8.7	27	3.2	0.63	2.1	4.7	
2013	367	8.2	0.44	7.4	9.1	36	4.2	0.72	2.9	5.9	
2014	360	8.0	0.43	7.1	8.9	30	3.7	0.69	2.4	5.3	
2015	390	8.6	0.45	7.8	9.6	37	4.5	0.78	3.1	6.3	
2016	352	7.6	0.42	6.8	8.5	38	4.7	0.79	3.3	6.5	
2017	366	8.2	0.45	7.3	9.1	39	4.9	0.79	3.4	6.7	
2018	334	7.4	0.42	6.6	8.3	46	5.4	0.83	3.9	7.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	662	4.1	0.18	3.7	4.5	9,327	5.2	0.05	5.1	5.3
1990	11	5.0	1.60	2.3	9.1	266	4.7	0.29	4.1	5.3
1991	13	4.8	1.49	2.3	8.7	300	5.1	0.30	4.5	5.7
1992	12	2.8	0.97	1.3	5.6	294	5.0	0.29	4.4	5.6
1993	12	3.9	1.26	1.8	7.2	280	4.7	0.28	4.1	5.3
1994	12	2.7	0.92	1.2	5.3	296	4.9	0.29	4.4	5.5
1995	16	3.7	1.01	2.0	6.4	293	4.9	0.29	4.4	5.5
1996	15	4.1	1.21	2.0	7.2	300	5.0	0.29	4.5	5.7
1997	22	5.8	1.53	3.2	9.6	304	5.1	0.29	4.5	5.7
1998	13	2.6	0.84	1.2	5.0	303	5.1	0.29	4.5	5.7
1999	14	4.0	1.24	1.9	7.1	324	5.3	0.30	4.8	6.0
2000	23	5.0	1.29	2.8	8.1	322	5.3	0.30	4.8	6.0
2001	20	4.2	1.27	2.1	7.4	313	5.2	0.30	4.6	5.8
2002	26	5.8	1.33	3.5	9.0	337	5.6	0.31	5.0	6.2
2003	21	5.1	1.35	2.8	8.3	315	5.1	0.29	4.5	5.7
2004	29	4.8	1.19	2.8	7.7	349	5.7	0.31	5.1	6.3
2005	13	2.6	0.90	1.2	4.9	323	5.3	0.30	4.7	5.9
2006	31	5.2	1.12	3.3	7.9	345	5.6	0.31	5.0	6.2
2007	25	3.8	0.86	2.3	5.9	344	5.6	0.31	5.0	6.2
2008	23	3.6	0.89	2.1	5.8	371	5.9	0.31	5.3	6.5
2009	30	4.1	0.91	2.6	6.3	336	5.4	0.30	4.8	6.0
2010	26	4.2	0.94	2.6	6.4	350	5.5	0.30	4.9	6.1
2011	27	3.7	0.83	2.3	5.7	350	5.5	0.30	4.9	6.1
2012	34	4.6	0.91	3.0	6.7	311	4.9	0.29	4.3	5.4
2013	25	3.6	0.80	2.2	5.4	325	5.1	0.29	4.5	5.7
2014	34	4.0	0.75	2.7	5.7	347	5.4	0.30	4.9	6.1
2015	31	3.8	0.75	2.5	5.6	329	5.1	0.29	4.5	5.7
2016	38	4.9	0.84	3.4	6.8	349	5.5	0.31	4.9	6.1
2017	27	3.1	0.63	2.0	4.6	317	4.7	0.28	4.2	5.3
2018	39	4.2	0.71	3.0	5.9	334	5.3	0.30	4.7	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Brain										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,273	5.7	0.06	5.6	5.9	794	2.9	0.10	2.7	3.1
1990	246	5.1	0.34	4.5	5.9	15	2.0	0.54	1.1	3.3
1991	278	5.6	0.34	4.9	6.3	17	1.9	0.49	1.1	3.2
1992	260	5.2	0.33	4.6	5.9	32	3.8	0.69	2.6	5.4
1993	251	5.0	0.32	4.4	5.7	24	2.9	0.61	1.9	4.4
1994	261	5.2	0.33	4.5	5.8	30	3.4	0.63	2.3	4.9
1995	265	5.4	0.34	4.7	6.1	27	3.2	0.63	2.1	4.7
1996	267	5.5	0.34	4.8	6.2	30	3.3	0.62	2.2	4.8
1997	277	5.7	0.35	5.0	6.4	20	2.1	0.48	1.3	3.3
1998	276	5.7	0.35	5.0	6.4	19	2.2	0.51	1.3	3.5
1999	288	5.8	0.35	5.1	6.5	30	3.3	0.61	2.2	4.7
2000	290	6.0	0.36	5.3	6.7	26	2.9	0.58	1.9	4.3
2001	289	5.9	0.36	5.3	6.7	15	1.7	0.44	0.9	2.8
2002	299	6.1	0.36	5.4	6.9	27	2.9	0.56	1.9	4.2
2003	283	5.7	0.35	5.0	6.4	23	2.6	0.54	1.6	3.8
2004	307	6.3	0.37	5.6	7.0	33	3.6	0.63	2.5	5.0
2005	287	5.8	0.35	5.2	6.6	27	2.8	0.54	1.8	4.1
2006	299	6.1	0.36	5.4	6.8	37	3.8	0.63	2.7	5.3
2007	303	6.2	0.37	5.5	7.0	32	3.4	0.60	2.3	4.7
2008	329	6.5	0.37	5.8	7.3	31	3.2	0.58	2.2	4.6
2009	299	6.0	0.36	5.3	6.8	26	2.9	0.57	1.9	4.2
2010	301	6.0	0.36	5.3	6.7	38	3.7	0.61	2.6	5.2
2011	307	6.2	0.37	5.5	6.9	29	2.9	0.55	2.0	4.2
2012	272	5.3	0.34	4.7	6.0	26	2.6	0.52	1.7	3.9
2013	298	6.0	0.36	5.3	6.7	18	2.0	0.47	1.2	3.1
2014	289	5.8	0.36	5.1	6.6	34	3.3	0.56	2.2	4.6
2015	291	5.8	0.36	5.2	6.6	29	2.7	0.51	1.8	3.9
2016	286	5.8	0.37	5.1	6.6	44	4.3	0.65	3.1	5.7
2017	282	5.3	0.34	4.7	6.0	27	2.6	0.51	1.7	3.8
2018	293	6.0	0.38	5.3	6.8	28	2.8	0.53	1.8	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Endocrine System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,903	10.8	0.19	10.4	11.2	36,004	11.0	0.06	10.9	11.1
1990	25	4.2	1.07	2.4	6.9	576	5.5	0.23	5.0	6.0
1991	30	4.1	0.84	2.6	6.2	536	5.1	0.22	4.7	5.5
1992	32	4.4	0.97	2.7	6.8	599	5.6	0.23	5.2	6.1
1993	42	6.2	1.15	4.1	8.9	630	5.9	0.24	5.4	6.4
1994	44	4.5	0.76	3.1	6.4	623	5.8	0.23	5.3	6.2
1995	42	6.4	1.23	4.2	9.2	693	6.4	0.24	5.9	6.8
1996	52	5.8	0.95	4.1	8.1	744	6.8	0.25	6.3	7.3
1997	48	5.1	0.87	3.5	7.1	784	7.1	0.26	6.7	7.7
1998	71	6.5	0.84	4.9	8.4	775	7.0	0.25	6.5	7.5
1999	77	7.1	0.98	5.3	9.4	871	7.9	0.27	7.4	8.4
2000	57	5.1	0.77	3.7	6.9	884	8.0	0.27	7.4	8.5
2001	83	7.1	0.90	5.5	9.1	941	8.4	0.28	7.9	9.0
2002	81	6.9	0.87	5.3	8.8	1,125	10.1	0.30	9.5	10.7
2003	110	8.7	1.00	6.8	10.9	1,113	9.9	0.30	9.3	10.5
2004	122	9.1	0.98	7.3	11.2	1,250	11.2	0.32	10.6	11.8
2005	133	10.1	1.04	8.1	12.3	1,258	11.1	0.32	10.5	11.8
2006	131	9.0	0.89	7.3	10.9	1,423	12.6	0.34	11.9	13.2
2007	155	10.8	1.00	9.0	13.0	1,506	13.3	0.35	12.6	14.0
2008	161	11.2	1.03	9.3	13.5	1,600	14.0	0.35	13.3	14.7
2009	186	12.4	1.04	10.5	14.7	1,684	14.7	0.36	14.0	15.4
2010	203	12.8	1.00	10.9	14.9	1,679	14.6	0.36	13.9	15.4
2011	214	14.1	1.08	12.1	16.4	1,772	15.2	0.37	14.5	15.9
2012	212	12.2	0.90	10.5	14.1	1,937	16.7	0.39	15.9	17.5
2013	255	14.5	0.97	12.6	16.5	1,933	16.6	0.39	15.9	17.4
2014	251	14.8	1.02	12.8	16.9	1,922	16.5	0.39	15.8	17.3
2015	287	16.8	1.06	14.8	19.0	2,009	17.2	0.40	16.5	18.0
2016	285	15.4	0.98	13.6	17.4	1,838	15.9	0.38	15.1	16.6
2017	260	14.7	0.97	12.8	16.7	1,648	14.1	0.36	13.4	14.8
2018	254	13.6	0.90	11.9	15.5	1,651	14.1	0.36	13.4	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Endocrine System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	30,379	11.7	0.07	11.5	11.8	3,287	6.8	0.12	6.6	7.1
1990	507	5.8	0.26	5.3	6.3	51	3.7	0.54	2.7	4.9
1991	471	5.3	0.25	4.9	5.8	41	3.0	0.49	2.1	4.1
1992	531	6.0	0.26	5.5	6.5	48	3.3	0.49	2.4	4.4
1993	552	6.2	0.27	5.7	6.8	48	3.5	0.52	2.5	4.6
1994	540	6.1	0.26	5.6	6.6	57	4.0	0.54	3.0	5.2
1995	597	6.7	0.28	6.2	7.3	60	4.0	0.53	3.0	5.2
1996	647	7.2	0.28	6.6	7.8	67	4.4	0.54	3.4	5.5
1997	658	7.3	0.29	6.8	7.9	81	5.6	0.64	4.4	7.0
1998	642	7.2	0.28	6.6	7.7	80	5.2	0.60	4.1	6.5
1999	754	8.5	0.31	7.9	9.1	63	3.8	0.48	2.9	4.9
2000	757	8.5	0.31	7.9	9.1	72	4.5	0.54	3.5	5.6
2001	798	8.9	0.32	8.3	9.5	97	6.1	0.63	4.9	7.4
2002	972	10.8	0.35	10.2	11.6	98	6.1	0.62	4.9	7.4
2003	954	10.6	0.35	10.0	11.3	99	5.9	0.60	4.8	7.2
2004	1,082	12.2	0.37	11.5	13.0	98	5.8	0.59	4.7	7.0
2005	1,064	11.8	0.37	11.1	12.6	105	6.3	0.63	5.2	7.7
2006	1,205	13.4	0.39	12.6	14.2	126	7.3	0.66	6.1	8.7
2007	1,278	14.2	0.41	13.4	15.0	129	7.5	0.67	6.3	9.0
2008	1,358	15.1	0.42	14.3	15.9	141	8.0	0.68	6.7	9.4
2009	1,446	16.1	0.44	15.3	17.0	153	8.8	0.72	7.4	10.3
2010	1,401	15.6	0.43	14.8	16.5	168	9.3	0.73	7.9	10.8
2011	1,489	16.3	0.44	15.4	17.1	167	9.2	0.72	7.8	10.7
2012	1,619	17.9	0.46	17.0	18.8	173	9.6	0.74	8.2	11.1
2013	1,612	18.0	0.47	17.1	18.9	180	9.7	0.74	8.3	11.2
2014	1,586	17.7	0.46	16.8	18.6	191	10.4	0.77	8.9	12.0
2015	1,684	18.8	0.48	17.9	19.8	181	10.0	0.76	8.6	11.6
2016	1,491	16.8	0.46	15.9	17.7	193	10.6	0.78	9.1	12.2
2017	1,310	14.6	0.42	13.8	15.5	179	9.5	0.73	8.1	11.0
2018	1,374	15.5	0.44	14.6	16.4	141	7.4	0.64	6.2	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Endocrine System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	836	4.9	0.20	4.5	5.3	9,838	6.4	0.06	6.2	6.5
1990	3	0.6	0.35	0.1	3.2	169	3.5	0.28	3.0	4.1
1991	8	2.4	1.09	0.7	5.9	148	3.1	0.26	2.6	3.7
1992	8	1.8	0.75	0.7	4.7	177	3.6	0.28	3.1	4.2
1993	10	4.5	1.92	1.6	9.7	184	3.7	0.28	3.2	4.3
1994	12	1.9	0.63	0.9	4.4	179	3.6	0.27	3.1	4.2
1995	11	4.8	1.85	1.9	9.6	180	3.6	0.27	3.1	4.1
1996	15	3.7	1.31	1.6	7.4	206	4.1	0.29	3.5	4.7
1997	14	3.9	1.37	1.7	7.7	214	4.3	0.29	3.7	4.9
1998	15	3.5	0.99	1.8	6.3	240	4.7	0.31	4.1	5.4
1999	18	3.1	0.85	1.6	5.6	237	4.6	0.30	4.0	5.2
2000	16	2.6	0.77	1.3	4.9	211	4.1	0.28	3.6	4.7
2001	19	3.1	0.79	1.7	5.3	274	5.3	0.32	4.7	5.9
2002	19	2.7	0.70	1.5	4.8	288	5.5	0.33	4.9	6.2
2003	20	3.0	0.78	1.7	5.1	271	5.2	0.32	4.6	5.8
2004	19	2.5	0.64	1.4	4.4	342	6.4	0.35	5.8	7.2
2005	27	4.8	1.34	2.5	8.1	340	6.3	0.35	5.7	7.0
2006	28	3.8	0.85	2.3	6.0	376	7.0	0.36	6.3	7.8
2007	29	4.6	1.03	2.8	7.1	400	7.4	0.38	6.7	8.2
2008	32	5.2	1.11	3.3	7.9	400	7.2	0.36	6.5	7.9
2009	37	5.9	1.18	3.8	8.7	404	7.2	0.37	6.5	8.0
2010	36	4.9	0.99	3.1	7.2	465	8.4	0.40	7.6	9.2
2011	42	5.8	1.04	4.0	8.3	479	8.5	0.40	7.8	9.4
2012	45	4.5	0.70	3.3	6.2	509	9.0	0.41	8.2	9.8
2013	51	5.9	0.96	4.2	8.1	545	9.5	0.42	8.7	10.4
2014	52	6.2	0.93	4.5	8.3	540	9.4	0.41	8.6	10.2
2015	64	8.7	1.25	6.5	11.5	545	9.5	0.42	8.7	10.3
2016	67	7.9	1.07	5.9	10.3	535	9.4	0.42	8.6	10.3
2017	55	6.5	0.97	4.8	8.7	510	8.8	0.41	8.1	9.7
2018	64	6.7	0.89	5.0	8.7	470	8.1	0.39	7.4	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Endocrine System											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	8,498	6.7	0.07	6.6	6.9	764	3.7	0.14	3.4	4.0	
1990	148	3.6	0.30	3.1	4.3	16	3.0	0.85	1.6	5.1	
1991	131	3.2	0.29	2.7	3.9	9	1.3	0.45	0.6	2.6	
1992	154	3.8	0.31	3.2	4.4	16	2.5	0.64	1.4	4.2	
1993	170	4.1	0.32	3.5	4.8	11	1.7	0.56	0.8	3.2	
1994	150	3.6	0.29	3.0	4.2	21	4.1	0.95	2.5	6.4	
1995	161	3.8	0.30	3.3	4.5	13	1.8	0.53	0.9	3.2	
1996	178	4.2	0.32	3.6	4.9	21	3.2	0.72	2.0	5.0	
1997	183	4.3	0.32	3.7	5.0	20	3.3	0.78	1.9	5.2	
1998	198	4.7	0.33	4.1	5.4	24	3.5	0.72	2.2	5.3	
1999	210	5.0	0.34	4.3	5.7	16	2.2	0.57	1.2	3.6	
2000	189	4.5	0.32	3.8	5.1	10	1.3	0.42	0.6	2.5	
2001	235	5.5	0.36	4.8	6.2	27	4.2	0.84	2.7	6.2	
2002	252	5.9	0.37	5.2	6.7	19	2.7	0.64	1.6	4.3	
2003	232	5.4	0.36	4.7	6.2	23	3.2	0.69	2.0	4.9	
2004	306	7.1	0.41	6.3	7.9	19	2.5	0.59	1.5	4.0	
2005	299	6.9	0.40	6.1	7.7	25	3.5	0.72	2.2	5.2	
2006	322	7.4	0.41	6.6	8.2	30	3.9	0.72	2.6	5.6	
2007	345	7.9	0.43	7.1	8.8	29	4.3	0.84	2.8	6.2	
2008	351	7.8	0.42	7.0	8.7	31	3.9	0.73	2.6	5.6	
2009	351	7.7	0.42	6.9	8.6	31	4.0	0.73	2.7	5.7	
2010	402	9.1	0.46	8.2	10.0	35	4.3	0.76	3.0	6.1	
2011	414	9.1	0.46	8.2	10.1	37	4.7	0.80	3.2	6.5	
2012	442	9.7	0.48	8.8	10.7	39	5.2	0.87	3.7	7.2	
2013	474	10.4	0.49	9.4	11.4	35	4.2	0.73	2.9	5.9	
2014	464	10.1	0.49	9.2	11.1	45	5.4	0.84	3.9	7.3	
2015	456	10.0	0.49	9.1	11.0	51	6.4	0.93	4.8	8.5	
2016	439	9.8	0.49	8.9	10.8	50	6.2	0.91	4.6	8.3	
2017	429	9.4	0.48	8.5	10.4	39	4.9	0.80	3.4	6.7	
2018	413	9.1	0.47	8.2	10.0	22	2.7	0.59	1.7	4.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Endocrine System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,067	17.0	0.33	16.3	17.6	26,166	15.5	0.10	15.3	15.7
1990	22	7.6	1.92	4.3	12.3	407	7.3	0.37	6.6	8.0
1991	22	6.2	1.41	3.7	9.8	388	7.0	0.36	6.3	7.7
1992	24	7.0	1.66	4.1	11.1	422	7.5	0.37	6.8	8.2
1993	32	8.5	1.68	5.6	12.6	446	7.9	0.38	7.2	8.7
1994	32	7.3	1.41	4.8	10.8	444	7.8	0.37	7.1	8.6
1995	31	8.3	1.75	5.2	12.5	513	9.0	0.40	8.2	9.8
1996	37	8.3	1.51	5.6	11.9	538	9.3	0.40	8.5	10.2
1997	34	6.6	1.26	4.4	9.7	570	9.8	0.41	9.0	10.6
1998	56	10.0	1.44	7.4	13.4	535	9.3	0.40	8.5	10.1
1999	59	11.4	1.71	8.3	15.3	634	11.0	0.44	10.2	11.9
2000	41	7.7	1.33	5.4	10.9	673	11.6	0.45	10.7	12.5
2001	64	11.4	1.60	8.5	15.0	667	11.5	0.45	10.6	12.4
2002	62	11.1	1.57	8.3	14.7	837	14.4	0.50	13.4	15.4
2003	90	14.5	1.77	11.3	18.5	842	14.4	0.50	13.4	15.4
2004	103	15.7	1.78	12.5	19.7	908	15.7	0.53	14.7	16.8
2005	106	15.8	1.70	12.6	19.6	918	15.7	0.52	14.7	16.7
2006	103	14.3	1.56	11.4	17.8	1,047	17.8	0.56	16.7	18.9
2007	126	17.4	1.71	14.2	21.2	1,106	18.8	0.57	17.7	19.9
2008	129	17.6	1.72	14.4	21.3	1,200	20.4	0.60	19.2	21.6
2009	149	19.4	1.74	16.1	23.1	1,280	21.8	0.62	20.6	23.0
2010	167	21.2	1.75	17.9	25.0	1,214	20.7	0.61	19.5	21.9
2011	172	22.5	1.86	19.0	26.5	1,293	21.5	0.62	20.3	22.7
2012	167	20.0	1.63	16.9	23.4	1,428	24.0	0.66	22.8	25.3
2013	204	23.5	1.72	20.2	27.1	1,388	23.5	0.65	22.2	24.8
2014	199	23.3	1.77	20.0	27.1	1,382	23.4	0.65	22.2	24.8
2015	223	25.5	1.77	22.1	29.2	1,464	24.7	0.67	23.4	26.0
2016	218	23.4	1.65	20.3	26.9	1,303	22.1	0.64	20.9	23.4
2017	205	23.0	1.68	19.8	26.5	1,138	19.2	0.60	18.1	20.4
2018	190	20.7	1.56	17.8	24.0	1,181	20.0	0.61	18.8	21.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Endocrine System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	21,881	16.5	0.11	16.3	16.7	2,523	9.3	0.19	9.0	9.7
1990	359	7.8	0.42	7.0	8.7	35	4.4	0.75	3.0	6.1
1991	340	7.4	0.41	6.6	8.3	32	4.2	0.77	2.8	6.0
1992	377	8.1	0.42	7.3	9.0	32	3.9	0.70	2.7	5.5
1993	382	8.3	0.43	7.4	9.1	37	4.8	0.80	3.4	6.6
1994	390	8.5	0.43	7.6	9.4	36	4.2	0.70	2.9	5.8
1995	436	9.5	0.46	8.6	10.4	47	5.6	0.83	4.1	7.5
1996	469	10.1	0.47	9.2	11.1	46	5.2	0.78	3.8	7.0
1997	475	10.1	0.47	9.2	11.1	61	7.5	0.97	5.7	9.6
1998	444	9.7	0.46	8.8	10.6	56	6.4	0.87	4.8	8.3
1999	544	11.9	0.51	10.9	13.0	47	5.1	0.74	3.7	6.7
2000	568	12.3	0.52	11.3	13.4	62	6.8	0.87	5.2	8.8
2001	563	12.3	0.52	11.3	13.4	70	7.6	0.92	5.9	9.7
2002	720	15.7	0.59	14.6	16.9	79	8.6	0.98	6.8	10.8
2003	722	15.7	0.59	14.6	16.9	76	8.1	0.93	6.3	10.1
2004	776	17.3	0.63	16.1	18.5	79	8.4	0.94	6.6	10.4
2005	765	16.7	0.62	15.6	18.0	80	8.6	0.97	6.8	10.7
2006	883	19.3	0.66	18.0	20.6	96	9.9	1.02	8.0	12.1
2007	933	20.4	0.68	19.1	21.8	100	10.3	1.04	8.4	12.6
2008	1,007	22.2	0.72	20.8	23.6	110	11.2	1.08	9.2	13.5
2009	1,095	24.4	0.76	22.9	25.9	122	12.4	1.14	10.3	14.9
2010	999	22.2	0.73	20.8	23.7	133	13.3	1.17	11.1	15.8
2011	1,075	23.3	0.74	21.9	24.8	130	12.9	1.15	10.7	15.4
2012	1,177	26.0	0.79	24.4	27.6	134	13.2	1.16	11.0	15.7
2013	1,138	25.5	0.79	24.0	27.1	145	14.1	1.19	11.8	16.6
2014	1,122	25.2	0.79	23.7	26.8	146	14.4	1.22	12.1	17.0
2015	1,228	27.5	0.83	25.9	29.2	130	13.0	1.16	10.8	15.5
2016	1,052	23.7	0.77	22.2	25.3	143	14.3	1.22	12.0	16.9
2017	881	19.8	0.71	18.5	21.3	140	13.4	1.17	11.2	15.9
2018	961	21.9	0.75	20.5	23.5	119	11.4	1.07	9.3	13.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Thyroid										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,665	10.2	0.19	9.8	10.6	33,582	10.3	0.06	10.2	10.4
1990	24	3.8	0.99	2.1	6.3	513	4.9	0.22	4.5	5.3
1991	26	3.8	0.83	2.3	5.9	482	4.6	0.21	4.2	5.0
1992	28	3.7	0.87	2.2	5.9	513	4.8	0.21	4.4	5.3
1993	36	4.9	0.96	3.2	7.3	559	5.2	0.22	4.8	5.7
1994	36	4.0	0.74	2.7	5.9	568	5.3	0.22	4.8	5.7
1995	37	5.6	1.15	3.6	8.3	616	5.6	0.23	5.2	6.1
1996	46	5.2	0.90	3.5	7.3	672	6.1	0.24	5.7	6.6
1997	42	4.5	0.82	3.0	6.5	716	6.5	0.24	6.0	7.0
1998	66	5.8	0.79	4.4	7.7	715	6.5	0.24	6.0	7.0
1999	71	6.7	0.96	4.9	8.9	795	7.2	0.26	6.7	7.7
2000	54	4.7	0.74	3.4	6.5	819	7.4	0.26	6.9	7.9
2001	75	6.6	0.87	5.0	8.5	853	7.6	0.26	7.1	8.2
2002	73	6.4	0.85	4.8	8.3	1,039	9.3	0.29	8.7	9.9
2003	97	7.5	0.92	5.8	9.6	1,030	9.2	0.29	8.6	9.8
2004	113	8.5	0.95	6.7	10.6	1,143	10.2	0.30	9.6	10.8
2005	127	9.7	1.02	7.8	11.9	1,176	10.4	0.31	9.8	11.0
2006	127	8.6	0.87	7.0	10.5	1,314	11.6	0.32	11.0	12.2
2007	144	10.1	0.97	8.3	12.2	1,415	12.5	0.33	11.8	13.1
2008	155	10.9	1.02	9.0	13.1	1,509	13.2	0.34	12.5	13.9
2009	177	12.0	1.03	10.1	14.2	1,599	14.0	0.36	13.3	14.7
2010	190	12.1	0.97	10.3	14.2	1,591	13.9	0.35	13.2	14.6
2011	205	13.7	1.06	11.7	16.0	1,679	14.4	0.36	13.7	15.1
2012	201	11.6	0.88	10.0	13.5	1,847	15.9	0.38	15.2	16.7
2013	239	13.5	0.94	11.8	15.5	1,865	16.1	0.38	15.3	16.8
2014	241	14.2	1.00	12.3	16.3	1,838	15.8	0.38	15.1	16.6
2015	275	16.1	1.04	14.1	18.3	1,912	16.4	0.39	15.6	17.2
2016	274	14.9	0.96	13.1	16.9	1,736	15.0	0.37	14.3	15.8
2017	244	13.8	0.94	12.0	15.7	1,549	13.3	0.35	12.6	14.0
2018	242	13.0	0.88	11.4	14.9	1,519	13.0	0.35	12.3	13.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Thyroid											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	28,538	10.9	0.07	10.8	11.1	2,841	5.9	0.11	5.7	6.2	
1990	458	5.2	0.25	4.8	5.7	39	2.9	0.49	2.0	4.0	
1991	427	4.8	0.24	4.4	5.3	33	2.5	0.46	1.7	3.6	
1992	458	5.1	0.24	4.7	5.6	38	2.7	0.44	1.9	3.7	
1993	493	5.6	0.25	5.1	6.1	39	2.7	0.45	1.9	3.8	
1994	496	5.6	0.25	5.1	6.1	49	3.4	0.50	2.5	4.6	
1995	532	6.0	0.26	5.5	6.5	52	3.6	0.50	2.6	4.7	
1996	592	6.6	0.27	6.1	7.1	53	3.4	0.48	2.6	4.5	
1997	610	6.8	0.27	6.2	7.3	63	4.5	0.58	3.5	5.8	
1998	599	6.7	0.27	6.2	7.2	67	4.4	0.55	3.4	5.6	
1999	694	7.8	0.30	7.2	8.4	50	3.0	0.43	2.2	4.0	
2000	706	7.9	0.30	7.3	8.5	64	4.0	0.51	3.1	5.2	
2001	729	8.1	0.30	7.5	8.7	84	5.3	0.58	4.2	6.5	
2002	902	10.0	0.34	9.4	10.7	85	5.3	0.58	4.2	6.5	
2003	886	9.9	0.33	9.2	10.6	87	5.3	0.57	4.2	6.5	
2004	996	11.2	0.36	10.5	11.9	80	4.7	0.53	3.7	5.9	
2005	999	11.1	0.36	10.4	11.8	89	5.4	0.58	4.3	6.6	
2006	1,123	12.5	0.38	11.8	13.3	101	5.9	0.60	4.8	7.2	
2007	1,217	13.6	0.40	12.8	14.4	112	6.6	0.63	5.4	8.0	
2008	1,285	14.3	0.41	13.5	15.1	129	7.4	0.66	6.2	8.8	
2009	1,386	15.5	0.43	14.7	16.4	133	7.6	0.67	6.3	9.0	
2010	1,339	14.9	0.42	14.1	15.7	146	8.1	0.68	6.8	9.6	
2011	1,422	15.5	0.43	14.7	16.4	144	7.9	0.67	6.7	9.4	
2012	1,549	17.1	0.45	16.3	18.0	158	8.7	0.71	7.4	10.2	
2013	1,568	17.5	0.46	16.6	18.4	161	8.7	0.70	7.3	10.1	
2014	1,520	16.9	0.45	16.0	17.8	178	9.7	0.74	8.3	11.3	
2015	1,614	18.0	0.47	17.1	18.9	162	9.0	0.72	7.6	10.5	
2016	1,419	16.0	0.45	15.1	16.9	173	9.6	0.74	8.2	11.1	
2017	1,243	13.9	0.41	13.1	14.7	157	8.4	0.69	7.1	9.9	
2018	1,276	14.4	0.42	13.5	15.2	115	6.1	0.58	5.0	7.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Thyroid										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	700	4.4	0.20	4.0	4.8	8,569	5.5	0.06	5.4	5.6
1990	3	0.6	0.35	0.1	3.2	136	2.9	0.25	2.4	3.4
1991	6	2.1	1.07	0.5	5.7	118	2.5	0.23	2.0	3.0
1992	5	1.2	0.61	0.3	3.9	133	2.7	0.24	2.3	3.3
1993	7	3.1	1.48	0.9	7.4	143	2.9	0.24	2.4	3.4
1994	5	1.2	0.56	0.3	3.6	147	3.0	0.25	2.5	3.5
1995	8	3.9	1.72	1.3	8.5	143	2.8	0.24	2.4	3.4
1996	11	3.1	1.26	1.2	6.7	167	3.3	0.26	2.8	3.9
1997	11	3.4	1.30	1.3	7.0	181	3.6	0.27	3.1	4.2
1998	10	2.2	0.77	1.0	4.7	209	4.1	0.29	3.6	4.7
1999	15	2.8	0.84	1.4	5.3	204	3.9	0.28	3.4	4.5
2000	14	2.2	0.73	1.0	4.5	181	3.5	0.26	3.0	4.0
2001	13	2.3	0.69	1.1	4.4	225	4.3	0.29	3.8	4.9
2002	14	2.3	0.68	1.2	4.4	240	4.6	0.30	4.0	5.2
2003	13	2.1	0.70	1.0	4.1	233	4.4	0.29	3.9	5.0
2004	15	2.1	0.57	1.1	3.8	290	5.4	0.32	4.8	6.1
2005	24	4.6	1.33	2.3	7.8	291	5.4	0.32	4.8	6.0
2006	25	3.4	0.82	2.0	5.6	309	5.7	0.33	5.1	6.4
2007	23	3.7	0.92	2.1	6.0	354	6.6	0.35	5.9	7.3
2008	29	4.9	1.10	3.0	7.6	357	6.4	0.34	5.7	7.1
2009	32	5.5	1.17	3.5	8.3	369	6.6	0.35	6.0	7.3
2010	30	4.5	0.98	2.7	6.8	420	7.6	0.38	6.8	8.3
2011	36	5.3	1.01	3.5	7.7	425	7.5	0.37	6.8	8.3
2012	39	4.1	0.68	2.9	5.7	462	8.1	0.39	7.4	8.9
2013	41	5.1	0.92	3.4	7.2	500	8.7	0.40	8.0	9.6
2014	49	6.0	0.91	4.3	8.0	494	8.6	0.40	7.8	9.4
2015	54	7.6	1.17	5.5	10.2	491	8.5	0.40	7.7	9.3
2016	60	7.3	1.05	5.4	9.6	479	8.4	0.40	7.7	9.2
2017	51	6.2	0.95	4.5	8.3	456	7.9	0.38	7.2	8.7
2018	57	6.0	0.86	4.5	8.0	412	7.0	0.36	6.3	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Thyroid											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	7,537	5.9	0.07	5.8	6.1	531	2.7	0.12	2.4	2.9	
1990	122	3.0	0.28	2.5	3.6	10	2.2	0.77	1.0	4.2	
1991	106	2.6	0.26	2.1	3.2	6	1.0	0.42	0.4	2.3	
1992	119	2.9	0.27	2.4	3.5	10	1.7	0.55	0.8	3.2	
1993	135	3.2	0.28	2.7	3.8	6	0.9	0.36	0.3	2.0	
1994	124	2.9	0.27	2.4	3.5	17	3.4	0.86	1.9	5.4	
1995	131	3.1	0.27	2.6	3.7	9	1.3	0.47	0.6	2.6	
1996	149	3.5	0.29	3.0	4.1	14	2.2	0.61	1.2	3.8	
1997	159	3.8	0.30	3.2	4.4	12	2.1	0.67	1.0	3.8	
1998	176	4.2	0.31	3.6	4.8	18	2.6	0.63	1.6	4.2	
1999	183	4.3	0.32	3.7	5.0	11	1.6	0.48	0.8	2.9	
2000	166	3.9	0.30	3.3	4.5	8	1.1	0.40	0.5	2.2	
2001	199	4.6	0.33	4.0	5.3	17	2.7	0.68	1.5	4.4	
2002	213	4.9	0.34	4.3	5.7	11	1.5	0.45	0.7	2.7	
2003	198	4.6	0.33	4.0	5.3	19	2.7	0.65	1.6	4.3	
2004	260	6.0	0.37	5.3	6.7	13	1.7	0.50	0.9	3.0	
2005	260	5.9	0.37	5.2	6.7	15	2.1	0.57	1.2	3.6	
2006	271	6.1	0.38	5.4	6.9	16	2.2	0.57	1.3	3.6	
2007	316	7.2	0.41	6.4	8.1	20	3.2	0.76	1.9	5.0	
2008	320	7.1	0.40	6.3	7.9	23	3.0	0.67	1.9	4.6	
2009	327	7.3	0.41	6.5	8.1	23	2.9	0.62	1.8	4.4	
2010	368	8.2	0.44	7.4	9.1	24	3.1	0.67	2.0	4.7	
2011	379	8.3	0.44	7.4	9.2	20	2.6	0.60	1.6	4.0	
2012	407	8.9	0.45	8.0	9.8	28	3.7	0.73	2.4	5.4	
2013	440	9.6	0.47	8.7	10.6	26	3.3	0.66	2.1	4.8	
2014	429	9.3	0.47	8.4	10.3	36	4.5	0.77	3.1	6.2	
2015	417	9.1	0.46	8.2	10.0	39	4.8	0.79	3.4	6.7	
2016	403	9.0	0.47	8.1	9.9	39	4.9	0.82	3.5	6.8	
2017	394	8.6	0.45	7.8	9.6	27	3.5	0.70	2.3	5.1	
2018	366	7.9	0.43	7.1	8.8	14	1.8	0.49	1.0	3.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Thyroid										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,965	16.4	0.33	15.7	17.0	25,013	14.8	0.09	14.6	15.0
1990	21	6.9	1.78	3.8	11.3	377	6.8	0.35	6.1	7.5
1991	20	5.8	1.39	3.4	9.4	364	6.6	0.35	5.9	7.3
1992	23	6.3	1.53	3.7	10.2	380	6.7	0.35	6.1	7.4
1993	29	7.4	1.49	4.7	11.0	416	7.3	0.36	6.7	8.1
1994	31	7.2	1.40	4.7	10.7	421	7.4	0.37	6.7	8.2
1995	29	7.7	1.66	4.8	11.7	473	8.2	0.38	7.5	9.0
1996	35	7.6	1.43	5.1	11.1	505	8.8	0.39	8.0	9.6
1997	31	6.0	1.19	3.9	9.0	535	9.2	0.40	8.4	10.0
1998	56	10.0	1.44	7.4	13.4	506	8.8	0.39	8.0	9.6
1999	56	10.7	1.66	7.7	14.6	591	10.3	0.43	9.5	11.2
2000	40	7.4	1.29	5.1	10.5	638	11.0	0.44	10.1	11.9
2001	62	11.1	1.58	8.2	14.7	628	10.8	0.43	10.0	11.7
2002	59	10.6	1.54	7.8	14.1	799	13.7	0.49	12.7	14.7
2003	84	13.2	1.64	10.2	16.9	797	13.7	0.49	12.7	14.6
2004	98	15.0	1.74	11.8	18.9	853	14.8	0.51	13.8	15.8
2005	103	15.3	1.67	12.2	19.0	885	15.1	0.51	14.1	16.2
2006	102	14.1	1.54	11.2	17.5	1,005	17.1	0.55	16.1	18.2
2007	121	16.9	1.69	13.7	20.5	1,061	18.0	0.56	16.9	19.1
2008	126	17.2	1.71	14.0	20.9	1,152	19.6	0.59	18.5	20.8
2009	145	18.9	1.72	15.7	22.6	1,230	21.0	0.61	19.8	22.2
2010	160	20.3	1.70	17.1	23.9	1,171	19.9	0.60	18.8	21.1
2011	169	22.2	1.85	18.8	26.2	1,254	20.9	0.61	19.7	22.1
2012	162	19.4	1.61	16.3	22.8	1,385	23.4	0.65	22.1	24.7
2013	198	22.5	1.67	19.4	26.1	1,365	23.1	0.64	21.8	24.4
2014	192	22.5	1.74	19.2	26.2	1,344	22.8	0.64	21.5	24.1
2015	221	25.3	1.76	21.9	29.0	1,421	24.0	0.66	22.7	25.3
2016	214	23.0	1.64	19.9	26.5	1,257	21.4	0.63	20.2	22.7
2017	193	21.5	1.61	18.5	24.9	1,093	18.5	0.58	17.4	19.7
2018	185	20.2	1.54	17.3	23.4	1,107	18.8	0.59	17.6	20.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Thyroid											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	21,001	15.9	0.11	15.7	16.1	2,310	8.5	0.18	8.2	8.9	
1990	336	7.3	0.41	6.6	8.2	29	3.7	0.70	2.4	5.3	
1991	321	7.0	0.40	6.3	7.8	27	3.6	0.72	2.3	5.3	
1992	339	7.3	0.40	6.5	8.1	28	3.4	0.65	2.3	4.9	
1993	358	7.7	0.41	6.9	8.6	33	4.2	0.74	2.9	5.9	
1994	372	8.1	0.42	7.3	9.0	32	3.7	0.66	2.5	5.2	
1995	401	8.7	0.44	7.9	9.6	43	5.2	0.80	3.7	7.0	
1996	443	9.6	0.46	8.7	10.5	39	4.4	0.72	3.1	6.1	
1997	451	9.6	0.46	8.7	10.5	51	6.4	0.90	4.7	8.4	
1998	423	9.2	0.45	8.4	10.2	49	5.7	0.82	4.2	7.5	
1999	511	11.3	0.50	10.3	12.3	39	4.2	0.67	3.0	5.7	
2000	540	11.8	0.51	10.8	12.8	56	6.2	0.84	4.7	8.1	
2001	530	11.6	0.51	10.6	12.6	67	7.3	0.90	5.7	9.3	
2002	689	15.0	0.58	13.9	16.2	74	8.1	0.95	6.4	10.2	
2003	688	15.0	0.58	13.9	16.2	68	7.3	0.88	5.6	9.2	
2004	736	16.4	0.61	15.2	17.6	67	7.1	0.87	5.5	9.0	
2005	739	16.2	0.61	15.0	17.4	74	7.9	0.93	6.2	10.0	
2006	852	18.7	0.65	17.4	20.0	85	8.8	0.96	7.0	10.9	
2007	901	19.7	0.67	18.4	21.1	92	9.6	1.01	7.7	11.8	
2008	965	21.3	0.71	20.0	22.8	106	10.9	1.06	8.9	13.2	
2009	1,059	23.6	0.75	22.2	25.1	110	11.2	1.08	9.2	13.5	
2010	971	21.6	0.72	20.2	23.0	122	12.2	1.12	10.1	14.6	
2011	1,043	22.7	0.73	21.3	24.2	124	12.3	1.12	10.2	14.7	
2012	1,142	25.3	0.78	23.8	26.9	130	12.8	1.14	10.7	15.2	
2013	1,128	25.3	0.79	23.8	26.9	135	13.0	1.14	10.9	15.4	
2014	1,091	24.5	0.78	23.0	26.1	142	14.0	1.20	11.8	16.6	
2015	1,197	26.8	0.82	25.2	28.5	123	12.3	1.14	10.2	14.8	
2016	1,016	23.0	0.76	21.5	24.6	134	13.5	1.19	11.2	16.0	
2017	849	19.1	0.69	17.8	20.5	130	12.5	1.13	10.4	14.9	
2018	910	20.8	0.73	19.4	22.3	101	9.6	0.99	7.8	11.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lymphoma											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	5,361	20.8	0.33	20.2	21.5	76,066	22.3	0.08	22.2	22.5	
1990	77	13.8	2.01	10.1	18.3	1,993	19.0	0.43	18.1	19.8	
1991	69	14.0	2.08	10.2	18.6	1,989	18.6	0.42	17.8	19.5	
1992	98	19.0	2.37	14.6	24.2	2,160	20.1	0.43	19.2	20.9	
1993	100	17.2	2.18	13.2	22.0	2,209	20.3	0.43	19.5	21.2	
1994	118	19.8	2.32	15.5	24.8	2,318	21.2	0.44	20.3	22.1	
1995	122	22.8	2.64	17.9	28.5	2,406	21.9	0.45	21.0	22.8	
1996	115	19.0	2.24	14.8	23.8	2,521	22.8	0.46	21.9	23.7	
1997	100	15.3	1.88	11.9	19.4	2,466	22.2	0.45	21.3	23.0	
1998	128	19.8	2.09	15.9	24.3	2,500	22.3	0.45	21.5	23.2	
1999	163	23.8	2.35	19.4	28.7	2,575	22.9	0.45	22.0	23.8	
2000	126	18.0	2.01	14.3	22.4	2,601	23.0	0.45	22.1	23.9	
2001	133	19.5	2.06	15.6	23.8	2,599	22.8	0.45	21.9	23.7	
2002	172	23.4	2.19	19.3	28.0	2,604	22.7	0.45	21.9	23.6	
2003	172	21.0	1.96	17.3	25.1	2,634	22.8	0.45	22.0	23.7	
2004	185	22.7	2.08	18.8	27.1	2,794	24.1	0.46	23.2	25.0	
2005	185	21.2	1.90	17.6	25.2	2,737	23.5	0.45	22.6	24.4	
2006	190	18.7	1.57	15.7	22.0	2,692	23.0	0.45	22.1	23.9	
2007	209	22.5	1.85	19.0	26.3	2,713	22.9	0.44	22.0	23.8	
2008	240	24.4	1.88	20.8	28.3	2,808	23.4	0.45	22.5	24.3	
2009	232	22.9	1.75	19.6	26.5	2,799	23.2	0.44	22.3	24.1	
2010	222	21.5	1.65	18.4	25.0	2,902	23.8	0.45	22.9	24.7	
2011	222	19.9	1.53	17.0	23.1	2,827	22.8	0.44	22.0	23.7	
2012	225	19.3	1.46	16.6	22.4	2,776	22.4	0.43	21.5	23.2	
2013	270	21.2	1.45	18.4	24.2	2,814	22.2	0.43	21.4	23.1	
2014	290	22.8	1.50	20.0	26.0	2,958	23.0	0.43	22.2	23.9	
2015	282	21.7	1.43	19.0	24.7	2,993	23.2	0.44	22.4	24.1	
2016	297	21.4	1.37	18.8	24.2	2,917	22.6	0.43	21.7	23.4	
2017	308	21.9	1.36	19.4	24.8	2,940	22.5	0.43	21.7	23.4	
2018	311	20.3	1.24	17.9	22.8	2,821	21.4	0.42	20.6	22.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lymphoma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	66,258	23.4	0.09	23.2	23.6	7,514	16.1	0.19	15.7	16.5	
1990	1,799	19.9	0.47	19.0	20.8	170	12.8	1.03	10.9	15.0	
1991	1,814	19.8	0.47	18.9	20.7	140	10.4	0.92	8.7	12.4	
1992	1,969	21.3	0.48	20.4	22.3	168	12.5	1.00	10.6	14.6	
1993	1,990	21.4	0.48	20.4	22.3	192	13.3	1.00	11.4	15.4	
1994	2,056	22.0	0.49	21.0	22.9	225	15.7	1.08	13.6	17.9	
1995	2,131	22.7	0.49	21.7	23.7	227	16.0	1.11	14.0	18.4	
1996	2,238	23.8	0.51	22.9	24.9	233	15.5	1.05	13.5	17.7	
1997	2,178	23.1	0.50	22.1	24.1	233	15.3	1.03	13.4	17.5	
1998	2,188	23.1	0.50	22.1	24.1	256	16.8	1.07	14.7	19.0	
1999	2,307	24.3	0.51	23.3	25.3	224	14.9	1.02	12.9	17.0	
2000	2,287	24.2	0.51	23.2	25.2	248	15.8	1.02	13.9	17.9	
2001	2,294	24.0	0.50	23.0	25.0	249	15.9	1.03	13.9	18.0	
2002	2,304	24.1	0.50	23.1	25.1	239	15.1	1.00	13.2	17.2	
2003	2,297	23.9	0.50	22.9	24.9	260	16.2	1.02	14.3	18.3	
2004	2,417	25.0	0.51	24.1	26.1	296	18.8	1.12	16.7	21.1	
2005	2,379	24.5	0.51	23.6	25.6	269	16.9	1.05	14.9	19.0	
2006	2,364	24.5	0.51	23.5	25.5	254	15.6	1.00	13.7	17.6	
2007	2,356	24.1	0.50	23.1	25.1	288	17.2	1.04	15.2	19.4	
2008	2,426	24.5	0.51	23.5	25.5	279	16.8	1.03	14.9	18.9	
2009	2,421	24.3	0.50	23.3	25.3	272	16.0	0.99	14.1	18.1	
2010	2,480	24.8	0.51	23.8	25.8	301	17.5	1.03	15.6	19.7	
2011	2,413	23.8	0.50	22.8	24.7	306	17.4	1.02	15.5	19.6	
2012	2,390	23.6	0.50	22.6	24.6	293	16.4	0.98	14.5	18.4	
2013	2,407	23.4	0.49	22.4	24.4	292	16.1	0.96	14.3	18.1	
2014	2,513	24.1	0.50	23.1	25.1	315	17.2	0.99	15.3	19.3	
2015	2,561	24.5	0.50	23.6	25.5	304	16.5	0.97	14.7	18.5	
2016	2,487	23.8	0.50	22.9	24.8	295	16.4	0.98	14.6	18.4	
2017	2,453	23.3	0.49	22.4	24.3	347	19.1	1.05	17.1	21.3	
2018	2,339	22.1	0.48	21.2	23.0	339	18.1	1.01	16.2	20.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lymphoma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,024	23.9	0.54	22.9	25.0	40,411	27.0	0.14	26.8	27.3
1990	48	15.8	2.90	10.6	22.7	1,056	23.0	0.73	21.6	24.5
1991	50	17.8	3.40	11.8	25.7	1,021	21.9	0.70	20.5	23.3
1992	62	24.5	4.14	17.0	33.8	1,112	24.2	0.75	22.8	25.7
1993	66	18.5	2.99	13.1	25.4	1,151	24.4	0.73	23.0	25.9
1994	75	24.8	4.10	17.4	34.0	1,168	24.7	0.74	23.3	26.2
1995	69	23.8	4.02	16.6	32.8	1,264	26.4	0.76	25.0	27.9
1996	71	21.4	3.69	14.8	29.7	1,312	27.2	0.76	25.7	28.7
1997	61	18.6	3.17	12.9	25.8	1,276	26.4	0.75	24.9	27.9
1998	78	27.0	4.09	19.6	36.0	1,327	27.3	0.76	25.9	28.9
1999	100	30.0	4.14	22.4	39.0	1,357	27.8	0.76	26.3	29.3
2000	76	21.7	3.36	15.6	29.2	1,371	27.8	0.76	26.3	29.3
2001	65	20.2	3.48	13.9	27.9	1,340	27.1	0.75	25.6	28.6
2002	104	29.7	3.80	22.7	37.9	1,378	27.7	0.75	26.2	29.2
2003	99	26.1	3.55	19.6	33.8	1,392	27.6	0.75	26.2	29.1
2004	114	30.2	3.85	23.1	38.5	1,507	29.8	0.78	28.3	31.4
2005	102	22.4	2.85	17.2	28.6	1,456	28.6	0.76	27.2	30.2
2006	113	21.5	2.47	16.9	26.8	1,447	28.2	0.75	26.8	29.7
2007	114	25.2	3.02	19.7	31.7	1,474	28.1	0.74	26.7	29.6
2008	121	27.2	3.10	21.5	33.8	1,482	28.0	0.74	26.6	29.5
2009	131	28.8	3.09	23.1	35.3	1,457	27.4	0.73	26.0	28.8
2010	120	24.3	2.68	19.3	30.0	1,579	29.1	0.75	27.7	30.6
2011	119	21.8	2.42	17.3	27.0	1,512	27.4	0.72	26.0	28.8
2012	130	23.6	2.44	19.0	28.8	1,470	26.5	0.71	25.2	28.0
2013	150	24.2	2.35	19.8	29.2	1,541	27.3	0.71	25.9	28.7
2014	139	21.2	2.10	17.3	25.6	1,598	27.5	0.70	26.1	28.9
2015	168	27.7	2.47	23.0	32.9	1,646	28.1	0.71	26.7	29.6
2016	163	23.9	2.13	19.9	28.4	1,565	27.1	0.70	25.7	28.5
2017	158	22.1	2.00	18.4	26.3	1,644	27.6	0.70	26.2	29.0
2018	158	21.6	1.93	18.0	25.7	1,508	25.1	0.66	23.8	26.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lymphoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	35,151	28.1	0.15	27.8	28.4	4,027	20.0	0.33	19.3	20.6
1990	943	23.9	0.80	22.4	25.5	96	16.8	1.86	13.3	20.8
1991	930	23.2	0.78	21.7	24.8	74	12.2	1.54	9.4	15.6
1992	1,005	25.4	0.82	23.9	27.1	94	16.7	1.86	13.2	20.7
1993	1,030	25.5	0.81	23.9	27.1	108	16.2	1.70	13.1	19.9
1994	1,024	25.4	0.81	23.9	27.1	126	18.8	1.74	15.5	22.5
1995	1,110	27.2	0.83	25.6	28.9	136	22.1	2.07	18.3	26.5
1996	1,135	27.7	0.83	26.1	29.4	150	22.9	2.01	19.1	27.2
1997	1,111	27.1	0.82	25.5	28.8	132	19.1	1.74	15.8	22.8
1998	1,152	28.0	0.83	26.4	29.7	145	21.5	1.87	18.0	25.5
1999	1,199	29.0	0.84	27.4	30.7	128	19.6	1.87	16.1	23.6
2000	1,199	28.9	0.84	27.3	30.6	137	19.4	1.73	16.1	23.1
2001	1,183	28.4	0.83	26.8	30.1	127	18.5	1.73	15.2	22.2
2002	1,220	29.2	0.84	27.6	30.9	124	17.7	1.68	14.6	21.3
2003	1,215	28.8	0.83	27.2	30.4	137	19.9	1.77	16.6	23.7
2004	1,307	31.0	0.86	29.3	32.7	159	23.5	1.99	19.8	27.7
2005	1,266	29.8	0.84	28.1	31.5	138	20.4	1.86	16.9	24.4
2006	1,272	29.8	0.84	28.2	31.5	130	18.2	1.67	15.1	21.8
2007	1,278	29.4	0.83	27.8	31.1	161	22.2	1.86	18.7	26.1
2008	1,288	29.3	0.83	27.7	31.0	140	19.8	1.77	16.4	23.5
2009	1,268	28.6	0.82	27.1	30.3	133	18.2	1.67	15.1	21.8
2010	1,346	29.9	0.83	28.3	31.6	168	23.0	1.87	19.5	27.0
2011	1,286	28.1	0.80	26.5	29.7	164	22.1	1.82	18.7	25.9
2012	1,277	28.0	0.80	26.5	29.6	144	18.5	1.60	15.5	21.9
2013	1,340	29.0	0.81	27.4	30.7	147	18.7	1.60	15.7	22.1
2014	1,370	28.8	0.80	27.2	30.4	162	20.3	1.66	17.1	23.8
2015	1,404	29.3	0.81	27.8	31.0	168	21.3	1.71	18.1	24.9
2016	1,352	28.7	0.81	27.2	30.3	150	19.3	1.63	16.2	22.7
2017	1,375	28.1	0.78	26.6	29.7	184	24.2	1.85	20.7	28.0
2018	1,266	25.9	0.75	24.4	27.4	165	20.4	1.65	17.3	23.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,337	18.2	0.42	17.3	19.0	35,655	18.7	0.10	18.5	18.9
1990	29	11.4	2.59	6.9	17.6	937	15.7	0.52	14.7	16.8
1991	19	9.9	2.51	5.6	15.8	968	16.0	0.52	15.0	17.0
1992	36	14.1	2.74	9.2	20.4	1,048	17.0	0.53	16.0	18.1
1993	34	14.8	2.92	9.7	21.5	1,058	17.0	0.53	16.0	18.1
1994	43	15.5	2.77	10.5	21.8	1,150	18.4	0.55	17.3	19.5
1995	53	21.1	3.46	14.9	28.8	1,142	18.1	0.54	17.1	19.2
1996	44	16.6	2.84	11.5	23.0	1,209	19.2	0.56	18.1	20.3
1997	39	12.3	2.28	8.2	17.5	1,190	18.8	0.55	17.7	19.9
1998	50	14.4	2.20	10.4	19.4	1,173	18.5	0.55	17.5	19.6
1999	63	18.6	2.76	13.6	24.7	1,218	19.1	0.55	18.0	20.2
2000	50	14.8	2.48	10.3	20.3	1,230	19.4	0.56	18.3	20.5
2001	68	19.6	2.69	14.7	25.5	1,259	19.5	0.56	18.5	20.6
2002	68	18.0	2.56	13.3	23.6	1,226	18.9	0.55	17.8	20.0
2003	73	17.1	2.28	13.0	22.1	1,242	19.1	0.55	18.1	20.2
2004	71	16.7	2.33	12.5	21.9	1,287	19.7	0.56	18.6	20.9
2005	83	19.7	2.52	15.1	25.2	1,281	19.6	0.56	18.6	20.8
2006	77	16.0	2.02	12.3	20.4	1,245	19.0	0.55	17.9	20.1
2007	95	20.2	2.35	15.9	25.3	1,239	18.8	0.54	17.7	19.8
2008	119	22.4	2.36	18.0	27.5	1,326	19.9	0.56	18.8	21.0
2009	101	18.2	2.04	14.5	22.6	1,342	20.0	0.56	18.9	21.1
2010	102	19.2	2.10	15.3	23.7	1,323	19.9	0.56	18.8	21.0
2011	103	18.3	1.99	14.7	22.6	1,315	19.3	0.55	18.3	20.4
2012	95	15.6	1.76	12.4	19.4	1,306	19.0	0.54	18.0	20.1
2013	120	18.6	1.83	15.2	22.5	1,273	18.2	0.53	17.1	19.2
2014	151	24.1	2.13	20.1	28.5	1,360	19.5	0.55	18.5	20.6
2015	114	16.7	1.69	13.6	20.3	1,347	19.2	0.54	18.2	20.3
2016	134	18.8	1.75	15.6	22.5	1,352	19.0	0.54	18.0	20.1
2017	150	21.6	1.86	18.1	25.5	1,296	18.6	0.54	17.5	19.7
2018	153	19.4	1.65	16.3	22.9	1,313	18.4	0.53	17.4	19.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Lymphoma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	31,107	19.7	0.11	19.5	19.9	3,487	13.2	0.23	12.8	13.7	
1990	856	16.6	0.58	15.5	17.8	74	10.1	1.20	7.9	12.7	
1991	884	17.0	0.58	15.8	18.1	66	8.9	1.12	6.8	11.4	
1992	964	18.3	0.60	17.1	19.5	74	9.5	1.13	7.4	12.0	
1993	960	18.0	0.59	16.9	19.2	84	10.8	1.21	8.6	13.4	
1994	1,032	19.3	0.61	18.1	20.5	99	12.7	1.30	10.3	15.5	
1995	1,021	18.9	0.60	17.7	20.1	91	11.6	1.23	9.3	14.3	
1996	1,103	20.6	0.63	19.4	21.9	83	10.0	1.11	7.9	12.4	
1997	1,067	19.9	0.62	18.7	21.2	101	12.1	1.22	9.8	14.8	
1998	1,036	19.3	0.61	18.2	20.6	111	12.9	1.24	10.6	15.6	
1999	1,108	20.7	0.63	19.5	22.0	96	11.4	1.18	9.2	14.0	
2000	1,088	20.6	0.64	19.3	21.9	111	12.7	1.22	10.4	15.3	
2001	1,111	20.6	0.63	19.4	21.9	122	13.9	1.27	11.5	16.6	
2002	1,084	20.0	0.62	18.8	21.3	115	13.0	1.22	10.7	15.6	
2003	1,082	20.0	0.62	18.8	21.3	123	13.5	1.23	11.2	16.2	
2004	1,110	20.4	0.63	19.2	21.7	137	15.4	1.32	12.9	18.2	
2005	1,113	20.6	0.63	19.3	21.8	131	14.4	1.27	12.0	17.1	
2006	1,092	20.3	0.63	19.1	21.6	124	13.3	1.21	11.1	15.9	
2007	1,078	19.8	0.62	18.6	21.1	127	13.6	1.22	11.3	16.2	
2008	1,138	20.8	0.64	19.6	22.1	139	14.7	1.26	12.4	17.4	
2009	1,153	21.0	0.64	19.7	22.3	139	14.4	1.24	12.1	17.1	
2010	1,134	20.9	0.64	19.6	22.2	133	13.8	1.21	11.5	16.3	
2011	1,127	20.4	0.63	19.1	21.6	142	14.2	1.21	12.0	16.8	
2012	1,113	19.9	0.62	18.7	21.2	149	14.7	1.22	12.4	17.3	
2013	1,067	18.8	0.60	17.7	20.1	145	14.1	1.19	11.9	16.6	
2014	1,143	20.4	0.63	19.1	21.6	153	15.0	1.23	12.6	17.6	
2015	1,157	20.6	0.64	19.3	21.9	136	13.1	1.15	11.0	15.6	
2016	1,135	20.0	0.63	18.7	21.2	145	14.2	1.21	12.0	16.8	
2017	1,078	19.5	0.63	18.3	20.8	163	15.7	1.26	13.3	18.3	
2018	1,073	19.0	0.62	17.8	20.3	174	16.3	1.27	13.9	19.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hodgkin Lymphoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	980	2.7	0.10	2.5	2.9	9,434	3.0	0.03	2.9	3.0
1990	18	2.2	0.59	1.2	3.9	317	2.9	0.17	2.6	3.3
1991	15	2.6	0.93	1.1	5.0	314	2.9	0.17	2.6	3.3
1992	15	2.0	0.69	0.8	3.8	326	2.9	0.16	2.6	3.3
1993	16	1.4	0.41	0.8	2.7	302	2.7	0.16	2.4	3.1
1994	23	2.1	0.49	1.3	3.5	305	2.8	0.16	2.5	3.1
1995	21	1.4	0.33	0.9	2.5	301	2.7	0.16	2.4	3.1
1996	20	2.0	0.60	1.0	3.6	357	3.2	0.17	2.9	3.6
1997	23	3.2	0.94	1.6	5.5	340	3.1	0.17	2.8	3.5
1998	23	2.4	0.71	1.2	4.2	303	2.8	0.16	2.5	3.1
1999	34	2.7	0.54	1.7	4.1	314	2.9	0.16	2.6	3.2
2000	23	2.7	0.83	1.3	4.8	340	3.1	0.17	2.8	3.5
2001	30	3.0	0.66	1.9	4.7	335	3.1	0.17	2.7	3.4
2002	30	2.3	0.53	1.4	3.6	337	3.1	0.17	2.8	3.4
2003	32	2.3	0.49	1.5	3.5	321	2.9	0.16	2.6	3.3
2004	35	3.4	0.82	2.0	5.4	326	3.0	0.17	2.7	3.3
2005	36	2.5	0.50	1.6	3.7	348	3.2	0.17	2.9	3.6
2006	34	2.4	0.51	1.5	3.7	354	3.3	0.17	2.9	3.6
2007	39	2.6	0.51	1.7	3.8	306	2.8	0.16	2.5	3.2
2008	44	3.0	0.57	2.0	4.3	372	3.4	0.18	3.1	3.8
2009	44	2.9	0.55	2.0	4.2	325	3.0	0.17	2.7	3.3
2010	52	3.5	0.58	2.5	4.8	332	3.1	0.17	2.8	3.5
2011	49	3.6	0.61	2.5	5.0	309	2.8	0.16	2.5	3.2
2012	36	2.2	0.44	1.5	3.3	320	2.9	0.17	2.6	3.2
2013	46	3.0	0.51	2.0	4.1	316	2.8	0.16	2.5	3.2
2014	57	3.3	0.49	2.4	4.4	323	2.9	0.16	2.5	3.2
2015	47	2.5	0.40	1.8	3.4	313	3.0	0.17	2.6	3.3
2016	48	2.6	0.42	1.9	3.6	298	2.8	0.16	2.4	3.1
2017	42	2.5	0.43	1.7	3.4	345	3.2	0.18	2.8	3.5
2018	48	2.5	0.38	1.8	3.3	335	3.1	0.17	2.8	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hodgkin Lymphoma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	7,685	3.1	0.04	3.0	3.2	1,393	2.7	0.07	2.5	2.8	
1990	272	3.1	0.19	2.7	3.5	43	2.6	0.41	1.9	3.6	
1991	275	3.1	0.19	2.8	3.5	31	1.9	0.34	1.3	2.7	
1992	284	3.1	0.19	2.8	3.5	38	2.3	0.39	1.6	3.2	
1993	246	2.7	0.18	2.4	3.1	50	2.9	0.42	2.1	3.9	
1994	261	2.9	0.18	2.6	3.3	37	2.2	0.37	1.5	3.1	
1995	260	2.9	0.18	2.6	3.3	35	1.9	0.33	1.3	2.7	
1996	296	3.4	0.20	3.0	3.8	47	2.7	0.40	2.0	3.6	
1997	276	3.2	0.19	2.8	3.6	57	3.3	0.45	2.5	4.3	
1998	250	2.9	0.18	2.5	3.2	41	2.3	0.36	1.6	3.1	
1999	264	3.0	0.19	2.7	3.4	37	2.2	0.36	1.5	3.0	
2000	283	3.3	0.20	2.9	3.7	47	2.6	0.39	1.9	3.5	
2001	272	3.2	0.19	2.8	3.6	49	2.7	0.39	2.0	3.6	
2002	290	3.4	0.20	3.0	3.8	41	2.3	0.37	1.6	3.2	
2003	266	3.1	0.19	2.7	3.5	43	2.4	0.37	1.7	3.2	
2004	264	3.1	0.19	2.7	3.5	52	2.9	0.40	2.1	3.8	
2005	272	3.2	0.20	2.9	3.7	64	3.7	0.47	2.8	4.7	
2006	291	3.5	0.21	3.1	3.9	46	2.5	0.38	1.9	3.4	
2007	252	3.0	0.19	2.6	3.4	44	2.3	0.35	1.7	3.1	
2008	297	3.5	0.21	3.1	4.0	56	3.1	0.41	2.3	4.0	
2009	262	3.1	0.20	2.8	3.6	48	2.6	0.39	1.9	3.5	
2010	260	3.2	0.20	2.8	3.6	57	3.0	0.40	2.3	3.9	
2011	237	2.8	0.19	2.5	3.2	59	3.2	0.42	2.4	4.1	
2012	247	2.9	0.19	2.6	3.3	59	3.2	0.43	2.4	4.2	
2013	250	3.0	0.20	2.6	3.4	52	2.7	0.38	2.0	3.6	
2014	256	3.0	0.19	2.6	3.4	48	2.6	0.38	1.9	3.5	
2015	244	3.1	0.20	2.7	3.5	50	2.6	0.38	1.9	3.5	
2016	228	2.8	0.19	2.4	3.2	53	2.9	0.41	2.2	3.8	
2017	267	3.3	0.21	2.9	3.7	55	2.9	0.40	2.2	3.8	
2018	263	3.3	0.21	2.9	3.7	54	2.9	0.41	2.2	3.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hodgkin Lymphoma											
Males											
	Hispanic (Any Race)					Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	577	3.2	0.17	2.9	3.6	5,192	3.4	0.05	3.3	3.5	
1990	10	2.8	0.99	1.2	6.1	182	3.5	0.27	3.0	4.1	
1991	9	3.4	1.82	0.8	8.6	171	3.4	0.26	2.9	3.9	
1992	10	3.4	1.60	1.0	8.0	162	3.2	0.25	2.7	3.7	
1993	10	1.5	0.54	0.6	4.0	171	3.3	0.25	2.8	3.8	
1994	14	2.7	0.81	1.4	5.5	171	3.2	0.25	2.8	3.8	
1995	10	1.4	0.47	0.6	3.6	182	3.5	0.26	3.0	4.0	
1996	13	1.9	0.62	0.9	4.2	202	3.8	0.27	3.3	4.4	
1997	12	1.8	0.57	0.8	4.0	175	3.3	0.25	2.8	3.8	
1998	18	4.3	1.65	1.7	8.6	170	3.3	0.25	2.8	3.8	
1999	20	2.8	0.71	1.6	5.0	169	3.2	0.25	2.8	3.8	
2000	14	3.8	1.62	1.3	8.0	202	3.9	0.27	3.3	4.4	
2001	17	3.7	1.05	1.9	6.5	181	3.5	0.26	3.0	4.0	
2002	17	2.4	0.65	1.3	4.4	181	3.4	0.26	3.0	4.0	
2003	18	2.7	0.77	1.4	4.8	165	3.2	0.25	2.7	3.7	
2004	21	4.4	1.46	2.0	8.0	191	3.7	0.27	3.2	4.2	
2005	19	2.4	0.63	1.3	4.2	198	3.8	0.27	3.3	4.4	
2006	20	2.6	0.73	1.4	4.5	183	3.5	0.26	3.0	4.1	
2007	25	3.7	0.97	2.0	6.1	177	3.4	0.25	2.9	3.9	
2008	21	2.8	0.72	1.6	4.7	194	3.7	0.26	3.2	4.2	
2009	28	4.5	1.14	2.5	7.2	172	3.3	0.25	2.8	3.8	
2010	26	4.0	0.98	2.3	6.4	181	3.5	0.26	3.0	4.1	
2011	34	5.4	1.14	3.4	8.0	169	3.2	0.25	2.7	3.8	
2012	20	2.4	0.63	1.3	4.0	175	3.3	0.25	2.8	3.9	
2013	30	3.9	0.86	2.4	5.9	160	3.0	0.24	2.5	3.5	
2014	25	2.8	0.65	1.7	4.4	186	3.3	0.25	2.9	3.9	
2015	31	3.7	0.76	2.4	5.5	185	3.5	0.26	3.0	4.0	
2016	31	3.7	0.75	2.4	5.5	180	3.4	0.26	2.9	3.9	
2017	25	2.5	0.54	1.5	3.8	180	3.4	0.26	2.9	3.9	
2018	29	3.1	0.63	2.0	4.6	177	3.4	0.26	2.9	4.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hodgkin Lymphoma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	4,198	3.5	0.05	3.4	3.6	790	3.3	0.12	3.1	3.6	
1990	154	3.6	0.30	3.1	4.3	26	3.5	0.72	2.2	5.3	
1991	149	3.6	0.30	3.0	4.2	17	2.3	0.58	1.3	3.8	
1992	145	3.4	0.28	2.9	4.0	17	2.7	0.74	1.5	4.6	
1993	140	3.3	0.28	2.8	3.9	28	3.4	0.67	2.2	5.1	
1994	139	3.2	0.28	2.7	3.8	26	3.4	0.69	2.2	5.1	
1995	152	3.6	0.29	3.0	4.2	28	3.3	0.65	2.2	4.9	
1996	160	3.8	0.30	3.2	4.4	31	3.9	0.72	2.6	5.6	
1997	135	3.2	0.27	2.7	3.8	36	4.6	0.80	3.2	6.5	
1998	143	3.4	0.29	2.9	4.0	21	2.4	0.53	1.5	3.7	
1999	136	3.2	0.28	2.7	3.8	22	2.7	0.59	1.7	4.2	
2000	171	4.1	0.31	3.5	4.8	26	3.1	0.65	2.0	4.7	
2001	143	3.4	0.29	2.9	4.0	29	3.5	0.66	2.3	5.1	
2002	160	3.8	0.30	3.2	4.5	20	2.3	0.54	1.4	3.7	
2003	138	3.3	0.28	2.8	3.9	21	2.5	0.58	1.5	4.0	
2004	152	3.7	0.30	3.1	4.3	36	4.5	0.77	3.1	6.3	
2005	159	3.9	0.31	3.3	4.5	30	3.5	0.65	2.4	5.1	
2006	150	3.7	0.30	3.1	4.3	24	2.9	0.60	1.8	4.4	
2007	140	3.4	0.29	2.9	4.0	28	3.2	0.62	2.1	4.7	
2008	155	3.7	0.30	3.1	4.3	27	3.2	0.64	2.1	4.8	
2009	139	3.3	0.29	2.8	4.0	27	3.2	0.62	2.1	4.7	
2010	139	3.4	0.30	2.9	4.1	34	4.0	0.72	2.8	5.7	
2011	129	3.1	0.28	2.6	3.7	33	4.1	0.74	2.7	5.8	
2012	137	3.4	0.29	2.8	4.0	29	3.4	0.64	2.3	4.9	
2013	132	3.2	0.29	2.7	3.9	22	2.6	0.56	1.6	4.0	
2014	146	3.4	0.29	2.8	4.0	30	3.6	0.67	2.4	5.2	
2015	142	3.6	0.30	3.0	4.2	32	3.6	0.65	2.4	5.1	
2016	134	3.3	0.29	2.8	3.9	36	4.3	0.73	2.9	6.0	
2017	140	3.4	0.30	2.8	4.0	27	3.1	0.61	2.0	4.6	
2018	139	3.6	0.31	3.0	4.2	27	3.0	0.59	2.0	4.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hodgkin Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	403	2.1	0.12	1.9	2.4	4,242	2.6	0.04	2.5	2.7
1990	8	1.6	0.62	0.6	3.9	135	2.4	0.21	2.0	2.8
1991	6	2.2	1.06	0.6	5.3	143	2.5	0.21	2.1	2.9
1992	5	0.9	0.39	0.3	2.7	164	2.8	0.22	2.3	3.2
1993	6	1.4	0.62	0.4	3.5	131	2.2	0.20	1.9	2.7
1994	9	1.5	0.53	0.6	3.4	134	2.3	0.20	1.9	2.7
1995	11	1.5	0.45	0.7	3.2	119	2.1	0.19	1.7	2.5
1996	7	2.0	0.91	0.6	4.6	155	2.7	0.22	2.3	3.2
1997	11	4.1	1.50	1.7	7.9	165	2.9	0.23	2.5	3.4
1998	5	0.8	0.37	0.2	2.3	133	2.4	0.21	2.0	2.8
1999	14	2.5	0.77	1.2	4.7	145	2.6	0.21	2.2	3.0
2000	9	1.9	0.86	0.6	4.3	138	2.4	0.21	2.1	2.9
2001	13	2.5	0.83	1.1	4.7	154	2.7	0.22	2.3	3.2
2002	13	2.1	0.76	0.9	4.2	156	2.7	0.22	2.3	3.2
2003	14	2.0	0.61	1.0	3.7	156	2.8	0.22	2.3	3.2
2004	14	2.7	0.94	1.1	5.1	135	2.4	0.21	2.0	2.9
2005	17	2.5	0.74	1.3	4.4	150	2.7	0.22	2.3	3.1
2006	14	2.2	0.70	1.1	4.1	171	3.0	0.23	2.6	3.5
2007	14	1.7	0.50	0.9	3.1	129	2.3	0.21	1.9	2.8
2008	23	3.1	0.80	1.7	5.1	178	3.2	0.25	2.8	3.8
2009	16	1.7	0.45	0.9	2.9	153	2.8	0.23	2.3	3.2
2010	26	3.2	0.70	2.0	4.9	151	2.7	0.23	2.3	3.2
2011	15	2.0	0.62	1.0	3.6	140	2.5	0.22	2.1	3.0
2012	16	2.0	0.58	1.0	3.5	145	2.5	0.22	2.1	3.0
2013	16	2.1	0.58	1.1	3.5	156	2.7	0.22	2.3	3.2
2014	32	3.8	0.74	2.5	5.6	137	2.4	0.21	2.0	2.9
2015	16	1.4	0.36	0.8	2.4	128	2.5	0.22	2.1	3.0
2016	17	1.6	0.43	0.9	2.7	118	2.1	0.21	1.8	2.6
2017	17	2.3	0.62	1.3	3.8	165	3.1	0.24	2.6	3.6
2018	19	1.9	0.44	1.1	3.0	158	2.8	0.23	2.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Hodgkin Lymphoma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,487	2.7	0.05	2.7	2.8	603	2.1	0.09	2.0	2.3	
1990	118	2.6	0.24	2.1	3.1	17	1.9	0.48	1.1	3.1	
1991	126	2.7	0.24	2.2	3.2	14	1.5	0.41	0.8	2.6	
1992	139	2.8	0.25	2.4	3.4	21	2.1	0.47	1.3	3.3	
1993	106	2.2	0.22	1.8	2.7	22	2.4	0.52	1.5	3.6	
1994	122	2.6	0.24	2.2	3.1	11	1.2	0.37	0.6	2.2	
1995	108	2.4	0.23	1.9	2.9	7	0.7	0.27	0.3	1.5	
1996	136	3.0	0.26	2.5	3.6	16	1.7	0.43	1.0	2.8	
1997	141	3.1	0.27	2.6	3.7	21	2.3	0.50	1.4	3.5	
1998	107	2.4	0.24	2.0	2.9	20	2.1	0.48	1.3	3.3	
1999	128	2.9	0.26	2.4	3.4	15	1.7	0.43	0.9	2.7	
2000	112	2.6	0.25	2.1	3.1	21	2.2	0.48	1.4	3.4	
2001	129	2.9	0.26	2.5	3.5	20	2.1	0.46	1.3	3.2	
2002	130	2.9	0.26	2.4	3.5	21	2.2	0.49	1.4	3.4	
2003	128	2.9	0.26	2.4	3.5	22	2.2	0.48	1.4	3.4	
2004	112	2.6	0.25	2.1	3.1	16	1.6	0.40	0.9	2.6	
2005	113	2.6	0.25	2.2	3.2	34	3.6	0.62	2.5	5.0	
2006	141	3.3	0.28	2.8	3.9	22	2.2	0.48	1.4	3.4	
2007	112	2.6	0.25	2.1	3.2	16	1.6	0.40	0.9	2.6	
2008	142	3.4	0.29	2.9	4.1	29	2.9	0.54	1.9	4.2	
2009	123	3.0	0.28	2.5	3.6	21	2.1	0.46	1.3	3.2	
2010	121	2.9	0.27	2.4	3.5	23	2.2	0.46	1.4	3.3	
2011	108	2.6	0.26	2.1	3.1	26	2.6	0.51	1.7	3.8	
2012	110	2.5	0.25	2.1	3.0	30	3.1	0.56	2.0	4.4	
2013	118	2.8	0.27	2.3	3.4	30	2.9	0.53	1.9	4.1	
2014	110	2.6	0.26	2.1	3.2	18	1.8	0.44	1.1	2.9	
2015	102	2.7	0.27	2.2	3.2	18	1.9	0.45	1.1	3.0	
2016	94	2.3	0.25	1.9	2.9	17	1.7	0.43	1.0	2.8	
2017	127	3.2	0.29	2.7	3.8	28	2.8	0.53	1.8	4.0	
2018	124	3.0	0.28	2.5	3.6	27	2.8	0.55	1.8	4.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Non-Hodgkin Lymphoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,381	18.2	0.32	17.6	18.8	66,632	19.4	0.08	19.2	19.5
1990	59	11.6	1.92	8.2	15.9	1,676	16.0	0.40	15.3	16.8
1991	54	11.4	1.86	8.0	15.5	1,675	15.7	0.39	15.0	16.5
1992	83	17.1	2.27	12.9	22.0	1,834	17.1	0.40	16.3	17.9
1993	84	15.8	2.14	11.9	20.5	1,907	17.6	0.41	16.8	18.4
1994	95	17.7	2.27	13.6	22.7	2,013	18.5	0.41	17.7	19.3
1995	101	21.4	2.62	16.5	27.0	2,105	19.1	0.42	18.3	20.0
1996	95	16.9	2.16	13.0	21.6	2,164	19.6	0.42	18.8	20.4
1997	77	12.1	1.63	9.1	15.7	2,126	19.1	0.41	18.2	19.9
1998	105	17.4	1.97	13.8	21.6	2,197	19.6	0.42	18.8	20.4
1999	129	21.1	2.29	16.8	26.0	2,261	20.0	0.42	19.2	20.8
2000	103	15.3	1.83	11.9	19.3	2,261	19.9	0.42	19.1	20.8
2001	103	16.4	1.95	12.8	20.6	2,264	19.8	0.42	18.9	20.6
2002	142	21.1	2.12	17.1	25.6	2,267	19.7	0.41	18.9	20.5
2003	140	18.6	1.90	15.1	22.7	2,313	19.9	0.41	19.1	20.7
2004	150	19.3	1.91	15.7	23.3	2,468	21.1	0.43	20.3	22.0
2005	149	18.7	1.83	15.3	22.5	2,389	20.3	0.42	19.5	21.1
2006	156	16.3	1.49	13.5	19.4	2,338	19.7	0.41	18.9	20.6
2007	170	19.8	1.78	16.5	23.6	2,407	20.1	0.41	19.3	20.9
2008	196	21.4	1.79	18.0	25.1	2,436	20.0	0.41	19.2	20.8
2009	188	19.9	1.66	16.8	23.4	2,474	20.2	0.41	19.4	21.0
2010	170	18.0	1.55	15.1	21.2	2,570	20.7	0.42	19.9	21.6
2011	173	16.3	1.41	13.7	19.3	2,518	20.0	0.41	19.2	20.8
2012	189	17.1	1.39	14.5	20.0	2,456	19.5	0.40	18.7	20.3
2013	224	18.2	1.36	15.7	21.1	2,498	19.4	0.40	18.6	20.1
2014	233	19.5	1.42	16.8	22.5	2,635	20.2	0.40	19.4	21.0
2015	235	19.2	1.38	16.6	22.0	2,680	20.2	0.40	19.5	21.0
2016	249	18.8	1.30	16.3	21.5	2,619	19.8	0.40	19.1	20.6
2017	266	19.5	1.29	17.0	22.2	2,595	19.3	0.39	18.6	20.1
2018	263	17.8	1.18	15.6	20.3	2,486	18.3	0.38	17.5	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Non-Hodgkin Lymphoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	58,573	20.3	0.08	20.1	20.5	6,121	13.4	0.18	13.1	13.8
1990	1,527	16.8	0.44	16.0	17.7	127	10.2	0.94	8.5	12.2
1991	1,539	16.7	0.43	15.8	17.5	109	8.5	0.85	7.0	10.4
1992	1,685	18.2	0.45	17.3	19.1	130	10.2	0.92	8.4	12.1
1993	1,744	18.6	0.45	17.8	19.5	142	10.4	0.91	8.7	12.3
1994	1,795	19.1	0.45	18.2	20.0	188	13.5	1.01	11.6	15.6
1995	1,871	19.8	0.46	18.9	20.7	192	14.1	1.06	12.2	16.4
1996	1,942	20.5	0.47	19.6	21.4	186	12.8	0.97	11.0	14.9
1997	1,902	19.9	0.46	19.0	20.8	176	12.0	0.93	10.3	14.0
1998	1,938	20.2	0.46	19.4	21.2	215	14.5	1.01	12.6	16.6
1999	2,043	21.2	0.47	20.3	22.2	187	12.7	0.95	10.9	14.7
2000	2,004	20.9	0.47	20.0	21.8	201	13.2	0.95	11.4	15.1
2001	2,022	20.9	0.47	20.0	21.8	200	13.2	0.95	11.4	15.2
2002	2,014	20.7	0.46	19.8	21.6	198	12.8	0.93	11.0	14.7
2003	2,031	20.8	0.46	19.9	21.7	217	13.9	0.95	12.0	15.8
2004	2,153	21.9	0.48	21.0	22.9	244	15.9	1.04	14.0	18.1
2005	2,107	21.3	0.47	20.4	22.2	205	13.2	0.94	11.4	15.2
2006	2,073	21.0	0.47	20.1	21.9	208	13.0	0.92	11.3	14.9
2007	2,104	21.1	0.47	20.2	22.0	244	14.9	0.97	13.0	16.9
2008	2,129	21.0	0.46	20.1	21.9	223	13.8	0.94	12.0	15.7
2009	2,159	21.2	0.46	20.3	22.1	224	13.4	0.91	11.6	15.3
2010	2,220	21.6	0.47	20.7	22.6	244	14.5	0.95	12.7	16.5
2011	2,176	20.9	0.46	20.0	21.8	247	14.3	0.93	12.5	16.2
2012	2,143	20.7	0.46	19.8	21.6	234	13.2	0.88	11.5	15.0
2013	2,157	20.4	0.45	19.5	21.3	240	13.4	0.88	11.7	15.2
2014	2,257	21.1	0.46	20.2	22.0	267	14.6	0.92	12.9	16.5
2015	2,317	21.5	0.46	20.6	22.4	254	13.9	0.89	12.2	15.7
2016	2,259	21.0	0.46	20.1	22.0	242	13.5	0.89	11.8	15.4
2017	2,186	20.0	0.44	19.2	20.9	292	16.2	0.97	14.3	18.2
2018	2,076	18.8	0.43	18.0	19.7	285	15.2	0.92	13.5	17.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Non-Hodgkin Lymphoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,447	20.7	0.51	19.7	21.7	35,219	23.6	0.13	23.4	23.9
1990	38	13.0	2.73	8.2	19.6	874	19.5	0.68	18.2	20.9
1991	41	14.4	2.87	9.4	21.3	850	18.5	0.65	17.3	19.8
1992	52	21.1	3.82	14.3	29.8	950	21.1	0.70	19.7	22.5
1993	56	17.0	2.94	11.7	23.8	980	21.1	0.69	19.8	22.5
1994	61	22.1	4.02	14.9	31.1	997	21.5	0.69	20.1	22.9
1995	59	22.4	3.99	15.3	31.4	1,082	22.9	0.71	21.6	24.4
1996	58	19.5	3.64	13.0	27.7	1,110	23.3	0.71	22.0	24.8
1997	49	16.8	3.12	11.3	23.9	1,101	23.1	0.71	21.7	24.5
1998	60	22.7	3.75	16.0	31.0	1,157	24.0	0.72	22.7	25.5
1999	80	27.2	4.08	19.8	36.1	1,188	24.6	0.72	23.2	26.0
2000	62	18.0	2.95	12.7	24.6	1,169	23.9	0.71	22.5	25.3
2001	48	16.5	3.32	10.7	24.0	1,159	23.6	0.70	22.3	25.0
2002	87	27.3	3.74	20.4	35.4	1,197	24.3	0.71	22.9	25.7
2003	81	23.4	3.46	17.1	31.0	1,227	24.4	0.70	23.1	25.8
2004	93	25.8	3.56	19.3	33.5	1,316	26.2	0.73	24.8	27.7
2005	83	20.0	2.78	15.0	26.1	1,258	24.9	0.71	23.5	26.3
2006	93	18.9	2.36	14.6	24.1	1,264	24.7	0.70	23.3	26.1
2007	89	21.6	2.85	16.3	27.8	1,297	24.8	0.70	23.4	26.2
2008	100	24.4	3.01	18.8	30.8	1,288	24.4	0.69	23.0	25.8
2009	103	24.3	2.87	19.0	30.5	1,285	24.1	0.68	22.8	25.5
2010	94	20.3	2.49	15.7	25.6	1,398	25.6	0.70	24.3	27.0
2011	85	16.5	2.14	12.5	21.1	1,343	24.2	0.67	22.9	25.5
2012	110	21.1	2.35	16.8	26.2	1,295	23.2	0.66	22.0	24.6
2013	120	20.3	2.19	16.3	25.0	1,381	24.3	0.67	23.0	25.6
2014	114	18.4	2.00	14.6	22.6	1,412	24.1	0.66	22.9	25.5
2015	137	24.0	2.35	19.6	28.9	1,461	24.6	0.66	23.4	26.0
2016	132	20.2	1.99	16.5	24.5	1,385	23.7	0.65	22.4	25.0
2017	133	19.7	1.92	16.1	23.7	1,464	24.2	0.65	23.0	25.5
2018	129	18.5	1.83	15.1	22.4	1,331	21.7	0.61	20.5	22.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Non-Hodgkin Lymphoma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	30,953	24.7	0.14	24.4	24.9	3,237	16.7	0.31	16.1	17.3	
1990	789	20.3	0.74	18.9	21.8	70	13.3	1.72	10.1	17.1	
1991	781	19.6	0.72	18.3	21.1	57	9.9	1.42	7.3	13.1	
1992	860	22.1	0.77	20.6	23.6	77	14.0	1.71	10.8	17.7	
1993	890	22.2	0.76	20.8	23.8	80	12.8	1.56	9.9	16.2	
1994	885	22.2	0.76	20.7	23.7	100	15.4	1.60	12.4	18.9	
1995	958	23.7	0.77	22.2	25.2	108	18.8	1.96	15.2	23.0	
1996	975	24.0	0.77	22.5	25.5	119	19.0	1.88	15.5	23.1	
1997	976	24.0	0.77	22.5	25.5	96	14.5	1.55	11.6	17.9	
1998	1,009	24.6	0.78	23.1	26.2	124	19.2	1.79	15.8	23.0	
1999	1,063	25.8	0.80	24.2	27.4	106	16.9	1.78	13.6	20.7	
2000	1,028	24.8	0.78	23.3	26.4	111	16.2	1.60	13.3	19.7	
2001	1,040	25.0	0.78	23.5	26.6	98	15.0	1.60	12.0	18.4	
2002	1,060	25.4	0.78	23.9	27.0	104	15.4	1.59	12.4	18.8	
2003	1,077	25.4	0.78	23.9	27.0	116	17.3	1.67	14.2	20.9	
2004	1,155	27.3	0.81	25.7	28.9	123	19.0	1.83	15.6	22.9	
2005	1,107	25.9	0.78	24.4	27.5	108	16.9	1.74	13.6	20.6	
2006	1,122	26.1	0.79	24.6	27.7	106	15.3	1.56	12.4	18.7	
2007	1,138	26.0	0.78	24.5	27.6	133	19.0	1.75	15.7	22.7	
2008	1,133	25.6	0.77	24.1	27.2	113	16.5	1.65	13.4	20.0	
2009	1,129	25.3	0.76	23.8	26.8	106	15.0	1.55	12.1	18.3	
2010	1,207	26.5	0.78	25.0	28.0	134	19.0	1.72	15.7	22.6	
2011	1,157	24.9	0.75	23.5	26.5	131	18.0	1.66	14.9	21.6	
2012	1,140	24.7	0.75	23.2	26.2	115	15.1	1.46	12.4	18.3	
2013	1,208	25.8	0.76	24.3	27.3	125	16.1	1.50	13.3	19.4	
2014	1,224	25.4	0.74	23.9	26.9	132	16.7	1.52	13.8	19.9	
2015	1,262	25.8	0.75	24.3	27.3	136	17.7	1.58	14.8	21.1	
2016	1,218	25.4	0.75	24.0	26.9	114	15.0	1.46	12.3	18.1	
2017	1,235	24.7	0.73	23.3	26.2	157	21.0	1.75	17.8	24.7	
2018	1,127	22.3	0.69	21.0	23.7	138	17.4	1.54	14.6	20.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Non-Hodgkin Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,934	16.0	0.40	15.3	16.8	31,413	16.1	0.09	15.9	16.3
1990	21	9.8	2.52	5.5	15.8	802	13.3	0.48	12.4	14.3
1991	13	7.7	2.27	3.9	13.2	825	13.5	0.48	12.6	14.5
1992	31	13.2	2.72	8.4	19.5	884	14.3	0.49	13.3	15.3
1993	28	13.5	2.86	8.5	20.1	927	14.8	0.49	13.9	15.8
1994	34	14.0	2.72	9.2	20.2	1,016	16.1	0.51	15.1	17.1
1995	42	19.7	3.43	13.5	27.3	1,023	16.0	0.51	15.1	17.1
1996	37	14.7	2.69	9.9	20.8	1,054	16.5	0.51	15.5	17.5
1997	28	8.2	1.72	5.2	12.3	1,025	15.9	0.50	14.9	16.9
1998	45	13.6	2.17	9.7	18.5	1,040	16.2	0.51	15.2	17.2
1999	49	16.1	2.65	11.3	22.0	1,073	16.6	0.51	15.6	17.6
2000	41	12.9	2.32	8.7	18.1	1,092	17.0	0.52	16.0	18.0
2001	55	17.1	2.55	12.5	22.8	1,105	16.8	0.51	15.8	17.8
2002	55	15.9	2.44	11.4	21.3	1,070	16.2	0.50	15.2	17.2
2003	59	15.1	2.19	11.1	20.0	1,086	16.4	0.50	15.4	17.4
2004	57	14.1	2.13	10.2	18.8	1,152	17.3	0.52	16.3	18.4
2005	66	17.2	2.41	12.8	22.5	1,131	17.0	0.51	16.0	18.0
2006	63	13.8	1.90	10.3	18.0	1,074	15.9	0.49	15.0	16.9
2007	81	18.4	2.30	14.2	23.4	1,110	16.4	0.50	15.5	17.4
2008	96	19.3	2.22	15.2	24.1	1,148	16.7	0.50	15.7	17.7
2009	85	16.6	1.99	12.9	20.9	1,189	17.3	0.51	16.3	18.3
2010	76	16.0	1.98	12.4	20.3	1,172	17.1	0.51	16.1	18.1
2011	88	16.3	1.89	12.8	20.4	1,175	16.8	0.50	15.8	17.8
2012	79	13.6	1.66	10.6	17.2	1,161	16.5	0.50	15.5	17.5
2013	104	16.5	1.74	13.3	20.3	1,117	15.4	0.48	14.5	16.4
2014	119	20.2	1.99	16.5	24.5	1,223	17.1	0.50	16.1	18.1
2015	98	15.3	1.65	12.3	18.9	1,219	16.8	0.50	15.8	17.8
2016	117	17.2	1.70	14.1	20.8	1,234	16.9	0.50	15.9	17.9
2017	133	19.3	1.76	16.0	23.0	1,131	15.5	0.48	14.6	16.5
2018	134	17.5	1.59	14.5	20.9	1,155	15.6	0.48	14.7	16.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Non-Hodgkin Lymphoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	27,620	16.9	0.10	16.7	17.1	2,884	11.1	0.21	10.7	11.5
1990	738	14.0	0.53	13.0	15.1	57	8.1	1.09	6.1	10.6
1991	758	14.3	0.53	13.3	15.4	52	7.4	1.04	5.5	9.7
1992	825	15.4	0.55	14.4	16.6	53	7.4	1.03	5.5	9.6
1993	854	15.8	0.55	14.7	16.9	62	8.4	1.09	6.4	10.8
1994	910	16.7	0.56	15.6	17.8	88	11.5	1.25	9.2	14.2
1995	913	16.5	0.56	15.4	17.6	84	10.9	1.20	8.7	13.5
1996	967	17.6	0.58	16.5	18.8	67	8.3	1.03	6.4	10.5
1997	926	16.8	0.56	15.7	17.9	80	9.9	1.12	7.8	12.3
1998	929	16.9	0.57	15.8	18.1	91	10.8	1.15	8.7	13.3
1999	980	17.8	0.58	16.7	19.0	81	9.8	1.10	7.7	12.1
2000	976	18.0	0.59	16.9	19.2	90	10.5	1.12	8.4	12.9
2001	982	17.7	0.57	16.5	18.8	102	11.8	1.18	9.6	14.4
2002	954	17.1	0.56	16.0	18.2	94	10.8	1.12	8.7	13.2
2003	954	17.1	0.56	16.0	18.2	101	11.3	1.13	9.2	13.7
2004	998	17.9	0.58	16.7	19.0	121	13.8	1.26	11.4	16.5
2005	1,000	17.9	0.58	16.8	19.1	97	10.8	1.11	8.8	13.2
2006	951	17.0	0.57	15.9	18.2	102	11.1	1.11	9.0	13.5
2007	966	17.2	0.57	16.1	18.4	111	12.0	1.15	9.9	14.5
2008	996	17.4	0.57	16.3	18.6	110	11.8	1.14	9.7	14.3
2009	1,030	18.0	0.58	16.9	19.2	118	12.4	1.15	10.2	14.8
2010	1,013	18.0	0.58	16.9	19.2	110	11.6	1.12	9.5	14.0
2011	1,019	17.8	0.58	16.7	18.9	116	11.7	1.10	9.6	14.0
2012	1,003	17.4	0.57	16.3	18.6	119	11.7	1.09	9.6	14.0
2013	949	16.1	0.54	15.0	17.2	115	11.2	1.06	9.2	13.5
2014	1,033	17.7	0.57	16.6	18.9	135	13.1	1.15	11.0	15.6
2015	1,055	17.9	0.58	16.8	19.1	118	11.2	1.06	9.3	13.5
2016	1,041	17.6	0.57	16.5	18.8	128	12.5	1.13	10.4	14.9
2017	951	16.3	0.55	15.2	17.4	135	12.9	1.14	10.8	15.4
2018	949	16.0	0.55	15.0	17.1	147	13.5	1.15	11.4	16.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Myeloma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,348	6.5	0.19	6.1	6.9	21,902	6.2	0.04	6.2	6.3
1990	21	6.5	1.57	3.8	10.2	491	4.6	0.21	4.2	5.0
1991	16	4.4	1.28	2.3	7.5	537	5.1	0.22	4.7	5.5
1992	21	6.2	1.53	3.6	9.8	510	4.7	0.21	4.3	5.2
1993	21	5.0	1.25	2.9	8.0	598	5.5	0.22	5.0	5.9
1994	17	4.6	1.21	2.5	7.5	692	6.3	0.24	5.8	6.8
1995	27	8.0	1.70	5.1	11.9	689	6.2	0.24	5.7	6.7
1996	25	6.2	1.39	3.8	9.4	625	5.6	0.23	5.2	6.1
1997	20	4.1	0.97	2.4	6.4	677	6.1	0.23	5.6	6.5
1998	30	5.7	1.15	3.6	8.4	709	6.3	0.24	5.8	6.8
1999	28	5.3	1.14	3.3	7.9	698	6.1	0.23	5.7	6.6
2000	49	10.4	1.70	7.4	14.2	704	6.2	0.23	5.7	6.6
2001	37	6.6	1.20	4.5	9.3	714	6.2	0.23	5.8	6.7
2002	32	5.3	1.06	3.4	7.7	818	7.1	0.25	6.6	7.6
2003	34	5.8	1.16	3.7	8.4	781	6.7	0.24	6.2	7.1
2004	36	5.9	1.07	4.0	8.3	727	6.2	0.23	5.7	6.6
2005	54	7.8	1.17	5.7	10.4	747	6.3	0.23	5.8	6.8
2006	42	5.2	0.89	3.6	7.2	771	6.4	0.23	6.0	6.9
2007	38	4.7	0.84	3.2	6.6	722	6.0	0.22	5.5	6.4
2008	53	6.9	1.06	5.0	9.2	813	6.6	0.23	6.2	7.1
2009	64	7.6	1.06	5.7	9.9	830	6.6	0.23	6.2	7.1
2010	60	5.8	0.80	4.3	7.5	799	6.3	0.23	5.9	6.8
2011	55	5.1	0.76	3.7	6.8	872	6.8	0.23	6.3	7.2
2012	82	8.2	0.98	6.4	10.3	869	6.7	0.23	6.2	7.2
2013	75	7.1	0.90	5.5	9.1	841	6.4	0.22	5.9	6.8
2014	69	6.9	0.90	5.3	8.9	885	6.5	0.22	6.1	7.0
2015	76	6.4	0.79	5.0	8.1	927	6.8	0.23	6.4	7.3
2016	93	7.4	0.82	5.9	9.2	959	6.9	0.23	6.5	7.4
2017	87	6.8	0.78	5.3	8.5	960	6.8	0.22	6.4	7.3
2018	86	6.8	0.78	5.3	8.4	937	6.6	0.22	6.1	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Myeloma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	16,093	5.4	0.04	5.3	5.5	5,297	12.3	0.17	12.0	12.6	
1990	373	4.0	0.21	3.6	4.4	115	10.4	1.00	8.6	12.5	
1991	437	4.7	0.23	4.3	5.1	94	8.3	0.88	6.7	10.2	
1992	404	4.3	0.21	3.9	4.7	104	8.5	0.85	6.9	10.3	
1993	456	4.8	0.22	4.3	5.2	132	11.4	1.02	9.5	13.6	
1994	519	5.4	0.24	4.9	5.9	165	13.8	1.10	11.7	16.1	
1995	523	5.4	0.24	4.9	5.9	155	12.8	1.05	10.8	15.0	
1996	479	5.0	0.23	4.5	5.4	138	10.8	0.94	9.0	12.8	
1997	513	5.3	0.23	4.8	5.8	150	11.9	0.99	10.0	14.0	
1998	523	5.4	0.24	4.9	5.9	177	13.6	1.04	11.7	15.8	
1999	511	5.2	0.23	4.8	5.7	176	13.0	1.00	11.1	15.0	
2000	508	5.2	0.23	4.7	5.6	176	12.7	0.97	10.9	14.7	
2001	533	5.4	0.23	5.0	5.9	167	11.9	0.94	10.1	13.9	
2002	633	6.4	0.25	5.9	6.9	175	12.4	0.96	10.6	14.5	
2003	589	5.9	0.24	5.4	6.4	184	13.1	0.98	11.2	15.2	
2004	535	5.4	0.23	4.9	5.8	178	12.0	0.92	10.3	13.9	
2005	546	5.4	0.23	5.0	5.9	188	12.6	0.93	10.8	14.6	
2006	565	5.6	0.24	5.1	6.1	192	12.8	0.94	11.0	14.8	
2007	534	5.2	0.23	4.8	5.7	170	10.9	0.85	9.3	12.7	
2008	605	5.9	0.24	5.4	6.4	179	11.4	0.87	9.8	13.3	
2009	607	5.8	0.24	5.3	6.3	198	12.3	0.90	10.6	14.2	
2010	583	5.5	0.23	5.1	6.0	200	12.2	0.88	10.5	14.1	
2011	638	6.0	0.24	5.5	6.5	207	12.1	0.86	10.5	14.0	
2012	613	5.7	0.23	5.2	6.2	223	13.1	0.90	11.4	15.0	
2013	600	5.4	0.22	5.0	5.9	217	12.7	0.88	11.1	14.6	
2014	627	5.6	0.23	5.2	6.1	226	12.8	0.87	11.2	14.6	
2015	640	5.7	0.23	5.2	6.2	254	13.8	0.89	12.1	15.7	
2016	678	6.0	0.23	5.5	6.4	252	13.6	0.87	11.9	15.4	
2017	700	6.1	0.24	5.7	6.6	223	11.9	0.82	10.4	13.6	
2018	621	5.3	0.22	4.9	5.8	282	14.6	0.89	12.9	16.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Myeloma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	734	7.3	0.31	6.7	8.0	11,420	7.6	0.07	7.5	7.8
1990	11	6.5	2.18	2.9	12.2	233	5.3	0.35	4.6	6.0
1991	11	4.9	1.77	2.1	9.7	269	6.2	0.39	5.4	7.0
1992	11	6.3	2.22	2.8	12.1	260	5.9	0.37	5.2	6.7
1993	12	6.6	2.29	2.9	12.4	289	6.4	0.38	5.6	7.2
1994	8	5.0	2.08	1.8	10.4	356	7.9	0.43	7.1	8.8
1995	12	6.6	2.12	3.2	12.0	357	7.9	0.42	7.0	8.7
1996	9	5.0	2.12	1.8	10.5	322	7.0	0.40	6.3	7.8
1997	9	3.1	1.06	1.3	6.1	342	7.4	0.40	6.6	8.2
1998	13	5.6	1.81	2.7	10.2	367	7.9	0.42	7.1	8.8
1999	11	4.8	1.80	2.0	9.4	349	7.3	0.39	6.5	8.1
2000	28	12.5	2.81	7.6	18.9	353	7.3	0.39	6.6	8.2
2001	23	9.2	2.27	5.3	14.5	346	7.1	0.39	6.4	7.9
2002	22	7.5	1.81	4.4	11.8	415	8.5	0.42	7.7	9.4
2003	17	4.4	1.21	2.4	7.5	401	8.2	0.42	7.4	9.1
2004	18	7.0	1.93	3.7	11.6	373	7.5	0.39	6.7	8.3
2005	32	10.2	2.04	6.6	14.9	398	7.9	0.40	7.1	8.7
2006	24	6.3	1.57	3.6	10.0	410	8.0	0.40	7.3	8.9
2007	20	5.2	1.30	3.0	8.3	394	7.7	0.39	6.9	8.5
2008	34	9.6	1.94	6.2	13.9	448	8.5	0.41	7.7	9.3
2009	35	9.3	1.83	6.1	13.5	438	8.1	0.40	7.4	9.0
2010	35	6.6	1.21	4.4	9.4	413	7.4	0.37	6.7	8.2
2011	35	6.9	1.28	4.6	9.8	464	8.3	0.39	7.6	9.1
2012	47	9.7	1.59	6.9	13.3	487	8.6	0.40	7.8	9.4
2013	40	8.1	1.46	5.5	11.3	442	7.6	0.37	6.9	8.4
2014	36	7.6	1.42	5.0	10.8	487	8.1	0.38	7.4	8.9
2015	39	6.6	1.15	4.5	9.2	497	8.2	0.38	7.5	8.9
2016	55	9.0	1.32	6.6	12.0	530	8.6	0.39	7.9	9.4
2017	39	6.4	1.13	4.4	8.9	491	7.9	0.36	7.2	8.6
2018	48	7.5	1.19	5.4	10.1	489	7.7	0.36	7.1	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Myeloma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	8,635	6.8	0.07	6.7	7.0	2,491	14.2	0.30	13.7	14.8	
1990	186	4.7	0.36	4.1	5.5	45	9.9	1.55	7.1	13.4	
1991	218	5.7	0.40	5.0	6.5	47	10.2	1.57	7.4	13.7	
1992	204	5.3	0.38	4.6	6.1	55	11.0	1.56	8.1	14.4	
1993	225	5.6	0.38	4.9	6.4	57	12.9	1.84	9.5	16.9	
1994	267	6.8	0.43	6.0	7.7	85	17.5	2.00	13.8	21.8	
1995	268	6.7	0.42	6.0	7.6	80	16.7	1.99	13.0	21.0	
1996	247	6.2	0.40	5.5	7.1	70	13.4	1.71	10.3	17.1	
1997	269	6.7	0.41	5.9	7.6	65	12.4	1.62	9.5	16.0	
1998	280	7.0	0.42	6.2	7.8	82	16.8	1.98	13.1	21.0	
1999	273	6.7	0.41	5.9	7.5	71	12.4	1.55	9.6	15.8	
2000	267	6.5	0.40	5.8	7.4	76	13.0	1.55	10.1	16.4	
2001	265	6.4	0.40	5.7	7.2	75	12.8	1.55	10.0	16.2	
2002	329	7.9	0.44	7.1	8.8	79	14.3	1.68	11.2	17.9	
2003	306	7.3	0.42	6.5	8.2	90	16.5	1.84	13.1	20.5	
2004	280	6.6	0.40	5.9	7.5	85	14.2	1.61	11.2	17.7	
2005	299	7.0	0.41	6.2	7.9	90	14.3	1.56	11.4	17.6	
2006	306	7.1	0.41	6.3	7.9	99	16.5	1.75	13.3	20.3	
2007	301	6.9	0.40	6.2	7.8	85	13.4	1.51	10.6	16.6	
2008	348	7.8	0.42	7.0	8.7	87	13.3	1.50	10.6	16.6	
2009	325	7.2	0.41	6.4	8.1	96	14.6	1.57	11.7	18.0	
2010	306	6.6	0.38	5.9	7.4	97	14.0	1.50	11.2	17.2	
2011	347	7.5	0.41	6.7	8.3	104	15.3	1.58	12.4	18.7	
2012	362	7.6	0.41	6.9	8.5	104	15.0	1.54	12.1	18.3	
2013	333	6.8	0.38	6.1	7.6	96	13.9	1.48	11.2	17.1	
2014	360	7.2	0.39	6.4	8.0	105	15.1	1.55	12.3	18.5	
2015	359	7.1	0.39	6.4	7.9	120	15.9	1.51	13.1	19.1	
2016	383	7.7	0.40	6.9	8.5	128	16.3	1.50	13.5	19.5	
2017	376	7.3	0.39	6.6	8.2	95	12.5	1.33	10.0	15.4	
2018	346	6.6	0.37	5.9	7.4	123	15.8	1.48	13.0	19.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Myeloma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	614	5.7	0.25	5.3	6.2	10,482	5.3	0.05	5.2	5.4
1990	10	6.2	2.11	2.8	11.5	258	4.2	0.26	3.7	4.7
1991	5	3.4	1.62	1.0	7.8	268	4.3	0.26	3.8	4.8
1992	10	5.9	2.03	2.6	11.0	250	4.0	0.26	3.5	4.5
1993	9	3.8	1.42	1.6	7.5	309	4.8	0.28	4.3	5.4
1994	9	4.4	1.55	1.9	8.4	336	5.2	0.29	4.7	5.8
1995	15	8.7	2.39	4.7	14.4	332	5.1	0.28	4.6	5.7
1996	16	7.4	1.96	4.1	12.1	303	4.7	0.27	4.2	5.3
1997	11	4.7	1.50	2.3	8.5	335	5.1	0.28	4.6	5.7
1998	17	5.9	1.53	3.3	9.6	342	5.3	0.29	4.7	5.9
1999	17	5.9	1.55	3.2	9.6	349	5.3	0.29	4.7	5.9
2000	21	8.7	2.08	5.1	13.5	351	5.3	0.29	4.8	5.9
2001	14	4.7	1.31	2.5	7.9	368	5.5	0.29	5.0	6.1
2002	10	3.2	1.15	1.3	6.1	403	6.0	0.30	5.4	6.6
2003	17	6.5	1.75	3.6	10.6	380	5.6	0.29	5.1	6.2
2004	18	5.2	1.28	3.0	8.3	354	5.3	0.28	4.7	5.9
2005	22	5.9	1.34	3.6	9.1	349	5.1	0.28	4.6	5.7
2006	18	4.3	1.08	2.4	6.8	361	5.3	0.28	4.7	5.8
2007	18	4.2	1.08	2.4	6.8	328	4.8	0.27	4.3	5.3
2008	19	4.8	1.17	2.8	7.6	365	5.2	0.28	4.7	5.8
2009	29	6.3	1.26	4.1	9.2	392	5.5	0.28	5.0	6.1
2010	25	4.9	1.04	3.1	7.3	386	5.4	0.28	4.8	6.0
2011	20	3.6	0.87	2.1	5.6	408	5.7	0.29	5.1	6.3
2012	35	6.8	1.22	4.7	9.6	382	5.3	0.28	4.8	5.8
2013	35	6.4	1.16	4.3	9.0	399	5.4	0.28	4.9	6.0
2014	33	6.4	1.17	4.3	9.1	398	5.3	0.27	4.8	5.9
2015	37	6.2	1.07	4.3	8.6	430	5.7	0.28	5.2	6.3
2016	38	5.9	1.00	4.1	8.1	429	5.6	0.28	5.1	6.2
2017	48	7.1	1.08	5.2	9.5	469	6.0	0.28	5.4	6.6
2018	38	6.0	1.01	4.2	8.2	448	5.7	0.28	5.2	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Myeloma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	7,458	4.4	0.05	4.3	4.5	2,806	11.0	0.21	10.6	11.4	
1990	187	3.4	0.26	2.9	4.0	70	10.6	1.29	8.3	13.4	
1991	219	3.9	0.27	3.4	4.5	47	7.0	1.04	5.1	9.3	
1992	200	3.6	0.26	3.1	4.1	49	6.9	0.99	5.1	9.1	
1993	231	4.1	0.27	3.6	4.7	75	10.7	1.26	8.4	13.5	
1994	252	4.5	0.29	3.9	5.1	80	11.3	1.27	8.9	14.1	
1995	255	4.5	0.29	4.0	5.1	75	10.4	1.21	8.1	13.0	
1996	232	4.1	0.27	3.6	4.7	68	9.0	1.11	7.0	11.4	
1997	244	4.3	0.28	3.7	4.9	85	11.3	1.24	9.0	14.0	
1998	243	4.3	0.28	3.8	4.9	95	12.1	1.25	9.8	14.8	
1999	238	4.1	0.27	3.6	4.7	105	13.1	1.29	10.7	15.9	
2000	241	4.2	0.27	3.7	4.8	100	12.2	1.23	9.9	14.9	
2001	268	4.6	0.29	4.1	5.3	92	11.2	1.17	9.0	13.7	
2002	304	5.2	0.30	4.6	5.9	96	11.4	1.17	9.2	13.9	
2003	283	4.9	0.30	4.3	5.5	94	11.1	1.16	9.0	13.6	
2004	255	4.5	0.28	3.9	5.1	93	10.6	1.11	8.5	13.0	
2005	247	4.3	0.28	3.8	4.9	98	11.2	1.14	9.1	13.6	
2006	259	4.5	0.28	3.9	5.1	93	10.4	1.09	8.4	12.8	
2007	233	4.0	0.27	3.5	4.6	85	9.3	1.01	7.4	11.5	
2008	257	4.4	0.28	3.8	5.0	92	10.1	1.06	8.1	12.4	
2009	282	4.7	0.29	4.2	5.3	102	10.9	1.09	8.8	13.2	
2010	277	4.6	0.28	4.1	5.2	103	10.8	1.08	8.8	13.2	
2011	291	4.9	0.29	4.3	5.5	103	10.2	1.02	8.3	12.4	
2012	251	4.2	0.27	3.7	4.8	119	11.8	1.10	9.7	14.2	
2013	267	4.3	0.27	3.8	4.9	121	11.9	1.10	9.9	14.3	
2014	267	4.3	0.27	3.8	4.9	121	11.5	1.06	9.5	13.8	
2015	281	4.5	0.27	4.0	5.1	134	12.5	1.10	10.5	14.9	
2016	295	4.7	0.28	4.1	5.3	124	11.6	1.06	9.7	13.9	
2017	324	5.1	0.29	4.5	5.7	128	11.5	1.03	9.6	13.7	
2018	275	4.3	0.27	3.8	4.9	159	13.9	1.13	11.8	16.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Leukemia											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,428	10.8	0.23	10.4	11.3	45,962	13.5	0.06	13.3	13.6	
1990	46	7.7	1.54	5.0	11.3	1,140	10.8	0.32	10.2	11.4	
1991	48	8.3	1.51	5.6	11.7	1,115	10.5	0.32	9.9	11.1	
1992	58	9.8	1.69	6.8	13.6	1,187	11.1	0.32	10.4	11.7	
1993	52	7.3	1.26	5.1	10.2	1,260	11.6	0.33	11.0	12.3	
1994	80	11.0	1.72	7.9	14.9	1,502	13.7	0.36	13.1	14.5	
1995	80	10.0	1.51	7.2	13.4	1,492	13.6	0.35	12.9	14.3	
1996	70	8.8	1.48	6.1	12.1	1,440	13.0	0.34	12.3	13.7	
1997	84	10.0	1.46	7.4	13.3	1,439	12.9	0.34	12.3	13.6	
1998	85	10.0	1.51	7.3	13.3	1,449	12.9	0.34	12.3	13.6	
1999	100	11.9	1.60	9.0	15.4	1,562	13.9	0.35	13.2	14.6	
2000	103	9.3	1.26	7.0	12.1	1,601	14.1	0.35	13.4	14.8	
2001	83	9.7	1.43	7.1	12.8	1,700	15.0	0.36	14.3	15.7	
2002	116	13.0	1.63	10.0	16.5	1,685	14.7	0.36	14.0	15.4	
2003	88	9.3	1.32	6.9	12.1	1,701	14.7	0.36	14.0	15.5	
2004	108	10.1	1.34	7.6	13.0	1,700	14.6	0.36	13.9	15.3	
2005	113	9.7	1.16	7.6	12.2	1,630	14.0	0.35	13.3	14.7	
2006	140	14.0	1.53	11.1	17.2	1,660	14.1	0.35	13.4	14.8	
2007	116	8.5	0.97	6.7	10.6	1,543	13.1	0.34	12.4	13.8	
2008	144	11.4	1.19	9.2	13.9	1,685	14.1	0.35	13.5	14.8	
2009	137	11.2	1.19	9.0	13.8	1,641	13.6	0.34	12.9	14.3	
2010	147	10.7	1.06	8.7	12.9	1,726	14.1	0.35	13.5	14.8	
2011	145	9.9	0.99	8.1	12.0	1,779	14.4	0.35	13.7	15.1	
2012	171	12.3	1.12	10.2	14.7	1,802	14.4	0.35	13.8	15.1	
2013	184	13.2	1.15	11.1	15.6	1,755	13.9	0.34	13.2	14.6	
2014	171	10.7	0.93	8.9	12.7	1,744	13.6	0.33	13.0	14.3	
2015	186	12.1	1.01	10.2	14.2	1,764	13.7	0.33	13.0	14.3	
2016	170	10.3	0.90	8.6	12.2	1,741	13.4	0.33	12.8	14.1	
2017	190	12.0	0.98	10.2	14.1	1,832	13.9	0.34	13.3	14.6	
2018	213	12.4	0.94	10.7	14.4	1,687	12.8	0.32	12.2	13.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	39,722	14.0	0.07	13.8	14.1	4,873	10.9	0.16	10.6	11.2
1990	1,035	11.3	0.36	10.6	12.0	97	7.7	0.83	6.1	9.5
1991	997	10.9	0.35	10.2	11.6	102	7.9	0.83	6.4	9.7
1992	1,050	11.4	0.35	10.7	12.1	114	9.0	0.88	7.4	10.9
1993	1,136	12.2	0.36	11.5	12.9	110	8.3	0.83	6.7	10.0
1994	1,334	14.2	0.39	13.4	15.0	140	10.7	0.94	8.9	12.6
1995	1,325	14.1	0.39	13.4	14.9	144	10.7	0.93	9.0	12.7
1996	1,277	13.5	0.38	12.8	14.3	134	9.8	0.89	8.2	11.7
1997	1,261	13.3	0.38	12.6	14.1	155	11.0	0.91	9.2	12.9
1998	1,270	13.3	0.38	12.6	14.1	147	10.4	0.88	8.7	12.2
1999	1,385	14.6	0.39	13.8	15.3	151	10.3	0.87	8.7	12.2
2000	1,392	14.6	0.39	13.8	15.4	180	12.5	0.95	10.7	14.5
2001	1,470	15.4	0.40	14.6	16.2	180	11.9	0.92	10.2	13.9
2002	1,474	15.3	0.40	14.5	16.1	170	12.0	0.95	10.2	14.0
2003	1,506	15.6	0.40	14.8	16.4	161	10.7	0.87	9.1	12.5
2004	1,462	15.0	0.40	14.3	15.8	173	11.1	0.87	9.5	12.9
2005	1,401	14.4	0.39	13.6	15.2	175	11.7	0.91	9.9	13.6
2006	1,438	14.7	0.39	13.9	15.5	186	12.1	0.91	10.4	14.0
2007	1,320	13.5	0.38	12.8	14.3	175	10.9	0.84	9.3	12.7
2008	1,452	14.7	0.40	14.0	15.5	169	10.8	0.85	9.2	12.6
2009	1,412	14.2	0.39	13.4	14.9	169	10.7	0.84	9.1	12.5
2010	1,454	14.5	0.39	13.8	15.3	205	12.2	0.88	10.6	14.1
2011	1,513	14.9	0.39	14.1	15.7	196	11.5	0.84	9.9	13.2
2012	1,508	14.9	0.40	14.1	15.7	231	13.5	0.91	11.8	15.4
2013	1,470	14.3	0.39	13.6	15.1	215	12.1	0.85	10.5	13.9
2014	1,485	14.3	0.39	13.6	15.1	197	11.2	0.81	9.6	12.9
2015	1,503	14.4	0.39	13.7	15.2	187	10.4	0.78	8.9	12.0
2016	1,444	13.7	0.38	13.0	14.5	208	11.1	0.79	9.6	12.8
2017	1,566	14.8	0.39	14.0	15.5	188	10.0	0.75	8.6	11.6
2018	1,382	13.1	0.37	12.4	13.8	214	11.4	0.79	9.9	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,934	12.7	0.38	11.9	13.4	25,990	17.7	0.11	17.5	17.9
1990	16	4.5	1.82	1.7	9.6	614	13.8	0.58	12.7	15.0
1991	25	8.8	2.32	4.9	14.6	627	13.7	0.56	12.6	14.9
1992	33	11.6	2.76	6.8	18.3	696	15.3	0.59	14.2	16.5
1993	28	7.8	1.94	4.4	12.7	693	15.1	0.59	14.0	16.3
1994	46	11.1	2.38	7.0	16.9	827	18.4	0.66	17.2	19.8
1995	45	13.0	3.10	7.7	20.3	816	17.8	0.63	16.5	19.0
1996	40	9.1	2.50	4.9	15.2	809	17.7	0.63	16.5	19.0
1997	46	10.9	2.27	6.9	16.3	797	17.1	0.62	15.9	18.4
1998	52	12.6	2.59	8.0	18.6	802	16.9	0.60	15.7	18.1
1999	53	11.9	2.41	7.6	17.5	865	18.2	0.63	17.0	19.5
2000	55	10.8	2.21	6.9	15.9	876	18.2	0.62	17.0	19.4
2001	48	12.4	2.60	7.9	18.4	945	19.7	0.65	18.4	21.0
2002	59	16.0	2.94	10.8	22.6	960	19.9	0.65	18.6	21.2
2003	45	10.2	2.26	6.2	15.4	961	19.6	0.64	18.4	20.9
2004	49	10.7	2.19	6.9	15.7	944	19.1	0.63	17.9	20.4
2005	69	11.1	1.75	8.0	15.1	931	18.8	0.62	17.6	20.1
2006	89	19.3	2.84	14.1	25.5	957	19.0	0.62	17.8	20.3
2007	72	11.5	1.76	8.3	15.5	888	17.5	0.59	16.3	18.7
2008	85	14.5	2.13	10.6	19.2	978	18.9	0.61	17.7	20.1
2009	71	11.1	1.72	8.0	14.9	906	17.3	0.58	16.1	18.4
2010	77	11.5	1.70	8.4	15.3	1,010	19.0	0.61	17.8	20.2
2011	86	12.2	1.68	9.1	15.9	996	18.5	0.60	17.3	19.7
2012	109	16.6	1.98	13.0	20.9	1,026	18.6	0.59	17.5	19.8
2013	102	15.3	1.87	11.8	19.3	1,002	17.9	0.58	16.8	19.1
2014	99	13.0	1.56	10.1	16.4	1,007	17.7	0.57	16.6	18.9
2015	111	13.9	1.57	11.0	17.4	1,015	17.6	0.57	16.5	18.8
2016	98	12.7	1.53	9.9	16.0	998	17.1	0.56	16.0	18.2
2017	100	12.7	1.48	10.0	15.9	1,051	17.8	0.56	16.7	18.9
2018	126	15.1	1.55	12.2	18.4	993	16.6	0.54	15.5	17.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	22,573	18.3	0.12	18.1	18.6	2,629	14.2	0.29	13.6	14.8	
1990	557	14.3	0.62	13.1	15.6	52	10.5	1.66	7.5	14.2	
1991	564	14.3	0.62	13.1	15.6	53	9.6	1.43	7.0	12.8	
1992	617	15.7	0.64	14.5	17.0	67	12.7	1.70	9.6	16.5	
1993	618	15.7	0.65	14.5	17.1	65	11.1	1.51	8.3	14.4	
1994	730	18.9	0.71	17.5	20.3	82	15.3	1.90	11.9	19.5	
1995	729	18.5	0.70	17.2	19.9	74	12.8	1.62	9.9	16.4	
1996	713	18.1	0.69	16.8	19.5	82	15.3	1.86	11.9	19.3	
1997	708	17.8	0.68	16.5	19.2	80	13.4	1.63	10.4	16.9	
1998	709	17.5	0.66	16.3	18.9	77	12.9	1.57	10.0	16.3	
1999	780	19.3	0.70	18.0	20.7	69	11.5	1.50	8.7	14.8	
2000	758	18.6	0.68	17.2	19.9	100	16.9	1.78	13.6	20.7	
2001	807	20.0	0.71	18.6	21.4	106	17.2	1.81	13.9	21.1	
2002	843	20.6	0.71	19.2	22.1	90	15.7	1.79	12.4	19.5	
2003	860	20.8	0.71	19.4	22.2	84	13.2	1.55	10.4	16.6	
2004	828	19.9	0.70	18.6	21.3	82	12.6	1.53	9.8	16.0	
2005	806	19.3	0.69	18.0	20.7	97	15.9	1.75	12.6	19.6	
2006	837	19.9	0.69	18.5	21.3	105	16.3	1.69	13.1	19.9	
2007	769	18.1	0.66	16.8	19.4	95	14.3	1.55	11.4	17.6	
2008	843	19.5	0.68	18.2	20.9	95	14.8	1.61	11.8	18.3	
2009	784	17.9	0.65	16.7	19.2	86	13.5	1.56	10.7	16.9	
2010	855	19.5	0.68	18.2	20.9	119	17.1	1.67	14.0	20.7	
2011	844	18.8	0.66	17.6	20.2	106	15.1	1.55	12.2	18.4	
2012	870	19.1	0.66	17.9	20.5	129	18.8	1.75	15.5	22.5	
2013	846	18.4	0.65	17.1	19.7	107	14.5	1.47	11.7	17.6	
2014	865	18.6	0.65	17.4	20.0	102	14.0	1.45	11.3	17.1	
2015	868	18.3	0.64	17.1	19.6	109	14.5	1.45	11.8	17.6	
2016	841	17.6	0.63	16.4	18.9	101	12.7	1.32	10.3	15.6	
2017	898	18.6	0.64	17.4	19.9	100	12.8	1.34	10.3	15.7	
2018	826	17.0	0.61	15.8	18.3	115	14.4	1.40	11.8	17.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Leukemia											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,494	9.3	0.28	8.7	9.8	19,972	10.4	0.07	10.2	10.5	
1990	30	10.5	2.36	6.4	16.1	526	8.7	0.38	7.9	9.5	
1991	23	7.7	1.96	4.3	12.5	488	8.1	0.37	7.4	8.8	
1992	25	8.1	2.07	4.6	13.1	491	8.0	0.37	7.3	8.8	
1993	24	6.9	1.68	4.0	11.0	567	9.0	0.38	8.3	9.8	
1994	34	10.4	2.32	6.3	15.8	675	10.8	0.42	9.9	11.6	
1995	35	8.3	1.63	5.4	12.2	676	10.7	0.42	9.9	11.5	
1996	30	8.7	1.96	5.3	13.3	631	9.9	0.40	9.1	10.7	
1997	38	9.2	1.91	5.9	13.7	642	10.0	0.40	9.2	10.8	
1998	33	7.8	1.76	4.7	11.9	647	9.9	0.40	9.2	10.7	
1999	47	11.9	2.17	8.0	16.8	697	10.9	0.42	10.1	11.7	
2000	48	8.3	1.53	5.6	11.9	725	11.2	0.42	10.4	12.0	
2001	35	7.5	1.61	4.7	11.3	755	11.7	0.43	10.8	12.6	
2002	57	10.7	1.84	7.4	14.9	725	10.9	0.41	10.1	11.8	
2003	43	8.8	1.65	5.9	12.6	740	11.3	0.42	10.5	12.2	
2004	59	9.8	1.66	6.8	13.6	756	11.5	0.42	10.7	12.3	
2005	44	8.1	1.50	5.4	11.5	699	10.6	0.41	9.8	11.5	
2006	51	9.6	1.67	6.7	13.4	703	10.5	0.41	9.7	11.3	
2007	44	5.9	1.04	4.0	8.3	655	10.0	0.40	9.2	10.8	
2008	59	8.9	1.37	6.4	12.0	707	10.5	0.41	9.7	11.3	
2009	66	11.1	1.63	8.2	14.7	735	10.8	0.41	10.0	11.7	
2010	70	10.1	1.37	7.6	13.2	716	10.3	0.40	9.5	11.1	
2011	59	7.9	1.19	5.8	10.6	783	11.4	0.42	10.5	12.2	
2012	62	8.6	1.25	6.3	11.4	776	11.3	0.42	10.5	12.2	
2013	82	11.4	1.43	8.8	14.6	753	10.8	0.41	10.0	11.6	
2014	72	8.6	1.13	6.6	11.1	737	10.5	0.40	9.7	11.3	
2015	75	10.1	1.29	7.8	12.9	749	10.7	0.41	9.9	11.6	
2016	72	8.3	1.07	6.3	10.6	743	10.5	0.40	9.7	11.3	
2017	90	11.4	1.31	9.0	14.3	781	10.9	0.41	10.1	11.8	
2018	87	10.1	1.16	7.9	12.6	694	9.7	0.39	9.0	10.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	17,149	10.7	0.08	10.6	10.9	2,244	8.7	0.18	8.3	9.0
1990	478	9.1	0.43	8.3	10.0	45	6.1	0.93	4.4	8.2
1991	433	8.3	0.41	7.6	9.2	49	6.6	0.97	4.8	8.7
1992	433	8.3	0.41	7.5	9.1	47	6.5	0.96	4.7	8.6
1993	518	9.6	0.43	8.8	10.5	45	6.1	0.93	4.4	8.2
1994	604	11.2	0.46	10.3	12.1	58	7.8	1.04	5.9	10.0
1995	596	11.1	0.47	10.2	12.1	70	9.1	1.11	7.1	11.6
1996	564	10.4	0.45	9.5	11.3	52	6.4	0.91	4.7	8.4
1997	553	10.1	0.44	9.3	11.0	75	9.3	1.09	7.3	11.7
1998	561	10.1	0.44	9.3	11.0	70	8.4	1.02	6.5	10.6
1999	605	11.2	0.47	10.3	12.2	82	9.6	1.08	7.6	12.0
2000	634	11.7	0.48	10.8	12.6	80	9.4	1.07	7.5	11.7
2001	663	12.2	0.49	11.3	13.2	74	8.5	1.00	6.6	10.7
2002	631	11.3	0.46	10.4	12.3	80	9.5	1.08	7.5	11.9
2003	646	11.8	0.48	10.9	12.8	77	8.8	1.02	7.0	11.1
2004	634	11.6	0.48	10.7	12.6	91	10.1	1.07	8.1	12.5
2005	595	11.0	0.47	10.1	11.9	78	8.9	1.02	7.0	11.2
2006	601	10.8	0.46	9.9	11.7	81	9.1	1.02	7.2	11.3
2007	551	10.3	0.45	9.4	11.2	80	8.6	0.97	6.8	10.7
2008	609	11.0	0.47	10.1	12.0	74	8.2	0.96	6.4	10.3
2009	628	11.2	0.47	10.3	12.2	83	9.0	1.00	7.1	11.2
2010	599	10.5	0.45	9.7	11.4	86	8.8	0.96	7.0	10.9
2011	669	11.9	0.48	11.0	12.9	90	9.1	0.97	7.3	11.2
2012	638	11.6	0.48	10.7	12.6	102	10.1	1.02	8.3	12.3
2013	624	11.2	0.47	10.3	12.2	108	10.5	1.02	8.6	12.7
2014	620	10.9	0.47	10.0	11.9	95	9.4	0.98	7.6	11.6
2015	635	11.5	0.48	10.5	12.5	78	7.5	0.86	5.9	9.3
2016	603	10.5	0.46	9.7	11.5	107	10.0	0.98	8.2	12.1
2017	668	11.6	0.48	10.7	12.6	88	8.4	0.92	6.7	10.4
2018	556	9.8	0.45	9.0	10.8	99	9.1	0.93	7.3	11.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Lymphocytic Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,289	2.4	0.07	2.2	2.5	4,205	1.4	0.02	1.4	1.4
1990	21	1.6	0.34	1.0	2.8	115	1.1	0.10	0.9	1.3
1991	19	2.0	0.54	1.1	3.6	128	1.2	0.11	1.0	1.4
1992	21	1.9	0.45	1.1	3.2	141	1.3	0.11	1.1	1.5
1993	19	1.6	0.42	0.9	2.9	150	1.4	0.11	1.2	1.6
1994	29	1.8	0.34	1.2	2.9	131	1.2	0.11	1.0	1.4
1995	36	2.7	0.53	1.8	4.1	166	1.5	0.12	1.3	1.8
1996	36	2.4	0.42	1.6	3.6	130	1.2	0.10	1.0	1.4
1997	37	2.3	0.42	1.6	3.5	147	1.4	0.11	1.1	1.6
1998	24	1.4	0.29	0.8	2.3	141	1.3	0.11	1.1	1.5
1999	32	1.9	0.37	1.3	3.0	144	1.3	0.11	1.1	1.6
2000	43	2.3	0.40	1.6	3.4	130	1.2	0.11	1.0	1.4
2001	28	2.2	0.67	1.1	3.9	160	1.5	0.12	1.3	1.8
2002	41	2.1	0.37	1.5	3.1	148	1.4	0.11	1.2	1.6
2003	34	1.6	0.29	1.1	2.4	159	1.5	0.12	1.3	1.8
2004	39	1.6	0.26	1.1	2.4	150	1.4	0.12	1.2	1.7
2005	46	2.2	0.38	1.5	3.1	154	1.5	0.12	1.3	1.7
2006	57	2.8	0.47	1.9	3.9	149	1.5	0.12	1.2	1.7
2007	55	2.7	0.43	1.9	3.8	133	1.3	0.11	1.1	1.6
2008	63	3.1	0.46	2.2	4.2	154	1.5	0.12	1.3	1.8
2009	48	2.1	0.32	1.5	2.9	142	1.4	0.12	1.2	1.7
2010	56	2.5	0.37	1.8	3.3	141	1.4	0.12	1.2	1.6
2011	56	2.4	0.37	1.8	3.3	149	1.5	0.12	1.2	1.7
2012	69	3.1	0.43	2.3	4.1	148	1.5	0.12	1.2	1.7
2013	61	2.6	0.36	2.0	3.5	147	1.5	0.12	1.2	1.7
2014	57	2.4	0.34	1.8	3.2	141	1.4	0.12	1.2	1.6
2015	64	2.6	0.34	2.0	3.4	149	1.4	0.12	1.2	1.7
2016	59	2.3	0.30	1.7	3.0	148	1.5	0.12	1.2	1.7
2017	65	2.9	0.39	2.2	3.8	159	1.5	0.13	1.3	1.8
2018	74	3.2	0.38	2.5	4.0	151	1.6	0.13	1.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Lymphocytic Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,445	1.5	0.03	1.5	1.6	515	0.9	0.04	0.9	1.0	
1990	103	1.2	0.12	1.0	1.5	12	0.9	0.27	0.4	1.6	
1991	104	1.2	0.12	1.0	1.5	18	1.0	0.25	0.6	1.6	
1992	110	1.3	0.12	1.1	1.6	24	1.5	0.33	0.9	2.3	
1993	128	1.5	0.13	1.3	1.8	18	1.0	0.25	0.6	1.7	
1994	106	1.2	0.12	1.0	1.5	15	0.7	0.21	0.4	1.3	
1995	147	1.8	0.15	1.5	2.1	14	0.6	0.17	0.3	1.1	
1996	106	1.3	0.12	1.0	1.5	20	1.0	0.24	0.6	1.6	
1997	121	1.5	0.13	1.2	1.7	20	1.0	0.24	0.6	1.6	
1998	120	1.5	0.13	1.2	1.7	12	0.7	0.20	0.3	1.2	
1999	124	1.5	0.14	1.3	1.8	17	0.8	0.20	0.5	1.3	
2000	113	1.4	0.13	1.1	1.7	13	0.7	0.21	0.4	1.3	
2001	123	1.5	0.14	1.3	1.8	30	1.5	0.29	1.0	2.2	
2002	127	1.6	0.14	1.3	1.9	14	0.7	0.19	0.4	1.2	
2003	134	1.7	0.15	1.4	2.0	19	0.9	0.21	0.5	1.4	
2004	116	1.5	0.14	1.2	1.8	24	1.3	0.27	0.8	2.0	
2005	132	1.7	0.15	1.4	2.0	15	0.7	0.19	0.4	1.2	
2006	119	1.6	0.15	1.3	1.9	20	1.1	0.25	0.7	1.7	
2007	103	1.3	0.13	1.1	1.6	21	1.1	0.25	0.7	1.7	
2008	130	1.7	0.15	1.4	2.1	12	0.6	0.18	0.3	1.1	
2009	115	1.5	0.15	1.3	1.9	18	1.0	0.23	0.6	1.5	
2010	111	1.5	0.14	1.2	1.8	20	1.0	0.22	0.6	1.5	
2011	119	1.6	0.15	1.3	1.9	18	0.9	0.22	0.5	1.5	
2012	122	1.6	0.15	1.3	1.9	19	1.1	0.26	0.7	1.7	
2013	119	1.6	0.15	1.3	1.9	17	0.9	0.23	0.5	1.5	
2014	123	1.7	0.15	1.4	2.0	11	0.6	0.17	0.3	1.0	
2015	122	1.6	0.15	1.3	1.9	16	0.8	0.20	0.5	1.3	
2016	107	1.4	0.14	1.1	1.7	25	1.3	0.27	0.9	2.0	
2017	122	1.6	0.15	1.3	1.9	21	1.0	0.23	0.6	1.6	
2018	119	1.7	0.16	1.4	2.0	12	0.6	0.19	0.3	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Lymphocytic Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	739	2.5	0.11	2.3	2.8	2,365	1.6	0.03	1.5	1.7
1990	7	1.0	0.37	0.4	3.5	57	1.1	0.15	0.8	1.5
1991	8	1.5	0.58	0.6	4.2	80	1.6	0.18	1.2	1.9
1992	7	0.9	0.35	0.4	3.3	80	1.6	0.18	1.2	1.9
1993	10	1.9	0.72	0.8	4.6	87	1.7	0.19	1.4	2.1
1994	18	2.2	0.53	1.3	4.5	76	1.5	0.17	1.2	1.8
1995	22	2.7	0.62	1.6	5.0	91	1.7	0.18	1.4	2.1
1996	27	3.3	0.68	2.2	5.7	66	1.2	0.15	1.0	1.6
1997	20	2.2	0.50	1.3	4.2	89	1.7	0.18	1.4	2.1
1998	14	1.4	0.38	0.8	3.2	84	1.7	0.18	1.3	2.0
1999	23	2.6	0.60	1.6	4.6	80	1.5	0.17	1.2	1.9
2000	20	1.8	0.41	1.1	3.5	56	1.1	0.14	0.8	1.4
2001	18	3.8	1.54	1.4	7.8	93	1.8	0.19	1.5	2.2
2002	21	2.2	0.56	1.3	4.0	93	1.8	0.19	1.5	2.2
2003	19	1.5	0.35	0.9	2.9	83	1.6	0.18	1.3	2.0
2004	14	1.1	0.29	0.6	2.4	78	1.5	0.18	1.2	1.9
2005	29	3.0	0.71	1.8	4.9	80	1.6	0.18	1.2	2.0
2006	37	3.0	0.51	2.1	4.5	84	1.7	0.18	1.3	2.1
2007	33	3.5	0.79	2.1	5.6	69	1.4	0.17	1.1	1.7
2008	38	3.4	0.60	2.3	5.0	94	1.8	0.19	1.5	2.3
2009	30	2.5	0.50	1.6	3.9	78	1.6	0.18	1.3	2.0
2010	33	2.6	0.48	1.8	3.9	90	1.8	0.19	1.5	2.2
2011	35	2.7	0.47	1.8	4.0	79	1.6	0.18	1.3	2.0
2012	36	2.8	0.47	1.9	4.0	82	1.7	0.19	1.3	2.1
2013	32	2.5	0.45	1.7	3.7	83	1.7	0.19	1.3	2.1
2014	34	2.7	0.47	1.9	3.9	85	1.7	0.19	1.3	2.1
2015	40	3.1	0.50	2.2	4.4	79	1.6	0.18	1.2	1.9
2016	36	2.7	0.45	1.9	3.8	92	1.8	0.20	1.5	2.3
2017	35	3.1	0.59	2.1	4.6	91	1.8	0.20	1.5	2.3
2018	43	3.4	0.52	2.4	4.6	86	1.8	0.20	1.5	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Lymphocytic Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,941	1.7	0.04	1.7	1.8	290	1.1	0.07	1.0	1.2	
1990	52	1.3	0.18	0.9	1.7	5	0.8	0.43	0.2	2.1	
1991	65	1.6	0.20	1.2	2.0	11	1.2	0.39	0.6	2.4	
1992	60	1.5	0.19	1.1	1.9	16	2.1	0.62	1.1	3.7	
1993	77	1.9	0.22	1.5	2.4	8	0.9	0.32	0.4	1.9	
1994	59	1.5	0.19	1.1	1.9	11	1.0	0.32	0.5	2.0	
1995	78	1.9	0.22	1.5	2.4	11	0.9	0.29	0.5	1.9	
1996	54	1.3	0.18	1.0	1.7	9	0.9	0.30	0.4	1.8	
1997	74	1.9	0.22	1.5	2.3	13	1.3	0.36	0.7	2.3	
1998	74	1.9	0.22	1.5	2.4	5	0.6	0.28	0.2	1.5	
1999	70	1.7	0.21	1.4	2.2	8	0.6	0.23	0.3	1.4	
2000	47	1.2	0.17	0.9	1.6	7	0.8	0.31	0.3	1.7	
2001	73	1.9	0.22	1.5	2.4	16	1.8	0.50	1.0	3.1	
2002	78	2.0	0.22	1.6	2.5	11	1.3	0.38	0.6	2.3	
2003	71	1.8	0.21	1.4	2.3	9	0.9	0.29	0.4	1.8	
2004	59	1.5	0.20	1.2	2.0	16	2.2	0.65	1.1	3.8	
2005	69	1.8	0.21	1.4	2.2	8	0.7	0.26	0.3	1.6	
2006	70	1.9	0.23	1.5	2.4	11	1.2	0.38	0.6	2.3	
2007	55	1.5	0.20	1.1	1.9	10	1.0	0.33	0.5	2.0	
2008	81	2.1	0.24	1.7	2.6	5	0.5	0.25	0.2	1.4	
2009	64	1.7	0.22	1.3	2.2	9	0.9	0.31	0.4	1.8	
2010	70	1.9	0.23	1.5	2.4	13	1.3	0.36	0.7	2.3	
2011	61	1.7	0.22	1.3	2.1	10	1.0	0.33	0.5	1.9	
2012	67	1.8	0.22	1.4	2.3	12	1.4	0.41	0.7	2.4	
2013	64	1.7	0.22	1.3	2.2	10	1.2	0.40	0.6	2.3	
2014	72	1.9	0.23	1.5	2.5	7	0.8	0.33	0.3	1.8	
2015	65	1.7	0.22	1.3	2.2	11	1.1	0.34	0.6	2.1	
2016	74	2.0	0.24	1.5	2.5	10	1.1	0.37	0.5	2.1	
2017	68	1.8	0.23	1.4	2.4	11	1.2	0.35	0.6	2.1	
2018	70	2.0	0.25	1.6	2.6	7	0.8	0.28	0.3	1.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Lymphocytic Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	550	2.1	0.10	2.0	2.4	1,840	1.2	0.03	1.1	1.2
1990	14	2.2	0.59	1.2	4.3	58	1.0	0.14	0.8	1.3
1991	11	2.6	0.89	1.1	5.2	48	0.9	0.13	0.7	1.2
1992	14	2.9	0.86	1.5	5.5	61	1.1	0.14	0.8	1.4
1993	9	1.3	0.46	0.6	3.1	63	1.1	0.14	0.9	1.5
1994	11	1.4	0.42	0.7	3.1	55	1.0	0.13	0.7	1.3
1995	14	2.7	0.84	1.3	5.1	75	1.4	0.16	1.1	1.7
1996	9	1.3	0.48	0.5	3.0	64	1.2	0.14	0.9	1.5
1997	17	2.5	0.67	1.3	4.5	58	1.1	0.14	0.8	1.4
1998	10	1.3	0.45	0.6	2.9	57	1.0	0.14	0.8	1.3
1999	9	1.2	0.42	0.5	2.7	64	1.2	0.15	0.9	1.5
2000	23	2.8	0.67	1.7	4.7	74	1.3	0.16	1.0	1.7
2001	10	1.1	0.35	0.5	2.4	67	1.2	0.15	1.0	1.6
2002	20	2.0	0.49	1.2	3.5	55	1.0	0.14	0.8	1.3
2003	15	1.6	0.46	0.9	3.0	76	1.5	0.17	1.1	1.8
2004	25	2.2	0.45	1.4	3.5	72	1.4	0.16	1.1	1.7
2005	17	1.3	0.33	0.8	2.4	74	1.4	0.16	1.1	1.7
2006	20	2.3	0.68	1.2	4.1	65	1.2	0.15	0.9	1.6
2007	22	2.0	0.45	1.2	3.3	64	1.3	0.16	1.0	1.6
2008	25	2.7	0.65	1.6	4.3	60	1.2	0.16	0.9	1.5
2009	18	1.7	0.41	0.9	2.8	64	1.2	0.16	1.0	1.6
2010	23	2.2	0.54	1.3	3.6	51	1.0	0.14	0.7	1.3
2011	21	2.1	0.53	1.2	3.5	70	1.3	0.16	1.0	1.7
2012	33	3.3	0.68	2.1	5.0	66	1.3	0.16	1.0	1.6
2013	29	2.7	0.55	1.7	4.1	64	1.3	0.16	1.0	1.6
2014	23	2.0	0.46	1.2	3.2	56	1.1	0.15	0.8	1.4
2015	24	2.1	0.45	1.3	3.2	70	1.3	0.17	1.0	1.7
2016	23	1.9	0.39	1.2	2.9	56	1.1	0.15	0.8	1.5
2017	30	2.7	0.52	1.8	4.0	68	1.2	0.16	1.0	1.6
2018	31	2.9	0.54	1.9	4.2	65	1.3	0.17	1.0	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Lymphocytic Leukemia											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,504	1.3	0.03	1.2	1.4	225	0.8	0.05	0.7	0.9	
1990	51	1.1	0.16	0.8	1.5	7	1.0	0.37	0.4	2.0	
1991	39	0.9	0.15	0.7	1.3	7	0.8	0.30	0.3	1.6	
1992	50	1.1	0.16	0.8	1.5	8	1.0	0.36	0.4	2.0	
1993	51	1.2	0.17	0.9	1.6	10	1.1	0.36	0.5	2.1	
1994	47	1.1	0.16	0.8	1.4	4	0.4	0.23	0.1	1.2	
1995	69	1.6	0.20	1.3	2.1	3	0.3	0.18	0.1	0.9	
1996	52	1.2	0.17	0.9	1.6	11	1.1	0.35	0.6	2.1	
1997	47	1.1	0.17	0.8	1.5	7	0.8	0.29	0.3	1.6	
1998	46	1.1	0.16	0.8	1.5	7	0.7	0.26	0.3	1.4	
1999	54	1.3	0.18	1.0	1.7	9	0.9	0.31	0.4	1.8	
2000	66	1.6	0.20	1.2	2.0	6	0.6	0.26	0.2	1.4	
2001	50	1.2	0.17	0.9	1.6	14	1.3	0.36	0.7	2.3	
2002	49	1.2	0.17	0.9	1.6	3	0.3	0.16	0.1	0.8	
2003	63	1.6	0.21	1.2	2.1	10	0.9	0.30	0.5	1.8	
2004	57	1.5	0.20	1.1	1.9	8	0.8	0.27	0.3	1.5	
2005	63	1.6	0.20	1.2	2.0	7	0.7	0.25	0.3	1.4	
2006	49	1.2	0.18	0.9	1.6	9	0.9	0.31	0.4	1.8	
2007	48	1.3	0.19	0.9	1.7	11	1.1	0.35	0.6	2.1	
2008	49	1.3	0.20	1.0	1.8	7	0.7	0.27	0.3	1.5	
2009	51	1.3	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8	
2010	41	1.0	0.17	0.7	1.4	7	0.7	0.25	0.3	1.4	
2011	58	1.5	0.21	1.1	2.0	8	0.8	0.28	0.3	1.6	
2012	55	1.5	0.20	1.1	1.9	7	0.8	0.29	0.3	1.6	
2013	55	1.5	0.21	1.1	1.9	7	0.7	0.28	0.3	1.5	
2014	51	1.4	0.20	1.0	1.8	4	0.4	0.18	0.1	1.0	
2015	57	1.5	0.21	1.1	1.9	5	0.5	0.22	0.2	1.1	
2016	33	0.9	0.16	0.6	1.2	15	1.6	0.41	0.9	2.6	
2017	54	1.4	0.20	1.0	1.8	10	0.9	0.29	0.4	1.7	
2018	49	1.4	0.20	1.0	1.8	5	0.5	0.24	0.2	1.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Lymphocytic Leukemia

Both Sexes

Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	330	1.8	0.11	1.6	2.0	15,721	4.5	0.04	4.4	4.5
1990	4	1.4	0.75	0.4	3.6	369	3.5	0.18	3.1	3.9
1991	6	2.0	0.88	0.7	4.4	379	3.6	0.18	3.2	3.9
1992	7	3.0	1.24	1.1	6.1	419	3.9	0.19	3.5	4.3
1993	7	1.9	0.80	0.7	4.1	400	3.7	0.18	3.3	4.0
1994	2	0.6	0.48	0.0	2.1	531	4.9	0.21	4.5	5.3
1995	2	0.4	0.31	0.0	1.6	461	4.2	0.20	3.8	4.6
1996	7	2.6	1.04	1.0	5.2	453	4.1	0.19	3.7	4.5
1997	5	1.4	0.71	0.4	3.4	437	3.9	0.19	3.5	4.3
1998	7	1.3	0.55	0.5	2.9	463	4.1	0.19	3.7	4.5
1999	9	2.3	0.85	0.9	4.4	485	4.3	0.19	3.9	4.7
2000	8	1.4	0.52	0.6	2.8	506	4.4	0.20	4.1	4.8
2001	5	0.6	0.26	0.2	1.4	587	5.1	0.21	4.7	5.5
2002	8	1.2	0.45	0.5	2.5	621	5.3	0.21	4.9	5.8
2003	11	2.6	0.86	1.2	4.7	623	5.3	0.21	4.9	5.7
2004	9	1.6	0.56	0.7	3.0	616	5.2	0.21	4.8	5.6
2005	10	1.7	0.55	0.8	3.0	577	4.9	0.20	4.5	5.3
2006	15	3.1	0.85	1.7	5.1	629	5.2	0.21	4.8	5.7
2007	14	1.8	0.52	0.9	3.1	530	4.3	0.19	4.0	4.7
2008	14	1.9	0.54	1.0	3.2	657	5.3	0.21	4.9	5.8
2009	15	2.0	0.57	1.0	3.3	598	4.8	0.20	4.4	5.2
2010	9	1.1	0.38	0.5	2.1	581	4.5	0.19	4.2	4.9
2011	11	1.4	0.44	0.6	2.4	569	4.4	0.19	4.0	4.8
2012	13	1.6	0.48	0.8	2.8	638	4.9	0.20	4.5	5.3
2013	20	2.4	0.56	1.4	3.7	585	4.4	0.18	4.0	4.8
2014	18	1.9	0.47	1.1	3.0	566	4.2	0.18	3.8	4.5
2015	23	1.9	0.41	1.1	2.8	618	4.5	0.18	4.1	4.8
2016	22	2.3	0.51	1.4	3.4	617	4.4	0.18	4.0	4.8
2017	21	1.9	0.43	1.1	2.9	633	4.5	0.18	4.1	4.9
2018	28	2.1	0.42	1.3	3.1	573	4.1	0.17	3.7	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Lymphocytic Leukemia

Both Sexes

Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	13,859	4.6	0.04	4.6	4.7	1,517	3.6	0.09	3.4	3.7
1990	340	3.7	0.20	3.3	4.1	28	2.7	0.52	1.8	3.9
1991	343	3.6	0.20	3.3	4.1	36	3.2	0.55	2.2	4.4
1992	380	4.0	0.21	3.6	4.4	38	3.4	0.56	2.4	4.7
1993	367	3.8	0.20	3.4	4.2	33	2.8	0.50	1.9	3.9
1994	480	5.0	0.23	4.6	5.5	46	3.8	0.57	2.8	5.1
1995	418	4.4	0.21	4.0	4.8	38	3.1	0.52	2.2	4.3
1996	418	4.3	0.21	3.9	4.8	34	2.8	0.49	1.9	3.9
1997	396	4.1	0.21	3.7	4.5	37	2.9	0.48	2.0	3.9
1998	416	4.3	0.21	3.9	4.7	41	3.1	0.49	2.2	4.2
1999	447	4.6	0.22	4.2	5.0	33	2.4	0.42	1.6	3.3
2000	423	4.3	0.21	3.9	4.8	77	5.6	0.65	4.4	7.0
2001	515	5.2	0.23	4.8	5.7	56	4.1	0.56	3.1	5.3
2002	550	5.5	0.23	5.0	6.0	63	4.7	0.61	3.6	6.0
2003	573	5.7	0.24	5.3	6.2	45	3.1	0.48	2.3	4.2
2004	547	5.4	0.23	5.0	5.9	48	3.1	0.46	2.3	4.1
2005	503	5.0	0.22	4.6	5.4	60	4.2	0.55	3.2	5.4
2006	555	5.4	0.23	5.0	5.9	68	4.5	0.56	3.5	5.8
2007	465	4.5	0.21	4.1	4.9	56	3.7	0.50	2.8	4.8
2008	574	5.5	0.23	5.1	6.0	67	4.5	0.56	3.5	5.7
2009	528	5.0	0.22	4.6	5.5	51	3.3	0.46	2.4	4.3
2010	495	4.6	0.21	4.2	5.1	64	4.0	0.52	3.1	5.2
2011	500	4.6	0.21	4.2	5.0	55	3.4	0.46	2.5	4.4
2012	544	5.0	0.22	4.6	5.5	70	4.0	0.49	3.1	5.1
2013	499	4.5	0.21	4.1	4.9	66	3.8	0.47	2.9	4.8
2014	479	4.3	0.20	3.9	4.7	69	3.9	0.48	3.0	5.0
2015	524	4.6	0.21	4.2	5.0	62	3.5	0.46	2.7	4.5
2016	527	4.5	0.20	4.1	5.0	66	3.6	0.45	2.8	4.6
2017	572	5.0	0.21	4.6	5.4	40	2.1	0.34	1.5	2.9
2018	481	4.2	0.20	3.8	4.6	70	3.8	0.46	3.0	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Lymphocytic Leukemia

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	186	2.2	0.18	1.8	2.5	9,305	6.3	0.07	6.1	6.4	
1990	1	0.6	0.57	0.0	3.6	217	5.0	0.35	4.3	5.7	
1991	3	1.9	1.13	0.3	5.6	224	5.0	0.34	4.4	5.7	
1992	4	4.2	2.24	1.0	10.3	248	5.6	0.36	4.9	6.4	
1993	4	2.4	1.39	0.5	6.5	207	4.5	0.32	3.9	5.2	
1994	1	1.2	1.18	0.0	5.1	311	7.2	0.42	6.4	8.0	
1995	2	0.9	0.67	0.1	3.5	258	5.8	0.37	5.1	6.6	
1996	1	1.6	1.57	0.0	6.3	270	6.0	0.38	5.3	6.8	
1997	3	2.1	1.44	0.3	6.3	259	5.6	0.36	5.0	6.4	
1998	4	1.6	0.98	0.3	4.7	263	5.5	0.34	4.9	6.3	
1999	5	3.0	1.60	0.7	7.3	279	5.9	0.36	5.3	6.7	
2000	5	1.8	0.85	0.6	4.4	306	6.3	0.37	5.6	7.1	
2001	4	0.9	0.47	0.2	2.8	314	6.6	0.38	5.9	7.4	
2002	5	1.5	0.72	0.5	3.7	342	7.2	0.39	6.4	8.0	
2003	7	4.1	1.82	1.3	8.7	374	7.6	0.40	6.9	8.4	
2004	3	1.5	0.89	0.3	4.1	359	7.3	0.39	6.5	8.1	
2005	2	0.6	0.43	0.1	2.2	344	6.9	0.38	6.2	7.7	
2006	10	4.8	1.68	2.1	8.9	377	7.5	0.39	6.7	8.3	
2007	11	3.2	1.07	1.5	5.9	329	6.4	0.36	5.7	7.2	
2008	8	2.4	0.95	0.9	4.9	404	7.7	0.39	6.9	8.5	
2009	10	2.4	0.90	0.9	4.7	356	6.6	0.35	5.9	7.3	
2010	6	1.7	0.72	0.6	3.6	374	6.8	0.36	6.1	7.6	
2011	6	1.5	0.65	0.5	3.2	345	6.2	0.34	5.5	6.9	
2012	8	2.2	0.84	0.9	4.4	392	6.9	0.35	6.2	7.6	
2013	9	2.1	0.77	0.9	4.1	365	6.3	0.33	5.6	6.9	
2014	13	2.3	0.72	1.1	4.1	350	5.8	0.32	5.2	6.5	
2015	15	2.2	0.62	1.2	3.8	367	6.1	0.33	5.5	6.8	
2016	12	2.7	0.85	1.3	4.8	360	5.8	0.31	5.2	6.4	
2017	8	1.5	0.58	0.6	3.0	369	5.9	0.32	5.3	6.6	
2018	16	2.6	0.73	1.4	4.4	342	5.4	0.30	4.9	6.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Lymphocytic Leukemia

Males

Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	8,204	6.5	0.07	6.3	6.6	895	5.2	0.18	4.8	5.5	
1990	200	5.2	0.37	4.4	5.9	17	4.6	1.19	2.6	7.4	
1991	199	5.1	0.36	4.4	5.8	25	5.0	1.05	3.1	7.5	
1992	226	5.8	0.39	5.1	6.7	22	4.8	1.05	2.9	7.2	
1993	185	4.7	0.35	4.0	5.4	22	4.3	0.95	2.6	6.6	
1994	282	7.4	0.45	6.5	8.3	26	5.9	1.25	3.7	8.7	
1995	232	6.0	0.40	5.2	6.8	23	4.7	1.04	2.9	7.2	
1996	246	6.3	0.41	5.5	7.1	23	4.7	1.06	2.9	7.2	
1997	234	5.9	0.39	5.1	6.7	23	4.3	0.93	2.7	6.5	
1998	233	5.7	0.37	5.0	6.5	27	4.7	0.94	3.1	6.9	
1999	261	6.4	0.40	5.7	7.3	16	2.8	0.74	1.6	4.6	
2000	254	6.2	0.39	5.4	7.0	48	8.5	1.26	6.2	11.3	
2001	271	6.6	0.40	5.9	7.5	37	6.9	1.22	4.7	9.7	
2002	305	7.4	0.43	6.6	8.3	31	5.8	1.13	3.8	8.4	
2003	347	8.3	0.45	7.4	9.2	25	4.2	0.90	2.6	6.3	
2004	320	7.6	0.43	6.8	8.5	27	4.3	0.87	2.8	6.3	
2005	302	7.1	0.41	6.4	8.0	36	6.3	1.12	4.3	8.8	
2006	333	7.7	0.43	6.9	8.6	40	6.3	1.03	4.4	8.6	
2007	292	6.7	0.40	6.0	7.6	33	5.1	0.93	3.4	7.2	
2008	351	7.8	0.42	7.0	8.7	42	7.0	1.13	5.0	9.5	
2009	318	7.0	0.40	6.2	7.8	26	4.1	0.85	2.6	6.1	
2010	316	6.8	0.39	6.1	7.7	43	6.9	1.12	4.9	9.4	
2011	303	6.4	0.38	5.7	7.2	33	5.2	0.96	3.5	7.4	
2012	336	7.1	0.39	6.3	7.9	40	5.9	0.99	4.1	8.1	
2013	320	6.5	0.37	5.8	7.3	33	4.4	0.80	3.0	6.3	
2014	296	6.0	0.35	5.3	6.7	41	5.5	0.90	3.9	7.6	
2015	312	6.2	0.36	5.6	7.0	39	5.5	0.91	3.8	7.5	
2016	311	6.0	0.35	5.3	6.7	33	4.4	0.80	3.0	6.2	
2017	332	6.5	0.36	5.8	7.2	25	3.3	0.70	2.1	5.0	
2018	287	5.5	0.34	4.9	6.2	39	5.3	0.87	3.7	7.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Lymphocytic Leukemia

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	144	1.5	0.13	1.3	1.8	6,416	3.1	0.04	3.1	3.2	
1990	3	2.0	1.18	0.4	5.5	152	2.5	0.20	2.1	2.9	
1991	3	2.0	1.19	0.4	5.5	155	2.4	0.19	2.0	2.8	
1992	3	2.1	1.37	0.3	6.0	171	2.6	0.20	2.3	3.1	
1993	3	1.6	0.96	0.3	4.5	193	2.9	0.21	2.5	3.4	
1994	1	0.3	0.26	0.0	1.9	220	3.4	0.23	2.9	3.9	
1995	0					203	3.1	0.22	2.7	3.6	
1996	6	3.6	1.50	1.3	7.5	183	2.8	0.21	2.4	3.2	
1997	2	1.0	0.74	0.1	3.4	178	2.6	0.20	2.2	3.0	
1998	3	1.1	0.65	0.2	3.2	200	2.9	0.21	2.5	3.4	
1999	4	1.8	0.98	0.4	4.6	206	3.1	0.22	2.7	3.6	
2000	3	1.0	0.61	0.2	3.0	200	3.0	0.21	2.6	3.4	
2001	1	0.2	0.20	0.0	1.4	273	4.0	0.25	3.6	4.5	
2002	3	1.0	0.56	0.2	2.7	279	4.0	0.24	3.5	4.5	
2003	4	1.6	0.85	0.4	4.0	249	3.6	0.23	3.2	4.1	
2004	6	1.7	0.74	0.6	3.7	257	3.7	0.23	3.3	4.2	
2005	8	2.6	0.92	1.1	4.9	233	3.4	0.22	2.9	3.8	
2006	5	1.9	0.86	0.6	4.1	252	3.6	0.23	3.1	4.1	
2007	3	0.6	0.38	0.1	1.9	201	2.8	0.20	2.4	3.2	
2008	6	1.4	0.62	0.5	3.1	253	3.5	0.23	3.1	4.0	
2009	5	1.5	0.72	0.5	3.4	242	3.3	0.22	2.9	3.7	
2010	3	0.6	0.37	0.1	1.7	207	2.8	0.20	2.4	3.2	
2011	5	1.2	0.57	0.4	2.8	224	3.0	0.20	2.6	3.4	
2012	5	1.1	0.53	0.3	2.5	246	3.3	0.22	2.9	3.8	
2013	11	2.5	0.78	1.2	4.4	220	3.0	0.21	2.6	3.4	
2014	5	1.3	0.58	0.4	2.8	216	2.8	0.20	2.5	3.3	
2015	8	1.4	0.53	0.6	2.8	251	3.2	0.21	2.8	3.7	
2016	10	1.9	0.62	0.9	3.4	257	3.3	0.21	2.9	3.7	
2017	13	2.2	0.63	1.1	3.7	264	3.3	0.21	2.9	3.8	
2018	12	1.6	0.49	0.8	2.9	231	2.9	0.20	2.5	3.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Lymphocytic Leukemia

Females

Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,655	3.3	0.04	3.2	3.3	622	2.5	0.10	2.3	2.7
1990	140	2.6	0.23	2.2	3.1	11	1.6	0.50	0.8	2.9
1991	144	2.5	0.21	2.1	3.0	11	1.8	0.55	0.9	3.2
1992	154	2.7	0.22	2.3	3.2	16	2.4	0.61	1.4	3.9
1993	182	3.1	0.24	2.7	3.6	11	1.6	0.50	0.8	2.9
1994	198	3.4	0.25	2.9	3.9	20	2.8	0.62	1.7	4.2
1995	186	3.3	0.25	2.8	3.8	15	2.1	0.54	1.2	3.4
1996	172	3.0	0.24	2.6	3.5	11	1.5	0.47	0.8	2.7
1997	162	2.7	0.21	2.3	3.1	14	1.8	0.49	1.0	3.0
1998	183	3.1	0.23	2.6	3.6	14	1.8	0.50	1.0	3.1
1999	186	3.3	0.25	2.8	3.8	17	2.1	0.50	1.2	3.3
2000	169	2.9	0.23	2.5	3.4	29	3.7	0.68	2.4	5.2
2001	244	4.2	0.27	3.7	4.8	19	2.3	0.53	1.4	3.6
2002	245	4.1	0.27	3.6	4.7	32	4.0	0.71	2.7	5.6
2003	226	3.8	0.26	3.3	4.4	20	2.4	0.54	1.5	3.7
2004	227	3.8	0.26	3.3	4.4	21	2.4	0.52	1.5	3.6
2005	201	3.4	0.24	2.9	3.9	24	2.9	0.60	1.9	4.3
2006	222	3.7	0.25	3.2	4.2	28	3.3	0.62	2.2	4.7
2007	173	2.9	0.22	2.5	3.4	23	2.6	0.55	1.7	3.9
2008	223	3.7	0.25	3.2	4.2	25	2.8	0.57	1.8	4.1
2009	210	3.4	0.24	2.9	3.9	25	2.7	0.55	1.8	4.0
2010	179	2.9	0.22	2.5	3.4	21	2.3	0.50	1.4	3.5
2011	197	3.2	0.23	2.7	3.7	22	2.2	0.48	1.4	3.4
2012	208	3.5	0.25	3.0	4.0	30	2.9	0.53	1.9	4.1
2013	179	3.0	0.23	2.5	3.4	33	3.3	0.58	2.2	4.6
2014	183	3.0	0.23	2.5	3.4	28	2.7	0.52	1.8	4.0
2015	212	3.3	0.24	2.9	3.8	23	2.2	0.47	1.4	3.4
2016	216	3.4	0.24	2.9	3.9	33	3.1	0.54	2.1	4.3
2017	240	3.7	0.25	3.2	4.2	15	1.3	0.35	0.7	2.3
2018	194	3.0	0.22	2.6	3.5	31	2.8	0.51	1.9	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Myeloid Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,007	3.7	0.14	3.4	4.0	14,037	4.1	0.03	4.0	4.2
1990	10	1.9	0.77	0.7	4.0	323	3.0	0.17	2.7	3.4
1991	10	1.6	0.66	0.6	3.5	296	2.8	0.16	2.5	3.1
1992	21	3.3	0.89	1.8	5.6	319	2.9	0.17	2.6	3.3
1993	13	1.3	0.40	0.6	2.6	341	3.1	0.17	2.8	3.5
1994	26	4.0	1.02	2.3	6.5	397	3.6	0.18	3.3	4.0
1995	23	3.0	0.78	1.7	5.0	408	3.7	0.18	3.3	4.1
1996	19	3.0	0.91	1.5	5.3	419	3.8	0.18	3.4	4.2
1997	13	1.9	0.59	0.9	3.5	460	4.1	0.19	3.8	4.5
1998	29	3.1	0.76	1.8	5.0	414	3.7	0.18	3.3	4.1
1999	31	4.2	1.04	2.4	6.7	453	4.0	0.19	3.7	4.4
2000	30	3.3	0.86	1.8	5.3	502	4.4	0.20	4.1	4.8
2001	24	3.0	0.77	1.7	4.8	526	4.6	0.20	4.2	5.0
2002	39	5.1	1.01	3.3	7.4	486	4.2	0.19	3.9	4.6
2003	22	2.2	0.57	1.3	3.7	471	4.1	0.19	3.7	4.5
2004	38	4.4	0.96	2.8	6.6	494	4.3	0.19	3.9	4.7
2005	31	2.9	0.61	1.9	4.4	484	4.2	0.19	3.8	4.6
2006	41	4.6	0.89	3.1	6.6	473	4.0	0.19	3.7	4.4
2007	30	2.6	0.57	1.6	4.0	477	4.1	0.19	3.7	4.5
2008	28	3.0	0.68	1.8	4.6	482	4.1	0.19	3.7	4.4
2009	43	3.9	0.74	2.6	5.6	513	4.2	0.19	3.8	4.6
2010	49	4.5	0.75	3.2	6.2	582	4.8	0.20	4.4	5.2
2011	38	3.4	0.64	2.3	4.9	574	4.6	0.20	4.3	5.1
2012	56	5.1	0.78	3.7	6.9	592	4.7	0.20	4.3	5.1
2013	63	5.0	0.72	3.7	6.6	625	4.9	0.20	4.5	5.3
2014	56	3.9	0.58	2.8	5.2	586	4.5	0.19	4.2	4.9
2015	50	3.7	0.60	2.7	5.1	599	4.7	0.20	4.3	5.1
2016	53	3.6	0.55	2.6	4.8	551	4.3	0.19	4.0	4.7
2017	63	4.5	0.64	3.4	5.9	602	4.6	0.19	4.2	5.0
2018	58	4.0	0.57	2.9	5.2	588	4.3	0.18	3.9	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Myeloid Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,143	4.2	0.04	4.2	4.3	1,484	3.3	0.09	3.2	3.5
1990	293	3.2	0.19	2.8	3.6	27	1.9	0.39	1.2	2.8
1991	267	2.9	0.18	2.6	3.3	20	1.5	0.35	0.9	2.4
1992	286	3.1	0.18	2.7	3.4	23	1.8	0.39	1.1	2.8
1993	313	3.4	0.19	3.0	3.8	25	1.7	0.36	1.1	2.6
1994	358	3.8	0.20	3.4	4.2	32	2.3	0.42	1.5	3.2
1995	362	3.8	0.20	3.4	4.2	40	3.0	0.49	2.1	4.1
1996	371	3.9	0.21	3.5	4.4	35	2.5	0.44	1.7	3.5
1997	404	4.3	0.21	3.9	4.7	50	3.5	0.51	2.6	4.7
1998	355	3.7	0.20	3.4	4.1	49	3.4	0.50	2.5	4.5
1999	402	4.2	0.21	3.8	4.7	43	2.9	0.45	2.1	3.9
2000	450	4.7	0.22	4.3	5.2	44	2.9	0.45	2.1	3.9
2001	457	4.8	0.22	4.3	5.2	57	3.7	0.50	2.8	4.8
2002	438	4.5	0.22	4.1	5.0	38	2.6	0.43	1.8	3.5
2003	411	4.2	0.21	3.8	4.7	49	3.2	0.47	2.4	4.3
2004	425	4.4	0.21	4.0	4.8	56	3.6	0.49	2.7	4.7
2005	415	4.3	0.21	3.9	4.7	52	3.4	0.49	2.5	4.5
2006	420	4.3	0.21	3.9	4.7	42	2.7	0.42	1.9	3.6
2007	417	4.3	0.21	3.9	4.8	48	3.0	0.44	2.2	4.0
2008	419	4.3	0.21	3.8	4.7	43	2.8	0.43	2.0	3.8
2009	439	4.3	0.21	3.9	4.7	58	3.9	0.52	2.9	5.0
2010	489	4.9	0.23	4.5	5.4	73	4.4	0.53	3.5	5.6
2011	485	4.8	0.22	4.3	5.2	65	3.7	0.47	2.9	4.8
2012	489	4.8	0.22	4.3	5.2	84	5.1	0.56	4.0	6.3
2013	526	5.1	0.23	4.6	5.5	79	4.5	0.51	3.5	5.6
2014	499	4.7	0.22	4.3	5.2	64	3.8	0.48	2.9	4.8
2015	519	5.0	0.23	4.6	5.5	64	3.6	0.46	2.7	4.6
2016	446	4.3	0.21	3.9	4.8	71	3.8	0.46	3.0	4.8
2017	507	4.8	0.22	4.3	5.2	75	4.1	0.48	3.2	5.1
2018	481	4.3	0.20	3.9	4.7	78	4.1	0.48	3.3	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Myeloid Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	530	4.3	0.24	3.8	4.8	7,454	5.1	0.06	5.0	5.2
1990	4	2.0	1.58	0.2	6.9	164	3.7	0.30	3.1	4.3
1991	7	2.8	1.49	0.7	7.2	153	3.4	0.28	2.9	4.0
1992	14	3.7	1.15	1.8	7.1	180	3.9	0.30	3.3	4.5
1993	8	1.3	0.51	0.5	3.7	193	4.2	0.31	3.7	4.9
1994	12	3.9	1.56	1.4	8.2	203	4.5	0.33	3.9	5.2
1995	9	2.8	1.46	0.7	7.0	227	5.0	0.34	4.3	5.7
1996	7	3.1	1.73	0.7	7.9	213	4.6	0.32	4.0	5.2
1997	4	1.1	0.61	0.3	3.5	224	4.7	0.32	4.1	5.4
1998	17	3.5	1.08	1.7	6.5	212	4.4	0.30	3.8	5.0
1999	12	3.6	1.49	1.3	7.6	235	4.9	0.32	4.3	5.6
2000	15	4.1	1.77	1.4	8.7	259	5.4	0.34	4.8	6.1
2001	12	1.9	0.70	0.8	4.1	286	6.0	0.36	5.3	6.7
2002	23	6.4	1.71	3.5	10.6	266	5.6	0.34	4.9	6.3
2003	10	2.6	1.07	1.0	5.5	244	5.0	0.32	4.4	5.7
2004	16	3.9	1.28	1.8	7.1	253	5.1	0.32	4.5	5.8
2005	17	3.2	0.93	1.7	5.6	253	5.1	0.33	4.5	5.8
2006	22	5.2	1.36	2.9	8.5	251	5.0	0.32	4.4	5.7
2007	18	3.5	1.07	1.8	6.2	260	5.1	0.32	4.5	5.8
2008	19	4.6	1.34	2.4	7.8	251	4.9	0.31	4.3	5.6
2009	15	2.3	0.74	1.1	4.2	272	5.2	0.32	4.6	5.9
2010	21	4.3	1.12	2.4	7.0	303	5.7	0.34	5.1	6.4
2011	19	4.2	1.16	2.2	6.9	280	5.2	0.32	4.6	5.9
2012	42	8.2	1.50	5.5	11.5	318	5.8	0.33	5.2	6.5
2013	38	6.5	1.27	4.3	9.4	337	6.0	0.34	5.4	6.7
2014	27	4.4	1.02	2.7	6.8	310	5.5	0.32	4.9	6.2
2015	29	4.7	1.03	2.9	7.0	347	6.1	0.33	5.4	6.8
2016	28	4.2	0.93	2.6	6.4	293	5.1	0.31	4.5	5.8
2017	33	4.8	0.95	3.1	7.0	328	5.6	0.32	5.0	6.3
2018	32	4.9	0.99	3.2	7.2	339	5.5	0.30	4.9	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Myeloid Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	6,530	5.3	0.07	5.2	5.4	704	3.9	0.15	3.6	4.2	
1990	150	3.9	0.33	3.3	4.6	11	1.5	0.46	0.7	2.8	
1991	142	3.6	0.31	3.0	4.3	6	1.1	0.47	0.4	2.5	
1992	164	4.1	0.32	3.5	4.8	11	2.1	0.70	1.0	3.9	
1993	175	4.5	0.35	3.8	5.2	15	2.4	0.68	1.3	4.1	
1994	178	4.6	0.35	3.9	5.3	22	4.0	0.93	2.4	6.2	
1995	206	5.2	0.37	4.5	6.0	17	3.2	0.83	1.8	5.2	
1996	188	4.7	0.34	4.0	5.4	20	4.0	0.96	2.3	6.2	
1997	203	5.0	0.35	4.3	5.7	18	3.0	0.75	1.8	4.9	
1998	185	4.5	0.33	3.9	5.2	24	4.3	0.96	2.6	6.5	
1999	213	5.2	0.36	4.5	6.0	16	2.4	0.61	1.4	3.9	
2000	233	5.7	0.38	5.0	6.5	22	3.6	0.81	2.2	5.5	
2001	245	6.0	0.39	5.3	6.9	32	4.7	0.85	3.2	6.7	
2002	241	5.9	0.38	5.2	6.7	18	3.3	0.86	1.9	5.4	
2003	220	5.3	0.36	4.6	6.1	19	3.2	0.79	1.8	5.1	
2004	227	5.4	0.36	4.7	6.2	20	2.9	0.71	1.7	4.6	
2005	223	5.3	0.36	4.7	6.1	23	3.6	0.81	2.2	5.5	
2006	230	5.4	0.36	4.7	6.2	16	2.2	0.57	1.2	3.6	
2007	232	5.4	0.36	4.8	6.2	24	3.7	0.80	2.3	5.6	
2008	218	5.1	0.35	4.5	5.9	22	3.4	0.77	2.1	5.2	
2009	235	5.3	0.35	4.6	6.0	28	4.9	0.98	3.2	7.2	
2010	259	5.9	0.37	5.2	6.7	34	5.1	0.93	3.5	7.2	
2011	240	5.4	0.35	4.7	6.1	28	3.7	0.74	2.4	5.5	
2012	267	5.9	0.37	5.2	6.6	46	7.0	1.09	5.1	9.5	
2013	283	6.2	0.38	5.5	7.0	41	5.8	0.96	4.1	8.0	
2014	268	5.8	0.36	5.1	6.5	29	4.5	0.87	2.9	6.5	
2015	301	6.4	0.38	5.7	7.2	34	4.5	0.81	3.1	6.4	
2016	242	5.2	0.34	4.5	5.9	33	4.3	0.77	2.9	6.0	
2017	276	5.8	0.36	5.1	6.5	37	4.9	0.83	3.4	6.8	
2018	286	5.6	0.34	4.9	6.3	38	4.7	0.79	3.3	6.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Myeloid Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	477	3.3	0.17	3.0	3.7	6,583	3.4	0.04	3.4	3.5
1990	6	2.2	0.95	0.7	5.1	159	2.6	0.21	2.2	3.1
1991	3	0.7	0.46	0.1	2.7	143	2.5	0.21	2.1	2.9
1992	7	2.7	1.22	0.9	6.1	139	2.3	0.20	2.0	2.8
1993	5	1.3	0.62	0.4	3.5	148	2.4	0.20	2.0	2.8
1994	14	4.3	1.39	2.0	7.9	194	3.2	0.23	2.7	3.7
1995	14	3.6	1.04	1.8	6.4	181	2.9	0.22	2.5	3.4
1996	12	3.4	1.13	1.6	6.4	206	3.3	0.23	2.9	3.8
1997	9	2.7	0.98	1.1	5.4	236	3.7	0.25	3.3	4.3
1998	12	2.6	0.99	1.1	5.3	202	3.2	0.22	2.7	3.6
1999	19	4.7	1.43	2.4	8.3	218	3.4	0.24	3.0	3.9
2000	15	2.9	0.92	1.4	5.3	243	3.8	0.24	3.3	4.3
2001	12	3.7	1.25	1.7	6.9	240	3.8	0.25	3.3	4.3
2002	16	3.9	1.16	2.0	6.8	220	3.4	0.23	2.9	3.8
2003	12	2.1	0.64	1.0	3.9	227	3.5	0.23	3.0	4.0
2004	22	4.8	1.29	2.6	7.9	241	3.7	0.24	3.2	4.2
2005	14	2.6	0.81	1.3	4.7	231	3.6	0.24	3.1	4.1
2006	19	4.1	1.13	2.2	6.8	222	3.4	0.23	3.0	3.9
2007	12	1.9	0.61	0.9	3.5	217	3.4	0.23	2.9	3.9
2008	9	1.7	0.65	0.7	3.4	231	3.4	0.23	3.0	3.9
2009	28	5.2	1.16	3.2	7.9	241	3.5	0.23	3.1	4.0
2010	28	4.8	1.01	3.1	7.2	279	4.1	0.25	3.6	4.6
2011	19	2.9	0.75	1.7	4.8	294	4.3	0.26	3.8	4.8
2012	14	2.6	0.75	1.3	4.4	274	3.9	0.24	3.5	4.4
2013	25	3.8	0.83	2.4	5.8	288	3.9	0.24	3.5	4.4
2014	29	3.6	0.72	2.3	5.3	276	3.9	0.24	3.4	4.4
2015	21	3.0	0.70	1.8	4.7	252	3.6	0.23	3.1	4.1
2016	25	3.2	0.69	2.0	4.8	258	3.8	0.24	3.3	4.3
2017	30	4.3	0.86	2.8	6.3	274	3.8	0.24	3.3	4.3
2018	26	3.3	0.69	2.0	4.9	249	3.4	0.22	3.0	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Acute Myeloid Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,613	3.5	0.05	3.4	3.6	780	3.0	0.11	2.8	3.2
1990	143	2.7	0.23	2.3	3.2	16	2.1	0.55	1.2	3.5
1991	125	2.5	0.23	2.1	3.0	14	1.8	0.49	1.0	3.0
1992	122	2.4	0.22	2.0	2.9	12	1.7	0.48	0.8	2.9
1993	138	2.6	0.23	2.2	3.1	10	1.3	0.41	0.6	2.4
1994	180	3.5	0.26	3.0	4.0	10	1.2	0.38	0.6	2.2
1995	156	3.0	0.24	2.5	3.5	23	2.9	0.61	1.8	4.4
1996	183	3.4	0.26	3.0	4.0	15	1.7	0.46	0.9	2.9
1997	201	3.7	0.27	3.2	4.3	32	3.9	0.70	2.6	5.5
1998	170	3.1	0.24	2.7	3.7	25	3.0	0.60	1.9	4.4
1999	189	3.6	0.26	3.1	4.1	27	3.1	0.61	2.1	4.6
2000	217	4.0	0.28	3.5	4.6	22	2.4	0.52	1.5	3.7
2001	212	4.0	0.28	3.5	4.6	25	2.9	0.59	1.9	4.3
2002	197	3.6	0.26	3.1	4.1	20	2.2	0.50	1.3	3.4
2003	191	3.5	0.26	3.0	4.1	30	3.4	0.62	2.3	4.8
2004	198	3.7	0.27	3.2	4.3	36	4.0	0.67	2.8	5.5
2005	192	3.6	0.27	3.1	4.2	29	3.3	0.62	2.2	4.7
2006	190	3.5	0.26	3.0	4.1	26	3.0	0.58	1.9	4.3
2007	185	3.5	0.27	3.0	4.1	24	2.6	0.53	1.6	3.8
2008	201	3.6	0.26	3.1	4.2	21	2.3	0.51	1.4	3.6
2009	204	3.6	0.26	3.1	4.2	30	3.3	0.61	2.2	4.7
2010	230	4.2	0.28	3.6	4.8	39	4.0	0.64	2.8	5.5
2011	245	4.3	0.29	3.8	5.0	37	3.8	0.63	2.6	5.2
2012	222	3.9	0.28	3.4	4.5	38	3.8	0.63	2.7	5.3
2013	243	4.2	0.28	3.6	4.7	38	3.6	0.59	2.5	4.9
2014	231	4.0	0.28	3.5	4.6	35	3.6	0.61	2.5	5.0
2015	218	3.9	0.28	3.4	4.5	30	2.9	0.54	1.9	4.2
2016	204	3.7	0.28	3.2	4.3	38	3.5	0.58	2.5	4.9
2017	231	4.0	0.28	3.5	4.6	38	3.6	0.59	2.5	5.0
2018	195	3.3	0.25	2.8	3.8	40	3.7	0.60	2.6	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Myeloid Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	487	1.7	0.09	1.6	1.9	5,983	1.8	0.02	1.7	1.8
1990	3	0.8	0.56	0.1	2.6	153	1.5	0.12	1.2	1.7
1991	7	1.4	0.65	0.4	3.3	159	1.5	0.12	1.3	1.7
1992	5	1.1	0.49	0.4	2.6	150	1.4	0.12	1.2	1.7
1993	8	1.7	0.64	0.7	3.4	166	1.5	0.12	1.3	1.8
1994	14	2.9	0.99	1.3	5.4	199	1.8	0.13	1.6	2.1
1995	9	0.9	0.33	0.4	2.0	210	1.9	0.13	1.7	2.2
1996	4	0.4	0.23	0.1	1.4	201	1.8	0.13	1.6	2.1
1997	19	2.8	0.79	1.4	4.7	169	1.5	0.12	1.3	1.8
1998	11	1.4	0.51	0.6	2.8	192	1.7	0.12	1.5	2.0
1999	15	1.7	0.48	0.9	3.0	210	1.9	0.13	1.6	2.1
2000	13	1.6	0.57	0.7	3.1	206	1.8	0.13	1.6	2.1
2001	18	2.9	0.84	1.5	5.0	227	2.0	0.13	1.7	2.3
2002	14	2.5	0.82	1.2	4.5	181	1.6	0.12	1.4	1.8
2003	14	1.8	0.58	0.9	3.3	222	1.9	0.13	1.7	2.2
2004	13	0.8	0.27	0.4	1.6	239	2.1	0.13	1.8	2.3
2005	17	1.5	0.47	0.8	2.7	195	1.7	0.12	1.4	1.9
2006	16	1.8	0.54	0.9	3.2	215	1.8	0.13	1.6	2.1
2007	10	0.9	0.32	0.3	1.7	190	1.6	0.12	1.4	1.9
2008	25	2.1	0.48	1.3	3.3	202	1.7	0.12	1.5	1.9
2009	22	2.2	0.52	1.3	3.4	216	1.8	0.13	1.6	2.1
2010	22	1.9	0.47	1.1	3.0	242	2.0	0.13	1.7	2.3
2011	27	1.7	0.37	1.1	2.6	255	2.1	0.13	1.8	2.3
2012	22	1.7	0.39	1.0	2.6	218	1.8	0.13	1.6	2.1
2013	20	1.4	0.38	0.8	2.3	217	1.8	0.12	1.5	2.0
2014	24	1.7	0.37	1.0	2.5	239	1.9	0.13	1.7	2.2
2015	31	2.2	0.44	1.4	3.2	198	1.6	0.11	1.3	1.8
2016	23	1.3	0.28	0.8	2.0	240	1.8	0.12	1.6	2.1
2017	26	1.8	0.38	1.1	2.7	238	1.9	0.12	1.6	2.1
2018	35	2.2	0.41	1.5	3.2	234	1.8	0.12	1.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Myeloid Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	4,983	1.8	0.02	1.7	1.8	778	1.7	0.06	1.6	1.9	
1990	133	1.5	0.13	1.2	1.7	19	1.4	0.33	0.8	2.2	
1991	144	1.6	0.13	1.3	1.9	15	1.2	0.32	0.7	2.0	
1992	130	1.4	0.13	1.2	1.7	15	1.2	0.31	0.6	1.9	
1993	142	1.5	0.13	1.3	1.8	21	1.6	0.38	1.0	2.5	
1994	170	1.8	0.14	1.6	2.1	24	1.9	0.40	1.2	2.9	
1995	174	1.9	0.14	1.6	2.2	33	2.5	0.45	1.7	3.5	
1996	173	1.8	0.14	1.6	2.1	22	1.7	0.36	1.0	2.5	
1997	143	1.5	0.13	1.3	1.8	21	1.5	0.34	0.9	2.3	
1998	165	1.7	0.13	1.5	2.0	21	1.4	0.31	0.8	2.1	
1999	175	1.8	0.14	1.6	2.1	29	2.1	0.40	1.4	3.0	
2000	173	1.8	0.14	1.6	2.1	27	1.8	0.35	1.2	2.6	
2001	198	2.1	0.15	1.8	2.4	19	1.4	0.32	0.8	2.1	
2002	146	1.5	0.13	1.3	1.8	28	2.0	0.38	1.3	2.8	
2003	193	2.0	0.14	1.7	2.3	24	1.7	0.35	1.1	2.5	
2004	200	2.1	0.15	1.8	2.4	27	1.8	0.36	1.2	2.7	
2005	160	1.6	0.13	1.4	1.9	27	1.8	0.36	1.2	2.7	
2006	178	1.8	0.14	1.6	2.1	32	2.0	0.36	1.4	2.9	
2007	153	1.6	0.13	1.3	1.9	25	1.5	0.32	1.0	2.3	
2008	161	1.6	0.13	1.4	1.9	30	1.8	0.34	1.2	2.6	
2009	183	1.9	0.14	1.6	2.2	23	1.4	0.30	0.9	2.1	
2010	204	2.0	0.15	1.8	2.3	29	1.6	0.31	1.1	2.4	
2011	205	2.0	0.14	1.7	2.3	37	2.1	0.35	1.5	2.9	
2012	178	1.8	0.14	1.6	2.1	33	2.0	0.35	1.4	2.8	
2013	176	1.7	0.14	1.5	2.0	30	1.6	0.31	1.1	2.4	
2014	199	1.9	0.14	1.7	2.2	33	1.8	0.33	1.3	2.6	
2015	161	1.6	0.13	1.3	1.8	27	1.4	0.28	0.9	2.1	
2016	195	1.9	0.14	1.6	2.2	32	1.7	0.30	1.1	2.4	
2017	190	1.8	0.14	1.6	2.1	37	2.0	0.34	1.4	2.8	
2018	181	1.8	0.14	1.5	2.1	38	1.9	0.32	1.4	2.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Myeloid Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	289	2.1	0.15	1.8	2.4	3,400	2.3	0.04	2.2	2.4
1990	1	0.1	0.12	0.0	2.8	81	1.8	0.21	1.4	2.3
1991	4	1.5	0.81	0.4	4.6	86	1.9	0.21	1.5	2.4
1992	4	1.8	0.92	0.5	5.0	86	1.9	0.21	1.5	2.4
1993	2	0.6	0.42	0.1	3.0	99	2.2	0.22	1.7	2.6
1994	8	2.1	0.91	0.7	5.1	103	2.2	0.23	1.8	2.7
1995	5	1.1	0.55	0.3	3.4	113	2.4	0.23	2.0	2.9
1996	3	0.7	0.43	0.1	2.9	117	2.6	0.25	2.1	3.1
1997	13	4.3	1.47	1.9	8.2	97	2.1	0.22	1.7	2.6
1998	7	2.2	1.06	0.6	5.3	110	2.3	0.22	1.9	2.8
1999	9	1.8	0.67	0.7	4.0	124	2.6	0.23	2.1	3.1
2000	10	1.9	0.67	0.8	4.1	113	2.3	0.22	1.9	2.8
2001	9	3.8	1.50	1.4	7.7	132	2.8	0.24	2.3	3.3
2002	6	3.2	1.43	1.0	6.9	105	2.2	0.22	1.8	2.6
2003	7	1.3	0.57	0.5	3.2	128	2.6	0.23	2.2	3.1
2004	10	1.2	0.45	0.5	2.8	135	2.8	0.24	2.3	3.3
2005	15	2.7	0.93	1.2	5.2	122	2.4	0.22	2.0	2.9
2006	10	2.6	1.12	0.9	5.5	129	2.6	0.23	2.1	3.1
2007	6	0.7	0.30	0.2	1.9	105	2.1	0.20	1.7	2.5
2008	11	2.2	0.82	0.9	4.3	116	2.2	0.21	1.8	2.7
2009	10	2.2	0.79	0.9	4.2	107	2.1	0.20	1.7	2.5
2010	12	2.4	0.90	1.0	4.7	143	2.7	0.23	2.3	3.2
2011	17	2.3	0.66	1.2	4.0	155	2.9	0.23	2.4	3.3
2012	14	2.4	0.75	1.2	4.3	123	2.3	0.21	1.9	2.7
2013	11	1.6	0.59	0.6	3.1	115	2.1	0.20	1.7	2.5
2014	15	2.4	0.72	1.2	4.2	135	2.4	0.21	2.0	2.8
2015	17	2.1	0.57	1.1	3.5	105	1.8	0.18	1.5	2.2
2016	14	1.8	0.52	0.9	3.1	135	2.4	0.21	2.0	2.8
2017	16	2.5	0.72	1.3	4.3	139	2.3	0.20	1.9	2.8
2018	23	2.9	0.69	1.7	4.5	142	2.4	0.21	2.0	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Myeloid Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,846	2.3	0.04	2.2	2.4	426	2.3	0.12	2.1	2.5
1990	68	1.8	0.22	1.4	2.3	12	2.2	0.74	1.0	4.1
1991	81	2.1	0.24	1.6	2.6	5	0.8	0.38	0.3	2.0
1992	73	1.9	0.22	1.4	2.4	10	2.1	0.69	0.9	3.8
1993	85	2.2	0.24	1.7	2.7	12	1.9	0.64	0.9	3.6
1994	89	2.3	0.24	1.8	2.8	11	2.0	0.64	1.0	3.7
1995	97	2.4	0.25	2.0	3.0	14	2.3	0.66	1.2	4.0
1996	102	2.6	0.27	2.2	3.2	12	2.0	0.60	1.0	3.6
1997	83	2.1	0.23	1.7	2.6	13	2.4	0.73	1.2	4.2
1998	94	2.3	0.24	1.9	2.8	12	1.8	0.55	0.9	3.2
1999	107	2.6	0.25	2.1	3.1	13	2.5	0.76	1.3	4.4
2000	93	2.3	0.24	1.8	2.8	16	2.8	0.77	1.5	4.7
2001	114	2.8	0.27	2.3	3.4	10	1.8	0.60	0.8	3.3
2002	85	2.1	0.23	1.7	2.6	16	3.0	0.80	1.7	4.9
2003	108	2.6	0.25	2.1	3.2	17	2.8	0.72	1.6	4.6
2004	120	2.9	0.26	2.4	3.4	10	1.8	0.62	0.8	3.4
2005	101	2.4	0.24	1.9	2.9	16	2.7	0.74	1.5	4.5
2006	107	2.5	0.25	2.1	3.1	21	3.5	0.82	2.1	5.5
2007	82	1.9	0.22	1.5	2.4	15	2.2	0.61	1.2	3.8
2008	93	2.2	0.23	1.8	2.7	16	2.3	0.60	1.3	3.8
2009	88	2.1	0.22	1.7	2.6	13	2.0	0.60	1.0	3.5
2010	122	2.8	0.26	2.3	3.4	19	2.4	0.58	1.4	3.9
2011	124	2.7	0.25	2.3	3.3	21	2.7	0.62	1.7	4.2
2012	102	2.3	0.23	1.9	2.8	20	3.0	0.71	1.8	4.7
2013	94	2.0	0.21	1.6	2.5	14	1.9	0.52	1.0	3.2
2014	119	2.6	0.24	2.1	3.1	12	1.4	0.43	0.7	2.6
2015	85	1.8	0.20	1.4	2.2	16	2.0	0.52	1.1	3.3
2016	105	2.3	0.23	1.9	2.8	18	2.2	0.54	1.3	3.5
2017	112	2.3	0.22	1.9	2.8	20	2.4	0.58	1.4	3.9
2018	113	2.4	0.23	2.0	2.9	22	2.6	0.57	1.6	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Myeloid Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	198	1.4	0.11	1.2	1.6	2,583	1.4	0.03	1.3	1.4
1990	2	1.3	0.94	0.1	4.3	72	1.2	0.14	0.9	1.5
1991	3	1.1	0.86	0.1	4.0	73	1.2	0.14	0.9	1.5
1992	1	0.4	0.40	0.0	2.4	64	1.1	0.13	0.8	1.4
1993	6	2.6	1.13	0.9	5.8	67	1.1	0.13	0.8	1.4
1994	6	3.1	1.45	0.9	6.9	96	1.6	0.16	1.3	1.9
1995	4	0.7	0.39	0.2	2.4	97	1.5	0.16	1.2	1.9
1996	1	0.1	0.12	0.0	1.5	84	1.3	0.14	1.0	1.6
1997	6	1.4	0.75	0.3	3.7	72	1.1	0.13	0.9	1.4
1998	4	0.8	0.40	0.2	2.4	82	1.3	0.14	1.0	1.6
1999	6	1.6	0.67	0.6	3.6	86	1.3	0.14	1.1	1.6
2000	3	1.1	0.79	0.1	3.5	93	1.5	0.15	1.2	1.8
2001	9	2.3	0.92	0.9	4.8	95	1.5	0.15	1.2	1.8
2002	8	2.0	0.91	0.7	4.5	76	1.2	0.14	0.9	1.5
2003	7	2.1	0.92	0.7	4.5	94	1.4	0.15	1.1	1.7
2004	3	0.5	0.29	0.1	1.6	104	1.6	0.16	1.3	1.9
2005	2	0.4	0.34	0.0	1.7	73	1.1	0.13	0.9	1.4
2006	6	1.3	0.55	0.4	2.8	86	1.3	0.14	1.0	1.6
2007	4	0.9	0.51	0.2	2.4	85	1.3	0.14	1.0	1.6
2008	14	2.1	0.61	1.1	3.7	86	1.2	0.14	1.0	1.6
2009	12	2.2	0.69	1.1	3.9	109	1.7	0.16	1.4	2.0
2010	10	1.6	0.54	0.7	3.0	99	1.4	0.14	1.1	1.7
2011	10	1.2	0.40	0.6	2.3	100	1.5	0.15	1.2	1.8
2012	8	1.1	0.39	0.5	2.2	95	1.5	0.16	1.2	1.8
2013	9	1.3	0.48	0.5	2.6	102	1.5	0.16	1.3	1.9
2014	9	1.0	0.35	0.5	2.0	104	1.5	0.15	1.2	1.9
2015	14	2.2	0.63	1.1	3.8	93	1.4	0.15	1.1	1.7
2016	9	0.9	0.29	0.4	1.7	105	1.4	0.14	1.1	1.7
2017	10	1.2	0.39	0.6	2.2	99	1.5	0.16	1.2	1.8
2018	12	1.6	0.48	0.8	2.8	92	1.3	0.15	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Chronic Myeloid Leukemia											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,137	1.3	0.03	1.3	1.4	352	1.4	0.07	1.2	1.5	
1990	65	1.2	0.15	0.9	1.6	7	0.9	0.35	0.4	1.9	
1991	63	1.2	0.15	0.9	1.5	10	1.4	0.44	0.7	2.5	
1992	57	1.1	0.15	0.8	1.4	5	0.6	0.28	0.2	1.4	
1993	57	1.0	0.14	0.8	1.4	9	1.4	0.45	0.6	2.5	
1994	81	1.5	0.17	1.2	1.9	13	1.8	0.51	1.0	3.1	
1995	77	1.4	0.16	1.1	1.8	19	2.5	0.59	1.5	3.9	
1996	71	1.3	0.15	1.0	1.6	10	1.3	0.43	0.6	2.5	
1997	60	1.1	0.14	0.8	1.4	8	1.0	0.35	0.4	1.9	
1998	71	1.3	0.15	1.0	1.6	9	1.0	0.34	0.5	1.9	
1999	68	1.2	0.15	1.0	1.6	16	1.9	0.48	1.1	3.1	
2000	80	1.5	0.17	1.2	1.9	11	1.2	0.37	0.6	2.2	
2001	84	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0	
2002	61	1.1	0.15	0.8	1.4	12	1.4	0.39	0.7	2.4	
2003	85	1.6	0.17	1.2	1.9	7	0.9	0.33	0.3	1.8	
2004	80	1.4	0.16	1.1	1.8	17	1.9	0.47	1.1	3.1	
2005	59	1.1	0.15	0.8	1.4	11	1.3	0.38	0.6	2.2	
2006	71	1.3	0.15	1.0	1.6	11	1.1	0.33	0.5	2.0	
2007	71	1.3	0.16	1.0	1.7	10	1.1	0.33	0.5	1.9	
2008	68	1.2	0.15	0.9	1.5	14	1.5	0.41	0.8	2.6	
2009	95	1.8	0.19	1.4	2.2	10	1.0	0.33	0.5	1.9	
2010	82	1.4	0.16	1.1	1.8	10	1.0	0.30	0.5	1.8	
2011	81	1.5	0.17	1.2	1.8	16	1.6	0.39	0.9	2.5	
2012	76	1.5	0.18	1.2	1.9	13	1.3	0.37	0.7	2.3	
2013	82	1.6	0.18	1.2	2.0	16	1.5	0.39	0.9	2.5	
2014	80	1.5	0.17	1.1	1.8	21	2.1	0.47	1.3	3.3	
2015	76	1.4	0.17	1.1	1.8	11	1.0	0.31	0.5	1.8	
2016	90	1.5	0.17	1.2	1.9	14	1.2	0.33	0.7	2.1	
2017	78	1.5	0.18	1.2	1.9	17	1.7	0.42	1.0	2.8	
2018	68	1.3	0.17	1.0	1.7	16	1.4	0.34	0.8	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Other Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	158	0.7	0.06	0.5	0.8	3,169	0.9	0.02	0.9	0.9
1990	5	1.2	0.68	0.3	3.2	90	0.8	0.09	0.7	1.0
1991	5	1.1	0.60	0.3	2.9	66	0.6	0.08	0.5	0.8
1992	2	0.3	0.19	0.0	1.3	65	0.6	0.08	0.5	0.8
1993	3	0.6	0.40	0.1	2.0	121	1.1	0.10	0.9	1.3
1994	7	1.5	0.74	0.4	3.5	154	1.4	0.11	1.2	1.6
1995	7	2.2	0.94	0.7	4.6	154	1.4	0.11	1.2	1.6
1996	3	0.3	0.20	0.1	1.2	132	1.2	0.10	1.0	1.4
1997	6	1.2	0.66	0.3	3.0	121	1.1	0.10	0.9	1.3
1998	8	2.1	0.96	0.7	4.5	128	1.1	0.10	0.9	1.3
1999	6	0.9	0.44	0.3	2.2	167	1.5	0.11	1.2	1.7
2000	3	0.3	0.19	0.0	1.1	155	1.3	0.11	1.1	1.6
2001	3	0.5	0.41	0.1	1.8	89	0.8	0.08	0.6	0.9
2002	7	1.5	0.75	0.4	3.4	132	1.1	0.10	1.0	1.4
2003	4	0.7	0.44	0.1	2.0	112	1.0	0.09	0.8	1.1
2004	3	0.5	0.35	0.1	1.6	93	0.8	0.08	0.6	0.9
2005	4	0.9	0.47	0.2	2.1	111	0.9	0.09	0.8	1.1
2006	4	0.8	0.46	0.2	2.1	103	0.9	0.08	0.7	1.0
2007	5	0.3	0.14	0.1	0.8	103	0.8	0.08	0.7	1.0
2008	6	0.9	0.45	0.3	2.1	94	0.8	0.08	0.6	0.9
2009	5	0.6	0.34	0.2	1.6	89	0.7	0.08	0.6	0.9
2010	5	0.3	0.15	0.1	0.8	99	0.8	0.08	0.6	0.9
2011	6	0.4	0.20	0.1	1.0	119	0.9	0.09	0.8	1.1
2012	4	0.3	0.18	0.1	0.9	100	0.8	0.08	0.6	0.9
2013	11	1.0	0.34	0.4	1.8	98	0.8	0.08	0.6	0.9
2014	7	0.4	0.15	0.1	0.8	112	0.9	0.08	0.7	1.1
2015	9	0.9	0.34	0.4	1.8	87	0.7	0.07	0.5	0.8
2016	6	0.3	0.12	0.1	0.7	89	0.6	0.07	0.5	0.8
2017	5	0.4	0.17	0.1	0.9	111	0.8	0.08	0.7	1.0
2018	9	0.5	0.19	0.2	1.1	75	0.6	0.07	0.5	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Other Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,731	0.9	0.02	0.9	1.0	376	0.9	0.05	0.8	1.0	
1990	83	0.9	0.10	0.7	1.1	6	0.5	0.20	0.2	1.0	
1991	58	0.6	0.09	0.5	0.8	8	0.7	0.27	0.3	1.4	
1992	58	0.6	0.08	0.5	0.8	7	0.6	0.24	0.2	1.2	
1993	108	1.1	0.11	0.9	1.4	11	1.0	0.31	0.5	1.8	
1994	137	1.4	0.12	1.2	1.7	17	1.5	0.37	0.8	2.3	
1995	142	1.5	0.12	1.2	1.7	10	0.8	0.27	0.4	1.5	
1996	113	1.2	0.11	1.0	1.4	14	1.2	0.33	0.6	2.0	
1997	101	1.0	0.10	0.8	1.3	20	1.6	0.36	0.9	2.4	
1998	111	1.1	0.11	0.9	1.4	16	1.2	0.32	0.7	2.0	
1999	146	1.5	0.12	1.2	1.7	20	1.6	0.36	0.9	2.4	
2000	136	1.4	0.12	1.1	1.6	16	1.2	0.31	0.7	2.0	
2001	76	0.7	0.09	0.6	0.9	11	0.9	0.26	0.4	1.5	
2002	110	1.1	0.11	0.9	1.3	20	1.6	0.36	0.9	2.4	
2003	96	0.9	0.10	0.8	1.1	16	1.2	0.30	0.7	1.9	
2004	80	0.8	0.08	0.6	0.9	10	0.8	0.24	0.4	1.4	
2005	96	0.9	0.09	0.7	1.1	12	0.9	0.26	0.5	1.5	
2006	86	0.8	0.09	0.7	1.0	15	1.1	0.29	0.6	1.8	
2007	87	0.8	0.09	0.7	1.0	13	0.9	0.26	0.5	1.5	
2008	85	0.8	0.09	0.6	1.0	8	0.5	0.20	0.2	1.1	
2009	75	0.7	0.08	0.5	0.9	12	0.8	0.22	0.4	1.3	
2010	84	0.8	0.08	0.6	0.9	11	0.7	0.21	0.3	1.2	
2011	103	0.9	0.10	0.8	1.2	13	0.9	0.25	0.5	1.5	
2012	81	0.7	0.08	0.6	0.9	16	0.9	0.23	0.5	1.4	
2013	77	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5	
2014	94	0.9	0.09	0.7	1.1	15	0.9	0.23	0.5	1.4	
2015	72	0.7	0.08	0.5	0.8	13	0.8	0.21	0.4	1.3	
2016	80	0.7	0.08	0.5	0.9	8	0.4	0.15	0.2	0.8	
2017	95	0.8	0.09	0.7	1.0	12	0.7	0.20	0.3	1.2	
2018	61	0.6	0.08	0.4	0.8	11	0.6	0.18	0.3	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Other Leukemia											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	87	0.8	0.11	0.6	1.0	1,676	1.2	0.03	1.2	1.3	
1990	1	0.2	0.15	0.0	2.8	54	1.2	0.17	0.9	1.6	
1991	3	1.2	0.93	0.1	4.6	32	0.8	0.14	0.5	1.1	
1992	2	0.5	0.36	0.0	3.0	39	0.9	0.15	0.6	1.3	
1993	3	1.3	0.87	0.2	4.5	60	1.4	0.18	1.0	1.8	
1994	6	1.7	0.86	0.5	4.7	78	1.8	0.22	1.4	2.3	
1995	6	4.2	2.11	1.1	9.8	76	1.8	0.21	1.4	2.2	
1996	2	0.4	0.36	0.0	2.6	76	1.8	0.21	1.4	2.3	
1997	3	0.5	0.35	0.1	2.5	66	1.6	0.21	1.3	2.1	
1998	5	2.6	1.68	0.4	7.3	66	1.5	0.19	1.2	1.9	
1999	1	0.3	0.31	0.0	2.2	83	1.9	0.22	1.5	2.4	
2000	1	0.4	0.38	0.0	2.3	71	1.5	0.18	1.2	1.9	
2001	2	1.2	0.99	0.1	4.2	47	1.0	0.15	0.8	1.4	
2002	3	2.5	1.68	0.3	7.0	74	1.6	0.18	1.2	2.0	
2003	0					55	1.2	0.16	0.9	1.6	
2004	2	1.1	0.78	0.1	3.5	53	1.2	0.16	0.9	1.5	
2005	1	0.4	0.42	0.0	2.0	64	1.4	0.18	1.1	1.8	
2006	3	1.9	1.15	0.4	5.0	54	1.1	0.15	0.9	1.5	
2007	3	0.4	0.26	0.1	1.6	49	1.1	0.15	0.8	1.4	
2008	4	1.4	0.86	0.2	3.8	52	1.1	0.15	0.8	1.4	
2009	4	1.0	0.67	0.1	2.9	41	0.8	0.13	0.6	1.1	
2010	2	0.1	0.10	0.0	1.0	50	1.0	0.14	0.7	1.3	
2011	4	0.7	0.42	0.1	2.0	64	1.3	0.16	1.0	1.6	
2012	3	0.3	0.16	0.1	1.1	54	1.0	0.14	0.8	1.3	
2013	6	1.1	0.56	0.3	2.6	56	1.0	0.14	0.8	1.4	
2014	3	0.3	0.20	0.1	1.1	59	1.1	0.15	0.8	1.4	
2015	6	1.3	0.61	0.4	3.0	48	0.9	0.13	0.6	1.2	
2016	3	0.3	0.18	0.1	1.0	50	0.8	0.12	0.6	1.1	
2017	2	0.2	0.13	0.0	0.8	63	1.0	0.13	0.8	1.3	
2018	3	0.3	0.16	0.1	0.9	42	0.7	0.11	0.5	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Other Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,440	1.2	0.03	1.2	1.3	194	1.2	0.09	1.0	1.3	
1990	51	1.3	0.19	1.0	1.8	3	0.6	0.33	0.1	1.7	
1991	29	0.8	0.15	0.5	1.2	3	1.0	0.58	0.2	2.6	
1992	35	0.9	0.16	0.7	1.3	4	0.9	0.50	0.2	2.3	
1993	51	1.4	0.19	1.0	1.8	7	1.5	0.61	0.6	3.2	
1994	70	1.9	0.23	1.5	2.4	8	1.8	0.73	0.7	3.7	
1995	70	1.8	0.22	1.4	2.3	5	0.9	0.42	0.3	2.1	
1996	62	1.7	0.22	1.3	2.2	12	2.7	0.86	1.3	4.8	
1997	57	1.6	0.22	1.2	2.1	9	1.6	0.60	0.7	3.2	
1998	60	1.6	0.21	1.2	2.1	5	0.7	0.33	0.2	1.8	
1999	72	1.9	0.23	1.5	2.4	11	2.3	0.74	1.1	4.1	
2000	63	1.6	0.20	1.2	2.0	6	1.1	0.46	0.4	2.4	
2001	39	1.0	0.16	0.7	1.4	6	1.3	0.55	0.4	2.7	
2002	64	1.6	0.20	1.2	2.0	9	1.5	0.51	0.6	2.8	
2003	46	1.2	0.17	0.9	1.6	9	1.5	0.50	0.7	2.8	
2004	46	1.2	0.17	0.9	1.6	4	0.8	0.46	0.2	2.1	
2005	53	1.3	0.18	1.0	1.8	8	1.5	0.57	0.6	3.0	
2006	43	1.1	0.16	0.8	1.4	11	1.8	0.56	0.9	3.2	
2007	42	1.0	0.16	0.7	1.4	6	1.3	0.53	0.5	2.7	
2008	48	1.1	0.16	0.8	1.5	4	0.6	0.34	0.2	1.7	
2009	33	0.8	0.14	0.5	1.1	7	1.1	0.47	0.4	2.4	
2010	43	1.0	0.15	0.7	1.3	5	0.6	0.25	0.2	1.3	
2011	52	1.2	0.17	0.9	1.6	9	1.7	0.57	0.7	3.1	
2012	43	1.0	0.15	0.7	1.3	9	1.2	0.42	0.5	2.3	
2013	44	1.0	0.15	0.7	1.3	6	0.8	0.32	0.3	1.7	
2014	49	1.1	0.16	0.8	1.5	9	1.3	0.44	0.6	2.4	
2015	40	0.9	0.14	0.6	1.2	7	1.1	0.43	0.4	2.3	
2016	47	0.9	0.14	0.7	1.2	2	0.2	0.14	0.0	0.8	
2017	55	1.1	0.15	0.8	1.5	4	0.5	0.28	0.1	1.4	
2018	33	0.7	0.13	0.5	1.0	6	0.7	0.32	0.3	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Other Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	71	0.6	0.08	0.4	0.7	1,493	0.7	0.02	0.7	0.8
1990	4	2.0	1.16	0.4	5.5	36	0.6	0.09	0.4	0.8
1991	2	1.1	0.81	0.1	3.9	34	0.6	0.10	0.4	0.8
1992	0					26	0.4	0.09	0.3	0.6
1993	0					61	0.9	0.12	0.7	1.2
1994	1	0.9	0.94	0.0	4.0	76	1.1	0.13	0.9	1.4
1995	1	0.7	0.74	0.0	3.2	78	1.1	0.13	0.9	1.4
1996	1	0.2	0.18	0.0	1.6	56	0.8	0.11	0.6	1.0
1997	3	1.6	1.05	0.2	4.6	55	0.8	0.11	0.6	1.1
1998	3	1.7	1.13	0.2	4.9	62	0.9	0.12	0.7	1.2
1999	5	1.4	0.76	0.3	3.7	84	1.2	0.13	0.9	1.5
2000	2	0.3	0.19	0.0	1.5	84	1.2	0.13	1.0	1.5
2001	1	0.1	0.08	0.0	1.2	42	0.6	0.09	0.4	0.8
2002	4	1.0	0.70	0.1	3.1	58	0.8	0.11	0.6	1.0
2003	4	1.2	0.74	0.2	3.4	57	0.8	0.10	0.6	1.0
2004	1	0.1	0.09	0.0	1.0	40	0.5	0.09	0.4	0.7
2005	3	1.2	0.72	0.2	3.2	47	0.6	0.09	0.5	0.9
2006	1	0.1	0.12	0.0	1.0	49	0.6	0.09	0.5	0.8
2007	2	0.1	0.10	0.0	0.9	54	0.7	0.10	0.6	1.0
2008	2	0.5	0.46	0.0	2.0	42	0.6	0.09	0.4	0.8
2009	1	0.4	0.35	0.0	1.5	48	0.6	0.09	0.5	0.9
2010	3	0.5	0.29	0.1	1.5	49	0.6	0.09	0.4	0.8
2011	2	0.2	0.11	0.0	0.8	55	0.7	0.10	0.5	0.9
2012	1	0.3	0.29	0.0	1.3	46	0.6	0.09	0.4	0.8
2013	5	0.8	0.42	0.2	2.0	42	0.5	0.08	0.4	0.7
2014	4	0.4	0.22	0.1	1.2	53	0.7	0.10	0.5	0.9
2015	3	0.6	0.35	0.1	1.6	39	0.6	0.09	0.4	0.8
2016	3	0.3	0.16	0.1	0.9	39	0.5	0.08	0.4	0.7
2017	3	0.5	0.29	0.1	1.4	48	0.7	0.10	0.5	0.9
2018	6	0.8	0.32	0.3	1.7	33	0.5	0.09	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Other Leukemia											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,291	0.7	0.02	0.7	0.8	182	0.7	0.05	0.6	0.8	
1990	32	0.6	0.10	0.4	0.8	3	0.4	0.23	0.1	1.2	
1991	29	0.5	0.10	0.4	0.8	5	0.7	0.30	0.2	1.5	
1992	23	0.5	0.10	0.3	0.7	3	0.4	0.26	0.1	1.3	
1993	57	1.0	0.13	0.7	1.2	4	0.6	0.31	0.2	1.5	
1994	67	1.1	0.14	0.9	1.4	9	1.3	0.43	0.6	2.4	
1995	72	1.2	0.14	0.9	1.5	5	0.7	0.33	0.2	1.7	
1996	51	0.8	0.12	0.6	1.1	2	0.3	0.21	0.0	1.0	
1997	44	0.7	0.11	0.5	1.0	11	1.5	0.46	0.8	2.7	
1998	51	0.9	0.13	0.7	1.2	11	1.4	0.43	0.7	2.5	
1999	74	1.2	0.14	0.9	1.5	9	1.1	0.38	0.5	2.1	
2000	73	1.2	0.14	0.9	1.5	10	1.3	0.40	0.6	2.3	
2001	37	0.6	0.10	0.4	0.8	5	0.6	0.29	0.2	1.5	
2002	46	0.7	0.11	0.5	1.0	11	1.5	0.44	0.7	2.6	
2003	50	0.8	0.11	0.6	1.1	7	0.9	0.33	0.4	1.8	
2004	34	0.5	0.09	0.4	0.7	6	0.7	0.30	0.3	1.5	
2005	43	0.7	0.11	0.5	0.9	4	0.5	0.26	0.1	1.3	
2006	43	0.7	0.10	0.5	0.9	4	0.5	0.26	0.1	1.3	
2007	45	0.7	0.11	0.5	1.0	7	0.7	0.27	0.3	1.5	
2008	37	0.6	0.10	0.4	0.8	4	0.5	0.24	0.1	1.2	
2009	42	0.7	0.10	0.5	0.9	5	0.6	0.25	0.2	1.3	
2010	41	0.6	0.09	0.4	0.8	6	0.7	0.27	0.2	1.4	
2011	51	0.8	0.11	0.6	1.1	4	0.4	0.22	0.1	1.1	
2012	38	0.6	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4	
2013	33	0.5	0.09	0.3	0.7	9	0.9	0.30	0.4	1.7	
2014	45	0.7	0.11	0.5	1.0	6	0.6	0.23	0.2	1.3	
2015	32	0.5	0.10	0.4	0.8	6	0.6	0.24	0.2	1.3	
2016	33	0.5	0.09	0.4	0.8	6	0.5	0.22	0.2	1.2	
2017	40	0.7	0.11	0.5	0.9	8	0.8	0.31	0.4	1.7	
2018	28	0.5	0.10	0.3	0.7	5	0.5	0.23	0.2	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Mesothelioma											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	183	0.9	0.07	0.7	1.0	3,969	1.1	0.02	1.1	1.2	
1990	4	0.8	0.40	0.2	2.2	98	0.9	0.09	0.8	1.1	
1991	3	0.9	0.51	0.2	2.5	117	1.1	0.10	0.9	1.3	
1992	4	0.7	0.37	0.2	2.0	123	1.1	0.10	0.9	1.3	
1993	3	0.9	0.53	0.2	2.5	116	1.1	0.10	0.9	1.3	
1994	0					140	1.3	0.11	1.1	1.5	
1995	5	1.1	0.55	0.3	2.7	158	1.4	0.11	1.2	1.7	
1996	6	1.0	0.44	0.4	2.4	136	1.2	0.10	1.0	1.4	
1997	0					138	1.2	0.10	1.0	1.5	
1998	4	0.5	0.27	0.1	1.5	152	1.3	0.11	1.1	1.6	
1999	5	1.0	0.46	0.3	2.3	135	1.2	0.10	1.0	1.4	
2000	5	1.0	0.49	0.2	2.3	138	1.2	0.10	1.0	1.4	
2001	7	1.3	0.48	0.5	2.6	175	1.5	0.11	1.3	1.8	
2002	3	0.5	0.31	0.1	1.5	152	1.3	0.11	1.1	1.5	
2003	9	1.5	0.54	0.6	2.9	157	1.4	0.11	1.2	1.6	
2004	9	1.5	0.57	0.6	3.0	136	1.2	0.10	1.0	1.4	
2005	12	1.9	0.61	0.9	3.4	143	1.2	0.10	1.0	1.4	
2006	7	0.9	0.41	0.3	2.0	155	1.3	0.11	1.1	1.6	
2007	8	1.1	0.42	0.4	2.2	136	1.1	0.10	0.9	1.3	
2008	8	0.7	0.29	0.3	1.5	156	1.3	0.11	1.1	1.5	
2009	10	1.2	0.41	0.6	2.3	132	1.1	0.10	0.9	1.3	
2010	4	0.4	0.24	0.1	1.1	143	1.2	0.10	1.0	1.4	
2011	9	1.1	0.40	0.4	2.1	136	1.1	0.10	0.9	1.3	
2012	9	0.9	0.33	0.4	1.8	152	1.2	0.10	1.0	1.4	
2013	9	0.8	0.29	0.3	1.6	135	1.0	0.09	0.9	1.2	
2014	8	0.8	0.29	0.3	1.5	149	1.1	0.09	1.0	1.3	
2015	8	0.7	0.25	0.3	1.3	128	1.0	0.09	0.8	1.1	
2016	11	1.1	0.34	0.5	1.9	113	0.8	0.08	0.7	1.0	
2017	7	0.6	0.22	0.2	1.1	118	0.9	0.08	0.7	1.1	
2018	6	0.4	0.15	0.1	0.8	102	0.7	0.07	0.6	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Mesothelioma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	3,739	1.3	0.02	1.2	1.3	184	0.4	0.03	0.4	0.5	
1990	90	1.0	0.10	0.8	1.2	6	0.5	0.21	0.2	1.1	
1991	113	1.2	0.11	1.0	1.4	3	0.3	0.15	0.1	0.7	
1992	116	1.2	0.11	1.0	1.4	5	0.5	0.21	0.2	1.1	
1993	109	1.1	0.11	0.9	1.4	5	0.5	0.22	0.2	1.1	
1994	133	1.4	0.12	1.1	1.6	7	0.6	0.21	0.2	1.1	
1995	144	1.5	0.13	1.3	1.8	14	1.1	0.31	0.6	1.9	
1996	124	1.3	0.11	1.1	1.5	11	0.8	0.24	0.4	1.4	
1997	129	1.3	0.12	1.1	1.6	8	0.6	0.20	0.2	1.1	
1998	145	1.5	0.12	1.3	1.8	7	0.5	0.21	0.2	1.1	
1999	128	1.3	0.12	1.1	1.6	6	0.4	0.17	0.2	0.9	
2000	132	1.3	0.12	1.1	1.6	6	0.5	0.19	0.2	1.0	
2001	165	1.7	0.13	1.4	1.9	9	0.6	0.22	0.3	1.2	
2002	148	1.5	0.12	1.3	1.8	4	0.3	0.17	0.1	0.8	
2003	147	1.5	0.12	1.3	1.8	4	0.3	0.13	0.1	0.7	
2004	129	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0	
2005	134	1.3	0.12	1.1	1.6	8	0.6	0.21	0.3	1.2	
2006	145	1.5	0.12	1.2	1.7	6	0.4	0.17	0.2	0.9	
2007	126	1.2	0.11	1.0	1.4	9	0.6	0.19	0.3	1.1	
2008	152	1.5	0.12	1.3	1.8	2	0.2	0.11	0.0	0.5	
2009	126	1.2	0.11	1.0	1.5	5	0.3	0.14	0.1	0.7	
2010	135	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0	
2011	126	1.2	0.11	1.0	1.5	8	0.5	0.18	0.2	1.0	
2012	140	1.3	0.11	1.1	1.5	11	0.7	0.21	0.3	1.2	
2013	124	1.1	0.10	0.9	1.4	7	0.4	0.16	0.2	0.9	
2014	142	1.3	0.11	1.1	1.5	5	0.3	0.13	0.1	0.7	
2015	123	1.1	0.10	0.9	1.3	5	0.3	0.12	0.1	0.6	
2016	108	0.9	0.09	0.8	1.1	1	0.0	0.04	0.0	0.3	
2017	107	1.0	0.10	0.8	1.2	6	0.3	0.14	0.1	0.8	
2018	99	0.9	0.09	0.7	1.1	2	0.1	0.07	0.0	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Mesothelioma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	135	1.5	0.15	1.2	1.8	2,975	2.1	0.04	2.0	2.2
1990	3	1.3	0.75	0.3	4.4	74	1.7	0.20	1.3	2.1
1991	2	1.0	0.67	0.1	3.9	95	2.1	0.22	1.7	2.6
1992	0					91	2.1	0.22	1.6	2.5
1993	3	2.0	1.18	0.4	5.7	83	1.9	0.21	1.5	2.3
1994	0					101	2.2	0.22	1.8	2.7
1995	4	2.0	1.22	0.4	5.7	119	2.7	0.25	2.2	3.2
1996	6	2.1	0.90	0.7	5.0	103	2.2	0.22	1.8	2.7
1997	0					111	2.4	0.23	2.0	2.9
1998	3	0.7	0.43	0.1	2.8	105	2.3	0.22	1.9	2.8
1999	3	1.4	0.88	0.2	4.2	101	2.1	0.22	1.7	2.6
2000	4	2.0	1.09	0.5	5.1	106	2.3	0.22	1.9	2.7
2001	5	2.0	0.93	0.6	4.7	140	3.0	0.26	2.5	3.5
2002	3	1.0	0.70	0.1	3.3	121	2.6	0.24	2.1	3.1
2003	9	3.2	1.19	1.3	6.3	124	2.6	0.23	2.2	3.1
2004	5	1.8	1.13	0.3	5.0	102	2.1	0.21	1.7	2.6
2005	9	2.9	1.04	1.2	5.6	109	2.3	0.22	1.9	2.8
2006	4	1.6	0.99	0.3	4.3	116	2.4	0.23	2.0	2.9
2007	6	2.1	0.91	0.7	4.5	101	2.0	0.20	1.7	2.5
2008	6	1.2	0.59	0.4	2.9	112	2.3	0.22	1.9	2.7
2009	5	1.6	0.72	0.5	3.5	109	2.2	0.21	1.8	2.6
2010	2	0.4	0.27	0.0	1.4	113	2.3	0.22	1.9	2.7
2011	8	2.3	0.95	0.9	4.7	93	1.8	0.19	1.4	2.2
2012	8	1.9	0.75	0.7	3.8	115	2.1	0.20	1.7	2.5
2013	7	1.4	0.63	0.5	3.1	96	1.7	0.18	1.4	2.1
2014	7	1.6	0.64	0.6	3.2	108	2.0	0.20	1.6	2.4
2015	7	1.4	0.58	0.5	2.9	93	1.6	0.17	1.3	2.0
2016	10	2.3	0.78	1.1	4.2	83	1.4	0.16	1.1	1.8
2017	3	0.5	0.34	0.1	1.5	74	1.3	0.15	1.0	1.6
2018	3	0.5	0.31	0.1	1.4	77	1.3	0.15	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Mesothelioma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,815	2.3	0.04	2.2	2.4	131	0.8	0.07	0.7	0.9	
1990	68	1.7	0.21	1.3	2.2	6	1.2	0.48	0.4	2.5	
1991	91	2.3	0.24	1.8	2.8	3	0.6	0.38	0.1	1.9	
1992	86	2.2	0.24	1.7	2.7	5	1.2	0.57	0.4	2.8	
1993	77	2.0	0.23	1.5	2.5	4	1.1	0.61	0.3	2.8	
1994	98	2.4	0.25	1.9	2.9	3	0.6	0.32	0.1	1.6	
1995	110	2.8	0.27	2.3	3.4	9	2.1	0.73	0.9	3.9	
1996	93	2.3	0.24	1.8	2.8	9	1.5	0.51	0.7	2.9	
1997	105	2.6	0.26	2.1	3.2	5	0.8	0.36	0.3	1.9	
1998	101	2.5	0.25	2.0	3.0	4	0.9	0.49	0.2	2.3	
1999	96	2.4	0.24	1.9	2.9	4	0.7	0.36	0.2	1.8	
2000	102	2.5	0.25	2.0	3.0	4	0.9	0.46	0.2	2.2	
2001	131	3.2	0.28	2.7	3.8	8	1.4	0.55	0.6	2.9	
2002	119	2.9	0.27	2.4	3.5	2	0.4	0.29	0.0	1.4	
2003	118	2.9	0.26	2.4	3.4	2	0.3	0.20	0.0	1.1	
2004	99	2.4	0.24	1.9	2.9	3	0.6	0.32	0.1	1.6	
2005	102	2.5	0.25	2.0	3.0	6	1.3	0.56	0.5	2.8	
2006	109	2.6	0.25	2.2	3.2	4	0.6	0.32	0.2	1.6	
2007	95	2.2	0.23	1.8	2.7	6	0.8	0.35	0.3	1.9	
2008	109	2.6	0.25	2.1	3.1	2	0.4	0.28	0.1	1.3	
2009	104	2.4	0.24	2.0	2.9	4	0.6	0.30	0.2	1.5	
2010	107	2.5	0.24	2.0	3.0	6	1.1	0.48	0.4	2.4	
2011	85	1.9	0.21	1.5	2.4	7	1.2	0.48	0.5	2.5	
2012	107	2.3	0.23	1.9	2.8	7	1.1	0.43	0.4	2.3	
2013	88	1.9	0.20	1.5	2.3	5	0.7	0.31	0.2	1.6	
2014	104	2.3	0.23	1.9	2.8	3	0.4	0.21	0.1	1.1	
2015	90	1.9	0.20	1.5	2.3	3	0.4	0.26	0.1	1.2	
2016	80	1.6	0.18	1.3	2.0	1	0.1	0.11	0.0	0.7	
2017	67	1.4	0.17	1.1	1.8	4	0.6	0.31	0.2	1.5	
2018	74	1.5	0.18	1.2	2.0	2	0.2	0.17	0.0	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Mesothelioma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	48	0.4	0.06	0.3	0.5	994	0.5	0.02	0.5	0.5
1990	1	0.3	0.26	0.0	2.1	24	0.4	0.08	0.2	0.6
1991	1	0.7	0.68	0.0	3.2	22	0.4	0.08	0.2	0.5
1992	4	1.3	0.72	0.3	3.8	32	0.5	0.09	0.3	0.7
1993	0					33	0.5	0.09	0.4	0.7
1994	0					39	0.6	0.09	0.4	0.8
1995	1	0.4	0.36	0.0	2.1	39	0.6	0.10	0.4	0.9
1996	0					33	0.5	0.09	0.4	0.7
1997	0					27	0.4	0.08	0.3	0.6
1998	1	0.3	0.32	0.0	1.8	47	0.7	0.11	0.5	1.0
1999	2	0.6	0.45	0.1	2.3	34	0.5	0.09	0.4	0.7
2000	1	0.1	0.09	0.0	1.3	32	0.5	0.08	0.3	0.7
2001	2	0.6	0.42	0.1	2.1	35	0.5	0.09	0.4	0.7
2002	0					31	0.5	0.08	0.3	0.7
2003	0					33	0.5	0.09	0.3	0.7
2004	4	1.3	0.68	0.4	3.3	34	0.5	0.09	0.4	0.7
2005	3	1.0	0.64	0.2	2.8	34	0.5	0.09	0.4	0.7
2006	3	0.5	0.29	0.1	1.6	39	0.6	0.10	0.4	0.8
2007	2	0.3	0.21	0.0	1.2	35	0.5	0.09	0.3	0.7
2008	2	0.3	0.20	0.0	1.2	44	0.7	0.10	0.5	0.9
2009	5	1.0	0.47	0.3	2.3	23	0.3	0.07	0.2	0.5
2010	2	0.5	0.35	0.1	1.6	30	0.4	0.08	0.3	0.6
2011	1	0.2	0.15	0.0	0.9	43	0.6	0.09	0.4	0.8
2012	1	0.1	0.13	0.0	0.8	37	0.5	0.08	0.4	0.7
2013	2	0.3	0.22	0.0	1.1	39	0.5	0.09	0.4	0.7
2014	1	0.1	0.13	0.0	0.8	41	0.5	0.09	0.4	0.8
2015	1	0.1	0.11	0.0	0.7	35	0.5	0.09	0.4	0.7
2016	1	0.1	0.11	0.0	0.7	30	0.4	0.08	0.3	0.6
2017	4	0.6	0.32	0.2	1.6	44	0.6	0.09	0.4	0.8
2018	3	0.3	0.18	0.1	0.9	25	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Mesothelioma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	924	0.6	0.02	0.5	0.6	53	0.2	0.03	0.2	0.3	
1990	22	0.4	0.08	0.2	0.6	0					
1991	22	0.4	0.09	0.3	0.6	0					
1992	30	0.5	0.10	0.4	0.8	0					
1993	32	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7	
1994	35	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3	
1995	34	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.5	
1996	31	0.6	0.10	0.4	0.8	2	0.2	0.17	0.0	0.9	
1997	24	0.4	0.08	0.3	0.6	3	0.4	0.21	0.1	1.1	
1998	44	0.8	0.12	0.6	1.1	3	0.4	0.22	0.1	1.1	
1999	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8	
2000	30	0.5	0.10	0.3	0.8	2	0.2	0.15	0.0	0.8	
2001	34	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7	
2002	29	0.5	0.10	0.4	0.8	2	0.3	0.20	0.0	0.9	
2003	29	0.5	0.10	0.3	0.8	2	0.2	0.16	0.0	0.8	
2004	30	0.5	0.10	0.4	0.8	4	0.4	0.22	0.1	1.1	
2005	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8	
2006	36	0.7	0.11	0.5	1.0	2	0.3	0.18	0.0	0.9	
2007	31	0.5	0.09	0.3	0.7	3	0.3	0.20	0.1	1.0	
2008	43	0.8	0.12	0.6	1.1	0					
2009	22	0.4	0.08	0.2	0.6	1	0.1	0.12	0.0	0.6	
2010	28	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6	
2011	41	0.7	0.11	0.5	0.9	1	0.1	0.08	0.0	0.5	
2012	33	0.5	0.10	0.4	0.8	4	0.4	0.21	0.1	1.1	
2013	36	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8	
2014	38	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8	
2015	33	0.6	0.11	0.4	0.9	2	0.2	0.12	0.0	0.7	
2016	28	0.5	0.09	0.3	0.7	0					
2017	40	0.7	0.11	0.5	1.0	2	0.2	0.14	0.0	0.7	
2018	25	0.4	0.09	0.3	0.6	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kaposi Sarcoma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	323	0.9	0.06	0.8	1.0	1,902	0.6	0.01	0.6	0.6
1990	16	2.0	0.62	1.0	3.8	160	1.5	0.12	1.2	1.7
1991	30	3.2	0.77	1.9	5.2	159	1.4	0.12	1.2	1.7
1992	19	1.6	0.41	0.9	2.9	168	1.5	0.12	1.3	1.8
1993	28	2.8	0.57	1.8	4.3	163	1.4	0.11	1.2	1.7
1994	22	2.4	0.65	1.3	4.1	162	1.5	0.12	1.2	1.7
1995	16	1.8	0.57	0.8	3.3	137	1.2	0.10	1.0	1.4
1996	27	3.7	0.95	2.1	6.0	122	1.1	0.10	0.9	1.3
1997	10	0.7	0.26	0.3	1.7	65	0.6	0.07	0.4	0.7
1998	7	0.6	0.23	0.2	1.5	48	0.4	0.06	0.3	0.6
1999	8	0.8	0.38	0.2	1.9	50	0.5	0.06	0.3	0.6
2000	4	0.3	0.16	0.1	1.1	36	0.3	0.05	0.2	0.5
2001	9	1.3	0.53	0.5	2.7	42	0.4	0.06	0.3	0.5
2002	7	0.7	0.34	0.2	1.7	44	0.4	0.06	0.3	0.5
2003	10	1.4	0.58	0.5	2.9	40	0.4	0.06	0.3	0.5
2004	8	0.4	0.16	0.2	1.0	45	0.4	0.06	0.3	0.5
2005	7	0.6	0.25	0.2	1.3	35	0.3	0.06	0.2	0.5
2006	7	1.0	0.42	0.3	2.1	35	0.3	0.06	0.2	0.5
2007	7	0.4	0.16	0.2	1.0	39	0.4	0.06	0.3	0.5
2008	5	0.6	0.31	0.2	1.5	37	0.4	0.06	0.3	0.5
2009	8	0.8	0.33	0.3	1.7	40	0.4	0.06	0.3	0.5
2010	7	0.6	0.27	0.2	1.4	39	0.4	0.06	0.3	0.5
2011	8	0.7	0.27	0.3	1.4	35	0.3	0.06	0.2	0.5
2012	7	0.4	0.14	0.1	0.8	20	0.2	0.04	0.1	0.3
2013	1	0.1	0.13	0.0	0.6	31	0.3	0.05	0.2	0.4
2014	8	0.6	0.25	0.2	1.3	36	0.3	0.05	0.2	0.5
2015	12	0.7	0.24	0.4	1.4	28	0.3	0.05	0.2	0.4
2016	12	0.7	0.19	0.3	1.2	33	0.3	0.05	0.2	0.4
2017	7	0.4	0.16	0.2	0.8	23	0.2	0.05	0.1	0.3
2018	6	0.3	0.14	0.1	0.8	30	0.3	0.05	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kaposi Sarcoma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,134	0.5	0.01	0.4	0.5	706	1.4	0.05	1.3	1.5	
1990	107	1.2	0.12	1.0	1.5	49	2.8	0.41	2.1	3.8	
1991	116	1.3	0.12	1.1	1.6	41	2.4	0.39	1.7	3.4	
1992	121	1.3	0.12	1.1	1.6	46	2.6	0.38	1.9	3.4	
1993	112	1.2	0.11	1.0	1.5	47	2.8	0.42	2.0	3.7	
1994	109	1.2	0.12	1.0	1.5	52	3.0	0.43	2.2	4.0	
1995	83	0.9	0.10	0.7	1.1	52	3.0	0.42	2.2	4.0	
1996	65	0.7	0.09	0.6	0.9	53	2.9	0.40	2.2	3.8	
1997	36	0.4	0.06	0.3	0.5	27	1.5	0.29	1.0	2.2	
1998	23	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.0	
1999	24	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.1	
2000	17	0.2	0.04	0.1	0.3	17	1.0	0.23	0.6	1.5	
2001	18	0.2	0.05	0.1	0.3	23	1.3	0.27	0.8	1.9	
2002	23	0.3	0.05	0.2	0.4	19	1.1	0.25	0.7	1.7	
2003	20	0.2	0.05	0.1	0.4	18	1.1	0.25	0.6	1.7	
2004	23	0.2	0.05	0.2	0.4	19	1.1	0.26	0.7	1.8	
2005	19	0.2	0.05	0.1	0.3	13	0.8	0.22	0.4	1.4	
2006	16	0.2	0.05	0.1	0.3	17	1.0	0.25	0.6	1.7	
2007	20	0.2	0.05	0.1	0.3	18	1.1	0.26	0.7	1.8	
2008	19	0.2	0.05	0.1	0.3	15	0.9	0.23	0.5	1.5	
2009	24	0.3	0.05	0.2	0.4	14	0.9	0.23	0.5	1.4	
2010	22	0.3	0.06	0.2	0.4	15	0.9	0.23	0.5	1.4	
2011	15	0.2	0.05	0.1	0.3	18	1.1	0.25	0.6	1.7	
2012	12	0.1	0.04	0.1	0.3	5	0.3	0.13	0.1	0.7	
2013	14	0.2	0.04	0.1	0.3	16	0.8	0.21	0.5	1.3	
2014	18	0.2	0.05	0.1	0.3	16	0.9	0.22	0.5	1.4	
2015	16	0.2	0.04	0.1	0.3	10	0.6	0.19	0.3	1.1	
2016	23	0.2	0.05	0.2	0.4	9	0.5	0.17	0.2	1.0	
2017	8	0.1	0.03	0.0	0.2	12	0.7	0.21	0.4	1.2	
2018	11	0.1	0.04	0.1	0.2	17	0.9	0.22	0.5	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kaposi Sarcoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	308	1.6	0.11	1.4	1.8	1,746	1.2	0.03	1.1	1.2
1990	16	4.0	1.33	1.8	8.0	149	2.8	0.24	2.4	3.3
1991	30	6.5	1.83	3.4	11.3	155	3.0	0.24	2.5	3.5
1992	19	3.0	0.76	1.7	5.8	163	3.0	0.24	2.6	3.5
1993	28	5.2	1.09	3.3	8.5	151	2.7	0.22	2.3	3.2
1994	22	4.8	1.47	2.3	8.8	152	2.9	0.24	2.4	3.4
1995	16	3.5	1.30	1.5	7.2	130	2.4	0.21	2.0	2.8
1996	23	5.3	1.79	2.4	9.9	115	2.1	0.20	1.7	2.6
1997	10	1.4	0.49	0.6	3.5	57	1.1	0.14	0.8	1.4
1998	7	1.1	0.43	0.4	3.0	40	0.8	0.12	0.5	1.0
1999	7	0.8	0.33	0.3	2.6	45	0.9	0.13	0.6	1.2
2000	3	0.4	0.26	0.1	2.1	31	0.6	0.11	0.4	0.9
2001	8	2.5	1.17	0.8	5.7	35	0.7	0.11	0.5	0.9
2002	7	1.5	0.72	0.4	3.7	39	0.8	0.13	0.6	1.1
2003	9	2.2	0.95	0.7	4.8	37	0.7	0.12	0.5	1.0
2004	8	0.8	0.29	0.3	2.1	38	0.8	0.12	0.5	1.1
2005	7	1.2	0.53	0.4	2.8	30	0.6	0.11	0.4	0.9
2006	7	2.1	0.95	0.7	4.7	35	0.7	0.12	0.5	1.0
2007	7	0.8	0.31	0.3	2.0	35	0.7	0.12	0.5	1.0
2008	4	0.8	0.50	0.1	2.4	33	0.7	0.12	0.5	1.0
2009	6	0.9	0.43	0.3	2.3	35	0.7	0.12	0.5	1.0
2010	6	0.9	0.42	0.3	2.2	35	0.7	0.12	0.5	1.0
2011	7	1.1	0.43	0.4	2.4	29	0.6	0.11	0.4	0.8
2012	7	0.7	0.26	0.3	1.6	18	0.3	0.08	0.2	0.5
2013	0					28	0.5	0.10	0.3	0.7
2014	8	1.4	0.58	0.5	2.9	29	0.6	0.11	0.4	0.8
2015	12	1.5	0.51	0.7	2.9	24	0.5	0.10	0.3	0.7
2016	12	1.3	0.38	0.7	2.4	27	0.5	0.10	0.4	0.8
2017	7	0.8	0.32	0.3	1.7	21	0.4	0.09	0.3	0.6
2018	5	0.5	0.22	0.2	1.2	30	0.6	0.10	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kaposi Sarcoma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	1,022	0.9	0.03	0.8	0.9	666	2.9	0.12	2.7	3.2	
1990	98	2.3	0.24	1.9	2.8	48	6.2	0.92	4.5	8.4	
1991	113	2.6	0.25	2.2	3.2	40	5.4	0.88	3.8	7.4	
1992	117	2.7	0.25	2.2	3.2	45	5.5	0.84	4.0	7.5	
1993	103	2.2	0.22	1.8	2.7	44	5.9	0.96	4.2	8.2	
1994	101	2.3	0.24	1.9	2.9	50	6.5	0.96	4.8	8.7	
1995	78	1.7	0.20	1.4	2.2	51	6.5	0.93	4.8	8.7	
1996	62	1.4	0.18	1.1	1.8	49	5.9	0.85	4.3	7.8	
1997	31	0.7	0.13	0.5	1.0	25	3.1	0.63	2.0	4.6	
1998	18	0.4	0.10	0.3	0.7	21	2.6	0.56	1.6	4.0	
1999	21	0.5	0.11	0.3	0.8	22	2.8	0.61	1.7	4.3	
2000	13	0.3	0.09	0.2	0.6	16	2.0	0.50	1.1	3.3	
2001	14	0.3	0.09	0.2	0.6	20	2.4	0.53	1.5	3.7	
2002	19	0.5	0.11	0.3	0.8	18	2.3	0.54	1.4	3.6	
2003	17	0.4	0.10	0.3	0.7	18	2.5	0.63	1.4	4.0	
2004	17	0.4	0.10	0.2	0.7	18	2.2	0.52	1.3	3.5	
2005	17	0.4	0.11	0.3	0.7	10	1.4	0.46	0.7	2.6	
2006	16	0.4	0.10	0.2	0.6	17	2.4	0.61	1.3	3.9	
2007	16	0.4	0.10	0.2	0.6	18	2.5	0.60	1.5	4.0	
2008	16	0.4	0.10	0.2	0.7	14	1.8	0.50	1.0	3.1	
2009	19	0.5	0.11	0.3	0.7	14	1.9	0.53	1.0	3.3	
2010	20	0.5	0.11	0.3	0.8	13	1.6	0.46	0.9	2.8	
2011	11	0.3	0.08	0.1	0.5	16	2.0	0.51	1.1	3.3	
2012	12	0.3	0.09	0.2	0.5	4	0.4	0.22	0.1	1.2	
2013	11	0.3	0.08	0.1	0.5	16	1.8	0.45	1.0	3.0	
2014	14	0.3	0.09	0.2	0.6	13	1.5	0.43	0.8	2.6	
2015	12	0.3	0.08	0.1	0.5	10	1.3	0.41	0.6	2.3	
2016	17	0.4	0.10	0.2	0.7	9	1.1	0.39	0.5	2.2	
2017	8	0.2	0.06	0.1	0.4	10	1.2	0.38	0.5	2.2	
2018	11	0.3	0.08	0.1	0.5	17	1.8	0.45	1.0	3.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kaposi Sarcoma											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	15	0.2	0.05	0.1	0.3	156	0.1	0.01	0.1	0.1	
1990	0					11	0.2	0.05	0.1	0.3	
1991	0					4	0.1	0.03	0.0	0.2	
1992	0					5	0.1	0.04	0.0	0.2	
1993	0					12	0.2	0.06	0.1	0.4	
1994	0					10	0.2	0.05	0.1	0.3	
1995	0					7	0.1	0.04	0.0	0.2	
1996	4	2.0	1.07	0.5	5.0	7	0.1	0.04	0.1	0.2	
1997	0					8	0.1	0.04	0.1	0.2	
1998	0					8	0.1	0.04	0.1	0.3	
1999	1	0.6	0.61	0.0	2.7	5	0.1	0.03	0.0	0.2	
2000	1	0.2	0.18	0.0	1.4	5	0.1	0.03	0.0	0.2	
2001	1	0.3	0.28	0.0	1.6	7	0.1	0.04	0.1	0.2	
2002	0					5	0.1	0.03	0.0	0.2	
2003	1	0.6	0.64	0.0	2.7	3	0.0	0.02	0.0	0.1	
2004	0					7	0.1	0.03	0.0	0.2	
2005	0					5	0.1	0.04	0.0	0.2	
2006	0					0					
2007	0					4	0.1	0.02	0.0	0.1	
2008	1	0.4	0.37	0.0	1.6	4	0.1	0.03	0.0	0.2	
2009	2	0.6	0.43	0.0	1.9	5	0.1	0.03	0.0	0.2	
2010	1	0.3	0.31	0.0	1.4	4	0.1	0.03	0.0	0.2	
2011	1	0.3	0.30	0.0	1.3	6	0.1	0.04	0.0	0.2	
2012	0					2	0.0	0.02	0.0	0.1	
2013	1	0.2	0.23	0.0	1.1	3	0.0	0.03	0.0	0.1	
2014	0					7	0.1	0.04	0.0	0.2	
2015	0					4	0.1	0.02	0.0	0.1	
2016	0					6	0.1	0.03	0.0	0.2	
2017	0					2	0.1	0.03	0.0	0.2	
2018	1	0.2	0.17	0.0	0.8	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Kaposi Sarcoma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	112	0.1	0.01	0.1	0.1	40	0.2	0.02	0.1	0.2	
1990	9	0.2	0.05	0.1	0.3	1	0.1	0.09	0.0	0.6	
1991	3	0.1	0.03	0.0	0.2	1	0.1	0.09	0.0	0.6	
1992	4	0.1	0.03	0.0	0.2	1	0.2	0.15	0.0	0.8	
1993	9	0.2	0.06	0.1	0.3	3	0.3	0.19	0.1	1.0	
1994	8	0.1	0.05	0.1	0.3	2	0.2	0.15	0.0	0.8	
1995	5	0.1	0.04	0.0	0.2	1	0.1	0.12	0.0	0.7	
1996	3	0.1	0.03	0.0	0.2	4	0.4	0.20	0.1	1.1	
1997	5	0.1	0.04	0.0	0.2	2	0.2	0.14	0.0	0.8	
1998	5	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0	
1999	3	0.0	0.02	0.0	0.1	2	0.2	0.15	0.0	0.8	
2000	4	0.1	0.03	0.0	0.2	1	0.1	0.10	0.0	0.6	
2001	4	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0	
2002	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6	
2003	3	0.0	0.03	0.0	0.2	0					
2004	6	0.1	0.04	0.0	0.2	1	0.1	0.14	0.0	0.7	
2005	2	0.0	0.02	0.0	0.1	3	0.3	0.19	0.1	1.0	
2006	0					0					
2007	4	0.1	0.03	0.0	0.2	0					
2008	3	0.0	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6	
2009	5	0.1	0.03	0.0	0.2	0					
2010	2	0.0	0.02	0.0	0.1	2	0.2	0.16	0.0	0.8	
2011	4	0.1	0.05	0.0	0.3	2	0.2	0.16	0.0	0.8	
2012	0					1	0.1	0.12	0.0	0.6	
2013	3	0.1	0.04	0.0	0.2	0					
2014	4	0.1	0.03	0.0	0.2	3	0.3	0.18	0.1	0.9	
2015	4	0.1	0.03	0.0	0.2	0					
2016	6	0.1	0.04	0.0	0.2	0					
2017	0					2	0.3	0.19	0.0	0.9	
2018	0					0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ill-defined and unknown Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,436	12.5	0.29	12.0	13.1	53,695	15.4	0.07	15.2	15.5
1990	31	10.4	2.16	6.6	15.3	1,387	13.2	0.36	12.5	14.0
1991	45	12.9	2.24	8.9	17.9	1,367	12.9	0.35	12.2	13.6
1992	32	8.8	1.84	5.6	13.0	1,381	12.8	0.35	12.2	13.5
1993	39	11.5	2.12	7.7	16.2	1,832	16.9	0.40	16.1	17.6
1994	40	10.3	1.92	6.9	14.6	1,862	17.0	0.40	16.3	17.8
1995	50	13.7	2.27	9.6	18.7	1,703	15.4	0.37	14.7	16.2
1996	51	13.7	2.20	9.7	18.6	1,620	14.6	0.36	13.9	15.3
1997	38	8.6	1.62	5.7	12.2	1,516	13.5	0.35	12.9	14.3
1998	61	13.0	2.02	9.3	17.4	1,463	12.9	0.34	12.2	13.6
1999	57	13.5	2.09	9.8	18.1	1,500	13.1	0.34	12.5	13.8
2000	57	11.3	1.81	8.0	15.2	1,568	13.6	0.34	13.0	14.3
2001	77	15.3	2.05	11.5	19.7	2,161	18.7	0.40	17.9	19.5
2002	92	15.3	1.89	11.8	19.3	2,180	18.7	0.40	17.9	19.5
2003	85	15.8	1.94	12.2	20.0	2,143	18.2	0.39	17.5	19.0
2004	93	15.7	1.89	12.3	19.8	1,999	16.9	0.38	16.2	17.7
2005	81	12.1	1.56	9.3	15.5	2,005	16.8	0.38	16.0	17.5
2006	82	12.4	1.56	9.5	15.7	2,020	16.9	0.38	16.1	17.6
2007	87	11.4	1.40	8.8	14.4	2,106	17.2	0.38	16.5	18.0
2008	93	13.7	1.59	10.8	17.1	2,133	17.3	0.38	16.6	18.1
2009	108	13.4	1.45	10.7	16.4	2,108	17.0	0.37	16.2	17.7
2010	94	11.0	1.27	8.7	13.7	2,131	17.0	0.37	16.3	17.8
2011	110	12.8	1.36	10.3	15.7	1,925	15.0	0.35	14.3	15.7
2012	117	12.9	1.32	10.4	15.7	2,022	15.6	0.35	14.9	16.3
2013	143	15.2	1.38	12.6	18.1	1,923	14.6	0.34	14.0	15.3
2014	134	12.9	1.22	10.6	15.4	1,976	14.9	0.34	14.2	15.6
2015	125	11.2	1.09	9.1	13.5	1,960	14.6	0.34	13.9	15.2
2016	143	12.3	1.12	10.3	14.7	1,904	13.9	0.33	13.3	14.6
2017	123	10.2	1.00	8.4	12.3	1,945	14.1	0.33	13.4	14.7
2018	148	11.8	1.03	9.8	13.9	1,855	13.3	0.32	12.7	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ill-defined and unknown Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	45,264	15.2	0.07	15.1	15.4	7,215	17.1	0.21	16.7	17.5
1990	1,158	12.6	0.37	11.8	13.3	219	18.9	1.32	16.4	21.7
1991	1,176	12.6	0.37	11.9	13.3	174	15.2	1.18	13.0	17.7
1992	1,183	12.5	0.37	11.8	13.3	184	15.9	1.20	13.6	18.4
1993	1,569	16.4	0.42	15.6	17.2	242	20.7	1.37	18.1	23.5
1994	1,601	16.7	0.42	15.9	17.6	252	20.4	1.32	17.9	23.1
1995	1,412	14.6	0.39	13.9	15.4	268	21.8	1.37	19.2	24.7
1996	1,329	13.7	0.38	13.0	14.5	276	22.2	1.37	19.6	25.1
1997	1,273	13.1	0.37	12.4	13.8	216	16.9	1.18	14.7	19.4
1998	1,226	12.4	0.36	11.7	13.1	206	16.1	1.15	13.9	18.5
1999	1,228	12.4	0.36	11.7	13.1	246	18.9	1.23	16.5	21.4
2000	1,296	13.0	0.36	12.3	13.8	242	17.8	1.17	15.6	20.2
2001	1,815	18.2	0.43	17.4	19.1	299	22.2	1.31	19.7	24.9
2002	1,882	18.8	0.44	18.0	19.7	270	19.6	1.22	17.3	22.1
2003	1,812	18.0	0.42	17.2	18.8	283	19.9	1.21	17.6	22.4
2004	1,735	17.2	0.42	16.4	18.0	217	15.1	1.05	13.1	17.3
2005	1,724	16.9	0.41	16.1	17.7	228	15.5	1.05	13.5	17.7
2006	1,712	16.8	0.41	16.0	17.7	259	17.9	1.13	15.7	20.2
2007	1,793	17.3	0.41	16.5	18.1	270	18.0	1.12	15.9	20.4
2008	1,821	17.5	0.41	16.7	18.3	271	17.7	1.10	15.6	19.9
2009	1,760	16.8	0.41	16.0	17.6	291	18.7	1.12	16.6	21.0
2010	1,793	17.1	0.41	16.3	17.9	289	18.3	1.10	16.2	20.6
2011	1,650	15.3	0.39	14.6	16.1	221	14.0	0.96	12.1	15.9
2012	1,699	15.7	0.39	15.0	16.5	268	16.0	1.00	14.1	18.1
2013	1,570	14.4	0.37	13.7	15.2	284	16.7	1.01	14.7	18.8
2014	1,660	15.0	0.38	14.3	15.8	251	14.7	0.95	12.9	16.7
2015	1,645	14.8	0.38	14.1	15.6	248	14.1	0.91	12.3	16.0
2016	1,586	14.1	0.36	13.4	14.9	230	12.8	0.86	11.1	14.6
2017	1,626	14.4	0.37	13.7	15.1	252	13.6	0.88	11.9	15.4
2018	1,530	13.5	0.35	12.8	14.2	259	14.1	0.89	12.4	16.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ill-defined and unknown Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,213	13.6	0.46	12.7	14.6	26,312	18.2	0.11	18.0	18.4
1990	17	11.6	3.44	5.9	19.9	674	15.6	0.62	14.4	16.8
1991	19	16.0	4.44	8.6	26.4	686	15.8	0.62	14.6	17.0
1992	12	5.7	2.00	2.5	11.0	672	15.4	0.61	14.3	16.7
1993	20	15.1	4.16	8.1	24.8	819	18.8	0.68	17.5	20.1
1994	22	11.6	3.26	6.1	19.4	843	19.3	0.68	17.9	20.6
1995	22	13.2	3.60	7.1	21.7	808	18.0	0.65	16.7	19.3
1996	23	14.3	3.61	8.1	22.7	783	17.6	0.64	16.3	18.9
1997	20	10.5	3.07	5.4	17.8	724	15.9	0.60	14.7	17.1
1998	30	11.3	2.46	7.0	17.1	688	15.0	0.58	13.9	16.2
1999	29	16.3	3.63	10.0	24.6	679	14.6	0.57	13.5	15.7
2000	32	17.8	3.87	11.0	26.5	747	16.0	0.59	14.9	17.2
2001	37	16.4	3.36	10.5	24.0	1,075	22.8	0.70	21.4	24.2
2002	44	15.1	2.87	10.0	21.5	1,035	21.7	0.68	20.4	23.1
2003	43	17.0	3.14	11.4	24.0	1,049	21.9	0.68	20.6	23.2
2004	44	17.1	2.95	11.8	23.6	1,001	20.7	0.66	19.5	22.1
2005	43	12.6	2.25	8.6	17.7	970	19.7	0.64	18.5	21.0
2006	41	12.7	2.49	8.4	18.3	977	19.7	0.64	18.5	21.0
2007	40	11.4	2.17	7.6	16.3	1,032	20.5	0.65	19.2	21.8
2008	44	14.9	2.56	10.3	20.5	1,059	20.6	0.64	19.3	21.9
2009	48	12.0	2.05	8.3	16.5	1,044	19.9	0.63	18.7	21.2
2010	47	10.7	1.81	7.4	14.7	1,059	20.1	0.63	18.9	21.4
2011	50	13.1	2.17	9.2	17.9	974	18.2	0.59	17.0	19.4
2012	63	14.4	2.12	10.6	19.0	1,020	18.8	0.60	17.6	20.0
2013	76	17.1	2.20	13.1	21.9	975	17.3	0.57	16.2	18.5
2014	72	16.0	2.12	12.2	20.6	989	17.3	0.56	16.2	18.4
2015	61	11.4	1.66	8.4	15.0	1,052	18.0	0.57	16.9	19.2
2016	77	14.6	1.87	11.2	18.7	937	15.9	0.53	14.9	17.0
2017	64	11.3	1.56	8.5	14.8	1,010	16.9	0.54	15.9	18.0
2018	73	12.3	1.59	9.4	15.8	931	15.4	0.52	14.4	16.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ill-defined and unknown Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	22,289	18.1	0.12	17.8	18.3	3,405	19.9	0.36	19.2	20.6
1990	556	14.7	0.64	13.5	16.1	114	23.5	2.33	19.1	28.5
1991	586	15.3	0.65	14.1	16.6	93	20.3	2.23	16.1	25.1
1992	568	14.9	0.64	13.6	16.2	98	22.0	2.40	17.6	27.2
1993	686	18.0	0.70	16.6	19.4	120	25.4	2.49	20.7	30.7
1994	724	19.0	0.72	17.6	20.5	113	21.7	2.20	17.6	26.4
1995	658	16.9	0.67	15.6	18.3	139	26.9	2.41	22.3	32.0
1996	645	16.7	0.67	15.4	18.1	127	25.0	2.38	20.6	30.1
1997	596	15.2	0.63	13.9	16.4	115	21.8	2.15	17.8	26.3
1998	583	14.8	0.62	13.6	16.0	92	16.6	1.80	13.3	20.5
1999	541	13.4	0.58	12.3	14.6	122	23.6	2.28	19.4	28.5
2000	614	15.3	0.62	14.1	16.6	118	21.3	2.08	17.4	25.8
2001	906	22.3	0.75	20.9	23.8	144	27.1	2.39	22.6	32.1
2002	891	21.9	0.74	20.4	23.4	128	22.5	2.08	18.6	26.9
2003	892	21.7	0.73	20.3	23.2	136	23.6	2.13	19.6	28.1
2004	875	21.2	0.72	19.8	22.6	98	17.2	1.84	13.7	21.1
2005	834	19.8	0.69	18.5	21.2	109	18.0	1.82	14.6	21.9
2006	831	19.7	0.69	18.3	21.1	119	20.7	2.01	16.9	24.9
2007	888	20.6	0.70	19.3	22.1	119	19.8	1.93	16.2	23.9
2008	920	21.1	0.70	19.7	22.5	121	20.3	1.97	16.6	24.5
2009	890	20.1	0.68	18.8	21.5	128	19.3	1.80	16.0	23.2
2010	900	20.2	0.68	18.9	21.6	133	21.8	2.01	18.1	26.1
2011	852	18.8	0.65	17.5	20.1	97	15.1	1.62	12.1	18.6
2012	881	19.4	0.66	18.1	20.7	118	17.5	1.69	14.3	21.1
2013	807	17.1	0.61	15.9	18.3	131	18.7	1.71	15.5	22.3
2014	830	17.3	0.61	16.1	18.5	124	18.1	1.70	14.9	21.7
2015	896	18.4	0.63	17.2	19.7	118	16.2	1.57	13.3	19.6
2016	803	16.4	0.59	15.3	17.6	93	12.6	1.38	10.0	15.6
2017	855	17.4	0.61	16.3	18.7	120	15.4	1.47	12.7	18.5
2018	781	15.8	0.58	14.7	17.0	118	15.8	1.51	13.0	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ill-defined and unknown Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,223	11.7	0.36	11.0	12.5	27,383	13.4	0.08	13.2	13.5
1990	14	9.3	2.73	4.8	15.9	713	11.6	0.44	10.7	12.5
1991	26	12.0	2.55	7.5	17.9	681	10.9	0.42	10.0	11.7
1992	20	10.8	2.72	6.2	17.2	709	11.1	0.42	10.3	12.0
1993	19	9.4	2.38	5.3	15.0	1,013	15.6	0.50	14.6	16.6
1994	18	9.4	2.41	5.3	15.1	1,019	15.5	0.49	14.6	16.5
1995	28	14.1	2.98	8.8	20.9	895	13.4	0.45	12.5	14.3
1996	28	13.6	2.80	8.6	20.0	837	12.6	0.44	11.8	13.5
1997	18	7.5	1.91	4.3	12.1	792	11.8	0.42	11.0	12.7
1998	31	13.4	2.80	8.5	19.8	775	11.3	0.41	10.5	12.1
1999	28	11.5	2.50	7.2	17.3	821	12.0	0.42	11.2	12.8
2000	25	7.0	1.63	4.2	10.9	821	12.0	0.42	11.2	12.9
2001	40	14.5	2.60	9.9	20.3	1,086	15.8	0.49	14.9	16.8
2002	48	15.4	2.51	10.9	21.0	1,145	16.5	0.49	15.6	17.5
2003	42	14.9	2.49	10.5	20.4	1,094	15.8	0.48	14.9	16.8
2004	49	14.6	2.40	10.2	19.8	998	14.4	0.46	13.5	15.3
2005	38	11.4	2.07	7.7	16.0	1,035	14.8	0.47	13.9	15.8
2006	41	12.2	2.05	8.5	16.7	1,043	14.9	0.47	14.0	15.8
2007	47	11.4	1.85	8.1	15.5	1,074	15.1	0.47	14.2	16.1
2008	49	12.9	2.02	9.2	17.3	1,074	15.0	0.47	14.1	15.9
2009	60	14.4	2.01	10.7	18.8	1,064	14.7	0.46	13.8	15.7
2010	47	11.0	1.73	7.9	14.9	1,072	14.9	0.47	14.0	15.8
2011	60	12.8	1.79	9.5	16.7	951	12.9	0.43	12.0	13.7
2012	54	11.5	1.68	8.5	15.2	1,002	13.4	0.44	12.6	14.3
2013	67	13.5	1.75	10.3	17.3	948	12.6	0.42	11.8	13.4
2014	62	10.5	1.43	7.9	13.6	987	13.2	0.43	12.3	14.1
2015	64	10.9	1.45	8.3	14.1	908	11.9	0.41	11.1	12.8
2016	66	10.7	1.39	8.1	13.7	967	12.5	0.41	11.7	13.3
2017	59	9.2	1.27	6.9	12.0	935	11.9	0.40	11.1	12.7
2018	75	11.3	1.36	8.8	14.3	924	11.6	0.39	10.8	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Ill-defined and unknown Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	22,975	13.2	0.09	13.0	13.4	3,810	15.2	0.25	14.7	15.7
1990	602	11.0	0.46	10.2	12.0	105	15.6	1.55	12.7	19.0
1991	590	10.6	0.44	9.7	11.5	81	11.9	1.35	9.5	14.9
1992	615	11.0	0.45	10.1	11.9	86	12.2	1.33	9.7	15.1
1993	883	15.4	0.53	14.4	16.5	122	17.5	1.60	14.5	20.9
1994	877	15.3	0.53	14.2	16.3	139	19.1	1.64	16.0	22.6
1995	754	12.8	0.48	11.9	13.8	129	17.9	1.59	14.9	21.3
1996	684	11.8	0.46	10.9	12.7	149	20.1	1.66	17.0	23.6
1997	677	11.6	0.45	10.7	12.5	101	13.5	1.36	11.0	16.4
1998	643	10.7	0.43	9.9	11.6	114	15.0	1.42	12.3	18.0
1999	687	11.5	0.45	10.7	12.5	124	15.8	1.43	13.2	18.9
2000	682	11.5	0.45	10.7	12.4	124	15.4	1.39	12.8	18.4
2001	909	15.4	0.52	14.4	16.4	155	19.1	1.55	16.2	22.4
2002	991	16.7	0.54	15.7	17.8	142	17.3	1.46	14.5	20.4
2003	920	15.5	0.52	14.5	16.5	147	17.4	1.44	14.7	20.4
2004	860	14.6	0.51	13.6	15.6	119	13.9	1.28	11.5	16.6
2005	890	14.9	0.51	14.0	16.0	119	13.7	1.26	11.3	16.4
2006	881	14.9	0.51	13.9	15.9	140	16.2	1.38	13.6	19.1
2007	905	15.1	0.52	14.1	16.2	151	16.8	1.38	14.2	19.8
2008	901	14.8	0.51	13.8	15.8	150	16.4	1.35	13.9	19.3
2009	870	14.3	0.50	13.3	15.3	163	17.8	1.41	15.2	20.8
2010	893	14.9	0.51	13.9	15.9	156	16.5	1.34	14.0	19.3
2011	798	12.9	0.48	12.0	13.9	124	13.2	1.20	10.9	15.7
2012	818	13.2	0.48	12.2	14.1	150	15.1	1.25	12.7	17.7
2013	763	12.4	0.47	11.5	13.3	153	14.9	1.22	12.6	17.5
2014	830	13.5	0.49	12.5	14.5	127	12.5	1.13	10.4	15.0
2015	749	12.1	0.46	11.2	13.1	130	12.4	1.11	10.3	14.8
2016	783	12.4	0.46	11.5	13.3	137	12.9	1.12	10.8	15.3
2017	771	12.1	0.46	11.2	13.1	132	12.2	1.08	10.2	14.5
2018	749	11.6	0.44	10.7	12.5	141	13.0	1.11	10.9	15.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Female Breast Insitu											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
Total	2,937	20.9	0.41	20.1	21.7	52,654	29.0	0.13	28.7	29.2	
1990	18	7.7	1.85	4.5	12.3	765	14.1	0.52	13.1	15.1	
1991	11	4.5	1.58	2.0	8.7	905	16.5	0.56	15.4	17.6	
1992	18	7.0	1.70	4.0	11.2	993	17.9	0.58	16.8	19.0	
1993	36	13.3	2.28	9.2	18.6	952	16.9	0.56	15.9	18.1	
1994	22	8.6	1.97	5.2	13.3	1,041	18.0	0.57	16.9	19.2	
1995	40	16.1	2.70	11.3	22.2	1,176	20.3	0.60	19.2	21.6	
1996	45	14.1	2.30	10.0	19.4	1,304	22.4	0.63	21.2	23.7	
1997	42	13.6	2.22	9.6	18.7	1,437	24.4	0.65	23.2	25.7	
1998	49	16.0	2.50	11.5	21.6	1,665	28.1	0.69	26.7	29.5	
1999	61	19.3	2.67	14.4	25.2	1,663	27.6	0.68	26.3	28.9	
2000	73	18.6	2.24	14.4	23.5	1,871	30.9	0.72	29.6	32.4	
2001	89	21.9	2.54	17.2	27.4	1,911	31.4	0.72	30.0	32.8	
2002	84	18.0	2.11	14.1	22.7	1,809	29.3	0.69	27.9	30.7	
2003	89	22.1	2.54	17.4	27.6	1,800	28.9	0.68	27.6	30.3	
2004	91	20.0	2.27	15.8	24.9	1,961	31.2	0.71	29.8	32.6	
2005	125	25.6	2.42	21.0	30.7	1,974	31.2	0.71	29.8	32.6	
2006	88	17.8	2.04	14.1	22.3	2,054	32.3	0.72	30.9	33.7	
2007	131	24.3	2.25	20.1	29.1	2,194	34.1	0.74	32.7	35.6	
2008	110	19.8	2.01	16.0	24.1	2,197	33.9	0.73	32.5	35.4	
2009	133	22.6	2.07	18.7	27.0	2,367	36.3	0.76	34.9	37.9	
2010	130	20.6	1.90	17.0	24.6	2,266	34.5	0.74	33.1	36.0	
2011	179	26.5	2.08	22.6	30.9	2,298	34.5	0.74	33.1	36.0	
2012	156	24.3	2.07	20.5	28.7	2,392	35.9	0.75	34.4	37.4	
2013	183	26.4	2.05	22.6	30.8	2,401	35.9	0.75	34.5	37.4	
2014	174	23.7	1.87	20.2	27.6	2,308	34.1	0.73	32.7	35.5	
2015	187	24.6	1.86	21.1	28.5	2,276	33.7	0.73	32.3	35.1	
2016	192	25.2	1.89	21.6	29.2	2,255	33.3	0.73	31.9	34.8	
2017	181	22.7	1.75	19.4	26.4	2,290	33.5	0.73	32.1	34.9	
2018	200	23.4	1.70	20.2	27.0	2,129	31.5	0.72	30.1	33.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2018

Female Breast In situ										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	43,020	29.3	0.14	29.0	29.6	7,262	27.3	0.32	26.7	28.0
1990	701	15.3	0.59	14.1	16.5	54	7.7	1.06	5.7	10.0
1991	812	17.5	0.63	16.3	18.8	73	10.8	1.28	8.4	13.6
1992	891	19.0	0.65	17.8	20.4	83	11.3	1.25	9.0	14.0
1993	835	17.8	0.63	16.6	19.1	98	12.8	1.31	10.4	15.6
1994	915	18.9	0.64	17.7	20.2	102	13.2	1.32	10.7	16.0
1995	1,030	21.3	0.67	20.0	22.7	113	14.4	1.36	11.9	17.3
1996	1,103	22.8	0.70	21.4	24.2	150	19.2	1.58	16.2	22.5
1997	1,232	25.2	0.73	23.8	26.6	154	19.0	1.54	16.1	22.2
1998	1,438	29.3	0.78	27.8	30.9	166	20.1	1.57	17.2	23.5
1999	1,414	28.4	0.76	26.9	29.9	169	20.3	1.57	17.3	23.6
2000	1,605	32.3	0.81	30.8	34.0	178	20.8	1.57	17.9	24.1
2001	1,612	32.3	0.81	30.8	34.0	223	25.4	1.71	22.1	28.9
2002	1,536	30.4	0.78	28.9	31.9	213	23.8	1.64	20.7	27.2
2003	1,499	29.5	0.77	28.1	31.1	226	24.7	1.65	21.5	28.1
2004	1,611	31.7	0.80	30.1	33.3	278	30.5	1.84	27.0	34.3
2005	1,622	31.6	0.79	30.0	33.2	269	29.3	1.80	25.9	33.1
2006	1,695	33.2	0.82	31.6	34.8	294	30.8	1.81	27.4	34.6
2007	1,782	34.4	0.83	32.8	36.1	307	32.3	1.86	28.7	36.1
2008	1,785	34.3	0.83	32.7	36.0	321	32.9	1.85	29.4	36.7
2009	1,919	36.9	0.86	35.2	38.6	335	33.9	1.87	30.3	37.8
2010	1,809	34.9	0.84	33.2	36.5	341	33.5	1.84	30.0	37.3
2011	1,828	34.8	0.84	33.2	36.5	365	35.4	1.88	31.8	39.2
2012	1,858	35.3	0.85	33.7	37.0	410	39.5	1.98	35.7	43.5
2013	1,866	35.5	0.85	33.9	37.3	411	39.7	1.99	35.9	43.8
2014	1,787	33.8	0.83	32.2	35.5	390	36.2	1.87	32.6	40.0
2015	1,764	33.4	0.83	31.8	35.1	371	34.2	1.81	30.7	38.0
2016	1,770	33.8	0.85	32.2	35.5	365	33.4	1.79	30.0	37.1
2017	1,725	32.7	0.84	31.1	34.4	415	37.3	1.88	33.7	41.2
2018	1,576	30.4	0.82	28.9	32.1	388	35.3	1.85	31.8	39.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

SECTION III
Pediatric Cancer Incidence
Illinois, 1986-2018

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

All Sites											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	12,911	151.2	1.33	148.6	153.9	19,026	166.7	1.21	164.3	169.1	
1986	335	131.7	7.21	117.9	146.6	488	141.6	6.42	129.3	154.7	
1987	372	147.2	7.65	132.6	163.0	540	158.1	6.81	145.0	172.0	
1988	356	141.3	7.50	127.0	156.8	520	153.5	6.74	140.6	167.3	
1989	345	136.2	7.35	122.2	151.4	495	146.9	6.61	134.2	160.4	
1990	304	120.6	6.93	107.4	135.0	454	136.5	6.42	124.3	149.7	
1991	353	136.5	7.28	122.6	151.5	487	144.6	6.57	132.0	158.1	
1992	334	128.8	7.06	115.3	143.4	468	139.1	6.44	126.7	152.3	
1993	339	127.2	6.92	113.9	141.5	494	144.2	6.51	131.7	157.5	
1994	378	142.3	7.33	128.3	157.4	520	150.5	6.62	137.8	164.1	
1995	418	155.8	7.63	141.2	171.5	566	161.3	6.79	148.2	175.1	
1996	379	140.7	7.23	126.8	155.6	538	151.9	6.56	139.4	165.4	
1997	402	148.8	7.42	134.6	164.0	572	160.3	6.71	147.4	174.0	
1998	383	141.9	7.26	128.1	156.9	554	154.6	6.57	142.0	168.1	
1999	407	150.4	7.46	136.2	165.8	590	164.1	6.76	151.1	177.9	
2000	356	131.4	6.97	118.1	145.8	548	152.2	6.50	139.7	165.5	
2001	415	153.1	7.52	138.7	168.5	595	165.0	6.77	152.0	178.9	
2002	415	153.7	7.55	139.3	169.3	584	162.5	6.73	149.6	176.3	
2003	371	138.1	7.17	124.4	152.9	573	160.1	6.69	147.2	173.7	
2004	433	161.8	7.78	146.9	177.8	616	171.9	6.93	158.6	186.1	
2005	425	160.4	7.78	145.5	176.4	615	172.3	6.95	158.9	186.5	
2006	401	152.9	7.64	138.3	168.6	594	167.1	6.86	153.9	181.1	
2007	406	155.5	7.72	140.7	171.4	629	176.8	7.05	163.3	191.2	
2008	402	154.6	7.71	139.9	170.5	631	177.6	7.07	164.0	192.0	
2009	388	150.0	7.62	135.4	165.7	610	172.4	6.99	159.0	186.7	
2010	420	163.2	7.96	148.0	179.6	637	181.5	7.19	167.6	196.1	
2011	423	165.8	8.06	150.4	182.4	637	183.4	7.27	169.4	198.2	
2012	399	157.9	7.90	142.8	174.2	600	174.9	7.14	161.2	189.5	
2013	440	176.0	8.39	160.0	193.3	647	191.2	7.52	176.8	206.5	
2014	420	169.9	8.29	154.0	186.9	644	192.6	7.59	178.0	208.1	
2015	409	167.2	8.27	151.4	184.2	632	191.0	7.60	176.4	206.5	
2016	442	182.6	8.69	166.0	200.5	671	205.0	7.92	189.8	221.1	
2017	411	172.0	8.49	155.8	189.5	637	196.8	7.80	181.8	212.7	
2018	430	182.1	8.78	165.3	200.1	640	200.1	7.91	184.9	216.2	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Leukemia											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	4,122	48.2	0.75	46.7	49.7	5,006	43.8	0.62	42.6	45.0	
1986	85	33.1	3.60	26.4	41.0	106	30.7	2.98	25.1	37.1	
1987	128	50.4	4.46	42.0	60.0	152	44.6	3.62	37.8	52.3	
1988	96	37.8	3.87	30.6	46.2	113	33.3	3.13	27.4	40.0	
1989	99	38.8	3.90	31.5	47.2	112	32.9	3.11	27.1	39.6	
1990	89	34.9	3.70	28.0	43.0	115	34.1	3.19	28.2	41.0	
1991	113	43.8	4.13	36.1	52.7	137	40.4	3.46	33.9	47.8	
1992	105	40.5	3.96	33.1	49.0	120	35.1	3.21	29.1	42.0	
1993	100	37.3	3.74	30.4	45.4	131	37.8	3.31	31.5	44.8	
1994	118	44.5	4.10	36.8	53.2	134	38.2	3.31	32.0	45.3	
1995	142	52.1	4.38	43.9	61.5	163	45.4	3.56	38.6	52.9	
1996	102	37.5	3.72	30.6	45.5	120	33.3	3.05	27.6	39.9	
1997	117	43.0	3.98	35.6	51.5	146	40.5	3.36	34.2	47.7	
1998	109	39.9	3.83	32.8	48.2	124	34.1	3.07	28.4	40.7	
1999	132	48.6	4.23	40.7	57.6	163	45.1	3.53	38.4	52.6	
2000	118	43.5	4.00	36.0	52.1	153	42.4	3.42	35.9	49.6	
2001	147	54.5	4.49	46.0	64.0	179	49.7	3.72	42.7	57.6	
2002	131	48.7	4.25	40.7	57.8	153	42.6	3.44	36.1	49.9	
2003	135	50.5	4.35	42.3	59.8	164	45.9	3.59	39.2	53.5	
2004	155	57.9	4.65	49.2	67.8	190	53.1	3.85	45.8	61.2	
2005	130	48.9	4.29	40.9	58.1	160	44.9	3.55	38.2	52.4	
2006	139	53.1	4.50	44.6	62.7	163	46.3	3.63	39.5	54.0	
2007	127	48.9	4.34	40.7	58.2	153	43.6	3.53	37.0	51.1	
2008	144	55.4	4.62	46.8	65.3	178	50.7	3.80	43.5	58.7	
2009	134	51.7	4.46	43.3	61.2	163	46.5	3.65	39.7	54.3	
2010	145	56.3	4.67	47.5	66.2	179	51.4	3.84	44.1	59.5	
2011	143	56.0	4.68	47.2	66.0	176	51.1	3.85	43.8	59.2	
2012	141	55.8	4.70	46.9	65.8	172	50.5	3.85	43.2	58.6	
2013	134	53.6	4.63	44.9	63.4	166	49.3	3.83	42.1	57.4	
2014	136	55.0	4.72	46.1	65.1	177	53.1	3.99	45.6	61.6	
2015	128	52.4	4.63	43.7	62.3	154	46.9	3.78	39.8	54.9	
2016	135	55.9	4.81	46.9	66.1	161	49.6	3.91	42.2	57.9	
2017	129	54.0	4.76	45.1	64.2	160	49.8	3.94	42.4	58.1	
2018	136	57.6	4.94	48.3	68.2	169	53.2	4.09	45.4	61.8	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Lymphoid leukemia											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	3,206	37.5	0.66	36.2	38.8	3,706	32.4	0.53	31.4	33.5	
1986	66	25.6	3.15	19.8	32.6	77	22.3	2.54	17.6	27.8	
1987	107	42.1	4.07	34.5	50.9	123	36.1	3.26	30.0	43.1	
1988	79	31.0	3.49	24.5	38.6	88	25.8	2.75	20.7	31.8	
1989	83	32.5	3.57	25.9	40.3	90	26.4	2.78	21.2	32.5	
1990	68	26.8	3.26	20.8	34.0	82	24.4	2.70	19.4	30.3	
1991	81	31.4	3.49	24.9	39.0	96	28.2	2.89	22.9	34.5	
1992	88	34.0	3.63	27.3	41.9	97	28.3	2.88	23.0	34.6	
1993	79	29.5	3.32	23.3	36.8	99	28.4	2.86	23.1	34.6	
1994	88	33.3	3.55	26.7	41.0	96	27.4	2.80	22.2	33.5	
1995	127	46.4	4.13	38.7	55.3	139	38.4	3.26	32.2	45.3	
1996	83	30.5	3.35	24.3	37.8	95	26.3	2.70	21.3	32.2	
1997	93	34.0	3.53	27.5	41.7	113	31.2	2.94	25.7	37.6	
1998	81	29.6	3.29	23.5	36.8	91	25.0	2.62	20.1	30.7	
1999	97	35.7	3.62	28.9	43.5	115	31.8	2.96	26.2	38.1	
2000	95	35.0	3.59	28.3	42.8	116	32.1	2.98	26.5	38.5	
2001	113	41.9	3.94	34.5	50.4	134	37.3	3.22	31.2	44.1	
2002	101	37.6	3.74	30.6	45.7	115	32.1	2.99	26.5	38.5	
2003	111	41.6	3.95	34.2	50.1	127	35.6	3.16	29.7	42.4	
2004	113	42.3	3.98	34.9	50.9	133	37.2	3.23	31.2	44.1	
2005	99	37.3	3.75	30.3	45.4	121	34.0	3.09	28.2	40.6	
2006	114	43.6	4.08	35.9	52.4	128	36.4	3.22	30.4	43.3	
2007	93	35.9	3.72	29.0	44.0	109	31.2	2.99	25.6	37.6	
2008	110	42.3	4.04	34.8	51.0	132	37.6	3.28	31.5	44.6	
2009	104	40.1	3.93	32.7	48.6	116	33.2	3.09	27.5	39.9	
2010	115	44.7	4.17	36.9	53.6	124	35.9	3.22	29.9	42.8	
2011	113	44.3	4.16	36.5	53.2	129	37.6	3.31	31.4	44.6	
2012	113	44.7	4.20	36.8	53.7	128	37.7	3.33	31.4	44.8	
2013	106	42.4	4.12	34.7	51.3	124	36.9	3.31	30.7	44.0	
2014	92	37.2	3.88	30.0	45.6	109	32.8	3.14	26.9	39.6	
2015	96	39.4	4.02	31.9	48.1	109	33.3	3.19	27.3	40.2	
2016	104	43.1	4.23	35.2	52.2	119	36.7	3.37	30.4	44.0	
2017	90	37.7	3.98	30.3	46.4	107	33.4	3.23	27.3	40.3	
2018	104	44.2	4.33	36.1	53.6	125	39.5	3.53	32.8	47.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Acute myeloid leukemia											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	582	6.8	0.28	6.3	7.4	831	7.3	0.25	6.8	7.8	
1986	9	3.5	1.18	1.6	6.7	15	4.3	1.12	2.4	7.1	
1987	15	6.0	1.55	3.4	9.9	17	5.1	1.23	2.9	8.1	
1988	12	4.9	1.42	2.5	8.6	15	4.6	1.18	2.6	7.5	
1989	8	3.2	1.12	1.4	6.2	14	4.2	1.11	2.3	7.0	
1990	14	5.4	1.45	3.0	9.1	21	6.2	1.36	3.8	9.5	
1991	19	7.4	1.70	4.4	11.5	26	7.8	1.52	5.1	11.4	
1992	14	5.3	1.43	2.9	9.0	18	5.3	1.24	3.1	8.3	
1993	16	6.0	1.51	3.4	9.8	23	6.7	1.40	4.3	10.1	
1994	20	7.4	1.67	4.5	11.5	26	7.4	1.46	4.9	10.9	
1995	14	5.3	1.42	2.9	8.9	20	5.8	1.29	3.5	8.9	
1996	17	6.2	1.51	3.6	10.0	23	6.4	1.34	4.1	9.7	
1997	13	4.9	1.35	2.6	8.3	21	5.9	1.30	3.7	9.1	
1998	22	8.2	1.74	5.1	12.4	26	7.2	1.42	4.7	10.6	
1999	23	8.5	1.78	5.4	12.8	32	8.9	1.58	6.1	12.6	
2000	20	7.4	1.65	4.5	11.4	31	8.6	1.55	5.9	12.2	
2001	23	8.5	1.77	5.4	12.7	32	8.9	1.57	6.1	12.5	
2002	18	6.6	1.56	3.9	10.5	24	6.7	1.36	4.3	9.9	
2003	17	6.3	1.53	3.7	10.1	25	7.0	1.40	4.5	10.3	
2004	28	10.4	1.97	6.9	15.1	36	10.0	1.67	7.0	13.9	
2005	23	8.6	1.80	5.5	13.0	26	7.3	1.43	4.8	10.7	
2006	18	6.9	1.63	4.1	10.9	23	6.5	1.36	4.1	9.8	
2007	25	9.5	1.91	6.2	14.1	31	8.8	1.58	6.0	12.5	
2008	21	8.1	1.77	5.0	12.4	28	8.0	1.50	5.3	11.5	
2009	23	8.9	1.86	5.6	13.4	29	8.3	1.54	5.6	11.9	
2010	15	5.8	1.50	3.2	9.6	34	9.5	1.64	6.6	13.3	
2011	16	6.3	1.57	3.6	10.2	26	7.5	1.46	4.9	10.9	
2012	16	6.3	1.58	3.6	10.3	26	7.6	1.48	4.9	11.1	
2013	13	5.2	1.45	2.8	8.9	25	7.4	1.47	4.8	10.9	
2014	18	7.3	1.71	4.3	11.5	33	9.8	1.71	6.8	13.8	
2015	14	5.7	1.53	3.1	9.6	21	6.4	1.39	3.9	9.7	
2016	22	9.1	1.93	5.7	13.7	30	9.2	1.68	6.2	13.1	
2017	24	10.0	2.04	6.4	14.9	35	10.8	1.83	7.5	15.0	
2018	12	5.0	1.45	2.6	8.8	19	5.9	1.35	3.5	9.2	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Lymphoma and reticuloendothelial neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	1,498	17.7	0.46	16.8	18.7	2,976	26.2	0.48	25.3	27.2
1986	49	19.9	2.84	14.7	26.3	87	25.6	2.74	20.5	31.5
1987	45	18.2	2.71	13.3	24.3	89	26.2	2.78	21.0	32.2
1988	48	19.7	2.84	14.5	26.1	99	29.6	2.98	24.0	36.0
1989	41	16.9	2.64	12.1	22.9	82	24.9	2.75	19.8	30.9
1990	33	13.5	2.35	9.3	18.9	74	22.8	2.65	17.9	28.6
1991	37	14.8	2.44	10.4	20.4	69	21.2	2.56	16.5	26.9
1992	40	15.8	2.50	11.3	21.5	72	22.0	2.60	17.2	27.7
1993	42	16.1	2.50	11.6	21.8	80	24.1	2.70	19.1	30.0
1994	45	17.4	2.59	12.7	23.2	80	23.8	2.67	18.9	29.7
1995	34	13.1	2.25	9.1	18.3	73	21.6	2.53	16.9	27.1
1996	51	19.3	2.70	14.4	25.4	99	28.5	2.87	23.2	34.7
1997	48	18.1	2.61	13.3	24.0	103	29.4	2.89	24.0	35.6
1998	52	19.6	2.72	14.6	25.7	98	27.7	2.80	22.5	33.7
1999	50	18.6	2.63	13.8	24.5	89	24.9	2.64	20.0	30.7
2000	30	11.1	2.03	7.5	15.9	79	22.1	2.48	17.5	27.5
2001	41	15.2	2.37	10.9	20.5	80	22.3	2.49	17.7	27.7
2002	45	16.7	2.49	12.2	22.3	83	23.2	2.54	18.5	28.7
2003	44	16.4	2.47	11.9	22.0	85	23.8	2.58	19.0	29.4
2004	39	14.5	2.33	10.3	19.9	80	22.3	2.49	17.7	27.7
2005	38	14.3	2.32	10.1	19.6	79	22.0	2.47	17.4	27.4
2006	37	14.2	2.34	10.0	19.6	88	24.6	2.62	19.7	30.3
2007	48	18.3	2.65	13.5	24.3	105	29.2	2.85	23.9	35.3
2008	39	15.0	2.41	10.7	20.5	89	24.8	2.63	19.9	30.5
2009	37	14.3	2.35	10.1	19.7	82	22.9	2.53	18.2	28.4
2010	41	15.9	2.49	11.4	21.6	99	27.8	2.79	22.6	33.8
2011	42	16.5	2.54	11.9	22.2	92	26.2	2.73	21.1	32.1
2012	51	20.2	2.83	15.0	26.5	90	26.1	2.75	21.0	32.1
2013	65	25.9	3.22	20.0	33.1	116	34.1	3.16	28.2	40.9
2014	62	25.0	3.18	19.2	32.1	107	31.9	3.08	26.1	38.5
2015	55	22.4	3.02	16.9	29.2	116	34.8	3.23	28.8	41.7
2016	55	22.7	3.06	17.1	29.5	106	32.2	3.13	26.3	38.9
2017	57	23.8	3.15	18.0	30.8	103	31.7	3.12	25.9	38.4
2018	57	24.0	3.18	18.2	31.2	103	32.0	3.15	26.1	38.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Hodgkin lymphoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	477	5.7	0.26	5.2	6.2	1,468	12.9	0.34	12.3	13.6	
1986	16	6.7	1.68	3.8	10.8	42	12.3	1.91	8.9	16.7	
1987	17	7.1	1.71	4.1	11.3	51	15.0	2.10	11.2	19.7	
1988	14	5.9	1.59	3.2	9.9	56	16.7	2.23	12.6	21.7	
1989	13	5.5	1.52	2.9	9.3	40	12.2	1.93	8.7	16.6	
1990	14	5.9	1.59	3.3	9.9	47	14.6	2.13	10.8	19.4	
1991	11	4.6	1.37	2.3	8.1	34	10.7	1.84	7.4	14.9	
1992	13	5.3	1.47	2.8	9.0	35	11.0	1.86	7.6	15.2	
1993	17	6.7	1.64	3.9	10.8	46	14.2	2.10	10.4	18.9	
1994	12	4.7	1.36	2.4	8.2	36	11.0	1.83	7.7	15.2	
1995	11	4.3	1.31	2.2	7.7	36	10.8	1.80	7.6	14.9	
1996	18	6.9	1.63	4.1	10.9	52	15.2	2.10	11.3	19.9	
1997	18	6.9	1.63	4.1	10.9	57	16.4	2.17	12.4	21.2	
1998	17	6.5	1.57	3.8	10.4	47	13.4	1.95	9.8	17.8	
1999	14	5.3	1.41	2.9	8.8	40	11.3	1.78	8.1	15.3	
2000	8	3.0	1.06	1.3	5.9	46	12.9	1.90	9.4	17.2	
2001	16	5.9	1.48	3.4	9.6	41	11.4	1.79	8.2	15.5	
2002	19	7.0	1.61	4.2	11.0	41	11.5	1.79	8.2	15.5	
2003	14	5.2	1.38	2.8	8.7	43	12.0	1.83	8.7	16.2	
2004	15	5.6	1.44	3.1	9.2	44	12.2	1.84	8.9	16.4	
2005	17	6.4	1.55	3.7	10.2	47	13.0	1.90	9.6	17.3	
2006	10	3.9	1.23	1.9	7.1	44	12.2	1.84	8.9	16.4	
2007	16	6.1	1.52	3.5	9.9	50	13.8	1.95	10.2	18.2	
2008	19	7.3	1.67	4.4	11.4	55	15.2	2.05	11.4	19.8	
2009	12	4.6	1.34	2.4	8.1	43	11.9	1.81	8.6	16.0	
2010	15	5.8	1.51	3.3	9.6	53	14.8	2.03	11.1	19.3	
2011	6	2.3	0.96	0.9	5.1	32	9.0	1.58	6.1	12.7	
2012	12	4.7	1.37	2.4	8.3	30	8.6	1.57	5.8	12.3	
2013	17	6.8	1.64	3.9	10.8	47	13.7	1.99	10.0	18.2	
2014	14	5.6	1.50	3.1	9.4	40	11.8	1.87	8.4	16.1	
2015	14	5.7	1.52	3.1	9.5	58	17.2	2.26	13.1	22.3	
2016	14	5.8	1.54	3.2	9.7	42	12.7	1.95	9.1	17.1	
2017	12	5.0	1.44	2.6	8.7	40	12.2	1.92	8.7	16.6	
2018	22	9.2	1.97	5.8	14.0	53	16.3	2.24	12.2	21.4	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Non-Hodgkin lymphoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	750	8.9	0.32	8.3	9.5	1,219	10.8	0.31	10.2	11.4	
1986	25	10.1	2.02	6.5	14.9	37	10.9	1.80	7.7	15.1	
1987	20	8.1	1.80	4.9	12.4	30	8.9	1.62	6.0	12.7	
1988	26	10.7	2.10	7.0	15.6	35	10.6	1.80	7.4	14.8	
1989	21	8.6	1.88	5.3	13.2	35	10.7	1.80	7.4	14.8	
1990	18	7.2	1.70	4.3	11.4	26	7.9	1.54	5.1	11.5	
1991	20	8.0	1.80	4.9	12.4	29	8.9	1.65	5.9	12.7	
1992	23	9.0	1.88	5.7	13.5	33	9.9	1.73	6.8	13.9	
1993	21	8.0	1.75	4.9	12.2	30	8.8	1.61	5.9	12.6	
1994	25	9.7	1.94	6.3	14.3	36	10.7	1.78	7.5	14.8	
1995	15	5.9	1.51	3.3	9.6	29	8.6	1.60	5.8	12.3	
1996	22	8.4	1.78	5.2	12.6	36	10.4	1.73	7.3	14.3	
1997	20	7.5	1.69	4.6	11.6	36	10.3	1.71	7.2	14.2	
1998	29	10.9	2.03	7.3	15.7	45	12.7	1.89	9.3	17.0	
1999	26	9.6	1.89	6.3	14.1	39	10.9	1.74	7.7	14.9	
2000	19	7.0	1.61	4.2	11.0	30	8.4	1.52	5.6	11.9	
2001	21	7.8	1.70	4.8	11.9	35	9.7	1.65	6.8	13.6	
2002	25	9.3	1.86	6.0	13.7	41	11.4	1.79	8.2	15.5	
2003	28	10.5	1.98	7.0	15.1	40	11.2	1.77	8.0	15.3	
2004	20	7.5	1.67	4.6	11.6	32	8.9	1.58	6.1	12.6	
2005	19	7.2	1.65	4.3	11.2	30	8.4	1.53	5.7	12.0	
2006	21	8.0	1.75	5.0	12.3	37	10.4	1.71	7.3	14.3	
2007	29	11.1	2.06	7.4	15.9	52	14.5	2.02	10.9	19.1	
2008	19	7.4	1.69	4.4	11.5	33	9.3	1.62	6.4	13.1	
2009	20	7.7	1.73	4.7	11.9	34	9.6	1.64	6.6	13.4	
2010	18	7.0	1.64	4.1	11.0	38	10.7	1.73	7.6	14.7	
2011	19	7.5	1.71	4.5	11.7	41	11.7	1.83	8.4	15.9	
2012	27	10.7	2.06	7.0	15.6	45	13.1	1.95	9.5	17.5	
2013	26	10.4	2.03	6.8	15.2	46	13.5	1.99	9.9	18.0	
2014	29	11.7	2.17	7.8	16.8	45	13.4	2.00	9.8	18.0	
2015	21	8.6	1.87	5.3	13.1	36	10.8	1.81	7.6	15.0	
2016	31	12.8	2.30	8.7	18.2	52	15.8	2.20	11.8	20.8	
2017	28	11.7	2.21	7.8	16.9	44	13.6	2.05	9.9	18.2	
2018	19	8.0	1.83	4.8	12.5	32	9.9	1.76	6.8	14.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

CNS and misc intracranial and intraspinal neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	2,626	30.9	0.60	29.7	32.1	3,215	28.3	0.50	27.3	29.3
1986	69	27.4	3.31	21.3	34.7	88	25.9	2.76	20.7	31.9
1987	63	25.2	3.17	19.3	32.2	78	23.1	2.62	18.3	28.8
1988	83	32.9	3.62	26.2	40.8	98	29.0	2.93	23.5	35.4
1989	78	31.2	3.54	24.7	39.0	92	27.6	2.88	22.2	33.8
1990	72	29.0	3.42	22.6	36.5	84	25.4	2.77	20.2	31.4
1991	76	29.6	3.41	23.3	37.1	89	26.3	2.79	21.1	32.4
1992	70	27.7	3.32	21.6	35.0	83	24.9	2.73	19.8	30.8
1993	63	23.9	3.02	18.4	30.6	81	23.6	2.63	18.7	29.3
1994	85	32.1	3.49	25.6	39.7	102	29.3	2.90	23.9	35.6
1995	90	34.1	3.60	27.4	41.9	109	31.3	3.00	25.7	37.7
1996	91	33.9	3.56	27.3	41.6	109	30.7	2.94	25.2	37.0
1997	81	30.2	3.35	23.9	37.5	96	26.9	2.75	21.8	32.8
1998	86	31.9	3.44	25.5	39.4	115	32.1	3.00	26.5	38.6
1999	77	28.4	3.23	22.4	35.5	98	27.2	2.74	22.0	33.1
2000	74	27.3	3.17	21.4	34.3	90	24.9	2.63	20.0	30.6
2001	80	29.6	3.30	23.4	36.8	96	26.6	2.72	21.5	32.5
2002	80	29.7	3.32	23.5	36.9	100	27.8	2.78	22.7	33.9
2003	55	20.6	2.78	15.5	26.8	74	20.8	2.41	16.3	26.1
2004	88	33.2	3.55	26.7	41.0	106	29.9	2.90	24.5	36.1
2005	94	35.7	3.68	28.8	43.7	119	33.6	3.08	27.8	40.2
2006	87	33.2	3.56	26.6	40.9	106	30.0	2.91	24.6	36.3
2007	83	31.9	3.50	25.4	39.5	100	28.5	2.85	23.2	34.6
2008	69	26.7	3.21	20.8	33.8	85	24.3	2.64	19.4	30.1
2009	73	28.4	3.32	22.2	35.7	91	26.1	2.74	21.0	32.1
2010	82	31.9	3.52	25.4	39.6	104	29.9	2.93	24.4	36.2
2011	93	36.5	3.78	29.4	44.7	113	32.8	3.09	27.1	39.5
2012	76	30.1	3.45	23.7	37.6	96	28.1	2.87	22.8	34.4
2013	89	35.6	3.78	28.6	43.9	98	29.3	2.96	23.8	35.7
2014	94	38.1	3.93	30.8	46.6	117	35.2	3.26	29.1	42.2
2015	80	32.8	3.67	26.0	40.8	98	29.9	3.02	24.2	36.4
2016	86	35.6	3.84	28.5	44.0	101	31.1	3.10	25.4	37.8
2017	64	26.8	3.36	20.7	34.3	84	26.1	2.85	20.8	32.3
2018	95	40.3	4.13	32.6	49.3	115	36.2	3.38	29.9	43.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Ependymoma and choroid plexus tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	246	2.9	0.18	2.5	3.3	289	2.5	0.15	2.2	2.8
1986	5	1.9	0.86	0.6	4.5	5	1.4	0.64	0.5	3.4
1987	5	2.0	0.88	0.6	4.6	6	1.8	0.72	0.6	3.8
1988	5	1.9	0.85	0.6	4.5	5	1.4	0.64	0.5	3.4
1989	8	3.0	1.07	1.3	6.0	10	2.9	0.91	1.4	5.3
1990	5	1.9	0.86	0.6	4.5	6	1.7	0.71	0.6	3.8
1991	11	4.2	1.28	2.1	7.6	11	3.2	0.96	1.6	5.7
1992	11	4.3	1.30	2.1	7.7	11	3.2	0.97	1.6	5.8
1993	9	3.3	1.12	1.5	6.4	9	2.5	0.83	1.1	4.8
1994	10	3.6	1.14	1.7	6.7	12	3.3	0.96	1.7	5.8
1995	11	4.0	1.20	2.0	7.1	11	3.0	0.90	1.5	5.4
1996	10	3.6	1.15	1.7	6.7	12	3.3	0.95	1.7	5.8
1997	7	2.6	0.98	1.0	5.3	7	1.9	0.73	0.8	4.0
1998	7	2.6	0.97	1.0	5.3	9	2.5	0.83	1.1	4.7
1999	11	4.0	1.21	2.0	7.2	14	3.9	1.03	2.1	6.5
2000	10	3.7	1.17	1.8	6.8	11	3.0	0.92	1.5	5.4
2001	12	4.4	1.28	2.3	7.7	13	3.6	0.99	1.9	6.1
2002	4	1.5	0.74	0.4	3.8	5	1.4	0.62	0.5	3.3
2003	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6
2004	11	4.2	1.25	2.1	7.4	15	4.2	1.09	2.4	7.0
2005	8	3.1	1.09	1.3	6.0	12	3.4	0.98	1.8	5.9
2006	3	1.2	0.66	0.2	3.4	7	2.0	0.74	0.8	4.0
2007	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2008	8	3.1	1.09	1.3	6.1	9	2.6	0.86	1.2	4.9
2009	4	1.6	0.78	0.4	4.0	7	2.0	0.75	0.8	4.1
2010	7	2.7	1.03	1.1	5.6	7	2.0	0.77	0.8	4.2
2011	7	2.7	1.04	1.1	5.7	8	2.3	0.82	1.0	4.6
2012	7	2.8	1.05	1.1	5.7	9	2.6	0.88	1.2	5.0
2013	7	2.8	1.06	1.1	5.8	8	2.4	0.84	1.0	4.7
2014	12	4.9	1.40	2.5	8.5	13	3.9	1.09	2.1	6.7
2015	8	3.3	1.16	1.4	6.5	10	3.1	0.96	1.5	5.6
2016	4	1.7	0.82	0.5	4.2	5	1.5	0.69	0.5	3.6
2017	2	0.8	0.59	0.1	3.0	2	0.6	0.44	0.1	2.3
2018	9	3.8	1.27	1.7	7.2	9	2.9	0.95	1.3	5.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Astrocytoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	1,293	15.2	0.42	14.4	16.1	1,633	14.4	0.36	13.7	15.1	
1986	33	13.2	2.31	9.1	18.6	45	13.3	1.98	9.7	17.8	
1987	30	11.9	2.17	8.0	17.0	39	11.5	1.84	8.1	15.7	
1988	36	14.6	2.43	10.2	20.1	45	13.5	2.02	9.9	18.1	
1989	49	19.9	2.85	14.7	26.3	58	17.6	2.32	13.4	22.8	
1990	38	15.3	2.49	10.8	21.0	47	14.2	2.08	10.5	18.9	
1991	31	12.1	2.17	8.2	17.1	39	11.6	1.86	8.2	15.8	
1992	35	13.8	2.34	9.6	19.2	44	13.2	2.00	9.6	17.8	
1993	28	10.8	2.04	7.2	15.6	36	10.6	1.77	7.4	14.7	
1994	42	15.7	2.42	11.3	21.2	49	13.9	1.99	10.3	18.4	
1995	40	15.2	2.41	10.9	20.7	50	14.4	2.04	10.7	19.0	
1996	46	17.2	2.54	12.6	23.0	54	15.2	2.08	11.4	19.9	
1997	41	15.3	2.39	11.0	20.8	47	13.2	1.92	9.7	17.5	
1998	46	17.2	2.54	12.6	23.0	64	18.0	2.25	13.8	23.0	
1999	33	12.2	2.13	8.4	17.2	44	12.3	1.85	8.9	16.4	
2000	38	14.1	2.28	10.0	19.3	49	13.6	1.94	10.1	18.0	
2001	33	12.2	2.13	8.4	17.2	41	11.4	1.78	8.2	15.4	
2002	36	13.4	2.23	9.4	18.5	48	13.4	1.93	9.9	17.7	
2003	26	9.7	1.91	6.4	14.3	38	10.7	1.73	7.5	14.6	
2004	38	14.3	2.33	10.1	19.7	45	12.7	1.89	9.2	17.0	
2005	53	20.1	2.76	15.0	26.2	66	18.6	2.29	14.4	23.7	
2006	50	19.1	2.70	14.1	25.1	58	16.4	2.16	12.5	21.3	
2007	42	16.1	2.49	11.6	21.8	54	15.3	2.09	11.5	20.0	
2008	30	11.7	2.14	7.9	16.7	39	11.2	1.79	8.0	15.3	
2009	30	11.7	2.13	7.9	16.7	38	10.9	1.77	7.7	15.0	
2010	41	15.9	2.49	11.4	21.6	61	17.4	2.23	13.3	22.4	
2011	44	17.3	2.60	12.5	23.2	56	16.2	2.17	12.3	21.1	
2012	46	18.2	2.68	13.3	24.3	59	17.3	2.25	13.2	22.3	
2013	44	17.6	2.65	12.8	23.6	48	14.3	2.07	10.6	19.0	
2014	46	18.6	2.74	13.6	24.8	61	18.3	2.34	14.0	23.5	
2015	35	14.3	2.42	10.0	19.9	44	13.4	2.02	9.7	18.0	
2016	47	19.5	2.84	14.3	25.9	56	17.2	2.30	13.0	22.4	
2017	32	13.4	2.37	9.2	18.9	46	14.2	2.10	10.4	19.0	
2018	54	22.9	3.12	17.2	29.9	65	20.5	2.54	15.8	26.1	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Intracranial and intraspinal embryonal tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	585	6.9	0.28	6.3	7.4	673	5.9	0.23	5.5	6.4
1986	10	3.9	1.23	1.9	7.2	14	4.0	1.08	2.2	6.8
1987	17	6.8	1.65	4.0	10.9	17	5.1	1.23	3.0	8.1
1988	20	7.8	1.74	4.8	12.0	23	6.7	1.40	4.3	10.1
1989	7	2.7	1.03	1.1	5.6	8	2.3	0.83	1.0	4.6
1990	17	6.8	1.65	4.0	10.9	17	5.1	1.24	3.0	8.2
1991	14	5.5	1.48	3.0	9.2	17	5.1	1.23	3.0	8.1
1992	16	6.3	1.59	3.6	10.3	16	4.8	1.19	2.7	7.7
1993	14	5.3	1.42	2.9	8.9	19	5.6	1.28	3.3	8.7
1994	19	7.4	1.70	4.4	11.5	24	7.1	1.45	4.5	10.5
1995	20	7.6	1.70	4.6	11.7	25	7.2	1.44	4.7	10.6
1996	19	7.0	1.61	4.2	10.9	23	6.4	1.34	4.1	9.6
1997	19	7.0	1.61	4.2	10.9	21	5.8	1.27	3.6	8.9
1998	17	6.3	1.52	3.7	10.0	22	6.1	1.30	3.8	9.3
1999	17	6.3	1.52	3.6	10.0	20	5.5	1.23	3.4	8.5
2000	16	5.9	1.47	3.4	9.5	18	5.0	1.17	2.9	7.8
2001	17	6.3	1.52	3.7	10.0	21	5.8	1.27	3.6	8.9
2002	19	7.0	1.61	4.2	11.0	24	6.7	1.36	4.3	9.9
2003	18	6.8	1.60	4.0	10.7	21	5.9	1.29	3.7	9.1
2004	24	9.1	1.85	5.8	13.5	26	7.3	1.44	4.8	10.7
2005	17	6.5	1.57	3.8	10.4	19	5.4	1.24	3.2	8.4
2006	19	7.2	1.65	4.3	11.2	23	6.5	1.35	4.1	9.7
2007	22	8.4	1.79	5.3	12.7	24	6.8	1.39	4.4	10.2
2008	17	6.5	1.58	3.8	10.4	19	5.4	1.24	3.3	8.5
2009	16	6.2	1.56	3.6	10.1	20	5.7	1.28	3.5	8.9
2010	17	6.6	1.60	3.9	10.6	19	5.5	1.26	3.3	8.6
2011	23	9.0	1.88	5.7	13.5	27	7.9	1.51	5.2	11.4
2012	12	4.7	1.37	2.5	8.3	14	4.1	1.10	2.3	6.9
2013	21	8.4	1.84	5.2	12.9	24	7.2	1.46	4.6	10.7
2014	24	9.8	1.99	6.3	14.5	24	7.3	1.49	4.7	10.9
2015	19	7.8	1.79	4.7	12.2	21	6.4	1.40	4.0	9.8
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5
2017	19	8.0	1.83	4.8	12.5	20	6.3	1.40	3.8	9.7
2018	21	8.9	1.94	5.5	13.6	23	7.3	1.52	4.6	10.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Other glioma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	392	4.6	0.23	4.2	5.1	486	4.3	0.19	3.9	4.7	
1986	13	5.2	1.43	2.7	8.8	15	4.4	1.14	2.5	7.3	
1987	9	3.7	1.22	1.7	6.9	12	3.6	1.04	1.9	6.3	
1988	10	4.0	1.26	1.9	7.3	11	3.3	0.99	1.6	5.8	
1989	4	1.6	0.78	0.4	4.0	6	1.8	0.72	0.7	3.9	
1990	9	3.7	1.22	1.7	6.9	11	3.4	1.01	1.7	6.0	
1991	14	5.5	1.47	3.0	9.2	15	4.4	1.15	2.5	7.3	
1992	7	2.8	1.06	1.1	5.8	11	3.4	1.02	1.7	6.0	
1993	7	2.7	1.02	1.1	5.5	12	3.6	1.04	1.9	6.3	
1994	12	4.7	1.34	2.4	8.1	15	4.4	1.14	2.5	7.3	
1995	16	6.2	1.56	3.6	10.1	19	5.6	1.28	3.4	8.7	
1996	15	5.7	1.47	3.2	9.4	18	5.1	1.21	3.0	8.1	
1997	9	3.4	1.12	1.5	6.4	15	4.2	1.10	2.4	7.0	
1998	11	4.1	1.23	2.0	7.3	14	3.9	1.04	2.1	6.6	
1999	13	4.8	1.32	2.5	8.2	16	4.4	1.10	2.5	7.2	
2000	10	3.7	1.16	1.8	6.8	12	3.3	0.95	1.7	5.8	
2001	17	6.3	1.52	3.7	10.0	20	5.5	1.24	3.4	8.5	
2002	20	7.4	1.66	4.6	11.5	21	5.9	1.28	3.6	8.9	
2003	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7	
2004	9	3.5	1.16	1.6	6.6	14	4.0	1.07	2.2	6.7	
2005	12	4.6	1.33	2.4	8.0	18	5.1	1.20	3.0	8.1	
2006	13	5.0	1.38	2.7	8.5	15	4.3	1.11	2.4	7.1	
2007	13	5.0	1.39	2.7	8.6	13	3.8	1.04	2.0	6.4	
2008	12	4.6	1.34	2.4	8.1	14	4.0	1.07	2.2	6.7	
2009	20	7.8	1.74	4.7	12.0	21	6.1	1.33	3.8	9.3	
2010	15	5.9	1.51	3.3	9.7	15	4.4	1.13	2.5	7.2	
2011	16	6.3	1.57	3.6	10.2	19	5.5	1.27	3.3	8.7	
2012	6	2.4	0.97	0.9	5.2	9	2.6	0.87	1.2	5.0	
2013	14	5.6	1.49	3.1	9.4	15	4.5	1.15	2.5	7.4	
2014	11	4.5	1.34	2.2	8.0	17	5.1	1.23	3.0	8.2	
2015	18	7.4	1.74	4.4	11.7	22	6.7	1.43	4.2	10.1	
2016	16	6.6	1.66	3.8	10.8	19	5.9	1.34	3.5	9.1	
2017	10	4.2	1.34	2.0	7.8	13	4.1	1.13	2.2	7.0	
2018	7	3.0	1.12	1.2	6.1	13	4.1	1.12	2.2	6.9	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Neuroblastoma and other peripheral nervous cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	943	10.8	0.35	10.2	11.5	970	8.3	0.27	7.8	8.9
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	21	7.6	1.67	4.7	11.7	21	5.7	1.25	3.5	8.8
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	39	10.8	1.73	7.7	14.8
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	33	9.3	1.62	6.4	13.0
2006	18	6.9	1.62	4.1	10.9	19	5.4	1.25	3.3	8.5
2007	27	10.2	1.96	6.7	14.8	27	7.6	1.47	5.0	11.1
2008	23	8.8	1.83	5.6	13.2	24	6.8	1.40	4.4	10.2
2009	24	9.3	1.89	5.9	13.8	25	7.2	1.44	4.7	10.6
2010	37	14.4	2.37	10.1	19.9	39	11.3	1.81	8.1	15.5
2011	31	12.2	2.18	8.3	17.3	31	9.1	1.63	6.2	12.9
2012	19	7.6	1.73	4.5	11.8	20	5.9	1.33	3.6	9.2
2013	20	8.1	1.81	4.9	12.5	20	6.1	1.35	3.7	9.3
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	33	13.6	2.38	9.4	19.2	33	10.2	1.78	7.0	14.3
2017	23	9.7	2.02	6.1	14.5	24	7.5	1.54	4.8	11.2
2018	28	12.0	2.27	8.0	17.4	28	9.0	1.70	6.0	13.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Neuroblastoma and ganglioneuroblastoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	927	10.6	0.35	10.0	11.4	944	8.1	0.26	7.6	8.7	
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1	
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7	
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4	
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3	
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3	
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5	
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0	
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1	
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4	
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7	
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4	
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6	
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4	
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8	
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5	
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6	
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1	
2003	38	14.1	2.28	10.0	19.3	38	10.5	1.71	7.5	14.5	
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2	
2005	32	12.0	2.13	8.2	17.0	32	9.0	1.59	6.2	12.7	
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1	
2007	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8	
2008	22	8.4	1.79	5.3	12.7	22	6.3	1.34	3.9	9.5	
2009	23	8.9	1.85	5.6	13.3	23	6.6	1.38	4.2	10.0	
2010	36	14.0	2.34	9.8	19.4	38	11.0	1.79	7.8	15.2	
2011	30	11.8	2.15	7.9	16.8	30	8.8	1.61	5.9	12.6	
2012	18	7.2	1.69	4.2	11.3	19	5.6	1.29	3.4	8.8	
2013	19	7.7	1.76	4.6	12.0	19	5.8	1.32	3.5	9.0	
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0	
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6	
2016	33	13.6	2.38	9.4	19.2	33	10.2	1.78	7.0	14.3	
2017	23	9.7	2.02	6.1	14.5	24	7.5	1.54	4.8	11.2	
2018	28	12.0	2.27	8.0	17.4	28	9.0	1.70	6.0	13.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Retinoblastoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	337	3.9	0.21	3.5	4.3	337	2.9	0.16	2.6	3.2	
1986	10	3.8	1.20	1.8	7.0	10	2.8	0.90	1.4	5.2	
1987	9	3.4	1.15	1.6	6.5	9	2.6	0.86	1.2	4.9	
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.3	
1989	8	3.0	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4	
1990	10	3.6	1.15	1.8	6.8	10	2.7	0.86	1.3	5.1	
1991	7	2.5	0.95	1.0	5.2	7	1.9	0.71	0.8	3.9	
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9	
1993	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9	
1994	10	3.5	1.11	1.7	6.5	10	2.6	0.83	1.3	4.9	
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6	
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4	
1997	10	3.6	1.14	1.7	6.6	10	2.7	0.85	1.3	5.0	
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9	
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3	
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.67	0.6	3.6	
2001	12	4.3	1.25	2.2	7.6	12	3.3	0.94	1.7	5.7	
2002	15	5.5	1.43	3.1	9.1	15	4.1	1.07	2.3	6.8	
2003	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2	
2004	12	4.4	1.28	2.3	7.8	12	3.3	0.96	1.7	5.8	
2005	9	3.4	1.13	1.5	6.4	9	2.5	0.84	1.2	4.8	
2006	10	3.8	1.20	1.8	7.0	10	2.9	0.90	1.4	5.2	
2007	15	5.7	1.46	3.2	9.4	15	4.2	1.10	2.4	7.0	
2008	9	3.4	1.14	1.6	6.5	9	2.6	0.85	1.2	4.9	
2009	16	6.2	1.55	3.5	10.1	16	4.6	1.16	2.7	7.5	
2010	10	3.9	1.23	1.9	7.2	10	2.9	0.92	1.4	5.3	
2011	10	3.9	1.24	1.9	7.2	10	2.9	0.93	1.4	5.4	
2012	5	2.0	0.89	0.7	4.7	5	1.5	0.67	0.5	3.5	
2013	12	4.9	1.40	2.5	8.5	12	3.6	1.05	1.9	6.3	
2014	7	2.9	1.08	1.2	5.9	7	2.1	0.81	0.9	4.4	
2015	11	4.5	1.36	2.3	8.1	11	3.4	1.02	1.7	6.0	
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0	
2017	11	4.6	1.40	2.3	8.3	11	3.5	1.05	1.7	6.2	
2018	9	3.8	1.28	1.8	7.3	9	2.9	0.96	1.3	5.5	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Renal tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	709	8.2	0.31	7.6	8.8	754	6.5	0.24	6.1	7.0	
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5	
1987	29	11.1	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9	
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3	
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.6	
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9	
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8	
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5	
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.37	4.4	10.1	
1994	17	6.2	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8	
1995	22	7.9	1.68	4.9	11.9	22	5.9	1.26	3.7	8.9	
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3	
1997	32	11.5	2.04	7.9	16.3	34	9.2	1.58	6.4	12.9	
1998	22	8.0	1.71	5.0	12.2	24	6.6	1.34	4.2	9.8	
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1	
2000	27	9.9	1.91	6.5	14.5	29	8.0	1.48	5.4	11.5	
2001	20	7.4	1.65	4.5	11.4	20	5.5	1.23	3.4	8.5	
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6	
2003	21	7.8	1.69	4.8	11.9	24	6.7	1.36	4.3	9.9	
2004	16	6.0	1.49	3.4	9.7	18	5.0	1.18	3.0	7.9	
2005	20	7.6	1.69	4.6	11.7	22	6.2	1.32	3.9	9.4	
2006	20	7.6	1.70	4.6	11.7	23	6.5	1.36	4.1	9.8	
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1	
2008	20	7.7	1.71	4.7	11.8	23	6.6	1.37	4.2	9.8	
2009	26	10.0	1.96	6.5	14.7	31	8.8	1.59	6.0	12.6	
2010	19	7.4	1.69	4.4	11.5	20	5.8	1.29	3.5	8.9	
2011	19	7.5	1.72	4.5	11.7	21	6.2	1.34	3.8	9.4	
2012	24	9.5	1.94	6.1	14.2	26	7.7	1.51	5.0	11.3	
2013	19	7.6	1.75	4.6	11.9	22	6.6	1.40	4.1	10.0	
2014	13	5.3	1.46	2.8	9.0	14	4.2	1.13	2.3	7.1	
2015	19	7.8	1.79	4.7	12.2	20	6.1	1.37	3.8	9.5	
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7	
2017	34	14.3	2.45	9.9	20.0	35	11.0	1.86	7.7	15.3	
2018	14	5.9	1.59	3.3	10.0	17	5.4	1.30	3.1	8.6	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Nephroblastoma and other nonepithelial renal tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	680	7.9	0.30	7.3	8.5	697	6.0	0.23	5.6	6.5
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	24	8.8	1.79	5.6	13.1	24	6.6	1.34	4.2	9.8
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.04	2.2	6.6
1995	20	7.1	1.58	4.3	11.0	20	5.3	1.19	3.2	8.2
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	31	11.1	2.00	7.6	15.8	32	8.6	1.52	5.9	12.2
1998	21	7.7	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	26	9.6	1.87	6.2	14.0	26	7.2	1.40	4.7	10.5
2001	19	7.0	1.61	4.2	11.0	19	5.3	1.20	3.2	8.2
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	22	6.1	1.30	3.8	9.2
2004	12	4.5	1.29	2.3	7.8	12	3.4	0.97	1.7	5.9
2005	19	7.2	1.64	4.3	11.2	21	5.9	1.29	3.7	9.0
2006	18	6.8	1.61	4.1	10.8	19	5.4	1.24	3.3	8.4
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	18	6.9	1.62	4.1	10.9	18	5.2	1.22	3.1	8.2
2009	25	9.6	1.92	6.2	14.2	26	7.5	1.46	4.9	10.9
2010	19	7.4	1.69	4.4	11.5	19	5.5	1.26	3.3	8.6
2011	19	7.5	1.72	4.5	11.7	19	5.6	1.28	3.4	8.7
2012	24	9.5	1.94	6.1	14.2	25	7.4	1.48	4.8	10.9
2013	18	7.2	1.70	4.3	11.4	19	5.7	1.31	3.4	8.9
2014	12	4.9	1.41	2.5	8.5	12	3.7	1.05	1.9	6.4
2015	18	7.4	1.74	4.4	11.7	18	5.5	1.30	3.3	8.7
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7
2017	31	13.0	2.34	8.9	18.5	31	9.8	1.75	6.6	13.8
2018	13	5.5	1.53	2.9	9.5	16	5.1	1.26	2.9	8.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Hepatic tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	184	2.1	0.16	1.8	2.5	210	1.8	0.13	1.6	2.1	
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2	
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9	
1988	0					0					
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1	
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4	
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1	
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6	
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4	
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2	
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0	
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2	
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6	
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0	
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4	
2000	5	1.9	0.83	0.6	4.3	6	1.7	0.68	0.6	3.6	
2001	7	2.6	0.96	1.0	5.3	8	2.2	0.77	0.9	4.3	
2002	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8	
2003	7	2.6	0.98	1.0	5.3	8	2.2	0.78	1.0	4.4	
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2	
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1	
2006	3	1.1	0.65	0.2	3.3	4	1.1	0.56	0.3	2.9	
2007	4	1.5	0.77	0.4	3.9	6	1.7	0.69	0.6	3.7	
2008	6	2.3	0.93	0.8	5.0	7	2.0	0.75	0.8	4.1	
2009	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1	
2010	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3	
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6	
2012	10	4.0	1.25	1.9	7.3	10	3.0	0.94	1.4	5.4	
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6	
2014	10	4.1	1.28	2.0	7.5	11	3.3	1.00	1.7	6.0	
2015	6	2.5	1.00	0.9	5.3	7	2.1	0.81	0.9	4.4	
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0	
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7	
2018	5	2.1	0.96	0.7	5.0	7	2.2	0.83	0.9	4.6	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Hepatoblastoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	154	1.8	0.14	1.5	2.1	157	1.4	0.11	1.2	1.6	
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5	
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1	
1988	0					0					
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2	
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9	
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8	
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6	
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4	
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2	
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6	
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2	
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8	
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8	
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3	
2000	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8	
2001	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2	
2002	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0	
2003	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6	
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2	
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1	
2006	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1	
2007	4	1.5	0.77	0.4	3.9	4	1.2	0.57	0.3	2.9	
2008	4	1.5	0.76	0.4	3.9	4	1.1	0.57	0.3	2.9	
2009	5	1.9	0.87	0.6	4.5	5	1.5	0.65	0.5	3.4	
2010	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5	
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6	
2012	8	3.2	1.12	1.4	6.3	8	2.4	0.84	1.0	4.7	
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6	
2014	9	3.7	1.22	1.7	7.0	9	2.7	0.91	1.3	5.2	
2015	5	2.1	0.92	0.7	4.8	5	1.5	0.69	0.5	3.6	
2016	5	2.1	0.93	0.7	4.8	5	1.6	0.69	0.5	3.6	
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7	
2018	4	1.7	0.86	0.5	4.4	4	1.3	0.64	0.4	3.3	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Malignant bone tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	512	6.1	0.27	5.6	6.7	923	8.2	0.27	7.7	8.7	
1986	8	3.4	1.19	1.5	6.6	19	5.6	1.29	3.4	8.8	
1987	10	4.2	1.32	2.0	7.6	27	8.0	1.54	5.3	11.6	
1988	9	3.8	1.27	1.7	7.2	25	7.5	1.50	4.9	11.1	
1989	12	5.1	1.46	2.6	8.8	23	7.1	1.48	4.5	10.6	
1990	15	6.4	1.64	3.6	10.4	24	7.5	1.54	4.8	11.2	
1991	10	4.0	1.28	1.9	7.4	22	6.8	1.46	4.3	10.3	
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7	
1993	16	6.4	1.61	3.7	10.4	25	7.7	1.53	5.0	11.3	
1994	15	6.0	1.54	3.3	9.8	24	7.3	1.48	4.7	10.8	
1995	21	8.2	1.80	5.1	12.6	38	11.3	1.83	8.0	15.5	
1996	11	4.2	1.28	2.1	7.6	25	7.3	1.46	4.7	10.7	
1997	20	7.7	1.72	4.7	11.9	30	8.6	1.58	5.8	12.3	
1998	25	9.4	1.89	6.1	13.9	37	10.5	1.72	7.4	14.4	
1999	19	7.2	1.64	4.3	11.2	31	8.7	1.57	5.9	12.4	
2000	23	8.6	1.78	5.4	12.8	39	10.9	1.74	7.7	14.9	
2001	13	4.8	1.33	2.6	8.2	24	6.7	1.36	4.3	9.9	
2002	16	5.9	1.47	3.4	9.6	30	8.4	1.52	5.6	11.9	
2003	14	5.1	1.37	2.8	8.6	26	7.2	1.41	4.7	10.6	
2004	17	6.3	1.52	3.7	10.1	31	8.6	1.54	5.8	12.2	
2005	21	7.9	1.73	4.9	12.1	36	10.1	1.68	7.1	14.0	
2006	17	6.5	1.56	3.8	10.3	30	8.4	1.53	5.7	12.0	
2007	17	6.5	1.58	3.8	10.4	35	9.7	1.65	6.8	13.6	
2008	13	5.0	1.40	2.7	8.6	24	6.7	1.38	4.3	10.0	
2009	15	5.8	1.50	3.3	9.6	31	8.7	1.56	5.9	12.4	
2010	17	6.6	1.60	3.9	10.6	29	8.2	1.53	5.5	11.8	
2011	13	5.1	1.41	2.7	8.7	25	7.1	1.43	4.6	10.6	
2012	12	4.7	1.37	2.5	8.3	24	6.9	1.42	4.4	10.3	
2013	18	7.2	1.69	4.2	11.3	28	8.2	1.55	5.5	11.9	
2014	14	5.6	1.50	3.1	9.4	29	8.6	1.60	5.8	12.4	
2015	17	6.9	1.68	4.0	11.1	28	8.4	1.59	5.6	12.2	
2016	16	6.6	1.64	3.8	10.7	25	7.6	1.52	4.9	11.2	
2017	16	6.6	1.66	3.8	10.8	32	9.8	1.73	6.7	13.8	
2018	20	8.4	1.87	5.1	12.9	29	9.0	1.67	6.0	12.9	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Osteosarcoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	299	3.6	0.21	3.2	4.0	545	4.8	0.21	4.4	5.3	
1986	5	2.1	0.94	0.7	4.9	8	2.4	0.86	1.0	4.7	
1987	4	1.7	0.86	0.5	4.3	15	4.4	1.15	2.5	7.3	
1988	7	3.0	1.12	1.2	6.1	17	5.1	1.25	3.0	8.2	
1989	4	1.7	0.85	0.5	4.3	9	2.8	0.92	1.3	5.2	
1990	6	2.5	1.03	0.9	5.4	9	2.8	0.94	1.3	5.3	
1991	2	0.8	0.58	0.1	2.9	12	3.8	1.09	2.0	6.6	
1992	5	2.0	0.91	0.7	4.7	9	2.8	0.93	1.3	5.3	
1993	7	2.8	1.07	1.1	5.8	14	4.3	1.16	2.4	7.2	
1994	7	2.8	1.05	1.1	5.7	12	3.6	1.05	1.9	6.3	
1995	15	5.9	1.52	3.3	9.7	26	7.7	1.51	5.0	11.3	
1996	8	3.1	1.10	1.3	6.1	15	4.4	1.13	2.5	7.2	
1997	11	4.3	1.28	2.1	7.6	18	5.2	1.22	3.1	8.2	
1998	12	4.5	1.31	2.3	7.9	23	6.5	1.36	4.1	9.8	
1999	13	4.9	1.36	2.6	8.4	22	6.2	1.32	3.9	9.4	
2000	16	6.0	1.49	3.4	9.7	26	7.3	1.42	4.7	10.6	
2001	6	2.2	0.91	0.8	4.8	11	3.1	0.92	1.5	5.5	
2002	13	4.8	1.33	2.6	8.2	20	5.6	1.24	3.4	8.6	
2003	10	3.6	1.15	1.7	6.7	19	5.3	1.20	3.2	8.2	
2004	13	4.8	1.34	2.6	8.3	23	6.4	1.33	4.1	9.6	
2005	15	5.6	1.46	3.2	9.3	23	6.4	1.34	4.1	9.6	
2006	10	3.8	1.19	1.8	7.0	16	4.5	1.12	2.6	7.3	
2007	11	4.2	1.26	2.1	7.5	19	5.3	1.22	3.2	8.3	
2008	8	3.1	1.09	1.3	6.1	15	4.2	1.09	2.4	7.0	
2009	9	3.5	1.16	1.6	6.6	19	5.3	1.22	3.2	8.3	
2010	11	4.3	1.29	2.1	7.6	19	5.4	1.23	3.2	8.4	
2011	6	2.4	0.96	0.9	5.1	12	3.4	0.99	1.8	6.0	
2012	6	2.4	0.97	0.9	5.2	14	4.0	1.08	2.2	6.8	
2013	12	4.8	1.37	2.5	8.3	19	5.6	1.28	3.4	8.7	
2014	8	3.2	1.14	1.4	6.3	19	5.6	1.29	3.4	8.8	
2015	9	3.7	1.22	1.7	6.9	15	4.5	1.16	2.5	7.4	
2016	9	3.7	1.23	1.7	7.0	13	4.0	1.10	2.1	6.8	
2017	10	4.2	1.31	2.0	7.6	19	5.8	1.33	3.5	9.1	
2018	11	4.6	1.39	2.3	8.3	15	4.7	1.21	2.6	7.7	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Ewing tumor and related sarcomas of bone										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	167	2.0	0.15	1.7	2.3	285	2.5	0.15	2.2	2.8
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.6
1987	4	1.7	0.83	0.5	4.2	6	1.8	0.74	0.7	3.9
1988	1	0.4	0.43	0.0	2.3	5	1.5	0.67	0.5	3.5
1989	5	2.1	0.92	0.7	4.8	10	3.0	0.96	1.5	5.6
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6
1991	6	2.5	1.00	0.9	5.3	7	2.2	0.82	0.9	4.4
1992	5	2.0	0.89	0.7	4.6	5	1.5	0.67	0.5	3.5
1993	6	2.4	0.97	0.9	5.2	7	2.1	0.79	0.8	4.3
1994	8	3.2	1.13	1.4	6.2	11	3.3	1.00	1.7	5.9
1995	4	1.6	0.79	0.4	4.0	9	2.7	0.90	1.2	5.1
1996	2	0.7	0.52	0.1	2.7	6	1.7	0.71	0.6	3.8
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	4.9
1998	8	3.0	1.07	1.3	5.9	9	2.5	0.85	1.2	4.8
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2
2001	7	2.6	0.98	1.0	5.3	12	3.3	0.96	1.7	5.8
2002	3	1.1	0.64	0.2	3.2	6	1.7	0.68	0.6	3.6
2003	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2004	3	1.1	0.63	0.2	3.2	7	1.9	0.73	0.8	4.0
2005	3	1.2	0.67	0.2	3.4	10	2.8	0.88	1.3	5.2
2006	6	2.3	0.94	0.8	5.0	12	3.4	0.97	1.7	5.9
2007	5	1.9	0.86	0.6	4.5	15	4.2	1.07	2.3	6.9
2008	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	11	3.1	0.93	1.5	5.5
2010	4	1.6	0.78	0.4	4.0	8	2.3	0.80	1.0	4.5
2011	6	2.4	0.96	0.9	5.1	11	3.2	0.95	1.6	5.6
2012	5	2.0	0.88	0.6	4.6	9	2.6	0.87	1.2	5.0
2013	3	1.2	0.69	0.3	3.5	4	1.2	0.59	0.3	3.0
2014	3	1.2	0.69	0.3	3.5	7	2.1	0.78	0.8	4.3
2015	7	2.9	1.08	1.2	5.9	9	2.7	0.91	1.3	5.2
2016	7	2.9	1.09	1.2	5.9	9	2.8	0.92	1.3	5.2
2017	6	2.5	1.01	0.9	5.4	12	3.7	1.06	1.9	6.4
2018	8	3.3	1.17	1.4	6.6	11	3.4	1.02	1.7	6.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Soft tissue and other extraosseous sarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	885	10.4	0.35	9.7	11.1	1,324	11.6	0.32	11.0	12.3
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5
1992	26	9.9	1.94	6.4	14.5	41	12.2	1.90	8.7	16.5
1993	19	7.4	1.69	4.4	11.5	29	8.7	1.62	5.8	12.5
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2
1997	29	10.7	1.99	7.2	15.4	35	9.7	1.65	6.8	13.5
1998	28	10.5	1.98	7.0	15.2	37	10.4	1.71	7.3	14.3
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9
2001	26	9.6	1.88	6.3	14.1	41	11.4	1.78	8.2	15.5
2002	33	12.2	2.12	8.4	17.1	41	11.4	1.77	8.2	15.4
2003	22	8.2	1.74	5.1	12.4	42	11.7	1.81	8.5	15.9
2004	28	10.5	1.98	7.0	15.1	42	11.7	1.81	8.5	15.8
2005	27	10.3	1.97	6.8	14.9	43	12.1	1.84	8.7	16.3
2006	25	9.5	1.89	6.1	14.0	35	9.8	1.66	6.8	13.6
2007	38	14.6	2.38	10.4	20.1	56	15.8	2.12	12.0	20.6
2008	33	12.7	2.21	8.7	17.8	51	14.4	2.01	10.7	18.9
2009	28	10.9	2.06	7.2	15.7	44	12.5	1.88	9.1	16.8
2010	30	11.7	2.13	7.9	16.7	44	12.6	1.90	9.1	16.9
2011	30	11.8	2.15	7.9	16.8	42	12.1	1.87	8.7	16.4
2012	24	9.5	1.94	6.1	14.2	39	11.4	1.82	8.1	15.5
2013	30	12.0	2.19	8.1	17.1	47	13.9	2.02	10.2	18.5
2014	23	9.3	1.94	5.9	14.0	33	9.9	1.72	6.8	13.9
2015	21	8.6	1.87	5.3	13.1	38	11.4	1.86	8.1	15.7
2016	38	15.7	2.55	11.1	21.6	54	16.5	2.25	12.4	21.6
2017	26	10.9	2.13	7.1	15.9	48	14.8	2.13	10.9	19.6
2018	20	8.4	1.89	5.2	13.1	28	8.8	1.65	5.8	12.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Rhabdomyosarcomas											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	431	5.0	0.24	4.6	5.5	528	4.6	0.20	4.2	5.0	
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7	
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5	
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1	
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4	
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5	
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8	
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0	
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3	
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0	
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4	
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7	
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8	
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1	
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2	
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9	
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.22	3.2	8.3	
2002	18	6.7	1.57	4.0	10.5	20	5.6	1.24	3.4	8.6	
2003	11	4.1	1.23	2.0	7.3	16	4.5	1.12	2.6	7.3	
2004	8	3.0	1.07	1.3	5.9	11	3.1	0.93	1.5	5.5	
2005	6	2.3	0.95	0.9	5.1	9	2.6	0.86	1.2	4.9	
2006	11	4.2	1.26	2.1	7.5	15	4.2	1.09	2.4	7.0	
2007	16	6.2	1.55	3.6	10.1	21	6.0	1.31	3.7	9.2	
2008	11	4.2	1.27	2.1	7.5	15	4.2	1.09	2.4	7.0	
2009	14	5.5	1.46	3.0	9.2	18	5.2	1.22	3.1	8.2	
2010	16	6.3	1.56	3.6	10.1	17	5.0	1.20	2.9	7.9	
2011	11	4.3	1.30	2.2	7.7	16	4.6	1.15	2.6	7.5	
2012	12	4.8	1.38	2.5	8.3	16	4.7	1.17	2.7	7.6	
2013	14	5.6	1.50	3.1	9.4	18	5.4	1.26	3.2	8.5	
2014	8	3.2	1.15	1.4	6.4	9	2.7	0.91	1.2	5.2	
2015	11	4.5	1.35	2.2	8.0	12	3.7	1.06	1.9	6.4	
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5	
2017	14	5.9	1.56	3.2	9.8	19	5.9	1.35	3.5	9.2	
2018	10	4.2	1.34	2.0	7.8	11	3.5	1.05	1.7	6.2	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Germ cell, trophoblastic tumors and neoplasms of gonads										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	457	5.4	0.25	4.9	5.9	1,288	11.3	0.31	10.7	11.9
1986	12	4.9	1.43	2.6	8.6	25	7.4	1.47	4.8	10.9
1987	11	4.6	1.38	2.3	8.1	34	10.0	1.71	6.9	13.9
1988	16	6.4	1.59	3.6	10.3	41	12.0	1.88	8.6	16.3
1989	17	6.6	1.61	3.8	10.6	37	10.9	1.80	7.7	15.1
1990	10	4.0	1.27	1.9	7.3	31	9.5	1.70	6.4	13.4
1991	11	4.4	1.34	2.2	7.9	26	8.1	1.58	5.3	11.8
1992	14	5.5	1.46	3.0	9.1	39	12.0	1.93	8.6	16.4
1993	13	4.8	1.34	2.6	8.3	34	10.3	1.76	7.1	14.3
1994	18	6.8	1.60	4.0	10.7	45	13.5	2.01	9.8	18.0
1995	15	5.8	1.49	3.2	9.5	27	7.9	1.53	5.2	11.5
1996	14	5.2	1.40	2.9	8.8	31	8.9	1.60	6.1	12.6
1997	12	4.6	1.32	2.4	8.0	27	7.8	1.49	5.1	11.3
1998	12	4.5	1.30	2.3	7.9	36	10.2	1.69	7.1	14.1
1999	19	7.0	1.61	4.2	11.0	44	12.3	1.85	8.9	16.5
2000	12	4.4	1.28	2.3	7.8	35	9.8	1.65	6.8	13.6
2001	11	4.0	1.20	2.0	7.1	38	10.6	1.71	7.5	14.5
2002	12	4.4	1.28	2.3	7.7	39	10.9	1.74	7.8	14.9
2003	12	4.4	1.28	2.3	7.7	46	12.9	1.90	9.4	17.1
2004	15	5.6	1.44	3.1	9.2	38	10.6	1.71	7.5	14.5
2005	19	7.1	1.64	4.3	11.2	43	12.0	1.82	8.7	16.1
2006	19	7.2	1.65	4.3	11.3	45	12.5	1.86	9.1	16.7
2007	11	4.2	1.27	2.1	7.5	35	9.7	1.63	6.7	13.4
2008	17	6.5	1.58	3.8	10.4	57	15.7	2.08	11.9	20.3
2009	9	3.5	1.17	1.6	6.7	39	10.8	1.72	7.6	14.7
2010	11	4.3	1.30	2.2	7.7	36	10.1	1.68	7.0	13.9
2011	15	5.9	1.52	3.3	9.7	50	14.1	1.99	10.5	18.6
2012	11	4.4	1.31	2.2	7.8	45	12.9	1.92	9.4	17.2
2013	12	4.8	1.39	2.5	8.4	39	11.4	1.82	8.1	15.5
2014	11	4.5	1.34	2.2	8.0	50	14.7	2.08	10.9	19.4
2015	13	5.3	1.47	2.8	9.0	46	13.7	2.02	10.0	18.3
2016	20	8.2	1.84	5.0	12.7	47	14.2	2.07	10.4	18.9
2017	21	8.8	1.92	5.4	13.4	48	14.7	2.12	10.9	19.5
2018	12	5.1	1.48	2.6	8.9	35	10.8	1.83	7.5	15.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Intracranial and intraspinal germ cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	115	1.4	0.13	1.1	1.6	183	1.6	0.12	1.4	1.9
1986	3	1.3	0.72	0.3	3.6	4	1.2	0.61	0.3	3.1
1987	2	0.9	0.61	0.1	3.0	3	0.9	0.54	0.2	2.7
1988	3	1.3	0.72	0.3	3.6	6	1.8	0.74	0.7	3.9
1989	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1990	1	0.4	0.43	0.0	2.3	2	0.6	0.45	0.1	2.2
1991	5	2.1	0.92	0.7	4.8	8	2.5	0.88	1.1	4.9
1992	3	1.2	0.71	0.3	3.5	5	1.6	0.70	0.5	3.6
1993	1	0.4	0.40	0.0	2.2	2	0.6	0.44	0.1	2.2
1994	5	2.0	0.89	0.7	4.6	7	2.1	0.80	0.9	4.3
1995	3	1.2	0.68	0.2	3.4	3	0.9	0.51	0.2	2.6
1996	3	1.1	0.65	0.2	3.3	3	0.9	0.49	0.2	2.5
1997	3	1.2	0.66	0.2	3.3	3	0.9	0.50	0.2	2.5
1998	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
1999	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2000	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8
2001	1	0.4	0.37	0.0	2.1	3	0.8	0.48	0.2	2.4
2002	1	0.4	0.38	0.0	2.1	3	0.8	0.49	0.2	2.5
2003	3	1.1	0.64	0.2	3.3	6	1.7	0.68	0.6	3.7
2004	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2005	3	1.1	0.66	0.2	3.3	6	1.7	0.68	0.6	3.7
2006	4	1.5	0.76	0.4	3.9	8	2.2	0.79	1.0	4.4
2007	6	2.3	0.95	0.9	5.1	7	2.0	0.76	0.8	4.1
2008	4	1.5	0.77	0.4	3.9	9	2.5	0.84	1.1	4.8
2009	2	0.8	0.56	0.1	2.8	2	0.6	0.42	0.1	2.1
2010	6	2.3	0.96	0.9	5.1	10	2.9	0.90	1.4	5.2
2011	2	0.8	0.55	0.1	2.8	7	2.0	0.74	0.8	4.1
2012	3	1.2	0.68	0.2	3.5	6	1.7	0.71	0.6	3.8
2013	3	1.2	0.69	0.3	3.5	6	1.8	0.72	0.6	3.8
2014	2	0.8	0.58	0.1	3.0	5	1.5	0.67	0.5	3.5
2015	5	2.0	0.91	0.7	4.8	10	3.0	0.95	1.4	5.5
2016	10	4.1	1.30	2.0	7.6	12	3.7	1.06	1.9	6.4
2017	6	2.5	1.03	0.9	5.5	7	2.2	0.82	0.9	4.5
2018	3	1.3	0.73	0.3	3.7	4	1.3	0.63	0.3	3.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Malignant gonadal germ cell tumors											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	218	2.6	0.17	2.2	2.9	859	7.5	0.26	7.0	8.1	
1986	9	3.7	1.23	1.7	7.0	17	5.0	1.22	2.9	8.0	
1987	7	2.9	1.11	1.2	6.0	24	7.1	1.44	4.5	10.5	
1988	7	2.8	1.06	1.1	5.8	21	6.2	1.35	3.8	9.4	
1989	7	2.8	1.05	1.1	5.7	23	6.9	1.43	4.4	10.3	
1990	4	1.7	0.84	0.5	4.2	21	6.5	1.42	4.0	9.9	
1991	4	1.6	0.80	0.4	4.0	15	4.7	1.21	2.6	7.7	
1992	9	3.5	1.17	1.6	6.6	29	9.0	1.67	6.0	12.9	
1993	9	3.4	1.13	1.5	6.4	24	7.3	1.49	4.7	10.8	
1994	6	2.2	0.90	0.8	4.8	22	6.6	1.41	4.1	10.0	
1995	8	3.1	1.08	1.3	6.0	18	5.3	1.25	3.1	8.4	
1996	9	3.3	1.11	1.5	6.3	22	6.3	1.35	4.0	9.6	
1997	7	2.7	1.02	1.1	5.5	19	5.5	1.25	3.3	8.5	
1998	7	2.7	1.00	1.1	5.5	26	7.4	1.44	4.8	10.8	
1999	11	4.1	1.22	2.0	7.3	30	8.4	1.53	5.7	12.0	
2000	5	1.9	0.83	0.6	4.3	25	7.0	1.40	4.5	10.3	
2001	4	1.5	0.73	0.4	3.8	24	6.7	1.37	4.3	10.0	
2002	6	2.2	0.90	0.8	4.8	26	7.3	1.43	4.8	10.7	
2003	5	1.8	0.82	0.6	4.3	31	8.7	1.56	5.9	12.3	
2004	8	3.0	1.05	1.3	5.9	24	6.7	1.36	4.3	9.9	
2005	7	2.6	0.99	1.1	5.4	26	7.2	1.41	4.7	10.6	
2006	11	4.2	1.26	2.1	7.5	30	8.3	1.52	5.6	11.9	
2007	1	0.4	0.38	0.0	2.1	22	6.0	1.27	3.7	9.1	
2008	9	3.5	1.15	1.6	6.6	39	10.7	1.71	7.6	14.6	
2009	5	1.9	0.87	0.6	4.5	30	8.2	1.50	5.6	11.8	
2010	2	0.8	0.55	0.1	2.8	22	6.1	1.29	3.8	9.2	
2011	8	3.1	1.11	1.4	6.2	35	9.8	1.66	6.9	13.7	
2012	1	0.4	0.39	0.0	2.2	29	8.2	1.52	5.5	11.8	
2013	5	2.0	0.89	0.7	4.7	26	7.5	1.48	4.9	11.0	
2014	9	3.6	1.21	1.7	6.9	42	12.4	1.91	8.9	16.7	
2015	6	2.4	0.99	0.9	5.3	32	9.5	1.68	6.5	13.4	
2016	7	2.9	1.09	1.2	5.9	28	8.4	1.59	5.6	12.2	
2017	9	3.8	1.25	1.7	7.1	33	10.0	1.75	6.9	14.1	
2018	6	2.6	1.04	0.9	5.6	24	7.4	1.51	4.7	11.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Other malignant epithelial neoplasms and melanomas											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	570	6.8	0.28	6.2	7.4	1,927	17.0	0.39	16.2	17.7	
1986	12	4.9	1.41	2.5	8.5	41	11.8	1.85	8.5	16.0	
1987	13	5.5	1.52	2.9	9.3	40	11.8	1.87	8.4	16.1	
1988	10	4.4	1.37	2.1	7.9	36	10.8	1.81	7.6	15.0	
1989	7	2.9	1.09	1.2	5.9	41	12.4	1.93	8.9	16.7	
1990	8	3.4	1.22	1.5	6.7	36	11.2	1.87	7.9	15.5	
1991	10	4.1	1.30	2.0	7.5	40	12.6	1.99	9.0	17.1	
1992	5	2.0	0.91	0.7	4.7	28	8.9	1.67	5.9	12.8	
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.9	15.5	
1994	10	3.9	1.23	1.9	7.1	35	10.7	1.80	7.4	14.8	
1995	13	5.0	1.40	2.7	8.6	39	11.6	1.86	8.3	15.9	
1996	10	3.9	1.23	1.9	7.1	39	11.4	1.83	8.1	15.6	
1997	14	5.4	1.44	3.0	9.0	49	14.1	2.02	10.5	18.7	
1998	11	4.2	1.25	2.1	7.4	42	11.9	1.83	8.6	16.1	
1999	17	6.4	1.56	3.7	10.3	55	15.5	2.09	11.7	20.2	
2000	13	4.8	1.34	2.6	8.3	51	14.3	2.00	10.6	18.8	
2001	20	7.4	1.66	4.5	11.4	57	15.9	2.11	12.1	20.6	
2002	21	7.7	1.68	4.8	11.8	60	16.7	2.16	12.8	21.5	
2003	17	6.3	1.52	3.7	10.1	58	16.2	2.13	12.3	21.0	
2004	21	7.8	1.71	4.9	12.0	55	15.3	2.07	11.5	19.9	
2005	27	10.1	1.95	6.7	14.7	62	17.2	2.19	13.2	22.1	
2006	25	9.5	1.91	6.2	14.1	69	19.1	2.30	14.9	24.2	
2007	17	6.4	1.55	3.7	10.3	76	20.8	2.38	16.4	26.0	
2008	26	9.9	1.95	6.5	14.6	80	22.0	2.46	17.5	27.4	
2009	18	6.9	1.63	4.1	11.0	78	21.5	2.43	17.0	26.8	
2010	24	9.3	1.91	6.0	13.9	71	19.8	2.36	15.5	25.0	
2011	17	6.7	1.61	3.9	10.7	67	18.8	2.30	14.6	23.9	
2012	25	9.9	1.98	6.4	14.6	70	20.1	2.40	15.7	25.4	
2013	28	11.1	2.10	7.4	16.1	86	25.0	2.69	20.0	30.9	
2014	22	8.8	1.88	5.5	13.4	70	20.6	2.47	16.1	26.1	
2015	19	7.7	1.77	4.6	12.0	71	21.1	2.51	16.5	26.7	
2016	29	11.9	2.21	8.0	17.1	112	33.7	3.18	27.7	40.5	
2017	23	9.5	1.99	6.1	14.3	84	25.5	2.79	20.4	31.6	
2018	29	12.1	2.26	8.1	17.5	93	28.6	2.96	23.0	35.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Thyroid carcinoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	235	2.8	0.18	2.5	3.2	857	7.5	0.26	7.1	8.1	
1986	3	1.3	0.74	0.3	3.7	17	4.9	1.19	2.9	7.8	
1987	4	1.7	0.85	0.5	4.3	14	4.1	1.10	2.3	6.9	
1988	5	2.2	0.97	0.7	5.0	15	4.5	1.17	2.5	7.5	
1989	1	0.4	0.43	0.0	2.3	14	4.2	1.13	2.3	7.1	
1990	1	0.4	0.43	0.0	2.3	15	4.6	1.20	2.6	7.6	
1991	2	0.8	0.59	0.1	2.9	12	3.8	1.10	2.0	6.6	
1992	1	0.4	0.41	0.0	2.2	11	3.5	1.05	1.7	6.2	
1993	5	2.0	0.90	0.7	4.7	15	4.7	1.21	2.6	7.7	
1994	4	1.6	0.80	0.4	4.0	13	4.0	1.10	2.1	6.8	
1995	3	1.1	0.66	0.2	3.3	14	4.2	1.12	2.3	7.0	
1996	4	1.6	0.78	0.4	4.0	15	4.4	1.13	2.5	7.2	
1997	2	0.8	0.55	0.1	2.8	17	4.9	1.19	2.9	7.8	
1998	3	1.1	0.66	0.2	3.3	12	3.4	0.98	1.8	5.9	
1999	7	2.7	1.01	1.1	5.5	23	6.5	1.36	4.1	9.7	
2000	5	1.9	0.83	0.6	4.3	18	5.0	1.19	3.0	8.0	
2001	4	1.5	0.74	0.4	3.8	17	4.8	1.15	2.8	7.6	
2002	11	4.0	1.22	2.0	7.2	27	7.5	1.45	5.0	10.9	
2003	7	2.6	0.97	1.0	5.3	27	7.5	1.45	5.0	11.0	
2004	11	4.1	1.23	2.0	7.3	34	9.5	1.62	6.6	13.2	
2005	14	5.3	1.40	2.9	8.8	27	7.5	1.44	4.9	10.9	
2006	14	5.3	1.43	2.9	9.0	35	9.7	1.65	6.8	13.5	
2007	8	3.0	1.07	1.3	6.0	34	9.3	1.60	6.4	13.0	
2008	10	3.8	1.21	1.8	7.0	33	9.1	1.58	6.3	12.8	
2009	9	3.5	1.15	1.6	6.6	45	12.4	1.84	9.0	16.5	
2010	15	5.8	1.50	3.3	9.6	38	10.6	1.73	7.5	14.6	
2011	6	2.4	0.96	0.9	5.1	30	8.4	1.54	5.7	12.0	
2012	12	4.7	1.37	2.5	8.3	38	10.9	1.77	7.7	15.0	
2013	14	5.6	1.48	3.0	9.3	47	13.6	1.99	10.0	18.2	
2014	10	4.0	1.27	1.9	7.4	37	10.9	1.79	7.7	15.0	
2015	6	2.4	0.99	0.9	5.3	31	9.2	1.65	6.3	13.1	
2016	16	6.6	1.64	3.8	10.7	60	18.0	2.33	13.8	23.2	
2017	6	2.5	1.01	0.9	5.4	34	10.3	1.77	7.1	14.4	
2018	12	5.0	1.45	2.6	8.8	38	11.7	1.89	8.3	16.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Malignant melanoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2018	123	1.5	0.13	1.2	1.7	439	3.9	0.18	3.5	4.2	
1986	6	2.3	0.96	0.9	5.1	13	3.7	1.03	2.0	6.4	
1987	2	0.8	0.57	0.1	2.9	8	2.3	0.82	1.0	4.6	
1988	3	1.3	0.75	0.3	3.7	12	3.6	1.04	1.9	6.3	
1989	3	1.2	0.67	0.2	3.4	13	3.9	1.07	2.1	6.6	
1990	3	1.3	0.75	0.3	3.7	11	3.4	1.04	1.7	6.1	
1991	4	1.6	0.81	0.4	4.1	14	4.4	1.17	2.4	7.3	
1992	3	1.2	0.71	0.3	3.5	9	2.8	0.94	1.3	5.3	
1993	2	0.8	0.54	0.1	2.7	9	2.8	0.93	1.3	5.3	
1994	3	1.2	0.66	0.2	3.3	10	3.0	0.96	1.5	5.6	
1995	1	0.4	0.39	0.0	2.1	7	2.1	0.80	0.9	4.3	
1996	2	0.8	0.55	0.1	2.8	8	2.4	0.83	1.0	4.6	
1997	3	1.1	0.65	0.2	3.3	11	3.2	0.95	1.6	5.6	
1998	4	1.5	0.75	0.4	3.8	13	3.7	1.02	2.0	6.3	
1999	3	1.1	0.63	0.2	3.2	14	3.9	1.05	2.1	6.6	
2000	1	0.4	0.37	0.0	2.1	12	3.4	0.97	1.7	5.9	
2001	4	1.5	0.74	0.4	3.8	11	3.1	0.93	1.5	5.5	
2002	6	2.2	0.90	0.8	4.8	17	4.7	1.15	2.8	7.6	
2003	6	2.2	0.90	0.8	4.8	16	4.5	1.12	2.6	7.3	
2004	5	1.9	0.83	0.6	4.3	12	3.3	0.96	1.7	5.8	
2005	6	2.3	0.93	0.8	5.0	18	5.0	1.18	3.0	7.9	
2006	4	1.5	0.76	0.4	3.9	19	5.2	1.20	3.2	8.2	
2007	4	1.5	0.75	0.4	3.9	25	6.8	1.36	4.4	10.1	
2008	4	1.5	0.76	0.4	3.9	21	5.7	1.25	3.6	8.8	
2009	3	1.2	0.67	0.2	3.4	13	3.6	0.99	1.9	6.1	
2010	4	1.6	0.78	0.4	4.0	15	4.2	1.08	2.3	6.9	
2011	4	1.6	0.79	0.4	4.0	13	3.7	1.02	2.0	6.3	
2012	5	2.0	0.89	0.6	4.6	12	3.5	1.00	1.8	6.1	
2013	7	2.8	1.05	1.1	5.7	21	6.1	1.33	3.8	9.3	
2014	6	2.4	0.99	0.9	5.3	12	3.6	1.03	1.8	6.2	
2015	5	2.0	0.91	0.7	4.7	14	4.2	1.12	2.3	7.0	
2016	3	1.2	0.71	0.3	3.6	18	5.4	1.27	3.2	8.5	
2017	2	0.8	0.59	0.1	3.0	6	1.8	0.75	0.7	4.0	
2018	2	0.9	0.60	0.1	3.1	12	3.7	1.06	1.9	6.5	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2018

Other and unspecified malignant neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2018	48	0.6	0.08	0.4	0.7	65	0.6	0.07	0.4	0.7
1986	1	0.4	0.38	0.0	2.1	1	0.3	0.28	0.0	1.6
1987	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1988	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1989	2	0.7	0.50	0.1	2.7	3	0.8	0.48	0.2	2.5
1990	3	1.1	0.66	0.2	3.4	3	0.9	0.49	0.2	2.5
1991	2	0.8	0.58	0.1	2.9	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.5
1993	5	1.8	0.78	0.6	4.1	5	1.3	0.58	0.4	3.1
1994	0					2	0.6	0.44	0.1	2.2
1995	0					0				
1996	2	0.8	0.54	0.1	2.7	2	0.6	0.40	0.1	2.1
1997	2	0.7	0.51	0.1	2.6	2	0.5	0.38	0.1	2.0
1998	0					0				
1999	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
2000	0					1	0.3	0.28	0.0	1.6
2001	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2002	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.5
2003	0					1	0.3	0.28	0.0	1.6
2004	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2005	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2006	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.6
2007	1	0.4	0.40	0.0	2.2	2	0.6	0.40	0.1	2.1
2008	2	0.8	0.54	0.1	2.8	3	0.8	0.48	0.2	2.5
2009	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2010	1	0.4	0.39	0.0	2.2	1	0.3	0.29	0.0	1.6
2011	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2012	1	0.4	0.39	0.0	2.2	3	0.9	0.50	0.2	2.5
2013	3	1.2	0.70	0.3	3.5	3	0.9	0.52	0.2	2.6
2014	1	0.4	0.40	0.0	2.3	1	0.3	0.30	0.0	1.7
2015	1	0.4	0.40	0.0	2.3	2	0.6	0.42	0.1	2.2
2016	2	0.8	0.58	0.1	3.0	4	1.2	0.61	0.3	3.1
2017	2	0.8	0.59	0.1	3.0	3	0.9	0.54	0.2	2.7
2018	1	0.4	0.42	0.0	2.4	1	0.3	0.31	0.0	1.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2020

APPENDIX A
Illinois Populations Used for Rate Calculations
1986-2018

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1986 Both Sexes	All Races	White	Black	Asian/Other
00 years	179,676	141,272	33,619	4,785
01-04 years	685,741	539,747	127,126	18,868
05-09 years	840,015	654,792	163,228	21,995
10-14 years	801,106	625,887	153,631	21,588
15-19 years	894,573	708,528	164,820	21,225
20-24 years	970,457	789,299	158,083	23,075
25-29 years	1,029,119	849,144	153,831	26,144
30-34 years	965,832	798,020	139,838	27,974
35-39 years	857,675	717,002	115,594	25,079
40-44 years	669,691	563,036	87,200	19,455
45-49 years	563,123	470,845	77,378	14,900
50-54 years	508,174	430,308	67,379	10,487
55-59 years	534,011	461,509	64,395	8,107
60-64 years	514,443	452,016	55,853	6,574
65-69 years	447,559	397,070	45,347	5,142
70-74 years	358,683	321,299	33,754	3,630
75-79 years	264,995	240,179	22,611	2,205
80-84 years	167,694	153,372	13,180	1,142
85+ years	134,680	124,037	9,933	710
Total	11,387,247	9,437,362	1,686,800	263,085
1986 Males	All Races	White	Black	Asian/Other
00 years	91,652	72,253	16,960	2,439
01-04 years	350,680	276,795	64,257	9,628
05-09 years	430,022	336,492	82,234	11,296
10-14 years	409,806	321,055	77,696	11,055
15-19 years	460,191	366,032	83,033	11,126
20-24 years	488,879	401,885	74,977	12,017
25-29 years	514,242	430,908	70,890	12,444
30-34 years	478,642	402,311	62,635	13,696
35-39 years	421,737	358,559	51,342	11,836
40-44 years	327,713	279,665	38,471	9,577
45-49 years	274,431	232,401	34,403	7,627
50-54 years	246,234	211,007	30,024	5,203
55-59 years	255,211	222,740	28,764	3,707
60-64 years	239,267	211,702	24,582	2,983
65-69 years	197,789	176,318	19,304	2,167
70-74 years	147,709	132,678	13,468	1,563
75-79 years	99,020	89,518	8,571	931
80-84 years	55,243	50,177	4,603	463
85+ years	36,582	33,140	3,159	283
Total	5,525,050	4,605,636	789,373	130,041
1986 Females	All Races	White	Black	Asian/Other
00 years	88,024	69,019	16,659	2,346
01-04 years	335,061	262,952	62,869	9,240
05-09 years	409,993	318,300	80,994	10,699
10-14 years	391,300	304,832	75,935	10,533
15-19 years	434,382	342,496	81,787	10,099
20-24 years	481,578	387,414	83,106	11,058
25-29 years	514,877	418,236	82,941	13,700
30-34 years	487,190	395,709	77,203	14,278
35-39 years	435,938	358,443	64,252	13,243
40-44 years	341,978	283,371	48,729	9,878
45-49 years	288,692	238,444	42,975	7,273
50-54 years	261,940	219,301	37,355	5,284
55-59 years	278,800	238,769	35,631	4,400
60-64 years	275,176	240,314	31,271	3,591
65-69 years	249,770	220,752	26,043	2,975
70-74 years	210,974	188,621	20,286	2,067
75-79 years	165,975	150,661	14,040	1,274
80-84 years	112,451	103,195	8,577	679
85+ years	98,098	90,897	6,774	427
Total	5,862,197	4,831,726	897,427	133,044

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1987 Both Sexes	All Races	White	Black	Asian/Other
00 years	177,252	138,782	33,611	4,859
01-04 years	679,949	535,136	125,619	19,194
05-09 years	846,978	661,147	162,701	23,130
10-14 years	788,073	614,772	151,239	22,062
15-19 years	882,134	694,811	164,317	23,006
20-24 years	936,012	758,666	153,291	24,055
25-29 years	1,020,499	840,957	152,521	27,021
30-34 years	983,627	811,447	143,456	28,724
35-39 years	854,581	709,570	118,875	26,136
40-44 years	715,780	604,030	90,593	21,157
45-49 years	579,345	484,012	79,120	16,213
50-54 years	507,829	428,666	67,750	11,413
55-59 years	519,166	446,758	63,884	8,524
60-64 years	507,596	443,952	56,675	6,969
65-69 years	450,268	398,665	46,075	5,528
70-74 years	362,207	324,315	34,059	3,833
75-79 years	269,578	244,170	23,064	2,344
80-84 years	172,168	157,287	13,648	1,233
85+ years	138,133	127,069	10,310	754
Total	11,391,175	9,424,212	1,690,808	276,155
1987 Males	All Races	White	Black	Asian/Other
00 years	90,385	70,977	16,926	2,482
01-04 years	347,774	274,460	63,518	9,796
05-09 years	433,565	339,705	81,985	11,875
10-14 years	403,272	315,405	76,586	11,281
15-19 years	454,524	359,535	82,965	12,024
20-24 years	471,993	386,535	72,903	12,555
25-29 years	509,933	426,355	70,546	13,032
30-34 years	487,774	409,199	64,461	14,114
35-39 years	420,791	355,565	52,882	12,344
40-44 years	350,430	300,167	39,955	10,308
45-49 years	282,372	238,968	35,181	8,223
50-54 years	246,196	210,323	30,137	5,736
55-59 years	248,354	216,029	28,392	3,933
60-64 years	236,162	208,147	24,872	3,143
65-69 years	199,842	177,866	19,632	2,344
70-74 years	149,274	134,050	13,583	1,641
75-79 years	101,272	91,584	8,713	975
80-84 years	56,807	51,583	4,715	509
85+ years	37,404	33,862	3,241	301
Total	5,528,124	4,600,315	791,193	136,616
1987 Females	All Races	White	Black	Asian/Other
00 years	86,867	67,805	16,685	2,377
01-04 years	332,175	260,676	62,101	9,398
05-09 years	413,413	321,442	80,716	11,255
10-14 years	384,801	299,367	74,653	10,781
15-19 years	427,610	335,276	81,352	10,982
20-24 years	464,019	372,131	80,388	11,500
25-29 years	510,566	414,602	81,975	13,989
30-34 years	495,853	402,248	78,995	14,610
35-39 years	433,790	354,005	65,993	13,792
40-44 years	365,350	303,863	50,638	10,849
45-49 years	296,973	245,044	43,939	7,990
50-54 years	261,633	218,343	37,613	5,677
55-59 years	270,812	230,729	35,492	4,591
60-64 years	271,434	235,805	31,803	3,826
65-69 years	250,426	220,799	26,443	3,184
70-74 years	212,933	190,265	20,476	2,192
75-79 years	168,306	152,586	14,351	1,369
80-84 years	115,361	105,704	8,933	724
85+ years	100,729	93,207	7,069	453
Total	5,863,051	4,823,897	899,615	139,539

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1988 Both Sexes	All Races	White	Black	Asian/Other
00 years	177,317	138,312	33,939	5,066
01-04 years	675,117	530,725	124,964	19,428
05-09 years	845,772	661,385	160,250	24,137
10-14 years	782,814	610,766	149,335	22,713
15-19 years	863,630	676,133	162,854	24,643
20-24 years	903,266	729,750	148,411	25,105
25-29 years	1,010,154	830,759	151,419	27,976
30-34 years	997,737	822,319	146,041	29,377
35-39 years	867,996	718,386	122,322	27,288
40-44 years	734,259	617,242	94,054	22,963
45-49 years	605,845	507,719	80,517	17,609
50-54 years	516,184	434,676	69,048	12,460
55-59 years	502,006	429,781	63,248	8,977
60-64 years	503,969	439,391	57,245	7,333
65-69 years	449,701	396,690	47,031	5,980
70-74 years	364,391	326,276	34,111	4,004
75-79 years	274,351	248,443	23,429	2,479
80-84 years	175,511	160,161	14,034	1,316
85+ years	140,202	128,794	10,609	799
Total	11,390,222	9,407,708	1,692,861	289,653
1988 Males	All Races	White	Black	Asian/Other
00 years	90,386	70,713	17,089	2,584
01-04 years	345,288	272,195	63,161	9,932
05-09 years	433,108	339,894	80,816	12,398
10-14 years	400,627	313,342	75,700	11,585
15-19 years	445,886	350,543	82,470	12,873
20-24 years	456,704	372,708	70,842	13,154
25-29 years	504,868	420,899	70,293	13,676
30-34 years	495,061	414,825	65,770	14,466
35-39 years	427,865	360,420	54,542	12,903
40-44 years	359,675	307,035	41,557	11,083
45-49 years	295,278	250,662	35,769	8,847
50-54 years	250,273	213,335	30,600	6,338
55-59 years	240,191	208,007	28,009	4,175
60-64 years	234,936	206,600	25,053	3,283
65-69 years	199,788	177,233	20,006	2,549
70-74 years	150,827	135,482	13,638	1,707
75-79 years	103,515	93,697	8,799	1,019
80-84 years	57,836	52,508	4,779	549
85+ years	37,616	34,009	3,285	322
Total	5,529,728	4,594,107	792,178	143,443
1988 Females	All Races	White	Black	Asian/Other
00 years	86,931	67,599	16,850	2,482
01-04 years	329,829	258,530	61,803	9,496
05-09 years	412,664	321,491	79,434	11,739
10-14 years	382,187	297,424	73,635	11,128
15-19 years	417,744	325,590	80,384	11,770
20-24 years	446,562	357,042	77,569	11,951
25-29 years	505,286	409,860	81,126	14,300
30-34 years	502,676	407,494	80,271	14,911
35-39 years	440,131	357,966	67,780	14,385
40-44 years	374,584	310,207	52,497	11,880
45-49 years	310,567	257,057	44,748	8,762
50-54 years	265,911	221,341	38,448	6,122
55-59 years	261,815	221,774	35,239	4,802
60-64 years	269,033	232,791	32,192	4,050
65-69 years	249,913	219,457	27,025	3,431
70-74 years	213,564	190,794	20,473	2,297
75-79 years	170,836	154,746	14,630	1,460
80-84 years	117,675	107,653	9,255	767
85+ years	102,586	94,785	7,324	477
Total	5,860,494	4,813,601	900,683	146,210

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1989 Both Sexes	All Races	White	Black	Asian/Other
00 years	180,243	139,525	35,385	5,333
01-04 years	678,493	531,856	126,584	20,053
05-09 years	842,916	660,663	157,222	25,031
10-14 years	788,092	613,783	150,551	23,758
15-19 years	839,552	652,980	160,359	26,213
20-24 years	877,382	706,631	144,247	26,504
25-29 years	997,960	819,229	149,695	29,036
30-34 years	1,004,533	826,767	147,701	30,065
35-39 years	886,089	731,786	125,866	28,437
40-44 years	764,302	639,943	99,303	25,056
45-49 years	621,247	520,801	81,452	18,994
50-54 years	525,121	441,112	70,467	13,542
55-59 years	488,463	416,273	62,748	9,442
60-64 years	496,244	430,805	57,735	7,704
65-69 years	451,934	397,434	48,071	6,429
70-74 years	365,166	326,726	34,257	4,183
75-79 years	279,783	253,353	23,792	2,638
80-84 years	179,146	163,303	14,441	1,402
85+ years	143,135	131,404	10,884	847
Total	11,409,801	9,404,374	1,700,760	304,667
1989 Males	All Races	White	Black	Asian/Other
00 years	91,832	71,317	17,794	2,721
01-04 years	347,020	272,800	63,974	10,246
05-09 years	431,777	339,567	79,356	12,854
10-14 years	403,223	314,771	76,346	12,106
15-19 years	434,398	339,305	81,420	13,673
20-24 years	444,620	361,576	69,143	13,901
25-29 years	498,982	414,831	69,757	14,394
30-34 years	498,549	417,096	66,619	14,834
35-39 years	437,441	367,709	56,271	13,461
40-44 years	374,767	318,822	43,933	12,012
45-49 years	302,649	257,037	36,157	9,455
50-54 years	254,523	216,500	31,095	6,928
55-59 years	233,815	201,656	27,701	4,458
60-64 years	231,948	203,311	25,206	3,431
65-69 years	200,950	177,763	20,444	2,743
70-74 years	151,629	136,123	13,722	1,784
75-79 years	105,911	95,964	8,874	1,073
80-84 years	59,308	53,838	4,877	593
85+ years	38,197	34,536	3,317	344
Total	5,541,539	4,594,522	796,006	151,011
1989 Females	All Races	White	Black	Asian/Other
00 years	88,411	68,208	17,591	2,612
01-04 years	331,473	259,056	62,610	9,807
05-09 years	411,139	321,096	77,866	12,177
10-14 years	384,869	299,012	74,205	11,652
15-19 years	405,154	313,675	78,939	12,540
20-24 years	432,762	345,055	75,104	12,603
25-29 years	498,978	404,398	79,938	14,642
30-34 years	505,984	409,671	81,082	15,231
35-39 years	448,648	364,077	69,595	14,976
40-44 years	389,535	321,121	55,370	13,044
45-49 years	318,598	263,764	45,295	9,539
50-54 years	270,598	224,612	39,372	6,614
55-59 years	254,648	214,617	35,047	4,984
60-64 years	264,296	227,494	32,529	4,273
65-69 years	250,984	219,671	27,627	3,686
70-74 years	213,537	190,603	20,535	2,399
75-79 years	173,872	157,389	14,918	1,565
80-84 years	119,838	109,465	9,564	809
85+ years	104,938	96,868	7,567	503
Total	5,868,262	4,809,852	904,754	153,656

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	All Races	White	Black	Asian/Other
00 years	184,854	143,704	35,567	5,583
01-04 years	677,463	528,227	128,927	20,309
05-09 years	825,298	647,828	152,454	25,016
10-14 years	789,976	613,327	152,009	24,640
15-19 years	815,587	629,540	158,885	27,162
20-24 years	867,197	697,611	141,256	28,330
25-29 years	985,945	807,516	148,336	30,093
30-34 years	1,015,289	834,970	149,294	31,025
35-39 years	910,904	750,932	130,175	29,797
40-44 years	803,653	669,867	106,272	27,514
45-49 years	636,041	533,000	82,477	20,564
50-54 years	532,198	445,608	71,907	14,683
55-59 years	483,955	411,049	62,904	10,002
60-64 years	490,499	424,124	58,253	8,122
65-69 years	453,212	397,613	48,824	6,775
70-74 years	366,919	328,035	34,492	4,392
75-79 years	285,100	258,313	24,064	2,723
80-84 years	182,890	166,637	14,794	1,459
85+ years	146,336	134,379	11,108	849
Total	11,453,316	9,422,280	1,711,998	319,038
1990 Males	All Races	White	Black	Asian/Other
00 years	94,230	73,486	17,895	2,849
01-04 years	346,537	270,974	65,150	10,413
05-09 years	422,865	333,034	76,987	12,844
10-14 years	404,043	314,423	77,106	12,514
15-19 years	422,426	327,555	80,739	14,132
20-24 years	440,742	357,813	68,026	14,903
25-29 years	492,990	408,710	69,266	15,014
30-34 years	504,019	421,281	67,386	15,352
35-39 years	450,185	377,737	58,308	14,140
40-44 years	394,313	334,102	47,090	13,121
45-49 years	309,805	263,102	36,562	10,141
50-54 years	257,853	218,652	31,680	7,521
55-59 years	231,602	199,162	27,650	4,790
60-64 years	230,057	201,067	25,383	3,607
65-69 years	201,641	177,975	20,793	2,873
70-74 years	152,849	137,185	13,800	1,864
75-79 years	108,375	98,334	8,944	1,097
80-84 years	60,751	55,203	4,931	617
85+ years	38,716	35,069	3,307	340
Total	5,563,999	4,604,864	801,003	158,132
1990 Females	All Races	White	Black	Asian/Other
00 years	90,624	70,218	17,672	2,734
01-04 years	330,926	257,253	63,777	9,896
05-09 years	402,433	314,794	75,467	12,172
10-14 years	385,933	298,904	74,903	12,126
15-19 years	393,161	301,985	78,146	13,030
20-24 years	426,455	339,798	73,230	13,427
25-29 years	492,955	398,806	79,070	15,079
30-34 years	511,270	413,689	81,908	15,673
35-39 years	460,719	373,195	71,867	15,657
40-44 years	409,340	335,765	59,182	14,393
45-49 years	326,236	269,898	45,915	10,423
50-54 years	274,345	226,956	40,227	7,162
55-59 years	252,353	211,887	35,254	5,212
60-64 years	260,442	223,057	32,870	4,515
65-69 years	251,571	219,638	28,031	3,902
70-74 years	214,070	190,850	20,692	2,528
75-79 years	176,725	159,979	15,120	1,626
80-84 years	122,139	111,434	9,863	842
85+ years	107,620	99,310	7,801	509
Total	5,889,317	4,817,416	910,995	160,906

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	All Races	White	Black	Asian/Other
00 years	187,020	142,679	38,845	5,496
01-04 years	694,334	539,089	134,094	21,151
05-09 years	829,971	651,342	153,363	25,266
10-14 years	815,525	632,313	157,008	26,204
15-19 years	793,443	612,668	153,643	27,132
20-24 years	865,618	691,151	142,903	31,564
25-29 years	968,258	790,668	145,795	31,795
30-34 years	1,032,815	849,638	150,965	32,212
35-39 years	933,113	768,041	133,940	31,132
40-44 years	845,461	702,851	113,904	28,706
45-49 years	642,865	537,725	83,238	21,902
50-54 years	542,708	453,622	72,955	16,131
55-59 years	479,641	405,517	63,295	10,829
60-64 years	486,214	418,881	58,676	8,657
65-69 years	449,805	392,847	49,774	7,184
70-74 years	372,218	331,513	35,847	4,858
75-79 years	291,446	263,970	24,519	2,957
80-84 years	187,333	170,598	15,127	1,608
85+ years	151,176	138,576	11,647	953
Total	11,568,964	9,493,689	1,739,538	335,737
1991 Males	All Races	White	Black	Asian/Other
00 years	95,297	72,918	19,588	2,791
01-04 years	355,113	276,449	67,823	10,841
05-09 years	425,253	334,795	77,502	12,956
10-14 years	417,158	324,390	79,466	13,302
15-19 years	411,022	318,743	78,157	14,122
20-24 years	439,626	355,001	68,571	16,054
25-29 years	484,664	400,952	67,925	15,787
30-34 years	513,901	429,304	68,489	16,108
35-39 years	461,673	386,813	59,949	14,911
40-44 years	415,201	351,141	50,490	13,570
45-49 years	313,330	265,839	36,756	10,735
50-54 years	263,173	222,886	32,126	8,161
55-59 years	229,814	196,816	27,744	5,254
60-64 years	228,523	199,018	25,623	3,882
65-69 years	200,631	176,321	21,225	3,085
70-74 years	156,129	139,577	14,493	2,059
75-79 years	111,728	101,417	9,104	1,207
80-84 years	62,381	56,708	5,016	657
85+ years	39,716	35,919	3,418	379
Total	5,624,333	4,645,007	813,465	165,861
1991 Females	All Races	White	Black	Asian/Other
00 years	91,723	69,761	19,257	2,705
01-04 years	339,221	262,640	66,271	10,310
05-09 years	404,718	316,547	75,861	12,310
10-14 years	398,367	307,923	77,542	12,902
15-19 years	382,421	293,925	75,486	13,010
20-24 years	425,992	336,150	74,332	15,510
25-29 years	483,594	389,716	77,870	16,008
30-34 years	518,914	420,334	82,476	16,104
35-39 years	471,440	381,228	73,991	16,221
40-44 years	430,260	351,710	63,414	15,136
45-49 years	329,535	271,886	46,482	11,167
50-54 years	279,535	230,736	40,829	7,970
55-59 years	249,827	208,701	35,551	5,575
60-64 years	257,691	219,863	33,053	4,775
65-69 years	249,174	216,526	28,549	4,099
70-74 years	216,089	191,936	21,354	2,799
75-79 years	179,718	162,553	15,415	1,750
80-84 years	124,952	113,890	10,111	951
85+ years	111,460	102,657	8,229	574
Total	5,944,631	4,848,682	926,073	169,876

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	All Races	White	Black	Asian/Other
00 years	187,167	141,601	39,249	6,317
01-04 years	712,317	548,459	141,943	21,915
05-09 years	829,299	649,833	153,933	25,533
10-14 years	832,910	645,739	159,763	27,408
15-19 years	790,067	611,175	151,340	27,552
20-24 years	862,353	682,304	145,996	34,053
25-29 years	947,988	771,699	143,043	33,246
30-34 years	1,043,131	856,956	152,641	33,534
35-39 years	958,420	786,728	139,009	32,683
40-44 years	846,525	699,300	117,886	29,339
45-49 years	694,355	583,645	86,864	23,846
50-54 years	561,083	467,581	75,835	17,667
55-59 years	482,596	406,263	64,383	11,950
60-64 years	476,695	408,990	58,498	9,207
65-69 years	446,061	387,945	50,564	7,552
70-74 years	380,054	337,297	37,353	5,404
75-79 years	295,593	267,200	25,176	3,217
80-84 years	191,099	174,190	15,202	1,707
85+ years	156,471	143,186	12,231	1,054
Total	11,694,184	9,570,091	1,770,909	353,184
1992 Males	All Races	White	Black	Asian/Other
00 years	95,291	72,378	19,670	3,243
01-04 years	364,267	281,260	71,749	11,258
05-09 years	424,876	333,895	77,873	13,108
10-14 years	426,078	331,338	80,852	13,888
15-19 years	409,299	317,944	77,036	14,319
20-24 years	438,548	350,937	70,351	17,260
25-29 years	475,131	392,493	66,640	15,998
30-34 years	519,971	433,535	69,562	16,874
35-39 years	474,815	396,638	62,222	15,955
40-44 years	415,791	349,847	52,193	13,751
45-49 years	339,159	289,056	38,509	11,594
50-54 years	272,261	229,875	33,450	8,936
55-59 years	231,472	197,598	28,086	5,788
60-64 years	224,388	194,634	25,552	4,202
65-69 years	199,285	174,438	21,595	3,252
70-74 years	160,488	142,998	15,196	2,294
75-79 years	113,489	102,900	9,269	1,320
80-84 years	64,359	58,599	5,072	688
85+ years	41,114	37,171	3,526	417
Total	5,690,082	4,687,534	828,403	174,145
1992 Females	All Races	White	Black	Asian/Other
00 years	91,876	69,223	19,579	3,074
01-04 years	348,050	267,199	70,194	10,657
05-09 years	404,423	315,938	76,060	12,425
10-14 years	406,832	314,401	78,911	13,520
15-19 years	380,768	293,231	74,304	13,233
20-24 years	423,805	331,367	75,645	16,793
25-29 years	472,857	379,206	76,403	17,248
30-34 years	523,160	423,421	83,079	16,660
35-39 years	483,605	390,090	76,787	16,728
40-44 years	430,734	349,453	65,693	15,588
45-49 years	355,196	294,589	48,355	12,252
50-54 years	288,822	237,706	42,385	8,731
55-59 years	251,124	208,665	36,297	6,162
60-64 years	252,307	214,356	32,946	5,005
65-69 years	246,776	213,507	28,969	4,300
70-74 years	219,566	194,299	22,157	3,110
75-79 years	182,104	164,300	15,907	1,897
80-84 years	126,740	115,591	10,130	1,019
85+ years	115,357	106,015	8,705	637
Total	6,004,102	4,882,557	942,506	179,039

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	All Races	White	Black	Asian/Other
00 years	184,208	138,435	39,727	6,046
01-04 years	725,948	553,921	148,899	23,128
05-09 years	830,711	648,394	156,351	25,966
10-14 years	847,145	656,451	161,961	28,733
15-19 years	795,697	617,161	150,168	28,368
20-24 years	856,321	672,305	147,832	36,184
25-29 years	927,027	751,344	140,898	34,785
30-34 years	1,047,422	858,447	153,559	35,416
35-39 years	984,076	806,031	144,248	33,797
40-44 years	863,322	711,643	120,870	30,809
45-49 years	715,575	598,680	91,116	25,779
50-54 years	591,143	494,370	77,670	19,103
55-59 years	492,716	413,399	66,086	13,231
60-64 years	465,263	396,782	58,609	9,872
65-69 years	444,437	385,352	51,234	7,851
70-74 years	382,914	338,604	38,334	5,976
75-79 years	298,385	269,310	25,628	3,447
80-84 years	195,935	178,576	15,497	1,862
85+ years	161,334	147,393	12,780	1,161
Total	11,809,579	9,636,598	1,801,467	371,514
1993 Males	All Races	White	Black	Asian/Other
00 years	94,040	70,771	20,112	3,157
01-04 years	371,123	284,045	75,132	11,946
05-09 years	425,550	333,090	79,206	13,254
10-14 years	433,379	336,871	81,926	14,582
15-19 years	412,149	321,025	76,444	14,680
20-24 years	434,868	345,289	71,163	18,416
25-29 years	464,764	382,598	65,899	16,267
30-34 years	522,707	434,868	70,173	17,666
35-39 years	487,940	406,543	64,804	16,593
40-44 years	424,140	356,064	53,532	14,544
45-49 years	349,707	297,109	40,205	12,393
50-54 years	287,156	243,137	34,421	9,598
55-59 years	236,524	201,140	28,916	6,468
60-64 years	219,187	189,155	25,552	4,480
65-69 years	199,303	174,064	21,879	3,360
70-74 years	162,355	144,164	15,651	2,540
75-79 years	115,405	104,500	9,481	1,424
80-84 years	66,105	60,230	5,135	740
85+ years	42,368	38,307	3,611	450
Total	5,748,770	4,722,970	843,242	182,558
1993 Females	All Races	White	Black	Asian/Other
00 years	90,168	67,664	19,615	2,889
01-04 years	354,825	269,876	73,767	11,182
05-09 years	405,161	315,304	77,145	12,712
10-14 years	413,766	319,580	80,035	14,151
15-19 years	383,548	296,136	73,724	13,688
20-24 years	421,453	327,016	76,669	17,768
25-29 years	462,263	368,746	74,999	18,518
30-34 years	524,715	423,579	83,386	17,750
35-39 years	496,136	399,488	79,444	17,204
40-44 years	439,182	355,579	67,338	16,265
45-49 years	365,868	301,571	50,911	13,386
50-54 years	303,987	251,233	43,249	9,505
55-59 years	256,192	212,259	37,170	6,763
60-64 years	246,076	207,627	33,057	5,392
65-69 years	245,134	211,288	29,355	4,491
70-74 years	220,559	194,440	22,683	3,436
75-79 years	182,980	164,810	16,147	2,023
80-84 years	129,830	118,346	10,362	1,122
85+ years	118,966	109,086	9,169	711
Total	6,060,809	4,913,628	958,225	188,956

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	All Races	White	Black	Asian/Other
00 years	182,330	138,089	38,016	6,225
01-04 years	736,628	557,506	154,972	24,150
05-09 years	844,037	655,985	161,341	26,711
10-14 years	855,594	663,826	162,112	29,656
15-19 years	811,431	629,624	152,211	29,596
20-24 years	844,634	658,501	148,569	37,564
25-29 years	906,858	732,968	137,662	36,228
30-34 years	1,045,381	856,005	152,494	36,882
35-39 years	1,001,695	819,085	147,799	34,811
40-44 years	882,538	725,863	124,538	32,137
45-49 years	745,618	621,929	95,955	27,734
50-54 years	607,853	507,855	79,405	20,593
55-59 years	502,517	420,763	67,264	14,490
60-64 years	454,505	385,371	58,527	10,607
65-69 years	439,453	379,448	51,800	8,205
70-74 years	385,481	340,182	38,919	6,380
75-79 years	299,961	269,996	26,216	3,749
80-84 years	201,076	183,273	15,749	2,054
85+ years	164,995	150,512	13,235	1,248
Total	11,912,585	9,696,781	1,826,784	389,020
1994 Males	All Races	White	Black	Asian/Other
00 years	92,993	70,653	19,147	3,193
01-04 years	376,684	285,796	78,488	12,400
05-09 years	432,387	336,881	81,779	13,727
10-14 years	437,683	340,796	81,794	15,093
15-19 years	420,411	327,618	77,538	15,255
20-24 years	429,286	338,556	71,668	19,062
25-29 years	455,390	374,269	64,271	16,850
30-34 years	522,495	434,309	70,071	18,115
35-39 years	497,285	413,566	66,556	17,163
40-44 years	433,997	363,195	55,530	15,272
45-49 years	364,678	309,279	42,150	13,249
50-54 years	295,391	249,953	35,270	10,168
55-59 years	241,297	204,854	29,300	7,143
60-64 years	214,328	183,931	25,523	4,874
65-69 years	197,716	172,101	22,088	3,527
70-74 years	163,877	145,377	15,801	2,699
75-79 years	116,678	105,296	9,828	1,554
80-84 years	68,348	62,271	5,257	820
85+ years	43,486	39,314	3,706	466
Total	5,804,410	4,758,015	855,765	190,630
1994 Females	All Races	White	Black	Asian/Other
00 years	89,337	67,436	18,869	3,032
01-04 years	359,944	271,710	76,484	11,750
05-09 years	411,650	319,104	79,562	12,984
10-14 years	417,911	323,030	80,318	14,563
15-19 years	391,020	302,006	74,673	14,341
20-24 years	415,348	319,945	76,901	18,502
25-29 years	451,468	358,699	73,391	19,378
30-34 years	522,886	421,696	82,423	18,767
35-39 years	504,410	405,519	81,243	17,648
40-44 years	448,541	362,668	69,008	16,865
45-49 years	380,940	312,650	53,805	14,485
50-54 years	312,462	257,902	44,135	10,425
55-59 years	261,220	215,909	37,964	7,347
60-64 years	240,177	201,440	33,004	5,733
65-69 years	241,737	207,347	29,712	4,678
70-74 years	221,604	194,805	23,118	3,681
75-79 years	183,283	164,700	16,388	2,195
80-84 years	132,728	121,002	10,492	1,234
85+ years	121,509	111,198	9,529	782
Total	6,108,175	4,938,766	971,019	198,390

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	All Races	White	Black	Asian/Other
00 years	179,719	137,788	35,577	6,354
01-04 years	740,391	556,114	159,343	24,934
05-09 years	862,351	668,053	166,342	27,956
10-14 years	861,513	669,947	161,482	30,084
15-19 years	833,645	645,407	157,295	30,943
20-24 years	829,585	645,283	146,253	38,049
25-29 years	898,263	721,900	137,571	38,792
30-34 years	1,030,874	842,967	150,190	37,717
35-39 years	1,014,860	829,024	149,671	36,165
40-44 years	901,661	740,633	127,870	33,158
45-49 years	779,647	648,609	101,746	29,292
50-54 years	622,103	519,238	80,850	22,015
55-59 years	505,708	421,248	68,466	15,994
60-64 years	448,526	378,389	58,771	11,366
65-69 years	434,296	373,494	52,270	8,532
70-74 years	388,478	342,455	39,278	6,745
75-79 years	300,976	269,719	27,270	3,987
80-84 years	206,533	188,320	15,975	2,238
85+ years	169,308	154,212	13,707	1,389
Total	12,008,437	9,752,800	1,849,927	405,710
1995 Males	All Races	White	Black	Asian/Other
00 years	91,667	70,470	17,908	3,289
01-04 years	378,575	284,971	80,813	12,791
05-09 years	441,805	343,053	84,383	14,369
10-14 years	440,701	343,913	81,485	15,303
15-19 years	431,984	335,897	80,119	15,968
20-24 years	422,464	332,265	70,694	19,505
25-29 years	451,944	369,718	64,379	17,847
30-34 years	515,917	428,322	69,305	18,290
35-39 years	504,458	418,906	67,626	17,926
40-44 years	443,902	370,886	57,306	15,710
45-49 years	381,771	323,032	44,780	13,959
50-54 years	302,519	255,972	35,778	10,769
55-59 years	242,908	205,019	29,953	7,936
60-64 years	211,527	180,685	25,608	5,234
65-69 years	196,191	170,256	22,239	3,696
70-74 years	165,635	146,871	15,924	2,840
75-79 years	117,697	105,695	10,384	1,618
80-84 years	70,896	64,727	5,279	890
85+ years	44,772	40,441	3,830	501
Total	5,857,333	4,791,099	867,793	198,441
1995 Females	All Races	White	Black	Asian/Other
00 years	88,052	67,318	17,669	3,065
01-04 years	361,816	271,143	78,530	12,143
05-09 years	420,546	325,000	81,959	13,587
10-14 years	420,812	326,034	79,997	14,781
15-19 years	401,661	309,510	77,176	14,975
20-24 years	407,121	313,018	75,559	18,544
25-29 years	446,319	352,182	73,192	20,945
30-34 years	514,957	414,645	80,885	19,427
35-39 years	510,402	410,118	82,045	18,239
40-44 years	457,759	369,747	70,564	17,448
45-49 years	397,876	325,577	56,966	15,333
50-54 years	319,584	263,266	45,072	11,246
55-59 years	262,800	216,229	38,513	8,058
60-64 years	236,999	197,704	33,163	6,132
65-69 years	238,105	203,238	30,031	4,836
70-74 years	222,843	195,584	23,354	3,905
75-79 years	183,279	164,024	16,886	2,369
80-84 years	135,637	123,593	10,696	1,348
85+ years	124,536	113,771	9,877	888
Total	6,151,104	4,961,701	982,134	207,269

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,637	136,026	32,662	6,949
01-04 years	737,880	554,211	157,495	26,174
05-09 years	885,165	681,423	174,742	29,000
10-14 years	869,233	675,734	162,794	30,705
15-19 years	857,067	663,288	161,038	32,741
20-24 years	810,802	630,767	141,377	38,658
25-29 years	903,332	721,481	139,601	42,250
30-34 years	1,007,551	821,061	147,969	38,521
35-39 years	1,024,270	836,244	150,756	37,270
40-44 years	921,038	755,668	130,920	34,450
45-49 years	821,115	681,213	108,927	30,975
50-54 years	629,013	524,091	81,569	23,353
55-59 years	513,699	427,281	69,071	17,347
60-64 years	443,641	372,469	59,076	12,096
65-69 years	429,349	368,062	52,426	8,861
70-74 years	384,288	337,310	39,988	6,990
75-79 years	304,806	272,244	28,264	4,298
80-84 years	210,713	192,092	16,217	2,404
85+ years	173,398	157,969	13,921	1,508
Total	12,101,997	9,808,634	1,868,813	424,550
1996 Males	All Races	White	Black	Asian/Other
00 years	89,619	69,657	16,411	3,551
01-04 years	377,301	283,995	79,851	13,455
05-09 years	453,418	349,834	88,752	14,832
10-14 years	444,661	346,830	82,178	15,653
15-19 years	444,118	345,563	81,659	16,896
20-24 years	413,506	325,247	68,335	19,924
25-29 years	454,893	370,425	65,229	19,239
30-34 years	504,894	417,909	68,373	18,612
35-39 years	509,617	422,581	68,457	18,579
40-44 years	453,870	378,954	58,522	16,394
45-49 years	402,598	339,925	47,973	14,700
50-54 years	306,016	258,546	36,022	11,448
55-59 years	246,865	208,089	30,204	8,572
60-64 years	209,449	178,091	25,679	5,679
65-69 years	194,189	168,112	22,238	3,839
70-74 years	164,178	145,047	16,176	2,955
75-79 years	120,101	107,531	10,844	1,726
80-84 years	73,127	66,805	5,367	955
85+ years	45,938	41,566	3,847	525
Total	5,908,358	4,824,707	876,117	207,534
1996 Females	All Races	White	Black	Asian/Other
00 years	86,018	66,369	16,251	3,398
01-04 years	360,579	270,216	77,644	12,719
05-09 years	431,747	331,589	85,990	14,168
10-14 years	424,572	328,904	80,616	15,052
15-19 years	412,949	317,725	79,379	15,845
20-24 years	397,296	305,520	73,042	18,734
25-29 years	448,439	351,056	74,372	23,011
30-34 years	502,657	403,152	79,596	19,909
35-39 years	514,653	413,663	82,299	18,691
40-44 years	467,168	376,714	72,398	18,056
45-49 years	418,517	341,288	60,954	16,275
50-54 years	322,997	265,545	45,547	11,905
55-59 years	266,834	219,192	38,867	8,775
60-64 years	234,192	194,378	33,397	6,417
65-69 years	235,160	199,950	30,188	5,022
70-74 years	220,110	192,263	23,812	4,035
75-79 years	184,705	164,713	17,420	2,572
80-84 years	137,586	125,287	10,850	1,449
85+ years	127,460	116,403	10,074	983
Total	6,193,639	4,983,927	992,696	217,016

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	All Races	White	Black	Asian/Other
00 years	174,269	135,324	32,089	6,856
01-04 years	729,498	550,145	152,355	26,998
05-09 years	908,107	694,320	182,755	31,032
10-14 years	873,516	677,670	164,432	31,414
15-19 years	873,507	676,014	163,248	34,245
20-24 years	808,831	630,943	139,051	38,837
25-29 years	902,993	715,831	142,076	45,086
30-34 years	978,564	794,584	144,450	39,530
35-39 years	1,023,563	833,515	151,384	38,664
40-44 years	940,893	769,921	135,203	35,769
45-49 years	821,035	677,430	112,043	31,562
50-54 years	676,901	566,437	85,081	25,383
55-59 years	527,799	438,205	71,098	18,496
60-64 years	444,622	371,663	59,734	13,225
65-69 years	419,481	358,371	51,795	9,315
70-74 years	380,559	332,605	40,698	7,256
75-79 years	310,635	276,680	29,314	4,641
80-84 years	213,552	194,369	16,575	2,608
85+ years	177,390	161,687	14,116	1,587
Total	12,185,715	9,855,714	1,887,497	442,504
1997 Males	All Races	White	Black	Asian/Other
00 years	88,899	69,285	16,115	3,499
01-04 years	373,121	281,966	77,344	13,811
05-09 years	465,065	356,586	92,613	15,866
10-14 years	446,792	347,645	83,076	16,071
15-19 years	452,411	352,133	82,591	17,687
20-24 years	412,553	325,510	67,083	19,960
25-29 years	454,846	367,748	66,422	20,676
30-34 years	490,423	405,082	66,687	18,654
35-39 years	509,366	420,721	69,252	19,393
40-44 years	464,192	386,469	60,528	17,195
45-49 years	402,690	338,475	49,376	14,839
50-54 years	329,884	279,747	37,778	12,359
55-59 years	253,747	213,412	31,158	9,177
60-64 years	210,129	178,041	25,868	6,220
65-69 years	189,892	163,885	21,868	4,139
70-74 years	162,973	143,506	16,400	3,067
75-79 years	123,607	110,427	11,307	1,873
80-84 years	74,307	67,878	5,418	1,011
85+ years	47,569	43,093	3,917	559
Total	5,952,466	4,851,609	884,801	216,056
1997 Females	All Races	White	Black	Asian/Other
00 years	85,370	66,039	15,974	3,357
01-04 years	356,377	268,179	75,011	13,187
05-09 years	443,042	337,734	90,142	15,166
10-14 years	426,724	330,025	81,356	15,343
15-19 years	421,096	323,881	80,657	16,558
20-24 years	396,278	305,433	71,968	18,877
25-29 years	448,147	348,083	75,654	24,410
30-34 years	488,141	389,502	77,763	20,876
35-39 years	514,197	412,794	82,132	19,271
40-44 years	476,701	383,452	74,675	18,574
45-49 years	418,345	338,955	62,667	16,723
50-54 years	347,017	286,690	47,303	13,024
55-59 years	274,052	224,793	39,940	9,319
60-64 years	234,493	193,622	33,866	7,005
65-69 years	229,589	194,486	29,927	5,176
70-74 years	217,586	189,099	24,298	4,189
75-79 years	187,028	166,253	18,007	2,768
80-84 years	139,245	126,491	11,157	1,597
85+ years	129,821	118,594	10,199	1,028
Total	6,233,249	5,004,105	1,002,696	226,448

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	All Races	White	Black	Asian/Other
00 years	172,524	133,407	31,829	7,288
01-04 years	718,162	544,972	145,118	28,072
05-09 years	919,305	698,195	189,000	32,110
10-14 years	878,210	678,601	167,442	32,167
15-19 years	888,287	687,291	165,135	35,861
20-24 years	818,115	640,966	137,279	39,870
25-29 years	903,502	712,593	142,953	47,956
30-34 years	952,093	769,524	141,478	41,091
35-39 years	1,018,829	827,411	151,407	40,011
40-44 years	962,252	786,046	139,642	36,564
45-49 years	837,043	689,475	114,491	33,077
50-54 years	696,444	579,467	89,539	27,438
55-59 years	552,995	460,794	72,422	19,779
60-64 years	452,911	377,634	61,015	14,262
65-69 years	409,749	347,988	51,987	9,774
70-74 years	380,196	331,121	41,552	7,523
75-79 years	312,521	277,459	30,028	5,034
80-84 years	215,803	196,040	17,001	2,762
85+ years	182,906	166,528	14,661	1,717
Total	12,271,847	9,905,512	1,903,979	462,356
1998 Males	All Races	White	Black	Asian/Other
00 years	88,100	68,491	15,979	3,630
01-04 years	367,089	279,311	73,579	14,199
05-09 years	470,953	358,510	95,930	16,513
10-14 years	449,162	347,974	84,771	16,417
15-19 years	459,980	357,864	83,534	18,582
20-24 years	417,756	331,004	66,417	20,335
25-29 years	455,476	366,636	66,809	22,031
30-34 years	477,665	392,969	65,530	19,166
35-39 years	507,279	417,929	69,410	19,940
40-44 years	475,396	394,896	62,859	17,641
45-49 years	410,991	344,858	50,507	15,626
50-54 years	339,450	286,537	39,683	13,230
55-59 years	266,163	224,514	31,867	9,782
60-64 years	214,191	180,913	26,438	6,840
65-69 years	185,260	159,097	21,819	4,344
70-74 years	163,817	143,901	16,733	3,183
75-79 years	125,223	111,511	11,670	2,042
80-84 years	75,955	69,286	5,594	1,075
85+ years	49,585	44,903	4,087	595
Total	5,999,491	4,881,104	893,216	225,171
1998 Females	All Races	White	Black	Asian/Other
00 years	84,424	64,916	15,850	3,658
01-04 years	351,073	265,661	71,539	13,873
05-09 years	448,352	339,685	93,070	15,597
10-14 years	429,048	330,627	82,671	15,750
15-19 years	428,307	329,427	81,601	17,279
20-24 years	400,359	309,962	70,862	19,535
25-29 years	448,026	345,957	76,144	25,925
30-34 years	474,428	376,555	75,948	21,925
35-39 years	511,550	409,482	81,997	20,071
40-44 years	486,856	391,150	76,783	18,923
45-49 years	426,052	344,617	63,984	17,451
50-54 years	356,994	292,930	49,856	14,208
55-59 years	286,832	236,280	40,555	9,997
60-64 years	238,720	196,721	34,577	7,422
65-69 years	224,489	188,891	30,168	5,430
70-74 years	216,379	187,220	24,819	4,340
75-79 years	187,298	165,948	18,358	2,992
80-84 years	139,848	126,754	11,407	1,687
85+ years	133,321	121,625	10,574	1,122
Total	6,272,356	5,024,408	1,010,763	237,185

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	All Races	White	Black	Asian/Other
00 years	173,288	134,127	31,863	7,298
01-04 years	708,678	539,504	140,005	29,169
05-09 years	929,962	703,954	192,642	33,366
10-14 years	893,453	686,974	173,479	33,000
15-19 years	893,729	691,705	165,124	36,900
20-24 years	833,765	652,675	139,240	41,850
25-29 years	897,285	701,726	143,116	52,443
30-34 years	928,426	746,084	138,566	43,776
35-39 years	1,009,780	818,825	149,972	40,983
40-44 years	977,421	797,160	143,048	37,213
45-49 years	857,556	704,703	118,651	34,202
50-54 years	726,545	602,803	94,330	29,412
55-59 years	567,540	472,587	73,865	21,088
60-64 years	461,748	384,371	62,216	15,161
65-69 years	400,609	338,610	51,741	10,258
70-74 years	377,467	327,533	42,204	7,730
75-79 years	315,497	279,619	30,553	5,325
80-84 years	217,871	197,360	17,535	2,976
85+ years	188,400	171,445	15,110	1,845
Total	12,359,020	9,951,765	1,923,260	483,995
1999 Males	All Races	White	Black	Asian/Other
00 years	88,454	68,706	16,094	3,654
01-04 years	362,225	276,613	71,029	14,583
05-09 years	476,378	361,466	97,991	16,921
10-14 years	456,954	352,152	87,847	16,955
15-19 years	462,476	360,107	83,178	19,191
20-24 years	425,667	337,145	67,256	21,266
25-29 years	452,885	360,468	66,712	25,705
30-34 years	466,410	381,527	64,237	20,646
35-39 years	502,699	413,380	69,063	20,256
40-44 years	483,354	400,703	64,671	17,980
45-49 years	421,594	352,729	52,663	16,202
50-54 years	354,365	298,604	41,651	14,110
55-59 years	273,277	230,392	32,611	10,274
60-64 years	218,350	184,171	26,857	7,322
65-69 years	181,963	155,500	21,797	4,666
70-74 years	163,272	143,034	16,948	3,290
75-79 years	126,587	112,697	11,741	2,149
80-84 years	77,148	70,104	5,880	1,164
85+ years	51,612	46,783	4,203	626
Total	6,045,670	4,906,281	902,429	236,960
1999 Females	All Races	White	Black	Asian/Other
00 years	84,834	65,421	15,769	3,644
01-04 years	346,453	262,891	68,976	14,586
05-09 years	453,584	342,488	94,651	16,445
10-14 years	436,499	334,822	85,632	16,045
15-19 years	431,253	331,598	81,946	17,709
20-24 years	408,098	315,530	71,984	20,584
25-29 years	444,400	341,258	76,404	26,738
30-34 years	462,016	364,557	74,329	23,130
35-39 years	507,081	405,445	80,909	20,727
40-44 years	494,067	396,457	78,377	19,233
45-49 years	435,962	351,974	65,988	18,000
50-54 years	372,180	304,199	52,679	15,302
55-59 years	294,263	242,195	41,254	10,814
60-64 years	243,398	200,200	35,359	7,839
65-69 years	218,646	183,110	29,944	5,592
70-74 years	214,195	184,499	25,256	4,440
75-79 years	188,910	166,922	18,812	3,176
80-84 years	140,723	127,256	11,655	1,812
85+ years	136,788	124,662	10,907	1,219
Total	6,313,350	5,045,484	1,020,831	247,035

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,439	135,164	32,354	7,921
01-04 years	699,946	533,719	136,105	30,122
05-09 years	924,569	698,589	191,462	34,518
10-14 years	908,672	696,055	178,442	34,175
15-19 years	897,721	695,571	164,253	37,897
20-24 years	855,309	667,560	143,375	44,374
25-29 years	886,378	691,821	140,263	54,294
30-34 years	919,791	733,038	137,469	49,284
35-39 years	992,982	803,424	147,287	42,271
40-44 years	988,790	804,931	145,186	38,673
45-49 years	877,971	720,097	122,297	35,577
50-54 years	760,140	628,268	100,377	31,495
55-59 years	581,134	483,404	75,181	22,549
60-64 years	464,665	385,031	63,277	16,357
65-69 years	396,176	333,444	51,763	10,969
70-74 years	374,113	323,205	42,751	8,157
75-79 years	317,375	280,714	30,920	5,741
80-84 years	220,139	198,536	18,305	3,298
85+ years	192,851	175,264	15,465	2,122
Total	12,434,161	9,987,835	1,936,532	509,794
2000 Males	All Races	White	Black	Asian/Other
00 years	89,554	69,242	16,345	3,967
01-04 years	357,727	273,665	69,166	14,896
05-09 years	473,486	358,575	97,429	17,482
10-14 years	464,675	356,784	90,373	17,518
15-19 years	465,393	362,751	82,818	19,824
20-24 years	436,995	345,243	69,135	22,617
25-29 years	448,493	356,362	65,283	26,848
30-34 years	463,249	374,852	63,763	24,634
35-39 years	494,563	405,930	67,704	20,929
40-44 years	489,472	404,743	65,968	18,761
45-49 years	432,205	360,781	54,624	16,800
50-54 years	370,935	311,464	44,426	15,045
55-59 years	279,918	235,938	33,101	10,879
60-64 years	219,856	184,422	27,442	7,992
65-69 years	180,469	153,690	21,793	4,986
70-74 years	162,737	142,060	17,212	3,465
75-79 years	127,478	113,321	11,813	2,344
80-84 years	78,370	70,896	6,188	1,286
85+ years	53,309	48,335	4,272	702
Total	6,088,884	4,929,054	908,855	250,975
2000 Females	All Races	White	Black	Asian/Other
00 years	85,885	65,922	16,009	3,954
01-04 years	342,219	260,054	66,939	15,226
05-09 years	451,083	340,014	94,033	17,036
10-14 years	443,997	339,271	88,069	16,657
15-19 years	432,328	332,820	81,435	18,073
20-24 years	418,314	322,317	74,240	21,757
25-29 years	437,885	335,459	74,980	27,446
30-34 years	456,542	358,186	73,706	24,650
35-39 years	498,419	397,494	79,583	21,342
40-44 years	499,318	400,188	79,218	19,912
45-49 years	445,766	359,316	67,673	18,777
50-54 years	389,205	316,804	55,951	16,450
55-59 years	301,216	247,466	42,080	11,670
60-64 years	244,809	200,609	35,835	8,365
65-69 years	215,707	179,754	29,970	5,983
70-74 years	211,376	181,145	25,539	4,692
75-79 years	189,897	167,393	19,107	3,397
80-84 years	141,769	127,640	12,117	2,012
85+ years	139,542	126,929	11,193	1,420
Total	6,345,277	5,058,781	1,027,677	258,819

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	All Races	White	Black	Asian/Other
00 years	182,014	139,768	33,814	8,432
01-04 years	691,925	529,124	131,552	31,249
05-09 years	911,716	689,382	186,312	36,022
10-14 years	920,321	701,606	183,293	35,422
15-19 years	897,214	695,574	162,800	38,840
20-24 years	870,940	677,857	147,051	46,032
25-29 years	864,728	674,434	134,682	55,612
30-34 years	923,737	732,858	137,898	52,981
35-39 years	969,687	782,162	143,562	43,963
40-44 years	998,028	811,771	146,713	39,544
45-49 years	894,624	732,866	124,473	37,285
50-54 years	798,852	658,879	106,831	33,142
55-59 years	592,146	492,021	76,176	23,949
60-64 years	471,511	390,267	63,464	17,780
65-69 years	394,996	330,204	52,826	11,966
70-74 years	369,777	318,443	42,833	8,501
75-79 years	316,711	278,738	31,911	6,062
80-84 years	224,395	201,960	18,867	3,568
85+ years	195,123	177,585	15,191	2,347
Total	12,488,445	10,015,499	1,940,249	532,697
2001 Males	All Races	White	Black	Asian/Other
00 years	92,914	71,656	16,944	4,314
01-04 years	353,419	271,290	66,695	15,434
05-09 years	466,792	353,621	95,067	18,104
10-14 years	470,908	359,867	92,853	18,188
15-19 years	465,200	362,645	82,222	20,333
20-24 years	443,839	349,698	70,913	23,228
25-29 years	438,094	347,848	62,613	27,633
30-34 years	464,909	374,797	63,764	26,348
35-39 years	483,500	395,822	65,952	21,726
40-44 years	494,116	408,025	66,915	19,176
45-49 years	440,608	367,269	55,768	17,571
50-54 years	389,849	326,855	47,188	15,806
55-59 years	285,724	240,654	33,553	11,517
60-64 years	223,317	187,116	27,491	8,710
65-69 years	180,585	152,787	22,309	5,489
70-74 years	161,164	140,321	17,267	3,576
75-79 years	128,062	113,351	12,222	2,489
80-84 years	80,654	72,844	6,435	1,375
85+ years	54,348	49,454	4,133	761
Total	6,118,002	4,945,920	910,304	261,778
2001 Females	All Races	White	Black	Asian/Other
00 years	89,100	68,112	16,870	4,118
01-04 years	338,506	257,834	64,857	15,815
05-09 years	444,924	335,761	91,245	17,918
10-14 years	449,413	341,739	90,440	17,234
15-19 years	432,014	332,929	80,578	18,507
20-24 years	427,101	328,159	76,138	22,804
25-29 years	426,634	326,586	72,069	27,979
30-34 years	458,828	358,061	74,134	26,633
35-39 years	486,187	386,340	77,610	22,237
40-44 years	503,912	403,746	79,798	20,368
45-49 years	454,016	365,597	68,705	19,714
50-54 years	409,003	332,024	59,643	17,336
55-59 years	306,422	251,367	42,623	12,432
60-64 years	248,194	203,151	35,973	9,070
65-69 years	214,411	177,417	30,517	6,477
70-74 years	208,613	178,122	25,566	4,925
75-79 years	188,649	165,387	19,689	3,573
80-84 years	143,741	129,116	12,432	2,193
85+ years	140,775	128,131	11,058	1,586
Total	6,370,443	5,069,579	1,029,945	270,919

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	All Races	White	Black	Asian/Other
00 years	176,591	135,929	32,285	8,377
01-04 years	696,170	533,230	130,001	32,939
05-09 years	895,265	677,247	180,461	37,557
10-14 years	930,923	706,977	187,495	36,451
15-19 years	895,240	693,020	162,783	39,437
20-24 years	877,701	681,248	148,863	47,590
25-29 years	855,133	667,415	130,814	56,904
30-34 years	923,515	727,731	138,456	57,328
35-39 years	944,575	759,619	139,430	45,526
40-44 years	996,885	809,482	146,794	40,609
45-49 years	914,730	747,879	128,338	38,513
50-54 years	798,777	656,037	108,853	33,887
55-59 years	633,979	527,900	79,829	26,250
60-64 years	487,129	403,571	64,414	19,144
65-69 years	395,915	329,367	53,689	12,859
70-74 years	362,437	311,122	42,405	8,910
75-79 years	315,212	276,349	32,617	6,246
80-84 years	228,489	205,034	19,558	3,897
85+ years	196,890	179,177	15,158	2,555
Total	12,525,556	10,028,334	1,942,243	554,979
2002 Males	All Races	White	Black	Asian/Other
00 years	90,111	69,256	16,508	4,347
01-04 years	355,630	273,540	65,738	16,352
05-09 years	458,034	347,237	92,159	18,638
10-14 years	476,398	362,564	95,097	18,737
15-19 years	463,262	360,294	82,303	20,665
20-24 years	447,211	351,282	71,912	24,017
25-29 years	432,783	343,693	60,943	28,147
30-34 years	465,021	373,019	63,688	28,314
35-39 years	471,247	384,756	64,026	22,465
40-44 years	493,648	406,813	67,013	19,822
45-49 years	450,261	374,460	57,608	18,193
50-54 years	390,501	326,356	48,134	16,011
55-59 years	306,029	258,246	35,225	12,558
60-64 years	230,644	193,426	27,910	9,308
65-69 years	182,095	153,440	22,658	5,997
70-74 years	158,320	137,392	17,134	3,794
75-79 years	128,269	113,206	12,509	2,554
80-84 years	82,888	74,633	6,729	1,526
85+ years	55,307	50,343	4,123	841
Total	6,137,659	4,953,956	911,417	272,286
2002 Females	All Races	White	Black	Asian/Other
00 years	86,480	66,673	15,777	4,030
01-04 years	340,540	259,690	64,263	16,587
05-09 years	437,231	330,010	88,302	18,919
10-14 years	454,525	344,413	92,398	17,714
15-19 years	431,978	332,726	80,480	18,772
20-24 years	430,490	329,966	76,951	23,573
25-29 years	422,350	323,722	69,871	28,757
30-34 years	458,494	354,712	74,768	29,014
35-39 years	473,328	374,863	75,404	23,061
40-44 years	503,237	402,669	79,781	20,787
45-49 years	464,469	373,419	70,730	20,320
50-54 years	408,276	329,681	60,719	17,876
55-59 years	327,950	269,654	44,604	13,692
60-64 years	256,485	210,145	36,504	9,836
65-69 years	213,820	175,927	31,031	6,862
70-74 years	204,117	173,730	25,271	5,116
75-79 years	186,943	163,143	20,108	3,692
80-84 years	145,601	130,401	12,829	2,371
85+ years	141,583	128,834	11,035	1,714
Total	6,387,897	5,074,378	1,030,826	282,693

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,067	135,034	31,058	8,975
01-04 years	696,763	534,659	127,731	34,373
05-09 years	878,647	666,289	173,483	38,875
10-14 years	934,873	706,646	190,737	37,490
15-19 years	895,952	691,039	164,755	40,158
20-24 years	885,309	686,442	149,675	49,192
25-29 years	851,314	665,779	128,340	57,195
30-34 years	913,055	715,550	137,170	60,335
35-39 years	921,738	738,187	135,798	47,753
40-44 years	989,314	801,882	145,641	41,791
45-49 years	932,188	760,534	131,824	39,830
50-54 years	811,359	665,374	111,042	34,943
55-59 years	655,253	543,591	83,428	28,234
60-64 years	509,631	423,500	65,743	20,388
65-69 years	403,600	335,044	54,682	13,874
70-74 years	355,695	303,372	42,888	9,435
75-79 years	314,438	274,963	32,826	6,649
80-84 years	231,567	207,279	20,178	4,110
85+ years	200,243	182,145	15,341	2,757
Total	12,556,006	10,037,309	1,942,340	576,357
2003 Males	All Races	White	Black	Asian/Other
00 years	89,850	69,567	15,633	4,650
01-04 years	355,505	273,624	64,739	17,142
05-09 years	449,053	341,643	88,188	19,222
10-14 years	478,322	362,351	96,799	19,172
15-19 years	463,364	358,903	83,406	21,055
20-24 years	450,472	353,123	72,435	24,914
25-29 years	430,703	342,658	59,963	28,082
30-34 years	459,817	366,949	63,135	29,733
35-39 years	459,961	374,154	62,215	23,592
40-44 years	489,999	403,245	66,410	20,344
45-49 years	458,797	380,429	59,499	18,869
50-54 years	396,751	331,113	49,142	16,496
55-59 years	316,817	266,718	36,787	13,312
60-64 years	241,245	202,941	28,419	9,885
65-69 years	186,314	156,680	23,089	6,545
70-74 years	155,480	134,079	17,369	4,032
75-79 years	128,800	113,594	12,451	2,755
80-84 years	84,771	76,137	7,063	1,571
85+ years	57,126	51,992	4,180	954
Total	6,153,147	4,959,900	910,922	282,325
2003 Females	All Races	White	Black	Asian/Other
00 years	85,217	65,467	15,425	4,325
01-04 years	341,258	261,035	62,992	17,231
05-09 years	429,594	324,646	85,295	19,653
10-14 years	456,551	344,295	93,938	18,318
15-19 years	432,588	332,136	81,349	19,103
20-24 years	434,837	333,319	77,240	24,278
25-29 years	420,611	323,121	68,377	29,113
30-34 years	453,238	348,601	74,035	30,602
35-39 years	461,777	364,033	73,583	24,161
40-44 years	499,315	398,637	79,231	21,447
45-49 years	473,391	380,105	72,325	20,961
50-54 years	414,608	334,261	61,900	18,447
55-59 years	338,436	276,873	46,641	14,922
60-64 years	268,386	220,559	37,324	10,503
65-69 years	217,286	178,364	31,593	7,329
70-74 years	200,215	169,293	25,519	5,403
75-79 years	185,638	161,369	20,375	3,894
80-84 years	146,796	131,142	13,115	2,539
85+ years	143,117	130,153	11,161	1,803
Total	6,402,859	5,077,409	1,031,418	294,032

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,433	135,407	31,034	8,992
01-04 years	696,198	534,707	125,405	36,086
05-09 years	862,340	655,867	166,227	40,246
10-14 years	932,571	702,514	191,598	38,459
15-19 years	905,172	694,617	169,203	41,352
20-24 years	893,225	692,923	149,887	50,415
25-29 years	855,707	668,244	129,000	58,463
30-34 years	895,938	699,034	134,999	61,905
35-39 years	901,438	719,081	132,142	50,215
40-44 years	980,971	793,549	143,952	43,470
45-49 years	944,741	769,622	134,714	40,405
50-54 years	827,820	677,801	113,904	36,115
55-59 years	683,028	565,307	87,543	30,178
60-64 years	523,872	435,057	67,013	21,802
65-69 years	412,331	342,020	55,201	15,110
70-74 years	349,297	296,285	43,064	9,948
75-79 years	310,471	270,401	33,136	6,934
80-84 years	235,573	210,408	20,820	4,345
85+ years	203,647	184,989	15,631	3,027
Total	12,589,773	10,047,833	1,944,473	597,467
2004 Males	All Races	White	Black	Asian/Other
00 years	89,786	69,300	15,834	4,652
01-04 years	355,473	273,990	63,384	18,099
05-09 years	441,115	336,583	84,673	19,859
10-14 years	476,921	360,245	97,185	19,491
15-19 years	468,246	360,697	85,752	21,797
20-24 years	457,173	357,998	73,230	25,945
25-29 years	432,643	343,665	60,449	28,529
30-34 years	450,964	358,566	61,884	30,514
35-39 years	450,439	364,956	60,738	24,745
40-44 years	486,070	399,090	65,924	21,056
45-49 years	465,474	385,191	60,949	19,334
50-54 years	405,133	337,662	50,618	16,853
55-59 years	330,198	277,505	38,502	14,191
60-64 years	248,476	208,894	29,061	10,521
65-69 years	190,601	160,079	23,301	7,221
70-74 years	152,876	131,221	17,372	4,283
75-79 years	128,269	112,805	12,588	2,876
80-84 years	86,963	77,945	7,347	1,671
85+ years	58,744	53,440	4,254	1,050
Total	6,175,564	4,969,832	913,045	292,687
2004 Females	All Races	White	Black	Asian/Other
00 years	85,647	66,107	15,200	4,340
01-04 years	340,725	260,717	62,021	17,987
05-09 years	421,225	319,284	81,554	20,387
10-14 years	455,650	342,269	94,413	18,968
15-19 years	436,926	333,920	83,451	19,555
20-24 years	436,052	334,925	76,657	24,470
25-29 years	423,064	324,579	68,551	29,934
30-34 years	444,974	340,468	73,115	31,391
35-39 years	450,999	354,125	71,404	25,470
40-44 years	494,901	394,459	78,028	22,414
45-49 years	479,267	384,431	73,765	21,071
50-54 years	422,687	340,139	63,286	19,262
55-59 years	352,830	287,802	49,041	15,987
60-64 years	275,396	226,163	37,952	11,281
65-69 years	221,730	181,941	31,900	7,889
70-74 years	196,421	165,064	25,692	5,665
75-79 years	182,202	157,596	20,548	4,058
80-84 years	148,610	132,463	13,473	2,674
85+ years	144,903	131,549	11,377	1,977
Total	6,414,209	5,078,001	1,031,428	304,780

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	All Races	White	Black	Asian/Other
00 years	170,542	130,970	30,179	9,393
01-04 years	695,164	533,585	124,171	37,408
05-09 years	849,518	647,948	159,713	41,857
10-14 years	923,414	694,468	189,410	39,536
15-19 years	914,275	697,628	174,137	42,510
20-24 years	887,761	689,488	147,215	51,058
25-29 years	866,083	673,867	132,562	59,654
30-34 years	872,576	678,729	130,952	62,895
35-39 years	894,288	709,913	130,624	53,751
40-44 years	962,577	777,279	140,530	44,768
45-49 years	956,112	777,548	137,430	41,134
50-54 years	846,124	692,668	116,312	37,144
55-59 years	720,161	593,867	93,765	32,529
60-64 years	533,991	443,647	67,515	22,829
65-69 years	416,992	344,826	55,790	16,376
70-74 years	345,362	291,275	43,500	10,587
75-79 years	309,059	268,191	33,505	7,363
80-84 years	237,858	211,971	21,261	4,626
85+ years	208,046	188,509	16,282	3,255
Total	12,609,903	10,046,377	1,944,853	618,673
2005 Males	All Races	White	Black	Asian/Other
00 years	87,581	67,298	15,513	4,770
01-04 years	355,118	273,535	62,761	18,822
05-09 years	433,859	332,117	81,113	20,629
10-14 years	473,075	356,574	96,418	20,083
15-19 years	471,806	361,204	88,259	22,343
20-24 years	453,595	355,312	72,032	26,251
25-29 years	437,507	346,001	62,573	28,933
30-34 years	438,795	347,660	60,011	31,124
35-39 years	447,535	361,310	59,894	26,331
40-44 years	476,681	390,636	64,373	21,672
45-49 years	471,149	389,013	62,425	19,711
50-54 years	414,128	344,982	51,865	17,281
55-59 years	348,751	292,358	41,138	15,255
60-64 years	253,941	213,735	29,278	10,928
65-69 years	192,586	161,292	23,500	7,794
70-74 years	152,160	129,839	17,650	4,671
75-79 years	128,452	112,637	12,741	3,074
80-84 years	88,696	79,384	7,552	1,760
85+ years	60,657	55,081	4,444	1,132
Total	6,186,072	4,969,968	913,540	302,564
2005 Females	All Races	White	Black	Asian/Other
00 years	82,961	63,672	14,666	4,623
01-04 years	340,046	260,050	61,410	18,586
05-09 years	415,659	315,831	78,600	21,228
10-14 years	450,339	337,894	92,992	19,453
15-19 years	442,469	336,424	85,878	20,167
20-24 years	434,166	334,176	75,183	24,807
25-29 years	428,576	327,866	69,989	30,721
30-34 years	433,781	331,069	70,941	31,771
35-39 years	446,753	348,603	70,730	27,420
40-44 years	485,896	386,643	76,157	23,096
45-49 years	484,963	388,535	75,005	21,423
50-54 years	431,996	347,686	64,447	19,863
55-59 years	371,410	301,509	52,627	17,274
60-64 years	280,050	229,912	38,237	11,901
65-69 years	224,406	183,534	32,290	8,582
70-74 years	193,202	161,436	25,850	5,916
75-79 years	180,607	155,554	20,764	4,289
80-84 years	149,162	132,587	13,709	2,866
85+ years	147,389	133,428	11,838	2,123
Total	6,423,831	5,076,409	1,031,313	316,109

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	All Races	White	Black	Asian/Other
00 years	169,033	129,304	30,309	9,420
01-04 years	684,749	525,037	121,213	38,499
05-09 years	847,980	646,466	157,625	43,889
10-14 years	913,671	687,592	185,037	41,042
15-19 years	921,587	699,365	178,697	43,525
20-24 years	882,932	685,638	145,009	52,285
25-29 years	885,291	687,133	135,922	62,236
30-34 years	852,538	662,240	126,417	63,881
35-39 years	896,374	707,605	131,981	56,788
40-44 years	938,217	754,709	137,191	46,317
45-49 years	964,149	783,274	139,172	41,703
50-54 years	862,914	705,216	119,055	38,643
55-59 years	756,726	622,889	99,654	34,183
60-64 years	544,441	451,676	68,545	24,220
65-69 years	422,623	349,241	55,767	17,615
70-74 years	343,777	288,001	44,271	11,505
75-79 years	305,729	264,851	33,291	7,587
80-84 years	237,652	210,948	21,859	4,845
85+ years	213,572	193,251	16,821	3,500
Total	12,643,955	10,054,436	1,947,836	641,683
2006 Males	All Races	White	Black	Asian/Other
00 years	86,058	65,851	15,414	4,793
01-04 years	350,282	269,353	61,558	19,371
05-09 years	432,746	331,345	79,660	21,741
10-14 years	467,938	352,755	94,453	20,730
15-19 years	475,323	361,879	90,613	22,831
20-24 years	452,086	354,015	71,209	26,862
25-29 years	445,687	351,515	64,046	30,126
30-34 years	429,108	339,463	57,939	31,706
35-39 years	448,168	359,800	60,540	27,828
40-44 years	465,428	379,985	63,027	22,416
45-49 years	475,339	391,809	63,505	20,025
50-54 years	422,184	350,992	53,263	17,929
55-59 years	366,500	306,801	43,680	16,019
60-64 years	259,204	217,995	29,717	11,492
65-69 years	195,347	163,484	23,431	8,432
70-74 years	152,414	129,198	18,075	5,141
75-79 years	127,262	111,519	12,642	3,101
80-84 years	89,680	79,996	7,776	1,908
85+ years	63,179	57,358	4,612	1,209
Total	6,203,933	4,975,113	915,160	313,660
2006 Females	All Races	White	Black	Asian/Other
00 years	82,975	63,453	14,895	4,627
01-04 years	334,467	255,684	59,655	19,128
05-09 years	415,234	315,121	77,965	22,148
10-14 years	445,733	334,837	90,584	20,312
15-19 years	446,264	337,486	88,084	20,694
20-24 years	430,846	331,623	73,800	25,423
25-29 years	439,604	335,618	71,876	32,110
30-34 years	423,430	322,777	68,478	32,175
35-39 years	448,206	347,805	71,441	28,960
40-44 years	472,789	374,724	74,164	23,901
45-49 years	488,810	391,465	75,667	21,678
50-54 years	440,730	354,224	65,792	20,714
55-59 years	390,226	316,088	55,974	18,164
60-64 years	285,237	233,681	38,828	12,728
65-69 years	227,276	185,757	32,336	9,183
70-74 years	191,363	158,803	26,196	6,364
75-79 years	178,467	153,332	20,649	4,486
80-84 years	147,972	130,952	14,083	2,937
85+ years	150,393	135,893	12,209	2,291
Total	6,440,022	5,079,323	1,032,676	328,023

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	All Races	White	Black	Asian/Other
00 years	171,292	130,410	31,207	9,675
01-04 years	680,035	519,964	120,176	39,895
05-09 years	849,196	648,054	155,205	45,937
10-14 years	902,390	679,121	180,422	42,847
15-19 years	928,377	701,655	182,108	44,614
20-24 years	880,284	683,003	144,362	52,919
25-29 years	896,088	694,439	136,892	64,757
30-34 years	846,449	657,755	123,484	65,210
35-39 years	895,616	701,496	133,256	60,864
40-44 years	914,035	732,788	133,627	47,620
45-49 years	963,025	781,173	139,172	42,680
50-54 years	884,179	721,078	123,200	39,901
55-59 years	757,044	620,696	101,393	34,955
60-64 years	585,472	487,122	71,880	26,470
65-69 years	438,209	362,354	56,874	18,981
70-74 years	345,528	288,337	44,905	12,286
75-79 years	300,856	259,965	32,982	7,909
80-84 years	237,865	210,378	22,419	5,068
85+ years	219,926	198,555	17,593	3,778
Total	12,695,866	10,078,343	1,951,157	666,366
2007 Males	All Races	White	Black	Asian/Other
00 years	87,088	66,292	15,807	4,989
01-04 years	347,598	266,786	60,796	20,016
05-09 years	433,174	331,859	78,468	22,847
10-14 years	461,889	348,231	92,169	21,489
15-19 years	478,022	362,349	92,276	23,397
20-24 years	450,322	352,226	70,917	27,179
25-29 years	450,353	354,514	64,441	31,398
30-34 years	425,658	336,511	56,862	32,285
35-39 years	447,670	357,193	60,781	29,696
40-44 years	453,514	369,022	61,355	23,137
45-49 years	474,963	390,669	63,767	20,527
50-54 years	432,359	358,641	55,147	18,571
55-59 years	367,365	306,672	44,495	16,198
60-64 years	279,088	235,298	31,265	12,525
65-69 years	202,844	169,866	23,919	9,059
70-74 years	154,084	130,248	18,258	5,578
75-79 years	125,966	110,070	12,626	3,270
80-84 years	90,580	80,606	8,007	1,967
85+ years	65,752	59,575	4,851	1,326
Total	6,228,289	4,986,628	916,207	325,454
2007 Females	All Races	White	Black	Asian/Other
00 years	84,204	64,118	15,400	4,686
01-04 years	332,437	253,178	59,380	19,879
05-09 years	416,022	316,195	76,737	23,090
10-14 years	440,501	330,890	88,253	21,358
15-19 years	450,355	339,306	89,832	21,217
20-24 years	429,962	330,777	73,445	25,740
25-29 years	445,735	339,925	72,451	33,359
30-34 years	420,791	321,244	66,622	32,925
35-39 years	447,946	344,303	72,475	31,168
40-44 years	460,521	363,766	72,272	24,483
45-49 years	488,062	390,504	75,405	22,153
50-54 years	451,820	362,437	68,053	21,330
55-59 years	389,679	314,024	56,898	18,757
60-64 years	306,384	251,824	40,615	13,945
65-69 years	235,365	192,488	32,955	9,922
70-74 years	191,444	158,089	26,647	6,708
75-79 years	174,890	149,895	20,356	4,639
80-84 years	147,285	129,772	14,412	3,101
85+ years	154,174	138,980	12,742	2,452
Total	6,467,577	5,091,715	1,034,950	340,912

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	All Races	White	Black	Asian/Other
00 years	167,968	127,193	30,801	9,974
01-04 years	679,695	517,513	121,197	40,985
05-09 years	851,542	649,864	153,271	48,407
10-14 years	892,352	673,078	174,996	44,278
15-19 years	931,065	699,910	185,452	45,703
20-24 years	876,545	677,997	144,948	53,600
25-29 years	910,258	706,342	137,419	66,497
30-34 years	847,213	659,641	122,168	65,404
35-39 years	886,700	690,639	132,618	63,443
40-44 years	893,262	713,156	130,473	49,633
45-49 years	956,686	774,510	138,174	44,002
50-54 years	903,901	735,748	126,902	41,251
55-59 years	773,071	632,972	103,768	36,331
60-64 years	607,263	503,406	75,316	28,541
65-69 years	459,748	381,396	58,171	20,181
70-74 years	352,243	293,507	45,534	13,202
75-79 years	295,130	253,451	33,366	8,313
80-84 years	237,298	209,555	22,366	5,377
85+ years	225,098	202,785	18,291	4,022
Total	12,747,038	10,102,663	1,955,231	689,144
2008 Males	All Races	White	Black	Asian/Other
00 years	85,428	64,702	15,710	5,016
01-04 years	346,730	264,666	61,431	20,633
05-09 years	434,399	332,826	77,447	24,126
10-14 years	456,320	345,265	88,833	22,222
15-19 years	479,091	361,261	94,041	23,789
20-24 years	448,311	349,338	71,346	27,627
25-29 years	457,001	360,012	64,698	32,291
30-34 years	425,636	337,220	56,357	32,059
35-39 years	443,154	351,802	60,537	30,815
40-44 years	443,341	359,266	59,849	24,226
45-49 years	472,034	387,652	63,214	21,168
50-54 years	442,161	365,669	57,261	19,231
55-59 years	375,209	312,749	45,517	16,943
60-64 years	290,220	244,078	32,795	13,347
65-69 years	213,062	179,051	24,419	9,592
70-74 years	157,850	133,217	18,533	6,100
75-79 years	123,871	107,660	12,759	3,452
80-84 years	91,303	81,319	7,874	2,110
85+ years	68,380	61,822	5,156	1,402
Total	6,253,501	4,999,575	917,777	336,149
2008 Females	All Races	White	Black	Asian/Other
00 years	82,540	62,491	15,091	4,958
01-04 years	332,965	252,847	59,766	20,352
05-09 years	417,143	317,038	75,824	24,281
10-14 years	436,032	327,813	86,163	22,056
15-19 years	451,974	338,649	91,411	21,914
20-24 years	428,234	328,659	73,602	25,973
25-29 years	453,257	346,330	72,721	34,206
30-34 years	421,577	322,421	65,811	33,345
35-39 years	443,546	338,837	72,081	32,628
40-44 years	449,921	353,890	70,624	25,407
45-49 years	484,652	386,858	74,960	22,834
50-54 years	461,740	370,079	69,641	22,020
55-59 years	397,862	320,223	58,251	19,388
60-64 years	317,043	259,328	42,521	15,194
65-69 years	246,686	202,345	33,752	10,589
70-74 years	194,393	160,290	27,001	7,102
75-79 years	171,259	145,791	20,607	4,861
80-84 years	145,995	128,236	14,492	3,267
85+ years	156,718	140,963	13,135	2,620
Total	6,493,537	5,103,088	1,037,454	352,995

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	All Races	White	Black	Asian/Other
00 years	164,646	124,155	29,977	10,514
01-04 years	675,629	511,337	122,049	42,243
05-09 years	857,360	653,996	152,608	50,756
10-14 years	883,928	668,383	169,513	46,032
15-19 years	928,201	694,845	186,663	46,693
20-24 years	877,648	675,274	147,430	54,944
25-29 years	914,697	711,443	136,085	67,169
30-34 years	855,772	665,548	123,779	66,445
35-39 years	871,430	675,058	131,454	64,918
40-44 years	875,346	696,279	127,112	51,955
45-49 years	951,529	768,833	136,813	45,883
50-54 years	919,619	747,354	130,282	41,983
55-59 years	792,394	648,144	106,655	37,595
60-64 years	636,573	526,825	79,313	30,435
65-69 years	475,070	393,444	59,842	21,784
70-74 years	360,531	300,339	45,906	14,286
75-79 years	290,359	248,235	33,405	8,719
80-84 years	235,236	206,920	22,703	5,613
85+ years	230,810	207,326	19,237	4,247
Total	12,796,778	10,123,738	1,960,826	712,214
2009 Males	All Races	White	Black	Asian/Other
00 years	84,067	63,417	15,285	5,365
01-04 years	344,363	261,404	61,786	21,173
05-09 years	437,254	334,801	77,160	25,293
10-14 years	452,140	342,816	86,247	23,077
15-19 years	476,519	357,880	94,451	24,188
20-24 years	447,564	346,835	72,331	28,398
25-29 years	459,187	362,434	64,104	32,649
30-34 years	429,092	339,638	57,122	32,332
35-39 years	434,765	343,502	59,687	31,576
40-44 years	434,796	350,942	58,513	25,341
45-49 years	469,227	384,347	62,972	21,908
50-54 years	450,526	371,765	58,938	19,823
55-59 years	384,729	320,441	46,985	17,303
60-64 years	304,478	255,922	34,400	14,156
65-69 years	220,766	185,177	25,261	10,328
70-74 years	161,814	136,510	18,621	6,683
75-79 years	122,312	105,929	12,745	3,638
80-84 years	91,462	81,247	7,986	2,229
85+ years	70,994	64,042	5,450	1,502
Total	6,276,055	5,009,049	920,044	346,962
2009 Females	All Races	White	Black	Asian/Other
00 years	80,579	60,738	14,692	5,149
01-04 years	331,266	249,933	60,263	21,070
05-09 years	420,106	319,195	75,448	25,463
10-14 years	431,788	325,567	83,266	22,955
15-19 years	451,682	336,965	92,212	22,505
20-24 years	430,084	328,439	75,099	26,546
25-29 years	455,510	349,009	71,981	34,520
30-34 years	426,680	325,910	66,657	34,113
35-39 years	436,665	331,556	71,767	33,342
40-44 years	440,550	345,337	68,599	26,614
45-49 years	482,302	384,486	73,841	23,975
50-54 years	469,093	375,589	71,344	22,160
55-59 years	407,665	327,703	59,670	20,292
60-64 years	332,095	270,903	44,913	16,279
65-69 years	254,304	208,267	34,581	11,456
70-74 years	198,717	163,829	27,285	7,603
75-79 years	168,047	142,306	20,660	5,081
80-84 years	143,774	125,673	14,717	3,384
85+ years	159,816	143,284	13,787	2,745
Total	6,520,723	5,114,689	1,040,782	365,252

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	All Races	White	Black	Asian/Other
00 years	163,753	123,794	29,753	10,206
01-04 years	671,017	506,571	121,469	42,977
05-09 years	857,433	652,330	152,019	53,084
10-14 years	877,816	665,086	165,062	47,668
15-19 years	920,230	688,175	184,376	47,679
20-24 years	880,094	672,357	151,786	55,951
25-29 years	909,775	708,961	133,688	67,126
30-34 years	868,874	674,248	127,526	67,100
35-39 years	851,305	658,061	127,884	65,360
40-44 years	870,067	688,345	126,530	55,192
45-49 years	936,066	754,928	134,071	47,067
50-54 years	932,386	756,457	133,250	42,679
55-59 years	812,820	664,460	109,515	38,845
60-64 years	672,860	554,982	85,166	32,712
65-69 years	487,949	404,030	60,913	23,006
70-74 years	366,107	304,005	46,581	15,521
75-79 years	288,996	245,555	34,107	9,334
80-84 years	235,865	206,657	23,262	5,946
85+ years	237,090	212,311	20,236	4,543
Total	12,840,503	10,141,313	1,967,194	731,996
2010 Males	All Races	White	Black	Asian/Other
00 years	83,873	63,404	15,238	5,231
01-04 years	341,727	258,595	61,445	21,687
05-09 years	437,604	334,169	76,967	26,468
10-14 years	448,023	340,582	83,645	23,796
15-19 years	472,776	354,457	93,646	24,673
20-24 years	447,984	344,775	74,322	28,887
25-29 years	456,809	360,922	63,194	32,693
30-34 years	435,271	343,635	59,077	32,559
35-39 years	424,348	334,480	58,097	31,771
40-44 years	432,664	347,558	58,263	26,843
45-49 years	461,548	377,278	61,819	22,451
50-54 years	456,864	376,193	60,508	20,163
55-59 years	394,737	328,396	48,418	17,923
60-64 years	322,393	270,304	36,868	15,221
65-69 years	227,404	190,774	25,814	10,816
70-74 years	164,237	138,127	18,846	7,264
75-79 years	122,755	105,647	13,108	4,000
80-84 years	92,351	81,785	8,224	2,342
85+ years	73,737	66,385	5,748	1,604
Total	6,297,105	5,017,466	923,247	356,392
2010 Females	All Races	White	Black	Asian/Other
00 years	79,880	60,390	14,515	4,975
01-04 years	329,290	247,976	60,024	21,290
05-09 years	419,829	318,161	75,052	26,616
10-14 years	429,793	324,504	81,417	23,872
15-19 years	447,454	333,718	90,730	23,006
20-24 years	432,110	327,582	77,464	27,064
25-29 years	452,966	348,039	70,494	34,433
30-34 years	433,603	330,613	68,449	34,541
35-39 years	426,957	323,581	69,787	33,589
40-44 years	437,403	340,787	68,267	28,349
45-49 years	474,518	377,650	72,252	24,616
50-54 years	475,522	380,264	72,742	22,516
55-59 years	418,083	336,064	61,097	20,922
60-64 years	350,467	284,678	48,298	17,491
65-69 years	260,545	213,256	35,099	12,190
70-74 years	201,870	165,878	27,735	8,257
75-79 years	166,241	139,908	20,999	5,334
80-84 years	143,514	124,872	15,038	3,604
85+ years	163,353	145,926	14,488	2,939
Total	6,543,398	5,123,847	1,043,947	375,604

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	All Races	White	Black	Asian/Other
00 years	162,075	124,453	28,484	9,138
01-04 years	663,225	500,394	119,931	42,900
05-09 years	850,827	647,129	149,558	54,140
10-14 years	872,237	661,176	161,955	49,106
15-19 years	908,026	680,092	178,985	48,949
20-24 years	887,340	670,593	159,093	57,654
25-29 years	906,341	704,828	133,566	67,947
30-34 years	881,524	683,264	129,257	69,003
35-39 years	830,140	640,873	123,242	66,025
40-44 years	873,407	687,096	127,574	58,737
45-49 years	912,331	733,003	130,829	48,499
50-54 years	938,860	761,608	133,969	43,283
55-59 years	831,221	678,166	112,637	40,418
60-64 years	708,005	583,396	90,018	34,591
65-69 years	499,378	412,881	61,876	24,621
70-74 years	374,560	310,494	47,310	16,756
75-79 years	289,985	244,400	35,328	10,257
80-84 years	235,357	205,470	23,576	6,311
85+ years	242,615	216,535	21,067	5,013
Total	12,867,454	10,145,851	1,968,255	753,348
2011 Males	All Races	White	Black	Asian/Other
00 years	83,213	63,880	14,605	4,728
01-04 years	337,625	255,255	60,701	21,669
05-09 years	434,533	331,756	75,671	27,106
10-14 years	444,748	338,238	81,991	24,519
15-19 years	466,240	349,710	91,304	25,226
20-24 years	451,525	343,527	78,371	29,627
25-29 years	455,828	359,006	63,640	33,182
30-34 years	441,175	347,811	59,979	33,385
35-39 years	414,427	325,931	56,227	32,269
40-44 years	434,019	347,071	58,600	28,348
45-49 years	450,466	366,995	60,252	23,219
50-54 years	460,439	378,817	61,195	20,427
55-59 years	403,721	335,253	49,794	18,674
60-64 years	338,983	284,243	38,732	16,008
65-69 years	233,474	195,609	26,288	11,577
70-74 years	168,311	141,343	19,120	7,848
75-79 years	123,952	105,778	13,629	4,545
80-84 years	92,568	81,728	8,377	2,463
85+ years	76,582	68,753	6,061	1,768
Total	6,311,829	5,020,704	924,537	366,588
2011 Females	All Races	White	Black	Asian/Other
00 years	78,862	60,573	13,879	4,410
01-04 years	325,600	245,139	59,230	21,231
05-09 years	416,294	315,373	73,887	27,034
10-14 years	427,489	322,938	79,964	24,587
15-19 years	441,786	330,382	87,681	23,723
20-24 years	435,815	327,066	80,722	28,027
25-29 years	450,513	345,822	69,926	34,765
30-34 years	440,349	335,453	69,278	35,618
35-39 years	415,713	314,942	67,015	33,756
40-44 years	439,388	340,025	68,974	30,389
45-49 years	461,865	366,008	70,577	25,280
50-54 years	478,421	382,791	72,774	22,856
55-59 years	427,500	342,913	62,843	21,744
60-64 years	369,022	299,153	51,286	18,583
65-69 years	265,904	217,272	35,588	13,044
70-74 years	206,249	169,151	28,190	8,908
75-79 years	166,033	138,622	21,699	5,712
80-84 years	142,789	123,742	15,199	3,848
85+ years	166,033	147,782	15,006	3,245
Total	6,555,625	5,125,147	1,043,718	386,760

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	All Races	White	Black	Asian/Other
00 years	159,659	121,719	28,645	9,295
01-04 years	654,114	495,164	116,868	42,082
05-09 years	847,454	643,631	148,679	55,144
10-14 years	864,776	655,952	158,360	50,464
15-19 years	891,235	668,205	173,064	49,966
20-24 years	898,250	672,566	165,944	59,740
25-29 years	899,342	696,349	134,365	68,628
30-34 years	889,793	688,562	130,089	71,142
35-39 years	822,046	634,831	120,533	66,682
40-44 years	869,800	679,364	128,017	62,419
45-49 years	889,515	712,147	127,506	49,862
50-54 years	934,027	756,769	133,178	44,080
55-59 years	850,738	692,852	116,276	41,610
60-64 years	709,523	582,237	91,527	35,759
65-69 years	538,227	446,288	65,182	26,757
70-74 years	389,428	322,573	48,670	18,185
75-79 years	293,386	245,905	36,260	11,221
80-84 years	232,482	201,929	23,836	6,717
85+ years	248,715	221,196	21,983	5,536
Total	12,882,510	10,138,239	1,968,982	775,289
2012 Males	All Races	White	Black	Asian/Other
00 years	81,283	61,928	14,567	4,788
01-04 years	333,989	253,316	59,347	21,326
05-09 years	432,054	329,244	75,170	27,640
10-14 years	441,219	335,658	80,201	25,360
15-19 years	457,004	343,064	88,314	25,626
20-24 years	457,354	344,658	82,127	30,569
25-29 years	452,705	354,397	64,592	33,716
30-34 years	445,259	350,306	60,522	34,431
35-39 years	410,697	322,931	55,234	32,532
40-44 years	432,303	343,506	58,736	30,061
45-49 years	439,624	357,119	58,611	23,894
50-54 years	458,053	376,317	60,962	20,774
55-59 years	413,289	342,434	51,610	19,245
60-64 years	340,223	284,490	39,295	16,438
65-69 years	252,429	212,148	27,707	12,574
70-74 years	175,163	147,056	19,614	8,493
75-79 years	126,169	107,095	13,969	5,105
80-84 years	91,840	80,697	8,471	2,672
85+ years	79,387	71,037	6,411	1,939
Total	6,320,044	5,017,401	925,460	377,183
2012 Females	All Races	White	Black	Asian/Other
00 years	78,376	59,791	14,078	4,507
01-04 years	320,125	241,848	57,521	20,756
05-09 years	415,400	314,387	73,509	27,504
10-14 years	423,557	320,294	78,159	25,104
15-19 years	434,231	325,141	84,750	24,340
20-24 years	440,896	327,908	83,817	29,171
25-29 years	446,637	341,952	69,773	34,912
30-34 years	444,534	338,256	69,567	36,711
35-39 years	411,349	311,900	65,299	34,150
40-44 years	437,497	335,858	69,281	32,358
45-49 years	449,891	355,028	68,895	25,968
50-54 years	475,974	380,452	72,216	23,306
55-59 years	437,449	350,418	64,666	22,365
60-64 years	369,300	297,747	52,232	19,321
65-69 years	285,798	234,140	37,475	14,183
70-74 years	214,265	175,517	29,056	9,692
75-79 years	167,217	138,810	22,291	6,116
80-84 years	140,642	121,232	15,365	4,045
85+ years	169,328	150,159	15,572	3,597
Total	6,562,466	5,120,838	1,043,522	398,106

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	All Races	White	Black	Asian/Other
00 years	157,128	119,091	28,496	9,541
01-04 years	644,035	488,603	114,190	41,242
05-09 years	842,067	637,933	148,207	55,927
10-14 years	858,093	651,895	154,203	51,995
15-19 years	875,634	658,456	166,349	50,829
20-24 years	906,018	672,262	172,028	61,728
25-29 years	897,448	690,311	136,807	70,330
30-34 years	897,175	692,285	131,140	73,750
35-39 years	824,302	637,407	119,193	67,702
40-44 years	858,656	666,527	127,329	64,800
45-49 years	867,439	691,767	124,380	51,292
50-54 years	926,470	749,124	131,952	45,394
55-59 years	866,988	705,010	119,356	42,622
60-64 years	722,292	591,472	93,701	37,119
65-69 years	558,572	461,963	67,959	28,650
70-74 years	409,912	340,000	50,354	19,558
75-79 years	299,853	250,693	36,958	12,202
80-84 years	229,950	198,200	24,523	7,227
85+ years	253,097	224,254	22,745	6,098
Total	12,895,129	10,127,253	1,969,870	798,006
2013 Males	All Races	White	Black	Asian/Other
00 years	80,323	61,065	14,399	4,859
01-04 years	329,006	249,881	58,161	20,964
05-09 years	428,982	325,942	74,892	28,148
10-14 years	437,616	333,594	77,917	26,105
15-19 years	448,713	337,779	84,902	26,032
20-24 years	461,822	344,615	85,695	31,512
25-29 years	453,431	352,333	66,264	34,834
30-34 years	448,677	351,606	61,126	35,945
35-39 years	412,521	324,572	54,984	32,965
40-44 years	426,426	337,093	58,128	31,205
45-49 years	429,148	347,292	57,165	24,691
50-54 years	454,506	372,772	60,398	21,336
55-59 years	421,739	348,637	53,311	19,791
60-64 years	346,125	288,982	40,194	16,949
65-69 years	262,605	220,388	28,818	13,399
70-74 years	184,869	155,343	20,348	9,178
75-79 years	129,471	109,657	14,235	5,579
80-84 years	91,427	79,769	8,739	2,919
85+ years	81,676	72,858	6,659	2,159
Total	6,329,083	5,014,178	926,335	388,570
2013 Females	All Races	White	Black	Asian/Other
00 years	76,805	58,026	14,097	4,682
01-04 years	315,029	238,722	56,029	20,278
05-09 years	413,085	311,991	73,315	27,779
10-14 years	420,477	318,301	76,286	25,890
15-19 years	426,921	320,677	81,447	24,797
20-24 years	444,196	327,647	86,333	30,216
25-29 years	444,017	337,978	70,543	35,496
30-34 years	448,498	340,679	70,014	37,805
35-39 years	411,781	312,835	64,209	34,737
40-44 years	432,230	329,434	69,201	33,595
45-49 years	438,291	344,475	67,215	26,601
50-54 years	471,964	376,352	71,554	24,058
55-59 years	445,249	356,373	66,045	22,831
60-64 years	376,167	302,490	53,507	20,170
65-69 years	295,967	241,575	39,141	15,251
70-74 years	225,043	184,657	30,006	10,380
75-79 years	170,382	141,036	22,723	6,623
80-84 years	138,523	118,431	15,784	4,308
85+ years	171,421	151,396	16,086	3,939
Total	6,566,046	5,113,075	1,043,535	409,436

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	All Races	White	Black	Asian/Other
00 years	156,923	119,083	28,553	9,287
01-04 years	636,745	483,308	112,915	40,522
05-09 years	828,999	626,222	146,753	56,024
10-14 years	852,096	648,254	150,234	53,608
15-19 years	860,613	649,227	159,861	51,525
20-24 years	906,990	669,824	174,145	63,021
25-29 years	896,155	683,347	141,529	71,279
30-34 years	896,399	690,747	130,397	75,255
35-39 years	829,275	640,444	119,777	69,054
40-44 years	842,074	650,594	125,732	65,748
45-49 years	847,183	673,126	121,057	53,000
50-54 years	916,513	739,715	129,750	47,048
55-59 years	876,888	712,479	121,408	43,001
60-64 years	738,407	603,610	96,483	38,314
65-69 years	583,438	481,626	71,306	30,506
70-74 years	423,128	350,397	51,630	21,101
75-79 years	307,597	256,683	37,599	13,315
80-84 years	227,451	194,681	25,042	7,728
85+ years	257,619	227,342	23,580	6,697
Total	12,884,493	10,100,709	1,967,751	816,033
2014 Males	All Races	White	Black	Asian/Other
00 years	80,246	61,017	14,470	4,759
01-04 years	325,624	247,343	57,541	20,740
05-09 years	421,978	319,533	74,210	28,235
10-14 years	434,585	331,823	75,907	26,855
15-19 years	440,855	333,075	81,464	26,316
20-24 years	461,672	342,534	87,155	31,983
25-29 years	453,449	349,241	68,983	35,225
30-34 years	448,756	350,881	60,980	36,895
35-39 years	415,027	326,114	55,545	33,368
40-44 years	417,964	328,991	57,186	31,787
45-49 years	419,503	338,223	55,644	25,636
50-54 years	449,894	368,233	59,592	22,069
55-59 years	426,750	352,424	54,304	20,022
60-64 years	354,115	295,242	41,475	17,398
65-69 years	274,449	230,307	29,957	14,185
70-74 years	191,467	160,578	21,005	9,884
75-79 years	133,023	112,395	14,550	6,078
80-84 years	90,892	78,757	8,924	3,211
85+ years	84,223	74,875	6,985	2,363
Total	6,324,472	5,001,586	925,877	397,009
2014 Females	All Races	White	Black	Asian/Other
00 years	76,677	58,066	14,083	4,528
01-04 years	311,121	235,965	55,374	19,782
05-09 years	407,021	306,689	72,543	27,789
10-14 years	417,511	316,431	74,327	26,753
15-19 years	419,758	316,152	78,397	25,209
20-24 years	445,318	327,290	86,990	31,038
25-29 years	442,706	334,106	72,546	36,054
30-34 years	447,643	339,866	69,417	38,360
35-39 years	414,248	314,330	64,232	35,686
40-44 years	424,110	321,603	68,546	33,961
45-49 years	427,680	334,903	65,413	27,364
50-54 years	466,619	371,482	70,158	24,979
55-59 years	450,138	360,055	67,104	22,979
60-64 years	384,292	308,368	55,008	20,916
65-69 years	308,989	251,319	41,349	16,321
70-74 years	231,661	189,819	30,625	11,217
75-79 years	174,574	144,288	23,049	7,237
80-84 years	136,559	115,924	16,118	4,517
85+ years	173,396	152,467	16,595	4,334
Total	6,560,021	5,099,123	1,041,874	419,024

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	All Races	White	Black	Asian/Other
00 years	158,587	119,954	29,003	9,630
01-04 years	628,143	477,157	111,531	39,455
05-09 years	817,846	616,931	145,232	55,683
10-14 years	841,251	640,608	146,179	54,464
15-19 years	851,546	643,344	155,637	52,565
20-24 years	897,985	662,514	171,489	63,982
25-29 years	895,277	676,150	146,834	72,293
30-34 years	888,406	683,479	128,544	76,383
35-39 years	839,300	646,651	122,089	70,560
40-44 years	820,486	632,526	122,013	65,947
45-49 years	838,311	662,573	120,160	55,578
50-54 years	898,142	723,800	126,404	47,938
55-59 years	883,312	716,531	123,158	43,623
60-64 years	756,183	617,657	99,003	39,523
65-69 years	611,305	503,566	75,150	32,589
70-74 years	433,401	358,396	52,662	22,343
75-79 years	312,186	259,234	38,354	14,598
80-84 years	226,288	192,181	25,725	8,382
85+ years	260,958	229,178	24,379	7,401
Total	12,858,913	10,062,430	1,963,546	832,937
2015 Males	All Races	White	Black	Asian/Other
00 years	81,016	61,436	14,707	4,873
01-04 years	321,247	244,281	56,712	20,254
05-09 years	416,483	314,844	73,506	28,133
10-14 years	429,641	328,282	73,986	27,373
15-19 years	435,816	329,930	79,227	26,659
20-24 years	456,748	338,352	86,024	32,372
25-29 years	453,367	345,814	71,786	35,767
30-34 years	445,518	347,381	60,349	37,788
35-39 years	420,044	329,121	56,911	34,012
40-44 years	407,645	320,119	55,420	32,106
45-49 years	415,306	333,405	55,184	26,717
50-54 years	441,469	360,755	58,123	22,591
55-59 years	430,020	354,351	55,327	20,342
60-64 years	362,766	302,260	42,644	17,862
65-69 years	287,765	241,252	31,420	15,093
70-74 years	196,771	164,946	21,483	10,342
75-79 years	135,142	113,629	14,795	6,718
80-84 years	91,171	78,406	9,218	3,547
85+ years	85,997	76,063	7,325	2,609
Total	6,313,932	4,984,627	924,147	405,158
2015 Females	All Races	White	Black	Asian/Other
00 years	77,571	58,518	14,296	4,757
01-04 years	306,896	232,876	54,819	19,201
05-09 years	401,363	302,087	71,726	27,550
10-14 years	411,610	312,326	72,193	27,091
15-19 years	415,730	313,414	76,410	25,906
20-24 years	441,237	324,162	85,465	31,610
25-29 years	441,910	330,336	75,048	36,526
30-34 years	442,888	336,098	68,195	38,595
35-39 years	419,256	317,530	65,178	36,548
40-44 years	412,841	312,407	66,593	33,841
45-49 years	423,005	329,168	64,976	28,861
50-54 years	456,673	363,045	68,281	25,347
55-59 years	453,292	362,180	67,831	23,281
60-64 years	393,417	315,397	56,359	21,661
65-69 years	323,540	262,314	43,730	17,496
70-74 years	236,630	193,450	31,179	12,001
75-79 years	177,044	145,605	23,559	7,880
80-84 years	135,117	113,775	16,507	4,835
85+ years	174,961	153,115	17,054	4,792
Total	6,544,981	5,077,803	1,039,399	427,779

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	All Races	White	Black	Asian/Other
00 years	155,565	117,867	28,426	9,272
01-04 years	623,220	472,115	111,643	39,462
05-09 years	805,370	609,084	141,874	54,412
10-14 years	832,490	634,046	143,356	55,088
15-19 years	843,442	638,021	152,132	53,289
20-24 years	879,794	650,598	165,329	63,867
25-29 years	898,053	671,450	153,543	73,060
30-34 years	882,407	677,473	127,853	77,081
35-39 years	846,793	652,239	123,157	71,397
40-44 years	795,959	613,207	116,845	65,907
45-49 years	837,777	658,680	120,704	58,393
50-54 years	871,722	699,856	122,823	49,043
55-59 years	885,282	718,088	123,393	43,801
60-64 years	769,854	627,907	101,144	40,803
65-69 years	640,232	526,816	79,226	34,190
70-74 years	442,106	365,021	53,436	23,649
75-79 years	318,601	264,173	38,777	15,651
80-84 years	227,795	191,804	26,762	9,229
85+ years	264,065	231,041	24,971	8,053
Total	12,820,527	10,019,486	1,955,394	845,647
2016 Males	All Races	White	Black	Asian/Other
00 years	79,535	60,457	14,426	4,652
01-04 years	318,281	241,609	56,487	20,185
05-09 years	410,812	310,979	72,170	27,663
10-14 years	425,286	324,992	72,593	27,701
15-19 years	431,233	326,929	77,333	26,971
20-24 years	447,255	331,759	83,179	32,317
25-29 years	454,961	343,571	75,454	35,936
30-34 years	444,053	345,161	60,636	38,256
35-39 years	423,672	331,763	57,348	34,561
40-44 years	395,983	310,601	53,187	32,195
45-49 years	414,966	331,758	55,209	27,999
50-54 years	429,154	349,523	56,422	23,209
55-59 years	431,602	355,344	55,813	20,445
60-64 years	369,561	307,389	43,681	18,491
65-69 years	301,143	252,590	32,890	15,663
70-74 years	201,292	168,456	21,920	10,916
75-79 years	138,284	116,175	14,920	7,189
80-84 years	92,444	78,798	9,646	4,000
85+ years	87,802	77,383	7,583	2,836
Total	6,297,319	4,965,237	920,897	411,185
2016 Females	All Races	White	Black	Asian/Other
00 years	76,030	57,410	14,000	4,620
01-04 years	304,939	230,506	55,156	19,277
05-09 years	394,558	298,105	69,704	26,749
10-14 years	407,204	309,054	70,763	27,387
15-19 years	412,209	311,092	74,799	26,318
20-24 years	432,539	318,839	82,150	31,550
25-29 years	443,092	327,879	78,089	37,124
30-34 years	438,354	332,312	67,217	38,825
35-39 years	423,121	320,476	65,809	36,836
40-44 years	399,976	302,606	63,658	33,712
45-49 years	422,811	326,922	65,495	30,394
50-54 years	442,568	350,333	66,401	25,834
55-59 years	453,680	362,744	67,580	23,356
60-64 years	400,293	320,518	57,463	22,312
65-69 years	339,089	274,226	46,336	18,527
70-74 years	240,814	196,565	31,516	12,733
75-79 years	180,317	147,998	23,857	8,462
80-84 years	135,351	113,006	17,116	5,229
85+ years	176,263	153,658	17,388	5,217
Total	6,523,208	5,054,249	1,034,497	434,462

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	All Races	White	Black	Asian/Other
00 years	151,294	114,648	27,514	9,132
01-04 years	618,841	468,459	111,042	39,340
05-09 years	791,923	599,938	138,510	53,475
10-14 years	826,619	628,852	142,052	55,715
15-19 years	834,840	632,341	148,242	54,257
20-24 years	861,790	638,040	159,292	64,458
25-29 years	902,796	669,666	158,839	74,291
30-34 years	872,376	667,552	127,758	77,066
35-39 years	850,674	654,948	123,034	72,692
40-44 years	785,655	605,537	113,828	66,290
45-49 years	831,352	649,043	120,778	61,531
50-54 years	846,582	677,387	119,283	49,912
55-59 years	877,936	711,269	122,331	44,336
60-64 years	785,619	639,619	104,244	41,756
65-69 years	639,833	524,286	80,420	35,127
70-74 years	474,748	393,132	56,072	25,544
75-79 years	330,564	273,841	39,865	16,858
80-84 years	230,179	192,872	27,274	10,033
85+ years	265,207	230,842	25,623	8,742
Total	12,778,828	9,972,272	1,946,001	860,555
2017 Males	All Races	White	Black	Asian/Other
00 years	77,425	58,746	14,063	4,616
01-04 years	316,416	240,208	56,190	20,018
05-09 years	404,146	306,258	70,596	27,292
10-14 years	421,662	321,954	71,737	27,971
15-19 years	426,810	323,973	75,280	27,557
20-24 years	438,050	325,210	80,247	32,593
25-29 years	457,346	342,593	78,427	36,326
30-34 years	439,732	340,257	61,117	38,358
35-39 years	425,854	333,175	57,224	35,455
40-44 years	391,401	307,111	52,032	32,258
45-49 years	411,890	327,245	55,187	29,458
50-54 years	417,190	338,885	54,640	23,665
55-59 years	428,081	351,933	55,500	20,648
60-64 years	377,403	313,201	45,207	18,995
65-69 years	301,307	252,039	33,360	15,908
70-74 years	216,825	182,077	22,981	11,767
75-79 years	143,690	120,723	15,274	7,693
80-84 years	94,031	79,711	9,866	4,454
85+ years	88,967	78,026	7,843	3,098
Total	6,278,226	4,943,325	916,771	418,130
2017 Females	All Races	White	Black	Asian/Other
00 years	73,869	55,902	13,451	4,516
01-04 years	302,425	228,251	54,852	19,322
05-09 years	387,777	293,680	67,914	26,183
10-14 years	404,957	306,898	70,315	27,744
15-19 years	408,030	308,368	72,962	26,700
20-24 years	423,740	312,830	79,045	31,865
25-29 years	445,450	327,073	80,412	37,965
30-34 years	432,644	327,295	66,641	38,708
35-39 years	424,820	321,773	65,810	37,237
40-44 years	394,254	298,426	61,796	34,032
45-49 years	419,462	321,798	65,591	32,073
50-54 years	429,392	338,502	64,643	26,247
55-59 years	449,855	359,336	66,831	23,688
60-64 years	408,216	326,418	59,037	22,761
65-69 years	338,526	272,247	47,060	19,219
70-74 years	257,923	211,055	33,091	13,777
75-79 years	186,874	153,118	24,591	9,165
80-84 years	136,148	113,161	17,408	5,579
85+ years	176,240	152,816	17,780	5,644
Total	6,500,602	5,028,947	1,029,230	442,425

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2018 Both Sexes	All Races	White	Black	Asian/Other
00 years	146,417	110,819	26,131	9,467
01-04 years	612,561	463,784	109,990	38,787
05-09 years	777,945	589,800	135,740	52,405
10-14 years	819,193	621,643	141,478	56,072
15-19 years	827,427	627,669	144,641	55,117
20-24 years	844,417	627,239	153,183	63,995
25-29 years	900,897	663,164	163,397	74,336
30-34 years	864,165	657,718	129,294	77,153
35-39 years	852,981	655,210	123,474	74,297
40-44 years	783,956	605,161	112,210	66,585
45-49 years	817,094	634,225	119,513	63,356
50-54 years	820,877	654,266	115,980	50,631
55-59 years	866,870	700,797	120,818	45,255
60-64 years	797,198	648,074	106,687	42,437
65-69 years	649,112	530,955	81,967	36,190
70-74 years	492,110	406,587	58,360	27,163
75-79 years	347,903	288,564	41,351	17,988
80-84 years	235,333	196,588	27,931	10,814
85+ years	266,615	230,528	26,561	9,526
Total	12,723,071	9,912,791	1,938,706	871,574
2018 Males	All Races	White	Black	Asian/Other
00 years	74,711	56,554	13,357	4,800
01-04 years	313,414	237,805	55,864	19,745
05-09 years	397,512	301,484	69,226	26,802
10-14 years	417,615	317,805	71,586	28,224
15-19 years	422,771	321,634	73,204	27,933
20-24 years	428,962	319,498	77,196	32,268
25-29 years	456,388	338,899	81,070	36,419
30-34 years	436,466	335,847	62,266	38,353
35-39 years	426,876	332,774	57,517	36,585
40-44 years	391,416	307,442	51,704	32,270
45-49 years	404,469	319,787	54,321	30,361
50-54 years	404,831	327,666	53,036	24,129
55-59 years	423,003	347,225	54,777	21,001
60-64 years	383,306	317,423	46,499	19,384
65-69 years	305,684	255,334	34,086	16,264
70-74 years	225,612	189,318	23,849	12,445
75-79 years	151,568	127,389	15,919	8,260
80-84 years	96,647	81,789	10,054	4,804
85+ years	90,093	78,512	8,150	3,431
Total	6,251,344	4,914,185	913,681	423,478
2018 Females	All Races	White	Black	Asian/Other
00 years	71,706	54,265	12,774	4,667
01-04 years	299,147	225,979	54,126	19,042
05-09 years	380,433	288,316	66,514	25,603
10-14 years	401,578	303,838	69,892	27,848
15-19 years	404,656	306,035	71,437	27,184
20-24 years	415,455	307,741	75,987	31,727
25-29 years	444,509	324,265	82,327	37,917
30-34 years	427,699	321,871	67,028	38,800
35-39 years	426,105	322,436	65,957	37,712
40-44 years	392,540	297,719	60,506	34,315
45-49 years	412,625	314,438	65,192	32,995
50-54 years	416,046	326,600	62,944	26,502
55-59 years	443,867	353,572	66,041	24,254
60-64 years	413,892	330,651	60,188	23,053
65-69 years	343,428	275,621	47,881	19,926
70-74 years	266,498	217,269	34,511	14,718
75-79 years	196,335	161,175	25,432	9,728
80-84 years	138,686	114,799	17,877	6,010
85+ years	176,522	152,016	18,411	6,095
Total	6,471,727	4,998,606	1,025,025	448,096

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	23,730	161,124	121,323	34,685
01-04 years	81,638	595,825	451,368	125,947
05-09 years	92,016	733,282	560,978	149,304
10-14 years	83,710	706,266	534,567	149,066
15-19 years	90,196	725,391	544,712	155,724
20-24 years	101,662	765,535	601,493	138,066
25-29 years	98,786	887,159	714,367	144,960
30-34 years	87,197	928,092	752,852	146,353
35-39 years	67,580	843,324	687,457	127,781
40-44 years	50,733	752,920	622,233	104,580
45-49 years	35,343	600,698	499,904	81,241
50-54 years	27,602	504,596	419,686	70,935
55-59 years	22,834	461,121	389,572	62,085
60-64 years	18,046	472,453	407,137	57,557
65-69 years	12,596	440,616	385,791	48,341
70-74 years	7,601	359,318	320,894	34,190
75-79 years	5,260	279,840	253,355	23,870
80-84 years	3,073	179,817	163,734	14,689
85+ years	2,101	144,235	132,401	11,024
Total	911,704	10,541,612	8,563,824	1,680,398
1990 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,148	82,082	62,010	17,452
01-04 years	41,514	305,023	231,876	63,646
05-09 years	47,295	375,570	288,410	75,388
10-14 years	42,556	361,487	274,358	75,626
15-19 years	49,699	372,727	280,721	79,068
20-24 years	58,452	382,290	302,468	66,270
25-29 years	54,661	438,329	357,118	67,445
30-34 years	47,520	456,499	376,468	65,813
35-39 years	36,185	414,000	343,708	57,006
40-44 years	26,699	367,614	308,953	46,244
45-49 years	18,284	291,521	245,929	35,941
50-54 years	14,126	243,727	205,400	31,172
55-59 years	11,517	220,085	188,285	27,262
60-64 years	9,018	221,039	192,542	25,053
65-69 years	6,058	195,583	172,272	20,564
70-74 years	3,200	149,649	134,183	13,672
75-79 years	2,017	106,358	96,416	8,882
80-84 years	1,147	59,604	54,114	4,901
85+ years	751	37,965	34,372	3,273
Total	482,847	5,081,152	4,149,603	784,678
1990 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	11,582	79,042	59,313	17,233
01-04 years	40,124	290,802	219,492	62,301
05-09 years	44,721	357,712	272,568	73,916
10-14 years	41,154	344,779	260,209	73,440
15-19 years	40,497	352,664	263,991	76,656
20-24 years	43,210	383,245	299,025	71,796
25-29 years	44,125	448,830	357,249	77,515
30-34 years	39,677	471,593	376,384	80,540
35-39 years	31,395	429,324	343,749	70,775
40-44 years	24,034	385,306	313,280	58,336
45-49 years	17,059	309,177	253,975	45,300
50-54 years	13,476	260,869	214,286	39,763
55-59 years	11,317	241,036	201,287	34,823
60-64 years	9,028	251,414	214,595	32,504
65-69 years	6,538	245,033	213,519	27,777
70-74 years	4,401	209,669	186,711	20,518
75-79 years	3,243	173,482	156,939	14,988
80-84 years	1,926	120,213	109,620	9,788
85+ years	1,350	106,270	98,029	7,751
Total	428,857	5,460,460	4,414,221	895,720

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	24,461	162,559	119,390	38,038
01-04 years	86,660	607,674	457,540	130,918
05-09 years	94,951	735,020	561,701	150,143
10-14 years	88,539	726,986	548,910	153,965
15-19 years	90,129	703,314	527,777	150,521
20-24 years	107,094	758,524	589,916	139,570
25-29 years	103,290	864,968	693,002	142,409
30-34 years	93,097	939,718	761,730	147,898
35-39 years	72,428	860,685	699,821	131,527
40-44 years	54,832	790,629	651,216	112,080
45-49 years	37,739	605,126	502,285	81,933
50-54 years	28,781	513,927	426,535	71,991
55-59 years	23,595	456,046	383,210	62,510
60-64 years	18,936	467,278	401,024	57,977
65-69 years	13,241	436,564	380,393	49,282
70-74 years	8,169	364,049	323,794	35,538
75-79 years	5,340	286,106	258,929	24,320
80-84 years	3,190	184,143	167,576	15,025
85+ years	2,175	149,001	136,527	11,569
Total	956,647	10,612,317	8,591,276	1,707,214
1991 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,444	82,853	61,052	19,183
01-04 years	44,185	310,928	234,832	66,228
05-09 years	48,633	376,620	288,871	75,886
10-14 years	45,209	371,949	281,756	77,925
15-19 years	48,812	362,210	272,713	76,523
20-24 years	61,828	377,798	296,454	66,755
25-29 years	57,950	426,714	346,072	66,090
30-34 years	50,939	462,962	381,115	66,873
35-39 years	39,096	422,577	349,913	58,650
40-44 years	28,920	386,281	323,838	49,547
45-49 years	19,453	293,877	247,497	36,133
50-54 years	14,766	248,407	209,004	31,621
55-59 years	11,936	217,878	185,501	27,365
60-64 years	9,479	219,044	190,030	25,301
65-69 years	6,385	194,246	170,303	20,986
70-74 years	3,494	152,635	136,282	14,357
75-79 years	2,072	109,656	99,441	9,046
80-84 years	1,158	61,223	55,601	4,988
85+ years	804	38,912	35,171	3,388
Total	507,563	5,116,770	4,165,446	796,845
1991 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,017	79,706	58,338	18,855
01-04 years	42,475	296,746	222,708	64,690
05-09 years	46,318	358,400	272,830	74,257
10-14 years	43,330	355,037	267,154	76,040
15-19 years	41,317	341,104	255,064	73,998
20-24 years	45,266	380,726	293,462	72,815
25-29 years	45,340	438,254	346,930	76,319
30-34 years	42,158	476,756	380,615	81,025
35-39 years	33,332	438,108	349,908	72,877
40-44 years	25,912	404,348	327,378	62,533
45-49 years	18,286	311,249	254,788	45,800
50-54 years	14,015	265,520	217,531	40,370
55-59 years	11,659	238,168	197,709	35,145
60-64 years	9,457	248,234	210,994	32,676
65-69 years	6,856	242,318	210,090	28,296
70-74 years	4,675	211,414	187,512	21,181
75-79 years	3,268	176,450	159,488	15,274
80-84 years	2,032	122,920	111,975	10,037
85+ years	1,371	110,089	101,356	8,181
Total	449,084	5,495,547	4,425,830	910,369

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	27,131	160,036	116,334	37,935
01-04 years	91,965	620,352	461,682	138,704
05-09 years	98,864	730,435	556,450	150,670
10-14 years	93,054	739,856	558,004	156,569
15-19 years	93,360	696,707	523,044	148,220
20-24 years	111,362	750,991	576,944	142,627
25-29 years	108,928	839,060	668,487	139,596
30-34 years	98,351	944,780	763,963	149,435
35-39 years	77,580	880,840	713,407	136,535
40-44 years	57,618	788,907	644,916	116,032
45-49 years	41,431	652,924	544,567	85,536
50-54 years	30,139	530,944	439,153	74,826
55-59 years	24,335	458,261	383,187	63,614
60-64 years	19,533	457,162	390,520	57,816
65-69 years	13,855	432,206	374,900	50,055
70-74 years	8,785	371,269	328,981	37,031
75-79 years	5,417	290,176	262,075	24,978
80-84 years	3,254	187,845	171,096	15,102
85+ years	2,319	154,152	140,999	12,149
Total	1,007,281	10,686,903	8,618,709	1,737,430
1992 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,821	81,470	59,470	19,013
01-04 years	47,027	317,240	236,834	70,126
05-09 years	50,367	374,509	286,307	76,241
10-14 years	47,689	378,389	286,332	79,225
15-19 years	49,958	359,341	270,722	75,427
20-24 years	64,001	374,547	290,234	68,571
25-29 years	61,333	413,798	334,275	64,775
30-34 years	53,718	466,253	382,621	67,884
35-39 years	42,162	432,653	356,740	60,894
40-44 years	30,468	385,323	320,992	51,239
45-49 years	21,359	317,800	268,840	37,876
50-54 years	15,405	256,856	215,358	32,921
55-59 years	12,373	219,099	185,838	27,712
60-64 years	9,843	214,545	185,289	25,238
65-69 years	6,579	192,706	168,227	21,354
70-74 years	3,853	156,635	139,347	15,055
75-79 years	2,117	111,372	100,885	9,204
80-84 years	1,176	63,183	57,466	5,047
85+ years	858	40,256	36,367	3,498
Total	534,107	5,155,975	4,182,144	811,300
1992 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,310	78,566	56,864	18,922
01-04 years	44,938	303,112	224,848	68,578
05-09 years	48,497	355,926	270,143	74,429
10-14 years	45,365	361,467	271,672	77,344
15-19 years	43,402	337,366	252,322	72,793
20-24 years	47,361	376,444	286,710	74,056
25-29 years	47,595	425,262	334,212	74,821
30-34 years	44,633	478,527	381,342	81,551
35-39 years	35,418	448,187	356,667	75,641
40-44 years	27,150	403,584	323,924	64,793
45-49 years	20,072	335,124	275,727	47,660
50-54 years	14,734	274,088	223,795	41,905
55-59 years	11,962	239,162	197,349	35,902
60-64 years	9,690	242,617	205,231	32,578
65-69 years	7,276	239,500	206,673	28,701
70-74 years	4,932	214,634	189,634	21,976
75-79 years	3,300	178,804	161,190	15,774
80-84 years	2,078	124,662	113,630	10,055
85+ years	1,461	113,896	104,632	8,651
Total	473,174	5,530,928	4,436,565	926,130

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	27,736	156,472	112,337	38,585
01-04 years	98,241	627,707	461,469	145,158
05-09 years	103,074	727,637	551,168	152,938
10-14 years	97,920	749,225	563,911	158,728
15-19 years	97,741	697,956	524,791	146,967
20-24 years	116,353	739,968	562,134	144,413
25-29 years	114,460	812,567	642,692	137,409
30-34 years	103,867	943,555	759,987	150,309
35-39 years	83,203	900,873	727,263	141,688
40-44 years	61,691	801,631	653,207	118,990
45-49 years	44,542	671,033	556,583	89,728
50-54 years	32,675	558,468	463,467	76,612
55-59 years	25,253	467,463	389,390	65,322
60-64 years	20,219	445,044	377,629	57,926
65-69 years	14,547	429,890	371,579	50,736
70-74 years	9,391	373,523	329,722	37,992
75-79 years	5,648	292,737	263,956	25,430
80-84 years	3,357	192,578	175,376	15,400
85+ years	2,418	158,916	145,114	12,693
Total	1,062,336	10,747,243	8,631,775	1,767,024
1993 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,278	79,762	57,286	19,576
01-04 years	50,297	320,826	236,632	73,264
05-09 years	52,457	373,093	283,577	77,498
10-14 years	50,377	383,002	289,226	80,279
15-19 years	51,884	360,265	271,924	74,803
20-24 years	66,181	368,687	282,442	69,386
25-29 years	64,573	400,191	321,152	64,041
30-34 years	56,823	465,884	380,873	68,481
35-39 years	45,203	442,737	363,681	63,465
40-44 years	32,678	391,462	325,032	52,549
45-49 years	23,099	326,608	275,211	39,542
50-54 years	16,664	270,492	227,377	33,876
55-59 years	12,709	223,815	189,045	28,542
60-64 years	10,221	208,966	179,426	25,238
65-69 years	6,880	192,423	167,534	21,646
70-74 years	4,196	158,159	140,193	15,497
75-79 years	2,205	113,200	102,392	9,419
80-84 years	1,244	64,861	59,037	5,108
85+ years	860	41,508	37,494	3,588
Total	562,829	5,185,941	4,189,534	825,798
1993 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,458	76,710	55,051	19,009
01-04 years	47,944	306,881	224,837	71,894
05-09 years	50,617	354,544	267,591	75,440
10-14 years	47,543	366,223	274,685	78,449
15-19 years	45,857	337,691	252,867	72,164
20-24 years	50,172	371,281	279,692	75,027
25-29 years	49,887	412,376	321,540	73,368
30-34 years	47,044	477,671	379,114	81,828
35-39 years	38,000	458,136	363,582	78,223
40-44 years	29,013	410,169	328,175	66,441
45-49 years	21,443	344,425	281,372	50,186
50-54 years	16,011	287,976	236,090	42,736
55-59 years	12,544	243,648	200,345	36,780
60-64 years	9,998	236,078	198,203	32,688
65-69 years	7,667	237,467	204,045	29,090
70-74 years	5,195	215,364	189,529	22,495
75-79 years	3,443	179,537	161,564	16,011
80-84 years	2,113	127,717	116,339	10,292
85+ years	1,558	117,408	107,620	9,105
Total	499,507	5,561,302	4,442,241	941,226

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	29,211	153,119	110,572	36,803
01-04 years	105,103	631,525	458,614	150,891
05-09 years	108,776	735,261	553,389	157,765
10-14 years	102,683	752,911	566,612	158,858
15-19 years	103,715	707,716	531,520	148,885
20-24 years	120,070	724,564	544,676	145,075
25-29 years	121,267	785,591	617,747	134,106
30-34 years	109,771	935,610	751,673	149,233
35-39 years	88,432	913,263	735,199	145,156
40-44 years	65,937	816,601	663,329	122,563
45-49 years	47,919	697,699	576,471	94,591
50-54 years	34,369	573,484	475,292	78,313
55-59 years	26,447	476,070	395,602	66,484
60-64 years	20,776	433,729	365,632	57,862
65-69 years	15,388	424,065	364,846	51,281
70-74 years	10,177	375,304	330,525	38,579
75-79 years	5,868	294,093	264,417	26,018
80-84 years	3,436	197,640	179,998	15,648
85+ years	2,542	162,453	148,108	13,150
Total	1,121,887	10,790,698	8,634,222	1,791,261
1994 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,935	78,058	56,585	18,523
01-04 years	53,829	322,855	235,023	76,497
05-09 years	55,389	376,998	284,602	79,973
10-14 years	52,978	384,705	290,594	80,145
15-19 years	55,028	365,383	275,464	75,851
20-24 years	67,771	361,515	274,095	69,886
25-29 years	68,716	386,674	308,850	62,376
30-34 years	60,193	462,302	376,964	68,381
35-39 years	48,060	449,225	367,872	65,189
40-44 years	34,864	399,133	330,060	54,502
45-49 years	24,910	339,768	285,585	41,500
50-54 years	17,500	277,891	233,346	34,722
55-59 years	13,325	227,972	192,162	28,923
60-64 years	10,434	203,894	173,991	25,202
65-69 years	7,263	190,453	165,174	21,861
70-74 years	4,679	159,198	140,931	15,646
75-79 years	2,293	114,385	103,109	9,758
80-84 years	1,275	67,073	61,048	5,227
85+ years	900	42,586	38,456	3,688
Total	594,342	5,210,068	4,193,911	837,850
1994 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,276	75,061	53,987	18,280
01-04 years	51,274	308,670	223,591	74,394
05-09 years	53,387	358,263	268,787	77,792
10-14 years	49,705	368,206	276,018	78,713
15-19 years	48,687	342,333	256,056	73,034
20-24 years	52,299	363,049	270,581	75,189
25-29 years	52,551	398,917	308,897	71,730
30-34 years	49,578	473,308	374,709	80,852
35-39 years	40,372	464,038	367,327	79,967
40-44 years	31,073	417,468	333,269	68,061
45-49 years	23,009	357,931	290,886	53,091
50-54 years	16,869	295,593	241,946	43,591
55-59 years	13,122	248,098	203,440	37,561
60-64 years	10,342	229,835	191,641	32,660
65-69 years	8,125	233,612	199,672	29,420
70-74 years	5,498	216,106	189,594	22,933
75-79 years	3,575	179,708	161,308	16,260
80-84 years	2,161	130,567	118,950	10,421
85+ years	1,642	119,867	109,652	9,462
Total	527,545	5,580,630	4,440,311	953,411

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	30,709	149,010	108,826	34,373
01-04 years	111,586	628,805	451,140	154,913
05-09 years	115,889	746,462	558,690	162,615
10-14 years	106,707	754,806	568,928	158,146
15-19 years	110,697	722,948	540,516	153,853
20-24 years	124,188	705,397	527,358	142,721
25-29 years	127,756	770,507	600,321	133,993
30-34 years	114,511	916,363	734,006	146,834
35-39 years	93,577	921,283	740,062	147,036
40-44 years	70,836	830,825	673,350	125,800
45-49 years	51,421	728,226	599,750	100,323
50-54 years	36,895	585,208	484,195	79,744
55-59 years	27,242	478,466	395,291	67,689
60-64 years	21,436	427,090	357,966	58,127
65-69 years	15,995	418,301	358,283	51,747
70-74 years	10,898	377,580	332,069	38,946
75-79 years	6,118	294,858	263,896	27,062
80-84 years	3,550	202,983	184,938	15,868
85+ years	2,645	166,663	151,699	13,628
Total	1,182,656	10,825,781	8,631,284	1,813,418
1995 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,752	75,915	55,656	17,273
01-04 years	57,025	321,550	231,211	78,645
05-09 years	59,239	382,566	287,100	82,485
10-14 years	54,867	385,834	291,926	79,807
15-19 years	58,922	373,062	279,962	78,358
20-24 years	69,596	352,868	265,935	68,923
25-29 years	72,650	379,294	300,430	62,483
30-34 years	62,878	453,039	368,330	67,590
35-39 years	51,024	453,434	370,301	66,268
40-44 years	37,583	406,319	335,101	56,223
45-49 years	26,807	354,964	297,510	44,102
50-54 years	18,939	283,580	237,946	35,227
55-59 years	13,690	229,218	191,965	29,573
60-64 years	10,693	200,834	170,471	25,303
65-69 years	7,575	188,616	163,011	22,011
70-74 years	5,032	160,603	142,071	15,773
75-79 years	2,453	115,244	103,355	10,306
80-84 years	1,320	69,576	63,459	5,249
85+ years	949	43,823	39,533	3,813
Total	626,994	5,230,339	4,195,273	849,412
1995 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,957	73,095	53,170	17,100
01-04 years	54,561	307,255	219,929	76,268
05-09 years	56,650	363,896	271,590	80,130
10-14 years	51,840	368,972	277,002	78,339
15-19 years	51,775	349,886	260,554	75,495
20-24 years	54,592	352,529	261,423	73,798
25-29 years	55,106	391,213	299,891	71,510
30-34 years	51,633	463,324	365,676	79,244
35-39 years	42,553	467,849	369,761	80,768
40-44 years	33,253	424,506	338,249	69,577
45-49 years	24,614	373,262	302,240	56,221
50-54 years	17,956	301,628	246,249	44,517
55-59 years	13,552	249,248	203,326	38,116
60-64 years	10,743	226,256	187,495	32,824
65-69 years	8,420	229,685	195,272	29,736
70-74 years	5,866	216,977	189,998	23,173
75-79 years	3,665	179,614	160,541	16,756
80-84 years	2,230	133,407	121,479	10,619
85+ years	1,696	122,840	112,166	9,815
Total	555,662	5,595,442	4,436,011	964,006

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	31,641	143,996	106,149	31,468
01-04 years	118,802	619,078	442,686	152,648
05-09 years	123,602	761,563	564,505	170,937
10-14 years	110,782	758,451	570,836	159,340
15-19 years	118,714	738,353	550,633	157,502
20-24 years	129,161	681,641	507,916	137,850
25-29 years	135,872	767,460	592,040	135,935
30-34 years	119,489	888,062	707,108	144,676
35-39 years	98,975	925,295	741,981	148,062
40-44 years	75,958	845,080	683,355	128,853
45-49 years	55,497	765,618	628,417	107,402
50-54 years	39,440	589,573	486,565	80,407
55-59 years	28,444	485,255	400,116	68,321
60-64 years	22,186	421,455	351,262	58,457
65-69 years	16,696	412,653	352,160	51,902
70-74 years	11,363	372,925	326,473	39,650
75-79 years	6,509	298,297	266,029	28,050
80-84 years	3,581	207,132	188,682	16,110
85+ years	2,784	170,614	155,323	13,841
Total	1,249,496	10,852,501	8,622,236	1,831,411
1996 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,269	73,350	54,279	15,790
01-04 years	60,763	316,538	226,908	77,463
05-09 years	63,216	390,202	289,964	86,811
10-14 years	56,750	387,911	293,029	80,457
15-19 years	63,752	380,366	284,917	79,847
20-24 years	71,562	341,944	256,991	66,574
25-29 years	77,023	377,870	296,880	63,315
30-34 years	65,930	438,964	354,848	66,701
35-39 years	53,870	455,747	371,135	67,096
40-44 years	40,435	413,435	340,359	57,457
45-49 years	28,973	373,625	312,331	47,226
50-54 years	20,213	285,803	239,276	35,460
55-59 years	14,397	232,468	194,328	29,834
60-64 years	11,092	198,357	167,470	25,380
65-69 years	7,880	186,309	160,551	22,019
70-74 years	5,261	158,917	140,027	16,020
75-79 years	2,614	117,487	105,027	10,763
80-84 years	1,343	71,784	65,518	5,341
85+ years	987	44,951	40,624	3,828
Total	662,330	5,246,028	4,194,462	857,382
1996 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,372	70,646	51,870	15,678
01-04 years	58,039	302,540	215,778	75,185
05-09 years	60,386	371,361	274,541	84,126
10-14 years	54,032	370,540	277,807	78,883
15-19 years	54,962	357,987	265,716	77,655
20-24 years	57,599	339,697	250,925	71,276
25-29 years	58,849	389,590	295,160	72,620
30-34 years	53,559	449,098	352,260	77,975
35-39 years	45,105	469,548	370,846	80,966
40-44 years	35,523	431,645	342,996	71,396
45-49 years	26,524	391,993	316,086	60,176
50-54 years	19,227	303,770	247,289	44,947
55-59 years	14,047	252,787	205,788	38,487
60-64 years	11,094	223,098	183,792	33,077
65-69 years	8,816	226,344	191,609	29,883
70-74 years	6,102	214,008	186,446	23,630
75-79 years	3,895	180,810	161,002	17,287
80-84 years	2,238	135,348	123,164	10,769
85+ years	1,797	125,663	114,699	10,013
Total	587,166	5,606,473	4,427,774	974,029

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	33,560	140,709	103,466	30,993
01-04 years	124,076	605,422	433,245	147,640
05-09 years	134,063	774,044	567,737	178,461
10-14 years	115,746	757,770	567,988	160,902
15-19 years	125,191	748,316	557,078	159,602
20-24 years	137,337	671,494	500,092	135,454
25-29 years	143,100	759,893	579,285	138,401
30-34 years	124,455	854,109	675,713	141,169
35-39 years	103,254	920,309	735,117	148,653
40-44 years	80,402	860,491	693,210	133,116
45-49 years	58,576	762,459	621,634	110,502
50-54 years	42,898	634,003	525,476	83,919
55-59 years	29,703	498,096	409,812	70,319
60-64 years	23,112	421,510	349,517	59,126
65-69 years	17,329	402,152	341,814	51,291
70-74 years	11,877	368,682	321,254	40,361
75-79 years	6,931	303,704	270,044	29,101
80-84 years	3,585	209,967	190,956	16,466
85+ years	2,874	174,516	158,953	14,031
Total	1,318,069	10,867,646	8,602,391	1,849,507
1997 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,333	71,566	52,838	15,540
01-04 years	63,544	309,577	222,070	75,010
05-09 years	68,654	396,411	291,653	90,438
10-14 years	58,969	387,823	291,696	81,328
15-19 years	67,656	384,755	287,711	80,704
20-24 years	75,745	336,808	253,131	65,302
25-29 years	80,639	374,207	290,586	64,552
30-34 years	68,770	421,653	339,202	65,034
35-39 years	55,953	453,413	367,239	67,889
40-44 years	43,037	421,155	345,337	59,457
45-49 years	30,625	372,065	309,249	48,629
50-54 years	21,944	307,940	258,762	37,213
55-59 years	14,972	238,775	199,097	30,771
60-64 years	11,549	198,580	166,968	25,576
65-69 years	8,194	181,698	156,015	21,652
70-74 years	5,450	157,523	138,297	16,247
75-79 years	2,862	120,745	107,662	11,233
80-84 years	1,374	72,933	66,571	5,381
85+ years	1,027	46,542	42,112	3,898
Total	698,297	5,254,169	4,186,196	865,854
1997 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,227	69,143	50,628	15,453
01-04 years	60,532	295,845	211,175	72,630
05-09 years	65,409	377,633	276,084	88,023
10-14 years	56,777	369,947	276,292	79,574
15-19 years	57,535	363,561	269,367	78,898
20-24 years	61,592	334,686	246,961	70,152
25-29 years	62,461	385,686	288,699	73,849
30-34 years	55,685	432,456	336,511	76,135
35-39 years	47,301	466,896	367,878	80,764
40-44 years	37,365	439,336	347,873	73,659
45-49 years	27,951	390,394	312,385	61,873
50-54 years	20,954	326,063	266,714	46,706
55-59 years	14,731	259,321	210,715	39,548
60-64 years	11,563	222,930	182,549	33,550
65-69 years	9,135	220,454	185,799	29,639
70-74 years	6,427	211,159	182,957	24,114
75-79 years	4,069	182,959	162,382	17,868
80-84 years	2,211	137,034	124,385	11,085
85+ years	1,847	127,974	116,841	10,133
Total	619,772	5,613,477	4,416,195	983,653

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	34,542	137,982	100,600	30,739
01-04 years	129,811	588,351	422,492	140,419
05-09 years	143,176	776,129	562,779	184,466
10-14 years	121,278	756,932	563,786	163,731
15-19 years	131,837	756,450	561,826	161,486
20-24 years	146,971	671,144	500,727	133,563
25-29 years	152,019	751,483	567,334	139,245
30-34 years	129,918	822,175	645,309	138,191
35-39 years	108,004	910,825	724,311	148,674
40-44 years	85,667	876,585	704,260	137,500
45-49 years	62,542	774,501	629,757	112,932
50-54 years	46,127	650,317	535,387	88,324
55-59 years	31,811	521,184	430,331	71,638
60-64 years	24,161	428,750	354,456	60,409
65-69 years	17,998	391,751	330,772	51,494
70-74 years	12,491	367,705	319,140	41,220
75-79 years	7,380	305,141	270,405	29,803
80-84 years	3,700	212,103	192,506	16,896
85+ years	2,980	179,926	163,689	14,575
Total	1,392,413	10,879,434	8,579,867	1,865,305
1998 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,785	70,315	51,572	15,400
01-04 years	66,463	300,626	216,634	71,205
05-09 years	73,385	397,568	288,970	93,654
10-14 years	61,632	387,530	289,538	82,943
15-19 years	71,425	388,555	289,752	81,646
20-24 years	80,918	336,838	253,575	64,570
25-29 years	85,154	370,322	285,022	64,952
30-34 years	71,524	406,141	324,349	63,908
35-39 years	58,643	448,636	361,799	68,045
40-44 years	45,785	429,611	351,094	61,791
45-49 years	32,756	378,235	313,547	49,740
50-54 years	23,616	315,834	263,934	39,091
55-59 years	16,016	250,147	209,169	31,483
60-64 years	11,851	202,340	169,545	26,147
65-69 years	8,460	176,800	150,957	21,608
70-74 years	5,727	158,090	138,408	16,584
75-79 years	3,146	122,077	108,487	11,584
80-84 years	1,411	74,544	67,937	5,561
85+ years	1,081	48,504	43,866	4,069
Total	736,778	5,262,713	4,178,155	873,981
1998 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,757	67,667	49,028	15,339
01-04 years	63,348	287,725	205,858	69,214
05-09 years	69,791	378,561	273,809	90,812
10-14 years	59,646	369,402	274,248	80,788
15-19 years	60,412	367,895	272,074	79,840
20-24 years	66,053	334,306	247,152	68,993
25-29 years	66,865	381,161	282,312	74,293
30-34 years	58,394	416,034	320,960	74,283
35-39 years	49,361	462,189	362,512	80,629
40-44 years	39,882	446,974	353,166	75,709
45-49 years	29,786	396,266	316,210	63,192
50-54 years	22,511	334,483	271,453	49,233
55-59 years	15,795	271,037	221,162	40,155
60-64 years	12,310	226,410	184,911	34,262
65-69 years	9,538	214,951	179,815	29,886
70-74 years	6,764	209,615	180,732	24,636
75-79 years	4,234	183,064	161,918	18,219
80-84 years	2,289	137,559	124,569	11,335
85+ years	1,899	131,422	119,823	10,506
Total	655,635	5,616,721	4,401,712	991,324

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,521	136,767	99,470	30,713
01-04 years	134,941	573,737	412,010	135,436
05-09 years	153,886	776,076	558,293	187,800
10-14 years	127,759	765,694	565,959	169,591
15-19 years	137,384	756,345	560,864	161,457
20-24 years	156,578	677,187	503,153	135,413
25-29 years	159,120	738,165	549,446	139,361
30-34 years	135,774	792,652	616,127	135,340
35-39 years	113,288	896,492	710,511	147,274
40-44 years	90,515	886,906	710,673	140,842
45-49 years	66,790	790,766	640,911	117,009
50-54 years	49,943	676,602	554,984	93,121
55-59 years	33,464	534,076	440,506	73,062
60-64 years	25,298	436,450	360,081	61,603
65-69 years	18,718	381,891	320,646	51,273
70-74 years	13,239	364,228	314,798	41,872
75-79 years	7,968	307,529	271,993	30,329
80-84 years	3,788	214,083	193,733	17,429
85+ years	3,088	185,312	168,499	15,022
Total	1,468,062	10,890,958	8,552,657	1,883,947
1999 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,788	69,666	50,887	15,494
01-04 years	69,148	293,077	211,287	68,714
05-09 years	78,715	397,663	286,833	95,542
10-14 years	64,937	392,017	290,544	85,926
15-19 years	74,702	387,774	288,817	81,292
20-24 years	86,583	339,084	254,212	65,356
25-29 years	88,188	364,697	275,795	64,864
30-34 years	74,664	391,746	309,848	62,646
35-39 years	61,427	441,272	354,498	67,721
40-44 years	48,364	434,990	354,378	63,575
45-49 years	34,969	386,625	319,304	51,861
50-54 years	25,649	328,716	274,033	41,054
55-59 years	16,667	256,610	214,397	32,231
60-64 years	12,392	205,958	172,280	26,560
65-69 years	8,735	173,228	147,089	21,590
70-74 years	6,089	157,183	137,160	16,810
75-79 years	3,527	123,060	109,305	11,653
80-84 years	1,464	75,684	68,706	5,842
85+ years	1,134	50,478	45,692	4,183
Total	776,142	5,269,528	4,165,065	882,914
1999 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,733	67,101	48,583	15,219
01-04 years	65,793	280,660	200,723	66,722
05-09 years	75,171	378,413	271,460	92,258
10-14 years	62,822	373,677	275,415	83,665
15-19 years	62,682	368,571	272,047	80,165
20-24 years	69,995	338,103	248,941	70,057
25-29 years	70,932	373,468	273,651	74,497
30-34 years	61,110	400,906	306,279	72,694
35-39 years	51,861	455,220	356,013	79,553
40-44 years	42,151	451,916	356,295	77,267
45-49 years	31,821	404,141	321,607	65,148
50-54 years	24,294	347,886	280,951	52,067
55-59 years	16,797	277,466	226,109	40,831
60-64 years	12,906	230,492	187,801	35,043
65-69 years	9,983	208,663	173,557	29,683
70-74 years	7,150	207,045	177,638	25,062
75-79 years	4,441	184,469	162,688	18,676
80-84 years	2,324	138,399	125,027	11,587
85+ years	1,954	134,834	122,807	10,839
Total	691,920	5,621,430	4,387,592	1,001,033

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	38,562	136,877	98,656	31,151
01-04 years	139,352	560,594	402,247	131,481
05-09 years	162,031	762,538	545,386	186,335
10-14 years	135,837	772,835	567,585	174,297
15-19 years	142,644	755,077	559,945	160,474
20-24 years	165,960	689,349	509,183	139,325
25-29 years	166,983	719,395	532,035	136,351
30-34 years	142,211	777,580	597,005	134,187
35-39 years	118,187	874,795	690,619	144,482
40-44 years	95,717	893,073	713,560	142,915
45-49 years	71,632	806,339	651,815	120,528
50-54 years	53,635	706,505	577,037	99,066
55-59 years	35,768	545,366	449,143	74,362
60-64 years	26,259	438,406	359,908	62,617
65-69 years	19,564	376,612	314,713	51,285
70-74 years	13,928	360,185	309,855	42,384
75-79 years	8,510	308,865	272,586	30,688
80-84 years	4,085	216,054	194,655	18,178
85+ years	3,300	189,551	172,155	15,356
Total	1,544,165	10,889,996	8,518,088	1,895,462
2000 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,852	69,702	50,441	15,727
01-04 years	71,336	286,391	206,319	66,848
05-09 years	82,767	390,719	280,223	94,832
10-14 years	69,180	395,495	291,236	88,323
15-19 years	77,592	387,801	288,823	80,875
20-24 years	92,531	344,464	256,701	67,094
25-29 years	92,408	356,085	267,625	63,375
30-34 years	78,056	385,193	299,940	62,156
35-39 years	63,933	430,630	344,722	66,325
40-44 years	51,159	438,313	355,798	64,849
45-49 years	37,534	394,671	324,968	53,762
50-54 years	27,586	343,349	285,114	43,778
55-59 years	17,880	262,038	218,788	32,711
60-64 years	12,825	207,031	172,158	27,115
65-69 years	9,104	171,365	144,956	21,580
70-74 years	6,450	156,287	135,858	17,056
75-79 years	3,797	123,681	109,675	11,723
80-84 years	1,646	76,724	69,346	6,135
85+ years	1,216	52,093	47,178	4,247
Total	816,852	5,272,032	4,149,869	888,511
2000 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,710	67,175	48,215	15,424
01-04 years	68,016	274,203	195,928	64,633
05-09 years	79,264	371,819	265,163	91,503
10-14 years	66,657	377,340	276,349	85,974
15-19 years	65,052	367,276	271,122	79,599
20-24 years	73,429	344,885	252,482	72,231
25-29 years	74,575	363,310	264,410	72,976
30-34 years	64,155	392,387	297,065	72,031
35-39 years	54,254	444,165	345,897	78,157
40-44 years	44,558	454,760	357,762	78,066
45-49 years	34,098	411,668	326,847	66,766
50-54 years	26,049	363,156	291,923	55,288
55-59 years	17,888	283,328	230,355	41,651
60-64 years	13,434	231,375	187,750	35,502
65-69 years	10,460	205,247	169,757	29,705
70-74 years	7,478	203,898	173,997	25,328
75-79 years	4,713	185,184	162,911	18,965
80-84 years	2,439	139,330	125,309	12,043
85+ years	2,084	137,458	124,977	11,109
Total	727,313	5,617,964	4,368,219	1,006,951

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,104	140,910	100,342	32,607
01-04 years	143,644	548,281	393,965	126,644
05-09 years	166,083	745,633	532,963	180,817
10-14 years	143,008	777,313	566,771	178,846
15-19 years	143,747	753,467	559,389	158,907
20-24 years	168,328	702,612	517,700	142,781
25-29 years	172,003	692,725	510,325	130,532
30-34 years	148,554	775,183	591,191	134,334
35-39 years	123,112	846,575	664,958	140,646
40-44 years	100,704	897,324	715,855	144,306
45-49 years	75,720	818,904	660,875	122,615
50-54 years	57,580	741,272	604,028	105,437
55-59 years	38,274	553,872	455,391	75,307
60-64 years	27,395	444,116	364,086	62,791
65-69 years	20,474	374,522	310,635	52,337
70-74 years	14,562	355,215	304,458	42,504
75-79 years	9,227	307,484	269,898	31,692
80-84 years	4,586	219,809	197,598	18,734
85+ years	3,428	191,695	174,342	15,089
Total	1,601,533	10,886,912	8,494,770	1,896,926
2001 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,091	71,823	51,429	16,336
01-04 years	73,696	279,723	201,910	64,194
05-09 years	84,772	382,020	273,680	92,308
10-14 years	73,062	397,846	290,893	90,631
15-19 years	77,786	387,414	288,765	80,244
20-24 years	93,384	350,455	260,619	68,770
25-29 years	95,023	343,071	256,853	60,611
30-34 years	81,139	383,770	297,085	62,041
35-39 years	66,692	416,808	332,142	64,516
40-44 years	53,650	440,466	356,786	65,745
45-49 years	39,650	400,958	329,523	54,863
50-54 years	29,648	360,201	298,615	46,508
55-59 years	19,158	266,566	222,303	33,140
60-64 years	13,495	209,822	174,214	27,159
65-69 years	9,519	171,066	143,675	22,099
70-74 years	6,700	154,464	133,869	17,130
75-79 years	4,149	123,913	109,359	12,134
80-84 years	1,853	78,801	71,095	6,378
85+ years	1,249	53,099	48,255	4,119
Total	845,716	5,272,286	4,141,070	888,926
2001 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,013	69,087	48,913	16,271
01-04 years	69,948	268,558	192,055	62,450
05-09 years	81,311	363,613	259,283	88,509
10-14 years	69,946	379,467	275,878	88,215
15-19 years	65,961	366,053	270,624	78,663
20-24 years	74,944	352,157	257,081	74,011
25-29 years	76,980	349,654	253,472	69,921
30-34 years	67,415	391,413	294,106	72,293
35-39 years	56,420	429,767	332,816	76,130
40-44 years	47,054	456,858	359,069	78,561
45-49 years	36,070	417,946	331,352	67,752
50-54 years	27,932	381,071	305,413	58,929
55-59 years	19,116	287,306	233,088	42,167
60-64 years	13,900	234,294	189,872	35,632
65-69 years	10,955	203,456	166,960	30,238
70-74 years	7,862	200,751	170,589	25,374
75-79 years	5,078	183,571	160,539	19,558
80-84 years	2,733	141,008	126,503	12,356
85+ years	2,179	138,596	126,087	10,970
Total	755,817	5,614,626	4,353,700	1,008,000

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	40,895	135,696	96,716	31,113
01-04 years	150,256	545,914	391,710	124,871
05-09 years	168,672	726,593	519,054	174,624
10-14 years	149,769	781,154	566,206	182,714
15-19 years	144,951	750,289	556,248	158,714
20-24 years	169,662	708,039	520,281	144,387
25-29 years	175,364	679,769	500,571	126,501
30-34 years	155,780	767,735	579,599	134,554
35-39 years	126,891	817,684	639,246	136,326
40-44 years	105,446	891,439	709,291	144,250
45-49 years	80,422	834,308	671,527	126,363
50-54 years	60,256	738,521	598,727	107,405
55-59 years	41,700	592,279	488,093	78,875
60-64 years	28,406	458,723	376,404	63,754
65-69 years	21,283	374,632	309,036	53,206
70-74 years	15,128	347,309	296,571	42,111
75-79 years	9,788	305,424	266,945	32,431
80-84 years	5,030	223,459	200,227	19,438
85+ years	3,601	193,289	175,762	15,056
Total	1,653,300	10,872,256	8,462,214	1,896,693
2002 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,764	69,347	49,355	15,925
01-04 years	77,064	278,566	200,875	63,119
05-09 years	86,265	371,769	266,218	89,209
10-14 years	76,448	399,950	290,659	92,701
15-19 years	77,539	385,723	286,922	80,285
20-24 years	94,057	353,154	261,855	69,655
25-29 years	96,530	336,253	251,537	58,840
30-34 years	84,847	380,174	291,918	61,826
35-39 years	68,458	402,789	319,599	62,493
40-44 years	56,136	437,512	353,342	65,766
45-49 years	42,150	408,111	334,386	56,641
50-54 years	31,102	359,399	296,782	47,421
55-59 years	20,952	285,077	238,207	34,780
60-64 years	13,883	216,761	180,138	27,591
65-69 years	10,032	172,063	143,825	22,457
70-74 years	6,920	151,400	130,724	17,011
75-79 years	4,298	123,971	109,053	12,435
80-84 years	2,072	80,816	72,667	6,675
85+ years	1,304	54,003	49,088	4,112
Total	870,821	5,266,838	4,127,150	888,942
2002 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,131	66,349	47,361	15,188
01-04 years	73,192	267,348	190,835	61,752
05-09 years	82,407	354,824	252,836	85,415
10-14 years	73,321	381,204	275,547	90,013
15-19 years	67,412	364,566	269,326	78,429
20-24 years	75,605	354,885	258,426	74,732
25-29 years	78,834	343,516	249,034	67,661
30-34 years	70,933	387,561	287,681	72,728
35-39 years	58,433	414,895	319,647	73,833
40-44 years	49,310	453,927	355,949	78,484
45-49 years	38,272	426,197	337,141	69,722
50-54 years	29,154	379,122	301,945	59,984
55-59 years	20,748	307,202	249,886	44,095
60-64 years	14,523	241,962	196,266	36,163
65-69 years	11,251	202,569	165,211	30,749
70-74 years	8,208	195,909	165,847	25,100
75-79 years	5,490	181,453	157,892	19,996
80-84 years	2,958	142,643	127,560	12,763
85+ years	2,297	139,286	126,674	10,944
Total	782,479	5,605,418	4,335,064	1,007,751

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,379	133,688	95,351	29,861
01-04 years	156,169	540,594	387,645	122,442
05-09 years	170,992	707,655	506,615	167,279
10-14 years	156,214	778,659	560,306	185,579
15-19 years	146,392	749,560	553,510	160,433
20-24 years	169,938	715,371	525,495	145,226
25-29 years	176,734	674,580	498,342	123,649
30-34 years	161,347	751,708	562,572	133,061
35-39 years	132,109	789,629	613,155	132,580
40-44 years	109,674	879,640	698,016	142,911
45-49 years	84,704	847,484	680,316	129,755
50-54 years	63,304	748,055	605,304	109,495
55-59 years	45,150	610,103	500,600	82,351
60-64 years	29,731	479,900	395,112	65,074
65-69 years	22,404	381,196	313,654	54,180
70-74 years	15,708	339,987	288,283	42,588
75-79 years	10,587	303,851	264,780	32,627
80-84 years	5,537	226,030	201,963	20,064
85+ years	3,850	196,393	178,512	15,210
Total	1,701,923	10,854,083	8,429,531	1,894,365
2003 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,330	68,520	49,084	15,037
01-04 years	79,724	275,781	198,462	62,055
05-09 years	87,511	361,542	259,856	85,022
10-14 years	79,799	398,523	287,535	94,218
15-19 years	77,727	385,637	285,690	81,273
20-24 years	93,723	356,749	264,165	70,208
25-29 years	96,878	333,825	250,583	57,692
30-34 years	87,732	372,085	283,327	61,151
35-39 years	70,955	389,006	306,768	60,637
40-44 years	58,240	431,759	347,926	65,098
45-49 years	44,329	414,468	338,375	58,500
50-54 years	32,632	364,119	300,121	48,408
55-59 years	22,849	293,968	244,926	36,264
60-64 years	14,446	226,799	189,118	28,106
65-69 years	10,573	175,741	146,551	22,871
70-74 years	7,098	148,382	127,253	17,241
75-79 years	4,681	124,119	109,071	12,375
80-84 years	2,334	82,437	73,909	7,006
85+ years	1,422	55,704	50,648	4,145
Total	893,983	5,259,164	4,113,368	887,307
2003 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,049	65,168	46,267	14,824
01-04 years	76,445	264,813	189,183	60,387
05-09 years	83,481	346,113	246,759	82,257
10-14 years	76,415	380,136	272,771	91,361
15-19 years	68,665	363,923	267,820	79,160
20-24 years	76,215	358,622	261,330	75,018
25-29 years	79,856	340,755	247,759	65,957
30-34 years	73,615	379,623	279,245	71,910
35-39 years	61,154	400,623	306,387	71,943
40-44 years	51,434	447,881	350,090	77,813
45-49 years	40,375	433,016	341,941	71,255
50-54 years	30,672	383,936	305,183	61,087
55-59 years	22,301	316,135	255,674	46,087
60-64 years	15,285	253,101	205,994	36,968
65-69 years	11,831	205,455	167,103	31,309
70-74 years	8,610	191,605	161,030	25,347
75-79 years	5,906	179,732	155,709	20,252
80-84 years	3,203	143,593	128,054	13,058
85+ years	2,428	140,689	127,864	11,065
Total	807,940	5,594,919	4,316,163	1,007,058

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,262	133,171	94,894	29,818
01-04 years	161,057	535,141	383,134	119,969
05-09 years	173,109	689,231	494,952	159,684
10-14 years	162,799	769,772	550,541	186,011
15-19 years	149,006	756,166	555,265	164,566
20-24 years	168,255	724,970	534,134	145,351
25-29 years	178,342	677,365	499,863	124,012
30-34 years	166,019	729,919	542,154	130,597
35-39 years	136,060	765,378	590,721	128,749
40-44 years	114,136	866,835	685,679	141,084
45-49 years	88,827	855,914	685,696	132,476
50-54 years	66,689	761,131	614,752	112,201
55-59 years	48,327	634,701	519,394	86,390
60-64 years	31,303	492,569	405,178	66,337
65-69 years	23,201	389,130	319,934	54,657
70-74 years	16,468	332,829	280,495	42,736
75-79 years	11,111	299,360	259,750	32,912
80-84 years	6,297	229,276	204,376	20,681
85+ years	4,004	199,643	181,189	15,515
Total	1,747,272	10,842,501	8,402,101	1,893,746
2004 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,545	68,241	48,648	15,219
01-04 years	82,372	273,101	196,313	60,622
05-09 years	88,597	352,518	254,192	81,333
10-14 years	83,208	393,713	282,514	94,353
15-19 years	78,771	389,475	286,843	83,443
20-24 years	92,670	364,503	270,359	70,979
25-29 years	97,243	335,400	251,631	57,972
30-34 years	89,567	361,397	273,422	59,825
35-39 years	73,052	377,387	295,769	59,069
40-44 years	60,618	425,452	341,655	64,516
45-49 years	46,466	419,008	341,187	59,884
50-54 years	34,354	370,779	305,182	49,799
55-59 years	24,554	305,644	254,144	37,928
60-64 years	15,148	233,328	194,391	28,761
65-69 years	10,966	179,635	149,615	23,064
70-74 years	7,415	145,461	124,109	17,227
75-79 years	4,884	123,385	108,104	12,503
80-84 years	2,714	84,249	75,361	7,273
85+ years	1,475	57,269	52,024	4,239
Total	915,619	5,259,945	4,105,463	888,009
2004 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,717	64,930	46,246	14,599
01-04 years	78,685	262,040	186,821	59,347
05-09 years	84,512	336,713	240,760	78,351
10-14 years	79,591	376,059	268,027	91,658
15-19 years	70,235	366,691	268,422	81,123
20-24 years	75,585	360,467	263,775	74,372
25-29 years	81,099	341,965	248,232	66,040
30-34 years	76,452	368,522	268,732	70,772
35-39 years	63,008	387,991	294,952	69,680
40-44 years	53,518	441,383	344,024	76,568
45-49 years	42,361	436,906	344,509	72,592
50-54 years	32,335	390,352	309,570	62,402
55-59 years	23,773	329,057	265,250	48,462
60-64 years	16,155	259,241	210,787	37,576
65-69 years	12,235	209,495	170,319	31,593
70-74 years	9,053	187,368	156,386	25,509
75-79 years	6,227	175,975	151,646	20,409
80-84 years	3,583	145,027	129,015	13,408
85+ years	2,529	142,374	129,165	11,276
Total	831,653	5,582,556	4,296,638	1,005,737

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,473	129,069	91,352	28,867
01-04 years	164,169	530,995	379,356	118,565
05-09 years	176,794	672,724	484,407	152,726
10-14 years	168,562	754,852	537,504	183,517
15-19 years	153,264	761,011	554,941	169,054
20-24 years	165,540	722,221	533,993	142,488
25-29 years	179,751	686,332	504,904	127,237
30-34 years	169,057	703,519	519,481	126,352
35-39 years	142,157	752,131	576,263	126,940
40-44 years	117,325	845,252	666,641	137,578
45-49 years	93,875	862,237	688,979	135,049
50-54 years	70,243	775,881	626,470	114,418
55-59 years	52,308	667,853	544,299	92,500
60-64 years	33,322	500,669	411,889	66,765
65-69 years	23,991	393,001	322,091	55,166
70-74 years	17,157	328,205	274,874	43,142
75-79 years	12,009	297,050	256,682	33,259
80-84 years	6,755	231,103	205,535	21,118
85+ years	4,397	203,649	184,344	16,148
Total	1,792,149	10,817,754	8,364,005	1,890,889
2005 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,299	66,282	46,931	14,855
01-04 years	83,807	271,311	194,612	59,929
05-09 years	90,767	343,092	248,163	77,522
10-14 years	86,130	386,945	276,330	93,414
15-19 years	80,408	391,398	286,219	85,708
20-24 years	90,850	362,745	269,741	69,754
25-29 years	97,585	339,922	254,162	59,841
30-34 years	90,846	347,949	261,556	57,857
35-39 years	76,066	371,469	289,502	58,092
40-44 years	62,039	414,642	331,993	62,924
45-49 years	49,247	421,902	342,421	61,290
50-54 years	36,202	377,926	310,833	50,964
55-59 years	26,690	322,061	267,018	40,518
60-64 years	16,113	237,828	198,324	28,945
65-69 years	11,350	181,236	150,510	23,219
70-74 years	7,624	144,536	122,544	17,495
75-79 years	5,355	123,097	107,475	12,649
80-84 years	2,876	85,820	76,647	7,490
85+ years	1,644	59,013	53,517	4,414
Total	936,898	5,249,174	4,088,498	886,880
2005 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,174	62,787	44,421	14,012
01-04 years	80,362	259,684	184,744	58,636
05-09 years	86,027	329,632	236,244	75,204
10-14 years	82,432	367,907	261,174	90,103
15-19 years	72,856	369,613	268,722	83,346
20-24 years	74,690	359,476	264,252	72,734
25-29 years	82,166	346,410	250,742	67,396
30-34 years	78,211	355,570	257,925	68,495
35-39 years	66,091	380,662	286,761	68,848
40-44 years	55,286	430,610	334,648	74,654
45-49 years	44,628	440,335	346,558	73,759
50-54 years	34,041	397,955	315,637	63,454
55-59 years	25,618	345,792	277,281	51,982
60-64 years	17,209	262,841	213,565	37,820
65-69 years	12,641	211,765	171,581	31,947
70-74 years	9,533	183,669	152,330	25,647
75-79 years	6,654	173,953	149,207	20,610
80-84 years	3,879	145,283	128,888	13,628
85+ years	2,753	144,636	130,827	11,734
Total	855,251	5,568,580	4,275,507	1,004,009

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,032	127,001	89,200	28,996
01-04 years	164,664	520,085	371,005	115,317
05-09 years	182,389	665,591	478,147	150,198
10-14 years	173,928	739,743	526,209	178,764
15-19 years	159,164	762,423	551,706	173,170
20-24 years	165,546	717,386	530,939	139,911
25-29 years	180,748	704,543	517,955	130,252
30-34 years	172,611	679,927	500,219	121,577
35-39 years	147,168	749,206	569,650	128,061
40-44 years	121,375	816,842	640,531	134,096
45-49 years	97,873	866,276	691,193	136,602
50-54 years	73,959	788,955	635,744	117,025
55-59 years	55,684	701,042	570,233	98,304
60-64 years	35,482	508,959	417,946	67,707
65-69 years	25,085	397,538	325,559	55,090
70-74 years	17,864	325,913	270,974	43,855
75-79 years	12,602	293,127	252,793	33,033
80-84 years	7,293	230,359	203,990	21,692
85+ years	4,760	208,812	188,737	16,680
Total	1,840,227	10,803,728	8,332,730	1,890,330
2006 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,322	64,736	45,516	14,744
01-04 years	84,052	266,230	190,542	58,551
05-09 years	93,590	339,156	244,991	75,840
10-14 years	88,662	379,276	270,392	91,287
15-19 years	83,566	391,757	284,262	87,795
20-24 years	90,826	361,260	268,883	68,703
25-29 years	97,726	347,961	259,906	61,138
30-34 years	92,523	336,585	252,082	55,695
35-39 years	78,211	369,957	286,205	58,630
40-44 years	64,346	401,082	319,319	61,508
45-49 years	51,159	424,180	343,559	62,288
50-54 years	38,110	384,074	315,176	52,280
55-59 years	28,396	338,104	279,898	43,031
60-64 years	17,117	242,087	201,672	29,329
65-69 years	11,991	183,356	152,124	23,130
70-74 years	7,966	144,448	121,618	17,885
75-79 years	5,525	121,737	106,183	12,561
80-84 years	3,147	86,533	77,001	7,702
85+ years	1,771	61,408	55,671	4,581
Total	960,006	5,243,927	4,075,000	886,678
2006 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,710	62,265	43,684	14,252
01-04 years	80,612	253,855	180,463	56,766
05-09 years	88,799	326,435	233,156	74,358
10-14 years	85,266	360,467	255,817	87,477
15-19 years	75,598	370,666	267,444	85,375
20-24 years	74,720	356,126	262,056	71,208
25-29 years	83,022	356,582	258,049	69,114
30-34 years	80,088	343,342	248,137	65,882
35-39 years	68,957	379,249	283,445	69,431
40-44 years	57,029	415,760	321,212	72,588
45-49 years	46,714	442,096	347,634	74,314
50-54 years	35,849	404,881	320,568	64,745
55-59 years	27,288	362,938	290,335	55,273
60-64 years	18,365	266,872	216,274	38,378
65-69 years	13,094	214,182	173,435	31,960
70-74 years	9,898	181,465	149,356	25,970
75-79 years	7,077	171,390	146,610	20,472
80-84 years	4,146	143,826	126,989	13,990
85+ years	2,989	147,404	133,066	12,099
Total	880,221	5,559,801	4,257,730	1,003,652

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	43,014	128,278	89,469	29,774
01-04 years	166,521	513,514	365,038	113,857
05-09 years	189,178	660,018	473,836	147,491
10-14 years	178,163	724,227	514,388	173,774
15-19 years	164,953	763,424	549,174	176,109
20-24 years	165,210	715,074	529,228	139,029
25-29 years	181,335	714,753	525,483	130,866
30-34 years	175,109	671,340	494,045	118,398
35-39 years	153,709	741,907	557,814	129,011
40-44 years	124,591	789,444	615,959	130,349
45-49 years	101,821	861,204	685,607	136,457
50-54 years	78,473	805,706	647,499	121,008
55-59 years	57,997	699,047	565,904	99,989
60-64 years	38,551	546,921	450,571	70,914
65-69 years	26,098	412,111	337,771	56,163
70-74 years	18,711	326,817	270,535	44,450
75-79 years	13,208	287,648	247,371	32,696
80-84 years	7,839	230,026	202,930	22,230
85+ years	5,146	214,780	193,676	17,440
Total	1,889,627	10,806,239	8,316,298	1,890,005
2007 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,858	65,230	45,482	15,092
01-04 years	84,980	262,618	187,583	57,529
05-09 years	96,802	336,372	242,728	74,536
10-14 years	90,985	370,904	264,035	88,773
15-19 years	86,296	391,726	282,571	89,198
20-24 years	90,019	360,303	268,162	68,316
25-29 years	97,729	352,624	263,329	61,377
30-34 years	93,446	332,212	248,672	54,488
35-39 years	81,384	366,286	280,836	58,730
40-44 years	65,862	387,652	307,108	59,769
45-49 years	53,218	421,745	340,607	62,472
50-54 years	40,442	391,917	320,689	54,089
55-59 years	29,635	337,730	278,599	43,814
60-64 years	18,703	260,385	217,501	30,833
65-69 years	12,347	190,497	158,205	23,607
70-74 years	8,464	145,620	122,190	18,051
75-79 years	5,794	120,172	104,507	12,521
80-84 years	3,282	87,298	77,492	7,923
85+ years	1,954	63,798	57,713	4,813
Total	983,200	5,245,089	4,068,009	885,931
2007 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,156	63,048	43,987	14,682
01-04 years	81,541	250,896	177,455	56,328
05-09 years	92,376	323,646	231,108	72,955
10-14 years	87,178	353,323	250,353	85,001
15-19 years	78,657	371,698	266,603	86,911
20-24 years	75,191	354,771	261,066	70,713
25-29 years	83,606	362,129	262,154	69,489
30-34 years	81,663	339,128	245,373	63,910
35-39 years	72,325	375,621	276,978	70,281
40-44 years	58,729	401,792	308,851	70,580
45-49 years	48,603	439,459	345,000	73,985
50-54 years	38,031	413,789	326,810	66,919
55-59 years	28,362	361,317	287,305	56,175
60-64 years	19,848	286,536	233,070	40,081
65-69 years	13,751	221,614	179,566	32,556
70-74 years	10,247	181,197	148,345	26,399
75-79 years	7,414	167,476	142,864	20,175
80-84 years	4,557	142,728	125,438	14,307
85+ years	3,192	150,982	135,963	12,627
Total	906,427	5,561,150	4,248,289	1,004,074

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,012	125,956	87,337	29,329
01-04 years	169,784	509,911	360,632	114,158
05-09 years	196,021	655,521	469,776	145,222
10-14 years	182,935	709,417	504,546	167,945
15-19 years	171,103	759,962	542,230	178,975
20-24 years	166,301	710,244	524,013	139,159
25-29 years	181,703	728,555	537,509	131,359
30-34 years	176,403	670,810	495,529	116,643
35-39 years	159,681	727,019	541,829	128,101
40-44 years	129,694	763,568	591,741	127,087
45-49 years	105,642	851,044	675,710	135,249
50-54 years	82,853	821,048	658,241	124,579
55-59 years	61,009	712,062	575,522	102,264
60-64 years	41,683	565,580	464,043	74,214
65-69 years	27,274	432,474	355,714	57,437
70-74 years	19,636	332,607	274,877	45,037
75-79 years	13,562	281,568	240,563	33,045
80-84 years	8,414	228,884	201,543	22,172
85+ years	5,638	219,460	197,449	18,123
Total	1,941,348	10,805,690	8,298,804	1,890,098
2008 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,292	64,136	44,492	14,980
01-04 years	86,341	260,389	184,772	57,797
05-09 years	100,259	334,140	240,685	73,360
10-14 years	93,423	362,897	259,195	85,188
15-19 years	89,316	389,775	278,919	90,724
20-24 years	90,241	358,070	265,558	68,508
25-29 years	97,354	359,647	269,388	61,650
30-34 years	93,681	331,955	249,609	53,829
35-39 years	84,512	358,642	272,840	58,287
40-44 years	68,308	375,033	295,190	58,225
45-49 years	55,180	416,854	335,924	61,837
50-54 years	42,653	399,508	325,720	56,157
55-59 years	31,148	344,061	283,356	44,813
60-64 years	20,429	269,791	224,738	32,283
65-69 years	12,843	200,219	166,908	24,096
70-74 years	8,877	148,973	124,803	18,298
75-79 years	5,886	117,985	102,037	12,629
80-84 years	3,535	87,768	77,939	7,806
85+ years	2,167	66,213	59,765	5,108
Total	1,007,445	5,246,056	4,061,838	885,575
2008 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,720	61,820	42,845	14,349
01-04 years	83,443	249,522	175,860	56,361
05-09 years	95,762	321,381	229,091	71,862
10-14 years	89,512	346,520	245,351	82,757
15-19 years	81,787	370,187	263,311	88,251
20-24 years	76,060	352,174	258,455	70,651
25-29 years	84,349	368,908	268,121	69,709
30-34 years	82,722	338,855	245,920	62,814
35-39 years	75,169	368,377	268,989	69,814
40-44 years	61,386	388,535	296,551	68,862
45-49 years	50,462	434,190	339,786	73,412
50-54 years	40,200	421,540	332,521	68,422
55-59 years	29,861	368,001	292,166	57,451
60-64 years	21,254	295,789	239,305	41,931
65-69 years	14,431	232,255	188,806	33,341
70-74 years	10,759	183,634	150,074	26,739
75-79 years	7,676	163,583	138,526	20,416
80-84 years	4,879	141,116	123,604	14,366
85+ years	3,471	153,247	137,684	13,015
Total	933,903	5,559,634	4,236,966	1,004,523

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,747	122,899	85,709	28,122
01-04 years	171,143	504,486	354,417	114,367
05-09 years	203,209	654,151	467,751	144,120
10-14 years	187,630	696,298	496,144	162,034
15-19 years	177,072	751,129	532,284	179,653
20-24 years	167,357	710,291	521,055	141,286
25-29 years	180,158	734,539	544,708	129,897
30-34 years	178,300	677,472	500,293	117,932
35-39 years	164,597	706,833	522,144	126,637
40-44 years	134,088	741,258	571,090	123,495
45-49 years	109,989	841,540	666,186	133,758
50-54 years	87,093	832,526	666,101	127,772
55-59 years	64,438	727,956	587,554	105,015
60-64 years	44,681	591,892	484,754	78,097
65-69 years	28,984	446,086	366,230	59,084
70-74 years	20,498	340,033	280,973	45,349
75-79 years	14,464	275,895	234,527	33,031
80-84 years	8,903	226,333	198,480	22,474
85+ years	6,204	224,606	201,453	19,055
Total	1,990,555	10,806,223	8,281,853	1,891,178
2009 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,236	62,831	43,867	14,352
01-04 years	86,911	257,452	181,572	57,879
05-09 years	103,900	333,354	239,578	72,823
10-14 years	95,685	356,455	254,964	82,418
15-19 years	91,949	384,570	273,467	90,844
20-24 years	90,242	357,322	263,423	69,318
25-29 years	96,302	362,885	273,140	61,020
30-34 years	93,883	335,209	252,207	54,421
35-39 years	86,460	348,305	262,966	57,375
40-44 years	70,704	364,092	284,788	56,761
45-49 years	57,387	411,840	330,672	61,521
50-54 years	44,866	405,660	329,854	57,748
55-59 years	32,777	351,952	289,554	46,209
60-64 years	22,003	282,475	235,156	33,823
65-69 years	13,612	207,154	172,339	24,946
70-74 years	9,264	152,550	127,754	18,356
75-79 years	6,251	116,061	99,987	12,589
80-84 years	3,733	87,729	77,704	7,902
85+ years	2,440	68,554	61,723	5,393
Total	1,029,605	5,246,450	4,054,715	885,698
2009 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,511	60,068	41,842	13,770
01-04 years	84,232	247,034	172,845	56,488
05-09 years	99,309	320,797	228,173	71,297
10-14 years	91,945	339,843	241,180	79,616
15-19 years	85,123	366,559	258,817	88,809
20-24 years	77,115	352,969	257,632	71,968
25-29 years	83,856	371,654	271,568	68,877
30-34 years	84,417	342,263	248,086	63,511
35-39 years	78,137	358,528	259,178	69,262
40-44 years	63,384	377,166	286,302	66,734
45-49 years	52,602	429,700	335,514	72,237
50-54 years	42,227	426,866	336,247	70,024
55-59 years	31,661	376,004	298,000	58,806
60-64 years	22,678	309,417	249,598	44,274
65-69 years	15,372	238,932	193,891	34,138
70-74 years	11,234	187,483	153,219	26,993
75-79 years	8,213	159,834	134,540	20,442
80-84 years	5,170	138,604	120,776	14,572
85+ years	3,764	156,052	139,730	13,662
Total	960,950	5,559,773	4,227,138	1,005,480

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,453	122,300	85,678	27,881
01-04 years	171,674	499,343	350,574	113,163
05-09 years	207,851	649,582	462,621	142,984
10-14 years	192,966	684,850	488,358	157,156
15-19 years	182,068	738,162	521,241	177,045
20-24 years	168,992	711,102	517,163	145,271
25-29 years	177,765	732,010	544,970	127,365
30-34 years	179,370	689,504	508,457	121,448
35-39 years	167,567	683,738	502,609	122,935
40-44 years	139,878	730,189	558,041	122,646
45-49 years	113,079	822,987	649,668	130,896
50-54 years	91,946	840,440	670,726	130,584
55-59 years	67,991	744,829	600,769	107,689
60-64 years	48,138	624,722	509,764	83,840
65-69 years	30,981	456,968	374,957	60,079
70-74 years	21,282	344,825	283,987	45,970
75-79 years	15,228	273,768	231,170	33,696
80-84 years	9,700	226,165	197,490	22,998
85+ years	6,740	230,350	205,952	20,037
Total	2,034,669	10,805,834	8,264,195	1,893,683
2010 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,200	62,673	43,894	14,301
01-04 years	87,057	254,670	179,497	57,206
05-09 years	106,237	331,367	237,189	72,363
10-14 years	98,435	349,588	250,434	79,595
15-19 years	94,080	378,696	268,206	89,872
20-24 years	90,501	357,483	261,461	71,119
25-29 years	94,400	362,409	273,654	60,103
30-34 years	94,227	341,044	256,236	56,195
35-39 years	87,549	336,799	253,052	55,748
40-44 years	73,580	359,084	278,890	56,387
45-49 years	58,851	402,697	322,388	60,305
50-54 years	47,456	409,408	331,899	59,245
55-59 years	34,696	360,041	295,836	47,547
60-64 years	23,742	298,651	247,940	36,262
65-69 years	14,610	212,794	177,026	25,447
70-74 years	9,656	154,581	129,068	18,549
75-79 years	6,577	116,178	99,425	12,934
80-84 years	4,111	88,240	77,891	8,119
85+ years	2,619	71,118	63,910	5,682
Total	1,049,584	5,247,521	4,047,896	886,979
2010 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,253	59,627	41,784	13,580
01-04 years	84,617	244,673	171,077	55,957
05-09 years	101,614	318,215	225,432	70,621
10-14 years	94,531	335,262	237,924	77,561
15-19 years	87,988	359,466	253,035	87,173
20-24 years	78,491	353,619	255,702	74,152
25-29 years	83,365	369,601	271,316	67,262
30-34 years	85,143	348,460	252,221	65,253
35-39 years	80,018	346,939	249,557	67,187
40-44 years	66,298	371,105	279,151	66,259
45-49 years	54,228	420,290	327,280	70,591
50-54 years	44,490	431,032	338,827	71,339
55-59 years	33,295	384,788	304,933	60,142
60-64 years	24,396	326,071	261,824	47,578
65-69 years	16,371	244,174	197,931	34,632
70-74 years	11,626	190,244	154,919	27,421
75-79 years	8,651	157,590	131,745	20,762
80-84 years	5,589	137,925	119,599	14,879
85+ years	4,121	159,232	142,042	14,355
Total	985,085	5,558,313	4,216,299	1,006,704

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	39,890	122,185	86,463	27,303
01-04 years	169,762	493,463	345,752	111,763
05-09 years	209,883	640,944	455,705	140,297
10-14 years	195,949	676,288	481,739	153,861
15-19 years	183,978	724,048	511,353	171,620
20-24 years	169,945	717,395	514,617	152,416
25-29 years	176,387	729,954	542,166	127,279
30-34 years	178,973	702,551	517,905	123,051
35-39 years	169,437	660,703	483,694	118,166
40-44 years	145,107	728,300	552,130	123,480
45-49 years	116,705	795,626	624,397	127,519
50-54 years	95,378	843,482	672,724	131,236
55-59 years	71,709	759,512	611,094	110,661
60-64 years	51,497	656,508	535,057	88,624
65-69 years	33,229	466,149	381,697	60,974
70-74 years	22,270	352,290	289,551	46,671
75-79 years	16,022	273,963	229,299	34,860
80-84 years	10,357	225,000	195,709	23,294
85+ years	7,505	235,110	209,449	20,842
Total	2,063,983	10,803,471	8,240,501	1,893,917
2011 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,460	62,753	44,413	13,995
01-04 years	86,008	251,617	176,928	56,544
05-09 years	107,352	327,181	233,788	70,976
10-14 years	99,816	344,932	246,816	77,880
15-19 years	94,603	371,637	263,017	87,453
20-24 years	90,242	361,283	260,573	75,057
25-29 years	93,519	362,309	272,577	60,545
30-34 years	93,883	347,292	260,815	57,028
35-39 years	88,399	326,028	243,731	53,817
40-44 years	76,131	357,888	276,140	56,624
45-49 years	60,938	389,528	310,155	58,675
50-54 years	49,226	411,213	332,906	59,899
55-59 years	36,577	367,144	300,960	48,853
60-64 years	25,573	313,410	260,183	38,093
65-69 years	15,689	217,785	180,830	25,897
70-74 years	10,098	158,213	131,876	18,815
75-79 years	7,004	116,948	99,190	13,416
80-84 years	4,375	88,193	77,584	8,265
85+ years	2,913	73,669	66,000	5,986
Total	1,062,806	5,249,023	4,038,482	887,818
2011 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,430	59,432	42,050	13,308
01-04 years	83,754	241,846	168,824	55,219
05-09 years	102,531	313,763	221,917	69,321
10-14 years	96,133	331,356	234,923	75,981
15-19 years	89,375	352,411	248,336	84,167
20-24 years	79,703	356,112	254,044	77,359
25-29 years	82,868	367,645	269,589	66,734
30-34 years	85,090	355,259	257,090	66,023
35-39 years	81,038	334,675	239,963	64,349
40-44 years	68,976	370,412	275,990	66,856
45-49 years	55,767	406,098	314,242	68,844
50-54 years	46,152	432,269	339,818	71,337
55-59 years	35,132	392,368	310,134	61,808
60-64 years	25,924	343,098	274,874	50,531
65-69 years	17,540	248,364	200,867	35,077
70-74 years	12,172	194,077	157,675	27,856
75-79 years	9,018	157,015	130,109	21,444
80-84 years	5,982	136,807	118,125	15,029
85+ years	4,592	161,441	143,449	14,856
Total	1,001,177	5,554,448	4,202,019	1,006,099

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	38,518	121,141	85,125	27,414
01-04 years	165,901	488,213	342,332	109,616
05-09 years	212,548	634,906	449,969	139,071
10-14 years	198,687	666,089	474,129	150,092
15-19 years	184,565	706,670	499,102	165,557
20-24 years	172,146	726,104	514,834	159,040
25-29 years	173,075	726,267	536,780	128,207
30-34 years	178,408	711,385	523,821	123,784
35-39 years	170,470	651,576	476,813	115,315
40-44 years	150,047	719,753	539,978	123,727
45-49 years	120,324	769,191	600,198	124,054
50-54 years	98,113	835,914	665,388	130,388
55-59 years	75,978	774,760	621,919	114,137
60-64 years	53,745	655,778	531,793	90,078
65-69 years	36,268	501,959	412,276	64,190
70-74 years	23,425	366,003	300,568	47,993
75-79 years	16,712	276,674	230,174	35,766
80-84 years	10,909	221,573	191,639	23,546
85+ years	8,330	240,385	213,339	21,740
Total	2,088,169	10,794,341	8,210,177	1,893,715
2012 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,378	61,905	43,509	13,957
01-04 years	84,363	249,626	175,624	55,640
05-09 years	108,367	323,687	230,458	70,285
10-14 years	101,040	340,179	243,156	76,040
15-19 years	94,487	362,517	256,622	84,377
20-24 years	90,656	366,698	261,503	78,669
25-29 years	91,503	361,202	269,944	61,544
30-34 years	93,635	351,624	263,627	57,500
35-39 years	88,849	321,848	240,370	52,749
40-44 years	78,431	353,872	270,547	56,677
45-49 years	62,917	376,707	298,442	56,955
50-54 years	50,638	407,415	329,089	59,653
55-59 years	38,809	374,480	306,137	50,593
60-64 years	26,883	313,340	259,205	38,620
65-69 years	17,195	235,234	195,950	27,284
70-74 years	10,613	164,550	137,110	19,294
75-79 years	7,418	118,751	100,135	13,741
80-84 years	4,573	87,267	76,357	8,360
85+ years	3,224	76,163	67,991	6,330
Total	1,072,979	5,247,065	4,025,776	888,268
2012 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,140	59,236	41,616	13,457
01-04 years	81,538	238,587	166,708	53,976
05-09 years	104,181	311,219	219,511	68,786
10-14 years	97,647	325,910	230,973	74,052
15-19 years	90,078	344,153	242,480	81,180
20-24 years	81,490	359,406	253,331	80,371
25-29 years	81,572	365,065	266,836	66,663
30-34 years	84,773	359,761	260,194	66,284
35-39 years	81,621	329,728	236,443	62,566
40-44 years	71,616	365,881	269,431	67,050
45-49 years	57,407	392,484	301,756	67,099
50-54 years	47,475	428,499	336,299	70,735
55-59 years	37,169	400,280	315,782	63,544
60-64 years	26,862	342,438	272,588	51,458
65-69 years	19,073	266,725	216,326	36,906
70-74 years	12,812	201,453	163,458	28,699
75-79 years	9,294	157,923	130,039	22,025
80-84 years	6,336	134,306	115,282	15,186
85+ years	5,106	164,222	145,348	15,410
Total	1,015,190	5,547,276	4,184,401	1,005,447

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	37,335	119,793	83,696	27,265
01-04 years	160,735	483,300	338,973	107,830
05-09 years	213,469	628,598	443,620	138,338
10-14 years	201,416	656,677	467,749	145,703
15-19 years	185,551	690,083	488,450	158,828
20-24 years	174,425	731,593	512,568	164,986
25-29 years	171,085	726,363	532,617	130,619
30-34 years	177,244	719,931	528,767	124,833
35-39 years	171,039	653,263	478,996	113,709
40-44 years	153,587	705,069	524,071	122,847
45-49 years	124,457	742,982	575,831	120,942
50-54 years	101,384	825,086	654,780	129,048
55-59 years	79,689	787,299	630,667	117,078
60-64 years	56,425	665,867	538,599	92,191
65-69 years	39,057	519,515	425,269	66,892
70-74 years	24,794	385,118	316,738	49,646
75-79 years	17,514	282,339	234,242	36,431
80-84 years	11,491	218,459	187,372	24,199
85+ years	9,158	243,939	215,632	22,485
Total	2,109,855	10,785,274	8,178,637	1,893,870
2013 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,996	61,327	43,031	13,796
01-04 years	81,782	247,224	173,719	54,929
05-09 years	108,409	320,573	227,258	69,861
10-14 years	102,519	335,097	239,842	73,619
15-19 years	94,683	354,030	251,147	80,995
20-24 years	91,123	370,699	261,124	82,126
25-29 years	90,570	362,861	268,809	63,187
30-34 years	92,999	355,678	265,648	58,108
35-39 years	89,017	323,504	241,880	52,371
40-44 years	79,999	346,427	262,741	56,002
45-49 years	65,197	363,951	286,417	55,523
50-54 years	52,380	402,126	323,959	59,022
55-59 years	40,737	381,002	310,588	52,223
60-64 years	28,285	317,840	262,433	39,493
65-69 years	18,714	243,891	202,742	28,350
70-74 years	11,229	173,640	144,809	20,026
75-79 years	7,751	121,720	102,394	13,994
80-84 years	4,806	86,621	75,217	8,614
85+ years	3,567	78,109	69,495	6,570
Total	1,082,763	5,246,320	4,013,253	888,809
2013 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,339	58,466	40,665	13,469
01-04 years	78,953	236,076	165,254	52,901
05-09 years	105,060	308,025	216,362	68,477
10-14 years	98,897	321,580	227,907	72,084
15-19 years	90,868	336,053	237,303	77,833
20-24 years	83,302	360,894	251,444	82,860
25-29 years	80,515	363,502	263,808	67,432
30-34 years	84,245	364,253	263,119	66,725
35-39 years	82,022	329,759	237,116	61,338
40-44 years	73,588	358,642	261,330	66,845
45-49 years	59,260	379,031	289,414	65,419
50-54 years	49,004	422,960	330,821	70,026
55-59 years	38,952	406,297	320,079	64,855
60-64 years	28,140	348,027	276,166	52,698
65-69 years	20,343	275,624	222,527	38,542
70-74 years	13,565	211,478	171,929	29,620
75-79 years	9,763	160,619	131,848	22,437
80-84 years	6,685	131,838	112,155	15,585
85+ years	5,591	165,830	146,137	15,915
Total	1,027,092	5,538,954	4,165,384	1,005,061

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,698	120,225	84,450	27,236
01-04 years	156,524	480,221	336,172	107,316
05-09 years	212,128	616,871	433,371	136,679
10-14 years	204,134	647,962	461,689	141,550
15-19 years	187,088	673,525	477,967	152,259
20-24 years	177,059	729,931	507,672	166,984
25-29 years	169,682	726,473	527,040	135,283
30-34 years	176,015	720,384	528,485	124,106
35-39 years	170,535	658,740	482,679	114,106
40-44 years	156,976	685,098	505,119	121,089
45-49 years	128,034	719,149	553,866	117,527
50-54 years	104,781	811,732	642,288	126,752
55-59 years	83,079	793,809	635,059	118,985
60-64 years	59,802	678,605	547,610	94,871
65-69 years	41,724	541,714	442,490	70,135
70-74 years	26,481	396,647	325,596	50,897
75-79 years	18,211	289,386	239,578	37,058
80-84 years	12,120	215,331	183,291	24,686
85+ years	10,111	247,508	217,839	23,289
Total	2,131,182	10,753,311	8,132,261	1,890,808
2014 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,635	61,611	43,432	13,811
01-04 years	79,653	245,971	172,434	54,712
05-09 years	107,580	314,398	221,681	69,109
10-14 years	104,116	330,469	236,684	71,507
15-19 years	95,262	345,593	245,957	77,538
20-24 years	91,460	370,212	258,768	83,510
25-29 years	90,112	363,337	266,235	65,842
30-34 years	92,316	356,440	265,653	57,959
35-39 years	88,683	326,344	243,763	52,855
40-44 years	81,456	336,508	253,358	54,986
45-49 years	67,051	352,452	275,646	53,955
50-54 years	54,150	395,744	317,816	58,164
55-59 years	42,560	384,190	312,710	53,150
60-64 years	30,117	323,998	266,992	40,729
65-69 years	20,123	254,326	211,372	29,438
70-74 years	12,060	179,407	149,271	20,680
75-79 years	8,035	124,988	104,867	14,297
80-84 years	5,029	85,863	74,025	8,778
85+ years	3,979	80,244	71,124	6,883
Total	1,092,377	5,232,095	3,991,788	887,903
2014 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,063	58,614	41,018	13,425
01-04 years	76,871	234,250	163,738	52,604
05-09 years	104,548	302,473	211,690	67,570
10-14 years	100,018	317,493	225,005	70,043
15-19 years	91,826	327,932	232,010	74,721
20-24 years	85,599	359,719	248,904	83,474
25-29 years	79,570	363,136	260,805	69,441
30-34 years	83,699	363,944	262,832	66,147
35-39 years	81,852	332,396	238,916	61,251
40-44 years	75,520	348,590	251,761	66,103
45-49 years	60,983	366,697	278,220	63,572
50-54 years	50,631	415,988	324,472	68,588
55-59 years	40,519	409,619	322,349	65,835
60-64 years	29,685	354,607	280,618	54,142
65-69 years	21,601	287,388	231,118	40,697
70-74 years	14,421	217,240	176,325	30,217
75-79 years	10,176	164,398	134,711	22,761
80-84 years	7,091	129,468	109,266	15,908
85+ years	6,132	167,264	146,715	16,406
Total	1,038,805	5,521,216	4,140,473	1,002,905

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	37,562	121,025	84,515	27,611
01-04 years	151,559	476,584	333,834	106,428
05-09 years	210,166	607,680	425,589	135,242
10-14 years	205,224	636,027	453,208	137,326
15-19 years	189,940	661,606	469,496	147,884
20-24 years	178,554	719,431	498,924	164,304
25-29 years	168,912	726,365	520,821	140,497
30-34 years	172,729	715,677	524,280	122,333
35-39 years	171,263	668,037	488,441	116,182
40-44 years	159,151	661,335	484,942	117,324
45-49 years	132,688	705,623	539,106	116,410
50-54 years	107,360	790,782	623,959	123,380
55-59 years	86,831	796,481	635,747	120,593
60-64 years	63,587	692,596	558,131	97,301
65-69 years	44,460	566,845	461,910	73,897
70-74 years	28,248	405,153	331,991	51,869
75-79 years	19,013	293,173	241,414	37,780
80-84 years	12,708	213,580	180,248	25,355
85+ years	11,183	249,775	218,696	24,050
Total	2,151,138	10,707,775	8,075,252	1,885,766
2015 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,036	61,980	43,465	14,007
01-04 years	77,047	244,200	171,406	54,125
05-09 years	106,681	309,802	217,660	68,470
10-14 years	104,751	324,890	232,630	69,515
15-19 years	96,644	339,172	241,544	75,230
20-24 years	91,595	365,153	254,476	82,347
25-29 years	89,488	363,879	263,574	68,577
30-34 years	90,586	354,932	263,724	57,370
35-39 years	89,420	330,624	246,219	54,105
40-44 years	82,444	325,201	243,515	53,195
45-49 years	69,298	346,008	268,840	53,362
50-54 years	55,672	385,797	308,906	56,682
55-59 years	44,461	385,559	312,936	54,118
60-64 years	32,165	330,601	272,093	41,849
65-69 years	21,475	266,290	221,065	30,870
70-74 years	12,967	183,804	152,804	21,141
75-79 years	8,457	126,685	105,730	14,517
80-84 years	5,269	85,902	73,456	9,058
85+ years	4,374	81,623	71,946	7,214
Total	1,101,830	5,212,102	3,965,989	885,752
2015 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,526	59,045	41,050	13,604
01-04 years	74,512	232,384	162,428	52,303
05-09 years	103,485	297,878	207,929	66,772
10-14 years	100,473	311,137	220,578	67,811
15-19 years	93,296	322,434	227,952	72,654
20-24 years	86,959	354,278	244,448	81,957
25-29 years	79,424	362,486	257,247	71,920
30-34 years	82,143	360,745	260,556	64,963
35-39 years	81,843	337,413	242,222	62,077
40-44 years	76,707	336,134	241,427	64,129
45-49 years	63,390	359,615	270,266	63,048
50-54 years	51,688	404,985	315,053	66,698
55-59 years	42,370	410,922	322,811	66,475
60-64 years	31,422	361,995	286,038	55,452
65-69 years	22,985	300,555	240,845	43,027
70-74 years	15,281	221,349	179,187	30,728
75-79 years	10,556	166,488	135,684	23,263
80-84 years	7,439	127,678	106,792	16,297
85+ years	6,809	168,152	146,750	16,836
Total	1,049,308	5,495,673	4,109,263	1,000,014

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	37,234	118,331	82,640	27,085
01-04 years	149,005	474,215	331,544	106,325
05-09 years	206,534	598,836	419,534	132,645
10-14 years	207,115	625,375	445,085	134,329
15-19 years	192,739	650,703	461,575	144,220
20-24 years	179,245	700,549	486,343	158,174
25-29 years	168,935	729,118	516,412	147,061
30-34 years	171,313	711,094	519,628	121,716
35-39 years	170,495	676,298	494,805	117,133
40-44 years	160,508	635,451	464,331	112,035
45-49 years	137,435	700,342	531,020	116,759
50-54 years	110,514	761,208	597,080	119,699
55-59 years	89,727	795,555	634,655	120,783
60-64 years	66,717	703,137	565,538	99,291
65-69 years	47,395	592,837	482,411	77,937
70-74 years	30,173	411,933	336,839	52,569
75-79 years	19,781	298,820	245,623	38,194
80-84 years	13,403	214,392	179,255	26,351
85+ years	12,198	251,867	219,621	24,626
Total	2,170,466	10,650,061	8,013,939	1,876,932
2016 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,917	60,618	42,517	13,760
01-04 years	75,445	242,836	170,394	53,809
05-09 years	104,893	305,919	214,730	67,458
10-14 years	106,039	319,247	228,241	68,008
15-19 years	97,923	333,310	237,325	73,316
20-24 years	91,417	355,838	248,037	79,513
25-29 years	89,030	365,931	261,974	72,132
30-34 years	90,233	353,820	261,855	57,652
35-39 years	88,970	334,702	249,337	54,484
40-44 years	83,224	312,759	233,244	50,908
45-49 years	71,598	343,368	265,166	53,309
50-54 years	57,549	371,605	295,927	54,917
55-59 years	46,018	385,584	312,532	54,571
60-64 years	33,733	335,828	275,784	42,813
65-69 years	23,124	278,019	230,866	32,318
70-74 years	13,861	187,431	155,464	21,553
75-79 years	8,797	129,487	107,957	14,649
80-84 years	5,661	86,783	73,512	9,461
85+ years	4,784	83,018	72,890	7,455
Total	1,111,216	5,186,103	3,937,752	882,086
2016 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,317	57,713	40,123	13,325
01-04 years	73,560	231,379	161,150	52,516
05-09 years	101,641	292,917	204,804	65,187
10-14 years	101,076	306,128	216,844	66,321
15-19 years	94,816	317,393	224,250	70,904
20-24 years	87,828	344,711	238,306	78,661
25-29 years	79,905	363,187	254,438	74,929
30-34 years	81,080	357,274	257,773	64,064
35-39 years	81,525	341,596	245,468	62,649
40-44 years	77,284	322,692	231,087	61,127
45-49 years	65,837	356,974	265,854	63,450
50-54 years	52,965	389,603	301,153	64,782
55-59 years	43,709	409,971	322,123	66,212
60-64 years	32,984	367,309	289,754	56,478
65-69 years	24,271	314,818	251,545	45,619
70-74 years	16,312	224,502	181,375	31,016
75-79 years	10,984	169,333	137,666	23,545
80-84 years	7,742	127,609	105,743	16,890
85+ years	7,414	168,849	146,731	17,171
Total	1,059,250	5,463,958	4,076,187	994,846

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	35,852	115,442	80,837	26,172
01-04 years	147,813	471,028	329,211	105,581
05-09 years	201,002	590,921	413,941	130,173
10-14 years	209,270	617,349	438,021	132,768
15-19 years	195,194	639,646	453,680	140,188
20-24 years	179,730	682,060	473,389	152,085
25-29 years	170,842	731,954	513,114	152,115
30-34 years	168,029	704,347	512,656	121,756
35-39 years	169,994	680,680	498,012	116,995
40-44 years	161,515	624,140	455,820	108,864
45-49 years	141,891	689,461	517,407	116,658
50-54 years	113,666	732,916	571,689	116,021
55-59 years	92,238	785,698	625,500	119,690
60-64 years	70,808	714,811	573,604	102,204
65-69 years	49,550	590,283	477,915	79,060
70-74 years	32,788	441,960	362,485	55,146
75-79 years	20,723	309,841	254,430	39,257
80-84 years	13,948	216,231	179,822	26,837
85+ years	13,186	252,021	218,517	25,235
Total	2,188,039	10,590,789	7,950,050	1,866,805
2017 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,367	59,058	41,423	13,381
01-04 years	75,031	241,385	169,465	53,428
05-09 years	101,988	302,158	211,860	66,355
10-14 years	106,995	314,667	224,381	67,012
15-19 years	99,216	327,594	233,187	71,223
20-24 years	91,463	346,587	241,489	76,579
25-29 years	89,424	367,922	260,735	74,975
30-34 years	88,422	351,310	258,634	58,169
35-39 years	88,887	336,967	250,850	54,364
40-44 years	83,846	307,555	229,196	49,666
45-49 years	73,641	338,249	258,837	53,216
50-54 years	59,304	357,886	283,651	53,059
55-59 years	47,380	380,701	307,836	54,242
60-64 years	35,832	341,571	279,751	44,238
65-69 years	24,351	276,956	229,183	32,752
70-74 years	15,162	201,663	167,847	22,596
75-79 years	9,219	134,471	112,113	14,992
80-84 years	5,960	88,071	74,157	9,670
85+ years	5,099	83,868	73,242	7,696
Total	1,119,587	5,158,639	3,907,837	877,613
2017 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,485	56,384	39,414	12,791
01-04 years	72,782	229,643	159,746	52,153
05-09 years	99,014	288,763	202,081	63,818
10-14 years	102,275	302,682	213,640	65,756
15-19 years	95,978	312,052	220,493	68,965
20-24 years	88,267	335,473	231,900	75,506
25-29 years	81,418	364,032	252,379	77,140
30-34 years	79,607	353,037	254,022	63,587
35-39 years	81,107	343,713	247,162	62,631
40-44 years	77,669	316,585	226,624	59,198
45-49 years	68,250	351,212	258,570	63,442
50-54 years	54,362	375,030	288,038	62,962
55-59 years	44,858	404,997	317,664	65,448
60-64 years	34,976	373,240	293,853	57,966
65-69 years	25,199	313,327	248,732	46,308
70-74 years	17,626	240,297	194,638	32,550
75-79 years	11,504	175,370	142,317	24,265
80-84 years	7,988	128,160	105,665	17,167
85+ years	8,087	168,153	145,275	17,539
Total	1,068,452	5,432,150	4,042,213	989,192

Illinois Populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2018 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	34,700	111,717	78,813	24,742
01-04 years	146,654	465,907	325,769	104,464
05-09 years	195,302	582,643	407,802	128,166
10-14 years	210,539	608,654	429,871	131,858
15-19 years	197,840	629,587	446,683	136,385
20-24 years	180,696	663,721	461,628	145,998
25-29 years	172,420	728,477	505,253	156,597
30-34 years	165,471	698,694	505,341	123,171
35-39 years	169,152	683,829	499,208	117,426
40-44 years	162,081	621,875	455,063	107,017
45-49 years	145,100	671,994	499,726	115,250
50-54 years	117,316	703,561	545,071	112,694
55-59 years	95,050	771,820	612,497	118,080
60-64 years	74,266	722,932	578,918	104,490
65-69 years	51,919	597,193	482,456	80,547
70-74 years	35,292	456,818	373,523	57,375
75-79 years	21,964	325,939	268,012	40,712
80-84 years	14,666	220,667	182,892	27,462
85+ years	14,186	252,429	217,266	26,139
Total	2,204,614	10,518,457	7,875,792	1,858,573
2018 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,578	57,133	40,344	12,652
01-04 years	74,550	238,864	167,614	53,076
05-09 years	99,213	298,299	208,937	65,404
10-14 years	107,288	310,327	220,109	66,701
15-19 years	100,744	322,027	229,496	69,039
20-24 years	91,629	337,333	235,551	73,572
25-29 years	89,556	366,832	257,023	77,518
30-34 years	87,037	349,429	255,618	59,240
35-39 years	88,536	338,340	250,886	54,658
40-44 years	84,238	307,178	229,195	49,239
45-49 years	75,147	329,322	250,002	52,292
50-54 years	61,252	343,579	270,566	51,464
55-59 years	49,015	373,988	301,639	53,466
60-64 years	37,534	345,772	282,440	45,456
65-69 years	25,583	280,101	231,390	33,440
70-74 years	16,557	209,055	173,760	23,422
75-79 years	9,739	141,829	118,282	15,637
80-84 years	6,268	90,379	75,959	9,850
85+ years	5,505	84,588	73,361	7,983
Total	1,126,969	5,124,375	3,872,172	874,109
2018 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,122	54,584	38,469	12,090
01-04 years	72,104	227,043	158,155	51,388
05-09 years	96,089	284,344	198,865	62,762
10-14 years	103,251	298,327	209,762	65,157
15-19 years	97,096	307,560	217,187	67,346
20-24 years	89,067	326,388	226,077	72,426
25-29 years	82,864	361,645	248,230	79,079
30-34 years	78,434	349,265	249,723	63,931
35-39 years	80,616	345,489	248,322	62,768
40-44 years	77,843	314,697	225,868	57,778
45-49 years	69,953	342,672	249,724	62,958
50-54 years	56,064	359,982	274,505	61,230
55-59 years	46,035	397,832	310,858	64,614
60-64 years	36,732	377,160	296,478	59,034
65-69 years	26,336	317,092	251,066	47,107
70-74 years	18,735	247,763	199,763	33,953
75-79 years	12,225	184,110	149,730	25,075
80-84 years	8,398	130,288	106,933	17,612
85+ years	8,681	167,841	143,905	18,156
Total	1,077,645	5,394,082	4,003,620	984,464

APPENDIX B

SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008

SEER Site Groups for Primary Site Based on ICD-O-3/WHO 2008 Definition*^

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Oral Cavity and Pharynx			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089		20030
Floor of Mouth	C040-C049		20040
Gum and Other Mouth	C030-C039, C050-C059, C060-C069		20050
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
Digestive System			
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179		21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182		21043
Hepatic Flexure	C183		21044
Transverse Colon	C184		21045
Splenic Flexure	C185		21046
Descending Colon	C186		21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209		21052
Anus, Anal Canal and Anorectum	C210-C212, C218		21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221		21072
Gallbladder	C239		21080
Other Biliary	C240-C249		21090

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Pancreas	C250-C259		21100
Retroperitoneum	C480		21110
Peritoneum, Omentum, and Mesentery	C481-C482		21120
Other Digestive Organs	C268-C269, C488		21130
Respiratory System			
Nose, Nasal Cavity, and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329		22020
Lung and Bronchus	C340-C349		22030
Pleura	C384		22050
Trachea, Mediastinum, and Other Respiratory Organs	C339, C381-C383, C388, C390, C398, C399		22060
Bones and Joints	C400-C419	excluding 9050-9055, 9140, 9590-9992	23000
Soft Tissue Including Heart	C380, C470-C479, C490-C499	excluding 9050-9055, 9140, 9590-9992	24000
Skin Excluding Basal and Squamous			
Melanoma of the Skin	C440-C449	8720-8790	25010
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050-8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020
Breast	C500-C509	excluding 9050-9055, 9140, 9590-9992	26000
Female Genital System			
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010
Corpus and Uterus, NOS			
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020
Uterus, NOS	C559		27030
Ovary	C569		27040
Vagina	C529		27050
Vulva	C510-C519		27060
Other Female Genital Organs	C570-C589		27070
Male Genital System			
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010
Testis	C620-C629		28020
Penis	C600-C609		28030
Other Male Genital Organs	C630-C639		28040
Urinary System			
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010
Kidney and Renal Pelvis	C649, C659		29020
Ureter	C669		29030
Other Urinary Organs	C680-C689		29040
Eye and Orbit	C690-C699	excluding 9050-9055, 9140, 9590-9992	30000

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Brain and Other Nervous System			
Brain	C710-C719	excluding 9050-9055, 9140, 9530-9539, 9590-9992	31010
Cranial Nerves Other Nervous System	C710-C719 C700-C709, C720-C729	9530-9539 excluding 9050-9055, 9140, 9590-9992	31040
Endocrine System			
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010
Other Endocrine Including Thymus	C379, C740-C749, C750-C759		32020
Lymphoma			
Hodgkin Lymphoma			
Hodgkin - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin - Extranodal	All other sites		33012
Non-Hodgkin Lymphoma			
NHL - Nodal	C024, C098,C099, C111,C142, C379,C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738	33042
	All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424, C770-C779	9811-9818, 9823, 9827, 9837	
Myeloma		9731-9732, 9734	34000
Leukemia			
Lymphocytic Leukemia			
Acute Lymphocytic Leukemia		9826, 9835-9836	35011
	C420, C421, C424	9811-9818, 9837	
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	35012
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Chronic Myeloid Leukemia		9863, 9875-9876, 9945-9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic and NOS		9733, 9742, 9800, 9831, 9870, 9948, 9963-9964	35043
	C420, C421, C424	9827	
Mesothelioma		9050-9055	36010
Kaposi Sarcoma		9140	36020
Miscellaneous		9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982-9987, 9989, 9991-9992	37000
	C760-C768, C809	excluding 9050-9055, 9140, 9590-9992	
	C420-C424		
	C770-C779		
Invalid	Site or histology code not within valid range or site code not found in this table.		99999

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX C

**SEER Site/Histology Recode Based on ICCC Third Edition
and ICD-O-3/WHO 2008**

**Site/Histology Recode Based on International Classification of Childhood Cancer, third Edition (ICCC-3)
Based on ICD-O-3 / WHO 2008*^**

Main Classification Table

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
I Leukemias, Myeloproliferative Diseases, and Myelodysplastic Diseases					
(a) Lymphoid Leukemias					
(a.1) Precursor Cell Leukemias	C000-C809 C420-C421, C424	9835-9836 9811-9818, 9837	3	001	011
(a.2) Mature B-cell Leukemias	C000-C809 C420-C421, C424	9826, 9832-9833, 9940 9823	3	002	011
(a.3) Mature T-cell and NK Cell Leukemias	C000-C809 C420-C421, C424	9831, 9834, 9948 9827	3	003	011
(a.4) Lymphoid Leukemia, NOS	C000-C809	9820	3	004	011
(b) Acute Myeloid Leukemias	C000-C809	9840, 9861, 9865-9867, 9869-9874, 9891, 9895-9898, 9910-9911, 9920, 9931	3	005	012
(c) Chronic Myeloproliferative Diseases	C000-C809	9863, 9875-9876, 9950, 9960-9964	3	006	013
(d) Myelodysplastic Syndrome and Other Myeloproliferative Diseases	C000-C809	9945-9946, 9975, 9980, 9982-9987, 9989, 9991-9992	3	007	014
(e) Unspecified and Other Specified Leukemias	C000-C809	9800-9801, 9805-9809, 9860, 9930, 9965-9967, 9971	3	008	015
II Lymphomas and Reticuloendothelial Neoplasms					
(a) Hodgkin Lymphomas	C000-C809	9650-9655, 9659, 9661-9665, 9667	3	009	021
(b) Non-Hodgkin Lymphomas (except Burkitt Lymphoma)					
(b.1) Precursor Cell Lymphomas	C000-C809 C000-C419, C422-C423, C425-C809	9727-9729 9811-9818, 9837	3	010	022
(b.2) Mature B-cell Lymphomas (except Burkitt Lymphoma)	C000-C809 C000-C419, C422-C423, C425-C809	9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9688-9691, 9695, 9698-9699, 9712, 9731-9735, 9737-9738, 9761-9762, 9764-9766, 9769, 9970 9823	3	011	022
(b.3) Mature T-cell and NK-Cell Lymphomas	C000-C809 C000-C419, C422-C423, C425-C809	9700-9702, 9705, 9708-9709, 9714, 9716-9719, 9724-9726, 9767-9768 9827	3	012	022

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.4) Non-Hodgkin Lymphomas, NOS	C000-C809	9591, 9760	3	013	022
(c) Burkitt Lymphoma	C000-C809	9687	3	014	023
(d) Miscellaneous Lymphoreticular Neoplasms	C000-C809	9740-9742, 9750-9759	3	015	024
(e) Unspecified Lymphomas	C000-C809	9590, 9596	3	016	025
III CNS and Miscellaneous Intracranial and Intrap spinal Neoplasms					
(a) Ependymomas and Choroid Plexus Tumor					
(a.1) Ependymomas	C000-C809	9383, 9391-9394	0,1,3	017	031
(a.2) Choroid Plexus Tumor	C000-C809	9390	0,1,3	018	031
(b) Astrocytomas	C723	9380	0,1,3	019	032
	C000-C809	9384, 9400-9411, 9420-9424, 9440-9442	0,1,3	019	032
(c) Intracranial and Intrap spinal Embryonal Tumors					
(c.1) Medulloblastomas	C000-C809	9470-9472, 9474, 9480	0,1,3	020	033
(c.2) PNET	C000-C809	9473	0,1,3	021	033
(c.3) Medulloepithelioma	C700-C729	9501-9504	0,1,3	022	033
(c.4) Atypical Teratoid/Rhabdoid Tumor	C000-C809	9508	0,1,3	023	033
(d) Other Gliomas					
(d.1) Oligodendrogiomas	C000-C809	9450, 9451, 9460	0,1,3	024	034
(d.2) Mixed and Unspecified Gliomas	C700-C722, C724-C729, C751, C753	9380	0,1,3	025	034
	C000-C809	9382	0,1,3	025	034
(d.3) Neuroepithelial Glial Tumors of Uncertain Origin	C000-C809	9381, 9430, 9444	0,1,3	026	034
(e) Other Specified Intracranial and Intrap spinal Neoplasms					
(e.1) Pituitary Adenomas and Carcinomas	C000-C809	8270-8281, 8300	0,1,3	027	035
(e.2) Tumors of the Sellar Region (Craniopharyngiomas)	C000-C809	9350-9352, 9582	0,1,3	028	035
(e.3) Pineal Parenchymal Tumors	C000-C809	9360-9362	0,1,3	029	035
(e.4) Neuronal and Mixed Neuronal-glial Tumors	C000-C809	9412-9413, 9492, 9493, 9505-9507	0,1,3	030	035
(e.5) Meningiomas	C000-C809	9530-9539	0,1,3	031	035
(f) Unspecified Intracranial and Intrap spinal Neoplasms	C700-C729, C751-C753	8000-8005	0,1,3	032	036
IV Neuroblastoma and Other Peripheral Nervous Cell Tumors					
(a) Neuroblastoma and Ganglioneuroblastoma	C000-C809	9490, 9500	3	033	041

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other peripheral Nervous Cell Tumors	C000-C809	8680-8683, 8690-8693, 8700, 9520-9523	3	034	042
	C000-C699, C739-C768, C809	9501-9504	3	034	042
V Retinoblastoma	C000-C809	9510-9514	3	035	050
VI Renal tumors					
(a) Nephroblastoma and Other Nonepithelial Renal Tumors					
(a.1) Nephroblastoma	C000-C809	8959, 8960	3	036	061
(a.2) Rhabdoid Renal Tumor	C649	8963	3	037	061
(a.3) Kidney Sarcomas	C000-C809	8964-8967	3	038	061
(a.4) pPNET of Kidney	C649	9364	3	039	061
(b) Renal Carcinomas	C649	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8155, 8190-8201, 8210-8211, 8221-8231, 8240-8241, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	040	062
	C000-C809	8311-8312, 8316-8319, 8361	3	040	062
(c) Unspecified Malignant Renal Tumors	C649	8000-8005	3	041	063
VII Hepatic Tumors					
(a) Hepatoblastoma	C000-C809	8970	3	042	071
(b) Hepatic Carcinomas	C220, C221	8010-8041, 8050-8075, 8082, 8120-8122, 8140-8141, 8143, 8155, 8190-8201, 8210-8211, 8230, 8231, 8240-8241, 8244-8246, 8260-8264, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	043	072
	C000-C809	8160-8180	3	043	072
(c) Unspecified Malignant Hepatic Tumors	C220-C221	8000-8005	3	044	073
VIII Malignant Bone Tumors					
(a) Osteosarcomas	C400-C419, C760-C768, C809	9180-9187, 9191-9195, 9200	3	045	081
(b) Chondrosarcomas	C400-C419, C760-C768, C809	9210, 9220, 9240	3	046	082
	C000-C809	9221, 9230, 9241-9243	3	046	082
(c) Ewing Tumor and Related Sarcomas of Bone					
(c.1) Ewing Tumor and Askin Tumor of Bone	C400-C419, C760-C768, C809	9260	3	047	083
	C400-C419	9365	3	047	083
(c.2) pPNET of Bone	C400-C419	9363-9364	3	048	083
(d) Other Specified Malignant Bone Tumors					

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.1) Malignant Fibrous Neoplasms of Bone	C400-C419	8810-8811, 8823, 8830	3	049	084
	C000-C809	8812, 9262	3	049	084
(d.2) Malignant Chordomas	C000-C809	9370-9372	3	050	084
(d.3) Odontogenic Malignant Tumors	C000-C809	9270-9275, 9280-9282, 9290, 9300-9302, 9310-9312, 9320-9322, 9330, 9340-9342	3	051	084
(d.4) Miscellaneous Malignant Bone Tumors	C000-C809	9250, 9261	3	052	084
(e) Unspecified Malignant Bone Tumors	C400-C419	8000-8005, 8800-8801, 8803-8805	3	053	085
IX Soft Tissue and Other Extraosseous Sarcomas					
(a) Rhabdomyosarcomas	C000-C809	8900-8905, 8910, 8912, 8920, 8991	3	054	091
(b) Fibrosarcomas, Peripheral Nerve Sheath Tumors, and Other Fibrous Neoplasms					
(b.1) Fibroblastic and Myofibroblastic Tumors	C000-C399, C440-C768, C809	8810-8811, 8813-8815, 8821, 8823, 8834-8835	3	055	092
	C000-C809	8820, 8822, 8824-8827, 9150, 9160	3	055	092
(b.2) Nerve Sheath Tumors	C000-C809	9540-9571	3	056	092
(b.3) Other Fibromatous Neoplasms	C000-C809	9491, 9580	3	057	092
(c) Kaposi Sarcoma	C000-C809	9140	3	058	093
(d) Other Specified Soft Tissue Sarcomas					
(d.1) Ewing Tumor and Askin Tumor of Soft Tissue	C000-C399, C470-C759	9260	3	059	094
	C000-C399, C470-C639, C659-C768, C809	9365	3	059	094
(d.2) pPNET of Soft Tissue	C000-C399, C470-C639, C659-C699, C739-C768, C809	9364	3	060	094
(d.3) Extrarenal Rhabdoid Tumor	C000-C639, C659-C699, C739-C768, C809	8963	3	061	094
(d.4) Liposarcomas	C000-C809	8850-8858, 8860-8862, 8870, 8880-8881	3	062	094
(d.5) Fibrohistiocytic Tumors	C000-C399, C440-C768, C809	8830	3	063	094
	C000-C809	8831-8833, 8836, 9251-9252	3	063	094
(d.6) Leiomyosarcomas	C000-C809	8890-8898	3	064	094
(d.7) Synovial Sarcomas	C000-C809	9040-9044	3	065	094
(d.8) Blood Vessel Tumors	C000-C809	9120-9125, 9130-9133, 9135-9136, 9141-9142, 9161, 9170-9175	3	066	094

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.9) Osseous and Chondromatous Neoplasms of Soft Tissue	C490-C499	9180, 9210, 9220, 9240	3	067	094
	C000-C809	9231	3	067	094
(d.10) Alveolar Soft Parts Sarcoma	C000-C809	9581	3	068	094
(d.11) Miscellaneous Soft Tissue Sarcomas	C000-C809	8587, 8710-8713, 8806, 8840-8842, 8921, 8982, 8990, 9373	3	069	094
(e) Unspecified Soft Tissue Sarcomas	C000-C399, C440-C768, C809	8800-8805	3	070	095
X Germ Cell Tumors, Trophoblastic Tumors, and Neoplasms of Gonads					
(a) Intracranial and Intrad spinal Germ Cell Tumors					
(a.1) Intracranial and Intrad spinal Germinomas	C700-C729, C751-C753	9060-9065	0,1,3	071	101
(a.2) Intracranial and Intrad spinal Teratomas	C700-C729, C751-C753	9080-9084	0,1,3	072	101
(a.3) Intracranial and Intrad spinal Embryonal Carcinomas	C700-C729, C751-C753	9070, 9072	0,1,3	073	101
(a.4) Intracranial and Intrad spinal Yolk Sac Tumor	C700-C729, C751-C753	9071	0,1,3	074	101
(a.5) Intracranial and Intrad spinal Choriocarcinoma	C700-C729, C751-C753	9100	0,1,3	075	101
(a.6) Intracranial and Intrad spinal Tumors of Mixed Forms	C700-C729, C751-C753	9085, 9101	0,1,3	076	101
(b) Malignant Extracranial and Extragonadal Germ Cell Tumors					
(b.1) Malignant Germinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9060-9065	3	077	102
(b.2) Malignant Teratomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9080-9084	3	078	102
(b.3) Embryonal Carcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9070, 9072	3	079	102
(b.4) Yolk Sac Tumor of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9071	3	080	102
(b.5) Choriocarcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9100, 9103, 9104	3	081	102

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.6) Other and Unspecified Malignant Mixed Germ Cell Tumors of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9085, 9101-9102, 9105	3	082	102
(c) Malignant Gonadal Germ Cell Tumors					
(c.1) Malignant Gonadal Germinomas	C569, C620-C629	9060-9065	3	083	103
(c.2) Malignant Gonadal Teratomas	C569, C620-C629	9080-9084, 9090-9091	3	084	103
(c.3) Gonadal Embryonal Carcinomas	C569, C620-C629	9070, 9072	3	085	103
(c.4) Gonadal Yolk Sac Tumor	C569, C620-C629	9071	3	086	103
(c.5) Gonadal Choriocarcinoma	C569, C620-C629	9100	3	087	103
(c.6) Malignant Gonadal Tumors of Mixed Forms	C569, C620-C629	9085, 9101	3	088	103
(c.7) Malignant Gonadal Gonadoblastoma	C569, C620-C629	9073	3	089	103
(d) Gonadal Carcinomas	C569, C620-C629 C000-C809	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8190-8201, 8210-8211, 8221-8241, 8244-8246, 8260-8263, 8290, 8310, 8313, 8320, 8323, 8380-8384, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8573, 9000, 9014, 9015 8441-8444, 8450-8451, 8460-8473	3	090	104
(e) Other and Unspecified Malignant Gonadal Tumors	C000-C809 C569, C620-C629	8590-8671 8000-8005	3	091	105
XI Other Malignant Epithelial Neoplasms and Malignant Melanomas					
(a) Adrenocortical Carcinomas	C000-C809	8370-8375	3	092	111
(b) Thyroid Carcinomas	C739 C000-C809	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230, 8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8510, 8560-8573 8330-8337, 8340-8347, 8350	3	093	112
(c) Nasopharyngeal Carcinomas	C110-C119	8010-8041, 8050-8075, 8082-8083, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230-8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8500-8576	3	094	113
(d) Malignant Melanomas	C000-C809	8720-8780, 8790	3	095	114

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(e) Skin Carcinomas	C440-C449	8010-8041, 8050-8075, 8078, 8082, 8090-8110, 8140, 8143, 8147, 8190, 8200, 8240, 8246-8247, 8260, 8310, 8320, 8323, 8390-8420, 8430, 8480, 8542, 8560, 8570-8573, 8940, 8941	3	096	115
(f) Other and Unspecified Carcinomas					
(f.1) Carcinomas of Salivary Glands	C079-C089	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	097	116
(f.2) Carcinomas of Colon and Rectum	C180, C182-C189, C199, C209, C210-C218	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	098	116
(f.3) Carcinomas of Appendix	C181	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	099	116
(f.4) Carcinomas of Lung	C340-C349	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	100	116
(f.5) Carcinomas of Thymus	C379	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	101	116
(f.6) Carcinomas of Breast	C500-C509	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	102	116

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(f.7) Carcinomas of Cervix Uteri	C530-C539	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	103	116
(f.8) Carcinomas of Bladder	C670-C679	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	104	116
(f.9) Carcinomas of Eye	C690-C699	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	105	116
(f.10) Carcinomas of Other Specified Sites	C000-069, C090-C109, C129-C179, C239-C339, C380-C399, C480-C488, C510-C529, C540-C549, C559, C570-C619, C630-C639, C659-C669, C680-C689, C700-C729, C750-C759	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	106	116
(f.11) Carcinomas of Unspecified Site	C760-C768, C809	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	107	116
XII Other and Unspecified Malignant Neoplasms					
(a) Other Specified Malignant Tumors					
(a.1) Gastrointestinal Stromal Tumor	C000-C809	8936	3	108	121
(a.2) Pancreatoblastoma	C000-C809	8971	3	109	121
(a.3) Pulmonary Blastoma and Pleuropulmonary Blastoma	C000-C809	8972, 8973	3	110	121
(a.4) Other Complex Mixed and Stromal Neoplasms	C000-C809	8930-8935, 8950-8951, 8974-8981	3	111	121
(a.5) Mesothelioma	C000-C809	9050-9055	3	112	121
(a.6) Other Specified Malignant Tumors	C000-C809	9110	3	113	121
	C000-C399, C470-C759	9363	3	113	121

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other Unspecified Malignant Tumors	C000-C218, C239-C399, C420-C559, C570-C619, C630-C639, C659-C699, C739-C750, C754-809	8000-8005	3	114	122

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX D

Formulas for Rates

Formulas for Rates

SEER*Stat software was used to calculate rates. The following are the rate algorithms.

Crude Rate

A crude rate is the number of new cases (or deaths) occurring in a specified population per year, usually expressed as the number of cases per 100,000 population at risk.

$$cruderate = \frac{count}{population} \times 100,000$$

SEER*Stat allows you to display rates as cases per 1,000; 10,000; 100,000; or 1,000,000.

Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, 1990, and 2000), 1991 and 1996 Canadian populations, European population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)$$

where *count* is the number of cases for the *i*th age group, *pop_i* is the relevant population for the same age group, and *stdmil_i* is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100,000$$

Standard Error for an Age-adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AARate} = \left[\sum_{i=x}^y \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left(\frac{count_i}{pop_i^2} \right) \right]^{\frac{1}{2}} \times 100,000$$

Crude Rate Confidence Intervals

The endpoints of a p x 100% confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2} \left(ChiInv\left(\frac{p}{2}, 2 \times count\right) \right) \right)}{population} \times 100,000$$

$$CI_{high} = \frac{\left(\frac{1}{2} \left(ChiInv\left(1 - \frac{p}{2}, 2 \times (count + 1)\right) \right) \right)}{population} \times 100,000$$

where $Chi\ Inv(p,n)$ is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define $Chi\ Inv(p,0) = 0$.

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts. When the count is large these two methods produce similar results.

Age-adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdm\bar{l}_i}{\left(pop_i \times \sum_{j=x}^y stdm\bar{l}_j \right)}$$

$$\nu = \sum_{i=x}^y (w_i^2 \times count_i)$$

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \left(\frac{\nu}{2 \times rate} \right) \times \left(ChiInv\left(\frac{p}{2}, \frac{(2 \times rate^2)}{\nu}\right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{\nu}{2 \times rate} \right) \times \left(ChiInv\left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{\nu}\right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large, and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note: The rate used in the above formulas is not per 100,000 population.

References:

Johnson NL, Kotz S. Distributions in Statistics: Discrete Distributions. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.