(X3) DATE SURVEY

Illinois Department of Public Health

(X1) PROVIDER/SUPPLIER/CLIA

STATEMENT OF DEFICIENCIES

AND PLAN OF CORRECTION IDENTIFICATION NUMI		IDENTIFICATION NUMBER:	A. BUILDING:		COMPLETED
		IL6013106	B. WING		C <b>01/12/2024</b>
	BRIA OF COLUMBIA 253 BRADIN		DDRESS, CITY, STATE DINGTON DRIVE BIA, IL 62236	, ZIP CODE	
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES  / MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD E CROSS-REFERENCED TO THE APPROPRI DEFICIENCY)	
S 000	Initial Comments		S 000		
	Complaint Investigation	on 2440194/IL168518			
<b>S</b> 9999	Final Observations		S9999		
	Statement of Licensul	re Violations:			
	procedures governing facility. The written pole formulated by a Recommittee consisting administrator, the advinced advisory common formulated advisory common formulated advisory common formulated and other spolicies shall comply to The written policies shall by the facility and shall be by this committee, do and dated minutes of	all have written policies and all services provided by the policies and procedures shall esident Care Policy of at least the isory physician or the mittee, and representatives services in the facility. The with the Act and this Part. hall be followed in operating e reviewed at least annually cumented by written, signed the meeting.			
	Nursing and Personal b) The facility sh care and services to a practicable physical, r well-being of the resideach resident's complete plan. Adequate and p care and personal car resident to meet the to care needs of the resident care care to each direct care.	all provide the necessary attain or maintain the highest mental, and psychological lent, in accordance with rehensive resident care roperly supervised nursing re shall be provided to each otal nursing and personal			
	nent of Public Health DIRECTOR'S OR PROVIDER/S	UPPLIER REPRESENTATIVE'S SIGNATUR		TITLE	(X6) DATE

(X2) MULTIPLE CONSTRUCTION

 $\overset{\cdot}{\text{LABORATORY}}\,\text{DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE}$ 

**Electronically Signed** 02/02/24

STATE FORM 6899 If continuation sheet 1 of 8 DWG311

Illinois Department of Public Health

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		` '	(X2) MULTIPLE CONSTRUCTION A. BUILDING:			
	IL6013106		B. WING		01	C / <b>12/2024</b>
	ROVIDER OR SUPPLIER	253 BRA	DDRESS, CITY, STATE	E, ZIP CODE		
	T	COLUME	BIA, IL 62236			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF ( (EACH CORRECTIVE ACTI CROSS-REFERENCED TO T DEFICIENC	ON SHOULD BE HE APPROPRIATE	(X5) COMPLETE DATE
	respective resident ca d) Pursuant to su nursing care shall inc following and shall be seven-day-a-week ba 6) All neces taken to assure that the remains as free of act All nursing personnel see that each resident supervision and assist These requirements at Based on observation review, the facility faill was done for 1 of 3 residents	ubsection (a), general lude, at a minimum, the practiced on a 24-hour, sis: sary precautions shall be the residents' environment cident hazards as possible, shall evaluate residents to at receives adequate stance to prevent accidents.  The provided the provided to ensure a safe transfer esidents (R3) reviewed for				
	-	le of 6. This failure resulted e hospital and receiving 7				
	documents a diagnos calorie malnutrition, N personal care, weakn deforming dorsopathicolon, barretts esophidisorientation, abnormhistory of traumatic bifor pureed diet, health cereal at breakfast, all and dinner. Resident hip protectors every sections and sections and sections and sections are discovered as the section of the section	Set, dated 12/18/2023,				

Illinois Department of Public Health

STATE FORM DWG311 If continuation sheet 2 of 8

Illinois Department of Public Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION  (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:			(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED	
		IL6013106	B. WING		01	C I/ <b>12/2024</b>
NAME OF F	PROVIDER OR SUPPLIER	STREET A	ADDRESS, CITY, STATE	, ZIP CODE	-	
BRIA OF	COLUMBIA		ADINGTON DRIVE			
		BIA, IL 62236	DDOVIDEDIO DI ANI OF C	ODDECTION	1	
(X4) ID PREFIX TAG	(EACH DEFICIENC	Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF C (EACH CORRECTIVE ACTIC CROSS-REFERENCED TO TH DEFICIENCY	ON SHOULD BE HE APPROPRIATE	(X5) COMPLETE DATE
\$9999	cognition. For eating /maximal assistance, toileting, is dependen chair/bed to chair transfers toileting, is dependen chair/bed to chair transfers toil and grooming and eafalls related limited phenotractures, poor contractures, poor contract	he requires substantial dependent on staff for all efforts for a staff and does not walk.  The ments (R3) requires assist related impaired functional and a staff for a st	S9999			

Illinois Department of Public Health

STATE FORM DWG311 If continuation sheet 3 of 8

Illinois Department of Public Health

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		, ,	CONSTRUCTION		(X3) DATE SURVEY COMPLETED		
AND LEAR OF COMMENTAL		IDENTIFICATION NOMBER.	A. BUILDING: _	A. BUILDING:			
		IL6013106	B. WING		01	C / <b>12/2024</b>	
NAME OF PROVIDER OR SUPP	PLIER	STREET AL	DDRESS, CITY, STA	TE, ZIP CODE			
BRIA OF COLUMBIA			DINGTON DRIVE				
			IA, IL 62236				
PREFIX (EACH D	DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN O (EACH CORRECTIVE AC CROSS-REFERENCED TO DEFICIEN	CTION SHOULD BE O THE APPROPRIATE	(X5) COMPLETE DATE	
when staff rai boom the pact and (R3) was hanging with his head. State bed and that he usually has machine on his My curtain was floor bleeding curtain of him tell everyone true."  R4's Minimum documents R making of act R3's Investigated Statement from cleaned patient under patient position, Patient	alled I san in here I was stip I one hoo If tried to I is not true I is two st	w him on the ground. Then be because there was a big II on the chair up in the air, floor and the pad was ok. (R3) got a nasty cut on then say (R3) fell from his a.e. He fell from the machine. aff when they use that t day he only had one staff. If and I could see (R3) on the saw the shadows through the air. Now they are trying to out of the bed and that is not  Set, dated 10/19/2023, nitively intact for decision	S9999				

Illinois Department of Public Health

STATE FORM DWG311 If continuation sheet 4 of 8

Illinois Department of Public Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION  (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE C	ONSTRUCTION		E SURVEY PLETED	
		IL6013106	B. WING		01	C I/ <b>12/2024</b>
NAME OF F	PROVIDER OR SUPPLIER	STREET A	ADDRESS, CITY, STATE	, ZIP CODE		
BRIA OF	COLUMBIA	253 BR	ADINGTON DRIVE			
DINIA OI	COLUMBIA	COLUM	BIA, IL 62236			
(X4) ID PREFIX TAG	(EACH DEFICIENC	FATEMENT OF DEFICIENCIES BY MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF (EACH CORRECTIVE ACT CROSS-REFERENCED TO T DEFICIENC	ION SHOULD BE HE APPROPRIATE	(X5) COMPLETE DATE
\$9999	Resident states where room (R3) fell out of the floor. This nurse position of his room of in question, resident closed but he saw the the curtain so that's hear was up in the (mechafall."  R3's Investigation from Statement from V7, I (LPN), documents, "CNA that resident in out of the bed and we CNA was asked how that she had just clean him on a (mechanical she left the room to greturned the resident Upon entry resident vight side, noted with right side of forehead resident, I instruct be resident back to his the EMS arrived."  A Statement from V4 Technician), dated 1/documents, "I resporinjury, Dispatch indicting from a (mechanical) injuries. On our arrivative directed is to the patie retracted to his right (R3) revealed he had right side of his bed a right side o	the CNA re-entered the the (mechanical lift) and on asked the resident was the curtain at the time of the fall stated the curtain was e resident's shadow through now he knows the resident anical lift) at the time of the anical lift) pad from his head. If the the the stated and resident up and placed all lift) pad, she then stated get assistance when she is was laying on the floor. If was laying on the floor on his two open areas to middle and the hall CNA's to assist oped. I did not return until anical lift, EMT (Emergency Medical	S9999			

Illinois Department of Public Health

STATE FORM DWG311 If continuation sheet 5 of 8

Illinois Department of Public Health

וווווווווווווווווווווווווווווווווווווו	spartinent of Fublic Hea		1		1	
	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SU	
AND PLAN (	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:		COMPLETED	
		W 0046400	B. WING		C	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		IL6013106	D. WING		01/12	2/2024
NAME OF PI	ROVIDER OR SUPPLIER	STRFFT AD	DRESS, CITY, STA	TE. ZIP CODE		
			INGTON DRIVE			
BRIA OF C	COLUMBIA			-		
		COLUMBI	A, IL 62236			
(X4) ID		ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION		(X5)
PREFIX		Y MUST BE PRECEDED BY FULL	PREFIX	(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE		COMPLETE DATE
TAG	REGULATORT OR I	LSC IDENTIFYING INFORMATION)	TAG	DEFICIENCY)	MAIE	DAIL
				,		
S9999	Continued From page	e 5	S9999			
		yees what happened as they				
		one could report on the				
		d they were not with (R3).				
		know who was with him				
	when the injury occur	red. (V9) asked them to				
		ee who was with (R3) when				
	the injury occurred. O	ne employee returned and				
	indicated she could n	ot locate the involved				
	employee (s). (R3's) r	roommate (R4) recognized				
		ho entered the room by				
		alert and orientated x 4. He				
		the (mechanical lift) on him,				
		es two people. He only saw				
	-	the mechanical lift when				
		ice. He said, (R3) was way				
		R3) from his bed to the				
		of bed linens. He continued				
		osition on his right side. He				
		nificant movements or				
		p without full assistance. As				
		200 hall with (R3) on the				
		tered another employee who				
		nowing about the incident.				
		ot fall from a (mechanical				
	lift), but she found hin	n on the floor next to his				
	bed."					
	R3's Hospital Report,	· · · · · · · · · · · · · · · · · · ·				
	documents, "EMS rep	oorts original EMS call was				
	for patient falling out	of (mechanical lift). EMS				
	reports upon arrival n	ursing home staff reluctant				
	to come with informat	ion about fall and reported				
		. Patient's roommate who is				
	•	4 reported to EMS the				
		ad patient in (mechanical lift)				
	=	of (mechanical lift). Patient				
		and right forehead. Patient is				
		0. R3 received 7 sutures at				
	the hospital for his he	au.	1			

Illinois Department of Public Health

STATE FORM DWG311 If continuation sheet 6 of 8

Illinois Department of Public Health

	TATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED	
		IL6013106	B. WING	B. WING		2/2024
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	ATE, ZIP CODE		
BRIA OF	COLUMBIA		DINGTON DRIVI IA, IL 62236	E		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULI CROSS-REFERENCED TO THE APPROF DEFICIENCY)	D BE	(X5) COMPLETE DATE
\$9999	they (city) were conta on 1/5/2024, and they on 1/5/2023 at 4:37 President that was prep (mechanical lift) and to the contact of the contact	PM, V8, Local Police, stated, cted regarding the dispatch of stated they received a call. M regarding a fall from a pairing to transfer with a the resident fell.  AM, V7, Licensed Practical. The amount of the amo	S9999			

Illinois Department of Public Health

STATE FORM DWG311 If continuation sheet 7 of 8

Illinois Department of Public Health

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE C	CONSTRUCTION		(X3) DATE SURVEY COMPLETED	
		IL6013106	B. WING	_	01	C / <b>12/2024</b>
NAME OF P	ROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STATE	E, ZIP CODE		
BRIA OF	COLUMBIA		DINGTON DRIVE BIA, IL 62236			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CO (EACH CORRECTIVE ACTION CROSS-REFERENCED TO THI DEFICIENCY)	N SHOULD BE E APPROPRIATE	(X5) COMPLETE DATE
S9999	The Facility Fall Policy 9/2023, documents, "maximizing each reside psychosocial well-being is not possible, the face evaluate those reside preventive strategies, environment as possil reviewed, and the resident preventive strategies, environment as possil reviewed, and the resident preventive strategies, environment as possil reviewed, and the resident preventive provides the provides previous provides p	y, with a review date of This facility is committed to dent's physical, mental and ng. While preventing all falls cility will identify and nts at risk for falls, plan for and facilitate as safe an	\$9999			

Illinois Department of Public Health

STATE FORM DWG311 If continuation sheet 8 of 8