State of Illinois
Illinois Department of Public Health

Illinois State Cancer Incidence Review and Update, 1986-2019

Epidemiologic Report Series 22:04

April 2022

IDPH
Illinois Department of Public Health

Illinois State Cancer Incidence Review and Update, 1986-2019

A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

April 2022

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Jane Fornoff, D.Phil.
Division Chief

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers of Disease Control and Prevention or the National Institutes of Health.

The Illinois State Cancer Registry has been funded in whole or in part with federal funds from the National Cancer Institute, National Institutes of Health, U.S. Department of Health and Human Services, under Contract No. 75N91021D00006, the National Program of Cancer Registries, Centers for Disease Control and Prevention under cooperative agreement 6NU58DP006315-01- 01 and the state of Illinois.

Suggested citation

Garner K, Fornoff J. Illinois State Cancer Incidence Review and Update, 1986-2019. Epidemiologic Report Series 22:04. Springfield, Ill.: Illinois Department of Public Health, April 2022.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health (IDPH), Illinois State Cancer Registry (ISCR), makes these data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE

1986-2019

TABLE OF CONTENTS

Overview 1
Technical Notes 2

SECTION I

Cancer Incidence by Race, Illinois, 1986-2019 ..... I-1
All Sites Combined I-2
Oral Cavity and Pharynx I-8
Digestive System I-62
Respiratory System I-128
Bones and Joints I-146
Soft Tissue, Including Heart I-152
Skin Excluding Basal and Squamous I-158
Breast Excluding *In Situ* I-170
Female Genital System I-176
Male Genital System I-188
Urinary System I-196
Eye and Orbit I-220
Brain and Other Nervous System I-226
Endocrine System I-238
Lymphoma I-250
Myeloma I-268
Leukemia I-274
Mesothelioma I-310
Kaposi Sarcoma I-316
Ill-defined and Unknown Sites I-322
Female Breast *In Situ* I-328

SECTION II

Cancer Incidence by Hispanic Ethnicity and Race, Illinois, 1990-2019 ..... II-1
All Sites Combined II-2
Oral Cavity and Pharynx II-5
Digestive System II-32
Respiratory System II-65
Bones and Joints II-74

Soft Tissue, Including Heart I-77
Skin Excluding Basal and Squamous II-80
Breast Excluding In Situ II-86
Female Genital System II-89
Male Genital System II-95
Urinary System (Including Bladder In Situ) II-99
Eye and Orbit II-111
Brain and Other Nervous System II-114
Endocrine System II-120
Lymphoma II-126
Myeloma II-135
Leukemia II-138
Mesothelioma II-156
Kaposi Sarcoma II-159
Ill-defined and Unknown Sites II-162
Female Breast In Situ II-165

SECTION III

Pediatric Cancer Incidence, Illinois, 1986-2019 ..... III-1
All Sites III-2
Leukemia III-3
Lymphomas and Reticuloendothelial Neoplasms III-6
CNS and Miscellaneous Intracranial and Intraspinal Neoplasms III-9
Neuroblastoma and Other Peripheral Nervous Cell Tumors III-14
Retinoblastoma III-16
Renal Tumor III-17
Hepatic Tumor III-19
Malignant Bone Tumor III-21
Soft Tissue and Other Extraosseous Sarcomas III-24
Germ Cell, Trophoblastic Tumors and Neoplasms of Gonads III-26
Other Malignant Epithelial Neoplasms and Melanomas III-29
Other and Unspecified Malignant Neoplasms III-32

Appendix A: Illinois Populations Used for Rate Calculations 1986-2019 ..... A-1
Appendix B: SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008 ..... B-1
Appendix C: SEER Site Groups for Pediatric Incidence Based on ICD-O-3 / WHO 2008 . C-1
Appendix D: Formulas for Rates D-1

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE
1986-2019

OVERVIEW

This is the 29th release of the annual Illinois state cancer statistics report. This report presents Illinois' cancer incidence for 1986 through 2019 for all races combined, Whites, Blacks, and Asian/other races and for 1990 through 2019 for Hispanics (any race), non-Hispanics (any race), non-Hispanic Whites and non-Hispanic Blacks. Pediatric cancer incidence statistics on Illinois children for 1986 through 2019 are included in a separate section. Cancer mortality data is presented in a separate report. To be consistent with national guidelines, all rates in this report were created using both the intercensal and Vintage 2020 population estimates and age-adjusted to the 2000 U.S. standard million population.

Cancer group definitions for major and minor sites are those established by the Surveillance Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR) and the United States Cancer Statistics (USCS) of the Centers for Disease Control and Prevention (CDC). These standardized classification schemes allow direct comparisons of Illinois cancer statistics with international, national, and state publications.[1-5]

In this report, incidence data were tabulated for each major or minor cancer site for four race groups and four ethnicity/race groups. Counts, age-adjusted rates, standard errors, and 95% confidence intervals for rates are displayed for the combined 1986-2019 time-period as well as for individual years. For cancers occurring in both genders, separate tables are presented for both males and females. Pediatric cancer incidence rates are presented for all races, both sexes, and by two age groups: 0- 14 and 0-19 years.

INCIDENCE HIGHLIGHTS

- A total of 2,035,819 cases of invasive cancer among Illinois residents were reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2019, including 70,178 new cases reported in 2019. The overall race distribution for cases in 2019 was 81.4% White, 13.4% Black, 3.7% Asian/other races, and 1.5% unknown race.

- For the ethnicity/race categories, a total of 1,856,884 cases of invasive cancer among Illinois residents were reported to ISCR from 1990 through 2019. The ethnicity/race distribution for cases diagnosed in 2019 was 7.8% Hispanics (any race) and 92.1% non-Hispanics (any race); among non-Hispanic cases, non-Hispanic Whites accounted for 80.6% and non-Hispanic Blacks 14.5%.

- In 2019, Black males continue to have the highest overall age-adjusted invasive cancer incidence rates of all major race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their White or Black counterparts.

- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for 30.2% of 35,229 invasive cancer diagnoses in women during 2019. The predominance of breast cancer among females persists for all major race and ethnicity groups.

- The incidence of female breast cancer diagnosed in the *in-situ* stage increased steadily for every race and ethnicity group across 1986-1999 with an annual percent increase of 8.1%, but slowed after 1999. The annual percent change between 1999 and 2011 was an increase of 1.7% for all races. Between 2011 and 2019 the annual percent changed direction and decreased by 1.1% annually. These trends suggest that screening mammography usage and the earlier detection of breast cancer among Illinois women has plateaued.

- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for 25.1% of 34,949 new cancer diagnoses in men during 2019. Black males had the highest prostate cancer incidence rates among all race groups, approximately 64.2% higher than those observed for White males and over three times those observed for males of Asian/other races in 2019.

- The incidence of male prostate cancer realized a 10.4% annual increase between 1986 and 1992. The rate then dropped slightly before plateauing between 1992 and 2009. From 2009 to 2013 the annual percent change for prostate cancer incidence indicated a 9.1% decrease on average. After 2013 the trend again flattened out through 2019. The same trend was seen across 1986-2019 in both White and Black men.

- A total of 19,640 new cases of cancer were diagnosed during 1986-2019 among Illinois children aged 0 to 19 years. The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system, and lymphoma.

TECHNICAL NOTES

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories, and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are believed to be reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send back Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008), and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents, and their standards of quality.[6] Between 1986 and 2019, 5.8% of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths to identify cases not reported to ISCR. Between 1986 and 2019, 1.6% of reported cases were identified from death certificate clearance.

Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as of November 2021.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public, however the identification or contact of individuals is prohibited.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made.

Uses of these data do not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

Population Estimates

The population estimates of the sex- and race-specific, as well as sex- and ethnicity/race-specific groups in five-year age categories, were used as denominators in the formulation of rates. These population estimates of Illinois for all races, Whites, Blacks, and Asian/other races from 1986 through 2019, and for Hispanics, non-Hispanics, non-Hispanic White, and non-Hispanic Black for 1990 through 2019 were obtained from both the intercensal and Vintage 2020 bridged-race post censal population estimates files. Population estimates by age, sex, race, and Hispanic origin were produced by the U. S. Bureau of Census Population Estimates Program (http://www.census.gov/programs-surveys/popest.html), in collaboration with the National Center for Health Statistics, and with support from the National Cancer Institute (NCI) through an interagency agreement. The population estimates incorporate intercensal (for 2000-2009) and Vintage 2020 (for 2010-2019) bridged single-race estimates are derived from the original multiple race categories in the 2000 and 2010 censuses (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates, and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm).

The intercensal estimates provide an adjustment of previous population estimates based on the actual 2010 census results (https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/intercensal/2000-2010-intercensal-estimates-methodology.pdf).[7,8] Previous estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Site Coding for Incidence Data: All cases diagnosed during 1986 through 2019 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.[9] Cancer sites in this report were grouped according to site group definitions established by the SEER program of the National Cancer Institute (NCI)[5] and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national, and other state publications.[3-5] The ISCR cancer site groups used in this report are listed in Appendix B.

Beginning with the 1986-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers.

When comparing this report to the ones published before the 1986-2002 report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Overall, these changes would have a slight impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 1986-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Pediatric Cancer Groups: Tumors diagnosed in children are classified using SEER site/histology recode based on the *International Classification of Childhood Cancer, Third Edition* (ICCC-3)[10] and ICD-O-3. The main classification table of SEER recode scheme used in the present report was listed in Appendix C.

Rate Calculation: The SEER*Stat® software package,[11] developed by the Information Management Services Inc. for NCI, was used to calculate both incidence and mortality rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1 million population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. They are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.[12] Algorithms used for the calculation of standard errors and 95% confidence intervals are displayed in Appendix D.

Race-specific Rates: The race-specific categories in this report are all races combined, Whites, Blacks, and Asian/other races. Cases reported as unknown race were included in the "all races" category, but not in any race-specific group.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 was linked to the Indian Health Service (IHS), which provides medical services to an estimated 55% of the American Indian/Alaska Native population.[13] If a race code in the ISCR database is White, Black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for Whites, Blacks, or Asian/other races due to the relatively small number of cases affected.

Through the utilization of the NAACCR Asian Pacific Islander Identification Algorithm (NAPIIA) improvements have been, and will continue to be, made in classifying cancer incidence cases as Asian or Pacific Islander. Through the use of the birthplace and first, last, and maiden name fields, NAPIIA assigns a more specific race group to cases identified as Asian NOS, Pacific Islander NOS, other, and unknown.[14]

Since 1991 the ISCR has included the race category "Other Unspecified" in an aggregate group that contained "Asian and Other Races." Beginning with the 2010 data year the "Other Unspecified" race group will not be included in the aggregate "Asian and Other Races" aggregate group used in the report. Cases identified as a race of "Other Unspecified" will continue to be included in the "All Races" grouping. This was done in an effort to maintain comparability to other state and national reporting sources.

Ethnicity/Race Rates: Hispanic ethnicity was derived according to the NAACCR Hispanic identification algorithm (NHIA).[15] NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.[16] Ethnic categories are reported as Hispanic (any race), non-Hispanic (any race), non-Hispanic Whites, and non-Hispanic Blacks. In order to be consistent with national and other state reports, cases reported as "unknown" ethnicity are included in the non-Hispanic group.

QUALITY CONTROL

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In addition to these activities, in 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). Since then, ISCR has submitted data each year to the NAACCR *Call for Data* and for NAACCR registry certification. Based on the certification criteria shown in the following table,[2] ISCR has been awarded gold certification for all diagnosis years from 1996 through 2018.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2021, ISCR quality control data for each diagnosis year are as follow:

Year	Completeness (NAACCR Method)[a] (% As of 11-21)	Pass EDITS (%)	DCO[b] (%)	Unresolved Duplicate[c] (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1986	88	~	~	~	0.0	0.0	0.0	0.2
1987	90	~	~	~	0.0	0.0	0.0	0.2
1988	87	~	~	0.04	0.0	0.0	0.0	0.2
1989	88	~	~	0.04	0.0	0.0	0.0	0.2
1990	89	100	~	0.04	0.0	0.0	0.0	0.2
1991	88	100	~	0.04	0.0	0.0	0.0	0.5
1992	91	100	~	0.04	0.0	0.0	0.0	0.3
1993	92	100	2.2	0.04	0.0	0.0	0.0	0.2
1994	97	100	6.1	0.06	0.0	0.0	0.0	0.3
1995	99	100	2.6	0.03	0.0	0.0	0.0	0.3
1996	100	100	1.8	0.02	0.0	0.0	0.0	0.4
1997	100	100	1.8	0.09	0.0	0.0	0.0	0.5
1998	100	100	1.5	0.03	0.0	0.0	0.0	0.7
1999	100	100	1.8	0.02	0.0	0.0	0.0	0.7
2000	100	100	2.3	0.03	0.0	0.0	0.0	0.8
2001	100	100	2.4	0.00	0.0	0.0	0.0	0.7
2002	100	100	2.6	0.00	0.0	0.0	0.0	0.8
2003	100	100	1.5	0.02	0.0	0.0	0.0	0.9
2004	100	100	1.7	0.01	0.0	0.0	0.0	0.9
2005	100	100	1.9	0.00	0.0	0.0	0.0	1.1
2006	100	100	2.0	0.00	0.0	0.0	0.0	0.8
2007	100	100	1.2	0.00	0.0	0.0	0.0	0.8
2008	100	100	1.6	0.07	0.0	0.0	0.0	1.0
2009	100	100	1.6	0.03	0.0	0.0	0.0	1.1
2010	100	100	1.8	0.03	0.0	0.0	0.0	1.1
2011	100	100	1.8	0.00	0.0	0.0	0.0	1.3
2012	100	100	0.9	0.02	0.0	0.0	0.0	1.1
2013	100	100	1.0	0.02	0.0	0.0	0.0	1.0
2014	100	100	2.1	0.02	0.0	0.0	0.0	1.0
2015	100	100	2.1	0.09	0.0	0.0	0.0	1.0
2016	100	100	2.0	0.09	0.0	0.0	0.0	0.9
2017	100	100	2.0	0.06	0.0	0.0	0.0	0.8
2018	100	100	1.4	0.07	0.0	0.0	0.0	1.5
2019	100	100	1.0	0.02	0.0	0.0	0.0	1.8

~ not applicable
a. For data prior to 1995, the NAACCR's completeness estimating algorithm (version 1) was used. For data on or after 1995, the NAACCR's completeness estimating algorithm (version 2) was used.
b. DCO follow back not started until end of 1993 reporting year.
c. NAACCR's duplicate protocol was run for each year at the time of data submission for registry certification.

DATA INTERPRETATION

Observed variations and differences over years and across sex and race groups in cancer incidence and/or mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes or differences, however, may not be real but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts (i.e., fewer than 16).

- Differences in registry database completeness and data quality will influence the magnitude of cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95% complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the "true" rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.

- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990, 2000, and 2010, the years of the U.S. decennial census, are the most accurate for all age-, race-, ethnicity-, and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence rates based on these population estimates would be expected to be less accurate than those for 1990, 2000, or 2010 (see notes under "Population Estimates").

- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex, race and ethnicity/race groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines, with 95% probability, where the "true" rate may fall. The comparison of two sets of confidence intervals is only approximately equivalent to statistical significance tests for differences between two rates and may be more conservative than the standard significance test when the null hypothesis is true.[17]

REFERENCES

1. Thornton ML (ed). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Record Layout Version 22*. Twenty Third Edition. Springfield, Ill.: North American Association of Central Cancer Registries, October 2021.

2. Hofferkamp, J (Ed). *Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data*. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.

3. Sherman R, Firth R, Charlton M, et al (eds). Cancer in North America: 2014-2018. *Volume One: Combined Cancer Incidence for the United States,Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2021.

4. Sherman R, Firth R, Charlton M, et al (eds). Cancer in North America: 2014-2018. *Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2021.

5. Howlander N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975-2018, National Cancer Institute. Bethesda, Md., https://seer.cancer.gov/csr/1975_2018/, based on November 2020 SEER data submission, posted to the SEER website, April 2021.

6. Lehnherr M and Havener LA. Assessment of Interstate Exchange of Cancer Data, 1986-1998. *ISCR Quality Control Series 02:1.* Springfield, Ill.: Illinois Department of Public Health, January 2002.

7. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2020.* U.S. Census Bureau . 2020-est-relnotes.pdf (census.gov) Accessed March 23, 2022.

8. Surveillance Epidemiology and End Results, National Cancer Institute, U.S. National Institutes of Health. SEER – website. http://seer.cancer.gov/popdata/. Accessed March 23, 2022.

9. Fritz A, Percy C, Jack A, et al (eds). *International Classification of Diseases for Oncology*. Third edition. Geneva: World Health Organization, 2000.

10. Steliarova-Foucher E, Stiller C, Lacour B, and Kaatsch P. The International Classification of Childhood Cancer, Third Edition. *Cancer*. 2005;103:1457-67.

11. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) Version 8.3.9, March 12, 2021.

12. Tiwari RC, Clegg LX, and Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.

13. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, and Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.

14. NAACCR Race and Ethnicity Workgroup. *NAACCR Asian/Pacific Islander identification Algorithm [ANPIIA v1.2.1]: Enhancing the Specificity of Identification.* Springfield, Ill.: North American Association of Central Cancer Registries, August 2011.

15. NAACCR Race and Ethnicity Workgroup. *NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino identification Algorithm [NHIA v2.2.1].* Springfield, Ill.: North American Association of Central Cancer Registries, September 2011.

16. Howe HL. *Evaluation of NHIA Submission for 1997-2001.* Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.

17. Schenke N and Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I
Cancer Incidence by Race
Illinois, 1986-2019

Invasive Cancer Incidence by Race, Illinois 1986-2019

All Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,035,819	473.9	0.33	473.3	474.6	1,719,199	473.0	0.36	472.3	473.8
1986	43,024	406.3	1.99	402.4	410.2	37,706	403.0	2.11	398.9	407.1
1987	45,266	424.3	2.02	420.3	428.3	39,760	423.1	2.15	418.9	427.3
1988	45,203	420.6	2.00	416.7	424.5	39,357	416.2	2.13	412.1	420.4
1989	45,442	420.7	2.00	416.8	424.6	39,596	417.5	2.12	413.3	421.7
1990	47,508	435.3	2.02	431.4	439.3	41,486	433.5	2.15	429.3	437.7
1991	49,087	443.7	2.02	439.7	447.6	43,158	445.5	2.17	441.2	449.7
1992	52,043	464.1	2.05	460.1	468.1	45,609	465.7	2.20	461.4	470.1
1993	52,844	465.9	2.04	461.9	469.9	45,738	462.8	2.18	458.6	467.1
1994	55,555	486.6	2.07	482.5	490.6	47,904	482.6	2.21	478.3	486.9
1995	55,202	479.8	2.05	475.7	483.8	47,219	474.1	2.19	469.8	478.4
1996	56,369	487.0	2.06	483.0	491.1	48,100	481.3	2.20	477.0	485.6
1997	56,674	485.6	2.04	481.6	489.6	48,430	481.6	2.19	477.3	486.0
1998	57,778	490.1	2.04	486.1	494.1	49,110	484.6	2.19	480.3	488.9
1999	58,868	494.8	2.04	490.8	498.9	50,331	493.9	2.20	489.6	498.3
2000	59,201	493.6	2.03	489.6	497.6	50,270	490.9	2.19	486.7	495.3
2001	60,952	504.0	2.04	500.0	508.0	51,781	502.8	2.21	498.4	507.1
2002	62,385	510.8	2.05	506.8	514.9	52,935	510.1	2.22	505.8	514.5
2003	61,036	493.7	2.00	489.8	497.7	51,573	492.3	2.17	488.0	496.6
2004	61,653	493.9	2.00	490.0	497.8	52,057	493.7	2.17	489.5	498.0
2005	62,066	491.4	1.98	487.5	495.3	52,105	489.8	2.16	485.6	494.1
2006	63,957	501.5	2.00	497.6	505.5	53,569	500.1	2.18	495.9	504.4
2007	65,192	503.4	1.99	499.5	507.3	54,597	503.4	2.17	499.1	507.6
2008	66,624	506.0	1.98	502.1	509.9	55,767	506.8	2.17	502.6	511.1
2009	67,002	501.2	1.96	497.4	505.0	55,859	501.6	2.15	497.4	505.8
2010	65,744	483.8	1.91	480.1	487.6	54,604	483.6	2.10	479.5	487.7
2011	67,119	485.8	1.91	482.1	489.6	55,714	486.7	2.10	482.6	490.9
2012	66,101	469.9	1.86	466.2	473.5	54,719	470.8	2.05	466.8	474.8
2013	66,699	466.3	1.84	462.7	469.9	55,185	468.3	2.03	464.3	472.3
2014	68,302	469.8	1.83	466.2	473.4	56,378	471.9	2.03	467.9	475.9
2015	69,720	473.7	1.83	470.1	477.3	57,441	476.8	2.04	472.8	480.8
2016	70,291	472.5	1.82	468.9	476.1	58,098	478.1	2.04	474.1	482.1
2017	70,553	467.7	1.80	464.2	471.3	58,364	474.7	2.02	470.7	478.7
2018	70,181	459.4	1.77	455.9	462.9	57,560	463.0	1.98	459.1	466.9
2019	70,178	453.6	1.75	450.2	457.1	57,119	454.8	1.96	450.9	458.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

All Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	261,660	505.9	1.01	504.0	507.9	39,420	266.1	1.42	263.3	268.9
1986	4,902	442.1	6.56	429.3	455.1	343	228.8	14.37	201.5	258.5
1987	5,075	449.5	6.53	436.7	462.4	358	220.8	13.30	195.5	248.2
1988	5,353	465.6	6.59	452.7	478.6	388	243.1	14.17	216.1	272.2
1989	5,352	461.4	6.52	448.7	474.3	409	238.0	13.52	212.3	265.8
1990	5,513	468.7	6.52	456.0	481.7	411	230.5	13.01	205.7	257.2
1991	5,310	440.0	6.22	427.9	452.3	375	201.8	11.91	179.1	226.3
1992	5,809	472.0	6.37	459.6	484.7	470	246.0	13.06	221.0	272.7
1993	6,402	510.9	6.57	498.1	523.9	586	267.0	12.59	242.9	292.7
1994	6,912	545.4	6.74	532.2	558.7	610	271.3	12.41	247.6	296.6
1995	7,109	547.1	6.65	534.2	560.3	704	279.6	11.81	256.9	303.5
1996	7,335	555.0	6.63	542.1	568.1	752	289.5	11.96	266.5	313.7
1997	7,180	533.2	6.43	520.7	546.0	787	271.3	10.74	250.6	293.0
1998	7,464	545.4	6.45	532.8	558.1	819	280.5	10.94	259.5	302.7
1999	7,282	520.4	6.22	508.3	532.7	864	281.8	10.74	261.1	303.5
2000	7,593	531.9	6.22	519.8	544.3	912	272.8	9.96	253.6	292.9
2001	7,811	542.2	6.26	530.0	554.6	963	268.1	9.53	249.8	287.4
2002	7,933	539.6	6.18	527.6	551.9	1,015	277.1	9.51	258.8	296.3
2003	7,930	528.7	6.05	516.9	540.7	1,005	257.1	8.81	240.1	274.9
2004	8,015	525.2	5.99	513.6	537.1	1,078	261.7	8.67	245.0	279.2
2005	8,105	523.2	5.93	511.6	534.9	1,228	277.4	8.60	260.8	294.7
2006	8,582	542.7	5.98	531.1	554.5	1,323	283.7	8.43	267.5	300.7
2007	8,709	540.6	5.91	529.0	552.3	1,397	281.8	8.14	266.0	298.1
2008	8,807	534.4	5.82	523.1	545.9	1,445	272.7	7.74	257.7	288.2
2009	9,015	533.8	5.75	522.5	545.1	1,440	266.7	7.58	252.0	281.9
2010	8,862	515.1	5.60	504.2	526.2	1,597	277.1	7.43	262.7	292.0
2011	8,897	504.0	5.47	493.4	514.9	1,674	276.0	7.19	262.1	290.5
2012	8,882	493.2	5.36	482.8	503.8	1,774	272.7	6.84	259.4	286.4
2013	9,081	493.1	5.30	482.8	503.6	1,810	266.3	6.58	253.6	279.5
2014	9,269	494.9	5.26	484.6	505.3	1,945	269.5	6.37	257.2	282.3
2015	9,520	496.3	5.21	486.1	506.6	2,025	269.7	6.22	257.6	282.1
2016	9,467	489.1	5.15	479.1	499.3	2,096	264.9	5.95	253.3	276.8
2017	9,417	478.0	5.05	468.1	487.9	2,199	269.0	5.87	257.7	280.8
2018	9,331	466.6	4.95	457.0	476.4	2,247	265.2	5.70	254.1	276.6
2019	9,436	464.5	4.89	454.9	474.1	2,371	268.6	5.60	257.7	279.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

All Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,025,204	548.9	0.55	547.8	549.9	865,181	542.7	0.59	541.5	543.9
1986	21,078	482.7	3.48	475.9	489.6	18,368	474.7	3.65	467.6	481.9
1987	22,156	502.1	3.51	495.3	509.1	19,354	495.7	3.70	488.5	503.0
1988	21,854	492.6	3.47	485.8	499.4	18,983	484.6	3.65	477.5	491.8
1989	22,287	497.2	3.45	490.4	504.0	19,405	490.5	3.64	483.4	497.6
1990	23,470	519.4	3.51	512.6	526.4	20,419	512.0	3.70	504.8	519.3
1991	24,996	543.7	3.55	536.8	550.7	22,008	543.4	3.77	536.0	550.8
1992	27,222	583.3	3.64	576.2	590.5	23,769	578.7	3.85	571.2	586.3
1993	27,312	576.8	3.58	569.8	583.9	23,593	568.2	3.78	560.8	575.7
1994	28,163	591.8	3.62	584.7	598.9	24,116	579.0	3.81	571.6	586.5
1995	28,010	579.3	3.54	572.4	586.3	23,747	563.5	3.72	556.2	570.8
1996	28,341	580.4	3.51	573.5	587.3	23,947	564.3	3.70	557.0	571.6
1997	28,670	581.4	3.49	574.6	588.3	24,418	571.0	3.70	563.8	578.3
1998	28,965	581.3	3.47	574.5	588.1	24,530	568.5	3.67	561.3	575.7
1999	29,775	589.8	3.46	583.1	596.7	25,397	582.5	3.69	575.2	589.7
2000	30,060	588.8	3.44	582.1	595.6	25,396	577.8	3.66	570.7	585.0
2001	31,061	603.3	3.47	596.5	610.1	26,357	595.8	3.70	588.6	603.1
2002	32,129	617.2	3.49	610.3	624.0	27,327	612.2	3.74	604.9	619.5
2003	31,456	593.9	3.40	587.3	600.6	26,571	587.0	3.63	579.9	594.1
2004	31,676	588.6	3.36	582.1	595.2	26,686	581.6	3.60	574.6	588.7
2005	31,492	575.5	3.29	569.0	581.9	26,370	566.5	3.53	559.6	573.5
2006	32,529	585.5	3.30	579.1	592.0	27,227	577.6	3.54	570.7	584.6
2007	33,547	591.9	3.29	585.4	598.3	27,957	582.5	3.53	575.6	589.4
2008	34,206	589.9	3.25	583.5	596.3	28,571	583.2	3.50	576.3	590.1
2009	34,003	573.3	3.18	567.1	579.6	28,273	566.1	3.43	559.4	572.8
2010	33,177	548.8	3.08	542.7	554.8	27,562	542.4	3.33	535.8	548.9
2011	33,879	547.9	3.05	542.0	553.9	28,178	543.4	3.31	536.9	549.9
2012	32,977	521.1	2.94	515.4	526.9	27,356	516.7	3.19	510.5	523.0
2013	33,048	511.5	2.88	505.9	517.2	27,482	509.4	3.14	503.3	515.6
2014	33,546	507.8	2.84	502.3	513.4	27,787	504.9	3.10	498.8	511.0
2015	34,651	515.6	2.84	510.1	521.2	28,557	512.0	3.11	505.9	518.1
2016	34,519	506.6	2.80	501.1	512.1	28,722	509.0	3.08	503.0	515.1
2017	35,349	509.8	2.78	504.3	515.3	29,461	513.4	3.07	507.4	519.5
2018	34,651	490.6	2.70	485.3	495.9	28,609	490.6	2.97	484.8	496.5
2019	34,949	486.4	2.67	481.2	491.7	28,678	483.8	2.93	478.0	489.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

All Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	133,105	630.9	1.82	627.4	634.5	17,998	284.3	2.31	279.8	288.9
1986	2,531	567.3	12.13	543.8	591.5	157	244.3	22.72	201.8	292.4
1987	2,606	580.3	12.17	556.7	604.6	167	264.4	24.25	219.0	315.4
1988	2,644	573.1	11.95	550.0	597.0	180	279.8	24.27	234.3	330.7
1989	2,676	580.1	12.01	556.8	604.1	163	237.1	21.69	196.5	282.7
1990	2,793	600.6	12.22	576.8	624.9	207	303.7	24.59	257.4	355.0
1991	2,713	565.5	11.60	543.0	588.6	163	225.9	20.54	187.4	269.0
1992	3,155	655.4	12.49	631.1	680.2	237	316.3	24.17	270.7	366.4
1993	3,400	683.4	12.53	659.0	708.3	269	310.6	22.26	268.5	356.7
1994	3,693	740.6	13.04	715.3	766.5	284	308.1	21.31	267.7	352.2
1995	3,865	749.2	12.84	724.3	774.7	314	314.9	20.40	276.1	357.0
1996	3,941	742.6	12.55	718.2	767.5	362	347.6	21.67	306.4	392.1
1997	3,726	685.7	11.88	662.6	709.3	369	316.0	18.91	280.0	354.9
1998	3,851	703.9	11.99	680.6	727.8	371	312.2	18.71	276.6	350.7
1999	3,738	670.4	11.56	648.0	693.4	414	339.0	19.96	301.0	379.9
2000	4,039	707.8	11.72	685.0	731.1	409	292.0	16.64	260.3	326.1
2001	4,005	693.0	11.53	670.5	715.9	450	302.8	16.70	271.0	337.0
2002	4,030	684.7	11.39	662.5	707.3	473	316.1	16.47	284.6	349.7
2003	4,150	682.7	11.15	661.0	704.9	437	270.2	14.65	242.2	300.2
2004	4,175	677.9	11.09	656.3	699.9	512	300.7	15.04	272.0	331.4
2005	4,179	669.9	10.98	648.6	691.8	574	315.6	14.90	287.1	345.9
2006	4,417	688.4	10.93	667.2	710.2	628	325.5	14.55	297.6	355.0
2007	4,631	708.9	10.99	687.5	730.7	654	304.9	13.36	279.3	332.1
2008	4,620	686.1	10.63	665.4	707.2	666	295.1	12.93	270.3	321.4
2009	4,609	659.8	10.23	639.9	680.1	701	297.6	12.64	273.3	323.2
2010	4,486	631.3	9.94	612.0	651.1	722	294.9	12.22	271.4	319.7
2011	4,439	603.9	9.53	585.3	622.8	750	293.0	11.80	270.4	317.0
2012	4,389	587.7	9.33	569.6	606.3	809	285.7	10.96	264.6	307.9
2013	4,418	577.8	9.12	560.0	595.9	804	269.8	10.24	250.1	290.6
2014	4,481	572.6	8.97	555.2	590.4	887	280.3	10.06	260.9	300.7
2015	4,717	586.6	8.94	569.2	604.4	941	283.4	9.78	264.5	303.2
2016	4,500	550.1	8.58	533.5	567.2	942	263.6	8.96	246.3	281.8
2017	4,567	551.2	8.51	534.7	568.2	964	266.8	8.92	249.6	284.8
2018	4,425	518.8	8.10	503.0	534.9	978	256.1	8.44	239.8	273.1
2019	4,496	523.3	8.10	507.5	539.4	1,040	261.6	8.31	245.6	278.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

All Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,010,615	426.8	0.43	426.0	427.7	854,018	430.6	0.47	429.6	431.5
1986	21,946	367.9	2.54	362.9	372.9	19,338	369.5	2.73	364.2	374.9
1987	23,110	385.4	2.59	380.4	390.5	20,406	389.1	2.80	383.7	394.7
1988	23,349	385.8	2.57	380.8	390.9	20,374	385.4	2.76	380.0	390.8
1989	23,155	381.8	2.55	376.9	386.9	20,191	382.1	2.75	376.7	387.5
1990	24,038	392.2	2.57	387.2	397.3	21,067	395.6	2.79	390.1	401.1
1991	24,091	388.1	2.54	383.2	393.2	21,150	392.8	2.76	387.4	398.2
1992	24,821	395.1	2.54	390.2	400.2	21,840	401.7	2.77	396.3	407.2
1993	25,532	400.0	2.53	395.0	405.0	22,145	401.4	2.74	396.0	406.8
1994	27,392	424.3	2.59	419.3	429.4	23,788	427.1	2.81	421.6	432.7
1995	27,192	420.0	2.57	414.9	425.0	23,472	422.2	2.80	416.7	427.7
1996	28,028	429.7	2.59	424.7	434.8	24,153	432.6	2.82	427.0	438.1
1997	28,004	426.1	2.57	421.1	431.1	24,012	427.7	2.80	422.3	433.3
1998	28,813	434.0	2.57	429.0	439.1	24,580	434.6	2.81	429.1	440.1
1999	29,093	435.3	2.57	430.3	440.3	24,934	439.5	2.82	434.0	445.0
2000	29,141	432.7	2.55	427.7	437.7	24,874	436.7	2.80	431.3	442.3
2001	29,891	440.0	2.56	435.0	445.1	25,424	443.9	2.82	438.4	449.4
2002	30,256	441.9	2.56	436.9	447.0	25,608	444.3	2.81	438.8	449.9
2003	29,580	428.4	2.51	423.5	433.3	25,002	431.5	2.76	426.1	437.0
2004	29,977	431.0	2.51	426.1	436.0	25,371	436.1	2.77	430.7	441.6
2005	30,574	435.9	2.51	431.0	440.8	25,735	440.0	2.78	434.5	445.4
2006	31,428	445.3	2.54	440.3	450.3	26,342	448.9	2.81	443.4	454.4
2007	31,645	443.9	2.52	438.9	448.8	26,640	451.1	2.81	445.6	456.7
2008	32,418	448.9	2.53	444.0	453.9	27,196	455.6	2.81	450.1	461.2
2009	32,999	452.1	2.53	447.2	457.1	27,586	458.7	2.82	453.2	464.3
2010	32,567	439.7	2.48	434.9	444.6	27,042	444.3	2.76	438.9	449.7
2011	33,240	444.0	2.48	439.1	448.9	27,536	449.3	2.77	443.9	454.8
2012	33,124	436.7	2.45	431.9	441.5	27,363	442.0	2.74	436.6	447.4
2013	33,651	437.5	2.44	432.8	442.3	27,703	443.2	2.74	437.9	448.6
2014	34,756	447.4	2.46	442.6	452.3	28,591	453.9	2.76	448.5	459.4
2015	35,069	447.5	2.45	442.7	452.3	28,884	456.3	2.77	450.8	461.7
2016	35,772	452.8	2.46	448.0	457.7	29,376	461.5	2.79	456.1	467.0
2017	35,204	440.7	2.42	435.9	445.4	28,903	450.2	2.75	444.9	455.6
2018	35,530	440.4	2.41	435.7	445.1	28,951	447.6	2.73	442.3	453.0
2019	35,229	433.9	2.39	429.2	438.6	28,441	438.4	2.71	433.1	443.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

All Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	128,555	426.1	1.20	423.7	428.4	21,422	256.5	1.82	252.9	260.1
1986	2,371	363.2	7.64	348.4	378.5	186	219.9	18.60	184.9	259.1
1987	2,469	369.1	7.59	354.4	384.3	191	193.6	15.22	164.9	225.8
1988	2,709	399.6	7.84	384.4	415.3	208	220.3	17.25	187.8	256.5
1989	2,676	389.9	7.68	375.0	405.2	246	246.3	17.64	212.9	283.1
1990	2,720	390.0	7.61	375.2	405.1	204	181.1	14.04	154.6	210.6
1991	2,597	362.9	7.25	348.8	377.3	212	189.0	14.51	161.6	219.4
1992	2,654	361.3	7.12	347.4	375.5	233	200.4	14.70	172.6	231.1
1993	3,002	403.5	7.48	389.0	418.4	317	241.2	15.02	212.7	272.3
1994	3,219	426.2	7.61	411.4	441.3	326	249.2	15.21	220.3	280.6
1995	3,244	420.1	7.47	405.6	435.0	390	261.1	14.47	233.5	290.9
1996	3,394	434.0	7.54	419.4	449.0	390	254.4	14.14	227.4	283.5
1997	3,454	434.4	7.47	419.9	449.3	418	245.3	12.96	220.6	272.0
1998	3,613	444.9	7.48	430.4	459.8	448	262.7	13.50	236.9	290.4
1999	3,544	426.7	7.23	412.7	441.1	450	249.3	12.65	225.1	275.3
2000	3,554	419.5	7.09	405.8	433.7	503	263.0	12.57	238.9	288.7
2001	3,806	445.5	7.28	431.4	460.0	513	248.8	11.71	226.4	272.8
2002	3,903	448.5	7.24	434.4	462.9	542	253.6	11.61	231.3	277.3
2003	3,780	428.2	7.02	414.6	442.2	568	253.2	11.26	231.6	276.2
2004	3,840	427.6	6.96	414.1	441.4	566	238.0	10.60	217.7	259.6
2005	3,926	431.1	6.94	417.6	444.9	654	254.8	10.54	234.6	276.3
2006	4,165	449.6	7.03	435.9	463.6	695	257.7	10.31	237.9	278.7
2007	4,078	432.9	6.85	419.6	446.6	743	267.3	10.33	247.4	288.3
2008	4,187	436.2	6.81	422.9	449.7	779	261.5	9.85	242.6	281.5
2009	4,406	451.2	6.88	437.8	464.9	739	245.8	9.53	227.5	265.2
2010	4,376	439.6	6.73	426.5	453.0	875	268.5	9.53	250.1	287.8
2011	4,458	437.9	6.65	424.9	451.1	924	268.3	9.22	250.6	287.0
2012	4,493	432.8	6.55	420.0	445.8	965	267.1	8.95	249.9	285.3
2013	4,663	439.3	6.54	426.6	452.3	1,006	266.0	8.68	249.3	283.6
2014	4,788	446.4	6.57	433.6	459.5	1,058	265.3	8.40	249.1	282.3
2015	4,803	438.9	6.46	426.4	451.8	1,084	262.4	8.18	246.6	278.9
2016	4,967	451.3	6.53	438.6	464.3	1,154	268.6	8.07	253.0	284.9
2017	4,850	432.5	6.34	420.1	445.1	1,235	275.1	7.96	259.7	291.2
2018	4,906	431.1	6.29	418.9	443.6	1,269	276.0	7.86	260.8	291.9
2019	4,940	427.8	6.23	415.7	440.2	1,331	278.8	7.74	263.9	294.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oral Cavity and Pharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	49,035	11.4	0.05	11.3	11.5	40,579	11.2	0.06	11.1	11.3
1986	1,208	11.5	0.34	10.8	12.2	973	10.4	0.34	9.7	11.1
1987	1,199	11.3	0.33	10.7	12.0	976	10.4	0.34	9.8	11.1
1988	1,184	11.2	0.33	10.5	11.8	954	10.2	0.33	9.5	10.9
1989	1,126	10.5	0.32	9.9	11.1	918	9.7	0.33	9.1	10.4
1990	1,156	10.8	0.32	10.2	11.4	928	9.9	0.33	9.3	10.6
1991	1,133	10.4	0.31	9.8	11.1	911	9.6	0.32	9.0	10.3
1992	1,120	10.2	0.31	9.6	10.8	940	9.8	0.32	9.2	10.4
1993	1,135	10.2	0.30	9.6	10.8	938	9.8	0.32	9.1	10.4
1994	1,186	10.5	0.31	9.9	11.2	954	9.8	0.32	9.2	10.5
1995	1,301	11.5	0.32	10.8	12.1	1,074	11.0	0.34	10.4	11.7
1996	1,296	11.3	0.32	10.7	12.0	1,058	10.8	0.33	10.1	11.4
1997	1,314	11.4	0.31	10.8	12.0	1,072	10.9	0.33	10.2	11.5
1998	1,254	10.7	0.30	10.1	11.3	1,009	10.1	0.32	9.5	10.7
1999	1,312	11.1	0.31	10.5	11.7	1,082	10.8	0.33	10.1	11.4
2000	1,295	10.8	0.30	10.2	11.4	1,063	10.5	0.32	9.9	11.1
2001	1,266	10.4	0.29	9.9	11.0	1,050	10.3	0.32	9.6	10.9
2002	1,355	11.0	0.30	10.4	11.6	1,120	10.8	0.32	10.2	11.5
2003	1,335	10.7	0.29	10.1	11.3	1,112	10.6	0.32	10.0	11.2
2004	1,435	11.3	0.30	10.8	12.0	1,148	10.9	0.32	10.2	11.5
2005	1,344	10.5	0.29	9.9	11.0	1,117	10.4	0.31	9.8	11.1
2006	1,401	10.8	0.29	10.2	11.3	1,161	10.7	0.32	10.1	11.3
2007	1,521	11.5	0.30	10.9	12.1	1,259	11.5	0.33	10.8	12.1
2008	1,584	11.7	0.30	11.2	12.3	1,319	11.8	0.33	11.2	12.5
2009	1,596	11.7	0.30	11.2	12.3	1,334	11.8	0.33	11.2	12.5
2010	1,599	11.5	0.29	10.9	12.1	1,298	11.3	0.32	10.6	11.9
2011	1,741	12.3	0.30	11.7	12.9	1,454	12.4	0.33	11.8	13.1
2012	1,732	12.0	0.29	11.4	12.6	1,444	12.1	0.33	11.5	12.8
2013	1,763	12.0	0.29	11.5	12.6	1,471	12.1	0.32	11.5	12.8
2014	1,785	12.0	0.29	11.4	12.6	1,494	12.2	0.32	11.5	12.8
2015	1,865	12.5	0.29	11.9	13.0	1,561	12.8	0.33	12.1	13.4
2016	1,875	12.3	0.29	11.8	12.9	1,575	12.6	0.33	12.0	13.3
2017	1,928	12.5	0.29	11.9	13.1	1,666	13.3	0.33	12.6	13.9
2018	1,824	11.8	0.28	11.2	12.3	1,554	12.2	0.32	11.6	12.9
2019	1,867	11.8	0.28	11.2	12.3	1,592	12.4	0.32	11.8	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oral Cavity and Pharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,866	12.5	0.15	12.2	12.9	1,266	7.9	0.23	7.5	8.4
1986	218	18.9	1.31	16.4	21.6	14	8.6	2.59	4.3	15.3
1987	206	17.4	1.24	15.0	20.0	16	10.7	2.94	5.7	18.0
1988	208	17.1	1.21	14.8	19.6	18	10.1	2.67	5.6	16.7
1989	195	16.1	1.18	13.9	18.6	12	5.6	1.69	2.8	10.2
1990	215	17.3	1.20	15.0	19.8	9	5.7	2.08	2.4	11.2
1991	203	15.6	1.12	13.5	18.0	10	3.7	1.20	1.7	7.2
1992	163	12.4	0.98	10.5	14.4	14	5.3	1.53	2.7	9.3
1993	172	12.9	0.99	11.0	15.0	22	9.7	2.42	5.6	15.5
1994	208	15.5	1.09	13.4	17.7	21	6.6	1.50	4.0	10.4
1995	199	14.3	1.03	12.3	16.4	23	7.7	1.85	4.5	12.2
1996	215	15.2	1.05	13.2	17.4	19	7.1	1.76	4.1	11.4
1997	209	14.6	1.02	12.6	16.7	29	9.6	1.95	6.1	14.2
1998	210	14.3	1.00	12.4	16.4	26	7.2	1.47	4.6	10.7
1999	198	13.1	0.94	11.3	15.0	27	7.1	1.46	4.6	10.6
2000	196	12.7	0.92	11.0	14.6	27	6.9	1.44	4.4	10.4
2001	180	11.4	0.86	9.8	13.2	26	6.7	1.45	4.1	10.1
2002	202	12.9	0.92	11.1	14.8	27	6.5	1.35	4.2	9.7
2003	188	11.5	0.85	9.9	13.3	26	6.5	1.39	4.1	9.8
2004	232	14.0	0.93	12.2	16.0	42	9.5	1.59	6.6	13.1
2005	173	10.2	0.79	8.7	11.9	44	8.9	1.44	6.3	12.2
2006	180	10.3	0.78	8.8	11.9	53	11.5	1.72	8.3	15.3
2007	212	12.3	0.86	10.6	14.1	44	7.8	1.25	5.5	10.6
2008	217	12.2	0.85	10.6	14.0	39	7.4	1.25	5.1	10.2
2009	197	11.0	0.80	9.5	12.7	48	7.5	1.12	5.5	10.1
2010	221	12.2	0.84	10.6	13.9	67	11.0	1.42	8.4	14.2
2011	216	11.5	0.80	10.0	13.2	56	9.1	1.30	6.7	12.0
2012	224	11.8	0.80	10.3	13.5	55	7.5	1.05	5.6	9.9
2013	220	11.7	0.80	10.1	13.3	54	7.3	1.04	5.4	9.6
2014	218	11.5	0.80	10.0	13.2	61	7.8	1.02	5.9	10.1
2015	217	10.7	0.75	9.3	12.3	70	9.1	1.12	7.0	11.6
2016	211	10.6	0.75	9.2	12.2	66	8.2	1.03	6.3	10.4
2017	181	8.6	0.65	7.4	10.0	64	7.7	0.98	5.9	9.8
2018	173	8.5	0.66	7.3	9.9	77	8.9	1.03	7.0	11.2
2019	189	9.0	0.67	7.8	10.5	60	6.7	0.87	5.1	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oral Cavity and Pharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	33,880	17.3	0.10	17.1	17.5	27,942	16.9	0.10	16.7	17.1
1986	826	18.0	0.65	16.8	19.3	655	16.1	0.65	14.9	17.5
1987	811	17.6	0.64	16.4	18.9	658	16.2	0.65	15.0	17.6
1988	813	17.7	0.64	16.4	19.0	643	15.9	0.65	14.7	17.2
1989	753	16.1	0.60	15.0	17.4	604	14.8	0.62	13.6	16.0
1990	787	17.0	0.62	15.8	18.2	633	15.7	0.64	14.4	17.0
1991	758	15.9	0.59	14.8	17.1	603	14.5	0.60	13.3	15.7
1992	749	15.6	0.58	14.5	16.8	619	14.9	0.61	13.7	16.1
1993	777	15.7	0.57	14.6	16.9	636	14.9	0.60	13.8	16.1
1994	791	16.0	0.58	14.9	17.2	633	14.9	0.60	13.7	16.1
1995	890	17.7	0.60	16.6	18.9	723	16.7	0.63	15.5	18.0
1996	881	17.5	0.60	16.3	18.7	712	16.5	0.62	15.3	17.7
1997	879	17.2	0.59	16.1	18.4	706	16.2	0.62	15.0	17.4
1998	852	16.3	0.56	15.2	17.4	672	15.0	0.58	13.9	16.2
1999	875	16.5	0.56	15.4	17.6	721	15.9	0.60	14.8	17.2
2000	890	16.6	0.56	15.5	17.7	719	15.8	0.59	14.6	17.0
2001	876	16.1	0.55	15.0	17.2	728	15.8	0.59	14.6	17.0
2002	915	16.5	0.55	15.5	17.7	739	15.8	0.59	14.7	17.0
2003	906	16.2	0.55	15.2	17.4	744	15.8	0.58	14.7	17.0
2004	1,012	17.6	0.56	16.5	18.7	798	16.5	0.59	15.3	17.7
2005	931	15.9	0.53	14.9	17.0	772	15.7	0.57	14.6	16.8
2006	953	16.0	0.53	15.0	17.0	788	15.7	0.57	14.6	16.9
2007	1,062	17.4	0.54	16.4	18.5	873	17.1	0.59	15.9	18.3
2008	1,085	17.4	0.54	16.4	18.5	900	17.2	0.58	16.1	18.4
2009	1,098	17.4	0.53	16.3	18.5	929	17.6	0.59	16.5	18.8
2010	1,134	17.6	0.53	16.5	18.7	928	17.1	0.57	16.0	18.3
2011	1,243	18.8	0.55	17.7	19.9	1,031	18.6	0.59	17.5	19.8
2012	1,216	18.1	0.53	17.1	19.2	1,008	18.0	0.58	16.9	19.2
2013	1,267	18.7	0.54	17.7	19.8	1,063	18.8	0.59	17.6	20.0
2014	1,239	17.9	0.52	16.9	18.9	1,047	18.0	0.57	16.9	19.2
2015	1,318	18.8	0.53	17.8	19.9	1,108	19.0	0.59	17.9	20.2
2016	1,333	18.7	0.53	17.7	19.8	1,126	19.0	0.58	17.9	20.2
2017	1,361	18.9	0.53	17.9	20.0	1,183	19.9	0.59	18.7	21.1
2018	1,278	17.6	0.51	16.6	18.6	1,093	18.2	0.56	17.1	19.3
2019	1,321	17.8	0.50	16.8	18.8	1,147	18.8	0.57	17.7	19.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oral Cavity and Pharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,878	20.9	0.31	20.3	21.5	848	11.6	0.43	10.8	12.5
1986	160	32.1	2.65	27.1	37.7	9	14.7	5.52	6.0	29.4
1987	142	27.8	2.43	23.3	33.0	10	16.5	5.79	7.2	31.5
1988	159	30.2	2.46	25.6	35.4	9	12.7	4.99	4.8	26.0
1989	145	28.4	2.46	23.8	33.6	4	3.1	1.64	0.7	9.7
1990	145	27.5	2.36	23.1	32.5	5	7.4	3.74	2.0	18.1
1991	143	26.2	2.27	22.0	31.1	6	5.1	2.08	1.8	12.0
1992	116	21.0	2.01	17.2	25.3	12	10.4	3.38	4.8	19.5
1993	125	21.7	1.99	18.0	26.0	13	16.2	5.37	7.4	29.5
1994	144	25.2	2.18	21.1	29.8	12	7.6	2.34	3.7	14.2
1995	146	24.8	2.13	20.8	29.4	17	14.9	4.25	7.7	25.4
1996	155	25.3	2.09	21.4	29.8	12	10.3	3.34	4.8	18.9
1997	153	25.2	2.12	21.2	29.7	20	13.6	3.22	8.0	21.6
1998	155	24.8	2.07	21.0	29.2	16	9.3	2.51	5.0	15.8
1999	138	21.1	1.84	17.6	25.0	12	7.0	2.14	3.5	12.8
2000	153	23.4	1.94	19.7	27.5	13	7.9	2.46	3.8	14.2
2001	125	18.4	1.70	15.2	22.1	18	11.0	3.18	5.7	18.8
2002	153	22.9	1.91	19.3	26.9	19	10.7	2.72	6.1	17.4
2003	142	19.9	1.71	16.6	23.5	14	7.4	2.16	3.8	12.9
2004	176	25.1	1.98	21.4	29.3	31	16.4	3.31	10.5	24.0
2005	130	18.0	1.62	14.9	21.4	24	10.3	2.26	6.3	15.7
2006	121	15.9	1.49	13.2	19.1	40	19.2	3.38	13.1	26.9
2007	156	21.2	1.77	17.9	25.0	28	10.3	2.10	6.6	15.3
2008	151	20.4	1.75	17.1	24.1	29	13.0	2.69	8.2	19.2
2009	128	16.4	1.51	13.6	19.6	29	9.6	1.85	6.3	14.0
2010	149	19.6	1.69	16.4	23.2	47	16.8	2.68	11.9	22.9
2011	160	20.0	1.64	16.9	23.4	40	13.7	2.36	9.5	19.1
2012	160	19.6	1.60	16.5	23.0	41	11.5	1.90	8.0	15.9
2013	153	19.2	1.62	16.2	22.7	39	11.1	1.88	7.7	15.5
2014	139	17.6	1.56	14.7	20.9	44	11.9	1.83	8.6	16.1
2015	155	18.2	1.52	15.4	21.5	47	12.9	1.95	9.4	17.4
2016	144	17.1	1.48	14.3	20.2	49	12.8	1.88	9.4	17.1
2017	121	13.5	1.28	11.1	16.3	44	11.7	1.81	8.4	15.8
2018	118	13.6	1.30	11.2	16.4	56	13.9	1.90	10.4	18.1
2019	118	13.1	1.24	10.7	15.7	39	9.3	1.51	6.6	12.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oral Cavity and Pharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	15,155	6.4	0.05	6.3	6.5	12,637	6.3	0.06	6.2	6.5
1986	382	6.5	0.34	5.8	7.2	318	6.0	0.35	5.4	6.8
1987	388	6.5	0.34	5.9	7.2	318	6.1	0.35	5.4	6.8
1988	371	6.1	0.32	5.5	6.8	311	5.9	0.34	5.2	6.6
1989	373	6.2	0.33	5.6	6.9	314	6.0	0.35	5.3	6.7
1990	369	6.0	0.32	5.4	6.7	295	5.4	0.32	4.8	6.1
1991	375	6.2	0.32	5.6	6.9	308	5.9	0.34	5.2	6.6
1992	371	6.0	0.32	5.4	6.7	321	5.9	0.34	5.3	6.6
1993	358	5.7	0.30	5.1	6.3	302	5.5	0.32	4.9	6.2
1994	395	6.2	0.31	5.6	6.8	321	5.7	0.32	5.1	6.4
1995	411	6.3	0.32	5.7	7.0	351	6.3	0.34	5.6	7.0
1996	415	6.4	0.32	5.8	7.0	346	6.2	0.34	5.5	6.9
1997	435	6.7	0.33	6.1	7.4	366	6.6	0.35	6.0	7.4
1998	402	6.1	0.31	5.5	6.7	337	6.0	0.33	5.4	6.7
1999	437	6.6	0.32	6.0	7.3	361	6.5	0.35	5.8	7.2
2000	405	6.1	0.30	5.5	6.7	344	6.1	0.33	5.5	6.8
2001	390	5.8	0.29	5.2	6.4	322	5.6	0.32	5.0	6.3
2002	440	6.5	0.31	5.9	7.1	381	6.7	0.34	6.0	7.4
2003	429	6.2	0.30	5.6	6.8	368	6.3	0.33	5.7	7.0
2004	423	6.1	0.30	5.6	6.7	350	6.1	0.33	5.4	6.8
2005	413	5.9	0.29	5.4	6.5	345	6.0	0.32	5.3	6.6
2006	448	6.3	0.30	5.7	6.9	373	6.3	0.33	5.6	7.0
2007	459	6.5	0.30	5.9	7.1	386	6.6	0.34	5.9	7.3
2008	499	6.9	0.31	6.3	7.5	419	7.0	0.34	6.3	7.7
2009	498	6.9	0.31	6.3	7.5	405	6.8	0.34	6.1	7.5
2010	465	6.3	0.30	5.7	6.9	370	6.1	0.32	5.5	6.8
2011	498	6.6	0.30	6.0	7.2	423	6.8	0.34	6.2	7.5
2012	516	6.7	0.30	6.1	7.3	436	6.9	0.34	6.2	7.6
2013	496	6.3	0.29	5.8	6.9	408	6.4	0.32	5.7	7.0
2014	546	6.9	0.30	6.3	7.5	447	6.9	0.33	6.2	7.5
2015	547	6.9	0.30	6.3	7.6	453	7.2	0.35	6.5	7.9
2016	542	6.8	0.30	6.2	7.4	449	7.0	0.34	6.3	7.7
2017	567	6.9	0.30	6.4	7.5	483	7.3	0.34	6.7	8.0
2018	546	6.6	0.29	6.1	7.2	461	6.9	0.33	6.2	7.6
2019	546	6.5	0.29	6.0	7.1	445	6.6	0.32	6.0	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oral Cavity and Pharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,988	6.4	0.14	6.1	6.7	418	4.9	0.25	4.4	5.4
1986	58	9.0	1.19	6.8	11.6	5	4.2	1.98	1.3	11.1
1987	64	9.4	1.21	7.2	12.1	6	6.4	2.83	2.1	14.7
1988	49	7.0	1.02	5.2	9.3	9	8.4	2.96	3.6	16.7
1989	50	7.3	1.04	5.4	9.6	8	7.6	2.74	3.2	15.3
1990	70	9.8	1.19	7.6	12.4	4	4.3	2.24	1.1	11.2
1991	60	7.8	1.03	5.9	10.1	4	2.4	1.24	0.6	7.1
1992	47	6.2	0.91	4.5	8.2	2	1.2	0.83	0.1	5.1
1993	47	6.2	0.91	4.5	8.2	9	5.4	1.87	2.3	10.8
1994	64	8.4	1.06	6.4	10.7	9	5.8	1.96	2.6	11.2
1995	53	6.5	0.91	4.9	8.6	6	2.3	0.93	0.8	5.7
1996	60	7.5	0.98	5.7	9.7	7	4.6	1.82	1.8	9.7
1997	56	6.8	0.93	5.2	8.9	9	5.9	2.20	2.4	11.7
1998	55	6.5	0.89	4.9	8.5	10	5.4	1.74	2.5	10.0
1999	60	7.0	0.91	5.3	9.0	15	7.3	1.98	3.9	12.3
2000	43	4.9	0.75	3.5	6.6	14	6.3	1.77	3.3	10.8
2001	55	6.1	0.83	4.6	8.0	8	3.6	1.30	1.5	7.2
2002	49	5.5	0.79	4.1	7.3	8	3.3	1.21	1.3	6.7
2003	46	5.1	0.76	3.7	6.8	12	5.7	1.76	2.8	10.2
2004	56	6.0	0.80	4.5	7.8	11	4.2	1.35	2.0	7.8
2005	43	4.4	0.68	3.2	6.0	20	7.5	1.77	4.5	11.8
2006	59	6.0	0.79	4.6	7.8	13	5.1	1.53	2.6	9.0
2007	56	5.8	0.78	4.3	7.5	16	5.6	1.46	3.1	9.2
2008	66	6.6	0.82	5.1	8.4	10	3.0	0.98	1.4	5.7
2009	69	6.9	0.85	5.4	8.8	19	5.7	1.33	3.4	9.0
2010	72	7.0	0.83	5.4	8.8	20	6.3	1.47	3.8	9.9
2011	56	5.3	0.72	4.0	6.9	16	5.1	1.35	2.8	8.4
2012	64	6.0	0.76	4.6	7.7	14	4.1	1.12	2.2	6.9
2013	67	6.2	0.77	4.8	7.9	15	4.0	1.07	2.2	6.7
2014	79	7.3	0.84	5.8	9.2	17	4.2	1.03	2.4	6.7
2015	62	5.3	0.69	4.1	6.9	23	5.5	1.17	3.5	8.3
2016	67	5.9	0.74	4.5	7.5	17	4.1	1.02	2.4	6.7
2017	60	5.1	0.67	3.9	6.6	20	4.2	0.96	2.5	6.6
2018	55	4.9	0.67	3.7	6.4	21	4.7	1.04	2.9	7.2
2019	71	6.1	0.75	4.7	7.8	21	4.3	0.96	2.7	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lip										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,880	0.7	0.01	0.7	0.7	2,778	0.8	0.01	0.7	0.8
1986	119	1.1	0.11	0.9	1.4	116	1.3	0.12	1.0	1.5
1987	114	1.1	0.10	0.9	1.3	114	1.2	0.12	1.0	1.5
1988	137	1.3	0.11	1.1	1.5	135	1.4	0.12	1.2	1.7
1989	111	1.0	0.10	0.9	1.3	108	1.2	0.11	0.9	1.4
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5
1991	103	0.9	0.09	0.8	1.1	101	1.0	0.10	0.8	1.3
1992	96	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2
1993	81	0.7	0.08	0.6	0.9	80	0.8	0.09	0.7	1.0
1994	94	0.8	0.09	0.7	1.0	90	0.9	0.10	0.7	1.1
1995	102	0.9	0.09	0.7	1.1	99	1.0	0.10	0.8	1.2
1996	108	0.9	0.09	0.8	1.1	106	1.1	0.10	0.9	1.3
1997	97	0.8	0.08	0.7	1.0	94	0.9	0.10	0.8	1.1
1998	81	0.7	0.08	0.5	0.9	80	0.8	0.09	0.6	1.0
1999	86	0.7	0.08	0.6	0.9	84	0.8	0.09	0.7	1.0
2000	80	0.7	0.07	0.5	0.8	76	0.7	0.09	0.6	0.9
2001	60	0.5	0.06	0.4	0.6	58	0.6	0.07	0.4	0.7
2002	99	0.8	0.08	0.7	1.0	96	0.9	0.09	0.7	1.1
2003	69	0.6	0.07	0.4	0.7	66	0.6	0.08	0.5	0.8
2004	83	0.7	0.07	0.5	0.8	79	0.8	0.09	0.6	1.0
2005	72	0.6	0.07	0.4	0.7	68	0.6	0.08	0.5	0.8
2006	72	0.6	0.07	0.5	0.7	72	0.7	0.08	0.5	0.9
2007	77	0.6	0.07	0.5	0.7	73	0.7	0.08	0.5	0.8
2008	79	0.6	0.07	0.5	0.8	73	0.7	0.08	0.5	0.9
2009	74	0.6	0.07	0.4	0.7	67	0.6	0.07	0.5	0.8
2010	84	0.6	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2011	61	0.4	0.06	0.3	0.6	60	0.5	0.07	0.4	0.7
2012	58	0.4	0.05	0.3	0.5	56	0.5	0.06	0.4	0.6
2013	71	0.5	0.06	0.4	0.6	66	0.6	0.07	0.4	0.7
2014	66	0.5	0.06	0.4	0.6	62	0.5	0.06	0.4	0.7
2015	75	0.5	0.06	0.4	0.7	70	0.6	0.07	0.5	0.8
2016	73	0.5	0.06	0.4	0.6	65	0.5	0.07	0.4	0.7
2017	76	0.5	0.06	0.4	0.7	72	0.6	0.07	0.5	0.8
2018	52	0.3	0.05	0.3	0.5	49	0.4	0.06	0.3	0.5
2019	50	0.3	0.05	0.2	0.4	48	0.4	0.06	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lip										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	41	0.1	0.01	0.1	0.1	9	0.1	0.02	0.0	0.1
1986	2	0.2	0.15	0.0	0.7	1	0.4	0.42	0.0	3.4
1987	0					0				
1988	1	0.1	0.12	0.0	0.5	0				
1989	3	0.3	0.16	0.1	0.8	0				
1990	0					0				
1991	1	0.1	0.09	0.0	0.5	0				
1992	0					0				
1993	1	0.1	0.05	0.0	0.3	0				
1994	3	0.3	0.18	0.1	0.8	0				
1995	1	0.1	0.05	0.0	0.3	0				
1996	1	0.1	0.08	0.0	0.4	1	0.5	0.45	0.0	2.4
1997	2	0.2	0.15	0.0	0.7	0				
1998	1	0.1	0.05	0.0	0.3	0				
1999	0					0				
2000	2	0.1	0.10	0.0	0.5	0				
2001	1	0.1	0.06	0.0	0.4	0				
2002	2	0.1	0.08	0.0	0.4	0				
2003	1	0.1	0.05	0.0	0.3	0				
2004	3	0.2	0.11	0.0	0.6	0				
2005	2	0.1	0.08	0.0	0.4	0				
2006	0					0				
2007	3	0.2	0.12	0.0	0.6	0				
2008	3	0.2	0.12	0.0	0.6	0				
2009	2	0.2	0.10	0.0	0.5	0				
2010	3	0.2	0.10	0.0	0.5	0				
2011	0					1	0.1	0.14	0.0	0.9
2012	0					1	0.1	0.14	0.0	0.8
2013	1	0.1	0.07	0.0	0.4	2	0.3	0.25	0.0	1.2
2014	0					0				
2015	0					0				
2016	0					1	0.1	0.12	0.0	0.7
2017	0					0				
2018	2	0.1	0.09	0.0	0.4	1	0.2	0.15	0.0	0.8
2019	0					1	0.1	0.09	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lip										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,267	1.3	0.03	1.2	1.3	2,204	1.4	0.03	1.4	1.5
1986	106	2.5	0.25	2.0	3.0	105	2.8	0.28	2.3	3.4
1987	99	2.4	0.25	1.9	2.9	99	2.6	0.28	2.1	3.2
1988	115	2.7	0.26	2.2	3.3	114	3.0	0.29	2.5	3.6
1989	94	2.3	0.24	1.8	2.8	92	2.5	0.27	2.0	3.1
1990	97	2.2	0.23	1.7	2.6	97	2.4	0.25	2.0	3.0
1991	88	1.9	0.21	1.5	2.4	86	2.1	0.23	1.7	2.6
1992	82	1.8	0.21	1.5	2.3	82	2.1	0.23	1.6	2.6
1993	70	1.5	0.18	1.1	1.9	70	1.7	0.20	1.3	2.1
1994	69	1.5	0.18	1.1	1.9	68	1.7	0.20	1.3	2.1
1995	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5
1997	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1998	64	1.3	0.17	1.0	1.7	63	1.5	0.19	1.1	1.9
1999	73	1.5	0.18	1.2	1.9	71	1.7	0.20	1.3	2.1
2000	66	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2001	45	0.9	0.14	0.7	1.2	45	1.1	0.16	0.8	1.4
2002	69	1.4	0.17	1.1	1.8	68	1.6	0.19	1.2	2.0
2003	50	1.0	0.14	0.7	1.3	49	1.1	0.16	0.8	1.5
2004	65	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2005	59	1.1	0.15	0.8	1.4	55	1.2	0.17	0.9	1.6
2006	52	1.0	0.14	0.7	1.3	52	1.1	0.16	0.8	1.5
2007	58	1.0	0.14	0.8	1.3	56	1.1	0.16	0.9	1.5
2008	52	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2009	55	1.0	0.13	0.7	1.3	49	1.0	0.15	0.7	1.3
2010	63	1.1	0.14	0.8	1.4	60	1.2	0.16	0.9	1.6
2011	44	0.8	0.12	0.6	1.0	43	0.9	0.14	0.6	1.2
2012	46	0.8	0.11	0.5	1.0	44	0.9	0.13	0.6	1.2
2013	50	0.8	0.12	0.6	1.1	50	1.0	0.14	0.7	1.3
2014	46	0.7	0.11	0.5	1.0	43	0.8	0.12	0.6	1.1
2015	55	0.9	0.12	0.7	1.1	52	1.0	0.14	0.7	1.3
2016	58	0.9	0.12	0.7	1.2	52	1.0	0.14	0.7	1.3
2017	56	0.9	0.12	0.7	1.1	53	1.0	0.14	0.7	1.3
2018	38	0.6	0.09	0.4	0.8	36	0.6	0.11	0.4	0.9
2019	38	0.5	0.09	0.4	0.7	37	0.6	0.11	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lip										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	23	0.1	0.03	0.1	0.2	5	0.1	0.03	0.0	0.2
1986	1	0.2	0.16	0.0	1.0	0				
1987	0					0				
1988	0					0				
1989	2	0.5	0.40	0.1	1.8	0				
1990	0					0				
1991	1	0.2	0.20	0.0	1.1	0				
1992	0					0				
1993	0					0				
1994	0					0				
1995	0					0				
1996	1	0.2	0.20	0.0	1.0	1	1.1	1.08	0.0	5.7
1997	2	0.7	0.47	0.1	2.0	0				
1998	1	0.1	0.12	0.0	0.8	0				
1999	0					0				
2000	1	0.2	0.18	0.0	1.0	0				
2001	0					0				
2002	1	0.1	0.12	0.0	0.8	0				
2003	1	0.1	0.12	0.0	0.8	0				
2004	1	0.1	0.13	0.0	0.8	0				
2005	2	0.3	0.18	0.0	1.0	0				
2006	0					0				
2007	1	0.2	0.21	0.0	1.0	0				
2008	2	0.4	0.25	0.0	1.2	0				
2009	2	0.4	0.25	0.0	1.2	0				
2010	2	0.3	0.20	0.0	1.0	0				
2011	0					1	0.3	0.30	0.0	1.9
2012	0					1	0.3	0.30	0.0	1.8
2013	0					0				
2014	0					0				
2015	0					0				
2016	0					1	0.3	0.26	0.0	1.5
2017	0					0				
2018	2	0.3	0.22	0.0	1.0	0				
2019	0					1	0.2	0.20	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lip										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	613	0.3	0.01	0.2	0.3	574	0.3	0.01	0.3	0.3
1986	13	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5
1988	22	0.4	0.08	0.2	0.5	21	0.4	0.08	0.2	0.6
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1990	23	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
1991	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.4
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1994	25	0.4	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1995	23	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1996	21	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1998	17	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1999	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2000	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2001	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2002	30	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2003	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4
2005	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2006	20	0.3	0.06	0.2	0.4	20	0.3	0.08	0.2	0.5
2007	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2008	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
2009	19	0.2	0.06	0.1	0.4	18	0.3	0.06	0.2	0.4
2010	21	0.3	0.06	0.2	0.4	19	0.3	0.07	0.2	0.5
2011	17	0.2	0.05	0.1	0.4	17	0.3	0.06	0.2	0.4
2012	12	0.2	0.04	0.1	0.3	12	0.2	0.05	0.1	0.3
2013	21	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4
2014	20	0.2	0.05	0.1	0.4	19	0.3	0.06	0.2	0.4
2015	20	0.3	0.06	0.2	0.4	18	0.3	0.07	0.2	0.5
2016	15	0.2	0.05	0.1	0.3	13	0.2	0.05	0.1	0.3
2017	20	0.2	0.06	0.1	0.4	19	0.3	0.07	0.2	0.5
2018	14	0.2	0.04	0.1	0.3	13	0.2	0.05	0.1	0.3
2019	12	0.2	0.04	0.1	0.3	11	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lip										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	18	0.1	0.01	0.0	0.1	4	0.1	0.03	0.0	0.2
1986	1	0.2	0.21	0.0	1.0	1	0.8	0.83	0.0	6.2
1987	0					0				
1988	1	0.2	0.18	0.0	0.9	0				
1989	1	0.1	0.12	0.0	0.7	0				
1990	0					0				
1991	0					0				
1992	0					0				
1993	1	0.1	0.09	0.0	0.6	0				
1994	3	0.5	0.28	0.1	1.3	0				
1995	1	0.1	0.10	0.0	0.6	0				
1996	0					0				
1997	0					0				
1998	0					0				
1999	0					0				
2000	1	0.1	0.12	0.0	0.6	0				
2001	1	0.1	0.11	0.0	0.6	0				
2002	1	0.1	0.10	0.0	0.6	0				
2003	0					0				
2004	2	0.2	0.16	0.0	0.8	0				
2005	0					0				
2006	0					0				
2007	2	0.2	0.15	0.0	0.8	0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	1	0.1	0.10	0.0	0.6	0				
2011	0					0				
2012	0					0				
2013	1	0.1	0.11	0.0	0.6	2	0.6	0.47	0.1	2.2
2014	0					0				
2015	0					0				
2016	0					0				
2017	0					0				
2018	0					1	0.3	0.28	0.0	1.4
2019	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Tongue										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	13,062	3.0	0.03	3.0	3.1	11,178	3.1	0.03	3.0	3.1
1986	261	2.5	0.15	2.2	2.8	215	2.3	0.16	2.0	2.6
1987	253	2.4	0.16	2.1	2.8	193	2.1	0.15	1.8	2.4
1988	232	2.2	0.15	1.9	2.5	189	2.0	0.15	1.8	2.4
1989	244	2.3	0.15	2.0	2.6	200	2.1	0.15	1.9	2.5
1990	254	2.4	0.15	2.1	2.7	202	2.1	0.15	1.8	2.5
1991	277	2.6	0.16	2.3	3.0	216	2.4	0.16	2.1	2.7
1992	265	2.4	0.15	2.1	2.7	221	2.3	0.16	2.0	2.6
1993	271	2.4	0.15	2.1	2.7	232	2.4	0.16	2.1	2.7
1994	269	2.4	0.15	2.1	2.7	224	2.3	0.15	2.0	2.6
1995	284	2.5	0.15	2.2	2.8	234	2.4	0.16	2.1	2.7
1996	297	2.6	0.15	2.3	2.9	248	2.5	0.16	2.2	2.9
1997	342	3.0	0.16	2.7	3.3	289	3.0	0.17	2.6	3.3
1998	273	2.3	0.14	2.1	2.6	228	2.3	0.15	2.0	2.6
1999	332	2.8	0.15	2.5	3.1	286	2.9	0.17	2.5	3.2
2000	306	2.6	0.15	2.3	2.9	253	2.5	0.16	2.2	2.8
2001	291	2.4	0.14	2.1	2.7	238	2.3	0.15	2.0	2.6
2002	355	2.9	0.15	2.6	3.2	296	2.9	0.17	2.5	3.2
2003	343	2.7	0.15	2.5	3.1	294	2.8	0.16	2.5	3.2
2004	385	3.0	0.15	2.7	3.4	319	3.0	0.17	2.7	3.4
2005	397	3.1	0.16	2.8	3.4	341	3.2	0.17	2.8	3.5
2006	375	2.9	0.15	2.6	3.2	316	2.9	0.16	2.6	3.2
2007	457	3.5	0.16	3.2	3.8	404	3.7	0.19	3.3	4.1
2008	429	3.2	0.15	2.9	3.5	385	3.4	0.18	3.1	3.8
2009	432	3.2	0.16	2.9	3.5	375	3.3	0.17	3.0	3.7
2010	419	3.0	0.15	2.7	3.3	365	3.2	0.17	2.8	3.5
2011	477	3.4	0.16	3.1	3.7	405	3.5	0.18	3.1	3.8
2012	535	3.7	0.16	3.4	4.0	471	4.0	0.19	3.6	4.4
2013	541	3.6	0.16	3.3	3.9	466	3.8	0.18	3.4	4.2
2014	559	3.7	0.16	3.4	4.1	488	4.0	0.18	3.6	4.3
2015	566	3.7	0.16	3.4	4.1	501	4.1	0.19	3.7	4.4
2016	562	3.7	0.16	3.4	4.0	497	4.0	0.18	3.6	4.4
2017	637	4.1	0.17	3.8	4.5	567	4.5	0.19	4.1	4.9
2018	583	3.7	0.16	3.4	4.0	517	4.1	0.18	3.7	4.5
2019	559	3.5	0.15	3.2	3.8	503	3.9	0.18	3.5	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Tongue										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,489	2.7	0.07	2.6	2.9	306	1.9	0.11	1.7	2.1
1986	42	3.7	0.58	2.6	5.0	2	1.7	1.29	0.1	6.1
1987	54	4.8	0.67	3.6	6.3	6	3.8	1.66	1.3	8.6
1988	42	3.5	0.54	2.5	4.7	1	0.6	0.57	0.0	3.5
1989	40	3.3	0.52	2.3	4.4	4	2.3	1.19	0.6	6.1
1990	52	4.1	0.58	3.1	5.4	0				
1991	54	4.2	0.58	3.2	5.5	3	1.2	0.71	0.3	3.9
1992	42	3.3	0.50	2.3	4.4	2	0.7	0.49	0.1	2.9
1993	34	2.6	0.45	1.8	3.6	3	1.1	0.65	0.2	3.5
1994	42	3.1	0.49	2.3	4.2	3	1.0	0.63	0.2	3.3
1995	42	3.0	0.47	2.2	4.1	6	1.6	0.65	0.6	3.8
1996	46	3.2	0.48	2.4	4.3	3	0.8	0.45	0.2	2.6
1997	47	3.4	0.51	2.5	4.6	6	2.0	0.86	0.7	4.5
1998	38	2.6	0.43	1.9	3.6	5	1.6	0.78	0.5	3.9
1999	40	2.5	0.40	1.8	3.4	6	1.6	0.69	0.6	3.7
2000	45	3.0	0.45	2.2	4.0	5	1.5	0.70	0.4	3.5
2001	45	2.8	0.42	2.0	3.8	6	1.4	0.58	0.5	3.1
2002	50	3.1	0.43	2.3	4.0	7	1.7	0.66	0.6	3.6
2003	39	2.5	0.40	1.8	3.4	8	2.0	0.74	0.8	4.0
2004	47	2.9	0.42	2.1	3.8	15	3.0	0.83	1.6	5.1
2005	36	2.2	0.37	1.5	3.0	17	3.4	0.88	1.9	5.6
2006	43	2.4	0.37	1.7	3.3	13	2.5	0.78	1.2	4.5
2007	40	2.3	0.37	1.6	3.1	12	2.5	0.78	1.2	4.5
2008	34	1.9	0.33	1.3	2.7	9	1.7	0.62	0.8	3.4
2009	36	2.0	0.34	1.4	2.8	17	2.7	0.69	1.6	4.5
2010	35	1.9	0.34	1.3	2.7	16	2.8	0.74	1.5	4.6
2011	52	2.8	0.40	2.1	3.7	14	1.9	0.51	1.0	3.2
2012	51	2.7	0.39	2.0	3.6	10	1.4	0.48	0.7	2.7
2013	58	2.9	0.39	2.2	3.8	11	1.5	0.49	0.7	2.8
2014	51	2.7	0.39	2.0	3.6	18	2.4	0.56	1.4	3.8
2015	46	2.3	0.35	1.7	3.1	15	1.8	0.46	1.0	3.0
2016	45	2.2	0.33	1.6	2.9	16	1.9	0.49	1.1	3.2
2017	45	2.2	0.34	1.6	3.0	19	2.3	0.54	1.4	3.6
2018	42	1.9	0.30	1.4	2.6	17	2.1	0.51	1.2	3.3
2019	34	1.6	0.28	1.1	2.2	11	1.2	0.35	0.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Tongue										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	8,966	4.5	0.05	4.4	4.6	7,621	4.5	0.05	4.4	4.6
1986	175	3.7	0.28	3.1	4.3	137	3.2	0.28	2.7	3.8
1987	162	3.5	0.28	2.9	4.1	123	3.0	0.27	2.4	3.5
1988	155	3.3	0.27	2.8	3.9	120	2.9	0.27	2.4	3.5
1989	159	3.4	0.28	2.9	4.0	127	3.1	0.29	2.6	3.7
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.28	2.7	3.8
1991	198	4.2	0.31	3.6	4.9	149	3.7	0.31	3.1	4.3
1992	172	3.5	0.27	3.0	4.0	140	3.3	0.28	2.7	3.9
1993	178	3.5	0.27	3.0	4.1	149	3.4	0.28	2.9	4.0
1994	180	3.6	0.27	3.1	4.2	150	3.5	0.29	2.9	4.1
1995	201	4.0	0.28	3.4	4.6	164	3.7	0.30	3.2	4.4
1996	199	3.9	0.28	3.4	4.5	165	3.8	0.30	3.2	4.4
1997	219	4.2	0.29	3.7	4.8	180	4.0	0.30	3.5	4.7
1998	174	3.3	0.25	2.8	3.8	138	3.1	0.26	2.6	3.6
1999	211	3.9	0.27	3.4	4.4	180	3.9	0.29	3.3	4.5
2000	200	3.7	0.26	3.2	4.2	162	3.5	0.28	3.0	4.1
2001	203	3.6	0.26	3.2	4.2	164	3.5	0.27	3.0	4.1
2002	245	4.3	0.28	3.8	4.9	200	4.2	0.30	3.6	4.8
2003	239	4.2	0.28	3.7	4.8	202	4.2	0.30	3.7	4.9
2004	264	4.5	0.28	4.0	5.1	213	4.3	0.30	3.7	4.9
2005	273	4.6	0.28	4.1	5.2	233	4.6	0.31	4.1	5.3
2006	260	4.3	0.27	3.7	4.8	220	4.3	0.29	3.7	4.9
2007	316	5.1	0.29	4.6	5.7	275	5.3	0.32	4.7	6.0
2008	295	4.7	0.28	4.1	5.2	266	5.0	0.31	4.4	5.7
2009	286	4.5	0.27	4.0	5.0	249	4.7	0.30	4.1	5.3
2010	297	4.5	0.27	4.0	5.1	260	4.7	0.30	4.1	5.3
2011	329	4.9	0.28	4.4	5.5	279	5.0	0.30	4.4	5.6
2012	376	5.6	0.30	5.0	6.2	327	5.8	0.33	5.2	6.5
2013	384	5.5	0.29	4.9	6.1	334	5.8	0.32	5.1	6.4
2014	381	5.4	0.28	4.9	6.0	338	5.7	0.32	5.1	6.4
2015	401	5.7	0.29	5.1	6.3	355	6.0	0.33	5.4	6.7
2016	400	5.5	0.28	5.0	6.1	353	5.9	0.32	5.3	6.5
2017	452	6.2	0.30	5.7	6.9	403	6.7	0.34	6.1	7.4
2018	410	5.6	0.28	5.0	6.1	364	6.0	0.32	5.4	6.7
2019	400	5.3	0.27	4.8	5.8	369	5.9	0.32	5.3	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Tongue										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,094	4.7	0.15	4.4	5.0	196	2.7	0.21	2.3	3.2
1986	35	7.2	1.28	4.9	10.1	2	3.8	3.02	0.3	14.2
1987	36	7.2	1.25	5.0	10.1	3	5.2	3.27	0.9	15.6
1988	35	7.0	1.22	4.8	9.7	0				
1989	31	5.9	1.08	4.0	8.4	1	1.3	1.25	0.0	7.7
1990	39	7.1	1.16	5.0	9.7	0				
1991	43	7.9	1.26	5.6	10.8	3	2.6	1.52	0.5	8.7
1992	30	5.3	0.98	3.6	7.6	2	1.4	1.05	0.2	6.6
1993	25	4.2	0.84	2.7	6.2	2	2.0	1.44	0.3	7.6
1994	29	5.2	1.01	3.4	7.5	1	0.4	0.39	0.0	4.5
1995	30	5.3	1.02	3.5	7.6	5	2.8	1.25	0.9	7.5
1996	34	5.5	0.96	3.8	7.7	0				
1997	34	6.0	1.08	4.0	8.5	5	3.6	1.69	1.1	8.9
1998	29	4.8	0.90	3.2	6.9	5	3.7	1.83	1.0	9.2
1999	29	4.1	0.76	2.7	5.9	2	1.4	1.06	0.1	5.5
2000	36	5.4	0.91	3.8	7.5	1	1.2	1.15	0.0	5.4
2001	36	5.2	0.88	3.6	7.3	2	0.9	0.60	0.1	3.8
2002	38	5.4	0.88	3.8	7.4	5	2.9	1.37	0.8	7.0
2003	30	4.5	0.87	3.0	6.6	5	2.5	1.16	0.7	6.1
2004	38	5.2	0.86	3.7	7.2	11	5.4	1.86	2.4	10.3
2005	29	4.2	0.80	2.8	6.1	9	4.1	1.48	1.8	8.2
2006	28	3.6	0.69	2.4	5.2	11	5.1	1.78	2.3	9.8
2007	33	4.4	0.78	3.0	6.2	7	3.4	1.43	1.2	7.3
2008	23	3.3	0.72	2.0	5.0	6	3.0	1.33	1.0	6.7
2009	22	2.7	0.59	1.7	4.2	12	4.2	1.30	2.1	7.7
2010	24	3.3	0.71	2.1	5.0	11	4.2	1.37	2.0	7.8
2011	37	4.7	0.81	3.3	6.6	8	2.4	0.85	1.0	4.9
2012	40	5.1	0.85	3.6	7.1	7	2.3	1.01	0.8	5.1
2013	40	4.8	0.79	3.4	6.6	6	1.7	0.72	0.6	3.8
2014	31	4.0	0.74	2.7	5.7	11	3.0	0.90	1.5	5.4
2015	33	4.0	0.72	2.7	5.7	11	2.8	0.85	1.4	5.1
2016	34	3.9	0.69	2.7	5.5	13	3.4	0.93	1.8	5.8
2017	34	4.1	0.72	2.8	5.7	11	3.2	1.00	1.5	5.7
2018	31	3.2	0.58	2.1	4.6	11	3.0	0.93	1.4	5.4
2019	18	1.8	0.43	1.1	2.9	7	1.6	0.60	0.6	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Tongue										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,096	1.7	0.03	1.7	1.8	3,557	1.8	0.03	1.7	1.9
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9
1987	91	1.6	0.17	1.3	1.9	70	1.4	0.17	1.1	1.7
1988	77	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.6
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8
1990	82	1.4	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1991	79	1.4	0.15	1.1	1.7	67	1.3	0.17	1.0	1.7
1992	93	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9
1994	89	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1996	98	1.5	0.16	1.2	1.9	83	1.5	0.17	1.2	1.9
1997	123	1.9	0.17	1.6	2.3	109	2.0	0.19	1.6	2.4
1998	99	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0
1999	121	1.9	0.17	1.5	2.2	106	1.9	0.19	1.6	2.3
2000	106	1.6	0.15	1.3	1.9	91	1.6	0.17	1.3	2.0
2001	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6
2002	110	1.6	0.16	1.3	2.0	96	1.7	0.17	1.4	2.1
2003	104	1.5	0.15	1.2	1.9	92	1.6	0.17	1.3	2.0
2004	121	1.8	0.16	1.5	2.1	106	1.9	0.18	1.5	2.2
2005	124	1.8	0.16	1.5	2.1	108	1.9	0.18	1.5	2.2
2006	115	1.6	0.15	1.3	1.9	96	1.6	0.17	1.3	2.0
2007	141	2.0	0.17	1.7	2.4	129	2.2	0.20	1.8	2.6
2008	134	1.9	0.16	1.6	2.2	119	2.0	0.19	1.7	2.4
2009	146	2.1	0.17	1.7	2.4	126	2.1	0.19	1.8	2.6
2010	122	1.7	0.15	1.4	2.0	105	1.7	0.17	1.4	2.1
2011	148	2.0	0.17	1.7	2.4	126	2.1	0.19	1.7	2.5
2012	159	2.1	0.17	1.8	2.4	144	2.3	0.20	1.9	2.7
2013	157	2.0	0.16	1.7	2.3	132	2.0	0.18	1.7	2.4
2014	178	2.3	0.17	1.9	2.6	150	2.3	0.20	2.0	2.8
2015	165	2.0	0.16	1.7	2.4	146	2.3	0.19	1.9	2.7
2016	162	2.1	0.17	1.7	2.4	144	2.3	0.20	1.9	2.7
2017	185	2.3	0.17	1.9	2.6	164	2.5	0.20	2.1	2.9
2018	173	2.1	0.16	1.8	2.5	153	2.3	0.19	2.0	2.7
2019	159	1.9	0.15	1.6	2.2	134	2.0	0.18	1.6	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Tongue										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	395	1.3	0.06	1.2	1.4	110	1.2	0.12	1.0	1.5
1986	7	1.1	0.42	0.4	2.2	0				
1987	18	2.9	0.69	1.7	4.6	3	2.8	1.65	0.6	9.0
1988	7	0.8	0.32	0.3	1.8	1	1.0	1.00	0.0	6.1
1989	9	1.3	0.43	0.6	2.4	3	3.2	1.89	0.7	9.5
1990	13	1.8	0.52	1.0	3.1	0				
1991	11	1.5	0.46	0.8	2.7	0				
1992	12	1.7	0.49	0.9	2.9	0				
1993	9	1.3	0.44	0.6	2.4	1	0.4	0.40	0.0	3.7
1994	13	1.7	0.47	0.9	2.8	2	1.5	1.09	0.2	5.6
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	3.4
1996	12	1.5	0.43	0.8	2.6	3	1.5	0.89	0.3	4.9
1997	13	1.7	0.47	0.9	2.8	1	0.8	0.76	0.0	3.9
1998	9	1.1	0.36	0.5	2.0	0				
1999	11	1.3	0.38	0.6	2.3	4	1.9	0.96	0.5	5.0
2000	9	1.1	0.36	0.5	2.0	4	1.8	0.95	0.5	4.9
2001	9	1.0	0.32	0.4	1.8	4	1.8	0.93	0.5	4.7
2002	12	1.3	0.37	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	9	1.0	0.34	0.5	1.9	3	1.6	0.92	0.3	4.4
2004	9	1.0	0.34	0.5	1.9	4	1.1	0.57	0.3	3.2
2005	7	0.7	0.28	0.3	1.5	8	2.8	1.02	1.1	5.6
2006	15	1.5	0.40	0.9	2.5	2	0.5	0.37	0.1	2.2
2007	7	0.7	0.28	0.3	1.5	5	1.9	0.90	0.6	4.5
2008	11	1.1	0.32	0.5	1.9	3	0.9	0.50	0.2	2.7
2009	14	1.5	0.39	0.8	2.4	5	1.5	0.66	0.5	3.5
2010	11	1.0	0.31	0.5	1.8	5	1.6	0.74	0.5	3.8
2011	15	1.4	0.37	0.8	2.4	6	1.5	0.60	0.5	3.3
2012	11	1.0	0.31	0.5	1.8	3	0.9	0.49	0.2	2.5
2013	18	1.6	0.39	1.0	2.6	5	1.4	0.66	0.4	3.4
2014	20	1.9	0.42	1.1	2.9	7	1.8	0.69	0.7	3.8
2015	13	1.1	0.32	0.6	1.9	4	0.8	0.42	0.2	2.3
2016	11	0.9	0.28	0.5	1.7	3	0.7	0.41	0.1	2.1
2017	11	0.9	0.28	0.5	1.7	8	1.6	0.59	0.7	3.3
2018	11	1.0	0.30	0.5	1.8	6	1.3	0.54	0.5	2.9
2019	16	1.4	0.35	0.8	2.2	4	0.7	0.37	0.2	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Salivary Gland										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,170	1.2	0.02	1.2	1.3	4,353	1.2	0.02	1.2	1.3
1986	107	1.0	0.10	0.8	1.2	90	1.0	0.10	0.8	1.2
1987	122	1.1	0.10	0.9	1.4	110	1.2	0.11	1.0	1.4
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4
1989	104	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1990	98	0.9	0.09	0.7	1.1	91	1.0	0.10	0.8	1.2
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	116	1.0	0.10	0.9	1.3	103	1.1	0.11	0.9	1.3
1993	116	1.0	0.10	0.9	1.2	95	1.0	0.10	0.8	1.2
1994	134	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1995	135	1.2	0.10	1.0	1.4	114	1.2	0.11	1.0	1.4
1996	141	1.2	0.10	1.0	1.4	121	1.2	0.11	1.0	1.5
1997	156	1.3	0.11	1.1	1.6	135	1.4	0.12	1.1	1.6
1998	140	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1999	151	1.3	0.10	1.1	1.5	135	1.3	0.11	1.1	1.6
2000	138	1.1	0.10	1.0	1.4	122	1.2	0.11	1.0	1.4
2001	137	1.1	0.10	0.9	1.3	118	1.1	0.11	1.0	1.4
2002	153	1.2	0.10	1.1	1.5	136	1.3	0.11	1.1	1.6
2003	143	1.2	0.10	1.0	1.4	128	1.2	0.11	1.0	1.4
2004	136	1.1	0.09	0.9	1.3	112	1.1	0.10	0.9	1.3
2005	132	1.0	0.09	0.9	1.2	117	1.1	0.10	0.9	1.3
2006	149	1.2	0.10	1.0	1.4	123	1.2	0.10	1.0	1.4
2007	173	1.3	0.10	1.1	1.6	147	1.4	0.11	1.1	1.6
2008	153	1.2	0.10	1.0	1.4	122	1.1	0.10	0.9	1.3
2009	179	1.4	0.10	1.2	1.6	151	1.4	0.12	1.2	1.6
2010	175	1.3	0.10	1.1	1.5	137	1.2	0.11	1.0	1.5
2011	168	1.3	0.10	1.1	1.5	142	1.3	0.11	1.1	1.5
2012	210	1.5	0.11	1.3	1.7	171	1.5	0.12	1.3	1.7
2013	171	1.2	0.10	1.1	1.4	132	1.1	0.10	1.0	1.4
2014	192	1.3	0.10	1.2	1.6	152	1.3	0.11	1.1	1.5
2015	202	1.4	0.10	1.2	1.6	166	1.4	0.11	1.2	1.7
2016	197	1.4	0.10	1.2	1.6	159	1.4	0.11	1.2	1.6
2017	203	1.4	0.10	1.2	1.6	170	1.4	0.11	1.2	1.6
2018	211	1.5	0.10	1.3	1.7	171	1.4	0.11	1.2	1.7
2019	208	1.4	0.10	1.2	1.6	163	1.4	0.11	1.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Salivary Gland										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	624	1.2	0.05	1.1	1.2	152	1.0	0.08	0.8	1.1
1986	14	1.1	0.29	0.6	1.8	3	1.1	0.71	0.2	4.4
1987	11	1.0	0.30	0.5	1.7	1	1.2	1.15	0.0	5.3
1988	6	0.5	0.22	0.2	1.2	4	2.1	1.11	0.5	5.8
1989	9	0.7	0.24	0.3	1.3	0				
1990	6	0.4	0.17	0.2	0.9	0				
1991	15	1.1	0.28	0.6	1.8	0				
1992	10	0.8	0.25	0.4	1.4	2	0.6	0.41	0.1	2.7
1993	18	1.4	0.32	0.8	2.1	3	1.7	1.08	0.3	5.0
1994	13	0.9	0.26	0.5	1.5	4	1.4	0.74	0.4	3.9
1995	16	1.1	0.30	0.6	1.9	5	1.1	0.49	0.3	2.9
1996	16	1.1	0.28	0.6	1.8	2	1.0	0.79	0.1	3.6
1997	15	1.0	0.27	0.6	1.7	3	0.9	0.54	0.2	2.8
1998	16	1.1	0.27	0.6	1.8	6	1.5	0.61	0.5	3.4
1999	12	0.8	0.24	0.4	1.4	2	0.3	0.24	0.0	1.7
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.32	0.1	1.9
2001	12	0.7	0.21	0.4	1.3	4	0.9	0.52	0.2	2.6
2002	12	0.8	0.22	0.4	1.3	4	1.0	0.53	0.3	2.7
2003	13	0.8	0.21	0.4	1.3	2	0.6	0.44	0.1	2.1
2004	19	1.1	0.26	0.7	1.8	5	1.1	0.54	0.3	2.8
2005	13	0.7	0.20	0.4	1.2	2	0.6	0.42	0.1	2.0
2006	20	1.2	0.27	0.7	1.8	5	1.3	0.61	0.4	3.0
2007	20	1.1	0.26	0.7	1.8	4	0.6	0.32	0.2	1.7
2008	25	1.4	0.29	0.9	2.1	5	1.1	0.54	0.3	2.7
2009	21	1.3	0.29	0.8	2.0	5	0.7	0.33	0.2	1.8
2010	26	1.6	0.32	1.0	2.4	10	1.8	0.57	0.8	3.3
2011	17	1.0	0.24	0.6	1.5	7	1.2	0.49	0.4	2.5
2012	29	1.5	0.29	1.0	2.2	8	1.2	0.45	0.5	2.5
2013	29	1.6	0.30	1.1	2.3	6	0.8	0.36	0.3	1.9
2014	33	1.8	0.32	1.3	2.6	7	0.9	0.33	0.3	1.8
2015	26	1.3	0.26	0.8	1.9	8	1.0	0.35	0.4	2.0
2016	33	1.8	0.32	1.2	2.5	4	0.6	0.28	0.2	1.4
2017	26	1.3	0.26	0.8	1.9	7	0.8	0.32	0.3	1.7
2018	25	1.3	0.27	0.8	1.9	12	1.4	0.40	0.7	2.4
2019	35	1.8	0.32	1.3	2.6	9	1.0	0.35	0.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Salivary Gland										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,891	1.6	0.03	1.5	1.7	2,492	1.6	0.03	1.6	1.7
1986	48	1.1	0.17	0.8	1.5	42	1.1	0.18	0.8	1.6
1987	67	1.5	0.19	1.2	1.9	63	1.6	0.21	1.2	2.1
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1
1989	48	1.1	0.16	0.8	1.4	44	1.1	0.17	0.8	1.5
1990	60	1.4	0.19	1.0	1.8	56	1.5	0.21	1.1	2.0
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5
1992	66	1.4	0.18	1.1	1.8	60	1.5	0.20	1.1	1.9
1993	66	1.4	0.17	1.0	1.7	55	1.3	0.18	1.0	1.7
1994	68	1.5	0.19	1.2	2.0	63	1.6	0.21	1.3	2.1
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.1
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.0
1997	81	1.6	0.18	1.3	2.0	70	1.6	0.20	1.3	2.0
1998	77	1.5	0.18	1.2	1.9	65	1.5	0.19	1.2	1.9
1999	85	1.7	0.19	1.3	2.1	76	1.7	0.20	1.4	2.2
2000	80	1.6	0.18	1.2	1.9	70	1.6	0.19	1.2	2.0
2001	80	1.6	0.18	1.2	2.0	71	1.6	0.20	1.3	2.1
2002	89	1.7	0.18	1.4	2.1	80	1.8	0.20	1.4	2.2
2003	81	1.6	0.18	1.2	1.9	73	1.7	0.20	1.3	2.1
2004	79	1.5	0.17	1.2	1.9	67	1.5	0.19	1.2	1.9
2005	71	1.3	0.15	1.0	1.6	62	1.3	0.17	1.0	1.7
2006	78	1.4	0.16	1.1	1.8	68	1.5	0.18	1.1	1.9
2007	102	1.9	0.19	1.5	2.3	88	1.9	0.21	1.5	2.4
2008	88	1.5	0.17	1.2	1.9	72	1.5	0.18	1.2	1.9
2009	103	1.8	0.18	1.5	2.2	92	1.9	0.20	1.6	2.4
2010	97	1.6	0.17	1.3	2.0	81	1.6	0.18	1.3	2.0
2011	104	1.8	0.18	1.5	2.2	87	1.8	0.19	1.4	2.2
2012	119	1.9	0.18	1.6	2.3	96	1.9	0.20	1.5	2.3
2013	97	1.6	0.17	1.3	2.0	74	1.5	0.17	1.2	1.9
2014	104	1.6	0.16	1.3	2.0	85	1.6	0.18	1.3	2.0
2015	128	2.0	0.18	1.7	2.4	107	2.0	0.20	1.7	2.5
2016	103	1.6	0.16	1.3	2.0	88	1.7	0.18	1.3	2.1
2017	109	1.6	0.16	1.3	2.0	96	1.7	0.18	1.4	2.1
2018	118	1.8	0.17	1.5	2.2	99	1.8	0.19	1.5	2.2
2019	124	1.9	0.17	1.6	2.2	100	1.8	0.19	1.5	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Salivary Gland										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	305	1.4	0.08	1.2	1.5	76	1.1	0.13	0.8	1.4
1986	6	1.0	0.43	0.3	2.3	0				
1987	4	0.8	0.42	0.2	2.1	0				
1988	4	0.8	0.39	0.2	2.0	0				
1989	4	0.8	0.41	0.2	2.1	0				
1990	3	0.5	0.28	0.1	1.5	0				
1991	8	1.4	0.49	0.6	2.7	0				
1992	5	1.0	0.45	0.3	2.3	1	0.6	0.60	0.0	5.4
1993	10	1.9	0.62	0.9	3.5	1	2.4	2.41	0.1	10.3
1994	4	0.6	0.30	0.2	1.6	1	1.2	1.18	0.0	6.3
1995	4	0.6	0.30	0.2	1.6	2	1.0	0.70	0.1	5.0
1996	8	1.3	0.47	0.5	2.6	2	2.4	1.95	0.2	8.7
1997	8	1.5	0.57	0.6	3.0	3	2.0	1.16	0.4	6.4
1998	8	1.4	0.55	0.6	2.9	3	1.5	0.87	0.3	5.3
1999	7	1.3	0.52	0.5	2.7	1	0.5	0.45	0.0	3.6
2000	9	1.3	0.43	0.6	2.4	1	0.5	0.45	0.0	3.4
2001	4	0.7	0.43	0.2	2.0	3	1.6	1.15	0.2	5.6
2002	7	1.0	0.37	0.4	2.0	2	1.0	0.71	0.1	4.0
2003	7	0.9	0.34	0.4	1.9	1	0.3	0.34	0.0	2.7
2004	9	1.3	0.46	0.6	2.6	3	1.7	1.08	0.3	5.1
2005	8	1.0	0.37	0.4	2.1	1	0.4	0.36	0.0	2.5
2006	6	0.8	0.32	0.3	1.7	4	2.6	1.43	0.6	6.7
2007	11	1.4	0.43	0.7	2.6	2	0.7	0.48	0.1	2.8
2008	12	1.8	0.57	0.9	3.2	4	2.2	1.20	0.5	5.7
2009	9	1.3	0.46	0.6	2.5	2	0.7	0.47	0.1	2.6
2010	10	1.8	0.59	0.8	3.3	4	1.3	0.67	0.4	3.6
2011	12	1.6	0.48	0.8	2.8	3	1.3	0.81	0.2	3.8
2012	18	2.2	0.54	1.3	3.5	4	1.1	0.54	0.3	2.9
2013	18	2.4	0.57	1.4	3.8	3	1.2	0.80	0.2	3.7
2014	15	1.7	0.46	1.0	2.9	4	1.1	0.55	0.3	2.9
2015	15	1.9	0.51	1.1	3.2	5	1.3	0.61	0.4	3.2
2016	11	1.2	0.38	0.6	2.2	3	0.8	0.46	0.2	2.4
2017	10	1.1	0.37	0.5	2.1	3	0.7	0.41	0.1	2.1
2018	12	1.5	0.46	0.8	2.7	6	1.5	0.61	0.5	3.2
2019	19	2.3	0.54	1.4	3.6	4	1.0	0.53	0.3	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Salivary Gland										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,279	1.0	0.02	0.9	1.0	1,861	1.0	0.02	0.9	1.0
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1989	56	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.3
1990	38	0.6	0.10	0.4	0.9	35	0.7	0.11	0.5	0.9
1991	46	0.8	0.11	0.6	1.0	38	0.7	0.12	0.5	1.0
1992	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0
1994	66	1.0	0.13	0.8	1.3	54	1.0	0.14	0.7	1.3
1995	60	0.9	0.12	0.7	1.2	45	0.8	0.13	0.6	1.1
1996	64	1.0	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
1997	75	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.6
1998	63	1.0	0.12	0.7	1.2	52	0.9	0.13	0.7	1.2
1999	66	1.0	0.12	0.8	1.3	59	1.1	0.14	0.8	1.4
2000	58	0.9	0.12	0.7	1.2	52	1.0	0.13	0.7	1.3
2001	57	0.9	0.11	0.7	1.1	47	0.9	0.13	0.6	1.1
2002	64	1.0	0.12	0.7	1.2	56	1.0	0.14	0.8	1.3
2003	62	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2
2004	57	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1
2005	61	0.9	0.12	0.7	1.2	55	1.0	0.14	0.8	1.3
2006	71	1.0	0.12	0.8	1.3	55	0.9	0.13	0.7	1.2
2007	71	1.0	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3
2008	65	0.9	0.11	0.7	1.2	50	0.8	0.12	0.6	1.1
2009	76	1.1	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3
2010	78	1.1	0.13	0.9	1.4	56	1.0	0.13	0.7	1.3
2011	64	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2
2012	91	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5
2013	74	1.0	0.12	0.8	1.2	58	1.0	0.13	0.7	1.3
2014	88	1.1	0.12	0.9	1.4	67	1.1	0.13	0.8	1.4
2015	74	1.0	0.12	0.8	1.3	59	1.0	0.14	0.8	1.3
2016	94	1.3	0.13	1.0	1.6	71	1.2	0.15	0.9	1.5
2017	94	1.2	0.13	1.0	1.5	74	1.2	0.14	0.9	1.5
2018	93	1.2	0.13	1.0	1.5	72	1.2	0.14	0.9	1.5
2019	84	1.1	0.13	0.9	1.4	63	1.0	0.13	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Salivary Gland										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	319	1.0	0.06	0.9	1.1	76	0.9	0.10	0.7	1.1
1986	8	1.1	0.41	0.5	2.2	3	2.3	1.42	0.4	8.3
1987	7	1.0	0.40	0.4	2.1	1	2.0	1.97	0.1	9.1
1988	2	0.4	0.25	0.0	1.2	4	3.9	2.05	1.0	10.6
1989	5	0.7	0.30	0.2	1.5	0				
1990	3	0.4	0.23	0.1	1.1	0				
1991	7	0.8	0.31	0.3	1.7	0				
1992	5	0.7	0.30	0.2	1.5	1	0.6	0.59	0.0	4.3
1993	8	1.0	0.36	0.4	2.0	2	1.4	0.97	0.2	5.4
1994	9	1.1	0.37	0.5	2.1	3	1.7	1.01	0.3	5.5
1995	12	1.5	0.44	0.8	2.6	3	1.1	0.65	0.2	4.2
1996	8	1.0	0.36	0.4	2.0	0				
1997	7	0.8	0.30	0.3	1.6	0				
1998	8	0.9	0.33	0.4	1.8	3	1.5	0.85	0.3	4.5
1999	5	0.5	0.24	0.2	1.3	1	0.2	0.24	0.0	2.4
2000	4	0.4	0.21	0.1	1.1	2	0.7	0.48	0.1	2.9
2001	8	0.8	0.29	0.4	1.6	1	0.4	0.37	0.0	2.4
2002	5	0.6	0.26	0.2	1.3	2	1.0	0.74	0.1	3.6
2003	6	0.6	0.26	0.2	1.4	1	0.7	0.69	0.0	3.2
2004	10	1.0	0.32	0.5	1.9	2	0.8	0.54	0.1	2.9
2005	5	0.5	0.21	0.2	1.1	1	0.6	0.62	0.0	2.9
2006	14	1.5	0.40	0.8	2.5	1	0.4	0.37	0.0	2.1
2007	9	0.9	0.31	0.4	1.8	2	0.6	0.43	0.1	2.3
2008	13	1.3	0.37	0.7	2.2	1	0.3	0.32	0.0	1.9
2009	12	1.3	0.37	0.7	2.2	3	0.8	0.45	0.2	2.5
2010	16	1.6	0.41	0.9	2.6	6	2.1	0.88	0.7	4.6
2011	5	0.5	0.22	0.2	1.2	4	1.2	0.62	0.3	3.1
2012	11	1.0	0.31	0.5	1.8	4	1.3	0.67	0.3	3.3
2013	11	1.0	0.29	0.5	1.8	3	0.6	0.36	0.1	2.0
2014	18	1.8	0.44	1.1	2.9	3	0.7	0.38	0.1	2.0
2015	11	0.9	0.28	0.4	1.7	3	0.7	0.40	0.1	2.1
2016	22	2.2	0.47	1.3	3.3	1	0.3	0.32	0.0	1.6
2017	16	1.4	0.36	0.8	2.3	4	1.0	0.48	0.3	2.4
2018	13	1.2	0.35	0.7	2.1	6	1.3	0.52	0.5	2.8
2019	16	1.5	0.40	0.9	2.5	5	1.1	0.48	0.3	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Floor of Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,586	0.8	0.01	0.8	0.9	2,879	0.8	0.01	0.8	0.8
1986	148	1.5	0.12	1.2	1.7	113	1.2	0.12	1.0	1.5
1987	110	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1988	115	1.1	0.11	0.9	1.3	82	0.9	0.10	0.7	1.1
1989	136	1.3	0.11	1.1	1.5	104	1.1	0.11	0.9	1.4
1990	129	1.3	0.11	1.0	1.5	103	1.2	0.12	0.9	1.4
1991	136	1.2	0.11	1.0	1.5	109	1.1	0.11	0.9	1.4
1992	127	1.2	0.10	1.0	1.4	97	1.0	0.10	0.8	1.3
1993	107	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1
1994	124	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2
1995	133	1.2	0.10	1.0	1.4	108	1.1	0.11	0.9	1.4
1996	128	1.1	0.10	1.0	1.4	99	1.0	0.10	0.8	1.3
1997	109	0.9	0.09	0.8	1.1	88	0.9	0.10	0.7	1.1
1998	106	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
1999	99	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0
2000	126	1.1	0.09	0.9	1.3	97	1.0	0.10	0.8	1.2
2001	116	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
2002	93	0.8	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
2003	96	0.8	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9
2004	99	0.8	0.08	0.6	1.0	76	0.7	0.08	0.6	0.9
2005	76	0.6	0.07	0.5	0.8	62	0.6	0.08	0.5	0.8
2006	105	0.8	0.08	0.7	1.0	86	0.8	0.09	0.6	1.0
2007	88	0.7	0.07	0.5	0.8	72	0.7	0.08	0.5	0.8
2008	110	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2009	105	0.8	0.08	0.6	0.9	83	0.7	0.08	0.6	0.9
2010	81	0.6	0.06	0.5	0.7	64	0.5	0.07	0.4	0.7
2011	92	0.6	0.07	0.5	0.8	78	0.6	0.07	0.5	0.8
2012	97	0.7	0.07	0.5	0.8	76	0.6	0.07	0.5	0.8
2013	101	0.7	0.07	0.5	0.8	81	0.6	0.07	0.5	0.8
2014	82	0.5	0.06	0.4	0.7	62	0.5	0.06	0.4	0.6
2015	100	0.7	0.07	0.5	0.8	90	0.7	0.08	0.6	0.9
2016	82	0.5	0.06	0.4	0.7	74	0.6	0.07	0.5	0.8
2017	77	0.5	0.06	0.4	0.6	67	0.5	0.06	0.4	0.7
2018	76	0.5	0.06	0.4	0.6	67	0.5	0.06	0.4	0.7
2019	77	0.5	0.05	0.4	0.6	61	0.5	0.06	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Floor of Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	655	1.2	0.05	1.1	1.3	38	0.3	0.04	0.2	0.4
1986	35	3.1	0.54	2.1	4.3	0				
1987	17	1.5	0.37	0.9	2.4	1	0.6	0.57	0.0	3.6
1988	31	2.6	0.47	1.8	3.7	1	0.5	0.54	0.0	3.4
1989	31	2.6	0.47	1.7	3.7	1	0.5	0.50	0.0	3.2
1990	25	2.0	0.40	1.3	2.9	1	0.5	0.48	0.0	3.1
1991	26	2.0	0.38	1.3	2.9	0				
1992	29	2.2	0.42	1.5	3.2	1	0.2	0.20	0.0	2.2
1993	20	1.4	0.32	0.9	2.2	1	0.4	0.39	0.0	2.5
1994	31	2.4	0.44	1.6	3.4	0				
1995	24	1.7	0.35	1.1	2.5	1	0.4	0.40	0.0	2.3
1996	28	2.1	0.40	1.4	3.0	1	0.3	0.27	0.0	1.9
1997	19	1.3	0.30	0.8	2.0	2	1.0	0.69	0.1	3.2
1998	18	1.2	0.29	0.7	1.9	0				
1999	21	1.4	0.30	0.8	2.1	2	0.6	0.46	0.1	2.3
2000	28	1.8	0.35	1.2	2.6	0				
2001	16	1.0	0.24	0.6	1.6	0				
2002	13	0.8	0.24	0.4	1.4	1	0.2	0.18	0.0	1.3
2003	18	1.1	0.25	0.6	1.7	0				
2004	18	1.1	0.26	0.6	1.7	4	0.9	0.47	0.2	2.4
2005	12	0.7	0.21	0.4	1.3	2	0.6	0.43	0.1	2.0
2006	18	1.1	0.25	0.6	1.7	0				
2007	15	0.9	0.23	0.5	1.5	1	0.4	0.41	0.0	1.8
2008	18	0.9	0.22	0.6	1.5	1	0.2	0.16	0.0	1.0
2009	21	1.2	0.26	0.7	1.8	1	0.3	0.32	0.0	1.4
2010	15	0.8	0.20	0.4	1.3	0				
2011	13	0.6	0.17	0.3	1.1	1	0.2	0.19	0.0	1.0
2012	20	1.1	0.26	0.7	1.8	1	0.1	0.12	0.0	0.8
2013	18	0.8	0.20	0.5	1.4	1	0.1	0.10	0.0	0.7
2014	16	0.9	0.23	0.5	1.5	4	0.5	0.26	0.1	1.4
2015	7	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2016	6	0.3	0.13	0.1	0.7	2	0.3	0.23	0.0	1.1
2017	9	0.4	0.12	0.2	0.7	1	0.1	0.09	0.0	0.6
2018	7	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2019	12	0.6	0.17	0.3	1.0	3	0.3	0.19	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Floor of Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,544	1.3	0.03	1.2	1.3	2,007	1.2	0.03	1.1	1.2
1986	107	2.3	0.23	1.9	2.8	77	1.9	0.22	1.5	2.4
1987	82	1.8	0.20	1.4	2.3	68	1.7	0.21	1.3	2.2
1988	88	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0
1989	95	2.0	0.20	1.6	2.4	71	1.7	0.20	1.3	2.1
1990	98	2.1	0.22	1.7	2.6	78	2.0	0.23	1.6	2.5
1991	93	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1992	88	1.9	0.20	1.5	2.3	64	1.6	0.20	1.2	2.0
1993	79	1.6	0.18	1.2	1.9	61	1.4	0.18	1.1	1.8
1994	87	1.7	0.18	1.4	2.1	64	1.4	0.18	1.1	1.8
1995	96	1.9	0.20	1.5	2.3	76	1.8	0.20	1.4	2.2
1996	98	1.9	0.19	1.5	2.3	75	1.7	0.20	1.3	2.1
1997	71	1.4	0.17	1.1	1.8	55	1.3	0.17	1.0	1.7
1998	79	1.5	0.16	1.2	1.8	61	1.3	0.17	1.0	1.7
1999	71	1.3	0.16	1.0	1.7	53	1.2	0.16	0.9	1.5
2000	94	1.7	0.18	1.4	2.1	71	1.5	0.18	1.2	1.9
2001	86	1.6	0.17	1.2	1.9	73	1.6	0.18	1.2	2.0
2002	57	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3
2003	68	1.2	0.14	0.9	1.5	53	1.1	0.15	0.8	1.4
2004	72	1.2	0.15	1.0	1.5	52	1.1	0.15	0.8	1.4
2005	54	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.2
2006	73	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2007	58	0.9	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2
2008	73	1.1	0.14	0.9	1.4	61	1.2	0.15	0.9	1.5
2009	75	1.2	0.14	0.9	1.5	58	1.1	0.14	0.8	1.4
2010	55	0.8	0.11	0.6	1.1	44	0.8	0.12	0.6	1.1
2011	65	0.9	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
2012	68	1.0	0.12	0.7	1.2	54	0.9	0.12	0.7	1.2
2013	77	1.1	0.13	0.9	1.4	61	1.0	0.14	0.8	1.4
2014	62	0.9	0.11	0.7	1.1	50	0.8	0.12	0.6	1.1
2015	69	1.0	0.12	0.8	1.3	64	1.1	0.14	0.8	1.4
2016	49	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1
2017	50	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0
2018	54	0.7	0.10	0.6	1.0	46	0.7	0.11	0.5	1.0
2019	53	0.7	0.09	0.5	0.9	43	0.7	0.10	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Floor of Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	498	2.1	0.10	1.9	2.3	27	0.3	0.07	0.2	0.5
1986	30	6.0	1.13	3.9	8.6	0				
1987	13	2.5	0.69	1.3	4.2	1	1.2	1.23	0.0	8.2
1988	24	4.4	0.91	2.8	6.6	1	1.2	1.16	0.0	7.7
1989	24	4.5	0.93	2.8	6.7	0				
1990	19	3.6	0.83	2.1	5.6	1	1.0	1.01	0.0	7.0
1991	16	2.7	0.68	1.5	4.4	0				
1992	23	4.3	0.94	2.6	6.5	1	0.4	0.39	0.0	5.0
1993	17	2.8	0.70	1.6	4.6	1	0.9	0.87	0.0	5.7
1994	23	4.3	0.94	2.6	6.5	0				
1995	19	3.1	0.72	1.9	4.9	1	0.9	0.93	0.0	5.4
1996	22	3.6	0.77	2.2	5.4	1	0.6	0.55	0.0	4.4
1997	14	2.1	0.56	1.1	3.5	2	2.3	1.66	0.3	7.8
1998	16	2.5	0.62	1.4	4.0	0				
1999	16	2.4	0.61	1.4	3.9	2	1.4	1.04	0.1	5.4
2000	22	3.4	0.72	2.1	5.1	0				
2001	13	1.8	0.49	0.9	3.0	0				
2002	10	1.4	0.45	0.7	2.6	0				
2003	15	2.0	0.52	1.1	3.4	0				
2004	16	2.4	0.63	1.3	3.9	4	1.9	1.03	0.5	5.2
2005	9	1.1	0.37	0.5	2.2	1	0.4	0.38	0.0	2.6
2006	13	1.7	0.49	0.9	3.0	0				
2007	13	1.9	0.53	1.0	3.2	0				
2008	11	1.3	0.41	0.6	2.4	1	0.3	0.34	0.0	2.2
2009	17	2.2	0.55	1.3	3.6	0				
2010	9	1.0	0.34	0.5	2.0	0				
2011	10	1.1	0.36	0.5	2.1	0				
2012	13	1.7	0.49	0.9	3.0	1	0.3	0.25	0.0	1.7
2013	14	1.5	0.41	0.8	2.6	1	0.2	0.23	0.0	1.6
2014	9	1.3	0.45	0.6	2.5	3	0.8	0.46	0.2	2.4
2015	3	0.3	0.19	0.1	1.0	2	0.5	0.37	0.1	2.0
2016	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.5
2017	7	0.7	0.25	0.3	1.4	0				
2018	6	0.8	0.34	0.3	1.8	1	0.3	0.26	0.0	1.5
2019	8	0.9	0.33	0.4	1.8	1	0.2	0.22	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Floor of Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,042	0.4	0.01	0.4	0.5	872	0.4	0.01	0.4	0.5
1986	41	0.7	0.12	0.5	1.0	36	0.7	0.12	0.5	1.0
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7
1991	43	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.9
1992	39	0.6	0.10	0.4	0.9	33	0.6	0.10	0.4	0.8
1993	28	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.8
1996	30	0.5	0.08	0.3	0.7	24	0.4	0.09	0.3	0.7
1997	38	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.8
1998	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
2000	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
2001	30	0.5	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
2002	36	0.5	0.09	0.4	0.7	32	0.6	0.10	0.4	0.8
2003	28	0.4	0.08	0.3	0.6	25	0.5	0.09	0.3	0.7
2004	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
2005	22	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2006	32	0.5	0.08	0.3	0.7	27	0.5	0.09	0.3	0.7
2007	30	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.7
2008	37	0.5	0.08	0.4	0.7	30	0.5	0.09	0.3	0.7
2009	30	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2010	26	0.4	0.07	0.2	0.5	20	0.3	0.07	0.2	0.5
2011	27	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	29	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6
2013	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5
2014	20	0.2	0.05	0.1	0.4	12	0.2	0.05	0.1	0.3
2015	31	0.4	0.07	0.3	0.5	26	0.4	0.08	0.3	0.6
2016	33	0.4	0.07	0.3	0.6	30	0.4	0.08	0.3	0.6
2017	27	0.3	0.06	0.2	0.5	24	0.4	0.07	0.2	0.5
2018	22	0.3	0.06	0.2	0.4	21	0.3	0.07	0.2	0.5
2019	24	0.3	0.06	0.2	0.4	18	0.3	0.06	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Floor of Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	157	0.5	0.04	0.4	0.6	11	0.2	0.05	0.1	0.3
1986	5	0.9	0.40	0.3	2.0	0				
1987	4	0.6	0.33	0.2	1.6	0				
1988	7	1.1	0.42	0.4	2.2	0				
1989	7	1.1	0.43	0.5	2.3	1	0.9	0.91	0.0	5.7
1990	6	0.8	0.32	0.3	1.7	0				
1991	10	1.3	0.42	0.6	2.4	0				
1992	6	0.8	0.32	0.3	1.7	0				
1993	3	0.4	0.22	0.1	1.1	0				
1994	8	1.1	0.39	0.5	2.1	0				
1995	5	0.6	0.27	0.2	1.4	0				
1996	6	0.8	0.34	0.3	1.8	0				
1997	5	0.6	0.28	0.2	1.5	0				
1998	2	0.2	0.17	0.0	0.8	0				
1999	5	0.6	0.26	0.2	1.3	0				
2000	6	0.7	0.28	0.3	1.5	0				
2001	3	0.3	0.19	0.1	1.0	0				
2002	3	0.4	0.21	0.1	1.0	1	0.4	0.35	0.0	2.3
2003	3	0.3	0.18	0.1	0.9	0				
2004	2	0.2	0.14	0.0	0.7	0				
2005	3	0.4	0.21	0.1	1.0	1	0.6	0.62	0.0	2.9
2006	5	0.5	0.23	0.2	1.2	0				
2007	2	0.2	0.13	0.0	0.7	1	0.6	0.63	0.0	2.9
2008	7	0.7	0.26	0.3	1.4	0				
2009	4	0.4	0.20	0.1	1.0	1	0.5	0.53	0.0	2.4
2010	6	0.6	0.24	0.2	1.3	0				
2011	3	0.2	0.14	0.1	0.7	1	0.4	0.36	0.0	1.8
2012	7	0.7	0.27	0.3	1.5	0				
2013	4	0.3	0.15	0.1	0.8	0				
2014	7	0.6	0.24	0.3	1.3	1	0.3	0.28	0.0	1.5
2015	4	0.3	0.17	0.1	0.9	0				
2016	2	0.2	0.14	0.0	0.7	1	0.3	0.30	0.0	1.5
2017	2	0.1	0.10	0.0	0.6	1	0.2	0.17	0.0	1.2
2018	1	0.1	0.06	0.0	0.5	0				
2019	4	0.3	0.17	0.1	0.9	2	0.4	0.31	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gum and Other Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,377	1.7	0.02	1.7	1.8	6,067	1.7	0.02	1.6	1.7
1986	189	1.8	0.13	1.5	2.1	157	1.6	0.13	1.4	1.9
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	208	2.0	0.14	1.7	2.3	169	1.8	0.14	1.5	2.1
1989	186	1.7	0.13	1.5	2.0	142	1.5	0.13	1.3	1.8
1990	186	1.8	0.13	1.5	2.0	146	1.6	0.13	1.3	1.8
1991	161	1.5	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1992	172	1.6	0.12	1.3	1.8	146	1.5	0.13	1.3	1.8
1993	183	1.7	0.12	1.4	1.9	156	1.6	0.13	1.4	1.9
1994	169	1.5	0.12	1.3	1.8	145	1.5	0.12	1.3	1.8
1995	200	1.8	0.12	1.5	2.0	165	1.7	0.13	1.4	2.0
1996	203	1.8	0.12	1.5	2.0	167	1.7	0.13	1.4	2.0
1997	199	1.7	0.12	1.5	2.0	169	1.7	0.13	1.5	2.0
1998	181	1.5	0.11	1.3	1.8	155	1.5	0.12	1.3	1.8
1999	208	1.8	0.12	1.5	2.0	169	1.7	0.13	1.4	1.9
2000	193	1.6	0.12	1.4	1.9	172	1.7	0.13	1.4	2.0
2001	199	1.6	0.12	1.4	1.9	168	1.6	0.13	1.4	1.9
2002	208	1.7	0.12	1.5	1.9	164	1.6	0.12	1.3	1.8
2003	223	1.8	0.12	1.6	2.1	181	1.7	0.13	1.5	2.0
2004	227	1.8	0.12	1.6	2.1	182	1.7	0.13	1.5	2.0
2005	192	1.5	0.11	1.3	1.7	159	1.5	0.12	1.3	1.7
2006	215	1.7	0.11	1.4	1.9	178	1.6	0.12	1.4	1.9
2007	206	1.6	0.11	1.4	1.8	162	1.5	0.12	1.3	1.7
2008	258	1.9	0.12	1.7	2.2	206	1.9	0.13	1.6	2.1
2009	238	1.8	0.12	1.5	2.0	197	1.8	0.13	1.5	2.0
2010	255	1.9	0.12	1.6	2.1	203	1.8	0.13	1.6	2.1
2011	263	1.9	0.12	1.6	2.1	219	1.9	0.13	1.6	2.1
2012	238	1.7	0.11	1.5	1.9	199	1.7	0.12	1.5	2.0
2013	239	1.7	0.11	1.5	1.9	204	1.7	0.12	1.5	2.0
2014	256	1.7	0.11	1.5	2.0	211	1.8	0.12	1.5	2.0
2015	278	1.9	0.11	1.7	2.1	220	1.8	0.12	1.6	2.1
2016	259	1.7	0.11	1.5	1.9	209	1.7	0.12	1.5	1.9
2017	269	1.8	0.11	1.6	2.0	227	1.8	0.12	1.6	2.1
2018	236	1.5	0.10	1.3	1.7	200	1.5	0.11	1.3	1.8
2019	275	1.7	0.11	1.5	2.0	210	1.6	0.11	1.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gum and Other Mouth										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	999	1.9	0.06	1.8	2.0	259	1.7	0.11	1.5	1.9
1986	29	2.7	0.52	1.8	3.9	2	0.9	0.68	0.1	4.2
1987	30	2.5	0.46	1.6	3.5	0				
1988	38	3.2	0.53	2.2	4.4	1	0.6	0.57	0.0	3.5
1989	41	3.6	0.58	2.6	4.9	3	1.1	0.65	0.2	3.9
1990	38	3.3	0.54	2.3	4.5	0				
1991	24	1.8	0.37	1.1	2.6	0				
1992	24	1.9	0.40	1.2	2.8	1	0.6	0.59	0.0	3.1
1993	24	1.8	0.38	1.2	2.7	3	1.5	0.87	0.3	4.3
1994	21	1.6	0.36	1.0	2.5	2	0.6	0.40	0.1	2.5
1995	30	2.3	0.43	1.5	3.3	4	1.7	0.95	0.3	4.5
1996	29	2.0	0.37	1.3	2.9	5	2.2	1.02	0.7	5.1
1997	28	2.0	0.39	1.3	2.9	2	0.7	0.51	0.1	2.6
1998	23	1.7	0.36	1.1	2.5	2	0.5	0.33	0.1	2.0
1999	34	2.4	0.43	1.7	3.4	5	1.5	0.75	0.4	3.7
2000	16	1.0	0.26	0.6	1.7	4	1.1	0.59	0.3	2.9
2001	26	1.7	0.35	1.1	2.6	5	1.1	0.53	0.3	2.8
2002	37	2.4	0.41	1.7	3.4	7	1.7	0.69	0.6	3.6
2003	34	2.2	0.38	1.5	3.1	5	1.4	0.73	0.4	3.5
2004	36	2.3	0.38	1.6	3.1	4	1.2	0.62	0.3	3.0
2005	22	1.3	0.27	0.8	1.9	9	2.1	0.74	0.9	4.0
2006	26	1.5	0.30	1.0	2.2	11	2.7	0.89	1.2	4.9
2007	36	2.2	0.37	1.5	3.0	7	1.2	0.46	0.5	2.5
2008	38	2.2	0.37	1.5	3.0	12	2.2	0.68	1.1	4.0
2009	30	1.7	0.32	1.1	2.5	9	1.4	0.45	0.6	2.6
2010	38	2.0	0.33	1.4	2.8	12	1.8	0.55	0.9	3.3
2011	26	1.5	0.29	0.9	2.1	15	2.9	0.79	1.5	4.8
2012	27	1.4	0.27	0.9	2.0	10	1.2	0.38	0.6	2.3
2013	24	1.3	0.28	0.8	2.0	10	1.2	0.38	0.6	2.2
2014	30	1.6	0.29	1.1	2.3	13	1.5	0.43	0.8	2.6
2015	37	1.9	0.32	1.3	2.7	18	2.4	0.59	1.4	3.9
2016	27	1.4	0.28	0.9	2.1	19	2.2	0.53	1.3	3.5
2017	21	1.0	0.22	0.6	1.6	20	2.4	0.54	1.4	3.7
2018	19	0.9	0.22	0.6	1.5	16	2.0	0.50	1.1	3.2
2019	36	1.8	0.30	1.2	2.5	23	2.6	0.55	1.7	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gum and Other Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,165	2.2	0.03	2.1	2.2	3,325	2.0	0.04	2.0	2.1
1986	105	2.3	0.23	1.9	2.8	83	2.0	0.23	1.6	2.5
1987	107	2.2	0.22	1.8	2.7	84	2.0	0.23	1.6	2.5
1988	127	2.7	0.25	2.3	3.3	99	2.4	0.25	2.0	3.0
1989	122	2.6	0.24	2.1	3.1	89	2.1	0.23	1.7	2.6
1990	116	2.6	0.25	2.1	3.1	90	2.3	0.25	1.8	2.8
1991	87	1.8	0.20	1.4	2.2	70	1.7	0.20	1.3	2.1
1992	95	2.0	0.21	1.6	2.5	79	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	84	2.0	0.23	1.6	2.5
1994	93	1.9	0.20	1.5	2.3	75	1.8	0.20	1.4	2.2
1995	104	2.0	0.20	1.7	2.5	79	1.8	0.20	1.4	2.2
1996	117	2.3	0.22	1.9	2.8	97	2.3	0.23	1.8	2.8
1997	118	2.4	0.22	2.0	2.8	102	2.4	0.24	1.9	2.9
1998	104	2.0	0.20	1.6	2.4	89	2.0	0.21	1.6	2.5
1999	115	2.2	0.21	1.8	2.7	93	2.1	0.22	1.7	2.6
2000	97	1.9	0.19	1.5	2.3	87	2.0	0.21	1.6	2.4
2001	108	2.1	0.20	1.7	2.5	92	2.1	0.22	1.7	2.5
2002	108	2.0	0.20	1.6	2.4	79	1.7	0.20	1.4	2.2
2003	117	2.1	0.20	1.8	2.6	93	2.0	0.21	1.6	2.5
2004	126	2.3	0.20	1.9	2.7	100	2.1	0.21	1.7	2.6
2005	107	1.9	0.18	1.5	2.3	87	1.8	0.20	1.5	2.3
2006	118	2.0	0.19	1.7	2.5	92	1.9	0.20	1.5	2.3
2007	116	2.0	0.19	1.6	2.4	89	1.8	0.19	1.4	2.2
2008	144	2.4	0.20	2.0	2.8	109	2.1	0.21	1.8	2.6
2009	135	2.1	0.19	1.8	2.5	108	2.0	0.20	1.7	2.5
2010	147	2.4	0.20	2.0	2.8	115	2.2	0.21	1.9	2.7
2011	152	2.3	0.19	2.0	2.8	122	2.2	0.21	1.8	2.7
2012	134	2.0	0.18	1.7	2.4	110	2.0	0.20	1.7	2.4
2013	145	2.2	0.19	1.9	2.6	120	2.2	0.21	1.8	2.7
2014	144	2.2	0.18	1.8	2.6	116	2.1	0.20	1.7	2.5
2015	167	2.4	0.19	2.0	2.8	127	2.2	0.20	1.8	2.6
2016	149	2.1	0.18	1.8	2.5	117	2.0	0.19	1.7	2.4
2017	151	2.1	0.18	1.8	2.5	126	2.1	0.19	1.7	2.5
2018	132	1.8	0.16	1.5	2.2	109	1.8	0.18	1.5	2.2
2019	157	2.2	0.18	1.8	2.5	114	1.9	0.18	1.5	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gum and Other Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	621	2.8	0.12	2.6	3.0	184	2.4	0.19	2.1	2.9
1986	19	4.2	0.99	2.5	6.5	2	1.9	1.39	0.2	9.3
1987	22	4.2	0.92	2.6	6.4	0				
1988	28	5.5	1.09	3.6	8.1	0				
1989	32	6.9	1.33	4.6	10.0	1	0.5	0.48	0.0	6.1
1990	24	5.2	1.13	3.2	7.9	0				
1991	17	3.0	0.75	1.7	4.8	0				
1992	14	2.9	0.83	1.5	4.9	1	1.4	1.38	0.0	7.3
1993	16	2.9	0.75	1.6	4.8	1	1.3	1.25	0.0	6.7
1994	15	2.8	0.76	1.5	4.6	2	1.2	0.82	0.1	5.6
1995	22	4.0	0.88	2.4	6.1	3	3.5	2.28	0.5	10.5
1996	17	2.7	0.66	1.6	4.4	2	1.5	1.06	0.2	5.9
1997	16	2.7	0.69	1.5	4.4	0				
1998	12	2.1	0.64	1.1	3.7	2	1.0	0.68	0.1	4.5
1999	20	3.2	0.74	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	9	1.3	0.45	0.6	2.6	1	0.4	0.42	0.0	3.3
2001	12	1.7	0.50	0.9	3.0	4	2.0	1.11	0.5	5.8
2002	24	3.9	0.84	2.4	5.9	5	2.7	1.33	0.8	6.8
2003	21	2.9	0.65	1.8	4.5	1	0.4	0.36	0.0	2.8
2004	20	3.3	0.80	1.9	5.2	3	2.0	1.24	0.4	5.8
2005	14	1.8	0.49	1.0	3.1	6	3.0	1.33	1.0	6.8
2006	17	2.3	0.58	1.3	3.8	9	4.0	1.45	1.7	7.9
2007	20	2.9	0.68	1.7	4.5	6	2.1	0.90	0.7	4.9
2008	26	3.4	0.70	2.2	5.1	8	3.7	1.50	1.4	7.7
2009	18	2.4	0.62	1.4	4.0	7	2.2	0.83	0.9	4.7
2010	23	3.0	0.66	1.8	4.5	8	2.3	0.83	1.0	4.8
2011	16	2.2	0.57	1.2	3.6	12	4.6	1.50	2.2	8.5
2012	13	1.6	0.45	0.8	2.7	9	2.2	0.75	1.0	4.4
2013	16	2.0	0.52	1.1	3.3	8	2.1	0.74	0.9	4.2
2014	16	2.2	0.57	1.2	3.6	11	2.7	0.83	1.4	5.0
2015	28	3.5	0.69	2.3	5.1	10	2.6	0.83	1.2	4.9
2016	15	2.1	0.58	1.2	3.6	14	3.5	0.96	1.9	5.9
2017	9	1.0	0.34	0.5	2.0	15	3.8	0.99	2.1	6.3
2018	10	1.2	0.37	0.6	2.2	12	3.1	0.91	1.5	5.4
2019	20	2.3	0.54	1.4	3.7	19	4.6	1.07	2.7	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gum and Other Mouth										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,212	1.3	0.02	1.3	1.4	2,742	1.3	0.03	1.3	1.4
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1987	98	1.6	0.16	1.3	2.0	90	1.7	0.18	1.3	2.1
1988	81	1.3	0.15	1.1	1.7	70	1.3	0.16	1.0	1.7
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3
1990	70	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1991	74	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.6
1992	77	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1993	82	1.3	0.15	1.0	1.6	72	1.3	0.16	1.0	1.7
1994	76	1.1	0.13	0.9	1.4	70	1.2	0.14	0.9	1.5
1995	96	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9
1996	86	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1997	81	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
1998	77	1.1	0.13	0.9	1.4	66	1.1	0.14	0.9	1.5
1999	93	1.4	0.14	1.1	1.7	76	1.3	0.16	1.1	1.7
2000	96	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8
2001	91	1.3	0.14	1.0	1.6	76	1.2	0.14	1.0	1.6
2002	100	1.4	0.14	1.2	1.7	85	1.4	0.15	1.1	1.7
2003	106	1.5	0.15	1.2	1.8	88	1.5	0.16	1.2	1.8
2004	101	1.4	0.14	1.2	1.7	82	1.4	0.15	1.1	1.7
2005	85	1.2	0.13	0.9	1.5	72	1.2	0.14	0.9	1.5
2006	97	1.3	0.14	1.1	1.6	86	1.4	0.15	1.1	1.7
2007	90	1.3	0.13	1.0	1.6	73	1.2	0.15	1.0	1.6
2008	114	1.5	0.14	1.3	1.8	97	1.5	0.16	1.3	1.9
2009	103	1.4	0.14	1.2	1.8	89	1.5	0.16	1.2	1.9
2010	108	1.4	0.14	1.2	1.7	88	1.4	0.15	1.1	1.8
2011	111	1.4	0.14	1.2	1.7	97	1.5	0.16	1.2	1.8
2012	104	1.3	0.13	1.1	1.6	89	1.4	0.15	1.1	1.7
2013	94	1.2	0.13	1.0	1.5	84	1.3	0.14	1.0	1.6
2014	112	1.4	0.13	1.1	1.7	95	1.4	0.15	1.1	1.7
2015	111	1.4	0.13	1.1	1.7	93	1.4	0.15	1.2	1.8
2016	110	1.4	0.13	1.1	1.6	92	1.4	0.15	1.1	1.7
2017	118	1.4	0.14	1.2	1.7	101	1.5	0.16	1.2	1.9
2018	104	1.2	0.12	1.0	1.4	91	1.3	0.13	1.0	1.6
2019	118	1.4	0.13	1.1	1.6	96	1.4	0.14	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gum and Other Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	378	1.2	0.06	1.1	1.4	75	1.0	0.12	0.8	1.2
1986	10	1.6	0.53	0.8	3.0	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	10	1.4	0.47	0.7	2.6	1	1.0	1.00	0.0	6.1
1989	9	1.4	0.47	0.6	2.6	2	1.5	1.10	0.2	6.5
1990	14	2.1	0.55	1.1	3.4	0				
1991	7	0.9	0.33	0.4	1.8	0				
1992	10	1.3	0.41	0.6	2.4	0				
1993	8	1.1	0.38	0.5	2.1	2	1.7	1.20	0.2	6.1
1994	6	0.8	0.34	0.3	1.8	0				
1995	8	1.1	0.39	0.5	2.1	1	0.3	0.31	0.0	3.1
1996	12	1.4	0.42	0.7	2.5	3	2.6	1.53	0.5	7.3
1997	12	1.5	0.44	0.8	2.6	2	1.3	0.92	0.2	4.6
1998	11	1.4	0.42	0.7	2.4	0				
1999	14	1.8	0.48	1.0	2.9	3	1.9	1.17	0.3	5.6
2000	7	0.8	0.31	0.3	1.7	3	1.6	0.98	0.3	4.8
2001	14	1.7	0.45	0.9	2.8	1	0.4	0.39	0.0	2.5
2002	13	1.5	0.40	0.8	2.5	2	0.9	0.67	0.1	3.3
2003	13	1.5	0.43	0.8	2.6	4	2.2	1.17	0.5	5.5
2004	16	1.7	0.43	1.0	2.8	1	0.6	0.56	0.0	2.8
2005	8	0.8	0.29	0.4	1.6	3	1.2	0.76	0.2	3.7
2006	9	0.9	0.29	0.4	1.7	2	1.4	0.96	0.2	4.3
2007	16	1.7	0.42	1.0	2.7	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.36	0.6	2.2	4	1.2	0.58	0.3	3.1
2009	12	1.2	0.36	0.6	2.2	2	0.6	0.41	0.1	2.2
2010	15	1.4	0.36	0.8	2.3	4	1.3	0.71	0.3	3.5
2011	10	0.9	0.30	0.5	1.8	3	1.4	0.82	0.3	3.8
2012	14	1.3	0.34	0.7	2.1	1	0.3	0.28	0.0	1.6
2013	8	0.8	0.29	0.3	1.6	2	0.4	0.28	0.1	1.6
2014	14	1.2	0.33	0.7	2.1	2	0.5	0.34	0.1	1.8
2015	9	0.8	0.27	0.4	1.5	8	2.1	0.76	0.9	4.2
2016	12	1.0	0.29	0.5	1.8	5	1.2	0.54	0.4	2.8
2017	12	1.0	0.30	0.5	1.8	5	1.1	0.49	0.4	2.6
2018	9	0.7	0.25	0.3	1.5	4	1.0	0.52	0.3	2.6
2019	16	1.4	0.35	0.8	2.3	4	0.9	0.45	0.2	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Nasopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,405	0.6	0.01	0.5	0.6	1,575	0.4	0.01	0.4	0.5
1986	74	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1987	54	0.5	0.07	0.4	0.7	39	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1989	58	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	72	0.7	0.08	0.5	0.8	53	0.6	0.08	0.4	0.8
1991	61	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1992	46	0.4	0.06	0.3	0.6	33	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	70	0.6	0.07	0.5	0.8	47	0.5	0.07	0.4	0.7
1995	78	0.7	0.08	0.5	0.8	64	0.7	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1998	71	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1999	64	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	79	0.7	0.07	0.5	0.8	51	0.5	0.07	0.4	0.7
2001	64	0.5	0.07	0.4	0.7	43	0.4	0.06	0.3	0.6
2002	73	0.6	0.07	0.5	0.7	49	0.5	0.07	0.4	0.6
2003	70	0.6	0.07	0.4	0.7	50	0.5	0.07	0.4	0.6
2004	77	0.6	0.07	0.5	0.8	44	0.4	0.06	0.3	0.6
2005	67	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.6
2006	78	0.6	0.07	0.5	0.8	53	0.5	0.07	0.4	0.6
2007	71	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.6
2008	65	0.5	0.06	0.4	0.6	42	0.4	0.06	0.3	0.5
2009	79	0.6	0.07	0.5	0.7	46	0.4	0.06	0.3	0.5
2010	83	0.6	0.07	0.5	0.8	51	0.5	0.07	0.3	0.6
2011	77	0.6	0.06	0.4	0.7	50	0.5	0.06	0.3	0.6
2012	78	0.6	0.06	0.4	0.7	44	0.4	0.06	0.3	0.5
2013	73	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.5
2014	69	0.5	0.06	0.4	0.6	39	0.3	0.05	0.2	0.4
2015	85	0.6	0.07	0.5	0.7	48	0.4	0.06	0.3	0.6
2016	80	0.5	0.06	0.4	0.7	49	0.4	0.06	0.3	0.5
2017	74	0.5	0.06	0.4	0.6	49	0.4	0.06	0.3	0.6
2018	77	0.5	0.06	0.4	0.7	47	0.4	0.06	0.3	0.5
2019	64	0.4	0.06	0.3	0.6	46	0.4	0.06	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Nasopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	475	0.8	0.04	0.8	0.9	334	2.0	0.11	1.7	2.2
1986	16	1.3	0.34	0.7	2.1	4	2.9	1.64	0.7	7.9
1987	10	0.7	0.23	0.3	1.3	5	2.0	0.95	0.6	5.5
1988	12	0.9	0.26	0.4	1.6	9	4.2	1.61	1.7	8.8
1989	11	0.8	0.25	0.4	1.5	3	1.2	0.70	0.2	4.1
1990	15	1.1	0.31	0.6	1.9	4	2.7	1.41	0.7	6.9
1991	12	1.0	0.29	0.5	1.7	6	2.0	0.85	0.7	4.9
1992	6	0.3	0.14	0.1	0.8	6	1.9	0.81	0.7	4.6
1993	11	0.7	0.23	0.4	1.3	8	2.8	1.10	1.1	6.0
1994	12	0.8	0.24	0.4	1.4	10	2.8	0.92	1.3	5.5
1995	7	0.5	0.19	0.2	1.0	7	3.0	1.31	1.0	6.6
1996	18	1.2	0.29	0.7	1.9	6	1.7	0.74	0.6	4.0
1997	17	1.0	0.25	0.6	1.6	12	3.8	1.30	1.7	7.2
1998	17	1.0	0.25	0.6	1.6	11	3.0	0.92	1.4	5.5
1999	16	0.9	0.23	0.5	1.5	10	2.6	0.85	1.2	5.0
2000	16	1.0	0.25	0.6	1.6	10	2.3	0.79	1.0	4.5
2001	16	0.9	0.22	0.5	1.4	5	1.2	0.55	0.4	2.9
2002	16	1.0	0.24	0.5	1.6	8	2.0	0.77	0.8	4.1
2003	12	0.7	0.20	0.4	1.2	8	1.5	0.57	0.6	3.2
2004	21	1.2	0.28	0.8	1.9	11	2.4	0.81	1.1	4.5
2005	9	0.6	0.19	0.3	1.1	9	1.4	0.48	0.6	2.8
2006	6	0.3	0.14	0.1	0.7	19	3.9	0.97	2.2	6.3
2007	14	0.8	0.21	0.4	1.3	12	1.8	0.52	0.9	3.2
2008	16	0.9	0.23	0.5	1.5	7	1.2	0.45	0.5	2.5
2009	20	1.1	0.25	0.7	1.7	12	1.8	0.52	0.9	3.2
2010	17	0.9	0.23	0.5	1.5	15	2.2	0.57	1.2	3.7
2011	19	0.9	0.22	0.6	1.5	8	1.2	0.45	0.5	2.4
2012	17	0.9	0.23	0.5	1.5	17	2.2	0.55	1.2	3.6
2013	11	0.6	0.19	0.3	1.1	16	2.0	0.52	1.1	3.4
2014	17	0.9	0.22	0.5	1.5	11	1.4	0.42	0.7	2.5
2015	17	0.8	0.19	0.5	1.3	19	2.5	0.58	1.5	3.9
2016	17	0.9	0.21	0.5	1.4	13	1.7	0.48	0.9	2.9
2017	15	0.7	0.18	0.4	1.2	9	1.1	0.38	0.5	2.2
2018	9	0.4	0.15	0.2	0.8	19	2.2	0.50	1.3	3.4
2019	10	0.5	0.15	0.2	0.9	5	0.6	0.25	0.2	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Nasopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,634	0.8	0.02	0.8	0.9	1,069	0.6	0.02	0.6	0.7
1986	49	1.0	0.15	0.8	1.4	35	0.8	0.15	0.6	1.2
1987	37	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.0
1988	45	0.9	0.14	0.7	1.2	31	0.7	0.13	0.5	1.0
1989	37	0.7	0.12	0.5	1.0	27	0.6	0.12	0.4	0.9
1990	49	1.0	0.14	0.7	1.3	38	0.9	0.15	0.6	1.2
1991	37	0.8	0.13	0.6	1.1	27	0.6	0.12	0.4	0.9
1992	27	0.6	0.11	0.4	0.8	17	0.4	0.11	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.2	36	0.9	0.14	0.6	1.2
1995	53	1.0	0.14	0.8	1.3	41	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	34	0.8	0.13	0.5	1.1
1998	37	0.7	0.11	0.5	0.9	21	0.5	0.10	0.3	0.7
1999	36	0.6	0.11	0.5	0.9	23	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.2	36	0.8	0.13	0.5	1.1
2001	42	0.7	0.12	0.5	1.0	27	0.6	0.11	0.4	0.8
2002	53	0.9	0.13	0.7	1.2	34	0.7	0.12	0.5	1.0
2003	53	0.9	0.13	0.7	1.2	38	0.8	0.13	0.6	1.1
2004	56	1.0	0.13	0.7	1.2	31	0.6	0.11	0.4	0.9
2005	45	0.8	0.11	0.6	1.0	34	0.7	0.12	0.5	0.9
2006	53	0.9	0.12	0.7	1.2	38	0.8	0.12	0.5	1.0
2007	53	0.9	0.12	0.6	1.1	35	0.7	0.12	0.5	1.0
2008	44	0.7	0.11	0.5	1.0	28	0.5	0.10	0.4	0.8
2009	47	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
2010	63	1.0	0.12	0.7	1.2	40	0.7	0.12	0.5	1.0
2011	56	0.8	0.11	0.6	1.1	35	0.7	0.11	0.5	0.9
2012	60	0.9	0.12	0.7	1.1	34	0.6	0.11	0.4	0.9
2013	60	0.9	0.12	0.7	1.2	37	0.6	0.11	0.5	0.9
2014	46	0.7	0.10	0.5	0.9	26	0.4	0.09	0.3	0.7
2015	52	0.8	0.11	0.6	1.0	28	0.5	0.10	0.3	0.7
2016	56	0.8	0.11	0.6	1.0	34	0.5	0.10	0.4	0.8
2017	51	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.8
2018	52	0.8	0.11	0.6	1.0	30	0.5	0.10	0.3	0.7
2019	43	0.6	0.10	0.4	0.8	30	0.5	0.10	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Nasopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	328	1.4	0.08	1.2	1.5	224	2.8	0.20	2.4	3.2
1986	11	2.2	0.76	1.0	4.2	3	5.5	3.58	0.8	16.8
1987	6	1.1	0.57	0.3	2.7	3	2.5	1.50	0.5	9.6
1988	8	1.3	0.49	0.5	2.7	6	6.2	3.09	1.7	15.8
1989	8	1.3	0.45	0.5	2.6	2	1.3	0.95	0.2	7.2
1990	10	1.8	0.62	0.8	3.4	1	1.7	1.70	0.0	8.8
1991	8	1.9	0.69	0.8	3.7	2	1.5	1.09	0.2	7.1
1992	4	0.5	0.28	0.1	1.5	5	3.5	1.61	1.1	9.4
1993	9	1.4	0.46	0.6	2.7	5	4.7	2.38	1.3	12.0
1994	5	0.8	0.40	0.3	2.0	6	3.1	1.29	1.1	8.0
1995	6	1.1	0.47	0.3	2.4	6	6.7	3.16	2.0	15.3
1996	13	2.1	0.64	1.0	3.8	5	3.2	1.52	1.0	8.3
1997	14	1.8	0.48	1.0	3.1	7	3.8	1.45	1.5	8.5
1998	11	1.4	0.43	0.7	2.6	5	2.7	1.22	0.8	6.9
1999	9	1.1	0.36	0.5	2.1	3	1.9	1.14	0.4	6.1
2000	10	1.5	0.50	0.7	2.9	6	3.4	1.56	1.1	8.1
2001	10	1.2	0.38	0.6	2.3	5	2.6	1.22	0.8	6.5
2002	12	1.7	0.49	0.8	2.9	7	4.2	1.80	1.4	9.2
2003	11	1.4	0.43	0.7	2.6	4	1.9	1.01	0.5	5.2
2004	17	2.5	0.64	1.4	4.0	8	3.9	1.56	1.5	8.2
2005	7	1.2	0.45	0.5	2.4	3	0.8	0.48	0.2	3.1
2006	3	0.4	0.25	0.1	1.3	12	5.4	1.72	2.6	9.9
2007	11	1.5	0.48	0.7	2.7	7	2.1	0.82	0.9	4.7
2008	10	1.5	0.51	0.7	2.8	6	1.9	0.77	0.7	4.3
2009	11	1.4	0.42	0.7	2.5	6	1.9	0.81	0.7	4.4
2010	12	1.5	0.43	0.7	2.6	11	3.5	1.05	1.7	6.3
2011	15	1.6	0.43	0.9	2.7	6	1.6	0.65	0.6	3.7
2012	12	1.5	0.43	0.7	2.6	14	3.5	0.95	1.9	6.1
2013	8	1.1	0.41	0.5	2.2	15	4.0	1.07	2.2	6.8
2014	10	1.4	0.44	0.6	2.5	8	2.0	0.71	0.9	4.1
2015	11	1.1	0.35	0.6	2.1	13	3.5	1.02	1.8	6.2
2016	14	1.6	0.43	0.8	2.7	7	2.0	0.81	0.8	4.3
2017	9	0.9	0.32	0.4	1.8	8	2.2	0.79	0.9	4.3
2018	5	0.6	0.25	0.2	1.3	16	3.9	0.99	2.2	6.4
2019	8	0.8	0.30	0.4	1.7	3	0.7	0.41	0.1	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Nasopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	771	0.3	0.01	0.3	0.4	506	0.3	0.01	0.2	0.3
1986	25	0.4	0.09	0.3	0.7	19	0.4	0.09	0.2	0.6
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4
1988	30	0.5	0.10	0.3	0.7	23	0.5	0.10	0.3	0.7
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6
1990	23	0.4	0.08	0.3	0.6	15	0.3	0.09	0.2	0.5
1991	24	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4
1994	23	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.3	0.6
1999	28	0.4	0.08	0.3	0.6	14	0.2	0.07	0.1	0.4
2000	26	0.4	0.08	0.3	0.6	15	0.3	0.07	0.2	0.5
2001	22	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
2003	17	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4
2004	21	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
2005	22	0.3	0.07	0.2	0.5	12	0.2	0.06	0.1	0.4
2006	25	0.4	0.07	0.2	0.5	15	0.3	0.06	0.1	0.4
2007	18	0.3	0.06	0.2	0.4	10	0.2	0.06	0.1	0.3
2008	21	0.3	0.06	0.2	0.5	14	0.2	0.06	0.1	0.4
2009	32	0.4	0.08	0.3	0.6	17	0.3	0.07	0.2	0.5
2010	20	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
2011	21	0.3	0.06	0.2	0.4	15	0.3	0.07	0.1	0.4
2012	18	0.3	0.06	0.2	0.4	10	0.2	0.05	0.1	0.3
2013	13	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3
2014	23	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2015	33	0.4	0.08	0.3	0.6	20	0.3	0.08	0.2	0.5
2016	24	0.3	0.07	0.2	0.5	15	0.3	0.07	0.1	0.4
2017	23	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4
2018	25	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
2019	21	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Nasopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	147	0.5	0.04	0.4	0.5	110	1.2	0.12	1.0	1.5
1986	5	0.7	0.32	0.2	1.6	1	1.1	1.10	0.0	6.8
1987	4	0.4	0.21	0.1	1.1	2	1.6	1.20	0.2	7.1
1988	4	0.5	0.27	0.1	1.4	3	2.5	1.61	0.4	8.5
1989	3	0.4	0.25	0.1	1.2	1	1.0	0.97	0.0	5.9
1990	5	0.7	0.30	0.2	1.5	3	3.4	2.07	0.6	10.0
1991	4	0.4	0.22	0.1	1.2	4	2.4	1.24	0.6	7.1
1992	2	0.2	0.13	0.0	0.7	1	0.6	0.59	0.0	4.3
1993	2	0.3	0.18	0.0	0.9	3	1.2	0.72	0.3	4.7
1994	7	0.8	0.32	0.3	1.7	4	2.5	1.28	0.7	6.8
1995	1	0.1	0.12	0.0	0.7	1	0.4	0.36	0.0	3.2
1996	5	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	3	0.4	0.21	0.1	1.0	5	3.4	1.79	0.9	8.5
1998	6	0.6	0.26	0.2	1.4	6	3.2	1.33	1.1	7.1
1999	7	0.8	0.28	0.3	1.6	7	3.3	1.25	1.3	6.9
2000	6	0.6	0.26	0.2	1.4	4	1.5	0.77	0.4	4.2
2001	6	0.6	0.25	0.2	1.3	0				
2002	4	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	2.1
2003	1	0.1	0.09	0.0	0.5	4	1.3	0.65	0.3	3.6
2004	4	0.4	0.21	0.1	1.1	3	1.2	0.77	0.2	3.7
2005	2	0.2	0.13	0.0	0.7	6	2.0	0.80	0.7	4.4
2006	3	0.3	0.17	0.1	0.9	7	2.6	1.03	1.0	5.4
2007	3	0.3	0.17	0.1	0.9	5	1.5	0.66	0.5	3.6
2008	6	0.6	0.23	0.2	1.2	1	0.5	0.45	0.0	2.2
2009	9	0.9	0.29	0.4	1.7	6	1.6	0.67	0.6	3.7
2010	5	0.5	0.22	0.2	1.2	4	1.1	0.54	0.3	2.9
2011	4	0.4	0.20	0.1	1.0	2	0.7	0.54	0.1	2.6
2012	5	0.5	0.25	0.2	1.3	3	0.9	0.54	0.2	2.6
2013	3	0.3	0.20	0.1	1.0	1	0.2	0.23	0.0	1.4
2014	7	0.6	0.23	0.2	1.2	3	0.8	0.47	0.1	2.3
2015	6	0.5	0.22	0.2	1.2	6	1.4	0.59	0.5	3.2
2016	3	0.3	0.17	0.1	0.9	6	1.5	0.61	0.5	3.2
2017	6	0.5	0.22	0.2	1.2	1	0.2	0.20	0.0	1.2
2018	4	0.4	0.19	0.1	1.0	3	0.6	0.35	0.1	1.9
2019	2	0.2	0.11	0.0	0.6	2	0.4	0.28	0.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oropharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,335	0.5	0.01	0.5	0.6	1,830	0.5	0.01	0.5	0.5
1986	43	0.4	0.06	0.3	0.6	29	0.3	0.06	0.2	0.4
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5
1988	34	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3
1990	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4
1991	41	0.4	0.06	0.3	0.5	33	0.4	0.06	0.2	0.5
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4
1994	51	0.5	0.07	0.4	0.6	38	0.4	0.07	0.3	0.6
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4
1996	58	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.6
1997	45	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5
1998	69	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5
2000	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6
2001	66	0.5	0.07	0.4	0.7	53	0.5	0.07	0.4	0.7
2002	67	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2003	69	0.6	0.07	0.4	0.7	58	0.6	0.07	0.4	0.7
2004	63	0.5	0.06	0.4	0.6	47	0.4	0.06	0.3	0.6
2005	74	0.6	0.07	0.5	0.7	59	0.6	0.07	0.4	0.7
2006	69	0.5	0.06	0.4	0.7	54	0.5	0.07	0.4	0.6
2007	92	0.7	0.07	0.6	0.9	69	0.6	0.08	0.5	0.8
2008	85	0.6	0.07	0.5	0.8	67	0.6	0.07	0.5	0.8
2009	80	0.6	0.07	0.5	0.7	70	0.6	0.07	0.5	0.8
2010	107	0.8	0.07	0.6	0.9	77	0.7	0.08	0.5	0.8
2011	119	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0
2012	80	0.5	0.06	0.4	0.7	59	0.5	0.06	0.4	0.6
2013	84	0.6	0.06	0.4	0.7	72	0.6	0.07	0.5	0.7
2014	91	0.6	0.06	0.5	0.7	66	0.5	0.07	0.4	0.7
2015	78	0.5	0.06	0.4	0.6	64	0.5	0.06	0.4	0.7
2016	89	0.6	0.06	0.5	0.7	78	0.6	0.07	0.5	0.8
2017	87	0.5	0.06	0.4	0.7	68	0.5	0.06	0.4	0.6
2018	134	0.9	0.08	0.7	1.0	114	0.9	0.09	0.7	1.1
2019	148	0.9	0.08	0.8	1.1	127	1.0	0.09	0.8	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oropharynx										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	472	0.9	0.04	0.8	0.9	26	0.2	0.04	0.1	0.3
1986	14	1.2	0.32	0.7	2.0	0				
1987	11	0.8	0.26	0.4	1.5	0				
1988	11	0.9	0.28	0.5	1.7	0				
1989	7	0.6	0.21	0.2	1.1	0				
1990	10	0.8	0.26	0.4	1.5	2	1.7	1.31	0.2	5.9
1991	7	0.6	0.22	0.2	1.2	0				
1992	8	0.6	0.21	0.3	1.2	0				
1993	8	0.6	0.22	0.3	1.2	0				
1994	13	1.0	0.27	0.5	1.7	0				
1995	7	0.5	0.18	0.2	1.0	0				
1996	17	1.2	0.30	0.7	1.9	1	0.6	0.63	0.0	2.9
1997	12	0.9	0.25	0.4	1.5	1	0.3	0.25	0.0	1.7
1998	25	1.7	0.35	1.1	2.6	0				
1999	9	0.6	0.19	0.3	1.1	0				
2000	8	0.5	0.18	0.2	1.0	0				
2001	11	0.8	0.23	0.4	1.4	1	0.4	0.37	0.0	1.8
2002	11	0.7	0.21	0.3	1.2	0				
2003	11	0.6	0.19	0.3	1.1	0				
2004	16	0.9	0.23	0.5	1.5	0				
2005	14	0.8	0.22	0.4	1.4	1	0.2	0.21	0.0	1.2
2006	11	0.6	0.19	0.3	1.2	2	0.4	0.25	0.0	1.4
2007	23	1.4	0.29	0.9	2.1	0				
2008	15	0.8	0.20	0.4	1.3	3	0.6	0.39	0.1	1.9
2009	10	0.5	0.17	0.3	1.0	0				
2010	25	1.4	0.28	0.9	2.0	5	1.0	0.47	0.3	2.3
2011	26	1.4	0.27	0.9	2.0	2	0.4	0.30	0.0	1.4
2012	21	1.1	0.25	0.7	1.7	0				
2013	12	0.7	0.19	0.3	1.1	0				
2014	24	1.2	0.25	0.8	1.8	1	0.2	0.15	0.0	0.8
2015	14	0.7	0.20	0.4	1.2	0				
2016	10	0.5	0.15	0.2	0.9	0				
2017	17	0.8	0.20	0.5	1.3	2	0.2	0.15	0.0	0.8
2018	16	0.8	0.19	0.4	1.3	3	0.3	0.17	0.1	0.9
2019	18	0.8	0.18	0.4	1.2	2	0.2	0.14	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oropharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,778	0.9	0.02	0.9	0.9	1,396	0.8	0.02	0.8	0.9
1986	37	0.8	0.13	0.5	1.1	24	0.6	0.11	0.4	0.8
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.11	0.3	0.8
1988	23	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.5
1989	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	18	0.5	0.11	0.3	0.7
1991	24	0.5	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	42	0.9	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1995	26	0.5	0.10	0.3	0.7	23	0.5	0.11	0.3	0.8
1996	43	0.8	0.13	0.6	1.1	30	0.7	0.12	0.5	1.0
1997	34	0.7	0.12	0.5	0.9	23	0.5	0.11	0.3	0.8
1998	56	1.0	0.14	0.8	1.4	35	0.8	0.13	0.5	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.4	0.8
2000	43	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
2001	52	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2002	52	0.9	0.13	0.7	1.2	43	0.9	0.14	0.7	1.2
2003	49	0.9	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
2004	45	0.8	0.12	0.6	1.0	34	0.7	0.12	0.5	1.0
2005	61	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	55	0.9	0.12	0.7	1.2	43	0.8	0.13	0.6	1.1
2007	72	1.2	0.14	0.9	1.5	54	1.0	0.14	0.8	1.3
2008	67	1.0	0.13	0.8	1.3	50	1.0	0.14	0.7	1.3
2009	63	1.0	0.12	0.7	1.3	54	1.0	0.14	0.8	1.3
2010	84	1.3	0.14	1.0	1.6	61	1.1	0.14	0.8	1.4
2011	89	1.3	0.15	1.1	1.7	67	1.2	0.15	0.9	1.6
2012	58	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.0
2013	59	0.9	0.12	0.7	1.1	52	0.9	0.13	0.7	1.2
2014	71	1.0	0.12	0.8	1.3	51	0.8	0.12	0.6	1.1
2015	61	0.8	0.11	0.6	1.1	50	0.8	0.12	0.6	1.1
2016	77	1.1	0.12	0.8	1.3	67	1.1	0.14	0.9	1.5
2017	68	0.9	0.11	0.7	1.1	54	0.8	0.11	0.6	1.1
2018	103	1.4	0.14	1.1	1.7	89	1.5	0.16	1.2	1.8
2019	116	1.5	0.15	1.3	1.8	102	1.6	0.17	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oropharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	356	1.5	0.08	1.3	1.7	21	0.3	0.08	0.2	0.5
1986	13	2.5	0.70	1.3	4.3	0				
1987	9	1.7	0.56	0.8	3.2	0				
1988	9	1.8	0.61	0.8	3.4	0				
1989	3	0.6	0.32	0.1	1.6	0				
1990	3	0.6	0.34	0.1	1.7	2	4.0	3.09	0.4	13.8
1991	4	0.7	0.36	0.2	1.9	0				
1992	5	0.8	0.37	0.3	2.0	0				
1993	5	0.9	0.38	0.3	2.0	0				
1994	11	1.9	0.58	1.0	3.4	0				
1995	3	0.5	0.28	0.1	1.4	0				
1996	12	1.9	0.54	1.0	3.3	1	1.6	1.56	0.0	7.2
1997	10	1.7	0.55	0.8	3.1	1	0.5	0.51	0.0	4.1
1998	21	3.4	0.75	2.0	5.2	0				
1999	7	1.0	0.39	0.4	2.1	0				
2000	8	1.2	0.41	0.5	2.3	0				
2001	8	1.2	0.41	0.5	2.3	0				
2002	9	1.3	0.43	0.6	2.5	0				
2003	9	1.2	0.40	0.5	2.3	0				
2004	11	1.5	0.44	0.7	2.6	0				
2005	12	1.7	0.49	0.8	2.9	1	0.4	0.44	0.0	2.7
2006	9	1.2	0.40	0.5	2.3	1	0.4	0.41	0.0	2.6
2007	18	2.6	0.65	1.5	4.2	0				
2008	15	1.7	0.44	1.0	2.9	2	1.2	0.91	0.1	4.1
2009	9	1.0	0.34	0.5	2.0	0				
2010	18	2.2	0.54	1.3	3.6	5	2.3	1.18	0.6	5.6
2011	20	2.4	0.56	1.4	3.8	2	0.9	0.66	0.1	3.1
2012	13	1.6	0.46	0.8	2.8	0				
2013	7	0.9	0.36	0.4	1.9	0				
2014	19	2.3	0.56	1.4	3.7	1	0.3	0.32	0.0	1.8
2015	11	1.3	0.40	0.6	2.4	0				
2016	9	1.0	0.35	0.4	2.0	0				
2017	13	1.5	0.43	0.8	2.6	1	0.2	0.23	0.0	1.4
2018	11	1.3	0.41	0.6	2.4	3	0.7	0.38	0.1	2.0
2019	12	1.3	0.38	0.6	2.3	1	0.2	0.20	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oropharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	557	0.2	0.01	0.2	0.3	434	0.2	0.01	0.2	0.2
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1988	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3
1994	9	0.2	0.05	0.1	0.3	7	0.2	0.06	0.1	0.3
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1998	13	0.2	0.06	0.1	0.3	9	0.2	0.06	0.1	0.3
1999	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3
2000	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2001	14	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
2002	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2003	20	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
2006	14	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2007	20	0.3	0.06	0.2	0.4	15	0.3	0.07	0.2	0.4
2008	18	0.2	0.06	0.1	0.4	17	0.3	0.07	0.2	0.5
2009	17	0.2	0.06	0.1	0.4	16	0.3	0.07	0.2	0.4
2010	23	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.4
2011	30	0.4	0.07	0.3	0.6	24	0.4	0.08	0.2	0.6
2012	22	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4
2013	25	0.3	0.06	0.2	0.5	20	0.3	0.07	0.2	0.5
2014	20	0.2	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2015	17	0.2	0.05	0.1	0.4	14	0.2	0.06	0.1	0.4
2016	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2017	19	0.2	0.05	0.1	0.3	14	0.2	0.05	0.1	0.3
2018	31	0.4	0.07	0.3	0.5	25	0.4	0.08	0.2	0.6
2019	32	0.4	0.06	0.2	0.5	25	0.4	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Oropharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	116	0.4	0.03	0.3	0.4	5	0.1	0.02	0.0	0.1
1986	1	0.2	0.17	0.0	0.9	0				
1987	2	0.2	0.17	0.0	0.9	0				
1988	2	0.3	0.20	0.0	1.0	0				
1989	4	0.5	0.27	0.1	1.4	0				
1990	7	1.0	0.37	0.4	2.0	0				
1991	3	0.5	0.27	0.1	1.3	0				
1992	3	0.4	0.23	0.1	1.2	0				
1993	3	0.4	0.25	0.1	1.2	0				
1994	2	0.3	0.20	0.0	1.0	0				
1995	4	0.5	0.23	0.1	1.2	0				
1996	5	0.6	0.29	0.2	1.5	0				
1997	2	0.2	0.17	0.0	0.9	0				
1998	4	0.5	0.25	0.1	1.2	0				
1999	2	0.2	0.16	0.0	0.8	0				
2000	0					0				
2001	3	0.4	0.23	0.1	1.1	1	0.7	0.65	0.0	3.2
2002	2	0.2	0.16	0.0	0.8	0				
2003	2	0.2	0.14	0.0	0.7	0				
2004	5	0.5	0.23	0.2	1.2	0				
2005	2	0.2	0.14	0.0	0.7	0				
2006	2	0.2	0.15	0.0	0.8	1	0.3	0.30	0.0	1.9
2007	5	0.5	0.24	0.2	1.2	0				
2008	0					1	0.3	0.25	0.0	1.7
2009	1	0.1	0.12	0.0	0.6	0				
2010	7	0.7	0.27	0.3	1.5	0				
2011	6	0.6	0.25	0.2	1.3	0				
2012	8	0.7	0.26	0.3	1.4	0				
2013	5	0.5	0.21	0.1	1.1	0				
2014	5	0.4	0.18	0.1	1.0	0				
2015	3	0.3	0.18	0.1	0.9	0				
2016	1	0.1	0.07	0.0	0.5	0				
2017	4	0.3	0.14	0.1	0.8	1	0.2	0.18	0.0	1.2
2018	5	0.4	0.19	0.1	1.0	0				
2019	6	0.4	0.17	0.2	1.0	1	0.2	0.20	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hypopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,640	0.8	0.01	0.8	0.9	2,778	0.8	0.01	0.7	0.8
1986	96	0.9	0.09	0.7	1.1	70	0.8	0.09	0.6	1.0
1987	110	1.0	0.10	0.8	1.2	80	0.8	0.09	0.6	1.0
1988	107	1.0	0.10	0.8	1.2	81	0.9	0.10	0.7	1.1
1989	91	0.9	0.09	0.7	1.1	71	0.8	0.09	0.6	1.0
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0
1991	92	0.9	0.09	0.7	1.1	62	0.7	0.09	0.5	0.9
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.09	0.7	1.1
1994	97	0.9	0.09	0.7	1.0	69	0.7	0.09	0.6	0.9
1995	127	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1996	115	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0
1998	111	1.0	0.09	0.8	1.1	82	0.8	0.09	0.7	1.0
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	1.0
2000	109	0.9	0.09	0.8	1.1	80	0.8	0.09	0.6	1.0
2001	107	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
2002	98	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2003	104	0.8	0.08	0.7	1.0	83	0.8	0.09	0.6	1.0
2004	125	1.0	0.09	0.8	1.2	87	0.8	0.09	0.7	1.0
2005	104	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2006	112	0.9	0.08	0.7	1.0	81	0.8	0.08	0.6	0.9
2007	108	0.8	0.08	0.7	1.0	75	0.7	0.08	0.5	0.8
2008	122	0.9	0.08	0.7	1.1	85	0.8	0.08	0.6	0.9
2009	85	0.6	0.07	0.5	0.8	75	0.7	0.08	0.5	0.8
2010	110	0.8	0.08	0.6	1.0	81	0.7	0.08	0.6	0.9
2011	125	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1
2012	116	0.8	0.07	0.6	0.9	89	0.7	0.08	0.6	0.9
2013	100	0.7	0.07	0.6	0.8	76	0.6	0.07	0.5	0.8
2014	103	0.7	0.07	0.6	0.8	82	0.7	0.07	0.5	0.8
2015	110	0.7	0.07	0.6	0.9	86	0.7	0.08	0.6	0.9
2016	118	0.7	0.07	0.6	0.9	97	0.7	0.08	0.6	0.9
2017	98	0.6	0.06	0.5	0.8	79	0.6	0.07	0.5	0.8
2018	99	0.6	0.06	0.5	0.7	75	0.6	0.06	0.4	0.7
2019	108	0.7	0.07	0.5	0.8	90	0.7	0.07	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hypopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	804	1.5	0.05	1.4	1.6	52	0.4	0.06	0.3	0.5
1986	25	2.1	0.42	1.3	3.1	1	0.7	0.67	0.0	4.0
1987	28	2.3	0.45	1.5	3.4	2	2.0	1.42	0.2	6.5
1988	25	2.0	0.41	1.3	3.0	1	1.1	1.09	0.0	5.0
1989	19	1.6	0.36	0.9	2.4	1	0.5	0.51	0.0	3.2
1990	26	2.2	0.43	1.4	3.2	0				
1991	29	2.3	0.43	1.5	3.3	1	0.5	0.45	0.0	2.8
1992	18	1.4	0.33	0.8	2.2	1	0.5	0.45	0.0	2.7
1993	24	1.9	0.39	1.2	2.8	0				
1994	26	1.9	0.38	1.2	2.8	2	0.8	0.56	0.1	3.0
1995	25	1.8	0.37	1.2	2.7	0				
1996	21	1.5	0.32	0.9	2.3	0				
1997	24	1.7	0.34	1.1	2.5	0				
1998	25	1.7	0.35	1.1	2.6	2	0.7	0.49	0.1	2.5
1999	25	1.7	0.33	1.1	2.4	2	0.4	0.31	0.1	1.9
2000	26	1.8	0.35	1.1	2.6	3	1.1	0.66	0.2	3.1
2001	21	1.5	0.32	0.9	2.2	0				
2002	22	1.5	0.32	0.9	2.2	0				
2003	20	1.2	0.27	0.7	1.8	1	0.4	0.43	0.0	2.0
2004	36	2.1	0.36	1.5	3.0	2	0.6	0.44	0.1	2.0
2005	27	1.6	0.31	1.1	2.4	2	0.4	0.27	0.1	1.5
2006	30	1.7	0.32	1.2	2.5	1	0.2	0.19	0.0	1.1
2007	30	1.7	0.32	1.2	2.5	3	0.5	0.27	0.1	1.5
2008	36	2.1	0.35	1.4	2.9	1	0.2	0.17	0.0	1.0
2009	10	0.6	0.18	0.3	1.1	0				
2010	27	1.5	0.30	1.0	2.2	2	0.6	0.40	0.1	1.8
2011	23	1.3	0.27	0.8	1.9	3	0.6	0.34	0.1	1.6
2012	27	1.4	0.28	0.9	2.1	0				
2013	23	1.2	0.25	0.7	1.8	1	0.3	0.25	0.0	1.1
2014	18	1.0	0.24	0.6	1.6	3	0.5	0.30	0.1	1.5
2015	22	1.1	0.24	0.7	1.7	2	0.3	0.25	0.0	1.2
2016	16	0.8	0.21	0.5	1.3	4	0.5	0.26	0.1	1.3
2017	16	0.7	0.18	0.4	1.2	3	0.4	0.24	0.1	1.2
2018	19	0.9	0.22	0.6	1.5	5	0.5	0.23	0.2	1.2
2019	15	0.7	0.18	0.4	1.2	3	0.3	0.18	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hypopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,908	1.5	0.03	1.4	1.5	2,198	1.3	0.03	1.3	1.4
1986	80	1.7	0.20	1.4	2.2	60	1.5	0.20	1.1	1.9
1987	88	1.9	0.21	1.5	2.3	65	1.5	0.20	1.2	2.0
1988	81	1.7	0.20	1.4	2.2	60	1.5	0.19	1.1	1.9
1989	69	1.5	0.18	1.2	1.9	52	1.3	0.18	0.9	1.7
1990	78	1.6	0.19	1.3	2.1	57	1.4	0.18	1.0	1.8
1991	75	1.6	0.19	1.3	2.1	51	1.3	0.19	1.0	1.7
1992	95	1.9	0.20	1.5	2.3	77	1.8	0.20	1.4	2.2
1993	90	1.8	0.19	1.5	2.2	73	1.7	0.20	1.3	2.1
1994	74	1.4	0.17	1.1	1.8	50	1.2	0.16	0.9	1.5
1995	97	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1996	95	1.8	0.19	1.5	2.3	77	1.7	0.20	1.4	2.2
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	92	1.8	0.19	1.4	2.2	67	1.5	0.19	1.2	1.9
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7
2000	89	1.7	0.18	1.4	2.1	66	1.5	0.18	1.1	1.9
2001	87	1.6	0.17	1.3	2.0	70	1.5	0.18	1.2	1.9
2002	78	1.4	0.16	1.1	1.8	58	1.2	0.16	0.9	1.6
2003	86	1.6	0.17	1.2	1.9	66	1.4	0.18	1.1	1.8
2004	109	1.9	0.18	1.6	2.3	74	1.6	0.18	1.2	2.0
2005	79	1.4	0.16	1.1	1.7	55	1.1	0.16	0.9	1.5
2006	88	1.5	0.16	1.2	1.8	62	1.3	0.16	1.0	1.6
2007	85	1.4	0.15	1.1	1.7	56	1.1	0.14	0.8	1.4
2008	95	1.5	0.16	1.2	1.9	67	1.3	0.16	1.0	1.6
2009	71	1.2	0.14	0.9	1.5	64	1.2	0.16	1.0	1.6
2010	93	1.5	0.16	1.2	1.9	70	1.4	0.16	1.1	1.7
2011	99	1.6	0.16	1.3	1.9	75	1.4	0.17	1.1	1.8
2012	97	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
2013	84	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
2014	76	1.1	0.13	0.9	1.4	59	1.0	0.14	0.8	1.3
2015	90	1.3	0.14	1.1	1.6	70	1.3	0.15	1.0	1.6
2016	94	1.3	0.14	1.0	1.6	77	1.3	0.15	1.0	1.6
2017	77	1.1	0.12	0.8	1.3	61	1.0	0.14	0.8	1.3
2018	74	1.0	0.11	0.8	1.2	55	0.9	0.12	0.6	1.1
2019	85	1.1	0.13	0.9	1.4	72	1.2	0.14	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hypopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	663	2.9	0.11	2.7	3.1	42	0.7	0.12	0.5	1.0
1986	19	3.8	0.89	2.2	5.9	1	1.6	1.58	0.0	9.5
1987	21	4.3	0.98	2.6	6.6	2	4.7	3.38	0.5	15.5
1988	20	3.7	0.84	2.3	5.8	1	2.7	2.65	0.1	12.0
1989	17	3.2	0.79	1.9	5.2	0				
1990	20	3.8	0.86	2.3	5.9	0				
1991	23	4.2	0.88	2.6	6.3	1	0.9	0.92	0.0	6.4
1992	17	3.1	0.75	1.8	4.9	1	1.1	1.05	0.0	6.4
1993	17	3.2	0.79	1.8	5.1	0				
1994	22	3.7	0.79	2.3	5.6	2	1.8	1.26	0.2	6.9
1995	21	3.6	0.79	2.2	5.5	0				
1996	18	3.0	0.71	1.7	4.7	0				
1997	21	3.4	0.75	2.1	5.2	0				
1998	22	3.6	0.80	2.2	5.5	1	0.5	0.50	0.0	3.9
1999	20	3.2	0.73	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	21	3.6	0.83	2.1	5.5	2	1.6	1.25	0.2	5.9
2001	17	3.0	0.75	1.7	4.8	0				
2002	19	3.1	0.73	1.8	4.9	0				
2003	19	2.6	0.60	1.6	4.1	1	1.1	1.14	0.0	5.0
2004	33	4.6	0.81	3.1	6.5	2	1.4	1.12	0.1	5.1
2005	22	3.0	0.64	1.9	4.5	2	0.8	0.57	0.1	3.2
2006	25	3.2	0.66	2.1	4.8	1	0.4	0.41	0.0	2.6
2007	26	3.6	0.73	2.4	5.4	3	1.0	0.57	0.2	3.2
2008	27	3.6	0.73	2.3	5.3	1	0.4	0.36	0.0	2.3
2009	7	0.9	0.36	0.4	1.9	0				
2010	21	2.9	0.66	1.7	4.5	2	1.4	1.06	0.1	4.6
2011	20	2.7	0.62	1.6	4.2	3	1.2	0.76	0.2	3.6
2012	23	2.7	0.58	1.7	4.2	0				
2013	17	2.2	0.55	1.2	3.5	0				
2014	15	2.0	0.55	1.1	3.4	2	0.9	0.63	0.1	2.9
2015	19	2.3	0.57	1.4	3.7	1	0.5	0.50	0.0	2.3
2016	14	1.8	0.50	0.9	3.0	3	0.9	0.52	0.2	2.6
2017	13	1.4	0.39	0.7	2.4	3	0.9	0.53	0.2	2.6
2018	15	1.8	0.47	1.0	2.9	4	0.9	0.46	0.2	2.4
2019	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hypopharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	732	0.3	0.01	0.3	0.3	580	0.3	0.01	0.3	0.3
1986	16	0.3	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3
1987	22	0.4	0.08	0.2	0.5	15	0.3	0.07	0.2	0.5
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.3	0.6
1989	22	0.4	0.08	0.2	0.5	19	0.3	0.08	0.2	0.5
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1995	30	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2000	20	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.4
2001	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
2003	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	16	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2005	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
2006	24	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
2007	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5
2008	27	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2009	14	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2010	17	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3
2011	26	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
2012	19	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2013	16	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3
2014	27	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.5
2015	20	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4
2016	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5
2017	21	0.2	0.05	0.2	0.4	18	0.3	0.06	0.2	0.4
2018	25	0.3	0.06	0.2	0.4	20	0.3	0.06	0.2	0.5
2019	23	0.3	0.06	0.2	0.4	18	0.3	0.06	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hypopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	141	0.5	0.04	0.4	0.5	10	0.1	0.04	0.1	0.2
1986	6	0.8	0.33	0.3	1.8	0				
1987	7	0.9	0.36	0.4	1.9	0				
1988	5	0.7	0.33	0.2	1.7	0				
1989	2	0.3	0.20	0.0	1.0	1	1.0	0.97	0.0	5.9
1990	6	0.9	0.38	0.3	2.0	0				
1991	6	0.8	0.32	0.3	1.7	0				
1992	1	0.1	0.13	0.0	0.7	0				
1993	7	1.0	0.36	0.4	2.0	0				
1994	4	0.6	0.29	0.2	1.4	0				
1995	4	0.5	0.26	0.1	1.3	0				
1996	3	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.20	0.1	1.0	0				
1998	3	0.4	0.23	0.1	1.1	1	0.7	0.73	0.0	3.7
1999	5	0.6	0.25	0.2	1.3	0				
2000	5	0.6	0.26	0.2	1.3	1	0.7	0.68	0.0	3.4
2001	4	0.4	0.22	0.1	1.1	0				
2002	3	0.4	0.21	0.1	1.0	0				
2003	1	0.1	0.10	0.0	0.6	0				
2004	3	0.3	0.18	0.1	0.9	0				
2005	5	0.6	0.25	0.2	1.3	0				
2006	5	0.5	0.23	0.2	1.2	0				
2007	4	0.4	0.18	0.1	1.0	0				
2008	9	0.9	0.31	0.4	1.8	0				
2009	3	0.3	0.17	0.1	0.9	0				
2010	6	0.6	0.23	0.2	1.2	0				
2011	3	0.3	0.16	0.1	0.8	0				
2012	4	0.5	0.22	0.1	1.1	0				
2013	6	0.5	0.22	0.2	1.2	1	0.4	0.41	0.0	2.0
2014	3	0.3	0.18	0.1	0.9	1	0.2	0.19	0.0	1.3
2015	3	0.3	0.15	0.1	0.8	1	0.3	0.25	0.0	1.4
2016	2	0.2	0.13	0.0	0.7	1	0.2	0.19	0.0	1.2
2017	3	0.3	0.15	0.1	0.8	0				
2018	4	0.3	0.16	0.1	0.9	1	0.2	0.17	0.0	1.1
2019	3	0.3	0.16	0.1	0.8	2	0.4	0.28	0.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Digestive System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	394,143	91.8	0.15	91.5	92.1	326,050	89.0	0.16	88.7	89.3
1986	9,867	93.9	0.96	92.0	95.8	8,530	91.1	1.00	89.1	93.0
1987	10,108	95.3	0.96	93.5	97.2	8,752	92.8	1.00	90.9	94.8
1988	10,119	94.8	0.95	92.9	96.7	8,693	91.6	0.99	89.7	93.6
1989	9,938	92.6	0.94	90.8	94.5	8,557	90.0	0.98	88.0	91.9
1990	10,198	94.1	0.94	92.2	95.9	8,779	91.3	0.98	89.4	93.3
1991	9,971	90.8	0.92	89.0	92.6	8,619	88.8	0.96	86.9	90.7
1992	10,169	91.3	0.91	89.5	93.1	8,782	89.4	0.96	87.5	91.3
1993	10,272	91.1	0.90	89.4	92.9	8,786	88.5	0.95	86.7	90.4
1994	10,917	96.0	0.92	94.2	97.8	9,326	93.3	0.97	91.4	95.2
1995	10,921	95.3	0.91	93.5	97.1	9,160	91.4	0.96	89.5	93.3
1996	11,101	96.2	0.91	94.4	98.0	9,335	92.6	0.96	90.7	94.5
1997	11,209	96.3	0.91	94.5	98.1	9,445	93.1	0.96	91.2	95.0
1998	11,896	101.0	0.93	99.2	102.8	10,004	97.8	0.98	95.9	99.7
1999	11,679	98.2	0.91	96.4	100.0	9,865	95.8	0.97	93.9	97.7
2000	11,910	99.3	0.91	97.5	101.1	9,966	96.3	0.97	94.4	98.2
2001	11,750	97.1	0.90	95.4	98.9	9,791	94.0	0.95	92.2	95.9
2002	12,024	98.6	0.90	96.8	100.4	9,940	94.9	0.95	93.1	96.8
2003	11,825	95.7	0.88	94.0	97.4	9,742	92.1	0.94	90.2	93.9
2004	12,180	97.7	0.89	95.9	99.4	10,110	95.1	0.95	93.2	96.9
2005	12,052	95.4	0.87	93.7	97.1	9,908	92.1	0.93	90.3	94.0
2006	12,068	94.5	0.87	92.8	96.2	9,798	90.4	0.92	88.6	92.2
2007	12,104	93.3	0.85	91.6	95.0	9,882	90.0	0.91	88.2	91.8
2008	12,096	91.7	0.84	90.0	93.3	9,805	88.2	0.90	86.5	90.0
2009	12,008	89.7	0.83	88.1	91.3	9,768	86.9	0.89	85.1	88.6
2010	11,975	88.0	0.82	86.4	89.6	9,648	84.7	0.87	82.9	86.4
2011	12,261	88.6	0.81	87.0	90.2	9,825	85.3	0.87	83.5	87.0
2012	12,151	85.8	0.79	84.2	87.3	9,813	83.1	0.85	81.5	84.8
2013	12,349	85.8	0.79	84.3	87.4	9,897	83.0	0.85	81.3	84.7
2014	12,519	85.4	0.78	83.9	86.9	9,999	82.4	0.84	80.8	84.1
2015	12,842	86.8	0.78	85.2	88.3	10,309	84.5	0.85	82.9	86.2
2016	13,033	87.0	0.78	85.5	88.6	10,422	84.8	0.85	83.1	86.4
2017	12,856	84.7	0.76	83.2	86.2	10,358	83.5	0.84	81.8	85.1
2018	12,995	84.6	0.76	83.1	86.1	10,336	82.2	0.83	80.6	83.9
2019	12,780	82.0	0.74	80.6	83.5	10,100	79.4	0.81	77.9	81.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Digestive System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	57,083	113.7	0.49	112.7	114.6	9,351	67.5	0.74	66.1	69.0
1986	1,222	114.1	3.39	107.6	121.0	105	78.9	9.09	62.1	98.4
1987	1,254	115.3	3.37	108.8	122.1	96	69.3	8.04	54.4	86.6
1988	1,306	120.0	3.43	113.4	126.9	102	80.4	8.98	63.8	99.5
1989	1,254	112.5	3.27	106.2	119.1	111	75.1	8.12	60.1	92.4
1990	1,296	115.2	3.30	108.8	121.8	117	78.8	8.28	63.4	96.4
1991	1,220	106.3	3.13	100.3	112.6	101	61.9	6.94	49.0	76.7
1992	1,232	102.7	3.01	96.9	108.8	127	70.5	7.04	57.4	85.4
1993	1,311	110.4	3.13	104.3	116.6	162	83.3	7.46	69.3	99.0
1994	1,422	117.5	3.19	111.3	123.9	153	73.3	6.58	61.0	87.2
1995	1,556	125.1	3.25	118.8	131.6	188	84.4	6.80	71.6	98.6
1996	1,549	122.9	3.19	116.7	129.3	199	88.9	7.11	75.5	103.7
1997	1,550	121.1	3.15	115.0	127.4	189	72.6	5.89	61.5	84.9
1998	1,654	127.3	3.20	121.1	133.7	204	78.4	6.09	66.9	91.1
1999	1,536	114.2	2.97	108.5	120.2	242	88.2	6.41	76.1	101.5
2000	1,657	120.4	3.01	114.6	126.4	246	83.0	5.81	72.0	95.0
2001	1,687	121.2	3.01	115.4	127.2	233	71.0	5.12	61.3	81.7
2002	1,761	124.4	3.03	118.5	130.5	271	85.8	5.67	75.1	97.5
2003	1,774	123.5	3.00	117.7	129.5	257	71.5	4.81	62.4	81.5
2004	1,773	120.4	2.92	114.8	126.3	264	69.4	4.63	60.6	79.0
2005	1,815	121.3	2.91	115.6	127.1	277	67.2	4.38	58.9	76.3
2006	1,896	122.8	2.88	117.3	128.6	319	72.0	4.34	63.7	80.9
2007	1,838	116.9	2.79	111.5	122.5	339	72.4	4.26	64.3	81.2
2008	1,893	117.9	2.77	112.5	123.5	346	70.2	4.08	62.4	78.6
2009	1,860	112.8	2.68	107.6	118.2	316	63.8	3.88	56.4	71.8
2010	1,909	114.3	2.68	109.1	119.6	355	67.1	3.83	59.8	75.0
2011	2,006	115.4	2.64	110.3	120.7	363	63.5	3.56	56.7	70.8
2012	1,837	104.5	2.50	99.6	109.5	433	71.6	3.65	64.6	79.1
2013	2,001	109.8	2.51	104.9	114.8	383	58.5	3.16	52.5	65.0
2014	1,994	107.7	2.47	102.9	112.7	427	62.3	3.15	56.3	68.8
2015	2,002	105.4	2.42	100.7	110.2	461	64.2	3.11	58.3	70.6
2016	2,058	107.5	2.43	102.8	112.3	477	62.1	2.93	56.5	68.1
2017	1,960	100.2	2.32	95.8	104.9	469	58.5	2.77	53.2	64.2
2018	2,032	103.0	2.34	98.5	107.7	489	59.1	2.73	53.9	64.7
2019	1,968	98.3	2.27	94.0	102.9	530	60.8	2.69	55.7	66.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Digestive System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	209,093	113.5	0.25	113.0	114.0	173,417	110.1	0.27	109.6	110.6
1986	5,052	117.9	1.73	114.5	121.3	4,373	115.2	1.82	111.7	118.9
1987	5,183	120.2	1.74	116.8	123.6	4,447	116.5	1.82	113.0	120.1
1988	5,195	119.8	1.73	116.4	123.2	4,457	116.1	1.81	112.6	119.7
1989	5,070	115.5	1.68	112.3	118.9	4,364	112.4	1.76	109.0	115.9
1990	5,208	117.6	1.69	114.3	120.9	4,464	113.9	1.76	110.5	117.4
1991	5,155	114.9	1.65	111.7	118.2	4,468	113.0	1.74	109.6	116.5
1992	5,324	117.0	1.65	113.7	120.2	4,592	114.5	1.74	111.2	118.0
1993	5,244	113.4	1.61	110.2	116.6	4,463	109.8	1.68	106.5	113.1
1994	5,529	118.8	1.64	115.6	122.1	4,715	115.5	1.72	112.1	118.9
1995	5,662	120.5	1.64	117.3	123.7	4,715	114.9	1.71	111.6	118.3
1996	5,696	119.9	1.62	116.8	123.1	4,766	115.2	1.70	111.9	118.6
1997	5,763	120.0	1.61	116.9	123.2	4,865	116.5	1.69	113.2	119.8
1998	6,113	125.7	1.63	122.5	128.9	5,159	122.0	1.72	118.7	125.4
1999	6,140	124.1	1.61	121.0	127.3	5,186	121.0	1.70	117.7	124.4
2000	6,261	124.8	1.60	121.7	127.9	5,243	121.0	1.69	117.7	124.4
2001	6,098	120.6	1.57	117.5	123.7	5,108	117.3	1.66	114.1	120.6
2002	6,350	123.4	1.57	120.4	126.5	5,281	119.4	1.66	116.2	122.7
2003	6,312	120.9	1.54	117.9	123.9	5,237	117.0	1.63	113.9	120.3
2004	6,489	122.0	1.54	119.0	125.0	5,423	119.2	1.64	116.1	122.5
2005	6,370	117.6	1.50	114.6	120.5	5,242	113.3	1.58	110.3	116.5
2006	6,457	117.0	1.48	114.1	119.9	5,260	112.1	1.57	109.0	115.2
2007	6,415	114.0	1.45	111.2	116.9	5,232	109.5	1.53	106.5	112.5
2008	6,483	112.9	1.43	110.1	115.7	5,253	107.9	1.51	105.0	110.9
2009	6,487	110.4	1.40	107.7	113.2	5,261	106.0	1.49	103.1	109.0
2010	6,513	108.8	1.38	106.1	111.6	5,306	105.0	1.47	102.2	108.0
2011	6,684	108.9	1.36	106.3	111.6	5,416	105.2	1.46	102.4	108.1
2012	6,756	107.2	1.34	104.6	109.9	5,492	103.7	1.43	100.9	106.5
2013	6,760	105.3	1.31	102.7	107.9	5,453	101.7	1.41	98.9	104.5
2014	6,894	104.6	1.29	102.1	107.2	5,539	100.8	1.39	98.1	103.5
2015	7,161	107.2	1.30	104.7	109.8	5,804	104.5	1.41	101.8	107.3
2016	7,056	103.7	1.27	101.3	106.3	5,693	100.7	1.37	98.0	103.4
2017	7,038	102.2	1.25	99.7	104.6	5,765	101.1	1.37	98.4	103.8
2018	7,068	101.1	1.23	98.7	103.5	5,701	98.7	1.34	96.1	101.3
2019	7,107	99.5	1.21	97.2	102.0	5,674	96.1	1.31	93.6	98.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Digestive System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	29,407	142.4	0.87	140.7	144.2	5,342	85.4	1.28	82.9	87.9
1986	618	137.1	5.91	125.7	149.1	58	80.8	12.38	58.4	108.5
1987	671	150.6	6.22	138.6	163.2	63	102.9	15.33	75.0	136.5
1988	670	150.9	6.23	138.9	163.5	58	99.3	14.80	72.4	131.8
1989	642	142.1	6.00	130.6	154.3	54	84.9	13.21	61.0	114.1
1990	662	145.6	6.04	134.0	157.8	79	121.6	16.03	92.2	156.2
1991	619	130.7	5.59	120.0	142.1	52	73.7	11.72	52.5	99.6
1992	638	134.9	5.72	123.9	146.5	78	94.3	12.31	71.8	121.1
1993	684	141.4	5.77	130.4	153.1	91	108.3	13.59	83.3	137.5
1994	730	150.8	5.95	139.4	162.9	77	79.0	10.39	60.0	101.6
1995	823	165.0	6.14	153.2	177.4	112	114.1	12.16	91.5	140.0
1996	798	153.1	5.74	142.1	164.7	121	121.0	13.04	96.8	148.8
1997	777	146.8	5.58	136.1	158.1	107	102.4	11.62	80.9	127.2
1998	836	158.9	5.83	147.6	170.6	105	92.3	10.43	73.0	114.6
1999	785	145.3	5.47	134.8	156.3	143	122.9	12.84	99.1	150.1
2000	858	153.8	5.54	143.2	165.0	139	100.5	9.80	82.2	121.2
2001	836	146.2	5.33	136.0	157.0	131	88.3	9.01	71.5	107.4
2002	890	154.5	5.49	143.9	165.6	152	110.5	10.23	91.4	132.0
2003	916	155.5	5.43	145.0	166.5	130	81.1	8.11	66.0	98.3
2004	899	148.6	5.24	138.5	159.2	147	87.9	8.18	72.6	105.2
2005	939	154.1	5.34	143.9	164.9	156	84.0	7.61	69.7	100.0
2006	990	155.0	5.18	145.0	165.4	178	91.7	7.71	77.2	107.9
2007	948	147.5	5.08	137.7	157.8	204	97.0	7.70	82.5	113.1
2008	996	152.9	5.13	143.1	163.3	200	93.9	7.49	79.8	109.5
2009	1,004	147.6	4.92	138.2	157.6	186	80.9	6.68	68.3	94.9
2010	967	140.2	4.77	131.0	149.8	204	87.2	6.78	74.5	101.4
2011	1,026	141.9	4.67	132.9	151.4	205	79.3	6.12	67.8	92.1
2012	967	134.1	4.54	125.4	143.3	261	93.6	6.31	81.6	106.7
2013	1,055	138.9	4.50	130.3	148.0	207	68.6	5.13	59.0	79.4
2014	1,065	138.4	4.45	129.8	147.4	243	77.1	5.29	67.0	88.1
2015	1,042	131.3	4.26	123.0	139.9	277	84.7	5.39	74.5	95.9
2016	1,044	132.0	4.28	123.7	140.6	285	81.5	5.05	71.9	92.0
2017	969	120.1	4.03	112.4	128.3	256	70.8	4.60	62.0	80.4
2018	1,006	120.1	3.93	112.5	128.0	282	74.3	4.57	65.6	83.8
2019	1,037	123.5	3.97	115.8	131.5	301	75.1	4.43	66.7	84.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Digestive System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	185,050	75.3	0.18	75.0	75.7	152,633	72.8	0.19	72.4	73.2
1986	4,815	77.6	1.13	75.4	79.8	4,157	74.8	1.18	72.5	77.1
1987	4,925	78.4	1.13	76.2	80.7	4,305	76.9	1.19	74.5	79.2
1988	4,924	77.5	1.12	75.3	79.7	4,236	74.7	1.16	72.4	77.0
1989	4,868	76.8	1.11	74.6	79.0	4,193	74.3	1.17	72.0	76.6
1990	4,990	77.9	1.12	75.7	80.1	4,315	75.8	1.17	73.5	78.2
1991	4,816	74.1	1.08	72.0	76.2	4,151	72.0	1.14	69.8	74.2
1992	4,845	73.5	1.07	71.4	75.6	4,190	71.7	1.12	69.5	74.0
1993	5,028	75.3	1.07	73.3	77.5	4,323	73.5	1.13	71.3	75.7
1994	5,388	79.7	1.10	77.6	81.9	4,611	77.3	1.16	75.1	79.6
1995	5,259	77.7	1.08	75.6	79.9	4,445	74.8	1.14	72.6	77.1
1996	5,405	79.0	1.08	76.9	81.1	4,569	76.2	1.14	74.0	78.5
1997	5,446	79.2	1.08	77.1	81.3	4,580	76.3	1.14	74.1	78.6
1998	5,783	83.4	1.11	81.3	85.6	4,845	80.4	1.17	78.1	82.7
1999	5,539	79.3	1.07	77.2	81.4	4,679	77.1	1.14	74.9	79.4
2000	5,649	80.4	1.08	78.3	82.5	4,723	77.6	1.15	75.4	79.9
2001	5,652	80.0	1.07	77.9	82.1	4,683	76.9	1.14	74.6	79.1
2002	5,674	79.8	1.07	77.8	82.0	4,659	76.2	1.13	74.0	78.4
2003	5,513	77.0	1.05	75.0	79.1	4,505	73.4	1.11	71.3	75.6
2004	5,691	78.9	1.06	76.8	81.0	4,687	76.1	1.13	73.9	78.3
2005	5,682	78.3	1.05	76.2	80.3	4,666	75.5	1.12	73.3	77.7
2006	5,611	77.0	1.04	75.0	79.1	4,538	73.4	1.11	71.2	75.6
2007	5,689	77.2	1.04	75.2	79.2	4,650	74.6	1.12	72.5	76.8
2008	5,613	75.4	1.02	73.4	77.4	4,552	72.7	1.10	70.6	74.9
2009	5,521	73.3	1.00	71.4	75.3	4,507	71.4	1.09	69.3	73.6
2010	5,462	71.4	0.98	69.5	73.4	4,342	68.1	1.06	66.0	70.2
2011	5,577	72.0	0.98	70.1	74.0	4,409	68.6	1.06	66.5	70.7
2012	5,395	68.6	0.95	66.7	70.5	4,321	66.3	1.03	64.3	68.4
2013	5,589	70.1	0.96	68.3	72.0	4,444	67.7	1.04	65.6	69.7
2014	5,625	69.9	0.95	68.1	71.8	4,460	67.3	1.04	65.3	69.3
2015	5,681	69.9	0.95	68.0	71.7	4,505	67.5	1.04	65.5	69.6
2016	5,977	73.4	0.97	71.5	75.3	4,729	71.4	1.07	69.3	73.5
2017	5,818	70.2	0.95	68.4	72.1	4,593	68.4	1.04	66.3	70.5
2018	5,927	70.7	0.94	68.9	72.6	4,635	68.2	1.03	66.2	70.2
2019	5,673	67.4	0.92	65.6	69.2	4,426	65.2	1.01	63.2	67.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Digestive System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	27,676	93.9	0.57	92.8	95.0	4,009	53.3	0.88	51.6	55.0
1986	604	97.6	4.06	89.8	105.9	47	74.3	12.50	51.8	102.0
1987	583	91.4	3.86	84.0	99.3	33	43.1	8.28	28.4	62.0
1988	636	99.2	4.01	91.5	107.3	44	65.9	11.13	45.9	90.6
1989	612	93.2	3.83	85.8	101.0	57	68.4	10.29	49.8	91.1
1990	634	95.0	3.84	87.6	102.8	38	45.9	8.24	31.2	64.5
1991	601	89.1	3.69	82.0	96.6	49	53.4	8.50	38.0	72.3
1992	594	83.0	3.45	76.4	90.0	49	51.5	8.16	36.7	69.5
1993	627	89.2	3.60	82.2	96.5	71	64.6	8.45	49.1	83.0
1994	692	95.9	3.69	88.8	103.4	76	67.9	8.44	52.3	86.1
1995	733	99.1	3.70	92.0	106.6	76	61.9	7.72	47.7	78.6
1996	751	101.2	3.73	94.0	108.8	78	64.8	8.03	50.1	82.2
1997	773	102.3	3.72	95.2	109.9	82	52.7	6.28	41.1	66.4
1998	818	106.1	3.74	98.8	113.6	99	68.0	7.37	54.3	83.8
1999	751	93.9	3.45	87.3	100.9	99	65.3	6.99	52.3	80.3
2000	799	97.9	3.49	91.2	105.0	107	68.1	7.01	55.0	83.0
2001	851	103.2	3.57	96.4	110.4	102	57.6	6.07	46.3	70.6
2002	871	104.0	3.55	97.2	111.2	119	67.5	6.55	55.3	81.4
2003	858	101.3	3.48	94.6	108.3	127	64.6	6.01	53.4	77.4
2004	874	100.8	3.44	94.2	107.8	117	55.5	5.42	45.4	67.1
2005	876	99.3	3.39	92.8	106.2	121	53.9	5.19	44.2	64.9
2006	906	100.3	3.36	93.8	107.1	141	57.2	5.07	47.7	68.0
2007	890	96.6	3.27	90.3	103.2	135	53.3	4.84	44.2	63.6
2008	897	94.9	3.20	88.7	101.3	146	52.6	4.60	44.0	62.4
2009	856	89.0	3.08	83.1	95.3	130	49.5	4.58	40.9	59.2
2010	942	96.1	3.17	90.0	102.5	151	51.4	4.41	43.1	60.7
2011	980	96.5	3.12	90.4	102.8	158	51.1	4.25	43.1	60.0
2012	870	84.4	2.90	78.8	90.3	172	53.4	4.26	45.3	62.3
2013	946	89.4	2.95	83.7	95.4	176	49.6	3.90	42.3	57.8
2014	929	87.2	2.91	81.6	93.1	184	50.2	3.82	43.0	58.3
2015	960	87.6	2.88	82.0	93.4	184	47.5	3.61	40.7	55.1
2016	1,014	91.0	2.91	85.4	96.9	192	46.4	3.43	39.9	53.6
2017	991	87.2	2.82	81.8	93.0	213	48.5	3.40	42.1	55.6
2018	1,026	90.0	2.86	84.5	95.8	207	46.4	3.28	40.2	53.3
2019	931	80.3	2.68	75.1	85.8	229	49.0	3.28	42.8	55.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Esophagus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	22,315	5.1	0.03	5.1	5.2	18,057	4.9	0.04	4.8	5.0
1986	545	5.2	0.23	4.7	5.6	364	3.9	0.21	3.5	4.3
1987	516	4.8	0.22	4.4	5.3	357	3.8	0.20	3.4	4.2
1988	499	4.7	0.21	4.3	5.1	354	3.7	0.20	3.4	4.2
1989	539	5.0	0.22	4.6	5.5	393	4.1	0.21	3.7	4.6
1990	514	4.7	0.21	4.3	5.2	362	3.8	0.20	3.4	4.2
1991	538	4.9	0.21	4.5	5.3	395	4.1	0.21	3.7	4.5
1992	578	5.2	0.22	4.8	5.6	436	4.5	0.22	4.1	4.9
1993	552	4.9	0.21	4.5	5.3	416	4.2	0.21	3.8	4.6
1994	605	5.3	0.22	4.9	5.8	463	4.6	0.22	4.2	5.1
1995	652	5.7	0.22	5.3	6.2	489	4.9	0.22	4.5	5.4
1996	641	5.6	0.22	5.2	6.0	475	4.8	0.22	4.4	5.2
1997	556	4.8	0.20	4.4	5.2	416	4.2	0.20	3.8	4.6
1998	672	5.7	0.22	5.3	6.2	538	5.3	0.23	4.9	5.8
1999	668	5.6	0.22	5.2	6.1	545	5.4	0.23	4.9	5.8
2000	710	5.9	0.22	5.5	6.4	568	5.5	0.23	5.1	6.0
2001	680	5.7	0.22	5.2	6.1	556	5.4	0.23	5.0	5.9
2002	657	5.4	0.21	5.0	5.8	545	5.3	0.23	4.8	5.7
2003	661	5.3	0.21	4.9	5.8	555	5.3	0.22	4.8	5.7
2004	701	5.6	0.21	5.2	6.1	586	5.6	0.23	5.1	6.0
2005	666	5.3	0.20	4.9	5.7	568	5.3	0.22	4.9	5.8
2006	698	5.4	0.21	5.0	5.9	575	5.3	0.22	4.9	5.8
2007	710	5.4	0.20	5.0	5.8	595	5.4	0.22	4.9	5.8
2008	722	5.4	0.20	5.0	5.8	623	5.6	0.22	5.1	6.0
2009	724	5.4	0.20	5.0	5.8	624	5.6	0.22	5.1	6.0
2010	662	4.8	0.19	4.4	5.2	552	4.8	0.21	4.4	5.2
2011	734	5.2	0.20	4.9	5.6	622	5.4	0.22	4.9	5.8
2012	762	5.3	0.20	5.0	5.7	654	5.5	0.22	5.1	5.9
2013	712	4.9	0.18	4.5	5.2	610	5.0	0.21	4.6	5.5
2014	740	4.9	0.18	4.6	5.3	633	5.1	0.21	4.7	5.5
2015	761	5.0	0.18	4.6	5.4	659	5.2	0.21	4.8	5.7
2016	706	4.6	0.18	4.3	5.0	594	4.7	0.20	4.3	5.1
2017	701	4.5	0.17	4.2	4.9	603	4.8	0.20	4.4	5.2
2018	722	4.5	0.17	4.1	4.8	624	4.7	0.19	4.3	5.1
2019	811	5.0	0.18	4.7	5.4	708	5.3	0.20	4.9	5.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Esophagus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,911	7.4	0.12	7.2	7.6	309	2.2	0.14	2.0	2.5
1986	176	15.3	1.18	13.1	17.8	5	5.6	2.58	1.7	12.5
1987	156	13.5	1.11	11.4	15.8	2	2.0	1.55	0.2	6.9
1988	141	11.8	1.01	9.9	14.0	3	1.6	0.93	0.3	5.0
1989	141	11.8	1.02	9.9	14.0	3	1.9	1.14	0.4	5.6
1990	148	12.2	1.02	10.3	14.3	4	2.9	1.58	0.7	7.5
1991	137	10.9	0.95	9.1	12.9	6	3.5	1.55	1.1	7.8
1992	135	10.9	0.95	9.1	12.9	7	3.7	1.46	1.4	7.7
1993	128	9.8	0.89	8.2	11.7	8	3.5	1.30	1.4	7.1
1994	136	10.5	0.91	8.8	12.5	6	2.3	0.97	0.8	5.2
1995	153	11.6	0.95	9.8	13.5	10	5.0	1.77	2.2	9.5
1996	156	11.5	0.93	9.7	13.4	9	4.3	1.50	1.9	8.2
1997	135	9.8	0.86	8.2	11.7	4	1.5	0.79	0.4	3.9
1998	126	9.2	0.83	7.6	10.9	8	2.4	0.86	1.0	4.8
1999	117	8.5	0.80	7.0	10.2	6	2.5	1.14	0.8	5.5
2000	135	9.4	0.82	7.8	11.1	7	1.8	0.72	0.7	3.9
2001	112	7.8	0.75	6.4	9.4	9	2.6	0.98	1.1	5.2
2002	106	7.0	0.69	5.7	8.5	4	1.1	0.55	0.3	2.8
2003	94	6.3	0.66	5.1	7.7	10	2.8	0.95	1.3	5.3
2004	108	7.0	0.69	5.8	8.5	6	2.0	0.88	0.7	4.3
2005	92	5.9	0.63	4.7	7.3	6	1.6	0.75	0.5	3.6
2006	113	7.0	0.67	5.8	8.5	10	2.7	0.91	1.2	5.0
2007	100	6.2	0.64	5.1	7.6	13	2.4	0.70	1.2	4.2
2008	90	5.4	0.58	4.3	6.6	8	1.4	0.54	0.6	2.9
2009	88	5.0	0.55	4.0	6.2	11	2.4	0.77	1.1	4.3
2010	94	5.2	0.55	4.2	6.4	14	2.7	0.75	1.4	4.5
2011	98	5.6	0.58	4.5	6.8	13	2.7	0.79	1.3	4.6
2012	95	5.3	0.56	4.3	6.5	10	2.0	0.67	0.9	3.7
2013	93	4.9	0.52	3.9	6.0	8	1.2	0.46	0.5	2.5
2014	80	4.2	0.48	3.3	5.3	26	3.6	0.75	2.3	5.4
2015	88	4.4	0.49	3.5	5.5	14	1.9	0.54	1.0	3.3
2016	92	4.7	0.50	3.8	5.8	20	2.7	0.62	1.6	4.2
2017	84	4.1	0.46	3.2	5.1	12	1.5	0.44	0.8	2.6
2018	80	3.9	0.44	3.1	4.8	14	1.5	0.42	0.8	2.6
2019	84	4.2	0.47	3.3	5.2	13	1.4	0.40	0.8	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Esophagus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	17,034	9.0	0.07	8.8	9.1	14,057	8.7	0.07	8.5	8.8
1986	398	8.8	0.46	7.9	9.7	273	6.9	0.43	6.1	7.8
1987	380	8.3	0.44	7.5	9.2	263	6.5	0.41	5.7	7.4
1988	364	8.0	0.43	7.2	8.9	260	6.6	0.42	5.8	7.4
1989	393	8.5	0.44	7.7	9.4	285	7.0	0.43	6.2	7.9
1990	354	7.5	0.41	6.7	8.4	248	6.0	0.39	5.3	6.8
1991	401	8.5	0.43	7.6	9.4	298	7.3	0.43	6.4	8.1
1992	427	9.1	0.45	8.2	10.0	330	8.0	0.45	7.2	8.9
1993	392	8.0	0.41	7.2	8.8	299	7.0	0.41	6.2	7.8
1994	458	9.4	0.45	8.6	10.3	354	8.3	0.45	7.5	9.3
1995	503	10.3	0.46	9.4	11.2	383	9.0	0.47	8.1	9.9
1996	487	9.8	0.45	8.9	10.7	368	8.6	0.45	7.7	9.5
1997	406	8.1	0.41	7.3	8.9	315	7.3	0.42	6.5	8.2
1998	520	10.4	0.46	9.5	11.3	425	9.8	0.48	8.9	10.8
1999	528	10.4	0.46	9.5	11.3	433	9.9	0.48	9.0	10.9
2000	539	10.5	0.46	9.7	11.5	440	10.0	0.48	9.1	11.0
2001	498	9.6	0.43	8.7	10.5	409	9.2	0.46	8.3	10.1
2002	498	9.4	0.43	8.6	10.2	421	9.3	0.46	8.4	10.2
2003	518	9.8	0.43	8.9	10.6	446	9.8	0.47	8.9	10.8
2004	529	9.6	0.42	8.8	10.5	457	9.8	0.46	8.9	10.7
2005	521	9.5	0.42	8.6	10.3	452	9.6	0.46	8.7	10.5
2006	556	9.8	0.42	9.0	10.7	466	9.7	0.46	8.8	10.6
2007	532	9.2	0.41	8.4	10.0	456	9.3	0.44	8.4	10.2
2008	580	9.9	0.42	9.1	10.7	509	10.2	0.46	9.3	11.2
2009	556	9.4	0.41	8.6	10.2	477	9.5	0.44	8.7	10.5
2010	500	8.2	0.37	7.4	8.9	426	8.3	0.41	7.5	9.1
2011	569	9.1	0.39	8.4	9.9	499	9.5	0.43	8.6	10.4
2012	587	9.3	0.39	8.5	10.1	521	9.7	0.44	8.9	10.6
2013	570	8.7	0.38	8.0	9.5	498	9.1	0.42	8.3	10.0
2014	589	8.7	0.37	8.0	9.4	518	9.1	0.41	8.3	9.9
2015	613	8.9	0.37	8.2	9.7	537	9.4	0.41	8.6	10.2
2016	541	7.8	0.34	7.1	8.5	462	8.0	0.38	7.2	8.7
2017	550	7.8	0.34	7.2	8.5	485	8.3	0.39	7.6	9.1
2018	549	7.4	0.33	6.8	8.1	486	7.9	0.37	7.2	8.7
2019	628	8.6	0.35	7.9	9.3	558	9.1	0.39	8.3	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Esophagus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,737	12.4	0.25	11.9	12.9	207	3.3	0.25	2.8	3.8
1986	122	24.5	2.30	20.2	29.4	3	7.8	4.58	1.6	21.2
1987	115	23.5	2.30	19.2	28.4	1	1.1	1.09	0.0	7.9
1988	102	19.9	2.02	16.2	24.2	1	1.2	1.16	0.0	7.7
1989	103	20.2	2.07	16.3	24.7	3	4.3	2.63	0.8	12.9
1990	102	19.8	2.02	16.1	24.2	4	6.9	3.72	1.6	17.6
1991	101	18.6	1.90	15.1	22.7	2	1.7	1.20	0.2	7.4
1992	93	17.9	1.95	14.3	22.1	4	5.3	2.79	1.3	13.6
1993	87	16.2	1.81	12.8	20.1	6	5.0	2.12	1.8	11.6
1994	100	18.8	1.95	15.1	22.9	4	3.3	1.68	0.9	9.0
1995	112	20.5	2.02	16.7	24.8	8	10.5	4.32	3.8	21.5
1996	115	20.1	1.95	16.5	24.3	4	4.9	2.55	1.2	12.2
1997	90	15.7	1.71	12.6	19.4	0				
1998	88	15.7	1.77	12.4	19.5	7	4.8	1.83	1.9	10.1
1999	90	15.7	1.72	12.5	19.5	5	5.7	3.01	1.4	13.8
2000	95	16.4	1.77	13.1	20.2	4	1.9	0.93	0.5	5.4
2001	80	13.4	1.55	10.6	16.8	6	2.8	1.14	1.0	6.5
2002	73	11.5	1.40	8.9	14.5	3	1.8	1.09	0.3	5.4
2003	65	10.5	1.35	8.0	13.4	5	3.0	1.43	0.8	7.1
2004	68	10.5	1.32	8.1	13.4	3	1.5	0.92	0.3	4.6
2005	67	10.7	1.41	8.2	13.8	2	0.8	0.57	0.1	3.2
2006	83	12.7	1.47	10.0	15.9	7	4.0	1.64	1.5	8.4
2007	66	10.1	1.31	7.7	13.0	8	2.7	1.01	1.1	5.7
2008	64	9.7	1.27	7.4	12.5	6	2.6	1.17	0.8	5.9
2009	69	9.3	1.17	7.2	11.9	9	4.4	1.63	1.8	8.6
2010	60	7.8	1.06	5.9	10.2	13	5.2	1.55	2.6	9.2
2011	61	8.7	1.18	6.6	11.3	8	3.9	1.57	1.5	7.9
2012	60	8.2	1.13	6.2	10.7	4	1.6	0.85	0.4	4.1
2013	66	8.5	1.11	6.5	11.0	5	1.9	0.92	0.6	4.6
2014	52	6.7	0.96	4.9	8.8	18	5.6	1.41	3.2	9.0
2015	66	7.9	1.01	6.0	10.1	10	3.0	1.00	1.4	5.7
2016	62	7.9	1.06	6.0	10.3	17	5.2	1.36	2.9	8.5
2017	56	6.5	0.90	4.8	8.5	7	2.0	0.78	0.7	4.1
2018	49	5.5	0.81	4.0	7.4	11	2.7	0.85	1.3	5.0
2019	55	6.9	0.96	5.2	9.1	9	2.4	0.82	1.1	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Esophagus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,281	2.2	0.03	2.1	2.2	4,000	1.9	0.03	1.8	2.0
1986	147	2.5	0.21	2.1	2.9	91	1.7	0.18	1.3	2.0
1987	136	2.2	0.19	1.8	2.6	94	1.7	0.18	1.4	2.1
1988	135	2.1	0.19	1.8	2.5	94	1.6	0.17	1.3	2.0
1989	146	2.3	0.19	1.9	2.7	108	1.9	0.18	1.5	2.2
1990	160	2.6	0.20	2.2	3.0	114	2.0	0.19	1.6	2.4
1991	137	2.1	0.18	1.8	2.5	97	1.7	0.17	1.4	2.1
1992	151	2.3	0.19	2.0	2.7	106	1.9	0.18	1.5	2.3
1993	160	2.5	0.20	2.1	2.9	117	2.0	0.19	1.7	2.4
1994	147	2.2	0.19	1.9	2.6	109	1.9	0.18	1.5	2.3
1995	149	2.3	0.19	1.9	2.6	106	1.8	0.17	1.4	2.1
1996	154	2.3	0.19	2.0	2.7	107	1.8	0.18	1.5	2.2
1997	150	2.3	0.19	1.9	2.7	101	1.7	0.17	1.4	2.1
1998	152	2.2	0.18	1.9	2.6	113	1.9	0.18	1.6	2.3
1999	140	2.0	0.17	1.7	2.4	112	1.9	0.18	1.5	2.3
2000	171	2.5	0.19	2.1	2.9	128	2.1	0.19	1.8	2.5
2001	182	2.6	0.19	2.2	3.0	147	2.4	0.20	2.0	2.8
2002	159	2.3	0.18	1.9	2.7	124	2.0	0.18	1.7	2.4
2003	143	2.0	0.17	1.7	2.4	109	1.8	0.17	1.5	2.1
2004	172	2.5	0.19	2.1	2.9	129	2.2	0.19	1.8	2.6
2005	145	2.0	0.17	1.7	2.4	116	1.9	0.18	1.6	2.3
2006	142	2.0	0.17	1.7	2.3	109	1.8	0.17	1.5	2.2
2007	178	2.4	0.18	2.1	2.8	139	2.2	0.19	1.9	2.6
2008	142	1.9	0.16	1.6	2.3	114	1.8	0.18	1.5	2.2
2009	168	2.2	0.17	1.9	2.5	147	2.3	0.19	1.9	2.7
2010	162	2.1	0.17	1.8	2.4	126	1.9	0.18	1.6	2.3
2011	165	2.1	0.17	1.8	2.5	123	1.9	0.18	1.6	2.3
2012	175	2.2	0.17	1.9	2.6	133	2.0	0.18	1.7	2.4
2013	142	1.7	0.15	1.4	2.0	112	1.6	0.16	1.3	2.0
2014	151	1.8	0.15	1.6	2.2	115	1.7	0.16	1.4	2.1
2015	148	1.7	0.14	1.5	2.0	122	1.7	0.16	1.4	2.1
2016	165	2.0	0.16	1.7	2.3	132	1.9	0.17	1.6	2.3
2017	151	1.8	0.15	1.5	2.1	118	1.8	0.17	1.4	2.1
2018	173	2.0	0.15	1.7	2.3	138	1.9	0.17	1.6	2.3
2019	183	2.1	0.16	1.8	2.4	150	2.1	0.18	1.8	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Esophagus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,174	3.9	0.11	3.6	4.1	102	1.4	0.14	1.1	1.7
1986	54	8.5	1.17	6.3	11.0	2	3.8	2.87	0.4	12.9
1987	41	6.2	0.98	4.4	8.4	1	2.5	2.46	0.1	10.7
1988	39	5.7	0.92	4.0	7.8	2	2.0	1.43	0.2	7.7
1989	38	5.7	0.93	4.0	7.8	0				
1990	46	6.6	0.99	4.8	8.8	0				
1991	36	5.1	0.86	3.6	7.0	4	4.7	2.50	1.2	12.0
1992	42	5.9	0.92	4.2	7.9	3	2.6	1.51	0.5	7.7
1993	41	5.4	0.85	3.9	7.3	2	2.1	1.52	0.2	7.1
1994	36	4.8	0.79	3.3	6.6	2	1.5	1.10	0.2	5.6
1995	41	5.4	0.85	3.9	7.3	2	1.3	0.94	0.1	4.9
1996	41	5.3	0.83	3.8	7.2	5	4.0	1.85	1.2	9.2
1997	45	5.6	0.85	4.1	7.5	4	2.7	1.39	0.7	6.9
1998	38	4.7	0.77	3.3	6.5	1	0.5	0.48	0.0	3.0
1999	27	3.4	0.65	2.2	4.9	1	0.4	0.40	0.0	2.7
2000	40	4.7	0.75	3.4	6.4	3	1.6	1.00	0.3	4.9
2001	32	3.8	0.68	2.6	5.4	3	2.1	1.29	0.4	5.9
2002	33	3.8	0.66	2.6	5.3	1	0.5	0.50	0.0	2.7
2003	29	3.4	0.63	2.3	4.8	5	2.7	1.24	0.8	6.2
2004	40	4.6	0.73	3.3	6.2	3	2.1	1.23	0.4	5.6
2005	25	2.8	0.56	1.8	4.1	4	2.0	1.09	0.4	5.1
2006	30	3.2	0.59	2.1	4.6	3	1.6	0.94	0.3	4.4
2007	34	3.6	0.63	2.5	5.1	5	2.0	0.92	0.6	4.6
2008	26	2.6	0.51	1.7	3.8	2	0.5	0.36	0.1	2.1
2009	19	1.9	0.44	1.1	3.0	2	0.8	0.61	0.1	2.9
2010	34	3.3	0.58	2.3	4.7	1	0.5	0.51	0.0	2.3
2011	37	3.5	0.58	2.5	4.9	5	1.9	0.86	0.6	4.3
2012	35	3.3	0.57	2.3	4.7	6	2.2	0.93	0.8	4.7
2013	27	2.5	0.48	1.6	3.6	3	0.7	0.39	0.1	2.1
2014	28	2.5	0.48	1.6	3.6	8	2.1	0.75	0.9	4.1
2015	22	1.9	0.41	1.2	2.9	4	1.0	0.49	0.2	2.5
2016	30	2.6	0.48	1.8	3.8	3	0.7	0.42	0.1	2.1
2017	28	2.3	0.45	1.5	3.4	5	1.1	0.51	0.3	2.6
2018	31	2.6	0.47	1.8	3.7	3	0.6	0.37	0.1	1.9
2019	29	2.4	0.45	1.6	3.5	4	0.7	0.36	0.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Stomach										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	33,179	7.8	0.04	7.7	7.8	25,402	7.0	0.04	6.9	7.1
1986	922	8.9	0.30	8.3	9.5	744	8.0	0.30	7.5	8.7
1987	942	8.9	0.29	8.4	9.5	739	7.9	0.29	7.4	8.5
1988	951	9.0	0.30	8.4	9.6	750	8.0	0.30	7.5	8.6
1989	1,002	9.4	0.30	8.8	10.0	806	8.5	0.30	7.9	9.1
1990	953	8.8	0.29	8.2	9.4	776	8.1	0.29	7.5	8.7
1991	922	8.4	0.28	7.9	9.0	739	7.6	0.28	7.1	8.2
1992	938	8.4	0.28	7.9	9.0	736	7.5	0.28	7.0	8.1
1993	974	8.7	0.28	8.1	9.2	770	7.8	0.28	7.3	8.4
1994	945	8.3	0.27	7.8	8.9	746	7.5	0.28	7.0	8.1
1995	977	8.5	0.27	8.0	9.1	747	7.4	0.27	6.9	8.0
1996	968	8.4	0.27	7.9	8.9	746	7.4	0.27	6.9	8.0
1997	977	8.4	0.27	7.9	8.9	753	7.4	0.27	6.9	8.0
1998	1,004	8.5	0.27	8.0	9.1	769	7.5	0.27	7.0	8.1
1999	937	7.9	0.26	7.4	8.4	742	7.2	0.26	6.7	7.7
2000	911	7.6	0.25	7.1	8.1	686	6.6	0.25	6.1	7.1
2001	923	7.6	0.25	7.1	8.1	700	6.7	0.25	6.2	7.2
2002	975	8.0	0.26	7.5	8.5	753	7.2	0.26	6.7	7.7
2003	963	7.8	0.25	7.3	8.3	753	7.1	0.26	6.6	7.6
2004	936	7.5	0.25	7.1	8.0	715	6.7	0.25	6.2	7.2
2005	915	7.2	0.24	6.8	7.7	686	6.3	0.24	5.9	6.8
2006	916	7.2	0.24	6.7	7.7	667	6.2	0.24	5.7	6.7
2007	946	7.3	0.24	6.9	7.8	703	6.5	0.25	6.0	7.0
2008	945	7.2	0.24	6.8	7.7	702	6.4	0.24	5.9	6.9
2009	970	7.3	0.24	6.9	7.8	710	6.4	0.24	6.0	6.9
2010	935	7.0	0.23	6.5	7.4	699	6.2	0.24	5.8	6.7
2011	1,009	7.3	0.23	6.9	7.8	748	6.5	0.24	6.1	7.0
2012	979	7.0	0.23	6.5	7.4	757	6.5	0.24	6.0	6.9
2013	1,056	7.5	0.23	7.0	8.0	782	6.7	0.24	6.2	7.2
2014	1,032	7.1	0.23	6.7	7.6	768	6.4	0.24	6.0	6.9
2015	1,070	7.3	0.23	6.8	7.7	806	6.6	0.24	6.2	7.1
2016	1,063	7.2	0.23	6.8	7.6	795	6.5	0.24	6.1	7.0
2017	1,076	7.2	0.22	6.8	7.6	806	6.6	0.24	6.1	7.1
2018	1,063	7.0	0.22	6.6	7.4	806	6.5	0.23	6.0	7.0
2019	1,084	7.0	0.22	6.6	7.4	797	6.3	0.23	5.9	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Stomach										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,226	12.7	0.16	12.4	13.1	1,387	10.3	0.29	9.7	10.8
1986	149	14.2	1.21	11.9	16.8	27	21.1	4.98	12.5	32.7
1987	182	17.2	1.32	14.7	19.9	21	15.8	4.12	8.7	25.5
1988	182	17.6	1.35	15.0	20.4	18	12.5	3.07	7.2	20.0
1989	169	15.7	1.25	13.4	18.3	26	18.2	4.17	10.9	27.8
1990	154	13.8	1.15	11.6	16.2	23	15.8	3.87	9.1	24.9
1991	159	14.6	1.19	12.3	17.1	22	14.4	3.71	8.1	23.1
1992	175	15.0	1.17	12.8	17.4	22	14.8	3.58	8.7	23.1
1993	166	14.3	1.14	12.1	16.7	35	18.4	3.52	12.1	26.4
1994	178	14.5	1.11	12.4	16.8	21	9.6	2.34	5.6	15.2
1995	189	14.9	1.12	12.8	17.3	40	17.0	2.92	11.7	23.6
1996	191	15.6	1.15	13.4	18.0	28	12.3	2.54	7.9	18.2
1997	180	14.1	1.08	12.1	16.4	41	15.1	2.71	10.3	21.3
1998	198	15.9	1.15	13.7	18.3	35	12.6	2.35	8.5	18.0
1999	154	11.6	0.96	9.8	13.6	37	13.4	2.47	9.0	19.0
2000	180	13.4	1.02	11.5	15.5	41	12.9	2.24	8.9	18.0
2001	180	13.5	1.03	11.6	15.7	41	12.7	2.21	8.7	17.6
2002	169	12.1	0.95	10.3	14.1	51	17.1	2.65	12.3	22.9
2003	168	12.1	0.95	10.3	14.1	38	11.5	2.02	7.9	16.0
2004	178	12.5	0.95	10.7	14.5	42	10.7	1.77	7.5	14.7
2005	183	12.7	0.96	10.9	14.7	42	11.0	1.84	7.7	15.1
2006	196	12.8	0.93	11.0	14.7	45	10.8	1.73	7.7	14.7
2007	188	12.3	0.92	10.6	14.3	51	11.5	1.76	8.4	15.4
2008	194	12.7	0.93	10.9	14.6	43	9.3	1.54	6.6	12.8
2009	212	13.0	0.91	11.3	14.9	41	8.2	1.39	5.7	11.3
2010	174	10.7	0.83	9.1	12.4	54	11.0	1.63	8.1	14.6
2011	203	12.0	0.86	10.4	13.8	49	8.8	1.35	6.4	11.9
2012	160	9.4	0.76	8.0	11.0	57	9.4	1.31	7.0	12.3
2013	206	11.8	0.84	10.2	13.6	59	9.9	1.36	7.4	12.9
2014	213	11.8	0.83	10.2	13.5	47	7.2	1.09	5.2	9.6
2015	194	10.4	0.76	8.9	12.0	63	9.0	1.18	6.8	11.6
2016	215	11.7	0.81	10.1	13.4	48	6.5	0.97	4.8	8.7
2017	210	11.2	0.79	9.7	12.8	54	6.8	0.96	5.1	9.0
2018	179	9.2	0.70	7.9	10.7	57	6.8	0.92	5.1	8.8
2019	198	10.2	0.74	8.8	11.8	68	8.0	0.99	6.2	10.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Stomach										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	20,214	11.1	0.08	10.9	11.2	15,695	10.1	0.08	9.9	10.2
1986	550	12.8	0.57	11.7	14.0	452	12.0	0.59	10.9	13.3
1987	569	13.5	0.59	12.3	14.7	439	11.9	0.59	10.8	13.1
1988	609	14.2	0.60	13.1	15.5	485	12.9	0.61	11.7	14.1
1989	619	14.3	0.60	13.1	15.5	500	13.0	0.60	11.9	14.3
1990	570	13.1	0.57	12.0	14.2	454	11.8	0.57	10.7	13.0
1991	567	12.7	0.55	11.7	13.8	459	11.7	0.57	10.7	12.9
1992	560	12.3	0.54	11.3	13.4	445	11.1	0.54	10.0	12.2
1993	572	12.5	0.54	11.4	13.6	443	11.0	0.54	10.0	12.1
1994	579	12.5	0.53	11.5	13.6	456	11.3	0.54	10.3	12.4
1995	608	13.1	0.54	12.0	14.2	475	11.8	0.55	10.8	12.9
1996	603	12.8	0.53	11.8	13.9	469	11.4	0.54	10.4	12.5
1997	606	12.7	0.53	11.7	13.8	478	11.5	0.53	10.5	12.6
1998	593	12.2	0.51	11.2	13.3	467	11.0	0.52	10.0	12.1
1999	564	11.4	0.49	10.5	12.4	446	10.5	0.50	9.5	11.5
2000	549	11.0	0.48	10.1	12.0	414	9.6	0.48	8.7	10.6
2001	541	10.6	0.46	9.7	11.6	415	9.5	0.47	8.6	10.5
2002	594	11.7	0.49	10.7	12.6	467	10.7	0.50	9.7	11.7
2003	572	11.2	0.47	10.3	12.1	457	10.4	0.49	9.4	11.4
2004	583	11.1	0.46	10.2	12.0	456	10.1	0.48	9.2	11.1
2005	555	10.4	0.45	9.5	11.3	413	9.0	0.45	8.1	9.9
2006	549	10.0	0.44	9.2	10.9	409	8.8	0.44	8.0	9.7
2007	569	10.2	0.44	9.4	11.1	426	9.0	0.44	8.2	9.9
2008	570	10.2	0.43	9.3	11.1	423	8.8	0.44	8.0	9.7
2009	591	10.1	0.42	9.2	10.9	435	8.8	0.43	8.0	9.7
2010	587	10.0	0.42	9.2	10.8	446	9.0	0.43	8.2	9.9
2011	625	10.4	0.43	9.6	11.3	467	9.3	0.44	8.4	10.1
2012	639	10.3	0.42	9.5	11.2	508	9.7	0.44	8.9	10.6
2013	647	10.3	0.42	9.5	11.2	498	9.4	0.43	8.6	10.3
2014	618	9.6	0.39	8.8	10.4	471	8.7	0.41	7.9	9.6
2015	660	10.0	0.40	9.2	10.8	515	9.3	0.42	8.5	10.2
2016	639	9.7	0.39	8.9	10.5	497	9.0	0.41	8.2	9.8
2017	643	9.6	0.39	8.8	10.4	506	9.1	0.41	8.3	9.9
2018	640	9.2	0.37	8.5	10.0	495	8.7	0.40	7.9	9.5
2019	674	9.5	0.37	8.7	10.2	509	8.6	0.39	7.9	9.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Stomach										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,605	18.2	0.32	17.6	18.9	816	13.4	0.51	12.4	14.5
1986	84	18.7	2.20	14.6	23.5	13	13.5	3.94	7.0	24.7
1987	112	25.0	2.53	20.3	30.4	18	33.9	9.77	17.6	57.2
1988	113	26.5	2.67	21.6	32.2	10	16.0	5.37	7.3	29.9
1989	102	23.9	2.53	19.2	29.2	17	27.2	7.74	14.2	45.9
1990	100	22.0	2.35	17.7	27.1	16	25.4	7.57	12.8	43.7
1991	94	20.2	2.22	16.1	24.9	13	18.3	6.08	8.4	33.4
1992	97	21.6	2.37	17.2	26.7	14	23.6	7.14	11.8	40.8
1993	107	22.7	2.34	18.3	27.6	21	25.9	6.59	14.7	41.5
1994	111	21.6	2.17	17.6	26.3	12	13.0	4.65	5.6	24.8
1995	112	21.9	2.21	17.8	26.6	20	18.5	4.49	10.8	29.4
1996	114	23.4	2.35	19.0	28.4	17	17.8	4.96	9.4	29.7
1997	108	21.4	2.21	17.3	26.1	18	18.6	5.30	9.7	31.3
1998	104	21.4	2.25	17.2	26.2	21	17.7	4.27	10.3	27.9
1999	90	16.7	1.85	13.2	20.7	24	21.7	5.37	12.5	34.2
2000	103	19.4	2.03	15.6	23.7	28	20.2	4.42	12.5	30.5
2001	103	18.5	1.94	14.9	22.7	21	13.1	3.37	7.4	21.2
2002	100	17.3	1.83	13.9	21.3	26	19.0	4.29	11.5	28.9
2003	98	17.6	1.89	14.1	21.6	14	9.0	2.74	4.5	15.8
2004	100	17.8	1.91	14.3	21.9	26	15.0	3.29	9.2	22.7
2005	111	19.0	1.91	15.4	23.0	28	15.9	3.40	10.0	23.8
2006	112	17.5	1.75	14.3	21.3	23	12.2	2.85	7.2	18.9
2007	113	18.5	1.85	15.1	22.5	28	14.7	3.21	9.1	22.1
2008	116	20.1	1.98	16.4	24.3	26	13.1	2.86	8.1	19.7
2009	126	18.7	1.75	15.4	22.4	26	10.7	2.37	6.6	16.3
2010	102	15.6	1.64	12.6	19.1	32	14.7	3.02	9.4	21.6
2011	120	17.6	1.69	14.4	21.2	32	13.1	2.56	8.6	19.0
2012	89	13.4	1.51	10.6	16.7	41	15.0	2.54	10.4	20.7
2013	112	15.8	1.56	12.9	19.1	33	11.6	2.14	7.8	16.5
2014	121	16.7	1.60	13.7	20.1	23	7.6	1.70	4.6	11.6
2015	106	13.8	1.41	11.2	16.8	36	11.1	1.93	7.6	15.5
2016	107	14.6	1.47	11.9	17.8	32	9.6	1.75	6.4	13.6
2017	107	14.4	1.46	11.7	17.6	27	7.7	1.56	4.9	11.3
2018	98	12.0	1.26	9.6	14.7	37	9.6	1.63	6.7	13.3
2019	113	14.1	1.37	11.5	17.0	43	11.2	1.76	8.0	15.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Stomach										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	12,965	5.3	0.05	5.2	5.4	9,707	4.6	0.05	4.6	4.7
1986	372	6.1	0.32	5.5	6.8	292	5.3	0.32	4.7	6.0
1987	373	5.9	0.31	5.3	6.5	300	5.3	0.31	4.7	5.9
1988	342	5.5	0.30	4.9	6.1	265	4.8	0.30	4.2	5.4
1989	383	6.0	0.31	5.4	6.7	306	5.4	0.31	4.8	6.0
1990	383	5.9	0.31	5.3	6.6	322	5.6	0.32	5.0	6.3
1991	355	5.4	0.29	4.8	6.0	280	4.8	0.29	4.2	5.4
1992	378	5.7	0.30	5.2	6.4	291	5.0	0.30	4.4	5.6
1993	402	6.0	0.30	5.4	6.6	327	5.5	0.31	4.9	6.1
1994	366	5.4	0.28	4.8	6.0	290	4.8	0.29	4.3	5.4
1995	369	5.5	0.29	4.9	6.1	272	4.6	0.28	4.0	5.2
1996	365	5.3	0.28	4.8	5.9	277	4.6	0.28	4.0	5.2
1997	371	5.4	0.28	4.9	6.0	275	4.5	0.28	4.0	5.1
1998	411	5.8	0.29	5.3	6.4	302	4.9	0.29	4.4	5.5
1999	373	5.3	0.28	4.8	5.9	296	4.8	0.28	4.3	5.4
2000	362	5.1	0.27	4.6	5.7	272	4.4	0.27	3.9	5.0
2001	382	5.3	0.27	4.8	5.9	285	4.6	0.28	4.1	5.2
2002	381	5.3	0.28	4.8	5.9	286	4.7	0.28	4.1	5.3
2003	391	5.4	0.28	4.9	6.0	296	4.8	0.28	4.2	5.4
2004	353	4.9	0.26	4.4	5.5	259	4.2	0.26	3.7	4.8
2005	360	4.9	0.26	4.4	5.5	273	4.4	0.27	3.9	5.0
2006	367	5.1	0.27	4.6	5.6	258	4.2	0.27	3.7	4.8
2007	377	5.2	0.27	4.7	5.7	277	4.5	0.28	4.0	5.1
2008	375	5.1	0.27	4.6	5.7	279	4.5	0.27	4.0	5.1
2009	379	5.2	0.27	4.6	5.7	275	4.5	0.28	4.0	5.1
2010	348	4.7	0.25	4.2	5.2	253	4.0	0.26	3.5	4.6
2011	384	4.9	0.26	4.5	5.5	281	4.4	0.27	3.8	4.9
2012	340	4.4	0.24	3.9	4.9	249	3.8	0.25	3.4	4.4
2013	409	5.2	0.26	4.7	5.7	284	4.4	0.27	3.9	5.0
2014	414	5.2	0.26	4.7	5.8	297	4.6	0.27	4.0	5.1
2015	410	5.2	0.26	4.7	5.7	291	4.5	0.27	4.0	5.0
2016	424	5.2	0.26	4.7	5.7	298	4.5	0.27	4.0	5.1
2017	433	5.3	0.26	4.8	5.8	300	4.5	0.27	4.0	5.1
2018	423	5.1	0.26	4.7	5.7	311	4.7	0.27	4.2	5.3
2019	410	5.0	0.26	4.5	5.6	288	4.4	0.27	3.9	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Stomach										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,621	9.1	0.18	8.7	9.4	571	7.8	0.34	7.1	8.5
1986	65	11.0	1.40	8.5	14.1	14	25.6	7.85	12.6	44.5
1987	70	11.6	1.42	9.0	14.7	3	2.1	1.28	0.4	7.6
1988	69	11.6	1.42	9.0	14.7	8	10.0	3.62	4.2	19.7
1989	67	10.5	1.31	8.1	13.4	9	11.1	4.48	4.2	22.7
1990	54	8.2	1.14	6.1	10.7	7	8.4	3.83	2.7	18.7
1991	65	10.4	1.30	8.0	13.3	9	11.5	4.61	4.3	23.2
1992	78	11.0	1.26	8.6	13.7	8	8.6	3.51	3.2	17.8
1993	59	8.6	1.14	6.5	11.1	14	12.7	3.82	6.4	22.2
1994	67	9.3	1.15	7.2	11.8	9	7.1	2.43	3.2	13.6
1995	77	10.1	1.17	8.0	12.7	20	15.6	3.78	9.1	24.7
1996	77	10.5	1.21	8.3	13.2	11	8.6	2.75	4.0	15.5
1997	72	9.5	1.13	7.4	11.9	23	13.6	3.07	8.3	21.0
1998	94	12.5	1.30	10.1	15.3	14	8.8	2.58	4.5	15.2
1999	64	8.2	1.04	6.3	10.5	13	8.0	2.34	4.1	13.8
2000	77	9.5	1.10	7.5	11.9	13	7.3	2.22	3.6	12.9
2001	77	9.8	1.13	7.7	12.3	20	11.8	2.83	6.9	18.5
2002	69	8.5	1.03	6.6	10.7	25	15.1	3.24	9.4	22.6
2003	70	8.4	1.01	6.5	10.6	24	13.2	2.83	8.2	19.7
2004	78	9.2	1.05	7.3	11.5	16	7.4	1.93	4.1	12.1
2005	72	8.4	1.00	6.6	10.6	14	6.9	1.96	3.6	11.7
2006	84	9.4	1.03	7.5	11.6	22	9.9	2.19	6.1	15.1
2007	75	8.4	0.97	6.6	10.5	23	9.3	2.04	5.7	14.1
2008	78	8.4	0.96	6.6	10.5	17	6.5	1.67	3.6	10.5
2009	86	8.9	0.98	7.1	11.1	15	6.1	1.66	3.3	10.2
2010	72	7.6	0.91	5.9	9.6	22	8.6	1.92	5.2	13.1
2011	83	8.2	0.91	6.5	10.2	17	5.6	1.41	3.1	9.0
2012	71	7.0	0.85	5.5	8.9	16	4.9	1.28	2.8	8.1
2013	94	9.0	0.94	7.2	11.0	26	8.2	1.66	5.3	12.1
2014	92	8.7	0.92	7.0	10.7	24	6.7	1.41	4.2	10.0
2015	88	8.2	0.89	6.5	10.1	27	7.1	1.41	4.6	10.4
2016	108	9.7	0.95	7.9	11.8	16	3.9	1.00	2.2	6.4
2017	103	9.4	0.94	7.7	11.4	27	6.1	1.21	4.0	9.0
2018	81	7.2	0.81	5.7	9.0	20	4.4	1.02	2.7	6.9
2019	85	7.6	0.84	6.1	9.5	25	5.6	1.13	3.6	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Small Intestine										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	8,911	2.1	0.02	2.0	2.1	6,974	1.9	0.02	1.9	2.0
1986	128	1.2	0.11	1.0	1.5	104	1.1	0.11	0.9	1.4
1987	122	1.2	0.11	1.0	1.4	101	1.1	0.11	0.9	1.3
1988	135	1.2	0.11	1.0	1.5	112	1.2	0.11	1.0	1.4
1989	145	1.3	0.11	1.1	1.6	123	1.3	0.12	1.1	1.5
1990	140	1.3	0.11	1.1	1.6	118	1.3	0.12	1.1	1.5
1991	145	1.3	0.11	1.1	1.5	114	1.2	0.11	1.0	1.4
1992	156	1.4	0.11	1.2	1.6	126	1.3	0.12	1.1	1.6
1993	182	1.6	0.12	1.4	1.9	155	1.6	0.13	1.3	1.9
1994	172	1.5	0.12	1.3	1.8	141	1.4	0.12	1.2	1.7
1995	165	1.4	0.11	1.2	1.7	129	1.3	0.11	1.1	1.5
1996	184	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1997	185	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7
1998	216	1.8	0.13	1.6	2.1	178	1.8	0.13	1.5	2.1
1999	212	1.8	0.12	1.6	2.0	171	1.7	0.13	1.4	2.0
2000	211	1.8	0.12	1.5	2.0	173	1.7	0.13	1.5	2.0
2001	237	2.0	0.13	1.7	2.2	188	1.8	0.13	1.6	2.1
2002	269	2.2	0.13	1.9	2.5	211	2.0	0.14	1.8	2.3
2003	210	1.7	0.12	1.5	2.0	163	1.5	0.12	1.3	1.8
2004	250	2.0	0.13	1.8	2.3	196	1.9	0.13	1.6	2.1
2005	281	2.2	0.13	2.0	2.5	226	2.1	0.14	1.8	2.4
2006	262	2.1	0.13	1.8	2.3	199	1.9	0.13	1.6	2.1
2007	305	2.3	0.13	2.1	2.6	242	2.2	0.14	1.9	2.5
2008	311	2.4	0.14	2.1	2.7	234	2.1	0.14	1.9	2.4
2009	343	2.6	0.14	2.3	2.9	267	2.4	0.15	2.1	2.7
2010	346	2.6	0.14	2.3	2.9	259	2.3	0.15	2.0	2.6
2011	357	2.6	0.14	2.3	2.9	273	2.4	0.15	2.1	2.7
2012	389	2.7	0.14	2.4	3.0	306	2.6	0.15	2.3	2.9
2013	383	2.7	0.14	2.4	3.0	299	2.5	0.15	2.2	2.8
2014	380	2.7	0.14	2.4	3.0	291	2.5	0.15	2.2	2.8
2015	422	2.9	0.14	2.6	3.2	333	2.7	0.15	2.4	3.0
2016	410	2.8	0.14	2.5	3.1	309	2.6	0.15	2.3	2.9
2017	411	2.8	0.14	2.5	3.1	313	2.6	0.15	2.3	2.9
2018	446	2.9	0.14	2.7	3.2	338	2.7	0.15	2.4	3.0
2019	401	2.6	0.13	2.4	2.9	294	2.4	0.14	2.1	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Small Intestine										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,682	3.3	0.08	3.1	3.4	197	1.4	0.10	1.2	1.6
1986	22	2.0	0.44	1.3	3.0	1	0.3	0.32	0.0	3.2
1987	19	1.7	0.39	1.0	2.6	2	1.4	1.00	0.2	5.1
1988	21	1.9	0.42	1.1	2.9	1	1.1	1.09	0.0	5.0
1989	20	1.6	0.37	1.0	2.5	2	1.3	0.92	0.2	4.6
1990	21	1.7	0.38	1.1	2.6	1	1.0	0.99	0.0	4.6
1991	30	2.4	0.45	1.6	3.5	1	0.4	0.39	0.0	2.7
1992	28	2.0	0.38	1.3	2.9	2	0.7	0.47	0.1	2.9
1993	25	1.9	0.38	1.2	2.8	2	0.5	0.38	0.1	2.5
1994	26	2.0	0.40	1.3	2.9	5	2.9	1.35	0.9	6.6
1995	34	2.7	0.48	1.9	3.8	2	0.7	0.50	0.1	2.7
1996	37	2.6	0.44	1.8	3.7	3	0.7	0.42	0.2	2.5
1997	39	2.8	0.46	2.0	3.8	2	0.8	0.63	0.1	3.0
1998	36	2.6	0.44	1.8	3.6	1	0.2	0.22	0.0	1.6
1999	33	2.3	0.41	1.6	3.3	7	2.2	0.92	0.8	4.8
2000	34	2.4	0.42	1.7	3.4	3	0.8	0.45	0.2	2.3
2001	44	3.1	0.47	2.2	4.1	4	1.4	0.71	0.4	3.5
2002	52	3.5	0.49	2.6	4.6	4	1.2	0.62	0.3	3.0
2003	41	2.8	0.44	2.0	3.7	4	1.0	0.54	0.2	2.6
2004	46	3.2	0.48	2.3	4.2	8	2.5	0.94	1.0	4.9
2005	48	3.1	0.46	2.3	4.2	7	1.2	0.47	0.5	2.6
2006	48	3.1	0.46	2.3	4.1	12	2.3	0.69	1.1	4.1
2007	57	3.4	0.46	2.6	4.5	5	1.2	0.56	0.3	2.7
2008	69	4.3	0.53	3.3	5.5	7	1.0	0.39	0.4	2.2
2009	67	4.1	0.51	3.1	5.2	6	1.6	0.67	0.6	3.4
2010	74	4.4	0.53	3.4	5.6	11	1.7	0.56	0.8	3.2
2011	66	3.7	0.46	2.8	4.7	15	2.6	0.71	1.4	4.4
2012	70	3.9	0.48	3.1	5.0	12	1.9	0.58	0.9	3.4
2013	79	4.2	0.49	3.3	5.3	3	0.6	0.35	0.1	1.7
2014	76	4.2	0.49	3.3	5.2	5	0.6	0.27	0.2	1.5
2015	77	4.2	0.48	3.3	5.2	9	1.2	0.41	0.5	2.3
2016	85	4.4	0.49	3.5	5.5	8	1.1	0.40	0.5	2.2
2017	87	4.6	0.50	3.7	5.7	11	1.5	0.46	0.7	2.7
2018	90	4.6	0.50	3.7	5.7	12	1.4	0.42	0.7	2.5
2019	81	4.1	0.47	3.3	5.1	19	2.2	0.51	1.3	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Small Intestine										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,664	2.5	0.04	2.4	2.6	3,696	2.3	0.04	2.2	2.4
1986	69	1.7	0.21	1.3	2.2	56	1.6	0.22	1.2	2.1
1987	75	1.7	0.20	1.3	2.2	62	1.6	0.21	1.2	2.1
1988	66	1.4	0.18	1.1	1.8	56	1.4	0.19	1.0	1.8
1989	73	1.5	0.18	1.2	1.9	61	1.5	0.19	1.1	1.9
1990	74	1.6	0.20	1.3	2.1	67	1.7	0.21	1.3	2.2
1991	72	1.6	0.19	1.2	2.0	58	1.4	0.19	1.1	1.9
1992	76	1.6	0.18	1.2	2.0	62	1.5	0.19	1.1	1.9
1993	99	2.1	0.21	1.7	2.5	85	2.1	0.23	1.6	2.6
1994	81	1.7	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1995	92	1.9	0.20	1.5	2.3	72	1.7	0.20	1.3	2.1
1996	93	1.9	0.20	1.5	2.4	71	1.7	0.21	1.3	2.2
1997	87	1.7	0.19	1.4	2.1	69	1.6	0.19	1.2	2.0
1998	118	2.3	0.21	1.9	2.8	91	2.1	0.22	1.7	2.5
1999	116	2.2	0.21	1.9	2.7	92	2.1	0.22	1.7	2.5
2000	106	2.1	0.21	1.7	2.6	83	1.9	0.21	1.5	2.4
2001	124	2.4	0.22	2.0	2.9	99	2.3	0.23	1.8	2.8
2002	135	2.5	0.22	2.1	3.0	108	2.4	0.23	1.9	2.8
2003	121	2.3	0.21	1.9	2.8	92	2.1	0.22	1.7	2.5
2004	140	2.5	0.22	2.1	3.0	111	2.4	0.23	1.9	2.8
2005	151	2.7	0.22	2.3	3.2	125	2.6	0.24	2.2	3.1
2006	136	2.4	0.21	2.0	2.9	111	2.3	0.22	1.9	2.8
2007	146	2.5	0.21	2.1	3.0	119	2.4	0.23	2.0	2.9
2008	151	2.6	0.22	2.2	3.1	114	2.3	0.22	1.9	2.8
2009	185	3.1	0.23	2.6	3.6	146	2.9	0.24	2.4	3.4
2010	184	3.1	0.23	2.7	3.6	141	2.9	0.25	2.4	3.4
2011	176	2.8	0.22	2.4	3.2	143	2.7	0.23	2.3	3.2
2012	218	3.5	0.24	3.0	4.0	168	3.2	0.25	2.7	3.7
2013	177	2.7	0.21	2.3	3.2	139	2.6	0.22	2.1	3.0
2014	194	3.0	0.22	2.6	3.5	145	2.7	0.23	2.3	3.2
2015	232	3.5	0.24	3.1	4.0	192	3.5	0.26	3.0	4.0
2016	228	3.3	0.23	2.9	3.8	176	3.1	0.24	2.7	3.7
2017	224	3.3	0.22	2.8	3.7	176	3.1	0.24	2.6	3.6
2018	234	3.4	0.23	3.0	3.9	182	3.2	0.24	2.7	3.7
2019	211	3.0	0.21	2.6	3.4	155	2.6	0.22	2.2	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Small Intestine										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	824	3.8	0.14	3.6	4.1	110	1.8	0.19	1.5	2.2
1986	11	2.3	0.73	1.1	4.2	1	0.7	0.68	0.0	7.5
1987	12	2.6	0.80	1.3	4.6	1	1.9	1.94	0.1	10.1
1988	8	1.5	0.54	0.6	3.0	1	2.7	2.65	0.1	12.0
1989	11	1.7	0.52	0.8	3.1	1	1.8	1.78	0.1	9.1
1990	7	1.4	0.54	0.5	2.9	0				
1991	14	3.0	0.85	1.6	5.1	0				
1992	13	1.9	0.56	1.0	3.4	1	0.6	0.62	0.0	5.4
1993	13	2.4	0.66	1.2	4.0	1	0.6	0.56	0.0	5.0
1994	10	1.8	0.60	0.8	3.4	2	3.0	2.32	0.3	10.3
1995	19	4.1	1.01	2.3	6.4	1	0.6	0.61	0.0	4.7
1996	20	3.2	0.74	2.0	5.0	2	1.1	0.75	0.1	5.0
1997	16	2.6	0.66	1.5	4.3	2	1.9	1.52	0.2	7.2
1998	26	4.5	0.90	2.9	6.6	0				
1999	20	3.5	0.83	2.1	5.5	3	1.4	0.80	0.3	4.9
2000	20	3.4	0.79	2.1	5.3	2	1.1	0.81	0.1	4.5
2001	23	4.2	0.91	2.6	6.3	2	2.0	1.40	0.2	6.5
2002	21	3.5	0.81	2.1	5.4	4	2.7	1.47	0.6	7.1
2003	25	3.9	0.83	2.5	5.9	2	0.8	0.56	0.1	3.4
2004	28	5.0	0.99	3.2	7.2	1	0.4	0.37	0.0	2.7
2005	22	3.5	0.78	2.1	5.3	4	1.4	0.71	0.4	4.0
2006	19	3.0	0.72	1.7	4.7	5	1.9	0.90	0.6	4.8
2007	23	3.2	0.68	2.0	4.8	3	1.5	0.93	0.2	4.4
2008	33	5.0	0.90	3.4	7.1	4	1.2	0.62	0.3	3.5
2009	33	5.0	0.91	3.4	7.1	5	2.8	1.32	0.9	6.5
2010	36	5.3	0.93	3.6	7.4	5	2.1	1.13	0.5	5.4
2011	23	2.9	0.63	1.8	4.4	9	3.4	1.20	1.5	6.6
2012	42	5.9	0.95	4.2	8.1	7	2.5	1.06	0.9	5.4
2013	35	4.7	0.82	3.2	6.6	2	0.7	0.55	0.1	2.6
2014	43	5.6	0.89	4.0	7.6	2	0.5	0.35	0.1	2.0
2015	33	4.2	0.75	2.8	5.9	4	1.3	0.67	0.3	3.3
2016	42	5.2	0.84	3.7	7.1	7	2.1	0.84	0.8	4.4
2017	40	5.0	0.82	3.5	6.9	8	2.6	0.92	1.1	5.0
2018	42	5.0	0.81	3.6	6.9	7	2.0	0.77	0.7	4.1
2019	41	4.7	0.76	3.4	6.5	11	3.1	0.95	1.5	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Small Intestine										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,247	1.8	0.03	1.7	1.8	3,278	1.6	0.03	1.6	1.7
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	47	0.8	0.11	0.6	1.0	39	0.7	0.12	0.5	1.0
1988	69	1.1	0.14	0.9	1.4	56	1.0	0.14	0.8	1.4
1989	72	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1990	66	1.1	0.14	0.8	1.4	51	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1992	80	1.3	0.15	1.0	1.6	64	1.2	0.15	0.9	1.5
1993	83	1.3	0.15	1.0	1.6	70	1.3	0.15	1.0	1.6
1994	91	1.4	0.15	1.1	1.7	72	1.2	0.15	1.0	1.6
1995	73	1.1	0.13	0.9	1.4	57	1.0	0.14	0.8	1.3
1996	91	1.4	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1997	98	1.5	0.15	1.2	1.8	75	1.3	0.15	1.0	1.6
1998	98	1.5	0.15	1.2	1.8	87	1.5	0.16	1.2	1.9
1999	96	1.4	0.14	1.1	1.7	79	1.3	0.15	1.1	1.7
2000	105	1.6	0.15	1.3	1.9	90	1.6	0.17	1.3	2.0
2001	113	1.7	0.16	1.4	2.0	89	1.6	0.17	1.2	1.9
2002	134	2.0	0.17	1.6	2.3	103	1.8	0.18	1.5	2.2
2003	89	1.3	0.13	1.0	1.6	71	1.2	0.14	0.9	1.5
2004	110	1.6	0.15	1.3	1.9	85	1.4	0.16	1.1	1.8
2005	130	1.8	0.16	1.5	2.1	101	1.7	0.17	1.4	2.0
2006	126	1.8	0.16	1.5	2.2	88	1.5	0.16	1.2	1.9
2007	159	2.2	0.18	1.9	2.6	123	2.1	0.19	1.7	2.5
2008	160	2.2	0.18	1.9	2.6	120	2.0	0.19	1.7	2.4
2009	158	2.1	0.17	1.8	2.5	121	2.0	0.18	1.6	2.4
2010	162	2.1	0.17	1.8	2.5	118	1.9	0.18	1.5	2.2
2011	181	2.4	0.18	2.1	2.8	130	2.1	0.19	1.8	2.5
2012	171	2.1	0.17	1.8	2.5	138	2.1	0.18	1.8	2.5
2013	206	2.6	0.19	2.3	3.0	160	2.5	0.20	2.1	3.0
2014	186	2.4	0.18	2.1	2.8	146	2.4	0.20	2.0	2.8
2015	190	2.3	0.17	2.0	2.7	141	2.1	0.18	1.7	2.4
2016	182	2.3	0.17	2.0	2.7	133	2.0	0.18	1.7	2.4
2017	187	2.4	0.18	2.0	2.8	137	2.2	0.19	1.8	2.6
2018	212	2.6	0.18	2.3	3.0	156	2.4	0.19	2.0	2.8
2019	190	2.3	0.17	2.0	2.7	139	2.1	0.19	1.8	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Small Intestine										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	858	2.9	0.10	2.7	3.0	87	1.1	0.12	0.8	1.3
1986	11	1.8	0.53	0.9	3.1	0				
1987	7	1.0	0.38	0.4	2.1	1	1.0	1.01	0.0	6.4
1988	13	2.0	0.57	1.1	3.5	0				
1989	9	1.4	0.48	0.7	2.7	1	1.0	0.97	0.0	5.9
1990	14	2.0	0.54	1.1	3.4	1	1.7	1.66	0.0	7.8
1991	16	2.1	0.54	1.2	3.5	1	0.8	0.79	0.0	5.0
1992	15	2.0	0.51	1.1	3.2	1	0.7	0.72	0.0	4.6
1993	12	1.6	0.46	0.8	2.8	1	0.5	0.50	0.0	3.9
1994	16	2.1	0.53	1.2	3.4	3	2.8	1.67	0.6	8.0
1995	15	2.0	0.52	1.1	3.3	1	0.7	0.71	0.0	4.0
1996	17	2.1	0.52	1.2	3.4	1	0.4	0.43	0.0	3.1
1997	23	2.9	0.60	1.8	4.3	0				
1998	10	1.2	0.39	0.6	2.2	1	0.4	0.41	0.0	2.9
1999	13	1.6	0.44	0.8	2.7	4	2.7	1.43	0.7	6.9
2000	14	1.7	0.45	0.9	2.8	1	0.5	0.46	0.0	2.8
2001	21	2.4	0.53	1.5	3.7	2	1.1	0.75	0.1	3.7
2002	31	3.5	0.64	2.4	5.0	0				
2003	16	1.9	0.47	1.1	3.0	2	1.0	0.77	0.1	3.7
2004	18	2.0	0.48	1.2	3.2	7	3.9	1.53	1.5	7.9
2005	26	2.9	0.57	1.9	4.2	3	1.0	0.60	0.2	3.2
2006	29	3.2	0.60	2.1	4.6	7	2.6	1.00	1.0	5.4
2007	34	3.5	0.61	2.4	5.0	2	0.9	0.68	0.1	3.2
2008	36	3.8	0.64	2.7	5.3	3	0.8	0.48	0.2	2.6
2009	34	3.5	0.60	2.4	4.9	1	0.6	0.56	0.0	2.6
2010	38	3.8	0.63	2.7	5.3	6	1.6	0.65	0.6	3.6
2011	43	4.2	0.65	3.0	5.7	6	1.9	0.79	0.7	4.1
2012	28	2.6	0.50	1.7	3.8	5	1.4	0.67	0.4	3.4
2013	44	4.0	0.61	2.9	5.4	1	0.4	0.41	0.0	2.0
2014	33	3.1	0.56	2.1	4.4	3	0.7	0.40	0.1	2.1
2015	44	4.1	0.63	3.0	5.6	5	1.1	0.51	0.4	2.7
2016	43	4.0	0.62	2.9	5.4	1	0.3	0.25	0.0	1.4
2017	47	4.4	0.65	3.2	5.8	3	0.6	0.36	0.1	1.9
2018	48	4.2	0.62	3.1	5.6	5	1.1	0.48	0.4	2.6
2019	40	3.6	0.57	2.5	4.9	8	1.5	0.54	0.7	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon and Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	226,787	52.9	0.11	52.7	53.2	191,245	52.3	0.12	52.0	52.5
1986	6,475	61.7	0.78	60.2	63.3	5,792	61.9	0.82	60.3	63.5
1987	6,703	63.1	0.78	61.6	64.7	6,009	63.6	0.83	62.0	65.2
1988	6,653	62.3	0.77	60.8	63.8	5,872	61.9	0.82	60.3	63.5
1989	6,405	59.6	0.75	58.1	61.1	5,678	59.5	0.80	57.9	61.1
1990	6,635	61.2	0.76	59.7	62.7	5,879	61.1	0.80	59.5	62.7
1991	6,572	59.8	0.74	58.4	61.3	5,829	59.9	0.79	58.4	61.5
1992	6,569	59.0	0.73	57.5	60.4	5,856	59.5	0.78	58.0	61.1
1993	6,594	58.4	0.72	57.0	59.9	5,777	58.1	0.77	56.6	59.6
1994	6,832	60.0	0.73	58.6	61.5	5,988	59.8	0.78	58.3	61.3
1995	6,713	58.6	0.72	57.2	60.0	5,803	57.8	0.76	56.3	59.3
1996	6,803	58.9	0.72	57.5	60.3	5,888	58.3	0.76	56.8	59.8
1997	7,051	60.5	0.72	59.1	62.0	6,065	59.7	0.77	58.2	61.2
1998	7,372	62.6	0.73	61.2	64.0	6,309	61.5	0.78	60.0	63.1
1999	7,187	60.4	0.71	59.0	61.8	6,186	59.9	0.76	58.4	61.4
2000	7,328	61.1	0.71	59.7	62.5	6,259	60.3	0.76	58.9	61.9
2001	7,080	58.5	0.70	57.2	59.9	6,002	57.5	0.74	56.0	59.0
2002	7,278	59.7	0.70	58.3	61.0	6,121	58.4	0.75	56.9	59.9
2003	7,093	57.4	0.68	56.1	58.8	5,894	55.7	0.73	54.3	57.1
2004	7,200	57.8	0.68	56.4	59.1	6,032	56.7	0.73	55.3	58.1
2005	6,976	55.3	0.66	54.0	56.6	5,795	53.9	0.71	52.5	55.3
2006	7,042	55.1	0.66	53.8	56.4	5,800	53.5	0.71	52.1	54.9
2007	6,829	52.7	0.64	51.5	54.0	5,644	51.5	0.69	50.1	52.9
2008	6,718	51.0	0.63	49.8	52.2	5,502	49.6	0.67	48.2	50.9
2009	6,298	47.2	0.60	46.0	48.4	5,165	46.0	0.65	44.7	47.3
2010	6,365	46.8	0.59	45.7	48.0	5,155	45.3	0.64	44.0	46.5
2011	6,446	46.7	0.59	45.6	47.9	5,195	45.2	0.64	43.9	46.4
2012	6,181	43.9	0.57	42.8	45.1	4,986	42.5	0.61	41.3	43.7
2013	6,227	43.5	0.56	42.4	44.6	4,998	42.1	0.61	40.9	43.3
2014	6,215	42.7	0.55	41.6	43.8	4,992	41.4	0.60	40.2	42.6
2015	6,287	42.9	0.55	41.8	44.0	5,090	42.2	0.60	41.0	43.4
2016	6,472	43.7	0.56	42.7	44.8	5,185	42.7	0.61	41.5	43.9
2017	6,127	40.8	0.53	39.8	41.9	4,938	40.3	0.59	39.2	41.5
2018	6,178	40.9	0.53	39.9	42.0	4,907	39.8	0.58	38.7	41.0
2019	5,883	38.4	0.51	37.4	39.4	4,654	37.4	0.56	36.3	38.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon and Rectum										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	30,043	60.2	0.35	59.5	60.9	4,370	31.1	0.50	30.1	32.1
1986	636	60.7	2.50	55.9	65.8	41	33.2	6.23	22.2	47.3
1987	643	59.5	2.43	54.9	64.4	46	35.3	5.80	24.8	48.2
1988	715	65.8	2.54	60.9	71.0	52	42.5	6.69	30.4	57.2
1989	666	60.6	2.42	55.9	65.5	49	32.5	5.30	23.0	44.3
1990	700	63.6	2.48	58.8	68.6	50	36.1	5.82	25.6	48.9
1991	671	59.1	2.35	54.6	63.9	46	28.1	4.51	20.0	38.2
1992	639	54.2	2.21	50.0	58.7	55	32.1	4.92	23.2	42.9
1993	736	63.0	2.39	58.4	67.9	72	36.3	4.81	27.5	46.8
1994	760	63.4	2.36	58.9	68.2	70	33.0	4.40	24.9	42.6
1995	806	65.7	2.37	61.1	70.5	90	41.2	4.83	32.3	51.6
1996	802	64.2	2.32	59.8	68.9	102	45.4	5.08	36.0	56.3
1997	876	69.6	2.40	64.9	74.4	90	34.5	4.04	27.1	43.2
1998	942	73.2	2.43	68.5	78.1	95	38.1	4.37	30.0	47.4
1999	861	64.2	2.23	59.9	68.7	111	40.9	4.39	32.7	50.2
2000	921	67.3	2.26	62.9	71.9	120	40.4	4.07	32.8	49.0
2001	937	68.0	2.26	63.6	72.5	111	33.0	3.43	26.6	40.3
2002	997	71.2	2.30	66.8	75.8	123	38.6	3.78	31.6	46.6
2003	1,036	72.4	2.30	68.0	77.0	122	33.4	3.26	27.3	40.3
2004	1,020	69.0	2.20	64.7	73.4	121	31.3	3.10	25.6	37.9
2005	986	66.0	2.14	61.8	70.3	154	36.4	3.16	30.4	43.0
2006	1,039	67.8	2.15	63.7	72.1	165	36.8	3.09	31.0	43.4
2007	990	63.0	2.05	59.1	67.2	161	34.7	2.96	29.2	41.0
2008	1,011	63.3	2.04	59.3	67.4	168	33.6	2.81	28.3	39.5
2009	953	58.1	1.93	54.3	61.9	136	27.2	2.53	22.5	32.6
2010	999	60.2	1.95	56.4	64.1	170	32.4	2.67	27.4	38.1
2011	1,049	60.4	1.91	56.7	64.2	159	28.0	2.37	23.5	32.9
2012	947	54.4	1.81	51.0	58.1	206	33.9	2.50	29.2	39.1
2013	996	55.1	1.79	51.6	58.7	192	28.1	2.14	24.1	32.6
2014	972	53.2	1.75	49.8	56.7	180	26.1	2.03	22.3	30.4
2015	942	50.1	1.67	46.8	53.4	207	28.0	2.02	24.2	32.3
2016	1,004	52.8	1.71	49.5	56.3	228	29.1	1.98	25.4	33.2
2017	913	47.1	1.60	44.0	50.3	226	28.2	1.92	24.6	32.2
2018	970	49.9	1.64	46.7	53.2	222	26.5	1.81	23.1	30.3
2019	908	45.8	1.55	42.8	48.9	230	25.8	1.72	22.5	29.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon and Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	114,452	62.7	0.19	62.3	63.0	97,010	62.0	0.20	61.6	62.4
1986	3,177	75.1	1.39	72.4	77.9	2,872	76.2	1.48	73.3	79.2
1987	3,289	76.6	1.39	73.9	79.3	2,958	77.4	1.48	74.6	80.4
1988	3,282	76.3	1.39	73.6	79.1	2,908	76.1	1.47	73.3	79.1
1989	3,129	72.0	1.34	69.4	74.7	2,787	72.2	1.42	69.5	75.0
1990	3,265	74.4	1.35	71.8	77.1	2,899	74.4	1.43	71.7	77.3
1991	3,281	73.9	1.33	71.3	76.5	2,938	74.8	1.42	72.1	77.7
1992	3,344	74.3	1.32	71.7	76.9	2,990	75.2	1.41	72.5	78.1
1993	3,241	70.8	1.28	68.3	73.4	2,843	70.5	1.36	67.8	73.2
1994	3,255	70.4	1.27	67.9	72.9	2,874	70.5	1.35	67.9	73.2
1995	3,263	70.2	1.26	67.7	72.7	2,821	69.3	1.33	66.7	71.9
1996	3,288	69.9	1.24	67.4	72.3	2,862	69.6	1.33	67.1	72.3
1997	3,479	73.0	1.26	70.5	75.5	3,009	72.4	1.34	69.8	75.0
1998	3,617	74.9	1.27	72.5	77.5	3,117	74.1	1.34	71.5	76.8
1999	3,607	73.7	1.25	71.3	76.2	3,125	73.5	1.33	70.9	76.2
2000	3,691	74.1	1.24	71.7	76.6	3,168	73.5	1.32	70.9	76.1
2001	3,529	70.6	1.21	68.2	73.0	3,025	70.1	1.29	67.6	72.6
2002	3,675	72.0	1.21	69.7	74.4	3,126	71.1	1.28	68.6	73.6
2003	3,633	70.0	1.18	67.7	72.4	3,056	68.6	1.25	66.2	71.1
2004	3,620	68.6	1.16	66.4	70.9	3,048	67.5	1.24	65.1	70.0
2005	3,510	65.3	1.12	63.1	67.5	2,931	63.7	1.19	61.4	66.1
2006	3,534	64.6	1.11	62.5	66.8	2,925	62.8	1.18	60.5	65.1
2007	3,466	62.2	1.08	60.1	64.4	2,879	60.8	1.15	58.6	63.1
2008	3,420	59.9	1.04	57.9	62.0	2,792	57.8	1.11	55.6	60.0
2009	3,213	55.2	0.99	53.3	57.2	2,618	53.2	1.06	51.1	55.3
2010	3,328	56.0	0.99	54.1	58.0	2,730	54.3	1.06	52.3	56.4
2011	3,323	54.5	0.97	52.7	56.5	2,713	53.1	1.04	51.1	55.2
2012	3,245	52.2	0.94	50.4	54.1	2,644	50.6	1.00	48.6	52.6
2013	3,244	50.9	0.92	49.1	52.7	2,608	49.0	0.98	47.1	50.9
2014	3,263	50.1	0.90	48.3	51.9	2,632	48.4	0.97	46.5	50.3
2015	3,351	50.8	0.90	49.0	52.5	2,735	49.8	0.98	48.0	51.8
2016	3,343	49.7	0.88	48.0	51.4	2,705	48.4	0.95	46.5	50.3
2017	3,228	47.5	0.86	45.8	49.2	2,626	46.7	0.93	44.9	48.5
2018	3,208	46.6	0.84	44.9	48.3	2,568	45.3	0.92	43.5	47.1
2019	3,111	44.4	0.82	42.8	46.0	2,478	43.0	0.89	41.2	44.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon and Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	14,421	71.3	0.63	70.1	72.5	2,397	38.0	0.85	36.3	39.7
1986	283	66.6	4.27	58.5	75.5	21	36.2	9.42	20.2	58.7
1987	304	70.6	4.35	62.3	79.5	26	43.9	9.94	26.6	67.0
1988	337	78.3	4.57	69.6	87.6	31	58.9	12.09	37.6	86.3
1989	315	72.8	4.40	64.4	81.9	20	37.2	9.24	21.4	58.8
1990	330	76.0	4.48	67.5	85.2	33	54.6	11.25	34.8	80.1
1991	311	68.0	4.12	60.1	76.5	19	27.5	6.83	15.8	43.8
1992	312	67.9	4.12	60.0	76.3	32	38.7	7.85	24.9	56.8
1993	355	76.2	4.34	67.9	85.1	39	44.5	8.24	29.8	63.1
1994	342	73.6	4.27	65.4	82.3	33	32.1	6.26	21.0	46.5
1995	387	80.0	4.33	71.7	88.9	45	45.4	7.50	31.9	62.2
1996	361	70.0	3.90	62.6	78.0	60	57.6	8.87	41.6	77.2
1997	405	78.7	4.16	70.7	87.2	54	53.0	8.47	37.7	71.7
1998	444	85.8	4.32	77.6	94.7	47	43.6	7.66	29.9	60.7
1999	402	76.3	4.03	68.6	84.6	61	53.5	8.54	38.1	72.3
2000	447	81.9	4.09	74.1	90.2	63	45.2	6.63	33.2	59.8
2001	424	76.0	3.90	68.6	84.0	63	42.3	6.13	31.2	55.8
2002	467	84.5	4.15	76.6	93.0	63	48.1	6.89	35.6	63.2
2003	496	85.5	4.06	77.8	93.8	60	39.0	5.80	28.5	51.7
2004	489	81.2	3.88	73.8	89.2	67	41.7	5.83	31.1	54.5
2005	470	79.3	3.88	71.9	87.2	84	44.0	5.43	34.0	55.8
2006	506	81.4	3.81	74.1	89.2	85	43.9	5.35	34.0	55.4
2007	476	74.7	3.62	67.8	82.1	89	43.9	5.26	34.2	55.2
2008	502	77.4	3.66	70.4	84.9	100	46.0	5.22	36.4	57.3
2009	498	74.8	3.55	68.0	82.1	72	31.2	4.13	23.7	40.2
2010	487	71.8	3.44	65.3	78.9	90	39.6	4.63	31.1	49.6
2011	505	69.4	3.25	63.2	76.1	81	31.7	3.90	24.5	40.2
2012	459	65.0	3.19	58.9	71.5	117	41.6	4.14	33.9	50.4
2013	499	67.0	3.16	61.0	73.5	107	34.0	3.56	27.4	41.7
2014	499	66.4	3.12	60.4	72.8	99	30.9	3.32	24.7	38.0
2015	466	60.9	2.96	55.2	66.9	121	35.6	3.42	29.3	42.9
2016	487	62.2	2.94	56.5	68.2	126	35.4	3.28	29.3	42.4
2017	441	56.2	2.79	50.9	61.9	127	35.5	3.27	29.4	42.5
2018	461	56.7	2.74	51.5	62.3	131	33.5	3.01	27.9	39.9
2019	454	54.9	2.67	49.8	60.4	131	31.3	2.78	26.1	37.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon and Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	112,335	45.7	0.14	45.4	46.0	94,235	44.9	0.15	44.6	45.1
1986	3,298	53.0	0.93	51.2	54.9	2,920	52.4	0.99	50.5	54.4
1987	3,414	54.4	0.94	52.5	56.2	3,051	54.4	1.00	52.5	56.4
1988	3,371	52.9	0.92	51.1	54.7	2,964	52.1	0.97	50.2	54.0
1989	3,276	51.5	0.91	49.7	53.3	2,891	50.9	0.96	49.1	52.9
1990	3,370	52.3	0.91	50.6	54.1	2,980	52.0	0.97	50.2	54.0
1991	3,291	50.5	0.89	48.8	52.3	2,891	50.0	0.94	48.2	51.9
1992	3,225	48.8	0.87	47.1	50.5	2,866	48.9	0.93	47.1	50.7
1993	3,353	50.0	0.87	48.3	51.7	2,934	49.6	0.93	47.8	51.4
1994	3,577	52.9	0.89	51.2	54.7	3,114	52.2	0.95	50.4	54.1
1995	3,450	50.8	0.87	49.1	52.5	2,982	50.0	0.93	48.2	51.8
1996	3,515	51.2	0.87	49.5	53.0	3,026	50.3	0.93	48.5	52.2
1997	3,572	51.7	0.87	50.0	53.5	3,056	50.7	0.93	48.9	52.6
1998	3,755	54.1	0.89	52.3	55.8	3,192	52.8	0.95	51.0	54.7
1999	3,580	51.1	0.86	49.5	52.9	3,061	50.3	0.92	48.5	52.1
2000	3,637	51.6	0.86	49.9	53.3	3,091	50.5	0.92	48.7	52.4
2001	3,551	50.1	0.85	48.4	51.8	2,977	48.6	0.90	46.9	50.4
2002	3,603	50.6	0.85	48.9	52.3	2,995	48.8	0.90	47.0	50.6
2003	3,460	48.3	0.83	46.7	50.0	2,838	46.2	0.88	44.4	47.9
2004	3,580	49.5	0.84	47.9	51.2	2,984	48.3	0.90	46.5	50.0
2005	3,466	47.7	0.82	46.1	49.3	2,864	46.2	0.88	44.5	47.9
2006	3,508	48.0	0.82	46.4	49.7	2,875	46.4	0.88	44.7	48.1
2007	3,363	45.5	0.80	44.0	47.1	2,765	44.3	0.86	42.6	46.0
2008	3,298	44.2	0.78	42.7	45.8	2,710	43.2	0.85	41.6	44.9
2009	3,085	41.0	0.75	39.6	42.5	2,547	40.4	0.82	38.8	42.0
2010	3,037	39.6	0.73	38.2	41.1	2,425	37.9	0.79	36.4	39.5
2011	3,123	40.2	0.73	38.8	41.7	2,482	38.4	0.79	36.9	40.0
2012	2,936	37.4	0.70	36.0	38.8	2,342	35.9	0.76	34.4	37.5
2013	2,983	37.6	0.70	36.2	39.0	2,390	36.5	0.77	35.0	38.0
2014	2,952	36.8	0.69	35.4	38.2	2,360	35.6	0.75	34.2	37.2
2015	2,936	36.4	0.69	35.1	37.8	2,355	35.6	0.76	34.2	37.2
2016	3,129	39.0	0.72	37.6	40.4	2,480	38.0	0.79	36.5	39.6
2017	2,899	35.4	0.68	34.0	36.7	2,312	34.8	0.75	33.4	36.3
2018	2,970	36.0	0.68	34.6	37.3	2,339	35.0	0.75	33.5	36.5
2019	2,772	33.4	0.65	32.1	34.7	2,176	32.6	0.73	31.2	34.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon and Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	15,622	53.0	0.43	52.1	53.8	1,973	25.7	0.60	24.5	26.9
1986	353	57.0	3.10	51.1	63.4	20	30.6	8.18	16.8	50.0
1987	339	52.8	2.93	47.2	58.8	20	28.5	6.92	16.6	44.9
1988	378	58.3	3.05	52.4	64.5	21	30.7	7.59	17.7	48.5
1989	351	53.4	2.90	47.9	59.4	29	30.8	6.48	19.4	45.9
1990	370	56.0	2.96	50.3	62.1	17	22.2	5.91	12.2	36.3
1991	360	53.2	2.85	47.8	59.1	27	28.8	6.03	18.3	42.8
1992	327	46.3	2.59	41.3	51.6	23	26.5	6.19	15.8	40.9
1993	381	54.6	2.83	49.2	60.4	33	29.9	5.75	19.7	43.0
1994	418	58.1	2.87	52.6	63.9	37	32.9	5.96	22.3	46.4
1995	419	56.8	2.80	51.4	62.5	45	37.5	6.15	26.4	51.2
1996	441	59.6	2.87	54.1	65.5	42	35.7	5.99	24.9	49.0
1997	471	62.7	2.92	57.1	68.7	36	22.3	3.94	15.3	31.4
1998	498	64.7	2.93	59.1	70.7	48	34.3	5.32	24.7	46.1
1999	459	57.0	2.68	51.9	62.5	50	32.9	4.98	23.9	44.0
2000	474	58.0	2.68	52.9	63.5	57	36.0	5.09	26.7	47.2
2001	513	62.3	2.77	57.0	68.0	48	25.9	3.99	18.7	34.8
2002	530	63.1	2.76	57.8	68.7	60	32.3	4.41	24.2	41.9
2003	540	63.5	2.75	58.2	69.1	62	30.1	4.01	22.8	39.0
2004	531	60.7	2.65	55.6	66.1	54	24.3	3.49	18.0	32.0
2005	516	57.9	2.57	53.0	63.2	70	30.3	3.82	23.3	38.7
2006	533	58.8	2.57	53.8	64.0	80	31.7	3.74	24.8	39.9
2007	514	55.5	2.47	50.8	60.6	72	28.0	3.49	21.6	35.6
2008	509	54.0	2.42	49.4	59.0	68	24.2	3.11	18.5	31.0
2009	455	47.3	2.24	43.0	51.9	64	23.5	3.12	17.8	30.4
2010	512	52.1	2.33	47.6	56.8	80	26.9	3.17	21.0	33.8
2011	544	53.6	2.33	49.1	58.4	78	25.2	2.98	19.7	31.7
2012	488	47.5	2.18	43.4	52.0	89	27.4	3.04	21.8	34.0
2013	497	47.2	2.15	43.0	51.6	85	23.3	2.64	18.4	29.0
2014	473	44.6	2.08	40.6	48.9	81	22.0	2.52	17.4	27.5
2015	476	43.5	2.03	39.6	47.7	86	21.7	2.41	17.2	26.9
2016	517	46.8	2.09	42.7	51.0	102	24.2	2.45	19.6	29.5
2017	472	41.6	1.95	37.8	45.6	99	22.5	2.30	18.2	27.4
2018	509	44.9	2.03	41.0	49.1	91	20.5	2.18	16.5	25.2
2019	454	39.4	1.89	35.8	43.3	99	21.0	2.14	17.0	25.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon excluding Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	164,010	38.3	0.10	38.2	38.5	137,667	37.6	0.10	37.4	37.8
1986	4,687	44.9	0.66	43.6	46.3	4,163	44.7	0.70	43.3	46.1
1987	4,852	45.8	0.67	44.6	47.2	4,342	46.1	0.71	44.7	47.5
1988	4,857	45.6	0.66	44.3	46.9	4,254	44.9	0.69	43.5	46.3
1989	4,680	43.6	0.64	42.3	44.9	4,130	43.3	0.68	41.9	44.6
1990	4,860	44.9	0.65	43.7	46.2	4,271	44.4	0.69	43.1	45.8
1991	4,721	43.1	0.63	41.8	44.3	4,185	43.1	0.67	41.8	44.4
1992	4,754	42.7	0.62	41.5	43.9	4,207	42.7	0.66	41.4	44.0
1993	4,811	42.7	0.62	41.5	43.9	4,208	42.3	0.65	41.0	43.6
1994	5,113	45.0	0.63	43.8	46.2	4,454	44.5	0.67	43.2	45.8
1995	4,882	42.6	0.61	41.4	43.8	4,170	41.4	0.64	40.2	42.7
1996	5,000	43.3	0.61	42.1	44.5	4,294	42.4	0.65	41.1	43.7
1997	5,136	44.1	0.62	42.9	45.3	4,399	43.1	0.65	41.9	44.4
1998	5,422	46.0	0.62	44.8	47.2	4,582	44.5	0.66	43.3	45.8
1999	5,275	44.3	0.61	43.1	45.5	4,494	43.4	0.65	42.1	44.7
2000	5,418	45.2	0.61	44.0	46.4	4,593	44.1	0.65	42.9	45.4
2001	5,239	43.3	0.60	42.1	44.5	4,403	42.0	0.63	40.8	43.3
2002	5,259	43.1	0.59	41.9	44.3	4,377	41.6	0.63	40.4	42.8
2003	5,234	42.4	0.59	41.2	43.6	4,325	40.8	0.62	39.5	42.0
2004	5,237	42.1	0.58	40.9	43.2	4,377	41.1	0.62	39.8	42.3
2005	5,030	39.9	0.57	38.8	41.1	4,165	38.7	0.60	37.5	39.9
2006	5,108	40.1	0.57	39.0	41.3	4,192	38.7	0.60	37.5	39.9
2007	4,986	38.6	0.55	37.5	39.7	4,120	37.5	0.59	36.4	38.7
2008	4,775	36.4	0.53	35.4	37.5	3,890	35.1	0.57	34.0	36.2
2009	4,538	34.2	0.51	33.2	35.2	3,711	33.1	0.55	32.0	34.2
2010	4,501	33.3	0.50	32.3	34.3	3,607	31.7	0.54	30.7	32.8
2011	4,627	33.7	0.50	32.8	34.7	3,731	32.5	0.54	31.5	33.6
2012	4,398	31.4	0.48	30.5	32.4	3,542	30.2	0.52	29.2	31.3
2013	4,416	30.9	0.47	30.0	31.9	3,535	29.8	0.51	28.8	30.8
2014	4,413	30.4	0.47	29.5	31.3	3,515	29.2	0.50	28.2	30.2
2015	4,461	30.5	0.47	29.6	31.4	3,610	29.9	0.51	28.9	30.9
2016	4,594	31.1	0.47	30.2	32.1	3,694	30.5	0.51	29.5	31.5
2017	4,298	28.6	0.45	27.8	29.5	3,485	28.4	0.49	27.4	29.3
2018	4,327	28.6	0.44	27.7	29.5	3,403	27.5	0.48	26.5	28.5
2019	4,101	26.7	0.43	25.9	27.5	3,239	25.8	0.47	24.9	26.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon excluding Rectum										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	22,953	46.4	0.31	45.8	47.1	2,705	19.8	0.40	19.0	20.6
1986	493	47.4	2.22	43.2	51.9	26	23.1	5.41	13.8	35.6
1987	479	44.6	2.11	40.6	49.0	27	19.7	4.20	12.3	29.4
1988	568	53.0	2.30	48.5	57.6	28	24.1	5.22	15.0	36.0
1989	511	46.8	2.13	42.7	51.1	32	20.1	4.01	13.0	29.3
1990	551	50.2	2.21	46.0	54.7	34	25.0	4.94	16.3	36.2
1991	497	44.0	2.03	40.1	48.1	21	14.4	3.42	8.5	22.4
1992	497	42.3	1.95	38.6	46.3	35	22.5	4.25	14.9	32.0
1993	556	47.5	2.07	43.5	51.7	43	22.9	3.96	15.8	31.8
1994	601	50.8	2.12	46.7	55.1	52	25.1	3.90	18.1	33.7
1995	645	53.0	2.14	48.9	57.4	57	26.7	3.88	19.6	35.2
1996	634	51.1	2.08	47.1	55.3	65	31.6	4.46	23.5	41.3
1997	667	53.3	2.11	49.2	57.5	55	21.7	3.20	15.9	28.8
1998	759	59.5	2.21	55.3	64.0	66	27.4	3.76	20.6	35.6
1999	680	51.1	2.00	47.2	55.1	79	29.6	3.73	22.8	37.7
2000	728	53.8	2.03	49.9	57.9	84	28.8	3.46	22.5	36.3
2001	739	54.1	2.03	50.2	58.2	75	21.4	2.72	16.4	27.4
2002	779	55.9	2.04	52.0	60.0	82	26.7	3.21	20.7	33.6
2003	807	57.0	2.05	53.1	61.1	76	20.9	2.58	16.1	26.5
2004	773	53.0	1.94	49.2	56.9	72	19.3	2.48	14.7	24.7
2005	749	50.9	1.90	47.3	54.8	90	21.8	2.46	17.3	27.1
2006	797	52.5	1.90	48.9	56.4	96	20.7	2.29	16.5	25.6
2007	753	48.6	1.81	45.1	52.3	90	20.2	2.29	16.0	25.1
2008	762	48.3	1.79	44.8	51.9	103	21.4	2.29	17.2	26.3
2009	716	44.4	1.70	41.1	47.9	81	17.0	2.04	13.2	21.4
2010	765	46.7	1.73	43.3	50.2	100	19.7	2.11	15.7	24.2
2011	775	45.4	1.67	42.1	48.7	92	16.3	1.81	12.9	20.2
2012	701	41.1	1.59	38.1	44.3	131	22.5	2.08	18.6	26.9
2013	740	41.6	1.57	38.6	44.8	116	17.8	1.76	14.6	21.6
2014	742	40.9	1.54	38.0	44.1	108	15.9	1.60	12.9	19.3
2015	701	37.5	1.45	34.7	40.5	130	18.1	1.65	15.0	21.6
2016	729	38.7	1.47	35.9	41.7	137	17.7	1.55	14.7	21.0
2017	651	33.9	1.36	31.3	36.7	134	17.3	1.53	14.4	20.5
2018	734	37.9	1.43	35.2	40.8	149	18.0	1.50	15.2	21.2
2019	674	34.2	1.34	31.6	36.9	139	15.8	1.36	13.2	18.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon excluding Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	78,828	43.7	0.16	43.4	44.0	66,384	42.9	0.17	42.6	43.2
1986	2,226	53.3	1.18	51.0	55.7	2,004	53.8	1.25	51.4	56.3
1987	2,276	53.8	1.18	51.5	56.2	2,038	54.2	1.25	51.8	56.7
1988	2,269	53.2	1.16	51.0	55.6	1,989	52.5	1.22	50.1	54.9
1989	2,202	51.0	1.13	48.8	53.2	1,951	50.9	1.19	48.6	53.3
1990	2,296	52.7	1.14	50.5	55.0	2,019	52.2	1.20	49.8	54.6
1991	2,274	51.6	1.12	49.4	53.9	2,032	52.2	1.20	49.9	54.6
1992	2,343	52.7	1.12	50.5	54.9	2,074	52.8	1.19	50.5	55.2
1993	2,254	49.7	1.08	47.6	51.8	1,971	49.3	1.14	47.1	51.5
1994	2,333	51.2	1.09	49.0	53.3	2,046	50.8	1.15	48.6	53.2
1995	2,272	49.3	1.06	47.2	51.4	1,930	47.8	1.11	45.6	50.0
1996	2,290	49.3	1.05	47.2	51.4	1,968	48.4	1.11	46.3	50.6
1997	2,397	50.8	1.06	48.8	52.9	2,053	49.9	1.12	47.7	52.1
1998	2,520	52.6	1.07	50.6	54.8	2,134	51.1	1.12	49.0	53.4
1999	2,501	51.6	1.05	49.6	53.7	2,150	51.0	1.11	48.9	53.2
2000	2,585	52.6	1.05	50.5	54.7	2,201	51.6	1.11	49.4	53.8
2001	2,482	50.2	1.02	48.3	52.3	2,101	49.2	1.08	47.1	51.4
2002	2,519	50.0	1.01	48.1	52.0	2,111	48.6	1.07	46.5	50.7
2003	2,587	50.4	1.01	48.4	52.4	2,163	49.0	1.06	46.9	51.1
2004	2,485	47.8	0.97	45.9	49.7	2,099	47.1	1.04	45.1	49.2
2005	2,406	45.3	0.94	43.5	47.2	2,010	44.2	1.00	42.2	46.2
2006	2,454	45.6	0.94	43.8	47.5	2,022	44.0	0.99	42.1	46.0
2007	2,414	43.9	0.91	42.1	45.7	1,992	42.5	0.97	40.7	44.5
2008	2,296	40.8	0.87	39.1	42.6	1,851	38.8	0.91	37.0	40.6
2009	2,180	38.2	0.83	36.5	39.8	1,769	36.5	0.88	34.8	38.3
2010	2,240	38.4	0.83	36.8	40.0	1,808	36.6	0.88	34.9	38.4
2011	2,258	37.7	0.81	36.1	39.3	1,846	36.6	0.87	34.9	38.4
2012	2,183	35.8	0.78	34.3	37.4	1,772	34.5	0.84	32.8	36.1
2013	2,192	34.9	0.76	33.5	36.5	1,751	33.3	0.81	31.7	34.9
2014	2,229	34.7	0.75	33.2	36.2	1,781	33.2	0.80	31.6	34.8
2015	2,242	34.4	0.75	33.0	35.9	1,825	33.6	0.81	32.1	35.2
2016	2,280	34.3	0.74	32.9	35.8	1,841	33.3	0.80	31.8	34.9
2017	2,137	31.8	0.71	30.4	33.2	1,752	31.4	0.77	29.9	33.0
2018	2,134	31.2	0.69	29.9	32.6	1,686	29.9	0.75	28.4	31.4
2019	2,072	29.8	0.67	28.5	31.1	1,644	28.6	0.72	27.2	30.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon excluding Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	10,663	53.6	0.55	52.6	54.7	1,414	23.3	0.68	22.0	24.6
1986	210	50.7	3.78	43.6	58.6	11	23.8	8.51	10.1	45.0
1987	223	52.9	3.83	45.7	60.9	14	19.6	5.51	10.4	33.7
1988	258	61.4	4.09	53.7	69.9	17	35.3	10.07	18.4	59.2
1989	235	54.9	3.83	47.7	62.9	12	20.4	6.29	10.0	36.1
1990	251	58.4	3.94	50.9	66.5	24	39.4	9.59	22.9	61.7
1991	226	49.1	3.49	42.5	56.4	8	12.8	4.79	5.2	25.2
1992	241	52.7	3.64	45.9	60.3	19	25.8	6.78	14.3	42.0
1993	260	55.9	3.71	48.9	63.6	23	26.2	6.47	15.1	41.5
1994	260	57.3	3.82	50.0	65.2	25	26.3	5.89	16.0	40.1
1995	305	63.4	3.87	56.0	71.4	30	33.0	6.57	21.4	48.0
1996	284	56.1	3.54	49.4	63.5	36	38.8	7.75	25.1	56.3
1997	305	59.5	3.62	52.6	67.0	31	30.4	6.24	19.5	44.7
1998	353	68.7	3.88	61.3	76.6	28	27.6	6.22	16.8	41.9
1999	298	57.2	3.52	50.5	64.5	40	37.7	7.30	24.8	54.1
2000	337	63.2	3.64	56.2	70.7	44	32.8	5.85	22.3	45.9
2001	329	59.8	3.48	53.2	67.0	40	25.6	4.63	17.4	36.2
2002	358	65.1	3.64	58.1	72.6	39	31.4	5.73	21.2	44.2
2003	375	66.4	3.63	59.5	73.9	36	24.1	4.70	15.8	34.7
2004	343	57.8	3.30	51.6	64.6	35	23.4	4.47	15.5	33.5
2005	339	59.0	3.40	52.6	66.0	40	21.4	3.70	14.7	29.7
2006	374	61.3	3.34	54.9	68.2	50	25.1	4.07	17.8	34.2
2007	362	57.9	3.22	51.8	64.5	45	23.4	3.89	16.4	32.1
2008	375	58.8	3.22	52.7	65.4	57	27.6	4.11	20.1	36.7
2009	349	54.2	3.06	48.4	60.5	43	20.7	3.54	14.3	28.6
2010	362	54.1	3.01	48.4	60.3	55	25.0	3.75	18.2	33.3
2011	356	50.2	2.80	44.9	56.0	41	17.1	2.95	11.8	23.8
2012	325	47.7	2.78	42.4	53.4	72	26.7	3.39	20.4	34.1
2013	360	49.6	2.75	44.3	55.3	63	21.8	3.01	16.3	28.4
2014	374	50.7	2.75	45.5	56.4	53	16.5	2.40	12.1	21.9
2015	331	43.8	2.52	38.9	49.0	76	22.9	2.77	17.8	28.9
2016	344	44.7	2.52	39.9	49.9	78	22.5	2.65	17.6	28.3
2017	294	38.2	2.33	33.8	43.1	73	21.1	2.57	16.4	26.8
2018	341	42.5	2.38	38.0	47.4	82	21.2	2.40	16.7	26.4
2019	326	40.2	2.31	35.8	45.0	74	17.7	2.09	13.9	22.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon excluding Rectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	85,182	34.4	0.12	34.2	34.6	71,283	33.6	0.13	33.3	33.8
1986	2,461	39.6	0.81	38.1	41.2	2,159	38.8	0.85	37.2	40.5
1987	2,576	40.9	0.81	39.3	42.5	2,304	40.9	0.86	39.2	42.6
1988	2,588	40.5	0.80	38.9	42.1	2,265	39.6	0.84	38.0	41.3
1989	2,478	38.8	0.79	37.2	40.3	2,179	38.1	0.83	36.5	39.8
1990	2,564	39.7	0.79	38.2	41.3	2,252	39.1	0.84	37.5	40.8
1991	2,447	37.5	0.77	36.0	39.0	2,153	37.0	0.81	35.5	38.7
1992	2,411	36.3	0.75	34.8	37.8	2,133	36.1	0.79	34.6	37.7
1993	2,557	38.0	0.76	36.5	39.5	2,237	37.5	0.80	35.9	39.1
1994	2,780	40.9	0.78	39.4	42.5	2,408	40.1	0.83	38.5	41.8
1995	2,610	38.2	0.75	36.8	39.7	2,240	37.2	0.80	35.7	38.8
1996	2,710	39.3	0.76	37.8	40.8	2,326	38.4	0.81	36.9	40.0
1997	2,739	39.4	0.76	38.0	41.0	2,346	38.6	0.81	37.0	40.2
1998	2,902	41.4	0.78	39.9	43.0	2,448	40.1	0.82	38.5	41.7
1999	2,774	39.4	0.75	37.9	40.9	2,344	38.1	0.80	36.5	39.7
2000	2,833	39.9	0.76	38.4	41.4	2,392	38.7	0.80	37.1	40.3
2001	2,757	38.6	0.74	37.1	40.1	2,302	37.1	0.79	35.6	38.7
2002	2,740	38.2	0.74	36.8	39.7	2,266	36.6	0.78	35.0	38.1
2003	2,647	36.7	0.72	35.3	38.2	2,162	34.8	0.76	33.3	36.3
2004	2,752	37.8	0.73	36.4	39.2	2,278	36.4	0.78	34.9	38.0
2005	2,624	35.9	0.71	34.5	37.3	2,155	34.3	0.75	32.9	35.9
2006	2,654	36.2	0.71	34.8	37.6	2,170	34.7	0.76	33.2	36.2
2007	2,572	34.6	0.69	33.3	36.0	2,128	33.7	0.75	32.2	35.2
2008	2,479	33.2	0.68	31.8	34.5	2,039	32.3	0.73	30.9	33.8
2009	2,358	31.2	0.65	29.9	32.5	1,942	30.5	0.71	29.1	31.9
2010	2,261	29.3	0.63	28.1	30.6	1,799	27.8	0.67	26.5	29.2
2011	2,369	30.5	0.64	29.2	31.7	1,885	29.0	0.69	27.7	30.4
2012	2,215	28.0	0.61	26.8	29.2	1,770	26.8	0.66	25.6	28.2
2013	2,224	27.9	0.60	26.7	29.1	1,784	27.0	0.66	25.7	28.3
2014	2,184	27.0	0.59	25.9	28.2	1,734	25.9	0.64	24.7	27.2
2015	2,219	27.3	0.59	26.1	28.5	1,785	26.7	0.65	25.4	28.0
2016	2,314	28.6	0.61	27.4	29.8	1,853	28.1	0.68	26.8	29.5
2017	2,161	26.1	0.58	25.0	27.2	1,733	25.7	0.64	24.5	27.0
2018	2,193	26.2	0.58	25.1	27.4	1,717	25.3	0.63	24.1	26.5
2019	2,029	24.1	0.55	23.0	25.2	1,595	23.4	0.61	22.3	24.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Colon excluding Rectum										
Females										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	12,290	41.9	0.38	41.1	42.6	1,291	17.1	0.50	16.1	18.1
1986	283	45.7	2.78	40.4	51.4	15	22.8	6.99	11.3	39.9
1987	256	40.0	2.55	35.2	45.3	13	19.3	5.93	9.5	33.9
1988	310	48.0	2.78	42.7	53.7	11	16.1	5.42	7.3	29.6
1989	276	42.2	2.58	37.3	47.6	20	20.8	5.33	11.7	33.7
1990	300	45.3	2.66	40.3	50.8	10	14.4	5.03	6.3	27.0
1991	271	40.5	2.50	35.7	45.7	13	15.5	4.74	7.7	27.2
1992	256	36.3	2.29	31.9	41.0	16	19.7	5.40	10.6	32.6
1993	296	42.1	2.48	37.4	47.3	20	20.0	4.92	11.5	31.6
1994	341	47.7	2.61	42.7	53.1	27	24.0	5.13	15.1	35.9
1995	340	46.5	2.55	41.6	51.7	27	22.1	4.65	13.9	32.8
1996	350	47.3	2.56	42.5	52.6	29	26.1	5.33	16.8	38.3
1997	362	48.4	2.57	43.5	53.7	24	15.9	3.43	9.9	24.0
1998	406	53.2	2.66	48.1	58.7	38	27.7	4.81	19.1	38.5
1999	382	47.6	2.46	42.9	52.7	39	25.2	4.27	17.5	34.8
2000	391	48.1	2.45	43.4	53.2	40	25.7	4.30	17.9	35.3
2001	410	50.0	2.49	45.2	55.1	35	18.0	3.27	12.2	25.5
2002	421	50.3	2.47	45.5	55.3	43	23.6	3.83	16.7	32.2
2003	432	51.0	2.47	46.3	56.1	40	19.5	3.20	13.8	26.7
2004	430	49.5	2.41	44.9	54.4	37	16.8	2.93	11.6	23.5
2005	410	46.4	2.31	42.0	51.1	50	22.0	3.27	16.0	29.2
2006	423	46.9	2.30	42.5	51.6	46	17.7	2.74	12.7	23.8
2007	391	42.7	2.18	38.5	47.2	45	17.9	2.81	12.8	24.2
2008	387	41.5	2.13	37.4	45.9	46	16.8	2.63	12.0	22.7
2009	367	38.3	2.02	34.4	42.5	38	14.1	2.42	9.7	19.6
2010	403	41.3	2.09	37.3	45.6	45	15.7	2.46	11.2	21.2
2011	419	41.6	2.06	37.7	45.8	51	16.1	2.36	11.8	21.4
2012	376	37.0	1.93	33.3	41.0	59	18.9	2.57	14.2	24.5
2013	380	36.5	1.90	32.8	40.4	53	14.9	2.15	11.0	19.7
2014	368	34.6	1.84	31.1	38.4	55	15.1	2.11	11.3	19.8
2015	370	33.8	1.79	30.4	37.5	54	14.1	1.97	10.5	18.4
2016	385	34.9	1.81	31.4	38.6	59	13.8	1.84	10.4	17.9
2017	357	31.6	1.70	28.3	35.1	61	14.2	1.86	10.8	18.4
2018	393	34.6	1.78	31.2	38.3	67	15.2	1.88	11.8	19.4
2019	348	30.0	1.64	26.9	33.4	65	14.0	1.76	10.8	17.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Rectum and Rectosigmoid Junction										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	62,777	14.6	0.06	14.5	14.7	53,578	14.7	0.06	14.6	14.8
1986	1,788	16.8	0.40	16.0	17.6	1,629	17.2	0.43	16.4	18.1
1987	1,851	17.3	0.41	16.5	18.1	1,667	17.5	0.44	16.7	18.4
1988	1,796	16.7	0.40	15.9	17.5	1,618	17.0	0.43	16.2	17.8
1989	1,725	16.0	0.39	15.3	16.8	1,548	16.2	0.42	15.4	17.1
1990	1,775	16.3	0.39	15.5	17.1	1,608	16.7	0.42	15.9	17.5
1991	1,851	16.8	0.39	16.0	17.5	1,644	16.9	0.42	16.1	17.7
1992	1,815	16.3	0.38	15.5	17.0	1,649	16.8	0.42	16.0	17.6
1993	1,783	15.8	0.37	15.0	16.5	1,569	15.8	0.40	15.0	16.6
1994	1,719	15.0	0.36	14.3	15.8	1,534	15.3	0.39	14.6	16.1
1995	1,831	16.0	0.37	15.3	16.7	1,633	16.4	0.41	15.6	17.2
1996	1,803	15.6	0.37	14.9	16.4	1,594	15.9	0.40	15.1	16.7
1997	1,915	16.5	0.38	15.7	17.2	1,666	16.5	0.41	15.7	17.3
1998	1,950	16.6	0.38	15.9	17.3	1,727	17.0	0.41	16.2	17.8
1999	1,912	16.1	0.37	15.4	16.8	1,692	16.6	0.40	15.8	17.4
2000	1,910	15.9	0.36	15.2	16.7	1,666	16.2	0.40	15.5	17.0
2001	1,841	15.2	0.36	14.5	15.9	1,599	15.5	0.39	14.7	16.3
2002	2,019	16.6	0.37	15.8	17.3	1,744	16.8	0.40	16.0	17.6
2003	1,859	15.0	0.35	14.4	15.7	1,569	14.9	0.38	14.2	15.7
2004	1,963	15.7	0.36	15.0	16.4	1,655	15.6	0.39	14.9	16.4
2005	1,946	15.4	0.35	14.7	16.1	1,630	15.2	0.38	14.5	16.0
2006	1,934	15.0	0.34	14.3	15.7	1,608	14.8	0.37	14.1	15.6
2007	1,843	14.2	0.33	13.5	14.8	1,524	14.0	0.36	13.3	14.7
2008	1,943	14.6	0.33	13.9	15.3	1,612	14.5	0.36	13.8	15.2
2009	1,760	13.0	0.31	12.4	13.6	1,454	12.9	0.34	12.2	13.6
2010	1,864	13.5	0.32	12.9	14.2	1,548	13.5	0.35	12.8	14.2
2011	1,819	13.0	0.31	12.4	13.6	1,464	12.7	0.34	12.0	13.3
2012	1,783	12.5	0.30	11.9	13.1	1,444	12.3	0.33	11.6	12.9
2013	1,811	12.5	0.30	11.9	13.1	1,463	12.3	0.33	11.7	13.0
2014	1,802	12.3	0.29	11.7	12.9	1,477	12.2	0.32	11.6	12.9
2015	1,826	12.4	0.30	11.8	13.0	1,480	12.3	0.33	11.7	13.0
2016	1,878	12.6	0.30	12.0	13.2	1,491	12.3	0.33	11.6	12.9
2017	1,829	12.2	0.29	11.6	12.8	1,453	12.0	0.32	11.3	12.6
2018	1,851	12.3	0.29	11.7	12.9	1,504	12.3	0.33	11.7	13.0
2019	1,782	11.8	0.29	11.2	12.3	1,415	11.6	0.32	11.0	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Rectum and Rectosigmoid Junction										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,090	13.8	0.17	13.4	14.1	1,665	11.3	0.29	10.8	11.9
1986	143	13.3	1.15	11.1	15.7	15	10.1	3.10	5.0	17.9
1987	164	14.9	1.19	12.6	17.4	19	15.6	4.00	8.8	25.1
1988	147	12.9	1.10	10.8	15.2	24	18.4	4.18	11.1	28.1
1989	155	13.8	1.14	11.6	16.2	17	12.4	3.46	6.6	20.7
1990	149	13.4	1.13	11.3	15.8	16	11.0	3.07	5.9	18.4
1991	174	15.1	1.18	12.9	17.6	25	13.8	2.94	8.6	20.7
1992	142	11.9	1.03	10.0	14.1	20	9.6	2.47	5.4	15.6
1993	180	15.6	1.19	13.3	18.1	29	13.4	2.72	8.6	19.7
1994	159	12.6	1.02	10.7	14.8	18	7.9	2.05	4.4	12.9
1995	161	12.6	1.02	10.7	14.8	33	14.5	2.88	9.5	21.1
1996	168	13.2	1.03	11.2	15.3	37	13.8	2.44	9.4	19.4
1997	209	16.3	1.16	14.1	18.7	35	12.8	2.47	8.4	18.5
1998	183	13.6	1.03	11.7	15.8	29	10.6	2.24	6.7	15.8
1999	181	13.1	0.99	11.2	15.2	32	11.3	2.32	7.2	16.6
2000	193	13.5	0.99	11.6	15.6	36	11.6	2.14	7.7	16.4
2001	198	13.9	1.01	12.0	16.0	36	11.6	2.09	7.9	16.3
2002	218	15.3	1.06	13.3	17.5	41	12.0	1.99	8.4	16.4
2003	229	15.4	1.04	13.4	17.6	46	12.5	2.00	8.9	17.0
2004	247	16.0	1.04	14.1	18.2	49	12.0	1.86	8.7	16.2
2005	237	15.1	1.00	13.2	17.1	64	14.5	1.99	10.9	18.9
2006	242	15.3	1.00	13.4	17.3	69	16.1	2.08	12.3	20.7
2007	237	14.4	0.96	12.6	16.4	71	14.6	1.88	11.1	18.7
2008	249	15.0	0.97	13.1	17.0	65	12.2	1.63	9.2	15.8
2009	237	13.7	0.91	11.9	15.5	55	10.2	1.49	7.5	13.6
2010	234	13.6	0.91	11.8	15.4	70	12.8	1.64	9.8	16.4
2011	274	15.0	0.93	13.3	17.0	67	11.7	1.52	8.9	15.0
2012	246	13.4	0.87	11.7	15.2	75	11.4	1.38	8.9	14.5
2013	256	13.5	0.86	11.8	15.3	76	10.3	1.23	8.0	13.0
2014	230	12.3	0.83	10.7	14.0	72	10.2	1.25	7.9	12.9
2015	241	12.5	0.83	11.0	14.3	77	10.0	1.18	7.8	12.6
2016	275	14.1	0.87	12.5	15.9	91	11.4	1.22	9.2	14.1
2017	262	13.2	0.84	11.6	14.9	92	11.0	1.16	8.8	13.5
2018	236	11.9	0.80	10.4	13.6	73	8.5	1.01	6.6	10.8
2019	234	11.6	0.78	10.1	13.2	91	10.0	1.06	8.0	12.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Rectum and Rectosigmoid Junction										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	35,624	19.0	0.10	18.8	19.2	30,626	19.1	0.11	18.9	19.3
1986	951	21.8	0.74	20.4	23.3	868	22.4	0.79	20.9	24.0
1987	1,013	22.8	0.74	21.3	24.3	920	23.3	0.79	21.7	24.9
1988	1,013	23.1	0.75	21.6	24.6	919	23.7	0.81	22.1	25.3
1989	927	21.0	0.72	19.6	22.5	836	21.3	0.76	19.8	22.8
1990	969	21.8	0.72	20.4	23.2	880	22.3	0.77	20.8	23.8
1991	1,007	22.2	0.72	20.8	23.7	906	22.6	0.77	21.1	24.2
1992	1,001	21.6	0.70	20.3	23.0	916	22.4	0.76	21.0	24.0
1993	987	21.2	0.69	19.8	22.6	872	21.2	0.74	19.8	22.7
1994	922	19.2	0.65	18.0	20.5	828	19.7	0.70	18.4	21.1
1995	991	20.9	0.68	19.6	22.3	891	21.5	0.73	20.1	23.0
1996	998	20.6	0.66	19.3	21.9	894	21.2	0.72	19.8	22.7
1997	1,082	22.2	0.68	20.9	23.6	956	22.5	0.74	21.1	24.0
1998	1,097	22.3	0.68	21.0	23.7	983	23.0	0.74	21.5	24.5
1999	1,106	22.1	0.67	20.8	23.4	975	22.5	0.73	21.1	24.0
2000	1,106	21.6	0.66	20.3	22.9	967	21.9	0.71	20.6	23.4
2001	1,047	20.4	0.64	19.1	21.6	924	20.8	0.69	19.5	22.2
2002	1,156	22.0	0.66	20.8	23.3	1,015	22.5	0.71	21.1	23.9
2003	1,046	19.6	0.62	18.4	20.9	893	19.7	0.66	18.4	21.0
2004	1,135	20.8	0.63	19.6	22.1	949	20.4	0.67	19.1	21.8
2005	1,104	19.9	0.61	18.8	21.2	921	19.6	0.65	18.3	20.9
2006	1,080	19.0	0.59	17.9	20.2	903	18.7	0.63	17.5	20.0
2007	1,052	18.3	0.58	17.2	19.5	887	18.3	0.62	17.1	19.5
2008	1,124	19.1	0.58	18.0	20.3	941	19.0	0.63	17.8	20.3
2009	1,033	17.0	0.54	16.0	18.1	849	16.7	0.58	15.6	17.9
2010	1,088	17.6	0.55	16.6	18.7	922	17.7	0.59	16.5	18.9
2011	1,065	16.9	0.53	15.9	17.9	867	16.5	0.57	15.4	17.7
2012	1,062	16.4	0.52	15.4	17.4	872	16.1	0.56	15.1	17.3
2013	1,052	16.0	0.50	15.0	17.0	857	15.7	0.55	14.6	16.8
2014	1,034	15.4	0.49	14.4	16.4	851	15.2	0.53	14.2	16.3
2015	1,109	16.3	0.50	15.4	17.4	910	16.2	0.55	15.2	17.4
2016	1,063	15.3	0.48	14.4	16.3	864	15.1	0.53	14.0	16.1
2017	1,091	15.7	0.49	14.7	16.6	874	15.2	0.53	14.2	16.3
2018	1,074	15.4	0.48	14.5	16.4	882	15.4	0.53	14.4	16.5
2019	1,039	14.6	0.46	13.7	15.5	834	14.3	0.51	13.3	15.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Rectum and Rectosigmoid Junction										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,758	17.7	0.30	17.1	18.3	983	14.7	0.51	13.7	15.7
1986	73	15.9	1.99	12.3	20.3	10	12.4	4.04	5.8	23.9
1987	81	17.7	2.05	13.9	22.1	12	24.3	8.28	10.9	44.7
1988	79	16.8	2.03	13.1	21.2	14	23.5	6.68	12.3	40.0
1989	80	17.9	2.16	13.9	22.6	8	16.8	6.77	6.3	33.9
1990	79	17.6	2.13	13.7	22.2	9	15.2	5.88	6.0	30.3
1991	85	18.9	2.19	14.8	23.6	11	14.7	4.86	6.8	27.1
1992	71	15.1	1.93	11.6	19.3	13	12.9	3.96	6.3	23.1
1993	95	20.2	2.25	16.1	25.0	16	18.3	5.10	9.7	30.7
1994	82	16.3	1.90	12.8	20.4	8	5.8	2.10	2.5	12.1
1995	82	16.6	1.95	13.0	20.8	15	12.4	3.62	6.4	21.6
1996	77	13.8	1.64	10.8	17.4	24	18.8	4.33	11.3	29.2
1997	100	19.1	2.04	15.4	23.5	23	22.6	5.73	12.8	36.0
1998	91	17.2	1.90	13.6	21.3	19	16.0	4.47	8.5	26.8
1999	104	19.1	1.98	15.4	23.4	21	15.8	4.43	8.4	26.4
2000	110	18.7	1.86	15.2	22.7	19	12.5	3.12	7.1	20.1
2001	95	16.2	1.75	12.9	19.9	23	16.7	4.03	9.8	26.2
2002	109	19.4	1.99	15.7	23.7	24	16.7	3.84	10.0	25.7
2003	121	19.1	1.82	15.7	23.0	24	14.9	3.39	9.0	22.9
2004	146	23.4	2.04	19.6	27.7	32	18.3	3.73	11.8	26.9
2005	131	20.3	1.86	16.8	24.2	44	22.7	3.97	15.6	31.6
2006	132	20.1	1.84	16.7	24.0	35	18.7	3.47	12.5	26.6
2007	114	16.8	1.66	13.7	20.4	44	20.4	3.53	14.1	28.4
2008	127	18.6	1.74	15.3	22.3	43	18.5	3.22	12.7	25.7
2009	149	20.6	1.79	17.2	24.4	29	10.5	2.12	6.8	15.6
2010	125	17.7	1.66	14.6	21.2	35	14.6	2.71	9.8	20.8
2011	149	19.2	1.65	16.1	22.7	40	14.6	2.55	10.0	20.4
2012	134	17.3	1.57	14.4	20.7	45	14.9	2.38	10.6	20.3
2013	139	17.4	1.55	14.5	20.7	44	12.2	1.90	8.8	16.6
2014	125	15.7	1.47	12.9	18.8	46	14.4	2.29	10.2	19.6
2015	135	17.1	1.55	14.2	20.4	45	12.8	2.00	9.2	17.3
2016	143	17.5	1.53	14.6	20.7	48	12.9	1.93	9.4	17.3
2017	147	18.0	1.54	15.1	21.2	54	14.4	2.02	10.7	18.9
2018	120	14.2	1.35	11.7	17.1	49	12.3	1.81	9.1	16.4
2019	128	14.7	1.35	12.2	17.6	57	13.5	1.83	10.2	17.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Rectum and Rectosigmoid Junction										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	27,153	11.3	0.07	11.1	11.4	22,952	11.3	0.08	11.1	11.4
1986	837	13.4	0.47	12.5	14.3	761	13.6	0.50	12.7	14.6
1987	838	13.5	0.47	12.6	14.4	747	13.5	0.50	12.6	14.6
1988	783	12.4	0.45	11.5	13.3	699	12.4	0.48	11.5	13.4
1989	798	12.7	0.46	11.8	13.6	712	12.8	0.49	11.9	13.8
1990	806	12.6	0.45	11.8	13.6	728	12.9	0.49	12.0	13.9
1991	844	13.1	0.46	12.2	14.0	738	13.0	0.49	12.0	14.0
1992	814	12.5	0.44	11.6	13.4	733	12.7	0.48	11.8	13.7
1993	796	12.0	0.43	11.2	12.9	697	12.1	0.46	11.2	13.0
1994	797	12.0	0.43	11.2	12.9	706	12.1	0.46	11.2	13.1
1995	840	12.6	0.44	11.7	13.5	742	12.8	0.48	11.9	13.7
1996	805	11.9	0.42	11.1	12.8	700	11.9	0.46	11.0	12.8
1997	833	12.3	0.43	11.5	13.2	710	12.1	0.46	11.2	13.0
1998	853	12.6	0.43	11.8	13.5	744	12.8	0.47	11.9	13.7
1999	806	11.8	0.42	11.0	12.6	717	12.2	0.46	11.3	13.1
2000	804	11.7	0.41	10.9	12.5	699	11.8	0.45	10.9	12.7
2001	794	11.5	0.41	10.7	12.3	675	11.5	0.45	10.6	12.4
2002	863	12.4	0.42	11.5	13.2	729	12.2	0.46	11.3	13.2
2003	813	11.6	0.41	10.8	12.4	676	11.3	0.44	10.5	12.2
2004	828	11.7	0.41	10.9	12.6	706	11.8	0.45	11.0	12.8
2005	842	11.8	0.41	11.0	12.7	709	11.8	0.45	11.0	12.8
2006	854	11.9	0.41	11.1	12.7	705	11.7	0.45	10.9	12.6
2007	791	10.9	0.39	10.2	11.7	637	10.6	0.43	9.8	11.4
2008	819	11.1	0.39	10.3	11.9	671	10.9	0.43	10.1	11.8
2009	727	9.9	0.37	9.2	10.6	605	9.9	0.41	9.1	10.7
2010	776	10.3	0.38	9.6	11.0	626	10.1	0.41	9.3	11.0
2011	754	9.8	0.36	9.1	10.5	597	9.4	0.39	8.7	10.2
2012	721	9.3	0.35	8.7	10.1	572	9.1	0.39	8.3	9.9
2013	759	9.7	0.36	9.0	10.4	606	9.5	0.40	8.7	10.3
2014	768	9.8	0.36	9.1	10.5	626	9.7	0.40	9.0	10.6
2015	717	9.2	0.35	8.5	9.9	570	9.0	0.39	8.2	9.8
2016	815	10.4	0.37	9.7	11.2	627	9.9	0.41	9.1	10.8
2017	738	9.3	0.35	8.6	10.0	579	9.1	0.39	8.4	9.9
2018	777	9.7	0.36	9.0	10.5	622	9.7	0.40	8.9	10.6
2019	743	9.4	0.35	8.7	10.1	581	9.2	0.40	8.4	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Rectum and Rectosigmoid Junction										
Females										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,332	11.1	0.19	10.7	11.5	682	8.6	0.34	7.9	9.3
1986	70	11.4	1.38	8.8	14.4	5	7.8	4.25	1.8	19.6
1987	83	12.8	1.43	10.2	15.9	7	9.2	3.57	3.6	19.0
1988	68	10.3	1.27	7.9	13.0	10	14.7	5.32	6.2	28.1
1989	75	11.2	1.32	8.8	14.1	9	10.0	3.67	4.1	19.7
1990	70	10.7	1.29	8.3	13.5	7	7.8	3.09	3.0	16.3
1991	89	12.7	1.38	10.2	15.7	14	13.3	3.72	7.0	22.7
1992	71	10.0	1.21	7.8	12.6	7	6.8	3.03	2.2	15.0
1993	85	12.4	1.36	9.9	15.3	13	9.9	2.96	5.0	17.5
1994	77	10.4	1.19	8.2	13.0	10	8.9	3.04	3.9	16.6
1995	79	10.3	1.17	8.1	12.8	18	15.4	4.03	8.6	25.1
1996	91	12.3	1.30	9.9	15.1	13	9.5	2.75	4.9	16.4
1997	109	14.3	1.38	11.7	17.3	12	6.4	1.93	3.2	11.5
1998	92	11.5	1.21	9.3	14.1	10	6.6	2.27	2.9	12.4
1999	77	9.4	1.07	7.4	11.7	11	7.8	2.57	3.6	14.2
2000	83	9.9	1.09	7.9	12.3	17	10.3	2.72	5.7	16.9
2001	103	12.3	1.23	10.1	15.0	13	7.9	2.28	4.1	13.5
2002	109	12.8	1.24	10.5	15.5	17	8.7	2.18	4.9	14.0
2003	108	12.5	1.21	10.2	15.1	22	10.6	2.41	6.4	16.4
2004	101	11.2	1.12	9.1	13.6	17	7.5	1.88	4.2	12.1
2005	106	11.5	1.13	9.4	14.0	20	8.4	1.98	4.9	13.1
2006	110	11.9	1.14	9.7	14.3	34	14.1	2.54	9.5	19.9
2007	123	12.8	1.17	10.6	15.3	27	10.2	2.07	6.5	15.0
2008	122	12.5	1.15	10.4	15.0	22	7.4	1.65	4.5	11.4
2009	88	9.0	0.97	7.2	11.1	26	9.5	1.97	6.0	14.1
2010	109	10.7	1.04	8.8	13.0	35	11.2	2.00	7.6	15.8
2011	125	12.0	1.09	10.0	14.3	27	9.1	1.82	5.9	13.3
2012	112	10.6	1.01	8.7	12.8	30	8.5	1.62	5.6	12.3
2013	117	10.7	1.00	8.8	12.8	32	8.4	1.53	5.6	11.9
2014	105	10.0	0.99	8.1	12.1	26	6.9	1.39	4.4	10.2
2015	106	9.7	0.96	7.9	11.8	32	7.6	1.39	5.1	10.9
2016	132	11.9	1.05	9.9	14.1	43	10.4	1.61	7.5	14.0
2017	115	10.0	0.95	8.2	12.1	38	8.2	1.35	5.8	11.3
2018	116	10.3	0.98	8.5	12.4	24	5.3	1.09	3.4	7.9
2019	106	9.4	0.93	7.6	11.4	34	7.0	1.22	4.8	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Anus, Anal Canal and Anorectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,339	1.5	0.02	1.5	1.5	5,290	1.5	0.02	1.4	1.5
1986	97	0.9	0.09	0.7	1.1	81	0.9	0.10	0.7	1.1
1987	111	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1988	107	1.0	0.10	0.8	1.2	88	0.9	0.10	0.8	1.2
1989	115	1.1	0.10	0.9	1.3	102	1.1	0.11	0.9	1.3
1990	117	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2
1991	106	1.0	0.09	0.8	1.2	92	1.0	0.10	0.8	1.2
1992	113	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2
1993	104	0.9	0.09	0.8	1.1	96	1.0	0.10	0.8	1.2
1994	107	1.0	0.09	0.8	1.2	91	0.9	0.10	0.8	1.2
1995	124	1.1	0.10	0.9	1.3	104	1.1	0.10	0.9	1.3
1996	116	1.0	0.09	0.8	1.2	101	1.0	0.10	0.8	1.2
1997	125	1.1	0.10	0.9	1.3	107	1.1	0.11	0.9	1.3
1998	139	1.2	0.10	1.0	1.4	115	1.1	0.11	0.9	1.4
1999	152	1.3	0.10	1.1	1.5	131	1.3	0.11	1.1	1.5
2000	171	1.4	0.11	1.2	1.7	141	1.4	0.12	1.2	1.6
2001	173	1.4	0.11	1.2	1.7	138	1.3	0.11	1.1	1.6
2002	156	1.3	0.10	1.1	1.5	129	1.3	0.11	1.1	1.5
2003	196	1.6	0.11	1.4	1.8	162	1.6	0.12	1.3	1.8
2004	232	1.8	0.12	1.6	2.1	196	1.9	0.13	1.6	2.1
2005	175	1.4	0.10	1.2	1.6	144	1.3	0.11	1.1	1.6
2006	180	1.4	0.11	1.2	1.6	143	1.3	0.11	1.1	1.6
2007	223	1.7	0.11	1.5	1.9	187	1.7	0.13	1.5	2.0
2008	206	1.5	0.11	1.3	1.8	162	1.5	0.12	1.2	1.7
2009	244	1.8	0.12	1.6	2.1	205	1.8	0.13	1.6	2.1
2010	232	1.7	0.11	1.5	1.9	183	1.6	0.12	1.4	1.9
2011	226	1.6	0.11	1.4	1.9	179	1.6	0.12	1.3	1.8
2012	246	1.7	0.11	1.5	2.0	207	1.7	0.12	1.5	2.0
2013	275	1.9	0.12	1.7	2.2	238	2.0	0.13	1.8	2.3
2014	300	2.0	0.12	1.8	2.3	250	2.1	0.13	1.8	2.3
2015	257	1.7	0.11	1.5	1.9	217	1.7	0.12	1.5	2.0
2016	308	2.0	0.12	1.8	2.3	262	2.1	0.13	1.9	2.4
2017	292	1.9	0.11	1.7	2.1	238	1.9	0.13	1.7	2.2
2018	293	1.9	0.11	1.7	2.2	247	2.0	0.13	1.7	2.2
2019	321	2.1	0.12	1.9	2.3	267	2.1	0.13	1.9	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Anus, Anal Canal and Anorectum										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	965	1.8	0.06	1.7	1.9	51	0.3	0.05	0.3	0.5
1986	16	1.4	0.36	0.8	2.3	0				
1987	13	1.1	0.33	0.6	2.0	0				
1988	18	1.7	0.40	1.0	2.6	1	0.4	0.36	0.0	3.0
1989	12	1.0	0.29	0.5	1.7	1	0.5	0.46	0.0	3.1
1990	24	2.1	0.43	1.3	3.1	0				
1991	14	1.0	0.28	0.6	1.8	0				
1992	17	1.3	0.32	0.7	2.1	0				
1993	7	0.6	0.22	0.2	1.2	0				
1994	14	1.1	0.31	0.6	1.9	2	1.2	0.88	0.1	4.1
1995	20	1.4	0.31	0.8	2.1	0				
1996	15	1.2	0.32	0.7	2.0	0				
1997	16	1.2	0.30	0.7	1.9	2	0.5	0.36	0.1	2.1
1998	23	1.6	0.33	1.0	2.3	0				
1999	19	1.3	0.30	0.8	2.0	2	0.8	0.64	0.1	2.9
2000	28	1.9	0.36	1.2	2.7	0				
2001	35	2.4	0.41	1.6	3.3	0				
2002	24	1.5	0.30	0.9	2.2	1	0.5	0.46	0.0	2.1
2003	32	2.0	0.36	1.4	2.8	1	0.2	0.18	0.0	1.2
2004	29	1.9	0.36	1.3	2.7	5	1.6	0.78	0.5	3.8
2005	28	1.6	0.31	1.1	2.3	1	0.2	0.17	0.0	1.1
2006	34	2.0	0.35	1.4	2.8	2	0.4	0.26	0.0	1.4
2007	34	1.9	0.34	1.3	2.7	1	0.2	0.17	0.0	1.0
2008	41	2.5	0.39	1.7	3.3	2	0.4	0.28	0.0	1.4
2009	34	2.0	0.35	1.4	2.8	3	0.5	0.27	0.1	1.4
2010	48	2.8	0.41	2.0	3.7	1	0.1	0.12	0.0	0.8
2011	40	2.3	0.36	1.6	3.1	5	0.6	0.28	0.2	1.5
2012	33	1.8	0.32	1.3	2.6	4	0.6	0.28	0.2	1.5
2013	34	1.9	0.32	1.3	2.6	0				
2014	48	2.5	0.37	1.8	3.3	1	0.2	0.20	0.0	1.0
2015	35	1.8	0.30	1.2	2.5	2	0.2	0.16	0.0	0.9
2016	41	2.1	0.34	1.5	2.9	4	0.5	0.24	0.1	1.3
2017	49	2.5	0.37	1.9	3.4	4	0.5	0.26	0.1	1.3
2018	42	2.2	0.35	1.6	3.0	2	0.2	0.13	0.0	0.7
2019	48	2.5	0.37	1.8	3.3	4	0.4	0.19	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Anus, Anal Canal and Anorectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,423	1.3	0.03	1.2	1.3	1,926	1.2	0.03	1.1	1.2
1986	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1987	39	0.9	0.15	0.7	1.3	34	0.9	0.16	0.6	1.3
1988	38	0.8	0.13	0.6	1.1	31	0.8	0.14	0.5	1.1
1989	48	1.0	0.15	0.8	1.4	45	1.1	0.17	0.8	1.5
1990	52	1.2	0.17	0.9	1.5	41	1.0	0.17	0.7	1.4
1991	33	0.7	0.12	0.5	0.9	27	0.6	0.12	0.4	0.9
1992	44	0.9	0.14	0.6	1.2	36	0.8	0.14	0.6	1.2
1993	32	0.7	0.12	0.5	0.9	29	0.7	0.13	0.5	1.0
1994	25	0.5	0.11	0.3	0.8	23	0.6	0.12	0.4	0.9
1995	45	0.9	0.13	0.6	1.2	34	0.8	0.13	0.5	1.1
1996	45	0.9	0.14	0.7	1.2	41	1.0	0.15	0.7	1.3
1997	44	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.1
1998	54	1.0	0.14	0.8	1.3	40	0.9	0.14	0.6	1.2
1999	58	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5
2000	66	1.2	0.15	1.0	1.6	54	1.2	0.17	0.9	1.6
2001	71	1.3	0.15	1.0	1.6	55	1.2	0.16	0.9	1.6
2002	64	1.1	0.14	0.9	1.5	50	1.1	0.15	0.8	1.4
2003	87	1.5	0.17	1.2	1.9	66	1.4	0.17	1.1	1.8
2004	101	1.8	0.18	1.5	2.2	80	1.7	0.19	1.3	2.1
2005	76	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.5
2006	80	1.4	0.16	1.1	1.7	56	1.2	0.16	0.9	1.5
2007	79	1.4	0.16	1.1	1.7	65	1.4	0.17	1.0	1.7
2008	86	1.4	0.16	1.1	1.8	63	1.3	0.16	1.0	1.6
2009	88	1.5	0.16	1.2	1.8	71	1.4	0.17	1.1	1.8
2010	94	1.5	0.16	1.2	1.9	64	1.2	0.15	0.9	1.5
2011	76	1.3	0.15	1.0	1.6	55	1.1	0.15	0.8	1.4
2012	101	1.5	0.16	1.3	1.9	81	1.5	0.17	1.2	1.9
2013	106	1.7	0.17	1.4	2.1	88	1.7	0.18	1.4	2.1
2014	122	1.8	0.17	1.5	2.2	99	1.8	0.18	1.4	2.2
2015	100	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8
2016	105	1.5	0.15	1.2	1.8	83	1.4	0.16	1.1	1.8
2017	111	1.6	0.16	1.3	2.0	82	1.4	0.16	1.1	1.8
2018	104	1.5	0.15	1.2	1.8	82	1.4	0.16	1.1	1.8
2019	115	1.6	0.15	1.3	1.9	91	1.5	0.16	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Anus, Anal Canal and Anorectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	455	2.0	0.09	1.8	2.2	24	0.4	0.08	0.2	0.6
1986	2	0.5	0.36	0.1	1.7	0				
1987	5	1.0	0.51	0.3	2.5	0				
1988	6	1.3	0.57	0.5	2.9	1	0.7	0.74	0.0	6.9
1989	2	0.4	0.26	0.0	1.4	1	0.9	0.91	0.0	6.9
1990	11	2.3	0.76	1.1	4.2	0				
1991	6	0.9	0.39	0.3	2.1	0				
1992	8	1.3	0.46	0.6	2.6	0				
1993	2	0.5	0.39	0.1	1.7	0				
1994	1	0.2	0.15	0.0	0.9	1	1.2	1.18	0.0	6.3
1995	11	1.5	0.47	0.8	2.8	0				
1996	4	0.7	0.33	0.2	1.7	0				
1997	7	1.1	0.40	0.4	2.2	0				
1998	13	1.8	0.52	1.0	3.2	0				
1999	7	1.0	0.38	0.4	2.1	1	0.4	0.44	0.0	3.6
2000	11	1.6	0.48	0.8	2.8	0				
2001	16	2.3	0.59	1.3	3.8	0				
2002	13	1.7	0.46	0.9	2.9	0				
2003	19	2.6	0.60	1.5	4.1	1	0.4	0.38	0.0	2.8
2004	17	2.8	0.72	1.5	4.5	3	2.7	1.72	0.4	7.6
2005	19	2.4	0.54	1.4	3.7	0				
2006	22	3.0	0.66	1.9	4.6	1	0.4	0.37	0.0	2.4
2007	12	1.6	0.46	0.8	2.8	1	0.4	0.35	0.0	2.3
2008	23	3.3	0.73	2.0	5.0	0				
2009	14	2.0	0.57	1.1	3.5	1	0.3	0.32	0.0	2.1
2010	30	4.3	0.84	2.9	6.3	0				
2011	18	2.4	0.57	1.4	3.8	2	0.6	0.39	0.1	2.3
2012	16	1.9	0.47	1.1	3.1	3	0.8	0.47	0.2	2.6
2013	15	2.0	0.52	1.1	3.3	0				
2014	22	2.4	0.53	1.5	3.7	1	0.4	0.44	0.0	2.1
2015	14	1.5	0.40	0.8	2.5	1	0.2	0.22	0.0	1.5
2016	21	2.5	0.56	1.5	3.8	1	0.3	0.27	0.0	1.6
2017	26	3.3	0.67	2.1	4.9	3	1.0	0.61	0.2	2.9
2018	21	2.4	0.54	1.4	3.7	0				
2019	21	2.5	0.57	1.5	3.9	2	0.5	0.32	0.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Anus, Anal Canal and Anorectum										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,916	1.7	0.03	1.6	1.7	3,364	1.7	0.03	1.7	1.8
1986	63	1.0	0.13	0.8	1.3	49	0.9	0.13	0.7	1.2
1987	72	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5
1988	69	1.2	0.14	0.9	1.5	57	1.1	0.14	0.8	1.4
1989	67	1.1	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5
1990	65	1.1	0.14	0.9	1.4	52	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.5
1992	69	1.1	0.13	0.8	1.4	60	1.1	0.14	0.8	1.4
1993	72	1.1	0.13	0.9	1.4	67	1.2	0.15	0.9	1.5
1994	82	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6
1995	79	1.3	0.14	1.0	1.6	70	1.3	0.16	1.0	1.7
1996	71	1.1	0.13	0.9	1.4	60	1.1	0.14	0.8	1.4
1997	81	1.3	0.14	1.0	1.6	70	1.3	0.15	1.0	1.6
1998	85	1.3	0.14	1.0	1.6	75	1.3	0.16	1.1	1.7
1999	94	1.4	0.15	1.2	1.7	81	1.5	0.16	1.2	1.8
2000	105	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
2001	102	1.5	0.15	1.2	1.8	83	1.5	0.16	1.2	1.8
2002	92	1.4	0.14	1.1	1.7	79	1.4	0.16	1.1	1.8
2003	109	1.6	0.15	1.3	1.9	96	1.7	0.17	1.4	2.0
2004	131	1.9	0.17	1.6	2.2	116	2.0	0.19	1.7	2.4
2005	99	1.4	0.14	1.1	1.7	88	1.5	0.16	1.2	1.8
2006	100	1.4	0.14	1.2	1.7	87	1.5	0.16	1.2	1.9
2007	144	2.0	0.17	1.7	2.4	122	2.1	0.19	1.7	2.5
2008	120	1.6	0.15	1.4	2.0	99	1.7	0.17	1.3	2.0
2009	156	2.1	0.17	1.8	2.4	134	2.2	0.19	1.8	2.6
2010	138	1.9	0.16	1.6	2.2	119	2.0	0.18	1.6	2.4
2011	150	2.0	0.16	1.7	2.3	124	2.0	0.18	1.7	2.4
2012	145	1.9	0.16	1.6	2.2	126	2.0	0.18	1.6	2.4
2013	169	2.2	0.17	1.9	2.5	150	2.4	0.20	2.0	2.8
2014	178	2.2	0.17	1.9	2.6	151	2.3	0.19	2.0	2.7
2015	157	1.9	0.16	1.6	2.3	132	2.0	0.18	1.6	2.4
2016	203	2.5	0.18	2.2	2.9	179	2.7	0.21	2.3	3.2
2017	181	2.2	0.16	1.9	2.5	156	2.3	0.19	2.0	2.7
2018	189	2.3	0.17	1.9	2.6	165	2.4	0.20	2.1	2.9
2019	206	2.5	0.18	2.2	2.9	176	2.6	0.20	2.3	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Anus, Anal Canal and Anorectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	510	1.7	0.07	1.5	1.8	27	0.3	0.06	0.2	0.5
1986	14	2.1	0.57	1.1	3.5	0				
1987	8	1.2	0.44	0.5	2.4	0				
1988	12	1.9	0.55	1.0	3.3	0				
1989	10	1.4	0.46	0.7	2.6	0				
1990	13	2.0	0.54	1.0	3.3	0				
1991	8	1.1	0.39	0.5	2.1	0				
1992	9	1.2	0.41	0.6	2.3	0				
1993	5	0.7	0.30	0.2	1.5	0				
1994	13	1.8	0.49	0.9	3.0	1	1.2	1.23	0.0	5.7
1995	9	1.2	0.40	0.5	2.3	0				
1996	11	1.5	0.47	0.8	2.7	0				
1997	9	1.2	0.39	0.5	2.2	2	1.0	0.71	0.1	4.0
1998	10	1.2	0.40	0.6	2.3	0				
1999	12	1.4	0.41	0.7	2.5	1	1.0	0.98	0.0	4.4
2000	17	2.0	0.49	1.2	3.2	0				
2001	19	2.3	0.53	1.4	3.5	0				
2002	11	1.2	0.38	0.6	2.2	1	0.8	0.75	0.0	3.5
2003	13	1.5	0.41	0.8	2.5	0				
2004	12	1.3	0.38	0.7	2.3	2	1.0	0.74	0.1	3.5
2005	9	1.0	0.32	0.4	1.8	1	0.3	0.32	0.0	2.0
2006	12	1.2	0.35	0.6	2.1	1	0.4	0.37	0.0	2.1
2007	22	2.2	0.47	1.4	3.3	0				
2008	18	1.9	0.45	1.1	3.0	2	0.7	0.51	0.1	2.6
2009	20	2.0	0.46	1.2	3.1	2	0.6	0.42	0.1	2.2
2010	18	1.7	0.41	1.0	2.7	1	0.2	0.23	0.0	1.5
2011	22	2.1	0.45	1.3	3.2	3	0.7	0.40	0.1	2.2
2012	17	1.7	0.42	1.0	2.7	1	0.3	0.33	0.0	1.7
2013	19	1.8	0.42	1.1	2.8	0				
2014	26	2.4	0.49	1.6	3.6	0				
2015	21	1.9	0.42	1.2	2.9	1	0.3	0.25	0.0	1.4
2016	20	1.9	0.42	1.1	2.9	3	0.7	0.39	0.1	2.0
2017	23	2.0	0.42	1.2	3.0	1	0.2	0.17	0.0	1.2
2018	21	2.0	0.44	1.2	3.0	2	0.3	0.24	0.0	1.4
2019	27	2.4	0.48	1.6	3.6	2	0.3	0.24	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Liver										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	21,261	4.9	0.03	4.8	5.0	16,031	4.4	0.03	4.3	4.4
1986	243	2.3	0.15	2.0	2.6	183	2.0	0.15	1.7	2.3
1987	230	2.2	0.14	1.9	2.5	177	1.9	0.14	1.6	2.2
1988	260	2.4	0.15	2.1	2.7	206	2.1	0.15	1.8	2.4
1989	262	2.4	0.15	2.1	2.7	191	2.0	0.15	1.7	2.3
1990	253	2.3	0.15	2.0	2.6	195	2.0	0.15	1.7	2.3
1991	257	2.3	0.15	2.1	2.6	196	2.0	0.15	1.8	2.3
1992	263	2.4	0.15	2.1	2.7	211	2.1	0.15	1.9	2.5
1993	320	2.8	0.16	2.5	3.1	240	2.4	0.16	2.1	2.8
1994	421	3.7	0.18	3.3	4.1	324	3.2	0.18	2.9	3.6
1995	438	3.8	0.18	3.5	4.2	325	3.3	0.18	2.9	3.6
1996	461	4.0	0.19	3.6	4.4	329	3.3	0.18	2.9	3.7
1997	464	4.0	0.19	3.6	4.4	349	3.5	0.19	3.1	3.9
1998	497	4.2	0.19	3.9	4.6	382	3.8	0.19	3.4	4.2
1999	538	4.5	0.20	4.2	4.9	401	3.9	0.20	3.6	4.3
2000	551	4.6	0.20	4.2	5.0	408	4.0	0.20	3.6	4.4
2001	553	4.6	0.19	4.2	5.0	426	4.1	0.20	3.7	4.5
2002	592	4.9	0.20	4.5	5.3	444	4.3	0.20	3.9	4.7
2003	577	4.7	0.19	4.3	5.1	445	4.2	0.20	3.9	4.7
2004	640	5.1	0.20	4.7	5.5	491	4.7	0.21	4.3	5.1
2005	692	5.4	0.21	5.0	5.9	531	5.0	0.22	4.6	5.4
2006	688	5.3	0.20	4.9	5.7	518	4.8	0.21	4.4	5.2
2007	751	5.7	0.21	5.3	6.1	548	5.0	0.21	4.6	5.4
2008	743	5.5	0.20	5.1	5.9	543	4.8	0.21	4.4	5.3
2009	852	6.2	0.22	5.8	6.6	662	5.8	0.23	5.4	6.3
2010	889	6.4	0.22	6.0	6.8	680	5.9	0.23	5.5	6.4
2011	852	5.9	0.21	5.5	6.4	630	5.3	0.22	4.9	5.8
2012	908	6.1	0.21	5.7	6.6	693	5.7	0.22	5.2	6.1
2013	909	6.1	0.21	5.7	6.5	674	5.5	0.22	5.1	6.0
2014	1,007	6.6	0.21	6.2	7.0	741	5.9	0.22	5.5	6.4
2015	1,044	6.8	0.21	6.4	7.2	778	6.2	0.22	5.7	6.6
2016	1,037	6.5	0.21	6.1	6.9	764	5.9	0.22	5.5	6.4
2017	1,009	6.3	0.20	5.9	6.7	763	5.9	0.22	5.5	6.3
2018	1,036	6.4	0.20	6.0	6.8	804	6.1	0.22	5.7	6.6
2019	1,024	6.3	0.20	5.9	6.7	779	5.8	0.21	5.4	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Liver										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,876	7.3	0.12	7.0	7.5	1,272	8.8	0.26	8.3	9.4
1986	46	3.9	0.59	2.8	5.2	14	7.6	2.07	4.1	13.2
1987	40	3.7	0.61	2.6	5.1	13	6.6	1.89	3.4	11.7
1988	47	4.4	0.66	3.2	5.8	7	4.2	1.61	1.6	8.8
1989	56	4.7	0.65	3.5	6.2	14	7.4	2.08	3.9	12.8
1990	40	3.3	0.55	2.4	4.6	18	9.0	2.31	5.1	14.8
1991	46	3.5	0.53	2.5	4.7	14	7.6	2.22	3.9	13.1
1992	34	2.7	0.48	1.9	3.8	16	7.4	1.95	4.0	12.2
1993	58	4.6	0.62	3.5	6.0	22	10.9	2.59	6.4	17.0
1994	79	6.6	0.76	5.2	8.2	17	6.8	1.75	3.8	11.2
1995	92	7.4	0.79	5.9	9.1	21	10.3	2.48	6.0	16.1
1996	100	7.7	0.79	6.2	9.4	31	13.5	2.75	8.6	19.8
1997	90	6.9	0.74	5.5	8.5	25	9.7	2.19	5.9	14.8
1998	88	6.5	0.71	5.2	8.1	25	8.3	1.81	5.2	12.6
1999	100	7.2	0.73	5.9	8.8	35	11.0	2.13	7.2	15.9
2000	107	7.5	0.74	6.1	9.1	35	12.5	2.25	8.5	17.6
2001	93	6.3	0.66	5.0	7.7	34	10.6	1.99	7.1	15.2
2002	107	7.3	0.72	6.0	8.9	39	12.1	2.08	8.3	16.7
2003	98	6.5	0.67	5.3	8.0	34	9.0	1.64	6.1	12.7
2004	111	7.3	0.71	6.0	8.8	37	8.9	1.55	6.1	12.4
2005	130	8.0	0.71	6.7	9.5	29	7.2	1.43	4.6	10.5
2006	130	7.8	0.69	6.5	9.2	39	7.7	1.29	5.4	10.7
2007	151	8.9	0.74	7.5	10.5	51	10.7	1.62	7.8	14.3
2008	146	8.3	0.70	7.0	9.8	52	10.3	1.52	7.5	13.7
2009	137	7.5	0.65	6.3	8.9	51	10.2	1.54	7.4	13.6
2010	158	8.7	0.71	7.4	10.2	48	8.3	1.26	6.0	11.1
2011	171	8.9	0.70	7.6	10.4	47	7.2	1.10	5.2	9.7
2012	155	8.0	0.65	6.7	9.4	55	9.1	1.31	6.7	12.0
2013	184	9.1	0.69	7.8	10.6	48	7.2	1.10	5.2	9.7
2014	188	9.0	0.68	7.8	10.5	72	10.5	1.28	8.1	13.3
2015	188	9.0	0.67	7.7	10.4	72	9.9	1.21	7.7	12.6
2016	192	9.0	0.67	7.7	10.4	77	9.5	1.12	7.5	12.0
2017	179	8.2	0.63	7.0	9.5	64	7.5	0.95	5.7	9.6
2018	173	7.9	0.62	6.8	9.3	51	5.9	0.85	4.4	7.9
2019	162	7.5	0.60	6.4	8.8	65	7.5	0.94	5.7	9.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Liver										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	15,041	7.8	0.06	7.7	7.9	11,335	6.9	0.07	6.8	7.1
1986	154	3.5	0.30	3.0	4.2	106	2.8	0.29	2.3	3.4
1987	153	3.4	0.29	2.9	4.1	113	2.9	0.28	2.4	3.5
1988	165	3.6	0.29	3.1	4.2	134	3.3	0.30	2.8	4.0
1989	173	3.9	0.30	3.3	4.5	128	3.3	0.30	2.7	3.9
1990	175	3.7	0.29	3.2	4.3	130	3.1	0.28	2.6	3.7
1991	158	3.3	0.27	2.8	3.9	117	2.8	0.27	2.3	3.4
1992	176	3.8	0.30	3.3	4.5	138	3.4	0.30	2.9	4.1
1993	211	4.4	0.31	3.8	5.0	162	3.9	0.31	3.3	4.6
1994	280	5.9	0.36	5.2	6.6	213	5.1	0.35	4.4	5.8
1995	297	6.1	0.36	5.4	6.9	222	5.2	0.35	4.5	6.0
1996	307	6.2	0.36	5.5	6.9	208	4.8	0.34	4.2	5.6
1997	308	6.2	0.36	5.6	7.0	230	5.4	0.36	4.7	6.2
1998	344	6.8	0.37	6.1	7.5	268	6.1	0.38	5.4	6.9
1999	348	6.7	0.36	6.0	7.5	253	5.7	0.36	5.0	6.5
2000	368	7.0	0.37	6.3	7.8	278	6.2	0.37	5.5	7.0
2001	378	7.2	0.38	6.5	8.0	292	6.5	0.39	5.8	7.3
2002	409	7.6	0.38	6.9	8.4	312	6.8	0.39	6.1	7.6
2003	408	7.4	0.37	6.7	8.2	318	6.8	0.39	6.1	7.6
2004	449	7.9	0.38	7.2	8.7	350	7.3	0.39	6.6	8.1
2005	502	8.8	0.40	8.1	9.7	388	8.1	0.42	7.3	9.0
2006	491	8.4	0.39	7.7	9.2	371	7.6	0.40	6.9	8.4
2007	545	9.1	0.40	8.4	9.9	390	7.8	0.40	7.0	8.6
2008	517	8.4	0.38	7.7	9.2	377	7.3	0.38	6.6	8.1
2009	648	10.4	0.42	9.6	11.3	504	9.7	0.44	8.8	10.6
2010	625	9.8	0.40	9.0	10.6	484	9.1	0.42	8.3	10.0
2011	642	9.7	0.39	9.0	10.6	465	8.5	0.41	7.8	9.4
2012	673	9.8	0.39	9.0	10.6	512	8.9	0.40	8.1	9.7
2013	669	9.7	0.38	8.9	10.5	491	8.6	0.40	7.8	9.4
2014	752	10.5	0.40	9.8	11.4	556	9.5	0.41	8.7	10.3
2015	773	10.8	0.40	10.1	11.6	577	9.8	0.42	9.0	10.6
2016	749	10.1	0.38	9.4	10.9	553	9.0	0.40	8.3	9.9
2017	706	9.5	0.37	8.8	10.2	539	8.8	0.39	8.1	9.6
2018	739	10.0	0.38	9.2	10.7	578	9.4	0.40	8.7	10.3
2019	749	9.9	0.37	9.2	10.6	578	9.2	0.39	8.5	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Liver										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,730	12.1	0.24	11.6	12.5	926	14.0	0.50	13.0	15.0
1986	36	7.3	1.30	5.0	10.3	12	13.1	3.85	6.7	24.1
1987	29	6.6	1.33	4.2	9.7	11	11.0	3.43	5.3	21.0
1988	26	5.6	1.19	3.5	8.4	5	5.7	2.57	1.8	14.1
1989	35	7.5	1.34	5.1	10.5	9	10.9	3.98	4.5	21.8
1990	28	6.0	1.23	3.9	8.9	17	18.6	5.06	10.0	31.4
1991	29	5.2	1.01	3.4	7.6	11	13.7	4.62	6.2	25.7
1992	23	4.7	1.08	2.8	7.3	14	13.9	4.11	7.0	24.4
1993	36	6.3	1.06	4.4	8.7	13	13.4	4.57	6.0	25.0
1994	53	11.6	1.70	8.5	15.3	13	11.2	3.32	5.6	19.8
1995	58	11.7	1.68	8.7	15.4	17	18.7	5.36	9.8	31.7
1996	74	13.5	1.65	10.5	17.1	24	24.0	5.91	13.9	37.9
1997	59	10.6	1.47	7.9	13.9	19	14.7	3.66	8.5	23.7
1998	60	10.6	1.44	8.0	13.7	15	11.5	3.38	5.8	19.9
1999	65	11.6	1.49	8.8	14.8	28	20.1	4.83	11.8	31.4
2000	69	11.6	1.46	9.0	14.8	21	14.4	3.50	8.4	22.8
2001	61	9.6	1.29	7.3	12.5	25	17.9	4.28	10.5	27.9
2002	68	10.7	1.36	8.2	13.7	28	19.2	4.23	11.9	29.0
2003	66	10.1	1.30	7.8	13.0	24	13.9	3.16	8.4	21.4
2004	74	11.2	1.37	8.7	14.2	25	13.3	2.88	8.3	20.1
2005	92	13.0	1.41	10.4	16.1	20	10.8	2.72	6.2	17.3
2006	92	12.5	1.36	10.0	15.5	27	12.2	2.59	7.7	18.3
2007	115	15.9	1.56	13.0	19.2	39	18.5	3.32	12.6	26.1
2008	108	14.3	1.44	11.6	17.4	31	14.3	2.89	9.2	21.0
2009	102	13.1	1.35	10.6	16.0	41	17.9	3.18	12.2	25.1
2010	105	13.3	1.35	10.8	16.2	34	12.2	2.23	8.2	17.4
2011	137	16.8	1.51	14.0	20.0	38	12.2	2.06	8.5	17.0
2012	120	14.2	1.34	11.7	17.0	40	15.6	2.73	10.7	21.7
2013	141	16.3	1.43	13.6	19.4	35	11.6	2.11	7.9	16.5
2014	140	15.7	1.39	13.1	18.7	51	16.0	2.40	11.6	21.4
2015	141	15.4	1.34	12.9	18.3	53	16.0	2.32	11.7	21.1
2016	136	14.8	1.32	12.3	17.6	58	15.2	2.08	11.4	19.8
2017	121	13.1	1.24	10.8	15.7	43	10.7	1.68	7.6	14.5
2018	117	12.8	1.23	10.5	15.4	38	9.9	1.65	6.9	13.7
2019	114	12.5	1.22	10.2	15.1	47	11.9	1.79	8.7	15.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Liver										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,220	2.6	0.03	2.5	2.6	4,696	2.3	0.03	2.2	2.3
1986	89	1.5	0.16	1.2	1.8	77	1.4	0.17	1.1	1.8
1987	77	1.3	0.15	1.0	1.6	64	1.2	0.16	0.9	1.6
1988	95	1.5	0.15	1.2	1.8	72	1.3	0.15	1.0	1.6
1989	89	1.4	0.15	1.1	1.8	63	1.2	0.15	0.9	1.5
1990	78	1.3	0.15	1.0	1.6	65	1.2	0.16	1.0	1.6
1991	99	1.5	0.16	1.3	1.9	79	1.4	0.16	1.1	1.8
1992	87	1.3	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1993	109	1.7	0.16	1.4	2.0	78	1.4	0.16	1.1	1.7
1994	141	2.1	0.17	1.7	2.4	111	1.8	0.17	1.5	2.2
1995	141	2.1	0.18	1.8	2.5	103	1.8	0.18	1.5	2.2
1996	154	2.3	0.18	1.9	2.7	121	2.0	0.18	1.7	2.4
1997	156	2.3	0.19	2.0	2.7	119	2.1	0.19	1.7	2.5
1998	153	2.2	0.18	1.9	2.6	114	1.9	0.18	1.6	2.3
1999	190	2.8	0.20	2.4	3.2	148	2.5	0.21	2.1	3.0
2000	183	2.6	0.20	2.3	3.1	130	2.2	0.19	1.8	2.6
2001	175	2.5	0.19	2.2	2.9	134	2.2	0.20	1.9	2.7
2002	183	2.6	0.19	2.2	3.0	132	2.2	0.19	1.8	2.6
2003	169	2.4	0.19	2.0	2.8	127	2.1	0.19	1.8	2.5
2004	191	2.7	0.20	2.3	3.1	141	2.4	0.20	2.0	2.8
2005	190	2.7	0.20	2.3	3.1	143	2.4	0.20	2.0	2.8
2006	197	2.7	0.20	2.4	3.1	147	2.4	0.20	2.0	2.8
2007	206	2.8	0.20	2.5	3.3	158	2.5	0.21	2.2	3.0
2008	226	3.0	0.20	2.6	3.4	166	2.6	0.21	2.2	3.1
2009	204	2.8	0.20	2.4	3.2	158	2.6	0.21	2.2	3.0
2010	264	3.5	0.22	3.1	4.0	196	3.2	0.23	2.7	3.7
2011	210	2.8	0.19	2.4	3.2	165	2.6	0.21	2.3	3.1
2012	235	3.0	0.20	2.6	3.4	181	2.8	0.21	2.4	3.2
2013	240	3.0	0.20	2.7	3.5	183	2.9	0.22	2.5	3.3
2014	255	3.2	0.20	2.8	3.6	185	2.8	0.21	2.4	3.3
2015	271	3.3	0.20	2.9	3.7	201	3.0	0.21	2.6	3.4
2016	288	3.4	0.21	3.0	3.8	211	3.1	0.22	2.7	3.6
2017	303	3.6	0.21	3.2	4.0	224	3.3	0.23	2.9	3.8
2018	297	3.4	0.20	3.0	3.8	226	3.2	0.22	2.8	3.7
2019	275	3.2	0.20	2.8	3.6	201	2.9	0.21	2.5	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Liver										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,146	3.8	0.11	3.6	4.0	346	4.7	0.26	4.2	5.2
1986	10	1.5	0.48	0.7	2.7	2	2.3	1.65	0.3	8.8
1987	11	1.8	0.55	0.9	3.2	2	2.5	1.77	0.3	9.0
1988	21	3.4	0.76	2.1	5.2	2	2.8	1.96	0.3	9.5
1989	21	2.9	0.65	1.8	4.4	5	4.5	2.04	1.5	11.0
1990	12	1.6	0.48	0.8	2.9	1	0.9	0.93	0.0	5.6
1991	17	2.2	0.55	1.3	3.6	3	2.7	1.74	0.4	8.5
1992	11	1.5	0.46	0.7	2.7	2	1.8	1.30	0.2	6.6
1993	22	3.1	0.68	2.0	4.7	9	8.8	3.05	3.9	16.7
1994	26	3.6	0.71	2.3	5.2	4	3.2	1.68	0.8	8.3
1995	34	4.7	0.81	3.2	6.5	4	4.1	2.10	1.1	10.0
1996	26	3.5	0.70	2.3	5.2	7	5.9	2.44	2.1	12.3
1997	31	4.2	0.76	2.9	6.0	6	5.2	2.41	1.6	11.6
1998	28	3.7	0.70	2.4	5.3	10	5.9	1.97	2.7	11.1
1999	35	4.3	0.74	3.0	6.0	7	4.3	1.71	1.6	8.9
2000	38	4.6	0.75	3.2	6.3	14	10.6	2.85	5.7	17.4
2001	32	3.7	0.67	2.5	5.3	9	5.5	1.89	2.4	10.4
2002	39	4.7	0.76	3.4	6.5	11	6.8	2.10	3.3	12.0
2003	32	3.8	0.67	2.6	5.3	10	5.1	1.67	2.4	9.4
2004	37	4.3	0.72	3.0	6.0	12	5.4	1.63	2.7	9.5
2005	38	4.2	0.69	3.0	5.8	9	4.4	1.53	2.0	8.4
2006	38	4.1	0.68	2.9	5.7	12	4.1	1.21	2.1	7.3
2007	36	3.9	0.65	2.7	5.3	12	4.5	1.38	2.2	8.1
2008	38	3.9	0.64	2.7	5.3	21	7.4	1.68	4.5	11.5
2009	35	3.5	0.59	2.4	4.8	10	4.2	1.37	1.9	7.6
2010	53	5.3	0.73	3.9	6.9	14	4.9	1.36	2.6	8.3
2011	34	3.3	0.57	2.2	4.6	9	2.7	0.96	1.2	5.3
2012	35	3.3	0.57	2.3	4.6	15	4.4	1.17	2.4	7.3
2013	43	3.8	0.59	2.8	5.2	13	3.5	1.02	1.8	6.1
2014	48	4.2	0.61	3.1	5.6	21	6.2	1.37	3.8	9.4
2015	47	4.2	0.62	3.0	5.6	19	5.0	1.19	3.0	7.9
2016	56	4.7	0.64	3.5	6.1	19	4.8	1.13	2.8	7.5
2017	58	4.6	0.62	3.5	6.0	21	4.8	1.08	2.9	7.4
2018	56	4.5	0.61	3.4	5.8	13	2.6	0.74	1.4	4.6
2019	48	4.0	0.59	2.9	5.3	18	3.9	0.92	2.3	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gallbladder										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,031	1.4	0.02	1.4	1.5	5,019	1.4	0.02	1.3	1.4
1986	159	1.5	0.12	1.3	1.8	145	1.6	0.13	1.3	1.9
1987	152	1.5	0.12	1.2	1.7	139	1.5	0.13	1.3	1.8
1988	188	1.8	0.13	1.6	2.1	165	1.8	0.14	1.5	2.1
1989	167	1.6	0.12	1.3	1.8	149	1.6	0.13	1.3	1.8
1990	161	1.5	0.12	1.3	1.7	148	1.5	0.13	1.3	1.8
1991	154	1.4	0.12	1.2	1.7	132	1.4	0.12	1.2	1.6
1992	177	1.6	0.12	1.4	1.9	152	1.5	0.13	1.3	1.8
1993	131	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4
1994	175	1.6	0.12	1.3	1.8	162	1.6	0.13	1.4	1.9
1995	161	1.4	0.11	1.2	1.6	142	1.4	0.12	1.2	1.7
1996	172	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.7
1997	165	1.4	0.11	1.2	1.7	150	1.5	0.12	1.2	1.7
1998	186	1.6	0.12	1.4	1.8	156	1.5	0.12	1.3	1.8
1999	159	1.3	0.11	1.1	1.6	143	1.4	0.12	1.2	1.6
2000	164	1.4	0.11	1.2	1.6	140	1.4	0.11	1.1	1.6
2001	171	1.4	0.11	1.2	1.6	155	1.5	0.12	1.3	1.7
2002	168	1.4	0.11	1.2	1.6	141	1.4	0.11	1.1	1.6
2003	172	1.4	0.11	1.2	1.6	144	1.4	0.11	1.1	1.6
2004	169	1.4	0.10	1.2	1.6	137	1.3	0.11	1.1	1.5
2005	189	1.5	0.11	1.3	1.8	161	1.5	0.12	1.3	1.8
2006	168	1.3	0.10	1.1	1.5	145	1.3	0.11	1.1	1.6
2007	170	1.3	0.10	1.1	1.5	146	1.3	0.11	1.1	1.6
2008	194	1.5	0.11	1.3	1.7	155	1.4	0.11	1.2	1.7
2009	186	1.4	0.10	1.2	1.6	148	1.3	0.11	1.1	1.5
2010	176	1.3	0.10	1.1	1.5	133	1.2	0.10	1.0	1.4
2011	201	1.5	0.11	1.3	1.7	158	1.4	0.11	1.2	1.6
2012	182	1.3	0.10	1.1	1.5	139	1.2	0.10	1.0	1.4
2013	196	1.4	0.10	1.2	1.6	149	1.3	0.11	1.1	1.5
2014	207	1.4	0.10	1.2	1.7	159	1.3	0.11	1.1	1.6
2015	216	1.5	0.10	1.3	1.7	170	1.4	0.11	1.2	1.6
2016	208	1.4	0.10	1.2	1.6	161	1.3	0.11	1.1	1.6
2017	195	1.3	0.09	1.1	1.5	145	1.2	0.10	1.0	1.4
2018	202	1.3	0.09	1.1	1.5	147	1.2	0.10	1.0	1.4
2019	190	1.2	0.09	1.1	1.4	138	1.1	0.09	0.9	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gallbladder										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	819	1.7	0.06	1.6	1.8	172	1.3	0.10	1.1	1.5
1986	12	1.4	0.40	0.7	2.3	2	1.9	1.39	0.2	6.5
1987	11	1.0	0.33	0.5	1.9	2	2.0	1.55	0.2	6.9
1988	19	2.0	0.46	1.2	3.0	4	4.0	2.07	1.1	9.8
1989	16	1.5	0.38	0.8	2.4	2	1.8	1.27	0.2	5.9
1990	10	1.1	0.34	0.5	1.9	3	1.9	1.13	0.4	5.6
1991	21	1.9	0.43	1.2	2.9	1	0.9	0.91	0.0	4.2
1992	21	1.7	0.39	1.1	2.7	4	1.8	0.92	0.5	4.8
1993	11	1.0	0.32	0.5	1.8	4	1.4	0.71	0.3	3.8
1994	10	0.9	0.29	0.4	1.7	3	1.3	0.84	0.2	4.0
1995	17	1.4	0.34	0.8	2.2	2	0.8	0.57	0.1	2.9
1996	21	1.7	0.38	1.1	2.6	2	1.3	1.07	0.1	4.5
1997	11	0.9	0.27	0.4	1.5	4	1.4	0.71	0.4	3.6
1998	22	1.7	0.37	1.1	2.6	7	3.1	1.34	1.1	6.6
1999	12	0.9	0.26	0.5	1.5	4	1.3	0.66	0.3	3.3
2000	21	1.5	0.32	0.9	2.2	1	0.3	0.31	0.0	1.7
2001	13	0.9	0.26	0.5	1.6	3	0.6	0.35	0.1	2.0
2002	19	1.3	0.30	0.8	2.0	8	2.8	1.06	1.1	5.5
2003	22	1.6	0.35	1.0	2.4	6	2.3	0.97	0.8	4.8
2004	26	2.0	0.39	1.3	2.9	6	1.3	0.53	0.5	2.8
2005	24	1.8	0.37	1.1	2.6	4	0.8	0.43	0.2	2.2
2006	19	1.3	0.29	0.7	2.0	4	1.0	0.54	0.2	2.6
2007	22	1.4	0.31	0.9	2.1	2	0.5	0.39	0.1	1.8
2008	33	2.0	0.35	1.3	2.8	6	1.1	0.44	0.4	2.3
2009	31	1.9	0.35	1.3	2.7	5	1.2	0.57	0.3	2.8
2010	37	2.3	0.38	1.6	3.1	5	0.9	0.44	0.3	2.2
2011	37	2.2	0.37	1.5	3.0	5	0.9	0.42	0.3	2.1
2012	34	1.9	0.33	1.3	2.6	7	1.4	0.56	0.6	2.9
2013	36	2.0	0.34	1.4	2.8	10	1.5	0.49	0.7	2.8
2014	35	1.8	0.32	1.3	2.6	11	1.6	0.52	0.8	3.0
2015	35	1.8	0.32	1.3	2.6	10	1.5	0.48	0.7	2.7
2016	42	2.2	0.34	1.6	3.0	5	0.6	0.26	0.2	1.4
2017	40	2.1	0.33	1.5	2.8	9	1.0	0.35	0.5	2.0
2018	40	2.1	0.33	1.5	2.8	11	1.5	0.44	0.7	2.6
2019	39	2.0	0.33	1.4	2.7	10	1.3	0.40	0.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gallbladder										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,689	1.0	0.02	0.9	1.0	1,392	0.9	0.02	0.9	1.0
1986	45	1.1	0.18	0.8	1.5	41	1.1	0.19	0.8	1.6
1987	42	1.1	0.17	0.8	1.4	36	1.0	0.18	0.7	1.5
1988	44	1.1	0.18	0.8	1.5	37	1.0	0.18	0.7	1.4
1989	38	0.9	0.15	0.6	1.2	35	0.9	0.16	0.6	1.3
1990	40	0.9	0.15	0.7	1.2	38	1.0	0.16	0.7	1.3
1991	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1992	34	0.7	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1993	28	0.6	0.12	0.4	0.9	24	0.6	0.12	0.4	0.9
1994	50	1.1	0.17	0.8	1.5	45	1.2	0.18	0.9	1.6
1995	35	0.8	0.14	0.6	1.2	30	0.8	0.15	0.5	1.2
1996	54	1.2	0.17	0.9	1.6	50	1.3	0.19	1.0	1.7
1997	49	1.1	0.16	0.8	1.5	43	1.1	0.17	0.8	1.5
1998	44	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4
1999	53	1.1	0.15	0.8	1.5	48	1.2	0.17	0.9	1.5
2000	41	0.8	0.13	0.6	1.1	33	0.8	0.13	0.5	1.1
2001	45	0.9	0.14	0.7	1.2	40	0.9	0.15	0.7	1.3
2002	55	1.1	0.15	0.8	1.4	44	1.0	0.15	0.7	1.4
2003	37	0.8	0.12	0.5	1.0	31	0.7	0.13	0.5	1.0
2004	51	1.0	0.14	0.7	1.3	45	1.0	0.15	0.7	1.4
2005	51	1.0	0.14	0.7	1.3	39	0.9	0.14	0.6	1.2
2006	50	1.0	0.14	0.7	1.3	43	1.0	0.15	0.7	1.3
2007	50	0.9	0.13	0.7	1.2	39	0.9	0.14	0.6	1.2
2008	47	0.8	0.12	0.6	1.1	36	0.8	0.13	0.5	1.1
2009	55	1.0	0.13	0.7	1.3	42	0.9	0.14	0.6	1.2
2010	58	1.1	0.14	0.8	1.4	44	0.9	0.14	0.7	1.3
2011	69	1.2	0.15	0.9	1.5	56	1.2	0.16	0.9	1.5
2012	52	0.9	0.13	0.7	1.2	39	0.8	0.13	0.6	1.1
2013	58	1.0	0.13	0.7	1.2	43	0.9	0.13	0.6	1.2
2014	49	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2015	60	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
2016	62	0.9	0.12	0.7	1.2	47	0.8	0.13	0.6	1.1
2017	65	0.9	0.12	0.7	1.2	48	0.9	0.13	0.6	1.1
2018	63	0.9	0.12	0.7	1.2	45	0.8	0.12	0.6	1.1
2019	72	1.1	0.13	0.8	1.3	55	1.0	0.13	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gallbladder										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	231	1.2	0.08	1.0	1.4	59	0.9	0.12	0.7	1.2
1986	4	1.1	0.63	0.3	2.9	0				
1987	4	0.7	0.35	0.2	1.8	2	4.7	3.72	0.4	16.4
1988	6	1.8	0.79	0.6	3.9	1	2.7	2.65	0.1	12.0
1989	3	0.8	0.48	0.2	2.2	0				
1990	1	0.2	0.16	0.0	1.0	1	1.7	1.70	0.0	8.8
1991	3	1.1	0.62	0.2	2.8	1	2.2	2.24	0.1	10.1
1992	0					0				
1993	4	0.7	0.33	0.2	1.7	0				
1994	3	0.7	0.40	0.1	1.9	2	1.2	0.87	0.2	5.7
1995	4	1.0	0.53	0.2	2.5	1	0.9	0.93	0.0	5.4
1996	3	0.7	0.42	0.1	2.0	1	0.6	0.57	0.0	4.4
1997	4	0.9	0.44	0.2	2.2	2	1.7	1.21	0.2	6.2
1998	3	0.7	0.45	0.1	2.1	1	1.3	1.32	0.0	6.2
1999	3	0.5	0.31	0.1	1.5	2	0.9	0.65	0.1	4.3
2000	7	1.2	0.45	0.5	2.4	1	0.7	0.69	0.0	4.0
2001	3	0.4	0.25	0.1	1.3	2	0.9	0.61	0.1	3.8
2002	7	1.1	0.43	0.4	2.3	4	2.5	1.32	0.6	6.6
2003	6	1.1	0.45	0.4	2.3	0				
2004	5	0.9	0.42	0.3	2.1	1	0.3	0.34	0.0	2.6
2005	10	1.7	0.59	0.8	3.2	2	1.1	0.81	0.1	4.0
2006	6	1.0	0.41	0.3	2.1	1	0.4	0.41	0.0	2.6
2007	10	1.6	0.53	0.8	3.0	1	0.3	0.34	0.0	2.3
2008	8	1.2	0.44	0.5	2.4	3	1.0	0.60	0.2	3.3
2009	10	1.5	0.50	0.7	2.8	2	1.3	1.06	0.1	4.6
2010	11	2.0	0.63	0.9	3.5	3	1.4	0.86	0.3	4.1
2011	11	1.9	0.60	0.9	3.4	1	0.3	0.26	0.0	1.8
2012	10	1.6	0.51	0.7	2.9	2	0.8	0.60	0.1	2.9
2013	13	1.8	0.53	0.9	3.2	2	0.6	0.42	0.1	2.2
2014	8	1.1	0.39	0.4	2.1	5	1.8	0.85	0.5	4.2
2015	8	1.1	0.40	0.4	2.1	5	1.4	0.64	0.4	3.3
2016	13	1.7	0.48	0.9	2.9	2	0.6	0.43	0.1	2.1
2017	13	1.6	0.48	0.8	2.8	3	0.7	0.38	0.1	2.1
2018	13	1.7	0.48	0.9	2.9	4	1.0	0.48	0.3	2.5
2019	14	1.8	0.50	1.0	3.1	1	0.2	0.24	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gallbladder										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,342	1.8	0.03	1.7	1.8	3,627	1.7	0.03	1.7	1.8
1986	114	1.8	0.17	1.5	2.2	104	1.9	0.19	1.5	2.3
1987	110	1.8	0.17	1.4	2.1	103	1.8	0.18	1.5	2.2
1988	144	2.3	0.19	1.9	2.7	128	2.3	0.21	1.9	2.7
1989	129	2.0	0.18	1.7	2.4	114	2.0	0.19	1.7	2.4
1990	121	1.9	0.17	1.5	2.2	110	1.9	0.18	1.6	2.3
1991	111	1.7	0.17	1.4	2.1	93	1.6	0.17	1.3	2.0
1992	143	2.2	0.18	1.8	2.6	118	2.0	0.18	1.6	2.4
1993	103	1.6	0.16	1.3	1.9	92	1.6	0.17	1.3	2.0
1994	125	1.8	0.17	1.5	2.2	117	2.0	0.18	1.6	2.4
1995	126	1.9	0.17	1.6	2.3	112	1.9	0.18	1.6	2.3
1996	118	1.8	0.16	1.5	2.1	99	1.7	0.17	1.4	2.1
1997	116	1.7	0.16	1.4	2.0	107	1.8	0.17	1.4	2.1
1998	142	2.1	0.18	1.8	2.5	116	2.0	0.18	1.6	2.4
1999	106	1.5	0.15	1.2	1.8	95	1.6	0.16	1.3	1.9
2000	123	1.8	0.16	1.5	2.1	107	1.8	0.18	1.5	2.2
2001	126	1.8	0.16	1.5	2.2	115	1.9	0.18	1.6	2.3
2002	113	1.6	0.15	1.3	1.9	97	1.6	0.17	1.3	2.0
2003	135	1.9	0.16	1.6	2.2	113	1.8	0.18	1.5	2.2
2004	118	1.6	0.15	1.3	1.9	92	1.5	0.16	1.2	1.8
2005	138	1.9	0.16	1.6	2.3	122	2.0	0.18	1.6	2.4
2006	118	1.6	0.15	1.3	1.9	102	1.6	0.16	1.3	1.9
2007	120	1.6	0.15	1.3	2.0	107	1.7	0.17	1.4	2.1
2008	147	2.0	0.17	1.7	2.4	119	1.9	0.18	1.6	2.3
2009	131	1.7	0.15	1.4	2.0	106	1.6	0.16	1.3	2.0
2010	118	1.5	0.14	1.3	1.9	89	1.4	0.15	1.1	1.7
2011	132	1.7	0.15	1.4	2.0	102	1.6	0.16	1.3	2.0
2012	130	1.6	0.15	1.4	1.9	100	1.5	0.15	1.2	1.8
2013	138	1.7	0.15	1.5	2.1	106	1.6	0.16	1.3	2.0
2014	158	2.0	0.16	1.7	2.3	123	1.8	0.17	1.5	2.2
2015	156	1.9	0.15	1.6	2.2	123	1.8	0.17	1.5	2.2
2016	146	1.8	0.15	1.5	2.1	114	1.8	0.17	1.4	2.1
2017	130	1.6	0.14	1.3	1.9	97	1.5	0.15	1.2	1.8
2018	139	1.7	0.14	1.4	2.0	102	1.5	0.15	1.2	1.8
2019	118	1.4	0.13	1.2	1.7	83	1.2	0.14	1.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Gallbladder										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	588	2.0	0.08	1.8	2.2	113	1.6	0.15	1.3	1.9
1986	8	1.5	0.53	0.6	2.8	2	3.3	2.41	0.4	11.3
1987	7	1.2	0.46	0.5	2.4	0				
1988	13	2.1	0.60	1.1	3.6	3	5.1	3.04	1.0	14.0
1989	13	1.9	0.55	1.0	3.3	2	3.1	2.17	0.4	10.1
1990	9	1.5	0.52	0.7	2.9	2	2.1	1.52	0.2	7.7
1991	18	2.6	0.63	1.6	4.2	0				
1992	21	2.9	0.65	1.8	4.5	4	3.3	1.67	0.9	8.7
1993	7	1.1	0.43	0.5	2.3	4	2.5	1.27	0.6	6.9
1994	7	1.1	0.40	0.4	2.1	1	1.2	1.23	0.0	5.7
1995	13	1.7	0.47	0.9	2.9	1	0.7	0.71	0.0	4.0
1996	18	2.4	0.56	1.4	3.7	1	1.6	1.58	0.0	6.6
1997	7	0.9	0.34	0.4	1.8	2	1.2	0.86	0.2	4.5
1998	19	2.4	0.56	1.5	3.8	6	4.3	1.99	1.3	9.7
1999	9	1.1	0.37	0.5	2.1	2	1.4	1.01	0.2	4.8
2000	14	1.7	0.45	0.9	2.8	0				
2001	10	1.2	0.38	0.6	2.2	1	0.4	0.36	0.0	2.4
2002	12	1.4	0.40	0.7	2.4	4	2.8	1.43	0.7	6.8
2003	16	1.9	0.48	1.1	3.1	6	3.8	1.59	1.4	8.0
2004	21	2.6	0.56	1.6	3.9	5	2.1	0.94	0.7	4.9
2005	14	1.7	0.46	0.9	2.9	2	0.6	0.43	0.1	2.4
2006	13	1.4	0.39	0.7	2.4	3	1.3	0.82	0.2	3.9
2007	12	1.3	0.36	0.6	2.2	1	0.6	0.58	0.0	2.7
2008	25	2.5	0.51	1.6	3.8	3	1.1	0.62	0.2	3.1
2009	21	2.2	0.48	1.3	3.3	3	1.2	0.70	0.2	3.3
2010	26	2.6	0.52	1.7	3.9	2	0.6	0.41	0.1	2.2
2011	26	2.5	0.50	1.6	3.7	4	1.5	0.74	0.4	3.6
2012	24	2.2	0.46	1.4	3.3	5	1.9	0.85	0.6	4.3
2013	23	2.2	0.46	1.4	3.3	8	2.3	0.83	1.0	4.5
2014	27	2.5	0.49	1.6	3.7	6	1.5	0.65	0.5	3.4
2015	27	2.4	0.46	1.6	3.5	5	1.4	0.65	0.5	3.3
2016	29	2.5	0.47	1.7	3.6	3	0.5	0.31	0.1	1.7
2017	27	2.3	0.46	1.5	3.4	6	1.4	0.56	0.5	3.0
2018	27	2.4	0.47	1.6	3.5	7	1.8	0.70	0.7	3.7
2019	25	2.2	0.44	1.4	3.2	9	2.0	0.69	0.9	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Pancreas										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	52,928	12.3	0.05	12.2	12.4	43,925	11.9	0.06	11.8	12.1
1986	1,045	9.8	0.31	9.2	10.4	889	9.4	0.32	8.7	10.0
1987	1,062	10.0	0.31	9.4	10.6	883	9.4	0.32	8.8	10.0
1988	1,043	9.7	0.30	9.2	10.4	899	9.4	0.32	8.8	10.1
1989	1,053	9.9	0.31	9.3	10.5	894	9.5	0.32	8.9	10.2
1990	1,116	10.3	0.31	9.7	10.9	931	9.7	0.32	9.1	10.4
1991	1,028	9.4	0.29	8.8	10.0	893	9.2	0.31	8.6	9.9
1992	1,068	9.6	0.30	9.0	10.2	899	9.2	0.31	8.6	9.8
1993	1,078	9.6	0.29	9.0	10.2	904	9.1	0.31	8.6	9.8
1994	1,327	11.7	0.32	11.0	12.3	1,105	11.1	0.33	10.4	11.7
1995	1,335	11.7	0.32	11.1	12.3	1,116	11.2	0.34	10.5	11.9
1996	1,383	12.0	0.32	11.4	12.7	1,174	11.7	0.34	11.0	12.4
1997	1,317	11.3	0.31	10.7	11.9	1,128	11.1	0.33	10.5	11.8
1998	1,416	12.0	0.32	11.4	12.7	1,205	11.8	0.34	11.1	12.5
1999	1,432	12.1	0.32	11.5	12.7	1,203	11.7	0.34	11.0	12.4
2000	1,484	12.4	0.32	11.8	13.0	1,248	12.1	0.34	11.4	12.8
2001	1,509	12.5	0.32	11.9	13.1	1,259	12.1	0.34	11.5	12.8
2002	1,506	12.4	0.32	11.8	13.0	1,238	11.8	0.34	11.2	12.5
2003	1,535	12.4	0.32	11.8	13.1	1,260	11.9	0.34	11.2	12.6
2004	1,602	12.8	0.32	12.2	13.5	1,353	12.6	0.34	12.0	13.3
2005	1,675	13.2	0.32	12.6	13.9	1,366	12.6	0.34	12.0	13.3
2006	1,600	12.6	0.32	12.0	13.2	1,295	11.9	0.33	11.3	12.6
2007	1,661	12.8	0.32	12.2	13.5	1,377	12.5	0.34	11.9	13.2
2008	1,731	13.1	0.32	12.5	13.8	1,433	12.8	0.34	12.2	13.5
2009	1,828	13.7	0.32	13.1	14.3	1,516	13.4	0.35	12.8	14.1
2010	1,781	13.2	0.32	12.6	13.8	1,488	13.1	0.34	12.4	13.8
2011	1,799	13.1	0.31	12.5	13.7	1,491	12.9	0.34	12.3	13.6
2012	1,846	13.0	0.31	12.4	13.6	1,517	12.8	0.33	12.2	13.5
2013	1,901	13.1	0.31	12.5	13.7	1,564	12.9	0.33	12.3	13.6
2014	1,947	13.2	0.30	12.6	13.8	1,585	12.9	0.33	12.3	13.6
2015	2,057	13.9	0.31	13.3	14.5	1,653	13.5	0.34	12.8	14.2
2016	2,035	13.5	0.31	12.9	14.1	1,683	13.5	0.34	12.9	14.2
2017	2,238	14.5	0.31	13.9	15.2	1,876	14.8	0.35	14.1	15.5
2018	2,257	14.5	0.31	13.9	15.1	1,798	14.0	0.34	13.4	14.7
2019	2,233	14.1	0.30	13.5	14.7	1,802	13.9	0.33	13.3	14.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Pancreas										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,914	16.1	0.18	15.7	16.4	999	7.7	0.26	7.2	8.2
1986	145	13.6	1.17	11.4	16.0	11	6.9	2.14	3.4	12.7
1987	170	15.8	1.25	13.5	18.4	9	5.9	2.09	2.5	11.5
1988	133	12.4	1.11	10.3	14.7	11	11.0	3.93	4.7	20.6
1989	148	13.1	1.11	11.0	15.4	11	9.9	3.33	4.5	18.1
1990	173	15.2	1.20	13.0	17.7	12	8.0	2.54	3.9	14.4
1991	125	11.4	1.04	9.4	13.6	9	5.6	2.19	2.2	11.3
1992	157	13.0	1.07	11.0	15.3	11	5.2	1.64	2.5	9.5
1993	161	13.6	1.09	11.5	15.9	13	7.8	2.52	3.7	13.9
1994	197	16.7	1.22	14.4	19.2	25	14.2	3.15	8.7	21.4
1995	204	17.1	1.22	14.7	19.6	13	6.3	1.84	3.2	10.8
1996	194	15.8	1.16	13.6	18.3	14	6.6	1.98	3.3	11.4
1997	175	13.6	1.05	11.7	15.9	14	6.4	1.86	3.3	10.9
1998	190	14.5	1.07	12.5	16.7	20	8.9	2.12	5.3	13.9
1999	200	15.3	1.10	13.2	17.6	29	12.8	2.61	8.2	18.7
2000	202	15.0	1.08	13.0	17.3	31	11.3	2.19	7.4	16.2
2001	227	16.2	1.09	14.1	18.4	20	6.1	1.53	3.5	9.8
2002	242	17.4	1.14	15.3	19.8	23	7.6	1.71	4.6	11.6
2003	246	17.4	1.14	15.3	19.8	28	8.5	1.71	5.5	12.4
2004	222	15.2	1.04	13.3	17.4	27	8.1	1.70	5.1	12.0
2005	279	19.1	1.17	16.9	21.6	29	8.1	1.62	5.3	11.8
2006	273	18.3	1.13	16.2	20.6	29	7.4	1.49	4.8	10.9
2007	251	16.7	1.08	14.7	19.0	31	6.4	1.25	4.2	9.3
2008	256	16.2	1.04	14.3	18.4	40	9.2	1.56	6.4	12.7
2009	274	17.3	1.07	15.3	19.5	37	7.8	1.38	5.3	10.9
2010	253	15.9	1.02	13.9	18.0	35	6.6	1.19	4.4	9.3
2011	263	15.7	0.99	13.8	17.7	42	7.6	1.24	5.3	10.3
2012	280	16.2	0.99	14.3	18.3	44	7.5	1.22	5.4	10.3
2013	293	16.5	0.99	14.6	18.6	39	6.3	1.07	4.4	8.8
2014	302	16.6	0.98	14.7	18.6	56	8.4	1.17	6.2	11.0
2015	353	19.1	1.04	17.2	21.3	49	7.1	1.05	5.1	9.4
2016	305	16.2	0.95	14.4	18.1	44	6.0	0.94	4.3	8.1
2017	314	16.2	0.94	14.4	18.1	42	5.4	0.86	3.9	7.4
2018	366	18.7	1.00	16.8	20.7	84	10.6	1.18	8.4	13.1
2019	341	16.7	0.93	15.0	18.6	67	7.9	0.98	6.1	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Pancreas										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	26,090	14.2	0.09	14.0	14.4	21,900	13.9	0.10	13.7	14.1
1986	493	11.1	0.52	10.1	12.2	421	10.8	0.55	9.7	11.9
1987	514	11.9	0.55	10.9	13.1	430	11.3	0.57	10.2	12.5
1988	486	11.2	0.53	10.1	12.2	424	11.0	0.55	9.9	12.1
1989	475	10.6	0.50	9.6	11.6	413	10.5	0.53	9.5	11.6
1990	526	11.8	0.53	10.8	12.9	447	11.3	0.55	10.3	12.5
1991	478	10.6	0.50	9.6	11.6	420	10.5	0.53	9.5	11.6
1992	514	11.1	0.50	10.1	12.1	430	10.5	0.52	9.5	11.6
1993	502	10.8	0.49	9.9	11.8	423	10.3	0.51	9.4	11.4
1994	649	13.9	0.56	12.8	15.0	541	13.2	0.58	12.1	14.4
1995	645	13.6	0.55	12.5	14.7	531	12.8	0.57	11.8	14.0
1996	653	13.7	0.55	12.6	14.8	554	13.3	0.57	12.2	14.5
1997	620	12.8	0.52	11.8	13.9	534	12.7	0.56	11.7	13.9
1998	644	13.3	0.53	12.3	14.4	551	13.1	0.57	12.1	14.3
1999	692	13.9	0.54	12.9	15.0	590	13.7	0.57	12.6	14.8
2000	744	14.8	0.55	13.8	15.9	633	14.6	0.59	13.5	15.8
2001	738	14.5	0.54	13.4	15.6	625	14.2	0.57	13.1	15.4
2002	723	14.1	0.53	13.1	15.2	595	13.5	0.56	12.4	14.6
2003	763	14.6	0.54	13.6	15.7	618	13.8	0.56	12.7	14.9
2004	819	15.5	0.55	14.5	16.6	699	15.5	0.59	14.4	16.7
2005	789	14.7	0.53	13.7	15.8	645	14.1	0.56	13.0	15.2
2006	804	14.6	0.53	13.6	15.7	654	14.0	0.55	12.9	15.1
2007	815	14.6	0.52	13.6	15.6	682	14.3	0.55	13.2	15.4
2008	872	15.4	0.53	14.4	16.5	730	15.1	0.57	14.0	16.2
2009	904	15.5	0.53	14.5	16.6	758	15.3	0.57	14.3	16.5
2010	888	15.1	0.52	14.1	16.2	759	15.2	0.56	14.1	16.4
2011	902	14.9	0.51	13.9	15.9	769	15.0	0.55	14.0	16.2
2012	919	14.6	0.49	13.6	15.6	758	14.3	0.53	13.2	15.3
2013	979	15.3	0.50	14.4	16.4	824	15.4	0.55	14.3	16.5
2014	1,012	15.5	0.50	14.6	16.5	843	15.4	0.54	14.4	16.5
2015	1,052	16.0	0.51	15.1	17.1	853	15.6	0.55	14.5	16.7
2016	1,034	15.6	0.50	14.6	16.6	875	15.7	0.55	14.7	16.8
2017	1,155	16.7	0.50	15.7	17.7	993	17.3	0.56	16.2	18.4
2018	1,145	16.3	0.49	15.4	17.3	946	16.3	0.54	15.2	17.4
2019	1,142	16.0	0.48	15.0	16.9	932	15.8	0.53	14.8	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Pancreas										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,656	17.9	0.31	17.3	18.5	489	8.4	0.41	7.6	9.2
1986	68	14.4	1.85	11.0	18.4	4	4.6	2.36	1.2	13.3
1987	80	18.2	2.15	14.2	22.8	4	6.3	3.19	1.7	16.3
1988	57	13.2	1.87	9.8	17.3	5	7.7	4.03	1.9	19.3
1989	59	11.8	1.61	8.8	15.3	3	2.6	1.52	0.5	9.1
1990	73	15.7	1.95	12.1	20.0	6	11.5	5.13	3.7	25.1
1991	53	12.0	1.74	8.8	15.9	4	7.0	4.48	1.1	19.6
1992	76	16.7	2.05	12.9	21.1	7	7.4	3.05	2.6	16.0
1993	73	15.2	1.87	11.7	19.2	6	9.5	4.63	2.7	21.7
1994	99	20.4	2.18	16.4	25.1	9	13.4	5.03	5.4	26.0
1995	100	20.6	2.19	16.6	25.3	13	14.8	4.43	7.5	25.8
1996	90	18.3	2.06	14.5	22.8	8	11.0	4.43	4.1	22.2
1997	77	13.6	1.62	10.6	17.2	9	10.1	3.94	3.9	20.1
1998	84	15.7	1.80	12.3	19.5	9	9.9	3.48	4.3	18.7
1999	89	16.5	1.82	13.1	20.4	13	14.0	4.65	6.4	25.3
2000	93	16.3	1.78	13.0	20.1	16	12.7	3.43	6.9	21.1
2001	105	18.0	1.84	14.6	21.9	7	4.1	1.68	1.5	8.9
2002	113	19.4	1.94	15.8	23.6	13	9.8	3.12	4.7	17.5
2003	128	22.2	2.08	18.3	26.6	17	11.5	3.18	6.2	19.2
2004	105	16.6	1.71	13.5	20.3	15	9.1	2.64	4.7	15.6
2005	130	21.4	2.01	17.7	25.7	13	8.9	2.76	4.3	15.6
2006	128	20.3	1.88	16.8	24.3	19	11.1	2.88	6.2	17.9
2007	109	18.1	1.86	14.7	22.1	22	9.1	2.23	5.3	14.5
2008	121	18.8	1.80	15.5	22.7	21	11.8	2.87	6.9	18.5
2009	130	20.1	1.86	16.6	24.0	16	6.9	1.98	3.6	11.8
2010	108	16.1	1.63	13.1	19.6	18	7.4	1.88	4.2	12.0
2011	116	17.0	1.66	13.9	20.5	17	7.5	2.02	4.1	12.4
2012	138	19.4	1.74	16.1	23.1	22	7.8	1.80	4.7	12.1
2013	136	18.3	1.65	15.2	21.8	16	5.9	1.57	3.2	9.7
2014	140	18.5	1.64	15.4	22.0	28	8.7	1.76	5.6	12.9
2015	170	22.2	1.78	18.9	26.0	28	8.4	1.69	5.4	12.3
2016	139	18.5	1.64	15.4	22.0	19	6.0	1.46	3.5	9.5
2017	141	17.1	1.51	14.3	20.3	16	4.6	1.19	2.5	7.5
2018	157	18.8	1.56	15.9	22.1	37	10.4	1.77	7.2	14.4
2019	171	19.6	1.55	16.7	22.9	29	7.3	1.37	4.8	10.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Pancreas										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	26,838	10.8	0.07	10.7	10.9	22,025	10.4	0.07	10.2	10.5
1986	552	8.7	0.38	8.0	9.5	468	8.3	0.39	7.6	9.1
1987	548	8.7	0.37	7.9	9.4	453	8.0	0.38	7.3	8.8
1988	557	8.8	0.38	8.1	9.5	475	8.4	0.39	7.7	9.2
1989	578	9.2	0.39	8.5	10.0	481	8.7	0.40	7.9	9.5
1990	590	9.3	0.39	8.5	10.0	484	8.6	0.40	7.8	9.4
1991	550	8.5	0.37	7.8	9.3	473	8.3	0.39	7.5	9.1
1992	554	8.4	0.36	7.7	9.1	469	8.0	0.38	7.3	8.8
1993	576	8.7	0.36	8.0	9.4	481	8.2	0.38	7.5	9.0
1994	678	9.9	0.38	9.2	10.7	564	9.4	0.40	8.6	10.2
1995	690	10.1	0.39	9.4	10.9	585	9.7	0.41	9.0	10.6
1996	730	10.6	0.40	9.9	11.5	620	10.3	0.42	9.5	11.2
1997	697	10.1	0.38	9.3	10.9	594	9.8	0.41	9.1	10.7
1998	772	11.1	0.40	10.3	11.9	654	10.8	0.43	10.0	11.7
1999	740	10.5	0.39	9.8	11.3	613	10.0	0.41	9.2	10.9
2000	740	10.5	0.39	9.8	11.3	615	10.1	0.41	9.3	11.0
2001	771	10.9	0.40	10.2	11.7	634	10.4	0.42	9.6	11.2
2002	783	10.9	0.39	10.2	11.7	643	10.4	0.42	9.6	11.3
2003	772	10.7	0.39	10.0	11.5	642	10.4	0.42	9.6	11.2
2004	783	10.7	0.39	9.9	11.4	654	10.4	0.41	9.6	11.2
2005	886	12.1	0.41	11.3	12.9	721	11.5	0.44	10.7	12.4
2006	796	10.9	0.39	10.1	11.7	641	10.2	0.41	9.4	11.1
2007	846	11.4	0.40	10.6	12.2	695	11.0	0.43	10.2	11.9
2008	859	11.4	0.39	10.6	12.2	703	11.0	0.42	10.2	11.9
2009	924	12.1	0.40	11.3	12.9	758	11.8	0.44	10.9	12.6
2010	893	11.6	0.39	10.8	12.4	729	11.3	0.43	10.5	12.2
2011	897	11.5	0.39	10.7	12.3	722	11.1	0.42	10.3	11.9
2012	927	11.7	0.39	10.9	12.5	759	11.6	0.43	10.8	12.5
2013	922	11.4	0.38	10.6	12.2	740	11.0	0.41	10.2	11.8
2014	935	11.5	0.38	10.7	12.2	742	11.0	0.41	10.2	11.8
2015	1,005	12.1	0.39	11.3	12.9	800	11.7	0.42	10.9	12.6
2016	1,001	11.9	0.39	11.2	12.7	808	11.7	0.42	10.9	12.6
2017	1,083	12.7	0.39	11.9	13.5	883	12.6	0.43	11.8	13.5
2018	1,112	12.9	0.40	12.2	13.7	852	12.1	0.43	11.3	13.0
2019	1,091	12.4	0.38	11.7	13.2	870	12.2	0.42	11.4	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Pancreas										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,258	14.6	0.23	14.2	15.1	510	7.2	0.33	6.5	7.8
1986	77	12.6	1.47	9.8	15.7	7	8.7	3.31	3.4	18.0
1987	90	14.2	1.52	11.4	17.5	5	5.7	2.81	1.6	14.1
1988	76	11.9	1.39	9.4	14.9	6	13.0	5.94	4.1	28.2
1989	89	13.7	1.47	10.9	16.8	8	15.0	5.56	6.1	28.8
1990	100	14.8	1.51	12.0	18.0	6	5.7	2.40	2.0	12.8
1991	72	10.9	1.30	8.5	13.8	5	4.8	2.19	1.6	11.3
1992	81	11.0	1.24	8.7	13.7	4	3.4	1.71	0.9	8.8
1993	88	12.4	1.34	10.0	15.3	7	6.8	2.91	2.4	14.6
1994	98	13.8	1.41	11.2	16.9	16	15.0	4.11	8.1	24.9
1995	104	14.6	1.44	11.9	17.6	0				
1996	104	14.1	1.40	11.5	17.1	6	4.1	1.78	1.4	9.1
1997	98	13.2	1.34	10.7	16.0	5	3.9	1.80	1.2	9.0
1998	106	13.6	1.33	11.1	16.4	11	8.3	2.63	4.0	14.9
1999	111	14.2	1.36	11.7	17.1	16	12.2	3.21	6.8	19.9
2000	109	13.8	1.33	11.3	16.6	15	9.8	2.70	5.3	16.4
2001	122	14.8	1.35	12.3	17.6	13	7.4	2.21	3.8	12.9
2002	129	15.7	1.40	13.1	18.7	10	6.0	1.99	2.8	11.0
2003	118	14.1	1.31	11.7	16.9	11	6.3	1.95	3.0	11.1
2004	117	13.8	1.29	11.4	16.6	12	7.0	2.13	3.5	12.3
2005	149	17.4	1.44	14.7	20.5	16	7.6	2.01	4.2	12.5
2006	145	16.6	1.38	14.0	19.5	10	4.8	1.58	2.2	8.8
2007	142	15.9	1.35	13.4	18.8	9	4.1	1.42	1.8	7.7
2008	135	14.3	1.25	12.0	17.0	19	7.4	1.78	4.3	11.7
2009	144	15.4	1.30	13.0	18.2	21	8.2	1.89	5.0	12.7
2010	145	15.3	1.29	12.9	18.0	17	5.7	1.48	3.2	9.3
2011	147	14.6	1.22	12.3	17.2	25	7.9	1.64	5.0	11.8
2012	142	13.9	1.18	11.7	16.4	22	7.1	1.59	4.3	10.9
2013	157	15.3	1.23	12.9	17.9	23	6.7	1.45	4.1	10.1
2014	162	15.3	1.22	13.0	17.9	28	8.0	1.57	5.3	11.7
2015	183	16.8	1.26	14.4	19.4	21	5.8	1.31	3.6	9.0
2016	166	14.8	1.17	12.6	17.2	25	6.3	1.28	4.0	9.3
2017	173	15.3	1.18	13.1	17.8	26	6.0	1.21	3.9	8.9
2018	209	18.3	1.29	15.9	21.0	47	10.6	1.57	7.7	14.2
2019	170	14.2	1.11	12.1	16.6	38	8.2	1.35	5.8	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Respiratory System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	318,029	73.6	0.13	73.3	73.8	267,479	72.7	0.14	72.4	73.0
1986	7,206	66.6	0.80	65.0	68.2	6,186	64.5	0.83	62.9	66.2
1987	7,760	71.6	0.82	70.0	73.2	6,661	69.7	0.87	68.0	71.4
1988	7,443	68.2	0.80	66.6	69.7	6,328	65.7	0.84	64.1	67.4
1989	7,653	69.8	0.81	68.2	71.4	6,513	67.4	0.85	65.8	69.1
1990	7,959	72.1	0.82	70.5	73.7	6,791	70.0	0.86	68.3	71.7
1991	7,926	70.9	0.80	69.3	72.5	6,810	69.3	0.85	67.6	71.0
1992	8,358	74.2	0.82	72.6	75.8	7,140	72.5	0.86	70.8	74.2
1993	8,757	77.1	0.83	75.5	78.7	7,378	74.4	0.87	72.7	76.1
1994	9,334	81.5	0.85	79.9	83.2	7,949	79.6	0.90	77.8	81.4
1995	9,361	81.3	0.84	79.6	82.9	7,879	78.7	0.89	77.0	80.5
1996	9,369	81.1	0.84	79.5	82.8	7,862	78.5	0.89	76.7	80.2
1997	9,246	79.4	0.83	77.8	81.0	7,797	77.4	0.88	75.6	79.1
1998	9,383	79.8	0.82	78.2	81.5	7,895	77.8	0.88	76.1	79.5
1999	9,461	79.9	0.82	78.3	81.5	7,993	78.4	0.88	76.7	80.1
2000	9,335	78.3	0.81	76.7	79.9	7,934	77.6	0.87	75.9	79.3
2001	9,459	78.8	0.81	77.2	80.4	8,013	77.9	0.87	76.2	79.7
2002	9,760	80.5	0.82	78.9	82.1	8,230	79.5	0.88	77.7	81.2
2003	9,771	79.6	0.81	78.1	81.2	8,241	78.9	0.87	77.2	80.7
2004	9,516	76.9	0.79	75.4	78.5	7,968	75.8	0.85	74.2	77.5
2005	9,709	77.6	0.79	76.0	79.2	8,158	77.1	0.86	75.4	78.8
2006	9,930	78.7	0.79	77.1	80.2	8,319	77.9	0.86	76.2	79.6
2007	10,070	78.5	0.79	77.0	80.1	8,438	78.0	0.86	76.4	79.7
2008	10,085	77.2	0.78	75.7	78.8	8,519	77.5	0.85	75.9	79.2
2009	10,287	77.8	0.78	76.3	79.3	8,665	78.2	0.85	76.5	79.9
2010	9,988	74.2	0.75	72.8	75.7	8,353	74.2	0.82	72.6	75.8
2011	10,055	73.2	0.74	71.8	74.7	8,422	73.4	0.81	71.9	75.0
2012	10,020	71.6	0.73	70.2	73.1	8,294	71.1	0.79	69.6	72.7
2013	9,844	68.6	0.70	67.2	70.0	8,160	68.4	0.77	66.9	70.0
2014	10,386	71.1	0.71	69.7	72.5	8,682	71.8	0.78	70.2	73.3
2015	10,240	68.8	0.69	67.4	70.1	8,436	68.7	0.76	67.2	70.2
2016	10,190	67.6	0.68	66.3	68.9	8,446	67.9	0.75	66.5	69.4
2017	10,258	66.6	0.67	65.3	68.0	8,526	67.3	0.74	65.8	68.7
2018	10,183	64.6	0.65	63.3	65.9	8,480	65.4	0.72	64.0	66.8
2019	9,727	60.5	0.62	59.3	61.7	8,013	60.8	0.69	59.5	62.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Respiratory System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	45,881	89.6	0.43	88.7	90.4	4,225	31.9	0.52	30.9	32.9
1986	989	86.0	2.80	80.6	91.7	27	23.2	5.00	14.5	34.7
1987	1,047	90.1	2.85	84.6	95.8	47	34.6	5.63	24.4	47.2
1988	1,066	89.8	2.82	84.4	95.5	45	32.5	5.37	22.9	44.5
1989	1,087	93.1	2.89	87.5	98.9	45	27.1	4.32	19.3	36.8
1990	1,115	92.6	2.83	87.1	98.3	49	31.6	5.04	22.5	42.9
1991	1,055	85.5	2.69	80.3	90.9	45	29.6	4.95	20.7	40.6
1992	1,159	93.5	2.81	88.1	99.2	50	27.3	4.25	19.6	36.8
1993	1,300	103.5	2.93	97.8	109.4	76	40.1	5.26	30.5	51.5
1994	1,302	102.2	2.89	96.6	108.0	76	36.9	4.63	28.4	46.9
1995	1,395	106.3	2.90	100.7	112.1	81	34.3	4.19	26.6	43.4
1996	1,406	107.0	2.90	101.4	112.8	93	41.5	4.78	32.7	51.7
1997	1,352	100.4	2.77	95.0	106.0	90	35.7	4.14	28.1	44.6
1998	1,365	100.3	2.76	95.0	105.9	107	40.8	4.23	32.9	49.8
1999	1,368	98.5	2.71	93.3	104.0	93	36.7	4.11	29.1	45.5
2000	1,290	91.1	2.58	86.2	96.3	99	34.0	3.67	27.2	41.9
2001	1,336	93.9	2.61	88.9	99.2	99	32.8	3.60	26.1	40.5
2002	1,401	96.3	2.62	91.2	101.6	118	37.7	3.74	30.7	45.6
2003	1,413	95.5	2.58	90.5	100.6	105	31.3	3.27	25.2	38.2
2004	1,424	95.2	2.57	90.2	100.4	115	33.2	3.32	27.0	40.3
2005	1,407	92.0	2.50	87.2	97.0	129	32.6	3.07	26.8	39.1
2006	1,463	94.3	2.51	89.4	99.3	138	34.9	3.18	28.9	41.6
2007	1,472	94.0	2.50	89.1	99.0	152	36.5	3.18	30.5	43.2
2008	1,408	87.3	2.38	82.7	92.1	143	31.1	2.81	25.8	37.0
2009	1,441	86.6	2.33	82.0	91.3	162	32.9	2.78	27.7	38.8
2010	1,442	85.5	2.31	81.0	90.1	174	34.1	2.76	28.9	39.9
2011	1,435	83.8	2.27	79.4	88.3	174	32.1	2.59	27.3	37.6
2012	1,521	87.2	2.29	82.7	91.8	190	31.9	2.45	27.3	37.0
2013	1,472	81.5	2.18	77.3	85.9	198	31.7	2.37	27.2	36.7
2014	1,487	80.4	2.14	76.2	84.7	197	29.9	2.23	25.7	34.6
2015	1,554	81.6	2.12	77.5	85.9	233	34.0	2.33	29.6	38.9
2016	1,524	79.9	2.10	75.8	84.1	207	27.5	1.98	23.8	31.6
2017	1,506	77.1	2.04	73.2	81.2	209	27.4	1.94	23.7	31.5
2018	1,453	73.5	1.97	69.7	77.5	221	26.8	1.84	23.3	30.7
2019	1,426	69.4	1.88	65.8	73.2	238	28.0	1.85	24.5	31.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Respiratory System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	181,774	97.7	0.23	97.2	98.1	152,233	95.5	0.25	95.0	96.0
1986	4,891	107.4	1.59	104.3	110.6	4,175	103.4	1.66	100.2	106.7
1987	5,166	112.7	1.62	109.5	115.9	4,409	108.8	1.69	105.5	112.2
1988	4,837	104.7	1.55	101.7	107.8	4,133	101.2	1.62	98.1	104.5
1989	4,965	106.9	1.56	103.8	110.0	4,196	102.1	1.62	98.9	105.3
1990	5,089	109.2	1.57	106.2	112.4	4,310	105.0	1.64	101.8	108.3
1991	5,030	106.3	1.54	103.3	109.3	4,306	103.3	1.61	100.2	106.5
1992	5,215	108.7	1.54	105.7	111.8	4,426	105.1	1.61	102.0	108.3
1993	5,418	112.9	1.56	109.8	116.0	4,540	107.9	1.63	104.7	111.1
1994	5,701	118.6	1.60	115.5	121.8	4,832	114.9	1.68	111.7	118.3
1995	5,670	116.2	1.57	113.1	119.3	4,719	110.9	1.64	107.7	114.2
1996	5,592	114.7	1.56	111.6	117.7	4,663	109.8	1.63	106.6	113.0
1997	5,514	111.9	1.53	108.9	114.9	4,594	107.5	1.60	104.4	110.7
1998	5,546	111.3	1.51	108.4	114.3	4,612	106.7	1.58	103.6	109.9
1999	5,527	110.0	1.50	107.1	113.0	4,638	106.7	1.58	103.6	109.8
2000	5,436	106.9	1.46	104.0	109.8	4,568	104.1	1.55	101.1	107.2
2001	5,459	107.1	1.47	104.3	110.0	4,574	104.3	1.55	101.2	107.4
2002	5,538	107.7	1.46	104.9	110.6	4,671	105.8	1.56	102.7	108.9
2003	5,497	104.7	1.43	101.9	107.5	4,612	102.5	1.52	99.6	105.6
2004	5,305	99.9	1.39	97.2	102.6	4,404	96.9	1.47	94.0	99.8
2005	5,379	99.6	1.38	96.9	102.3	4,473	97.2	1.47	94.3	100.1
2006	5,448	100.4	1.38	97.7	103.1	4,545	98.2	1.47	95.4	101.2
2007	5,498	99.3	1.36	96.6	102.0	4,570	97.0	1.45	94.2	99.9
2008	5,416	95.5	1.32	93.0	98.2	4,555	94.7	1.42	91.9	97.5
2009	5,485	94.9	1.31	92.3	97.5	4,609	94.4	1.41	91.7	97.2
2010	5,330	90.4	1.27	88.0	93.0	4,440	89.3	1.37	86.6	92.0
2011	5,456	90.7	1.26	88.3	93.2	4,545	89.4	1.35	86.8	92.1
2012	5,307	86.2	1.21	83.9	88.6	4,395	84.7	1.31	82.2	87.3
2013	5,360	84.5	1.18	82.2	86.9	4,442	83.3	1.28	80.8	85.9
2014	5,461	84.3	1.17	82.0	86.6	4,541	83.6	1.27	81.1	86.1
2015	5,400	81.7	1.14	79.5	84.0	4,427	80.2	1.23	77.8	82.6
2016	5,297	79.1	1.12	76.9	81.3	4,401	78.7	1.22	76.4	81.2
2017	5,409	79.1	1.10	76.9	81.3	4,464	78.2	1.20	75.9	80.6
2018	5,190	73.4	1.04	71.4	75.5	4,348	73.8	1.15	71.6	76.1
2019	4,942	68.4	1.00	66.5	70.4	4,096	68.3	1.09	66.2	70.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Respiratory System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	26,666	127.4	0.82	125.8	129.0	2,613	44.6	0.95	42.8	46.5
1986	693	146.1	5.84	134.9	158.0	21	41.1	10.27	23.5	65.3
1987	721	151.0	5.92	139.7	163.0	33	60.0	12.14	38.6	87.6
1988	668	137.4	5.59	126.7	148.8	34	55.4	10.96	36.0	80.3
1989	731	154.8	6.06	143.2	167.1	31	42.6	8.31	27.9	61.9
1990	739	150.1	5.80	138.9	161.8	38	53.1	9.88	35.5	75.5
1991	681	134.7	5.41	124.3	145.7	32	46.8	9.32	30.4	68.0
1992	752	148.1	5.67	137.1	159.5	31	35.8	6.93	23.5	51.8
1993	825	161.1	5.91	149.7	173.0	50	59.7	9.80	42.0	81.4
1994	817	158.0	5.83	146.8	169.8	47	52.4	8.49	37.1	71.4
1995	899	168.3	5.90	156.9	180.2	48	50.9	8.51	35.6	69.9
1996	865	162.5	5.79	151.4	174.2	61	64.3	9.44	47.2	85.0
1997	855	155.4	5.54	144.7	166.6	59	51.3	7.27	38.0	67.4
1998	847	154.5	5.57	143.8	165.8	77	64.1	8.04	49.3	81.6
1999	824	147.3	5.36	137.0	158.1	59	57.2	8.33	42.1	75.4
2000	802	138.8	5.12	129.0	149.2	57	43.5	6.41	31.8	57.6
2001	807	138.9	5.11	129.0	149.2	72	59.6	8.20	44.6	77.3
2002	796	133.7	4.96	124.1	143.7	66	48.9	6.68	36.7	63.4
2003	805	133.2	4.92	123.8	143.2	69	49.6	6.67	37.4	64.0
2004	823	136.9	5.02	127.2	147.0	74	47.3	6.14	36.0	60.6
2005	811	130.9	4.84	121.6	140.7	84	50.0	6.01	38.9	62.9
2006	810	129.3	4.79	120.0	139.0	87	54.8	6.52	42.8	68.8
2007	842	133.3	4.85	124.0	143.1	82	48.2	5.83	37.4	60.7
2008	777	118.7	4.49	110.0	127.7	78	38.1	4.95	29.1	48.9
2009	763	111.5	4.25	103.3	120.1	104	48.5	5.38	38.6	60.0
2010	780	111.9	4.23	103.8	120.5	103	46.9	5.09	37.4	57.8
2011	787	113.0	4.22	104.9	121.6	112	47.7	4.90	38.5	58.1
2012	788	111.7	4.18	103.6	120.1	117	45.1	4.57	36.6	54.8
2013	796	109.1	4.07	101.3	117.4	115	40.8	4.10	33.1	49.5
2014	788	105.2	3.94	97.6	113.2	119	39.6	3.86	32.4	47.8
2015	827	107.8	3.93	100.2	115.7	137	45.2	4.12	37.5	54.0
2016	760	97.4	3.70	90.3	104.9	129	36.8	3.38	30.5	44.0
2017	800	102.0	3.77	94.7	109.6	135	39.4	3.53	32.8	46.9
2018	700	85.8	3.38	79.3	92.7	122	32.5	3.03	26.8	38.9
2019	687	81.6	3.24	75.4	88.2	130	33.4	3.00	27.8	39.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Respiratory System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	136,255	56.1	0.15	55.8	56.4	115,246	56.1	0.17	55.8	56.5
1986	2,315	38.4	0.82	36.8	40.0	2,011	37.9	0.87	36.3	39.7
1987	2,594	43.2	0.87	41.5	44.9	2,252	42.8	0.93	41.0	44.6
1988	2,606	42.8	0.85	41.1	44.5	2,195	41.1	0.90	39.4	42.9
1989	2,688	43.7	0.86	42.0	45.4	2,317	43.0	0.91	41.3	44.9
1990	2,870	46.5	0.88	44.7	48.2	2,481	46.0	0.94	44.2	47.9
1991	2,896	46.0	0.87	44.3	47.7	2,504	45.5	0.93	43.7	47.3
1992	3,143	49.7	0.90	47.9	51.4	2,714	49.4	0.97	47.5	51.3
1993	3,339	52.1	0.91	50.3	53.9	2,838	51.0	0.97	49.1	53.0
1994	3,633	55.9	0.94	54.0	57.7	3,117	55.2	1.00	53.3	57.2
1995	3,691	56.7	0.94	54.9	58.6	3,160	56.1	1.01	54.1	58.1
1996	3,777	57.7	0.95	55.9	59.6	3,199	56.7	1.02	54.7	58.7
1997	3,732	56.4	0.93	54.6	58.2	3,203	56.2	1.00	54.3	58.2
1998	3,837	57.5	0.93	55.6	59.3	3,283	57.2	1.01	55.3	59.2
1999	3,934	58.6	0.94	56.8	60.5	3,355	58.3	1.02	56.3	60.3
2000	3,899	57.7	0.93	55.9	59.5	3,366	58.4	1.02	56.4	60.4
2001	4,000	58.7	0.93	56.9	60.6	3,439	59.4	1.02	57.4	61.5
2002	4,222	61.5	0.95	59.7	63.4	3,559	61.1	1.03	59.1	63.2
2003	4,274	61.9	0.95	60.1	63.8	3,629	62.2	1.04	60.2	64.3
2004	4,211	60.5	0.94	58.7	62.4	3,564	60.7	1.03	58.7	62.8
2005	4,330	61.7	0.94	59.9	63.6	3,685	62.5	1.04	60.5	64.6
2006	4,482	63.3	0.95	61.4	65.2	3,774	63.4	1.04	61.4	65.5
2007	4,572	63.6	0.95	61.8	65.5	3,868	64.3	1.05	62.3	66.4
2008	4,669	64.0	0.95	62.2	65.9	3,964	65.1	1.05	63.1	67.2
2009	4,802	65.2	0.95	63.4	67.1	4,056	66.2	1.05	64.2	68.3
2010	4,658	62.3	0.92	60.5	64.1	3,913	63.0	1.02	61.0	65.0
2011	4,599	60.2	0.90	58.5	62.0	3,877	61.4	1.00	59.5	63.4
2012	4,713	60.9	0.90	59.2	62.7	3,899	61.1	1.00	59.2	63.1
2013	4,484	56.7	0.86	55.0	58.4	3,718	57.1	0.95	55.2	59.0
2014	4,925	61.2	0.89	59.5	63.0	4,141	62.9	0.99	61.0	64.9
2015	4,840	59.2	0.87	57.5	60.9	4,009	60.1	0.97	58.2	62.0
2016	4,893	58.9	0.86	57.3	60.7	4,045	59.8	0.96	57.9	61.7
2017	4,849	57.2	0.84	55.6	58.8	4,062	58.9	0.94	57.0	60.7
2018	4,993	57.9	0.83	56.3	59.6	4,132	58.9	0.93	57.0	60.7
2019	4,785	54.4	0.80	52.9	56.0	3,917	55.0	0.89	53.2	56.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Respiratory System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	19,215	64.1	0.47	63.2	65.0	1,612	22.0	0.57	20.9	23.1
1986	296	44.0	2.59	39.0	49.3	6	9.4	4.26	3.0	21.0
1987	326	48.2	2.70	43.1	53.8	14	15.7	4.29	8.4	26.6
1988	398	57.2	2.91	51.7	63.2	11	14.8	4.70	7.1	26.7
1989	356	51.6	2.77	46.3	57.3	14	15.5	4.41	8.1	26.5
1990	376	53.5	2.79	48.1	59.2	11	14.6	4.81	6.8	26.6
1991	374	51.9	2.71	46.7	57.5	13	16.4	5.15	7.9	28.9
1992	407	56.3	2.82	50.9	62.1	19	20.5	5.21	11.6	32.9
1993	475	64.6	2.99	58.8	70.7	26	25.3	5.66	15.4	38.4
1994	485	65.0	2.98	59.3	71.1	29	25.3	5.11	16.3	37.1
1995	496	64.6	2.93	59.0	70.6	33	23.0	4.24	15.5	32.8
1996	541	69.9	3.03	64.1	76.1	32	24.8	4.79	16.3	35.7
1997	497	62.9	2.84	57.4	68.7	31	23.1	4.59	15.0	33.6
1998	518	64.5	2.85	59.1	70.4	30	22.4	4.31	14.7	32.2
1999	544	66.5	2.87	61.0	72.3	34	22.5	4.10	15.2	31.8
2000	488	58.8	2.68	53.7	64.3	42	26.6	4.30	18.8	36.2
2001	529	63.4	2.77	58.1	69.1	27	15.0	3.03	9.7	22.1
2002	605	71.0	2.91	65.4	76.9	52	29.3	4.30	21.5	38.8
2003	608	70.1	2.86	64.6	75.9	36	18.4	3.21	12.7	25.7
2004	601	68.0	2.79	62.6	73.7	41	22.4	3.64	15.9	30.6
2005	596	66.5	2.75	61.2	72.1	45	19.8	3.11	14.1	26.7
2006	653	71.6	2.83	66.2	77.4	51	21.3	3.12	15.6	28.2
2007	630	68.6	2.76	63.3	74.2	70	28.1	3.55	21.6	35.8
2008	631	66.7	2.68	61.5	72.1	65	26.1	3.40	19.9	33.5
2009	678	69.9	2.72	64.7	75.5	58	21.5	2.97	16.1	28.1
2010	662	67.6	2.66	62.4	73.0	71	24.6	3.06	18.9	31.3
2011	648	64.0	2.55	59.1	69.2	62	19.9	2.65	15.1	25.8
2012	733	71.3	2.67	66.1	76.7	73	21.9	2.67	17.0	27.8
2013	676	63.8	2.49	59.0	68.8	83	24.5	2.79	19.3	30.6
2014	699	64.0	2.46	59.2	69.0	78	21.8	2.56	17.1	27.4
2015	727	64.9	2.45	60.2	69.9	96	25.3	2.67	20.3	31.1
2016	764	68.0	2.50	63.1	73.1	78	19.5	2.26	15.3	24.5
2017	706	61.0	2.34	56.5	65.8	74	17.8	2.11	13.9	22.4
2018	753	65.0	2.41	60.4	69.9	99	22.2	2.27	18.0	27.1
2019	739	61.4	2.30	57.0	66.1	108	23.5	2.29	19.2	28.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Larynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	19,555	4.5	0.03	4.4	4.5	15,699	4.3	0.03	4.2	4.3
1986	552	5.1	0.22	4.7	5.5	450	4.7	0.23	4.3	5.2
1987	630	5.9	0.24	5.4	6.3	525	5.5	0.25	5.1	6.0
1988	520	4.8	0.22	4.4	5.3	439	4.6	0.22	4.2	5.1
1989	607	5.6	0.23	5.2	6.1	500	5.3	0.24	4.8	5.8
1990	591	5.4	0.23	5.0	5.9	473	5.0	0.23	4.5	5.4
1991	615	5.6	0.23	5.1	6.0	496	5.1	0.23	4.7	5.6
1992	602	5.4	0.22	5.0	5.9	477	5.0	0.23	4.5	5.4
1993	604	5.3	0.22	4.9	5.8	485	4.9	0.23	4.5	5.4
1994	592	5.2	0.22	4.8	5.7	484	5.0	0.23	4.5	5.4
1995	658	5.8	0.23	5.4	6.2	520	5.3	0.23	4.9	5.8
1996	642	5.6	0.22	5.2	6.1	521	5.3	0.23	4.9	5.8
1997	616	5.3	0.22	4.9	5.8	476	4.8	0.22	4.4	5.3
1998	566	4.8	0.20	4.4	5.2	450	4.5	0.21	4.1	4.9
1999	576	4.9	0.20	4.5	5.3	460	4.6	0.21	4.2	5.0
2000	603	5.1	0.21	4.7	5.5	493	4.9	0.22	4.5	5.3
2001	563	4.7	0.20	4.3	5.1	440	4.3	0.21	3.9	4.7
2002	594	4.9	0.20	4.5	5.3	474	4.6	0.21	4.2	5.0
2003	559	4.5	0.19	4.1	4.9	429	4.1	0.20	3.7	4.5
2004	536	4.2	0.18	3.9	4.6	419	4.0	0.19	3.6	4.4
2005	559	4.4	0.19	4.0	4.8	454	4.2	0.20	3.9	4.7
2006	532	4.1	0.18	3.8	4.5	434	4.0	0.20	3.7	4.4
2007	580	4.4	0.18	4.0	4.8	458	4.2	0.20	3.8	4.6
2008	556	4.1	0.18	3.8	4.5	466	4.2	0.19	3.8	4.6
2009	555	4.0	0.17	3.7	4.4	442	3.9	0.19	3.5	4.3
2010	584	4.1	0.17	3.8	4.5	463	4.0	0.19	3.6	4.4
2011	554	3.9	0.17	3.6	4.3	460	3.9	0.19	3.6	4.3
2012	544	3.8	0.16	3.5	4.1	434	3.6	0.18	3.3	4.0
2013	530	3.6	0.16	3.3	3.9	416	3.4	0.17	3.1	3.7
2014	568	3.8	0.16	3.4	4.1	450	3.6	0.17	3.3	4.0
2015	545	3.6	0.16	3.3	3.9	421	3.4	0.17	3.1	3.7
2016	560	3.6	0.15	3.3	3.9	453	3.5	0.17	3.2	3.9
2017	556	3.5	0.15	3.2	3.8	453	3.5	0.17	3.2	3.9
2018	590	3.7	0.15	3.4	4.0	472	3.6	0.17	3.3	3.9
2019	516	3.2	0.14	2.9	3.5	412	3.1	0.16	2.8	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Larynx										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,604	6.7	0.11	6.5	6.9	182	1.3	0.10	1.1	1.5
1986	101	8.5	0.86	6.9	10.3	1	0.7	0.67	0.0	4.0
1987	102	8.6	0.86	7.0	10.4	3	1.7	0.98	0.3	5.3
1988	77	6.7	0.78	5.3	8.4	4	3.5	1.89	0.8	8.8
1989	103	8.7	0.87	7.1	10.5	2	1.0	0.73	0.1	4.0
1990	112	9.1	0.87	7.5	10.9	3	1.7	0.99	0.3	5.1
1991	116	9.2	0.86	7.5	11.0	2	0.9	0.71	0.1	3.7
1992	120	9.4	0.88	7.8	11.3	3	1.6	0.93	0.3	4.6
1993	112	8.7	0.84	7.2	10.5	7	3.9	1.56	1.5	8.0
1994	100	7.4	0.75	6.0	9.0	7	2.5	0.98	1.0	5.4
1995	134	10.0	0.87	8.3	11.8	2	0.9	0.67	0.1	3.3
1996	113	8.3	0.79	6.8	10.0	5	1.9	0.95	0.5	4.7
1997	130	9.2	0.81	7.7	10.9	9	2.8	0.95	1.2	5.4
1998	111	7.9	0.76	6.5	9.5	1	0.2	0.24	0.0	1.7
1999	110	7.4	0.72	6.1	9.0	5	1.4	0.63	0.4	3.3
2000	99	6.7	0.68	5.4	8.2	7	2.0	0.78	0.8	4.2
2001	115	7.6	0.71	6.2	9.1	7	1.6	0.63	0.6	3.5
2002	117	7.7	0.72	6.3	9.2	1	0.2	0.20	0.0	1.3
2003	124	8.0	0.73	6.6	9.6	4	1.2	0.65	0.3	3.1
2004	107	6.8	0.67	5.6	8.2	8	2.2	0.84	0.9	4.4
2005	101	6.1	0.62	5.0	7.5	2	0.5	0.34	0.1	1.7
2006	91	5.5	0.59	4.4	6.8	4	1.0	0.51	0.2	2.5
2007	115	6.8	0.65	5.6	8.2	5	0.8	0.37	0.3	2.0
2008	82	4.7	0.53	3.8	5.9	4	0.8	0.42	0.2	2.0
2009	105	5.8	0.58	4.7	7.1	4	0.8	0.40	0.2	2.0
2010	115	6.0	0.57	4.9	7.2	4	0.8	0.42	0.2	2.0
2011	86	4.8	0.53	3.8	5.9	5	1.2	0.55	0.4	2.7
2012	104	5.7	0.58	4.7	7.0	6	0.9	0.38	0.3	2.0
2013	104	5.6	0.57	4.6	6.9	8	1.1	0.38	0.5	2.1
2014	106	5.4	0.54	4.4	6.6	10	1.4	0.46	0.7	2.6
2015	108	5.3	0.52	4.3	6.4	12	1.7	0.50	0.8	2.9
2016	96	4.7	0.49	3.8	5.8	11	1.4	0.44	0.7	2.6
2017	98	4.9	0.51	4.0	6.0	3	0.5	0.29	0.1	1.4
2018	103	5.0	0.50	4.0	6.1	13	1.6	0.45	0.8	2.7
2019	87	4.0	0.44	3.2	5.0	10	1.2	0.38	0.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Larynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	15,560	8.0	0.07	7.9	8.1	12,578	7.6	0.07	7.5	7.8
1986	444	9.4	0.46	8.5	10.3	363	8.7	0.47	7.8	9.7
1987	508	10.8	0.49	9.8	11.8	425	10.2	0.51	9.2	11.2
1988	426	9.1	0.45	8.2	10.0	365	8.7	0.47	7.8	9.7
1989	498	10.7	0.49	9.7	11.7	418	10.2	0.51	9.2	11.2
1990	461	9.8	0.46	8.9	10.7	366	8.9	0.47	8.0	9.8
1991	496	10.2	0.47	9.3	11.2	406	9.5	0.48	8.6	10.5
1992	474	9.8	0.46	9.0	10.8	385	9.1	0.47	8.2	10.1
1993	493	9.8	0.45	8.9	10.7	398	9.0	0.46	8.1	9.9
1994	472	9.4	0.44	8.6	10.3	384	8.9	0.46	8.0	9.8
1995	509	10.3	0.46	9.4	11.3	409	9.6	0.48	8.7	10.6
1996	493	9.8	0.45	9.0	10.8	398	9.2	0.47	8.3	10.2
1997	488	9.6	0.44	8.7	10.4	376	8.6	0.45	7.7	9.5
1998	467	9.1	0.42	8.3	10.0	376	8.5	0.44	7.7	9.4
1999	479	9.2	0.42	8.4	10.1	382	8.6	0.44	7.7	9.5
2000	488	9.2	0.42	8.4	10.1	401	8.9	0.44	8.0	9.8
2001	450	8.5	0.41	7.8	9.4	354	7.9	0.42	7.1	8.8
2002	474	8.8	0.41	8.0	9.6	386	8.4	0.43	7.6	9.3
2003	435	8.0	0.39	7.2	8.8	344	7.4	0.40	6.6	8.2
2004	436	7.8	0.38	7.1	8.6	348	7.4	0.40	6.6	8.2
2005	443	7.8	0.37	7.1	8.5	357	7.4	0.40	6.7	8.2
2006	436	7.5	0.37	6.8	8.3	358	7.3	0.39	6.6	8.2
2007	465	7.9	0.37	7.2	8.7	360	7.3	0.39	6.5	8.1
2008	450	7.4	0.35	6.7	8.1	375	7.3	0.38	6.5	8.1
2009	436	7.0	0.34	6.4	7.7	346	6.7	0.37	6.0	7.4
2010	450	7.0	0.34	6.4	7.7	358	6.8	0.37	6.1	7.5
2011	440	7.0	0.34	6.3	7.7	372	7.0	0.37	6.3	7.8
2012	415	6.5	0.33	5.8	7.1	338	6.2	0.35	5.6	7.0
2013	427	6.3	0.31	5.7	7.0	338	5.9	0.33	5.3	6.6
2014	443	6.4	0.31	5.8	7.1	351	6.1	0.34	5.5	6.8
2015	437	6.2	0.31	5.6	6.9	339	5.8	0.33	5.2	6.5
2016	437	6.1	0.30	5.6	6.8	357	6.0	0.33	5.4	6.7
2017	431	6.0	0.30	5.4	6.6	351	5.9	0.32	5.3	6.6
2018	453	6.1	0.30	5.6	6.7	363	5.9	0.32	5.3	6.6
2019	406	5.4	0.28	4.9	6.0	331	5.4	0.30	4.8	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Larynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,778	12.4	0.24	11.9	12.9	155	2.4	0.20	2.0	2.8
1986	80	15.8	1.82	12.4	19.8	1	1.6	1.58	0.0	9.5
1987	81	16.2	1.86	12.7	20.2	2	2.3	1.70	0.3	9.9
1988	57	12.3	1.70	9.2	16.0	4	8.1	4.47	1.8	20.7
1989	76	15.8	1.91	12.3	19.9	2	2.4	1.68	0.3	9.3
1990	91	17.5	1.88	14.0	21.5	2	2.8	2.02	0.3	10.3
1991	87	16.3	1.79	13.0	20.2	2	2.2	1.66	0.2	8.7
1992	84	16.0	1.83	12.6	20.0	3	3.6	2.13	0.7	10.6
1993	89	16.7	1.86	13.3	20.8	6	8.3	3.62	2.8	18.1
1994	82	14.5	1.65	11.5	18.1	5	3.6	1.70	1.1	9.3
1995	97	17.3	1.82	13.9	21.2	2	2.2	1.58	0.3	7.8
1996	89	15.6	1.71	12.5	19.3	5	4.3	2.26	1.1	11.0
1997	104	17.3	1.73	14.1	21.0	7	4.4	1.75	1.7	9.7
1998	87	14.8	1.64	11.8	18.4	1	0.5	0.50	0.0	3.9
1999	91	14.8	1.60	11.9	18.3	5	2.9	1.38	0.9	7.4
2000	80	13.2	1.55	10.4	16.6	4	2.3	1.26	0.6	6.5
2001	90	13.9	1.50	11.2	17.2	6	3.0	1.30	1.0	7.1
2002	86	13.7	1.54	10.9	17.1	1	0.4	0.41	0.0	3.0
2003	86	13.7	1.55	10.8	17.1	3	2.5	1.48	0.5	6.9
2004	80	12.4	1.46	9.7	15.5	6	3.4	1.47	1.1	7.5
2005	82	11.6	1.32	9.2	14.5	2	1.0	0.75	0.1	3.8
2006	72	10.6	1.32	8.2	13.5	4	2.2	1.18	0.5	5.7
2007	100	14.1	1.46	11.4	17.3	4	1.4	0.68	0.4	3.7
2008	70	9.8	1.23	7.6	12.5	3	0.9	0.53	0.2	3.0
2009	85	11.2	1.27	8.9	14.0	3	1.4	0.92	0.2	4.3
2010	88	10.7	1.18	8.5	13.2	3	1.1	0.62	0.2	3.2
2011	62	8.4	1.12	6.4	10.9	4	2.1	1.14	0.5	5.3
2012	73	10.1	1.23	7.8	12.7	4	1.4	0.73	0.4	3.6
2013	80	10.9	1.28	8.5	13.7	7	2.0	0.77	0.8	4.3
2014	81	10.0	1.16	7.8	12.5	10	3.1	1.03	1.4	5.8
2015	84	10.0	1.14	7.9	12.5	11	3.2	1.02	1.6	5.9
2016	72	8.8	1.08	6.8	11.1	8	2.1	0.77	0.9	4.2
2017	75	8.9	1.08	7.0	11.3	3	1.1	0.64	0.2	3.0
2018	77	9.0	1.07	7.1	11.4	12	3.2	0.95	1.6	5.6
2019	60	6.6	0.88	5.0	8.5	10	2.7	0.86	1.3	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Larynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,995	1.7	0.03	1.6	1.7	3,121	1.6	0.03	1.5	1.6
1986	108	1.9	0.18	1.5	2.2	87	1.7	0.19	1.4	2.1
1987	122	2.1	0.20	1.7	2.5	100	2.0	0.20	1.6	2.4
1988	94	1.6	0.17	1.3	2.0	74	1.4	0.17	1.1	1.8
1989	109	1.8	0.18	1.5	2.2	82	1.6	0.18	1.2	1.9
1990	130	2.2	0.19	1.8	2.6	107	2.1	0.20	1.7	2.5
1991	119	2.0	0.18	1.6	2.4	90	1.7	0.18	1.4	2.1
1992	128	2.1	0.19	1.8	2.5	92	1.8	0.19	1.4	2.2
1993	111	1.8	0.17	1.5	2.2	87	1.6	0.18	1.3	2.0
1994	120	1.9	0.18	1.6	2.3	100	1.9	0.19	1.5	2.3
1995	149	2.4	0.20	2.0	2.8	111	2.1	0.20	1.7	2.5
1996	149	2.4	0.20	2.0	2.8	123	2.3	0.21	1.9	2.8
1997	128	2.0	0.18	1.7	2.4	100	1.9	0.19	1.5	2.3
1998	99	1.5	0.15	1.2	1.8	74	1.3	0.15	1.0	1.7
1999	97	1.5	0.15	1.2	1.9	78	1.5	0.16	1.1	1.8
2000	115	1.8	0.16	1.5	2.1	92	1.7	0.18	1.4	2.1
2001	113	1.7	0.16	1.4	2.1	86	1.6	0.17	1.3	2.0
2002	120	1.8	0.16	1.5	2.1	88	1.6	0.17	1.3	1.9
2003	124	1.8	0.17	1.5	2.2	85	1.5	0.17	1.2	1.9
2004	100	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6
2005	116	1.7	0.16	1.4	2.0	97	1.7	0.18	1.4	2.1
2006	96	1.4	0.14	1.1	1.7	76	1.3	0.15	1.0	1.6
2007	115	1.7	0.15	1.4	2.0	98	1.7	0.17	1.4	2.1
2008	106	1.5	0.14	1.2	1.8	91	1.5	0.16	1.2	1.9
2009	119	1.6	0.15	1.3	1.9	96	1.6	0.16	1.3	1.9
2010	134	1.7	0.15	1.4	2.1	105	1.6	0.16	1.3	2.0
2011	114	1.5	0.14	1.2	1.8	88	1.4	0.15	1.1	1.8
2012	129	1.6	0.15	1.4	1.9	96	1.5	0.15	1.2	1.8
2013	103	1.3	0.13	1.1	1.6	78	1.2	0.14	1.0	1.6
2014	125	1.5	0.14	1.3	1.9	99	1.5	0.15	1.2	1.9
2015	108	1.3	0.13	1.1	1.6	82	1.3	0.14	1.0	1.6
2016	123	1.4	0.13	1.2	1.7	96	1.4	0.14	1.1	1.7
2017	125	1.5	0.14	1.3	1.8	102	1.5	0.15	1.2	1.8
2018	137	1.6	0.14	1.3	1.9	109	1.6	0.16	1.3	1.9
2019	110	1.3	0.12	1.0	1.5	81	1.2	0.13	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Larynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	826	2.7	0.09	2.5	2.8	27	0.4	0.07	0.2	0.5
1986	21	3.1	0.67	1.9	4.7	0				
1987	21	3.1	0.67	1.9	4.7	1	1.1	1.08	0.0	6.5
1988	20	2.8	0.64	1.7	4.4	0				
1989	27	3.8	0.74	2.5	5.6	0				
1990	21	3.0	0.66	1.8	4.6	1	0.9	0.86	0.0	5.5
1991	29	4.0	0.74	2.6	5.7	0				
1992	36	4.9	0.83	3.4	6.8	0				
1993	23	3.0	0.64	1.9	4.6	1	0.7	0.66	0.0	4.2
1994	18	2.3	0.54	1.3	3.6	2	1.5	1.09	0.2	5.6
1995	37	4.8	0.79	3.4	6.6	0				
1996	24	3.1	0.64	2.0	4.6	0				
1997	26	3.1	0.62	2.1	4.6	2	1.3	0.94	0.2	4.7
1998	24	3.0	0.61	1.9	4.4	0				
1999	19	2.2	0.51	1.3	3.5	0				
2000	19	2.2	0.50	1.3	3.4	3	1.7	0.99	0.4	4.9
2001	25	2.9	0.58	1.9	4.2	1	0.4	0.43	0.0	2.6
2002	31	3.4	0.62	2.3	4.9	0				
2003	38	4.2	0.68	2.9	5.7	1	0.3	0.32	0.0	2.2
2004	27	3.0	0.58	2.0	4.3	2	1.1	0.85	0.1	3.9
2005	19	2.1	0.47	1.2	3.2	0				
2006	19	2.0	0.46	1.2	3.1	0				
2007	15	1.6	0.42	0.9	2.6	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.35	0.6	2.1	1	0.6	0.55	0.0	2.5
2009	20	1.9	0.43	1.2	2.9	1	0.2	0.24	0.0	1.6
2010	27	2.5	0.49	1.7	3.7	1	0.5	0.50	0.0	2.3
2011	24	2.2	0.46	1.4	3.4	1	0.5	0.48	0.0	2.2
2012	31	2.9	0.52	1.9	4.1	2	0.5	0.34	0.1	1.9
2013	24	2.2	0.45	1.4	3.2	1	0.2	0.22	0.0	1.4
2014	25	2.3	0.46	1.5	3.4	0				
2015	24	2.0	0.41	1.3	3.0	1	0.3	0.34	0.0	1.7
2016	24	1.9	0.39	1.2	2.9	3	0.8	0.49	0.2	2.4
2017	23	2.2	0.46	1.4	3.3	0				
2018	26	2.1	0.43	1.4	3.2	1	0.2	0.22	0.0	1.3
2019	27	2.1	0.42	1.4	3.1	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lung and Bronchus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	294,702	68.2	0.13	68.0	68.5	248,559	67.5	0.14	67.3	67.8
1986	6,552	60.6	0.76	59.1	62.1	5,645	58.9	0.80	57.3	60.5
1987	7,001	64.6	0.78	63.0	66.1	6,022	62.9	0.82	61.3	64.6
1988	6,802	62.2	0.76	60.7	63.7	5,787	60.0	0.80	58.4	61.6
1989	6,957	63.3	0.77	61.8	64.8	5,943	61.4	0.81	59.8	63.0
1990	7,284	65.9	0.78	64.4	67.5	6,246	64.3	0.82	62.7	65.9
1991	7,201	64.3	0.76	62.8	65.8	6,216	63.2	0.81	61.6	64.8
1992	7,645	67.8	0.78	66.2	69.3	6,567	66.5	0.83	64.9	68.1
1993	8,035	70.7	0.79	69.2	72.3	6,791	68.4	0.83	66.8	70.0
1994	8,639	75.4	0.81	73.8	77.0	7,375	73.7	0.86	72.0	75.4
1995	8,614	74.7	0.81	73.1	76.3	7,283	72.6	0.85	70.9	74.3
1996	8,620	74.6	0.80	73.0	76.2	7,244	72.2	0.85	70.5	73.9
1997	8,534	73.2	0.79	71.7	74.8	7,239	71.7	0.84	70.1	73.4
1998	8,703	74.0	0.79	72.5	75.6	7,346	72.3	0.84	70.7	74.0
1999	8,763	74.0	0.79	72.4	75.6	7,425	72.8	0.85	71.1	74.4
2000	8,619	72.3	0.78	70.8	73.8	7,350	71.8	0.84	70.1	73.4
2001	8,794	73.2	0.78	71.7	74.8	7,485	72.8	0.84	71.1	74.4
2002	9,042	74.7	0.79	73.1	76.2	7,645	73.8	0.85	72.1	75.5
2003	9,090	74.2	0.78	72.7	75.7	7,702	73.8	0.84	72.1	75.5
2004	8,881	71.9	0.77	70.4	73.4	7,460	71.0	0.83	69.4	72.7
2005	9,055	72.5	0.77	71.0	74.0	7,626	72.1	0.83	70.5	73.7
2006	9,281	73.6	0.77	72.1	75.2	7,787	73.0	0.83	71.3	74.6
2007	9,366	73.2	0.76	71.7	74.7	7,879	73.0	0.83	71.3	74.6
2008	9,401	72.1	0.75	70.6	73.6	7,947	72.4	0.82	70.8	74.0
2009	9,619	72.9	0.75	71.4	74.4	8,130	73.4	0.82	71.8	75.1
2010	9,298	69.3	0.73	67.9	70.7	7,795	69.3	0.80	67.8	70.9
2011	9,388	68.5	0.72	67.1	69.9	7,867	68.6	0.79	67.1	70.2
2012	9,366	67.0	0.70	65.7	68.4	7,766	66.7	0.77	65.2	68.2
2013	9,200	64.2	0.68	62.9	65.6	7,644	64.2	0.75	62.7	65.6
2014	9,692	66.4	0.69	65.1	67.8	8,126	67.2	0.76	65.8	68.8
2015	9,583	64.4	0.67	63.1	65.7	7,917	64.4	0.74	63.0	65.9
2016	9,507	63.2	0.66	61.9	64.5	7,903	63.7	0.73	62.2	65.1
2017	9,592	62.4	0.65	61.1	63.6	7,983	63.0	0.72	61.6	64.5
2018	9,486	60.2	0.63	59.0	61.5	7,924	61.1	0.70	59.7	62.5
2019	9,092	56.6	0.60	55.4	57.8	7,494	56.8	0.67	55.5	58.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lung and Bronchus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	41,831	82.0	0.41	81.2	82.8	3,957	30.1	0.51	29.1	31.1
1986	877	76.5	2.65	71.4	81.8	26	22.5	4.95	13.9	34.0
1987	933	80.5	2.70	75.3	85.9	42	32.2	5.52	22.3	44.6
1988	972	81.9	2.69	76.7	87.3	39	28.4	5.01	19.4	39.6
1989	969	83.1	2.73	77.8	88.6	39	23.3	3.98	16.2	32.4
1990	991	82.6	2.68	77.4	88.0	46	30.0	4.94	21.1	41.0
1991	931	75.9	2.54	71.0	81.0	40	27.7	4.86	19.0	38.5
1992	1,025	83.0	2.65	77.9	88.4	46	25.4	4.14	18.0	34.7
1993	1,174	93.7	2.79	88.3	99.3	67	34.9	4.92	25.9	45.6
1994	1,190	93.9	2.78	88.5	99.5	68	33.7	4.47	25.5	43.4
1995	1,248	95.6	2.76	90.2	101.1	79	33.3	4.14	25.7	42.3
1996	1,285	98.1	2.79	92.8	103.7	87	39.4	4.68	30.8	49.5
1997	1,214	90.7	2.64	85.6	96.0	76	31.6	3.99	24.3	40.3
1998	1,242	91.6	2.64	86.5	96.9	104	39.7	4.17	31.9	48.6
1999	1,245	90.3	2.60	85.3	95.5	87	35.1	4.06	27.6	43.8
2000	1,174	83.3	2.47	78.6	88.3	87	30.5	3.50	24.0	38.0
2001	1,209	85.6	2.50	80.7	90.6	90	30.7	3.53	24.2	38.3
2002	1,274	88.0	2.51	83.2	93.1	114	36.7	3.70	29.8	44.5
2003	1,277	86.8	2.47	82.0	91.7	101	30.0	3.20	24.1	36.9
2004	1,308	87.8	2.47	83.0	92.8	106	30.8	3.20	24.8	37.6
2005	1,291	85.0	2.41	80.3	89.8	126	32.0	3.05	26.3	38.4
2006	1,356	87.8	2.43	83.1	92.7	131	33.3	3.12	27.5	39.9
2007	1,340	86.0	2.40	81.4	90.9	142	34.8	3.14	29.0	41.5
2008	1,310	81.6	2.31	77.2	86.3	135	29.6	2.75	24.4	35.4
2009	1,321	79.8	2.25	75.5	84.4	153	31.4	2.73	26.3	37.1
2010	1,317	78.9	2.23	74.6	83.4	169	33.2	2.73	28.0	38.9
2011	1,335	78.2	2.19	74.0	82.6	166	30.5	2.52	25.8	35.8
2012	1,403	80.6	2.21	76.4	85.1	183	30.9	2.42	26.4	36.0
2013	1,357	75.3	2.10	71.3	79.5	187	30.3	2.34	25.9	35.2
2014	1,367	74.2	2.06	70.2	78.3	183	28.0	2.17	24.0	32.6
2015	1,435	75.7	2.05	71.7	79.8	218	32.0	2.26	27.7	36.7
2016	1,406	74.0	2.02	70.1	78.0	188	25.0	1.89	21.5	29.0
2017	1,393	71.5	1.96	67.7	75.4	203	26.5	1.91	22.9	30.5
2018	1,334	67.7	1.90	64.0	71.5	202	24.5	1.76	21.2	28.2
2019	1,328	64.9	1.82	61.3	68.5	227	26.7	1.80	23.3	30.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lung and Bronchus										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	163,901	88.5	0.22	88.0	88.9	137,666	86.7	0.24	86.2	87.1
1986	4,383	96.6	1.51	93.6	99.6	3,755	93.2	1.58	90.2	96.4
1987	4,571	100.1	1.53	97.1	103.1	3,908	96.8	1.60	93.7	100.0
1988	4,338	94.1	1.47	91.3	97.1	3,707	91.1	1.54	88.1	94.1
1989	4,415	95.1	1.47	92.2	98.0	3,738	91.0	1.53	88.0	94.0
1990	4,574	98.3	1.49	95.4	101.3	3,900	95.1	1.56	92.0	98.2
1991	4,480	94.9	1.45	92.1	97.8	3,853	92.6	1.53	89.7	95.7
1992	4,679	97.7	1.46	94.8	100.6	3,987	94.7	1.53	91.7	97.8
1993	4,863	101.9	1.49	99.0	104.8	4,086	97.6	1.55	94.6	100.7
1994	5,167	107.9	1.53	104.9	110.9	4,394	104.8	1.61	101.7	108.0
1995	5,097	104.6	1.49	101.7	107.6	4,256	100.1	1.56	97.0	103.2
1996	5,030	103.5	1.48	100.6	106.4	4,201	99.2	1.55	96.1	102.2
1997	4,960	101.1	1.46	98.3	104.0	4,162	97.7	1.53	94.7	100.8
1998	5,012	101.0	1.44	98.2	103.8	4,178	96.9	1.51	94.0	99.9
1999	4,977	99.5	1.43	96.7	102.3	4,194	96.7	1.51	93.8	99.7
2000	4,880	96.4	1.39	93.7	99.2	4,110	94.0	1.48	91.2	97.0
2001	4,951	97.5	1.40	94.8	100.3	4,171	95.3	1.49	92.4	98.2
2002	4,976	97.3	1.40	94.6	100.1	4,206	95.7	1.49	92.8	98.7
2003	4,990	95.5	1.37	92.8	98.2	4,204	93.8	1.46	90.9	96.7
2004	4,813	91.0	1.33	88.5	93.7	4,003	88.4	1.41	85.6	91.2
2005	4,875	90.8	1.32	88.2	93.4	4,067	88.7	1.41	86.0	91.5
2006	4,944	91.7	1.32	89.1	94.3	4,132	89.8	1.41	87.0	92.6
2007	4,964	90.2	1.30	87.6	92.8	4,146	88.4	1.39	85.7	91.2
2008	4,881	86.7	1.26	84.3	89.3	4,108	85.9	1.36	83.3	88.7
2009	4,983	86.8	1.25	84.3	89.2	4,209	86.6	1.36	84.0	89.3
2010	4,813	82.3	1.21	79.9	84.7	4,021	81.3	1.31	78.8	83.9
2011	4,942	82.5	1.20	80.2	84.9	4,109	81.2	1.29	78.7	83.8
2012	4,835	78.9	1.16	76.6	81.2	4,008	77.6	1.25	75.1	80.1
2013	4,866	77.2	1.13	75.0	79.4	4,044	76.3	1.23	73.9	78.7
2014	4,948	76.8	1.12	74.6	79.0	4,129	76.4	1.22	74.0	78.8
2015	4,887	74.3	1.09	72.2	76.5	4,021	73.1	1.18	70.8	75.4
2016	4,778	71.7	1.07	69.6	73.8	3,983	71.6	1.16	69.3	73.9
2017	4,905	72.0	1.05	69.9	74.1	4,053	71.2	1.15	69.0	73.5
2018	4,666	66.2	0.99	64.3	68.2	3,927	66.9	1.09	64.8	69.1
2019	4,458	61.9	0.95	60.1	63.8	3,696	61.8	1.04	59.8	63.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lung and Bronchus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	23,627	113.9	0.78	112.4	115.4	2,406	41.6	0.92	39.8	43.4
1986	606	128.9	5.52	118.3	140.1	20	39.5	10.15	22.2	63.5
1987	631	133.0	5.58	122.3	144.3	29	56.2	11.98	35.2	83.5
1988	601	123.5	5.30	113.3	134.2	28	45.9	9.96	28.5	68.9
1989	646	137.0	5.70	126.0	148.5	26	36.4	7.68	22.9	54.4
1990	638	130.8	5.45	120.3	141.8	36	50.3	9.67	33.2	72.4
1991	590	117.8	5.10	108.0	128.2	27	42.5	9.08	26.6	63.4
1992	661	131.0	5.35	120.7	141.8	27	31.5	6.57	20.0	46.9
1993	732	143.7	5.60	133.0	155.1	42	48.1	8.74	32.5	67.7
1994	728	142.4	5.57	131.7	153.7	41	47.1	8.14	32.5	65.4
1995	792	149.5	5.59	138.7	160.8	46	48.7	8.36	33.7	67.4
1996	772	146.1	5.52	135.5	157.3	56	60.0	9.17	43.4	80.1
1997	746	137.4	5.25	127.3	148.0	48	44.6	6.96	32.0	60.1
1998	752	138.4	5.30	128.2	149.2	76	63.6	8.02	48.9	81.1
1999	724	131.2	5.10	121.4	141.5	54	54.3	8.22	39.4	72.3
2000	715	124.6	4.87	115.3	134.5	49	38.9	6.17	27.8	52.6
2001	708	123.7	4.87	114.3	133.5	66	56.6	8.10	41.8	74.2
2002	702	118.8	4.70	109.8	128.3	64	48.1	6.65	35.9	62.6
2003	711	118.4	4.65	109.4	127.8	66	47.1	6.50	35.2	61.2
2004	740	124.1	4.80	114.9	133.9	68	43.9	5.96	33.0	56.9
2005	718	117.7	4.64	108.8	127.1	82	49.0	5.96	38.0	61.8
2006	727	117.0	4.57	108.2	126.2	81	51.8	6.39	40.1	65.6
2007	739	118.7	4.62	109.8	128.1	76	46.1	5.76	35.5	58.5
2008	699	107.7	4.29	99.4	116.4	71	35.6	4.83	26.8	46.1
2009	669	99.1	4.04	91.4	107.3	98	46.2	5.27	36.5	57.5
2010	686	100.7	4.06	92.9	108.9	100	45.8	5.05	36.4	56.6
2011	717	103.6	4.05	95.8	111.8	106	45.0	4.75	36.2	55.2
2012	709	100.8	3.98	93.2	108.9	112	43.5	4.50	35.1	53.1
2013	711	97.6	3.85	90.2	105.4	106	38.3	4.01	30.8	46.9
2014	701	94.4	3.74	87.2	102.0	108	36.3	3.71	29.3	44.2
2015	737	96.9	3.74	89.7	104.5	123	41.3	3.97	33.9	49.7
2016	674	86.9	3.50	80.1	94.0	116	33.2	3.21	27.2	40.1
2017	715	91.9	3.59	85.0	99.2	130	37.8	3.45	31.3	45.2
2018	612	75.4	3.18	69.3	81.9	108	28.7	2.85	23.4	34.8
2019	618	74.1	3.10	68.1	80.4	120	30.8	2.88	25.4	36.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lung and Bronchus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	130,801	53.9	0.15	53.6	54.1	110,893	53.9	0.16	53.6	54.3
1986	2,169	35.9	0.79	34.4	37.5	1,890	35.6	0.84	34.0	37.3
1987	2,430	40.4	0.84	38.8	42.1	2,114	40.0	0.89	38.3	41.8
1988	2,464	40.3	0.83	38.7	42.0	2,080	38.9	0.87	37.2	40.6
1989	2,542	41.2	0.83	39.6	42.9	2,205	40.9	0.89	39.2	42.7
1990	2,710	43.8	0.85	42.2	45.5	2,346	43.4	0.91	41.6	45.2
1991	2,721	43.1	0.84	41.5	44.8	2,363	42.8	0.90	41.1	44.6
1992	2,966	46.8	0.87	45.1	48.5	2,580	46.9	0.94	45.0	48.7
1993	3,172	49.4	0.89	47.7	51.2	2,705	48.6	0.95	46.7	50.5
1994	3,472	53.3	0.91	51.5	55.1	2,981	52.6	0.98	50.7	54.6
1995	3,517	53.9	0.92	52.1	55.8	3,027	53.6	0.99	51.7	55.6
1996	3,590	54.8	0.92	53.0	56.6	3,043	53.8	0.99	51.9	55.8
1997	3,574	53.9	0.91	52.2	55.7	3,077	53.9	0.98	52.0	55.9
1998	3,691	55.2	0.91	53.5	57.1	3,168	55.2	0.99	53.3	57.2
1999	3,786	56.3	0.92	54.5	58.2	3,231	56.1	1.00	54.1	58.1
2000	3,739	55.3	0.91	53.5	57.1	3,240	56.1	1.00	54.2	58.1
2001	3,843	56.4	0.91	54.6	58.2	3,314	57.2	1.00	55.2	59.2
2002	4,066	59.2	0.93	57.4	61.1	3,439	59.0	1.02	57.0	61.0
2003	4,100	59.3	0.93	57.5	61.2	3,498	59.9	1.02	57.9	61.9
2004	4,068	58.4	0.92	56.6	60.3	3,457	58.8	1.01	56.9	60.8
2005	4,180	59.5	0.93	57.7	61.4	3,559	60.3	1.02	58.3	62.3
2006	4,337	61.2	0.94	59.4	63.1	3,655	61.4	1.03	59.4	63.4
2007	4,402	61.2	0.93	59.4	63.1	3,733	62.0	1.03	60.0	64.1
2008	4,520	62.0	0.93	60.1	63.8	3,839	63.1	1.03	61.1	65.1
2009	4,636	63.0	0.94	61.2	64.9	3,921	64.0	1.04	62.0	66.1
2010	4,485	60.0	0.91	58.2	61.8	3,774	60.8	1.01	58.8	62.8
2011	4,446	58.2	0.89	56.5	59.9	3,758	59.5	0.99	57.6	61.4
2012	4,531	58.6	0.88	56.9	60.4	3,758	58.9	0.98	57.0	60.9
2013	4,334	54.7	0.84	53.1	56.4	3,600	55.1	0.94	53.3	57.0
2014	4,744	58.9	0.87	57.3	60.7	3,997	60.7	0.98	58.8	62.7
2015	4,696	57.4	0.85	55.7	59.1	3,896	58.3	0.95	56.4	60.2
2016	4,729	57.0	0.84	55.4	58.7	3,920	58.0	0.95	56.1	59.9
2017	4,687	55.3	0.82	53.7	56.9	3,930	56.9	0.92	55.1	58.8
2018	4,820	55.9	0.82	54.3	57.5	3,997	56.9	0.92	55.1	58.8
2019	4,634	52.7	0.79	51.2	54.3	3,798	53.2	0.88	51.5	55.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lung and Bronchus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	18,204	60.8	0.46	59.9	61.7	1,551	21.2	0.56	20.2	22.4
1986	271	40.2	2.48	35.5	45.3	6	9.4	4.26	3.0	21.0
1987	302	44.7	2.61	39.8	50.1	13	14.6	4.16	7.6	25.3
1988	371	53.5	2.81	48.1	59.3	11	14.8	4.70	7.1	26.7
1989	323	46.9	2.65	41.9	52.4	13	13.8	4.05	7.0	24.1
1990	353	50.2	2.71	45.1	55.8	10	13.8	4.74	6.1	25.7
1991	341	47.5	2.60	42.5	52.8	13	16.4	5.15	7.9	28.9
1992	364	50.4	2.67	45.3	55.9	19	20.5	5.21	11.6	32.9
1993	442	60.2	2.89	54.7	66.1	25	24.6	5.62	14.9	37.7
1994	462	62.0	2.91	56.4	68.0	27	23.8	4.99	15.0	35.3
1995	456	59.6	2.81	54.2	65.3	33	23.0	4.24	15.5	32.8
1996	513	66.4	2.95	60.7	72.4	31	24.4	4.78	16.0	35.4
1997	468	59.3	2.76	54.0	65.0	28	21.4	4.47	13.5	31.6
1998	490	61.1	2.78	55.8	66.8	28	20.9	4.16	13.6	30.5
1999	521	63.8	2.82	58.4	69.6	33	22.1	4.07	14.8	31.3
2000	459	55.5	2.61	50.5	60.8	38	24.0	4.09	16.7	33.2
2001	501	60.1	2.70	54.9	65.7	24	13.8	2.95	8.7	20.7
2002	572	67.4	2.84	61.9	73.1	50	28.2	4.21	20.5	37.5
2003	566	65.5	2.77	60.2	71.2	35	18.1	3.20	12.4	25.3
2004	568	64.3	2.72	59.1	69.9	38	20.9	3.52	14.6	28.8
2005	573	64.0	2.70	58.8	69.5	44	19.5	3.09	13.9	26.4
2006	629	69.2	2.78	63.8	74.8	50	20.9	3.10	15.3	27.8
2007	601	65.4	2.70	60.3	70.9	66	26.8	3.49	20.4	34.5
2008	611	64.7	2.65	59.6	70.1	64	25.5	3.35	19.4	32.9
2009	652	67.4	2.67	62.2	72.8	55	20.5	2.92	15.2	27.0
2010	631	64.6	2.61	59.6	69.9	69	23.8	3.00	18.3	30.4
2011	618	61.2	2.50	56.4	66.2	60	19.2	2.59	14.4	24.9
2012	694	67.6	2.61	62.6	72.9	71	21.4	2.65	16.6	27.3
2013	646	61.1	2.44	56.4	66.0	81	24.0	2.77	18.9	30.1
2014	666	60.9	2.40	56.3	65.8	75	21.1	2.52	16.4	26.6
2015	698	62.5	2.41	57.8	67.4	95	25.0	2.65	20.0	30.7
2016	732	65.3	2.46	60.6	70.4	72	18.0	2.17	14.0	22.8
2017	678	58.5	2.28	54.1	63.1	73	17.5	2.09	13.7	22.1
2018	722	62.4	2.36	57.9	67.2	94	21.1	2.22	17.0	25.9
2019	710	59.1	2.26	54.8	63.7	107	23.3	2.28	19.0	28.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Bones and Joints										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,670	0.9	0.01	0.8	0.9	3,072	0.9	0.02	0.9	0.9
1986	90	0.8	0.09	0.7	1.0	80	0.9	0.10	0.7	1.1
1987	94	0.8	0.09	0.7	1.0	84	0.9	0.10	0.7	1.1
1988	81	0.7	0.08	0.6	0.9	63	0.7	0.09	0.5	0.9
1989	79	0.7	0.08	0.6	0.9	74	0.8	0.09	0.6	1.0
1990	106	0.9	0.09	0.8	1.1	95	1.0	0.11	0.8	1.3
1991	100	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	82	0.7	0.08	0.6	0.9	73	0.7	0.09	0.6	0.9
1993	84	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1994	92	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	1.0
1995	127	1.1	0.10	0.9	1.3	100	1.0	0.10	0.8	1.3
1996	105	0.9	0.09	0.7	1.1	93	1.0	0.10	0.8	1.2
1997	111	0.9	0.09	0.8	1.1	98	1.0	0.10	0.8	1.2
1998	101	0.8	0.08	0.7	1.0	83	0.8	0.09	0.7	1.0
1999	102	0.8	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2000	119	1.0	0.09	0.8	1.2	104	1.0	0.10	0.9	1.3
2001	107	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1
2002	109	0.9	0.08	0.7	1.1	93	0.9	0.10	0.7	1.1
2003	109	0.9	0.08	0.7	1.1	94	0.9	0.10	0.8	1.1
2004	111	0.9	0.08	0.7	1.1	81	0.8	0.09	0.6	1.0
2005	113	0.9	0.08	0.7	1.1	91	0.9	0.09	0.7	1.1
2006	129	1.0	0.09	0.9	1.2	107	1.1	0.10	0.9	1.3
2007	129	1.0	0.09	0.8	1.2	105	1.0	0.10	0.9	1.3
2008	94	0.7	0.08	0.6	0.9	82	0.8	0.09	0.6	1.0
2009	111	0.9	0.08	0.7	1.0	89	0.9	0.09	0.7	1.1
2010	103	0.8	0.08	0.7	1.0	86	0.8	0.09	0.7	1.0
2011	108	0.8	0.08	0.7	1.0	85	0.8	0.09	0.6	1.0
2012	121	0.9	0.08	0.8	1.1	102	1.0	0.10	0.8	1.2
2013	128	1.0	0.09	0.8	1.2	112	1.1	0.10	0.9	1.3
2014	122	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1
2015	103	0.8	0.08	0.6	0.9	89	0.9	0.09	0.7	1.1
2016	126	0.9	0.08	0.8	1.1	105	1.0	0.10	0.8	1.2
2017	140	1.1	0.09	0.9	1.3	108	1.0	0.10	0.8	1.3
2018	112	0.8	0.08	0.7	1.0	92	0.9	0.09	0.7	1.1
2019	122	0.9	0.09	0.8	1.1	96	0.9	0.10	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Bones and Joints										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	437	0.7	0.03	0.6	0.8	117	0.7	0.06	0.5	0.8
1986	9	0.6	0.21	0.3	1.2	1	0.3	0.34	0.0	3.3
1987	8	0.4	0.15	0.2	0.9	0				
1988	16	1.0	0.29	0.6	1.8	2	0.8	0.58	0.1	3.7
1989	5	0.3	0.15	0.1	0.8	0				
1990	10	0.6	0.21	0.3	1.2	1	0.5	0.51	0.0	3.2
1991	13	0.7	0.20	0.4	1.2	1	0.3	0.27	0.0	2.4
1992	8	0.4	0.16	0.2	0.9	1	0.3	0.26	0.0	2.3
1993	10	0.6	0.20	0.3	1.1	1	0.2	0.19	0.0	2.0
1994	11	0.6	0.20	0.3	1.2	4	1.3	0.67	0.3	3.6
1995	19	1.1	0.26	0.6	1.7	6	1.6	0.69	0.5	3.9
1996	11	0.7	0.21	0.3	1.2	1	0.2	0.17	0.0	1.7
1997	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	2.0
1998	15	0.8	0.22	0.4	1.4	2	0.4	0.30	0.1	1.9
1999	11	0.7	0.22	0.3	1.2	2	0.4	0.27	0.0	1.8
2000	8	0.4	0.16	0.2	0.9	6	1.2	0.48	0.4	2.8
2001	13	0.8	0.24	0.4	1.4	2	0.5	0.34	0.1	1.8
2002	12	0.6	0.18	0.3	1.1	3	0.6	0.33	0.1	1.8
2003	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	1.6
2004	22	1.2	0.26	0.7	1.8	5	0.9	0.39	0.3	2.1
2005	11	0.6	0.18	0.3	1.0	6	1.0	0.43	0.4	2.4
2006	17	0.8	0.21	0.5	1.4	5	0.7	0.31	0.2	1.8
2007	16	0.8	0.21	0.5	1.4	7	1.2	0.49	0.4	2.6
2008	8	0.4	0.13	0.2	0.8	3	0.4	0.25	0.1	1.4
2009	18	1.0	0.24	0.6	1.6	2	0.5	0.35	0.1	1.6
2010	14	0.8	0.21	0.4	1.3	2	0.3	0.19	0.0	1.1
2011	17	0.8	0.20	0.5	1.3	6	1.1	0.46	0.4	2.4
2012	12	0.7	0.20	0.3	1.2	4	0.5	0.25	0.1	1.4
2013	13	0.7	0.18	0.3	1.1	3	0.4	0.21	0.1	1.1
2014	15	0.8	0.21	0.4	1.3	8	0.9	0.33	0.4	1.9
2015	9	0.4	0.14	0.2	0.8	5	0.8	0.36	0.2	1.8
2016	15	0.8	0.21	0.4	1.3	5	0.7	0.30	0.2	1.6
2017	18	1.0	0.24	0.6	1.6	8	1.0	0.35	0.4	1.9
2018	15	0.8	0.20	0.4	1.3	3	0.3	0.17	0.1	0.9
2019	16	0.8	0.21	0.5	1.3	8	0.9	0.34	0.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Bones and Joints										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,021	1.0	0.02	1.0	1.1	1,686	1.0	0.03	1.0	1.1
1986	57	1.2	0.17	0.9	1.6	49	1.2	0.18	0.9	1.6
1987	54	1.0	0.14	0.7	1.3	47	1.0	0.15	0.7	1.4
1988	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
1989	50	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
1990	57	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
1991	54	1.0	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4
1992	41	0.8	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1
1993	43	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2
1994	44	0.8	0.12	0.6	1.1	36	0.8	0.13	0.6	1.1
1995	68	1.2	0.15	0.9	1.5	51	1.1	0.16	0.8	1.5
1996	61	1.1	0.15	0.8	1.4	53	1.2	0.16	0.9	1.5
1997	64	1.2	0.15	0.9	1.5	57	1.2	0.17	0.9	1.6
1998	48	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
1999	64	1.1	0.14	0.8	1.4	56	1.2	0.16	0.9	1.5
2000	66	1.1	0.14	0.9	1.4	54	1.1	0.15	0.8	1.5
2001	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
2002	55	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
2003	67	1.1	0.14	0.9	1.4	59	1.2	0.16	0.9	1.6
2004	65	1.1	0.13	0.8	1.4	46	0.9	0.14	0.7	1.3
2005	64	1.1	0.13	0.8	1.4	50	1.0	0.15	0.8	1.4
2006	67	1.1	0.14	0.9	1.4	53	1.1	0.16	0.8	1.5
2007	72	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
2008	44	0.7	0.11	0.5	1.0	39	0.8	0.13	0.6	1.1
2009	60	1.0	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4
2010	58	0.9	0.12	0.7	1.2	50	1.0	0.14	0.7	1.3
2011	60	1.0	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2
2012	69	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5
2013	76	1.2	0.14	1.0	1.5	66	1.3	0.17	1.0	1.7
2014	75	1.1	0.13	0.9	1.4	59	1.1	0.14	0.8	1.4
2015	58	0.9	0.12	0.7	1.2	51	1.0	0.14	0.7	1.3
2016	64	1.0	0.12	0.7	1.2	51	0.9	0.14	0.7	1.3
2017	71	1.1	0.14	0.9	1.4	53	1.1	0.15	0.8	1.4
2018	60	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2019	73	1.2	0.14	0.9	1.5	56	1.1	0.15	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Bones and Joints										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	239	0.9	0.06	0.8	1.0	70	0.8	0.10	0.6	1.0
1986	7	1.0	0.41	0.4	2.3	1	0.7	0.65	0.0	7.5
1987	5	0.5	0.25	0.2	1.5	0				
1988	8	0.9	0.34	0.4	2.0	1	0.6	0.56	0.0	6.6
1989	3	0.5	0.28	0.1	1.5	0				
1990	5	0.7	0.38	0.2	1.9	1	1.2	1.19	0.0	7.4
1991	7	0.9	0.38	0.4	2.1	0				
1992	5	0.5	0.25	0.2	1.4	1	0.5	0.50	0.0	5.2
1993	4	0.5	0.24	0.1	1.4	0				
1994	6	0.7	0.27	0.2	1.6	2	1.1	0.76	0.1	5.4
1995	13	1.7	0.49	0.8	3.0	3	1.4	0.81	0.3	5.5
1996	7	0.9	0.33	0.3	1.9	1	0.3	0.33	0.0	4.0
1997	6	0.8	0.36	0.3	1.9	1	0.5	0.45	0.0	4.0
1998	7	0.8	0.32	0.3	1.8	1	0.4	0.39	0.0	3.7
1999	7	1.1	0.44	0.4	2.3	1	0.5	0.46	0.0	3.7
2000	6	0.8	0.37	0.2	1.9	5	1.9	0.86	0.6	5.2
2001	4	0.8	0.44	0.2	2.0	1	0.6	0.62	0.0	3.7
2002	6	0.6	0.26	0.2	1.5	1	0.4	0.40	0.0	3.0
2003	6	0.9	0.37	0.3	2.0	2	0.9	0.63	0.1	3.6
2004	15	1.8	0.51	0.9	3.1	2	0.5	0.34	0.1	2.7
2005	5	0.6	0.29	0.2	1.5	4	1.4	0.70	0.4	4.0
2006	10	0.9	0.30	0.4	1.8	4	1.2	0.59	0.3	3.5
2007	8	0.9	0.33	0.4	1.9	3	1.0	0.58	0.2	3.3
2008	4	0.4	0.21	0.1	1.2	1	0.2	0.20	0.0	1.9
2009	6	0.7	0.29	0.3	1.6	1	0.7	0.74	0.0	3.3
2010	6	0.7	0.28	0.2	1.5	2	0.5	0.38	0.1	2.3
2011	13	1.4	0.41	0.7	2.5	2	0.5	0.37	0.1	2.2
2012	3	0.6	0.34	0.1	1.6	4	1.0	0.49	0.3	2.8
2013	8	0.8	0.30	0.3	1.7	2	0.5	0.32	0.1	1.9
2014	9	1.1	0.41	0.5	2.2	6	1.4	0.57	0.5	3.2
2015	3	0.3	0.17	0.1	0.9	4	1.2	0.66	0.3	3.2
2016	9	1.0	0.36	0.5	2.0	3	0.7	0.40	0.1	2.1
2017	10	1.2	0.39	0.6	2.2	2	0.7	0.48	0.1	2.3
2018	9	1.0	0.33	0.4	1.9	1	0.2	0.18	0.0	1.2
2019	9	1.0	0.36	0.5	2.0	7	1.8	0.69	0.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Bones and Joints										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,649	0.8	0.02	0.7	0.8	1,386	0.8	0.02	0.8	0.8
1986	33	0.5	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	37	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.5	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.8
1990	49	0.8	0.12	0.6	1.1	44	0.9	0.14	0.7	1.3
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	41	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1993	41	0.7	0.10	0.5	0.9	34	0.7	0.12	0.5	0.9
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	59	1.0	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	47	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
1998	53	0.8	0.12	0.6	1.1	43	0.9	0.13	0.6	1.2
1999	38	0.6	0.09	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	53	0.8	0.11	0.6	1.1	50	1.0	0.14	0.7	1.3
2001	59	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2002	54	0.8	0.11	0.6	1.1	45	0.9	0.13	0.6	1.2
2003	42	0.6	0.10	0.5	0.9	35	0.7	0.11	0.5	0.9
2004	46	0.7	0.10	0.5	0.9	35	0.6	0.11	0.4	0.9
2005	49	0.7	0.11	0.5	1.0	41	0.8	0.12	0.6	1.1
2006	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2007	57	0.9	0.11	0.7	1.1	44	0.8	0.13	0.6	1.1
2008	50	0.8	0.11	0.6	1.0	43	0.8	0.13	0.6	1.1
2009	51	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2010	45	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
2011	48	0.7	0.10	0.5	1.0	40	0.8	0.12	0.5	1.0
2012	52	0.8	0.11	0.6	1.0	41	0.8	0.12	0.5	1.0
2013	52	0.8	0.11	0.6	1.0	46	0.9	0.13	0.6	1.1
2014	47	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
2015	45	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
2016	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2017	69	1.0	0.12	0.8	1.2	55	1.0	0.14	0.7	1.3
2018	52	0.7	0.11	0.6	1.0	43	0.8	0.12	0.5	1.0
2019	49	0.7	0.11	0.5	1.0	40	0.8	0.13	0.5	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Bones and Joints										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	198	0.6	0.04	0.5	0.7	47	0.5	0.08	0.4	0.7
1986	2	0.3	0.18	0.0	1.0	0				
1987	3	0.3	0.19	0.1	1.0	0				
1988	8	1.0	0.40	0.4	2.1	1	1.0	1.02	0.0	6.2
1989	2	0.2	0.15	0.0	0.8	0				
1990	5	0.5	0.25	0.2	1.3	0				
1991	6	0.5	0.22	0.2	1.3	1	0.6	0.55	0.0	4.5
1992	3	0.3	0.19	0.1	1.0	0				
1993	6	0.6	0.27	0.2	1.4	1	0.4	0.35	0.0	3.6
1994	5	0.6	0.27	0.2	1.4	2	1.4	1.00	0.2	5.2
1995	6	0.6	0.26	0.2	1.4	3	1.7	1.02	0.3	5.4
1996	4	0.5	0.25	0.1	1.2	0				
1997	5	0.5	0.23	0.2	1.2	1	0.4	0.44	0.0	3.0
1998	8	0.8	0.31	0.4	1.7	1	0.4	0.41	0.0	2.9
1999	4	0.4	0.21	0.1	1.1	1	0.3	0.31	0.0	2.5
2000	2	0.2	0.13	0.0	0.7	1	0.4	0.41	0.0	2.6
2001	9	1.0	0.32	0.4	1.8	1	0.4	0.39	0.0	2.5
2002	6	0.6	0.24	0.2	1.3	2	0.7	0.52	0.1	2.9
2003	5	0.5	0.22	0.2	1.2	0				
2004	7	0.7	0.27	0.3	1.5	3	1.2	0.69	0.2	3.5
2005	6	0.6	0.23	0.2	1.3	2	0.7	0.50	0.1	2.7
2006	7	0.7	0.27	0.3	1.5	1	0.2	0.20	0.0	1.7
2007	8	0.7	0.26	0.3	1.5	4	1.3	0.71	0.3	3.6
2008	4	0.3	0.17	0.1	0.9	2	0.7	0.46	0.1	2.4
2009	12	1.2	0.35	0.6	2.1	1	0.3	0.32	0.0	1.8
2010	8	0.8	0.29	0.3	1.6	0				
2011	4	0.4	0.18	0.1	0.9	4	1.5	0.78	0.4	3.8
2012	9	0.9	0.29	0.4	1.6	0				
2013	5	0.5	0.21	0.2	1.1	1	0.3	0.27	0.0	1.5
2014	6	0.6	0.24	0.2	1.3	2	0.4	0.31	0.1	1.7
2015	6	0.5	0.22	0.2	1.2	1	0.3	0.32	0.0	1.6
2016	6	0.6	0.24	0.2	1.3	2	0.6	0.39	0.1	1.9
2017	8	0.8	0.29	0.4	1.6	6	1.3	0.52	0.5	2.8
2018	6	0.6	0.26	0.2	1.4	2	0.4	0.30	0.1	1.6
2019	7	0.6	0.25	0.3	1.3	1	0.2	0.17	0.0	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Soft Tissue including Heart										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	12,685	3.0	0.03	2.9	3.0	10,384	2.9	0.03	2.9	3.0
1986	247	2.3	0.15	2.0	2.6	206	2.2	0.16	1.9	2.5
1987	273	2.5	0.15	2.2	2.8	229	2.5	0.17	2.2	2.8
1988	264	2.4	0.15	2.1	2.7	227	2.4	0.16	2.1	2.8
1989	251	2.3	0.15	2.0	2.6	209	2.2	0.15	1.9	2.5
1990	254	2.3	0.14	2.0	2.6	209	2.2	0.16	1.9	2.5
1991	224	2.0	0.14	1.8	2.3	191	2.0	0.15	1.7	2.3
1992	261	2.3	0.14	2.0	2.6	213	2.2	0.15	1.9	2.5
1993	255	2.2	0.14	1.9	2.5	217	2.2	0.15	1.9	2.5
1994	292	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1995	294	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1996	385	3.3	0.17	3.0	3.6	319	3.2	0.18	2.9	3.6
1997	362	3.1	0.16	2.8	3.4	296	3.0	0.17	2.6	3.3
1998	348	2.9	0.16	2.6	3.2	283	2.8	0.17	2.5	3.2
1999	335	2.8	0.15	2.5	3.1	267	2.6	0.16	2.3	3.0
2000	301	2.5	0.14	2.2	2.8	250	2.5	0.16	2.2	2.8
2001	373	3.0	0.16	2.7	3.4	311	3.1	0.17	2.7	3.4
2002	344	2.8	0.15	2.5	3.1	289	2.8	0.17	2.5	3.1
2003	407	3.3	0.16	3.0	3.6	344	3.3	0.18	3.0	3.7
2004	391	3.1	0.16	2.8	3.5	316	3.0	0.17	2.7	3.4
2005	391	3.1	0.16	2.8	3.4	309	3.0	0.17	2.6	3.3
2006	433	3.4	0.16	3.1	3.8	351	3.3	0.18	3.0	3.7
2007	422	3.3	0.16	3.0	3.6	349	3.3	0.18	3.0	3.7
2008	435	3.4	0.16	3.1	3.7	357	3.4	0.18	3.0	3.8
2009	426	3.3	0.16	3.0	3.6	346	3.2	0.18	2.9	3.6
2010	452	3.4	0.16	3.1	3.7	369	3.4	0.18	3.0	3.7
2011	431	3.2	0.16	2.9	3.5	355	3.3	0.18	2.9	3.6
2012	462	3.4	0.16	3.1	3.7	378	3.4	0.18	3.1	3.8
2013	483	3.5	0.16	3.2	3.9	387	3.5	0.18	3.1	3.8
2014	494	3.6	0.16	3.3	3.9	388	3.4	0.18	3.1	3.8
2015	451	3.2	0.16	2.9	3.5	356	3.1	0.17	2.8	3.5
2016	501	3.6	0.17	3.3	4.0	408	3.6	0.18	3.3	4.0
2017	505	3.6	0.16	3.3	3.9	392	3.4	0.18	3.1	3.8
2018	483	3.4	0.16	3.1	3.7	391	3.4	0.18	3.1	3.8
2019	455	3.2	0.16	2.9	3.5	374	3.3	0.18	3.0	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Soft Tissue including Heart										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,848	3.3	0.08	3.1	3.4	318	2.0	0.12	1.7	2.2
1986	33	2.5	0.46	1.7	3.5	5	3.6	1.71	1.1	8.6
1987	42	2.9	0.47	2.0	4.0	1	0.4	0.44	0.0	3.3
1988	33	2.3	0.43	1.6	3.3	3	0.8	0.49	0.2	3.5
1989	40	2.7	0.46	1.9	3.8	1	0.5	0.50	0.0	3.2
1990	42	2.9	0.48	2.1	4.0	1	1.2	1.22	0.0	5.3
1991	30	2.3	0.45	1.5	3.4	1	0.5	0.48	0.0	2.9
1992	41	2.9	0.47	2.1	4.0	6	4.0	1.97	1.1	9.3
1993	35	2.4	0.43	1.7	3.4	3	0.8	0.46	0.2	2.9
1994	41	2.8	0.45	2.0	3.8	2	0.7	0.53	0.1	2.8
1995	40	2.4	0.40	1.7	3.4	3	0.7	0.39	0.1	2.5
1996	52	3.6	0.51	2.6	4.7	9	2.5	0.97	0.9	5.2
1997	57	3.8	0.52	2.8	5.0	6	1.4	0.56	0.5	3.3
1998	57	3.6	0.50	2.7	4.8	4	1.2	0.67	0.3	3.3
1999	56	3.6	0.49	2.7	4.7	9	1.9	0.66	0.8	3.9
2000	43	2.6	0.41	1.9	3.6	3	0.6	0.36	0.1	2.0
2001	50	3.2	0.46	2.3	4.2	9	1.8	0.62	0.8	3.6
2002	45	2.8	0.42	2.0	3.7	4	0.9	0.45	0.2	2.4
2003	50	3.1	0.44	2.3	4.1	10	1.9	0.62	0.8	3.6
2004	61	3.6	0.47	2.7	4.6	7	1.3	0.52	0.5	2.8
2005	61	3.7	0.48	2.8	4.7	13	2.9	0.87	1.4	5.1
2006	73	4.2	0.50	3.2	5.2	6	1.3	0.60	0.4	3.0
2007	57	3.3	0.45	2.5	4.3	14	3.0	0.88	1.5	5.2
2008	65	3.7	0.47	2.9	4.8	9	1.7	0.62	0.7	3.4
2009	55	3.1	0.42	2.3	4.0	16	2.4	0.66	1.3	4.1
2010	61	3.4	0.45	2.6	4.4	15	2.5	0.70	1.3	4.2
2011	62	3.3	0.43	2.5	4.3	11	1.8	0.57	0.8	3.3
2012	67	3.6	0.44	2.7	4.5	13	1.9	0.56	1.0	3.3
2013	65	3.5	0.45	2.7	4.5	21	3.3	0.75	2.0	5.1
2014	80	4.2	0.48	3.3	5.3	22	2.9	0.66	1.8	4.5
2015	76	4.1	0.48	3.2	5.1	15	1.9	0.50	1.1	3.2
2016	74	3.9	0.46	3.1	4.9	16	2.1	0.53	1.2	3.4
2017	79	4.2	0.48	3.3	5.2	28	3.2	0.62	2.1	4.7
2018	66	3.2	0.41	2.5	4.2	18	2.0	0.48	1.2	3.2
2019	59	3.0	0.40	2.3	3.9	14	1.6	0.44	0.9	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Soft Tissue including Heart										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,787	3.6	0.04	3.5	3.7	5,660	3.5	0.05	3.5	3.6
1986	125	2.6	0.25	2.2	3.2	106	2.6	0.26	2.1	3.1
1987	142	2.9	0.26	2.4	3.5	118	2.9	0.27	2.3	3.5
1988	145	3.0	0.26	2.5	3.6	125	3.0	0.28	2.5	3.6
1989	121	2.4	0.23	2.0	2.9	98	2.3	0.24	1.9	2.8
1990	138	2.8	0.24	2.3	3.3	114	2.7	0.25	2.2	3.2
1991	107	2.1	0.21	1.7	2.6	89	2.1	0.22	1.7	2.6
1992	120	2.4	0.23	2.0	2.9	100	2.3	0.24	1.9	2.9
1993	129	2.5	0.22	2.0	2.9	111	2.5	0.24	2.0	3.0
1994	160	3.2	0.26	2.7	3.7	140	3.2	0.28	2.7	3.8
1995	154	2.9	0.24	2.5	3.4	137	3.1	0.27	2.6	3.7
1996	204	3.9	0.28	3.4	4.5	171	3.8	0.30	3.3	4.5
1997	197	3.8	0.27	3.3	4.4	165	3.7	0.29	3.2	4.4
1998	189	3.6	0.27	3.1	4.2	159	3.6	0.29	3.0	4.2
1999	188	3.5	0.26	3.0	4.0	147	3.2	0.27	2.7	3.8
2000	152	2.8	0.23	2.4	3.3	127	2.8	0.25	2.3	3.3
2001	202	3.6	0.26	3.1	4.1	170	3.6	0.28	3.1	4.2
2002	177	3.3	0.25	2.8	3.9	153	3.4	0.28	2.9	4.0
2003	206	3.7	0.26	3.2	4.2	174	3.7	0.28	3.2	4.3
2004	212	3.8	0.26	3.3	4.3	179	3.8	0.29	3.3	4.4
2005	209	3.7	0.26	3.2	4.2	172	3.6	0.28	3.1	4.2
2006	213	3.8	0.26	3.3	4.3	183	3.9	0.29	3.3	4.5
2007	233	4.0	0.27	3.5	4.6	199	4.1	0.30	3.6	4.7
2008	229	3.9	0.26	3.4	4.5	193	4.0	0.29	3.5	4.6
2009	218	3.7	0.26	3.2	4.2	184	3.8	0.28	3.2	4.4
2010	247	4.1	0.27	3.6	4.7	201	4.0	0.29	3.4	4.6
2011	251	4.0	0.26	3.5	4.6	213	4.1	0.29	3.6	4.7
2012	240	3.8	0.25	3.3	4.3	198	3.8	0.28	3.3	4.4
2013	269	4.3	0.27	3.8	4.9	219	4.2	0.29	3.7	4.9
2014	280	4.4	0.27	3.9	5.0	230	4.4	0.30	3.9	5.1
2015	274	4.3	0.26	3.8	4.8	222	4.2	0.29	3.6	4.8
2016	267	4.2	0.26	3.7	4.7	220	4.2	0.29	3.6	4.8
2017	277	4.3	0.26	3.8	4.8	215	4.1	0.29	3.6	4.7
2018	258	3.9	0.25	3.4	4.4	212	3.9	0.28	3.4	4.5
2019	254	3.9	0.25	3.4	4.4	216	4.1	0.28	3.5	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Soft Tissue including Heart										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	863	3.5	0.13	3.3	3.8	182	2.4	0.20	2.0	2.8
1986	15	2.5	0.69	1.3	4.2	2	4.2	3.18	0.4	14.9
1987	23	3.2	0.72	2.0	5.0	0				
1988	17	3.1	0.83	1.7	5.1	2	1.2	0.88	0.1	7.3
1989	21	3.0	0.70	1.8	4.8	1	1.1	1.13	0.0	7.4
1990	22	3.4	0.85	2.0	5.5	1	2.9	2.89	0.1	12.5
1991	15	2.8	0.78	1.5	4.7	1	1.1	1.11	0.0	6.9
1992	18	3.1	0.76	1.8	4.9	1	3.7	3.72	0.1	15.0
1993	18	2.9	0.70	1.7	4.6	0				
1994	19	3.0	0.72	1.7	4.8	1	0.4	0.38	0.0	4.5
1995	14	1.8	0.48	0.9	3.0	1	0.4	0.39	0.0	4.3
1996	26	4.3	0.91	2.7	6.4	5	2.3	1.04	0.7	6.5
1997	28	4.3	0.87	2.7	6.3	2	1.0	0.70	0.1	4.7
1998	27	3.6	0.77	2.3	5.4	2	1.7	1.38	0.1	6.6
1999	31	4.9	0.96	3.2	7.2	7	3.2	1.27	1.2	7.4
2000	20	2.9	0.69	1.7	4.6	2	0.9	0.62	0.1	4.0
2001	28	4.0	0.80	2.6	5.9	2	1.0	0.75	0.1	4.2
2002	19	2.6	0.64	1.5	4.2	2	0.9	0.66	0.1	3.8
2003	23	3.2	0.73	2.0	5.0	7	2.8	1.17	1.0	6.4
2004	23	3.4	0.75	2.0	5.1	6	2.6	1.10	0.9	6.0
2005	28	4.2	0.89	2.7	6.3	4	1.9	1.04	0.4	5.1
2006	27	3.5	0.70	2.2	5.1	3	1.3	0.77	0.2	4.0
2007	28	3.8	0.76	2.4	5.6	5	2.0	1.02	0.5	5.1
2008	27	3.5	0.70	2.3	5.2	7	3.1	1.29	1.1	6.6
2009	20	2.5	0.60	1.5	4.0	9	2.2	0.75	1.0	4.6
2010	31	4.4	0.85	2.9	6.4	11	3.8	1.34	1.7	7.3
2011	27	3.3	0.67	2.2	4.9	8	3.1	1.24	1.1	6.4
2012	29	3.5	0.66	2.3	5.0	10	3.1	1.11	1.3	6.1
2013	30	3.6	0.68	2.4	5.2	15	4.7	1.27	2.6	7.9
2014	34	3.9	0.68	2.7	5.5	13	3.5	1.03	1.8	6.2
2015	39	5.2	0.87	3.6	7.2	10	2.8	0.89	1.3	5.2
2016	35	4.4	0.76	3.0	6.1	10	2.7	0.88	1.3	5.1
2017	39	4.7	0.78	3.3	6.5	20	4.9	1.14	2.9	7.7
2018	32	3.5	0.63	2.3	4.9	9	2.2	0.78	1.0	4.3
2019	30	3.7	0.70	2.5	5.4	3	0.7	0.39	0.1	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Soft Tissue including Heart										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,898	2.6	0.03	2.5	2.7	4,724	2.5	0.04	2.4	2.6
1986	122	2.1	0.19	1.7	2.5	100	2.0	0.20	1.6	2.4
1987	131	2.2	0.20	1.9	2.6	111	2.2	0.21	1.8	2.7
1988	119	1.9	0.18	1.6	2.3	102	1.9	0.20	1.6	2.4
1989	130	2.2	0.19	1.8	2.6	111	2.2	0.21	1.8	2.6
1990	116	1.9	0.18	1.6	2.3	95	1.9	0.20	1.5	2.3
1991	117	2.0	0.18	1.6	2.4	102	2.0	0.21	1.6	2.5
1992	141	2.3	0.20	1.9	2.7	113	2.2	0.21	1.8	2.6
1993	126	2.0	0.18	1.7	2.4	106	2.0	0.20	1.6	2.4
1994	132	2.1	0.18	1.7	2.5	109	2.0	0.20	1.7	2.5
1995	140	2.2	0.19	1.9	2.6	112	2.1	0.20	1.7	2.5
1996	181	2.8	0.21	2.4	3.3	148	2.7	0.23	2.3	3.2
1997	165	2.5	0.20	2.2	3.0	131	2.4	0.21	2.0	2.8
1998	159	2.5	0.20	2.1	2.9	124	2.3	0.21	1.9	2.8
1999	147	2.2	0.18	1.9	2.6	120	2.2	0.20	1.8	2.6
2000	149	2.2	0.18	1.9	2.6	123	2.2	0.20	1.8	2.7
2001	171	2.6	0.20	2.2	3.0	141	2.6	0.22	2.2	3.1
2002	167	2.5	0.19	2.1	2.9	136	2.5	0.22	2.1	3.0
2003	201	3.0	0.21	2.6	3.4	170	3.1	0.24	2.6	3.6
2004	179	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2005	182	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2006	220	3.2	0.22	2.8	3.7	168	3.0	0.23	2.5	3.5
2007	189	2.8	0.20	2.4	3.2	150	2.7	0.23	2.3	3.2
2008	206	3.0	0.21	2.6	3.4	164	2.9	0.23	2.5	3.4
2009	208	3.0	0.21	2.6	3.4	162	2.9	0.23	2.5	3.4
2010	205	2.9	0.20	2.5	3.3	168	2.9	0.23	2.4	3.3
2011	180	2.5	0.19	2.2	2.9	142	2.5	0.22	2.1	3.0
2012	222	3.0	0.21	2.6	3.4	180	3.0	0.23	2.6	3.5
2013	214	3.0	0.21	2.6	3.4	168	2.9	0.23	2.5	3.4
2014	214	2.9	0.20	2.5	3.3	158	2.6	0.22	2.2	3.1
2015	177	2.4	0.18	2.0	2.8	134	2.2	0.20	1.8	2.6
2016	234	3.2	0.21	2.8	3.6	188	3.2	0.24	2.7	3.7
2017	228	3.0	0.21	2.6	3.5	177	2.9	0.23	2.5	3.4
2018	225	3.0	0.21	2.6	3.5	179	3.0	0.24	2.6	3.6
2019	201	2.7	0.20	2.3	3.1	158	2.7	0.23	2.3	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Soft Tissue including Heart										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	985	3.1	0.10	2.9	3.3	136	1.6	0.14	1.3	1.9
1986	18	2.4	0.60	1.4	3.9	3	3.5	2.00	0.7	10.5
1987	19	2.5	0.60	1.5	4.0	1	0.9	0.90	0.0	6.1
1988	16	1.9	0.49	1.0	3.1	1	0.5	0.48	0.0	5.0
1989	19	2.5	0.59	1.5	3.9	0				
1990	20	2.6	0.60	1.6	4.1	0				
1991	15	2.0	0.54	1.1	3.4	0				
1992	23	2.9	0.61	1.8	4.3	5	4.6	2.29	1.3	11.3
1993	17	2.1	0.51	1.2	3.3	3	1.6	0.89	0.3	5.3
1994	22	2.6	0.57	1.6	4.0	1	0.9	0.86	0.0	4.6
1995	26	2.9	0.59	1.9	4.3	2	1.0	0.69	0.1	4.1
1996	26	3.1	0.63	2.0	4.6	4	2.4	1.41	0.5	6.8
1997	29	3.4	0.65	2.3	4.9	4	1.7	0.85	0.4	4.8
1998	30	3.5	0.66	2.4	5.1	2	0.9	0.67	0.1	3.7
1999	25	2.7	0.55	1.8	4.0	2	0.8	0.55	0.1	3.3
2000	23	2.5	0.52	1.6	3.8	1	0.4	0.38	0.0	2.6
2001	22	2.5	0.54	1.6	3.8	7	2.7	1.02	1.1	5.7
2002	26	2.8	0.56	1.8	4.2	2	0.9	0.61	0.1	3.2
2003	27	2.9	0.56	1.9	4.2	3	1.0	0.59	0.2	3.2
2004	38	3.9	0.64	2.7	5.4	1	0.2	0.22	0.0	1.8
2005	33	3.5	0.61	2.4	4.9	9	3.7	1.30	1.6	7.2
2006	46	4.7	0.69	3.4	6.2	3	1.2	0.78	0.2	3.7
2007	29	2.9	0.55	2.0	4.2	9	3.7	1.30	1.6	7.1
2008	38	3.9	0.63	2.7	5.3	2	0.7	0.50	0.1	2.5
2009	35	3.6	0.61	2.5	5.0	7	2.5	0.98	0.9	5.1
2010	30	2.9	0.54	2.0	4.2	4	1.3	0.71	0.3	3.5
2011	35	3.3	0.56	2.3	4.6	3	0.9	0.50	0.2	2.6
2012	38	3.6	0.59	2.5	4.9	3	0.9	0.54	0.2	2.6
2013	35	3.4	0.58	2.4	4.7	6	1.9	0.81	0.7	4.2
2014	46	4.4	0.66	3.2	5.9	9	2.4	0.83	1.1	4.6
2015	37	3.4	0.57	2.4	4.7	5	1.2	0.53	0.4	2.8
2016	39	3.6	0.58	2.5	4.9	6	1.5	0.60	0.5	3.2
2017	40	3.8	0.61	2.7	5.2	8	1.8	0.65	0.8	3.6
2018	34	3.0	0.53	2.1	4.3	9	1.9	0.64	0.9	3.7
2019	29	2.4	0.46	1.6	3.6	11	2.5	0.77	1.2	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Skin excluding Basal and Squamous										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	68,099	16.0	0.06	15.9	16.1	64,378	18.1	0.07	17.9	18.2
1986	891	8.5	0.29	8.0	9.1	858	9.5	0.33	8.9	10.2
1987	888	8.3	0.29	7.8	8.9	863	9.4	0.33	8.8	10.1
1988	855	8.0	0.28	7.5	8.6	820	8.9	0.32	8.3	9.6
1989	969	9.0	0.29	8.4	9.5	936	10.1	0.33	9.4	10.8
1990	912	8.4	0.28	7.8	9.0	880	9.4	0.32	8.8	10.1
1991	974	9.0	0.29	8.4	9.5	948	10.2	0.33	9.5	10.9
1992	1,038	9.3	0.29	8.7	9.9	997	10.4	0.33	9.8	11.1
1993	984	8.7	0.28	8.1	9.2	956	9.8	0.32	9.2	10.5
1994	1,190	10.4	0.30	9.8	11.0	1,148	11.8	0.35	11.1	12.5
1995	1,242	10.8	0.31	10.2	11.4	1,188	12.1	0.35	11.5	12.9
1996	1,343	11.5	0.31	10.9	12.1	1,287	13.0	0.36	12.3	13.7
1997	1,465	12.4	0.33	11.8	13.1	1,389	13.9	0.37	13.2	14.7
1998	1,500	12.6	0.33	12.0	13.3	1,418	14.1	0.37	13.4	14.8
1999	1,561	13.0	0.33	12.4	13.7	1,498	14.8	0.38	14.1	15.6
2000	1,690	14.0	0.34	13.3	14.6	1,598	15.7	0.39	15.0	16.5
2001	1,801	14.8	0.35	14.1	15.5	1,695	16.6	0.40	15.8	17.4
2002	1,830	14.8	0.35	14.2	15.5	1,712	16.6	0.40	15.8	17.4
2003	1,875	15.1	0.35	14.4	15.8	1,732	16.6	0.40	15.9	17.5
2004	2,011	16.1	0.36	15.4	16.8	1,877	18.0	0.42	17.2	18.8
2005	2,236	17.7	0.38	17.0	18.4	2,043	19.4	0.43	18.6	20.3
2006	2,284	18.0	0.38	17.2	18.7	2,136	20.2	0.44	19.4	21.1
2007	2,374	18.4	0.38	17.7	19.2	2,248	21.1	0.45	20.2	22.0
2008	2,549	19.5	0.39	18.8	20.3	2,395	22.2	0.46	21.3	23.1
2009	2,577	19.6	0.39	18.8	20.3	2,421	22.3	0.46	21.4	23.2
2010	2,515	18.7	0.38	18.0	19.5	2,356	21.3	0.45	20.5	22.2
2011	2,687	19.8	0.39	19.1	20.6	2,517	22.6	0.46	21.7	23.5
2012	2,778	20.2	0.39	19.5	21.0	2,616	23.2	0.46	22.3	24.1
2013	2,710	19.4	0.38	18.6	20.1	2,592	22.6	0.45	21.7	23.5
2014	2,898	20.3	0.38	19.5	21.0	2,742	23.4	0.46	22.5	24.3
2015	3,151	22.2	0.40	21.4	23.0	2,991	25.8	0.48	24.8	26.7
2016	3,470	23.9	0.42	23.1	24.8	3,311	28.1	0.50	27.1	29.1
2017	3,542	24.4	0.42	23.6	25.3	3,413	29.1	0.51	28.1	30.1
2018	3,502	23.7	0.41	22.9	24.5	3,263	27.3	0.49	26.3	28.2
2019	3,807	25.5	0.42	24.6	26.3	3,534	29.3	0.51	28.3	30.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Skin excluding Basal and Squamous										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	945	1.8	0.06	1.6	1.9	284	1.8	0.11	1.6	2.0
1986	17	1.4	0.36	0.8	2.3	6	2.6	1.08	0.9	6.3
1987	12	0.9	0.27	0.4	1.6	2	0.6	0.44	0.1	3.4
1988	16	1.4	0.35	0.8	2.2	0				
1989	23	1.8	0.39	1.1	2.7	1	0.5	0.51	0.0	3.2
1990	23	1.9	0.40	1.2	2.9	2	0.7	0.55	0.1	3.4
1991	18	1.4	0.35	0.8	2.3	2	0.6	0.44	0.1	2.9
1992	22	1.5	0.33	0.9	2.3	6	3.5	1.74	0.9	8.2
1993	24	1.7	0.35	1.0	2.5	1	0.3	0.25	0.0	2.1
1994	20	1.3	0.31	0.8	2.1	3	1.1	0.67	0.2	3.5
1995	23	1.5	0.33	1.0	2.3	4	1.1	0.58	0.3	3.2
1996	24	1.7	0.37	1.1	2.6	7	2.8	1.26	0.9	6.2
1997	31	2.0	0.37	1.3	2.9	5	1.5	0.68	0.5	3.6
1998	31	2.2	0.40	1.5	3.1	5	2.1	1.12	0.5	5.2
1999	31	2.1	0.38	1.4	2.9	5	1.7	0.94	0.4	4.4
2000	26	1.6	0.31	1.0	2.3	8	1.8	0.72	0.7	3.9
2001	31	2.1	0.39	1.4	3.0	5	1.2	0.59	0.4	3.0
2002	26	1.5	0.30	1.0	2.3	9	1.9	0.69	0.8	3.8
2003	37	2.3	0.38	1.6	3.1	5	1.0	0.43	0.3	2.4
2004	25	1.5	0.31	1.0	2.3	7	1.5	0.62	0.6	3.3
2005	33	2.1	0.38	1.4	3.0	17	3.9	1.04	2.1	6.4
2006	42	2.5	0.39	1.8	3.4	7	1.1	0.41	0.4	2.3
2007	37	2.2	0.37	1.6	3.1	7	1.0	0.39	0.4	2.2
2008	34	2.0	0.36	1.4	2.9	11	1.7	0.55	0.8	3.2
2009	43	2.5	0.39	1.8	3.4	12	1.8	0.56	0.9	3.3
2010	34	2.0	0.35	1.4	2.8	12	1.9	0.61	0.9	3.5
2011	30	1.6	0.29	1.0	2.2	12	2.1	0.68	1.0	3.8
2012	29	1.6	0.31	1.1	2.3	16	2.3	0.60	1.3	3.8
2013	31	1.7	0.31	1.1	2.4	6	0.7	0.30	0.3	1.6
2014	25	1.4	0.27	0.9	2.0	15	2.2	0.59	1.2	3.6
2015	33	1.9	0.33	1.3	2.6	17	2.4	0.61	1.4	3.9
2016	30	1.7	0.32	1.1	2.4	15	1.8	0.49	1.0	3.1
2017	25	1.3	0.27	0.9	2.0	18	2.2	0.52	1.3	3.4
2018	33	1.6	0.29	1.1	2.3	21	2.2	0.48	1.3	3.3
2019	26	1.3	0.26	0.9	2.0	15	1.7	0.45	0.9	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Skin excluding Basal and Squamous										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	38,050	20.3	0.11	20.1	20.5	36,246	22.7	0.12	22.5	23.0
1986	483	10.4	0.49	9.4	11.4	470	11.6	0.55	10.5	12.7
1987	463	9.6	0.46	8.7	10.5	454	10.8	0.52	9.8	11.9
1988	411	8.6	0.44	7.7	9.4	396	9.5	0.49	8.5	10.5
1989	534	11.1	0.50	10.2	12.1	515	12.3	0.56	11.3	13.5
1990	480	10.2	0.48	9.3	11.2	458	11.2	0.54	10.2	12.3
1991	512	10.6	0.48	9.7	11.6	502	12.0	0.55	10.9	13.1
1992	572	11.7	0.50	10.7	12.7	554	13.0	0.57	12.0	14.2
1993	534	10.8	0.48	9.9	11.8	522	12.2	0.55	11.2	13.3
1994	639	12.8	0.52	11.8	13.9	613	14.3	0.59	13.1	15.5
1995	704	14.0	0.54	12.9	15.1	684	15.7	0.61	14.6	17.0
1996	718	13.9	0.53	12.9	15.0	695	15.7	0.60	14.5	16.9
1997	830	16.0	0.56	14.9	17.2	795	17.9	0.64	16.6	19.2
1998	838	16.3	0.57	15.2	17.5	802	18.2	0.65	16.9	19.5
1999	912	17.3	0.58	16.2	18.5	879	19.5	0.66	18.2	20.9
2000	940	17.7	0.59	16.6	18.9	893	19.7	0.67	18.4	21.1
2001	1,000	18.6	0.60	17.5	19.8	944	20.6	0.68	19.3	22.0
2002	1,057	19.6	0.61	18.4	20.8	1,001	21.8	0.70	20.5	23.2
2003	1,032	18.8	0.60	17.7	20.0	980	21.0	0.68	19.7	22.4
2004	1,162	20.9	0.62	19.7	22.2	1,094	23.3	0.71	21.9	24.7
2005	1,225	22.0	0.64	20.7	23.2	1,136	24.1	0.72	22.7	25.5
2006	1,240	22.1	0.64	20.9	23.4	1,174	24.7	0.73	23.3	26.2
2007	1,284	22.5	0.64	21.3	23.8	1,226	25.4	0.74	24.0	26.9
2008	1,447	25.0	0.67	23.7	26.4	1,383	28.3	0.77	26.8	29.8
2009	1,423	24.2	0.65	23.0	25.5	1,339	27.1	0.75	25.6	28.6
2010	1,451	24.1	0.65	22.8	25.4	1,366	26.9	0.74	25.5	28.4
2011	1,517	25.0	0.66	23.7	26.3	1,439	28.2	0.76	26.7	29.7
2012	1,574	25.4	0.65	24.1	26.7	1,496	28.8	0.76	27.3	30.3
2013	1,525	24.3	0.64	23.0	25.5	1,468	27.9	0.74	26.5	29.4
2014	1,660	25.8	0.65	24.5	27.1	1,586	29.4	0.75	27.9	30.9
2015	1,745	26.8	0.66	25.6	28.2	1,672	30.8	0.77	29.3	32.4
2016	1,939	29.2	0.68	27.9	30.6	1,862	33.8	0.80	32.2	35.4
2017	2,044	30.6	0.69	29.2	31.9	1,979	35.7	0.82	34.1	37.3
2018	1,971	28.9	0.67	27.6	30.3	1,843	32.6	0.78	31.1	34.2
2019	2,184	31.3	0.69	30.0	32.7	2,026	35.1	0.80	33.5	36.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Skin excluding Basal and Squamous										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	408	1.8	0.09	1.6	2.0	152	2.2	0.19	1.8	2.6
1986	5	0.9	0.41	0.3	2.1	3	2.8	1.69	0.5	10.5
1987	2	0.3	0.23	0.0	1.2	1	0.7	0.65	0.0	7.1
1988	9	1.8	0.64	0.8	3.5	0				
1989	14	2.5	0.70	1.3	4.3	1	1.1	1.09	0.0	7.3
1990	14	2.9	0.82	1.5	4.9	2	1.6	1.19	0.2	7.7
1991	8	1.7	0.64	0.6	3.4	0				
1992	8	1.2	0.44	0.5	2.5	4	3.4	1.85	0.8	9.8
1993	10	1.7	0.59	0.8	3.3	0				
1994	12	2.0	0.63	1.0	3.6	3	2.5	1.52	0.5	8.0
1995	10	1.8	0.63	0.8	3.5	2	1.0	0.71	0.1	5.1
1996	9	1.5	0.53	0.7	3.0	3	2.1	1.31	0.4	6.9
1997	11	1.7	0.58	0.8	3.2	3	2.3	1.36	0.4	7.1
1998	13	1.8	0.52	1.0	3.2	4	4.9	2.99	0.9	13.2
1999	17	2.3	0.58	1.3	3.8	2	0.9	0.63	0.1	4.2
2000	11	1.5	0.46	0.7	2.7	3	2.1	1.33	0.3	6.4
2001	17	2.7	0.69	1.5	4.4	4	2.3	1.30	0.5	6.5
2002	10	1.4	0.44	0.6	2.6	6	3.0	1.43	0.9	7.3
2003	10	1.5	0.50	0.7	2.9	0				
2004	9	1.1	0.37	0.5	2.1	4	1.5	0.76	0.4	4.3
2005	12	1.9	0.60	0.9	3.4	10	4.2	1.53	1.8	8.4
2006	19	2.9	0.74	1.7	4.7	5	1.7	0.76	0.5	4.3
2007	16	2.2	0.56	1.2	3.6	4	1.3	0.65	0.4	3.7
2008	16	2.2	0.59	1.2	3.7	6	2.3	1.04	0.7	5.4
2009	19	2.5	0.60	1.5	4.0	6	2.4	1.09	0.8	5.5
2010	14	2.2	0.62	1.2	3.7	7	1.9	0.72	0.7	4.1
2011	14	1.8	0.50	1.0	3.1	5	2.3	1.21	0.6	5.7
2012	16	1.9	0.51	1.1	3.2	7	1.9	0.73	0.8	4.1
2013	13	1.6	0.47	0.8	2.8	1	0.2	0.24	0.0	1.6
2014	10	1.4	0.47	0.7	2.6	7	2.2	0.91	0.8	4.7
2015	13	1.7	0.49	0.9	3.0	12	3.7	1.12	1.8	6.5
2016	10	1.2	0.40	0.6	2.3	7	1.8	0.71	0.7	3.9
2017	12	1.4	0.43	0.7	2.6	11	3.3	1.04	1.6	5.9
2018	14	1.7	0.46	0.9	2.8	12	2.7	0.80	1.4	4.8
2019	11	1.3	0.41	0.6	2.4	7	1.9	0.74	0.8	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Skin excluding Basal and Squamous										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	30,049	13.2	0.08	13.1	13.4	28,132	15.1	0.09	14.9	15.3
1986	408	7.2	0.37	6.5	8.0	388	8.1	0.42	7.3	8.9
1987	425	7.4	0.37	6.7	8.2	409	8.4	0.43	7.6	9.3
1988	444	7.7	0.37	7.0	8.5	424	8.7	0.43	7.8	9.6
1989	435	7.4	0.36	6.7	8.1	421	8.4	0.42	7.6	9.3
1990	432	7.2	0.35	6.5	8.0	422	8.4	0.42	7.6	9.2
1991	462	7.8	0.37	7.1	8.6	446	8.9	0.43	8.1	9.8
1992	466	7.6	0.36	6.9	8.4	443	8.6	0.42	7.8	9.4
1993	450	7.2	0.34	6.6	7.9	434	8.3	0.40	7.5	9.1
1994	551	8.8	0.38	8.1	9.6	535	10.2	0.45	9.3	11.1
1995	538	8.6	0.37	7.9	9.3	504	9.6	0.43	8.8	10.5
1996	625	9.8	0.40	9.0	10.6	592	11.2	0.46	10.3	12.1
1997	635	9.9	0.40	9.2	10.7	594	11.2	0.46	10.3	12.1
1998	662	10.1	0.40	9.4	10.9	616	11.3	0.46	10.4	12.3
1999	649	10.0	0.39	9.2	10.8	619	11.5	0.47	10.6	12.5
2000	750	11.4	0.42	10.6	12.3	705	13.0	0.49	12.0	14.0
2001	801	12.1	0.43	11.2	12.9	751	13.7	0.51	12.8	14.8
2002	773	11.6	0.42	10.8	12.5	711	13.1	0.49	12.1	14.1
2003	843	12.5	0.43	11.7	13.4	752	13.6	0.50	12.6	14.6
2004	849	12.6	0.44	11.8	13.5	783	14.2	0.51	13.2	15.2
2005	1,011	14.9	0.47	14.0	15.8	907	16.4	0.55	15.3	17.5
2006	1,044	15.4	0.48	14.4	16.3	962	17.4	0.57	16.3	18.5
2007	1,090	15.9	0.49	15.0	16.9	1,022	18.5	0.59	17.3	19.7
2008	1,102	16.0	0.49	15.1	17.0	1,012	18.2	0.58	17.1	19.4
2009	1,154	16.5	0.49	15.5	17.5	1,082	19.2	0.60	18.0	20.4
2010	1,064	15.0	0.47	14.1	16.0	990	17.4	0.57	16.3	18.6
2011	1,170	16.5	0.49	15.6	17.5	1,078	18.9	0.59	17.7	20.1
2012	1,204	16.8	0.50	15.9	17.8	1,120	19.5	0.60	18.3	20.7
2013	1,185	16.1	0.48	15.2	17.1	1,124	19.1	0.59	18.0	20.3
2014	1,238	16.6	0.48	15.6	17.5	1,156	19.3	0.59	18.2	20.5
2015	1,406	19.1	0.52	18.1	20.2	1,319	22.5	0.64	21.3	23.8
2016	1,531	20.5	0.54	19.5	21.6	1,449	24.5	0.67	23.2	25.9
2017	1,498	20.1	0.54	19.0	21.2	1,434	24.4	0.67	23.1	25.7
2018	1,531	20.2	0.53	19.1	21.2	1,420	23.7	0.66	22.5	25.1
2019	1,623	21.5	0.55	20.5	22.7	1,508	25.5	0.69	24.2	26.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Skin excluding Basal and Squamous										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	537	1.7	0.08	1.6	1.9	132	1.5	0.14	1.2	1.8
1986	12	1.7	0.52	0.9	3.1	3	2.4	1.43	0.5	8.4
1987	10	1.3	0.43	0.6	2.4	1	0.6	0.59	0.0	5.4
1988	7	1.0	0.40	0.4	2.1	0				
1989	9	1.2	0.43	0.6	2.4	0				
1990	9	1.2	0.41	0.5	2.3	0				
1991	10	1.3	0.43	0.6	2.4	2	1.2	0.84	0.1	5.4
1992	14	1.6	0.45	0.9	2.8	2	3.2	2.56	0.3	10.8
1993	14	1.7	0.45	0.9	2.8	1	0.5	0.53	0.0	3.9
1994	8	0.9	0.33	0.4	1.8	0				
1995	13	1.4	0.40	0.7	2.4	2	1.2	0.85	0.1	4.6
1996	15	1.8	0.47	1.0	3.0	4	3.1	1.81	0.6	8.4
1997	20	2.3	0.52	1.4	3.5	2	0.9	0.62	0.1	3.7
1998	18	2.2	0.53	1.3	3.5	1	0.4	0.44	0.0	2.9
1999	14	1.7	0.46	0.9	2.9	3	2.1	1.39	0.3	6.3
2000	15	1.6	0.41	0.9	2.6	5	1.8	0.83	0.5	4.6
2001	14	1.6	0.44	0.9	2.7	1	0.4	0.37	0.0	2.4
2002	16	1.7	0.42	1.0	2.7	3	1.1	0.66	0.2	3.5
2003	27	2.8	0.55	1.9	4.1	5	1.8	0.83	0.6	4.5
2004	16	1.8	0.45	1.0	2.9	3	1.4	0.86	0.3	4.1
2005	21	2.3	0.50	1.4	3.5	7	3.4	1.34	1.3	6.9
2006	23	2.3	0.49	1.5	3.5	2	0.5	0.37	0.1	2.2
2007	21	2.2	0.48	1.4	3.4	3	0.8	0.47	0.2	2.6
2008	18	1.9	0.46	1.1	3.1	5	1.3	0.61	0.4	3.3
2009	24	2.4	0.50	1.5	3.6	6	1.4	0.59	0.5	3.3
2010	20	1.9	0.44	1.2	3.0	5	1.8	0.86	0.5	4.3
2011	16	1.4	0.36	0.8	2.3	7	2.1	0.86	0.8	4.5
2012	13	1.3	0.37	0.7	2.3	9	2.6	0.89	1.1	5.0
2013	18	1.8	0.42	1.0	2.8	5	1.2	0.52	0.4	2.8
2014	15	1.3	0.35	0.7	2.2	8	2.2	0.79	0.9	4.3
2015	20	2.0	0.45	1.2	3.1	5	1.4	0.63	0.4	3.2
2016	20	2.1	0.47	1.3	3.2	8	1.8	0.64	0.8	3.6
2017	13	1.2	0.33	0.6	2.0	7	1.4	0.55	0.6	3.0
2018	19	1.6	0.36	0.9	2.5	9	1.7	0.58	0.8	3.3
2019	15	1.3	0.34	0.7	2.2	8	1.6	0.56	0.7	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Melanoma of the Skin										
Both Sexes										
	All Races					Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	62,532	14.7	0.06	14.6	14.8	59,582	16.8	0.07	16.6	16.9
1986	800	7.7	0.28	7.1	8.2	779	8.6	0.32	8.0	9.3
1987	818	7.7	0.27	7.1	8.2	799	8.7	0.32	8.1	9.4
1988	775	7.3	0.26	6.7	7.8	752	8.2	0.30	7.6	8.8
1989	864	8.0	0.28	7.5	8.6	848	9.2	0.32	8.5	9.8
1990	812	7.4	0.26	6.9	8.0	796	8.5	0.31	7.9	9.1
1991	880	8.1	0.28	7.5	8.6	865	9.3	0.32	8.7	9.9
1992	923	8.3	0.28	7.8	8.8	903	9.5	0.32	8.9	10.1
1993	854	7.5	0.26	7.0	8.0	846	8.7	0.30	8.1	9.3
1994	1,064	9.3	0.29	8.8	9.9	1,038	10.7	0.33	10.0	11.3
1995	1,122	9.7	0.29	9.2	10.3	1,086	11.1	0.34	10.5	11.8
1996	1,205	10.3	0.30	9.8	10.9	1,170	11.8	0.35	11.2	12.5
1997	1,323	11.2	0.31	10.6	11.8	1,266	12.7	0.36	12.0	13.4
1998	1,345	11.3	0.31	10.7	12.0	1,290	12.8	0.36	12.2	13.6
1999	1,415	11.8	0.31	11.2	12.5	1,371	13.6	0.37	12.9	14.3
2000	1,521	12.6	0.32	12.0	13.2	1,449	14.3	0.38	13.5	15.0
2001	1,626	13.3	0.33	12.7	14.0	1,541	15.1	0.38	14.3	15.8
2002	1,662	13.5	0.33	12.8	14.1	1,571	15.3	0.39	14.5	16.0
2003	1,695	13.6	0.33	13.0	14.3	1,577	15.2	0.38	14.4	16.0
2004	1,839	14.7	0.34	14.0	15.4	1,727	16.6	0.40	15.8	17.4
2005	2,042	16.2	0.36	15.5	16.9	1,883	17.9	0.41	17.1	18.7
2006	2,062	16.2	0.36	15.5	16.9	1,946	18.5	0.42	17.6	19.3
2007	2,189	17.0	0.37	16.3	17.7	2,090	19.6	0.43	18.8	20.5
2008	2,332	17.9	0.37	17.2	18.6	2,210	20.5	0.44	19.6	21.4
2009	2,368	18.0	0.37	17.3	18.7	2,252	20.8	0.44	19.9	21.6
2010	2,338	17.4	0.36	16.7	18.1	2,204	19.9	0.43	19.1	20.8
2011	2,505	18.5	0.38	17.8	19.3	2,359	21.2	0.44	20.3	22.1
2012	2,588	18.8	0.38	18.1	19.6	2,456	21.8	0.45	20.9	22.7
2013	2,524	18.0	0.36	17.3	18.7	2,428	21.2	0.44	20.3	22.1
2014	2,698	18.9	0.37	18.2	19.6	2,566	21.9	0.44	21.1	22.8
2015	2,921	20.6	0.39	19.8	21.3	2,789	24.1	0.47	23.2	25.0
2016	3,237	22.3	0.40	21.5	23.1	3,104	26.4	0.49	25.5	27.4
2017	3,307	22.8	0.41	22.0	23.6	3,196	27.3	0.50	26.3	28.3
2018	3,284	22.2	0.40	21.5	23.0	3,080	25.8	0.48	24.9	26.7
2019	3,594	24.1	0.41	23.3	24.9	3,345	27.8	0.50	26.8	28.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Melanoma of the Skin										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	396	0.8	0.04	0.7	0.9	182	1.1	0.09	1.0	1.3
1986	7	0.7	0.28	0.3	1.4	4	1.8	0.93	0.5	5.4
1987	8	0.7	0.25	0.3	1.3	1	0.3	0.31	0.0	3.1
1988	6	0.5	0.21	0.2	1.1	0				
1989	8	0.6	0.22	0.2	1.2	1	0.5	0.51	0.0	3.2
1990	9	0.8	0.26	0.4	1.5	2	0.7	0.55	0.1	3.4
1991	10	0.8	0.28	0.4	1.6	2	0.6	0.44	0.1	2.9
1992	9	0.6	0.20	0.3	1.2	3	2.2	1.56	0.3	6.7
1993	4	0.3	0.13	0.1	0.7	1	0.3	0.25	0.0	2.1
1994	8	0.6	0.22	0.3	1.2	2	0.8	0.56	0.1	3.0
1995	9	0.7	0.25	0.3	1.4	2	0.6	0.43	0.1	2.5
1996	10	0.9	0.29	0.4	1.6	5	1.5	0.70	0.5	3.7
1997	15	1.1	0.28	0.6	1.7	3	1.0	0.57	0.2	2.9
1998	9	0.7	0.23	0.3	1.3	4	1.2	0.66	0.3	3.3
1999	16	1.2	0.30	0.6	1.9	5	1.7	0.94	0.4	4.4
2000	11	0.7	0.22	0.4	1.3	5	1.1	0.51	0.3	2.8
2001	17	1.3	0.31	0.7	2.0	3	0.8	0.52	0.1	2.5
2002	11	0.7	0.21	0.4	1.3	7	1.5	0.63	0.5	3.3
2003	21	1.3	0.30	0.8	2.1	2	0.3	0.24	0.0	1.4
2004	10	0.7	0.21	0.3	1.2	3	0.6	0.33	0.1	1.8
2005	14	1.0	0.27	0.5	1.7	8	1.5	0.58	0.6	3.2
2006	18	1.2	0.28	0.7	1.8	4	0.6	0.29	0.2	1.6
2007	16	1.0	0.26	0.6	1.6	4	0.6	0.30	0.2	1.7
2008	8	0.5	0.19	0.2	1.1	9	1.5	0.52	0.6	2.9
2009	13	0.8	0.21	0.4	1.3	7	1.1	0.44	0.4	2.3
2010	17	1.0	0.26	0.6	1.7	7	1.1	0.45	0.4	2.4
2011	14	0.8	0.21	0.4	1.3	8	1.5	0.59	0.6	3.1
2012	7	0.4	0.16	0.2	0.8	13	1.9	0.56	1.0	3.4
2013	15	0.9	0.22	0.5	1.4	5	0.6	0.27	0.2	1.5
2014	12	0.7	0.20	0.3	1.2	6	0.8	0.31	0.3	1.7
2015	15	0.9	0.22	0.5	1.4	10	1.4	0.46	0.7	2.6
2016	13	0.7	0.20	0.4	1.2	11	1.3	0.41	0.7	2.4
2017	13	0.7	0.20	0.4	1.2	15	1.8	0.47	1.0	3.0
2018	14	0.7	0.19	0.4	1.2	9	0.9	0.29	0.4	1.7
2019	9	0.4	0.15	0.2	0.8	11	1.2	0.37	0.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Melanoma of the Skin										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	35,042	18.7	0.10	18.5	18.9	33,601	21.0	0.12	20.8	21.2
1986	444	9.5	0.47	8.6	10.5	435	10.7	0.53	9.7	11.8
1987	424	8.8	0.44	7.9	9.7	416	9.9	0.50	8.9	10.9
1988	375	7.8	0.41	7.0	8.6	365	8.7	0.47	7.8	9.6
1989	481	10.1	0.47	9.2	11.0	473	11.4	0.54	10.4	12.5
1990	424	8.9	0.45	8.1	9.9	410	9.9	0.50	9.0	10.9
1991	473	9.8	0.46	8.9	10.7	470	11.2	0.53	10.2	12.2
1992	504	10.3	0.47	9.4	11.2	496	11.6	0.53	10.6	12.7
1993	473	9.5	0.44	8.6	10.4	469	10.8	0.51	9.8	11.9
1994	563	11.3	0.49	10.4	12.3	547	12.7	0.55	11.6	13.8
1995	645	12.7	0.51	11.7	13.8	632	14.4	0.58	13.3	15.6
1996	656	12.7	0.50	11.7	13.7	640	14.4	0.58	13.3	15.6
1997	749	14.4	0.53	13.4	15.5	722	16.1	0.61	15.0	17.4
1998	762	14.8	0.54	13.7	15.9	739	16.6	0.62	15.5	17.9
1999	831	15.7	0.55	14.6	16.8	807	17.8	0.63	16.6	19.1
2000	850	15.9	0.55	14.8	17.0	812	17.8	0.63	16.6	19.1
2001	910	17.0	0.57	15.9	18.1	866	18.9	0.65	17.7	20.3
2002	963	17.7	0.58	16.6	18.9	919	19.9	0.66	18.6	21.2
2003	953	17.3	0.57	16.2	18.4	905	19.3	0.65	18.1	20.7
2004	1,072	19.2	0.59	18.1	20.4	1,014	21.5	0.68	20.2	22.9
2005	1,107	19.8	0.60	18.6	21.0	1,038	21.9	0.69	20.6	23.3
2006	1,120	19.9	0.61	18.8	21.2	1,069	22.5	0.70	21.1	23.9
2007	1,195	21.0	0.62	19.8	22.2	1,148	23.8	0.71	22.4	25.2
2008	1,324	22.9	0.64	21.6	24.2	1,275	26.0	0.74	24.6	27.5
2009	1,320	22.4	0.63	21.2	23.7	1,256	25.4	0.73	24.0	26.8
2010	1,347	22.2	0.62	21.0	23.5	1,273	25.0	0.71	23.6	26.4
2011	1,410	23.2	0.63	21.9	24.4	1,344	26.3	0.73	24.8	27.7
2012	1,462	23.5	0.63	22.3	24.8	1,401	26.9	0.73	25.5	28.4
2013	1,429	22.7	0.61	21.5	23.9	1,383	26.2	0.72	24.8	27.6
2014	1,541	23.8	0.62	22.6	25.1	1,478	27.3	0.73	25.9	28.7
2015	1,609	24.7	0.63	23.4	25.9	1,549	28.5	0.74	27.0	30.0
2016	1,805	27.0	0.65	25.8	28.3	1,740	31.4	0.77	29.9	32.9
2017	1,910	28.5	0.67	27.2	29.8	1,854	33.3	0.79	31.8	34.9
2018	1,838	27.0	0.64	25.7	28.2	1,728	30.6	0.75	29.1	32.1
2019	2,073	29.6	0.67	28.3	31.0	1,928	33.3	0.78	31.8	34.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Melanoma of the Skin										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	157	0.8	0.06	0.6	0.9	94	1.3	0.15	1.0	1.6
1986	2	0.4	0.26	0.0	1.4	2	2.3	1.61	0.3	10.0
1987	1	0.2	0.21	0.0	1.1	1	0.7	0.65	0.0	7.1
1988	4	0.9	0.49	0.2	2.3	0				
1989	5	0.8	0.36	0.2	1.9	1	1.1	1.09	0.0	7.3
1990	7	1.5	0.58	0.6	3.0	2	1.6	1.19	0.2	7.7
1991	2	0.6	0.49	0.1	2.1	0				
1992	3	0.4	0.25	0.1	1.4	2	1.6	1.11	0.2	6.8
1993	2	0.3	0.23	0.0	1.2	0				
1994	4	0.8	0.41	0.2	2.0	2	1.7	1.30	0.2	6.9
1995	4	1.0	0.52	0.2	2.5	1	0.4	0.36	0.0	4.2
1996	3	0.6	0.33	0.1	1.6	2	1.6	1.21	0.2	6.3
1997	5	0.9	0.48	0.2	2.3	2	1.7	1.21	0.2	6.2
1998	3	0.6	0.32	0.1	1.6	3	2.3	1.47	0.3	7.2
1999	8	1.1	0.41	0.5	2.3	2	0.9	0.63	0.1	4.2
2000	5	0.8	0.34	0.2	1.8	2	0.9	0.66	0.1	4.1
2001	9	1.6	0.54	0.7	3.0	2	1.5	1.15	0.1	5.5
2002	5	0.7	0.34	0.2	1.8	5	2.6	1.37	0.6	6.8
2003	7	1.1	0.43	0.4	2.3	0				
2004	2	0.3	0.19	0.0	1.0	3	1.2	0.69	0.2	3.8
2005	2	0.5	0.37	0.0	1.6	4	1.3	0.65	0.4	3.8
2006	8	1.5	0.60	0.6	3.1	2	0.7	0.46	0.1	2.8
2007	8	1.2	0.43	0.5	2.4	2	0.7	0.47	0.1	2.8
2008	4	0.6	0.31	0.2	1.6	6	2.3	1.04	0.7	5.4
2009	5	0.7	0.31	0.2	1.6	3	1.4	0.89	0.2	4.2
2010	8	1.5	0.54	0.6	2.8	4	1.1	0.56	0.3	3.1
2011	6	0.9	0.36	0.3	1.9	3	1.8	1.16	0.3	5.2
2012	3	0.3	0.18	0.1	1.0	5	1.4	0.61	0.4	3.4
2013	6	0.8	0.36	0.3	1.8	1	0.2	0.24	0.0	1.6
2014	4	0.7	0.35	0.2	1.7	3	0.8	0.46	0.2	2.4
2015	7	1.0	0.37	0.4	2.0	6	2.0	0.84	0.7	4.3
2016	4	0.5	0.25	0.1	1.2	5	1.3	0.57	0.4	3.0
2017	5	0.6	0.25	0.2	1.3	9	2.6	0.89	1.1	4.9
2018	4	0.5	0.26	0.1	1.3	5	1.0	0.46	0.3	2.5
2019	2	0.2	0.16	0.0	0.8	4	1.0	0.53	0.3	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Melanoma of the Skin										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	27,490	12.1	0.07	12.0	12.3	25,981	14.0	0.09	13.8	14.2
1986	356	6.3	0.34	5.7	7.0	344	7.2	0.40	6.4	8.0
1987	394	6.9	0.35	6.2	7.6	383	7.9	0.41	7.1	8.8
1988	400	7.0	0.36	6.3	7.7	387	8.0	0.41	7.2	8.8
1989	383	6.5	0.34	5.9	7.2	375	7.6	0.40	6.8	8.4
1990	388	6.5	0.34	5.9	7.2	386	7.7	0.40	6.9	8.5
1991	407	6.9	0.35	6.2	7.6	395	8.0	0.41	7.2	8.8
1992	419	6.9	0.34	6.2	7.6	407	7.9	0.40	7.2	8.7
1993	381	6.2	0.32	5.6	6.8	377	7.3	0.38	6.5	8.0
1994	501	8.0	0.36	7.4	8.8	491	9.4	0.43	8.6	10.3
1995	477	7.6	0.35	7.0	8.4	454	8.7	0.41	7.9	9.6
1996	549	8.7	0.37	7.9	9.4	530	10.0	0.44	9.2	10.9
1997	574	9.0	0.38	8.3	9.8	544	10.3	0.45	9.5	11.3
1998	583	9.0	0.37	8.3	9.8	551	10.3	0.44	9.4	11.2
1999	584	9.0	0.37	8.3	9.8	564	10.5	0.45	9.7	11.4
2000	671	10.3	0.40	9.5	11.1	637	11.8	0.47	10.9	12.8
2001	716	10.9	0.41	10.1	11.7	675	12.5	0.48	11.5	13.5
2002	699	10.6	0.40	9.8	11.4	652	12.1	0.48	11.2	13.1
2003	742	11.1	0.41	10.3	12.0	672	12.3	0.48	11.4	13.3
2004	767	11.4	0.41	10.6	12.3	713	13.0	0.49	12.0	14.0
2005	935	13.8	0.46	12.9	14.7	845	15.3	0.53	14.3	16.4
2006	942	13.9	0.46	13.0	14.8	877	16.0	0.55	14.9	17.1
2007	994	14.6	0.47	13.7	15.5	942	17.1	0.57	16.0	18.3
2008	1,008	14.7	0.47	13.8	15.7	935	16.9	0.56	15.9	18.1
2009	1,048	15.0	0.47	14.1	16.0	996	17.8	0.58	16.7	19.0
2010	991	14.0	0.45	13.2	14.9	931	16.4	0.55	15.3	17.5
2011	1,095	15.5	0.48	14.6	16.5	1,015	17.9	0.58	16.8	19.1
2012	1,126	15.8	0.48	14.8	16.7	1,055	18.4	0.58	17.2	19.5
2013	1,095	14.9	0.46	14.0	15.9	1,045	17.9	0.57	16.8	19.0
2014	1,157	15.5	0.47	14.6	16.5	1,088	18.3	0.57	17.2	19.4
2015	1,312	17.9	0.51	16.9	18.9	1,240	21.3	0.63	20.1	22.6
2016	1,432	19.3	0.53	18.3	20.4	1,364	23.3	0.66	22.0	24.6
2017	1,397	18.8	0.52	17.8	19.9	1,342	22.9	0.65	21.7	24.2
2018	1,446	19.1	0.52	18.1	20.2	1,352	22.7	0.64	21.5	24.0
2019	1,521	20.3	0.54	19.3	21.4	1,417	24.1	0.67	22.8	25.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Melanoma of the Skin										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	239	0.8	0.05	0.7	0.9	88	1.0	0.11	0.8	1.2
1986	5	0.9	0.41	0.3	2.0	2	1.4	1.03	0.2	6.9
1987	7	1.0	0.39	0.4	2.0	0				
1988	2	0.3	0.17	0.0	0.9	0				
1989	3	0.4	0.25	0.1	1.2	0				
1990	2	0.3	0.22	0.0	1.1	0				
1991	8	1.1	0.38	0.4	2.1	2	1.2	0.84	0.1	5.4
1992	6	0.7	0.31	0.3	1.6	1	2.4	2.43	0.1	10.0
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.53	0.0	3.9
1994	4	0.5	0.25	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	1	0.7	0.71	0.0	4.0
1996	7	1.0	0.39	0.4	2.1	3	1.5	0.89	0.3	4.9
1997	10	1.2	0.38	0.6	2.2	1	0.4	0.44	0.0	3.1
1998	6	0.8	0.32	0.3	1.6	1	0.4	0.44	0.0	2.9
1999	8	1.1	0.38	0.5	2.1	3	2.1	1.39	0.3	6.3
2000	6	0.7	0.28	0.2	1.5	3	1.2	0.74	0.2	3.9
2001	8	1.0	0.35	0.4	1.9	1	0.4	0.37	0.0	2.4
2002	6	0.7	0.28	0.3	1.5	2	0.7	0.52	0.1	2.9
2003	14	1.5	0.41	0.8	2.6	2	0.7	0.47	0.1	2.7
2004	8	0.9	0.32	0.4	1.8	0				
2005	12	1.4	0.40	0.7	2.4	4	1.6	0.86	0.4	4.3
2006	10	1.1	0.34	0.5	2.0	2	0.5	0.37	0.1	2.2
2007	8	0.8	0.30	0.4	1.6	2	0.6	0.40	0.1	2.2
2008	4	0.5	0.23	0.1	1.2	3	0.9	0.51	0.2	2.7
2009	8	0.8	0.29	0.3	1.6	4	0.9	0.47	0.3	2.6
2010	9	0.8	0.28	0.4	1.6	3	1.1	0.65	0.2	3.1
2011	8	0.8	0.27	0.3	1.5	5	1.5	0.69	0.4	3.5
2012	4	0.4	0.21	0.1	1.1	8	2.4	0.87	1.0	4.7
2013	9	0.9	0.30	0.4	1.7	4	0.9	0.47	0.3	2.5
2014	8	0.7	0.26	0.3	1.4	3	0.7	0.43	0.2	2.2
2015	8	0.8	0.28	0.3	1.5	4	1.0	0.51	0.3	2.6
2016	9	0.9	0.30	0.4	1.7	6	1.3	0.55	0.5	2.9
2017	8	0.7	0.26	0.3	1.5	6	1.3	0.52	0.5	2.8
2018	10	0.8	0.26	0.4	1.5	4	0.7	0.36	0.2	1.9
2019	7	0.6	0.23	0.2	1.3	7	1.4	0.53	0.6	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Breast excluding in situ										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	301,981	71.0	0.13	70.7	71.2	254,636	71.2	0.14	70.9	71.4
1986	6,726	65.2	0.81	63.6	66.8	6,001	66.2	0.87	64.5	68.0
1987	7,255	69.7	0.83	68.1	71.4	6,487	71.1	0.90	69.4	72.9
1988	7,408	70.7	0.83	69.1	72.4	6,574	71.7	0.90	70.0	73.5
1989	7,125	67.7	0.81	66.1	69.3	6,257	68.1	0.87	66.4	69.9
1990	7,523	70.7	0.82	69.1	72.4	6,693	72.3	0.89	70.6	74.1
1991	7,741	71.7	0.82	70.1	73.3	6,846	73.0	0.89	71.3	74.8
1992	7,915	72.3	0.82	70.7	73.9	6,981	73.5	0.89	71.8	75.3
1993	7,762	69.6	0.79	68.0	71.2	6,751	70.0	0.86	68.3	71.7
1994	8,350	74.4	0.82	72.8	76.0	7,305	75.4	0.89	73.7	77.2
1995	8,278	73.0	0.80	71.4	74.6	7,187	73.7	0.87	72.0	75.4
1996	8,479	74.0	0.81	72.4	75.5	7,339	74.6	0.87	72.9	76.3
1997	8,614	74.4	0.80	72.8	75.9	7,377	74.5	0.87	72.8	76.2
1998	8,883	75.7	0.80	74.2	77.3	7,569	75.6	0.87	73.9	77.3
1999	9,137	76.9	0.80	75.3	78.5	7,822	77.5	0.88	75.7	79.2
2000	8,899	74.1	0.79	72.5	75.6	7,614	74.8	0.86	73.1	76.5
2001	9,084	74.7	0.78	73.2	76.3	7,716	75.1	0.86	73.4	76.8
2002	8,868	72.1	0.77	70.6	73.6	7,466	72.0	0.83	70.3	73.6
2003	8,255	66.2	0.73	64.8	67.6	6,921	66.0	0.80	64.5	67.6
2004	8,380	66.5	0.73	65.1	68.0	7,080	67.0	0.80	65.4	68.6
2005	8,579	67.3	0.73	65.9	68.8	7,174	67.3	0.80	65.7	68.8
2006	8,957	69.6	0.74	68.1	71.0	7,468	69.5	0.81	67.9	71.1
2007	9,003	68.9	0.73	67.5	70.3	7,536	69.3	0.80	67.7	70.9
2008	9,177	69.3	0.73	67.9	70.7	7,668	69.6	0.80	68.0	71.2
2009	9,386	69.9	0.73	68.5	71.3	7,750	69.6	0.80	68.0	71.2
2010	9,487	69.5	0.72	68.1	70.9	7,852	69.5	0.80	67.9	71.1
2011	9,803	71.1	0.73	69.7	72.6	8,056	70.8	0.80	69.3	72.4
2012	9,634	68.8	0.71	67.4	70.2	7,898	68.7	0.79	67.2	70.3
2013	10,065	70.9	0.72	69.5	72.4	8,196	70.4	0.79	68.9	72.0
2014	10,360	72.3	0.73	70.9	73.7	8,396	71.6	0.80	70.1	73.2
2015	10,467	72.1	0.72	70.7	73.5	8,487	71.7	0.80	70.1	73.2
2016	10,575	72.2	0.72	70.8	73.6	8,639	72.4	0.80	70.9	74.0
2017	10,497	71.2	0.71	69.8	72.6	8,461	70.6	0.79	69.0	72.1
2018	10,566	71.2	0.71	69.8	72.6	8,527	71.0	0.79	69.5	72.6
2019	10,743	71.9	0.71	70.5	73.3	8,542	70.7	0.79	69.2	72.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Breast excluding in situ										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	38,228	72.7	0.38	71.9	73.4	7,579	45.8	0.55	44.7	46.8
1986	654	57.0	2.30	52.6	61.7	52	27.4	4.02	20.1	36.6
1987	681	59.4	2.34	54.9	64.1	74	37.6	4.72	28.9	48.1
1988	770	66.2	2.46	61.4	71.2	55	27.5	4.02	20.2	36.6
1989	773	65.2	2.41	60.6	70.1	84	41.6	5.17	32.1	53.0
1990	733	61.3	2.32	56.8	66.0	82	34.5	4.13	26.9	43.7
1991	785	62.3	2.28	57.9	67.0	67	26.9	3.59	20.3	34.9
1992	816	64.3	2.31	59.9	69.0	77	29.2	3.68	22.4	37.4
1993	887	68.4	2.36	63.8	73.1	101	38.0	4.19	30.2	47.1
1994	916	69.5	2.35	64.9	74.2	106	38.0	4.08	30.4	46.8
1995	946	70.3	2.34	65.8	75.0	120	38.6	3.89	31.3	47.0
1996	981	71.3	2.33	66.8	76.0	126	37.4	3.57	30.8	45.1
1997	1,055	76.4	2.40	71.7	81.2	144	39.8	3.45	33.4	47.3
1998	1,103	77.6	2.38	73.0	82.4	149	40.7	3.56	34.1	48.4
1999	1,086	74.7	2.31	70.2	79.4	159	42.1	3.63	35.3	49.9
2000	1,052	71.1	2.23	66.8	75.6	160	41.8	3.62	35.0	49.5
2001	1,160	77.6	2.32	73.1	82.3	169	40.5	3.39	34.1	47.7
2002	1,164	75.0	2.24	70.6	79.5	184	41.0	3.24	34.9	47.9
2003	1,099	69.9	2.15	65.8	74.2	195	41.7	3.18	35.7	48.4
2004	1,072	67.1	2.09	63.1	71.3	196	40.3	3.09	34.5	46.8
2005	1,155	72.0	2.16	67.8	76.3	209	39.4	2.86	34.0	45.4
2006	1,196	73.1	2.15	68.9	77.4	250	45.8	3.10	40.0	52.3
2007	1,172	70.0	2.08	66.0	74.2	248	44.6	2.99	39.0	50.9
2008	1,189	70.6	2.09	66.6	74.8	271	46.4	2.98	40.8	52.7
2009	1,326	77.0	2.16	72.8	81.3	264	43.6	2.83	38.3	49.5
2010	1,281	73.1	2.08	69.1	77.3	307	46.8	2.79	41.5	52.6
2011	1,335	75.6	2.12	71.5	79.9	333	48.6	2.77	43.3	54.3
2012	1,326	72.9	2.04	68.9	77.0	361	49.9	2.73	44.7	55.6
2013	1,450	78.3	2.10	74.3	82.6	364	49.1	2.65	44.0	54.5
2014	1,512	81.3	2.14	77.2	85.6	378	47.8	2.52	42.9	53.0
2015	1,519	80.1	2.10	76.0	84.3	400	49.8	2.55	44.9	55.0
2016	1,469	76.7	2.05	72.7	80.8	409	49.5	2.49	44.7	54.6
2017	1,508	78.4	2.07	74.4	82.5	488	57.3	2.63	52.2	62.7
2018	1,486	75.6	2.01	71.7	79.7	465	53.3	2.50	48.5	58.4
2019	1,571	79.5	2.05	75.5	83.6	532	58.5	2.56	53.6	63.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Breast excluding in situ										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,379	1.3	0.03	1.2	1.3	1,948	1.2	0.03	1.2	1.3
1986	46	1.1	0.17	0.8	1.5	43	1.2	0.18	0.8	1.6
1987	55	1.2	0.17	0.9	1.6	48	1.2	0.17	0.9	1.6
1988	43	1.0	0.16	0.7	1.4	38	1.0	0.17	0.7	1.4
1989	35	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.1
1990	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1991	47	1.1	0.17	0.8	1.5	41	1.1	0.18	0.8	1.5
1992	67	1.5	0.19	1.1	1.9	55	1.4	0.19	1.0	1.8
1993	67	1.4	0.17	1.1	1.7	57	1.3	0.17	1.0	1.7
1994	58	1.3	0.18	1.0	1.7	46	1.2	0.18	0.9	1.6
1995	74	1.5	0.18	1.2	1.9	64	1.5	0.19	1.2	2.0
1996	68	1.4	0.17	1.1	1.8	57	1.4	0.18	1.0	1.8
1997	71	1.5	0.18	1.1	1.8	56	1.3	0.18	1.0	1.7
1998	58	1.1	0.15	0.9	1.5	47	1.1	0.16	0.8	1.4
1999	74	1.5	0.17	1.2	1.9	61	1.4	0.18	1.1	1.8
2000	66	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.6
2001	68	1.3	0.16	1.0	1.6	58	1.3	0.17	1.0	1.7
2002	79	1.6	0.18	1.2	2.0	64	1.5	0.19	1.1	1.9
2003	71	1.4	0.16	1.1	1.7	59	1.3	0.17	1.0	1.7
2004	69	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6
2005	59	1.1	0.15	0.9	1.5	50	1.1	0.16	0.8	1.5
2006	61	1.1	0.14	0.9	1.4	52	1.1	0.16	0.8	1.5
2007	70	1.3	0.15	1.0	1.6	57	1.2	0.16	0.9	1.6
2008	74	1.3	0.16	1.0	1.7	60	1.3	0.17	1.0	1.6
2009	78	1.3	0.15	1.1	1.7	59	1.2	0.16	0.9	1.6
2010	71	1.2	0.14	0.9	1.5	58	1.1	0.15	0.9	1.5
2011	89	1.4	0.16	1.1	1.8	73	1.3	0.16	1.0	1.7
2012	93	1.5	0.16	1.2	1.9	74	1.5	0.17	1.1	1.9
2013	87	1.3	0.15	1.1	1.7	65	1.2	0.15	0.9	1.5
2014	86	1.3	0.14	1.0	1.6	67	1.2	0.15	0.9	1.6
2015	77	1.2	0.14	0.9	1.5	61	1.1	0.15	0.9	1.5
2016	93	1.4	0.15	1.1	1.7	78	1.4	0.16	1.1	1.7
2017	104	1.5	0.15	1.3	1.9	83	1.5	0.17	1.2	1.8
2018	91	1.3	0.14	1.0	1.6	73	1.3	0.15	1.0	1.6
2019	96	1.3	0.14	1.1	1.6	73	1.2	0.14	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Breast excluding in situ										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	370	1.8	0.10	1.7	2.1	47	0.7	0.11	0.5	1.0
1986	3	0.8	0.47	0.1	2.2	0				
1987	6	1.5	0.68	0.5	3.3	1	1.1	1.09	0.0	7.9
1988	4	1.2	0.65	0.3	3.0	1	1.2	1.16	0.0	7.7
1989	6	1.3	0.55	0.4	2.8	1	1.8	1.78	0.1	9.1
1990	3	0.7	0.39	0.1	1.9	0				
1991	6	1.1	0.45	0.4	2.4	0				
1992	12	2.3	0.70	1.2	4.1	0				
1993	10	2.4	0.81	1.1	4.4	0				
1994	10	2.1	0.69	1.0	3.9	1	1.0	0.97	0.0	5.7
1995	9	1.7	0.58	0.7	3.2	1	1.7	1.67	0.0	7.6
1996	8	1.7	0.66	0.7	3.4	3	1.7	0.98	0.3	5.9
1997	13	2.7	0.80	1.4	4.7	2	1.8	1.49	0.1	7.0
1998	10	1.9	0.61	0.9	3.4	1	0.6	0.57	0.0	4.0
1999	11	2.1	0.67	1.0	3.8	2	0.8	0.60	0.1	4.1
2000	9	1.5	0.55	0.6	2.9	0				
2001	9	1.4	0.49	0.6	2.7	0				
2002	13	2.6	0.79	1.3	4.5	1	0.4	0.39	0.0	3.0
2003	12	2.0	0.60	1.0	3.5	0				
2004	11	2.0	0.66	0.9	3.7	1	0.5	0.47	0.0	2.9
2005	8	1.4	0.52	0.5	2.7	1	1.0	1.01	0.0	4.4
2006	7	1.2	0.46	0.5	2.4	1	0.3	0.29	0.0	2.3
2007	12	1.8	0.54	0.9	3.2	1	0.3	0.34	0.0	2.3
2008	11	1.5	0.45	0.7	2.6	3	2.5	1.49	0.5	6.6
2009	17	2.2	0.55	1.3	3.6	1	0.3	0.27	0.0	2.0
2010	12	1.7	0.51	0.9	3.0	0				
2011	13	2.0	0.59	1.1	3.5	1	0.3	0.25	0.0	1.8
2012	14	1.8	0.51	1.0	3.1	5	1.5	0.67	0.5	3.6
2013	20	2.9	0.67	1.7	4.5	1	0.2	0.23	0.0	1.6
2014	15	2.0	0.55	1.1	3.4	4	1.0	0.50	0.3	2.7
2015	12	1.5	0.45	0.7	2.6	4	0.9	0.46	0.3	2.5
2016	14	2.0	0.56	1.1	3.4	0				
2017	19	2.5	0.60	1.5	4.0	2	0.5	0.34	0.1	1.8
2018	12	1.4	0.44	0.7	2.6	5	1.5	0.69	0.5	3.5
2019	19	2.1	0.51	1.3	3.4	3	0.8	0.46	0.2	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Breast excluding in situ										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	299,602	129.3	0.24	128.9	129.8	252,688	131.0	0.26	130.5	131.5
1986	6,680	115.5	1.45	112.6	118.3	5,958	117.9	1.58	114.9	121.1
1987	7,200	123.8	1.49	120.9	126.8	6,439	127.2	1.63	124.0	130.4
1988	7,365	125.7	1.49	122.8	128.7	6,536	128.3	1.63	125.1	131.5
1989	7,090	120.7	1.46	117.8	123.6	6,229	122.3	1.59	119.2	125.4
1990	7,489	126.0	1.48	123.1	129.0	6,662	129.8	1.63	126.6	133.0
1991	7,694	127.9	1.48	125.0	130.9	6,805	131.2	1.63	128.0	134.4
1992	7,848	128.7	1.47	125.9	131.7	6,926	132.0	1.62	128.8	135.2
1993	7,695	123.9	1.43	121.1	126.8	6,694	125.5	1.56	122.4	128.6
1994	8,292	132.4	1.47	129.5	135.3	7,259	135.3	1.61	132.1	138.5
1995	8,204	130.5	1.45	127.7	133.4	7,123	132.9	1.60	129.8	136.1
1996	8,411	132.4	1.46	129.6	135.3	7,282	134.7	1.60	131.6	137.9
1997	8,543	133.6	1.46	130.7	136.5	7,321	135.1	1.60	131.9	138.2
1998	8,825	136.2	1.46	133.4	139.1	7,522	137.1	1.60	134.0	140.3
1999	9,063	138.8	1.47	136.0	141.7	7,761	141.2	1.62	138.0	144.4
2000	8,833	133.9	1.43	131.1	136.7	7,558	136.6	1.59	133.5	139.7
2001	9,016	135.2	1.43	132.4	138.1	7,658	137.3	1.58	134.2	140.5
2002	8,789	130.8	1.40	128.1	133.6	7,402	131.9	1.55	128.9	135.0
2003	8,184	120.5	1.34	117.9	123.2	6,862	121.5	1.48	118.6	124.4
2004	8,311	121.3	1.34	118.7	123.9	7,024	123.4	1.49	120.5	126.4
2005	8,520	123.0	1.34	120.4	125.7	7,124	124.2	1.49	121.3	127.1
2006	8,896	127.5	1.36	124.9	130.2	7,416	128.8	1.51	125.9	131.8
2007	8,933	126.8	1.35	124.1	129.4	7,479	129.0	1.51	126.1	132.0
2008	9,103	127.2	1.35	124.6	129.9	7,608	129.3	1.51	126.4	132.3
2009	9,308	128.6	1.35	125.9	131.2	7,691	129.7	1.50	126.7	132.6
2010	9,416	128.2	1.34	125.6	130.9	7,794	129.7	1.50	126.8	132.7
2011	9,714	131.3	1.36	128.6	134.0	7,983	132.4	1.52	129.5	135.4
2012	9,541	127.3	1.33	124.7	129.9	7,824	128.7	1.49	125.8	131.7
2013	9,978	131.6	1.35	128.9	134.2	8,131	132.4	1.51	129.5	135.4
2014	10,274	134.5	1.36	131.8	137.2	8,329	135.1	1.52	132.1	138.1
2015	10,390	134.4	1.35	131.7	137.0	8,426	135.3	1.52	132.3	138.3
2016	10,482	134.7	1.35	132.1	137.4	8,561	137.0	1.53	134.0	140.0
2017	10,393	132.9	1.35	130.3	135.6	8,378	133.7	1.52	130.7	136.7
2018	10,475	133.2	1.34	130.6	135.8	8,454	134.8	1.53	131.8	137.8
2019	10,647	134.7	1.35	132.1	137.4	8,469	134.4	1.52	131.5	137.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Breast excluding in situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	37,858	124.3	0.64	123.0	125.6	7,532	84.7	1.00	82.7	86.7
1986	651	98.1	3.92	90.6	106.1	52	52.1	7.55	38.4	69.3
1987	675	101.3	3.97	93.7	109.4	73	69.3	8.61	53.5	88.5
1988	766	113.1	4.16	105.1	121.5	54	50.2	7.28	37.0	66.7
1989	767	111.3	4.08	103.4	119.5	83	76.0	9.23	59.0	96.3
1990	730	104.5	3.92	96.9	112.4	82	65.0	7.65	50.9	81.9
1991	779	106.6	3.88	99.2	114.5	67	50.2	6.56	38.1	64.8
1992	804	108.8	3.89	101.3	116.6	77	55.1	6.75	42.6	70.0
1993	877	115.6	3.96	108.0	123.6	101	70.2	7.54	56.2	86.6
1994	906	117.3	3.95	109.7	125.3	105	69.6	7.29	56.0	85.4
1995	937	119.2	3.94	111.6	127.2	119	70.6	6.91	57.7	85.5
1996	973	121.3	3.93	113.7	129.3	123	68.5	6.47	56.4	82.4
1997	1,042	128.8	4.03	121.0	136.9	142	73.7	6.34	61.8	87.3
1998	1,093	132.0	4.02	124.2	140.1	148	75.6	6.48	63.4	89.4
1999	1,075	126.8	3.90	119.3	134.7	157	77.3	6.51	65.0	91.1
2000	1,043	120.8	3.77	113.6	128.4	160	76.8	6.43	64.7	90.5
2001	1,151	131.8	3.91	124.3	139.7	169	74.7	6.05	63.3	87.5
2002	1,151	128.1	3.80	120.8	135.8	183	76.0	5.86	65.0	88.4
2003	1,087	119.3	3.64	112.2	126.6	195	77.6	5.79	66.6	89.8
2004	1,061	114.7	3.55	107.9	121.9	195	74.1	5.57	63.6	85.9
2005	1,147	123.1	3.66	116.0	130.5	208	72.9	5.23	63.0	83.9
2006	1,189	125.5	3.67	118.4	132.9	249	84.7	5.61	74.0	96.4
2007	1,160	120.2	3.56	113.3	127.4	247	82.7	5.47	72.4	94.2
2008	1,178	121.0	3.56	114.1	128.2	268	84.6	5.37	74.4	95.8
2009	1,309	131.7	3.68	124.6	139.2	263	80.8	5.18	70.9	91.6
2010	1,269	125.7	3.57	118.8	132.9	307	87.2	5.14	77.4	97.9
2011	1,322	129.4	3.61	122.4	136.7	332	90.4	5.11	80.6	101.0
2012	1,312	125.1	3.51	118.4	132.2	356	91.9	5.03	82.3	102.3
2013	1,430	134.1	3.60	127.1	141.4	363	91.7	4.93	82.3	101.8
2014	1,497	139.9	3.68	132.8	147.3	374	88.7	4.68	79.8	98.4
2015	1,507	138.2	3.63	131.2	145.6	396	92.4	4.73	83.3	102.1
2016	1,455	132.4	3.55	125.5	139.5	409	92.7	4.66	83.8	102.3
2017	1,489	135.0	3.58	128.1	142.2	486	106.6	4.90	97.2	116.7
2018	1,474	130.9	3.49	124.1	137.9	460	98.3	4.64	89.5	107.9
2019	1,552	137.3	3.57	130.3	144.5	529	109.2	4.80	100.0	119.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Female Genital System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	126,579	54.4	0.15	54.1	54.7	106,295	55.0	0.17	54.7	55.4
1986	3,257	55.5	1.00	53.5	57.5	2,886	56.6	1.08	54.5	58.7
1987	3,310	56.1	1.00	54.1	58.1	2,877	56.2	1.08	54.1	58.3
1988	3,229	54.2	0.97	52.3	56.2	2,775	53.9	1.05	51.8	55.9
1989	3,205	53.9	0.97	52.0	55.8	2,773	54.2	1.05	52.1	56.3
1990	3,364	55.9	0.98	54.0	57.8	2,896	55.9	1.06	53.8	58.0
1991	3,343	54.8	0.96	53.0	56.7	2,921	55.9	1.06	53.8	58.0
1992	3,386	55.2	0.96	53.3	57.1	3,002	57.3	1.07	55.2	59.4
1993	3,406	54.7	0.95	52.9	56.6	2,933	55.3	1.04	53.3	57.4
1994	3,502	55.5	0.95	53.7	57.4	3,007	55.9	1.04	53.9	58.0
1995	3,518	55.7	0.95	53.9	57.6	3,030	56.6	1.04	54.6	58.7
1996	3,740	58.9	0.97	57.0	60.8	3,225	60.1	1.07	58.0	62.2
1997	3,539	55.2	0.93	53.4	57.0	3,028	56.0	1.03	54.0	58.0
1998	3,665	56.6	0.94	54.8	58.5	3,140	57.6	1.04	55.6	59.7
1999	3,507	53.7	0.91	52.0	55.5	2,978	54.3	1.00	52.4	56.3
2000	3,503	53.2	0.90	51.5	55.0	2,930	53.3	0.99	51.3	55.3
2001	3,552	53.5	0.90	51.8	55.3	2,986	54.0	1.00	52.0	56.0
2002	3,608	53.9	0.90	52.1	55.7	3,047	54.7	1.00	52.8	56.7
2003	3,488	51.3	0.87	49.6	53.0	2,944	52.0	0.97	50.2	54.0
2004	3,556	51.8	0.87	50.1	53.6	2,993	52.7	0.97	50.8	54.6
2005	3,693	53.2	0.88	51.5	55.0	3,098	54.2	0.98	52.3	56.2
2006	3,788	54.2	0.89	52.5	56.0	3,162	54.9	0.99	53.0	56.9
2007	3,723	52.7	0.87	51.0	54.4	3,116	53.7	0.97	51.8	55.6
2008	3,876	54.1	0.88	52.4	55.9	3,229	55.0	0.98	53.1	56.9
2009	3,964	54.5	0.88	52.8	56.3	3,265	54.9	0.98	53.0	56.9
2010	3,960	53.4	0.86	51.7	55.1	3,270	54.0	0.96	52.1	55.9
2011	4,042	54.2	0.87	52.5	55.9	3,322	54.6	0.97	52.7	56.5
2012	3,952	51.8	0.84	50.1	53.5	3,259	52.6	0.94	50.7	54.4
2013	4,130	53.2	0.85	51.6	54.9	3,372	53.7	0.95	51.9	55.6
2014	4,190	53.8	0.85	52.1	55.5	3,414	54.5	0.96	52.6	56.4
2015	4,243	53.7	0.85	52.1	55.4	3,445	54.2	0.95	52.3	56.1
2016	4,407	55.7	0.86	54.0	57.4	3,580	56.4	0.98	54.5	58.3
2017	4,322	54.3	0.85	52.6	56.0	3,498	55.0	0.97	53.2	57.0
2018	4,278	53.0	0.84	51.4	54.7	3,452	53.6	0.95	51.7	55.5
2019	4,333	53.4	0.84	51.8	55.1	3,442	53.3	0.95	51.5	55.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Female Genital System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	16,271	53.0	0.42	52.1	53.8	2,960	33.5	0.64	32.3	34.8
1986	333	49.6	2.79	44.2	55.3	31	27.6	5.24	18.3	40.3
1987	395	56.3	2.91	50.7	62.2	29	28.0	5.75	17.9	41.7
1988	395	56.2	2.89	50.7	62.1	45	41.2	6.66	29.2	56.5
1989	386	53.6	2.79	48.3	59.4	38	33.5	5.79	23.1	46.9
1990	424	59.4	2.94	53.7	65.4	31	22.2	4.14	14.8	32.2
1991	362	49.0	2.63	44.0	54.4	36	31.2	5.62	21.2	44.2
1992	336	44.9	2.49	40.2	50.1	32	22.9	4.18	15.4	32.8
1993	413	53.2	2.67	48.2	58.7	42	27.7	4.72	19.2	38.6
1994	445	57.7	2.78	52.4	63.4	46	34.8	5.80	24.4	47.9
1995	407	51.3	2.58	46.3	56.6	67	41.2	5.37	31.4	53.1
1996	439	54.8	2.65	49.7	60.2	62	38.1	5.17	28.7	49.6
1997	442	53.4	2.57	48.5	58.7	49	25.5	3.74	18.7	34.1
1998	446	52.7	2.52	47.8	57.8	60	33.1	4.69	24.5	43.5
1999	433	50.6	2.45	45.9	55.6	59	29.2	4.03	21.8	38.2
2000	455	52.0	2.46	47.3	57.1	83	38.9	4.52	30.6	48.8
2001	459	52.2	2.46	47.5	57.3	89	40.1	4.47	31.9	49.9
2002	454	51.0	2.41	46.4	55.9	84	34.9	3.97	27.6	43.6
2003	420	47.0	2.31	42.6	51.7	69	28.1	3.54	21.6	35.9
2004	458	50.7	2.39	46.1	55.6	70	27.6	3.45	21.2	35.2
2005	468	50.3	2.34	45.8	55.1	82	30.8	3.58	24.2	38.6
2006	499	53.6	2.42	49.0	58.5	87	31.4	3.55	24.9	39.2
2007	484	50.6	2.32	46.1	55.3	92	30.8	3.35	24.6	38.1
2008	505	51.3	2.31	46.9	56.1	99	32.2	3.39	25.9	39.5
2009	548	54.9	2.37	50.3	59.8	105	33.6	3.44	27.2	41.0
2010	516	50.8	2.26	46.4	55.4	130	37.5	3.39	31.1	44.7
2011	539	52.7	2.31	48.3	57.5	130	35.9	3.26	29.8	42.9
2012	538	50.8	2.22	46.5	55.3	113	29.9	2.91	24.5	36.2
2013	563	51.7	2.22	47.4	56.2	139	34.4	3.00	28.8	40.8
2014	602	54.8	2.28	50.4	59.5	132	31.4	2.79	26.2	37.4
2015	616	55.7	2.29	51.3	60.4	148	34.2	2.88	28.8	40.4
2016	634	57.4	2.33	52.9	62.2	165	36.7	2.91	31.2	42.9
2017	628	55.4	2.26	51.0	60.0	167	35.9	2.82	30.6	41.9
2018	581	49.5	2.10	45.4	53.8	184	39.2	2.93	33.6	45.4
2019	648	55.4	2.23	51.1	60.0	165	33.4	2.63	28.4	38.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Cervix Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	21,442	9.8	0.07	9.7	10.0	15,800	9.0	0.07	8.8	9.1
1986	727	13.0	0.50	12.1	14.0	556	11.7	0.51	10.8	12.8
1987	753	13.3	0.50	12.4	14.4	558	11.6	0.51	10.6	12.7
1988	740	13.0	0.49	12.1	14.0	540	11.2	0.49	10.2	12.2
1989	657	11.5	0.46	10.6	12.5	472	9.8	0.46	9.0	10.8
1990	739	12.8	0.48	11.9	13.8	533	11.0	0.48	10.0	12.0
1991	720	12.1	0.46	11.2	13.0	531	10.6	0.47	9.7	11.6
1992	670	11.3	0.44	10.4	12.2	518	10.4	0.46	9.5	11.4
1993	740	12.3	0.46	11.4	13.2	540	10.8	0.47	9.9	11.8
1994	660	10.8	0.42	10.0	11.7	456	9.0	0.43	8.2	9.9
1995	747	12.2	0.45	11.3	13.1	543	10.7	0.46	9.8	11.7
1996	751	12.1	0.45	11.3	13.0	566	11.1	0.47	10.2	12.1
1997	717	11.4	0.43	10.6	12.3	545	10.6	0.46	9.7	11.5
1998	750	11.9	0.44	11.0	12.8	560	10.8	0.46	9.9	11.7
1999	694	10.9	0.42	10.1	11.8	502	9.7	0.43	8.8	10.6
2000	728	11.4	0.42	10.6	12.2	508	9.7	0.43	8.9	10.6
2001	645	10.0	0.39	9.2	10.8	487	9.3	0.42	8.5	10.1
2002	607	9.4	0.38	8.7	10.2	454	8.7	0.41	7.9	9.5
2003	625	9.6	0.39	8.9	10.4	449	8.5	0.41	7.8	9.4
2004	571	8.7	0.37	8.0	9.4	425	8.0	0.39	7.2	8.8
2005	580	8.8	0.37	8.1	9.5	427	8.1	0.40	7.3	8.9
2006	587	8.9	0.37	8.2	9.7	440	8.3	0.40	7.6	9.2
2007	570	8.6	0.36	7.9	9.3	416	7.8	0.39	7.0	8.6
2008	647	9.7	0.39	8.9	10.5	459	8.6	0.41	7.9	9.5
2009	566	8.4	0.36	7.7	9.1	385	7.2	0.37	6.5	7.9
2010	530	7.8	0.34	7.1	8.5	385	7.1	0.37	6.4	7.9
2011	560	8.2	0.35	7.5	8.9	421	7.7	0.39	7.0	8.5
2012	492	7.1	0.33	6.5	7.8	366	6.7	0.36	6.0	7.5
2013	510	7.3	0.33	6.7	8.0	381	7.0	0.37	6.3	7.8
2014	576	8.4	0.36	7.7	9.2	445	8.4	0.41	7.6	9.3
2015	499	7.3	0.34	6.6	8.0	374	7.0	0.38	6.3	7.8
2016	565	8.3	0.36	7.6	9.0	419	7.9	0.40	7.1	8.7
2017	525	7.5	0.34	6.9	8.2	398	7.4	0.39	6.7	8.2
2018	495	7.2	0.34	6.6	7.9	365	7.0	0.38	6.2	7.7
2019	499	7.5	0.34	6.8	8.2	376	7.3	0.39	6.6	8.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Cervix Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,798	15.5	0.23	15.0	15.9	580	6.4	0.27	5.9	7.0
1986	157	22.7	1.87	19.2	26.6	10	8.3	2.74	3.8	16.3
1987	178	24.6	1.90	21.0	28.6	13	15.6	4.73	7.8	27.6
1988	174	24.3	1.89	20.7	28.3	19	16.1	3.83	9.4	25.8
1989	167	22.5	1.78	19.1	26.2	15	12.5	3.40	6.8	21.4
1990	184	25.2	1.89	21.6	29.2	17	11.9	3.00	6.8	19.9
1991	164	21.2	1.70	18.0	24.8	12	10.0	3.08	4.9	18.1
1992	133	17.3	1.53	14.4	20.6	10	8.3	2.67	3.9	15.4
1993	177	21.6	1.66	18.5	25.1	10	7.4	2.51	3.4	14.2
1994	184	22.6	1.70	19.4	26.2	18	12.9	3.39	7.2	21.2
1995	175	21.4	1.65	18.3	24.9	27	15.5	3.12	10.0	23.1
1996	156	18.3	1.49	15.5	21.5	20	13.0	3.04	7.7	20.4
1997	150	16.8	1.39	14.2	19.8	15	7.8	2.12	4.2	13.3
1998	167	18.7	1.46	16.0	21.8	21	10.9	2.52	6.5	17.1
1999	163	18.3	1.45	15.6	21.4	18	9.1	2.25	5.2	14.7
2000	184	20.2	1.50	17.3	23.3	27	11.8	2.36	7.6	17.5
2001	140	15.1	1.29	12.7	17.9	17	6.9	1.74	3.9	11.3
2002	132	14.4	1.26	12.0	17.0	16	7.4	1.96	4.1	12.2
2003	144	15.5	1.30	13.1	18.3	15	5.7	1.50	3.1	9.5
2004	120	13.0	1.19	10.7	15.5	14	5.4	1.48	2.9	9.1
2005	130	13.7	1.21	11.5	16.3	15	5.3	1.45	2.9	9.0
2006	125	13.1	1.18	10.9	15.6	10	4.3	1.43	2.0	8.0
2007	131	13.5	1.19	11.3	16.1	11	3.3	1.00	1.7	6.0
2008	157	16.0	1.29	13.6	18.7	17	5.2	1.33	2.9	8.5
2009	147	14.5	1.21	12.2	17.1	22	6.2	1.36	3.8	9.5
2010	118	11.5	1.07	9.5	13.8	16	4.4	1.15	2.5	7.4
2011	119	11.9	1.10	9.8	14.2	11	2.9	0.88	1.4	5.3
2012	98	9.6	0.99	7.8	11.8	16	4.4	1.13	2.5	7.2
2013	107	10.2	1.00	8.3	12.4	15	3.5	0.91	1.9	5.9
2014	108	10.2	1.00	8.3	12.4	22	5.3	1.15	3.3	8.1
2015	99	9.7	1.00	7.9	11.9	23	5.7	1.21	3.6	8.6
2016	123	11.9	1.10	9.9	14.3	19	4.1	0.95	2.4	6.4
2017	106	9.9	0.99	8.1	12.0	18	4.1	0.97	2.4	6.5
2018	98	9.1	0.94	7.4	11.2	25	5.4	1.10	3.5	8.0
2019	83	8.0	0.91	6.4	10.0	26	5.2	1.03	3.4	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Uterus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	64,017	27.0	0.11	26.8	27.3	54,950	27.9	0.12	27.7	28.2
1986	1,449	24.1	0.65	22.8	25.4	1,345	25.6	0.72	24.2	27.0
1987	1,431	23.6	0.64	22.3	24.8	1,320	25.0	0.71	23.6	26.4
1988	1,385	22.8	0.62	21.6	24.1	1,248	23.7	0.69	22.4	25.1
1989	1,445	24.0	0.64	22.8	25.3	1,312	25.3	0.72	23.9	26.7
1990	1,434	23.4	0.63	22.2	24.7	1,303	24.7	0.70	23.3	26.1
1991	1,472	23.7	0.63	22.5	25.0	1,357	25.3	0.70	24.0	26.7
1992	1,558	25.2	0.65	23.9	26.5	1,426	26.9	0.73	25.5	28.4
1993	1,511	24.1	0.63	22.9	25.4	1,371	25.6	0.70	24.2	27.0
1994	1,588	25.0	0.63	23.8	26.3	1,449	26.7	0.71	25.3	28.1
1995	1,594	25.2	0.64	23.9	26.5	1,441	26.7	0.71	25.3	28.1
1996	1,742	27.4	0.66	26.1	28.8	1,567	29.1	0.75	27.7	30.6
1997	1,606	24.9	0.63	23.7	26.2	1,427	26.2	0.70	24.8	27.6
1998	1,699	26.2	0.64	25.0	27.5	1,503	27.4	0.71	26.1	28.9
1999	1,606	24.6	0.62	23.4	25.8	1,416	25.8	0.69	24.4	27.1
2000	1,628	24.8	0.62	23.6	26.0	1,410	25.7	0.69	24.3	27.0
2001	1,746	26.3	0.63	25.1	27.5	1,515	27.2	0.71	25.9	28.7
2002	1,775	26.4	0.63	25.2	27.7	1,537	27.4	0.70	26.0	28.8
2003	1,679	24.6	0.60	23.4	25.8	1,456	25.6	0.68	24.3	27.0
2004	1,779	25.8	0.62	24.6	27.1	1,534	26.8	0.69	25.5	28.2
2005	1,868	26.7	0.62	25.5	28.0	1,601	27.8	0.70	26.4	29.2
2006	1,977	28.1	0.64	26.8	29.3	1,661	28.6	0.71	27.2	30.0
2007	1,922	26.9	0.62	25.7	28.2	1,628	27.7	0.69	26.4	29.1
2008	1,989	27.2	0.62	26.0	28.5	1,698	28.3	0.70	27.0	29.7
2009	2,175	29.4	0.64	28.2	30.7	1,857	30.7	0.72	29.3	32.2
2010	2,184	28.9	0.63	27.7	30.1	1,839	29.8	0.71	28.4	31.2
2011	2,221	29.1	0.63	27.8	30.3	1,835	29.3	0.70	28.0	30.8
2012	2,235	28.5	0.61	27.4	29.8	1,860	29.2	0.69	27.9	30.6
2013	2,350	29.5	0.62	28.3	30.7	1,940	30.1	0.70	28.8	31.5
2014	2,370	29.4	0.62	28.2	30.6	1,906	29.4	0.69	28.0	30.8
2015	2,438	29.8	0.62	28.6	31.0	1,983	30.0	0.69	28.7	31.4
2016	2,537	30.9	0.63	29.7	32.2	2,073	31.6	0.71	30.2	33.0
2017	2,542	30.9	0.63	29.7	32.2	2,045	31.1	0.71	29.7	32.5
2018	2,536	30.3	0.62	29.1	31.5	2,072	30.9	0.70	29.6	32.3
2019	2,546	30.2	0.62	29.0	31.4	2,015	29.9	0.69	28.6	31.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Uterus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,084	23.0	0.28	22.4	23.5	1,394	15.7	0.43	14.9	16.6
1986	91	13.9	1.48	11.1	17.1	11	12.0	3.74	5.8	22.0
1987	100	14.2	1.45	11.5	17.4	7	5.2	2.06	2.0	11.9
1988	123	17.9	1.64	14.8	21.4	10	10.6	3.66	4.7	20.3
1989	118	16.9	1.58	13.9	20.3	11	10.2	3.25	4.8	18.8
1990	120	16.8	1.56	13.9	20.2	5	3.4	1.57	1.1	8.9
1991	98	14.0	1.43	11.4	17.1	11	10.4	3.41	4.9	19.3
1992	118	16.0	1.50	13.2	19.2	11	7.7	2.37	3.8	14.2
1993	121	16.7	1.53	13.8	19.9	15	8.9	2.35	4.9	15.2
1994	126	17.2	1.55	14.3	20.4	12	8.6	2.82	4.0	15.9
1995	121	15.8	1.45	13.1	18.9	25	17.4	3.75	10.9	26.3
1996	148	19.6	1.62	16.5	23.0	24	15.6	3.36	9.7	23.6
1997	158	20.0	1.60	17.0	23.4	12	6.5	1.92	3.3	11.6
1998	166	20.5	1.60	17.4	23.8	22	12.0	2.87	7.0	18.9
1999	148	18.0	1.49	15.2	21.1	22	11.0	2.42	6.8	16.9
2000	170	20.1	1.55	17.2	23.4	32	14.3	2.63	9.6	20.5
2001	180	21.1	1.58	18.1	24.4	38	16.7	2.83	11.6	23.2
2002	190	21.7	1.58	18.7	25.0	32	13.1	2.40	8.8	18.7
2003	160	18.5	1.47	15.7	21.6	34	13.3	2.34	9.1	18.8
2004	192	21.2	1.54	18.3	24.4	37	14.5	2.49	10.1	20.3
2005	206	22.2	1.56	19.2	25.4	33	11.9	2.17	8.1	17.0
2006	248	27.0	1.73	23.7	30.6	44	15.7	2.50	11.2	21.4
2007	234	24.6	1.62	21.5	27.9	46	15.0	2.28	10.8	20.2
2008	217	21.9	1.50	19.1	25.1	51	16.6	2.44	12.2	22.1
2009	246	24.7	1.59	21.6	28.0	48	15.6	2.37	11.3	21.0
2010	253	24.9	1.59	21.9	28.2	67	19.3	2.44	14.8	24.7
2011	281	27.1	1.64	24.0	30.5	70	18.9	2.34	14.6	24.1
2012	290	26.7	1.60	23.7	30.1	64	17.1	2.22	13.0	22.1
2013	289	25.4	1.52	22.5	28.6	79	19.3	2.23	15.2	24.2
2014	362	32.2	1.72	28.9	35.8	70	16.1	1.95	12.5	20.4
2015	356	31.1	1.68	27.9	34.6	76	17.4	2.04	13.6	21.9
2016	357	30.9	1.67	27.7	34.4	90	19.7	2.11	15.8	24.3
2017	378	32.6	1.72	29.4	36.2	96	20.3	2.10	16.4	24.9
2018	319	26.2	1.50	23.3	29.3	108	22.6	2.20	18.5	27.3
2019	400	32.9	1.68	29.7	36.3	81	16.2	1.83	12.9	20.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Corpus Uteri										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	62,261	26.3	0.11	26.1	26.5	53,688	27.3	0.12	27.1	27.6
1986	1,416	23.5	0.64	22.3	24.8	1,315	25.0	0.71	23.6	26.4
1987	1,402	23.1	0.63	21.9	24.4	1,296	24.5	0.70	23.2	25.9
1988	1,355	22.3	0.62	21.1	23.6	1,226	23.3	0.68	22.0	24.6
1989	1,420	23.6	0.64	22.4	24.9	1,291	24.9	0.71	23.5	26.3
1990	1,389	22.7	0.62	21.5	24.0	1,274	24.1	0.69	22.8	25.5
1991	1,422	22.9	0.62	21.7	24.1	1,321	24.6	0.69	23.3	26.0
1992	1,501	24.3	0.64	23.1	25.6	1,379	26.0	0.71	24.6	27.5
1993	1,444	23.1	0.61	21.9	24.3	1,319	24.6	0.69	23.3	26.0
1994	1,502	23.7	0.62	22.6	25.0	1,380	25.5	0.70	24.1	26.9
1995	1,554	24.6	0.63	23.4	25.8	1,408	26.1	0.71	24.8	27.5
1996	1,711	27.0	0.66	25.7	28.3	1,541	28.7	0.74	27.2	30.2
1997	1,565	24.3	0.62	23.1	25.6	1,396	25.6	0.69	24.3	27.0
1998	1,653	25.5	0.63	24.3	26.8	1,469	26.9	0.71	25.5	28.3
1999	1,564	24.0	0.61	22.8	25.2	1,386	25.3	0.68	24.0	26.7
2000	1,585	24.2	0.61	23.0	25.4	1,379	25.1	0.68	23.8	26.5
2001	1,709	25.8	0.63	24.6	27.0	1,486	26.8	0.70	25.5	28.2
2002	1,728	25.7	0.62	24.5	27.0	1,504	26.9	0.70	25.5	28.3
2003	1,648	24.2	0.60	23.0	25.4	1,429	25.2	0.67	23.9	26.5
2004	1,738	25.3	0.61	24.1	26.5	1,503	26.4	0.69	25.1	27.8
2005	1,822	26.1	0.62	24.9	27.3	1,566	27.2	0.69	25.9	28.6
2006	1,924	27.4	0.63	26.1	28.6	1,628	28.1	0.70	26.7	29.5
2007	1,887	26.4	0.61	25.2	27.7	1,606	27.4	0.69	26.0	28.8
2008	1,933	26.4	0.61	25.3	27.7	1,662	27.7	0.69	26.4	29.1
2009	2,131	28.8	0.63	27.6	30.1	1,825	30.2	0.72	28.8	31.6
2010	2,120	28.0	0.62	26.8	29.3	1,795	29.1	0.70	27.7	30.5
2011	2,168	28.4	0.62	27.2	29.6	1,803	28.9	0.69	27.5	30.2
2012	2,187	27.9	0.61	26.7	29.1	1,826	28.7	0.68	27.3	30.0
2013	2,297	28.9	0.61	27.7	30.1	1,908	29.7	0.69	28.3	31.1
2014	2,311	28.7	0.61	27.5	29.9	1,867	28.8	0.68	27.5	30.2
2015	2,375	29.0	0.61	27.8	30.2	1,943	29.4	0.69	28.1	30.8
2016	2,460	30.0	0.62	28.8	31.3	2,018	30.8	0.71	29.4	32.2
2017	2,437	29.6	0.62	28.4	30.9	1,968	29.9	0.70	28.5	31.3
2018	2,458	29.3	0.61	28.2	30.6	2,018	30.1	0.69	28.8	31.5
2019	2,445	28.9	0.60	27.7	30.1	1,953	28.9	0.68	27.6	30.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Corpus Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,633	21.5	0.27	21.0	22.0	1,365	15.3	0.43	14.5	16.2
1986	88	13.4	1.46	10.7	16.6	11	12.0	3.74	5.8	22.0
1987	95	13.5	1.41	10.9	16.6	7	5.2	2.06	2.0	11.9
1988	115	16.6	1.57	13.6	19.9	10	10.6	3.66	4.7	20.3
1989	114	16.3	1.55	13.4	19.6	11	10.2	3.25	4.8	18.8
1990	107	14.9	1.46	12.2	18.1	4	2.7	1.41	0.7	7.9
1991	84	12.0	1.32	9.5	14.9	11	10.4	3.41	4.9	19.3
1992	108	14.7	1.43	12.0	17.7	11	7.7	2.37	3.8	14.2
1993	108	14.8	1.44	12.1	17.9	14	8.2	2.24	4.4	14.2
1994	109	14.6	1.42	12.0	17.7	12	8.6	2.82	4.0	15.9
1995	114	14.8	1.40	12.2	17.8	25	17.4	3.75	10.9	26.3
1996	144	19.0	1.60	16.0	22.4	23	15.1	3.34	9.3	23.1
1997	148	18.7	1.55	15.8	22.0	12	6.5	1.92	3.3	11.6
1998	155	19.1	1.55	16.2	22.4	21	10.6	2.52	6.3	16.8
1999	136	16.5	1.43	13.9	19.6	22	11.0	2.42	6.8	16.9
2000	159	18.7	1.49	15.9	21.9	31	13.9	2.60	9.3	20.1
2001	174	20.4	1.55	17.4	23.6	36	15.6	2.70	10.7	21.8
2002	176	20.1	1.52	17.2	23.3	32	13.1	2.40	8.8	18.7
2003	156	18.0	1.45	15.3	21.1	34	13.3	2.34	9.1	18.8
2004	182	20.1	1.50	17.3	23.3	37	14.5	2.49	10.1	20.3
2005	195	21.0	1.52	18.1	24.2	33	11.9	2.17	8.1	17.0
2006	229	24.8	1.65	21.7	28.3	43	15.1	2.42	10.7	20.6
2007	224	23.4	1.58	20.4	26.7	43	13.8	2.16	9.8	18.7
2008	199	20.1	1.44	17.4	23.2	51	16.6	2.44	12.2	22.1
2009	235	23.6	1.56	20.7	26.9	47	15.3	2.35	11.1	20.6
2010	235	23.1	1.53	20.2	26.2	65	18.7	2.40	14.3	24.0
2011	264	25.5	1.60	22.5	28.9	66	17.6	2.24	13.5	22.6
2012	277	25.5	1.56	22.5	28.7	63	16.7	2.18	12.7	21.5
2013	270	23.7	1.47	21.0	26.8	79	19.3	2.23	15.2	24.2
2014	342	30.4	1.68	27.2	33.9	70	16.1	1.95	12.5	20.4
2015	335	29.0	1.62	25.9	32.3	74	16.9	2.01	13.2	21.3
2016	335	28.9	1.61	25.8	32.2	90	19.7	2.11	15.8	24.3
2017	351	30.3	1.66	27.2	33.8	96	20.3	2.10	16.4	24.9
2018	301	24.7	1.45	21.9	27.7	104	21.7	2.16	17.7	26.4
2019	369	30.2	1.61	27.2	33.6	77	15.4	1.77	12.1	19.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Uterus, NOS										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,756	0.7	0.02	0.7	0.8	1,262	0.6	0.02	0.6	0.7
1986	33	0.6	0.10	0.4	0.8	30	0.6	0.10	0.4	0.8
1987	29	0.5	0.09	0.3	0.7	24	0.5	0.10	0.3	0.7
1988	30	0.5	0.09	0.3	0.7	22	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	45	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	57	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1993	67	1.1	0.13	0.8	1.3	52	1.0	0.13	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	40	0.6	0.10	0.4	0.8	33	0.6	0.10	0.4	0.8
1996	31	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1997	41	0.6	0.10	0.4	0.8	31	0.5	0.10	0.4	0.8
1998	46	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
1999	42	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
2000	43	0.6	0.09	0.4	0.8	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.08	0.4	0.7	29	0.4	0.08	0.3	0.6
2002	47	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2003	31	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
2004	41	0.5	0.08	0.4	0.7	31	0.5	0.08	0.3	0.7
2005	46	0.6	0.09	0.5	0.8	35	0.6	0.10	0.4	0.8
2006	53	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2007	35	0.5	0.08	0.3	0.7	22	0.4	0.08	0.2	0.6
2008	56	0.8	0.10	0.6	1.0	36	0.6	0.11	0.4	0.9
2009	44	0.6	0.09	0.4	0.8	32	0.5	0.10	0.4	0.8
2010	64	0.9	0.11	0.7	1.1	44	0.7	0.11	0.5	1.0
2011	53	0.7	0.10	0.5	0.9	32	0.5	0.09	0.3	0.7
2012	48	0.6	0.09	0.5	0.9	34	0.6	0.10	0.4	0.8
2013	53	0.6	0.09	0.5	0.8	32	0.5	0.08	0.3	0.6
2014	59	0.7	0.09	0.5	0.9	39	0.6	0.09	0.4	0.8
2015	63	0.8	0.10	0.6	1.0	40	0.6	0.09	0.4	0.8
2016	77	0.9	0.11	0.7	1.1	55	0.8	0.11	0.6	1.0
2017	105	1.3	0.13	1.0	1.5	77	1.2	0.14	0.9	1.5
2018	78	0.9	0.11	0.7	1.2	54	0.8	0.11	0.6	1.1
2019	101	1.2	0.13	1.0	1.5	62	1.0	0.13	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Uterus, NOS										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	451	1.5	0.07	1.4	1.7	29	0.4	0.07	0.3	0.6
1986	3	0.4	0.25	0.1	1.3	0				
1987	5	0.7	0.34	0.2	1.7	0				
1988	8	1.3	0.48	0.6	2.6	0				
1989	4	0.6	0.31	0.2	1.5	0				
1990	13	1.9	0.54	1.0	3.3	1	0.7	0.69	0.0	5.1
1991	14	2.1	0.55	1.1	3.4	0				
1992	10	1.4	0.44	0.6	2.5	0				
1993	13	1.9	0.52	1.0	3.2	1	0.7	0.72	0.0	4.4
1994	17	2.5	0.61	1.5	4.0	0				
1995	7	1.0	0.39	0.4	2.1	0				
1996	4	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	10	1.3	0.41	0.6	2.4	0				
1998	11	1.3	0.40	0.7	2.4	1	1.4	1.38	0.0	5.8
1999	12	1.4	0.42	0.7	2.5	0				
2000	11	1.4	0.43	0.7	2.5	1	0.4	0.38	0.0	2.6
2001	6	0.7	0.30	0.3	1.6	2	1.2	0.85	0.1	4.0
2002	14	1.6	0.43	0.9	2.7	0				
2003	4	0.5	0.23	0.1	1.2	0				
2004	10	1.1	0.34	0.5	2.0	0				
2005	11	1.2	0.35	0.6	2.1	0				
2006	19	2.2	0.51	1.3	3.4	1	0.6	0.60	0.0	2.8
2007	10	1.1	0.36	0.5	2.1	3	1.2	0.73	0.2	3.5
2008	18	1.8	0.42	1.1	2.8	0				
2009	11	1.0	0.31	0.5	1.9	1	0.3	0.30	0.0	1.8
2010	18	1.8	0.44	1.1	2.9	2	0.6	0.44	0.1	2.3
2011	17	1.6	0.39	0.9	2.5	4	1.2	0.66	0.3	3.3
2012	13	1.3	0.35	0.7	2.2	1	0.4	0.44	0.0	2.1
2013	19	1.7	0.40	1.0	2.7	0				
2014	20	1.8	0.41	1.1	2.8	0				
2015	21	2.1	0.47	1.3	3.2	2	0.5	0.35	0.1	1.8
2016	22	2.1	0.45	1.3	3.2	0				
2017	27	2.3	0.45	1.5	3.4	0				
2018	18	1.5	0.37	0.9	2.5	4	0.8	0.42	0.2	2.2
2019	31	2.7	0.49	1.8	3.8	4	0.9	0.45	0.2	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ovary										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	31,051	13.3	0.08	13.2	13.5	26,969	13.9	0.09	13.7	14.1
1986	854	14.6	0.51	13.6	15.7	787	15.6	0.57	14.5	16.7
1987	895	15.4	0.53	14.4	16.5	801	15.9	0.58	14.8	17.1
1988	898	15.1	0.51	14.1	16.2	801	15.6	0.57	14.5	16.8
1989	882	14.8	0.51	13.9	15.9	800	15.6	0.57	14.6	16.8
1990	982	16.2	0.53	15.2	17.3	883	17.0	0.58	15.8	18.2
1991	951	15.9	0.52	14.8	16.9	861	16.8	0.59	15.7	18.0
1992	928	15.3	0.51	14.3	16.3	848	16.3	0.57	15.2	17.5
1993	919	14.8	0.49	13.8	15.8	820	15.4	0.55	14.4	16.5
1994	1,009	15.9	0.51	15.0	17.0	900	16.7	0.56	15.6	17.8
1995	937	14.8	0.49	13.9	15.8	837	15.6	0.55	14.5	16.7
1996	996	15.5	0.50	14.6	16.5	874	16.0	0.55	15.0	17.1
1997	967	15.1	0.49	14.2	16.1	847	15.6	0.54	14.6	16.7
1998	957	14.7	0.48	13.8	15.6	853	15.5	0.54	14.5	16.6
1999	964	14.7	0.47	13.8	15.6	861	15.5	0.54	14.5	16.6
2000	893	13.3	0.45	12.5	14.3	793	14.1	0.51	13.1	15.1
2001	895	13.4	0.45	12.5	14.3	759	13.6	0.50	12.7	14.6
2002	946	14.0	0.46	13.1	15.0	819	14.6	0.51	13.6	15.6
2003	924	13.4	0.44	12.5	14.3	809	14.0	0.50	13.1	15.1
2004	942	13.6	0.45	12.7	14.5	827	14.3	0.50	13.4	15.4
2005	951	13.6	0.44	12.8	14.5	825	14.3	0.50	13.3	15.3
2006	970	13.7	0.44	12.9	14.6	843	14.4	0.50	13.4	15.4
2007	935	13.2	0.44	12.3	14.1	816	13.9	0.49	13.0	14.9
2008	903	12.6	0.42	11.8	13.4	782	13.2	0.48	12.3	14.2
2009	908	12.5	0.42	11.7	13.3	758	12.7	0.47	11.8	13.7
2010	924	12.5	0.42	11.7	13.3	764	12.6	0.46	11.7	13.5
2011	899	12.1	0.41	11.3	13.0	753	12.4	0.46	11.5	13.4
2012	859	11.3	0.39	10.6	12.1	730	11.8	0.45	10.9	12.7
2013	876	11.4	0.39	10.7	12.2	716	11.5	0.44	10.6	12.4
2014	862	11.1	0.39	10.3	11.9	734	11.6	0.44	10.8	12.6
2015	905	11.6	0.40	10.9	12.4	753	12.0	0.45	11.1	12.9
2016	861	11.0	0.39	10.3	11.8	706	11.1	0.43	10.3	12.0
2017	830	10.7	0.38	9.9	11.4	701	11.2	0.44	10.4	12.1
2018	825	10.5	0.38	9.8	11.3	668	10.7	0.43	9.8	11.5
2019	804	10.0	0.36	9.3	10.7	640	9.9	0.41	9.2	10.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ovary										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,141	10.4	0.19	10.0	10.7	803	9.1	0.33	8.5	9.8
1986	57	8.5	1.15	6.4	11.1	9	6.7	2.37	2.9	14.1
1987	85	12.9	1.43	10.3	16.0	8	5.7	2.09	2.4	12.4
1988	79	11.3	1.29	8.9	14.1	16	14.6	4.03	7.8	24.9
1989	73	10.4	1.24	8.1	13.1	8	7.1	2.64	2.9	14.7
1990	90	12.8	1.37	10.2	15.7	9	6.8	2.39	3.0	13.8
1991	76	10.4	1.22	8.2	13.1	11	7.7	2.39	3.7	14.3
1992	69	9.3	1.14	7.2	11.8	8	4.8	1.79	2.0	10.2
1993	86	11.3	1.24	9.0	14.0	12	8.3	2.90	3.6	15.9
1994	94	12.4	1.30	10.0	15.2	14	9.9	2.85	5.1	17.1
1995	81	10.1	1.14	8.0	12.6	15	8.3	2.24	4.5	14.1
1996	102	13.0	1.30	10.6	15.8	18	9.6	2.47	5.4	15.8
1997	97	12.0	1.24	9.7	14.7	20	10.1	2.31	6.1	15.9
1998	84	10.0	1.10	7.9	12.4	14	7.8	2.32	3.9	13.7
1999	85	10.0	1.09	8.0	12.4	15	6.6	1.76	3.6	11.2
2000	72	8.3	0.99	6.5	10.4	23	12.0	2.71	7.3	18.5
2001	101	11.7	1.18	9.5	14.3	31	14.8	2.77	9.8	21.2
2002	94	10.6	1.10	8.5	12.9	32	12.8	2.35	8.6	18.3
2003	91	10.3	1.09	8.3	12.7	17	7.5	1.96	4.1	12.3
2004	98	11.0	1.12	8.9	13.5	13	4.8	1.38	2.5	8.4
2005	91	9.9	1.04	7.9	12.1	29	11.5	2.27	7.5	16.8
2006	92	9.9	1.04	7.9	12.1	31	10.9	2.03	7.2	15.6
2007	93	9.8	1.02	7.9	12.0	25	8.7	1.84	5.5	13.1
2008	92	9.4	0.99	7.6	11.6	25	7.9	1.62	5.0	11.7
2009	117	11.9	1.12	9.9	14.3	27	9.2	1.83	5.9	13.4
2010	112	11.0	1.06	9.1	13.3	42	12.2	1.93	8.7	16.6
2011	96	9.4	0.97	7.6	11.5	44	12.3	1.92	8.8	16.6
2012	96	9.2	0.95	7.4	11.3	27	7.0	1.38	4.6	10.3
2013	119	11.6	1.07	9.6	13.9	36	9.1	1.56	6.3	12.7
2014	90	8.4	0.90	6.7	10.4	31	7.7	1.41	5.2	11.0
2015	117	10.7	1.01	8.9	12.9	32	7.6	1.39	5.2	10.9
2016	110	10.5	1.02	8.6	12.7	42	9.8	1.54	7.0	13.3
2017	89	8.0	0.87	6.4	9.9	37	8.0	1.33	5.6	11.0
2018	101	8.9	0.90	7.2	10.8	42	9.1	1.42	6.5	12.4
2019	112	9.8	0.95	8.0	11.9	40	8.3	1.32	5.9	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Male Genital System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	282,092	148.4	0.28	147.8	148.9	229,892	141.5	0.30	140.9	142.1
1986	4,450	108.3	1.71	104.9	111.6	3,852	105.0	1.77	101.5	108.5
1987	4,854	115.9	1.74	112.5	119.3	4,273	114.0	1.82	110.5	117.6
1988	4,892	115.7	1.73	112.3	119.1	4,239	112.7	1.81	109.2	116.3
1989	5,163	120.6	1.75	117.1	124.0	4,516	118.6	1.83	115.0	122.2
1990	5,880	135.8	1.84	132.2	139.4	5,155	133.1	1.92	129.4	137.0
1991	7,402	165.7	2.00	161.8	169.7	6,572	165.4	2.11	161.3	169.6
1992	8,963	195.2	2.13	191.1	199.4	7,860	192.7	2.23	188.3	197.1
1993	8,625	184.7	2.04	180.7	188.7	7,452	180.5	2.14	176.3	184.8
1994	8,408	178.3	2.00	174.4	182.2	7,049	169.1	2.06	165.1	173.2
1995	7,894	164.1	1.89	160.5	167.9	6,551	155.1	1.95	151.3	159.0
1996	8,048	164.5	1.87	160.8	168.2	6,612	154.5	1.93	150.8	158.3
1997	8,358	169.2	1.88	165.6	172.9	7,001	162.7	1.97	158.8	166.6
1998	8,288	166.1	1.85	162.5	169.8	6,824	157.4	1.92	153.6	161.2
1999	8,783	173.7	1.87	170.0	177.4	7,321	167.2	1.97	163.3	171.1
2000	8,842	173.3	1.86	169.7	177.0	7,218	163.9	1.94	160.1	167.7
2001	9,383	181.9	1.90	178.2	185.6	7,752	174.5	1.99	170.6	178.4
2002	9,679	184.9	1.90	181.2	188.7	8,006	178.3	2.01	174.3	182.2
2003	8,978	168.0	1.80	164.5	171.6	7,302	160.0	1.89	156.3	163.7
2004	8,873	163.2	1.76	159.7	166.6	7,164	154.6	1.84	151.0	158.3
2005	8,719	157.3	1.71	154.0	160.7	6,965	147.9	1.79	144.4	151.4
2006	9,475	167.1	1.74	163.7	170.6	7,599	158.2	1.84	154.7	161.9
2007	10,262	177.3	1.78	173.8	180.8	8,183	167.1	1.87	163.5	170.8
2008	10,315	172.8	1.73	169.4	176.2	8,194	162.8	1.83	159.2	166.4
2009	10,083	163.8	1.67	160.6	167.1	7,918	152.9	1.75	149.5	156.4
2010	9,154	145.1	1.55	142.1	148.2	7,214	136.4	1.64	133.2	139.6
2011	9,335	144.5	1.53	141.5	147.5	7,387	136.8	1.63	133.6	140.0
2012	8,344	124.9	1.40	122.2	127.7	6,448	115.8	1.48	112.9	118.7
2013	8,059	118.0	1.35	115.4	120.7	6,384	112.0	1.43	109.2	114.8
2014	8,050	115.0	1.31	112.5	117.6	6,282	108.0	1.40	105.3	110.8
2015	8,479	118.7	1.32	116.1	121.4	6,504	110.0	1.40	107.3	112.8
2016	8,572	118.1	1.31	115.5	120.7	6,738	112.7	1.41	110.0	115.5
2017	9,068	122.7	1.32	120.1	125.3	7,094	116.2	1.41	113.4	119.0
2018	9,194	122.3	1.31	119.7	124.9	7,161	115.5	1.40	112.8	118.3
2019	9,220	121.2	1.29	118.7	123.8	7,102	113.2	1.38	110.5	115.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Male Genital System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	44,147	211.1	1.05	209.0	213.2	3,965	63.5	1.09	61.4	65.6
1986	575	148.1	6.65	135.4	161.6	19	37.1	9.99	20.2	60.9
1987	562	145.0	6.52	132.5	158.3	15	28.4	8.83	13.8	49.8
1988	612	149.1	6.47	136.7	162.2	28	50.2	10.68	31.5	74.7
1989	608	146.9	6.36	134.7	159.8	25	45.2	10.37	27.2	69.0
1990	667	168.8	7.02	155.3	183.0	37	56.5	10.59	37.7	80.5
1991	756	176.0	6.86	162.8	189.9	30	53.5	10.67	34.7	77.6
1992	1,031	234.7	7.80	219.7	250.4	53	94.1	14.54	67.8	125.7
1993	1,109	241.0	7.72	226.1	256.6	42	64.1	10.99	44.4	88.5
1994	1,266	276.1	8.30	260.0	292.7	71	97.8	13.19	73.6	126.2
1995	1,251	260.0	7.81	244.9	275.7	60	69.6	10.14	51.2	91.8
1996	1,337	267.2	7.73	252.2	282.7	63	68.6	9.98	50.4	90.4
1997	1,207	234.1	7.10	220.3	248.4	70	62.7	8.49	47.2	81.2
1998	1,275	243.6	7.18	229.7	258.0	72	64.5	8.49	48.9	83.0
1999	1,242	230.3	6.85	217.1	244.0	103	90.3	10.24	71.3	112.1
2000	1,443	263.4	7.26	249.4	278.0	87	70.4	8.63	54.5	89.0
2001	1,405	252.0	7.05	238.4	266.2	97	71.6	8.31	56.2	89.4
2002	1,395	241.2	6.79	228.1	254.9	110	73.1	7.72	58.7	89.6
2003	1,427	237.2	6.58	224.5	250.4	105	63.7	7.01	50.7	78.7
2004	1,456	239.1	6.58	226.4	252.3	117	70.0	7.28	56.5	85.5
2005	1,452	234.6	6.50	222.1	247.7	136	78.0	7.45	64.1	93.8
2006	1,599	249.5	6.56	236.8	262.7	163	83.8	7.21	70.3	99.0
2007	1,747	266.8	6.69	253.8	280.2	167	75.1	6.36	63.1	88.5
2008	1,766	257.6	6.40	245.2	270.4	178	72.8	5.97	61.5	85.4
2009	1,769	249.0	6.20	237.0	261.5	173	71.8	6.05	60.4	84.5
2010	1,589	217.6	5.72	206.5	229.1	168	63.0	5.33	53.0	74.3
2011	1,488	194.9	5.29	184.6	205.5	180	68.7	5.63	58.1	80.6
2012	1,498	189.8	5.14	179.9	200.1	179	61.7	4.95	52.4	72.1
2013	1,381	174.1	4.90	164.7	184.0	165	55.6	4.61	47.0	65.3
2014	1,406	169.7	4.72	160.6	179.2	199	61.1	4.59	52.4	70.7
2015	1,575	187.4	4.93	177.8	197.3	190	52.9	4.02	45.3	61.4
2016	1,507	172.1	4.62	163.2	181.4	192	51.8	3.89	44.5	60.0
2017	1,616	183.2	4.74	174.1	192.8	199	52.9	3.87	45.6	61.0
2018	1,542	170.2	4.49	161.5	179.2	214	55.8	3.92	48.3	64.0
2019	1,588	175.5	4.56	166.7	184.7	258	63.6	4.04	55.9	72.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Prostate										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	269,082	142.0	0.28	141.5	142.6	217,992	134.4	0.29	133.8	135.0
1986	4,167	103.2	1.68	99.9	106.5	3,586	99.4	1.74	96.0	102.8
1987	4,537	110.1	1.71	106.8	113.5	3,974	107.7	1.78	104.3	111.3
1988	4,579	110.2	1.70	106.9	113.6	3,943	106.6	1.77	103.2	110.1
1989	4,836	114.7	1.72	111.4	118.1	4,218	112.3	1.80	108.8	115.9
1990	5,546	130.0	1.81	126.4	133.6	4,846	126.9	1.89	123.2	130.6
1991	7,088	160.3	1.97	156.4	164.2	6,281	159.5	2.08	155.4	163.6
1992	8,660	190.1	2.10	186.0	194.3	7,576	187.0	2.21	182.7	191.4
1993	8,284	178.8	2.02	174.9	182.8	7,132	174.0	2.11	169.8	178.1
1994	8,064	172.5	1.97	168.6	176.4	6,728	162.7	2.03	158.8	166.7
1995	7,555	158.6	1.86	154.9	162.3	6,237	148.9	1.92	145.2	152.7
1996	7,695	158.7	1.84	155.1	162.3	6,296	148.2	1.89	144.6	152.0
1997	7,971	162.8	1.85	159.2	166.4	6,643	155.5	1.93	151.7	159.3
1998	7,928	160.1	1.82	156.5	163.7	6,490	150.6	1.89	147.0	154.4
1999	8,407	167.5	1.85	163.9	171.2	6,988	160.5	1.93	156.8	164.4
2000	8,485	167.4	1.84	163.9	171.1	6,889	157.3	1.91	153.5	161.0
2001	8,987	175.3	1.87	171.6	178.9	7,392	167.2	1.96	163.4	171.1
2002	9,301	178.8	1.87	175.1	182.5	7,660	171.4	1.97	167.5	175.3
2003	8,598	161.8	1.77	158.4	165.3	6,950	152.9	1.85	149.3	156.6
2004	8,472	156.6	1.72	153.3	160.0	6,794	147.2	1.80	143.7	150.8
2005	8,351	151.3	1.68	148.1	154.7	6,639	141.3	1.75	137.9	144.8
2006	9,071	160.5	1.71	157.2	163.9	7,227	150.8	1.80	147.3	154.3
2007	9,867	170.8	1.75	167.4	174.3	7,825	159.9	1.83	156.3	163.5
2008	9,879	165.6	1.70	162.3	169.0	7,802	154.8	1.78	151.4	158.4
2009	9,691	157.4	1.63	154.2	160.6	7,551	145.4	1.71	142.1	148.8
2010	8,702	137.8	1.51	134.9	140.9	6,800	128.0	1.59	124.9	131.2
2011	8,936	138.1	1.50	135.2	141.1	7,019	129.3	1.58	126.2	132.5
2012	7,910	118.0	1.36	115.3	120.7	6,055	107.9	1.42	105.1	110.7
2013	7,636	111.2	1.31	108.6	113.8	6,004	104.3	1.38	101.6	107.0
2014	7,621	108.2	1.27	105.7	110.7	5,903	100.4	1.34	97.8	103.1
2015	8,008	111.2	1.28	108.7	113.7	6,076	101.2	1.33	98.6	103.9
2016	8,096	110.4	1.26	107.9	112.9	6,293	103.6	1.34	101.0	106.2
2017	8,634	115.7	1.28	113.2	118.2	6,697	107.8	1.35	105.2	110.5
2018	8,732	114.8	1.26	112.3	117.3	6,756	107.0	1.33	104.4	109.7
2019	8,788	114.2	1.25	111.8	116.7	6,722	105.3	1.31	102.7	107.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Prostate										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	43,505	208.5	1.05	206.4	210.5	3,759	61.4	1.07	59.3	63.5
1986	562	145.8	6.61	133.2	159.3	17	35.9	9.95	19.1	59.6
1987	548	142.2	6.46	129.9	155.4	12	26.9	8.79	12.5	48.3
1988	599	146.8	6.43	134.4	159.8	24	48.0	10.63	29.5	72.5
1989	584	142.9	6.29	130.8	155.7	22	43.5	10.32	25.7	67.4
1990	648	164.8	6.95	151.5	178.9	32	53.9	10.53	35.3	77.8
1991	740	173.2	6.81	160.1	186.9	29	49.4	9.86	32.0	71.8
1992	1,015	232.2	7.77	217.3	247.9	51	92.3	14.49	66.1	123.9
1993	1,090	238.3	7.70	223.5	253.8	42	64.1	10.99	44.4	88.5
1994	1,249	273.5	8.27	257.5	290.1	67	94.0	12.98	70.3	122.1
1995	1,235	257.5	7.78	242.5	273.1	56	67.8	10.10	49.5	89.9
1996	1,317	264.3	7.70	249.4	279.8	56	66.0	9.93	48.0	87.7
1997	1,189	231.4	7.07	217.8	245.7	67	61.5	8.46	46.1	80.0
1998	1,258	241.4	7.16	227.6	255.8	68	62.2	8.40	46.8	80.5
1999	1,223	227.9	6.83	214.7	241.6	93	83.4	9.76	65.4	104.4
2000	1,426	261.0	7.24	247.0	275.5	81	67.8	8.53	52.1	86.2
2001	1,388	249.7	7.02	236.2	263.8	90	69.4	8.26	54.1	87.1
2002	1,374	238.5	6.76	225.4	252.1	108	72.3	7.70	58.0	88.8
2003	1,409	234.9	6.55	222.2	248.0	101	62.5	6.98	49.6	77.5
2004	1,439	236.9	6.56	224.2	250.1	111	68.3	7.24	54.8	83.7
2005	1,430	231.4	6.45	218.9	244.4	131	76.5	7.42	62.7	92.3
2006	1,584	247.6	6.54	235.0	260.8	158	82.6	7.19	69.1	97.8
2007	1,726	264.2	6.66	251.3	277.5	158	72.5	6.29	60.7	85.8
2008	1,742	254.6	6.37	242.2	267.3	168	70.1	5.91	59.0	82.6
2009	1,756	247.4	6.18	235.4	259.8	172	71.6	6.04	60.2	84.3
2010	1,566	214.6	5.68	203.6	226.0	162	61.6	5.29	51.7	72.8
2011	1,473	193.2	5.27	183.0	203.8	169	66.2	5.58	55.7	77.9
2012	1,479	187.4	5.10	177.5	197.6	167	58.4	4.85	49.3	68.7
2013	1,361	171.6	4.86	162.2	181.4	153	52.8	4.53	44.3	62.4
2014	1,381	166.3	4.66	157.3	175.7	190	58.8	4.53	50.3	68.4
2015	1,552	184.6	4.90	175.1	194.5	181	50.9	3.97	43.5	59.3
2016	1,490	170.0	4.59	161.2	179.3	181	49.2	3.81	42.0	57.2
2017	1,593	180.7	4.70	171.6	190.1	188	50.1	3.77	43.0	58.1
2018	1,513	166.5	4.43	157.9	175.4	204	53.7	3.87	46.4	61.8
2019	1,566	173.0	4.53	164.2	182.1	250	61.9	3.99	54.3	70.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Testis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	11,019	5.2	0.05	5.1	5.3	10,222	6.0	0.06	5.9	6.1
1986	230	3.9	0.27	3.4	4.5	220	4.5	0.31	3.9	5.1
1987	252	4.2	0.27	3.7	4.8	241	4.8	0.32	4.2	5.5
1988	272	4.6	0.29	4.0	5.2	262	5.3	0.33	4.6	6.0
1989	269	4.6	0.29	4.0	5.2	251	5.1	0.33	4.5	5.8
1990	273	4.4	0.27	3.9	5.0	258	5.0	0.32	4.4	5.6
1991	263	4.2	0.27	3.7	4.8	251	4.9	0.31	4.3	5.5
1992	259	4.1	0.26	3.6	4.7	245	4.7	0.31	4.2	5.4
1993	285	4.6	0.28	4.1	5.2	269	5.2	0.32	4.6	5.9
1994	286	4.6	0.27	4.0	5.1	274	5.3	0.32	4.7	6.0
1995	280	4.4	0.27	3.9	5.0	262	5.0	0.31	4.4	5.7
1996	292	4.6	0.27	4.1	5.2	263	5.0	0.31	4.5	5.7
1997	335	5.4	0.30	4.8	6.0	316	6.2	0.35	5.5	6.9
1998	300	4.8	0.28	4.3	5.4	281	5.5	0.33	4.9	6.2
1999	325	5.2	0.29	4.6	5.8	292	5.7	0.33	5.1	6.4
2000	298	4.7	0.27	4.2	5.3	279	5.4	0.33	4.8	6.1
2001	328	5.2	0.29	4.7	5.8	300	5.9	0.34	5.2	6.6
2002	330	5.3	0.29	4.7	5.9	306	6.0	0.34	5.4	6.7
2003	328	5.2	0.29	4.7	5.8	310	6.1	0.35	5.5	6.9
2004	345	5.5	0.30	4.9	6.1	321	6.3	0.35	5.7	7.1
2005	323	5.1	0.29	4.6	5.7	292	5.8	0.34	5.2	6.5
2006	341	5.4	0.30	4.9	6.0	317	6.3	0.36	5.6	7.0
2007	331	5.3	0.29	4.8	5.9	305	6.1	0.35	5.5	6.9
2008	367	5.9	0.31	5.3	6.5	336	6.8	0.37	6.1	7.5
2009	340	5.5	0.30	4.9	6.1	319	6.5	0.37	5.8	7.2
2010	381	6.1	0.31	5.5	6.7	354	7.1	0.38	6.4	7.9
2011	342	5.5	0.30	4.9	6.1	319	6.4	0.36	5.7	7.2
2012	364	5.8	0.31	5.2	6.5	333	6.8	0.37	6.0	7.5
2013	373	6.0	0.31	5.4	6.7	340	6.9	0.38	6.2	7.7
2014	369	5.9	0.31	5.3	6.5	328	6.7	0.37	6.0	7.5
2015	398	6.4	0.32	5.8	7.1	370	7.7	0.40	6.9	8.5
2016	413	6.7	0.33	6.0	7.3	392	8.1	0.42	7.3	9.0
2017	366	6.0	0.32	5.4	6.7	342	7.3	0.40	6.5	8.1
2018	391	6.5	0.33	5.8	7.2	346	7.4	0.40	6.7	8.3
2019	370	6.1	0.32	5.5	6.7	328	7.0	0.39	6.2	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Testis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	385	1.3	0.07	1.2	1.5	170	1.5	0.12	1.3	1.8
1986	7	0.9	0.33	0.3	2.0	1	0.6	0.55	0.0	7.3
1987	7	0.9	0.35	0.3	2.0	3	1.5	0.86	0.3	7.8
1988	6	0.9	0.37	0.3	2.0	4	2.2	1.12	0.6	8.4
1989	14	1.7	0.47	0.9	3.0	3	1.6	0.95	0.3	7.4
1990	10	1.5	0.49	0.7	2.9	4	2.0	1.04	0.5	7.8
1991	6	0.6	0.24	0.2	1.5	0				
1992	12	1.3	0.37	0.7	2.4	1	0.8	0.84	0.0	5.9
1993	15	1.9	0.51	1.0	3.2	0				
1994	8	0.8	0.30	0.4	1.8	3	1.6	0.93	0.3	6.1
1995	9	1.1	0.37	0.5	2.2	4	1.8	0.91	0.5	6.0
1996	12	1.5	0.43	0.7	2.7	7	2.6	0.98	1.0	6.6
1997	9	1.2	0.41	0.5	2.3	3	1.2	0.68	0.2	4.8
1998	12	1.3	0.37	0.6	2.3	2	0.8	0.58	0.1	4.2
1999	14	1.6	0.43	0.9	2.7	7	2.3	0.89	0.9	5.8
2000	9	1.0	0.32	0.4	1.9	5	1.5	0.65	0.5	4.5
2001	11	1.2	0.36	0.6	2.2	6	1.8	0.76	0.7	4.9
2002	14	1.6	0.44	0.9	2.8	1	0.4	0.36	0.0	2.9
2003	9	1.0	0.33	0.5	2.0	3	0.8	0.49	0.2	3.3
2004	11	1.3	0.40	0.7	2.4	6	1.8	0.73	0.6	4.4
2005	14	1.6	0.42	0.9	2.7	3	0.7	0.40	0.1	2.8
2006	10	1.2	0.37	0.6	2.2	4	0.9	0.45	0.2	3.0
2007	12	1.5	0.43	0.8	2.6	7	1.7	0.63	0.7	3.9
2008	14	1.6	0.45	0.9	2.8	8	2.0	0.72	0.9	4.4
2009	9	1.0	0.32	0.4	1.9	1	0.2	0.22	0.0	1.9
2010	13	1.5	0.43	0.8	2.7	6	1.4	0.59	0.5	3.5
2011	8	0.9	0.33	0.4	1.8	10	2.2	0.71	1.1	4.4
2012	12	1.4	0.40	0.7	2.4	9	2.4	0.86	1.0	4.9
2013	11	1.3	0.40	0.6	2.3	11	2.6	0.80	1.3	4.9
2014	17	1.9	0.47	1.1	3.1	8	1.9	0.68	0.8	3.9
2015	9	1.1	0.37	0.5	2.1	9	1.9	0.65	0.9	3.8
2016	11	1.3	0.41	0.7	2.4	8	1.9	0.70	0.8	3.9
2017	15	1.7	0.45	0.9	2.8	7	1.4	0.55	0.6	3.1
2018	21	2.6	0.59	1.6	4.1	9	1.9	0.64	0.9	3.7
2019	14	1.6	0.43	0.9	2.7	7	1.5	0.56	0.6	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Penis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,588	0.9	0.02	0.8	0.9	1,331	0.9	0.02	0.8	0.9
1986	42	0.9	0.15	0.7	1.3	35	0.9	0.15	0.6	1.2
1987	57	1.4	0.19	1.0	1.8	50	1.3	0.20	1.0	1.8
1988	32	0.7	0.13	0.5	1.0	28	0.7	0.14	0.5	1.1
1989	45	1.0	0.15	0.7	1.4	34	0.9	0.15	0.6	1.2
1990	38	0.9	0.15	0.6	1.2	31	0.8	0.14	0.5	1.1
1991	41	1.0	0.16	0.7	1.3	31	0.8	0.15	0.5	1.1
1992	38	0.8	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1993	41	0.9	0.15	0.7	1.3	37	1.0	0.16	0.7	1.3
1994	49	1.0	0.15	0.8	1.4	38	0.9	0.15	0.6	1.3
1995	46	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
1996	48	1.0	0.14	0.7	1.3	41	0.9	0.15	0.7	1.3
1997	42	0.9	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1998	46	1.0	0.15	0.7	1.3	41	1.0	0.16	0.7	1.4
1999	49	1.0	0.15	0.7	1.3	39	0.9	0.15	0.7	1.3
2000	47	1.0	0.14	0.7	1.3	40	0.9	0.15	0.7	1.3
2001	54	1.1	0.15	0.8	1.4	47	1.1	0.16	0.8	1.5
2002	37	0.7	0.12	0.5	1.0	31	0.7	0.12	0.5	1.0
2003	39	0.7	0.12	0.5	1.0	32	0.7	0.13	0.5	1.0
2004	49	0.9	0.13	0.7	1.2	43	1.0	0.15	0.7	1.3
2005	34	0.6	0.11	0.4	0.9	25	0.6	0.11	0.4	0.8
2006	55	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2007	50	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
2008	48	0.9	0.13	0.6	1.2	40	0.9	0.14	0.6	1.2
2009	48	0.9	0.13	0.6	1.2	44	0.9	0.14	0.7	1.3
2010	58	1.0	0.13	0.8	1.3	49	1.0	0.14	0.7	1.3
2011	45	0.8	0.12	0.6	1.0	39	0.8	0.13	0.6	1.1
2012	54	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2
2013	36	0.6	0.11	0.4	0.9	28	0.6	0.11	0.4	0.9
2014	50	0.8	0.12	0.6	1.1	42	0.8	0.12	0.6	1.1
2015	58	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.2
2016	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
2017	52	0.8	0.12	0.6	1.1	45	0.9	0.13	0.6	1.2
2018	60	0.9	0.12	0.7	1.2	48	0.9	0.13	0.6	1.2
2019	50	0.8	0.11	0.6	1.0	40	0.8	0.12	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Penis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	213	1.1	0.08	0.9	1.2	27	0.5	0.10	0.3	0.7
1986	6	1.4	0.62	0.5	3.1	1	0.7	0.68	0.0	7.5
1987	7	1.9	0.78	0.7	3.9	0				
1988	4	0.7	0.35	0.2	1.8	0				
1989	10	2.3	0.77	1.1	4.3	0				
1990	7	2.1	0.81	0.8	4.2	0				
1991	9	2.2	0.80	0.9	4.2	1	4.1	4.09	0.1	16.4
1992	4	1.2	0.63	0.3	2.9	1	0.9	0.92	0.0	6.1
1993	4	0.8	0.43	0.2	2.1	0				
1994	9	1.8	0.60	0.8	3.3	1	2.2	2.18	0.1	9.4
1995	6	1.3	0.55	0.4	2.8	0				
1996	7	1.2	0.48	0.4	2.5	0				
1997	8	1.4	0.51	0.6	2.8	0				
1998	4	0.8	0.46	0.2	2.1	1	0.5	0.50	0.0	3.9
1999	5	0.8	0.37	0.3	1.9	3	4.5	2.96	0.7	12.8
2000	6	1.1	0.46	0.4	2.4	1	1.2	1.15	0.0	5.4
2001	5	1.0	0.44	0.3	2.2	1	0.4	0.41	0.0	3.2
2002	5	0.8	0.35	0.3	1.8	1	0.4	0.39	0.0	3.0
2003	7	1.0	0.37	0.4	2.1	0				
2004	5	0.8	0.36	0.2	1.8	0				
2005	7	1.3	0.54	0.5	2.7	1	0.4	0.44	0.0	2.7
2006	5	0.7	0.33	0.2	1.7	1	0.3	0.30	0.0	2.3
2007	8	1.0	0.36	0.4	2.0	2	0.9	0.66	0.1	3.4
2008	7	1.0	0.38	0.4	2.0	1	0.3	0.26	0.0	2.0
2009	4	0.7	0.35	0.2	1.7	0				
2010	8	1.2	0.45	0.5	2.4	0				
2011	5	0.6	0.26	0.2	1.4	1	0.3	0.31	0.0	1.9
2012	6	1.0	0.42	0.3	2.1	1	0.3	0.25	0.0	1.7
2013	8	1.2	0.44	0.5	2.3	0				
2014	7	1.4	0.52	0.6	2.7	1	0.3	0.32	0.0	1.8
2015	8	1.0	0.35	0.4	1.9	0				
2016	3	0.4	0.26	0.1	1.3	3	0.7	0.40	0.1	2.2
2017	3	0.4	0.22	0.1	1.1	3	1.0	0.63	0.2	2.9
2018	8	1.1	0.41	0.5	2.2	1	0.2	0.20	0.0	1.3
2019	8	0.9	0.33	0.4	1.8	1	0.2	0.24	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	159,691	37.2	0.09	37.0	37.4	141,933	38.8	0.10	38.6	39.0
1986	3,160	29.8	0.54	28.8	30.9	2,907	30.9	0.58	29.8	32.1
1987	3,297	31.1	0.55	30.0	32.2	3,028	32.3	0.59	31.1	33.5
1988	3,270	30.6	0.54	29.5	31.6	3,022	32.0	0.59	30.9	33.2
1989	3,354	31.1	0.54	30.1	32.2	3,080	32.4	0.59	31.3	33.6
1990	3,344	30.7	0.54	29.7	31.8	3,098	32.4	0.59	31.3	33.6
1991	3,412	31.0	0.53	30.0	32.1	3,163	32.7	0.59	31.6	33.9
1992	3,551	31.8	0.54	30.7	32.8	3,262	33.3	0.59	32.1	34.4
1993	3,677	32.4	0.54	31.4	33.5	3,338	33.7	0.59	32.6	34.9
1994	3,814	33.5	0.54	32.4	34.6	3,476	34.9	0.60	33.8	36.1
1995	3,822	33.2	0.54	32.2	34.3	3,496	34.9	0.59	33.8	36.1
1996	4,070	35.3	0.55	34.2	36.4	3,685	36.8	0.61	35.6	38.0
1997	4,193	36.0	0.56	34.9	37.1	3,786	37.5	0.61	36.3	38.7
1998	4,154	35.3	0.55	34.2	36.4	3,757	36.9	0.60	35.8	38.1
1999	4,277	36.0	0.55	34.9	37.1	3,861	37.7	0.61	36.5	38.9
2000	4,502	37.6	0.56	36.5	38.7	4,029	39.2	0.62	38.0	40.4
2001	4,517	37.4	0.56	36.4	38.6	4,052	39.2	0.62	38.0	40.5
2002	4,841	39.7	0.57	38.6	40.9	4,340	41.7	0.63	40.4	42.9
2003	4,983	40.5	0.57	39.4	41.6	4,464	42.5	0.64	41.3	43.8
2004	5,029	40.4	0.57	39.3	41.5	4,520	42.7	0.64	41.5	44.0
2005	5,150	40.9	0.57	39.8	42.1	4,568	42.9	0.64	41.7	44.2
2006	5,131	40.5	0.57	39.4	41.6	4,541	42.4	0.63	41.1	43.6
2007	5,236	40.7	0.57	39.6	41.8	4,592	42.3	0.63	41.1	43.5
2008	5,471	41.8	0.57	40.7	43.0	4,786	43.4	0.63	42.2	44.7
2009	5,590	42.1	0.57	41.0	43.2	4,908	44.0	0.64	42.8	45.3
2010	5,341	39.5	0.55	38.4	40.6	4,690	41.4	0.61	40.3	42.7
2011	5,512	40.0	0.55	38.9	41.1	4,823	41.9	0.61	40.7	43.1
2012	5,547	39.6	0.54	38.6	40.7	4,858	41.6	0.61	40.4	42.8
2013	5,820	40.9	0.54	39.8	42.0	5,061	42.8	0.61	41.6	44.0
2014	5,899	40.6	0.54	39.5	41.6	5,081	42.2	0.60	41.1	43.4
2015	6,066	41.2	0.54	40.1	42.3	5,246	43.2	0.61	42.0	44.4
2016	5,975	40.3	0.53	39.2	41.3	5,187	42.4	0.60	41.3	43.6
2017	5,976	39.5	0.52	38.5	40.6	5,218	42.1	0.60	40.9	43.2
2018	5,800	38.0	0.51	37.0	39.0	4,998	39.9	0.58	38.8	41.1
2019	5,910	37.8	0.50	36.8	38.8	5,012	39.2	0.57	38.1	40.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	14,591	28.7	0.24	28.3	29.2	1,988	14.5	0.34	13.8	15.2
1986	232	21.8	1.49	19.0	24.9	17	12.8	3.71	6.6	21.9
1987	245	22.1	1.46	19.4	25.2	18	11.2	2.84	6.4	18.2
1988	223	20.0	1.39	17.4	22.9	16	9.9	2.90	5.0	17.1
1989	256	22.9	1.48	20.1	26.0	12	7.8	2.61	3.6	14.4
1990	221	18.9	1.31	16.4	21.6	19	12.4	3.06	7.1	19.7
1991	219	19.1	1.33	16.6	21.9	22	10.8	2.45	6.5	16.7
1992	253	21.6	1.40	18.9	24.5	30	18.0	3.80	11.3	26.7
1993	300	23.2	1.38	20.6	26.1	31	12.8	2.42	8.5	18.5
1994	296	23.6	1.41	20.9	26.5	32	16.4	3.23	10.7	23.8
1995	291	22.6	1.36	20.0	25.4	25	9.4	1.99	5.9	14.1
1996	332	25.5	1.44	22.8	28.5	42	17.3	2.97	11.9	23.9
1997	333	25.2	1.42	22.5	28.1	49	17.6	2.73	12.7	23.8
1998	338	24.9	1.39	22.3	27.8	33	12.5	2.46	8.2	18.2
1999	355	26.6	1.44	23.8	29.5	34	11.1	2.06	7.4	15.8
2000	406	29.1	1.47	26.2	32.1	33	10.0	1.84	6.7	14.2
2001	400	28.4	1.45	25.7	31.4	40	11.7	1.99	8.1	16.2
2002	429	30.4	1.50	27.5	33.5	34	8.9	1.66	6.0	12.7
2003	437	29.1	1.42	26.4	32.0	44	13.2	2.14	9.3	18.0
2004	423	28.1	1.39	25.4	30.9	52	14.8	2.21	10.8	19.7
2005	458	30.0	1.43	27.3	33.0	66	15.9	2.13	12.0	20.6
2006	488	31.5	1.46	28.7	34.5	64	14.7	1.98	11.0	19.0
2007	537	34.2	1.51	31.3	37.3	68	15.5	2.02	11.8	19.9
2008	584	36.1	1.53	33.2	39.2	57	11.6	1.68	8.5	15.3
2009	570	34.7	1.49	31.8	37.7	77	15.4	1.90	11.9	19.6
2010	515	30.6	1.38	28.0	33.5	81	15.6	1.86	12.2	19.7
2011	539	31.1	1.37	28.4	33.9	91	16.1	1.80	12.8	20.0
2012	550	31.4	1.37	28.7	34.2	90	14.9	1.66	11.8	18.5
2013	600	33.4	1.40	30.8	36.3	110	17.6	1.76	14.3	21.3
2014	650	35.2	1.41	32.5	38.1	110	16.5	1.64	13.5	20.0
2015	640	33.8	1.37	31.2	36.6	114	15.8	1.53	12.9	19.1
2016	637	33.9	1.38	31.3	36.7	105	14.4	1.46	11.7	17.6
2017	597	30.4	1.27	27.9	33.0	118	15.1	1.42	12.4	18.1
2018	591	30.0	1.26	27.6	32.6	126	15.6	1.42	13.0	18.7
2019	646	32.1	1.29	29.6	34.7	128	15.2	1.37	12.7	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	109,290	59.9	0.18	59.6	60.3	98,235	62.8	0.20	62.4	63.2
1986	2,208	51.4	1.14	49.2	53.7	2,054	53.7	1.24	51.3	56.2
1987	2,304	53.2	1.15	50.9	55.5	2,137	55.6	1.25	53.2	58.1
1988	2,183	50.5	1.13	48.3	52.8	2,035	53.2	1.22	50.8	55.6
1989	2,283	51.9	1.13	49.8	54.2	2,127	54.7	1.22	52.3	57.1
1990	2,303	52.2	1.13	50.0	54.4	2,163	55.4	1.23	53.0	57.9
1991	2,354	52.1	1.11	50.0	54.3	2,208	55.4	1.21	53.0	57.8
1992	2,417	53.0	1.11	50.8	55.2	2,236	55.5	1.20	53.1	57.9
1993	2,508	53.8	1.10	51.7	56.0	2,310	56.5	1.20	54.2	58.9
1994	2,549	54.5	1.11	52.4	56.7	2,353	57.3	1.21	55.0	59.7
1995	2,588	54.8	1.10	52.6	57.0	2,395	58.0	1.21	55.6	60.4
1996	2,754	57.5	1.12	55.3	59.7	2,529	60.5	1.22	58.2	63.0
1997	2,814	58.0	1.11	55.8	60.2	2,570	60.8	1.21	58.4	63.2
1998	2,818	57.6	1.10	55.5	59.8	2,582	60.7	1.21	58.4	63.1
1999	2,878	58.3	1.10	56.2	60.5	2,621	61.2	1.21	58.8	63.6
2000	3,035	60.6	1.11	58.4	62.8	2,750	63.4	1.22	61.1	65.9
2001	3,072	60.5	1.10	58.3	62.7	2,798	63.7	1.21	61.4	66.1
2002	3,343	65.6	1.15	63.3	67.9	3,041	69.1	1.26	66.6	71.6
2003	3,400	65.6	1.14	63.4	67.9	3,062	68.7	1.25	66.3	71.2
2004	3,431	65.2	1.13	63.0	67.4	3,111	68.8	1.25	66.3	71.3
2005	3,499	65.2	1.12	63.0	67.4	3,143	68.5	1.24	66.1	70.9
2006	3,445	63.6	1.10	61.4	65.8	3,086	66.6	1.21	64.3	69.1
2007	3,544	64.3	1.10	62.2	66.5	3,142	66.9	1.21	64.6	69.3
2008	3,744	66.5	1.11	64.4	68.7	3,331	69.5	1.22	67.2	72.0
2009	3,805	66.2	1.10	64.1	68.4	3,381	69.3	1.21	67.0	71.8
2010	3,669	62.6	1.06	60.6	64.7	3,256	65.7	1.17	63.4	68.0
2011	3,774	62.7	1.04	60.6	64.7	3,358	66.0	1.16	63.7	68.3
2012	3,795	61.6	1.02	59.6	63.7	3,374	65.0	1.14	62.8	67.3
2013	4,042	64.5	1.04	62.4	66.5	3,536	67.1	1.15	64.8	69.4
2014	4,099	64.0	1.02	62.0	66.1	3,549	66.2	1.14	64.0	68.5
2015	4,223	64.5	1.02	62.5	66.5	3,665	67.1	1.14	64.9	69.3
2016	4,172	63.5	1.01	61.5	65.5	3,677	67.0	1.13	64.8	69.3
2017	4,175	61.8	0.98	59.9	63.7	3,687	65.5	1.11	63.3	67.7
2018	3,960	58.1	0.95	56.3	60.0	3,444	60.9	1.06	58.8	63.0
2019	4,102	58.8	0.94	56.9	60.6	3,524	60.7	1.05	58.7	62.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	8,825	42.6	0.48	41.6	43.5	1,391	23.0	0.67	21.7	24.4
1986	143	33.9	3.07	28.1	40.3	10	17.1	6.18	7.2	33.2
1987	150	33.8	2.97	28.3	40.1	14	19.8	5.85	10.0	34.7
1988	131	29.0	2.72	24.0	34.8	12	18.4	6.53	7.9	34.9
1989	142	31.1	2.78	25.9	36.9	10	16.0	6.03	6.5	31.4
1990	123	25.7	2.50	21.0	31.0	12	20.5	6.40	10.0	36.3
1991	128	27.3	2.57	22.5	32.8	13	14.3	4.26	7.2	25.3
1992	155	33.6	2.90	28.2	39.7	22	34.8	8.80	19.7	55.2
1993	174	32.8	2.65	27.8	38.4	19	16.0	3.95	9.2	25.9
1994	162	32.1	2.70	27.0	37.7	25	27.8	6.51	16.5	43.0
1995	169	32.3	2.62	27.3	37.8	18	13.7	3.45	7.8	22.4
1996	190	34.9	2.68	29.9	40.5	27	27.3	6.21	16.5	41.7
1997	196	36.5	2.78	31.3	42.3	32	26.1	5.06	17.1	37.8
1998	196	35.1	2.65	30.1	40.7	22	17.8	4.47	10.2	28.5
1999	214	39.1	2.85	33.7	45.0	22	14.8	3.48	8.8	23.2
2000	234	41.8	2.90	36.3	47.8	28	19.3	3.95	12.4	28.5
2001	227	39.9	2.81	34.5	45.7	29	17.6	3.55	11.3	25.9
2002	255	46.0	3.08	40.2	52.4	23	14.9	3.56	8.7	23.3
2003	281	46.0	2.90	40.5	52.0	27	19.7	4.24	12.3	29.4
2004	260	43.0	2.84	37.6	48.9	36	24.7	4.63	16.5	35.1
2005	273	44.8	2.90	39.3	50.8	43	24.8	4.32	17.1	34.5
2006	287	46.8	2.94	41.2	52.8	43	23.1	3.92	16.1	31.9
2007	325	51.1	3.00	45.4	57.3	44	21.5	3.63	15.0	29.7
2008	339	50.7	2.89	45.2	56.7	44	21.1	3.71	14.5	29.4
2009	343	50.8	2.91	45.2	56.8	59	25.3	3.65	18.7	33.4
2010	322	46.0	2.70	40.9	51.6	55	24.5	3.66	17.8	32.5
2011	320	44.5	2.63	39.5	49.9	58	23.6	3.46	17.3	31.2
2012	331	45.7	2.65	40.7	51.2	60	23.6	3.40	17.4	31.1
2013	383	51.9	2.77	46.6	57.6	84	29.7	3.48	23.3	37.3
2014	425	55.8	2.83	50.3	61.6	86	29.2	3.38	22.9	36.5
2015	426	53.7	2.73	48.5	59.3	82	25.1	2.92	19.7	31.5
2016	388	49.8	2.63	44.7	55.2	76	22.9	2.76	17.8	28.9
2017	378	46.8	2.51	42.0	52.0	78	22.1	2.58	17.4	27.8
2018	366	44.5	2.42	39.9	49.5	84	23.2	2.61	18.3	28.8
2019	389	47.4	2.50	42.6	52.6	94	24.9	2.64	20.0	30.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	50,401	20.8	0.09	20.6	20.9	43,698	21.3	0.10	21.1	21.5
1986	952	15.3	0.50	14.4	16.4	853	15.6	0.54	14.5	16.7
1987	993	16.1	0.52	15.1	17.1	891	16.3	0.56	15.2	17.4
1988	1,087	17.7	0.54	16.6	18.8	987	18.3	0.60	17.2	19.5
1989	1,071	17.2	0.53	16.2	18.3	953	17.4	0.58	16.3	18.6
1990	1,041	16.5	0.52	15.5	17.6	935	17.0	0.57	15.9	18.2
1991	1,058	16.4	0.51	15.5	17.5	955	16.9	0.56	15.8	18.0
1992	1,134	17.5	0.53	16.5	18.6	1,026	18.1	0.58	17.0	19.3
1993	1,169	17.8	0.53	16.8	18.9	1,028	17.9	0.57	16.8	19.1
1994	1,265	19.0	0.54	18.0	20.1	1,123	19.4	0.59	18.3	20.6
1995	1,234	18.5	0.53	17.4	19.5	1,101	19.0	0.58	17.9	20.2
1996	1,316	19.7	0.55	18.6	20.8	1,156	20.0	0.60	18.9	21.3
1997	1,379	20.5	0.56	19.4	21.6	1,216	20.9	0.61	19.7	22.1
1998	1,336	19.8	0.54	18.7	20.9	1,175	20.3	0.60	19.1	21.5
1999	1,399	20.4	0.55	19.4	21.5	1,240	21.2	0.61	20.1	22.5
2000	1,467	21.4	0.56	20.3	22.5	1,279	21.8	0.62	20.6	23.1
2001	1,445	20.9	0.55	19.8	22.0	1,254	21.3	0.61	20.2	22.6
2002	1,498	21.4	0.56	20.4	22.6	1,299	21.9	0.61	20.7	23.1
2003	1,583	22.7	0.57	21.6	23.9	1,402	23.7	0.64	22.5	25.0
2004	1,598	22.6	0.57	21.5	23.8	1,409	23.6	0.64	22.4	24.9
2005	1,651	23.2	0.58	22.1	24.3	1,425	23.8	0.64	22.6	25.1
2006	1,686	23.5	0.58	22.4	24.7	1,455	24.1	0.64	22.9	25.4
2007	1,692	23.3	0.57	22.2	24.5	1,450	23.9	0.64	22.7	25.2
2008	1,727	23.5	0.57	22.4	24.7	1,455	23.7	0.63	22.5	25.0
2009	1,785	24.1	0.58	22.9	25.2	1,527	24.7	0.65	23.5	26.0
2010	1,672	22.1	0.55	21.0	23.2	1,434	22.8	0.62	21.6	24.1
2011	1,738	22.8	0.56	21.7	23.9	1,465	23.4	0.62	22.2	24.6
2012	1,752	22.7	0.55	21.6	23.8	1,484	23.2	0.62	22.0	24.4
2013	1,778	22.6	0.55	21.6	23.7	1,525	23.6	0.62	22.4	24.9
2014	1,800	22.4	0.54	21.3	23.5	1,532	23.3	0.61	22.1	24.5
2015	1,843	22.9	0.55	21.8	24.0	1,581	24.0	0.62	22.8	25.3
2016	1,803	22.0	0.53	21.0	23.1	1,510	22.7	0.60	21.5	23.9
2017	1,801	22.0	0.53	21.0	23.1	1,531	23.1	0.61	22.0	24.4
2018	1,840	22.1	0.53	21.0	23.1	1,554	23.1	0.61	21.9	24.3
2019	1,808	21.2	0.51	20.2	22.3	1,488	21.7	0.58	20.6	22.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,766	19.4	0.26	18.9	19.9	597	7.9	0.34	7.2	8.5
1986	89	13.9	1.51	11.1	17.2	7	9.6	4.51	2.9	21.8
1987	95	14.5	1.52	11.7	17.8	4	4.4	2.24	1.1	11.6
1988	92	14.0	1.50	11.2	17.2	4	3.3	1.67	0.8	9.2
1989	114	17.4	1.66	14.3	20.9	2	1.7	1.18	0.2	6.8
1990	98	14.3	1.47	11.6	17.4	7	6.7	2.72	2.5	14.4
1991	91	13.6	1.45	10.9	16.7	9	8.1	2.86	3.5	15.8
1992	98	14.0	1.44	11.4	17.1	8	6.3	2.29	2.7	12.7
1993	126	16.8	1.52	13.9	20.0	12	9.8	2.93	5.0	17.4
1994	134	18.0	1.58	15.0	21.3	7	7.8	3.07	3.0	15.7
1995	122	15.9	1.46	13.2	19.0	7	5.6	2.20	2.1	11.5
1996	142	18.7	1.59	15.7	22.0	15	10.4	2.94	5.5	17.7
1997	137	17.5	1.52	14.7	20.7	17	11.1	2.89	6.2	18.2
1998	142	17.9	1.51	15.0	21.1	11	8.2	2.72	3.8	15.0
1999	141	18.1	1.54	15.2	21.4	12	7.9	2.41	3.9	14.0
2000	172	20.8	1.60	17.8	24.2	5	2.7	1.25	0.8	6.4
2001	173	20.8	1.60	17.8	24.2	11	6.5	2.08	3.1	11.8
2002	174	20.6	1.57	17.6	23.9	11	4.6	1.45	2.2	8.4
2003	156	17.9	1.44	15.2	20.9	17	8.6	2.19	4.8	13.9
2004	163	18.4	1.45	15.7	21.5	16	7.7	2.02	4.2	12.6
2005	185	20.6	1.52	17.7	23.8	23	9.4	2.07	5.8	14.3
2006	201	21.9	1.56	19.0	25.2	21	8.2	1.89	4.9	12.7
2007	212	23.1	1.60	20.0	26.4	24	10.5	2.26	6.6	15.8
2008	245	26.0	1.68	22.8	29.5	13	4.7	1.37	2.4	8.2
2009	227	23.9	1.60	20.8	27.2	18	7.2	1.78	4.1	11.4
2010	193	19.8	1.44	17.0	22.8	26	9.0	1.86	5.7	13.4
2011	219	21.7	1.49	18.9	24.8	33	10.5	1.90	7.1	14.8
2012	219	21.7	1.49	18.9	24.8	30	8.8	1.66	5.8	12.7
2013	217	20.9	1.44	18.2	23.9	26	7.4	1.51	4.8	11.0
2014	225	20.9	1.42	18.2	23.9	24	6.5	1.37	4.1	9.8
2015	214	19.8	1.38	17.2	22.7	32	8.2	1.48	5.5	11.6
2016	249	22.9	1.48	20.1	26.0	29	7.4	1.40	4.9	10.6
2017	219	19.1	1.32	16.6	21.9	40	9.1	1.48	6.5	12.5
2018	225	19.7	1.34	17.2	22.5	42	9.5	1.48	6.8	12.8
2019	257	21.5	1.37	18.9	24.4	34	7.4	1.28	5.1	10.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary Bladder (incl in situ)										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	91,954	21.4	0.07	21.3	21.6	84,403	23.0	0.08	22.8	23.1
1986	2,125	20.1	0.44	19.3	21.0	1,988	21.1	0.48	20.2	22.1
1987	2,201	20.7	0.45	19.8	21.6	2,051	21.8	0.49	20.8	22.7
1988	2,122	19.8	0.43	19.0	20.7	1,990	20.9	0.47	20.0	21.9
1989	2,162	20.0	0.43	19.2	20.9	2,025	21.2	0.48	20.3	22.1
1990	2,201	20.2	0.43	19.3	21.0	2,078	21.6	0.48	20.6	22.5
1991	2,164	19.7	0.43	18.8	20.5	2,039	21.0	0.47	20.1	21.9
1992	2,251	20.1	0.43	19.3	20.9	2,101	21.3	0.47	20.4	22.2
1993	2,384	21.0	0.43	20.2	21.9	2,228	22.4	0.48	21.5	23.3
1994	2,417	21.2	0.43	20.3	22.0	2,254	22.5	0.48	21.6	23.5
1995	2,352	20.4	0.42	19.6	21.3	2,192	21.8	0.47	20.9	22.7
1996	2,599	22.5	0.44	21.6	23.3	2,408	23.9	0.49	22.9	24.9
1997	2,584	22.1	0.44	21.3	23.0	2,392	23.5	0.48	22.6	24.5
1998	2,567	21.8	0.43	20.9	22.6	2,374	23.2	0.48	22.3	24.2
1999	2,658	22.4	0.43	21.5	23.2	2,460	23.9	0.48	23.0	24.9
2000	2,763	23.1	0.44	22.2	24.0	2,555	24.7	0.49	23.8	25.7
2001	2,690	22.3	0.43	21.5	23.2	2,493	24.0	0.48	23.1	25.0
2002	2,875	23.7	0.44	22.8	24.5	2,661	25.4	0.49	24.5	26.4
2003	2,920	23.8	0.44	22.9	24.7	2,715	25.8	0.50	24.8	26.8
2004	2,875	23.2	0.43	22.4	24.1	2,652	25.0	0.49	24.1	26.0
2005	2,978	23.8	0.44	22.9	24.6	2,728	25.5	0.49	24.6	26.5
2006	2,777	22.0	0.42	21.2	22.9	2,546	23.7	0.47	22.8	24.6
2007	2,861	22.4	0.42	21.5	23.2	2,604	23.9	0.47	23.0	24.9
2008	3,014	23.2	0.43	22.4	24.1	2,721	24.7	0.48	23.7	25.6
2009	3,059	23.1	0.42	22.3	24.0	2,774	24.8	0.48	23.8	25.7
2010	2,921	21.7	0.41	20.9	22.5	2,664	23.4	0.46	22.5	24.4
2011	2,953	21.5	0.40	20.7	22.3	2,691	23.3	0.46	22.4	24.2
2012	2,913	20.9	0.39	20.2	21.7	2,667	22.8	0.45	21.9	23.7
2013	3,157	22.2	0.40	21.5	23.0	2,838	23.9	0.46	23.0	24.8
2014	3,073	21.2	0.39	20.4	22.0	2,751	22.8	0.44	21.9	23.7
2015	3,209	21.7	0.39	21.0	22.5	2,908	23.6	0.45	22.8	24.5
2016	3,105	20.8	0.38	20.1	21.6	2,803	22.7	0.44	21.8	23.5
2017	3,103	20.3	0.37	19.6	21.1	2,830	22.4	0.43	21.5	23.2
2018	2,926	18.9	0.36	18.2	19.6	2,612	20.4	0.41	19.6	21.2
2019	2,995	18.9	0.35	18.2	19.6	2,610	19.9	0.40	19.2	20.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary Bladder (incl in situ)										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,872	12.3	0.16	11.9	12.6	951	7.5	0.26	7.0	8.0
1986	126	12.8	1.18	10.6	15.3	7	6.8	3.04	2.2	14.7
1987	135	12.8	1.14	10.7	15.2	10	7.2	2.45	3.3	13.6
1988	117	11.1	1.06	9.1	13.4	9	6.9	2.66	2.7	13.7
1989	124	12.0	1.11	9.9	14.3	8	5.8	2.39	2.1	12.0
1990	107	9.6	0.96	7.8	11.6	12	8.6	2.62	4.3	15.1
1991	109	10.0	0.99	8.2	12.1	12	6.4	1.98	3.2	11.5
1992	127	11.4	1.04	9.5	13.6	18	11.9	3.31	6.3	19.7
1993	139	11.6	1.01	9.7	13.7	11	4.7	1.54	2.2	8.8
1994	140	11.8	1.03	9.9	14.0	15	8.0	2.25	4.2	13.5
1995	136	11.1	0.97	9.3	13.1	16	5.9	1.57	3.3	9.9
1996	155	12.8	1.05	10.8	15.0	28	10.7	2.21	6.9	15.9
1997	148	12.2	1.03	10.3	14.4	26	10.3	2.21	6.5	15.5
1998	155	12.0	0.99	10.2	14.1	18	8.0	2.13	4.4	13.0
1999	162	13.0	1.04	11.0	15.2	13	4.0	1.21	2.0	7.0
2000	174	13.1	1.01	11.2	15.2	12	4.1	1.24	2.0	7.2
2001	163	12.4	0.99	10.6	14.5	19	6.1	1.51	3.5	9.7
2002	176	13.4	1.03	11.5	15.6	16	5.0	1.34	2.7	8.2
2003	155	11.1	0.91	9.4	13.0	25	8.3	1.78	5.2	12.4
2004	164	11.5	0.92	9.8	13.4	30	8.7	1.72	5.6	12.6
2005	179	12.4	0.95	10.7	14.4	30	7.8	1.56	5.0	11.3
2006	176	12.4	0.95	10.6	14.4	28	6.8	1.38	4.3	10.0
2007	194	13.0	0.95	11.2	15.0	36	9.0	1.60	6.1	12.6
2008	238	15.7	1.04	13.7	17.8	26	6.5	1.38	4.1	9.7
2009	229	14.8	1.00	12.9	16.9	33	7.2	1.36	4.8	10.3
2010	189	12.0	0.89	10.3	13.9	36	7.0	1.24	4.8	9.8
2011	196	12.0	0.87	10.3	13.8	43	7.9	1.29	5.6	10.8
2012	188	11.5	0.86	9.9	13.3	35	6.4	1.14	4.4	9.0
2013	242	14.2	0.94	12.5	16.2	57	9.4	1.31	7.0	12.3
2014	242	13.4	0.88	11.8	15.3	56	8.9	1.25	6.7	11.7
2015	212	11.8	0.83	10.2	13.5	45	6.6	1.03	4.8	8.9
2016	225	12.2	0.83	10.6	13.9	46	6.9	1.05	5.0	9.3
2017	198	10.4	0.76	9.0	12.0	51	6.7	0.97	5.0	8.9
2018	206	10.7	0.76	9.3	12.3	61	8.0	1.04	6.1	10.3
2019	246	12.7	0.82	11.1	14.4	63	7.8	1.01	6.0	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary Bladder (incl in situ)										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	67,857	38.2	0.15	37.9	38.5	62,914	41.0	0.17	40.6	41.3
1986	1,557	37.1	0.98	35.2	39.1	1,471	39.2	1.07	37.1	41.3
1987	1,630	38.0	0.98	36.1	40.0	1,538	40.3	1.07	38.2	42.4
1988	1,509	35.6	0.96	33.8	37.5	1,427	37.9	1.04	35.8	40.0
1989	1,566	36.2	0.95	34.4	38.1	1,480	38.5	1.04	36.5	40.6
1990	1,633	37.4	0.96	35.6	39.4	1,564	40.4	1.06	38.3	42.5
1991	1,587	35.8	0.93	34.0	37.6	1,514	38.5	1.02	36.5	40.6
1992	1,645	36.7	0.93	34.9	38.5	1,549	38.9	1.02	37.0	41.0
1993	1,742	38.0	0.94	36.2	39.8	1,645	40.7	1.03	38.7	42.8
1994	1,706	37.0	0.92	35.3	38.9	1,609	39.6	1.01	37.7	41.6
1995	1,723	37.1	0.92	35.4	39.0	1,627	39.9	1.01	38.0	42.0
1996	1,873	39.8	0.94	38.0	41.7	1,766	42.8	1.04	40.8	44.9
1997	1,875	39.4	0.92	37.6	41.2	1,751	41.9	1.01	39.9	43.9
1998	1,881	39.1	0.92	37.3	40.9	1,753	41.7	1.01	39.7	43.7
1999	1,929	39.7	0.92	38.0	41.6	1,803	42.5	1.01	40.5	44.5
2000	2,000	40.8	0.92	39.0	42.6	1,866	43.7	1.02	41.7	45.7
2001	1,977	39.9	0.91	38.1	41.7	1,859	43.1	1.01	41.1	45.1
2002	2,137	43.1	0.94	41.2	44.9	2,014	46.6	1.05	44.6	48.7
2003	2,115	41.9	0.92	40.1	43.7	1,975	45.1	1.02	43.1	47.2
2004	2,148	41.9	0.92	40.1	43.7	1,997	45.1	1.02	43.1	47.1
2005	2,181	41.7	0.91	39.9	43.5	2,028	45.0	1.01	43.1	47.0
2006	2,013	38.4	0.87	36.7	40.1	1,861	41.2	0.96	39.3	43.1
2007	2,114	39.6	0.87	37.9	41.3	1,943	42.3	0.97	40.5	44.3
2008	2,232	41.1	0.88	39.4	42.9	2,049	43.9	0.98	42.0	45.9
2009	2,304	41.4	0.88	39.7	43.2	2,114	44.3	0.98	42.4	46.3
2010	2,199	38.7	0.84	37.1	40.4	2,020	41.7	0.94	39.8	43.5
2011	2,188	37.6	0.82	36.0	39.2	2,017	40.6	0.92	38.8	42.5
2012	2,171	36.6	0.80	35.0	38.2	2,019	40.0	0.91	38.3	41.8
2013	2,385	39.1	0.82	37.5	40.8	2,160	41.8	0.92	40.0	43.6
2014	2,312	37.1	0.79	35.6	38.7	2,082	39.7	0.89	38.0	41.5
2015	2,387	37.4	0.78	35.8	38.9	2,169	40.2	0.88	38.5	42.0
2016	2,323	36.2	0.77	34.7	37.7	2,115	39.2	0.87	37.5	41.0
2017	2,374	36.0	0.76	34.5	37.5	2,176	39.2	0.86	37.6	41.0
2018	2,181	32.6	0.71	31.2	34.0	1,959	34.9	0.80	33.3	36.5
2019	2,260	32.9	0.71	31.5	34.3	1,994	34.6	0.79	33.1	36.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary Bladder (incl in situ)										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,678	19.4	0.34	18.8	20.1	725	13.1	0.53	12.1	14.2
1986	79	20.9	2.54	16.3	26.4	6	10.7	5.01	3.2	24.6
1987	81	19.5	2.33	15.2	24.5	8	13.4	5.22	5.2	27.4
1988	71	16.8	2.12	12.9	21.4	8	14.6	6.24	5.1	30.8
1989	76	17.9	2.19	13.9	22.7	7	12.3	5.60	3.9	27.1
1990	57	12.9	1.85	9.5	16.9	8	14.7	5.52	6.0	28.9
1991	62	14.2	1.91	10.7	18.4	8	9.0	3.48	3.5	18.7
1992	76	17.6	2.18	13.6	22.3	16	26.2	7.98	12.9	45.1
1993	87	17.8	2.01	14.0	22.1	5	4.5	2.31	1.2	11.6
1994	79	16.9	2.04	13.2	21.3	11	12.0	4.06	5.4	22.4
1995	79	16.1	1.91	12.6	20.3	12	9.1	2.83	4.4	16.7
1996	82	16.1	1.88	12.7	20.2	18	15.4	3.97	8.7	25.2
1997	92	19.6	2.18	15.6	24.3	20	17.7	4.33	10.3	28.1
1998	101	18.9	1.99	15.3	23.2	14	13.3	4.15	6.4	23.4
1999	96	20.0	2.18	16.0	24.7	10	6.2	2.24	2.6	12.3
2000	107	20.6	2.12	16.7	25.2	12	9.4	2.94	4.6	16.8
2001	93	18.1	2.00	14.4	22.4	14	8.9	2.56	4.6	15.3
2002	97	19.8	2.13	15.8	24.3	14	11.0	3.32	5.5	19.1
2003	104	18.6	1.94	15.0	22.8	16	13.8	3.76	7.4	22.6
2004	108	19.2	1.98	15.5	23.4	23	16.4	3.81	9.8	25.3
2005	107	19.3	1.99	15.6	23.6	19	11.9	3.15	6.5	19.4
2006	111	21.0	2.11	17.1	25.5	22	13.2	3.12	7.8	20.5
2007	123	20.9	2.01	17.1	25.1	24	13.7	3.08	8.3	20.8
2008	142	23.1	2.05	19.3	27.5	19	12.1	3.15	6.7	19.4
2009	149	24.4	2.12	20.4	28.8	27	12.9	2.80	8.0	19.3
2010	125	19.5	1.83	16.1	23.4	27	11.8	2.52	7.4	17.6
2011	123	19.2	1.83	15.8	23.1	29	13.0	2.67	8.3	19.2
2012	111	16.8	1.67	13.6	20.3	25	11.2	2.51	6.9	17.0
2013	162	24.4	2.01	20.6	28.6	48	17.6	2.70	12.7	23.6
2014	165	22.6	1.85	19.1	26.5	48	17.5	2.74	12.6	23.6
2015	147	20.5	1.78	17.2	24.3	39	12.9	2.18	9.0	17.8
2016	156	21.3	1.78	17.9	25.0	31	10.2	1.93	6.8	14.7
2017	142	19.1	1.67	16.0	22.7	38	11.4	1.92	8.0	15.8
2018	135	17.5	1.57	14.6	20.8	47	13.7	2.07	10.0	18.4
2019	153	20.1	1.68	17.0	23.7	52	14.9	2.13	11.0	19.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary Bladder (incl in situ)										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	24,097	9.7	0.06	9.6	9.8	21,489	10.2	0.07	10.0	10.3
1986	568	9.1	0.39	8.4	9.9	517	9.3	0.42	8.5	10.2
1987	571	9.1	0.39	8.4	9.9	513	9.3	0.42	8.5	10.1
1988	613	9.8	0.40	9.0	10.6	563	10.2	0.44	9.3	11.1
1989	596	9.4	0.39	8.6	10.2	545	9.7	0.42	8.9	10.6
1990	568	8.9	0.38	8.2	9.7	514	9.1	0.41	8.4	10.0
1991	577	8.9	0.37	8.1	9.6	525	9.1	0.40	8.3	9.9
1992	606	9.2	0.38	8.4	9.9	552	9.5	0.41	8.7	10.4
1993	642	9.7	0.38	8.9	10.4	583	10.0	0.42	9.2	10.8
1994	711	10.5	0.40	9.7	11.3	645	10.9	0.43	10.0	11.8
1995	629	9.2	0.37	8.5	10.0	565	9.5	0.41	8.7	10.4
1996	726	10.6	0.40	9.8	11.4	642	10.8	0.43	10.0	11.7
1997	709	10.3	0.39	9.6	11.1	641	10.8	0.43	10.0	11.7
1998	686	10.0	0.38	9.2	10.8	621	10.5	0.43	9.7	11.4
1999	729	10.4	0.39	9.7	11.2	657	11.0	0.43	10.1	11.8
2000	763	10.9	0.40	10.2	11.8	689	11.5	0.45	10.7	12.4
2001	713	10.1	0.38	9.4	10.9	634	10.5	0.42	9.7	11.4
2002	738	10.3	0.38	9.6	11.1	647	10.5	0.42	9.7	11.4
2003	805	11.4	0.40	10.6	12.2	740	12.3	0.46	11.4	13.2
2004	727	10.1	0.38	9.4	10.8	655	10.7	0.42	9.9	11.5
2005	797	11.0	0.39	10.2	11.8	700	11.4	0.44	10.5	12.3
2006	764	10.5	0.38	9.7	11.3	685	11.1	0.43	10.3	12.0
2007	747	10.1	0.37	9.4	10.8	661	10.6	0.42	9.8	11.4
2008	782	10.4	0.38	9.7	11.2	672	10.6	0.42	9.8	11.5
2009	755	10.0	0.37	9.3	10.7	660	10.4	0.41	9.6	11.2
2010	722	9.2	0.35	8.6	10.0	644	9.8	0.40	9.1	10.6
2011	765	9.8	0.36	9.1	10.6	674	10.4	0.41	9.6	11.2
2012	742	9.4	0.35	8.7	10.1	648	9.8	0.39	9.0	10.6
2013	772	9.6	0.35	8.9	10.3	678	10.1	0.40	9.4	10.9
2014	761	9.3	0.34	8.6	10.0	669	9.9	0.39	9.2	10.7
2015	822	9.9	0.35	9.2	10.6	739	10.7	0.40	10.0	11.6
2016	782	9.2	0.34	8.5	9.9	688	9.8	0.38	9.1	10.6
2017	729	8.5	0.32	7.9	9.1	654	9.3	0.37	8.6	10.0
2018	745	8.7	0.32	8.0	9.3	653	9.3	0.37	8.6	10.1
2019	735	8.2	0.31	7.6	8.8	616	8.5	0.35	7.8	9.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Urinary Bladder (incl in situ)										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,194	7.7	0.17	7.4	8.0	226	3.2	0.22	2.8	3.6
1986	47	7.8	1.16	5.7	10.3	1	3.6	3.63	0.1	14.9
1987	54	8.6	1.19	6.4	11.2	2	2.6	1.82	0.3	9.2
1988	46	7.4	1.12	5.4	9.9	1	1.0	1.00	0.0	6.1
1989	48	8.0	1.17	5.8	10.6	1	0.9	0.91	0.0	5.7
1990	50	7.6	1.08	5.6	10.0	4	4.4	2.27	1.1	11.3
1991	47	7.3	1.08	5.3	9.7	4	4.3	2.23	1.1	11.0
1992	51	7.6	1.08	5.7	10.0	2	1.8	1.29	0.2	6.6
1993	52	7.4	1.04	5.5	9.7	6	4.8	2.06	1.6	10.7
1994	61	8.6	1.11	6.5	11.0	4	4.9	2.50	1.3	11.8
1995	57	7.7	1.03	5.8	10.0	4	3.1	1.64	0.8	8.0
1996	73	10.2	1.20	8.0	12.8	10	7.1	2.44	3.1	13.4
1997	56	7.6	1.03	5.7	9.9	6	4.6	2.07	1.5	10.2
1998	54	7.2	0.99	5.4	9.4	4	3.9	2.13	0.9	9.7
1999	66	8.8	1.09	6.8	11.2	3	2.1	1.24	0.4	5.9
2000	67	8.4	1.04	6.5	10.7	0				
2001	70	8.8	1.06	6.9	11.1	5	3.6	1.66	1.1	8.1
2002	79	9.8	1.10	7.7	12.1	2	0.7	0.50	0.1	2.8
2003	51	6.3	0.88	4.7	8.3	9	4.7	1.65	2.0	8.9
2004	56	6.6	0.89	5.0	8.6	7	3.1	1.27	1.2	6.6
2005	72	8.3	0.99	6.5	10.5	11	4.8	1.56	2.3	8.8
2006	65	7.5	0.93	5.8	9.5	6	2.1	0.90	0.7	4.7
2007	71	8.1	0.97	6.3	10.2	12	5.4	1.65	2.7	9.5
2008	96	10.8	1.11	8.7	13.1	7	2.9	1.16	1.1	6.0
2009	80	8.8	0.99	6.9	10.9	6	2.8	1.17	1.0	5.9
2010	64	6.9	0.87	5.3	8.8	9	3.3	1.14	1.4	6.2
2011	73	7.5	0.89	5.8	9.4	14	4.2	1.16	2.2	7.1
2012	77	8.1	0.93	6.4	10.1	10	3.3	1.08	1.6	6.1
2013	80	7.9	0.89	6.2	9.8	9	2.7	0.92	1.2	5.1
2014	77	7.3	0.84	5.8	9.2	8	2.4	0.87	1.0	4.7
2015	65	6.2	0.78	4.8	7.9	6	1.6	0.66	0.6	3.5
2016	69	6.3	0.76	4.8	8.0	15	4.2	1.10	2.3	6.9
2017	56	4.8	0.66	3.6	6.3	13	2.9	0.82	1.5	5.0
2018	71	6.3	0.76	4.9	8.0	14	3.3	0.91	1.8	5.6
2019	93	7.8	0.81	6.2	9.5	11	2.3	0.71	1.2	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kidney and Renal Pelvis										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	63,839	14.9	0.06	14.7	15.0	54,049	14.9	0.06	14.8	15.1
1986	941	8.8	0.29	8.2	9.4	837	8.9	0.31	8.3	9.6
1987	1,001	9.5	0.30	8.9	10.1	891	9.6	0.33	9.0	10.3
1988	1,047	9.8	0.31	9.2	10.5	935	10.1	0.34	9.4	10.8
1989	1,087	10.2	0.31	9.6	10.8	959	10.3	0.34	9.6	10.9
1990	1,039	9.6	0.30	9.0	10.2	927	9.9	0.33	9.2	10.5
1991	1,138	10.4	0.31	9.8	11.0	1,025	10.7	0.34	10.1	11.4
1992	1,208	10.8	0.31	10.2	11.5	1,076	11.1	0.34	10.5	11.8
1993	1,199	10.6	0.31	10.0	11.2	1,026	10.5	0.33	9.9	11.2
1994	1,289	11.4	0.32	10.7	12.0	1,124	11.5	0.34	10.8	12.2
1995	1,372	12.0	0.32	11.3	12.6	1,212	12.2	0.35	11.5	12.9
1996	1,387	12.1	0.32	11.4	12.7	1,201	12.2	0.35	11.5	12.9
1997	1,509	13.0	0.33	12.3	13.7	1,302	13.1	0.36	12.4	13.8
1998	1,480	12.6	0.33	12.0	13.3	1,283	12.8	0.36	12.1	13.5
1999	1,526	12.8	0.33	12.2	13.5	1,322	13.0	0.36	12.3	13.8
2000	1,632	13.6	0.34	13.0	14.3	1,379	13.5	0.36	12.8	14.3
2001	1,731	14.3	0.34	13.6	15.0	1,471	14.4	0.37	13.6	15.1
2002	1,853	15.2	0.35	14.5	15.9	1,573	15.2	0.38	14.5	16.0
2003	1,954	15.8	0.36	15.1	16.5	1,655	15.9	0.39	15.1	16.6
2004	2,049	16.3	0.36	15.6	17.1	1,783	16.9	0.40	16.1	17.7
2005	2,059	16.3	0.36	15.6	17.0	1,737	16.4	0.40	15.6	17.2
2006	2,230	17.5	0.37	16.8	18.2	1,886	17.6	0.41	16.8	18.5
2007	2,248	17.3	0.37	16.6	18.1	1,878	17.3	0.40	16.6	18.1
2008	2,332	17.7	0.37	16.9	18.4	1,949	17.7	0.40	16.9	18.5
2009	2,405	18.0	0.37	17.3	18.7	2,022	18.2	0.41	17.5	19.1
2010	2,283	16.8	0.36	16.1	17.5	1,904	16.9	0.39	16.2	17.7
2011	2,428	17.5	0.36	16.8	18.2	2,016	17.6	0.40	16.9	18.4
2012	2,501	17.7	0.36	17.0	18.4	2,070	17.8	0.40	17.0	18.6
2013	2,546	17.8	0.36	17.1	18.5	2,120	18.0	0.40	17.2	18.8
2014	2,682	18.4	0.36	17.7	19.1	2,205	18.4	0.40	17.6	19.2
2015	2,728	18.6	0.36	17.9	19.3	2,225	18.6	0.40	17.8	19.4
2016	2,726	18.4	0.36	17.7	19.2	2,258	18.7	0.41	17.9	19.5
2017	2,723	18.2	0.36	17.5	18.9	2,258	18.6	0.40	17.9	19.5
2018	2,738	18.1	0.36	17.4	18.8	2,266	18.6	0.40	17.8	19.4
2019	2,768	18.0	0.35	17.3	18.7	2,274	18.2	0.39	17.5	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kidney and Renal Pelvis										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	8,389	15.8	0.18	15.5	16.2	963	6.5	0.22	6.0	6.9
1986	96	8.1	0.87	6.5	10.0	8	4.8	1.92	1.8	10.2
1987	102	8.6	0.87	6.9	10.4	7	3.4	1.30	1.3	7.4
1988	102	8.5	0.88	6.9	10.4	7	3.0	1.17	1.2	6.7
1989	123	10.2	0.95	8.4	12.2	4	2.0	1.06	0.5	5.5
1990	104	8.3	0.83	6.7	10.1	7	3.8	1.58	1.3	8.2
1991	101	8.3	0.85	6.7	10.1	8	3.7	1.35	1.5	7.5
1992	121	9.8	0.91	8.1	11.7	11	5.7	1.81	2.7	10.3
1993	151	10.8	0.90	9.1	12.7	20	8.1	1.87	4.9	12.7
1994	148	11.1	0.94	9.3	13.1	15	7.0	2.09	3.6	12.2
1995	150	11.1	0.93	9.3	13.0	8	3.2	1.18	1.3	6.4
1996	170	12.2	0.96	10.4	14.2	13	5.8	1.85	2.7	10.4
1997	178	12.4	0.95	10.6	14.4	23	7.3	1.61	4.5	11.2
1998	180	12.7	0.96	10.8	14.7	13	3.7	1.05	1.9	6.5
1999	183	12.8	0.97	11.0	14.9	17	5.6	1.46	3.2	9.2
2000	220	15.0	1.03	13.1	17.2	21	6.0	1.36	3.6	9.2
2001	230	15.4	1.04	13.5	17.6	21	5.6	1.29	3.3	8.7
2002	246	16.5	1.07	14.5	18.7	18	4.0	0.97	2.3	6.4
2003	269	17.2	1.07	15.2	19.4	18	4.6	1.15	2.6	7.4
2004	241	15.3	1.00	13.4	17.4	20	5.8	1.38	3.4	9.0
2005	273	17.2	1.06	15.2	19.4	32	7.3	1.39	4.8	10.5
2006	299	18.2	1.07	16.1	20.4	34	7.5	1.38	5.0	10.6
2007	327	20.1	1.13	17.9	22.4	32	6.5	1.24	4.3	9.4
2008	339	20.1	1.11	17.9	22.3	29	4.8	0.93	3.2	7.0
2009	329	19.1	1.07	17.0	21.3	42	8.0	1.31	5.6	10.9
2010	315	17.8	1.03	15.9	20.0	41	7.9	1.32	5.5	10.9
2011	335	18.6	1.04	16.6	20.8	41	6.6	1.10	4.7	9.1
2012	352	19.2	1.05	17.2	21.4	53	8.1	1.17	6.0	10.7
2013	345	18.5	1.02	16.6	20.6	52	8.0	1.17	5.9	10.7
2014	397	21.2	1.09	19.1	23.4	48	6.6	0.98	4.8	8.8
2015	417	21.4	1.07	19.3	23.6	64	8.5	1.10	6.5	10.9
2016	397	21.0	1.08	18.9	23.2	56	6.9	0.96	5.2	9.1
2017	386	19.3	1.01	17.4	21.4	60	7.4	0.97	5.6	9.5
2018	375	18.7	0.99	16.8	20.8	60	7.1	0.93	5.4	9.2
2019	388	18.8	0.98	17.0	20.9	60	6.8	0.89	5.2	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kidney and Renal Pelvis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	39,033	20.4	0.10	20.2	20.6	33,128	20.4	0.11	20.2	20.6
1986	589	12.9	0.55	11.8	14.0	528	13.1	0.59	12.0	14.3
1987	614	13.8	0.58	12.7	15.0	547	14.0	0.62	12.8	15.3
1988	617	13.6	0.57	12.5	14.8	551	13.9	0.61	12.7	15.2
1989	647	14.2	0.57	13.1	15.3	581	14.5	0.62	13.3	15.8
1990	609	13.4	0.56	12.3	14.5	540	13.6	0.60	12.4	14.8
1991	705	14.9	0.58	13.8	16.1	637	15.4	0.62	14.2	16.7
1992	715	15.0	0.58	13.9	16.2	636	15.3	0.62	14.1	16.5
1993	712	14.7	0.56	13.6	15.8	616	14.7	0.60	13.5	15.9
1994	781	16.1	0.59	15.0	17.3	685	16.2	0.63	15.0	17.5
1995	802	16.3	0.58	15.2	17.5	709	16.6	0.63	15.4	17.9
1996	831	16.6	0.58	15.5	17.8	715	16.5	0.62	15.3	17.8
1997	873	17.2	0.59	16.1	18.4	757	17.4	0.64	16.2	18.7
1998	871	17.2	0.59	16.0	18.4	766	17.5	0.64	16.3	18.8
1999	891	17.4	0.59	16.2	18.6	766	17.4	0.63	16.2	18.7
2000	975	18.6	0.60	17.5	19.8	829	18.5	0.65	17.3	19.8
2001	1,037	19.4	0.61	18.2	20.6	886	19.4	0.66	18.2	20.8
2002	1,134	21.0	0.63	19.8	22.3	957	20.8	0.68	19.5	22.2
2003	1,217	22.4	0.65	21.1	23.7	1,028	22.3	0.70	20.9	23.7
2004	1,224	22.1	0.64	20.9	23.4	1,064	22.6	0.70	21.2	24.0
2005	1,247	22.1	0.64	20.9	23.4	1,048	22.0	0.69	20.6	23.3
2006	1,357	23.7	0.66	22.5	25.1	1,156	24.0	0.71	22.6	25.4
2007	1,353	23.3	0.64	22.0	24.6	1,131	23.0	0.69	21.7	24.4
2008	1,436	24.0	0.65	22.8	25.3	1,211	24.1	0.70	22.7	25.5
2009	1,427	23.5	0.63	22.2	24.7	1,198	23.6	0.69	22.2	25.0
2010	1,388	22.4	0.62	21.2	23.7	1,164	22.5	0.67	21.2	23.9
2011	1,497	23.6	0.62	22.4	24.8	1,259	23.7	0.68	22.4	25.1
2012	1,542	23.6	0.62	22.4	24.9	1,282	23.5	0.67	22.2	24.9
2013	1,584	24.1	0.62	22.9	25.3	1,307	23.9	0.68	22.6	25.3
2014	1,706	25.5	0.63	24.3	26.8	1,398	25.2	0.69	23.8	26.5
2015	1,755	25.7	0.63	24.5	27.0	1,422	25.4	0.69	24.0	26.8
2016	1,747	25.6	0.63	24.4	26.9	1,471	26.1	0.70	24.8	27.5
2017	1,714	24.5	0.61	23.3	25.7	1,435	24.9	0.68	23.6	26.2
2018	1,693	24.2	0.60	23.0	25.4	1,404	24.5	0.67	23.2	25.8
2019	1,743	24.4	0.60	23.3	25.6	1,444	24.6	0.67	23.3	25.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kidney and Renal Pelvis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,988	22.3	0.33	21.7	23.0	628	9.2	0.40	8.5	10.0
1986	57	11.4	1.60	8.5	14.9	4	6.5	3.62	1.4	17.7
1987	62	12.8	1.73	9.6	16.6	5	4.9	2.20	1.6	12.9
1988	60	12.2	1.69	9.1	15.9	4	3.7	1.94	1.0	11.1
1989	62	12.4	1.67	9.4	16.1	3	3.7	2.24	0.7	11.5
1990	64	12.2	1.61	9.3	15.8	4	5.8	3.23	1.3	15.5
1991	62	12.4	1.68	9.3	16.1	4	4.1	2.18	1.0	11.4
1992	74	14.8	1.83	11.4	18.8	5	7.7	3.59	2.4	17.6
1993	82	13.8	1.61	10.9	17.4	14	11.5	3.20	6.1	20.0
1994	82	14.9	1.76	11.7	18.8	12	12.4	4.45	5.3	23.7
1995	87	15.5	1.76	12.3	19.4	5	4.0	1.88	1.2	9.9
1996	106	18.4	1.87	14.9	22.4	9	11.9	4.77	4.4	23.8
1997	101	16.2	1.67	13.1	19.8	12	8.4	2.62	4.0	15.3
1998	93	15.8	1.73	12.6	19.5	8	4.6	1.65	1.9	9.5
1999	114	18.3	1.78	14.9	22.1	10	7.0	2.32	3.2	13.2
2000	122	20.0	1.90	16.4	24.0	16	9.9	2.64	5.4	16.6
2001	130	20.7	1.91	17.1	24.8	15	8.7	2.46	4.6	15.0
2002	156	25.9	2.21	21.8	30.6	9	3.8	1.28	1.7	7.6
2003	169	26.2	2.11	22.2	30.6	11	6.0	1.96	2.8	11.1
2004	145	22.4	1.95	18.7	26.5	11	7.6	2.58	3.4	14.0
2005	164	25.1	2.09	21.2	29.5	22	11.9	2.85	7.0	18.7
2006	170	24.7	1.99	20.9	28.9	21	9.9	2.37	5.8	15.6
2007	194	28.9	2.17	24.8	33.4	20	7.9	1.92	4.6	12.6
2008	194	27.3	2.03	23.4	31.5	23	8.4	1.90	5.1	13.0
2009	190	25.6	1.94	21.9	29.7	31	12.2	2.31	8.1	17.6
2010	190	25.2	1.92	21.6	29.2	25	11.4	2.53	7.0	17.3
2011	193	24.8	1.87	21.3	28.7	26	8.8	1.91	5.5	13.4
2012	212	27.6	1.99	23.9	31.8	34	11.7	2.20	7.8	16.8
2013	218	27.0	1.90	23.4	31.0	35	11.9	2.18	8.1	16.9
2014	254	32.4	2.12	28.4	36.9	34	10.0	1.77	6.8	14.1
2015	273	32.3	2.03	28.4	36.5	42	12.0	1.93	8.5	16.4
2016	223	27.4	1.90	23.8	31.4	43	11.9	1.89	8.4	16.1
2017	230	27.1	1.86	23.6	31.0	35	9.2	1.58	6.3	12.8
2018	227	26.3	1.81	22.9	30.1	37	9.4	1.59	6.6	13.1
2019	228	26.2	1.80	22.8	30.0	39	9.4	1.51	6.6	12.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kidney and Renal Pelvis										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	24,806	10.4	0.07	10.3	10.6	20,921	10.5	0.07	10.4	10.7
1986	352	5.7	0.31	5.1	6.4	309	5.8	0.33	5.1	6.5
1987	387	6.4	0.33	5.8	7.1	344	6.4	0.35	5.8	7.2
1988	430	7.2	0.35	6.5	7.9	384	7.4	0.39	6.7	8.2
1989	440	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9
1990	430	7.0	0.34	6.3	7.7	387	7.3	0.38	6.6	8.1
1991	433	6.9	0.34	6.3	7.6	388	7.1	0.37	6.4	7.9
1992	493	7.8	0.36	7.1	8.5	440	8.1	0.39	7.3	8.9
1993	487	7.6	0.35	6.9	8.3	410	7.4	0.37	6.6	8.1
1994	508	7.8	0.35	7.2	8.6	439	7.9	0.38	7.1	8.6
1995	570	8.7	0.37	8.0	9.5	503	8.9	0.40	8.2	9.8
1996	556	8.6	0.37	7.9	9.4	486	8.8	0.40	8.0	9.6
1997	636	9.6	0.38	8.9	10.4	545	9.6	0.42	8.8	10.5
1998	609	9.2	0.38	8.5	10.0	517	9.2	0.41	8.4	10.0
1999	635	9.5	0.38	8.8	10.3	556	9.8	0.42	9.0	10.7
2000	657	9.8	0.38	9.0	10.6	550	9.7	0.42	8.9	10.5
2001	694	10.3	0.39	9.5	11.1	585	10.2	0.43	9.4	11.1
2002	719	10.6	0.40	9.8	11.4	616	10.8	0.44	9.9	11.6
2003	737	10.8	0.40	10.0	11.6	627	10.9	0.44	10.1	11.8
2004	825	11.9	0.42	11.1	12.7	719	12.4	0.47	11.5	13.3
2005	812	11.6	0.41	10.8	12.5	689	11.9	0.46	11.0	12.8
2006	873	12.4	0.42	11.5	13.2	730	12.4	0.46	11.5	13.3
2007	895	12.6	0.43	11.8	13.5	747	12.7	0.47	11.8	13.7
2008	896	12.4	0.42	11.6	13.3	738	12.4	0.46	11.5	13.3
2009	978	13.4	0.44	12.6	14.3	824	13.7	0.49	12.8	14.7
2010	895	12.1	0.41	11.3	12.9	740	12.2	0.46	11.3	13.2
2011	931	12.5	0.42	11.7	13.3	757	12.5	0.46	11.6	13.4
2012	959	12.6	0.42	11.8	13.5	788	12.7	0.46	11.8	13.6
2013	962	12.5	0.41	11.7	13.3	813	13.0	0.47	12.1	13.9
2014	976	12.3	0.40	11.6	13.2	807	12.6	0.45	11.7	13.5
2015	973	12.5	0.41	11.7	13.3	803	12.8	0.46	11.9	13.7
2016	979	12.4	0.41	11.6	13.2	787	12.3	0.45	11.5	13.3
2017	1,009	12.8	0.41	12.0	13.6	823	13.1	0.47	12.2	14.1
2018	1,045	12.8	0.41	12.0	13.6	862	13.3	0.47	12.4	14.2
2019	1,025	12.5	0.40	11.7	13.3	830	12.6	0.46	11.8	13.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kidney and Renal Pelvis										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,401	11.2	0.19	10.8	11.5	335	4.2	0.24	3.7	4.7
1986	39	5.7	0.95	4.0	7.9	4	3.8	2.09	0.9	11.0
1987	40	5.7	0.92	4.1	7.8	2	1.8	1.30	0.2	7.5
1988	42	6.0	0.95	4.3	8.1	3	2.3	1.34	0.4	7.7
1989	61	8.7	1.14	6.6	11.2	1	0.8	0.76	0.0	5.3
1990	40	5.5	0.88	3.9	7.5	3	2.4	1.49	0.4	7.9
1991	39	5.5	0.90	3.9	7.6	4	3.4	1.74	0.9	9.0
1992	47	6.4	0.95	4.7	8.5	6	4.5	1.89	1.6	10.2
1993	69	8.7	1.06	6.7	11.0	6	5.1	2.08	1.9	11.0
1994	66	8.5	1.06	6.5	10.8	3	2.9	1.79	0.5	8.4
1995	63	8.0	1.01	6.1	10.2	3	2.5	1.47	0.5	7.1
1996	64	7.9	1.00	6.0	10.1	4	2.1	1.06	0.6	5.7
1997	77	9.4	1.09	7.4	11.8	11	6.5	2.03	3.1	11.8
1998	87	10.5	1.14	8.4	13.0	5	2.8	1.29	0.9	6.7
1999	69	8.6	1.05	6.7	10.9	7	4.4	1.78	1.7	9.3
2000	98	11.5	1.17	9.3	14.0	5	2.7	1.25	0.8	6.4
2001	100	11.7	1.18	9.5	14.2	6	2.9	1.26	1.0	6.5
2002	90	10.3	1.09	8.3	12.6	9	3.9	1.36	1.7	7.6
2003	100	11.1	1.11	9.0	13.5	7	3.3	1.31	1.3	6.9
2004	96	10.5	1.08	8.5	12.9	9	4.5	1.57	2.0	8.6
2005	109	11.8	1.14	9.7	14.3	10	3.9	1.28	1.8	7.3
2006	129	13.7	1.21	11.4	16.3	13	5.3	1.56	2.7	9.3
2007	133	14.1	1.23	11.8	16.7	12	5.1	1.54	2.5	9.0
2008	145	14.8	1.25	12.5	17.5	6	1.8	0.73	0.7	4.0
2009	139	14.2	1.22	11.9	16.8	11	4.2	1.33	2.0	7.5
2010	125	12.5	1.13	10.3	14.9	16	5.4	1.42	2.9	8.9
2011	142	13.8	1.18	11.6	16.3	15	4.8	1.29	2.6	8.0
2012	140	13.4	1.15	11.2	15.9	19	5.3	1.25	3.1	8.3
2013	127	12.1	1.09	10.0	14.4	17	4.8	1.20	2.7	7.7
2014	143	13.1	1.11	11.0	15.5	14	3.6	0.98	1.9	6.1
2015	144	13.2	1.12	11.1	15.5	22	5.5	1.21	3.4	8.4
2016	174	16.1	1.25	13.8	18.8	13	2.8	0.81	1.5	4.9
2017	156	13.7	1.11	11.6	16.0	25	5.8	1.18	3.7	8.6
2018	148	12.8	1.08	10.8	15.1	23	5.1	1.07	3.2	7.6
2019	160	13.5	1.09	11.4	15.8	21	4.6	1.01	2.8	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ureter										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,683	0.6	0.01	0.6	0.7	2,513	0.7	0.01	0.7	0.7
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1995	79	0.7	0.08	0.5	0.9	77	0.8	0.09	0.6	1.0
1996	70	0.6	0.07	0.5	0.8	66	0.7	0.08	0.5	0.8
1997	74	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.9
1998	80	0.7	0.08	0.5	0.8	76	0.7	0.08	0.6	0.9
1999	63	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2000	79	0.7	0.07	0.5	0.8	73	0.7	0.08	0.6	0.9
2001	68	0.6	0.07	0.4	0.7	67	0.7	0.08	0.5	0.8
2002	82	0.7	0.08	0.5	0.8	79	0.8	0.08	0.6	0.9
2003	76	0.6	0.07	0.5	0.8	70	0.7	0.08	0.5	0.9
2004	69	0.6	0.07	0.4	0.7	62	0.6	0.07	0.5	0.8
2005	82	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2006	96	0.8	0.08	0.6	0.9	86	0.8	0.09	0.7	1.0
2007	90	0.7	0.08	0.6	0.9	84	0.8	0.08	0.6	1.0
2008	81	0.6	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9
2009	86	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2010	90	0.7	0.07	0.6	0.8	83	0.7	0.08	0.6	0.9
2011	89	0.6	0.07	0.5	0.8	80	0.7	0.08	0.5	0.9
2012	88	0.7	0.07	0.5	0.8	82	0.7	0.08	0.6	0.9
2013	68	0.5	0.06	0.4	0.6	65	0.6	0.07	0.4	0.7
2014	104	0.7	0.07	0.6	0.9	93	0.8	0.08	0.6	1.0
2015	87	0.6	0.07	0.5	0.8	79	0.7	0.08	0.5	0.8
2016	90	0.6	0.07	0.5	0.8	81	0.7	0.08	0.5	0.8
2017	94	0.6	0.07	0.5	0.8	84	0.7	0.07	0.5	0.8
2018	78	0.5	0.06	0.4	0.7	75	0.6	0.07	0.5	0.8
2019	88	0.6	0.06	0.5	0.7	79	0.6	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ureter										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	112	0.2	0.02	0.2	0.3	49	0.4	0.06	0.3	0.5
1986	5	0.5	0.22	0.2	1.1	1	0.9	0.88	0.0	4.6
1987	2	0.2	0.15	0.0	0.7	0				
1988	0					0				
1989	0					0				
1990	2	0.2	0.17	0.0	0.8	0				
1991	2	0.2	0.14	0.0	0.6	0				
1992	2	0.2	0.11	0.0	0.6	1	0.4	0.42	0.0	2.6
1993	3	0.3	0.16	0.1	0.8	0				
1994	1	0.1	0.10	0.0	0.5	2	1.4	1.00	0.2	4.5
1995	1	0.1	0.07	0.0	0.4	1	0.3	0.30	0.0	2.0
1996	3	0.2	0.13	0.1	0.6	1	0.7	0.74	0.0	3.3
1997	2	0.2	0.13	0.0	0.6	0				
1998	1	0.1	0.07	0.0	0.4	1	0.4	0.35	0.0	1.9
1999	5	0.4	0.16	0.1	0.8	2	0.7	0.53	0.1	2.5
2000	6	0.5	0.20	0.2	1.0	0				
2001	0					0				
2002	3	0.2	0.12	0.0	0.6	0				
2003	5	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.6
2004	6	0.4	0.18	0.2	0.9	1	0.2	0.16	0.0	1.1
2005	1	0.1	0.08	0.0	0.4	2	0.5	0.37	0.1	1.8
2006	8	0.6	0.21	0.3	1.2	2	0.4	0.31	0.0	1.6
2007	5	0.3	0.15	0.1	0.7	0				
2008	1	0.1	0.05	0.0	0.3	2	0.3	0.22	0.0	1.2
2009	5	0.3	0.16	0.1	0.8	2	0.3	0.20	0.0	1.1
2010	5	0.4	0.16	0.1	0.8	2	0.4	0.25	0.0	1.3
2011	4	0.2	0.12	0.1	0.6	5	1.1	0.52	0.3	2.5
2012	4	0.3	0.14	0.1	0.7	2	0.4	0.29	0.0	1.4
2013	2	0.1	0.07	0.0	0.4	1	0.1	0.10	0.0	0.7
2014	4	0.2	0.12	0.1	0.6	5	0.8	0.36	0.2	1.8
2015	5	0.3	0.14	0.1	0.7	3	0.4	0.24	0.1	1.2
2016	7	0.3	0.13	0.1	0.7	2	0.4	0.26	0.0	1.2
2017	6	0.3	0.13	0.1	0.7	4	0.5	0.27	0.1	1.4
2018	1	0.1	0.06	0.0	0.3	2	0.3	0.18	0.0	0.9
2019	5	0.3	0.11	0.1	0.6	4	0.5	0.24	0.1	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ureter										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,616	0.9	0.02	0.9	1.0	1,519	1.0	0.03	0.9	1.0
1986	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4
1987	30	0.7	0.12	0.4	0.9	29	0.7	0.14	0.5	1.0
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.17	0.8	1.5
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.5
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1994	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.6
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5
1997	50	1.1	0.16	0.8	1.4	47	1.2	0.17	0.9	1.5
1998	50	1.1	0.15	0.8	1.4	48	1.2	0.17	0.9	1.5
1999	38	0.8	0.13	0.6	1.1	33	0.8	0.14	0.5	1.1
2000	44	0.9	0.13	0.6	1.2	40	0.9	0.14	0.7	1.2
2001	40	0.8	0.13	0.6	1.1	39	0.9	0.14	0.6	1.2
2002	51	1.0	0.15	0.8	1.4	50	1.2	0.17	0.9	1.5
2003	47	0.9	0.13	0.7	1.2	44	1.0	0.15	0.7	1.3
2004	41	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.2
2005	49	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
2006	55	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2007	54	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5
2008	44	0.8	0.13	0.6	1.1	41	0.9	0.14	0.7	1.2
2009	51	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.3
2010	53	0.9	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
2011	57	0.9	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4
2012	52	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3
2013	43	0.7	0.12	0.5	1.0	42	0.9	0.13	0.6	1.2
2014	54	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3
2015	57	1.0	0.13	0.7	1.3	54	1.1	0.15	0.8	1.4
2016	59	1.0	0.13	0.7	1.2	53	1.0	0.14	0.8	1.3
2017	53	0.8	0.11	0.6	1.1	49	0.9	0.13	0.7	1.2
2018	48	0.8	0.11	0.6	1.0	47	0.9	0.13	0.6	1.2
2019	54	0.8	0.11	0.6	1.1	48	0.9	0.13	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ureter										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	64	0.3	0.04	0.3	0.4	27	0.5	0.10	0.3	0.7
1986	4	1.0	0.52	0.2	2.5	0				
1987	1	0.2	0.17	0.0	1.0	0				
1988	0					0				
1989	0					0				
1990	0					0				
1991	1	0.2	0.15	0.0	1.0	0				
1992	2	0.4	0.27	0.1	1.4	1	0.9	0.92	0.0	6.1
1993	2	0.3	0.24	0.0	1.3	0				
1994	0					2	3.4	2.47	0.4	11.0
1995	1	0.2	0.16	0.0	0.9	1	0.6	0.61	0.0	4.7
1996	1	0.2	0.20	0.0	1.0	0				
1997	2	0.5	0.36	0.1	1.6	0				
1998	1	0.2	0.16	0.0	0.9	0				
1999	3	0.6	0.42	0.1	1.9	2	1.6	1.30	0.1	6.2
2000	4	0.8	0.42	0.2	2.0	0				
2001	0					0				
2002	1	0.2	0.15	0.0	0.9	0				
2003	3	0.4	0.24	0.1	1.3	0				
2004	3	0.5	0.30	0.1	1.5	1	0.3	0.34	0.0	2.6
2005	1	0.2	0.24	0.0	1.1	1	0.7	0.68	0.0	3.4
2006	4	0.7	0.36	0.2	1.8	0				
2007	3	0.4	0.23	0.1	1.2	0				
2008	1	0.1	0.11	0.0	0.7	2	0.6	0.46	0.1	2.7
2009	3	0.6	0.38	0.1	1.7	1	0.3	0.33	0.0	2.1
2010	3	0.5	0.32	0.1	1.5	1	0.3	0.32	0.0	2.0
2011	1	0.1	0.10	0.0	0.7	3	1.7	1.07	0.3	4.8
2012	4	0.7	0.37	0.2	1.8	1	0.7	0.67	0.0	2.9
2013	0					1	0.2	0.23	0.0	1.6
2014	2	0.3	0.21	0.0	1.0	3	1.2	0.76	0.2	3.5
2015	2	0.3	0.20	0.0	1.0	1	0.2	0.24	0.0	1.5
2016	4	0.5	0.27	0.1	1.3	2	0.8	0.58	0.1	2.7
2017	2	0.2	0.15	0.0	0.8	2	0.5	0.38	0.1	2.0
2018	1	0.2	0.19	0.0	0.9	0				
2019	4	0.6	0.30	0.2	1.5	2	0.4	0.29	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ureter										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,067	0.4	0.01	0.4	0.5	994	0.5	0.01	0.4	0.5
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7
1988	34	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7
1991	31	0.5	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.4	0.7
1995	27	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
1996	26	0.4	0.07	0.3	0.6	23	0.4	0.08	0.2	0.6
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6
1998	30	0.4	0.08	0.3	0.6	28	0.4	0.08	0.3	0.6
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.3	0.6
2000	35	0.5	0.08	0.3	0.7	33	0.5	0.09	0.4	0.7
2001	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2002	31	0.4	0.08	0.3	0.6	29	0.4	0.08	0.3	0.7
2003	29	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6
2004	28	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2005	33	0.5	0.08	0.3	0.6	32	0.5	0.09	0.3	0.7
2006	41	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8
2007	36	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.8
2008	37	0.5	0.08	0.3	0.7	37	0.6	0.10	0.4	0.8
2009	35	0.5	0.08	0.3	0.7	32	0.5	0.09	0.3	0.7
2010	37	0.5	0.08	0.4	0.7	34	0.5	0.09	0.4	0.8
2011	32	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
2012	36	0.5	0.08	0.3	0.6	35	0.5	0.09	0.4	0.8
2013	25	0.3	0.06	0.2	0.5	23	0.3	0.07	0.2	0.5
2014	50	0.6	0.09	0.5	0.8	46	0.7	0.10	0.5	0.9
2015	30	0.3	0.06	0.2	0.5	25	0.3	0.07	0.2	0.5
2016	31	0.4	0.07	0.3	0.6	28	0.4	0.08	0.3	0.6
2017	41	0.5	0.08	0.3	0.7	35	0.5	0.09	0.3	0.7
2018	30	0.4	0.06	0.2	0.5	28	0.4	0.08	0.3	0.6
2019	34	0.4	0.07	0.3	0.6	31	0.4	0.08	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ureter										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	48	0.2	0.03	0.1	0.2	22	0.3	0.07	0.2	0.5
1986	1	0.2	0.16	0.0	0.8	1	1.5	1.54	0.0	8.0
1987	1	0.2	0.20	0.0	0.9	0				
1988	0					0				
1989	0					0				
1990	2	0.4	0.26	0.0	1.2	0				
1991	1	0.2	0.18	0.0	0.9	0				
1992	0					0				
1993	1	0.2	0.17	0.0	0.8	0				
1994	1	0.2	0.16	0.0	0.8	0				
1995	0					0				
1996	2	0.3	0.17	0.0	0.9	1	1.2	1.23	0.0	5.5
1997	0					0				
1998	0					1	0.6	0.63	0.0	3.4
1999	2	0.2	0.16	0.0	0.8	0				
2000	2	0.3	0.19	0.0	0.9	0				
2001	0					0				
2002	2	0.2	0.17	0.0	0.8	0				
2003	2	0.2	0.15	0.0	0.8	1	0.6	0.59	0.0	2.9
2004	3	0.4	0.22	0.1	1.1	0				
2005	0					1	0.4	0.40	0.0	2.2
2006	4	0.5	0.25	0.1	1.3	2	0.8	0.57	0.1	2.8
2007	2	0.2	0.17	0.0	0.8	0				
2008	0					0				
2009	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.6
2010	2	0.2	0.16	0.0	0.8	1	0.4	0.38	0.0	2.0
2011	3	0.3	0.20	0.1	1.0	2	0.7	0.51	0.1	2.4
2012	0					1	0.2	0.22	0.0	1.4
2013	2	0.2	0.14	0.0	0.7	0				
2014	2	0.2	0.13	0.0	0.7	2	0.6	0.40	0.1	2.0
2015	3	0.3	0.19	0.1	0.9	2	0.5	0.39	0.1	1.9
2016	3	0.2	0.14	0.1	0.8	0				
2017	4	0.4	0.19	0.1	1.0	2	0.5	0.37	0.1	1.8
2018	0					2	0.5	0.34	0.1	1.7
2019	1	0.1	0.07	0.0	0.5	2	0.5	0.35	0.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Eye and Orbit										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,326	0.8	0.01	0.8	0.8	3,071	0.9	0.02	0.8	0.9
1986	65	0.6	0.08	0.5	0.8	62	0.7	0.09	0.5	0.9
1987	83	0.8	0.09	0.6	1.0	74	0.8	0.09	0.6	1.0
1988	83	0.8	0.08	0.6	0.9	73	0.8	0.09	0.6	1.0
1989	63	0.6	0.07	0.4	0.7	58	0.6	0.08	0.5	0.8
1990	66	0.6	0.07	0.5	0.8	56	0.6	0.08	0.5	0.8
1991	72	0.6	0.08	0.5	0.8	65	0.7	0.08	0.5	0.9
1992	97	0.8	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1993	78	0.7	0.08	0.5	0.8	71	0.7	0.09	0.6	0.9
1994	81	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	0.9
1995	96	0.8	0.08	0.7	1.0	88	0.9	0.10	0.7	1.1
1996	118	1.0	0.09	0.8	1.2	106	1.1	0.11	0.9	1.3
1997	81	0.7	0.08	0.6	0.9	77	0.8	0.09	0.6	1.0
1998	68	0.6	0.07	0.4	0.7	64	0.6	0.08	0.5	0.8
1999	94	0.8	0.08	0.6	1.0	90	0.9	0.09	0.7	1.1
2000	95	0.8	0.08	0.6	1.0	88	0.9	0.09	0.7	1.1
2001	105	0.9	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2002	91	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
2003	127	1.0	0.09	0.9	1.2	124	1.2	0.11	1.0	1.4
2004	103	0.8	0.08	0.7	1.0	98	0.9	0.10	0.8	1.2
2005	123	1.0	0.09	0.8	1.2	116	1.1	0.10	0.9	1.3
2006	107	0.8	0.08	0.7	1.0	104	1.0	0.10	0.8	1.2
2007	122	1.0	0.09	0.8	1.1	119	1.1	0.10	0.9	1.4
2008	101	0.8	0.08	0.6	0.9	92	0.9	0.09	0.7	1.0
2009	144	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.5
2010	105	0.8	0.08	0.7	1.0	100	0.9	0.09	0.8	1.1
2011	115	0.9	0.08	0.7	1.1	101	0.9	0.09	0.8	1.1
2012	103	0.7	0.07	0.6	0.9	97	0.8	0.09	0.7	1.0
2013	118	0.9	0.08	0.7	1.0	106	0.9	0.09	0.8	1.1
2014	91	0.6	0.07	0.5	0.8	83	0.7	0.08	0.6	0.9
2015	109	0.8	0.08	0.6	0.9	103	0.9	0.09	0.7	1.1
2016	115	0.8	0.07	0.6	0.9	105	0.9	0.09	0.7	1.1
2017	98	0.7	0.07	0.5	0.8	92	0.8	0.08	0.6	1.0
2018	109	0.7	0.07	0.6	0.9	101	0.8	0.08	0.7	1.0
2019	100	0.7	0.07	0.6	0.9	88	0.8	0.08	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Eye and Orbit										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	153	0.2	0.02	0.2	0.3	47	0.3	0.04	0.2	0.4
1986	2	0.1	0.09	0.0	0.5	1	0.9	0.88	0.0	4.6
1987	6	0.4	0.17	0.1	0.9	1	0.3	0.29	0.0	3.0
1988	8	0.4	0.15	0.2	0.8	2	0.6	0.40	0.1	3.2
1989	4	0.2	0.09	0.1	0.6	1	0.3	0.28	0.0	2.7
1990	8	0.5	0.19	0.2	1.0	1	0.3	0.25	0.0	2.6
1991	2	0.1	0.07	0.0	0.4	0				
1992	9	0.5	0.18	0.2	1.0	0				
1993	4	0.2	0.10	0.0	0.5	1	0.3	0.25	0.0	2.1
1994	5	0.3	0.14	0.1	0.7	0				
1995	5	0.2	0.10	0.1	0.6	0				
1996	6	0.3	0.15	0.1	0.8	4	1.5	0.80	0.3	3.9
1997	3	0.2	0.09	0.0	0.5	1	0.2	0.21	0.0	1.7
1998	2	0.1	0.09	0.0	0.4	1	0.2	0.20	0.0	1.6
1999	4	0.2	0.10	0.1	0.5	0				
2000	3	0.2	0.12	0.0	0.6	2	0.6	0.50	0.1	2.4
2001	7	0.4	0.14	0.1	0.8	2	0.9	0.69	0.1	3.0
2002	8	0.3	0.12	0.2	0.7	3	0.5	0.31	0.1	1.8
2003	1	0.0	0.04	0.0	0.3	0				
2004	3	0.1	0.08	0.0	0.4	0				
2005	4	0.2	0.09	0.1	0.5	2	0.5	0.40	0.1	1.9
2006	1	0.1	0.05	0.0	0.3	1	0.2	0.16	0.0	1.1
2007	1	0.0	0.04	0.0	0.3	1	0.1	0.14	0.0	1.0
2008	4	0.2	0.09	0.1	0.5	3	0.4	0.23	0.1	1.3
2009	8	0.4	0.15	0.2	0.8	0				
2010	4	0.2	0.12	0.1	0.6	1	0.1	0.13	0.0	0.9
2011	7	0.4	0.13	0.1	0.7	3	0.7	0.43	0.2	2.0
2012	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.8
2013	6	0.3	0.13	0.1	0.7	2	0.3	0.18	0.0	1.0
2014	5	0.3	0.12	0.1	0.6	1	0.1	0.13	0.0	0.8
2015	3	0.2	0.10	0.0	0.5	3	0.4	0.24	0.1	1.2
2016	2	0.1	0.08	0.0	0.4	4	0.4	0.22	0.1	1.2
2017	3	0.2	0.09	0.0	0.4	2	0.2	0.17	0.0	0.9
2018	5	0.2	0.11	0.1	0.6	1	0.1	0.12	0.0	0.7
2019	8	0.4	0.14	0.2	0.8	2	0.2	0.17	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Eye and Orbit										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,757	0.9	0.02	0.9	1.0	1,618	1.0	0.03	1.0	1.1
1986	36	0.8	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2
1987	40	0.8	0.14	0.6	1.1	35	0.9	0.15	0.6	1.2
1988	43	0.9	0.14	0.6	1.2	37	0.9	0.15	0.6	1.2
1989	27	0.6	0.12	0.4	0.9	24	0.6	0.13	0.4	0.9
1990	35	0.7	0.12	0.5	1.0	30	0.7	0.13	0.5	1.0
1991	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1992	50	1.0	0.14	0.7	1.3	44	1.0	0.16	0.7	1.4
1993	38	0.7	0.12	0.5	1.0	35	0.8	0.14	0.6	1.1
1994	41	0.8	0.13	0.6	1.1	39	0.9	0.15	0.6	1.2
1995	54	1.0	0.14	0.7	1.3	49	1.1	0.15	0.8	1.4
1996	65	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.7
1997	47	0.9	0.14	0.7	1.2	43	1.0	0.15	0.7	1.3
1998	32	0.6	0.11	0.4	0.9	31	0.7	0.12	0.5	1.0
1999	50	1.0	0.14	0.7	1.3	50	1.1	0.16	0.8	1.5
2000	56	1.1	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5
2001	54	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2002	58	1.0	0.14	0.8	1.3	50	1.1	0.15	0.8	1.4
2003	64	1.2	0.15	0.9	1.5	63	1.3	0.17	1.0	1.7
2004	50	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.4
2005	69	1.2	0.14	0.9	1.5	66	1.4	0.17	1.0	1.7
2006	54	0.9	0.13	0.7	1.2	53	1.1	0.15	0.8	1.4
2007	60	1.0	0.13	0.8	1.3	59	1.2	0.16	0.9	1.6
2008	58	1.0	0.13	0.8	1.3	56	1.2	0.16	0.9	1.5
2009	83	1.3	0.15	1.1	1.6	76	1.5	0.17	1.1	1.8
2010	54	0.9	0.13	0.7	1.2	52	1.1	0.15	0.8	1.4
2011	66	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5
2012	54	0.9	0.12	0.7	1.2	53	1.0	0.14	0.8	1.4
2013	66	1.1	0.13	0.8	1.3	59	1.1	0.15	0.9	1.5
2014	50	0.7	0.10	0.5	1.0	45	0.8	0.12	0.6	1.1
2015	53	0.8	0.12	0.6	1.1	49	0.9	0.13	0.7	1.2
2016	60	0.9	0.11	0.7	1.1	53	0.9	0.13	0.7	1.2
2017	56	0.9	0.12	0.6	1.1	54	1.0	0.14	0.8	1.3
2018	49	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0
2019	51	0.8	0.11	0.6	1.0	43	0.8	0.13	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Eye and Orbit										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	87	0.3	0.03	0.2	0.4	25	0.3	0.07	0.2	0.5
1986	2	0.3	0.19	0.0	1.1	0				
1987	4	0.5	0.28	0.1	1.6	1	0.6	0.56	0.0	6.9
1988	4	0.5	0.28	0.1	1.5	2	1.1	0.79	0.1	7.1
1989	2	0.2	0.14	0.0	1.0	1	0.5	0.53	0.0	6.2
1990	5	0.5	0.26	0.2	1.5	0				
1991	1	0.1	0.13	0.0	0.9	0				
1992	6	0.5	0.23	0.2	1.4	0				
1993	2	0.1	0.10	0.0	0.8	0				
1994	2	0.2	0.19	0.0	1.1	0				
1995	3	0.3	0.19	0.1	1.1	0				
1996	5	0.7	0.34	0.2	1.7	2	2.3	1.71	0.2	8.0
1997	3	0.3	0.20	0.1	1.1	1	0.4	0.42	0.0	3.9
1998	0					0				
1999	0					0				
2000	3	0.6	0.40	0.1	1.8	1	0.4	0.35	0.0	3.2
2001	4	0.5	0.29	0.1	1.5	2	2.4	2.08	0.2	8.6
2002	5	0.4	0.19	0.1	1.1	2	0.7	0.48	0.1	3.3
2003	1	0.1	0.09	0.0	0.7	0				
2004	1	0.1	0.09	0.0	0.7	0				
2005	3	0.3	0.15	0.1	0.9	0				
2006	1	0.1	0.09	0.0	0.7	0				
2007	0					1	0.3	0.28	0.0	2.2
2008	1	0.1	0.09	0.0	0.7	0				
2009	6	0.7	0.28	0.2	1.5	0				
2010	1	0.2	0.21	0.0	1.0	1	0.3	0.26	0.0	1.9
2011	2	0.2	0.17	0.0	0.9	1	0.6	0.59	0.0	2.8
2012	0					1	0.3	0.25	0.0	1.7
2013	3	0.4	0.22	0.1	1.1	1	0.3	0.25	0.0	1.6
2014	3	0.3	0.19	0.1	1.0	1	0.3	0.26	0.0	1.6
2015	1	0.2	0.15	0.0	0.8	3	0.9	0.50	0.2	2.5
2016	2	0.3	0.21	0.0	1.0	2	0.5	0.33	0.1	1.8
2017	2	0.2	0.15	0.0	0.8	0				
2018	3	0.3	0.17	0.1	0.9	1	0.3	0.25	0.0	1.4
2019	6	0.6	0.25	0.2	1.4	1	0.2	0.24	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Eye and Orbit										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,569	0.7	0.02	0.7	0.7	1,453	0.8	0.02	0.7	0.8
1986	29	0.5	0.10	0.3	0.8	28	0.6	0.12	0.4	0.9
1987	43	0.7	0.11	0.5	1.0	39	0.8	0.13	0.5	1.1
1988	40	0.7	0.11	0.5	0.9	36	0.7	0.12	0.5	1.0
1989	36	0.6	0.11	0.4	0.9	34	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.7
1991	38	0.6	0.10	0.4	0.9	34	0.6	0.11	0.4	0.9
1992	47	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1
1993	40	0.6	0.10	0.5	0.9	36	0.7	0.11	0.5	0.9
1994	40	0.6	0.10	0.4	0.9	36	0.7	0.11	0.5	0.9
1995	42	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
1996	53	0.8	0.12	0.6	1.1	50	0.9	0.13	0.7	1.2
1997	34	0.5	0.09	0.4	0.7	34	0.6	0.11	0.4	0.9
1998	36	0.6	0.09	0.4	0.8	33	0.6	0.11	0.4	0.9
1999	44	0.7	0.10	0.5	0.9	40	0.8	0.12	0.5	1.0
2000	39	0.6	0.09	0.4	0.8	37	0.7	0.11	0.5	0.9
2001	51	0.8	0.11	0.6	1.0	46	0.9	0.13	0.6	1.1
2002	33	0.5	0.08	0.3	0.7	29	0.5	0.10	0.3	0.7
2003	63	0.9	0.12	0.7	1.2	61	1.1	0.14	0.8	1.4
2004	53	0.8	0.11	0.6	1.0	51	0.9	0.13	0.7	1.2
2005	54	0.8	0.11	0.6	1.1	50	0.9	0.13	0.7	1.2
2006	53	0.8	0.11	0.6	1.0	51	0.9	0.13	0.7	1.2
2007	62	0.9	0.12	0.7	1.2	60	1.1	0.14	0.8	1.4
2008	43	0.6	0.10	0.4	0.8	36	0.6	0.10	0.4	0.9
2009	61	0.9	0.11	0.7	1.1	59	1.1	0.14	0.8	1.4
2010	51	0.7	0.10	0.5	1.0	48	0.8	0.12	0.6	1.1
2011	49	0.7	0.10	0.5	0.9	40	0.7	0.12	0.5	1.0
2012	49	0.7	0.10	0.5	0.9	44	0.7	0.11	0.5	1.0
2013	52	0.7	0.10	0.5	1.0	47	0.8	0.12	0.6	1.1
2014	41	0.5	0.08	0.4	0.7	38	0.6	0.10	0.4	0.8
2015	56	0.8	0.10	0.6	1.0	54	0.9	0.13	0.7	1.2
2016	55	0.7	0.10	0.5	1.0	52	0.9	0.12	0.6	1.2
2017	42	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8
2018	60	0.8	0.10	0.6	1.0	58	0.9	0.12	0.7	1.2
2019	49	0.7	0.10	0.5	0.9	45	0.8	0.12	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Eye and Orbit										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	66	0.2	0.02	0.1	0.2	22	0.3	0.06	0.2	0.4
1986	0					1	1.5	1.54	0.0	8.0
1987	2	0.2	0.18	0.0	0.9	0				
1988	4	0.3	0.17	0.1	1.0	0				
1989	2	0.2	0.14	0.0	0.8	0				
1990	3	0.4	0.23	0.1	1.2	1	0.5	0.51	0.0	4.7
1991	1	0.1	0.08	0.0	0.6	0				
1992	3	0.4	0.23	0.1	1.1	0				
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.52	0.0	3.9
1994	3	0.3	0.20	0.1	1.0	0				
1995	2	0.1	0.10	0.0	0.6	0				
1996	1	0.1	0.07	0.0	0.5	2	1.0	0.73	0.1	4.1
1997	0					0				
1998	2	0.2	0.15	0.0	0.8	1	0.4	0.40	0.0	2.8
1999	4	0.4	0.19	0.1	1.0	0				
2000	0					1	0.8	0.79	0.0	3.7
2001	3	0.3	0.14	0.1	0.8	0				
2002	3	0.3	0.15	0.1	0.8	1	0.4	0.39	0.0	2.4
2003	0					0				
2004	2	0.2	0.13	0.0	0.7	0				
2005	1	0.1	0.09	0.0	0.6	2	0.9	0.70	0.1	3.3
2006	0					1	0.3	0.30	0.0	1.9
2007	1	0.1	0.09	0.0	0.5	0				
2008	3	0.3	0.16	0.1	0.8	3	0.8	0.47	0.2	2.6
2009	2	0.2	0.14	0.0	0.7	0				
2010	3	0.3	0.16	0.1	0.8	0				
2011	5	0.5	0.21	0.2	1.1	2	0.8	0.58	0.1	2.7
2012	2	0.2	0.14	0.0	0.7	0				
2013	3	0.3	0.17	0.1	0.9	1	0.3	0.26	0.0	1.5
2014	2	0.2	0.13	0.0	0.7	0				
2015	2	0.2	0.14	0.0	0.7	0				
2016	0					2	0.4	0.28	0.1	1.6
2017	1	0.1	0.10	0.0	0.6	2	0.5	0.34	0.1	1.7
2018	2	0.2	0.14	0.0	0.7	0				
2019	2	0.2	0.16	0.0	0.8	1	0.3	0.25	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain and Other Nervous System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	27,292	6.4	0.04	6.3	6.5	24,305	6.9	0.04	6.8	7.0
1986	652	5.9	0.24	5.5	6.4	598	6.3	0.26	5.8	6.9
1987	681	6.3	0.25	5.8	6.8	608	6.6	0.27	6.1	7.1
1988	711	6.4	0.24	6.0	6.9	635	6.7	0.27	6.2	7.3
1989	757	6.8	0.25	6.4	7.4	685	7.3	0.28	6.7	7.8
1990	680	6.1	0.24	5.6	6.5	625	6.6	0.27	6.1	7.1
1991	727	6.5	0.24	6.0	6.9	670	7.0	0.27	6.5	7.6
1992	711	6.3	0.24	5.8	6.7	639	6.6	0.26	6.1	7.2
1993	716	6.2	0.23	5.8	6.7	645	6.6	0.26	6.1	7.2
1994	770	6.7	0.24	6.2	7.1	685	7.0	0.27	6.5	7.5
1995	725	6.2	0.23	5.8	6.7	667	6.8	0.27	6.3	7.4
1996	761	6.4	0.23	6.0	6.9	684	6.9	0.26	6.4	7.4
1997	797	6.7	0.24	6.3	7.2	722	7.3	0.27	6.8	7.8
1998	756	6.3	0.23	5.9	6.8	668	6.7	0.26	6.2	7.2
1999	791	6.6	0.23	6.1	7.0	702	7.0	0.26	6.5	7.5
2000	773	6.4	0.23	5.9	6.8	692	6.9	0.26	6.4	7.4
2001	794	6.5	0.23	6.1	7.0	722	7.1	0.27	6.6	7.7
2002	763	6.2	0.22	5.8	6.6	685	6.7	0.26	6.2	7.2
2003	802	6.5	0.23	6.0	6.9	724	7.1	0.26	6.5	7.6
2004	854	6.8	0.23	6.4	7.3	766	7.4	0.27	6.9	8.0
2005	811	6.4	0.23	6.0	6.9	716	6.9	0.26	6.4	7.4
2006	893	7.0	0.24	6.6	7.5	786	7.6	0.27	7.0	8.1
2007	835	6.5	0.23	6.1	6.9	737	7.0	0.26	6.5	7.5
2008	896	6.9	0.23	6.5	7.4	793	7.4	0.27	6.9	8.0
2009	845	6.5	0.22	6.0	6.9	749	7.0	0.26	6.5	7.5
2010	903	6.8	0.23	6.4	7.3	796	7.4	0.27	6.9	7.9
2011	914	6.8	0.23	6.4	7.3	797	7.4	0.27	6.8	7.9
2012	839	6.1	0.21	5.7	6.5	744	6.6	0.25	6.2	7.2
2013	850	6.3	0.22	5.8	6.7	765	7.0	0.26	6.5	7.5
2014	891	6.5	0.22	6.1	6.9	779	7.0	0.26	6.5	7.6
2015	908	6.5	0.22	6.1	7.0	798	7.1	0.26	6.6	7.7
2016	896	6.4	0.22	5.9	6.8	765	6.8	0.25	6.3	7.3
2017	878	6.2	0.22	5.8	6.7	782	6.9	0.25	6.4	7.4
2018	879	6.3	0.22	5.9	6.8	764	6.9	0.26	6.4	7.4
2019	833	5.9	0.21	5.5	6.3	712	6.3	0.24	5.8	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain and Other Nervous System										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,276	4.0	0.08	3.8	4.1	562	3.4	0.15	3.1	3.7
1986	53	3.7	0.53	2.7	4.9	1	0.4	0.42	0.0	3.4
1987	66	4.9	0.63	3.7	6.3	6	2.5	1.06	0.9	6.1
1988	69	4.7	0.60	3.6	6.1	6	2.8	1.34	0.8	6.9
1989	65	4.4	0.58	3.4	5.7	6	2.9	1.39	0.8	7.0
1990	48	3.3	0.50	2.4	4.4	7	3.0	1.22	1.1	6.7
1991	46	3.2	0.49	2.3	4.3	6	2.4	1.04	0.8	5.6
1992	67	4.3	0.55	3.3	5.6	4	1.6	0.81	0.4	4.3
1993	58	3.8	0.52	2.9	5.0	12	4.3	1.35	2.1	7.9
1994	77	5.0	0.60	3.9	6.3	5	1.4	0.62	0.4	3.6
1995	52	3.4	0.49	2.5	4.5	5	1.6	0.82	0.4	4.1
1996	63	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	6.0
1997	53	3.2	0.45	2.3	4.2	18	4.9	1.24	2.8	8.1
1998	67	4.0	0.51	3.1	5.2	18	5.5	1.50	3.0	9.2
1999	68	4.2	0.52	3.2	5.3	14	3.5	0.99	1.8	6.0
2000	68	4.1	0.52	3.2	5.3	11	2.5	0.79	1.2	4.7
2001	52	3.3	0.47	2.4	4.3	17	3.8	1.01	2.1	6.4
2002	56	3.3	0.46	2.5	4.4	19	3.8	0.88	2.2	6.0
2003	59	3.6	0.48	2.7	4.7	14	3.4	1.06	1.6	6.1
2004	67	4.0	0.50	3.1	5.1	15	2.9	0.80	1.5	4.9
2005	72	4.1	0.50	3.2	5.2	14	2.8	0.80	1.5	4.8
2006	81	4.8	0.55	3.8	6.0	20	4.1	0.96	2.4	6.4
2007	68	3.9	0.48	3.0	4.9	26	4.4	0.93	2.8	6.6
2008	73	4.0	0.48	3.1	5.0	24	4.0	0.86	2.5	6.0
2009	66	3.7	0.47	2.9	4.8	22	3.5	0.81	2.1	5.5
2010	78	4.2	0.49	3.3	5.3	24	4.2	0.91	2.6	6.3
2011	88	4.8	0.52	3.8	5.9	22	3.1	0.67	1.9	4.7
2012	59	3.1	0.41	2.3	4.0	27	3.9	0.79	2.5	5.8
2013	59	3.2	0.43	2.5	4.2	20	3.1	0.71	1.8	4.8
2014	70	3.7	0.45	2.9	4.7	34	4.7	0.83	3.2	6.6
2015	77	4.0	0.47	3.2	5.0	26	3.4	0.68	2.2	5.0
2016	95	4.9	0.51	3.9	6.0	28	3.5	0.69	2.3	5.2
2017	72	3.8	0.46	3.0	4.8	21	2.5	0.55	1.5	3.8
2018	81	4.2	0.48	3.3	5.2	28	3.4	0.64	2.2	4.9
2019	83	4.2	0.47	3.4	5.3	29	3.2	0.60	2.1	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain and Other Nervous System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	14,865	7.6	0.06	7.5	7.7	13,284	8.1	0.07	8.0	8.3
1986	335	6.6	0.37	5.9	7.4	313	7.2	0.42	6.4	8.1
1987	372	7.6	0.41	6.8	8.4	330	7.8	0.44	7.0	8.8
1988	380	7.5	0.40	6.8	8.3	349	8.0	0.44	7.2	9.0
1989	396	7.9	0.41	7.1	8.8	359	8.4	0.45	7.5	9.3
1990	375	7.3	0.39	6.6	8.1	344	7.8	0.43	7.0	8.7
1991	397	7.8	0.40	7.0	8.6	369	8.5	0.45	7.6	9.4
1992	388	7.6	0.39	6.8	8.4	352	8.1	0.44	7.2	9.0
1993	392	7.6	0.39	6.8	8.4	357	8.1	0.44	7.3	9.0
1994	433	8.3	0.41	7.5	9.1	388	8.7	0.45	7.9	9.7
1995	399	7.4	0.38	6.7	8.2	373	8.2	0.43	7.4	9.1
1996	417	7.6	0.38	6.9	8.4	380	8.2	0.43	7.4	9.1
1997	452	8.4	0.40	7.6	9.2	405	8.9	0.45	8.1	9.8
1998	417	7.6	0.38	6.9	8.3	366	8.0	0.42	7.2	8.8
1999	430	7.9	0.38	7.1	8.7	380	8.3	0.43	7.5	9.1
2000	403	7.2	0.36	6.5	8.0	360	7.7	0.41	6.9	8.5
2001	441	7.9	0.38	7.2	8.7	398	8.5	0.43	7.7	9.4
2002	383	6.7	0.35	6.1	7.4	346	7.3	0.39	6.5	8.1
2003	446	7.8	0.37	7.1	8.5	401	8.4	0.42	7.5	9.2
2004	442	7.8	0.37	7.1	8.5	399	8.4	0.42	7.6	9.3
2005	442	7.6	0.36	6.9	8.3	392	8.0	0.41	7.3	8.9
2006	489	8.3	0.38	7.6	9.1	438	9.0	0.43	8.2	9.9
2007	432	7.1	0.35	6.5	7.9	380	7.6	0.40	6.9	8.4
2008	468	7.8	0.37	7.1	8.6	412	8.3	0.42	7.5	9.2
2009	455	7.5	0.36	6.8	8.2	403	8.0	0.41	7.2	8.9
2010	495	8.0	0.37	7.3	8.8	444	8.7	0.42	7.9	9.6
2011	505	8.2	0.37	7.5	8.9	438	8.6	0.42	7.8	9.5
2012	467	7.2	0.34	6.6	7.9	416	7.8	0.39	7.1	8.6
2013	475	7.4	0.35	6.7	8.1	423	8.1	0.40	7.3	8.9
2014	470	7.3	0.34	6.7	8.0	423	8.0	0.40	7.3	8.9
2015	520	7.9	0.35	7.2	8.6	457	8.5	0.41	7.8	9.4
2016	487	7.3	0.34	6.7	8.0	424	7.8	0.39	7.1	8.6
2017	501	7.6	0.35	6.9	8.3	443	8.3	0.40	7.5	9.1
2018	481	7.3	0.34	6.6	8.0	413	7.7	0.39	7.0	8.5
2019	480	7.3	0.34	6.6	8.0	409	7.7	0.39	7.0	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain and Other Nervous System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,204	4.7	0.14	4.5	5.0	300	3.8	0.23	3.3	4.2
1986	21	3.4	0.76	2.0	5.2	1	0.9	0.85	0.0	7.8
1987	37	6.2	1.10	4.3	8.8	4	3.5	1.80	0.9	10.9
1988	28	4.3	0.87	2.8	6.4	2	1.1	0.79	0.1	7.2
1989	33	5.0	0.96	3.3	7.2	4	2.2	1.12	0.6	8.1
1990	29	4.3	0.86	2.8	6.3	2	2.2	1.56	0.3	8.8
1991	25	4.2	0.93	2.6	6.4	2	1.2	0.86	0.1	6.5
1992	33	4.7	0.86	3.2	6.7	2	1.2	0.88	0.2	6.2
1993	28	4.0	0.81	2.6	6.0	7	5.8	2.53	2.0	13.3
1994	42	6.5	1.07	4.5	8.9	3	1.8	1.08	0.4	6.5
1995	23	3.4	0.79	2.0	5.3	3	1.5	0.85	0.3	5.7
1996	27	3.2	0.64	2.1	4.7	9	5.2	1.87	2.2	10.8
1997	32	4.6	0.90	3.0	6.7	12	7.6	2.44	3.6	14.2
1998	39	4.8	0.83	3.3	6.7	10	5.8	1.93	2.6	11.3
1999	36	5.0	0.88	3.4	7.0	9	4.4	1.56	1.9	9.1
2000	36	5.2	0.96	3.5	7.4	5	2.1	0.98	0.6	5.6
2001	33	5.0	0.94	3.4	7.2	9	4.9	1.88	1.9	10.1
2002	26	4.0	0.88	2.5	6.1	10	4.4	1.45	2.0	8.6
2003	36	4.9	0.85	3.4	6.9	7	4.0	1.79	1.3	8.9
2004	32	4.2	0.81	2.8	6.1	9	3.9	1.48	1.6	8.0
2005	39	5.0	0.84	3.5	7.0	6	2.6	1.16	0.9	6.1
2006	38	5.2	0.92	3.6	7.4	10	4.3	1.49	1.9	8.3
2007	32	3.9	0.72	2.7	5.6	17	5.6	1.47	3.1	9.5
2008	38	4.5	0.75	3.1	6.2	15	5.1	1.42	2.7	8.8
2009	37	4.5	0.78	3.1	6.3	12	4.3	1.44	2.0	8.1
2010	37	4.7	0.82	3.3	6.6	12	3.7	1.09	1.9	6.7
2011	54	6.5	0.93	4.9	8.6	9	2.9	1.01	1.2	5.7
2012	32	3.6	0.65	2.4	5.1	15	5.5	1.60	2.9	9.5
2013	37	4.2	0.72	2.9	5.9	12	3.9	1.24	1.9	7.1
2014	33	4.0	0.73	2.7	5.7	10	2.6	0.84	1.3	4.9
2015	42	5.0	0.79	3.5	6.8	17	4.9	1.27	2.7	8.1
2016	48	5.5	0.83	4.0	7.4	10	2.4	0.78	1.2	4.6
2017	44	5.2	0.81	3.8	7.1	13	3.1	0.87	1.6	5.4
2018	50	5.7	0.82	4.2	7.5	14	3.5	0.94	1.9	5.9
2019	47	5.7	0.86	4.1	7.6	18	4.2	0.99	2.5	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain and Other Nervous System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	12,427	5.5	0.05	5.4	5.6	11,021	5.9	0.06	5.8	6.0
1986	317	5.3	0.30	4.7	5.9	285	5.6	0.34	4.9	6.3
1987	309	5.2	0.30	4.6	5.8	278	5.5	0.34	4.9	6.2
1988	331	5.5	0.31	5.0	6.2	286	5.6	0.34	5.0	6.4
1989	361	6.1	0.33	5.5	6.8	326	6.5	0.37	5.8	7.3
1990	305	5.1	0.29	4.5	5.7	281	5.5	0.34	4.9	6.2
1991	330	5.3	0.30	4.8	5.9	301	5.7	0.34	5.1	6.4
1992	323	5.2	0.29	4.6	5.8	287	5.5	0.33	4.8	6.1
1993	324	5.1	0.29	4.6	5.7	288	5.4	0.32	4.8	6.1
1994	337	5.3	0.29	4.7	5.9	297	5.5	0.32	4.9	6.2
1995	326	5.2	0.29	4.6	5.8	294	5.6	0.33	5.0	6.3
1996	344	5.4	0.29	4.8	6.0	304	5.7	0.33	5.1	6.4
1997	345	5.4	0.29	4.8	6.0	317	6.0	0.34	5.3	6.7
1998	339	5.3	0.29	4.7	5.9	302	5.7	0.33	5.1	6.4
1999	361	5.5	0.29	4.9	6.1	322	5.9	0.33	5.3	6.6
2000	370	5.7	0.30	5.1	6.3	332	6.2	0.34	5.5	6.9
2001	353	5.4	0.29	4.8	6.0	324	6.0	0.34	5.4	6.7
2002	380	5.7	0.30	5.2	6.4	339	6.2	0.34	5.6	6.9
2003	356	5.3	0.28	4.8	5.9	323	5.9	0.33	5.3	6.6
2004	412	6.1	0.30	5.6	6.8	367	6.7	0.35	6.0	7.5
2005	369	5.5	0.29	4.9	6.1	324	5.9	0.33	5.3	6.6
2006	404	6.0	0.30	5.4	6.6	348	6.4	0.34	5.7	7.1
2007	403	5.9	0.30	5.3	6.5	357	6.5	0.35	5.8	7.2
2008	428	6.1	0.30	5.6	6.8	381	6.7	0.35	6.1	7.5
2009	390	5.6	0.29	5.1	6.2	346	6.2	0.34	5.5	6.9
2010	408	5.7	0.29	5.2	6.3	352	6.1	0.33	5.5	6.8
2011	409	5.7	0.29	5.2	6.3	359	6.3	0.34	5.6	7.0
2012	372	5.2	0.28	4.7	5.8	328	5.7	0.32	5.0	6.3
2013	375	5.2	0.28	4.7	5.8	342	5.9	0.33	5.3	6.6
2014	421	5.8	0.29	5.2	6.4	356	6.1	0.34	5.5	6.8
2015	388	5.4	0.28	4.8	5.9	341	5.9	0.33	5.3	6.6
2016	409	5.6	0.28	5.0	6.2	341	5.9	0.33	5.2	6.5
2017	377	5.0	0.27	4.5	5.5	339	5.6	0.32	5.0	6.3
2018	398	5.5	0.29	5.0	6.1	351	6.2	0.34	5.5	6.9
2019	353	4.7	0.26	4.2	5.2	303	5.1	0.30	4.5	5.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain and Other Nervous System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,072	3.3	0.10	3.1	3.6	262	3.0	0.19	2.7	3.4
1986	32	3.9	0.72	2.6	5.6	0				
1987	29	3.8	0.74	2.5	5.6	2	1.6	1.21	0.2	7.1
1988	41	5.1	0.82	3.6	7.0	4	4.2	2.30	0.9	11.4
1989	32	4.0	0.74	2.7	5.7	2	3.1	2.17	0.4	10.1
1990	19	2.4	0.56	1.4	3.7	5	3.8	1.80	1.1	9.7
1991	21	2.5	0.56	1.5	3.8	4	3.3	1.71	0.8	8.9
1992	34	4.0	0.70	2.7	5.6	2	1.7	1.25	0.2	6.4
1993	30	3.6	0.67	2.4	5.2	5	3.2	1.44	1.0	7.8
1994	35	4.0	0.69	2.7	5.6	2	1.0	0.70	0.1	4.3
1995	29	3.5	0.65	2.3	5.0	2	1.5	1.18	0.1	5.6
1996	36	4.1	0.70	2.8	5.7	4	1.8	0.91	0.5	5.1
1997	21	2.2	0.49	1.3	3.4	6	2.8	1.17	1.0	6.5
1998	28	3.2	0.63	2.1	4.7	8	4.8	1.98	1.8	10.1
1999	32	3.5	0.62	2.4	4.9	5	2.6	1.23	0.8	6.3
2000	32	3.5	0.63	2.4	4.9	6	2.9	1.20	1.0	6.4
2001	19	2.1	0.48	1.2	3.2	8	3.2	1.17	1.3	6.5
2002	30	3.1	0.58	2.1	4.5	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	35	3.7	0.64	2.6	5.2	6	2.1	0.89	0.7	4.7
2005	33	3.4	0.59	2.3	4.7	8	2.9	1.09	1.2	5.9
2006	43	4.4	0.69	3.2	6.0	10	3.9	1.28	1.8	7.3
2007	36	3.7	0.62	2.6	5.1	9	3.2	1.13	1.4	6.2
2008	35	3.5	0.60	2.4	4.9	9	2.9	1.01	1.3	5.6
2009	29	3.1	0.58	2.1	4.5	10	3.0	0.98	1.4	5.6
2010	41	3.9	0.62	2.8	5.4	12	4.3	1.31	2.1	7.6
2011	34	3.3	0.58	2.3	4.7	13	3.3	0.91	1.7	5.7
2012	27	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.1
2013	22	2.3	0.50	1.5	3.5	8	2.4	0.87	1.0	4.8
2014	37	3.4	0.57	2.4	4.7	24	6.4	1.33	4.0	9.5
2015	35	3.3	0.56	2.3	4.6	9	2.2	0.74	1.0	4.2
2016	47	4.5	0.66	3.3	6.0	18	4.3	1.04	2.5	6.9
2017	28	2.6	0.51	1.7	3.8	8	1.9	0.69	0.8	3.8
2018	31	3.0	0.55	2.0	4.3	14	3.2	0.85	1.7	5.3
2019	36	3.3	0.56	2.3	4.6	11	2.4	0.72	1.2	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	25,607	6.0	0.04	5.9	6.1	22,940	6.5	0.04	6.4	6.6
1986	606	5.5	0.23	5.1	6.0	561	6.0	0.26	5.5	6.5
1987	620	5.7	0.23	5.3	6.2	559	6.0	0.26	5.5	6.6
1988	649	5.9	0.23	5.4	6.3	590	6.2	0.26	5.7	6.8
1989	706	6.4	0.24	5.9	6.9	646	6.8	0.27	6.3	7.4
1990	626	5.6	0.23	5.2	6.0	579	6.1	0.26	5.6	6.6
1991	682	6.0	0.23	5.6	6.5	635	6.6	0.27	6.1	7.2
1992	677	6.0	0.23	5.5	6.4	611	6.3	0.26	5.8	6.9
1993	655	5.7	0.22	5.3	6.1	596	6.1	0.25	5.6	6.6
1994	729	6.3	0.23	5.9	6.8	651	6.7	0.26	6.2	7.2
1995	689	5.9	0.23	5.5	6.4	636	6.5	0.26	6.0	7.0
1996	708	6.0	0.23	5.5	6.4	646	6.5	0.26	6.0	7.0
1997	756	6.4	0.23	5.9	6.9	686	6.9	0.26	6.4	7.5
1998	706	5.9	0.22	5.5	6.4	628	6.3	0.25	5.8	6.8
1999	746	6.2	0.23	5.8	6.6	664	6.6	0.26	6.1	7.1
2000	731	6.0	0.22	5.6	6.5	659	6.5	0.25	6.0	7.1
2001	753	6.2	0.22	5.7	6.6	689	6.8	0.26	6.3	7.3
2002	727	5.9	0.22	5.5	6.3	657	6.4	0.25	6.0	7.0
2003	772	6.2	0.22	5.8	6.7	696	6.8	0.26	6.3	7.3
2004	798	6.4	0.23	6.0	6.8	715	6.9	0.26	6.4	7.5
2005	751	5.9	0.22	5.5	6.4	670	6.4	0.25	5.9	6.9
2006	848	6.7	0.23	6.2	7.1	753	7.2	0.27	6.7	7.8
2007	775	6.0	0.22	5.6	6.5	685	6.5	0.25	6.0	7.0
2008	843	6.5	0.23	6.1	7.0	748	7.0	0.26	6.5	7.5
2009	794	6.1	0.22	5.6	6.5	709	6.6	0.25	6.2	7.2
2010	859	6.5	0.22	6.0	6.9	761	7.0	0.26	6.5	7.6
2011	862	6.4	0.22	6.0	6.9	753	6.9	0.26	6.4	7.5
2012	788	5.7	0.21	5.3	6.2	701	6.2	0.24	5.8	6.7
2013	798	5.8	0.21	5.4	6.3	720	6.5	0.25	6.0	7.0
2014	831	6.0	0.21	5.6	6.5	729	6.6	0.25	6.1	7.1
2015	849	6.1	0.21	5.7	6.5	754	6.7	0.25	6.2	7.2
2016	841	5.9	0.21	5.5	6.4	724	6.4	0.24	5.9	6.8
2017	817	5.8	0.21	5.4	6.2	730	6.4	0.24	5.9	6.9
2018	827	5.9	0.21	5.5	6.3	723	6.5	0.25	6.0	7.0
2019	788	5.5	0.20	5.1	6.0	676	5.9	0.24	5.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,030	3.5	0.08	3.4	3.7	513	3.1	0.14	2.8	3.4
1986	44	3.0	0.48	2.2	4.1	1	0.4	0.42	0.0	3.4
1987	55	4.1	0.58	3.1	5.4	5	1.9	0.90	0.6	5.3
1988	53	3.6	0.52	2.6	4.7	5	2.3	1.24	0.5	6.3
1989	53	3.6	0.52	2.6	4.7	6	2.9	1.39	0.8	7.0
1990	40	2.8	0.47	2.0	3.9	7	3.0	1.22	1.1	6.7
1991	38	2.6	0.44	1.8	3.6	4	1.3	0.67	0.3	3.9
1992	62	4.0	0.53	3.1	5.2	3	1.3	0.75	0.2	3.9
1993	48	3.2	0.48	2.3	4.3	10	3.5	1.21	1.5	6.9
1994	70	4.5	0.56	3.5	5.7	5	1.4	0.62	0.4	3.6
1995	49	3.2	0.48	2.3	4.3	3	1.2	0.76	0.2	3.7
1996	54	3.2	0.45	2.3	4.2	8	2.0	0.76	0.8	4.3
1997	50	3.0	0.44	2.2	4.0	16	4.3	1.14	2.3	7.2
1998	59	3.5	0.47	2.6	4.6	17	5.3	1.48	2.8	8.9
1999	62	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	5.9
2000	59	3.6	0.49	2.7	4.7	11	2.5	0.79	1.2	4.7
2001	46	2.9	0.45	2.1	4.0	15	3.2	0.86	1.7	5.4
2002	50	3.0	0.44	2.2	4.0	18	3.6	0.86	2.1	5.8
2003	57	3.5	0.47	2.6	4.5	14	3.4	1.06	1.6	6.1
2004	62	3.7	0.48	2.8	4.7	15	2.9	0.80	1.5	4.9
2005	63	3.6	0.46	2.7	4.6	12	2.5	0.77	1.2	4.5
2006	74	4.3	0.51	3.3	5.4	17	3.4	0.87	1.9	5.6
2007	61	3.5	0.45	2.6	4.5	25	4.3	0.92	2.7	6.5
2008	66	3.6	0.45	2.8	4.6	23	3.6	0.77	2.2	5.5
2009	59	3.4	0.46	2.6	4.4	20	3.3	0.79	1.9	5.2
2010	73	4.0	0.47	3.1	5.0	22	3.9	0.89	2.3	6.0
2011	81	4.5	0.50	3.5	5.6	22	3.1	0.67	1.9	4.7
2012	54	2.9	0.40	2.1	3.8	26	3.8	0.78	2.4	5.6
2013	54	2.9	0.41	2.2	3.8	19	2.9	0.70	1.7	4.6
2014	64	3.3	0.43	2.6	4.3	31	4.3	0.80	2.9	6.2
2015	66	3.4	0.43	2.6	4.3	25	3.2	0.67	2.1	4.8
2016	83	4.3	0.48	3.4	5.3	28	3.5	0.69	2.3	5.2
2017	67	3.5	0.44	2.7	4.5	18	2.1	0.51	1.3	3.4
2018	75	3.9	0.46	3.1	4.9	24	2.9	0.60	1.9	4.4
2019	79	4.0	0.46	3.2	5.1	25	2.7	0.56	1.8	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	14,096	7.2	0.06	7.1	7.3	12,672	7.8	0.07	7.6	7.9
1986	315	6.3	0.36	5.6	7.0	298	6.9	0.41	6.1	7.7
1987	338	6.9	0.39	6.1	7.7	304	7.2	0.42	6.4	8.0
1988	361	7.2	0.39	6.4	8.0	336	7.7	0.43	6.9	8.6
1989	374	7.5	0.40	6.7	8.3	342	8.0	0.44	7.1	8.9
1990	349	6.8	0.37	6.1	7.6	322	7.3	0.42	6.5	8.2
1991	369	7.2	0.38	6.5	8.0	345	7.9	0.43	7.1	8.8
1992	371	7.2	0.38	6.5	8.0	339	7.7	0.43	6.9	8.6
1993	363	7.0	0.38	6.3	7.8	333	7.6	0.42	6.8	8.5
1994	421	8.1	0.40	7.3	8.9	378	8.5	0.45	7.7	9.5
1995	380	7.1	0.37	6.4	7.9	356	7.9	0.42	7.1	8.7
1996	393	7.2	0.37	6.5	8.0	364	7.9	0.42	7.1	8.8
1997	430	8.0	0.39	7.3	8.8	387	8.5	0.44	7.7	9.4
1998	390	7.1	0.36	6.4	7.8	341	7.4	0.40	6.6	8.3
1999	408	7.5	0.38	6.8	8.3	363	7.9	0.42	7.1	8.8
2000	386	6.9	0.36	6.2	7.7	346	7.4	0.40	6.6	8.2
2001	420	7.6	0.37	6.9	8.3	381	8.2	0.42	7.3	9.0
2002	364	6.4	0.34	5.7	7.1	332	7.0	0.38	6.2	7.8
2003	436	7.6	0.37	6.9	8.4	393	8.2	0.42	7.4	9.0
2004	420	7.4	0.37	6.7	8.2	380	8.0	0.41	7.2	8.9
2005	415	7.1	0.35	6.4	7.8	371	7.6	0.40	6.9	8.4
2006	472	8.1	0.38	7.3	8.8	425	8.7	0.43	7.9	9.6
2007	406	6.7	0.34	6.1	7.4	357	7.2	0.38	6.4	7.9
2008	449	7.5	0.36	6.8	8.2	397	8.0	0.41	7.2	8.8
2009	428	7.0	0.34	6.3	7.7	381	7.6	0.39	6.8	8.4
2010	482	7.8	0.36	7.1	8.6	433	8.5	0.42	7.7	9.4
2011	485	7.8	0.36	7.1	8.6	421	8.3	0.41	7.5	9.1
2012	443	6.9	0.33	6.2	7.6	399	7.5	0.38	6.8	8.3
2013	448	6.9	0.33	6.3	7.6	398	7.6	0.39	6.8	8.4
2014	450	7.0	0.34	6.3	7.7	407	7.7	0.39	7.0	8.5
2015	489	7.4	0.34	6.8	8.1	433	8.1	0.40	7.3	8.9
2016	456	6.8	0.33	6.2	7.5	403	7.4	0.38	6.7	8.2
2017	472	7.2	0.34	6.5	7.9	420	7.8	0.39	7.1	8.6
2018	453	6.8	0.33	6.2	7.5	393	7.3	0.38	6.6	8.1
2019	460	7.0	0.33	6.3	7.7	394	7.4	0.38	6.7	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,085	4.3	0.14	4.0	4.6	274	3.5	0.23	3.0	3.9
1986	16	2.5	0.64	1.4	4.1	1	0.9	0.85	0.0	7.8
1987	29	5.2	1.03	3.4	7.6	4	3.5	1.80	0.9	10.9
1988	22	3.5	0.80	2.1	5.5	2	1.1	0.79	0.1	7.2
1989	28	4.3	0.91	2.7	6.5	4	2.2	1.12	0.6	8.1
1990	25	3.7	0.81	2.3	5.7	2	2.2	1.56	0.3	8.8
1991	21	3.7	0.89	2.2	5.9	2	1.2	0.86	0.1	6.5
1992	30	4.3	0.83	2.8	6.3	1	0.6	0.62	0.0	5.4
1993	24	3.5	0.76	2.2	5.4	6	4.8	2.32	1.4	11.9
1994	40	6.1	1.04	4.2	8.5	3	1.8	1.08	0.4	6.5
1995	22	3.2	0.78	1.9	5.1	2	1.0	0.68	0.1	5.0
1996	24	2.9	0.61	1.8	4.4	5	3.0	1.45	0.9	8.0
1997	30	4.5	0.89	2.9	6.6	10	6.1	2.17	2.7	12.3
1998	38	4.7	0.82	3.2	6.7	9	5.3	1.87	2.3	10.7
1999	32	4.5	0.84	3.0	6.5	8	4.1	1.53	1.7	8.7
2000	33	4.7	0.92	3.1	6.8	5	2.1	0.98	0.6	5.6
2001	30	4.6	0.91	3.0	6.8	8	3.6	1.36	1.4	7.7
2002	23	3.5	0.79	2.1	5.3	9	4.0	1.40	1.8	8.1
2003	34	4.6	0.82	3.1	6.5	7	4.0	1.79	1.3	8.9
2004	29	3.8	0.77	2.5	5.6	9	3.9	1.48	1.6	8.0
2005	35	4.5	0.80	3.0	6.3	4	2.1	1.09	0.5	5.4
2006	36	5.0	0.90	3.4	7.1	10	4.3	1.49	1.9	8.3
2007	29	3.5	0.68	2.3	5.2	17	5.6	1.47	3.1	9.5
2008	34	4.0	0.72	2.8	5.7	15	5.1	1.42	2.7	8.8
2009	33	4.1	0.75	2.7	5.8	11	4.1	1.41	1.8	7.8
2010	35	4.5	0.80	3.1	6.3	12	3.7	1.09	1.9	6.7
2011	52	6.4	0.92	4.7	8.4	9	2.9	1.01	1.2	5.7
2012	28	3.2	0.62	2.1	4.7	14	5.2	1.57	2.6	9.1
2013	36	4.1	0.70	2.8	5.7	11	3.7	1.21	1.7	6.8
2014	30	3.5	0.67	2.4	5.1	9	2.4	0.79	1.1	4.6
2015	37	4.4	0.75	3.0	6.1	17	4.9	1.27	2.7	8.1
2016	39	4.6	0.77	3.3	6.4	10	2.4	0.78	1.2	4.6
2017	40	4.8	0.77	3.4	6.5	11	2.7	0.81	1.3	4.8
2018	46	5.2	0.80	3.8	7.0	11	2.8	0.84	1.4	5.0
2019	45	5.5	0.85	3.9	7.4	16	3.7	0.93	2.1	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	11,511	5.0	0.05	5.0	5.1	10,268	5.5	0.05	5.4	5.6
1986	291	4.9	0.29	4.3	5.5	263	5.2	0.33	4.5	5.8
1987	282	4.7	0.29	4.2	5.3	255	5.0	0.32	4.4	5.7
1988	288	4.8	0.29	4.3	5.4	254	5.0	0.32	4.4	5.7
1989	332	5.6	0.31	5.0	6.2	304	6.1	0.35	5.4	6.8
1990	277	4.6	0.28	4.1	5.2	257	5.1	0.32	4.5	5.7
1991	313	5.0	0.29	4.5	5.6	290	5.5	0.33	4.9	6.2
1992	306	4.9	0.28	4.4	5.5	272	5.2	0.32	4.6	5.8
1993	292	4.6	0.27	4.1	5.2	263	4.9	0.31	4.3	5.6
1994	308	4.8	0.28	4.3	5.4	273	5.1	0.31	4.5	5.7
1995	309	4.9	0.28	4.3	5.5	280	5.3	0.32	4.7	6.0
1996	315	4.9	0.28	4.4	5.5	282	5.3	0.32	4.7	6.0
1997	326	5.1	0.28	4.5	5.7	299	5.6	0.33	5.0	6.3
1998	316	4.9	0.28	4.4	5.5	287	5.4	0.32	4.8	6.1
1999	338	5.2	0.28	4.6	5.7	301	5.5	0.32	4.9	6.2
2000	345	5.3	0.29	4.7	5.9	313	5.8	0.33	5.2	6.5
2001	333	5.1	0.28	4.5	5.6	308	5.7	0.33	5.1	6.4
2002	363	5.5	0.29	4.9	6.1	325	6.0	0.33	5.3	6.7
2003	336	5.0	0.27	4.5	5.6	303	5.5	0.32	4.9	6.2
2004	378	5.6	0.29	5.1	6.2	335	6.1	0.34	5.5	6.8
2005	336	5.0	0.27	4.4	5.5	299	5.4	0.32	4.8	6.0
2006	376	5.6	0.29	5.0	6.1	328	6.0	0.33	5.3	6.6
2007	369	5.4	0.28	4.8	6.0	328	5.9	0.33	5.3	6.6
2008	394	5.7	0.29	5.1	6.3	351	6.2	0.34	5.5	6.9
2009	366	5.3	0.28	4.7	5.8	328	5.8	0.33	5.2	6.5
2010	377	5.3	0.28	4.8	5.8	328	5.7	0.32	5.1	6.4
2011	377	5.3	0.28	4.7	5.8	332	5.8	0.33	5.2	6.5
2012	345	4.8	0.26	4.3	5.4	302	5.2	0.31	4.6	5.8
2013	350	4.9	0.27	4.4	5.4	322	5.5	0.32	4.9	6.2
2014	381	5.2	0.27	4.7	5.8	322	5.5	0.32	4.9	6.2
2015	360	4.9	0.27	4.4	5.5	321	5.6	0.32	4.9	6.2
2016	385	5.2	0.27	4.7	5.8	321	5.4	0.32	4.8	6.1
2017	345	4.5	0.25	4.1	5.1	310	5.1	0.30	4.5	5.7
2018	374	5.1	0.27	4.6	5.7	330	5.7	0.33	5.1	6.4
2019	328	4.3	0.25	3.8	4.8	282	4.6	0.29	4.1	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Brain										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	945	2.9	0.10	2.8	3.1	239	2.8	0.19	2.4	3.2
1986	28	3.4	0.67	2.2	5.0	0				
1987	26	3.3	0.68	2.1	4.9	1	0.5	0.49	0.0	5.3
1988	31	3.6	0.68	2.4	5.2	3	3.1	2.06	0.5	10.0
1989	25	3.1	0.64	2.0	4.6	2	3.1	2.17	0.4	10.1
1990	15	2.0	0.53	1.1	3.3	5	3.8	1.80	1.1	9.7
1991	17	1.9	0.48	1.1	3.1	2	1.3	0.94	0.1	5.6
1992	32	3.8	0.69	2.6	5.4	2	1.7	1.25	0.2	6.4
1993	24	2.9	0.61	1.8	4.3	4	2.5	1.24	0.7	6.8
1994	30	3.3	0.62	2.2	4.8	2	1.0	0.70	0.1	4.3
1995	27	3.2	0.62	2.1	4.7	1	1.1	1.14	0.0	5.3
1996	30	3.3	0.61	2.2	4.7	3	1.2	0.74	0.2	4.3
1997	20	2.1	0.47	1.2	3.2	6	2.8	1.17	1.0	6.5
1998	21	2.4	0.53	1.5	3.7	8	4.8	1.98	1.8	10.1
1999	30	3.2	0.60	2.2	4.7	5	2.6	1.23	0.8	6.3
2000	26	2.9	0.58	1.9	4.3	6	2.9	1.20	1.0	6.4
2001	16	1.8	0.45	1.0	2.9	7	2.9	1.13	1.1	6.2
2002	27	2.8	0.55	1.9	4.1	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	33	3.5	0.62	2.4	4.9	6	2.1	0.89	0.7	4.7
2005	28	2.8	0.54	1.9	4.1	8	2.9	1.09	1.2	5.9
2006	38	3.9	0.63	2.7	5.3	7	2.8	1.06	1.1	5.7
2007	32	3.3	0.59	2.2	4.7	8	2.9	1.10	1.2	5.9
2008	32	3.2	0.57	2.2	4.5	8	2.3	0.82	1.0	4.7
2009	26	2.8	0.56	1.8	4.2	9	2.7	0.95	1.2	5.3
2010	38	3.6	0.59	2.6	5.0	10	3.7	1.25	1.7	6.9
2011	29	2.9	0.54	1.9	4.1	13	3.3	0.91	1.7	5.7
2012	26	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.1
2013	18	1.9	0.46	1.1	3.0	8	2.4	0.87	1.0	4.8
2014	34	3.1	0.55	2.2	4.4	22	6.0	1.30	3.7	9.1
2015	29	2.6	0.49	1.7	3.8	8	2.0	0.71	0.9	4.0
2016	44	4.1	0.63	3.0	5.6	18	4.3	1.04	2.5	6.9
2017	27	2.5	0.50	1.7	3.7	7	1.7	0.63	0.7	3.4
2018	29	2.8	0.53	1.9	4.1	13	3.0	0.84	1.6	5.1
2019	34	3.1	0.55	2.2	4.4	9	1.9	0.66	0.9	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Endocrine System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	43,992	10.5	0.05	10.4	10.6	37,585	10.9	0.06	10.8	11.0
1986	521	4.8	0.22	4.4	5.3	459	5.0	0.24	4.5	5.5
1987	552	5.1	0.22	4.6	5.5	495	5.4	0.25	4.9	5.9
1988	549	5.0	0.22	4.6	5.4	474	5.1	0.24	4.6	5.5
1989	528	4.8	0.21	4.4	5.2	451	4.8	0.23	4.4	5.3
1990	601	5.4	0.22	4.9	5.8	531	5.6	0.25	5.2	6.1
1991	566	5.0	0.21	4.6	5.5	501	5.3	0.24	4.8	5.8
1992	631	5.6	0.22	5.1	6.0	561	5.9	0.25	5.4	6.4
1993	672	5.8	0.23	5.4	6.3	592	6.1	0.25	5.7	6.7
1994	667	5.7	0.22	5.3	6.2	583	6.0	0.25	5.5	6.5
1995	735	6.2	0.23	5.8	6.7	636	6.5	0.26	6.0	7.0
1996	796	6.7	0.24	6.2	7.2	697	7.1	0.27	6.5	7.6
1997	832	7.0	0.24	6.5	7.5	706	7.1	0.27	6.6	7.7
1998	847	7.0	0.24	6.6	7.5	715	7.2	0.27	6.7	7.7
1999	948	7.8	0.25	7.3	8.3	827	8.3	0.29	7.7	8.8
2000	942	7.7	0.25	7.2	8.2	813	8.1	0.28	7.5	8.6
2001	1,024	8.3	0.26	7.8	8.8	879	8.7	0.29	8.1	9.3
2002	1,206	9.7	0.28	9.2	10.3	1,050	10.3	0.32	9.7	10.9
2003	1,224	9.8	0.28	9.2	10.3	1,063	10.4	0.32	9.8	11.0
2004	1,371	10.9	0.30	10.3	11.5	1,202	11.8	0.34	11.1	12.5
2005	1,391	11.0	0.30	10.4	11.6	1,190	11.5	0.34	10.9	12.2
2006	1,554	12.2	0.31	11.6	12.9	1,330	12.9	0.36	12.2	13.6
2007	1,661	13.0	0.32	12.3	13.6	1,425	13.7	0.37	13.0	14.5
2008	1,761	13.6	0.33	13.0	14.2	1,517	14.5	0.38	13.8	15.3
2009	1,869	14.3	0.34	13.7	15.0	1,621	15.4	0.39	14.7	16.2
2010	1,882	14.3	0.33	13.7	15.0	1,593	15.1	0.38	14.4	15.9
2011	1,987	14.9	0.34	14.2	15.6	1,692	15.8	0.39	15.0	16.5
2012	2,150	16.1	0.35	15.4	16.8	1,819	17.0	0.41	16.2	17.8
2013	2,187	16.4	0.36	15.7	17.1	1,845	17.4	0.41	16.6	18.2
2014	2,176	16.2	0.35	15.5	16.9	1,828	17.1	0.41	16.3	17.9
2015	2,294	17.0	0.36	16.3	17.7	1,950	18.2	0.42	17.4	19.1
2016	2,127	15.8	0.35	15.1	16.5	1,765	16.5	0.40	15.8	17.3
2017	1,912	14.0	0.33	13.4	14.7	1,565	14.5	0.38	13.8	15.3
2018	1,917	14.0	0.33	13.4	14.7	1,619	15.1	0.39	14.3	15.9
2019	1,912	14.2	0.33	13.5	14.8	1,591	14.9	0.39	14.2	15.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Endocrine System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,653	6.5	0.11	6.3	6.7	2,119	11.6	0.26	11.1	12.1
1986	40	3.1	0.51	2.1	4.2	18	8.8	2.42	4.7	15.0
1987	35	2.8	0.49	1.9	3.9	18	7.6	1.93	4.3	12.7
1988	53	4.1	0.59	3.0	5.4	21	8.3	2.02	4.9	13.5
1989	48	3.5	0.54	2.6	4.8	24	10.6	2.76	5.9	17.3
1990	51	3.6	0.53	2.7	4.8	17	6.1	1.59	3.4	10.4
1991	41	3.0	0.48	2.1	4.1	8	2.7	1.03	1.1	5.9
1992	48	3.2	0.48	2.4	4.3	15	6.2	1.82	3.2	10.9
1993	48	3.4	0.51	2.5	4.6	23	6.5	1.41	4.1	10.2
1994	57	3.9	0.54	3.0	5.1	22	6.6	1.53	4.0	10.5
1995	61	4.0	0.53	3.1	5.2	30	8.3	1.62	5.4	12.3
1996	68	4.3	0.54	3.4	5.5	28	7.8	1.71	4.8	11.9
1997	82	5.6	0.63	4.4	7.0	36	8.8	1.59	6.0	12.6
1998	80	5.1	0.59	4.1	6.4	39	9.4	1.71	6.3	13.4
1999	64	3.8	0.48	2.9	4.8	38	9.3	1.65	6.4	13.2
2000	73	4.4	0.53	3.5	5.6	37	9.0	1.67	6.1	12.9
2001	98	6.0	0.62	4.9	7.4	38	8.6	1.52	5.8	12.1
2002	98	6.0	0.61	4.8	7.3	41	7.8	1.29	5.5	10.8
2003	101	5.9	0.60	4.8	7.2	37	6.8	1.19	4.7	9.6
2004	99	5.7	0.58	4.6	7.0	55	10.8	1.54	8.0	14.3
2005	109	6.4	0.63	5.3	7.8	69	12.7	1.64	9.7	16.3
2006	129	7.3	0.66	6.1	8.7	77	13.2	1.59	10.3	16.8
2007	132	7.6	0.67	6.3	9.0	78	12.6	1.50	9.8	15.9
2008	141	7.8	0.67	6.5	9.2	83	12.2	1.40	9.6	15.3
2009	155	8.7	0.71	7.4	10.2	70	10.1	1.26	7.8	12.9
2010	169	9.1	0.71	7.7	10.6	84	11.4	1.29	9.0	14.2
2011	168	9.0	0.71	7.7	10.5	106	14.4	1.46	11.7	17.6
2012	177	9.5	0.73	8.2	11.1	118	15.5	1.47	12.7	18.7
2013	180	9.4	0.72	8.1	10.9	122	15.2	1.41	12.5	18.2
2014	192	10.1	0.75	8.7	11.7	129	15.6	1.41	13.0	18.7
2015	183	9.8	0.74	8.4	11.4	124	15.0	1.38	12.4	18.0
2016	196	10.4	0.76	9.0	12.0	138	16.0	1.39	13.4	19.0
2017	181	9.3	0.71	8.0	10.8	138	15.8	1.37	13.3	18.8
2018	145	7.4	0.63	6.2	8.8	112	12.5	1.19	10.2	15.1
2019	151	7.7	0.65	6.5	9.1	126	13.8	1.24	11.5	16.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Endocrine System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	11,791	5.9	0.06	5.8	6.1	10,280	6.2	0.06	6.1	6.3
1986	147	3.0	0.26	2.6	3.6	136	3.2	0.28	2.7	3.8
1987	164	3.3	0.27	2.8	3.9	146	3.5	0.30	2.9	4.1
1988	144	2.8	0.24	2.4	3.4	123	2.8	0.26	2.3	3.4
1989	136	2.7	0.24	2.3	3.2	122	2.8	0.26	2.3	3.4
1990	172	3.4	0.26	2.9	3.9	151	3.4	0.29	2.9	4.1
1991	156	3.1	0.25	2.6	3.6	139	3.2	0.28	2.7	3.8
1992	185	3.6	0.27	3.0	4.1	162	3.6	0.29	3.1	4.3
1993	194	3.7	0.27	3.2	4.3	180	4.0	0.30	3.5	4.7
1994	191	3.6	0.26	3.1	4.1	162	3.5	0.28	3.0	4.1
1995	191	3.5	0.26	3.0	4.0	170	3.7	0.29	3.2	4.3
1996	221	4.1	0.28	3.5	4.6	193	4.2	0.30	3.6	4.8
1997	228	4.2	0.28	3.7	4.8	197	4.3	0.31	3.7	4.9
1998	255	4.6	0.29	4.1	5.2	213	4.6	0.32	4.0	5.2
1999	255	4.5	0.28	3.9	5.0	228	4.8	0.32	4.2	5.4
2000	228	4.0	0.27	3.5	4.6	205	4.3	0.30	3.7	4.9
2001	293	5.1	0.30	4.5	5.7	253	5.3	0.33	4.6	5.9
2002	307	5.3	0.30	4.7	5.9	271	5.6	0.34	5.0	6.3
2003	290	5.0	0.29	4.4	5.6	251	5.2	0.33	4.5	5.8
2004	361	6.1	0.32	5.5	6.7	324	6.6	0.37	5.9	7.3
2005	367	6.1	0.32	5.5	6.8	325	6.5	0.37	5.8	7.3
2006	404	6.7	0.34	6.1	7.4	348	7.0	0.38	6.3	7.8
2007	429	7.1	0.35	6.4	7.8	372	7.4	0.39	6.7	8.2
2008	432	6.9	0.34	6.3	7.6	383	7.4	0.38	6.7	8.2
2009	442	7.0	0.34	6.4	7.7	387	7.5	0.39	6.7	8.3
2010	501	8.0	0.36	7.3	8.8	436	8.5	0.41	7.7	9.4
2011	521	8.2	0.37	7.5	8.9	453	8.6	0.41	7.8	9.4
2012	555	8.6	0.37	7.9	9.3	485	9.1	0.42	8.3	10.0
2013	596	9.1	0.38	8.3	9.8	521	9.7	0.44	8.9	10.6
2014	593	9.0	0.38	8.3	9.7	516	9.6	0.43	8.7	10.5
2015	609	9.2	0.38	8.5	10.0	514	9.6	0.43	8.8	10.5
2016	603	9.2	0.38	8.4	10.0	504	9.5	0.43	8.7	10.4
2017	567	8.5	0.37	7.8	9.2	486	9.0	0.42	8.2	9.8
2018	538	8.0	0.35	7.3	8.7	473	8.8	0.41	8.0	9.6
2019	516	7.7	0.35	7.1	8.4	451	8.3	0.40	7.6	9.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Endocrine System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	847	3.5	0.13	3.3	3.8	521	6.2	0.29	5.7	6.8
1986	7	1.4	0.54	0.6	2.9	4	5.5	3.30	1.0	16.1
1987	12	2.4	0.79	1.1	4.4	5	4.3	2.11	1.2	12.2
1988	14	2.5	0.69	1.3	4.2	7	7.0	3.26	2.2	16.9
1989	9	1.6	0.65	0.6	3.4	5	7.1	4.70	1.0	20.4
1990	16	3.0	0.84	1.6	5.1	4	3.2	1.62	0.8	9.7
1991	9	1.3	0.44	0.6	2.5	5	4.0	1.98	1.1	10.8
1992	16	2.5	0.64	1.4	4.1	6	6.7	3.18	2.0	15.7
1993	11	1.7	0.55	0.8	3.1	1	0.4	0.36	0.0	4.7
1994	21	4.1	0.94	2.4	6.3	5	3.5	1.69	1.0	9.2
1995	14	1.9	0.54	1.0	3.4	4	1.9	0.94	0.5	6.1
1996	21	3.2	0.71	2.0	4.9	7	3.7	1.45	1.4	8.6
1997	20	3.2	0.77	1.9	5.1	10	4.5	1.45	2.1	9.1
1998	24	3.5	0.71	2.2	5.2	12	6.7	2.08	3.2	12.4
1999	16	2.2	0.56	1.2	3.6	9	4.7	1.71	2.0	9.7
2000	11	1.4	0.43	0.7	2.5	9	4.7	1.66	2.0	9.5
2001	27	4.2	0.83	2.7	6.1	10	4.5	1.59	1.9	9.0
2002	19	2.6	0.63	1.6	4.2	13	4.6	1.32	2.4	8.4
2003	23	3.2	0.68	2.0	4.8	7	3.7	1.46	1.4	7.8
2004	20	2.6	0.60	1.5	4.0	13	6.0	1.87	2.9	10.9
2005	26	3.6	0.72	2.3	5.3	12	4.5	1.41	2.2	8.4
2006	31	3.9	0.72	2.6	5.6	21	7.9	1.84	4.7	12.5
2007	30	4.3	0.84	2.8	6.3	23	8.3	1.86	5.0	12.8
2008	31	3.8	0.72	2.5	5.5	13	3.6	1.02	1.9	6.5
2009	32	4.0	0.72	2.7	5.7	20	5.9	1.37	3.6	9.4
2010	35	4.2	0.74	2.9	6.0	18	5.4	1.30	3.2	8.7
2011	37	4.5	0.78	3.1	6.3	25	7.7	1.64	4.8	11.7
2012	39	5.1	0.85	3.6	7.1	24	6.7	1.42	4.2	10.2
2013	35	4.1	0.71	2.8	5.7	29	8.0	1.51	5.3	11.6
2014	44	5.2	0.80	3.7	7.0	28	7.3	1.41	4.8	10.7
2015	51	6.3	0.90	4.6	8.3	32	8.4	1.52	5.7	12.0
2016	51	6.2	0.90	4.5	8.2	40	10.0	1.64	7.1	13.8
2017	39	4.7	0.78	3.3	6.5	40	9.7	1.57	6.9	13.4
2018	25	3.1	0.63	2.0	4.6	32	7.7	1.37	5.2	10.9
2019	31	3.6	0.67	2.4	5.2	28	6.3	1.19	4.1	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Endocrine System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	32,201	14.8	0.08	14.6	15.0	27,305	15.6	0.10	15.4	15.8
1986	374	6.5	0.34	5.8	7.2	323	6.6	0.38	5.9	7.4
1987	388	6.8	0.35	6.1	7.5	349	7.3	0.40	6.5	8.1
1988	405	6.9	0.35	6.3	7.7	351	7.2	0.39	6.4	8.0
1989	392	6.7	0.35	6.1	7.4	329	6.8	0.38	6.0	7.5
1990	429	7.2	0.35	6.5	7.9	380	7.7	0.40	6.9	8.5
1991	410	7.0	0.35	6.3	7.7	362	7.4	0.40	6.6	8.2
1992	446	7.4	0.36	6.7	8.2	399	8.0	0.41	7.2	8.8
1993	478	7.9	0.36	7.2	8.6	412	8.2	0.41	7.4	9.0
1994	476	7.8	0.36	7.1	8.6	421	8.4	0.41	7.6	9.2
1995	544	8.8	0.38	8.1	9.6	466	9.2	0.43	8.4	10.1
1996	575	9.2	0.39	8.5	10.0	504	9.9	0.44	9.0	10.8
1997	604	9.6	0.39	8.9	10.4	509	9.9	0.44	9.0	10.8
1998	592	9.4	0.39	8.7	10.2	502	9.9	0.44	9.0	10.8
1999	693	11.0	0.42	10.2	11.8	599	11.7	0.48	10.8	12.7
2000	714	11.2	0.42	10.4	12.0	608	11.8	0.48	10.8	12.7
2001	731	11.4	0.42	10.6	12.3	626	12.1	0.49	11.2	13.1
2002	899	13.9	0.47	13.0	14.9	779	15.0	0.54	13.9	16.1
2003	934	14.4	0.47	13.5	15.4	812	15.6	0.55	14.5	16.7
2004	1,010	15.6	0.49	14.7	16.6	878	17.0	0.58	15.9	18.2
2005	1,024	15.7	0.49	14.7	16.7	865	16.6	0.57	15.5	17.7
2006	1,150	17.5	0.52	16.5	18.5	982	18.8	0.60	17.6	20.0
2007	1,232	18.6	0.54	17.6	19.7	1,053	20.0	0.62	18.8	21.3
2008	1,329	20.0	0.55	18.9	21.1	1,134	21.5	0.65	20.3	22.8
2009	1,427	21.3	0.57	20.2	22.5	1,234	23.4	0.68	22.1	24.7
2010	1,381	20.5	0.56	19.5	21.7	1,157	21.8	0.65	20.5	23.1
2011	1,466	21.4	0.57	20.3	22.5	1,239	22.9	0.67	21.6	24.2
2012	1,595	23.4	0.60	22.3	24.6	1,334	24.9	0.70	23.5	26.3
2013	1,591	23.5	0.60	22.3	24.7	1,324	25.1	0.71	23.7	26.5
2014	1,583	23.3	0.60	22.1	24.5	1,312	24.7	0.70	23.3	26.1
2015	1,685	24.6	0.62	23.4	25.8	1,436	26.9	0.73	25.5	28.4
2016	1,524	22.3	0.59	21.1	23.5	1,261	23.7	0.69	22.4	25.1
2017	1,345	19.5	0.55	18.4	20.6	1,079	20.1	0.63	18.9	21.4
2018	1,379	20.0	0.56	18.9	21.1	1,146	21.5	0.66	20.2	22.8
2019	1,396	20.5	0.57	19.4	21.6	1,140	21.6	0.66	20.3	22.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Endocrine System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,806	8.9	0.17	8.5	9.2	1,598	16.5	0.42	15.6	17.3
1986	33	4.4	0.79	3.0	6.2	14	11.8	3.57	5.9	21.5
1987	23	3.1	0.67	1.9	4.7	13	10.5	3.10	5.3	19.0
1988	39	5.3	0.88	3.7	7.4	14	9.9	2.76	5.3	17.6
1989	39	5.1	0.84	3.6	7.0	19	13.9	3.51	7.9	22.9
1990	35	4.3	0.74	3.0	6.0	13	8.5	2.50	4.3	15.5
1991	32	4.2	0.76	2.8	5.9	3	1.7	0.98	0.3	6.0
1992	32	3.9	0.69	2.6	5.5	9	6.1	2.21	2.6	12.3
1993	37	4.7	0.79	3.3	6.5	22	12.3	2.70	7.6	19.2
1994	36	4.1	0.69	2.9	5.7	17	9.4	2.44	5.2	15.7
1995	47	5.5	0.82	4.1	7.4	26	13.7	2.84	8.7	20.7
1996	47	5.3	0.78	3.9	7.0	21	10.8	2.69	6.2	17.5
1997	62	7.5	0.96	5.7	9.6	26	12.5	2.61	8.0	18.9
1998	56	6.3	0.85	4.8	8.2	27	11.7	2.51	7.3	17.8
1999	48	5.1	0.74	3.7	6.7	29	13.3	2.65	8.6	19.6
2000	62	6.7	0.86	5.1	8.6	28	12.6	2.61	8.0	18.8
2001	71	7.6	0.91	5.9	9.6	28	12.0	2.39	7.7	17.6
2002	79	8.5	0.96	6.7	10.6	28	10.7	2.10	7.0	15.7
2003	78	8.1	0.93	6.4	10.2	30	9.8	1.87	6.4	14.3
2004	79	8.2	0.93	6.5	10.2	42	15.1	2.42	10.8	20.7
2005	83	8.7	0.96	6.9	10.8	57	19.8	2.77	14.8	26.0
2006	98	9.9	1.01	8.1	12.1	56	18.2	2.52	13.6	23.9
2007	102	10.3	1.03	8.4	12.6	55	16.5	2.30	12.3	21.7
2008	110	11.0	1.06	9.0	13.3	70	19.8	2.45	15.3	25.3
2009	123	12.3	1.12	10.2	14.7	50	13.8	2.02	10.1	18.4
2010	134	13.1	1.14	10.9	15.5	66	16.7	2.11	12.8	21.4
2011	131	12.6	1.12	10.5	15.0	81	20.6	2.36	16.2	25.8
2012	138	13.2	1.14	11.1	15.7	94	23.4	2.47	18.8	28.8
2013	145	13.7	1.16	11.5	16.1	93	21.8	2.31	17.5	26.8
2014	148	14.2	1.19	12.0	16.8	101	23.1	2.35	18.7	28.2
2015	132	12.8	1.14	10.7	15.2	92	20.7	2.20	16.6	25.5
2016	145	14.1	1.19	11.8	16.6	98	21.6	2.21	17.5	26.4
2017	142	13.2	1.14	11.1	15.6	98	21.5	2.19	17.4	26.3
2018	120	11.1	1.04	9.2	13.3	80	16.7	1.90	13.2	20.9
2019	120	11.1	1.04	9.1	13.3	98	20.8	2.12	16.8	25.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Thyroid										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	40,994	9.7	0.05	9.7	9.8	35,229	10.2	0.05	10.1	10.4
1986	468	4.3	0.21	3.9	4.8	412	4.5	0.23	4.0	4.9
1987	482	4.5	0.21	4.1	4.9	435	4.8	0.23	4.3	5.2
1988	502	4.6	0.21	4.2	5.0	438	4.7	0.23	4.2	5.1
1989	462	4.2	0.20	3.8	4.6	394	4.2	0.22	3.8	4.7
1990	537	4.8	0.21	4.4	5.2	481	5.1	0.24	4.7	5.6
1991	508	4.5	0.20	4.1	4.9	453	4.8	0.23	4.3	5.2
1992	541	4.8	0.21	4.4	5.2	484	5.0	0.23	4.6	5.5
1993	595	5.2	0.21	4.8	5.6	527	5.5	0.24	5.0	6.0
1994	604	5.2	0.21	4.8	5.6	531	5.4	0.24	5.0	5.9
1995	653	5.5	0.22	5.1	6.0	567	5.8	0.24	5.3	6.3
1996	718	6.1	0.23	5.6	6.5	636	6.4	0.26	6.0	7.0
1997	758	6.4	0.23	5.9	6.8	652	6.6	0.26	6.1	7.1
1998	781	6.5	0.23	6.0	6.9	666	6.7	0.26	6.2	7.2
1999	866	7.1	0.24	6.6	7.6	762	7.6	0.28	7.1	8.2
2000	874	7.1	0.24	6.7	7.6	759	7.5	0.27	7.0	8.1
2001	928	7.5	0.25	7.0	8.0	802	7.9	0.28	7.4	8.5
2002	1,112	8.9	0.27	8.4	9.5	972	9.5	0.31	8.9	10.2
2003	1,128	9.0	0.27	8.5	9.6	982	9.6	0.31	9.0	10.2
2004	1,255	10.0	0.28	9.5	10.6	1,107	10.8	0.33	10.2	11.5
2005	1,303	10.3	0.29	9.7	10.9	1,119	10.9	0.33	10.2	11.5
2006	1,441	11.3	0.30	10.8	11.9	1,244	12.1	0.34	11.4	12.8
2007	1,559	12.2	0.31	11.6	12.8	1,353	13.1	0.36	12.4	13.8
2008	1,664	12.9	0.32	12.2	13.5	1,438	13.8	0.37	13.1	14.5
2009	1,775	13.6	0.33	13.0	14.3	1,554	14.8	0.38	14.1	15.6
2010	1,781	13.6	0.33	12.9	14.2	1,518	14.4	0.37	13.7	15.1
2011	1,885	14.1	0.33	13.5	14.8	1,616	15.0	0.38	14.3	15.8
2012	2,049	15.4	0.35	14.7	16.1	1,739	16.3	0.40	15.5	17.1
2013	2,103	15.8	0.35	15.1	16.5	1,785	16.8	0.41	16.0	17.6
2014	2,080	15.5	0.35	14.8	16.2	1,751	16.4	0.40	15.6	17.2
2015	2,185	16.2	0.36	15.5	16.9	1,869	17.5	0.42	16.7	18.3
2016	2,014	15.0	0.34	14.3	15.7	1,683	15.8	0.40	15.0	16.6
2017	1,796	13.2	0.32	12.6	13.8	1,482	13.7	0.37	13.0	14.5
2018	1,771	13.0	0.32	12.4	13.6	1,508	14.0	0.37	13.3	14.8
2019	1,816	13.5	0.32	12.8	14.1	1,510	14.2	0.38	13.4	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Thyroid										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,165	5.7	0.10	5.5	5.9	1,990	10.8	0.25	10.4	11.4
1986	35	2.7	0.47	1.8	3.8	17	8.4	2.39	4.4	14.6
1987	29	2.4	0.47	1.6	3.5	15	6.4	1.79	3.4	11.3
1988	45	3.6	0.55	2.6	4.8	18	7.6	1.97	4.2	12.7
1989	41	3.1	0.51	2.2	4.3	22	10.0	2.73	5.4	16.7
1990	39	2.9	0.48	2.0	4.0	15	5.3	1.49	2.8	9.4
1991	33	2.5	0.45	1.7	3.5	7	2.5	0.99	0.9	5.6
1992	38	2.6	0.43	1.8	3.6	12	5.0	1.69	2.3	9.5
1993	39	2.7	0.44	1.9	3.7	20	5.8	1.34	3.5	9.3
1994	49	3.4	0.49	2.5	4.5	20	5.9	1.43	3.4	9.5
1995	52	3.5	0.50	2.6	4.6	27	7.6	1.57	4.8	11.5
1996	54	3.4	0.48	2.6	4.5	25	7.1	1.67	4.2	11.2
1997	64	4.5	0.58	3.5	5.8	34	8.5	1.57	5.7	12.3
1998	67	4.4	0.54	3.4	5.6	35	8.2	1.60	5.4	12.0
1999	50	3.0	0.43	2.2	3.9	35	8.6	1.60	5.7	12.3
2000	65	4.0	0.51	3.1	5.1	33	8.1	1.60	5.3	11.8
2001	85	5.2	0.58	4.2	6.5	33	7.1	1.31	4.7	10.2
2002	85	5.2	0.57	4.1	6.4	39	7.5	1.27	5.3	10.5
2003	89	5.3	0.57	4.2	6.5	34	6.3	1.16	4.3	9.1
2004	81	4.7	0.52	3.7	5.8	53	10.2	1.48	7.5	13.6
2005	93	5.5	0.58	4.4	6.8	68	12.5	1.63	9.5	16.1
2006	104	6.0	0.59	4.9	7.2	75	12.9	1.56	10.0	16.3
2007	115	6.7	0.63	5.5	8.1	69	11.1	1.40	8.5	14.2
2008	129	7.2	0.65	6.0	8.6	78	11.5	1.36	9.0	14.5
2009	133	7.4	0.66	6.2	8.8	66	9.5	1.23	7.3	12.3
2010	147	8.0	0.67	6.7	9.4	80	10.6	1.22	8.4	13.3
2011	145	7.8	0.66	6.5	9.2	103	14.0	1.44	11.3	17.1
2012	162	8.7	0.70	7.4	10.2	112	14.6	1.42	12.0	17.7
2013	161	8.4	0.68	7.1	9.9	118	14.6	1.38	12.0	17.6
2014	179	9.5	0.73	8.2	11.1	125	15.1	1.39	12.5	18.1
2015	164	8.8	0.70	7.5	10.3	117	14.1	1.34	11.6	17.0
2016	175	9.4	0.72	8.0	10.9	130	15.1	1.34	12.5	17.9
2017	158	8.2	0.67	6.9	9.6	130	14.8	1.31	12.3	17.6
2018	118	6.1	0.57	5.0	7.3	105	11.6	1.15	9.5	14.1
2019	142	7.3	0.63	6.1	8.6	120	13.1	1.21	10.9	15.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Thyroid										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	10,209	5.1	0.05	5.0	5.3	9,032	5.4	0.06	5.3	5.6
1986	117	2.4	0.23	2.0	2.9	107	2.6	0.25	2.1	3.1
1987	128	2.6	0.24	2.2	3.2	113	2.7	0.26	2.2	3.3
1988	121	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	2.9
1989	97	2.0	0.21	1.6	2.4	89	2.1	0.23	1.7	2.6
1990	139	2.8	0.24	2.3	3.3	125	2.9	0.26	2.4	3.4
1991	124	2.4	0.22	2.0	2.9	112	2.6	0.25	2.1	3.1
1992	138	2.7	0.23	2.2	3.2	124	2.8	0.26	2.3	3.3
1993	150	2.8	0.23	2.4	3.3	142	3.2	0.27	2.7	3.7
1994	152	2.9	0.24	2.4	3.4	129	2.8	0.25	2.4	3.4
1995	151	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.6
1996	178	3.3	0.25	2.8	3.8	160	3.5	0.28	3.0	4.1
1997	192	3.5	0.26	3.0	4.1	170	3.7	0.28	3.1	4.3
1998	219	4.0	0.27	3.5	4.5	186	4.0	0.29	3.4	4.6
1999	219	3.8	0.26	3.3	4.4	198	4.1	0.30	3.6	4.8
2000	196	3.4	0.25	3.0	4.0	180	3.8	0.28	3.2	4.4
2001	238	4.2	0.27	3.7	4.7	211	4.4	0.30	3.8	5.0
2002	254	4.3	0.27	3.8	4.9	227	4.7	0.31	4.1	5.3
2003	245	4.2	0.27	3.7	4.8	210	4.3	0.30	3.7	4.9
2004	305	5.1	0.30	4.6	5.7	274	5.5	0.34	4.9	6.2
2005	315	5.2	0.30	4.7	5.9	283	5.7	0.34	5.0	6.4
2006	334	5.5	0.31	5.0	6.2	294	5.9	0.35	5.2	6.6
2007	377	6.3	0.33	5.6	6.9	337	6.7	0.37	6.0	7.5
2008	386	6.2	0.32	5.5	6.8	349	6.7	0.37	6.0	7.5
2009	402	6.4	0.33	5.8	7.1	359	7.0	0.37	6.2	7.7
2010	450	7.2	0.35	6.5	7.9	396	7.7	0.39	6.9	8.5
2011	461	7.2	0.34	6.5	7.9	412	7.8	0.39	7.0	8.6
2012	502	7.7	0.35	7.1	8.5	445	8.3	0.40	7.6	9.2
2013	541	8.2	0.36	7.5	9.0	478	8.9	0.42	8.1	9.8
2014	543	8.2	0.36	7.5	9.0	477	8.8	0.41	8.0	9.7
2015	545	8.3	0.36	7.6	9.0	466	8.7	0.41	7.9	9.5
2016	540	8.2	0.36	7.5	8.9	462	8.7	0.41	7.9	9.5
2017	509	7.6	0.35	7.0	8.3	447	8.2	0.40	7.5	9.1
2018	472	7.0	0.33	6.3	7.7	419	7.7	0.39	6.9	8.5
2019	469	7.0	0.33	6.4	7.7	410	7.5	0.38	6.8	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Thyroid										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	597	2.6	0.11	2.4	2.8	451	5.4	0.27	4.9	6.0
1986	7	1.4	0.54	0.6	2.9	3	4.6	3.18	0.6	15.2
1987	10	2.2	0.77	0.9	4.1	4	3.6	1.96	0.8	11.3
1988	12	2.2	0.67	1.1	3.9	6	6.6	3.23	1.8	16.4
1989	4	0.9	0.54	0.2	2.5	4	6.5	4.67	0.8	20.0
1990	10	2.2	0.76	0.9	4.1	3	2.4	1.38	0.5	8.6
1991	6	1.0	0.41	0.4	2.2	4	3.5	1.90	0.8	10.2
1992	10	1.7	0.54	0.8	3.2	3	4.2	2.84	0.6	12.9
1993	6	0.9	0.36	0.3	1.9	0				
1994	17	3.3	0.85	1.9	5.4	4	2.3	1.21	0.6	7.2
1995	9	1.3	0.46	0.6	2.6	2	1.0	0.69	0.1	5.0
1996	14	2.2	0.60	1.2	3.7	4	2.4	1.26	0.6	7.1
1997	12	2.1	0.66	1.0	3.8	9	4.2	1.42	1.9	8.8
1998	18	2.6	0.62	1.5	4.1	9	4.7	1.69	2.0	9.7
1999	11	1.6	0.47	0.8	2.8	8	4.0	1.54	1.6	8.7
2000	9	1.2	0.41	0.5	2.3	5	2.7	1.32	0.8	6.9
2001	17	2.7	0.67	1.5	4.3	7	3.2	1.40	1.1	7.4
2002	11	1.5	0.44	0.7	2.6	12	4.4	1.30	2.2	8.2
2003	19	2.7	0.64	1.6	4.3	7	3.7	1.46	1.4	7.8
2004	14	1.8	0.51	1.0	3.1	13	6.0	1.87	2.9	10.9
2005	16	2.2	0.58	1.3	3.7	12	4.5	1.41	2.2	8.4
2006	17	2.3	0.57	1.3	3.7	19	7.0	1.72	4.1	11.4
2007	21	3.3	0.76	1.9	5.1	17	5.9	1.49	3.4	9.8
2008	23	3.0	0.65	1.8	4.5	10	2.7	0.88	1.3	5.4
2009	23	2.8	0.61	1.8	4.3	18	5.3	1.30	3.1	8.7
2010	24	3.1	0.66	1.9	4.7	18	5.4	1.30	3.2	8.7
2011	20	2.5	0.58	1.5	3.9	23	7.1	1.59	4.4	11.0
2012	28	3.6	0.71	2.4	5.3	22	6.2	1.39	3.8	9.6
2013	26	3.2	0.64	2.1	4.7	27	7.3	1.41	4.7	10.7
2014	35	4.2	0.74	2.9	5.9	26	6.8	1.36	4.4	10.1
2015	39	4.7	0.77	3.3	6.5	29	7.7	1.45	5.1	11.1
2016	39	4.8	0.79	3.4	6.6	32	8.1	1.49	5.4	11.6
2017	27	3.4	0.67	2.2	5.0	35	8.4	1.45	5.8	11.8
2018	16	2.1	0.53	1.2	3.4	30	7.2	1.32	4.8	10.3
2019	27	3.1	0.61	2.0	4.5	26	5.9	1.16	3.8	8.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Thyroid										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	30,785	14.2	0.08	14.0	14.3	26,197	15.0	0.09	14.8	15.2
1986	351	6.1	0.34	5.5	6.8	305	6.3	0.37	5.6	7.1
1987	354	6.2	0.34	5.6	6.9	322	6.8	0.39	6.0	7.6
1988	381	6.5	0.34	5.9	7.2	335	6.8	0.38	6.1	7.6
1989	365	6.3	0.33	5.6	6.9	305	6.3	0.37	5.6	7.0
1990	398	6.7	0.34	6.1	7.4	356	7.2	0.39	6.5	8.0
1991	384	6.5	0.34	5.9	7.2	341	7.0	0.38	6.2	7.8
1992	403	6.7	0.34	6.1	7.4	360	7.2	0.39	6.5	8.0
1993	445	7.3	0.35	6.7	8.1	385	7.7	0.40	6.9	8.5
1994	452	7.4	0.35	6.8	8.2	402	8.0	0.41	7.3	8.9
1995	502	8.1	0.36	7.4	8.8	429	8.5	0.41	7.7	9.3
1996	540	8.7	0.38	8.0	9.4	476	9.4	0.43	8.5	10.2
1997	566	9.0	0.38	8.3	9.8	482	9.4	0.43	8.5	10.2
1998	562	9.0	0.38	8.2	9.7	480	9.5	0.43	8.6	10.3
1999	647	10.3	0.40	9.5	11.1	564	11.1	0.47	10.2	12.1
2000	678	10.6	0.41	9.8	11.4	579	11.2	0.47	10.3	12.2
2001	690	10.8	0.41	10.0	11.6	591	11.5	0.47	10.5	12.4
2002	858	13.3	0.45	12.4	14.2	745	14.3	0.53	13.3	15.4
2003	883	13.6	0.46	12.8	14.6	772	14.9	0.54	13.8	16.0
2004	950	14.7	0.48	13.8	15.7	833	16.1	0.56	15.1	17.3
2005	988	15.1	0.48	14.2	16.1	836	16.0	0.56	15.0	17.2
2006	1,107	16.9	0.51	15.9	17.9	950	18.2	0.60	17.0	19.4
2007	1,182	17.9	0.52	16.9	18.9	1,016	19.3	0.61	18.1	20.6
2008	1,278	19.2	0.54	18.2	20.3	1,089	20.7	0.64	19.5	22.0
2009	1,373	20.6	0.56	19.5	21.7	1,195	22.7	0.67	21.4	24.0
2010	1,331	19.8	0.55	18.7	20.9	1,122	21.1	0.64	19.9	22.4
2011	1,424	20.8	0.56	19.7	21.9	1,204	22.3	0.66	21.0	23.6
2012	1,547	22.8	0.59	21.6	23.9	1,294	24.2	0.69	22.9	25.6
2013	1,562	23.1	0.60	21.9	24.3	1,307	24.8	0.70	23.4	26.2
2014	1,537	22.6	0.59	21.4	23.8	1,274	24.0	0.69	22.7	25.4
2015	1,640	24.0	0.61	22.8	25.2	1,403	26.3	0.73	24.9	27.8
2016	1,474	21.6	0.58	20.5	22.8	1,221	23.0	0.68	21.7	24.4
2017	1,287	18.6	0.54	17.6	19.7	1,035	19.3	0.62	18.1	20.5
2018	1,299	18.9	0.54	17.8	20.0	1,089	20.5	0.65	19.3	21.8
2019	1,347	19.8	0.56	18.7	20.9	1,100	20.9	0.65	19.6	22.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Thyroid										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,568	8.1	0.16	7.8	8.5	1,539	15.8	0.41	15.0	16.6
1986	28	3.7	0.72	2.4	5.4	14	11.8	3.57	5.9	21.5
1987	19	2.6	0.63	1.6	4.2	11	8.9	2.87	4.2	17.1
1988	33	4.6	0.82	3.1	6.5	12	8.8	2.65	4.4	16.4
1989	37	4.8	0.82	3.4	6.7	18	13.3	3.46	7.4	22.3
1990	29	3.6	0.69	2.4	5.2	12	7.8	2.41	3.8	14.6
1991	27	3.6	0.71	2.3	5.2	3	1.7	0.98	0.3	6.0
1992	28	3.4	0.64	2.2	4.9	9	6.1	2.21	2.6	12.3
1993	33	4.1	0.73	2.8	5.8	20	11.2	2.57	6.7	17.8
1994	32	3.7	0.65	2.5	5.2	16	8.9	2.39	4.8	15.1
1995	43	5.1	0.79	3.7	6.9	25	13.2	2.81	8.3	20.1
1996	40	4.5	0.71	3.2	6.1	21	10.8	2.69	6.2	17.5
1997	52	6.4	0.90	4.8	8.4	25	12.1	2.58	7.6	18.4
1998	49	5.6	0.81	4.1	7.4	26	11.2	2.46	6.9	17.3
1999	39	4.1	0.66	2.9	5.6	27	12.5	2.59	8.0	18.7
2000	56	6.1	0.82	4.6	7.9	28	12.6	2.61	8.0	18.8
2001	68	7.3	0.89	5.7	9.3	26	10.6	2.14	6.8	15.8
2002	74	8.0	0.93	6.3	10.0	27	10.3	2.07	6.7	15.3
2003	70	7.4	0.88	5.7	9.3	27	8.8	1.79	5.7	13.2
2004	67	6.9	0.85	5.4	8.8	40	14.1	2.30	10.0	19.5
2005	77	8.1	0.93	6.4	10.1	56	19.5	2.74	14.5	25.6
2006	87	8.8	0.95	7.0	10.9	56	18.2	2.52	13.6	23.9
2007	94	9.6	1.00	7.7	11.8	52	15.5	2.24	11.5	20.6
2008	106	10.6	1.04	8.7	12.9	68	19.3	2.41	14.8	24.6
2009	110	11.0	1.06	9.0	13.3	48	13.2	1.98	9.6	17.8
2010	123	12.0	1.10	10.0	14.4	62	15.3	1.99	11.7	19.8
2011	125	12.1	1.09	10.0	14.4	80	20.3	2.33	15.9	25.4
2012	134	12.8	1.13	10.7	15.2	90	22.2	2.39	17.8	27.4
2013	135	12.6	1.11	10.6	15.0	91	21.3	2.29	17.1	26.4
2014	144	13.9	1.18	11.7	16.4	99	22.7	2.33	18.3	27.7
2015	125	12.2	1.11	10.1	14.6	88	19.8	2.15	15.8	24.5
2016	136	13.2	1.16	11.1	15.7	98	21.6	2.21	17.5	26.4
2017	131	12.2	1.10	10.2	14.6	95	20.7	2.14	16.7	25.4
2018	102	9.4	0.96	7.6	11.5	75	15.6	1.83	12.2	19.7
2019	115	10.6	1.02	8.7	12.8	94	19.8	2.06	16.0	24.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	91,891	21.6	0.07	21.4	21.7	80,795	22.5	0.08	22.4	22.7
1986	1,698	15.9	0.39	15.1	16.7	1,550	16.6	0.43	15.8	17.5
1987	1,747	16.2	0.39	15.4	16.9	1,618	17.2	0.43	16.4	18.1
1988	1,852	17.0	0.40	16.2	17.8	1,686	17.8	0.44	17.0	18.7
1989	1,903	17.4	0.40	16.6	18.2	1,733	18.3	0.45	17.5	19.2
1990	2,070	18.8	0.42	18.0	19.6	1,874	19.7	0.46	18.8	20.6
1991	2,058	18.4	0.41	17.6	19.2	1,881	19.5	0.45	18.6	20.4
1992	2,258	20.0	0.42	19.2	20.8	2,063	21.2	0.47	20.2	22.1
1993	2,309	20.2	0.42	19.4	21.1	2,087	21.2	0.47	20.3	22.2
1994	2,436	21.2	0.43	20.3	22.0	2,173	22.0	0.47	21.0	22.9
1995	2,528	21.8	0.43	20.9	22.6	2,247	22.6	0.48	21.6	23.5
1996	2,636	22.5	0.44	21.7	23.4	2,350	23.5	0.49	22.6	24.5
1997	2,566	21.8	0.43	20.9	22.6	2,275	22.6	0.47	21.7	23.5
1998	2,628	22.1	0.43	21.3	23.0	2,310	22.8	0.48	21.9	23.8
1999	2,738	22.9	0.44	22.0	23.7	2,467	24.2	0.49	23.3	25.2
2000	2,728	22.6	0.43	21.7	23.4	2,413	23.6	0.48	22.7	24.6
2001	2,732	22.4	0.43	21.6	23.3	2,426	23.5	0.48	22.6	24.5
2002	2,777	22.6	0.43	21.8	23.5	2,471	23.9	0.48	22.9	24.8
2003	2,808	22.7	0.43	21.8	23.5	2,471	23.7	0.48	22.7	24.6
2004	2,979	23.9	0.44	23.0	24.8	2,600	24.8	0.49	23.8	25.8
2005	2,923	23.2	0.43	22.4	24.1	2,564	24.3	0.48	23.3	25.2
2006	2,882	22.7	0.43	21.9	23.6	2,552	24.1	0.48	23.1	25.0
2007	2,924	22.7	0.42	21.9	23.6	2,563	23.9	0.48	22.9	24.8
2008	3,049	23.3	0.43	22.5	24.2	2,659	24.4	0.48	23.5	25.4
2009	3,031	23.0	0.42	22.1	23.8	2,641	24.0	0.47	23.1	25.0
2010	3,123	23.4	0.42	22.6	24.2	2,693	24.3	0.47	23.4	25.2
2011	3,049	22.5	0.41	21.7	23.3	2,621	23.3	0.46	22.4	24.2
2012	3,005	22.0	0.41	21.2	22.8	2,604	23.1	0.46	22.2	24.0
2013	3,083	22.1	0.40	21.3	22.9	2,654	23.1	0.46	22.2	24.0
2014	3,245	22.9	0.41	22.1	23.7	2,785	23.9	0.46	23.0	24.8
2015	3,275	22.9	0.41	22.1	23.7	2,828	24.1	0.46	23.2	25.0
2016	3,215	22.4	0.40	21.6	23.2	2,777	23.6	0.46	22.7	24.6
2017	3,256	22.3	0.40	21.5	23.1	2,762	23.1	0.45	22.3	24.0
2018	3,152	21.3	0.39	20.6	22.1	2,643	21.9	0.44	21.0	22.8
2019	3,228	21.4	0.38	20.6	22.1	2,754	22.4	0.44	21.6	23.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	8,410	15.4	0.17	15.1	15.7	1,914	12.9	0.32	12.3	13.6
1986	124	9.9	0.93	8.1	11.9	24	15.2	3.37	9.3	23.3
1987	113	8.9	0.87	7.3	10.8	10	4.7	1.58	2.1	9.2
1988	147	11.0	0.96	9.2	13.0	15	9.1	2.78	4.5	16.1
1989	151	11.3	0.97	9.5	13.4	18	9.6	2.57	5.2	15.9
1990	171	12.7	1.02	10.8	14.9	19	8.6	2.15	4.9	14.0
1991	142	10.4	0.91	8.7	12.3	19	9.0	2.43	4.9	14.9
1992	171	12.5	1.00	10.6	14.6	19	10.0	2.78	5.3	16.6
1993	194	13.2	0.99	11.3	15.3	21	9.7	2.29	5.7	15.2
1994	226	15.5	1.07	13.5	17.8	32	15.5	3.13	10.0	22.7
1995	231	16.1	1.10	14.0	18.4	39	15.9	2.90	10.8	22.5
1996	235	15.4	1.04	13.5	17.6	37	12.7	2.33	8.6	18.1
1997	235	15.3	1.03	13.3	17.4	43	16.2	2.77	11.2	22.4
1998	259	16.7	1.07	14.7	18.9	38	11.2	2.12	7.4	16.1
1999	225	14.7	1.01	12.8	16.8	27	7.7	1.61	4.9	11.5
2000	248	15.6	1.01	13.7	17.7	45	11.0	1.82	7.7	15.2
2001	250	15.7	1.02	13.8	17.8	45	11.6	1.93	8.2	16.0
2002	242	15.0	0.99	13.2	17.1	45	13.3	2.18	9.4	18.2
2003	261	16.0	1.01	14.1	18.1	59	14.8	2.10	11.0	19.5
2004	298	18.6	1.11	16.5	20.9	53	12.3	1.83	9.0	16.4
2005	271	16.7	1.04	14.7	18.8	68	16.1	2.12	12.2	20.8
2006	254	15.3	0.98	13.4	17.3	50	10.5	1.62	7.6	14.1
2007	291	17.1	1.02	15.1	19.2	56	10.7	1.55	7.9	14.2
2008	281	16.6	1.01	14.7	18.7	73	12.7	1.60	9.8	16.3
2009	274	15.8	0.97	13.9	17.8	70	13.6	1.75	10.4	17.4
2010	302	17.2	1.01	15.3	19.3	76	13.6	1.69	10.4	17.3
2011	308	17.2	1.00	15.3	19.2	78	13.1	1.58	10.2	16.5
2012	296	16.1	0.96	14.3	18.1	71	11.3	1.41	8.7	14.4
2013	296	15.9	0.95	14.1	17.9	96	14.0	1.51	11.2	17.3
2014	316	16.9	0.97	15.0	18.9	107	15.3	1.54	12.4	18.6
2015	307	16.3	0.95	14.5	18.2	105	14.3	1.46	11.6	17.5
2016	300	16.2	0.96	14.4	18.2	108	14.0	1.38	11.4	16.9
2017	349	18.6	1.02	16.7	20.7	109	13.9	1.36	11.3	16.8
2018	345	17.9	0.99	16.1	20.0	121	14.5	1.35	12.0	17.4
2019	297	15.1	0.89	13.4	16.9	118	13.6	1.27	11.2	16.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	48,889	26.0	0.12	25.8	26.2	42,934	27.0	0.13	26.7	27.2
1986	835	17.9	0.65	16.7	19.2	745	18.4	0.70	17.1	19.8
1987	887	18.8	0.66	17.6	20.2	811	19.8	0.72	18.4	21.2
1988	972	20.4	0.68	19.1	21.8	887	21.5	0.75	20.1	23.0
1989	985	20.7	0.68	19.3	22.0	898	21.7	0.75	20.3	23.2
1990	1,104	22.8	0.71	21.4	24.2	990	23.7	0.77	22.2	25.2
1991	1,071	21.7	0.68	20.4	23.1	978	23.0	0.75	21.5	24.5
1992	1,174	24.2	0.73	22.8	25.7	1,066	25.4	0.80	23.8	27.0
1993	1,217	24.3	0.71	22.9	25.7	1,094	25.4	0.78	23.8	26.9
1994	1,243	24.7	0.72	23.3	26.2	1,097	25.5	0.78	24.0	27.0
1995	1,333	26.2	0.73	24.8	27.7	1,175	26.9	0.80	25.4	28.5
1996	1,383	26.8	0.73	25.4	28.3	1,204	27.3	0.80	25.8	28.9
1997	1,337	25.9	0.72	24.5	27.3	1,171	26.5	0.79	25.0	28.1
1998	1,405	27.1	0.73	25.6	28.5	1,228	27.8	0.80	26.2	29.4
1999	1,457	27.8	0.74	26.4	29.3	1,296	29.0	0.81	27.4	30.6
2000	1,448	27.2	0.72	25.8	28.6	1,276	28.3	0.80	26.7	29.9
2001	1,405	26.3	0.71	25.0	27.8	1,247	27.5	0.79	26.0	29.1
2002	1,483	27.6	0.73	26.2	29.1	1,322	29.0	0.81	27.4	30.6
2003	1,492	27.3	0.72	26.0	28.8	1,315	28.5	0.79	26.9	30.1
2004	1,622	29.6	0.75	28.2	31.1	1,420	30.7	0.82	29.1	32.4
2005	1,558	28.2	0.73	26.8	29.6	1,367	29.2	0.80	27.7	30.9
2006	1,560	27.8	0.72	26.4	29.3	1,384	29.3	0.80	27.8	30.9
2007	1,589	27.7	0.71	26.4	29.2	1,392	29.0	0.79	27.5	30.6
2008	1,604	27.7	0.70	26.3	29.1	1,406	28.9	0.78	27.4	30.5
2009	1,587	27.1	0.69	25.8	28.5	1,391	28.3	0.77	26.8	29.9
2010	1,698	28.5	0.71	27.2	30.0	1,459	29.2	0.78	27.7	30.8
2011	1,631	26.9	0.68	25.6	28.2	1,399	27.6	0.75	26.1	29.1
2012	1,602	26.1	0.67	24.8	27.4	1,400	27.4	0.75	26.0	28.9
2013	1,691	27.0	0.67	25.7	28.4	1,477	28.5	0.76	27.0	30.0
2014	1,737	26.9	0.66	25.7	28.3	1,503	28.1	0.74	26.7	29.6
2015	1,814	27.9	0.67	26.6	29.2	1,565	29.0	0.75	27.6	30.5
2016	1,730	26.8	0.66	25.5	28.1	1,511	28.3	0.75	26.9	29.8
2017	1,804	27.1	0.65	25.8	28.4	1,531	27.7	0.73	26.3	29.1
2018	1,673	24.7	0.62	23.5	26.0	1,419	25.4	0.69	24.1	26.8
2019	1,758	25.5	0.62	24.3	26.8	1,510	26.6	0.70	25.3	28.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,499	19.0	0.30	18.4	19.6	1,045	16.0	0.55	14.9	17.1
1986	75	13.2	1.66	10.2	16.9	15	19.4	5.43	10.3	33.6
1987	67	12.8	1.67	9.7	16.5	5	5.0	2.52	1.3	13.6
1988	75	12.5	1.56	9.6	15.9	8	9.0	3.32	3.7	18.7
1989	77	13.2	1.65	10.1	16.8	9	12.3	4.62	4.9	24.6
1990	96	16.5	1.84	13.1	20.5	14	15.1	4.55	7.6	27.0
1991	76	12.3	1.53	9.5	15.7	8	9.9	4.68	2.9	22.4
1992	95	16.6	1.85	13.2	20.6	10	13.5	5.01	5.5	26.2
1993	109	16.1	1.68	13.0	19.8	13	14.1	4.30	6.9	24.9
1994	127	18.8	1.74	15.5	22.5	16	17.3	5.24	8.6	30.1
1995	138	22.0	2.05	18.2	26.4	15	15.2	4.82	7.3	27.1
1996	151	22.7	1.99	18.9	26.9	20	14.9	3.96	8.2	24.7
1997	133	19.0	1.72	15.7	22.7	26	22.7	5.33	13.4	35.2
1998	146	21.4	1.85	17.9	25.3	20	14.5	4.10	7.6	24.5
1999	129	19.4	1.85	16.0	23.4	16	9.8	2.74	5.2	16.8
2000	137	19.1	1.70	15.9	22.7	22	13.2	3.46	7.3	21.6
2001	128	18.3	1.72	15.1	22.0	22	12.1	2.91	7.1	19.2
2002	125	17.6	1.66	14.5	21.1	28	19.1	4.13	11.8	28.6
2003	138	19.7	1.75	16.4	23.4	31	15.8	3.16	10.2	23.2
2004	160	23.2	1.96	19.6	27.4	29	14.2	3.02	8.9	21.3
2005	139	20.2	1.84	16.7	24.1	41	22.3	4.02	15.2	31.4
2006	130	17.9	1.64	14.8	21.4	31	15.7	3.24	10.0	23.2
2007	162	21.9	1.83	18.4	25.7	26	10.6	2.36	6.5	16.3
2008	141	19.5	1.74	16.3	23.2	36	13.5	2.54	9.0	19.4
2009	135	18.1	1.65	15.0	21.6	43	19.1	3.28	13.3	26.5
2010	169	22.6	1.83	19.1	26.5	39	16.9	3.09	11.4	23.9
2011	164	21.6	1.78	18.2	25.3	46	17.4	2.82	12.4	23.8
2012	145	18.1	1.56	15.2	21.5	38	13.5	2.36	9.3	18.9
2013	148	18.3	1.57	15.4	21.7	52	16.4	2.44	11.9	21.9
2014	163	19.9	1.63	16.8	23.3	56	18.6	2.69	13.7	24.6
2015	170	21.0	1.67	17.8	24.5	62	18.9	2.57	14.2	24.5
2016	153	19.0	1.60	16.0	22.4	48	13.0	1.94	9.5	17.4
2017	184	23.4	1.80	20.0	27.2	70	20.4	2.54	15.7	25.9
2018	167	20.1	1.61	17.1	23.5	62	16.3	2.13	12.4	21.0
2019	147	17.1	1.46	14.4	20.2	68	17.5	2.19	13.5	22.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	43,002	18.1	0.09	17.9	18.3	37,861	19.0	0.10	18.8	19.2
1986	863	14.1	0.49	13.2	15.1	805	15.1	0.55	14.1	16.2
1987	860	13.9	0.48	13.0	14.9	807	15.0	0.54	14.0	16.1
1988	880	14.3	0.49	13.4	15.3	799	14.9	0.54	13.9	16.0
1989	918	14.9	0.50	14.0	15.9	835	15.7	0.55	14.6	16.8
1990	966	15.6	0.51	14.6	16.6	884	16.5	0.57	15.4	17.6
1991	987	15.6	0.50	14.7	16.7	903	16.5	0.56	15.4	17.7
1992	1,084	16.8	0.52	15.8	17.9	997	18.0	0.58	16.9	19.2
1993	1,092	16.9	0.52	15.9	17.9	993	17.8	0.57	16.7	19.0
1994	1,193	18.3	0.53	17.3	19.4	1,076	19.2	0.59	18.0	20.4
1995	1,195	18.1	0.53	17.1	19.2	1,072	18.9	0.58	17.7	20.0
1996	1,253	19.0	0.54	17.9	20.1	1,146	20.3	0.61	19.1	21.5
1997	1,229	18.5	0.53	17.5	19.6	1,104	19.5	0.59	18.3	20.7
1998	1,223	18.3	0.53	17.3	19.4	1,082	19.0	0.59	17.9	20.2
1999	1,281	19.1	0.54	18.0	20.1	1,171	20.6	0.61	19.4	21.8
2000	1,280	19.0	0.53	18.0	20.1	1,137	20.0	0.60	18.9	21.3
2001	1,327	19.4	0.54	18.4	20.5	1,179	20.4	0.60	19.2	21.6
2002	1,294	18.8	0.53	17.8	19.8	1,149	19.8	0.59	18.6	21.0
2003	1,316	19.0	0.53	18.0	20.1	1,156	19.9	0.59	18.7	21.1
2004	1,357	19.5	0.53	18.4	20.5	1,180	20.2	0.60	19.0	21.4
2005	1,365	19.5	0.53	18.5	20.6	1,197	20.4	0.60	19.3	21.6
2006	1,322	18.7	0.52	17.7	19.7	1,168	19.9	0.59	18.7	21.1
2007	1,335	18.7	0.52	17.7	19.8	1,171	19.8	0.59	18.6	20.9
2008	1,445	20.1	0.53	19.0	21.1	1,253	21.0	0.60	19.8	22.2
2009	1,444	19.8	0.53	18.8	20.9	1,250	20.7	0.60	19.6	21.9
2010	1,425	19.5	0.53	18.5	20.6	1,234	20.5	0.60	19.4	21.7
2011	1,418	19.1	0.52	18.1	20.1	1,222	19.9	0.58	18.8	21.1
2012	1,403	18.7	0.51	17.7	19.7	1,204	19.5	0.58	18.4	20.7
2013	1,392	18.1	0.50	17.1	19.1	1,177	18.7	0.56	17.6	19.8
2014	1,508	19.7	0.52	18.7	20.8	1,282	20.5	0.59	19.4	21.7
2015	1,461	18.9	0.51	17.9	19.9	1,263	20.0	0.58	18.9	21.2
2016	1,485	18.9	0.51	18.0	20.0	1,266	19.9	0.58	18.8	21.0
2017	1,452	18.6	0.50	17.6	19.6	1,231	19.5	0.58	18.4	20.7
2018	1,479	18.6	0.50	17.6	19.6	1,224	19.0	0.56	17.9	20.2
2019	1,470	17.9	0.48	17.0	18.9	1,244	18.9	0.56	17.8	20.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,911	12.7	0.20	12.3	13.1	869	10.6	0.38	9.9	11.4
1986	49	7.2	1.06	5.3	9.6	9	11.6	4.17	4.9	22.7
1987	46	6.1	0.94	4.4	8.2	5	4.5	2.08	1.4	11.4
1988	72	9.7	1.19	7.5	12.3	7	8.8	4.01	2.8	19.6
1989	74	10.0	1.20	7.8	12.7	9	7.9	3.00	3.1	16.2
1990	75	10.0	1.19	7.8	12.6	5	3.6	1.64	1.1	9.2
1991	66	8.8	1.11	6.8	11.2	11	8.7	2.73	4.2	16.1
1992	76	9.6	1.13	7.5	12.1	9	7.7	3.18	2.7	16.1
1993	85	10.8	1.20	8.5	13.4	8	6.4	2.43	2.6	13.0
1994	99	12.6	1.29	10.2	15.3	16	14.2	3.91	7.6	23.7
1995	93	11.7	1.24	9.4	14.4	24	16.9	3.74	10.4	25.8
1996	84	10.0	1.11	7.9	12.4	17	11.1	2.86	6.2	18.1
1997	102	12.1	1.22	9.8	14.7	17	11.5	3.01	6.4	18.8
1998	113	13.0	1.24	10.7	15.6	18	9.1	2.36	5.1	15.0
1999	96	11.3	1.17	9.1	13.8	11	6.0	1.91	2.8	10.9
2000	111	12.6	1.20	10.3	15.1	23	9.8	2.15	6.0	15.0
2001	122	13.7	1.25	11.4	16.4	23	11.0	2.51	6.7	17.0
2002	117	13.0	1.21	10.7	15.6	17	9.0	2.33	5.0	14.6
2003	123	13.4	1.21	11.1	16.0	28	13.7	2.74	8.9	20.1
2004	138	15.3	1.31	12.8	18.0	24	10.7	2.30	6.7	16.1
2005	132	14.3	1.25	11.9	17.0	27	11.6	2.36	7.5	17.1
2006	124	13.1	1.19	10.9	15.7	19	6.8	1.64	4.0	10.8
2007	129	13.6	1.21	11.3	16.2	30	10.6	2.06	7.0	15.5
2008	140	14.6	1.24	12.2	17.2	37	12.3	2.13	8.5	17.2
2009	139	14.2	1.21	11.9	16.7	27	9.4	1.90	6.0	13.8
2010	133	13.5	1.18	11.2	16.0	37	11.4	1.99	7.9	16.0
2011	144	14.1	1.19	11.9	16.7	32	9.5	1.76	6.4	13.6
2012	151	14.6	1.20	12.3	17.1	33	9.5	1.73	6.4	13.5
2013	148	14.1	1.18	11.9	16.6	44	12.0	1.88	8.6	16.3
2014	153	14.6	1.20	12.3	17.1	51	13.1	1.89	9.7	17.4
2015	137	12.9	1.12	10.8	15.3	43	10.8	1.70	7.7	14.7
2016	147	14.0	1.18	11.8	16.5	60	14.5	1.91	11.0	18.8
2017	165	15.4	1.23	13.1	18.0	39	8.7	1.41	6.1	11.9
2018	178	16.3	1.25	13.9	18.9	59	13.1	1.73	9.9	16.9
2019	150	13.4	1.11	11.3	15.7	50	10.5	1.50	7.8	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	11,989	2.8	0.03	2.8	2.9	9,975	2.9	0.03	2.9	3.0
1986	324	2.9	0.17	2.6	3.2	288	3.1	0.18	2.7	3.4
1987	287	2.5	0.15	2.2	2.8	255	2.6	0.17	2.3	3.0
1988	286	2.4	0.15	2.1	2.7	248	2.5	0.16	2.2	2.9
1989	324	2.8	0.16	2.5	3.1	290	3.0	0.18	2.7	3.4
1990	335	2.9	0.16	2.6	3.2	289	3.0	0.18	2.7	3.4
1991	329	2.8	0.16	2.5	3.1	290	3.0	0.18	2.6	3.4
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	318	2.6	0.15	2.3	2.9	262	2.6	0.16	2.3	3.0
1994	328	2.7	0.15	2.4	3.0	283	2.8	0.17	2.5	3.2
1995	322	2.6	0.15	2.4	3.0	278	2.8	0.17	2.5	3.1
1996	377	3.1	0.16	2.8	3.4	315	3.1	0.18	2.8	3.5
1997	363	3.0	0.16	2.7	3.3	299	3.0	0.17	2.7	3.3
1998	326	2.6	0.15	2.4	3.0	270	2.7	0.16	2.4	3.0
1999	348	2.8	0.15	2.5	3.1	297	3.0	0.17	2.6	3.3
2000	363	2.9	0.15	2.6	3.2	305	3.0	0.17	2.7	3.4
2001	365	2.9	0.15	2.6	3.2	302	3.0	0.17	2.7	3.4
2002	367	2.9	0.15	2.6	3.2	316	3.1	0.18	2.8	3.5
2003	353	2.8	0.15	2.5	3.1	298	2.9	0.17	2.6	3.3
2004	361	2.9	0.15	2.6	3.2	299	3.0	0.17	2.6	3.3
2005	384	3.1	0.16	2.8	3.4	307	3.1	0.18	2.7	3.4
2006	388	3.1	0.16	2.8	3.4	324	3.2	0.18	2.9	3.6
2007	346	2.7	0.15	2.4	3.0	290	2.8	0.17	2.5	3.2
2008	416	3.3	0.16	3.0	3.6	338	3.3	0.18	3.0	3.7
2009	368	2.9	0.15	2.6	3.2	300	2.9	0.17	2.6	3.3
2010	384	3.0	0.16	2.7	3.3	309	3.1	0.18	2.7	3.4
2011	358	2.8	0.15	2.5	3.1	282	2.8	0.17	2.5	3.1
2012	356	2.8	0.15	2.5	3.1	283	2.8	0.17	2.4	3.1
2013	362	2.7	0.15	2.5	3.1	291	2.8	0.17	2.5	3.2
2014	379	2.9	0.15	2.6	3.2	311	3.0	0.17	2.7	3.3
2015	361	2.8	0.15	2.5	3.2	289	2.9	0.17	2.6	3.3
2016	346	2.7	0.15	2.4	3.0	276	2.7	0.17	2.4	3.1
2017	388	3.0	0.15	2.7	3.3	307	3.0	0.17	2.7	3.4
2018	382	2.9	0.15	2.6	3.2	303	3.0	0.17	2.6	3.3
2019	354	2.7	0.14	2.4	3.0	283	2.7	0.17	2.4	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hodgkin Lymphoma										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,594	2.6	0.07	2.4	2.7	257	1.4	0.09	1.2	1.6
1986	32	2.0	0.38	1.4	3.0	4	2.1	1.11	0.6	6.0
1987	28	1.7	0.35	1.1	2.6	0				
1988	35	2.0	0.36	1.4	2.8	3	1.6	0.94	0.3	5.0
1989	34	2.1	0.37	1.4	2.9	0				
1990	44	2.6	0.41	1.9	3.6	1	0.5	0.51	0.0	3.2
1991	31	1.8	0.34	1.2	2.6	4	1.3	0.68	0.3	3.9
1992	39	2.3	0.39	1.6	3.2	3	0.7	0.42	0.2	2.8
1993	50	2.8	0.42	2.1	3.8	4	1.4	0.73	0.3	3.9
1994	37	2.2	0.36	1.5	3.0	5	1.4	0.64	0.4	3.6
1995	37	2.0	0.33	1.4	2.7	4	2.0	1.25	0.3	5.6
1996	48	2.7	0.40	2.0	3.6	8	2.1	0.84	0.8	4.6
1997	57	3.2	0.44	2.4	4.2	3	0.7	0.42	0.2	2.4
1998	42	2.2	0.35	1.6	3.1	8	2.1	0.86	0.8	4.6
1999	37	2.1	0.36	1.5	2.9	6	1.2	0.49	0.4	2.8
2000	47	2.6	0.39	1.9	3.5	3	0.6	0.32	0.1	1.9
2001	49	2.7	0.38	2.0	3.5	10	2.0	0.68	0.9	3.9
2002	43	2.4	0.37	1.7	3.2	2	0.5	0.37	0.0	1.9
2003	43	2.3	0.36	1.7	3.2	8	1.3	0.47	0.6	2.8
2004	52	2.8	0.40	2.1	3.7	5	0.8	0.38	0.3	2.1
2005	65	3.6	0.46	2.8	4.6	8	1.4	0.53	0.6	3.0
2006	46	2.5	0.37	1.8	3.3	10	1.8	0.65	0.8	3.6
2007	46	2.4	0.35	1.7	3.2	7	1.0	0.38	0.4	2.2
2008	57	3.0	0.41	2.3	3.9	14	1.9	0.52	1.0	3.3
2009	50	2.7	0.38	2.0	3.5	7	1.0	0.38	0.4	2.1
2010	57	2.9	0.39	2.2	3.8	10	1.3	0.41	0.6	2.5
2011	59	3.1	0.41	2.3	4.0	5	0.5	0.22	0.2	1.3
2012	59	3.1	0.41	2.3	4.0	11	1.4	0.45	0.7	2.6
2013	53	2.7	0.37	2.0	3.5	13	1.7	0.48	0.9	3.0
2014	47	2.5	0.37	1.8	3.3	15	2.0	0.53	1.1	3.3
2015	50	2.5	0.37	1.9	3.4	18	2.2	0.54	1.3	3.5
2016	53	2.8	0.39	2.1	3.7	15	1.9	0.49	1.0	3.1
2017	57	2.9	0.39	2.2	3.8	17	1.9	0.47	1.1	3.1
2018	55	2.9	0.39	2.1	3.7	16	1.9	0.48	1.1	3.1
2019	55	2.8	0.38	2.1	3.6	10	1.1	0.35	0.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,614	3.2	0.04	3.2	3.3	5,476	3.3	0.04	3.2	3.4
1986	158	3.0	0.25	2.5	3.5	138	3.1	0.27	2.6	3.7
1987	168	3.1	0.24	2.6	3.6	149	3.2	0.27	2.7	3.8
1988	158	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.5
1989	166	3.0	0.24	2.6	3.5	148	3.2	0.27	2.7	3.8
1990	192	3.5	0.26	3.0	4.0	164	3.5	0.28	3.0	4.1
1991	180	3.3	0.25	2.8	3.8	158	3.4	0.28	2.9	4.0
1992	172	3.1	0.24	2.6	3.6	154	3.3	0.27	2.8	3.8
1993	181	3.1	0.24	2.7	3.6	150	3.1	0.26	2.6	3.7
1994	185	3.2	0.24	2.7	3.7	152	3.1	0.26	2.6	3.7
1995	192	3.3	0.24	2.8	3.8	160	3.3	0.27	2.8	3.9
1996	215	3.7	0.25	3.2	4.2	172	3.5	0.27	3.0	4.1
1997	187	3.1	0.23	2.7	3.6	147	3.0	0.25	2.5	3.5
1998	188	3.2	0.24	2.8	3.7	160	3.3	0.26	2.8	3.9
1999	189	3.2	0.23	2.7	3.7	155	3.2	0.26	2.7	3.7
2000	216	3.6	0.25	3.1	4.1	185	3.8	0.28	3.2	4.4
2001	198	3.3	0.24	2.9	3.8	160	3.3	0.26	2.8	3.8
2002	198	3.3	0.23	2.8	3.8	174	3.5	0.27	3.0	4.1
2003	183	3.1	0.23	2.6	3.5	156	3.2	0.25	2.7	3.7
2004	212	3.5	0.24	3.1	4.1	173	3.5	0.27	3.0	4.1
2005	217	3.6	0.24	3.1	4.1	177	3.6	0.27	3.1	4.2
2006	203	3.3	0.24	2.9	3.8	170	3.5	0.27	2.9	4.0
2007	202	3.3	0.23	2.8	3.8	165	3.3	0.26	2.8	3.9
2008	215	3.5	0.24	3.0	4.0	174	3.5	0.26	3.0	4.0
2009	199	3.2	0.23	2.8	3.7	162	3.3	0.26	2.8	3.8
2010	207	3.4	0.24	2.9	3.9	163	3.3	0.26	2.8	3.9
2011	203	3.3	0.23	2.9	3.8	160	3.2	0.26	2.7	3.8
2012	195	3.1	0.23	2.7	3.6	157	3.2	0.26	2.7	3.7
2013	190	3.0	0.22	2.6	3.4	159	3.2	0.25	2.7	3.7
2014	211	3.2	0.23	2.8	3.7	171	3.3	0.25	2.8	3.8
2015	217	3.4	0.24	3.0	3.9	171	3.4	0.26	2.9	4.0
2016	211	3.3	0.23	2.9	3.8	165	3.3	0.26	2.8	3.8
2017	206	3.2	0.23	2.8	3.7	165	3.2	0.26	2.8	3.8
2018	205	3.2	0.23	2.8	3.7	164	3.3	0.26	2.8	3.8
2019	195	3.0	0.22	2.6	3.4	160	3.1	0.25	2.6	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	895	3.2	0.11	3.0	3.4	151	1.8	0.15	1.5	2.1
1986	17	2.2	0.58	1.2	3.8	3	3.4	2.12	0.6	11.8
1987	16	2.6	0.71	1.4	4.4	0				
1988	18	2.1	0.54	1.2	3.6	2	2.4	1.67	0.3	9.5
1989	18	2.6	0.71	1.4	4.4	0				
1990	26	3.5	0.71	2.2	5.2	1	1.2	1.19	0.0	7.4
1991	17	2.3	0.57	1.3	3.8	2	1.3	0.92	0.2	6.6
1992	18	2.8	0.74	1.6	4.6	0				
1993	28	3.4	0.66	2.2	5.0	3	2.5	1.52	0.4	8.1
1994	26	3.3	0.67	2.1	5.0	4	2.6	1.35	0.7	7.7
1995	29	3.4	0.64	2.2	4.9	1	0.4	0.39	0.0	4.3
1996	32	3.9	0.71	2.6	5.6	6	3.8	1.88	1.1	9.6
1997	36	4.5	0.79	3.1	6.4	2	0.9	0.67	0.1	4.6
1998	21	2.3	0.52	1.4	3.7	3	2.9	1.88	0.4	8.7
1999	22	2.6	0.58	1.6	4.1	5	2.0	0.93	0.6	5.7
2000	26	3.1	0.64	2.0	4.6	0				
2001	29	3.4	0.65	2.3	5.0	6	3.1	1.40	1.0	7.3
2002	21	2.4	0.54	1.4	3.7	1	0.8	0.84	0.0	4.2
2003	21	2.5	0.57	1.5	3.9	6	2.0	0.83	0.7	4.9
2004	36	4.4	0.76	3.0	6.2	2	0.8	0.54	0.1	3.2
2005	31	3.5	0.64	2.4	5.1	6	2.4	1.03	0.8	5.6
2006	24	2.8	0.59	1.8	4.3	4	1.4	0.78	0.3	4.1
2007	28	3.1	0.60	2.1	4.6	6	1.7	0.71	0.6	4.1
2008	28	3.3	0.64	2.2	4.8	9	2.5	0.83	1.1	5.0
2009	29	3.4	0.64	2.2	4.9	4	1.0	0.52	0.3	3.0
2010	34	3.9	0.70	2.7	5.5	6	1.7	0.69	0.6	3.9
2011	33	3.9	0.72	2.7	5.6	2	0.4	0.29	0.1	2.0
2012	29	3.3	0.62	2.2	4.8	6	1.7	0.74	0.6	3.9
2013	23	2.6	0.56	1.6	3.9	7	1.8	0.69	0.7	3.8
2014	30	3.5	0.65	2.3	5.0	10	2.9	1.00	1.3	5.6
2015	32	3.4	0.63	2.3	4.9	12	3.2	0.98	1.6	5.8
2016	36	4.1	0.70	2.8	5.7	9	2.1	0.69	0.9	4.0
2017	27	3.0	0.59	1.9	4.4	9	2.2	0.75	1.0	4.3
2018	27	2.9	0.56	1.9	4.2	10	2.7	0.88	1.2	5.0
2019	27	2.8	0.54	1.8	4.1	4	0.8	0.41	0.2	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,375	2.5	0.03	2.4	2.5	4,499	2.6	0.04	2.5	2.6
1986	166	2.8	0.22	2.4	3.2	150	2.9	0.25	2.5	3.5
1987	119	1.9	0.18	1.6	2.3	106	2.1	0.20	1.7	2.5
1988	128	2.1	0.18	1.7	2.4	110	2.1	0.20	1.7	2.5
1989	158	2.6	0.21	2.2	3.0	142	2.8	0.24	2.3	3.3
1990	143	2.4	0.20	2.0	2.8	125	2.5	0.23	2.1	3.0
1991	149	2.4	0.20	2.0	2.8	132	2.6	0.23	2.2	3.1
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2
1993	137	2.2	0.19	1.8	2.6	112	2.2	0.21	1.8	2.6
1994	143	2.2	0.19	1.9	2.6	131	2.5	0.22	2.1	3.0
1995	130	2.1	0.18	1.7	2.5	118	2.3	0.22	1.9	2.8
1996	162	2.6	0.20	2.2	3.0	143	2.8	0.24	2.4	3.3
1997	176	2.8	0.21	2.4	3.2	152	3.0	0.24	2.5	3.5
1998	138	2.2	0.19	1.8	2.6	110	2.2	0.21	1.8	2.6
1999	159	2.5	0.20	2.1	2.9	142	2.8	0.23	2.3	3.3
2000	147	2.3	0.19	1.9	2.7	120	2.4	0.22	1.9	2.8
2001	167	2.6	0.20	2.2	3.0	142	2.8	0.23	2.3	3.3
2002	169	2.6	0.20	2.2	3.0	142	2.7	0.23	2.3	3.2
2003	170	2.6	0.20	2.3	3.1	142	2.8	0.23	2.3	3.3
2004	149	2.3	0.19	2.0	2.7	126	2.5	0.22	2.0	2.9
2005	167	2.6	0.20	2.2	3.0	130	2.6	0.23	2.1	3.0
2006	185	2.8	0.21	2.4	3.3	154	3.0	0.24	2.5	3.5
2007	144	2.2	0.19	1.9	2.6	125	2.4	0.22	2.0	2.9
2008	201	3.1	0.22	2.7	3.6	164	3.2	0.26	2.8	3.8
2009	169	2.6	0.20	2.2	3.0	138	2.7	0.23	2.3	3.2
2010	177	2.7	0.21	2.3	3.2	146	2.9	0.24	2.4	3.4
2011	155	2.4	0.19	2.0	2.8	122	2.4	0.22	2.0	2.9
2012	161	2.4	0.19	2.1	2.8	126	2.4	0.22	2.0	2.9
2013	172	2.5	0.20	2.2	3.0	132	2.5	0.22	2.1	3.0
2014	168	2.5	0.20	2.2	3.0	140	2.7	0.24	2.3	3.2
2015	144	2.3	0.20	1.9	2.7	118	2.4	0.23	2.0	2.9
2016	135	2.1	0.18	1.7	2.5	111	2.2	0.22	1.8	2.7
2017	182	2.8	0.21	2.4	3.2	142	2.8	0.24	2.3	3.3
2018	177	2.6	0.20	2.3	3.1	139	2.7	0.23	2.2	3.2
2019	159	2.4	0.19	2.0	2.8	123	2.4	0.22	2.0	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	699	2.1	0.08	1.9	2.2	106	1.1	0.11	0.9	1.3
1986	15	1.9	0.50	1.0	3.2	1	1.2	1.19	0.0	7.1
1987	12	1.2	0.35	0.6	2.2	0				
1988	17	1.9	0.48	1.1	3.1	1	1.0	1.00	0.0	6.1
1989	16	1.8	0.45	1.0	2.9	0				
1990	18	2.0	0.48	1.2	3.2	0				
1991	14	1.5	0.41	0.8	2.6	2	1.3	0.96	0.1	5.6
1992	21	2.1	0.47	1.3	3.3	3	1.5	0.86	0.3	5.4
1993	22	2.3	0.51	1.4	3.6	1	0.5	0.53	0.0	3.9
1994	11	1.2	0.36	0.6	2.2	1	0.3	0.33	0.0	3.3
1995	8	0.8	0.28	0.3	1.6	3	3.0	1.98	0.5	8.8
1996	16	1.7	0.42	0.9	2.7	2	0.7	0.50	0.1	3.5
1997	21	2.2	0.49	1.4	3.4	1	0.5	0.52	0.0	3.2
1998	21	2.1	0.47	1.3	3.3	5	1.8	0.83	0.6	4.8
1999	15	1.6	0.43	0.9	2.7	1	0.3	0.32	0.0	2.6
2000	21	2.2	0.48	1.3	3.3	3	1.1	0.65	0.2	3.6
2001	20	2.0	0.45	1.2	3.1	4	1.1	0.57	0.3	3.4
2002	22	2.3	0.49	1.4	3.5	1	0.2	0.22	0.0	2.0
2003	22	2.2	0.47	1.4	3.3	2	0.6	0.44	0.1	2.6
2004	16	1.6	0.39	0.9	2.6	3	0.9	0.54	0.2	3.0
2005	34	3.5	0.61	2.4	4.9	2	0.6	0.41	0.1	2.4
2006	22	2.2	0.46	1.3	3.3	6	2.1	0.94	0.7	4.8
2007	18	1.8	0.42	1.0	2.8	1	0.3	0.26	0.0	1.8
2008	29	2.8	0.53	1.9	4.1	5	1.4	0.65	0.5	3.5
2009	21	2.0	0.45	1.2	3.1	3	0.9	0.54	0.2	2.7
2010	23	2.1	0.45	1.3	3.2	4	1.0	0.51	0.3	2.7
2011	26	2.5	0.49	1.6	3.7	3	0.6	0.34	0.1	2.0
2012	30	2.9	0.54	2.0	4.2	5	1.2	0.55	0.4	2.9
2013	30	2.8	0.52	1.9	4.0	6	1.6	0.67	0.6	3.5
2014	17	1.7	0.42	1.0	2.7	5	1.3	0.58	0.4	3.0
2015	18	1.8	0.43	1.1	2.9	6	1.3	0.53	0.5	2.9
2016	17	1.7	0.42	1.0	2.7	6	1.6	0.66	0.6	3.4
2017	30	2.8	0.53	1.9	4.1	8	1.7	0.59	0.7	3.3
2018	28	2.8	0.53	1.8	4.0	6	1.2	0.51	0.4	2.8
2019	28	2.7	0.52	1.8	3.9	6	1.4	0.56	0.5	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Non-Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	79,902	18.7	0.07	18.6	18.9	70,820	19.6	0.07	19.5	19.7
1986	1,374	13.0	0.36	12.3	13.7	1,262	13.6	0.39	12.8	14.4
1987	1,460	13.7	0.36	13.0	14.4	1,363	14.6	0.40	13.8	15.4
1988	1,566	14.6	0.37	13.9	15.3	1,438	15.3	0.41	14.5	16.1
1989	1,579	14.6	0.37	13.9	15.4	1,443	15.3	0.41	14.5	16.2
1990	1,735	15.9	0.39	15.2	16.7	1,585	16.7	0.42	15.9	17.6
1991	1,729	15.6	0.38	14.8	16.3	1,591	16.5	0.42	15.7	17.3
1992	1,917	17.1	0.39	16.4	17.9	1,765	18.2	0.44	17.3	19.1
1993	1,991	17.6	0.40	16.8	18.4	1,825	18.6	0.44	17.8	19.5
1994	2,108	18.5	0.40	17.7	19.3	1,890	19.1	0.44	18.3	20.0
1995	2,206	19.1	0.41	18.3	20.0	1,969	19.8	0.45	18.9	20.7
1996	2,259	19.4	0.41	18.7	20.3	2,035	20.4	0.45	19.5	21.3
1997	2,203	18.8	0.40	18.0	19.6	1,976	19.6	0.44	18.7	20.5
1998	2,302	19.5	0.41	18.7	20.3	2,040	20.1	0.45	19.3	21.0
1999	2,390	20.0	0.41	19.2	20.9	2,170	21.3	0.46	20.4	22.2
2000	2,365	19.6	0.40	18.9	20.5	2,108	20.6	0.45	19.7	21.5
2001	2,367	19.5	0.40	18.7	20.3	2,124	20.5	0.45	19.7	21.4
2002	2,410	19.7	0.40	18.9	20.5	2,155	20.7	0.45	19.9	21.6
2003	2,455	19.8	0.40	19.1	20.6	2,173	20.7	0.45	19.8	21.6
2004	2,618	21.0	0.41	20.2	21.8	2,301	21.8	0.46	20.9	22.7
2005	2,539	20.2	0.40	19.4	21.0	2,257	21.2	0.45	20.3	22.1
2006	2,494	19.6	0.40	18.9	20.4	2,228	20.9	0.44	20.0	21.8
2007	2,578	20.0	0.40	19.2	20.8	2,273	21.0	0.44	20.2	21.9
2008	2,633	20.1	0.39	19.3	20.9	2,321	21.1	0.44	20.2	22.0
2009	2,663	20.1	0.39	19.3	20.9	2,341	21.1	0.44	20.2	22.0
2010	2,739	20.4	0.39	19.6	21.2	2,384	21.2	0.44	20.4	22.1
2011	2,691	19.7	0.39	18.9	20.5	2,339	20.5	0.43	19.7	21.4
2012	2,649	19.2	0.38	18.5	20.0	2,321	20.3	0.43	19.5	21.2
2013	2,721	19.3	0.38	18.6	20.1	2,363	20.3	0.42	19.4	21.1
2014	2,866	20.0	0.38	19.3	20.8	2,474	20.9	0.43	20.1	21.8
2015	2,914	20.1	0.38	19.3	20.8	2,539	21.2	0.43	20.4	22.0
2016	2,869	19.7	0.38	19.0	20.5	2,501	20.9	0.43	20.1	21.8
2017	2,868	19.4	0.37	18.6	20.1	2,455	20.1	0.42	19.3	21.0
2018	2,770	18.4	0.36	17.7	19.1	2,340	18.9	0.40	18.1	19.7
2019	2,874	18.7	0.36	18.0	19.4	2,471	19.7	0.41	18.9	20.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Non-Hodgkin Lymphoma										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,816	12.8	0.16	12.5	13.2	1,657	11.6	0.30	11.0	12.2
1986	92	7.8	0.85	6.3	9.7	20	13.1	3.18	7.6	20.8
1987	85	7.2	0.80	5.7	8.9	10	4.7	1.58	2.1	9.2
1988	112	9.0	0.89	7.3	10.9	12	7.5	2.62	3.3	14.2
1989	117	9.3	0.89	7.6	11.2	18	9.6	2.57	5.2	15.9
1990	127	10.1	0.93	8.4	12.1	18	8.1	2.09	4.6	13.4
1991	111	8.6	0.85	7.0	10.4	15	7.7	2.33	3.8	13.5
1992	132	10.2	0.92	8.4	12.1	16	9.2	2.75	4.7	15.9
1993	144	10.4	0.90	8.7	12.3	17	8.3	2.17	4.6	13.6
1994	189	13.4	1.00	11.5	15.5	27	14.2	3.06	8.8	21.2
1995	194	14.1	1.05	12.1	16.3	35	13.9	2.62	9.3	20.0
1996	187	12.8	0.96	10.9	14.8	29	10.7	2.18	6.8	15.8
1997	178	12.0	0.93	10.3	14.0	40	15.4	2.74	10.6	21.6
1998	217	14.5	1.01	12.6	16.6	30	9.1	1.93	5.7	13.6
1999	188	12.6	0.94	10.8	14.6	21	6.5	1.54	3.9	10.2
2000	201	13.0	0.94	11.2	15.0	42	10.5	1.79	7.3	14.6
2001	201	13.1	0.94	11.3	15.0	35	9.7	1.81	6.5	13.8
2002	199	12.7	0.92	11.0	14.6	43	12.8	2.15	9.0	17.6
2003	218	13.7	0.94	11.9	15.7	51	13.5	2.05	9.8	18.1
2004	246	15.8	1.03	13.9	18.0	48	11.5	1.80	8.2	15.5
2005	206	13.1	0.93	11.3	15.0	60	14.7	2.06	10.9	19.2
2006	208	12.8	0.91	11.1	14.7	40	8.7	1.48	6.0	12.0
2007	245	14.7	0.96	12.9	16.7	49	9.7	1.51	7.0	13.1
2008	224	13.6	0.93	11.8	15.5	59	10.8	1.52	8.1	14.2
2009	224	13.1	0.89	11.4	15.0	63	12.6	1.71	9.5	16.4
2010	245	14.3	0.93	12.5	16.2	66	12.3	1.64	9.3	15.9
2011	249	14.1	0.91	12.4	16.0	73	12.6	1.57	9.7	16.0
2012	237	13.0	0.86	11.4	14.8	60	9.9	1.34	7.4	12.8
2013	243	13.3	0.87	11.6	15.1	83	12.3	1.43	9.7	15.4
2014	269	14.4	0.90	12.7	16.3	92	13.3	1.44	10.6	16.4
2015	257	13.7	0.88	12.1	15.6	87	12.1	1.36	9.6	15.1
2016	247	13.4	0.87	11.7	15.2	93	12.1	1.29	9.7	14.9
2017	292	15.7	0.94	13.9	17.7	92	12.0	1.28	9.6	14.7
2018	290	15.1	0.91	13.4	17.0	105	12.6	1.26	10.3	15.3
2019	242	12.3	0.81	10.8	14.0	108	12.5	1.22	10.2	15.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Non-Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	42,275	22.8	0.11	22.5	23.0	37,458	23.7	0.12	23.5	23.9
1986	677	14.9	0.60	13.8	16.2	607	15.3	0.64	14.1	16.6
1987	719	15.8	0.61	14.6	17.0	662	16.6	0.67	15.3	17.9
1988	814	17.6	0.64	16.4	18.9	749	18.6	0.70	17.2	20.0
1989	819	17.6	0.64	16.4	18.9	750	18.5	0.70	17.2	19.9
1990	912	19.3	0.66	18.1	20.7	826	20.1	0.72	18.7	21.6
1991	891	18.5	0.64	17.2	19.8	820	19.5	0.70	18.2	21.0
1992	1,002	21.1	0.69	19.8	22.5	912	22.1	0.75	20.7	23.6
1993	1,036	21.1	0.67	19.8	22.5	944	22.2	0.74	20.8	23.7
1994	1,058	21.5	0.68	20.2	22.9	945	22.3	0.74	20.9	23.8
1995	1,141	22.9	0.69	21.6	24.3	1,015	23.6	0.75	22.1	25.1
1996	1,168	23.1	0.69	21.8	24.5	1,032	23.8	0.75	22.3	25.3
1997	1,150	22.7	0.68	21.4	24.1	1,024	23.6	0.75	22.1	25.1
1998	1,217	23.8	0.69	22.5	25.2	1,068	24.4	0.76	23.0	26.0
1999	1,268	24.6	0.70	23.3	26.1	1,141	25.8	0.77	24.3	27.4
2000	1,232	23.6	0.68	22.3	24.9	1,091	24.5	0.75	23.1	26.0
2001	1,207	23.0	0.67	21.7	24.4	1,087	24.3	0.74	22.9	25.8
2002	1,285	24.3	0.69	23.0	25.7	1,148	25.5	0.76	24.0	27.0
2003	1,309	24.3	0.68	23.0	25.7	1,159	25.3	0.75	23.8	26.8
2004	1,410	26.1	0.71	24.7	27.5	1,247	27.2	0.78	25.7	28.8
2005	1,341	24.6	0.68	23.3	26.0	1,190	25.6	0.75	24.2	27.2
2006	1,357	24.5	0.68	23.2	25.8	1,214	25.9	0.75	24.4	27.4
2007	1,387	24.5	0.67	23.2	25.8	1,227	25.7	0.74	24.2	27.2
2008	1,389	24.2	0.66	23.0	25.6	1,232	25.4	0.74	24.0	26.9
2009	1,388	23.9	0.65	22.6	25.2	1,229	25.1	0.73	23.7	26.5
2010	1,491	25.2	0.67	23.9	26.5	1,296	25.9	0.73	24.5	27.4
2011	1,428	23.6	0.64	22.3	24.9	1,239	24.3	0.71	23.0	25.8
2012	1,407	23.0	0.63	21.8	24.3	1,243	24.2	0.70	22.9	25.7
2013	1,501	24.0	0.63	22.8	25.3	1,318	25.3	0.71	24.0	26.8
2014	1,526	23.7	0.62	22.5	24.9	1,332	24.8	0.69	23.5	26.2
2015	1,597	24.5	0.63	23.3	25.7	1,394	25.6	0.70	24.3	27.0
2016	1,519	23.5	0.62	22.3	24.7	1,346	25.1	0.70	23.7	26.5
2017	1,598	23.9	0.61	22.7	25.1	1,366	24.4	0.68	23.1	25.8
2018	1,468	21.5	0.58	20.4	22.7	1,255	22.2	0.64	20.9	23.5
2019	1,563	22.5	0.58	21.4	23.7	1,350	23.5	0.66	22.3	24.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Non-Hodgkin Lymphoma										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,604	15.9	0.28	15.3	16.4	894	14.2	0.52	13.2	15.3
1986	58	11.0	1.55	8.2	14.5	12	16.0	5.00	7.8	29.4
1987	51	10.2	1.51	7.5	13.6	5	5.0	2.52	1.3	13.6
1988	57	10.4	1.46	7.7	13.6	6	6.6	2.87	2.2	15.6
1989	59	10.6	1.49	7.9	13.9	9	12.3	4.62	4.9	24.6
1990	70	13.1	1.70	10.0	16.8	13	14.0	4.39	6.7	25.5
1991	59	10.1	1.42	7.5	13.2	6	8.6	4.59	2.1	21.1
1992	77	13.8	1.69	10.7	17.5	10	13.5	5.01	5.5	26.2
1993	81	12.8	1.55	9.9	16.2	10	11.6	4.02	5.1	22.0
1994	101	15.4	1.60	12.5	18.9	12	14.7	5.07	6.5	27.3
1995	109	18.7	1.95	15.0	22.8	14	14.9	4.81	7.0	26.7
1996	119	18.8	1.86	15.3	22.7	14	11.1	3.48	5.4	20.0
1997	97	14.4	1.53	11.6	17.8	24	21.7	5.29	12.6	34.2
1998	125	19.1	1.78	15.7	22.9	17	11.6	3.65	5.6	20.7
1999	107	16.8	1.76	13.5	20.6	11	7.8	2.58	3.6	14.5
2000	111	16.0	1.58	13.1	19.4	22	13.2	3.46	7.3	21.6
2001	99	14.9	1.59	11.9	18.3	16	9.0	2.55	4.8	15.5
2002	104	15.2	1.57	12.3	18.6	27	18.2	4.05	11.2	27.6
2003	117	17.2	1.66	14.1	20.7	25	13.8	3.05	8.5	21.0
2004	124	18.8	1.81	15.5	22.7	27	13.5	2.98	8.3	20.5
2005	108	16.6	1.72	13.4	20.3	35	19.9	3.89	13.1	28.8
2006	106	15.1	1.53	12.2	18.4	27	14.3	3.15	8.8	21.6
2007	134	18.7	1.73	15.5	22.4	20	8.9	2.25	5.1	14.4
2008	113	16.2	1.62	13.2	19.7	27	11.0	2.39	6.9	16.7
2009	106	14.7	1.52	11.9	18.0	39	18.1	3.24	12.3	25.4
2010	135	18.7	1.70	15.5	22.3	33	15.2	3.01	9.9	22.1
2011	131	17.6	1.63	14.6	21.1	44	17.0	2.80	12.0	23.3
2012	116	14.9	1.43	12.2	17.9	32	11.9	2.24	7.9	17.0
2013	125	15.8	1.47	13.0	18.9	45	14.6	2.34	10.4	19.9
2014	133	16.4	1.49	13.6	19.6	46	15.7	2.49	11.2	21.3
2015	138	17.5	1.55	14.6	20.8	50	15.6	2.38	11.3	21.0
2016	117	15.0	1.44	12.3	18.0	39	10.9	1.81	7.7	15.1
2017	157	20.4	1.70	17.3	24.0	61	18.2	2.42	13.7	23.5
2018	140	17.3	1.51	14.4	20.5	52	13.6	1.94	10.1	17.9
2019	120	14.4	1.36	11.9	17.3	64	16.7	2.15	12.7	21.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Non-Hodgkin Lymphoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	37,627	15.7	0.08	15.5	15.8	33,362	16.4	0.09	16.3	16.6
1986	697	11.4	0.44	10.5	12.3	655	12.2	0.49	11.2	13.2
1987	741	12.0	0.45	11.2	12.9	701	12.9	0.50	12.0	14.0
1988	752	12.3	0.45	11.4	13.2	689	12.8	0.50	11.9	13.8
1989	760	12.4	0.45	11.5	13.3	693	12.9	0.50	11.9	13.9
1990	823	13.2	0.47	12.3	14.2	759	14.0	0.52	13.0	15.0
1991	838	13.2	0.46	12.3	14.2	771	13.9	0.51	13.0	15.0
1992	915	14.2	0.48	13.3	15.2	853	15.3	0.53	14.3	16.4
1993	955	14.7	0.48	13.8	15.7	881	15.7	0.54	14.6	16.7
1994	1,050	16.1	0.50	15.1	17.1	945	16.6	0.55	15.6	17.7
1995	1,065	16.1	0.50	15.1	17.1	954	16.5	0.54	15.5	17.6
1996	1,091	16.4	0.50	15.4	17.4	1,003	17.5	0.56	16.4	18.6
1997	1,053	15.7	0.49	14.8	16.7	952	16.5	0.54	15.5	17.6
1998	1,085	16.2	0.49	15.2	17.1	972	16.9	0.55	15.8	18.0
1999	1,122	16.6	0.50	15.6	17.6	1,029	17.8	0.56	16.7	18.9
2000	1,133	16.7	0.50	15.8	17.7	1,017	17.7	0.56	16.6	18.8
2001	1,160	16.8	0.50	15.8	17.8	1,037	17.6	0.55	16.6	18.8
2002	1,125	16.2	0.49	15.2	17.2	1,007	17.0	0.54	16.0	18.1
2003	1,146	16.4	0.49	15.4	17.4	1,014	17.1	0.54	16.1	18.2
2004	1,208	17.2	0.50	16.2	18.2	1,054	17.7	0.55	16.6	18.8
2005	1,198	16.9	0.49	15.9	17.9	1,067	17.9	0.56	16.8	19.0
2006	1,137	15.8	0.48	14.9	16.8	1,014	16.9	0.54	15.8	18.0
2007	1,191	16.5	0.48	15.6	17.5	1,046	17.3	0.55	16.3	18.4
2008	1,244	17.0	0.49	16.0	17.9	1,089	17.8	0.55	16.7	18.9
2009	1,275	17.3	0.49	16.3	18.3	1,112	18.0	0.55	17.0	19.1
2010	1,248	16.8	0.48	15.9	17.8	1,088	17.7	0.55	16.6	18.8
2011	1,263	16.7	0.48	15.8	17.7	1,100	17.6	0.54	16.5	18.7
2012	1,242	16.3	0.47	15.4	17.2	1,078	17.1	0.53	16.1	18.2
2013	1,220	15.6	0.46	14.7	16.5	1,045	16.2	0.51	15.2	17.2
2014	1,340	17.2	0.48	16.2	18.1	1,142	17.8	0.54	16.8	18.9
2015	1,317	16.6	0.47	15.7	17.5	1,145	17.6	0.53	16.5	18.7
2016	1,350	16.9	0.47	16.0	17.8	1,155	17.7	0.54	16.6	18.8
2017	1,270	15.8	0.46	15.0	16.8	1,089	16.7	0.52	15.7	17.8
2018	1,302	16.0	0.46	15.1	16.9	1,085	16.3	0.51	15.3	17.4
2019	1,311	15.5	0.44	14.7	16.4	1,121	16.5	0.51	15.5	17.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Non-Hodgkin Lymphoma										
Females										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,212	10.6	0.19	10.2	11.0	763	9.6	0.36	8.9	10.3
1986	34	5.3	0.93	3.6	7.4	8	10.4	3.99	4.1	21.2
1987	34	4.9	0.87	3.4	6.9	5	4.5	2.08	1.4	11.4
1988	55	7.8	1.09	5.8	10.3	6	7.8	3.88	2.1	18.4
1989	58	8.3	1.11	6.2	10.7	9	7.9	3.00	3.1	16.2
1990	57	8.0	1.08	6.1	10.4	5	3.6	1.64	1.1	9.2
1991	52	7.3	1.03	5.4	9.6	9	7.4	2.55	3.3	14.5
1992	55	7.5	1.03	5.6	9.8	6	6.2	3.06	1.7	14.5
1993	63	8.4	1.08	6.4	10.8	7	5.9	2.38	2.2	12.4
1994	88	11.4	1.23	9.1	14.1	15	13.9	3.90	7.3	23.3
1995	85	10.9	1.20	8.7	13.5	21	13.9	3.18	8.4	21.6
1996	68	8.3	1.02	6.4	10.6	15	10.3	2.82	5.6	17.3
1997	81	9.9	1.11	7.8	12.3	16	11.0	2.96	6.0	18.2
1998	92	10.8	1.14	8.7	13.3	13	7.3	2.21	3.6	12.9
1999	81	9.7	1.09	7.7	12.0	10	5.6	1.88	2.6	10.6
2000	90	10.4	1.11	8.4	12.8	20	8.6	2.05	5.1	13.7
2001	102	11.7	1.17	9.5	14.2	19	9.9	2.44	5.7	15.8
2002	95	10.7	1.11	8.7	13.1	16	8.7	2.32	4.8	14.4
2003	101	11.2	1.12	9.1	13.6	26	13.1	2.70	8.3	19.4
2004	122	13.7	1.25	11.4	16.4	21	9.8	2.24	5.9	15.1
2005	98	10.8	1.10	8.7	13.1	25	11.1	2.32	7.0	16.5
2006	102	11.0	1.09	8.9	13.3	13	4.7	1.35	2.4	8.1
2007	111	11.8	1.13	9.7	14.3	29	10.4	2.04	6.8	15.2
2008	111	11.8	1.13	9.7	14.2	32	10.9	2.02	7.3	15.6
2009	118	12.1	1.13	10.0	14.6	24	8.5	1.83	5.3	12.8
2010	110	11.3	1.09	9.3	13.7	33	10.4	1.92	7.0	14.9
2011	118	11.7	1.09	9.6	14.0	29	8.9	1.73	5.8	12.9
2012	121	11.6	1.07	9.6	13.9	28	8.3	1.64	5.4	12.1
2013	118	11.3	1.06	9.3	13.6	38	10.4	1.75	7.2	14.4
2014	136	12.9	1.13	10.8	15.3	46	11.9	1.79	8.6	15.9
2015	119	11.1	1.04	9.2	13.3	37	9.5	1.62	6.6	13.2
2016	130	12.3	1.10	10.3	14.7	54	12.9	1.80	9.7	17.0
2017	135	12.6	1.11	10.5	15.0	31	7.0	1.27	4.7	10.0
2018	150	13.5	1.13	11.4	15.9	53	11.8	1.65	8.8	15.5
2019	122	10.7	0.98	8.8	12.8	44	9.1	1.39	6.6	12.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Myeloma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	26,224	6.1	0.04	6.0	6.2	19,663	5.4	0.04	5.3	5.4
1986	429	4.1	0.20	3.7	4.5	339	3.6	0.20	3.2	4.0
1987	462	4.3	0.20	4.0	4.8	360	3.8	0.20	3.4	4.2
1988	468	4.4	0.20	4.0	4.8	382	4.0	0.21	3.6	4.5
1989	505	4.7	0.21	4.3	5.2	412	4.4	0.22	3.9	4.8
1990	512	4.7	0.21	4.3	5.1	391	4.0	0.21	3.6	4.5
1991	553	5.1	0.22	4.6	5.5	453	4.7	0.22	4.3	5.2
1992	531	4.8	0.21	4.4	5.2	424	4.3	0.21	3.9	4.8
1993	619	5.5	0.22	5.1	5.9	477	4.8	0.22	4.4	5.3
1994	709	6.2	0.23	5.8	6.7	536	5.4	0.23	4.9	5.8
1995	717	6.2	0.23	5.8	6.7	551	5.5	0.23	5.0	5.9
1996	650	5.6	0.22	5.2	6.1	502	5.0	0.22	4.6	5.5
1997	697	6.0	0.23	5.6	6.5	533	5.3	0.23	4.8	5.7
1998	739	6.3	0.23	5.8	6.8	553	5.4	0.23	5.0	5.9
1999	726	6.1	0.23	5.7	6.6	538	5.2	0.23	4.8	5.7
2000	753	6.3	0.23	5.9	6.8	555	5.4	0.23	4.9	5.8
2001	751	6.2	0.23	5.8	6.7	568	5.5	0.23	5.0	6.0
2002	850	7.0	0.24	6.5	7.5	664	6.4	0.25	5.9	6.9
2003	815	6.6	0.23	6.2	7.1	620	5.9	0.24	5.4	6.3
2004	762	6.1	0.22	5.7	6.6	567	5.4	0.23	4.9	5.8
2005	802	6.4	0.23	5.9	6.8	599	5.6	0.23	5.2	6.1
2006	813	6.4	0.23	6.0	6.8	605	5.6	0.23	5.2	6.1
2007	760	5.9	0.22	5.5	6.3	571	5.2	0.22	4.8	5.7
2008	868	6.6	0.23	6.2	7.1	660	6.0	0.23	5.5	6.4
2009	896	6.7	0.23	6.3	7.2	671	6.0	0.23	5.5	6.4
2010	860	6.3	0.22	5.9	6.7	640	5.6	0.22	5.2	6.1
2011	928	6.7	0.22	6.3	7.2	692	6.0	0.23	5.6	6.5
2012	955	6.8	0.22	6.4	7.3	691	5.9	0.23	5.5	6.4
2013	919	6.4	0.22	6.0	6.9	675	5.6	0.22	5.2	6.1
2014	958	6.5	0.21	6.1	7.0	698	5.7	0.22	5.3	6.2
2015	1,005	6.8	0.22	6.4	7.2	716	5.8	0.22	5.4	6.3
2016	1,060	7.0	0.22	6.6	7.4	771	6.2	0.23	5.7	6.6
2017	1,053	6.9	0.22	6.4	7.3	788	6.2	0.23	5.8	6.7
2018	1,048	6.7	0.21	6.3	7.2	720	5.6	0.21	5.2	6.1
2019	1,051	6.7	0.21	6.3	7.1	741	5.8	0.22	5.3	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Myeloma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,956	11.9	0.16	11.6	12.2	486	3.5	0.17	3.2	3.9
1986	84	8.1	0.92	6.4	10.1	5	3.1	1.42	1.0	7.5
1987	99	8.9	0.92	7.2	10.9	3	1.8	1.04	0.4	5.5
1988	79	7.1	0.81	5.6	8.8	7	4.9	1.99	1.8	10.3
1989	87	8.1	0.89	6.4	10.0	6	3.7	1.71	1.2	8.5
1990	117	10.5	1.00	8.6	12.6	1	1.0	0.99	0.0	4.6
1991	94	8.3	0.87	6.6	10.1	3	2.4	1.71	0.3	7.3
1992	104	8.4	0.84	6.8	10.2	2	1.0	0.74	0.1	3.8
1993	132	11.3	1.01	9.4	13.5	10	4.0	1.31	1.9	7.5
1994	165	13.6	1.09	11.6	15.9	7	2.8	1.13	1.1	6.0
1995	155	12.7	1.04	10.7	14.9	11	4.9	1.53	2.3	8.8
1996	140	10.9	0.94	9.1	12.9	8	3.3	1.28	1.3	6.7
1997	150	11.8	0.98	9.9	13.9	12	5.5	1.74	2.6	9.8
1998	177	13.5	1.03	11.6	15.7	7	2.2	0.93	0.8	4.8
1999	177	12.9	0.99	11.0	15.0	8	2.6	0.95	1.1	5.1
2000	178	12.7	0.97	10.9	14.7	18	5.2	1.31	3.0	8.4
2001	167	11.8	0.93	10.0	13.7	13	3.9	1.22	1.9	7.0
2002	176	12.4	0.95	10.6	14.4	9	2.6	0.91	1.2	5.0
2003	186	13.1	0.98	11.3	15.2	8	2.7	0.99	1.1	5.2
2004	181	12.1	0.92	10.4	14.0	9	2.3	0.81	1.0	4.4
2005	190	12.6	0.93	10.8	14.5	10	2.4	0.81	1.1	4.5
2006	194	12.8	0.94	11.0	14.8	12	2.7	0.84	1.4	4.9
2007	170	10.8	0.84	9.2	12.5	16	3.3	0.87	1.8	5.4
2008	179	11.3	0.86	9.7	13.1	25	5.7	1.20	3.6	8.5
2009	199	12.2	0.88	10.5	14.1	23	4.7	1.06	2.8	7.2
2010	203	12.2	0.87	10.5	14.0	12	2.2	0.67	1.1	3.9
2011	209	12.0	0.85	10.4	13.8	21	3.5	0.81	2.1	5.4
2012	227	13.1	0.89	11.4	15.0	27	4.0	0.80	2.6	5.9
2013	218	12.6	0.87	10.9	14.4	21	3.6	0.84	2.2	5.6
2014	227	12.6	0.86	11.0	14.4	25	4.0	0.83	2.5	5.9
2015	257	13.7	0.88	12.0	15.5	26	3.7	0.75	2.4	5.5
2016	258	13.6	0.87	12.0	15.4	24	2.9	0.60	1.8	4.3
2017	226	11.9	0.81	10.3	13.5	33	4.2	0.76	2.9	6.0
2018	287	14.6	0.88	12.9	16.4	30	3.8	0.71	2.5	5.5
2019	264	13.1	0.83	11.6	14.9	34	3.9	0.68	2.7	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Myeloma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	13,660	7.4	0.06	7.3	7.6	10,507	6.7	0.07	6.6	6.8
1986	210	4.8	0.35	4.2	5.6	167	4.3	0.34	3.6	5.0
1987	225	5.2	0.36	4.5	6.0	173	4.6	0.36	3.9	5.3
1988	232	5.3	0.36	4.6	6.1	189	4.9	0.37	4.2	5.7
1989	240	5.6	0.37	4.9	6.4	196	5.2	0.39	4.5	6.0
1990	244	5.3	0.35	4.7	6.0	195	4.8	0.35	4.1	5.5
1991	280	6.2	0.38	5.5	7.0	229	5.8	0.39	5.0	6.6
1992	271	5.9	0.37	5.2	6.7	215	5.4	0.38	4.7	6.2
1993	301	6.4	0.38	5.7	7.2	237	5.7	0.38	5.0	6.5
1994	364	7.8	0.42	7.0	8.7	275	6.8	0.42	6.0	7.6
1995	369	7.8	0.42	7.0	8.7	280	6.8	0.41	6.0	7.6
1996	331	6.9	0.39	6.2	7.7	254	6.1	0.39	5.4	7.0
1997	351	7.3	0.39	6.5	8.1	278	6.6	0.40	5.9	7.5
1998	380	7.8	0.41	7.1	8.7	293	6.9	0.41	6.1	7.8
1999	360	7.2	0.38	6.4	8.0	284	6.6	0.39	5.8	7.4
2000	381	7.5	0.39	6.8	8.3	294	6.8	0.40	6.0	7.6
2001	369	7.2	0.38	6.5	8.0	287	6.6	0.39	5.8	7.4
2002	437	8.5	0.41	7.7	9.3	350	7.9	0.43	7.1	8.8
2003	418	8.1	0.40	7.3	8.9	322	7.3	0.41	6.5	8.1
2004	390	7.4	0.38	6.7	8.2	294	6.6	0.39	5.8	7.4
2005	430	8.0	0.39	7.2	8.8	330	7.2	0.40	6.4	8.0
2006	434	8.0	0.39	7.2	8.8	329	7.1	0.39	6.3	7.9
2007	414	7.5	0.38	6.8	8.3	321	6.9	0.39	6.1	7.7
2008	482	8.5	0.39	7.7	9.3	382	8.0	0.41	7.2	8.8
2009	473	8.2	0.39	7.5	9.0	359	7.4	0.40	6.6	8.2
2010	449	7.4	0.36	6.8	8.2	341	6.7	0.37	6.0	7.5
2011	501	8.3	0.38	7.6	9.1	383	7.6	0.39	6.8	8.4
2012	535	8.7	0.38	7.9	9.5	407	7.9	0.40	7.1	8.7
2013	484	7.7	0.36	7.0	8.4	373	7.0	0.37	6.3	7.8
2014	526	8.1	0.36	7.4	8.8	399	7.3	0.37	6.6	8.0
2015	536	8.1	0.36	7.4	8.8	398	7.2	0.37	6.5	8.0
2016	589	8.7	0.37	8.0	9.5	441	7.9	0.39	7.2	8.7
2017	533	7.8	0.35	7.1	8.5	416	7.3	0.37	6.6	8.0
2018	552	8.0	0.35	7.3	8.7	404	7.0	0.36	6.3	7.7
2019	569	8.1	0.35	7.4	8.8	412	7.1	0.36	6.4	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Myeloma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,808	13.8	0.27	13.3	14.4	286	4.6	0.30	4.1	5.3
1986	39	9.8	1.67	6.8	13.5	4	5.4	2.83	1.4	15.0
1987	51	11.4	1.70	8.3	15.1	1	1.5	1.46	0.0	8.8
1988	39	8.5	1.46	5.9	11.8	4	7.3	4.04	1.6	19.0
1989	40	8.9	1.51	6.2	12.3	4	4.6	2.43	1.1	12.7
1990	46	10.0	1.55	7.2	13.4	1	2.5	2.46	0.1	11.1
1991	47	10.1	1.56	7.3	13.6	1	0.6	0.60	0.0	5.8
1992	55	10.8	1.54	8.0	14.3	1	1.1	1.05	0.0	6.4
1993	57	12.8	1.82	9.4	16.8	7	5.8	2.35	2.2	12.8
1994	85	17.3	1.98	13.6	21.6	4	4.4	2.32	1.1	11.4
1995	80	16.5	1.97	12.9	20.8	9	9.6	3.40	4.1	18.5
1996	72	13.7	1.72	10.6	17.5	5	5.2	2.55	1.5	12.5
1997	65	12.3	1.61	9.4	15.8	6	4.8	2.12	1.6	10.9
1998	82	16.6	1.96	13.0	20.8	4	3.6	2.05	0.8	9.7
1999	71	12.3	1.54	9.5	15.7	4	2.4	1.27	0.6	6.7
2000	77	13.0	1.54	10.2	16.4	10	5.6	1.92	2.5	10.8
2001	75	12.7	1.53	9.9	16.0	5	3.9	1.87	1.1	9.2
2002	80	14.3	1.67	11.2	17.9	7	4.5	1.75	1.7	9.3
2003	90	16.4	1.82	13.0	20.3	5	4.0	2.07	1.1	9.7
2004	88	14.6	1.63	11.6	18.1	6	3.8	1.73	1.2	8.5
2005	91	14.3	1.55	11.4	17.6	6	2.8	1.17	1.0	6.2
2006	100	16.7	1.77	13.4	20.4	5	2.3	1.12	0.6	5.6
2007	85	13.2	1.49	10.5	16.4	6	2.1	0.86	0.8	4.8
2008	87	13.1	1.48	10.4	16.4	13	6.8	1.99	3.5	11.7
2009	97	14.5	1.55	11.6	17.8	15	7.5	2.13	3.9	12.6
2010	98	13.8	1.48	11.1	17.0	8	3.7	1.46	1.4	7.6
2011	105	15.2	1.56	12.3	18.5	12	4.5	1.41	2.2	8.1
2012	107	15.1	1.53	12.2	18.4	18	5.7	1.39	3.3	9.1
2013	96	13.6	1.45	10.9	16.7	12	4.4	1.43	2.1	8.0
2014	105	14.9	1.52	12.0	18.1	16	5.6	1.51	3.0	9.3
2015	120	15.6	1.48	12.8	18.7	15	4.9	1.33	2.7	8.2
2016	128	15.9	1.47	13.2	19.1	16	4.0	1.02	2.3	6.6
2017	96	12.4	1.31	9.9	15.2	18	5.3	1.30	3.1	8.5
2018	125	15.8	1.47	13.0	18.9	16	4.7	1.20	2.6	7.6
2019	129	15.8	1.45	13.1	18.9	22	5.6	1.22	3.5	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Myeloma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	12,564	5.1	0.05	5.1	5.2	9,156	4.4	0.05	4.3	4.5
1986	219	3.6	0.25	3.2	4.2	172	3.2	0.25	2.7	3.7
1987	237	3.8	0.25	3.3	4.3	187	3.4	0.25	2.9	3.9
1988	236	3.7	0.25	3.3	4.2	193	3.5	0.26	3.0	4.0
1989	265	4.2	0.26	3.7	4.8	216	3.9	0.27	3.4	4.5
1990	268	4.2	0.26	3.7	4.8	196	3.5	0.25	3.0	4.0
1991	273	4.2	0.26	3.7	4.8	224	3.9	0.26	3.4	4.4
1992	260	4.0	0.25	3.6	4.6	209	3.6	0.26	3.2	4.2
1993	318	4.8	0.27	4.3	5.4	240	4.1	0.27	3.6	4.7
1994	345	5.2	0.28	4.7	5.8	261	4.5	0.28	4.0	5.1
1995	348	5.2	0.28	4.7	5.8	271	4.6	0.28	4.1	5.2
1996	319	4.8	0.27	4.3	5.3	248	4.2	0.27	3.7	4.8
1997	346	5.1	0.28	4.6	5.7	255	4.3	0.27	3.8	4.9
1998	359	5.3	0.28	4.8	5.9	260	4.5	0.28	3.9	5.0
1999	366	5.3	0.28	4.8	5.9	254	4.2	0.27	3.7	4.8
2000	372	5.4	0.28	4.9	6.0	261	4.4	0.27	3.8	4.9
2001	382	5.5	0.28	5.0	6.1	281	4.7	0.28	4.1	5.3
2002	413	5.9	0.29	5.3	6.5	314	5.2	0.29	4.6	5.8
2003	397	5.6	0.28	5.1	6.2	298	4.9	0.29	4.3	5.5
2004	372	5.3	0.28	4.7	5.8	273	4.5	0.28	4.0	5.1
2005	372	5.2	0.27	4.7	5.7	269	4.4	0.27	3.9	5.0
2006	379	5.2	0.27	4.7	5.8	276	4.5	0.27	4.0	5.1
2007	346	4.8	0.26	4.3	5.3	250	4.1	0.26	3.6	4.6
2008	386	5.2	0.27	4.7	5.8	278	4.4	0.27	3.9	5.0
2009	423	5.6	0.27	5.1	6.1	312	4.9	0.28	4.4	5.5
2010	411	5.4	0.27	4.9	5.9	299	4.7	0.27	4.1	5.2
2011	427	5.6	0.27	5.0	6.1	309	4.9	0.28	4.3	5.5
2012	420	5.4	0.27	4.9	5.9	284	4.4	0.26	3.9	4.9
2013	435	5.5	0.27	5.0	6.0	302	4.6	0.27	4.1	5.1
2014	432	5.3	0.26	4.8	5.9	299	4.5	0.26	4.0	5.0
2015	469	5.8	0.27	5.2	6.3	318	4.7	0.27	4.2	5.3
2016	471	5.7	0.27	5.2	6.2	330	4.8	0.27	4.3	5.3
2017	520	6.1	0.27	5.6	6.7	372	5.4	0.28	4.8	6.0
2018	496	5.8	0.26	5.3	6.3	316	4.5	0.26	4.0	5.1
2019	482	5.6	0.26	5.1	6.1	329	4.7	0.26	4.2	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Myeloma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,148	10.6	0.19	10.3	11.0	200	2.6	0.19	2.3	3.0
1986	45	7.3	1.10	5.3	9.7	1	1.1	1.08	0.0	6.8
1987	48	7.3	1.07	5.3	9.7	2	2.1	1.48	0.3	8.1
1988	40	6.0	0.97	4.3	8.2	3	3.0	1.71	0.6	9.1
1989	47	7.4	1.09	5.4	9.8	2	3.0	2.33	0.3	10.5
1990	71	10.7	1.29	8.3	13.5	0				
1991	47	7.0	1.03	5.1	9.2	2	3.6	2.84	0.3	12.0
1992	49	6.8	0.98	5.0	9.0	1	1.0	1.02	0.0	5.4
1993	75	10.7	1.24	8.4	13.4	3	2.4	1.40	0.5	7.1
1994	80	11.2	1.26	8.9	13.9	3	1.8	1.05	0.4	5.7
1995	75	10.3	1.20	8.1	12.9	2	1.4	1.01	0.2	5.2
1996	68	8.9	1.10	6.9	11.3	3	2.0	1.26	0.4	6.1
1997	85	11.2	1.23	9.0	13.9	6	5.6	2.41	1.9	11.9
1998	95	12.0	1.24	9.7	14.6	3	1.3	0.76	0.3	4.2
1999	106	13.1	1.28	10.7	15.9	4	2.6	1.33	0.7	6.5
2000	101	12.2	1.23	10.0	14.9	8	4.7	1.74	2.0	9.3
2001	92	11.1	1.16	8.9	13.6	8	4.0	1.54	1.6	8.1
2002	96	11.3	1.16	9.1	13.8	2	1.1	0.81	0.1	3.8
2003	96	11.3	1.16	9.1	13.7	3	1.8	1.02	0.4	4.8
2004	93	10.5	1.10	8.5	12.9	3	1.2	0.72	0.2	3.6
2005	99	11.2	1.13	9.1	13.6	4	1.9	0.99	0.5	4.8
2006	94	10.4	1.08	8.4	12.7	7	3.1	1.21	1.2	6.4
2007	85	9.2	1.00	7.3	11.3	10	4.1	1.35	1.9	7.6
2008	92	10.0	1.05	8.0	12.2	12	4.9	1.47	2.4	8.6
2009	102	10.7	1.07	8.7	13.0	8	2.5	0.97	1.0	5.2
2010	105	10.9	1.07	8.9	13.2	4	1.1	0.54	0.3	2.9
2011	104	10.1	1.01	8.2	12.3	9	2.7	0.96	1.2	5.3
2012	120	11.7	1.08	9.7	14.0	9	2.6	0.89	1.1	4.9
2013	122	11.8	1.08	9.8	14.1	9	3.1	1.06	1.4	5.8
2014	122	11.4	1.05	9.4	13.7	9	2.7	0.95	1.2	5.2
2015	137	12.5	1.09	10.5	14.8	11	2.8	0.85	1.4	5.0
2016	130	12.0	1.07	10.0	14.3	8	1.9	0.69	0.8	3.8
2017	130	11.5	1.02	9.6	13.7	15	3.4	0.91	1.9	5.7
2018	162	13.9	1.11	11.8	16.3	14	3.1	0.83	1.6	5.2
2019	135	11.5	1.01	9.6	13.7	12	2.5	0.73	1.3	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	55,654	13.1	0.06	13.0	13.2	48,551	13.5	0.06	13.4	13.7
1986	987	9.3	0.30	8.7	9.9	887	9.5	0.32	8.9	10.2
1987	1,100	10.1	0.31	9.5	10.7	1,002	10.6	0.34	9.9	11.3
1988	1,075	10.0	0.31	9.4	10.6	946	10.1	0.33	9.4	10.7
1989	1,092	10.1	0.31	9.5	10.7	975	10.4	0.34	9.7	11.0
1990	1,187	10.7	0.31	10.1	11.4	1,079	11.2	0.35	10.6	11.9
1991	1,164	10.4	0.31	9.8	11.1	1,045	10.9	0.34	10.2	11.5
1992	1,245	11.1	0.32	10.4	11.7	1,108	11.4	0.34	10.7	12.1
1993	1,312	11.5	0.32	10.9	12.2	1,186	12.1	0.35	11.4	12.8
1994	1,582	13.8	0.35	13.1	14.5	1,413	14.3	0.38	13.5	15.0
1995	1,574	13.6	0.34	12.9	14.3	1,407	14.2	0.38	13.4	14.9
1996	1,510	13.0	0.33	12.3	13.6	1,346	13.5	0.37	12.7	14.2
1997	1,523	12.9	0.33	12.3	13.6	1,345	13.4	0.36	12.6	14.1
1998	1,534	12.9	0.33	12.3	13.6	1,354	13.3	0.36	12.6	14.1
1999	1,662	13.8	0.34	13.2	14.5	1,485	14.5	0.38	13.8	15.3
2000	1,706	14.1	0.34	13.5	14.8	1,493	14.6	0.38	13.8	15.3
2001	1,783	14.7	0.35	14.0	15.4	1,548	15.0	0.38	14.3	15.8
2002	1,804	14.7	0.35	14.1	15.4	1,590	15.3	0.38	14.5	16.1
2003	1,789	14.5	0.34	13.8	15.2	1,593	15.2	0.38	14.5	16.0
2004	1,809	14.4	0.34	13.8	15.1	1,570	14.9	0.38	14.2	15.6
2005	1,745	13.9	0.33	13.2	14.5	1,511	14.3	0.37	13.6	15.0
2006	1,805	14.2	0.34	13.6	14.9	1,580	14.8	0.37	14.1	15.6
2007	1,662	13.0	0.32	12.4	13.6	1,435	13.4	0.36	12.7	14.1
2008	1,835	14.2	0.33	13.5	14.9	1,596	14.8	0.37	14.0	15.5
2009	1,781	13.5	0.32	12.9	14.2	1,545	14.0	0.36	13.3	14.8
2010	1,878	14.1	0.33	13.5	14.8	1,597	14.5	0.37	13.7	15.2
2011	1,926	14.3	0.33	13.6	14.9	1,651	14.8	0.37	14.0	15.5
2012	1,978	14.4	0.33	13.8	15.1	1,676	14.9	0.37	14.2	15.6
2013	1,942	14.0	0.32	13.4	14.7	1,644	14.5	0.36	13.8	15.2
2014	1,922	13.6	0.32	13.0	14.3	1,658	14.4	0.36	13.7	15.1
2015	1,954	13.8	0.32	13.1	14.4	1,692	14.6	0.36	13.9	15.3
2016	1,927	13.4	0.31	12.8	14.0	1,619	13.8	0.35	13.1	14.5
2017	2,032	14.0	0.32	13.4	14.6	1,758	14.8	0.36	14.1	15.6
2018	1,937	13.2	0.31	12.6	13.9	1,620	13.7	0.35	13.0	14.4
2019	1,892	12.8	0.30	12.2	13.4	1,597	13.3	0.34	12.7	14.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	5,518	10.6	0.15	10.3	10.8	1,077	7.1	0.23	6.6	7.5
1986	91	7.8	0.87	6.2	9.7	6	2.9	1.24	1.0	6.9
1987	80	6.7	0.80	5.2	8.4	16	9.0	2.67	4.6	15.8
1988	111	9.6	0.96	7.8	11.6	14	5.8	1.76	2.9	10.6
1989	106	8.6	0.88	7.0	10.5	10	3.6	1.19	1.7	7.2
1990	98	7.6	0.82	6.1	9.4	8	6.0	2.60	2.1	12.7
1991	103	7.9	0.82	6.4	9.7	10	4.1	1.84	1.3	9.1
1992	114	8.9	0.88	7.3	10.8	19	9.0	2.46	4.8	14.9
1993	110	8.2	0.82	6.6	9.9	13	4.1	1.27	2.0	7.6
1994	141	10.6	0.93	8.9	12.6	21	6.6	1.65	3.8	10.7
1995	144	10.6	0.92	8.9	12.6	19	7.4	1.92	4.1	12.1
1996	135	9.8	0.88	8.1	11.6	26	8.4	2.03	4.9	13.3
1997	156	10.9	0.90	9.2	12.8	17	4.8	1.41	2.4	8.3
1998	147	10.2	0.87	8.6	12.1	26	9.3	2.08	5.7	14.2
1999	151	10.2	0.86	8.6	12.0	21	6.0	1.47	3.5	9.6
2000	182	12.5	0.95	10.7	14.4	22	6.1	1.44	3.6	9.6
2001	183	11.9	0.91	10.2	13.8	38	8.0	1.41	5.5	11.3
2002	172	12.0	0.94	10.2	14.0	27	6.7	1.41	4.2	10.0
2003	161	10.5	0.86	8.9	12.4	26	5.8	1.22	3.7	8.7
2004	176	11.2	0.87	9.5	13.0	34	7.1	1.34	4.7	10.2
2005	176	11.6	0.90	9.9	13.4	39	8.5	1.51	5.8	11.9
2006	188	12.0	0.90	10.3	13.9	25	4.6	0.99	2.9	7.0
2007	176	10.8	0.83	9.2	12.5	42	8.9	1.49	6.2	12.3
2008	172	10.9	0.85	9.3	12.7	43	8.5	1.40	6.0	11.7
2009	174	10.8	0.84	9.2	12.6	34	5.6	1.03	3.7	8.0
2010	210	12.3	0.87	10.6	14.1	44	8.7	1.42	6.2	11.9
2011	199	11.4	0.83	9.8	13.2	44	8.3	1.34	5.9	11.3
2012	231	13.2	0.89	11.6	15.1	36	5.7	1.01	3.9	8.1
2013	218	12.0	0.83	10.4	13.8	50	8.2	1.23	6.0	11.0
2014	197	11.0	0.80	9.4	12.6	43	5.9	0.95	4.2	8.1
2015	188	10.2	0.76	8.7	11.8	40	5.2	0.86	3.7	7.2
2016	211	11.0	0.77	9.5	12.6	68	8.7	1.07	6.7	11.0
2017	194	10.0	0.74	8.6	11.6	64	8.1	1.04	6.2	10.4
2018	215	11.1	0.77	9.7	12.8	76	8.9	1.04	7.0	11.2
2019	208	10.6	0.75	9.2	12.2	56	6.5	0.89	4.9	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	31,427	17.1	0.10	16.9	17.3	27,544	17.7	0.11	17.5	17.9
1986	532	12.0	0.55	11.0	13.2	480	12.4	0.59	11.2	13.6
1987	603	13.1	0.56	12.0	14.2	557	13.9	0.61	12.7	15.2
1988	580	12.9	0.56	11.8	14.1	506	12.9	0.59	11.7	14.1
1989	592	12.7	0.54	11.7	13.9	535	13.2	0.59	12.1	14.4
1990	631	13.5	0.56	12.5	14.7	572	14.0	0.60	12.8	15.2
1991	652	13.5	0.55	12.5	14.7	588	14.1	0.60	12.9	15.3
1992	729	15.2	0.58	14.1	16.4	650	15.6	0.63	14.4	16.9
1993	721	14.9	0.57	13.8	16.1	645	15.5	0.63	14.3	16.8
1994	873	18.4	0.64	17.1	19.7	776	18.9	0.69	17.5	20.3
1995	861	17.7	0.62	16.5	18.9	774	18.4	0.68	17.1	19.8
1996	849	17.5	0.62	16.3	18.8	752	18.0	0.67	16.7	19.3
1997	843	17.0	0.60	15.9	18.2	754	17.8	0.66	16.5	19.1
1998	854	16.8	0.59	15.7	18.0	761	17.5	0.64	16.2	18.8
1999	918	18.1	0.61	16.9	19.3	833	19.1	0.67	17.8	20.5
2000	933	18.0	0.60	16.9	19.2	814	18.4	0.65	17.2	19.8
2001	993	19.2	0.62	18.0	20.5	852	19.4	0.67	18.1	20.8
2002	1,022	19.7	0.63	18.5	21.0	903	20.4	0.68	19.1	21.8
2003	1,006	19.2	0.61	18.0	20.4	904	20.2	0.68	18.9	21.6
2004	994	18.6	0.60	17.5	19.8	879	19.4	0.66	18.1	20.7
2005	1,002	18.6	0.60	17.5	19.8	874	19.1	0.65	17.9	20.5
2006	1,048	19.2	0.60	18.0	20.4	925	20.0	0.66	18.7	21.4
2007	962	17.4	0.57	16.3	18.5	840	18.0	0.63	16.8	19.3
2008	1,067	18.8	0.59	17.7	20.0	928	19.4	0.65	18.2	20.7
2009	978	17.0	0.55	15.9	18.1	853	17.6	0.61	16.4	18.8
2010	1,090	18.6	0.57	17.5	19.8	931	19.1	0.63	17.8	20.3
2011	1,083	18.2	0.57	17.1	19.4	924	18.6	0.62	17.4	19.8
2012	1,138	18.8	0.57	17.7	19.9	976	19.3	0.63	18.1	20.6
2013	1,105	17.9	0.55	16.8	19.0	943	18.4	0.61	17.2	19.6
2014	1,110	17.6	0.54	16.6	18.7	965	18.5	0.61	17.3	19.7
2015	1,130	17.7	0.54	16.7	18.8	983	18.6	0.61	17.5	19.9
2016	1,107	17.1	0.53	16.1	18.1	944	17.6	0.59	16.5	18.8
2017	1,157	17.6	0.53	16.6	18.7	1,002	18.5	0.60	17.4	19.7
2018	1,143	17.1	0.52	16.1	18.2	969	17.7	0.58	16.6	18.9
2019	1,121	16.6	0.51	15.6	17.6	952	17.2	0.57	16.1	18.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,965	13.7	0.27	13.2	14.2	612	8.9	0.40	8.2	9.8
1986	48	10.4	1.73	7.3	14.3	2	2.2	1.68	0.2	10.0
1987	36	6.4	1.15	4.4	9.1	9	13.7	5.64	4.9	28.6
1988	65	13.2	1.84	9.8	17.2	6	5.1	2.16	1.8	12.8
1989	49	9.7	1.51	7.0	13.1	7	5.5	2.20	2.1	12.9
1990	53	10.5	1.65	7.5	14.1	6	11.9	6.04	3.1	27.8
1991	54	9.6	1.42	7.1	12.8	6	6.5	4.23	1.0	18.5
1992	67	12.6	1.69	9.5	16.3	10	10.2	4.41	3.5	21.8
1993	65	11.0	1.49	8.2	14.2	9	5.5	1.98	2.4	11.7
1994	82	15.2	1.88	11.7	19.2	11	7.3	2.82	2.9	15.2
1995	74	12.7	1.60	9.7	16.2	11	9.4	3.31	4.1	18.1
1996	83	15.3	1.85	11.9	19.3	12	8.8	3.51	3.3	17.9
1997	81	13.4	1.62	10.4	16.9	5	2.1	0.97	0.7	6.1
1998	77	12.8	1.55	9.9	16.1	14	13.8	4.46	6.5	24.7
1999	69	11.4	1.49	8.6	14.6	12	7.0	2.41	3.1	13.4
2000	101	16.8	1.77	13.5	20.6	15	8.4	2.40	4.4	14.6
2001	107	17.1	1.79	13.8	20.9	28	11.3	2.33	7.2	17.1
2002	91	15.6	1.78	12.4	19.5	17	10.6	2.93	5.7	17.8
2003	84	13.1	1.53	10.2	16.4	15	6.9	1.91	3.7	11.8
2004	83	12.6	1.53	9.8	15.9	15	7.6	2.39	3.7	13.6
2005	98	15.8	1.74	12.6	19.5	23	12.5	2.98	7.4	19.6
2006	107	16.4	1.68	13.2	20.0	12	4.6	1.45	2.2	8.5
2007	96	14.1	1.53	11.3	17.4	20	9.1	2.30	5.1	14.6
2008	97	14.9	1.61	11.9	18.3	24	11.2	2.64	6.7	17.4
2009	87	13.4	1.54	10.5	16.7	22	8.6	2.12	5.0	13.7
2010	122	17.1	1.65	14.0	20.6	22	9.3	2.22	5.4	14.5
2011	108	15.0	1.52	12.1	18.2	26	12.2	2.64	7.6	18.3
2012	129	18.4	1.72	15.2	22.1	11	3.8	1.27	1.8	7.1
2013	108	14.2	1.44	11.6	17.3	35	11.8	2.17	7.9	16.8
2014	102	13.7	1.43	11.0	16.7	25	7.9	1.70	4.9	11.9
2015	109	14.1	1.41	11.5	17.1	22	6.2	1.39	3.8	9.5
2016	102	12.5	1.29	10.1	15.3	42	11.5	1.82	8.2	15.6
2017	101	12.6	1.32	10.2	15.4	43	11.8	1.87	8.4	16.0
2018	116	14.2	1.37	11.7	17.2	39	9.8	1.60	6.9	13.4
2019	114	14.0	1.36	11.4	16.9	36	9.2	1.57	6.3	12.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	24,227	10.2	0.07	10.0	10.3	21,007	10.5	0.07	10.4	10.7
1986	455	7.5	0.36	6.8	8.2	407	7.7	0.39	6.9	8.5
1987	497	8.1	0.37	7.4	8.9	445	8.4	0.40	7.6	9.2
1988	495	8.0	0.37	7.3	8.8	440	8.2	0.40	7.5	9.0
1989	500	8.2	0.37	7.4	8.9	440	8.3	0.40	7.5	9.1
1990	556	8.8	0.38	8.1	9.6	507	9.3	0.42	8.5	10.2
1991	512	8.1	0.36	7.4	8.9	457	8.4	0.40	7.6	9.2
1992	516	8.1	0.36	7.4	8.8	458	8.3	0.40	7.6	9.2
1993	591	9.1	0.38	8.3	9.8	541	9.6	0.42	8.8	10.5
1994	709	10.8	0.41	10.0	11.7	637	11.3	0.45	10.4	12.2
1995	713	10.8	0.41	10.0	11.6	633	11.2	0.45	10.4	12.2
1996	661	9.9	0.39	9.1	10.7	594	10.4	0.43	9.6	11.3
1997	680	10.1	0.39	9.3	10.9	591	10.2	0.43	9.4	11.1
1998	680	9.9	0.38	9.2	10.7	593	10.1	0.42	9.3	11.0
1999	744	10.9	0.40	10.2	11.8	652	11.3	0.45	10.5	12.3
2000	773	11.3	0.41	10.5	12.1	679	11.7	0.46	10.8	12.7
2001	790	11.5	0.41	10.7	12.3	696	12.0	0.46	11.1	12.9
2002	782	11.1	0.40	10.4	12.0	687	11.6	0.45	10.8	12.5
2003	783	11.2	0.40	10.4	12.0	689	11.7	0.45	10.8	12.6
2004	815	11.6	0.41	10.8	12.4	691	11.7	0.45	10.8	12.6
2005	743	10.5	0.39	9.8	11.3	637	10.8	0.44	10.0	11.7
2006	757	10.5	0.39	9.8	11.3	655	10.9	0.43	10.0	11.7
2007	700	9.9	0.38	9.1	10.6	595	10.1	0.42	9.3	11.0
2008	768	10.6	0.39	9.9	11.4	668	11.1	0.44	10.3	12.0
2009	803	10.9	0.39	10.1	11.7	692	11.3	0.44	10.4	12.2
2010	788	10.5	0.38	9.8	11.3	666	10.8	0.43	9.9	11.6
2011	843	11.3	0.40	10.5	12.1	727	11.8	0.45	10.9	12.7
2012	840	11.1	0.39	10.4	11.9	700	11.4	0.44	10.5	12.3
2013	837	11.0	0.39	10.3	11.8	701	11.4	0.44	10.6	12.3
2014	812	10.5	0.38	9.8	11.3	693	11.1	0.44	10.2	12.0
2015	824	10.7	0.38	10.0	11.5	709	11.4	0.45	10.6	12.3
2016	820	10.5	0.38	9.8	11.3	675	10.7	0.43	9.9	11.5
2017	875	11.1	0.39	10.4	11.9	756	11.9	0.45	11.0	12.8
2018	794	10.1	0.37	9.4	10.8	651	10.3	0.42	9.5	11.1
2019	771	9.7	0.36	9.0	10.5	645	10.2	0.42	9.4	11.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,553	8.4	0.17	8.1	8.8	465	5.6	0.27	5.1	6.2
1986	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
1987	44	6.6	1.05	4.8	9.0	7	5.8	2.24	2.3	12.8
1988	46	7.1	1.07	5.1	9.5	8	6.2	2.51	2.3	13.6
1989	57	8.0	1.08	6.0	10.4	3	2.0	1.20	0.4	7.1
1990	45	6.0	0.92	4.3	8.1	2	1.8	1.38	0.2	7.2
1991	49	6.5	0.96	4.7	8.6	4	2.5	1.25	0.6	7.2
1992	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
1993	45	6.0	0.92	4.3	8.1	4	2.8	1.58	0.6	7.9
1994	59	7.8	1.03	5.9	10.1	10	6.1	2.07	2.8	11.8
1995	70	9.0	1.10	7.0	11.4	8	5.8	2.29	2.2	11.9
1996	52	6.3	0.90	4.7	8.3	14	8.3	2.56	4.0	14.8
1997	75	9.2	1.08	7.2	11.6	12	6.7	2.24	3.0	12.5
1998	70	8.3	1.01	6.4	10.5	12	6.6	2.05	3.3	12.0
1999	82	9.5	1.06	7.5	11.8	9	5.1	1.84	2.2	10.0
2000	81	9.4	1.06	7.5	11.7	7	3.9	1.62	1.4	8.3
2001	76	8.5	0.99	6.7	10.7	10	4.8	1.60	2.2	9.0
2002	81	9.6	1.08	7.6	11.9	10	4.0	1.32	1.9	7.6
2003	77	8.7	1.01	6.9	10.9	11	4.8	1.51	2.3	8.7
2004	93	10.2	1.07	8.2	12.6	19	7.1	1.72	4.2	11.4
2005	78	8.8	1.01	6.9	11.0	16	5.5	1.48	3.0	9.3
2006	81	9.0	1.01	7.1	11.2	13	4.6	1.35	2.4	8.1
2007	80	8.5	0.96	6.7	10.5	22	8.8	1.98	5.3	13.5
2008	75	8.2	0.95	6.4	10.2	19	6.7	1.61	3.9	10.6
2009	87	9.3	1.01	7.4	11.5	12	3.4	0.99	1.7	6.0
2010	88	8.8	0.95	7.1	10.9	22	8.3	1.85	5.0	12.6
2011	91	9.0	0.96	7.3	11.1	18	5.5	1.38	3.2	8.9
2012	102	9.9	1.00	8.1	12.1	25	7.3	1.52	4.7	10.9
2013	110	10.5	1.01	8.6	12.6	15	4.9	1.31	2.7	8.1
2014	95	9.3	0.96	7.5	11.3	18	4.4	1.07	2.6	7.1
2015	79	7.4	0.85	5.8	9.3	18	4.5	1.09	2.6	7.2
2016	109	9.9	0.97	8.1	12.0	26	6.3	1.26	4.1	9.3
2017	93	8.6	0.91	6.9	10.5	21	5.0	1.11	3.0	7.7
2018	99	8.9	0.91	7.2	10.8	37	8.2	1.37	5.8	11.4
2019	94	8.3	0.87	6.7	10.2	20	4.3	0.98	2.6	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	6,307	1.5	0.02	1.5	1.6	5,394	1.6	0.02	1.6	1.7
1986	125	1.1	0.10	0.9	1.3	112	1.2	0.11	1.0	1.4
1987	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
1988	137	1.2	0.10	1.0	1.4	115	1.2	0.12	1.0	1.5
1989	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
1990	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
1991	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
1992	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
1993	169	1.4	0.11	1.2	1.7	147	1.5	0.13	1.3	1.8
1994	160	1.3	0.10	1.1	1.6	135	1.4	0.12	1.2	1.7
1995	202	1.6	0.12	1.4	1.9	183	1.9	0.14	1.6	2.2
1996	166	1.4	0.10	1.2	1.6	142	1.5	0.12	1.2	1.7
1997	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
1998	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
1999	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2000	173	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2001	188	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
2002	189	1.5	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2003	193	1.6	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2004	189	1.5	0.11	1.3	1.7	154	1.6	0.13	1.3	1.8
2005	199	1.6	0.11	1.4	1.8	177	1.8	0.14	1.6	2.1
2006	206	1.7	0.12	1.4	1.9	175	1.8	0.14	1.5	2.1
2007	188	1.5	0.11	1.3	1.7	155	1.6	0.13	1.4	1.9
2008	217	1.8	0.12	1.5	2.0	191	2.0	0.14	1.7	2.3
2009	190	1.5	0.11	1.3	1.8	159	1.6	0.13	1.4	1.9
2010	197	1.6	0.11	1.4	1.8	163	1.7	0.13	1.4	2.0
2011	204	1.6	0.12	1.4	1.9	169	1.7	0.14	1.5	2.0
2012	217	1.7	0.12	1.5	2.0	183	1.9	0.14	1.6	2.2
2013	208	1.7	0.12	1.5	1.9	179	1.9	0.14	1.6	2.2
2014	198	1.6	0.11	1.4	1.8	179	1.9	0.14	1.6	2.2
2015	213	1.7	0.12	1.5	2.0	185	1.9	0.14	1.7	2.2
2016	207	1.7	0.12	1.5	1.9	163	1.7	0.14	1.5	2.0
2017	224	1.8	0.12	1.6	2.0	185	1.9	0.14	1.6	2.2
2018	226	1.9	0.13	1.6	2.1	190	2.1	0.15	1.8	2.4
2019	222	1.8	0.13	1.6	2.1	187	2.0	0.15	1.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Lymphocytic Leukemia										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	600	0.9	0.04	0.8	1.0	220	1.2	0.08	1.0	1.3
1986	10	0.6	0.21	0.3	1.2	3	0.9	0.53	0.2	3.9
1987	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
1988	18	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
1989	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
1990	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
1991	18	1.0	0.24	0.6	1.6	3	0.7	0.43	0.2	3.0
1992	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
1993	18	1.0	0.25	0.6	1.6	3	0.7	0.41	0.2	2.7
1994	15	0.7	0.20	0.4	1.3	8	1.7	0.61	0.7	3.8
1995	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
1996	20	1.0	0.24	0.6	1.6	3	0.6	0.33	0.1	2.2
1997	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
1998	12	0.6	0.20	0.3	1.2	7	1.6	0.62	0.6	3.5
1999	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
2000	13	0.7	0.21	0.4	1.3	3	0.6	0.36	0.1	2.0
2001	32	1.6	0.29	1.1	2.3	7	1.3	0.48	0.5	2.8
2002	14	0.7	0.19	0.4	1.2	6	1.1	0.43	0.4	2.5
2003	19	0.9	0.21	0.5	1.4	5	0.9	0.40	0.3	2.2
2004	24	1.3	0.27	0.8	1.9	10	1.7	0.54	0.8	3.2
2005	15	0.7	0.18	0.4	1.2	5	0.9	0.43	0.3	2.2
2006	20	1.1	0.24	0.6	1.7	9	1.4	0.47	0.6	2.7
2007	22	1.1	0.24	0.7	1.7	10	1.5	0.48	0.7	2.9
2008	12	0.6	0.18	0.3	1.1	7	1.1	0.41	0.4	2.3
2009	20	1.0	0.23	0.6	1.6	6	0.8	0.34	0.3	1.9
2010	21	1.0	0.21	0.6	1.5	7	0.9	0.36	0.4	2.0
2011	18	0.9	0.21	0.5	1.4	5	0.7	0.30	0.2	1.6
2012	19	1.1	0.25	0.6	1.7	6	0.8	0.34	0.3	1.8
2013	17	0.9	0.22	0.5	1.5	9	1.1	0.37	0.5	2.1
2014	11	0.5	0.16	0.3	1.0	3	0.4	0.21	0.1	1.1
2015	16	0.8	0.19	0.4	1.3	9	1.2	0.39	0.5	2.2
2016	25	1.3	0.26	0.8	1.9	15	1.9	0.50	1.1	3.2
2017	22	1.0	0.22	0.6	1.6	15	1.8	0.48	1.0	3.0
2018	12	0.6	0.17	0.3	1.1	17	2.1	0.50	1.2	3.3
2019	18	1.0	0.24	0.6	1.6	8	0.9	0.34	0.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,528	1.7	0.03	1.7	1.8	3,029	1.9	0.03	1.8	1.9
1986	65	1.2	0.15	0.9	1.5	59	1.3	0.17	1.0	1.7
1987	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
1988	73	1.3	0.16	1.0	1.7	63	1.4	0.18	1.1	1.8
1989	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
1990	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1991	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
1992	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
1993	97	1.7	0.18	1.4	2.1	87	1.9	0.21	1.5	2.4
1994	94	1.6	0.17	1.3	2.0	77	1.6	0.19	1.3	2.1
1995	113	1.9	0.18	1.5	2.3	100	2.1	0.21	1.7	2.6
1996	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
1997	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
1998	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
1999	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
2000	76	1.2	0.14	1.0	1.5	67	1.4	0.17	1.1	1.7
2001	111	1.8	0.18	1.5	2.2	90	1.9	0.20	1.5	2.3
2002	114	1.9	0.18	1.6	2.3	99	2.0	0.21	1.7	2.5
2003	102	1.7	0.17	1.4	2.0	90	1.9	0.20	1.5	2.3
2004	92	1.5	0.16	1.2	1.8	73	1.5	0.18	1.2	1.9
2005	108	1.7	0.17	1.4	2.1	97	2.0	0.20	1.6	2.4
2006	121	1.9	0.18	1.6	2.3	106	2.2	0.21	1.8	2.6
2007	102	1.7	0.17	1.4	2.0	86	1.8	0.19	1.4	2.2
2008	132	2.1	0.18	1.8	2.5	117	2.4	0.22	2.0	2.9
2009	108	1.7	0.17	1.4	2.1	91	1.9	0.20	1.5	2.3
2010	123	2.0	0.18	1.6	2.4	100	2.1	0.21	1.7	2.5
2011	114	1.9	0.17	1.5	2.2	92	1.9	0.20	1.6	2.4
2012	118	1.9	0.18	1.6	2.3	98	2.0	0.21	1.7	2.5
2013	115	1.9	0.18	1.5	2.2	96	2.0	0.21	1.6	2.4
2014	119	1.9	0.18	1.6	2.3	105	2.2	0.22	1.8	2.7
2015	119	1.9	0.18	1.6	2.3	104	2.2	0.22	1.8	2.7
2016	128	2.1	0.19	1.8	2.5	109	2.3	0.22	1.9	2.8
2017	126	2.1	0.19	1.7	2.5	103	2.2	0.22	1.8	2.7
2018	129	2.2	0.19	1.8	2.6	111	2.5	0.24	2.0	3.0
2019	119	2.0	0.19	1.7	2.4	103	2.3	0.23	1.8	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Lymphocytic Leukemia										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	329	1.0	0.06	0.9	1.1	110	1.2	0.12	1.0	1.5
1986	5	0.7	0.36	0.2	1.8	1	0.6	0.57	0.0	7.4
1987	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
1988	10	1.2	0.43	0.5	2.5	0				
1989	6	0.6	0.25	0.2	1.5	0				
1990	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
1991	11	1.2	0.38	0.6	2.3	2	1.0	0.67	0.1	6.1
1992	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
1993	8	0.8	0.31	0.3	1.8	1	0.5	0.46	0.0	4.9
1994	11	1.0	0.31	0.5	2.0	5	2.1	0.95	0.7	6.5
1995	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
1996	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
1997	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
1998	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
1999	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
2000	7	0.8	0.30	0.3	1.7	2	0.8	0.60	0.1	3.9
2001	17	1.8	0.49	1.0	3.1	4	1.4	0.72	0.4	4.5
2002	11	1.2	0.37	0.6	2.3	3	1.1	0.62	0.2	3.9
2003	9	0.8	0.29	0.4	1.7	3	1.1	0.61	0.2	3.7
2004	16	2.1	0.64	1.1	3.7	3	1.1	0.61	0.2	3.6
2005	8	0.7	0.25	0.3	1.5	3	1.2	0.78	0.2	4.0
2006	11	1.2	0.37	0.6	2.2	4	1.4	0.69	0.4	3.8
2007	11	1.1	0.34	0.5	2.1	4	1.1	0.58	0.3	3.4
2008	5	0.5	0.24	0.2	1.3	4	1.1	0.57	0.3	3.3
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.47	0.2	2.7
2010	14	1.3	0.36	0.7	2.3	4	1.1	0.55	0.3	3.1
2011	10	1.0	0.31	0.5	1.9	2	0.6	0.42	0.1	2.4
2012	12	1.3	0.39	0.7	2.3	2	0.6	0.39	0.1	2.2
2013	10	1.2	0.38	0.5	2.2	7	1.7	0.65	0.7	3.7
2014	7	0.8	0.32	0.3	1.7	3	0.7	0.42	0.2	2.3
2015	11	1.1	0.33	0.5	2.0	2	0.5	0.33	0.1	1.8
2016	10	1.1	0.35	0.5	2.0	7	1.8	0.66	0.7	3.7
2017	11	1.1	0.33	0.5	2.0	11	2.9	0.91	1.4	5.3
2018	7	0.7	0.27	0.3	1.5	6	1.5	0.60	0.5	3.2
2019	7	0.9	0.33	0.3	1.8	6	1.6	0.67	0.6	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,779	1.3	0.03	1.3	1.4	2,365	1.4	0.03	1.4	1.5
1986	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
1987	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
1988	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
1989	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
1990	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
1991	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
1992	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
1993	72	1.2	0.14	0.9	1.5	60	1.2	0.16	0.9	1.6
1994	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
1995	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
1996	73	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
1997	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
1998	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
1999	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2000	97	1.5	0.15	1.2	1.9	89	1.8	0.19	1.4	2.2
2001	77	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2002	75	1.2	0.14	0.9	1.5	69	1.4	0.17	1.1	1.8
2003	91	1.4	0.15	1.2	1.8	78	1.6	0.18	1.2	2.0
2004	97	1.5	0.16	1.3	1.9	81	1.7	0.19	1.3	2.1
2005	91	1.4	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
2006	85	1.3	0.14	1.1	1.6	69	1.4	0.17	1.1	1.7
2007	86	1.4	0.15	1.1	1.7	69	1.4	0.17	1.1	1.8
2008	85	1.4	0.15	1.1	1.7	74	1.6	0.18	1.2	2.0
2009	82	1.3	0.14	1.0	1.6	68	1.4	0.17	1.1	1.8
2010	74	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2011	90	1.4	0.15	1.1	1.7	77	1.6	0.18	1.2	2.0
2012	99	1.6	0.16	1.3	1.9	85	1.7	0.19	1.4	2.2
2013	93	1.5	0.16	1.2	1.8	83	1.7	0.19	1.4	2.2
2014	79	1.3	0.15	1.0	1.6	74	1.6	0.18	1.2	2.0
2015	94	1.5	0.16	1.2	1.8	81	1.7	0.19	1.3	2.1
2016	79	1.3	0.15	1.0	1.6	54	1.1	0.16	0.8	1.5
2017	98	1.5	0.16	1.2	1.8	82	1.6	0.19	1.3	2.1
2018	97	1.6	0.16	1.3	1.9	79	1.7	0.19	1.3	2.1
2019	103	1.7	0.17	1.4	2.0	84	1.8	0.20	1.4	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Lymphocytic Leukemia										
Females										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	271	0.8	0.05	0.7	0.9	110	1.2	0.11	1.0	1.4
1986	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
1987	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
1988	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
1989	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
1990	7	0.9	0.37	0.4	2.0	0				
1991	7	0.8	0.30	0.3	1.6	1	0.5	0.54	0.0	4.4
1992	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
1993	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
1994	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
1995	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
1996	11	1.1	0.34	0.6	2.0	1	0.5	0.46	0.0	3.2
1997	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
1998	7	0.7	0.26	0.3	1.4	3	1.2	0.69	0.3	4.0
1999	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
2000	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
2001	15	1.4	0.37	0.8	2.3	3	1.1	0.65	0.2	3.6
2002	3	0.3	0.15	0.1	0.8	3	1.1	0.61	0.2	3.3
2003	10	0.9	0.29	0.4	1.7	2	0.7	0.49	0.1	2.7
2004	8	0.7	0.26	0.3	1.5	7	2.4	0.90	1.0	5.0
2005	7	0.6	0.24	0.3	1.3	2	0.6	0.45	0.1	2.5
2006	9	0.9	0.30	0.4	1.7	5	1.4	0.64	0.5	3.5
2007	11	1.1	0.34	0.6	2.0	6	1.9	0.77	0.7	4.2
2008	7	0.7	0.26	0.3	1.4	3	0.9	0.57	0.2	2.9
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.48	0.2	2.6
2010	7	0.6	0.24	0.3	1.3	3	0.8	0.47	0.2	2.5
2011	8	0.8	0.27	0.3	1.5	3	0.7	0.41	0.1	2.2
2012	7	0.8	0.29	0.3	1.6	4	1.1	0.55	0.3	2.8
2013	7	0.7	0.27	0.3	1.4	2	0.5	0.32	0.1	1.8
2014	4	0.4	0.18	0.1	0.9	0				
2015	5	0.5	0.21	0.2	1.1	7	1.8	0.70	0.7	3.8
2016	15	1.5	0.39	0.8	2.5	8	2.1	0.75	0.9	4.1
2017	11	1.0	0.30	0.5	1.8	4	0.9	0.45	0.2	2.3
2018	5	0.5	0.23	0.2	1.2	11	2.6	0.78	1.3	4.6
2019	11	1.2	0.35	0.6	2.1	2	0.4	0.30	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	18,008	4.2	0.03	4.1	4.3	15,940	4.3	0.03	4.3	4.4
1986	273	2.6	0.16	2.3	3.0	249	2.7	0.17	2.4	3.0
1987	322	3.0	0.17	2.7	3.4	294	3.1	0.19	2.8	3.5
1988	351	3.3	0.18	3.0	3.7	313	3.3	0.19	2.9	3.7
1989	342	3.2	0.17	2.8	3.5	311	3.3	0.19	2.9	3.7
1990	373	3.4	0.18	3.1	3.8	344	3.6	0.19	3.2	4.0
1991	386	3.5	0.18	3.2	3.9	349	3.6	0.19	3.2	4.0
1992	426	3.8	0.19	3.5	4.2	387	3.9	0.20	3.6	4.4
1993	407	3.6	0.18	3.3	4.0	374	3.8	0.20	3.4	4.2
1994	533	4.7	0.20	4.3	5.1	481	4.8	0.22	4.4	5.3
1995	463	4.1	0.19	3.7	4.5	420	4.2	0.21	3.8	4.7
1996	460	4.0	0.19	3.6	4.4	425	4.2	0.21	3.8	4.7
1997	442	3.8	0.18	3.5	4.2	402	4.0	0.20	3.6	4.4
1998	470	4.0	0.18	3.7	4.4	423	4.1	0.20	3.8	4.6
1999	494	4.2	0.19	3.8	4.6	456	4.5	0.21	4.1	4.9
2000	516	4.3	0.19	4.0	4.7	432	4.2	0.20	3.8	4.6
2001	592	4.9	0.20	4.5	5.3	520	5.0	0.22	4.6	5.4
2002	632	5.2	0.21	4.8	5.6	560	5.3	0.23	4.9	5.8
2003	634	5.2	0.20	4.8	5.6	584	5.5	0.23	5.1	6.0
2004	626	5.0	0.20	4.6	5.4	558	5.2	0.22	4.8	5.7
2005	590	4.7	0.20	4.3	5.1	514	4.8	0.21	4.4	5.2
2006	649	5.1	0.20	4.7	5.5	575	5.3	0.22	4.9	5.8
2007	546	4.2	0.18	3.9	4.6	481	4.4	0.20	4.0	4.8
2008	676	5.2	0.20	4.8	5.6	593	5.3	0.22	4.9	5.8
2009	615	4.6	0.19	4.2	5.0	544	4.8	0.21	4.4	5.2
2010	593	4.3	0.18	4.0	4.7	507	4.4	0.20	4.0	4.8
2011	582	4.2	0.18	3.9	4.6	515	4.4	0.20	4.0	4.8
2012	654	4.6	0.18	4.3	5.0	561	4.8	0.21	4.4	5.2
2013	608	4.3	0.18	3.9	4.6	522	4.4	0.19	4.0	4.8
2014	592	4.0	0.17	3.7	4.4	503	4.1	0.19	3.8	4.5
2015	643	4.3	0.17	4.0	4.6	549	4.4	0.19	4.0	4.8
2016	649	4.2	0.17	3.9	4.6	557	4.4	0.19	4.0	4.8
2017	659	4.3	0.17	4.0	4.6	598	4.7	0.20	4.3	5.1
2018	615	4.0	0.16	3.7	4.3	522	4.1	0.18	3.7	4.5
2019	595	3.8	0.16	3.5	4.1	517	4.0	0.18	3.6	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Lymphocytic Leukemia										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,704	3.4	0.09	3.3	3.6	144	1.1	0.10	0.9	1.3
1986	24	2.4	0.51	1.5	3.6	0				
1987	23	2.3	0.50	1.4	3.5	4	3.2	1.76	0.7	8.3
1988	36	3.6	0.61	2.5	5.0	0				
1989	30	2.6	0.49	1.8	3.8	1	0.5	0.50	0.0	3.2
1990	28	2.7	0.52	1.7	3.8	1	0.7	0.72	0.0	3.7
1991	37	3.2	0.55	2.2	4.5	0				
1992	38	3.4	0.56	2.4	4.6	0				
1993	33	2.8	0.49	1.9	3.9	0				
1994	47	3.8	0.57	2.8	5.1	2	1.4	1.00	0.2	4.5
1995	38	3.1	0.52	2.2	4.3	1	0.7	0.68	0.0	3.1
1996	34	2.8	0.49	1.9	3.9	0				
1997	37	2.8	0.47	2.0	3.9	2	0.5	0.32	0.1	2.0
1998	41	3.0	0.48	2.2	4.1	4	1.3	0.66	0.3	3.4
1999	33	2.3	0.41	1.6	3.3	3	1.4	0.85	0.3	3.9
2000	77	5.6	0.65	4.4	7.0	3	1.1	0.65	0.2	3.1
2001	56	4.0	0.55	3.0	5.3	6	1.7	0.74	0.6	3.8
2002	64	4.7	0.60	3.6	6.1	4	1.7	0.84	0.5	4.0
2003	45	3.1	0.47	2.3	4.2	2	0.4	0.26	0.0	1.5
2004	48	3.1	0.45	2.3	4.1	2	0.4	0.29	0.1	1.5
2005	61	4.2	0.55	3.2	5.4	7	1.4	0.52	0.5	2.9
2006	68	4.5	0.55	3.5	5.7	1	0.4	0.37	0.0	1.7
2007	56	3.6	0.49	2.7	4.7	6	1.4	0.61	0.5	3.1
2008	69	4.6	0.56	3.6	5.8	5	1.3	0.60	0.4	2.9
2009	52	3.3	0.47	2.5	4.3	4	0.9	0.46	0.2	2.3
2010	65	4.0	0.51	3.1	5.2	9	2.0	0.72	0.9	3.9
2011	56	3.4	0.46	2.5	4.4	4	0.9	0.45	0.2	2.2
2012	70	4.0	0.49	3.1	5.0	4	0.8	0.40	0.2	1.9
2013	67	3.8	0.47	2.9	4.8	8	1.5	0.56	0.6	3.0
2014	69	3.8	0.47	3.0	4.9	5	0.6	0.28	0.2	1.5
2015	63	3.5	0.45	2.7	4.5	8	1.1	0.40	0.4	2.2
2016	66	3.5	0.44	2.7	4.5	11	1.3	0.40	0.6	2.4
2017	42	2.2	0.34	1.5	2.9	13	1.7	0.48	0.9	2.9
2018	70	3.7	0.45	2.9	4.7	16	1.8	0.47	1.0	3.0
2019	61	3.0	0.39	2.3	3.9	8	1.0	0.38	0.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	10,587	5.8	0.06	5.7	5.9	9,369	6.0	0.06	5.9	6.1
1986	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
1987	177	4.0	0.32	3.5	4.7	163	4.2	0.35	3.6	5.0
1988	187	4.3	0.33	3.7	5.0	162	4.2	0.35	3.6	5.0
1989	177	4.0	0.31	3.4	4.6	165	4.1	0.33	3.5	4.9
1990	218	4.9	0.34	4.2	5.6	201	5.0	0.36	4.3	5.8
1991	227	4.9	0.33	4.3	5.6	201	4.9	0.35	4.2	5.7
1992	252	5.5	0.36	4.9	6.3	230	5.7	0.38	5.0	6.5
1993	211	4.5	0.32	3.9	5.1	189	4.6	0.34	3.9	5.3
1994	312	7.0	0.41	6.2	7.8	283	7.1	0.44	6.3	8.1
1995	260	5.6	0.36	5.0	6.4	234	5.8	0.39	5.1	6.6
1996	271	5.9	0.36	5.2	6.6	247	6.1	0.39	5.3	6.9
1997	262	5.5	0.34	4.8	6.2	238	5.7	0.37	5.0	6.5
1998	267	5.4	0.33	4.7	6.1	237	5.5	0.36	4.8	6.3
1999	284	5.8	0.35	5.1	6.5	266	6.2	0.39	5.5	7.0
2000	313	6.2	0.35	5.5	6.9	261	6.0	0.37	5.3	6.8
2001	318	6.4	0.36	5.7	7.1	275	6.4	0.39	5.6	7.2
2002	350	7.0	0.38	6.3	7.8	312	7.2	0.41	6.4	8.0
2003	381	7.4	0.38	6.7	8.2	354	8.0	0.43	7.1	8.8
2004	363	7.0	0.37	6.3	7.7	324	7.3	0.41	6.5	8.1
2005	349	6.7	0.36	6.0	7.4	306	6.8	0.39	6.1	7.6
2006	389	7.3	0.38	6.6	8.1	345	7.6	0.41	6.8	8.4
2007	341	6.3	0.35	5.6	7.0	304	6.6	0.38	5.8	7.3
2008	415	7.4	0.37	6.7	8.2	362	7.5	0.40	6.8	8.3
2009	367	6.3	0.34	5.7	7.0	329	6.7	0.37	6.0	7.5
2010	381	6.5	0.34	5.8	7.2	323	6.5	0.37	5.8	7.3
2011	352	5.9	0.32	5.3	6.5	312	6.1	0.35	5.4	6.8
2012	402	6.5	0.33	5.9	7.2	347	6.7	0.37	6.0	7.5
2013	375	6.0	0.32	5.4	6.6	331	6.2	0.35	5.6	7.0
2014	368	5.7	0.30	5.1	6.3	313	5.8	0.33	5.2	6.5
2015	384	5.8	0.31	5.3	6.5	330	6.0	0.34	5.3	6.7
2016	379	5.6	0.30	5.0	6.2	328	5.8	0.33	5.1	6.5
2017	379	5.6	0.29	5.0	6.2	343	6.0	0.33	5.4	6.7
2018	367	5.3	0.28	4.8	5.9	312	5.4	0.31	4.8	6.1
2019	367	5.2	0.28	4.7	5.8	313	5.3	0.31	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Lymphocytic Leukemia										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,002	5.0	0.17	4.7	5.3	91	1.6	0.18	1.3	2.0
1986	13	3.2	1.00	1.6	5.7	0				
1987	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
1988	23	5.3	1.19	3.2	8.1	0				
1989	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
1990	17	4.5	1.18	2.5	7.3	0				
1991	26	5.1	1.05	3.2	7.6	0				
1992	22	4.7	1.04	2.9	7.2	0				
1993	22	4.2	0.94	2.6	6.5	0				
1994	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
1995	23	4.7	1.03	2.9	7.1	1	1.7	1.67	0.0	7.6
1996	23	4.7	1.05	2.9	7.1	0				
1997	23	4.3	0.92	2.7	6.4	0				
1998	27	4.7	0.93	3.0	6.8	2	1.6	1.15	0.2	5.9
1999	16	2.8	0.74	1.6	4.6	1	1.5	1.53	0.0	6.7
2000	48	8.4	1.25	6.1	11.2	2	1.8	1.34	0.2	6.3
2001	37	6.9	1.21	4.7	9.6	4	2.4	1.31	0.5	6.5
2002	32	5.9	1.13	3.9	8.5	3	3.1	1.78	0.6	8.2
2003	25	4.1	0.89	2.6	6.2	2	0.8	0.54	0.1	3.3
2004	27	4.2	0.86	2.7	6.3	1	0.5	0.47	0.0	2.9
2005	37	6.4	1.12	4.4	8.9	4	1.9	0.96	0.5	5.0
2006	40	6.2	1.02	4.3	8.5	1	0.9	0.94	0.0	4.1
2007	33	5.0	0.92	3.4	7.1	2	0.6	0.44	0.1	2.7
2008	43	7.1	1.14	5.1	9.7	4	2.5	1.43	0.5	6.5
2009	26	4.1	0.83	2.6	6.0	3	1.6	0.97	0.3	4.5
2010	44	6.9	1.12	4.9	9.4	7	3.5	1.55	1.2	7.6
2011	33	5.1	0.94	3.5	7.3	4	2.0	1.07	0.5	5.1
2012	40	5.8	0.97	4.1	8.0	1	0.7	0.67	0.0	2.9
2013	33	4.3	0.79	2.9	6.2	5	2.1	0.99	0.6	4.9
2014	41	5.4	0.89	3.8	7.4	4	1.1	0.56	0.3	2.9
2015	39	5.3	0.89	3.7	7.3	5	1.5	0.72	0.5	3.6
2016	33	4.3	0.78	2.9	6.1	9	2.4	0.81	1.0	4.6
2017	25	3.3	0.69	2.1	4.9	8	2.4	0.88	1.0	4.7
2018	39	5.1	0.86	3.6	7.1	10	2.4	0.78	1.2	4.5
2019	43	5.6	0.89	4.0	7.6	4	1.2	0.62	0.3	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,421	3.0	0.03	2.9	3.1	6,571	3.1	0.04	3.0	3.2
1986	131	2.1	0.19	1.8	2.5	120	2.2	0.20	1.8	2.6
1987	145	2.3	0.19	2.0	2.7	131	2.4	0.21	2.0	2.8
1988	164	2.6	0.21	2.2	3.1	151	2.7	0.22	2.3	3.2
1989	165	2.6	0.21	2.2	3.1	146	2.6	0.22	2.2	3.1
1990	155	2.5	0.20	2.1	2.9	143	2.6	0.22	2.2	3.1
1991	159	2.4	0.19	2.0	2.8	148	2.5	0.21	2.1	3.0
1992	174	2.6	0.20	2.2	3.0	157	2.7	0.21	2.3	3.1
1993	196	2.9	0.21	2.5	3.3	185	3.1	0.23	2.7	3.6
1994	221	3.3	0.22	2.9	3.8	198	3.3	0.24	2.9	3.8
1995	203	3.0	0.21	2.6	3.5	186	3.2	0.24	2.7	3.7
1996	189	2.8	0.20	2.4	3.2	178	3.0	0.23	2.6	3.5
1997	180	2.6	0.19	2.2	3.0	164	2.6	0.21	2.2	3.1
1998	203	2.9	0.20	2.5	3.3	186	3.0	0.22	2.6	3.5
1999	210	3.1	0.21	2.7	3.5	190	3.2	0.24	2.8	3.7
2000	203	2.9	0.20	2.5	3.3	171	2.8	0.22	2.4	3.3
2001	274	3.9	0.24	3.4	4.4	245	4.0	0.26	3.5	4.6
2002	282	3.9	0.23	3.4	4.4	248	4.0	0.26	3.5	4.5
2003	253	3.5	0.22	3.1	4.0	230	3.7	0.25	3.3	4.2
2004	263	3.6	0.22	3.2	4.1	234	3.8	0.25	3.3	4.3
2005	241	3.3	0.22	2.9	3.8	208	3.3	0.24	2.9	3.8
2006	260	3.5	0.22	3.1	4.0	230	3.6	0.24	3.2	4.1
2007	205	2.7	0.19	2.4	3.1	177	2.8	0.21	2.4	3.2
2008	261	3.5	0.22	3.0	3.9	231	3.6	0.24	3.2	4.1
2009	248	3.2	0.20	2.8	3.6	215	3.2	0.23	2.8	3.7
2010	212	2.7	0.19	2.4	3.1	184	2.8	0.21	2.4	3.2
2011	230	2.9	0.19	2.5	3.3	203	3.1	0.22	2.6	3.5
2012	252	3.2	0.20	2.8	3.6	214	3.3	0.23	2.8	3.7
2013	233	2.9	0.20	2.6	3.4	191	2.9	0.21	2.5	3.4
2014	224	2.7	0.19	2.4	3.1	190	2.8	0.21	2.4	3.3
2015	259	3.1	0.20	2.7	3.5	219	3.2	0.22	2.8	3.6
2016	270	3.2	0.20	2.8	3.6	229	3.3	0.22	2.9	3.7
2017	280	3.3	0.20	2.9	3.7	255	3.6	0.23	3.2	4.1
2018	248	2.9	0.18	2.5	3.3	210	3.0	0.21	2.6	3.4
2019	228	2.6	0.18	2.3	3.0	204	2.9	0.21	2.5	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Lymphocytic Leukemia										
Females										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	702	2.4	0.09	2.2	2.6	53	0.7	0.10	0.5	0.9
1986	11	1.9	0.59	1.0	3.4	0				
1987	11	2.1	0.63	1.0	3.6	3	3.1	1.79	0.6	9.5
1988	13	2.4	0.65	1.2	3.9	0				
1989	19	2.7	0.63	1.6	4.2	0				
1990	11	1.6	0.49	0.8	2.9	1	1.3	1.26	0.0	6.5
1991	11	1.8	0.54	0.9	3.1	0				
1992	16	2.4	0.60	1.4	3.8	0				
1993	11	1.6	0.50	0.8	2.9	0				
1994	21	2.8	0.62	1.8	4.3	0				
1995	15	2.1	0.54	1.1	3.4	0				
1996	11	1.5	0.46	0.8	2.7	0				
1997	14	1.8	0.49	1.0	3.0	2	0.9	0.61	0.1	3.7
1998	14	1.8	0.49	1.0	3.0	2	1.1	0.80	0.1	4.1
1999	17	2.1	0.50	1.2	3.3	2	1.5	1.05	0.2	4.9
2000	29	3.6	0.68	2.4	5.2	1	0.6	0.57	0.0	3.1
2001	19	2.3	0.53	1.4	3.6	2	1.2	0.83	0.1	4.0
2002	32	4.0	0.70	2.7	5.6	1	0.7	0.73	0.0	3.4
2003	20	2.4	0.54	1.5	3.7	0				
2004	21	2.3	0.51	1.4	3.6	1	0.3	0.34	0.0	2.1
2005	24	2.9	0.59	1.8	4.3	3	0.9	0.53	0.2	2.9
2006	28	3.3	0.62	2.2	4.7	0				
2007	23	2.6	0.54	1.6	3.9	4	1.9	0.97	0.5	4.7
2008	26	2.9	0.57	1.9	4.2	1	0.5	0.45	0.0	2.2
2009	26	2.8	0.56	1.8	4.1	1	0.4	0.42	0.0	2.1
2010	21	2.3	0.50	1.4	3.5	2	1.0	0.71	0.1	3.2
2011	23	2.3	0.49	1.5	3.5	0				
2012	30	2.8	0.52	1.9	4.1	3	0.9	0.56	0.2	2.7
2013	34	3.3	0.58	2.3	4.7	3	1.0	0.61	0.2	2.9
2014	28	2.7	0.52	1.8	3.9	1	0.2	0.21	0.0	1.3
2015	24	2.3	0.48	1.5	3.5	3	0.7	0.43	0.1	2.2
2016	33	3.0	0.53	2.1	4.3	2	0.4	0.30	0.1	1.6
2017	17	1.5	0.37	0.9	2.4	5	1.2	0.55	0.4	2.8
2018	31	2.7	0.50	1.9	3.9	6	1.3	0.55	0.5	2.9
2019	18	1.4	0.33	0.8	2.3	4	0.9	0.48	0.3	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	16,762	3.9	0.03	3.9	4.0	14,622	4.1	0.03	4.0	4.1
1986	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
1987	275	2.5	0.15	2.2	2.9	250	2.6	0.17	2.3	3.0
1988	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
1989	266	2.4	0.15	2.2	2.8	242	2.5	0.17	2.2	2.9
1990	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
1991	306	2.8	0.16	2.5	3.1	277	2.9	0.17	2.6	3.3
1992	340	3.0	0.16	2.7	3.3	307	3.1	0.18	2.8	3.5
1993	354	3.1	0.17	2.8	3.5	325	3.3	0.18	3.0	3.7
1994	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
1995	433	3.7	0.18	3.4	4.1	387	3.9	0.20	3.5	4.3
1996	438	3.8	0.18	3.4	4.1	389	3.9	0.20	3.5	4.3
1997	473	4.0	0.19	3.7	4.4	416	4.1	0.20	3.7	4.5
1998	443	3.7	0.18	3.4	4.1	384	3.8	0.19	3.4	4.2
1999	484	4.0	0.18	3.7	4.4	433	4.2	0.20	3.9	4.7
2000	532	4.4	0.19	4.0	4.8	479	4.7	0.21	4.3	5.1
2001	550	4.5	0.19	4.2	4.9	480	4.7	0.21	4.2	5.1
2002	525	4.3	0.19	3.9	4.7	476	4.6	0.21	4.2	5.0
2003	493	4.0	0.18	3.6	4.4	433	4.1	0.20	3.8	4.5
2004	532	4.2	0.18	3.9	4.6	462	4.4	0.20	4.0	4.8
2005	515	4.1	0.18	3.8	4.5	445	4.2	0.20	3.8	4.6
2006	514	4.0	0.18	3.7	4.4	460	4.3	0.20	3.9	4.7
2007	507	4.0	0.18	3.6	4.4	447	4.2	0.20	3.8	4.6
2008	510	4.0	0.18	3.6	4.3	445	4.1	0.20	3.7	4.5
2009	556	4.2	0.18	3.9	4.6	482	4.3	0.20	3.9	4.7
2010	631	4.8	0.19	4.4	5.2	535	4.9	0.21	4.5	5.3
2011	612	4.5	0.19	4.2	4.9	520	4.6	0.21	4.2	5.1
2012	648	4.7	0.19	4.4	5.1	544	4.8	0.21	4.4	5.2
2013	688	4.9	0.19	4.6	5.3	581	5.1	0.21	4.7	5.5
2014	641	4.5	0.18	4.2	4.9	553	4.7	0.21	4.3	5.2
2015	649	4.6	0.18	4.2	5.0	569	4.9	0.21	4.5	5.3
2016	606	4.3	0.18	4.0	4.7	498	4.3	0.20	3.9	4.7
2017	666	4.6	0.18	4.3	5.0	568	4.8	0.21	4.4	5.2
2018	654	4.3	0.17	4.0	4.7	544	4.4	0.19	4.0	4.8
2019	618	4.1	0.17	3.8	4.5	519	4.3	0.19	3.9	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Myeloid Leukemia										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,671	3.2	0.08	3.1	3.4	417	2.9	0.15	2.6	3.2
1986	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
1987	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
1988	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
1989	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
1990	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
1991	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
1992	23	1.8	0.39	1.1	2.7	9	4.3	1.82	1.5	9.1
1993	25	1.7	0.36	1.1	2.6	3	1.0	0.60	0.2	3.3
1994	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
1995	40	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
1996	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
1997	51	3.6	0.51	2.6	4.7	6	1.7	0.77	0.5	4.0
1998	49	3.4	0.50	2.5	4.5	9	3.7	1.36	1.5	7.2
1999	43	2.9	0.45	2.1	3.9	7	1.5	0.58	0.6	3.3
2000	45	2.9	0.45	2.1	3.9	7	2.2	0.97	0.8	4.9
2001	57	3.7	0.50	2.8	4.8	12	2.3	0.70	1.1	4.3
2002	38	2.5	0.42	1.8	3.5	8	1.7	0.67	0.7	3.6
2003	49	3.2	0.47	2.3	4.2	10	2.1	0.70	1.0	4.0
2004	57	3.6	0.50	2.7	4.7	12	2.7	0.83	1.3	4.8
2005	52	3.4	0.49	2.5	4.5	15	3.1	0.91	1.6	5.4
2006	43	2.7	0.42	1.9	3.7	10	1.8	0.61	0.8	3.5
2007	48	2.9	0.43	2.1	3.9	12	3.0	0.91	1.4	5.2
2008	43	2.7	0.43	2.0	3.7	19	4.0	1.00	2.3	6.4
2009	58	3.8	0.51	2.9	4.9	14	2.5	0.74	1.3	4.4
2010	75	4.4	0.53	3.5	5.6	19	4.0	0.97	2.3	6.3
2011	67	3.8	0.47	2.9	4.8	22	4.3	0.98	2.6	6.6
2012	84	5.0	0.55	3.9	6.2	15	2.6	0.70	1.4	4.3
2013	81	4.5	0.51	3.5	5.6	20	3.6	0.83	2.1	5.5
2014	64	3.7	0.47	2.8	4.7	24	3.6	0.78	2.3	5.5
2015	64	3.5	0.45	2.7	4.5	15	2.0	0.55	1.1	3.4
2016	73	3.8	0.46	3.0	4.8	31	3.9	0.72	2.6	5.6
2017	76	4.0	0.47	3.1	5.0	22	2.7	0.59	1.7	4.1
2018	79	4.1	0.47	3.2	5.1	28	3.4	0.65	2.2	4.9
2019	73	3.8	0.45	2.9	4.8	21	2.2	0.49	1.4	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	8,930	4.9	0.05	4.8	5.0	7,880	5.1	0.06	5.0	5.2
1986	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
1987	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
1988	152	3.4	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
1989	152	3.2	0.27	2.7	3.8	139	3.4	0.29	2.8	4.0
1990	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
1991	160	3.4	0.28	2.8	4.0	149	3.6	0.30	3.0	4.2
1992	194	4.0	0.30	3.4	4.6	178	4.2	0.32	3.6	4.9
1993	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
1994	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
1995	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
1996	220	4.5	0.31	3.9	5.1	194	4.5	0.33	3.9	5.2
1997	228	4.5	0.30	4.0	5.2	206	4.8	0.33	4.1	5.5
1998	229	4.4	0.30	3.9	5.1	202	4.5	0.32	3.9	5.2
1999	247	4.8	0.31	4.3	5.5	225	5.1	0.35	4.5	5.9
2000	274	5.3	0.33	4.7	6.0	248	5.7	0.36	5.0	6.4
2001	298	5.8	0.34	5.2	6.5	256	5.9	0.37	5.2	6.6
2002	289	5.6	0.34	5.0	6.3	263	5.9	0.37	5.2	6.7
2003	254	4.9	0.31	4.3	5.5	230	5.2	0.34	4.5	5.9
2004	269	5.0	0.31	4.4	5.7	243	5.3	0.34	4.7	6.0
2005	270	5.0	0.31	4.5	5.7	240	5.3	0.34	4.6	6.0
2006	273	5.0	0.31	4.4	5.7	251	5.4	0.35	4.8	6.2
2007	278	5.0	0.31	4.4	5.7	250	5.3	0.34	4.7	6.1
2008	270	4.9	0.30	4.3	5.5	236	5.0	0.33	4.4	5.7
2009	287	5.1	0.30	4.5	5.7	250	5.2	0.33	4.5	5.8
2010	324	5.6	0.32	5.0	6.3	280	5.8	0.35	5.1	6.5
2011	299	5.1	0.30	4.5	5.7	256	5.2	0.33	4.6	5.9
2012	360	6.0	0.32	5.4	6.7	308	6.1	0.35	5.4	6.9
2013	375	6.1	0.32	5.5	6.8	316	6.2	0.36	5.6	7.0
2014	337	5.5	0.30	4.9	6.1	295	5.7	0.34	5.0	6.4
2015	376	6.0	0.31	5.4	6.6	330	6.3	0.35	5.6	7.0
2016	322	5.1	0.29	4.5	5.6	270	5.1	0.32	4.5	5.8
2017	363	5.6	0.30	5.0	6.2	309	5.8	0.34	5.2	6.5
2018	380	5.6	0.29	5.0	6.2	324	5.7	0.32	5.1	6.4
2019	347	5.1	0.28	4.6	5.7	298	5.3	0.32	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	794	3.7	0.14	3.4	4.0	227	3.5	0.26	3.0	4.1
1986	13	2.9	0.95	1.4	5.3	0				
1987	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
1988	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
1989	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
1990	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
1991	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
1992	11	2.1	0.69	1.0	3.8	5	6.2	3.95	1.0	17.3
1993	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
1994	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
1995	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
1996	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
1997	19	3.2	0.76	1.9	5.0	3	1.3	0.75	0.3	5.0
1998	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
1999	16	2.4	0.60	1.3	3.9	5	2.4	1.11	0.7	6.4
2000	22	3.5	0.80	2.1	5.4	4	2.0	1.00	0.5	5.6
2001	32	4.6	0.84	3.1	6.6	9	3.8	1.38	1.6	7.9
2002	18	3.3	0.86	1.9	5.4	5	2.6	1.39	0.7	6.8
2003	19	3.1	0.78	1.8	5.0	5	2.2	1.09	0.6	5.7
2004	20	2.9	0.70	1.7	4.6	5	2.5	1.30	0.6	6.4
2005	23	3.6	0.80	2.2	5.5	6	2.7	1.24	0.8	6.3
2006	17	2.3	0.58	1.3	3.7	5	1.6	0.73	0.5	4.1
2007	24	3.6	0.79	2.2	5.5	4	2.1	1.15	0.5	5.5
2008	22	3.3	0.76	2.0	5.1	10	5.2	1.86	2.2	9.9
2009	28	4.8	0.97	3.1	7.1	9	4.3	1.66	1.7	8.5
2010	34	5.0	0.91	3.4	7.1	9	4.0	1.41	1.7	7.6
2011	30	3.9	0.74	2.5	5.6	10	5.3	1.85	2.3	9.9
2012	46	6.9	1.07	5.0	9.3	4	1.5	0.83	0.3	4.0
2013	42	5.8	0.94	4.1	7.9	14	5.5	1.61	2.8	9.5
2014	29	4.4	0.85	2.9	6.4	13	4.8	1.43	2.4	8.3
2015	34	4.4	0.79	3.0	6.2	12	3.5	1.09	1.7	6.3
2016	34	4.2	0.76	2.9	6.0	16	4.5	1.16	2.5	7.4
2017	38	4.9	0.82	3.4	6.7	16	4.3	1.10	2.4	7.0
2018	39	4.8	0.79	3.3	6.6	14	3.8	1.04	2.0	6.4
2019	32	4.0	0.73	2.7	5.7	13	2.8	0.79	1.5	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,832	3.3	0.04	3.2	3.4	6,742	3.4	0.04	3.3	3.5
1986	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
1987	128	2.1	0.19	1.8	2.5	114	2.2	0.21	1.8	2.6
1988	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
1989	114	1.8	0.17	1.5	2.2	103	1.9	0.19	1.6	2.3
1990	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
1991	146	2.4	0.20	2.0	2.8	128	2.5	0.22	2.0	2.9
1992	146	2.3	0.19	2.0	2.7	129	2.4	0.21	2.0	2.9
1993	153	2.4	0.20	2.0	2.8	143	2.6	0.22	2.2	3.1
1994	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
1995	197	3.0	0.22	2.6	3.5	172	3.1	0.24	2.7	3.7
1996	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
1997	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
1998	214	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
1999	237	3.5	0.23	3.1	4.0	208	3.7	0.26	3.2	4.2
2000	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
2001	252	3.7	0.23	3.3	4.2	224	3.9	0.26	3.4	4.5
2002	236	3.4	0.22	3.0	3.9	213	3.6	0.25	3.1	4.2
2003	239	3.4	0.22	3.0	3.9	203	3.5	0.25	3.0	4.0
2004	263	3.8	0.23	3.3	4.2	219	3.8	0.26	3.3	4.3
2005	245	3.5	0.23	3.1	4.0	205	3.5	0.25	3.1	4.1
2006	241	3.4	0.22	3.0	3.9	209	3.6	0.25	3.1	4.1
2007	229	3.3	0.22	2.9	3.7	197	3.4	0.25	2.9	3.9
2008	240	3.3	0.22	2.9	3.7	209	3.4	0.24	3.0	3.9
2009	269	3.7	0.23	3.2	4.1	232	3.8	0.26	3.3	4.4
2010	307	4.2	0.24	3.7	4.7	255	4.2	0.27	3.7	4.8
2011	313	4.2	0.24	3.7	4.7	264	4.3	0.27	3.8	4.9
2012	288	3.8	0.23	3.3	4.2	236	3.8	0.25	3.3	4.3
2013	313	4.0	0.23	3.5	4.5	265	4.2	0.26	3.7	4.7
2014	304	3.9	0.23	3.5	4.4	258	4.1	0.26	3.6	4.6
2015	273	3.5	0.22	3.1	4.0	239	3.8	0.26	3.3	4.3
2016	284	3.8	0.23	3.3	4.2	228	3.7	0.26	3.2	4.3
2017	303	3.9	0.23	3.4	4.3	259	4.1	0.26	3.6	4.6
2018	274	3.4	0.21	3.0	3.9	220	3.4	0.24	2.9	3.9
2019	271	3.3	0.21	2.9	3.8	221	3.4	0.24	3.0	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Acute Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	877	2.9	0.10	2.7	3.1	190	2.4	0.18	2.0	2.7
1986	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6
1987	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8
1988	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1
1989	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7
1990	16	2.1	0.54	1.2	3.4	0				
1991	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5
1992	12	1.6	0.48	0.8	2.8	4	3.2	1.61	0.8	8.4
1993	10	1.3	0.41	0.6	2.3	0				
1994	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3
1995	23	2.9	0.61	1.8	4.3	2	2.0	1.50	0.2	6.8
1996	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0
1997	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7
1998	25	2.9	0.59	1.9	4.3	6	3.9	1.70	1.3	8.6
1999	27	3.1	0.61	2.0	4.5	2	0.7	0.49	0.1	3.1
2000	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.1
2001	25	2.9	0.58	1.9	4.2	3	1.0	0.60	0.2	3.3
2002	20	2.2	0.50	1.3	3.4	3	1.1	0.64	0.2	3.4
2003	30	3.3	0.61	2.2	4.8	5	2.0	0.92	0.6	4.8
2004	37	4.1	0.68	2.9	5.6	7	2.9	1.15	1.1	6.1
2005	29	3.2	0.61	2.2	4.6	9	3.3	1.23	1.4	6.7
2006	26	2.9	0.58	1.9	4.3	5	2.0	0.91	0.6	4.6
2007	24	2.5	0.52	1.6	3.7	8	3.6	1.33	1.5	7.1
2008	21	2.3	0.51	1.4	3.5	9	3.3	1.17	1.5	6.4
2009	30	3.3	0.60	2.2	4.7	5	1.4	0.61	0.4	3.3
2010	41	4.1	0.65	2.9	5.6	10	3.9	1.28	1.8	7.1
2011	37	3.7	0.62	2.6	5.1	12	3.8	1.17	1.9	6.8
2012	38	3.8	0.62	2.6	5.2	11	3.4	1.07	1.7	6.2
2013	39	3.6	0.58	2.5	4.9	6	2.0	0.84	0.7	4.3
2014	35	3.5	0.59	2.4	4.8	11	2.8	0.88	1.3	5.1
2015	30	2.8	0.53	1.9	4.1	3	0.7	0.45	0.1	2.2
2016	39	3.5	0.58	2.5	4.9	15	3.5	0.91	1.9	5.8
2017	38	3.5	0.58	2.5	4.8	6	1.4	0.59	0.5	3.1
2018	40	3.6	0.58	2.6	5.0	14	3.2	0.85	1.7	5.3
2019	41	3.5	0.55	2.5	4.8	8	1.6	0.59	0.7	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,276	1.7	0.02	1.7	1.8	6,137	1.7	0.02	1.7	1.8
1986	139	1.3	0.11	1.1	1.6	122	1.3	0.12	1.1	1.6
1987	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
1988	113	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	131	1.3	0.11	1.1	1.5	105	1.2	0.11	0.9	1.4
1990	157	1.4	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1991	166	1.5	0.12	1.3	1.7	151	1.6	0.13	1.3	1.8
1992	155	1.4	0.11	1.2	1.6	135	1.4	0.12	1.2	1.7
1993	174	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.8
1994	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	220	1.9	0.13	1.7	2.2	183	1.8	0.14	1.6	2.1
1996	205	1.8	0.12	1.5	2.0	177	1.8	0.13	1.5	2.1
1997	188	1.6	0.12	1.4	1.9	162	1.6	0.13	1.4	1.9
1998	203	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
1999	225	1.9	0.13	1.6	2.1	190	1.9	0.13	1.6	2.1
2000	219	1.8	0.12	1.6	2.1	185	1.8	0.13	1.6	2.1
2001	245	2.0	0.13	1.8	2.3	214	2.1	0.14	1.8	2.4
2002	195	1.6	0.11	1.4	1.8	160	1.5	0.12	1.3	1.8
2003	236	1.9	0.12	1.7	2.2	207	2.0	0.14	1.7	2.3
2004	252	2.0	0.13	1.8	2.3	214	2.0	0.14	1.8	2.3
2005	212	1.7	0.12	1.5	1.9	176	1.7	0.13	1.4	1.9
2006	231	1.8	0.12	1.6	2.1	194	1.8	0.13	1.6	2.1
2007	200	1.6	0.11	1.4	1.8	162	1.5	0.12	1.3	1.8
2008	228	1.8	0.12	1.5	2.0	185	1.7	0.13	1.5	2.0
2009	239	1.8	0.12	1.6	2.1	204	1.9	0.13	1.6	2.2
2010	265	2.0	0.12	1.8	2.3	226	2.1	0.14	1.8	2.3
2011	283	2.1	0.13	1.9	2.4	231	2.1	0.14	1.8	2.4
2012	242	1.8	0.12	1.6	2.1	203	1.8	0.13	1.6	2.1
2013	237	1.7	0.11	1.5	2.0	195	1.7	0.13	1.5	2.0
2014	262	1.9	0.12	1.7	2.1	222	1.9	0.13	1.7	2.2
2015	230	1.6	0.11	1.4	1.9	193	1.7	0.12	1.5	1.9
2016	265	1.8	0.11	1.6	2.1	218	1.8	0.13	1.6	2.1
2017	266	1.8	0.12	1.6	2.1	216	1.8	0.13	1.6	2.1
2018	278	1.9	0.12	1.7	2.2	221	1.9	0.13	1.7	2.2
2019	267	1.8	0.11	1.6	2.1	218	1.8	0.13	1.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Myeloid Leukemia										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	876	1.7	0.06	1.6	1.8	174	1.1	0.09	0.9	1.3
1986	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
1987	7	0.6	0.22	0.2	1.2	2	0.7	0.51	0.1	3.6
1988	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
1989	22	2.0	0.43	1.2	3.0	4	1.5	0.76	0.4	4.4
1990	20	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
1991	15	1.2	0.31	0.6	2.0	0				
1992	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
1993	21	1.6	0.37	1.0	2.5	3	0.8	0.45	0.2	2.8
1994	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
1995	34	2.5	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
1996	22	1.6	0.36	1.0	2.5	5	1.0	0.45	0.3	2.7
1997	21	1.5	0.34	0.9	2.3	2	0.5	0.35	0.1	2.1
1998	21	1.4	0.30	0.8	2.1	5	2.5	1.27	0.7	6.0
1999	29	2.1	0.40	1.4	3.0	4	1.5	0.84	0.3	4.0
2000	27	1.8	0.35	1.1	2.6	6	1.5	0.67	0.5	3.5
2001	20	1.4	0.32	0.8	2.1	8	1.8	0.74	0.7	3.9
2002	28	1.9	0.38	1.3	2.8	6	1.4	0.63	0.5	3.2
2003	24	1.7	0.35	1.1	2.5	4	1.2	0.67	0.3	3.2
2004	27	1.8	0.36	1.2	2.7	7	1.6	0.73	0.5	3.6
2005	27	1.8	0.36	1.2	2.7	4	0.8	0.41	0.2	2.1
2006	32	2.0	0.36	1.3	2.8	2	0.3	0.21	0.0	1.3
2007	25	1.5	0.31	1.0	2.3	9	1.7	0.62	0.7	3.4
2008	31	1.9	0.34	1.3	2.7	7	1.3	0.51	0.5	2.7
2009	25	1.5	0.31	1.0	2.2	5	0.7	0.31	0.2	1.7
2010	30	1.7	0.31	1.1	2.4	5	1.0	0.50	0.3	2.4
2011	37	2.1	0.34	1.4	2.8	9	1.7	0.61	0.7	3.3
2012	33	1.9	0.34	1.3	2.7	6	0.7	0.30	0.3	1.7
2013	30	1.6	0.30	1.1	2.3	9	1.5	0.53	0.6	2.8
2014	33	1.8	0.32	1.2	2.6	7	0.8	0.31	0.3	1.7
2015	27	1.4	0.28	0.9	2.1	6	0.8	0.33	0.3	1.7
2016	32	1.6	0.30	1.1	2.3	9	1.2	0.41	0.5	2.3
2017	38	2.0	0.33	1.4	2.7	5	0.6	0.27	0.2	1.4
2018	38	1.9	0.31	1.3	2.6	11	1.1	0.34	0.6	2.1
2019	33	1.7	0.30	1.2	2.4	11	1.3	0.39	0.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,167	2.3	0.04	2.2	2.3	3,531	2.3	0.04	2.2	2.4
1986	85	1.8	0.21	1.4	2.3	74	1.8	0.22	1.4	2.3
1987	80	1.8	0.20	1.4	2.2	75	1.9	0.23	1.5	2.4
1988	64	1.5	0.20	1.2	2.0	55	1.5	0.21	1.1	2.0
1989	78	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
1990	83	1.8	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1991	90	1.9	0.21	1.5	2.3	85	2.1	0.23	1.6	2.6
1992	90	1.9	0.21	1.5	2.3	77	1.9	0.22	1.5	2.3
1993	101	2.1	0.22	1.7	2.6	87	2.1	0.23	1.7	2.6
1994	111	2.3	0.22	1.9	2.7	97	2.3	0.24	1.8	2.8
1995	118	2.4	0.22	1.9	2.8	102	2.4	0.24	1.9	2.9
1996	120	2.5	0.24	2.1	3.0	105	2.6	0.26	2.1	3.1
1997	110	2.3	0.22	1.8	2.7	96	2.3	0.24	1.8	2.8
1998	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
1999	133	2.6	0.23	2.2	3.1	116	2.6	0.24	2.2	3.1
2000	123	2.4	0.22	2.0	2.8	103	2.3	0.23	1.9	2.8
2001	141	2.8	0.24	2.3	3.3	122	2.8	0.26	2.3	3.4
2002	111	2.2	0.21	1.8	2.6	91	2.1	0.22	1.7	2.6
2003	135	2.6	0.22	2.2	3.1	115	2.6	0.24	2.1	3.1
2004	145	2.7	0.23	2.3	3.2	131	2.9	0.25	2.4	3.4
2005	137	2.5	0.22	2.1	3.0	115	2.5	0.23	2.0	3.0
2006	139	2.5	0.22	2.1	3.0	117	2.5	0.23	2.1	3.0
2007	111	2.0	0.19	1.6	2.4	87	1.9	0.20	1.5	2.3
2008	128	2.3	0.20	1.9	2.7	104	2.2	0.22	1.8	2.7
2009	117	2.1	0.19	1.7	2.5	98	2.1	0.21	1.7	2.5
2010	156	2.7	0.22	2.3	3.2	134	2.8	0.24	2.3	3.3
2011	172	2.9	0.22	2.5	3.3	139	2.8	0.24	2.3	3.3
2012	138	2.3	0.20	1.9	2.7	117	2.4	0.22	1.9	2.8
2013	126	2.0	0.19	1.7	2.4	104	2.0	0.20	1.6	2.5
2014	149	2.4	0.20	2.0	2.8	133	2.6	0.23	2.1	3.0
2015	123	1.9	0.18	1.6	2.3	103	2.0	0.20	1.6	2.4
2016	151	2.4	0.20	2.0	2.8	119	2.3	0.21	1.9	2.7
2017	156	2.4	0.19	2.0	2.8	128	2.3	0.21	1.9	2.8
2018	170	2.6	0.20	2.2	3.0	139	2.6	0.23	2.2	3.1
2019	159	2.4	0.19	2.0	2.8	131	2.4	0.21	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	480	2.2	0.11	2.0	2.4	101	1.4	0.15	1.1	1.7
1986	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
1987	3	0.5	0.32	0.1	1.6	2	1.4	1.01	0.2	8.0
1988	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
1989	12	2.7	0.82	1.3	4.7	4	3.2	1.69	0.8	9.9
1990	13	2.3	0.74	1.1	4.2	1	4.6	4.56	0.1	18.3
1991	5	0.8	0.37	0.3	2.0	0				
1992	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
1993	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
1994	11	2.0	0.63	0.9	3.6	1	0.5	0.54	0.0	4.8
1995	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
1996	12	2.0	0.59	1.0	3.5	3	1.2	0.69	0.2	5.0
1997	13	2.4	0.73	1.2	4.2	0				
1998	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
1999	13	2.5	0.75	1.2	4.3	2	1.6	1.29	0.1	6.1
2000	16	2.8	0.76	1.5	4.6	4	2.5	1.42	0.5	7.0
2001	10	1.8	0.59	0.8	3.3	6	2.0	0.82	0.7	5.1
2002	16	3.0	0.79	1.7	4.9	4	2.4	1.36	0.5	6.6
2003	17	2.8	0.71	1.6	4.5	2	0.8	0.54	0.1	3.3
2004	10	1.8	0.61	0.8	3.3	3	2.0	1.52	0.2	6.5
2005	16	2.7	0.73	1.5	4.5	3	1.4	0.83	0.2	4.2
2006	21	3.5	0.81	2.1	5.4	1	0.4	0.36	0.0	2.4
2007	15	2.2	0.60	1.2	3.7	7	3.2	1.36	1.1	6.9
2008	17	2.3	0.60	1.3	3.8	3	1.0	0.60	0.2	3.3
2009	13	2.0	0.59	1.0	3.5	4	1.2	0.60	0.3	3.3
2010	20	2.5	0.58	1.5	3.9	1	0.3	0.25	0.0	1.9
2011	21	2.7	0.60	1.6	4.1	6	2.7	1.20	0.9	5.9
2012	20	3.0	0.70	1.8	4.6	1	0.2	0.24	0.0	1.7
2013	14	1.8	0.51	1.0	3.1	5	1.2	0.55	0.4	3.0
2014	12	1.4	0.42	0.7	2.5	4	1.0	0.50	0.3	2.7
2015	16	1.9	0.51	1.1	3.2	2	0.4	0.31	0.1	1.8
2016	18	2.1	0.52	1.2	3.4	8	2.2	0.81	0.9	4.5
2017	20	2.4	0.56	1.4	3.7	2	0.4	0.29	0.1	1.7
2018	22	2.6	0.56	1.6	3.9	5	1.1	0.48	0.4	2.6
2019	18	2.0	0.48	1.2	3.2	6	1.7	0.71	0.6	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,109	1.3	0.02	1.3	1.4	2,606	1.3	0.03	1.3	1.4
1986	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1989	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
1990	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1991	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
1992	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1993	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1994	102	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
1995	102	1.5	0.15	1.3	1.9	81	1.4	0.16	1.1	1.8
1996	85	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.5
1997	78	1.2	0.13	0.9	1.5	66	1.1	0.14	0.9	1.5
1998	86	1.3	0.14	1.0	1.6	75	1.3	0.15	1.0	1.6
1999	92	1.4	0.14	1.1	1.7	74	1.3	0.15	1.0	1.6
2000	96	1.4	0.15	1.2	1.7	82	1.4	0.16	1.1	1.8
2001	104	1.5	0.15	1.3	1.9	92	1.6	0.17	1.3	2.0
2002	84	1.2	0.13	1.0	1.5	69	1.2	0.14	0.9	1.5
2003	101	1.4	0.14	1.2	1.7	92	1.6	0.17	1.3	1.9
2004	107	1.5	0.15	1.3	1.9	83	1.4	0.16	1.1	1.7
2005	75	1.1	0.12	0.8	1.3	61	1.1	0.14	0.8	1.4
2006	92	1.3	0.13	1.0	1.6	77	1.3	0.15	1.0	1.6
2007	89	1.3	0.13	1.0	1.6	75	1.3	0.15	1.0	1.6
2008	100	1.4	0.14	1.1	1.7	81	1.3	0.15	1.1	1.7
2009	122	1.7	0.15	1.4	2.0	106	1.8	0.17	1.4	2.2
2010	109	1.4	0.14	1.2	1.7	92	1.5	0.16	1.2	1.8
2011	111	1.5	0.15	1.2	1.8	92	1.6	0.17	1.2	1.9
2012	104	1.4	0.14	1.2	1.7	86	1.5	0.16	1.2	1.8
2013	111	1.5	0.15	1.2	1.8	91	1.5	0.17	1.2	1.9
2014	113	1.5	0.14	1.2	1.8	89	1.4	0.16	1.1	1.8
2015	107	1.4	0.14	1.2	1.7	90	1.5	0.16	1.2	1.8
2016	114	1.4	0.14	1.2	1.7	99	1.5	0.16	1.2	1.9
2017	110	1.5	0.14	1.2	1.8	88	1.4	0.16	1.1	1.8
2018	108	1.4	0.14	1.1	1.7	82	1.4	0.16	1.1	1.7
2019	108	1.4	0.14	1.2	1.7	87	1.4	0.16	1.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Chronic Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	396	1.3	0.07	1.2	1.4	73	0.9	0.11	0.7	1.1
1986	6	0.9	0.35	0.3	1.9	0				
1987	4	0.6	0.31	0.2	1.6	0				
1988	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
1989	10	1.5	0.49	0.7	2.8	0				
1990	7	0.9	0.34	0.4	1.9	0				
1991	10	1.4	0.44	0.6	2.5	0				
1992	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
1993	9	1.3	0.45	0.6	2.5	1	0.5	0.47	0.0	3.8
1994	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
1995	20	2.6	0.59	1.6	4.0	1	0.6	0.60	0.0	3.7
1996	10	1.3	0.43	0.6	2.4	2	0.8	0.60	0.1	3.7
1997	8	1.0	0.34	0.4	1.9	2	1.0	0.68	0.1	3.9
1998	9	1.0	0.34	0.5	1.9	1	0.4	0.44	0.0	2.9
1999	16	1.9	0.48	1.1	3.1	2	1.5	1.10	0.2	5.1
2000	11	1.2	0.36	0.6	2.1	2	0.8	0.54	0.1	3.1
2001	10	1.2	0.37	0.5	2.1	2	1.5	1.04	0.2	4.8
2002	12	1.3	0.39	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	7	0.9	0.33	0.3	1.7	2	1.4	0.99	0.2	4.5
2004	17	1.9	0.47	1.1	3.1	4	1.5	0.83	0.4	4.1
2005	11	1.2	0.38	0.6	2.2	1	0.3	0.29	0.0	2.0
2006	11	1.1	0.32	0.5	1.9	1	0.3	0.26	0.0	1.8
2007	10	1.0	0.33	0.5	1.9	2	0.5	0.37	0.1	2.1
2008	14	1.5	0.40	0.8	2.5	4	1.4	0.74	0.4	3.7
2009	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.5
2010	10	0.9	0.30	0.4	1.7	4	1.5	0.81	0.4	3.9
2011	16	1.5	0.38	0.9	2.5	3	1.0	0.62	0.2	3.0
2012	13	1.3	0.36	0.7	2.2	5	1.2	0.53	0.4	2.9
2013	16	1.5	0.37	0.8	2.4	4	1.4	0.73	0.4	3.5
2014	21	2.1	0.46	1.3	3.2	3	0.6	0.38	0.1	2.0
2015	11	1.0	0.30	0.5	1.8	4	1.0	0.53	0.3	2.6
2016	14	1.2	0.32	0.6	2.0	1	0.3	0.32	0.0	1.6
2017	18	1.7	0.42	1.0	2.8	3	0.7	0.40	0.1	2.0
2018	16	1.3	0.34	0.8	2.2	6	1.2	0.48	0.4	2.6
2019	15	1.5	0.38	0.8	2.4	5	1.0	0.46	0.3	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Other Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,834	0.9	0.01	0.9	0.9	3,321	0.9	0.02	0.9	0.9
1986	95	0.9	0.09	0.7	1.1	87	0.9	0.10	0.8	1.2
1987	118	1.1	0.10	0.9	1.3	108	1.2	0.11	1.0	1.4
1988	97	0.9	0.09	0.7	1.1	81	0.9	0.09	0.7	1.1
1989	97	0.9	0.09	0.7	1.1	85	0.9	0.10	0.7	1.1
1990	95	0.9	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1991	71	0.7	0.08	0.5	0.8	63	0.7	0.08	0.5	0.9
1992	67	0.6	0.07	0.5	0.8	60	0.6	0.08	0.5	0.8
1993	124	1.1	0.10	0.9	1.3	111	1.1	0.11	0.9	1.3
1994	161	1.4	0.11	1.2	1.7	144	1.4	0.12	1.2	1.7
1995	161	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.7
1996	135	1.2	0.10	1.0	1.4	116	1.1	0.11	0.9	1.4
1997	127	1.1	0.10	0.9	1.3	107	1.0	0.10	0.9	1.3
1998	136	1.1	0.10	1.0	1.4	118	1.1	0.10	0.9	1.4
1999	173	1.4	0.11	1.2	1.7	152	1.4	0.12	1.2	1.7
2000	158	1.3	0.10	1.1	1.5	138	1.3	0.11	1.1	1.6
2001	92	0.8	0.08	0.6	0.9	79	0.7	0.08	0.6	0.9
2002	139	1.1	0.10	1.0	1.3	116	1.1	0.10	0.9	1.3
2003	116	0.9	0.09	0.8	1.1	100	0.9	0.09	0.8	1.1
2004	96	0.8	0.08	0.6	0.9	81	0.7	0.08	0.6	0.9
2005	115	0.9	0.08	0.7	1.1	99	0.9	0.09	0.7	1.1
2006	107	0.8	0.08	0.7	1.0	90	0.8	0.09	0.7	1.0
2007	108	0.8	0.08	0.7	1.0	92	0.8	0.09	0.7	1.0
2008	100	0.8	0.08	0.6	0.9	91	0.8	0.09	0.7	1.0
2009	94	0.7	0.07	0.6	0.9	80	0.7	0.08	0.6	0.9
2010	104	0.8	0.07	0.6	0.9	88	0.7	0.08	0.6	0.9
2011	125	0.9	0.08	0.8	1.1	109	0.9	0.09	0.8	1.1
2012	104	0.7	0.07	0.6	0.9	84	0.7	0.08	0.6	0.9
2013	109	0.8	0.08	0.6	0.9	86	0.7	0.08	0.6	0.9
2014	120	0.8	0.08	0.7	1.0	102	0.9	0.09	0.7	1.0
2015	96	0.7	0.07	0.6	0.8	81	0.7	0.08	0.5	0.9
2016	96	0.6	0.07	0.5	0.8	87	0.7	0.08	0.6	0.9
2017	118	0.8	0.07	0.7	1.0	101	0.8	0.08	0.7	1.0
2018	89	0.6	0.07	0.5	0.8	75	0.6	0.08	0.5	0.8
2019	91	0.6	0.06	0.5	0.7	73	0.6	0.07	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Other Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	434	0.9	0.04	0.8	1.0	58	0.4	0.05	0.3	0.5
1986	8	0.7	0.26	0.3	1.4	0				
1987	8	0.6	0.22	0.3	1.2	2	0.9	0.68	0.1	4.0
1988	12	1.1	0.32	0.5	1.9	3	1.1	0.66	0.2	4.0
1989	11	0.9	0.27	0.4	1.6	1	0.3	0.28	0.0	2.7
1990	6	0.5	0.20	0.2	1.0	1	0.3	0.27	0.0	2.6
1991	8	0.7	0.27	0.3	1.4	0				
1992	7	0.6	0.23	0.2	1.2	0				
1993	11	1.0	0.30	0.5	1.7	2	0.6	0.48	0.1	2.8
1994	17	1.4	0.36	0.8	2.3	0				
1995	10	0.8	0.27	0.4	1.5	2	1.1	0.87	0.1	3.9
1996	14	1.2	0.32	0.6	2.0	5	1.6	0.79	0.4	4.0
1997	20	1.6	0.36	0.9	2.4	0				
1998	16	1.2	0.31	0.7	2.0	1	0.2	0.17	0.0	1.5
1999	20	1.5	0.35	0.9	2.4	1	0.2	0.21	0.0	1.5
2000	17	1.3	0.32	0.7	2.0	2	0.5	0.34	0.1	1.9
2001	11	0.9	0.26	0.4	1.5	2	0.4	0.26	0.0	1.6
2002	21	1.7	0.37	1.0	2.5	0				
2003	16	1.2	0.29	0.7	1.9	0				
2004	12	0.9	0.26	0.4	1.5	2	0.5	0.42	0.1	2.0
2005	12	0.9	0.26	0.5	1.5	4	1.1	0.60	0.2	2.8
2006	15	1.1	0.29	0.6	1.8	2	0.6	0.42	0.1	1.9
2007	13	0.9	0.25	0.5	1.5	3	0.9	0.52	0.2	2.4
2008	8	0.5	0.19	0.2	1.0	1	0.1	0.12	0.0	0.9
2009	12	0.7	0.22	0.4	1.3	2	0.3	0.20	0.0	1.1
2010	11	0.7	0.21	0.3	1.2	2	0.4	0.25	0.0	1.3
2011	13	0.9	0.25	0.5	1.5	2	0.4	0.28	0.0	1.3
2012	16	0.9	0.22	0.5	1.4	4	0.7	0.38	0.2	1.8
2013	15	0.9	0.23	0.5	1.5	3	0.5	0.28	0.1	1.4
2014	15	0.8	0.22	0.5	1.4	2	0.3	0.18	0.0	1.0
2015	13	0.7	0.20	0.4	1.3	1	0.1	0.11	0.0	0.7
2016	8	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2017	13	0.7	0.19	0.4	1.2	3	0.4	0.25	0.1	1.2
2018	11	0.6	0.18	0.3	1.0	2	0.2	0.16	0.0	0.8
2019	14	0.7	0.19	0.4	1.2	2	0.3	0.18	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Other Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,036	1.2	0.03	1.1	1.2	1,760	1.2	0.03	1.1	1.3
1986	45	1.1	0.16	0.8	1.4	41	1.1	0.17	0.8	1.5
1987	63	1.4	0.19	1.1	1.8	58	1.5	0.20	1.1	2.0
1988	51	1.1	0.17	0.8	1.5	42	1.1	0.17	0.8	1.5
1989	54	1.2	0.17	0.9	1.6	48	1.2	0.18	0.9	1.6
1990	55	1.2	0.17	0.9	1.6	52	1.3	0.19	1.0	1.7
1991	35	0.8	0.14	0.6	1.1	32	0.8	0.15	0.6	1.2
1992	41	0.9	0.15	0.7	1.3	37	0.9	0.16	0.7	1.3
1993	63	1.4	0.18	1.0	1.8	54	1.4	0.19	1.0	1.8
1994	84	1.9	0.21	1.5	2.3	76	1.9	0.23	1.5	2.4
1995	82	1.8	0.21	1.4	2.3	76	1.9	0.22	1.5	2.4
1996	78	1.8	0.21	1.4	2.3	64	1.7	0.21	1.3	2.2
1997	69	1.6	0.20	1.3	2.1	60	1.6	0.22	1.2	2.1
1998	71	1.6	0.19	1.2	2.0	65	1.7	0.21	1.3	2.1
1999	84	1.9	0.21	1.5	2.3	73	1.9	0.22	1.5	2.3
2000	72	1.5	0.18	1.2	1.9	63	1.5	0.19	1.2	1.9
2001	49	1.0	0.15	0.8	1.4	41	1.0	0.16	0.7	1.4
2002	77	1.5	0.18	1.2	1.9	67	1.6	0.19	1.2	2.0
2003	55	1.1	0.16	0.9	1.5	46	1.1	0.16	0.8	1.5
2004	55	1.2	0.16	0.9	1.5	47	1.1	0.17	0.8	1.5
2005	65	1.4	0.17	1.0	1.7	53	1.3	0.18	1.0	1.7
2006	57	1.1	0.15	0.9	1.5	46	1.1	0.16	0.8	1.4
2007	52	1.0	0.15	0.8	1.4	45	1.0	0.15	0.8	1.4
2008	56	1.1	0.15	0.8	1.4	52	1.2	0.16	0.9	1.5
2009	45	0.8	0.13	0.6	1.1	37	0.8	0.13	0.6	1.1
2010	52	0.9	0.13	0.7	1.2	45	1.0	0.14	0.7	1.3
2011	68	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6
2012	57	1.0	0.13	0.8	1.3	45	1.0	0.14	0.7	1.3
2013	62	1.1	0.14	0.8	1.4	49	1.0	0.15	0.7	1.3
2014	62	1.1	0.14	0.8	1.4	52	1.1	0.15	0.8	1.4
2015	54	0.9	0.13	0.7	1.2	46	0.9	0.14	0.7	1.2
2016	54	0.8	0.12	0.6	1.1	51	0.9	0.13	0.7	1.2
2017	66	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
2018	46	0.7	0.11	0.5	1.0	37	0.7	0.12	0.5	1.0
2019	57	0.8	0.11	0.6	1.1	46	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Other Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	225	1.1	0.08	1.0	1.3	39	0.6	0.10	0.4	0.8
1986	4	1.0	0.55	0.2	2.6	0				
1987	3	0.6	0.39	0.1	1.9	2	2.0	1.56	0.2	9.4
1988	7	1.6	0.67	0.5	3.4	1	1.2	1.18	0.0	7.8
1989	6	1.1	0.46	0.4	2.4	0				
1990	3	0.6	0.33	0.1	1.7	0				
1991	3	1.0	0.58	0.2	2.6	0				
1992	4	0.8	0.50	0.2	2.3	0				
1993	7	1.5	0.61	0.6	3.1	2	1.4	1.10	0.1	6.5
1994	8	1.8	0.72	0.7	3.6	0				
1995	5	0.9	0.41	0.3	2.1	1	0.7	0.74	0.0	5.0
1996	12	2.7	0.85	1.3	4.8	2	1.2	0.85	0.1	5.3
1997	9	1.6	0.60	0.7	3.2	0				
1998	5	0.7	0.33	0.2	1.7	1	0.3	0.33	0.0	3.6
1999	11	2.3	0.73	1.1	4.1	0				
2000	7	1.2	0.49	0.5	2.6	2	1.0	0.69	0.1	4.2
2001	6	1.2	0.55	0.4	2.7	2	0.8	0.53	0.1	3.6
2002	9	1.4	0.51	0.6	2.8	0				
2003	9	1.4	0.49	0.6	2.7	0				
2004	5	1.0	0.49	0.3	2.4	2	1.2	0.98	0.1	4.6
2005	8	1.5	0.56	0.6	2.9	4	2.7	1.59	0.5	7.2
2006	11	1.8	0.55	0.9	3.2	0				
2007	6	1.3	0.53	0.5	2.7	1	0.9	0.91	0.0	4.0
2008	4	0.6	0.34	0.2	1.6	0				
2009	7	1.1	0.46	0.4	2.3	1	0.3	0.26	0.0	2.0
2010	5	0.5	0.24	0.2	1.3	1	0.4	0.44	0.0	2.3
2011	9	1.6	0.56	0.7	3.1	2	0.8	0.62	0.1	3.0
2012	9	1.1	0.41	0.5	2.2	3	0.9	0.53	0.2	2.8
2013	6	0.8	0.31	0.3	1.7	3	1.0	0.60	0.2	2.9
2014	9	1.2	0.43	0.5	2.4	0				
2015	7	1.1	0.42	0.4	2.2	1	0.2	0.23	0.0	1.5
2016	2	0.2	0.14	0.0	0.8	1	0.3	0.25	0.0	1.5
2017	4	0.5	0.28	0.1	1.4	3	0.9	0.54	0.2	2.6
2018	6	0.7	0.31	0.3	1.6	2	0.5	0.33	0.1	1.8
2019	9	1.0	0.36	0.5	2.0	2	0.5	0.37	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Other Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,798	0.7	0.02	0.7	0.8	1,561	0.7	0.02	0.7	0.8
1986	50	0.8	0.12	0.6	1.1	46	0.9	0.13	0.6	1.2
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	46	0.7	0.11	0.5	1.0	39	0.7	0.11	0.5	0.9
1989	43	0.7	0.11	0.5	1.0	37	0.7	0.12	0.5	1.0
1990	40	0.6	0.10	0.4	0.8	36	0.6	0.11	0.4	0.9
1991	36	0.6	0.09	0.4	0.8	31	0.6	0.10	0.4	0.8
1992	26	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1993	61	0.9	0.11	0.7	1.1	57	0.9	0.12	0.7	1.2
1994	77	1.1	0.13	0.9	1.4	68	1.1	0.13	0.8	1.4
1995	79	1.1	0.13	0.9	1.4	73	1.2	0.14	0.9	1.5
1996	57	0.8	0.10	0.6	1.0	52	0.8	0.11	0.6	1.1
1997	58	0.8	0.11	0.6	1.1	47	0.8	0.11	0.6	1.0
1998	65	0.9	0.11	0.7	1.2	53	0.9	0.12	0.6	1.1
1999	89	1.2	0.13	1.0	1.5	79	1.2	0.14	1.0	1.5
2000	86	1.2	0.13	0.9	1.5	75	1.2	0.14	0.9	1.5
2001	43	0.6	0.09	0.4	0.8	38	0.6	0.10	0.4	0.8
2002	62	0.8	0.11	0.6	1.1	49	0.8	0.11	0.6	1.0
2003	61	0.8	0.10	0.6	1.0	54	0.8	0.11	0.6	1.1
2004	41	0.5	0.08	0.4	0.7	34	0.5	0.09	0.3	0.7
2005	50	0.6	0.09	0.5	0.9	46	0.7	0.10	0.5	0.9
2006	50	0.6	0.09	0.5	0.8	44	0.6	0.10	0.5	0.9
2007	56	0.7	0.10	0.6	1.0	47	0.7	0.11	0.5	1.0
2008	44	0.6	0.09	0.4	0.8	39	0.6	0.10	0.4	0.8
2009	49	0.6	0.09	0.5	0.8	43	0.6	0.10	0.5	0.9
2010	52	0.6	0.09	0.5	0.8	43	0.6	0.09	0.4	0.8
2011	57	0.7	0.09	0.5	0.9	53	0.8	0.11	0.6	1.0
2012	47	0.6	0.08	0.4	0.8	39	0.6	0.09	0.4	0.8
2013	47	0.6	0.08	0.4	0.8	37	0.5	0.09	0.4	0.7
2014	58	0.7	0.09	0.5	0.9	50	0.7	0.10	0.5	1.0
2015	42	0.5	0.08	0.4	0.7	35	0.5	0.09	0.4	0.8
2016	42	0.5	0.08	0.4	0.7	36	0.5	0.09	0.4	0.8
2017	52	0.6	0.09	0.5	0.9	43	0.6	0.10	0.5	0.9
2018	43	0.5	0.09	0.4	0.7	38	0.6	0.10	0.4	0.8
2019	34	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Other Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	209	0.7	0.05	0.6	0.8	19	0.2	0.06	0.1	0.4
1986	4	0.5	0.28	0.1	1.4	0				
1987	5	0.6	0.29	0.2	1.5	0				
1988	5	0.8	0.36	0.3	1.8	2	1.1	0.80	0.1	5.8
1989	5	0.7	0.33	0.2	1.7	1	0.5	0.54	0.0	4.9
1990	3	0.4	0.23	0.1	1.1	1	0.6	0.56	0.0	4.8
1991	5	0.6	0.30	0.2	1.5	0				
1992	3	0.4	0.26	0.1	1.2	0				
1993	4	0.6	0.31	0.2	1.5	0				
1994	9	1.3	0.43	0.6	2.4	0				
1995	5	0.7	0.33	0.2	1.7	1	1.3	1.32	0.0	5.9
1996	2	0.3	0.21	0.0	1.0	3	1.8	1.17	0.3	5.7
1997	11	1.5	0.46	0.8	2.7	0				
1998	11	1.4	0.43	0.7	2.5	0				
1999	9	1.1	0.37	0.5	2.1	1	0.4	0.40	0.0	2.7
2000	10	1.2	0.39	0.6	2.3	0				
2001	5	0.6	0.29	0.2	1.5	0				
2002	12	1.6	0.46	0.8	2.7	0				
2003	7	0.9	0.33	0.3	1.8	0				
2004	7	0.8	0.31	0.3	1.7	0				
2005	4	0.5	0.25	0.1	1.3	0				
2006	4	0.5	0.25	0.1	1.3	2	1.0	0.71	0.1	3.3
2007	7	0.7	0.27	0.3	1.5	2	0.9	0.68	0.1	3.2
2008	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.7
2009	5	0.5	0.24	0.2	1.3	1	0.3	0.32	0.0	1.8
2010	6	0.7	0.27	0.2	1.4	1	0.3	0.28	0.0	1.7
2011	4	0.4	0.22	0.1	1.1	0				
2012	7	0.7	0.26	0.3	1.4	1	0.4	0.43	0.0	2.0
2013	9	0.9	0.30	0.4	1.7	0				
2014	6	0.6	0.23	0.2	1.2	2	0.5	0.37	0.1	1.9
2015	6	0.6	0.23	0.2	1.2	0				
2016	6	0.5	0.22	0.2	1.2	0				
2017	9	0.9	0.30	0.4	1.7	0				
2018	5	0.5	0.23	0.2	1.2	0				
2019	5	0.4	0.20	0.1	1.1	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Mesothelioma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,754	1.1	0.02	1.1	1.2	4,486	1.2	0.02	1.2	1.3
1986	98	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1987	127	1.2	0.11	1.0	1.4	122	1.3	0.12	1.1	1.5
1988	134	1.2	0.11	1.0	1.4	126	1.3	0.12	1.1	1.5
1989	102	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2
1990	102	0.9	0.09	0.8	1.1	94	1.0	0.10	0.8	1.2
1991	120	1.1	0.10	0.9	1.3	116	1.2	0.11	1.0	1.4
1992	127	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4
1993	119	1.0	0.10	0.9	1.3	112	1.1	0.11	0.9	1.3
1994	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
1995	163	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.8
1996	142	1.2	0.10	1.0	1.4	128	1.3	0.11	1.1	1.5
1997	138	1.2	0.10	1.0	1.4	129	1.3	0.11	1.1	1.5
1998	156	1.3	0.11	1.1	1.6	149	1.5	0.12	1.2	1.7
1999	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
2000	143	1.2	0.10	1.0	1.4	137	1.3	0.11	1.1	1.6
2001	182	1.5	0.11	1.3	1.8	172	1.7	0.13	1.4	1.9
2002	155	1.3	0.10	1.1	1.5	151	1.5	0.12	1.2	1.7
2003	166	1.4	0.11	1.2	1.6	156	1.5	0.12	1.3	1.8
2004	145	1.2	0.10	1.0	1.4	138	1.3	0.11	1.1	1.6
2005	155	1.3	0.10	1.1	1.5	146	1.4	0.11	1.2	1.6
2006	162	1.3	0.10	1.1	1.5	152	1.4	0.12	1.2	1.7
2007	144	1.1	0.09	0.9	1.3	134	1.2	0.11	1.0	1.4
2008	164	1.3	0.10	1.1	1.5	160	1.5	0.12	1.3	1.7
2009	142	1.1	0.09	0.9	1.3	136	1.2	0.11	1.0	1.5
2010	147	1.1	0.09	1.0	1.3	139	1.3	0.11	1.1	1.5
2011	145	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.4
2012	161	1.2	0.09	1.0	1.4	148	1.3	0.11	1.1	1.5
2013	144	1.0	0.09	0.8	1.2	133	1.1	0.10	0.9	1.3
2014	157	1.1	0.09	0.9	1.3	150	1.3	0.10	1.1	1.5
2015	136	0.9	0.08	0.8	1.1	131	1.1	0.10	0.9	1.3
2016	123	0.8	0.08	0.7	1.0	118	0.9	0.09	0.8	1.1
2017	126	0.9	0.08	0.7	1.0	114	0.9	0.09	0.8	1.1
2018	114	0.8	0.07	0.6	0.9	111	0.9	0.09	0.8	1.1
2019	135	0.9	0.07	0.7	1.0	122	1.0	0.09	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Mesothelioma										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	215	0.4	0.03	0.4	0.5	46	0.3	0.05	0.2	0.5
1986	3	0.3	0.15	0.1	0.8	0				
1987	4	0.4	0.18	0.1	0.9	1	0.6	0.62	0.0	3.7
1988	8	0.7	0.26	0.3	1.4	0				
1989	5	0.4	0.19	0.1	1.0	0				
1990	6	0.5	0.20	0.2	1.1	1	0.5	0.51	0.0	3.2
1991	3	0.3	0.15	0.1	0.7	1	0.3	0.33	0.0	2.6
1992	5	0.5	0.21	0.2	1.1	2	0.7	0.48	0.1	2.9
1993	5	0.5	0.21	0.2	1.1	2	0.9	0.65	0.1	3.3
1994	7	0.6	0.21	0.2	1.1	0				
1995	14	1.1	0.31	0.6	1.9	0				
1996	13	0.9	0.25	0.5	1.5	1	0.2	0.24	0.0	1.8
1997	8	0.6	0.20	0.2	1.1	1	0.7	0.68	0.0	3.0
1998	7	0.5	0.21	0.2	1.1	0				
1999	6	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	2.1
2000	6	0.5	0.19	0.2	1.0	0				
2001	9	0.6	0.22	0.3	1.2	1	0.3	0.29	0.0	1.6
2002	4	0.3	0.17	0.1	0.8	0				
2003	4	0.3	0.13	0.1	0.6	5	1.5	0.68	0.5	3.4
2004	7	0.5	0.18	0.2	1.0	0				
2005	8	0.6	0.21	0.3	1.1	1	0.2	0.15	0.0	1.1
2006	6	0.4	0.17	0.2	0.9	4	0.9	0.48	0.2	2.3
2007	9	0.5	0.18	0.2	1.0	0				
2008	2	0.2	0.11	0.0	0.5	2	0.3	0.20	0.0	1.2
2009	5	0.3	0.14	0.1	0.7	1	0.3	0.31	0.0	1.4
2010	7	0.5	0.18	0.2	1.0	1	0.3	0.30	0.0	1.4
2011	8	0.5	0.18	0.2	1.0	2	0.4	0.30	0.0	1.4
2012	12	0.7	0.22	0.4	1.3	1	0.1	0.12	0.0	0.8
2013	7	0.4	0.16	0.2	0.8	4	0.7	0.37	0.2	1.8
2014	5	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2015	5	0.3	0.12	0.1	0.6	0				
2016	1	0.0	0.04	0.0	0.3	3	0.4	0.20	0.1	1.1
2017	6	0.3	0.14	0.1	0.7	4	0.6	0.31	0.2	1.5
2018	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.7
2019	8	0.4	0.14	0.2	0.8	4	0.4	0.23	0.1	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Mesothelioma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,560	2.0	0.03	2.0	2.1	3,369	2.2	0.04	2.1	2.3
1986	74	1.6	0.19	1.3	2.0	73	1.8	0.22	1.4	2.3
1987	97	2.2	0.23	1.7	2.6	92	2.3	0.25	1.8	2.8
1988	96	2.1	0.21	1.7	2.5	90	2.2	0.23	1.7	2.7
1989	82	1.8	0.21	1.5	2.3	77	2.0	0.23	1.5	2.4
1990	77	1.7	0.19	1.3	2.1	71	1.7	0.21	1.3	2.2
1991	97	2.1	0.22	1.7	2.5	93	2.2	0.24	1.8	2.8
1992	91	2.0	0.21	1.6	2.5	86	2.1	0.23	1.7	2.6
1993	86	1.9	0.21	1.5	2.3	80	2.0	0.22	1.6	2.5
1994	101	2.1	0.21	1.7	2.6	98	2.3	0.24	1.9	2.8
1995	123	2.7	0.25	2.2	3.2	114	2.8	0.27	2.3	3.4
1996	109	2.2	0.22	1.8	2.7	97	2.3	0.23	1.8	2.8
1997	111	2.3	0.22	1.9	2.8	105	2.5	0.25	2.0	3.0
1998	108	2.2	0.22	1.8	2.7	104	2.5	0.24	2.0	3.0
1999	104	2.1	0.21	1.7	2.6	99	2.3	0.23	1.9	2.8
2000	110	2.3	0.22	1.8	2.7	106	2.5	0.24	2.0	3.0
2001	145	3.0	0.25	2.5	3.5	136	3.2	0.28	2.7	3.8
2002	124	2.5	0.23	2.1	3.0	122	2.9	0.26	2.4	3.4
2003	133	2.6	0.23	2.2	3.1	127	2.9	0.26	2.4	3.5
2004	107	2.1	0.21	1.7	2.6	104	2.4	0.24	1.9	2.9
2005	118	2.4	0.22	1.9	2.8	111	2.5	0.24	2.1	3.1
2006	120	2.4	0.22	2.0	2.8	113	2.6	0.24	2.1	3.1
2007	107	2.0	0.20	1.7	2.5	101	2.2	0.22	1.8	2.7
2008	118	2.3	0.21	1.9	2.7	115	2.5	0.24	2.1	3.1
2009	114	2.1	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2010	115	2.2	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9
2011	101	1.8	0.18	1.5	2.2	93	2.0	0.21	1.6	2.4
2012	123	2.1	0.19	1.7	2.5	114	2.3	0.22	1.9	2.8
2013	103	1.7	0.17	1.4	2.1	95	1.9	0.19	1.5	2.3
2014	115	2.0	0.19	1.6	2.4	111	2.3	0.22	1.8	2.7
2015	100	1.6	0.17	1.3	2.0	97	1.9	0.19	1.5	2.3
2016	92	1.5	0.16	1.2	1.8	89	1.7	0.18	1.3	2.1
2017	78	1.3	0.15	1.0	1.6	70	1.3	0.16	1.0	1.7
2018	82	1.3	0.15	1.0	1.6	79	1.5	0.17	1.2	1.9
2019	99	1.5	0.15	1.2	1.8	89	1.6	0.17	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Mesothelioma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	157	0.8	0.07	0.7	0.9	31	0.5	0.10	0.4	0.8
1986	1	0.2	0.17	0.0	1.1	0				
1987	4	0.8	0.43	0.2	2.1	1	1.5	1.46	0.0	8.8
1988	6	1.3	0.57	0.5	2.9	0				
1989	5	1.0	0.48	0.3	2.4	0				
1990	6	1.2	0.47	0.4	2.5	0				
1991	3	0.6	0.38	0.1	1.8	1	0.7	0.67	0.0	5.9
1992	5	1.2	0.56	0.4	2.8	0				
1993	4	1.1	0.61	0.3	2.8	2	2.0	1.46	0.2	7.7
1994	3	0.5	0.32	0.1	1.6	0				
1995	9	2.0	0.73	0.9	3.9	0				
1996	11	1.8	0.55	0.9	3.3	1	0.5	0.50	0.0	4.3
1997	5	0.8	0.36	0.3	1.9	1	1.8	1.76	0.0	7.7
1998	4	0.9	0.49	0.2	2.3	0				
1999	4	0.7	0.36	0.2	1.8	1	1.0	0.97	0.0	5.0
2000	4	0.9	0.46	0.2	2.2	0				
2001	8	1.4	0.55	0.6	2.9	1	0.6	0.62	0.0	3.7
2002	2	0.4	0.29	0.0	1.4	0				
2003	2	0.3	0.20	0.0	1.0	3	2.3	1.36	0.4	6.4
2004	3	0.5	0.32	0.1	1.5	0				
2005	6	1.3	0.56	0.5	2.8	1	0.3	0.32	0.0	2.4
2006	4	0.6	0.32	0.2	1.6	3	1.4	0.95	0.2	4.5
2007	6	0.8	0.35	0.3	1.8	0				
2008	2	0.4	0.27	0.1	1.3	1	0.3	0.29	0.0	2.1
2009	4	0.6	0.30	0.1	1.5	1	0.7	0.74	0.0	3.3
2010	6	1.1	0.48	0.4	2.4	0				
2011	7	1.2	0.48	0.5	2.5	1	0.6	0.59	0.0	2.8
2012	8	1.2	0.44	0.5	2.4	1	0.3	0.25	0.0	1.7
2013	5	0.7	0.31	0.2	1.6	3	1.2	0.80	0.2	3.6
2014	3	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.6
2015	3	0.4	0.25	0.1	1.2	0				
2016	1	0.1	0.10	0.0	0.6	1	0.2	0.22	0.0	1.4
2017	4	0.6	0.30	0.2	1.5	3	1.2	0.67	0.2	3.1
2018	2	0.2	0.17	0.0	0.9	1	0.3	0.25	0.0	1.4
2019	7	0.9	0.34	0.3	1.8	3	0.8	0.45	0.1	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Mesothelioma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,194	0.5	0.01	0.5	0.5	1,117	0.5	0.02	0.5	0.6
1986	24	0.4	0.08	0.3	0.6	22	0.4	0.09	0.3	0.6
1987	30	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8
1988	38	0.6	0.10	0.4	0.8	36	0.7	0.11	0.5	0.9
1989	20	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6
1991	23	0.4	0.08	0.2	0.5	23	0.4	0.09	0.3	0.6
1992	36	0.5	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8
1993	33	0.5	0.09	0.3	0.7	32	0.6	0.10	0.4	0.8
1994	39	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8
1995	40	0.6	0.10	0.4	0.8	35	0.6	0.10	0.4	0.9
1996	33	0.5	0.09	0.3	0.7	31	0.5	0.10	0.4	0.8
1997	27	0.4	0.07	0.3	0.6	24	0.4	0.08	0.3	0.6
1998	48	0.7	0.10	0.5	0.9	45	0.8	0.12	0.6	1.1
1999	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2000	33	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.09	0.4	0.7	36	0.6	0.10	0.4	0.8
2002	31	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7
2003	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7
2004	38	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2005	37	0.5	0.09	0.4	0.7	35	0.6	0.10	0.4	0.8
2006	42	0.6	0.10	0.4	0.8	39	0.7	0.11	0.5	0.9
2007	37	0.5	0.08	0.4	0.7	33	0.5	0.09	0.4	0.7
2008	46	0.6	0.10	0.5	0.9	45	0.8	0.12	0.6	1.0
2009	28	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.6
2010	32	0.4	0.07	0.3	0.6	30	0.5	0.09	0.3	0.7
2011	44	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9
2012	38	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.7
2013	41	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8
2014	42	0.5	0.08	0.4	0.7	39	0.6	0.09	0.4	0.8
2015	36	0.5	0.08	0.3	0.7	34	0.6	0.10	0.4	0.8
2016	31	0.4	0.07	0.3	0.6	29	0.4	0.08	0.3	0.6
2017	48	0.6	0.09	0.4	0.8	44	0.7	0.10	0.5	0.9
2018	32	0.4	0.07	0.3	0.6	32	0.5	0.09	0.3	0.7
2019	36	0.4	0.07	0.3	0.6	33	0.5	0.08	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Mesothelioma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	58	0.2	0.03	0.2	0.3	15	0.2	0.05	0.1	0.3
1986	2	0.3	0.24	0.0	1.1	0				
1987	0					0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	0					0				
1990	0					1	0.9	0.88	0.0	5.5
1991	0					0				
1992	0					2	1.3	0.96	0.2	5.5
1993	1	0.1	0.14	0.0	0.7	0				
1994	4	0.5	0.26	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	0				
1996	2	0.2	0.17	0.0	0.8	0				
1997	3	0.4	0.21	0.1	1.1	0				
1998	3	0.4	0.21	0.1	1.1	0				
1999	2	0.2	0.15	0.0	0.8	0				
2000	2	0.2	0.14	0.0	0.8	0				
2001	1	0.1	0.14	0.0	0.7	0				
2002	2	0.3	0.19	0.0	0.9	0				
2003	2	0.2	0.16	0.0	0.8	2	0.9	0.66	0.1	3.3
2004	4	0.4	0.22	0.1	1.1	0				
2005	2	0.2	0.15	0.0	0.8	0				
2006	2	0.3	0.18	0.0	0.9	1	0.5	0.50	0.0	2.5
2007	3	0.3	0.20	0.1	1.0	0				
2008	0					1	0.3	0.28	0.0	1.8
2009	1	0.1	0.12	0.0	0.6	0				
2010	1	0.1	0.10	0.0	0.6	1	0.5	0.50	0.0	2.3
2011	1	0.1	0.08	0.0	0.5	1	0.3	0.29	0.0	1.6
2012	4	0.4	0.21	0.1	1.0	0				
2013	2	0.2	0.15	0.0	0.7	1	0.4	0.41	0.0	1.9
2014	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.4
2015	2	0.2	0.12	0.0	0.6	0				
2016	0					2	0.5	0.34	0.1	1.8
2017	2	0.2	0.13	0.0	0.7	1	0.2	0.18	0.0	1.2
2018	0					0				
2019	1	0.1	0.06	0.0	0.5	1	0.2	0.20	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kaposi Sarcoma										
Both Sexes										
	All Races					Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,709	0.7	0.01	0.6	0.7	1,838	0.6	0.01	0.5	0.6
1986	90	0.9	0.09	0.7	1.1	74	0.8	0.10	0.7	1.1
1987	95	0.8	0.09	0.7	1.0	79	0.8	0.10	0.7	1.0
1988	117	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	145	1.3	0.11	1.1	1.5	123	1.3	0.12	1.1	1.6
1990	176	1.5	0.11	1.3	1.7	123	1.3	0.12	1.1	1.5
1991	189	1.6	0.12	1.4	1.8	146	1.5	0.12	1.2	1.7
1992	187	1.5	0.11	1.3	1.8	140	1.4	0.12	1.2	1.7
1993	191	1.5	0.11	1.3	1.8	139	1.4	0.12	1.1	1.6
1994	184	1.5	0.11	1.3	1.8	128	1.3	0.11	1.1	1.5
1995	153	1.2	0.10	1.1	1.5	99	1.0	0.10	0.8	1.2
1996	149	1.2	0.10	1.0	1.4	92	0.9	0.10	0.7	1.1
1997	75	0.6	0.07	0.5	0.8	45	0.4	0.07	0.3	0.6
1998	55	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4
1999	58	0.5	0.06	0.4	0.6	32	0.3	0.06	0.2	0.4
2000	40	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3
2001	51	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4
2002	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2003	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4
2004	53	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4
2005	42	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4
2006	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4
2007	46	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4
2008	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.1	0.3
2009	48	0.4	0.06	0.3	0.5	32	0.3	0.05	0.2	0.4
2010	46	0.4	0.06	0.3	0.5	28	0.3	0.05	0.2	0.4
2011	43	0.3	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4
2012	27	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3
2013	32	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2
2014	44	0.3	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4
2015	41	0.3	0.05	0.2	0.4	27	0.3	0.05	0.2	0.4
2016	46	0.4	0.05	0.3	0.5	35	0.3	0.06	0.2	0.5
2017	30	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2
2018	36	0.3	0.05	0.2	0.4	17	0.2	0.04	0.1	0.3
2019	36	0.3	0.05	0.2	0.4	19	0.2	0.04	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kaposi Sarcoma										
Both Sexes										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	792	1.3	0.05	1.2	1.4	34	0.2	0.03	0.1	0.3
1986	15	1.2	0.33	0.6	2.0	0				
1987	15	1.0	0.29	0.5	1.8	1	0.3	0.31	0.0	3.1
1988	18	1.1	0.27	0.6	1.7	0				
1989	21	1.2	0.26	0.7	1.8	0				
1990	49	2.8	0.41	2.0	3.7	1	0.4	0.35	0.0	2.8
1991	41	2.4	0.39	1.7	3.3	0				
1992	46	2.5	0.38	1.8	3.4	1	0.3	0.30	0.0	2.4
1993	48	2.8	0.41	2.0	3.7	4	0.9	0.46	0.2	3.0
1994	53	3.0	0.42	2.2	4.0	1	0.3	0.30	0.0	2.1
1995	52	3.0	0.42	2.2	3.9	2	0.7	0.47	0.1	2.6
1996	53	2.8	0.39	2.1	3.7	3	0.7	0.38	0.1	2.4
1997	28	1.5	0.29	1.0	2.2	2	0.7	0.60	0.1	2.8
1998	24	1.3	0.27	0.9	2.0	0				
1999	24	1.3	0.28	0.9	2.0	0				
2000	17	0.9	0.23	0.5	1.5	1	0.2	0.19	0.0	1.4
2001	23	1.3	0.26	0.8	1.9	1	0.2	0.21	0.0	1.4
2002	18	1.0	0.24	0.6	1.6	2	0.4	0.29	0.1	1.6
2003	18	1.0	0.25	0.6	1.6	1	0.2	0.17	0.0	1.2
2004	19	1.1	0.25	0.7	1.7	1	0.2	0.19	0.0	1.2
2005	13	0.8	0.22	0.4	1.3	1	0.3	0.30	0.0	1.5
2006	17	1.0	0.25	0.6	1.6	0				
2007	18	1.1	0.26	0.6	1.7	1	0.1	0.11	0.0	0.9
2008	15	0.9	0.23	0.5	1.4	1	0.1	0.11	0.0	0.9
2009	14	0.8	0.23	0.5	1.4	1	0.2	0.16	0.0	1.0
2010	16	0.9	0.22	0.5	1.5	1	0.1	0.12	0.0	0.8
2011	18	1.0	0.24	0.6	1.6	1	0.1	0.11	0.0	0.8
2012	5	0.3	0.12	0.1	0.6	2	0.3	0.21	0.0	1.1
2013	16	0.8	0.20	0.5	1.3	0				
2014	16	0.8	0.21	0.5	1.3	1	0.1	0.09	0.0	0.7
2015	10	0.6	0.18	0.3	1.0	1	0.1	0.13	0.0	0.7
2016	9	0.5	0.16	0.2	0.9	1	0.1	0.12	0.0	0.7
2017	12	0.7	0.20	0.3	1.2	2	0.3	0.18	0.0	0.9
2018	17	0.8	0.21	0.5	1.3	0				
2019	14	0.8	0.21	0.4	1.3	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kaposi Sarcoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,498	1.3	0.03	1.2	1.3	1,680	1.0	0.03	1.0	1.1
1986	84	1.8	0.20	1.4	2.2	71	1.8	0.22	1.4	2.3
1987	88	1.7	0.19	1.3	2.1	73	1.6	0.20	1.3	2.1
1988	105	2.0	0.20	1.6	2.4	88	2.0	0.22	1.6	2.5
1989	136	2.5	0.22	2.1	2.9	115	2.5	0.24	2.1	3.0
1990	165	2.9	0.23	2.4	3.4	114	2.4	0.23	2.0	2.9
1991	185	3.2	0.24	2.8	3.7	143	3.0	0.26	2.5	3.5
1992	182	3.1	0.23	2.6	3.6	136	2.8	0.24	2.3	3.3
1993	179	2.9	0.22	2.5	3.4	130	2.5	0.22	2.1	3.0
1994	174	3.0	0.23	2.5	3.5	120	2.5	0.23	2.0	3.0
1995	146	2.4	0.20	2.0	2.9	94	1.9	0.19	1.5	2.3
1996	138	2.3	0.20	1.9	2.7	85	1.7	0.19	1.4	2.2
1997	67	1.1	0.14	0.9	1.4	40	0.8	0.13	0.6	1.1
1998	47	0.8	0.12	0.6	1.1	25	0.5	0.10	0.3	0.8
1999	52	0.9	0.13	0.7	1.2	28	0.6	0.12	0.4	0.9
2000	34	0.6	0.10	0.4	0.8	16	0.4	0.09	0.2	0.6
2001	43	0.7	0.11	0.5	1.0	21	0.4	0.10	0.3	0.7
2002	45	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2003	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8
2004	46	0.8	0.12	0.6	1.1	24	0.5	0.11	0.3	0.8
2005	37	0.7	0.11	0.5	0.9	24	0.5	0.11	0.3	0.8
2006	42	0.7	0.12	0.5	1.0	23	0.5	0.10	0.3	0.8
2007	42	0.7	0.11	0.5	1.0	22	0.5	0.10	0.3	0.7
2008	37	0.7	0.11	0.5	0.9	19	0.4	0.10	0.3	0.7
2009	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.4	0.8
2010	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.3	0.8
2011	36	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6
2012	25	0.4	0.08	0.3	0.6	18	0.4	0.09	0.2	0.6
2013	28	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
2014	37	0.6	0.10	0.4	0.9	22	0.5	0.10	0.3	0.7
2015	37	0.6	0.10	0.4	0.9	23	0.5	0.10	0.3	0.7
2016	40	0.6	0.10	0.5	0.9	29	0.6	0.11	0.4	0.8
2017	28	0.5	0.09	0.3	0.7	15	0.3	0.08	0.2	0.5
2018	35	0.6	0.09	0.4	0.8	16	0.3	0.08	0.2	0.5
2019	30	0.5	0.09	0.3	0.7	15	0.3	0.08	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kaposi Sarcoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	744	2.7	0.10	2.6	3.0	31	0.3	0.06	0.2	0.5
1986	12	1.8	0.53	0.9	3.2	0				
1987	14	2.1	0.63	1.0	3.7	1	0.7	0.65	0.0	7.1
1988	16	2.0	0.51	1.1	3.3	0				
1989	20	2.4	0.55	1.4	3.8	0				
1990	48	6.1	0.90	4.4	8.2	1	0.7	0.71	0.0	6.4
1991	40	5.2	0.86	3.7	7.3	0				
1992	45	5.4	0.82	3.9	7.3	1	0.6	0.62	0.0	5.4
1993	45	6.0	0.95	4.2	8.2	4	1.9	0.98	0.5	6.6
1994	51	6.5	0.95	4.7	8.7	1	0.6	0.62	0.0	4.9
1995	51	6.4	0.91	4.7	8.5	1	0.5	0.52	0.0	4.5
1996	49	5.7	0.83	4.2	7.7	3	1.4	0.79	0.3	5.3
1997	26	3.1	0.63	2.0	4.7	1	0.3	0.31	0.0	3.7
1998	21	2.5	0.55	1.6	3.9	0				
1999	22	2.7	0.60	1.7	4.2	0				
2000	16	1.9	0.49	1.1	3.2	1	0.4	0.39	0.0	3.3
2001	20	2.3	0.52	1.4	3.7	1	0.4	0.43	0.0	3.2
2002	17	2.1	0.51	1.2	3.4	2	0.8	0.59	0.1	3.6
2003	18	2.4	0.62	1.3	3.9	1	0.3	0.34	0.0	2.7
2004	18	2.2	0.51	1.3	3.4	1	0.4	0.39	0.0	2.7
2005	10	1.4	0.45	0.6	2.6	1	0.7	0.68	0.0	3.4
2006	17	2.3	0.60	1.3	3.8	0				
2007	18	2.4	0.59	1.4	3.9	1	0.2	0.22	0.0	2.0
2008	14	1.8	0.49	1.0	3.0	1	0.2	0.22	0.0	2.0
2009	14	1.9	0.52	1.0	3.2	1	0.3	0.32	0.0	2.1
2010	14	1.7	0.45	0.9	2.9	1	0.3	0.25	0.0	1.9
2011	16	1.9	0.49	1.1	3.2	1	0.2	0.24	0.0	1.8
2012	4	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.7
2013	16	1.7	0.44	1.0	2.9	0				
2014	13	1.5	0.42	0.8	2.5	1	0.2	0.19	0.0	1.5
2015	10	1.2	0.39	0.6	2.2	1	0.3	0.28	0.0	1.6
2016	9	1.1	0.37	0.5	2.1	1	0.3	0.25	0.0	1.5
2017	10	1.1	0.36	0.5	2.1	2	0.5	0.37	0.1	1.9
2018	17	1.7	0.44	1.0	2.8	0				
2019	13	1.7	0.47	0.9	2.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kaposi Sarcoma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	211	0.1	0.01	0.1	0.1	158	0.1	0.01	0.1	0.1
1986	6	0.1	0.04	0.0	0.2	3	0.1	0.03	0.0	0.2
1987	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2
1988	12	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1989	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3
1990	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1991	4	0.1	0.03	0.0	0.2	3	0.1	0.03	0.0	0.2
1992	5	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2
1993	12	0.2	0.06	0.1	0.3	9	0.2	0.05	0.1	0.3
1994	10	0.1	0.05	0.1	0.3	8	0.1	0.04	0.1	0.3
1995	7	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1996	11	0.2	0.05	0.1	0.3	7	0.1	0.05	0.1	0.3
1997	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
1998	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
1999	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2000	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
2001	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2
2002	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2003	4	0.1	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2004	7	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
2005	5	0.1	0.03	0.0	0.2	2	0.0	0.02	0.0	0.1
2006	0					0				
2007	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2008	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2
2009	7	0.1	0.03	0.0	0.2	7	0.1	0.04	0.0	0.2
2010	5	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.1
2011	7	0.1	0.04	0.0	0.2	5	0.1	0.05	0.0	0.2
2012	2	0.0	0.02	0.0	0.1	0				
2013	4	0.1	0.03	0.0	0.1	4	0.1	0.03	0.0	0.2
2014	7	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2
2015	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2
2016	6	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2
2017	2	0.0	0.03	0.0	0.1	0				
2018	1	0.0	0.01	0.0	0.1	1	0.0	0.01	0.0	0.1
2019	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Kaposi Sarcoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	48	0.2	0.02	0.1	0.2	3	0.0	0.03	0.0	0.1
1986	3	0.6	0.35	0.1	1.6	0				
1987	1	0.2	0.20	0.0	0.9	0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	1	0.2	0.15	0.0	0.8	0				
1990	1	0.1	0.09	0.0	0.6	0				
1991	1	0.1	0.09	0.0	0.6	0				
1992	1	0.2	0.15	0.0	0.8	0				
1993	3	0.3	0.19	0.1	1.0	0				
1994	2	0.2	0.15	0.0	0.8	0				
1995	1	0.1	0.11	0.0	0.6	1	0.7	0.71	0.0	4.0
1996	4	0.4	0.20	0.1	1.0	0				
1997	2	0.2	0.14	0.0	0.8	1	1.0	0.98	0.0	4.6
1998	3	0.3	0.19	0.1	1.0	0				
1999	2	0.2	0.14	0.0	0.8	0				
2000	1	0.1	0.10	0.0	0.6	0				
2001	3	0.3	0.19	0.1	0.9	0				
2002	1	0.1	0.11	0.0	0.6	0				
2003	0					0				
2004	1	0.1	0.14	0.0	0.7	0				
2005	3	0.3	0.19	0.1	0.9	0				
2006	0					0				
2007	0					0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	2	0.2	0.15	0.0	0.8	0				
2011	2	0.2	0.16	0.0	0.8	0				
2012	1	0.1	0.12	0.0	0.6	1	0.3	0.33	0.0	1.7
2013	0					0				
2014	3	0.3	0.17	0.1	0.9	0				
2015	0					0				
2016	0					0				
2017	2	0.3	0.18	0.0	0.9	0				
2018	0					0				
2019	1	0.1	0.10	0.0	0.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ill-defined and unknown Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	63,973	15.0	0.06	14.9	15.1	54,207	14.8	0.06	14.7	14.9
1986	1,382	13.2	0.36	12.5	13.9	1,163	12.5	0.37	11.8	13.3
1987	1,381	13.1	0.36	12.4	13.8	1,172	12.5	0.37	11.8	13.3
1988	1,469	13.7	0.36	13.0	14.5	1,242	13.1	0.38	12.4	13.9
1989	1,484	13.9	0.36	13.2	14.6	1,229	13.0	0.37	12.3	13.8
1990	1,418	13.1	0.35	12.4	13.8	1,189	12.5	0.37	11.8	13.2
1991	1,412	12.9	0.35	12.2	13.6	1,217	12.6	0.36	11.9	13.3
1992	1,413	12.7	0.34	12.1	13.4	1,216	12.4	0.36	11.7	13.2
1993	1,871	16.7	0.39	15.9	17.4	1,608	16.2	0.41	15.4	17.1
1994	1,901	16.8	0.39	16.0	17.6	1,638	16.5	0.41	15.7	17.3
1995	1,753	15.3	0.37	14.6	16.0	1,461	14.6	0.38	13.8	15.3
1996	1,671	14.5	0.36	13.8	15.2	1,380	13.7	0.37	13.0	14.4
1997	1,554	13.4	0.34	12.7	14.0	1,309	12.9	0.36	12.2	13.6
1998	1,523	12.9	0.33	12.3	13.6	1,285	12.5	0.35	11.8	13.2
1999	1,557	13.1	0.33	12.4	13.7	1,282	12.4	0.35	11.7	13.1
2000	1,625	13.5	0.34	12.9	14.2	1,352	13.0	0.35	12.3	13.7
2001	2,238	18.5	0.39	17.7	19.3	1,891	18.1	0.42	17.3	18.9
2002	2,271	18.6	0.39	17.8	19.4	1,972	18.7	0.42	17.9	19.6
2003	2,229	18.1	0.38	17.3	18.8	1,896	17.8	0.41	17.0	18.7
2004	2,095	16.8	0.37	16.1	17.6	1,829	17.1	0.40	16.3	17.9
2005	2,088	16.6	0.36	15.8	17.3	1,806	16.7	0.40	15.9	17.5
2006	2,103	16.6	0.36	15.9	17.3	1,795	16.6	0.39	15.8	17.4
2007	2,194	17.0	0.36	16.3	17.7	1,879	17.0	0.40	16.3	17.8
2008	2,226	17.0	0.36	16.3	17.7	1,913	17.2	0.40	16.4	18.0
2009	2,218	16.7	0.36	16.1	17.5	1,865	16.6	0.39	15.8	17.4
2010	2,226	16.6	0.36	15.9	17.3	1,882	16.7	0.39	15.9	17.4
2011	2,037	14.8	0.33	14.2	15.5	1,756	15.1	0.37	14.4	15.8
2012	2,142	15.4	0.34	14.7	16.1	1,812	15.5	0.37	14.8	16.3
2013	2,073	14.6	0.33	14.0	15.3	1,716	14.5	0.36	13.8	15.2
2014	2,115	14.7	0.32	14.1	15.4	1,795	14.9	0.36	14.2	15.6
2015	2,091	14.3	0.32	13.7	14.9	1,772	14.6	0.35	13.9	15.3
2016	2,058	13.9	0.31	13.3	14.5	1,732	14.1	0.35	13.4	14.8
2017	2,076	13.8	0.31	13.2	14.4	1,754	14.1	0.34	13.4	14.8
2018	2,052	13.5	0.30	12.9	14.1	1,711	13.6	0.34	13.0	14.3
2019	2,027	13.1	0.30	12.6	13.7	1,688	13.3	0.33	12.6	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ill-defined and unknown Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	8,390	17.1	0.19	16.7	17.5	1,082	8.7	0.28	8.1	9.2
1986	208	20.0	1.45	17.2	23.0	11	9.8	3.39	4.3	18.3
1987	205	19.0	1.38	16.4	21.9	4	2.5	1.26	0.6	6.5
1988	215	19.2	1.35	16.6	22.0	9	6.1	2.20	2.6	11.9
1989	238	21.4	1.43	18.7	24.4	15	11.8	3.44	6.1	20.1
1990	219	18.7	1.31	16.2	21.4	8	3.4	1.21	1.5	7.0
1991	177	15.3	1.18	13.1	17.8	13	7.0	2.06	3.6	12.3
1992	184	15.7	1.19	13.5	18.2	12	8.0	2.62	3.7	14.4
1993	242	20.4	1.36	17.9	23.3	19	9.5	2.35	5.5	15.1
1994	254	20.3	1.32	17.8	23.1	8	3.8	1.59	1.3	8.0
1995	268	21.6	1.35	19.0	24.4	21	11.7	2.91	6.7	18.4
1996	276	22.0	1.36	19.4	24.8	11	4.6	1.58	2.1	8.6
1997	218	16.9	1.17	14.7	19.4	24	10.3	2.36	6.2	15.8
1998	207	16.0	1.14	13.9	18.4	28	13.5	2.77	8.6	19.8
1999	247	18.8	1.22	16.4	21.3	22	9.2	2.24	5.3	14.4
2000	242	17.6	1.15	15.4	20.0	24	8.0	1.80	4.8	12.2
2001	301	22.2	1.31	19.7	24.9	39	12.4	2.18	8.6	17.3
2002	270	19.4	1.21	17.1	21.9	25	8.2	1.80	5.1	12.3
2003	283	19.7	1.20	17.4	22.2	37	11.6	2.07	7.9	16.3
2004	219	15.1	1.04	13.1	17.3	36	10.1	1.81	6.9	14.2
2005	229	15.4	1.04	13.4	17.6	45	11.5	1.93	8.1	15.8
2006	259	17.7	1.12	15.6	20.0	42	11.6	1.92	8.1	15.8
2007	272	17.9	1.11	15.8	20.2	39	9.4	1.62	6.5	13.0
2008	271	17.4	1.08	15.4	19.7	35	8.0	1.47	5.4	11.3
2009	293	18.6	1.11	16.4	20.8	44	10.5	1.70	7.5	14.3
2010	291	18.1	1.08	16.0	20.3	43	8.8	1.45	6.2	12.0
2011	225	13.9	0.95	12.1	15.9	41	8.2	1.37	5.8	11.3
2012	271	15.9	0.99	14.0	17.9	37	7.4	1.27	5.1	10.2
2013	285	16.4	0.99	14.5	18.5	52	9.2	1.34	6.8	12.1
2014	252	14.5	0.93	12.7	16.4	54	9.0	1.28	6.6	11.8
2015	249	13.9	0.90	12.1	15.7	47	7.2	1.08	5.2	9.6
2016	236	12.9	0.86	11.2	14.7	65	9.4	1.21	7.2	12.1
2017	256	13.6	0.87	11.9	15.4	58	7.9	1.07	6.0	10.3
2018	262	14.0	0.88	12.3	15.8	60	7.7	1.01	5.8	9.9
2019	266	13.8	0.87	12.2	15.6	54	6.7	0.92	5.0	8.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ill-defined and unknown Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	31,391	17.7	0.10	17.5	17.9	26,706	17.5	0.11	17.3	17.7
1986	687	16.0	0.64	14.7	17.3	572	15.0	0.65	13.7	16.3
1987	648	15.2	0.62	14.0	16.4	546	14.4	0.64	13.2	15.7
1988	739	17.0	0.65	15.7	18.3	613	16.1	0.68	14.8	17.4
1989	719	16.3	0.63	15.1	17.6	584	15.1	0.65	13.8	16.4
1990	691	15.4	0.61	14.3	16.7	573	14.6	0.63	13.4	15.9
1991	705	15.7	0.61	14.5	16.9	603	15.2	0.64	14.0	16.5
1992	684	15.1	0.60	14.0	16.4	581	14.6	0.62	13.4	15.9
1993	839	18.6	0.66	17.3	19.9	706	17.8	0.69	16.5	19.2
1994	864	19.0	0.67	17.7	20.3	744	18.8	0.71	17.4	20.2
1995	830	17.7	0.63	16.5	19.0	679	16.7	0.66	15.5	18.0
1996	806	17.3	0.63	16.1	18.6	668	16.5	0.65	15.3	17.8
1997	744	15.6	0.58	14.5	16.8	616	14.9	0.61	13.7	16.2
1998	717	14.9	0.57	13.9	16.1	612	14.7	0.60	13.6	15.9
1999	708	14.5	0.55	13.5	15.6	569	13.4	0.57	12.3	14.6
2000	779	15.9	0.58	14.8	17.1	646	15.3	0.61	14.1	16.5
2001	1,112	22.4	0.68	21.1	23.8	943	22.0	0.72	20.6	23.5
2002	1,077	21.4	0.66	20.2	22.8	933	21.6	0.71	20.2	23.0
2003	1,092	21.6	0.66	20.3	22.9	933	21.4	0.71	20.1	22.9
2004	1,046	20.5	0.64	19.2	21.8	920	20.9	0.70	19.6	22.3
2005	1,014	19.4	0.62	18.2	20.7	878	19.6	0.67	18.3	21.0
2006	1,019	19.4	0.62	18.2	20.6	874	19.3	0.66	18.1	20.7
2007	1,072	20.0	0.62	18.8	21.2	927	20.2	0.67	18.9	21.5
2008	1,103	20.1	0.62	18.9	21.4	962	20.5	0.67	19.3	21.9
2009	1,093	19.5	0.60	18.3	20.7	937	19.7	0.65	18.4	21.0
2010	1,107	19.6	0.60	18.4	20.8	946	19.7	0.65	18.4	21.0
2011	1,026	17.8	0.57	16.7	19.0	902	18.4	0.62	17.2	19.7
2012	1,084	18.5	0.57	17.4	19.7	941	19.0	0.63	17.8	20.3
2013	1,055	17.3	0.54	16.2	18.4	884	17.1	0.59	16.0	18.3
2014	1,064	17.2	0.54	16.1	18.3	903	17.2	0.58	16.1	18.4
2015	1,117	17.5	0.54	16.5	18.6	957	17.8	0.59	16.7	19.0
2016	1,018	15.9	0.51	14.9	16.9	881	16.4	0.56	15.3	17.5
2017	1,078	16.5	0.51	15.5	17.6	921	17.0	0.57	15.9	18.1
2018	1,028	15.4	0.49	14.5	16.4	869	15.7	0.54	14.7	16.8
2019	1,026	15.2	0.48	14.3	16.2	883	15.7	0.54	14.7	16.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ill-defined and unknown Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,991	20.0	0.33	19.3	20.6	537	9.6	0.45	8.7	10.5
1986	107	24.6	2.58	19.8	30.1	8	12.5	4.87	4.9	25.9
1987	99	23.8	2.59	19.0	29.4	3	4.6	2.72	0.9	13.8
1988	119	24.8	2.42	20.3	30.0	6	10.4	4.65	3.4	23.2
1989	129	27.7	2.60	22.9	33.2	6	9.2	4.36	2.7	21.2
1990	114	23.2	2.31	18.9	28.2	4	3.4	1.71	0.9	10.0
1991	95	20.5	2.24	16.4	25.3	6	8.6	3.83	2.8	19.2
1992	98	21.8	2.38	17.4	26.9	5	6.0	3.12	1.5	15.0
1993	120	25.1	2.47	20.5	30.4	11	10.9	3.43	5.2	19.9
1994	114	21.7	2.18	17.6	26.3	5	3.7	1.74	1.1	9.4
1995	139	26.6	2.39	22.1	31.6	9	9.1	3.37	3.7	17.9
1996	127	24.8	2.36	20.4	29.8	7	7.7	3.65	2.3	17.4
1997	115	21.5	2.13	17.6	26.1	11	10.3	3.41	4.7	18.9
1998	92	16.5	1.79	13.1	20.3	11	12.3	4.23	5.5	22.7
1999	122	23.4	2.26	19.2	28.2	12	12.1	4.33	5.2	22.8
2000	118	21.1	2.06	17.3	25.5	12	11.1	3.88	4.8	20.6
2001	145	27.1	2.39	22.6	32.2	18	10.7	2.78	6.0	17.6
2002	128	22.3	2.06	18.4	26.6	14	8.7	2.50	4.5	15.0
2003	136	23.4	2.11	19.4	27.8	14	8.0	2.40	4.0	14.0
2004	98	17.0	1.83	13.6	20.9	21	13.5	3.25	7.9	21.1
2005	109	17.8	1.80	14.4	21.6	22	14.3	3.67	8.0	22.8
2006	119	20.4	1.99	16.7	24.7	22	12.4	2.96	7.3	19.3
2007	120	19.6	1.91	16.1	23.7	22	12.0	2.83	7.1	18.6
2008	122	20.2	1.96	16.6	24.4	17	7.5	2.07	4.0	12.6
2009	128	19.0	1.77	15.7	22.8	19	9.2	2.46	5.1	15.1
2010	134	21.6	1.99	17.9	25.8	24	10.8	2.53	6.4	16.7
2011	98	14.9	1.60	12.0	18.4	18	7.8	2.02	4.4	12.7
2012	119	17.2	1.66	14.1	20.7	16	6.8	1.88	3.6	11.3
2013	131	18.3	1.67	15.2	21.9	31	12.4	2.39	8.2	17.9
2014	124	17.8	1.67	14.6	21.3	28	10.7	2.17	6.9	15.7
2015	119	16.0	1.54	13.1	19.3	26	9.6	1.98	6.1	14.2
2016	95	12.6	1.36	10.1	15.5	31	10.7	2.02	7.1	15.3
2017	123	15.5	1.46	12.8	18.6	28	8.6	1.70	5.6	12.6
2018	121	15.9	1.51	13.1	19.2	28	7.5	1.47	4.9	11.0
2019	114	14.7	1.43	12.0	17.8	22	6.5	1.44	4.0	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ill-defined and unknown Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	32,582	13.1	0.07	12.9	13.2	27,501	12.9	0.08	12.7	13.1
1986	695	11.4	0.44	10.5	12.3	591	10.9	0.46	10.0	11.8
1987	733	11.9	0.45	11.1	12.8	626	11.5	0.47	10.6	12.4
1988	730	11.6	0.43	10.7	12.5	629	11.2	0.46	10.4	12.2
1989	765	12.2	0.45	11.3	13.1	645	11.6	0.46	10.7	12.5
1990	727	11.5	0.43	10.6	12.3	616	10.9	0.45	10.1	11.9
1991	707	10.9	0.42	10.1	11.8	614	10.7	0.44	9.9	11.6
1992	729	11.1	0.42	10.3	12.0	635	11.0	0.44	10.1	11.9
1993	1,032	15.4	0.48	14.5	16.4	902	15.3	0.52	14.3	16.3
1994	1,037	15.3	0.48	14.4	16.3	894	15.0	0.51	14.0	16.1
1995	923	13.4	0.44	12.5	14.3	782	12.9	0.47	12.0	13.9
1996	865	12.6	0.43	11.8	13.5	712	11.8	0.45	11.0	12.8
1997	810	11.7	0.41	10.9	12.5	693	11.4	0.44	10.6	12.3
1998	806	11.3	0.40	10.6	12.2	673	10.8	0.42	10.0	11.7
1999	849	11.9	0.41	11.1	12.8	713	11.5	0.44	10.6	12.4
2000	846	11.9	0.41	11.1	12.8	706	11.5	0.44	10.6	12.4
2001	1,126	15.7	0.47	14.8	16.7	948	15.3	0.51	14.3	16.3
2002	1,194	16.5	0.48	15.6	17.5	1,039	16.7	0.53	15.7	17.8
2003	1,137	15.7	0.47	14.8	16.6	963	15.4	0.50	14.4	16.4
2004	1,049	14.4	0.45	13.6	15.4	909	14.6	0.49	13.7	15.6
2005	1,074	14.6	0.45	13.7	15.5	928	14.7	0.49	13.8	15.7
2006	1,084	14.7	0.45	13.8	15.6	921	14.7	0.49	13.7	15.7
2007	1,122	15.0	0.45	14.1	15.9	952	15.0	0.50	14.0	16.0
2008	1,123	14.8	0.45	14.0	15.7	951	14.7	0.49	13.8	15.7
2009	1,125	14.7	0.44	13.8	15.6	928	14.3	0.48	13.3	15.2
2010	1,119	14.6	0.44	13.7	15.5	936	14.5	0.49	13.5	15.5
2011	1,011	12.8	0.41	12.0	13.7	854	12.9	0.45	12.0	13.8
2012	1,058	13.3	0.42	12.4	14.1	871	13.0	0.45	12.1	13.9
2013	1,018	12.6	0.40	11.8	13.4	832	12.5	0.45	11.6	13.4
2014	1,051	13.0	0.41	12.2	13.8	892	13.2	0.46	12.3	14.2
2015	974	11.9	0.39	11.1	12.7	815	12.1	0.44	11.2	12.9
2016	1,040	12.5	0.40	11.7	13.3	851	12.4	0.44	11.6	13.3
2017	998	11.7	0.38	11.0	12.5	833	11.9	0.43	11.1	12.8
2018	1,024	11.9	0.38	11.1	12.7	842	11.9	0.42	11.1	12.8
2019	1,001	11.8	0.38	11.0	12.5	805	11.5	0.42	10.7	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Ill-defined and unknown Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,399	15.1	0.23	14.7	15.6	545	7.9	0.35	7.2	8.7
1986	101	16.7	1.71	13.5	20.4	3	7.3	4.48	1.3	19.8
1987	106	16.4	1.62	13.4	19.8	1	0.9	0.90	0.0	6.1
1988	96	14.9	1.55	12.0	18.2	3	3.0	1.74	0.6	9.2
1989	109	16.8	1.64	13.7	20.3	9	13.8	5.03	5.8	26.5
1990	105	15.5	1.54	12.6	18.8	4	3.3	1.66	0.9	9.0
1991	82	11.9	1.34	9.5	14.8	7	6.0	2.30	2.4	12.6
1992	86	12.1	1.32	9.6	15.0	7	9.2	3.82	3.3	19.1
1993	122	17.3	1.59	14.3	20.7	8	8.3	3.12	3.4	16.4
1994	140	19.1	1.64	16.0	22.5	3	3.5	2.24	0.5	9.9
1995	129	17.8	1.58	14.8	21.1	12	12.9	4.13	6.1	22.9
1996	149	19.9	1.65	16.8	23.4	4	2.7	1.36	0.7	6.9
1997	103	13.6	1.35	11.1	16.5	13	10.2	3.12	5.0	17.9
1998	115	15.0	1.41	12.4	18.0	17	14.3	3.66	8.0	22.9
1999	125	15.8	1.43	13.2	18.9	10	7.2	2.51	3.2	13.6
2000	124	15.3	1.38	12.7	18.2	12	6.4	1.94	3.2	11.4
2001	156	19.1	1.54	16.2	22.3	21	13.0	3.00	7.8	20.0
2002	142	17.1	1.45	14.4	20.2	11	7.0	2.26	3.3	12.6
2003	147	17.2	1.43	14.5	20.2	23	13.6	2.98	8.4	20.5
2004	121	14.0	1.28	11.6	16.7	15	7.5	2.04	4.0	12.4
2005	120	13.6	1.26	11.3	16.3	23	10.2	2.27	6.2	15.5
2006	140	16.0	1.36	13.4	18.9	20	10.5	2.43	6.3	16.2
2007	152	16.7	1.37	14.2	19.6	17	7.3	1.87	4.1	11.8
2008	149	16.1	1.33	13.6	18.9	18	8.0	1.96	4.6	12.7
2009	165	17.8	1.40	15.2	20.8	25	11.4	2.34	7.3	16.7
2010	157	16.3	1.32	13.9	19.1	19	7.2	1.74	4.2	11.3
2011	127	13.2	1.19	11.0	15.8	23	8.3	1.81	5.2	12.6
2012	152	15.0	1.23	12.7	17.6	21	7.7	1.73	4.7	11.8
2013	154	14.8	1.21	12.5	17.3	21	6.4	1.44	3.9	9.8
2014	128	12.4	1.11	10.3	14.8	26	7.6	1.53	4.9	11.2
2015	130	12.2	1.09	10.2	14.5	21	5.5	1.22	3.3	8.4
2016	141	13.1	1.12	11.0	15.5	34	8.5	1.49	5.8	12.0
2017	133	12.1	1.06	10.1	14.3	30	7.3	1.37	4.9	10.5
2018	141	12.7	1.08	10.7	15.0	32	7.5	1.34	5.1	10.6
2019	152	13.4	1.11	11.3	15.8	32	7.0	1.26	4.8	10.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Female Breast Insitu										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	60,604	26.8	0.11	26.6	27.1	50,062	27.0	0.12	26.7	27.2
1986	541	10.0	0.44	9.1	10.9	499	10.7	0.50	9.8	11.8
1987	578	10.7	0.45	9.8	11.6	536	11.6	0.52	10.6	12.7
1988	699	12.6	0.49	11.7	13.6	629	13.3	0.54	12.2	14.4
1989	688	12.4	0.48	11.5	13.4	631	13.3	0.54	12.3	14.4
1990	783	13.8	0.50	12.9	14.9	720	15.0	0.57	13.9	16.2
1991	916	16.0	0.54	15.0	17.1	823	16.9	0.60	15.7	18.1
1992	1,011	17.4	0.56	16.3	18.5	909	18.5	0.62	17.3	19.7
1993	988	16.8	0.54	15.8	17.9	871	17.7	0.61	16.5	18.9
1994	1,063	17.6	0.54	16.5	18.7	936	18.3	0.61	17.2	19.6
1995	1,216	20.0	0.58	18.9	21.2	1,070	20.9	0.65	19.7	22.2
1996	1,349	22.0	0.60	20.9	23.3	1,147	22.3	0.67	21.1	23.7
1997	1,479	23.9	0.62	22.6	25.1	1,269	24.4	0.69	23.1	25.8
1998	1,714	27.3	0.66	26.1	28.7	1,486	28.4	0.74	26.9	29.8
1999	1,724	27.0	0.65	25.8	28.3	1,473	27.7	0.73	26.3	29.1
2000	1,944	30.3	0.69	28.9	31.7	1,675	31.5	0.77	30.0	33.0
2001	2,000	30.8	0.69	29.5	32.2	1,701	31.7	0.77	30.2	33.2
2002	1,892	28.7	0.66	27.4	30.0	1,612	29.6	0.74	28.2	31.1
2003	1,889	28.3	0.65	27.1	29.7	1,588	28.9	0.73	27.5	30.4
2004	2,052	30.4	0.67	29.1	31.8	1,702	30.7	0.75	29.3	32.3
2005	2,099	30.8	0.68	29.5	32.2	1,736	31.0	0.75	29.6	32.5
2006	2,142	31.1	0.68	29.8	32.4	1,780	31.7	0.76	30.2	33.2
2007	2,328	33.4	0.70	32.0	34.8	1,909	33.6	0.78	32.1	35.1
2008	2,307	32.7	0.69	31.4	34.1	1,892	32.9	0.77	31.5	34.5
2009	2,500	35.1	0.71	33.7	36.5	2,046	35.4	0.79	33.9	37.0
2010	2,396	33.2	0.69	31.9	34.6	1,936	33.3	0.77	31.8	34.9
2011	2,477	33.9	0.69	32.5	35.2	2,000	34.0	0.78	32.5	35.6
2012	2,548	34.6	0.70	33.3	36.0	2,007	34.0	0.78	32.5	35.5
2013	2,585	34.9	0.70	33.6	36.3	2,042	34.4	0.78	32.9	36.0
2014	2,482	33.1	0.68	31.8	34.4	1,945	32.5	0.76	31.0	34.0
2015	2,464	32.7	0.68	31.3	34.0	1,939	32.2	0.76	30.8	33.7
2016	2,447	32.4	0.67	31.1	33.7	1,947	32.6	0.76	31.1	34.1
2017	2,480	32.3	0.67	31.0	33.6	1,908	31.4	0.75	30.0	32.9
2018	2,336	30.7	0.66	29.5	32.1	1,758	29.4	0.73	28.0	30.9
2019	2,487	32.8	0.68	31.5	34.2	1,940	32.8	0.78	31.3	34.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Race, Illinois 1986-2019

Female Breast Insitu										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	7,849	25.5	0.29	24.9	26.1	2,087	23.2	0.52	22.2	24.2
1986	35	5.5	0.94	3.8	7.6	3	3.3	1.91	0.7	10.1
1987	37	5.7	0.96	4.0	7.9	3	2.8	1.63	0.6	8.9
1988	55	8.3	1.14	6.2	10.8	13	11.9	3.32	6.3	20.7
1989	40	6.1	0.97	4.3	8.2	10	8.0	2.58	3.8	15.3
1990	54	7.6	1.05	5.7	9.9	8	5.7	2.05	2.4	12.0
1991	73	10.7	1.26	8.4	13.4	9	6.5	2.29	2.8	13.0
1992	83	11.1	1.23	8.9	13.8	10	8.2	2.66	3.9	15.3
1993	98	12.7	1.29	10.3	15.5	13	8.6	2.54	4.4	15.3
1994	102	13.0	1.30	10.6	15.8	18	12.2	3.15	6.8	20.0
1995	114	14.4	1.36	11.9	17.3	21	13.0	2.97	7.9	20.3
1996	151	19.2	1.57	16.2	22.5	30	16.6	3.12	11.1	24.1
1997	156	19.0	1.53	16.1	22.2	26	12.9	2.58	8.4	19.2
1998	167	20.0	1.56	17.1	23.3	28	14.2	2.80	9.3	20.9
1999	172	20.4	1.57	17.5	23.7	41	20.5	3.33	14.5	28.1
2000	178	20.6	1.55	17.7	23.9	56	25.3	3.51	18.9	33.2
2001	223	25.1	1.69	21.9	28.6	56	22.9	3.12	17.2	30.0
2002	217	24.0	1.63	20.9	27.4	51	20.4	2.93	15.1	27.1
2003	226	24.4	1.63	21.3	27.8	52	20.6	2.95	15.3	27.3
2004	278	30.1	1.82	26.7	33.9	65	23.3	2.97	17.8	29.9
2005	272	29.3	1.79	25.9	33.0	66	23.3	2.95	17.8	29.8
2006	295	30.5	1.79	27.1	34.2	54	17.4	2.41	13.0	22.9
2007	309	32.0	1.84	28.5	35.8	89	30.7	3.37	24.4	38.0
2008	321	32.4	1.82	28.9	36.2	74	23.0	2.74	18.0	29.1
2009	340	33.8	1.86	30.3	37.7	97	28.6	2.98	23.1	35.1
2010	343	33.1	1.81	29.6	36.8	94	26.3	2.76	21.2	32.3
2011	366	34.8	1.85	31.3	38.7	91	25.5	2.75	20.4	31.5
2012	413	39.0	1.95	35.2	43.0	108	27.8	2.72	22.8	33.7
2013	414	39.2	1.96	35.5	43.2	108	26.4	2.59	21.6	32.0
2014	394	35.9	1.84	32.4	39.7	114	27.4	2.60	22.5	33.0
2015	376	33.9	1.78	30.5	37.6	132	31.5	2.79	26.2	37.5
2016	369	33.0	1.75	29.6	36.6	108	24.0	2.33	19.7	29.1
2017	416	36.5	1.84	33.0	40.3	131	28.6	2.53	23.9	34.0
2018	396	35.2	1.82	31.8	39.0	152	32.1	2.63	27.1	37.7
2019	366	31.4	1.68	28.1	34.8	156	32.3	2.61	27.4	37.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

SECTION II
Cancer Incidence by Hispanic Ethnicity and Race
Illinois, 1990-2019

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

All Sites										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	91,084	361.9	1.35	359.3	364.6	1,765,800	488.8	0.37	488.0	489.5
1990	1,163	305.4	10.49	285.2	326.5	46,345	439.8	2.06	435.7	443.8
1991	1,186	292.1	9.98	272.8	312.2	47,901	448.9	2.07	444.8	453.0
1992	1,300	313.8	10.27	293.9	334.4	50,743	469.5	2.10	465.4	473.6
1993	1,467	336.6	10.31	316.7	357.3	51,377	470.7	2.09	466.6	474.8
1994	1,641	360.6	10.53	340.3	381.7	53,914	491.4	2.12	487.2	495.6
1995	1,738	381.2	10.91	360.1	403.1	53,464	484.9	2.10	480.8	489.0
1996	1,842	398.4	11.03	377.1	420.5	54,527	492.6	2.11	488.5	496.8
1997	1,890	381.4	10.45	361.2	402.3	54,784	491.6	2.10	487.5	495.7
1998	2,047	400.1	10.57	379.6	421.2	55,731	495.9	2.10	491.8	500.1
1999	2,235	399.8	10.11	380.2	420.0	56,633	500.8	2.11	496.7	505.0
2000	2,166	353.3	9.05	335.8	371.4	57,035	501.5	2.10	497.4	505.6
2001	2,326	376.7	9.27	358.8	395.2	58,626	512.4	2.12	508.3	516.6
2002	2,502	374.5	8.83	357.4	392.1	59,883	519.4	2.13	515.2	523.5
2003	2,545	359.3	8.38	343.0	376.0	58,491	502.6	2.08	498.5	506.7
2004	2,787	374.6	8.35	358.4	391.2	58,866	502.3	2.08	498.2	506.4
2005	2,909	366.8	7.89	351.5	382.5	59,157	500.3	2.07	496.3	504.4
2006	3,034	371.2	7.80	356.1	386.8	60,923	511.8	2.09	507.7	515.9
2007	3,250	370.9	7.45	356.4	385.7	61,942	513.7	2.08	509.7	517.8
2008	3,439	377.4	7.36	363.1	392.1	63,185	516.7	2.08	512.6	520.8
2009	3,653	381.5	7.19	367.6	395.8	63,349	511.9	2.06	507.8	515.9
2010	3,664	355.0	6.64	342.2	368.2	62,080	495.1	2.02	491.1	499.0
2011	3,886	363.5	6.57	350.7	376.6	63,233	497.0	2.01	493.1	501.0
2012	4,027	359.1	6.32	346.8	371.6	62,074	480.7	1.97	476.9	484.6
2013	4,246	358.8	6.11	346.9	370.9	62,453	476.8	1.95	473.0	480.7
2014	4,438	354.6	5.87	343.2	366.3	63,864	481.3	1.95	477.5	485.1
2015	4,696	358.1	5.73	347.0	369.5	65,024	485.1	1.95	481.3	489.0
2016	4,945	359.7	5.57	348.9	370.8	65,346	484.0	1.95	480.2	487.8
2017	5,156	366.6	5.53	355.8	377.5	65,397	478.8	1.93	475.0	482.6
2018	5,369	364.7	5.35	354.3	375.4	64,812	469.8	1.90	466.0	473.5
2019	5,537	360.5	5.18	350.4	370.7	64,641	464.0	1.89	460.3	467.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

All Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,476,198	489.4	0.41	488.6	490.2	239,462	515.4	1.07	513.3	517.5
1990	40,364	438.0	2.21	433.7	442.3	5,490	471.9	6.57	459.1	485.0
1991	42,010	450.9	2.22	446.6	455.3	5,291	443.3	6.28	431.1	455.8
1992	44,351	471.5	2.26	467.1	476.0	5,785	475.2	6.43	462.7	488.0
1993	44,320	467.7	2.24	463.3	472.1	6,373	514.1	6.62	501.2	527.2
1994	46,330	487.6	2.28	483.1	492.1	6,872	547.7	6.78	534.5	561.2
1995	45,558	479.6	2.26	475.2	484.1	7,070	549.7	6.70	536.7	563.0
1996	46,331	487.3	2.27	482.8	491.8	7,278	556.3	6.67	543.3	569.6
1997	46,619	488.2	2.27	483.8	492.7	7,126	534.7	6.47	522.1	547.6
1998	47,147	491.0	2.27	486.6	495.5	7,413	547.0	6.48	534.3	559.8
1999	48,176	500.7	2.29	496.2	505.2	7,229	521.8	6.26	509.6	534.2
2000	48,191	499.8	2.28	495.3	504.3	7,545	534.2	6.27	522.0	546.6
2001	49,546	512.4	2.31	507.9	516.9	7,767	544.8	6.30	532.5	557.3
2002	50,512	519.7	2.32	515.1	524.2	7,896	542.7	6.23	530.6	555.0
2003	49,118	502.2	2.28	497.8	506.7	7,887	531.6	6.10	519.7	543.7
2004	49,351	503.0	2.28	498.5	507.5	7,970	528.1	6.03	516.3	540.0
2005	49,323	499.9	2.27	495.4	504.3	8,049	526.2	5.98	514.5	538.0
2006	50,638	511.5	2.30	507.0	516.0	8,538	546.9	6.04	535.2	558.9
2007	51,448	514.6	2.30	510.1	519.2	8,666	545.5	5.98	533.8	557.3
2008	52,457	518.7	2.30	514.2	523.3	8,763	539.4	5.88	528.0	551.1
2009	52,372	513.7	2.28	509.3	518.2	8,966	539.2	5.82	527.9	550.7
2010	51,128	496.3	2.24	491.9	500.7	8,814	521.1	5.68	510.0	532.3
2011	52,091	500.0	2.24	495.6	504.4	8,832	509.3	5.55	498.5	520.3
2012	50,966	483.9	2.20	479.6	488.3	8,818	498.7	5.44	488.1	509.5
2013	51,232	481.4	2.19	477.1	485.7	9,019	499.1	5.38	488.6	509.8
2014	52,181	485.2	2.19	480.9	489.5	9,211	501.5	5.35	491.0	512.1
2015	52,987	490.1	2.20	485.8	494.4	9,455	502.9	5.30	492.5	513.4
2016	53,375	491.4	2.21	487.0	495.7	9,394	495.8	5.24	485.6	506.2
2017	53,397	487.2	2.19	482.9	491.5	9,345	485.1	5.14	475.1	495.3
2018	52,606	476.2	2.16	472.0	480.5	9,242	472.9	5.04	463.1	482.9
2019	52,073	468.4	2.14	464.2	472.6	9,358	471.7	4.99	461.9	481.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

All Sites										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	44,294	398.6	2.21	394.3	403.0	893,535	566.1	0.61	564.9	567.3
1990	523	333.6	18.41	298.5	371.2	22,947	525.8	3.58	518.8	532.9
1991	562	314.0	16.74	282.0	348.2	24,434	551.2	3.63	544.1	558.3
1992	610	350.6	17.86	316.5	387.0	26,612	591.5	3.72	584.2	598.8
1993	707	384.1	18.26	349.1	421.1	26,605	584.1	3.67	576.9	591.3
1994	816	413.9	18.33	378.8	451.1	27,347	598.7	3.70	591.4	606.0
1995	851	449.3	19.50	411.9	488.7	27,159	586.4	3.63	579.3	593.5
1996	934	472.2	19.52	434.7	511.6	27,407	587.1	3.60	580.0	594.2
1997	952	445.1	17.98	410.6	481.4	27,718	589.0	3.58	582.0	596.0
1998	1,001	483.9	19.10	447.2	522.4	27,964	588.7	3.56	581.7	595.7
1999	1,108	460.5	17.38	427.1	495.5	28,667	597.6	3.56	590.6	604.6
2000	1,064	409.3	15.44	379.6	440.4	28,996	599.2	3.55	592.2	606.2
2001	1,155	442.4	15.98	411.6	474.6	29,906	614.0	3.58	607.0	621.0
2002	1,248	443.5	15.31	414.0	474.3	30,881	628.2	3.61	621.1	635.3
2003	1,319	427.3	14.30	399.7	456.0	30,137	604.3	3.52	597.4	611.2
2004	1,363	428.2	14.09	401.1	456.5	30,313	599.8	3.48	593.0	606.7
2005	1,468	417.5	13.05	392.3	443.7	30,024	586.1	3.42	579.4	592.8
2006	1,522	423.0	12.93	398.0	448.9	31,007	597.5	3.44	590.8	604.3
2007	1,634	435.6	12.76	411.0	461.2	31,913	604.0	3.43	597.3	610.7
2008	1,725	440.9	12.50	416.7	465.9	32,481	602.4	3.40	595.8	609.1
2009	1,798	436.5	12.04	413.2	460.6	32,205	585.5	3.32	579.0	592.1
2010	1,816	393.2	10.74	372.4	414.7	31,361	561.4	3.24	555.1	567.8
2011	1,904	396.3	10.61	375.8	417.6	31,975	560.9	3.21	554.6	567.2
2012	1,982	398.3	10.33	378.3	419.0	30,995	533.0	3.10	526.9	539.1
2013	2,005	375.7	9.63	357.0	394.9	31,043	524.4	3.05	518.4	530.4
2014	2,053	369.5	9.29	351.6	388.1	31,493	521.4	3.01	515.5	527.3
2015	2,227	370.5	8.90	353.3	388.3	32,424	529.3	3.02	523.4	535.3
2016	2,361	375.6	8.69	358.8	393.0	32,158	519.6	2.98	513.8	525.5
2017	2,447	378.9	8.55	362.3	395.9	32,902	523.8	2.97	518.0	529.7
2018	2,531	373.0	8.25	357.0	389.5	32,120	503.6	2.89	497.9	509.2
2019	2,608	365.7	7.89	350.4	381.4	32,341	499.8	2.86	494.2	505.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

All Sites										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	746,994	561.0	0.66	559.7	562.3	121,946	642.7	1.93	638.9	646.5
1990	19,913	518.3	3.78	510.9	525.7	2,784	605.1	12.31	581.2	629.7
1991	21,464	551.0	3.86	543.5	558.7	2,703	569.8	11.69	547.1	593.1
1992	23,176	587.2	3.95	579.5	595.0	3,144	660.1	12.59	635.6	685.1
1993	22,905	575.4	3.88	567.8	583.0	3,386	687.9	12.63	663.4	713.1
1994	23,331	585.9	3.91	578.2	593.6	3,673	743.8	13.11	718.3	769.8
1995	22,937	570.7	3.83	563.3	578.3	3,842	752.3	12.91	727.2	778.0
1996	23,055	570.9	3.81	563.5	578.4	3,907	743.4	12.60	718.9	768.5
1997	23,504	578.8	3.81	571.3	586.3	3,704	689.2	11.96	665.9	713.0
1998	23,563	576.0	3.78	568.6	583.5	3,830	706.5	12.05	683.1	730.5
1999	24,334	590.8	3.81	583.4	598.3	3,708	671.3	11.61	648.7	694.4
2000	24,365	588.6	3.79	581.2	596.0	4,017	711.7	11.81	688.7	735.2
2001	25,249	607.4	3.84	599.9	615.0	3,987	697.5	11.62	674.9	720.6
2002	26,116	624.1	3.89	616.5	631.8	4,015	688.9	11.47	666.6	711.7
2003	25,295	597.9	3.79	590.5	605.4	4,133	687.5	11.24	665.7	709.9
2004	25,371	593.7	3.76	586.4	601.1	4,149	680.8	11.15	659.1	703.0
2005	24,969	577.8	3.69	570.5	585.0	4,150	673.6	11.06	652.1	695.6
2006	25,748	590.0	3.71	582.7	597.3	4,396	693.7	11.02	672.3	715.7
2007	26,366	594.6	3.71	587.4	602.0	4,615	716.1	11.10	694.5	738.2
2008	26,913	596.4	3.69	589.2	603.7	4,601	693.0	10.75	672.1	714.4
2009	26,561	579.2	3.61	572.1	586.3	4,588	667.3	10.36	647.2	687.9
2010	25,840	555.9	3.52	549.0	562.8	4,464	639.0	10.08	619.4	659.1
2011	26,408	557.8	3.51	550.9	564.7	4,412	611.1	9.66	592.3	630.3
2012	25,512	530.3	3.40	523.6	537.0	4,359	594.7	9.46	576.3	613.5
2013	25,619	524.4	3.36	517.8	531.0	4,394	585.8	9.26	567.8	604.3
2014	25,851	519.9	3.32	513.5	526.5	4,454	580.1	9.11	562.4	598.2
2015	26,461	527.0	3.33	520.5	533.6	4,686	595.3	9.10	577.6	613.4
2016	26,467	523.4	3.32	516.9	529.9	4,466	558.1	8.73	541.1	575.5
2017	27,109	528.9	3.31	522.4	535.4	4,533	559.9	8.68	543.0	577.1
2018	26,279	505.9	3.22	499.6	512.3	4,386	526.7	8.26	510.7	543.2
2019	26,313	500.3	3.19	494.0	506.6	4,460	532.3	8.27	516.2	548.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

All Sites										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	46,790	339.7	1.72	336.3	343.0	872,265	438.7	0.48	437.8	439.7
1990	640	300.1	13.14	274.9	326.8	23,398	395.1	2.63	390.0	400.3
1991	624	283.5	12.68	259.2	309.3	23,467	391.9	2.60	386.8	397.0
1992	690	297.2	12.72	272.8	323.0	24,131	398.5	2.61	393.5	403.7
1993	760	313.7	12.65	289.3	339.3	24,772	403.0	2.60	397.9	408.1
1994	825	329.8	12.93	304.9	355.9	26,567	427.7	2.66	422.5	432.9
1995	887	342.7	13.10	317.5	369.2	26,305	423.5	2.64	418.3	428.7
1996	908	352.0	13.24	326.5	378.8	27,120	434.4	2.67	429.2	439.7
1997	938	338.5	12.71	314.0	364.2	27,066	430.9	2.65	425.8	436.2
1998	1,046	349.8	12.40	326.0	374.9	27,767	438.3	2.66	433.2	443.6
1999	1,127	360.6	12.34	336.8	385.5	27,966	439.9	2.65	434.7	445.1
2000	1,102	316.1	11.02	294.9	338.4	28,039	438.6	2.64	433.5	443.9
2001	1,171	332.3	11.17	310.7	354.8	28,720	446.6	2.66	441.4	451.9
2002	1,254	327.8	10.58	307.4	349.1	29,002	448.5	2.66	443.3	453.7
2003	1,226	309.4	10.12	289.9	329.8	28,354	436.2	2.62	431.1	441.4
2004	1,424	339.0	10.28	319.1	359.6	28,553	437.0	2.62	431.9	442.2
2005	1,441	330.6	9.83	311.6	350.3	29,133	443.6	2.63	438.4	448.8
2006	1,512	334.3	9.67	315.6	353.7	29,916	454.2	2.66	449.0	459.4
2007	1,616	327.0	9.03	309.6	345.2	30,029	452.6	2.65	447.4	457.8
2008	1,714	333.8	8.98	316.5	351.8	30,704	457.9	2.66	452.7	463.2
2009	1,855	344.8	8.88	327.6	362.6	31,144	461.2	2.67	456.0	466.5
2010	1,848	328.2	8.41	311.9	345.0	30,719	449.8	2.63	444.7	455.0
2011	1,982	342.6	8.42	326.3	359.5	31,258	453.7	2.63	448.5	458.9
2012	2,045	334.0	8.01	318.4	350.0	31,079	446.5	2.61	441.4	451.7
2013	2,241	351.7	8.02	336.1	367.7	31,410	446.1	2.59	441.1	451.3
2014	2,385	351.3	7.71	336.4	366.7	32,371	456.9	2.63	451.8	462.1
2015	2,469	354.0	7.59	339.3	369.2	32,600	457.0	2.62	451.9	462.2
2016	2,584	353.7	7.38	339.4	368.4	33,188	462.8	2.64	457.6	468.0
2017	2,709	363.4	7.38	349.0	378.1	32,495	449.1	2.60	444.0	454.2
2018	2,838	366.0	7.21	352.0	380.4	32,692	448.3	2.59	443.3	453.4
2019	2,929	363.7	7.02	350.0	377.7	32,300	441.5	2.57	436.5	446.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

All Sites										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	729,204	444.1	0.53	443.1	445.2	117,516	433.8	1.28	431.3	436.3
1990	20,451	398.7	2.86	393.1	404.3	2,706	392.1	7.67	377.2	407.4
1991	20,546	396.8	2.84	391.2	402.4	2,588	365.5	7.31	351.4	380.1
1992	21,175	405.6	2.85	400.0	411.2	2,641	363.4	7.17	349.5	377.7
1993	21,415	404.5	2.82	399.0	410.1	2,987	405.9	7.54	391.3	420.9
1994	22,999	430.9	2.90	425.2	436.6	3,199	427.9	7.67	413.0	443.1
1995	22,621	426.2	2.89	420.6	431.9	3,228	422.3	7.52	407.7	437.3
1996	23,276	438.0	2.93	432.3	443.8	3,371	435.5	7.59	420.8	450.6
1997	23,115	433.4	2.90	427.8	439.2	3,422	434.7	7.51	420.1	449.7
1998	23,584	439.7	2.91	434.0	445.4	3,583	445.7	7.52	431.0	460.6
1999	23,842	445.0	2.93	439.3	450.8	3,521	428.3	7.28	414.1	442.8
2000	23,826	444.0	2.93	438.3	449.8	3,528	420.9	7.14	407.0	435.1
2001	24,297	451.8	2.95	446.0	457.6	3,780	447.1	7.33	432.9	461.7
2002	24,396	451.9	2.94	446.1	457.7	3,881	450.7	7.29	436.6	465.3
2003	23,823	440.9	2.91	435.2	446.6	3,754	429.9	7.07	416.1	444.0
2004	23,980	442.9	2.92	437.2	448.6	3,821	430.4	7.02	416.7	444.3
2005	24,354	449.1	2.94	443.4	454.9	3,899	433.6	7.00	420.0	447.5
2006	24,890	459.3	2.98	453.5	465.2	4,142	453.1	7.10	439.3	467.2
2007	25,082	461.5	2.99	455.7	467.4	4,051	436.3	6.92	422.9	450.1
2008	25,544	466.1	3.00	460.2	472.0	4,162	440.1	6.89	426.7	453.8
2009	25,811	469.8	3.01	463.9	475.7	4,378	455.5	6.97	442.0	469.4
2010	25,288	456.4	2.97	450.6	462.3	4,350	444.5	6.83	431.2	458.1
2011	25,683	461.7	2.99	455.8	467.6	4,420	441.9	6.74	428.8	455.3
2012	25,454	454.6	2.96	448.8	460.5	4,459	437.4	6.65	424.5	450.7
2013	25,613	454.6	2.96	448.8	460.4	4,625	444.0	6.64	431.1	457.2
2014	26,330	465.5	3.00	459.6	471.4	4,757	452.4	6.68	439.4	465.7
2015	26,526	468.0	3.02	462.1	474.0	4,769	444.5	6.57	431.7	457.6
2016	26,908	473.7	3.05	467.8	479.7	4,928	457.2	6.65	444.3	470.4
2017	26,288	460.1	3.00	454.2	466.0	4,812	438.8	6.47	426.2	451.6
2018	26,327	458.8	3.00	453.0	464.8	4,856	436.5	6.41	424.0	449.2
2019	25,760	449.4	2.98	443.6	455.3	4,898	434.0	6.35	421.7	446.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oral Cavity and Pharynx										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,814	7.2	0.19	6.8	7.5	42,504	11.8	0.06	11.6	11.9
1990	27	6.5	1.36	4.1	9.7	1,129	10.9	0.33	10.3	11.6
1991	24	4.9	1.08	3.0	7.5	1,109	10.6	0.32	10.0	11.3
1992	13	2.7	0.82	1.3	4.8	1,107	10.5	0.32	9.9	11.1
1993	27	6.6	1.47	4.0	10.0	1,108	10.4	0.31	9.8	11.1
1994	33	7.9	1.59	5.1	11.5	1,153	10.7	0.32	10.1	11.4
1995	23	5.1	1.22	3.0	8.0	1,278	11.8	0.33	11.2	12.5
1996	48	13.5	2.21	9.5	18.3	1,248	11.5	0.33	10.8	12.1
1997	59	13.0	1.97	9.4	17.3	1,255	11.4	0.32	10.8	12.1
1998	39	7.7	1.47	5.1	11.1	1,215	11.0	0.31	10.3	11.6
1999	49	6.5	1.00	4.7	8.8	1,263	11.3	0.32	10.7	11.9
2000	38	6.0	1.20	3.9	8.8	1,257	11.1	0.31	10.5	11.8
2001	46	7.6	1.36	5.2	10.7	1,220	10.7	0.31	10.1	11.3
2002	52	7.2	1.15	5.1	9.8	1,303	11.3	0.31	10.7	11.9
2003	49	7.8	1.28	5.4	10.6	1,286	11.0	0.31	10.4	11.6
2004	48	6.3	1.00	4.5	8.5	1,387	11.8	0.32	11.2	12.4
2005	41	4.2	0.73	2.9	5.9	1,303	10.9	0.30	10.3	11.5
2006	58	6.6	1.01	4.8	8.9	1,343	11.1	0.31	10.5	11.7
2007	73	7.5	1.01	5.7	9.8	1,448	11.9	0.31	11.3	12.5
2008	76	8.3	1.08	6.3	10.7	1,508	12.1	0.32	11.5	12.8
2009	75	6.9	0.89	5.3	8.8	1,521	12.2	0.32	11.5	12.8
2010	74	7.0	0.92	5.3	9.0	1,525	11.9	0.31	11.3	12.6
2011	82	7.0	0.85	5.4	8.8	1,659	12.8	0.32	12.2	13.4
2012	76	6.5	0.82	5.0	8.3	1,656	12.6	0.32	12.0	13.2
2013	73	6.4	0.82	4.9	8.2	1,690	12.7	0.32	12.1	13.3
2014	76	6.3	0.79	4.9	8.1	1,709	12.6	0.31	12.0	13.2
2015	95	7.5	0.84	6.0	9.3	1,770	13.1	0.32	12.4	13.7
2016	92	6.5	0.73	5.2	8.1	1,783	13.0	0.32	12.4	13.6
2017	110	7.6	0.78	6.2	9.3	1,818	13.1	0.32	12.5	13.8
2018	112	7.6	0.76	6.2	9.2	1,712	12.3	0.31	11.7	12.9
2019	126	8.7	0.82	7.2	10.4	1,741	12.3	0.30	11.7	12.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oral Cavity and Pharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	35,037	11.7	0.06	11.6	11.8	6,008	12.2	0.16	11.9	12.6
1990	902	10.0	0.34	9.3	10.7	215	17.5	1.22	15.2	20.1
1991	889	9.8	0.33	9.2	10.5	202	15.8	1.13	13.6	18.1
1992	928	10.1	0.34	9.5	10.8	163	12.5	0.99	10.7	14.6
1993	912	10.0	0.33	9.3	10.6	171	13.0	1.00	11.1	15.1
1994	923	10.0	0.33	9.4	10.7	207	15.6	1.10	13.5	17.9
1995	1,053	11.4	0.35	10.7	12.1	199	14.5	1.04	12.5	16.6
1996	1,011	10.9	0.34	10.2	11.6	214	15.3	1.06	13.3	17.5
1997	1,017	10.9	0.34	10.2	11.6	207	14.6	1.03	12.6	16.8
1998	973	10.4	0.33	9.7	11.0	210	14.5	1.01	12.6	16.6
1999	1,036	11.0	0.34	10.3	11.7	196	13.1	0.95	11.3	15.1
2000	1,026	10.8	0.34	10.2	11.5	195	12.8	0.93	11.1	14.8
2001	1,006	10.5	0.33	9.9	11.2	179	11.5	0.87	9.8	13.3
2002	1,069	11.1	0.34	10.4	11.8	202	13.0	0.93	11.3	15.0
2003	1,065	10.9	0.34	10.3	11.6	187	11.6	0.86	10.0	13.4
2004	1,102	11.3	0.34	10.6	12.0	231	14.1	0.94	12.4	16.1
2005	1,083	11.0	0.34	10.4	11.7	170	10.2	0.79	8.7	11.8
2006	1,104	11.1	0.34	10.4	11.8	179	10.4	0.79	8.9	12.1
2007	1,188	11.8	0.35	11.2	12.5	210	12.3	0.87	10.7	14.2
2008	1,243	12.2	0.35	11.5	12.9	217	12.4	0.86	10.8	14.2
2009	1,262	12.3	0.35	11.6	13.0	195	11.1	0.81	9.5	12.8
2010	1,227	11.7	0.34	11.1	12.4	221	12.4	0.85	10.8	14.2
2011	1,378	13.0	0.36	12.3	13.8	216	11.7	0.82	10.2	13.5
2012	1,375	12.9	0.36	12.2	13.6	224	12.0	0.82	10.5	13.7
2013	1,401	12.9	0.35	12.2	13.6	219	11.9	0.82	10.3	13.6
2014	1,425	12.9	0.35	12.2	13.6	215	11.6	0.81	10.1	13.3
2015	1,468	13.5	0.36	12.8	14.2	216	10.9	0.76	9.5	12.5
2016	1,485	13.4	0.36	12.7	14.1	211	10.8	0.76	9.4	12.4
2017	1,560	14.1	0.37	13.4	14.8	179	8.7	0.67	7.4	10.1
2018	1,450	12.9	0.35	12.2	13.6	170	8.5	0.67	7.3	10.0
2019	1,476	13.0	0.35	12.3	13.7	188	9.2	0.69	7.9	10.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oral Cavity and Pharynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,254	10.3	0.34	9.7	11.0	29,423	18.0	0.11	17.8	18.2
1990	15	8.2	2.42	4.2	14.4	772	17.3	0.64	16.1	18.6
1991	16	7.4	2.08	3.9	12.8	742	16.3	0.61	15.1	17.5
1992	9	3.3	1.16	1.4	6.8	740	16.1	0.60	14.9	17.3
1993	19	10.3	3.01	5.3	17.6	758	16.1	0.59	15.0	17.3
1994	20	10.5	2.93	5.6	17.6	771	16.4	0.60	15.2	17.6
1995	16	6.9	1.92	3.7	11.7	874	18.3	0.63	17.1	19.6
1996	35	19.7	4.03	12.7	28.9	846	17.6	0.61	16.5	18.9
1997	40	18.8	3.70	12.3	27.2	839	17.4	0.61	16.2	18.6
1998	24	11.8	3.05	6.6	18.9	828	16.8	0.59	15.6	17.9
1999	32	9.1	1.73	6.0	13.3	843	16.9	0.58	15.7	18.0
2000	25	7.8	1.87	4.5	12.3	865	17.2	0.59	16.0	18.4
2001	31	9.3	2.09	5.6	14.2	845	16.6	0.57	15.5	17.7
2002	38	10.4	1.92	7.0	14.9	877	17.0	0.58	15.9	18.1
2003	37	13.8	2.77	8.9	20.1	869	16.7	0.57	15.6	17.8
2004	38	10.3	1.92	6.9	14.7	974	18.2	0.59	17.1	19.4
2005	28	5.9	1.27	3.7	8.9	903	16.7	0.56	15.6	17.8
2006	42	9.4	1.72	6.3	13.3	911	16.5	0.56	15.5	17.7
2007	57	12.2	1.91	8.8	16.5	1,005	17.9	0.57	16.8	19.1
2008	53	11.9	1.89	8.5	16.1	1,032	18.0	0.57	16.9	19.1
2009	49	9.4	1.53	6.7	12.9	1,049	18.1	0.57	17.0	19.3
2010	53	10.9	1.69	7.8	14.6	1,081	18.3	0.57	17.2	19.4
2011	55	9.7	1.51	6.9	13.1	1,188	19.7	0.59	18.6	20.9
2012	57	10.1	1.54	7.3	13.5	1,159	19.0	0.57	17.9	20.2
2013	52	9.5	1.51	6.8	12.9	1,215	19.8	0.58	18.7	21.0
2014	48	8.4	1.37	5.9	11.5	1,191	18.9	0.56	17.8	20.1
2015	55	9.2	1.39	6.7	12.2	1,263	20.0	0.58	18.9	21.2
2016	69	10.0	1.31	7.6	12.9	1,264	19.7	0.57	18.6	20.8
2017	71	10.2	1.34	7.8	13.2	1,290	20.1	0.58	18.9	21.2
2018	80	11.1	1.36	8.6	14.1	1,198	18.5	0.55	17.4	19.6
2019	90	13.0	1.51	10.3	16.3	1,231	18.6	0.55	17.5	19.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oral Cavity and Pharynx										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	24,191	17.7	0.11	17.4	17.9	4,254	20.4	0.32	19.7	21.0
1990	619	16.0	0.66	14.7	17.3	145	27.9	2.39	23.4	33.0
1991	589	14.8	0.62	13.6	16.1	142	26.5	2.30	22.1	31.3
1992	610	15.4	0.63	14.1	16.7	116	21.2	2.03	17.4	25.6
1993	617	15.2	0.62	14.0	16.5	125	22.0	2.02	18.3	26.4
1994	613	15.2	0.62	14.0	16.5	144	25.5	2.21	21.3	30.2
1995	708	17.3	0.66	16.0	18.6	146	25.2	2.16	21.1	29.7
1996	677	16.5	0.64	15.3	17.9	155	25.7	2.11	21.7	30.2
1997	668	16.3	0.63	15.0	17.5	152	25.3	2.14	21.3	29.8
1998	650	15.5	0.61	14.3	16.8	155	25.2	2.09	21.2	29.6
1999	691	16.4	0.62	15.2	17.6	137	21.2	1.86	17.7	25.2
2000	695	16.4	0.62	15.2	17.6	152	23.5	1.96	19.8	27.7
2001	699	16.3	0.62	15.1	17.6	124	18.5	1.71	15.3	22.2
2002	702	16.2	0.61	15.0	17.4	153	23.1	1.93	19.5	27.2
2003	708	16.2	0.61	15.0	17.5	142	20.1	1.73	16.9	23.8
2004	761	17.0	0.62	15.8	18.3	175	25.3	2.00	21.6	29.6
2005	748	16.6	0.61	15.4	17.8	128	17.9	1.63	14.9	21.4
2006	747	16.3	0.60	15.2	17.6	120	16.1	1.50	13.3	19.3
2007	818	17.6	0.62	16.4	18.8	154	21.3	1.79	17.9	25.1
2008	847	17.8	0.62	16.6	19.1	151	20.7	1.78	17.4	24.5
2009	880	18.4	0.63	17.2	19.7	128	16.7	1.53	13.8	20.0
2010	878	17.9	0.62	16.7	19.1	149	20.0	1.72	16.7	23.6
2011	981	19.7	0.65	18.5	21.1	160	20.3	1.67	17.2	23.9
2012	957	19.1	0.63	17.9	20.4	160	19.9	1.64	16.9	23.4
2013	1,013	19.9	0.64	18.7	21.2	152	19.5	1.65	16.4	23.0
2014	1,004	19.3	0.63	18.1	20.6	137	17.8	1.58	14.8	21.1
2015	1,055	20.4	0.65	19.2	21.8	154	18.6	1.55	15.6	21.9
2016	1,059	20.1	0.64	18.9	21.4	144	17.5	1.51	14.6	20.7
2017	1,114	21.3	0.66	20.0	22.7	120	13.7	1.30	11.3	16.6
2018	1,020	19.3	0.63	18.1	20.6	116	13.7	1.32	11.2	16.6
2019	1,063	19.8	0.63	18.6	21.1	118	13.4	1.28	11.0	16.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oral Cavity and Pharynx										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	560	4.3	0.20	3.9	4.7	13,081	6.6	0.06	6.5	6.7
1990	12	5.1	1.57	2.5	9.2	357	6.0	0.32	5.4	6.7
1991	8	2.7	1.02	1.1	5.7	367	6.3	0.34	5.7	7.0
1992	4	1.9	1.04	0.5	5.0	367	6.2	0.33	5.6	6.9
1993	8	3.7	1.44	1.4	7.5	350	5.8	0.31	5.2	6.5
1994	13	5.8	1.81	2.9	10.3	382	6.2	0.32	5.6	6.9
1995	7	3.2	1.40	1.1	6.9	404	6.5	0.33	5.9	7.2
1996	13	8.1	2.38	4.2	13.8	402	6.5	0.33	5.8	7.1
1997	19	8.2	2.12	4.6	13.2	416	6.8	0.33	6.1	7.4
1998	15	4.9	1.41	2.5	8.4	387	6.2	0.32	5.6	6.8
1999	17	4.2	1.06	2.3	6.9	420	6.8	0.33	6.1	7.4
2000	13	4.2	1.44	1.8	7.8	392	6.2	0.32	5.6	6.9
2001	15	5.8	1.72	2.9	9.9	375	5.9	0.31	5.3	6.5
2002	14	4.1	1.28	2.0	7.3	426	6.6	0.32	6.0	7.3
2003	12	2.9	0.96	1.4	5.4	417	6.4	0.32	5.8	7.1
2004	10	2.6	0.87	1.2	4.9	413	6.4	0.32	5.8	7.1
2005	13	2.6	0.78	1.3	4.6	400	6.1	0.31	5.5	6.8
2006	16	4.0	1.12	2.1	6.7	432	6.5	0.32	5.9	7.2
2007	16	3.2	0.94	1.6	5.5	443	6.7	0.32	6.1	7.4
2008	23	5.0	1.17	3.0	7.8	476	7.1	0.33	6.4	7.8
2009	26	4.6	0.98	2.9	6.9	472	7.0	0.33	6.4	7.7
2010	21	3.6	0.89	2.1	5.7	444	6.6	0.32	6.0	7.2
2011	27	4.5	0.94	2.8	6.7	471	6.8	0.32	6.2	7.4
2012	19	3.3	0.82	1.9	5.3	497	7.0	0.32	6.4	7.7
2013	21	3.7	0.85	2.3	5.7	475	6.7	0.31	6.1	7.3
2014	28	4.6	0.91	3.0	6.7	518	7.1	0.32	6.5	7.7
2015	40	6.1	1.03	4.2	8.4	507	7.0	0.32	6.4	7.7
2016	23	3.2	0.71	2.0	4.9	519	7.2	0.33	6.6	7.9
2017	39	5.3	0.89	3.7	7.3	528	7.1	0.32	6.5	7.8
2018	32	4.4	0.81	2.9	6.3	514	6.9	0.32	6.3	7.6
2019	36	4.8	0.83	3.3	6.7	510	6.8	0.31	6.2	7.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oral Cavity and Pharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,846	6.6	0.06	6.5	6.7	1,754	6.3	0.15	6.0	6.6
1990	283	5.4	0.33	4.8	6.1	70	9.9	1.20	7.7	12.5
1991	300	6.0	0.36	5.3	6.7	60	7.9	1.04	6.0	10.2
1992	318	6.1	0.35	5.5	6.9	47	6.3	0.92	4.6	8.3
1993	295	5.7	0.34	5.0	6.4	46	6.2	0.91	4.5	8.2
1994	310	5.8	0.33	5.1	6.5	63	8.4	1.07	6.4	10.7
1995	345	6.5	0.35	5.8	7.2	53	6.6	0.92	4.9	8.7
1996	334	6.3	0.35	5.6	7.0	59	7.5	0.98	5.7	9.6
1997	349	6.7	0.36	6.0	7.4	55	6.8	0.93	5.1	8.9
1998	323	6.1	0.34	5.4	6.8	55	6.6	0.90	5.0	8.6
1999	345	6.6	0.36	5.9	7.4	59	6.9	0.91	5.3	8.9
2000	331	6.3	0.35	5.6	7.0	43	4.9	0.76	3.6	6.6
2001	307	5.7	0.33	5.1	6.4	55	6.2	0.84	4.7	8.1
2002	367	6.9	0.36	6.2	7.6	49	5.5	0.80	4.1	7.3
2003	357	6.6	0.35	5.9	7.3	45	5.1	0.76	3.7	6.8
2004	341	6.4	0.35	5.7	7.1	56	6.0	0.81	4.6	7.9
2005	335	6.3	0.35	5.6	7.0	42	4.4	0.68	3.2	6.0
2006	357	6.5	0.35	5.8	7.2	59	6.1	0.80	4.6	7.9
2007	370	6.8	0.36	6.1	7.6	56	5.9	0.79	4.4	7.6
2008	396	7.2	0.37	6.5	7.9	66	6.7	0.83	5.2	8.5
2009	382	7.0	0.37	6.3	7.8	67	6.8	0.85	5.3	8.7
2010	349	6.3	0.35	5.7	7.1	72	7.1	0.85	5.5	9.0
2011	397	7.0	0.36	6.3	7.8	56	5.4	0.73	4.1	7.0
2012	418	7.3	0.37	6.6	8.1	64	6.1	0.78	4.7	7.8
2013	388	6.7	0.35	6.0	7.4	67	6.3	0.79	4.9	8.1
2014	421	7.1	0.36	6.4	7.9	78	7.4	0.86	5.8	9.3
2015	413	7.3	0.37	6.6	8.0	62	5.5	0.71	4.2	7.0
2016	426	7.5	0.38	6.7	8.3	67	6.0	0.75	4.6	7.7
2017	446	7.6	0.38	6.9	8.4	59	5.1	0.68	3.9	6.6
2018	430	7.2	0.36	6.5	7.9	54	4.9	0.68	3.6	6.4
2019	413	6.9	0.36	6.2	7.7	70	6.2	0.76	4.8	7.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lip										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	87	0.4	0.05	0.3	0.5	2,312	0.6	0.01	0.6	0.7
1990	1	0.2	0.23	0.0	1.4	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	1.3	102	1.0	0.09	0.8	1.2
1992	0					96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	1.0	80	0.7	0.08	0.6	0.9
1994	0					94	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	1.0	101	0.9	0.09	0.8	1.1
1996	2	0.6	0.50	0.0	2.2	106	1.0	0.09	0.8	1.2
1997	0					97	0.9	0.09	0.7	1.1
1998	1	0.2	0.16	0.0	1.0	80	0.7	0.08	0.6	0.9
1999	4	0.4	0.21	0.1	1.2	82	0.7	0.08	0.6	0.9
2000	3	0.7	0.47	0.1	2.1	77	0.7	0.08	0.5	0.9
2001	1	0.1	0.14	0.0	0.9	59	0.5	0.07	0.4	0.7
2002	3	0.6	0.39	0.1	1.8	96	0.8	0.08	0.7	1.0
2003	3	0.4	0.21	0.1	1.1	66	0.6	0.07	0.4	0.7
2004	1	0.2	0.24	0.0	1.1	82	0.7	0.08	0.6	0.9
2005	3	0.4	0.20	0.1	1.1	69	0.6	0.07	0.5	0.7
2006	4	0.6	0.34	0.1	1.6	68	0.6	0.07	0.5	0.7
2007	3	0.2	0.13	0.1	0.8	74	0.6	0.07	0.5	0.8
2008	7	0.9	0.39	0.3	1.9	72	0.6	0.07	0.5	0.8
2009	3	0.4	0.27	0.1	1.2	71	0.6	0.07	0.5	0.7
2010	4	0.5	0.25	0.1	1.2	80	0.6	0.07	0.5	0.8
2011	5	0.5	0.25	0.1	1.2	56	0.4	0.06	0.3	0.6
2012	4	0.3	0.13	0.1	0.7	54	0.4	0.06	0.3	0.5
2013	2	0.2	0.16	0.0	0.7	69	0.5	0.06	0.4	0.7
2014	3	0.3	0.20	0.1	0.9	63	0.5	0.06	0.4	0.6
2015	8	0.8	0.29	0.3	1.5	67	0.5	0.06	0.4	0.7
2016	2	0.2	0.12	0.0	0.6	71	0.5	0.06	0.4	0.7
2017	11	0.9	0.30	0.4	1.7	65	0.5	0.06	0.4	0.6
2018	2	0.2	0.11	0.0	0.5	50	0.4	0.05	0.3	0.5
2019	4	0.3	0.16	0.1	0.8	46	0.3	0.05	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lip										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,219	0.7	0.02	0.7	0.8	35	0.1	0.01	0.1	0.1
1990	119	1.3	0.12	1.1	1.5	0				
1991	100	1.1	0.11	0.9	1.3	1	0.1	0.09	0.0	0.5
1992	96	1.0	0.11	0.8	1.3	0				
1993	79	0.9	0.10	0.7	1.1	1	0.1	0.05	0.0	0.3
1994	90	1.0	0.10	0.8	1.2	3	0.3	0.18	0.1	0.8
1995	98	1.0	0.10	0.8	1.3	1	0.1	0.05	0.0	0.3
1996	104	1.1	0.11	0.9	1.3	1	0.1	0.08	0.0	0.4
1997	94	1.0	0.10	0.8	1.2	2	0.2	0.15	0.0	0.7
1998	79	0.8	0.09	0.7	1.0	1	0.1	0.05	0.0	0.3
1999	80	0.8	0.09	0.6	1.0	0				
2000	73	0.8	0.09	0.6	1.0	2	0.1	0.10	0.0	0.5
2001	57	0.6	0.08	0.4	0.8	1	0.1	0.07	0.0	0.4
2002	93	0.9	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4
2003	63	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3
2004	78	0.8	0.09	0.6	1.0	3	0.2	0.11	0.0	0.6
2005	65	0.7	0.08	0.5	0.8	2	0.1	0.08	0.0	0.4
2006	68	0.7	0.09	0.5	0.9	0				
2007	70	0.7	0.08	0.5	0.9	3	0.2	0.12	0.0	0.6
2008	66	0.7	0.08	0.5	0.8	3	0.2	0.12	0.0	0.6
2009	64	0.6	0.08	0.5	0.8	2	0.2	0.11	0.0	0.5
2010	75	0.7	0.08	0.6	0.9	3	0.2	0.10	0.0	0.5
2011	55	0.5	0.07	0.4	0.7	0				
2012	53	0.5	0.07	0.4	0.7	0				
2013	64	0.6	0.07	0.5	0.8	1	0.1	0.07	0.0	0.4
2014	59	0.5	0.07	0.4	0.7	0				
2015	62	0.6	0.08	0.5	0.8	0				
2016	63	0.6	0.07	0.4	0.7	0				
2017	61	0.6	0.08	0.4	0.8	0				
2018	47	0.4	0.06	0.3	0.6	2	0.1	0.09	0.0	0.4
2019	44	0.4	0.06	0.3	0.5	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lip										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	62	0.5	0.08	0.4	0.7	1,791	1.2	0.03	1.1	1.2
1990	1	0.4	0.44	0.0	3.3	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.41	0.0	3.1	87	2.0	0.22	1.6	2.4
1992	0					82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	2.5	69	1.5	0.19	1.2	1.9
1994	0					69	1.5	0.19	1.2	1.9
1995	0					79	1.8	0.21	1.4	2.2
1996	2	1.5	1.34	0.1	5.6	85	1.9	0.20	1.5	2.3
1997	0					79	1.8	0.21	1.4	2.2
1998	1	0.3	0.33	0.0	2.3	63	1.3	0.17	1.0	1.7
1999	3	0.6	0.40	0.1	2.6	70	1.5	0.18	1.2	1.9
2000	1	0.3	0.27	0.0	2.0	65	1.3	0.17	1.0	1.7
2001	1	0.3	0.29	0.0	2.0	44	0.9	0.14	0.7	1.3
2002	2	0.5	0.36	0.0	2.1	67	1.4	0.18	1.1	1.8
2003	2	0.4	0.30	0.0	1.9	48	1.0	0.14	0.7	1.3
2004	1	0.6	0.55	0.0	2.5	64	1.3	0.16	1.0	1.7
2005	1	0.2	0.17	0.0	1.4	58	1.2	0.16	0.9	1.5
2006	3	0.8	0.52	0.1	2.5	49	1.0	0.14	0.7	1.3
2007	3	0.4	0.26	0.1	1.6	55	1.0	0.14	0.8	1.4
2008	4	0.9	0.45	0.2	2.3	48	0.9	0.14	0.7	1.2
2009	2	0.3	0.18	0.0	1.2	53	1.0	0.14	0.8	1.3
2010	4	1.0	0.57	0.2	2.7	59	1.1	0.14	0.8	1.4
2011	2	0.3	0.18	0.0	1.1	42	0.8	0.12	0.6	1.1
2012	4	0.5	0.25	0.1	1.4	42	0.7	0.12	0.5	1.0
2013	2	0.5	0.36	0.0	1.6	48	0.9	0.13	0.6	1.2
2014	2	0.5	0.41	0.0	1.8	44	0.8	0.12	0.5	1.0
2015	5	1.0	0.51	0.3	2.4	50	0.9	0.12	0.6	1.1
2016	1	0.1	0.10	0.0	0.7	57	1.0	0.13	0.7	1.3
2017	9	1.7	0.62	0.7	3.3	47	0.8	0.12	0.6	1.1
2018	1	0.1	0.13	0.0	0.8	37	0.6	0.10	0.4	0.9
2019	3	0.5	0.27	0.1	1.3	35	0.6	0.09	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lip										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,733	1.3	0.03	1.3	1.4	20	0.1	0.03	0.1	0.2
1990	96	2.5	0.26	2.0	3.1	0				
1991	85	2.2	0.24	1.7	2.7	1	0.2	0.20	0.0	1.1
1992	82	2.2	0.24	1.7	2.7	0				
1993	69	1.7	0.21	1.3	2.2	0				
1994	68	1.7	0.21	1.3	2.2	0				
1995	77	2.0	0.23	1.6	2.5	0				
1996	83	2.1	0.23	1.7	2.6	1	0.2	0.20	0.0	1.0
1997	77	2.0	0.23	1.6	2.5	2	0.7	0.47	0.1	2.1
1998	62	1.5	0.20	1.2	2.0	1	0.1	0.12	0.0	0.8
1999	68	1.7	0.21	1.3	2.2	0				
2000	62	1.5	0.19	1.2	1.9	1	0.2	0.19	0.0	1.0
2001	44	1.1	0.17	0.8	1.5	0				
2002	66	1.6	0.20	1.3	2.1	1	0.1	0.12	0.0	0.8
2003	47	1.1	0.16	0.8	1.5	1	0.1	0.12	0.0	0.8
2004	62	1.5	0.19	1.1	1.9	1	0.1	0.13	0.0	0.8
2005	54	1.3	0.18	1.0	1.7	2	0.3	0.18	0.0	1.0
2006	49	1.2	0.17	0.9	1.5	0				
2007	53	1.2	0.16	0.9	1.5	1	0.2	0.22	0.0	1.0
2008	44	1.0	0.15	0.7	1.4	2	0.4	0.26	0.0	1.2
2009	47	1.1	0.16	0.8	1.4	2	0.4	0.26	0.0	1.2
2010	56	1.2	0.17	0.9	1.6	2	0.3	0.20	0.0	1.0
2011	41	0.9	0.14	0.7	1.2	0				
2012	41	0.9	0.14	0.6	1.2	0				
2013	48	1.0	0.15	0.8	1.4	0				
2014	41	0.8	0.13	0.6	1.2	0				
2015	47	1.0	0.15	0.7	1.3	0				
2016	51	1.0	0.15	0.8	1.4	0				
2017	44	0.9	0.14	0.7	1.3	0				
2018	35	0.7	0.12	0.5	1.0	2	0.3	0.22	0.0	1.1
2019	34	0.7	0.11	0.4	0.9	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lip										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	25	0.2	0.05	0.2	0.4	521	0.3	0.01	0.2	0.3
1990	0					23	0.4	0.07	0.2	0.5
1991	0					15	0.2	0.06	0.1	0.4
1992	0					14	0.2	0.05	0.1	0.4
1993	0					11	0.2	0.05	0.1	0.3
1994	0					25	0.4	0.08	0.2	0.6
1995	1	0.3	0.29	0.0	1.9	22	0.3	0.07	0.2	0.5
1996	0					21	0.3	0.07	0.2	0.5
1997	0					18	0.3	0.07	0.2	0.4
1998	0					17	0.3	0.06	0.2	0.4
1999	1	0.1	0.09	0.0	1.3	12	0.2	0.05	0.1	0.3
2000	2	1.0	0.77	0.1	3.3	12	0.2	0.05	0.1	0.3
2001	0					15	0.2	0.06	0.1	0.4
2002	1	0.6	0.60	0.0	2.6	29	0.4	0.08	0.3	0.6
2003	1	0.3	0.29	0.0	1.5	18	0.3	0.06	0.2	0.4
2004	0					18	0.3	0.06	0.2	0.4
2005	2	0.5	0.35	0.1	1.8	11	0.2	0.05	0.1	0.3
2006	1	0.4	0.43	0.0	1.9	19	0.3	0.07	0.2	0.5
2007	0					19	0.3	0.07	0.2	0.4
2008	3	0.9	0.55	0.1	2.4	24	0.4	0.08	0.2	0.6
2009	1	0.4	0.41	0.0	1.7	18	0.2	0.06	0.1	0.4
2010	0					21	0.3	0.07	0.2	0.5
2011	3	0.6	0.39	0.1	1.8	14	0.2	0.05	0.1	0.3
2012	0					12	0.2	0.05	0.1	0.3
2013	0					21	0.3	0.06	0.2	0.5
2014	1	0.2	0.22	0.0	1.0	19	0.2	0.05	0.1	0.4
2015	3	0.5	0.33	0.1	1.5	17	0.2	0.06	0.1	0.4
2016	1	0.2	0.20	0.0	0.9	14	0.2	0.05	0.1	0.3
2017	2	0.3	0.22	0.0	1.1	18	0.2	0.06	0.1	0.4
2018	1	0.2	0.17	0.0	0.8	13	0.2	0.05	0.1	0.3
2019	1	0.2	0.16	0.0	0.8	11	0.2	0.05	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lip										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	486	0.3	0.01	0.3	0.3	15	0.1	0.01	0.0	0.1
1990	23	0.4	0.08	0.3	0.6	0				
1991	15	0.3	0.07	0.2	0.5	0				
1992	14	0.2	0.06	0.1	0.4	0				
1993	10	0.2	0.06	0.1	0.4	1	0.1	0.09	0.0	0.6
1994	22	0.4	0.08	0.2	0.6	3	0.5	0.28	0.1	1.3
1995	21	0.4	0.08	0.2	0.6	1	0.1	0.10	0.0	0.6
1996	21	0.4	0.09	0.2	0.6	0				
1997	17	0.3	0.07	0.2	0.5	0				
1998	17	0.3	0.08	0.2	0.5	0				
1999	12	0.2	0.06	0.1	0.4	0				
2000	11	0.2	0.06	0.1	0.4	1	0.1	0.12	0.0	0.6
2001	13	0.2	0.06	0.1	0.4	1	0.1	0.11	0.0	0.6
2002	27	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2003	16	0.3	0.07	0.2	0.5	0				
2004	16	0.3	0.07	0.2	0.5	2	0.2	0.17	0.0	0.8
2005	11	0.2	0.06	0.1	0.3	0				
2006	19	0.4	0.08	0.2	0.6	0				
2007	17	0.3	0.07	0.2	0.5	2	0.2	0.15	0.0	0.8
2008	22	0.4	0.09	0.3	0.6	1	0.1	0.12	0.0	0.6
2009	17	0.3	0.07	0.2	0.5	0				
2010	19	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6
2011	14	0.2	0.06	0.1	0.4	0				
2012	12	0.2	0.06	0.1	0.4	0				
2013	16	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6
2014	18	0.3	0.06	0.2	0.4	0				
2015	15	0.3	0.07	0.2	0.5	0				
2016	12	0.2	0.05	0.1	0.3	0				
2017	17	0.3	0.07	0.2	0.5	0				
2018	12	0.2	0.05	0.1	0.3	0				
2019	10	0.2	0.06	0.1	0.3	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Tongue										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	489	2.0	0.10	1.8	2.2	11,583	3.2	0.03	3.1	3.3
1990	4	1.1	0.56	0.3	2.8	250	2.4	0.15	2.1	2.7
1991	8	1.8	0.73	0.7	3.9	269	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	1.9	261	2.5	0.15	2.2	2.8
1993	6	1.4	0.65	0.5	3.3	265	2.5	0.15	2.2	2.8
1994	9	2.4	0.90	0.9	4.7	260	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	3.8	276	2.5	0.15	2.3	2.9
1996	14	4.2	1.27	2.1	7.3	283	2.6	0.16	2.3	2.9
1997	15	3.8	1.11	2.0	6.5	327	3.0	0.17	2.7	3.3
1998	9	1.5	0.53	0.7	3.0	264	2.4	0.15	2.1	2.7
1999	10	1.3	0.44	0.6	2.6	322	2.9	0.16	2.6	3.2
2000	7	1.2	0.48	0.4	2.5	299	2.6	0.15	2.4	3.0
2001	7	1.5	0.65	0.5	3.2	284	2.5	0.15	2.2	2.8
2002	10	1.5	0.55	0.7	3.0	345	3.0	0.16	2.7	3.3
2003	15	2.2	0.62	1.1	3.7	328	2.8	0.16	2.5	3.1
2004	16	2.2	0.59	1.2	3.6	369	3.1	0.16	2.8	3.5
2005	11	1.4	0.46	0.6	2.6	386	3.2	0.16	2.9	3.6
2006	12	1.3	0.43	0.6	2.4	363	3.0	0.16	2.7	3.3
2007	14	1.5	0.44	0.8	2.6	443	3.6	0.17	3.3	4.0
2008	18	2.1	0.53	1.1	3.3	411	3.3	0.16	3.0	3.6
2009	19	1.9	0.47	1.1	3.0	413	3.3	0.17	3.0	3.7
2010	22	2.0	0.47	1.2	3.1	397	3.1	0.16	2.8	3.4
2011	28	2.5	0.52	1.6	3.7	449	3.5	0.17	3.2	3.8
2012	19	1.6	0.40	0.9	2.6	516	3.9	0.18	3.6	4.3
2013	20	1.5	0.37	0.9	2.4	521	3.8	0.17	3.5	4.2
2014	21	1.9	0.45	1.1	3.0	538	3.9	0.17	3.6	4.3
2015	29	2.4	0.48	1.6	3.5	537	3.9	0.17	3.6	4.3
2016	29	2.0	0.39	1.3	2.9	533	3.9	0.17	3.5	4.2
2017	29	1.8	0.35	1.2	2.6	608	4.4	0.18	4.0	4.7
2018	39	2.8	0.47	1.9	3.8	544	3.9	0.17	3.5	4.2
2019	37	2.5	0.44	1.7	3.5	522	3.6	0.16	3.3	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Tongue										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	9,924	3.3	0.03	3.3	3.4	1,303	2.7	0.07	2.5	2.8
1990	198	2.2	0.16	1.9	2.5	52	4.2	0.58	3.1	5.5
1991	209	2.4	0.17	2.1	2.7	54	4.3	0.59	3.2	5.6
1992	217	2.4	0.16	2.1	2.7	42	3.3	0.51	2.4	4.5
1993	227	2.5	0.16	2.1	2.8	33	2.6	0.45	1.8	3.6
1994	215	2.3	0.16	2.0	2.7	42	3.2	0.50	2.3	4.3
1995	227	2.4	0.16	2.1	2.8	42	3.0	0.48	2.2	4.1
1996	234	2.5	0.17	2.2	2.9	46	3.3	0.49	2.4	4.4
1997	275	3.0	0.18	2.7	3.4	47	3.5	0.51	2.5	4.6
1998	220	2.4	0.16	2.1	2.7	38	2.7	0.43	1.9	3.7
1999	276	3.0	0.18	2.6	3.3	40	2.6	0.41	1.8	3.5
2000	247	2.6	0.17	2.3	3.0	44	2.9	0.45	2.1	4.0
2001	232	2.4	0.16	2.1	2.8	45	2.8	0.42	2.1	3.8
2002	286	3.0	0.18	2.7	3.4	50	3.1	0.44	2.3	4.1
2003	280	2.9	0.17	2.6	3.3	39	2.5	0.41	1.8	3.4
2004	303	3.1	0.18	2.8	3.5	47	2.9	0.43	2.1	3.9
2005	332	3.4	0.19	3.0	3.7	36	2.2	0.37	1.5	3.1
2006	304	3.1	0.18	2.7	3.4	43	2.4	0.38	1.8	3.3
2007	390	3.9	0.20	3.5	4.3	40	2.3	0.37	1.7	3.2
2008	367	3.6	0.19	3.3	4.0	34	2.0	0.34	1.3	2.7
2009	358	3.5	0.19	3.2	3.9	34	1.9	0.33	1.3	2.7
2010	344	3.3	0.18	2.9	3.7	35	2.0	0.34	1.4	2.8
2011	379	3.6	0.19	3.3	4.0	52	2.9	0.40	2.1	3.8
2012	452	4.2	0.21	3.9	4.7	51	2.8	0.40	2.0	3.7
2013	448	4.1	0.20	3.7	4.5	57	3.0	0.40	2.2	3.9
2014	469	4.2	0.20	3.8	4.6	51	2.8	0.40	2.0	3.7
2015	473	4.3	0.20	3.9	4.7	46	2.4	0.36	1.7	3.2
2016	468	4.2	0.20	3.8	4.7	45	2.2	0.34	1.6	3.0
2017	540	4.9	0.22	4.4	5.3	44	2.2	0.34	1.6	3.0
2018	480	4.3	0.20	3.9	4.7	41	1.9	0.30	1.4	2.6
2019	474	4.1	0.20	3.7	4.5	33	1.6	0.28	1.1	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Tongue										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	326	2.7	0.17	2.4	3.0	7,989	4.8	0.05	4.7	4.9
1990	3	1.9	1.17	0.3	5.8	169	3.7	0.29	3.1	4.3
1991	6	3.3	1.62	0.9	8.0	192	4.3	0.32	3.7	5.0
1992	3	0.8	0.57	0.1	3.6	169	3.6	0.28	3.1	4.2
1993	5	2.7	1.43	0.6	6.9	173	3.6	0.28	3.1	4.2
1994	5	3.7	2.05	0.8	9.3	175	3.7	0.28	3.2	4.3
1995	6	2.4	0.97	0.9	5.4	195	4.1	0.29	3.5	4.7
1996	10	6.6	2.43	2.7	12.7	189	3.9	0.29	3.4	4.5
1997	10	4.9	1.88	1.9	9.7	209	4.3	0.30	3.7	4.9
1998	5	2.0	0.92	0.6	4.8	169	3.4	0.26	2.9	3.9
1999	6	1.7	0.71	0.6	4.0	205	4.0	0.28	3.5	4.6
2000	7	2.4	1.04	0.8	5.4	193	3.8	0.27	3.3	4.4
2001	4	0.9	0.43	0.2	2.6	199	3.8	0.27	3.3	4.4
2002	8	2.5	1.00	0.9	5.2	237	4.5	0.30	4.0	5.1
2003	12	3.9	1.30	1.8	7.2	227	4.3	0.29	3.8	4.9
2004	13	3.8	1.18	1.9	6.8	251	4.6	0.29	4.0	5.2
2005	8	1.9	0.80	0.6	4.1	265	4.8	0.30	4.2	5.4
2006	7	1.4	0.68	0.4	3.4	253	4.5	0.29	4.0	5.1
2007	8	1.6	0.63	0.6	3.4	308	5.4	0.31	4.8	6.1
2008	10	2.5	0.91	1.0	4.9	285	4.9	0.30	4.4	5.5
2009	13	2.7	0.84	1.3	4.8	273	4.7	0.29	4.1	5.3
2010	15	2.7	0.75	1.4	4.6	282	4.7	0.29	4.2	5.3
2011	18	3.2	0.85	1.8	5.3	311	5.1	0.30	4.5	5.7
2012	14	2.3	0.70	1.1	4.1	362	5.9	0.32	5.3	6.6
2013	17	2.5	0.67	1.4	4.2	367	5.8	0.31	5.2	6.4
2014	10	2.0	0.69	0.9	3.7	371	5.8	0.31	5.2	6.4
2015	18	2.9	0.74	1.6	4.6	383	6.0	0.32	5.4	6.7
2016	20	2.7	0.67	1.6	4.4	380	5.8	0.31	5.2	6.4
2017	17	2.3	0.60	1.3	3.8	435	6.7	0.33	6.1	7.4
2018	23	3.3	0.75	2.0	5.1	387	5.9	0.31	5.3	6.5
2019	25	3.4	0.75	2.1	5.2	375	5.5	0.29	4.9	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Tongue										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,808	4.9	0.06	4.8	5.0	955	4.5	0.15	4.3	4.9
1990	130	3.2	0.29	2.7	3.9	39	7.2	1.17	5.1	9.9
1991	144	3.7	0.32	3.1	4.4	43	8.0	1.27	5.7	10.9
1992	137	3.4	0.29	2.8	4.0	30	5.4	0.99	3.6	7.7
1993	144	3.5	0.29	2.9	4.1	25	4.3	0.86	2.7	6.3
1994	145	3.6	0.30	3.0	4.2	29	5.2	1.02	3.4	7.6
1995	159	3.8	0.31	3.3	4.5	30	5.3	1.03	3.5	7.7
1996	155	3.8	0.31	3.2	4.4	34	5.6	0.97	3.8	7.8
1997	171	4.1	0.31	3.5	4.8	34	6.0	1.09	4.1	8.5
1998	134	3.2	0.28	2.7	3.8	29	4.8	0.91	3.2	6.9
1999	174	4.0	0.31	3.5	4.7	29	4.2	0.77	2.8	6.0
2000	156	3.6	0.29	3.1	4.3	35	5.3	0.91	3.7	7.4
2001	161	3.7	0.29	3.2	4.3	36	5.3	0.89	3.7	7.4
2002	192	4.4	0.32	3.8	5.0	38	5.4	0.89	3.8	7.5
2003	191	4.3	0.32	3.8	5.0	30	4.6	0.88	3.0	6.6
2004	200	4.4	0.31	3.8	5.0	38	5.3	0.88	3.7	7.3
2005	227	4.9	0.33	4.3	5.6	29	4.3	0.81	2.8	6.2
2006	213	4.6	0.32	4.0	5.2	28	3.6	0.70	2.4	5.3
2007	267	5.7	0.35	5.0	6.4	33	4.4	0.79	3.0	6.3
2008	256	5.3	0.34	4.7	6.0	23	3.3	0.73	2.0	5.1
2009	236	4.9	0.32	4.3	5.6	22	2.8	0.60	1.7	4.2
2010	246	4.9	0.32	4.3	5.6	24	3.4	0.72	2.1	5.1
2011	263	5.2	0.33	4.6	5.9	37	4.8	0.82	3.3	6.7
2012	313	6.2	0.36	5.5	7.0	40	5.2	0.86	3.7	7.2
2013	318	6.1	0.35	5.4	6.9	39	4.8	0.80	3.3	6.6
2014	329	6.2	0.35	5.5	7.0	31	4.0	0.76	2.7	5.8
2015	338	6.5	0.36	5.8	7.2	33	4.1	0.74	2.8	5.8
2016	333	6.2	0.35	5.6	7.0	34	4.0	0.71	2.7	5.6
2017	386	7.3	0.39	6.6	8.1	34	4.2	0.74	2.8	5.9
2018	342	6.4	0.36	5.7	7.2	31	3.3	0.60	2.2	4.7
2019	348	6.3	0.35	5.6	7.0	18	1.9	0.45	1.1	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Tongue										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	163	1.3	0.11	1.1	1.6	3,594	1.8	0.03	1.8	1.9
1990	1	0.4	0.43	0.0	2.5	81	1.4	0.16	1.1	1.7
1991	2	0.7	0.51	0.1	2.8	77	1.4	0.16	1.1	1.7
1992	1	0.4	0.40	0.0	2.4	92	1.6	0.17	1.3	2.0
1993	1	0.5	0.45	0.0	2.4	92	1.5	0.16	1.2	1.9
1994	4	1.7	0.87	0.4	4.3	85	1.4	0.15	1.1	1.7
1995	2	1.2	0.90	0.1	4.0	81	1.3	0.14	1.0	1.6
1996	4	2.4	1.29	0.6	5.9	94	1.5	0.16	1.2	1.9
1997	5	2.8	1.32	0.9	6.3	118	1.9	0.18	1.6	2.3
1998	4	1.2	0.60	0.3	3.2	95	1.5	0.16	1.2	1.9
1999	4	1.0	0.52	0.2	2.8	117	1.9	0.18	1.6	2.3
2000	0					106	1.7	0.16	1.4	2.0
2001	3	1.8	1.04	0.4	4.6	85	1.3	0.15	1.1	1.7
2002	2	0.7	0.54	0.1	2.5	108	1.7	0.16	1.4	2.1
2003	3	0.7	0.42	0.2	2.2	101	1.6	0.16	1.3	1.9
2004	3	0.7	0.43	0.1	2.2	118	1.8	0.17	1.5	2.2
2005	3	0.9	0.52	0.2	2.5	121	1.8	0.17	1.5	2.2
2006	5	1.2	0.56	0.4	2.8	110	1.7	0.16	1.4	2.0
2007	6	1.4	0.61	0.5	3.1	135	2.1	0.18	1.7	2.4
2008	8	1.7	0.64	0.7	3.4	126	1.9	0.17	1.6	2.3
2009	6	1.2	0.51	0.4	2.6	140	2.1	0.18	1.8	2.5
2010	7	1.3	0.54	0.5	2.8	115	1.7	0.16	1.4	2.0
2011	10	1.8	0.62	0.8	3.4	138	2.0	0.18	1.7	2.4
2012	5	0.9	0.44	0.3	2.2	154	2.2	0.18	1.9	2.6
2013	3	0.5	0.33	0.1	1.6	154	2.1	0.17	1.8	2.5
2014	11	1.8	0.59	0.9	3.3	167	2.3	0.19	2.0	2.7
2015	11	1.9	0.62	0.9	3.5	154	2.1	0.17	1.8	2.5
2016	9	1.3	0.43	0.6	2.4	153	2.2	0.18	1.8	2.5
2017	12	1.4	0.40	0.7	2.4	173	2.3	0.18	2.0	2.7
2018	16	2.3	0.60	1.3	3.7	157	2.1	0.17	1.8	2.5
2019	12	1.7	0.51	0.9	3.0	147	1.9	0.17	1.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Tongue										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,116	1.9	0.03	1.8	2.0	348	1.3	0.07	1.1	1.4
1990	68	1.3	0.16	1.0	1.7	13	1.9	0.52	1.0	3.2
1991	65	1.3	0.17	1.0	1.7	11	1.5	0.46	0.8	2.7
1992	80	1.6	0.18	1.3	2.0	12	1.7	0.50	0.9	3.0
1993	83	1.6	0.18	1.3	2.0	8	1.2	0.43	0.5	2.3
1994	70	1.3	0.16	1.0	1.7	13	1.7	0.47	0.9	2.9
1995	68	1.2	0.15	1.0	1.6	12	1.5	0.43	0.8	2.6
1996	79	1.5	0.17	1.2	1.9	12	1.5	0.44	0.8	2.6
1997	104	2.0	0.20	1.7	2.5	13	1.7	0.47	0.9	2.9
1998	86	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
1999	102	2.0	0.20	1.6	2.4	11	1.3	0.39	0.6	2.3
2000	91	1.7	0.18	1.4	2.1	9	1.1	0.36	0.5	2.0
2001	71	1.3	0.16	1.0	1.7	9	1.0	0.33	0.5	1.9
2002	94	1.8	0.19	1.4	2.2	12	1.3	0.38	0.7	2.3
2003	89	1.7	0.18	1.4	2.1	9	1.0	0.34	0.5	1.9
2004	103	1.9	0.19	1.6	2.4	9	1.0	0.35	0.5	1.9
2005	105	1.9	0.19	1.6	2.4	7	0.7	0.28	0.3	1.5
2006	91	1.7	0.18	1.3	2.1	15	1.6	0.40	0.9	2.6
2007	123	2.3	0.21	1.9	2.7	7	0.7	0.28	0.3	1.5
2008	111	2.1	0.20	1.7	2.5	11	1.1	0.33	0.5	2.0
2009	122	2.3	0.21	1.9	2.7	12	1.3	0.37	0.6	2.2
2010	98	1.8	0.19	1.5	2.2	11	1.0	0.31	0.5	1.9
2011	116	2.1	0.20	1.7	2.5	15	1.5	0.38	0.8	2.4
2012	139	2.5	0.22	2.1	3.0	11	1.0	0.31	0.5	1.9
2013	130	2.2	0.20	1.8	2.6	18	1.7	0.40	1.0	2.7
2014	140	2.4	0.21	2.0	2.9	20	1.9	0.43	1.2	3.0
2015	135	2.3	0.21	1.9	2.8	13	1.1	0.32	0.6	2.0
2016	135	2.4	0.22	2.0	2.9	11	0.9	0.29	0.5	1.7
2017	154	2.6	0.22	2.2	3.1	10	0.8	0.26	0.4	1.6
2018	138	2.3	0.21	1.9	2.8	10	0.9	0.29	0.4	1.7
2019	126	2.1	0.20	1.8	2.6	15	1.3	0.34	0.7	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Salivary Gland										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	241	0.9	0.07	0.8	1.0	4,475	1.3	0.02	1.2	1.3
1990	7	1.7	0.75	0.5	3.8	91	0.9	0.09	0.7	1.1
1991	2	0.4	0.28	0.0	1.6	97	0.9	0.09	0.8	1.1
1992	1	0.1	0.14	0.0	1.2	115	1.1	0.10	0.9	1.3
1993	4	0.7	0.41	0.2	2.1	112	1.0	0.10	0.9	1.3
1994	3	0.6	0.48	0.1	2.2	131	1.2	0.11	1.0	1.4
1995	2	0.3	0.22	0.0	1.3	133	1.2	0.11	1.0	1.5
1996	9	3.0	1.09	1.3	5.7	132	1.2	0.11	1.0	1.4
1997	14	2.7	0.86	1.3	4.8	142	1.3	0.11	1.1	1.5
1998	6	1.0	0.44	0.3	2.3	134	1.2	0.10	1.0	1.4
1999	4	0.5	0.26	0.1	1.4	147	1.3	0.11	1.1	1.5
2000	6	0.5	0.25	0.2	1.4	132	1.2	0.10	1.0	1.4
2001	4	0.4	0.20	0.1	1.1	133	1.2	0.10	1.0	1.4
2002	11	1.1	0.40	0.4	2.2	142	1.2	0.10	1.0	1.5
2003	8	1.5	0.66	0.5	3.2	135	1.2	0.10	1.0	1.4
2004	5	0.6	0.31	0.2	1.5	131	1.1	0.10	1.0	1.4
2005	3	0.2	0.12	0.0	0.7	129	1.1	0.10	0.9	1.3
2006	5	0.4	0.19	0.1	1.0	144	1.2	0.10	1.0	1.5
2007	12	1.2	0.41	0.5	2.2	161	1.4	0.11	1.2	1.6
2008	8	0.8	0.31	0.3	1.6	145	1.2	0.10	1.0	1.4
2009	16	1.5	0.43	0.8	2.6	163	1.4	0.11	1.2	1.6
2010	7	0.4	0.16	0.2	0.9	168	1.4	0.11	1.2	1.6
2011	5	0.4	0.17	0.1	0.9	163	1.3	0.11	1.1	1.6
2012	12	1.2	0.36	0.6	2.0	198	1.6	0.12	1.4	1.8
2013	7	0.7	0.27	0.2	1.4	164	1.3	0.11	1.1	1.6
2014	11	0.9	0.29	0.4	1.7	181	1.4	0.11	1.2	1.6
2015	14	0.9	0.27	0.5	1.6	188	1.5	0.11	1.3	1.7
2016	10	0.7	0.25	0.3	1.4	187	1.5	0.11	1.3	1.7
2017	18	1.3	0.32	0.7	2.1	185	1.4	0.11	1.2	1.6
2018	12	0.9	0.28	0.4	1.6	199	1.5	0.11	1.3	1.8
2019	15	1.0	0.29	0.6	1.8	193	1.5	0.11	1.3	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Salivary Gland										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,720	1.3	0.02	1.2	1.3	580	1.2	0.05	1.1	1.3
1990	84	0.9	0.10	0.7	1.2	6	0.4	0.18	0.2	1.0
1991	81	0.9	0.10	0.7	1.1	15	1.1	0.29	0.6	1.8
1992	103	1.1	0.11	0.9	1.4	10	0.8	0.25	0.4	1.4
1993	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1994	115	1.2	0.12	1.0	1.5	12	0.9	0.25	0.4	1.5
1995	112	1.2	0.11	1.0	1.5	16	1.2	0.30	0.6	1.9
1996	113	1.2	0.11	1.0	1.5	15	1.0	0.27	0.6	1.7
1997	123	1.3	0.12	1.1	1.6	14	1.0	0.26	0.5	1.6
1998	111	1.2	0.11	1.0	1.4	16	1.1	0.28	0.6	1.8
1999	132	1.4	0.12	1.2	1.7	12	0.8	0.25	0.4	1.5
2000	116	1.2	0.11	1.0	1.5	13	0.8	0.23	0.4	1.4
2001	114	1.2	0.11	1.0	1.4	12	0.7	0.22	0.4	1.3
2002	125	1.3	0.12	1.1	1.6	12	0.8	0.23	0.4	1.4
2003	120	1.2	0.11	1.0	1.5	13	0.8	0.21	0.4	1.3
2004	107	1.1	0.11	0.9	1.4	19	1.1	0.26	0.7	1.8
2005	115	1.2	0.11	1.0	1.5	12	0.7	0.19	0.3	1.2
2006	118	1.2	0.11	1.0	1.5	20	1.2	0.27	0.7	1.9
2007	135	1.4	0.12	1.1	1.6	20	1.2	0.26	0.7	1.8
2008	114	1.2	0.11	0.9	1.4	25	1.5	0.30	0.9	2.2
2009	136	1.4	0.12	1.2	1.6	21	1.3	0.29	0.8	2.0
2010	131	1.3	0.12	1.1	1.6	26	1.6	0.33	1.1	2.4
2011	137	1.4	0.12	1.1	1.6	17	1.0	0.24	0.6	1.6
2012	159	1.6	0.13	1.3	1.8	29	1.6	0.29	1.0	2.2
2013	126	1.2	0.11	1.0	1.5	29	1.6	0.31	1.1	2.4
2014	141	1.3	0.12	1.1	1.6	33	1.9	0.33	1.3	2.7
2015	152	1.5	0.12	1.2	1.7	26	1.3	0.26	0.9	2.0
2016	150	1.5	0.13	1.2	1.7	33	1.8	0.32	1.3	2.6
2017	152	1.4	0.12	1.2	1.7	26	1.3	0.27	0.9	2.0
2018	159	1.5	0.12	1.3	1.8	25	1.4	0.28	0.9	2.0
2019	148	1.4	0.12	1.2	1.7	35	1.9	0.33	1.3	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Salivary Gland										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	116	1.0	0.11	0.8	1.2	2,546	1.7	0.03	1.6	1.7
1990	3	1.6	1.09	0.2	5.4	57	1.4	0.19	1.0	1.8
1991	0					53	1.2	0.16	0.9	1.5
1992	0					66	1.5	0.19	1.2	1.9
1993	1	0.3	0.31	0.0	2.7	65	1.4	0.17	1.1	1.8
1994	0					68	1.6	0.20	1.2	2.0
1995	0					75	1.7	0.19	1.3	2.1
1996	3	1.9	1.22	0.3	5.6	74	1.6	0.19	1.3	2.0
1997	5	2.0	0.92	0.6	4.8	76	1.6	0.19	1.3	2.0
1998	2	0.4	0.31	0.0	2.3	75	1.6	0.18	1.2	2.0
1999	3	0.8	0.46	0.2	2.8	82	1.7	0.19	1.4	2.1
2000	2	0.3	0.24	0.0	2.0	78	1.6	0.18	1.3	2.0
2001	0					80	1.7	0.19	1.3	2.1
2002	8	1.8	0.84	0.6	4.3	81	1.7	0.19	1.3	2.1
2003	4	2.4	1.41	0.5	6.2	77	1.6	0.18	1.2	2.0
2004	3	0.8	0.57	0.1	2.7	76	1.6	0.18	1.2	2.0
2005	1	0.2	0.18	0.0	1.4	70	1.4	0.16	1.1	1.7
2006	3	0.6	0.35	0.1	1.9	75	1.5	0.17	1.2	1.9
2007	6	1.5	0.70	0.5	3.5	96	1.9	0.20	1.5	2.3
2008	6	1.4	0.66	0.4	3.3	82	1.6	0.17	1.2	1.9
2009	8	1.6	0.68	0.5	3.4	95	1.8	0.19	1.4	2.2
2010	5	0.6	0.27	0.2	1.6	92	1.7	0.18	1.4	2.1
2011	2	0.3	0.21	0.0	1.2	102	1.9	0.19	1.6	2.4
2012	7	1.5	0.62	0.6	3.2	112	2.0	0.20	1.7	2.5
2013	4	1.0	0.55	0.2	2.5	93	1.7	0.18	1.4	2.1
2014	4	0.8	0.46	0.2	2.1	100	1.7	0.18	1.4	2.1
2015	5	1.0	0.51	0.3	2.4	123	2.1	0.20	1.8	2.6
2016	8	1.2	0.50	0.4	2.6	95	1.6	0.17	1.3	2.0
2017	9	1.0	0.36	0.5	2.1	100	1.7	0.17	1.4	2.1
2018	6	1.0	0.47	0.3	2.3	112	1.9	0.18	1.6	2.3
2019	8	1.0	0.39	0.4	2.1	116	2.0	0.19	1.6	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Salivary Gland										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,171	1.7	0.04	1.6	1.8	285	1.4	0.09	1.2	1.6
1990	53	1.5	0.21	1.1	2.0	3	0.5	0.28	0.1	1.5
1991	45	1.1	0.17	0.8	1.5	8	1.4	0.50	0.6	2.8
1992	60	1.6	0.21	1.2	2.0	5	1.0	0.46	0.3	2.3
1993	54	1.3	0.18	1.0	1.7	10	1.9	0.62	0.9	3.5
1994	63	1.7	0.22	1.3	2.2	4	0.6	0.30	0.2	1.6
1995	69	1.8	0.22	1.4	2.2	4	0.6	0.31	0.2	1.6
1996	63	1.6	0.21	1.2	2.1	8	1.3	0.47	0.5	2.6
1997	66	1.6	0.20	1.3	2.1	7	1.3	0.54	0.5	2.7
1998	63	1.6	0.20	1.2	2.0	8	1.4	0.55	0.6	2.9
1999	74	1.8	0.21	1.4	2.3	7	1.3	0.52	0.5	2.7
2000	68	1.7	0.20	1.3	2.1	9	1.3	0.43	0.6	2.5
2001	71	1.7	0.21	1.3	2.2	4	0.8	0.44	0.2	2.0
2002	72	1.7	0.21	1.4	2.2	7	1.0	0.37	0.4	2.0
2003	69	1.7	0.20	1.3	2.1	7	0.9	0.35	0.4	1.9
2004	64	1.6	0.20	1.2	2.0	9	1.4	0.47	0.6	2.6
2005	62	1.4	0.18	1.1	1.9	7	0.9	0.36	0.4	1.9
2006	65	1.5	0.19	1.2	2.0	6	0.8	0.32	0.3	1.7
2007	82	1.9	0.22	1.5	2.4	11	1.4	0.44	0.7	2.6
2008	66	1.5	0.19	1.2	1.9	12	1.8	0.57	0.9	3.3
2009	84	1.9	0.21	1.5	2.4	9	1.3	0.47	0.6	2.5
2010	77	1.7	0.19	1.3	2.1	10	1.8	0.59	0.9	3.3
2011	85	1.9	0.21	1.5	2.4	12	1.6	0.49	0.8	2.9
2012	89	2.0	0.22	1.6	2.5	18	2.2	0.55	1.3	3.6
2013	71	1.6	0.19	1.2	2.0	18	2.4	0.58	1.4	3.9
2014	81	1.7	0.20	1.3	2.1	15	1.8	0.47	1.0	3.0
2015	102	2.2	0.22	1.8	2.6	15	2.0	0.53	1.1	3.3
2016	81	1.7	0.20	1.4	2.2	11	1.3	0.39	0.6	2.3
2017	87	1.8	0.20	1.4	2.2	10	1.1	0.38	0.5	2.2
2018	93	1.9	0.20	1.5	2.3	12	1.6	0.48	0.8	2.8
2019	92	1.9	0.21	1.5	2.4	19	2.4	0.56	1.4	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Salivary Gland										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	125	0.9	0.09	0.7	1.1	1,929	1.0	0.02	1.0	1.1
1990	4	1.8	1.01	0.4	4.9	34	0.6	0.10	0.4	0.8
1991	2	0.7	0.56	0.1	3.0	44	0.8	0.12	0.5	1.0
1992	1	0.3	0.30	0.0	2.1	49	0.9	0.12	0.6	1.1
1993	3	1.1	0.71	0.2	3.5	47	0.8	0.12	0.6	1.1
1994	3	1.2	0.81	0.2	3.7	63	1.0	0.13	0.8	1.3
1995	2	0.6	0.46	0.1	2.5	58	1.0	0.13	0.7	1.2
1996	6	3.7	1.58	1.3	7.8	58	0.9	0.12	0.7	1.2
1997	9	3.2	1.26	1.2	6.5	66	1.1	0.14	0.9	1.4
1998	4	1.4	0.76	0.3	3.7	59	1.0	0.13	0.7	1.3
1999	1	0.2	0.23	0.0	1.6	65	1.1	0.13	0.8	1.4
2000	4	0.8	0.43	0.2	2.3	54	0.9	0.12	0.7	1.2
2001	4	0.7	0.39	0.2	2.2	53	0.9	0.12	0.6	1.1
2002	3	0.4	0.22	0.1	1.5	61	1.0	0.13	0.7	1.3
2003	4	1.0	0.64	0.2	2.9	58	0.9	0.12	0.7	1.2
2004	2	0.5	0.33	0.1	1.7	55	0.9	0.12	0.7	1.2
2005	2	0.2	0.15	0.0	1.1	59	0.9	0.12	0.7	1.2
2006	2	0.2	0.18	0.0	1.2	69	1.1	0.13	0.8	1.4
2007	6	0.9	0.46	0.2	2.3	65	1.0	0.13	0.8	1.3
2008	2	0.3	0.20	0.0	1.2	63	1.0	0.12	0.7	1.2
2009	8	1.5	0.56	0.6	3.0	68	1.0	0.13	0.8	1.3
2010	2	0.2	0.16	0.0	1.0	76	1.2	0.15	1.0	1.6
2011	3	0.4	0.25	0.1	1.3	61	0.9	0.12	0.7	1.2
2012	5	0.9	0.41	0.3	2.0	86	1.3	0.14	1.0	1.6
2013	3	0.4	0.25	0.1	1.3	71	1.1	0.13	0.8	1.4
2014	7	1.1	0.42	0.4	2.2	81	1.2	0.13	0.9	1.5
2015	9	1.0	0.32	0.4	1.9	65	1.0	0.13	0.7	1.3
2016	2	0.3	0.21	0.0	1.0	92	1.4	0.15	1.1	1.7
2017	9	1.4	0.50	0.6	2.7	85	1.3	0.14	1.0	1.6
2018	6	0.8	0.34	0.3	1.8	87	1.3	0.15	1.0	1.6
2019	7	1.0	0.40	0.4	2.1	77	1.2	0.14	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Salivary Gland										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,549	1.0	0.03	0.9	1.0	295	1.1	0.06	0.9	1.2
1990	31	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.2
1991	36	0.7	0.13	0.5	1.0	7	0.8	0.32	0.3	1.7
1992	43	0.9	0.14	0.6	1.2	5	0.7	0.30	0.2	1.5
1993	37	0.7	0.12	0.5	1.0	8	1.0	0.37	0.4	2.0
1994	52	1.0	0.14	0.8	1.3	8	1.0	0.36	0.4	2.0
1995	43	0.8	0.13	0.6	1.1	12	1.5	0.44	0.8	2.6
1996	50	0.9	0.13	0.7	1.2	7	0.9	0.32	0.3	1.8
1997	57	1.1	0.15	0.9	1.5	7	0.8	0.30	0.3	1.7
1998	48	0.9	0.14	0.7	1.3	8	0.9	0.33	0.4	1.8
1999	58	1.1	0.15	0.9	1.5	5	0.6	0.25	0.2	1.3
2000	48	1.0	0.14	0.7	1.3	4	0.4	0.22	0.1	1.1
2001	43	0.8	0.13	0.6	1.1	8	0.8	0.30	0.4	1.7
2002	53	1.0	0.14	0.8	1.4	5	0.6	0.27	0.2	1.4
2003	51	0.9	0.13	0.7	1.2	6	0.6	0.26	0.2	1.4
2004	43	0.8	0.13	0.6	1.1	10	1.0	0.33	0.5	1.9
2005	53	1.1	0.15	0.8	1.4	5	0.5	0.22	0.2	1.2
2006	53	1.0	0.14	0.7	1.3	14	1.5	0.40	0.8	2.5
2007	53	1.0	0.14	0.7	1.3	9	1.0	0.32	0.4	1.8
2008	48	0.9	0.13	0.6	1.2	13	1.3	0.37	0.7	2.3
2009	52	1.0	0.14	0.7	1.3	12	1.3	0.38	0.7	2.3
2010	54	1.1	0.15	0.8	1.4	16	1.7	0.42	0.9	2.7
2011	52	1.0	0.14	0.7	1.3	5	0.5	0.23	0.2	1.2
2012	70	1.3	0.16	1.0	1.6	11	1.0	0.31	0.5	1.9
2013	55	1.1	0.15	0.8	1.4	11	1.0	0.30	0.5	1.8
2014	60	1.0	0.14	0.8	1.4	18	1.9	0.45	1.1	3.0
2015	50	1.0	0.14	0.7	1.3	11	0.9	0.29	0.5	1.7
2016	69	1.3	0.17	1.0	1.7	22	2.2	0.48	1.4	3.4
2017	65	1.2	0.16	0.9	1.6	16	1.5	0.37	0.8	2.4
2018	66	1.2	0.16	0.9	1.6	13	1.3	0.36	0.7	2.2
2019	56	1.1	0.15	0.8	1.4	16	1.6	0.41	0.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Floor of Mouth										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	92	0.4	0.04	0.3	0.5	2,985	0.8	0.02	0.8	0.9
1990	3	0.7	0.40	0.1	2.1	126	1.3	0.11	1.1	1.5
1991	2	0.4	0.30	0.1	1.7	134	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	2.3	123	1.2	0.11	1.0	1.4
1993	4	1.3	0.63	0.3	3.1	103	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	2.3	120	1.1	0.10	0.9	1.4
1995	1	0.2	0.18	0.0	1.1	132	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	1.6	125	1.2	0.11	1.0	1.4
1997	6	1.8	0.81	0.5	3.9	103	0.9	0.09	0.8	1.1
1998	5	0.7	0.33	0.2	1.8	101	0.9	0.09	0.7	1.1
1999	6	0.8	0.34	0.3	1.9	93	0.8	0.09	0.7	1.0
2000	4	0.5	0.25	0.1	1.4	122	1.1	0.10	0.9	1.3
2001	9	1.5	0.60	0.6	3.1	107	0.9	0.09	0.8	1.1
2002	1	0.1	0.12	0.0	0.8	92	0.8	0.08	0.7	1.0
2003	1	0.1	0.11	0.0	0.7	95	0.8	0.08	0.7	1.0
2004	3	0.4	0.23	0.1	1.1	96	0.8	0.08	0.7	1.0
2005	1	0.1	0.06	0.0	0.6	75	0.6	0.07	0.5	0.8
2006	4	0.4	0.18	0.1	1.0	101	0.8	0.08	0.7	1.0
2007	3	0.4	0.25	0.1	1.2	85	0.7	0.07	0.6	0.9
2008	4	0.5	0.24	0.1	1.2	106	0.8	0.08	0.7	1.0
2009	1	0.1	0.08	0.0	0.5	104	0.8	0.08	0.7	1.0
2010	1	0.1	0.07	0.0	0.5	80	0.6	0.07	0.5	0.8
2011	2	0.1	0.09	0.0	0.5	90	0.7	0.07	0.5	0.8
2012	3	0.3	0.19	0.1	0.9	94	0.7	0.07	0.6	0.9
2013	1	0.1	0.09	0.0	0.5	100	0.7	0.07	0.6	0.9
2014	2	0.1	0.08	0.0	0.5	80	0.6	0.06	0.5	0.7
2015	4	0.4	0.22	0.1	1.0	96	0.7	0.07	0.6	0.9
2016	2	0.2	0.15	0.0	0.7	80	0.6	0.07	0.5	0.7
2017	3	0.2	0.12	0.0	0.6	74	0.5	0.06	0.4	0.6
2018	3	0.2	0.15	0.0	0.7	73	0.5	0.06	0.4	0.7
2019	2	0.1	0.07	0.0	0.4	75	0.5	0.06	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Floor of Mouth										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,400	0.8	0.02	0.8	0.8	539	1.1	0.05	1.0	1.2
1990	100	1.2	0.12	1.0	1.4	25	2.0	0.41	1.3	3.0
1991	107	1.2	0.11	1.0	1.4	26	2.0	0.39	1.3	2.9
1992	93	1.0	0.11	0.8	1.3	29	2.2	0.42	1.5	3.2
1993	82	0.9	0.10	0.7	1.1	20	1.5	0.33	0.9	2.3
1994	89	1.0	0.10	0.8	1.2	31	2.4	0.44	1.6	3.4
1995	107	1.2	0.11	1.0	1.4	24	1.7	0.35	1.1	2.6
1996	96	1.1	0.11	0.9	1.3	28	2.1	0.40	1.4	3.0
1997	82	0.9	0.10	0.7	1.1	19	1.3	0.30	0.8	2.0
1998	82	0.9	0.10	0.7	1.1	18	1.2	0.29	0.7	1.9
1999	71	0.8	0.09	0.6	1.0	20	1.3	0.30	0.8	2.0
2000	93	1.0	0.10	0.8	1.2	28	1.8	0.35	1.2	2.7
2001	91	1.0	0.10	0.8	1.2	16	1.0	0.24	0.6	1.6
2002	77	0.8	0.09	0.6	1.0	13	0.8	0.24	0.4	1.5
2003	77	0.8	0.09	0.6	1.0	18	1.1	0.25	0.6	1.7
2004	74	0.8	0.09	0.6	1.0	18	1.1	0.26	0.6	1.7
2005	61	0.6	0.08	0.5	0.8	12	0.7	0.22	0.4	1.3
2006	82	0.8	0.09	0.7	1.0	18	1.1	0.26	0.6	1.7
2007	69	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5
2008	87	0.8	0.09	0.7	1.0	18	1.0	0.23	0.6	1.5
2009	82	0.8	0.09	0.6	1.0	21	1.2	0.26	0.7	1.8
2010	63	0.6	0.07	0.4	0.8	15	0.8	0.21	0.4	1.3
2011	76	0.7	0.08	0.5	0.9	13	0.6	0.18	0.3	1.1
2012	73	0.7	0.08	0.5	0.8	20	1.2	0.26	0.7	1.8
2013	80	0.7	0.08	0.6	0.9	18	0.9	0.20	0.5	1.4
2014	60	0.5	0.07	0.4	0.7	16	0.9	0.23	0.5	1.5
2015	86	0.8	0.09	0.6	1.0	7	0.4	0.13	0.1	0.7
2016	72	0.7	0.08	0.5	0.8	6	0.3	0.13	0.1	0.7
2017	64	0.6	0.07	0.4	0.7	9	0.4	0.13	0.2	0.7
2018	65	0.6	0.07	0.4	0.7	6	0.3	0.14	0.1	0.8
2019	59	0.5	0.07	0.4	0.7	12	0.6	0.17	0.3	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Floor of Mouth										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	70	0.5	0.07	0.4	0.7	2,102	1.3	0.03	1.2	1.3
1990	3	1.4	0.81	0.3	4.6	95	2.2	0.23	1.8	2.7
1991	1	0.4	0.42	0.0	3.1	92	1.9	0.20	1.5	2.4
1992	3	1.3	0.77	0.3	4.3	85	1.9	0.21	1.5	2.3
1993	3	2.0	1.18	0.4	5.7	76	1.6	0.18	1.2	2.0
1994	3	1.2	0.70	0.2	4.0	84	1.7	0.19	1.4	2.2
1995	1	0.4	0.36	0.0	2.6	95	2.0	0.21	1.6	2.4
1996	3	1.0	0.61	0.2	3.5	95	2.0	0.20	1.6	2.4
1997	5	3.3	1.85	0.7	8.3	66	1.4	0.17	1.0	1.7
1998	3	0.9	0.51	0.2	3.0	76	1.5	0.17	1.2	1.9
1999	6	1.6	0.67	0.6	3.9	65	1.3	0.16	1.0	1.6
2000	4	1.0	0.52	0.3	3.0	90	1.8	0.19	1.4	2.2
2001	7	1.7	0.68	0.7	3.9	79	1.5	0.17	1.2	1.9
2002	1	0.2	0.23	0.0	1.8	56	1.1	0.14	0.8	1.4
2003	1	0.2	0.21	0.0	1.6	67	1.2	0.15	1.0	1.6
2004	2	0.6	0.45	0.0	2.3	70	1.3	0.15	1.0	1.6
2005	1	0.1	0.11	0.0	1.3	53	1.0	0.13	0.7	1.3
2006	2	0.3	0.24	0.0	1.5	71	1.3	0.15	1.0	1.6
2007	3	0.9	0.56	0.1	2.6	55	1.0	0.13	0.7	1.2
2008	4	1.0	0.51	0.2	2.5	69	1.2	0.14	0.9	1.5
2009	1	0.2	0.15	0.0	1.1	74	1.3	0.15	1.0	1.6
2010	1	0.1	0.14	0.0	1.0	54	0.9	0.12	0.6	1.1
2011	2	0.3	0.18	0.0	1.1	63	1.0	0.13	0.7	1.3
2012	2	0.5	0.42	0.1	1.9	66	1.0	0.13	0.8	1.3
2013	1	0.2	0.18	0.0	1.0	76	1.2	0.14	0.9	1.5
2014	2	0.2	0.15	0.0	0.9	60	0.9	0.12	0.7	1.2
2015	1	0.3	0.25	0.0	1.2	68	1.1	0.13	0.8	1.4
2016	1	0.2	0.23	0.0	1.1	48	0.8	0.12	0.6	1.1
2017	1	0.2	0.21	0.0	1.0	49	0.7	0.10	0.5	1.0
2018	2	0.4	0.30	0.0	1.3	52	0.8	0.11	0.6	1.1
2019	0					53	0.7	0.10	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Floor of Mouth										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,662	1.2	0.03	1.1	1.3	405	1.9	0.10	1.7	2.1
1990	75	2.0	0.24	1.6	2.5	19	3.6	0.84	2.2	5.7
1991	75	1.8	0.21	1.4	2.3	16	2.8	0.70	1.6	4.5
1992	61	1.6	0.21	1.2	2.0	23	4.3	0.95	2.7	6.6
1993	58	1.4	0.18	1.1	1.8	17	2.9	0.71	1.7	4.6
1994	61	1.5	0.19	1.1	1.9	23	4.3	0.95	2.7	6.5
1995	75	1.8	0.21	1.5	2.3	19	3.2	0.73	1.9	5.0
1996	72	1.8	0.21	1.4	2.2	22	3.6	0.78	2.3	5.5
1997	50	1.2	0.17	0.9	1.6	14	2.1	0.57	1.2	3.6
1998	59	1.4	0.18	1.0	1.8	16	2.5	0.63	1.4	4.1
1999	48	1.1	0.16	0.8	1.5	15	2.3	0.60	1.3	3.8
2000	67	1.6	0.19	1.2	2.0	22	3.4	0.73	2.1	5.2
2001	66	1.5	0.19	1.2	1.9	13	1.8	0.49	0.9	3.1
2002	45	1.0	0.15	0.8	1.4	10	1.4	0.46	0.7	2.7
2003	52	1.2	0.16	0.9	1.5	15	2.0	0.53	1.1	3.4
2004	50	1.1	0.16	0.8	1.4	16	2.4	0.64	1.3	4.0
2005	43	0.9	0.14	0.7	1.3	9	1.1	0.38	0.5	2.2
2006	57	1.2	0.16	0.9	1.6	13	1.8	0.50	0.9	3.1
2007	42	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.3
2008	57	1.2	0.16	0.9	1.5	11	1.3	0.42	0.7	2.5
2009	57	1.2	0.16	0.9	1.5	17	2.2	0.56	1.3	3.6
2010	43	0.8	0.13	0.6	1.1	9	1.1	0.35	0.5	2.0
2011	53	1.0	0.14	0.7	1.3	10	1.1	0.36	0.5	2.1
2012	52	0.9	0.13	0.7	1.2	13	1.7	0.50	0.9	3.0
2013	60	1.1	0.15	0.9	1.5	14	1.6	0.42	0.8	2.7
2014	48	0.9	0.13	0.6	1.2	9	1.3	0.46	0.6	2.5
2015	63	1.2	0.16	0.9	1.6	3	0.3	0.19	0.1	1.0
2016	43	0.9	0.14	0.6	1.2	4	0.5	0.24	0.1	1.2
2017	42	0.8	0.12	0.5	1.0	7	0.7	0.25	0.3	1.4
2018	45	0.8	0.13	0.6	1.1	5	0.7	0.33	0.2	1.7
2019	43	0.8	0.12	0.5	1.0	8	0.9	0.34	0.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Floor of Mouth										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	22	0.2	0.04	0.1	0.3	883	0.4	0.02	0.4	0.5
1990	0					31	0.5	0.10	0.4	0.8
1991	1	0.4	0.41	0.0	2.4	42	0.7	0.11	0.5	1.0
1992	1	0.4	0.40	0.0	2.4	38	0.6	0.10	0.4	0.9
1993	1	0.6	0.61	0.0	2.9	27	0.5	0.09	0.3	0.7
1994	1	0.6	0.58	0.0	2.8	36	0.6	0.10	0.4	0.8
1995	0					37	0.6	0.10	0.4	0.8
1996	0					30	0.5	0.09	0.3	0.7
1997	1	0.7	0.66	0.0	2.9	37	0.6	0.10	0.4	0.8
1998	2	0.6	0.43	0.1	2.3	25	0.4	0.08	0.3	0.6
1999	0					28	0.5	0.09	0.3	0.7
2000	0					32	0.5	0.09	0.4	0.7
2001	2	1.1	0.82	0.1	3.5	28	0.4	0.08	0.3	0.6
2002	0					36	0.6	0.09	0.4	0.8
2003	0					28	0.5	0.09	0.3	0.7
2004	1	0.2	0.19	0.0	1.2	26	0.4	0.08	0.3	0.6
2005	0					22	0.3	0.07	0.2	0.5
2006	2	0.4	0.27	0.1	1.5	30	0.5	0.08	0.3	0.7
2007	0					30	0.4	0.08	0.3	0.6
2008	0					37	0.5	0.09	0.4	0.8
2009	0					30	0.4	0.08	0.3	0.6
2010	0					26	0.4	0.08	0.3	0.6
2011	0					27	0.4	0.07	0.3	0.6
2012	1	0.1	0.13	0.0	0.8	28	0.4	0.08	0.3	0.6
2013	0					24	0.3	0.07	0.2	0.5
2014	0					20	0.3	0.06	0.2	0.4
2015	3	0.6	0.33	0.1	1.6	28	0.4	0.07	0.2	0.6
2016	1	0.2	0.20	0.0	0.9	32	0.4	0.08	0.3	0.6
2017	2	0.2	0.16	0.0	0.8	25	0.3	0.07	0.2	0.5
2018	1	0.1	0.13	0.0	0.7	21	0.3	0.06	0.2	0.4
2019	2	0.2	0.15	0.0	0.8	22	0.3	0.06	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Floor of Mouth										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	738	0.5	0.02	0.4	0.5	134	0.5	0.04	0.4	0.6
1990	25	0.5	0.10	0.3	0.7	6	0.8	0.33	0.3	1.7
1991	32	0.6	0.11	0.4	0.9	10	1.4	0.43	0.6	2.5
1992	32	0.6	0.10	0.4	0.8	6	0.8	0.32	0.3	1.7
1993	24	0.5	0.10	0.3	0.7	3	0.4	0.22	0.1	1.1
1994	28	0.5	0.10	0.4	0.8	8	1.1	0.39	0.5	2.2
1995	32	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.4
1996	24	0.5	0.09	0.3	0.7	6	0.8	0.35	0.3	1.8
1997	32	0.6	0.11	0.4	0.9	5	0.6	0.29	0.2	1.5
1998	23	0.4	0.09	0.3	0.7	2	0.2	0.17	0.0	0.9
1999	23	0.5	0.10	0.3	0.7	5	0.6	0.26	0.2	1.4
2000	26	0.5	0.10	0.3	0.7	6	0.7	0.28	0.3	1.5
2001	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	1.0
2002	32	0.6	0.11	0.4	0.9	3	0.4	0.21	0.1	1.0
2003	25	0.5	0.10	0.3	0.7	3	0.3	0.18	0.1	0.9
2004	24	0.5	0.09	0.3	0.7	2	0.2	0.14	0.0	0.8
2005	18	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2006	25	0.5	0.09	0.3	0.7	5	0.5	0.24	0.2	1.2
2007	27	0.5	0.09	0.3	0.7	2	0.2	0.13	0.0	0.7
2008	30	0.5	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4
2009	25	0.4	0.09	0.3	0.7	4	0.4	0.20	0.1	1.0
2010	20	0.4	0.08	0.2	0.6	6	0.6	0.25	0.2	1.3
2011	23	0.4	0.09	0.3	0.6	3	0.2	0.14	0.1	0.8
2012	21	0.4	0.08	0.2	0.6	7	0.7	0.28	0.3	1.5
2013	20	0.3	0.08	0.2	0.5	4	0.3	0.16	0.1	0.9
2014	12	0.2	0.06	0.1	0.4	7	0.6	0.25	0.3	1.3
2015	23	0.4	0.08	0.2	0.6	4	0.4	0.18	0.1	0.9
2016	29	0.5	0.09	0.3	0.7	2	0.2	0.15	0.0	0.7
2017	22	0.4	0.08	0.2	0.6	2	0.2	0.10	0.0	0.6
2018	20	0.3	0.08	0.2	0.6	1	0.1	0.07	0.0	0.5
2019	16	0.3	0.07	0.2	0.5	4	0.4	0.18	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gum and Other Mouth										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	296	1.3	0.08	1.1	1.5	6,293	1.7	0.02	1.7	1.8
1990	4	0.9	0.44	0.2	2.4	182	1.8	0.13	1.5	2.1
1991	7	1.2	0.48	0.4	2.7	154	1.5	0.12	1.2	1.7
1992	0					172	1.6	0.12	1.4	1.9
1993	6	1.9	0.91	0.6	4.3	177	1.7	0.13	1.4	1.9
1994	6	1.4	0.71	0.4	3.4	163	1.5	0.12	1.3	1.8
1995	2	0.7	0.59	0.0	2.5	198	1.8	0.13	1.6	2.1
1996	8	2.1	0.91	0.7	4.5	195	1.8	0.13	1.5	2.0
1997	9	1.6	0.59	0.7	3.2	190	1.7	0.12	1.5	2.0
1998	6	2.0	0.93	0.6	4.4	175	1.6	0.12	1.3	1.8
1999	7	0.9	0.37	0.3	2.0	201	1.8	0.13	1.6	2.1
2000	5	0.8	0.48	0.1	2.2	188	1.7	0.12	1.4	1.9
2001	5	1.1	0.52	0.3	2.5	194	1.7	0.12	1.5	2.0
2002	5	1.0	0.51	0.3	2.4	203	1.8	0.12	1.5	2.0
2003	10	1.7	0.60	0.7	3.2	213	1.8	0.12	1.6	2.1
2004	11	1.5	0.50	0.7	2.8	216	1.8	0.13	1.6	2.1
2005	3	0.3	0.15	0.1	0.9	189	1.6	0.12	1.4	1.8
2006	9	1.4	0.54	0.5	2.7	206	1.7	0.12	1.5	2.0
2007	14	1.4	0.46	0.6	2.6	192	1.6	0.12	1.4	1.8
2008	17	1.8	0.48	1.0	2.9	241	1.9	0.13	1.7	2.2
2009	12	0.9	0.28	0.5	1.7	226	1.8	0.12	1.6	2.1
2010	19	2.1	0.56	1.2	3.5	236	1.9	0.12	1.6	2.1
2011	11	0.9	0.29	0.4	1.6	252	1.9	0.12	1.7	2.2
2012	12	1.4	0.43	0.7	2.4	226	1.7	0.12	1.5	2.0
2013	15	1.8	0.48	1.0	2.9	224	1.7	0.12	1.5	1.9
2014	7	0.7	0.28	0.2	1.4	249	1.9	0.12	1.6	2.1
2015	21	1.7	0.40	1.0	2.6	257	1.9	0.12	1.7	2.2
2016	12	0.9	0.26	0.4	1.5	247	1.8	0.12	1.6	2.0
2017	20	1.6	0.37	0.9	2.5	249	1.8	0.12	1.6	2.1
2018	14	1.1	0.31	0.6	1.8	222	1.6	0.11	1.4	1.8
2019	19	1.4	0.34	0.8	2.2	256	1.8	0.11	1.6	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gum and Other Mouth										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,140	1.7	0.02	1.6	1.7	858	1.8	0.06	1.7	1.9
1990	142	1.6	0.13	1.3	1.9	38	3.3	0.55	2.3	4.6
1991	129	1.4	0.12	1.2	1.7	24	1.8	0.37	1.1	2.7
1992	146	1.6	0.13	1.3	1.9	24	1.9	0.40	1.2	2.9
1993	150	1.6	0.13	1.4	1.9	24	1.9	0.39	1.2	2.8
1994	139	1.5	0.13	1.3	1.8	21	1.6	0.36	1.0	2.5
1995	164	1.8	0.14	1.5	2.0	30	2.3	0.43	1.6	3.3
1996	159	1.7	0.13	1.4	2.0	29	2.0	0.38	1.4	2.9
1997	160	1.7	0.13	1.4	2.0	28	2.0	0.39	1.3	3.0
1998	149	1.6	0.13	1.3	1.8	23	1.7	0.36	1.1	2.5
1999	162	1.7	0.13	1.5	2.0	34	2.5	0.43	1.7	3.5
2000	167	1.7	0.13	1.5	2.0	16	1.1	0.26	0.6	1.7
2001	164	1.7	0.13	1.4	2.0	25	1.7	0.34	1.1	2.5
2002	159	1.6	0.13	1.4	1.9	37	2.5	0.41	1.7	3.4
2003	172	1.7	0.13	1.5	2.0	33	2.2	0.38	1.5	3.0
2004	171	1.7	0.13	1.5	2.0	36	2.3	0.39	1.6	3.2
2005	156	1.6	0.13	1.3	1.8	22	1.3	0.28	0.8	2.0
2006	169	1.7	0.13	1.4	2.0	26	1.5	0.30	1.0	2.2
2007	148	1.5	0.12	1.3	1.8	36	2.2	0.37	1.5	3.0
2008	189	1.8	0.14	1.6	2.1	38	2.2	0.37	1.6	3.1
2009	185	1.8	0.14	1.6	2.1	30	1.7	0.32	1.2	2.5
2010	185	1.8	0.13	1.5	2.1	38	2.1	0.34	1.4	2.8
2011	209	1.9	0.14	1.7	2.2	26	1.5	0.30	1.0	2.2
2012	189	1.8	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1
2013	189	1.7	0.13	1.5	2.0	24	1.4	0.28	0.9	2.0
2014	204	1.9	0.13	1.6	2.2	30	1.6	0.30	1.1	2.3
2015	200	1.8	0.13	1.6	2.1	36	1.9	0.33	1.3	2.7
2016	197	1.8	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1
2017	208	1.9	0.13	1.6	2.1	21	1.0	0.23	0.6	1.6
2018	186	1.6	0.12	1.4	1.8	19	1.0	0.22	0.6	1.5
2019	193	1.7	0.12	1.4	1.9	36	1.8	0.31	1.2	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gum and Other Mouth										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	183	1.7	0.15	1.4	2.0	3,521	2.2	0.04	2.1	2.3
1990	3	1.2	0.69	0.2	4.2	113	2.6	0.25	2.1	3.1
1991	5	2.0	0.93	0.7	5.3	82	1.8	0.20	1.4	2.2
1992	0					95	2.1	0.22	1.7	2.6
1993	4	2.7	1.89	0.3	8.1	97	2.1	0.22	1.7	2.6
1994	2	0.7	0.47	0.1	3.1	91	1.9	0.21	1.6	2.4
1995	0					104	2.2	0.21	1.8	2.6
1996	5	1.9	1.14	0.4	5.4	112	2.4	0.23	1.9	2.8
1997	7	2.8	1.22	0.9	6.2	111	2.4	0.23	1.9	2.8
1998	4	3.4	1.98	0.7	8.7	100	2.0	0.20	1.7	2.5
1999	3	0.9	0.58	0.1	3.1	112	2.3	0.22	1.9	2.7
2000	2	1.2	1.09	0.0	4.5	95	1.9	0.20	1.6	2.4
2001	3	1.1	0.65	0.2	3.3	105	2.1	0.21	1.7	2.6
2002	1	0.5	0.46	0.0	2.3	107	2.1	0.21	1.7	2.6
2003	7	2.9	1.26	1.0	6.2	110	2.1	0.21	1.8	2.6
2004	8	2.2	0.88	0.9	4.6	118	2.3	0.21	1.9	2.7
2005	3	0.5	0.29	0.1	1.8	104	2.0	0.20	1.6	2.4
2006	6	2.0	1.02	0.5	4.7	112	2.1	0.20	1.7	2.5
2007	10	1.9	0.71	0.7	3.8	106	2.0	0.19	1.6	2.4
2008	12	2.8	0.91	1.3	5.1	132	2.3	0.21	1.9	2.8
2009	5	0.9	0.41	0.3	2.2	130	2.2	0.20	1.9	2.7
2010	11	3.1	1.02	1.4	5.6	136	2.4	0.21	2.0	2.8
2011	4	0.6	0.32	0.2	1.7	148	2.5	0.21	2.1	2.9
2012	8	1.9	0.78	0.7	3.9	126	2.1	0.19	1.7	2.5
2013	6	1.7	0.75	0.6	3.7	139	2.3	0.20	1.9	2.8
2014	5	0.8	0.42	0.2	2.1	139	2.3	0.20	1.9	2.7
2015	14	2.3	0.70	1.1	4.1	153	2.4	0.20	2.0	2.9
2016	9	1.1	0.39	0.5	2.2	140	2.2	0.19	1.9	2.6
2017	10	1.6	0.55	0.7	3.0	141	2.2	0.19	1.8	2.6
2018	12	1.9	0.61	0.9	3.5	120	1.9	0.18	1.5	2.3
2019	14	2.2	0.64	1.2	3.8	143	2.2	0.19	1.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gum and Other Mouth										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,796	2.1	0.04	2.0	2.1	518	2.6	0.12	2.4	2.8
1990	87	2.3	0.25	1.8	2.8	24	5.3	1.15	3.3	8.0
1991	65	1.6	0.21	1.3	2.1	17	3.0	0.76	1.7	4.9
1992	79	2.0	0.23	1.6	2.5	14	2.9	0.84	1.5	5.0
1993	80	2.0	0.23	1.6	2.5	16	3.0	0.76	1.7	4.9
1994	73	1.8	0.21	1.4	2.3	15	2.8	0.76	1.5	4.7
1995	79	1.9	0.21	1.5	2.4	22	4.0	0.89	2.4	6.1
1996	92	2.3	0.24	1.8	2.8	17	2.8	0.67	1.6	4.4
1997	95	2.3	0.24	1.9	2.9	16	2.7	0.70	1.5	4.4
1998	85	2.0	0.22	1.6	2.5	12	2.1	0.65	1.1	3.8
1999	90	2.2	0.23	1.7	2.7	20	3.2	0.75	1.9	5.0
2000	85	2.0	0.22	1.6	2.5	9	1.4	0.46	0.6	2.6
2001	90	2.2	0.23	1.7	2.7	11	1.6	0.48	0.8	2.9
2002	78	1.8	0.21	1.4	2.3	24	3.9	0.85	2.4	5.9
2003	86	2.0	0.22	1.6	2.5	21	3.0	0.66	1.8	4.6
2004	92	2.1	0.22	1.7	2.6	20	3.3	0.81	2.0	5.3
2005	84	1.9	0.21	1.5	2.4	14	1.8	0.50	1.0	3.1
2006	86	1.9	0.21	1.5	2.4	17	2.4	0.59	1.4	3.8
2007	79	1.8	0.20	1.4	2.2	20	2.9	0.69	1.7	4.6
2008	97	2.1	0.21	1.7	2.5	26	3.5	0.71	2.2	5.2
2009	103	2.1	0.21	1.7	2.6	18	2.5	0.63	1.4	4.0
2010	105	2.2	0.22	1.8	2.7	23	3.0	0.67	1.8	4.6
2011	119	2.4	0.22	2.0	2.9	16	2.2	0.58	1.2	3.7
2012	104	2.1	0.21	1.7	2.6	13	1.6	0.46	0.8	2.8
2013	114	2.3	0.22	1.9	2.8	16	2.1	0.53	1.2	3.4
2014	111	2.3	0.22	1.9	2.7	16	2.2	0.58	1.2	3.7
2015	114	2.2	0.21	1.8	2.6	27	3.5	0.70	2.3	5.2
2016	108	2.1	0.20	1.7	2.5	15	2.2	0.59	1.2	3.6
2017	117	2.2	0.21	1.8	2.6	9	1.0	0.35	0.5	2.0
2018	97	1.8	0.19	1.5	2.2	10	1.2	0.38	0.6	2.2
2019	102	1.9	0.19	1.5	2.3	20	2.4	0.56	1.4	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gum and Other Mouth										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	113	0.9	0.10	0.8	1.1	2,772	1.4	0.03	1.3	1.4
1990	1	0.5	0.52	0.0	2.8	69	1.2	0.14	0.9	1.5
1991	2	0.3	0.24	0.0	2.1	72	1.2	0.14	0.9	1.5
1992	0					77	1.2	0.14	1.0	1.5
1993	2	1.4	0.99	0.2	4.4	80	1.3	0.15	1.1	1.7
1994	4	1.8	1.09	0.4	5.0	72	1.1	0.13	0.9	1.4
1995	2	1.1	0.92	0.1	4.0	94	1.5	0.15	1.2	1.8
1996	3	2.0	1.22	0.4	5.4	83	1.3	0.14	1.0	1.6
1997	2	0.7	0.47	0.1	2.5	79	1.2	0.14	1.0	1.6
1998	2	1.1	0.88	0.1	3.8	75	1.2	0.14	0.9	1.5
1999	4	0.9	0.49	0.2	2.6	89	1.4	0.15	1.1	1.7
2000	3	0.6	0.38	0.1	2.1	93	1.4	0.15	1.2	1.8
2001	2	1.0	0.72	0.1	3.2	89	1.3	0.14	1.1	1.6
2002	4	1.4	0.81	0.3	3.7	96	1.4	0.15	1.2	1.7
2003	3	0.7	0.46	0.1	2.2	103	1.5	0.15	1.3	1.9
2004	3	0.9	0.55	0.2	2.6	98	1.5	0.15	1.2	1.8
2005	0					85	1.3	0.14	1.0	1.6
2006	3	0.9	0.57	0.1	2.5	94	1.4	0.14	1.1	1.7
2007	4	0.9	0.54	0.2	2.5	86	1.3	0.14	1.0	1.6
2008	5	0.9	0.45	0.2	2.2	109	1.5	0.15	1.3	1.9
2009	7	1.0	0.38	0.4	2.1	96	1.4	0.15	1.2	1.8
2010	8	1.4	0.58	0.5	3.0	100	1.4	0.15	1.2	1.7
2011	7	1.1	0.45	0.4	2.4	104	1.4	0.14	1.2	1.7
2012	4	1.0	0.49	0.2	2.3	100	1.4	0.14	1.1	1.7
2013	9	1.9	0.64	0.8	3.5	85	1.2	0.13	0.9	1.5
2014	2	0.5	0.37	0.1	1.6	110	1.5	0.14	1.2	1.8
2015	7	1.2	0.47	0.4	2.4	104	1.4	0.14	1.1	1.7
2016	3	0.6	0.33	0.1	1.5	107	1.4	0.14	1.2	1.8
2017	10	1.5	0.51	0.7	2.8	108	1.5	0.15	1.2	1.8
2018	2	0.3	0.25	0.0	1.1	102	1.3	0.13	1.0	1.6
2019	5	0.7	0.32	0.2	1.6	113	1.4	0.14	1.2	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gum and Other Mouth										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,344	1.4	0.03	1.3	1.4	340	1.2	0.07	1.1	1.4
1990	55	1.0	0.14	0.8	1.4	14	2.1	0.56	1.1	3.5
1991	64	1.2	0.16	0.9	1.6	7	0.9	0.34	0.4	1.8
1992	67	1.2	0.15	0.9	1.6	10	1.3	0.42	0.6	2.4
1993	70	1.4	0.17	1.1	1.7	8	1.1	0.38	0.5	2.1
1994	66	1.2	0.14	0.9	1.5	6	0.8	0.34	0.3	1.8
1995	85	1.6	0.17	1.2	1.9	8	1.1	0.39	0.5	2.1
1996	67	1.2	0.15	0.9	1.5	12	1.5	0.42	0.8	2.5
1997	65	1.2	0.15	0.9	1.5	12	1.5	0.45	0.8	2.6
1998	64	1.2	0.15	0.9	1.5	11	1.4	0.42	0.7	2.5
1999	72	1.4	0.16	1.1	1.7	14	1.8	0.48	1.0	3.0
2000	82	1.5	0.17	1.2	1.9	7	0.8	0.31	0.3	1.7
2001	74	1.3	0.15	1.0	1.6	14	1.7	0.46	0.9	2.8
2002	81	1.4	0.16	1.1	1.7	13	1.5	0.41	0.8	2.5
2003	86	1.5	0.17	1.2	1.9	12	1.4	0.42	0.7	2.5
2004	79	1.4	0.16	1.1	1.8	16	1.7	0.43	1.0	2.8
2005	72	1.3	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7
2006	83	1.5	0.16	1.2	1.8	9	0.9	0.30	0.4	1.7
2007	69	1.3	0.15	1.0	1.6	16	1.7	0.43	1.0	2.8
2008	92	1.6	0.17	1.3	1.9	12	1.3	0.37	0.6	2.2
2009	82	1.5	0.17	1.2	1.9	12	1.3	0.37	0.6	2.2
2010	80	1.4	0.16	1.1	1.7	15	1.4	0.37	0.8	2.3
2011	90	1.5	0.16	1.2	1.9	10	1.0	0.31	0.5	1.8
2012	85	1.4	0.16	1.1	1.8	14	1.3	0.35	0.7	2.2
2013	75	1.2	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7
2014	93	1.5	0.16	1.2	1.9	14	1.2	0.34	0.7	2.1
2015	86	1.5	0.16	1.2	1.8	9	0.8	0.27	0.4	1.6
2016	89	1.5	0.17	1.2	1.9	12	1.0	0.29	0.5	1.8
2017	91	1.5	0.17	1.2	1.9	12	1.0	0.30	0.5	1.8
2018	89	1.4	0.15	1.1	1.7	9	0.8	0.26	0.3	1.5
2019	91	1.4	0.16	1.2	1.8	16	1.4	0.36	0.8	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Nasopharynx										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	109	0.4	0.04	0.3	0.4	2,035	0.6	0.01	0.6	0.6
1990	2	0.3	0.23	0.0	1.5	70	0.7	0.08	0.5	0.9
1991	2	0.5	0.32	0.1	1.7	59	0.6	0.08	0.4	0.7
1992	1	0.5	0.50	0.0	2.2	45	0.4	0.06	0.3	0.6
1993	1	0.1	0.10	0.0	1.0	62	0.6	0.08	0.5	0.8
1994	3	0.6	0.37	0.1	1.8	67	0.6	0.08	0.5	0.8
1995	1	0.2	0.21	0.0	1.2	77	0.7	0.08	0.6	0.9
1996	1	0.3	0.28	0.0	1.4	63	0.6	0.07	0.4	0.7
1997	5	0.7	0.34	0.2	1.8	67	0.6	0.08	0.5	0.8
1998	2	0.1	0.09	0.0	0.9	69	0.6	0.08	0.5	0.8
1999	2	0.2	0.14	0.0	1.0	62	0.6	0.07	0.4	0.7
2000	3	0.6	0.49	0.1	2.1	76	0.7	0.08	0.5	0.9
2001	2	0.1	0.06	0.0	0.7	62	0.6	0.07	0.4	0.7
2002	5	0.6	0.27	0.2	1.4	68	0.6	0.07	0.5	0.8
2003	2	0.7	0.48	0.1	2.0	68	0.6	0.07	0.5	0.8
2004	1	0.1	0.10	0.0	0.7	76	0.7	0.08	0.5	0.8
2005	5	0.4	0.21	0.1	1.1	62	0.5	0.07	0.4	0.7
2006	5	0.4	0.19	0.1	1.1	73	0.6	0.07	0.5	0.8
2007	7	0.8	0.33	0.3	1.7	64	0.5	0.07	0.4	0.7
2008	5	0.6	0.31	0.1	1.5	60	0.5	0.06	0.4	0.6
2009	3	0.2	0.09	0.0	0.6	76	0.6	0.07	0.5	0.8
2010	7	0.6	0.28	0.2	1.4	76	0.6	0.07	0.5	0.8
2011	4	0.2	0.11	0.1	0.6	73	0.6	0.07	0.5	0.7
2012	5	0.3	0.12	0.1	0.7	73	0.6	0.07	0.5	0.7
2013	5	0.4	0.19	0.1	0.9	68	0.6	0.07	0.4	0.7
2014	2	0.1	0.07	0.0	0.4	67	0.5	0.06	0.4	0.7
2015	4	0.2	0.12	0.1	0.6	81	0.7	0.07	0.5	0.8
2016	5	0.4	0.18	0.1	0.9	75	0.6	0.07	0.4	0.7
2017	4	0.2	0.11	0.1	0.6	70	0.5	0.07	0.4	0.7
2018	9	0.5	0.16	0.2	0.9	68	0.6	0.07	0.4	0.7
2019	6	0.3	0.14	0.1	0.7	58	0.5	0.06	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Nasopharynx										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,287	0.4	0.01	0.4	0.5	422	0.8	0.04	0.8	0.9
1990	51	0.6	0.08	0.4	0.8	15	1.1	0.31	0.6	1.9
1991	41	0.5	0.07	0.3	0.6	12	1.0	0.30	0.5	1.7
1992	32	0.4	0.06	0.2	0.5	6	0.3	0.14	0.1	0.8
1993	42	0.5	0.07	0.3	0.7	11	0.8	0.23	0.4	1.4
1994	45	0.5	0.07	0.4	0.7	12	0.8	0.25	0.4	1.5
1995	63	0.7	0.09	0.5	0.9	7	0.5	0.19	0.2	1.0
1996	39	0.4	0.07	0.3	0.6	18	1.2	0.30	0.7	2.0
1997	39	0.4	0.07	0.3	0.6	16	1.0	0.24	0.5	1.6
1998	42	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6
1999	35	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2000	48	0.5	0.08	0.4	0.7	16	1.0	0.26	0.6	1.6
2001	41	0.4	0.07	0.3	0.6	16	0.9	0.22	0.5	1.4
2002	44	0.5	0.07	0.3	0.6	16	1.0	0.25	0.6	1.6
2003	48	0.5	0.07	0.4	0.7	12	0.7	0.20	0.4	1.2
2004	44	0.5	0.07	0.3	0.6	20	1.2	0.27	0.7	1.9
2005	44	0.5	0.07	0.3	0.6	8	0.5	0.19	0.2	1.0
2006	48	0.5	0.07	0.4	0.7	6	0.3	0.14	0.1	0.8
2007	38	0.4	0.06	0.3	0.5	14	0.8	0.21	0.4	1.3
2008	37	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2009	43	0.4	0.07	0.3	0.6	20	1.1	0.25	0.7	1.7
2010	44	0.4	0.07	0.3	0.6	17	0.9	0.23	0.5	1.5
2011	46	0.5	0.07	0.3	0.6	19	1.0	0.22	0.6	1.5
2012	40	0.4	0.06	0.3	0.5	17	1.0	0.24	0.6	1.5
2013	41	0.4	0.06	0.3	0.5	11	0.7	0.20	0.3	1.2
2014	38	0.3	0.06	0.2	0.5	16	0.9	0.22	0.5	1.4
2015	44	0.4	0.07	0.3	0.6	17	0.8	0.20	0.5	1.3
2016	44	0.4	0.06	0.3	0.5	17	0.9	0.22	0.5	1.4
2017	45	0.4	0.07	0.3	0.6	15	0.7	0.19	0.4	1.2
2018	41	0.4	0.07	0.3	0.6	9	0.5	0.15	0.2	0.9
2019	40	0.4	0.07	0.3	0.6	10	0.5	0.15	0.2	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Nasopharynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	69	0.5	0.07	0.4	0.7	1,397	0.9	0.02	0.8	0.9
1990	0					49	1.0	0.15	0.8	1.4
1991	1	0.4	0.37	0.0	3.0	36	0.8	0.13	0.6	1.1
1992	0					27	0.6	0.12	0.4	0.9
1993	1	0.2	0.18	0.0	2.5	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	2.8	45	1.0	0.14	0.7	1.3
1995	1	0.5	0.45	0.0	2.8	52	1.0	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	3.2	40	0.8	0.13	0.6	1.1
1997	4	1.3	0.67	0.3	3.7	51	1.0	0.14	0.8	1.3
1998	0					37	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	1.8	35	0.7	0.12	0.5	1.0
2000	1	0.2	0.23	0.0	1.9	52	1.0	0.14	0.7	1.3
2001	1	0.1	0.10	0.0	1.6	41	0.8	0.12	0.6	1.1
2002	3	0.8	0.50	0.2	2.7	50	1.0	0.14	0.7	1.3
2003	2	1.7	1.23	0.2	5.2	51	1.0	0.14	0.7	1.3
2004	1	0.2	0.20	0.0	1.5	55	1.0	0.14	0.8	1.3
2005	2	0.4	0.31	0.0	1.8	43	0.8	0.12	0.6	1.1
2006	4	0.7	0.34	0.2	2.0	49	0.9	0.13	0.7	1.2
2007	7	1.7	0.72	0.6	3.7	46	0.8	0.12	0.6	1.1
2008	3	1.0	0.74	0.1	3.2	41	0.7	0.12	0.5	1.0
2009	1	0.1	0.07	0.0	1.0	46	0.8	0.12	0.6	1.1
2010	4	1.1	0.60	0.3	2.8	59	1.0	0.13	0.7	1.3
2011	3	0.3	0.18	0.1	1.2	53	0.9	0.13	0.7	1.2
2012	3	0.3	0.18	0.1	1.1	57	0.9	0.13	0.7	1.2
2013	3	0.4	0.24	0.1	1.3	57	1.0	0.13	0.7	1.3
2014	2	0.2	0.13	0.0	0.9	44	0.7	0.12	0.5	1.0
2015	0					52	0.9	0.12	0.6	1.2
2016	4	0.7	0.39	0.2	1.9	52	0.8	0.12	0.6	1.1
2017	3	0.4	0.21	0.1	1.1	48	0.8	0.12	0.6	1.1
2018	7	0.8	0.30	0.3	1.7	45	0.8	0.12	0.6	1.0
2019	4	0.4	0.18	0.1	1.0	39	0.7	0.11	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Nasopharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	886	0.7	0.02	0.6	0.7	292	1.4	0.08	1.2	1.5
1990	38	0.9	0.15	0.7	1.3	10	1.8	0.62	0.8	3.5
1991	26	0.6	0.13	0.4	0.9	8	1.9	0.70	0.8	3.7
1992	17	0.5	0.11	0.3	0.7	4	0.5	0.28	0.1	1.5
1993	30	0.7	0.14	0.5	1.1	9	1.4	0.47	0.6	2.7
1994	34	0.9	0.15	0.6	1.2	5	0.9	0.40	0.3	2.1
1995	40	0.9	0.15	0.7	1.3	6	1.1	0.47	0.4	2.4
1996	22	0.5	0.11	0.3	0.8	13	2.1	0.65	1.1	3.8
1997	30	0.7	0.13	0.5	1.0	14	1.8	0.49	1.0	3.1
1998	21	0.5	0.11	0.3	0.8	11	1.4	0.44	0.7	2.6
1999	22	0.5	0.11	0.3	0.8	9	1.1	0.37	0.5	2.1
2000	35	0.8	0.14	0.6	1.1	10	1.5	0.51	0.7	2.9
2001	26	0.6	0.12	0.4	0.9	10	1.2	0.39	0.6	2.3
2002	31	0.7	0.13	0.5	1.0	12	1.7	0.50	0.9	3.0
2003	36	0.8	0.14	0.6	1.2	11	1.4	0.44	0.7	2.6
2004	31	0.7	0.12	0.5	1.0	16	2.4	0.64	1.3	3.9
2005	33	0.7	0.13	0.5	1.0	6	1.0	0.43	0.4	2.2
2006	34	0.8	0.13	0.5	1.1	3	0.4	0.26	0.1	1.3
2007	28	0.6	0.12	0.4	0.9	11	1.5	0.49	0.7	2.8
2008	25	0.5	0.11	0.3	0.8	10	1.5	0.51	0.7	2.9
2009	28	0.6	0.11	0.4	0.9	11	1.4	0.43	0.7	2.5
2010	36	0.7	0.12	0.5	1.0	12	1.5	0.44	0.8	2.6
2011	32	0.7	0.12	0.5	1.0	15	1.7	0.44	0.9	2.8
2012	32	0.7	0.12	0.4	0.9	12	1.5	0.44	0.8	2.6
2013	34	0.7	0.12	0.5	1.0	8	1.1	0.42	0.5	2.3
2014	25	0.5	0.10	0.3	0.7	9	1.3	0.43	0.6	2.4
2015	28	0.6	0.11	0.4	0.9	11	1.2	0.36	0.6	2.1
2016	30	0.5	0.10	0.4	0.8	14	1.6	0.44	0.9	2.7
2017	30	0.7	0.12	0.4	0.9	9	1.0	0.33	0.4	1.9
2018	26	0.5	0.11	0.3	0.8	5	0.6	0.26	0.2	1.4
2019	26	0.6	0.11	0.4	0.8	8	0.9	0.31	0.4	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Nasopharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	40	0.2	0.04	0.2	0.3	638	0.3	0.01	0.3	0.4
1990	2	0.6	0.46	0.1	2.7	21	0.4	0.08	0.2	0.6
1991	1	0.5	0.50	0.0	2.7	23	0.4	0.09	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	18	0.3	0.08	0.2	0.5
1993	0					17	0.3	0.07	0.2	0.5
1994	1	0.6	0.58	0.0	2.8	22	0.4	0.09	0.3	0.6
1995	0					25	0.4	0.09	0.3	0.6
1996	0					23	0.4	0.08	0.2	0.6
1997	1	0.2	0.22	0.0	1.7	16	0.3	0.07	0.2	0.4
1998	2	0.3	0.19	0.0	1.6	32	0.5	0.09	0.4	0.7
1999	1	0.3	0.26	0.0	1.7	27	0.5	0.09	0.3	0.7
2000	2	0.8	0.75	0.0	3.2	24	0.4	0.08	0.3	0.6
2001	1	0.1	0.09	0.0	1.2	21	0.4	0.08	0.2	0.5
2002	2	0.4	0.26	0.0	1.6	18	0.3	0.07	0.2	0.5
2003	0					17	0.3	0.07	0.2	0.5
2004	0					21	0.3	0.07	0.2	0.5
2005	3	0.5	0.30	0.1	1.6	19	0.3	0.07	0.2	0.5
2006	1	0.2	0.17	0.0	1.1	24	0.4	0.07	0.2	0.5
2007	0					18	0.3	0.07	0.2	0.5
2008	2	0.3	0.22	0.0	1.2	19	0.3	0.07	0.2	0.5
2009	2	0.2	0.16	0.0	1.0	30	0.5	0.08	0.3	0.7
2010	3	0.3	0.17	0.1	1.1	17	0.3	0.07	0.2	0.4
2011	1	0.1	0.13	0.0	0.8	20	0.3	0.07	0.2	0.5
2012	2	0.2	0.15	0.0	0.9	16	0.2	0.06	0.1	0.4
2013	2	0.4	0.27	0.0	1.3	11	0.2	0.06	0.1	0.3
2014	0					23	0.3	0.07	0.2	0.5
2015	4	0.5	0.24	0.1	1.3	29	0.4	0.08	0.3	0.6
2016	1	0.1	0.07	0.0	0.6	23	0.4	0.08	0.2	0.5
2017	1	0.1	0.08	0.0	0.6	22	0.3	0.07	0.2	0.5
2018	2	0.2	0.14	0.0	0.8	23	0.3	0.08	0.2	0.5
2019	2	0.3	0.19	0.0	0.9	19	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Nasopharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	401	0.3	0.01	0.2	0.3	130	0.5	0.04	0.4	0.5
1990	13	0.3	0.08	0.2	0.5	5	0.7	0.30	0.2	1.6
1991	15	0.3	0.08	0.2	0.5	4	0.4	0.23	0.1	1.2
1992	15	0.3	0.08	0.2	0.5	2	0.2	0.13	0.0	0.8
1993	12	0.2	0.07	0.1	0.4	2	0.3	0.18	0.0	0.9
1994	11	0.2	0.07	0.1	0.4	7	0.8	0.32	0.3	1.7
1995	23	0.5	0.10	0.3	0.7	1	0.1	0.12	0.0	0.7
1996	17	0.3	0.08	0.2	0.5	5	0.6	0.28	0.2	1.4
1997	9	0.2	0.06	0.1	0.4	2	0.3	0.18	0.0	0.9
1998	21	0.4	0.09	0.3	0.6	6	0.6	0.26	0.2	1.4
1999	13	0.3	0.07	0.1	0.4	7	0.8	0.29	0.3	1.6
2000	13	0.3	0.07	0.1	0.5	6	0.7	0.27	0.2	1.4
2001	15	0.3	0.08	0.2	0.5	6	0.6	0.25	0.2	1.4
2002	13	0.2	0.07	0.1	0.4	4	0.4	0.22	0.1	1.1
2003	12	0.2	0.07	0.1	0.4	1	0.1	0.09	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1
2005	11	0.2	0.07	0.1	0.4	2	0.2	0.13	0.0	0.7
2006	14	0.2	0.07	0.1	0.4	3	0.3	0.17	0.1	0.9
2007	10	0.2	0.06	0.1	0.4	3	0.3	0.18	0.1	0.9
2008	12	0.2	0.07	0.1	0.4	6	0.6	0.24	0.2	1.3
2009	15	0.3	0.07	0.2	0.5	9	0.9	0.30	0.4	1.7
2010	8	0.2	0.06	0.1	0.4	5	0.5	0.23	0.2	1.2
2011	14	0.3	0.07	0.1	0.5	4	0.4	0.20	0.1	1.0
2012	8	0.1	0.05	0.1	0.3	5	0.6	0.25	0.2	1.3
2013	7	0.1	0.05	0.1	0.3	3	0.4	0.20	0.1	1.0
2014	13	0.2	0.07	0.1	0.4	7	0.6	0.23	0.2	1.3
2015	16	0.3	0.08	0.2	0.5	6	0.6	0.23	0.2	1.2
2016	14	0.3	0.08	0.1	0.5	3	0.3	0.17	0.1	0.9
2017	15	0.2	0.06	0.1	0.4	6	0.5	0.22	0.2	1.2
2018	15	0.3	0.08	0.2	0.5	4	0.4	0.19	0.1	1.0
2019	14	0.3	0.09	0.2	0.5	2	0.2	0.11	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oropharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	77	0.3	0.04	0.2	0.4	2,114	0.6	0.01	0.6	0.6
1990	1	0.3	0.27	0.0	1.5	42	0.4	0.06	0.3	0.5
1991	0					41	0.4	0.06	0.3	0.5
1992	0					36	0.3	0.06	0.2	0.5
1993	0					37	0.4	0.06	0.3	0.5
1994	2	0.7	0.55	0.1	2.4	49	0.5	0.07	0.4	0.6
1995	1	0.3	0.29	0.0	1.4	31	0.3	0.05	0.2	0.4
1996	3	0.8	0.55	0.1	2.5	55	0.5	0.07	0.4	0.7
1997	2	0.9	0.67	0.1	2.8	43	0.4	0.06	0.3	0.5
1998	1	0.2	0.19	0.0	1.1	68	0.6	0.07	0.5	0.8
1999	0					42	0.4	0.06	0.3	0.5
2000	2	0.4	0.27	0.0	1.3	53	0.5	0.06	0.4	0.6
2001	4	0.8	0.48	0.1	2.1	62	0.5	0.07	0.4	0.7
2002	5	0.8	0.38	0.2	1.9	62	0.5	0.07	0.4	0.7
2003	1	0.1	0.10	0.0	0.7	68	0.6	0.07	0.5	0.7
2004	2	0.2	0.17	0.0	0.9	61	0.5	0.07	0.4	0.7
2005	1	0.1	0.06	0.0	0.6	73	0.6	0.07	0.5	0.8
2006	2	0.2	0.13	0.0	0.7	67	0.6	0.07	0.4	0.7
2007	3	0.3	0.17	0.1	0.9	89	0.7	0.08	0.6	0.9
2008	5	0.5	0.21	0.1	1.1	80	0.6	0.07	0.5	0.8
2009	3	0.3	0.21	0.0	1.0	77	0.6	0.07	0.5	0.8
2010	4	0.5	0.26	0.1	1.2	103	0.8	0.08	0.7	1.0
2011	4	0.3	0.13	0.1	0.7	115	0.9	0.08	0.7	1.1
2012	3	0.2	0.11	0.0	0.6	77	0.6	0.07	0.5	0.7
2013	1	0.2	0.17	0.0	0.7	83	0.6	0.07	0.5	0.8
2014	2	0.1	0.08	0.0	0.5	89	0.6	0.07	0.5	0.8
2015	3	0.2	0.10	0.0	0.5	75	0.5	0.06	0.4	0.7
2016	3	0.2	0.10	0.0	0.5	86	0.6	0.07	0.5	0.8
2017	4	0.2	0.12	0.1	0.6	83	0.6	0.06	0.4	0.7
2018	4	0.3	0.13	0.1	0.7	130	0.9	0.08	0.8	1.1
2019	11	0.8	0.24	0.4	1.4	137	0.9	0.08	0.8	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oropharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,654	0.6	0.01	0.5	0.6	427	0.9	0.04	0.8	0.9
1990	30	0.3	0.06	0.2	0.5	10	0.8	0.27	0.4	1.5
1991	33	0.4	0.06	0.3	0.5	7	0.6	0.23	0.2	1.2
1992	28	0.3	0.06	0.2	0.4	8	0.6	0.21	0.3	1.2
1993	29	0.3	0.06	0.2	0.5	8	0.6	0.22	0.3	1.2
1994	36	0.4	0.07	0.3	0.6	13	1.0	0.28	0.5	1.7
1995	24	0.3	0.05	0.2	0.4	7	0.5	0.18	0.2	1.0
1996	37	0.4	0.07	0.3	0.6	17	1.2	0.30	0.7	2.0
1997	30	0.3	0.06	0.2	0.5	12	0.9	0.25	0.4	1.5
1998	43	0.5	0.07	0.3	0.6	25	1.8	0.35	1.1	2.6
1999	33	0.4	0.06	0.2	0.5	9	0.6	0.20	0.3	1.1
2000	45	0.5	0.07	0.3	0.6	8	0.5	0.18	0.2	1.0
2001	49	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4
2002	51	0.5	0.07	0.4	0.7	11	0.7	0.21	0.4	1.2
2003	57	0.6	0.08	0.4	0.8	11	0.6	0.19	0.3	1.2
2004	45	0.5	0.07	0.3	0.6	16	1.0	0.24	0.5	1.5
2005	58	0.6	0.08	0.5	0.8	14	0.8	0.22	0.4	1.4
2006	52	0.5	0.07	0.4	0.7	11	0.7	0.20	0.3	1.2
2007	67	0.7	0.08	0.5	0.8	22	1.3	0.29	0.8	2.0
2008	62	0.6	0.08	0.5	0.8	15	0.8	0.20	0.4	1.3
2009	67	0.6	0.08	0.5	0.8	10	0.5	0.17	0.3	1.0
2010	73	0.7	0.08	0.5	0.9	25	1.4	0.28	0.9	2.1
2011	87	0.8	0.09	0.7	1.0	26	1.4	0.28	0.9	2.1
2012	56	0.5	0.07	0.4	0.7	21	1.1	0.25	0.7	1.7
2013	71	0.6	0.08	0.5	0.8	12	0.7	0.19	0.3	1.2
2014	65	0.6	0.07	0.5	0.8	23	1.2	0.25	0.7	1.8
2015	61	0.5	0.07	0.4	0.7	14	0.7	0.20	0.4	1.3
2016	75	0.7	0.08	0.5	0.9	10	0.5	0.15	0.2	0.9
2017	64	0.5	0.07	0.4	0.7	17	0.8	0.21	0.5	1.4
2018	110	1.0	0.10	0.8	1.2	16	0.8	0.20	0.4	1.3
2019	116	1.0	0.10	0.8	1.2	18	0.8	0.19	0.5	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oropharynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	63	0.5	0.08	0.4	0.7	1,608	1.0	0.02	0.9	1.0
1990	0					23	0.5	0.11	0.3	0.8
1991	0					24	0.5	0.11	0.3	0.8
1992	0					23	0.5	0.10	0.3	0.7
1993	0					23	0.5	0.10	0.3	0.7
1994	2	1.8	1.45	0.1	6.2	40	0.9	0.14	0.6	1.2
1995	1	0.6	0.63	0.0	3.3	25	0.5	0.10	0.3	0.8
1996	3	2.0	1.41	0.2	6.1	40	0.8	0.13	0.6	1.1
1997	1	1.5	1.51	0.0	6.1	33	0.7	0.12	0.5	0.9
1998	1	0.4	0.41	0.0	2.5	55	1.1	0.15	0.8	1.4
1999	0					32	0.6	0.11	0.4	0.9
2000	1	0.5	0.49	0.0	2.6	42	0.8	0.13	0.6	1.1
2001	4	1.8	1.29	0.2	5.5	48	0.9	0.13	0.7	1.2
2002	4	1.4	0.77	0.3	3.8	48	0.9	0.13	0.7	1.2
2003	1	0.2	0.19	0.0	1.6	48	0.9	0.13	0.7	1.2
2004	2	0.5	0.35	0.1	2.0	43	0.8	0.12	0.6	1.1
2005	1	0.1	0.11	0.0	1.3	60	1.1	0.14	0.8	1.4
2006	2	0.4	0.27	0.0	1.6	53	0.9	0.13	0.7	1.2
2007	3	0.6	0.34	0.1	1.8	69	1.2	0.15	0.9	1.5
2008	5	0.9	0.44	0.3	2.3	62	1.1	0.13	0.8	1.4
2009	3	0.7	0.47	0.1	2.2	60	1.0	0.13	0.8	1.3
2010	3	0.6	0.39	0.1	1.9	81	1.3	0.15	1.1	1.7
2011	4	0.5	0.26	0.1	1.5	85	1.4	0.16	1.1	1.8
2012	3	0.4	0.20	0.1	1.2	55	0.9	0.12	0.7	1.2
2013	1	0.4	0.44	0.0	1.8	58	0.9	0.12	0.7	1.2
2014	1	0.1	0.11	0.0	0.8	70	1.1	0.13	0.8	1.4
2015	1	0.2	0.16	0.0	0.9	60	0.9	0.12	0.7	1.2
2016	3	0.3	0.19	0.1	1.1	74	1.1	0.14	0.9	1.5
2017	2	0.2	0.15	0.0	0.9	66	0.9	0.12	0.7	1.2
2018	3	0.4	0.24	0.1	1.2	100	1.5	0.16	1.2	1.9
2019	8	1.3	0.49	0.5	2.5	108	1.6	0.16	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oropharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,261	0.9	0.03	0.9	1.0	321	1.5	0.09	1.3	1.7
1990	18	0.5	0.11	0.3	0.7	3	0.6	0.35	0.1	1.7
1991	19	0.5	0.11	0.3	0.7	4	0.7	0.37	0.2	1.9
1992	18	0.4	0.10	0.3	0.7	5	0.8	0.37	0.3	2.0
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.39	0.3	2.0
1994	29	0.7	0.13	0.5	1.0	11	2.0	0.59	1.0	3.5
1995	22	0.5	0.11	0.3	0.8	3	0.5	0.28	0.1	1.5
1996	27	0.6	0.12	0.4	0.9	12	1.9	0.55	1.0	3.3
1997	22	0.5	0.11	0.3	0.8	10	1.7	0.56	0.8	3.2
1998	34	0.8	0.14	0.6	1.1	21	3.4	0.76	2.1	5.2
1999	25	0.6	0.12	0.4	0.9	7	1.0	0.39	0.4	2.2
2000	34	0.8	0.14	0.6	1.1	8	1.2	0.42	0.5	2.3
2001	40	0.9	0.15	0.7	1.3	8	1.2	0.41	0.5	2.3
2002	39	0.9	0.14	0.6	1.2	9	1.3	0.44	0.6	2.5
2003	39	0.9	0.14	0.6	1.2	9	1.2	0.40	0.6	2.3
2004	32	0.7	0.13	0.5	1.0	11	1.5	0.45	0.7	2.7
2005	47	1.0	0.15	0.8	1.4	12	1.7	0.50	0.8	3.0
2006	41	0.9	0.14	0.6	1.2	9	1.2	0.41	0.6	2.3
2007	52	1.1	0.15	0.8	1.4	17	2.5	0.65	1.4	4.1
2008	45	0.9	0.14	0.7	1.3	15	1.7	0.45	1.0	2.9
2009	51	1.0	0.15	0.8	1.4	9	1.1	0.35	0.5	2.0
2010	58	1.2	0.16	0.9	1.5	18	2.3	0.55	1.3	3.7
2011	63	1.3	0.17	1.0	1.7	20	2.5	0.57	1.5	3.9
2012	42	0.8	0.12	0.6	1.1	13	1.6	0.47	0.8	2.8
2013	51	1.0	0.14	0.7	1.3	7	0.9	0.37	0.4	2.0
2014	50	0.9	0.14	0.7	1.3	19	2.4	0.57	1.4	3.8
2015	49	0.9	0.13	0.7	1.2	11	1.3	0.41	0.6	2.4
2016	64	1.2	0.16	0.9	1.6	9	1.0	0.36	0.5	2.0
2017	52	0.9	0.12	0.7	1.2	13	1.5	0.44	0.8	2.7
2018	86	1.6	0.18	1.3	2.0	11	1.3	0.42	0.6	2.4
2019	94	1.7	0.19	1.4	2.2	12	1.3	0.39	0.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oropharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	14	0.1	0.03	0.1	0.2	506	0.3	0.01	0.2	0.3
1990	1	0.5	0.52	0.0	2.8	19	0.3	0.07	0.2	0.5
1991	0					17	0.3	0.07	0.2	0.5
1992	0					13	0.2	0.06	0.1	0.4
1993	0					14	0.2	0.06	0.1	0.4
1994	0					9	0.2	0.06	0.1	0.3
1995	0					6	0.1	0.04	0.0	0.2
1996	0					15	0.2	0.06	0.1	0.4
1997	1	0.7	0.66	0.0	2.9	10	0.2	0.05	0.1	0.3
1998	0					13	0.2	0.06	0.1	0.4
1999	0					10	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	1.6	11	0.2	0.05	0.1	0.3
2001	0					14	0.2	0.06	0.1	0.4
2002	1	0.3	0.27	0.0	1.5	14	0.2	0.06	0.1	0.4
2003	0					20	0.3	0.07	0.2	0.5
2004	0					18	0.3	0.07	0.2	0.5
2005	0					13	0.2	0.06	0.1	0.4
2006	0					14	0.2	0.06	0.1	0.4
2007	0					20	0.3	0.07	0.2	0.5
2008	0					18	0.3	0.06	0.2	0.4
2009	0					17	0.3	0.06	0.2	0.4
2010	1	0.3	0.32	0.0	1.4	22	0.3	0.07	0.2	0.5
2011	0					30	0.4	0.08	0.3	0.6
2012	0					22	0.3	0.07	0.2	0.5
2013	0					25	0.3	0.07	0.2	0.5
2014	1	0.1	0.12	0.0	0.7	19	0.3	0.06	0.2	0.4
2015	2	0.2	0.14	0.0	0.8	15	0.2	0.06	0.1	0.4
2016	0					12	0.2	0.05	0.1	0.3
2017	2	0.3	0.18	0.0	0.9	17	0.2	0.05	0.1	0.3
2018	1	0.1	0.11	0.0	0.6	30	0.4	0.07	0.3	0.6
2019	3	0.3	0.18	0.1	1.0	29	0.3	0.06	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Oropharynx										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	393	0.2	0.01	0.2	0.3	106	0.4	0.04	0.3	0.5
1990	12	0.2	0.06	0.1	0.4	7	1.0	0.37	0.4	2.0
1991	14	0.3	0.08	0.2	0.5	3	0.5	0.27	0.1	1.3
1992	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.2
1993	11	0.2	0.06	0.1	0.3	3	0.4	0.25	0.1	1.2
1994	7	0.2	0.06	0.1	0.3	2	0.3	0.20	0.0	1.0
1995	2	0.0	0.02	0.0	0.1	4	0.5	0.24	0.1	1.2
1996	10	0.2	0.06	0.1	0.4	5	0.6	0.29	0.2	1.5
1997	8	0.2	0.05	0.1	0.3	2	0.3	0.17	0.0	0.9
1998	9	0.2	0.06	0.1	0.3	4	0.5	0.25	0.1	1.3
1999	8	0.2	0.06	0.1	0.3	2	0.2	0.16	0.0	0.8
2000	11	0.2	0.06	0.1	0.4	0				
2001	9	0.2	0.06	0.1	0.3	3	0.4	0.23	0.1	1.1
2002	12	0.2	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8
2003	18	0.3	0.08	0.2	0.6	2	0.2	0.15	0.0	0.8
2004	13	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.2
2005	11	0.2	0.06	0.1	0.4	2	0.2	0.14	0.0	0.7
2006	11	0.2	0.06	0.1	0.4	2	0.2	0.16	0.0	0.8
2007	15	0.3	0.07	0.2	0.5	5	0.5	0.24	0.2	1.2
2008	17	0.3	0.07	0.2	0.5	0				
2009	16	0.3	0.07	0.2	0.5	1	0.1	0.12	0.0	0.6
2010	15	0.3	0.07	0.2	0.5	7	0.7	0.28	0.3	1.5
2011	24	0.4	0.08	0.3	0.6	6	0.6	0.25	0.2	1.3
2012	14	0.2	0.07	0.1	0.4	8	0.7	0.26	0.3	1.5
2013	20	0.3	0.08	0.2	0.5	5	0.5	0.21	0.2	1.1
2014	15	0.3	0.07	0.1	0.5	4	0.3	0.16	0.1	0.9
2015	12	0.2	0.06	0.1	0.4	3	0.3	0.19	0.1	0.9
2016	11	0.2	0.07	0.1	0.4	1	0.1	0.07	0.0	0.5
2017	12	0.2	0.06	0.1	0.4	4	0.3	0.14	0.1	0.8
2018	24	0.4	0.08	0.2	0.6	5	0.4	0.19	0.1	1.0
2019	22	0.3	0.07	0.2	0.5	6	0.4	0.17	0.2	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hypopharynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	126	0.5	0.05	0.4	0.6	3,110	0.9	0.02	0.8	0.9
1990	2	0.7	0.56	0.1	2.5	105	1.0	0.10	0.8	1.2
1991	0					92	0.9	0.10	0.7	1.1
1992	2	0.4	0.28	0.1	1.6	110	1.0	0.10	0.9	1.3
1993	1	0.2	0.19	0.0	1.2	109	1.0	0.10	0.8	1.2
1994	2	0.5	0.36	0.1	1.8	95	0.9	0.09	0.7	1.1
1995	3	0.7	0.49	0.1	2.2	124	1.1	0.10	0.9	1.4
1996	5	1.0	0.47	0.3	2.4	110	1.0	0.10	0.8	1.2
1997	2	0.3	0.20	0.0	1.2	99	0.9	0.09	0.7	1.1
1998	2	0.4	0.28	0.0	1.4	109	1.0	0.09	0.8	1.2
1999	2	0.5	0.34	0.1	1.6	101	0.9	0.09	0.7	1.1
2000	2	0.6	0.45	0.0	1.9	107	1.0	0.09	0.8	1.2
2001	4	0.8	0.46	0.2	2.2	103	0.9	0.09	0.7	1.1
2002	3	0.4	0.23	0.1	1.2	95	0.8	0.08	0.7	1.0
2003	3	0.4	0.22	0.1	1.2	101	0.9	0.09	0.7	1.1
2004	2	0.2	0.11	0.0	0.7	123	1.0	0.09	0.9	1.2
2005	4	0.4	0.21	0.1	1.1	100	0.8	0.08	0.7	1.0
2006	5	0.5	0.23	0.2	1.2	107	0.9	0.09	0.7	1.1
2007	4	0.3	0.16	0.1	0.9	104	0.8	0.08	0.7	1.0
2008	5	0.8	0.38	0.2	1.8	117	0.9	0.09	0.8	1.1
2009	4	0.5	0.26	0.1	1.3	81	0.6	0.07	0.5	0.8
2010	3	0.3	0.20	0.1	1.0	107	0.8	0.08	0.7	1.0
2011	9	1.0	0.38	0.4	2.0	116	0.9	0.09	0.8	1.1
2012	4	0.4	0.22	0.1	1.0	112	0.8	0.08	0.7	1.0
2013	8	0.6	0.22	0.3	1.2	92	0.7	0.07	0.5	0.8
2014	9	0.8	0.29	0.4	1.6	94	0.7	0.07	0.5	0.8
2015	2	0.2	0.15	0.0	0.7	108	0.8	0.08	0.6	1.0
2016	10	0.8	0.26	0.3	1.4	108	0.7	0.07	0.6	0.9
2017	6	0.5	0.22	0.2	1.1	92	0.6	0.07	0.5	0.8
2018	7	0.4	0.15	0.2	0.8	92	0.6	0.06	0.5	0.8
2019	11	0.8	0.26	0.4	1.5	97	0.7	0.07	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hypopharynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,355	0.8	0.02	0.7	0.8	705	1.4	0.05	1.3	1.6
1990	79	0.8	0.10	0.7	1.1	26	2.2	0.43	1.4	3.2
1991	62	0.7	0.09	0.5	0.9	29	2.3	0.43	1.5	3.3
1992	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1993	85	0.9	0.10	0.7	1.1	24	1.9	0.39	1.2	2.8
1994	67	0.7	0.09	0.6	0.9	26	1.9	0.38	1.3	2.8
1995	99	1.0	0.11	0.9	1.3	25	1.9	0.37	1.2	2.7
1996	89	1.0	0.10	0.8	1.2	21	1.5	0.33	0.9	2.3
1997	75	0.8	0.09	0.6	1.0	24	1.7	0.34	1.1	2.5
1998	80	0.8	0.09	0.7	1.1	25	1.8	0.36	1.1	2.6
1999	74	0.8	0.09	0.6	1.0	25	1.7	0.34	1.1	2.5
2000	78	0.8	0.09	0.7	1.0	26	1.8	0.35	1.2	2.6
2001	82	0.9	0.10	0.7	1.1	21	1.5	0.32	0.9	2.2
2002	73	0.8	0.09	0.6	1.0	22	1.5	0.32	0.9	2.3
2003	80	0.8	0.09	0.7	1.0	20	1.2	0.27	0.7	1.9
2004	85	0.9	0.09	0.7	1.1	36	2.2	0.36	1.5	3.0
2005	71	0.7	0.09	0.6	0.9	27	1.6	0.32	1.1	2.4
2006	77	0.8	0.09	0.6	1.0	29	1.7	0.32	1.1	2.4
2007	71	0.7	0.08	0.5	0.9	30	1.8	0.33	1.2	2.5
2008	80	0.8	0.09	0.6	1.0	36	2.1	0.35	1.5	2.9
2009	71	0.7	0.08	0.5	0.9	10	0.6	0.19	0.3	1.1
2010	78	0.7	0.08	0.6	0.9	27	1.5	0.30	1.0	2.2
2011	90	0.9	0.09	0.7	1.1	23	1.3	0.28	0.8	2.0
2012	85	0.8	0.09	0.6	1.0	27	1.5	0.29	1.0	2.1
2013	68	0.6	0.08	0.5	0.8	23	1.2	0.26	0.8	1.8
2014	73	0.6	0.08	0.5	0.8	18	1.0	0.24	0.6	1.6
2015	84	0.8	0.08	0.6	0.9	22	1.1	0.25	0.7	1.7
2016	87	0.7	0.08	0.6	0.9	16	0.8	0.21	0.5	1.4
2017	73	0.6	0.08	0.5	0.8	16	0.7	0.19	0.4	1.2
2018	69	0.6	0.07	0.4	0.7	18	0.9	0.22	0.5	1.4
2019	79	0.7	0.08	0.5	0.8	15	0.7	0.18	0.4	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hypopharynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	115	1.0	0.11	0.8	1.3	2,475	1.5	0.03	1.4	1.6
1990	1	1.3	1.34	0.0	5.9	77	1.7	0.19	1.3	2.1
1991	0					75	1.7	0.20	1.3	2.2
1992	2	0.8	0.56	0.1	3.5	93	2.0	0.20	1.6	2.4
1993	1	0.4	0.38	0.0	2.9	89	1.9	0.20	1.5	2.3
1994	2	1.1	0.77	0.1	4.0	72	1.5	0.17	1.2	1.9
1995	3	1.7	1.17	0.2	5.3	94	1.9	0.20	1.6	2.4
1996	5	2.1	0.98	0.7	5.2	90	1.8	0.19	1.5	2.3
1997	2	0.6	0.40	0.1	2.7	76	1.6	0.18	1.2	2.0
1998	2	0.8	0.60	0.1	3.1	90	1.8	0.19	1.5	2.3
1999	1	0.5	0.52	0.0	2.7	79	1.6	0.18	1.3	2.0
2000	1	0.2	0.23	0.0	1.9	88	1.8	0.19	1.4	2.2
2001	4	1.9	1.10	0.4	5.0	83	1.6	0.18	1.3	2.0
2002	3	0.8	0.47	0.2	2.6	75	1.4	0.17	1.1	1.8
2003	3	0.8	0.46	0.2	2.5	83	1.6	0.18	1.3	2.0
2004	2	0.3	0.21	0.0	1.6	107	2.0	0.19	1.6	2.4
2005	2	0.5	0.35	0.1	1.9	77	1.4	0.17	1.1	1.8
2006	5	1.0	0.47	0.3	2.5	83	1.5	0.17	1.2	1.9
2007	4	0.6	0.31	0.2	1.8	81	1.4	0.16	1.1	1.8
2008	3	0.5	0.31	0.1	1.7	92	1.6	0.17	1.3	2.0
2009	4	1.1	0.59	0.2	2.8	67	1.2	0.15	0.9	1.5
2010	3	0.7	0.44	0.1	2.1	90	1.6	0.17	1.3	1.9
2011	9	2.3	0.88	0.9	4.6	90	1.6	0.17	1.2	1.9
2012	4	0.9	0.53	0.2	2.4	93	1.5	0.16	1.2	1.8
2013	8	1.2	0.47	0.5	2.5	76	1.2	0.14	1.0	1.5
2014	6	1.4	0.61	0.4	3.0	70	1.1	0.14	0.9	1.4
2015	2	0.5	0.37	0.0	1.6	88	1.4	0.15	1.1	1.8
2016	9	1.5	0.53	0.6	2.9	85	1.3	0.14	1.0	1.6
2017	6	1.1	0.48	0.3	2.4	71	1.1	0.13	0.8	1.4
2018	7	0.8	0.30	0.3	1.7	67	1.0	0.12	0.7	1.2
2019	11	1.7	0.58	0.8	3.2	74	1.1	0.13	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hypopharynx										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,851	1.3	0.03	1.3	1.4	584	2.8	0.12	2.6	3.1
1990	57	1.4	0.19	1.1	1.8	20	3.8	0.87	2.3	6.0
1991	51	1.4	0.19	1.0	1.8	23	4.2	0.90	2.7	6.4
1992	75	1.8	0.21	1.4	2.3	17	3.1	0.76	1.8	5.0
1993	72	1.7	0.21	1.4	2.2	17	3.2	0.80	1.8	5.2
1994	48	1.2	0.17	0.9	1.6	22	3.7	0.80	2.3	5.6
1995	73	1.7	0.20	1.4	2.2	21	3.6	0.80	2.2	5.6
1996	72	1.7	0.20	1.3	2.2	18	3.0	0.72	1.8	4.8
1997	55	1.4	0.18	1.0	1.8	21	3.5	0.76	2.1	5.3
1998	65	1.6	0.19	1.2	2.0	22	3.7	0.81	2.2	5.6
1999	57	1.4	0.18	1.0	1.8	20	3.2	0.74	1.9	5.0
2000	65	1.5	0.19	1.2	2.0	21	3.6	0.84	2.1	5.6
2001	66	1.5	0.19	1.2	1.9	17	3.0	0.76	1.7	4.9
2002	56	1.3	0.17	1.0	1.7	19	3.1	0.74	1.8	4.9
2003	63	1.5	0.18	1.1	1.9	19	2.6	0.61	1.6	4.2
2004	72	1.6	0.19	1.3	2.1	33	4.6	0.82	3.2	6.6
2005	53	1.2	0.17	0.9	1.6	22	3.0	0.65	1.9	4.6
2006	58	1.3	0.17	1.0	1.7	24	3.2	0.66	2.0	4.8
2007	52	1.1	0.15	0.8	1.4	26	3.7	0.74	2.4	5.4
2008	64	1.3	0.17	1.0	1.7	27	3.7	0.74	2.4	5.4
2009	60	1.3	0.16	1.0	1.6	7	0.9	0.36	0.4	2.0
2010	67	1.4	0.18	1.1	1.8	21	2.9	0.67	1.7	4.5
2011	67	1.4	0.17	1.1	1.8	20	2.7	0.63	1.6	4.2
2012	70	1.4	0.17	1.1	1.8	23	2.8	0.59	1.8	4.2
2013	59	1.1	0.15	0.9	1.5	17	2.2	0.56	1.2	3.6
2014	53	1.0	0.14	0.8	1.4	15	2.1	0.56	1.1	3.5
2015	68	1.3	0.17	1.0	1.7	19	2.4	0.58	1.4	3.8
2016	68	1.2	0.15	0.9	1.6	14	1.8	0.51	1.0	3.1
2017	55	1.0	0.14	0.8	1.4	13	1.4	0.40	0.7	2.5
2018	49	0.9	0.13	0.6	1.2	14	1.7	0.46	0.9	2.9
2019	61	1.1	0.14	0.8	1.4	12	1.3	0.37	0.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hypopharynx										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11	0.1	0.03	0.0	0.2	635	0.3	0.01	0.3	0.3
1990	1	0.4	0.43	0.0	2.5	28	0.5	0.09	0.3	0.7
1991	0					17	0.3	0.07	0.2	0.5
1992	0					17	0.3	0.07	0.2	0.5
1993	0					20	0.3	0.07	0.2	0.5
1994	0					23	0.4	0.08	0.2	0.6
1995	0					30	0.5	0.09	0.3	0.7
1996	0					20	0.3	0.08	0.2	0.5
1997	0					23	0.4	0.08	0.2	0.6
1998	0					19	0.3	0.07	0.2	0.5
1999	1	0.4	0.44	0.0	2.2	22	0.4	0.08	0.2	0.5
2000	1	0.7	0.73	0.0	3.1	19	0.3	0.07	0.2	0.5
2001	0					20	0.3	0.07	0.2	0.5
2002	0					20	0.3	0.07	0.2	0.5
2003	0					18	0.3	0.07	0.2	0.4
2004	0					16	0.3	0.06	0.2	0.4
2005	2	0.4	0.26	0.0	1.4	23	0.4	0.07	0.2	0.5
2006	0					24	0.4	0.07	0.2	0.5
2007	0					23	0.3	0.07	0.2	0.5
2008	2	0.8	0.58	0.1	2.5	25	0.4	0.07	0.2	0.6
2009	0					14	0.2	0.05	0.1	0.3
2010	0					17	0.2	0.06	0.1	0.4
2011	0					26	0.4	0.08	0.3	0.6
2012	0					19	0.3	0.06	0.2	0.4
2013	0					16	0.2	0.06	0.1	0.4
2014	3	0.4	0.23	0.1	1.2	24	0.3	0.07	0.2	0.5
2015	0					20	0.3	0.06	0.2	0.4
2016	1	0.1	0.11	0.0	0.7	23	0.3	0.07	0.2	0.5
2017	0					21	0.3	0.06	0.2	0.4
2018	0					25	0.3	0.06	0.2	0.5
2019	0					23	0.3	0.06	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hypopharynx										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	504	0.3	0.01	0.3	0.3	121	0.4	0.04	0.4	0.5
1990	22	0.4	0.08	0.2	0.6	6	0.9	0.38	0.3	2.0
1991	11	0.2	0.07	0.1	0.4	6	0.8	0.33	0.3	1.7
1992	16	0.3	0.08	0.2	0.5	1	0.1	0.13	0.0	0.7
1993	13	0.2	0.07	0.1	0.4	7	1.0	0.37	0.4	2.0
1994	19	0.4	0.08	0.2	0.6	4	0.6	0.29	0.2	1.4
1995	26	0.5	0.10	0.3	0.7	4	0.5	0.26	0.1	1.3
1996	17	0.4	0.09	0.2	0.6	3	0.4	0.20	0.1	1.0
1997	20	0.4	0.09	0.2	0.6	3	0.3	0.20	0.1	1.0
1998	15	0.3	0.07	0.2	0.5	3	0.4	0.24	0.1	1.1
1999	17	0.3	0.08	0.2	0.5	5	0.6	0.25	0.2	1.3
2000	13	0.3	0.07	0.1	0.4	5	0.6	0.26	0.2	1.4
2001	16	0.3	0.08	0.2	0.5	4	0.5	0.22	0.1	1.1
2002	17	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2003	17	0.3	0.08	0.2	0.5	1	0.1	0.10	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	3	0.3	0.18	0.1	0.9
2005	18	0.3	0.08	0.2	0.6	5	0.6	0.26	0.2	1.3
2006	19	0.4	0.08	0.2	0.6	5	0.5	0.24	0.2	1.2
2007	19	0.4	0.08	0.2	0.6	4	0.4	0.19	0.1	1.0
2008	16	0.3	0.07	0.2	0.5	9	0.9	0.32	0.4	1.8
2009	11	0.2	0.06	0.1	0.3	3	0.3	0.18	0.1	0.9
2010	11	0.2	0.06	0.1	0.3	6	0.6	0.23	0.2	1.3
2011	23	0.4	0.09	0.3	0.6	3	0.3	0.16	0.1	0.8
2012	15	0.3	0.07	0.1	0.4	4	0.5	0.23	0.1	1.1
2013	9	0.2	0.05	0.1	0.3	6	0.5	0.22	0.2	1.2
2014	20	0.3	0.08	0.2	0.5	3	0.3	0.18	0.1	0.9
2015	16	0.3	0.07	0.2	0.5	3	0.3	0.15	0.1	0.8
2016	19	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7
2017	18	0.3	0.07	0.2	0.5	3	0.3	0.15	0.1	0.8
2018	20	0.3	0.07	0.2	0.5	4	0.3	0.17	0.1	0.9
2019	18	0.3	0.07	0.2	0.5	3	0.3	0.17	0.1	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Digestive System										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,862	84.4	0.68	83.1	85.8	335,249	92.0	0.16	91.7	92.4
1990	237	70.2	5.15	60.5	80.9	9,961	94.6	0.96	92.7	96.5
1991	206	61.0	4.83	51.9	71.1	9,765	91.7	0.94	89.9	93.6
1992	238	69.0	5.08	59.4	79.5	9,931	92.0	0.93	90.2	93.8
1993	322	90.5	5.72	79.6	102.2	9,950	91.2	0.92	89.4	93.0
1994	318	85.1	5.46	74.7	96.3	10,599	96.4	0.94	94.5	98.2
1995	340	89.3	5.56	78.8	100.7	10,581	95.7	0.93	93.9	97.5
1996	342	86.1	5.33	76.0	97.0	10,759	96.7	0.93	94.9	98.6
1997	350	83.6	5.07	74.0	94.0	10,859	96.9	0.93	95.1	98.7
1998	416	95.3	5.42	85.0	106.4	11,480	101.4	0.95	99.6	103.3
1999	423	87.1	4.92	77.7	97.1	11,256	98.7	0.93	96.9	100.6
2000	407	79.7	4.56	71.0	89.0	11,503	100.3	0.94	98.5	102.1
2001	485	89.7	4.70	80.7	99.3	11,265	97.6	0.92	95.8	99.4
2002	497	86.9	4.43	78.4	95.9	11,527	99.2	0.93	97.4	101.0
2003	514	81.9	4.11	74.0	90.3	11,311	96.4	0.91	94.6	98.2
2004	593	93.2	4.40	84.8	102.1	11,587	98.1	0.91	96.3	99.9
2005	609	89.5	4.11	81.6	97.8	11,443	95.9	0.90	94.1	97.6
2006	639	91.1	4.08	83.3	99.4	11,429	95.0	0.89	93.3	96.8
2007	641	83.9	3.74	76.8	91.5	11,463	94.0	0.89	92.3	95.8
2008	646	78.1	3.43	71.5	85.0	11,450	92.6	0.87	90.9	94.4
2009	724	85.2	3.54	78.4	92.3	11,284	90.2	0.86	88.6	92.0
2010	777	84.6	3.37	78.1	91.4	11,198	88.4	0.85	86.7	90.0
2011	789	83.2	3.28	76.9	89.8	11,472	89.3	0.85	87.6	90.9
2012	854	85.1	3.20	79.0	91.6	11,297	86.1	0.82	84.5	87.7
2013	839	79.4	3.01	73.6	85.5	11,510	86.7	0.82	85.1	88.3
2014	900	79.3	2.88	73.7	85.1	11,619	86.2	0.82	84.6	87.8
2015	1,003	83.5	2.87	78.0	89.3	11,839	87.3	0.82	85.7	88.9
2016	1,120	87.7	2.83	82.2	93.4	11,913	87.1	0.82	85.5	88.7
2017	1,172	89.1	2.81	83.7	94.8	11,684	84.4	0.80	82.8	86.0
2018	1,242	91.3	2.78	86.0	96.9	11,753	84.2	0.80	82.7	85.8
2019	1,219	83.7	2.55	78.8	88.8	11,561	82.1	0.79	80.6	83.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Digestive System										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	273,522	88.9	0.17	88.6	89.3	51,704	114.3	0.51	113.3	115.3
1990	8,547	91.7	1.00	89.7	93.6	1,292	116.1	3.33	109.7	122.8
1991	8,416	89.5	0.98	87.6	91.5	1,218	107.3	3.16	101.2	113.6
1992	8,555	90.0	0.98	88.1	92.0	1,226	103.3	3.03	97.4	109.3
1993	8,477	88.4	0.97	86.5	90.3	1,304	110.9	3.15	104.8	117.2
1994	9,029	93.6	0.99	91.7	95.6	1,409	117.4	3.20	111.2	123.8
1995	8,832	91.5	0.98	89.6	93.5	1,548	125.7	3.27	119.3	132.2
1996	9,004	92.9	0.98	91.0	94.9	1,539	123.4	3.22	117.1	129.8
1997	9,110	93.6	0.98	91.7	95.5	1,539	121.4	3.16	115.3	127.7
1998	9,612	98.1	1.00	96.2	100.1	1,636	127.0	3.20	120.8	133.4
1999	9,457	96.2	0.99	94.2	98.1	1,526	114.6	2.99	108.8	120.5
2000	9,578	97.1	1.00	95.2	99.1	1,644	120.6	3.03	114.7	126.7
2001	9,322	94.2	0.98	92.3	96.2	1,677	121.7	3.03	115.8	127.8
2002	9,458	95.3	0.98	93.4	97.3	1,751	124.9	3.04	119.0	131.0
2003	9,243	92.5	0.97	90.6	94.4	1,763	124.0	3.01	118.2	130.0
2004	9,533	95.2	0.98	93.3	97.1	1,763	120.9	2.94	115.2	126.8
2005	9,320	92.3	0.96	90.4	94.2	1,803	121.8	2.93	116.2	127.7
2006	9,187	90.6	0.95	88.8	92.5	1,880	123.2	2.90	117.6	129.0
2007	9,252	90.3	0.95	88.5	92.2	1,832	118.0	2.82	112.6	123.7
2008	9,179	88.8	0.94	87.0	90.7	1,883	118.9	2.80	113.4	124.5
2009	9,066	87.0	0.93	85.2	88.9	1,850	113.8	2.71	108.6	119.3
2010	8,901	84.5	0.91	82.8	86.4	1,897	115.2	2.71	110.0	120.7
2011	9,081	85.6	0.92	83.8	87.4	1,993	116.5	2.67	111.3	121.8
2012	9,004	83.2	0.90	81.4	84.9	1,820	105.3	2.53	100.4	110.4
2013	9,101	83.6	0.90	81.8	85.3	1,991	111.2	2.55	106.3	116.3
2014	9,147	82.9	0.89	81.2	84.7	1,980	108.9	2.51	104.1	113.9
2015	9,347	84.6	0.90	82.9	86.4	1,989	106.7	2.45	102.0	111.6
2016	9,351	84.3	0.90	82.6	86.1	2,037	108.6	2.46	103.8	113.5
2017	9,231	82.8	0.89	81.0	84.5	1,946	101.7	2.36	97.1	106.4
2018	9,190	81.6	0.88	79.8	83.3	2,013	104.4	2.38	99.8	109.2
2019	8,992	79.5	0.87	77.8	81.2	1,955	100.0	2.31	95.5	104.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Digestive System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,591	99.9	1.12	97.7	102.1	178,002	113.9	0.27	113.4	114.5
1990	130	85.4	9.05	68.6	104.6	5,078	118.5	1.72	115.1	121.9
1991	126	75.0	7.97	60.2	92.0	5,029	116.0	1.69	112.8	119.4
1992	131	81.8	8.75	65.6	100.4	5,193	118.1	1.68	114.8	121.4
1993	162	94.2	9.16	77.1	113.5	5,082	113.9	1.64	110.7	117.2
1994	167	90.7	8.51	74.7	108.6	5,362	119.7	1.67	116.5	123.0
1995	183	104.2	9.55	86.3	124.2	5,479	121.3	1.67	118.0	124.6
1996	193	106.1	9.30	88.7	125.5	5,503	120.7	1.66	117.5	124.0
1997	204	99.9	8.27	84.4	117.2	5,559	120.9	1.65	117.7	124.2
1998	223	116.6	9.56	98.6	136.4	5,890	126.5	1.67	123.3	129.8
1999	253	113.5	8.92	96.7	132.0	5,887	124.8	1.65	121.6	128.0
2000	204	83.0	7.00	69.9	97.7	6,057	126.8	1.65	123.6	130.1
2001	265	107.2	7.94	92.2	123.6	5,833	121.5	1.61	118.4	124.7
2002	298	111.8	7.79	97.1	127.9	6,052	124.2	1.61	121.0	127.4
2003	308	100.9	6.80	88.0	114.9	6,004	121.8	1.59	118.7	124.9
2004	338	112.3	7.46	98.2	127.7	6,151	122.7	1.58	119.6	125.9
2005	333	104.3	6.76	91.4	118.2	6,037	118.6	1.55	115.6	121.7
2006	358	107.2	6.60	94.7	120.7	6,099	117.9	1.53	114.9	121.0
2007	366	102.5	6.37	90.4	115.6	6,049	115.1	1.50	112.1	118.1
2008	370	98.1	5.93	86.8	110.3	6,113	114.2	1.48	111.3	117.2
2009	394	99.8	5.87	88.7	111.8	6,093	111.5	1.46	108.7	114.4
2010	453	100.4	5.44	90.0	111.5	6,060	109.3	1.43	106.5	112.2
2011	452	97.4	5.30	87.3	108.3	6,232	110.0	1.42	107.2	112.8
2012	484	103.5	5.38	93.3	114.5	6,272	108.1	1.40	105.4	110.9
2013	487	95.2	4.91	85.8	105.2	6,273	106.5	1.38	103.8	109.2
2014	490	91.2	4.65	82.3	100.6	6,404	106.2	1.36	103.6	108.9
2015	561	98.2	4.68	89.3	107.7	6,600	108.5	1.37	105.8	111.2
2016	609	97.1	4.40	88.7	106.0	6,447	104.5	1.34	101.9	107.1
2017	675	106.6	4.56	97.9	115.9	6,363	102.0	1.31	99.4	104.6
2018	685	104.6	4.43	96.1	113.6	6,383	101.1	1.30	98.6	103.7
2019	689	96.8	4.05	89.0	105.0	6,418	100.1	1.29	97.6	102.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Digestive System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	145,637	110.2	0.29	109.6	110.7	26,643	143.4	0.92	141.6	145.3
1990	4,336	114.5	1.79	111.0	118.1	661	147.0	6.10	135.3	159.4
1991	4,345	114.0	1.78	110.5	117.5	617	131.8	5.65	121.0	143.3
1992	4,467	115.6	1.77	112.2	119.1	635	135.6	5.76	124.5	147.2
1993	4,304	110.1	1.72	106.7	113.5	683	142.7	5.82	131.5	154.5
1994	4,555	116.3	1.76	112.8	119.8	724	150.7	5.96	139.2	162.8
1995	4,539	115.5	1.74	112.1	118.9	819	166.0	6.18	154.1	178.5
1996	4,578	115.8	1.74	112.4	119.2	794	154.0	5.78	142.8	165.7
1997	4,669	117.1	1.73	113.8	120.6	773	147.6	5.62	136.8	159.0
1998	4,945	122.8	1.76	119.3	126.3	828	158.5	5.83	147.2	170.3
1999	4,944	121.5	1.74	118.1	125.0	779	145.5	5.49	134.9	156.6
2000	5,048	123.0	1.74	119.6	126.5	853	154.5	5.58	143.8	165.8
2001	4,848	117.9	1.71	114.6	121.3	833	147.3	5.38	136.9	158.2
2002	4,991	119.9	1.71	116.6	123.3	886	155.0	5.52	144.4	166.2
2003	4,939	117.6	1.69	114.3	120.9	909	156.0	5.46	145.5	167.0
2004	5,093	119.7	1.69	116.4	123.0	895	149.4	5.27	139.2	160.0
2005	4,920	114.1	1.64	110.9	117.4	931	154.5	5.37	144.2	165.4
2006	4,916	112.6	1.62	109.4	115.8	981	155.5	5.22	145.4	166.0
2007	4,871	109.9	1.59	106.8	113.1	946	149.2	5.13	139.3	159.5
2008	4,894	108.8	1.58	105.7	111.9	993	154.6	5.19	144.6	165.1
2009	4,880	106.8	1.55	103.7	109.9	1,000	149.2	4.98	139.6	159.3
2010	4,871	105.0	1.53	102.0	108.1	962	141.5	4.82	132.2	151.2
2011	4,991	105.9	1.53	103.0	109.0	1,020	143.6	4.73	134.4	153.1
2012	5,033	104.2	1.50	101.2	107.1	956	135.0	4.59	126.1	144.2
2013	4,993	102.6	1.48	99.7	105.5	1,051	141.1	4.57	132.3	150.3
2014	5,075	102.1	1.47	99.2	105.0	1,056	139.6	4.51	130.9	148.7
2015	5,261	105.3	1.49	102.3	108.2	1,034	133.1	4.34	124.7	141.8
2016	5,105	100.7	1.45	97.9	103.6	1,036	133.9	4.35	125.5	142.7
2017	5,119	100.6	1.45	97.8	103.5	961	122.0	4.11	114.0	130.3
2018	5,063	98.4	1.43	95.6	101.2	998	122.2	4.02	114.5	130.3
2019	5,044	96.6	1.41	93.9	99.4	1,029	125.7	4.06	117.9	133.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Digestive System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,271	71.2	0.84	69.6	72.9	157,247	75.2	0.19	74.9	75.6
1990	107	58.9	6.18	47.5	72.1	4,883	78.2	1.13	76.0	80.5
1991	80	47.6	5.81	36.9	60.1	4,736	74.9	1.10	72.7	77.1
1992	107	58.5	6.15	47.1	71.6	4,738	73.9	1.09	71.8	76.1
1993	160	86.8	7.38	73.0	102.2	4,868	75.1	1.09	73.0	77.2
1994	151	78.9	7.02	65.8	93.6	5,237	79.8	1.11	77.6	82.0
1995	157	78.2	6.81	65.4	92.4	5,102	77.9	1.10	75.7	80.1
1996	149	70.5	6.33	58.6	83.8	5,256	79.3	1.11	77.1	81.5
1997	146	68.4	6.22	56.7	81.4	5,300	79.8	1.11	77.6	82.0
1998	193	80.0	6.43	67.9	93.4	5,590	83.5	1.13	81.3	85.8
1999	170	66.4	5.64	55.8	78.2	5,369	79.8	1.10	77.6	82.0
2000	203	76.4	5.98	65.2	88.9	5,446	80.6	1.10	78.4	82.8
2001	220	75.7	5.69	64.9	87.5	5,432	80.1	1.10	77.9	82.2
2002	199	66.6	5.18	56.9	77.4	5,475	80.5	1.10	78.3	82.6
2003	206	65.0	4.99	55.6	75.4	5,307	77.7	1.08	75.6	79.8
2004	255	77.5	5.36	67.4	88.6	5,436	79.1	1.09	77.0	81.2
2005	276	77.0	5.11	67.4	87.6	5,406	78.3	1.08	76.2	80.4
2006	281	76.7	5.05	67.1	87.1	5,330	77.3	1.08	75.2	79.5
2007	275	68.8	4.52	60.3	78.2	5,414	77.7	1.07	75.6	79.9
2008	276	62.0	4.05	54.3	70.3	5,337	76.1	1.06	74.0	78.2
2009	330	73.3	4.38	65.0	82.3	5,191	73.4	1.04	71.4	75.5
2010	324	69.9	4.19	62.0	78.5	5,138	71.8	1.02	69.8	73.8
2011	337	70.4	4.11	62.6	78.9	5,240	72.5	1.03	70.5	74.5
2012	370	70.1	3.89	62.6	78.0	5,025	68.5	0.99	66.5	70.4
2013	352	65.3	3.72	58.2	72.9	5,237	70.8	1.00	68.9	72.8
2014	410	69.1	3.63	62.2	76.6	5,215	70.2	1.00	68.2	72.2
2015	442	70.7	3.56	63.9	78.0	5,239	69.9	1.00	67.9	71.9
2016	511	79.1	3.70	72.0	86.7	5,466	73.0	1.02	71.0	75.1
2017	497	73.5	3.48	66.8	80.6	5,321	69.9	0.99	68.0	71.9
2018	557	79.7	3.54	72.9	86.9	5,370	70.0	0.99	68.1	72.0
2019	530	71.7	3.24	65.5	78.3	5,143	67.2	0.97	65.3	69.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Digestive System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	127,885	72.4	0.21	72.0	72.8	25,061	94.3	0.60	93.1	95.5
1990	4,211	76.0	1.19	73.7	78.4	631	95.5	3.87	88.1	103.4
1991	4,071	72.7	1.16	70.4	75.0	601	90.0	3.72	82.8	97.5
1992	4,088	72.0	1.15	69.8	74.3	591	83.4	3.48	76.7	90.5
1993	4,173	73.1	1.15	70.9	75.4	621	89.1	3.62	82.2	96.5
1994	4,474	77.4	1.18	75.1	79.7	685	95.8	3.70	88.7	103.3
1995	4,293	74.7	1.16	72.5	77.0	729	99.4	3.72	92.3	107.0
1996	4,426	76.4	1.17	74.2	78.8	745	101.4	3.75	94.1	109.0
1997	4,441	76.8	1.17	74.5	79.1	766	102.3	3.73	95.1	109.9
1998	4,667	80.5	1.20	78.1	82.8	808	105.7	3.75	98.5	113.3
1999	4,513	77.4	1.17	75.1	79.7	747	94.2	3.47	87.5	101.3
2000	4,530	77.7	1.18	75.4	80.0	791	97.9	3.50	91.1	105.0
2001	4,474	76.8	1.17	74.5	79.1	844	103.4	3.58	96.5	110.6
2002	4,467	76.6	1.17	74.3	78.9	865	104.3	3.57	97.4	111.5
2003	4,304	73.9	1.15	71.6	76.1	854	101.7	3.51	95.0	108.8
2004	4,440	76.0	1.17	73.7	78.3	868	101.1	3.46	94.4	108.1
2005	4,400	75.2	1.16	72.9	77.5	872	100.0	3.41	93.4	106.9
2006	4,271	73.4	1.15	71.2	75.7	899	100.6	3.38	94.1	107.4
2007	4,381	74.8	1.16	72.6	77.1	886	97.3	3.30	91.0	104.0
2008	4,285	73.1	1.15	70.9	75.4	890	95.3	3.23	89.1	101.9
2009	4,186	71.1	1.13	68.9	73.3	850	89.7	3.11	83.7	96.0
2010	4,030	68.1	1.10	65.9	70.3	935	96.8	3.21	90.6	103.2
2011	4,090	68.6	1.11	66.5	70.9	973	97.2	3.16	91.1	103.6
2012	3,971	65.9	1.08	63.8	68.1	864	85.2	2.94	79.6	91.2
2013	4,108	68.1	1.10	65.9	70.3	940	90.4	2.99	84.6	96.5
2014	4,072	67.1	1.09	65.0	69.3	924	88.4	2.96	82.7	94.4
2015	4,086	67.2	1.10	65.0	69.4	955	88.7	2.92	83.1	94.6
2016	4,246	70.6	1.14	68.4	72.9	1,001	91.6	2.95	85.9	97.6
2017	4,112	67.5	1.11	65.4	69.7	985	88.5	2.87	82.9	94.3
2018	4,127	67.1	1.10	65.0	69.3	1,015	90.9	2.91	85.3	96.8
2019	3,948	65.0	1.09	62.8	67.1	926	81.6	2.74	76.3	87.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Esophagus										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	685	3.2	0.13	3.0	3.5	19,531	5.3	0.04	5.2	5.4
1990	12	3.5	1.10	1.7	6.2	502	4.8	0.22	4.4	5.2
1991	11	2.9	0.92	1.4	5.2	527	5.0	0.22	4.6	5.4
1992	6	1.8	0.79	0.6	3.9	572	5.3	0.22	4.9	5.8
1993	15	3.9	1.18	1.9	6.8	537	4.9	0.21	4.5	5.4
1994	15	4.6	1.28	2.4	7.6	590	5.4	0.22	5.0	5.9
1995	14	3.4	0.99	1.8	5.9	638	5.8	0.23	5.4	6.3
1996	25	6.4	1.43	3.9	9.7	616	5.6	0.23	5.2	6.1
1997	14	3.0	0.95	1.4	5.3	542	4.9	0.21	4.5	5.3
1998	19	4.3	1.14	2.3	7.0	653	5.8	0.23	5.4	6.3
1999	23	5.9	1.36	3.5	9.0	645	5.7	0.22	5.3	6.2
2000	11	2.2	0.73	1.0	4.0	699	6.1	0.23	5.7	6.6
2001	27	6.4	1.39	3.9	9.5	653	5.7	0.22	5.3	6.2
2002	22	3.7	0.89	2.2	5.8	635	5.5	0.22	5.1	5.9
2003	25	4.6	1.01	2.9	6.9	636	5.4	0.22	5.0	5.9
2004	21	3.1	0.79	1.7	5.0	680	5.8	0.22	5.4	6.2
2005	29	5.0	1.01	3.2	7.3	637	5.3	0.21	4.9	5.8
2006	26	4.1	0.86	2.5	6.0	672	5.6	0.22	5.1	6.0
2007	24	3.1	0.69	1.9	4.7	686	5.6	0.21	5.1	6.0
2008	22	2.9	0.67	1.7	4.4	700	5.6	0.21	5.2	6.0
2009	26	2.8	0.61	1.8	4.3	698	5.6	0.21	5.1	6.0
2010	22	2.6	0.63	1.5	4.1	640	5.0	0.20	4.6	5.4
2011	34	3.7	0.68	2.5	5.2	700	5.4	0.21	5.0	5.8
2012	27	3.0	0.64	1.9	4.5	735	5.5	0.21	5.1	6.0
2013	21	1.8	0.44	1.1	2.9	691	5.1	0.20	4.7	5.5
2014	20	1.6	0.39	0.9	2.5	720	5.2	0.20	4.8	5.6
2015	27	2.6	0.54	1.7	3.9	734	5.2	0.20	4.8	5.6
2016	34	2.7	0.50	1.8	3.8	672	4.8	0.19	4.4	5.2
2017	36	2.7	0.49	1.9	3.8	665	4.7	0.19	4.4	5.1
2018	32	2.4	0.45	1.6	3.5	690	4.7	0.18	4.3	5.1
2019	45	3.2	0.50	2.3	4.3	766	5.2	0.19	4.9	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Esophagus										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	15,925	5.2	0.04	5.1	5.2	3,284	6.9	0.12	6.7	7.2
1990	350	3.7	0.20	3.4	4.2	148	12.3	1.03	10.4	14.5
1991	385	4.1	0.21	3.7	4.6	136	11.0	0.95	9.2	13.0
1992	430	4.6	0.22	4.1	5.0	135	11.0	0.96	9.2	13.0
1993	403	4.2	0.21	3.8	4.7	126	9.8	0.89	8.2	11.7
1994	449	4.7	0.22	4.3	5.2	135	10.5	0.92	8.8	12.5
1995	477	5.0	0.23	4.6	5.5	151	11.5	0.95	9.8	13.6
1996	450	4.7	0.22	4.3	5.2	156	11.6	0.94	9.8	13.6
1997	402	4.2	0.21	3.8	4.6	135	9.9	0.87	8.3	11.8
1998	519	5.4	0.24	4.9	5.9	126	9.2	0.84	7.7	11.0
1999	523	5.4	0.24	5.0	5.9	116	8.5	0.80	7.0	10.2
2000	557	5.7	0.24	5.3	6.2	135	9.5	0.82	7.9	11.2
2001	531	5.5	0.24	5.0	5.9	111	7.8	0.75	6.4	9.4
2002	524	5.4	0.23	4.9	5.8	105	7.0	0.69	5.7	8.5
2003	530	5.3	0.23	4.9	5.8	94	6.4	0.67	5.1	7.8
2004	565	5.7	0.24	5.3	6.2	108	7.1	0.69	5.8	8.6
2005	539	5.4	0.23	4.9	5.8	92	6.0	0.63	4.8	7.3
2006	549	5.4	0.23	5.0	5.9	113	7.1	0.68	5.8	8.6
2007	571	5.5	0.23	5.1	6.0	100	6.3	0.65	5.1	7.7
2008	601	5.8	0.24	5.3	6.3	90	5.5	0.59	4.4	6.7
2009	599	5.8	0.24	5.3	6.3	87	5.0	0.55	4.0	6.2
2010	530	5.0	0.22	4.6	5.4	94	5.3	0.56	4.2	6.5
2011	590	5.5	0.23	5.1	6.0	98	5.7	0.59	4.6	6.9
2012	628	5.7	0.23	5.3	6.2	94	5.3	0.56	4.3	6.5
2013	590	5.3	0.22	4.9	5.8	93	5.0	0.53	4.0	6.2
2014	614	5.4	0.22	5.0	5.9	80	4.3	0.49	3.4	5.3
2015	633	5.5	0.22	5.1	6.0	87	4.5	0.49	3.6	5.6
2016	560	4.9	0.21	4.5	5.3	92	4.8	0.51	3.8	5.9
2017	567	5.0	0.22	4.6	5.5	84	4.1	0.46	3.3	5.2
2018	595	5.0	0.21	4.6	5.4	79	3.9	0.45	3.1	4.9
2019	664	5.6	0.22	5.2	6.1	84	4.3	0.48	3.4	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Esophagus										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	545	5.4	0.26	4.9	5.9	14,954	9.3	0.08	9.2	9.5
1990	11	6.5	2.28	2.8	12.5	343	7.6	0.42	6.8	8.4
1991	10	5.3	1.86	2.3	10.3	391	8.6	0.44	7.7	9.5
1992	6	4.1	1.85	1.3	9.1	421	9.3	0.46	8.4	10.2
1993	7	3.6	1.69	1.1	8.3	385	8.2	0.42	7.4	9.0
1994	12	9.4	3.06	4.4	16.8	446	9.5	0.46	8.6	10.5
1995	13	7.3	2.30	3.5	13.0	490	10.4	0.48	9.5	11.4
1996	20	10.5	2.83	5.7	17.2	467	9.8	0.46	8.9	10.8
1997	13	6.4	2.32	2.7	12.2	393	8.2	0.42	7.4	9.1
1998	15	6.6	2.02	3.3	11.6	505	10.6	0.48	9.7	11.6
1999	16	8.6	2.47	4.5	14.5	512	10.6	0.47	9.7	11.5
2000	8	3.2	1.37	1.1	6.8	531	10.9	0.48	10.0	11.9
2001	21	10.6	2.73	5.9	16.9	477	9.7	0.45	8.8	10.6
2002	17	5.5	1.67	2.7	9.6	481	9.6	0.44	8.7	10.5
2003	20	8.4	2.08	4.9	13.3	498	9.9	0.45	9.1	10.8
2004	16	3.9	1.11	2.1	6.8	513	9.9	0.44	9.1	10.8
2005	23	9.4	2.17	5.6	14.4	498	9.6	0.44	8.8	10.5
2006	18	5.4	1.41	3.0	8.8	538	10.1	0.44	9.3	11.0
2007	17	4.8	1.35	2.5	8.0	515	9.5	0.43	8.7	10.4
2008	18	5.3	1.42	2.9	8.7	562	10.2	0.44	9.4	11.1
2009	24	5.8	1.35	3.5	9.0	532	9.6	0.43	8.8	10.5
2010	16	3.0	0.81	1.6	5.0	484	8.5	0.40	7.7	9.3
2011	27	6.1	1.32	3.8	9.1	542	9.4	0.41	8.6	10.2
2012	20	5.3	1.34	3.0	8.4	567	9.6	0.41	8.8	10.5
2013	19	3.4	0.88	1.9	5.6	551	9.2	0.40	8.4	10.0
2014	16	2.7	0.77	1.4	4.6	573	9.2	0.39	8.4	10.0
2015	22	4.6	1.08	2.7	7.1	591	9.4	0.40	8.6	10.2
2016	28	4.3	0.88	2.7	6.3	513	8.1	0.37	7.4	8.9
2017	31	5.1	1.02	3.3	7.5	519	8.1	0.37	7.4	8.9
2018	23	3.6	0.82	2.2	5.5	526	7.9	0.35	7.2	8.6
2019	38	5.6	0.99	3.8	7.8	590	8.9	0.38	8.2	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Esophagus										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,446	9.2	0.08	9.0	9.3	2,287	11.6	0.25	11.1	12.1
1990	237	6.0	0.40	5.2	6.8	102	20.1	2.05	16.3	24.5
1991	289	7.3	0.44	6.5	8.2	100	18.7	1.91	15.1	22.8
1992	324	8.2	0.46	7.3	9.1	93	18.1	1.97	14.5	22.4
1993	292	7.1	0.42	6.3	8.0	87	16.4	1.83	13.0	20.3
1994	343	8.4	0.46	7.5	9.4	99	18.8	1.96	15.1	23.0
1995	372	9.1	0.48	8.2	10.1	110	20.4	2.03	16.6	24.7
1996	348	8.5	0.46	7.6	9.5	115	20.3	1.97	16.6	24.5
1997	302	7.4	0.43	6.5	8.2	90	15.9	1.73	12.7	19.6
1998	410	10.0	0.50	9.0	11.0	88	15.9	1.78	12.6	19.7
1999	418	10.1	0.49	9.1	11.1	89	15.7	1.73	12.5	19.5
2000	432	10.4	0.50	9.4	11.4	95	16.6	1.78	13.2	20.4
2001	389	9.3	0.47	8.4	10.2	80	13.6	1.56	10.7	16.9
2002	405	9.5	0.48	8.6	10.5	72	11.5	1.41	8.9	14.5
2003	426	10.0	0.49	9.1	11.0	65	10.6	1.36	8.1	13.6
2004	441	10.1	0.48	9.2	11.1	68	10.6	1.34	8.2	13.6
2005	429	9.7	0.47	8.8	10.7	67	10.9	1.42	8.3	14.0
2006	448	10.0	0.48	9.1	11.0	83	12.9	1.48	10.2	16.1
2007	439	9.6	0.46	8.7	10.6	66	10.3	1.33	7.8	13.2
2008	491	10.6	0.49	9.7	11.6	64	9.8	1.28	7.5	12.6
2009	454	9.9	0.47	9.0	10.8	68	9.3	1.17	7.1	11.9
2010	410	8.7	0.44	7.8	9.6	60	7.9	1.08	6.0	10.3
2011	474	9.8	0.46	8.9	10.7	61	8.9	1.20	6.7	11.5
2012	501	10.2	0.47	9.3	11.2	60	8.4	1.14	6.3	10.9
2013	480	9.7	0.45	8.8	10.6	66	8.7	1.12	6.6	11.2
2014	503	9.7	0.44	8.8	10.6	52	6.8	0.98	5.0	9.0
2015	516	9.9	0.45	9.0	10.8	65	7.9	1.02	6.0	10.2
2016	434	8.3	0.41	7.5	9.2	62	8.1	1.08	6.1	10.5
2017	454	8.7	0.42	7.9	9.6	56	6.6	0.92	4.9	8.7
2018	464	8.4	0.40	7.7	9.3	49	5.6	0.83	4.1	7.5
2019	521	9.5	0.43	8.7	10.4	55	7.1	0.99	5.3	9.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Esophagus										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	140	1.4	0.12	1.1	1.6	4,577	2.2	0.03	2.1	2.3
1990	1	0.8	0.83	0.0	3.7	159	2.6	0.21	2.2	3.1
1991	1	0.7	0.68	0.0	3.2	136	2.2	0.19	1.8	2.6
1992	0					151	2.4	0.20	2.0	2.8
1993	8	4.1	1.60	1.6	8.2	152	2.4	0.20	2.0	2.8
1994	3	1.2	0.68	0.2	3.4	144	2.3	0.19	1.9	2.7
1995	1	0.4	0.36	0.0	2.1	148	2.3	0.19	2.0	2.7
1996	5	3.0	1.37	0.9	6.6	149	2.3	0.19	2.0	2.7
1997	1	0.3	0.33	0.0	1.9	149	2.3	0.19	2.0	2.7
1998	4	2.1	1.19	0.5	5.4	148	2.3	0.19	1.9	2.7
1999	7	3.6	1.44	1.3	7.2	133	2.0	0.17	1.7	2.4
2000	3	1.3	0.77	0.3	3.6	168	2.6	0.20	2.2	3.0
2001	6	3.0	1.33	1.0	6.4	176	2.6	0.20	2.2	3.0
2002	5	2.1	0.97	0.7	4.7	154	2.3	0.19	1.9	2.7
2003	5	1.5	0.74	0.4	3.6	138	2.0	0.17	1.7	2.4
2004	5	2.0	0.99	0.6	4.6	167	2.5	0.20	2.2	2.9
2005	6	1.6	0.69	0.6	3.5	139	2.0	0.17	1.7	2.4
2006	8	2.7	1.02	1.1	5.3	134	2.0	0.17	1.6	2.3
2007	7	1.7	0.68	0.7	3.5	171	2.5	0.19	2.1	2.9
2008	4	0.9	0.47	0.2	2.3	138	2.0	0.17	1.7	2.4
2009	2	0.3	0.22	0.0	1.2	166	2.3	0.18	2.0	2.7
2010	6	2.0	0.83	0.7	4.1	156	2.2	0.18	1.8	2.5
2011	7	1.6	0.63	0.6	3.2	158	2.2	0.18	1.8	2.6
2012	7	1.4	0.56	0.5	2.9	168	2.3	0.18	1.9	2.6
2013	2	0.4	0.32	0.1	1.4	140	1.8	0.16	1.5	2.2
2014	4	0.6	0.31	0.2	1.5	147	1.9	0.16	1.6	2.3
2015	5	1.0	0.45	0.3	2.2	143	1.8	0.15	1.5	2.1
2016	6	1.1	0.48	0.4	2.4	159	2.1	0.17	1.8	2.4
2017	5	0.7	0.30	0.2	1.5	146	1.9	0.16	1.6	2.3
2018	9	1.4	0.47	0.6	2.6	164	2.0	0.16	1.7	2.4
2019	7	1.0	0.39	0.4	2.1	176	2.2	0.18	1.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Esophagus										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,479	2.0	0.03	1.9	2.0	997	3.7	0.12	3.4	3.9
1990	113	2.0	0.19	1.7	2.5	46	6.7	1.00	4.9	8.9
1991	96	1.7	0.18	1.4	2.1	36	5.1	0.87	3.6	7.1
1992	106	1.9	0.19	1.6	2.3	42	5.9	0.92	4.3	8.0
1993	111	2.0	0.19	1.6	2.4	39	5.2	0.84	3.7	7.1
1994	106	1.9	0.18	1.5	2.3	36	4.8	0.80	3.4	6.6
1995	105	1.8	0.18	1.5	2.2	41	5.5	0.86	3.9	7.4
1996	102	1.8	0.18	1.5	2.2	41	5.3	0.84	3.8	7.2
1997	100	1.8	0.18	1.4	2.2	45	5.7	0.85	4.1	7.6
1998	109	1.9	0.19	1.6	2.3	38	4.8	0.78	3.4	6.6
1999	105	1.8	0.18	1.5	2.2	27	3.4	0.66	2.2	4.9
2000	125	2.2	0.20	1.8	2.6	40	4.8	0.76	3.4	6.5
2001	142	2.5	0.21	2.1	2.9	31	3.8	0.68	2.5	5.3
2002	119	2.0	0.19	1.7	2.5	33	3.8	0.67	2.6	5.4
2003	104	1.8	0.18	1.4	2.2	29	3.4	0.63	2.3	4.9
2004	124	2.2	0.20	1.8	2.7	40	4.6	0.74	3.3	6.3
2005	110	1.9	0.18	1.6	2.3	25	2.8	0.57	1.8	4.1
2006	101	1.8	0.18	1.4	2.2	30	3.2	0.59	2.2	4.6
2007	132	2.3	0.20	1.9	2.7	34	3.7	0.64	2.5	5.1
2008	110	1.9	0.19	1.6	2.3	26	2.6	0.51	1.7	3.8
2009	145	2.4	0.21	2.0	2.9	19	1.9	0.45	1.2	3.0
2010	120	2.0	0.18	1.6	2.4	34	3.4	0.59	2.3	4.8
2011	116	2.0	0.19	1.6	2.4	37	3.6	0.59	2.5	4.9
2012	127	2.1	0.19	1.7	2.5	34	3.3	0.57	2.3	4.6
2013	110	1.8	0.17	1.4	2.1	27	2.5	0.49	1.6	3.7
2014	111	1.8	0.17	1.5	2.2	28	2.5	0.49	1.7	3.7
2015	117	1.8	0.17	1.5	2.2	22	1.9	0.42	1.2	2.9
2016	126	2.0	0.18	1.7	2.4	30	2.7	0.49	1.8	3.8
2017	113	1.9	0.19	1.5	2.3	28	2.4	0.46	1.6	3.5
2018	131	2.0	0.18	1.7	2.4	30	2.5	0.47	1.7	3.7
2019	143	2.3	0.20	1.9	2.7	29	2.5	0.47	1.6	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Stomach										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,734	12.1	0.26	11.6	12.6	26,628	7.3	0.05	7.3	7.4
1990	37	11.7	2.24	7.7	16.7	916	8.7	0.29	8.2	9.3
1991	37	9.6	1.81	6.4	13.8	885	8.3	0.28	7.8	8.9
1992	44	11.8	2.10	8.1	16.5	894	8.3	0.28	7.7	8.8
1993	59	16.7	2.50	12.2	22.2	915	8.4	0.28	7.9	9.0
1994	54	14.5	2.26	10.4	19.4	891	8.2	0.27	7.6	8.7
1995	54	12.5	1.97	8.9	16.9	923	8.4	0.28	7.8	8.9
1996	51	13.1	2.13	9.2	17.8	917	8.2	0.27	7.7	8.8
1997	45	9.4	1.57	6.6	12.9	932	8.3	0.27	7.8	8.9
1998	68	14.1	2.02	10.4	18.5	936	8.3	0.27	7.7	8.8
1999	62	10.7	1.62	7.8	14.3	875	7.7	0.26	7.2	8.2
2000	66	13.2	1.85	9.8	17.2	845	7.4	0.25	6.9	7.9
2001	76	12.2	1.67	9.1	15.8	847	7.3	0.25	6.8	7.8
2002	76	14.0	1.85	10.6	18.0	899	7.7	0.26	7.2	8.3
2003	79	11.6	1.53	8.8	14.9	884	7.5	0.25	7.0	8.0
2004	87	13.2	1.66	10.1	16.7	849	7.2	0.25	6.7	7.7
2005	89	13.2	1.60	10.2	16.6	826	6.9	0.24	6.4	7.4
2006	89	12.9	1.56	10.0	16.3	827	6.9	0.24	6.5	7.4
2007	92	11.5	1.33	9.0	14.4	854	7.1	0.24	6.6	7.5
2008	89	10.9	1.29	8.5	13.7	856	7.0	0.24	6.5	7.5
2009	123	14.7	1.50	12.0	17.9	847	6.8	0.24	6.4	7.3
2010	107	10.6	1.16	8.5	13.1	828	6.6	0.23	6.2	7.1
2011	112	11.9	1.26	9.6	14.6	897	7.0	0.24	6.6	7.5
2012	105	10.0	1.08	8.0	12.3	874	6.7	0.23	6.3	7.2
2013	118	11.1	1.13	9.0	13.5	938	7.2	0.24	6.7	7.7
2014	129	11.5	1.11	9.4	13.9	903	6.8	0.23	6.3	7.2
2015	146	12.0	1.08	10.0	14.3	924	6.8	0.23	6.4	7.3
2016	146	12.0	1.08	10.0	14.3	917	6.7	0.23	6.3	7.2
2017	160	12.4	1.05	10.4	14.6	916	6.7	0.23	6.2	7.1
2018	171	12.9	1.06	10.9	15.1	892	6.4	0.22	6.0	6.8
2019	163	10.8	0.90	9.2	12.7	921	6.5	0.22	6.1	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Stomach										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	19,741	6.4	0.05	6.3	6.5	5,505	12.5	0.17	12.2	12.8
1990	740	7.9	0.29	7.4	8.5	153	13.9	1.16	11.7	16.3
1991	703	7.5	0.29	7.0	8.1	158	14.6	1.20	12.4	17.2
1992	696	7.3	0.28	6.8	7.9	173	14.9	1.17	12.7	17.4
1993	712	7.5	0.28	6.9	8.0	165	14.3	1.15	12.2	16.7
1994	693	7.2	0.28	6.7	7.8	177	14.5	1.12	12.4	16.8
1995	693	7.2	0.27	6.6	7.7	189	15.1	1.13	12.9	17.4
1996	697	7.2	0.27	6.7	7.7	190	15.6	1.16	13.4	18.1
1997	711	7.3	0.27	6.8	7.8	178	14.1	1.08	12.0	16.3
1998	706	7.2	0.27	6.7	7.7	194	15.7	1.15	13.6	18.1
1999	680	6.9	0.26	6.4	7.4	154	11.7	0.97	9.9	13.8
2000	622	6.3	0.25	5.8	6.8	179	13.4	1.02	11.5	15.6
2001	624	6.3	0.25	5.8	6.8	180	13.6	1.04	11.7	15.8
2002	678	6.8	0.26	6.3	7.4	169	12.2	0.96	10.4	14.3
2003	676	6.7	0.26	6.2	7.2	167	12.1	0.96	10.3	14.1
2004	629	6.3	0.25	5.8	6.8	177	12.5	0.96	10.7	14.6
2005	600	5.9	0.24	5.4	6.4	182	12.8	0.97	11.0	14.8
2006	584	5.8	0.24	5.3	6.3	193	12.7	0.93	10.9	14.6
2007	614	6.0	0.25	5.6	6.5	186	12.4	0.92	10.6	14.3
2008	616	6.0	0.24	5.5	6.5	194	12.8	0.94	11.0	14.8
2009	592	5.8	0.24	5.3	6.3	210	13.0	0.92	11.3	15.0
2010	599	5.7	0.24	5.3	6.2	172	10.7	0.83	9.1	12.4
2011	643	6.1	0.24	5.6	6.6	202	12.1	0.87	10.5	14.0
2012	655	6.1	0.24	5.6	6.6	160	9.6	0.77	8.1	11.2
2013	672	6.2	0.25	5.8	6.7	205	12.0	0.85	10.4	13.8
2014	643	5.9	0.24	5.4	6.4	210	11.9	0.84	10.3	13.6
2015	667	6.0	0.24	5.6	6.5	193	10.5	0.78	9.1	12.2
2016	653	5.9	0.24	5.4	6.4	213	11.8	0.83	10.3	13.6
2017	651	5.9	0.24	5.4	6.4	208	11.3	0.80	9.8	13.0
2018	647	5.7	0.23	5.3	6.2	178	9.4	0.72	8.0	10.9
2019	645	5.7	0.23	5.2	6.2	196	10.3	0.75	8.9	11.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Stomach										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,538	14.8	0.44	13.9	15.6	16,329	10.6	0.08	10.4	10.7
1990	19	16.2	4.68	8.4	27.2	551	13.0	0.57	11.9	14.2
1991	27	14.3	3.28	8.6	22.1	540	12.6	0.56	11.5	13.7
1992	23	15.3	4.05	8.4	24.8	537	12.2	0.54	11.2	13.3
1993	32	18.0	4.11	10.8	27.4	540	12.2	0.54	11.2	13.3
1994	33	19.4	4.14	12.1	28.8	546	12.2	0.54	11.2	13.3
1995	34	17.3	3.74	10.8	25.9	574	12.9	0.55	11.8	14.0
1996	35	20.6	4.34	13.0	30.4	568	12.6	0.54	11.6	13.7
1997	32	13.9	2.84	8.9	20.5	574	12.6	0.54	11.6	13.7
1998	35	17.6	3.70	11.1	26.0	558	12.0	0.52	11.1	13.1
1999	36	14.3	3.12	8.9	21.5	528	11.3	0.50	10.3	12.3
2000	33	15.9	3.23	10.2	23.2	516	10.9	0.48	9.9	11.8
2001	46	18.1	3.47	12.0	25.9	495	10.3	0.47	9.4	11.2
2002	40	15.9	3.07	10.5	22.8	554	11.5	0.49	10.5	12.5
2003	45	13.0	2.35	8.8	18.4	527	10.9	0.48	10.0	11.9
2004	52	14.2	2.39	9.9	19.5	531	10.7	0.47	9.8	11.7
2005	50	16.9	2.96	11.6	23.5	505	10.0	0.45	9.2	10.9
2006	46	14.6	2.58	10.0	20.3	503	9.8	0.44	9.0	10.7
2007	55	15.7	2.43	11.3	21.1	514	9.9	0.44	9.1	10.8
2008	53	14.3	2.25	10.3	19.3	517	9.9	0.44	9.0	10.8
2009	68	18.5	2.61	13.7	24.1	523	9.5	0.42	8.7	10.4
2010	62	14.6	2.15	10.7	19.3	525	9.6	0.43	8.8	10.5
2011	66	14.4	2.04	10.6	18.8	559	10.1	0.44	9.3	11.0
2012	63	14.2	2.06	10.4	18.7	576	10.1	0.43	9.3	11.0
2013	72	14.0	1.92	10.5	18.2	575	10.0	0.43	9.2	10.9
2014	66	12.2	1.70	9.1	15.9	552	9.3	0.40	8.5	10.1
2015	72	12.4	1.66	9.4	16.0	588	9.7	0.41	8.9	10.5
2016	76	13.0	1.70	9.9	16.7	563	9.3	0.40	8.6	10.2
2017	87	14.7	1.73	11.5	18.4	556	9.1	0.40	8.4	9.9
2018	92	15.1	1.76	11.9	18.9	548	8.7	0.38	7.9	9.4
2019	88	12.3	1.43	9.7	15.4	586	9.1	0.39	8.4	9.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Stomach										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,334	9.4	0.09	9.2	9.6	3,177	17.9	0.33	17.2	18.5
1990	435	11.7	0.58	10.6	12.9	100	22.3	2.37	17.9	27.4
1991	433	11.5	0.57	10.4	12.7	93	20.2	2.24	16.1	25.0
1992	425	11.0	0.54	9.9	12.1	95	21.2	2.34	16.9	26.2
1993	412	10.7	0.54	9.6	11.8	106	22.7	2.35	18.3	27.7
1994	424	11.0	0.54	10.0	12.1	110	21.4	2.15	17.4	26.0
1995	441	11.5	0.56	10.4	12.6	112	22.1	2.23	18.0	26.9
1996	435	11.1	0.54	10.1	12.2	114	23.6	2.37	19.2	28.7
1997	448	11.3	0.54	10.3	12.4	107	21.5	2.22	17.3	26.2
1998	432	10.7	0.52	9.7	11.8	104	21.6	2.26	17.4	26.4
1999	410	10.2	0.51	9.2	11.2	90	16.8	1.87	13.4	20.9
2000	383	9.4	0.48	8.5	10.4	102	19.4	2.04	15.6	23.7
2001	369	9.0	0.47	8.1	9.9	103	18.7	1.96	15.1	22.9
2002	428	10.4	0.51	9.4	11.4	100	17.5	1.85	14.1	21.5
2003	413	10.0	0.50	9.0	11.0	98	17.8	1.90	14.2	21.8
2004	405	9.6	0.48	8.7	10.6	99	17.9	1.93	14.3	22.0
2005	365	8.5	0.45	7.7	9.4	110	19.0	1.92	15.5	23.1
2006	363	8.4	0.44	7.5	9.3	112	17.8	1.77	14.5	21.6
2007	371	8.5	0.44	7.6	9.4	113	18.8	1.87	15.3	22.8
2008	372	8.4	0.44	7.6	9.3	116	20.3	2.00	16.6	24.6
2009	370	8.1	0.43	7.3	9.0	125	18.8	1.77	15.5	22.6
2010	391	8.5	0.44	7.7	9.4	100	15.4	1.63	12.4	18.9
2011	404	8.8	0.44	7.9	9.7	120	17.9	1.71	14.7	21.6
2012	447	9.3	0.45	8.5	10.3	89	13.7	1.54	10.8	17.0
2013	431	9.0	0.44	8.1	9.9	111	16.0	1.59	13.0	19.4
2014	406	8.2	0.42	7.4	9.1	120	16.9	1.62	13.8	20.3
2015	444	8.9	0.43	8.0	9.7	106	14.1	1.43	11.4	17.2
2016	422	8.5	0.42	7.6	9.3	107	14.9	1.50	12.1	18.2
2017	420	8.4	0.42	7.6	9.3	106	14.6	1.48	11.9	17.8
2018	410	7.9	0.40	7.2	8.8	97	12.2	1.28	9.8	15.0
2019	425	8.1	0.41	7.3	8.9	112	14.3	1.40	11.7	17.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Stomach										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,196	9.9	0.31	9.3	10.5	10,299	4.9	0.05	4.8	5.0
1990	18	9.3	2.37	5.3	15.0	365	5.8	0.31	5.2	6.4
1991	10	5.5	1.93	2.4	10.4	345	5.4	0.29	4.8	6.0
1992	21	9.6	2.34	5.6	15.2	357	5.6	0.30	5.0	6.2
1993	27	15.4	3.19	9.8	22.7	375	5.7	0.30	5.1	6.3
1994	21	10.5	2.56	6.1	16.5	345	5.2	0.28	4.7	5.8
1995	20	8.8	2.17	5.1	14.0	349	5.3	0.29	4.8	5.9
1996	16	7.5	2.10	4.0	12.5	349	5.2	0.28	4.7	5.8
1997	13	5.4	1.63	2.7	9.4	358	5.4	0.29	4.8	6.0
1998	33	11.9	2.31	7.8	17.2	378	5.5	0.29	5.0	6.1
1999	26	8.1	1.77	5.0	12.3	347	5.1	0.28	4.5	5.6
2000	33	11.3	2.21	7.4	16.3	329	4.8	0.27	4.3	5.3
2001	30	8.0	1.62	5.1	11.8	352	5.0	0.27	4.5	5.6
2002	36	12.4	2.33	8.3	17.6	345	5.0	0.27	4.5	5.6
2003	34	10.2	1.97	6.7	14.7	357	5.2	0.28	4.6	5.7
2004	35	11.7	2.20	7.7	16.6	318	4.7	0.27	4.2	5.2
2005	39	10.5	1.83	7.2	14.6	321	4.6	0.26	4.1	5.1
2006	43	11.6	1.96	8.1	16.0	324	4.7	0.27	4.2	5.3
2007	37	8.2	1.47	5.6	11.5	340	4.9	0.27	4.4	5.5
2008	36	8.1	1.48	5.4	11.4	339	4.9	0.27	4.4	5.5
2009	55	11.9	1.76	8.7	15.8	324	4.7	0.26	4.2	5.2
2010	45	7.6	1.24	5.3	10.4	303	4.4	0.26	3.9	4.9
2011	46	9.7	1.55	6.9	13.1	338	4.6	0.26	4.2	5.2
2012	42	6.9	1.14	4.9	9.5	298	4.1	0.24	3.6	4.6
2013	46	8.6	1.36	6.2	11.6	363	4.9	0.27	4.4	5.5
2014	63	10.8	1.44	8.2	13.9	351	4.8	0.26	4.3	5.3
2015	74	11.6	1.43	9.0	14.7	336	4.6	0.26	4.1	5.1
2016	70	11.2	1.41	8.6	14.3	354	4.7	0.26	4.2	5.2
2017	73	10.5	1.29	8.1	13.3	360	4.8	0.26	4.3	5.3
2018	79	11.2	1.33	8.8	14.1	344	4.5	0.25	4.0	5.1
2019	75	9.6	1.15	7.5	12.1	335	4.4	0.25	4.0	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Stomach										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,407	4.2	0.05	4.1	4.3	2,328	8.9	0.19	8.6	9.3
1990	305	5.4	0.32	4.8	6.1	53	8.1	1.14	6.0	10.7
1991	270	4.7	0.29	4.2	5.4	65	10.5	1.32	8.1	13.4
1992	271	4.8	0.30	4.2	5.4	78	11.1	1.27	8.7	13.8
1993	300	5.2	0.30	4.6	5.8	59	8.7	1.15	6.6	11.2
1994	269	4.6	0.29	4.1	5.2	67	9.4	1.16	7.3	12.0
1995	252	4.4	0.28	3.8	4.9	77	10.2	1.18	8.0	12.8
1996	262	4.5	0.28	3.9	5.1	76	10.5	1.21	8.2	13.1
1997	263	4.5	0.28	3.9	5.1	71	9.4	1.13	7.3	11.9
1998	274	4.5	0.28	4.0	5.1	90	12.1	1.29	9.7	14.9
1999	270	4.5	0.28	4.0	5.1	64	8.3	1.05	6.4	10.6
2000	239	3.9	0.26	3.5	4.5	77	9.6	1.11	7.6	12.0
2001	255	4.2	0.27	3.7	4.8	77	9.9	1.13	7.8	12.4
2002	250	4.3	0.28	3.8	4.9	69	8.5	1.03	6.6	10.8
2003	263	4.4	0.28	3.9	5.0	69	8.4	1.02	6.5	10.6
2004	224	3.8	0.26	3.3	4.4	78	9.3	1.06	7.3	11.6
2005	235	4.0	0.26	3.5	4.5	72	8.5	1.01	6.7	10.7
2006	221	3.8	0.26	3.3	4.3	81	9.1	1.02	7.2	11.3
2007	243	4.2	0.28	3.7	4.8	73	8.2	0.97	6.4	10.4
2008	244	4.2	0.27	3.6	4.7	78	8.5	0.98	6.7	10.7
2009	222	3.9	0.27	3.4	4.4	85	8.9	0.98	7.1	11.1
2010	208	3.5	0.25	3.1	4.1	72	7.7	0.92	6.0	9.7
2011	239	4.0	0.26	3.5	4.5	82	8.2	0.92	6.5	10.3
2012	208	3.4	0.25	3.0	3.9	71	7.2	0.86	5.6	9.1
2013	241	4.0	0.27	3.5	4.6	94	9.1	0.95	7.3	11.2
2014	237	4.0	0.27	3.5	4.6	90	8.7	0.93	7.0	10.8
2015	223	3.7	0.26	3.2	4.3	87	8.2	0.90	6.6	10.2
2016	231	3.8	0.26	3.3	4.3	106	9.7	0.96	8.0	11.8
2017	231	3.8	0.26	3.3	4.3	102	9.5	0.95	7.7	11.6
2018	237	3.9	0.26	3.4	4.4	81	7.4	0.83	5.8	9.2
2019	220	3.7	0.26	3.2	4.3	84	7.7	0.86	6.1	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Small Intestine										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	396	1.7	0.09	1.5	1.8	7,985	2.2	0.02	2.2	2.3
1990	6	1.3	0.55	0.5	3.0	134	1.3	0.11	1.1	1.5
1991	2	0.6	0.44	0.1	2.1	143	1.3	0.11	1.1	1.6
1992	4	1.1	0.64	0.2	3.0	152	1.4	0.12	1.2	1.7
1993	7	1.5	0.58	0.6	3.1	175	1.6	0.12	1.4	1.9
1994	7	1.8	0.76	0.6	3.8	165	1.5	0.12	1.3	1.8
1995	6	1.5	0.71	0.4	3.4	159	1.5	0.12	1.2	1.7
1996	4	0.5	0.28	0.1	1.6	180	1.6	0.12	1.4	1.9
1997	3	1.1	0.65	0.2	2.9	182	1.6	0.12	1.4	1.9
1998	12	2.4	0.79	1.1	4.4	204	1.8	0.13	1.6	2.1
1999	8	2.0	0.77	0.8	4.0	204	1.8	0.13	1.6	2.1
2000	3	0.4	0.26	0.1	1.3	208	1.8	0.13	1.6	2.1
2001	6	1.3	0.56	0.4	2.8	231	2.0	0.13	1.8	2.3
2002	10	2.2	0.77	0.9	4.1	259	2.2	0.14	2.0	2.5
2003	9	1.7	0.68	0.6	3.4	201	1.7	0.12	1.5	2.0
2004	12	1.6	0.62	0.7	3.2	238	2.0	0.13	1.8	2.3
2005	7	0.8	0.33	0.3	1.7	274	2.3	0.14	2.0	2.6
2006	14	1.8	0.54	0.9	3.1	248	2.1	0.13	1.8	2.4
2007	13	1.3	0.40	0.7	2.4	292	2.4	0.14	2.1	2.7
2008	14	1.4	0.40	0.7	2.4	297	2.5	0.14	2.2	2.7
2009	18	2.2	0.61	1.2	3.7	325	2.6	0.15	2.3	2.9
2010	20	2.4	0.58	1.4	3.8	326	2.6	0.15	2.3	2.9
2011	14	1.4	0.41	0.7	2.4	343	2.7	0.15	2.4	3.0
2012	19	1.7	0.43	1.0	2.8	370	2.8	0.15	2.5	3.1
2013	22	1.7	0.39	1.0	2.6	361	2.7	0.15	2.5	3.1
2014	14	1.1	0.31	0.6	1.9	366	2.8	0.15	2.5	3.1
2015	24	1.8	0.41	1.1	2.8	398	3.0	0.15	2.7	3.3
2016	30	2.3	0.45	1.5	3.3	380	2.8	0.15	2.6	3.1
2017	29	1.8	0.36	1.2	2.7	382	2.9	0.15	2.6	3.2
2018	32	2.4	0.46	1.6	3.5	414	3.0	0.15	2.7	3.4
2019	27	1.9	0.38	1.2	2.7	374	2.7	0.15	2.5	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Small Intestine										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,160	2.0	0.03	2.0	2.1	1,589	3.4	0.09	3.3	3.6
1990	113	1.3	0.12	1.0	1.5	20	1.7	0.38	1.0	2.6
1991	112	1.2	0.11	1.0	1.4	30	2.4	0.45	1.6	3.5
1992	122	1.3	0.12	1.1	1.6	28	2.0	0.38	1.3	2.9
1993	148	1.6	0.13	1.3	1.8	25	1.9	0.39	1.2	2.8
1994	135	1.4	0.12	1.2	1.7	25	1.9	0.40	1.2	2.9
1995	123	1.3	0.12	1.1	1.5	34	2.8	0.48	1.9	3.9
1996	141	1.5	0.12	1.2	1.7	36	2.6	0.45	1.8	3.6
1997	141	1.5	0.12	1.2	1.7	39	2.8	0.46	2.0	3.9
1998	166	1.7	0.14	1.5	2.0	36	2.6	0.44	1.8	3.6
1999	164	1.7	0.13	1.5	2.0	32	2.3	0.41	1.5	3.2
2000	170	1.8	0.14	1.5	2.1	34	2.4	0.43	1.7	3.4
2001	182	1.9	0.14	1.6	2.2	44	3.1	0.47	2.2	4.2
2002	202	2.1	0.15	1.8	2.4	51	3.4	0.49	2.6	4.5
2003	154	1.5	0.12	1.3	1.8	41	2.8	0.44	2.0	3.8
2004	184	1.9	0.14	1.6	2.2	46	3.2	0.48	2.3	4.3
2005	219	2.2	0.15	1.9	2.5	48	3.2	0.47	2.3	4.2
2006	185	1.9	0.14	1.6	2.2	48	3.1	0.46	2.3	4.2
2007	229	2.3	0.15	2.0	2.6	57	3.5	0.47	2.6	4.5
2008	220	2.2	0.15	1.9	2.5	69	4.4	0.54	3.4	5.6
2009	250	2.4	0.16	2.1	2.8	67	4.1	0.52	3.2	5.3
2010	239	2.3	0.15	2.0	2.7	74	4.5	0.53	3.5	5.7
2011	261	2.5	0.16	2.2	2.8	65	3.7	0.47	2.8	4.7
2012	287	2.6	0.16	2.3	3.0	70	4.0	0.49	3.1	5.1
2013	279	2.6	0.16	2.3	2.9	77	4.2	0.49	3.3	5.3
2014	280	2.7	0.16	2.3	3.0	76	4.2	0.50	3.3	5.3
2015	310	2.8	0.16	2.5	3.2	76	4.2	0.49	3.3	5.3
2016	282	2.6	0.16	2.3	2.9	84	4.5	0.50	3.6	5.6
2017	284	2.6	0.16	2.3	3.0	87	4.7	0.51	3.8	5.8
2018	309	2.8	0.16	2.5	3.1	89	4.7	0.51	3.7	5.8
2019	269	2.4	0.15	2.1	2.8	81	4.2	0.48	3.3	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Small Intestine										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	207	1.8	0.14	1.5	2.1	4,174	2.6	0.04	2.6	2.7
1990	5	2.1	0.95	0.6	5.5	69	1.6	0.20	1.2	2.0
1991	1	0.4	0.41	0.0	3.1	71	1.6	0.19	1.2	2.0
1992	2	0.7	0.48	0.1	3.3	74	1.6	0.19	1.2	2.0
1993	3	1.4	0.88	0.2	4.5	96	2.1	0.22	1.7	2.6
1994	4	2.3	1.35	0.5	6.3	77	1.7	0.20	1.4	2.2
1995	1	0.4	0.35	0.0	2.6	91	2.0	0.21	1.6	2.4
1996	2	0.4	0.25	0.0	2.4	91	2.0	0.21	1.6	2.4
1997	0					87	1.8	0.20	1.5	2.3
1998	4	1.3	0.66	0.4	3.7	114	2.3	0.22	1.9	2.8
1999	4	2.9	1.67	0.6	7.4	112	2.3	0.22	1.9	2.7
2000	0					106	2.2	0.22	1.8	2.7
2001	3	0.9	0.54	0.2	2.9	121	2.5	0.23	2.1	3.0
2002	5	2.0	0.90	0.6	4.5	130	2.6	0.23	2.1	3.0
2003	4	0.8	0.44	0.2	2.5	117	2.4	0.22	1.9	2.8
2004	5	1.7	1.10	0.3	4.8	135	2.6	0.23	2.2	3.1
2005	5	1.3	0.65	0.4	3.2	146	2.8	0.23	2.4	3.3
2006	9	2.4	0.95	0.9	4.9	127	2.4	0.22	2.0	2.9
2007	6	1.5	0.68	0.5	3.4	140	2.6	0.22	2.2	3.1
2008	7	1.5	0.67	0.5	3.4	144	2.7	0.23	2.3	3.2
2009	9	2.2	0.90	0.8	4.5	176	3.2	0.24	2.7	3.7
2010	9	1.6	0.57	0.7	3.1	175	3.2	0.25	2.8	3.8
2011	10	2.2	0.82	0.9	4.3	166	2.9	0.23	2.4	3.3
2012	12	2.2	0.67	1.0	3.9	206	3.6	0.26	3.1	4.1
2013	11	1.6	0.51	0.7	2.9	166	2.8	0.22	2.4	3.3
2014	6	0.8	0.37	0.3	1.9	188	3.2	0.24	2.7	3.7
2015	14	2.3	0.70	1.1	4.0	218	3.7	0.25	3.2	4.2
2016	20	2.9	0.72	1.6	4.6	208	3.4	0.24	2.9	3.9
2017	14	2.0	0.59	1.0	3.5	210	3.4	0.24	2.9	3.9
2018	18	3.2	0.82	1.8	5.1	216	3.5	0.24	3.0	4.0
2019	14	2.1	0.63	1.1	3.7	197	3.1	0.23	2.7	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Small Intestine										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,261	2.5	0.04	2.4	2.5	779	4.1	0.15	3.8	4.4
1990	62	1.6	0.21	1.2	2.1	7	1.4	0.55	0.5	2.9
1991	57	1.5	0.20	1.1	1.9	14	3.0	0.86	1.6	5.1
1992	60	1.5	0.20	1.1	2.0	13	2.0	0.56	1.0	3.5
1993	82	2.1	0.23	1.6	2.6	13	2.4	0.67	1.3	4.1
1994	65	1.7	0.21	1.3	2.2	10	1.8	0.60	0.9	3.4
1995	71	1.7	0.21	1.4	2.2	19	4.1	1.01	2.4	6.5
1996	70	1.8	0.21	1.4	2.3	19	3.2	0.74	1.9	5.0
1997	69	1.7	0.21	1.3	2.2	16	2.6	0.67	1.5	4.3
1998	87	2.1	0.23	1.7	2.6	26	4.5	0.91	2.9	6.6
1999	88	2.1	0.22	1.7	2.6	20	3.5	0.83	2.1	5.5
2000	83	2.0	0.23	1.6	2.5	20	3.5	0.79	2.1	5.4
2001	96	2.3	0.24	1.9	2.8	23	4.2	0.92	2.6	6.4
2002	103	2.4	0.24	2.0	2.9	21	3.5	0.81	2.1	5.4
2003	88	2.1	0.22	1.7	2.6	25	4.0	0.83	2.5	5.9
2004	106	2.4	0.24	2.0	2.9	28	5.0	1.00	3.2	7.3
2005	120	2.7	0.25	2.3	3.3	22	3.5	0.79	2.1	5.4
2006	102	2.3	0.23	1.9	2.8	19	3.0	0.73	1.8	4.8
2007	113	2.5	0.24	2.0	3.0	23	3.2	0.69	2.0	4.9
2008	107	2.4	0.23	1.9	2.9	33	5.1	0.91	3.5	7.2
2009	137	2.9	0.26	2.5	3.5	33	5.1	0.92	3.4	7.2
2010	132	3.0	0.26	2.5	3.5	36	5.4	0.94	3.7	7.5
2011	134	2.8	0.25	2.3	3.3	23	3.0	0.65	1.8	4.5
2012	156	3.3	0.27	2.8	3.8	42	6.0	0.97	4.3	8.2
2013	128	2.6	0.23	2.2	3.1	35	4.8	0.84	3.3	6.7
2014	140	2.9	0.25	2.4	3.4	43	5.7	0.91	4.1	7.8
2015	179	3.7	0.28	3.1	4.3	32	4.2	0.76	2.8	5.9
2016	157	3.1	0.26	2.7	3.7	41	5.2	0.85	3.7	7.1
2017	162	3.2	0.26	2.7	3.7	40	5.1	0.84	3.6	7.0
2018	165	3.3	0.26	2.8	3.8	42	5.2	0.83	3.7	7.1
2019	142	2.7	0.23	2.3	3.2	41	4.9	0.78	3.4	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Small Intestine										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	189	1.5	0.12	1.3	1.8	3,811	1.9	0.03	1.8	2.0
1990	1	0.5	0.52	0.0	2.8	65	1.1	0.14	0.9	1.4
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	2	1.3	0.96	0.1	4.3	78	1.3	0.15	1.0	1.6
1993	4	1.6	0.81	0.4	4.2	79	1.3	0.15	1.0	1.6
1994	3	1.4	0.88	0.2	4.1	88	1.4	0.15	1.1	1.7
1995	5	2.3	1.15	0.6	5.5	68	1.1	0.13	0.9	1.4
1996	2	0.7	0.49	0.1	2.6	89	1.4	0.15	1.1	1.7
1997	3	1.8	1.10	0.3	4.9	95	1.5	0.16	1.2	1.8
1998	8	3.2	1.26	1.3	6.5	90	1.4	0.15	1.1	1.7
1999	4	1.5	0.75	0.4	3.7	92	1.4	0.15	1.1	1.7
2000	3	0.8	0.49	0.2	2.5	102	1.6	0.16	1.3	2.0
2001	3	1.5	0.87	0.3	3.9	110	1.7	0.17	1.4	2.1
2002	5	2.1	1.05	0.6	4.9	129	2.0	0.18	1.7	2.4
2003	5	2.2	1.08	0.6	5.1	84	1.3	0.14	1.0	1.6
2004	7	1.7	0.77	0.6	3.8	103	1.5	0.15	1.3	1.9
2005	2	0.4	0.27	0.0	1.5	128	1.9	0.17	1.6	2.2
2006	5	1.3	0.60	0.4	3.0	121	1.9	0.17	1.5	2.2
2007	7	1.3	0.50	0.5	2.7	152	2.3	0.19	1.9	2.6
2008	7	1.3	0.51	0.5	2.7	153	2.3	0.19	2.0	2.7
2009	9	2.2	0.82	0.9	4.3	149	2.2	0.18	1.8	2.5
2010	11	2.9	0.91	1.4	5.1	151	2.1	0.18	1.8	2.5
2011	4	0.7	0.38	0.2	1.8	177	2.6	0.20	2.2	3.0
2012	7	1.3	0.53	0.5	2.7	164	2.2	0.18	1.9	2.6
2013	11	1.8	0.57	0.9	3.2	195	2.7	0.20	2.3	3.1
2014	8	1.3	0.47	0.5	2.5	178	2.6	0.20	2.2	3.0
2015	10	1.4	0.48	0.7	2.7	180	2.4	0.19	2.1	2.8
2016	10	1.7	0.55	0.8	3.1	172	2.4	0.19	2.0	2.8
2017	15	1.7	0.45	0.9	2.8	172	2.4	0.19	2.1	2.8
2018	14	1.8	0.51	1.0	3.1	198	2.7	0.20	2.3	3.1
2019	13	1.7	0.47	0.9	2.9	177	2.4	0.19	2.1	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Small Intestine										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,899	1.7	0.03	1.7	1.8	810	3.0	0.11	2.8	3.2
1990	51	1.0	0.14	0.7	1.3	13	1.9	0.53	1.0	3.3
1991	55	1.0	0.14	0.8	1.3	16	2.2	0.54	1.2	3.5
1992	62	1.2	0.16	0.9	1.6	15	2.0	0.51	1.1	3.2
1993	66	1.2	0.15	0.9	1.5	12	1.6	0.47	0.8	2.8
1994	70	1.2	0.15	1.0	1.6	15	2.0	0.52	1.1	3.3
1995	52	1.0	0.14	0.7	1.3	15	2.0	0.53	1.1	3.3
1996	71	1.3	0.15	1.0	1.6	17	2.1	0.53	1.2	3.4
1997	72	1.3	0.16	1.0	1.6	23	2.9	0.61	1.8	4.4
1998	79	1.4	0.16	1.1	1.8	10	1.2	0.39	0.6	2.3
1999	76	1.4	0.16	1.1	1.7	12	1.5	0.42	0.8	2.5
2000	87	1.6	0.18	1.3	2.0	14	1.7	0.46	0.9	2.8
2001	86	1.6	0.17	1.3	2.0	21	2.4	0.54	1.5	3.7
2002	99	1.8	0.19	1.5	2.2	30	3.5	0.64	2.3	5.0
2003	66	1.2	0.15	0.9	1.5	16	1.9	0.48	1.1	3.1
2004	78	1.4	0.16	1.1	1.8	18	2.0	0.48	1.2	3.2
2005	99	1.8	0.18	1.4	2.1	26	2.9	0.57	1.9	4.3
2006	83	1.5	0.17	1.2	1.9	29	3.2	0.61	2.2	4.7
2007	116	2.1	0.20	1.7	2.5	34	3.6	0.62	2.5	5.0
2008	113	2.1	0.20	1.7	2.5	36	3.9	0.65	2.7	5.4
2009	113	2.0	0.19	1.6	2.4	34	3.5	0.61	2.4	4.9
2010	107	1.8	0.18	1.5	2.2	38	3.9	0.64	2.7	5.4
2011	127	2.3	0.21	1.9	2.7	42	4.2	0.65	3.0	5.6
2012	131	2.2	0.20	1.8	2.6	28	2.6	0.50	1.8	3.8
2013	151	2.6	0.22	2.2	3.1	42	3.9	0.61	2.8	5.3
2014	140	2.5	0.22	2.1	3.0	33	3.2	0.57	2.2	4.5
2015	131	2.1	0.19	1.7	2.5	44	4.2	0.65	3.1	5.7
2016	125	2.1	0.20	1.8	2.6	43	4.1	0.63	2.9	5.5
2017	122	2.2	0.21	1.8	2.6	47	4.5	0.66	3.3	6.0
2018	144	2.5	0.21	2.1	2.9	47	4.2	0.64	3.1	5.7
2019	127	2.2	0.21	1.8	2.6	40	3.7	0.59	2.6	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon and Rectum										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,320	36.4	0.44	35.5	37.3	192,231	52.9	0.12	52.6	53.1
1990	131	38.9	3.85	31.8	47.1	6,504	61.7	0.77	60.2	63.3
1991	98	31.3	3.62	24.6	39.0	6,474	60.7	0.76	59.2	62.2
1992	125	37.4	3.77	30.4	45.3	6,444	59.6	0.75	58.2	61.1
1993	149	43.4	3.99	35.9	51.8	6,445	59.0	0.74	57.5	60.4
1994	154	41.0	3.80	33.9	49.0	6,678	60.6	0.74	59.1	62.1
1995	168	48.8	4.29	40.7	57.7	6,545	59.1	0.73	57.7	60.6
1996	154	38.1	3.50	31.5	45.4	6,649	59.7	0.73	58.2	61.1
1997	184	45.1	3.74	38.1	52.9	6,867	61.2	0.74	59.7	62.7
1998	185	45.2	3.82	38.0	53.2	7,187	63.4	0.75	61.9	64.9
1999	190	40.6	3.42	34.2	47.7	6,997	61.3	0.73	59.9	62.7
2000	200	39.5	3.23	33.5	46.3	7,128	62.1	0.74	60.6	63.5
2001	221	41.8	3.23	35.7	48.5	6,859	59.3	0.72	57.9	60.7
2002	244	43.0	3.14	37.1	49.5	7,034	60.5	0.72	59.1	61.9
2003	245	39.3	2.88	33.9	45.3	6,848	58.3	0.71	57.0	59.7
2004	277	44.6	3.09	38.7	51.0	6,923	58.6	0.71	57.2	60.0
2005	282	41.4	2.79	36.1	47.1	6,694	56.1	0.69	54.8	57.5
2006	296	41.3	2.74	36.2	47.0	6,746	56.1	0.69	54.7	57.4
2007	300	39.0	2.56	34.1	44.2	6,529	53.7	0.67	52.4	55.0
2008	290	34.0	2.24	29.7	38.6	6,428	52.0	0.66	50.8	53.3
2009	299	33.9	2.19	29.8	38.4	5,999	48.1	0.63	46.9	49.3
2010	314	32.5	2.05	28.6	36.8	6,051	47.8	0.62	46.6	49.1
2011	342	34.0	2.05	30.1	38.2	6,104	47.7	0.62	46.5	48.9
2012	344	33.0	1.96	29.3	37.0	5,837	44.8	0.60	43.7	46.0
2013	335	31.4	1.88	27.8	35.2	5,892	44.6	0.59	43.5	45.8
2014	409	35.2	1.90	31.5	39.1	5,806	43.5	0.58	42.3	44.6
2015	431	34.3	1.80	30.9	38.0	5,856	43.7	0.59	42.6	44.9
2016	471	34.7	1.73	31.4	38.3	6,001	44.6	0.59	43.4	45.7
2017	480	34.2	1.68	31.0	37.6	5,647	41.5	0.57	40.4	42.6
2018	505	34.8	1.67	31.6	38.2	5,673	41.6	0.57	40.4	42.7
2019	497	33.0	1.57	30.0	36.2	5,386	39.2	0.55	38.1	40.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon and Rectum										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	160,012	52.1	0.13	51.8	52.3	27,217	60.5	0.37	59.8	61.3
1990	5,750	61.6	0.82	60.0	63.2	699	64.2	2.50	59.4	69.3
1991	5,731	60.8	0.81	59.2	62.4	671	59.7	2.37	55.1	64.5
1992	5,735	60.2	0.80	58.6	61.8	637	54.6	2.22	50.3	59.1
1993	5,636	58.6	0.78	57.1	60.2	733	63.4	2.40	58.7	68.2
1994	5,846	60.4	0.79	58.9	62.0	754	63.5	2.37	58.9	68.3
1995	5,640	58.3	0.78	56.8	59.8	804	66.1	2.39	61.5	70.9
1996	5,740	59.1	0.78	57.5	60.6	796	64.4	2.33	59.9	69.1
1997	5,892	60.4	0.79	58.8	61.9	868	69.6	2.42	64.9	74.5
1998	6,136	62.4	0.80	60.9	64.0	933	73.1	2.44	68.4	78.1
1999	6,005	60.9	0.79	59.3	62.4	856	64.4	2.24	60.0	68.9
2000	6,072	61.4	0.79	59.9	63.0	911	67.2	2.27	62.9	71.8
2001	5,787	58.3	0.77	56.8	59.8	934	68.4	2.28	64.0	73.0
2002	5,885	59.2	0.77	57.7	60.7	992	71.5	2.31	67.0	76.1
2003	5,657	56.5	0.76	55.1	58.1	1,030	72.6	2.31	68.2	77.3
2004	5,766	57.5	0.76	56.0	59.0	1,014	69.2	2.22	64.9	73.7
2005	5,524	54.7	0.74	53.3	56.2	981	66.4	2.16	62.2	70.7
2006	5,521	54.4	0.74	53.0	55.9	1,029	67.9	2.16	63.8	72.3
2007	5,351	52.3	0.72	50.9	53.8	987	63.7	2.07	59.7	67.8
2008	5,223	50.6	0.71	49.2	52.0	1,003	63.6	2.05	59.6	67.7
2009	4,874	46.9	0.68	45.5	48.2	950	58.7	1.95	55.0	62.7
2010	4,855	46.2	0.68	44.9	47.6	994	60.8	1.98	57.0	64.8
2011	4,871	46.0	0.67	44.7	47.4	1,045	61.2	1.94	57.4	65.1
2012	4,662	43.4	0.65	42.1	44.7	937	54.8	1.83	51.3	58.5
2013	4,681	43.3	0.65	42.0	44.6	993	55.9	1.82	52.4	59.6
2014	4,609	42.2	0.64	40.9	43.4	965	53.8	1.77	50.4	57.4
2015	4,681	43.1	0.65	41.8	44.4	935	50.6	1.70	47.4	54.1
2016	4,743	43.5	0.65	42.3	44.8	995	53.4	1.73	50.1	57.0
2017	4,485	41.1	0.64	39.9	42.4	904	47.7	1.62	44.6	51.0
2018	4,445	40.5	0.63	39.3	41.8	966	50.8	1.67	47.6	54.2
2019	4,209	38.3	0.62	37.1	39.6	901	46.5	1.58	43.4	49.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon and Rectum										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,584	42.7	0.73	41.3	44.1	96,991	62.5	0.20	62.1	62.9
1990	70	45.8	6.49	34.0	60.0	3,195	75.2	1.38	72.5	77.9
1991	53	36.3	6.08	25.4	49.7	3,228	75.0	1.36	72.4	77.8
1992	70	45.3	6.57	33.3	59.6	3,274	75.2	1.35	72.5	77.9
1993	74	44.8	6.33	33.3	58.6	3,167	71.7	1.31	69.2	74.3
1994	77	40.9	5.69	30.5	53.3	3,178	71.3	1.30	68.8	73.9
1995	87	58.7	7.70	44.6	75.2	3,176	70.9	1.28	68.4	73.4
1996	77	40.8	5.64	30.5	53.1	3,211	71.0	1.28	68.5	73.6
1997	105	54.9	6.28	43.3	68.3	3,374	73.8	1.29	71.3	76.4
1998	99	56.5	6.94	43.8	71.3	3,518	76.0	1.30	73.4	78.5
1999	115	52.9	6.16	41.5	66.0	3,492	74.7	1.28	72.2	77.2
2000	102	42.3	5.02	33.0	53.0	3,589	75.6	1.28	73.1	78.2
2001	113	47.9	5.34	38.0	59.2	3,416	71.8	1.24	69.4	74.3
2002	155	61.0	5.92	49.9	73.4	3,520	72.7	1.24	70.3	75.2
2003	148	48.5	4.82	39.5	58.6	3,485	71.0	1.22	68.7	73.5
2004	161	57.8	5.62	47.4	69.6	3,459	69.5	1.20	67.1	71.8
2005	147	46.1	4.50	37.7	55.6	3,363	66.5	1.16	64.3	68.8
2006	155	46.0	4.31	37.9	55.1	3,379	65.9	1.15	63.6	68.2
2007	169	46.1	4.25	38.2	55.1	3,297	63.3	1.12	61.2	65.6
2008	158	41.9	3.93	34.5	50.1	3,262	61.3	1.09	59.2	63.5
2009	156	40.2	3.73	33.2	48.0	3,057	56.4	1.04	54.4	58.5
2010	184	38.7	3.30	32.5	45.6	3,144	57.1	1.04	55.1	59.2
2011	190	39.7	3.36	33.4	46.8	3,133	55.7	1.02	53.8	57.8
2012	193	40.4	3.33	34.2	47.4	3,052	53.3	0.99	51.4	55.3
2013	178	34.9	2.98	29.3	41.2	3,066	52.5	0.97	50.6	54.4
2014	218	40.5	3.11	34.7	47.0	3,045	51.2	0.95	49.4	53.1
2015	245	41.2	2.98	35.6	47.4	3,106	51.8	0.95	49.9	53.7
2016	242	36.8	2.64	31.8	42.3	3,101	50.9	0.94	49.1	52.8
2017	283	41.7	2.76	36.5	47.5	2,945	48.1	0.91	46.4	50.0
2018	279	39.2	2.61	34.2	44.6	2,929	47.5	0.90	45.7	49.3
2019	281	38.2	2.50	33.5	43.4	2,830	45.3	0.88	43.6	47.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon and Rectum										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	81,141	61.7	0.22	61.3	62.2	13,106	71.9	0.66	70.6	73.2
1990	2,831	75.2	1.46	72.3	78.1	329	76.6	4.52	68.0	85.9
1991	2,885	76.1	1.46	73.2	79.0	311	68.7	4.16	60.8	77.3
1992	2,921	76.2	1.45	73.4	79.1	312	68.6	4.15	60.7	77.1
1993	2,771	71.3	1.39	68.7	74.1	355	76.9	4.38	68.6	85.9
1994	2,800	71.5	1.38	68.8	74.2	340	73.8	4.29	65.6	82.6
1995	2,737	69.9	1.36	67.3	72.7	386	80.6	4.36	72.2	89.5
1996	2,787	70.8	1.36	68.2	73.6	359	70.3	3.93	62.8	78.4
1997	2,910	73.2	1.37	70.6	76.0	402	78.9	4.18	70.9	87.4
1998	3,025	75.2	1.38	72.6	78.0	438	85.3	4.32	77.0	94.1
1999	3,016	74.6	1.37	71.9	77.3	400	76.5	4.05	68.8	84.8
2000	3,071	75.1	1.37	72.5	77.9	443	82.0	4.11	74.1	90.4
2001	2,914	71.3	1.33	68.7	74.0	423	76.6	3.93	69.1	84.6
2002	2,976	71.8	1.33	69.2	74.4	465	84.6	4.16	76.7	93.1
2003	2,913	69.6	1.30	67.1	72.2	492	85.6	4.08	77.8	94.0
2004	2,892	68.3	1.28	65.9	70.9	487	81.6	3.89	74.1	89.6
2005	2,787	64.9	1.24	62.5	67.4	468	79.6	3.89	72.2	87.6
2006	2,782	64.1	1.23	61.7	66.6	498	81.1	3.83	73.8	89.0
2007	2,715	61.8	1.20	59.5	64.2	474	75.4	3.65	68.4	82.9
2008	2,638	59.0	1.16	56.8	61.4	500	78.2	3.70	71.1	85.7
2009	2,468	54.4	1.11	52.2	56.6	497	75.7	3.59	68.8	83.1
2010	2,553	55.4	1.12	53.2	57.6	486	72.9	3.49	66.2	80.0
2011	2,533	54.2	1.10	52.1	56.4	504	70.6	3.30	64.3	77.3
2012	2,463	51.7	1.06	49.7	53.8	452	65.0	3.21	58.9	71.6
2013	2,443	50.7	1.05	48.6	52.8	498	68.1	3.21	61.9	74.6
2014	2,428	49.5	1.03	47.5	51.6	495	67.0	3.16	60.9	73.4
2015	2,502	50.9	1.05	48.9	53.0	462	61.6	3.01	55.9	67.8
2016	2,477	49.6	1.03	47.6	51.7	483	63.0	2.99	57.2	69.1
2017	2,363	47.6	1.01	45.6	49.6	437	57.0	2.84	51.6	62.8
2018	2,312	46.2	0.99	44.3	48.2	460	58.1	2.81	52.7	63.8
2019	2,228	44.1	0.97	42.3	46.1	450	55.9	2.73	50.7	61.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon and Rectum										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,736	31.2	0.55	30.1	32.3	95,240	45.5	0.15	45.2	45.8
1990	61	33.7	4.72	25.1	44.0	3,309	52.7	0.93	50.9	54.5
1991	45	26.9	4.41	19.0	36.7	3,246	51.2	0.91	49.4	53.0
1992	55	31.0	4.52	22.8	40.9	3,170	49.2	0.88	47.5	51.0
1993	75	41.9	5.16	32.4	53.0	3,278	50.3	0.89	48.6	52.1
1994	77	40.3	5.01	31.0	51.0	3,500	53.3	0.91	51.5	55.1
1995	81	42.4	5.13	33.0	53.4	3,369	51.2	0.89	49.5	53.0
1996	77	35.8	4.46	27.6	45.4	3,438	51.7	0.89	50.0	53.5
1997	79	36.8	4.52	28.5	46.5	3,493	52.3	0.89	50.6	54.1
1998	86	37.5	4.46	29.3	47.0	3,669	54.7	0.91	53.0	56.6
1999	75	30.8	3.94	23.6	39.3	3,505	52.0	0.89	50.3	53.8
2000	98	37.0	4.19	29.2	45.9	3,539	52.2	0.89	50.4	53.9
2001	108	37.2	3.99	29.8	45.7	3,443	50.6	0.87	48.9	52.3
2002	89	29.0	3.38	22.7	36.2	3,514	51.5	0.88	49.8	53.3
2003	97	31.3	3.51	24.8	38.7	3,363	49.2	0.86	47.5	50.9
2004	116	34.7	3.57	28.0	42.2	3,464	50.3	0.87	48.6	52.0
2005	135	37.5	3.54	30.9	45.0	3,331	48.2	0.85	46.6	49.9
2006	141	37.1	3.47	30.6	44.4	3,367	48.8	0.85	47.1	50.5
2007	131	33.0	3.15	27.1	39.6	3,232	46.4	0.83	44.7	48.0
2008	132	28.1	2.65	23.2	33.7	3,166	45.1	0.82	43.5	46.7
2009	143	29.4	2.66	24.4	35.0	2,942	41.7	0.78	40.2	43.3
2010	130	26.7	2.55	21.9	32.1	2,907	40.5	0.77	39.0	42.1
2011	152	29.3	2.55	24.5	34.7	2,971	41.0	0.77	39.5	42.6
2012	151	27.0	2.36	22.6	32.0	2,785	38.1	0.74	36.6	39.5
2013	157	28.3	2.43	23.8	33.4	2,826	38.4	0.74	37.0	39.9
2014	191	31.0	2.39	26.5	36.0	2,761	37.3	0.73	35.9	38.7
2015	186	28.4	2.21	24.2	33.0	2,750	37.2	0.73	35.7	38.6
2016	229	33.1	2.31	28.8	38.0	2,900	39.5	0.76	38.0	41.0
2017	197	27.4	2.07	23.5	31.7	2,702	36.1	0.72	34.7	37.5
2018	226	30.8	2.15	26.7	35.2	2,744	36.4	0.72	35.0	37.9
2019	216	28.3	2.01	24.5	32.5	2,556	34.0	0.70	32.7	35.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon and Rectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	78,871	44.6	0.16	44.3	44.9	14,111	53.1	0.45	52.2	54.0
1990	2,919	52.3	0.99	50.4	54.3	370	56.5	2.99	50.8	62.7
1991	2,846	50.6	0.97	48.8	52.6	360	53.7	2.88	48.3	59.7
1992	2,814	49.3	0.95	47.5	51.2	325	46.4	2.61	41.4	51.8
1993	2,865	49.9	0.95	48.1	51.8	378	54.6	2.84	49.2	60.5
1994	3,046	52.7	0.97	50.8	54.6	414	58.0	2.88	52.5	63.9
1995	2,903	50.3	0.95	48.5	52.2	418	57.1	2.82	51.7	62.9
1996	2,953	50.8	0.95	49.0	52.7	437	59.6	2.88	54.1	65.5
1997	2,982	51.3	0.96	49.5	53.3	466	62.6	2.93	57.0	68.6
1998	3,111	53.6	0.98	51.7	55.5	495	65.0	2.94	59.3	71.0
1999	2,989	51.2	0.95	49.3	53.1	456	57.1	2.70	52.0	62.6
2000	3,001	51.2	0.95	49.3	53.1	468	57.8	2.69	52.7	63.3
2001	2,873	49.1	0.93	47.2	50.9	511	62.6	2.79	57.3	68.3
2002	2,909	49.7	0.94	47.9	51.6	527	63.3	2.78	58.0	69.0
2003	2,744	47.0	0.92	45.2	48.9	538	63.8	2.77	58.5	69.5
2004	2,874	49.0	0.93	47.2	50.9	527	60.8	2.67	55.6	66.2
2005	2,737	46.7	0.91	44.9	48.5	513	58.2	2.59	53.3	63.5
2006	2,739	47.0	0.92	45.3	48.9	531	59.2	2.59	54.2	64.5
2007	2,636	45.0	0.90	43.2	46.8	513	56.1	2.50	51.3	61.2
2008	2,585	44.1	0.89	42.3	45.8	503	54.1	2.44	49.4	59.1
2009	2,406	40.9	0.86	39.3	42.7	453	47.8	2.27	43.4	52.4
2010	2,302	38.9	0.84	37.3	40.6	508	52.4	2.35	47.9	57.2
2011	2,338	39.1	0.84	37.5	40.8	541	54.1	2.36	49.6	59.0
2012	2,199	36.6	0.81	35.0	38.2	485	48.1	2.21	43.8	52.6
2013	2,238	37.2	0.82	35.7	38.9	495	47.8	2.18	43.6	52.3
2014	2,181	36.1	0.80	34.5	37.7	470	45.2	2.12	41.1	49.5
2015	2,179	36.4	0.82	34.8	38.0	473	44.0	2.06	40.1	48.2
2016	2,266	38.5	0.85	36.8	40.2	512	47.2	2.13	43.2	51.6
2017	2,122	35.5	0.82	33.9	37.1	467	42.0	1.98	38.2	46.1
2018	2,133	35.5	0.81	33.9	37.1	506	45.6	2.07	41.6	49.9
2019	1,981	33.4	0.79	31.8	35.0	451	40.0	1.92	36.3	44.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon excluding Rectum										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,405	24.6	0.37	23.9	25.3	139,529	38.3	0.10	38.1	38.5
1990	84	25.2	3.10	19.5	31.9	4,776	45.4	0.66	44.1	46.7
1991	64	21.4	3.03	15.9	28.0	4,657	43.7	0.65	42.5	45.0
1992	89	27.7	3.32	21.5	34.8	4,665	43.1	0.63	41.9	44.4
1993	98	28.7	3.27	22.6	35.6	4,713	43.1	0.63	41.9	44.4
1994	105	29.2	3.27	23.1	36.1	5,008	45.5	0.64	44.2	46.7
1995	118	35.3	3.66	28.4	43.0	4,764	43.0	0.62	41.8	44.2
1996	99	25.0	2.85	19.7	31.0	4,901	43.9	0.63	42.7	45.2
1997	128	32.0	3.18	26.0	38.7	5,008	44.5	0.63	43.3	45.8
1998	119	30.6	3.21	24.6	37.3	5,303	46.7	0.64	45.4	48.0
1999	128	27.6	2.80	22.4	33.5	5,147	45.0	0.63	43.8	46.2
2000	141	28.3	2.77	23.1	34.1	5,277	45.8	0.63	44.6	47.1
2001	151	29.8	2.75	24.6	35.6	5,088	43.9	0.62	42.7	45.1
2002	152	27.6	2.53	22.8	32.9	5,107	43.8	0.61	42.6	45.0
2003	163	26.1	2.38	21.7	31.1	5,071	43.1	0.61	42.0	44.3
2004	188	32.0	2.68	27.0	37.6	5,049	42.7	0.60	41.5	43.9
2005	185	29.2	2.40	24.7	34.2	4,845	40.6	0.59	39.5	41.8
2006	211	29.9	2.33	25.5	34.7	4,897	40.8	0.59	39.6	41.9
2007	203	28.4	2.25	24.1	33.0	4,783	39.3	0.57	38.1	40.4
2008	178	21.2	1.77	17.9	24.9	4,597	37.3	0.56	36.2	38.4
2009	192	23.5	1.88	20.0	27.4	4,346	34.9	0.54	33.9	36.0
2010	201	22.2	1.75	18.9	25.8	4,300	34.1	0.53	33.0	35.1
2011	232	23.0	1.68	19.9	26.5	4,395	34.4	0.53	33.4	35.5
2012	226	22.9	1.67	19.7	26.3	4,172	32.1	0.51	31.1	33.1
2013	203	20.1	1.55	17.1	23.3	4,213	31.9	0.50	30.9	32.9
2014	267	24.2	1.62	21.1	27.6	4,146	31.0	0.49	30.1	32.0
2015	281	23.2	1.51	20.4	26.4	4,180	31.1	0.49	30.2	32.1
2016	301	23.3	1.45	20.5	26.3	4,293	31.8	0.50	30.8	32.8
2017	290	21.4	1.36	18.8	24.2	4,008	29.3	0.48	28.4	30.3
2018	300	21.1	1.31	18.6	23.8	4,027	29.4	0.48	28.4	30.3
2019	308	21.3	1.29	18.8	24.0	3,793	27.3	0.46	26.5	28.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon excluding Rectum										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	115,653	37.5	0.11	37.3	37.7	20,778	46.7	0.33	46.0	47.3
1990	4,188	44.8	0.70	43.5	46.2	551	50.7	2.23	46.5	55.3
1991	4,121	43.7	0.69	42.4	45.1	497	44.4	2.05	40.5	48.6
1992	4,122	43.2	0.68	41.9	44.5	495	42.5	1.96	38.8	46.5
1993	4,116	42.7	0.67	41.4	44.0	554	47.8	2.08	43.8	52.0
1994	4,357	45.0	0.68	43.6	46.3	596	50.8	2.13	46.7	55.1
1995	4,056	41.8	0.66	40.5	43.1	643	53.3	2.15	49.2	57.7
1996	4,201	43.1	0.67	41.8	44.4	628	51.1	2.09	47.1	55.3
1997	4,279	43.6	0.67	42.3	45.0	661	53.3	2.12	49.2	57.6
1998	4,471	45.3	0.68	44.0	46.6	753	59.6	2.22	55.3	64.1
1999	4,372	44.1	0.67	42.8	45.4	677	51.3	2.01	47.4	55.4
2000	4,462	44.9	0.67	43.5	46.2	720	53.8	2.04	49.8	57.9
2001	4,258	42.6	0.66	41.3	43.9	736	54.3	2.04	50.4	58.5
2002	4,230	42.3	0.65	41.0	43.6	776	56.2	2.06	52.2	60.4
2003	4,169	41.5	0.64	40.2	42.7	802	57.2	2.06	53.2	61.3
2004	4,199	41.7	0.65	40.4	42.9	768	53.1	1.95	49.3	57.1
2005	3,986	39.3	0.63	38.1	40.6	746	51.2	1.91	47.5	55.1
2006	3,991	39.2	0.63	38.0	40.5	789	52.6	1.91	49.0	56.5
2007	3,920	38.1	0.62	36.9	39.3	752	49.2	1.83	45.6	52.9
2008	3,716	35.9	0.60	34.7	37.1	759	48.7	1.81	45.3	52.4
2009	3,524	33.8	0.58	32.7	34.9	713	44.9	1.72	41.6	48.4
2010	3,416	32.5	0.57	31.4	33.6	761	47.1	1.75	43.7	50.6
2011	3,512	33.2	0.57	32.0	34.3	771	45.9	1.69	42.6	49.3
2012	3,327	30.9	0.55	29.8	32.0	693	41.3	1.61	38.3	44.6
2013	3,341	30.7	0.54	29.6	31.8	737	42.2	1.59	39.1	45.4
2014	3,265	29.7	0.53	28.7	30.8	737	41.4	1.56	38.4	44.5
2015	3,342	30.5	0.54	29.5	31.6	696	38.0	1.47	35.1	41.0
2016	3,414	31.2	0.55	30.1	32.3	722	39.1	1.49	36.3	42.2
2017	3,213	29.2	0.53	28.1	30.3	645	34.3	1.38	31.7	37.2
2018	3,127	28.3	0.52	27.3	29.3	731	38.6	1.46	35.8	41.6
2019	2,958	26.6	0.51	25.6	27.6	669	34.7	1.37	32.1	37.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon excluding Rectum										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,825	27.6	0.60	26.4	28.8	67,030	43.7	0.17	43.3	44.0
1990	44	30.7	5.50	20.9	43.0	2,252	53.3	1.16	51.1	55.6
1991	34	23.1	4.77	14.7	33.9	2,240	52.5	1.15	50.3	54.8
1992	53	36.2	6.10	25.2	49.7	2,290	53.1	1.14	50.9	55.4
1993	47	30.0	5.38	20.4	42.0	2,207	50.3	1.10	48.2	52.5
1994	48	25.9	4.54	17.8	36.1	2,285	51.9	1.11	49.8	54.2
1995	62	42.5	6.56	30.6	56.7	2,210	49.7	1.08	47.6	51.8
1996	44	23.6	4.23	16.0	33.1	2,246	50.2	1.08	48.1	52.4
1997	69	35.6	4.98	26.5	46.5	2,328	51.4	1.08	49.3	53.6
1998	58	36.1	5.73	25.8	48.6	2,462	53.5	1.09	51.4	55.7
1999	73	34.5	4.96	25.5	45.3	2,428	52.4	1.08	50.3	54.5
2000	69	28.9	4.23	21.2	38.1	2,516	53.6	1.08	51.5	55.7
2001	74	32.9	4.50	24.7	42.6	2,408	51.2	1.05	49.1	53.3
2002	85	35.1	4.54	26.7	44.8	2,434	50.8	1.04	48.8	52.9
2003	102	33.0	4.00	25.7	41.6	2,485	51.1	1.04	49.1	53.2
2004	99	38.2	4.68	29.6	48.2	2,386	48.5	1.00	46.5	50.5
2005	92	30.8	3.72	24.0	38.8	2,314	46.2	0.97	44.4	48.2
2006	106	33.2	3.69	26.4	41.1	2,348	46.4	0.97	44.5	48.4
2007	108	31.8	3.66	25.1	39.6	2,306	44.7	0.94	42.9	46.6
2008	90	23.7	2.96	18.3	30.1	2,206	41.9	0.91	40.2	43.8
2009	90	26.2	3.14	20.4	32.9	2,090	39.2	0.87	37.5	40.9
2010	113	24.9	2.70	19.8	30.6	2,127	39.3	0.87	37.6	41.0
2011	124	25.3	2.65	20.4	31.0	2,134	38.5	0.85	36.9	40.2
2012	124	27.0	2.77	21.9	32.9	2,059	36.6	0.82	35.0	38.2
2013	102	21.6	2.43	17.1	26.8	2,090	36.2	0.81	34.6	37.8
2014	133	27.8	2.72	22.7	33.5	2,096	35.6	0.80	34.0	37.2
2015	148	25.1	2.33	20.8	30.1	2,094	35.3	0.79	33.7	36.8
2016	151	24.3	2.21	20.1	28.9	2,129	35.2	0.78	33.7	36.8
2017	159	24.9	2.19	20.7	29.5	1,978	32.6	0.75	31.1	34.1
2018	156	22.5	2.00	18.7	26.7	1,978	32.2	0.74	30.8	33.7
2019	168	24.2	2.05	20.4	28.5	1,904	30.6	0.72	29.2	32.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon excluding Rectum										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	55,719	42.8	0.18	42.4	43.1	9,682	53.9	0.58	52.8	55.1
1990	1,976	52.8	1.22	50.4	55.2	251	59.0	3.98	51.5	67.2
1991	1,998	53.1	1.22	50.7	55.5	226	49.6	3.52	43.0	56.9
1992	2,022	53.3	1.22	50.9	55.7	241	53.3	3.67	46.3	60.9
1993	1,926	49.9	1.17	47.7	52.3	260	56.5	3.75	49.4	64.3
1994	2,000	51.7	1.18	49.4	54.0	259	57.5	3.84	50.3	65.5
1995	1,870	48.1	1.13	45.9	50.4	304	63.8	3.90	56.4	71.8
1996	1,926	49.4	1.14	47.2	51.7	282	56.3	3.56	49.5	63.6
1997	1,988	50.4	1.15	48.2	52.7	303	59.7	3.64	52.8	67.3
1998	2,081	52.1	1.15	49.8	54.4	348	68.2	3.88	60.9	76.2
1999	2,081	51.8	1.14	49.5	54.1	297	57.6	3.54	50.8	64.9
2000	2,135	52.6	1.15	50.4	54.9	334	63.3	3.66	56.3	70.8
2001	2,029	50.1	1.12	48.0	52.4	328	60.2	3.51	53.5	67.4
2002	2,028	49.4	1.10	47.2	51.6	358	65.7	3.67	58.7	73.2
2003	2,065	49.6	1.10	47.5	51.8	372	66.5	3.65	59.6	74.0
2004	2,005	47.8	1.08	45.8	50.0	341	57.9	3.30	51.6	64.7
2005	1,920	45.1	1.04	43.1	47.2	337	59.1	3.41	52.6	66.1
2006	1,923	44.9	1.03	42.9	46.9	367	60.9	3.35	54.5	67.8
2007	1,885	43.2	1.01	41.3	45.3	362	58.7	3.25	52.5	65.4
2008	1,763	39.8	0.96	38.0	41.8	374	59.4	3.25	53.2	66.1
2009	1,682	37.5	0.93	35.7	39.3	348	54.8	3.10	48.9	61.2
2010	1,699	37.4	0.92	35.7	39.3	361	54.9	3.05	49.1	61.2
2011	1,728	37.4	0.92	35.6	39.2	355	51.0	2.84	45.6	56.9
2012	1,655	35.2	0.88	33.5	37.0	319	47.6	2.79	42.3	53.3
2013	1,655	34.6	0.87	32.9	36.3	359	50.3	2.79	45.0	56.1
2014	1,655	34.0	0.86	32.3	35.7	371	51.1	2.78	45.8	56.8
2015	1,683	34.4	0.86	32.8	36.2	329	44.4	2.56	39.5	49.7
2016	1,700	34.3	0.85	32.6	36.0	342	45.3	2.56	40.4	50.6
2017	1,606	32.5	0.83	30.8	34.1	291	38.8	2.37	34.3	43.7
2018	1,543	31.0	0.81	29.4	32.6	340	43.5	2.44	38.8	48.5
2019	1,492	29.6	0.79	28.0	31.2	323	40.9	2.36	36.4	45.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon excluding Rectum										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,580	22.2	0.47	21.3	23.1	72,499	34.4	0.13	34.1	34.6
1990	40	21.4	3.69	14.8	29.7	2,524	40.0	0.81	38.5	41.6
1991	30	19.5	3.86	12.7	28.2	2,417	38.0	0.78	36.5	39.6
1992	36	21.0	3.77	14.3	29.5	2,375	36.7	0.76	35.2	38.2
1993	51	27.8	4.17	20.2	37.0	2,506	38.3	0.77	36.8	39.8
1994	57	30.9	4.47	22.8	40.7	2,723	41.2	0.80	39.7	42.8
1995	56	30.5	4.37	22.5	40.0	2,554	38.6	0.77	37.1	40.1
1996	55	25.9	3.81	19.0	34.2	2,655	39.7	0.78	38.2	41.3
1997	59	28.3	4.03	21.0	37.1	2,680	39.9	0.78	38.4	41.4
1998	61	27.3	3.85	20.2	35.6	2,841	42.0	0.80	40.4	43.6
1999	55	22.3	3.31	16.3	29.5	2,719	40.0	0.78	38.5	41.6
2000	72	27.5	3.63	20.9	35.4	2,761	40.4	0.78	38.9	41.9
2001	77	27.5	3.46	21.2	35.0	2,680	39.0	0.76	37.5	40.5
2002	67	22.0	2.95	16.6	28.4	2,673	38.9	0.76	37.4	40.4
2003	61	19.9	2.84	14.7	26.1	2,586	37.6	0.75	36.1	39.1
2004	89	27.8	3.26	21.8	34.8	2,663	38.3	0.75	36.8	39.8
2005	93	27.7	3.14	21.9	34.4	2,531	36.3	0.73	34.9	37.8
2006	105	27.1	2.94	21.6	33.3	2,549	36.6	0.74	35.2	38.1
2007	95	25.5	2.85	20.2	31.6	2,477	35.2	0.72	33.8	36.7
2008	88	19.5	2.24	15.4	24.3	2,391	33.8	0.70	32.5	35.3
2009	102	22.0	2.35	17.7	27.0	2,256	31.7	0.68	30.4	33.0
2010	88	19.5	2.24	15.4	24.3	2,173	30.0	0.66	28.8	31.4
2011	108	21.1	2.18	17.1	25.7	2,261	31.1	0.67	29.8	32.4
2012	102	19.4	2.05	15.6	23.8	2,113	28.6	0.64	27.4	29.9
2013	101	18.9	2.02	15.1	23.2	2,123	28.6	0.64	27.4	29.9
2014	134	22.0	2.02	18.2	26.2	2,050	27.3	0.62	26.1	28.6
2015	133	21.5	1.97	17.8	25.6	2,086	27.8	0.63	26.6	29.1
2016	150	22.6	1.96	19.0	26.8	2,164	29.1	0.65	27.8	30.4
2017	131	18.4	1.71	15.2	22.0	2,030	26.7	0.62	25.5	27.9
2018	144	19.9	1.74	16.6	23.5	2,049	26.8	0.61	25.6	28.0
2019	140	18.9	1.66	15.7	22.4	1,889	24.6	0.59	23.5	25.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Colon excluding Rectum										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	59,934	33.5	0.14	33.2	33.7	11,096	41.9	0.40	41.2	42.7
1990	2,212	39.4	0.85	37.8	41.1	300	45.8	2.69	40.7	51.3
1991	2,123	37.6	0.83	36.0	39.2	271	40.9	2.52	36.1	46.1
1992	2,100	36.6	0.81	35.0	38.2	254	36.3	2.31	31.9	41.1
1993	2,190	37.8	0.82	36.2	39.5	294	42.3	2.49	37.5	47.4
1994	2,357	40.4	0.85	38.8	42.1	337	47.5	2.62	42.5	52.9
1995	2,186	37.5	0.82	36.0	39.2	339	46.8	2.56	41.9	52.0
1996	2,275	38.9	0.83	37.3	40.5	346	47.3	2.57	42.4	52.5
1997	2,291	39.1	0.83	37.5	40.7	358	48.3	2.57	43.3	53.5
1998	2,390	40.6	0.85	39.0	42.3	405	53.6	2.68	48.4	59.1
1999	2,291	38.7	0.82	37.1	40.4	380	47.8	2.47	43.1	52.9
2000	2,327	39.2	0.83	37.6	40.9	386	48.0	2.46	43.3	53.0
2001	2,229	37.5	0.81	35.9	39.1	408	50.2	2.50	45.4	55.3
2002	2,202	37.2	0.81	35.6	38.8	418	50.4	2.48	45.6	55.5
2003	2,104	35.6	0.79	34.1	37.2	430	51.2	2.49	46.5	56.3
2004	2,194	36.9	0.80	35.3	38.5	427	49.6	2.42	45.0	54.6
2005	2,066	34.7	0.78	33.2	36.3	409	46.7	2.33	42.3	51.5
2006	2,068	35.0	0.79	33.5	36.6	422	47.3	2.32	42.9	52.1
2007	2,035	34.2	0.78	32.7	35.8	390	43.1	2.21	38.9	47.7
2008	1,953	32.9	0.77	31.5	34.5	385	41.8	2.15	37.7	46.2
2009	1,842	30.9	0.74	29.5	32.4	365	38.6	2.05	34.7	42.9
2010	1,717	28.6	0.71	27.2	30.0	400	41.6	2.11	37.6	45.9
2011	1,784	29.6	0.73	28.2	31.0	416	41.9	2.08	37.9	46.2
2012	1,672	27.4	0.69	26.0	28.8	374	37.4	1.96	33.7	41.4
2013	1,686	27.7	0.70	26.3	29.1	378	36.9	1.93	33.2	40.9
2014	1,610	26.2	0.68	24.9	27.6	366	35.1	1.86	31.5	38.9
2015	1,659	27.2	0.70	25.9	28.6	367	34.1	1.81	30.7	37.9
2016	1,714	28.7	0.73	27.3	30.2	380	35.1	1.83	31.6	38.9
2017	1,607	26.3	0.69	25.0	27.7	354	32.0	1.73	28.7	35.5
2018	1,584	25.8	0.68	24.5	27.2	391	35.1	1.81	31.7	38.9
2019	1,466	24.0	0.66	22.8	25.4	346	30.5	1.67	27.3	34.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Rectum and Rectosigmoid Junction										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,915	11.8	0.24	11.3	12.3	52,702	14.5	0.06	14.4	14.7
1990	47	13.7	2.29	9.6	18.8	1,728	16.3	0.40	15.6	17.1
1991	34	9.8	1.97	6.4	14.3	1,817	17.0	0.40	16.2	17.8
1992	36	9.7	1.79	6.5	13.8	1,779	16.5	0.39	15.7	17.3
1993	51	14.7	2.30	10.6	19.8	1,732	15.8	0.38	15.1	16.6
1994	49	11.8	1.94	8.3	16.2	1,670	15.1	0.37	14.4	15.9
1995	50	13.5	2.24	9.5	18.5	1,781	16.1	0.38	15.4	16.9
1996	55	13.1	2.04	9.4	17.6	1,748	15.7	0.38	15.0	16.5
1997	56	13.1	1.97	9.6	17.5	1,859	16.7	0.39	15.9	17.4
1998	66	14.7	2.07	10.9	19.2	1,884	16.7	0.39	16.0	17.5
1999	62	13.0	1.97	9.5	17.3	1,850	16.3	0.38	15.6	17.1
2000	59	11.3	1.66	8.3	14.9	1,851	16.2	0.38	15.5	17.0
2001	70	12.0	1.68	9.0	15.7	1,771	15.4	0.37	14.7	16.2
2002	92	15.5	1.86	12.1	19.5	1,927	16.7	0.38	15.9	17.4
2003	82	13.2	1.64	10.2	16.7	1,777	15.2	0.36	14.5	15.9
2004	89	12.5	1.54	9.7	15.9	1,874	15.9	0.37	15.2	16.7
2005	97	12.2	1.42	9.6	15.2	1,849	15.5	0.36	14.8	16.3
2006	85	11.5	1.43	8.8	14.5	1,849	15.3	0.36	14.6	16.0
2007	97	10.6	1.22	8.4	13.2	1,746	14.4	0.35	13.7	15.1
2008	112	12.8	1.37	10.2	15.7	1,831	14.8	0.35	14.1	15.5
2009	107	10.4	1.13	8.3	12.9	1,653	13.2	0.33	12.6	13.9
2010	113	10.3	1.08	8.3	12.6	1,751	13.8	0.33	13.1	14.4
2011	110	11.0	1.16	8.8	13.5	1,709	13.3	0.33	12.6	13.9
2012	118	10.1	1.03	8.2	12.4	1,665	12.7	0.32	12.1	13.4
2013	132	11.3	1.07	9.3	13.6	1,679	12.7	0.32	12.1	13.4
2014	142	11.0	0.99	9.1	13.1	1,660	12.5	0.31	11.9	13.1
2015	150	11.1	0.98	9.2	13.1	1,676	12.6	0.32	12.0	13.2
2016	170	11.4	0.94	9.7	13.4	1,708	12.8	0.32	12.1	13.4
2017	190	12.8	1.00	10.9	14.9	1,639	12.2	0.31	11.6	12.8
2018	205	13.7	1.03	11.8	15.8	1,646	12.2	0.31	11.6	12.8
2019	189	11.7	0.90	10.0	13.6	1,593	11.8	0.31	11.2	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Rectum and Rectosigmoid Junction										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	44,359	14.6	0.07	14.5	14.7	6,439	13.9	0.18	13.5	14.2
1990	1,562	16.7	0.43	15.9	17.6	148	13.5	1.14	11.3	15.9
1991	1,610	17.1	0.43	16.3	18.0	174	15.3	1.20	13.0	17.8
1992	1,613	17.0	0.43	16.2	17.9	142	12.1	1.04	10.1	14.3
1993	1,520	15.9	0.41	15.1	16.7	179	15.6	1.20	13.3	18.1
1994	1,489	15.5	0.40	14.7	16.3	158	12.7	1.03	10.7	14.8
1995	1,584	16.5	0.42	15.7	17.4	161	12.8	1.03	10.8	14.9
1996	1,539	16.0	0.41	15.2	16.8	168	13.3	1.04	11.3	15.5
1997	1,613	16.7	0.42	15.9	17.6	207	16.3	1.16	14.1	18.7
1998	1,665	17.2	0.42	16.4	18.0	180	13.5	1.03	11.6	15.7
1999	1,633	16.8	0.42	16.0	17.6	179	13.0	0.99	11.2	15.1
2000	1,610	16.6	0.41	15.8	17.4	191	13.5	0.99	11.6	15.5
2001	1,529	15.7	0.40	14.9	16.5	198	14.0	1.02	12.1	16.2
2002	1,655	16.9	0.42	16.1	17.8	216	15.3	1.06	13.3	17.5
2003	1,488	15.1	0.39	14.3	15.9	228	15.5	1.04	13.5	17.6
2004	1,567	15.9	0.40	15.1	16.7	246	16.1	1.04	14.1	18.3
2005	1,538	15.4	0.40	14.7	16.2	235	15.1	1.01	13.2	17.2
2006	1,530	15.2	0.39	14.5	16.0	240	15.3	1.01	13.4	17.4
2007	1,431	14.2	0.38	13.5	15.0	235	14.5	0.97	12.7	16.5
2008	1,507	14.7	0.38	14.0	15.5	244	14.9	0.97	13.0	16.9
2009	1,350	13.1	0.36	12.4	13.8	237	13.9	0.92	12.1	15.8
2010	1,439	13.7	0.37	13.0	14.5	233	13.7	0.92	12.0	15.6
2011	1,359	12.9	0.36	12.2	13.6	274	15.3	0.95	13.5	17.3
2012	1,335	12.5	0.35	11.9	13.2	244	13.5	0.88	11.8	15.3
2013	1,340	12.6	0.35	11.9	13.3	256	13.7	0.88	12.1	15.6
2014	1,344	12.4	0.35	11.7	13.1	228	12.4	0.84	10.8	14.2
2015	1,339	12.5	0.35	11.9	13.3	239	12.7	0.84	11.1	14.4
2016	1,329	12.3	0.35	11.7	13.1	273	14.3	0.89	12.6	16.2
2017	1,272	11.9	0.35	11.3	12.6	259	13.4	0.85	11.7	15.1
2018	1,318	12.3	0.35	11.6	13.0	235	12.2	0.82	10.7	13.9
2019	1,251	11.8	0.35	11.1	12.5	232	11.8	0.79	10.3	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Rectum and Rectosigmoid Junction										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,759	15.1	0.42	14.3	16.0	29,961	18.9	0.11	18.7	19.1
1990	26	15.1	3.45	9.1	23.3	943	21.9	0.74	20.5	23.4
1991	19	13.2	3.77	6.9	22.2	988	22.6	0.74	21.1	24.1
1992	17	9.1	2.43	5.0	15.1	984	22.0	0.72	20.6	23.5
1993	27	14.8	3.33	9.0	22.6	960	21.4	0.71	20.0	22.8
1994	29	15.0	3.44	9.0	23.0	893	19.4	0.66	18.1	20.7
1995	25	16.2	4.03	9.3	25.5	966	21.2	0.70	19.8	22.6
1996	33	17.3	3.73	10.7	25.8	965	20.8	0.68	19.5	22.2
1997	36	19.3	3.82	12.5	27.9	1,046	22.4	0.70	21.1	23.8
1998	41	20.4	3.92	13.5	29.2	1,056	22.4	0.70	21.1	23.8
1999	42	18.4	3.66	11.9	26.6	1,064	22.3	0.69	21.0	23.7
2000	33	13.4	2.71	8.7	19.6	1,073	22.0	0.68	20.7	23.4
2001	39	15.0	2.89	9.9	21.5	1,008	20.7	0.66	19.4	22.0
2002	70	25.9	3.81	19.0	34.2	1,086	21.9	0.67	20.6	23.3
2003	46	15.4	2.68	10.6	21.4	1,000	19.9	0.64	18.7	21.2
2004	62	19.6	3.10	14.0	26.5	1,073	21.0	0.65	19.7	22.3
2005	55	15.3	2.54	10.7	20.9	1,049	20.3	0.63	19.1	21.6
2006	49	12.8	2.23	8.8	17.8	1,031	19.4	0.61	18.3	20.7
2007	61	14.3	2.16	10.4	19.1	991	18.6	0.60	17.5	19.8
2008	68	18.1	2.58	13.4	23.8	1,056	19.3	0.61	18.2	20.6
2009	66	14.0	2.01	10.4	18.4	967	17.3	0.57	16.2	18.4
2010	71	13.9	1.89	10.4	18.0	1,017	17.9	0.57	16.8	19.0
2011	66	14.4	2.06	10.7	18.9	999	17.2	0.56	16.1	18.3
2012	69	13.4	1.86	10.0	17.5	993	16.7	0.54	15.7	17.8
2013	76	13.4	1.72	10.2	17.1	976	16.3	0.54	15.3	17.4
2014	85	12.7	1.50	10.0	16.0	949	15.7	0.52	14.7	16.7
2015	97	16.1	1.85	12.7	20.1	1,012	16.5	0.53	15.5	17.6
2016	91	12.5	1.44	9.9	15.7	972	15.7	0.52	14.7	16.7
2017	124	16.9	1.69	13.8	20.5	967	15.6	0.52	14.6	16.6
2018	123	16.7	1.68	13.6	20.3	951	15.3	0.51	14.3	16.3
2019	113	14.0	1.43	11.3	17.1	926	14.7	0.50	13.7	15.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Rectum and Rectosigmoid Junction										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	25,422	19.0	0.12	18.8	19.2	3,424	17.9	0.32	17.3	18.5
1990	855	22.4	0.79	20.9	24.0	78	17.6	2.15	13.7	22.3
1991	887	23.0	0.79	21.4	24.6	85	19.1	2.21	15.0	23.8
1992	899	22.9	0.78	21.4	24.5	71	15.3	1.95	11.7	19.5
1993	845	21.4	0.75	20.0	23.0	95	20.4	2.27	16.2	25.3
1994	800	19.8	0.71	18.5	21.3	81	16.2	1.91	12.7	20.4
1995	867	21.8	0.75	20.4	23.3	82	16.8	1.96	13.1	21.0
1996	861	21.4	0.74	20.0	22.9	77	14.0	1.65	11.0	17.6
1997	922	22.8	0.76	21.3	24.3	99	19.1	2.05	15.3	23.5
1998	944	23.2	0.76	21.7	24.7	90	17.0	1.89	13.5	21.1
1999	935	22.8	0.75	21.3	24.3	103	18.9	1.96	15.3	23.1
2000	936	22.5	0.74	21.1	24.0	109	18.7	1.87	15.2	22.7
2001	885	21.2	0.72	19.8	22.7	95	16.3	1.77	13.1	20.1
2002	948	22.4	0.73	21.0	23.9	107	19.0	1.95	15.3	23.1
2003	848	20.0	0.69	18.6	21.4	120	19.1	1.83	15.7	23.0
2004	887	20.5	0.69	19.2	21.9	146	23.7	2.06	19.8	28.0
2005	867	19.9	0.68	18.5	21.2	131	20.5	1.88	17.0	24.6
2006	859	19.3	0.66	18.0	20.6	131	20.3	1.85	16.8	24.2
2007	830	18.6	0.65	17.3	19.9	112	16.7	1.66	13.6	20.3
2008	875	19.2	0.66	17.9	20.6	126	18.7	1.76	15.4	22.5
2009	786	16.9	0.61	15.7	18.2	149	20.9	1.82	17.5	24.8
2010	854	18.0	0.63	16.8	19.2	125	18.0	1.69	14.8	21.6
2011	805	16.8	0.61	15.7	18.1	149	19.6	1.68	16.4	23.1
2012	808	16.5	0.60	15.4	17.8	133	17.4	1.59	14.5	20.8
2013	788	16.1	0.59	15.0	17.3	139	17.8	1.58	14.8	21.1
2014	773	15.5	0.57	14.4	16.7	124	15.9	1.49	13.1	19.1
2015	819	16.5	0.59	15.3	17.7	133	17.2	1.57	14.3	20.6
2016	777	15.4	0.57	14.3	16.5	141	17.7	1.55	14.8	21.0
2017	757	15.1	0.57	14.0	16.3	146	18.2	1.57	15.3	21.6
2018	769	15.3	0.57	14.2	16.4	120	14.6	1.38	12.0	17.6
2019	736	14.6	0.56	13.5	15.7	127	15.0	1.38	12.4	18.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Rectum and Rectosigmoid Junction										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,156	9.0	0.28	8.4	9.5	22,741	11.2	0.08	11.0	11.3
1990	21	12.2	2.95	7.2	19.1	785	12.7	0.46	11.8	13.6
1991	15	7.4	2.13	3.8	12.6	829	13.2	0.47	12.3	14.1
1992	19	10.0	2.48	5.8	15.9	795	12.5	0.45	11.7	13.4
1993	24	14.1	3.05	8.7	21.0	772	12.0	0.44	11.2	12.9
1994	20	9.3	2.27	5.4	14.7	777	12.1	0.44	11.2	13.0
1995	25	11.9	2.68	7.3	18.1	815	12.6	0.45	11.8	13.5
1996	22	9.9	2.33	5.9	15.3	783	12.0	0.43	11.2	12.9
1997	20	8.5	2.03	5.0	13.2	813	12.5	0.44	11.6	13.3
1998	25	10.2	2.26	6.3	15.5	828	12.8	0.45	11.9	13.7
1999	20	8.6	2.15	4.9	13.6	786	12.0	0.43	11.2	12.9
2000	26	9.4	2.08	5.8	14.2	778	11.8	0.43	11.0	12.7
2001	31	9.6	1.98	6.2	14.2	763	11.6	0.42	10.8	12.4
2002	22	7.0	1.63	4.2	10.8	841	12.6	0.44	11.8	13.5
2003	36	11.4	2.06	7.7	16.0	777	11.6	0.42	10.8	12.5
2004	27	6.9	1.46	4.3	10.3	801	12.0	0.43	11.2	12.9
2005	42	9.8	1.65	6.8	13.5	800	11.9	0.43	11.1	12.8
2006	36	10.1	1.85	6.8	14.2	818	12.1	0.43	11.3	13.0
2007	36	7.5	1.36	5.0	10.6	755	11.2	0.41	10.4	12.0
2008	44	8.6	1.42	6.1	11.8	775	11.2	0.41	10.4	12.1
2009	41	7.4	1.26	5.1	10.2	686	10.0	0.39	9.3	10.8
2010	42	7.2	1.20	5.0	9.9	734	10.5	0.40	9.7	11.3
2011	44	8.2	1.33	5.8	11.2	710	10.0	0.38	9.3	10.8
2012	49	7.6	1.16	5.5	10.2	672	9.4	0.37	8.7	10.2
2013	56	9.4	1.35	7.0	12.4	703	9.8	0.38	9.1	10.6
2014	57	9.0	1.27	6.7	11.9	711	9.9	0.38	9.2	10.7
2015	53	7.0	0.99	5.2	9.2	664	9.4	0.38	8.6	10.1
2016	79	10.5	1.24	8.2	13.2	736	10.4	0.40	9.6	11.2
2017	66	9.0	1.17	6.8	11.5	672	9.4	0.38	8.6	10.1
2018	82	10.9	1.26	8.6	13.6	695	9.7	0.38	8.9	10.4
2019	76	9.5	1.13	7.4	11.9	667	9.4	0.38	8.7	10.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Rectum and Rectosigmoid Junction										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,937	11.2	0.08	11.0	11.3	3,015	11.2	0.20	10.8	11.6
1990	707	12.9	0.50	12.0	13.9	70	10.8	1.31	8.4	13.6
1991	723	13.1	0.50	12.1	14.1	89	12.9	1.39	10.3	15.9
1992	714	12.8	0.49	11.9	13.8	71	10.1	1.22	7.9	12.8
1993	675	12.1	0.47	11.2	13.1	84	12.4	1.36	9.8	15.3
1994	689	12.2	0.48	11.3	13.2	77	10.5	1.21	8.3	13.1
1995	717	12.8	0.49	11.9	13.8	79	10.4	1.18	8.2	12.9
1996	678	12.0	0.47	11.1	12.9	91	12.4	1.31	10.0	15.2
1997	691	12.3	0.47	11.3	13.2	108	14.3	1.39	11.7	17.3
1998	721	13.0	0.49	12.0	14.0	90	11.4	1.21	9.1	14.0
1999	698	12.4	0.48	11.5	13.4	76	9.3	1.08	7.3	11.7
2000	674	12.0	0.47	11.1	12.9	82	9.9	1.09	7.8	12.2
2001	644	11.6	0.46	10.7	12.5	103	12.5	1.24	10.2	15.1
2002	707	12.5	0.48	11.6	13.5	109	12.9	1.25	10.6	15.6
2003	640	11.4	0.46	10.5	12.3	108	12.6	1.22	10.3	15.2
2004	680	12.2	0.48	11.2	13.1	100	11.1	1.12	9.1	13.6
2005	671	12.0	0.47	11.1	12.9	104	11.5	1.13	9.4	13.9
2006	671	12.1	0.48	11.1	13.0	109	11.9	1.15	9.7	14.4
2007	601	10.7	0.45	9.9	11.7	123	13.0	1.18	10.8	15.5
2008	632	11.1	0.45	10.3	12.1	118	12.3	1.14	10.1	14.7
2009	564	10.0	0.43	9.2	10.9	88	9.1	0.99	7.3	11.3
2010	585	10.3	0.44	9.5	11.2	108	10.8	1.05	8.8	13.1
2011	554	9.6	0.42	8.8	10.4	125	12.2	1.11	10.1	14.6
2012	527	9.2	0.42	8.4	10.0	111	10.7	1.03	8.8	12.9
2013	552	9.6	0.43	8.8	10.5	117	10.9	1.02	9.0	13.1
2014	571	9.9	0.43	9.1	10.8	104	10.1	1.01	8.2	12.3
2015	520	9.1	0.42	8.3	10.0	106	9.9	0.98	8.1	12.0
2016	552	9.8	0.44	9.0	10.7	132	12.1	1.08	10.1	14.4
2017	515	9.2	0.43	8.4	10.1	113	10.1	0.97	8.2	12.1
2018	549	9.7	0.44	8.9	10.6	115	10.5	1.00	8.6	12.7
2019	515	9.3	0.44	8.5	10.3	105	9.5	0.95	7.7	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Anus, Anal Canal and Anorectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	310	1.3	0.08	1.1	1.5	5,599	1.6	0.02	1.5	1.6
1990	0					117	1.2	0.11	1.0	1.4
1991	2	0.6	0.44	0.1	2.1	104	1.0	0.10	0.8	1.2
1992	7	2.5	1.05	0.9	5.2	106	1.0	0.10	0.8	1.2
1993	8	1.9	0.77	0.7	4.0	96	0.9	0.09	0.7	1.1
1994	2	0.3	0.24	0.0	1.4	105	1.0	0.10	0.8	1.2
1995	6	2.1	0.98	0.6	4.6	118	1.1	0.10	0.9	1.3
1996	7	2.6	1.08	1.0	5.3	109	1.0	0.10	0.8	1.2
1997	5	0.6	0.27	0.2	1.6	120	1.1	0.10	0.9	1.3
1998	8	1.6	0.74	0.5	3.6	131	1.2	0.10	1.0	1.4
1999	8	1.4	0.54	0.6	2.9	144	1.3	0.11	1.1	1.5
2000	6	0.7	0.31	0.3	1.7	165	1.5	0.11	1.2	1.7
2001	8	1.0	0.41	0.4	2.2	165	1.4	0.11	1.2	1.7
2002	8	1.3	0.49	0.5	2.6	148	1.3	0.11	1.1	1.5
2003	10	1.7	0.58	0.7	3.2	186	1.6	0.12	1.4	1.9
2004	10	1.7	0.62	0.7	3.3	222	1.9	0.13	1.6	2.2
2005	9	0.9	0.34	0.4	1.8	166	1.4	0.11	1.2	1.6
2006	9	1.2	0.43	0.5	2.3	171	1.4	0.11	1.2	1.7
2007	11	1.4	0.47	0.6	2.6	212	1.8	0.12	1.5	2.0
2008	13	1.6	0.49	0.8	2.9	193	1.6	0.11	1.3	1.8
2009	18	1.8	0.50	1.0	3.0	226	1.9	0.12	1.6	2.1
2010	13	1.3	0.41	0.6	2.3	219	1.8	0.12	1.5	2.0
2011	13	1.2	0.37	0.6	2.1	213	1.7	0.12	1.5	1.9
2012	11	0.7	0.22	0.4	1.3	235	1.8	0.12	1.6	2.1
2013	15	1.1	0.31	0.6	1.9	260	2.0	0.13	1.8	2.3
2014	13	1.1	0.34	0.6	2.0	287	2.1	0.13	1.9	2.4
2015	19	1.6	0.39	0.9	2.5	238	1.7	0.12	1.5	2.0
2016	13	1.0	0.29	0.5	1.7	295	2.2	0.13	1.9	2.5
2017	17	1.4	0.36	0.8	2.3	275	2.0	0.12	1.8	2.3
2018	22	1.3	0.30	0.8	2.1	271	2.0	0.12	1.7	2.2
2019	19	1.4	0.35	0.8	2.2	302	2.2	0.13	1.9	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Anus, Anal Canal and Anorectum										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,628	1.6	0.02	1.5	1.6	894	1.9	0.06	1.8	2.0
1990	93	1.0	0.11	0.8	1.3	24	2.1	0.44	1.3	3.1
1991	90	1.0	0.10	0.8	1.2	14	1.1	0.29	0.6	1.8
1992	90	1.0	0.10	0.8	1.2	16	1.2	0.31	0.7	2.0
1993	88	0.9	0.10	0.8	1.2	7	0.6	0.22	0.2	1.2
1994	89	1.0	0.10	0.8	1.2	14	1.1	0.31	0.6	1.9
1995	98	1.1	0.11	0.9	1.3	20	1.4	0.32	0.8	2.2
1996	94	1.0	0.10	0.8	1.2	15	1.2	0.33	0.7	2.0
1997	102	1.1	0.11	0.9	1.3	16	1.2	0.30	0.7	1.9
1998	107	1.1	0.11	0.9	1.4	23	1.6	0.33	1.0	2.4
1999	123	1.3	0.12	1.1	1.6	19	1.3	0.30	0.8	2.0
2000	135	1.4	0.12	1.2	1.7	28	1.9	0.36	1.2	2.7
2001	131	1.4	0.12	1.1	1.6	34	2.4	0.41	1.6	3.3
2002	122	1.3	0.12	1.1	1.5	23	1.4	0.30	0.9	2.1
2003	154	1.6	0.13	1.4	1.9	31	2.0	0.36	1.3	2.8
2004	186	1.9	0.14	1.6	2.2	29	1.9	0.36	1.3	2.8
2005	137	1.4	0.12	1.2	1.6	27	1.6	0.31	1.0	2.3
2006	135	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8
2007	176	1.8	0.13	1.5	2.0	34	2.0	0.34	1.4	2.8
2008	149	1.5	0.12	1.3	1.7	41	2.5	0.40	1.8	3.4
2009	189	1.9	0.14	1.6	2.2	33	2.0	0.36	1.4	2.8
2010	170	1.7	0.13	1.4	1.9	48	2.8	0.42	2.1	3.8
2011	167	1.6	0.13	1.4	1.9	39	2.3	0.37	1.6	3.1
2012	197	1.8	0.13	1.6	2.1	33	1.9	0.33	1.3	2.6
2013	224	2.2	0.15	1.9	2.5	33	1.9	0.33	1.3	2.6
2014	237	2.2	0.14	1.9	2.5	48	2.5	0.38	1.9	3.4
2015	198	1.8	0.13	1.5	2.1	35	1.8	0.31	1.3	2.5
2016	249	2.3	0.15	2.0	2.6	41	2.2	0.34	1.5	3.0
2017	221	2.0	0.14	1.7	2.3	49	2.6	0.38	1.9	3.4
2018	227	2.0	0.14	1.8	2.3	40	2.2	0.35	1.5	2.9
2019	250	2.2	0.15	1.9	2.5	47	2.5	0.38	1.8	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Anus, Anal Canal and Anorectum										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	126	1.1	0.11	0.9	1.3	2,138	1.3	0.03	1.3	1.4
1990	0					52	1.2	0.17	0.9	1.6
1991	1	0.4	0.41	0.0	3.1	32	0.7	0.12	0.5	1.0
1992	2	1.2	0.91	0.1	4.6	42	0.9	0.14	0.6	1.2
1993	3	2.4	1.63	0.3	7.2	29	0.6	0.12	0.4	0.9
1994	2	0.7	0.46	0.1	3.1	23	0.5	0.11	0.3	0.8
1995	3	2.1	1.49	0.2	6.5	42	0.9	0.13	0.6	1.2
1996	6	6.3	2.84	2.0	13.5	39	0.8	0.13	0.6	1.1
1997	1	0.3	0.32	0.0	2.4	43	0.9	0.13	0.6	1.2
1998	2	0.3	0.23	0.0	2.2	52	1.1	0.15	0.8	1.4
1999	3	1.1	0.65	0.2	3.4	55	1.1	0.15	0.8	1.4
2000	3	0.7	0.39	0.1	2.5	63	1.3	0.16	1.0	1.6
2001	4	0.7	0.38	0.2	2.4	67	1.3	0.16	1.0	1.7
2002	2	0.7	0.51	0.1	2.6	62	1.2	0.15	0.9	1.5
2003	6	2.2	1.04	0.7	5.1	81	1.5	0.17	1.2	1.9
2004	3	1.1	0.71	0.2	3.3	98	1.9	0.19	1.5	2.3
2005	6	0.9	0.36	0.3	2.2	70	1.3	0.16	1.0	1.7
2006	2	0.3	0.19	0.0	1.4	78	1.5	0.17	1.2	1.8
2007	2	0.5	0.47	0.0	2.2	77	1.5	0.17	1.2	1.8
2008	6	1.6	0.73	0.5	3.6	80	1.5	0.16	1.1	1.8
2009	7	0.8	0.33	0.3	2.0	81	1.5	0.17	1.2	1.9
2010	4	0.7	0.40	0.2	2.0	90	1.6	0.17	1.3	2.0
2011	3	0.5	0.26	0.1	1.4	73	1.4	0.16	1.1	1.7
2012	6	0.7	0.30	0.3	1.7	95	1.6	0.17	1.3	2.0
2013	5	0.5	0.23	0.2	1.4	101	1.8	0.18	1.5	2.2
2014	3	0.6	0.39	0.1	1.8	119	2.0	0.18	1.6	2.4
2015	9	1.6	0.60	0.6	3.1	91	1.4	0.15	1.1	1.8
2016	8	1.3	0.49	0.5	2.6	97	1.5	0.16	1.2	1.9
2017	5	0.9	0.46	0.2	2.2	106	1.7	0.17	1.4	2.1
2018	12	1.6	0.49	0.8	2.8	92	1.5	0.16	1.2	1.9
2019	7	1.1	0.46	0.4	2.3	108	1.7	0.17	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Anus, Anal Canal and Anorectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,668	1.3	0.03	1.2	1.3	434	2.1	0.10	1.9	2.3
1990	41	1.1	0.18	0.8	1.5	11	2.3	0.77	1.1	4.3
1991	26	0.6	0.13	0.4	0.9	6	0.9	0.40	0.3	2.1
1992	35	0.9	0.15	0.6	1.2	7	1.1	0.43	0.5	2.4
1993	26	0.6	0.13	0.4	0.9	2	0.5	0.39	0.1	1.8
1994	21	0.5	0.12	0.3	0.8	1	0.2	0.15	0.0	0.9
1995	31	0.7	0.13	0.5	1.1	11	1.6	0.48	0.8	2.9
1996	35	0.8	0.14	0.6	1.2	4	0.7	0.34	0.2	1.7
1997	36	0.9	0.14	0.6	1.2	7	1.1	0.40	0.4	2.2
1998	38	0.9	0.15	0.6	1.3	13	1.9	0.52	1.0	3.2
1999	47	1.1	0.16	0.8	1.5	7	1.0	0.39	0.4	2.1
2000	51	1.2	0.17	0.9	1.6	11	1.6	0.49	0.8	2.9
2001	52	1.2	0.17	0.9	1.6	15	2.2	0.59	1.2	3.7
2002	48	1.1	0.16	0.8	1.5	13	1.7	0.47	0.9	3.0
2003	62	1.4	0.18	1.1	1.8	18	2.5	0.60	1.5	4.0
2004	77	1.8	0.20	1.4	2.2	17	2.8	0.73	1.6	4.6
2005	52	1.2	0.17	0.9	1.6	18	2.3	0.54	1.4	3.7
2006	54	1.2	0.17	0.9	1.6	22	3.1	0.67	1.9	4.7
2007	63	1.4	0.18	1.1	1.8	12	1.6	0.47	0.8	2.8
2008	57	1.3	0.17	1.0	1.7	23	3.3	0.74	2.0	5.1
2009	65	1.5	0.19	1.1	1.9	14	2.1	0.58	1.1	3.5
2010	60	1.3	0.17	1.0	1.6	30	4.4	0.86	2.9	6.4
2011	53	1.2	0.17	0.9	1.6	17	2.3	0.58	1.3	3.7
2012	75	1.5	0.18	1.2	1.9	16	1.9	0.49	1.1	3.2
2013	83	1.8	0.21	1.5	2.3	15	2.0	0.54	1.1	3.3
2014	96	1.9	0.20	1.5	2.3	22	2.5	0.54	1.6	3.8
2015	76	1.5	0.17	1.1	1.8	14	1.5	0.41	0.8	2.6
2016	75	1.5	0.18	1.1	1.9	21	2.5	0.57	1.5	3.9
2017	77	1.5	0.18	1.2	1.9	26	3.4	0.69	2.2	5.0
2018	71	1.4	0.17	1.1	1.8	20	2.4	0.55	1.4	3.7
2019	85	1.6	0.18	1.3	2.0	21	2.6	0.59	1.6	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Anus, Anal Canal and Anorectum										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	184	1.5	0.12	1.3	1.8	3,461	1.8	0.03	1.7	1.8
1990	0					65	1.2	0.15	0.9	1.5
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	5	3.4	1.61	1.0	7.7	64	1.0	0.13	0.8	1.3
1993	5	1.9	0.87	0.6	4.6	67	1.1	0.13	0.8	1.4
1994	0					82	1.3	0.15	1.1	1.7
1995	3	2.0	1.25	0.4	5.5	76	1.3	0.15	1.0	1.6
1996	1	0.4	0.39	0.0	2.1	70	1.1	0.14	0.9	1.4
1997	4	0.9	0.44	0.2	2.6	77	1.2	0.14	1.0	1.6
1998	6	2.5	1.22	0.8	5.8	79	1.3	0.14	1.0	1.6
1999	5	1.8	0.84	0.5	4.2	89	1.4	0.15	1.1	1.8
2000	3	0.8	0.45	0.1	2.4	102	1.6	0.16	1.3	2.0
2001	4	1.3	0.68	0.3	3.3	98	1.5	0.16	1.2	1.9
2002	6	1.8	0.79	0.6	4.0	86	1.4	0.15	1.1	1.7
2003	4	1.3	0.65	0.3	3.2	105	1.6	0.16	1.3	2.0
2004	7	2.2	0.91	0.8	4.6	124	1.9	0.17	1.6	2.3
2005	3	0.9	0.52	0.2	2.4	96	1.4	0.15	1.2	1.8
2006	7	1.9	0.77	0.7	3.9	93	1.4	0.15	1.2	1.8
2007	9	2.1	0.76	0.9	4.0	135	2.0	0.18	1.7	2.4
2008	7	1.7	0.66	0.6	3.4	113	1.7	0.16	1.4	2.0
2009	11	2.5	0.82	1.2	4.5	145	2.1	0.18	1.8	2.5
2010	9	1.8	0.65	0.8	3.5	129	1.9	0.17	1.6	2.3
2011	10	1.9	0.64	0.9	3.5	140	2.0	0.17	1.6	2.3
2012	5	0.7	0.31	0.2	1.6	140	2.0	0.17	1.6	2.3
2013	10	1.6	0.54	0.7	3.0	159	2.3	0.18	1.9	2.6
2014	10	1.6	0.54	0.8	3.0	168	2.3	0.18	2.0	2.7
2015	10	1.5	0.51	0.7	2.8	147	2.0	0.17	1.7	2.4
2016	5	0.7	0.32	0.2	1.6	198	2.7	0.20	2.3	3.2
2017	12	1.8	0.55	0.9	3.2	169	2.2	0.18	1.9	2.6
2018	10	1.2	0.37	0.5	2.1	179	2.4	0.18	2.0	2.8
2019	12	1.7	0.50	0.8	2.9	194	2.6	0.19	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Anus, Anal Canal and Anorectum										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,960	1.8	0.03	1.8	1.9	460	1.7	0.08	1.5	1.9
1990	52	1.1	0.15	0.8	1.4	13	2.0	0.55	1.0	3.3
1991	64	1.2	0.15	0.9	1.5	8	1.1	0.39	0.5	2.1
1992	55	1.0	0.14	0.8	1.3	9	1.2	0.42	0.6	2.3
1993	62	1.2	0.15	0.9	1.5	5	0.7	0.30	0.2	1.5
1994	68	1.3	0.16	1.0	1.7	13	1.8	0.50	0.9	3.0
1995	67	1.4	0.17	1.1	1.8	9	1.2	0.41	0.6	2.3
1996	59	1.1	0.15	0.8	1.4	11	1.6	0.47	0.8	2.8
1997	66	1.3	0.16	1.0	1.6	9	1.2	0.40	0.5	2.2
1998	69	1.3	0.16	1.0	1.7	10	1.3	0.40	0.6	2.3
1999	76	1.5	0.17	1.1	1.8	12	1.4	0.41	0.7	2.5
2000	84	1.6	0.18	1.3	2.0	17	2.0	0.49	1.2	3.2
2001	79	1.5	0.17	1.2	1.9	19	2.3	0.53	1.4	3.6
2002	74	1.4	0.17	1.1	1.8	10	1.1	0.36	0.5	2.1
2003	92	1.7	0.18	1.4	2.1	13	1.5	0.42	0.8	2.6
2004	109	2.1	0.20	1.7	2.5	12	1.3	0.39	0.7	2.3
2005	85	1.5	0.17	1.2	1.9	9	1.0	0.33	0.4	1.8
2006	81	1.5	0.17	1.2	1.9	11	1.1	0.34	0.6	2.0
2007	113	2.1	0.20	1.7	2.5	22	2.2	0.48	1.4	3.4
2008	92	1.7	0.18	1.4	2.1	18	1.9	0.45	1.1	3.0
2009	124	2.2	0.20	1.8	2.7	19	2.0	0.46	1.2	3.1
2010	110	2.0	0.19	1.6	2.4	18	1.8	0.42	1.0	2.8
2011	114	2.0	0.19	1.6	2.4	22	2.1	0.46	1.3	3.3
2012	122	2.1	0.20	1.7	2.5	17	1.7	0.42	1.0	2.8
2013	141	2.5	0.21	2.1	2.9	18	1.8	0.43	1.0	2.8
2014	141	2.4	0.21	2.0	2.9	26	2.5	0.50	1.6	3.7
2015	122	2.1	0.20	1.7	2.5	21	1.9	0.43	1.2	3.0
2016	174	3.0	0.24	2.6	3.5	20	1.9	0.44	1.2	3.0
2017	144	2.4	0.21	2.0	2.8	23	2.0	0.43	1.3	3.1
2018	156	2.6	0.22	2.2	3.1	20	1.9	0.43	1.1	2.9
2019	165	2.8	0.23	2.4	3.3	26	2.4	0.48	1.5	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Liver										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,316	10.2	0.23	9.7	10.6	17,950	4.9	0.04	4.8	5.0
1990	10	3.4	1.16	1.5	6.3	243	2.3	0.15	2.0	2.6
1991	14	3.2	0.90	1.6	5.5	243	2.3	0.15	2.0	2.6
1992	14	3.8	1.15	1.9	6.6	249	2.3	0.15	2.0	2.6
1993	27	6.5	1.38	4.1	9.7	293	2.7	0.16	2.4	3.0
1994	20	5.3	1.35	3.0	8.5	401	3.6	0.18	3.3	4.0
1995	28	6.1	1.30	3.8	9.1	410	3.7	0.18	3.4	4.1
1996	39	9.0	1.64	6.1	12.7	422	3.8	0.19	3.5	4.2
1997	35	8.3	1.60	5.5	11.9	429	3.9	0.19	3.5	4.2
1998	46	10.4	1.76	7.2	14.3	451	4.0	0.19	3.7	4.4
1999	50	9.7	1.67	6.7	13.4	488	4.3	0.20	4.0	4.7
2000	50	8.9	1.46	6.3	12.2	501	4.4	0.20	4.0	4.8
2001	54	10.1	1.52	7.4	13.5	499	4.4	0.19	4.0	4.8
2002	60	9.1	1.28	6.8	11.9	532	4.6	0.20	4.2	5.0
2003	57	8.4	1.22	6.2	11.1	520	4.5	0.20	4.1	4.9
2004	60	8.8	1.27	6.5	11.6	580	4.9	0.21	4.5	5.3
2005	72	9.4	1.24	7.2	12.1	620	5.2	0.21	4.8	5.6
2006	61	8.7	1.23	6.4	11.3	627	5.2	0.21	4.8	5.6
2007	76	9.3	1.17	7.1	11.8	675	5.5	0.21	5.1	5.9
2008	65	7.7	1.06	5.8	10.1	678	5.4	0.21	5.0	5.9
2009	106	11.8	1.28	9.5	14.6	746	5.8	0.22	5.4	6.3
2010	128	13.6	1.32	11.2	16.4	761	5.9	0.22	5.5	6.3
2011	97	10.1	1.13	8.0	12.5	755	5.7	0.21	5.3	6.1
2012	127	12.6	1.21	10.3	15.1	781	5.7	0.21	5.3	6.2
2013	130	11.4	1.10	9.3	13.7	779	5.6	0.21	5.2	6.1
2014	112	10.1	1.03	8.2	12.3	895	6.3	0.22	5.9	6.8
2015	125	10.4	1.02	8.5	12.6	919	6.5	0.22	6.1	7.0
2016	160	12.0	1.01	10.1	14.1	877	6.1	0.21	5.7	6.5
2017	157	12.2	1.04	10.2	14.4	852	5.8	0.20	5.4	6.2
2018	179	13.7	1.09	11.7	16.0	857	5.8	0.20	5.4	6.2
2019	157	10.7	0.91	9.0	12.6	867	5.8	0.20	5.4	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Liver										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	13,033	4.3	0.04	4.2	4.3	3,656	7.6	0.13	7.4	7.9
1990	185	2.0	0.15	1.7	2.3	40	3.4	0.55	2.4	4.6
1991	182	2.0	0.15	1.7	2.3	46	3.5	0.53	2.6	4.7
1992	197	2.1	0.15	1.8	2.4	34	2.7	0.48	1.9	3.9
1993	214	2.2	0.15	1.9	2.6	57	4.6	0.62	3.4	5.9
1994	305	3.2	0.18	2.8	3.6	78	6.5	0.76	5.1	8.2
1995	300	3.2	0.18	2.8	3.5	89	7.2	0.79	5.7	8.9
1996	290	3.0	0.18	2.7	3.4	100	7.8	0.80	6.3	9.5
1997	314	3.3	0.19	2.9	3.7	90	6.9	0.75	5.6	8.6
1998	339	3.5	0.19	3.2	3.9	86	6.4	0.71	5.1	7.9
1999	351	3.6	0.19	3.3	4.0	100	7.3	0.74	5.9	8.9
2000	359	3.7	0.20	3.3	4.1	107	7.6	0.75	6.2	9.2
2001	375	3.8	0.20	3.5	4.3	91	6.2	0.66	4.9	7.6
2002	385	3.9	0.20	3.6	4.4	107	7.4	0.73	6.0	9.0
2003	389	4.0	0.20	3.6	4.4	97	6.5	0.67	5.3	8.0
2004	432	4.4	0.21	4.0	4.8	110	7.3	0.71	6.0	8.8
2005	460	4.6	0.22	4.2	5.1	129	8.0	0.72	6.7	9.6
2006	457	4.5	0.21	4.1	5.0	130	7.9	0.70	6.5	9.4
2007	472	4.6	0.22	4.2	5.1	151	9.0	0.75	7.6	10.6
2008	481	4.7	0.21	4.2	5.1	145	8.4	0.71	7.1	9.9
2009	557	5.3	0.23	4.9	5.8	136	7.6	0.66	6.3	9.0
2010	556	5.2	0.22	4.8	5.7	155	8.7	0.71	7.4	10.2
2011	535	4.9	0.22	4.5	5.4	171	9.1	0.71	7.7	10.6
2012	573	5.1	0.22	4.7	5.6	152	8.0	0.66	6.7	9.4
2013	550	4.9	0.21	4.5	5.4	182	9.2	0.70	7.9	10.7
2014	635	5.6	0.23	5.2	6.1	186	9.1	0.68	7.8	10.5
2015	656	5.7	0.23	5.3	6.2	188	9.2	0.68	7.9	10.6
2016	607	5.2	0.22	4.8	5.7	191	9.1	0.68	7.9	10.6
2017	608	5.2	0.22	4.8	5.6	178	8.3	0.64	7.1	9.6
2018	637	5.4	0.22	5.0	5.8	169	8.0	0.63	6.8	9.3
2019	632	5.3	0.22	4.9	5.7	161	7.6	0.61	6.5	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Liver										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,678	14.8	0.41	14.0	15.7	12,718	7.8	0.07	7.7	7.9
1990	6	3.9	1.89	1.2	9.3	169	3.7	0.29	3.2	4.4
1991	13	6.1	1.87	3.0	11.1	145	3.2	0.27	2.7	3.8
1992	11	6.2	2.15	2.7	11.8	165	3.8	0.30	3.2	4.4
1993	20	9.2	2.47	5.1	15.3	191	4.1	0.30	3.6	4.8
1994	11	4.6	1.48	2.2	8.7	269	5.9	0.37	5.2	6.6
1995	18	6.9	1.82	3.8	11.5	279	6.0	0.37	5.3	6.8
1996	24	10.2	2.42	6.0	16.0	283	6.0	0.36	5.3	6.7
1997	24	8.8	1.93	5.5	13.5	284	6.1	0.36	5.4	6.8
1998	35	16.8	3.45	10.7	24.6	309	6.4	0.37	5.7	7.2
1999	33	13.0	3.03	7.8	20.0	315	6.5	0.37	5.8	7.2
2000	30	8.5	1.71	5.5	12.7	338	6.9	0.38	6.1	7.6
2001	37	13.1	2.43	8.8	18.7	341	6.9	0.38	6.2	7.7
2002	48	14.6	2.34	10.3	19.8	361	7.1	0.38	6.4	7.9
2003	40	11.8	2.10	8.1	16.6	368	7.2	0.38	6.4	7.9
2004	45	12.8	2.29	8.7	18.0	404	7.6	0.38	6.9	8.4
2005	54	15.2	2.39	10.8	20.5	448	8.5	0.40	7.7	9.3
2006	49	13.7	2.18	9.7	18.5	442	8.2	0.39	7.4	9.0
2007	60	14.7	2.16	10.8	19.5	485	8.8	0.40	8.0	9.6
2008	51	12.0	1.93	8.5	16.3	466	8.2	0.39	7.5	9.0
2009	79	18.3	2.40	13.9	23.5	569	9.9	0.42	9.1	10.7
2010	101	22.6	2.55	17.9	28.1	524	8.9	0.40	8.1	9.7
2011	72	15.3	2.08	11.5	19.8	570	9.4	0.40	8.6	10.2
2012	94	18.8	2.19	14.7	23.5	579	9.2	0.39	8.4	10.0
2013	92	15.8	1.88	12.4	19.9	577	9.1	0.39	8.3	9.9
2014	87	16.6	1.97	13.0	20.9	665	10.2	0.41	9.4	11.0
2015	90	15.8	1.89	12.3	19.8	683	10.5	0.41	9.7	11.3
2016	122	18.3	1.82	14.9	22.2	627	9.3	0.38	8.6	10.1
2017	104	16.2	1.75	13.0	19.9	602	8.8	0.37	8.1	9.6
2018	119	17.9	1.80	14.5	21.7	620	9.2	0.38	8.5	10.0
2019	109	14.7	1.54	11.9	18.0	640	9.3	0.38	8.6	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Liver										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	9,221	6.8	0.07	6.6	6.9	2,584	12.7	0.26	12.2	13.2
1990	124	3.1	0.28	2.6	3.7	28	6.1	1.24	3.9	9.0
1991	104	2.7	0.26	2.2	3.2	29	5.3	1.02	3.5	7.7
1992	127	3.3	0.30	2.7	4.0	23	4.8	1.09	2.9	7.3
1993	142	3.6	0.30	3.0	4.2	36	6.4	1.08	4.4	8.9
1994	202	5.0	0.36	4.4	5.8	53	11.7	1.72	8.6	15.5
1995	205	5.1	0.36	4.4	5.8	57	11.7	1.69	8.6	15.4
1996	184	4.5	0.34	3.9	5.2	74	13.7	1.66	10.6	17.3
1997	206	5.1	0.36	4.4	5.9	59	10.7	1.48	8.0	14.0
1998	234	5.7	0.37	5.0	6.5	59	10.5	1.44	7.9	13.7
1999	220	5.3	0.36	4.6	6.0	65	11.7	1.51	8.9	15.0
2000	249	5.9	0.38	5.2	6.7	69	11.8	1.48	9.1	15.0
2001	256	6.1	0.38	5.4	6.9	60	9.6	1.30	7.2	12.5
2002	264	6.2	0.38	5.5	7.0	68	10.9	1.38	8.3	13.9
2003	279	6.5	0.39	5.7	7.3	65	10.1	1.30	7.7	13.0
2004	306	6.9	0.40	6.1	7.7	73	11.2	1.38	8.7	14.2
2005	335	7.6	0.42	6.8	8.5	91	13.1	1.42	10.5	16.2
2006	322	7.2	0.40	6.4	8.0	92	12.7	1.38	10.1	15.7
2007	330	7.2	0.40	6.4	8.0	115	16.1	1.58	13.2	19.5
2008	329	7.0	0.39	6.3	7.9	107	14.4	1.45	11.7	17.5
2009	425	8.9	0.44	8.0	9.8	102	13.3	1.37	10.7	16.2
2010	385	7.9	0.41	7.1	8.7	104	13.3	1.36	10.8	16.3
2011	395	7.9	0.41	7.2	8.8	137	17.1	1.53	14.2	20.4
2012	422	8.1	0.40	7.3	9.0	118	14.2	1.36	11.7	17.1
2013	404	7.8	0.40	7.0	8.6	139	16.4	1.45	13.7	19.5
2014	474	9.0	0.42	8.2	9.8	138	15.7	1.40	13.1	18.7
2015	487	9.1	0.42	8.3	10.0	141	15.7	1.37	13.2	18.7
2016	434	7.9	0.39	7.2	8.8	135	15.0	1.34	12.5	17.9
2017	436	7.9	0.39	7.2	8.7	120	13.3	1.26	10.9	16.0
2018	467	8.5	0.40	7.7	9.3	114	12.8	1.25	10.5	15.5
2019	474	8.5	0.40	7.7	9.3	113	12.6	1.23	10.3	15.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Liver										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	638	5.9	0.25	5.4	6.4	5,232	2.5	0.04	2.5	2.6
1990	4	2.8	1.43	0.7	6.8	74	1.3	0.15	1.0	1.6
1991	1	0.4	0.41	0.0	2.4	98	1.6	0.16	1.3	1.9
1992	3	1.6	1.08	0.2	4.9	84	1.3	0.15	1.1	1.7
1993	7	3.9	1.53	1.5	7.9	102	1.6	0.16	1.3	2.0
1994	9	5.2	1.89	2.2	9.9	132	2.0	0.17	1.6	2.3
1995	10	5.0	1.69	2.3	9.2	131	2.1	0.18	1.7	2.4
1996	15	7.5	2.11	4.0	12.6	139	2.1	0.18	1.8	2.5
1997	11	6.9	2.17	3.3	12.1	145	2.3	0.19	1.9	2.7
1998	11	5.1	1.71	2.3	9.3	142	2.1	0.18	1.8	2.5
1999	17	6.9	1.91	3.7	11.5	173	2.7	0.20	2.3	3.1
2000	20	8.5	2.08	5.0	13.4	163	2.5	0.19	2.1	2.9
2001	17	7.2	1.82	4.0	11.4	158	2.4	0.19	2.0	2.8
2002	12	4.1	1.23	2.0	7.1	171	2.5	0.20	2.2	3.0
2003	17	5.2	1.37	2.9	8.5	152	2.3	0.19	1.9	2.7
2004	15	5.2	1.38	2.8	8.5	176	2.6	0.20	2.2	3.0
2005	18	4.4	1.15	2.4	7.2	172	2.6	0.20	2.2	3.0
2006	12	4.0	1.24	2.0	7.0	185	2.7	0.20	2.3	3.2
2007	16	4.3	1.14	2.4	7.0	190	2.8	0.20	2.4	3.2
2008	14	3.9	1.08	2.0	6.5	212	3.0	0.21	2.6	3.5
2009	27	6.2	1.28	3.9	9.1	177	2.6	0.20	2.2	3.0
2010	27	5.8	1.19	3.7	8.5	237	3.4	0.22	3.0	3.9
2011	25	5.6	1.18	3.6	8.3	185	2.6	0.20	2.3	3.0
2012	33	6.9	1.28	4.7	9.8	202	2.8	0.20	2.4	3.2
2013	38	7.1	1.24	4.9	9.9	202	2.7	0.20	2.4	3.1
2014	25	4.4	0.92	2.7	6.5	230	3.1	0.21	2.7	3.5
2015	35	5.8	1.03	3.9	8.1	236	3.1	0.21	2.7	3.6
2016	38	6.0	1.02	4.2	8.3	250	3.2	0.21	2.8	3.7
2017	53	8.3	1.19	6.1	10.9	250	3.2	0.21	2.8	3.6
2018	60	9.8	1.31	7.4	12.6	237	3.0	0.20	2.6	3.4
2019	48	6.8	1.02	5.0	9.1	227	2.9	0.20	2.5	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Liver										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,812	2.2	0.04	2.1	2.3	1,072	4.0	0.12	3.7	4.2
1990	61	1.2	0.16	0.9	1.6	12	1.6	0.48	0.8	2.9
1991	78	1.4	0.17	1.1	1.8	17	2.3	0.56	1.3	3.6
1992	70	1.3	0.15	1.0	1.6	11	1.5	0.46	0.7	2.7
1993	72	1.3	0.16	1.0	1.7	21	3.0	0.66	1.9	4.6
1994	103	1.7	0.17	1.4	2.1	25	3.4	0.69	2.2	5.0
1995	95	1.7	0.18	1.4	2.1	32	4.4	0.79	3.0	6.2
1996	106	1.8	0.18	1.5	2.2	26	3.6	0.71	2.3	5.2
1997	108	2.0	0.20	1.6	2.4	31	4.3	0.77	2.9	6.0
1998	105	1.8	0.18	1.5	2.2	27	3.5	0.69	2.3	5.1
1999	131	2.3	0.21	1.9	2.8	35	4.4	0.74	3.0	6.1
2000	110	1.9	0.19	1.6	2.3	38	4.6	0.76	3.3	6.4
2001	119	2.1	0.20	1.7	2.5	31	3.6	0.66	2.5	5.2
2002	121	2.1	0.19	1.7	2.5	39	4.8	0.77	3.4	6.5
2003	110	1.9	0.19	1.6	2.3	32	3.8	0.68	2.6	5.4
2004	126	2.2	0.20	1.8	2.7	37	4.4	0.72	3.1	6.0
2005	125	2.2	0.20	1.8	2.6	38	4.3	0.70	3.0	5.9
2006	135	2.4	0.21	2.0	2.8	38	4.2	0.69	2.9	5.7
2007	142	2.4	0.21	2.0	2.9	36	3.9	0.66	2.7	5.4
2008	152	2.6	0.21	2.2	3.0	38	3.9	0.64	2.8	5.4
2009	132	2.3	0.21	1.9	2.8	34	3.4	0.59	2.4	4.8
2010	171	3.0	0.23	2.5	3.5	51	5.1	0.73	3.8	6.8
2011	140	2.4	0.21	2.0	2.9	34	3.3	0.58	2.3	4.6
2012	151	2.5	0.21	2.1	2.9	34	3.3	0.56	2.2	4.6
2013	146	2.5	0.21	2.1	2.9	43	3.9	0.60	2.8	5.3
2014	161	2.7	0.23	2.3	3.2	48	4.2	0.62	3.1	5.7
2015	169	2.8	0.22	2.3	3.2	47	4.2	0.63	3.1	5.7
2016	173	2.8	0.22	2.4	3.3	56	4.8	0.65	3.6	6.2
2017	172	2.8	0.22	2.4	3.3	58	4.7	0.63	3.6	6.1
2018	170	2.7	0.22	2.3	3.2	55	4.5	0.61	3.4	5.9
2019	158	2.6	0.21	2.2	3.0	48	4.1	0.60	3.0	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gallbladder										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	512	2.4	0.12	2.2	2.6	4,853	1.3	0.02	1.3	1.4
1990	9	2.3	0.83	1.0	4.6	152	1.4	0.12	1.2	1.7
1991	8	2.6	1.02	1.0	5.2	146	1.4	0.12	1.2	1.6
1992	6	1.5	0.65	0.5	3.4	171	1.6	0.12	1.4	1.9
1993	11	4.1	1.38	1.9	7.5	120	1.1	0.10	0.9	1.3
1994	12	3.3	1.06	1.5	5.9	163	1.5	0.12	1.3	1.7
1995	15	3.3	0.95	1.7	5.6	146	1.3	0.11	1.1	1.6
1996	8	1.4	0.53	0.6	2.9	164	1.5	0.12	1.3	1.7
1997	11	3.4	1.14	1.5	6.1	154	1.4	0.11	1.2	1.6
1998	12	3.3	1.08	1.5	5.9	174	1.5	0.12	1.3	1.8
1999	14	3.1	0.89	1.6	5.3	145	1.3	0.10	1.1	1.5
2000	10	1.6	0.59	0.6	3.1	154	1.3	0.11	1.1	1.6
2001	15	2.7	0.81	1.3	4.6	156	1.3	0.11	1.1	1.6
2002	17	3.2	0.85	1.7	5.2	151	1.3	0.11	1.1	1.5
2003	15	2.1	0.61	1.1	3.6	157	1.3	0.11	1.1	1.6
2004	20	2.9	0.70	1.7	4.6	149	1.3	0.10	1.1	1.5
2005	13	1.8	0.58	0.8	3.2	176	1.5	0.11	1.3	1.7
2006	23	3.2	0.75	1.9	4.9	145	1.2	0.10	1.0	1.4
2007	13	1.9	0.59	1.0	3.4	157	1.3	0.10	1.1	1.5
2008	18	2.0	0.50	1.2	3.2	176	1.4	0.11	1.2	1.7
2009	25	2.8	0.62	1.8	4.3	161	1.3	0.10	1.1	1.5
2010	19	2.3	0.57	1.3	3.7	157	1.2	0.10	1.1	1.5
2011	18	2.0	0.52	1.1	3.2	183	1.4	0.11	1.2	1.7
2012	29	3.5	0.70	2.2	5.1	153	1.2	0.10	1.0	1.4
2013	16	1.7	0.46	0.9	2.8	180	1.4	0.10	1.2	1.6
2014	24	2.1	0.45	1.3	3.1	183	1.4	0.10	1.2	1.6
2015	27	2.3	0.47	1.4	3.4	189	1.4	0.10	1.2	1.6
2016	34	3.1	0.57	2.1	4.4	174	1.3	0.10	1.1	1.5
2017	24	1.9	0.43	1.2	2.9	171	1.2	0.09	1.0	1.4
2018	24	1.8	0.38	1.1	2.7	178	1.3	0.10	1.1	1.5
2019	22	1.7	0.38	1.0	2.5	168	1.2	0.09	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gallbladder										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,931	1.3	0.02	1.2	1.3	757	1.7	0.06	1.6	1.8
1990	139	1.5	0.13	1.2	1.8	10	1.1	0.35	0.5	1.9
1991	124	1.3	0.12	1.1	1.6	21	1.9	0.44	1.2	3.0
1992	146	1.5	0.13	1.3	1.8	21	1.8	0.40	1.1	2.7
1993	106	1.1	0.11	0.9	1.4	11	1.0	0.32	0.5	1.8
1994	150	1.5	0.13	1.3	1.8	10	0.9	0.30	0.4	1.7
1995	127	1.3	0.12	1.1	1.6	17	1.4	0.34	0.8	2.2
1996	141	1.5	0.12	1.2	1.7	21	1.7	0.39	1.1	2.7
1997	139	1.4	0.12	1.2	1.7	11	0.9	0.27	0.4	1.6
1998	145	1.5	0.12	1.2	1.7	21	1.6	0.36	1.0	2.5
1999	129	1.3	0.11	1.1	1.5	12	0.9	0.26	0.5	1.5
2000	130	1.3	0.11	1.1	1.6	21	1.5	0.33	0.9	2.3
2001	140	1.4	0.12	1.2	1.7	13	0.9	0.26	0.5	1.6
2002	124	1.2	0.11	1.0	1.5	19	1.3	0.30	0.8	2.0
2003	129	1.3	0.11	1.1	1.5	22	1.6	0.35	1.0	2.5
2004	117	1.1	0.11	0.9	1.4	26	2.0	0.40	1.3	2.9
2005	150	1.5	0.12	1.3	1.8	22	1.6	0.35	1.0	2.5
2006	123	1.2	0.11	1.0	1.4	18	1.2	0.29	0.7	1.9
2007	133	1.3	0.11	1.1	1.5	22	1.4	0.31	0.9	2.2
2008	138	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8
2009	125	1.2	0.11	1.0	1.4	31	1.9	0.35	1.3	2.8
2010	116	1.1	0.10	0.9	1.3	37	2.3	0.39	1.6	3.2
2011	140	1.3	0.12	1.1	1.6	37	2.2	0.37	1.5	3.1
2012	110	1.0	0.10	0.8	1.2	34	1.9	0.34	1.3	2.7
2013	134	1.3	0.11	1.0	1.5	36	2.1	0.35	1.4	2.9
2014	137	1.2	0.11	1.0	1.5	35	1.9	0.33	1.3	2.6
2015	144	1.3	0.11	1.1	1.5	35	1.9	0.32	1.3	2.6
2016	127	1.2	0.10	1.0	1.4	42	2.2	0.35	1.6	3.0
2017	123	1.1	0.10	0.9	1.3	40	2.1	0.34	1.5	2.9
2018	125	1.1	0.10	0.9	1.3	40	2.1	0.34	1.5	2.9
2019	120	1.0	0.10	0.9	1.2	39	2.0	0.33	1.4	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gallbladder										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	138	1.5	0.14	1.2	1.8	1,382	0.9	0.02	0.9	1.0
1990	3	2.2	1.47	0.3	6.8	37	0.9	0.15	0.6	1.2
1991	3	1.7	1.08	0.3	5.4	40	0.9	0.15	0.7	1.3
1992	1	0.5	0.52	0.0	3.3	33	0.8	0.13	0.5	1.1
1993	2	1.8	1.47	0.1	6.3	26	0.6	0.11	0.4	0.8
1994	0					50	1.2	0.17	0.9	1.6
1995	2	0.9	0.67	0.1	3.5	33	0.8	0.14	0.6	1.1
1996	3	1.4	0.88	0.2	4.4	51	1.2	0.17	0.9	1.6
1997	4	3.1	1.83	0.6	8.1	45	1.1	0.16	0.8	1.4
1998	1	1.3	1.26	0.0	5.2	43	1.0	0.15	0.7	1.3
1999	6	2.9	1.23	1.0	6.3	47	1.0	0.15	0.8	1.4
2000	3	1.7	1.20	0.2	5.2	38	0.8	0.13	0.6	1.1
2001	4	2.2	1.38	0.4	6.0	41	0.9	0.14	0.6	1.2
2002	2	1.5	1.22	0.1	5.0	53	1.1	0.15	0.8	1.4
2003	4	2.1	1.05	0.5	5.0	33	0.7	0.12	0.5	1.0
2004	8	2.8	1.06	1.1	5.6	43	0.9	0.14	0.7	1.2
2005	3	0.5	0.34	0.1	1.9	48	1.0	0.14	0.7	1.3
2006	6	1.9	0.86	0.6	4.3	44	0.9	0.14	0.7	1.2
2007	3	1.3	0.89	0.2	3.9	47	0.9	0.14	0.7	1.2
2008	6	1.2	0.51	0.4	2.7	41	0.8	0.13	0.6	1.1
2009	6	1.1	0.54	0.3	2.7	49	0.9	0.14	0.7	1.2
2010	5	1.1	0.52	0.3	2.6	53	1.0	0.14	0.8	1.3
2011	4	0.8	0.45	0.2	2.1	65	1.2	0.15	0.9	1.6
2012	7	2.5	1.00	0.9	5.0	45	0.8	0.13	0.6	1.1
2013	4	0.5	0.25	0.1	1.4	54	1.0	0.13	0.7	1.3
2014	6	1.0	0.44	0.3	2.3	43	0.8	0.12	0.5	1.0
2015	9	1.5	0.56	0.6	3.0	51	0.9	0.12	0.6	1.1
2016	11	2.3	0.76	1.0	4.1	51	0.8	0.12	0.6	1.1
2017	9	1.7	0.59	0.7	3.2	56	0.9	0.12	0.7	1.2
2018	6	0.9	0.41	0.3	2.1	57	0.9	0.13	0.7	1.2
2019	7	1.2	0.50	0.4	2.5	65	1.0	0.13	0.8	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gallbladder										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,111	0.9	0.03	0.8	0.9	213	1.2	0.09	1.1	1.4
1990	35	0.9	0.16	0.6	1.3	1	0.2	0.17	0.0	1.0
1991	36	0.9	0.16	0.7	1.3	3	1.1	0.62	0.2	2.8
1992	33	0.8	0.15	0.6	1.2	0				
1993	22	0.6	0.12	0.3	0.8	4	0.7	0.33	0.2	1.7
1994	45	1.2	0.18	0.9	1.6	3	0.7	0.41	0.1	1.9
1995	28	0.8	0.15	0.5	1.1	4	1.0	0.53	0.2	2.5
1996	47	1.3	0.19	0.9	1.7	3	0.7	0.43	0.1	2.0
1997	39	1.1	0.17	0.7	1.4	4	0.9	0.45	0.2	2.2
1998	39	1.0	0.17	0.7	1.4	3	0.7	0.46	0.1	2.1
1999	42	1.1	0.17	0.8	1.4	3	0.5	0.31	0.1	1.5
2000	30	0.7	0.13	0.5	1.0	7	1.2	0.46	0.5	2.4
2001	36	0.9	0.15	0.6	1.2	3	0.4	0.26	0.1	1.3
2002	42	1.0	0.16	0.7	1.4	7	1.1	0.44	0.4	2.3
2003	27	0.7	0.13	0.4	1.0	6	1.1	0.46	0.4	2.3
2004	37	0.9	0.15	0.6	1.2	5	1.0	0.43	0.3	2.2
2005	37	0.9	0.15	0.6	1.2	9	1.6	0.57	0.7	3.1
2006	37	0.9	0.15	0.6	1.2	6	1.0	0.42	0.4	2.2
2007	36	0.8	0.14	0.6	1.2	10	1.7	0.54	0.8	3.0
2008	31	0.7	0.13	0.5	1.0	8	1.2	0.45	0.5	2.4
2009	37	0.8	0.14	0.6	1.2	10	1.5	0.50	0.7	2.8
2010	39	0.9	0.14	0.6	1.2	11	2.0	0.64	0.9	3.6
2011	52	1.2	0.16	0.9	1.5	11	1.9	0.61	0.9	3.4
2012	32	0.7	0.13	0.5	1.0	10	1.6	0.52	0.7	2.9
2013	39	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.2
2014	30	0.6	0.12	0.4	0.9	8	1.1	0.39	0.4	2.1
2015	38	0.8	0.13	0.5	1.1	8	1.1	0.41	0.4	2.2
2016	36	0.7	0.12	0.5	1.0	13	1.7	0.49	0.9	3.0
2017	40	0.8	0.13	0.6	1.1	13	1.7	0.49	0.9	2.9
2018	39	0.8	0.13	0.6	1.1	13	1.7	0.49	0.9	3.0
2019	50	0.9	0.14	0.7	1.3	14	1.9	0.51	1.0	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gallbladder										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	374	3.2	0.18	2.9	3.6	3,471	1.6	0.03	1.6	1.7
1990	6	2.8	1.15	1.0	6.1	115	1.8	0.17	1.5	2.2
1991	5	3.1	1.52	0.9	7.3	106	1.7	0.17	1.4	2.1
1992	5	2.4	1.13	0.7	5.6	138	2.1	0.18	1.8	2.5
1993	9	5.8	2.07	2.5	10.9	94	1.5	0.15	1.2	1.8
1994	12	6.0	1.84	2.9	10.5	113	1.7	0.16	1.4	2.0
1995	13	5.4	1.61	2.7	9.4	113	1.7	0.16	1.4	2.1
1996	5	1.5	0.70	0.5	3.7	113	1.7	0.17	1.4	2.1
1997	7	3.7	1.51	1.4	7.6	109	1.6	0.16	1.3	2.0
1998	11	4.9	1.65	2.3	9.0	131	2.0	0.17	1.7	2.4
1999	8	3.2	1.22	1.3	6.4	98	1.4	0.15	1.2	1.8
2000	7	1.7	0.64	0.7	3.6	116	1.7	0.16	1.4	2.1
2001	11	3.2	1.07	1.5	6.0	115	1.7	0.16	1.4	2.0
2002	15	4.9	1.32	2.6	8.1	98	1.4	0.15	1.2	1.8
2003	11	2.5	0.76	1.2	4.5	124	1.8	0.16	1.5	2.1
2004	12	3.1	0.96	1.5	5.5	106	1.5	0.15	1.2	1.8
2005	10	2.8	0.98	1.2	5.3	128	1.9	0.17	1.5	2.2
2006	17	4.3	1.14	2.3	7.0	101	1.4	0.14	1.1	1.7
2007	10	2.6	0.85	1.2	4.7	110	1.6	0.15	1.3	1.9
2008	12	2.7	0.81	1.4	4.7	135	1.9	0.17	1.6	2.3
2009	19	4.3	1.04	2.5	6.7	112	1.5	0.15	1.3	1.9
2010	14	3.3	0.93	1.7	5.6	104	1.4	0.14	1.2	1.8
2011	14	3.0	0.85	1.6	5.0	118	1.6	0.15	1.4	2.0
2012	22	4.5	1.02	2.7	6.9	108	1.4	0.14	1.2	1.7
2013	12	2.5	0.77	1.2	4.4	126	1.7	0.15	1.4	2.0
2014	18	3.0	0.75	1.7	4.8	140	1.9	0.16	1.6	2.2
2015	18	2.9	0.72	1.6	4.6	138	1.8	0.15	1.5	2.1
2016	23	3.9	0.85	2.4	5.9	123	1.6	0.15	1.3	1.9
2017	15	2.2	0.61	1.2	3.7	115	1.5	0.14	1.2	1.8
2018	18	2.6	0.63	1.5	4.1	121	1.6	0.14	1.3	1.9
2019	15	2.1	0.57	1.2	3.5	103	1.3	0.14	1.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Gallbladder										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,820	1.6	0.03	1.5	1.6	544	2.0	0.09	1.9	2.2
1990	104	1.8	0.18	1.5	2.2	9	1.5	0.52	0.7	2.9
1991	88	1.6	0.17	1.3	2.0	18	2.7	0.64	1.6	4.2
1992	113	1.9	0.18	1.6	2.3	21	3.0	0.66	1.8	4.5
1993	84	1.5	0.17	1.2	1.9	7	1.1	0.43	0.5	2.3
1994	105	1.8	0.18	1.5	2.2	7	1.1	0.41	0.4	2.2
1995	99	1.7	0.18	1.4	2.1	13	1.7	0.48	0.9	2.9
1996	94	1.7	0.17	1.3	2.0	18	2.4	0.57	1.4	3.8
1997	100	1.7	0.17	1.4	2.1	7	0.9	0.34	0.4	1.8
1998	106	1.9	0.18	1.5	2.3	18	2.3	0.54	1.4	3.6
1999	87	1.5	0.16	1.2	1.8	9	1.1	0.38	0.5	2.1
2000	100	1.7	0.18	1.4	2.1	14	1.7	0.45	0.9	2.8
2001	104	1.8	0.18	1.5	2.2	10	1.2	0.38	0.6	2.2
2002	82	1.4	0.16	1.1	1.8	12	1.4	0.40	0.7	2.4
2003	102	1.7	0.17	1.4	2.1	16	1.9	0.49	1.1	3.1
2004	80	1.3	0.15	1.0	1.7	21	2.6	0.56	1.6	3.9
2005	113	1.9	0.18	1.6	2.3	13	1.6	0.45	0.9	2.7
2006	86	1.4	0.15	1.1	1.8	12	1.3	0.39	0.7	2.3
2007	97	1.7	0.17	1.4	2.1	12	1.3	0.37	0.7	2.2
2008	107	1.8	0.18	1.5	2.2	25	2.6	0.52	1.7	3.8
2009	88	1.4	0.16	1.1	1.8	21	2.2	0.49	1.4	3.4
2010	77	1.3	0.15	1.0	1.6	26	2.7	0.53	1.7	3.9
2011	88	1.5	0.16	1.2	1.9	26	2.5	0.50	1.6	3.7
2012	78	1.2	0.14	1.0	1.6	24	2.2	0.46	1.4	3.3
2013	95	1.6	0.16	1.3	1.9	23	2.2	0.47	1.4	3.3
2014	107	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.8
2015	106	1.7	0.17	1.4	2.0	27	2.4	0.47	1.6	3.6
2016	91	1.5	0.16	1.2	1.9	29	2.6	0.48	1.7	3.7
2017	83	1.3	0.15	1.1	1.7	27	2.4	0.47	1.6	3.5
2018	86	1.3	0.15	1.1	1.7	27	2.4	0.47	1.6	3.6
2019	70	1.1	0.14	0.9	1.4	25	2.2	0.45	1.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Pancreas										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,430	11.9	0.26	11.4	12.4	46,295	12.6	0.06	12.5	12.8
1990	21	5.7	1.35	3.3	8.9	1,095	10.4	0.32	9.8	11.0
1991	30	9.3	1.89	6.0	13.6	998	9.4	0.30	8.8	10.0
1992	22	6.9	1.67	4.1	10.8	1,046	9.7	0.30	9.1	10.3
1993	34	9.8	1.85	6.5	13.9	1,044	9.6	0.30	9.0	10.2
1994	34	9.4	1.80	6.2	13.5	1,293	11.7	0.33	11.1	12.4
1995	36	9.1	1.68	6.1	12.9	1,299	11.8	0.33	11.1	12.4
1996	37	10.8	1.98	7.3	15.2	1,346	12.1	0.33	11.5	12.8
1997	41	10.2	1.80	6.9	14.2	1,276	11.4	0.32	10.8	12.0
1998	42	9.4	1.68	6.4	13.1	1,374	12.1	0.33	11.5	12.8
1999	50	9.9	1.55	7.1	13.3	1,382	12.1	0.33	11.5	12.8
2000	47	10.5	1.73	7.4	14.3	1,437	12.5	0.33	11.9	13.2
2001	57	10.9	1.67	7.9	14.6	1,452	12.6	0.33	12.0	13.3
2002	45	8.3	1.39	5.8	11.4	1,461	12.6	0.33	11.9	13.2
2003	51	8.6	1.33	6.2	11.5	1,484	12.6	0.33	12.0	13.3
2004	74	12.5	1.60	9.6	16.0	1,528	12.9	0.33	12.2	13.5
2005	72	12.1	1.61	9.2	15.6	1,603	13.4	0.33	12.7	14.0
2006	90	13.7	1.61	10.7	17.2	1,510	12.5	0.32	11.9	13.2
2007	82	11.4	1.42	8.8	14.5	1,579	12.9	0.33	12.3	13.6
2008	98	13.1	1.47	10.4	16.3	1,633	13.2	0.33	12.5	13.8
2009	70	10.0	1.30	7.6	12.7	1,758	14.0	0.34	13.4	14.7
2010	102	12.9	1.40	10.3	15.9	1,679	13.2	0.33	12.6	13.9
2011	104	13.1	1.39	10.5	16.0	1,695	13.2	0.33	12.5	13.8
2012	121	13.1	1.29	10.7	15.8	1,725	13.0	0.32	12.4	13.7
2013	118	12.1	1.20	9.8	14.6	1,783	13.3	0.32	12.7	13.9
2014	117	11.2	1.13	9.1	13.6	1,830	13.4	0.32	12.8	14.1
2015	126	11.4	1.09	9.3	13.7	1,931	14.1	0.33	13.5	14.8
2016	146	12.7	1.13	10.6	15.1	1,889	13.6	0.32	13.0	14.2
2017	180	15.1	1.21	12.8	17.6	2,058	14.5	0.33	13.8	15.1
2018	188	15.0	1.16	12.8	17.4	2,069	14.5	0.33	13.9	15.1
2019	195	14.5	1.11	12.4	16.8	2,038	14.1	0.32	13.5	14.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Pancreas										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	38,046	12.3	0.06	12.1	12.4	7,267	16.4	0.20	16.0	16.8
1990	910	9.8	0.33	9.2	10.5	173	15.4	1.21	13.1	17.9
1991	864	9.2	0.32	8.6	9.9	125	11.5	1.05	9.5	13.7
1992	877	9.3	0.32	8.7	9.9	157	13.2	1.08	11.1	15.4
1993	870	9.1	0.31	8.5	9.7	161	13.7	1.10	11.6	16.0
1994	1,075	11.2	0.34	10.5	11.9	194	16.5	1.22	14.2	19.1
1995	1,082	11.3	0.34	10.6	12.0	203	17.1	1.23	14.8	19.7
1996	1,139	11.8	0.35	11.1	12.5	192	15.8	1.17	13.6	18.3
1997	1,088	11.2	0.34	10.5	11.8	174	13.7	1.06	11.7	15.9
1998	1,166	11.9	0.35	11.2	12.6	188	14.4	1.07	12.4	16.7
1999	1,156	11.7	0.35	11.1	12.4	197	15.2	1.10	13.1	17.5
2000	1,204	12.2	0.35	11.5	12.9	200	15.0	1.08	13.0	17.3
2001	1,205	12.2	0.35	11.5	12.9	225	16.2	1.10	14.1	18.5
2002	1,195	12.0	0.35	11.3	12.7	240	17.5	1.15	15.3	19.8
2003	1,211	12.1	0.35	11.4	12.8	244	17.5	1.14	15.3	19.9
2004	1,281	12.6	0.36	12.0	13.4	220	15.3	1.05	13.3	17.5
2005	1,296	12.7	0.36	12.0	13.4	277	19.2	1.18	17.0	21.7
2006	1,208	11.8	0.34	11.2	12.5	272	18.4	1.14	16.3	20.8
2007	1,296	12.6	0.35	11.9	13.3	250	16.9	1.09	14.8	19.1
2008	1,336	12.8	0.35	12.1	13.5	255	16.4	1.05	14.4	18.5
2009	1,448	13.8	0.37	13.1	14.5	272	17.4	1.08	15.4	19.7
2010	1,388	13.1	0.36	12.4	13.8	252	16.0	1.03	14.0	18.1
2011	1,393	13.1	0.36	12.4	13.8	261	15.8	1.00	13.9	17.8
2012	1,406	12.9	0.35	12.2	13.6	277	16.3	1.00	14.4	18.4
2013	1,451	13.0	0.35	12.4	13.7	292	16.7	1.00	14.8	18.8
2014	1,474	13.1	0.35	12.4	13.8	300	16.8	0.99	14.9	18.8
2015	1,531	13.7	0.36	13.0	14.4	351	19.4	1.06	17.4	21.6
2016	1,544	13.6	0.35	12.9	14.3	300	16.2	0.96	14.4	18.2
2017	1,703	14.7	0.36	14.0	15.4	313	16.4	0.95	14.6	18.4
2018	1,624	14.0	0.36	13.3	14.7	362	18.9	1.01	16.9	21.0
2019	1,625	13.9	0.35	13.2	14.6	340	17.1	0.95	15.2	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Pancreas										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,235	12.7	0.41	11.9	13.5	22,887	14.7	0.10	14.5	14.9
1990	11	5.6	1.85	2.6	10.6	515	11.9	0.54	10.9	13.0
1991	15	8.7	2.51	4.5	15.0	463	10.7	0.51	9.7	11.7
1992	10	6.9	2.68	2.7	13.7	504	11.2	0.51	10.3	12.3
1993	16	11.2	3.38	5.5	19.3	486	10.8	0.50	9.9	11.8
1994	19	10.4	2.82	5.6	17.1	630	14.0	0.57	12.9	15.1
1995	19	9.3	2.45	5.1	15.2	626	13.8	0.56	12.7	14.9
1996	16	10.5	2.99	5.5	17.6	637	13.9	0.56	12.8	15.0
1997	21	9.3	2.20	5.5	14.6	599	12.9	0.54	11.9	14.0
1998	20	11.4	3.03	6.3	18.5	624	13.5	0.55	12.4	14.6
1999	29	12.0	2.60	7.4	18.0	663	14.0	0.55	12.9	15.1
2000	20	8.7	2.33	4.7	14.2	724	15.1	0.57	14.0	16.3
2001	27	10.5	2.31	6.4	15.8	711	14.7	0.56	13.6	15.8
2002	22	9.1	2.18	5.3	14.1	701	14.4	0.55	13.3	15.5
2003	29	9.8	2.06	6.2	14.6	734	14.8	0.55	13.8	16.0
2004	36	13.4	2.45	9.0	18.9	783	15.7	0.57	14.6	16.9
2005	30	9.4	1.94	6.0	13.9	759	15.0	0.55	13.9	16.1
2006	58	18.3	2.84	13.2	24.6	746	14.5	0.54	13.4	15.6
2007	42	11.7	2.16	7.9	16.6	773	14.8	0.54	13.7	15.9
2008	47	14.2	2.34	10.0	19.4	825	15.5	0.55	14.5	16.7
2009	32	9.0	1.79	5.8	13.0	872	16.1	0.55	15.0	17.2
2010	51	13.9	2.25	9.9	18.9	837	15.2	0.54	14.2	16.3
2011	49	12.3	1.96	8.7	16.6	853	15.2	0.53	14.1	16.2
2012	62	13.6	1.94	10.1	17.9	857	14.7	0.51	13.7	15.7
2013	80	18.0	2.23	13.9	22.8	899	15.3	0.52	14.3	16.3
2014	60	11.8	1.72	8.6	15.5	952	15.8	0.53	14.8	16.9
2015	64	12.1	1.69	9.1	15.8	988	16.5	0.54	15.4	17.6
2016	67	12.1	1.63	9.1	15.6	967	15.9	0.52	14.9	16.9
2017	97	16.8	1.89	13.3	20.8	1,058	16.7	0.53	15.7	17.7
2018	92	15.8	1.79	12.5	19.7	1,053	16.5	0.52	15.5	17.6
2019	94	14.0	1.59	11.1	17.4	1,048	16.2	0.51	15.2	17.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Pancreas										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	19,028	14.4	0.11	14.2	14.6	3,368	18.4	0.33	17.7	19.1
1990	436	11.5	0.56	10.4	12.6	73	15.9	1.97	12.3	20.2
1991	406	10.6	0.54	9.5	11.7	53	12.1	1.76	8.9	16.0
1992	420	10.7	0.53	9.6	11.7	76	16.9	2.06	13.1	21.3
1993	407	10.3	0.52	9.3	11.4	73	15.3	1.89	11.8	19.4
1994	524	13.3	0.59	12.2	14.6	97	20.1	2.16	16.1	24.7
1995	513	13.0	0.58	11.9	14.2	100	20.8	2.21	16.7	25.6
1996	539	13.5	0.59	12.4	14.7	89	18.3	2.06	14.5	22.8
1997	513	12.8	0.57	11.7	14.0	77	13.8	1.64	10.8	17.3
1998	532	13.3	0.58	12.2	14.5	83	15.4	1.77	12.2	19.3
1999	564	13.8	0.58	12.6	14.9	86	16.1	1.82	12.8	20.0
2000	614	14.9	0.61	13.8	16.2	93	16.4	1.79	13.1	20.3
2001	598	14.4	0.59	13.3	15.7	105	18.2	1.85	14.7	22.2
2002	574	13.8	0.58	12.7	15.0	112	19.5	1.95	15.9	23.6
2003	590	14.0	0.58	12.9	15.2	127	22.3	2.10	18.4	26.8
2004	663	15.6	0.61	14.5	16.9	105	16.8	1.72	13.6	20.5
2005	617	14.4	0.58	13.2	15.6	128	21.4	2.02	17.6	25.7
2006	598	13.7	0.57	12.6	14.9	127	20.4	1.89	16.9	24.4
2007	640	14.4	0.58	13.3	15.6	109	18.4	1.88	14.9	22.4
2008	683	15.2	0.59	14.0	16.4	121	19.1	1.83	15.7	23.0
2009	727	15.9	0.60	14.8	17.1	129	20.2	1.88	16.7	24.2
2010	709	15.3	0.58	14.2	16.5	108	16.4	1.66	13.3	19.9
2011	722	15.3	0.58	14.2	16.5	115	17.1	1.68	14.0	20.7
2012	701	14.3	0.55	13.3	15.5	136	19.5	1.76	16.2	23.3
2013	747	15.2	0.57	14.1	16.4	136	18.6	1.68	15.5	22.2
2014	787	15.7	0.57	14.6	16.9	138	18.5	1.65	15.4	22.0
2015	791	16.0	0.58	14.9	17.2	168	22.4	1.81	19.0	26.3
2016	809	16.0	0.58	14.9	17.2	138	18.8	1.67	15.6	22.3
2017	900	17.3	0.59	16.1	18.5	140	17.4	1.54	14.5	20.6
2018	858	16.5	0.58	15.3	17.6	156	19.1	1.59	16.1	22.5
2019	846	16.0	0.57	14.9	17.2	170	20.0	1.59	17.0	23.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Pancreas										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,195	11.2	0.34	10.5	11.9	23,408	11.0	0.07	10.9	11.2
1990	10	5.5	1.85	2.5	10.2	580	9.4	0.39	8.6	10.2
1991	15	9.2	2.57	4.9	15.4	535	8.5	0.37	7.8	9.3
1992	12	7.0	2.18	3.4	12.3	542	8.4	0.37	7.7	9.2
1993	18	9.1	2.28	5.2	14.6	558	8.7	0.37	8.0	9.4
1994	15	8.5	2.32	4.6	14.1	663	10.0	0.39	9.2	10.8
1995	17	8.6	2.24	4.8	13.9	673	10.2	0.40	9.4	11.0
1996	21	11.0	2.60	6.5	17.0	709	10.7	0.40	9.9	11.5
1997	20	10.1	2.51	5.8	15.9	677	10.1	0.39	9.4	10.9
1998	22	8.1	1.95	4.7	12.7	750	11.2	0.41	10.4	12.0
1999	21	8.1	1.91	4.8	12.6	719	10.6	0.40	9.8	11.4
2000	27	11.8	2.46	7.5	17.4	713	10.5	0.40	9.8	11.3
2001	30	11.0	2.25	7.0	16.1	741	10.9	0.41	10.2	11.8
2002	23	7.7	1.75	4.7	11.8	760	11.0	0.41	10.3	11.9
2003	22	7.4	1.70	4.5	11.3	750	10.9	0.40	10.1	11.7
2004	38	11.8	2.07	8.1	16.4	745	10.6	0.39	9.8	11.4
2005	42	13.8	2.33	9.7	19.0	844	12.1	0.42	11.3	13.0
2006	32	9.8	1.84	6.5	13.9	764	11.0	0.40	10.2	11.8
2007	40	11.1	1.89	7.7	15.3	806	11.4	0.41	10.6	12.2
2008	51	12.4	1.88	9.0	16.5	808	11.3	0.41	10.5	12.2
2009	38	10.5	1.81	7.3	14.5	886	12.3	0.42	11.5	13.2
2010	51	12.2	1.81	9.0	16.2	842	11.6	0.41	10.8	12.4
2011	55	13.3	1.90	9.9	17.5	842	11.5	0.40	10.7	12.3
2012	59	12.4	1.71	9.3	16.2	868	11.7	0.40	10.9	12.5
2013	38	7.2	1.24	5.0	10.0	884	11.7	0.40	10.9	12.5
2014	57	10.7	1.49	8.0	13.9	878	11.6	0.40	10.8	12.4
2015	62	10.7	1.43	8.1	13.9	943	12.2	0.41	11.4	13.0
2016	79	13.2	1.57	10.3	16.6	922	11.8	0.40	11.1	12.7
2017	83	13.7	1.58	10.8	17.1	1,000	12.6	0.41	11.8	13.4
2018	96	14.3	1.53	11.5	17.6	1,016	12.8	0.41	12.0	13.6
2019	101	14.7	1.52	11.9	17.9	990	12.2	0.40	11.4	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Pancreas										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	19,018	10.6	0.08	10.4	10.7	3,899	14.8	0.24	14.4	15.3
1990	474	8.7	0.41	7.9	9.5	100	14.9	1.52	12.1	18.2
1991	458	8.3	0.39	7.5	9.1	72	11.0	1.31	8.6	13.9
1992	457	8.0	0.38	7.3	8.8	81	11.1	1.25	8.8	13.8
1993	463	8.1	0.38	7.4	8.9	88	12.6	1.35	10.1	15.5
1994	551	9.4	0.41	8.7	10.3	97	13.8	1.42	11.2	16.9
1995	569	9.8	0.42	9.0	10.7	103	14.5	1.45	11.8	17.6
1996	600	10.3	0.43	9.5	11.2	103	14.1	1.40	11.5	17.1
1997	575	9.9	0.42	9.1	10.7	97	13.1	1.34	10.6	16.0
1998	634	10.9	0.44	10.0	11.8	105	13.6	1.33	11.1	16.4
1999	592	10.0	0.42	9.2	10.9	111	14.3	1.37	11.8	17.2
2000	590	10.2	0.43	9.3	11.0	107	13.6	1.33	11.2	16.5
2001	607	10.4	0.43	9.5	11.3	120	14.7	1.35	12.2	17.6
2002	621	10.5	0.43	9.7	11.4	128	15.8	1.40	13.1	18.7
2003	621	10.5	0.43	9.7	11.4	117	14.2	1.32	11.7	17.0
2004	618	10.2	0.42	9.4	11.1	115	13.7	1.29	11.3	16.5
2005	679	11.5	0.45	10.6	12.4	149	17.6	1.45	14.9	20.7
2006	610	10.3	0.43	9.5	11.2	145	16.7	1.40	14.1	19.7
2007	656	11.0	0.44	10.1	11.9	141	15.9	1.35	13.4	18.8
2008	653	10.9	0.44	10.1	11.8	134	14.4	1.26	12.0	17.1
2009	721	11.9	0.46	11.1	12.9	143	15.5	1.31	13.1	18.3
2010	679	11.2	0.44	10.4	12.1	144	15.4	1.30	12.9	18.1
2011	671	11.1	0.44	10.2	12.0	146	14.7	1.23	12.4	17.3
2012	705	11.6	0.45	10.7	12.5	141	14.0	1.20	11.8	16.6
2013	704	11.3	0.44	10.5	12.2	156	15.4	1.25	13.1	18.1
2014	687	11.0	0.43	10.2	11.9	162	15.5	1.24	13.2	18.2
2015	740	11.8	0.45	10.9	12.7	183	17.1	1.28	14.6	19.8
2016	735	11.6	0.44	10.7	12.5	162	14.6	1.17	12.4	17.1
2017	803	12.4	0.45	11.6	13.4	173	15.5	1.20	13.3	18.1
2018	766	11.9	0.45	11.0	12.8	206	18.4	1.31	16.0	21.2
2019	779	12.0	0.45	11.1	12.9	170	14.5	1.13	12.4	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Respiratory System										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,273	35.6	0.45	34.7	36.5	280,694	76.6	0.15	76.4	76.9
1990	123	39.3	3.99	31.9	47.7	7,836	73.4	0.84	71.7	75.0
1991	120	35.3	3.63	28.6	43.0	7,806	72.2	0.82	70.6	73.8
1992	128	36.1	3.55	29.5	43.7	8,230	75.6	0.84	74.0	77.3
1993	147	36.8	3.38	30.5	43.9	8,610	78.6	0.85	76.9	80.3
1994	164	40.9	3.60	34.1	48.4	9,170	83.0	0.87	81.3	84.8
1995	175	50.6	4.27	42.6	59.5	9,186	82.9	0.87	81.2	84.6
1996	194	49.7	4.02	42.1	58.1	9,175	82.6	0.86	81.0	84.4
1997	181	45.9	3.83	38.7	53.9	9,065	81.1	0.85	79.4	82.8
1998	212	54.9	4.20	47.0	63.6	9,171	81.4	0.85	79.7	83.1
1999	203	43.5	3.45	37.0	50.7	9,258	81.7	0.85	80.0	83.4
2000	201	39.3	3.14	33.4	45.8	9,134	80.2	0.84	78.6	81.9
2001	205	41.2	3.27	35.1	48.0	9,254	80.8	0.84	79.2	82.5
2002	190	36.1	2.95	30.5	42.2	9,570	82.9	0.85	81.3	84.6
2003	211	36.4	2.78	31.2	42.2	9,560	82.1	0.84	80.4	83.7
2004	251	42.0	2.99	36.4	48.2	9,265	79.0	0.82	77.4	80.6
2005	238	37.6	2.70	32.5	43.2	9,471	80.0	0.83	78.4	81.7
2006	246	37.8	2.65	32.8	43.3	9,684	81.2	0.83	79.6	82.9
2007	268	39.3	2.60	34.4	44.6	9,802	81.1	0.83	79.5	82.7
2008	306	41.3	2.60	36.3	46.6	9,779	79.6	0.81	78.0	81.2
2009	250	33.6	2.31	29.2	38.3	10,037	80.9	0.82	79.3	82.5
2010	262	32.4	2.17	28.3	36.9	9,726	77.2	0.79	75.7	78.8
2011	322	38.8	2.33	34.3	43.6	9,733	75.9	0.78	74.4	77.5
2012	305	34.9	2.15	30.8	39.3	9,715	74.5	0.77	73.0	76.0
2013	267	28.0	1.85	24.5	31.8	9,577	71.8	0.75	70.3	73.2
2014	319	30.6	1.85	27.1	34.4	10,067	74.2	0.75	72.7	75.7
2015	362	32.8	1.85	29.2	36.6	9,878	71.7	0.73	70.2	73.1
2016	320	28.4	1.70	25.1	31.8	9,870	70.9	0.73	69.5	72.4
2017	392	34.1	1.83	30.6	37.8	9,866	69.6	0.71	68.2	71.0
2018	355	28.7	1.62	25.6	32.0	9,828	67.9	0.70	66.5	69.3
2019	356	27.8	1.56	24.9	31.1	9,371	63.6	0.67	62.3	64.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Respiratory System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	234,862	76.1	0.16	75.8	76.5	41,497	90.3	0.45	89.4	91.2
1990	6,671	71.2	0.88	69.5	72.9	1,112	93.3	2.86	87.8	99.0
1991	6,694	70.6	0.87	68.9	72.4	1,054	86.4	2.71	81.1	91.9
1992	7,014	73.9	0.89	72.2	75.7	1,157	94.4	2.83	88.9	100.1
1993	7,237	75.8	0.90	74.1	77.6	1,295	104.2	2.95	98.5	110.1
1994	7,795	81.2	0.92	79.4	83.0	1,297	102.9	2.91	97.2	108.7
1995	7,713	80.4	0.92	78.6	82.2	1,389	106.9	2.92	101.2	112.7
1996	7,683	80.1	0.92	78.4	82.0	1,393	107.1	2.92	101.5	113.0
1997	7,623	79.1	0.91	77.4	80.9	1,345	100.8	2.79	95.4	106.4
1998	7,697	79.5	0.91	77.7	81.3	1,356	100.6	2.77	95.2	106.2
1999	7,795	80.3	0.91	78.5	82.1	1,363	99.1	2.73	93.8	104.6
2000	7,742	79.7	0.91	77.9	81.5	1,282	91.5	2.59	86.4	96.7
2001	7,817	80.2	0.91	78.4	82.0	1,330	94.4	2.63	89.3	99.7
2002	8,049	82.1	0.92	80.3	83.9	1,395	96.8	2.63	91.7	102.1
2003	8,035	81.6	0.91	79.8	83.4	1,409	96.1	2.60	91.1	101.3
2004	7,726	78.1	0.89	76.3	79.8	1,419	95.8	2.59	90.8	101.0
2005	7,931	79.8	0.90	78.0	81.6	1,400	92.6	2.52	87.7	97.6
2006	8,079	80.7	0.90	78.9	82.5	1,461	95.2	2.54	90.3	100.3
2007	8,181	80.9	0.90	79.1	82.7	1,464	94.6	2.52	89.7	99.7
2008	8,218	80.2	0.89	78.4	82.0	1,404	88.2	2.40	83.5	93.0
2009	8,423	81.7	0.90	79.9	83.4	1,434	87.4	2.36	82.8	92.1
2010	8,104	77.5	0.87	75.8	79.3	1,437	86.5	2.34	81.9	91.1
2011	8,119	76.5	0.86	74.8	78.2	1,428	84.7	2.30	80.2	89.3
2012	8,015	74.4	0.85	72.8	76.1	1,512	88.0	2.32	83.5	92.7
2013	7,909	72.0	0.82	70.4	73.6	1,465	82.5	2.21	78.2	86.9
2014	8,380	75.4	0.84	73.7	77.0	1,478	81.3	2.17	77.1	85.6
2015	8,091	71.9	0.81	70.3	73.5	1,548	82.7	2.16	78.5	87.0
2016	8,139	71.8	0.81	70.2	73.4	1,516	80.9	2.13	76.7	85.1
2017	8,147	70.6	0.80	69.1	72.2	1,498	78.2	2.07	74.2	82.3
2018	8,153	69.2	0.78	67.7	70.8	1,440	74.3	2.00	70.4	78.3
2019	7,682	64.4	0.75	63.0	65.9	1,416	70.3	1.91	66.6	74.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Respiratory System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,275	46.5	0.80	45.0	48.1	157,640	99.9	0.25	99.4	100.4
1990	65	49.4	7.51	35.8	65.8	5,024	111.4	1.61	108.2	114.6
1991	70	47.1	6.61	35.1	61.5	4,960	108.5	1.58	105.4	111.6
1992	75	49.0	6.73	36.7	63.6	5,140	111.1	1.58	108.0	114.2
1993	95	52.4	6.40	40.6	66.2	5,323	115.1	1.61	112.0	118.3
1994	99	52.3	6.42	40.5	66.1	5,602	121.0	1.65	117.8	124.3
1995	114	77.1	8.55	61.3	95.2	5,556	118.4	1.61	115.3	121.6
1996	136	76.5	7.83	61.9	93.0	5,456	116.5	1.60	113.4	119.7
1997	114	63.8	7.05	50.7	78.7	5,400	114.3	1.57	111.2	117.4
1998	121	74.1	7.87	59.5	90.7	5,425	113.6	1.56	110.6	116.7
1999	125	57.9	6.07	46.6	70.7	5,402	112.6	1.55	109.6	115.6
2000	134	55.5	5.55	45.2	67.3	5,302	109.4	1.51	106.5	112.4
2001	125	58.0	5.99	46.8	70.6	5,334	109.9	1.52	107.0	113.0
2002	107	49.0	5.50	38.8	60.6	5,431	111.0	1.52	108.1	114.1
2003	145	55.4	5.21	45.7	66.4	5,352	107.5	1.48	104.6	110.5
2004	146	51.0	4.93	41.8	61.3	5,159	102.7	1.45	99.9	105.6
2005	154	52.6	4.83	43.6	62.8	5,225	102.5	1.43	99.7	105.3
2006	155	51.9	4.76	43.0	61.9	5,293	103.4	1.44	100.6	106.3
2007	163	53.8	4.70	45.0	63.6	5,335	102.3	1.42	99.6	105.2
2008	179	52.0	4.36	43.8	61.0	5,237	98.4	1.38	95.8	101.2
2009	131	40.0	3.91	32.7	48.2	5,354	98.8	1.37	96.1	101.5
2010	151	43.5	3.92	36.1	51.6	5,179	94.0	1.33	91.4	96.6
2011	178	49.6	4.13	41.8	58.2	5,278	94.0	1.32	91.5	96.7
2012	172	45.4	3.81	38.2	53.3	5,135	89.6	1.28	87.1	92.1
2013	154	35.9	3.23	29.8	42.7	5,206	88.4	1.25	85.9	90.8
2014	174	38.3	3.20	32.2	44.9	5,287	88.0	1.24	85.6	90.5
2015	205	38.7	3.00	33.0	44.9	5,195	85.2	1.21	82.9	87.6
2016	180	35.3	2.91	29.9	41.4	5,117	82.9	1.19	80.6	85.3
2017	218	41.1	3.04	35.4	47.4	5,191	82.6	1.18	80.3	85.0
2018	199	36.2	2.79	30.9	42.0	4,991	77.1	1.12	74.9	79.3
2019	191	32.3	2.54	27.5	37.6	4,751	72.0	1.07	69.9	74.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Respiratory System										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	131,254	98.0	0.27	97.5	98.6	23,739	126.7	0.86	125.1	128.4
1990	4,245	107.0	1.68	103.7	110.3	739	151.8	5.86	140.5	163.7
1991	4,237	105.5	1.66	102.2	108.7	681	136.3	5.47	125.7	147.4
1992	4,351	107.4	1.66	104.1	110.6	752	149.7	5.73	138.7	161.3
1993	4,449	110.0	1.68	106.8	113.4	822	162.3	5.95	150.8	174.3
1994	4,739	117.4	1.73	114.0	120.9	814	159.3	5.87	148.0	171.1
1995	4,612	113.1	1.69	109.8	116.5	894	168.8	5.93	157.4	180.8
1996	4,538	111.7	1.68	108.5	115.1	856	162.5	5.81	151.4	174.3
1997	4,483	109.9	1.66	106.6	113.2	852	156.5	5.58	145.8	167.8
1998	4,497	109.1	1.64	105.9	112.3	844	155.5	5.61	144.7	166.8
1999	4,515	109.3	1.64	106.1	112.5	822	148.4	5.40	138.0	159.3
2000	4,438	106.7	1.61	103.5	109.9	799	139.8	5.16	129.8	150.2
2001	4,454	107.2	1.61	104.1	110.4	803	139.7	5.15	129.8	150.2
2002	4,569	109.4	1.63	106.2	112.6	793	134.5	4.99	124.9	144.7
2003	4,471	105.5	1.59	102.4	108.6	802	134.2	4.96	124.6	144.2
2004	4,265	99.8	1.54	96.8	102.9	818	137.5	5.05	127.8	147.7
2005	4,326	100.1	1.54	97.1	103.2	808	131.9	4.89	122.5	141.8
2006	4,393	101.4	1.54	98.4	104.5	809	130.6	4.84	121.3	140.4
2007	4,412	100.2	1.52	97.2	103.2	838	134.3	4.89	124.8	144.2
2008	4,378	97.7	1.50	94.8	100.7	775	119.9	4.53	111.2	129.1
2009	4,482	98.7	1.50	95.8	101.6	759	112.6	4.30	104.3	121.3
2010	4,297	93.1	1.44	90.3	95.9	776	113.2	4.29	105.0	121.9
2011	4,382	93.2	1.43	90.4	96.0	782	114.2	4.28	105.9	122.8
2012	4,237	88.4	1.39	85.7	91.2	783	112.7	4.23	104.6	121.3
2013	4,298	87.6	1.36	84.9	90.3	792	110.5	4.13	102.6	118.9
2014	4,377	87.7	1.35	85.0	90.4	783	106.4	3.99	98.7	114.5
2015	4,237	83.9	1.32	81.3	86.5	822	109.2	4.00	101.5	117.3
2016	4,234	83.1	1.31	80.5	85.7	752	98.2	3.75	91.0	105.8
2017	4,255	82.1	1.29	79.6	84.7	794	103.3	3.83	95.9	111.1
2018	4,165	78.1	1.24	75.7	80.5	694	86.9	3.44	80.3	93.9
2019	3,918	72.3	1.18	70.0	74.7	681	82.7	3.30	76.4	89.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Respiratory System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,998	27.0	0.52	26.0	28.0	123,054	59.8	0.17	59.5	60.1
1990	58	33.0	4.62	24.6	43.1	2,812	47.0	0.90	45.3	48.8
1991	50	26.3	4.10	18.9	35.3	2,846	46.7	0.89	45.0	48.5
1992	53	27.3	3.98	20.1	36.0	3,090	50.5	0.92	48.7	52.3
1993	52	24.4	3.63	17.8	32.4	3,287	53.1	0.94	51.3	55.0
1994	65	31.8	4.23	24.0	41.0	3,568	56.8	0.96	54.9	58.7
1995	61	31.7	4.34	23.8	41.2	3,630	57.9	0.97	56.0	59.9
1996	58	28.6	4.08	21.2	37.5	3,719	59.1	0.98	57.2	61.1
1997	67	32.0	4.23	24.2	41.1	3,665	57.6	0.96	55.7	59.5
1998	91	41.2	4.67	32.6	51.2	3,746	58.4	0.96	56.6	60.3
1999	78	31.7	3.96	24.4	40.2	3,856	59.9	0.97	58.0	61.9
2000	67	25.1	3.42	18.9	32.5	3,832	59.3	0.96	57.4	61.2
2001	80	27.7	3.49	21.3	35.2	3,920	60.3	0.97	58.4	62.2
2002	83	26.6	3.23	20.7	33.6	4,139	63.3	0.99	61.4	65.3
2003	66	20.6	2.77	15.5	26.6	4,208	64.1	1.00	62.2	66.1
2004	105	34.1	3.64	27.4	41.8	4,106	62.1	0.98	60.2	64.0
2005	84	25.2	2.97	19.7	31.5	4,246	63.9	0.99	62.0	65.9
2006	91	26.3	2.95	20.8	32.6	4,391	65.6	1.00	63.6	67.5
2007	105	27.9	2.88	22.5	34.0	4,467	65.9	1.00	63.9	67.8
2008	127	32.1	3.10	26.3	38.7	4,542	66.1	0.99	64.2	68.1
2009	119	28.8	2.81	23.6	34.7	4,683	67.7	1.00	65.8	69.7
2010	111	24.0	2.43	19.5	29.2	4,547	64.9	0.98	63.0	66.8
2011	144	30.9	2.73	25.8	36.6	4,455	62.3	0.95	60.5	64.2
2012	133	27.0	2.48	22.4	32.2	4,580	63.4	0.95	61.5	65.3
2013	113	21.8	2.16	17.7	26.4	4,371	59.4	0.91	57.6	61.2
2014	145	24.9	2.18	20.8	29.4	4,780	63.9	0.94	62.1	65.8
2015	157	27.6	2.32	23.3	32.5	4,683	61.7	0.92	59.9	63.5
2016	140	23.0	2.04	19.2	27.3	4,753	61.9	0.92	60.1	63.8
2017	174	28.4	2.25	24.1	33.1	4,675	59.7	0.89	58.0	61.5
2018	156	22.9	1.92	19.3	27.0	4,837	60.8	0.89	59.1	62.6
2019	165	24.4	1.98	20.7	28.6	4,620	57.2	0.86	55.6	58.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Respiratory System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	103,608	60.2	0.19	59.8	60.6	17,758	65.9	0.50	64.9	66.9
1990	2,426	46.6	0.97	44.7	48.5	373	53.5	2.80	48.2	59.3
1991	2,457	46.2	0.95	44.4	48.1	373	52.3	2.74	47.1	57.9
1992	2,663	50.3	1.00	48.4	52.3	405	56.6	2.84	51.2	62.4
1993	2,788	52.1	1.00	50.2	54.1	473	65.0	3.02	59.2	71.2
1994	3,056	56.2	1.03	54.2	58.3	483	65.4	3.00	59.6	71.5
1995	3,101	57.4	1.05	55.4	59.5	495	65.1	2.95	59.4	71.1
1996	3,145	58.3	1.06	56.2	60.4	537	70.1	3.05	64.3	76.3
1997	3,140	57.6	1.04	55.6	59.7	493	62.9	2.85	57.4	68.7
1998	3,200	58.4	1.05	56.4	60.5	512	64.4	2.86	58.9	70.2
1999	3,280	59.8	1.06	57.7	61.9	541	66.7	2.89	61.2	72.6
2000	3,304	60.3	1.06	58.2	62.4	483	58.8	2.69	53.6	64.3
2001	3,363	61.3	1.07	59.2	63.4	527	63.7	2.79	58.4	69.4
2002	3,480	63.1	1.08	61.0	65.3	602	71.3	2.93	65.7	77.3
2003	3,564	64.7	1.10	62.6	66.9	607	70.6	2.89	65.1	76.5
2004	3,461	62.5	1.08	60.4	64.7	601	68.7	2.82	63.2	74.4
2005	3,605	65.1	1.10	63.0	67.3	592	66.7	2.77	61.4	72.4
2006	3,686	66.0	1.10	63.9	68.2	652	72.3	2.86	66.8	78.1
2007	3,769	67.0	1.11	64.8	69.2	626	69.0	2.78	63.6	74.6
2008	3,840	67.6	1.11	65.4	69.8	629	67.3	2.71	62.1	72.8
2009	3,941	69.1	1.12	66.9	71.3	675	70.5	2.75	65.3	76.1
2010	3,807	66.0	1.09	63.9	68.2	661	68.4	2.70	63.2	73.9
2011	3,737	63.9	1.07	61.8	66.0	646	64.7	2.59	59.8	70.0
2012	3,778	64.0	1.06	62.0	66.2	729	71.9	2.70	66.7	77.4
2013	3,611	60.1	1.02	58.1	62.2	673	64.5	2.53	59.7	69.7
2014	4,003	66.2	1.07	64.1	68.3	695	64.6	2.49	59.9	69.7
2015	3,854	62.9	1.04	60.9	65.0	726	65.9	2.49	61.1	71.0
2016	3,905	63.2	1.04	61.2	65.3	764	69.1	2.54	64.2	74.3
2017	3,892	61.8	1.01	59.9	63.9	704	61.9	2.37	57.4	66.8
2018	3,988	62.4	1.01	60.4	64.4	746	65.6	2.44	60.9	70.6
2019	3,764	58.3	0.98	56.4	60.3	735	62.2	2.34	57.8	67.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Larynx										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	615	2.7	0.12	2.5	2.9	16,631	4.5	0.04	4.5	4.6
1990	12	3.2	1.03	1.5	5.9	579	5.5	0.23	5.1	6.0
1991	12	3.4	1.06	1.7	6.1	603	5.7	0.23	5.2	6.1
1992	14	3.9	1.12	2.0	6.7	588	5.5	0.23	5.1	6.0
1993	19	3.9	0.96	2.2	6.3	585	5.4	0.22	5.0	5.9
1994	20	4.4	1.08	2.6	7.0	572	5.3	0.22	4.8	5.7
1995	19	4.6	1.18	2.6	7.4	639	5.9	0.23	5.4	6.3
1996	21	5.3	1.30	3.0	8.3	621	5.7	0.23	5.3	6.2
1997	20	5.5	1.40	3.1	8.8	596	5.4	0.22	5.0	5.9
1998	14	3.6	1.11	1.8	6.3	552	4.9	0.21	4.5	5.4
1999	17	3.5	0.93	1.9	5.7	559	5.0	0.21	4.6	5.4
2000	20	3.2	0.77	1.9	5.1	583	5.2	0.21	4.8	5.6
2001	17	2.7	0.76	1.5	4.6	546	4.8	0.21	4.4	5.2
2002	15	2.5	0.72	1.3	4.3	579	5.0	0.21	4.6	5.4
2003	20	2.8	0.66	1.6	4.4	539	4.6	0.20	4.2	5.0
2004	16	2.6	0.76	1.3	4.4	520	4.4	0.19	4.0	4.8
2005	15	2.5	0.68	1.3	4.1	544	4.6	0.20	4.2	5.0
2006	15	1.9	0.56	1.0	3.3	517	4.3	0.19	3.9	4.7
2007	30	3.8	0.74	2.5	5.5	550	4.5	0.19	4.1	4.8
2008	31	3.2	0.61	2.1	4.6	525	4.2	0.19	3.9	4.6
2009	18	2.2	0.56	1.3	3.6	537	4.2	0.18	3.8	4.6
2010	16	2.0	0.54	1.1	3.3	568	4.3	0.18	4.0	4.7
2011	26	3.2	0.67	2.0	4.7	528	4.0	0.18	3.7	4.4
2012	21	2.1	0.50	1.3	3.3	523	3.9	0.17	3.6	4.3
2013	17	1.7	0.44	0.9	2.7	513	3.7	0.17	3.4	4.1
2014	28	2.3	0.47	1.5	3.4	540	3.9	0.17	3.6	4.2
2015	29	2.2	0.44	1.4	3.2	516	3.7	0.17	3.4	4.0
2016	22	1.7	0.38	1.0	2.6	538	3.7	0.17	3.4	4.1
2017	30	2.2	0.43	1.4	3.2	526	3.7	0.16	3.4	4.0
2018	41	3.0	0.51	2.1	4.2	549	3.8	0.16	3.4	4.1
2019	20	1.4	0.33	0.8	2.2	496	3.4	0.16	3.1	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Larynx										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	13,203	4.3	0.04	4.3	4.4	3,205	6.6	0.12	6.4	6.9
1990	461	5.0	0.24	4.6	5.5	112	9.2	0.88	7.5	11.1
1991	484	5.2	0.24	4.7	5.7	116	9.3	0.87	7.6	11.1
1992	465	5.1	0.24	4.6	5.5	118	9.4	0.88	7.8	11.3
1993	467	5.0	0.23	4.5	5.4	111	8.7	0.84	7.2	10.6
1994	468	5.0	0.23	4.6	5.5	98	7.4	0.75	6.0	9.0
1995	501	5.4	0.24	4.9	5.9	134	10.1	0.88	8.4	11.9
1996	501	5.4	0.24	4.9	5.9	112	8.3	0.79	6.8	10.0
1997	458	4.9	0.23	4.5	5.4	128	9.1	0.81	7.6	10.8
1998	436	4.6	0.22	4.2	5.0	111	8.0	0.77	6.5	9.6
1999	443	4.7	0.22	4.2	5.1	110	7.5	0.72	6.2	9.1
2000	475	5.0	0.23	4.6	5.5	98	6.7	0.69	5.4	8.2
2001	423	4.4	0.22	4.0	4.9	115	7.6	0.72	6.3	9.2
2002	459	4.7	0.22	4.3	5.2	117	7.7	0.72	6.4	9.3
2003	409	4.2	0.21	3.8	4.6	124	8.1	0.74	6.7	9.7
2004	404	4.1	0.20	3.7	4.5	106	6.8	0.67	5.6	8.3
2005	440	4.4	0.21	4.0	4.9	101	6.2	0.62	5.0	7.6
2006	419	4.2	0.21	3.8	4.6	91	5.6	0.60	4.5	6.9
2007	430	4.2	0.20	3.8	4.6	114	6.9	0.65	5.6	8.3
2008	435	4.2	0.21	3.8	4.7	82	4.8	0.54	3.8	6.0
2009	425	4.1	0.20	3.7	4.5	104	5.9	0.58	4.8	7.1
2010	448	4.2	0.20	3.8	4.6	115	6.1	0.58	5.0	7.4
2011	436	4.1	0.20	3.7	4.5	86	4.9	0.54	3.9	6.0
2012	414	3.8	0.19	3.4	4.2	103	5.8	0.58	4.7	7.0
2013	402	3.6	0.18	3.2	4.0	103	5.7	0.57	4.6	6.9
2014	422	3.8	0.19	3.4	4.1	106	5.5	0.55	4.5	6.7
2015	395	3.5	0.18	3.2	3.9	108	5.4	0.53	4.4	6.5
2016	432	3.7	0.19	3.4	4.1	95	4.7	0.50	3.8	5.8
2017	423	3.7	0.18	3.3	4.0	98	5.0	0.52	4.0	6.1
2018	435	3.7	0.18	3.3	4.1	102	5.0	0.51	4.1	6.1
2019	393	3.4	0.17	3.0	3.7	87	4.1	0.45	3.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Larynx										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	514	5.0	0.25	4.5	5.5	13,170	8.1	0.07	7.9	8.2
1990	7	3.8	1.70	1.3	8.7	454	10.0	0.48	9.1	11.0
1991	11	7.2	2.47	3.2	13.5	485	10.4	0.48	9.5	11.4
1992	10	6.2	2.26	2.6	12.0	464	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	11.7	478	9.9	0.46	9.0	10.9
1994	16	8.1	2.39	4.1	14.0	456	9.5	0.45	8.7	10.5
1995	16	9.1	2.72	4.6	15.7	493	10.4	0.48	9.5	11.4
1996	19	10.9	3.09	5.7	18.2	474	9.9	0.46	9.0	10.9
1997	17	10.9	3.13	5.6	18.3	471	9.7	0.45	8.8	10.6
1998	9	5.5	2.21	2.0	11.0	458	9.4	0.44	8.5	10.3
1999	14	6.2	1.92	3.0	10.9	465	9.4	0.44	8.6	10.3
2000	20	6.8	1.62	4.0	10.7	468	9.4	0.43	8.5	10.2
2001	13	5.2	1.66	2.5	9.4	437	8.8	0.42	8.0	9.6
2002	14	5.1	1.59	2.5	9.1	460	9.0	0.42	8.2	9.9
2003	19	5.6	1.41	3.2	9.1	416	8.1	0.40	7.3	8.9
2004	13	5.4	1.78	2.5	9.8	423	8.1	0.40	7.3	8.9
2005	13	5.1	1.50	2.6	8.7	430	8.0	0.39	7.3	8.8
2006	14	3.8	1.17	1.8	6.7	422	7.8	0.39	7.1	8.6
2007	27	7.6	1.59	4.8	11.3	438	7.9	0.39	7.2	8.7
2008	28	6.1	1.24	3.9	9.0	422	7.5	0.37	6.8	8.3
2009	15	4.4	1.24	2.4	7.4	421	7.3	0.36	6.6	8.0
2010	10	2.7	0.91	1.2	5.0	440	7.4	0.36	6.7	8.2
2011	21	5.8	1.40	3.4	9.0	419	7.2	0.36	6.5	7.9
2012	17	4.0	1.08	2.1	6.5	398	6.7	0.34	6.0	7.4
2013	15	3.2	0.93	1.7	5.5	412	6.6	0.33	6.0	7.3
2014	21	3.8	0.92	2.2	6.0	422	6.7	0.33	6.1	7.4
2015	25	3.8	0.86	2.3	5.9	412	6.5	0.33	5.8	7.1
2016	22	3.6	0.86	2.1	5.6	415	6.4	0.32	5.8	7.1
2017	22	3.6	0.86	2.1	5.6	409	6.3	0.32	5.6	6.9
2018	33	5.5	1.07	3.6	8.0	420	6.3	0.31	5.7	6.9
2019	18	2.7	0.69	1.5	4.3	388	5.8	0.30	5.2	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Larynx										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,518	7.7	0.08	7.5	7.8	2,472	12.3	0.26	11.8	12.8
1990	359	9.0	0.49	8.1	10.0	91	17.7	1.91	14.1	21.8
1991	395	9.7	0.49	8.7	10.7	87	16.5	1.81	13.2	20.5
1992	375	9.3	0.49	8.4	10.3	84	16.2	1.85	12.8	20.2
1993	384	9.1	0.47	8.2	10.1	88	16.8	1.87	13.3	20.8
1994	371	9.0	0.47	8.1	10.0	80	14.4	1.65	11.3	18.0
1995	393	9.6	0.49	8.7	10.7	97	17.5	1.84	14.0	21.4
1996	380	9.3	0.48	8.3	10.2	88	15.6	1.72	12.5	19.4
1997	360	8.6	0.46	7.8	9.6	103	17.4	1.74	14.1	21.1
1998	367	8.8	0.46	7.9	9.7	87	15.0	1.65	11.9	18.6
1999	368	8.7	0.46	7.9	9.7	91	15.0	1.62	12.0	18.5
2000	383	9.0	0.46	8.1	10.0	79	13.2	1.55	10.4	16.6
2001	341	8.1	0.44	7.3	9.1	90	14.1	1.52	11.3	17.4
2002	372	8.6	0.45	7.8	9.6	86	13.9	1.55	11.0	17.3
2003	325	7.5	0.42	6.7	8.4	86	13.9	1.57	11.0	17.3
2004	336	7.6	0.42	6.8	8.5	79	12.4	1.47	9.7	15.6
2005	345	7.7	0.42	6.9	8.6	82	11.8	1.33	9.3	14.7
2006	344	7.6	0.42	6.8	8.5	72	10.8	1.34	8.3	13.7
2007	335	7.3	0.40	6.5	8.1	99	14.2	1.47	11.4	17.3
2008	347	7.4	0.40	6.6	8.2	70	10.0	1.24	7.7	12.7
2009	332	7.0	0.39	6.2	7.8	84	11.3	1.28	9.0	14.1
2010	348	7.2	0.39	6.4	8.0	88	10.8	1.20	8.6	13.5
2011	353	7.2	0.39	6.5	8.1	62	8.6	1.14	6.5	11.1
2012	322	6.5	0.37	5.8	7.3	72	10.0	1.24	7.8	12.7
2013	326	6.3	0.36	5.6	7.0	79	11.0	1.29	8.6	13.8
2014	330	6.4	0.36	5.7	7.1	81	10.2	1.19	8.0	12.8
2015	317	6.1	0.35	5.4	6.8	84	10.2	1.16	8.0	12.7
2016	336	6.3	0.36	5.7	7.1	71	8.8	1.10	6.8	11.3
2017	329	6.2	0.35	5.5	6.9	75	9.1	1.10	7.1	11.6
2018	332	6.0	0.34	5.4	6.7	77	9.3	1.10	7.2	11.7
2019	313	5.7	0.33	5.1	6.4	60	6.7	0.90	5.1	8.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Larynx										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	101	0.8	0.08	0.6	0.9	3,461	1.7	0.03	1.7	1.8
1990	5	2.7	1.27	0.8	6.3	125	2.2	0.20	1.8	2.6
1991	1	0.5	0.45	0.0	2.5	118	2.0	0.19	1.7	2.5
1992	4	2.1	1.07	0.6	5.2	124	2.1	0.19	1.8	2.5
1993	4	1.5	0.76	0.4	3.9	107	1.8	0.18	1.5	2.2
1994	4	1.5	0.74	0.4	3.8	116	1.9	0.18	1.6	2.3
1995	3	1.2	0.68	0.2	3.4	146	2.5	0.21	2.1	2.9
1996	2	1.0	0.74	0.1	3.4	147	2.5	0.21	2.1	2.9
1997	3	1.4	0.98	0.2	4.3	125	2.1	0.19	1.7	2.5
1998	5	2.3	1.15	0.6	5.5	94	1.5	0.15	1.2	1.8
1999	3	1.3	0.76	0.2	3.6	94	1.6	0.16	1.3	1.9
2000	0					115	1.9	0.17	1.5	2.2
2001	4	0.7	0.37	0.2	2.1	109	1.8	0.17	1.4	2.1
2002	1	0.3	0.27	0.0	1.5	119	1.9	0.17	1.6	2.3
2003	1	0.2	0.20	0.0	1.3	123	2.0	0.18	1.6	2.3
2004	3	0.4	0.26	0.1	1.5	97	1.5	0.15	1.2	1.8
2005	2	0.4	0.29	0.1	1.5	114	1.8	0.17	1.5	2.2
2006	1	0.3	0.32	0.0	1.5	95	1.4	0.15	1.2	1.8
2007	3	0.5	0.30	0.1	1.6	112	1.7	0.16	1.4	2.1
2008	3	0.6	0.33	0.1	1.7	103	1.5	0.15	1.2	1.9
2009	3	0.5	0.27	0.1	1.4	116	1.7	0.16	1.4	2.0
2010	6	1.4	0.62	0.5	3.1	128	1.8	0.16	1.5	2.1
2011	5	1.1	0.51	0.3	2.5	109	1.5	0.15	1.3	1.9
2012	4	0.6	0.32	0.2	1.6	125	1.7	0.16	1.4	2.1
2013	2	0.4	0.27	0.0	1.3	101	1.4	0.14	1.2	1.7
2014	7	1.0	0.41	0.4	2.1	118	1.6	0.15	1.3	1.9
2015	4	0.7	0.35	0.2	1.7	104	1.4	0.14	1.1	1.7
2016	0					123	1.5	0.14	1.3	1.8
2017	8	1.0	0.35	0.4	1.9	117	1.6	0.15	1.3	1.9
2018	8	1.0	0.35	0.4	1.9	129	1.7	0.15	1.4	2.0
2019	2	0.2	0.14	0.0	0.8	108	1.4	0.14	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Larynx										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,685	1.6	0.03	1.6	1.7	733	2.6	0.10	2.4	2.8
1990	102	2.1	0.21	1.7	2.5	21	3.0	0.66	1.9	4.6
1991	89	1.7	0.19	1.4	2.2	29	4.0	0.75	2.7	5.7
1992	90	1.8	0.19	1.4	2.2	34	4.7	0.81	3.3	6.6
1993	83	1.6	0.18	1.3	2.0	23	3.1	0.65	1.9	4.6
1994	97	1.9	0.20	1.6	2.3	18	2.3	0.55	1.4	3.6
1995	108	2.2	0.21	1.8	2.6	37	4.8	0.79	3.4	6.6
1996	121	2.4	0.22	2.0	2.9	24	3.1	0.64	2.0	4.7
1997	98	1.9	0.20	1.6	2.4	25	3.0	0.61	2.0	4.5
1998	69	1.3	0.16	1.0	1.6	24	3.0	0.62	1.9	4.5
1999	75	1.5	0.17	1.2	1.9	19	2.2	0.51	1.3	3.5
2000	92	1.8	0.19	1.4	2.2	19	2.2	0.51	1.3	3.5
2001	82	1.6	0.18	1.3	2.0	25	2.9	0.59	1.9	4.3
2002	87	1.7	0.18	1.3	2.1	31	3.5	0.62	2.3	4.9
2003	84	1.6	0.18	1.3	2.0	38	4.2	0.68	3.0	5.8
2004	68	1.3	0.16	1.0	1.6	27	3.0	0.58	2.0	4.4
2005	95	1.8	0.19	1.5	2.2	19	2.1	0.48	1.2	3.2
2006	75	1.4	0.16	1.1	1.8	19	2.0	0.46	1.2	3.1
2007	95	1.8	0.19	1.5	2.2	15	1.6	0.42	0.9	2.7
2008	88	1.6	0.17	1.3	2.0	12	1.2	0.35	0.6	2.1
2009	93	1.7	0.17	1.3	2.1	20	1.9	0.43	1.2	3.0
2010	100	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.8
2011	83	1.5	0.16	1.2	1.8	24	2.3	0.47	1.4	3.4
2012	92	1.6	0.17	1.2	1.9	31	2.9	0.53	2.0	4.2
2013	76	1.3	0.16	1.0	1.7	24	2.2	0.46	1.4	3.3
2014	92	1.6	0.16	1.2	1.9	25	2.3	0.47	1.5	3.5
2015	78	1.3	0.16	1.0	1.7	24	2.0	0.42	1.3	3.1
2016	96	1.5	0.16	1.2	1.9	24	1.9	0.40	1.2	2.9
2017	94	1.5	0.16	1.2	1.9	23	2.2	0.47	1.4	3.4
2018	103	1.7	0.17	1.4	2.1	25	2.1	0.42	1.3	3.1
2019	80	1.3	0.15	1.0	1.7	27	2.2	0.43	1.4	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lung and Bronchus										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,422	32.2	0.44	31.4	33.1	260,968	71.2	0.14	71.0	71.5
1990	110	35.9	3.85	28.8	44.1	7,174	67.1	0.80	65.5	68.7
1991	99	30.5	3.41	24.2	37.8	7,102	65.6	0.79	64.0	67.1
1992	108	31.3	3.34	25.0	38.4	7,537	69.1	0.80	67.6	70.7
1993	122	32.2	3.22	26.2	39.0	7,913	72.2	0.82	70.6	73.8
1994	139	36.0	3.43	29.6	43.2	8,500	76.9	0.84	75.2	78.5
1995	149	45.2	4.09	37.5	53.8	8,465	76.3	0.83	74.7	77.9
1996	169	43.5	3.76	36.4	51.3	8,451	76.0	0.83	74.4	77.7
1997	158	40.1	3.56	33.4	47.6	8,376	74.8	0.82	73.2	76.4
1998	194	50.1	3.99	42.5	58.3	8,509	75.4	0.82	73.9	77.1
1999	181	39.5	3.31	33.3	46.4	8,582	75.7	0.82	74.1	77.3
2000	170	34.3	2.98	28.7	40.6	8,449	74.2	0.81	72.6	75.7
2001	180	37.9	3.17	31.9	44.5	8,614	75.2	0.81	73.6	76.8
2002	166	32.3	2.81	27.0	38.2	8,876	76.9	0.82	75.3	78.5
2003	182	33.0	2.69	27.9	38.6	8,908	76.5	0.81	74.9	78.1
2004	225	38.4	2.86	33.0	44.4	8,656	73.8	0.80	72.3	75.4
2005	214	34.2	2.58	29.4	39.6	8,841	74.7	0.80	73.2	76.3
2006	226	35.2	2.57	30.4	40.5	9,055	76.0	0.80	74.4	77.6
2007	233	35.3	2.49	30.6	40.4	9,133	75.6	0.80	74.1	77.2
2008	265	37.5	2.52	32.7	42.7	9,136	74.4	0.79	72.9	76.0
2009	224	30.5	2.21	26.3	35.1	9,395	75.8	0.79	74.2	77.3
2010	236	29.7	2.09	25.7	34.0	9,062	72.1	0.77	70.6	73.6
2011	287	35.0	2.22	30.7	39.5	9,101	71.0	0.76	69.5	72.5
2012	276	32.4	2.08	28.4	36.6	9,090	69.7	0.74	68.3	71.2
2013	241	25.7	1.79	22.4	29.4	8,959	67.2	0.72	65.8	68.6
2014	281	27.6	1.77	24.3	31.3	9,411	69.4	0.73	68.0	70.9
2015	320	29.9	1.79	26.5	33.5	9,263	67.2	0.71	65.8	68.6
2016	285	25.8	1.63	22.7	29.1	9,222	66.3	0.70	65.0	67.7
2017	354	31.4	1.77	28.0	35.1	9,238	65.2	0.69	63.8	66.5
2018	309	25.4	1.53	22.5	28.6	9,177	63.4	0.67	62.0	64.7
2019	319	25.6	1.51	22.7	28.7	8,773	59.5	0.65	58.2	60.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lung and Bronchus										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	219,040	70.9	0.15	70.6	71.2	37,903	82.9	0.43	82.0	83.7
1990	6,139	65.4	0.85	63.7	67.1	988	83.2	2.70	78.0	88.7
1991	6,120	64.4	0.83	62.8	66.1	930	76.6	2.56	71.7	81.8
1992	6,459	67.9	0.85	66.2	69.6	1,025	83.9	2.67	78.7	89.3
1993	6,674	69.8	0.86	68.2	71.6	1,170	94.4	2.82	89.0	100.1
1994	7,242	75.2	0.89	73.5	77.0	1,187	94.6	2.80	89.2	100.2
1995	7,143	74.3	0.88	72.5	76.0	1,242	96.0	2.77	90.6	101.6
1996	7,089	73.8	0.88	72.0	75.5	1,273	98.2	2.80	92.8	103.9
1997	7,086	73.4	0.87	71.7	75.1	1,209	91.2	2.66	86.0	96.5
1998	7,165	73.9	0.87	72.1	75.6	1,233	91.8	2.66	86.7	97.1
1999	7,249	74.6	0.88	72.8	76.3	1,240	90.8	2.62	85.7	96.1
2000	7,187	73.8	0.87	72.1	75.5	1,167	83.6	2.48	78.8	88.6
2001	7,313	74.9	0.88	73.2	76.7	1,203	86.0	2.52	81.1	91.1
2002	7,488	76.3	0.88	74.6	78.1	1,268	88.5	2.52	83.6	93.5
2003	7,525	76.3	0.88	74.6	78.1	1,273	87.3	2.49	82.5	92.3
2004	7,242	73.1	0.86	71.5	74.8	1,304	88.4	2.49	83.6	93.4
2005	7,421	74.6	0.87	72.9	76.4	1,284	85.4	2.43	80.7	90.3
2006	7,567	75.5	0.87	73.8	77.3	1,354	88.7	2.45	83.9	93.6
2007	7,655	75.7	0.87	74.0	77.5	1,333	86.6	2.42	82.0	91.5
2008	7,687	75.0	0.86	73.3	76.7	1,306	82.4	2.33	77.9	87.1
2009	7,913	76.7	0.87	75.0	78.4	1,315	80.6	2.27	76.2	85.2
2010	7,571	72.5	0.84	70.8	74.1	1,312	79.8	2.26	75.5	84.4
2011	7,596	71.5	0.83	69.9	73.2	1,328	79.0	2.22	74.7	83.5
2012	7,514	69.8	0.82	68.2	71.4	1,395	81.4	2.23	77.1	85.9
2013	7,415	67.5	0.80	66.0	69.1	1,352	76.3	2.13	72.1	80.5
2014	7,861	70.7	0.81	69.2	72.3	1,358	75.0	2.09	70.9	79.2
2015	7,611	67.5	0.79	65.9	69.0	1,429	76.7	2.08	72.7	80.9
2016	7,629	67.3	0.79	65.8	68.9	1,399	74.9	2.05	70.9	79.0
2017	7,642	66.2	0.77	64.7	67.7	1,385	72.4	1.99	68.6	76.4
2018	7,639	64.8	0.76	63.3	66.3	1,322	68.4	1.93	64.7	72.3
2019	7,198	60.3	0.72	58.9	61.7	1,319	65.7	1.85	62.1	69.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lung and Bronchus										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,597	40.5	0.75	39.1	42.0	142,597	90.7	0.24	90.2	91.1
1990	57	45.2	7.31	32.1	61.2	4,517	100.2	1.53	97.3	103.3
1991	57	39.4	6.12	28.3	52.8	4,423	97.0	1.49	94.1	99.9
1992	61	41.4	6.30	30.0	55.2	4,618	99.8	1.50	96.9	102.8
1993	77	45.0	6.07	33.9	58.2	4,786	103.9	1.53	101.0	107.0
1994	79	43.5	5.95	32.6	56.4	5,088	110.2	1.57	107.2	113.4
1995	94	67.4	8.09	52.5	84.6	5,003	106.7	1.53	103.7	109.7
1996	113	63.4	7.05	50.3	78.3	4,917	105.3	1.52	102.3	108.3
1997	94	52.3	6.30	40.6	65.7	4,866	103.4	1.50	100.5	106.4
1998	110	67.2	7.48	53.4	83.1	4,902	103.0	1.48	100.1	105.9
1999	109	51.2	5.75	40.5	63.4	4,868	101.8	1.47	98.9	104.7
2000	106	46.0	5.18	36.4	57.0	4,774	98.9	1.44	96.1	101.7
2001	109	52.3	5.75	41.7	64.5	4,842	100.1	1.45	97.3	103.0
2002	88	42.5	5.22	32.9	53.7	4,888	100.4	1.45	97.6	103.3
2003	119	48.7	4.99	39.4	59.2	4,871	98.2	1.42	95.4	101.0
2004	126	44.3	4.54	35.9	53.9	4,687	93.6	1.38	90.9	96.4
2005	134	46.2	4.55	37.7	55.8	4,741	93.4	1.37	90.7	96.1
2006	136	46.8	4.55	38.3	56.4	4,808	94.4	1.38	91.8	97.2
2007	133	45.9	4.42	37.7	55.2	4,831	93.1	1.36	90.5	95.8
2008	141	44.8	4.16	37.0	53.5	4,740	89.6	1.32	87.0	92.2
2009	111	34.4	3.66	27.6	42.2	4,872	90.3	1.32	87.8	93.0
2010	131	39.3	3.76	32.2	47.2	4,682	85.5	1.27	83.0	88.0
2011	152	43.0	3.86	35.8	51.1	4,790	85.6	1.26	83.2	88.1
2012	149	40.8	3.65	34.0	48.4	4,686	82.0	1.22	79.6	84.4
2013	134	32.1	3.09	26.4	38.6	4,732	80.7	1.20	78.4	83.1
2014	148	33.9	3.05	28.2	40.3	4,800	80.3	1.19	78.0	82.6
2015	169	33.7	2.85	28.4	39.7	4,718	77.6	1.16	75.4	79.9
2016	146	30.1	2.71	25.0	35.7	4,632	75.3	1.14	73.1	77.6
2017	190	36.7	2.89	31.2	42.7	4,715	75.3	1.12	73.1	77.5
2018	163	30.4	2.57	25.5	35.7	4,503	69.7	1.06	67.6	71.8
2019	161	28.5	2.42	23.9	33.5	4,297	65.2	1.02	63.2	67.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lung and Bronchus										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	119,138	89.2	0.26	88.7	89.7	21,043	113.4	0.82	111.8	115.0
1990	3,843	96.9	1.60	93.7	100.0	638	132.3	5.51	121.7	143.5
1991	3,797	94.6	1.57	91.6	97.8	590	119.2	5.15	109.3	129.6
1992	3,926	96.8	1.57	93.8	100.0	661	132.4	5.41	122.1	143.4
1993	4,012	99.6	1.60	96.5	102.8	730	144.9	5.64	134.0	156.3
1994	4,318	107.2	1.66	103.9	110.5	727	143.8	5.62	132.9	155.1
1995	4,169	102.2	1.60	99.1	105.4	787	149.8	5.61	139.0	161.2
1996	4,098	101.0	1.60	97.9	104.2	764	146.2	5.54	135.5	157.4
1997	4,070	100.0	1.58	96.9	103.1	744	138.5	5.29	128.3	149.2
1998	4,073	98.9	1.56	95.9	102.0	749	139.2	5.34	129.0	150.1
1999	4,087	99.1	1.56	96.0	102.2	722	132.1	5.13	122.2	142.5
2000	4,006	96.5	1.53	93.5	99.6	713	125.5	4.91	116.1	135.5
2001	4,067	98.0	1.54	95.0	101.1	704	124.3	4.90	114.9	134.3
2002	4,123	99.0	1.55	96.0	102.1	699	119.5	4.73	110.4	129.1
2003	4,089	96.6	1.52	93.7	99.7	708	119.1	4.69	110.1	128.6
2004	3,883	91.1	1.47	88.2	94.0	736	124.8	4.83	115.5	134.5
2005	3,938	91.5	1.47	88.6	94.4	715	118.5	4.68	109.5	128.0
2006	3,999	92.6	1.48	89.7	95.6	726	118.2	4.61	109.3	127.5
2007	4,016	91.5	1.46	88.7	94.4	736	119.6	4.66	110.7	129.1
2008	3,969	88.9	1.43	86.1	91.8	697	108.7	4.34	100.4	117.5
2009	4,101	90.6	1.43	87.8	93.4	666	100.1	4.09	92.3	108.4
2010	3,898	84.7	1.38	82.0	87.5	682	101.7	4.11	93.8	110.1
2011	3,970	84.6	1.37	82.0	87.4	712	104.5	4.10	96.6	112.9
2012	3,871	81.0	1.33	78.4	83.6	705	101.9	4.03	94.2	110.1
2013	3,916	80.1	1.31	77.6	82.7	709	99.0	3.91	91.5	106.9
2014	3,990	80.2	1.30	77.7	82.8	696	95.4	3.79	88.1	103.1
2015	3,864	76.6	1.26	74.1	79.1	732	98.1	3.80	90.8	105.9
2016	3,848	75.7	1.25	73.3	78.2	667	87.5	3.54	80.7	94.7
2017	3,872	74.8	1.23	72.4	77.3	709	93.0	3.65	86.0	100.4
2018	3,778	70.9	1.18	68.6	73.3	606	76.3	3.23	70.1	82.9
2019	3,547	65.5	1.12	63.3	67.7	613	75.0	3.16	69.0	81.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lung and Bronchus										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,825	25.8	0.51	24.8	26.8	118,371	57.4	0.17	57.1	57.8
1990	53	30.4	4.44	22.3	40.1	2,657	44.4	0.88	42.7	46.1
1991	42	23.8	3.95	16.7	32.6	2,679	43.8	0.86	42.2	45.6
1992	47	24.6	3.80	17.7	33.0	2,919	47.6	0.89	45.9	49.4
1993	45	22.3	3.53	15.9	30.1	3,127	50.5	0.91	48.7	52.3
1994	60	30.2	4.16	22.6	39.2	3,412	54.2	0.94	52.4	56.1
1995	55	29.7	4.26	21.9	38.9	3,462	55.1	0.95	53.3	57.0
1996	56	27.6	4.01	20.3	36.3	3,534	56.0	0.95	54.2	57.9
1997	64	30.5	4.12	23.0	39.5	3,510	55.1	0.94	53.2	56.9
1998	84	38.0	4.45	29.7	47.5	3,607	56.2	0.94	54.4	58.1
1999	72	29.8	3.87	22.7	38.2	3,714	57.7	0.95	55.8	59.6
2000	64	24.3	3.38	18.1	31.6	3,675	56.7	0.94	54.9	58.6
2001	71	26.2	3.44	19.9	33.6	3,772	57.9	0.95	56.1	59.8
2002	78	25.2	3.15	19.4	32.0	3,988	60.9	0.97	59.0	62.8
2003	63	20.1	2.76	15.1	26.1	4,037	61.4	0.97	59.5	63.3
2004	99	32.9	3.60	26.3	40.6	3,969	60.0	0.96	58.1	61.9
2005	80	24.3	2.92	18.9	30.6	4,100	61.6	0.97	59.7	63.6
2006	90	26.0	2.93	20.5	32.2	4,247	63.4	0.98	61.5	65.3
2007	100	27.2	2.87	21.9	33.3	4,302	63.3	0.98	61.4	65.3
2008	124	31.6	3.08	25.8	38.1	4,396	64.0	0.98	62.1	65.9
2009	113	27.8	2.77	22.6	33.6	4,523	65.4	0.99	63.5	67.4
2010	105	22.6	2.35	18.2	27.6	4,380	62.5	0.96	60.6	64.4
2011	135	29.3	2.67	24.3	34.9	4,311	60.2	0.93	58.4	62.1
2012	127	26.2	2.45	21.6	31.4	4,404	60.9	0.93	59.1	62.8
2013	107	20.9	2.13	16.9	25.4	4,227	57.3	0.90	55.5	59.1
2014	133	23.1	2.10	19.1	27.5	4,611	61.6	0.92	59.8	63.4
2015	151	26.7	2.29	22.4	31.5	4,545	59.8	0.91	58.0	61.6
2016	139	22.8	2.02	19.0	27.1	4,590	59.8	0.90	58.0	61.6
2017	164	27.2	2.22	23.0	31.8	4,523	57.7	0.87	56.0	59.4
2018	146	21.7	1.88	18.2	25.7	4,674	58.8	0.88	57.0	60.5
2019	158	23.6	1.95	19.9	27.7	4,476	55.4	0.85	53.8	57.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lung and Bronchus										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	99,902	58.0	0.19	57.6	58.3	16,860	62.7	0.49	61.7	63.7
1990	2,296	44.0	0.94	42.2	45.9	350	50.3	2.72	45.1	55.9
1991	2,323	43.6	0.92	41.8	45.5	340	47.8	2.62	42.8	53.2
1992	2,533	47.7	0.97	45.9	49.7	364	50.9	2.70	45.8	56.5
1993	2,662	49.7	0.98	47.8	51.6	440	60.6	2.92	55.0	66.5
1994	2,924	53.6	1.01	51.6	55.6	460	62.3	2.93	56.7	68.3
1995	2,974	54.9	1.02	52.9	57.0	455	60.0	2.84	54.6	65.8
1996	2,991	55.3	1.03	53.3	57.3	509	66.6	2.97	60.9	72.6
1997	3,016	55.2	1.02	53.2	57.2	465	59.5	2.78	54.1	65.1
1998	3,092	56.4	1.03	54.4	58.5	484	60.9	2.78	55.5	66.6
1999	3,162	57.6	1.04	55.5	59.6	518	64.0	2.83	58.6	69.8
2000	3,181	57.9	1.04	55.9	60.0	454	55.4	2.61	50.4	60.7
2001	3,246	59.0	1.05	57.0	61.1	499	60.4	2.72	55.2	66.0
2002	3,365	60.9	1.06	58.8	63.0	569	67.6	2.85	62.2	73.4
2003	3,436	62.3	1.08	60.2	64.4	565	66.0	2.80	60.6	71.7
2004	3,359	60.6	1.06	58.5	62.7	568	64.9	2.74	59.7	70.5
2005	3,483	62.8	1.08	60.7	64.9	569	64.2	2.71	59.0	69.8
2006	3,568	63.8	1.08	61.7	66.0	628	69.8	2.81	64.4	75.5
2007	3,639	64.6	1.09	62.4	66.7	597	65.8	2.72	60.6	71.3
2008	3,718	65.4	1.09	63.3	67.5	609	65.3	2.67	60.1	70.7
2009	3,812	66.8	1.10	64.6	69.0	649	68.0	2.70	62.8	73.5
2010	3,673	63.7	1.07	61.6	65.8	630	65.4	2.64	60.3	70.8
2011	3,626	61.9	1.05	59.8	64.0	616	61.8	2.53	57.0	67.0
2012	3,643	61.7	1.04	59.7	63.8	690	68.2	2.64	63.1	73.6
2013	3,499	58.1	1.00	56.2	60.1	643	61.7	2.47	57.0	66.8
2014	3,871	64.0	1.05	61.9	66.1	662	61.5	2.43	56.9	66.5
2015	3,747	61.0	1.02	59.1	63.1	697	63.4	2.44	58.7	68.4
2016	3,781	61.2	1.02	59.2	63.3	732	66.4	2.50	61.6	71.5
2017	3,770	59.8	1.00	57.9	61.8	676	59.3	2.32	54.9	64.1
2018	3,861	60.4	0.99	58.4	62.3	716	63.1	2.40	58.5	68.0
2019	3,651	56.5	0.96	54.6	58.4	706	59.9	2.29	55.5	64.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Bones and Joints										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	382	0.9	0.05	0.8	1.0	2,944	0.9	0.02	0.9	0.9
1990	9	1.9	0.78	0.7	4.0	97	0.9	0.10	0.8	1.1
1991	10	1.2	0.43	0.5	2.6	90	0.9	0.09	0.7	1.0
1992	9	0.9	0.35	0.4	2.1	73	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	2.1	77	0.7	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	1.3	86	0.8	0.09	0.7	1.0
1995	8	0.6	0.25	0.2	1.6	119	1.1	0.10	0.9	1.3
1996	7	0.6	0.27	0.2	1.6	98	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	2.9	99	0.9	0.09	0.8	1.1
1998	11	0.8	0.26	0.4	1.7	90	0.8	0.09	0.7	1.0
1999	7	0.3	0.13	0.1	1.1	95	0.9	0.09	0.7	1.1
2000	16	0.9	0.24	0.5	1.7	103	0.9	0.09	0.8	1.1
2001	15	1.1	0.34	0.5	2.1	92	0.8	0.09	0.7	1.0
2002	13	1.2	0.46	0.5	2.4	96	0.9	0.09	0.7	1.1
2003	9	0.7	0.36	0.2	1.8	100	0.9	0.09	0.7	1.1
2004	9	0.4	0.14	0.2	1.0	102	0.9	0.09	0.7	1.1
2005	12	0.7	0.25	0.3	1.5	101	0.9	0.09	0.7	1.1
2006	15	1.4	0.47	0.6	2.6	114	1.0	0.10	0.9	1.2
2007	16	0.9	0.27	0.5	1.7	113	1.0	0.10	0.8	1.2
2008	6	0.5	0.23	0.1	1.2	88	0.8	0.09	0.6	1.0
2009	15	0.7	0.21	0.4	1.3	96	0.9	0.09	0.7	1.1
2010	9	0.5	0.22	0.2	1.2	94	0.8	0.09	0.7	1.0
2011	13	0.7	0.25	0.3	1.4	95	0.8	0.09	0.7	1.0
2012	20	1.1	0.27	0.6	1.8	101	0.9	0.09	0.7	1.1
2013	22	1.3	0.34	0.7	2.1	106	1.0	0.09	0.8	1.2
2014	15	0.8	0.22	0.4	1.4	107	0.9	0.09	0.8	1.1
2015	17	0.8	0.19	0.4	1.3	86	0.8	0.08	0.6	0.9
2016	16	0.7	0.18	0.4	1.2	110	1.0	0.09	0.8	1.2
2017	19	1.0	0.26	0.6	1.6	121	1.1	0.10	0.9	1.3
2018	18	0.9	0.24	0.5	1.5	94	0.8	0.09	0.7	1.0
2019	21	1.1	0.26	0.6	1.7	101	0.9	0.09	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Bones and Joints										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,405	0.9	0.02	0.9	1.0	395	0.7	0.04	0.7	0.8
1990	86	1.0	0.11	0.8	1.3	10	0.6	0.21	0.3	1.2
1991	74	0.8	0.10	0.7	1.1	13	0.7	0.21	0.4	1.3
1992	64	0.7	0.09	0.5	0.9	8	0.4	0.16	0.2	0.9
1993	65	0.7	0.09	0.6	0.9	10	0.6	0.20	0.3	1.1
1994	71	0.8	0.10	0.6	1.0	11	0.7	0.20	0.3	1.2
1995	92	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.7
1996	86	1.0	0.11	0.8	1.2	11	0.7	0.22	0.3	1.3
1997	86	1.0	0.11	0.8	1.2	11	0.6	0.20	0.3	1.2
1998	72	0.8	0.10	0.7	1.0	15	0.8	0.23	0.5	1.4
1999	81	0.9	0.11	0.7	1.2	11	0.7	0.22	0.3	1.3
2000	88	1.0	0.11	0.8	1.2	8	0.4	0.16	0.2	0.9
2001	77	0.9	0.10	0.7	1.1	13	0.8	0.24	0.4	1.5
2002	80	0.9	0.10	0.7	1.1	12	0.6	0.18	0.3	1.1
2003	85	1.0	0.11	0.8	1.2	11	0.7	0.20	0.3	1.2
2004	72	0.8	0.10	0.6	1.0	22	1.2	0.26	0.7	1.9
2005	79	0.9	0.10	0.7	1.1	11	0.6	0.18	0.3	1.1
2006	92	1.1	0.11	0.9	1.3	17	0.9	0.21	0.5	1.4
2007	90	1.1	0.11	0.9	1.3	15	0.8	0.20	0.4	1.3
2008	76	0.9	0.10	0.7	1.1	8	0.4	0.14	0.2	0.8
2009	74	0.9	0.10	0.7	1.1	18	1.0	0.25	0.6	1.6
2010	77	0.9	0.10	0.7	1.1	14	0.8	0.21	0.4	1.3
2011	73	0.8	0.10	0.6	1.0	17	0.8	0.20	0.5	1.3
2012	86	1.0	0.11	0.8	1.2	11	0.6	0.19	0.3	1.1
2013	90	1.1	0.12	0.9	1.3	13	0.7	0.19	0.4	1.2
2014	84	1.0	0.11	0.8	1.2	15	0.8	0.21	0.4	1.3
2015	73	0.9	0.10	0.7	1.1	9	0.4	0.14	0.2	0.8
2016	90	1.0	0.11	0.8	1.3	14	0.8	0.21	0.4	1.3
2017	90	1.0	0.11	0.8	1.3	18	1.0	0.25	0.6	1.7
2018	76	0.9	0.11	0.7	1.1	15	0.8	0.21	0.5	1.4
2019	76	0.9	0.11	0.7	1.2	15	0.8	0.21	0.4	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Bones and Joints										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	209	0.9	0.08	0.7	1.1	1,607	1.0	0.03	1.0	1.1
1990	7	3.7	1.82	1.0	8.9	50	1.0	0.14	0.7	1.3
1991	1	0.1	0.11	0.0	2.6	53	1.1	0.15	0.8	1.4
1992	6	1.4	0.63	0.4	4.1	35	0.7	0.12	0.5	1.0
1993	3	0.3	0.18	0.1	2.6	40	0.8	0.13	0.6	1.1
1994	1	0.1	0.14	0.0	2.4	43	0.9	0.13	0.6	1.2
1995	4	0.5	0.23	0.1	2.5	64	1.3	0.16	1.0	1.6
1996	3	0.7	0.43	0.1	2.9	58	1.2	0.15	0.9	1.5
1997	8	0.9	0.32	0.4	2.8	56	1.1	0.15	0.9	1.5
1998	4	0.4	0.20	0.1	2.2	44	0.9	0.13	0.6	1.1
1999	4	0.4	0.17	0.1	2.0	60	1.2	0.15	0.9	1.5
2000	9	1.1	0.39	0.4	2.8	57	1.1	0.15	0.8	1.4
2001	8	0.8	0.29	0.3	2.3	40	0.8	0.12	0.5	1.0
2002	8	1.6	0.91	0.4	4.3	47	0.9	0.13	0.7	1.2
2003	5	0.4	0.19	0.1	1.7	62	1.2	0.15	0.9	1.5
2004	6	0.5	0.21	0.2	1.8	59	1.1	0.15	0.9	1.4
2005	7	1.0	0.47	0.3	2.5	57	1.1	0.14	0.8	1.4
2006	10	1.6	0.67	0.6	3.5	57	1.1	0.15	0.8	1.4
2007	8	0.8	0.28	0.3	1.9	64	1.2	0.16	1.0	1.6
2008	3	0.7	0.50	0.1	2.3	41	0.8	0.13	0.6	1.1
2009	11	0.9	0.29	0.4	2.0	49	0.9	0.13	0.7	1.2
2010	1	0.1	0.11	0.0	1.0	57	1.0	0.14	0.8	1.4
2011	8	0.8	0.33	0.3	1.9	52	0.9	0.13	0.7	1.3
2012	10	0.8	0.27	0.4	1.8	59	1.1	0.14	0.8	1.4
2013	11	1.3	0.48	0.5	2.6	65	1.2	0.15	0.9	1.6
2014	9	0.9	0.30	0.4	1.8	66	1.2	0.15	0.9	1.5
2015	11	1.1	0.33	0.5	2.0	47	0.9	0.13	0.6	1.1
2016	8	0.7	0.26	0.3	1.5	56	1.0	0.14	0.7	1.3
2017	12	1.0	0.30	0.5	1.9	59	1.1	0.15	0.8	1.4
2018	10	0.8	0.27	0.4	1.7	50	0.9	0.13	0.7	1.2
2019	13	1.4	0.46	0.7	2.6	60	1.1	0.15	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Bones and Joints										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,308	1.1	0.03	1.0	1.1	214	0.9	0.06	0.8	1.0
1990	44	1.1	0.16	0.8	1.4	5	0.8	0.38	0.2	2.0
1991	45	1.1	0.17	0.8	1.5	7	1.0	0.38	0.4	2.1
1992	29	0.7	0.13	0.5	1.0	5	0.6	0.25	0.2	1.5
1993	35	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.4
1994	35	0.9	0.15	0.6	1.2	6	0.7	0.28	0.2	1.6
1995	47	1.1	0.17	0.8	1.5	13	1.7	0.50	0.9	3.0
1996	50	1.2	0.17	0.9	1.6	7	0.9	0.34	0.3	1.9
1997	49	1.2	0.17	0.9	1.6	6	0.9	0.36	0.3	1.9
1998	36	0.9	0.14	0.6	1.2	7	0.8	0.33	0.3	1.8
1999	52	1.3	0.18	1.0	1.7	7	1.1	0.44	0.4	2.3
2000	45	1.1	0.16	0.8	1.5	6	0.8	0.38	0.3	1.9
2001	35	0.8	0.14	0.6	1.2	4	0.8	0.44	0.2	2.0
2002	40	1.0	0.15	0.7	1.3	6	0.7	0.27	0.2	1.5
2003	54	1.3	0.18	1.0	1.7	6	0.9	0.38	0.3	2.0
2004	40	1.0	0.15	0.7	1.3	15	1.8	0.51	1.0	3.2
2005	43	1.0	0.16	0.8	1.4	5	0.6	0.30	0.2	1.5
2006	43	1.1	0.17	0.8	1.5	10	1.0	0.31	0.5	1.9
2007	53	1.3	0.18	1.0	1.7	8	1.0	0.34	0.4	1.9
2008	36	0.9	0.15	0.6	1.2	4	0.4	0.22	0.1	1.2
2009	42	1.0	0.15	0.7	1.3	6	0.7	0.30	0.3	1.6
2010	49	1.1	0.16	0.8	1.5	6	0.7	0.29	0.2	1.6
2011	37	0.8	0.14	0.6	1.2	13	1.4	0.43	0.7	2.5
2012	53	1.2	0.17	0.9	1.6	3	0.6	0.34	0.1	1.6
2013	55	1.4	0.19	1.0	1.8	8	0.8	0.31	0.4	1.7
2014	51	1.2	0.17	0.8	1.5	9	1.2	0.42	0.5	2.3
2015	41	1.0	0.16	0.7	1.3	3	0.3	0.18	0.1	1.0
2016	44	1.0	0.15	0.7	1.3	8	1.0	0.35	0.4	2.0
2017	42	1.0	0.16	0.7	1.4	10	1.2	0.41	0.6	2.3
2018	39	0.9	0.15	0.7	1.3	9	1.0	0.34	0.5	2.0
2019	44	1.1	0.17	0.8	1.4	8	1.0	0.36	0.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Bones and Joints										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	173	0.8	0.07	0.7	1.0	1,337	0.8	0.02	0.7	0.8
1990	2	0.5	0.38	0.1	2.5	47	0.9	0.13	0.6	1.2
1991	9	2.4	0.88	1.0	5.1	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	2.1	38	0.7	0.11	0.5	0.9
1993	4	1.4	0.73	0.4	3.8	37	0.6	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	2.3	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	2.5	55	1.0	0.13	0.7	1.3
1996	4	0.6	0.31	0.1	2.1	40	0.7	0.11	0.5	1.0
1997	4	1.4	0.92	0.2	4.2	43	0.8	0.12	0.6	1.1
1998	7	1.2	0.49	0.4	2.9	46	0.8	0.12	0.6	1.1
1999	3	0.3	0.20	0.1	1.6	35	0.6	0.10	0.4	0.8
2000	7	0.7	0.27	0.3	2.0	46	0.8	0.12	0.6	1.1
2001	7	1.4	0.59	0.5	3.2	52	0.9	0.13	0.7	1.2
2002	5	0.8	0.45	0.2	2.3	49	0.9	0.12	0.6	1.1
2003	4	1.0	0.61	0.2	2.8	38	0.7	0.11	0.5	0.9
2004	3	0.3	0.18	0.1	1.3	43	0.7	0.11	0.5	1.0
2005	5	0.5	0.25	0.2	1.6	44	0.7	0.11	0.5	1.0
2006	5	1.1	0.60	0.3	2.8	57	1.0	0.13	0.8	1.3
2007	8	1.1	0.44	0.4	2.4	49	0.8	0.12	0.6	1.1
2008	3	0.3	0.15	0.1	1.1	47	0.8	0.12	0.6	1.1
2009	4	0.5	0.29	0.1	1.5	47	0.8	0.12	0.6	1.1
2010	8	0.9	0.40	0.3	2.1	37	0.7	0.11	0.5	0.9
2011	5	0.6	0.34	0.1	1.7	43	0.7	0.12	0.5	1.0
2012	10	1.2	0.43	0.6	2.4	42	0.7	0.11	0.5	0.9
2013	11	1.3	0.46	0.6	2.6	41	0.7	0.11	0.5	1.0
2014	6	0.7	0.31	0.2	1.6	41	0.7	0.12	0.5	1.0
2015	6	0.5	0.18	0.2	1.1	39	0.7	0.11	0.5	0.9
2016	8	0.7	0.26	0.3	1.5	54	0.9	0.13	0.7	1.2
2017	7	0.9	0.38	0.3	1.9	62	1.0	0.13	0.8	1.3
2018	8	0.9	0.36	0.4	1.9	44	0.8	0.12	0.5	1.0
2019	8	0.7	0.27	0.3	1.5	41	0.7	0.12	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Bones and Joints										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,097	0.8	0.03	0.8	0.9	181	0.6	0.05	0.5	0.7
1990	42	1.0	0.15	0.7	1.3	5	0.5	0.25	0.2	1.3
1991	29	0.6	0.12	0.4	0.9	6	0.6	0.23	0.2	1.3
1992	35	0.8	0.13	0.5	1.1	3	0.3	0.19	0.1	1.0
1993	30	0.6	0.12	0.4	0.9	6	0.7	0.28	0.2	1.5
1994	36	0.8	0.14	0.6	1.1	5	0.6	0.27	0.2	1.4
1995	45	1.0	0.15	0.7	1.3	6	0.6	0.26	0.2	1.4
1996	36	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.3
1997	37	0.9	0.14	0.6	1.2	5	0.5	0.23	0.2	1.2
1998	36	0.8	0.13	0.6	1.1	8	0.9	0.31	0.4	1.7
1999	29	0.6	0.12	0.4	0.9	4	0.4	0.21	0.1	1.1
2000	43	0.9	0.15	0.7	1.3	2	0.2	0.13	0.0	0.7
2001	42	1.0	0.15	0.7	1.3	9	1.0	0.33	0.4	1.9
2002	40	0.9	0.14	0.6	1.2	6	0.6	0.24	0.2	1.3
2003	31	0.7	0.13	0.5	1.0	5	0.5	0.23	0.2	1.2
2004	32	0.7	0.12	0.4	0.9	7	0.7	0.27	0.3	1.5
2005	36	0.8	0.13	0.5	1.1	6	0.6	0.24	0.2	1.3
2006	49	1.1	0.16	0.8	1.5	7	0.7	0.27	0.3	1.5
2007	37	0.8	0.14	0.6	1.1	7	0.6	0.24	0.3	1.3
2008	40	0.9	0.14	0.6	1.2	4	0.4	0.18	0.1	0.9
2009	32	0.8	0.14	0.5	1.1	12	1.2	0.36	0.6	2.1
2010	28	0.6	0.13	0.4	0.9	8	0.8	0.29	0.4	1.6
2011	36	0.8	0.14	0.6	1.1	4	0.4	0.19	0.1	1.0
2012	33	0.7	0.13	0.5	1.0	8	0.8	0.27	0.3	1.5
2013	35	0.8	0.14	0.5	1.1	5	0.5	0.22	0.2	1.2
2014	33	0.8	0.14	0.5	1.1	6	0.6	0.25	0.2	1.4
2015	32	0.7	0.14	0.5	1.1	6	0.6	0.23	0.2	1.2
2016	46	1.1	0.17	0.8	1.4	6	0.6	0.25	0.2	1.3
2017	48	1.0	0.16	0.8	1.4	8	0.9	0.30	0.4	1.7
2018	37	0.8	0.15	0.6	1.2	6	0.7	0.27	0.2	1.4
2019	32	0.8	0.14	0.5	1.1	7	0.7	0.26	0.3	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Soft Tissue including Heart										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	968	2.9	0.11	2.6	3.1	10,682	3.1	0.03	3.0	3.1
1990	12	1.7	0.60	0.7	3.4	242	2.3	0.15	2.0	2.6
1991	11	1.7	0.56	0.8	3.3	213	2.0	0.14	1.8	2.3
1992	16	2.6	0.81	1.3	4.7	245	2.3	0.15	2.0	2.6
1993	11	1.4	0.50	0.6	2.8	244	2.3	0.15	2.0	2.6
1994	14	1.7	0.53	0.8	3.2	278	2.6	0.15	2.3	2.9
1995	18	1.9	0.52	1.0	3.4	276	2.5	0.15	2.2	2.8
1996	23	2.9	0.84	1.5	5.0	362	3.3	0.17	3.0	3.7
1997	24	3.4	0.86	1.9	5.5	338	3.1	0.17	2.7	3.4
1998	26	3.0	0.70	1.8	4.8	322	2.9	0.16	2.6	3.2
1999	15	1.6	0.50	0.7	2.9	320	2.9	0.16	2.6	3.2
2000	16	1.5	0.46	0.7	2.8	285	2.5	0.15	2.3	2.9
2001	31	3.3	0.78	2.0	5.2	342	3.1	0.17	2.7	3.4
2002	17	1.3	0.40	0.7	2.4	327	2.9	0.16	2.6	3.2
2003	32	2.4	0.56	1.4	3.8	375	3.3	0.17	3.0	3.7
2004	33	2.8	0.59	1.7	4.2	358	3.1	0.17	2.8	3.5
2005	35	2.4	0.50	1.6	3.7	356	3.1	0.17	2.8	3.4
2006	31	3.4	0.73	2.2	5.1	402	3.5	0.18	3.2	3.9
2007	38	3.4	0.67	2.2	5.0	384	3.3	0.17	3.0	3.7
2008	35	2.8	0.60	1.8	4.2	400	3.5	0.18	3.1	3.8
2009	39	3.1	0.61	2.0	4.5	387	3.3	0.17	3.0	3.7
2010	49	3.8	0.67	2.6	5.3	403	3.4	0.17	3.1	3.8
2011	38	2.9	0.55	1.9	4.2	393	3.3	0.17	3.0	3.7
2012	56	3.8	0.56	2.7	5.0	406	3.3	0.17	3.0	3.7
2013	50	3.4	0.54	2.4	4.6	433	3.6	0.18	3.2	3.9
2014	42	3.0	0.51	2.1	4.1	452	3.7	0.18	3.4	4.1
2015	50	2.9	0.44	2.1	3.9	401	3.2	0.17	2.9	3.6
2016	53	3.2	0.49	2.3	4.3	448	3.6	0.18	3.3	4.0
2017	54	3.5	0.52	2.5	4.6	451	3.7	0.18	3.3	4.0
2018	54	3.2	0.48	2.4	4.3	429	3.4	0.17	3.1	3.7
2019	45	2.5	0.41	1.8	3.4	410	3.3	0.17	3.0	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Soft Tissue including Heart										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,596	3.0	0.03	3.0	3.1	1,685	3.4	0.08	3.2	3.6
1990	197	2.2	0.16	1.9	2.6	42	3.0	0.48	2.1	4.1
1991	180	2.0	0.15	1.7	2.3	30	2.4	0.46	1.6	3.4
1992	197	2.2	0.16	1.9	2.5	41	3.0	0.47	2.1	4.0
1993	206	2.3	0.16	2.0	2.6	35	2.5	0.43	1.7	3.5
1994	235	2.6	0.17	2.2	2.9	41	2.8	0.46	2.0	3.9
1995	231	2.5	0.17	2.2	2.9	40	2.5	0.40	1.8	3.4
1996	297	3.2	0.19	2.9	3.6	52	3.6	0.52	2.7	4.8
1997	273	2.9	0.18	2.6	3.3	56	3.8	0.53	2.8	5.0
1998	258	2.8	0.17	2.5	3.2	56	3.6	0.50	2.7	4.7
1999	253	2.7	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7
2000	235	2.5	0.17	2.2	2.9	43	2.7	0.42	1.9	3.6
2001	282	3.1	0.19	2.7	3.5	48	3.1	0.46	2.3	4.1
2002	272	2.9	0.18	2.6	3.3	45	2.8	0.43	2.0	3.8
2003	313	3.4	0.19	3.0	3.8	50	3.1	0.45	2.3	4.1
2004	284	3.0	0.18	2.7	3.4	60	3.6	0.47	2.7	4.6
2005	276	2.9	0.18	2.6	3.3	60	3.7	0.49	2.8	4.8
2006	320	3.4	0.19	3.0	3.8	73	4.2	0.51	3.3	5.4
2007	313	3.4	0.20	3.0	3.8	56	3.3	0.45	2.5	4.3
2008	323	3.5	0.20	3.1	3.9	64	3.8	0.48	2.9	4.8
2009	309	3.3	0.19	2.9	3.7	54	3.1	0.43	2.3	4.1
2010	322	3.3	0.19	2.9	3.7	61	3.5	0.46	2.7	4.5
2011	318	3.4	0.20	3.0	3.8	62	3.4	0.44	2.6	4.4
2012	328	3.3	0.19	3.0	3.7	66	3.6	0.45	2.8	4.6
2013	343	3.5	0.20	3.2	3.9	65	3.6	0.46	2.8	4.7
2014	346	3.6	0.20	3.2	4.0	80	4.3	0.50	3.4	5.4
2015	309	3.1	0.18	2.7	3.5	76	4.2	0.49	3.3	5.3
2016	358	3.6	0.20	3.2	4.0	73	4.0	0.47	3.1	5.0
2017	342	3.5	0.20	3.1	3.9	78	4.3	0.49	3.3	5.3
2018	343	3.4	0.19	3.0	3.8	64	3.3	0.42	2.5	4.2
2019	333	3.4	0.20	3.0	3.8	59	3.1	0.42	2.4	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Soft Tissue including Heart										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	538	3.3	0.18	3.0	3.7	5,716	3.7	0.05	3.6	3.8
1990	9	3.1	1.29	1.1	7.0	129	2.7	0.25	2.3	3.3
1991	2	0.8	0.55	0.1	3.6	105	2.2	0.22	1.8	2.7
1992	9	3.6	1.66	1.1	8.3	111	2.4	0.23	2.0	2.9
1993	6	1.1	0.57	0.3	3.7	123	2.5	0.23	2.1	3.0
1994	9	2.0	0.83	0.7	4.9	151	3.2	0.26	2.7	3.7
1995	15	3.0	0.93	1.4	5.9	139	2.9	0.25	2.4	3.4
1996	14	2.4	0.75	1.2	5.0	190	3.9	0.29	3.4	4.5
1997	15	3.8	1.19	1.8	7.1	182	3.8	0.28	3.2	4.4
1998	12	3.2	1.22	1.3	6.6	177	3.6	0.28	3.1	4.2
1999	11	2.5	1.00	1.0	5.5	177	3.5	0.27	3.0	4.1
2000	5	0.9	0.48	0.2	2.8	147	3.0	0.25	2.5	3.5
2001	15	2.8	0.91	1.3	5.3	187	3.7	0.27	3.2	4.2
2002	7	0.6	0.24	0.2	2.0	170	3.5	0.27	3.0	4.1
2003	22	3.6	1.25	1.6	6.8	184	3.6	0.27	3.1	4.2
2004	20	3.6	1.11	1.8	6.4	192	3.8	0.27	3.2	4.3
2005	22	2.7	0.72	1.5	4.6	187	3.6	0.27	3.1	4.2
2006	21	4.7	1.21	2.6	7.6	192	3.8	0.27	3.2	4.3
2007	13	3.1	1.14	1.3	6.0	220	4.2	0.29	3.7	4.8
2008	14	2.0	0.81	0.7	4.1	215	4.2	0.29	3.6	4.8
2009	23	4.7	1.27	2.5	7.7	195	3.7	0.27	3.2	4.2
2010	26	3.7	0.89	2.1	5.9	221	4.1	0.28	3.6	4.7
2011	22	3.5	0.92	2.0	5.8	229	4.2	0.28	3.6	4.8
2012	30	4.4	0.94	2.8	6.6	210	3.8	0.27	3.3	4.3
2013	30	4.4	0.95	2.7	6.7	239	4.3	0.29	3.8	4.9
2014	24	3.9	0.92	2.3	6.1	256	4.6	0.29	4.0	5.2
2015	33	3.6	0.69	2.3	5.2	241	4.3	0.28	3.7	4.8
2016	32	4.3	0.88	2.8	6.4	235	4.2	0.28	3.7	4.8
2017	22	2.9	0.72	1.7	4.7	255	4.5	0.29	4.0	5.1
2018	30	4.1	0.87	2.6	6.2	228	3.9	0.26	3.4	4.4
2019	25	2.9	0.67	1.8	4.5	229	4.1	0.28	3.5	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Soft Tissue including Heart										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,709	3.7	0.05	3.6	3.8	778	3.6	0.14	3.4	3.9
1990	105	2.6	0.26	2.1	3.2	22	3.5	0.86	2.0	5.6
1991	87	2.1	0.23	1.7	2.7	15	2.8	0.79	1.5	4.8
1992	91	2.3	0.25	1.8	2.8	18	3.1	0.77	1.8	5.0
1993	105	2.6	0.25	2.1	3.1	18	2.9	0.71	1.7	4.7
1994	131	3.3	0.29	2.7	3.9	19	3.0	0.73	1.8	4.8
1995	122	3.0	0.28	2.5	3.6	14	1.8	0.49	1.0	3.1
1996	158	3.9	0.31	3.3	4.5	26	4.3	0.92	2.7	6.5
1997	151	3.7	0.30	3.1	4.3	27	4.2	0.87	2.7	6.3
1998	147	3.6	0.30	3.0	4.2	27	3.7	0.78	2.3	5.5
1999	137	3.3	0.28	2.8	3.9	30	4.9	0.97	3.2	7.2
2000	122	3.0	0.27	2.5	3.5	20	2.9	0.70	1.7	4.6
2001	156	3.7	0.30	3.1	4.3	27	4.0	0.81	2.5	5.9
2002	146	3.6	0.30	3.0	4.2	19	2.6	0.64	1.5	4.2
2003	153	3.7	0.30	3.1	4.3	23	3.3	0.74	2.0	5.1
2004	160	3.8	0.30	3.2	4.4	22	3.3	0.75	2.0	5.1
2005	150	3.5	0.29	3.0	4.1	28	4.3	0.91	2.7	6.4
2006	162	3.8	0.30	3.2	4.4	27	3.5	0.71	2.3	5.2
2007	187	4.4	0.33	3.8	5.1	27	3.8	0.77	2.4	5.6
2008	179	4.3	0.32	3.7	5.0	27	3.6	0.72	2.3	5.3
2009	163	3.7	0.30	3.2	4.4	19	2.5	0.60	1.4	3.9
2010	177	3.9	0.30	3.4	4.6	31	4.5	0.87	3.0	6.5
2011	192	4.3	0.32	3.7	5.0	27	3.4	0.69	2.2	5.1
2012	172	3.8	0.30	3.3	4.5	28	3.5	0.67	2.3	5.0
2013	193	4.3	0.32	3.7	5.0	30	3.8	0.71	2.5	5.4
2014	206	4.6	0.33	4.0	5.3	34	4.0	0.70	2.8	5.7
2015	192	4.1	0.31	3.5	4.8	39	5.4	0.89	3.8	7.4
2016	191	4.2	0.32	3.6	4.9	34	4.4	0.77	3.0	6.2
2017	195	4.3	0.32	3.7	5.0	39	4.9	0.81	3.4	6.7
2018	185	3.9	0.30	3.3	4.5	31	3.5	0.64	2.3	5.0
2019	194	4.3	0.32	3.7	5.0	30	3.9	0.73	2.6	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Soft Tissue including Heart										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	430	2.5	0.13	2.2	2.7	4,966	2.7	0.04	2.6	2.7
1990	3	0.5	0.26	0.1	2.3	113	2.0	0.19	1.6	2.4
1991	9	2.7	1.00	1.1	5.6	108	1.9	0.18	1.5	2.3
1992	7	2.0	0.84	0.7	4.6	134	2.3	0.20	1.9	2.7
1993	5	1.6	0.81	0.4	4.1	121	2.0	0.19	1.7	2.4
1994	5	1.4	0.67	0.4	3.6	127	2.1	0.19	1.8	2.5
1995	3	0.9	0.50	0.2	2.7	137	2.3	0.20	1.9	2.7
1996	9	3.0	1.26	1.1	6.4	172	2.9	0.22	2.4	3.3
1997	9	2.8	1.12	1.1	5.8	156	2.5	0.21	2.2	3.0
1998	14	3.0	0.87	1.6	5.4	145	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.2	2.2	143	2.3	0.20	2.0	2.8
2000	11	2.1	0.77	0.9	4.3	138	2.2	0.19	1.9	2.6
2001	16	3.7	1.14	1.8	6.6	155	2.6	0.21	2.2	3.0
2002	10	2.0	0.72	0.9	4.0	157	2.6	0.21	2.2	3.0
2003	10	1.4	0.47	0.6	2.9	191	3.1	0.23	2.7	3.6
2004	13	2.1	0.62	1.1	3.8	166	2.7	0.21	2.3	3.1
2005	13	2.1	0.69	1.0	3.9	169	2.7	0.21	2.3	3.1
2006	10	2.3	0.83	1.0	4.4	210	3.4	0.24	3.0	3.9
2007	25	3.9	0.90	2.4	6.1	164	2.7	0.21	2.3	3.1
2008	21	3.6	0.91	2.0	5.8	185	3.0	0.22	2.5	3.4
2009	16	2.0	0.53	1.1	3.4	192	3.1	0.23	2.7	3.6
2010	23	3.7	0.93	2.1	5.9	182	2.9	0.22	2.5	3.3
2011	16	2.4	0.67	1.2	4.0	164	2.6	0.21	2.2	3.1
2012	26	3.2	0.69	2.0	4.9	196	2.9	0.21	2.5	3.4
2013	20	2.5	0.61	1.4	4.0	194	3.0	0.23	2.6	3.5
2014	18	2.3	0.55	1.3	3.6	196	3.0	0.22	2.6	3.5
2015	17	2.2	0.55	1.2	3.5	160	2.4	0.20	2.1	2.9
2016	21	2.3	0.53	1.4	3.6	213	3.2	0.23	2.7	3.7
2017	32	4.0	0.76	2.7	5.8	196	2.9	0.22	2.5	3.4
2018	24	2.6	0.56	1.6	4.0	201	3.0	0.23	2.6	3.5
2019	20	2.2	0.51	1.3	3.4	181	2.7	0.21	2.3	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Soft Tissue including Heart										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,887	2.6	0.04	2.5	2.7	907	3.2	0.11	3.0	3.5
1990	92	2.0	0.21	1.6	2.4	20	2.6	0.60	1.6	4.1
1991	93	1.9	0.21	1.6	2.4	15	2.1	0.55	1.1	3.4
1992	106	2.2	0.21	1.8	2.6	23	2.9	0.61	1.8	4.4
1993	101	2.0	0.21	1.7	2.5	17	2.1	0.52	1.2	3.4
1994	104	2.1	0.21	1.7	2.6	22	2.7	0.58	1.7	4.1
1995	109	2.2	0.22	1.8	2.7	26	3.0	0.60	1.9	4.4
1996	139	2.8	0.24	2.3	3.3	26	3.2	0.63	2.1	4.7
1997	122	2.4	0.22	2.0	2.8	29	3.5	0.66	2.3	5.0
1998	111	2.3	0.22	1.8	2.7	29	3.5	0.65	2.3	5.0
1999	116	2.3	0.22	1.9	2.8	25	2.8	0.56	1.8	4.1
2000	113	2.2	0.21	1.8	2.7	23	2.5	0.53	1.6	3.8
2001	126	2.6	0.24	2.2	3.1	21	2.4	0.53	1.5	3.7
2002	126	2.6	0.24	2.2	3.1	26	2.9	0.57	1.9	4.2
2003	160	3.3	0.26	2.8	3.8	27	2.9	0.57	1.9	4.3
2004	124	2.4	0.22	2.0	2.9	38	4.0	0.65	2.8	5.5
2005	126	2.5	0.23	2.0	2.9	32	3.4	0.61	2.3	4.9
2006	158	3.2	0.26	2.7	3.7	46	4.8	0.71	3.5	6.4
2007	126	2.6	0.24	2.2	3.1	29	3.0	0.56	2.0	4.3
2008	144	2.9	0.25	2.4	3.4	37	3.9	0.64	2.7	5.3
2009	146	3.0	0.26	2.5	3.5	35	3.6	0.62	2.5	5.1
2010	145	2.8	0.24	2.3	3.3	30	3.0	0.55	2.0	4.3
2011	126	2.6	0.25	2.2	3.2	35	3.4	0.58	2.3	4.7
2012	156	2.9	0.24	2.4	3.4	38	3.7	0.60	2.6	5.0
2013	150	3.0	0.26	2.5	3.5	35	3.5	0.60	2.4	4.9
2014	140	2.7	0.24	2.3	3.2	46	4.5	0.68	3.3	6.0
2015	117	2.2	0.22	1.8	2.7	37	3.5	0.59	2.4	4.9
2016	167	3.1	0.26	2.6	3.7	39	3.7	0.60	2.6	5.0
2017	147	2.7	0.24	2.3	3.2	39	3.8	0.62	2.7	5.2
2018	158	3.1	0.26	2.6	3.6	33	3.0	0.54	2.1	4.3
2019	139	2.7	0.25	2.3	3.3	29	2.5	0.48	1.7	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Skin excluding Basal and Squamous										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,414	5.2	0.16	4.9	5.5	63,082	17.9	0.07	17.8	18.1
1990	12	2.4	0.91	1.0	4.9	900	8.7	0.29	8.1	9.3
1991	16	3.8	1.24	1.7	6.8	958	9.3	0.30	8.7	9.9
1992	17	2.7	0.70	1.5	4.6	1,021	9.6	0.30	9.1	10.3
1993	19	4.1	1.08	2.2	6.7	965	9.0	0.29	8.4	9.5
1994	19	3.2	0.88	1.7	5.4	1,171	10.8	0.32	10.2	11.5
1995	30	5.2	1.15	3.2	7.9	1,212	11.1	0.32	10.5	11.8
1996	27	4.2	1.04	2.4	6.6	1,316	12.0	0.33	11.3	12.7
1997	25	3.9	1.03	2.1	6.4	1,440	13.0	0.34	12.4	13.7
1998	27	5.1	1.21	3.0	8.0	1,473	13.2	0.34	12.6	13.9
1999	38	6.4	1.32	4.1	9.4	1,523	13.6	0.35	12.9	14.3
2000	34	5.2	1.10	3.3	7.7	1,656	14.7	0.36	14.0	15.4
2001	23	2.4	0.62	1.4	4.0	1,778	15.7	0.37	15.0	16.4
2002	41	5.7	1.08	3.7	8.1	1,789	15.7	0.37	15.0	16.4
2003	41	4.5	0.88	2.9	6.5	1,834	16.0	0.37	15.3	16.7
2004	42	4.3	0.83	2.8	6.2	1,969	17.1	0.39	16.3	17.9
2005	45	4.9	0.87	3.3	6.9	2,191	18.9	0.41	18.1	19.7
2006	48	5.1	0.89	3.5	7.1	2,236	19.3	0.41	18.5	20.1
2007	52	5.4	0.92	3.8	7.5	2,322	19.8	0.42	19.0	20.6
2008	39	3.6	0.66	2.4	5.1	2,510	21.1	0.43	20.3	22.0
2009	58	4.3	0.65	3.1	5.8	2,519	21.1	0.43	20.3	22.0
2010	57	5.0	0.76	3.6	6.7	2,458	20.2	0.42	19.4	21.1
2011	68	6.5	0.90	4.9	8.5	2,619	21.4	0.43	20.6	22.3
2012	70	5.8	0.78	4.3	7.5	2,708	21.9	0.43	21.1	22.8
2013	66	5.9	0.80	4.4	7.6	2,644	21.0	0.42	20.2	21.8
2014	71	5.8	0.77	4.4	7.4	2,827	22.0	0.42	21.2	22.8
2015	66	5.0	0.67	3.8	6.5	3,085	24.3	0.45	23.4	25.2
2016	70	5.0	0.65	3.8	6.4	3,400	26.3	0.47	25.4	27.2
2017	96	6.7	0.74	5.4	8.3	3,446	26.7	0.47	25.8	27.7
2018	94	6.2	0.69	5.0	7.7	3,408	26.0	0.46	25.1	26.9
2019	103	6.5	0.69	5.3	8.0	3,704	28.0	0.48	27.1	29.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Skin excluding Basal and Squamous										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	59,565	20.6	0.09	20.4	20.8	873	1.8	0.06	1.7	1.9
1990	869	9.8	0.34	9.2	10.5	23	1.9	0.41	1.2	2.9
1991	932	10.6	0.35	9.9	11.3	18	1.5	0.36	0.8	2.3
1992	980	10.9	0.35	10.2	11.6	22	1.5	0.33	0.9	2.3
1993	937	10.2	0.34	9.6	10.9	24	1.7	0.36	1.1	2.5
1994	1,131	12.4	0.37	11.6	13.1	20	1.4	0.31	0.8	2.1
1995	1,159	12.7	0.37	11.9	13.4	23	1.6	0.34	1.0	2.4
1996	1,260	13.7	0.39	12.9	14.5	24	1.7	0.37	1.1	2.6
1997	1,365	14.7	0.40	14.0	15.5	30	2.0	0.37	1.3	2.8
1998	1,391	14.9	0.40	14.1	15.7	31	2.2	0.40	1.5	3.1
1999	1,462	15.7	0.41	14.9	16.5	30	2.0	0.38	1.3	2.9
2000	1,564	16.7	0.42	15.9	17.6	26	1.6	0.31	1.0	2.3
2001	1,673	17.8	0.44	17.0	18.7	31	2.1	0.40	1.4	3.1
2002	1,672	17.8	0.44	17.0	18.7	26	1.6	0.31	1.0	2.3
2003	1,692	17.9	0.44	17.0	18.8	37	2.3	0.39	1.6	3.2
2004	1,835	19.4	0.46	18.5	20.3	25	1.6	0.32	1.0	2.3
2005	2,004	21.1	0.48	20.2	22.0	33	2.1	0.38	1.5	3.0
2006	2,093	22.1	0.49	21.1	23.0	42	2.5	0.40	1.8	3.4
2007	2,198	23.1	0.50	22.1	24.1	37	2.3	0.38	1.6	3.1
2008	2,357	24.4	0.51	23.4	25.4	34	2.1	0.36	1.4	2.9
2009	2,368	24.5	0.51	23.5	25.5	42	2.5	0.39	1.8	3.4
2010	2,304	23.5	0.50	22.5	24.5	34	2.0	0.36	1.4	2.9
2011	2,455	24.9	0.52	23.9	25.9	30	1.6	0.30	1.1	2.3
2012	2,554	25.6	0.52	24.6	26.7	29	1.6	0.31	1.1	2.4
2013	2,529	25.0	0.51	24.0	26.1	31	1.7	0.32	1.2	2.5
2014	2,675	25.9	0.52	24.9	26.9	24	1.3	0.27	0.8	2.0
2015	2,928	28.9	0.56	27.8	30.0	33	1.9	0.34	1.3	2.7
2016	3,243	31.7	0.58	30.5	32.8	30	1.8	0.33	1.2	2.5
2017	3,320	32.6	0.59	31.4	33.8	25	1.4	0.27	0.9	2.0
2018	3,173	30.6	0.57	29.5	31.7	33	1.6	0.29	1.1	2.3
2019	3,442	33.1	0.60	32.0	34.3	26	1.4	0.27	0.9	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Skin excluding Basal and Squamous										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	665	5.7	0.27	5.2	6.2	35,494	22.7	0.12	22.4	22.9
1990	6	2.9	1.70	0.6	7.9	474	10.6	0.50	9.6	11.6
1991	8	3.1	1.67	0.7	7.9	504	11.0	0.50	10.0	12.0
1992	7	2.4	0.98	0.9	5.6	565	12.1	0.52	11.1	13.2
1993	9	5.9	2.38	2.2	12.1	525	11.2	0.50	10.2	12.2
1994	10	4.5	1.88	1.6	9.5	629	13.3	0.54	12.3	14.4
1995	17	7.9	2.33	4.0	13.6	687	14.4	0.56	13.3	15.6
1996	12	2.8	0.95	1.3	5.7	706	14.6	0.55	13.5	15.7
1997	13	3.4	1.30	1.4	7.0	817	16.8	0.59	15.6	18.0
1998	16	9.3	2.82	4.6	16.1	822	17.0	0.60	15.8	18.2
1999	25	11.6	3.04	6.5	18.7	887	18.0	0.61	16.8	19.2
2000	17	6.3	1.98	3.1	11.2	923	18.6	0.62	17.4	19.9
2001	13	3.7	1.29	1.6	7.1	987	19.7	0.63	18.5	21.0
2002	18	6.4	1.94	3.2	11.1	1,039	20.7	0.65	19.4	22.0
2003	17	3.5	0.99	1.8	6.1	1,015	20.0	0.63	18.8	21.3
2004	19	4.8	1.53	2.3	8.6	1,143	22.2	0.66	21.0	23.6
2005	25	5.4	1.34	3.1	8.7	1,200	23.3	0.68	22.0	24.6
2006	19	5.4	1.56	2.8	9.2	1,221	23.6	0.68	22.3	25.0
2007	26	7.0	1.77	4.0	11.1	1,258	24.0	0.69	22.7	25.4
2008	20	3.9	0.98	2.2	6.3	1,427	26.8	0.72	25.4	28.2
2009	21	3.5	0.89	2.0	5.7	1,402	26.0	0.71	24.7	27.5
2010	28	6.0	1.38	3.6	9.2	1,423	25.8	0.70	24.5	27.2
2011	26	5.6	1.30	3.3	8.6	1,491	26.8	0.71	25.5	28.3
2012	29	4.9	1.03	3.1	7.3	1,545	27.4	0.71	26.0	28.8
2013	38	7.7	1.43	5.2	11.0	1,487	26.0	0.69	24.6	27.3
2014	37	7.3	1.38	4.8	10.4	1,623	27.7	0.70	26.3	29.1
2015	26	4.6	1.03	2.8	7.0	1,719	29.2	0.72	27.8	30.7
2016	31	4.9	1.01	3.1	7.2	1,908	31.8	0.75	30.4	33.3
2017	44	7.2	1.21	5.1	9.9	2,000	33.3	0.76	31.8	34.8
2018	43	6.3	1.07	4.4	8.7	1,928	31.6	0.74	30.2	33.1
2019	45	6.6	1.09	4.6	9.0	2,139	34.2	0.76	32.8	35.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Skin excluding Basal and Squamous										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	33,792	25.7	0.14	25.4	26.0	375	1.8	0.10	1.7	2.0
1990	453	11.7	0.56	10.6	12.8	14	3.0	0.83	1.6	5.0
1991	494	12.5	0.57	11.4	13.6	8	1.7	0.65	0.7	3.4
1992	547	13.6	0.59	12.5	14.8	8	1.2	0.44	0.5	2.5
1993	513	12.7	0.57	11.6	13.9	10	1.8	0.60	0.8	3.3
1994	605	14.9	0.62	13.8	16.2	12	2.0	0.64	1.0	3.7
1995	667	16.3	0.64	15.1	17.7	10	1.9	0.64	0.8	3.5
1996	683	16.5	0.64	15.3	17.8	9	1.6	0.54	0.7	3.0
1997	783	18.8	0.68	17.5	20.2	10	1.6	0.58	0.7	3.1
1998	786	19.0	0.68	17.7	20.4	13	1.9	0.53	1.0	3.2
1999	856	20.4	0.70	19.1	21.9	16	2.2	0.57	1.3	3.7
2000	876	20.9	0.71	19.6	22.4	11	1.5	0.46	0.7	2.7
2001	931	22.0	0.73	20.6	23.5	17	2.8	0.70	1.6	4.5
2002	984	23.2	0.75	21.8	24.7	10	1.4	0.45	0.7	2.6
2003	963	22.6	0.73	21.2	24.0	10	1.6	0.51	0.7	2.9
2004	1,075	25.0	0.77	23.5	26.5	9	1.1	0.38	0.5	2.2
2005	1,115	25.8	0.78	24.3	27.4	12	1.9	0.61	0.9	3.5
2006	1,158	26.7	0.79	25.2	28.3	19	3.0	0.75	1.7	4.8
2007	1,201	27.4	0.80	25.9	29.0	16	2.2	0.57	1.2	3.7
2008	1,364	30.6	0.84	29.0	32.3	16	2.2	0.60	1.2	3.7
2009	1,320	29.5	0.82	27.9	31.1	18	2.5	0.60	1.4	4.0
2010	1,341	29.3	0.82	27.7	30.9	14	2.3	0.63	1.2	3.8
2011	1,415	30.7	0.83	29.1	32.4	14	1.9	0.51	1.0	3.2
2012	1,470	31.6	0.84	29.9	33.3	16	2.0	0.52	1.1	3.3
2013	1,432	30.3	0.82	28.7	31.9	13	1.6	0.48	0.8	2.8
2014	1,551	32.0	0.84	30.4	33.7	10	1.5	0.48	0.7	2.7
2015	1,648	34.1	0.87	32.4	35.8	13	1.8	0.51	0.9	3.1
2016	1,832	37.5	0.91	35.7	39.3	10	1.2	0.41	0.6	2.3
2017	1,937	39.6	0.93	37.8	41.5	12	1.5	0.44	0.8	2.6
2018	1,801	36.2	0.88	34.5	38.0	14	1.7	0.47	0.9	2.9
2019	1,991	39.3	0.91	37.5	41.1	11	1.4	0.43	0.7	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Skin excluding Basal and Squamous										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	749	4.9	0.20	4.5	5.3	27,588	14.8	0.09	14.6	15.0
1990	6	2.2	1.08	0.6	5.4	426	7.5	0.37	6.8	8.2
1991	8	4.1	1.75	1.5	8.7	454	8.1	0.39	7.3	8.9
1992	10	3.1	1.04	1.4	6.1	456	7.8	0.37	7.1	8.6
1993	10	3.1	1.03	1.4	6.0	440	7.4	0.36	6.8	8.2
1994	9	2.5	0.86	1.1	5.0	542	9.1	0.40	8.4	10.0
1995	13	3.2	1.07	1.5	6.1	525	8.9	0.39	8.1	9.7
1996	15	5.0	1.58	2.4	8.9	610	10.2	0.42	9.4	11.0
1997	12	4.0	1.45	1.7	7.7	623	10.4	0.42	9.6	11.3
1998	11	2.3	0.80	1.0	4.6	651	10.7	0.42	9.9	11.5
1999	13	2.7	0.86	1.3	5.0	636	10.5	0.42	9.7	11.3
2000	17	4.5	1.28	2.4	7.7	733	12.0	0.45	11.2	13.0
2001	10	1.5	0.50	0.7	3.1	791	12.9	0.46	12.0	13.8
2002	23	5.4	1.32	3.1	8.6	750	12.3	0.45	11.5	13.3
2003	24	5.2	1.32	3.0	8.4	819	13.3	0.47	12.4	14.3
2004	23	4.1	0.99	2.4	6.5	826	13.4	0.47	12.5	14.3
2005	20	4.3	1.13	2.4	7.1	991	16.1	0.52	15.1	17.1
2006	29	5.1	1.08	3.2	7.7	1,015	16.5	0.52	15.5	17.5
2007	26	4.5	1.02	2.7	6.9	1,064	17.3	0.54	16.2	18.3
2008	19	3.4	0.87	1.9	5.5	1,083	17.5	0.54	16.5	18.6
2009	37	5.2	0.96	3.5	7.5	1,117	17.8	0.55	16.8	19.0
2010	29	4.3	0.88	2.8	6.4	1,035	16.4	0.52	15.3	17.4
2011	42	7.4	1.27	5.2	10.3	1,128	17.9	0.55	16.9	19.1
2012	41	6.5	1.13	4.5	9.1	1,163	18.3	0.56	17.2	19.4
2013	28	4.4	0.87	2.8	6.4	1,157	17.7	0.54	16.7	18.8
2014	34	4.8	0.90	3.2	6.9	1,204	18.1	0.54	17.1	19.2
2015	40	5.6	0.94	3.9	7.7	1,366	21.1	0.59	19.9	22.3
2016	39	5.2	0.89	3.6	7.3	1,492	22.7	0.62	21.5	24.0
2017	52	6.6	0.97	4.9	8.8	1,446	22.1	0.61	20.9	23.3
2018	51	6.3	0.92	4.7	8.4	1,480	22.2	0.61	21.0	23.4
2019	58	6.8	0.93	5.1	8.9	1,565	23.8	0.64	22.6	25.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Skin excluding Basal and Squamous										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	25,773	17.3	0.11	17.0	17.5	498	1.8	0.08	1.7	2.0
1990	416	8.7	0.44	7.9	9.6	9	1.2	0.42	0.6	2.3
1991	438	9.3	0.46	8.5	10.3	10	1.3	0.43	0.6	2.5
1992	433	8.9	0.44	8.1	9.8	14	1.7	0.46	0.9	2.8
1993	424	8.6	0.42	7.7	9.4	14	1.7	0.46	0.9	2.8
1994	526	10.7	0.47	9.8	11.7	8	0.9	0.33	0.4	1.8
1995	492	10.1	0.46	9.2	11.0	13	1.4	0.40	0.8	2.5
1996	577	11.7	0.50	10.8	12.7	15	1.8	0.48	1.0	3.0
1997	582	11.9	0.50	10.9	12.9	20	2.3	0.52	1.4	3.6
1998	605	12.1	0.50	11.1	13.1	18	2.3	0.54	1.3	3.6
1999	606	12.3	0.51	11.3	13.3	14	1.7	0.47	0.9	2.9
2000	688	13.8	0.54	12.8	14.9	15	1.6	0.42	0.9	2.7
2001	742	15.0	0.56	13.9	16.1	14	1.7	0.45	0.9	2.8
2002	688	14.1	0.55	13.0	15.2	16	1.7	0.43	1.0	2.8
2003	729	14.6	0.55	13.6	15.8	27	2.9	0.56	1.9	4.2
2004	760	15.3	0.57	14.2	16.5	16	1.8	0.45	1.0	2.9
2005	889	18.0	0.62	16.8	19.3	21	2.3	0.51	1.4	3.5
2006	935	19.0	0.64	17.8	20.3	23	2.4	0.50	1.5	3.6
2007	997	20.5	0.67	19.2	21.9	21	2.2	0.49	1.4	3.4
2008	993	20.4	0.66	19.1	21.7	18	2.0	0.47	1.2	3.1
2009	1,048	21.3	0.68	20.0	22.7	24	2.5	0.51	1.6	3.7
2010	963	19.4	0.65	18.1	20.7	20	2.0	0.45	1.2	3.1
2011	1,040	21.1	0.68	19.8	22.5	16	1.5	0.37	0.8	2.4
2012	1,084	21.8	0.69	20.4	23.2	13	1.3	0.38	0.7	2.3
2013	1,097	21.6	0.69	20.3	23.0	18	1.8	0.44	1.1	2.9
2014	1,124	21.7	0.68	20.4	23.1	14	1.3	0.34	0.7	2.1
2015	1,280	25.5	0.75	24.0	27.0	20	2.1	0.47	1.2	3.2
2016	1,411	28.0	0.79	26.5	29.6	20	2.1	0.48	1.3	3.3
2017	1,383	27.6	0.79	26.1	29.2	13	1.2	0.34	0.6	2.1
2018	1,372	27.0	0.78	25.5	28.6	19	1.6	0.37	1.0	2.5
2019	1,451	29.1	0.82	27.5	30.8	15	1.4	0.35	0.8	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Melanoma of the Skin										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,141	4.2	0.14	3.9	4.5	58,134	16.5	0.07	16.4	16.7
1990	10	2.2	0.90	0.8	4.6	802	7.7	0.28	7.2	8.3
1991	12	3.1	1.19	1.2	6.1	868	8.4	0.29	7.8	9.0
1992	13	2.3	0.66	1.2	4.1	910	8.6	0.29	8.0	9.2
1993	15	3.2	0.92	1.6	5.5	839	7.8	0.27	7.3	8.3
1994	13	2.5	0.82	1.2	4.6	1,051	9.7	0.30	9.1	10.3
1995	24	3.8	0.93	2.2	6.1	1,098	10.1	0.31	9.5	10.7
1996	17	2.5	0.76	1.2	4.4	1,188	10.8	0.32	10.2	11.5
1997	18	3.1	0.94	1.5	5.4	1,305	11.8	0.33	11.2	12.5
1998	23	4.4	1.08	2.5	6.9	1,322	11.9	0.33	11.2	12.5
1999	27	4.7	1.15	2.8	7.4	1,388	12.4	0.33	11.8	13.1
2000	30	4.9	1.08	3.0	7.4	1,491	13.3	0.34	12.6	14.0
2001	20	2.2	0.60	1.2	3.7	1,606	14.2	0.35	13.5	14.9
2002	32	4.3	0.90	2.7	6.4	1,630	14.3	0.36	13.6	15.0
2003	34	3.9	0.85	2.5	5.9	1,661	14.5	0.36	13.8	15.2
2004	38	4.0	0.82	2.6	5.9	1,801	15.6	0.37	14.9	16.4
2005	34	3.7	0.76	2.4	5.5	2,008	17.3	0.39	16.6	18.1
2006	37	3.6	0.71	2.4	5.3	2,025	17.4	0.39	16.7	18.2
2007	38	4.3	0.84	2.8	6.2	2,151	18.4	0.40	17.6	19.2
2008	30	3.1	0.63	2.0	4.6	2,302	19.4	0.41	18.6	20.2
2009	45	3.3	0.57	2.3	4.6	2,323	19.5	0.41	18.7	20.3
2010	45	3.8	0.66	2.7	5.3	2,293	18.9	0.40	18.1	19.7
2011	55	5.2	0.81	3.8	7.0	2,450	20.1	0.41	19.3	20.9
2012	53	4.4	0.69	3.2	6.0	2,535	20.5	0.42	19.7	21.3
2013	59	5.3	0.76	3.9	6.9	2,465	19.6	0.40	18.8	20.4
2014	56	4.7	0.70	3.5	6.3	2,642	20.6	0.41	19.8	21.4
2015	58	4.2	0.60	3.1	5.6	2,863	22.6	0.43	21.7	23.4
2016	63	4.6	0.64	3.5	6.1	3,174	24.6	0.45	23.7	25.5
2017	78	5.4	0.67	4.2	6.9	3,229	25.1	0.46	24.2	26.0
2018	76	5.0	0.62	3.9	6.4	3,208	24.5	0.45	23.6	25.4
2019	88	5.5	0.63	4.4	6.9	3,506	26.6	0.47	25.7	27.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Melanoma of the Skin										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	55,322	19.2	0.08	19.0	19.3	366	0.8	0.04	0.7	0.9
1990	786	8.9	0.32	8.3	9.5	9	0.8	0.27	0.4	1.5
1991	853	9.7	0.34	9.1	10.4	10	0.8	0.28	0.4	1.6
1992	890	9.9	0.34	9.3	10.6	9	0.6	0.21	0.3	1.2
1993	831	9.1	0.32	8.5	9.7	4	0.3	0.13	0.1	0.7
1994	1,026	11.2	0.35	10.6	11.9	8	0.6	0.22	0.3	1.2
1995	1,063	11.6	0.36	11.0	12.4	9	0.7	0.25	0.3	1.4
1996	1,153	12.6	0.37	11.8	13.3	10	0.9	0.29	0.4	1.6
1997	1,248	13.5	0.38	12.8	14.3	15	1.1	0.28	0.6	1.8
1998	1,267	13.6	0.38	12.9	14.4	9	0.7	0.23	0.3	1.3
1999	1,345	14.5	0.40	13.7	15.3	16	1.2	0.30	0.7	1.9
2000	1,419	15.2	0.41	14.4	16.1	11	0.7	0.22	0.4	1.3
2001	1,522	16.3	0.42	15.5	17.1	17	1.3	0.32	0.7	2.0
2002	1,540	16.5	0.42	15.7	17.3	11	0.7	0.22	0.4	1.3
2003	1,544	16.4	0.42	15.6	17.2	21	1.4	0.30	0.8	2.1
2004	1,689	17.9	0.44	17.0	18.7	10	0.7	0.22	0.3	1.2
2005	1,854	19.6	0.46	18.7	20.5	14	1.0	0.28	0.5	1.7
2006	1,913	20.2	0.47	19.3	21.1	18	1.2	0.29	0.7	1.9
2007	2,053	21.6	0.48	20.7	22.6	16	1.0	0.26	0.6	1.7
2008	2,180	22.6	0.49	21.7	23.6	8	0.5	0.19	0.2	1.1
2009	2,212	23.0	0.50	22.0	24.0	12	0.7	0.21	0.4	1.3
2010	2,163	22.1	0.49	21.1	23.0	17	1.1	0.26	0.6	1.7
2011	2,307	23.5	0.50	22.5	24.5	14	0.8	0.22	0.4	1.3
2012	2,409	24.2	0.51	23.2	25.2	7	0.4	0.16	0.2	0.9
2013	2,371	23.5	0.50	22.6	24.5	15	0.9	0.23	0.5	1.4
2014	2,512	24.4	0.50	23.4	25.4	12	0.7	0.20	0.4	1.2
2015	2,734	27.1	0.54	26.0	28.2	15	0.9	0.23	0.5	1.4
2016	3,043	29.8	0.57	28.7	30.9	13	0.7	0.21	0.4	1.3
2017	3,121	30.7	0.58	29.6	31.9	13	0.7	0.20	0.4	1.2
2018	3,008	29.1	0.56	28.0	30.2	14	0.7	0.19	0.4	1.2
2019	3,266	31.6	0.58	30.4	32.7	9	0.5	0.15	0.2	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Melanoma of the Skin										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	519	4.7	0.24	4.2	5.2	32,799	20.9	0.12	20.7	21.1
1990	4	2.5	1.68	0.4	7.6	420	9.3	0.46	8.4	10.2
1991	6	2.6	1.61	0.4	7.4	467	10.1	0.48	9.2	11.1
1992	5	2.1	0.96	0.7	5.4	499	10.7	0.49	9.7	11.7
1993	8	4.5	1.89	1.6	9.6	465	9.8	0.46	8.9	10.7
1994	6	3.6	1.79	1.0	8.5	557	11.8	0.51	10.8	12.8
1995	14	6.1	1.99	2.9	11.2	631	13.2	0.53	12.1	14.2
1996	8	1.7	0.73	0.6	4.3	648	13.3	0.53	12.3	14.4
1997	9	3.0	1.27	1.0	6.6	740	15.1	0.56	14.0	16.2
1998	13	7.5	2.41	3.5	13.4	749	15.4	0.57	14.3	16.5
1999	18	8.8	2.69	4.4	15.2	813	16.4	0.58	15.3	17.5
2000	14	5.8	1.95	2.6	10.6	836	16.7	0.58	15.6	17.9
2001	12	3.5	1.28	1.5	6.9	898	17.9	0.60	16.8	19.1
2002	13	4.7	1.51	2.2	8.4	950	18.8	0.61	17.6	20.0
2003	12	2.6	0.88	1.2	5.0	941	18.4	0.61	17.3	19.7
2004	17	4.5	1.51	2.1	8.3	1,055	20.5	0.64	19.2	21.7
2005	16	3.6	1.08	1.8	6.3	1,091	21.1	0.65	19.8	22.4
2006	15	4.4	1.42	2.0	7.8	1,105	21.3	0.65	20.1	22.6
2007	20	5.8	1.65	3.0	9.7	1,175	22.4	0.66	21.1	23.7
2008	13	3.0	0.91	1.5	5.3	1,311	24.6	0.69	23.2	26.0
2009	14	2.6	0.80	1.3	4.7	1,306	24.2	0.68	22.9	25.6
2010	21	4.4	1.18	2.4	7.3	1,326	24.0	0.67	22.7	25.3
2011	20	4.5	1.19	2.5	7.3	1,390	25.0	0.69	23.7	26.4
2012	24	4.3	0.99	2.6	6.6	1,438	25.4	0.69	24.1	26.8
2013	33	6.8	1.35	4.5	9.9	1,396	24.3	0.67	23.0	25.6
2014	30	6.1	1.27	3.9	9.0	1,511	25.7	0.68	24.4	27.0
2015	21	3.4	0.86	2.0	5.5	1,588	26.9	0.69	25.6	28.3
2016	27	4.6	1.00	2.8	6.9	1,778	29.5	0.72	28.1	31.0
2017	36	6.1	1.12	4.1	8.6	1,874	31.1	0.74	29.7	32.6
2018	31	5.1	1.02	3.4	7.5	1,807	29.6	0.72	28.2	31.0
2019	39	5.8	1.04	4.0	8.2	2,034	32.5	0.74	31.1	34.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Melanoma of the Skin										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	31,428	23.9	0.14	23.6	24.1	144	0.8	0.07	0.7	0.9
1990	406	10.3	0.52	9.3	11.4	7	1.5	0.58	0.6	3.1
1991	464	11.7	0.55	10.6	12.8	2	0.6	0.49	0.1	2.1
1992	491	12.2	0.56	11.1	13.3	3	0.4	0.25	0.1	1.4
1993	461	11.3	0.53	10.3	12.4	2	0.3	0.23	0.0	1.2
1994	542	13.4	0.58	12.2	14.5	4	0.8	0.42	0.2	2.1
1995	618	15.1	0.61	13.9	16.3	4	1.0	0.53	0.2	2.5
1996	632	15.3	0.61	14.1	16.5	3	0.6	0.34	0.1	1.6
1997	713	17.1	0.64	15.8	18.4	5	1.0	0.49	0.3	2.3
1998	726	17.5	0.65	16.2	18.8	3	0.6	0.32	0.1	1.6
1999	790	18.8	0.67	17.5	20.1	8	1.1	0.41	0.5	2.3
2000	798	18.9	0.67	17.6	20.3	5	0.8	0.35	0.3	1.8
2001	854	20.2	0.69	18.9	21.6	9	1.6	0.55	0.7	3.0
2002	907	21.3	0.71	19.9	22.8	5	0.8	0.34	0.2	1.8
2003	893	20.8	0.70	19.5	22.3	7	1.1	0.44	0.4	2.3
2004	997	23.1	0.74	21.7	24.6	2	0.3	0.19	0.0	1.0
2005	1,026	23.7	0.75	22.3	25.2	2	0.5	0.37	0.0	1.6
2006	1,057	24.4	0.76	22.9	25.9	8	1.6	0.60	0.6	3.1
2007	1,128	25.7	0.78	24.2	27.3	8	1.2	0.44	0.5	2.4
2008	1,262	28.3	0.81	26.7	29.9	4	0.6	0.32	0.2	1.6
2009	1,244	27.8	0.80	26.2	29.4	4	0.6	0.30	0.1	1.5
2010	1,254	27.3	0.79	25.8	28.9	8	1.5	0.55	0.6	2.9
2011	1,325	28.8	0.81	27.2	30.4	6	0.9	0.37	0.3	1.9
2012	1,380	29.6	0.82	28.0	31.2	3	0.3	0.19	0.1	1.0
2013	1,351	28.5	0.80	27.0	30.1	6	0.9	0.37	0.3	1.9
2014	1,449	29.9	0.81	28.3	31.5	4	0.7	0.35	0.2	1.7
2015	1,530	31.6	0.83	30.0	33.3	7	1.0	0.38	0.4	2.0
2016	1,714	34.9	0.87	33.2	36.7	4	0.5	0.25	0.1	1.3
2017	1,820	37.2	0.90	35.4	39.0	5	0.6	0.26	0.2	1.4
2018	1,698	34.1	0.86	32.5	35.9	4	0.5	0.26	0.1	1.3
2019	1,898	37.4	0.89	35.7	39.2	2	0.2	0.16	0.0	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Melanoma of the Skin										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	622	4.0	0.18	3.7	4.4	25,335	13.7	0.09	13.5	13.9
1990	6	2.2	1.08	0.6	5.4	382	6.7	0.35	6.1	7.5
1991	6	3.4	1.67	1.0	7.9	401	7.2	0.36	6.5	7.9
1992	8	2.6	0.95	1.1	5.3	411	7.1	0.35	6.4	7.8
1993	7	2.3	0.92	0.9	5.0	374	6.4	0.33	5.7	7.1
1994	7	2.1	0.81	0.8	4.5	494	8.4	0.38	7.6	9.2
1995	10	2.1	0.72	1.0	4.3	467	7.9	0.37	7.2	8.7
1996	9	3.1	1.19	1.2	6.2	540	9.1	0.39	8.3	9.9
1997	9	3.1	1.27	1.1	6.4	565	9.5	0.40	8.8	10.4
1998	10	2.2	0.80	0.9	4.5	573	9.5	0.40	8.7	10.3
1999	9	1.9	0.70	0.8	3.9	575	9.5	0.40	8.8	10.3
2000	16	4.4	1.27	2.3	7.6	655	10.8	0.43	10.0	11.7
2001	8	1.2	0.44	0.5	2.7	708	11.7	0.44	10.8	12.6
2002	19	4.2	1.12	2.3	7.0	680	11.3	0.44	10.4	12.2
2003	22	5.1	1.31	2.8	8.2	720	11.8	0.44	10.9	12.7
2004	21	3.9	0.98	2.2	6.3	746	12.1	0.45	11.3	13.1
2005	18	3.9	1.05	2.1	6.4	917	14.9	0.50	14.0	16.0
2006	22	3.4	0.77	2.1	5.4	920	15.0	0.50	14.0	16.0
2007	18	3.3	0.89	1.8	5.5	976	15.9	0.52	14.9	17.0
2008	17	3.2	0.87	1.8	5.4	991	16.2	0.52	15.2	17.2
2009	31	4.2	0.83	2.7	6.1	1,017	16.4	0.53	15.4	17.4
2010	24	3.5	0.79	2.2	5.4	967	15.3	0.51	14.3	16.3
2011	35	6.0	1.12	4.0	8.5	1,060	17.0	0.54	16.0	18.1
2012	29	4.5	0.94	2.9	6.7	1,097	17.3	0.54	16.3	18.4
2013	26	4.0	0.84	2.5	6.0	1,069	16.5	0.52	15.4	17.5
2014	26	3.8	0.81	2.4	5.7	1,131	17.1	0.53	16.1	18.2
2015	37	5.1	0.89	3.5	7.1	1,275	19.8	0.58	18.7	20.9
2016	36	4.9	0.87	3.3	6.9	1,396	21.4	0.60	20.3	22.6
2017	42	5.2	0.84	3.7	7.1	1,355	20.8	0.59	19.6	22.0
2018	45	5.3	0.81	3.8	7.1	1,401	21.1	0.59	20.0	22.3
2019	49	5.6	0.83	4.1	7.5	1,472	22.6	0.62	21.4	23.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Melanoma of the Skin										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	23,894	16.1	0.11	15.9	16.3	222	0.8	0.06	0.7	1.0
1990	380	8.0	0.42	7.2	8.9	2	0.3	0.22	0.0	1.1
1991	389	8.4	0.43	7.5	9.2	8	1.1	0.39	0.4	2.1
1992	399	8.2	0.42	7.4	9.1	6	0.8	0.31	0.3	1.6
1993	370	7.6	0.40	6.8	8.4	2	0.2	0.15	0.0	0.8
1994	484	9.9	0.46	9.0	10.8	4	0.5	0.26	0.1	1.3
1995	445	9.2	0.44	8.3	10.1	5	0.6	0.28	0.2	1.4
1996	521	10.6	0.47	9.7	11.6	7	1.0	0.39	0.4	2.1
1997	535	11.1	0.48	10.1	12.0	10	1.2	0.38	0.6	2.2
1998	541	11.0	0.48	10.0	11.9	6	0.8	0.32	0.3	1.7
1999	555	11.3	0.49	10.4	12.3	8	1.1	0.38	0.5	2.1
2000	621	12.6	0.51	11.6	13.7	6	0.7	0.28	0.3	1.5
2001	668	13.6	0.54	12.6	14.7	8	1.0	0.35	0.4	1.9
2002	633	13.1	0.53	12.1	14.2	6	0.7	0.28	0.3	1.5
2003	651	13.3	0.53	12.3	14.4	14	1.5	0.42	0.8	2.6
2004	692	14.0	0.54	13.0	15.1	8	0.9	0.33	0.4	1.8
2005	828	16.9	0.60	15.8	18.2	12	1.4	0.40	0.7	2.4
2006	856	17.6	0.61	16.4	18.8	10	1.1	0.35	0.5	2.0
2007	925	19.2	0.65	18.0	20.5	8	0.8	0.30	0.4	1.7
2008	918	19.0	0.65	17.8	20.3	4	0.5	0.23	0.1	1.2
2009	968	19.9	0.66	18.6	21.3	8	0.8	0.29	0.4	1.6
2010	909	18.4	0.63	17.2	19.7	9	0.9	0.29	0.4	1.7
2011	982	20.1	0.67	18.8	21.5	8	0.8	0.28	0.3	1.5
2012	1,029	20.8	0.68	19.4	22.1	4	0.4	0.21	0.1	1.1
2013	1,020	20.3	0.67	19.0	21.6	9	0.9	0.31	0.4	1.7
2014	1,063	20.7	0.67	19.4	22.0	8	0.7	0.26	0.3	1.5
2015	1,204	24.2	0.74	22.8	25.7	8	0.8	0.28	0.3	1.6
2016	1,329	26.7	0.78	25.2	28.3	9	0.9	0.31	0.4	1.8
2017	1,301	26.2	0.77	24.7	27.7	8	0.7	0.27	0.3	1.5
2018	1,310	25.9	0.77	24.4	27.5	10	0.8	0.27	0.4	1.6
2019	1,368	27.8	0.81	26.2	29.4	7	0.6	0.23	0.2	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Breast excluding in situ										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	13,440	47.6	0.46	46.7	48.5	260,027	73.1	0.14	72.8	73.4
1990	169	39.8	3.41	33.4	47.0	7,354	71.8	0.85	70.2	73.5
1991	181	41.1	3.41	34.7	48.3	7,560	72.9	0.85	71.2	74.6
1992	195	44.6	3.73	37.5	52.4	7,720	73.5	0.84	71.8	75.1
1993	223	42.7	3.24	36.6	49.5	7,539	70.5	0.82	68.9	72.2
1994	228	44.3	3.35	38.0	51.3	8,122	75.6	0.84	74.0	77.3
1995	264	48.7	3.48	42.1	55.9	8,014	74.0	0.83	72.4	75.7
1996	288	57.1	3.98	49.6	65.3	8,191	75.0	0.83	73.4	76.7
1997	307	53.2	3.63	46.3	60.7	8,307	75.5	0.83	73.8	77.1
1998	273	47.2	3.36	40.8	54.1	8,610	77.3	0.83	75.7	79.0
1999	340	54.2	3.44	47.7	61.3	8,797	78.3	0.84	76.7	80.0
2000	333	44.0	2.81	38.6	49.8	8,566	75.6	0.82	74.0	77.2
2001	318	45.6	3.04	39.8	51.9	8,766	76.7	0.82	75.1	78.3
2002	369	45.7	2.77	40.4	51.4	8,499	73.7	0.80	72.1	75.3
2003	349	43.9	2.78	38.6	49.6	7,906	67.9	0.77	66.4	69.4
2004	377	42.7	2.53	37.9	47.9	8,003	68.2	0.77	66.7	69.7
2005	430	47.5	2.61	42.5	52.8	8,149	68.9	0.77	67.4	70.4
2006	417	44.9	2.50	40.1	50.0	8,540	71.6	0.78	70.1	73.2
2007	465	45.6	2.36	41.1	50.4	8,538	70.8	0.77	69.3	72.3
2008	465	43.5	2.27	39.1	48.1	8,712	71.4	0.77	69.9	72.9
2009	499	45.3	2.28	40.9	49.9	8,887	72.1	0.78	70.6	73.6
2010	536	46.9	2.27	42.6	51.6	8,951	71.7	0.77	70.2	73.2
2011	528	43.3	2.10	39.3	47.6	9,275	73.7	0.78	72.2	75.3
2012	560	44.8	2.08	40.8	49.0	9,074	71.4	0.77	69.9	72.9
2013	640	49.2	2.13	45.1	53.5	9,425	73.2	0.77	71.7	74.7
2014	682	48.7	2.02	44.8	52.8	9,678	74.9	0.78	73.4	76.4
2015	726	50.7	2.04	46.8	54.8	9,741	74.4	0.78	72.9	75.9
2016	774	52.8	2.04	48.9	56.9	9,801	74.5	0.78	73.0	76.1
2017	790	50.6	1.92	46.9	54.5	9,707	73.5	0.77	72.0	75.0
2018	834	52.2	1.92	48.5	56.1	9,732	73.4	0.77	71.9	75.0
2019	880	53.3	1.90	49.7	57.2	9,863	74.2	0.78	72.7	75.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Breast excluding in situ										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	216,535	73.3	0.16	73.0	73.7	35,087	74.3	0.40	73.6	75.1
1990	6,530	73.5	0.92	71.7	75.4	729	61.7	2.34	57.2	66.5
1991	6,669	74.3	0.92	72.5	76.1	784	63.0	2.31	58.6	67.7
1992	6,792	74.8	0.92	73.0	76.6	814	65.0	2.33	60.5	69.7
1993	6,538	71.0	0.89	69.2	72.7	883	68.9	2.38	64.3	73.7
1994	7,088	76.8	0.92	75.0	78.6	911	69.9	2.37	65.3	74.7
1995	6,935	74.9	0.90	73.1	76.7	941	70.8	2.36	66.2	75.5
1996	7,062	75.8	0.91	74.0	77.6	974	71.6	2.34	67.1	76.4
1997	7,087	75.7	0.90	74.0	77.5	1,045	76.5	2.42	71.9	81.4
1998	7,309	77.4	0.91	75.6	79.2	1,096	78.0	2.40	73.4	82.9
1999	7,493	79.0	0.92	77.2	80.8	1,079	75.1	2.33	70.6	79.8
2000	7,302	76.6	0.90	74.8	78.4	1,043	71.3	2.25	67.0	75.9
2001	7,411	77.3	0.90	75.5	79.1	1,153	77.9	2.34	73.4	82.6
2002	7,110	73.7	0.88	72.0	75.4	1,156	75.4	2.26	71.0	79.9
2003	6,595	68.0	0.84	66.4	69.7	1,085	69.8	2.16	65.7	74.2
2004	6,711	68.8	0.84	67.1	70.5	1,066	67.6	2.11	63.5	71.9
2005	6,760	68.9	0.84	67.2	70.6	1,146	72.5	2.18	68.3	76.9
2006	7,072	71.8	0.86	70.2	73.6	1,187	73.6	2.18	69.4	78.0
2007	7,091	71.4	0.86	69.7	73.1	1,164	70.7	2.11	66.6	74.9
2008	7,220	71.9	0.86	70.2	73.6	1,183	71.4	2.12	67.3	75.7
2009	7,272	71.9	0.86	70.3	73.6	1,320	78.0	2.19	73.8	82.4
2010	7,344	71.9	0.86	70.2	73.6	1,273	74.0	2.12	69.9	78.3
2011	7,564	73.8	0.87	72.1	75.5	1,321	76.3	2.14	72.1	80.6
2012	7,366	71.6	0.86	69.9	73.3	1,316	73.8	2.08	69.8	78.0
2013	7,588	72.9	0.86	71.2	74.6	1,436	79.2	2.13	75.0	83.5
2014	7,749	74.5	0.88	72.8	76.2	1,502	82.5	2.18	78.3	86.9
2015	7,799	74.1	0.87	72.4	75.9	1,503	80.9	2.14	76.8	85.2
2016	7,899	75.0	0.88	73.3	76.7	1,461	78.1	2.09	74.0	82.3
2017	7,698	72.9	0.87	71.2	74.6	1,494	79.6	2.11	75.5	83.9
2018	7,751	73.6	0.88	71.9	75.3	1,466	76.5	2.05	72.6	80.7
2019	7,730	73.4	0.88	71.6	75.1	1,556	80.7	2.10	76.7	84.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Breast excluding in situ										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	65	0.6	0.08	0.4	0.7	2,135	1.4	0.03	1.3	1.4
1990	0					34	0.8	0.13	0.5	1.1
1991	0					47	1.1	0.17	0.8	1.5
1992	0					67	1.5	0.19	1.2	1.9
1993	3	1.1	0.65	0.2	3.8	64	1.4	0.17	1.0	1.7
1994	0					58	1.4	0.18	1.0	1.8
1995	1	0.3	0.27	0.0	2.4	73	1.6	0.19	1.2	2.0
1996	4	1.8	1.13	0.3	5.3	64	1.4	0.18	1.1	1.8
1997	0					71	1.5	0.18	1.2	1.9
1998	0					58	1.2	0.16	0.9	1.5
1999	1	0.8	0.77	0.0	3.5	73	1.5	0.18	1.2	1.9
2000	1	0.2	0.19	0.0	1.8	65	1.3	0.17	1.0	1.7
2001	3	0.8	0.46	0.2	2.6	65	1.3	0.16	1.0	1.7
2002	3	1.8	1.25	0.2	5.3	76	1.6	0.19	1.3	2.0
2003	2	1.0	0.73	0.1	3.3	69	1.4	0.17	1.1	1.8
2004	0					69	1.3	0.16	1.0	1.7
2005	0					59	1.2	0.16	0.9	1.5
2006	1	0.1	0.13	0.0	1.2	60	1.2	0.15	0.9	1.5
2007	0					70	1.3	0.16	1.0	1.7
2008	3	0.2	0.13	0.1	1.2	71	1.3	0.16	1.0	1.7
2009	3	0.5	0.30	0.1	1.6	75	1.4	0.16	1.1	1.7
2010	1	0.1	0.12	0.0	1.0	70	1.3	0.15	1.0	1.6
2011	5	1.0	0.50	0.2	2.4	84	1.5	0.16	1.2	1.8
2012	3	0.4	0.22	0.1	1.3	90	1.6	0.17	1.3	2.0
2013	4	0.7	0.42	0.1	2.0	83	1.4	0.15	1.1	1.7
2014	4	0.9	0.47	0.2	2.2	82	1.4	0.15	1.1	1.7
2015	5	0.7	0.39	0.2	1.9	72	1.2	0.14	0.9	1.5
2016	5	0.9	0.44	0.2	2.1	88	1.4	0.16	1.1	1.8
2017	2	0.4	0.32	0.0	1.4	102	1.7	0.17	1.4	2.0
2018	2	0.2	0.14	0.0	0.8	89	1.4	0.15	1.1	1.8
2019	9	1.4	0.51	0.6	2.7	87	1.3	0.14	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Breast excluding in situ										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,730	1.3	0.03	1.2	1.4	349	1.9	0.11	1.7	2.2
1990	31	0.8	0.14	0.5	1.1	3	0.7	0.39	0.1	1.9
1991	41	1.1	0.18	0.8	1.5	6	1.1	0.46	0.4	2.4
1992	55	1.4	0.20	1.1	1.9	12	2.4	0.71	1.2	4.2
1993	54	1.3	0.18	1.0	1.7	10	2.4	0.81	1.1	4.4
1994	46	1.3	0.19	0.9	1.7	10	2.1	0.70	1.0	3.9
1995	63	1.6	0.20	1.2	2.0	9	1.7	0.59	0.7	3.2
1996	54	1.3	0.18	1.0	1.8	7	1.6	0.66	0.6	3.4
1997	56	1.4	0.19	1.0	1.8	13	2.7	0.81	1.4	4.7
1998	47	1.1	0.17	0.8	1.5	10	1.9	0.61	0.9	3.5
1999	60	1.5	0.19	1.1	1.9	11	2.1	0.68	1.0	3.8
2000	55	1.3	0.18	1.0	1.7	9	1.5	0.56	0.6	3.0
2001	55	1.3	0.18	1.0	1.7	9	1.4	0.50	0.6	2.8
2002	61	1.5	0.19	1.1	1.9	13	2.6	0.80	1.3	4.6
2003	57	1.4	0.18	1.0	1.8	12	2.0	0.61	1.0	3.6
2004	56	1.3	0.17	1.0	1.7	11	2.0	0.66	1.0	3.7
2005	50	1.2	0.17	0.9	1.6	8	1.4	0.53	0.5	2.8
2006	51	1.2	0.17	0.9	1.6	7	1.2	0.47	0.5	2.4
2007	57	1.3	0.17	1.0	1.7	12	1.8	0.55	0.9	3.2
2008	57	1.3	0.17	1.0	1.7	11	1.5	0.45	0.7	2.7
2009	58	1.3	0.17	1.0	1.7	16	2.2	0.55	1.2	3.5
2010	57	1.2	0.16	0.9	1.6	12	1.7	0.52	0.9	3.1
2011	68	1.4	0.17	1.0	1.7	13	2.1	0.60	1.1	3.6
2012	71	1.5	0.19	1.2	2.0	14	1.9	0.52	1.0	3.2
2013	61	1.2	0.16	0.9	1.6	20	2.9	0.68	1.8	4.6
2014	63	1.3	0.16	1.0	1.6	15	2.1	0.56	1.1	3.4
2015	56	1.1	0.15	0.9	1.5	12	1.5	0.45	0.7	2.7
2016	74	1.4	0.17	1.1	1.8	14	2.1	0.58	1.1	3.5
2017	81	1.6	0.18	1.3	2.0	19	2.6	0.62	1.5	4.1
2018	71	1.4	0.17	1.1	1.8	12	1.5	0.45	0.7	2.6
2019	64	1.2	0.15	0.9	1.5	19	2.2	0.52	1.3	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Breast excluding in situ										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	13,375	92.3	0.86	90.6	94.0	257,892	133.0	0.27	132.5	133.5
1990	169	76.7	6.32	64.9	90.0	7,320	127.8	1.52	124.8	130.8
1991	181	79.3	6.32	67.4	92.6	7,513	129.7	1.53	126.8	132.8
1992	195	84.3	6.67	71.7	98.2	7,653	130.6	1.52	127.6	133.6
1993	220	82.4	6.01	71.0	94.9	7,475	125.3	1.47	122.4	128.2
1994	228	85.6	6.17	73.9	98.5	8,064	134.2	1.51	131.2	137.2
1995	263	93.8	6.36	81.7	107.0	7,941	132.0	1.50	129.1	135.0
1996	284	105.8	7.01	92.5	120.3	8,127	134.1	1.50	131.1	137.1
1997	307	101.7	6.55	89.3	115.3	8,236	135.2	1.50	132.2	138.1
1998	273	89.8	6.07	78.3	102.4	8,552	138.8	1.51	135.8	141.8
1999	339	103.5	6.27	91.6	116.4	8,724	140.9	1.52	138.0	143.9
2000	332	86.2	5.28	76.1	97.1	8,501	136.1	1.49	133.2	139.1
2001	315	86.6	5.52	76.1	98.0	8,701	138.4	1.49	135.5	141.4
2002	366	87.9	5.09	78.2	98.4	8,423	133.3	1.46	130.5	136.2
2003	347	83.6	5.05	74.0	94.0	7,837	123.2	1.40	120.5	126.0
2004	377	83.4	4.73	74.3	93.1	7,934	123.9	1.40	121.2	126.7
2005	430	92.3	4.88	82.9	102.3	8,090	125.3	1.41	122.6	128.1
2006	416	86.6	4.63	77.7	96.1	8,480	130.9	1.44	128.1	133.8
2007	465	88.9	4.45	80.4	98.0	8,468	129.8	1.43	127.0	132.6
2008	462	84.4	4.27	76.2	93.1	8,641	130.6	1.43	127.8	133.4
2009	496	87.3	4.25	79.1	96.0	8,812	132.2	1.44	129.4	135.0
2010	535	90.8	4.23	82.7	99.4	8,881	131.8	1.43	129.0	134.6
2011	523	83.4	3.92	75.9	91.5	9,191	135.6	1.45	132.8	138.5
2012	557	86.8	3.92	79.3	94.8	8,984	131.5	1.43	128.7	134.4
2013	636	95.2	4.02	87.5	103.4	9,342	135.2	1.44	132.4	138.1
2014	678	95.0	3.84	87.6	102.8	9,596	138.7	1.46	135.8	141.6
2015	721	98.6	3.87	91.2	106.5	9,669	138.0	1.46	135.2	140.9
2016	769	102.6	3.88	95.1	110.5	9,713	138.4	1.46	135.6	141.3
2017	788	99.7	3.70	92.6	107.2	9,605	136.5	1.45	133.7	139.4
2018	832	103.1	3.71	95.9	110.6	9,643	136.6	1.46	133.7	139.5
2019	871	104.5	3.66	97.5	111.9	9,776	138.3	1.47	135.4	141.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Breast excluding in situ										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	214,805	135.0	0.30	134.4	135.6	34,738	127.1	0.69	125.8	128.4
1990	6,499	131.8	1.68	128.5	135.1	726	105.0	3.95	97.4	113.1
1991	6,628	133.2	1.68	129.9	136.5	778	107.7	3.92	100.2	115.7
1992	6,737	134.1	1.67	130.8	137.4	802	109.7	3.93	102.2	117.7
1993	6,484	127.0	1.61	123.8	130.2	873	116.4	3.99	108.7	124.5
1994	7,042	137.5	1.67	134.2	140.8	901	117.9	3.98	110.3	126.0
1995	6,872	134.7	1.66	131.5	138.0	932	119.9	3.97	112.2	127.9
1996	7,008	136.6	1.66	133.4	139.9	967	121.9	3.96	114.2	129.9
1997	7,031	137.0	1.66	133.7	140.3	1,032	129.0	4.05	121.2	137.2
1998	7,262	140.1	1.67	136.8	143.4	1,086	132.6	4.05	124.7	140.7
1999	7,433	143.7	1.69	140.4	147.0	1,068	127.3	3.92	119.8	135.3
2000	7,247	139.5	1.66	136.2	142.8	1,034	121.2	3.79	113.8	128.8
2001	7,356	141.1	1.67	137.8	144.4	1,144	132.4	3.94	124.8	140.3
2002	7,049	134.6	1.62	131.5	137.8	1,143	128.8	3.83	121.4	136.5
2003	6,538	124.8	1.57	121.7	127.9	1,073	119.1	3.66	112.0	126.5
2004	6,655	126.4	1.57	123.3	129.5	1,055	115.5	3.58	108.6	122.8
2005	6,710	126.8	1.57	123.7	129.9	1,138	123.9	3.70	116.7	131.3
2006	7,021	132.8	1.62	129.7	136.0	1,180	126.3	3.71	119.2	133.8
2007	7,034	132.5	1.61	129.4	135.7	1,152	121.3	3.60	114.3	128.5
2008	7,163	133.2	1.61	130.1	136.4	1,172	122.3	3.61	115.4	129.6
2009	7,214	133.7	1.62	130.5	136.9	1,304	133.5	3.74	126.3	141.1
2010	7,287	133.9	1.62	130.7	137.1	1,261	127.2	3.63	120.2	134.5
2011	7,496	137.6	1.64	134.4	140.9	1,308	130.5	3.66	123.4	137.8
2012	7,295	133.8	1.63	130.6	137.0	1,302	126.6	3.57	119.7	133.8
2013	7,527	136.7	1.64	133.5	140.0	1,416	135.4	3.66	128.3	142.8
2014	7,686	139.9	1.67	136.7	143.2	1,487	141.8	3.75	134.6	149.4
2015	7,743	139.5	1.66	136.3	142.8	1,491	139.7	3.69	132.5	147.1
2016	7,825	141.3	1.68	138.0	144.6	1,447	134.7	3.62	127.7	142.0
2017	7,617	137.5	1.67	134.2	140.8	1,475	137.0	3.66	129.9	144.4
2018	7,680	138.9	1.68	135.7	142.3	1,454	132.3	3.56	125.5	139.5
2019	7,666	138.9	1.69	135.6	142.2	1,537	139.3	3.65	132.2	146.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Female Genital System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,734	50.9	0.63	49.7	52.2	105,844	54.4	0.17	54.0	54.7
1990	131	54.2	5.15	44.6	65.2	3,233	55.7	1.00	53.8	57.7
1991	141	59.1	5.60	48.7	71.0	3,202	54.6	0.98	52.7	56.6
1992	150	56.6	5.13	47.0	67.5	3,236	54.9	0.98	53.0	56.9
1993	144	50.3	4.63	41.7	60.2	3,262	54.7	0.97	52.8	56.6
1994	158	53.4	4.69	44.6	63.4	3,344	55.3	0.97	53.4	57.2
1995	162	50.8	4.49	42.4	60.4	3,356	55.7	0.97	53.8	57.6
1996	159	51.5	4.65	42.8	61.3	3,581	59.2	1.00	57.2	61.2
1997	167	53.6	4.80	44.6	63.7	3,372	55.3	0.96	53.5	57.3
1998	196	57.5	4.73	48.6	67.4	3,469	56.5	0.97	54.6	58.4
1999	201	59.7	4.90	50.5	70.0	3,306	53.6	0.94	51.7	55.4
2000	189	49.7	4.10	42.0	58.3	3,314	53.4	0.93	51.6	55.3
2001	198	47.8	3.83	40.6	55.9	3,354	53.7	0.93	51.9	55.6
2002	221	52.2	4.02	44.6	60.6	3,387	53.9	0.93	52.1	55.8
2003	192	40.4	3.32	34.2	47.4	3,296	51.7	0.91	49.9	53.5
2004	249	53.7	3.82	46.5	61.7	3,307	51.5	0.90	49.8	53.3
2005	218	43.5	3.29	37.3	50.4	3,475	53.8	0.92	52.0	55.6
2006	258	50.0	3.48	43.4	57.3	3,530	54.3	0.93	52.5	56.2
2007	245	45.8	3.19	39.8	52.5	3,478	53.1	0.91	51.4	55.0
2008	294	53.1	3.40	46.6	60.1	3,582	54.1	0.92	52.3	55.9
2009	290	49.2	3.17	43.2	55.8	3,674	54.7	0.92	53.0	56.6
2010	259	40.6	2.78	35.3	46.4	3,701	54.3	0.91	52.5	56.1
2011	317	51.0	3.13	45.1	57.5	3,725	54.5	0.92	52.7	56.3
2012	315	47.0	2.85	41.6	52.9	3,637	51.9	0.88	50.2	53.7
2013	387	56.9	3.08	51.0	63.3	3,743	52.8	0.89	51.1	54.6
2014	374	49.8	2.72	44.6	55.4	3,816	53.7	0.90	52.0	55.5
2015	375	50.2	2.73	45.0	55.8	3,868	53.9	0.90	52.1	55.7
2016	395	49.7	2.61	44.7	55.1	4,012	55.9	0.92	54.1	57.7
2017	406	50.3	2.61	45.3	55.7	3,916	54.3	0.91	52.6	56.1
2018	450	54.5	2.67	49.4	59.9	3,828	52.5	0.89	50.8	54.3
2019	493	57.5	2.68	52.3	63.0	3,840	52.4	0.88	50.7	54.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Female Genital System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	87,666	55.0	0.19	54.7	55.4	14,646	53.2	0.44	52.4	54.1
1990	2,773	55.7	1.09	53.6	57.9	422	59.7	2.96	54.0	65.8
1991	2,787	55.7	1.08	53.6	57.8	356	48.7	2.64	43.7	54.2
1992	2,858	57.0	1.09	54.9	59.2	332	44.9	2.51	40.1	50.1
1993	2,792	55.1	1.06	53.0	57.2	412	53.7	2.69	48.6	59.3
1994	2,852	55.5	1.06	53.5	57.6	442	58.0	2.80	52.6	63.7
1995	2,877	56.5	1.07	54.4	58.7	404	51.5	2.59	46.5	56.8
1996	3,072	60.5	1.11	58.3	62.7	435	54.9	2.66	49.8	60.3
1997	2,865	56.1	1.06	54.0	58.2	438	53.5	2.59	48.6	58.8
1998	2,948	57.4	1.07	55.3	59.5	445	53.1	2.54	48.3	58.3
1999	2,783	54.1	1.04	52.0	56.1	429	50.7	2.47	45.9	55.7
2000	2,748	53.4	1.03	51.4	55.4	453	52.4	2.48	47.7	57.5
2001	2,792	54.1	1.04	52.1	56.1	457	52.6	2.48	47.9	57.7
2002	2,837	54.8	1.04	52.8	56.9	452	51.3	2.43	46.7	56.3
2003	2,762	52.6	1.02	50.6	54.6	418	47.3	2.33	42.8	52.1
2004	2,749	52.2	1.01	50.2	54.2	456	51.1	2.41	46.5	56.0
2005	2,889	54.8	1.04	52.8	56.9	466	50.7	2.37	46.2	55.6
2006	2,913	55.0	1.04	52.9	57.0	498	54.3	2.45	49.6	59.3
2007	2,878	54.1	1.03	52.1	56.1	481	51.1	2.35	46.6	55.9
2008	2,952	55.0	1.04	53.0	57.1	501	51.8	2.34	47.3	56.6
2009	2,989	55.1	1.03	53.0	57.1	543	55.3	2.40	50.7	60.2
2010	3,031	55.1	1.03	53.1	57.1	513	51.4	2.30	47.0	56.1
2011	3,030	55.0	1.03	53.0	57.1	532	53.1	2.34	48.6	57.9
2012	2,968	52.8	1.00	50.9	54.9	535	51.5	2.26	47.2	56.2
2013	3,031	53.7	1.01	51.7	55.7	555	51.9	2.24	47.6	56.5
2014	3,058	54.4	1.03	52.4	56.5	598	55.6	2.32	51.2	60.4
2015	3,086	54.2	1.02	52.2	56.3	608	56.1	2.33	51.7	60.9
2016	3,209	56.6	1.05	54.6	58.7	622	57.5	2.36	53.0	62.3
2017	3,108	55.0	1.04	53.0	57.1	624	56.3	2.31	51.9	61.0
2018	3,039	53.1	1.02	51.1	55.2	576	50.2	2.14	46.0	54.5
2019	2,990	52.1	1.01	50.1	54.1	643	56.4	2.28	52.0	61.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Cervix Uteri										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,304	13.5	0.30	12.9	14.1	16,261	9.2	0.07	9.1	9.3
1990	57	20.4	2.94	15.0	27.0	682	12.5	0.49	11.5	13.5
1991	75	30.2	3.99	22.9	39.0	645	11.4	0.46	10.5	12.3
1992	73	25.6	3.44	19.3	33.2	597	10.6	0.44	9.8	11.5
1993	69	20.4	2.61	15.6	26.3	671	11.8	0.46	10.9	12.7
1994	72	21.2	2.78	16.1	27.4	588	10.2	0.42	9.4	11.1
1995	68	19.3	2.60	14.6	25.1	679	11.7	0.45	10.9	12.7
1996	77	20.5	2.55	15.8	26.2	674	11.7	0.45	10.8	12.6
1997	81	21.1	2.71	16.1	27.1	636	10.9	0.43	10.1	11.8
1998	89	22.3	2.75	17.2	28.3	661	11.3	0.44	10.4	12.2
1999	78	19.6	2.48	15.1	25.1	616	10.5	0.42	9.7	11.3
2000	67	15.1	2.10	11.2	19.8	661	11.2	0.44	10.4	12.1
2001	81	16.0	1.91	12.5	20.3	564	9.5	0.40	8.7	10.3
2002	71	14.5	2.01	10.9	19.0	536	9.1	0.40	8.3	9.9
2003	80	14.9	1.88	11.5	19.1	545	9.2	0.40	8.4	10.0
2004	78	14.9	1.87	11.5	19.0	493	8.2	0.37	7.5	9.0
2005	64	10.7	1.43	8.1	13.9	516	8.7	0.39	7.9	9.5
2006	79	14.9	1.92	11.4	19.2	508	8.6	0.39	7.8	9.4
2007	83	14.5	1.74	11.3	18.4	487	8.2	0.38	7.5	9.0
2008	83	13.7	1.69	10.6	17.4	564	9.5	0.41	8.7	10.3
2009	70	10.1	1.31	7.7	13.0	496	8.2	0.38	7.5	9.0
2010	70	9.3	1.20	7.1	12.0	460	7.6	0.36	6.9	8.4
2011	94	13.4	1.50	10.6	16.7	466	7.7	0.37	7.0	8.4
2012	62	8.3	1.11	6.2	10.7	430	7.0	0.35	6.4	7.8
2013	76	10.1	1.23	7.9	12.9	434	7.2	0.36	6.5	7.9
2014	87	10.6	1.21	8.4	13.3	489	8.2	0.39	7.5	9.0
2015	68	8.1	1.03	6.2	10.4	431	7.2	0.36	6.5	8.0
2016	89	10.9	1.21	8.6	13.5	476	8.0	0.38	7.3	8.8
2017	80	9.3	1.08	7.3	11.6	445	7.3	0.36	6.6	8.0
2018	83	9.8	1.12	7.7	12.2	412	7.0	0.36	6.3	7.7
2019	100	11.2	1.16	9.0	13.7	399	6.9	0.36	6.2	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Cervix Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11,481	8.2	0.08	8.1	8.4	4,089	14.9	0.23	14.4	15.3
1990	478	10.4	0.49	9.5	11.4	184	25.5	1.92	21.9	29.5
1991	460	9.7	0.46	8.9	10.7	160	20.9	1.70	17.7	24.5
1992	447	9.5	0.46	8.6	10.5	132	17.4	1.54	14.5	20.6
1993	471	10.0	0.47	9.1	11.0	177	21.9	1.68	18.8	25.5
1994	384	8.1	0.42	7.3	9.0	184	22.9	1.72	19.7	26.5
1995	477	10.1	0.47	9.2	11.1	173	21.5	1.66	18.3	24.9
1996	493	10.5	0.48	9.6	11.5	154	18.3	1.50	15.5	21.5
1997	465	9.8	0.46	8.9	10.7	149	17.0	1.41	14.3	20.0
1998	472	9.9	0.46	9.0	10.8	166	18.9	1.48	16.1	22.0
1999	428	9.0	0.44	8.2	9.9	160	18.1	1.45	15.4	21.2
2000	445	9.4	0.45	8.5	10.3	183	20.3	1.51	17.5	23.5
2001	407	8.6	0.43	7.7	9.4	139	15.3	1.30	12.8	18.0
2002	386	8.3	0.43	7.5	9.2	132	14.6	1.27	12.2	17.3
2003	372	7.9	0.42	7.1	8.8	144	15.7	1.32	13.2	18.5
2004	347	7.2	0.40	6.5	8.1	120	13.2	1.21	10.9	15.8
2005	367	7.9	0.42	7.1	8.8	129	13.9	1.23	11.6	16.5
2006	365	7.9	0.42	7.1	8.8	125	13.3	1.20	11.0	15.8
2007	335	7.2	0.40	6.4	8.0	131	13.8	1.21	11.5	16.4
2008	383	8.3	0.44	7.5	9.2	155	16.1	1.31	13.7	18.9
2009	320	6.8	0.39	6.1	7.6	146	14.7	1.23	12.4	17.3
2010	324	7.0	0.40	6.2	7.8	116	11.5	1.08	9.5	13.9
2011	338	7.2	0.41	6.4	8.0	116	11.9	1.12	9.8	14.3
2012	311	6.6	0.39	5.9	7.4	98	9.9	1.01	8.0	12.1
2013	311	6.8	0.40	6.0	7.6	106	10.4	1.03	8.5	12.6
2014	360	8.1	0.45	7.2	9.0	107	10.4	1.03	8.5	12.6
2015	307	6.9	0.41	6.1	7.7	98	9.9	1.02	8.0	12.1
2016	335	7.6	0.44	6.7	8.5	122	12.2	1.13	10.1	14.6
2017	321	7.0	0.42	6.2	7.9	104	10.0	1.01	8.2	12.2
2018	288	6.6	0.42	5.8	7.5	96	9.2	0.97	7.4	11.3
2019	284	6.6	0.41	5.8	7.4	83	8.3	0.94	6.6	10.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Uterus										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,417	23.3	0.42	22.5	24.1	54,890	27.6	0.12	27.3	27.8
1990	43	20.2	3.21	14.4	27.4	1,391	23.5	0.64	22.2	24.7
1991	28	14.1	2.81	9.1	20.5	1,444	24.0	0.64	22.8	25.3
1992	37	16.4	2.86	11.3	22.9	1,521	25.5	0.66	24.2	26.8
1993	40	15.4	2.62	10.7	21.3	1,471	24.4	0.64	23.1	25.7
1994	37	15.3	2.66	10.5	21.3	1,551	25.4	0.65	24.1	26.7
1995	43	15.3	2.47	10.8	20.9	1,551	25.5	0.66	24.2	26.8
1996	46	19.3	3.20	13.6	26.4	1,696	27.9	0.68	26.6	29.3
1997	52	18.8	2.98	13.4	25.5	1,554	25.2	0.65	24.0	26.5
1998	61	21.7	3.10	16.0	28.5	1,638	26.5	0.66	25.2	27.8
1999	63	21.4	3.06	15.8	28.1	1,543	24.9	0.64	23.6	26.1
2000	71	19.2	2.52	14.6	24.8	1,557	25.0	0.64	23.8	26.3
2001	69	19.5	2.61	14.7	25.2	1,677	26.7	0.65	25.4	28.0
2002	95	23.4	2.65	18.5	29.2	1,680	26.4	0.65	25.2	27.7
2003	66	15.4	2.09	11.6	20.1	1,613	25.1	0.63	23.9	26.3
2004	105	22.9	2.46	18.3	28.2	1,674	25.9	0.64	24.6	27.1
2005	95	19.9	2.23	15.8	24.8	1,773	27.0	0.65	25.8	28.3
2006	112	22.2	2.29	17.9	27.1	1,865	28.3	0.66	27.0	29.6
2007	104	20.7	2.19	16.7	25.4	1,818	27.3	0.65	26.0	28.6
2008	125	23.2	2.22	19.0	27.9	1,864	27.4	0.64	26.2	28.7
2009	145	24.1	2.16	20.1	28.7	2,030	29.5	0.66	28.3	30.9
2010	116	18.5	1.87	15.0	22.5	2,068	29.6	0.66	28.3	30.9
2011	150	23.8	2.08	19.9	28.2	2,071	29.4	0.66	28.1	30.7
2012	163	24.4	2.03	20.5	28.6	2,072	28.7	0.64	27.4	30.0
2013	206	30.2	2.22	26.0	34.8	2,144	29.2	0.65	27.9	30.5
2014	204	27.2	1.99	23.5	31.4	2,166	29.2	0.65	28.0	30.5
2015	195	25.6	1.91	22.0	29.6	2,243	29.9	0.65	28.7	31.2
2016	210	26.0	1.84	22.5	29.9	2,327	31.0	0.66	29.7	32.4
2017	221	27.4	1.91	23.8	31.4	2,321	30.9	0.67	29.6	32.3
2018	250	30.1	1.97	26.3	34.1	2,286	29.9	0.65	28.7	31.2
2019	265	31.0	1.97	27.3	35.1	2,281	29.7	0.65	28.4	31.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Uterus										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	46,508	28.5	0.13	28.3	28.8	6,602	23.8	0.30	23.2	24.4
1990	1,265	24.8	0.72	23.4	26.3	119	16.9	1.57	13.9	20.2
1991	1,329	25.7	0.72	24.3	27.2	98	14.2	1.45	11.5	17.3
1992	1,390	27.3	0.75	25.9	28.8	117	16.1	1.51	13.2	19.3
1993	1,332	25.9	0.72	24.5	27.4	121	16.8	1.55	14.0	20.1
1994	1,414	27.2	0.74	25.8	28.7	124	17.1	1.55	14.2	20.4
1995	1,400	27.2	0.74	25.7	28.7	121	16.0	1.47	13.2	19.1
1996	1,523	29.8	0.78	28.3	31.3	146	19.4	1.62	16.4	22.8
1997	1,375	26.5	0.73	25.1	28.0	158	20.2	1.62	17.1	23.6
1998	1,443	27.8	0.74	26.4	29.3	166	20.6	1.61	17.6	24.0
1999	1,354	26.1	0.72	24.7	27.6	147	18.0	1.50	15.2	21.2
2000	1,342	25.9	0.72	24.5	27.4	169	20.2	1.57	17.3	23.5
2001	1,448	27.7	0.74	26.3	29.2	179	21.2	1.59	18.2	24.5
2002	1,446	27.5	0.73	26.1	29.0	189	21.8	1.59	18.8	25.1
2003	1,394	26.3	0.71	25.0	27.8	159	18.5	1.48	15.7	21.6
2004	1,434	27.0	0.72	25.6	28.4	190	21.2	1.55	18.3	24.5
2005	1,511	28.2	0.73	26.8	29.7	205	22.3	1.57	19.3	25.6
2006	1,554	28.8	0.74	27.4	30.3	247	27.3	1.75	23.9	30.9
2007	1,529	28.2	0.73	26.8	29.7	231	24.6	1.63	21.5	28.0
2008	1,579	28.7	0.73	27.2	30.1	215	22.1	1.52	19.2	25.2
2009	1,717	30.9	0.76	29.4	32.4	244	24.8	1.61	21.8	28.2
2010	1,729	30.6	0.75	29.2	32.1	253	25.3	1.61	22.2	28.7
2011	1,696	29.7	0.74	28.3	31.2	278	27.3	1.67	24.2	30.8
2012	1,710	29.5	0.73	28.1	31.0	287	27.0	1.62	23.9	30.3
2013	1,759	30.0	0.74	28.6	31.5	287	25.7	1.55	22.8	28.9
2014	1,713	29.1	0.73	27.7	30.6	359	32.5	1.75	29.2	36.2
2015	1,798	30.1	0.74	28.7	31.6	351	31.2	1.70	28.0	34.7
2016	1,874	31.7	0.76	30.2	33.2	351	30.9	1.69	27.7	34.4
2017	1,835	31.0	0.76	29.6	32.6	377	33.2	1.75	29.9	36.8
2018	1,841	30.6	0.75	29.2	32.1	318	26.6	1.53	23.7	29.8
2019	1,774	29.4	0.73	27.9	30.8	396	33.2	1.71	30.0	36.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Corpus Uteri										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,307	22.5	0.42	21.7	23.3	53,361	26.8	0.12	26.6	27.1
1990	39	18.4	3.08	12.9	25.4	1,350	22.8	0.63	21.6	24.1
1991	26	13.0	2.69	8.2	19.2	1,396	23.2	0.63	22.0	24.5
1992	35	15.5	2.78	10.5	21.8	1,466	24.6	0.65	23.3	25.9
1993	37	14.4	2.56	9.8	20.2	1,407	23.4	0.63	22.1	24.6
1994	33	13.8	2.55	9.3	19.6	1,469	24.1	0.64	22.9	25.4
1995	40	14.2	2.34	10.0	19.6	1,514	24.9	0.65	23.7	26.2
1996	45	18.5	3.10	13.0	25.4	1,666	27.4	0.68	26.1	28.8
1997	49	18.0	2.94	12.7	24.6	1,516	24.6	0.64	23.4	25.9
1998	56	19.9	2.94	14.5	26.4	1,597	25.9	0.65	24.6	27.2
1999	59	19.9	2.93	14.6	26.4	1,505	24.3	0.63	23.1	25.6
2000	69	18.8	2.50	14.2	24.3	1,516	24.4	0.63	23.2	25.7
2001	69	19.5	2.61	14.7	25.2	1,640	26.1	0.65	24.9	27.5
2002	93	22.9	2.62	18.0	28.6	1,635	25.8	0.64	24.5	27.1
2003	65	15.3	2.08	11.5	19.9	1,583	24.6	0.62	23.4	25.9
2004	103	22.6	2.46	18.1	27.9	1,635	25.3	0.63	24.1	26.6
2005	93	19.4	2.20	15.4	24.2	1,729	26.4	0.64	25.2	27.7
2006	107	21.1	2.24	17.0	26.0	1,817	27.6	0.65	26.4	28.9
2007	104	20.7	2.19	16.7	25.4	1,783	26.8	0.64	25.5	28.1
2008	121	22.1	2.15	18.1	26.7	1,812	26.7	0.63	25.4	27.9
2009	144	24.0	2.16	20.0	28.6	1,987	28.9	0.66	27.7	30.2
2010	113	17.9	1.83	14.5	21.8	2,007	28.7	0.65	27.4	30.0
2011	149	23.6	2.07	19.8	28.0	2,019	28.6	0.65	27.4	29.9
2012	159	23.6	1.99	19.9	27.8	2,028	28.1	0.64	26.8	29.3
2013	203	29.6	2.20	25.5	34.2	2,094	28.5	0.64	27.3	29.8
2014	200	26.7	1.97	23.0	30.9	2,111	28.5	0.64	27.3	29.8
2015	192	25.1	1.88	21.5	29.0	2,183	29.1	0.64	27.9	30.4
2016	205	25.3	1.81	21.8	29.1	2,255	30.1	0.65	28.8	31.4
2017	208	25.8	1.85	22.3	29.6	2,229	29.8	0.65	28.5	31.1
2018	239	28.5	1.90	24.9	32.5	2,219	29.0	0.64	27.8	30.3
2019	252	29.3	1.91	25.7	33.3	2,193	28.5	0.63	27.3	29.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Corpus Uteri										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	45,443	27.9	0.13	27.7	28.2	6,174	22.2	0.29	21.7	22.8
1990	1,239	24.3	0.71	23.0	25.8	106	14.9	1.47	12.2	18.1
1991	1,295	25.0	0.71	23.6	26.4	84	12.1	1.34	9.6	15.0
1992	1,345	26.4	0.74	25.0	27.9	107	14.7	1.44	12.0	17.8
1993	1,283	25.0	0.71	23.6	26.4	108	15.0	1.45	12.2	18.1
1994	1,348	26.0	0.72	24.6	27.5	108	14.6	1.43	12.0	17.7
1995	1,370	26.6	0.73	25.2	28.1	114	14.9	1.41	12.3	17.9
1996	1,498	29.3	0.77	27.8	30.9	142	18.9	1.60	15.9	22.2
1997	1,347	26.0	0.72	24.6	27.5	148	18.9	1.56	15.9	22.2
1998	1,414	27.3	0.74	25.9	28.8	155	19.3	1.56	16.4	22.6
1999	1,328	25.7	0.71	24.3	27.1	135	16.6	1.44	13.9	19.6
2000	1,313	25.4	0.71	24.1	26.9	158	18.8	1.50	16.0	22.0
2001	1,419	27.3	0.73	25.9	28.8	173	20.4	1.56	17.5	23.7
2002	1,414	27.0	0.72	25.6	28.4	176	20.3	1.54	17.4	23.5
2003	1,368	25.9	0.71	24.5	27.3	155	18.0	1.46	15.3	21.1
2004	1,405	26.5	0.72	25.2	28.0	180	20.1	1.51	17.3	23.3
2005	1,478	27.6	0.73	26.2	29.1	194	21.1	1.53	18.2	24.3
2006	1,526	28.4	0.74	27.0	29.9	228	25.0	1.67	21.9	28.5
2007	1,507	27.8	0.73	26.4	29.3	221	23.5	1.59	20.4	26.8
2008	1,546	28.0	0.73	26.6	29.5	197	20.3	1.46	17.5	23.3
2009	1,686	30.3	0.75	28.8	31.8	233	23.8	1.58	20.8	27.1
2010	1,688	29.9	0.74	28.5	31.4	235	23.4	1.55	20.5	26.6
2011	1,665	29.2	0.73	27.8	30.7	261	25.7	1.62	22.7	29.1
2012	1,680	29.0	0.73	27.6	30.4	274	25.7	1.58	22.7	29.0
2013	1,730	29.6	0.73	28.2	31.1	268	24.0	1.49	21.2	27.1
2014	1,678	28.6	0.72	27.2	30.0	339	30.7	1.70	27.5	34.3
2015	1,761	29.6	0.73	28.2	31.1	330	29.0	1.63	25.9	32.4
2016	1,824	30.9	0.76	29.5	32.4	329	28.8	1.62	25.7	32.2
2017	1,771	30.0	0.74	28.5	31.5	350	30.9	1.69	27.7	34.4
2018	1,796	29.9	0.74	28.4	31.3	300	25.0	1.48	22.2	28.1
2019	1,721	28.4	0.72	27.0	29.9	366	30.6	1.64	27.5	34.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Uterus, NOS										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	110	0.8	0.08	0.7	1.0	1,529	0.7	0.02	0.7	0.8
1990	4	1.8	0.89	0.5	4.6	41	0.7	0.11	0.5	0.9
1991	2	1.1	0.79	0.1	3.8	48	0.8	0.12	0.6	1.1
1992	2	0.9	0.67	0.1	3.3	55	0.9	0.13	0.7	1.2
1993	3	1.0	0.59	0.2	3.1	64	1.0	0.13	0.8	1.3
1994	4	1.5	0.76	0.4	3.9	82	1.3	0.14	1.0	1.6
1995	3	1.0	0.77	0.1	3.5	37	0.6	0.10	0.4	0.8
1996	1	0.8	0.80	0.0	3.4	30	0.5	0.09	0.3	0.7
1997	3	0.8	0.49	0.2	2.6	38	0.6	0.09	0.4	0.8
1998	5	1.8	0.97	0.4	4.5	41	0.6	0.10	0.4	0.8
1999	4	1.5	0.88	0.3	4.0	38	0.6	0.09	0.4	0.8
2000	2	0.4	0.30	0.1	1.8	41	0.6	0.09	0.4	0.8
2001	0					37	0.5	0.09	0.4	0.7
2002	2	0.5	0.38	0.1	2.0	45	0.7	0.10	0.5	0.9
2003	1	0.2	0.18	0.0	1.3	30	0.4	0.08	0.3	0.6
2004	2	0.2	0.17	0.0	1.2	39	0.5	0.09	0.4	0.7
2005	2	0.5	0.38	0.1	1.8	44	0.6	0.10	0.5	0.9
2006	5	1.0	0.49	0.3	2.5	48	0.7	0.10	0.5	0.9
2007	0					35	0.5	0.09	0.4	0.7
2008	4	1.1	0.55	0.3	2.6	52	0.8	0.11	0.6	1.0
2009	1	0.1	0.14	0.0	0.9	43	0.6	0.09	0.4	0.8
2010	3	0.6	0.38	0.1	1.8	61	0.9	0.12	0.7	1.2
2011	1	0.2	0.20	0.0	1.0	52	0.7	0.10	0.5	1.0
2012	4	0.8	0.40	0.2	1.9	44	0.6	0.10	0.5	0.9
2013	3	0.5	0.33	0.1	1.5	50	0.7	0.10	0.5	0.9
2014	4	0.5	0.26	0.1	1.4	55	0.7	0.10	0.5	0.9
2015	3	0.5	0.30	0.1	1.4	60	0.8	0.11	0.6	1.1
2016	5	0.8	0.35	0.2	1.8	72	0.9	0.12	0.7	1.2
2017	13	1.6	0.47	0.8	2.8	92	1.2	0.13	0.9	1.5
2018	11	1.6	0.49	0.8	2.8	67	0.9	0.11	0.7	1.2
2019	13	1.7	0.48	0.9	2.9	88	1.2	0.13	0.9	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Uterus, NOS										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,065	0.6	0.02	0.6	0.7	428	1.6	0.08	1.4	1.8
1990	26	0.5	0.10	0.3	0.7	13	1.9	0.55	1.0	3.3
1991	34	0.7	0.12	0.5	1.0	14	2.1	0.56	1.1	3.5
1992	45	0.9	0.13	0.6	1.2	10	1.4	0.44	0.7	2.5
1993	49	0.9	0.13	0.7	1.2	13	1.9	0.53	1.0	3.2
1994	66	1.2	0.15	0.9	1.5	16	2.4	0.61	1.4	3.9
1995	30	0.6	0.10	0.4	0.8	7	1.0	0.39	0.4	2.1
1996	25	0.5	0.10	0.3	0.7	4	0.6	0.28	0.2	1.4
1997	28	0.5	0.09	0.3	0.7	10	1.3	0.42	0.6	2.4
1998	29	0.5	0.09	0.3	0.7	11	1.3	0.40	0.7	2.4
1999	26	0.4	0.08	0.3	0.6	12	1.5	0.42	0.7	2.5
2000	29	0.5	0.09	0.3	0.7	11	1.4	0.44	0.7	2.5
2001	29	0.5	0.09	0.3	0.7	6	0.7	0.31	0.3	1.6
2002	32	0.5	0.10	0.4	0.8	13	1.5	0.42	0.8	2.6
2003	26	0.4	0.09	0.3	0.7	4	0.5	0.23	0.1	1.2
2004	29	0.4	0.08	0.3	0.6	10	1.1	0.34	0.5	2.0
2005	33	0.6	0.10	0.4	0.8	11	1.2	0.35	0.6	2.1
2006	28	0.4	0.08	0.3	0.6	19	2.2	0.51	1.3	3.5
2007	22	0.4	0.08	0.2	0.6	10	1.1	0.36	0.5	2.1
2008	33	0.6	0.11	0.4	0.9	18	1.8	0.43	1.1	2.9
2009	31	0.6	0.10	0.4	0.8	11	1.1	0.32	0.5	1.9
2010	41	0.7	0.12	0.5	1.0	18	1.9	0.45	1.1	3.0
2011	31	0.5	0.10	0.4	0.8	17	1.6	0.39	0.9	2.6
2012	30	0.5	0.10	0.4	0.8	13	1.3	0.36	0.7	2.2
2013	29	0.4	0.09	0.3	0.7	19	1.7	0.40	1.0	2.7
2014	35	0.5	0.09	0.4	0.8	20	1.8	0.42	1.1	2.9
2015	37	0.6	0.09	0.4	0.8	21	2.2	0.48	1.3	3.3
2016	50	0.8	0.12	0.6	1.0	22	2.1	0.46	1.3	3.2
2017	64	1.1	0.14	0.8	1.4	27	2.3	0.46	1.5	3.4
2018	45	0.8	0.12	0.5	1.0	18	1.6	0.38	0.9	2.5
2019	53	0.9	0.13	0.7	1.2	30	2.6	0.49	1.8	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ovary										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,542	10.5	0.29	9.9	11.1	25,980	13.3	0.08	13.1	13.5
1990	28	12.1	2.59	7.5	18.2	954	16.4	0.54	15.3	17.5
1991	35	13.4	2.56	8.9	19.3	916	15.9	0.54	14.9	17.0
1992	30	10.4	2.03	6.8	15.2	898	15.4	0.52	14.4	16.4
1993	28	12.1	2.59	7.6	18.1	891	14.9	0.51	13.9	16.0
1994	39	12.9	2.22	8.9	18.0	970	16.0	0.52	15.0	17.0
1995	38	10.1	1.90	6.7	14.6	899	14.9	0.50	13.9	15.9
1996	31	10.2	2.05	6.6	14.9	965	15.8	0.51	14.8	16.8
1997	24	10.2	2.29	6.2	15.5	943	15.5	0.51	14.5	16.5
1998	32	10.2	2.07	6.6	15.0	925	14.9	0.50	14.0	15.9
1999	49	14.2	2.43	9.8	19.6	915	14.7	0.49	13.7	15.7
2000	37	10.4	1.95	6.9	14.8	856	13.5	0.47	12.6	14.4
2001	40	9.9	1.79	6.7	14.0	855	13.6	0.47	12.7	14.5
2002	41	9.4	1.65	6.4	13.2	905	14.3	0.48	13.4	15.3
2003	37	7.9	1.58	5.1	11.6	887	13.7	0.46	12.8	14.6
2004	56	13.1	2.03	9.5	17.6	886	13.6	0.46	12.7	14.6
2005	53	11.9	1.89	8.5	16.1	898	13.8	0.47	12.9	14.7
2006	59	11.5	1.71	8.4	15.3	911	13.8	0.46	12.9	14.7
2007	43	7.8	1.32	5.4	10.8	892	13.5	0.46	12.6	14.5
2008	66	12.0	1.67	9.0	15.7	837	12.5	0.44	11.7	13.4
2009	60	11.5	1.64	8.5	15.1	848	12.6	0.44	11.8	13.5
2010	57	9.0	1.34	6.6	12.0	867	12.7	0.44	11.9	13.6
2011	61	11.1	1.59	8.2	14.6	838	12.4	0.44	11.5	13.2
2012	56	8.1	1.15	6.0	10.6	803	11.5	0.42	10.7	12.4
2013	75	11.5	1.44	8.8	14.6	801	11.5	0.42	10.7	12.3
2014	61	8.5	1.17	6.4	11.1	801	11.3	0.41	10.5	12.2
2015	89	13.0	1.48	10.3	16.2	816	11.5	0.42	10.7	12.4
2016	68	8.6	1.10	6.6	11.0	793	11.2	0.41	10.4	12.0
2017	79	10.0	1.19	7.8	12.6	751	10.8	0.41	10.0	11.6
2018	84	10.5	1.20	8.3	13.1	741	10.5	0.41	9.7	11.3
2019	86	10.0	1.13	7.9	12.4	718	9.9	0.39	9.1	10.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ovary										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	22,322	13.9	0.10	13.7	14.1	2,823	10.4	0.20	10.0	10.8
1990	856	17.1	0.60	16.0	18.4	89	12.7	1.38	10.2	15.7
1991	829	17.0	0.61	15.9	18.3	74	10.3	1.23	8.1	13.0
1992	821	16.6	0.59	15.4	17.8	67	9.2	1.14	7.1	11.7
1993	794	15.7	0.57	14.6	16.8	85	11.3	1.25	9.0	14.0
1994	862	16.7	0.58	15.6	17.9	93	12.4	1.30	10.0	15.2
1995	802	15.7	0.56	14.6	16.8	81	10.2	1.15	8.1	12.7
1996	843	16.3	0.57	15.2	17.4	102	13.1	1.31	10.7	15.9
1997	825	16.1	0.57	15.0	17.3	95	11.9	1.23	9.6	14.6
1998	823	15.9	0.56	14.8	17.0	84	10.1	1.11	8.0	12.5
1999	812	15.6	0.55	14.5	16.7	85	10.1	1.10	8.1	12.5
2000	756	14.3	0.53	13.3	15.4	72	8.4	1.00	6.5	10.6
2001	720	13.8	0.52	12.8	14.9	101	11.9	1.19	9.6	14.4
2002	781	14.9	0.54	13.9	16.0	94	10.7	1.11	8.6	13.1
2003	775	14.4	0.53	13.4	15.5	90	10.3	1.10	8.3	12.7
2004	771	14.4	0.53	13.4	15.5	98	11.2	1.14	9.1	13.6
2005	772	14.5	0.53	13.5	15.6	91	10.0	1.06	8.0	12.3
2006	784	14.4	0.53	13.4	15.5	92	10.0	1.05	8.1	12.3
2007	773	14.4	0.53	13.3	15.4	93	9.9	1.04	8.0	12.2
2008	719	13.2	0.51	12.2	14.3	92	9.6	1.01	7.7	11.8
2009	701	12.9	0.50	11.9	13.9	115	11.9	1.12	9.8	14.3
2010	712	12.8	0.50	11.9	13.9	111	11.2	1.07	9.2	13.5
2011	695	12.7	0.50	11.7	13.7	95	9.4	0.98	7.6	11.6
2012	677	12.1	0.48	11.1	13.1	96	9.4	0.97	7.6	11.5
2013	654	11.7	0.47	10.8	12.7	115	11.4	1.07	9.4	13.7
2014	678	12.0	0.48	11.1	13.0	90	8.6	0.92	6.9	10.6
2015	667	11.9	0.48	10.9	12.9	116	10.9	1.03	8.9	13.1
2016	644	11.4	0.47	10.5	12.3	106	10.4	1.03	8.5	12.6
2017	623	11.4	0.48	10.4	12.3	89	8.2	0.89	6.5	10.1
2018	591	10.7	0.47	9.8	11.7	101	9.1	0.93	7.3	11.1
2019	562	9.9	0.44	9.0	10.8	111	10.0	0.97	8.2	12.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Male Genital System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,598	118.7	1.20	116.3	121.1	250,135	154.7	0.31	154.1	155.3
1990	117	99.4	10.89	79.2	122.5	5,763	136.8	1.87	133.2	140.5
1991	114	83.5	9.39	66.1	103.4	7,288	168.0	2.04	164.0	172.0
1992	157	119.1	11.30	98.0	142.7	8,806	197.6	2.17	193.4	201.9
1993	173	124.1	11.20	103.2	147.5	8,452	187.0	2.09	182.9	191.1
1994	241	151.8	11.66	129.8	175.9	8,167	179.5	2.03	175.5	183.5
1995	233	142.6	11.15	121.6	165.7	7,661	165.5	1.93	161.8	169.3
1996	265	161.1	11.74	138.9	185.3	7,783	165.6	1.91	161.9	169.4
1997	271	143.1	10.26	123.7	164.3	8,087	170.9	1.92	167.2	174.7
1998	273	153.6	11.06	132.7	176.4	8,015	167.9	1.89	164.2	171.6
1999	329	158.3	10.38	138.6	179.7	8,454	175.3	1.92	171.5	179.1
2000	335	142.2	9.23	124.6	161.1	8,507	175.3	1.92	171.6	179.1
2001	345	146.6	9.29	129.0	165.7	9,038	184.5	1.96	180.7	188.4
2002	373	144.2	8.70	127.7	162.1	9,306	187.7	1.96	183.9	191.6
2003	379	134.3	8.14	118.8	151.0	8,599	170.4	1.86	166.8	174.1
2004	386	129.7	7.54	115.4	145.2	8,487	165.7	1.82	162.2	169.3
2005	427	128.8	7.14	115.2	143.5	8,292	159.4	1.77	155.9	162.9
2006	456	133.8	7.17	120.1	148.4	9,019	169.8	1.81	166.3	173.4
2007	512	146.8	7.39	132.7	161.8	9,750	180.0	1.85	176.4	183.7
2008	567	153.3	7.36	139.2	168.2	9,748	175.1	1.80	171.6	178.7
2009	610	154.5	7.07	141.0	168.9	9,473	165.6	1.73	162.2	169.1
2010	560	124.6	5.98	113.1	136.8	8,594	147.2	1.62	144.0	150.4
2011	562	113.9	5.45	103.4	125.0	8,773	147.0	1.61	143.8	150.2
2012	547	110.3	5.31	100.2	121.2	7,797	126.8	1.47	123.9	129.7
2013	565	106.7	5.02	97.1	116.9	7,494	119.6	1.41	116.8	122.4
2014	563	98.9	4.66	90.0	108.4	7,487	116.9	1.38	114.2	119.6
2015	575	93.8	4.37	85.4	102.7	7,904	121.0	1.40	118.3	123.8
2016	625	97.7	4.34	89.4	106.6	7,947	120.3	1.39	117.6	123.0
2017	633	96.2	4.22	88.1	104.7	8,435	125.6	1.40	122.8	128.3
2018	682	98.5	4.16	90.5	107.0	8,512	125.0	1.39	122.3	127.7
2019	723	100.5	4.09	92.7	108.8	8,497	123.6	1.38	120.9	126.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Male Genital System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	201,201	147.4	0.33	146.8	148.1	41,552	219.2	1.12	217.0	221.4
1990	5,045	134.3	1.95	130.5	138.1	661	168.7	7.04	155.2	182.9
1991	6,464	167.8	2.15	163.7	172.1	753	176.9	6.90	163.6	190.8
1992	7,708	195.2	2.28	190.8	199.7	1,027	236.0	7.85	220.8	251.8
1993	7,287	182.9	2.19	178.6	187.3	1,101	241.6	7.77	226.6	257.2
1994	6,816	170.2	2.10	166.1	174.3	1,259	276.9	8.34	260.8	293.6
1995	6,335	156.5	2.00	152.6	160.5	1,240	260.0	7.84	244.9	275.8
1996	6,362	155.6	1.97	151.7	159.5	1,325	266.7	7.74	251.7	282.2
1997	6,746	164.5	2.02	160.6	168.5	1,200	235.0	7.15	221.2	249.4
1998	6,565	159.1	1.98	155.3	163.1	1,267	244.2	7.21	230.3	258.7
1999	7,014	169.0	2.03	165.0	173.0	1,225	228.8	6.84	215.6	242.6
2000	6,897	165.7	2.01	161.8	169.7	1,433	264.4	7.31	250.3	279.1
2001	7,425	177.2	2.07	173.2	181.3	1,400	253.5	7.10	239.8	267.8
2002	7,647	181.1	2.08	177.0	185.2	1,390	242.6	6.83	229.4	256.3
2003	6,940	162.3	1.96	158.5	166.2	1,422	238.9	6.63	226.0	252.2
2004	6,794	157.1	1.92	153.4	160.9	1,450	240.2	6.62	227.4	253.5
2005	6,565	149.8	1.87	146.2	153.5	1,442	235.9	6.55	223.2	249.0
2006	7,157	160.7	1.92	156.9	164.5	1,594	251.7	6.62	238.9	264.9
2007	7,691	169.5	1.96	165.7	173.4	1,743	269.6	6.76	256.5	283.2
2008	7,661	164.9	1.91	161.2	168.7	1,757	259.8	6.47	247.3	272.8
2009	7,347	154.4	1.83	150.8	158.0	1,762	251.8	6.28	239.6	264.3
2010	6,692	138.2	1.72	134.9	141.6	1,583	220.3	5.80	209.1	231.9
2011	6,879	139.3	1.72	136.0	142.7	1,476	196.7	5.36	186.4	207.5
2012	5,940	117.3	1.56	114.3	120.4	1,495	192.9	5.22	182.8	203.4
2013	5,859	113.5	1.52	110.5	116.5	1,373	176.2	4.97	166.6	186.2
2014	5,764	109.8	1.48	106.9	112.7	1,398	172.0	4.79	162.7	181.6
2015	5,980	112.1	1.49	109.2	115.0	1,566	190.0	5.01	180.3	200.1
2016	6,144	114.6	1.51	111.6	117.5	1,499	174.7	4.70	165.6	184.2
2017	6,482	118.3	1.51	115.4	121.4	1,608	186.3	4.83	177.0	196.1
2018	6,539	118.0	1.50	115.1	121.0	1,531	172.9	4.57	164.0	182.1
2019	6,456	115.5	1.48	112.6	118.4	1,572	177.9	4.65	168.9	187.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Prostate										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	11,099	113.0	1.19	110.7	115.4	239,864	148.1	0.31	147.5	148.7
1990	99	93.5	10.64	73.8	116.0	5,447	130.9	1.84	127.3	134.6
1991	96	78.1	9.14	61.2	97.6	6,992	162.4	2.01	158.5	166.4
1992	140	116.2	11.27	95.2	139.8	8,520	192.3	2.14	188.1	196.6
1993	155	121.2	11.17	100.3	144.5	8,129	180.8	2.06	176.8	184.9
1994	221	148.7	11.63	126.7	172.8	7,843	173.4	2.01	169.5	177.4
1995	207	138.1	11.09	117.2	161.1	7,348	159.8	1.90	156.1	163.5
1996	242	156.8	11.68	134.7	180.9	7,453	159.5	1.88	155.9	163.2
1997	246	140.2	10.24	120.9	161.4	7,725	164.1	1.89	160.4	167.8
1998	248	150.2	11.03	129.3	172.9	7,680	161.5	1.86	157.8	165.1
1999	298	155.0	10.36	135.4	176.4	8,109	168.7	1.89	165.1	172.5
2000	294	137.2	9.19	119.7	156.1	8,191	169.3	1.89	165.6	173.0
2001	312	142.6	9.24	125.1	161.6	8,675	177.5	1.92	173.8	181.3
2002	331	139.0	8.62	122.6	156.7	8,970	181.3	1.93	177.5	185.1
2003	334	129.2	8.04	113.9	145.7	8,264	164.1	1.82	160.5	167.7
2004	351	126.1	7.51	111.8	141.5	8,121	158.7	1.78	155.2	162.2
2005	382	124.0	7.07	110.5	138.5	7,969	153.1	1.74	149.7	156.6
2006	402	128.6	7.12	115.0	143.1	8,669	163.1	1.78	159.6	166.6
2007	454	141.7	7.35	127.7	156.7	9,413	173.5	1.82	169.9	177.1
2008	506	147.0	7.28	133.1	161.8	9,373	167.8	1.76	164.3	171.2
2009	560	149.0	7.01	135.6	163.3	9,131	158.8	1.69	155.5	162.2
2010	491	118.0	5.91	106.7	130.0	8,211	139.8	1.58	136.7	142.9
2011	486	107.6	5.40	97.3	118.6	8,450	140.7	1.57	137.7	143.8
2012	487	104.9	5.26	94.9	115.7	7,423	119.6	1.42	116.8	122.4
2013	506	101.4	4.96	91.9	111.5	7,130	112.4	1.36	109.8	115.1
2014	492	92.1	4.56	83.3	101.4	7,129	109.9	1.33	107.3	112.6
2015	478	85.2	4.26	77.0	93.9	7,530	113.8	1.34	111.1	116.4
2016	536	89.9	4.25	81.7	98.5	7,560	112.7	1.33	110.1	115.4
2017	538	86.5	4.06	78.7	94.7	8,096	118.8	1.35	116.2	121.5
2018	567	88.3	4.04	80.6	96.6	8,165	118.0	1.34	115.4	120.7
2019	640	93.7	4.01	86.0	101.8	8,148	116.7	1.32	114.1	119.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Prostate										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	191,882	139.9	0.32	139.2	140.5	40,982	216.6	1.12	214.4	218.8
1990	4,754	127.8	1.92	124.1	131.6	642	164.6	6.97	151.3	178.8
1991	6,189	161.7	2.12	157.5	165.9	737	174.0	6.85	160.8	187.8
1992	7,441	189.2	2.25	184.9	193.7	1,011	233.5	7.82	218.4	249.2
1993	6,985	176.0	2.15	171.8	180.3	1,082	238.8	7.74	223.9	254.4
1994	6,515	163.3	2.06	159.3	167.4	1,242	274.2	8.31	258.2	290.9
1995	6,046	150.0	1.96	146.2	153.9	1,224	257.5	7.81	242.4	273.2
1996	6,068	148.9	1.93	145.1	152.8	1,305	263.7	7.71	248.8	279.2
1997	6,411	156.7	1.98	152.8	160.6	1,183	232.5	7.12	218.7	246.8
1998	6,255	151.8	1.93	148.1	155.7	1,250	242.0	7.19	228.1	256.4
1999	6,711	161.8	1.99	158.0	165.8	1,206	226.4	6.82	213.2	240.1
2000	6,608	158.8	1.96	155.0	162.7	1,416	261.9	7.29	247.8	276.5
2001	7,095	169.4	2.02	165.4	173.4	1,383	251.2	7.07	237.5	265.4
2002	7,342	173.8	2.04	169.8	177.8	1,369	239.8	6.80	226.7	253.5
2003	6,631	154.9	1.91	151.1	158.7	1,406	236.8	6.61	224.0	250.0
2004	6,458	148.9	1.87	145.3	152.6	1,433	238.0	6.59	225.2	251.2
2005	6,281	142.8	1.82	139.2	146.4	1,420	232.6	6.50	220.0	245.6
2006	6,838	152.8	1.87	149.1	156.5	1,579	249.7	6.60	237.0	263.0
2007	7,388	161.9	1.91	158.2	165.7	1,722	266.9	6.74	253.9	280.4
2008	7,326	156.4	1.85	152.8	160.1	1,733	256.8	6.44	244.3	269.7
2009	7,027	146.2	1.77	142.7	149.7	1,750	250.2	6.26	238.1	262.8
2010	6,344	129.4	1.66	126.2	132.7	1,560	217.3	5.76	206.1	228.8
2011	6,586	131.9	1.66	128.7	135.2	1,461	195.0	5.34	184.7	205.7
2012	5,602	108.8	1.49	105.9	111.8	1,476	190.4	5.19	180.3	200.8
2013	5,533	105.1	1.44	102.3	108.0	1,353	173.6	4.93	164.1	183.5
2014	5,449	101.7	1.41	98.9	104.5	1,374	168.6	4.74	159.4	178.1
2015	5,643	103.3	1.41	100.6	106.1	1,544	187.3	4.98	177.7	197.3
2016	5,787	105.2	1.42	102.5	108.1	1,482	172.6	4.67	163.6	182.0
2017	6,180	110.3	1.44	107.5	113.1	1,585	183.7	4.79	174.4	193.3
2018	6,238	109.9	1.42	107.1	112.7	1,503	169.1	4.51	160.4	178.2
2019	6,151	107.4	1.40	104.6	110.2	1,551	175.4	4.61	166.5	184.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Testis										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,322	4.2	0.12	4.0	4.5	8,674	5.5	0.06	5.4	5.6
1990	13	2.4	0.76	1.1	5.3	260	4.6	0.29	4.1	5.2
1991	14	2.2	0.65	1.1	4.9	249	4.5	0.29	3.9	5.1
1992	14	1.9	0.56	1.0	4.4	245	4.4	0.28	3.8	5.0
1993	15	2.0	0.59	1.1	4.5	270	4.9	0.30	4.3	5.5
1994	18	2.6	0.66	1.5	5.1	268	4.8	0.30	4.3	5.4
1995	21	2.5	0.62	1.5	4.9	259	4.7	0.29	4.1	5.3
1996	18	2.1	0.52	1.2	4.3	274	4.9	0.30	4.4	5.6
1997	23	2.3	0.50	1.5	4.3	312	5.7	0.33	5.1	6.4
1998	22	2.4	0.60	1.3	4.5	278	5.1	0.31	4.6	5.8
1999	29	2.8	0.56	1.8	4.8	296	5.5	0.32	4.9	6.2
2000	36	3.8	0.70	2.5	5.9	262	4.9	0.30	4.3	5.5
2001	29	2.7	0.54	1.8	4.5	299	5.6	0.32	5.0	6.3
2002	37	4.0	1.03	2.3	6.7	293	5.5	0.32	4.9	6.2
2003	43	3.8	0.64	2.7	5.6	285	5.4	0.32	4.8	6.1
2004	28	2.3	0.45	1.5	3.8	317	6.1	0.34	5.4	6.8
2005	41	4.0	0.83	2.5	6.2	282	5.4	0.32	4.8	6.1
2006	49	4.3	0.64	3.1	6.0	292	5.7	0.33	5.0	6.3
2007	54	4.6	0.65	3.4	6.3	277	5.4	0.33	4.8	6.1
2008	56	4.8	0.66	3.6	6.4	311	6.1	0.35	5.4	6.8
2009	40	3.4	0.56	2.4	4.9	300	5.9	0.34	5.3	6.6
2010	61	5.2	0.70	3.9	6.9	320	6.3	0.36	5.6	7.0
2011	72	5.8	0.69	4.5	7.5	270	5.3	0.33	4.7	6.0
2012	55	4.7	0.71	3.4	6.4	309	6.1	0.35	5.4	6.8
2013	53	4.3	0.60	3.2	5.8	320	6.4	0.36	5.7	7.1
2014	63	5.3	0.72	4.0	7.0	306	6.1	0.35	5.4	6.8
2015	87	6.9	0.75	5.5	8.6	311	6.2	0.36	5.5	6.9
2016	80	6.4	0.72	5.1	8.1	333	6.6	0.37	5.9	7.4
2017	78	6.3	0.73	5.0	8.0	288	5.9	0.35	5.2	6.6
2018	99	8.1	0.82	6.6	9.9	292	6.1	0.36	5.4	6.8
2019	74	5.8	0.67	4.5	7.3	296	6.0	0.36	5.4	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Testis										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,997	6.5	0.07	6.4	6.7	344	1.4	0.08	1.2	1.5
1990	245	5.3	0.34	4.6	6.0	10	1.5	0.50	0.7	2.9
1991	239	5.2	0.34	4.6	5.9	6	0.6	0.25	0.2	1.5
1992	231	5.1	0.34	4.4	5.8	12	1.3	0.38	0.7	2.4
1993	254	5.6	0.36	5.0	6.4	15	1.9	0.52	1.1	3.3
1994	256	5.7	0.36	5.0	6.4	8	0.9	0.31	0.4	1.8
1995	242	5.4	0.35	4.7	6.1	9	1.1	0.37	0.5	2.2
1996	246	5.5	0.35	4.8	6.2	12	1.5	0.44	0.8	2.7
1997	294	6.7	0.39	6.0	7.6	9	1.2	0.42	0.5	2.4
1998	260	6.0	0.38	5.3	6.8	12	1.3	0.38	0.7	2.4
1999	264	6.2	0.38	5.5	7.0	14	1.6	0.44	0.9	2.8
2000	244	5.8	0.37	5.1	6.6	9	1.0	0.33	0.5	2.0
2001	274	6.5	0.39	5.8	7.3	11	1.2	0.37	0.6	2.3
2002	270	6.5	0.40	5.7	7.3	14	1.7	0.45	0.9	2.9
2003	269	6.5	0.40	5.8	7.4	7	0.8	0.29	0.3	1.7
2004	294	7.2	0.42	6.4	8.1	11	1.4	0.41	0.7	2.5
2005	253	6.3	0.40	5.6	7.2	14	1.6	0.44	0.9	2.8
2006	269	6.8	0.41	6.0	7.6	10	1.2	0.38	0.6	2.3
2007	254	6.5	0.41	5.7	7.3	12	1.5	0.44	0.8	2.7
2008	284	7.3	0.43	6.4	8.2	14	1.7	0.46	0.9	2.9
2009	282	7.3	0.44	6.5	8.2	8	0.9	0.31	0.4	1.8
2010	296	7.7	0.45	6.8	8.6	13	1.6	0.45	0.8	2.8
2011	247	6.3	0.41	5.6	7.2	8	1.0	0.34	0.4	1.9
2012	283	7.3	0.44	6.5	8.3	12	1.4	0.42	0.7	2.6
2013	292	7.7	0.46	6.8	8.6	11	1.3	0.42	0.7	2.4
2014	272	7.2	0.44	6.4	8.1	16	1.9	0.47	1.0	3.1
2015	289	7.7	0.46	6.8	8.7	8	1.0	0.36	0.4	2.0
2016	312	8.3	0.48	7.4	9.3	11	1.4	0.43	0.7	2.5
2017	264	7.3	0.46	6.4	8.2	15	1.8	0.47	1.0	3.0
2018	256	7.2	0.46	6.4	8.2	20	2.6	0.61	1.6	4.1
2019	262	7.2	0.46	6.4	8.2	13	1.5	0.44	0.8	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Penis										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	158	1.3	0.12	1.1	1.6	1,254	0.8	0.02	0.8	0.9
1990	4	3.2	2.17	0.4	9.4	34	0.8	0.14	0.6	1.1
1991	4	3.1	2.05	0.5	9.0	37	0.9	0.15	0.6	1.2
1992	2	0.8	0.56	0.1	3.5	36	0.8	0.14	0.6	1.1
1993	2	0.6	0.44	0.1	3.1	39	0.9	0.15	0.7	1.3
1994	2	0.5	0.41	0.1	2.9	47	1.0	0.15	0.8	1.4
1995	5	2.0	0.90	0.6	5.0	41	0.9	0.13	0.6	1.2
1996	5	2.2	1.05	0.7	5.4	43	0.9	0.14	0.6	1.2
1997	2	0.5	0.37	0.1	2.6	40	0.9	0.14	0.6	1.2
1998	3	1.1	0.67	0.2	3.5	43	1.0	0.15	0.7	1.3
1999	1	0.3	0.29	0.0	2.2	48	1.0	0.15	0.8	1.4
2000	5	1.2	0.58	0.4	3.3	42	0.9	0.14	0.7	1.2
2001	4	1.2	0.74	0.2	3.6	50	1.1	0.15	0.8	1.4
2002	5	1.2	0.54	0.4	3.1	32	0.7	0.12	0.4	0.9
2003	2	1.3	1.11	0.1	4.5	37	0.7	0.12	0.5	1.0
2004	6	1.1	0.46	0.4	2.7	43	0.9	0.14	0.6	1.2
2005	4	0.9	0.55	0.1	2.7	30	0.6	0.11	0.4	0.9
2006	4	0.9	0.55	0.2	2.7	51	1.0	0.14	0.7	1.3
2007	4	0.5	0.25	0.1	1.6	46	0.9	0.13	0.7	1.2
2008	4	1.4	0.82	0.3	3.7	44	0.9	0.13	0.6	1.2
2009	10	2.0	0.74	0.8	4.0	38	0.8	0.13	0.5	1.1
2010	6	1.1	0.53	0.4	2.7	52	1.0	0.13	0.7	1.3
2011	4	0.5	0.24	0.1	1.4	41	0.8	0.12	0.5	1.0
2012	5	0.7	0.33	0.2	1.8	49	0.9	0.13	0.7	1.2
2013	4	0.7	0.39	0.1	1.9	32	0.6	0.11	0.4	0.8
2014	5	1.0	0.53	0.3	2.5	45	0.8	0.12	0.6	1.1
2015	10	1.7	0.62	0.7	3.3	48	0.8	0.12	0.6	1.1
2016	8	1.2	0.47	0.5	2.5	42	0.8	0.12	0.5	1.0
2017	15	3.1	0.88	1.6	5.2	37	0.6	0.11	0.4	0.9
2018	14	1.8	0.52	0.9	3.1	46	0.8	0.12	0.6	1.1
2019	9	1.1	0.39	0.4	2.1	41	0.7	0.11	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Penis										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,032	0.8	0.03	0.8	0.9	185	1.0	0.08	0.9	1.2
1990	27	0.7	0.13	0.5	1.0	7	2.1	0.82	0.8	4.2
1991	27	0.7	0.14	0.5	1.0	9	2.2	0.80	0.9	4.3
1992	31	0.8	0.15	0.5	1.1	4	1.2	0.63	0.3	2.9
1993	35	1.0	0.16	0.7	1.3	4	0.9	0.44	0.2	2.1
1994	36	0.9	0.15	0.6	1.3	9	1.8	0.61	0.8	3.4
1995	35	0.9	0.14	0.6	1.2	6	1.3	0.55	0.5	2.8
1996	36	0.9	0.15	0.6	1.2	7	1.2	0.49	0.4	2.6
1997	32	0.8	0.15	0.6	1.2	7	1.2	0.49	0.5	2.6
1998	38	1.0	0.16	0.7	1.4	4	0.8	0.46	0.2	2.1
1999	38	1.0	0.15	0.7	1.3	5	0.8	0.37	0.3	1.9
2000	35	0.9	0.15	0.6	1.2	6	1.1	0.47	0.4	2.4
2001	43	1.1	0.16	0.8	1.4	5	1.0	0.44	0.3	2.2
2002	26	0.6	0.12	0.4	0.9	5	0.8	0.36	0.3	1.8
2003	30	0.7	0.13	0.5	1.0	7	1.0	0.38	0.4	2.1
2004	37	0.9	0.15	0.6	1.2	5	0.8	0.36	0.2	1.9
2005	22	0.5	0.11	0.3	0.8	7	1.3	0.54	0.5	2.8
2006	43	1.0	0.15	0.7	1.4	5	0.7	0.34	0.2	1.7
2007	36	0.9	0.14	0.6	1.2	8	1.0	0.37	0.4	2.1
2008	36	0.8	0.14	0.6	1.2	7	1.0	0.39	0.4	2.1
2009	34	0.8	0.14	0.6	1.1	4	0.7	0.35	0.2	1.7
2010	43	0.9	0.14	0.7	1.3	8	1.2	0.46	0.5	2.5
2011	36	0.8	0.14	0.6	1.2	5	0.6	0.26	0.2	1.4
2012	42	0.9	0.14	0.7	1.2	6	1.0	0.42	0.3	2.1
2013	24	0.5	0.11	0.3	0.8	8	1.2	0.44	0.5	2.4
2014	37	0.7	0.12	0.5	1.0	7	1.4	0.53	0.6	2.8
2015	40	0.8	0.14	0.6	1.2	8	1.0	0.35	0.4	2.0
2016	36	0.8	0.13	0.5	1.1	3	0.5	0.27	0.1	1.3
2017	30	0.6	0.12	0.4	0.9	3	0.4	0.22	0.1	1.1
2018	36	0.8	0.13	0.5	1.1	8	1.1	0.42	0.5	2.2
2019	31	0.7	0.12	0.4	0.9	8	0.9	0.34	0.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary System										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,459	27.9	0.39	27.2	28.7	140,151	38.6	0.10	38.4	38.8
1990	73	23.1	3.05	17.5	29.7	3,271	31.0	0.55	30.0	32.1
1991	81	22.7	2.86	17.4	28.9	3,331	31.3	0.55	30.2	32.4
1992	76	20.5	2.63	15.7	26.2	3,475	32.1	0.55	31.1	33.2
1993	74	19.3	2.49	14.7	24.7	3,603	32.9	0.55	31.9	34.0
1994	106	27.7	3.02	22.1	34.1	3,708	33.7	0.56	32.6	34.8
1995	100	23.9	2.82	18.7	30.0	3,722	33.6	0.55	32.5	34.7
1996	98	23.9	2.79	18.7	29.8	3,972	35.8	0.57	34.7	36.9
1997	142	35.6	3.53	29.1	43.1	4,051	36.2	0.57	35.1	37.4
1998	141	28.7	2.81	23.5	34.6	4,013	35.6	0.56	34.5	36.7
1999	140	28.8	2.85	23.5	34.8	4,137	36.4	0.57	35.3	37.5
2000	141	24.4	2.35	20.0	29.4	4,361	38.2	0.58	37.1	39.3
2001	159	27.3	2.51	22.6	32.6	4,358	38.0	0.58	36.9	39.1
2002	153	25.7	2.37	21.3	30.7	4,688	40.5	0.59	39.3	41.7
2003	191	28.9	2.39	24.4	33.8	4,792	41.1	0.59	39.9	42.3
2004	164	23.7	2.13	19.7	28.2	4,865	41.3	0.59	40.2	42.5
2005	204	29.4	2.35	24.9	34.3	4,946	41.7	0.60	40.6	42.9
2006	193	26.0	2.16	22.0	30.5	4,938	41.4	0.59	40.3	42.6
2007	233	27.9	2.04	24.0	32.1	5,003	41.4	0.59	40.3	42.6
2008	235	27.8	2.06	23.9	32.1	5,236	42.8	0.60	41.6	44.0
2009	260	30.4	2.12	26.3	34.7	5,330	43.0	0.60	41.9	44.2
2010	262	26.9	1.88	23.3	30.8	5,079	40.4	0.57	39.2	41.5
2011	312	31.6	2.00	27.8	35.8	5,200	40.5	0.57	39.4	41.7
2012	311	29.3	1.84	25.8	33.1	5,236	40.4	0.57	39.3	41.5
2013	325	28.9	1.76	25.6	32.5	5,495	41.8	0.57	40.6	42.9
2014	365	32.8	1.88	29.2	36.7	5,534	41.4	0.57	40.2	42.5
2015	366	29.8	1.70	26.6	33.3	5,700	42.1	0.57	41.0	43.3
2016	364	28.4	1.61	25.3	31.7	5,611	41.2	0.56	40.1	42.3
2017	398	29.6	1.60	26.6	32.9	5,578	40.4	0.56	39.3	41.5
2018	394	27.6	1.49	24.8	30.7	5,406	38.9	0.54	37.9	40.0
2019	398	27.3	1.46	24.5	30.3	5,512	38.8	0.54	37.8	39.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	123,763	40.4	0.12	40.2	40.7	13,560	29.7	0.26	29.2	30.2
1990	3,026	32.8	0.60	31.6	34.0	221	19.1	1.32	16.6	21.8
1991	3,085	33.0	0.60	31.9	34.2	219	19.3	1.34	16.8	22.1
1992	3,189	33.7	0.60	32.6	34.9	251	21.7	1.41	19.0	24.6
1993	3,264	34.2	0.60	33.1	35.4	300	23.5	1.40	20.8	26.4
1994	3,372	35.3	0.61	34.1	36.5	295	23.8	1.42	21.1	26.7
1995	3,399	35.4	0.61	34.2	36.6	290	22.7	1.37	20.1	25.5
1996	3,590	37.5	0.63	36.3	38.7	330	25.7	1.45	22.9	28.6
1997	3,649	37.8	0.63	36.6	39.1	329	25.1	1.42	22.4	28.0
1998	3,617	37.3	0.62	36.1	38.5	337	25.1	1.40	22.4	28.0
1999	3,724	38.3	0.63	37.0	39.5	353	26.7	1.45	23.9	29.7
2000	3,891	39.9	0.64	38.6	41.2	406	29.4	1.49	26.5	32.4
2001	3,901	40.0	0.64	38.7	41.3	396	28.5	1.46	25.7	31.5
2002	4,188	42.6	0.66	41.3	43.9	428	30.6	1.51	27.7	33.7
2003	4,277	43.3	0.66	42.0	44.6	436	29.4	1.43	26.6	32.3
2004	4,363	43.9	0.67	42.6	45.2	420	28.2	1.40	25.5	31.1
2005	4,370	43.9	0.67	42.6	45.2	456	30.3	1.45	27.5	33.2
2006	4,352	43.5	0.67	42.2	44.8	486	31.8	1.47	29.0	34.8
2007	4,364	43.2	0.66	41.9	44.5	534	34.5	1.52	31.6	37.6
2008	4,563	44.6	0.67	43.3	45.9	580	36.3	1.54	33.3	39.4
2009	4,660	45.2	0.67	43.9	46.6	569	35.1	1.51	32.2	38.2
2010	4,438	42.5	0.65	41.2	43.8	514	31.0	1.40	28.3	33.9
2011	4,528	42.7	0.65	41.5	44.0	537	31.4	1.39	28.8	34.3
2012	4,569	42.7	0.65	41.5	44.0	546	31.7	1.39	29.0	34.5
2013	4,768	44.1	0.65	42.8	45.4	595	33.8	1.42	31.0	36.6
2014	4,740	43.3	0.65	42.0	44.6	646	35.7	1.44	32.9	38.6
2015	4,902	44.4	0.65	43.2	45.7	635	34.2	1.39	31.6	37.1
2016	4,837	43.7	0.65	42.4	45.0	635	34.5	1.40	31.8	37.4
2017	4,839	43.3	0.64	42.0	44.5	590	30.7	1.29	28.2	33.4
2018	4,638	41.4	0.63	40.2	42.6	587	30.5	1.29	28.0	33.1
2019	4,660	40.7	0.62	39.5	41.9	639	32.5	1.32	29.9	35.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,216	40.0	0.71	38.6	41.4	96,096	62.1	0.20	61.7	62.5
1990	42	32.3	5.85	21.8	45.3	2,261	52.9	1.15	50.7	55.2
1991	57	34.8	5.58	24.8	47.2	2,297	52.7	1.13	50.5	54.9
1992	52	32.2	5.25	22.7	43.8	2,365	53.7	1.13	51.5	55.9
1993	50	28.4	4.75	19.8	39.0	2,458	54.7	1.13	52.5	57.0
1994	69	39.3	5.63	29.0	51.6	2,480	55.1	1.13	52.9	57.4
1995	67	35.9	5.53	25.9	48.0	2,521	55.5	1.13	53.3	57.8
1996	59	33.0	5.35	23.3	44.7	2,695	58.6	1.15	56.4	60.9
1997	99	58.2	7.36	44.7	73.9	2,715	58.3	1.14	56.1	60.6
1998	99	46.8	5.81	36.2	59.3	2,719	58.1	1.13	56.0	60.4
1999	77	32.3	4.52	24.1	42.2	2,801	59.5	1.14	57.3	61.7
2000	93	36.9	4.51	28.6	46.6	2,942	61.7	1.15	59.5	64.0
2001	102	38.5	4.61	30.0	48.4	2,970	61.6	1.14	59.4	63.9
2002	98	35.6	4.24	27.8	44.7	3,245	67.1	1.19	64.8	69.5
2003	121	40.4	4.39	32.2	49.7	3,279	66.9	1.18	64.6	69.2
2004	115	38.4	4.27	30.5	47.5	3,316	66.7	1.17	64.4	69.0
2005	139	43.9	4.50	35.5	53.3	3,360	66.6	1.16	64.3	68.9
2006	116	34.0	3.77	27.0	42.0	3,329	65.4	1.15	63.2	67.7
2007	146	39.2	3.74	32.2	47.1	3,398	65.8	1.15	63.6	68.1
2008	151	39.2	3.84	32.1	47.3	3,593	68.3	1.16	66.1	70.6
2009	175	46.3	4.05	38.7	54.8	3,630	67.8	1.14	65.5	70.0
2010	171	37.3	3.33	31.0	44.3	3,498	64.2	1.11	62.1	66.4
2011	193	44.3	3.71	37.3	52.0	3,581	64.1	1.09	62.0	66.3
2012	197	41.2	3.38	34.8	48.2	3,598	63.2	1.08	61.1	65.4
2013	196	36.9	3.01	31.2	43.2	3,846	66.5	1.10	64.4	68.7
2014	237	46.7	3.44	40.2	53.8	3,862	65.6	1.08	63.5	67.8
2015	243	42.6	3.07	36.8	48.9	3,980	66.3	1.08	64.2	68.5
2016	258	44.0	3.07	38.2	50.4	3,914	65.1	1.07	63.1	67.3
2017	277	43.9	2.96	38.3	50.0	3,898	63.3	1.04	61.3	65.4
2018	258	38.7	2.66	33.6	44.2	3,702	60.0	1.01	58.0	62.0
2019	259	36.8	2.50	32.0	42.0	3,843	60.9	1.01	59.0	62.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	85,886	65.3	0.23	64.9	65.7	8,215	44.0	0.51	43.1	45.1
1990	2,122	56.3	1.26	53.9	58.8	123	26.0	2.53	21.3	31.4
1991	2,153	56.1	1.24	53.7	58.6	128	27.6	2.60	22.8	33.1
1992	2,187	56.4	1.24	54.0	58.9	153	33.6	2.91	28.1	39.7
1993	2,260	57.6	1.24	55.2	60.0	174	33.2	2.67	28.2	38.8
1994	2,286	58.1	1.24	55.7	60.5	161	32.3	2.72	27.2	38.0
1995	2,329	58.8	1.24	56.4	61.3	169	32.6	2.65	27.6	38.2
1996	2,472	61.9	1.26	59.4	64.4	188	35.0	2.69	29.9	40.6
1997	2,474	61.3	1.24	58.8	63.7	194	36.5	2.80	31.2	42.4
1998	2,484	61.4	1.24	58.9	63.8	195	35.4	2.67	30.3	40.9
1999	2,545	62.5	1.25	60.1	65.0	213	39.3	2.87	33.9	45.3
2000	2,657	64.7	1.26	62.3	67.2	234	42.2	2.93	36.7	48.3
2001	2,702	65.2	1.26	62.8	67.7	225	40.0	2.83	34.6	45.9
2002	2,944	71.0	1.32	68.4	73.6	254	46.3	3.10	40.4	52.7
2003	2,944	70.3	1.30	67.7	72.9	281	46.5	2.93	40.9	52.6
2004	3,001	70.7	1.30	68.2	73.3	257	43.1	2.86	37.6	49.0
2005	3,009	70.2	1.29	67.6	72.7	271	45.1	2.92	39.6	51.1
2006	2,972	68.9	1.28	66.4	71.4	286	47.2	2.97	41.6	53.4
2007	2,998	68.6	1.27	66.1	71.1	325	51.8	3.03	46.0	58.0
2008	3,186	71.7	1.29	69.2	74.3	338	51.3	2.93	45.7	57.3
2009	3,213	71.3	1.28	68.8	73.8	343	51.6	2.95	46.0	57.7
2010	3,091	67.6	1.24	65.2	70.1	322	46.8	2.74	41.6	52.5
2011	3,175	67.8	1.23	65.4	70.2	319	45.0	2.66	40.0	50.5
2012	3,190	67.2	1.22	64.8	69.6	329	46.3	2.69	41.2	51.8
2013	3,363	69.9	1.23	67.5	72.3	380	52.4	2.81	47.0	58.2
2014	3,326	68.2	1.21	65.8	70.6	423	56.6	2.88	51.1	62.5
2015	3,436	69.4	1.22	67.0	71.8	423	54.6	2.78	49.3	60.3
2016	3,430	69.2	1.22	66.9	71.6	386	50.7	2.69	45.5	56.2
2017	3,425	67.5	1.19	65.2	69.9	373	47.3	2.55	42.4	52.6
2018	3,214	63.6	1.15	61.3	65.9	362	45.2	2.47	40.5	50.3
2019	3,298	63.7	1.14	61.5	66.0	386	48.3	2.55	43.4	53.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,243	17.9	0.41	17.1	18.8	44,055	21.4	0.10	21.2	21.6
1990	31	16.7	3.32	10.8	24.3	1,010	16.6	0.53	15.5	17.6
1991	24	12.9	2.88	7.8	19.6	1,034	16.6	0.52	15.6	17.6
1992	24	11.4	2.54	7.0	17.4	1,110	17.6	0.54	16.6	18.7
1993	24	12.0	2.61	7.5	18.1	1,145	18.0	0.54	17.0	19.1
1994	37	18.3	3.25	12.5	25.6	1,228	19.0	0.55	18.0	20.2
1995	33	14.7	2.90	9.5	21.2	1,201	18.6	0.54	17.6	19.7
1996	39	17.3	3.06	11.8	24.1	1,277	19.9	0.56	18.8	21.0
1997	43	19.4	3.35	13.4	26.8	1,336	20.6	0.57	19.5	21.8
1998	42	14.8	2.53	10.3	20.5	1,294	20.0	0.56	18.9	21.1
1999	63	25.5	3.61	18.9	33.3	1,336	20.4	0.56	19.3	21.5
2000	48	14.1	2.30	10.0	19.3	1,419	21.6	0.58	20.5	22.8
2001	57	18.1	2.71	13.1	24.0	1,388	21.1	0.57	20.0	22.2
2002	55	17.3	2.58	12.7	23.0	1,443	21.7	0.58	20.6	22.8
2003	70	19.4	2.58	14.6	25.0	1,513	22.9	0.59	21.7	24.1
2004	49	11.8	1.89	8.4	16.0	1,549	23.1	0.59	22.0	24.3
2005	65	17.7	2.42	13.2	22.9	1,586	23.6	0.60	22.4	24.8
2006	77	19.4	2.48	14.9	24.8	1,609	23.8	0.60	22.7	25.1
2007	87	18.7	2.17	14.7	23.4	1,605	23.6	0.60	22.4	24.8
2008	84	18.7	2.22	14.6	23.5	1,643	23.8	0.60	22.7	25.0
2009	85	17.5	2.09	13.6	22.0	1,700	24.6	0.61	23.4	25.8
2010	91	17.8	2.07	14.0	22.3	1,581	22.4	0.58	21.3	23.6
2011	119	21.7	2.17	17.7	26.4	1,619	22.8	0.58	21.6	23.9
2012	114	19.7	1.98	16.0	23.9	1,638	22.8	0.58	21.7	23.9
2013	129	22.1	2.09	18.2	26.5	1,649	22.7	0.57	21.5	23.8
2014	128	21.4	2.01	17.6	25.6	1,672	22.5	0.57	21.4	23.7
2015	123	18.8	1.80	15.4	22.6	1,720	23.2	0.58	22.1	24.4
2016	106	15.2	1.56	12.3	18.6	1,697	22.5	0.57	21.4	23.7
2017	121	17.1	1.64	14.1	20.6	1,680	22.5	0.57	21.4	23.7
2018	136	18.1	1.63	15.1	21.6	1,704	22.4	0.56	21.3	23.5
2019	139	18.7	1.66	15.6	22.2	1,669	21.4	0.54	20.4	22.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	37,877	22.1	0.12	21.8	22.3	5,345	20.0	0.28	19.5	20.5
1990	904	17.0	0.58	15.9	18.2	98	14.4	1.48	11.7	17.6
1991	932	17.0	0.57	15.9	18.2	91	13.7	1.46	11.0	16.8
1992	1,002	18.3	0.59	17.2	19.5	98	14.2	1.45	11.5	17.3
1993	1,004	18.1	0.58	17.0	19.3	126	16.9	1.54	14.1	20.2
1994	1,086	19.4	0.60	18.3	20.6	134	18.2	1.59	15.2	21.5
1995	1,070	19.2	0.60	18.0	20.4	121	15.9	1.47	13.2	19.0
1996	1,118	20.2	0.62	19.1	21.5	142	18.8	1.60	15.8	22.2
1997	1,175	21.1	0.63	19.9	22.4	135	17.4	1.52	14.6	20.6
1998	1,133	20.5	0.62	19.3	21.7	142	18.0	1.53	15.2	21.3
1999	1,179	21.3	0.63	20.0	22.5	140	18.2	1.55	15.3	21.4
2000	1,234	22.2	0.64	20.9	23.5	172	21.0	1.62	18.0	24.4
2001	1,199	21.6	0.63	20.3	22.8	171	20.8	1.60	17.8	24.2
2002	1,244	22.1	0.64	20.9	23.4	174	20.8	1.59	17.8	24.1
2003	1,333	24.0	0.67	22.7	25.3	155	18.0	1.45	15.2	21.0
2004	1,362	24.2	0.67	22.9	25.6	163	18.6	1.47	15.8	21.7
2005	1,361	24.3	0.67	23.0	25.7	185	20.8	1.54	17.9	24.0
2006	1,380	24.5	0.67	23.2	25.9	200	22.1	1.58	19.1	25.4
2007	1,366	24.2	0.67	22.9	25.6	209	23.1	1.61	20.0	26.4
2008	1,377	24.1	0.67	22.8	25.5	242	25.9	1.68	22.7	29.4
2009	1,447	25.4	0.69	24.1	26.8	226	24.1	1.62	21.0	27.5
2010	1,347	23.3	0.65	22.0	24.6	192	20.0	1.46	17.2	23.0
2011	1,353	23.3	0.65	22.1	24.7	218	21.9	1.51	19.1	25.1
2012	1,379	23.4	0.65	22.1	24.7	217	21.9	1.51	19.0	25.1
2013	1,405	23.8	0.66	22.5	25.1	215	21.1	1.46	18.3	24.1
2014	1,414	23.6	0.65	22.4	24.9	223	21.1	1.44	18.4	24.1
2015	1,466	24.5	0.67	23.2	25.9	212	20.0	1.40	17.3	22.9
2016	1,407	23.3	0.65	22.0	24.6	249	23.4	1.51	20.5	26.5
2017	1,414	23.8	0.67	22.5	25.2	217	19.3	1.34	16.8	22.2
2018	1,424	23.6	0.66	22.3	24.9	225	20.1	1.37	17.5	23.0
2019	1,362	22.1	0.63	20.9	23.4	253	21.6	1.38	18.9	24.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary Bladder (incl in situ)										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,308	11.9	0.27	11.4	12.5	81,036	22.2	0.08	22.0	22.3
1990	37	13.2	2.39	9.0	18.6	2,164	20.4	0.44	19.6	21.3
1991	45	13.9	2.33	9.7	19.0	2,119	19.8	0.43	19.0	20.7
1992	38	10.2	1.80	7.0	14.2	2,213	20.4	0.44	19.5	21.2
1993	39	10.8	1.91	7.4	15.1	2,345	21.4	0.44	20.5	22.3
1994	51	14.5	2.27	10.4	19.5	2,366	21.4	0.44	20.6	22.3
1995	41	10.8	1.98	7.3	15.2	2,311	20.8	0.43	19.9	21.6
1996	42	11.2	1.94	7.7	15.5	2,557	22.9	0.45	22.0	23.8
1997	65	19.9	2.78	14.8	25.8	2,519	22.4	0.45	21.5	23.3
1998	64	14.7	2.11	10.9	19.3	2,503	22.1	0.44	21.2	23.0
1999	65	14.9	2.11	11.0	19.5	2,593	22.7	0.45	21.9	23.6
2000	59	10.9	1.60	8.0	14.5	2,704	23.6	0.45	22.7	24.5
2001	73	15.5	2.05	11.8	19.9	2,617	22.7	0.44	21.9	23.6
2002	68	13.8	1.88	10.4	17.9	2,807	24.2	0.46	23.3	25.1
2003	80	13.4	1.69	10.3	17.0	2,840	24.3	0.46	23.4	25.2
2004	67	11.9	1.62	8.9	15.4	2,808	23.8	0.45	22.9	24.7
2005	81	13.6	1.68	10.5	17.2	2,897	24.4	0.45	23.5	25.3
2006	60	10.1	1.45	7.5	13.3	2,717	22.7	0.44	21.9	23.6
2007	80	11.2	1.39	8.7	14.2	2,781	23.0	0.44	22.1	23.8
2008	73	11.1	1.44	8.5	14.2	2,941	24.0	0.45	23.1	24.9
2009	88	12.3	1.43	9.7	15.4	2,971	23.9	0.44	23.0	24.7
2010	91	11.7	1.35	9.2	14.6	2,830	22.4	0.43	21.5	23.2
2011	96	12.3	1.36	9.8	15.2	2,857	22.2	0.42	21.4	23.1
2012	103	12.5	1.33	10.1	15.4	2,810	21.6	0.41	20.8	22.4
2013	100	10.2	1.10	8.1	12.5	3,057	23.1	0.42	22.3	23.9
2014	125	13.8	1.31	11.4	16.6	2,948	21.8	0.41	21.0	22.7
2015	123	12.2	1.18	10.0	14.7	3,086	22.5	0.41	21.7	23.3
2016	103	10.3	1.07	8.3	12.6	3,002	21.7	0.40	21.0	22.6
2017	114	10.0	1.00	8.1	12.1	2,989	21.2	0.40	20.4	22.0
2018	116	9.5	0.94	7.7	11.5	2,810	19.8	0.38	19.0	20.5
2019	121	10.1	0.96	8.3	12.1	2,874	19.7	0.37	19.0	20.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary Bladder (incl in situ)										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	74,146	23.9	0.09	23.8	24.1	5,340	12.4	0.17	12.0	12.7
1990	2,042	21.9	0.49	20.9	22.9	107	9.7	0.97	7.9	11.8
1991	1,994	21.2	0.48	20.3	22.2	109	10.1	0.99	8.3	12.2
1992	2,066	21.7	0.48	20.7	22.6	125	11.3	1.04	9.4	13.5
1993	2,189	22.8	0.49	21.9	23.8	139	11.7	1.02	9.8	13.8
1994	2,204	22.8	0.49	21.9	23.8	140	11.9	1.03	10.0	14.1
1995	2,153	22.2	0.48	21.3	23.2	135	11.1	0.98	9.3	13.2
1996	2,367	24.4	0.50	23.5	25.5	154	12.9	1.06	10.9	15.1
1997	2,329	23.9	0.50	22.9	24.9	147	12.2	1.03	10.3	14.4
1998	2,310	23.6	0.49	22.7	24.6	155	12.1	0.99	10.3	14.2
1999	2,397	24.4	0.50	23.4	25.4	160	13.0	1.05	11.0	15.2
2000	2,497	25.4	0.51	24.4	26.4	174	13.2	1.02	11.3	15.4
2001	2,422	24.6	0.50	23.6	25.6	162	12.5	1.00	10.6	14.6
2002	2,593	26.1	0.51	25.1	27.1	176	13.5	1.04	11.6	15.7
2003	2,636	26.4	0.52	25.4	27.5	155	11.2	0.91	9.5	13.1
2004	2,587	25.8	0.51	24.8	26.8	163	11.5	0.92	9.8	13.5
2005	2,649	26.3	0.52	25.3	27.4	178	12.5	0.96	10.7	14.5
2006	2,488	24.7	0.50	23.7	25.7	175	12.5	0.96	10.7	14.5
2007	2,525	24.7	0.50	23.7	25.7	194	13.2	0.96	11.3	15.2
2008	2,652	25.7	0.50	24.7	26.7	236	15.7	1.04	13.7	17.9
2009	2,691	25.7	0.50	24.7	26.7	228	14.9	1.01	13.0	17.0
2010	2,579	24.3	0.49	23.4	25.3	188	12.1	0.90	10.4	14.0
2011	2,598	24.2	0.48	23.3	25.2	195	12.1	0.88	10.4	13.9
2012	2,569	23.7	0.48	22.8	24.7	187	11.6	0.86	10.0	13.4
2013	2,749	25.1	0.49	24.1	26.0	240	14.3	0.94	12.5	16.3
2014	2,633	23.7	0.47	22.8	24.6	239	13.5	0.89	11.8	15.3
2015	2,794	24.7	0.48	23.8	25.6	210	11.9	0.84	10.3	13.6
2016	2,703	23.9	0.47	23.0	24.8	225	12.4	0.85	10.8	14.2
2017	2,719	23.5	0.46	22.7	24.5	196	10.5	0.77	9.1	12.2
2018	2,509	21.6	0.44	20.7	22.5	204	10.8	0.78	9.4	12.5
2019	2,502	21.1	0.43	20.2	21.9	244	12.8	0.84	11.2	14.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary Bladder (incl in situ)										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,656	19.2	0.53	18.2	20.3	59,939	39.5	0.16	39.2	39.8
1990	27	22.2	4.85	13.7	33.3	1,606	38.0	0.98	36.1	40.0
1991	34	23.8	4.92	15.1	34.9	1,553	36.2	0.95	34.3	38.1
1992	31	18.3	3.71	11.8	26.9	1,614	37.2	0.95	35.4	39.1
1993	26	16.1	3.65	9.7	24.5	1,716	38.7	0.96	36.9	40.6
1994	34	21.0	4.29	13.5	30.7	1,672	37.6	0.94	35.8	39.5
1995	30	17.0	3.92	10.2	26.0	1,693	37.8	0.94	36.0	39.7
1996	28	16.3	3.79	9.7	25.0	1,845	40.7	0.97	38.9	42.7
1997	49	35.5	6.04	24.6	48.7	1,826	39.8	0.94	38.0	41.7
1998	47	25.3	4.38	17.5	35.0	1,834	39.7	0.94	37.9	41.6
1999	39	18.6	3.58	12.2	26.6	1,890	40.6	0.95	38.8	42.5
2000	42	18.7	3.41	12.6	26.4	1,958	41.7	0.95	39.9	43.7
2001	50	24.3	4.01	17.1	33.2	1,927	40.7	0.94	38.9	42.6
2002	50	22.8	3.66	16.2	30.9	2,087	44.1	0.98	42.2	46.0
2003	56	20.8	3.32	14.8	28.0	2,059	42.9	0.95	41.0	44.8
2004	52	21.1	3.38	15.0	28.5	2,096	43.0	0.95	41.2	44.9
2005	60	23.3	3.55	16.8	31.0	2,121	42.8	0.94	41.0	44.7
2006	39	15.3	2.80	10.3	21.5	1,974	39.8	0.91	38.0	41.6
2007	58	18.5	2.75	13.5	24.5	2,056	40.7	0.91	39.0	42.6
2008	53	18.8	2.98	13.4	25.3	2,179	42.5	0.92	40.7	44.4
2009	63	20.8	2.89	15.5	27.0	2,241	42.8	0.92	41.0	44.7
2010	63	17.8	2.53	13.2	23.3	2,136	40.1	0.88	38.4	41.9
2011	67	19.8	2.66	14.9	25.5	2,121	38.9	0.86	37.3	40.7
2012	74	20.7	2.66	15.8	26.4	2,097	37.8	0.84	36.2	39.5
2013	64	13.4	1.88	10.0	17.5	2,321	40.9	0.87	39.3	42.7
2014	91	22.5	2.57	17.8	28.0	2,221	38.4	0.83	36.8	40.0
2015	86	18.7	2.22	14.6	23.4	2,301	38.9	0.83	37.2	40.5
2016	82	18.6	2.20	14.5	23.3	2,241	37.8	0.82	36.2	39.4
2017	87	16.8	1.99	13.1	21.0	2,287	37.6	0.80	36.0	39.2
2018	83	15.1	1.80	11.8	19.0	2,098	34.2	0.76	32.7	35.7
2019	91	15.9	1.80	12.6	19.7	2,169	34.5	0.76	33.1	36.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary Bladder (incl in situ)										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	55,419	42.6	0.18	42.3	43.0	3,354	19.7	0.36	19.0	20.4
1990	1,538	41.1	1.08	39.0	43.2	57	13.0	1.87	9.6	17.1
1991	1,480	39.0	1.04	37.0	41.1	62	14.4	1.93	10.8	18.6
1992	1,521	39.7	1.04	37.6	41.8	74	17.4	2.18	13.4	22.1
1993	1,619	41.6	1.06	39.5	43.7	87	17.9	2.03	14.2	22.3
1994	1,576	40.3	1.04	38.3	42.4	79	17.1	2.05	13.3	21.5
1995	1,598	40.8	1.04	38.8	42.9	79	16.3	1.93	12.7	20.4
1996	1,739	44.0	1.07	41.9	46.1	81	16.1	1.89	12.6	20.2
1997	1,704	42.5	1.04	40.5	44.6	91	19.6	2.19	15.5	24.3
1998	1,706	42.4	1.04	40.4	44.5	101	19.1	2.01	15.4	23.4
1999	1,765	43.6	1.05	41.6	45.7	95	20.0	2.19	16.0	24.7
2000	1,824	44.9	1.06	42.8	47.0	107	20.8	2.14	16.9	25.4
2001	1,811	44.2	1.04	42.2	46.3	92	18.2	2.01	14.4	22.4
2002	1,964	48.0	1.09	45.8	50.1	97	20.0	2.15	16.0	24.5
2003	1,920	46.4	1.07	44.3	48.5	104	18.8	1.96	15.1	23.0
2004	1,946	46.5	1.06	44.4	48.6	107	19.2	1.99	15.5	23.5
2005	1,970	46.5	1.06	44.4	48.6	106	19.4	2.00	15.6	23.6
2006	1,824	42.9	1.01	40.9	44.9	110	21.1	2.13	17.2	25.6
2007	1,886	43.8	1.02	41.8	45.8	123	21.1	2.03	17.3	25.4
2008	1,998	45.7	1.03	43.7	47.8	142	23.4	2.07	19.6	27.8
2009	2,054	46.1	1.03	44.1	48.2	149	24.7	2.15	20.7	29.2
2010	1,961	43.4	1.00	41.5	45.4	125	19.8	1.86	16.4	23.8
2011	1,951	42.3	0.97	40.4	44.3	123	19.5	1.86	16.0	23.5
2012	1,947	41.6	0.96	39.8	43.6	111	17.0	1.70	13.9	20.7
2013	2,103	44.1	0.98	42.2	46.1	161	24.6	2.03	20.8	28.9
2014	1,996	41.3	0.94	39.5	43.2	163	22.7	1.87	19.2	26.6
2015	2,088	42.2	0.94	40.3	44.1	147	20.9	1.81	17.5	24.8
2016	2,035	41.3	0.94	39.4	43.1	156	21.7	1.82	18.3	25.5
2017	2,092	41.3	0.92	39.5	43.1	140	19.3	1.70	16.1	22.9
2018	1,889	37.1	0.87	35.4	38.8	133	17.6	1.59	14.7	21.0
2019	1,914	36.8	0.86	35.1	38.5	152	20.5	1.72	17.2	24.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary Bladder (incl in situ)										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	652	6.2	0.26	5.7	6.7	21,097	10.0	0.07	9.8	10.1
1990	10	6.6	2.28	2.9	12.3	558	9.0	0.38	8.2	9.8
1991	11	6.5	2.06	3.1	11.6	566	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	7.1	599	9.3	0.38	8.6	10.1
1993	13	6.7	1.99	3.4	11.6	629	9.7	0.39	9.0	10.5
1994	17	9.3	2.43	5.2	15.0	694	10.6	0.40	9.8	11.4
1995	11	5.9	1.98	2.7	10.8	618	9.4	0.38	8.6	10.1
1996	14	7.4	2.07	3.9	12.3	712	10.7	0.41	10.0	11.6
1997	16	9.0	2.41	4.9	14.6	693	10.5	0.40	9.7	11.3
1998	17	6.5	1.80	3.5	10.9	669	10.1	0.39	9.3	10.9
1999	26	11.7	2.53	7.2	17.4	703	10.5	0.40	9.7	11.3
2000	17	4.9	1.23	2.7	7.9	746	11.1	0.41	10.3	12.0
2001	23	8.6	2.00	5.1	13.2	690	10.2	0.39	9.4	11.0
2002	18	6.5	1.72	3.6	10.5	720	10.5	0.40	9.7	11.3
2003	24	7.5	1.66	4.6	11.3	781	11.5	0.42	10.7	12.4
2004	15	4.5	1.29	2.3	7.6	712	10.3	0.39	9.6	11.1
2005	21	6.3	1.45	3.8	9.7	776	11.2	0.41	10.5	12.1
2006	21	6.2	1.49	3.6	9.7	743	10.8	0.40	10.0	11.6
2007	22	5.4	1.25	3.2	8.3	725	10.3	0.39	9.6	11.1
2008	20	5.4	1.28	3.2	8.4	762	10.8	0.40	10.0	11.6
2009	25	5.8	1.26	3.6	8.7	730	10.2	0.38	9.5	11.0
2010	28	6.6	1.37	4.2	9.7	694	9.4	0.36	8.7	10.2
2011	29	6.6	1.30	4.3	9.5	736	10.1	0.38	9.4	10.9
2012	29	6.2	1.22	4.1	9.0	713	9.6	0.37	8.9	10.4
2013	36	7.3	1.27	5.0	10.1	736	9.7	0.37	9.0	10.5
2014	34	6.9	1.23	4.7	9.7	727	9.5	0.36	8.8	10.3
2015	37	6.9	1.19	4.8	9.6	785	10.1	0.37	9.4	10.9
2016	21	3.8	0.85	2.3	5.8	761	9.6	0.36	8.9	10.3
2017	27	4.5	0.89	2.9	6.5	702	8.9	0.34	8.2	9.6
2018	33	5.0	0.91	3.4	7.1	712	8.9	0.34	8.3	9.6
2019	30	5.0	0.94	3.4	7.2	705	8.5	0.33	7.9	9.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Urinary Bladder (incl in situ)										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,727	10.5	0.08	10.4	10.7	1,986	7.7	0.17	7.4	8.0
1990	504	9.2	0.42	8.4	10.1	50	7.6	1.09	5.6	10.1
1991	514	9.2	0.41	8.4	10.0	47	7.4	1.09	5.4	9.8
1992	545	9.7	0.42	8.9	10.6	51	7.7	1.09	5.7	10.1
1993	570	10.1	0.43	9.2	11.0	52	7.4	1.05	5.5	9.8
1994	628	11.0	0.44	10.1	11.9	61	8.6	1.12	6.6	11.1
1995	555	9.7	0.42	8.9	10.6	56	7.6	1.03	5.7	9.9
1996	628	11.0	0.45	10.1	11.9	73	10.3	1.21	8.0	12.9
1997	625	11.0	0.45	10.1	11.9	56	7.7	1.03	5.8	9.9
1998	604	10.7	0.44	9.8	11.6	54	7.3	1.00	5.5	9.5
1999	632	11.0	0.44	10.1	11.9	65	8.7	1.09	6.7	11.1
2000	673	11.8	0.46	10.9	12.7	67	8.5	1.05	6.6	10.8
2001	611	10.7	0.44	9.8	11.6	70	8.9	1.07	6.9	11.2
2002	629	10.7	0.44	9.9	11.6	79	9.8	1.11	7.8	12.3
2003	716	12.5	0.48	11.6	13.5	51	6.3	0.89	4.7	8.3
2004	641	11.0	0.44	10.2	11.9	56	6.7	0.90	5.0	8.6
2005	679	11.7	0.46	10.8	12.6	72	8.4	1.00	6.6	10.6
2006	664	11.5	0.46	10.6	12.4	65	7.5	0.94	5.8	9.6
2007	639	10.8	0.44	10.0	11.7	71	8.2	0.98	6.4	10.3
2008	654	11.0	0.44	10.2	11.9	94	10.6	1.10	8.6	13.0
2009	637	10.7	0.43	9.9	11.6	79	8.8	1.00	6.9	10.9
2010	618	10.1	0.42	9.3	11.0	63	6.9	0.87	5.3	8.8
2011	647	10.8	0.43	9.9	11.7	72	7.5	0.89	5.8	9.4
2012	622	10.1	0.41	9.3	10.9	76	8.1	0.94	6.4	10.1
2013	646	10.4	0.42	9.6	11.3	79	7.9	0.90	6.2	9.8
2014	637	10.3	0.42	9.5	11.2	76	7.3	0.85	5.8	9.2
2015	706	11.1	0.43	10.3	12.0	63	6.1	0.78	4.7	7.8
2016	668	10.4	0.42	9.6	11.3	69	6.4	0.78	4.9	8.1
2017	627	9.8	0.40	9.0	10.6	56	4.9	0.67	3.7	6.4
2018	620	9.6	0.40	8.9	10.5	71	6.4	0.78	5.0	8.2
2019	588	8.9	0.38	8.2	9.7	92	7.8	0.83	6.3	9.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kidney and Renal Pelvis										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,035	15.4	0.27	14.9	15.9	55,728	15.5	0.07	15.3	15.6
1990	35	9.3	1.80	6.1	13.4	1,004	9.7	0.31	9.1	10.3
1991	32	7.1	1.35	4.7	10.2	1,106	10.5	0.32	9.8	11.1
1992	36	9.2	1.73	6.1	13.1	1,172	10.9	0.32	10.3	11.6
1993	31	7.6	1.52	4.9	11.1	1,168	10.7	0.32	10.1	11.4
1994	52	12.4	1.94	8.9	16.7	1,237	11.3	0.32	10.7	12.0
1995	59	13.1	2.01	9.5	17.6	1,313	11.9	0.33	11.3	12.6
1996	53	11.3	1.82	8.0	15.3	1,334	12.2	0.33	11.5	12.8
1997	74	14.9	2.10	11.1	19.5	1,435	13.0	0.34	12.3	13.7
1998	70	12.5	1.74	9.3	16.3	1,410	12.6	0.34	12.0	13.3
1999	69	12.7	1.82	9.3	16.7	1,457	12.9	0.34	12.3	13.6
2000	79	12.7	1.66	9.7	16.3	1,553	13.7	0.35	13.0	14.4
2001	83	11.0	1.37	8.5	14.0	1,648	14.5	0.36	13.8	15.2
2002	81	11.3	1.41	8.7	14.4	1,772	15.4	0.37	14.7	16.1
2003	106	14.8	1.66	11.8	18.4	1,848	15.9	0.37	15.2	16.6
2004	97	11.9	1.37	9.3	14.8	1,952	16.6	0.38	15.9	17.4
2005	121	15.5	1.63	12.5	19.0	1,938	16.4	0.38	15.7	17.2
2006	131	15.6	1.58	12.7	19.0	2,099	17.7	0.39	16.9	18.4
2007	148	16.1	1.46	13.3	19.2	2,100	17.5	0.38	16.7	18.2
2008	159	16.3	1.45	13.6	19.4	2,173	17.8	0.39	17.0	18.5
2009	169	17.5	1.53	14.7	20.7	2,236	18.2	0.39	17.4	18.9
2010	169	14.9	1.28	12.5	17.6	2,114	16.9	0.37	16.1	17.6
2011	212	18.8	1.45	16.1	21.8	2,216	17.4	0.38	16.6	18.1
2012	201	16.0	1.23	13.7	18.6	2,300	17.8	0.38	17.1	18.6
2013	219	18.2	1.36	15.6	21.0	2,327	17.8	0.38	17.1	18.6
2014	234	18.5	1.32	16.0	21.2	2,448	18.5	0.38	17.7	19.3
2015	234	16.7	1.18	14.5	19.2	2,494	18.8	0.39	18.0	19.5
2016	256	17.7	1.19	15.4	20.2	2,470	18.5	0.38	17.7	19.2
2017	279	19.1	1.23	16.8	21.6	2,444	18.2	0.38	17.4	18.9
2018	273	17.8	1.14	15.6	20.2	2,465	18.2	0.38	17.5	19.0
2019	273	16.9	1.08	14.8	19.1	2,495	18.1	0.38	17.4	18.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kidney and Renal Pelvis										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	46,611	15.5	0.07	15.4	15.7	7,921	16.7	0.19	16.3	17.0
1990	892	9.9	0.34	9.3	10.6	104	8.4	0.84	6.8	10.2
1991	996	10.8	0.35	10.2	11.6	101	8.4	0.86	6.8	10.2
1992	1,040	11.2	0.35	10.5	11.9	121	9.9	0.92	8.2	11.8
1993	995	10.6	0.34	10.0	11.3	151	10.9	0.91	9.2	12.8
1994	1,073	11.4	0.35	10.7	12.1	147	11.2	0.95	9.4	13.2
1995	1,154	12.2	0.36	11.5	12.9	150	11.2	0.94	9.4	13.2
1996	1,150	12.3	0.36	11.6	13.0	169	12.3	0.97	10.5	14.3
1997	1,231	13.0	0.37	12.3	13.8	175	12.3	0.95	10.5	14.3
1998	1,214	12.8	0.37	12.1	13.5	179	12.7	0.97	10.9	14.8
1999	1,254	13.1	0.37	12.4	13.9	183	13.0	0.98	11.1	15.0
2000	1,302	13.6	0.38	12.9	14.3	220	15.2	1.04	13.2	17.3
2001	1,394	14.5	0.39	13.8	15.3	227	15.4	1.04	13.5	17.6
2002	1,493	15.5	0.40	14.7	16.3	245	16.6	1.08	14.6	18.9
2003	1,552	16.0	0.41	15.2	16.8	268	17.4	1.08	15.3	19.6
2004	1,691	17.2	0.42	16.4	18.0	239	15.4	1.01	13.5	17.5
2005	1,620	16.6	0.41	15.8	17.4	272	17.4	1.08	15.4	19.6
2006	1,757	17.8	0.43	17.0	18.7	298	18.4	1.08	16.3	20.6
2007	1,734	17.4	0.42	16.6	18.3	324	20.2	1.14	18.1	22.6
2008	1,798	17.8	0.43	17.0	18.7	337	20.2	1.12	18.1	22.5
2009	1,860	18.4	0.44	17.6	19.3	329	19.4	1.09	17.3	21.6
2010	1,739	17.0	0.42	16.2	17.8	315	18.1	1.05	16.2	20.3
2011	1,818	17.5	0.42	16.6	18.3	334	18.9	1.06	16.9	21.1
2012	1,886	17.9	0.42	17.1	18.8	349	19.4	1.06	17.4	21.6
2013	1,921	18.1	0.43	17.3	19.0	342	18.7	1.03	16.7	20.9
2014	1,987	18.5	0.43	17.7	19.4	396	21.6	1.11	19.5	23.9
2015	2,004	18.8	0.44	18.0	19.7	414	21.7	1.09	19.6	23.9
2016	2,013	18.7	0.43	17.9	19.6	395	21.3	1.10	19.2	23.6
2017	1,995	18.6	0.44	17.8	19.5	381	19.5	1.02	17.6	21.6
2018	2,014	18.8	0.44	17.9	19.7	373	19.1	1.01	17.2	21.2
2019	2,034	18.6	0.43	17.7	19.4	383	19.1	1.00	17.1	21.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kidney and Renal Pelvis										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,491	20.0	0.46	19.1	20.9	34,075	21.2	0.12	21.0	21.5
1990	14	8.6	2.87	3.9	15.7	595	13.6	0.57	12.5	14.7
1991	22	10.7	2.60	6.2	17.0	683	15.1	0.59	14.0	16.3
1992	20	12.0	3.25	6.5	19.8	695	15.2	0.59	14.1	16.4
1993	21	10.7	2.87	5.8	17.6	691	14.8	0.57	13.7	16.0
1994	32	16.7	3.54	10.5	24.9	749	16.1	0.60	15.0	17.3
1995	37	18.8	3.91	12.0	27.7	765	16.3	0.60	15.1	17.5
1996	29	14.5	3.39	8.6	22.3	802	16.8	0.60	15.7	18.0
1997	50	22.7	4.22	15.2	32.2	823	17.1	0.60	16.0	18.3
1998	48	19.4	3.55	13.1	27.4	823	17.1	0.60	16.0	18.3
1999	34	12.2	2.64	7.6	18.4	857	17.6	0.61	16.5	18.9
2000	48	16.5	2.77	11.5	22.7	927	18.8	0.62	17.6	20.0
2001	51	13.5	2.18	9.6	18.5	986	19.7	0.63	18.5	21.0
2002	46	12.2	2.08	8.5	17.0	1,088	21.5	0.66	20.3	22.9
2003	62	18.8	2.83	13.6	25.0	1,155	22.7	0.67	21.4	24.0
2004	63	17.3	2.61	12.6	23.1	1,161	22.4	0.67	21.2	23.8
2005	77	20.0	2.72	15.0	25.9	1,170	22.4	0.66	21.1	23.7
2006	76	18.5	2.52	13.9	24.0	1,281	24.2	0.68	22.9	25.6
2007	83	19.4	2.45	14.9	24.7	1,270	23.6	0.67	22.3	24.9
2008	96	19.8	2.36	15.4	24.9	1,340	24.3	0.68	23.0	25.7
2009	112	25.5	2.84	20.3	31.6	1,315	23.5	0.66	22.2	24.8
2010	107	19.3	2.16	15.3	23.9	1,281	22.6	0.64	21.3	23.9
2011	124	24.0	2.57	19.3	29.5	1,373	23.6	0.65	22.3	24.9
2012	118	19.5	2.02	15.8	23.9	1,424	24.0	0.65	22.7	25.3
2013	130	23.0	2.32	18.7	27.9	1,454	24.3	0.65	23.0	25.6
2014	142	23.5	2.25	19.3	28.3	1,564	25.9	0.67	24.6	27.3
2015	153	22.8	2.05	19.0	27.2	1,602	26.1	0.67	24.8	27.4
2016	172	24.6	2.09	20.7	29.0	1,575	25.7	0.67	24.4	27.0
2017	186	26.2	2.13	22.2	30.7	1,528	24.4	0.64	23.1	25.7
2018	171	22.9	1.92	19.3	26.9	1,522	24.4	0.65	23.2	25.7
2019	167	20.6	1.72	17.4	24.2	1,576	24.9	0.65	23.6	26.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kidney and Renal Pelvis										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	28,571	21.2	0.13	21.0	21.5	4,720	23.5	0.36	22.9	24.3
1990	526	13.8	0.61	12.6	15.0	64	12.4	1.63	9.4	16.0
1991	617	15.6	0.64	14.4	16.9	62	12.6	1.70	9.5	16.3
1992	616	15.5	0.63	14.3	16.8	74	15.0	1.85	11.6	19.0
1993	595	14.8	0.62	13.6	16.1	82	14.0	1.63	11.0	17.6
1994	654	16.3	0.64	15.0	17.6	81	15.0	1.77	11.7	18.8
1995	672	16.5	0.64	15.3	17.8	87	15.7	1.78	12.4	19.6
1996	687	16.8	0.64	15.5	18.1	105	18.4	1.89	14.9	22.5
1997	708	17.2	0.65	16.0	18.6	100	16.2	1.69	13.1	19.9
1998	719	17.5	0.66	16.2	18.8	92	15.8	1.74	12.6	19.6
1999	732	17.7	0.66	16.4	19.0	114	18.5	1.80	15.1	22.3
2000	781	18.6	0.67	17.3	20.0	122	20.2	1.92	16.6	24.3
2001	839	19.8	0.69	18.4	21.2	129	20.8	1.92	17.2	24.9
2002	912	21.3	0.71	20.0	22.8	155	26.0	2.22	21.9	30.7
2003	968	22.5	0.73	21.1	24.0	169	26.5	2.13	22.5	31.0
2004	1,005	23.0	0.73	21.6	24.5	143	22.4	1.96	18.7	26.5
2005	974	22.1	0.72	20.8	23.6	163	25.3	2.11	21.4	29.8
2006	1,080	24.4	0.75	22.9	25.9	170	25.0	2.02	21.2	29.3
2007	1,049	23.3	0.73	21.9	24.8	194	29.3	2.19	25.2	33.9
2008	1,119	24.4	0.74	23.0	25.9	193	27.5	2.06	23.6	31.8
2009	1,090	23.6	0.73	22.2	25.1	190	26.0	1.97	22.3	30.2
2010	1,059	22.6	0.71	21.2	24.0	190	25.7	1.95	22.0	29.8
2011	1,144	23.8	0.72	22.4	25.2	192	25.0	1.89	21.5	29.0
2012	1,175	24.1	0.72	22.7	25.5	210	27.9	2.02	24.1	32.2
2013	1,192	24.3	0.72	22.9	25.7	216	27.4	1.93	23.7	31.4
2014	1,264	25.5	0.74	24.1	27.0	254	33.2	2.17	29.1	37.7
2015	1,278	25.7	0.74	24.3	27.2	270	32.8	2.07	28.8	37.1
2016	1,308	26.2	0.75	24.7	27.7	221	27.8	1.94	24.1	31.9
2017	1,261	24.8	0.73	23.4	26.3	227	27.4	1.89	23.8	31.4
2018	1,248	24.9	0.73	23.5	26.4	225	26.8	1.85	23.3	30.7
2019	1,299	25.3	0.73	23.9	26.8	226	26.8	1.85	23.3	30.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kidney and Renal Pelvis										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,544	11.3	0.31	10.7	12.0	21,653	10.8	0.07	10.7	11.0
1990	21	10.1	2.41	5.9	15.8	409	6.9	0.35	6.2	7.6
1991	10	3.9	1.33	1.7	7.5	423	7.0	0.34	6.3	7.7
1992	16	7.3	1.96	4.0	12.1	477	7.8	0.36	7.1	8.6
1993	10	4.9	1.64	2.2	9.1	477	7.7	0.36	7.0	8.4
1994	20	9.0	2.17	5.3	14.1	488	7.8	0.36	7.1	8.5
1995	22	8.7	2.12	5.1	13.7	548	8.7	0.38	8.0	9.5
1996	24	9.1	2.08	5.5	14.0	532	8.6	0.38	7.9	9.4
1997	24	8.9	2.12	5.3	13.9	612	9.7	0.39	8.9	10.5
1998	22	7.2	1.65	4.3	11.1	587	9.3	0.39	8.6	10.1
1999	35	12.8	2.46	8.4	18.3	600	9.4	0.39	8.7	10.2
2000	31	9.3	1.94	5.9	13.8	626	9.8	0.40	9.0	10.6
2001	32	8.5	1.70	5.5	12.5	662	10.3	0.41	9.5	11.2
2002	35	10.2	1.87	6.9	14.4	684	10.6	0.41	9.8	11.5
2003	44	11.4	1.94	7.9	15.8	693	10.8	0.41	10.0	11.6
2004	34	7.3	1.38	4.9	10.5	791	12.1	0.44	11.3	13.0
2005	44	11.4	1.93	7.9	15.7	768	11.8	0.43	10.9	12.6
2006	55	12.9	1.95	9.3	17.2	818	12.4	0.44	11.5	13.3
2007	65	13.3	1.78	10.0	17.2	830	12.6	0.44	11.7	13.5
2008	63	13.1	1.79	9.8	17.0	833	12.4	0.44	11.6	13.3
2009	57	10.8	1.58	7.9	14.3	921	13.7	0.46	12.8	14.6
2010	62	10.8	1.51	8.1	14.2	833	12.2	0.43	11.4	13.1
2011	88	14.7	1.69	11.6	18.4	843	12.1	0.43	11.3	13.0
2012	83	12.9	1.51	10.1	16.2	876	12.5	0.43	11.7	13.4
2013	89	14.2	1.62	11.2	17.7	873	12.4	0.43	11.5	13.2
2014	92	14.1	1.56	11.2	17.5	884	12.2	0.42	11.4	13.1
2015	81	11.1	1.31	8.7	14.0	892	12.5	0.43	11.7	13.4
2016	84	11.3	1.30	8.9	14.1	895	12.4	0.43	11.6	13.3
2017	93	12.5	1.36	9.9	15.4	916	12.9	0.44	12.0	13.8
2018	102	13.1	1.35	10.6	16.0	943	12.8	0.44	12.0	13.7
2019	106	13.2	1.34	10.7	16.1	919	12.3	0.43	11.5	13.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kidney and Renal Pelvis										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,040	10.9	0.08	10.8	11.1	3,201	11.7	0.21	11.3	12.1
1990	366	7.2	0.39	6.5	8.0	40	5.6	0.89	3.9	7.6
1991	379	7.2	0.38	6.5	8.0	39	5.6	0.91	3.9	7.6
1992	424	8.1	0.40	7.3	8.9	47	6.5	0.96	4.7	8.6
1993	400	7.5	0.38	6.8	8.3	69	8.7	1.07	6.8	11.1
1994	419	7.8	0.39	7.0	8.6	66	8.5	1.07	6.6	10.9
1995	482	8.9	0.41	8.1	9.8	63	8.0	1.02	6.2	10.3
1996	463	8.8	0.42	8.0	9.7	64	8.0	1.01	6.1	10.2
1997	523	9.7	0.43	8.8	10.6	75	9.2	1.08	7.3	11.6
1998	495	9.3	0.42	8.5	10.2	87	10.6	1.15	8.5	13.1
1999	522	9.8	0.44	9.0	10.7	69	8.7	1.06	6.7	11.0
2000	521	9.7	0.43	8.9	10.6	98	11.6	1.19	9.4	14.2
2001	555	10.3	0.45	9.5	11.2	98	11.6	1.18	9.4	14.1
2002	581	10.8	0.45	9.9	11.7	90	10.4	1.10	8.3	12.8
2003	584	10.9	0.46	10.0	11.8	99	11.1	1.12	9.0	13.5
2004	686	12.7	0.49	11.7	13.7	96	10.7	1.10	8.6	13.0
2005	646	12.1	0.48	11.1	13.1	109	12.0	1.16	9.8	14.5
2006	677	12.3	0.48	11.4	13.3	128	13.8	1.23	11.5	16.4
2007	685	12.7	0.50	11.7	13.7	130	14.0	1.24	11.7	16.6
2008	679	12.4	0.49	11.4	13.4	144	14.9	1.26	12.6	17.6
2009	770	14.0	0.52	13.0	15.1	139	14.5	1.24	12.1	17.1
2010	680	12.4	0.49	11.4	13.4	125	12.7	1.15	10.5	15.1
2011	674	12.1	0.48	11.1	13.0	142	14.1	1.20	11.8	16.6
2012	711	12.6	0.49	11.6	13.6	139	13.6	1.17	11.4	16.1
2013	729	12.9	0.49	11.9	13.9	126	12.2	1.11	10.2	14.6
2014	723	12.5	0.48	11.5	13.5	142	13.3	1.13	11.2	15.7
2015	726	12.9	0.50	11.9	13.9	144	13.4	1.14	11.3	15.8
2016	705	12.3	0.49	11.4	13.3	174	16.5	1.27	14.1	19.2
2017	734	13.2	0.52	12.2	14.2	154	13.8	1.13	11.6	16.2
2018	766	13.4	0.51	12.4	14.4	148	13.1	1.10	11.1	15.5
2019	735	12.7	0.50	11.7	13.7	157	13.4	1.10	11.4	15.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ureter										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	74	0.4	0.05	0.3	0.5	2,344	0.6	0.01	0.6	0.7
1990	0					75	0.7	0.08	0.5	0.9
1991	3	1.5	0.94	0.3	4.1	72	0.7	0.08	0.5	0.8
1992	2	1.2	0.83	0.1	3.6	71	0.7	0.08	0.5	0.8
1993	1	0.3	0.34	0.0	1.6	61	0.6	0.07	0.4	0.7
1994	3	0.7	0.43	0.1	2.1	79	0.7	0.08	0.6	0.9
1995	0					79	0.7	0.08	0.6	0.9
1996	2	1.1	0.79	0.1	3.3	68	0.6	0.07	0.5	0.8
1997	2	0.7	0.57	0.1	2.4	72	0.6	0.08	0.5	0.8
1998	2	0.4	0.25	0.0	1.3	78	0.7	0.08	0.5	0.9
1999	4	0.9	0.47	0.2	2.3	59	0.5	0.07	0.4	0.7
2000	1	0.2	0.23	0.0	1.1	78	0.7	0.08	0.5	0.9
2001	2	0.5	0.36	0.1	1.7	66	0.6	0.07	0.4	0.7
2002	3	0.6	0.33	0.1	1.6	79	0.7	0.08	0.5	0.9
2003	2	0.3	0.23	0.0	1.1	74	0.6	0.07	0.5	0.8
2004	0					69	0.6	0.07	0.5	0.7
2005	2	0.3	0.20	0.0	1.0	80	0.7	0.08	0.5	0.9
2006	2	0.3	0.23	0.0	1.1	94	0.8	0.08	0.6	1.0
2007	3	0.3	0.18	0.1	0.9	87	0.7	0.08	0.6	0.9
2008	3	0.4	0.26	0.1	1.2	78	0.7	0.07	0.5	0.8
2009	2	0.3	0.19	0.0	0.9	84	0.7	0.08	0.6	0.9
2010	1	0.1	0.08	0.0	0.5	89	0.7	0.08	0.6	0.9
2011	3	0.3	0.21	0.1	1.0	86	0.7	0.07	0.5	0.8
2012	6	0.7	0.30	0.2	1.5	82	0.6	0.07	0.5	0.8
2013	4	0.5	0.25	0.1	1.2	64	0.5	0.06	0.4	0.6
2014	5	0.5	0.21	0.1	1.0	99	0.8	0.08	0.6	0.9
2015	5	0.6	0.28	0.2	1.3	82	0.6	0.07	0.5	0.8
2016	3	0.3	0.18	0.1	0.8	87	0.6	0.07	0.5	0.8
2017	3	0.4	0.22	0.1	1.0	91	0.7	0.07	0.5	0.8
2018	2	0.2	0.12	0.0	0.6	76	0.6	0.06	0.4	0.7
2019	3	0.3	0.15	0.1	0.7	85	0.6	0.06	0.5	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ureter										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,184	0.7	0.02	0.7	0.7	105	0.3	0.02	0.2	0.3
1990	72	0.8	0.09	0.6	0.9	2	0.2	0.17	0.0	0.8
1991	70	0.7	0.09	0.6	0.9	2	0.2	0.14	0.0	0.6
1992	67	0.7	0.09	0.5	0.9	2	0.2	0.11	0.0	0.6
1993	58	0.6	0.08	0.5	0.8	3	0.3	0.16	0.1	0.8
1994	76	0.8	0.09	0.6	1.0	1	0.1	0.10	0.0	0.5
1995	77	0.8	0.09	0.6	1.0	1	0.1	0.07	0.0	0.4
1996	64	0.7	0.08	0.5	0.8	3	0.2	0.13	0.1	0.6
1997	69	0.7	0.09	0.6	0.9	2	0.2	0.13	0.0	0.6
1998	74	0.7	0.09	0.6	0.9	1	0.1	0.07	0.0	0.4
1999	52	0.5	0.07	0.4	0.7	5	0.4	0.16	0.1	0.8
2000	72	0.7	0.09	0.6	0.9	6	0.5	0.20	0.2	1.0
2001	65	0.7	0.08	0.5	0.8	0				
2002	76	0.8	0.09	0.6	0.9	3	0.2	0.12	0.0	0.6
2003	68	0.7	0.08	0.5	0.9	5	0.3	0.14	0.1	0.7
2004	62	0.6	0.08	0.5	0.8	6	0.4	0.18	0.2	0.9
2005	77	0.8	0.09	0.6	1.0	1	0.1	0.08	0.0	0.4
2006	84	0.8	0.09	0.7	1.0	8	0.6	0.22	0.3	1.2
2007	81	0.8	0.09	0.6	1.0	5	0.3	0.15	0.1	0.8
2008	75	0.7	0.09	0.6	0.9	1	0.1	0.05	0.0	0.3
2009	77	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2010	82	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8
2011	77	0.7	0.08	0.6	0.9	4	0.3	0.13	0.1	0.6
2012	76	0.7	0.08	0.6	0.9	4	0.3	0.14	0.1	0.7
2013	62	0.6	0.07	0.4	0.8	2	0.1	0.08	0.0	0.4
2014	89	0.8	0.09	0.7	1.0	4	0.2	0.12	0.1	0.6
2015	74	0.7	0.08	0.5	0.9	5	0.3	0.15	0.1	0.7
2016	78	0.7	0.08	0.6	0.9	7	0.4	0.13	0.1	0.7
2017	81	0.7	0.08	0.6	0.9	6	0.3	0.14	0.1	0.7
2018	73	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3
2019	76	0.7	0.08	0.5	0.8	5	0.3	0.11	0.1	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ureter										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	41	0.5	0.09	0.4	0.7	1,414	0.9	0.03	0.9	1.0
1990	0					45	1.0	0.15	0.7	1.3
1991	0					44	1.1	0.16	0.8	1.4
1992	1	1.8	1.81	0.1	7.3	41	0.9	0.14	0.7	1.2
1993	1	0.8	0.76	0.0	3.8	33	0.7	0.13	0.5	1.0
1994	3	1.5	0.91	0.3	4.6	47	1.1	0.16	0.8	1.4
1995	0					52	1.2	0.17	0.9	1.5
1996	1	1.6	1.57	0.0	6.3	43	1.0	0.15	0.7	1.3
1997	0					50	1.1	0.16	0.8	1.5
1998	1	0.3	0.33	0.0	2.3	49	1.1	0.16	0.8	1.4
1999	2	0.6	0.46	0.1	2.7	36	0.8	0.13	0.5	1.1
2000	1	0.5	0.49	0.0	2.6	43	0.9	0.14	0.6	1.2
2001	1	0.7	0.65	0.0	3.0	39	0.8	0.13	0.6	1.1
2002	1	0.5	0.46	0.0	2.3	50	1.1	0.15	0.8	1.4
2003	1	0.5	0.45	0.0	2.2	46	0.9	0.14	0.7	1.2
2004	0					41	0.8	0.13	0.6	1.1
2005	2	0.6	0.43	0.1	2.2	47	1.0	0.14	0.7	1.3
2006	1	0.2	0.17	0.0	1.3	54	1.1	0.15	0.8	1.4
2007	3	0.6	0.36	0.1	1.9	51	1.1	0.15	0.8	1.4
2008	2	0.7	0.53	0.1	2.3	42	0.8	0.13	0.6	1.1
2009	0					51	1.0	0.14	0.7	1.3
2010	1	0.2	0.16	0.0	1.1	52	1.0	0.14	0.7	1.3
2011	1	0.1	0.13	0.0	1.0	56	1.0	0.13	0.7	1.3
2012	4	0.9	0.48	0.2	2.3	48	0.9	0.13	0.7	1.2
2013	2	0.5	0.38	0.0	1.7	41	0.8	0.12	0.5	1.0
2014	3	0.6	0.34	0.1	1.6	51	0.9	0.13	0.7	1.2
2015	3	0.9	0.53	0.2	2.4	54	1.0	0.14	0.7	1.3
2016	2	0.6	0.40	0.1	1.8	57	1.0	0.13	0.7	1.3
2017	2	0.6	0.43	0.1	1.8	51	0.9	0.12	0.6	1.1
2018	1	0.3	0.28	0.0	1.2	47	0.8	0.12	0.6	1.1
2019	1	0.3	0.27	0.0	1.2	53	0.9	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ureter										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,324	1.0	0.03	1.0	1.1	59	0.4	0.05	0.3	0.5
1990	45	1.1	0.17	0.8	1.5	0				
1991	43	1.2	0.18	0.8	1.6	1	0.2	0.15	0.0	1.0
1992	38	1.0	0.16	0.7	1.3	2	0.4	0.27	0.1	1.4
1993	31	0.8	0.14	0.5	1.1	2	0.3	0.24	0.0	1.3
1994	45	1.2	0.18	0.8	1.6	0				
1995	50	1.3	0.18	1.0	1.7	1	0.2	0.16	0.0	1.0
1996	42	1.1	0.17	0.8	1.5	1	0.2	0.20	0.0	1.0
1997	47	1.2	0.18	0.9	1.6	2	0.5	0.36	0.1	1.6
1998	47	1.2	0.17	0.9	1.6	1	0.2	0.16	0.0	0.9
1999	31	0.8	0.14	0.5	1.1	3	0.7	0.42	0.1	1.9
2000	39	0.9	0.15	0.7	1.3	4	0.8	0.43	0.2	2.0
2001	38	0.9	0.15	0.6	1.3	0				
2002	49	1.2	0.17	0.9	1.6	1	0.2	0.15	0.0	0.9
2003	43	1.0	0.16	0.7	1.4	3	0.4	0.25	0.1	1.3
2004	37	0.9	0.15	0.6	1.2	3	0.5	0.30	0.1	1.5
2005	45	1.1	0.16	0.8	1.5	1	0.2	0.24	0.0	1.1
2006	50	1.2	0.17	0.9	1.5	4	0.7	0.36	0.2	1.8
2007	47	1.1	0.17	0.8	1.5	3	0.4	0.24	0.1	1.2
2008	39	0.9	0.15	0.7	1.3	1	0.1	0.11	0.0	0.7
2009	47	1.1	0.16	0.8	1.4	3	0.6	0.38	0.1	1.8
2010	48	1.0	0.15	0.8	1.4	3	0.6	0.32	0.1	1.5
2011	52	1.1	0.15	0.8	1.4	1	0.1	0.10	0.0	0.7
2012	43	1.0	0.15	0.7	1.3	4	0.7	0.37	0.2	1.8
2013	41	0.9	0.14	0.6	1.2	0				
2014	45	1.0	0.15	0.7	1.3	2	0.3	0.22	0.0	1.1
2015	51	1.1	0.16	0.8	1.5	2	0.3	0.21	0.0	1.0
2016	51	1.1	0.15	0.8	1.4	4	0.5	0.27	0.1	1.4
2017	47	1.0	0.14	0.7	1.3	2	0.2	0.15	0.0	0.8
2018	46	0.9	0.14	0.7	1.3	1	0.2	0.20	0.0	0.9
2019	47	0.9	0.14	0.7	1.2	4	0.6	0.31	0.2	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ureter										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	33	0.3	0.06	0.2	0.5	930	0.4	0.01	0.4	0.5
1990	0					30	0.5	0.08	0.3	0.7
1991	3	2.5	1.52	0.5	6.8	28	0.4	0.08	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	30	0.5	0.08	0.3	0.7
1993	0					28	0.4	0.08	0.3	0.6
1994	0					32	0.5	0.09	0.3	0.7
1995	0					27	0.4	0.08	0.3	0.6
1996	1	0.9	0.86	0.0	3.6	25	0.4	0.08	0.2	0.6
1997	2	1.2	0.90	0.1	3.9	22	0.3	0.07	0.2	0.5
1998	1	0.4	0.36	0.0	2.0	29	0.4	0.08	0.3	0.6
1999	2	1.1	0.75	0.1	3.4	23	0.4	0.07	0.2	0.5
2000	0					35	0.5	0.08	0.3	0.7
2001	1	0.4	0.40	0.0	2.0	27	0.4	0.08	0.3	0.6
2002	2	0.7	0.47	0.1	2.3	29	0.4	0.08	0.3	0.6
2003	1	0.2	0.22	0.0	1.3	28	0.4	0.08	0.3	0.6
2004	0					28	0.4	0.08	0.3	0.6
2005	0					33	0.5	0.08	0.3	0.7
2006	1	0.4	0.38	0.0	1.7	40	0.6	0.09	0.4	0.8
2007	0					36	0.5	0.09	0.4	0.7
2008	1	0.2	0.24	0.0	1.2	36	0.5	0.08	0.4	0.7
2009	2	0.5	0.36	0.1	1.7	33	0.5	0.08	0.3	0.7
2010	0					37	0.5	0.09	0.4	0.7
2011	2	0.5	0.36	0.1	1.6	30	0.4	0.08	0.3	0.6
2012	2	0.5	0.38	0.1	1.7	34	0.5	0.08	0.3	0.7
2013	2	0.4	0.31	0.0	1.4	23	0.3	0.07	0.2	0.5
2014	2	0.3	0.25	0.0	1.2	48	0.6	0.09	0.5	0.8
2015	2	0.4	0.26	0.0	1.2	28	0.3	0.07	0.2	0.5
2016	1	0.1	0.12	0.0	0.7	30	0.4	0.07	0.3	0.6
2017	1	0.2	0.22	0.0	1.0	40	0.5	0.08	0.4	0.7
2018	1	0.1	0.11	0.0	0.6	29	0.4	0.07	0.2	0.5
2019	2	0.3	0.20	0.0	1.0	32	0.4	0.07	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ureter										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	860	0.5	0.02	0.4	0.5	46	0.2	0.03	0.1	0.2
1990	27	0.5	0.09	0.3	0.7	2	0.4	0.26	0.0	1.2
1991	27	0.5	0.09	0.3	0.7	1	0.2	0.18	0.0	0.9
1992	29	0.5	0.09	0.3	0.7	0				
1993	27	0.5	0.09	0.3	0.7	1	0.2	0.17	0.0	0.8
1994	31	0.5	0.10	0.4	0.8	1	0.2	0.17	0.0	0.8
1995	27	0.5	0.09	0.3	0.7	0				
1996	22	0.4	0.08	0.2	0.6	2	0.3	0.18	0.0	0.9
1997	22	0.4	0.09	0.3	0.6	0				
1998	27	0.4	0.08	0.3	0.6	0				
1999	21	0.4	0.08	0.2	0.6	2	0.2	0.16	0.0	0.8
2000	33	0.5	0.10	0.4	0.8	2	0.3	0.19	0.0	0.9
2001	27	0.5	0.09	0.3	0.7	0				
2002	27	0.4	0.08	0.3	0.6	2	0.2	0.17	0.0	0.8
2003	25	0.4	0.08	0.3	0.6	2	0.2	0.15	0.0	0.8
2004	25	0.4	0.09	0.3	0.6	3	0.4	0.22	0.1	1.1
2005	32	0.5	0.10	0.4	0.8	0				
2006	34	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3
2007	34	0.6	0.10	0.4	0.8	2	0.3	0.17	0.0	0.8
2008	36	0.6	0.10	0.4	0.8	0				
2009	30	0.5	0.09	0.3	0.7	2	0.2	0.16	0.0	0.8
2010	34	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8
2011	25	0.4	0.08	0.3	0.6	3	0.3	0.20	0.1	1.0
2012	33	0.5	0.10	0.4	0.8	0				
2013	21	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7
2014	44	0.7	0.11	0.5	1.0	2	0.2	0.13	0.0	0.7
2015	23	0.3	0.07	0.2	0.5	3	0.3	0.19	0.1	0.9
2016	27	0.4	0.09	0.3	0.7	3	0.2	0.14	0.1	0.8
2017	34	0.5	0.09	0.4	0.7	4	0.4	0.19	0.1	1.0
2018	27	0.4	0.08	0.3	0.6	0				
2019	29	0.5	0.09	0.3	0.7	1	0.1	0.08	0.0	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Eye and Orbit										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	217	0.6	0.05	0.5	0.7	2,815	0.8	0.02	0.8	0.8
1990	6	1.7	0.85	0.5	4.1	60	0.6	0.07	0.4	0.7
1991	6	0.7	0.36	0.2	2.0	66	0.6	0.08	0.5	0.8
1992	5	0.7	0.37	0.2	2.0	92	0.8	0.09	0.7	1.0
1993	2	0.2	0.17	0.0	1.2	76	0.7	0.08	0.5	0.9
1994	1	0.1	0.05	0.0	0.9	80	0.7	0.08	0.6	0.9
1995	7	0.5	0.22	0.2	1.4	89	0.8	0.09	0.7	1.0
1996	7	1.2	0.64	0.3	3.0	111	1.0	0.10	0.8	1.2
1997	2	0.4	0.39	0.0	1.8	79	0.7	0.08	0.6	0.9
1998	3	0.6	0.40	0.1	1.9	65	0.6	0.07	0.5	0.7
1999	3	0.3	0.25	0.0	1.3	91	0.8	0.09	0.7	1.0
2000	7	1.2	0.65	0.3	2.9	88	0.8	0.08	0.6	1.0
2001	9	0.6	0.27	0.2	1.5	96	0.9	0.09	0.7	1.0
2002	7	0.6	0.37	0.1	1.7	84	0.8	0.08	0.6	0.9
2003	11	1.3	0.51	0.5	2.7	116	1.0	0.09	0.8	1.2
2004	11	1.0	0.37	0.4	2.0	92	0.8	0.08	0.7	1.0
2005	8	0.8	0.31	0.3	1.7	115	1.0	0.09	0.8	1.2
2006	9	0.8	0.35	0.3	1.8	98	0.8	0.09	0.7	1.0
2007	10	0.7	0.31	0.3	1.6	112	1.0	0.09	0.8	1.2
2008	4	0.2	0.11	0.1	0.7	97	0.8	0.08	0.7	1.0
2009	10	0.6	0.24	0.3	1.3	134	1.1	0.10	0.9	1.3
2010	7	0.7	0.33	0.2	1.6	98	0.8	0.09	0.7	1.0
2011	14	0.9	0.28	0.4	1.6	101	0.9	0.09	0.7	1.0
2012	9	0.5	0.16	0.2	1.0	94	0.8	0.08	0.6	0.9
2013	12	0.8	0.26	0.4	1.4	106	0.9	0.08	0.7	1.0
2014	7	0.4	0.19	0.2	1.0	84	0.6	0.07	0.5	0.8
2015	6	0.4	0.18	0.1	0.9	103	0.8	0.08	0.7	1.0
2016	6	0.5	0.21	0.2	1.0	109	0.8	0.08	0.7	1.0
2017	11	0.6	0.21	0.3	1.2	87	0.7	0.07	0.5	0.8
2018	4	0.3	0.14	0.1	0.7	105	0.8	0.08	0.6	1.0
2019	13	0.6	0.19	0.3	1.1	87	0.7	0.08	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Eye and Orbit										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,601	0.9	0.02	0.9	0.9	129	0.2	0.02	0.2	0.3
1990	51	0.6	0.08	0.4	0.8	7	0.4	0.17	0.1	0.9
1991	59	0.7	0.09	0.5	0.8	2	0.1	0.07	0.0	0.4
1992	83	0.9	0.10	0.7	1.1	9	0.5	0.18	0.2	1.0
1993	69	0.7	0.09	0.6	0.9	4	0.2	0.10	0.1	0.5
1994	74	0.8	0.09	0.6	1.0	5	0.3	0.14	0.1	0.7
1995	82	0.9	0.10	0.7	1.1	5	0.2	0.10	0.1	0.6
1996	99	1.1	0.11	0.9	1.3	6	0.3	0.15	0.1	0.8
1997	75	0.8	0.10	0.7	1.0	3	0.2	0.09	0.0	0.5
1998	61	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.5
1999	87	0.9	0.10	0.8	1.2	4	0.2	0.10	0.1	0.6
2000	81	0.9	0.10	0.7	1.1	3	0.2	0.13	0.0	0.6
2001	85	0.9	0.10	0.7	1.1	7	0.4	0.14	0.1	0.8
2002	72	0.8	0.09	0.6	1.0	8	0.4	0.13	0.2	0.7
2003	113	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2004	88	0.9	0.10	0.7	1.2	3	0.1	0.08	0.0	0.4
2005	108	1.1	0.11	0.9	1.4	4	0.2	0.09	0.1	0.5
2006	95	1.0	0.10	0.8	1.2	1	0.1	0.05	0.0	0.3
2007	109	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3
2008	88	0.9	0.10	0.7	1.1	4	0.2	0.10	0.1	0.5
2009	125	1.3	0.12	1.1	1.6	8	0.4	0.15	0.2	0.9
2010	93	1.0	0.10	0.8	1.2	4	0.2	0.12	0.1	0.6
2011	90	0.9	0.10	0.8	1.2	6	0.3	0.13	0.1	0.7
2012	90	0.9	0.10	0.7	1.1	2	0.1	0.07	0.0	0.4
2013	96	1.0	0.10	0.8	1.2	5	0.3	0.13	0.1	0.7
2014	76	0.7	0.08	0.6	0.9	5	0.3	0.12	0.1	0.6
2015	98	1.0	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4
2016	100	1.0	0.10	0.8	1.2	2	0.1	0.09	0.0	0.4
2017	81	0.8	0.09	0.6	1.0	3	0.2	0.09	0.0	0.5
2018	97	0.9	0.09	0.7	1.1	5	0.3	0.11	0.1	0.6
2019	76	0.7	0.09	0.6	0.9	8	0.4	0.15	0.2	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Eye and Orbit										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	117	0.7	0.08	0.5	0.9	1,494	1.0	0.02	0.9	1.0
1990	3	1.9	1.40	0.2	6.4	32	0.7	0.12	0.5	1.0
1991	4	0.5	0.25	0.1	2.9	30	0.7	0.13	0.5	1.0
1992	1	0.5	0.52	0.0	3.3	49	1.0	0.15	0.8	1.4
1993	0					38	0.8	0.13	0.6	1.1
1994	0					41	0.9	0.14	0.6	1.2
1995	3	0.3	0.17	0.1	2.4	51	1.0	0.14	0.8	1.3
1996	5	2.5	1.66	0.4	7.2	60	1.3	0.16	1.0	1.6
1997	1	0.1	0.09	0.0	2.0	46	1.0	0.14	0.7	1.3
1998	1	0.3	0.33	0.0	2.3	31	0.6	0.11	0.4	0.9
1999	0					50	1.0	0.15	0.8	1.4
2000	4	1.5	1.28	0.1	5.3	52	1.1	0.15	0.8	1.4
2001	4	0.5	0.28	0.1	2.1	50	1.0	0.15	0.8	1.3
2002	4	1.2	0.88	0.1	3.9	54	1.1	0.15	0.8	1.4
2003	6	0.8	0.40	0.2	2.4	58	1.1	0.15	0.9	1.5
2004	4	0.8	0.47	0.1	2.5	46	0.9	0.14	0.7	1.2
2005	6	1.3	0.58	0.4	3.1	63	1.2	0.15	0.9	1.5
2006	6	1.0	0.56	0.2	2.7	48	0.9	0.13	0.7	1.2
2007	8	1.4	0.70	0.4	3.4	52	1.0	0.14	0.7	1.3
2008	4	0.4	0.20	0.1	1.4	54	1.0	0.14	0.8	1.3
2009	4	0.6	0.35	0.2	1.8	79	1.4	0.16	1.1	1.8
2010	5	0.9	0.51	0.2	2.4	49	0.9	0.13	0.7	1.2
2011	6	0.8	0.38	0.2	2.0	60	1.1	0.14	0.8	1.4
2012	3	0.3	0.18	0.1	1.1	51	0.9	0.13	0.7	1.2
2013	6	0.8	0.40	0.2	2.0	60	1.1	0.14	0.8	1.4
2014	4	0.4	0.20	0.1	1.2	46	0.8	0.11	0.6	1.0
2015	4	0.5	0.29	0.1	1.4	49	0.9	0.12	0.6	1.1
2016	4	0.7	0.38	0.2	1.8	56	0.9	0.13	0.7	1.2
2017	8	1.0	0.41	0.4	2.2	48	0.8	0.12	0.6	1.1
2018	2	0.2	0.16	0.0	0.9	47	0.7	0.11	0.5	1.0
2019	7	0.6	0.24	0.3	1.4	44	0.7	0.11	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Eye and Orbit										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,378	1.1	0.03	1.0	1.1	72	0.3	0.03	0.2	0.4
1990	28	0.7	0.14	0.5	1.0	4	0.3	0.17	0.1	1.1
1991	27	0.7	0.14	0.5	1.1	1	0.1	0.14	0.0	0.9
1992	43	1.1	0.16	0.8	1.4	6	0.5	0.23	0.2	1.4
1993	35	0.8	0.14	0.6	1.2	2	0.1	0.10	0.0	0.9
1994	39	1.0	0.16	0.7	1.3	2	0.3	0.19	0.0	1.1
1995	47	1.1	0.17	0.8	1.5	3	0.3	0.20	0.1	1.1
1996	51	1.3	0.18	0.9	1.7	5	0.7	0.34	0.2	1.8
1997	42	1.1	0.16	0.8	1.4	3	0.3	0.20	0.1	1.1
1998	30	0.7	0.13	0.5	1.0	0				
1999	50	1.2	0.17	0.9	1.6	0				
2000	47	1.1	0.16	0.8	1.5	3	0.6	0.40	0.1	1.8
2001	43	1.0	0.16	0.7	1.4	4	0.5	0.29	0.1	1.5
2002	46	1.1	0.16	0.8	1.5	5	0.4	0.20	0.1	1.2
2003	57	1.3	0.18	1.0	1.7	1	0.1	0.09	0.0	0.7
2004	44	1.0	0.16	0.8	1.4	1	0.1	0.09	0.0	0.7
2005	60	1.4	0.18	1.0	1.7	3	0.3	0.15	0.1	0.9
2006	47	1.0	0.15	0.8	1.4	1	0.1	0.09	0.0	0.7
2007	51	1.2	0.17	0.9	1.6	0				
2008	52	1.2	0.17	0.9	1.6	1	0.1	0.10	0.0	0.7
2009	72	1.6	0.19	1.2	2.0	6	0.7	0.29	0.2	1.6
2010	47	1.1	0.16	0.8	1.4	1	0.2	0.21	0.0	1.0
2011	55	1.2	0.17	0.9	1.6	2	0.2	0.18	0.0	0.9
2012	50	1.1	0.16	0.8	1.5	0				
2013	55	1.2	0.16	0.9	1.6	2	0.3	0.20	0.0	1.0
2014	41	0.8	0.13	0.6	1.1	3	0.4	0.20	0.1	1.1
2015	46	1.0	0.15	0.7	1.3	0				
2016	50	1.0	0.15	0.7	1.3	2	0.3	0.22	0.0	1.0
2017	46	1.0	0.15	0.7	1.4	2	0.2	0.16	0.0	0.8
2018	41	0.8	0.12	0.5	1.0	3	0.3	0.18	0.1	1.0
2019	36	0.7	0.13	0.5	1.0	6	0.6	0.26	0.2	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Eye and Orbit										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	100	0.6	0.07	0.4	0.7	1,321	0.7	0.02	0.7	0.7
1990	3	1.6	1.07	0.2	4.9	28	0.5	0.09	0.3	0.7
1991	2	1.0	0.67	0.1	3.4	36	0.6	0.10	0.4	0.9
1992	4	1.0	0.57	0.2	3.1	43	0.7	0.11	0.5	1.0
1993	2	0.4	0.35	0.0	2.2	38	0.6	0.11	0.5	0.9
1994	1	0.1	0.11	0.0	1.6	39	0.7	0.11	0.5	0.9
1995	4	0.7	0.40	0.1	2.4	38	0.6	0.10	0.4	0.9
1996	2	0.5	0.35	0.0	2.1	51	0.9	0.12	0.6	1.1
1997	1	0.7	0.66	0.0	2.9	33	0.5	0.09	0.4	0.8
1998	2	0.7	0.64	0.0	2.9	34	0.6	0.10	0.4	0.8
1999	3	0.6	0.46	0.1	2.3	41	0.7	0.11	0.5	1.0
2000	3	1.0	0.76	0.1	3.3	36	0.6	0.10	0.4	0.8
2001	5	0.7	0.43	0.1	2.3	46	0.8	0.11	0.6	1.0
2002	3	0.2	0.12	0.0	1.3	30	0.5	0.09	0.3	0.7
2003	5	1.7	0.84	0.5	4.0	58	0.9	0.12	0.7	1.2
2004	7	1.2	0.57	0.4	2.9	46	0.7	0.11	0.5	1.0
2005	2	0.4	0.28	0.0	1.5	52	0.9	0.12	0.6	1.1
2006	3	0.6	0.44	0.1	2.0	50	0.8	0.11	0.6	1.1
2007	2	0.1	0.10	0.0	0.9	60	1.0	0.13	0.7	1.2
2008	0					43	0.7	0.11	0.5	1.0
2009	6	0.6	0.32	0.2	1.7	55	0.9	0.12	0.7	1.2
2010	2	0.5	0.40	0.1	1.8	49	0.8	0.11	0.6	1.0
2011	8	1.0	0.40	0.4	2.1	41	0.7	0.11	0.5	0.9
2012	6	0.6	0.27	0.2	1.5	43	0.7	0.10	0.5	0.9
2013	6	0.8	0.34	0.3	1.8	46	0.7	0.11	0.5	1.0
2014	3	0.5	0.30	0.1	1.4	38	0.5	0.09	0.4	0.7
2015	2	0.3	0.22	0.0	1.1	54	0.8	0.11	0.6	1.1
2016	2	0.3	0.21	0.0	1.0	53	0.8	0.11	0.6	1.1
2017	3	0.3	0.19	0.1	1.0	39	0.5	0.09	0.4	0.7
2018	2	0.3	0.21	0.0	1.0	58	0.8	0.11	0.6	1.1
2019	6	0.6	0.27	0.2	1.4	43	0.6	0.10	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Eye and Orbit										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,223	0.8	0.02	0.7	0.8	57	0.2	0.02	0.1	0.2
1990	23	0.5	0.10	0.3	0.7	3	0.4	0.24	0.1	1.2
1991	32	0.6	0.12	0.4	0.9	1	0.1	0.09	0.0	0.6
1992	40	0.8	0.12	0.5	1.0	3	0.4	0.23	0.1	1.1
1993	34	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8
1994	35	0.7	0.12	0.5	1.0	3	0.4	0.21	0.1	1.0
1995	35	0.7	0.12	0.5	1.0	2	0.2	0.10	0.0	0.6
1996	48	1.0	0.14	0.7	1.3	1	0.1	0.07	0.0	0.5
1997	33	0.7	0.12	0.5	0.9	0				
1998	31	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8
1999	37	0.8	0.13	0.5	1.1	4	0.4	0.19	0.1	1.0
2000	34	0.7	0.12	0.5	0.9	0				
2001	42	0.8	0.13	0.6	1.2	3	0.3	0.15	0.1	0.8
2002	26	0.5	0.10	0.3	0.7	3	0.3	0.16	0.1	0.8
2003	56	1.1	0.14	0.8	1.4	0				
2004	44	0.9	0.14	0.6	1.2	2	0.2	0.13	0.0	0.7
2005	48	1.0	0.14	0.7	1.3	1	0.1	0.10	0.0	0.6
2006	48	1.0	0.14	0.7	1.3	0				
2007	58	1.1	0.16	0.9	1.5	1	0.1	0.09	0.0	0.6
2008	36	0.7	0.12	0.5	1.0	3	0.3	0.17	0.1	0.9
2009	53	1.1	0.15	0.8	1.4	2	0.2	0.14	0.0	0.7
2010	46	0.9	0.14	0.7	1.2	3	0.3	0.17	0.1	0.9
2011	35	0.7	0.13	0.5	1.0	4	0.4	0.19	0.1	1.0
2012	40	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8
2013	41	0.8	0.12	0.5	1.1	3	0.3	0.18	0.1	0.9
2014	35	0.6	0.10	0.4	0.8	2	0.2	0.13	0.0	0.7
2015	52	1.0	0.15	0.7	1.3	2	0.2	0.15	0.0	0.7
2016	50	1.0	0.15	0.7	1.3	0				
2017	35	0.6	0.09	0.4	0.8	1	0.1	0.11	0.0	0.6
2018	56	1.0	0.14	0.8	1.4	2	0.2	0.15	0.0	0.8
2019	40	0.8	0.13	0.5	1.1	2	0.2	0.17	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain and Other Nervous System										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,859	5.4	0.15	5.1	5.7	22,632	6.6	0.04	6.5	6.7
1990	27	4.4	1.03	2.6	6.9	653	6.2	0.24	5.7	6.7
1991	35	5.2	1.03	3.4	7.7	692	6.5	0.25	6.0	7.0
1992	32	4.0	0.81	2.6	6.0	679	6.3	0.24	5.9	6.8
1993	33	5.2	1.09	3.3	7.8	683	6.3	0.24	5.8	6.8
1994	30	3.4	0.80	2.1	5.4	740	6.8	0.25	6.3	7.3
1995	36	3.8	0.73	2.6	5.7	689	6.3	0.24	5.9	6.8
1996	38	4.6	0.90	3.0	6.8	723	6.6	0.25	6.1	7.1
1997	50	5.7	1.03	3.8	8.0	747	6.8	0.25	6.3	7.3
1998	44	4.3	0.83	2.8	6.3	712	6.5	0.24	6.0	6.9
1999	49	5.5	0.99	3.7	7.8	742	6.7	0.24	6.2	7.2
2000	48	5.7	1.03	3.9	8.1	725	6.5	0.24	6.0	7.0
2001	63	6.7	1.13	4.7	9.2	731	6.5	0.24	6.1	7.0
2002	65	6.7	1.03	4.8	9.0	698	6.2	0.24	5.8	6.7
2003	59	6.5	1.09	4.5	9.0	743	6.6	0.24	6.1	7.1
2004	65	5.9	0.97	4.1	8.0	789	7.0	0.25	6.5	7.5
2005	56	4.7	0.82	3.2	6.5	755	6.6	0.24	6.2	7.1
2006	66	6.1	0.91	4.4	8.1	827	7.2	0.25	6.8	7.8
2007	76	6.1	0.84	4.5	7.9	759	6.6	0.24	6.1	7.1
2008	60	4.7	0.73	3.4	6.4	836	7.2	0.25	6.7	7.7
2009	79	5.8	0.79	4.4	7.5	766	6.5	0.24	6.1	7.0
2010	76	5.9	0.80	4.4	7.6	827	7.1	0.25	6.6	7.6
2011	79	5.2	0.70	4.0	6.8	835	7.1	0.25	6.6	7.6
2012	78	5.5	0.74	4.1	7.1	761	6.2	0.23	5.8	6.7
2013	65	4.3	0.62	3.2	5.7	785	6.6	0.24	6.1	7.1
2014	92	5.3	0.62	4.2	6.7	799	6.7	0.24	6.2	7.1
2015	80	5.1	0.64	3.9	6.5	828	6.8	0.24	6.3	7.3
2016	99	6.3	0.70	5.0	7.9	797	6.5	0.24	6.1	7.0
2017	86	5.1	0.59	4.0	6.4	792	6.5	0.24	6.0	7.0
2018	100	5.6	0.60	4.5	6.9	779	6.5	0.24	6.0	7.0
2019	93	5.1	0.57	4.1	6.3	740	6.0	0.23	5.6	6.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain and Other Nervous System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	19,989	7.2	0.05	7.1	7.3	2,004	4.0	0.09	3.8	4.1
1990	598	6.7	0.28	6.2	7.3	48	3.3	0.51	2.4	4.5
1991	636	7.1	0.29	6.6	7.7	46	3.2	0.49	2.3	4.3
1992	608	6.7	0.28	6.2	7.3	66	4.4	0.56	3.3	5.6
1993	612	6.8	0.28	6.2	7.3	58	3.9	0.53	2.9	5.0
1994	655	7.2	0.28	6.7	7.8	77	5.1	0.60	4.0	6.4
1995	632	7.0	0.28	6.5	7.6	52	3.5	0.50	2.5	4.6
1996	646	7.1	0.28	6.6	7.7	63	3.8	0.50	2.9	5.0
1997	673	7.4	0.29	6.9	8.0	53	3.2	0.46	2.4	4.3
1998	626	6.9	0.28	6.4	7.5	65	4.0	0.51	3.0	5.1
1999	654	7.1	0.28	6.6	7.7	68	4.2	0.53	3.2	5.4
2000	644	7.1	0.28	6.5	7.6	68	4.2	0.53	3.2	5.4
2001	661	7.2	0.28	6.7	7.8	51	3.3	0.47	2.4	4.3
2002	621	6.8	0.28	6.3	7.4	56	3.4	0.47	2.5	4.4
2003	667	7.3	0.28	6.7	7.9	58	3.6	0.48	2.7	4.7
2004	702	7.7	0.29	7.1	8.3	67	4.1	0.51	3.1	5.2
2005	663	7.2	0.28	6.7	7.8	71	4.2	0.51	3.2	5.3
2006	722	7.9	0.30	7.3	8.5	80	4.8	0.55	3.8	6.0
2007	661	7.2	0.29	6.7	7.8	68	3.9	0.49	3.0	5.0
2008	735	7.8	0.29	7.2	8.4	72	4.1	0.49	3.2	5.1
2009	673	7.2	0.28	6.6	7.8	66	3.8	0.48	2.9	4.9
2010	722	7.8	0.30	7.2	8.4	76	4.3	0.50	3.4	5.4
2011	722	7.7	0.30	7.1	8.3	88	4.9	0.53	3.9	6.1
2012	672	6.9	0.28	6.4	7.5	58	3.1	0.42	2.4	4.1
2013	704	7.5	0.30	7.0	8.1	59	3.3	0.44	2.5	4.3
2014	691	7.3	0.29	6.7	7.9	70	3.8	0.46	3.0	4.8
2015	720	7.6	0.30	7.0	8.2	77	4.1	0.48	3.2	5.2
2016	671	7.0	0.29	6.5	7.6	93	4.9	0.52	4.0	6.1
2017	697	7.3	0.29	6.7	7.9	71	3.9	0.48	3.1	5.0
2018	672	7.2	0.29	6.7	7.8	78	4.2	0.48	3.3	5.2
2019	629	6.6	0.28	6.1	7.2	81	4.3	0.48	3.4	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain and Other Nervous System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,071	6.3	0.24	5.8	6.8	12,311	7.8	0.07	7.6	7.9
1990	15	3.2	1.19	1.3	6.9	360	7.5	0.40	6.7	8.3
1991	19	4.4	1.13	2.4	7.8	378	7.9	0.41	7.1	8.8
1992	18	4.5	1.17	2.5	8.0	370	7.7	0.41	6.9	8.5
1993	20	6.4	1.93	3.2	11.4	372	7.7	0.41	6.9	8.5
1994	15	3.6	1.39	1.4	7.5	418	8.6	0.43	7.8	9.5
1995	19	3.8	1.06	2.0	6.9	380	7.7	0.40	6.9	8.5
1996	21	4.6	1.24	2.5	8.0	396	7.9	0.40	7.1	8.7
1997	27	4.9	1.07	3.0	7.9	425	8.5	0.42	7.8	9.4
1998	30	6.0	1.54	3.4	9.9	387	7.7	0.39	6.9	8.5
1999	30	5.9	1.58	3.2	9.9	400	8.0	0.40	7.2	8.8
2000	23	6.2	1.60	3.5	10.1	380	7.4	0.38	6.7	8.2
2001	39	8.6	1.86	5.4	13.0	402	7.9	0.40	7.2	8.7
2002	35	7.2	1.67	4.3	11.2	348	6.8	0.37	6.1	7.5
2003	35	7.2	1.69	4.2	11.2	411	7.9	0.39	7.2	8.7
2004	34	6.7	1.48	4.1	10.2	408	8.0	0.40	7.2	8.8
2005	37	6.3	1.41	3.8	9.7	405	7.7	0.39	7.0	8.5
2006	32	6.6	1.47	4.0	10.0	457	8.7	0.41	7.9	9.6
2007	47	8.0	1.53	5.3	11.5	385	7.2	0.37	6.5	7.9
2008	34	5.6	1.17	3.5	8.4	434	8.1	0.39	7.3	8.9
2009	45	6.9	1.27	4.7	9.8	410	7.5	0.38	6.8	8.3
2010	44	6.7	1.28	4.4	9.7	451	8.3	0.40	7.5	9.1
2011	50	6.6	1.16	4.6	9.3	455	8.4	0.40	7.6	9.2
2012	40	5.5	1.06	3.6	7.9	427	7.5	0.37	6.8	8.3
2013	37	4.7	0.92	3.0	6.8	438	7.8	0.38	7.1	8.6
2014	51	6.1	0.98	4.3	8.3	419	7.5	0.37	6.8	8.3
2015	46	6.1	1.05	4.2	8.5	474	8.3	0.39	7.6	9.1
2016	56	7.5	1.14	5.4	10.0	431	7.4	0.37	6.7	8.2
2017	56	7.0	1.05	5.1	9.3	445	7.9	0.39	7.2	8.7
2018	60	7.0	0.99	5.2	9.2	421	7.4	0.37	6.7	8.2
2019	56	6.6	0.99	4.8	8.8	424	7.5	0.37	6.7	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain and Other Nervous System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,893	8.4	0.08	8.3	8.6	1,077	4.8	0.15	4.5	5.1
1990	329	8.1	0.45	7.2	9.0	29	4.4	0.87	2.8	6.4
1991	350	8.6	0.47	7.7	9.6	25	4.3	0.94	2.6	6.5
1992	335	8.2	0.46	7.4	9.2	32	4.7	0.87	3.1	6.7
1993	337	8.3	0.46	7.4	9.2	28	4.1	0.82	2.7	6.1
1994	373	9.1	0.48	8.2	10.1	42	6.6	1.09	4.6	9.0
1995	354	8.6	0.46	7.7	9.5	23	3.4	0.80	2.0	5.4
1996	359	8.6	0.45	7.7	9.5	27	3.2	0.65	2.1	4.8
1997	379	9.1	0.47	8.2	10.1	32	4.7	0.91	3.1	6.8
1998	336	8.1	0.44	7.2	9.0	39	4.9	0.84	3.4	6.9
1999	350	8.4	0.45	7.5	9.3	36	5.1	0.89	3.5	7.1
2000	337	8.0	0.43	7.1	8.9	36	5.2	0.97	3.5	7.5
2001	360	8.6	0.45	7.7	9.5	33	5.1	0.95	3.4	7.3
2002	312	7.4	0.42	6.6	8.3	26	4.1	0.89	2.5	6.2
2003	367	8.6	0.45	7.8	9.6	35	4.9	0.86	3.3	6.9
2004	365	8.7	0.46	7.8	9.6	32	4.3	0.82	2.8	6.2
2005	356	8.3	0.44	7.4	9.2	39	5.1	0.86	3.6	7.1
2006	406	9.5	0.48	8.6	10.5	38	5.4	0.94	3.7	7.5
2007	333	7.7	0.43	6.9	8.6	32	4.0	0.74	2.7	5.8
2008	379	8.7	0.45	7.8	9.6	38	4.6	0.77	3.2	6.4
2009	359	8.2	0.44	7.4	9.1	37	4.6	0.80	3.2	6.5
2010	401	9.2	0.47	8.3	10.1	36	4.8	0.83	3.3	6.7
2011	389	8.9	0.46	8.0	9.8	54	6.7	0.95	5.0	8.9
2012	378	8.2	0.43	7.4	9.1	31	3.6	0.67	2.4	5.2
2013	388	8.7	0.46	7.9	9.7	37	4.3	0.73	3.0	6.1
2014	374	8.3	0.45	7.5	9.3	33	4.2	0.75	2.8	5.9
2015	412	9.2	0.47	8.3	10.1	42	5.1	0.82	3.6	7.0
2016	370	8.0	0.44	7.2	8.9	47	5.6	0.85	4.1	7.6
2017	388	8.7	0.46	7.8	9.6	43	5.3	0.83	3.8	7.2
2018	359	8.0	0.44	7.2	9.0	48	5.6	0.84	4.1	7.6
2019	358	8.1	0.45	7.2	9.0	47	5.9	0.89	4.3	7.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain and Other Nervous System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	788	4.5	0.18	4.2	4.9	10,321	5.6	0.06	5.5	5.7
1990	12	5.4	1.66	2.7	9.7	293	5.1	0.30	4.5	5.8
1991	16	5.7	1.60	3.0	9.8	314	5.3	0.31	4.8	6.0
1992	14	3.3	1.04	1.6	6.3	309	5.2	0.30	4.6	5.8
1993	13	4.1	1.30	2.0	7.5	311	5.2	0.30	4.6	5.8
1994	15	3.5	1.06	1.8	6.4	322	5.3	0.30	4.8	6.0
1995	17	3.9	1.03	2.2	6.7	309	5.2	0.30	4.6	5.8
1996	17	4.6	1.28	2.4	7.8	327	5.5	0.31	4.9	6.2
1997	23	5.9	1.54	3.3	9.7	322	5.4	0.30	4.8	6.0
1998	14	2.7	0.85	1.3	5.1	325	5.4	0.30	4.9	6.1
1999	19	5.1	1.35	2.8	8.4	342	5.6	0.31	5.0	6.3
2000	25	5.3	1.31	3.0	8.5	345	5.7	0.31	5.1	6.4
2001	24	4.9	1.32	2.6	8.1	329	5.5	0.30	4.9	6.1
2002	30	6.2	1.34	3.9	9.4	350	5.8	0.31	5.2	6.4
2003	24	5.7	1.44	3.3	9.1	332	5.4	0.30	4.8	6.0
2004	31	5.0	1.19	2.9	7.9	381	6.3	0.33	5.6	6.9
2005	19	3.1	0.92	1.6	5.4	350	5.8	0.31	5.2	6.4
2006	34	5.7	1.17	3.7	8.4	370	6.0	0.32	5.4	6.7
2007	29	4.4	0.92	2.8	6.7	374	6.1	0.32	5.5	6.8
2008	26	3.9	0.91	2.4	6.1	402	6.4	0.33	5.8	7.1
2009	34	4.7	0.97	3.0	7.0	356	5.7	0.31	5.1	6.3
2010	32	5.1	1.03	3.3	7.5	376	6.0	0.32	5.4	6.6
2011	29	3.9	0.84	2.4	5.9	380	6.0	0.32	5.4	6.6
2012	38	5.4	1.01	3.6	7.7	334	5.2	0.30	4.7	5.9
2013	28	3.9	0.82	2.4	5.8	347	5.5	0.31	4.9	6.1
2014	41	4.7	0.79	3.2	6.5	380	6.0	0.32	5.4	6.6
2015	34	4.1	0.77	2.7	5.9	354	5.5	0.31	4.9	6.2
2016	43	5.3	0.87	3.8	7.3	366	5.8	0.32	5.2	6.4
2017	30	3.4	0.67	2.3	5.0	347	5.2	0.29	4.7	5.8
2018	40	4.3	0.72	3.1	6.0	358	5.7	0.32	5.1	6.4
2019	37	3.9	0.66	2.7	5.4	316	4.8	0.28	4.2	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain and Other Nervous System										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	9,096	6.1	0.07	6.0	6.3	927	3.3	0.11	3.1	3.5
1990	269	5.6	0.35	5.0	6.4	19	2.4	0.57	1.4	3.8
1991	286	5.8	0.35	5.1	6.5	21	2.5	0.56	1.5	3.9
1992	273	5.5	0.34	4.8	6.2	34	4.0	0.71	2.8	5.7
1993	275	5.5	0.34	4.9	6.2	30	3.6	0.68	2.4	5.2
1994	282	5.6	0.34	4.9	6.3	35	4.0	0.70	2.8	5.6
1995	278	5.7	0.35	5.0	6.4	29	3.5	0.66	2.3	5.1
1996	287	5.9	0.36	5.2	6.7	36	4.1	0.70	2.9	5.7
1997	294	6.0	0.36	5.4	6.8	21	2.2	0.49	1.4	3.4
1998	290	6.0	0.36	5.3	6.7	26	3.1	0.61	2.0	4.5
1999	304	6.1	0.36	5.4	6.9	32	3.5	0.63	2.4	5.0
2000	307	6.3	0.37	5.6	7.1	32	3.5	0.63	2.4	5.0
2001	301	6.2	0.37	5.5	7.0	18	2.0	0.47	1.2	3.1
2002	309	6.3	0.37	5.6	7.1	30	3.2	0.58	2.1	4.5
2003	300	6.1	0.36	5.4	6.8	23	2.6	0.54	1.6	3.8
2004	337	6.9	0.39	6.2	7.7	35	3.8	0.65	2.6	5.3
2005	307	6.3	0.37	5.6	7.1	32	3.3	0.60	2.3	4.7
2006	316	6.5	0.37	5.8	7.3	42	4.4	0.69	3.2	6.0
2007	328	6.8	0.39	6.1	7.6	36	3.8	0.64	2.6	5.2
2008	356	7.1	0.39	6.4	7.9	34	3.5	0.61	2.4	4.9
2009	314	6.3	0.37	5.6	7.1	29	3.2	0.60	2.1	4.6
2010	321	6.5	0.38	5.8	7.3	40	4.0	0.63	2.8	5.4
2011	333	6.7	0.39	6.0	7.5	34	3.4	0.59	2.4	4.8
2012	294	5.8	0.36	5.1	6.6	27	2.7	0.53	1.8	4.0
2013	316	6.4	0.38	5.7	7.2	22	2.4	0.52	1.5	3.6
2014	317	6.4	0.38	5.7	7.2	37	3.5	0.59	2.5	4.9
2015	308	6.3	0.38	5.5	7.0	35	3.4	0.58	2.3	4.7
2016	301	6.2	0.38	5.5	7.0	46	4.5	0.67	3.3	6.0
2017	309	6.0	0.37	5.3	6.7	28	2.7	0.52	1.8	4.0
2018	313	6.5	0.40	5.8	7.4	30	3.0	0.56	2.0	4.3
2019	271	5.3	0.35	4.6	6.0	34	3.2	0.56	2.2	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,710	5.0	0.14	4.8	5.3	21,316	6.2	0.04	6.1	6.3
1990	25	4.1	1.01	2.4	6.6	601	5.7	0.23	5.2	6.2
1991	31	4.5	0.97	2.8	6.9	651	6.1	0.24	5.6	6.6
1992	28	3.4	0.75	2.1	5.4	649	6.0	0.24	5.6	6.5
1993	29	4.8	1.07	2.9	7.3	626	5.8	0.23	5.3	6.3
1994	27	3.0	0.76	1.7	5.0	702	6.5	0.25	6.0	7.0
1995	34	3.7	0.72	2.4	5.5	655	6.0	0.24	5.6	6.5
1996	35	4.3	0.87	2.8	6.4	673	6.1	0.24	5.7	6.6
1997	49	5.6	1.02	3.8	8.0	707	6.4	0.24	6.0	6.9
1998	39	4.0	0.82	2.6	6.0	667	6.0	0.23	5.6	6.5
1999	43	4.9	0.96	3.2	7.1	703	6.3	0.24	5.9	6.8
2000	45	5.5	1.02	3.7	7.8	686	6.2	0.23	5.7	6.6
2001	56	6.3	1.12	4.3	8.8	697	6.2	0.24	5.8	6.7
2002	61	6.5	1.03	4.6	8.8	666	5.9	0.23	5.5	6.4
2003	56	6.1	1.06	4.3	8.5	716	6.3	0.24	5.9	6.8
2004	63	5.8	0.97	4.0	7.9	735	6.5	0.24	6.0	7.0
2005	48	4.3	0.82	2.9	6.2	703	6.2	0.23	5.7	6.6
2006	63	5.8	0.90	4.2	7.8	785	6.9	0.25	6.4	7.4
2007	66	5.5	0.82	4.0	7.3	709	6.1	0.23	5.7	6.6
2008	56	4.6	0.72	3.2	6.2	787	6.7	0.24	6.3	7.2
2009	72	5.2	0.74	3.9	6.9	722	6.1	0.23	5.7	6.6
2010	69	5.4	0.77	4.0	7.1	790	6.7	0.24	6.2	7.2
2011	73	5.0	0.69	3.7	6.5	789	6.7	0.24	6.2	7.1
2012	72	4.9	0.69	3.7	6.4	716	5.9	0.22	5.4	6.3
2013	59	4.0	0.60	2.9	5.4	739	6.2	0.23	5.7	6.6
2014	83	4.9	0.60	3.8	6.2	748	6.2	0.23	5.8	6.7
2015	74	4.7	0.62	3.6	6.1	775	6.3	0.24	5.9	6.8
2016	91	5.9	0.68	4.7	7.4	750	6.1	0.23	5.6	6.6
2017	80	4.8	0.58	3.7	6.1	737	6.0	0.23	5.6	6.5
2018	94	5.4	0.59	4.3	6.6	733	6.1	0.23	5.6	6.5
2019	89	4.9	0.56	3.9	6.1	699	5.6	0.22	5.2	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	18,933	6.8	0.05	6.7	6.9	1,808	3.6	0.09	3.4	3.7
1990	554	6.2	0.27	5.7	6.8	40	2.8	0.48	2.0	3.9
1991	605	6.7	0.28	6.2	7.3	38	2.6	0.45	1.8	3.7
1992	584	6.4	0.27	5.9	7.0	61	4.0	0.54	3.1	5.3
1993	567	6.3	0.26	5.7	6.8	48	3.2	0.49	2.4	4.3
1994	624	6.9	0.28	6.3	7.4	70	4.6	0.57	3.5	5.8
1995	603	6.7	0.27	6.2	7.3	49	3.2	0.48	2.4	4.3
1996	611	6.7	0.27	6.2	7.3	54	3.2	0.46	2.4	4.2
1997	638	7.0	0.28	6.5	7.6	50	3.1	0.45	2.2	4.1
1998	591	6.5	0.27	6.0	7.1	57	3.4	0.47	2.6	4.5
1999	622	6.8	0.27	6.2	7.3	62	3.9	0.50	2.9	5.0
2000	614	6.7	0.27	6.2	7.3	59	3.7	0.50	2.8	4.8
2001	635	6.9	0.28	6.4	7.5	45	2.9	0.45	2.1	3.9
2002	597	6.6	0.27	6.0	7.1	50	3.0	0.44	2.2	4.0
2003	642	7.0	0.28	6.5	7.6	56	3.5	0.47	2.6	4.5
2004	653	7.1	0.28	6.6	7.7	62	3.7	0.49	2.8	4.8
2005	624	6.7	0.27	6.2	7.3	62	3.6	0.47	2.7	4.6
2006	692	7.5	0.29	7.0	8.1	73	4.3	0.52	3.4	5.4
2007	619	6.7	0.27	6.2	7.2	61	3.5	0.46	2.7	4.5
2008	694	7.3	0.28	6.8	7.9	65	3.7	0.46	2.8	4.7
2009	639	6.8	0.28	6.3	7.4	59	3.5	0.47	2.6	4.5
2010	693	7.4	0.29	6.8	8.0	72	4.0	0.49	3.1	5.1
2011	683	7.2	0.29	6.7	7.8	81	4.6	0.52	3.6	5.7
2012	635	6.5	0.27	6.0	7.0	53	2.9	0.41	2.2	3.8
2013	664	7.0	0.28	6.5	7.6	54	3.0	0.42	2.2	3.9
2014	649	6.8	0.28	6.3	7.4	64	3.5	0.44	2.6	4.4
2015	681	7.1	0.29	6.6	7.7	66	3.5	0.44	2.7	4.5
2016	637	6.6	0.28	6.1	7.2	81	4.3	0.49	3.4	5.4
2017	651	6.7	0.28	6.2	7.3	66	3.6	0.46	2.8	4.6
2018	635	6.7	0.28	6.2	7.3	73	3.9	0.47	3.1	5.0
2019	597	6.2	0.27	5.7	6.7	77	4.1	0.47	3.2	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,013	6.1	0.24	5.6	6.6	11,695	7.4	0.07	7.3	7.5
1990	14	3.1	1.18	1.2	6.8	335	7.0	0.39	6.2	7.8
1991	18	4.0	1.06	2.2	7.3	351	7.3	0.40	6.6	8.1
1992	16	3.9	1.08	2.1	7.2	355	7.4	0.40	6.6	8.2
1993	17	6.0	1.90	2.8	10.9	346	7.2	0.39	6.4	8.0
1994	15	3.6	1.39	1.4	7.5	406	8.4	0.42	7.6	9.2
1995	18	3.7	1.06	1.9	6.8	362	7.3	0.39	6.6	8.1
1996	20	4.5	1.24	2.4	7.9	373	7.4	0.39	6.7	8.2
1997	27	4.9	1.07	3.0	7.9	403	8.1	0.41	7.3	9.0
1998	26	5.6	1.52	3.0	9.5	364	7.2	0.38	6.5	8.0
1999	29	5.8	1.57	3.2	9.8	379	7.6	0.39	6.8	8.4
2000	22	6.1	1.60	3.4	10.1	364	7.1	0.38	6.4	7.9
2001	35	8.3	1.85	5.1	12.7	385	7.6	0.39	6.9	8.4
2002	35	7.2	1.67	4.3	11.2	329	6.4	0.36	5.7	7.1
2003	35	7.2	1.69	4.2	11.2	401	7.7	0.39	7.0	8.5
2004	34	6.7	1.48	4.1	10.2	386	7.5	0.39	6.8	8.3
2005	35	6.1	1.41	3.7	9.5	380	7.2	0.37	6.5	8.0
2006	32	6.6	1.47	4.0	10.0	440	8.4	0.40	7.6	9.2
2007	41	7.6	1.52	4.9	11.1	365	6.8	0.36	6.1	7.5
2008	33	5.5	1.17	3.5	8.3	416	7.8	0.39	7.0	8.5
2009	42	6.3	1.21	4.2	9.1	386	7.1	0.37	6.4	7.9
2010	42	6.5	1.27	4.3	9.5	440	8.1	0.39	7.3	8.9
2011	46	6.3	1.15	4.3	9.0	439	8.0	0.39	7.3	8.8
2012	38	5.3	1.05	3.4	7.7	405	7.1	0.36	6.4	7.8
2013	34	4.5	0.91	2.9	6.6	414	7.3	0.37	6.6	8.1
2014	49	5.8	0.96	4.1	8.0	401	7.1	0.36	6.4	7.9
2015	43	5.7	1.02	3.9	8.1	446	7.8	0.38	7.1	8.6
2016	53	7.0	1.09	5.0	9.4	403	6.9	0.35	6.2	7.6
2017	53	6.7	1.03	4.8	9.0	419	7.4	0.38	6.7	8.2
2018	56	6.7	0.98	4.9	8.9	397	6.9	0.36	6.2	7.7
2019	55	6.5	0.98	4.7	8.7	405	7.1	0.36	6.4	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	10,406	8.0	0.08	7.9	8.2	983	4.4	0.15	4.1	4.7
1990	308	7.5	0.44	6.7	8.5	25	3.8	0.82	2.3	5.8
1991	327	8.0	0.45	7.2	9.0	21	3.8	0.90	2.2	5.9
1992	324	7.9	0.45	7.1	8.9	29	4.3	0.84	2.8	6.3
1993	316	7.8	0.44	6.9	8.7	24	3.6	0.77	2.2	5.5
1994	363	8.9	0.47	8.0	9.8	40	6.2	1.06	4.3	8.6
1995	338	8.2	0.45	7.3	9.1	22	3.3	0.79	1.9	5.2
1996	344	8.2	0.44	7.3	9.1	24	2.9	0.62	1.8	4.5
1997	361	8.7	0.46	7.8	9.6	30	4.5	0.90	2.9	6.6
1998	315	7.6	0.43	6.8	8.5	38	4.8	0.84	3.3	6.8
1999	334	8.0	0.44	7.2	8.9	32	4.6	0.85	3.1	6.6
2000	324	7.7	0.43	6.8	8.5	33	4.8	0.93	3.1	6.9
2001	347	8.3	0.45	7.4	9.2	30	4.7	0.92	3.1	6.8
2002	298	7.1	0.41	6.3	7.9	23	3.5	0.80	2.1	5.4
2003	359	8.5	0.45	7.6	9.4	33	4.5	0.82	3.1	6.5
2004	346	8.2	0.44	7.4	9.1	29	3.9	0.78	2.5	5.7
2005	337	7.8	0.43	7.0	8.7	35	4.6	0.81	3.1	6.5
2006	393	9.2	0.47	8.3	10.2	36	5.1	0.92	3.4	7.2
2007	316	7.2	0.41	6.4	8.1	29	3.6	0.69	2.4	5.3
2008	365	8.3	0.44	7.5	9.2	34	4.2	0.74	2.8	5.9
2009	340	7.7	0.43	6.9	8.6	33	4.2	0.76	2.8	6.0
2010	392	9.0	0.46	8.1	9.9	34	4.5	0.81	3.1	6.4
2011	375	8.5	0.45	7.6	9.4	52	6.5	0.94	4.8	8.7
2012	363	7.8	0.42	7.0	8.7	27	3.2	0.63	2.1	4.7
2013	366	8.2	0.44	7.3	9.1	36	4.2	0.72	2.9	5.9
2014	360	8.0	0.43	7.1	8.9	30	3.7	0.69	2.4	5.3
2015	390	8.6	0.46	7.8	9.6	37	4.5	0.78	3.1	6.3
2016	352	7.6	0.42	6.8	8.5	38	4.7	0.79	3.3	6.5
2017	368	8.2	0.45	7.4	9.1	39	4.8	0.79	3.4	6.7
2018	341	7.6	0.43	6.7	8.5	45	5.3	0.82	3.8	7.2
2019	344	7.7	0.44	6.9	8.6	45	5.7	0.87	4.1	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	697	4.1	0.18	3.7	4.4	9,621	5.2	0.05	5.1	5.3
1990	11	5.0	1.60	2.3	9.1	266	4.7	0.29	4.1	5.3
1991	13	4.8	1.49	2.3	8.7	300	5.1	0.30	4.5	5.7
1992	12	2.8	0.97	1.3	5.6	294	5.0	0.29	4.4	5.6
1993	12	3.9	1.26	1.8	7.2	280	4.7	0.28	4.1	5.3
1994	12	2.7	0.92	1.2	5.3	296	4.9	0.29	4.4	5.5
1995	16	3.7	1.01	2.0	6.4	293	4.9	0.29	4.4	5.5
1996	15	4.1	1.21	2.0	7.2	300	5.0	0.29	4.5	5.7
1997	22	5.8	1.53	3.2	9.6	304	5.1	0.29	4.5	5.7
1998	13	2.6	0.84	1.2	5.0	303	5.1	0.29	4.5	5.7
1999	14	4.0	1.24	1.9	7.1	324	5.3	0.30	4.8	6.0
2000	23	5.0	1.29	2.8	8.1	322	5.3	0.30	4.8	6.0
2001	21	4.4	1.29	2.3	7.6	312	5.2	0.29	4.6	5.8
2002	26	5.8	1.33	3.5	9.0	337	5.6	0.31	5.0	6.2
2003	21	5.1	1.35	2.8	8.3	315	5.1	0.29	4.5	5.7
2004	29	4.8	1.19	2.8	7.7	349	5.7	0.31	5.1	6.3
2005	13	2.6	0.90	1.2	4.9	323	5.3	0.30	4.7	5.9
2006	31	5.2	1.12	3.3	7.9	345	5.6	0.31	5.0	6.2
2007	25	3.8	0.86	2.3	5.9	344	5.6	0.31	5.0	6.2
2008	23	3.6	0.89	2.1	5.8	371	5.9	0.31	5.3	6.5
2009	30	4.1	0.91	2.6	6.3	336	5.4	0.30	4.8	6.0
2010	27	4.3	0.94	2.6	6.5	350	5.5	0.30	4.9	6.1
2011	27	3.7	0.83	2.3	5.7	350	5.5	0.30	4.9	6.1
2012	34	4.6	0.91	3.0	6.8	311	4.9	0.29	4.3	5.4
2013	25	3.6	0.80	2.2	5.4	325	5.1	0.29	4.5	5.7
2014	34	4.0	0.75	2.7	5.8	347	5.4	0.30	4.9	6.1
2015	31	3.8	0.75	2.5	5.6	329	5.1	0.29	4.5	5.7
2016	38	4.9	0.85	3.4	6.8	347	5.4	0.31	4.8	6.1
2017	27	3.1	0.64	2.0	4.6	318	4.7	0.28	4.2	5.3
2018	38	4.2	0.70	2.9	5.8	336	5.3	0.31	4.7	6.0
2019	34	3.6	0.63	2.5	5.1	294	4.4	0.27	3.9	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Brain										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,527	5.7	0.06	5.6	5.8	825	2.9	0.10	2.7	3.1
1990	246	5.1	0.34	4.5	5.9	15	2.0	0.54	1.1	3.3
1991	278	5.6	0.34	4.9	6.3	17	1.9	0.49	1.1	3.2
1992	260	5.2	0.33	4.6	5.9	32	3.8	0.69	2.6	5.4
1993	251	5.0	0.32	4.4	5.7	24	2.9	0.61	1.9	4.4
1994	261	5.2	0.33	4.5	5.8	30	3.4	0.63	2.3	4.9
1995	265	5.4	0.34	4.7	6.1	27	3.2	0.63	2.1	4.7
1996	267	5.5	0.34	4.8	6.2	30	3.3	0.62	2.2	4.8
1997	277	5.7	0.35	5.0	6.4	20	2.1	0.48	1.3	3.3
1998	276	5.7	0.35	5.0	6.4	19	2.2	0.51	1.3	3.5
1999	288	5.8	0.35	5.1	6.5	30	3.3	0.61	2.2	4.7
2000	290	6.0	0.36	5.3	6.7	26	2.9	0.58	1.9	4.3
2001	288	5.9	0.35	5.2	6.7	15	1.7	0.44	0.9	2.8
2002	299	6.1	0.36	5.4	6.9	27	2.9	0.56	1.9	4.2
2003	283	5.7	0.35	5.0	6.4	23	2.6	0.54	1.6	3.8
2004	307	6.3	0.37	5.6	7.0	33	3.6	0.63	2.5	5.0
2005	287	5.8	0.35	5.2	6.6	27	2.8	0.54	1.8	4.1
2006	299	6.1	0.36	5.4	6.8	37	3.8	0.63	2.7	5.3
2007	303	6.2	0.37	5.5	7.0	32	3.4	0.60	2.3	4.7
2008	329	6.5	0.37	5.8	7.3	31	3.2	0.58	2.2	4.6
2009	299	6.0	0.36	5.3	6.8	26	2.9	0.57	1.9	4.2
2010	301	6.0	0.36	5.3	6.7	38	3.7	0.61	2.6	5.2
2011	308	6.2	0.37	5.5	7.0	29	2.9	0.55	2.0	4.2
2012	272	5.3	0.34	4.7	6.0	26	2.6	0.52	1.7	3.9
2013	298	6.0	0.36	5.3	6.7	18	2.0	0.47	1.2	3.1
2014	289	5.8	0.36	5.1	6.6	34	3.2	0.56	2.2	4.6
2015	291	5.8	0.36	5.2	6.6	29	2.7	0.51	1.8	3.9
2016	285	5.8	0.37	5.1	6.5	43	4.2	0.64	3.0	5.6
2017	283	5.3	0.34	4.7	6.1	27	2.6	0.51	1.7	3.8
2018	294	6.1	0.38	5.3	6.8	28	2.8	0.53	1.8	4.0
2019	253	4.8	0.33	4.2	5.5	32	3.0	0.54	2.1	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Endocrine System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,183	11.0	0.19	10.7	11.4	37,659	11.1	0.06	11.0	11.3
1990	25	4.2	1.07	2.4	6.9	576	5.5	0.23	5.0	6.0
1991	30	4.1	0.84	2.6	6.2	536	5.1	0.22	4.7	5.5
1992	32	4.4	0.97	2.7	6.8	599	5.6	0.23	5.2	6.1
1993	42	6.2	1.15	4.1	8.9	630	5.9	0.24	5.4	6.4
1994	45	4.7	0.78	3.3	6.6	622	5.8	0.23	5.3	6.2
1995	42	6.4	1.23	4.2	9.2	693	6.4	0.24	5.9	6.8
1996	52	5.8	0.95	4.1	8.1	744	6.8	0.25	6.3	7.3
1997	48	5.1	0.87	3.5	7.1	784	7.1	0.26	6.7	7.7
1998	71	6.5	0.84	4.9	8.4	776	7.0	0.25	6.6	7.6
1999	77	7.1	0.98	5.3	9.4	871	7.9	0.27	7.4	8.4
2000	57	5.1	0.77	3.7	6.9	885	8.0	0.27	7.5	8.5
2001	83	7.1	0.90	5.5	9.1	941	8.4	0.28	7.9	9.0
2002	81	6.9	0.87	5.3	8.8	1,125	10.1	0.30	9.5	10.7
2003	110	8.7	1.00	6.8	10.9	1,114	9.9	0.30	9.3	10.5
2004	121	9.0	0.98	7.2	11.2	1,250	11.2	0.32	10.6	11.8
2005	133	10.1	1.04	8.1	12.3	1,258	11.1	0.32	10.5	11.8
2006	130	8.9	0.89	7.2	10.8	1,424	12.6	0.34	11.9	13.2
2007	155	10.8	1.00	9.0	13.0	1,506	13.3	0.35	12.6	14.0
2008	161	11.2	1.03	9.3	13.5	1,600	14.0	0.35	13.3	14.7
2009	185	12.4	1.04	10.4	14.6	1,684	14.7	0.36	14.0	15.4
2010	203	12.8	1.00	10.9	14.9	1,679	14.6	0.36	13.9	15.4
2011	214	14.2	1.08	12.1	16.4	1,773	15.2	0.37	14.5	15.9
2012	213	12.4	0.91	10.6	14.3	1,937	16.7	0.39	15.9	17.5
2013	255	14.5	0.97	12.6	16.5	1,932	16.6	0.39	15.9	17.4
2014	252	14.8	1.02	12.9	17.0	1,924	16.5	0.39	15.8	17.3
2015	286	16.8	1.06	14.8	19.0	2,008	17.2	0.40	16.4	18.0
2016	285	15.5	0.98	13.6	17.5	1,842	15.9	0.38	15.2	16.7
2017	261	14.8	0.98	12.9	16.8	1,651	14.1	0.36	13.4	14.8
2018	254	13.7	0.90	12.0	15.6	1,663	14.2	0.36	13.5	15.0
2019	280	15.1	0.95	13.3	17.0	1,632	14.2	0.37	13.5	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Endocrine System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	31,743	11.8	0.07	11.6	11.9	3,440	6.9	0.12	6.6	7.1
1990	507	5.8	0.26	5.3	6.3	51	3.7	0.54	2.7	4.9
1991	472	5.3	0.25	4.9	5.9	41	3.0	0.49	2.1	4.1
1992	531	6.0	0.26	5.5	6.5	48	3.3	0.49	2.4	4.4
1993	552	6.2	0.27	5.7	6.8	48	3.5	0.52	2.5	4.6
1994	538	6.0	0.26	5.5	6.6	57	4.0	0.54	3.0	5.2
1995	597	6.7	0.28	6.2	7.3	60	4.0	0.53	3.0	5.2
1996	647	7.2	0.28	6.6	7.8	67	4.4	0.54	3.4	5.5
1997	659	7.3	0.29	6.8	7.9	81	5.6	0.64	4.4	7.0
1998	644	7.2	0.28	6.6	7.8	80	5.2	0.60	4.1	6.5
1999	754	8.5	0.31	7.9	9.1	63	3.8	0.48	2.9	4.9
2000	758	8.5	0.31	7.9	9.1	72	4.5	0.54	3.5	5.6
2001	798	8.9	0.32	8.3	9.5	97	6.1	0.63	4.9	7.4
2002	972	10.8	0.35	10.2	11.6	98	6.1	0.62	4.9	7.4
2003	956	10.7	0.35	10.0	11.4	100	6.0	0.60	4.8	7.3
2004	1,082	12.2	0.37	11.5	13.0	98	5.8	0.59	4.7	7.0
2005	1,065	11.9	0.37	11.1	12.6	105	6.3	0.63	5.2	7.7
2006	1,205	13.4	0.39	12.6	14.2	126	7.3	0.66	6.1	8.7
2007	1,279	14.2	0.41	13.5	15.1	129	7.5	0.67	6.3	9.0
2008	1,358	15.1	0.42	14.3	15.9	141	8.0	0.68	6.7	9.4
2009	1,447	16.1	0.44	15.3	17.0	153	8.8	0.72	7.4	10.3
2010	1,401	15.6	0.43	14.8	16.5	168	9.3	0.73	7.9	10.8
2011	1,491	16.3	0.44	15.4	17.2	167	9.2	0.72	7.8	10.7
2012	1,619	17.9	0.46	17.0	18.8	173	9.6	0.74	8.2	11.1
2013	1,612	18.0	0.47	17.1	18.9	180	9.7	0.74	8.3	11.2
2014	1,587	17.7	0.46	16.8	18.6	191	10.4	0.77	8.9	12.0
2015	1,682	18.8	0.48	17.8	19.7	182	10.0	0.76	8.6	11.6
2016	1,496	16.8	0.46	15.9	17.7	193	10.6	0.78	9.1	12.2
2017	1,312	14.6	0.42	13.8	15.5	180	9.5	0.73	8.2	11.1
2018	1,384	15.6	0.44	14.7	16.5	143	7.6	0.65	6.3	8.9
2019	1,338	15.2	0.44	14.3	16.1	148	7.9	0.66	6.6	9.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Endocrine System										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	898	5.1	0.20	4.7	5.5	10,302	6.4	0.06	6.3	6.5
1990	3	0.6	0.35	0.1	3.2	169	3.5	0.28	3.0	4.1
1991	8	2.4	1.09	0.7	5.9	148	3.1	0.26	2.6	3.7
1992	8	1.8	0.75	0.7	4.7	177	3.6	0.28	3.1	4.2
1993	10	4.5	1.92	1.6	9.7	184	3.7	0.28	3.2	4.3
1994	12	1.9	0.63	0.9	4.4	179	3.6	0.27	3.1	4.2
1995	11	4.8	1.85	1.9	9.6	180	3.6	0.27	3.1	4.1
1996	15	3.7	1.31	1.6	7.4	206	4.1	0.29	3.5	4.7
1997	14	3.9	1.37	1.7	7.7	214	4.3	0.29	3.7	4.9
1998	15	3.5	0.99	1.8	6.3	240	4.7	0.31	4.1	5.4
1999	18	3.1	0.85	1.6	5.6	237	4.6	0.30	4.0	5.2
2000	16	2.6	0.77	1.3	4.9	212	4.1	0.28	3.6	4.7
2001	19	3.1	0.79	1.7	5.3	274	5.3	0.32	4.7	5.9
2002	19	2.7	0.70	1.5	4.8	288	5.5	0.33	4.9	6.2
2003	20	3.0	0.78	1.7	5.1	270	5.1	0.32	4.5	5.8
2004	19	2.5	0.64	1.4	4.4	342	6.4	0.35	5.8	7.2
2005	27	4.8	1.34	2.5	8.1	340	6.3	0.35	5.7	7.0
2006	28	3.8	0.85	2.3	6.0	376	7.0	0.36	6.3	7.8
2007	29	4.6	1.03	2.8	7.1	400	7.4	0.38	6.7	8.2
2008	32	5.2	1.11	3.3	7.9	400	7.2	0.36	6.5	7.9
2009	37	5.9	1.18	3.8	8.7	405	7.2	0.37	6.5	8.0
2010	36	4.9	0.99	3.1	7.2	465	8.4	0.40	7.6	9.2
2011	42	5.8	1.04	4.0	8.3	479	8.5	0.40	7.8	9.4
2012	45	4.6	0.70	3.3	6.2	510	9.0	0.41	8.2	9.8
2013	51	5.9	0.96	4.2	8.1	545	9.5	0.42	8.7	10.4
2014	52	6.2	0.93	4.5	8.3	541	9.4	0.41	8.6	10.2
2015	64	8.8	1.25	6.5	11.6	545	9.5	0.42	8.7	10.3
2016	67	7.9	1.08	5.9	10.3	536	9.5	0.42	8.7	10.3
2017	55	6.6	0.97	4.8	8.8	512	8.9	0.41	8.1	9.7
2018	64	6.7	0.90	5.1	8.7	474	8.2	0.39	7.4	9.0
2019	62	6.9	0.95	5.2	9.0	454	8.0	0.39	7.2	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Endocrine System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,896	6.8	0.07	6.6	6.9	797	3.7	0.14	3.5	4.0
1990	148	3.6	0.30	3.1	4.3	16	3.0	0.85	1.6	5.1
1991	131	3.2	0.29	2.7	3.9	9	1.3	0.45	0.6	2.6
1992	154	3.8	0.31	3.2	4.4	16	2.5	0.64	1.4	4.2
1993	170	4.1	0.32	3.5	4.8	11	1.7	0.56	0.8	3.2
1994	150	3.6	0.29	3.0	4.2	21	4.1	0.95	2.5	6.4
1995	161	3.8	0.30	3.3	4.5	13	1.8	0.53	0.9	3.2
1996	178	4.2	0.32	3.6	4.9	21	3.2	0.72	2.0	5.0
1997	183	4.3	0.32	3.7	5.0	20	3.3	0.78	1.9	5.2
1998	198	4.7	0.33	4.1	5.4	24	3.5	0.72	2.2	5.3
1999	210	5.0	0.34	4.3	5.7	16	2.2	0.57	1.2	3.6
2000	190	4.5	0.33	3.9	5.2	10	1.3	0.42	0.6	2.5
2001	235	5.5	0.36	4.8	6.2	27	4.2	0.84	2.7	6.2
2002	252	5.9	0.37	5.2	6.7	19	2.7	0.64	1.6	4.3
2003	232	5.4	0.36	4.7	6.2	23	3.2	0.69	2.0	4.9
2004	306	7.1	0.41	6.3	7.9	19	2.5	0.59	1.5	4.0
2005	299	6.9	0.40	6.1	7.7	25	3.5	0.72	2.2	5.2
2006	321	7.3	0.41	6.5	8.2	30	3.9	0.72	2.6	5.6
2007	345	7.9	0.43	7.1	8.8	29	4.3	0.84	2.8	6.2
2008	351	7.8	0.42	7.0	8.7	31	3.9	0.73	2.6	5.6
2009	352	7.8	0.42	7.0	8.6	32	4.1	0.74	2.7	5.8
2010	402	9.1	0.46	8.2	10.0	35	4.3	0.76	3.0	6.1
2011	414	9.1	0.46	8.2	10.1	37	4.7	0.80	3.2	6.5
2012	443	9.7	0.48	8.8	10.7	39	5.2	0.87	3.7	7.2
2013	474	10.4	0.49	9.4	11.4	35	4.2	0.73	2.9	5.9
2014	465	10.1	0.49	9.2	11.1	44	5.3	0.82	3.8	7.2
2015	456	10.0	0.49	9.1	11.0	51	6.4	0.93	4.8	8.5
2016	440	9.9	0.49	8.9	10.9	51	6.4	0.92	4.7	8.4
2017	431	9.5	0.48	8.6	10.5	39	4.9	0.80	3.4	6.7
2018	415	9.1	0.47	8.2	10.1	23	2.8	0.60	1.8	4.3
2019	390	8.7	0.46	7.8	9.7	31	3.7	0.69	2.5	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Endocrine System										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,285	17.3	0.33	16.7	18.0	27,357	15.6	0.10	15.4	15.8
1990	22	7.6	1.92	4.3	12.3	407	7.3	0.37	6.6	8.0
1991	22	6.2	1.41	3.7	9.8	388	7.0	0.36	6.3	7.7
1992	24	7.0	1.66	4.1	11.1	422	7.5	0.37	6.8	8.2
1993	32	8.5	1.68	5.6	12.6	446	7.9	0.38	7.2	8.7
1994	33	7.7	1.46	5.1	11.3	443	7.8	0.37	7.1	8.6
1995	31	8.3	1.75	5.2	12.5	513	9.0	0.40	8.2	9.8
1996	37	8.3	1.51	5.6	11.9	538	9.3	0.40	8.5	10.2
1997	34	6.6	1.26	4.4	9.7	570	9.8	0.41	9.0	10.6
1998	56	10.0	1.44	7.4	13.4	536	9.3	0.40	8.5	10.1
1999	59	11.4	1.71	8.3	15.3	634	11.0	0.44	10.2	11.9
2000	41	7.7	1.33	5.4	10.9	673	11.6	0.45	10.7	12.5
2001	64	11.4	1.60	8.5	15.0	667	11.5	0.45	10.6	12.4
2002	62	11.1	1.57	8.3	14.7	837	14.4	0.50	13.4	15.4
2003	90	14.5	1.77	11.3	18.5	844	14.4	0.50	13.5	15.5
2004	102	15.7	1.77	12.4	19.6	908	15.7	0.53	14.7	16.8
2005	106	15.8	1.70	12.6	19.6	918	15.7	0.52	14.7	16.7
2006	102	14.2	1.55	11.3	17.6	1,048	17.8	0.56	16.7	18.9
2007	126	17.4	1.71	14.2	21.2	1,106	18.8	0.57	17.7	19.9
2008	129	17.6	1.72	14.4	21.3	1,200	20.4	0.60	19.2	21.6
2009	148	19.2	1.73	16.0	22.9	1,279	21.8	0.62	20.6	23.0
2010	167	21.2	1.75	17.9	25.0	1,214	20.7	0.61	19.5	21.9
2011	172	22.6	1.86	19.1	26.5	1,294	21.5	0.62	20.3	22.7
2012	168	20.3	1.66	17.2	23.8	1,427	24.0	0.65	22.7	25.3
2013	204	23.5	1.73	20.3	27.2	1,387	23.4	0.65	22.2	24.7
2014	200	23.5	1.78	20.1	27.2	1,383	23.5	0.65	22.2	24.8
2015	222	25.4	1.77	22.1	29.2	1,463	24.6	0.67	23.3	26.0
2016	218	23.5	1.66	20.3	27.0	1,306	22.1	0.64	20.9	23.4
2017	206	23.2	1.69	20.0	26.7	1,139	19.2	0.59	18.1	20.4
2018	190	20.8	1.56	17.9	24.1	1,189	20.1	0.61	18.9	21.3
2019	218	23.4	1.64	20.3	26.9	1,178	20.1	0.61	18.9	21.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Endocrine System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	22,847	16.7	0.11	16.5	16.9	2,643	9.4	0.18	9.0	9.8
1990	359	7.8	0.42	7.0	8.7	35	4.4	0.75	3.0	6.1
1991	341	7.5	0.41	6.7	8.3	32	4.2	0.77	2.8	6.0
1992	377	8.1	0.42	7.3	9.0	32	3.9	0.70	2.7	5.5
1993	382	8.3	0.43	7.4	9.1	37	4.8	0.80	3.4	6.6
1994	388	8.4	0.43	7.6	9.3	36	4.2	0.70	2.9	5.8
1995	436	9.5	0.46	8.6	10.4	47	5.6	0.83	4.1	7.5
1996	469	10.1	0.47	9.2	11.1	46	5.2	0.78	3.8	7.0
1997	476	10.1	0.47	9.2	11.1	61	7.5	0.97	5.7	9.6
1998	446	9.7	0.46	8.9	10.7	56	6.4	0.87	4.8	8.3
1999	544	11.9	0.51	10.9	13.0	47	5.1	0.74	3.7	6.7
2000	568	12.3	0.52	11.3	13.4	62	6.8	0.87	5.2	8.8
2001	563	12.3	0.52	11.3	13.4	70	7.6	0.92	5.9	9.7
2002	720	15.7	0.59	14.6	16.9	79	8.6	0.98	6.8	10.8
2003	724	15.8	0.59	14.6	17.0	77	8.2	0.94	6.4	10.2
2004	776	17.3	0.63	16.1	18.5	79	8.4	0.94	6.6	10.4
2005	766	16.8	0.62	15.6	18.0	80	8.6	0.97	6.8	10.7
2006	884	19.3	0.66	18.0	20.7	96	9.9	1.02	8.0	12.1
2007	934	20.4	0.68	19.1	21.8	100	10.3	1.04	8.4	12.6
2008	1,007	22.2	0.72	20.8	23.6	110	11.2	1.08	9.2	13.5
2009	1,095	24.4	0.76	22.9	25.9	121	12.4	1.13	10.2	14.8
2010	999	22.2	0.73	20.8	23.7	133	13.3	1.17	11.1	15.8
2011	1,077	23.3	0.74	21.9	24.8	130	12.9	1.15	10.7	15.4
2012	1,176	25.9	0.79	24.4	27.5	134	13.2	1.16	11.0	15.7
2013	1,138	25.5	0.79	24.0	27.1	145	14.1	1.19	11.8	16.6
2014	1,122	25.2	0.79	23.7	26.8	147	14.5	1.22	12.2	17.1
2015	1,226	27.5	0.83	25.9	29.1	131	13.1	1.17	10.9	15.6
2016	1,056	23.8	0.77	22.3	25.4	142	14.2	1.22	11.9	16.8
2017	881	19.8	0.71	18.5	21.3	141	13.5	1.17	11.3	16.0
2018	969	22.1	0.75	20.6	23.6	120	11.5	1.08	9.4	13.8
2019	948	21.7	0.75	20.2	23.2	117	11.2	1.07	9.2	13.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Thyroid										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,936	10.5	0.19	10.1	10.8	35,144	10.4	0.06	10.3	10.5
1990	24	3.8	0.99	2.1	6.3	513	4.9	0.22	4.5	5.3
1991	26	3.8	0.83	2.3	5.9	482	4.6	0.21	4.2	5.0
1992	28	3.7	0.87	2.2	5.9	513	4.8	0.21	4.4	5.3
1993	36	4.9	0.96	3.2	7.3	559	5.2	0.22	4.8	5.7
1994	37	4.2	0.76	2.9	6.1	567	5.2	0.22	4.8	5.7
1995	37	5.6	1.15	3.6	8.3	616	5.6	0.23	5.2	6.1
1996	46	5.2	0.90	3.5	7.3	672	6.1	0.24	5.7	6.6
1997	42	4.5	0.82	3.0	6.5	716	6.5	0.24	6.0	7.0
1998	66	5.8	0.79	4.4	7.7	715	6.5	0.24	6.0	7.0
1999	71	6.7	0.96	4.9	8.9	795	7.2	0.26	6.7	7.7
2000	54	4.7	0.74	3.4	6.5	820	7.4	0.26	6.9	7.9
2001	75	6.6	0.87	5.0	8.5	853	7.6	0.26	7.1	8.2
2002	73	6.4	0.85	4.8	8.3	1,039	9.3	0.29	8.7	9.9
2003	97	7.5	0.92	5.8	9.6	1,031	9.2	0.29	8.6	9.8
2004	112	8.5	0.95	6.7	10.6	1,143	10.2	0.30	9.6	10.8
2005	127	9.7	1.02	7.8	11.9	1,176	10.4	0.31	9.8	11.0
2006	126	8.5	0.87	6.9	10.4	1,315	11.6	0.32	11.0	12.3
2007	144	10.1	0.97	8.3	12.2	1,415	12.5	0.33	11.8	13.1
2008	155	10.9	1.02	9.0	13.1	1,509	13.2	0.34	12.5	13.9
2009	176	11.9	1.03	10.0	14.1	1,599	14.0	0.36	13.3	14.7
2010	190	12.1	0.97	10.3	14.2	1,591	13.9	0.35	13.2	14.6
2011	205	13.7	1.07	11.7	16.0	1,680	14.4	0.36	13.7	15.1
2012	202	11.8	0.90	10.1	13.7	1,847	15.9	0.38	15.2	16.7
2013	240	13.6	0.94	11.8	15.6	1,863	16.0	0.38	15.3	16.8
2014	241	14.2	1.00	12.3	16.3	1,839	15.8	0.38	15.1	16.6
2015	274	16.1	1.04	14.1	18.3	1,911	16.4	0.39	15.6	17.2
2016	274	15.0	0.97	13.1	17.0	1,740	15.1	0.37	14.3	15.8
2017	245	13.9	0.94	12.1	15.8	1,551	13.3	0.35	12.6	14.0
2018	243	13.1	0.89	11.5	15.0	1,528	13.1	0.35	12.4	13.8
2019	270	14.6	0.94	12.8	16.6	1,546	13.4	0.36	12.7	14.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Thyroid										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	29,825	11.1	0.06	10.9	11.2	2,981	6.0	0.11	5.8	6.2
1990	458	5.2	0.25	4.8	5.7	39	2.9	0.49	2.0	4.0
1991	428	4.8	0.24	4.4	5.3	33	2.5	0.46	1.7	3.6
1992	458	5.1	0.24	4.7	5.6	38	2.7	0.44	1.9	3.7
1993	493	5.6	0.25	5.1	6.1	39	2.7	0.45	1.9	3.8
1994	494	5.5	0.25	5.1	6.0	49	3.4	0.50	2.5	4.6
1995	532	6.0	0.26	5.5	6.5	52	3.6	0.50	2.6	4.7
1996	592	6.6	0.27	6.1	7.1	53	3.4	0.48	2.6	4.5
1997	611	6.8	0.27	6.2	7.3	63	4.5	0.58	3.5	5.8
1998	600	6.7	0.27	6.2	7.2	67	4.4	0.55	3.4	5.6
1999	694	7.8	0.30	7.2	8.4	50	3.0	0.43	2.2	4.0
2000	707	7.9	0.30	7.3	8.5	64	4.0	0.51	3.1	5.2
2001	729	8.1	0.30	7.5	8.7	84	5.3	0.58	4.2	6.5
2002	902	10.0	0.34	9.4	10.7	85	5.3	0.58	4.2	6.5
2003	888	9.9	0.33	9.3	10.6	88	5.3	0.57	4.2	6.6
2004	996	11.2	0.36	10.5	11.9	80	4.7	0.53	3.7	5.9
2005	1,000	11.1	0.36	10.4	11.8	89	5.4	0.58	4.3	6.6
2006	1,123	12.5	0.38	11.8	13.3	101	5.9	0.60	4.8	7.2
2007	1,218	13.6	0.40	12.8	14.4	112	6.6	0.63	5.4	8.0
2008	1,285	14.3	0.41	13.5	15.1	129	7.4	0.66	6.2	8.8
2009	1,387	15.5	0.43	14.7	16.4	132	7.5	0.66	6.3	8.9
2010	1,339	14.9	0.42	14.1	15.7	146	8.1	0.68	6.8	9.6
2011	1,424	15.6	0.43	14.7	16.4	144	7.9	0.67	6.7	9.4
2012	1,549	17.1	0.45	16.3	18.0	158	8.7	0.71	7.4	10.2
2013	1,566	17.5	0.46	16.6	18.4	161	8.7	0.70	7.3	10.1
2014	1,520	16.9	0.45	16.0	17.8	178	9.7	0.74	8.3	11.3
2015	1,612	17.9	0.47	17.0	18.9	163	9.0	0.72	7.7	10.6
2016	1,424	16.1	0.45	15.2	17.0	172	9.5	0.74	8.1	11.1
2017	1,245	13.9	0.41	13.1	14.7	157	8.4	0.69	7.1	9.9
2018	1,284	14.4	0.43	13.6	15.3	116	6.2	0.59	5.1	7.4
2019	1,267	14.4	0.43	13.6	15.3	139	7.4	0.64	6.2	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Thyroid										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	756	4.5	0.19	4.1	4.9	8,990	5.6	0.06	5.5	5.7
1990	3	0.6	0.35	0.1	3.2	136	2.9	0.25	2.4	3.4
1991	6	2.1	1.07	0.5	5.7	118	2.5	0.23	2.0	3.0
1992	5	1.2	0.61	0.3	3.9	133	2.7	0.24	2.3	3.3
1993	7	3.1	1.48	0.9	7.4	143	2.9	0.24	2.4	3.4
1994	5	1.2	0.56	0.3	3.6	147	3.0	0.25	2.5	3.5
1995	8	3.9	1.72	1.3	8.5	143	2.8	0.24	2.4	3.4
1996	11	3.1	1.26	1.2	6.7	167	3.3	0.26	2.8	3.9
1997	11	3.4	1.30	1.3	7.0	181	3.6	0.27	3.1	4.2
1998	10	2.2	0.77	1.0	4.7	209	4.1	0.29	3.6	4.7
1999	15	2.8	0.84	1.4	5.3	204	3.9	0.28	3.4	4.5
2000	14	2.2	0.73	1.0	4.5	182	3.5	0.26	3.0	4.1
2001	13	2.3	0.69	1.1	4.4	225	4.3	0.29	3.8	4.9
2002	14	2.3	0.68	1.2	4.4	240	4.6	0.30	4.0	5.2
2003	13	2.1	0.70	1.0	4.1	232	4.4	0.29	3.9	5.0
2004	15	2.1	0.57	1.1	3.8	290	5.4	0.32	4.8	6.1
2005	24	4.6	1.33	2.3	7.8	291	5.4	0.32	4.8	6.0
2006	25	3.4	0.82	2.0	5.6	309	5.7	0.33	5.1	6.4
2007	23	3.7	0.92	2.1	6.0	354	6.6	0.35	5.9	7.3
2008	29	4.9	1.10	3.0	7.6	357	6.4	0.34	5.7	7.1
2009	32	5.5	1.17	3.5	8.3	370	6.6	0.35	6.0	7.4
2010	30	4.5	0.98	2.7	6.8	420	7.6	0.38	6.8	8.3
2011	36	5.3	1.01	3.5	7.7	425	7.5	0.37	6.8	8.3
2012	39	4.1	0.68	2.9	5.8	463	8.1	0.39	7.4	8.9
2013	41	5.1	0.92	3.5	7.3	500	8.7	0.40	8.0	9.6
2014	49	6.0	0.92	4.3	8.1	494	8.5	0.40	7.8	9.4
2015	54	7.6	1.18	5.5	10.3	491	8.5	0.40	7.7	9.3
2016	60	7.3	1.05	5.4	9.7	480	8.4	0.40	7.7	9.2
2017	51	6.2	0.96	4.5	8.4	458	7.9	0.38	7.2	8.7
2018	57	6.1	0.86	4.5	8.0	415	7.1	0.36	6.4	7.8
2019	56	6.4	0.92	4.7	8.4	413	7.2	0.37	6.5	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Thyroid										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,899	6.0	0.07	5.9	6.1	557	2.7	0.12	2.4	2.9
1990	122	3.0	0.28	2.5	3.6	10	2.2	0.77	1.0	4.2
1991	106	2.6	0.26	2.1	3.2	6	1.0	0.42	0.4	2.3
1992	119	2.9	0.27	2.4	3.5	10	1.7	0.55	0.8	3.2
1993	135	3.2	0.28	2.7	3.8	6	0.9	0.36	0.3	2.0
1994	124	2.9	0.27	2.4	3.5	17	3.4	0.86	1.9	5.4
1995	131	3.1	0.27	2.6	3.7	9	1.3	0.47	0.6	2.6
1996	149	3.5	0.29	3.0	4.1	14	2.2	0.61	1.2	3.8
1997	159	3.8	0.30	3.2	4.4	12	2.1	0.67	1.0	3.8
1998	176	4.2	0.31	3.6	4.8	18	2.6	0.63	1.6	4.2
1999	183	4.3	0.32	3.7	5.0	11	1.6	0.48	0.8	2.9
2000	167	3.9	0.30	3.3	4.5	8	1.1	0.40	0.5	2.2
2001	199	4.6	0.33	4.0	5.3	17	2.7	0.68	1.5	4.4
2002	213	4.9	0.34	4.3	5.7	11	1.5	0.45	0.7	2.7
2003	198	4.6	0.33	4.0	5.3	19	2.7	0.65	1.6	4.3
2004	260	6.0	0.37	5.3	6.7	13	1.7	0.50	0.9	3.0
2005	260	5.9	0.37	5.2	6.7	15	2.1	0.57	1.2	3.6
2006	270	6.1	0.38	5.4	6.9	16	2.2	0.57	1.3	3.6
2007	316	7.2	0.41	6.4	8.1	20	3.2	0.76	1.9	5.0
2008	320	7.1	0.40	6.3	7.9	23	3.0	0.67	1.9	4.6
2009	328	7.3	0.41	6.5	8.1	23	2.9	0.62	1.8	4.4
2010	368	8.2	0.44	7.4	9.1	24	3.1	0.67	2.0	4.7
2011	379	8.3	0.44	7.4	9.2	20	2.6	0.60	1.6	4.0
2012	408	8.9	0.45	8.0	9.8	28	3.7	0.73	2.4	5.4
2013	440	9.6	0.47	8.7	10.6	26	3.3	0.66	2.1	4.8
2014	429	9.3	0.47	8.4	10.3	35	4.3	0.76	3.0	6.1
2015	417	9.1	0.46	8.2	10.0	39	4.8	0.79	3.4	6.7
2016	404	9.0	0.47	8.1	10.0	39	4.9	0.82	3.5	6.8
2017	396	8.7	0.46	7.8	9.6	27	3.5	0.70	2.3	5.1
2018	368	7.9	0.43	7.1	8.8	14	1.8	0.49	1.0	3.1
2019	355	7.8	0.44	7.0	8.8	27	3.2	0.63	2.1	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Thyroid										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,180	16.8	0.32	16.1	17.4	26,154	15.0	0.09	14.8	15.2
1990	21	6.9	1.78	3.8	11.3	377	6.8	0.35	6.1	7.5
1991	20	5.8	1.39	3.4	9.4	364	6.6	0.35	5.9	7.3
1992	23	6.3	1.53	3.7	10.2	380	6.7	0.35	6.1	7.4
1993	29	7.4	1.49	4.7	11.0	416	7.3	0.36	6.7	8.1
1994	32	7.6	1.45	5.0	11.1	420	7.4	0.37	6.7	8.2
1995	29	7.7	1.66	4.8	11.7	473	8.2	0.38	7.5	9.0
1996	35	7.6	1.43	5.1	11.1	505	8.8	0.39	8.0	9.6
1997	31	6.0	1.19	3.9	9.0	535	9.2	0.40	8.4	10.0
1998	56	10.0	1.44	7.4	13.4	506	8.8	0.39	8.0	9.6
1999	56	10.7	1.66	7.7	14.6	591	10.3	0.43	9.5	11.2
2000	40	7.4	1.29	5.1	10.5	638	11.0	0.44	10.1	11.9
2001	62	11.1	1.58	8.2	14.7	628	10.8	0.43	10.0	11.7
2002	59	10.6	1.54	7.8	14.1	799	13.7	0.49	12.7	14.7
2003	84	13.2	1.64	10.2	16.9	799	13.7	0.49	12.7	14.7
2004	97	15.0	1.74	11.7	18.8	853	14.8	0.51	13.8	15.8
2005	103	15.3	1.67	12.2	19.0	885	15.1	0.51	14.1	16.2
2006	101	13.9	1.53	11.1	17.3	1,006	17.1	0.55	16.1	18.2
2007	121	16.9	1.69	13.7	20.5	1,061	18.0	0.56	16.9	19.1
2008	126	17.2	1.71	14.0	20.9	1,152	19.6	0.59	18.5	20.8
2009	144	18.8	1.71	15.6	22.5	1,229	21.0	0.61	19.8	22.2
2010	160	20.3	1.70	17.1	23.9	1,171	19.9	0.60	18.8	21.1
2011	169	22.2	1.85	18.8	26.2	1,255	20.9	0.61	19.7	22.1
2012	163	19.7	1.63	16.6	23.2	1,384	23.4	0.65	22.1	24.7
2013	199	22.7	1.68	19.5	26.2	1,363	23.0	0.64	21.8	24.3
2014	192	22.5	1.74	19.3	26.2	1,345	22.8	0.64	21.6	24.1
2015	220	25.2	1.76	21.9	28.9	1,420	23.9	0.66	22.7	25.3
2016	214	23.1	1.65	20.0	26.6	1,260	21.5	0.63	20.3	22.8
2017	194	21.7	1.62	18.6	25.1	1,093	18.5	0.58	17.3	19.6
2018	186	20.4	1.55	17.5	23.6	1,113	18.9	0.59	17.7	20.1
2019	214	23.1	1.63	20.0	26.5	1,133	19.4	0.60	18.3	20.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Thyroid										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	21,926	16.0	0.11	15.8	16.3	2,424	8.6	0.18	8.3	9.0
1990	336	7.3	0.41	6.6	8.2	29	3.7	0.70	2.4	5.3
1991	322	7.0	0.40	6.3	7.9	27	3.6	0.72	2.3	5.3
1992	339	7.3	0.40	6.5	8.1	28	3.4	0.65	2.3	4.9
1993	358	7.7	0.41	6.9	8.6	33	4.2	0.74	2.9	5.9
1994	370	8.1	0.42	7.2	8.9	32	3.7	0.66	2.5	5.2
1995	401	8.7	0.44	7.9	9.6	43	5.2	0.80	3.7	7.0
1996	443	9.6	0.46	8.7	10.5	39	4.4	0.72	3.1	6.1
1997	452	9.6	0.46	8.7	10.5	51	6.4	0.90	4.7	8.4
1998	424	9.3	0.45	8.4	10.2	49	5.7	0.82	4.2	7.5
1999	511	11.3	0.50	10.3	12.3	39	4.2	0.67	3.0	5.7
2000	540	11.8	0.51	10.8	12.8	56	6.2	0.84	4.7	8.1
2001	530	11.6	0.51	10.6	12.6	67	7.3	0.90	5.7	9.3
2002	689	15.0	0.58	13.9	16.2	74	8.1	0.95	6.4	10.2
2003	690	15.1	0.58	14.0	16.3	69	7.4	0.89	5.7	9.3
2004	736	16.4	0.61	15.2	17.6	67	7.1	0.87	5.5	9.0
2005	740	16.2	0.61	15.1	17.5	74	7.9	0.93	6.2	10.0
2006	853	18.7	0.65	17.4	20.0	85	8.8	0.96	7.0	10.9
2007	902	19.8	0.67	18.5	21.1	92	9.6	1.01	7.7	11.8
2008	965	21.3	0.71	20.0	22.8	106	10.9	1.06	8.9	13.2
2009	1,059	23.6	0.75	22.2	25.1	109	11.1	1.08	9.1	13.4
2010	971	21.6	0.72	20.2	23.0	122	12.2	1.12	10.1	14.6
2011	1,045	22.7	0.73	21.3	24.2	124	12.3	1.12	10.2	14.7
2012	1,141	25.3	0.78	23.8	26.8	130	12.8	1.14	10.7	15.2
2013	1,126	25.2	0.79	23.7	26.8	135	13.0	1.14	10.8	15.4
2014	1,091	24.5	0.78	23.0	26.1	143	14.2	1.21	11.9	16.7
2015	1,195	26.8	0.82	25.2	28.4	124	12.4	1.14	10.3	14.9
2016	1,020	23.1	0.76	21.6	24.7	133	13.3	1.18	11.1	15.9
2017	849	19.1	0.69	17.8	20.5	130	12.5	1.13	10.4	14.9
2018	916	21.0	0.73	19.5	22.5	102	9.7	0.99	7.9	11.9
2019	912	21.0	0.74	19.5	22.4	112	10.8	1.05	8.8	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lymphoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,705	20.9	0.32	20.3	21.6	78,986	22.3	0.08	22.2	22.5
1990	77	13.8	2.01	10.1	18.3	1,993	19.0	0.43	18.1	19.8
1991	69	14.0	2.08	10.2	18.6	1,989	18.6	0.42	17.8	19.5
1992	98	19.0	2.37	14.6	24.2	2,160	20.1	0.43	19.2	20.9
1993	100	17.2	2.18	13.2	22.0	2,209	20.3	0.43	19.5	21.2
1994	119	20.0	2.33	15.7	25.1	2,317	21.2	0.44	20.3	22.1
1995	122	22.8	2.64	17.9	28.5	2,406	21.9	0.45	21.0	22.8
1996	115	19.0	2.24	14.8	23.8	2,521	22.8	0.46	21.9	23.7
1997	100	15.3	1.88	11.9	19.4	2,466	22.2	0.45	21.3	23.0
1998	128	19.8	2.09	15.9	24.3	2,500	22.3	0.45	21.5	23.2
1999	163	23.8	2.35	19.4	28.8	2,575	22.9	0.45	22.0	23.8
2000	126	18.0	2.01	14.3	22.4	2,602	23.0	0.45	22.1	23.9
2001	133	19.5	2.06	15.6	23.8	2,599	22.8	0.45	21.9	23.7
2002	173	23.5	2.20	19.4	28.2	2,604	22.7	0.45	21.9	23.6
2003	172	21.0	1.96	17.3	25.1	2,636	22.9	0.45	22.0	23.8
2004	184	22.6	2.08	18.7	27.0	2,795	24.1	0.46	23.2	25.0
2005	186	21.3	1.90	17.7	25.3	2,737	23.5	0.45	22.6	24.4
2006	190	18.6	1.56	15.6	21.8	2,692	23.0	0.45	22.1	23.9
2007	209	22.5	1.85	19.0	26.3	2,715	22.9	0.44	22.1	23.8
2008	240	24.4	1.88	20.8	28.3	2,809	23.4	0.45	22.5	24.3
2009	231	22.8	1.75	19.5	26.4	2,800	23.2	0.44	22.3	24.1
2010	221	21.3	1.64	18.2	24.8	2,902	23.8	0.45	22.9	24.7
2011	221	19.8	1.53	16.9	23.0	2,828	22.8	0.44	22.0	23.7
2012	225	19.3	1.46	16.6	22.4	2,780	22.4	0.43	21.6	23.3
2013	268	21.1	1.45	18.3	24.1	2,815	22.2	0.43	21.4	23.1
2014	290	22.9	1.51	20.0	26.0	2,955	23.0	0.43	22.2	23.9
2015	282	21.8	1.44	19.1	24.8	2,993	23.2	0.44	22.4	24.1
2016	298	21.5	1.37	18.9	24.3	2,917	22.6	0.43	21.7	23.4
2017	309	22.2	1.37	19.6	25.0	2,947	22.6	0.43	21.7	23.4
2018	309	20.3	1.25	18.0	22.9	2,843	21.5	0.42	20.7	22.4
2019	347	22.0	1.26	19.6	24.6	2,881	21.2	0.41	20.4	22.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lymphoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	68,750	23.4	0.09	23.2	23.5	7,813	16.1	0.19	15.7	16.5
1990	1,799	19.9	0.47	19.0	20.8	170	12.8	1.03	10.9	15.0
1991	1,813	19.8	0.47	18.8	20.7	141	10.5	0.92	8.8	12.5
1992	1,969	21.3	0.48	20.4	22.3	168	12.5	1.00	10.6	14.6
1993	1,990	21.4	0.48	20.4	22.3	192	13.3	1.00	11.4	15.4
1994	2,056	22.0	0.49	21.0	22.9	225	15.7	1.08	13.6	17.9
1995	2,131	22.7	0.49	21.7	23.7	227	16.0	1.11	14.0	18.4
1996	2,238	23.8	0.51	22.9	24.9	233	15.5	1.05	13.5	17.7
1997	2,178	23.1	0.50	22.1	24.1	233	15.3	1.03	13.4	17.5
1998	2,188	23.1	0.50	22.1	24.1	256	16.8	1.07	14.7	19.0
1999	2,307	24.3	0.51	23.3	25.3	224	14.9	1.02	12.9	17.0
2000	2,290	24.2	0.51	23.2	25.2	248	15.8	1.02	13.9	17.9
2001	2,295	24.0	0.50	23.1	25.0	249	15.9	1.03	13.9	18.0
2002	2,305	24.1	0.50	23.1	25.1	239	15.1	1.00	13.2	17.2
2003	2,300	23.9	0.50	22.9	24.9	260	16.2	1.02	14.3	18.3
2004	2,420	25.1	0.51	24.1	26.1	296	18.8	1.12	16.7	21.1
2005	2,381	24.6	0.51	23.6	25.6	269	16.9	1.05	14.9	19.0
2006	2,364	24.5	0.51	23.5	25.5	254	15.6	1.00	13.7	17.6
2007	2,357	24.1	0.50	23.1	25.1	290	17.3	1.04	15.3	19.5
2008	2,427	24.5	0.51	23.5	25.5	279	16.8	1.03	14.9	18.9
2009	2,422	24.3	0.50	23.3	25.3	272	16.0	0.99	14.1	18.1
2010	2,480	24.8	0.51	23.8	25.8	301	17.5	1.03	15.6	19.7
2011	2,415	23.8	0.50	22.8	24.8	306	17.4	1.02	15.5	19.6
2012	2,395	23.6	0.50	22.7	24.6	292	16.3	0.97	14.5	18.3
2013	2,409	23.4	0.49	22.5	24.4	292	16.1	0.96	14.3	18.1
2014	2,511	24.1	0.50	23.1	25.1	314	17.2	0.99	15.3	19.2
2015	2,562	24.5	0.50	23.6	25.6	304	16.5	0.97	14.7	18.5
2016	2,488	23.8	0.50	22.9	24.8	296	16.5	0.98	14.6	18.5
2017	2,465	23.4	0.49	22.5	24.4	346	19.0	1.05	17.0	21.2
2018	2,362	22.3	0.48	21.3	23.2	341	18.3	1.01	16.3	20.3
2019	2,433	22.4	0.47	21.4	23.3	296	15.5	0.92	13.7	17.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lymphoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,215	24.1	0.52	23.0	25.1	41,995	27.0	0.13	26.7	27.3
1990	48	15.8	2.90	10.6	22.7	1,056	23.0	0.73	21.6	24.5
1991	50	17.8	3.40	11.8	25.7	1,021	21.9	0.70	20.5	23.3
1992	62	24.5	4.14	17.0	33.8	1,112	24.2	0.75	22.8	25.7
1993	66	18.5	2.99	13.1	25.4	1,151	24.4	0.73	23.0	25.9
1994	75	24.8	4.10	17.4	34.0	1,168	24.7	0.74	23.3	26.2
1995	69	23.8	4.02	16.6	32.8	1,264	26.4	0.76	25.0	27.9
1996	71	21.4	3.69	14.8	29.7	1,312	27.2	0.76	25.7	28.7
1997	61	18.6	3.17	12.9	25.8	1,276	26.4	0.75	24.9	27.9
1998	78	27.0	4.09	19.6	36.0	1,327	27.3	0.76	25.9	28.9
1999	100	30.0	4.14	22.4	39.0	1,357	27.8	0.76	26.3	29.3
2000	76	21.7	3.36	15.6	29.2	1,372	27.8	0.76	26.3	29.3
2001	65	20.2	3.48	13.9	27.9	1,340	27.1	0.75	25.6	28.6
2002	105	30.0	3.82	23.0	38.3	1,378	27.7	0.75	26.2	29.2
2003	99	26.1	3.55	19.6	33.8	1,393	27.6	0.75	26.2	29.1
2004	114	30.2	3.85	23.1	38.5	1,508	29.9	0.78	28.4	31.4
2005	103	22.7	2.86	17.4	28.9	1,455	28.6	0.76	27.2	30.2
2006	113	21.5	2.47	16.9	26.8	1,447	28.2	0.75	26.8	29.7
2007	114	25.2	3.02	19.7	31.7	1,475	28.2	0.74	26.7	29.7
2008	121	27.2	3.10	21.5	33.8	1,483	28.0	0.74	26.6	29.5
2009	130	28.6	3.08	22.9	35.2	1,457	27.4	0.73	26.0	28.8
2010	120	24.3	2.68	19.3	30.0	1,578	29.1	0.75	27.7	30.6
2011	119	21.8	2.42	17.3	27.0	1,512	27.4	0.72	26.0	28.8
2012	130	23.6	2.44	19.1	28.8	1,472	26.6	0.71	25.2	28.0
2013	149	24.1	2.35	19.7	29.1	1,542	27.3	0.71	25.9	28.7
2014	139	21.2	2.11	17.3	25.7	1,598	27.5	0.70	26.1	28.9
2015	169	28.1	2.50	23.4	33.4	1,645	28.1	0.71	26.7	29.5
2016	164	24.1	2.14	20.1	28.6	1,566	27.1	0.70	25.7	28.5
2017	158	22.2	2.01	18.5	26.5	1,646	27.6	0.70	26.3	29.0
2018	158	21.7	1.94	18.1	25.8	1,515	25.2	0.67	23.9	26.5
2019	189	25.0	2.01	21.2	29.2	1,569	25.5	0.66	24.2	26.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lymphoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	36,511	28.1	0.15	27.8	28.4	4,176	19.9	0.32	19.3	20.5
1990	943	23.9	0.80	22.4	25.5	96	16.8	1.86	13.3	20.8
1991	929	23.2	0.78	21.7	24.7	75	12.4	1.55	9.6	15.8
1992	1,006	25.5	0.82	23.9	27.1	94	16.7	1.86	13.2	20.7
1993	1,030	25.5	0.81	23.9	27.1	108	16.2	1.70	13.1	19.9
1994	1,024	25.4	0.81	23.9	27.1	126	18.8	1.74	15.5	22.5
1995	1,110	27.2	0.83	25.6	28.9	136	22.1	2.07	18.3	26.5
1996	1,135	27.7	0.83	26.1	29.4	150	22.9	2.01	19.1	27.2
1997	1,111	27.1	0.82	25.5	28.8	132	19.1	1.74	15.8	22.8
1998	1,152	28.0	0.83	26.4	29.7	145	21.5	1.87	18.0	25.5
1999	1,199	29.0	0.84	27.4	30.7	128	19.6	1.87	16.1	23.6
2000	1,202	29.0	0.84	27.4	30.7	137	19.4	1.73	16.1	23.1
2001	1,183	28.4	0.83	26.8	30.1	127	18.5	1.73	15.2	22.2
2002	1,221	29.2	0.84	27.6	30.9	124	17.7	1.68	14.6	21.3
2003	1,217	28.8	0.83	27.2	30.5	137	19.9	1.77	16.6	23.7
2004	1,309	31.0	0.86	29.3	32.8	159	23.5	1.99	19.8	27.7
2005	1,266	29.8	0.84	28.1	31.5	138	20.4	1.86	16.9	24.4
2006	1,272	29.8	0.84	28.2	31.5	130	18.2	1.67	15.1	21.8
2007	1,278	29.4	0.83	27.8	31.1	162	22.3	1.86	18.8	26.2
2008	1,289	29.3	0.83	27.7	31.0	140	19.8	1.77	16.4	23.5
2009	1,268	28.6	0.82	27.1	30.3	133	18.2	1.67	15.1	21.8
2010	1,345	29.9	0.83	28.3	31.6	168	23.0	1.87	19.5	27.0
2011	1,285	28.1	0.80	26.5	29.7	164	22.1	1.82	18.7	25.9
2012	1,278	28.0	0.80	26.5	29.7	144	18.5	1.60	15.5	21.9
2013	1,341	29.0	0.81	27.5	30.7	147	18.7	1.60	15.7	22.1
2014	1,370	28.7	0.80	27.2	30.4	162	20.2	1.66	17.1	23.8
2015	1,404	29.3	0.81	27.8	31.0	168	21.3	1.71	18.0	24.9
2016	1,353	28.7	0.81	27.2	30.4	150	19.3	1.63	16.2	22.7
2017	1,379	28.2	0.79	26.7	29.8	183	24.0	1.85	20.5	27.9
2018	1,273	26.0	0.76	24.5	27.5	166	20.6	1.66	17.5	24.1
2019	1,339	26.8	0.76	25.3	28.3	147	17.7	1.51	14.8	20.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lymphoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,490	18.2	0.40	17.4	19.0	36,991	18.7	0.10	18.5	18.9
1990	29	11.4	2.59	6.9	17.6	937	15.7	0.52	14.7	16.8
1991	19	9.9	2.51	5.6	15.8	968	16.0	0.52	15.0	17.0
1992	36	14.1	2.74	9.2	20.4	1,048	17.0	0.53	16.0	18.1
1993	34	14.8	2.92	9.7	21.5	1,058	17.0	0.53	16.0	18.1
1994	44	15.9	2.80	10.9	22.2	1,149	18.4	0.55	17.3	19.5
1995	53	21.1	3.46	14.9	28.8	1,142	18.1	0.54	17.1	19.2
1996	44	16.6	2.84	11.5	23.0	1,209	19.2	0.56	18.1	20.3
1997	39	12.3	2.28	8.2	17.5	1,190	18.8	0.55	17.7	19.9
1998	50	14.4	2.20	10.4	19.4	1,173	18.5	0.55	17.5	19.6
1999	63	18.6	2.76	13.6	24.7	1,218	19.1	0.55	18.0	20.2
2000	50	14.8	2.48	10.3	20.3	1,230	19.4	0.56	18.3	20.5
2001	68	19.6	2.69	14.7	25.5	1,259	19.5	0.56	18.5	20.6
2002	68	18.0	2.56	13.3	23.6	1,226	18.9	0.55	17.8	20.0
2003	73	17.1	2.28	13.0	22.1	1,243	19.2	0.55	18.1	20.3
2004	70	16.6	2.33	12.3	21.7	1,287	19.7	0.56	18.6	20.9
2005	83	19.7	2.52	15.1	25.2	1,282	19.6	0.56	18.6	20.8
2006	77	15.8	1.99	12.1	20.1	1,245	19.0	0.55	17.9	20.1
2007	95	20.2	2.35	15.9	25.3	1,240	18.8	0.54	17.7	19.9
2008	119	22.4	2.36	18.0	27.5	1,326	19.9	0.56	18.8	21.0
2009	101	18.2	2.04	14.5	22.6	1,343	20.0	0.56	18.9	21.2
2010	101	18.9	2.07	15.0	23.3	1,324	19.9	0.56	18.8	21.0
2011	102	18.1	1.96	14.4	22.3	1,316	19.3	0.55	18.3	20.4
2012	95	15.7	1.76	12.4	19.5	1,308	19.0	0.54	18.0	20.1
2013	119	18.4	1.83	15.0	22.3	1,273	18.2	0.53	17.2	19.2
2014	151	24.1	2.13	20.1	28.6	1,357	19.5	0.55	18.4	20.6
2015	113	16.7	1.69	13.5	20.3	1,348	19.3	0.54	18.2	20.4
2016	134	18.9	1.76	15.6	22.6	1,351	19.0	0.54	18.0	20.1
2017	151	21.9	1.88	18.3	25.8	1,301	18.6	0.54	17.6	19.7
2018	151	19.4	1.66	16.2	22.9	1,328	18.6	0.54	17.6	19.7
2019	158	19.6	1.63	16.5	23.0	1,312	17.7	0.51	16.7	18.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Lymphoma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	32,239	19.7	0.11	19.4	19.9	3,637	13.2	0.22	12.8	13.7
1990	856	16.6	0.58	15.5	17.8	74	10.1	1.20	7.9	12.7
1991	884	17.0	0.58	15.8	18.1	66	8.9	1.12	6.8	11.4
1992	963	18.3	0.60	17.1	19.5	74	9.5	1.13	7.4	12.0
1993	960	18.0	0.59	16.9	19.2	84	10.8	1.21	8.6	13.4
1994	1,032	19.3	0.61	18.1	20.5	99	12.7	1.30	10.3	15.5
1995	1,021	18.9	0.60	17.7	20.1	91	11.6	1.23	9.3	14.3
1996	1,103	20.6	0.63	19.4	21.9	83	10.0	1.11	7.9	12.4
1997	1,067	19.9	0.62	18.7	21.2	101	12.1	1.22	9.8	14.8
1998	1,036	19.3	0.61	18.2	20.6	111	12.9	1.24	10.6	15.6
1999	1,108	20.7	0.63	19.5	22.0	96	11.4	1.18	9.2	14.0
2000	1,088	20.6	0.64	19.3	21.9	111	12.7	1.22	10.4	15.3
2001	1,112	20.6	0.63	19.4	21.9	122	13.9	1.27	11.5	16.6
2002	1,084	20.0	0.62	18.8	21.3	115	13.0	1.22	10.7	15.6
2003	1,083	20.0	0.62	18.8	21.3	123	13.5	1.23	11.2	16.2
2004	1,111	20.5	0.63	19.3	21.7	137	15.4	1.32	12.9	18.2
2005	1,115	20.6	0.63	19.4	21.9	131	14.4	1.27	12.0	17.1
2006	1,092	20.3	0.63	19.0	21.5	124	13.3	1.21	11.1	15.9
2007	1,079	19.8	0.62	18.6	21.1	128	13.7	1.22	11.4	16.3
2008	1,138	20.8	0.64	19.6	22.1	139	14.7	1.26	12.4	17.4
2009	1,154	21.0	0.64	19.8	22.3	139	14.4	1.24	12.1	17.1
2010	1,135	20.9	0.64	19.7	22.2	133	13.8	1.21	11.5	16.3
2011	1,130	20.4	0.63	19.2	21.7	142	14.2	1.21	12.0	16.8
2012	1,117	20.0	0.62	18.8	21.2	148	14.6	1.22	12.3	17.2
2013	1,068	18.9	0.60	17.7	20.1	145	14.1	1.19	11.9	16.6
2014	1,141	20.3	0.63	19.1	21.6	152	14.9	1.23	12.6	17.5
2015	1,158	20.6	0.64	19.4	21.9	136	13.1	1.15	11.0	15.6
2016	1,135	20.0	0.63	18.7	21.2	146	14.3	1.21	12.0	16.9
2017	1,086	19.6	0.63	18.4	20.9	163	15.7	1.25	13.3	18.3
2018	1,089	19.3	0.62	18.1	20.5	175	16.4	1.27	14.0	19.1
2019	1,094	18.6	0.60	17.5	19.9	149	13.6	1.14	11.5	16.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hodgkin Lymphoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,030	2.6	0.10	2.5	2.8	9,738	3.0	0.03	2.9	3.0
1990	18	2.2	0.59	1.2	3.9	317	2.9	0.17	2.6	3.3
1991	15	2.6	0.93	1.1	5.0	314	2.9	0.17	2.6	3.3
1992	15	2.0	0.69	0.8	3.8	326	2.9	0.16	2.6	3.3
1993	16	1.4	0.41	0.8	2.7	302	2.7	0.16	2.4	3.1
1994	23	2.1	0.49	1.3	3.5	305	2.8	0.16	2.5	3.1
1995	21	1.4	0.33	0.9	2.5	301	2.7	0.16	2.4	3.1
1996	20	2.0	0.60	1.0	3.6	357	3.2	0.17	2.9	3.6
1997	23	3.2	0.94	1.6	5.5	340	3.1	0.17	2.8	3.5
1998	23	2.4	0.71	1.2	4.2	303	2.8	0.16	2.5	3.1
1999	34	2.7	0.54	1.8	4.1	314	2.9	0.16	2.6	3.2
2000	23	2.7	0.83	1.3	4.8	340	3.1	0.17	2.8	3.5
2001	30	3.0	0.66	1.9	4.7	335	3.1	0.17	2.7	3.4
2002	30	2.3	0.53	1.4	3.6	337	3.1	0.17	2.8	3.4
2003	32	2.3	0.49	1.5	3.5	321	2.9	0.16	2.6	3.3
2004	35	3.4	0.82	2.0	5.4	326	3.0	0.17	2.7	3.3
2005	36	2.5	0.50	1.6	3.7	348	3.2	0.17	2.9	3.6
2006	35	2.5	0.52	1.6	3.7	353	3.3	0.17	2.9	3.6
2007	39	2.6	0.51	1.7	3.8	307	2.8	0.16	2.5	3.2
2008	44	3.0	0.57	2.0	4.3	372	3.4	0.18	3.1	3.8
2009	43	2.9	0.54	1.9	4.1	325	3.0	0.17	2.7	3.3
2010	52	3.5	0.58	2.5	4.8	332	3.1	0.17	2.8	3.5
2011	49	3.6	0.61	2.5	5.0	309	2.8	0.16	2.5	3.2
2012	36	2.2	0.44	1.5	3.3	320	2.9	0.17	2.6	3.2
2013	46	3.0	0.51	2.1	4.1	316	2.8	0.16	2.5	3.2
2014	57	3.3	0.49	2.4	4.4	322	2.9	0.16	2.5	3.2
2015	48	2.7	0.43	1.9	3.6	313	3.0	0.17	2.6	3.3
2016	48	2.6	0.42	1.9	3.6	298	2.8	0.16	2.4	3.1
2017	42	2.5	0.43	1.7	3.5	346	3.2	0.18	2.8	3.5
2018	48	2.6	0.39	1.8	3.4	334	3.1	0.17	2.8	3.5
2019	49	2.3	0.34	1.7	3.1	305	2.8	0.16	2.5	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hodgkin Lymphoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,920	3.1	0.03	3.0	3.1	1,448	2.7	0.07	2.5	2.8
1990	272	3.1	0.19	2.7	3.5	43	2.6	0.41	1.9	3.6
1991	275	3.1	0.19	2.8	3.5	31	1.9	0.34	1.3	2.7
1992	284	3.1	0.19	2.8	3.5	38	2.3	0.39	1.6	3.2
1993	246	2.7	0.18	2.4	3.1	50	2.9	0.42	2.1	3.9
1994	261	2.9	0.18	2.6	3.3	37	2.2	0.37	1.5	3.1
1995	260	2.9	0.18	2.6	3.3	35	1.9	0.33	1.3	2.7
1996	296	3.4	0.20	3.0	3.8	47	2.7	0.40	2.0	3.6
1997	276	3.2	0.19	2.8	3.6	57	3.3	0.45	2.5	4.3
1998	250	2.9	0.18	2.5	3.2	41	2.3	0.36	1.6	3.1
1999	264	3.0	0.19	2.7	3.4	37	2.2	0.36	1.5	3.0
2000	284	3.3	0.20	2.9	3.7	47	2.6	0.39	1.9	3.5
2001	272	3.2	0.19	2.8	3.6	49	2.7	0.39	2.0	3.6
2002	290	3.4	0.20	3.0	3.8	41	2.3	0.37	1.6	3.2
2003	266	3.1	0.19	2.7	3.5	43	2.4	0.37	1.7	3.2
2004	264	3.1	0.19	2.7	3.5	52	2.9	0.40	2.1	3.8
2005	272	3.2	0.20	2.9	3.7	64	3.7	0.47	2.8	4.7
2006	290	3.5	0.20	3.1	3.9	46	2.5	0.38	1.9	3.4
2007	252	3.0	0.19	2.6	3.4	45	2.4	0.36	1.7	3.2
2008	297	3.5	0.21	3.1	4.0	56	3.1	0.41	2.3	4.0
2009	262	3.1	0.20	2.8	3.6	48	2.6	0.39	1.9	3.5
2010	260	3.2	0.20	2.8	3.6	57	3.0	0.40	2.3	3.9
2011	237	2.8	0.19	2.5	3.2	59	3.2	0.42	2.4	4.1
2012	247	2.9	0.19	2.6	3.3	59	3.2	0.43	2.4	4.2
2013	250	3.0	0.20	2.6	3.4	52	2.7	0.38	2.0	3.6
2014	256	3.0	0.19	2.6	3.4	47	2.6	0.38	1.9	3.4
2015	244	3.1	0.20	2.7	3.5	50	2.6	0.38	1.9	3.5
2016	228	2.8	0.19	2.4	3.2	53	2.9	0.41	2.2	3.8
2017	268	3.3	0.21	2.9	3.7	55	2.9	0.40	2.2	3.8
2018	262	3.3	0.21	2.9	3.7	54	2.9	0.41	2.2	3.8
2019	235	2.8	0.19	2.5	3.3	55	2.9	0.39	2.1	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hodgkin Lymphoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	604	3.2	0.16	2.9	3.5	5,360	3.4	0.05	3.3	3.5
1990	10	2.8	0.99	1.2	6.1	182	3.5	0.27	3.0	4.1
1991	9	3.4	1.82	0.8	8.6	171	3.4	0.26	2.9	3.9
1992	10	3.4	1.60	1.0	8.0	162	3.2	0.25	2.7	3.7
1993	10	1.5	0.54	0.6	4.0	171	3.3	0.25	2.8	3.8
1994	14	2.7	0.81	1.4	5.5	171	3.2	0.25	2.8	3.8
1995	10	1.4	0.47	0.6	3.6	182	3.5	0.26	3.0	4.0
1996	13	1.9	0.62	0.9	4.2	202	3.8	0.27	3.3	4.4
1997	12	1.8	0.57	0.8	4.0	175	3.3	0.25	2.8	3.8
1998	18	4.3	1.65	1.7	8.6	170	3.3	0.25	2.8	3.8
1999	20	2.8	0.71	1.6	5.0	169	3.2	0.25	2.8	3.8
2000	14	3.8	1.62	1.3	8.0	202	3.9	0.27	3.3	4.4
2001	17	3.7	1.05	1.9	6.5	181	3.5	0.26	3.0	4.0
2002	17	2.4	0.65	1.3	4.4	181	3.4	0.26	3.0	4.0
2003	18	2.7	0.77	1.4	4.8	165	3.2	0.25	2.7	3.7
2004	21	4.4	1.46	2.0	8.0	191	3.7	0.27	3.2	4.2
2005	19	2.4	0.63	1.3	4.2	198	3.8	0.27	3.3	4.4
2006	20	2.6	0.73	1.4	4.5	183	3.5	0.26	3.0	4.1
2007	25	3.7	0.97	2.0	6.1	177	3.4	0.25	2.9	3.9
2008	21	2.8	0.72	1.6	4.7	194	3.7	0.26	3.2	4.2
2009	27	4.3	1.13	2.4	7.0	172	3.3	0.25	2.8	3.8
2010	26	4.0	0.98	2.3	6.4	181	3.5	0.26	3.0	4.1
2011	34	5.4	1.14	3.4	8.0	169	3.2	0.25	2.7	3.8
2012	20	2.4	0.64	1.3	4.1	175	3.3	0.25	2.8	3.8
2013	30	3.9	0.86	2.4	6.0	160	3.0	0.24	2.5	3.5
2014	25	2.8	0.65	1.7	4.4	186	3.3	0.25	2.9	3.9
2015	32	4.1	0.84	2.6	6.0	185	3.5	0.26	3.0	4.0
2016	31	3.7	0.75	2.4	5.5	180	3.4	0.26	2.9	3.9
2017	25	2.5	0.54	1.5	3.8	181	3.4	0.26	2.9	3.9
2018	29	3.1	0.63	2.0	4.6	176	3.4	0.26	2.9	3.9
2019	27	2.7	0.56	1.7	4.1	168	3.1	0.24	2.6	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hodgkin Lymphoma										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,332	3.5	0.05	3.4	3.6	817	3.3	0.12	3.1	3.5
1990	154	3.6	0.30	3.1	4.3	26	3.5	0.72	2.2	5.3
1991	149	3.6	0.30	3.0	4.2	17	2.3	0.58	1.3	3.8
1992	145	3.4	0.28	2.9	4.0	17	2.7	0.74	1.5	4.6
1993	140	3.3	0.28	2.8	3.9	28	3.4	0.67	2.2	5.1
1994	139	3.2	0.28	2.7	3.8	26	3.4	0.69	2.2	5.1
1995	152	3.6	0.29	3.0	4.2	28	3.3	0.65	2.2	4.9
1996	160	3.8	0.30	3.2	4.4	31	3.9	0.72	2.6	5.6
1997	135	3.2	0.27	2.7	3.8	36	4.6	0.80	3.2	6.5
1998	143	3.4	0.29	2.9	4.0	21	2.4	0.53	1.5	3.7
1999	136	3.2	0.28	2.7	3.8	22	2.7	0.59	1.7	4.2
2000	172	4.1	0.31	3.5	4.8	26	3.1	0.65	2.0	4.7
2001	143	3.4	0.29	2.9	4.0	29	3.5	0.66	2.3	5.1
2002	160	3.8	0.30	3.2	4.5	20	2.3	0.54	1.4	3.7
2003	138	3.3	0.28	2.8	3.9	21	2.5	0.58	1.5	4.0
2004	152	3.7	0.30	3.1	4.3	36	4.5	0.77	3.1	6.3
2005	159	3.9	0.31	3.3	4.5	30	3.5	0.65	2.4	5.1
2006	150	3.7	0.30	3.1	4.3	24	2.9	0.60	1.8	4.4
2007	140	3.4	0.29	2.9	4.0	28	3.2	0.62	2.1	4.7
2008	155	3.7	0.30	3.1	4.3	27	3.2	0.64	2.1	4.8
2009	139	3.3	0.29	2.8	4.0	27	3.2	0.62	2.1	4.7
2010	139	3.4	0.30	2.9	4.1	34	4.0	0.72	2.8	5.7
2011	129	3.1	0.28	2.6	3.7	33	4.1	0.74	2.7	5.8
2012	137	3.4	0.29	2.8	4.0	29	3.4	0.64	2.3	4.9
2013	132	3.2	0.29	2.7	3.9	22	2.6	0.56	1.6	4.0
2014	146	3.4	0.29	2.8	4.0	30	3.6	0.67	2.4	5.2
2015	142	3.5	0.30	3.0	4.2	32	3.6	0.65	2.4	5.1
2016	134	3.3	0.29	2.8	3.9	36	4.3	0.73	2.9	5.9
2017	141	3.4	0.30	2.9	4.0	27	3.1	0.61	2.0	4.6
2018	138	3.5	0.31	2.9	4.2	27	3.0	0.59	2.0	4.4
2019	133	3.2	0.29	2.7	3.8	27	2.9	0.56	1.9	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hodgkin Lymphoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	426	2.1	0.12	1.9	2.4	4,378	2.6	0.04	2.5	2.7
1990	8	1.6	0.62	0.6	3.9	135	2.4	0.21	2.0	2.8
1991	6	2.2	1.06	0.6	5.3	143	2.5	0.21	2.1	2.9
1992	5	0.9	0.39	0.3	2.7	164	2.8	0.22	2.3	3.2
1993	6	1.4	0.62	0.4	3.5	131	2.2	0.20	1.9	2.7
1994	9	1.5	0.53	0.6	3.4	134	2.3	0.20	1.9	2.7
1995	11	1.5	0.45	0.7	3.2	119	2.1	0.19	1.7	2.5
1996	7	2.0	0.91	0.6	4.6	155	2.7	0.22	2.3	3.2
1997	11	4.1	1.50	1.7	7.9	165	2.9	0.23	2.5	3.4
1998	5	0.8	0.37	0.2	2.3	133	2.4	0.21	2.0	2.8
1999	14	2.5	0.78	1.2	4.7	145	2.6	0.21	2.2	3.0
2000	9	1.9	0.86	0.6	4.3	138	2.4	0.21	2.1	2.9
2001	13	2.5	0.83	1.1	4.7	154	2.7	0.22	2.3	3.2
2002	13	2.1	0.76	0.9	4.2	156	2.7	0.22	2.3	3.2
2003	14	2.0	0.61	1.0	3.7	156	2.8	0.22	2.3	3.2
2004	14	2.7	0.94	1.1	5.1	135	2.4	0.21	2.0	2.9
2005	17	2.5	0.74	1.3	4.4	150	2.7	0.22	2.3	3.1
2006	15	2.4	0.72	1.2	4.3	170	3.0	0.23	2.6	3.5
2007	14	1.7	0.50	0.9	3.1	130	2.3	0.21	2.0	2.8
2008	23	3.1	0.80	1.7	5.1	178	3.2	0.25	2.8	3.8
2009	16	1.7	0.45	0.9	2.9	153	2.8	0.23	2.3	3.2
2010	26	3.2	0.70	2.0	4.9	151	2.7	0.23	2.3	3.2
2011	15	2.0	0.62	1.0	3.6	140	2.5	0.22	2.1	3.0
2012	16	2.0	0.58	1.0	3.5	145	2.5	0.22	2.1	3.0
2013	16	2.1	0.58	1.1	3.5	156	2.7	0.22	2.3	3.2
2014	32	3.8	0.74	2.5	5.6	136	2.4	0.21	2.0	2.9
2015	16	1.4	0.36	0.8	2.4	128	2.5	0.22	2.1	3.0
2016	17	1.6	0.43	0.9	2.7	118	2.1	0.20	1.8	2.6
2017	17	2.3	0.62	1.3	3.8	165	3.1	0.24	2.6	3.6
2018	19	2.0	0.48	1.2	3.2	158	2.8	0.23	2.4	3.3
2019	22	1.9	0.42	1.2	3.0	137	2.5	0.22	2.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Hodgkin Lymphoma										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,588	2.7	0.05	2.6	2.8	631	2.2	0.09	2.0	2.3
1990	118	2.6	0.24	2.1	3.1	17	1.9	0.48	1.1	3.1
1991	126	2.7	0.24	2.2	3.2	14	1.5	0.41	0.8	2.6
1992	139	2.8	0.25	2.4	3.4	21	2.1	0.47	1.3	3.3
1993	106	2.2	0.22	1.8	2.7	22	2.4	0.52	1.5	3.6
1994	122	2.6	0.24	2.2	3.1	11	1.2	0.37	0.6	2.2
1995	108	2.4	0.23	1.9	2.9	7	0.7	0.27	0.3	1.5
1996	136	3.0	0.26	2.5	3.6	16	1.7	0.43	1.0	2.8
1997	141	3.1	0.27	2.6	3.7	21	2.3	0.50	1.4	3.5
1998	107	2.4	0.24	2.0	2.9	20	2.1	0.48	1.3	3.3
1999	128	2.9	0.26	2.4	3.4	15	1.7	0.43	0.9	2.7
2000	112	2.6	0.25	2.1	3.1	21	2.2	0.48	1.4	3.4
2001	129	2.9	0.26	2.5	3.5	20	2.1	0.46	1.3	3.2
2002	130	2.9	0.26	2.4	3.5	21	2.2	0.49	1.4	3.4
2003	128	2.9	0.26	2.4	3.5	22	2.2	0.48	1.4	3.4
2004	112	2.6	0.25	2.1	3.1	16	1.6	0.40	0.9	2.6
2005	113	2.6	0.25	2.2	3.2	34	3.6	0.62	2.5	5.0
2006	140	3.3	0.28	2.7	3.9	22	2.2	0.48	1.4	3.4
2007	112	2.6	0.25	2.1	3.2	17	1.7	0.42	1.0	2.7
2008	142	3.4	0.29	2.9	4.1	29	2.9	0.54	1.9	4.2
2009	123	3.0	0.28	2.5	3.6	21	2.1	0.46	1.3	3.2
2010	121	2.9	0.27	2.4	3.5	23	2.2	0.46	1.4	3.3
2011	108	2.6	0.26	2.1	3.1	26	2.6	0.51	1.7	3.8
2012	110	2.5	0.25	2.1	3.0	30	3.1	0.56	2.0	4.4
2013	118	2.8	0.27	2.3	3.4	30	2.9	0.53	1.9	4.1
2014	110	2.6	0.26	2.1	3.2	17	1.7	0.43	1.0	2.8
2015	102	2.7	0.27	2.2	3.2	18	1.9	0.45	1.1	3.0
2016	94	2.3	0.25	1.9	2.9	17	1.7	0.43	1.0	2.8
2017	127	3.2	0.29	2.7	3.8	28	2.8	0.53	1.8	4.0
2018	124	3.0	0.28	2.5	3.6	27	2.8	0.55	1.8	4.1
2019	102	2.5	0.26	2.0	3.1	28	2.8	0.54	1.8	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Non-Hodgkin Lymphoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	4,675	18.3	0.30	17.7	18.9	69,248	19.4	0.07	19.2	19.5
1990	59	11.6	1.92	8.2	15.9	1,676	16.0	0.40	15.3	16.8
1991	54	11.4	1.86	8.0	15.5	1,675	15.7	0.39	15.0	16.5
1992	83	17.1	2.27	12.9	22.0	1,834	17.1	0.40	16.3	17.9
1993	84	15.8	2.14	11.9	20.5	1,907	17.6	0.41	16.8	18.4
1994	96	17.9	2.28	13.8	22.9	2,012	18.4	0.41	17.6	19.3
1995	101	21.4	2.62	16.5	27.0	2,105	19.1	0.42	18.3	20.0
1996	95	16.9	2.16	13.0	21.6	2,164	19.6	0.42	18.8	20.4
1997	77	12.1	1.63	9.1	15.7	2,126	19.1	0.41	18.2	19.9
1998	105	17.4	1.97	13.8	21.6	2,197	19.6	0.42	18.8	20.4
1999	129	21.1	2.29	16.8	26.0	2,261	20.0	0.42	19.2	20.8
2000	103	15.3	1.83	11.9	19.3	2,262	19.9	0.42	19.1	20.8
2001	103	16.4	1.95	12.8	20.6	2,264	19.8	0.42	18.9	20.6
2002	143	21.2	2.13	17.3	25.7	2,267	19.7	0.41	18.9	20.5
2003	140	18.6	1.90	15.1	22.7	2,315	19.9	0.42	19.1	20.8
2004	149	19.2	1.91	15.6	23.2	2,469	21.1	0.43	20.3	22.0
2005	150	18.8	1.84	15.4	22.7	2,389	20.3	0.42	19.5	21.1
2006	155	16.1	1.47	13.3	19.2	2,339	19.8	0.41	19.0	20.6
2007	170	19.8	1.78	16.5	23.6	2,408	20.1	0.41	19.3	20.9
2008	196	21.4	1.79	18.0	25.1	2,437	20.0	0.41	19.2	20.8
2009	188	19.9	1.66	16.8	23.4	2,475	20.2	0.41	19.4	21.0
2010	169	17.8	1.54	14.9	21.0	2,570	20.7	0.42	19.9	21.6
2011	172	16.2	1.40	13.6	19.1	2,519	20.0	0.41	19.2	20.8
2012	189	17.1	1.39	14.5	20.0	2,460	19.5	0.40	18.7	20.3
2013	222	18.1	1.36	15.5	20.9	2,499	19.4	0.40	18.6	20.2
2014	233	19.6	1.43	16.9	22.5	2,633	20.1	0.40	19.4	21.0
2015	234	19.2	1.38	16.6	22.0	2,680	20.2	0.40	19.5	21.0
2016	250	18.9	1.31	16.4	21.6	2,619	19.8	0.40	19.1	20.6
2017	267	19.7	1.30	17.2	22.4	2,601	19.4	0.39	18.6	20.2
2018	261	17.8	1.19	15.5	20.2	2,509	18.4	0.38	17.7	19.2
2019	298	19.7	1.22	17.4	22.2	2,576	18.4	0.37	17.7	19.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Non-Hodgkin Lymphoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	60,830	20.3	0.08	20.1	20.5	6,365	13.4	0.17	13.1	13.8
1990	1,527	16.8	0.44	16.0	17.7	127	10.2	0.94	8.5	12.2
1991	1,538	16.6	0.43	15.8	17.5	110	8.6	0.86	7.0	10.5
1992	1,685	18.2	0.45	17.3	19.1	130	10.2	0.92	8.4	12.1
1993	1,744	18.6	0.45	17.8	19.5	142	10.4	0.91	8.7	12.3
1994	1,795	19.1	0.45	18.2	20.0	188	13.5	1.01	11.6	15.6
1995	1,871	19.8	0.46	18.9	20.7	192	14.1	1.06	12.2	16.4
1996	1,942	20.5	0.47	19.6	21.4	186	12.8	0.97	11.0	14.9
1997	1,902	19.9	0.46	19.0	20.8	176	12.0	0.93	10.3	14.0
1998	1,938	20.2	0.46	19.4	21.2	215	14.5	1.01	12.6	16.6
1999	2,043	21.2	0.47	20.3	22.2	187	12.7	0.95	10.9	14.7
2000	2,006	20.9	0.47	20.0	21.8	201	13.2	0.95	11.4	15.1
2001	2,023	20.9	0.47	20.0	21.8	200	13.2	0.95	11.4	15.2
2002	2,015	20.7	0.46	19.8	21.6	198	12.8	0.93	11.0	14.7
2003	2,034	20.8	0.46	19.9	21.7	217	13.9	0.95	12.0	15.8
2004	2,156	22.0	0.48	21.1	22.9	244	15.9	1.04	14.0	18.1
2005	2,109	21.3	0.47	20.4	22.3	205	13.2	0.94	11.4	15.2
2006	2,074	21.0	0.47	20.1	21.9	208	13.0	0.92	11.3	14.9
2007	2,105	21.1	0.47	20.2	22.0	245	14.9	0.98	13.1	17.0
2008	2,130	21.0	0.46	20.1	21.9	223	13.8	0.94	12.0	15.7
2009	2,160	21.2	0.46	20.3	22.1	224	13.4	0.91	11.6	15.3
2010	2,220	21.6	0.47	20.7	22.6	244	14.5	0.95	12.7	16.5
2011	2,178	21.0	0.46	20.1	21.9	247	14.3	0.93	12.5	16.2
2012	2,148	20.7	0.46	19.8	21.6	233	13.1	0.88	11.4	14.9
2013	2,159	20.4	0.45	19.5	21.3	240	13.4	0.88	11.7	15.2
2014	2,255	21.1	0.46	20.2	22.0	267	14.6	0.92	12.9	16.5
2015	2,318	21.5	0.46	20.6	22.4	254	13.9	0.89	12.2	15.7
2016	2,260	21.1	0.46	20.2	22.0	243	13.5	0.89	11.9	15.4
2017	2,197	20.1	0.45	19.3	21.0	291	16.1	0.97	14.3	18.1
2018	2,100	19.0	0.43	18.2	19.9	287	15.3	0.93	13.6	17.3
2019	2,198	19.5	0.43	18.7	20.4	241	12.6	0.83	11.0	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Non-Hodgkin Lymphoma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,611	20.9	0.49	19.9	21.8	36,635	23.6	0.12	23.4	23.9
1990	38	13.0	2.73	8.2	19.6	874	19.5	0.68	18.2	20.9
1991	41	14.4	2.87	9.4	21.3	850	18.5	0.65	17.3	19.8
1992	52	21.1	3.82	14.3	29.8	950	21.1	0.70	19.7	22.5
1993	56	17.0	2.94	11.7	23.8	980	21.1	0.69	19.8	22.5
1994	61	22.1	4.02	14.9	31.1	997	21.5	0.69	20.1	22.9
1995	59	22.4	3.99	15.3	31.4	1,082	22.9	0.71	21.6	24.4
1996	58	19.5	3.64	13.0	27.7	1,110	23.3	0.71	22.0	24.8
1997	49	16.8	3.12	11.3	23.9	1,101	23.1	0.71	21.7	24.5
1998	60	22.7	3.75	16.0	31.0	1,157	24.0	0.72	22.7	25.5
1999	80	27.2	4.08	19.8	36.1	1,188	24.6	0.72	23.2	26.0
2000	62	18.0	2.95	12.7	24.6	1,170	23.9	0.71	22.6	25.4
2001	48	16.5	3.32	10.7	24.0	1,159	23.6	0.70	22.3	25.0
2002	88	27.6	3.76	20.7	35.8	1,197	24.3	0.71	22.9	25.7
2003	81	23.4	3.46	17.1	31.0	1,228	24.4	0.70	23.1	25.9
2004	93	25.8	3.56	19.3	33.5	1,317	26.2	0.73	24.8	27.7
2005	84	20.3	2.79	15.2	26.4	1,257	24.8	0.71	23.5	26.3
2006	93	18.9	2.36	14.6	24.1	1,264	24.7	0.70	23.3	26.1
2007	89	21.6	2.85	16.3	27.8	1,298	24.8	0.70	23.4	26.2
2008	100	24.4	3.01	18.8	30.8	1,289	24.4	0.69	23.1	25.8
2009	103	24.3	2.87	19.0	30.5	1,285	24.1	0.68	22.8	25.5
2010	94	20.3	2.49	15.7	25.6	1,397	25.6	0.70	24.3	27.0
2011	85	16.5	2.14	12.6	21.1	1,343	24.2	0.67	22.9	25.5
2012	110	21.2	2.35	16.8	26.2	1,297	23.3	0.66	22.0	24.6
2013	119	20.2	2.18	16.1	24.9	1,382	24.3	0.67	23.0	25.7
2014	114	18.4	2.00	14.7	22.7	1,412	24.1	0.66	22.9	25.5
2015	137	24.1	2.36	19.7	29.0	1,460	24.6	0.66	23.3	25.9
2016	133	20.4	2.00	16.7	24.7	1,386	23.7	0.65	22.5	25.0
2017	133	19.8	1.93	16.1	23.9	1,465	24.3	0.65	23.0	25.6
2018	129	18.6	1.84	15.2	22.5	1,339	21.8	0.61	20.6	23.0
2019	162	22.3	1.93	18.6	26.3	1,401	22.4	0.62	21.2	23.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Non-Hodgkin Lymphoma										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	32,179	24.6	0.14	24.4	24.9	3,359	16.6	0.30	16.0	17.2
1990	789	20.3	0.74	18.9	21.8	70	13.3	1.72	10.1	17.1
1991	780	19.6	0.72	18.2	21.1	58	10.1	1.43	7.5	13.3
1992	861	22.1	0.77	20.6	23.6	77	14.0	1.71	10.8	17.7
1993	890	22.2	0.76	20.8	23.8	80	12.8	1.56	9.9	16.2
1994	885	22.2	0.76	20.7	23.7	100	15.4	1.60	12.4	18.9
1995	958	23.7	0.77	22.2	25.2	108	18.8	1.96	15.2	23.0
1996	975	24.0	0.77	22.5	25.5	119	19.0	1.88	15.5	23.1
1997	976	24.0	0.77	22.5	25.5	96	14.5	1.55	11.6	17.9
1998	1,009	24.6	0.78	23.1	26.2	124	19.2	1.79	15.8	23.0
1999	1,063	25.8	0.80	24.2	27.4	106	16.9	1.78	13.6	20.7
2000	1,030	24.9	0.78	23.4	26.5	111	16.2	1.60	13.3	19.7
2001	1,040	25.0	0.78	23.5	26.6	98	15.0	1.60	12.0	18.4
2002	1,061	25.4	0.79	23.9	27.0	104	15.4	1.59	12.4	18.8
2003	1,079	25.5	0.78	24.0	27.0	116	17.3	1.67	14.2	20.9
2004	1,157	27.3	0.81	25.8	29.0	123	19.0	1.83	15.6	22.9
2005	1,107	25.9	0.78	24.4	27.5	108	16.9	1.74	13.6	20.6
2006	1,122	26.1	0.79	24.6	27.7	106	15.3	1.56	12.4	18.7
2007	1,138	26.0	0.78	24.5	27.6	134	19.1	1.75	15.8	22.8
2008	1,134	25.6	0.77	24.2	27.2	113	16.5	1.65	13.4	20.0
2009	1,129	25.3	0.76	23.8	26.8	106	15.0	1.55	12.1	18.3
2010	1,206	26.5	0.78	25.0	28.0	134	19.0	1.72	15.7	22.6
2011	1,156	24.9	0.75	23.5	26.4	131	18.0	1.66	14.9	21.6
2012	1,141	24.7	0.75	23.2	26.2	115	15.1	1.46	12.4	18.3
2013	1,209	25.8	0.76	24.3	27.3	125	16.1	1.50	13.3	19.4
2014	1,224	25.4	0.74	23.9	26.9	132	16.7	1.52	13.8	19.9
2015	1,262	25.8	0.75	24.3	27.3	136	17.7	1.58	14.7	21.1
2016	1,219	25.4	0.75	24.0	27.0	114	15.0	1.46	12.3	18.1
2017	1,238	24.8	0.73	23.4	26.3	156	20.9	1.74	17.6	24.6
2018	1,135	22.5	0.69	21.1	23.9	139	17.6	1.55	14.7	20.9
2019	1,206	23.6	0.70	22.2	25.0	120	14.8	1.40	12.2	17.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Non-Hodgkin Lymphoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,064	16.1	0.39	15.3	16.8	32,613	16.1	0.09	15.9	16.3
1990	21	9.8	2.52	5.5	15.8	802	13.3	0.48	12.4	14.3
1991	13	7.7	2.27	3.9	13.2	825	13.5	0.48	12.6	14.5
1992	31	13.2	2.72	8.4	19.5	884	14.3	0.49	13.3	15.3
1993	28	13.5	2.86	8.5	20.1	927	14.8	0.49	13.9	15.8
1994	35	14.4	2.75	9.6	20.7	1,015	16.1	0.51	15.1	17.1
1995	42	19.7	3.43	13.5	27.3	1,023	16.0	0.51	15.1	17.1
1996	37	14.7	2.69	9.9	20.8	1,054	16.5	0.51	15.5	17.5
1997	28	8.2	1.72	5.2	12.3	1,025	15.9	0.50	14.9	16.9
1998	45	13.6	2.17	9.7	18.5	1,040	16.2	0.51	15.2	17.2
1999	49	16.1	2.65	11.3	22.0	1,073	16.6	0.51	15.6	17.6
2000	41	12.9	2.32	8.7	18.1	1,092	17.0	0.52	16.0	18.0
2001	55	17.1	2.55	12.5	22.8	1,105	16.8	0.51	15.8	17.8
2002	55	15.9	2.44	11.4	21.3	1,070	16.2	0.50	15.2	17.2
2003	59	15.1	2.19	11.1	20.0	1,087	16.4	0.50	15.4	17.4
2004	56	13.9	2.13	10.1	18.6	1,152	17.3	0.52	16.3	18.4
2005	66	17.2	2.41	12.8	22.5	1,132	17.0	0.51	16.0	18.0
2006	62	13.4	1.86	10.0	17.5	1,075	15.9	0.49	15.0	16.9
2007	81	18.4	2.30	14.2	23.4	1,110	16.4	0.50	15.5	17.4
2008	96	19.3	2.22	15.2	24.1	1,148	16.7	0.50	15.7	17.7
2009	85	16.6	1.99	12.9	20.9	1,190	17.3	0.51	16.3	18.3
2010	75	15.7	1.95	12.1	19.9	1,173	17.1	0.51	16.1	18.2
2011	87	16.0	1.87	12.6	20.1	1,176	16.8	0.50	15.8	17.8
2012	79	13.6	1.67	10.6	17.3	1,163	16.5	0.50	15.5	17.5
2013	103	16.4	1.74	13.2	20.1	1,117	15.4	0.48	14.5	16.4
2014	119	20.3	2.00	16.5	24.5	1,221	17.1	0.50	16.1	18.1
2015	97	15.2	1.65	12.2	18.8	1,220	16.8	0.50	15.8	17.8
2016	117	17.3	1.70	14.1	20.9	1,233	16.9	0.50	15.9	17.9
2017	134	19.5	1.77	16.2	23.3	1,136	15.6	0.48	14.7	16.6
2018	132	17.4	1.59	14.4	20.7	1,170	15.8	0.48	14.9	16.8
2019	136	17.6	1.58	14.7	21.0	1,175	15.2	0.46	14.3	16.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Non-Hodgkin Lymphoma										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	28,651	16.9	0.10	16.7	17.1	3,006	11.1	0.20	10.7	11.5
1990	738	14.0	0.53	13.0	15.1	57	8.1	1.09	6.1	10.6
1991	758	14.3	0.53	13.3	15.4	52	7.4	1.04	5.5	9.7
1992	824	15.4	0.55	14.4	16.5	53	7.4	1.03	5.5	9.6
1993	854	15.8	0.55	14.7	16.9	62	8.4	1.09	6.4	10.8
1994	910	16.7	0.56	15.6	17.8	88	11.5	1.25	9.2	14.2
1995	913	16.5	0.56	15.4	17.6	84	10.9	1.20	8.7	13.5
1996	967	17.6	0.58	16.5	18.8	67	8.3	1.03	6.4	10.5
1997	926	16.8	0.56	15.7	17.9	80	9.9	1.12	7.8	12.3
1998	929	16.9	0.57	15.8	18.1	91	10.8	1.15	8.7	13.3
1999	980	17.8	0.58	16.7	19.0	81	9.8	1.10	7.7	12.1
2000	976	18.0	0.59	16.9	19.2	90	10.5	1.12	8.4	12.9
2001	983	17.7	0.57	16.6	18.8	102	11.8	1.18	9.6	14.4
2002	954	17.1	0.56	16.0	18.2	94	10.8	1.12	8.7	13.2
2003	955	17.1	0.56	16.0	18.3	101	11.3	1.13	9.2	13.7
2004	999	17.9	0.58	16.8	19.0	121	13.8	1.26	11.4	16.5
2005	1,002	18.0	0.58	16.8	19.1	97	10.8	1.11	8.8	13.2
2006	952	17.0	0.57	15.9	18.2	102	11.1	1.11	9.0	13.5
2007	967	17.2	0.57	16.1	18.4	111	12.0	1.15	9.9	14.5
2008	996	17.4	0.57	16.3	18.6	110	11.8	1.14	9.7	14.3
2009	1,031	18.0	0.58	16.9	19.2	118	12.4	1.15	10.2	14.8
2010	1,014	18.0	0.58	16.9	19.2	110	11.6	1.12	9.5	14.0
2011	1,022	17.8	0.58	16.7	19.0	116	11.7	1.10	9.6	14.0
2012	1,007	17.5	0.57	16.4	18.6	118	11.6	1.08	9.5	13.9
2013	950	16.1	0.54	15.0	17.2	115	11.2	1.06	9.2	13.5
2014	1,031	17.7	0.57	16.6	18.9	135	13.1	1.15	11.0	15.6
2015	1,056	17.9	0.58	16.8	19.1	118	11.2	1.06	9.3	13.5
2016	1,041	17.6	0.57	16.5	18.8	129	12.6	1.13	10.5	15.0
2017	959	16.4	0.56	15.4	17.6	135	12.9	1.14	10.8	15.3
2018	965	16.3	0.55	15.2	17.4	148	13.6	1.15	11.5	16.1
2019	992	16.1	0.54	15.1	17.2	121	10.8	1.00	9.0	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Myeloma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,434	6.5	0.19	6.1	6.9	22,926	6.3	0.04	6.2	6.4
1990	21	6.5	1.57	3.8	10.2	491	4.6	0.21	4.2	5.0
1991	16	4.4	1.28	2.3	7.5	537	5.1	0.22	4.7	5.5
1992	21	6.2	1.53	3.6	9.8	510	4.7	0.21	4.3	5.2
1993	21	5.0	1.25	2.9	8.0	598	5.5	0.22	5.0	5.9
1994	17	4.6	1.21	2.5	7.5	692	6.3	0.24	5.8	6.8
1995	27	8.0	1.70	5.1	11.9	690	6.2	0.24	5.7	6.7
1996	25	6.2	1.39	3.8	9.4	625	5.6	0.23	5.2	6.1
1997	20	4.1	0.97	2.4	6.4	677	6.1	0.23	5.6	6.5
1998	30	5.7	1.15	3.6	8.4	709	6.3	0.24	5.8	6.8
1999	28	5.3	1.14	3.3	7.9	698	6.1	0.23	5.7	6.6
2000	49	10.4	1.70	7.4	14.2	704	6.2	0.23	5.7	6.6
2001	37	6.6	1.20	4.5	9.3	714	6.2	0.23	5.8	6.7
2002	32	5.3	1.06	3.4	7.7	818	7.1	0.25	6.6	7.6
2003	34	5.8	1.16	3.7	8.4	781	6.7	0.24	6.2	7.1
2004	36	5.9	1.07	4.0	8.3	726	6.2	0.23	5.7	6.6
2005	54	7.8	1.17	5.7	10.4	748	6.3	0.23	5.9	6.8
2006	42	5.2	0.89	3.6	7.2	771	6.4	0.23	6.0	6.9
2007	38	4.7	0.84	3.2	6.6	722	6.0	0.22	5.5	6.4
2008	54	7.1	1.06	5.1	9.4	814	6.6	0.23	6.2	7.1
2009	65	7.8	1.09	5.9	10.2	831	6.6	0.23	6.2	7.1
2010	60	5.8	0.80	4.3	7.5	800	6.3	0.23	5.9	6.8
2011	55	5.1	0.76	3.7	6.8	873	6.8	0.23	6.3	7.2
2012	82	8.2	0.98	6.4	10.3	873	6.7	0.23	6.3	7.2
2013	75	7.1	0.91	5.5	9.1	844	6.4	0.22	5.9	6.8
2014	69	6.9	0.90	5.3	8.9	889	6.6	0.22	6.1	7.0
2015	76	6.5	0.79	5.0	8.2	929	6.8	0.23	6.4	7.3
2016	93	7.5	0.83	6.0	9.3	967	7.0	0.23	6.5	7.4
2017	87	6.8	0.78	5.4	8.5	966	6.9	0.23	6.4	7.3
2018	88	7.0	0.79	5.5	8.7	960	6.7	0.22	6.3	7.2
2019	82	5.9	0.69	4.6	7.4	969	6.8	0.22	6.4	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Myeloma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	16,802	5.4	0.04	5.4	5.5	5,574	12.4	0.17	12.0	12.7
1990	373	4.0	0.21	3.6	4.4	115	10.4	1.00	8.6	12.5
1991	437	4.7	0.23	4.3	5.1	94	8.3	0.88	6.7	10.2
1992	404	4.3	0.21	3.9	4.7	104	8.5	0.85	6.9	10.3
1993	456	4.8	0.22	4.3	5.2	132	11.4	1.02	9.5	13.6
1994	519	5.4	0.24	4.9	5.9	165	13.8	1.10	11.7	16.1
1995	524	5.4	0.24	4.9	5.9	155	12.8	1.05	10.8	15.0
1996	479	5.0	0.23	4.5	5.4	138	10.8	0.94	9.0	12.8
1997	513	5.3	0.23	4.8	5.8	150	11.9	0.99	10.0	14.0
1998	523	5.4	0.24	4.9	5.9	177	13.6	1.04	11.7	15.8
1999	511	5.2	0.23	4.8	5.7	176	13.0	1.00	11.1	15.0
2000	508	5.2	0.23	4.7	5.6	176	12.7	0.97	10.9	14.7
2001	533	5.4	0.23	5.0	5.9	167	11.9	0.94	10.1	13.9
2002	633	6.4	0.25	5.9	6.9	175	12.4	0.96	10.6	14.5
2003	589	5.9	0.24	5.4	6.4	184	13.1	0.98	11.2	15.2
2004	534	5.3	0.23	4.9	5.8	178	12.0	0.92	10.3	13.9
2005	547	5.4	0.23	5.0	5.9	188	12.6	0.93	10.8	14.6
2006	565	5.6	0.24	5.1	6.1	192	12.8	0.94	11.0	14.8
2007	534	5.2	0.23	4.8	5.7	170	10.9	0.85	9.3	12.7
2008	606	5.9	0.24	5.4	6.4	179	11.4	0.87	9.8	13.3
2009	608	5.8	0.24	5.3	6.3	199	12.4	0.90	10.7	14.3
2010	583	5.5	0.23	5.1	6.0	201	12.3	0.88	10.6	14.1
2011	638	6.0	0.24	5.5	6.5	208	12.2	0.86	10.6	14.0
2012	616	5.7	0.23	5.3	6.2	224	13.2	0.90	11.5	15.1
2013	603	5.4	0.23	5.0	5.9	217	12.7	0.88	11.1	14.6
2014	631	5.6	0.23	5.2	6.1	226	12.8	0.87	11.2	14.6
2015	641	5.7	0.23	5.3	6.2	257	14.0	0.89	12.3	15.8
2016	681	6.0	0.24	5.5	6.5	257	13.8	0.88	12.1	15.7
2017	704	6.2	0.24	5.7	6.6	224	12.0	0.82	10.4	13.7
2018	639	5.5	0.22	5.1	6.0	286	14.8	0.90	13.1	16.7
2019	670	5.8	0.23	5.4	6.3	260	13.3	0.84	11.7	15.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Myeloma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	778	7.3	0.30	6.7	7.9	11,975	7.7	0.07	7.5	7.8
1990	11	6.5	2.18	2.9	12.2	233	5.3	0.35	4.6	6.0
1991	11	4.9	1.77	2.1	9.7	269	6.2	0.39	5.4	7.0
1992	11	6.3	2.22	2.8	12.1	260	5.9	0.37	5.2	6.7
1993	12	6.6	2.29	2.9	12.4	289	6.4	0.38	5.6	7.2
1994	8	5.0	2.08	1.8	10.4	356	7.9	0.43	7.1	8.8
1995	12	6.6	2.12	3.2	12.0	357	7.9	0.42	7.0	8.7
1996	9	5.0	2.12	1.8	10.5	322	7.0	0.40	6.3	7.8
1997	9	3.1	1.06	1.3	6.1	342	7.4	0.40	6.6	8.2
1998	13	5.6	1.81	2.7	10.2	367	7.9	0.42	7.1	8.8
1999	11	4.8	1.80	2.0	9.4	349	7.3	0.39	6.5	8.1
2000	28	12.5	2.81	7.6	18.9	353	7.3	0.39	6.6	8.2
2001	23	9.2	2.27	5.3	14.5	346	7.1	0.39	6.4	7.9
2002	22	7.5	1.81	4.4	11.8	415	8.5	0.42	7.7	9.4
2003	17	4.4	1.21	2.4	7.5	401	8.2	0.42	7.4	9.1
2004	18	7.0	1.93	3.7	11.6	372	7.5	0.39	6.7	8.3
2005	32	10.2	2.04	6.6	14.9	398	7.9	0.40	7.1	8.7
2006	24	6.3	1.57	3.6	10.0	410	8.0	0.40	7.3	8.9
2007	20	5.2	1.30	3.0	8.3	394	7.7	0.39	6.9	8.5
2008	34	9.6	1.94	6.2	13.9	448	8.5	0.41	7.7	9.3
2009	35	9.3	1.83	6.1	13.5	438	8.1	0.40	7.4	9.0
2010	35	6.6	1.21	4.4	9.4	414	7.5	0.37	6.7	8.2
2011	35	6.9	1.28	4.6	9.8	466	8.4	0.40	7.6	9.2
2012	47	9.8	1.60	6.9	13.3	488	8.6	0.40	7.8	9.4
2013	40	8.1	1.46	5.5	11.4	444	7.7	0.37	7.0	8.4
2014	36	7.6	1.43	5.1	10.8	490	8.2	0.38	7.5	9.0
2015	39	6.6	1.16	4.5	9.2	497	8.2	0.38	7.5	9.0
2016	56	9.4	1.37	6.9	12.4	533	8.7	0.39	7.9	9.5
2017	39	6.4	1.14	4.4	9.0	494	7.9	0.37	7.2	8.7
2018	50	8.0	1.24	5.8	10.8	502	7.9	0.36	7.3	8.7
2019	41	5.6	0.95	3.9	7.7	528	8.3	0.37	7.6	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Myeloma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	9,037	6.9	0.07	6.7	7.0	2,622	14.4	0.29	13.8	14.9
1990	186	4.7	0.36	4.1	5.5	45	9.9	1.55	7.1	13.4
1991	218	5.7	0.40	5.0	6.5	47	10.2	1.57	7.4	13.7
1992	204	5.3	0.38	4.6	6.1	55	11.0	1.56	8.1	14.4
1993	225	5.6	0.38	4.9	6.4	57	12.9	1.84	9.5	16.9
1994	267	6.8	0.43	6.0	7.7	85	17.5	2.00	13.8	21.8
1995	268	6.7	0.42	6.0	7.6	80	16.7	1.99	13.0	21.0
1996	247	6.2	0.40	5.5	7.1	70	13.4	1.71	10.3	17.1
1997	269	6.7	0.41	5.9	7.6	65	12.4	1.62	9.5	16.0
1998	280	7.0	0.42	6.2	7.8	82	16.8	1.98	13.1	21.0
1999	273	6.7	0.41	5.9	7.5	71	12.4	1.55	9.6	15.8
2000	267	6.5	0.40	5.8	7.4	76	13.0	1.55	10.1	16.4
2001	265	6.4	0.40	5.7	7.2	75	12.8	1.55	10.0	16.2
2002	329	7.9	0.44	7.1	8.8	79	14.3	1.68	11.2	17.9
2003	306	7.3	0.42	6.5	8.2	90	16.5	1.84	13.1	20.5
2004	279	6.6	0.40	5.9	7.5	85	14.2	1.61	11.2	17.7
2005	299	7.0	0.41	6.2	7.9	90	14.3	1.56	11.4	17.6
2006	306	7.1	0.41	6.3	7.9	99	16.5	1.75	13.3	20.3
2007	301	6.9	0.40	6.2	7.8	85	13.4	1.51	10.6	16.6
2008	348	7.8	0.42	7.0	8.7	87	13.3	1.50	10.6	16.6
2009	325	7.2	0.41	6.4	8.1	97	14.7	1.57	11.8	18.1
2010	307	6.6	0.38	5.9	7.4	97	14.0	1.50	11.2	17.2
2011	348	7.5	0.41	6.7	8.4	105	15.4	1.59	12.5	18.8
2012	364	7.7	0.41	6.9	8.5	104	15.1	1.55	12.2	18.4
2013	335	6.9	0.38	6.1	7.7	96	13.9	1.48	11.2	17.1
2014	363	7.2	0.39	6.5	8.1	105	15.1	1.55	12.3	18.5
2015	359	7.1	0.39	6.4	8.0	120	15.9	1.51	13.0	19.1
2016	386	7.7	0.40	6.9	8.5	128	16.3	1.50	13.5	19.5
2017	379	7.4	0.39	6.7	8.2	95	12.5	1.33	10.0	15.4
2018	357	6.8	0.37	6.1	7.6	125	16.2	1.50	13.3	19.4
2019	377	7.3	0.39	6.6	8.1	127	16.0	1.48	13.3	19.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Myeloma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	656	5.8	0.24	5.3	6.3	10,951	5.3	0.05	5.2	5.4
1990	10	6.2	2.11	2.8	11.5	258	4.2	0.26	3.7	4.7
1991	5	3.4	1.62	1.0	7.8	268	4.3	0.26	3.8	4.8
1992	10	5.9	2.03	2.6	11.0	250	4.0	0.26	3.5	4.5
1993	9	3.8	1.42	1.6	7.5	309	4.8	0.28	4.3	5.4
1994	9	4.4	1.55	1.9	8.4	336	5.2	0.29	4.7	5.8
1995	15	8.7	2.39	4.7	14.4	333	5.1	0.28	4.6	5.7
1996	16	7.4	1.96	4.1	12.1	303	4.7	0.27	4.2	5.3
1997	11	4.7	1.50	2.3	8.5	335	5.1	0.28	4.6	5.7
1998	17	5.9	1.53	3.3	9.6	342	5.3	0.29	4.7	5.9
1999	17	5.9	1.55	3.2	9.6	349	5.3	0.29	4.7	5.9
2000	21	8.7	2.08	5.1	13.5	351	5.3	0.29	4.8	5.9
2001	14	4.7	1.31	2.5	7.9	368	5.5	0.29	5.0	6.1
2002	10	3.2	1.15	1.3	6.1	403	6.0	0.30	5.4	6.6
2003	17	6.5	1.75	3.6	10.6	380	5.6	0.29	5.1	6.2
2004	18	5.2	1.28	3.0	8.3	354	5.3	0.28	4.7	5.9
2005	22	5.9	1.34	3.6	9.1	350	5.1	0.28	4.6	5.7
2006	18	4.3	1.08	2.4	6.8	361	5.3	0.28	4.7	5.8
2007	18	4.2	1.08	2.4	6.8	328	4.8	0.27	4.3	5.3
2008	20	5.0	1.19	3.0	7.8	366	5.3	0.28	4.7	5.8
2009	30	6.7	1.32	4.4	9.7	393	5.5	0.28	5.0	6.1
2010	25	4.9	1.04	3.1	7.3	386	5.4	0.28	4.8	5.9
2011	20	3.6	0.87	2.1	5.6	407	5.6	0.29	5.1	6.2
2012	35	6.8	1.22	4.7	9.6	385	5.3	0.28	4.8	5.9
2013	35	6.4	1.16	4.4	9.1	400	5.4	0.28	4.9	6.0
2014	33	6.4	1.18	4.3	9.1	399	5.3	0.27	4.8	5.9
2015	37	6.2	1.07	4.3	8.6	432	5.7	0.28	5.2	6.3
2016	37	5.8	0.99	4.0	8.0	434	5.7	0.28	5.1	6.3
2017	48	7.2	1.08	5.2	9.6	472	6.0	0.28	5.5	6.6
2018	38	6.0	1.01	4.2	8.3	458	5.8	0.28	5.3	6.4
2019	41	6.0	0.97	4.2	8.1	441	5.7	0.28	5.1	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Myeloma										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	7,765	4.4	0.05	4.3	4.5	2,952	11.1	0.21	10.7	11.5
1990	187	3.4	0.26	2.9	4.0	70	10.6	1.29	8.3	13.4
1991	219	3.9	0.27	3.4	4.5	47	7.0	1.04	5.1	9.3
1992	200	3.6	0.26	3.1	4.1	49	6.9	0.99	5.1	9.1
1993	231	4.1	0.27	3.6	4.7	75	10.7	1.26	8.4	13.5
1994	252	4.5	0.29	3.9	5.1	80	11.3	1.27	8.9	14.1
1995	256	4.5	0.29	4.0	5.1	75	10.4	1.21	8.1	13.0
1996	232	4.1	0.27	3.6	4.7	68	9.0	1.11	7.0	11.4
1997	244	4.3	0.28	3.7	4.9	85	11.3	1.24	9.0	14.0
1998	243	4.3	0.28	3.8	4.9	95	12.1	1.25	9.8	14.8
1999	238	4.1	0.27	3.6	4.7	105	13.1	1.29	10.7	15.9
2000	241	4.2	0.27	3.7	4.8	100	12.2	1.23	9.9	14.9
2001	268	4.6	0.29	4.1	5.3	92	11.2	1.17	9.0	13.7
2002	304	5.2	0.30	4.6	5.9	96	11.4	1.17	9.2	13.9
2003	283	4.9	0.30	4.3	5.5	94	11.1	1.16	9.0	13.6
2004	255	4.5	0.28	3.9	5.1	93	10.6	1.11	8.5	13.0
2005	248	4.3	0.28	3.8	4.9	98	11.2	1.14	9.1	13.6
2006	259	4.5	0.28	3.9	5.1	93	10.4	1.09	8.4	12.8
2007	233	4.0	0.27	3.5	4.6	85	9.3	1.01	7.4	11.5
2008	258	4.4	0.28	3.9	5.0	92	10.1	1.06	8.1	12.4
2009	283	4.7	0.29	4.2	5.3	102	10.9	1.09	8.8	13.2
2010	276	4.6	0.28	4.1	5.2	104	10.9	1.08	8.9	13.3
2011	290	4.9	0.29	4.3	5.5	103	10.2	1.02	8.3	12.4
2012	252	4.2	0.27	3.7	4.8	120	11.9	1.10	9.8	14.2
2013	268	4.4	0.27	3.8	4.9	121	11.9	1.10	9.9	14.3
2014	268	4.4	0.27	3.8	4.9	121	11.5	1.06	9.5	13.8
2015	282	4.5	0.27	4.0	5.1	137	12.8	1.11	10.7	15.1
2016	295	4.7	0.28	4.1	5.3	129	12.1	1.08	10.1	14.4
2017	325	5.1	0.29	4.6	5.7	129	11.6	1.04	9.7	13.8
2018	282	4.4	0.27	3.9	5.0	161	14.1	1.13	12.0	16.5
2019	293	4.6	0.28	4.1	5.2	133	11.6	1.03	9.7	13.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,623	10.9	0.22	10.4	11.3	47,777	13.5	0.06	13.3	13.6
1990	46	7.7	1.54	5.0	11.3	1,141	10.8	0.32	10.2	11.4
1991	48	8.3	1.51	5.6	11.7	1,116	10.5	0.32	9.9	11.1
1992	58	9.8	1.69	6.8	13.6	1,187	11.1	0.32	10.4	11.7
1993	52	7.3	1.26	5.1	10.2	1,260	11.6	0.33	11.0	12.3
1994	80	11.0	1.72	7.9	14.9	1,502	13.7	0.36	13.1	14.5
1995	80	10.0	1.51	7.2	13.4	1,494	13.6	0.35	12.9	14.3
1996	70	8.8	1.48	6.1	12.1	1,440	13.0	0.34	12.3	13.7
1997	84	10.0	1.46	7.4	13.3	1,439	12.9	0.34	12.3	13.6
1998	85	10.0	1.51	7.3	13.3	1,449	12.9	0.34	12.3	13.6
1999	100	11.9	1.60	9.0	15.4	1,562	13.9	0.35	13.2	14.6
2000	103	9.3	1.26	7.0	12.1	1,603	14.1	0.35	13.5	14.9
2001	83	9.7	1.43	7.1	12.8	1,700	15.0	0.36	14.3	15.7
2002	116	13.0	1.63	10.0	16.5	1,688	14.7	0.36	14.0	15.4
2003	88	9.3	1.32	6.9	12.1	1,701	14.7	0.36	14.0	15.5
2004	108	10.1	1.34	7.6	13.0	1,701	14.6	0.36	13.9	15.3
2005	113	9.7	1.16	7.6	12.2	1,632	14.0	0.35	13.3	14.7
2006	140	14.0	1.53	11.1	17.2	1,665	14.2	0.35	13.5	14.9
2007	116	8.5	0.97	6.7	10.6	1,546	13.1	0.34	12.5	13.8
2008	145	11.5	1.20	9.3	14.1	1,690	14.2	0.35	13.5	14.9
2009	137	11.2	1.19	9.0	13.8	1,644	13.6	0.34	12.9	14.3
2010	147	10.7	1.06	8.7	12.9	1,731	14.2	0.35	13.5	14.9
2011	145	9.9	0.99	8.1	12.0	1,781	14.4	0.35	13.7	15.1
2012	172	12.4	1.12	10.3	14.8	1,806	14.5	0.35	13.8	15.2
2013	184	13.2	1.15	11.1	15.7	1,758	13.9	0.34	13.2	14.6
2014	171	10.7	0.94	9.0	12.7	1,751	13.7	0.33	13.0	14.3
2015	186	12.1	1.01	10.2	14.2	1,768	13.7	0.33	13.0	14.4
2016	170	10.3	0.90	8.7	12.3	1,757	13.5	0.33	12.8	14.2
2017	191	12.2	0.98	10.3	14.2	1,841	14.0	0.34	13.3	14.7
2018	215	12.8	0.97	11.0	14.8	1,722	13.0	0.32	12.4	13.7
2019	190	11.1	0.89	9.4	13.0	1,702	12.8	0.32	12.1	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	41,264	14.0	0.07	13.8	14.1	5,091	10.9	0.16	10.6	11.2
1990	1,035	11.3	0.36	10.6	12.0	98	7.7	0.83	6.2	9.5
1991	998	10.9	0.35	10.3	11.6	102	7.9	0.83	6.4	9.7
1992	1,050	11.4	0.35	10.7	12.1	114	9.0	0.88	7.4	10.9
1993	1,136	12.2	0.36	11.5	12.9	110	8.3	0.83	6.7	10.0
1994	1,334	14.2	0.39	13.4	15.0	140	10.7	0.94	8.9	12.6
1995	1,327	14.2	0.39	13.4	15.0	144	10.7	0.93	9.0	12.7
1996	1,277	13.5	0.38	12.8	14.3	134	9.8	0.89	8.2	11.7
1997	1,262	13.3	0.38	12.6	14.1	155	11.0	0.91	9.2	12.9
1998	1,270	13.3	0.38	12.6	14.1	147	10.4	0.88	8.7	12.2
1999	1,385	14.6	0.39	13.8	15.3	151	10.3	0.87	8.7	12.2
2000	1,394	14.6	0.39	13.8	15.4	180	12.5	0.95	10.7	14.5
2001	1,470	15.4	0.40	14.6	16.2	180	11.9	0.92	10.2	13.9
2002	1,476	15.3	0.40	14.5	16.1	171	12.0	0.95	10.3	14.0
2003	1,506	15.6	0.40	14.8	16.4	161	10.7	0.87	9.1	12.5
2004	1,466	15.1	0.40	14.3	15.9	173	11.1	0.87	9.5	12.9
2005	1,403	14.4	0.39	13.7	15.2	175	11.7	0.91	9.9	13.6
2006	1,443	14.7	0.39	14.0	15.5	186	12.1	0.91	10.4	14.0
2007	1,323	13.6	0.38	12.8	14.3	175	10.9	0.84	9.3	12.7
2008	1,458	14.8	0.40	14.0	15.6	170	10.9	0.86	9.3	12.7
2009	1,416	14.2	0.39	13.4	15.0	169	10.7	0.84	9.1	12.5
2010	1,459	14.6	0.39	13.8	15.4	206	12.3	0.88	10.6	14.1
2011	1,517	14.9	0.39	14.2	15.7	197	11.6	0.84	10.0	13.3
2012	1,515	14.9	0.40	14.2	15.7	231	13.5	0.91	11.8	15.4
2013	1,473	14.4	0.39	13.6	15.1	216	12.2	0.85	10.6	14.0
2014	1,492	14.4	0.39	13.7	15.2	197	11.2	0.81	9.6	12.9
2015	1,509	14.5	0.39	13.7	15.2	187	10.4	0.77	8.9	12.0
2016	1,458	13.8	0.38	13.1	14.6	210	11.2	0.79	9.7	12.9
2017	1,575	14.8	0.39	14.1	15.6	190	10.1	0.75	8.7	11.7
2018	1,416	13.4	0.37	12.6	14.1	214	11.4	0.79	9.9	13.0
2019	1,421	13.4	0.37	12.7	14.1	208	10.9	0.77	9.5	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,057	12.8	0.37	12.1	13.5	27,063	17.7	0.11	17.5	17.9
1990	16	4.5	1.82	1.7	9.6	615	13.8	0.58	12.7	15.0
1991	25	8.8	2.32	4.9	14.6	627	13.7	0.56	12.6	14.9
1992	33	11.6	2.76	6.8	18.3	696	15.3	0.59	14.2	16.5
1993	28	7.8	1.94	4.4	12.7	693	15.1	0.59	14.0	16.3
1994	46	11.1	2.38	7.0	16.9	827	18.4	0.66	17.2	19.8
1995	45	13.0	3.10	7.7	20.3	816	17.8	0.63	16.5	19.0
1996	40	9.1	2.50	4.9	15.2	809	17.7	0.63	16.5	19.0
1997	46	10.9	2.27	6.9	16.3	797	17.1	0.62	15.9	18.4
1998	52	12.6	2.59	8.0	18.6	802	16.9	0.60	15.7	18.1
1999	53	11.9	2.41	7.6	17.5	865	18.2	0.63	17.0	19.5
2000	55	10.8	2.21	6.9	15.9	878	18.2	0.62	17.0	19.4
2001	48	12.4	2.60	7.9	18.4	945	19.7	0.65	18.4	21.0
2002	59	16.0	2.94	10.8	22.6	963	20.0	0.65	18.7	21.3
2003	45	10.2	2.26	6.2	15.4	961	19.6	0.64	18.4	20.9
2004	49	10.7	2.19	6.9	15.7	945	19.1	0.63	17.9	20.4
2005	69	11.1	1.75	8.0	15.1	933	18.8	0.62	17.6	20.1
2006	89	19.3	2.84	14.1	25.5	959	19.1	0.62	17.9	20.3
2007	72	11.5	1.76	8.3	15.5	890	17.5	0.59	16.4	18.7
2008	86	14.7	2.15	10.8	19.5	981	18.9	0.61	17.8	20.2
2009	71	11.1	1.72	8.0	14.9	907	17.3	0.58	16.2	18.5
2010	77	11.5	1.70	8.4	15.3	1,013	19.1	0.61	17.9	20.3
2011	86	12.2	1.68	9.1	15.9	997	18.5	0.60	17.3	19.7
2012	110	16.7	1.98	13.1	21.0	1,028	18.6	0.59	17.5	19.8
2013	102	15.3	1.87	11.9	19.3	1,003	17.9	0.58	16.8	19.1
2014	99	13.0	1.56	10.2	16.4	1,011	17.8	0.57	16.7	19.0
2015	111	14.0	1.58	11.1	17.4	1,019	17.7	0.57	16.6	18.8
2016	98	12.8	1.54	9.9	16.1	1,009	17.3	0.56	16.2	18.4
2017	101	13.0	1.49	10.2	16.2	1,056	17.9	0.57	16.8	19.0
2018	127	15.4	1.58	12.5	18.8	1,016	17.0	0.55	15.9	18.1
2019	119	14.0	1.46	11.3	17.2	1,002	16.6	0.54	15.5	17.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	23,494	18.3	0.12	18.1	18.6	2,745	14.2	0.29	13.6	14.8
1990	557	14.3	0.62	13.1	15.6	53	10.6	1.67	7.6	14.3
1991	564	14.3	0.62	13.1	15.6	53	9.6	1.43	7.0	12.8
1992	617	15.7	0.64	14.5	17.0	67	12.7	1.70	9.6	16.5
1993	618	15.7	0.65	14.5	17.1	65	11.1	1.51	8.3	14.4
1994	730	18.9	0.71	17.5	20.3	82	15.3	1.90	11.9	19.5
1995	729	18.5	0.70	17.2	19.9	74	12.8	1.62	9.9	16.4
1996	713	18.1	0.69	16.8	19.5	82	15.3	1.86	11.9	19.3
1997	709	17.9	0.68	16.6	19.2	80	13.4	1.63	10.4	16.9
1998	709	17.5	0.66	16.3	18.9	77	12.9	1.57	10.0	16.3
1999	780	19.3	0.70	18.0	20.7	69	11.5	1.50	8.7	14.8
2000	760	18.6	0.68	17.3	20.0	100	16.9	1.78	13.6	20.7
2001	807	20.0	0.71	18.6	21.4	106	17.2	1.81	13.9	21.1
2002	845	20.7	0.72	19.3	22.1	91	15.8	1.80	12.5	19.7
2003	860	20.8	0.71	19.4	22.2	84	13.2	1.55	10.4	16.6
2004	831	20.0	0.70	18.6	21.4	82	12.6	1.53	9.8	16.0
2005	808	19.4	0.69	18.0	20.8	97	15.9	1.75	12.6	19.6
2006	839	19.9	0.69	18.6	21.3	105	16.3	1.69	13.1	19.9
2007	771	18.2	0.66	16.9	19.5	95	14.3	1.55	11.4	17.6
2008	847	19.6	0.68	18.3	21.0	95	14.8	1.61	11.8	18.3
2009	786	18.0	0.65	16.7	19.3	86	13.5	1.56	10.7	16.9
2010	858	19.6	0.68	18.2	20.9	120	17.2	1.68	14.1	20.8
2011	847	18.9	0.66	17.6	20.2	106	15.1	1.55	12.2	18.4
2012	874	19.2	0.66	17.9	20.6	129	18.8	1.75	15.5	22.5
2013	848	18.4	0.65	17.2	19.8	107	14.5	1.47	11.7	17.6
2014	869	18.7	0.65	17.5	20.0	102	14.0	1.45	11.3	17.1
2015	875	18.5	0.64	17.2	19.8	108	14.3	1.44	11.6	17.4
2016	851	17.8	0.63	16.6	19.1	101	12.7	1.32	10.3	15.6
2017	904	18.7	0.64	17.5	20.0	100	12.8	1.34	10.3	15.7
2018	849	17.5	0.62	16.3	18.8	115	14.4	1.40	11.8	17.4
2019	839	17.1	0.61	15.9	18.3	114	14.4	1.40	11.8	17.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,566	9.2	0.27	8.7	9.8	20,714	10.4	0.07	10.2	10.5
1990	30	10.5	2.36	6.4	16.1	526	8.7	0.38	7.9	9.5
1991	23	7.7	1.96	4.3	12.5	489	8.1	0.37	7.4	8.8
1992	25	8.1	2.07	4.6	13.1	491	8.0	0.37	7.3	8.8
1993	24	6.9	1.68	4.0	11.0	567	9.0	0.38	8.3	9.8
1994	34	10.4	2.32	6.3	15.8	675	10.8	0.42	9.9	11.6
1995	35	8.3	1.63	5.4	12.2	678	10.7	0.42	9.9	11.6
1996	30	8.7	1.96	5.3	13.3	631	9.9	0.40	9.1	10.7
1997	38	9.2	1.91	5.9	13.7	642	10.0	0.40	9.2	10.8
1998	33	7.8	1.76	4.7	11.9	647	9.9	0.40	9.2	10.7
1999	47	11.9	2.17	8.0	16.8	697	10.9	0.42	10.1	11.7
2000	48	8.3	1.53	5.6	11.9	725	11.2	0.42	10.4	12.0
2001	35	7.5	1.61	4.7	11.3	755	11.7	0.43	10.8	12.6
2002	57	10.7	1.84	7.4	14.9	725	10.9	0.41	10.1	11.8
2003	43	8.8	1.65	5.9	12.6	740	11.3	0.42	10.5	12.2
2004	59	9.8	1.66	6.8	13.6	756	11.5	0.42	10.7	12.3
2005	44	8.1	1.50	5.4	11.5	699	10.6	0.41	9.8	11.5
2006	51	9.6	1.67	6.7	13.4	706	10.5	0.41	9.8	11.4
2007	44	5.9	1.04	4.0	8.3	656	10.0	0.40	9.3	10.9
2008	59	8.9	1.37	6.4	12.0	709	10.5	0.41	9.7	11.4
2009	66	11.1	1.63	8.2	14.7	737	10.8	0.41	10.1	11.7
2010	70	10.1	1.37	7.6	13.2	718	10.3	0.40	9.6	11.1
2011	59	7.9	1.19	5.8	10.6	784	11.4	0.42	10.6	12.2
2012	62	8.6	1.25	6.3	11.4	778	11.3	0.42	10.5	12.2
2013	82	11.5	1.43	8.8	14.6	755	10.8	0.41	10.0	11.6
2014	72	8.7	1.13	6.6	11.2	740	10.5	0.40	9.7	11.3
2015	75	10.2	1.29	7.8	13.0	749	10.7	0.41	9.9	11.6
2016	72	8.3	1.07	6.3	10.7	748	10.5	0.40	9.8	11.4
2017	90	11.5	1.32	9.1	14.3	785	11.0	0.41	10.2	11.8
2018	88	10.4	1.19	8.2	12.9	706	9.9	0.39	9.1	10.7
2019	71	8.3	1.06	6.3	10.6	700	9.8	0.39	9.0	10.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	17,770	10.7	0.08	10.6	10.9	2,346	8.7	0.18	8.3	9.0
1990	478	9.1	0.43	8.3	10.0	45	6.1	0.93	4.4	8.2
1991	434	8.4	0.41	7.6	9.2	49	6.6	0.97	4.8	8.7
1992	433	8.3	0.41	7.5	9.1	47	6.5	0.96	4.7	8.6
1993	518	9.6	0.43	8.8	10.5	45	6.1	0.93	4.4	8.2
1994	604	11.2	0.46	10.3	12.1	58	7.8	1.04	5.9	10.0
1995	598	11.2	0.47	10.3	12.2	70	9.1	1.11	7.1	11.6
1996	564	10.4	0.45	9.5	11.3	52	6.4	0.91	4.7	8.4
1997	553	10.1	0.44	9.3	11.0	75	9.3	1.09	7.3	11.7
1998	561	10.1	0.44	9.3	11.0	70	8.4	1.02	6.5	10.6
1999	605	11.2	0.47	10.3	12.2	82	9.6	1.08	7.6	12.0
2000	634	11.7	0.48	10.8	12.6	80	9.4	1.07	7.5	11.7
2001	663	12.2	0.49	11.3	13.2	74	8.5	1.00	6.6	10.7
2002	631	11.3	0.46	10.4	12.3	80	9.5	1.08	7.5	11.9
2003	646	11.8	0.48	10.9	12.8	77	8.8	1.02	7.0	11.1
2004	635	11.6	0.48	10.7	12.6	91	10.1	1.07	8.1	12.5
2005	595	11.0	0.47	10.1	11.9	78	8.9	1.02	7.0	11.2
2006	604	10.8	0.46	9.9	11.8	81	9.1	1.02	7.2	11.3
2007	552	10.3	0.46	9.4	11.2	80	8.6	0.97	6.8	10.7
2008	611	11.0	0.47	10.1	12.0	75	8.3	0.96	6.5	10.4
2009	630	11.3	0.47	10.4	12.2	83	9.0	1.00	7.1	11.2
2010	601	10.5	0.45	9.7	11.5	86	8.8	0.96	7.0	10.9
2011	670	11.9	0.48	11.0	12.9	91	9.2	0.98	7.4	11.4
2012	641	11.6	0.49	10.7	12.6	102	10.1	1.02	8.2	12.3
2013	625	11.2	0.47	10.3	12.2	109	10.6	1.03	8.7	12.8
2014	623	11.0	0.47	10.1	11.9	95	9.4	0.98	7.6	11.6
2015	634	11.5	0.48	10.5	12.5	79	7.6	0.87	6.0	9.5
2016	607	10.6	0.46	9.7	11.5	109	10.2	0.99	8.3	12.3
2017	671	11.7	0.48	10.8	12.7	90	8.5	0.92	6.8	10.6
2018	567	10.0	0.45	9.2	10.9	99	9.1	0.93	7.3	11.1
2019	582	10.5	0.47	9.6	11.4	94	8.5	0.89	6.8	10.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Lymphocytic Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,365	2.4	0.07	2.3	2.6	4,350	1.4	0.02	1.4	1.4
1990	21	1.6	0.34	1.0	2.8	115	1.1	0.10	0.9	1.3
1991	19	2.0	0.54	1.1	3.6	128	1.2	0.11	1.0	1.4
1992	21	1.9	0.45	1.1	3.2	141	1.3	0.11	1.1	1.5
1993	19	1.6	0.42	0.9	2.9	150	1.4	0.11	1.2	1.6
1994	29	1.8	0.34	1.2	2.9	131	1.2	0.11	1.0	1.4
1995	36	2.7	0.53	1.8	4.1	166	1.5	0.12	1.3	1.8
1996	36	2.4	0.42	1.6	3.6	130	1.2	0.10	1.0	1.4
1997	37	2.3	0.42	1.6	3.5	147	1.4	0.11	1.1	1.6
1998	24	1.4	0.29	0.8	2.3	141	1.3	0.11	1.1	1.5
1999	32	1.9	0.37	1.3	3.0	144	1.3	0.11	1.1	1.6
2000	43	2.3	0.40	1.6	3.4	130	1.2	0.11	1.0	1.4
2001	28	2.2	0.67	1.1	3.9	160	1.5	0.12	1.3	1.8
2002	41	2.1	0.37	1.5	3.1	148	1.4	0.11	1.2	1.6
2003	34	1.6	0.29	1.1	2.4	159	1.5	0.12	1.3	1.8
2004	39	1.6	0.26	1.1	2.4	150	1.4	0.12	1.2	1.7
2005	45	1.9	0.30	1.4	2.7	154	1.5	0.12	1.3	1.7
2006	57	2.8	0.47	1.9	3.9	149	1.5	0.12	1.2	1.7
2007	55	2.7	0.43	1.9	3.8	133	1.3	0.11	1.1	1.6
2008	63	3.1	0.46	2.2	4.2	154	1.5	0.12	1.3	1.8
2009	48	2.1	0.32	1.5	2.9	142	1.4	0.12	1.2	1.7
2010	56	2.5	0.37	1.8	3.3	141	1.4	0.12	1.2	1.6
2011	56	2.4	0.37	1.8	3.3	148	1.5	0.12	1.2	1.7
2012	69	3.1	0.43	2.3	4.1	148	1.5	0.12	1.2	1.7
2013	61	2.6	0.36	2.0	3.5	147	1.5	0.12	1.2	1.7
2014	57	2.4	0.35	1.8	3.2	141	1.4	0.12	1.2	1.6
2015	64	2.6	0.34	2.0	3.4	149	1.4	0.12	1.2	1.7
2016	59	2.3	0.30	1.7	3.0	148	1.5	0.12	1.2	1.7
2017	65	2.9	0.39	2.2	3.8	159	1.5	0.13	1.3	1.8
2018	74	3.2	0.39	2.5	4.1	152	1.6	0.13	1.3	1.8
2019	77	3.5	0.43	2.7	4.5	145	1.5	0.13	1.2	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Lymphocytic Leukemia										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,561	1.5	0.03	1.5	1.6	533	0.9	0.04	0.9	1.0
1990	103	1.2	0.12	1.0	1.5	12	0.9	0.27	0.4	1.6
1991	104	1.2	0.12	1.0	1.5	18	1.0	0.25	0.6	1.6
1992	110	1.3	0.12	1.1	1.6	24	1.5	0.33	0.9	2.3
1993	128	1.5	0.13	1.3	1.8	18	1.0	0.25	0.6	1.7
1994	106	1.2	0.12	1.0	1.5	15	0.7	0.21	0.4	1.3
1995	147	1.8	0.15	1.5	2.1	14	0.6	0.17	0.3	1.1
1996	106	1.3	0.12	1.0	1.5	20	1.0	0.24	0.6	1.6
1997	121	1.5	0.13	1.2	1.7	20	1.0	0.24	0.6	1.6
1998	120	1.5	0.13	1.2	1.7	12	0.7	0.20	0.3	1.2
1999	124	1.5	0.14	1.3	1.8	17	0.8	0.20	0.5	1.3
2000	113	1.4	0.13	1.1	1.7	13	0.7	0.21	0.4	1.3
2001	123	1.5	0.14	1.3	1.8	30	1.5	0.29	1.0	2.2
2002	127	1.6	0.14	1.3	1.9	14	0.7	0.19	0.4	1.2
2003	134	1.7	0.15	1.4	2.0	19	0.9	0.21	0.5	1.4
2004	116	1.5	0.14	1.2	1.8	24	1.3	0.27	0.8	2.0
2005	132	1.7	0.15	1.4	2.0	15	0.7	0.19	0.4	1.2
2006	119	1.6	0.15	1.3	1.9	20	1.1	0.25	0.7	1.7
2007	103	1.3	0.13	1.1	1.6	21	1.1	0.25	0.7	1.7
2008	130	1.7	0.15	1.4	2.1	12	0.6	0.18	0.3	1.1
2009	115	1.5	0.15	1.3	1.9	18	1.0	0.23	0.6	1.5
2010	111	1.5	0.14	1.2	1.8	20	1.0	0.22	0.6	1.5
2011	118	1.6	0.15	1.3	1.9	18	0.9	0.22	0.5	1.5
2012	122	1.6	0.15	1.3	1.9	19	1.1	0.26	0.7	1.7
2013	119	1.6	0.15	1.3	1.9	17	0.9	0.23	0.5	1.5
2014	123	1.7	0.15	1.4	2.0	11	0.6	0.17	0.3	1.0
2015	122	1.6	0.15	1.3	1.9	16	0.8	0.20	0.5	1.3
2016	107	1.4	0.14	1.2	1.7	25	1.3	0.27	0.9	2.0
2017	122	1.6	0.15	1.3	1.9	21	1.0	0.23	0.6	1.6
2018	120	1.7	0.16	1.4	2.0	12	0.6	0.18	0.3	1.1
2019	116	1.6	0.16	1.3	2.0	18	1.1	0.26	0.6	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Lymphocytic Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	787	2.6	0.11	2.4	2.9	2,435	1.6	0.03	1.5	1.7
1990	7	1.0	0.37	0.4	3.5	57	1.1	0.15	0.8	1.5
1991	8	1.5	0.58	0.6	4.2	80	1.6	0.18	1.2	1.9
1992	7	0.9	0.35	0.4	3.3	80	1.6	0.18	1.2	1.9
1993	10	1.9	0.72	0.8	4.6	87	1.7	0.19	1.4	2.1
1994	18	2.2	0.53	1.3	4.5	76	1.5	0.17	1.2	1.8
1995	22	2.7	0.62	1.6	5.0	91	1.7	0.18	1.4	2.1
1996	27	3.3	0.68	2.2	5.7	66	1.2	0.15	1.0	1.6
1997	20	2.2	0.50	1.3	4.2	89	1.7	0.18	1.4	2.1
1998	14	1.4	0.38	0.8	3.2	84	1.7	0.18	1.3	2.0
1999	23	2.6	0.60	1.6	4.6	80	1.5	0.17	1.2	1.9
2000	20	1.8	0.41	1.1	3.5	56	1.1	0.14	0.8	1.4
2001	18	3.8	1.54	1.4	7.8	93	1.8	0.19	1.5	2.2
2002	21	2.2	0.56	1.3	4.0	93	1.8	0.19	1.5	2.2
2003	19	1.5	0.35	0.9	2.9	83	1.6	0.18	1.3	2.0
2004	14	1.1	0.29	0.6	2.4	78	1.5	0.18	1.2	1.9
2005	28	2.5	0.49	1.6	4.0	80	1.6	0.18	1.2	2.0
2006	37	3.0	0.51	2.1	4.5	84	1.7	0.18	1.3	2.1
2007	33	3.5	0.79	2.1	5.6	69	1.4	0.17	1.1	1.7
2008	38	3.4	0.60	2.3	5.0	94	1.8	0.19	1.5	2.3
2009	30	2.5	0.50	1.6	3.9	78	1.6	0.18	1.3	2.0
2010	33	2.6	0.48	1.8	3.9	90	1.8	0.19	1.5	2.2
2011	35	2.7	0.47	1.8	4.0	79	1.6	0.18	1.3	2.0
2012	36	2.8	0.47	1.9	4.0	82	1.7	0.19	1.3	2.1
2013	32	2.5	0.45	1.7	3.7	83	1.7	0.19	1.3	2.1
2014	34	2.7	0.48	1.9	4.0	85	1.7	0.19	1.3	2.1
2015	40	3.1	0.50	2.2	4.4	79	1.6	0.18	1.2	1.9
2016	36	2.7	0.45	1.9	3.8	92	1.8	0.20	1.5	2.3
2017	35	3.2	0.60	2.1	4.6	91	1.8	0.20	1.5	2.3
2018	43	3.4	0.52	2.5	4.7	86	1.8	0.20	1.5	2.3
2019	49	4.4	0.69	3.2	6.0	70	1.5	0.18	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Lymphocytic Leukemia										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,998	1.7	0.04	1.7	1.8	297	1.1	0.06	0.9	1.2
1990	52	1.3	0.18	0.9	1.7	5	0.8	0.43	0.2	2.1
1991	65	1.6	0.20	1.2	2.0	11	1.2	0.39	0.6	2.4
1992	60	1.5	0.19	1.1	1.9	16	2.1	0.62	1.1	3.7
1993	77	1.9	0.22	1.5	2.4	8	0.9	0.32	0.4	1.9
1994	59	1.5	0.19	1.1	1.9	11	1.0	0.32	0.5	2.0
1995	78	1.9	0.22	1.5	2.4	11	0.9	0.29	0.5	1.9
1996	54	1.3	0.18	1.0	1.7	9	0.9	0.30	0.4	1.8
1997	74	1.9	0.22	1.5	2.3	13	1.3	0.36	0.7	2.3
1998	74	1.9	0.22	1.5	2.4	5	0.6	0.28	0.2	1.5
1999	70	1.7	0.21	1.4	2.2	8	0.6	0.23	0.3	1.4
2000	47	1.2	0.17	0.9	1.6	7	0.8	0.31	0.3	1.7
2001	73	1.9	0.22	1.5	2.4	16	1.8	0.50	1.0	3.1
2002	78	2.0	0.22	1.6	2.5	11	1.3	0.38	0.6	2.3
2003	71	1.8	0.21	1.4	2.3	9	0.9	0.29	0.4	1.8
2004	59	1.5	0.20	1.2	2.0	16	2.2	0.65	1.1	3.8
2005	69	1.8	0.21	1.4	2.2	8	0.7	0.26	0.3	1.6
2006	70	1.9	0.23	1.5	2.4	11	1.2	0.38	0.6	2.3
2007	55	1.5	0.20	1.1	1.9	10	1.0	0.33	0.5	2.0
2008	81	2.1	0.24	1.7	2.6	5	0.5	0.25	0.2	1.4
2009	64	1.7	0.22	1.3	2.2	9	0.9	0.31	0.4	1.8
2010	70	1.9	0.23	1.5	2.4	13	1.3	0.36	0.7	2.3
2011	61	1.7	0.22	1.3	2.1	10	1.0	0.33	0.5	1.9
2012	67	1.8	0.22	1.4	2.3	12	1.4	0.40	0.7	2.4
2013	64	1.7	0.22	1.3	2.2	10	1.2	0.40	0.6	2.3
2014	72	1.9	0.23	1.5	2.5	7	0.8	0.33	0.3	1.8
2015	65	1.7	0.22	1.3	2.2	11	1.1	0.34	0.6	2.1
2016	74	2.0	0.24	1.5	2.5	10	1.1	0.37	0.5	2.1
2017	68	1.9	0.23	1.4	2.4	11	1.1	0.35	0.6	2.1
2018	70	2.0	0.25	1.6	2.6	7	0.7	0.28	0.3	1.6
2019	57	1.7	0.23	1.3	2.2	7	0.9	0.35	0.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Lymphocytic Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	578	2.2	0.10	2.0	2.4	1,915	1.2	0.03	1.1	1.3
1990	14	2.2	0.59	1.2	4.3	58	1.0	0.14	0.8	1.3
1991	11	2.6	0.89	1.1	5.2	48	0.9	0.13	0.7	1.2
1992	14	2.9	0.86	1.5	5.5	61	1.1	0.14	0.8	1.4
1993	9	1.3	0.46	0.6	3.1	63	1.1	0.14	0.9	1.5
1994	11	1.4	0.42	0.7	3.1	55	1.0	0.13	0.7	1.3
1995	14	2.7	0.84	1.3	5.1	75	1.4	0.16	1.1	1.7
1996	9	1.3	0.48	0.5	3.0	64	1.2	0.14	0.9	1.5
1997	17	2.5	0.67	1.3	4.5	58	1.1	0.14	0.8	1.4
1998	10	1.3	0.45	0.6	2.9	57	1.0	0.14	0.8	1.3
1999	9	1.2	0.42	0.5	2.7	64	1.2	0.15	0.9	1.5
2000	23	2.8	0.67	1.7	4.7	74	1.3	0.16	1.0	1.7
2001	10	1.1	0.35	0.5	2.4	67	1.2	0.15	1.0	1.6
2002	20	2.0	0.49	1.2	3.5	55	1.0	0.14	0.8	1.3
2003	15	1.6	0.46	0.9	3.0	76	1.5	0.17	1.1	1.8
2004	25	2.2	0.45	1.4	3.5	72	1.4	0.16	1.1	1.7
2005	17	1.3	0.33	0.8	2.4	74	1.4	0.16	1.1	1.7
2006	20	2.3	0.68	1.2	4.1	65	1.2	0.15	0.9	1.6
2007	22	2.0	0.45	1.2	3.3	64	1.3	0.16	1.0	1.6
2008	25	2.7	0.65	1.6	4.3	60	1.2	0.16	0.9	1.5
2009	18	1.7	0.41	0.9	2.8	64	1.2	0.16	1.0	1.6
2010	23	2.2	0.54	1.3	3.6	51	1.0	0.14	0.7	1.3
2011	21	2.1	0.53	1.2	3.5	69	1.3	0.16	1.0	1.7
2012	33	3.3	0.68	2.2	5.0	66	1.3	0.16	1.0	1.6
2013	29	2.7	0.55	1.7	4.1	64	1.3	0.16	1.0	1.6
2014	23	2.0	0.46	1.2	3.2	56	1.1	0.15	0.8	1.4
2015	24	2.1	0.45	1.3	3.3	70	1.3	0.16	1.0	1.7
2016	23	1.9	0.40	1.2	2.9	56	1.1	0.15	0.8	1.5
2017	30	2.7	0.53	1.8	4.0	68	1.2	0.16	1.0	1.6
2018	31	2.9	0.55	1.9	4.2	66	1.3	0.17	1.0	1.7
2019	28	2.6	0.52	1.7	3.8	75	1.5	0.18	1.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Lymphocytic Leukemia										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,563	1.3	0.03	1.2	1.4	236	0.8	0.05	0.7	0.9
1990	51	1.1	0.16	0.8	1.5	7	1.0	0.37	0.4	2.0
1991	39	0.9	0.15	0.7	1.3	7	0.8	0.30	0.3	1.6
1992	50	1.1	0.16	0.8	1.5	8	1.0	0.36	0.4	2.0
1993	51	1.2	0.17	0.9	1.6	10	1.1	0.36	0.5	2.1
1994	47	1.1	0.16	0.8	1.4	4	0.4	0.23	0.1	1.2
1995	69	1.6	0.20	1.3	2.1	3	0.3	0.18	0.1	0.9
1996	52	1.2	0.17	0.9	1.6	11	1.1	0.35	0.6	2.1
1997	47	1.1	0.17	0.8	1.5	7	0.8	0.29	0.3	1.6
1998	46	1.1	0.16	0.8	1.5	7	0.7	0.26	0.3	1.4
1999	54	1.3	0.18	1.0	1.7	9	0.9	0.31	0.4	1.8
2000	66	1.6	0.20	1.2	2.0	6	0.6	0.26	0.2	1.4
2001	50	1.2	0.17	0.9	1.6	14	1.3	0.36	0.7	2.3
2002	49	1.2	0.17	0.9	1.6	3	0.3	0.16	0.1	0.8
2003	63	1.6	0.21	1.2	2.1	10	0.9	0.30	0.5	1.8
2004	57	1.5	0.20	1.1	1.9	8	0.8	0.27	0.3	1.5
2005	63	1.6	0.20	1.2	2.0	7	0.7	0.25	0.3	1.4
2006	49	1.2	0.18	0.9	1.6	9	0.9	0.31	0.4	1.8
2007	48	1.3	0.19	0.9	1.7	11	1.1	0.35	0.6	2.1
2008	49	1.3	0.20	1.0	1.8	7	0.7	0.27	0.3	1.5
2009	51	1.3	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8
2010	41	1.0	0.17	0.7	1.4	7	0.7	0.25	0.3	1.4
2011	57	1.5	0.20	1.1	1.9	8	0.8	0.28	0.3	1.6
2012	55	1.5	0.20	1.1	1.9	7	0.8	0.29	0.3	1.6
2013	55	1.5	0.21	1.1	1.9	7	0.7	0.28	0.3	1.5
2014	51	1.4	0.20	1.0	1.8	4	0.4	0.18	0.1	1.0
2015	57	1.5	0.21	1.1	1.9	5	0.5	0.22	0.2	1.1
2016	33	0.9	0.16	0.6	1.2	15	1.6	0.41	0.9	2.6
2017	54	1.4	0.20	1.0	1.8	10	0.9	0.29	0.4	1.7
2018	50	1.4	0.21	1.0	1.9	5	0.5	0.24	0.2	1.2
2019	59	1.5	0.22	1.2	2.0	11	1.2	0.37	0.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Lymphocytic Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	356	1.8	0.10	1.6	2.0	16,364	4.5	0.04	4.4	4.5
1990	4	1.4	0.75	0.4	3.6	369	3.5	0.18	3.1	3.9
1991	6	2.0	0.88	0.7	4.4	380	3.6	0.18	3.2	3.9
1992	7	3.0	1.24	1.1	6.1	419	3.9	0.19	3.5	4.3
1993	7	1.9	0.80	0.7	4.1	400	3.7	0.18	3.3	4.0
1994	2	0.6	0.48	0.0	2.1	531	4.9	0.21	4.5	5.3
1995	2	0.4	0.31	0.0	1.6	461	4.2	0.20	3.8	4.6
1996	7	2.6	1.04	1.0	5.2	453	4.1	0.19	3.7	4.5
1997	5	1.4	0.71	0.4	3.4	437	3.9	0.19	3.5	4.3
1998	7	1.3	0.55	0.5	2.9	463	4.1	0.19	3.7	4.5
1999	9	2.3	0.85	0.9	4.4	485	4.3	0.19	3.9	4.7
2000	8	1.4	0.52	0.6	2.8	508	4.5	0.20	4.1	4.9
2001	5	0.6	0.26	0.2	1.4	587	5.1	0.21	4.7	5.5
2002	8	1.2	0.45	0.5	2.5	624	5.4	0.21	4.9	5.8
2003	11	2.6	0.86	1.2	4.7	623	5.3	0.21	4.9	5.7
2004	9	1.6	0.56	0.7	3.0	617	5.2	0.21	4.8	5.6
2005	11	1.9	0.59	0.9	3.4	579	4.9	0.20	4.5	5.3
2006	15	3.1	0.85	1.7	5.1	634	5.3	0.21	4.9	5.7
2007	14	1.8	0.52	0.9	3.1	532	4.4	0.19	4.0	4.7
2008	15	2.0	0.55	1.1	3.3	661	5.4	0.21	5.0	5.8
2009	15	2.0	0.57	1.0	3.3	600	4.8	0.20	4.4	5.2
2010	9	1.1	0.38	0.5	2.1	584	4.6	0.19	4.2	4.9
2011	11	1.4	0.44	0.6	2.5	571	4.4	0.19	4.0	4.8
2012	14	1.7	0.48	0.9	2.8	640	4.9	0.20	4.5	5.3
2013	20	2.4	0.56	1.4	3.7	588	4.4	0.19	4.1	4.8
2014	18	1.9	0.47	1.1	3.0	574	4.2	0.18	3.9	4.6
2015	23	1.9	0.41	1.1	2.8	620	4.5	0.18	4.1	4.8
2016	22	2.3	0.51	1.4	3.5	627	4.4	0.18	4.1	4.8
2017	22	2.0	0.44	1.2	3.0	637	4.5	0.18	4.2	4.9
2018	29	2.2	0.44	1.4	3.2	586	4.1	0.17	3.8	4.5
2019	21	1.8	0.41	1.1	2.7	574	4.0	0.17	3.6	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Lymphocytic Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	14,435	4.7	0.04	4.6	4.7	1,584	3.6	0.09	3.4	3.7
1990	340	3.7	0.20	3.3	4.1	28	2.7	0.52	1.8	3.9
1991	344	3.6	0.20	3.3	4.1	36	3.2	0.55	2.2	4.4
1992	380	4.0	0.21	3.6	4.4	38	3.4	0.56	2.4	4.7
1993	367	3.8	0.20	3.4	4.2	33	2.8	0.50	1.9	3.9
1994	480	5.0	0.23	4.6	5.5	46	3.8	0.57	2.8	5.1
1995	418	4.4	0.21	4.0	4.8	38	3.1	0.52	2.2	4.3
1996	418	4.3	0.21	3.9	4.8	34	2.8	0.49	1.9	3.9
1997	397	4.1	0.21	3.7	4.5	37	2.9	0.48	2.0	3.9
1998	416	4.3	0.21	3.9	4.7	41	3.1	0.49	2.2	4.2
1999	447	4.6	0.22	4.2	5.0	33	2.4	0.42	1.6	3.3
2000	425	4.3	0.21	3.9	4.8	77	5.6	0.65	4.4	7.0
2001	515	5.2	0.23	4.8	5.7	56	4.1	0.56	3.1	5.3
2002	552	5.5	0.24	5.1	6.0	64	4.8	0.61	3.7	6.1
2003	573	5.7	0.24	5.3	6.2	45	3.1	0.48	2.3	4.2
2004	549	5.4	0.23	5.0	5.9	48	3.1	0.46	2.3	4.1
2005	505	5.0	0.22	4.6	5.5	60	4.2	0.55	3.2	5.4
2006	560	5.5	0.23	5.0	5.9	68	4.5	0.56	3.5	5.8
2007	467	4.5	0.21	4.1	5.0	56	3.7	0.50	2.8	4.8
2008	579	5.6	0.23	5.1	6.0	68	4.6	0.56	3.5	5.8
2009	531	5.0	0.22	4.6	5.5	51	3.3	0.46	2.4	4.3
2010	499	4.7	0.21	4.2	5.1	64	4.0	0.52	3.1	5.2
2011	504	4.7	0.21	4.3	5.1	56	3.4	0.47	2.6	4.5
2012	548	5.1	0.22	4.7	5.5	70	4.0	0.49	3.1	5.1
2013	502	4.5	0.21	4.2	5.0	67	3.8	0.48	2.9	4.9
2014	487	4.4	0.20	4.0	4.8	69	3.9	0.48	3.0	5.0
2015	528	4.6	0.21	4.2	5.1	62	3.5	0.46	2.7	4.5
2016	537	4.6	0.20	4.2	5.0	66	3.6	0.45	2.8	4.6
2017	576	5.0	0.21	4.6	5.4	42	2.2	0.35	1.6	3.0
2018	493	4.3	0.20	3.9	4.7	70	3.8	0.46	3.0	4.8
2019	498	4.3	0.20	3.9	4.7	61	3.1	0.40	2.3	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Lymphocytic Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	201	2.2	0.17	1.9	2.6	9,703	6.3	0.06	6.1	6.4
1990	1	0.6	0.57	0.0	3.6	217	5.0	0.35	4.3	5.7
1991	3	1.9	1.13	0.3	5.6	224	5.0	0.34	4.4	5.7
1992	4	4.2	2.24	1.0	10.3	248	5.6	0.36	4.9	6.4
1993	4	2.4	1.39	0.5	6.5	207	4.5	0.32	3.9	5.2
1994	1	1.2	1.18	0.0	5.1	311	7.2	0.42	6.4	8.0
1995	2	0.9	0.67	0.1	3.5	258	5.8	0.37	5.1	6.6
1996	1	1.6	1.57	0.0	6.3	270	6.0	0.38	5.3	6.8
1997	3	2.1	1.44	0.3	6.3	259	5.6	0.36	5.0	6.4
1998	4	1.6	0.98	0.3	4.7	263	5.5	0.34	4.9	6.3
1999	5	3.0	1.60	0.7	7.3	279	5.9	0.36	5.3	6.7
2000	5	1.8	0.85	0.6	4.4	308	6.4	0.37	5.7	7.1
2001	4	0.9	0.47	0.2	2.8	314	6.6	0.38	5.9	7.4
2002	5	1.5	0.72	0.5	3.7	345	7.2	0.39	6.5	8.0
2003	7	4.1	1.82	1.3	8.7	374	7.6	0.40	6.9	8.4
2004	3	1.5	0.89	0.3	4.1	360	7.3	0.39	6.5	8.1
2005	3	1.1	0.66	0.2	3.1	346	7.0	0.38	6.2	7.7
2006	10	4.8	1.68	2.1	8.9	379	7.5	0.39	6.7	8.3
2007	11	3.2	1.07	1.5	5.9	330	6.4	0.36	5.8	7.2
2008	9	2.7	0.99	1.1	5.2	406	7.7	0.39	7.0	8.5
2009	10	2.4	0.90	0.9	4.7	357	6.6	0.35	5.9	7.3
2010	6	1.7	0.72	0.6	3.6	375	6.8	0.36	6.2	7.6
2011	6	1.5	0.65	0.5	3.2	346	6.2	0.34	5.6	6.9
2012	9	2.4	0.85	1.0	4.5	393	6.9	0.35	6.2	7.6
2013	9	2.1	0.77	0.9	4.1	366	6.3	0.34	5.6	7.0
2014	13	2.3	0.72	1.2	4.1	355	5.9	0.32	5.3	6.6
2015	15	2.3	0.62	1.2	3.8	369	6.1	0.33	5.5	6.8
2016	12	2.7	0.85	1.3	4.8	367	5.9	0.32	5.3	6.5
2017	9	1.7	0.60	0.7	3.2	370	6.0	0.32	5.4	6.6
2018	17	2.9	0.78	1.6	4.8	350	5.6	0.30	5.0	6.2
2019	10	1.9	0.65	0.9	3.6	357	5.6	0.30	5.0	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Lymphocytic Leukemia										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	8,559	6.5	0.07	6.4	6.6	938	5.2	0.18	4.9	5.6
1990	200	5.2	0.37	4.4	5.9	17	4.6	1.19	2.6	7.4
1991	199	5.1	0.36	4.4	5.8	25	5.0	1.05	3.1	7.5
1992	226	5.8	0.39	5.1	6.7	22	4.8	1.05	2.9	7.2
1993	185	4.7	0.35	4.0	5.4	22	4.3	0.95	2.6	6.6
1994	282	7.4	0.45	6.5	8.3	26	5.9	1.25	3.7	8.7
1995	232	6.0	0.40	5.2	6.8	23	4.7	1.04	2.9	7.2
1996	246	6.3	0.41	5.5	7.1	23	4.7	1.06	2.9	7.2
1997	235	5.9	0.39	5.2	6.7	23	4.3	0.93	2.7	6.5
1998	233	5.7	0.37	5.0	6.5	27	4.7	0.94	3.1	6.9
1999	261	6.4	0.40	5.7	7.3	16	2.8	0.74	1.6	4.6
2000	256	6.2	0.39	5.5	7.0	48	8.5	1.26	6.2	11.3
2001	271	6.6	0.40	5.9	7.5	37	6.9	1.22	4.7	9.7
2002	307	7.5	0.43	6.6	8.3	32	6.0	1.14	3.9	8.6
2003	347	8.3	0.45	7.4	9.2	25	4.2	0.90	2.6	6.3
2004	321	7.6	0.43	6.8	8.5	27	4.3	0.87	2.8	6.3
2005	304	7.2	0.42	6.4	8.0	36	6.3	1.12	4.3	8.8
2006	335	7.8	0.43	7.0	8.7	40	6.3	1.03	4.4	8.6
2007	293	6.7	0.40	6.0	7.6	33	5.1	0.93	3.4	7.2
2008	354	7.9	0.43	7.1	8.8	42	7.0	1.13	5.0	9.5
2009	320	7.0	0.40	6.3	7.8	26	4.1	0.85	2.6	6.1
2010	318	6.9	0.39	6.1	7.7	43	6.9	1.12	4.9	9.4
2011	306	6.5	0.38	5.8	7.3	33	5.2	0.96	3.5	7.4
2012	339	7.1	0.39	6.4	8.0	40	5.9	0.99	4.1	8.1
2013	322	6.6	0.37	5.9	7.4	33	4.4	0.80	3.0	6.3
2014	301	6.1	0.36	5.4	6.8	41	5.5	0.90	3.9	7.6
2015	317	6.3	0.36	5.6	7.1	38	5.3	0.89	3.7	7.3
2016	317	6.1	0.35	5.4	6.8	33	4.4	0.80	3.0	6.2
2017	334	6.5	0.37	5.8	7.3	25	3.3	0.70	2.1	5.0
2018	295	5.7	0.34	5.0	6.4	39	5.3	0.88	3.7	7.3
2019	303	5.8	0.34	5.1	6.5	43	5.7	0.91	4.1	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Lymphocytic Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	155	1.5	0.13	1.3	1.8	6,661	3.1	0.04	3.1	3.2
1990	3	2.0	1.18	0.4	5.5	152	2.5	0.20	2.1	2.9
1991	3	2.0	1.19	0.4	5.5	156	2.4	0.19	2.0	2.8
1992	3	2.1	1.37	0.3	6.0	171	2.6	0.20	2.3	3.1
1993	3	1.6	0.96	0.3	4.5	193	2.9	0.21	2.5	3.4
1994	1	0.3	0.26	0.0	1.9	220	3.4	0.23	2.9	3.9
1995	0					203	3.1	0.22	2.7	3.6
1996	6	3.6	1.50	1.3	7.5	183	2.8	0.21	2.4	3.2
1997	2	1.0	0.74	0.1	3.4	178	2.6	0.20	2.2	3.0
1998	3	1.1	0.65	0.2	3.2	200	2.9	0.21	2.5	3.4
1999	4	1.8	0.98	0.4	4.6	206	3.1	0.22	2.7	3.6
2000	3	1.0	0.61	0.2	3.0	200	3.0	0.21	2.6	3.4
2001	1	0.2	0.20	0.0	1.4	273	4.0	0.25	3.6	4.5
2002	3	1.0	0.56	0.2	2.7	279	4.0	0.24	3.5	4.5
2003	4	1.6	0.85	0.4	4.0	249	3.6	0.23	3.2	4.1
2004	6	1.7	0.74	0.6	3.7	257	3.7	0.23	3.3	4.2
2005	8	2.6	0.92	1.1	4.9	233	3.4	0.22	2.9	3.8
2006	5	1.9	0.86	0.6	4.1	255	3.6	0.23	3.2	4.1
2007	3	0.6	0.38	0.1	1.9	202	2.8	0.20	2.4	3.3
2008	6	1.4	0.62	0.5	3.1	255	3.5	0.23	3.1	4.0
2009	5	1.5	0.72	0.5	3.4	243	3.3	0.22	2.9	3.7
2010	3	0.6	0.37	0.1	1.7	209	2.8	0.20	2.5	3.3
2011	5	1.2	0.57	0.4	2.8	225	3.0	0.21	2.6	3.5
2012	5	1.1	0.53	0.3	2.5	247	3.3	0.22	2.9	3.8
2013	11	2.5	0.78	1.3	4.4	222	3.0	0.21	2.6	3.5
2014	5	1.3	0.58	0.4	2.8	219	2.9	0.20	2.5	3.3
2015	8	1.4	0.53	0.6	2.8	251	3.2	0.21	2.8	3.7
2016	10	1.9	0.62	0.9	3.4	260	3.3	0.21	2.9	3.8
2017	13	2.2	0.63	1.1	3.7	267	3.4	0.21	3.0	3.8
2018	12	1.6	0.49	0.8	2.9	236	3.0	0.20	2.6	3.4
2019	11	1.7	0.52	0.8	3.0	217	2.7	0.19	2.3	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Lymphocytic Leukemia										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,876	3.3	0.04	3.2	3.4	646	2.5	0.10	2.3	2.7
1990	140	2.6	0.23	2.2	3.1	11	1.6	0.50	0.8	2.9
1991	145	2.5	0.21	2.1	3.0	11	1.8	0.55	0.9	3.2
1992	154	2.7	0.22	2.3	3.2	16	2.4	0.61	1.4	3.9
1993	182	3.1	0.24	2.7	3.6	11	1.6	0.50	0.8	2.9
1994	198	3.4	0.25	2.9	3.9	20	2.8	0.62	1.7	4.2
1995	186	3.3	0.25	2.8	3.8	15	2.1	0.54	1.2	3.4
1996	172	3.0	0.24	2.6	3.5	11	1.5	0.47	0.8	2.7
1997	162	2.7	0.21	2.3	3.1	14	1.8	0.49	1.0	3.0
1998	183	3.1	0.23	2.6	3.6	14	1.8	0.50	1.0	3.1
1999	186	3.3	0.25	2.8	3.8	17	2.1	0.50	1.2	3.3
2000	169	2.9	0.23	2.5	3.4	29	3.7	0.68	2.4	5.2
2001	244	4.2	0.27	3.7	4.8	19	2.3	0.53	1.4	3.6
2002	245	4.1	0.27	3.6	4.7	32	4.0	0.71	2.7	5.6
2003	226	3.8	0.26	3.3	4.4	20	2.4	0.54	1.5	3.7
2004	228	3.8	0.26	3.4	4.4	21	2.4	0.52	1.5	3.6
2005	201	3.4	0.24	2.9	3.9	24	2.9	0.60	1.9	4.3
2006	225	3.7	0.26	3.3	4.3	28	3.3	0.62	2.2	4.7
2007	174	2.9	0.22	2.5	3.4	23	2.6	0.55	1.7	3.9
2008	225	3.7	0.25	3.3	4.3	26	2.9	0.58	1.9	4.3
2009	211	3.4	0.24	2.9	3.9	25	2.7	0.55	1.8	4.0
2010	181	2.9	0.22	2.5	3.4	21	2.3	0.50	1.4	3.5
2011	198	3.2	0.23	2.8	3.7	23	2.4	0.50	1.5	3.6
2012	209	3.5	0.25	3.0	4.0	30	2.9	0.53	1.9	4.1
2013	180	3.0	0.23	2.5	3.5	34	3.4	0.59	2.3	4.7
2014	186	3.0	0.23	2.6	3.5	28	2.7	0.52	1.8	4.0
2015	211	3.3	0.24	2.9	3.8	24	2.4	0.49	1.5	3.5
2016	220	3.4	0.24	3.0	4.0	33	3.1	0.54	2.1	4.3
2017	242	3.7	0.25	3.3	4.3	17	1.5	0.38	0.9	2.5
2018	198	3.1	0.22	2.7	3.6	31	2.8	0.51	1.9	4.0
2019	195	3.1	0.23	2.6	3.6	18	1.4	0.34	0.8	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Myeloid Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,061	3.7	0.14	3.5	4.0	14,613	4.1	0.03	4.0	4.2
1990	10	1.9	0.77	0.7	4.0	323	3.0	0.17	2.7	3.4
1991	10	1.6	0.66	0.6	3.5	296	2.8	0.16	2.5	3.1
1992	21	3.3	0.89	1.8	5.6	319	2.9	0.17	2.6	3.3
1993	13	1.3	0.40	0.6	2.6	341	3.1	0.17	2.8	3.5
1994	26	4.0	1.02	2.3	6.5	397	3.6	0.18	3.3	4.0
1995	23	3.0	0.78	1.7	5.0	410	3.7	0.18	3.4	4.1
1996	19	3.0	0.91	1.5	5.3	419	3.8	0.18	3.4	4.2
1997	13	1.9	0.59	0.9	3.5	460	4.1	0.19	3.8	4.5
1998	29	3.1	0.76	1.8	5.0	414	3.7	0.18	3.3	4.1
1999	31	4.2	1.04	2.4	6.7	453	4.0	0.19	3.7	4.4
2000	30	3.3	0.86	1.8	5.3	502	4.4	0.20	4.1	4.8
2001	24	3.0	0.77	1.7	4.8	526	4.6	0.20	4.2	5.0
2002	39	5.1	1.01	3.3	7.4	486	4.2	0.19	3.9	4.6
2003	22	2.2	0.57	1.3	3.7	471	4.1	0.19	3.7	4.5
2004	38	4.4	0.96	2.8	6.6	494	4.3	0.19	3.9	4.7
2005	31	2.9	0.61	1.9	4.4	484	4.2	0.19	3.8	4.6
2006	41	4.6	0.89	3.1	6.6	473	4.0	0.19	3.7	4.4
2007	30	2.6	0.57	1.6	4.0	477	4.1	0.19	3.7	4.5
2008	28	3.0	0.68	1.8	4.6	482	4.1	0.19	3.7	4.4
2009	43	3.9	0.74	2.6	5.6	513	4.2	0.19	3.8	4.6
2010	49	4.5	0.75	3.2	6.2	582	4.8	0.20	4.4	5.2
2011	38	3.4	0.64	2.3	4.9	574	4.6	0.20	4.3	5.1
2012	56	5.2	0.78	3.7	6.9	592	4.7	0.20	4.3	5.1
2013	63	5.0	0.72	3.7	6.6	625	4.9	0.20	4.5	5.3
2014	56	3.9	0.58	2.8	5.2	585	4.5	0.19	4.2	4.9
2015	50	3.8	0.60	2.7	5.1	599	4.7	0.20	4.3	5.1
2016	53	3.6	0.55	2.6	4.9	553	4.4	0.19	4.0	4.7
2017	63	4.6	0.64	3.4	6.0	603	4.6	0.19	4.2	5.0
2018	60	4.2	0.60	3.1	5.5	594	4.3	0.18	4.0	4.7
2019	52	3.4	0.51	2.5	4.6	566	4.2	0.18	3.8	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Myeloid Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	12,622	4.3	0.04	4.2	4.3	1,558	3.3	0.09	3.2	3.5
1990	293	3.2	0.19	2.8	3.6	27	1.9	0.39	1.2	2.8
1991	267	2.9	0.18	2.6	3.3	20	1.5	0.35	0.9	2.4
1992	286	3.1	0.18	2.7	3.4	23	1.8	0.39	1.1	2.8
1993	313	3.4	0.19	3.0	3.8	25	1.7	0.36	1.1	2.6
1994	358	3.8	0.20	3.4	4.2	32	2.3	0.42	1.5	3.2
1995	364	3.9	0.20	3.5	4.3	40	3.0	0.49	2.1	4.1
1996	371	3.9	0.21	3.5	4.4	35	2.5	0.44	1.7	3.5
1997	404	4.3	0.21	3.9	4.7	50	3.5	0.51	2.6	4.7
1998	355	3.7	0.20	3.4	4.1	49	3.4	0.50	2.5	4.5
1999	402	4.2	0.21	3.8	4.7	43	2.9	0.45	2.1	3.9
2000	450	4.7	0.22	4.3	5.2	44	2.9	0.45	2.1	3.9
2001	457	4.8	0.22	4.3	5.2	57	3.7	0.50	2.8	4.8
2002	438	4.5	0.22	4.1	5.0	38	2.6	0.43	1.8	3.5
2003	411	4.2	0.21	3.8	4.7	49	3.2	0.47	2.4	4.3
2004	425	4.4	0.21	4.0	4.8	56	3.6	0.49	2.7	4.7
2005	415	4.3	0.21	3.9	4.7	52	3.4	0.49	2.5	4.5
2006	420	4.3	0.21	3.9	4.7	42	2.7	0.42	1.9	3.6
2007	417	4.3	0.21	3.9	4.8	48	3.0	0.44	2.2	4.0
2008	419	4.3	0.21	3.8	4.7	43	2.8	0.43	2.0	3.8
2009	439	4.3	0.21	3.9	4.7	58	3.9	0.52	2.9	5.0
2010	489	4.9	0.23	4.5	5.4	73	4.4	0.53	3.4	5.6
2011	485	4.8	0.22	4.3	5.2	65	3.7	0.47	2.9	4.8
2012	489	4.8	0.22	4.3	5.2	84	5.1	0.56	4.0	6.3
2013	526	5.1	0.23	4.6	5.5	79	4.5	0.51	3.5	5.6
2014	498	4.7	0.22	4.3	5.2	64	3.8	0.48	2.9	4.8
2015	519	5.0	0.23	4.6	5.5	64	3.6	0.46	2.7	4.6
2016	447	4.4	0.21	3.9	4.8	72	3.9	0.46	3.0	4.9
2017	508	4.8	0.22	4.3	5.2	75	4.1	0.48	3.2	5.1
2018	488	4.3	0.20	4.0	4.8	78	4.1	0.48	3.3	5.2
2019	469	4.3	0.21	3.9	4.8	73	3.9	0.46	3.0	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Myeloid Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	560	4.3	0.23	3.9	4.8	7,783	5.1	0.06	5.0	5.2
1990	4	2.0	1.58	0.2	6.9	164	3.7	0.30	3.1	4.3
1991	7	2.8	1.49	0.7	7.2	153	3.4	0.28	2.9	4.0
1992	14	3.7	1.15	1.8	7.1	180	3.9	0.30	3.3	4.5
1993	8	1.3	0.51	0.5	3.7	193	4.2	0.31	3.7	4.9
1994	12	3.9	1.56	1.4	8.2	203	4.5	0.33	3.9	5.2
1995	9	2.8	1.46	0.7	7.0	227	5.0	0.34	4.3	5.7
1996	7	3.1	1.73	0.7	7.9	213	4.6	0.32	4.0	5.2
1997	4	1.1	0.61	0.3	3.5	224	4.7	0.32	4.1	5.4
1998	17	3.5	1.08	1.7	6.5	212	4.4	0.30	3.8	5.0
1999	12	3.6	1.49	1.3	7.6	235	4.9	0.32	4.3	5.6
2000	15	4.1	1.77	1.4	8.7	259	5.4	0.34	4.8	6.1
2001	12	1.9	0.70	0.8	4.1	286	6.0	0.36	5.3	6.7
2002	23	6.4	1.71	3.5	10.6	266	5.6	0.34	4.9	6.3
2003	10	2.6	1.07	1.0	5.5	244	5.0	0.32	4.4	5.7
2004	16	3.9	1.28	1.8	7.1	253	5.1	0.32	4.5	5.8
2005	17	3.2	0.93	1.7	5.6	253	5.1	0.33	4.5	5.8
2006	22	5.2	1.36	2.9	8.5	251	5.0	0.32	4.4	5.7
2007	18	3.5	1.07	1.8	6.2	260	5.1	0.32	4.5	5.8
2008	19	4.6	1.34	2.4	7.8	251	4.9	0.31	4.3	5.6
2009	15	2.3	0.74	1.1	4.2	272	5.2	0.32	4.6	5.9
2010	21	4.3	1.12	2.4	7.0	303	5.7	0.34	5.1	6.4
2011	19	4.2	1.17	2.2	6.9	280	5.2	0.32	4.6	5.9
2012	42	8.2	1.50	5.5	11.5	318	5.8	0.33	5.2	6.5
2013	38	6.5	1.27	4.3	9.4	337	6.0	0.34	5.4	6.7
2014	27	4.4	1.02	2.7	6.8	310	5.5	0.32	4.9	6.2
2015	29	4.7	1.03	2.9	7.1	347	6.1	0.33	5.4	6.8
2016	28	4.2	0.93	2.6	6.4	294	5.1	0.31	4.5	5.8
2017	33	4.8	0.96	3.1	7.0	330	5.6	0.32	5.0	6.3
2018	33	5.0	1.00	3.3	7.3	347	5.6	0.31	5.0	6.2
2019	29	4.0	0.83	2.6	6.0	318	5.3	0.30	4.7	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Myeloid Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	6,812	5.3	0.06	5.2	5.4	736	3.9	0.15	3.6	4.2
1990	150	3.9	0.33	3.3	4.6	11	1.5	0.46	0.7	2.8
1991	142	3.6	0.31	3.0	4.3	6	1.1	0.47	0.4	2.5
1992	164	4.1	0.32	3.5	4.8	11	2.1	0.70	1.0	3.9
1993	175	4.5	0.35	3.8	5.2	15	2.4	0.68	1.3	4.1
1994	178	4.6	0.35	3.9	5.3	22	4.0	0.93	2.4	6.2
1995	206	5.2	0.37	4.5	6.0	17	3.2	0.83	1.8	5.2
1996	188	4.7	0.34	4.0	5.4	20	4.0	0.96	2.3	6.2
1997	203	5.0	0.35	4.3	5.7	18	3.0	0.75	1.8	4.9
1998	185	4.5	0.33	3.9	5.2	24	4.3	0.96	2.6	6.5
1999	213	5.2	0.36	4.5	6.0	16	2.4	0.61	1.4	3.9
2000	233	5.7	0.38	5.0	6.5	22	3.6	0.81	2.2	5.5
2001	245	6.0	0.39	5.3	6.9	32	4.7	0.85	3.2	6.7
2002	241	5.9	0.38	5.2	6.7	18	3.3	0.86	1.9	5.4
2003	220	5.3	0.36	4.6	6.1	19	3.2	0.79	1.8	5.1
2004	227	5.4	0.36	4.7	6.2	20	2.9	0.71	1.7	4.6
2005	223	5.3	0.36	4.7	6.1	23	3.6	0.81	2.2	5.5
2006	230	5.4	0.36	4.7	6.2	16	2.2	0.57	1.2	3.6
2007	232	5.4	0.36	4.8	6.2	24	3.7	0.80	2.3	5.6
2008	218	5.1	0.35	4.5	5.9	22	3.4	0.77	2.1	5.2
2009	235	5.3	0.35	4.6	6.0	28	4.9	0.98	3.2	7.2
2010	259	5.9	0.37	5.2	6.7	34	5.1	0.93	3.5	7.2
2011	240	5.4	0.35	4.7	6.1	28	3.7	0.74	2.4	5.5
2012	267	5.9	0.37	5.2	6.6	46	7.0	1.09	5.1	9.5
2013	283	6.2	0.38	5.5	7.0	41	5.8	0.96	4.1	8.0
2014	268	5.8	0.36	5.1	6.5	29	4.5	0.87	2.9	6.5
2015	301	6.4	0.38	5.7	7.2	34	4.5	0.81	3.1	6.4
2016	243	5.2	0.34	4.5	5.9	33	4.3	0.77	2.9	6.0
2017	278	5.8	0.36	5.1	6.6	37	4.9	0.83	3.4	6.8
2018	295	5.7	0.34	5.1	6.5	38	4.7	0.79	3.3	6.5
2019	270	5.4	0.34	4.8	6.1	32	4.1	0.75	2.8	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Myeloid Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	501	3.3	0.17	3.0	3.7	6,830	3.4	0.04	3.4	3.5
1990	6	2.2	0.95	0.7	5.1	159	2.6	0.21	2.2	3.1
1991	3	0.7	0.46	0.1	2.7	143	2.5	0.21	2.1	2.9
1992	7	2.7	1.22	0.9	6.1	139	2.3	0.20	2.0	2.8
1993	5	1.3	0.62	0.4	3.5	148	2.4	0.20	2.0	2.8
1994	14	4.3	1.39	2.0	7.9	194	3.2	0.23	2.7	3.7
1995	14	3.6	1.04	1.8	6.4	183	2.9	0.22	2.5	3.4
1996	12	3.4	1.13	1.6	6.4	206	3.3	0.23	2.9	3.8
1997	9	2.7	0.98	1.1	5.4	236	3.7	0.25	3.3	4.3
1998	12	2.6	0.99	1.1	5.3	202	3.2	0.22	2.7	3.6
1999	19	4.7	1.43	2.4	8.3	218	3.4	0.24	3.0	3.9
2000	15	2.9	0.92	1.4	5.3	243	3.8	0.24	3.3	4.3
2001	12	3.7	1.25	1.7	6.9	240	3.8	0.25	3.3	4.3
2002	16	3.9	1.16	2.0	6.8	220	3.4	0.23	2.9	3.8
2003	12	2.1	0.64	1.0	3.9	227	3.5	0.23	3.0	4.0
2004	22	4.8	1.29	2.6	7.9	241	3.7	0.24	3.2	4.2
2005	14	2.6	0.81	1.3	4.7	231	3.6	0.24	3.1	4.1
2006	19	4.1	1.13	2.2	6.8	222	3.4	0.23	3.0	3.9
2007	12	1.9	0.61	0.9	3.5	217	3.4	0.23	2.9	3.9
2008	9	1.7	0.65	0.7	3.4	231	3.4	0.23	3.0	3.9
2009	28	5.2	1.16	3.2	7.9	241	3.5	0.23	3.1	4.0
2010	28	4.8	1.01	3.1	7.2	279	4.1	0.25	3.6	4.6
2011	19	2.9	0.75	1.7	4.8	294	4.3	0.26	3.8	4.8
2012	14	2.6	0.75	1.3	4.4	274	3.9	0.24	3.5	4.4
2013	25	3.8	0.84	2.4	5.8	288	3.9	0.24	3.5	4.4
2014	29	3.6	0.72	2.3	5.3	275	3.9	0.24	3.4	4.4
2015	21	3.0	0.71	1.8	4.7	252	3.6	0.23	3.1	4.1
2016	25	3.2	0.69	2.0	4.8	259	3.8	0.25	3.3	4.3
2017	30	4.4	0.86	2.8	6.4	273	3.8	0.24	3.3	4.3
2018	27	3.5	0.73	2.2	5.2	247	3.4	0.22	3.0	3.8
2019	23	2.9	0.64	1.8	4.4	248	3.4	0.22	2.9	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Acute Myeloid Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,810	3.5	0.05	3.4	3.6	822	3.0	0.11	2.8	3.3
1990	143	2.7	0.23	2.3	3.2	16	2.1	0.55	1.2	3.5
1991	125	2.5	0.23	2.1	3.0	14	1.8	0.49	1.0	3.0
1992	122	2.4	0.22	2.0	2.9	12	1.7	0.48	0.8	2.9
1993	138	2.6	0.23	2.2	3.1	10	1.3	0.41	0.6	2.4
1994	180	3.5	0.26	3.0	4.0	10	1.2	0.38	0.6	2.2
1995	158	3.0	0.25	2.6	3.6	23	2.9	0.61	1.8	4.4
1996	183	3.4	0.26	3.0	4.0	15	1.7	0.46	0.9	2.9
1997	201	3.7	0.27	3.2	4.3	32	3.9	0.70	2.6	5.5
1998	170	3.1	0.24	2.7	3.7	25	3.0	0.60	1.9	4.4
1999	189	3.6	0.26	3.1	4.1	27	3.1	0.61	2.1	4.6
2000	217	4.0	0.28	3.5	4.6	22	2.4	0.52	1.5	3.7
2001	212	4.0	0.28	3.5	4.6	25	2.9	0.59	1.9	4.3
2002	197	3.6	0.26	3.1	4.1	20	2.2	0.50	1.3	3.4
2003	191	3.5	0.26	3.0	4.1	30	3.4	0.62	2.3	4.8
2004	198	3.7	0.27	3.2	4.3	36	4.0	0.67	2.8	5.5
2005	192	3.6	0.27	3.1	4.2	29	3.3	0.62	2.2	4.7
2006	190	3.5	0.26	3.0	4.1	26	3.0	0.58	1.9	4.3
2007	185	3.5	0.27	3.0	4.1	24	2.6	0.53	1.6	3.8
2008	201	3.6	0.26	3.1	4.2	21	2.3	0.51	1.4	3.6
2009	204	3.6	0.26	3.1	4.2	30	3.3	0.61	2.2	4.7
2010	230	4.2	0.28	3.6	4.8	39	4.0	0.64	2.8	5.5
2011	245	4.3	0.29	3.8	5.0	37	3.8	0.63	2.6	5.2
2012	222	3.9	0.28	3.4	4.5	38	3.8	0.63	2.7	5.3
2013	243	4.2	0.28	3.6	4.7	38	3.6	0.59	2.5	4.9
2014	230	4.0	0.27	3.4	4.5	35	3.6	0.61	2.5	5.0
2015	218	3.9	0.28	3.4	4.5	30	2.9	0.54	1.9	4.1
2016	204	3.7	0.28	3.2	4.3	39	3.6	0.59	2.6	5.0
2017	230	4.0	0.28	3.4	4.6	38	3.6	0.59	2.5	5.0
2018	193	3.3	0.25	2.8	3.8	40	3.7	0.60	2.6	5.1
2019	199	3.5	0.27	3.0	4.1	41	3.6	0.56	2.5	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Myeloid Leukemia										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	508	1.7	0.09	1.5	1.9	6,250	1.8	0.02	1.7	1.8
1990	3	0.8	0.56	0.1	2.6	154	1.5	0.12	1.2	1.7
1991	7	1.4	0.65	0.4	3.3	159	1.5	0.12	1.3	1.7
1992	5	1.1	0.49	0.4	2.6	150	1.4	0.12	1.2	1.7
1993	8	1.7	0.64	0.7	3.4	166	1.5	0.12	1.3	1.8
1994	14	2.9	0.99	1.3	5.4	199	1.8	0.13	1.6	2.1
1995	9	0.9	0.33	0.4	2.0	211	1.9	0.13	1.7	2.2
1996	4	0.4	0.23	0.1	1.4	201	1.8	0.13	1.6	2.1
1997	19	2.8	0.79	1.4	4.7	169	1.5	0.12	1.3	1.8
1998	11	1.4	0.51	0.6	2.8	192	1.7	0.12	1.5	2.0
1999	15	1.7	0.48	0.9	3.0	210	1.9	0.13	1.6	2.1
2000	13	1.6	0.57	0.7	3.1	206	1.8	0.13	1.6	2.1
2001	18	2.9	0.84	1.5	5.0	227	2.0	0.13	1.7	2.3
2002	14	2.5	0.82	1.2	4.5	181	1.6	0.12	1.4	1.8
2003	14	1.8	0.58	0.9	3.3	222	1.9	0.13	1.7	2.2
2004	13	0.8	0.27	0.4	1.6	239	2.1	0.13	1.8	2.3
2005	17	1.5	0.47	0.8	2.7	195	1.7	0.12	1.4	1.9
2006	16	1.8	0.54	0.9	3.2	215	1.8	0.13	1.6	2.1
2007	10	0.9	0.32	0.3	1.7	190	1.6	0.12	1.4	1.9
2008	25	2.1	0.48	1.3	3.3	203	1.7	0.12	1.5	1.9
2009	22	2.2	0.52	1.3	3.4	217	1.8	0.13	1.6	2.1
2010	22	1.9	0.47	1.1	3.0	243	2.0	0.13	1.8	2.3
2011	27	1.7	0.37	1.1	2.6	256	2.1	0.13	1.8	2.3
2012	22	1.7	0.39	1.0	2.6	220	1.8	0.13	1.6	2.1
2013	20	1.4	0.38	0.8	2.3	217	1.8	0.12	1.5	2.0
2014	24	1.7	0.37	1.0	2.6	238	1.9	0.13	1.6	2.1
2015	31	2.2	0.44	1.4	3.2	199	1.6	0.11	1.4	1.8
2016	23	1.3	0.29	0.8	2.0	242	1.8	0.12	1.6	2.1
2017	26	1.8	0.38	1.1	2.7	240	1.9	0.12	1.6	2.1
2018	35	2.2	0.41	1.5	3.2	243	1.9	0.12	1.6	2.1
2019	21	1.1	0.27	0.7	1.8	246	1.9	0.12	1.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Myeloid Leukemia										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	5,201	1.8	0.02	1.7	1.8	814	1.7	0.06	1.6	1.9
1990	133	1.5	0.13	1.2	1.7	20	1.4	0.34	0.8	2.3
1991	144	1.6	0.13	1.3	1.9	15	1.2	0.32	0.7	2.0
1992	130	1.4	0.13	1.2	1.7	15	1.2	0.31	0.6	1.9
1993	142	1.5	0.13	1.3	1.8	21	1.6	0.38	1.0	2.5
1994	170	1.8	0.14	1.6	2.1	24	1.9	0.40	1.2	2.9
1995	174	1.9	0.14	1.6	2.2	34	2.5	0.45	1.7	3.6
1996	173	1.8	0.14	1.6	2.1	22	1.7	0.36	1.0	2.5
1997	143	1.5	0.13	1.3	1.8	21	1.5	0.34	0.9	2.3
1998	165	1.7	0.13	1.5	2.0	21	1.4	0.31	0.8	2.1
1999	175	1.8	0.14	1.6	2.1	29	2.1	0.40	1.4	3.0
2000	173	1.8	0.14	1.6	2.1	27	1.8	0.35	1.2	2.6
2001	198	2.1	0.15	1.8	2.4	19	1.4	0.32	0.8	2.1
2002	146	1.5	0.13	1.3	1.8	28	2.0	0.38	1.3	2.8
2003	193	2.0	0.14	1.7	2.3	24	1.7	0.35	1.1	2.5
2004	201	2.1	0.15	1.8	2.4	27	1.8	0.36	1.2	2.7
2005	160	1.6	0.13	1.4	1.9	27	1.8	0.36	1.2	2.7
2006	178	1.8	0.14	1.6	2.1	32	2.0	0.36	1.4	2.9
2007	153	1.6	0.13	1.3	1.9	25	1.5	0.32	1.0	2.3
2008	162	1.6	0.13	1.4	1.9	30	1.8	0.34	1.2	2.6
2009	184	1.9	0.14	1.6	2.2	23	1.4	0.30	0.9	2.1
2010	204	2.0	0.15	1.8	2.3	30	1.7	0.32	1.1	2.4
2011	206	2.0	0.14	1.7	2.3	37	2.1	0.35	1.5	2.9
2012	181	1.9	0.14	1.6	2.2	33	2.0	0.35	1.4	2.8
2013	176	1.7	0.14	1.5	2.0	30	1.6	0.31	1.1	2.4
2014	198	1.9	0.14	1.7	2.2	33	1.8	0.33	1.3	2.6
2015	162	1.6	0.13	1.3	1.8	27	1.4	0.28	0.9	2.1
2016	197	1.9	0.14	1.6	2.2	32	1.7	0.30	1.1	2.4
2017	192	1.9	0.14	1.6	2.2	37	2.0	0.34	1.4	2.8
2018	189	1.9	0.14	1.6	2.2	38	1.9	0.32	1.4	2.7
2019	199	1.9	0.14	1.6	2.2	33	1.8	0.31	1.2	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Myeloid Leukemia										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	306	2.1	0.15	1.8	2.4	3,554	2.3	0.04	2.3	2.4
1990	1	0.1	0.12	0.0	2.8	82	1.9	0.21	1.5	2.3
1991	4	1.5	0.81	0.4	4.6	86	1.9	0.21	1.5	2.4
1992	4	1.8	0.92	0.5	5.0	86	1.9	0.21	1.5	2.4
1993	2	0.6	0.42	0.1	3.0	99	2.2	0.22	1.7	2.6
1994	8	2.1	0.91	0.7	5.1	103	2.2	0.23	1.8	2.7
1995	5	1.1	0.55	0.3	3.4	113	2.4	0.23	2.0	2.9
1996	3	0.7	0.43	0.1	2.9	117	2.6	0.25	2.1	3.1
1997	13	4.3	1.47	1.9	8.2	97	2.1	0.22	1.7	2.6
1998	7	2.2	1.06	0.6	5.3	110	2.3	0.22	1.9	2.8
1999	9	1.8	0.67	0.7	4.0	124	2.6	0.23	2.1	3.1
2000	10	1.9	0.67	0.8	4.1	113	2.3	0.22	1.9	2.8
2001	9	3.8	1.50	1.4	7.7	132	2.8	0.24	2.3	3.3
2002	6	3.2	1.43	1.0	6.9	105	2.2	0.22	1.8	2.6
2003	7	1.3	0.57	0.5	3.2	128	2.6	0.23	2.2	3.1
2004	10	1.2	0.45	0.5	2.8	135	2.8	0.24	2.3	3.3
2005	15	2.7	0.93	1.2	5.2	122	2.4	0.22	2.0	2.9
2006	10	2.6	1.12	0.9	5.5	129	2.6	0.23	2.1	3.1
2007	6	0.7	0.30	0.2	1.9	105	2.1	0.20	1.7	2.5
2008	11	2.2	0.82	0.9	4.3	117	2.3	0.21	1.9	2.7
2009	10	2.2	0.79	0.9	4.2	107	2.1	0.20	1.7	2.5
2010	12	2.4	0.90	1.0	4.7	144	2.7	0.23	2.3	3.2
2011	17	2.3	0.66	1.2	4.0	155	2.9	0.23	2.4	3.3
2012	14	2.4	0.75	1.2	4.3	124	2.3	0.21	1.9	2.8
2013	11	1.6	0.60	0.6	3.1	115	2.1	0.20	1.7	2.5
2014	15	2.4	0.72	1.2	4.2	134	2.4	0.21	2.0	2.8
2015	17	2.1	0.57	1.1	3.5	106	1.8	0.18	1.5	2.2
2016	14	1.8	0.52	0.9	3.1	137	2.4	0.21	2.0	2.9
2017	16	2.5	0.72	1.3	4.3	140	2.3	0.20	2.0	2.8
2018	23	2.9	0.69	1.7	4.6	147	2.5	0.21	2.1	3.0
2019	17	1.9	0.52	1.0	3.2	142	2.4	0.20	2.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Myeloid Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,972	2.3	0.04	2.2	2.4	446	2.3	0.11	2.1	2.5
1990	68	1.8	0.22	1.4	2.3	13	2.3	0.75	1.1	4.2
1991	81	2.1	0.24	1.6	2.6	5	0.8	0.38	0.3	2.0
1992	73	1.9	0.22	1.4	2.4	10	2.1	0.69	0.9	3.8
1993	85	2.2	0.24	1.7	2.7	12	1.9	0.64	0.9	3.6
1994	89	2.3	0.24	1.8	2.8	11	2.0	0.64	1.0	3.7
1995	97	2.4	0.25	2.0	3.0	14	2.3	0.66	1.2	4.0
1996	102	2.6	0.27	2.2	3.2	12	2.0	0.60	1.0	3.6
1997	83	2.1	0.23	1.7	2.6	13	2.4	0.73	1.2	4.2
1998	94	2.3	0.24	1.9	2.8	12	1.8	0.55	0.9	3.2
1999	107	2.6	0.25	2.1	3.1	13	2.5	0.76	1.3	4.4
2000	93	2.3	0.24	1.8	2.8	16	2.8	0.77	1.5	4.7
2001	114	2.8	0.27	2.3	3.4	10	1.8	0.60	0.8	3.3
2002	85	2.1	0.23	1.7	2.6	16	3.0	0.80	1.7	4.9
2003	108	2.6	0.25	2.1	3.2	17	2.8	0.72	1.6	4.6
2004	121	2.9	0.26	2.4	3.5	10	1.8	0.62	0.8	3.4
2005	101	2.4	0.24	1.9	2.9	16	2.7	0.74	1.5	4.5
2006	107	2.5	0.25	2.1	3.1	21	3.5	0.82	2.1	5.5
2007	82	1.9	0.22	1.5	2.4	15	2.2	0.61	1.2	3.8
2008	94	2.2	0.23	1.8	2.7	16	2.3	0.60	1.3	3.8
2009	88	2.1	0.22	1.7	2.6	13	2.0	0.60	1.0	3.5
2010	122	2.8	0.26	2.3	3.4	20	2.6	0.60	1.5	4.0
2011	124	2.7	0.25	2.3	3.3	21	2.7	0.62	1.7	4.2
2012	103	2.3	0.23	1.9	2.8	20	3.0	0.71	1.8	4.7
2013	94	2.0	0.21	1.6	2.5	14	1.9	0.52	1.0	3.2
2014	118	2.5	0.24	2.1	3.1	12	1.4	0.43	0.7	2.6
2015	86	1.8	0.20	1.4	2.2	16	2.0	0.52	1.1	3.3
2016	107	2.3	0.23	1.9	2.8	18	2.2	0.54	1.3	3.5
2017	113	2.3	0.22	1.9	2.8	20	2.4	0.58	1.4	3.8
2018	117	2.5	0.24	2.0	3.0	22	2.6	0.57	1.6	4.0
2019	116	2.4	0.22	1.9	2.8	18	2.0	0.49	1.2	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Myeloid Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	202	1.3	0.10	1.1	1.5	2,696	1.4	0.03	1.3	1.4
1990	2	1.3	0.94	0.1	4.3	72	1.2	0.14	0.9	1.5
1991	3	1.1	0.86	0.1	4.0	73	1.2	0.14	0.9	1.5
1992	1	0.4	0.40	0.0	2.4	64	1.1	0.13	0.8	1.4
1993	6	2.6	1.13	0.9	5.8	67	1.1	0.13	0.8	1.4
1994	6	3.1	1.45	0.9	6.9	96	1.6	0.16	1.3	1.9
1995	4	0.7	0.39	0.2	2.4	98	1.5	0.16	1.3	1.9
1996	1	0.1	0.12	0.0	1.5	84	1.3	0.14	1.0	1.6
1997	6	1.4	0.75	0.3	3.7	72	1.1	0.13	0.9	1.4
1998	4	0.8	0.40	0.2	2.4	82	1.3	0.14	1.0	1.6
1999	6	1.6	0.67	0.6	3.6	86	1.3	0.14	1.1	1.6
2000	3	1.1	0.79	0.1	3.5	93	1.5	0.15	1.2	1.8
2001	9	2.3	0.92	0.9	4.8	95	1.5	0.15	1.2	1.8
2002	8	2.0	0.91	0.7	4.5	76	1.2	0.14	0.9	1.5
2003	7	2.1	0.92	0.7	4.5	94	1.4	0.15	1.1	1.7
2004	3	0.5	0.29	0.1	1.6	104	1.6	0.16	1.3	1.9
2005	2	0.4	0.34	0.0	1.7	73	1.1	0.13	0.9	1.4
2006	6	1.3	0.55	0.4	2.8	86	1.3	0.14	1.0	1.6
2007	4	0.9	0.51	0.2	2.4	85	1.3	0.14	1.0	1.6
2008	14	2.1	0.61	1.1	3.7	86	1.2	0.14	1.0	1.6
2009	12	2.2	0.69	1.1	3.9	110	1.7	0.16	1.4	2.0
2010	10	1.6	0.54	0.7	3.0	99	1.4	0.14	1.1	1.7
2011	10	1.2	0.40	0.6	2.3	101	1.5	0.15	1.2	1.8
2012	8	1.1	0.39	0.5	2.2	96	1.5	0.16	1.2	1.8
2013	9	1.3	0.48	0.5	2.6	102	1.5	0.16	1.3	1.9
2014	9	1.0	0.35	0.5	2.0	104	1.5	0.15	1.2	1.9
2015	14	2.2	0.63	1.1	3.8	93	1.4	0.15	1.1	1.7
2016	9	0.9	0.29	0.4	1.7	105	1.4	0.14	1.1	1.7
2017	10	1.2	0.39	0.6	2.2	100	1.5	0.16	1.2	1.9
2018	12	1.6	0.48	0.8	2.8	96	1.4	0.15	1.1	1.7
2019	4	0.4	0.21	0.1	1.1	104	1.6	0.16	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Chronic Myeloid Leukemia										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,229	1.4	0.03	1.3	1.4	368	1.4	0.07	1.2	1.5
1990	65	1.2	0.15	0.9	1.6	7	0.9	0.35	0.4	1.9
1991	63	1.2	0.15	0.9	1.5	10	1.4	0.44	0.7	2.5
1992	57	1.1	0.15	0.8	1.4	5	0.6	0.28	0.2	1.4
1993	57	1.0	0.14	0.8	1.4	9	1.4	0.45	0.6	2.5
1994	81	1.5	0.17	1.2	1.9	13	1.8	0.51	1.0	3.1
1995	77	1.4	0.16	1.1	1.8	20	2.6	0.60	1.6	4.0
1996	71	1.3	0.15	1.0	1.6	10	1.3	0.43	0.6	2.5
1997	60	1.1	0.14	0.8	1.4	8	1.0	0.35	0.4	1.9
1998	71	1.3	0.15	1.0	1.6	9	1.0	0.34	0.5	1.9
1999	68	1.2	0.15	1.0	1.6	16	1.9	0.48	1.1	3.1
2000	80	1.5	0.17	1.2	1.9	11	1.2	0.37	0.6	2.2
2001	84	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
2002	61	1.1	0.15	0.8	1.4	12	1.4	0.39	0.7	2.4
2003	85	1.6	0.17	1.2	1.9	7	0.9	0.33	0.3	1.8
2004	80	1.4	0.16	1.1	1.8	17	1.9	0.47	1.1	3.1
2005	59	1.1	0.15	0.8	1.4	11	1.3	0.38	0.6	2.2
2006	71	1.3	0.15	1.0	1.6	11	1.1	0.33	0.5	2.0
2007	71	1.3	0.16	1.0	1.7	10	1.1	0.33	0.5	1.9
2008	68	1.2	0.15	0.9	1.5	14	1.5	0.41	0.8	2.6
2009	96	1.8	0.19	1.4	2.2	10	1.0	0.33	0.5	1.9
2010	82	1.4	0.16	1.1	1.8	10	1.0	0.30	0.5	1.8
2011	82	1.5	0.17	1.2	1.9	16	1.6	0.39	0.9	2.5
2012	78	1.5	0.18	1.2	1.9	13	1.3	0.37	0.7	2.3
2013	82	1.6	0.18	1.2	2.0	16	1.5	0.39	0.9	2.5
2014	80	1.5	0.17	1.1	1.8	21	2.1	0.47	1.3	3.3
2015	76	1.4	0.17	1.1	1.8	11	1.0	0.31	0.5	1.8
2016	90	1.5	0.17	1.2	1.9	14	1.2	0.33	0.7	2.1
2017	79	1.5	0.18	1.2	1.9	17	1.7	0.42	1.0	2.8
2018	72	1.4	0.17	1.1	1.8	16	1.4	0.34	0.8	2.2
2019	83	1.6	0.19	1.2	2.0	15	1.5	0.39	0.8	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Other Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	167	0.7	0.06	0.6	0.8	3,260	0.9	0.02	0.9	0.9
1990	5	1.2	0.68	0.3	3.2	90	0.8	0.09	0.7	1.0
1991	5	1.1	0.60	0.3	2.9	66	0.6	0.08	0.5	0.8
1992	2	0.3	0.19	0.0	1.3	65	0.6	0.08	0.5	0.8
1993	3	0.6	0.40	0.1	2.0	121	1.1	0.10	0.9	1.3
1994	7	1.5	0.74	0.4	3.5	154	1.4	0.11	1.2	1.6
1995	7	2.2	0.94	0.7	4.6	154	1.4	0.11	1.2	1.6
1996	3	0.3	0.20	0.1	1.2	132	1.2	0.10	1.0	1.4
1997	6	1.2	0.66	0.3	3.0	121	1.1	0.10	0.9	1.3
1998	8	2.1	0.96	0.7	4.5	128	1.1	0.10	0.9	1.3
1999	6	0.9	0.44	0.3	2.2	167	1.5	0.11	1.2	1.7
2000	3	0.3	0.19	0.0	1.1	155	1.3	0.11	1.1	1.6
2001	3	0.5	0.41	0.1	1.8	89	0.8	0.08	0.6	0.9
2002	7	1.5	0.75	0.4	3.4	132	1.1	0.10	1.0	1.4
2003	4	0.7	0.44	0.1	2.0	112	1.0	0.09	0.8	1.1
2004	3	0.5	0.35	0.1	1.6	93	0.8	0.08	0.6	0.9
2005	4	0.9	0.47	0.2	2.1	111	0.9	0.09	0.8	1.1
2006	4	0.8	0.46	0.2	2.1	103	0.9	0.08	0.7	1.0
2007	5	0.3	0.14	0.1	0.8	103	0.8	0.08	0.7	1.0
2008	6	0.9	0.45	0.3	2.1	94	0.8	0.08	0.6	0.9
2009	5	0.6	0.34	0.2	1.6	89	0.7	0.08	0.6	0.9
2010	5	0.3	0.15	0.1	0.8	99	0.8	0.08	0.6	0.9
2011	6	0.4	0.20	0.1	1.0	119	0.9	0.09	0.8	1.1
2012	4	0.3	0.18	0.1	0.9	100	0.8	0.08	0.6	0.9
2013	11	1.0	0.34	0.4	1.8	98	0.8	0.08	0.6	0.9
2014	7	0.4	0.15	0.1	0.8	113	0.9	0.08	0.7	1.1
2015	9	0.9	0.34	0.4	1.8	87	0.7	0.07	0.5	0.8
2016	6	0.3	0.12	0.1	0.7	90	0.6	0.07	0.5	0.8
2017	5	0.4	0.17	0.1	0.9	113	0.8	0.08	0.7	1.0
2018	9	0.5	0.19	0.2	1.1	80	0.6	0.07	0.5	0.8
2019	9	0.7	0.24	0.3	1.3	82	0.6	0.07	0.5	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Other Leukemia										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,805	0.9	0.02	0.9	0.9	390	0.9	0.05	0.8	1.0
1990	83	0.9	0.10	0.7	1.1	6	0.5	0.20	0.2	1.0
1991	58	0.6	0.09	0.5	0.8	8	0.7	0.27	0.3	1.4
1992	58	0.6	0.08	0.5	0.8	7	0.6	0.24	0.2	1.2
1993	108	1.1	0.11	0.9	1.4	11	1.0	0.31	0.5	1.8
1994	137	1.4	0.12	1.2	1.7	17	1.5	0.37	0.8	2.3
1995	142	1.5	0.12	1.2	1.7	10	0.8	0.27	0.4	1.5
1996	113	1.2	0.11	1.0	1.4	14	1.2	0.33	0.6	2.0
1997	101	1.0	0.10	0.8	1.3	20	1.6	0.36	0.9	2.4
1998	111	1.1	0.11	0.9	1.4	16	1.2	0.32	0.7	2.0
1999	146	1.5	0.12	1.2	1.7	20	1.6	0.36	0.9	2.4
2000	136	1.4	0.12	1.1	1.6	16	1.2	0.31	0.7	2.0
2001	76	0.7	0.09	0.6	0.9	11	0.9	0.26	0.4	1.5
2002	110	1.1	0.11	0.9	1.3	20	1.6	0.36	0.9	2.4
2003	96	0.9	0.10	0.8	1.1	16	1.2	0.30	0.7	1.9
2004	80	0.8	0.08	0.6	0.9	10	0.8	0.24	0.4	1.4
2005	96	0.9	0.09	0.7	1.1	12	0.9	0.26	0.5	1.5
2006	86	0.8	0.09	0.7	1.0	15	1.1	0.29	0.6	1.8
2007	87	0.8	0.09	0.7	1.0	13	0.9	0.26	0.5	1.5
2008	85	0.8	0.09	0.6	1.0	8	0.5	0.20	0.2	1.1
2009	75	0.7	0.08	0.5	0.9	12	0.8	0.22	0.4	1.3
2010	84	0.8	0.08	0.6	0.9	11	0.7	0.21	0.3	1.2
2011	103	0.9	0.10	0.8	1.2	13	0.9	0.25	0.5	1.5
2012	81	0.7	0.08	0.6	0.9	16	0.9	0.23	0.5	1.4
2013	77	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5
2014	95	0.9	0.09	0.7	1.1	15	0.9	0.23	0.5	1.4
2015	72	0.7	0.08	0.5	0.8	13	0.8	0.21	0.4	1.3
2016	81	0.7	0.08	0.6	0.9	8	0.4	0.15	0.2	0.8
2017	97	0.9	0.09	0.7	1.1	12	0.7	0.20	0.3	1.2
2018	66	0.6	0.08	0.5	0.8	11	0.6	0.18	0.3	1.1
2019	65	0.6	0.07	0.4	0.7	14	0.7	0.19	0.4	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Other Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	94	0.8	0.11	0.6	1.0	1,729	1.2	0.03	1.1	1.3
1990	1	0.2	0.15	0.0	2.8	54	1.2	0.17	0.9	1.6
1991	3	1.2	0.93	0.1	4.6	32	0.8	0.14	0.5	1.1
1992	2	0.5	0.36	0.0	3.0	39	0.9	0.15	0.6	1.3
1993	3	1.3	0.87	0.2	4.5	60	1.4	0.18	1.0	1.8
1994	6	1.7	0.86	0.5	4.7	78	1.8	0.22	1.4	2.3
1995	6	4.2	2.11	1.1	9.8	76	1.8	0.21	1.4	2.2
1996	2	0.4	0.36	0.0	2.6	76	1.8	0.21	1.4	2.3
1997	3	0.5	0.35	0.1	2.5	66	1.6	0.21	1.3	2.1
1998	5	2.6	1.68	0.4	7.3	66	1.5	0.19	1.2	1.9
1999	1	0.3	0.31	0.0	2.2	83	1.9	0.22	1.5	2.4
2000	1	0.4	0.38	0.0	2.3	71	1.5	0.18	1.2	1.9
2001	2	1.2	0.99	0.1	4.2	47	1.0	0.15	0.8	1.4
2002	3	2.5	1.68	0.3	7.0	74	1.6	0.18	1.2	2.0
2003	0					55	1.2	0.16	0.9	1.6
2004	2	1.1	0.78	0.1	3.5	53	1.2	0.16	0.9	1.5
2005	1	0.4	0.42	0.0	2.0	64	1.4	0.18	1.1	1.8
2006	3	1.9	1.15	0.4	5.0	54	1.1	0.15	0.9	1.5
2007	3	0.4	0.26	0.1	1.6	49	1.1	0.15	0.8	1.4
2008	4	1.4	0.86	0.2	3.8	52	1.1	0.15	0.8	1.4
2009	4	1.0	0.67	0.1	2.9	41	0.8	0.13	0.6	1.1
2010	2	0.1	0.10	0.0	1.0	50	1.0	0.14	0.7	1.3
2011	4	0.7	0.42	0.1	2.0	64	1.3	0.16	1.0	1.6
2012	3	0.3	0.16	0.1	1.1	54	1.0	0.14	0.8	1.3
2013	6	1.1	0.56	0.3	2.7	56	1.0	0.14	0.8	1.4
2014	3	0.3	0.20	0.1	1.1	59	1.1	0.15	0.8	1.4
2015	6	1.4	0.62	0.4	3.0	48	0.9	0.13	0.6	1.2
2016	3	0.3	0.18	0.1	1.0	51	0.8	0.12	0.6	1.1
2017	2	0.2	0.13	0.0	0.8	64	1.1	0.13	0.8	1.4
2018	3	0.3	0.16	0.1	0.9	43	0.7	0.12	0.5	1.0
2019	7	1.1	0.46	0.4	2.4	50	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Other Leukemia										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,482	1.2	0.03	1.1	1.3	203	1.1	0.09	1.0	1.3
1990	51	1.3	0.19	1.0	1.8	3	0.6	0.33	0.1	1.7
1991	29	0.8	0.15	0.5	1.2	3	1.0	0.58	0.2	2.6
1992	35	0.9	0.16	0.7	1.3	4	0.9	0.50	0.2	2.3
1993	51	1.4	0.19	1.0	1.8	7	1.5	0.61	0.6	3.2
1994	70	1.9	0.23	1.5	2.4	8	1.8	0.73	0.7	3.7
1995	70	1.8	0.22	1.4	2.3	5	0.9	0.42	0.3	2.1
1996	62	1.7	0.22	1.3	2.2	12	2.7	0.86	1.3	4.8
1997	57	1.6	0.22	1.2	2.1	9	1.6	0.60	0.7	3.2
1998	60	1.6	0.21	1.2	2.1	5	0.7	0.33	0.2	1.8
1999	72	1.9	0.23	1.5	2.4	11	2.3	0.74	1.1	4.1
2000	63	1.6	0.20	1.2	2.0	6	1.1	0.46	0.4	2.4
2001	39	1.0	0.16	0.7	1.4	6	1.3	0.55	0.4	2.7
2002	64	1.6	0.20	1.2	2.0	9	1.5	0.51	0.6	2.8
2003	46	1.2	0.17	0.9	1.6	9	1.5	0.50	0.7	2.8
2004	46	1.2	0.17	0.9	1.6	4	0.8	0.46	0.2	2.1
2005	53	1.3	0.18	1.0	1.8	8	1.5	0.57	0.6	3.0
2006	43	1.1	0.16	0.8	1.4	11	1.8	0.56	0.9	3.2
2007	42	1.0	0.16	0.7	1.4	6	1.3	0.53	0.5	2.7
2008	48	1.1	0.16	0.8	1.5	4	0.6	0.34	0.2	1.7
2009	33	0.8	0.14	0.5	1.1	7	1.1	0.47	0.4	2.4
2010	43	1.0	0.15	0.7	1.3	5	0.6	0.25	0.2	1.3
2011	52	1.2	0.17	0.9	1.6	9	1.7	0.57	0.7	3.1
2012	43	1.0	0.15	0.7	1.3	9	1.2	0.42	0.5	2.3
2013	44	1.0	0.15	0.7	1.3	6	0.8	0.32	0.3	1.7
2014	49	1.1	0.16	0.8	1.5	9	1.3	0.44	0.6	2.4
2015	40	0.9	0.14	0.6	1.2	7	1.1	0.43	0.4	2.3
2016	48	0.9	0.14	0.7	1.3	2	0.2	0.14	0.0	0.8
2017	56	1.1	0.15	0.8	1.5	4	0.5	0.28	0.1	1.4
2018	34	0.7	0.13	0.5	1.1	6	0.8	0.32	0.3	1.7
2019	39	0.7	0.12	0.5	1.0	9	1.1	0.37	0.5	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Other Leukemia										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	73	0.6	0.07	0.4	0.7	1,531	0.7	0.02	0.7	0.8
1990	4	2.0	1.16	0.4	5.5	36	0.6	0.09	0.4	0.8
1991	2	1.1	0.81	0.1	3.9	34	0.6	0.10	0.4	0.8
1992	0					26	0.4	0.09	0.3	0.6
1993	0					61	0.9	0.12	0.7	1.2
1994	1	0.9	0.94	0.0	4.0	76	1.1	0.13	0.9	1.4
1995	1	0.7	0.74	0.0	3.2	78	1.1	0.13	0.9	1.4
1996	1	0.2	0.18	0.0	1.6	56	0.8	0.11	0.6	1.0
1997	3	1.6	1.05	0.2	4.6	55	0.8	0.11	0.6	1.1
1998	3	1.7	1.13	0.2	4.9	62	0.9	0.12	0.7	1.2
1999	5	1.4	0.76	0.3	3.7	84	1.2	0.13	0.9	1.5
2000	2	0.3	0.19	0.0	1.5	84	1.2	0.13	1.0	1.5
2001	1	0.1	0.08	0.0	1.2	42	0.6	0.09	0.4	0.8
2002	4	1.0	0.70	0.1	3.1	58	0.8	0.11	0.6	1.0
2003	4	1.2	0.74	0.2	3.4	57	0.8	0.10	0.6	1.0
2004	1	0.1	0.09	0.0	1.0	40	0.5	0.09	0.4	0.7
2005	3	1.2	0.72	0.2	3.2	47	0.6	0.09	0.5	0.9
2006	1	0.1	0.12	0.0	1.0	49	0.6	0.09	0.5	0.8
2007	2	0.1	0.10	0.0	0.9	54	0.7	0.10	0.6	1.0
2008	2	0.5	0.46	0.0	2.0	42	0.6	0.09	0.4	0.8
2009	1	0.4	0.35	0.0	1.5	48	0.6	0.09	0.5	0.9
2010	3	0.5	0.29	0.1	1.5	49	0.6	0.09	0.4	0.8
2011	2	0.2	0.11	0.0	0.8	55	0.7	0.10	0.5	0.9
2012	1	0.3	0.29	0.0	1.3	46	0.6	0.09	0.4	0.8
2013	5	0.8	0.42	0.2	2.0	42	0.5	0.08	0.4	0.7
2014	4	0.4	0.22	0.1	1.2	54	0.7	0.10	0.5	0.9
2015	3	0.6	0.35	0.1	1.6	39	0.6	0.09	0.4	0.8
2016	3	0.3	0.16	0.1	0.9	39	0.5	0.08	0.4	0.7
2017	3	0.5	0.30	0.1	1.4	49	0.7	0.10	0.5	0.9
2018	6	0.8	0.32	0.3	1.7	37	0.5	0.09	0.4	0.7
2019	2	0.3	0.22	0.0	1.0	32	0.4	0.08	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Other Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,323	0.7	0.02	0.7	0.8	187	0.7	0.05	0.6	0.8
1990	32	0.6	0.10	0.4	0.8	3	0.4	0.23	0.1	1.2
1991	29	0.5	0.10	0.4	0.8	5	0.7	0.30	0.2	1.5
1992	23	0.5	0.10	0.3	0.7	3	0.4	0.26	0.1	1.3
1993	57	1.0	0.13	0.7	1.2	4	0.6	0.31	0.2	1.5
1994	67	1.1	0.14	0.9	1.4	9	1.3	0.43	0.6	2.4
1995	72	1.2	0.14	0.9	1.5	5	0.7	0.33	0.2	1.7
1996	51	0.8	0.12	0.6	1.1	2	0.3	0.21	0.0	1.0
1997	44	0.7	0.11	0.5	1.0	11	1.5	0.46	0.8	2.7
1998	51	0.9	0.13	0.7	1.2	11	1.4	0.43	0.7	2.5
1999	74	1.2	0.14	0.9	1.5	9	1.1	0.38	0.5	2.1
2000	73	1.2	0.14	0.9	1.5	10	1.3	0.40	0.6	2.3
2001	37	0.6	0.10	0.4	0.8	5	0.6	0.29	0.2	1.5
2002	46	0.7	0.11	0.5	1.0	11	1.5	0.44	0.7	2.6
2003	50	0.8	0.11	0.6	1.1	7	0.9	0.33	0.4	1.8
2004	34	0.5	0.09	0.4	0.7	6	0.7	0.30	0.3	1.5
2005	43	0.7	0.11	0.5	0.9	4	0.5	0.26	0.1	1.3
2006	43	0.7	0.10	0.5	0.9	4	0.5	0.26	0.1	1.3
2007	45	0.7	0.11	0.5	1.0	7	0.7	0.27	0.3	1.5
2008	37	0.6	0.10	0.4	0.8	4	0.5	0.24	0.1	1.2
2009	42	0.7	0.10	0.5	0.9	5	0.6	0.25	0.2	1.3
2010	41	0.6	0.09	0.4	0.8	6	0.7	0.27	0.2	1.4
2011	51	0.8	0.11	0.6	1.1	4	0.4	0.22	0.1	1.1
2012	38	0.6	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4
2013	33	0.5	0.09	0.3	0.7	9	0.9	0.30	0.4	1.7
2014	46	0.7	0.12	0.5	1.0	6	0.6	0.23	0.2	1.2
2015	32	0.5	0.10	0.4	0.8	6	0.6	0.24	0.2	1.3
2016	33	0.5	0.09	0.4	0.8	6	0.5	0.22	0.2	1.2
2017	41	0.7	0.11	0.5	0.9	8	0.8	0.31	0.4	1.7
2018	32	0.5	0.10	0.4	0.8	5	0.5	0.23	0.2	1.2
2019	26	0.4	0.09	0.3	0.6	5	0.5	0.20	0.1	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Mesothelioma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	193	0.9	0.07	0.7	1.0	4,100	1.1	0.02	1.1	1.2
1990	4	0.8	0.40	0.2	2.2	98	0.9	0.09	0.8	1.1
1991	3	0.9	0.51	0.2	2.5	117	1.1	0.10	0.9	1.3
1992	4	0.7	0.37	0.2	2.0	123	1.1	0.10	0.9	1.3
1993	3	0.9	0.53	0.2	2.5	116	1.1	0.10	0.9	1.3
1994	0					140	1.3	0.11	1.1	1.5
1995	5	1.1	0.55	0.3	2.7	158	1.4	0.11	1.2	1.7
1996	6	1.0	0.44	0.4	2.4	136	1.2	0.10	1.0	1.4
1997	0					138	1.2	0.10	1.0	1.5
1998	4	0.5	0.27	0.1	1.5	152	1.3	0.11	1.1	1.6
1999	5	1.0	0.46	0.3	2.3	135	1.2	0.10	1.0	1.4
2000	5	1.0	0.49	0.2	2.3	138	1.2	0.10	1.0	1.4
2001	7	1.3	0.48	0.5	2.6	175	1.5	0.11	1.3	1.8
2002	3	0.5	0.31	0.1	1.5	152	1.3	0.11	1.1	1.5
2003	9	1.5	0.54	0.6	2.9	157	1.4	0.11	1.2	1.6
2004	9	1.5	0.57	0.6	3.0	136	1.2	0.10	1.0	1.4
2005	12	1.9	0.61	0.9	3.4	143	1.2	0.10	1.0	1.4
2006	7	0.9	0.41	0.3	2.0	155	1.3	0.11	1.1	1.6
2007	8	1.1	0.42	0.4	2.2	136	1.1	0.10	0.9	1.3
2008	8	0.7	0.29	0.3	1.5	156	1.3	0.11	1.1	1.5
2009	10	1.2	0.41	0.6	2.3	132	1.1	0.10	0.9	1.3
2010	4	0.4	0.24	0.1	1.1	143	1.2	0.10	1.0	1.4
2011	9	1.1	0.40	0.4	2.1	136	1.1	0.10	0.9	1.3
2012	9	0.9	0.33	0.4	1.8	152	1.2	0.10	1.0	1.4
2013	9	0.8	0.29	0.3	1.6	135	1.0	0.09	0.9	1.2
2014	8	0.8	0.29	0.3	1.5	149	1.1	0.09	1.0	1.3
2015	8	0.7	0.25	0.3	1.3	128	1.0	0.09	0.8	1.1
2016	11	1.1	0.34	0.5	1.9	112	0.8	0.08	0.7	1.0
2017	7	0.6	0.22	0.2	1.1	119	0.9	0.08	0.7	1.1
2018	7	0.4	0.16	0.2	0.9	107	0.8	0.08	0.6	1.0
2019	9	0.6	0.21	0.3	1.1	126	0.9	0.08	0.7	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Mesothelioma										
Both Sexes										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,856	1.3	0.02	1.2	1.3	192	0.4	0.03	0.4	0.5
1990	90	1.0	0.10	0.8	1.2	6	0.5	0.21	0.2	1.1
1991	113	1.2	0.11	1.0	1.4	3	0.3	0.15	0.1	0.7
1992	116	1.2	0.11	1.0	1.4	5	0.5	0.21	0.2	1.1
1993	109	1.1	0.11	0.9	1.4	5	0.5	0.22	0.2	1.1
1994	133	1.4	0.12	1.1	1.6	7	0.6	0.21	0.2	1.1
1995	144	1.5	0.13	1.3	1.8	14	1.1	0.31	0.6	1.9
1996	124	1.3	0.11	1.1	1.5	11	0.8	0.24	0.4	1.4
1997	129	1.3	0.12	1.1	1.6	8	0.6	0.20	0.2	1.1
1998	145	1.5	0.12	1.3	1.8	7	0.5	0.21	0.2	1.1
1999	128	1.3	0.12	1.1	1.6	6	0.4	0.17	0.2	0.9
2000	132	1.3	0.12	1.1	1.6	6	0.5	0.19	0.2	1.0
2001	165	1.7	0.13	1.4	1.9	9	0.6	0.22	0.3	1.2
2002	148	1.5	0.12	1.3	1.8	4	0.3	0.17	0.1	0.8
2003	147	1.5	0.12	1.3	1.8	4	0.3	0.13	0.1	0.7
2004	129	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2005	134	1.3	0.12	1.1	1.6	8	0.6	0.21	0.3	1.2
2006	145	1.5	0.12	1.2	1.7	6	0.4	0.17	0.2	0.9
2007	126	1.2	0.11	1.0	1.4	9	0.6	0.19	0.3	1.1
2008	152	1.5	0.12	1.3	1.8	2	0.2	0.11	0.0	0.5
2009	126	1.2	0.11	1.0	1.5	5	0.3	0.14	0.1	0.7
2010	135	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2011	126	1.2	0.11	1.0	1.5	8	0.5	0.18	0.2	1.0
2012	140	1.3	0.11	1.1	1.5	11	0.7	0.21	0.3	1.2
2013	124	1.1	0.10	0.9	1.4	7	0.4	0.16	0.2	0.9
2014	142	1.3	0.11	1.1	1.5	5	0.3	0.13	0.1	0.7
2015	123	1.1	0.10	0.9	1.3	5	0.3	0.12	0.1	0.6
2016	107	0.9	0.09	0.8	1.1	1	0.0	0.04	0.0	0.3
2017	107	1.0	0.10	0.8	1.2	6	0.3	0.14	0.1	0.8
2018	104	0.9	0.09	0.8	1.1	2	0.1	0.07	0.0	0.4
2019	113	1.0	0.09	0.8	1.2	8	0.4	0.14	0.2	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Mesothelioma										
Males										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	141	1.5	0.14	1.2	1.8	3,070	2.1	0.04	2.0	2.1
1990	3	1.3	0.75	0.3	4.4	74	1.7	0.20	1.3	2.1
1991	2	1.0	0.67	0.1	3.9	95	2.1	0.22	1.7	2.6
1992	0					91	2.1	0.22	1.6	2.5
1993	3	2.0	1.18	0.4	5.7	83	1.9	0.21	1.5	2.3
1994	0					101	2.2	0.22	1.8	2.7
1995	4	2.0	1.22	0.4	5.7	119	2.7	0.25	2.2	3.2
1996	6	2.1	0.90	0.7	5.0	103	2.2	0.22	1.8	2.7
1997	0					111	2.4	0.23	2.0	2.9
1998	3	0.7	0.43	0.1	2.8	105	2.3	0.22	1.9	2.8
1999	3	1.4	0.88	0.2	4.2	101	2.1	0.22	1.7	2.6
2000	4	2.0	1.09	0.5	5.1	106	2.3	0.22	1.9	2.7
2001	5	2.0	0.93	0.6	4.7	140	3.0	0.26	2.5	3.5
2002	3	1.0	0.70	0.1	3.3	121	2.6	0.24	2.1	3.1
2003	9	3.2	1.19	1.3	6.3	124	2.6	0.23	2.2	3.1
2004	5	1.8	1.13	0.3	5.0	102	2.1	0.21	1.7	2.6
2005	9	2.9	1.04	1.2	5.6	109	2.3	0.22	1.9	2.8
2006	4	1.6	0.99	0.3	4.3	116	2.4	0.23	2.0	2.9
2007	6	2.1	0.91	0.7	4.5	101	2.0	0.20	1.7	2.5
2008	6	1.2	0.59	0.4	2.9	112	2.3	0.22	1.9	2.7
2009	5	1.6	0.72	0.5	3.5	109	2.2	0.21	1.8	2.6
2010	2	0.4	0.27	0.0	1.4	113	2.3	0.22	1.9	2.7
2011	8	2.3	0.95	0.9	4.7	93	1.8	0.19	1.4	2.2
2012	8	1.9	0.75	0.7	3.8	115	2.1	0.20	1.7	2.5
2013	7	1.4	0.63	0.5	3.1	96	1.7	0.18	1.4	2.1
2014	7	1.6	0.64	0.6	3.2	108	2.0	0.20	1.6	2.4
2015	7	1.4	0.58	0.5	2.9	93	1.6	0.17	1.3	2.0
2016	10	2.3	0.78	1.1	4.3	82	1.4	0.16	1.1	1.8
2017	3	0.5	0.34	0.1	1.6	75	1.3	0.15	1.0	1.7
2018	3	0.5	0.31	0.1	1.4	79	1.4	0.16	1.1	1.7
2019	6	0.8	0.37	0.3	1.9	93	1.5	0.16	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Mesothelioma										
Males										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,899	2.3	0.04	2.2	2.3	138	0.8	0.07	0.7	0.9
1990	68	1.7	0.21	1.3	2.2	6	1.2	0.48	0.4	2.5
1991	91	2.3	0.24	1.8	2.8	3	0.6	0.38	0.1	1.9
1992	86	2.2	0.24	1.7	2.7	5	1.2	0.57	0.4	2.8
1993	77	2.0	0.23	1.5	2.5	4	1.1	0.61	0.3	2.8
1994	98	2.4	0.25	1.9	2.9	3	0.6	0.32	0.1	1.6
1995	110	2.8	0.27	2.3	3.4	9	2.1	0.73	0.9	3.9
1996	93	2.3	0.24	1.8	2.8	9	1.5	0.51	0.7	2.9
1997	105	2.6	0.26	2.1	3.2	5	0.8	0.36	0.3	1.9
1998	101	2.5	0.25	2.0	3.0	4	0.9	0.49	0.2	2.3
1999	96	2.4	0.24	1.9	2.9	4	0.7	0.36	0.2	1.8
2000	102	2.5	0.25	2.0	3.0	4	0.9	0.46	0.2	2.2
2001	131	3.2	0.28	2.7	3.8	8	1.4	0.55	0.6	2.9
2002	119	2.9	0.27	2.4	3.5	2	0.4	0.29	0.0	1.4
2003	118	2.9	0.26	2.4	3.4	2	0.3	0.20	0.0	1.1
2004	99	2.4	0.24	1.9	2.9	3	0.6	0.32	0.1	1.6
2005	102	2.5	0.25	2.0	3.0	6	1.3	0.56	0.5	2.8
2006	109	2.6	0.25	2.2	3.2	4	0.6	0.32	0.2	1.6
2007	95	2.2	0.23	1.8	2.7	6	0.8	0.35	0.3	1.9
2008	109	2.6	0.25	2.1	3.1	2	0.4	0.28	0.1	1.3
2009	104	2.4	0.24	2.0	2.9	4	0.6	0.30	0.2	1.5
2010	107	2.5	0.24	2.0	3.0	6	1.1	0.48	0.4	2.4
2011	85	1.9	0.21	1.5	2.4	7	1.2	0.48	0.5	2.5
2012	107	2.3	0.23	1.9	2.8	7	1.1	0.43	0.4	2.3
2013	88	1.9	0.20	1.5	2.3	5	0.7	0.31	0.2	1.6
2014	104	2.3	0.23	1.9	2.8	3	0.4	0.21	0.1	1.1
2015	90	1.9	0.20	1.5	2.3	3	0.4	0.26	0.1	1.2
2016	79	1.6	0.18	1.3	2.0	1	0.1	0.11	0.0	0.7
2017	67	1.4	0.17	1.1	1.8	4	0.6	0.31	0.2	1.5
2018	76	1.6	0.18	1.2	2.0	2	0.2	0.17	0.0	0.9
2019	83	1.6	0.18	1.3	2.0	7	0.9	0.35	0.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Mesothelioma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	52	0.4	0.05	0.3	0.5	1,030	0.5	0.02	0.5	0.5
1990	1	0.3	0.26	0.0	2.1	24	0.4	0.08	0.2	0.6
1991	1	0.7	0.68	0.0	3.2	22	0.4	0.08	0.2	0.5
1992	4	1.3	0.72	0.3	3.8	32	0.5	0.09	0.3	0.7
1993	0					33	0.5	0.09	0.4	0.7
1994	0					39	0.6	0.09	0.4	0.8
1995	1	0.4	0.36	0.0	2.1	39	0.6	0.10	0.4	0.9
1996	0					33	0.5	0.09	0.4	0.7
1997	0					27	0.4	0.08	0.3	0.6
1998	1	0.3	0.32	0.0	1.8	47	0.7	0.11	0.5	1.0
1999	2	0.6	0.45	0.1	2.3	34	0.5	0.09	0.4	0.7
2000	1	0.1	0.09	0.0	1.3	32	0.5	0.08	0.3	0.7
2001	2	0.6	0.42	0.1	2.1	35	0.5	0.09	0.4	0.7
2002	0					31	0.5	0.08	0.3	0.7
2003	0					33	0.5	0.09	0.3	0.7
2004	4	1.3	0.68	0.4	3.3	34	0.5	0.09	0.4	0.7
2005	3	1.0	0.64	0.2	2.8	34	0.5	0.09	0.4	0.7
2006	3	0.5	0.29	0.1	1.6	39	0.6	0.10	0.4	0.8
2007	2	0.3	0.21	0.0	1.2	35	0.5	0.09	0.3	0.7
2008	2	0.3	0.20	0.0	1.2	44	0.7	0.10	0.5	0.9
2009	5	1.0	0.47	0.3	2.3	23	0.3	0.07	0.2	0.5
2010	2	0.5	0.35	0.1	1.6	30	0.4	0.08	0.3	0.6
2011	1	0.2	0.15	0.0	0.9	43	0.6	0.09	0.4	0.8
2012	1	0.1	0.13	0.0	0.8	37	0.5	0.08	0.4	0.7
2013	2	0.3	0.22	0.0	1.1	39	0.5	0.09	0.4	0.7
2014	1	0.1	0.13	0.0	0.8	41	0.5	0.09	0.4	0.8
2015	1	0.1	0.11	0.0	0.7	35	0.5	0.09	0.4	0.7
2016	1	0.1	0.11	0.0	0.7	30	0.4	0.08	0.3	0.6
2017	4	0.6	0.32	0.2	1.6	44	0.6	0.09	0.4	0.8
2018	4	0.4	0.21	0.1	1.1	28	0.4	0.07	0.2	0.5
2019	3	0.4	0.22	0.1	1.1	33	0.4	0.07	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Mesothelioma										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	957	0.6	0.02	0.5	0.6	54	0.2	0.03	0.2	0.3
1990	22	0.4	0.08	0.2	0.6	0				
1991	22	0.4	0.09	0.3	0.6	0				
1992	30	0.5	0.10	0.4	0.8	0				
1993	32	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
1994	35	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3
1995	34	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.5
1996	31	0.6	0.10	0.4	0.8	2	0.2	0.17	0.0	0.9
1997	24	0.4	0.08	0.3	0.6	3	0.4	0.21	0.1	1.1
1998	44	0.8	0.12	0.6	1.1	3	0.4	0.22	0.1	1.1
1999	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2000	30	0.5	0.10	0.3	0.8	2	0.2	0.15	0.0	0.8
2001	34	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
2002	29	0.5	0.10	0.4	0.8	2	0.3	0.20	0.0	0.9
2003	29	0.5	0.10	0.3	0.8	2	0.2	0.16	0.0	0.8
2004	30	0.5	0.10	0.4	0.8	4	0.4	0.22	0.1	1.1
2005	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2006	36	0.7	0.11	0.5	1.0	2	0.3	0.18	0.0	0.9
2007	31	0.5	0.09	0.3	0.7	3	0.3	0.20	0.1	1.0
2008	43	0.8	0.12	0.6	1.1	0				
2009	22	0.4	0.08	0.2	0.6	1	0.1	0.12	0.0	0.6
2010	28	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2011	41	0.7	0.11	0.5	0.9	1	0.1	0.08	0.0	0.5
2012	33	0.5	0.10	0.4	0.8	4	0.4	0.21	0.1	1.1
2013	36	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2014	38	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8
2015	33	0.6	0.11	0.4	0.9	2	0.2	0.12	0.0	0.7
2016	28	0.5	0.09	0.3	0.7	0				
2017	40	0.7	0.11	0.5	1.0	2	0.2	0.14	0.0	0.7
2018	28	0.5	0.09	0.3	0.7	0				
2019	30	0.5	0.09	0.3	0.7	1	0.1	0.06	0.0	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kaposi Sarcoma										
Both Sexes										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	332	0.9	0.06	0.8	1.0	1,930	0.6	0.01	0.6	0.6
1990	16	2.0	0.62	1.0	3.8	160	1.5	0.12	1.2	1.7
1991	30	3.2	0.77	1.9	5.2	159	1.4	0.12	1.2	1.7
1992	19	1.6	0.41	0.9	2.9	168	1.5	0.12	1.3	1.8
1993	28	2.8	0.57	1.8	4.3	163	1.4	0.11	1.2	1.7
1994	22	2.4	0.65	1.3	4.1	162	1.5	0.12	1.2	1.7
1995	16	1.8	0.57	0.8	3.3	137	1.2	0.10	1.0	1.4
1996	27	3.7	0.95	2.1	6.0	122	1.1	0.10	0.9	1.3
1997	10	0.7	0.26	0.3	1.7	65	0.6	0.07	0.4	0.7
1998	7	0.6	0.23	0.2	1.5	48	0.4	0.06	0.3	0.6
1999	8	0.8	0.38	0.2	1.9	50	0.5	0.06	0.3	0.6
2000	4	0.3	0.16	0.1	1.1	36	0.3	0.05	0.2	0.5
2001	9	1.3	0.53	0.5	2.7	42	0.4	0.06	0.3	0.5
2002	7	0.7	0.34	0.2	1.7	43	0.4	0.06	0.3	0.5
2003	10	1.4	0.58	0.5	2.9	40	0.4	0.06	0.3	0.5
2004	8	0.4	0.16	0.2	1.0	45	0.4	0.06	0.3	0.5
2005	7	0.6	0.25	0.2	1.3	35	0.3	0.06	0.2	0.5
2006	7	1.0	0.42	0.3	2.1	35	0.3	0.06	0.2	0.5
2007	7	0.4	0.16	0.2	1.0	39	0.4	0.06	0.3	0.5
2008	5	0.6	0.31	0.2	1.5	37	0.4	0.06	0.3	0.5
2009	8	0.8	0.33	0.3	1.7	40	0.4	0.06	0.3	0.5
2010	7	0.6	0.27	0.2	1.4	39	0.4	0.06	0.3	0.5
2011	8	0.7	0.27	0.3	1.4	35	0.3	0.06	0.2	0.5
2012	7	0.4	0.14	0.1	0.8	20	0.2	0.04	0.1	0.3
2013	1	0.1	0.13	0.0	0.6	31	0.3	0.05	0.2	0.4
2014	8	0.6	0.25	0.2	1.3	36	0.3	0.05	0.2	0.5
2015	13	0.8	0.24	0.4	1.4	28	0.3	0.05	0.2	0.4
2016	12	0.7	0.20	0.3	1.2	34	0.3	0.05	0.2	0.4
2017	7	0.4	0.16	0.2	0.9	23	0.2	0.05	0.1	0.3
2018	6	0.3	0.15	0.1	0.8	30	0.3	0.05	0.2	0.4
2019	8	0.4	0.16	0.2	0.9	28	0.2	0.05	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kaposi Sarcoma										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,148	0.5	0.01	0.4	0.5	719	1.4	0.05	1.3	1.5
1990	107	1.2	0.12	1.0	1.5	49	2.8	0.41	2.1	3.8
1991	116	1.3	0.12	1.1	1.6	41	2.4	0.39	1.7	3.4
1992	121	1.3	0.12	1.1	1.6	46	2.6	0.38	1.9	3.4
1993	112	1.2	0.11	1.0	1.5	47	2.8	0.42	2.0	3.7
1994	109	1.2	0.12	1.0	1.5	52	3.0	0.43	2.2	4.0
1995	83	0.9	0.10	0.7	1.1	52	3.0	0.42	2.2	4.0
1996	65	0.7	0.09	0.6	0.9	53	2.9	0.40	2.2	3.8
1997	36	0.4	0.06	0.3	0.5	27	1.5	0.29	1.0	2.2
1998	23	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.0
1999	24	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.1
2000	17	0.2	0.04	0.1	0.3	17	1.0	0.23	0.6	1.5
2001	18	0.2	0.05	0.1	0.3	23	1.3	0.27	0.8	1.9
2002	23	0.3	0.05	0.2	0.4	18	1.0	0.25	0.6	1.7
2003	20	0.2	0.05	0.1	0.4	18	1.1	0.25	0.6	1.7
2004	23	0.2	0.05	0.2	0.4	19	1.1	0.26	0.7	1.8
2005	19	0.2	0.05	0.1	0.3	13	0.8	0.22	0.4	1.4
2006	16	0.2	0.05	0.1	0.3	17	1.0	0.25	0.6	1.7
2007	20	0.2	0.05	0.1	0.3	18	1.1	0.26	0.7	1.8
2008	19	0.2	0.05	0.1	0.3	15	0.9	0.23	0.5	1.5
2009	24	0.3	0.05	0.2	0.4	14	0.9	0.23	0.5	1.4
2010	22	0.3	0.06	0.2	0.4	15	0.9	0.23	0.5	1.4
2011	15	0.2	0.05	0.1	0.3	18	1.1	0.25	0.6	1.7
2012	12	0.1	0.04	0.1	0.3	5	0.3	0.13	0.1	0.7
2013	14	0.2	0.04	0.1	0.3	16	0.8	0.21	0.5	1.3
2014	18	0.2	0.05	0.1	0.3	16	0.9	0.22	0.5	1.4
2015	16	0.2	0.04	0.1	0.3	10	0.6	0.19	0.3	1.1
2016	24	0.3	0.05	0.2	0.4	9	0.5	0.17	0.2	1.0
2017	8	0.1	0.03	0.0	0.2	12	0.7	0.21	0.4	1.2
2018	11	0.1	0.04	0.1	0.2	17	0.9	0.22	0.5	1.4
2019	13	0.1	0.04	0.1	0.2	14	0.8	0.22	0.4	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kaposi Sarcoma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	317	1.6	0.11	1.4	1.8	1,768	1.2	0.03	1.1	1.2
1990	16	4.0	1.33	1.8	8.0	149	2.8	0.24	2.4	3.3
1991	30	6.5	1.83	3.4	11.3	155	3.0	0.24	2.5	3.5
1992	19	3.0	0.76	1.7	5.8	163	3.0	0.24	2.6	3.5
1993	28	5.2	1.09	3.3	8.5	151	2.7	0.22	2.3	3.2
1994	22	4.8	1.47	2.3	8.8	152	2.9	0.24	2.4	3.4
1995	16	3.5	1.30	1.5	7.2	130	2.4	0.21	2.0	2.8
1996	23	5.3	1.79	2.4	9.9	115	2.1	0.20	1.7	2.6
1997	10	1.4	0.49	0.6	3.5	57	1.1	0.14	0.8	1.4
1998	7	1.1	0.43	0.4	3.0	40	0.8	0.12	0.5	1.0
1999	7	0.8	0.33	0.3	2.6	45	0.9	0.13	0.6	1.2
2000	3	0.4	0.26	0.1	2.1	31	0.6	0.11	0.4	0.9
2001	8	2.5	1.17	0.8	5.7	35	0.7	0.11	0.5	0.9
2002	7	1.5	0.72	0.4	3.7	38	0.8	0.12	0.5	1.0
2003	9	2.2	0.95	0.7	4.8	37	0.7	0.12	0.5	1.0
2004	8	0.8	0.29	0.3	2.1	38	0.8	0.12	0.5	1.1
2005	7	1.2	0.53	0.4	2.8	30	0.6	0.11	0.4	0.9
2006	7	2.1	0.95	0.7	4.7	35	0.7	0.12	0.5	1.0
2007	7	0.8	0.31	0.3	2.0	35	0.7	0.12	0.5	1.0
2008	4	0.8	0.50	0.1	2.4	33	0.7	0.12	0.5	1.0
2009	6	0.9	0.43	0.3	2.3	35	0.7	0.12	0.5	1.0
2010	6	0.9	0.42	0.3	2.2	35	0.7	0.12	0.5	1.0
2011	7	1.1	0.43	0.4	2.4	29	0.6	0.11	0.4	0.8
2012	7	0.7	0.26	0.3	1.6	18	0.3	0.08	0.2	0.5
2013	0					28	0.5	0.10	0.3	0.7
2014	8	1.4	0.58	0.5	2.9	29	0.6	0.10	0.4	0.8
2015	13	1.6	0.52	0.8	3.0	24	0.5	0.10	0.3	0.7
2016	12	1.3	0.39	0.7	2.4	28	0.5	0.10	0.4	0.8
2017	7	0.8	0.32	0.3	1.7	21	0.4	0.09	0.3	0.6
2018	5	0.5	0.22	0.2	1.2	30	0.6	0.10	0.4	0.8
2019	8	0.9	0.32	0.4	1.8	22	0.4	0.09	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kaposi Sarcoma										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,032	0.9	0.03	0.8	0.9	678	2.9	0.11	2.7	3.1
1990	98	2.3	0.24	1.9	2.8	48	6.2	0.92	4.5	8.4
1991	113	2.6	0.25	2.2	3.2	40	5.4	0.88	3.8	7.4
1992	117	2.7	0.25	2.2	3.2	45	5.5	0.84	4.0	7.5
1993	103	2.2	0.22	1.8	2.7	44	5.9	0.96	4.2	8.2
1994	101	2.3	0.24	1.9	2.9	50	6.5	0.96	4.8	8.7
1995	78	1.7	0.20	1.4	2.2	51	6.5	0.93	4.8	8.7
1996	62	1.4	0.18	1.1	1.8	49	5.9	0.85	4.3	7.8
1997	31	0.7	0.13	0.5	1.0	25	3.1	0.63	2.0	4.6
1998	18	0.4	0.10	0.3	0.7	21	2.6	0.56	1.6	4.0
1999	21	0.5	0.11	0.3	0.8	22	2.8	0.61	1.7	4.3
2000	13	0.3	0.09	0.2	0.6	16	2.0	0.50	1.1	3.3
2001	14	0.3	0.09	0.2	0.6	20	2.4	0.53	1.5	3.7
2002	19	0.5	0.11	0.3	0.8	17	2.2	0.52	1.3	3.5
2003	17	0.4	0.10	0.3	0.7	18	2.5	0.63	1.4	4.0
2004	17	0.4	0.10	0.2	0.7	18	2.2	0.52	1.3	3.5
2005	17	0.4	0.11	0.3	0.7	10	1.4	0.46	0.7	2.6
2006	16	0.4	0.10	0.2	0.6	17	2.4	0.61	1.3	3.9
2007	16	0.4	0.10	0.2	0.6	18	2.5	0.60	1.5	4.0
2008	16	0.4	0.10	0.2	0.7	14	1.8	0.50	1.0	3.1
2009	19	0.5	0.11	0.3	0.7	14	1.9	0.53	1.0	3.3
2010	20	0.5	0.11	0.3	0.8	13	1.6	0.46	0.9	2.8
2011	11	0.3	0.08	0.1	0.5	16	2.0	0.51	1.1	3.3
2012	12	0.3	0.09	0.2	0.5	4	0.4	0.22	0.1	1.2
2013	11	0.3	0.08	0.1	0.5	16	1.8	0.45	1.0	3.0
2014	14	0.3	0.09	0.2	0.6	13	1.5	0.43	0.8	2.6
2015	12	0.3	0.08	0.1	0.5	10	1.3	0.41	0.6	2.3
2016	18	0.4	0.10	0.3	0.7	9	1.1	0.39	0.5	2.2
2017	8	0.2	0.06	0.1	0.4	10	1.2	0.38	0.5	2.2
2018	11	0.3	0.08	0.1	0.5	17	1.8	0.45	1.0	3.0
2019	9	0.2	0.07	0.1	0.4	13	1.7	0.49	0.9	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kaposi Sarcoma										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	15	0.2	0.04	0.1	0.3	162	0.1	0.01	0.1	0.1
1990	0					11	0.2	0.05	0.1	0.3
1991	0					4	0.1	0.03	0.0	0.2
1992	0					5	0.1	0.04	0.0	0.2
1993	0					12	0.2	0.06	0.1	0.4
1994	0					10	0.2	0.05	0.1	0.3
1995	0					7	0.1	0.04	0.0	0.2
1996	4	2.0	1.07	0.5	5.0	7	0.1	0.04	0.1	0.2
1997	0					8	0.1	0.04	0.1	0.2
1998	0					8	0.1	0.04	0.1	0.3
1999	1	0.6	0.61	0.0	2.7	5	0.1	0.03	0.0	0.2
2000	1	0.2	0.18	0.0	1.4	5	0.1	0.03	0.0	0.2
2001	1	0.3	0.28	0.0	1.6	7	0.1	0.04	0.1	0.2
2002	0					5	0.1	0.03	0.0	0.2
2003	1	0.6	0.64	0.0	2.7	3	0.0	0.02	0.0	0.1
2004	0					7	0.1	0.03	0.0	0.2
2005	0					5	0.1	0.04	0.0	0.2
2006	0					0				
2007	0					4	0.1	0.02	0.0	0.1
2008	1	0.4	0.37	0.0	1.6	4	0.1	0.03	0.0	0.2
2009	2	0.6	0.43	0.0	1.9	5	0.1	0.03	0.0	0.2
2010	1	0.3	0.31	0.0	1.4	4	0.1	0.03	0.0	0.2
2011	1	0.3	0.30	0.0	1.3	6	0.1	0.04	0.0	0.2
2012	0					2	0.0	0.02	0.0	0.1
2013	1	0.2	0.23	0.0	1.1	3	0.0	0.03	0.0	0.1
2014	0					7	0.1	0.04	0.0	0.2
2015	0					4	0.1	0.02	0.0	0.1
2016	0					6	0.1	0.03	0.0	0.2
2017	0					2	0.1	0.03	0.0	0.2
2018	1	0.2	0.17	0.0	0.8	0				
2019	0					6	0.1	0.03	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Kaposi Sarcoma										
Females										
	Non-Hispanic Whites					Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	116	0.1	0.01	0.1	0.1	41	0.2	0.02	0.1	0.2
1990	9	0.2	0.05	0.1	0.3	1	0.1	0.09	0.0	0.6
1991	3	0.1	0.03	0.0	0.2	1	0.1	0.09	0.0	0.6
1992	4	0.1	0.03	0.0	0.2	1	0.2	0.15	0.0	0.8
1993	9	0.2	0.06	0.1	0.3	3	0.3	0.19	0.1	1.0
1994	8	0.1	0.05	0.1	0.3	2	0.2	0.15	0.0	0.8
1995	5	0.1	0.04	0.0	0.2	1	0.1	0.12	0.0	0.7
1996	3	0.1	0.03	0.0	0.2	4	0.4	0.20	0.1	1.1
1997	5	0.1	0.04	0.0	0.2	2	0.2	0.14	0.0	0.8
1998	5	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
1999	3	0.0	0.02	0.0	0.1	2	0.2	0.15	0.0	0.8
2000	4	0.1	0.03	0.0	0.2	1	0.1	0.10	0.0	0.6
2001	4	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0
2002	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2003	3	0.0	0.03	0.0	0.2	0				
2004	6	0.1	0.04	0.0	0.2	1	0.1	0.14	0.0	0.7
2005	2	0.0	0.02	0.0	0.1	3	0.3	0.19	0.1	1.0
2006	0					0				
2007	4	0.1	0.03	0.0	0.2	0				
2008	3	0.0	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6
2009	5	0.1	0.03	0.0	0.2	0				
2010	2	0.0	0.02	0.0	0.1	2	0.2	0.16	0.0	0.8
2011	4	0.1	0.05	0.0	0.3	2	0.2	0.16	0.0	0.8
2012	0					1	0.1	0.12	0.0	0.6
2013	3	0.1	0.04	0.0	0.2	0				
2014	4	0.1	0.03	0.0	0.2	3	0.3	0.18	0.1	0.9
2015	4	0.1	0.03	0.0	0.2	0				
2016	6	0.1	0.04	0.0	0.2	0				
2017	0					2	0.3	0.19	0.0	0.9
2018	0					0				
2019	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ill-defined and unknown Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	2,594	12.5	0.28	12.0	13.1	55,663	15.3	0.07	15.2	15.4
1990	31	10.4	2.16	6.6	15.3	1,387	13.2	0.36	12.5	14.0
1991	45	12.9	2.24	8.9	17.9	1,367	12.9	0.35	12.2	13.6
1992	32	8.8	1.84	5.6	13.0	1,381	12.8	0.35	12.2	13.5
1993	39	11.5	2.12	7.7	16.2	1,832	16.9	0.40	16.1	17.6
1994	40	10.3	1.92	6.9	14.6	1,861	17.0	0.40	16.2	17.8
1995	50	13.7	2.27	9.6	18.7	1,703	15.4	0.37	14.7	16.2
1996	51	13.7	2.20	9.7	18.6	1,620	14.6	0.36	13.9	15.3
1997	38	8.6	1.62	5.7	12.2	1,516	13.5	0.35	12.9	14.3
1998	61	13.0	2.02	9.3	17.4	1,462	12.9	0.34	12.2	13.6
1999	57	13.5	2.09	9.8	18.1	1,500	13.1	0.34	12.5	13.8
2000	57	11.3	1.81	8.0	15.2	1,568	13.6	0.34	13.0	14.3
2001	77	15.3	2.05	11.5	19.7	2,161	18.7	0.40	17.9	19.5
2002	92	15.3	1.89	11.8	19.3	2,179	18.7	0.40	17.9	19.5
2003	85	15.8	1.94	12.2	20.0	2,144	18.2	0.39	17.5	19.0
2004	93	15.7	1.89	12.3	19.8	2,002	16.9	0.38	16.2	17.7
2005	81	12.1	1.56	9.3	15.5	2,007	16.8	0.38	16.1	17.5
2006	82	12.4	1.56	9.5	15.7	2,021	16.9	0.38	16.2	17.6
2007	88	11.5	1.41	8.9	14.5	2,106	17.2	0.38	16.5	18.0
2008	93	13.7	1.59	10.8	17.1	2,133	17.3	0.38	16.6	18.1
2009	108	13.4	1.45	10.7	16.4	2,110	17.0	0.37	16.3	17.7
2010	94	11.0	1.27	8.7	13.7	2,132	17.0	0.37	16.3	17.8
2011	110	12.8	1.36	10.3	15.7	1,927	15.0	0.35	14.3	15.7
2012	118	12.9	1.32	10.5	15.7	2,024	15.6	0.35	14.9	16.3
2013	143	15.2	1.39	12.6	18.1	1,930	14.7	0.34	14.0	15.4
2014	134	13.0	1.23	10.7	15.6	1,981	14.9	0.34	14.2	15.6
2015	124	11.1	1.09	9.1	13.4	1,967	14.6	0.34	13.9	15.3
2016	142	12.3	1.11	10.2	14.6	1,916	14.0	0.33	13.4	14.7
2017	127	10.7	1.02	8.8	12.8	1,949	14.1	0.33	13.5	14.8
2018	151	12.0	1.05	10.1	14.2	1,901	13.6	0.32	13.0	14.3
2019	151	11.6	1.01	9.7	13.7	1,876	13.4	0.32	12.8	14.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ill-defined and unknown Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	46,893	15.2	0.07	15.0	15.3	7,493	17.0	0.20	16.6	17.4
1990	1,158	12.6	0.37	11.8	13.3	219	18.9	1.32	16.4	21.7
1991	1,176	12.6	0.37	11.9	13.3	174	15.2	1.18	13.0	17.7
1992	1,184	12.6	0.37	11.8	13.3	184	15.9	1.20	13.6	18.4
1993	1,569	16.4	0.42	15.6	17.2	242	20.7	1.37	18.1	23.5
1994	1,600	16.7	0.42	15.9	17.6	252	20.4	1.32	17.9	23.1
1995	1,412	14.6	0.39	13.9	15.4	268	21.8	1.37	19.2	24.7
1996	1,329	13.7	0.38	13.0	14.5	276	22.2	1.37	19.6	25.1
1997	1,273	13.1	0.37	12.4	13.8	216	16.9	1.18	14.7	19.4
1998	1,225	12.4	0.36	11.7	13.1	206	16.1	1.15	13.9	18.5
1999	1,228	12.4	0.36	11.7	13.1	246	18.9	1.23	16.5	21.4
2000	1,296	13.0	0.36	12.3	13.8	242	17.8	1.17	15.6	20.2
2001	1,815	18.2	0.43	17.4	19.1	300	22.3	1.31	19.8	25.0
2002	1,880	18.8	0.44	18.0	19.7	270	19.6	1.22	17.3	22.1
2003	1,813	18.0	0.42	17.2	18.8	283	19.9	1.21	17.6	22.4
2004	1,738	17.2	0.42	16.4	18.1	217	15.1	1.05	13.1	17.3
2005	1,726	16.9	0.41	16.1	17.7	229	15.6	1.05	13.6	17.7
2006	1,714	16.9	0.41	16.1	17.7	259	17.9	1.13	15.7	20.2
2007	1,793	17.3	0.41	16.5	18.1	270	18.0	1.12	15.9	20.4
2008	1,822	17.5	0.41	16.7	18.3	270	17.6	1.09	15.5	19.9
2009	1,761	16.8	0.41	16.0	17.6	293	18.8	1.12	16.7	21.2
2010	1,793	17.1	0.41	16.3	17.9	289	18.3	1.10	16.2	20.6
2011	1,652	15.3	0.39	14.6	16.1	222	14.0	0.96	12.2	16.0
2012	1,702	15.8	0.39	15.0	16.5	268	16.0	1.00	14.1	18.1
2013	1,578	14.5	0.37	13.8	15.2	284	16.7	1.01	14.8	18.8
2014	1,665	15.1	0.38	14.3	15.8	251	14.7	0.95	12.9	16.7
2015	1,653	14.9	0.38	14.2	15.7	248	14.1	0.91	12.3	16.0
2016	1,595	14.2	0.37	13.5	14.9	235	13.1	0.87	11.4	14.9
2017	1,631	14.5	0.37	13.7	15.2	253	13.7	0.88	12.0	15.5
2018	1,569	13.8	0.36	13.1	14.5	261	14.2	0.90	12.5	16.1
2019	1,543	13.5	0.36	12.8	14.2	266	14.2	0.89	12.5	16.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ill-defined and unknown Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,289	13.7	0.44	12.8	14.5	27,309	18.1	0.11	17.9	18.3
1990	17	11.6	3.44	5.9	19.9	674	15.6	0.62	14.4	16.8
1991	19	16.0	4.44	8.6	26.4	686	15.8	0.62	14.6	17.0
1992	12	5.7	2.00	2.5	11.0	672	15.4	0.61	14.3	16.7
1993	20	15.1	4.16	8.1	24.8	819	18.8	0.68	17.5	20.1
1994	22	11.6	3.26	6.1	19.4	842	19.2	0.68	17.9	20.6
1995	22	13.2	3.60	7.1	21.7	808	18.0	0.65	16.7	19.3
1996	23	14.3	3.61	8.1	22.7	783	17.6	0.64	16.3	18.9
1997	20	10.5	3.07	5.4	17.8	724	15.9	0.60	14.7	17.1
1998	30	11.3	2.46	7.0	17.1	687	15.0	0.58	13.9	16.2
1999	29	16.3	3.63	10.0	24.6	679	14.6	0.57	13.5	15.7
2000	32	17.8	3.87	11.0	26.5	747	16.0	0.59	14.9	17.2
2001	37	16.4	3.36	10.5	24.0	1,075	22.8	0.70	21.4	24.2
2002	44	15.1	2.87	10.0	21.5	1,033	21.7	0.68	20.4	23.1
2003	43	17.0	3.14	11.4	24.0	1,049	21.9	0.68	20.6	23.2
2004	44	17.1	2.95	11.8	23.6	1,002	20.8	0.66	19.5	22.1
2005	43	12.6	2.25	8.6	17.7	971	19.7	0.64	18.5	21.0
2006	41	12.7	2.49	8.4	18.3	978	19.8	0.64	18.5	21.1
2007	40	11.4	2.17	7.6	16.3	1,032	20.5	0.65	19.2	21.8
2008	44	14.9	2.56	10.3	20.5	1,059	20.6	0.64	19.3	21.9
2009	48	12.0	2.05	8.3	16.5	1,045	19.9	0.63	18.7	21.2
2010	47	10.7	1.81	7.4	14.7	1,060	20.1	0.63	18.9	21.4
2011	50	13.1	2.18	9.2	17.9	976	18.2	0.59	17.0	19.4
2012	63	14.4	2.12	10.6	19.0	1,021	18.8	0.60	17.6	20.0
2013	76	17.2	2.21	13.1	21.9	979	17.4	0.57	16.3	18.5
2014	71	15.8	2.11	12.0	20.4	993	17.3	0.56	16.3	18.5
2015	60	11.2	1.64	8.2	14.8	1,057	18.1	0.57	17.0	19.2
2016	77	14.7	1.88	11.2	18.7	941	16.0	0.53	14.9	17.0
2017	66	11.8	1.60	8.9	15.3	1,012	17.0	0.55	15.9	18.1
2018	73	12.4	1.60	9.4	15.8	955	15.8	0.52	14.8	16.9
2019	76	13.5	1.70	10.4	17.2	950	15.5	0.51	14.5	16.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ill-defined and unknown Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	23,146	18.0	0.12	17.8	18.3	3,522	19.7	0.35	19.0	20.4
1990	556	14.7	0.64	13.5	16.1	114	23.5	2.33	19.1	28.5
1991	586	15.3	0.65	14.1	16.6	93	20.3	2.23	16.1	25.1
1992	569	14.9	0.64	13.7	16.2	98	22.0	2.40	17.6	27.2
1993	686	18.0	0.70	16.6	19.4	120	25.4	2.49	20.7	30.7
1994	723	19.0	0.72	17.6	20.5	113	21.7	2.20	17.6	26.4
1995	658	16.9	0.67	15.6	18.3	139	26.9	2.41	22.3	32.0
1996	645	16.7	0.67	15.4	18.1	127	25.0	2.38	20.6	30.1
1997	596	15.2	0.63	13.9	16.4	115	21.8	2.15	17.8	26.3
1998	582	14.7	0.62	13.5	16.0	92	16.6	1.80	13.3	20.5
1999	541	13.4	0.58	12.3	14.6	122	23.6	2.28	19.4	28.5
2000	614	15.3	0.62	14.1	16.6	118	21.3	2.08	17.4	25.8
2001	906	22.3	0.75	20.9	23.8	145	27.4	2.41	22.9	32.5
2002	889	21.8	0.74	20.4	23.3	128	22.5	2.08	18.6	26.9
2003	892	21.7	0.73	20.3	23.2	136	23.6	2.13	19.6	28.1
2004	876	21.2	0.72	19.8	22.6	98	17.2	1.84	13.7	21.1
2005	836	19.9	0.69	18.6	21.3	109	18.0	1.82	14.6	21.9
2006	833	19.7	0.69	18.4	21.1	119	20.7	2.01	16.9	24.9
2007	888	20.6	0.70	19.3	22.1	119	19.8	1.93	16.2	23.9
2008	920	21.1	0.70	19.7	22.5	121	20.3	1.97	16.6	24.5
2009	891	20.1	0.68	18.8	21.5	128	19.3	1.80	16.0	23.2
2010	900	20.2	0.68	18.9	21.6	133	21.8	2.01	18.1	26.1
2011	854	18.8	0.66	17.6	20.2	97	15.1	1.62	12.1	18.6
2012	883	19.4	0.66	18.1	20.8	117	17.3	1.68	14.1	20.8
2013	812	17.2	0.62	16.0	18.4	130	18.6	1.70	15.4	22.2
2014	834	17.3	0.61	16.2	18.6	124	18.1	1.70	14.9	21.7
2015	901	18.5	0.63	17.3	19.8	118	16.2	1.57	13.3	19.6
2016	807	16.5	0.60	15.4	17.7	94	12.8	1.39	10.2	15.8
2017	857	17.5	0.61	16.3	18.7	121	15.6	1.48	12.8	18.8
2018	801	16.2	0.59	15.1	17.4	120	16.1	1.53	13.3	19.4
2019	810	16.1	0.58	15.0	17.3	114	15.1	1.46	12.3	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ill-defined and unknown Sites										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	1,305	11.7	0.35	11.0	12.4	28,354	13.3	0.08	13.2	13.5
1990	14	9.3	2.73	4.8	15.9	713	11.6	0.44	10.7	12.5
1991	26	12.0	2.55	7.5	17.9	681	10.9	0.42	10.0	11.7
1992	20	10.8	2.72	6.2	17.2	709	11.1	0.42	10.3	12.0
1993	19	9.4	2.38	5.3	15.0	1,013	15.6	0.50	14.6	16.6
1994	18	9.4	2.41	5.3	15.1	1,019	15.5	0.49	14.6	16.5
1995	28	14.1	2.98	8.8	20.9	895	13.4	0.45	12.5	14.3
1996	28	13.6	2.80	8.6	20.0	837	12.6	0.44	11.8	13.5
1997	18	7.5	1.91	4.3	12.1	792	11.8	0.42	11.0	12.7
1998	31	13.4	2.80	8.5	19.8	775	11.3	0.41	10.5	12.1
1999	28	11.5	2.50	7.2	17.3	821	12.0	0.42	11.2	12.8
2000	25	7.0	1.63	4.2	10.9	821	12.0	0.42	11.2	12.9
2001	40	14.5	2.60	9.9	20.3	1,086	15.8	0.49	14.9	16.8
2002	48	15.4	2.51	10.9	21.0	1,146	16.5	0.49	15.6	17.5
2003	42	14.9	2.49	10.5	20.4	1,095	15.8	0.48	14.9	16.8
2004	49	14.6	2.40	10.2	19.8	1,000	14.4	0.46	13.5	15.4
2005	38	11.4	2.07	7.7	16.0	1,036	14.8	0.47	13.9	15.8
2006	41	12.2	2.05	8.5	16.7	1,043	14.9	0.47	14.0	15.8
2007	48	11.7	1.87	8.3	15.8	1,074	15.1	0.47	14.2	16.1
2008	49	12.9	2.02	9.2	17.3	1,074	15.0	0.47	14.1	15.9
2009	60	14.4	2.01	10.7	18.8	1,065	14.7	0.46	13.8	15.7
2010	47	11.0	1.73	7.9	14.9	1,072	14.9	0.47	14.0	15.8
2011	60	12.8	1.79	9.5	16.7	951	12.9	0.43	12.0	13.7
2012	55	11.6	1.68	8.5	15.3	1,003	13.4	0.44	12.6	14.3
2013	67	13.5	1.75	10.3	17.3	951	12.6	0.42	11.8	13.5
2014	63	11.0	1.48	8.3	14.2	988	13.2	0.43	12.4	14.1
2015	64	11.0	1.46	8.3	14.1	910	12.0	0.41	11.2	12.8
2016	65	10.5	1.37	8.0	13.5	975	12.6	0.42	11.8	13.5
2017	61	9.6	1.30	7.2	12.4	937	11.9	0.40	11.1	12.7
2018	78	11.7	1.39	9.2	14.7	946	11.8	0.40	11.1	12.7
2019	75	10.3	1.25	8.0	13.0	926	11.9	0.41	11.1	12.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Ill-defined and unknown Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	23,747	13.2	0.09	13.0	13.3	3,971	15.2	0.24	14.7	15.6
1990	602	11.0	0.46	10.2	12.0	105	15.6	1.55	12.7	19.0
1991	590	10.6	0.44	9.7	11.5	81	11.9	1.35	9.5	14.9
1992	615	11.0	0.45	10.1	11.9	86	12.2	1.33	9.7	15.1
1993	883	15.4	0.53	14.4	16.5	122	17.5	1.60	14.5	20.9
1994	877	15.3	0.53	14.2	16.3	139	19.1	1.64	16.0	22.6
1995	754	12.8	0.48	11.9	13.8	129	17.9	1.59	14.9	21.3
1996	684	11.8	0.46	10.9	12.7	149	20.1	1.66	17.0	23.6
1997	677	11.6	0.45	10.7	12.5	101	13.5	1.36	11.0	16.4
1998	643	10.7	0.43	9.9	11.6	114	15.0	1.42	12.3	18.0
1999	687	11.5	0.45	10.7	12.5	124	15.8	1.43	13.2	18.9
2000	682	11.5	0.45	10.7	12.4	124	15.4	1.39	12.8	18.4
2001	909	15.4	0.52	14.4	16.4	155	19.1	1.55	16.2	22.4
2002	991	16.7	0.54	15.7	17.8	142	17.3	1.46	14.5	20.4
2003	921	15.5	0.52	14.5	16.5	147	17.4	1.44	14.7	20.4
2004	862	14.6	0.51	13.6	15.6	119	13.9	1.28	11.5	16.6
2005	890	14.9	0.51	14.0	16.0	120	13.8	1.27	11.4	16.5
2006	881	14.9	0.51	13.9	15.9	140	16.2	1.38	13.6	19.1
2007	905	15.1	0.52	14.1	16.2	151	16.8	1.38	14.2	19.8
2008	902	14.8	0.51	13.8	15.8	149	16.3	1.35	13.8	19.2
2009	870	14.3	0.50	13.3	15.3	165	18.1	1.42	15.4	21.1
2010	893	14.9	0.51	13.9	15.9	156	16.5	1.34	14.0	19.3
2011	798	12.9	0.48	12.0	13.9	125	13.3	1.20	11.0	15.8
2012	819	13.2	0.48	12.3	14.2	151	15.2	1.25	12.8	17.8
2013	766	12.4	0.47	11.5	13.4	154	15.0	1.23	12.7	17.6
2014	831	13.5	0.49	12.5	14.5	127	12.5	1.13	10.4	15.0
2015	752	12.1	0.46	11.2	13.1	130	12.4	1.11	10.3	14.8
2016	788	12.5	0.46	11.6	13.4	141	13.3	1.14	11.2	15.8
2017	774	12.2	0.46	11.3	13.1	132	12.2	1.08	10.2	14.5
2018	768	11.8	0.44	11.0	12.7	141	13.0	1.11	10.9	15.3
2019	733	11.6	0.45	10.7	12.5	152	13.8	1.14	11.6	16.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Female Breast Insitu										
Females										
	Hispanic (Any Race)					Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	3,191	21.5	0.40	20.7	22.3	54,907	29.1	0.13	28.9	29.4
1990	18	7.7	1.85	4.5	12.3	765	14.1	0.52	13.1	15.1
1991	11	4.5	1.58	2.0	8.7	905	16.5	0.56	15.4	17.6
1992	18	7.0	1.70	4.0	11.2	993	17.9	0.58	16.8	19.0
1993	36	13.3	2.28	9.2	18.6	952	16.9	0.56	15.9	18.1
1994	22	8.6	1.97	5.2	13.3	1,041	18.0	0.57	16.9	19.2
1995	40	16.1	2.70	11.3	22.2	1,176	20.3	0.60	19.2	21.6
1996	45	14.1	2.30	10.0	19.4	1,304	22.4	0.63	21.2	23.7
1997	42	13.6	2.22	9.6	18.7	1,437	24.4	0.65	23.2	25.7
1998	49	16.0	2.50	11.5	21.6	1,665	28.1	0.69	26.7	29.5
1999	61	19.3	2.67	14.4	25.2	1,663	27.6	0.68	26.3	28.9
2000	72	18.4	2.24	14.3	23.3	1,872	31.0	0.72	29.6	32.4
2001	89	21.9	2.54	17.2	27.4	1,911	31.4	0.72	30.0	32.8
2002	84	18.0	2.11	14.1	22.7	1,808	29.3	0.69	27.9	30.6
2003	90	22.3	2.55	17.6	27.8	1,799	28.9	0.68	27.6	30.3
2004	91	20.0	2.27	15.8	24.9	1,961	31.2	0.71	29.8	32.6
2005	124	25.3	2.41	20.8	30.5	1,975	31.2	0.71	29.8	32.6
2006	88	17.8	2.04	14.1	22.3	2,054	32.3	0.72	30.9	33.7
2007	131	24.3	2.25	20.1	29.1	2,197	34.1	0.74	32.7	35.6
2008	111	20.1	2.05	16.3	24.5	2,196	33.9	0.73	32.4	35.3
2009	134	22.7	2.07	18.8	27.1	2,366	36.3	0.76	34.8	37.8
2010	130	20.6	1.90	17.0	24.6	2,266	34.5	0.74	33.1	36.0
2011	180	26.9	2.10	22.9	31.3	2,297	34.5	0.74	33.1	36.0
2012	156	24.3	2.06	20.4	28.7	2,392	35.9	0.75	34.4	37.4
2013	182	26.0	2.02	22.2	30.3	2,403	36.0	0.75	34.5	37.5
2014	174	23.7	1.87	20.2	27.7	2,308	34.1	0.73	32.7	35.5
2015	187	24.6	1.87	21.1	28.6	2,277	33.7	0.73	32.3	35.2
2016	191	25.2	1.90	21.6	29.1	2,256	33.3	0.73	31.9	34.8
2017	183	23.2	1.78	19.8	26.9	2,297	33.6	0.73	32.1	35.0
2018	200	23.6	1.72	20.4	27.2	2,136	31.6	0.72	30.2	33.1
2019	252	29.8	1.94	26.1	33.8	2,235	33.3	0.74	31.9	34.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2019

Female Breast Insitu										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
Total	44,750	29.4	0.14	29.1	29.7	7,629	27.6	0.32	26.9	28.2
1990	702	15.3	0.59	14.2	16.5	54	7.7	1.06	5.7	10.0
1991	812	17.5	0.63	16.3	18.8	73	10.8	1.28	8.4	13.6
1992	891	19.0	0.65	17.8	20.4	83	11.3	1.25	9.0	14.0
1993	835	17.8	0.63	16.6	19.1	98	12.8	1.31	10.4	15.6
1994	915	18.9	0.64	17.7	20.2	102	13.2	1.32	10.7	16.0
1995	1,031	21.3	0.68	20.0	22.7	113	14.4	1.36	11.9	17.3
1996	1,105	22.8	0.70	21.5	24.2	150	19.2	1.58	16.2	22.5
1997	1,231	25.1	0.72	23.7	26.6	155	19.1	1.54	16.2	22.3
1998	1,440	29.3	0.78	27.8	30.9	166	20.1	1.57	17.2	23.5
1999	1,416	28.4	0.76	26.9	29.9	170	20.4	1.57	17.4	23.7
2000	1,608	32.4	0.81	30.8	34.1	178	20.8	1.57	17.9	24.1
2001	1,614	32.4	0.81	30.8	34.0	223	25.4	1.71	22.1	28.9
2002	1,534	30.3	0.78	28.8	31.9	214	23.9	1.64	20.8	27.3
2003	1,499	29.6	0.77	28.1	31.1	226	24.7	1.65	21.5	28.1
2004	1,611	31.7	0.80	30.1	33.3	278	30.5	1.84	27.0	34.3
2005	1,621	31.6	0.79	30.0	33.2	270	29.4	1.80	26.0	33.2
2006	1,695	33.2	0.82	31.6	34.8	294	30.8	1.81	27.4	34.6
2007	1,785	34.5	0.83	32.9	36.2	307	32.2	1.86	28.7	36.1
2008	1,785	34.3	0.83	32.7	36.0	320	32.8	1.85	29.3	36.6
2009	1,918	36.8	0.86	35.2	38.6	335	33.9	1.87	30.3	37.8
2010	1,809	34.9	0.84	33.2	36.5	341	33.5	1.84	30.0	37.3
2011	1,828	34.8	0.84	33.2	36.5	365	35.4	1.88	31.8	39.2
2012	1,858	35.3	0.85	33.7	37.0	410	39.4	1.98	35.7	43.5
2013	1,868	35.6	0.85	33.9	37.3	410	39.6	1.99	35.8	43.7
2014	1,787	33.8	0.83	32.2	35.5	390	36.2	1.87	32.6	40.0
2015	1,763	33.4	0.83	31.8	35.1	372	34.3	1.81	30.8	38.0
2016	1,771	33.8	0.85	32.2	35.5	365	33.3	1.79	29.9	37.0
2017	1,733	32.9	0.84	31.2	34.5	415	37.3	1.88	33.7	41.2
2018	1,581	30.5	0.82	28.9	32.2	389	35.5	1.85	31.9	39.3
2019	1,704	33.6	0.87	31.9	35.3	363	31.8	1.71	28.5	35.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

SECTION III
Pediatric Cancer Incidence
Illinois, 1986-2019

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

All Sites										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	13,320	151.9	1.32	149.3	154.5	19,640	167.4	1.19	165.1	169.8
1986	335	131.7	7.21	117.9	146.6	488	141.6	6.42	129.3	154.7
1987	372	147.2	7.65	132.6	163.0	540	158.1	6.81	145.0	172.0
1988	356	141.3	7.50	127.0	156.8	520	153.5	6.74	140.6	167.3
1989	345	136.2	7.35	122.2	151.4	495	146.9	6.61	134.2	160.4
1990	304	120.6	6.93	107.4	135.0	454	136.5	6.42	124.3	149.7
1991	353	136.5	7.28	122.6	151.5	487	144.6	6.57	132.0	158.1
1992	334	128.8	7.06	115.3	143.4	468	139.1	6.44	126.7	152.3
1993	339	127.2	6.92	113.9	141.5	494	144.2	6.51	131.7	157.5
1994	378	142.3	7.33	128.3	157.4	520	150.5	6.62	137.8	164.1
1995	419	156.2	7.64	141.6	171.9	567	161.6	6.80	148.5	175.5
1996	379	140.7	7.23	126.8	155.6	538	151.9	6.56	139.4	165.4
1997	402	148.8	7.42	134.6	164.0	572	160.3	6.71	147.4	174.0
1998	383	141.9	7.26	128.1	156.9	554	154.6	6.57	142.0	168.1
1999	407	150.4	7.46	136.2	165.8	590	164.1	6.76	151.1	177.9
2000	356	131.4	6.97	118.1	145.8	548	152.2	6.50	139.7	165.5
2001	415	153.1	7.52	138.7	168.5	595	165.0	6.77	152.0	178.9
2002	415	153.7	7.55	139.3	169.3	584	162.5	6.73	149.6	176.3
2003	372	138.5	7.18	124.7	153.3	574	160.3	6.69	147.5	174.0
2004	433	161.8	7.78	146.9	177.8	616	172.0	6.93	158.6	186.1
2005	425	160.4	7.78	145.5	176.4	615	172.3	6.95	158.9	186.5
2006	400	152.5	7.63	137.9	168.2	593	166.8	6.85	153.6	180.8
2007	406	155.5	7.72	140.7	171.4	629	176.8	7.05	163.3	191.2
2008	402	154.6	7.71	139.9	170.5	631	177.6	7.07	164.0	192.0
2009	388	150.0	7.62	135.4	165.7	610	172.4	6.99	159.0	186.7
2010	420	163.2	7.96	148.0	179.6	637	181.5	7.19	167.6	196.1
2011	423	165.8	8.06	150.3	182.3	636	183.1	7.26	169.1	197.9
2012	399	157.8	7.90	142.7	174.1	600	174.9	7.14	161.1	189.4
2013	440	176.0	8.39	159.9	193.2	647	191.2	7.52	176.7	206.5
2014	420	169.8	8.29	154.0	186.9	643	192.3	7.58	177.7	207.7
2015	409	167.2	8.27	151.4	184.2	632	191.0	7.60	176.4	206.5
2016	441	182.1	8.67	165.5	199.9	670	204.6	7.90	189.4	220.7
2017	412	172.4	8.50	156.2	189.9	638	197.1	7.81	182.1	213.0
2018	432	182.8	8.79	165.9	200.8	643	200.9	7.92	185.6	217.0
2019	406	174.8	8.68	158.2	192.7	612	193.8	7.84	178.7	209.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Leukemia										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	4,251	48.4	0.74	46.9	49.8	5,158	43.9	0.61	42.7	45.1
1986	85	33.1	3.60	26.4	41.0	106	30.7	2.98	25.1	37.1
1987	128	50.4	4.46	42.0	60.0	152	44.6	3.62	37.8	52.3
1988	96	37.8	3.87	30.6	46.2	113	33.3	3.13	27.4	40.0
1989	99	38.8	3.90	31.5	47.2	112	32.9	3.11	27.1	39.6
1990	89	34.9	3.70	28.0	43.0	115	34.1	3.19	28.2	41.0
1991	113	43.8	4.13	36.1	52.7	137	40.4	3.46	33.9	47.8
1992	105	40.5	3.96	33.1	49.0	120	35.1	3.21	29.1	42.0
1993	100	37.3	3.74	30.4	45.4	131	37.8	3.31	31.5	44.8
1994	118	44.5	4.10	36.8	53.2	134	38.2	3.31	32.0	45.3
1995	143	52.5	4.40	44.3	61.9	164	45.7	3.57	38.9	53.2
1996	102	37.5	3.72	30.6	45.5	120	33.3	3.05	27.6	39.9
1997	117	43.0	3.98	35.6	51.5	146	40.5	3.36	34.2	47.7
1998	109	39.9	3.83	32.8	48.2	124	34.1	3.07	28.4	40.7
1999	132	48.6	4.23	40.7	57.6	163	45.1	3.53	38.4	52.6
2000	118	43.5	4.00	36.0	52.1	153	42.4	3.42	35.9	49.6
2001	147	54.5	4.49	46.0	64.0	179	49.7	3.72	42.7	57.6
2002	131	48.7	4.25	40.7	57.8	153	42.6	3.44	36.1	49.9
2003	135	50.5	4.35	42.3	59.8	164	45.9	3.59	39.2	53.5
2004	156	58.3	4.67	49.5	68.2	191	53.4	3.86	46.1	61.5
2005	130	48.9	4.29	40.9	58.1	160	44.9	3.55	38.2	52.4
2006	139	53.1	4.50	44.6	62.7	163	46.3	3.63	39.5	54.0
2007	127	48.9	4.34	40.7	58.2	153	43.6	3.53	37.0	51.1
2008	144	55.4	4.62	46.8	65.3	178	50.7	3.80	43.5	58.7
2009	134	51.7	4.46	43.3	61.2	163	46.5	3.65	39.7	54.3
2010	145	56.3	4.67	47.5	66.2	179	51.4	3.84	44.1	59.5
2011	143	56.0	4.68	47.2	66.0	175	50.8	3.84	43.5	58.9
2012	141	55.7	4.69	46.9	65.7	172	50.5	3.85	43.2	58.6
2013	134	53.5	4.63	44.9	63.4	166	49.3	3.82	42.1	57.4
2014	136	55.0	4.71	46.1	65.0	177	53.1	3.99	45.6	61.6
2015	128	52.4	4.63	43.7	62.3	154	46.9	3.78	39.8	54.9
2016	135	55.9	4.81	46.8	66.1	161	49.6	3.91	42.2	57.8
2017	129	54.0	4.76	45.1	64.2	160	49.8	3.93	42.4	58.1
2018	136	57.6	4.94	48.3	68.2	170	53.5	4.10	45.7	62.1
2019	127	54.6	4.85	45.5	65.0	150	47.9	3.91	40.5	56.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Lymphoid leukemia										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	3,306	37.6	0.65	36.3	38.9	3,817	32.5	0.53	31.5	33.5
1986	66	25.6	3.15	19.8	32.6	77	22.3	2.54	17.6	27.8
1987	107	42.1	4.07	34.5	50.9	123	36.1	3.26	30.0	43.1
1988	79	31.0	3.49	24.5	38.6	88	25.8	2.75	20.7	31.8
1989	83	32.5	3.57	25.9	40.3	90	26.4	2.78	21.2	32.5
1990	68	26.8	3.26	20.8	34.0	82	24.4	2.70	19.4	30.3
1991	81	31.4	3.49	24.9	39.0	96	28.2	2.89	22.9	34.5
1992	88	34.0	3.63	27.3	41.9	97	28.3	2.88	23.0	34.6
1993	79	29.5	3.32	23.3	36.8	99	28.4	2.86	23.1	34.6
1994	88	33.3	3.55	26.7	41.0	96	27.4	2.80	22.2	33.5
1995	127	46.4	4.13	38.7	55.3	139	38.4	3.26	32.2	45.3
1996	83	30.5	3.35	24.3	37.8	95	26.3	2.70	21.3	32.2
1997	93	34.0	3.53	27.5	41.7	113	31.2	2.94	25.7	37.6
1998	81	29.6	3.29	23.5	36.8	91	25.0	2.62	20.1	30.7
1999	97	35.7	3.62	28.9	43.5	115	31.8	2.96	26.2	38.1
2000	95	35.0	3.59	28.3	42.8	116	32.1	2.98	26.5	38.5
2001	113	41.9	3.94	34.5	50.4	134	37.3	3.22	31.2	44.1
2002	101	37.6	3.74	30.6	45.7	115	32.1	2.99	26.5	38.5
2003	111	41.6	3.95	34.2	50.1	127	35.6	3.16	29.7	42.4
2004	113	42.3	3.98	34.9	50.9	133	37.2	3.23	31.2	44.1
2005	99	37.3	3.75	30.3	45.4	121	34.0	3.09	28.2	40.6
2006	114	43.6	4.08	35.9	52.4	128	36.4	3.22	30.4	43.3
2007	93	35.9	3.72	29.0	44.0	109	31.2	2.99	25.6	37.6
2008	110	42.3	4.04	34.8	51.0	132	37.6	3.28	31.5	44.6
2009	104	40.1	3.93	32.7	48.6	116	33.2	3.09	27.5	39.9
2010	115	44.7	4.17	36.9	53.6	124	35.9	3.22	29.9	42.8
2011	113	44.3	4.16	36.5	53.2	128	37.3	3.30	31.1	44.3
2012	113	44.7	4.20	36.8	53.7	128	37.7	3.33	31.4	44.8
2013	106	42.4	4.11	34.7	51.2	124	36.9	3.31	30.7	44.0
2014	92	37.2	3.88	30.0	45.6	109	32.8	3.14	26.9	39.6
2015	96	39.3	4.02	31.9	48.0	109	33.3	3.19	27.3	40.2
2016	104	43.1	4.22	35.2	52.2	119	36.7	3.37	30.4	43.9
2017	90	37.7	3.98	30.3	46.4	107	33.3	3.22	27.3	40.3
2018	104	44.2	4.33	36.1	53.6	125	39.5	3.53	32.8	47.0
2019	100	43.0	4.30	35.0	52.3	112	35.8	3.39	29.5	43.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Acute myeloid leukemia										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	600	6.8	0.28	6.3	7.4	852	7.3	0.25	6.8	7.8
1986	9	3.5	1.18	1.6	6.7	15	4.3	1.12	2.4	7.1
1987	15	6.0	1.55	3.4	9.9	17	5.1	1.23	2.9	8.1
1988	12	4.9	1.42	2.5	8.6	15	4.6	1.18	2.6	7.5
1989	8	3.2	1.12	1.4	6.2	14	4.2	1.11	2.3	7.0
1990	14	5.4	1.45	3.0	9.1	21	6.2	1.36	3.8	9.5
1991	19	7.4	1.70	4.4	11.5	26	7.8	1.52	5.1	11.4
1992	14	5.3	1.43	2.9	9.0	18	5.3	1.24	3.1	8.3
1993	16	6.0	1.51	3.4	9.8	23	6.7	1.40	4.3	10.1
1994	20	7.4	1.67	4.5	11.5	26	7.4	1.46	4.9	10.9
1995	15	5.7	1.47	3.2	9.4	21	6.1	1.33	3.8	9.3
1996	17	6.2	1.51	3.6	10.0	23	6.4	1.34	4.1	9.7
1997	13	4.9	1.35	2.6	8.3	21	5.9	1.30	3.7	9.1
1998	22	8.2	1.74	5.1	12.4	26	7.2	1.42	4.7	10.6
1999	23	8.5	1.78	5.4	12.8	32	8.9	1.58	6.1	12.6
2000	20	7.4	1.65	4.5	11.4	31	8.6	1.55	5.9	12.2
2001	23	8.5	1.77	5.4	12.7	32	8.9	1.57	6.1	12.5
2002	18	6.6	1.56	3.9	10.5	24	6.7	1.36	4.3	9.9
2003	17	6.3	1.53	3.7	10.1	25	7.0	1.40	4.5	10.3
2004	28	10.4	1.97	6.9	15.1	36	10.0	1.67	7.0	13.9
2005	23	8.6	1.80	5.5	13.0	26	7.3	1.43	4.8	10.7
2006	18	6.9	1.63	4.1	10.9	23	6.5	1.36	4.1	9.8
2007	25	9.5	1.91	6.2	14.1	31	8.8	1.58	6.0	12.5
2008	21	8.1	1.77	5.0	12.4	28	8.0	1.50	5.3	11.5
2009	23	8.9	1.86	5.6	13.4	29	8.3	1.54	5.6	11.9
2010	15	5.8	1.50	3.2	9.6	34	9.5	1.64	6.6	13.3
2011	16	6.3	1.57	3.6	10.2	26	7.5	1.46	4.9	10.9
2012	16	6.3	1.58	3.6	10.3	26	7.6	1.48	4.9	11.1
2013	13	5.2	1.44	2.8	8.9	25	7.4	1.47	4.8	10.9
2014	18	7.3	1.71	4.3	11.5	33	9.8	1.71	6.8	13.8
2015	14	5.7	1.53	3.1	9.6	21	6.4	1.39	3.9	9.7
2016	22	9.1	1.93	5.7	13.7	30	9.2	1.67	6.2	13.1
2017	24	10.0	2.04	6.4	14.9	35	10.8	1.83	7.5	15.0
2018	12	5.0	1.45	2.6	8.8	19	5.9	1.35	3.5	9.2
2019	17	7.3	1.78	4.3	11.8	20	6.4	1.43	3.9	9.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Lymphoma and reticuloendothelial neoplasms										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,542	17.8	0.45	16.9	18.7	3,072	26.3	0.47	25.4	27.2
1986	49	19.9	2.84	14.7	26.3	87	25.6	2.74	20.5	31.5
1987	45	18.2	2.71	13.3	24.3	89	26.2	2.78	21.0	32.2
1988	48	19.7	2.84	14.5	26.1	99	29.6	2.98	24.0	36.0
1989	41	16.9	2.64	12.1	22.9	82	24.9	2.75	19.8	30.9
1990	33	13.5	2.35	9.3	18.9	74	22.8	2.65	17.9	28.6
1991	37	14.8	2.44	10.4	20.4	69	21.2	2.56	16.5	26.9
1992	40	15.8	2.50	11.3	21.5	72	22.0	2.60	17.2	27.7
1993	42	16.1	2.50	11.6	21.8	80	24.1	2.70	19.1	30.0
1994	45	17.4	2.59	12.7	23.2	80	23.8	2.67	18.9	29.7
1995	34	13.1	2.25	9.1	18.3	73	21.6	2.53	16.9	27.1
1996	51	19.3	2.70	14.4	25.4	99	28.5	2.87	23.2	34.7
1997	48	18.1	2.61	13.3	24.0	103	29.4	2.89	24.0	35.6
1998	52	19.6	2.72	14.6	25.7	98	27.7	2.80	22.5	33.7
1999	50	18.6	2.63	13.8	24.5	89	24.9	2.64	20.0	30.7
2000	30	11.1	2.03	7.5	15.9	79	22.1	2.48	17.5	27.5
2001	41	15.2	2.37	10.9	20.5	80	22.3	2.49	17.7	27.7
2002	45	16.7	2.49	12.2	22.3	83	23.2	2.54	18.5	28.7
2003	45	16.7	2.50	12.2	22.4	86	24.0	2.59	19.2	29.7
2004	39	14.5	2.33	10.3	19.9	80	22.3	2.49	17.7	27.7
2005	38	14.3	2.32	10.1	19.6	79	22.0	2.47	17.4	27.4
2006	36	13.8	2.31	9.7	19.1	87	24.3	2.60	19.4	29.9
2007	48	18.3	2.65	13.5	24.3	105	29.2	2.85	23.9	35.3
2008	39	15.0	2.41	10.7	20.5	89	24.8	2.63	19.9	30.5
2009	37	14.3	2.35	10.1	19.7	82	22.9	2.53	18.2	28.4
2010	41	15.9	2.49	11.4	21.6	99	27.8	2.79	22.6	33.8
2011	42	16.4	2.54	11.9	22.2	92	26.2	2.73	21.1	32.1
2012	51	20.2	2.83	15.0	26.5	90	26.1	2.75	21.0	32.1
2013	65	25.9	3.22	20.0	33.1	116	34.1	3.16	28.1	40.9
2014	62	25.0	3.18	19.2	32.1	107	31.9	3.08	26.1	38.5
2015	55	22.4	3.02	16.9	29.2	116	34.8	3.23	28.7	41.7
2016	55	22.7	3.06	17.1	29.5	106	32.2	3.12	26.3	38.9
2017	57	23.8	3.15	18.0	30.8	103	31.7	3.12	25.8	38.4
2018	57	24.0	3.18	18.2	31.1	103	31.9	3.15	26.1	38.8
2019	44	18.9	2.85	13.8	25.4	96	30.1	3.07	24.3	36.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Hodgkin lymphoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	488	5.7	0.26	5.2	6.2	1,509	12.9	0.33	12.3	13.6
1986	16	6.7	1.68	3.8	10.8	42	12.3	1.91	8.9	16.7
1987	17	7.1	1.71	4.1	11.3	51	15.0	2.10	11.2	19.7
1988	14	5.9	1.59	3.2	9.9	56	16.7	2.23	12.6	21.7
1989	13	5.5	1.52	2.9	9.3	40	12.2	1.93	8.7	16.6
1990	14	5.9	1.59	3.3	9.9	47	14.6	2.13	10.8	19.4
1991	11	4.6	1.37	2.3	8.1	34	10.7	1.84	7.4	14.9
1992	13	5.3	1.47	2.8	9.0	35	11.0	1.86	7.6	15.2
1993	17	6.7	1.64	3.9	10.8	46	14.2	2.10	10.4	18.9
1994	12	4.7	1.36	2.4	8.2	36	11.0	1.83	7.7	15.2
1995	11	4.3	1.31	2.2	7.7	36	10.8	1.80	7.6	14.9
1996	18	6.9	1.63	4.1	10.9	52	15.2	2.10	11.3	19.9
1997	18	6.9	1.63	4.1	10.9	57	16.4	2.17	12.4	21.2
1998	17	6.5	1.57	3.8	10.4	47	13.4	1.95	9.8	17.8
1999	14	5.3	1.41	2.9	8.8	40	11.3	1.78	8.1	15.3
2000	8	3.0	1.06	1.3	5.9	46	12.9	1.90	9.4	17.2
2001	16	5.9	1.48	3.4	9.6	41	11.4	1.79	8.2	15.5
2002	19	7.0	1.61	4.2	11.0	41	11.5	1.79	8.2	15.5
2003	14	5.2	1.38	2.8	8.7	43	12.0	1.83	8.7	16.2
2004	15	5.6	1.44	3.1	9.2	44	12.2	1.84	8.9	16.4
2005	17	6.4	1.55	3.7	10.2	47	13.0	1.90	9.6	17.3
2006	10	3.9	1.23	1.9	7.1	44	12.2	1.84	8.9	16.4
2007	16	6.1	1.52	3.5	9.9	50	13.8	1.95	10.2	18.2
2008	19	7.3	1.67	4.4	11.4	55	15.2	2.05	11.4	19.8
2009	12	4.6	1.34	2.4	8.1	43	11.9	1.81	8.6	16.0
2010	15	5.8	1.51	3.3	9.6	53	14.8	2.03	11.1	19.3
2011	6	2.3	0.96	0.9	5.1	32	9.0	1.58	6.1	12.7
2012	12	4.7	1.37	2.4	8.3	30	8.6	1.57	5.8	12.3
2013	17	6.8	1.64	3.9	10.8	47	13.7	1.99	10.0	18.2
2014	14	5.6	1.50	3.1	9.4	40	11.8	1.87	8.4	16.1
2015	14	5.7	1.51	3.1	9.5	58	17.2	2.26	13.1	22.3
2016	14	5.8	1.54	3.1	9.7	42	12.7	1.95	9.1	17.1
2017	12	5.0	1.43	2.6	8.7	40	12.2	1.92	8.7	16.6
2018	22	9.2	1.97	5.8	14.0	53	16.3	2.24	12.2	21.4
2019	11	4.7	1.41	2.3	8.4	41	12.7	1.98	9.1	17.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Non-Hodgkin lymphoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	772	8.9	0.32	8.3	9.6	1,256	10.8	0.30	10.2	11.4
1986	25	10.1	2.02	6.5	14.9	37	10.9	1.80	7.7	15.1
1987	20	8.1	1.80	4.9	12.4	30	8.9	1.62	6.0	12.7
1988	26	10.7	2.10	7.0	15.6	35	10.6	1.80	7.4	14.8
1989	21	8.6	1.88	5.3	13.2	35	10.7	1.80	7.4	14.8
1990	18	7.2	1.70	4.3	11.4	26	7.9	1.54	5.1	11.5
1991	20	8.0	1.80	4.9	12.4	29	8.9	1.65	5.9	12.7
1992	23	9.0	1.88	5.7	13.5	33	9.9	1.73	6.8	13.9
1993	21	8.0	1.75	4.9	12.2	30	8.8	1.61	5.9	12.6
1994	25	9.7	1.94	6.3	14.3	36	10.7	1.78	7.5	14.8
1995	15	5.9	1.51	3.3	9.6	29	8.6	1.60	5.8	12.3
1996	22	8.4	1.78	5.2	12.6	36	10.4	1.73	7.3	14.3
1997	20	7.5	1.69	4.6	11.6	36	10.3	1.71	7.2	14.2
1998	29	10.9	2.03	7.3	15.7	45	12.7	1.89	9.3	17.0
1999	26	9.6	1.89	6.3	14.1	39	10.9	1.74	7.7	14.9
2000	19	7.0	1.61	4.2	11.0	30	8.4	1.52	5.6	11.9
2001	21	7.8	1.70	4.8	11.9	35	9.7	1.65	6.8	13.6
2002	25	9.3	1.86	6.0	13.7	41	11.4	1.79	8.2	15.5
2003	28	10.5	1.98	7.0	15.1	40	11.2	1.77	8.0	15.3
2004	20	7.5	1.67	4.6	11.6	32	8.9	1.58	6.1	12.6
2005	19	7.2	1.65	4.3	11.2	30	8.4	1.53	5.7	12.0
2006	20	7.7	1.71	4.7	11.8	36	10.1	1.68	7.1	14.0
2007	29	11.1	2.06	7.4	15.9	52	14.5	2.02	10.9	19.1
2008	19	7.4	1.69	4.4	11.5	33	9.3	1.62	6.4	13.1
2009	20	7.7	1.73	4.7	11.9	34	9.6	1.64	6.6	13.4
2010	18	7.0	1.64	4.1	11.0	38	10.7	1.73	7.6	14.7
2011	19	7.5	1.71	4.5	11.7	41	11.7	1.83	8.4	15.9
2012	27	10.7	2.06	7.0	15.5	45	13.1	1.95	9.5	17.5
2013	26	10.4	2.03	6.8	15.2	46	13.5	1.99	9.9	18.0
2014	29	11.7	2.17	7.8	16.8	45	13.4	2.00	9.8	18.0
2015	21	8.6	1.87	5.3	13.1	36	10.8	1.81	7.6	15.0
2016	31	12.8	2.29	8.7	18.1	52	15.8	2.19	11.8	20.8
2017	28	11.7	2.21	7.8	16.9	44	13.6	2.04	9.9	18.2
2018	19	8.0	1.83	4.8	12.5	32	9.9	1.76	6.8	14.0
2019	23	9.9	2.07	6.3	14.9	38	12.0	1.95	8.5	16.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

CNS and misc intracranial and intraspinal neoplasms										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	2,693	30.8	0.59	29.7	32.0	3,292	28.2	0.49	27.2	29.1
1986	69	27.4	3.31	21.3	34.7	88	25.9	2.76	20.7	31.9
1987	63	25.2	3.17	19.3	32.2	78	23.1	2.62	18.3	28.8
1988	83	32.9	3.62	26.2	40.8	98	29.0	2.93	23.5	35.4
1989	78	31.2	3.54	24.7	39.0	92	27.6	2.88	22.2	33.8
1990	72	29.0	3.42	22.6	36.5	84	25.4	2.77	20.2	31.4
1991	76	29.6	3.41	23.3	37.1	89	26.3	2.79	21.1	32.4
1992	70	27.7	3.32	21.6	35.0	83	24.9	2.73	19.8	30.8
1993	63	23.9	3.02	18.4	30.6	81	23.6	2.63	18.7	29.3
1994	85	32.1	3.49	25.6	39.7	102	29.3	2.90	23.9	35.6
1995	90	34.1	3.60	27.4	41.9	109	31.3	3.00	25.7	37.7
1996	91	33.9	3.56	27.3	41.6	109	30.7	2.94	25.2	37.0
1997	81	30.2	3.35	23.9	37.5	96	26.9	2.75	21.8	32.8
1998	86	31.9	3.44	25.5	39.4	115	32.1	3.00	26.5	38.6
1999	77	28.4	3.23	22.4	35.5	98	27.2	2.74	22.0	33.1
2000	74	27.3	3.17	21.4	34.3	90	24.9	2.63	20.0	30.6
2001	80	29.6	3.30	23.4	36.8	96	26.6	2.72	21.5	32.5
2002	80	29.7	3.32	23.5	36.9	100	27.8	2.78	22.7	33.9
2003	55	20.6	2.78	15.5	26.8	74	20.8	2.41	16.3	26.1
2004	88	33.2	3.55	26.7	41.0	106	29.9	2.90	24.5	36.1
2005	94	35.7	3.68	28.8	43.7	119	33.6	3.08	27.8	40.2
2006	87	33.2	3.56	26.6	40.9	106	30.0	2.91	24.6	36.3
2007	83	31.9	3.50	25.4	39.5	100	28.5	2.85	23.2	34.6
2008	69	26.7	3.21	20.8	33.8	85	24.3	2.64	19.4	30.1
2009	73	28.4	3.32	22.2	35.7	91	26.1	2.74	21.0	32.1
2010	82	31.9	3.52	25.4	39.6	104	29.9	2.93	24.4	36.2
2011	93	36.5	3.78	29.4	44.7	113	32.8	3.09	27.1	39.5
2012	76	30.1	3.45	23.7	37.6	96	28.1	2.87	22.8	34.4
2013	89	35.6	3.78	28.6	43.8	98	29.2	2.95	23.7	35.6
2014	94	38.1	3.93	30.8	46.6	117	35.2	3.26	29.1	42.2
2015	80	32.8	3.66	26.0	40.8	98	29.8	3.01	24.2	36.4
2016	85	35.2	3.82	28.1	43.5	100	30.8	3.08	25.1	37.5
2017	65	27.3	3.38	21.0	34.7	85	26.4	2.87	21.1	32.7
2018	94	39.9	4.11	32.2	48.8	114	35.9	3.36	29.6	43.1
2019	68	29.2	3.55	22.7	37.1	78	24.9	2.82	19.7	31.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Ependymoma and choroid plexus tumor										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	251	2.9	0.18	2.5	3.2	294	2.5	0.15	2.2	2.8
1986	5	1.9	0.86	0.6	4.5	5	1.4	0.64	0.5	3.4
1987	5	2.0	0.88	0.6	4.6	6	1.8	0.72	0.6	3.8
1988	5	1.9	0.85	0.6	4.5	5	1.4	0.64	0.5	3.4
1989	8	3.0	1.07	1.3	6.0	10	2.9	0.91	1.4	5.3
1990	5	1.9	0.86	0.6	4.5	6	1.7	0.71	0.6	3.8
1991	11	4.2	1.28	2.1	7.6	11	3.2	0.96	1.6	5.7
1992	11	4.3	1.30	2.1	7.7	11	3.2	0.97	1.6	5.8
1993	9	3.3	1.12	1.5	6.4	9	2.5	0.83	1.1	4.8
1994	10	3.6	1.14	1.7	6.7	12	3.3	0.96	1.7	5.8
1995	11	4.0	1.20	2.0	7.1	11	3.0	0.90	1.5	5.4
1996	10	3.6	1.15	1.7	6.7	12	3.3	0.95	1.7	5.8
1997	7	2.6	0.98	1.0	5.3	7	1.9	0.73	0.8	4.0
1998	7	2.6	0.97	1.0	5.3	9	2.5	0.83	1.1	4.7
1999	11	4.0	1.21	2.0	7.2	14	3.9	1.03	2.1	6.5
2000	10	3.7	1.17	1.8	6.8	11	3.0	0.92	1.5	5.4
2001	12	4.4	1.28	2.3	7.7	13	3.6	0.99	1.9	6.1
2002	4	1.5	0.74	0.4	3.8	5	1.4	0.62	0.5	3.3
2003	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6
2004	11	4.2	1.25	2.1	7.4	15	4.2	1.09	2.4	7.0
2005	8	3.1	1.09	1.3	6.0	12	3.4	0.98	1.8	5.9
2006	3	1.2	0.66	0.2	3.4	7	2.0	0.74	0.8	4.0
2007	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2008	8	3.1	1.09	1.3	6.1	9	2.6	0.86	1.2	4.9
2009	4	1.6	0.78	0.4	4.0	7	2.0	0.75	0.8	4.1
2010	7	2.7	1.03	1.1	5.6	7	2.0	0.77	0.8	4.2
2011	7	2.7	1.04	1.1	5.7	8	2.3	0.82	1.0	4.6
2012	7	2.8	1.05	1.1	5.7	9	2.6	0.88	1.2	5.0
2013	7	2.8	1.06	1.1	5.8	8	2.4	0.84	1.0	4.7
2014	12	4.9	1.40	2.5	8.5	13	3.9	1.09	2.1	6.7
2015	8	3.3	1.16	1.4	6.5	10	3.1	0.96	1.5	5.6
2016	4	1.7	0.82	0.5	4.2	5	1.5	0.69	0.5	3.6
2017	2	0.8	0.59	0.1	3.0	2	0.6	0.44	0.1	2.3
2018	9	3.8	1.27	1.7	7.2	9	2.9	0.95	1.3	5.4
2019	5	2.2	0.96	0.7	5.0	5	1.6	0.72	0.5	3.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Astrocytoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	1,330	15.2	0.42	14.4	16.1	1,677	14.4	0.35	13.7	15.1
1986	33	13.2	2.31	9.1	18.6	45	13.3	1.98	9.7	17.8
1987	30	11.9	2.17	8.0	17.0	39	11.5	1.84	8.1	15.7
1988	36	14.6	2.43	10.2	20.1	45	13.5	2.02	9.9	18.1
1989	49	19.9	2.85	14.7	26.3	58	17.6	2.32	13.4	22.8
1990	38	15.3	2.49	10.8	21.0	47	14.2	2.08	10.5	18.9
1991	31	12.1	2.17	8.2	17.1	39	11.6	1.86	8.2	15.8
1992	35	13.8	2.34	9.6	19.2	44	13.2	2.00	9.6	17.8
1993	28	10.8	2.04	7.2	15.6	36	10.6	1.77	7.4	14.7
1994	42	15.7	2.42	11.3	21.2	49	13.9	1.99	10.3	18.4
1995	40	15.2	2.41	10.9	20.7	50	14.4	2.04	10.7	19.0
1996	46	17.2	2.54	12.6	23.0	54	15.2	2.08	11.4	19.9
1997	41	15.3	2.39	11.0	20.8	47	13.2	1.92	9.7	17.5
1998	46	17.2	2.54	12.6	23.0	64	18.0	2.25	13.8	23.0
1999	33	12.2	2.13	8.4	17.2	44	12.3	1.85	8.9	16.4
2000	38	14.1	2.28	10.0	19.3	49	13.6	1.94	10.1	18.0
2001	33	12.2	2.13	8.4	17.2	41	11.4	1.78	8.2	15.4
2002	36	13.4	2.23	9.4	18.5	48	13.4	1.93	9.9	17.7
2003	26	9.7	1.91	6.4	14.3	38	10.7	1.73	7.5	14.6
2004	38	14.3	2.33	10.1	19.7	45	12.7	1.89	9.2	17.0
2005	53	20.1	2.76	15.0	26.2	66	18.6	2.29	14.4	23.7
2006	50	19.1	2.70	14.1	25.1	58	16.4	2.16	12.5	21.3
2007	42	16.1	2.49	11.6	21.8	54	15.3	2.09	11.5	20.0
2008	30	11.7	2.14	7.9	16.7	39	11.2	1.79	8.0	15.3
2009	30	11.7	2.13	7.9	16.7	38	10.9	1.77	7.7	15.0
2010	41	15.9	2.49	11.4	21.6	61	17.4	2.23	13.3	22.4
2011	44	17.3	2.60	12.5	23.2	56	16.2	2.17	12.3	21.1
2012	46	18.2	2.68	13.3	24.3	59	17.3	2.25	13.2	22.3
2013	44	17.6	2.65	12.8	23.6	48	14.3	2.07	10.6	19.0
2014	46	18.6	2.74	13.6	24.8	61	18.3	2.34	14.0	23.5
2015	35	14.3	2.42	10.0	19.9	44	13.4	2.02	9.7	18.0
2016	46	19.0	2.81	13.9	25.4	55	16.9	2.28	12.8	22.0
2017	33	13.8	2.40	9.5	19.4	47	14.5	2.12	10.7	19.3
2018	54	22.9	3.12	17.2	29.9	65	20.5	2.54	15.8	26.1
2019	37	16.0	2.62	11.2	22.0	44	14.1	2.12	10.2	18.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Intracranial and intraspinal embryonal tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	602	6.9	0.28	6.3	7.4	691	5.9	0.22	5.5	6.4
1986	10	3.9	1.23	1.9	7.2	14	4.0	1.08	2.2	6.8
1987	17	6.8	1.65	4.0	10.9	17	5.1	1.23	3.0	8.1
1988	20	7.8	1.74	4.8	12.0	23	6.7	1.40	4.3	10.1
1989	7	2.7	1.03	1.1	5.6	8	2.3	0.83	1.0	4.6
1990	17	6.8	1.65	4.0	10.9	17	5.1	1.24	3.0	8.2
1991	14	5.5	1.48	3.0	9.2	17	5.1	1.23	3.0	8.1
1992	16	6.3	1.59	3.6	10.3	16	4.8	1.19	2.7	7.7
1993	14	5.3	1.42	2.9	8.9	19	5.6	1.28	3.3	8.7
1994	19	7.4	1.70	4.4	11.5	24	7.1	1.45	4.5	10.5
1995	20	7.6	1.70	4.6	11.7	25	7.2	1.44	4.7	10.6
1996	19	7.0	1.61	4.2	10.9	23	6.4	1.34	4.1	9.6
1997	19	7.0	1.61	4.2	10.9	21	5.8	1.27	3.6	8.9
1998	17	6.3	1.52	3.7	10.0	22	6.1	1.30	3.8	9.3
1999	17	6.3	1.52	3.6	10.0	20	5.5	1.23	3.4	8.5
2000	16	5.9	1.47	3.4	9.5	18	5.0	1.17	2.9	7.8
2001	17	6.3	1.52	3.7	10.0	21	5.8	1.27	3.6	8.9
2002	19	7.0	1.61	4.2	11.0	24	6.7	1.36	4.3	9.9
2003	18	6.8	1.60	4.0	10.7	21	5.9	1.29	3.7	9.1
2004	24	9.1	1.85	5.8	13.5	26	7.3	1.44	4.8	10.7
2005	17	6.5	1.57	3.8	10.4	19	5.4	1.24	3.2	8.4
2006	19	7.2	1.65	4.3	11.2	23	6.5	1.35	4.1	9.7
2007	22	8.4	1.79	5.3	12.7	24	6.8	1.39	4.4	10.2
2008	17	6.5	1.58	3.8	10.4	19	5.4	1.24	3.3	8.5
2009	16	6.2	1.56	3.6	10.1	20	5.7	1.28	3.5	8.9
2010	17	6.6	1.60	3.9	10.6	19	5.5	1.26	3.3	8.6
2011	23	9.0	1.88	5.7	13.5	27	7.9	1.51	5.2	11.4
2012	12	4.7	1.37	2.5	8.3	14	4.1	1.10	2.3	6.9
2013	21	8.4	1.84	5.2	12.9	24	7.2	1.46	4.6	10.7
2014	24	9.8	1.99	6.3	14.5	24	7.3	1.49	4.7	10.9
2015	19	7.8	1.79	4.7	12.2	21	6.4	1.40	4.0	9.8
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5
2017	19	8.0	1.83	4.8	12.5	20	6.3	1.40	3.8	9.7
2018	21	8.9	1.94	5.5	13.6	23	7.3	1.52	4.6	10.9
2019	17	7.3	1.77	4.3	11.7	18	5.8	1.36	3.4	9.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Other glioma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	399	4.6	0.23	4.2	5.1	495	4.3	0.19	3.9	4.6
1986	13	5.2	1.43	2.7	8.8	15	4.4	1.14	2.5	7.3
1987	9	3.7	1.22	1.7	6.9	12	3.6	1.04	1.9	6.3
1988	10	4.0	1.26	1.9	7.3	11	3.3	0.99	1.6	5.8
1989	4	1.6	0.78	0.4	4.0	6	1.8	0.72	0.7	3.9
1990	9	3.7	1.22	1.7	6.9	11	3.4	1.01	1.7	6.0
1991	14	5.5	1.47	3.0	9.2	15	4.4	1.15	2.5	7.3
1992	7	2.8	1.06	1.1	5.8	11	3.4	1.02	1.7	6.0
1993	7	2.7	1.02	1.1	5.5	12	3.6	1.04	1.9	6.3
1994	12	4.7	1.34	2.4	8.1	15	4.4	1.14	2.5	7.3
1995	16	6.2	1.56	3.6	10.1	19	5.6	1.28	3.4	8.7
1996	15	5.7	1.47	3.2	9.4	18	5.1	1.21	3.0	8.1
1997	9	3.4	1.12	1.5	6.4	15	4.2	1.10	2.4	7.0
1998	11	4.1	1.23	2.0	7.3	14	3.9	1.04	2.1	6.6
1999	13	4.8	1.32	2.5	8.2	16	4.4	1.10	2.5	7.2
2000	10	3.7	1.16	1.8	6.8	12	3.3	0.95	1.7	5.8
2001	17	6.3	1.52	3.7	10.0	20	5.5	1.24	3.4	8.5
2002	20	7.4	1.66	4.6	11.5	21	5.9	1.28	3.6	8.9
2003	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2004	9	3.5	1.16	1.6	6.6	14	4.0	1.07	2.2	6.7
2005	12	4.6	1.33	2.4	8.0	18	5.1	1.20	3.0	8.1
2006	13	5.0	1.38	2.7	8.5	15	4.3	1.11	2.4	7.1
2007	13	5.0	1.39	2.7	8.6	13	3.8	1.04	2.0	6.4
2008	12	4.6	1.34	2.4	8.1	14	4.0	1.07	2.2	6.7
2009	20	7.8	1.74	4.7	12.0	21	6.1	1.33	3.8	9.3
2010	15	5.9	1.51	3.3	9.7	15	4.4	1.13	2.5	7.2
2011	16	6.3	1.57	3.6	10.2	19	5.5	1.27	3.3	8.7
2012	6	2.4	0.97	0.9	5.2	9	2.6	0.87	1.2	5.0
2013	14	5.6	1.49	3.1	9.4	15	4.5	1.15	2.5	7.4
2014	11	4.5	1.34	2.2	8.0	17	5.1	1.23	3.0	8.2
2015	18	7.4	1.74	4.4	11.6	22	6.7	1.43	4.2	10.1
2016	16	6.6	1.66	3.8	10.8	19	5.9	1.34	3.5	9.1
2017	10	4.2	1.34	2.0	7.8	13	4.1	1.13	2.2	7.0
2018	7	3.0	1.12	1.2	6.1	13	4.0	1.12	2.2	6.9
2019	7	3.0	1.13	1.2	6.2	9	2.9	0.95	1.3	5.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Neuroblastoma and other peripheral nervous cell tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	966	10.8	0.35	10.1	11.5	995	8.3	0.26	7.8	8.9
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	21	7.6	1.67	4.7	11.7	21	5.7	1.25	3.5	8.8
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	39	10.8	1.73	7.7	14.8
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	33	9.3	1.62	6.4	13.0
2006	18	6.9	1.62	4.1	10.9	19	5.4	1.25	3.3	8.5
2007	27	10.2	1.96	6.7	14.8	27	7.6	1.47	5.0	11.1
2008	23	8.8	1.83	5.6	13.2	24	6.8	1.40	4.4	10.2
2009	24	9.3	1.89	5.9	13.8	25	7.2	1.44	4.7	10.6
2010	37	14.4	2.37	10.1	19.9	39	11.3	1.81	8.1	15.5
2011	31	12.2	2.18	8.3	17.3	31	9.1	1.63	6.2	12.9
2012	19	7.6	1.73	4.5	11.8	20	5.9	1.33	3.6	9.2
2013	20	8.1	1.81	4.9	12.5	20	6.1	1.35	3.7	9.3
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	33	13.6	2.37	9.4	19.1	33	10.2	1.78	7.0	14.3
2017	23	9.7	2.02	6.1	14.5	25	7.9	1.57	5.1	11.6
2018	28	12.0	2.26	8.0	17.3	28	9.0	1.69	6.0	13.0
2019	23	10.0	2.09	6.3	15.0	24	7.8	1.59	5.0	11.6

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Neuroblastoma and ganglioneuroblastoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	949	10.6	0.34	10.0	11.3	967	8.1	0.26	7.6	8.6
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	38	10.5	1.71	7.5	14.5
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	32	9.0	1.59	6.2	12.7
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2007	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
2008	22	8.4	1.79	5.3	12.7	22	6.3	1.34	3.9	9.5
2009	23	8.9	1.85	5.6	13.3	23	6.6	1.38	4.2	10.0
2010	36	14.0	2.34	9.8	19.4	38	11.0	1.79	7.8	15.2
2011	30	11.8	2.15	7.9	16.8	30	8.8	1.61	5.9	12.6
2012	18	7.2	1.69	4.2	11.3	19	5.6	1.29	3.4	8.8
2013	19	7.7	1.76	4.6	12.0	19	5.8	1.32	3.5	9.0
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	33	13.6	2.37	9.4	19.1	33	10.2	1.78	7.0	14.3
2017	23	9.7	2.02	6.1	14.5	25	7.9	1.57	5.1	11.6
2018	28	12.0	2.26	8.0	17.3	28	9.0	1.69	6.0	13.0
2019	22	9.6	2.04	6.0	14.5	22	7.2	1.53	4.5	10.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Retinoblastoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	350	3.9	0.21	3.5	4.3	350	2.9	0.16	2.6	3.2
1986	10	3.8	1.20	1.8	7.0	10	2.8	0.90	1.4	5.2
1987	9	3.4	1.15	1.6	6.5	9	2.6	0.86	1.2	4.9
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.3
1989	8	3.0	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4
1990	10	3.6	1.15	1.8	6.8	10	2.7	0.86	1.3	5.1
1991	7	2.5	0.95	1.0	5.2	7	1.9	0.71	0.8	3.9
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1993	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1994	10	3.5	1.11	1.7	6.5	10	2.6	0.83	1.3	4.9
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4
1997	10	3.6	1.14	1.7	6.6	10	2.7	0.85	1.3	5.0
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.67	0.6	3.6
2001	12	4.3	1.25	2.2	7.6	12	3.3	0.94	1.7	5.7
2002	15	5.5	1.43	3.1	9.1	15	4.1	1.07	2.3	6.8
2003	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2004	12	4.4	1.28	2.3	7.8	12	3.3	0.96	1.7	5.8
2005	9	3.4	1.13	1.5	6.4	9	2.5	0.84	1.2	4.8
2006	10	3.8	1.20	1.8	7.0	10	2.9	0.90	1.4	5.2
2007	15	5.7	1.46	3.2	9.4	15	4.2	1.10	2.4	7.0
2008	9	3.4	1.14	1.6	6.5	9	2.6	0.85	1.2	4.9
2009	16	6.2	1.55	3.5	10.1	16	4.6	1.16	2.7	7.5
2010	10	3.9	1.23	1.9	7.2	10	2.9	0.92	1.4	5.3
2011	10	3.9	1.24	1.9	7.2	10	2.9	0.93	1.4	5.4
2012	5	2.0	0.89	0.7	4.7	5	1.5	0.67	0.5	3.5
2013	12	4.9	1.40	2.5	8.5	12	3.6	1.05	1.9	6.3
2014	7	2.9	1.08	1.2	5.9	7	2.1	0.81	0.9	4.4
2015	11	4.5	1.36	2.3	8.1	11	3.4	1.02	1.7	6.0
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0
2017	11	4.7	1.40	2.3	8.3	11	3.5	1.05	1.7	6.2
2018	9	3.8	1.28	1.8	7.3	9	2.9	0.96	1.3	5.4
2019	13	5.7	1.58	3.0	9.7	13	4.3	1.18	2.3	7.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Renal tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	729	8.2	0.30	7.6	8.8	775	6.5	0.23	6.1	7.0
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	29	11.1	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.6
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.37	4.4	10.1
1994	17	6.2	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8
1995	22	7.9	1.68	4.9	11.9	22	5.9	1.26	3.7	8.9
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	32	11.5	2.04	7.9	16.3	34	9.2	1.58	6.4	12.9
1998	22	8.0	1.71	5.0	12.2	24	6.6	1.34	4.2	9.8
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	27	9.9	1.91	6.5	14.5	29	8.0	1.48	5.4	11.5
2001	20	7.4	1.65	4.5	11.4	20	5.5	1.23	3.4	8.5
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	24	6.7	1.36	4.3	9.9
2004	16	6.0	1.49	3.4	9.7	18	5.0	1.18	3.0	7.9
2005	20	7.6	1.69	4.6	11.7	22	6.2	1.32	3.9	9.4
2006	20	7.6	1.70	4.6	11.7	23	6.5	1.36	4.1	9.8
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	20	7.7	1.71	4.7	11.8	23	6.6	1.37	4.2	9.8
2009	26	10.0	1.96	6.5	14.7	31	8.8	1.59	6.0	12.6
2010	19	7.4	1.69	4.4	11.5	20	5.8	1.29	3.5	8.9
2011	19	7.5	1.71	4.5	11.7	21	6.2	1.34	3.8	9.4
2012	24	9.5	1.94	6.1	14.2	26	7.7	1.51	5.0	11.3
2013	19	7.6	1.75	4.6	11.9	22	6.6	1.40	4.1	9.9
2014	13	5.3	1.46	2.8	9.0	14	4.2	1.13	2.3	7.1
2015	19	7.8	1.79	4.7	12.2	20	6.1	1.37	3.8	9.5
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7
2017	34	14.3	2.45	9.9	20.0	35	11.0	1.86	7.7	15.3
2018	14	5.9	1.59	3.3	10.0	17	5.4	1.30	3.1	8.6
2019	20	8.7	1.94	5.3	13.4	21	6.8	1.48	4.2	10.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Nephroblastoma and other nonepithelial renal tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	700	7.9	0.30	7.3	8.5	717	6.0	0.23	5.6	6.5
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	24	8.8	1.79	5.6	13.1	24	6.6	1.34	4.2	9.8
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.04	2.2	6.6
1995	20	7.1	1.58	4.3	11.0	20	5.3	1.19	3.2	8.2
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	31	11.1	2.00	7.6	15.8	32	8.6	1.52	5.9	12.2
1998	21	7.7	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	26	9.6	1.87	6.2	14.0	26	7.2	1.40	4.7	10.5
2001	19	7.0	1.61	4.2	11.0	19	5.3	1.20	3.2	8.2
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	22	6.1	1.30	3.8	9.2
2004	12	4.5	1.29	2.3	7.8	12	3.4	0.97	1.7	5.9
2005	19	7.2	1.64	4.3	11.2	21	5.9	1.29	3.7	9.0
2006	18	6.8	1.61	4.1	10.8	19	5.4	1.24	3.3	8.4
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	18	6.9	1.62	4.1	10.9	18	5.2	1.22	3.1	8.2
2009	25	9.6	1.92	6.2	14.2	26	7.5	1.46	4.9	10.9
2010	19	7.4	1.69	4.4	11.5	19	5.5	1.26	3.3	8.6
2011	19	7.5	1.71	4.5	11.7	19	5.6	1.28	3.4	8.7
2012	24	9.5	1.94	6.1	14.2	25	7.4	1.48	4.8	10.9
2013	18	7.2	1.70	4.3	11.4	19	5.7	1.31	3.4	8.9
2014	12	4.9	1.41	2.5	8.5	12	3.7	1.05	1.9	6.4
2015	18	7.4	1.74	4.4	11.7	18	5.5	1.30	3.3	8.7
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7
2017	31	13.0	2.34	8.9	18.5	31	9.8	1.75	6.6	13.8
2018	13	5.5	1.53	2.9	9.5	16	5.1	1.26	2.9	8.2
2019	20	8.7	1.94	5.3	13.4	20	6.5	1.45	4.0	10.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Hepatic tumor										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	191	2.2	0.16	1.9	2.5	216	1.8	0.12	1.6	2.1
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1988	0					0				
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4
2000	5	1.9	0.83	0.6	4.3	6	1.7	0.68	0.6	3.6
2001	7	2.6	0.96	1.0	5.3	8	2.2	0.77	0.9	4.3
2002	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2003	7	2.6	0.98	1.0	5.3	8	2.2	0.78	1.0	4.4
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	3	1.1	0.65	0.2	3.3	4	1.1	0.56	0.3	2.9
2007	4	1.5	0.77	0.4	3.9	6	1.7	0.69	0.6	3.7
2008	6	2.3	0.93	0.8	5.0	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2010	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6
2012	10	4.0	1.25	1.9	7.3	10	3.0	0.94	1.4	5.4
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6
2014	10	4.1	1.28	2.0	7.5	10	3.0	0.96	1.5	5.6
2015	6	2.5	1.00	0.9	5.3	7	2.1	0.81	0.9	4.4
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7
2018	6	2.6	1.04	0.9	5.6	8	2.5	0.89	1.1	5.0
2019	6	2.6	1.06	1.0	5.7	6	2.0	0.79	0.7	4.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Hepatoblastoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	160	1.8	0.14	1.5	2.1	163	1.4	0.11	1.2	1.6
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
1988	0					0				
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3
2000	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2001	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
2002	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2003	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
2007	4	1.5	0.77	0.4	3.9	4	1.2	0.57	0.3	2.9
2008	4	1.5	0.76	0.4	3.9	4	1.1	0.57	0.3	2.9
2009	5	1.9	0.87	0.6	4.5	5	1.5	0.65	0.5	3.4
2010	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6
2012	8	3.2	1.12	1.4	6.3	8	2.4	0.84	1.0	4.7
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6
2014	9	3.7	1.22	1.7	7.0	9	2.7	0.91	1.3	5.2
2015	5	2.1	0.92	0.7	4.8	5	1.5	0.69	0.5	3.6
2016	5	2.1	0.93	0.7	4.8	5	1.6	0.69	0.5	3.6
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7
2018	5	2.1	0.96	0.7	5.0	5	1.6	0.71	0.5	3.7
2019	5	2.2	0.97	0.7	5.1	5	1.6	0.73	0.5	3.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Malignant bone tumor										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	530	6.2	0.27	5.6	6.7	954	8.2	0.27	7.7	8.8
1986	8	3.4	1.19	1.5	6.6	19	5.6	1.29	3.4	8.8
1987	10	4.2	1.32	2.0	7.6	27	8.0	1.54	5.3	11.6
1988	9	3.8	1.27	1.7	7.2	25	7.5	1.50	4.9	11.1
1989	12	5.1	1.46	2.6	8.8	23	7.1	1.48	4.5	10.6
1990	15	6.4	1.64	3.6	10.4	24	7.5	1.54	4.8	11.2
1991	10	4.0	1.28	1.9	7.4	22	6.8	1.46	4.3	10.3
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7
1993	16	6.4	1.61	3.7	10.4	25	7.7	1.53	5.0	11.3
1994	15	6.0	1.54	3.3	9.8	24	7.3	1.48	4.7	10.8
1995	21	8.2	1.80	5.1	12.6	38	11.3	1.83	8.0	15.5
1996	11	4.2	1.28	2.1	7.6	25	7.3	1.46	4.7	10.7
1997	20	7.7	1.72	4.7	11.9	30	8.6	1.58	5.8	12.3
1998	25	9.4	1.89	6.1	13.9	37	10.5	1.72	7.4	14.4
1999	19	7.2	1.64	4.3	11.2	31	8.7	1.57	5.9	12.4
2000	23	8.6	1.78	5.4	12.8	39	10.9	1.74	7.7	14.9
2001	13	4.8	1.33	2.6	8.2	24	6.7	1.36	4.3	9.9
2002	16	5.9	1.47	3.4	9.6	30	8.4	1.52	5.6	11.9
2003	14	5.1	1.37	2.8	8.6	26	7.2	1.41	4.7	10.6
2004	17	6.3	1.52	3.7	10.1	31	8.6	1.54	5.8	12.2
2005	21	7.9	1.73	4.9	12.1	36	10.1	1.68	7.1	14.0
2006	17	6.5	1.56	3.8	10.3	30	8.4	1.53	5.7	12.0
2007	17	6.5	1.58	3.8	10.4	35	9.7	1.65	6.8	13.6
2008	13	5.0	1.40	2.7	8.6	24	6.7	1.38	4.3	10.0
2009	15	5.8	1.50	3.3	9.6	31	8.7	1.56	5.9	12.4
2010	17	6.6	1.60	3.9	10.6	29	8.2	1.53	5.5	11.8
2011	13	5.1	1.41	2.7	8.7	25	7.1	1.43	4.6	10.6
2012	12	4.7	1.37	2.5	8.3	24	6.9	1.42	4.4	10.3
2013	18	7.2	1.68	4.2	11.3	28	8.2	1.55	5.5	11.9
2014	14	5.6	1.50	3.1	9.4	29	8.6	1.60	5.8	12.4
2015	17	6.9	1.67	4.0	11.1	28	8.4	1.59	5.6	12.2
2016	16	6.6	1.64	3.8	10.7	25	7.6	1.52	4.9	11.2
2017	16	6.6	1.65	3.8	10.8	32	9.8	1.73	6.7	13.8
2018	20	8.4	1.87	5.1	12.9	29	9.0	1.67	6.0	12.9
2019	18	7.7	1.82	4.6	12.2	31	9.8	1.75	6.6	13.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Osteosarcoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	309	3.6	0.20	3.2	4.0	565	4.9	0.20	4.5	5.3
1986	5	2.1	0.94	0.7	4.9	8	2.4	0.86	1.0	4.7
1987	4	1.7	0.86	0.5	4.3	15	4.4	1.15	2.5	7.3
1988	7	3.0	1.12	1.2	6.1	17	5.1	1.25	3.0	8.2
1989	4	1.7	0.85	0.5	4.3	9	2.8	0.92	1.3	5.2
1990	6	2.5	1.03	0.9	5.4	9	2.8	0.94	1.3	5.3
1991	2	0.8	0.58	0.1	2.9	12	3.8	1.09	2.0	6.6
1992	5	2.0	0.91	0.7	4.7	9	2.8	0.93	1.3	5.3
1993	7	2.8	1.07	1.1	5.8	14	4.3	1.16	2.4	7.2
1994	7	2.8	1.05	1.1	5.7	12	3.6	1.05	1.9	6.3
1995	15	5.9	1.52	3.3	9.7	26	7.7	1.51	5.0	11.3
1996	8	3.1	1.10	1.3	6.1	15	4.4	1.13	2.5	7.2
1997	11	4.3	1.28	2.1	7.6	18	5.2	1.22	3.1	8.2
1998	12	4.5	1.31	2.3	7.9	23	6.5	1.36	4.1	9.8
1999	13	4.9	1.36	2.6	8.4	22	6.2	1.32	3.9	9.4
2000	16	6.0	1.49	3.4	9.7	26	7.3	1.42	4.7	10.6
2001	6	2.2	0.91	0.8	4.8	11	3.1	0.92	1.5	5.5
2002	13	4.8	1.33	2.6	8.2	20	5.6	1.24	3.4	8.6
2003	10	3.6	1.15	1.7	6.7	19	5.3	1.20	3.2	8.2
2004	13	4.8	1.34	2.6	8.3	23	6.4	1.33	4.1	9.6
2005	15	5.6	1.46	3.2	9.3	23	6.4	1.34	4.1	9.6
2006	10	3.8	1.19	1.8	7.0	16	4.5	1.12	2.6	7.3
2007	11	4.2	1.26	2.1	7.5	19	5.3	1.22	3.2	8.3
2008	8	3.1	1.09	1.3	6.1	15	4.2	1.09	2.4	7.0
2009	9	3.5	1.16	1.6	6.6	19	5.3	1.22	3.2	8.3
2010	11	4.3	1.29	2.1	7.6	19	5.4	1.23	3.2	8.4
2011	6	2.4	0.96	0.9	5.1	12	3.4	0.99	1.8	6.0
2012	6	2.4	0.97	0.9	5.2	14	4.0	1.08	2.2	6.8
2013	12	4.8	1.37	2.5	8.3	19	5.6	1.28	3.4	8.7
2014	8	3.2	1.14	1.4	6.3	19	5.6	1.29	3.4	8.8
2015	9	3.7	1.22	1.7	6.9	15	4.5	1.16	2.5	7.4
2016	9	3.7	1.23	1.7	7.0	13	4.0	1.10	2.1	6.8
2017	10	4.1	1.31	2.0	7.6	19	5.8	1.33	3.5	9.1
2018	11	4.6	1.39	2.3	8.3	15	4.7	1.21	2.6	7.7
2019	10	4.3	1.37	2.1	8.0	20	6.3	1.41	3.8	9.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Ewing tumor and related sarcomas of bone										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	172	2.0	0.15	1.7	2.3	293	2.5	0.15	2.2	2.8
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.6
1987	4	1.7	0.83	0.5	4.2	6	1.8	0.74	0.7	3.9
1988	1	0.4	0.43	0.0	2.3	5	1.5	0.67	0.5	3.5
1989	5	2.1	0.92	0.7	4.8	10	3.0	0.96	1.5	5.6
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6
1991	6	2.5	1.00	0.9	5.3	7	2.2	0.82	0.9	4.4
1992	5	2.0	0.89	0.7	4.6	5	1.5	0.67	0.5	3.5
1993	6	2.4	0.97	0.9	5.2	7	2.1	0.79	0.8	4.3
1994	8	3.2	1.13	1.4	6.2	11	3.3	1.00	1.7	5.9
1995	4	1.6	0.79	0.4	4.0	9	2.7	0.90	1.2	5.1
1996	2	0.7	0.52	0.1	2.7	6	1.7	0.71	0.6	3.8
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	4.9
1998	8	3.0	1.07	1.3	5.9	9	2.5	0.85	1.2	4.8
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2
2001	7	2.6	0.98	1.0	5.3	12	3.3	0.96	1.7	5.8
2002	3	1.1	0.64	0.2	3.2	6	1.7	0.68	0.6	3.6
2003	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2004	3	1.1	0.63	0.2	3.2	7	1.9	0.73	0.8	4.0
2005	3	1.2	0.67	0.2	3.4	10	2.8	0.88	1.3	5.2
2006	6	2.3	0.94	0.8	5.0	12	3.4	0.97	1.7	5.9
2007	5	1.9	0.86	0.6	4.5	15	4.2	1.07	2.3	6.9
2008	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	11	3.1	0.93	1.5	5.5
2010	4	1.6	0.78	0.4	4.0	8	2.3	0.80	1.0	4.5
2011	6	2.4	0.96	0.9	5.1	11	3.2	0.95	1.6	5.6
2012	5	2.0	0.88	0.6	4.6	9	2.6	0.87	1.2	5.0
2013	3	1.2	0.69	0.3	3.5	4	1.2	0.59	0.3	3.0
2014	3	1.2	0.69	0.3	3.5	7	2.1	0.78	0.8	4.3
2015	7	2.9	1.08	1.2	5.9	9	2.7	0.91	1.3	5.2
2016	7	2.9	1.08	1.2	5.9	9	2.7	0.91	1.3	5.2
2017	6	2.5	1.01	0.9	5.4	12	3.7	1.06	1.9	6.4
2018	8	3.3	1.17	1.4	6.6	11	3.4	1.02	1.7	6.1
2019	5	2.1	0.95	0.7	5.0	8	2.5	0.88	1.1	5.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Soft tissue and other extraosseous sarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	915	10.5	0.35	9.8	11.2	1,366	11.7	0.32	11.1	12.3
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5
1992	26	9.9	1.94	6.4	14.5	41	12.2	1.90	8.7	16.5
1993	19	7.4	1.69	4.4	11.5	29	8.7	1.62	5.8	12.5
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2
1997	29	10.7	1.99	7.2	15.4	35	9.7	1.65	6.8	13.5
1998	28	10.5	1.98	7.0	15.2	37	10.4	1.71	7.3	14.3
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9
2001	26	9.6	1.88	6.3	14.1	41	11.4	1.78	8.2	15.5
2002	33	12.2	2.12	8.4	17.1	41	11.4	1.77	8.2	15.4
2003	22	8.2	1.74	5.1	12.4	42	11.7	1.81	8.5	15.9
2004	28	10.5	1.98	7.0	15.1	42	11.7	1.81	8.5	15.8
2005	27	10.3	1.97	6.8	14.9	43	12.1	1.84	8.7	16.3
2006	25	9.5	1.89	6.1	14.0	35	9.8	1.66	6.8	13.6
2007	38	14.6	2.38	10.4	20.1	56	15.8	2.12	12.0	20.6
2008	33	12.7	2.21	8.7	17.8	51	14.4	2.01	10.7	18.9
2009	28	10.9	2.06	7.2	15.7	44	12.5	1.88	9.1	16.8
2010	30	11.7	2.13	7.9	16.7	44	12.6	1.90	9.1	16.9
2011	30	11.8	2.15	7.9	16.8	42	12.1	1.87	8.7	16.4
2012	24	9.5	1.94	6.1	14.2	39	11.4	1.82	8.1	15.5
2013	30	12.0	2.19	8.1	17.1	47	13.9	2.02	10.2	18.4
2014	23	9.3	1.94	5.9	14.0	33	9.9	1.72	6.8	13.9
2015	21	8.6	1.87	5.3	13.1	38	11.4	1.86	8.1	15.7
2016	38	15.7	2.55	11.1	21.6	54	16.5	2.25	12.4	21.6
2017	26	10.8	2.13	7.1	15.9	48	14.7	2.13	10.9	19.6
2018	20	8.4	1.89	5.2	13.0	28	8.7	1.65	5.8	12.6
2019	30	12.9	2.36	8.7	18.4	42	13.3	2.06	9.6	18.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Rhabdomyosarcomas										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	444	5.1	0.24	4.6	5.6	544	4.6	0.20	4.3	5.0
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.22	3.2	8.3
2002	18	6.7	1.57	4.0	10.5	20	5.6	1.24	3.4	8.6
2003	11	4.1	1.23	2.0	7.3	16	4.5	1.12	2.6	7.3
2004	8	3.0	1.07	1.3	5.9	11	3.1	0.93	1.5	5.5
2005	6	2.3	0.95	0.9	5.1	9	2.6	0.86	1.2	4.9
2006	11	4.2	1.26	2.1	7.5	15	4.2	1.09	2.4	7.0
2007	16	6.2	1.55	3.6	10.1	21	6.0	1.31	3.7	9.2
2008	11	4.2	1.27	2.1	7.5	15	4.2	1.09	2.4	7.0
2009	14	5.5	1.46	3.0	9.2	18	5.2	1.22	3.1	8.2
2010	16	6.3	1.56	3.6	10.1	17	5.0	1.20	2.9	7.9
2011	11	4.3	1.30	2.2	7.7	16	4.6	1.15	2.6	7.5
2012	12	4.8	1.37	2.5	8.3	16	4.7	1.17	2.7	7.6
2013	14	5.6	1.50	3.1	9.4	18	5.3	1.26	3.2	8.5
2014	8	3.2	1.15	1.4	6.4	9	2.7	0.91	1.2	5.2
2015	11	4.5	1.35	2.2	8.0	12	3.7	1.06	1.9	6.4
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5
2017	14	5.9	1.56	3.2	9.8	19	5.9	1.35	3.5	9.2
2018	10	4.2	1.34	2.0	7.8	11	3.5	1.05	1.7	6.2
2019	13	5.7	1.57	3.0	9.7	16	5.1	1.29	2.9	8.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Germ cell, trophoblastic tumors and neoplasms of gonads										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	476	5.4	0.25	5.0	6.0	1,329	11.3	0.31	10.7	12.0
1986	12	4.9	1.43	2.6	8.6	25	7.4	1.47	4.8	10.9
1987	11	4.6	1.38	2.3	8.1	34	10.0	1.71	6.9	13.9
1988	16	6.4	1.59	3.6	10.3	41	12.0	1.88	8.6	16.3
1989	17	6.6	1.61	3.8	10.6	37	10.9	1.80	7.7	15.1
1990	10	4.0	1.27	1.9	7.3	31	9.5	1.70	6.4	13.4
1991	11	4.4	1.34	2.2	7.9	26	8.1	1.58	5.3	11.8
1992	14	5.5	1.46	3.0	9.1	39	12.0	1.93	8.6	16.4
1993	13	4.8	1.34	2.6	8.3	34	10.3	1.76	7.1	14.3
1994	18	6.8	1.60	4.0	10.7	45	13.5	2.01	9.8	18.0
1995	15	5.8	1.49	3.2	9.5	27	7.9	1.53	5.2	11.5
1996	14	5.2	1.40	2.9	8.8	31	8.9	1.60	6.1	12.6
1997	12	4.6	1.32	2.4	8.0	27	7.8	1.49	5.1	11.3
1998	12	4.5	1.30	2.3	7.9	36	10.2	1.69	7.1	14.1
1999	19	7.0	1.61	4.2	11.0	44	12.3	1.85	8.9	16.5
2000	12	4.4	1.28	2.3	7.8	35	9.8	1.65	6.8	13.6
2001	11	4.0	1.20	2.0	7.1	38	10.6	1.71	7.5	14.5
2002	12	4.4	1.28	2.3	7.7	39	10.9	1.74	7.8	14.9
2003	12	4.4	1.28	2.3	7.7	46	12.9	1.90	9.4	17.1
2004	15	5.6	1.44	3.1	9.2	38	10.6	1.71	7.5	14.5
2005	19	7.1	1.64	4.3	11.2	43	12.0	1.82	8.7	16.1
2006	19	7.2	1.65	4.3	11.3	45	12.5	1.86	9.1	16.7
2007	11	4.2	1.27	2.1	7.5	35	9.7	1.63	6.7	13.4
2008	17	6.5	1.58	3.8	10.4	57	15.7	2.08	11.9	20.3
2009	9	3.5	1.17	1.6	6.7	39	10.8	1.72	7.6	14.7
2010	11	4.3	1.30	2.2	7.7	36	10.1	1.68	7.0	13.9
2011	15	5.9	1.52	3.3	9.7	50	14.1	1.99	10.5	18.6
2012	11	4.4	1.31	2.2	7.8	45	12.9	1.92	9.4	17.2
2013	12	4.8	1.39	2.5	8.4	39	11.4	1.82	8.1	15.5
2014	11	4.5	1.34	2.2	8.0	50	14.7	2.08	10.9	19.4
2015	13	5.3	1.47	2.8	9.0	46	13.7	2.02	10.0	18.3
2016	20	8.2	1.84	5.0	12.7	47	14.2	2.07	10.4	18.9
2017	21	8.8	1.92	5.4	13.5	48	14.7	2.12	10.9	19.5
2018	12	5.1	1.47	2.6	8.9	35	10.8	1.83	7.5	15.0
2019	19	8.2	1.88	4.9	12.8	41	12.9	2.01	9.2	17.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Intracranial and intraspinal germ cell tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	120	1.4	0.13	1.2	1.7	191	1.6	0.12	1.4	1.9
1986	3	1.3	0.72	0.3	3.6	4	1.2	0.61	0.3	3.1
1987	2	0.9	0.61	0.1	3.0	3	0.9	0.54	0.2	2.7
1988	3	1.3	0.72	0.3	3.6	6	1.8	0.74	0.7	3.9
1989	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1990	1	0.4	0.43	0.0	2.3	2	0.6	0.45	0.1	2.2
1991	5	2.1	0.92	0.7	4.8	8	2.5	0.88	1.1	4.9
1992	3	1.2	0.71	0.3	3.5	5	1.6	0.70	0.5	3.6
1993	1	0.4	0.40	0.0	2.2	2	0.6	0.44	0.1	2.2
1994	5	2.0	0.89	0.7	4.6	7	2.1	0.80	0.9	4.3
1995	3	1.2	0.68	0.2	3.4	3	0.9	0.51	0.2	2.6
1996	3	1.1	0.65	0.2	3.3	3	0.9	0.49	0.2	2.5
1997	3	1.2	0.66	0.2	3.3	3	0.9	0.50	0.2	2.5
1998	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
1999	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2000	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8
2001	1	0.4	0.37	0.0	2.1	3	0.8	0.48	0.2	2.4
2002	1	0.4	0.38	0.0	2.1	3	0.8	0.49	0.2	2.5
2003	3	1.1	0.64	0.2	3.3	6	1.7	0.68	0.6	3.7
2004	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2005	3	1.1	0.66	0.2	3.3	6	1.7	0.68	0.6	3.7
2006	4	1.5	0.76	0.4	3.9	8	2.2	0.79	1.0	4.4
2007	6	2.3	0.95	0.9	5.1	7	2.0	0.76	0.8	4.1
2008	4	1.5	0.77	0.4	3.9	9	2.5	0.84	1.1	4.8
2009	2	0.8	0.56	0.1	2.8	2	0.6	0.42	0.1	2.1
2010	6	2.3	0.96	0.9	5.1	10	2.9	0.90	1.4	5.2
2011	2	0.8	0.55	0.1	2.8	7	2.0	0.74	0.8	4.1
2012	3	1.2	0.68	0.2	3.5	6	1.7	0.71	0.6	3.8
2013	3	1.2	0.69	0.3	3.5	6	1.8	0.72	0.6	3.8
2014	2	0.8	0.58	0.1	2.9	5	1.5	0.67	0.5	3.5
2015	5	2.0	0.91	0.7	4.8	10	3.0	0.95	1.4	5.5
2016	10	4.1	1.30	2.0	7.5	12	3.7	1.06	1.9	6.4
2017	6	2.5	1.03	0.9	5.5	7	2.2	0.83	0.9	4.5
2018	3	1.3	0.73	0.3	3.7	4	1.3	0.62	0.3	3.2
2019	5	2.2	0.97	0.7	5.0	8	2.5	0.90	1.1	5.0

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Malignant gonadal germ cell tumors										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	224	2.6	0.17	2.2	2.9	882	7.5	0.25	7.0	8.0
1986	9	3.7	1.23	1.7	7.0	17	5.0	1.22	2.9	8.0
1987	7	2.9	1.11	1.2	6.0	24	7.1	1.44	4.5	10.5
1988	7	2.8	1.06	1.1	5.8	21	6.2	1.35	3.8	9.4
1989	7	2.8	1.05	1.1	5.7	23	6.9	1.43	4.4	10.3
1990	4	1.7	0.84	0.5	4.2	21	6.5	1.42	4.0	9.9
1991	4	1.6	0.80	0.4	4.0	15	4.7	1.21	2.6	7.7
1992	9	3.5	1.17	1.6	6.6	29	9.0	1.67	6.0	12.9
1993	9	3.4	1.13	1.5	6.4	24	7.3	1.49	4.7	10.8
1994	6	2.2	0.90	0.8	4.8	22	6.6	1.41	4.1	10.0
1995	8	3.1	1.08	1.3	6.0	18	5.3	1.25	3.1	8.4
1996	9	3.3	1.11	1.5	6.3	22	6.3	1.35	4.0	9.6
1997	7	2.7	1.02	1.1	5.5	19	5.5	1.25	3.3	8.5
1998	7	2.7	1.00	1.1	5.5	26	7.4	1.44	4.8	10.8
1999	11	4.1	1.22	2.0	7.3	30	8.4	1.53	5.7	12.0
2000	5	1.9	0.83	0.6	4.3	25	7.0	1.40	4.5	10.3
2001	4	1.5	0.73	0.4	3.8	24	6.7	1.37	4.3	10.0
2002	6	2.2	0.90	0.8	4.8	26	7.3	1.43	4.8	10.7
2003	5	1.8	0.82	0.6	4.3	31	8.7	1.56	5.9	12.3
2004	8	3.0	1.05	1.3	5.9	24	6.7	1.36	4.3	9.9
2005	7	2.6	0.99	1.1	5.4	26	7.2	1.41	4.7	10.6
2006	11	4.2	1.26	2.1	7.5	30	8.3	1.52	5.6	11.9
2007	1	0.4	0.38	0.0	2.1	22	6.0	1.27	3.7	9.1
2008	9	3.5	1.15	1.6	6.6	39	10.7	1.71	7.6	14.6
2009	5	1.9	0.87	0.6	4.5	30	8.2	1.50	5.6	11.8
2010	2	0.8	0.55	0.1	2.8	22	6.1	1.29	3.8	9.2
2011	8	3.1	1.11	1.4	6.2	35	9.8	1.66	6.9	13.7
2012	1	0.4	0.39	0.0	2.2	29	8.2	1.52	5.5	11.8
2013	5	2.0	0.89	0.7	4.7	26	7.5	1.48	4.9	11.0
2014	9	3.6	1.21	1.7	6.9	42	12.4	1.91	8.9	16.7
2015	6	2.4	0.99	0.9	5.3	32	9.5	1.68	6.5	13.4
2016	7	2.9	1.09	1.2	5.9	28	8.4	1.59	5.6	12.2
2017	9	3.8	1.25	1.7	7.1	33	10.0	1.75	6.9	14.1
2018	6	2.5	1.04	0.9	5.5	24	7.4	1.50	4.7	11.0
2019	6	2.6	1.06	1.0	5.7	23	7.1	1.49	4.5	10.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Other malignant epithelial neoplasms and melanomas										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	600	7.0	0.28	6.4	7.5	2,026	17.3	0.38	16.6	18.1
1986	12	4.9	1.41	2.5	8.5	41	11.8	1.85	8.5	16.0
1987	13	5.5	1.52	2.9	9.3	40	11.8	1.87	8.4	16.1
1988	10	4.4	1.37	2.1	7.9	36	10.8	1.81	7.6	15.0
1989	7	2.9	1.09	1.2	5.9	41	12.4	1.93	8.9	16.7
1990	8	3.4	1.22	1.5	6.7	36	11.2	1.87	7.9	15.5
1991	10	4.1	1.30	2.0	7.5	40	12.6	1.99	9.0	17.1
1992	5	2.0	0.91	0.7	4.7	28	8.9	1.67	5.9	12.8
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.9	15.5
1994	10	3.9	1.23	1.9	7.1	35	10.7	1.80	7.4	14.8
1995	13	5.0	1.40	2.7	8.6	39	11.6	1.86	8.3	15.9
1996	10	3.9	1.23	1.9	7.1	39	11.4	1.83	8.1	15.6
1997	14	5.4	1.44	3.0	9.0	49	14.1	2.02	10.5	18.7
1998	11	4.2	1.25	2.1	7.4	42	11.9	1.83	8.6	16.1
1999	17	6.4	1.56	3.7	10.3	55	15.5	2.09	11.7	20.2
2000	13	4.8	1.34	2.6	8.3	51	14.3	2.00	10.6	18.8
2001	20	7.4	1.66	4.5	11.4	57	15.9	2.11	12.1	20.6
2002	21	7.7	1.68	4.8	11.8	60	16.7	2.16	12.8	21.5
2003	17	6.3	1.52	3.7	10.1	58	16.2	2.13	12.3	21.0
2004	21	7.8	1.71	4.9	12.0	55	15.3	2.07	11.5	19.9
2005	27	10.1	1.95	6.7	14.7	62	17.2	2.19	13.2	22.1
2006	25	9.5	1.91	6.2	14.1	69	19.1	2.30	14.9	24.2
2007	17	6.4	1.55	3.7	10.3	76	20.8	2.38	16.4	26.0
2008	26	9.9	1.95	6.5	14.6	80	22.0	2.46	17.5	27.4
2009	18	6.9	1.63	4.1	11.0	78	21.5	2.43	17.0	26.8
2010	24	9.3	1.91	6.0	13.9	71	19.8	2.36	15.5	25.0
2011	17	6.7	1.61	3.9	10.7	67	18.8	2.30	14.6	23.9
2012	25	9.9	1.98	6.4	14.6	70	20.1	2.40	15.7	25.4
2013	28	11.1	2.10	7.4	16.1	86	25.0	2.69	20.0	30.9
2014	22	8.8	1.88	5.5	13.4	70	20.6	2.47	16.1	26.1
2015	19	7.7	1.77	4.6	12.0	71	21.1	2.51	16.5	26.7
2016	29	11.9	2.21	8.0	17.1	112	33.7	3.18	27.7	40.5
2017	23	9.5	1.99	6.1	14.3	83	25.2	2.77	20.1	31.3
2018	30	12.5	2.29	8.5	17.9	94	28.8	2.97	23.3	35.3
2019	29	12.3	2.29	8.3	17.7	99	30.6	3.08	24.9	37.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Thyroid carcinoma										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	247	2.9	0.18	2.5	3.3	898	7.7	0.26	7.2	8.2
1986	3	1.3	0.74	0.3	3.7	17	4.9	1.19	2.9	7.8
1987	4	1.7	0.85	0.5	4.3	14	4.1	1.10	2.3	6.9
1988	5	2.2	0.97	0.7	5.0	15	4.5	1.17	2.5	7.5
1989	1	0.4	0.43	0.0	2.3	14	4.2	1.13	2.3	7.1
1990	1	0.4	0.43	0.0	2.3	15	4.6	1.20	2.6	7.6
1991	2	0.8	0.59	0.1	2.9	12	3.8	1.10	2.0	6.6
1992	1	0.4	0.41	0.0	2.2	11	3.5	1.05	1.7	6.2
1993	5	2.0	0.90	0.7	4.7	15	4.7	1.21	2.6	7.7
1994	4	1.6	0.80	0.4	4.0	13	4.0	1.10	2.1	6.8
1995	3	1.1	0.66	0.2	3.3	14	4.2	1.12	2.3	7.0
1996	4	1.6	0.78	0.4	4.0	15	4.4	1.13	2.5	7.2
1997	2	0.8	0.55	0.1	2.8	17	4.9	1.19	2.9	7.8
1998	3	1.1	0.66	0.2	3.3	12	3.4	0.98	1.8	5.9
1999	7	2.7	1.01	1.1	5.5	23	6.5	1.36	4.1	9.7
2000	5	1.9	0.83	0.6	4.3	18	5.0	1.19	3.0	8.0
2001	4	1.5	0.74	0.4	3.8	17	4.8	1.15	2.8	7.6
2002	11	4.0	1.22	2.0	7.2	27	7.5	1.45	5.0	10.9
2003	7	2.6	0.97	1.0	5.3	27	7.5	1.45	5.0	11.0
2004	11	4.1	1.23	2.0	7.3	34	9.5	1.62	6.6	13.2
2005	14	5.3	1.40	2.9	8.8	27	7.5	1.44	4.9	10.9
2006	14	5.3	1.43	2.9	9.0	35	9.7	1.65	6.8	13.5
2007	8	3.0	1.07	1.3	6.0	34	9.3	1.60	6.4	13.0
2008	10	3.8	1.21	1.8	7.0	33	9.1	1.58	6.3	12.8
2009	9	3.5	1.15	1.6	6.6	45	12.4	1.84	9.0	16.5
2010	15	5.8	1.50	3.3	9.6	38	10.6	1.73	7.5	14.6
2011	6	2.4	0.96	0.9	5.1	30	8.4	1.53	5.7	12.0
2012	12	4.7	1.37	2.5	8.3	38	10.9	1.77	7.7	15.0
2013	14	5.6	1.48	3.0	9.3	47	13.6	1.99	10.0	18.1
2014	10	4.0	1.27	1.9	7.4	37	10.9	1.79	7.7	15.0
2015	6	2.4	0.99	0.9	5.3	31	9.2	1.65	6.3	13.1
2016	16	6.6	1.64	3.8	10.7	60	18.0	2.33	13.8	23.2
2017	6	2.5	1.01	0.9	5.4	34	10.3	1.76	7.1	14.4
2018	13	5.4	1.51	2.9	9.3	39	12.0	1.92	8.5	16.4
2019	11	4.7	1.41	2.3	8.4	40	12.4	1.95	8.8	16.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Malignant melanoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	129	1.5	0.13	1.2	1.8	455	3.9	0.18	3.5	4.3
1986	6	2.3	0.96	0.9	5.1	13	3.7	1.03	2.0	6.4
1987	2	0.8	0.57	0.1	2.9	8	2.3	0.82	1.0	4.6
1988	3	1.3	0.75	0.3	3.7	12	3.6	1.04	1.9	6.3
1989	3	1.2	0.67	0.2	3.4	13	3.9	1.07	2.1	6.6
1990	3	1.3	0.75	0.3	3.7	11	3.4	1.04	1.7	6.1
1991	4	1.6	0.81	0.4	4.1	14	4.4	1.17	2.4	7.3
1992	3	1.2	0.71	0.3	3.5	9	2.8	0.94	1.3	5.3
1993	2	0.8	0.54	0.1	2.7	9	2.8	0.93	1.3	5.3
1994	3	1.2	0.66	0.2	3.3	10	3.0	0.96	1.5	5.6
1995	1	0.4	0.39	0.0	2.1	7	2.1	0.80	0.9	4.3
1996	2	0.8	0.55	0.1	2.8	8	2.4	0.83	1.0	4.6
1997	3	1.1	0.65	0.2	3.3	11	3.2	0.95	1.6	5.6
1998	4	1.5	0.75	0.4	3.8	13	3.7	1.02	2.0	6.3
1999	3	1.1	0.63	0.2	3.2	14	3.9	1.05	2.1	6.6
2000	1	0.4	0.37	0.0	2.1	12	3.4	0.97	1.7	5.9
2001	4	1.5	0.74	0.4	3.8	11	3.1	0.93	1.5	5.5
2002	6	2.2	0.90	0.8	4.8	17	4.7	1.15	2.8	7.6
2003	6	2.2	0.90	0.8	4.8	16	4.5	1.12	2.6	7.3
2004	5	1.9	0.83	0.6	4.3	12	3.3	0.96	1.7	5.8
2005	6	2.3	0.93	0.8	5.0	18	5.0	1.18	3.0	7.9
2006	4	1.5	0.76	0.4	3.9	19	5.2	1.20	3.2	8.2
2007	4	1.5	0.75	0.4	3.9	25	6.8	1.36	4.4	10.1
2008	4	1.5	0.76	0.4	3.9	21	5.7	1.25	3.6	8.8
2009	3	1.2	0.67	0.2	3.4	13	3.6	0.99	1.9	6.1
2010	4	1.6	0.78	0.4	4.0	15	4.2	1.08	2.3	6.9
2011	4	1.6	0.79	0.4	4.0	13	3.7	1.02	2.0	6.3
2012	5	2.0	0.89	0.6	4.6	12	3.5	1.00	1.8	6.1
2013	7	2.8	1.05	1.1	5.7	21	6.1	1.33	3.8	9.3
2014	6	2.4	0.99	0.9	5.3	12	3.6	1.03	1.8	6.2
2015	5	2.0	0.91	0.7	4.7	14	4.2	1.12	2.3	7.0
2016	3	1.2	0.71	0.3	3.6	18	5.4	1.27	3.2	8.5
2017	2	0.8	0.59	0.1	3.0	6	1.8	0.75	0.7	4.0
2018	2	0.9	0.60	0.1	3.1	12	3.7	1.06	1.9	6.4
2019	6	2.6	1.05	1.0	5.6	16	5.0	1.25	2.9	8.1

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2019

Other and unspecified malignant neoplasms										
	Ages 0-14					Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2019	51	0.6	0.08	0.4	0.8	69	0.6	0.07	0.5	0.7
1986	1	0.4	0.38	0.0	2.1	1	0.3	0.28	0.0	1.6
1987	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1988	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1989	2	0.7	0.50	0.1	2.7	3	0.8	0.48	0.2	2.5
1990	3	1.1	0.66	0.2	3.4	3	0.9	0.49	0.2	2.5
1991	2	0.8	0.58	0.1	2.9	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.5
1993	5	1.8	0.78	0.6	4.1	5	1.3	0.58	0.4	3.1
1994	0					2	0.6	0.44	0.1	2.2
1995	0					0				
1996	2	0.8	0.54	0.1	2.7	2	0.6	0.40	0.1	2.1
1997	2	0.7	0.51	0.1	2.6	2	0.5	0.38	0.1	2.0
1998	0					0				
1999	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
2000	0					1	0.3	0.28	0.0	1.6
2001	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2002	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.5
2003	0					1	0.3	0.28	0.0	1.6
2004	0					1	0.3	0.28	0.0	1.6
2005	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2006	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.6
2007	1	0.4	0.40	0.0	2.2	2	0.6	0.40	0.1	2.1
2008	2	0.8	0.54	0.1	2.8	3	0.8	0.48	0.2	2.5
2009	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2010	1	0.4	0.39	0.0	2.2	1	0.3	0.29	0.0	1.6
2011	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2012	1	0.4	0.39	0.0	2.2	3	0.9	0.50	0.2	2.5
2013	3	1.2	0.70	0.3	3.5	3	0.9	0.52	0.2	2.6
2014	1	0.4	0.40	0.0	2.3	1	0.3	0.30	0.0	1.7
2015	1	0.4	0.40	0.0	2.3	2	0.6	0.42	0.1	2.2
2016	2	0.8	0.58	0.1	3.0	4	1.2	0.61	0.3	3.1
2017	2	0.8	0.59	0.1	3.0	3	0.9	0.54	0.2	2.7
2018	1	0.4	0.42	0.0	2.4	1	0.3	0.31	0.0	1.8
2019	4	1.7	0.86	0.5	4.4	5	1.6	0.72	0.5	3.7

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2021

APPENDIX A
Illinois Populations Used for Rate Calculations
1986-2019

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1986 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	179,676	141,272	33,619	4,785
01-04 years	685,741	539,747	127,126	18,868
05-09 years	840,015	654,792	163,228	21,995
10-14 years	801,106	625,887	153,631	21,588
15-19 years	894,573	708,528	164,820	21,225
20-24 years	970,457	789,299	158,083	23,075
25-29 years	1,029,119	849,144	153,831	26,144
30-34 years	965,832	798,020	139,838	27,974
35-39 years	857,675	717,002	115,594	25,079
40-44 years	669,691	563,036	87,200	19,455
45-49 years	563,123	470,845	77,378	14,900
50-54 years	508,174	430,308	67,379	10,487
55-59 years	534,011	461,509	64,395	8,107
60-64 years	514,443	452,016	55,853	6,574
65-69 years	447,559	397,070	45,347	5,142
70-74 years	358,683	321,299	33,754	3,630
75-79 years	264,995	240,179	22,611	2,205
80-84 years	167,694	153,372	13,180	1,142
85+ years	134,680	124,037	9,933	710
Total	11,387,247	9,437,362	1,686,800	263,085
1986 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,652	72,253	16,960	2,439
01-04 years	350,680	276,795	64,257	9,628
05-09 years	430,022	336,492	82,234	11,296
10-14 years	409,806	321,055	77,696	11,055
15-19 years	460,191	366,032	83,033	11,126
20-24 years	488,879	401,885	74,977	12,017
25-29 years	514,242	430,908	70,890	12,444
30-34 years	478,642	402,311	62,635	13,696
35-39 years	421,737	358,559	51,342	11,836
40-44 years	327,713	279,665	38,471	9,577
45-49 years	274,431	232,401	34,403	7,627
50-54 years	246,234	211,007	30,024	5,203
55-59 years	255,211	222,740	28,764	3,707
60-64 years	239,267	211,702	24,582	2,983
65-69 years	197,789	176,318	19,304	2,167
70-74 years	147,709	132,678	13,468	1,563
75-79 years	99,020	89,518	8,571	931
80-84 years	55,243	50,177	4,603	463
85+ years	36,582	33,140	3,159	283
Total	5,525,050	4,605,636	789,373	130,041
1986 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,024	69,019	16,659	2,346
01-04 years	335,061	262,952	62,869	9,240
05-09 years	409,993	318,300	80,994	10,699
10-14 years	391,300	304,832	75,935	10,533
15-19 years	434,382	342,496	81,787	10,099
20-24 years	481,578	387,414	83,106	11,058
25-29 years	514,877	418,236	82,941	13,700
30-34 years	487,190	395,709	77,203	14,278
35-39 years	435,938	358,443	64,252	13,243
40-44 years	341,978	283,371	48,729	9,878
45-49 years	288,692	238,444	42,975	7,273
50-54 years	261,940	219,301	37,355	5,284
55-59 years	278,800	238,769	35,631	4,400
60-64 years	275,176	240,314	31,271	3,591
65-69 years	249,770	220,752	26,043	2,975
70-74 years	210,974	188,621	20,286	2,067
75-79 years	165,975	150,661	14,040	1,274
80-84 years	112,451	103,195	8,577	679
85+ years	98,098	90,897	6,774	427
Total	5,862,197	4,831,726	897,427	133,044

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1987 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	177,252	138,782	33,611	4,859
01-04 years	679,949	535,136	125,619	19,194
05-09 years	846,978	661,147	162,701	23,130
10-14 years	788,073	614,772	151,239	22,062
15-19 years	882,134	694,811	164,317	23,006
20-24 years	936,012	758,666	153,291	24,055
25-29 years	1,020,499	840,957	152,521	27,021
30-34 years	983,627	811,447	143,456	28,724
35-39 years	854,581	709,570	118,875	26,136
40-44 years	715,780	604,030	90,593	21,157
45-49 years	579,345	484,012	79,120	16,213
50-54 years	507,829	428,666	67,750	11,413
55-59 years	519,166	446,758	63,884	8,524
60-64 years	507,596	443,952	56,675	6,969
65-69 years	450,268	398,665	46,075	5,528
70-74 years	362,207	324,315	34,059	3,833
75-79 years	269,578	244,170	23,064	2,344
80-84 years	172,168	157,287	13,648	1,233
85+ years	138,133	127,069	10,310	754
Total	11,391,175	9,424,212	1,690,808	276,155
1987 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,385	70,977	16,926	2,482
01-04 years	347,774	274,460	63,518	9,796
05-09 years	433,565	339,705	81,985	11,875
10-14 years	403,272	315,405	76,586	11,281
15-19 years	454,524	359,535	82,965	12,024
20-24 years	471,993	386,535	72,903	12,555
25-29 years	509,933	426,355	70,546	13,032
30-34 years	487,774	409,199	64,461	14,114
35-39 years	420,791	355,565	52,882	12,344
40-44 years	350,430	300,167	39,955	10,308
45-49 years	282,372	238,968	35,181	8,223
50-54 years	246,196	210,323	30,137	5,736
55-59 years	248,354	216,029	28,392	3,933
60-64 years	236,162	208,147	24,872	3,143
65-69 years	199,842	177,866	19,632	2,344
70-74 years	149,274	134,050	13,583	1,641
75-79 years	101,272	91,584	8,713	975
80-84 years	56,807	51,583	4,715	509
85+ years	37,404	33,862	3,241	301
Total	5,528,124	4,600,315	791,193	136,616
1987 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,867	67,805	16,685	2,377
01-04 years	332,175	260,676	62,101	9,398
05-09 years	413,413	321,442	80,716	11,255
10-14 years	384,801	299,367	74,653	10,781
15-19 years	427,610	335,276	81,352	10,982
20-24 years	464,019	372,131	80,388	11,500
25-29 years	510,566	414,602	81,975	13,989
30-34 years	495,853	402,248	78,995	14,610
35-39 years	433,790	354,005	65,993	13,792
40-44 years	365,350	303,863	50,638	10,849
45-49 years	296,973	245,044	43,939	7,990
50-54 years	261,633	218,343	37,613	5,677
55-59 years	270,812	230,729	35,492	4,591
60-64 years	271,434	235,805	31,803	3,826
65-69 years	250,426	220,799	26,443	3,184
70-74 years	212,933	190,265	20,476	2,192
75-79 years	168,306	152,586	14,351	1,369
80-84 years	115,361	105,704	8,933	724
85+ years	100,729	93,207	7,069	453
Total	5,863,051	4,823,897	899,615	139,539

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1988 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	177,317	138,312	33,939	5,066
01-04 years	675,117	530,725	124,964	19,428
05-09 years	845,772	661,385	160,250	24,137
10-14 years	782,814	610,766	149,335	22,713
15-19 years	863,630	676,133	162,854	24,643
20-24 years	903,266	729,750	148,411	25,105
25-29 years	1,010,154	830,759	151,419	27,976
30-34 years	997,737	822,319	146,041	29,377
35-39 years	867,996	718,386	122,322	27,288
40-44 years	734,259	617,242	94,054	22,963
45-49 years	605,845	507,719	80,517	17,609
50-54 years	516,184	434,676	69,048	12,460
55-59 years	502,006	429,781	63,248	8,977
60-64 years	503,969	439,391	57,245	7,333
65-69 years	449,701	396,690	47,031	5,980
70-74 years	364,391	326,276	34,111	4,004
75-79 years	274,351	248,443	23,429	2,479
80-84 years	175,511	160,161	14,034	1,316
85+ years	140,202	128,794	10,609	799
Total	11,390,222	9,407,708	1,692,861	289,653
1988 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,386	70,713	17,089	2,584
01-04 years	345,288	272,195	63,161	9,932
05-09 years	433,108	339,894	80,816	12,398
10-14 years	400,627	313,342	75,700	11,585
15-19 years	445,886	350,543	82,470	12,873
20-24 years	456,704	372,708	70,842	13,154
25-29 years	504,868	420,899	70,293	13,676
30-34 years	495,061	414,825	65,770	14,466
35-39 years	427,865	360,420	54,542	12,903
40-44 years	359,675	307,035	41,557	11,083
45-49 years	295,278	250,662	35,769	8,847
50-54 years	250,273	213,335	30,600	6,338
55-59 years	240,191	208,007	28,009	4,175
60-64 years	234,936	206,600	25,053	3,283
65-69 years	199,788	177,233	20,006	2,549
70-74 years	150,827	135,482	13,638	1,707
75-79 years	103,515	93,697	8,799	1,019
80-84 years	57,836	52,508	4,779	549
85+ years	37,616	34,009	3,285	322
Total	5,529,728	4,594,107	792,178	143,443
1988 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,931	67,599	16,850	2,482
01-04 years	329,829	258,530	61,803	9,496
05-09 years	412,664	321,491	79,434	11,739
10-14 years	382,187	297,424	73,635	11,128
15-19 years	417,744	325,590	80,384	11,770
20-24 years	446,562	357,042	77,569	11,951
25-29 years	505,286	409,860	81,126	14,300
30-34 years	502,676	407,494	80,271	14,911
35-39 years	440,131	357,966	67,780	14,385
40-44 years	374,584	310,207	52,497	11,880
45-49 years	310,567	257,057	44,748	8,762
50-54 years	265,911	221,341	38,448	6,122
55-59 years	261,815	221,774	35,239	4,802
60-64 years	269,033	232,791	32,192	4,050
65-69 years	249,913	219,457	27,025	3,431
70-74 years	213,564	190,794	20,473	2,297
75-79 years	170,836	154,746	14,630	1,460
80-84 years	117,675	107,653	9,255	767
85+ years	102,586	94,785	7,324	477
Total	5,860,494	4,813,601	900,683	146,210

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1989 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	180,243	139,525	35,385	5,333
01-04 years	678,493	531,856	126,584	20,053
05-09 years	842,916	660,663	157,222	25,031
10-14 years	788,092	613,783	150,551	23,758
15-19 years	839,552	652,980	160,359	26,213
20-24 years	877,382	706,631	144,247	26,504
25-29 years	997,960	819,229	149,695	29,036
30-34 years	1,004,533	826,767	147,701	30,065
35-39 years	886,089	731,786	125,866	28,437
40-44 years	764,302	639,943	99,303	25,056
45-49 years	621,247	520,801	81,452	18,994
50-54 years	525,121	441,112	70,467	13,542
55-59 years	488,463	416,273	62,748	9,442
60-64 years	496,244	430,805	57,735	7,704
65-69 years	451,934	397,434	48,071	6,429
70-74 years	365,166	326,726	34,257	4,183
75-79 years	279,783	253,353	23,792	2,638
80-84 years	179,146	163,303	14,441	1,402
85+ years	143,135	131,404	10,884	847
Total	11,409,801	9,404,374	1,700,760	304,667
1989 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,832	71,317	17,794	2,721
01-04 years	347,020	272,800	63,974	10,246
05-09 years	431,777	339,567	79,356	12,854
10-14 years	403,223	314,771	76,346	12,106
15-19 years	434,398	339,305	81,420	13,673
20-24 years	444,620	361,576	69,143	13,901
25-29 years	498,982	414,831	69,757	14,394
30-34 years	498,549	417,096	66,619	14,834
35-39 years	437,441	367,709	56,271	13,461
40-44 years	374,767	318,822	43,933	12,012
45-49 years	302,649	257,037	36,157	9,455
50-54 years	254,523	216,500	31,095	6,928
55-59 years	233,815	201,656	27,701	4,458
60-64 years	231,948	203,311	25,206	3,431
65-69 years	200,950	177,763	20,444	2,743
70-74 years	151,629	136,123	13,722	1,784
75-79 years	105,911	95,964	8,874	1,073
80-84 years	59,308	53,838	4,877	593
85+ years	38,197	34,536	3,317	344
Total	5,541,539	4,594,522	796,006	151,011
1989 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,411	68,208	17,591	2,612
01-04 years	331,473	259,056	62,610	9,807
05-09 years	411,139	321,096	77,866	12,177
10-14 years	384,869	299,012	74,205	11,652
15-19 years	405,154	313,675	78,939	12,540
20-24 years	432,762	345,055	75,104	12,603
25-29 years	498,978	404,398	79,938	14,642
30-34 years	505,984	409,671	81,082	15,231
35-39 years	448,648	364,077	69,595	14,976
40-44 years	389,535	321,121	55,370	13,044
45-49 years	318,598	263,764	45,295	9,539
50-54 years	270,598	224,612	39,372	6,614
55-59 years	254,648	214,617	35,047	4,984
60-64 years	264,296	227,494	32,529	4,273
65-69 years	250,984	219,671	27,627	3,686
70-74 years	213,537	190,603	20,535	2,399
75-79 years	173,872	157,389	14,918	1,565
80-84 years	119,838	109,465	9,564	809
85+ years	104,938	96,868	7,567	503
Total	5,868,262	4,809,852	904,754	153,656

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	184,854	143,704	35,567	5,583
01-04 years	677,463	528,227	128,927	20,309
05-09 years	825,298	647,828	152,454	25,016
10-14 years	789,976	613,327	152,009	24,640
15-19 years	815,587	629,540	158,885	27,162
20-24 years	867,197	697,611	141,256	28,330
25-29 years	985,945	807,516	148,336	30,093
30-34 years	1,015,289	834,970	149,294	31,025
35-39 years	910,904	750,932	130,175	29,797
40-44 years	803,653	669,867	106,272	27,514
45-49 years	636,041	533,000	82,477	20,564
50-54 years	532,198	445,608	71,907	14,683
55-59 years	483,955	411,049	62,904	10,002
60-64 years	490,499	424,124	58,253	8,122
65-69 years	453,212	397,613	48,824	6,775
70-74 years	366,919	328,035	34,492	4,392
75-79 years	285,100	258,313	24,064	2,723
80-84 years	182,890	166,637	14,794	1,459
85+ years	146,336	134,379	11,108	849
Total	11,453,316	9,422,280	1,711,998	319,038
1990 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	94,230	73,486	17,895	2,849
01-04 years	346,537	270,974	65,150	10,413
05-09 years	422,865	333,034	76,987	12,844
10-14 years	404,043	314,423	77,106	12,514
15-19 years	422,426	327,555	80,739	14,132
20-24 years	440,742	357,813	68,026	14,903
25-29 years	492,990	408,710	69,266	15,014
30-34 years	504,019	421,281	67,386	15,352
35-39 years	450,185	377,737	58,308	14,140
40-44 years	394,313	334,102	47,090	13,121
45-49 years	309,805	263,102	36,562	10,141
50-54 years	257,853	218,652	31,680	7,521
55-59 years	231,602	199,162	27,650	4,790
60-64 years	230,057	201,067	25,383	3,607
65-69 years	201,641	177,975	20,793	2,873
70-74 years	152,849	137,185	13,800	1,864
75-79 years	108,375	98,334	8,944	1,097
80-84 years	60,751	55,203	4,931	617
85+ years	38,716	35,069	3,307	340
Total	5,563,999	4,604,864	801,003	158,132
1990 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,624	70,218	17,672	2,734
01-04 years	330,926	257,253	63,777	9,896
05-09 years	402,433	314,794	75,467	12,172
10-14 years	385,933	298,904	74,903	12,126
15-19 years	393,161	301,985	78,146	13,030
20-24 years	426,455	339,798	73,230	13,427
25-29 years	492,955	398,806	79,070	15,079
30-34 years	511,270	413,689	81,908	15,673
35-39 years	460,719	373,195	71,867	15,657
40-44 years	409,340	335,765	59,182	14,393
45-49 years	326,236	269,898	45,915	10,423
50-54 years	274,345	226,956	40,227	7,162
55-59 years	252,353	211,887	35,254	5,212
60-64 years	260,442	223,057	32,870	4,515
65-69 years	251,571	219,638	28,031	3,902
70-74 years	214,070	190,850	20,692	2,528
75-79 years	176,725	159,979	15,120	1,626
80-84 years	122,139	111,434	9,863	842
85+ years	107,620	99,310	7,801	509
Total	5,889,317	4,817,416	910,995	160,906

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	187,020	142,679	38,845	5,496
01-04 years	694,334	539,089	134,094	21,151
05-09 years	829,971	651,342	153,363	25,266
10-14 years	815,525	632,313	157,008	26,204
15-19 years	793,443	612,668	153,643	27,132
20-24 years	865,618	691,151	142,903	31,564
25-29 years	968,258	790,668	145,795	31,795
30-34 years	1,032,815	849,638	150,965	32,212
35-39 years	933,113	768,041	133,940	31,132
40-44 years	845,461	702,851	113,904	28,706
45-49 years	642,865	537,725	83,238	21,902
50-54 years	542,708	453,622	72,955	16,131
55-59 years	479,641	405,517	63,295	10,829
60-64 years	486,214	418,881	58,676	8,657
65-69 years	449,805	392,847	49,774	7,184
70-74 years	372,218	331,513	35,847	4,858
75-79 years	291,446	263,970	24,519	2,957
80-84 years	187,333	170,598	15,127	1,608
85+ years	151,176	138,576	11,647	953
Total	11,568,964	9,493,689	1,739,538	335,737
1991 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	95,297	72,918	19,588	2,791
01-04 years	355,113	276,449	67,823	10,841
05-09 years	425,253	334,795	77,502	12,956
10-14 years	417,158	324,390	79,466	13,302
15-19 years	411,022	318,743	78,157	14,122
20-24 years	439,626	355,001	68,571	16,054
25-29 years	484,664	400,952	67,925	15,787
30-34 years	513,901	429,304	68,489	16,108
35-39 years	461,673	386,813	59,949	14,911
40-44 years	415,201	351,141	50,490	13,570
45-49 years	313,330	265,839	36,756	10,735
50-54 years	263,173	222,886	32,126	8,161
55-59 years	229,814	196,816	27,744	5,254
60-64 years	228,523	199,018	25,623	3,882
65-69 years	200,631	176,321	21,225	3,085
70-74 years	156,129	139,577	14,493	2,059
75-79 years	111,728	101,417	9,104	1,207
80-84 years	62,381	56,708	5,016	657
85+ years	39,716	35,919	3,418	379
Total	5,624,333	4,645,007	813,465	165,861
1991 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,723	69,761	19,257	2,705
01-04 years	339,221	262,640	66,271	10,310
05-09 years	404,718	316,547	75,861	12,310
10-14 years	398,367	307,923	77,542	12,902
15-19 years	382,421	293,925	75,486	13,010
20-24 years	425,992	336,150	74,332	15,510
25-29 years	483,594	389,716	77,870	16,008
30-34 years	518,914	420,334	82,476	16,104
35-39 years	471,440	381,228	73,991	16,221
40-44 years	430,260	351,710	63,414	15,136
45-49 years	329,535	271,886	46,482	11,167
50-54 years	279,535	230,736	40,829	7,970
55-59 years	249,827	208,701	35,551	5,575
60-64 years	257,691	219,863	33,053	4,775
65-69 years	249,174	216,526	28,549	4,099
70-74 years	216,089	191,936	21,354	2,799
75-79 years	179,718	162,553	15,415	1,750
80-84 years	124,952	113,890	10,111	951
85+ years	111,460	102,657	8,229	574
Total	5,944,631	4,848,682	926,073	169,876

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	187,167	141,601	39,249	6,317
01-04 years	712,317	548,459	141,943	21,915
05-09 years	829,299	649,833	153,933	25,533
10-14 years	832,910	645,739	159,763	27,408
15-19 years	790,067	611,175	151,340	27,552
20-24 years	862,353	682,304	145,996	34,053
25-29 years	947,988	771,699	143,043	33,246
30-34 years	1,043,131	856,956	152,641	33,534
35-39 years	958,420	786,728	139,009	32,683
40-44 years	846,525	699,300	117,886	29,339
45-49 years	694,355	583,645	86,864	23,846
50-54 years	561,083	467,581	75,835	17,667
55-59 years	482,596	406,263	64,383	11,950
60-64 years	476,695	408,990	58,498	9,207
65-69 years	446,061	387,945	50,564	7,552
70-74 years	380,054	337,297	37,353	5,404
75-79 years	295,593	267,200	25,176	3,217
80-84 years	191,099	174,190	15,202	1,707
85+ years	156,471	143,186	12,231	1,054
Total	11,694,184	9,570,091	1,770,909	353,184
1992 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	95,291	72,378	19,670	3,243
01-04 years	364,267	281,260	71,749	11,258
05-09 years	424,876	333,895	77,873	13,108
10-14 years	426,078	331,338	80,852	13,888
15-19 years	409,299	317,944	77,036	14,319
20-24 years	438,548	350,937	70,351	17,260
25-29 years	475,131	392,493	66,640	15,998
30-34 years	519,971	433,535	69,562	16,874
35-39 years	474,815	396,638	62,222	15,955
40-44 years	415,791	349,847	52,193	13,751
45-49 years	339,159	289,056	38,509	11,594
50-54 years	272,261	229,875	33,450	8,936
55-59 years	231,472	197,598	28,086	5,788
60-64 years	224,388	194,634	25,552	4,202
65-69 years	199,285	174,438	21,595	3,252
70-74 years	160,488	142,998	15,196	2,294
75-79 years	113,489	102,900	9,269	1,320
80-84 years	64,359	58,599	5,072	688
85+ years	41,114	37,171	3,526	417
Total	5,690,082	4,687,534	828,403	174,145
1992 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,876	69,223	19,579	3,074
01-04 years	348,050	267,199	70,194	10,657
05-09 years	404,423	315,938	76,060	12,425
10-14 years	406,832	314,401	78,911	13,520
15-19 years	380,768	293,231	74,304	13,233
20-24 years	423,805	331,367	75,645	16,793
25-29 years	472,857	379,206	76,403	17,248
30-34 years	523,160	423,421	83,079	16,660
35-39 years	483,605	390,090	76,787	16,728
40-44 years	430,734	349,453	65,693	15,588
45-49 years	355,196	294,589	48,355	12,252
50-54 years	288,822	237,706	42,385	8,731
55-59 years	251,124	208,665	36,297	6,162
60-64 years	252,307	214,356	32,946	5,005
65-69 years	246,776	213,507	28,969	4,300
70-74 years	219,566	194,299	22,157	3,110
75-79 years	182,104	164,300	15,907	1,897
80-84 years	126,740	115,591	10,130	1,019
85+ years	115,357	106,015	8,705	637
Total	6,004,102	4,882,557	942,506	179,039

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	184,208	138,435	39,727	6,046
01-04 years	725,948	553,921	148,899	23,128
05-09 years	830,711	648,394	156,351	25,966
10-14 years	847,145	656,451	161,961	28,733
15-19 years	795,697	617,161	150,168	28,368
20-24 years	856,321	672,305	147,832	36,184
25-29 years	927,027	751,344	140,898	34,785
30-34 years	1,047,422	858,447	153,559	35,416
35-39 years	984,076	806,031	144,248	33,797
40-44 years	863,322	711,643	120,870	30,809
45-49 years	715,575	598,680	91,116	25,779
50-54 years	591,143	494,370	77,670	19,103
55-59 years	492,716	413,399	66,086	13,231
60-64 years	465,263	396,782	58,609	9,872
65-69 years	444,437	385,352	51,234	7,851
70-74 years	382,914	338,604	38,334	5,976
75-79 years	298,385	269,310	25,628	3,447
80-84 years	195,935	178,576	15,497	1,862
85+ years	161,334	147,393	12,780	1,161
Total	11,809,579	9,636,598	1,801,467	371,514
1993 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	94,040	70,771	20,112	3,157
01-04 years	371,123	284,045	75,132	11,946
05-09 years	425,550	333,090	79,206	13,254
10-14 years	433,379	336,871	81,926	14,582
15-19 years	412,149	321,025	76,444	14,680
20-24 years	434,868	345,289	71,163	18,416
25-29 years	464,764	382,598	65,899	16,267
30-34 years	522,707	434,868	70,173	17,666
35-39 years	487,940	406,543	64,804	16,593
40-44 years	424,140	356,064	53,532	14,544
45-49 years	349,707	297,109	40,205	12,393
50-54 years	287,156	243,137	34,421	9,598
55-59 years	236,524	201,140	28,916	6,468
60-64 years	219,187	189,155	25,552	4,480
65-69 years	199,303	174,064	21,879	3,360
70-74 years	162,355	144,164	15,651	2,540
75-79 years	115,405	104,500	9,481	1,424
80-84 years	66,105	60,230	5,135	740
85+ years	42,368	38,307	3,611	450
Total	5,748,770	4,722,970	843,242	182,558
1993 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,168	67,664	19,615	2,889
01-04 years	354,825	269,876	73,767	11,182
05-09 years	405,161	315,304	77,145	12,712
10-14 years	413,766	319,580	80,035	14,151
15-19 years	383,548	296,136	73,724	13,688
20-24 years	421,453	327,016	76,669	17,768
25-29 years	462,263	368,746	74,999	18,518
30-34 years	524,715	423,579	83,386	17,750
35-39 years	496,136	399,488	79,444	17,204
40-44 years	439,182	355,579	67,338	16,265
45-49 years	365,868	301,571	50,911	13,386
50-54 years	303,987	251,233	43,249	9,505
55-59 years	256,192	212,259	37,170	6,763
60-64 years	246,076	207,627	33,057	5,392
65-69 years	245,134	211,288	29,355	4,491
70-74 years	220,559	194,440	22,683	3,436
75-79 years	182,980	164,810	16,147	2,023
80-84 years	129,830	118,346	10,362	1,122
85+ years	118,966	109,086	9,169	711
Total	6,060,809	4,913,628	958,225	188,956

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	182,330	138,089	38,016	6,225
01-04 years	736,628	557,506	154,972	24,150
05-09 years	844,037	655,985	161,341	26,711
10-14 years	855,594	663,826	162,112	29,656
15-19 years	811,431	629,624	152,211	29,596
20-24 years	844,634	658,501	148,569	37,564
25-29 years	906,858	732,968	137,662	36,228
30-34 years	1,045,381	856,005	152,494	36,882
35-39 years	1,001,695	819,085	147,799	34,811
40-44 years	882,538	725,863	124,538	32,137
45-49 years	745,618	621,929	95,955	27,734
50-54 years	607,853	507,855	79,405	20,593
55-59 years	502,517	420,763	67,264	14,490
60-64 years	454,505	385,371	58,527	10,607
65-69 years	439,453	379,448	51,800	8,205
70-74 years	385,481	340,182	38,919	6,380
75-79 years	299,961	269,996	26,216	3,749
80-84 years	201,076	183,273	15,749	2,054
85+ years	164,995	150,512	13,235	1,248
Total	11,912,585	9,696,781	1,826,784	389,020
1994 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	92,993	70,653	19,147	3,193
01-04 years	376,684	285,796	78,488	12,400
05-09 years	432,387	336,881	81,779	13,727
10-14 years	437,683	340,796	81,794	15,093
15-19 years	420,411	327,618	77,538	15,255
20-24 years	429,286	338,556	71,668	19,062
25-29 years	455,390	374,269	64,271	16,850
30-34 years	522,495	434,309	70,071	18,115
35-39 years	497,285	413,566	66,556	17,163
40-44 years	433,997	363,195	55,530	15,272
45-49 years	364,678	309,279	42,150	13,249
50-54 years	295,391	249,953	35,270	10,168
55-59 years	241,297	204,854	29,300	7,143
60-64 years	214,328	183,931	25,523	4,874
65-69 years	197,716	172,101	22,088	3,527
70-74 years	163,877	145,377	15,801	2,699
75-79 years	116,678	105,296	9,828	1,554
80-84 years	68,348	62,271	5,257	820
85+ years	43,486	39,314	3,706	466
Total	5,804,410	4,758,015	855,765	190,630
1994 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,337	67,436	18,869	3,032
01-04 years	359,944	271,710	76,484	11,750
05-09 years	411,650	319,104	79,562	12,984
10-14 years	417,911	323,030	80,318	14,563
15-19 years	391,020	302,006	74,673	14,341
20-24 years	415,348	319,945	76,901	18,502
25-29 years	451,468	358,699	73,391	19,378
30-34 years	522,886	421,696	82,423	18,767
35-39 years	504,410	405,519	81,243	17,648
40-44 years	448,541	362,668	69,008	16,865
45-49 years	380,940	312,650	53,805	14,485
50-54 years	312,462	257,902	44,135	10,425
55-59 years	261,220	215,909	37,964	7,347
60-64 years	240,177	201,440	33,004	5,733
65-69 years	241,737	207,347	29,712	4,678
70-74 years	221,604	194,805	23,118	3,681
75-79 years	183,283	164,700	16,388	2,195
80-84 years	132,728	121,002	10,492	1,234
85+ years	121,509	111,198	9,529	782
Total	6,108,175	4,938,766	971,019	198,390

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	179,719	137,788	35,577	6,354
01-04 years	740,391	556,114	159,343	24,934
05-09 years	862,351	668,053	166,342	27,956
10-14 years	861,513	669,947	161,482	30,084
15-19 years	833,645	645,407	157,295	30,943
20-24 years	829,585	645,283	146,253	38,049
25-29 years	898,263	721,900	137,571	38,792
30-34 years	1,030,874	842,967	150,190	37,717
35-39 years	1,014,860	829,024	149,671	36,165
40-44 years	901,661	740,633	127,870	33,158
45-49 years	779,647	648,609	101,746	29,292
50-54 years	622,103	519,238	80,850	22,015
55-59 years	505,708	421,248	68,466	15,994
60-64 years	448,526	378,389	58,771	11,366
65-69 years	434,296	373,494	52,270	8,532
70-74 years	388,478	342,455	39,278	6,745
75-79 years	300,976	269,719	27,270	3,987
80-84 years	206,533	188,320	15,975	2,238
85+ years	169,308	154,212	13,707	1,389
Total	12,008,437	9,752,800	1,849,927	405,710
1995 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	91,667	70,470	17,908	3,289
01-04 years	378,575	284,971	80,813	12,791
05-09 years	441,805	343,053	84,383	14,369
10-14 years	440,701	343,913	81,485	15,303
15-19 years	431,984	335,897	80,119	15,968
20-24 years	422,464	332,265	70,694	19,505
25-29 years	451,944	369,718	64,379	17,847
30-34 years	515,917	428,322	69,305	18,290
35-39 years	504,458	418,906	67,626	17,926
40-44 years	443,902	370,886	57,306	15,710
45-49 years	381,771	323,032	44,780	13,959
50-54 years	302,519	255,972	35,778	10,769
55-59 years	242,908	205,019	29,953	7,936
60-64 years	211,527	180,685	25,608	5,234
65-69 years	196,191	170,256	22,239	3,696
70-74 years	165,635	146,871	15,924	2,840
75-79 years	117,697	105,695	10,384	1,618
80-84 years	70,896	64,727	5,279	890
85+ years	44,772	40,441	3,830	501
Total	5,857,333	4,791,099	867,793	198,441
1995 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,052	67,318	17,669	3,065
01-04 years	361,816	271,143	78,530	12,143
05-09 years	420,546	325,000	81,959	13,587
10-14 years	420,812	326,034	79,997	14,781
15-19 years	401,661	309,510	77,176	14,975
20-24 years	407,121	313,018	75,559	18,544
25-29 years	446,319	352,182	73,192	20,945
30-34 years	514,957	414,645	80,885	19,427
35-39 years	510,402	410,118	82,045	18,239
40-44 years	457,759	369,747	70,564	17,448
45-49 years	397,876	325,577	56,966	15,333
50-54 years	319,584	263,266	45,072	11,246
55-59 years	262,800	216,229	38,513	8,058
60-64 years	236,999	197,704	33,163	6,132
65-69 years	238,105	203,238	30,031	4,836
70-74 years	222,843	195,584	23,354	3,905
75-79 years	183,279	164,024	16,886	2,369
80-84 years	135,637	123,593	10,696	1,348
85+ years	124,536	113,771	9,877	888
Total	6,151,104	4,961,701	982,134	207,269

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,637	136,026	32,662	6,949
01-04 years	737,880	554,211	157,495	26,174
05-09 years	885,165	681,423	174,742	29,000
10-14 years	869,233	675,734	162,794	30,705
15-19 years	857,067	663,288	161,038	32,741
20-24 years	810,802	630,767	141,377	38,658
25-29 years	903,332	721,481	139,601	42,250
30-34 years	1,007,551	821,061	147,969	38,521
35-39 years	1,024,270	836,244	150,756	37,270
40-44 years	921,038	755,668	130,920	34,450
45-49 years	821,115	681,213	108,927	30,975
50-54 years	629,013	524,091	81,569	23,353
55-59 years	513,699	427,281	69,071	17,347
60-64 years	443,641	372,469	59,076	12,096
65-69 years	429,349	368,062	52,426	8,861
70-74 years	384,288	337,310	39,988	6,990
75-79 years	304,806	272,244	28,264	4,298
80-84 years	210,713	192,092	16,217	2,404
85+ years	173,398	157,969	13,921	1,508
Total	12,101,997	9,808,634	1,868,813	424,550
1996 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,619	69,657	16,411	3,551
01-04 years	377,301	283,995	79,851	13,455
05-09 years	453,418	349,834	88,752	14,832
10-14 years	444,661	346,830	82,178	15,653
15-19 years	444,118	345,563	81,659	16,896
20-24 years	413,506	325,247	68,335	19,924
25-29 years	454,893	370,425	65,229	19,239
30-34 years	504,894	417,909	68,373	18,612
35-39 years	509,617	422,581	68,457	18,579
40-44 years	453,870	378,954	58,522	16,394
45-49 years	402,598	339,925	47,973	14,700
50-54 years	306,016	258,546	36,022	11,448
55-59 years	246,865	208,089	30,204	8,572
60-64 years	209,449	178,091	25,679	5,679
65-69 years	194,189	168,112	22,238	3,839
70-74 years	164,178	145,047	16,176	2,955
75-79 years	120,101	107,531	10,844	1,726
80-84 years	73,127	66,805	5,367	955
85+ years	45,938	41,566	3,847	525
Total	5,908,358	4,824,707	876,117	207,534
1996 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,018	66,369	16,251	3,398
01-04 years	360,579	270,216	77,644	12,719
05-09 years	431,747	331,589	85,990	14,168
10-14 years	424,572	328,904	80,616	15,052
15-19 years	412,949	317,725	79,379	15,845
20-24 years	397,296	305,520	73,042	18,734
25-29 years	448,439	351,056	74,372	23,011
30-34 years	502,657	403,152	79,596	19,909
35-39 years	514,653	413,663	82,299	18,691
40-44 years	467,168	376,714	72,398	18,056
45-49 years	418,517	341,288	60,954	16,275
50-54 years	322,997	265,545	45,547	11,905
55-59 years	266,834	219,192	38,867	8,775
60-64 years	234,192	194,378	33,397	6,417
65-69 years	235,160	199,950	30,188	5,022
70-74 years	220,110	192,263	23,812	4,035
75-79 years	184,705	164,713	17,420	2,572
80-84 years	137,586	125,287	10,850	1,449
85+ years	127,460	116,403	10,074	983
Total	6,193,639	4,983,927	992,696	217,016

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	174,269	135,324	32,089	6,856
01-04 years	729,498	550,145	152,355	26,998
05-09 years	908,107	694,320	182,755	31,032
10-14 years	873,516	677,670	164,432	31,414
15-19 years	873,507	676,014	163,248	34,245
20-24 years	808,831	630,943	139,051	38,837
25-29 years	902,993	715,831	142,076	45,086
30-34 years	978,564	794,584	144,450	39,530
35-39 years	1,023,563	833,515	151,384	38,664
40-44 years	940,893	769,921	135,203	35,769
45-49 years	821,035	677,430	112,043	31,562
50-54 years	676,901	566,437	85,081	25,383
55-59 years	527,799	438,205	71,098	18,496
60-64 years	444,622	371,663	59,734	13,225
65-69 years	419,481	358,371	51,795	9,315
70-74 years	380,559	332,605	40,698	7,256
75-79 years	310,635	276,680	29,314	4,641
80-84 years	213,552	194,369	16,575	2,608
85+ years	177,390	161,687	14,116	1,587
Total	12,185,715	9,855,714	1,887,497	442,504
1997 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,899	69,285	16,115	3,499
01-04 years	373,121	281,966	77,344	13,811
05-09 years	465,065	356,586	92,613	15,866
10-14 years	446,792	347,645	83,076	16,071
15-19 years	452,411	352,133	82,591	17,687
20-24 years	412,553	325,510	67,083	19,960
25-29 years	454,846	367,748	66,422	20,676
30-34 years	490,423	405,082	66,687	18,654
35-39 years	509,366	420,721	69,252	19,393
40-44 years	464,192	386,469	60,528	17,195
45-49 years	402,690	338,475	49,376	14,839
50-54 years	329,884	279,747	37,778	12,359
55-59 years	253,747	213,412	31,158	9,177
60-64 years	210,129	178,041	25,868	6,220
65-69 years	189,892	163,885	21,868	4,139
70-74 years	162,973	143,506	16,400	3,067
75-79 years	123,607	110,427	11,307	1,873
80-84 years	74,307	67,878	5,418	1,011
85+ years	47,569	43,093	3,917	559
Total	5,952,466	4,851,609	884,801	216,056
1997 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,370	66,039	15,974	3,357
01-04 years	356,377	268,179	75,011	13,187
05-09 years	443,042	337,734	90,142	15,166
10-14 years	426,724	330,025	81,356	15,343
15-19 years	421,096	323,881	80,657	16,558
20-24 years	396,278	305,433	71,968	18,877
25-29 years	448,147	348,083	75,654	24,410
30-34 years	488,141	389,502	77,763	20,876
35-39 years	514,197	412,794	82,132	19,271
40-44 years	476,701	383,452	74,675	18,574
45-49 years	418,345	338,955	62,667	16,723
50-54 years	347,017	286,690	47,303	13,024
55-59 years	274,052	224,793	39,940	9,319
60-64 years	234,493	193,622	33,866	7,005
65-69 years	229,589	194,486	29,927	5,176
70-74 years	217,586	189,099	24,298	4,189
75-79 years	187,028	166,253	18,007	2,768
80-84 years	139,245	126,491	11,157	1,597
85+ years	129,821	118,594	10,199	1,028
Total	6,233,249	5,004,105	1,002,696	226,448

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	172,524	133,407	31,829	7,288
01-04 years	718,162	544,972	145,118	28,072
05-09 years	919,305	698,195	189,000	32,110
10-14 years	878,210	678,601	167,442	32,167
15-19 years	888,287	687,291	165,135	35,861
20-24 years	818,115	640,966	137,279	39,870
25-29 years	903,502	712,593	142,953	47,956
30-34 years	952,093	769,524	141,478	41,091
35-39 years	1,018,829	827,411	151,407	40,011
40-44 years	962,252	786,046	139,642	36,564
45-49 years	837,043	689,475	114,491	33,077
50-54 years	696,444	579,467	89,539	27,438
55-59 years	552,995	460,794	72,422	19,779
60-64 years	452,911	377,634	61,015	14,262
65-69 years	409,749	347,988	51,987	9,774
70-74 years	380,196	331,121	41,552	7,523
75-79 years	312,521	277,459	30,028	5,034
80-84 years	215,803	196,040	17,001	2,762
85+ years	182,906	166,528	14,661	1,717
Total	12,271,847	9,905,512	1,903,979	462,356
1998 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,100	68,491	15,979	3,630
01-04 years	367,089	279,311	73,579	14,199
05-09 years	470,953	358,510	95,930	16,513
10-14 years	449,162	347,974	84,771	16,417
15-19 years	459,980	357,864	83,534	18,582
20-24 years	417,756	331,004	66,417	20,335
25-29 years	455,476	366,636	66,809	22,031
30-34 years	477,665	392,969	65,530	19,166
35-39 years	507,279	417,929	69,410	19,940
40-44 years	475,396	394,896	62,859	17,641
45-49 years	410,991	344,858	50,507	15,626
50-54 years	339,450	286,537	39,683	13,230
55-59 years	266,163	224,514	31,867	9,782
60-64 years	214,191	180,913	26,438	6,840
65-69 years	185,260	159,097	21,819	4,344
70-74 years	163,817	143,901	16,733	3,183
75-79 years	125,223	111,511	11,670	2,042
80-84 years	75,955	69,286	5,594	1,075
85+ years	49,585	44,903	4,087	595
Total	5,999,491	4,881,104	893,216	225,171
1998 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,424	64,916	15,850	3,658
01-04 years	351,073	265,661	71,539	13,873
05-09 years	448,352	339,685	93,070	15,597
10-14 years	429,048	330,627	82,671	15,750
15-19 years	428,307	329,427	81,601	17,279
20-24 years	400,359	309,962	70,862	19,535
25-29 years	448,026	345,957	76,144	25,925
30-34 years	474,428	376,555	75,948	21,925
35-39 years	511,550	409,482	81,997	20,071
40-44 years	486,856	391,150	76,783	18,923
45-49 years	426,052	344,617	63,984	17,451
50-54 years	356,994	292,930	49,856	14,208
55-59 years	286,832	236,280	40,555	9,997
60-64 years	238,720	196,721	34,577	7,422
65-69 years	224,489	188,891	30,168	5,430
70-74 years	216,379	187,220	24,819	4,340
75-79 years	187,298	165,948	18,358	2,992
80-84 years	139,848	126,754	11,407	1,687
85+ years	133,321	121,625	10,574	1,122
Total	6,272,356	5,024,408	1,010,763	237,185

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	173,288	134,127	31,863	7,298
01-04 years	708,678	539,504	140,005	29,169
05-09 years	929,962	703,954	192,642	33,366
10-14 years	893,453	686,974	173,479	33,000
15-19 years	893,729	691,705	165,124	36,900
20-24 years	833,765	652,675	139,240	41,850
25-29 years	897,285	701,726	143,116	52,443
30-34 years	928,426	746,084	138,566	43,776
35-39 years	1,009,780	818,825	149,972	40,983
40-44 years	977,421	797,160	143,048	37,213
45-49 years	857,556	704,703	118,651	34,202
50-54 years	726,545	602,803	94,330	29,412
55-59 years	567,540	472,587	73,865	21,088
60-64 years	461,748	384,371	62,216	15,161
65-69 years	400,609	338,610	51,741	10,258
70-74 years	377,467	327,533	42,204	7,730
75-79 years	315,497	279,619	30,553	5,325
80-84 years	217,871	197,360	17,535	2,976
85+ years	188,400	171,445	15,110	1,845
Total	12,359,020	9,951,765	1,923,260	483,995
1999 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	88,454	68,706	16,094	3,654
01-04 years	362,225	276,613	71,029	14,583
05-09 years	476,378	361,466	97,991	16,921
10-14 years	456,954	352,152	87,847	16,955
15-19 years	462,476	360,107	83,178	19,191
20-24 years	425,667	337,145	67,256	21,266
25-29 years	452,885	360,468	66,712	25,705
30-34 years	466,410	381,527	64,237	20,646
35-39 years	502,699	413,380	69,063	20,256
40-44 years	483,354	400,703	64,671	17,980
45-49 years	421,594	352,729	52,663	16,202
50-54 years	354,365	298,604	41,651	14,110
55-59 years	273,277	230,392	32,611	10,274
60-64 years	218,350	184,171	26,857	7,322
65-69 years	181,963	155,500	21,797	4,666
70-74 years	163,272	143,034	16,948	3,290
75-79 years	126,587	112,697	11,741	2,149
80-84 years	77,148	70,104	5,880	1,164
85+ years	51,612	46,783	4,203	626
Total	6,045,670	4,906,281	902,429	236,960
1999 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,834	65,421	15,769	3,644
01-04 years	346,453	262,891	68,976	14,586
05-09 years	453,584	342,488	94,651	16,445
10-14 years	436,499	334,822	85,632	16,045
15-19 years	431,253	331,598	81,946	17,709
20-24 years	408,098	315,530	71,984	20,584
25-29 years	444,400	341,258	76,404	26,738
30-34 years	462,016	364,557	74,329	23,130
35-39 years	507,081	405,445	80,909	20,727
40-44 years	494,067	396,457	78,377	19,233
45-49 years	435,962	351,974	65,988	18,000
50-54 years	372,180	304,199	52,679	15,302
55-59 years	294,263	242,195	41,254	10,814
60-64 years	243,398	200,200	35,359	7,839
65-69 years	218,646	183,110	29,944	5,592
70-74 years	214,195	184,499	25,256	4,440
75-79 years	188,910	166,922	18,812	3,176
80-84 years	140,723	127,256	11,655	1,812
85+ years	136,788	124,662	10,907	1,219
Total	6,313,350	5,045,484	1,020,831	247,035

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,439	135,164	32,354	7,921
01-04 years	699,946	533,719	136,105	30,122
05-09 years	924,569	698,589	191,462	34,518
10-14 years	908,672	696,055	178,442	34,175
15-19 years	897,721	695,571	164,253	37,897
20-24 years	855,309	667,560	143,375	44,374
25-29 years	886,378	691,821	140,263	54,294
30-34 years	919,791	733,038	137,469	49,284
35-39 years	992,982	803,424	147,287	42,271
40-44 years	988,790	804,931	145,186	38,673
45-49 years	877,971	720,097	122,297	35,577
50-54 years	760,140	628,268	100,377	31,495
55-59 years	581,134	483,404	75,181	22,549
60-64 years	464,665	385,031	63,277	16,357
65-69 years	396,176	333,444	51,763	10,969
70-74 years	374,113	323,205	42,751	8,157
75-79 years	317,375	280,714	30,920	5,741
80-84 years	220,139	198,536	18,305	3,298
85+ years	192,851	175,264	15,465	2,122
Total	12,434,161	9,987,835	1,936,532	509,794
2000 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,554	69,242	16,345	3,967
01-04 years	357,727	273,665	69,166	14,896
05-09 years	473,486	358,575	97,429	17,482
10-14 years	464,675	356,784	90,373	17,518
15-19 years	465,393	362,751	82,818	19,824
20-24 years	436,995	345,243	69,135	22,617
25-29 years	448,493	356,362	65,283	26,848
30-34 years	463,249	374,852	63,763	24,634
35-39 years	494,563	405,930	67,704	20,929
40-44 years	489,472	404,743	65,968	18,761
45-49 years	432,205	360,781	54,624	16,800
50-54 years	370,935	311,464	44,426	15,045
55-59 years	279,918	235,938	33,101	10,879
60-64 years	219,856	184,422	27,442	7,992
65-69 years	180,469	153,690	21,793	4,986
70-74 years	162,737	142,060	17,212	3,465
75-79 years	127,478	113,321	11,813	2,344
80-84 years	78,370	70,896	6,188	1,286
85+ years	53,309	48,335	4,272	702
Total	6,088,884	4,929,054	908,855	250,975
2000 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,885	65,922	16,009	3,954
01-04 years	342,219	260,054	66,939	15,226
05-09 years	451,083	340,014	94,033	17,036
10-14 years	443,997	339,271	88,069	16,657
15-19 years	432,328	332,820	81,435	18,073
20-24 years	418,314	322,317	74,240	21,757
25-29 years	437,885	335,459	74,980	27,446
30-34 years	456,542	358,186	73,706	24,650
35-39 years	498,419	397,494	79,583	21,342
40-44 years	499,318	400,188	79,218	19,912
45-49 years	445,766	359,316	67,673	18,777
50-54 years	389,205	316,804	55,951	16,450
55-59 years	301,216	247,466	42,080	11,670
60-64 years	244,809	200,609	35,835	8,365
65-69 years	215,707	179,754	29,970	5,983
70-74 years	211,376	181,145	25,539	4,692
75-79 years	189,897	167,393	19,107	3,397
80-84 years	141,769	127,640	12,117	2,012
85+ years	139,542	126,929	11,193	1,420
Total	6,345,277	5,058,781	1,027,677	258,819

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	182,014	139,768	33,814	8,432
01-04 years	691,925	529,124	131,552	31,249
05-09 years	911,716	689,382	186,312	36,022
10-14 years	920,321	701,606	183,293	35,422
15-19 years	897,214	695,574	162,800	38,840
20-24 years	870,940	677,857	147,051	46,032
25-29 years	864,728	674,434	134,682	55,612
30-34 years	923,737	732,858	137,898	52,981
35-39 years	969,687	782,162	143,562	43,963
40-44 years	998,028	811,771	146,713	39,544
45-49 years	894,624	732,866	124,473	37,285
50-54 years	798,852	658,879	106,831	33,142
55-59 years	592,146	492,021	76,176	23,949
60-64 years	471,511	390,267	63,464	17,780
65-69 years	394,996	330,204	52,826	11,966
70-74 years	369,777	318,443	42,833	8,501
75-79 years	316,711	278,738	31,911	6,062
80-84 years	224,395	201,960	18,867	3,568
85+ years	195,123	177,585	15,191	2,347
Total	12,488,445	10,015,499	1,940,249	532,697
2001 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	92,914	71,656	16,944	4,314
01-04 years	353,419	271,290	66,695	15,434
05-09 years	466,792	353,621	95,067	18,104
10-14 years	470,908	359,867	92,853	18,188
15-19 years	465,200	362,645	82,222	20,333
20-24 years	443,839	349,698	70,913	23,228
25-29 years	438,094	347,848	62,613	27,633
30-34 years	464,909	374,797	63,764	26,348
35-39 years	483,500	395,822	65,952	21,726
40-44 years	494,116	408,025	66,915	19,176
45-49 years	440,608	367,269	55,768	17,571
50-54 years	389,849	326,855	47,188	15,806
55-59 years	285,724	240,654	33,553	11,517
60-64 years	223,317	187,116	27,491	8,710
65-69 years	180,585	152,787	22,309	5,489
70-74 years	161,164	140,321	17,267	3,576
75-79 years	128,062	113,351	12,222	2,489
80-84 years	80,654	72,844	6,435	1,375
85+ years	54,348	49,454	4,133	761
Total	6,118,002	4,945,920	910,304	261,778
2001 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,100	68,112	16,870	4,118
01-04 years	338,506	257,834	64,857	15,815
05-09 years	444,924	335,761	91,245	17,918
10-14 years	449,413	341,739	90,440	17,234
15-19 years	432,014	332,929	80,578	18,507
20-24 years	427,101	328,159	76,138	22,804
25-29 years	426,634	326,586	72,069	27,979
30-34 years	458,828	358,061	74,134	26,633
35-39 years	486,187	386,340	77,610	22,237
40-44 years	503,912	403,746	79,798	20,368
45-49 years	454,016	365,597	68,705	19,714
50-54 years	409,003	332,024	59,643	17,336
55-59 years	306,422	251,367	42,623	12,432
60-64 years	248,194	203,151	35,973	9,070
65-69 years	214,411	177,417	30,517	6,477
70-74 years	208,613	178,122	25,566	4,925
75-79 years	188,649	165,387	19,689	3,573
80-84 years	143,741	129,116	12,432	2,193
85+ years	140,775	128,131	11,058	1,586
Total	6,370,443	5,069,579	1,029,945	270,919

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	176,591	135,929	32,285	8,377
01-04 years	696,170	533,230	130,001	32,939
05-09 years	895,265	677,247	180,461	37,557
10-14 years	930,923	706,977	187,495	36,451
15-19 years	895,240	693,020	162,783	39,437
20-24 years	877,701	681,248	148,863	47,590
25-29 years	855,133	667,415	130,814	56,904
30-34 years	923,515	727,731	138,456	57,328
35-39 years	944,575	759,619	139,430	45,526
40-44 years	996,885	809,482	146,794	40,609
45-49 years	914,730	747,879	128,338	38,513
50-54 years	798,777	656,037	108,853	33,887
55-59 years	633,979	527,900	79,829	26,250
60-64 years	487,129	403,571	64,414	19,144
65-69 years	395,915	329,367	53,689	12,859
70-74 years	362,437	311,122	42,405	8,910
75-79 years	315,212	276,349	32,617	6,246
80-84 years	228,489	205,034	19,558	3,897
85+ years	196,890	179,177	15,158	2,555
Total	12,525,556	10,028,334	1,942,243	554,979
2002 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	90,111	69,256	16,508	4,347
01-04 years	355,630	273,540	65,738	16,352
05-09 years	458,034	347,237	92,159	18,638
10-14 years	476,398	362,564	95,097	18,737
15-19 years	463,262	360,294	82,303	20,665
20-24 years	447,211	351,282	71,912	24,017
25-29 years	432,783	343,693	60,943	28,147
30-34 years	465,021	373,019	63,688	28,314
35-39 years	471,247	384,756	64,026	22,465
40-44 years	493,648	406,813	67,013	19,822
45-49 years	450,261	374,460	57,608	18,193
50-54 years	390,501	326,356	48,134	16,011
55-59 years	306,029	258,246	35,225	12,558
60-64 years	230,644	193,426	27,910	9,308
65-69 years	182,095	153,440	22,658	5,997
70-74 years	158,320	137,392	17,134	3,794
75-79 years	128,269	113,206	12,509	2,554
80-84 years	82,888	74,633	6,729	1,526
85+ years	55,307	50,343	4,123	841
Total	6,137,659	4,953,956	911,417	272,286
2002 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,480	66,673	15,777	4,030
01-04 years	340,540	259,690	64,263	16,587
05-09 years	437,231	330,010	88,302	18,919
10-14 years	454,525	344,413	92,398	17,714
15-19 years	431,978	332,726	80,480	18,772
20-24 years	430,490	329,966	76,951	23,573
25-29 years	422,350	323,722	69,871	28,757
30-34 years	458,494	354,712	74,768	29,014
35-39 years	473,328	374,863	75,404	23,061
40-44 years	503,237	402,669	79,781	20,787
45-49 years	464,469	373,419	70,730	20,320
50-54 years	408,276	329,681	60,719	17,876
55-59 years	327,950	269,654	44,604	13,692
60-64 years	256,485	210,145	36,504	9,836
65-69 years	213,820	175,927	31,031	6,862
70-74 years	204,117	173,730	25,271	5,116
75-79 years	186,943	163,143	20,108	3,692
80-84 years	145,601	130,401	12,829	2,371
85+ years	141,583	128,834	11,035	1,714
Total	6,387,897	5,074,378	1,030,826	282,693

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,067	135,034	31,058	8,975
01-04 years	696,763	534,659	127,731	34,373
05-09 years	878,647	666,289	173,483	38,875
10-14 years	934,873	706,646	190,737	37,490
15-19 years	895,952	691,039	164,755	40,158
20-24 years	885,309	686,442	149,675	49,192
25-29 years	851,314	665,779	128,340	57,195
30-34 years	913,055	715,550	137,170	60,335
35-39 years	921,738	738,187	135,798	47,753
40-44 years	989,314	801,882	145,641	41,791
45-49 years	932,188	760,534	131,824	39,830
50-54 years	811,359	665,374	111,042	34,943
55-59 years	655,253	543,591	83,428	28,234
60-64 years	509,631	423,500	65,743	20,388
65-69 years	403,600	335,044	54,682	13,874
70-74 years	355,695	303,372	42,888	9,435
75-79 years	314,438	274,963	32,826	6,649
80-84 years	231,567	207,279	20,178	4,110
85+ years	200,243	182,145	15,341	2,757
Total	12,556,006	10,037,309	1,942,340	576,357
2003 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,850	69,567	15,633	4,650
01-04 years	355,505	273,624	64,739	17,142
05-09 years	449,053	341,643	88,188	19,222
10-14 years	478,322	362,351	96,799	19,172
15-19 years	463,364	358,903	83,406	21,055
20-24 years	450,472	353,123	72,435	24,914
25-29 years	430,703	342,658	59,963	28,082
30-34 years	459,817	366,949	63,135	29,733
35-39 years	459,961	374,154	62,215	23,592
40-44 years	489,999	403,245	66,410	20,344
45-49 years	458,797	380,429	59,499	18,869
50-54 years	396,751	331,113	49,142	16,496
55-59 years	316,817	266,718	36,787	13,312
60-64 years	241,245	202,941	28,419	9,885
65-69 years	186,314	156,680	23,089	6,545
70-74 years	155,480	134,079	17,369	4,032
75-79 years	128,800	113,594	12,451	2,755
80-84 years	84,771	76,137	7,063	1,571
85+ years	57,126	51,992	4,180	954
Total	6,153,147	4,959,900	910,922	282,325
2003 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,217	65,467	15,425	4,325
01-04 years	341,258	261,035	62,992	17,231
05-09 years	429,594	324,646	85,295	19,653
10-14 years	456,551	344,295	93,938	18,318
15-19 years	432,588	332,136	81,349	19,103
20-24 years	434,837	333,319	77,240	24,278
25-29 years	420,611	323,121	68,377	29,113
30-34 years	453,238	348,601	74,035	30,602
35-39 years	461,777	364,033	73,583	24,161
40-44 years	499,315	398,637	79,231	21,447
45-49 years	473,391	380,105	72,325	20,961
50-54 years	414,608	334,261	61,900	18,447
55-59 years	338,436	276,873	46,641	14,922
60-64 years	268,386	220,559	37,324	10,503
65-69 years	217,286	178,364	31,593	7,329
70-74 years	200,215	169,293	25,519	5,403
75-79 years	185,638	161,369	20,375	3,894
80-84 years	146,796	131,142	13,115	2,539
85+ years	143,117	130,153	11,161	1,803
Total	6,402,859	5,077,409	1,031,418	294,032

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	175,433	135,407	31,034	8,992
01-04 years	696,198	534,707	125,405	36,086
05-09 years	862,340	655,867	166,227	40,246
10-14 years	932,571	702,514	191,598	38,459
15-19 years	905,172	694,617	169,203	41,352
20-24 years	893,225	692,923	149,887	50,415
25-29 years	855,707	668,244	129,000	58,463
30-34 years	895,938	699,034	134,999	61,905
35-39 years	901,438	719,081	132,142	50,215
40-44 years	980,971	793,549	143,952	43,470
45-49 years	944,741	769,622	134,714	40,405
50-54 years	827,820	677,801	113,904	36,115
55-59 years	683,028	565,307	87,543	30,178
60-64 years	523,872	435,057	67,013	21,802
65-69 years	412,331	342,020	55,201	15,110
70-74 years	349,297	296,285	43,064	9,948
75-79 years	310,471	270,401	33,136	6,934
80-84 years	235,573	210,408	20,820	4,345
85+ years	203,647	184,989	15,631	3,027
Total	12,589,773	10,047,833	1,944,473	597,467
2004 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	89,786	69,300	15,834	4,652
01-04 years	355,473	273,990	63,384	18,099
05-09 years	441,115	336,583	84,673	19,859
10-14 years	476,921	360,245	97,185	19,491
15-19 years	468,246	360,697	85,752	21,797
20-24 years	457,173	357,998	73,230	25,945
25-29 years	432,643	343,665	60,449	28,529
30-34 years	450,964	358,566	61,884	30,514
35-39 years	450,439	364,956	60,738	24,745
40-44 years	486,070	399,090	65,924	21,056
45-49 years	465,474	385,191	60,949	19,334
50-54 years	405,133	337,662	50,618	16,853
55-59 years	330,198	277,505	38,502	14,191
60-64 years	248,476	208,894	29,061	10,521
65-69 years	190,601	160,079	23,301	7,221
70-74 years	152,876	131,221	17,372	4,283
75-79 years	128,269	112,805	12,588	2,876
80-84 years	86,963	77,945	7,347	1,671
85+ years	58,744	53,440	4,254	1,050
Total	6,175,564	4,969,832	913,045	292,687
2004 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,647	66,107	15,200	4,340
01-04 years	340,725	260,717	62,021	17,987
05-09 years	421,225	319,284	81,554	20,387
10-14 years	455,650	342,269	94,413	18,968
15-19 years	436,926	333,920	83,451	19,555
20-24 years	436,052	334,925	76,657	24,470
25-29 years	423,064	324,579	68,551	29,934
30-34 years	444,974	340,468	73,115	31,391
35-39 years	450,999	354,125	71,404	25,470
40-44 years	494,901	394,459	78,028	22,414
45-49 years	479,267	384,431	73,765	21,071
50-54 years	422,687	340,139	63,286	19,262
55-59 years	352,830	287,802	49,041	15,987
60-64 years	275,396	226,163	37,952	11,281
65-69 years	221,730	181,941	31,900	7,889
70-74 years	196,421	165,064	25,692	5,665
75-79 years	182,202	157,596	20,548	4,058
80-84 years	148,610	132,463	13,473	2,674
85+ years	144,903	131,549	11,377	1,977
Total	6,414,209	5,078,001	1,031,428	304,780

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	170,542	130,970	30,179	9,393
01-04 years	695,164	533,585	124,171	37,408
05-09 years	849,518	647,948	159,713	41,857
10-14 years	923,414	694,468	189,410	39,536
15-19 years	914,275	697,628	174,137	42,510
20-24 years	887,761	689,488	147,215	51,058
25-29 years	866,083	673,867	132,562	59,654
30-34 years	872,576	678,729	130,952	62,895
35-39 years	894,288	709,913	130,624	53,751
40-44 years	962,577	777,279	140,530	44,768
45-49 years	956,112	777,548	137,430	41,134
50-54 years	846,124	692,668	116,312	37,144
55-59 years	720,161	593,867	93,765	32,529
60-64 years	533,991	443,647	67,515	22,829
65-69 years	416,992	344,826	55,790	16,376
70-74 years	345,362	291,275	43,500	10,587
75-79 years	309,059	268,191	33,505	7,363
80-84 years	237,858	211,971	21,261	4,626
85+ years	208,046	188,509	16,282	3,255
Total	12,609,903	10,046,377	1,944,853	618,673
2005 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	87,581	67,298	15,513	4,770
01-04 years	355,118	273,535	62,761	18,822
05-09 years	433,859	332,117	81,113	20,629
10-14 years	473,075	356,574	96,418	20,083
15-19 years	471,806	361,204	88,259	22,343
20-24 years	453,595	355,312	72,032	26,251
25-29 years	437,507	346,001	62,573	28,933
30-34 years	438,795	347,660	60,011	31,124
35-39 years	447,535	361,310	59,894	26,331
40-44 years	476,681	390,636	64,373	21,672
45-49 years	471,149	389,013	62,425	19,711
50-54 years	414,128	344,982	51,865	17,281
55-59 years	348,751	292,358	41,138	15,255
60-64 years	253,941	213,735	29,278	10,928
65-69 years	192,586	161,292	23,500	7,794
70-74 years	152,160	129,839	17,650	4,671
75-79 years	128,452	112,637	12,741	3,074
80-84 years	88,696	79,384	7,552	1,760
85+ years	60,657	55,081	4,444	1,132
Total	6,186,072	4,969,968	913,540	302,564
2005 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	82,961	63,672	14,666	4,623
01-04 years	340,046	260,050	61,410	18,586
05-09 years	415,659	315,831	78,600	21,228
10-14 years	450,339	337,894	92,992	19,453
15-19 years	442,469	336,424	85,878	20,167
20-24 years	434,166	334,176	75,183	24,807
25-29 years	428,576	327,866	69,989	30,721
30-34 years	433,781	331,069	70,941	31,771
35-39 years	446,753	348,603	70,730	27,420
40-44 years	485,896	386,643	76,157	23,096
45-49 years	484,963	388,535	75,005	21,423
50-54 years	431,996	347,686	64,447	19,863
55-59 years	371,410	301,509	52,627	17,274
60-64 years	280,050	229,912	38,237	11,901
65-69 years	224,406	183,534	32,290	8,582
70-74 years	193,202	161,436	25,850	5,916
75-79 years	180,607	155,554	20,764	4,289
80-84 years	149,162	132,587	13,709	2,866
85+ years	147,389	133,428	11,838	2,123
Total	6,423,831	5,076,409	1,031,313	316,109

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	169,033	129,304	30,309	9,420
01-04 years	684,749	525,037	121,213	38,499
05-09 years	847,980	646,466	157,625	43,889
10-14 years	913,671	687,592	185,037	41,042
15-19 years	921,587	699,365	178,697	43,525
20-24 years	882,932	685,638	145,009	52,285
25-29 years	885,291	687,133	135,922	62,236
30-34 years	852,538	662,240	126,417	63,881
35-39 years	896,374	707,605	131,981	56,788
40-44 years	938,217	754,709	137,191	46,317
45-49 years	964,149	783,274	139,172	41,703
50-54 years	862,914	705,216	119,055	38,643
55-59 years	756,726	622,889	99,654	34,183
60-64 years	544,441	451,676	68,545	24,220
65-69 years	422,623	349,241	55,767	17,615
70-74 years	343,777	288,001	44,271	11,505
75-79 years	305,729	264,851	33,291	7,587
80-84 years	237,652	210,948	21,859	4,845
85+ years	213,572	193,251	16,821	3,500
Total	12,643,955	10,054,436	1,947,836	641,683
2006 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	86,058	65,851	15,414	4,793
01-04 years	350,282	269,353	61,558	19,371
05-09 years	432,746	331,345	79,660	21,741
10-14 years	467,938	352,755	94,453	20,730
15-19 years	475,323	361,879	90,613	22,831
20-24 years	452,086	354,015	71,209	26,862
25-29 years	445,687	351,515	64,046	30,126
30-34 years	429,108	339,463	57,939	31,706
35-39 years	448,168	359,800	60,540	27,828
40-44 years	465,428	379,985	63,027	22,416
45-49 years	475,339	391,809	63,505	20,025
50-54 years	422,184	350,992	53,263	17,929
55-59 years	366,500	306,801	43,680	16,019
60-64 years	259,204	217,995	29,717	11,492
65-69 years	195,347	163,484	23,431	8,432
70-74 years	152,414	129,198	18,075	5,141
75-79 years	127,262	111,519	12,642	3,101
80-84 years	89,680	79,996	7,776	1,908
85+ years	63,179	57,358	4,612	1,209
Total	6,203,933	4,975,113	915,160	313,660
2006 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	82,975	63,453	14,895	4,627
01-04 years	334,467	255,684	59,655	19,128
05-09 years	415,234	315,121	77,965	22,148
10-14 years	445,733	334,837	90,584	20,312
15-19 years	446,264	337,486	88,084	20,694
20-24 years	430,846	331,623	73,800	25,423
25-29 years	439,604	335,618	71,876	32,110
30-34 years	423,430	322,777	68,478	32,175
35-39 years	448,206	347,805	71,441	28,960
40-44 years	472,789	374,724	74,164	23,901
45-49 years	488,810	391,465	75,667	21,678
50-54 years	440,730	354,224	65,792	20,714
55-59 years	390,226	316,088	55,974	18,164
60-64 years	285,237	233,681	38,828	12,728
65-69 years	227,276	185,757	32,336	9,183
70-74 years	191,363	158,803	26,196	6,364
75-79 years	178,467	153,332	20,649	4,486
80-84 years	147,972	130,952	14,083	2,937
85+ years	150,393	135,893	12,209	2,291
Total	6,440,022	5,079,323	1,032,676	328,023

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	171,292	130,410	31,207	9,675
01-04 years	680,035	519,964	120,176	39,895
05-09 years	849,196	648,054	155,205	45,937
10-14 years	902,390	679,121	180,422	42,847
15-19 years	928,377	701,655	182,108	44,614
20-24 years	880,284	683,003	144,362	52,919
25-29 years	896,088	694,439	136,892	64,757
30-34 years	846,449	657,755	123,484	65,210
35-39 years	895,616	701,496	133,256	60,864
40-44 years	914,035	732,788	133,627	47,620
45-49 years	963,025	781,173	139,172	42,680
50-54 years	884,179	721,078	123,200	39,901
55-59 years	757,044	620,696	101,393	34,955
60-64 years	585,472	487,122	71,880	26,470
65-69 years	438,209	362,354	56,874	18,981
70-74 years	345,528	288,337	44,905	12,286
75-79 years	300,856	259,965	32,982	7,909
80-84 years	237,865	210,378	22,419	5,068
85+ years	219,926	198,555	17,593	3,778
Total	12,695,866	10,078,343	1,951,157	666,366
2007 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	87,088	66,292	15,807	4,989
01-04 years	347,598	266,786	60,796	20,016
05-09 years	433,174	331,859	78,468	22,847
10-14 years	461,889	348,231	92,169	21,489
15-19 years	478,022	362,349	92,276	23,397
20-24 years	450,322	352,226	70,917	27,179
25-29 years	450,353	354,514	64,441	31,398
30-34 years	425,658	336,511	56,862	32,285
35-39 years	447,670	357,193	60,781	29,696
40-44 years	453,514	369,022	61,355	23,137
45-49 years	474,963	390,669	63,767	20,527
50-54 years	432,359	358,641	55,147	18,571
55-59 years	367,365	306,672	44,495	16,198
60-64 years	279,088	235,298	31,265	12,525
65-69 years	202,844	169,866	23,919	9,059
70-74 years	154,084	130,248	18,258	5,578
75-79 years	125,966	110,070	12,626	3,270
80-84 years	90,580	80,606	8,007	1,967
85+ years	65,752	59,575	4,851	1,326
Total	6,228,289	4,986,628	916,207	325,454
2007 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,204	64,118	15,400	4,686
01-04 years	332,437	253,178	59,380	19,879
05-09 years	416,022	316,195	76,737	23,090
10-14 years	440,501	330,890	88,253	21,358
15-19 years	450,355	339,306	89,832	21,217
20-24 years	429,962	330,777	73,445	25,740
25-29 years	445,735	339,925	72,451	33,359
30-34 years	420,791	321,244	66,622	32,925
35-39 years	447,946	344,303	72,475	31,168
40-44 years	460,521	363,766	72,272	24,483
45-49 years	488,062	390,504	75,405	22,153
50-54 years	451,820	362,437	68,053	21,330
55-59 years	389,679	314,024	56,898	18,757
60-64 years	306,384	251,824	40,615	13,945
65-69 years	235,365	192,488	32,955	9,922
70-74 years	191,444	158,089	26,647	6,708
75-79 years	174,890	149,895	20,356	4,639
80-84 years	147,285	129,772	14,412	3,101
85+ years	154,174	138,980	12,742	2,452
Total	6,467,577	5,091,715	1,034,950	340,912

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	167,968	127,193	30,801	9,974
01-04 years	679,695	517,513	121,197	40,985
05-09 years	851,542	649,864	153,271	48,407
10-14 years	892,352	673,078	174,996	44,278
15-19 years	931,065	699,910	185,452	45,703
20-24 years	876,545	677,997	144,948	53,600
25-29 years	910,258	706,342	137,419	66,497
30-34 years	847,213	659,641	122,168	65,404
35-39 years	886,700	690,639	132,618	63,443
40-44 years	893,262	713,156	130,473	49,633
45-49 years	956,686	774,510	138,174	44,002
50-54 years	903,901	735,748	126,902	41,251
55-59 years	773,071	632,972	103,768	36,331
60-64 years	607,263	503,406	75,316	28,541
65-69 years	459,748	381,396	58,171	20,181
70-74 years	352,243	293,507	45,534	13,202
75-79 years	295,130	253,451	33,366	8,313
80-84 years	237,298	209,555	22,366	5,377
85+ years	225,098	202,785	18,291	4,022
Total	12,747,038	10,102,663	1,955,231	689,144
2008 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	85,428	64,702	15,710	5,016
01-04 years	346,730	264,666	61,431	20,633
05-09 years	434,399	332,826	77,447	24,126
10-14 years	456,320	345,265	88,833	22,222
15-19 years	479,091	361,261	94,041	23,789
20-24 years	448,311	349,338	71,346	27,627
25-29 years	457,001	360,012	64,698	32,291
30-34 years	425,636	337,220	56,357	32,059
35-39 years	443,154	351,802	60,537	30,815
40-44 years	443,341	359,266	59,849	24,226
45-49 years	472,034	387,652	63,214	21,168
50-54 years	442,161	365,669	57,261	19,231
55-59 years	375,209	312,749	45,517	16,943
60-64 years	290,220	244,078	32,795	13,347
65-69 years	213,062	179,051	24,419	9,592
70-74 years	157,850	133,217	18,533	6,100
75-79 years	123,871	107,660	12,759	3,452
80-84 years	91,303	81,319	7,874	2,110
85+ years	68,380	61,822	5,156	1,402
Total	6,253,501	4,999,575	917,777	336,149
2008 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	82,540	62,491	15,091	4,958
01-04 years	332,965	252,847	59,766	20,352
05-09 years	417,143	317,038	75,824	24,281
10-14 years	436,032	327,813	86,163	22,056
15-19 years	451,974	338,649	91,411	21,914
20-24 years	428,234	328,659	73,602	25,973
25-29 years	453,257	346,330	72,721	34,206
30-34 years	421,577	322,421	65,811	33,345
35-39 years	443,546	338,837	72,081	32,628
40-44 years	449,921	353,890	70,624	25,407
45-49 years	484,652	386,858	74,960	22,834
50-54 years	461,740	370,079	69,641	22,020
55-59 years	397,862	320,223	58,251	19,388
60-64 years	317,043	259,328	42,521	15,194
65-69 years	246,686	202,345	33,752	10,589
70-74 years	194,393	160,290	27,001	7,102
75-79 years	171,259	145,791	20,607	4,861
80-84 years	145,995	128,236	14,492	3,267
85+ years	156,718	140,963	13,135	2,620
Total	6,493,537	5,103,088	1,037,454	352,995

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	164,646	124,155	29,977	10,514
01-04 years	675,629	511,337	122,049	42,243
05-09 years	857,360	653,996	152,608	50,756
10-14 years	883,928	668,383	169,513	46,032
15-19 years	928,201	694,845	186,663	46,693
20-24 years	877,648	675,274	147,430	54,944
25-29 years	914,697	711,443	136,085	67,169
30-34 years	855,772	665,548	123,779	66,445
35-39 years	871,430	675,058	131,454	64,918
40-44 years	875,346	696,279	127,112	51,955
45-49 years	951,529	768,833	136,813	45,883
50-54 years	919,619	747,354	130,282	41,983
55-59 years	792,394	648,144	106,655	37,595
60-64 years	636,573	526,825	79,313	30,435
65-69 years	475,070	393,444	59,842	21,784
70-74 years	360,531	300,339	45,906	14,286
75-79 years	290,359	248,235	33,405	8,719
80-84 years	235,236	206,920	22,703	5,613
85+ years	230,810	207,326	19,237	4,247
Total	12,796,778	10,123,738	1,960,826	712,214
2009 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	84,067	63,417	15,285	5,365
01-04 years	344,363	261,404	61,786	21,173
05-09 years	437,254	334,801	77,160	25,293
10-14 years	452,140	342,816	86,247	23,077
15-19 years	476,519	357,880	94,451	24,188
20-24 years	447,564	346,835	72,331	28,398
25-29 years	459,187	362,434	64,104	32,649
30-34 years	429,092	339,638	57,122	32,332
35-39 years	434,765	343,502	59,687	31,576
40-44 years	434,796	350,942	58,513	25,341
45-49 years	469,227	384,347	62,972	21,908
50-54 years	450,526	371,765	58,938	19,823
55-59 years	384,729	320,441	46,985	17,303
60-64 years	304,478	255,922	34,400	14,156
65-69 years	220,766	185,177	25,261	10,328
70-74 years	161,814	136,510	18,621	6,683
75-79 years	122,312	105,929	12,745	3,638
80-84 years	91,462	81,247	7,986	2,229
85+ years	70,994	64,042	5,450	1,502
Total	6,276,055	5,009,049	920,044	346,962
2009 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	80,579	60,738	14,692	5,149
01-04 years	331,266	249,933	60,263	21,070
05-09 years	420,106	319,195	75,448	25,463
10-14 years	431,788	325,567	83,266	22,955
15-19 years	451,682	336,965	92,212	22,505
20-24 years	430,084	328,439	75,099	26,546
25-29 years	455,510	349,009	71,981	34,520
30-34 years	426,680	325,910	66,657	34,113
35-39 years	436,665	331,556	71,767	33,342
40-44 years	440,550	345,337	68,599	26,614
45-49 years	482,302	384,486	73,841	23,975
50-54 years	469,093	375,589	71,344	22,160
55-59 years	407,665	327,703	59,670	20,292
60-64 years	332,095	270,903	44,913	16,279
65-69 years	254,304	208,267	34,581	11,456
70-74 years	198,717	163,829	27,285	7,603
75-79 years	168,047	142,306	20,660	5,081
80-84 years	143,774	125,673	14,717	3,384
85+ years	159,816	143,284	13,787	2,745
Total	6,520,723	5,114,689	1,040,782	365,252

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	163,767	123,254	30,007	10,506
01-04 years	671,033	506,589	121,469	42,975
05-09 years	857,438	652,333	152,021	53,084
10-14 years	877,818	665,087	165,062	47,669
15-19 years	920,259	688,201	184,379	47,679
20-24 years	880,138	672,397	151,789	55,952
25-29 years	909,788	708,972	133,685	67,131
30-34 years	868,881	674,254	127,528	67,099
35-39 years	851,287	658,050	127,888	65,349
40-44 years	870,048	688,329	126,531	55,188
45-49 years	936,046	754,915	134,066	47,065
50-54 years	932,381	756,447	133,256	42,678
55-59 years	812,811	664,450	109,518	38,843
60-64 years	672,857	554,980	85,165	32,712
65-69 years	487,940	404,022	60,915	23,003
70-74 years	366,102	304,002	46,581	15,519
75-79 years	288,997	245,554	34,109	9,334
80-84 years	235,865	206,658	23,262	5,945
85+ years	237,089	212,312	20,234	4,543
Total	12,840,545	10,140,806	1,967,465	732,274
2010 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	83,879	63,121	15,365	5,393
01-04 years	341,737	258,605	61,443	21,689
05-09 years	437,609	334,174	76,966	26,469
10-14 years	448,026	340,583	83,646	23,797
15-19 years	472,792	354,468	93,650	24,674
20-24 years	448,002	344,790	74,325	28,887
25-29 years	456,810	360,924	63,190	32,696
30-34 years	435,270	343,638	59,077	32,555
35-39 years	424,340	334,477	58,098	31,765
40-44 years	432,652	347,551	58,262	26,839
45-49 years	461,534	377,272	61,815	22,447
50-54 years	456,861	376,186	60,513	20,162
55-59 years	394,729	328,389	48,421	17,919
60-64 years	322,391	270,303	36,867	15,221
65-69 years	227,401	190,774	25,814	10,813
70-74 years	164,234	138,125	18,846	7,263
75-79 years	122,755	105,645	13,111	3,999
80-84 years	92,351	81,784	8,225	2,342
85+ years	73,737	66,385	5,748	1,604
Total	6,297,110	5,017,194	923,382	356,534
2010 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	79,888	60,133	14,642	5,113
01-04 years	329,296	247,984	60,026	21,286
05-09 years	419,829	318,159	75,055	26,615
10-14 years	429,792	324,504	81,416	23,872
15-19 years	447,467	333,733	90,729	23,005
20-24 years	432,136	327,607	77,464	27,065
25-29 years	452,978	348,048	70,495	34,435
30-34 years	433,611	330,616	68,451	34,544
35-39 years	426,947	323,573	69,790	33,584
40-44 years	437,396	340,778	68,269	28,349
45-49 years	474,512	377,643	72,251	24,618
50-54 years	475,520	380,261	72,743	22,516
55-59 years	418,082	336,061	61,097	20,924
60-64 years	350,466	284,677	48,298	17,491
65-69 years	260,539	213,248	35,101	12,190
70-74 years	201,868	165,877	27,735	8,256
75-79 years	166,242	139,909	20,998	5,335
80-84 years	143,514	124,874	15,037	3,603
85+ years	163,352	145,927	14,486	2,939
Total	6,543,435	5,123,612	1,044,083	375,740

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	162,099	122,311	29,435	10,353
01-04 years	663,317	499,924	120,185	43,208
05-09 years	850,924	647,192	149,589	54,143
10-14 years	872,280	661,201	161,972	49,107
15-19 years	908,093	680,146	178,998	48,949
20-24 years	887,529	670,736	159,130	57,663
25-29 years	906,505	704,956	133,590	67,959
30-34 years	881,534	683,265	129,268	69,001
35-39 years	830,080	640,805	123,262	66,013
40-44 years	873,337	687,019	127,588	58,730
45-49 years	912,260	732,943	130,829	48,488
50-54 years	938,800	761,566	133,964	43,270
55-59 years	831,180	678,132	112,641	40,407
60-64 years	707,983	583,370	90,023	34,590
65-69 years	499,357	412,866	61,877	24,614
70-74 years	374,548	310,478	47,314	16,756
75-79 years	289,985	244,397	35,328	10,260
80-84 years	235,358	205,468	23,575	6,315
85+ years	242,614	216,535	21,067	5,012
Total	12,867,783	10,143,310	1,969,635	754,838
2011 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	83,225	62,767	15,098	5,360
01-04 years	337,674	255,013	60,832	21,829
05-09 years	434,578	331,789	75,686	27,103
10-14 years	444,773	338,250	82,001	24,522
15-19 years	466,275	349,737	91,311	25,227
20-24 years	451,597	343,584	78,383	29,630
25-29 years	455,902	359,057	63,655	33,190
30-34 years	441,170	347,804	59,983	33,383
35-39 years	414,392	325,893	56,239	32,260
40-44 years	433,982	347,036	58,603	28,343
45-49 years	450,425	366,961	60,252	23,212
50-54 years	460,397	378,785	61,194	20,418
55-59 years	403,694	335,236	49,791	18,667
60-64 years	338,975	284,232	38,734	16,009
65-69 years	233,464	195,605	26,287	11,572
70-74 years	168,299	141,331	19,120	7,848
75-79 years	123,948	105,774	13,628	4,546
80-84 years	92,570	81,727	8,378	2,465
85+ years	76,580	68,752	6,060	1,768
Total	6,311,920	5,019,333	925,235	367,352
2011 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	78,874	59,544	14,337	4,993
01-04 years	325,643	244,911	59,353	21,379
05-09 years	416,346	315,403	73,903	27,040
10-14 years	427,507	322,951	79,971	24,585
15-19 years	441,818	330,409	87,687	23,722
20-24 years	435,932	327,152	80,747	28,033
25-29 years	450,603	345,899	69,935	34,769
30-34 years	440,364	335,461	69,285	35,618
35-39 years	415,688	314,912	67,023	33,753
40-44 years	439,355	339,983	68,985	30,387
45-49 years	461,835	365,982	70,577	25,276
50-54 years	478,403	382,781	72,770	22,852
55-59 years	427,486	342,896	62,850	21,740
60-64 years	369,008	299,138	51,289	18,581
65-69 years	265,893	217,261	35,590	13,042
70-74 years	206,249	169,147	28,194	8,908
75-79 years	166,037	138,623	21,700	5,714
80-84 years	142,788	123,741	15,197	3,850
85+ years	166,034	147,783	15,007	3,244
Total	6,555,863	5,123,977	1,044,400	387,486

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	159,693	119,593	29,593	10,507
01-04 years	654,227	492,608	118,032	43,587
05-09 years	847,642	643,762	148,723	55,157
10-14 years	864,883	656,027	158,391	50,465
15-19 years	891,375	668,282	173,108	49,985
20-24 years	898,540	672,794	165,991	59,755
25-29 years	899,641	696,592	134,416	68,633
30-34 years	889,829	688,579	130,108	71,142
35-39 years	821,940	634,717	120,560	66,663
40-44 years	869,650	679,213	128,031	62,406
45-49 years	889,400	712,032	127,517	49,851
50-54 years	933,919	756,674	133,177	44,068
55-59 years	850,656	692,785	116,277	41,594
60-64 years	709,461	582,182	91,524	35,755
65-69 years	538,183	446,254	65,185	26,744
70-74 years	389,415	322,559	48,675	18,181
75-79 years	293,369	245,888	36,264	11,217
80-84 years	232,487	201,932	23,838	6,717
85+ years	248,719	221,206	21,980	5,533
Total	12,883,029	10,133,679	1,971,390	777,960
2012 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	81,325	60,846	15,062	5,417
01-04 years	334,046	251,992	59,954	22,100
05-09 years	432,154	329,316	75,192	27,646
10-14 years	441,278	335,695	80,219	25,364
15-19 years	457,071	343,099	88,340	25,632
20-24 years	457,452	344,738	82,144	30,570
25-29 years	452,843	354,505	64,615	33,723
30-34 years	445,263	350,299	60,530	34,434
35-39 years	410,639	322,872	55,247	32,520
40-44 years	432,224	343,428	58,744	30,052
45-49 years	439,557	357,062	58,611	23,884
50-54 years	457,987	376,258	60,959	20,770
55-59 years	413,240	342,394	51,610	19,236
60-64 years	340,193	284,464	39,291	16,438
65-69 years	252,414	212,135	27,710	12,569
70-74 years	175,143	147,042	19,612	8,489
75-79 years	126,157	107,084	13,970	5,103
80-84 years	91,841	80,697	8,470	2,674
85+ years	79,384	71,037	6,410	1,937
Total	6,320,211	5,014,963	926,690	378,558
2012 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	78,368	58,747	14,531	5,090
01-04 years	320,181	240,616	58,078	21,487
05-09 years	415,488	314,446	73,531	27,511
10-14 years	423,605	320,332	78,172	25,101
15-19 years	434,304	325,183	84,768	24,353
20-24 years	441,088	328,056	83,847	29,185
25-29 years	446,798	342,087	69,801	34,910
30-34 years	444,566	338,280	69,578	36,708
35-39 years	411,301	311,845	65,313	34,143
40-44 years	437,426	335,785	69,287	32,354
45-49 years	449,843	354,970	68,906	25,967
50-54 years	475,932	380,416	72,218	23,298
55-59 years	437,416	350,391	64,667	22,358
60-64 years	369,268	297,718	52,233	19,317
65-69 years	285,769	234,119	37,475	14,175
70-74 years	214,272	175,517	29,063	9,692
75-79 years	167,212	138,804	22,294	6,114
80-84 years	140,646	121,235	15,368	4,043
85+ years	169,335	150,169	15,570	3,596
Total	6,562,818	5,118,716	1,044,700	399,402

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	157,125	116,921	29,424	10,780
01-04 years	644,142	483,961	116,242	43,939
05-09 years	842,371	638,150	148,274	55,947
10-14 years	858,290	652,026	154,261	52,003
15-19 years	875,843	658,571	166,402	50,870
20-24 years	906,356	672,529	172,086	61,741
25-29 years	897,893	690,672	136,888	70,333
30-34 years	897,268	692,324	131,193	73,751
35-39 years	824,147	637,238	119,233	67,676
40-44 years	858,428	666,298	127,358	64,772
45-49 years	867,256	691,582	124,405	51,269
50-54 years	926,328	748,986	131,959	45,383
55-59 years	866,870	704,914	119,351	42,605
60-64 years	722,184	591,369	93,710	37,105
65-69 years	558,512	461,906	67,969	28,637
70-74 years	409,870	339,962	50,360	19,548
75-79 years	299,827	250,680	36,958	12,189
80-84 years	229,946	198,192	24,517	7,237
85+ years	253,122	224,281	22,747	6,094
Total	12,895,778	10,120,562	1,973,337	801,879
2013 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	80,309	59,953	14,872	5,484
01-04 years	329,071	247,484	59,227	22,360
05-09 years	429,139	326,054	74,931	28,154
10-14 years	437,720	333,658	77,950	26,112
15-19 years	448,812	337,839	84,929	26,044
20-24 years	461,959	344,714	85,726	31,519
25-29 years	453,629	352,488	66,304	34,837
30-34 years	448,702	351,602	61,145	35,955
35-39 years	412,430	324,484	55,003	32,943
40-44 years	426,318	336,987	58,143	31,188
45-49 years	429,047	347,194	57,179	24,674
50-54 years	454,418	372,692	60,396	21,330
55-59 years	421,667	348,580	53,309	19,778
60-64 years	346,078	288,938	40,201	16,939
65-69 years	262,576	220,360	28,823	13,393
70-74 years	184,835	155,319	20,349	9,167
75-79 years	129,456	109,649	14,234	5,573
80-84 years	91,417	79,762	8,735	2,920
85+ years	81,683	72,864	6,659	2,160
Total	6,329,266	5,010,621	928,115	390,530
2013 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	76,816	56,968	14,552	5,296
01-04 years	315,071	236,477	57,015	21,579
05-09 years	413,232	312,096	73,343	27,793
10-14 years	420,570	318,368	76,311	25,891
15-19 years	427,031	320,732	81,473	24,826
20-24 years	444,397	327,815	86,360	30,222
25-29 years	444,264	338,184	70,584	35,496
30-34 years	448,566	340,722	70,048	37,796
35-39 years	411,717	312,754	64,230	34,733
40-44 years	432,110	329,311	69,215	33,584
45-49 years	438,209	344,388	67,226	26,595
50-54 years	471,910	376,294	71,563	24,053
55-59 years	445,203	356,334	66,042	22,827
60-64 years	376,106	302,431	53,509	20,166
65-69 years	295,936	241,546	39,146	15,244
70-74 years	225,035	184,643	30,011	10,381
75-79 years	170,371	141,031	22,724	6,616
80-84 years	138,529	118,430	15,782	4,317
85+ years	171,439	151,417	16,088	3,934
Total	6,566,512	5,109,941	1,045,222	411,349

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	156,919	116,980	29,457	10,482
01-04 years	636,750	476,546	115,784	44,420
05-09 years	829,417	626,530	146,841	56,046
10-14 years	852,397	648,448	150,320	53,629
15-19 years	860,874	649,387	159,922	51,565
20-24 years	907,384	670,125	174,215	63,044
25-29 years	896,731	683,809	141,634	71,288
30-34 years	896,546	690,830	130,466	75,250
35-39 years	829,090	640,250	119,810	69,030
40-44 years	841,724	650,257	125,766	65,701
45-49 years	846,914	672,860	121,084	52,970
50-54 years	916,299	739,518	129,751	47,030
55-59 years	876,716	712,333	121,403	42,980
60-64 years	738,251	603,465	96,488	38,298
65-69 years	583,353	481,556	71,312	30,485
70-74 years	423,071	350,348	51,637	21,086
75-79 years	307,561	256,656	37,611	13,294
80-84 years	227,452	194,680	25,041	7,731
85+ years	257,643	227,361	23,586	6,696
Total	12,885,092	10,091,939	1,972,128	821,025
2014 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	80,234	59,937	14,949	5,348
01-04 years	325,620	243,865	59,016	22,739
05-09 years	422,193	319,691	74,253	28,249
10-14 years	434,741	331,925	75,944	26,872
15-19 years	440,984	333,159	81,490	26,335
20-24 years	461,835	342,654	87,191	31,990
25-29 years	453,711	349,455	69,030	35,226
30-34 years	448,802	350,899	61,004	36,899
35-39 years	414,915	326,004	55,553	33,358
40-44 years	417,795	328,830	57,210	31,755
45-49 years	419,352	338,088	55,650	25,614
50-54 years	449,768	368,124	59,588	22,056
55-59 years	426,650	352,339	54,301	20,010
60-64 years	354,037	295,168	41,476	17,393
65-69 years	274,403	230,267	29,960	14,176
70-74 years	191,423	160,544	21,005	9,874
75-79 years	133,002	112,377	14,555	6,070
80-84 years	90,884	78,754	8,920	3,210
85+ years	84,234	74,883	6,987	2,364
Total	6,324,583	4,996,963	928,082	399,538
2014 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	76,685	57,043	14,508	5,134
01-04 years	311,130	232,681	56,768	21,681
05-09 years	407,224	306,839	72,588	27,797
10-14 years	417,656	316,523	74,376	26,757
15-19 years	419,890	316,228	78,432	25,230
20-24 years	445,549	327,471	87,024	31,054
25-29 years	443,020	334,354	72,604	36,062
30-34 years	447,744	339,931	69,462	38,351
35-39 years	414,175	314,246	64,257	35,672
40-44 years	423,929	321,427	68,556	33,946
45-49 years	427,562	334,772	65,434	27,356
50-54 years	466,531	371,394	70,163	24,974
55-59 years	450,066	359,994	67,102	22,970
60-64 years	384,214	308,297	55,012	20,905
65-69 years	308,950	251,289	41,352	16,309
70-74 years	231,648	189,804	30,632	11,212
75-79 years	174,559	144,279	23,056	7,224
80-84 years	136,568	115,926	16,121	4,521
85+ years	173,409	152,478	16,599	4,332
Total	6,560,509	5,094,976	1,044,046	421,487

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	158,613	117,777	29,951	10,885
01-04 years	628,043	468,945	114,916	44,182
05-09 years	818,372	616,798	145,544	56,030
10-14 years	841,646	640,889	146,273	54,484
15-19 years	851,824	643,509	155,699	52,616
20-24 years	898,480	662,877	171,604	63,999
25-29 years	895,990	676,719	146,952	72,319
30-34 years	888,637	683,627	128,628	76,382
35-39 years	839,098	646,425	122,135	70,538
40-44 years	820,104	632,140	122,066	65,898
45-49 years	837,933	662,210	120,189	55,534
50-54 years	897,847	723,518	126,405	47,924
55-59 years	883,079	716,314	123,173	43,592
60-64 years	755,998	617,486	99,012	39,500
65-69 years	611,176	503,443	75,163	32,570
70-74 years	433,342	358,354	52,666	22,322
75-79 years	312,151	259,207	38,364	14,580
80-84 years	226,282	192,174	25,726	8,382
85+ years	260,970	229,189	24,388	7,393
Total	12,859,585	10,051,601	1,968,854	839,130
2015 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	81,038	60,331	15,195	5,512
01-04 years	321,181	240,055	58,454	22,672
05-09 years	416,749	314,774	73,661	28,314
10-14 years	429,845	328,434	74,030	27,381
15-19 years	435,953	330,002	79,259	26,692
20-24 years	456,972	338,516	86,078	32,378
25-29 years	453,693	346,073	71,843	35,777
30-34 years	445,615	347,441	60,379	37,795
35-39 years	419,914	328,986	56,927	34,001
40-44 years	407,462	319,929	55,454	32,079
45-49 years	415,102	333,220	55,192	26,690
50-54 years	441,307	360,605	58,123	22,579
55-59 years	429,883	354,225	55,335	20,323
60-64 years	362,673	302,170	42,647	17,856
65-69 years	287,695	241,185	31,425	15,085
70-74 years	196,732	164,919	21,482	10,331
75-79 years	135,117	113,608	14,799	6,710
80-84 years	91,158	78,399	9,215	3,544
85+ years	86,000	76,067	7,328	2,605
Total	6,314,089	4,978,939	926,826	408,324
2015 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	77,575	57,446	14,756	5,373
01-04 years	306,862	228,890	56,462	21,510
05-09 years	401,623	302,024	71,883	27,716
10-14 years	411,801	312,455	72,243	27,103
15-19 years	415,871	313,507	76,440	25,924
20-24 years	441,508	324,361	85,526	31,621
25-29 years	442,297	330,646	75,109	36,542
30-34 years	443,022	336,186	68,249	38,587
35-39 years	419,184	317,439	65,208	36,537
40-44 years	412,642	312,211	66,612	33,819
45-49 years	422,831	328,990	64,997	28,844
50-54 years	456,540	362,913	68,282	25,345
55-59 years	453,196	362,089	67,838	23,269
60-64 years	393,325	315,316	56,365	21,644
65-69 years	323,481	262,258	43,738	17,485
70-74 years	236,610	193,435	31,184	11,991
75-79 years	177,034	145,599	23,565	7,870
80-84 years	135,124	113,775	16,511	4,838
85+ years	174,970	153,122	17,060	4,788
Total	6,545,496	5,072,662	1,042,028	430,806

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	156,029	115,995	29,237	10,797
01-04 years	623,126	463,879	115,047	44,200
05-09 years	805,831	606,965	142,970	55,896
10-14 years	833,008	634,406	143,469	55,133
15-19 years	843,854	638,306	152,218	53,330
20-24 years	880,389	651,016	165,462	63,911
25-29 years	898,874	672,093	153,675	73,106
30-34 years	882,724	677,671	127,972	77,081
35-39 years	846,578	652,008	123,207	71,363
40-44 years	795,493	612,753	116,892	65,848
45-49 years	837,296	658,221	120,734	58,341
50-54 years	871,361	699,491	122,842	49,028
55-59 years	884,995	717,825	123,414	43,756
60-64 years	769,627	627,690	101,160	40,777
65-69 years	640,068	526,673	79,235	34,160
70-74 years	442,033	364,956	53,452	23,625
75-79 years	318,548	264,129	38,786	15,633
80-84 years	227,798	191,798	26,777	9,223
85+ years	264,077	231,054	24,971	8,052
Total	12,821,709	10,006,929	1,961,520	853,260
2016 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	79,904	59,503	14,931	5,470
01-04 years	318,231	237,390	58,249	22,592
05-09 years	411,047	309,885	72,726	28,436
10-14 years	425,557	325,191	72,647	27,719
15-19 years	431,424	327,052	77,380	26,992
20-24 years	447,525	331,947	83,241	32,337
25-29 years	455,337	343,867	75,512	35,958
30-34 years	444,182	345,227	60,698	38,257
35-39 years	423,527	331,614	57,363	34,550
40-44 years	395,747	310,365	53,216	32,166
45-49 years	414,707	331,525	55,220	27,962
50-54 years	428,956	349,329	56,433	23,194
55-59 years	431,433	355,191	55,822	20,420
60-64 years	369,444	307,267	43,689	18,488
65-69 years	301,072	252,528	32,891	15,653
70-74 years	201,251	168,415	21,923	10,913
75-79 years	138,251	116,143	14,924	7,184
80-84 years	92,441	78,795	9,650	3,996
85+ years	87,800	77,383	7,581	2,836
Total	6,297,836	4,958,617	924,096	415,123
2016 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	76,125	56,492	14,306	5,327
01-04 years	304,895	226,489	56,798	21,608
05-09 years	394,784	297,080	70,244	27,460
10-14 years	407,451	309,215	70,822	27,414
15-19 years	412,430	311,254	74,838	26,338
20-24 years	432,864	319,069	82,221	31,574
25-29 years	443,537	328,226	78,163	37,148
30-34 years	438,542	332,444	67,274	38,824
35-39 years	423,051	320,394	65,844	36,813
40-44 years	399,746	302,388	63,676	33,682
45-49 years	422,589	326,696	65,514	30,379
50-54 years	442,405	350,162	66,409	25,834
55-59 years	453,562	362,634	67,592	23,336
60-64 years	400,183	320,423	57,471	22,289
65-69 years	338,996	274,145	46,344	18,507
70-74 years	240,782	196,541	31,529	12,712
75-79 years	180,297	147,986	23,862	8,449
80-84 years	135,357	113,003	17,127	5,227
85+ years	176,277	153,671	17,390	5,216
Total	6,523,873	5,048,312	1,037,424	438,137

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	150,693	110,831	28,751	11,111
01-04 years	619,132	460,443	114,280	44,409
05-09 years	792,221	595,794	140,368	56,059
10-14 years	827,272	629,323	142,150	55,799
15-19 years	835,421	632,719	148,303	54,399
20-24 years	862,251	638,570	159,458	64,223
25-29 years	904,088	670,622	158,915	74,551
30-34 years	873,238	668,160	127,940	77,138
35-39 years	850,827	654,758	123,154	72,915
40-44 years	785,050	604,972	113,837	66,241
45-49 years	830,620	648,500	120,769	61,351
50-54 years	846,101	676,903	119,304	49,894
55-59 years	877,649	710,963	122,360	44,326
60-64 years	785,249	639,360	104,233	41,656
65-69 years	639,538	524,042	80,456	35,040
70-74 years	474,654	393,035	56,083	25,536
75-79 years	330,471	273,782	39,884	16,805
80-84 years	230,200	192,878	27,293	10,029
85+ years	265,218	230,863	25,621	8,734
Total	12,779,893	9,956,518	1,953,159	870,216
2017 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	76,830	56,577	14,671	5,582
01-04 years	316,711	236,139	57,957	22,615
05-09 years	404,310	304,175	71,562	28,573
10-14 years	421,979	322,139	71,792	28,048
15-19 years	427,066	324,085	75,323	27,658
20-24 years	438,385	325,457	80,271	32,657
25-29 years	457,902	343,043	78,477	36,382
30-34 years	440,182	340,584	61,226	38,372
35-39 years	425,792	332,959	57,291	35,542
40-44 years	391,128	306,884	52,039	32,205
45-49 years	411,566	326,977	55,188	29,401
50-54 years	416,932	338,656	54,643	23,633
55-59 years	427,915	351,747	55,499	20,669
60-64 years	377,238	313,061	45,205	18,972
65-69 years	301,177	251,929	33,361	15,887
70-74 years	216,799	182,030	22,987	11,782
75-79 years	143,642	120,680	15,286	7,676
80-84 years	94,047	79,710	9,872	4,465
85+ years	88,953	78,020	7,834	3,099
Total	6,278,554	4,934,852	920,484	423,218
2017 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	73,863	54,254	14,080	5,529
01-04 years	302,421	224,304	56,323	21,794
05-09 years	387,911	291,619	68,806	27,486
10-14 years	405,293	307,184	70,358	27,751
15-19 years	408,355	308,634	72,980	26,741
20-24 years	423,866	313,113	79,187	31,566
25-29 years	446,186	327,579	80,438	38,169
30-34 years	433,056	327,576	66,714	38,766
35-39 years	425,035	321,799	65,863	37,373
40-44 years	393,922	298,088	61,798	34,036
45-49 years	419,054	321,523	65,581	31,950
50-54 years	429,169	338,247	64,661	26,261
55-59 years	449,734	359,216	66,861	23,657
60-64 years	408,011	326,299	59,028	22,684
65-69 years	338,361	272,113	47,095	19,153
70-74 years	257,855	211,005	33,096	13,754
75-79 years	186,829	153,102	24,598	9,129
80-84 years	136,153	113,168	17,421	5,564
85+ years	176,265	152,843	17,787	5,635
Total	6,501,339	5,021,666	1,032,675	446,998

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2018 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	147,406	107,992	28,738	10,676
01-04 years	612,342	454,200	113,490	44,652
05-09 years	777,957	583,558	138,301	56,098
10-14 years	820,048	622,291	141,559	56,198
15-19 years	828,384	628,250	144,760	55,374
20-24 years	844,896	627,868	153,364	63,664
25-29 years	902,447	664,341	163,452	74,654
30-34 years	865,311	658,640	129,443	77,228
35-39 years	853,575	655,179	123,647	74,749
40-44 years	783,210	604,510	112,140	66,560
45-49 years	816,189	633,697	119,401	63,091
50-54 years	820,358	653,763	115,917	50,678
55-59 years	866,579	700,548	120,753	45,278
60-64 years	796,674	647,804	106,525	42,345
65-69 years	648,701	530,698	81,905	36,098
70-74 years	491,917	406,321	58,344	27,252
75-79 years	347,640	288,372	41,301	17,967
80-84 years	235,326	196,549	27,914	10,863
85+ years	265,725	229,782	26,389	9,554
Total	12,724,685	9,894,363	1,947,343	882,979
2018 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	75,141	55,035	14,688	5,418
01-04 years	313,217	232,765	57,732	22,720
05-09 years	397,492	298,340	70,553	28,599
10-14 years	417,995	318,040	71,632	28,323
15-19 years	423,226	321,841	73,269	28,116
20-24 years	429,402	319,775	77,225	32,402
25-29 years	457,016	339,448	81,077	36,491
30-34 years	437,145	336,411	62,367	38,367
35-39 years	426,986	332,589	57,624	36,773
40-44 years	391,068	307,211	51,650	32,207
45-49 years	404,088	319,550	54,249	30,289
50-54 years	404,489	327,381	52,978	24,130
55-59 years	422,790	347,028	54,718	21,044
60-64 years	383,026	317,284	46,388	19,354
65-69 years	305,328	255,072	33,980	16,276
70-74 years	225,684	189,293	23,856	12,535
75-79 years	151,477	127,343	15,875	8,259
80-84 years	96,770	81,824	10,087	4,859
85+ years	89,755	78,188	8,113	3,454
Total	6,252,095	4,904,418	918,061	429,616
2018 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	72,265	52,957	14,050	5,258
01-04 years	299,125	221,435	55,758	21,932
05-09 years	380,465	285,218	67,748	27,499
10-14 years	402,053	304,251	69,927	27,875
15-19 years	405,158	306,409	71,491	27,258
20-24 years	415,494	308,093	76,139	31,262
25-29 years	445,431	324,893	82,375	38,163
30-34 years	428,166	322,229	67,076	38,861
35-39 years	426,589	322,590	66,023	37,976
40-44 years	392,142	297,299	60,490	34,353
45-49 years	412,101	314,147	65,152	32,802
50-54 years	415,869	326,382	62,939	26,548
55-59 years	443,789	353,520	66,035	24,234
60-64 years	413,648	330,520	60,137	22,991
65-69 years	343,373	275,626	47,925	19,822
70-74 years	266,233	217,028	34,488	14,717
75-79 years	196,163	161,029	25,426	9,708
80-84 years	138,556	114,725	17,827	6,004
85+ years	175,970	151,594	18,276	6,100
Total	6,472,590	4,989,945	1,029,282	453,363

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2019 Both Sexes	**All Races**	**White**	**Black**	**Asian/Other**
00 years	141,867	104,397	26,385	11,085
01-04 years	603,788	445,901	113,247	44,640
05-09 years	769,274	575,537	137,913	55,824
10-14 years	806,797	610,632	139,973	56,192
15-19 years	823,417	625,110	141,873	56,434
20-24 years	829,516	618,609	147,971	62,936
25-29 years	897,868	659,026	165,142	73,700
30-34 years	861,264	650,623	133,867	76,774
35-39 years	850,411	651,858	122,950	75,603
40-44 years	786,072	606,328	112,432	67,312
45-49 years	798,602	617,024	117,850	63,728
50-54 years	799,055	634,633	112,507	51,915
55-59 years	854,020	688,988	118,624	46,408
60-64 years	802,804	652,069	108,192	42,543
65-69 years	661,539	540,370	84,208	36,961
70-74 years	513,990	423,766	61,295	28,929
75-79 years	358,855	297,126	42,446	19,283
80-84 years	241,394	201,176	28,469	11,749
85+ years	266,484	228,995	27,204	10,285
Total	12,667,017	9,832,168	1,942,548	892,301
2019 Males	**All Races**	**White**	**Black**	**Asian/Other**
00 years	72,432	53,336	13,448	5,648
01-04 years	308,425	228,137	57,628	22,660
05-09 years	393,605	294,615	70,444	28,546
10-14 years	410,815	311,604	70,830	28,381
15-19 years	420,735	320,281	71,878	28,576
20-24 years	420,993	314,657	74,382	31,954
25-29 years	455,137	336,731	82,288	36,118
30-34 years	435,793	332,651	64,955	38,187
35-39 years	425,776	331,024	57,457	37,295
40-44 years	392,531	308,080	52,075	32,376
45-49 years	395,188	311,242	53,266	30,680
50-54 years	394,391	318,166	51,332	24,893
55-59 years	417,135	341,563	53,948	21,624
60-64 years	386,164	319,365	47,253	19,546
65-69 years	311,681	260,136	34,985	16,560
70-74 years	235,792	197,779	24,797	13,216
75-79 years	157,009	131,687	16,475	8,847
80-84 years	99,464	83,884	10,352	5,228
85+ years	90,831	78,626	8,397	3,808
Total	6,223,897	4,873,564	916,190	434,143
2019 Females	**All Races**	**White**	**Black**	**Asian/Other**
00 years	69,435	51,061	12,937	5,437
01-04 years	295,363	217,764	55,619	21,980
05-09 years	375,669	280,922	67,469	27,278
10-14 years	395,982	299,028	69,143	27,811
15-19 years	402,682	304,829	69,995	27,858
20-24 years	408,523	303,952	73,589	30,982
25-29 years	442,731	322,295	82,854	37,582
30-34 years	425,471	317,972	68,912	38,587
35-39 years	424,635	320,834	65,493	38,308
40-44 years	393,541	298,248	60,357	34,936
45-49 years	403,414	305,782	64,584	33,048
50-54 years	404,664	316,467	61,175	27,022
55-59 years	436,885	347,425	64,676	24,784
60-64 years	416,640	332,704	60,939	22,997
65-69 years	349,858	280,234	49,223	20,401
70-74 years	278,198	225,987	36,498	15,713
75-79 years	201,846	165,439	25,971	10,436
80-84 years	141,930	117,292	18,117	6,521
85+ years	175,653	150,369	18,807	6,477
Total	6,443,120	4,958,604	1,026,358	458,158

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	23,730	161,124	121,323	34,685
01-04 years	81,638	595,825	451,368	125,947
05-09 years	92,016	733,282	560,978	149,304
10-14 years	83,710	706,266	534,567	149,066
15-19 years	90,196	725,391	544,712	155,724
20-24 years	101,662	765,535	601,493	138,066
25-29 years	98,786	887,159	714,367	144,960
30-34 years	87,197	928,092	752,852	146,353
35-39 years	67,580	843,324	687,457	127,781
40-44 years	50,733	752,920	622,233	104,580
45-49 years	35,343	600,698	499,904	81,241
50-54 years	27,602	504,596	419,686	70,935
55-59 years	22,834	461,121	389,572	62,085
60-64 years	18,046	472,453	407,137	57,557
65-69 years	12,596	440,616	385,791	48,341
70-74 years	7,601	359,318	320,894	34,190
75-79 years	5,260	279,840	253,355	23,870
80-84 years	3,073	179,817	163,734	14,689
85+ years	2,101	144,235	132,401	11,024
Total	911,704	10,541,612	8,563,824	1,680,398
1990 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	12,148	82,082	62,010	17,452
01-04 years	41,514	305,023	231,876	63,646
05-09 years	47,295	375,570	288,410	75,388
10-14 years	42,556	361,487	274,358	75,626
15-19 years	49,699	372,727	280,721	79,068
20-24 years	58,452	382,290	302,468	66,270
25-29 years	54,661	438,329	357,118	67,445
30-34 years	47,520	456,499	376,468	65,813
35-39 years	36,185	414,000	343,708	57,006
40-44 years	26,699	367,614	308,953	46,244
45-49 years	18,284	291,521	245,929	35,941
50-54 years	14,126	243,727	205,400	31,172
55-59 years	11,517	220,085	188,285	27,262
60-64 years	9,018	221,039	192,542	25,053
65-69 years	6,058	195,583	172,272	20,564
70-74 years	3,200	149,649	134,183	13,672
75-79 years	2,017	106,358	96,416	8,882
80-84 years	1,147	59,604	54,114	4,901
85+ years	751	37,965	34,372	3,273
Total	482,847	5,081,152	4,149,603	784,678
1990 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	11,582	79,042	59,313	17,233
01-04 years	40,124	290,802	219,492	62,301
05-09 years	44,721	357,712	272,568	73,916
10-14 years	41,154	344,779	260,209	73,440
15-19 years	40,497	352,664	263,991	76,656
20-24 years	43,210	383,245	299,025	71,796
25-29 years	44,125	448,830	357,249	77,515
30-34 years	39,677	471,593	376,384	80,540
35-39 years	31,395	429,324	343,749	70,775
40-44 years	24,034	385,306	313,280	58,336
45-49 years	17,059	309,177	253,975	45,300
50-54 years	13,476	260,869	214,286	39,763
55-59 years	11,317	241,036	201,287	34,823
60-64 years	9,028	251,414	214,595	32,504
65-69 years	6,538	245,033	213,519	27,777
70-74 years	4,401	209,669	186,711	20,518
75-79 years	3,243	173,482	156,939	14,988
80-84 years	1,926	120,213	109,620	9,788
85+ years	1,350	106,270	98,029	7,751
Total	428,857	5,460,460	4,414,221	895,720

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	24,461	162,559	119,390	38,038
01-04 years	86,660	607,674	457,540	130,918
05-09 years	94,951	735,020	561,701	150,143
10-14 years	88,539	726,986	548,910	153,965
15-19 years	90,129	703,314	527,777	150,521
20-24 years	107,094	758,524	589,916	139,570
25-29 years	103,290	864,968	693,002	142,409
30-34 years	93,097	939,718	761,730	147,898
35-39 years	72,428	860,685	699,821	131,527
40-44 years	54,832	790,629	651,216	112,080
45-49 years	37,739	605,126	502,285	81,933
50-54 years	28,781	513,927	426,535	71,991
55-59 years	23,595	456,046	383,210	62,510
60-64 years	18,936	467,278	401,024	57,977
65-69 years	13,241	436,564	380,393	49,282
70-74 years	8,169	364,049	323,794	35,538
75-79 years	5,340	286,106	258,929	24,320
80-84 years	3,190	184,143	167,576	15,025
85+ years	2,175	149,001	136,527	11,569
Total	956,647	10,612,317	8,591,276	1,707,214
1991 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	12,444	82,853	61,052	19,183
01-04 years	44,185	310,928	234,832	66,228
05-09 years	48,633	376,620	288,871	75,886
10-14 years	45,209	371,949	281,756	77,925
15-19 years	48,812	362,210	272,713	76,523
20-24 years	61,828	377,798	296,454	66,755
25-29 years	57,950	426,714	346,072	66,090
30-34 years	50,939	462,962	381,115	66,873
35-39 years	39,096	422,577	349,913	58,650
40-44 years	28,920	386,281	323,838	49,547
45-49 years	19,453	293,877	247,497	36,133
50-54 years	14,766	248,407	209,004	31,621
55-59 years	11,936	217,878	185,501	27,365
60-64 years	9,479	219,044	190,030	25,301
65-69 years	6,385	194,246	170,303	20,986
70-74 years	3,494	152,635	136,282	14,357
75-79 years	2,072	109,656	99,441	9,046
80-84 years	1,158	61,223	55,601	4,988
85+ years	804	38,912	35,171	3,388
Total	507,563	5,116,770	4,165,446	796,845
1991 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	12,017	79,706	58,338	18,855
01-04 years	42,475	296,746	222,708	64,690
05-09 years	46,318	358,400	272,830	74,257
10-14 years	43,330	355,037	267,154	76,040
15-19 years	41,317	341,104	255,064	73,998
20-24 years	45,266	380,726	293,462	72,815
25-29 years	45,340	438,254	346,930	76,319
30-34 years	42,158	476,756	380,615	81,025
35-39 years	33,332	438,108	349,908	72,877
40-44 years	25,912	404,348	327,378	62,533
45-49 years	18,286	311,249	254,788	45,800
50-54 years	14,015	265,520	217,531	40,370
55-59 years	11,659	238,168	197,709	35,145
60-64 years	9,457	248,234	210,994	32,676
65-69 years	6,856	242,318	210,090	28,296
70-74 years	4,675	211,414	187,512	21,181
75-79 years	3,268	176,450	159,488	15,274
80-84 years	2,032	122,920	111,975	10,037
85+ years	1,371	110,089	101,356	8,181
Total	449,084	5,495,547	4,425,830	910,369

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	27,131	160,036	116,334	37,935
01-04 years	91,965	620,352	461,682	138,704
05-09 years	98,864	730,435	556,450	150,670
10-14 years	93,054	739,856	558,004	156,569
15-19 years	93,360	696,707	523,044	148,220
20-24 years	111,362	750,991	576,944	142,627
25-29 years	108,928	839,060	668,487	139,596
30-34 years	98,351	944,780	763,963	149,435
35-39 years	77,580	880,840	713,407	136,535
40-44 years	57,618	788,907	644,916	116,032
45-49 years	41,431	652,924	544,567	85,536
50-54 years	30,139	530,944	439,153	74,826
55-59 years	24,335	458,261	383,187	63,614
60-64 years	19,533	457,162	390,520	57,816
65-69 years	13,855	432,206	374,900	50,055
70-74 years	8,785	371,269	328,981	37,031
75-79 years	5,417	290,176	262,075	24,978
80-84 years	3,254	187,845	171,096	15,102
85+ years	2,319	154,152	140,999	12,149
Total	1,007,281	10,686,903	8,618,709	1,737,430
1992 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	13,821	81,470	59,470	19,013
01-04 years	47,027	317,240	236,834	70,126
05-09 years	50,367	374,509	286,307	76,241
10-14 years	47,689	378,389	286,332	79,225
15-19 years	49,958	359,341	270,722	75,427
20-24 years	64,001	374,547	290,234	68,571
25-29 years	61,333	413,798	334,275	64,775
30-34 years	53,718	466,253	382,621	67,884
35-39 years	42,162	432,653	356,740	60,894
40-44 years	30,468	385,323	320,992	51,239
45-49 years	21,359	317,800	268,840	37,876
50-54 years	15,405	256,856	215,358	32,921
55-59 years	12,373	219,099	185,838	27,712
60-64 years	9,843	214,545	185,289	25,238
65-69 years	6,579	192,706	168,227	21,354
70-74 years	3,853	156,635	139,347	15,055
75-79 years	2,117	111,372	100,885	9,204
80-84 years	1,176	63,183	57,466	5,047
85+ years	858	40,256	36,367	3,498
Total	534,107	5,155,975	4,182,144	811,300
1992 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	13,310	78,566	56,864	18,922
01-04 years	44,938	303,112	224,848	68,578
05-09 years	48,497	355,926	270,143	74,429
10-14 years	45,365	361,467	271,672	77,344
15-19 years	43,402	337,366	252,322	72,793
20-24 years	47,361	376,444	286,710	74,056
25-29 years	47,595	425,262	334,212	74,821
30-34 years	44,633	478,527	381,342	81,551
35-39 years	35,418	448,187	356,667	75,641
40-44 years	27,150	403,584	323,924	64,793
45-49 years	20,072	335,124	275,727	47,660
50-54 years	14,734	274,088	223,795	41,905
55-59 years	11,962	239,162	197,349	35,902
60-64 years	9,690	242,617	205,231	32,578
65-69 years	7,276	239,500	206,673	28,701
70-74 years	4,932	214,634	189,634	21,976
75-79 years	3,300	178,804	161,190	15,774
80-84 years	2,078	124,662	113,630	10,055
85+ years	1,461	113,896	104,632	8,651
Total	473,174	5,530,928	4,436,565	926,130

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	27,736	156,472	112,337	38,585
01-04 years	98,241	627,707	461,469	145,158
05-09 years	103,074	727,637	551,168	152,938
10-14 years	97,920	749,225	563,911	158,728
15-19 years	97,741	697,956	524,791	146,967
20-24 years	116,353	739,968	562,134	144,413
25-29 years	114,460	812,567	642,692	137,409
30-34 years	103,867	943,555	759,987	150,309
35-39 years	83,203	900,873	727,263	141,688
40-44 years	61,691	801,631	653,207	118,990
45-49 years	44,542	671,033	556,583	89,728
50-54 years	32,675	558,468	463,467	76,612
55-59 years	25,253	467,463	389,390	65,322
60-64 years	20,219	445,044	377,629	57,926
65-69 years	14,547	429,890	371,579	50,736
70-74 years	9,391	373,523	329,722	37,992
75-79 years	5,648	292,737	263,956	25,430
80-84 years	3,357	192,578	175,376	15,400
85+ years	2,418	158,916	145,114	12,693
Total	1,062,336	10,747,243	8,631,775	1,767,024
1993 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,278	79,762	57,286	19,576
01-04 years	50,297	320,826	236,632	73,264
05-09 years	52,457	373,093	283,577	77,498
10-14 years	50,377	383,002	289,226	80,279
15-19 years	51,884	360,265	271,924	74,803
20-24 years	66,181	368,687	282,442	69,386
25-29 years	64,573	400,191	321,152	64,041
30-34 years	56,823	465,884	380,873	68,481
35-39 years	45,203	442,737	363,681	63,465
40-44 years	32,678	391,462	325,032	52,549
45-49 years	23,099	326,608	275,211	39,542
50-54 years	16,664	270,492	227,377	33,876
55-59 years	12,709	223,815	189,045	28,542
60-64 years	10,221	208,966	179,426	25,238
65-69 years	6,880	192,423	167,534	21,646
70-74 years	4,196	158,159	140,193	15,497
75-79 years	2,205	113,200	102,392	9,419
80-84 years	1,244	64,861	59,037	5,108
85+ years	860	41,508	37,494	3,588
Total	562,829	5,185,941	4,189,534	825,798
1993 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	13,458	76,710	55,051	19,009
01-04 years	47,944	306,881	224,837	71,894
05-09 years	50,617	354,544	267,591	75,440
10-14 years	47,543	366,223	274,685	78,449
15-19 years	45,857	337,691	252,867	72,164
20-24 years	50,172	371,281	279,692	75,027
25-29 years	49,887	412,376	321,540	73,368
30-34 years	47,044	477,671	379,114	81,828
35-39 years	38,000	458,136	363,582	78,223
40-44 years	29,013	410,169	328,175	66,441
45-49 years	21,443	344,425	281,372	50,186
50-54 years	16,011	287,976	236,090	42,736
55-59 years	12,544	243,648	200,345	36,780
60-64 years	9,998	236,078	198,203	32,688
65-69 years	7,667	237,467	204,045	29,090
70-74 years	5,195	215,364	189,529	22,495
75-79 years	3,443	179,537	161,564	16,011
80-84 years	2,113	127,717	116,339	10,292
85+ years	1,558	117,408	107,620	9,105
Total	499,507	5,561,302	4,442,241	941,226

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	29,211	153,119	110,572	36,803
01-04 years	105,103	631,525	458,614	150,891
05-09 years	108,776	735,261	553,389	157,765
10-14 years	102,683	752,911	566,612	158,858
15-19 years	103,715	707,716	531,520	148,885
20-24 years	120,070	724,564	544,676	145,075
25-29 years	121,267	785,591	617,747	134,106
30-34 years	109,771	935,610	751,673	149,233
35-39 years	88,432	913,263	735,199	145,156
40-44 years	65,937	816,601	663,329	122,563
45-49 years	47,919	697,699	576,471	94,591
50-54 years	34,369	573,484	475,292	78,313
55-59 years	26,447	476,070	395,602	66,484
60-64 years	20,776	433,729	365,632	57,862
65-69 years	15,388	424,065	364,846	51,281
70-74 years	10,177	375,304	330,525	38,579
75-79 years	5,868	294,093	264,417	26,018
80-84 years	3,436	197,640	179,998	15,648
85+ years	2,542	162,453	148,108	13,150
Total	1,121,887	10,790,698	8,634,222	1,791,261
1994 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,935	78,058	56,585	18,523
01-04 years	53,829	322,855	235,023	76,497
05-09 years	55,389	376,998	284,602	79,973
10-14 years	52,978	384,705	290,594	80,145
15-19 years	55,028	365,383	275,464	75,851
20-24 years	67,771	361,515	274,095	69,886
25-29 years	68,716	386,674	308,850	62,376
30-34 years	60,193	462,302	376,964	68,381
35-39 years	48,060	449,225	367,872	65,189
40-44 years	34,864	399,133	330,060	54,502
45-49 years	24,910	339,768	285,585	41,500
50-54 years	17,500	277,891	233,346	34,722
55-59 years	13,325	227,972	192,162	28,923
60-64 years	10,434	203,894	173,991	25,202
65-69 years	7,263	190,453	165,174	21,861
70-74 years	4,679	159,198	140,931	15,646
75-79 years	2,293	114,385	103,109	9,758
80-84 years	1,275	67,073	61,048	5,227
85+ years	900	42,586	38,456	3,688
Total	594,342	5,210,068	4,193,911	837,850
1994 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,276	75,061	53,987	18,280
01-04 years	51,274	308,670	223,591	74,394
05-09 years	53,387	358,263	268,787	77,792
10-14 years	49,705	368,206	276,018	78,713
15-19 years	48,687	342,333	256,056	73,034
20-24 years	52,299	363,049	270,581	75,189
25-29 years	52,551	398,917	308,897	71,730
30-34 years	49,578	473,308	374,709	80,852
35-39 years	40,372	464,038	367,327	79,967
40-44 years	31,073	417,468	333,269	68,061
45-49 years	23,009	357,931	290,886	53,091
50-54 years	16,869	295,593	241,946	43,591
55-59 years	13,122	248,098	203,440	37,561
60-64 years	10,342	229,835	191,641	32,660
65-69 years	8,125	233,612	199,672	29,420
70-74 years	5,498	216,106	189,594	22,933
75-79 years	3,575	179,708	161,308	16,260
80-84 years	2,161	130,567	118,950	10,421
85+ years	1,642	119,867	109,652	9,462
Total	527,545	5,580,630	4,440,311	953,411

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	30,709	149,010	108,826	34,373
01-04 years	111,586	628,805	451,140	154,913
05-09 years	115,889	746,462	558,690	162,615
10-14 years	106,707	754,806	568,928	158,146
15-19 years	110,697	722,948	540,516	153,853
20-24 years	124,188	705,397	527,358	142,721
25-29 years	127,756	770,507	600,321	133,993
30-34 years	114,511	916,363	734,006	146,834
35-39 years	93,577	921,283	740,062	147,036
40-44 years	70,836	830,825	673,350	125,800
45-49 years	51,421	728,226	599,750	100,323
50-54 years	36,895	585,208	484,195	79,744
55-59 years	27,242	478,466	395,291	67,689
60-64 years	21,436	427,090	357,966	58,127
65-69 years	15,995	418,301	358,283	51,747
70-74 years	10,898	377,580	332,069	38,946
75-79 years	6,118	294,858	263,896	27,062
80-84 years	3,550	202,983	184,938	15,868
85+ years	2,645	166,663	151,699	13,628
Total	1,182,656	10,825,781	8,631,284	1,813,418
1995 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	15,752	75,915	55,656	17,273
01-04 years	57,025	321,550	231,211	78,645
05-09 years	59,239	382,566	287,100	82,485
10-14 years	54,867	385,834	291,926	79,807
15-19 years	58,922	373,062	279,962	78,358
20-24 years	69,596	352,868	265,935	68,923
25-29 years	72,650	379,294	300,430	62,483
30-34 years	62,878	453,039	368,330	67,590
35-39 years	51,024	453,434	370,301	66,268
40-44 years	37,583	406,319	335,101	56,223
45-49 years	26,807	354,964	297,510	44,102
50-54 years	18,939	283,580	237,946	35,227
55-59 years	13,690	229,218	191,965	29,573
60-64 years	10,693	200,834	170,471	25,303
65-69 years	7,575	188,616	163,011	22,011
70-74 years	5,032	160,603	142,071	15,773
75-79 years	2,453	115,244	103,355	10,306
80-84 years	1,320	69,576	63,459	5,249
85+ years	949	43,823	39,533	3,813
Total	626,994	5,230,339	4,195,273	849,412
1995 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	14,957	73,095	53,170	17,100
01-04 years	54,561	307,255	219,929	76,268
05-09 years	56,650	363,896	271,590	80,130
10-14 years	51,840	368,972	277,002	78,339
15-19 years	51,775	349,886	260,554	75,495
20-24 years	54,592	352,529	261,423	73,798
25-29 years	55,106	391,213	299,891	71,510
30-34 years	51,633	463,324	365,676	79,244
35-39 years	42,553	467,849	369,761	80,768
40-44 years	33,253	424,506	338,249	69,577
45-49 years	24,614	373,262	302,240	56,221
50-54 years	17,956	301,628	246,249	44,517
55-59 years	13,552	249,248	203,326	38,116
60-64 years	10,743	226,256	187,495	32,824
65-69 years	8,420	229,685	195,272	29,736
70-74 years	5,866	216,977	189,998	23,173
75-79 years	3,665	179,614	160,541	16,756
80-84 years	2,230	133,407	121,479	10,619
85+ years	1,696	122,840	112,166	9,815
Total	555,662	5,595,442	4,436,011	964,006

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	31,641	143,996	106,149	31,468
01-04 years	118,802	619,078	442,686	152,648
05-09 years	123,602	761,563	564,505	170,937
10-14 years	110,782	758,451	570,836	159,340
15-19 years	118,714	738,353	550,633	157,502
20-24 years	129,161	681,641	507,916	137,850
25-29 years	135,872	767,460	592,040	135,935
30-34 years	119,489	888,062	707,108	144,676
35-39 years	98,975	925,295	741,981	148,062
40-44 years	75,958	845,080	683,355	128,853
45-49 years	55,497	765,618	628,417	107,402
50-54 years	39,440	589,573	486,565	80,407
55-59 years	28,444	485,255	400,116	68,321
60-64 years	22,186	421,455	351,262	58,457
65-69 years	16,696	412,653	352,160	51,902
70-74 years	11,363	372,925	326,473	39,650
75-79 years	6,509	298,297	266,029	28,050
80-84 years	3,581	207,132	188,682	16,110
85+ years	2,784	170,614	155,323	13,841
Total	1,249,496	10,852,501	8,622,236	1,831,411
1996 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,269	73,350	54,279	15,790
01-04 years	60,763	316,538	226,908	77,463
05-09 years	63,216	390,202	289,964	86,811
10-14 years	56,750	387,911	293,029	80,457
15-19 years	63,752	380,366	284,917	79,847
20-24 years	71,562	341,944	256,991	66,574
25-29 years	77,023	377,870	296,880	63,315
30-34 years	65,930	438,964	354,848	66,701
35-39 years	53,870	455,747	371,135	67,096
40-44 years	40,435	413,435	340,359	57,457
45-49 years	28,973	373,625	312,331	47,226
50-54 years	20,213	285,803	239,276	35,460
55-59 years	14,397	232,468	194,328	29,834
60-64 years	11,092	198,357	167,470	25,380
65-69 years	7,880	186,309	160,551	22,019
70-74 years	5,261	158,917	140,027	16,020
75-79 years	2,614	117,487	105,027	10,763
80-84 years	1,343	71,784	65,518	5,341
85+ years	987	44,951	40,624	3,828
Total	662,330	5,246,028	4,194,462	857,382
1996 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	15,372	70,646	51,870	15,678
01-04 years	58,039	302,540	215,778	75,185
05-09 years	60,386	371,361	274,541	84,126
10-14 years	54,032	370,540	277,807	78,883
15-19 years	54,962	357,987	265,716	77,655
20-24 years	57,599	339,697	250,925	71,276
25-29 years	58,849	389,590	295,160	72,620
30-34 years	53,559	449,098	352,260	77,975
35-39 years	45,105	469,548	370,846	80,966
40-44 years	35,523	431,645	342,996	71,396
45-49 years	26,524	391,993	316,086	60,176
50-54 years	19,227	303,770	247,289	44,947
55-59 years	14,047	252,787	205,788	38,487
60-64 years	11,094	223,098	183,792	33,077
65-69 years	8,816	226,344	191,609	29,883
70-74 years	6,102	214,008	186,446	23,630
75-79 years	3,895	180,810	161,002	17,287
80-84 years	2,238	135,348	123,164	10,769
85+ years	1,797	125,663	114,699	10,013
Total	587,166	5,606,473	4,427,774	974,029

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	33,560	140,709	103,466	30,993
01-04 years	124,076	605,422	433,245	147,640
05-09 years	134,063	774,044	567,737	178,461
10-14 years	115,746	757,770	567,988	160,902
15-19 years	125,191	748,316	557,078	159,602
20-24 years	137,337	671,494	500,092	135,454
25-29 years	143,100	759,893	579,285	138,401
30-34 years	124,455	854,109	675,713	141,169
35-39 years	103,254	920,309	735,117	148,653
40-44 years	80,402	860,491	693,210	133,116
45-49 years	58,576	762,459	621,634	110,502
50-54 years	42,898	634,003	525,476	83,919
55-59 years	29,703	498,096	409,812	70,319
60-64 years	23,112	421,510	349,517	59,126
65-69 years	17,329	402,152	341,814	51,291
70-74 years	11,877	368,682	321,254	40,361
75-79 years	6,931	303,704	270,044	29,101
80-84 years	3,585	209,967	190,956	16,466
85+ years	2,874	174,516	158,953	14,031
Total	1,318,069	10,867,646	8,602,391	1,849,507
1997 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,333	71,566	52,838	15,540
01-04 years	63,544	309,577	222,070	75,010
05-09 years	68,654	396,411	291,653	90,438
10-14 years	58,969	387,823	291,696	81,328
15-19 years	67,656	384,755	287,711	80,704
20-24 years	75,745	336,808	253,131	65,302
25-29 years	80,639	374,207	290,586	64,552
30-34 years	68,770	421,653	339,202	65,034
35-39 years	55,953	453,413	367,239	67,889
40-44 years	43,037	421,155	345,337	59,457
45-49 years	30,625	372,065	309,249	48,629
50-54 years	21,944	307,940	258,762	37,213
55-59 years	14,972	238,775	199,097	30,771
60-64 years	11,549	198,580	166,968	25,576
65-69 years	8,194	181,698	156,015	21,652
70-74 years	5,450	157,523	138,297	16,247
75-79 years	2,862	120,745	107,662	11,233
80-84 years	1,374	72,933	66,571	5,381
85+ years	1,027	46,542	42,112	3,898
Total	698,297	5,254,169	4,186,196	865,854
1997 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,227	69,143	50,628	15,453
01-04 years	60,532	295,845	211,175	72,630
05-09 years	65,409	377,633	276,084	88,023
10-14 years	56,777	369,947	276,292	79,574
15-19 years	57,535	363,561	269,367	78,898
20-24 years	61,592	334,686	246,961	70,152
25-29 years	62,461	385,686	288,699	73,849
30-34 years	55,685	432,456	336,511	76,135
35-39 years	47,301	466,896	367,878	80,764
40-44 years	37,365	439,336	347,873	73,659
45-49 years	27,951	390,394	312,385	61,873
50-54 years	20,954	326,063	266,714	46,706
55-59 years	14,731	259,321	210,715	39,548
60-64 years	11,563	222,930	182,549	33,550
65-69 years	9,135	220,454	185,799	29,639
70-74 years	6,427	211,159	182,957	24,114
75-79 years	4,069	182,959	162,382	17,868
80-84 years	2,211	137,034	124,385	11,085
85+ years	1,847	127,974	116,841	10,133
Total	619,772	5,613,477	4,416,195	983,653

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	34,542	137,982	100,600	30,739
01-04 years	129,811	588,351	422,492	140,419
05-09 years	143,176	776,129	562,779	184,466
10-14 years	121,278	756,932	563,786	163,731
15-19 years	131,837	756,450	561,826	161,486
20-24 years	146,971	671,144	500,727	133,563
25-29 years	152,019	751,483	567,334	139,245
30-34 years	129,918	822,175	645,309	138,191
35-39 years	108,004	910,825	724,311	148,674
40-44 years	85,667	876,585	704,260	137,500
45-49 years	62,542	774,501	629,757	112,932
50-54 years	46,127	650,317	535,387	88,324
55-59 years	31,811	521,184	430,331	71,638
60-64 years	24,161	428,750	354,456	60,409
65-69 years	17,998	391,751	330,772	51,494
70-74 years	12,491	367,705	319,140	41,220
75-79 years	7,380	305,141	270,405	29,803
80-84 years	3,700	212,103	192,506	16,896
85+ years	2,980	179,926	163,689	14,575
Total	1,392,413	10,879,434	8,579,867	1,865,305
1998 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,785	70,315	51,572	15,400
01-04 years	66,463	300,626	216,634	71,205
05-09 years	73,385	397,568	288,970	93,654
10-14 years	61,632	387,530	289,538	82,943
15-19 years	71,425	388,555	289,752	81,646
20-24 years	80,918	336,838	253,575	64,570
25-29 years	85,154	370,322	285,022	64,952
30-34 years	71,524	406,141	324,349	63,908
35-39 years	58,643	448,636	361,799	68,045
40-44 years	45,785	429,611	351,094	61,791
45-49 years	32,756	378,235	313,547	49,740
50-54 years	23,616	315,834	263,934	39,091
55-59 years	16,016	250,147	209,169	31,483
60-64 years	11,851	202,340	169,545	26,147
65-69 years	8,460	176,800	150,957	21,608
70-74 years	5,727	158,090	138,408	16,584
75-79 years	3,146	122,077	108,487	11,584
80-84 years	1,411	74,544	67,937	5,561
85+ years	1,081	48,504	43,866	4,069
Total	736,778	5,262,713	4,178,155	873,981
1998 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,757	67,667	49,028	15,339
01-04 years	63,348	287,725	205,858	69,214
05-09 years	69,791	378,561	273,809	90,812
10-14 years	59,646	369,402	274,248	80,788
15-19 years	60,412	367,895	272,074	79,840
20-24 years	66,053	334,306	247,152	68,993
25-29 years	66,865	381,161	282,312	74,293
30-34 years	58,394	416,034	320,960	74,283
35-39 years	49,361	462,189	362,512	80,629
40-44 years	39,882	446,974	353,166	75,709
45-49 years	29,786	396,266	316,210	63,192
50-54 years	22,511	334,483	271,453	49,233
55-59 years	15,795	271,037	221,162	40,155
60-64 years	12,310	226,410	184,911	34,262
65-69 years	9,538	214,951	179,815	29,886
70-74 years	6,764	209,615	180,732	24,636
75-79 years	4,234	183,064	161,918	18,219
80-84 years	2,289	137,559	124,569	11,335
85+ years	1,899	131,422	119,823	10,506
Total	655,635	5,616,721	4,401,712	991,324

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	36,521	136,767	99,470	30,713
01-04 years	134,941	573,737	412,010	135,436
05-09 years	153,886	776,076	558,293	187,800
10-14 years	127,759	765,694	565,959	169,591
15-19 years	137,384	756,345	560,864	161,457
20-24 years	156,578	677,187	503,153	135,413
25-29 years	159,120	738,165	549,446	139,361
30-34 years	135,774	792,652	616,127	135,340
35-39 years	113,288	896,492	710,511	147,274
40-44 years	90,515	886,906	710,673	140,842
45-49 years	66,790	790,766	640,911	117,009
50-54 years	49,943	676,602	554,984	93,121
55-59 years	33,464	534,076	440,506	73,062
60-64 years	25,298	436,450	360,081	61,603
65-69 years	18,718	381,891	320,646	51,273
70-74 years	13,239	364,228	314,798	41,872
75-79 years	7,968	307,529	271,993	30,329
80-84 years	3,788	214,083	193,733	17,429
85+ years	3,088	185,312	168,499	15,022
Total	1,468,062	10,890,958	8,552,657	1,883,947
1999 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,788	69,666	50,887	15,494
01-04 years	69,148	293,077	211,287	68,714
05-09 years	78,715	397,663	286,833	95,542
10-14 years	64,937	392,017	290,544	85,926
15-19 years	74,702	387,774	288,817	81,292
20-24 years	86,583	339,084	254,212	65,356
25-29 years	88,188	364,697	275,795	64,864
30-34 years	74,664	391,746	309,848	62,646
35-39 years	61,427	441,272	354,498	67,721
40-44 years	48,364	434,990	354,378	63,575
45-49 years	34,969	386,625	319,304	51,861
50-54 years	25,649	328,716	274,033	41,054
55-59 years	16,667	256,610	214,397	32,231
60-64 years	12,392	205,958	172,280	26,560
65-69 years	8,735	173,228	147,089	21,590
70-74 years	6,089	157,183	137,160	16,810
75-79 years	3,527	123,060	109,305	11,653
80-84 years	1,464	75,684	68,706	5,842
85+ years	1,134	50,478	45,692	4,183
Total	776,142	5,269,528	4,165,065	882,914
1999 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,733	67,101	48,583	15,219
01-04 years	65,793	280,660	200,723	66,722
05-09 years	75,171	378,413	271,460	92,258
10-14 years	62,822	373,677	275,415	83,665
15-19 years	62,682	368,571	272,047	80,165
20-24 years	69,995	338,103	248,941	70,057
25-29 years	70,932	373,468	273,651	74,497
30-34 years	61,110	400,906	306,279	72,694
35-39 years	51,861	455,220	356,013	79,553
40-44 years	42,151	451,916	356,295	77,267
45-49 years	31,821	404,141	321,607	65,148
50-54 years	24,294	347,886	280,951	52,067
55-59 years	16,797	277,466	226,109	40,831
60-64 years	12,906	230,492	187,801	35,043
65-69 years	9,983	208,663	173,557	29,683
70-74 years	7,150	207,045	177,638	25,062
75-79 years	4,441	184,469	162,688	18,676
80-84 years	2,324	138,399	125,027	11,587
85+ years	1,954	134,834	122,807	10,839
Total	691,920	5,621,430	4,387,592	1,001,033

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	38,562	136,877	98,656	31,151
01-04 years	139,352	560,594	402,247	131,481
05-09 years	162,031	762,538	545,386	186,335
10-14 years	135,837	772,835	567,585	174,297
15-19 years	142,644	755,077	559,945	160,474
20-24 years	165,960	689,349	509,183	139,325
25-29 years	166,983	719,395	532,035	136,351
30-34 years	142,211	777,580	597,005	134,187
35-39 years	118,187	874,795	690,619	144,482
40-44 years	95,717	893,073	713,560	142,915
45-49 years	71,632	806,339	651,815	120,528
50-54 years	53,635	706,505	577,037	99,066
55-59 years	35,768	545,366	449,143	74,362
60-64 years	26,259	438,406	359,908	62,617
65-69 years	19,564	376,612	314,713	51,285
70-74 years	13,928	360,185	309,855	42,384
75-79 years	8,510	308,865	272,586	30,688
80-84 years	4,085	216,054	194,655	18,178
85+ years	3,300	189,551	172,155	15,356
Total	1,544,165	10,889,996	8,518,088	1,895,462
2000 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,852	69,702	50,441	15,727
01-04 years	71,336	286,391	206,319	66,848
05-09 years	82,767	390,719	280,223	94,832
10-14 years	69,180	395,495	291,236	88,323
15-19 years	77,592	387,801	288,823	80,875
20-24 years	92,531	344,464	256,701	67,094
25-29 years	92,408	356,085	267,625	63,375
30-34 years	78,056	385,193	299,940	62,156
35-39 years	63,933	430,630	344,722	66,325
40-44 years	51,159	438,313	355,798	64,849
45-49 years	37,534	394,671	324,968	53,762
50-54 years	27,586	343,349	285,114	43,778
55-59 years	17,880	262,038	218,788	32,711
60-64 years	12,825	207,031	172,158	27,115
65-69 years	9,104	171,365	144,956	21,580
70-74 years	6,450	156,287	135,858	17,056
75-79 years	3,797	123,681	109,675	11,723
80-84 years	1,646	76,724	69,346	6,135
85+ years	1,216	52,093	47,178	4,247
Total	816,852	5,272,032	4,149,869	888,511
2000 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,710	67,175	48,215	15,424
01-04 years	68,016	274,203	195,928	64,633
05-09 years	79,264	371,819	265,163	91,503
10-14 years	66,657	377,340	276,349	85,974
15-19 years	65,052	367,276	271,122	79,599
20-24 years	73,429	344,885	252,482	72,231
25-29 years	74,575	363,310	264,410	72,976
30-34 years	64,155	392,387	297,065	72,031
35-39 years	54,254	444,165	345,897	78,157
40-44 years	44,558	454,760	357,762	78,066
45-49 years	34,098	411,668	326,847	66,766
50-54 years	26,049	363,156	291,923	55,288
55-59 years	17,888	283,328	230,355	41,651
60-64 years	13,434	231,375	187,750	35,502
65-69 years	10,460	205,247	169,757	29,705
70-74 years	7,478	203,898	173,997	25,328
75-79 years	4,713	185,184	162,911	18,965
80-84 years	2,439	139,330	125,309	12,043
85+ years	2,084	137,458	124,977	11,109
Total	727,313	5,617,964	4,368,219	1,006,951

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,104	140,910	100,342	32,607
01-04 years	143,644	548,281	393,965	126,644
05-09 years	166,083	745,633	532,963	180,817
10-14 years	143,008	777,313	566,771	178,846
15-19 years	143,747	753,467	559,389	158,907
20-24 years	168,328	702,612	517,700	142,781
25-29 years	172,003	692,725	510,325	130,532
30-34 years	148,554	775,183	591,191	134,334
35-39 years	123,112	846,575	664,958	140,646
40-44 years	100,704	897,324	715,855	144,306
45-49 years	75,720	818,904	660,875	122,615
50-54 years	57,580	741,272	604,028	105,437
55-59 years	38,274	553,872	455,391	75,307
60-64 years	27,395	444,116	364,086	62,791
65-69 years	20,474	374,522	310,635	52,337
70-74 years	14,562	355,215	304,458	42,504
75-79 years	9,227	307,484	269,898	31,692
80-84 years	4,586	219,809	197,598	18,734
85+ years	3,428	191,695	174,342	15,089
Total	1,601,533	10,886,912	8,494,770	1,896,926
2001 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,091	71,823	51,429	16,336
01-04 years	73,696	279,723	201,910	64,194
05-09 years	84,772	382,020	273,680	92,308
10-14 years	73,062	397,846	290,893	90,631
15-19 years	77,786	387,414	288,765	80,244
20-24 years	93,384	350,455	260,619	68,770
25-29 years	95,023	343,071	256,853	60,611
30-34 years	81,139	383,770	297,085	62,041
35-39 years	66,692	416,808	332,142	64,516
40-44 years	53,650	440,466	356,786	65,745
45-49 years	39,650	400,958	329,523	54,863
50-54 years	29,648	360,201	298,615	46,508
55-59 years	19,158	266,566	222,303	33,140
60-64 years	13,495	209,822	174,214	27,159
65-69 years	9,519	171,066	143,675	22,099
70-74 years	6,700	154,464	133,869	17,130
75-79 years	4,149	123,913	109,359	12,134
80-84 years	1,853	78,801	71,095	6,378
85+ years	1,249	53,099	48,255	4,119
Total	845,716	5,272,286	4,141,070	888,926
2001 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,013	69,087	48,913	16,271
01-04 years	69,948	268,558	192,055	62,450
05-09 years	81,311	363,613	259,283	88,509
10-14 years	69,946	379,467	275,878	88,215
15-19 years	65,961	366,053	270,624	78,663
20-24 years	74,944	352,157	257,081	74,011
25-29 years	76,980	349,654	253,472	69,921
30-34 years	67,415	391,413	294,106	72,293
35-39 years	56,420	429,767	332,816	76,130
40-44 years	47,054	456,858	359,069	78,561
45-49 years	36,070	417,946	331,352	67,752
50-54 years	27,932	381,071	305,413	58,929
55-59 years	19,116	287,306	233,088	42,167
60-64 years	13,900	234,294	189,872	35,632
65-69 years	10,955	203,456	166,960	30,238
70-74 years	7,862	200,751	170,589	25,374
75-79 years	5,078	183,571	160,539	19,558
80-84 years	2,733	141,008	126,503	12,356
85+ years	2,179	138,596	126,087	10,970
Total	755,817	5,614,626	4,353,700	1,008,000

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	40,895	135,696	96,716	31,113
01-04 years	150,256	545,914	391,710	124,871
05-09 years	168,672	726,593	519,054	174,624
10-14 years	149,769	781,154	566,206	182,714
15-19 years	144,951	750,289	556,248	158,714
20-24 years	169,662	708,039	520,281	144,387
25-29 years	175,364	679,769	500,571	126,501
30-34 years	155,780	767,735	579,599	134,554
35-39 years	126,891	817,684	639,246	136,326
40-44 years	105,446	891,439	709,291	144,250
45-49 years	80,422	834,308	671,527	126,363
50-54 years	60,256	738,521	598,727	107,405
55-59 years	41,700	592,279	488,093	78,875
60-64 years	28,406	458,723	376,404	63,754
65-69 years	21,283	374,632	309,036	53,206
70-74 years	15,128	347,309	296,571	42,111
75-79 years	9,788	305,424	266,945	32,431
80-84 years	5,030	223,459	200,227	19,438
85+ years	3,601	193,289	175,762	15,056
Total	1,653,300	10,872,256	8,462,214	1,896,693
2002 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,764	69,347	49,355	15,925
01-04 years	77,064	278,566	200,875	63,119
05-09 years	86,265	371,769	266,218	89,209
10-14 years	76,448	399,950	290,659	92,701
15-19 years	77,539	385,723	286,922	80,285
20-24 years	94,057	353,154	261,855	69,655
25-29 years	96,530	336,253	251,537	58,840
30-34 years	84,847	380,174	291,918	61,826
35-39 years	68,458	402,789	319,599	62,493
40-44 years	56,136	437,512	353,342	65,766
45-49 years	42,150	408,111	334,386	56,641
50-54 years	31,102	359,399	296,782	47,421
55-59 years	20,952	285,077	238,207	34,780
60-64 years	13,883	216,761	180,138	27,591
65-69 years	10,032	172,063	143,825	22,457
70-74 years	6,920	151,400	130,724	17,011
75-79 years	4,298	123,971	109,053	12,435
80-84 years	2,072	80,816	72,667	6,675
85+ years	1,304	54,003	49,088	4,112
Total	870,821	5,266,838	4,127,150	888,942
2002 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,131	66,349	47,361	15,188
01-04 years	73,192	267,348	190,835	61,752
05-09 years	82,407	354,824	252,836	85,415
10-14 years	73,321	381,204	275,547	90,013
15-19 years	67,412	364,566	269,326	78,429
20-24 years	75,605	354,885	258,426	74,732
25-29 years	78,834	343,516	249,034	67,661
30-34 years	70,933	387,561	287,681	72,728
35-39 years	58,433	414,895	319,647	73,833
40-44 years	49,310	453,927	355,949	78,484
45-49 years	38,272	426,197	337,141	69,722
50-54 years	29,154	379,122	301,945	59,984
55-59 years	20,748	307,202	249,886	44,095
60-64 years	14,523	241,962	196,266	36,163
65-69 years	11,251	202,569	165,211	30,749
70-74 years	8,208	195,909	165,847	25,100
75-79 years	5,490	181,453	157,892	19,996
80-84 years	2,958	142,643	127,560	12,763
85+ years	2,297	139,286	126,674	10,944
Total	782,479	5,605,418	4,335,064	1,007,751

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,379	133,688	95,351	29,861
01-04 years	156,169	540,594	387,645	122,442
05-09 years	170,992	707,655	506,615	167,279
10-14 years	156,214	778,659	560,306	185,579
15-19 years	146,392	749,560	553,510	160,433
20-24 years	169,938	715,371	525,495	145,226
25-29 years	176,734	674,580	498,342	123,649
30-34 years	161,347	751,708	562,572	133,061
35-39 years	132,109	789,629	613,155	132,580
40-44 years	109,674	879,640	698,016	142,911
45-49 years	84,704	847,484	680,316	129,755
50-54 years	63,304	748,055	605,304	109,495
55-59 years	45,150	610,103	500,600	82,351
60-64 years	29,731	479,900	395,112	65,074
65-69 years	22,404	381,196	313,654	54,180
70-74 years	15,708	339,987	288,283	42,588
75-79 years	10,587	303,851	264,780	32,627
80-84 years	5,537	226,030	201,963	20,064
85+ years	3,850	196,393	178,512	15,210
Total	1,701,923	10,854,083	8,429,531	1,894,365
2003 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,330	68,520	49,084	15,037
01-04 years	79,724	275,781	198,462	62,055
05-09 years	87,511	361,542	259,856	85,022
10-14 years	79,799	398,523	287,535	94,218
15-19 years	77,727	385,637	285,690	81,273
20-24 years	93,723	356,749	264,165	70,208
25-29 years	96,878	333,825	250,583	57,692
30-34 years	87,732	372,085	283,327	61,151
35-39 years	70,955	389,006	306,768	60,637
40-44 years	58,240	431,759	347,926	65,098
45-49 years	44,329	414,468	338,375	58,500
50-54 years	32,632	364,119	300,121	48,408
55-59 years	22,849	293,968	244,926	36,264
60-64 years	14,446	226,799	189,118	28,106
65-69 years	10,573	175,741	146,551	22,871
70-74 years	7,098	148,382	127,253	17,241
75-79 years	4,681	124,119	109,071	12,375
80-84 years	2,334	82,437	73,909	7,006
85+ years	1,422	55,704	50,648	4,145
Total	893,983	5,259,164	4,113,368	887,307
2003 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,049	65,168	46,267	14,824
01-04 years	76,445	264,813	189,183	60,387
05-09 years	83,481	346,113	246,759	82,257
10-14 years	76,415	380,136	272,771	91,361
15-19 years	68,665	363,923	267,820	79,160
20-24 years	76,215	358,622	261,330	75,018
25-29 years	79,856	340,755	247,759	65,957
30-34 years	73,615	379,623	279,245	71,910
35-39 years	61,154	400,623	306,387	71,943
40-44 years	51,434	447,881	350,090	77,813
45-49 years	40,375	433,016	341,941	71,255
50-54 years	30,672	383,936	305,183	61,087
55-59 years	22,301	316,135	255,674	46,087
60-64 years	15,285	253,101	205,994	36,968
65-69 years	11,831	205,455	167,103	31,309
70-74 years	8,610	191,605	161,030	25,347
75-79 years	5,906	179,732	155,709	20,252
80-84 years	3,203	143,593	128,054	13,058
85+ years	2,428	140,689	127,864	11,065
Total	807,940	5,594,919	4,316,163	1,007,058

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	42,262	133,171	94,894	29,818
01-04 years	161,057	535,141	383,134	119,969
05-09 years	173,109	689,231	494,952	159,684
10-14 years	162,799	769,772	550,541	186,011
15-19 years	149,006	756,166	555,265	164,566
20-24 years	168,255	724,970	534,134	145,351
25-29 years	178,342	677,365	499,863	124,012
30-34 years	166,019	729,919	542,154	130,597
35-39 years	136,060	765,378	590,721	128,749
40-44 years	114,136	866,835	685,679	141,084
45-49 years	88,827	855,914	685,696	132,476
50-54 years	66,689	761,131	614,752	112,201
55-59 years	48,327	634,701	519,394	86,390
60-64 years	31,303	492,569	405,178	66,337
65-69 years	23,201	389,130	319,934	54,657
70-74 years	16,468	332,829	280,495	42,736
75-79 years	11,111	299,360	259,750	32,912
80-84 years	6,297	229,276	204,376	20,681
85+ years	4,004	199,643	181,189	15,515
Total	1,747,272	10,842,501	8,402,101	1,893,746
2004 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,545	68,241	48,648	15,219
01-04 years	82,372	273,101	196,313	60,622
05-09 years	88,597	352,518	254,192	81,333
10-14 years	83,208	393,713	282,514	94,353
15-19 years	78,771	389,475	286,843	83,443
20-24 years	92,670	364,503	270,359	70,979
25-29 years	97,243	335,400	251,631	57,972
30-34 years	89,567	361,397	273,422	59,825
35-39 years	73,052	377,387	295,769	59,069
40-44 years	60,618	425,452	341,655	64,516
45-49 years	46,466	419,008	341,187	59,884
50-54 years	34,354	370,779	305,182	49,799
55-59 years	24,554	305,644	254,144	37,928
60-64 years	15,148	233,328	194,391	28,761
65-69 years	10,966	179,635	149,615	23,064
70-74 years	7,415	145,461	124,109	17,227
75-79 years	4,884	123,385	108,104	12,503
80-84 years	2,714	84,249	75,361	7,273
85+ years	1,475	57,269	52,024	4,239
Total	915,619	5,259,945	4,105,463	888,009
2004 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,717	64,930	46,246	14,599
01-04 years	78,685	262,040	186,821	59,347
05-09 years	84,512	336,713	240,760	78,351
10-14 years	79,591	376,059	268,027	91,658
15-19 years	70,235	366,691	268,422	81,123
20-24 years	75,585	360,467	263,775	74,372
25-29 years	81,099	341,965	248,232	66,040
30-34 years	76,452	368,522	268,732	70,772
35-39 years	63,008	387,991	294,952	69,680
40-44 years	53,518	441,383	344,024	76,568
45-49 years	42,361	436,906	344,509	72,592
50-54 years	32,335	390,352	309,570	62,402
55-59 years	23,773	329,057	265,250	48,462
60-64 years	16,155	259,241	210,787	37,576
65-69 years	12,235	209,495	170,319	31,593
70-74 years	9,053	187,368	156,386	25,509
75-79 years	6,227	175,975	151,646	20,409
80-84 years	3,583	145,027	129,015	13,408
85+ years	2,529	142,374	129,165	11,276
Total	831,653	5,582,556	4,296,638	1,005,737

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,473	129,069	91,352	28,867
01-04 years	164,169	530,995	379,356	118,565
05-09 years	176,794	672,724	484,407	152,726
10-14 years	168,562	754,852	537,504	183,517
15-19 years	153,264	761,011	554,941	169,054
20-24 years	165,540	722,221	533,993	142,488
25-29 years	179,751	686,332	504,904	127,237
30-34 years	169,057	703,519	519,481	126,352
35-39 years	142,157	752,131	576,263	126,940
40-44 years	117,325	845,252	666,641	137,578
45-49 years	93,875	862,237	688,979	135,049
50-54 years	70,243	775,881	626,470	114,418
55-59 years	52,308	667,853	544,299	92,500
60-64 years	33,322	500,669	411,889	66,765
65-69 years	23,991	393,001	322,091	55,166
70-74 years	17,157	328,205	274,874	43,142
75-79 years	12,009	297,050	256,682	33,259
80-84 years	6,755	231,103	205,535	21,118
85+ years	4,397	203,649	184,344	16,148
Total	1,792,149	10,817,754	8,364,005	1,890,889
2005 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,299	66,282	46,931	14,855
01-04 years	83,807	271,311	194,612	59,929
05-09 years	90,767	343,092	248,163	77,522
10-14 years	86,130	386,945	276,330	93,414
15-19 years	80,408	391,398	286,219	85,708
20-24 years	90,850	362,745	269,741	69,754
25-29 years	97,585	339,922	254,162	59,841
30-34 years	90,846	347,949	261,556	57,857
35-39 years	76,066	371,469	289,502	58,092
40-44 years	62,039	414,642	331,993	62,924
45-49 years	49,247	421,902	342,421	61,290
50-54 years	36,202	377,926	310,833	50,964
55-59 years	26,690	322,061	267,018	40,518
60-64 years	16,113	237,828	198,324	28,945
65-69 years	11,350	181,236	150,510	23,219
70-74 years	7,624	144,536	122,544	17,495
75-79 years	5,355	123,097	107,475	12,649
80-84 years	2,876	85,820	76,647	7,490
85+ years	1,644	59,013	53,517	4,414
Total	936,898	5,249,174	4,088,498	886,880
2005 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,174	62,787	44,421	14,012
01-04 years	80,362	259,684	184,744	58,636
05-09 years	86,027	329,632	236,244	75,204
10-14 years	82,432	367,907	261,174	90,103
15-19 years	72,856	369,613	268,722	83,346
20-24 years	74,690	359,476	264,252	72,734
25-29 years	82,166	346,410	250,742	67,396
30-34 years	78,211	355,570	257,925	68,495
35-39 years	66,091	380,662	286,761	68,848
40-44 years	55,286	430,610	334,648	74,654
45-49 years	44,628	440,335	346,558	73,759
50-54 years	34,041	397,955	315,637	63,454
55-59 years	25,618	345,792	277,281	51,982
60-64 years	17,209	262,841	213,565	37,820
65-69 years	12,641	211,765	171,581	31,947
70-74 years	9,533	183,669	152,330	25,647
75-79 years	6,654	173,953	149,207	20,610
80-84 years	3,879	145,283	128,888	13,628
85+ years	2,753	144,636	130,827	11,734
Total	855,251	5,568,580	4,275,507	1,004,009

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	42,032	127,001	89,200	28,996
01-04 years	164,664	520,085	371,005	115,317
05-09 years	182,389	665,591	478,147	150,198
10-14 years	173,928	739,743	526,209	178,764
15-19 years	159,164	762,423	551,706	173,170
20-24 years	165,546	717,386	530,939	139,911
25-29 years	180,748	704,543	517,955	130,252
30-34 years	172,611	679,927	500,219	121,577
35-39 years	147,168	749,206	569,650	128,061
40-44 years	121,375	816,842	640,531	134,096
45-49 years	97,873	866,276	691,193	136,602
50-54 years	73,959	788,955	635,744	117,025
55-59 years	55,684	701,042	570,233	98,304
60-64 years	35,482	508,959	417,946	67,707
65-69 years	25,085	397,538	325,559	55,090
70-74 years	17,864	325,913	270,974	43,855
75-79 years	12,602	293,127	252,793	33,033
80-84 years	7,293	230,359	203,990	21,692
85+ years	4,760	208,812	188,737	16,680
Total	1,840,227	10,803,728	8,332,730	1,890,330
2006 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,322	64,736	45,516	14,744
01-04 years	84,052	266,230	190,542	58,551
05-09 years	93,590	339,156	244,991	75,840
10-14 years	88,662	379,276	270,392	91,287
15-19 years	83,566	391,757	284,262	87,795
20-24 years	90,826	361,260	268,883	68,703
25-29 years	97,726	347,961	259,906	61,138
30-34 years	92,523	336,585	252,082	55,695
35-39 years	78,211	369,957	286,205	58,630
40-44 years	64,346	401,082	319,319	61,508
45-49 years	51,159	424,180	343,559	62,288
50-54 years	38,110	384,074	315,176	52,280
55-59 years	28,396	338,104	279,898	43,031
60-64 years	17,117	242,087	201,672	29,329
65-69 years	11,991	183,356	152,124	23,130
70-74 years	7,966	144,448	121,618	17,885
75-79 years	5,525	121,737	106,183	12,561
80-84 years	3,147	86,533	77,001	7,702
85+ years	1,771	61,408	55,671	4,581
Total	960,006	5,243,927	4,075,000	886,678
2006 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,710	62,265	43,684	14,252
01-04 years	80,612	253,855	180,463	56,766
05-09 years	88,799	326,435	233,156	74,358
10-14 years	85,266	360,467	255,817	87,477
15-19 years	75,598	370,666	267,444	85,375
20-24 years	74,720	356,126	262,056	71,208
25-29 years	83,022	356,582	258,049	69,114
30-34 years	80,088	343,342	248,137	65,882
35-39 years	68,957	379,249	283,445	69,431
40-44 years	57,029	415,760	321,212	72,588
45-49 years	46,714	442,096	347,634	74,314
50-54 years	35,849	404,881	320,568	64,745
55-59 years	27,288	362,938	290,335	55,273
60-64 years	18,365	266,872	216,274	38,378
65-69 years	13,094	214,182	173,435	31,960
70-74 years	9,898	181,465	149,356	25,970
75-79 years	7,077	171,390	146,610	20,472
80-84 years	4,146	143,826	126,989	13,990
85+ years	2,989	147,404	133,066	12,099
Total	880,221	5,559,801	4,257,730	1,003,652

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	43,014	128,278	89,469	29,774
01-04 years	166,521	513,514	365,038	113,857
05-09 years	189,178	660,018	473,836	147,491
10-14 years	178,163	724,227	514,388	173,774
15-19 years	164,953	763,424	549,174	176,109
20-24 years	165,210	715,074	529,228	139,029
25-29 years	181,335	714,753	525,483	130,866
30-34 years	175,109	671,340	494,045	118,398
35-39 years	153,709	741,907	557,814	129,011
40-44 years	124,591	789,444	615,959	130,349
45-49 years	101,821	861,204	685,607	136,457
50-54 years	78,473	805,706	647,499	121,008
55-59 years	57,997	699,047	565,904	99,989
60-64 years	38,551	546,921	450,571	70,914
65-69 years	26,098	412,111	337,771	56,163
70-74 years	18,711	326,817	270,535	44,450
75-79 years	13,208	287,648	247,371	32,696
80-84 years	7,839	230,026	202,930	22,230
85+ years	5,146	214,780	193,676	17,440
Total	1,889,627	10,806,239	8,316,298	1,890,005
2007 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,858	65,230	45,482	15,092
01-04 years	84,980	262,618	187,583	57,529
05-09 years	96,802	336,372	242,728	74,536
10-14 years	90,985	370,904	264,035	88,773
15-19 years	86,296	391,726	282,571	89,198
20-24 years	90,019	360,303	268,162	68,316
25-29 years	97,729	352,624	263,329	61,377
30-34 years	93,446	332,212	248,672	54,488
35-39 years	81,384	366,286	280,836	58,730
40-44 years	65,862	387,652	307,108	59,769
45-49 years	53,218	421,745	340,607	62,472
50-54 years	40,442	391,917	320,689	54,089
55-59 years	29,635	337,730	278,599	43,814
60-64 years	18,703	260,385	217,501	30,833
65-69 years	12,347	190,497	158,205	23,607
70-74 years	8,464	145,620	122,190	18,051
75-79 years	5,794	120,172	104,507	12,521
80-84 years	3,282	87,298	77,492	7,923
85+ years	1,954	63,798	57,713	4,813
Total	983,200	5,245,089	4,068,009	885,931
2007 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,156	63,048	43,987	14,682
01-04 years	81,541	250,896	177,455	56,328
05-09 years	92,376	323,646	231,108	72,955
10-14 years	87,178	353,323	250,353	85,001
15-19 years	78,657	371,698	266,603	86,911
20-24 years	75,191	354,771	261,066	70,713
25-29 years	83,606	362,129	262,154	69,489
30-34 years	81,663	339,128	245,373	63,910
35-39 years	72,325	375,621	276,978	70,281
40-44 years	58,729	401,792	308,851	70,580
45-49 years	48,603	439,459	345,000	73,985
50-54 years	38,031	413,789	326,810	66,919
55-59 years	28,362	361,317	287,305	56,175
60-64 years	19,848	286,536	233,070	40,081
65-69 years	13,751	221,614	179,566	32,556
70-74 years	10,247	181,197	148,345	26,399
75-79 years	7,414	167,476	142,864	20,175
80-84 years	4,557	142,728	125,438	14,307
85+ years	3,192	150,982	135,963	12,627
Total	906,427	5,561,150	4,248,289	1,004,074

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	42,012	125,956	87,337	29,329
01-04 years	169,784	509,911	360,632	114,158
05-09 years	196,021	655,521	469,776	145,222
10-14 years	182,935	709,417	504,546	167,945
15-19 years	171,103	759,962	542,230	178,975
20-24 years	166,301	710,244	524,013	139,159
25-29 years	181,703	728,555	537,509	131,359
30-34 years	176,403	670,810	495,529	116,643
35-39 years	159,681	727,019	541,829	128,101
40-44 years	129,694	763,568	591,741	127,087
45-49 years	105,642	851,044	675,710	135,249
50-54 years	82,853	821,048	658,241	124,579
55-59 years	61,009	712,062	575,522	102,264
60-64 years	41,683	565,580	464,043	74,214
65-69 years	27,274	432,474	355,714	57,437
70-74 years	19,636	332,607	274,877	45,037
75-79 years	13,562	281,568	240,563	33,045
80-84 years	8,414	228,884	201,543	22,172
85+ years	5,638	219,460	197,449	18,123
Total	1,941,348	10,805,690	8,298,804	1,890,098
2008 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,292	64,136	44,492	14,980
01-04 years	86,341	260,389	184,772	57,797
05-09 years	100,259	334,140	240,685	73,360
10-14 years	93,423	362,897	259,195	85,188
15-19 years	89,316	389,775	278,919	90,724
20-24 years	90,241	358,070	265,558	68,508
25-29 years	97,354	359,647	269,388	61,650
30-34 years	93,681	331,955	249,609	53,829
35-39 years	84,512	358,642	272,840	58,287
40-44 years	68,308	375,033	295,190	58,225
45-49 years	55,180	416,854	335,924	61,837
50-54 years	42,653	399,508	325,720	56,157
55-59 years	31,148	344,061	283,356	44,813
60-64 years	20,429	269,791	224,738	32,283
65-69 years	12,843	200,219	166,908	24,096
70-74 years	8,877	148,973	124,803	18,298
75-79 years	5,886	117,985	102,037	12,629
80-84 years	3,535	87,768	77,939	7,806
85+ years	2,167	66,213	59,765	5,108
Total	1,007,445	5,246,056	4,061,838	885,575
2008 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,720	61,820	42,845	14,349
01-04 years	83,443	249,522	175,860	56,361
05-09 years	95,762	321,381	229,091	71,862
10-14 years	89,512	346,520	245,351	82,757
15-19 years	81,787	370,187	263,311	88,251
20-24 years	76,060	352,174	258,455	70,651
25-29 years	84,349	368,908	268,121	69,709
30-34 years	82,722	338,855	245,920	62,814
35-39 years	75,169	368,377	268,989	69,814
40-44 years	61,386	388,535	296,551	68,862
45-49 years	50,462	434,190	339,786	73,412
50-54 years	40,200	421,540	332,521	68,422
55-59 years	29,861	368,001	292,166	57,451
60-64 years	21,254	295,789	239,305	41,931
65-69 years	14,431	232,255	188,806	33,341
70-74 years	10,759	183,634	150,074	26,739
75-79 years	7,676	163,583	138,526	20,416
80-84 years	4,879	141,116	123,604	14,366
85+ years	3,471	153,247	137,684	13,015
Total	933,903	5,559,634	4,236,966	1,004,523

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,747	122,899	85,709	28,122
01-04 years	171,143	504,486	354,417	114,367
05-09 years	203,209	654,151	467,751	144,120
10-14 years	187,630	696,298	496,144	162,034
15-19 years	177,072	751,129	532,284	179,653
20-24 years	167,357	710,291	521,055	141,286
25-29 years	180,158	734,539	544,708	129,897
30-34 years	178,300	677,472	500,293	117,932
35-39 years	164,597	706,833	522,144	126,637
40-44 years	134,088	741,258	571,090	123,495
45-49 years	109,989	841,540	666,186	133,758
50-54 years	87,093	832,526	666,101	127,772
55-59 years	64,438	727,956	587,554	105,015
60-64 years	44,681	591,892	484,754	78,097
65-69 years	28,984	446,086	366,230	59,084
70-74 years	20,498	340,033	280,973	45,349
75-79 years	14,464	275,895	234,527	33,031
80-84 years	8,903	226,333	198,480	22,474
85+ years	6,204	224,606	201,453	19,055
Total	1,990,555	10,806,223	8,281,853	1,891,178
2009 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,236	62,831	43,867	14,352
01-04 years	86,911	257,452	181,572	57,879
05-09 years	103,900	333,354	239,578	72,823
10-14 years	95,685	356,455	254,964	82,418
15-19 years	91,949	384,570	273,467	90,844
20-24 years	90,242	357,322	263,423	69,318
25-29 years	96,302	362,885	273,140	61,020
30-34 years	93,883	335,209	252,207	54,421
35-39 years	86,460	348,305	262,966	57,375
40-44 years	70,704	364,092	284,788	56,761
45-49 years	57,387	411,840	330,672	61,521
50-54 years	44,866	405,660	329,854	57,748
55-59 years	32,777	351,952	289,554	46,209
60-64 years	22,003	282,475	235,156	33,823
65-69 years	13,612	207,154	172,339	24,946
70-74 years	9,264	152,550	127,754	18,356
75-79 years	6,251	116,061	99,987	12,589
80-84 years	3,733	87,729	77,704	7,902
85+ years	2,440	68,554	61,723	5,393
Total	1,029,605	5,246,450	4,054,715	885,698
2009 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,511	60,068	41,842	13,770
01-04 years	84,232	247,034	172,845	56,488
05-09 years	99,309	320,797	228,173	71,297
10-14 years	91,945	339,843	241,180	79,616
15-19 years	85,123	366,559	258,817	88,809
20-24 years	77,115	352,969	257,632	71,968
25-29 years	83,856	371,654	271,568	68,877
30-34 years	84,417	342,263	248,086	63,511
35-39 years	78,137	358,528	259,178	69,262
40-44 years	63,384	377,166	286,302	66,734
45-49 years	52,602	429,700	335,514	72,237
50-54 years	42,227	426,866	336,247	70,024
55-59 years	31,661	376,004	298,000	58,806
60-64 years	22,678	309,417	249,598	44,274
65-69 years	15,372	238,932	193,891	34,138
70-74 years	11,234	187,483	153,219	26,993
75-79 years	8,213	159,834	134,540	20,442
80-84 years	5,170	138,604	120,776	14,572
85+ years	3,764	156,052	139,730	13,662
Total	960,950	5,559,773	4,227,138	1,005,480

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	41,188	122,579	85,571	28,025
01-04 years	171,681	499,352	350,583	113,165
05-09 years	207,850	649,588	462,625	142,987
10-14 years	192,959	684,859	488,362	157,160
15-19 years	182,067	738,192	521,272	177,047
20-24 years	168,989	711,149	517,206	145,276
25-29 years	177,754	732,034	544,993	127,362
30-34 years	179,354	689,527	508,479	121,452
35-39 years	167,543	683,744	502,619	122,939
40-44 years	139,857	730,191	558,045	122,646
45-49 years	113,060	822,986	649,672	130,892
50-54 years	91,933	840,448	670,727	130,589
55-59 years	67,983	744,828	600,767	107,690
60-64 years	48,135	624,722	509,766	83,839
65-69 years	30,972	456,968	374,957	60,081
70-74 years	21,281	344,821	283,984	45,969
75-79 years	15,229	273,768	231,169	33,699
80-84 years	9,701	226,164	197,489	22,999
85+ years	6,740	230,349	205,954	20,034
Total	2,034,276	10,806,269	8,264,240	1,893,851
2010 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	21,052	62,827	43,845	14,375
01-04 years	87,063	254,674	179,500	57,206
05-09 years	106,238	331,371	237,194	72,362
10-14 years	98,432	349,594	250,438	79,596
15-19 years	94,082	378,710	268,217	89,875
20-24 years	90,500	357,502	261,479	71,123
25-29 years	94,393	362,417	273,666	60,099
30-34 years	94,217	341,053	256,248	56,197
35-39 years	87,537	336,803	253,060	55,749
40-44 years	73,569	359,083	278,894	56,385
45-49 years	58,840	402,694	322,391	60,302
50-54 years	47,447	409,414	331,900	59,249
55-59 years	34,690	360,039	295,834	47,549
60-64 years	23,741	298,650	247,941	36,261
65-69 years	14,608	212,793	177,027	25,447
70-74 years	9,655	154,579	129,067	18,548
75-79 years	6,577	116,178	99,423	12,937
80-84 years	4,112	88,239	77,890	8,120
85+ years	2,619	71,118	63,911	5,681
Total	1,049,372	5,247,738	4,047,925	887,061
2010 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	20,136	59,752	41,726	13,650
01-04 years	84,618	244,678	171,083	55,959
05-09 years	101,612	318,217	225,431	70,625
10-14 years	94,527	335,265	237,924	77,564
15-19 years	87,985	359,482	253,055	87,172
20-24 years	78,489	353,647	255,727	74,153
25-29 years	83,361	369,617	271,327	67,263
30-34 years	85,137	348,474	252,231	65,255
35-39 years	80,006	346,941	249,559	67,190
40-44 years	66,288	371,108	279,151	66,261
45-49 years	54,220	420,292	327,281	70,590
50-54 years	44,486	431,034	338,827	71,340
55-59 years	33,293	384,789	304,933	60,141
60-64 years	24,394	326,072	261,825	47,578
65-69 years	16,364	244,175	197,930	34,634
70-74 years	11,626	190,242	154,917	27,421
75-79 years	8,652	157,590	131,746	20,762
80-84 years	5,589	137,925	119,599	14,879
85+ years	4,121	159,231	142,043	14,353
Total	984,904	5,558,531	4,216,315	1,006,790

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	38,871	123,228	86,034	27,823
01-04 years	169,515	493,802	345,700	111,902
05-09 years	209,893	641,031	455,758	140,323
10-14 years	195,942	676,338	481,771	153,879
15-19 years	183,956	724,137	511,428	171,631
20-24 years	169,927	717,602	514,785	152,445
25-29 years	176,339	730,166	542,348	127,302
30-34 years	178,882	702,652	517,994	123,064
35-39 years	169,315	660,765	483,742	118,188
40-44 years	144,996	728,341	552,163	123,495
45-49 years	116,610	795,650	624,430	127,517
50-54 years	95,296	843,504	672,753	131,237
55-59 years	71,654	759,526	611,115	110,664
60-64 years	51,463	656,520	535,068	88,628
65-69 years	33,203	466,154	381,706	60,975
70-74 years	22,254	352,294	289,550	46,675
75-79 years	16,015	273,970	229,303	34,862
80-84 years	10,353	225,005	195,713	23,294
85+ years	7,503	235,111	209,452	20,841
Total	2,061,987	10,805,796	8,240,813	1,894,745
2011 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	19,924	63,301	44,198	14,266
01-04 years	85,871	251,803	176,909	56,618
05-09 years	107,360	327,218	233,813	70,988
10-14 years	99,810	344,963	246,835	77,891
15-19 years	94,592	371,683	263,055	87,458
20-24 years	90,218	361,379	260,653	75,067
25-29 years	93,488	362,414	272,663	60,561
30-34 years	93,830	347,340	260,861	57,032
35-39 years	88,330	326,062	243,756	53,830
40-44 years	76,070	357,912	276,164	56,628
45-49 years	60,888	389,537	310,171	58,673
50-54 years	49,176	411,221	332,920	59,901
55-59 years	36,548	367,146	300,970	48,851
60-64 years	25,558	313,417	260,191	38,095
65-69 years	15,679	217,785	180,835	25,896
70-74 years	10,088	158,211	131,874	18,815
75-79 years	6,998	116,950	99,191	13,416
80-84 years	4,373	88,197	77,587	8,266
85+ years	2,911	73,669	66,001	5,985
Total	1,061,712	5,250,208	4,038,647	888,237
2011 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,947	59,927	41,836	13,557
01-04 years	83,644	241,999	168,791	55,284
05-09 years	102,533	313,813	221,945	69,335
10-14 years	96,132	331,375	234,936	75,988
15-19 years	89,364	352,454	248,373	84,173
20-24 years	79,709	356,223	254,132	77,378
25-29 years	82,851	367,752	269,685	66,741
30-34 years	85,052	355,312	257,133	66,032
35-39 years	80,985	334,703	239,986	64,358
40-44 years	68,926	370,429	275,999	66,867
45-49 years	55,722	406,113	314,259	68,844
50-54 years	46,120	432,283	339,833	71,336
55-59 years	35,106	392,380	310,145	61,813
60-64 years	25,905	343,103	274,877	50,533
65-69 years	17,524	248,369	200,871	35,079
70-74 years	12,166	194,083	157,676	27,860
75-79 years	9,017	157,020	130,112	21,446
80-84 years	5,980	136,808	118,126	15,028
85+ years	4,592	161,442	143,451	14,856
Total	1,000,275	5,555,588	4,202,166	1,006,508

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	37,603	122,090	84,598	27,920
01-04 years	164,637	489,590	341,890	110,251
05-09 years	212,583	635,059	450,076	139,108
10-14 years	198,683	666,200	474,201	150,125
15-19 years	184,531	706,844	499,214	165,603
20-24 years	172,096	726,444	515,110	159,091
25-29 years	173,007	726,634	537,097	128,253
30-34 years	178,253	711,576	523,991	123,806
35-39 years	170,257	651,683	476,905	115,343
40-44 years	149,823	719,827	540,046	123,745
45-49 years	120,141	769,259	600,259	124,063
50-54 years	97,967	835,952	665,437	130,389
55-59 years	75,867	774,789	621,952	114,143
60-64 years	53,670	655,791	531,814	90,076
65-69 years	36,216	501,967	412,292	64,193
70-74 years	23,400	366,015	300,579	47,999
75-79 years	16,693	276,676	230,176	35,769
80-84 years	10,905	221,582	191,648	23,549
85+ years	8,321	240,398	213,357	21,738
Total	2,084,653	10,798,376	8,210,642	1,895,164
2012 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,926	62,399	43,235	14,230
01-04 years	83,690	250,356	175,410	55,974
05-09 years	108,387	323,767	230,517	70,303
10-14 years	101,036	340,242	243,192	76,061
15-19 years	94,475	362,596	256,673	84,401
20-24 years	90,615	366,837	261,614	78,691
25-29 years	91,458	361,385	270,102	61,564
30-34 years	93,549	351,714	263,711	57,509
35-39 years	88,734	321,905	240,420	52,762
40-44 years	78,311	353,913	270,587	56,687
45-49 years	62,820	376,737	298,478	56,955
50-54 years	50,551	407,436	329,118	59,652
55-59 years	38,750	374,490	306,150	50,595
60-64 years	26,843	313,350	259,218	38,620
65-69 years	17,176	235,238	195,958	27,285
70-74 years	10,599	164,544	137,110	19,292
75-79 years	7,409	118,748	100,133	13,742
80-84 years	4,567	87,274	76,361	8,361
85+ years	3,218	76,166	67,996	6,329
Total	1,071,114	5,249,097	4,025,983	889,013
2012 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,677	59,691	41,363	13,690
01-04 years	80,947	239,234	166,480	54,277
05-09 years	104,196	311,292	219,559	68,805
10-14 years	97,647	325,958	231,009	74,064
15-19 years	90,056	344,248	242,541	81,202
20-24 years	81,481	359,607	253,496	80,400
25-29 years	81,549	365,249	266,995	66,689
30-34 years	84,704	359,862	260,280	66,297
35-39 years	81,523	329,778	236,485	62,581
40-44 years	71,512	365,914	269,459	67,058
45-49 years	57,321	392,522	301,781	67,108
50-54 years	47,416	428,516	336,319	70,737
55-59 years	37,117	400,299	315,802	63,548
60-64 years	26,827	342,441	272,596	51,456
65-69 years	19,040	266,729	216,334	36,908
70-74 years	12,801	201,471	163,469	28,707
75-79 years	9,284	157,928	130,043	22,027
80-84 years	6,338	134,308	115,287	15,188
85+ years	5,103	164,232	145,361	15,409
Total	1,013,539	5,549,279	4,184,659	1,006,151

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	36,454	120,671	83,110	27,748
01-04 years	158,542	485,600	338,038	108,927
05-09 years	213,539	628,832	443,788	138,391
10-14 years	201,424	656,866	467,870	145,756
15-19 years	185,552	690,291	488,591	158,874
20-24 years	174,348	732,008	512,914	165,045
25-29 years	170,982	726,911	533,070	130,700
30-34 years	177,037	720,231	529,012	124,884
35-39 years	170,729	653,418	479,129	113,752
40-44 years	153,245	705,183	524,168	122,887
45-49 years	124,174	743,082	575,922	120,964
50-54 years	101,174	825,154	654,848	129,059
55-59 years	79,526	787,344	630,727	117,077
60-64 years	56,299	665,885	538,620	92,201
65-69 years	38,979	519,533	425,293	66,899
70-74 years	24,751	385,119	316,746	49,651
75-79 years	17,484	282,343	234,251	36,433
80-84 years	11,479	218,467	187,380	24,198
85+ years	9,149	243,973	215,666	22,488
Total	2,104,867	10,790,911	8,179,143	1,895,934
2013 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,545	61,764	42,714	14,045
01-04 years	80,645	248,426	173,243	55,513
05-09 years	108,446	320,693	227,348	69,890
10-14 years	102,522	335,198	239,901	73,651
15-19 years	94,686	354,126	251,219	81,017
20-24 years	91,068	370,891	261,273	82,161
25-29 years	90,508	363,121	269,022	63,226
30-34 years	92,876	355,826	265,771	58,128
35-39 years	88,846	323,584	241,958	52,390
40-44 years	79,822	346,496	262,805	56,022
45-49 years	65,047	364,000	286,466	55,534
50-54 years	52,257	402,161	323,998	59,025
55-59 years	40,646	381,021	310,614	52,222
60-64 years	28,222	317,856	262,450	39,502
65-69 years	18,676	243,900	202,755	28,353
70-74 years	11,210	173,625	144,804	20,027
75-79 years	7,735	121,721	102,399	13,994
80-84 years	4,792	86,625	75,220	8,615
85+ years	3,562	78,121	69,506	6,570
Total	1,080,111	5,249,155	4,013,466	889,885
2013 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,909	58,907	40,396	13,703
01-04 years	77,897	237,174	164,795	53,414
05-09 years	105,093	308,139	216,440	68,501
10-14 years	98,902	321,668	227,969	72,105
15-19 years	90,866	336,165	237,372	77,857
20-24 years	83,280	361,117	251,641	82,884
25-29 years	80,474	363,790	264,048	67,474
30-34 years	84,161	364,405	263,241	66,756
35-39 years	81,883	329,834	237,171	61,362
40-44 years	73,423	358,687	261,363	66,865
45-49 years	59,127	379,082	289,456	65,430
50-54 years	48,917	422,993	330,850	70,034
55-59 years	38,880	406,323	320,113	64,855
60-64 years	28,077	348,029	276,170	52,699
65-69 years	20,303	275,633	222,538	38,546
70-74 years	13,541	211,494	171,942	29,624
75-79 years	9,749	160,622	131,852	22,439
80-84 years	6,687	131,842	112,160	15,583
85+ years	5,587	165,852	146,160	15,918
Total	1,024,756	5,541,756	4,165,677	1,006,049

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	35,875	121,044	83,850	27,692
01-04 years	153,452	483,298	334,679	108,809
05-09 years	212,224	617,193	433,602	136,748
10-14 years	204,171	648,226	461,854	141,632
15-19 years	187,119	673,755	478,124	152,303
20-24 years	176,952	730,432	508,078	167,059
25-29 years	169,551	727,180	527,630	135,386
30-34 years	175,755	720,791	528,832	124,169
35-39 years	170,140	658,950	482,868	114,144
40-44 years	156,511	685,213	505,233	121,129
45-49 years	127,649	719,265	553,972	117,552
50-54 years	104,482	811,817	642,385	126,756
55-59 years	82,852	793,864	635,127	118,986
60-64 years	59,625	678,626	547,642	94,880
65-69 years	41,608	541,745	442,533	70,140
70-74 years	26,413	396,658	325,617	50,901
75-79 years	18,166	289,395	239,593	37,069
80-84 years	12,095	215,357	183,315	24,689
85+ years	10,101	247,542	217,873	23,293
Total	2,124,741	10,760,351	8,132,807	1,893,337
2014 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,217	62,017	43,114	14,059
01-04 years	78,062	247,558	171,659	55,494
05-09 years	107,631	314,562	221,796	69,143
10-14 years	104,136	330,605	236,769	71,545
15-19 years	95,276	345,708	246,040	77,557
20-24 years	91,395	370,440	258,943	83,553
25-29 years	90,040	363,671	266,518	65,887
30-34 years	92,169	356,633	265,823	57,981
35-39 years	88,465	326,450	243,865	52,867
40-44 years	81,212	336,583	253,431	55,011
45-49 years	66,846	352,506	275,711	53,960
50-54 years	53,982	395,786	317,873	58,163
55-59 years	42,435	384,215	312,743	53,149
60-64 years	30,022	324,015	267,013	40,733
65-69 years	20,065	254,338	211,391	29,440
70-74 years	12,025	179,398	149,273	20,678
75-79 years	8,014	124,988	104,870	14,300
80-84 years	5,008	85,876	74,038	8,779
85+ years	3,975	80,259	71,138	6,884
Total	1,088,975	5,235,608	3,992,008	889,183
2014 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,658	59,027	40,736	13,633
01-04 years	75,390	235,740	163,020	53,315
05-09 years	104,593	302,631	211,806	67,605
10-14 years	100,035	317,621	225,085	70,087
15-19 years	91,843	328,047	232,084	74,746
20-24 years	85,557	359,992	249,135	83,506
25-29 years	79,511	363,509	261,112	69,499
30-34 years	83,586	364,158	263,009	66,188
35-39 years	81,675	332,500	239,003	61,277
40-44 years	75,299	348,630	251,802	66,118
45-49 years	60,803	366,759	278,261	63,592
50-54 years	50,500	416,031	324,512	68,593
55-59 years	40,417	409,649	322,384	65,837
60-64 years	29,603	354,611	280,629	54,147
65-69 years	21,543	287,407	231,142	40,700
70-74 years	14,388	217,260	176,344	30,223
75-79 years	10,152	164,407	134,723	22,769
80-84 years	7,087	129,481	109,277	15,910
85+ years	6,126	167,283	146,735	16,409
Total	1,035,766	5,524,743	4,140,799	1,004,154

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	36,796	121,817	83,830	28,093
01-04 years	147,941	480,102	331,913	108,140
05-09 years	210,018	608,354	425,780	135,444
10-14 years	205,282	636,364	453,438	137,417
15-19 years	189,953	661,871	469,666	147,942
20-24 years	178,444	720,036	499,396	164,408
25-29 years	168,782	727,208	521,526	140,611
30-34 years	172,414	716,223	524,737	122,418
35-39 years	170,793	668,305	488,672	116,231
40-44 years	158,592	661,512	485,099	117,381
45-49 years	132,182	705,751	539,230	116,444
50-54 years	106,958	790,889	624,074	123,387
55-59 years	86,523	796,556	635,830	120,612
60-64 years	63,375	692,623	558,170	97,311
65-69 years	44,293	566,883	461,952	73,910
70-74 years	28,160	405,182	332,037	51,874
75-79 years	18,953	293,198	241,441	37,792
80-84 years	12,678	213,604	180,274	25,359
85+ years	11,163	249,807	218,732	24,058
Total	2,143,300	10,716,285	8,075,797	1,888,832
2015 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,662	62,376	43,110	14,252
01-04 years	75,191	245,990	170,391	55,021
05-09 years	106,597	310,152	217,766	68,569
10-14 years	104,782	325,063	232,756	69,557
15-19 years	96,635	339,318	241,630	75,266
20-24 years	91,535	365,437	254,695	82,398
25-29 years	89,415	364,278	263,908	68,635
30-34 years	90,411	355,204	263,952	57,404
35-39 years	89,157	330,757	246,342	54,127
40-44 years	82,148	325,314	243,613	53,227
45-49 years	69,027	346,075	268,919	53,372
50-54 years	55,452	385,855	308,972	56,685
55-59 years	44,291	385,592	312,975	54,128
60-64 years	32,051	330,622	272,114	41,853
65-69 years	21,387	266,308	221,088	30,874
70-74 years	12,922	183,810	152,820	21,141
75-79 years	8,425	126,692	105,738	14,522
80-84 years	5,248	85,910	73,468	9,059
85+ years	4,364	81,636	71,962	7,217
Total	1,097,700	5,216,389	3,966,219	887,307
2015 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,134	59,441	40,720	13,841
01-04 years	72,750	234,112	161,522	53,119
05-09 years	103,421	298,202	208,014	66,875
10-14 years	100,500	311,301	220,682	67,860
15-19 years	93,318	322,553	228,036	72,676
20-24 years	86,909	354,599	244,701	82,010
25-29 years	79,367	362,930	257,618	71,976
30-34 years	82,003	361,019	260,785	65,014
35-39 years	81,636	337,548	242,330	62,104
40-44 years	76,444	336,198	241,486	64,154
45-49 years	63,155	359,676	270,311	63,072
50-54 years	51,506	405,034	315,102	66,702
55-59 years	42,232	410,964	322,855	66,484
60-64 years	31,324	362,001	286,056	55,458
65-69 years	22,906	300,575	240,864	43,036
70-74 years	15,238	221,372	179,217	30,733
75-79 years	10,528	166,506	135,703	23,270
80-84 years	7,430	127,694	106,806	16,300
85+ years	6,799	168,171	146,770	16,841
Total	1,045,600	5,499,896	4,109,578	1,001,525

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	36,119	119,910	82,696	27,383
01-04 years	145,652	477,474	329,378	108,023
05-09 years	205,374	600,457	419,387	133,252
10-14 years	207,203	625,805	445,376	134,435
15-19 years	192,759	651,095	461,850	144,307
20-24 years	179,161	701,228	486,867	158,292
25-29 years	168,787	730,087	517,214	147,189
30-34 years	170,952	711,772	520,187	121,832
35-39 years	169,967	676,611	495,100	117,180
40-44 years	159,839	635,654	464,516	112,087
45-49 years	136,794	700,502	531,184	116,796
50-54 years	110,011	761,350	597,205	119,720
55-59 years	89,346	795,649	634,761	120,807
60-64 years	66,447	703,180	565,589	99,311
65-69 years	47,177	592,891	482,476	77,950
70-74 years	30,049	411,984	336,896	52,582
75-79 years	19,701	298,847	245,658	38,204
80-84 years	13,372	214,426	179,287	26,361
85+ years	12,165	251,912	219,672	24,629
Total	2,160,875	10,660,834	8,015,299	1,880,340
2016 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	18,444	61,460	42,476	13,998
01-04 years	73,761	244,470	169,235	54,702
05-09 years	104,285	306,762	214,660	67,767
10-14 years	106,085	319,472	228,404	68,058
15-19 years	97,916	333,508	237,458	73,364
20-24 years	91,375	356,150	248,275	79,572
25-29 years	88,938	366,399	262,359	72,192
30-34 years	90,025	354,157	262,130	57,712
35-39 years	88,661	334,866	249,495	54,503
40-44 years	82,870	312,877	233,346	50,938
45-49 years	71,260	343,447	265,259	53,323
50-54 years	57,280	371,676	295,996	54,928
55-59 years	45,795	385,638	312,592	54,584
60-64 years	33,590	335,854	275,807	42,823
65-69 years	23,017	278,055	230,908	32,321
70-74 years	13,798	187,453	155,485	21,554
75-79 years	8,756	129,495	107,968	14,652
80-84 years	5,646	86,795	73,523	9,464
85+ years	4,766	83,034	72,909	7,454
Total	1,106,268	5,191,568	3,938,285	883,909
2016 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,675	58,450	40,220	13,385
01-04 years	71,891	233,004	160,143	53,321
05-09 years	101,089	293,695	204,727	65,485
10-14 years	101,118	306,333	216,972	66,377
15-19 years	94,843	317,587	224,392	70,943
20-24 years	87,786	345,078	238,592	78,720
25-29 years	79,849	363,688	254,855	74,997
30-34 years	80,927	357,615	258,057	64,120
35-39 years	81,306	341,745	245,605	62,677
40-44 years	76,969	322,777	231,170	61,149
45-49 years	65,534	357,055	265,925	63,473
50-54 years	52,731	389,674	301,209	64,792
55-59 years	43,551	410,011	322,169	66,223
60-64 years	32,857	367,326	289,782	56,488
65-69 years	24,160	314,836	251,568	45,629
70-74 years	16,251	224,531	181,411	31,028
75-79 years	10,945	169,352	137,690	23,552
80-84 years	7,726	127,631	105,764	16,897
85+ years	7,399	168,878	146,763	17,175
Total	1,054,607	5,469,266	4,077,014	996,431

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	34,729	115,964	79,040	26,846
01-04 years	144,249	474,883	327,605	107,035
05-09 years	198,929	593,292	413,318	131,156
10-14 years	209,524	617,748	438,278	132,855
15-19 years	195,213	640,208	454,060	140,239
20-24 years	179,749	682,502	473,910	152,246
25-29 years	170,815	733,273	514,103	152,195
30-34 years	167,781	705,457	513,528	121,929
35-39 years	169,416	681,411	498,405	117,107
40-44 years	160,680	624,370	456,078	108,862
45-49 years	141,201	689,419	517,530	116,652
50-54 years	113,060	733,041	571,787	116,045
55-59 years	91,785	785,864	625,658	119,721
60-64 years	70,443	714,806	573,692	102,201
65-69 years	49,281	590,257	477,926	79,098
70-74 years	32,611	442,043	362,554	55,154
75-79 years	20,600	309,871	254,488	39,276
80-84 years	13,923	216,277	179,856	26,853
85+ years	13,146	252,072	218,587	25,236
Total	2,177,135	10,602,758	7,950,403	1,870,706
2017 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,699	59,131	40,400	13,693
01-04 years	73,350	243,361	168,546	54,270
05-09 years	100,919	303,391	211,585	66,877
10-14 years	107,060	314,919	224,521	67,062
15-19 years	99,201	327,865	233,319	71,264
20-24 years	91,485	346,900	241,707	76,606
25-29 years	89,362	368,540	261,245	75,032
30-34 years	88,307	351,875	259,097	58,270
35-39 years	88,527	337,265	251,000	54,427
40-44 years	83,422	307,706	229,379	49,671
45-49 years	73,292	338,274	258,910	53,215
50-54 years	58,967	357,965	283,747	53,063
55-59 years	47,128	380,787	307,897	54,243
60-64 years	35,641	341,597	279,791	44,241
65-69 years	24,222	276,955	229,194	32,755
70-74 years	15,078	201,721	167,880	22,600
75-79 years	9,151	134,491	112,137	15,001
80-84 years	5,951	88,096	74,167	9,675
85+ years	5,069	83,884	73,266	7,692
Total	1,113,831	5,164,723	3,907,788	879,657
2017 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	17,030	56,833	38,640	13,153
01-04 years	70,899	231,522	159,059	52,765
05-09 years	98,010	289,901	201,733	64,279
10-14 years	102,464	302,829	213,757	65,793
15-19 years	96,012	312,343	220,741	68,975
20-24 years	88,264	335,602	232,203	75,640
25-29 years	81,453	364,733	252,858	77,163
30-34 years	79,474	353,582	254,431	63,659
35-39 years	80,889	344,146	247,405	62,680
40-44 years	77,258	316,664	226,699	59,191
45-49 years	67,909	351,145	258,620	63,437
50-54 years	54,093	375,076	288,040	62,982
55-59 years	44,657	405,077	317,761	65,478
60-64 years	34,802	373,209	293,901	57,960
65-69 years	25,059	313,302	248,732	46,343
70-74 years	17,533	240,322	194,674	32,554
75-79 years	11,449	175,380	142,351	24,275
80-84 years	7,972	128,181	105,689	17,178
85+ years	8,077	168,188	145,321	17,544
Total	1,063,304	5,438,035	4,042,615	991,049

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2018 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	33,737	113,669	77,146	26,877
01-04 years	142,860	469,482	323,013	106,065
05-09 years	192,344	585,613	406,640	129,459
10-14 years	210,932	609,116	430,163	131,937
15-19 years	197,973	630,411	447,216	136,461
20-24 years	180,806	664,090	462,184	146,169
25-29 years	172,465	729,982	506,382	156,655
30-34 years	165,330	699,981	506,441	123,299
35-39 years	168,552	685,023	499,797	117,581
40-44 years	161,067	622,143	455,406	106,946
45-49 years	144,394	671,795	499,897	115,127
50-54 years	116,584	703,774	545,276	112,634
55-59 years	94,481	772,098	612,843	118,005
60-64 years	73,807	722,867	579,115	104,333
65-69 years	51,531	597,170	482,552	80,494
70-74 years	35,114	456,803	373,459	57,336
75-79 years	21,916	325,724	267,890	40,658
80-84 years	14,637	220,689	182,900	27,429
85+ years	14,095	251,630	216,652	25,958
Total	2,192,625	10,532,060	7,874,972	1,863,423
2018 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,980	58,161	39,497	13,770
01-04 years	72,679	240,538	166,045	53,954
05-09 years	97,675	299,817	208,390	66,094
10-14 years	107,362	310,633	220,279	66,747
15-19 years	100,802	322,424	229,691	69,089
20-24 years	91,686	337,716	235,781	73,598
25-29 years	89,510	367,506	257,611	77,535
30-34 years	87,024	350,121	256,253	59,313
35-39 years	88,139	338,847	251,108	54,755
40-44 years	83,726	307,342	229,450	49,201
45-49 years	74,795	329,293	250,118	52,210
50-54 years	60,805	343,684	270,710	51,408
55-59 years	48,695	374,095	301,762	53,399
60-64 years	37,289	345,737	282,533	45,353
65-69 years	25,384	279,944	231,314	33,336
70-74 years	16,516	209,168	173,794	23,417
75-79 years	9,708	141,769	118,280	15,588
80-84 years	6,236	90,534	76,036	9,870
85+ years	5,474	84,281	73,084	7,949
Total	1,120,485	5,131,610	3,871,736	876,586
2018 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,757	55,508	37,649	13,107
01-04 years	70,181	228,944	156,968	52,111
05-09 years	94,669	285,796	198,250	63,365
10-14 years	103,570	298,483	209,884	65,190
15-19 years	97,171	307,987	217,525	67,372
20-24 years	89,120	326,374	226,403	72,571
25-29 years	82,955	362,476	248,771	79,120
30-34 years	78,306	349,860	250,188	63,986
35-39 years	80,413	346,176	248,689	62,826
40-44 years	77,341	314,801	225,956	57,745
45-49 years	69,599	342,502	249,779	62,917
50-54 years	55,779	360,090	274,566	61,226
55-59 years	45,786	398,003	311,081	64,606
60-64 years	36,518	377,130	296,582	58,980
65-69 years	26,147	317,226	251,238	47,158
70-74 years	18,598	247,635	199,665	33,919
75-79 years	12,208	183,955	149,610	25,070
80-84 years	8,401	130,155	106,864	17,559
85+ years	8,621	167,349	143,568	18,009
Total	1,072,140	5,400,450	4,003,236	986,837

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2019 Both Sexes	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	33,216	108,651	74,772	24,570
01-04 years	141,084	462,704	316,705	105,677
05-09 years	186,745	582,529	403,378	129,313
10-14 years	209,847	596,950	419,753	130,191
15-19 years	200,713	622,704	441,612	133,414
20-24 years	182,300	647,216	451,742	140,616
25-29 years	174,943	722,925	498,763	158,194
30-34 years	163,256	698,008	500,477	127,706
35-39 years	167,116	683,295	497,948	116,865
40-44 years	160,214	625,858	458,149	107,114
45-49 years	147,382	651,220	480,571	113,403
50-54 years	119,988	679,067	522,942	109,157
55-59 years	97,426	756,594	598,569	115,804
60-64 years	76,753	726,051	580,732	105,875
65-69 years	54,251	607,288	489,665	82,739
70-74 years	37,458	476,532	388,735	60,203
75-79 years	23,295	335,560	275,385	41,775
80-84 years	15,248	226,146	186,951	27,974
85+ years	15,008	251,476	215,038	26,727
Total	2,206,243	10,460,774	7,801,887	1,857,317
2019 Males	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,774	55,658	38,363	12,556
01-04 years	71,671	236,754	162,504	53,780
05-09 years	94,899	298,706	207,066	66,094
10-14 years	106,580	304,235	214,661	65,878
15-19 years	102,402	318,333	226,727	67,597
20-24 years	92,167	328,826	230,288	70,688
25-29 years	90,008	365,129	254,437	78,675
30-34 years	86,080	349,713	253,484	61,854
35-39 years	87,455	338,321	250,249	54,561
40-44 years	83,194	309,337	230,831	49,584
45-49 years	76,182	319,006	240,559	51,160
50-54 years	62,564	331,827	259,839	49,735
55-59 years	50,206	366,929	294,915	52,589
60-64 years	38,830	347,334	283,216	46,170
65-69 years	26,899	284,782	234,951	34,312
70-74 years	17,677	218,115	181,222	24,308
75-79 years	10,366	146,643	122,014	16,182
80-84 years	6,548	92,916	77,805	10,120
85+ years	5,820	85,011	73,218	8,210
Total	1,126,322	5,097,575	3,836,349	874,053
2019 Females	**Hispanic (any race)**	**Non-Hispanic (any race)**	**Non-Hispanic White**	**Non-Hispanic Black**
00 years	16,442	52,993	36,409	12,014
01-04 years	69,413	225,950	154,201	51,897
05-09 years	91,846	283,823	196,312	63,219
10-14 years	103,267	292,715	205,092	64,313
15-19 years	98,311	304,371	214,885	65,817
20-24 years	90,133	318,390	221,454	69,928
25-29 years	84,935	357,796	244,326	79,519
30-34 years	77,176	348,295	246,993	65,852
35-39 years	79,661	344,974	247,699	62,304
40-44 years	77,020	316,521	227,318	57,530
45-49 years	71,200	332,214	240,012	62,243
50-54 years	57,424	347,240	263,103	59,422
55-59 years	47,220	389,665	303,654	63,215
60-64 years	37,923	378,717	297,516	59,705
65-69 years	27,352	322,506	254,714	48,427
70-74 years	19,781	258,417	207,513	35,895
75-79 years	12,929	188,917	153,371	25,593
80-84 years	8,700	133,230	109,146	17,854
85+ years	9,188	166,465	141,820	18,517
Total	1,079,921	5,363,199	3,965,538	983,264

APPENDIX B

SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008

SEER Site Groups for Primary Site Based on ICD-O-3/WHO 2008 Definition*^

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Oral Cavity and Pharynx			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089		20030
Floor of Mouth	C040-C049		20040
Gum and Other Mouth	C030-C039, C050-C059, C060-C069		20050
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
Digestive System			
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179		21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182		21043
Hepatic Flexure	C183		21044
Transverse Colon	C184		21045
Splenic Flexure	C185		21046
Descending Colon	C186		21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209		21052
Anus, Anal Canal, and Anorectum	C210-C212, C218		21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221		21072
Gallbladder	C239		21080
Other Biliary	C240-C249		21090

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Pancreas	C250-C259		21100
Retroperitoneum	C480		21110
Peritoneum, Omentum, and Mesentery	C481-C482		21120
Other Digestive Organs	C268-C269, C488		21130
Respiratory System			
Nose, Nasal Cavity, and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329		22020
Lung and Bronchus	C340-C349		22030
Pleura	C384		22050
Trachea, Mediastinum, and Other Respiratory Organs	C339, C381-C383, C388, C390, C398, C399		22060
Bones and Joints	**C400-C419**	**excluding 9050-9055, 9140, 9590-9992**	**23000**
Soft Tissue, Including Heart	**C380, C470-C479, C490-C499**	**excluding 9050-9055, 9140, 9590-9992**	**24000**
Skin, Excluding Basal and Squamous			
Melanoma of the Skin	C440-C449	8720-8790	25010
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050-8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020
Breast	**C500-C509**	**excluding 9050-9055, 9140, 9590-9992**	**26000**
Female Genital System			
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010
Corpus and Uterus, NOS			
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020
Uterus, NOS	C559		27030
Ovary	C569		27040
Vagina	C529		27050
Vulva	C510-C519		27060
Other Female Genital Organs	C570-C589		27070
Male Genital System			
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010
Testis	C620-C629		28020
Penis	C600-C609		28030
Other Male Genital Organs	C630-C639		28040
Urinary System			
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010
Kidney and Renal Pelvis	C649, C659		29020
Ureter	C669		29030
Other Urinary Organs	C680-C689		29040
Eye and Orbit	**C690-C699**	**excluding 9050-9055, 9140, 9590-9992**	**30000**

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Brain and Other Nervous System			
Brain	C710-C719	excluding 9050-9055, 9140, 9530-9539, 9590-9992	31010
Cranial Nerves Other Nervous System	C710-C719	9530-9539	31040
	C700-C709, C720-C729	excluding 9050-9055, 9140, 9590-9992	
Endocrine System			
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010
Other Endocrine, Including Thymus	C379, C740-C749, C750-C759		32020
Lymphoma			
Hodgkin Lymphoma			
Hodgkin - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin - Extranodal	All other sites		33012
Non-Hodgkin Lymphoma			
NHL - Nodal	C024, C098,C099, C111,C142, C379,C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738	33042
	All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424, C770-C779	9811-9818, 9823, 9827, 9837	
Myeloma		**9731-9732, 9734**	**34000**
Leukemia			
Lymphocytic Leukemia			
Acute Lymphocytic Leukemia		9826, 9835-9836	35011
	C420, C421, C424	9811-9818, 9837	
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	35012
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Chronic Myeloid Leukemia		9863, 9875-9876, 9945-9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic, and NOS		9733, 9742, 9800, 9831, 9870, 9948, 9963-9964	35043
	C420, C421, C424	9827	
Mesothelioma		**9050-9055**	**36010**
Kaposi Sarcoma		**9140**	**36020**
Miscellaneous		**9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982-9987, 9989, 9991-9992**	**37000**
	C760-C768, C809	**excluding 9050-9055, 9140, 9590-9992**	
	C420-C424		
	C770-C779		
Invalid	**Site or histology code not within valid range or site code not found in this table.**		**99999**

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.
^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX C

SEER Site/Histology Recode Based on ICCC Third Edition and ICD-O-3/WHO 2008

Site/Histology Recode Based on International Classification of Childhood Cancer, Third Edition (ICCC-3) Based on ICD-O-3 / WHO 2008*^

Main Classification Table

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
I Leukemias, Myeloproliferative Diseases, and Myelodysplastic Diseases					
(a) Lymphoid Leukemias					
(a.1) Precursor Cell Leukemias	C000-C809	9835-9836	3	001	011
	C420-C421, C424	9811-9818, 9837			
(a.2) Mature B-cell Leukemias	C000-C809	9826, 9832-9833, 9940	3	002	011
	C420-C421, C424	9823			
(a.3) Mature T-cell and NK Cell Leukemias	C000-C809	9831, 9834, 9948	3	003	011
	C420-C421, C424	9827			
(a.4) Lymphoid Leukemia, NOS	C000-C809	9820	3	004	011
(b) Acute Myeloid Leukemias	C000-C809	9840, 9861, 9865-9867, 9869-9874, 9891, 9895-9898, 9910-9911, 9920, 9931	3	005	012
(c) Chronic Myeloproliferative Diseases	C000-C809	9863, 9875-9876, 9950, 9960-9964	3	006	013
(d) Myelodysplastic Syndrome and Other Myeloproliferative Diseases	C000-C809	9945-9946, 9975, 9980, 9982-9987, 9989, 9991-9992	3	007	014
(e) Unspecified and Other Specified Leukemias	C000-C809	9800-9801, 9805-9809, 9860, 9930, 9965-9967, 9971	3	008	015
II Lymphomas and Reticuloendothelial Neoplasms					
(a) Hodgkin Lymphomas	C000-C809	9650-9655, 9659, 9661-9665, 9667	3	009	021
(b) Non-Hodgkin Lymphomas (except Burkitt Lymphoma)					
(b.1) Precursor Cell Lymphomas	C000-C809	9727-9729	3	010	022
	C000-C419, C422-C423, C425-C809	9811-9818, 9837			
(b.2) Mature B-cell Lymphomas (except Burkitt Lymphoma)	C000-C809	9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9688-9691, 9695, 9698-9699, 9712, 9731-9735, 9737-9738, 9761-9762, 9764-9766, 9769, 9970	3	011	022
	C000-C419, C422-C423, C425-C809	9823			
(b.3) Mature T-cell and NK-Cell Lymphomas	C000-C809	9700-9702, 9705, 9708-9709, 9714, 9716-9719, 9724-9726, 9767-9768	3	012	022
	C000-C419, C422-C423, C425-C809	9827			

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.4) Non-Hodgkin Lymphomas, NOS	C000-C809	9591, 9760	3	013	022
(c) Burkitt Lymphoma	C000-C809	9687	3	014	023
(d) Miscellaneous Lymphoreticular Neoplasms	C000-C809	9740-9742, 9750-9759	3	015	024
(e) Unspecified Lymphomas	C000-C809	9590, 9596	3	016	025
III CNS and Miscellaneous Intracranial and Intraspinal Neoplasms					
(a) Ependymomas and Choroid Plexus Tumor					
(a.1) Ependymomas	C000-C809	9383, 9391-9394	0,1,3	017	031
(a.2) Choroid Plexus Tumor	C000-C809	9390	0,1,3	018	031
(b) Astrocytomas	C723	9380	0,1,3	019	032
	C000-C809	9384, 9400-9411, 9420-9424, 9440-9442	0,1,3	019	032
(c) Intracranial and Intraspinal Embryonal Tumors					
(c.1) Medulloblastomas	C000-C809	9470-9472, 9474, 9480	0,1,3	020	033
(c.2) PNET	C000-C809	9473	0,1,3	021	033
(c.3) Medulloepithelioma	C700-C729	9501-9504	0,1,3	022	033
(c.4) Atypical Teratoid/Rhabdoid Tumor	C000-C809	9508	0,1,3	023	033
(d) Other Gliomas					
(d.1) Oligodendrogliomas	C000-C809	9450, 9451, 9460	0,1,3	024	034
(d.2) Mixed and Unspecified Gliomas	C700-C722, C724-C729, C751, C753	9380	0,1,3	025	034
	C000-C809	9382	0,1,3	025	034
(d.3) Neuroepithelial Glial Tumors of Uncertain Origin	C000-C809	9381, 9430, 9444	0,1,3	026	034
(e) Other Specified Intracranial and Intraspinal Neoplasms					
(e.1) Pituitary Adenomas and Carcinomas	C000-C809	8270-8281, 8300	0,1,3	027	035
(e.2) Tumors of the Sellar Region (Craniopharyngiomas)	C000-C809	9350-9352, 9582	0,1,3	028	035
(e.3) Pineal Parenchymal Tumors	C000-C809	9360-9362	0,1,3	029	035
(e.4) Neuronal and Mixed Neuronal-glial Tumors	C000-C809	9412-9413, 9492, 9493, 9505-9507	0,1,3	030	035
(e.5) Meningiomas	C000-C809	9530-9539	0,1,3	031	035
(f) Unspecified Intracranial and Intraspinal Neoplasms	C700-C729, C751-C753	8000-8005	0,1,3	032	036
IV Neuroblastoma and Other Peripheral Nervous Cell Tumors					
(a) Neuroblastoma and Ganglioneuroblastoma	C000-C809	9490, 9500	3	033	041

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other peripheral Nervous Cell Tumors	C000-C809	8680-8683, 8690-8693, 8700, 9520-9523	3	034	042
	C000-C699, C739-C768, C809	9501-9504	3	034	042
V Retinoblastoma	**C000-C809**	**9510-9514**	**3**	**035**	**050**
VI Renal tumors					
(a) Nephroblastoma and Other Nonepithelial Renal Tumors					
(a.1) Nephroblastoma	C000-C809	8959, 8960	3	036	061
(a.2) Rhabdoid Renal Tumor	C649	8963	3	037	061
(a.3) Kidney Sarcomas	C000-C809	8964-8967	3	038	061
(a.4) pPNET of Kidney	C649	9364	3	039	061
(b) Renal Carcinomas	C649	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8155, 8190-8201, 8210-8211, 8221-8231, 8240-8241, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	040	062
	C000-C809	8311-8312, 8316-8319, 8361	3	040	062
(c) Unspecified Malignant Renal Tumors	C649	8000-8005	3	041	063
VII Hepatic Tumors					
(a) Hepatoblastoma	C000-C809	8970	3	042	071
(b) Hepatic Carcinomas	C220, C221	8010-8041, 8050-8075, 8082, 8120-8122, 8140-8141, 8143, 8155, 8190-8201, 8210-8211, 8230, 8231, 8240-8241, 8244-8246, 8260-8264, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	043	072
	C000-C809	8160-8180	3	043	072
(c) Unspecified Malignant Hepatic Tumors	C220-C221	8000-8005	3	044	073
VIII Malignant Bone Tumors					
(a) Osteosarcomas	C400-C419, C760-C768, C809	9180-9187, 9191-9195, 9200	3	045	081
(b) Chondrosarcomas	C400-C419, C760-C768, C809	9210, 9220, 9240	3	046	082
	C000-C809	9221, 9230, 9241-9243	3	046	082
(c) Ewing Tumor and Related Sarcomas of Bone					
(c.1) Ewing Tumor and Askin Tumor of Bone	C400-C419, C760-C768, C809	9260	3	047	083
	C400-C419	9365	3	047	083
(c.2) pPNET of Bone	C400-C419	9363-9364	3	048	083
(d) Other Specified Malignant Bone Tumors					

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.1) Malignant Fibrous Neoplasms of Bone	C400-C419	8810-8811, 8823, 8830	3	049	084
	C000-C809	8812, 9262	3	049	084
(d.2) Malignant Chordomas	C000-C809	9370-9372	3	050	084
(d.3) Odontogenic Malignant Tumors	C000-C809	9270-9275, 9280-9282, 9290, 9300-9302, 9310-9312, 9320-9322, 9330, 9340-9342	3	051	084
(d.4) Miscellaneous Malignant Bone Tumors	C000-C809	9250, 9261	3	052	084
(e) Unspecified Malignant Bone Tumors	C400-C419	8000-8005, 8800-8801, 8803-8805	3	053	085
IX Soft Tissue and Other Extraosseous Sarcomas					
(a) Rhabdomyosarcomas	C000-C809	8900-8905, 8910, 8912, 8920, 8991	3	054	091
(b) Fibrosarcomas, Peripheral Nerve Sheath Tumors, and Other Fibrous Neoplasms					
(b.1) Fibroblastic and Myofibroblastic Tumors	C000-C399, C440-C768, C809	8810-8811, 8813-8815, 8821, 8823, 8834-8835	3	055	092
	C000-C809	8820, 8822, 8824-8827, 9150, 9160	3	055	092
(b.2) Nerve Sheath Tumors	C000-C809	9540-9571	3	056	092
(b.3) Other Fibromatous Neoplasms	C000-C809	9491, 9580	3	057	092
(c) Kaposi Sarcoma	C000-C809	9140	3	058	093
(d) Other Specified Soft Tissue Sarcomas					
(d.1) Ewing Tumor and Askin Tumor of Soft Tissue	C000-C399, C470-C759	9260	3	059	094
	C000-C399, C470-C639, C659-C768, C809	9365	3	059	094
(d.2) pPNET of Soft Tissue	C000-C399, C470-C639, C659-C699, C739-C768, C809	9364	3	060	094
(d.3) Extrarenal Rhabdoid Tumor	C000-C639, C659-C699, C739-C768, C809	8963	3	061	094
(d.4) Liposarcomas	C000-C809	8850-8858, 8860-8862, 8870, 8880-8881	3	062	094
(d.5) Fibrohistiocytic Tumors	C000-C399, C440-C768, C809	8830	3	063	094
	C000-C809	8831-8833, 8836, 9251-9252	3	063	094
(d.6) Leiomyosarcomas	C000-C809	8890-8898	3	064	094
(d.7) Synovial Sarcomas	C000-C809	9040-9044	3	065	094
(d.8) Blood Vessel Tumors	C000-C809	9120-9125, 9130-9133, 9135-9136, 9141-9142, 9161, 9170-9175	3	066	094

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.9) Osseous and Chondromatous Neoplasms of Soft Tissue	C490-C499	9180, 9210, 9220, 9240	3	067	094
	C000-C809	9231	3	067	094
(d.10) Alveolar Soft Parts Sarcoma	C000-C809	9581	3	068	094
(d.11) Miscellaneous Soft Tissue Sarcomas	C000-C809	8587, 8710-8713, 8806, 8840-8842, 8921, 8982, 8990, 9373	3	069	094
(e) Unspecified Soft Tissue Sarcomas	C000-C399, C440-C768, C809	8800-8805	3	070	095
X Germ Cell Tumors, Trophoblastic Tumors, and Neoplasms of Gonads					
(a) Intracranial and Intraspinal Germ Cell Tumors					
(a.1) Intracranial and Intraspinal Germinomas	C700-C729, C751-C753	9060-9065	0,1,3	071	101
(a.2) Intracranial and Intraspinal Teratomas	C700-C729, C751-C753	9080-9084	0,1,3	072	101
(a.3) Intracranial and Intraspinal Embryonal Carcinomas	C700-C729, C751-C753	9070, 9072	0,1,3	073	101
(a.4) Intracranial and Intraspinal Yolk Sac Tumor	C700-C729, C751-C753	9071	0,1,3	074	101
(a.5) Intracranial and Intraspinal Choriocarcinoma	C700-C729, C751-C753	9100	0,1,3	075	101
(a.6) Intracranial and Intraspinal Tumors of Mixed Forms	C700-C729, C751-C753	9085, 9101	0,1,3	076	101
(b) Malignant Extracranial and Extragonadal Germ Cell Tumors					
(b.1) Malignant Germinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9060-9065	3	077	102
(b.2) Malignant Teratomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9080-9084	3	078	102
(b.3) Embryonal Carcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9070, 9072	3	079	102
(b.4) Yolk Sac Tumor of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9071	3	080	102
(b.5) Choriocarcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9100, 9103, 9104	3	081	102

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.6) Other and Unspecified Malignant Mixed Germ Cell Tumors of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9085, 9101-9102, 9105	3	082	102
(c) Malignant Gonadal Germ Cell Tumors					
(c.1) Malignant Gonadal Germinomas	C569, C620-C629	9060-9065	3	083	103
(c.2) Malignant Gonadal Teratomas	C569, C620-C629	9080-9084, 9090-9091	3	084	103
(c.3) Gonadal Embryonal Carcinomas	C569, C620-C629	9070, 9072	3	085	103
(c.4) Gonadal Yolk Sac Tumor	C569, C620-C629	9071	3	086	103
(c.5) Gonadal Choriocarcinoma	C569, C620-C629	9100	3	087	103
(c.6) Malignant Gonadal Tumors of Mixed Forms	C569, C620-C629	9085, 9101	3	088	103
(c.7) Malignant Gonadal Gonadoblastoma	C569, C620-C629	9073	3	089	103
(d) Gonadal Carcinomas	C569, C620-C629	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8190-8201, 8210-8211, 8221-8241, 8244-8246, 8260-8263, 8290, 8310, 8313, 8320, 8323, 8380-8384, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8573, 9000, 9014, 9015	3	090	104
	C000-C809	8441-8444, 8450-8451, 8460-8473	3	090	104
(e) Other and Unspecified Malignant Gonadal Tumors	C000-C809	8590-8671	3	091	105
	C569, C620-C629	8000-8005	3	091	105
XI Other Malignant Epithelial Neoplasms and Malignant Melanomas					
(a) Adrenocortical Carcinomas	C000-C809	8370-8375	3	092	111
(b) Thyroid Carcinomas	C739	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230, 8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8510, 8560-8573	3	093	112
	C000-C809	8330-8337, 8340-8347, 8350	3	093	112
(c) Nasopharyngeal Carcinomas	C110-C119	8010-8041, 8050-8075, 8082-8083, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230-8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8500-8576	3	094	113
(d) Malignant Melanomas	C000-C809	8720-8780, 8790	3	095	114

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(e) Skin Carcinomas	C440-C449	8010-8041, 8050-8075, 8078, 8082, 8090-8110, 8140, 8143, 8147, 8190, 8200, 8240, 8246-8247, 8260, 8310, 8320, 8323, 8390-8420, 8430, 8480, 8542, 8560, 8570-8573, 8940, 8941	3	096	115
(f) Other and Unspecified Carcinomas					
(f.1) Carcinomas of Salivary Glands	C079-C089	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	097	116
(f.2) Carcinomas of Colon and Rectum	C180, C182-C189, C199, C209, C210-C218	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	098	116
(f.3) Carcinomas of Appendix	C181	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	099	116
(f.4) Carcinomas of Lung	C340-C349	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	100	116
(f.5) Carcinomas of Thymus	C379	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	101	116
(f.6) Carcinomas of Breast	C500-C509	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	102	116

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(f.7) Carcinomas of Cervix Uteri	C530-C539	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	103	116
(f.8) Carcinomas of Bladder	C670-C679	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	104	116
(f.9) Carcinomas of Eye	C690-C699	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	105	116
(f.10) Carcinomas of Other Specified Sites	C000-069, C090-C109, C129-C179, C239-C339, C380-C399, C480-C488, C510-C529, C540-C549, C559, C570-C619, C630-C639, C659-C669, C680-C689, C700-C729, C750-C759	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	106	116
(f.11) Carcinomas of Unspecified Site	C760-C768, C809	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	107	116
XII Other and Unspecified Malignant Neoplasms					
(a) Other Specified Malignant Tumors					
(a.1) Gastrointestinal Stromal Tumor	C000-C809	8936	3	108	121
(a.2) Pancreatoblastoma	C000-C809	8971	3	109	121
(a.3) Pulmonary Blastoma and Pleuropulmonary Blastoma	C000-C809	8972, 8973	3	110	121
(a.4) Other Complex Mixed and Stromal Neoplasms	C000-C809	8930-8935, 8950-8951, 8974-8981	3	111	121
(a.5) Mesothelioma	C000-C809	9050-9055	3	112	121
(a.6) Other Specified Malignant Tumors	C000-C809	9110	3	113	121
	C000-C399, C470-C759	9363	3	113	121

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other Unspecified Malignant Tumors	C000-C218, C239-C399, C420-C559, C570-C619, C630-C639, C659-C699, C739-C750, C754-809	8000-8005	3	114	122

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX D
Formulas for Rates

Formulas for Rates

SEER*Stat software was used to calculate rates. The following are the rate algorithms.

Crude Rate

A crude rate is the number of new cases (or deaths) occurring in a specified population per year, usually expressed as the number of cases per 100,000 population at risk.

$$cruderate = \frac{count}{population} \times 100{,}000$$

SEER*Stat allows you to display rates as cases per 1,000; 10,000; 100,000; or 1,000,000.

Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, 1990, and 2000), 1991 and 1996 Canadian populations, European population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^{y} \left[\left(\frac{count_i}{pop_i} \right) \times 100{,}000 \times \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right) \right]$$

where count is the number of cases for the ith age group, *popi* is the relevant population for the same age group, and *stdmili* is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100{,}000$$

Standard Error for an Age-adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AArate} = \left[\sum_{i=x}^{y} \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100{,}000$$

Crude Rate Confidence Intervals

The endpoints of a p x 100% confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2}\left(ChiInv\left(\frac{p}{2}, 2 \times count\right)\right)\right)}{population} \times 100{,}000$$

$$CI_{high} = \frac{\left(\frac{1}{2}\left(ChiInv\left(1 - \frac{p}{2}, 2 \times (count + 1)\right)\right)\right)}{population} \times 100{,}000$$

where *Chi Inv*(p,n) is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define *Chi Inv* (p,0) = 0.
Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts. When the count is large these two methods produce similar results.

Age-adjusted Rate Confidence Intervals
Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^{y} stdmil_j\right)}$$

$$v = \sum_{i=x}^{y} \left(w_i^2 \times count_i\right)$$

The endpoints of a p × 100% confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(\frac{p}{2}, \frac{\left(2 \times rate^2\right)}{v}\right)\right) \times 100{,}000$$

$$CI_{high} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(1 - \frac{p}{2}, \frac{\left(2 \times rate^2\right)}{v}\right)\right) \times 100{,}000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note: The rate used in the above formulas is not per 100,000 population.

References:

Johnson NL, Kotz S. Distributions in Statistics: Discrete Distributions. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. Statistics in Medicine 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006 Dec;15(6):547-69.