



State of Illinois
Illinois Department of Public Health

Illinois State Cancer Incidence Review and Update, 1986-2020

Epidemiologic Report Series 23:06

April 2023

Illinois State Cancer Incidence Review and Update, 1986-2020



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

April 2023

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Jane Fornoff, D.Phil.
Division Chief

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers of Disease Control and Prevention or the National Institutes of Health.

The Illinois State Cancer Registry has been funded in whole or in part with federal funds from the National Cancer Institute (NCI); National Institutes of Health; U.S. Department of Health and Human Services, under Contract No. 75N91021D00006; the National Program of Cancer Registries; Centers for Disease Control and Prevention under cooperative agreement 1NU58DP007162-01-00; and the state of Illinois.

Suggested citation

Garner K, Fornoff J. Illinois State Cancer Incidence Review and Update, 1986-2020. Epidemiologic Report Series 23:06. Springfield, Ill.: Illinois Department of Public Health, April 2023.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health (IDPH), Illinois State Cancer Registry (ISCR), makes these data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH, and none should be inferred.

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE

1986-2020

TABLE OF CONTENTS

Overview	1
Technical Notes	2

SECTION I

Cancer Incidence by Race, Illinois, 1986-2020	I-1
All Sites Combined.....	I-2
Oral Cavity and Pharynx.....	I-8
Digestive System.....	I-62
Respiratory System.....	I-128
Bones and Joints.....	I-146
Soft Tissue, Including Heart.....	I-152
Skin Excluding Basal and Squamous.....	I-158
Breast Excluding <i>In Situ</i>	I-170
Female Genital System.....	I-176
Male Genital System	I-188
Urinary System	I-196
Eye and Orbit.....	I-220
Brain and Other Nervous System.....	I-226
Endocrine System.....	I-238
Lymphoma.....	I-250
Myeloma.....	I-268
Leukemia	I-274
Mesothelioma	I-310
Kaposi Sarcoma	I-316
III-defined and Unknown Sites	I-322
Female Breast <i>In Situ</i>	I-328

SECTION II

Cancer Incidence by Hispanic Ethnicity and Race, Illinois, 1990-2020	II-1
All Sites Combined.....	II-2
Oral Cavity and Pharynx	II-5
Digestive System	II-32
Respiratory System	II-65
Bones and Joints.....	II-74

Soft Tissue, Including Heart	I-77
Skin Excluding Basal and Squamous	II-80
Breast Excluding In Situ	II-86
Female Genital System.....	II-89
Male Genital System	II-95
Urinary System (Including Bladder In Situ)	II-99
Eye and Orbit	II-111
Brain and Other Nervous System.....	II-114
Endocrine System.....	II-120
Lymphoma	II-126
Myeloma	II-135
Leukemia	II-138
Mesothelioma	II-156
Kaposi Sarcoma.....	II-159
III-defined and Unknown Sites	II-162
Female Breast In Situ	II-165

SECTION III

Pediatric Cancer Incidence, Illinois, 1986-2020	III-1
All Sites	III-2
Leukemia	III-3
Lymphomas and Reticuloendothelial Neoplasms	III-6
CNS and Miscellaneous Intracranial and Intraspinal Neoplasms.....	III-9
Neuroblastoma and Other Peripheral Nervous Cell Tumors	III-14
Retinoblastoma	III-16
Renal Tumor.....	III-17
Hepatic Tumor	III-19
Malignant Bone Tumor.....	III-21
Soft Tissue and Other Extraosseous Sarcomas	III-24
Germ Cell, Trophoblastic Tumors and Neoplasms of Gonads.....	III-26
Other Malignant Epithelial Neoplasms and Melanomas	III-29
Other and Unspecified Malignant Neoplasms	III-32

Appendix A: Illinois Populations Used for Rate Calculations 1986-2020	A-1
Appendix B: SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008	B-1
Appendix C: SEER Site Groups for Pediatric Incidence Based on ICD-O-3 / WHO 2008 .	C-1
Appendix D: Formulas for Rates.....	D-1

ILLINOIS STATE CANCER INCIDENCE REVIEW AND UPDATE 1986-2020

OVERVIEW

This is the 30th release of the annual Illinois state cancer statistics report. This report presents Illinois' cancer incidence for 1986 through 2020 for all races combined, Whites, Blacks, and Asian/other races and for 1990 through 2020 for Hispanics (any race), non-Hispanics (any race), non-Hispanic Whites and non-Hispanic Blacks. Pediatric cancer incidence statistics on Illinois children for 1986 through 2020 are included in a separate section. Cancer mortality data is presented in a separate report. To be consistent with national guidelines, all rates in this report were created using both the intercensal and Vintage 2020 population estimates and age-adjusted to the 2000 U.S. standard million population.

Cancer group definitions for major and minor sites are those established by the Surveillance Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR), and the United States Cancer Statistics (USCS) of the Centers for Disease Control and Prevention (CDC). These standardized classification schemes allow direct comparisons of Illinois cancer statistics with international, national, and state publications.¹⁻⁵

In this report, incidence data were tabulated for each major or minor cancer site for four race groups and four ethnicity/race groups. Counts, age-adjusted rates, standard errors, and 95% confidence intervals for rates are displayed for the combined 1986-2020 time-period as well as for individual years. For cancers occurring in both genders, separate tables are presented for both males and females. Pediatric cancer incidence rates are presented for all races, both sexes, and by two age groups: 0- 14 and 0-19 years.

INCIDENCE HIGHLIGHTS

- A total of 2,106,441 cases of invasive cancer among Illinois residents were reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2020, including 65,397 new cases reported in 2020. The overall race distribution for cases in 2020 was 81.6% White, 13.0% Black, and 3.4% Asian/other races.
- For the ethnicity/race categories, a total of 1,927,516 cases of invasive cancer among Illinois residents were reported to ISCR from 1990 through 2020. The ethnicity/race distribution for cases diagnosed in 2020 was 7.6% Hispanics (any race) and 92.4% non-Hispanics (any race); among non-Hispanic cases, non-Hispanic Whites accounted for 81.0% and non-Hispanic Blacks 13.9%.

- In 2020, Black males continue to have the highest overall age-adjusted invasive cancer incidence rates of all major race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their White or Black counterparts.
- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for 30.4% of 32,410 invasive cancer diagnoses in women during 2020. The predominance of breast cancer among females persists for all major race and ethnicity groups.
- The incidence of female breast cancer diagnosed in the *in-situ* stage increased steadily for every race and ethnicity group across 1986-1999 with an annual percent increase of 8.2% but slowed after 1999. The annual percent change between 1999 and 2012 was an increase of 1.7% for all races. Between 2012 and 2020 the annual percent changed direction and decreased by 1.7% annually. These trends suggest that screening mammography usage and the earlier detection of breast cancer among Illinois women may have plateaued.
- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for 25.3% of 32,987 new cancer diagnoses in men during 2020. Black males had the highest prostate cancer incidence rates among all race groups, approximately 54.2% higher than those observed for White males and over three times those observed for males of Asian/other races in 2020.
- The incidence of male prostate cancer realized a 18.7% annual increase between 1989 and 1992. The rate then dropped slightly before plateauing between 1995 and 2008. From 2008 to 2013 the annual percent change for prostate cancer incidence indicated a 7.5% decrease on average. After 2013 the trend again flattened out through 2020. The same trends were seen across 1986-2020 in both White and Black men.
- A total of 20,249 new cases of cancer were diagnosed during 1986-2020 among Illinois children aged 0 to 19 years. The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system, and lymphoma.

TECHNICAL NOTES

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories, and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are believed to be reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send back Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008), and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents, and their standards of quality.⁶ Between 1986 and 2020, approximately 6% of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths to identify cases not reported to ISCR. Between 1986 and 2020, 1.6% of reported cases were identified from death certificate clearance.

Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR case collection as of November 2022.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements.

The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public, however the identification or contact of individuals is prohibited.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made. Uses of these data do not constitute an endorsement of the user's opinion or conclusions by IDPH and none should be inferred.

Population Estimates

The population estimates of the sex- and race-specific, as well as sex- and ethnicity/race-specific groups in five-year age categories, were used as denominators in the formulation of rates. These population estimates of Illinois for all races, Whites, Blacks, and Asian/other races from 1986 through 2020, and for Hispanics, non-Hispanics, non-Hispanic White, and non-Hispanic Black for 1990 through 2020 were obtained from both the intercensal and Vintage 2020 bridged-race post censal population estimates files. Population estimates by age, sex, race, and Hispanic origin were produced by the U. S. Bureau of Census Population Estimates Program (<http://www.census.gov/programs-surveys/popest.html>), in collaboration with the National Center for Health Statistics, and with support from the National Cancer Institute (NCI) through an interagency agreement. The population estimates incorporate intercensal (for 2000-2009) and Vintage 2020 (for 2010-2020) bridged single-race estimates are derived from the original multiple race categories in the 2000 and 2010 censuses (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates, and a description of the methodology used to develop them, appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm).

The intercensal estimates provide an adjustment of previous population estimates based on the actual 2010 census results (<https://www2.census.gov/programs-surveys/popest/technical-documentation/methodology/intercensal/2000-2010-intercensal-estimates-methodology.pdf>).^{7,8} Previous estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Site Coding for Incidence Data: All cases diagnosed during 1986 through 2020 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.⁹ Cancer sites in this report were grouped according to site group definitions established by the SEER program of the National Cancer Institute (NCI)⁵ and are used also by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national, and other state publications.³⁻⁵ The ISCR cancer site groups used in this report are listed in Appendix B.

Beginning with the 1986-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers.

When comparing this report to the ones published before the 1986-2002 report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Overall, these changes would have a slight impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 1986-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Pediatric Cancer Groups: Tumors diagnosed in children are classified using SEER site/histology recode based on the *International Classification of Childhood Cancer, Third Edition* (ICCC-3)¹⁰ and ICD-O-3. The main classification table of the SEER recode scheme used in the present report was listed in Appendix C.

Rate Calculation: The SEER*Stat® software package,¹¹ developed by the Information Management Services Inc. for NCI, was used to calculate both incidence and mortality rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1 million population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. They are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.¹² Algorithms used for the calculation of standard errors and 95% confidence intervals are displayed in Appendix D.

Race-specific Rates: The race-specific categories in this report are all races combined, Whites, Blacks, and Asian/other races. Cases reported as unknown race were included in the "all races" category, but not in any race-specific group.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 was linked to the Indian Health Service (IHS), which provides medical services to an estimated 55% of the American Indian/Alaska Native population nationally.¹³ If a race code in the ISCR database is White, Black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for Whites, Blacks, or Asian/other races due to the relatively small number of cases affected.

Through the utilization of the NAACCR Asian Pacific Islander Identification Algorithm (NAPIIA) improvements have been, and will continue to be, made in classifying cancer incidence cases as Asian or Pacific Islander. NAPIAA uses birthplace and first, last, and maiden name fields, to assign a more specific race group to cases identified as Asian NOS, Pacific Islander NOS, other, and unknown.¹⁴

Since 1991 the ISCR has included the race category “Other Unspecified” in an aggregate group that contained “Asian and Other Races.” Beginning with the 2010 data year the “Other Unspecified” race group will not be included in the aggregate “Asian and Other Races” aggregate group used in the report. Cases identified as a race of “Other Unspecified” will continue to be included in the “All Races” grouping. This was done to maintain comparability to other state and national reporting sources.

Ethnicity/Race Rates: Hispanic ethnicity was derived according to the NAACCR Hispanic identification algorithm (NHIA).¹⁵ NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.¹⁶ Ethnic categories are reported as Hispanic (any race), non-Hispanic (any race), non-Hispanic Whites, and non-Hispanic Blacks. To be consistent with national and other state reports, cases reported as “unknown” ethnicity are included in the non-Hispanic group.

QUALITY CONTROL

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In addition to these activities, in 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). Since then, ISCR has submitted data each year to the NAACCR *Call for Data* and for NAACCR registry certification. Based on the certification criteria shown in the following table,² ISCR has been awarded gold certification for every diagnosis year from 1996 through 2019. Certification of diagnosis year 2020 has not yet been completed. The table below shows the criteria used for silver and gold certification.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2022, ISCR quality control data for each diagnosis year are as follow:

Year	Completeness (NAACCR Method) ^a (% As of 11-22)	Pass EDITS (%)	DCO ^b (%)	Unresolved Duplicate ^c (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1986	88	~	~	~	0.0	0.0	0.0	0.2
1987	90	~	~	~	0.0	0.0	0.0	0.2
1988	87	~	~	0.04	0.0	0.0	0.0	0.2
1989	88	~	~	0.04	0.0	0.0	0.0	0.2
1990	89	100	~	0.04	0.0	0.0	0.0	0.2
1991	88	100	~	0.04	0.0	0.0	0.0	0.5
1992	91	100	~	0.04	0.0	0.0	0.0	0.3
1993	92	100	2.2	0.04	0.0	0.0	0.0	0.2
1994	97	100	6.1	0.06	0.0	0.0	0.0	0.2
1995	99	100	2.6	0.03	0.0	0.0	0.0	0.3
1996	100	100	1.8	0.02	0.0	0.0	0.0	0.3
1997	100	100	1.8	0.09	0.0	0.0	0.0	0.5
1998	100	100	1.5	0.03	0.0	0.0	0.0	0.7
1999	100	100	1.8	0.02	0.0	0.0	0.0	0.7
2000	100	100	2.3	0.03	0.0	0.0	0.0	0.7
2001	100	100	2.4	0.00	0.0	0.0	0.0	0.6
2002	100	100	2.6	0.00	0.0	0.0	0.0	0.8
2003	100	100	1.5	0.02	0.0	0.0	0.0	0.8
2004	100	100	1.7	0.01	0.0	0.0	0.0	0.8
2005	100	100	1.9	0.00	0.0	0.0	0.0	1.0
2006	100	100	2.0	0.00	0.0	0.0	0.0	0.7
2007	100	100	1.2	0.00	0.0	0.0	0.0	0.7
2008	100	100	1.6	0.07	0.0	0.0	0.0	0.9
2009	100	100	1.6	0.03	0.0	0.0	0.0	1.0
2010	100	100	1.8	0.03	0.0	0.0	0.0	1.0
2011	100	100	1.8	0.00	0.0	0.0	0.0	1.2
2012	100	100	0.9	0.02	0.0	0.0	0.0	1.0
2013	100	100	1.0	0.02	0.0	0.0	0.0	0.9
2014	100	100	2.1	0.02	0.0	0.0	0.0	1.0
2015	100	100	2.1	0.09	0.0	0.0	0.0	1.0
2016	100	100	1.9	0.09	0.0	0.0	0.0	0.8
2017	100	100	1.9	0.06	0.0	0.0	0.0	0.8
2018	100	100	1.4	0.07	0.0	0.0	0.0	1.4
2019	100	100	0.9	0.02	0.0	0.0	0.0	1.5
2020	100	100	1.2	0.02	0.0	0.0	0.0	2.0

^a not applicable

a. For data prior to 1995, the NAACCR's completeness estimating algorithm (version 1) was used. For data on or after 1995, the NAACCR's completeness estimating algorithm (version 2) was used.

b. DCO follow back not started until end of 1993 reporting year.

c. NAACCR's duplicate protocol was run for each year at the time of data submission for registry certification.

DATA INTERPRETATION

Observed variations and differences over years and across sex and race groups in cancer incidence and/or mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes or differences, however, may not be real but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts (i.e., fewer than 16).
- Differences in registry database completeness and data quality will influence the magnitude of cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95% complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the “true” rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.
- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990, 2000, and 2010, the years of the U.S. decennial census, are the most accurate for all age-, race-, ethnicity-, and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence rates based on these population estimates would be expected to be less accurate than those for 1990, 2000, or 2010 (see notes under “Population Estimates”).
- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex, race and ethnicity/race groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines, with 95% probability, where the “true” rate may fall. The comparison of two sets of confidence intervals is only approximately equivalent to statistical significance tests for differences between two rates and may be more conservative than the standard significance test when the null hypothesis is true.¹⁷

REFERENCES

1. Thornton ML (ed). *Standards for Cancer Registries Volume II: Data Standards and Data Dictionary, Record Layout Version 23*. Twenty Fourth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, August 2022.
2. Hofferkamp, J (Ed). *Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data*. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
3. Sherman R, Firth R, Kahl A, et al (eds). *Cancer in North America: 2015-2019. Volume One: Combined Cancer Incidence for the United States, Canada, and North America*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
4. Sherman R, Firth R, Kahl A, et al (eds). *Cancer in North America: 2015-2019. Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
5. SEER*Explorer: An interactive website for SEER cancer statistics [Internet]. Surveillance Research Program, National Cancer Institute. [Accessed March 20, 2023]. Available from <https://seer.cancer.gov/statistics-network/explorer/>.
6. Lehnher M and Havener LA. Assessment of Interstate Exchange of Cancer Data, 1986-1998. *ISCR Quality Control Series 02:1*. Springfield, Ill.: Illinois Department of Public Health, January 2002.
7. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2020*. U.S. Census Bureau . [2020-est-relnotes.pdf \(census.gov\)](https://www.census.gov/2020-est-relnotes.pdf) Accessed March 20, 2023.
8. Surveillance Epidemiology and End Results, National Cancer Institute, U.S. National Institutes of Health. SEER – website. <http://seer.cancer.gov/popdata/>. Accessed March 20, 2023.
9. Fritz A, Percy C, Jack A, et al (eds). *International Classification of Diseases for Oncology*. Third edition. Geneva: World Health Organization, 2000.
10. Steliarova-Foucher E, Stiller C, Lacour B, and Kaatsch P. The International Classification of Childhood Cancer, Third Edition. *Cancer*. 2005;103:1457-67.

11. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) Version 8.4.0, March 31, 2022.
12. Tiwari RC, Clegg LX, and Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.
13. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, and Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer* 2008; 113(5 Suppl):1120-1130.
14. NAACCR Race and Ethnicity Workgroup. *NAACCR Asian/Pacific Islander identification Algorithm [ANPIIA v1.2.1]: Enhancing the Specificity of Identification*. Springfield, Ill.: North American Association of Central Cancer Registries, August 2011.
15. NAACCR Race and Ethnicity Workgroup. *NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino identification Algorithm [NHIA v2.2.1]*. Springfield, Ill.: North American Association of Central Cancer Registries, September 2011.
16. Howe HL. *Evaluation of NHIA Submission for 1997-2001*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
17. Schenke N and Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I
Cancer Incidence by Race
Illinois, 1986-2020

Invasive Cancer Incidence by Race, Illinois 1986-2020

All Sites											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,106,441	473.1	0.33	472.4	473.7	1,777,882	472.6	0.36	471.9	473.3	
1986	43,022	406.2	1.99	402.4	410.2	37,709	403.0	2.11	398.9	407.2	
1987	45,265	424.3	2.02	420.3	428.3	39,763	423.1	2.15	418.9	427.4	
1988	45,200	420.6	2.00	416.7	424.5	39,356	416.2	2.13	412.1	420.4	
1989	45,438	420.6	2.00	416.7	424.6	39,601	417.5	2.12	413.4	421.7	
1990	47,511	435.4	2.02	431.4	439.3	41,494	433.6	2.15	429.4	437.8	
1991	49,090	443.7	2.02	439.7	447.7	43,174	445.7	2.17	441.4	449.9	
1992	52,042	464.0	2.05	460.0	468.1	45,616	465.8	2.20	461.5	470.1	
1993	52,841	465.9	2.04	461.9	469.9	45,737	462.8	2.18	458.6	467.1	
1994	55,553	486.6	2.07	482.5	490.6	47,913	482.7	2.21	478.3	487.0	
1995	55,203	479.8	2.05	475.8	483.8	47,226	474.2	2.19	469.9	478.5	
1996	56,371	487.1	2.06	483.0	491.1	48,107	481.4	2.20	477.1	485.7	
1997	56,682	485.7	2.04	481.7	489.7	48,458	481.9	2.19	477.6	486.2	
1998	57,779	490.1	2.04	486.1	494.1	49,123	484.7	2.19	480.5	489.1	
1999	58,872	494.9	2.04	490.9	498.9	50,349	494.1	2.20	489.8	498.5	
2000	59,212	493.7	2.03	489.7	497.7	50,290	491.1	2.19	486.9	495.5	
2001	60,963	504.1	2.04	500.1	508.1	51,805	503.0	2.21	498.7	507.4	
2002	62,397	510.9	2.05	506.9	514.9	52,963	510.4	2.22	506.0	514.8	
2003	61,051	493.8	2.00	489.9	497.8	51,614	492.7	2.17	488.4	497.0	
2004	61,679	494.1	2.00	490.2	498.0	52,096	494.1	2.17	489.9	498.4	
2005	62,100	491.6	1.98	487.8	495.5	52,157	490.3	2.16	486.1	494.6	
2006	63,986	501.7	2.00	497.8	505.7	53,616	500.6	2.18	496.3	504.9	
2007	65,228	503.7	1.99	499.8	507.6	54,640	503.8	2.17	499.5	508.0	
2008	66,675	506.3	1.98	502.5	510.2	55,830	507.4	2.17	503.2	511.7	
2009	67,066	501.6	1.96	497.8	505.5	55,925	502.2	2.15	497.9	506.4	
2010	65,828	484.4	1.91	480.7	488.2	54,720	484.6	2.10	480.5	488.7	
2011	67,205	486.5	1.91	482.7	490.2	55,826	487.7	2.10	483.6	491.9	
2012	66,185	470.5	1.86	466.8	474.1	54,820	471.7	2.05	467.7	475.7	
2013	66,823	467.1	1.84	463.5	470.7	55,323	469.5	2.03	465.5	473.5	
2014	68,443	470.7	1.83	467.2	474.4	56,511	473.0	2.03	469.0	477.0	
2015	69,933	475.1	1.83	471.5	478.7	57,668	478.7	2.04	474.7	482.7	
2016	70,576	474.4	1.83	470.8	478.0	58,370	480.3	2.04	476.3	484.3	
2017	71,140	471.6	1.81	468.0	475.1	58,871	478.7	2.02	474.8	482.7	
2018	71,350	466.9	1.79	463.4	470.4	58,579	470.9	2.00	467.0	474.9	
2019	72,335	467.4	1.78	463.9	470.9	59,196	471.0	1.99	467.1	474.9	
2020	65,397	419.9	1.68	416.6	423.2	53,436	423.4	1.89	419.7	427.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

All Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	270,876	503.6	0.99	501.7	505.5	41,807	265.5	1.37	262.9	268.2
1986	4,904	442.3	6.56	429.5	455.3	342	228.2	14.36	200.9	257.8
1987	5,076	449.6	6.53	436.8	462.5	356	219.9	13.28	194.6	247.3
1988	5,354	465.7	6.59	452.8	478.7	389	243.3	14.17	216.3	272.5
1989	5,350	461.2	6.51	448.5	474.1	408	237.5	13.51	211.8	265.3
1990	5,515	468.9	6.52	456.2	481.8	411	230.5	13.01	205.7	257.2
1991	5,312	440.1	6.22	428.0	452.5	378	203.0	11.93	180.3	227.5
1992	5,812	472.2	6.38	459.8	484.9	472	246.9	13.08	221.9	273.6
1993	6,402	510.9	6.57	498.1	523.9	588	267.8	12.60	243.6	293.4
1994	6,911	545.3	6.74	532.2	558.7	613	272.2	12.42	248.4	297.4
1995	7,109	547.1	6.65	534.2	560.3	705	279.9	11.81	257.2	303.9
1996	7,337	555.1	6.64	542.2	568.3	753	289.7	11.97	266.7	314.0
1997	7,180	533.2	6.43	520.7	546.0	789	271.8	10.75	251.1	293.6
1998	7,468	545.6	6.45	533.0	558.4	822	281.3	10.95	260.2	303.5
1999	7,289	520.9	6.23	508.8	533.2	867	282.8	10.76	262.1	304.5
2000	7,598	532.2	6.22	520.0	544.5	913	272.9	9.96	253.8	293.1
2001	7,814	542.4	6.26	530.2	554.8	964	268.4	9.53	250.1	287.7
2002	7,938	539.9	6.18	527.9	552.2	1,017	277.7	9.52	259.4	296.9
2003	7,938	529.3	6.06	517.5	541.3	1,006	257.3	8.82	240.3	275.1
2004	8,028	526.0	5.99	514.3	537.9	1,081	262.3	8.68	245.6	279.8
2005	8,113	523.7	5.93	512.1	535.4	1,231	278.1	8.61	261.5	295.5
2006	8,587	543.0	5.98	531.3	554.8	1,329	284.7	8.44	268.4	301.7
2007	8,720	541.2	5.92	529.6	552.9	1,399	282.2	8.14	266.5	298.6
2008	8,820	535.1	5.82	523.8	546.6	1,452	274.0	7.76	259.0	289.6
2009	9,033	534.7	5.75	523.4	546.1	1,445	267.6	7.59	252.9	282.8
2010	8,880	516.1	5.61	505.2	527.2	1,599	277.4	7.44	263.0	292.3
2011	8,912	504.8	5.48	494.1	515.7	1,680	277.0	7.21	263.1	291.5
2012	8,903	494.3	5.37	483.9	505.0	1,780	273.8	6.86	260.5	287.6
2013	9,095	493.9	5.30	483.5	504.4	1,824	268.5	6.61	255.7	281.7
2014	9,306	496.7	5.27	486.4	507.2	1,955	271.0	6.39	258.6	283.8
2015	9,543	497.4	5.22	487.2	507.7	2,031	270.7	6.23	258.6	283.2
2016	9,507	491.2	5.16	481.1	501.4	2,112	266.8	5.97	255.2	278.8
2017	9,508	482.5	5.07	472.6	492.6	2,227	272.3	5.91	260.9	284.1
2018	9,516	475.7	4.99	466.0	485.6	2,288	270.0	5.75	258.9	281.5
2019	9,628	473.9	4.94	464.3	483.7	2,409	273.2	5.65	262.2	284.5
2020	8,470	411.2	4.57	402.3	420.3	2,172	239.8	5.21	229.7	250.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

All Sites											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,061,559	546.9	0.54	545.9	548.0	895,604	541.3	0.58	540.2	542.5	
1986	21,076	482.7	3.48	475.9	489.6	18,370	474.8	3.65	467.7	482.0	
1987	22,156	502.1	3.51	495.3	509.1	19,354	495.7	3.70	488.5	503.0	
1988	21,853	492.6	3.47	485.8	499.4	18,985	484.7	3.65	477.5	491.9	
1989	22,286	497.1	3.45	490.4	504.0	19,409	490.6	3.64	483.4	497.7	
1990	23,473	519.5	3.51	512.7	526.4	20,422	512.1	3.70	504.9	519.4	
1991	24,997	543.7	3.55	536.8	550.7	22,019	543.6	3.77	536.3	551.1	
1992	27,222	583.3	3.64	576.2	590.4	23,776	578.9	3.85	571.3	586.4	
1993	27,312	576.8	3.58	569.8	583.9	23,592	568.2	3.78	560.8	575.6	
1994	28,160	591.7	3.62	584.7	598.9	24,121	579.1	3.81	571.7	586.7	
1995	28,013	579.3	3.54	572.4	586.3	23,753	563.6	3.72	556.3	571.0	
1996	28,345	580.5	3.51	573.6	587.4	23,957	564.5	3.70	557.2	571.8	
1997	28,673	581.5	3.49	574.7	588.4	24,433	571.4	3.70	564.1	578.7	
1998	28,967	581.3	3.47	574.6	588.2	24,543	568.8	3.67	561.6	576.0	
1999	29,777	589.9	3.46	583.1	596.7	25,410	582.7	3.69	575.5	590.0	
2000	30,067	589.0	3.44	582.3	595.7	25,407	578.0	3.66	570.9	585.3	
2001	31,072	603.5	3.47	596.7	610.3	26,377	596.3	3.70	589.0	603.6	
2002	32,138	617.3	3.49	610.5	624.2	27,347	612.6	3.74	605.3	620.0	
2003	31,463	594.0	3.40	587.4	600.7	26,592	587.4	3.64	580.3	594.6	
2004	31,694	588.9	3.36	582.3	595.5	26,710	582.1	3.60	575.1	589.2	
2005	31,501	575.6	3.29	569.2	582.1	26,395	567.0	3.53	560.1	574.0	
2006	32,551	585.9	3.30	579.4	592.4	27,258	578.2	3.55	571.3	585.2	
2007	33,571	592.3	3.29	585.8	598.7	27,984	583.0	3.53	576.1	590.0	
2008	34,237	590.4	3.25	584.0	596.8	28,611	583.9	3.51	577.1	590.9	
2009	34,046	574.0	3.18	567.8	580.2	28,319	567.0	3.43	560.3	573.8	
2010	33,236	549.7	3.09	543.7	555.8	27,645	544.0	3.34	537.5	550.6	
2011	33,936	548.8	3.05	542.9	554.8	28,255	544.9	3.31	538.4	551.4	
2012	33,034	522.0	2.94	516.3	527.8	27,426	518.1	3.20	511.8	524.4	
2013	33,129	512.7	2.89	507.1	518.4	27,571	511.0	3.15	504.8	517.2	
2014	33,642	509.2	2.85	503.6	514.8	27,880	506.5	3.11	500.5	512.7	
2015	34,812	517.9	2.85	512.4	523.6	28,725	515.0	3.12	508.9	521.1	
2016	34,721	509.5	2.81	504.0	515.0	28,916	512.4	3.09	506.4	518.5	
2017	35,739	515.3	2.80	509.8	520.8	29,797	519.1	3.09	513.1	525.2	
2018	35,439	501.5	2.73	496.2	506.9	29,296	502.2	3.01	496.3	508.1	
2019	36,234	504.3	2.71	499.0	509.7	29,895	504.3	2.99	498.4	510.2	
2020	32,987	455.3	2.57	450.2	460.3	27,054	453.7	2.83	448.1	459.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

All Sites										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	137,744	626.7	1.77	623.3	630.2	19,146	283.4	2.22	279.1	287.8
1986	2,531	567.3	12.13	543.8	591.5	156	242.7	22.67	200.3	290.7
1987	2,606	580.3	12.17	556.7	604.6	167	264.4	24.25	219.0	315.4
1988	2,644	573.1	11.95	550.0	597.0	180	279.8	24.27	234.3	330.7
1989	2,675	579.9	12.01	556.6	603.9	162	235.9	21.66	195.4	281.5
1990	2,795	600.9	12.22	577.2	625.3	207	303.7	24.59	257.4	355.0
1991	2,714	565.7	11.60	543.1	588.8	165	227.9	20.59	189.4	271.2
1992	3,155	655.3	12.49	631.1	680.2	239	318.3	24.21	272.6	368.5
1993	3,401	683.6	12.53	659.2	708.5	271	312.2	22.29	270.1	358.4
1994	3,693	740.6	13.04	715.3	766.5	285	308.9	21.33	268.5	353.0
1995	3,864	749.1	12.84	724.1	774.6	315	315.5	20.41	276.7	357.6
1996	3,940	742.4	12.54	718.0	767.4	362	347.6	21.67	306.4	392.1
1997	3,726	685.7	11.88	662.6	709.3	370	316.5	18.92	280.5	355.4
1998	3,852	704.1	11.99	680.8	727.9	373	313.4	18.73	277.7	351.9
1999	3,742	671.1	11.57	648.6	694.1	417	341.2	20.00	303.1	382.2
2000	4,041	708.0	11.72	685.2	731.3	410	292.4	16.64	260.7	326.5
2001	4,007	693.5	11.54	671.0	716.4	451	303.4	16.71	271.6	337.7
2002	4,031	685.0	11.39	662.8	707.6	475	317.5	16.50	286.0	351.2
2003	4,154	683.5	11.16	661.8	705.6	439	270.9	14.66	243.0	301.0
2004	4,185	679.4	11.10	657.8	701.5	515	301.9	15.06	273.1	332.7
2005	4,184	670.7	10.98	649.3	692.5	577	317.3	14.93	288.7	347.7
2006	4,422	689.2	10.93	667.9	710.9	632	326.8	14.56	298.8	356.4
2007	4,636	709.4	10.99	688.1	731.3	658	306.7	13.40	281.0	334.0
2008	4,626	686.9	10.63	666.2	708.0	669	296.3	12.94	271.4	322.6
2009	4,621	661.1	10.24	641.1	681.4	703	298.5	12.65	274.2	324.2
2010	4,500	633.2	9.96	613.8	652.9	722	295.0	12.22	271.5	319.8
2011	4,452	605.5	9.54	586.9	624.5	752	293.9	11.82	271.2	317.9
2012	4,401	589.3	9.34	571.1	607.9	813	287.8	11.02	266.6	310.1
2013	4,431	579.4	9.13	561.6	597.5	812	272.5	10.29	252.7	293.4
2014	4,505	575.3	8.99	557.9	593.2	890	280.6	10.05	261.3	301.0
2015	4,738	589.1	8.96	571.6	606.9	943	284.2	9.80	265.4	304.1
2016	4,531	554.1	8.61	537.4	571.2	948	265.1	8.98	247.7	283.2
2017	4,629	558.7	8.57	542.1	575.8	980	271.0	8.99	253.6	289.1
2018	4,555	534.1	8.22	518.1	550.5	1,002	261.9	8.52	245.5	279.1
2019	4,628	538.5	8.22	522.5	554.8	1,069	269.6	8.45	253.3	286.7
2020	4,129	472.3	7.61	457.5	487.5	1,017	247.4	7.90	232.2	263.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

All Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,044,882	426.5	0.42	425.7	427.4	882,278	430.6	0.46	429.7	431.5
1986	21,946	367.9	2.54	362.9	372.9	19,339	369.5	2.73	364.2	374.9
1987	23,109	385.4	2.59	380.3	390.5	20,409	389.2	2.80	383.8	394.8
1988	23,347	385.8	2.57	380.8	390.8	20,371	385.3	2.76	379.9	390.8
1989	23,152	381.8	2.55	376.8	386.8	20,192	382.1	2.75	376.8	387.6
1990	24,038	392.2	2.57	387.2	397.3	21,072	395.7	2.79	390.2	401.2
1991	24,093	388.2	2.54	383.2	393.2	21,155	392.9	2.76	387.5	398.3
1992	24,820	395.1	2.54	390.2	400.1	21,840	401.7	2.77	396.3	407.2
1993	25,529	399.9	2.53	395.0	404.9	22,145	401.4	2.74	396.0	406.8
1994	27,393	424.3	2.59	419.3	429.5	23,792	427.2	2.81	421.7	432.7
1995	27,190	419.9	2.57	414.9	425.0	23,473	422.2	2.80	416.8	427.8
1996	28,026	429.7	2.59	424.6	434.8	24,150	432.5	2.82	427.0	438.1
1997	28,009	426.2	2.57	421.2	431.2	24,025	428.0	2.80	422.5	433.5
1998	28,812	434.0	2.57	429.0	439.1	24,580	434.6	2.81	429.1	440.1
1999	29,095	435.3	2.57	430.3	440.4	24,939	439.6	2.82	434.1	445.1
2000	29,145	432.8	2.55	427.8	437.8	24,883	436.9	2.80	431.4	442.4
2001	29,891	440.0	2.56	435.0	445.1	25,428	444.0	2.82	438.5	449.5
2002	30,259	442.0	2.56	437.0	447.0	25,616	444.5	2.81	439.0	450.0
2003	29,588	428.5	2.51	423.6	433.5	25,022	431.9	2.76	426.5	437.3
2004	29,985	431.1	2.51	426.2	436.1	25,386	436.4	2.77	431.0	441.9
2005	30,599	436.2	2.52	431.3	441.2	25,762	440.4	2.78	435.0	445.9
2006	31,435	445.4	2.54	440.4	450.4	26,358	449.1	2.81	443.7	454.7
2007	31,657	444.0	2.52	439.1	449.0	26,656	451.4	2.81	445.9	456.9
2008	32,438	449.2	2.53	444.3	454.2	27,219	456.0	2.81	450.5	461.6
2009	33,020	452.4	2.53	447.4	457.4	27,606	459.1	2.82	453.6	464.6
2010	32,592	440.0	2.48	435.2	444.9	27,075	444.8	2.76	439.4	450.3
2011	33,269	444.4	2.48	439.5	449.3	27,571	449.9	2.78	444.5	455.4
2012	33,151	437.0	2.45	432.2	441.9	27,394	442.5	2.74	437.2	447.9
2013	33,694	438.1	2.44	433.4	442.9	27,752	444.0	2.74	438.7	449.4
2014	34,801	448.0	2.46	443.2	452.8	28,631	454.5	2.77	449.1	460.0
2015	35,121	448.2	2.45	443.4	453.0	28,943	457.3	2.78	451.8	462.7
2016	35,855	453.9	2.47	449.1	458.8	29,454	462.8	2.79	457.4	468.3
2017	35,401	443.2	2.43	438.4	447.9	29,074	452.9	2.75	447.6	458.4
2018	35,911	445.0	2.42	440.2	449.8	29,283	452.6	2.75	447.2	458.0
2019	36,101	444.2	2.42	439.5	449.0	29,301	451.0	2.74	445.6	456.4
2020	32,410	397.3	2.28	392.8	401.8	26,382	405.4	2.60	400.3	410.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

All Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	133,132	424.8	1.17	422.5	427.1	22,661	256.0	1.76	252.6	259.5
1986	2,373	363.6	7.64	348.7	378.8	186	219.9	18.60	184.9	259.1
1987	2,470	369.2	7.59	354.5	384.4	189	191.8	15.17	163.2	223.9
1988	2,710	399.8	7.85	384.6	415.5	209	220.8	17.25	188.2	256.9
1989	2,675	389.7	7.68	374.8	405.1	246	246.3	17.64	212.9	283.1
1990	2,720	389.9	7.61	375.1	405.1	204	181.1	14.04	154.6	210.6
1991	2,598	363.0	7.25	348.9	377.4	213	189.6	14.52	162.2	220.0
1992	2,657	361.7	7.12	347.9	375.9	233	200.4	14.70	172.6	231.1
1993	3,001	403.4	7.48	388.9	418.3	317	241.2	15.02	212.7	272.3
1994	3,218	426.1	7.61	411.3	441.2	328	250.1	15.22	221.1	281.5
1995	3,245	420.2	7.47	405.7	435.1	390	261.2	14.47	233.6	291.0
1996	3,397	434.4	7.54	419.7	449.4	391	254.8	14.15	227.8	283.9
1997	3,454	434.4	7.47	419.9	449.3	419	245.9	12.97	221.1	272.5
1998	3,616	445.2	7.48	430.7	460.1	449	263.1	13.51	237.3	290.8
1999	3,547	427.1	7.24	413.1	441.5	450	249.3	12.65	225.1	275.3
2000	3,557	419.8	7.10	406.0	434.0	503	263.0	12.57	238.9	288.7
2001	3,807	445.6	7.28	431.5	460.1	513	248.8	11.71	226.4	272.8
2002	3,907	448.9	7.24	434.8	463.3	542	253.6	11.61	231.3	277.3
2003	3,784	428.7	7.02	415.0	442.6	567	252.8	11.25	231.3	275.8
2004	3,843	427.9	6.96	414.4	441.7	566	238.0	10.60	217.7	259.7
2005	3,929	431.4	6.94	417.9	445.2	654	254.8	10.54	234.6	276.3
2006	4,165	449.6	7.03	435.9	463.5	697	258.4	10.32	238.5	279.4
2007	4,084	433.5	6.85	420.2	447.1	741	266.6	10.32	246.8	287.6
2008	4,194	436.8	6.82	423.6	450.4	783	263.0	9.88	243.9	283.0
2009	4,412	451.8	6.89	438.4	465.5	742	246.6	9.55	228.3	266.0
2010	4,380	440.0	6.74	426.9	453.4	877	269.0	9.53	250.6	288.3
2011	4,460	438.0	6.66	425.1	451.3	928	269.5	9.23	251.7	288.1
2012	4,502	433.6	6.56	420.9	446.7	967	267.6	8.96	250.4	285.8
2013	4,664	439.4	6.54	426.6	452.4	1,012	267.7	8.71	250.9	285.3
2014	4,801	447.6	6.57	434.8	460.7	1,065	267.5	8.44	251.2	284.5
2015	4,805	439.1	6.46	426.5	451.9	1,088	263.4	8.20	247.6	280.0
2016	4,976	452.0	6.54	439.3	465.0	1,164	270.9	8.10	255.3	287.3
2017	4,879	435.0	6.36	422.7	447.7	1,247	277.7	8.00	262.2	293.8
2018	4,961	435.9	6.32	423.6	448.4	1,286	280.1	7.93	264.8	296.1
2019	5,000	433.1	6.26	420.9	445.6	1,340	280.7	7.76	265.7	296.4
2020	4,341	371.3	5.77	360.0	382.8	1,155	236.8	7.04	223.2	251.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oral Cavity and Pharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	51,008	11.4	0.05	11.3	11.5	42,234	11.2	0.05	11.1	11.3
1986	1,208	11.5	0.34	10.8	12.2	974	10.4	0.34	9.7	11.1
1987	1,199	11.3	0.33	10.7	12.0	976	10.4	0.34	9.8	11.1
1988	1,184	11.2	0.33	10.5	11.8	954	10.2	0.33	9.5	10.9
1989	1,126	10.5	0.32	9.9	11.1	918	9.7	0.33	9.1	10.4
1990	1,156	10.8	0.32	10.2	11.4	928	9.9	0.33	9.3	10.6
1991	1,133	10.4	0.31	9.8	11.1	911	9.6	0.32	9.0	10.3
1992	1,120	10.2	0.31	9.6	10.8	940	9.8	0.32	9.2	10.4
1993	1,135	10.2	0.30	9.6	10.8	938	9.8	0.32	9.1	10.4
1994	1,186	10.5	0.31	9.9	11.2	954	9.8	0.32	9.2	10.5
1995	1,301	11.5	0.32	10.8	12.1	1,074	11.0	0.34	10.4	11.7
1996	1,296	11.3	0.32	10.7	12.0	1,058	10.8	0.33	10.1	11.4
1997	1,316	11.4	0.31	10.8	12.0	1,074	10.9	0.33	10.2	11.6
1998	1,254	10.7	0.30	10.1	11.3	1,009	10.1	0.32	9.5	10.7
1999	1,311	11.0	0.31	10.5	11.7	1,081	10.7	0.33	10.1	11.4
2000	1,295	10.8	0.30	10.2	11.4	1,063	10.5	0.32	9.9	11.1
2001	1,266	10.4	0.29	9.9	11.0	1,050	10.3	0.32	9.6	10.9
2002	1,354	11.0	0.30	10.4	11.6	1,121	10.8	0.32	10.2	11.5
2003	1,335	10.7	0.29	10.1	11.3	1,112	10.6	0.32	10.0	11.2
2004	1,435	11.3	0.30	10.8	12.0	1,149	10.9	0.32	10.2	11.5
2005	1,345	10.5	0.29	9.9	11.1	1,116	10.4	0.31	9.8	11.1
2006	1,401	10.8	0.29	10.2	11.3	1,163	10.7	0.32	10.1	11.4
2007	1,521	11.5	0.30	10.9	12.1	1,259	11.5	0.33	10.8	12.1
2008	1,584	11.7	0.30	11.2	12.3	1,320	11.8	0.33	11.2	12.5
2009	1,596	11.7	0.30	11.2	12.3	1,334	11.8	0.33	11.2	12.5
2010	1,600	11.5	0.29	10.9	12.1	1,298	11.2	0.32	10.6	11.9
2011	1,742	12.3	0.30	11.7	12.9	1,456	12.4	0.33	11.8	13.1
2012	1,732	12.0	0.29	11.4	12.6	1,445	12.1	0.33	11.5	12.8
2013	1,764	12.1	0.29	11.5	12.6	1,473	12.2	0.32	11.5	12.8
2014	1,784	12.0	0.29	11.4	12.5	1,493	12.1	0.32	11.5	12.8
2015	1,867	12.5	0.29	11.9	13.1	1,565	12.8	0.33	12.2	13.5
2016	1,878	12.3	0.29	11.8	12.9	1,579	12.7	0.33	12.0	13.3
2017	1,933	12.5	0.29	12.0	13.1	1,670	13.3	0.33	12.6	14.0
2018	1,844	11.9	0.28	11.3	12.4	1,571	12.4	0.32	11.7	13.0
2019	1,948	12.3	0.29	11.7	12.9	1,672	13.0	0.33	12.4	13.6
2020	1,859	11.8	0.28	11.2	12.3	1,536	12.0	0.31	11.4	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oral Cavity and Pharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,076	12.5	0.15	12.2	12.8	1,356	8.0	0.23	7.6	8.5
1986	218	18.9	1.31	16.4	21.6	14	8.6	2.59	4.3	15.3
1987	206	17.4	1.24	15.0	20.0	16	10.7	2.94	5.7	18.0
1988	208	17.1	1.21	14.8	19.6	18	10.1	2.67	5.6	16.7
1989	195	16.1	1.18	13.9	18.6	12	5.6	1.69	2.8	10.2
1990	215	17.3	1.20	15.0	19.8	9	5.7	2.08	2.4	11.2
1991	203	15.6	1.12	13.5	18.0	10	3.7	1.20	1.7	7.2
1992	163	12.4	0.98	10.5	14.4	15	5.7	1.60	3.0	9.9
1993	172	12.9	0.99	11.0	15.0	22	9.7	2.42	5.6	15.5
1994	208	15.5	1.09	13.4	17.7	21	6.6	1.50	4.0	10.4
1995	199	14.3	1.03	12.3	16.4	23	7.7	1.85	4.5	12.2
1996	215	15.2	1.05	13.2	17.4	19	7.1	1.76	4.1	11.4
1997	209	14.6	1.02	12.6	16.7	29	9.6	1.95	6.1	14.2
1998	210	14.3	1.00	12.4	16.4	26	7.2	1.47	4.6	10.7
1999	198	13.1	0.94	11.3	15.0	27	7.1	1.46	4.6	10.6
2000	196	12.7	0.92	11.0	14.6	27	6.9	1.44	4.4	10.4
2001	180	11.4	0.86	9.8	13.2	26	6.7	1.45	4.1	10.1
2002	201	12.8	0.92	11.1	14.7	27	6.5	1.35	4.2	9.7
2003	188	11.5	0.85	9.9	13.3	27	6.7	1.40	4.2	10.0
2004	232	14.0	0.93	12.2	16.0	42	9.5	1.59	6.6	13.1
2005	174	10.3	0.79	8.8	11.9	45	9.0	1.44	6.4	12.3
2006	180	10.3	0.78	8.8	11.9	53	11.5	1.72	8.3	15.3
2007	212	12.3	0.86	10.6	14.1	44	7.8	1.25	5.5	10.6
2008	217	12.2	0.85	10.6	14.0	39	7.4	1.25	5.1	10.2
2009	197	11.0	0.80	9.5	12.7	48	7.5	1.12	5.5	10.1
2010	222	12.2	0.84	10.6	14.0	67	11.0	1.42	8.4	14.2
2011	216	11.5	0.80	10.0	13.2	56	9.1	1.30	6.7	12.0
2012	224	11.8	0.80	10.3	13.5	55	7.5	1.05	5.6	9.9
2013	220	11.7	0.80	10.1	13.3	55	7.4	1.05	5.5	9.8
2014	218	11.5	0.80	10.0	13.2	61	7.8	1.02	5.9	10.1
2015	217	10.7	0.75	9.3	12.3	71	9.2	1.13	7.2	11.7
2016	211	10.6	0.75	9.2	12.2	67	8.3	1.03	6.4	10.6
2017	182	8.7	0.66	7.4	10.0	65	7.7	0.98	5.9	9.9
2018	177	8.7	0.67	7.5	10.1	76	8.8	1.02	6.9	11.0
2019	192	9.2	0.68	7.9	10.6	65	7.3	0.91	5.6	9.3
2020	201	9.4	0.68	8.1	10.8	79	8.4	0.96	6.6	10.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oral Cavity and Pharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	35,270	17.4	0.09	17.2	17.6	29,106	17.0	0.10	16.8	17.2
1986	826	18.0	0.65	16.8	19.3	656	16.2	0.65	14.9	17.5
1987	811	17.6	0.64	16.4	18.9	658	16.2	0.65	15.0	17.6
1988	813	17.7	0.64	16.4	19.0	643	15.9	0.65	14.7	17.2
1989	753	16.1	0.60	15.0	17.4	604	14.8	0.62	13.6	16.0
1990	787	17.0	0.62	15.8	18.2	633	15.7	0.64	14.4	17.0
1991	758	15.9	0.59	14.8	17.1	603	14.5	0.60	13.3	15.7
1992	749	15.6	0.58	14.5	16.8	619	14.9	0.61	13.7	16.1
1993	777	15.7	0.57	14.6	16.9	636	14.9	0.60	13.8	16.1
1994	791	16.0	0.58	14.9	17.2	633	14.9	0.60	13.7	16.1
1995	890	17.7	0.60	16.6	18.9	723	16.7	0.63	15.5	18.0
1996	881	17.5	0.60	16.3	18.7	712	16.5	0.62	15.3	17.7
1997	880	17.3	0.59	16.1	18.5	707	16.2	0.62	15.0	17.5
1998	852	16.3	0.56	15.2	17.4	672	15.0	0.58	13.9	16.2
1999	875	16.5	0.56	15.4	17.6	721	15.9	0.60	14.8	17.2
2000	890	16.6	0.56	15.5	17.7	719	15.8	0.59	14.6	17.0
2001	876	16.1	0.55	15.0	17.2	728	15.8	0.59	14.6	17.0
2002	914	16.5	0.55	15.5	17.6	740	15.8	0.59	14.7	17.0
2003	906	16.2	0.55	15.2	17.4	743	15.8	0.58	14.7	17.0
2004	1,012	17.6	0.56	16.5	18.7	799	16.5	0.59	15.4	17.7
2005	932	15.9	0.53	14.9	17.0	771	15.7	0.57	14.6	16.8
2006	953	16.0	0.53	15.0	17.0	790	15.8	0.57	14.7	16.9
2007	1,062	17.4	0.54	16.4	18.5	873	17.1	0.59	15.9	18.3
2008	1,085	17.4	0.54	16.4	18.5	900	17.2	0.58	16.1	18.4
2009	1,098	17.4	0.53	16.3	18.5	929	17.6	0.59	16.5	18.8
2010	1,135	17.6	0.53	16.6	18.7	928	17.1	0.57	16.0	18.3
2011	1,244	18.8	0.55	17.8	19.9	1,032	18.7	0.59	17.5	19.9
2012	1,217	18.1	0.53	17.1	19.2	1,010	18.1	0.58	17.0	19.3
2013	1,268	18.8	0.54	17.7	19.8	1,065	18.8	0.59	17.7	20.0
2014	1,238	17.8	0.52	16.8	18.9	1,046	18.0	0.57	16.9	19.2
2015	1,320	18.9	0.53	17.8	19.9	1,110	19.1	0.59	18.0	20.3
2016	1,337	18.7	0.53	17.7	19.8	1,131	19.1	0.58	17.9	20.3
2017	1,362	18.9	0.53	17.9	20.0	1,183	19.9	0.59	18.7	21.1
2018	1,295	17.8	0.51	16.9	18.9	1,107	18.4	0.57	17.3	19.5
2019	1,378	18.6	0.51	17.6	19.6	1,202	19.7	0.58	18.6	20.9
2020	1,305	17.5	0.50	16.6	18.5	1,080	17.7	0.55	16.6	18.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oral Cavity and Pharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	5,021	20.7	0.30	20.1	21.3	920	11.8	0.42	11.0	12.7
1986	160	32.1	2.65	27.1	37.7	9	14.7	5.52	6.0	29.4
1987	142	27.8	2.43	23.3	33.0	10	16.5	5.79	7.2	31.5
1988	159	30.2	2.46	25.6	35.4	9	12.7	4.99	4.8	26.0
1989	145	28.4	2.46	23.8	33.6	4	3.1	1.64	0.7	9.7
1990	145	27.5	2.36	23.1	32.5	5	7.4	3.74	2.0	18.1
1991	143	26.2	2.27	22.0	31.1	6	5.1	2.08	1.8	12.0
1992	116	21.0	2.01	17.2	25.3	13	11.4	3.54	5.6	20.8
1993	125	21.7	1.99	18.0	26.0	13	16.2	5.37	7.4	29.5
1994	144	25.2	2.18	21.1	29.8	12	7.6	2.34	3.7	14.2
1995	146	24.8	2.13	20.8	29.4	17	14.9	4.25	7.7	25.4
1996	155	25.3	2.09	21.4	29.8	12	10.3	3.34	4.8	18.9
1997	153	25.2	2.12	21.2	29.7	20	13.6	3.22	8.0	21.6
1998	155	24.8	2.07	21.0	29.2	16	9.3	2.51	5.0	15.8
1999	138	21.1	1.84	17.6	25.0	12	7.0	2.14	3.5	12.8
2000	153	23.4	1.94	19.7	27.5	13	7.9	2.46	3.8	14.2
2001	125	18.4	1.70	15.2	22.1	18	11.0	3.18	5.7	18.8
2002	152	22.7	1.90	19.2	26.8	19	10.7	2.72	6.1	17.4
2003	142	19.9	1.71	16.6	23.5	15	7.7	2.19	4.1	13.3
2004	176	25.1	1.98	21.4	29.3	31	16.4	3.31	10.5	24.0
2005	131	18.1	1.62	15.0	21.5	25	10.5	2.27	6.6	16.0
2006	121	15.9	1.49	13.2	19.1	40	19.2	3.38	13.1	26.9
2007	156	21.2	1.77	17.9	25.0	28	10.3	2.10	6.6	15.3
2008	151	20.4	1.75	17.1	24.1	29	13.0	2.69	8.2	19.2
2009	128	16.4	1.51	13.6	19.6	29	9.6	1.85	6.3	14.0
2010	150	19.7	1.69	16.5	23.3	47	16.8	2.68	11.9	22.9
2011	160	20.0	1.64	16.9	23.4	40	13.7	2.36	9.5	19.1
2012	160	19.6	1.60	16.5	23.0	41	11.5	1.90	8.0	15.9
2013	153	19.2	1.62	16.2	22.7	40	11.4	1.90	8.0	15.8
2014	139	17.6	1.56	14.7	20.9	44	11.9	1.83	8.6	16.1
2015	155	18.2	1.52	15.4	21.5	48	13.3	1.97	9.7	17.7
2016	144	17.1	1.48	14.3	20.2	50	13.1	1.90	9.6	17.4
2017	121	13.6	1.28	11.2	16.3	45	11.9	1.83	8.6	16.0
2018	122	14.1	1.32	11.6	17.0	55	13.6	1.88	10.2	17.8
2019	122	13.5	1.26	11.1	16.2	44	10.5	1.61	7.6	14.2
2020	134	14.5	1.29	12.0	17.2	61	13.9	1.80	10.6	17.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oral Cavity and Pharynx										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	15,738	6.4	0.05	6.3	6.5	13,128	6.4	0.06	6.3	6.5
1986	382	6.5	0.34	5.8	7.2	318	6.0	0.35	5.4	6.8
1987	388	6.5	0.34	5.9	7.2	318	6.1	0.35	5.4	6.8
1988	371	6.1	0.32	5.5	6.8	311	5.9	0.34	5.2	6.6
1989	373	6.2	0.33	5.6	6.9	314	6.0	0.35	5.3	6.7
1990	369	6.0	0.32	5.4	6.7	295	5.4	0.32	4.8	6.1
1991	375	6.2	0.32	5.6	6.9	308	5.9	0.34	5.2	6.6
1992	371	6.0	0.32	5.4	6.7	321	5.9	0.34	5.3	6.6
1993	358	5.7	0.30	5.1	6.3	302	5.5	0.32	4.9	6.2
1994	395	6.2	0.31	5.6	6.8	321	5.7	0.32	5.1	6.4
1995	411	6.3	0.32	5.7	7.0	351	6.3	0.34	5.6	7.0
1996	415	6.4	0.32	5.8	7.0	346	6.2	0.34	5.5	6.9
1997	436	6.8	0.33	6.1	7.4	367	6.7	0.35	6.0	7.4
1998	402	6.1	0.31	5.5	6.7	337	6.0	0.33	5.4	6.7
1999	436	6.6	0.32	6.0	7.3	360	6.5	0.35	5.8	7.2
2000	405	6.1	0.30	5.5	6.7	344	6.1	0.33	5.5	6.8
2001	390	5.8	0.29	5.2	6.4	322	5.6	0.32	5.0	6.3
2002	440	6.5	0.31	5.9	7.1	381	6.7	0.34	6.0	7.4
2003	429	6.2	0.30	5.6	6.8	369	6.4	0.33	5.7	7.1
2004	423	6.1	0.30	5.6	6.7	350	6.1	0.33	5.4	6.8
2005	413	5.9	0.29	5.4	6.5	345	6.0	0.32	5.3	6.6
2006	448	6.3	0.30	5.7	6.9	373	6.3	0.33	5.6	7.0
2007	459	6.5	0.30	5.9	7.1	386	6.6	0.34	5.9	7.3
2008	499	6.9	0.31	6.3	7.5	420	7.0	0.35	6.3	7.7
2009	498	6.9	0.31	6.3	7.5	405	6.8	0.34	6.1	7.5
2010	465	6.3	0.30	5.7	6.9	370	6.1	0.32	5.5	6.8
2011	498	6.6	0.30	6.0	7.2	424	6.9	0.34	6.2	7.6
2012	515	6.7	0.30	6.1	7.3	435	6.9	0.34	6.2	7.6
2013	496	6.4	0.29	5.8	6.9	408	6.4	0.32	5.7	7.0
2014	546	6.9	0.30	6.3	7.5	447	6.9	0.33	6.2	7.5
2015	547	6.9	0.30	6.3	7.6	455	7.2	0.35	6.5	7.9
2016	541	6.8	0.30	6.2	7.4	448	7.0	0.34	6.3	7.7
2017	571	7.0	0.30	6.4	7.6	487	7.4	0.35	6.7	8.1
2018	549	6.7	0.29	6.1	7.3	464	6.9	0.33	6.3	7.6
2019	570	6.8	0.29	6.2	7.4	470	6.9	0.33	6.3	7.6
2020	554	6.6	0.29	6.1	7.2	456	6.7	0.33	6.1	7.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oral Cavity and Pharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,055	6.4	0.14	6.1	6.7	436	4.8	0.24	4.3	5.3
1986	58	9.0	1.19	6.8	11.6	5	4.2	1.98	1.3	11.1
1987	64	9.4	1.21	7.2	12.1	6	6.4	2.83	2.1	14.7
1988	49	7.0	1.02	5.2	9.3	9	8.4	2.96	3.6	16.7
1989	50	7.3	1.04	5.4	9.6	8	7.6	2.74	3.2	15.3
1990	70	9.8	1.19	7.6	12.4	4	4.3	2.24	1.1	11.2
1991	60	7.8	1.03	5.9	10.1	4	2.4	1.24	0.6	7.1
1992	47	6.2	0.91	4.5	8.2	2	1.2	0.83	0.1	5.1
1993	47	6.2	0.91	4.5	8.2	9	5.4	1.87	2.3	10.8
1994	64	8.4	1.06	6.4	10.7	9	5.8	1.96	2.6	11.2
1995	53	6.5	0.91	4.9	8.6	6	2.3	0.93	0.8	5.7
1996	60	7.5	0.98	5.7	9.7	7	4.6	1.82	1.8	9.7
1997	56	6.8	0.93	5.2	8.9	9	5.9	2.20	2.4	11.7
1998	55	6.5	0.89	4.9	8.5	10	5.4	1.74	2.5	10.0
1999	60	7.0	0.91	5.3	9.0	15	7.3	1.98	3.9	12.3
2000	43	4.9	0.75	3.5	6.6	14	6.3	1.77	3.3	10.8
2001	55	6.1	0.83	4.6	8.0	8	3.6	1.30	1.5	7.2
2002	49	5.5	0.79	4.1	7.3	8	3.3	1.21	1.3	6.7
2003	46	5.1	0.76	3.7	6.8	12	5.7	1.76	2.8	10.2
2004	56	6.0	0.80	4.5	7.8	11	4.2	1.35	2.0	7.8
2005	43	4.4	0.68	3.2	6.0	20	7.5	1.77	4.5	11.8
2006	59	6.0	0.79	4.6	7.8	13	5.1	1.53	2.6	9.0
2007	56	5.8	0.78	4.3	7.5	16	5.6	1.46	3.1	9.2
2008	66	6.6	0.82	5.1	8.4	10	3.0	0.98	1.4	5.7
2009	69	6.9	0.85	5.4	8.8	19	5.7	1.33	3.4	9.0
2010	72	7.0	0.83	5.4	8.8	20	6.3	1.47	3.8	9.9
2011	56	5.3	0.72	4.0	6.9	16	5.1	1.35	2.8	8.4
2012	64	6.0	0.76	4.6	7.7	14	4.1	1.12	2.2	6.9
2013	67	6.2	0.77	4.8	7.9	15	4.0	1.07	2.2	6.7
2014	79	7.3	0.84	5.8	9.2	17	4.2	1.03	2.4	6.7
2015	62	5.3	0.69	4.1	6.9	23	5.5	1.17	3.5	8.3
2016	67	5.9	0.74	4.5	7.5	17	4.1	1.02	2.4	6.7
2017	61	5.2	0.67	3.9	6.7	20	4.2	0.96	2.5	6.6
2018	55	4.9	0.67	3.7	6.4	21	4.7	1.04	2.9	7.2
2019	70	6.1	0.74	4.7	7.7	21	4.3	0.96	2.7	6.7
2020	67	5.7	0.72	4.4	7.3	18	3.7	0.88	2.2	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lip											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,921	0.7	0.01	0.6	0.7	2,820	0.8	0.01	0.7	0.8	
1986	119	1.1	0.11	0.9	1.4	116	1.3	0.12	1.0	1.5	
1987	114	1.1	0.10	0.9	1.3	114	1.2	0.12	1.0	1.5	
1988	137	1.3	0.11	1.1	1.5	135	1.4	0.12	1.2	1.7	
1989	111	1.0	0.10	0.9	1.3	108	1.2	0.11	0.9	1.4	
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5	
1991	103	0.9	0.09	0.8	1.1	101	1.0	0.10	0.8	1.3	
1992	96	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2	
1993	81	0.7	0.08	0.6	0.9	80	0.8	0.09	0.7	1.0	
1994	94	0.8	0.09	0.7	1.0	90	0.9	0.10	0.7	1.1	
1995	102	0.9	0.09	0.7	1.1	99	1.0	0.10	0.8	1.2	
1996	108	0.9	0.09	0.8	1.1	106	1.1	0.10	0.9	1.3	
1997	97	0.8	0.08	0.7	1.0	94	0.9	0.10	0.8	1.1	
1998	81	0.7	0.08	0.5	0.9	80	0.8	0.09	0.6	1.0	
1999	86	0.7	0.08	0.6	0.9	84	0.8	0.09	0.7	1.0	
2000	80	0.7	0.07	0.5	0.8	76	0.7	0.09	0.6	0.9	
2001	60	0.5	0.06	0.4	0.6	58	0.6	0.07	0.4	0.7	
2002	99	0.8	0.08	0.7	1.0	96	0.9	0.09	0.7	1.1	
2003	69	0.6	0.07	0.4	0.7	67	0.6	0.08	0.5	0.8	
2004	83	0.7	0.07	0.5	0.8	79	0.8	0.09	0.6	1.0	
2005	72	0.6	0.07	0.4	0.7	68	0.6	0.08	0.5	0.8	
2006	72	0.6	0.07	0.5	0.7	72	0.7	0.08	0.5	0.9	
2007	77	0.6	0.07	0.5	0.7	73	0.7	0.08	0.5	0.8	
2008	79	0.6	0.07	0.5	0.8	73	0.7	0.08	0.5	0.9	
2009	74	0.6	0.07	0.4	0.7	67	0.6	0.07	0.5	0.8	
2010	84	0.6	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9	
2011	61	0.4	0.06	0.3	0.6	60	0.5	0.07	0.4	0.7	
2012	58	0.4	0.05	0.3	0.5	56	0.5	0.06	0.4	0.6	
2013	71	0.5	0.06	0.4	0.6	66	0.6	0.07	0.4	0.7	
2014	66	0.5	0.06	0.4	0.6	62	0.5	0.06	0.4	0.7	
2015	76	0.5	0.06	0.4	0.7	71	0.6	0.07	0.5	0.8	
2016	73	0.5	0.06	0.4	0.6	66	0.5	0.07	0.4	0.7	
2017	75	0.5	0.06	0.4	0.6	71	0.6	0.07	0.5	0.8	
2018	53	0.4	0.05	0.3	0.5	50	0.4	0.06	0.3	0.5	
2019	53	0.3	0.05	0.3	0.5	51	0.4	0.06	0.3	0.5	
2020	37	0.2	0.04	0.2	0.3	36	0.3	0.05	0.2	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lip										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	42	0.1	0.01	0.1	0.1	9	0.1	0.02	0.0	0.1
1986	2	0.2	0.15	0.0	0.7	1	0.4	0.42	0.0	3.4
1987	0					0				
1988	1	0.1	0.12	0.0	0.5	0				
1989	3	0.3	0.16	0.1	0.8	0				
1990	0					0				
1991	1	0.1	0.09	0.0	0.5	0				
1992	0					0				
1993	1	0.1	0.05	0.0	0.3	0				
1994	3	0.3	0.18	0.1	0.8	0				
1995	1	0.1	0.05	0.0	0.3	0				
1996	1	0.1	0.08	0.0	0.4	1	0.5	0.45	0.0	2.4
1997	2	0.2	0.15	0.0	0.7	0				
1998	1	0.1	0.05	0.0	0.3	0				
1999	0					0				
2000	2	0.1	0.10	0.0	0.5	0				
2001	1	0.1	0.06	0.0	0.4	0				
2002	2	0.1	0.08	0.0	0.4	0				
2003	1	0.1	0.05	0.0	0.3	0				
2004	3	0.2	0.11	0.0	0.6	0				
2005	2	0.1	0.08	0.0	0.4	0				
2006	0					0				
2007	3	0.2	0.12	0.0	0.6	0				
2008	3	0.2	0.12	0.0	0.6	0				
2009	2	0.2	0.10	0.0	0.5	0				
2010	3	0.2	0.10	0.0	0.5	0				
2011	0					1	0.1	0.14	0.0	0.9
2012	0					1	0.1	0.14	0.0	0.8
2013	1	0.1	0.07	0.0	0.4	2	0.3	0.25	0.0	1.2
2014	0					0				
2015	0					0				
2016	0					1	0.1	0.12	0.0	0.7
2017	0					0				
2018	2	0.1	0.09	0.0	0.4	1	0.2	0.15	0.0	0.8
2019	0					1	0.1	0.09	0.0	0.6
2020	1	0.1	0.06	0.0	0.3	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lip											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,293	1.2	0.03	1.2	1.3	2,231	1.4	0.03	1.3	1.5	
1986	106	2.5	0.25	2.0	3.0	105	2.8	0.28	2.3	3.4	
1987	99	2.4	0.25	1.9	2.9	99	2.6	0.28	2.1	3.2	
1988	115	2.7	0.26	2.2	3.3	114	3.0	0.29	2.5	3.6	
1989	94	2.3	0.24	1.8	2.8	92	2.5	0.27	2.0	3.1	
1990	97	2.2	0.23	1.7	2.6	97	2.4	0.25	2.0	3.0	
1991	88	1.9	0.21	1.5	2.4	86	2.1	0.23	1.7	2.6	
1992	82	1.8	0.21	1.5	2.3	82	2.1	0.23	1.6	2.6	
1993	70	1.5	0.18	1.1	1.9	70	1.7	0.20	1.3	2.1	
1994	69	1.5	0.18	1.1	1.9	68	1.7	0.20	1.3	2.1	
1995	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4	
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5	
1997	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4	
1998	64	1.3	0.17	1.0	1.7	63	1.5	0.19	1.1	1.9	
1999	73	1.5	0.18	1.2	1.9	71	1.7	0.20	1.3	2.1	
2000	66	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8	
2001	45	0.9	0.14	0.7	1.2	45	1.1	0.16	0.8	1.4	
2002	69	1.4	0.17	1.1	1.8	68	1.6	0.19	1.2	2.0	
2003	50	1.0	0.14	0.7	1.3	49	1.1	0.16	0.8	1.5	
2004	65	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8	
2005	59	1.1	0.15	0.8	1.4	55	1.2	0.17	0.9	1.6	
2006	52	1.0	0.14	0.7	1.3	52	1.1	0.16	0.8	1.5	
2007	58	1.0	0.14	0.8	1.3	56	1.1	0.16	0.9	1.5	
2008	52	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3	
2009	55	1.0	0.13	0.7	1.3	49	1.0	0.15	0.7	1.3	
2010	63	1.1	0.14	0.8	1.4	60	1.2	0.16	0.9	1.6	
2011	44	0.8	0.12	0.6	1.0	43	0.9	0.14	0.6	1.2	
2012	46	0.8	0.11	0.5	1.0	44	0.9	0.13	0.6	1.2	
2013	50	0.8	0.12	0.6	1.1	50	1.0	0.14	0.7	1.3	
2014	46	0.7	0.11	0.5	1.0	43	0.8	0.12	0.6	1.1	
2015	56	0.9	0.12	0.7	1.2	53	1.0	0.14	0.8	1.3	
2016	58	0.9	0.12	0.7	1.2	53	1.0	0.14	0.7	1.3	
2017	55	0.9	0.12	0.6	1.1	52	1.0	0.14	0.7	1.3	
2018	38	0.6	0.09	0.4	0.8	36	0.6	0.11	0.4	0.9	
2019	39	0.6	0.09	0.4	0.8	38	0.7	0.11	0.5	0.9	
2020	25	0.3	0.07	0.2	0.5	25	0.4	0.08	0.3	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lip										
Males										
Blacks							Asian or Other Races			
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	23	0.1	0.02	0.1	0.2	5	0.1	0.03	0.0	0.2
1986	1	0.2	0.16	0.0	1.0	0				
1987	0					0				
1988	0					0				
1989	2	0.5	0.40	0.1	1.8	0				
1990	0					0				
1991	1	0.2	0.20	0.0	1.1	0				
1992	0					0				
1993	0					0				
1994	0					0				
1995	0					0				
1996	1	0.2	0.20	0.0	1.0	1	1.1	1.08	0.0	5.7
1997	2	0.7	0.47	0.1	2.0	0				
1998	1	0.1	0.12	0.0	0.8	0				
1999	0					0				
2000	1	0.2	0.18	0.0	1.0	0				
2001	0					0				
2002	1	0.1	0.12	0.0	0.8	0				
2003	1	0.1	0.12	0.0	0.8	0				
2004	1	0.1	0.13	0.0	0.8	0				
2005	2	0.3	0.18	0.0	1.0	0				
2006	0					0				
2007	1	0.2	0.21	0.0	1.0	0				
2008	2	0.4	0.25	0.0	1.2	0				
2009	2	0.4	0.25	0.0	1.2	0				
2010	2	0.3	0.20	0.0	1.0	0				
2011	0					1	0.3	0.30	0.0	1.9
2012	0					1	0.3	0.30	0.0	1.8
2013	0					0				
2014	0					0				
2015	0					0				
2016	0					1	0.3	0.26	0.0	1.5
2017	0					0				
2018	2	0.3	0.22	0.0	1.0	0				
2019	0					1	0.2	0.20	0.0	1.3
2020	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lip											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	628	0.3	0.01	0.2	0.3	589	0.3	0.01	0.3	0.3	
1986	13	0.2	0.06	0.1	0.4	11	0.2	0.06	0.1	0.4	
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5	
1988	22	0.4	0.08	0.2	0.5	21	0.4	0.08	0.2	0.6	
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5	
1990	23	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6	
1991	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.4	
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4	
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3	
1994	25	0.4	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6	
1995	23	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6	
1996	21	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6	
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
1998	17	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
1999	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4	
2000	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4	
2001	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4	
2002	30	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7	
2003	19	0.3	0.06	0.2	0.4	18	0.3	0.07	0.2	0.5	
2004	18	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4	
2005	13	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4	
2006	20	0.3	0.06	0.2	0.4	20	0.3	0.08	0.2	0.5	
2007	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
2008	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7	
2009	19	0.2	0.06	0.1	0.4	18	0.3	0.06	0.2	0.4	
2010	21	0.3	0.06	0.2	0.4	19	0.3	0.07	0.2	0.5	
2011	17	0.2	0.05	0.1	0.4	17	0.3	0.06	0.2	0.4	
2012	12	0.2	0.04	0.1	0.3	12	0.2	0.05	0.1	0.3	
2013	21	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4	
2014	20	0.2	0.05	0.1	0.4	19	0.3	0.06	0.2	0.4	
2015	20	0.3	0.06	0.2	0.4	18	0.3	0.07	0.2	0.5	
2016	15	0.2	0.05	0.1	0.3	13	0.2	0.05	0.1	0.3	
2017	20	0.2	0.06	0.1	0.4	19	0.3	0.07	0.2	0.5	
2018	15	0.2	0.05	0.1	0.3	14	0.2	0.05	0.1	0.4	
2019	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.3	
2020	12	0.1	0.04	0.1	0.3	11	0.2	0.05	0.1	0.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lip										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	19	0.1	0.01	0.0	0.1	4	0.1	0.03	0.0	0.1
1986	1	0.2	0.21	0.0	1.0	1	0.8	0.83	0.0	6.2
1987	0					0				
1988	1	0.2	0.18	0.0	0.9	0				
1989	1	0.1	0.12	0.0	0.7	0				
1990	0					0				
1991	0					0				
1992	0					0				
1993	1	0.1	0.09	0.0	0.6	0				
1994	3	0.5	0.28	0.1	1.3	0				
1995	1	0.1	0.10	0.0	0.6	0				
1996	0					0				
1997	0					0				
1998	0					0				
1999	0					0				
2000	1	0.1	0.12	0.0	0.6	0				
2001	1	0.1	0.11	0.0	0.6	0				
2002	1	0.1	0.10	0.0	0.6	0				
2003	0					0				
2004	2	0.2	0.16	0.0	0.8	0				
2005	0					0				
2006	0					0				
2007	2	0.2	0.15	0.0	0.8	0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	1	0.1	0.10	0.0	0.6	0				
2011	0					0				
2012	0					0				
2013	1	0.1	0.11	0.0	0.6	2	0.6	0.47	0.1	2.2
2014	0					0				
2015	0					0				
2016	0					0				
2017	0					0				
2018	0					1	0.3	0.28	0.0	1.4
2019	0					0				
2020	1	0.1	0.10	0.0	0.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Tongue											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	13,694	3.1	0.03	3.0	3.1	11,732	3.1	0.03	3.1	3.2	
1986	261	2.5	0.15	2.2	2.8	216	2.3	0.16	2.0	2.6	
1987	253	2.4	0.16	2.1	2.8	193	2.1	0.15	1.8	2.4	
1988	232	2.2	0.15	1.9	2.5	189	2.0	0.15	1.8	2.4	
1989	244	2.3	0.15	2.0	2.6	200	2.1	0.15	1.9	2.5	
1990	254	2.4	0.15	2.1	2.7	202	2.1	0.15	1.8	2.5	
1991	277	2.6	0.16	2.3	3.0	216	2.4	0.16	2.1	2.7	
1992	265	2.4	0.15	2.1	2.7	221	2.3	0.16	2.0	2.6	
1993	271	2.4	0.15	2.1	2.7	232	2.4	0.16	2.1	2.7	
1994	269	2.4	0.15	2.1	2.7	224	2.3	0.15	2.0	2.6	
1995	284	2.5	0.15	2.2	2.8	234	2.4	0.16	2.1	2.7	
1996	297	2.6	0.15	2.3	2.9	248	2.5	0.16	2.2	2.9	
1997	343	3.0	0.16	2.7	3.3	290	3.0	0.17	2.6	3.3	
1998	273	2.3	0.14	2.1	2.6	228	2.3	0.15	2.0	2.6	
1999	332	2.8	0.15	2.5	3.1	286	2.9	0.17	2.5	3.2	
2000	306	2.6	0.15	2.3	2.9	253	2.5	0.16	2.2	2.8	
2001	291	2.4	0.14	2.1	2.7	238	2.3	0.15	2.0	2.6	
2002	355	2.9	0.15	2.6	3.2	297	2.9	0.17	2.6	3.2	
2003	343	2.7	0.15	2.5	3.1	294	2.8	0.16	2.5	3.2	
2004	385	3.0	0.15	2.7	3.4	320	3.0	0.17	2.7	3.4	
2005	397	3.1	0.16	2.8	3.4	340	3.2	0.17	2.8	3.5	
2006	375	2.9	0.15	2.6	3.2	316	2.9	0.16	2.6	3.2	
2007	457	3.5	0.16	3.2	3.8	404	3.7	0.19	3.3	4.1	
2008	429	3.2	0.15	2.9	3.5	386	3.5	0.18	3.1	3.8	
2009	432	3.2	0.16	2.9	3.5	375	3.3	0.17	3.0	3.7	
2010	419	3.0	0.15	2.7	3.3	365	3.2	0.17	2.8	3.5	
2011	478	3.4	0.16	3.1	3.7	406	3.5	0.18	3.2	3.9	
2012	534	3.7	0.16	3.4	4.0	470	4.0	0.19	3.6	4.3	
2013	542	3.6	0.16	3.3	3.9	468	3.8	0.18	3.5	4.2	
2014	559	3.7	0.16	3.4	4.1	488	4.0	0.18	3.6	4.3	
2015	565	3.7	0.16	3.4	4.1	500	4.0	0.19	3.7	4.4	
2016	564	3.7	0.16	3.4	4.0	499	4.0	0.18	3.6	4.4	
2017	639	4.1	0.17	3.8	4.5	569	4.5	0.20	4.2	4.9	
2018	586	3.7	0.16	3.4	4.1	520	4.1	0.18	3.7	4.5	
2019	583	3.6	0.15	3.3	4.0	527	4.1	0.18	3.7	4.4	
2020	600	3.8	0.16	3.5	4.1	518	4.1	0.18	3.7	4.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Tongue										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,540	2.7	0.07	2.6	2.8	327	1.9	0.11	1.7	2.2
1986	42	3.7	0.58	2.6	5.0	2	1.7	1.29	0.1	6.1
1987	54	4.8	0.67	3.6	6.3	6	3.8	1.66	1.3	8.6
1988	42	3.5	0.54	2.5	4.7	1	0.6	0.57	0.0	3.5
1989	40	3.3	0.52	2.3	4.4	4	2.3	1.19	0.6	6.1
1990	52	4.1	0.58	3.1	5.4	0				
1991	54	4.2	0.58	3.2	5.5	3	1.2	0.71	0.3	3.9
1992	42	3.3	0.50	2.3	4.4	2	0.7	0.49	0.1	2.9
1993	34	2.6	0.45	1.8	3.6	3	1.1	0.65	0.2	3.5
1994	42	3.1	0.49	2.3	4.2	3	1.0	0.63	0.2	3.3
1995	42	3.0	0.47	2.2	4.1	6	1.6	0.65	0.6	3.8
1996	46	3.2	0.48	2.4	4.3	3	0.8	0.45	0.2	2.6
1997	47	3.4	0.51	2.5	4.6	6	2.0	0.86	0.7	4.5
1998	38	2.6	0.43	1.9	3.6	5	1.6	0.78	0.5	3.9
1999	40	2.5	0.40	1.8	3.4	6	1.6	0.69	0.6	3.7
2000	45	3.0	0.45	2.2	4.0	5	1.5	0.70	0.4	3.5
2001	45	2.8	0.42	2.0	3.8	6	1.4	0.58	0.5	3.1
2002	50	3.1	0.43	2.3	4.0	7	1.7	0.66	0.6	3.6
2003	39	2.5	0.40	1.8	3.4	8	2.0	0.74	0.8	4.0
2004	47	2.9	0.42	2.1	3.8	15	3.0	0.83	1.6	5.1
2005	37	2.2	0.37	1.6	3.1	17	3.4	0.88	1.9	5.6
2006	43	2.4	0.37	1.7	3.3	13	2.5	0.78	1.2	4.5
2007	40	2.3	0.37	1.6	3.1	12	2.5	0.78	1.2	4.5
2008	34	1.9	0.33	1.3	2.7	9	1.7	0.62	0.8	3.4
2009	36	2.0	0.34	1.4	2.8	17	2.7	0.69	1.6	4.5
2010	35	1.9	0.34	1.3	2.7	16	2.8	0.74	1.5	4.6
2011	52	2.8	0.40	2.1	3.7	14	1.9	0.51	1.0	3.2
2012	51	2.7	0.39	2.0	3.6	10	1.4	0.48	0.7	2.7
2013	58	2.9	0.39	2.2	3.8	11	1.5	0.49	0.7	2.8
2014	51	2.7	0.39	2.0	3.6	18	2.4	0.56	1.4	3.8
2015	46	2.3	0.35	1.7	3.1	15	1.8	0.46	1.0	3.0
2016	45	2.2	0.33	1.6	2.9	16	1.9	0.49	1.1	3.2
2017	45	2.2	0.34	1.6	3.0	19	2.3	0.54	1.4	3.6
2018	42	1.9	0.30	1.4	2.6	17	2.1	0.51	1.2	3.3
2019	34	1.6	0.28	1.1	2.2	12	1.2	0.36	0.6	2.2
2020	50	2.2	0.32	1.7	3.0	20	2.3	0.51	1.4	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Tongue											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	9,414	4.6	0.05	4.5	4.7	8,014	4.6	0.05	4.5	4.7	
1986	175	3.7	0.28	3.1	4.3	138	3.2	0.28	2.7	3.8	
1987	162	3.5	0.28	2.9	4.1	123	3.0	0.27	2.4	3.5	
1988	155	3.3	0.27	2.8	3.9	120	2.9	0.27	2.4	3.5	
1989	159	3.4	0.28	2.9	4.0	127	3.1	0.29	2.6	3.7	
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.28	2.7	3.8	
1991	198	4.2	0.31	3.6	4.9	149	3.7	0.31	3.1	4.3	
1992	172	3.5	0.27	3.0	4.0	140	3.3	0.28	2.7	3.9	
1993	178	3.5	0.27	3.0	4.1	149	3.4	0.28	2.9	4.0	
1994	180	3.6	0.27	3.1	4.2	150	3.5	0.29	2.9	4.1	
1995	201	4.0	0.28	3.4	4.6	164	3.7	0.30	3.2	4.4	
1996	199	3.9	0.28	3.4	4.5	165	3.8	0.30	3.2	4.4	
1997	220	4.2	0.29	3.7	4.8	181	4.1	0.30	3.5	4.7	
1998	174	3.3	0.25	2.8	3.8	138	3.1	0.26	2.6	3.6	
1999	211	3.9	0.27	3.4	4.4	180	3.9	0.29	3.3	4.5	
2000	200	3.7	0.26	3.2	4.2	162	3.5	0.28	3.0	4.1	
2001	203	3.6	0.26	3.2	4.2	164	3.5	0.27	3.0	4.1	
2002	245	4.3	0.28	3.8	4.9	201	4.2	0.30	3.7	4.9	
2003	239	4.2	0.28	3.7	4.8	202	4.2	0.30	3.7	4.9	
2004	264	4.5	0.28	4.0	5.1	214	4.3	0.30	3.8	5.0	
2005	273	4.6	0.28	4.1	5.2	232	4.6	0.31	4.0	5.3	
2006	260	4.3	0.27	3.7	4.8	220	4.3	0.29	3.7	4.9	
2007	316	5.1	0.29	4.6	5.7	275	5.3	0.32	4.7	6.0	
2008	295	4.7	0.28	4.1	5.2	266	5.0	0.31	4.4	5.7	
2009	286	4.5	0.27	4.0	5.0	249	4.7	0.30	4.1	5.3	
2010	297	4.5	0.27	4.0	5.1	260	4.7	0.30	4.1	5.3	
2011	330	4.9	0.28	4.4	5.5	280	5.0	0.31	4.4	5.6	
2012	376	5.6	0.30	5.0	6.2	327	5.8	0.33	5.2	6.5	
2013	385	5.5	0.29	5.0	6.1	336	5.8	0.32	5.2	6.5	
2014	381	5.4	0.28	4.9	6.0	338	5.7	0.32	5.1	6.4	
2015	400	5.6	0.29	5.1	6.2	354	6.0	0.33	5.4	6.7	
2016	402	5.5	0.28	5.0	6.1	355	5.9	0.32	5.3	6.6	
2017	452	6.2	0.30	5.7	6.9	403	6.7	0.34	6.1	7.4	
2018	412	5.6	0.28	5.1	6.2	366	6.1	0.32	5.4	6.7	
2019	417	5.5	0.28	5.0	6.1	386	6.2	0.32	5.6	6.9	
2020	425	5.7	0.29	5.2	6.3	367	6.0	0.32	5.4	6.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Tongue										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,130	4.6	0.14	4.4	4.9	209	2.8	0.20	2.4	3.2
1986	35	7.2	1.28	4.9	10.1	2	3.8	3.02	0.3	14.2
1987	36	7.2	1.25	5.0	10.1	3	5.2	3.27	0.9	15.6
1988	35	7.0	1.22	4.8	9.7	0				
1989	31	5.9	1.08	4.0	8.4	1	1.3	1.25	0.0	7.7
1990	39	7.1	1.16	5.0	9.7	0				
1991	43	7.9	1.26	5.6	10.8	3	2.6	1.52	0.5	8.7
1992	30	5.3	0.98	3.6	7.6	2	1.4	1.05	0.2	6.6
1993	25	4.2	0.84	2.7	6.2	2	2.0	1.44	0.3	7.6
1994	29	5.2	1.01	3.4	7.5	1	0.4	0.39	0.0	4.5
1995	30	5.3	1.02	3.5	7.6	5	2.8	1.25	0.9	7.5
1996	34	5.5	0.96	3.8	7.7	0				
1997	34	6.0	1.08	4.0	8.5	5	3.6	1.69	1.1	8.9
1998	29	4.8	0.90	3.2	6.9	5	3.7	1.83	1.0	9.2
1999	29	4.1	0.76	2.7	5.9	2	1.4	1.06	0.1	5.5
2000	36	5.4	0.91	3.8	7.5	1	1.2	1.15	0.0	5.4
2001	36	5.2	0.88	3.6	7.3	2	0.9	0.60	0.1	3.8
2002	38	5.4	0.88	3.8	7.4	5	2.9	1.37	0.8	7.0
2003	30	4.5	0.87	3.0	6.6	5	2.5	1.16	0.7	6.1
2004	38	5.2	0.86	3.7	7.2	11	5.4	1.86	2.4	10.3
2005	30	4.3	0.81	2.9	6.2	9	4.1	1.48	1.8	8.2
2006	28	3.6	0.69	2.4	5.2	11	5.1	1.78	2.3	9.8
2007	33	4.4	0.78	3.0	6.2	7	3.4	1.43	1.2	7.3
2008	23	3.3	0.72	2.0	5.0	6	3.0	1.33	1.0	6.7
2009	22	2.7	0.59	1.7	4.2	12	4.2	1.30	2.1	7.7
2010	24	3.3	0.71	2.1	5.0	11	4.2	1.37	2.0	7.8
2011	37	4.7	0.81	3.3	6.6	8	2.4	0.85	1.0	4.9
2012	40	5.1	0.85	3.6	7.1	7	2.3	1.01	0.8	5.1
2013	40	4.8	0.79	3.4	6.6	6	1.7	0.72	0.6	3.8
2014	31	4.0	0.74	2.7	5.7	11	3.0	0.90	1.5	5.4
2015	33	4.0	0.72	2.7	5.7	11	2.8	0.85	1.4	5.1
2016	34	3.9	0.69	2.7	5.5	13	3.4	0.93	1.8	5.8
2017	34	4.1	0.73	2.8	5.8	11	3.2	1.00	1.5	5.7
2018	31	3.2	0.58	2.1	4.6	11	3.0	0.93	1.4	5.4
2019	18	1.8	0.43	1.1	2.9	8	1.8	0.64	0.8	3.6
2020	35	3.6	0.63	2.5	5.1	12	3.0	0.86	1.5	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Tongue										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,280	1.8	0.03	1.7	1.8	3,718	1.8	0.03	1.8	1.9
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9
1987	91	1.6	0.17	1.3	1.9	70	1.4	0.17	1.1	1.7
1988	77	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.6
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8
1990	82	1.4	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1991	79	1.4	0.15	1.1	1.7	67	1.3	0.17	1.0	1.7
1992	93	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9
1994	89	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1996	98	1.5	0.16	1.2	1.9	83	1.5	0.17	1.2	1.9
1997	123	1.9	0.17	1.6	2.3	109	2.0	0.19	1.6	2.4
1998	99	1.5	0.15	1.2	1.8	90	1.6	0.17	1.3	2.0
1999	121	1.9	0.17	1.5	2.2	106	1.9	0.19	1.6	2.3
2000	106	1.6	0.15	1.3	1.9	91	1.6	0.17	1.3	2.0
2001	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6
2002	110	1.6	0.16	1.3	2.0	96	1.7	0.17	1.4	2.1
2003	104	1.5	0.15	1.2	1.9	92	1.6	0.17	1.3	2.0
2004	121	1.8	0.16	1.5	2.1	106	1.9	0.18	1.5	2.2
2005	124	1.8	0.16	1.5	2.1	108	1.9	0.18	1.5	2.2
2006	115	1.6	0.15	1.3	1.9	96	1.6	0.17	1.3	2.0
2007	141	2.0	0.17	1.7	2.4	129	2.2	0.20	1.8	2.6
2008	134	1.9	0.16	1.6	2.2	120	2.0	0.19	1.7	2.4
2009	146	2.1	0.17	1.7	2.4	126	2.1	0.19	1.8	2.6
2010	122	1.7	0.15	1.4	2.0	105	1.7	0.17	1.4	2.1
2011	148	2.0	0.17	1.7	2.4	126	2.1	0.19	1.7	2.5
2012	158	2.1	0.17	1.8	2.4	143	2.3	0.20	1.9	2.7
2013	157	2.0	0.16	1.7	2.3	132	2.0	0.18	1.7	2.4
2014	178	2.3	0.17	1.9	2.6	150	2.3	0.20	2.0	2.8
2015	165	2.0	0.16	1.7	2.4	146	2.3	0.19	1.9	2.7
2016	162	2.1	0.17	1.7	2.4	144	2.3	0.20	1.9	2.7
2017	187	2.3	0.17	2.0	2.7	166	2.5	0.20	2.2	3.0
2018	174	2.1	0.16	1.8	2.5	154	2.3	0.19	2.0	2.7
2019	166	2.0	0.16	1.7	2.3	141	2.1	0.18	1.7	2.5
2020	175	2.1	0.16	1.8	2.5	151	2.3	0.19	1.9	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Tongue										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	410	1.3	0.06	1.2	1.4	118	1.3	0.12	1.0	1.5
1986	7	1.1	0.42	0.4	2.2	0				
1987	18	2.9	0.69	1.7	4.6	3	2.8	1.65	0.6	9.0
1988	7	0.8	0.32	0.3	1.8	1	1.0	1.00	0.0	6.1
1989	9	1.3	0.43	0.6	2.4	3	3.2	1.89	0.7	9.5
1990	13	1.8	0.52	1.0	3.1	0				
1991	11	1.5	0.46	0.8	2.7	0				
1992	12	1.7	0.49	0.9	2.9	0				
1993	9	1.3	0.44	0.6	2.4	1	0.4	0.40	0.0	3.7
1994	13	1.7	0.47	0.9	2.8	2	1.5	1.09	0.2	5.6
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	3.4
1996	12	1.5	0.43	0.8	2.6	3	1.5	0.89	0.3	4.9
1997	13	1.7	0.47	0.9	2.8	1	0.8	0.76	0.0	3.9
1998	9	1.1	0.36	0.5	2.0	0				
1999	11	1.3	0.38	0.6	2.3	4	1.9	0.96	0.5	5.0
2000	9	1.1	0.36	0.5	2.0	4	1.8	0.95	0.5	4.9
2001	9	1.0	0.32	0.4	1.8	4	1.8	0.93	0.5	4.7
2002	12	1.3	0.37	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	9	1.0	0.34	0.5	1.9	3	1.6	0.92	0.3	4.4
2004	9	1.0	0.34	0.5	1.9	4	1.1	0.57	0.3	3.2
2005	7	0.7	0.28	0.3	1.5	8	2.8	1.02	1.1	5.6
2006	15	1.5	0.40	0.9	2.5	2	0.5	0.37	0.1	2.2
2007	7	0.7	0.28	0.3	1.5	5	1.9	0.90	0.6	4.5
2008	11	1.1	0.32	0.5	1.9	3	0.9	0.50	0.2	2.7
2009	14	1.5	0.39	0.8	2.4	5	1.5	0.66	0.5	3.5
2010	11	1.0	0.31	0.5	1.8	5	1.6	0.74	0.5	3.8
2011	15	1.4	0.37	0.8	2.4	6	1.5	0.60	0.5	3.3
2012	11	1.0	0.31	0.5	1.8	3	0.9	0.49	0.2	2.5
2013	18	1.6	0.39	1.0	2.6	5	1.4	0.66	0.4	3.4
2014	20	1.9	0.42	1.1	2.9	7	1.8	0.69	0.7	3.8
2015	13	1.1	0.32	0.6	1.9	4	0.8	0.42	0.2	2.3
2016	11	0.9	0.28	0.5	1.7	3	0.7	0.41	0.1	2.1
2017	11	0.9	0.28	0.5	1.7	8	1.6	0.59	0.7	3.3
2018	11	1.0	0.30	0.5	1.8	6	1.3	0.54	0.5	2.9
2019	16	1.4	0.35	0.8	2.2	4	0.7	0.37	0.2	2.0
2020	15	1.2	0.33	0.7	2.1	8	1.6	0.58	0.7	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Salivary Gland											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	5,368	1.2	0.02	1.2	1.3	4,509	1.2	0.02	1.2	1.3	
1986	107	1.0	0.10	0.8	1.2	90	1.0	0.10	0.8	1.2	
1987	122	1.1	0.10	0.9	1.4	110	1.2	0.11	1.0	1.4	
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4	
1989	104	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2	
1990	98	0.9	0.09	0.7	1.1	91	1.0	0.10	0.8	1.2	
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1	
1992	116	1.0	0.10	0.9	1.3	103	1.1	0.11	0.9	1.3	
1993	116	1.0	0.10	0.9	1.2	95	1.0	0.10	0.8	1.2	
1994	134	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4	
1995	135	1.2	0.10	1.0	1.4	114	1.2	0.11	1.0	1.4	
1996	141	1.2	0.10	1.0	1.4	121	1.2	0.11	1.0	1.5	
1997	156	1.3	0.11	1.1	1.6	135	1.4	0.12	1.1	1.6	
1998	140	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4	
1999	151	1.3	0.10	1.1	1.5	135	1.3	0.11	1.1	1.6	
2000	138	1.1	0.10	1.0	1.4	122	1.2	0.11	1.0	1.4	
2001	137	1.1	0.10	0.9	1.3	118	1.1	0.11	1.0	1.4	
2002	153	1.2	0.10	1.1	1.5	136	1.3	0.11	1.1	1.6	
2003	143	1.2	0.10	1.0	1.4	128	1.2	0.11	1.0	1.4	
2004	136	1.1	0.09	0.9	1.3	112	1.1	0.10	0.9	1.3	
2005	132	1.0	0.09	0.9	1.2	117	1.1	0.10	0.9	1.3	
2006	149	1.2	0.10	1.0	1.4	123	1.2	0.10	1.0	1.4	
2007	173	1.3	0.10	1.1	1.6	147	1.4	0.11	1.1	1.6	
2008	153	1.2	0.10	1.0	1.4	122	1.1	0.10	0.9	1.3	
2009	179	1.4	0.10	1.2	1.6	151	1.4	0.12	1.2	1.6	
2010	175	1.3	0.10	1.1	1.5	137	1.2	0.11	1.0	1.5	
2011	168	1.3	0.10	1.1	1.5	142	1.3	0.11	1.1	1.5	
2012	211	1.5	0.11	1.3	1.7	172	1.5	0.12	1.3	1.7	
2013	171	1.2	0.10	1.1	1.4	132	1.2	0.10	1.0	1.4	
2014	192	1.3	0.10	1.2	1.6	152	1.3	0.11	1.1	1.5	
2015	202	1.4	0.10	1.2	1.6	166	1.4	0.11	1.2	1.7	
2016	198	1.4	0.10	1.2	1.6	159	1.4	0.11	1.2	1.6	
2017	204	1.4	0.10	1.2	1.6	171	1.4	0.11	1.2	1.7	
2018	213	1.5	0.10	1.3	1.7	173	1.4	0.11	1.2	1.7	
2019	218	1.5	0.10	1.3	1.7	173	1.4	0.11	1.2	1.7	
2020	183	1.2	0.09	1.0	1.4	142	1.1	0.10	1.0	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Salivary Gland										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	655	1.2	0.05	1.1	1.3	160	0.9	0.08	0.8	1.1
1986	14	1.1	0.29	0.6	1.8	3	1.1	0.71	0.2	4.4
1987	11	1.0	0.30	0.5	1.7	1	1.2	1.15	0.0	5.3
1988	6	0.5	0.22	0.2	1.2	4	2.1	1.11	0.5	5.8
1989	9	0.7	0.24	0.3	1.3	0				
1990	6	0.4	0.17	0.2	0.9	0				
1991	15	1.1	0.28	0.6	1.8	0				
1992	10	0.8	0.25	0.4	1.4	2	0.6	0.41	0.1	2.7
1993	18	1.4	0.32	0.8	2.1	3	1.7	1.08	0.3	5.0
1994	13	0.9	0.26	0.5	1.5	4	1.4	0.74	0.4	3.9
1995	16	1.1	0.30	0.6	1.9	5	1.1	0.49	0.3	2.9
1996	16	1.1	0.28	0.6	1.8	2	1.0	0.79	0.1	3.6
1997	15	1.0	0.27	0.6	1.7	3	0.9	0.54	0.2	2.8
1998	16	1.1	0.27	0.6	1.8	6	1.5	0.61	0.5	3.4
1999	12	0.8	0.24	0.4	1.4	2	0.3	0.24	0.0	1.7
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.32	0.1	1.9
2001	12	0.7	0.21	0.4	1.3	4	0.9	0.52	0.2	2.6
2002	12	0.8	0.22	0.4	1.3	4	1.0	0.53	0.3	2.7
2003	13	0.8	0.21	0.4	1.3	2	0.6	0.44	0.1	2.1
2004	19	1.1	0.26	0.7	1.8	5	1.1	0.54	0.3	2.8
2005	13	0.7	0.20	0.4	1.2	2	0.6	0.42	0.1	2.0
2006	20	1.2	0.27	0.7	1.8	5	1.3	0.61	0.4	3.0
2007	20	1.1	0.26	0.7	1.8	4	0.6	0.32	0.2	1.7
2008	25	1.4	0.29	0.9	2.1	5	1.1	0.54	0.3	2.7
2009	21	1.3	0.29	0.8	2.0	5	0.7	0.33	0.2	1.8
2010	26	1.6	0.32	1.0	2.4	10	1.8	0.57	0.8	3.3
2011	17	1.0	0.24	0.6	1.5	7	1.2	0.49	0.4	2.5
2012	29	1.5	0.29	1.0	2.2	8	1.2	0.45	0.5	2.5
2013	29	1.6	0.30	1.1	2.3	6	0.8	0.36	0.3	1.9
2014	33	1.8	0.32	1.3	2.6	7	0.9	0.33	0.3	1.8
2015	26	1.3	0.26	0.8	1.9	8	1.0	0.35	0.4	2.0
2016	33	1.8	0.32	1.2	2.5	5	0.7	0.30	0.2	1.6
2017	26	1.3	0.26	0.8	1.9	7	0.8	0.32	0.3	1.7
2018	25	1.3	0.27	0.8	1.9	12	1.4	0.40	0.7	2.4
2019	35	1.9	0.32	1.3	2.6	9	1.0	0.35	0.5	2.0
2020	31	1.5	0.27	1.0	2.1	7	0.7	0.27	0.3	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Salivary Gland											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,010	1.6	0.03	1.5	1.7	2,591	1.6	0.03	1.6	1.7	
1986	48	1.1	0.17	0.8	1.5	42	1.1	0.18	0.8	1.6	
1987	67	1.5	0.19	1.2	1.9	63	1.6	0.21	1.2	2.1	
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1	
1989	48	1.1	0.16	0.8	1.4	44	1.1	0.17	0.8	1.5	
1990	60	1.4	0.19	1.0	1.8	56	1.5	0.21	1.1	2.0	
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5	
1992	66	1.4	0.18	1.1	1.8	60	1.5	0.20	1.1	1.9	
1993	66	1.4	0.17	1.0	1.7	55	1.3	0.18	1.0	1.7	
1994	68	1.5	0.19	1.2	2.0	63	1.6	0.21	1.3	2.1	
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.1	
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.0	
1997	81	1.6	0.18	1.3	2.0	70	1.6	0.20	1.3	2.0	
1998	77	1.5	0.18	1.2	1.9	65	1.5	0.19	1.2	1.9	
1999	85	1.7	0.19	1.3	2.1	76	1.7	0.20	1.4	2.2	
2000	80	1.6	0.18	1.2	1.9	70	1.6	0.19	1.2	2.0	
2001	80	1.6	0.18	1.2	2.0	71	1.6	0.20	1.3	2.1	
2002	89	1.7	0.18	1.4	2.1	80	1.8	0.20	1.4	2.2	
2003	81	1.6	0.18	1.2	1.9	73	1.7	0.20	1.3	2.1	
2004	79	1.5	0.17	1.2	1.9	67	1.5	0.19	1.2	1.9	
2005	71	1.3	0.15	1.0	1.6	62	1.3	0.17	1.0	1.7	
2006	78	1.4	0.16	1.1	1.8	68	1.5	0.18	1.1	1.9	
2007	102	1.9	0.19	1.5	2.3	88	1.9	0.21	1.5	2.4	
2008	88	1.5	0.17	1.2	1.9	72	1.5	0.18	1.2	1.9	
2009	103	1.8	0.18	1.5	2.2	92	1.9	0.20	1.6	2.4	
2010	97	1.6	0.17	1.3	2.0	81	1.6	0.18	1.3	2.0	
2011	104	1.8	0.18	1.5	2.2	87	1.8	0.19	1.4	2.2	
2012	120	1.9	0.18	1.6	2.3	97	1.9	0.20	1.5	2.3	
2013	97	1.6	0.17	1.3	2.0	74	1.5	0.17	1.2	1.9	
2014	104	1.6	0.16	1.3	2.0	85	1.6	0.18	1.3	2.0	
2015	128	2.0	0.18	1.7	2.4	107	2.0	0.20	1.7	2.5	
2016	104	1.6	0.16	1.3	2.0	88	1.7	0.18	1.3	2.1	
2017	109	1.6	0.16	1.3	2.0	96	1.7	0.18	1.4	2.1	
2018	120	1.8	0.17	1.5	2.2	101	1.9	0.19	1.5	2.3	
2019	130	2.0	0.18	1.6	2.3	106	1.9	0.19	1.6	2.4	
2020	109	1.6	0.16	1.3	2.0	90	1.6	0.17	1.3	2.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Salivary Gland										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	319	1.4	0.08	1.2	1.5	81	1.1	0.13	0.8	1.4
1986	6	1.0	0.43	0.3	2.3	0				
1987	4	0.8	0.42	0.2	2.1	0				
1988	4	0.8	0.39	0.2	2.0	0				
1989	4	0.8	0.41	0.2	2.1	0				
1990	3	0.5	0.28	0.1	1.5	0				
1991	8	1.4	0.49	0.6	2.7	0				
1992	5	1.0	0.45	0.3	2.3	1	0.6	0.60	0.0	5.4
1993	10	1.9	0.62	0.9	3.5	1	2.4	2.41	0.1	10.3
1994	4	0.6	0.30	0.2	1.6	1	1.2	1.18	0.0	6.3
1995	4	0.6	0.30	0.2	1.6	2	1.0	0.70	0.1	5.0
1996	8	1.3	0.47	0.5	2.6	2	2.4	1.95	0.2	8.7
1997	8	1.5	0.57	0.6	3.0	3	2.0	1.16	0.4	6.4
1998	8	1.4	0.55	0.6	2.9	3	1.5	0.87	0.3	5.3
1999	7	1.3	0.52	0.5	2.7	1	0.5	0.45	0.0	3.6
2000	9	1.3	0.43	0.6	2.4	1	0.5	0.45	0.0	3.4
2001	4	0.7	0.43	0.2	2.0	3	1.6	1.15	0.2	5.6
2002	7	1.0	0.37	0.4	2.0	2	1.0	0.71	0.1	4.0
2003	7	0.9	0.34	0.4	1.9	1	0.3	0.34	0.0	2.7
2004	9	1.3	0.46	0.6	2.6	3	1.7	1.08	0.3	5.1
2005	8	1.0	0.37	0.4	2.1	1	0.4	0.36	0.0	2.5
2006	6	0.8	0.32	0.3	1.7	4	2.6	1.43	0.6	6.7
2007	11	1.4	0.43	0.7	2.6	2	0.7	0.48	0.1	2.8
2008	12	1.8	0.57	0.9	3.2	4	2.2	1.20	0.5	5.7
2009	9	1.3	0.46	0.6	2.5	2	0.7	0.47	0.1	2.6
2010	10	1.8	0.59	0.8	3.3	4	1.3	0.67	0.4	3.6
2011	12	1.6	0.48	0.8	2.8	3	1.3	0.81	0.2	3.8
2012	18	2.2	0.54	1.3	3.5	4	1.1	0.54	0.3	2.9
2013	18	2.4	0.57	1.4	3.8	3	1.2	0.80	0.2	3.7
2014	15	1.7	0.46	1.0	2.9	4	1.1	0.55	0.3	2.9
2015	15	1.9	0.51	1.1	3.2	5	1.3	0.61	0.4	3.2
2016	11	1.2	0.38	0.6	2.2	4	1.1	0.53	0.3	2.7
2017	10	1.1	0.37	0.5	2.1	3	0.7	0.41	0.1	2.1
2018	12	1.5	0.46	0.8	2.7	6	1.5	0.61	0.5	3.2
2019	19	2.4	0.55	1.4	3.7	4	1.0	0.53	0.3	2.7
2020	14	1.6	0.44	0.9	2.7	4	0.9	0.43	0.2	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Salivary Gland											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,358	1.0	0.02	0.9	1.0	1,918	1.0	0.02	0.9	1.0	
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2	
1987	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2	
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2	
1989	56	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.3	
1990	38	0.6	0.10	0.4	0.9	35	0.7	0.11	0.5	0.9	
1991	46	0.8	0.11	0.6	1.0	38	0.7	0.12	0.5	1.0	
1992	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1	
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0	
1994	66	1.0	0.13	0.8	1.3	54	1.0	0.14	0.7	1.3	
1995	60	0.9	0.12	0.7	1.2	45	0.8	0.13	0.6	1.1	
1996	64	1.0	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2	
1997	75	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.6	
1998	63	1.0	0.12	0.7	1.2	52	0.9	0.13	0.7	1.2	
1999	66	1.0	0.12	0.8	1.3	59	1.1	0.14	0.8	1.4	
2000	58	0.9	0.12	0.7	1.2	52	1.0	0.13	0.7	1.3	
2001	57	0.9	0.11	0.7	1.1	47	0.9	0.13	0.6	1.1	
2002	64	1.0	0.12	0.7	1.2	56	1.0	0.14	0.8	1.3	
2003	62	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2	
2004	57	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1	
2005	61	0.9	0.12	0.7	1.2	55	1.0	0.14	0.8	1.3	
2006	71	1.0	0.12	0.8	1.3	55	0.9	0.13	0.7	1.2	
2007	71	1.0	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3	
2008	65	0.9	0.11	0.7	1.2	50	0.8	0.12	0.6	1.1	
2009	76	1.1	0.12	0.8	1.3	59	1.0	0.13	0.8	1.3	
2010	78	1.1	0.13	0.9	1.4	56	1.0	0.13	0.7	1.3	
2011	64	0.9	0.11	0.7	1.1	55	0.9	0.13	0.7	1.2	
2012	91	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5	
2013	74	1.0	0.12	0.8	1.3	58	1.0	0.13	0.7	1.3	
2014	88	1.1	0.12	0.9	1.4	67	1.1	0.13	0.8	1.4	
2015	74	1.0	0.12	0.8	1.3	59	1.0	0.14	0.8	1.3	
2016	94	1.3	0.13	1.0	1.6	71	1.2	0.15	0.9	1.5	
2017	95	1.2	0.13	1.0	1.5	75	1.2	0.15	1.0	1.5	
2018	93	1.2	0.13	1.0	1.5	72	1.2	0.14	0.9	1.5	
2019	88	1.2	0.13	0.9	1.4	67	1.1	0.14	0.8	1.4	
2020	74	0.9	0.11	0.7	1.2	52	0.8	0.12	0.6	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Salivary Gland										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	336	1.0	0.06	0.9	1.2	79	0.8	0.10	0.7	1.1
1986	8	1.1	0.41	0.5	2.2	3	2.3	1.42	0.4	8.3
1987	7	1.0	0.40	0.4	2.1	1	2.0	1.97	0.1	9.1
1988	2	0.4	0.25	0.0	1.2	4	3.9	2.05	1.0	10.6
1989	5	0.7	0.30	0.2	1.5	0				
1990	3	0.4	0.23	0.1	1.1	0				
1991	7	0.8	0.31	0.3	1.7	0				
1992	5	0.7	0.30	0.2	1.5	1	0.6	0.59	0.0	4.3
1993	8	1.0	0.36	0.4	2.0	2	1.4	0.97	0.2	5.4
1994	9	1.1	0.37	0.5	2.1	3	1.7	1.01	0.3	5.5
1995	12	1.5	0.44	0.8	2.6	3	1.1	0.65	0.2	4.2
1996	8	1.0	0.36	0.4	2.0	0				
1997	7	0.8	0.30	0.3	1.6	0				
1998	8	0.9	0.33	0.4	1.8	3	1.5	0.85	0.3	4.5
1999	5	0.5	0.24	0.2	1.3	1	0.2	0.24	0.0	2.4
2000	4	0.4	0.21	0.1	1.1	2	0.7	0.48	0.1	2.9
2001	8	0.8	0.29	0.4	1.6	1	0.4	0.37	0.0	2.4
2002	5	0.6	0.26	0.2	1.3	2	1.0	0.74	0.1	3.6
2003	6	0.6	0.26	0.2	1.4	1	0.7	0.69	0.0	3.2
2004	10	1.0	0.32	0.5	1.9	2	0.8	0.54	0.1	2.9
2005	5	0.5	0.21	0.2	1.1	1	0.6	0.62	0.0	2.9
2006	14	1.5	0.40	0.8	2.5	1	0.4	0.37	0.0	2.1
2007	9	0.9	0.31	0.4	1.8	2	0.6	0.43	0.1	2.3
2008	13	1.3	0.37	0.7	2.2	1	0.3	0.32	0.0	1.9
2009	12	1.3	0.37	0.7	2.2	3	0.8	0.45	0.2	2.5
2010	16	1.6	0.41	0.9	2.6	6	2.1	0.88	0.7	4.6
2011	5	0.5	0.22	0.2	1.2	4	1.2	0.62	0.3	3.1
2012	11	1.0	0.31	0.5	1.8	4	1.3	0.67	0.3	3.3
2013	11	1.0	0.29	0.5	1.8	3	0.6	0.36	0.1	2.0
2014	18	1.8	0.44	1.1	2.9	3	0.7	0.38	0.1	2.0
2015	11	0.9	0.28	0.4	1.7	3	0.7	0.40	0.1	2.1
2016	22	2.2	0.47	1.3	3.3	1	0.3	0.32	0.0	1.6
2017	16	1.4	0.36	0.8	2.3	4	1.0	0.48	0.3	2.4
2018	13	1.2	0.35	0.7	2.1	6	1.3	0.52	0.5	2.8
2019	16	1.5	0.40	0.9	2.5	5	1.1	0.48	0.3	2.5
2020	17	1.4	0.35	0.8	2.3	3	0.6	0.35	0.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Floor of Mouth											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,669	0.8	0.01	0.8	0.8	2,953	0.8	0.01	0.8	0.8	
1986	148	1.5	0.12	1.2	1.7	113	1.2	0.12	1.0	1.5	
1987	110	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2	
1988	115	1.1	0.11	0.9	1.3	82	0.9	0.10	0.7	1.1	
1989	136	1.3	0.11	1.1	1.5	104	1.1	0.11	0.9	1.4	
1990	129	1.3	0.11	1.0	1.5	103	1.2	0.12	0.9	1.4	
1991	136	1.2	0.11	1.0	1.5	109	1.1	0.11	0.9	1.4	
1992	127	1.2	0.10	1.0	1.4	97	1.0	0.10	0.8	1.3	
1993	107	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1	
1994	124	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2	
1995	133	1.2	0.10	1.0	1.4	108	1.1	0.11	0.9	1.4	
1996	128	1.1	0.10	1.0	1.4	99	1.0	0.10	0.8	1.3	
1997	109	0.9	0.09	0.8	1.1	88	0.9	0.10	0.7	1.1	
1998	106	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1	
1999	99	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0	
2000	126	1.1	0.09	0.9	1.3	97	1.0	0.10	0.8	1.2	
2001	116	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2	
2002	93	0.8	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0	
2003	96	0.8	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9	
2004	99	0.8	0.08	0.6	1.0	76	0.7	0.08	0.6	0.9	
2005	76	0.6	0.07	0.5	0.8	62	0.6	0.08	0.5	0.8	
2006	105	0.8	0.08	0.7	1.0	87	0.8	0.09	0.7	1.0	
2007	88	0.7	0.07	0.5	0.8	72	0.7	0.08	0.5	0.8	
2008	110	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0	
2009	105	0.8	0.08	0.6	0.9	83	0.7	0.08	0.6	0.9	
2010	81	0.6	0.06	0.5	0.7	64	0.5	0.07	0.4	0.7	
2011	92	0.6	0.07	0.5	0.8	78	0.6	0.07	0.5	0.8	
2012	97	0.7	0.07	0.5	0.8	76	0.6	0.07	0.5	0.8	
2013	101	0.7	0.07	0.5	0.8	81	0.6	0.07	0.5	0.8	
2014	82	0.5	0.06	0.4	0.7	62	0.5	0.06	0.4	0.6	
2015	100	0.7	0.07	0.5	0.8	90	0.7	0.08	0.6	0.9	
2016	82	0.5	0.06	0.4	0.7	74	0.6	0.07	0.5	0.8	
2017	77	0.5	0.06	0.4	0.6	67	0.5	0.06	0.4	0.7	
2018	78	0.5	0.06	0.4	0.6	69	0.5	0.07	0.4	0.7	
2019	84	0.5	0.06	0.4	0.6	68	0.5	0.06	0.4	0.6	
2020	74	0.4	0.05	0.4	0.6	64	0.5	0.06	0.4	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Floor of Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	664	1.2	0.05	1.1	1.3	40	0.2	0.04	0.2	0.3
1986	35	3.1	0.54	2.1	4.3	0				
1987	17	1.5	0.37	0.9	2.4	1	0.6	0.57	0.0	3.6
1988	31	2.6	0.47	1.8	3.7	1	0.5	0.54	0.0	3.4
1989	31	2.6	0.47	1.7	3.7	1	0.5	0.50	0.0	3.2
1990	25	2.0	0.40	1.3	2.9	1	0.5	0.48	0.0	3.1
1991	26	2.0	0.38	1.3	2.9	0				
1992	29	2.2	0.42	1.5	3.2	1	0.2	0.20	0.0	2.2
1993	20	1.4	0.32	0.9	2.2	1	0.4	0.39	0.0	2.5
1994	31	2.4	0.44	1.6	3.4	0				
1995	24	1.7	0.35	1.1	2.5	1	0.4	0.40	0.0	2.3
1996	28	2.1	0.40	1.4	3.0	1	0.3	0.27	0.0	1.9
1997	19	1.3	0.30	0.8	2.0	2	1.0	0.69	0.1	3.2
1998	18	1.2	0.29	0.7	1.9	0				
1999	21	1.4	0.30	0.8	2.1	2	0.6	0.46	0.1	2.3
2000	28	1.8	0.35	1.2	2.6	0				
2001	16	1.0	0.24	0.6	1.6	0				
2002	13	0.8	0.24	0.4	1.4	1	0.2	0.18	0.0	1.3
2003	18	1.1	0.25	0.6	1.7	0				
2004	18	1.1	0.26	0.6	1.7	4	0.9	0.47	0.2	2.4
2005	12	0.7	0.21	0.4	1.3	2	0.6	0.43	0.1	2.0
2006	18	1.1	0.25	0.6	1.7	0				
2007	15	0.9	0.23	0.5	1.5	1	0.4	0.41	0.0	1.8
2008	18	0.9	0.22	0.6	1.5	1	0.2	0.16	0.0	1.0
2009	21	1.2	0.26	0.7	1.8	1	0.3	0.32	0.0	1.4
2010	15	0.8	0.20	0.4	1.3	0				
2011	13	0.6	0.17	0.3	1.1	1	0.2	0.19	0.0	1.0
2012	20	1.1	0.26	0.7	1.8	1	0.1	0.12	0.0	0.8
2013	18	0.8	0.20	0.5	1.4	1	0.1	0.10	0.0	0.7
2014	16	0.9	0.23	0.5	1.5	4	0.5	0.26	0.1	1.4
2015	7	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2016	6	0.3	0.13	0.1	0.7	2	0.3	0.23	0.0	1.1
2017	9	0.4	0.12	0.2	0.7	1	0.1	0.09	0.0	0.6
2018	7	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2019	13	0.6	0.18	0.3	1.1	3	0.3	0.19	0.1	1.0
2020	8	0.3	0.12	0.1	0.7	2	0.2	0.14	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Floor of Mouth											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,601	1.3	0.02	1.2	1.3	2,055	1.2	0.03	1.1	1.2	
1986	107	2.3	0.23	1.9	2.8	77	1.9	0.22	1.5	2.4	
1987	82	1.8	0.20	1.4	2.3	68	1.7	0.21	1.3	2.2	
1988	88	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0	
1989	95	2.0	0.20	1.6	2.4	71	1.7	0.20	1.3	2.1	
1990	98	2.1	0.22	1.7	2.6	78	2.0	0.23	1.6	2.5	
1991	93	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2	
1992	88	1.9	0.20	1.5	2.3	64	1.6	0.20	1.2	2.0	
1993	79	1.6	0.18	1.2	1.9	61	1.4	0.18	1.1	1.8	
1994	87	1.7	0.18	1.4	2.1	64	1.4	0.18	1.1	1.8	
1995	96	1.9	0.20	1.5	2.3	76	1.8	0.20	1.4	2.2	
1996	98	1.9	0.19	1.5	2.3	75	1.7	0.20	1.3	2.1	
1997	71	1.4	0.17	1.1	1.8	55	1.3	0.17	1.0	1.7	
1998	79	1.5	0.16	1.2	1.8	61	1.3	0.17	1.0	1.7	
1999	71	1.3	0.16	1.0	1.7	53	1.2	0.16	0.9	1.5	
2000	94	1.7	0.18	1.4	2.1	71	1.5	0.18	1.2	1.9	
2001	86	1.6	0.17	1.2	1.9	73	1.6	0.18	1.2	2.0	
2002	57	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3	
2003	68	1.2	0.14	0.9	1.5	53	1.1	0.15	0.8	1.4	
2004	72	1.2	0.15	1.0	1.5	52	1.1	0.15	0.8	1.4	
2005	54	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.2	
2006	73	1.2	0.14	1.0	1.5	60	1.2	0.15	0.9	1.5	
2007	58	0.9	0.12	0.7	1.2	45	0.9	0.13	0.6	1.2	
2008	73	1.1	0.14	0.9	1.4	61	1.2	0.15	0.9	1.5	
2009	75	1.2	0.14	0.9	1.5	58	1.1	0.14	0.8	1.4	
2010	55	0.8	0.11	0.6	1.1	44	0.8	0.12	0.6	1.1	
2011	65	0.9	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2	
2012	68	1.0	0.12	0.7	1.2	54	0.9	0.12	0.7	1.2	
2013	77	1.1	0.13	0.9	1.4	61	1.0	0.14	0.8	1.4	
2014	62	0.9	0.11	0.7	1.1	50	0.8	0.12	0.6	1.1	
2015	69	1.0	0.12	0.8	1.3	64	1.1	0.14	0.8	1.4	
2016	49	0.7	0.11	0.5	1.0	44	0.8	0.12	0.6	1.1	
2017	50	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0	
2018	56	0.8	0.10	0.6	1.0	48	0.8	0.11	0.6	1.0	
2019	59	0.7	0.10	0.6	1.0	49	0.7	0.11	0.5	1.0	
2020	49	0.6	0.09	0.5	0.9	39	0.6	0.10	0.4	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Floor of Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	507	2.0	0.09	1.9	2.2	29	0.3	0.07	0.2	0.5
1986	30	6.0	1.13	3.9	8.6	0				
1987	13	2.5	0.69	1.3	4.2	1	1.2	1.23	0.0	8.2
1988	24	4.4	0.91	2.8	6.6	1	1.2	1.16	0.0	7.7
1989	24	4.5	0.93	2.8	6.7	0				
1990	19	3.6	0.83	2.1	5.6	1	1.0	1.01	0.0	7.0
1991	16	2.7	0.68	1.5	4.4	0				
1992	23	4.3	0.94	2.6	6.5	1	0.4	0.39	0.0	5.0
1993	17	2.8	0.70	1.6	4.6	1	0.9	0.87	0.0	5.7
1994	23	4.3	0.94	2.6	6.5	0				
1995	19	3.1	0.72	1.9	4.9	1	0.9	0.93	0.0	5.4
1996	22	3.6	0.77	2.2	5.4	1	0.6	0.55	0.0	4.4
1997	14	2.1	0.56	1.1	3.5	2	2.3	1.66	0.3	7.8
1998	16	2.5	0.62	1.4	4.0	0				
1999	16	2.4	0.61	1.4	3.9	2	1.4	1.04	0.1	5.4
2000	22	3.4	0.72	2.1	5.1	0				
2001	13	1.8	0.49	0.9	3.0	0				
2002	10	1.4	0.45	0.7	2.6	0				
2003	15	2.0	0.52	1.1	3.4	0				
2004	16	2.4	0.63	1.3	3.9	4	1.9	1.03	0.5	5.2
2005	9	1.1	0.37	0.5	2.2	1	0.4	0.38	0.0	2.6
2006	13	1.7	0.49	0.9	3.0	0				
2007	13	1.9	0.53	1.0	3.2	0				
2008	11	1.3	0.41	0.6	2.4	1	0.3	0.34	0.0	2.2
2009	17	2.2	0.55	1.3	3.6	0				
2010	9	1.0	0.34	0.5	2.0	0				
2011	10	1.1	0.36	0.5	2.1	0				
2012	13	1.7	0.49	0.9	3.0	1	0.3	0.25	0.0	1.7
2013	14	1.5	0.41	0.8	2.6	1	0.2	0.23	0.0	1.6
2014	9	1.3	0.45	0.6	2.5	3	0.8	0.46	0.2	2.4
2015	3	0.3	0.19	0.1	1.0	2	0.5	0.37	0.1	2.0
2016	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.5
2017	7	0.7	0.25	0.3	1.4	0				
2018	6	0.8	0.34	0.3	1.8	1	0.3	0.26	0.0	1.5
2019	9	1.0	0.36	0.5	2.0	1	0.2	0.22	0.0	1.3
2020	8	0.8	0.29	0.3	1.6	2	0.4	0.30	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Floor of Mouth											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,068	0.4	0.01	0.4	0.5	898	0.4	0.01	0.4	0.5	
1986	41	0.7	0.12	0.5	1.0	36	0.7	0.12	0.5	1.0	
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7	
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6	
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0	
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7	
1991	43	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.9	
1992	39	0.6	0.10	0.4	0.9	33	0.6	0.10	0.4	0.8	
1993	28	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7	
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8	
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.8	
1996	30	0.5	0.08	0.3	0.7	24	0.4	0.09	0.3	0.7	
1997	38	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.8	
1998	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7	
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7	
2000	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7	
2001	30	0.5	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7	
2002	36	0.5	0.09	0.4	0.7	32	0.6	0.10	0.4	0.8	
2003	28	0.4	0.08	0.3	0.6	25	0.5	0.09	0.3	0.7	
2004	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6	
2005	22	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5	
2006	32	0.5	0.08	0.3	0.7	27	0.5	0.09	0.3	0.7	
2007	30	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.7	
2008	37	0.5	0.08	0.4	0.7	30	0.5	0.09	0.3	0.7	
2009	30	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6	
2010	26	0.4	0.07	0.2	0.5	20	0.3	0.07	0.2	0.5	
2011	27	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6	
2012	29	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6	
2013	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5	
2014	20	0.2	0.05	0.1	0.4	12	0.2	0.05	0.1	0.3	
2015	31	0.4	0.07	0.3	0.5	26	0.4	0.08	0.3	0.6	
2016	33	0.4	0.07	0.3	0.6	30	0.4	0.08	0.3	0.6	
2017	27	0.3	0.06	0.2	0.5	24	0.4	0.07	0.2	0.5	
2018	22	0.3	0.06	0.2	0.4	21	0.3	0.07	0.2	0.5	
2019	25	0.3	0.06	0.2	0.5	19	0.3	0.06	0.2	0.4	
2020	25	0.3	0.06	0.2	0.4	25	0.3	0.07	0.2	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Floor of Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	157	0.5	0.04	0.4	0.6	11	0.2	0.05	0.1	0.3
1986	5	0.9	0.40	0.3	2.0	0				
1987	4	0.6	0.33	0.2	1.6	0				
1988	7	1.1	0.42	0.4	2.2	0				
1989	7	1.1	0.43	0.5	2.3	1	0.9	0.91	0.0	5.7
1990	6	0.8	0.32	0.3	1.7	0				
1991	10	1.3	0.42	0.6	2.4	0				
1992	6	0.8	0.32	0.3	1.7	0				
1993	3	0.4	0.22	0.1	1.1	0				
1994	8	1.1	0.39	0.5	2.1	0				
1995	5	0.6	0.27	0.2	1.4	0				
1996	6	0.8	0.34	0.3	1.8	0				
1997	5	0.6	0.28	0.2	1.5	0				
1998	2	0.2	0.17	0.0	0.8	0				
1999	5	0.6	0.26	0.2	1.3	0				
2000	6	0.7	0.28	0.3	1.5	0				
2001	3	0.3	0.19	0.1	1.0	0				
2002	3	0.4	0.21	0.1	1.0	1	0.4	0.35	0.0	2.3
2003	3	0.3	0.18	0.1	0.9	0				
2004	2	0.2	0.14	0.0	0.7	0				
2005	3	0.4	0.21	0.1	1.0	1	0.6	0.62	0.0	2.9
2006	5	0.5	0.23	0.2	1.2	0				
2007	2	0.2	0.13	0.0	0.7	1	0.6	0.63	0.0	2.9
2008	7	0.7	0.26	0.3	1.4	0				
2009	4	0.4	0.20	0.1	1.0	1	0.5	0.53	0.0	2.4
2010	6	0.6	0.24	0.2	1.3	0				
2011	3	0.2	0.14	0.1	0.7	1	0.4	0.36	0.0	1.8
2012	7	0.7	0.27	0.3	1.5	0				
2013	4	0.3	0.15	0.1	0.8	0				
2014	7	0.6	0.24	0.3	1.3	1	0.3	0.28	0.0	1.5
2015	4	0.3	0.17	0.1	0.9	0				
2016	2	0.2	0.14	0.0	0.7	1	0.3	0.30	0.0	1.5
2017	2	0.1	0.10	0.0	0.6	1	0.2	0.17	0.0	1.2
2018	1	0.1	0.06	0.0	0.5	0				
2019	4	0.3	0.17	0.1	0.9	2	0.4	0.31	0.1	1.6
2020	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gum and Other Mouth										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,690	1.7	0.02	1.7	1.8	6,311	1.7	0.02	1.6	1.7
1986	189	1.8	0.13	1.5	2.1	157	1.6	0.13	1.4	1.9
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	208	2.0	0.14	1.7	2.3	169	1.8	0.14	1.5	2.1
1989	186	1.7	0.13	1.5	2.0	142	1.5	0.13	1.3	1.8
1990	186	1.8	0.13	1.5	2.0	146	1.6	0.13	1.3	1.8
1991	161	1.5	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1992	172	1.6	0.12	1.3	1.8	146	1.5	0.13	1.3	1.8
1993	183	1.7	0.12	1.4	1.9	156	1.6	0.13	1.4	1.9
1994	169	1.5	0.12	1.3	1.8	145	1.5	0.12	1.3	1.8
1995	200	1.8	0.12	1.5	2.0	165	1.7	0.13	1.4	2.0
1996	203	1.8	0.12	1.5	2.0	167	1.7	0.13	1.4	2.0
1997	199	1.7	0.12	1.5	2.0	169	1.7	0.13	1.5	2.0
1998	181	1.5	0.11	1.3	1.8	155	1.5	0.12	1.3	1.8
1999	208	1.8	0.12	1.5	2.0	169	1.7	0.13	1.4	1.9
2000	193	1.6	0.12	1.4	1.9	172	1.7	0.13	1.4	2.0
2001	199	1.6	0.12	1.4	1.9	168	1.6	0.13	1.4	1.9
2002	207	1.7	0.12	1.5	1.9	164	1.6	0.12	1.3	1.8
2003	223	1.8	0.12	1.6	2.1	181	1.7	0.13	1.5	2.0
2004	227	1.8	0.12	1.6	2.1	182	1.7	0.13	1.5	2.0
2005	192	1.5	0.11	1.3	1.7	159	1.5	0.12	1.3	1.7
2006	215	1.7	0.11	1.4	1.9	178	1.6	0.12	1.4	1.9
2007	206	1.6	0.11	1.4	1.8	162	1.5	0.12	1.3	1.7
2008	258	1.9	0.12	1.7	2.2	206	1.9	0.13	1.6	2.1
2009	238	1.8	0.12	1.5	2.0	197	1.8	0.13	1.5	2.0
2010	255	1.9	0.12	1.6	2.1	202	1.8	0.13	1.5	2.1
2011	263	1.9	0.12	1.6	2.1	220	1.9	0.13	1.6	2.1
2012	238	1.7	0.11	1.5	1.9	199	1.7	0.12	1.5	2.0
2013	239	1.7	0.11	1.5	1.9	204	1.7	0.12	1.5	2.0
2014	256	1.7	0.11	1.5	2.0	211	1.8	0.12	1.5	2.0
2015	278	1.9	0.11	1.7	2.1	220	1.8	0.12	1.6	2.1
2016	258	1.7	0.11	1.5	1.9	208	1.7	0.12	1.5	1.9
2017	270	1.8	0.11	1.6	2.0	228	1.8	0.12	1.6	2.1
2018	237	1.5	0.10	1.3	1.7	200	1.5	0.11	1.3	1.8
2019	292	1.8	0.11	1.6	2.1	226	1.7	0.12	1.5	2.0
2020	296	1.9	0.11	1.7	2.1	228	1.8	0.12	1.6	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gum and Other Mouth										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,030	1.9	0.06	1.8	2.0	289	1.8	0.11	1.6	2.0
1986	29	2.7	0.52	1.8	3.9	2	0.9	0.68	0.1	4.2
1987	30	2.5	0.46	1.6	3.5	0				
1988	38	3.2	0.53	2.2	4.4	1	0.6	0.57	0.0	3.5
1989	41	3.6	0.58	2.6	4.9	3	1.1	0.65	0.2	3.9
1990	38	3.3	0.54	2.3	4.5	0				
1991	24	1.8	0.37	1.1	2.6	0				
1992	24	1.9	0.40	1.2	2.8	2	1.0	0.74	0.1	3.8
1993	24	1.8	0.38	1.2	2.7	3	1.5	0.87	0.3	4.3
1994	21	1.6	0.36	1.0	2.5	2	0.6	0.40	0.1	2.5
1995	30	2.3	0.43	1.5	3.3	4	1.7	0.95	0.3	4.5
1996	29	2.0	0.37	1.3	2.9	5	2.2	1.02	0.7	5.1
1997	28	2.0	0.39	1.3	2.9	2	0.7	0.51	0.1	2.6
1998	23	1.7	0.36	1.1	2.5	2	0.5	0.33	0.1	2.0
1999	34	2.4	0.43	1.7	3.4	5	1.5	0.75	0.4	3.7
2000	16	1.0	0.26	0.6	1.7	4	1.1	0.59	0.3	2.9
2001	26	1.7	0.35	1.1	2.6	5	1.1	0.53	0.3	2.8
2002	36	2.4	0.40	1.7	3.3	7	1.7	0.69	0.6	3.6
2003	34	2.2	0.38	1.5	3.1	5	1.4	0.73	0.4	3.5
2004	36	2.3	0.38	1.6	3.1	4	1.2	0.62	0.3	3.0
2005	22	1.3	0.27	0.8	1.9	9	2.1	0.74	0.9	4.0
2006	26	1.5	0.30	1.0	2.2	11	2.7	0.89	1.2	4.9
2007	36	2.2	0.37	1.5	3.0	7	1.2	0.46	0.5	2.5
2008	38	2.2	0.37	1.5	3.0	12	2.2	0.68	1.1	4.0
2009	30	1.7	0.32	1.1	2.5	9	1.4	0.45	0.6	2.6
2010	39	2.1	0.34	1.5	2.8	12	1.8	0.55	0.9	3.3
2011	26	1.5	0.29	0.9	2.1	15	2.9	0.79	1.5	4.8
2012	27	1.4	0.27	0.9	2.0	10	1.2	0.38	0.6	2.3
2013	24	1.3	0.28	0.8	2.0	11	1.3	0.40	0.7	2.4
2014	30	1.6	0.29	1.1	2.3	13	1.5	0.43	0.8	2.6
2015	37	1.9	0.32	1.3	2.7	19	2.6	0.61	1.5	4.0
2016	27	1.4	0.28	0.9	2.1	19	2.2	0.53	1.3	3.5
2017	21	1.0	0.22	0.6	1.6	20	2.4	0.54	1.4	3.7
2018	20	1.0	0.23	0.6	1.6	16	2.0	0.50	1.1	3.2
2019	38	1.9	0.31	1.3	2.6	25	2.9	0.58	1.8	4.3
2020	28	1.4	0.27	0.9	2.1	25	2.7	0.55	1.7	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gum and Other Mouth										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,332	2.2	0.03	2.1	2.2	3,449	2.0	0.04	2.0	2.1
1986	105	2.3	0.23	1.9	2.8	83	2.0	0.23	1.6	2.5
1987	107	2.2	0.22	1.8	2.7	84	2.0	0.23	1.6	2.5
1988	127	2.7	0.25	2.3	3.3	99	2.4	0.25	2.0	3.0
1989	122	2.6	0.24	2.1	3.1	89	2.1	0.23	1.7	2.6
1990	116	2.6	0.25	2.1	3.1	90	2.3	0.25	1.8	2.8
1991	87	1.8	0.20	1.4	2.2	70	1.7	0.20	1.3	2.1
1992	95	2.0	0.21	1.6	2.5	79	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	84	2.0	0.23	1.6	2.5
1994	93	1.9	0.20	1.5	2.3	75	1.8	0.20	1.4	2.2
1995	104	2.0	0.20	1.7	2.5	79	1.8	0.20	1.4	2.2
1996	117	2.3	0.22	1.9	2.8	97	2.3	0.23	1.8	2.8
1997	118	2.4	0.22	2.0	2.8	102	2.4	0.24	1.9	2.9
1998	104	2.0	0.20	1.6	2.4	89	2.0	0.21	1.6	2.5
1999	115	2.2	0.21	1.8	2.7	93	2.1	0.22	1.7	2.6
2000	97	1.9	0.19	1.5	2.3	87	2.0	0.21	1.6	2.4
2001	108	2.1	0.20	1.7	2.5	92	2.1	0.22	1.7	2.5
2002	107	2.0	0.19	1.6	2.4	79	1.7	0.20	1.4	2.2
2003	117	2.1	0.20	1.8	2.6	93	2.0	0.21	1.6	2.5
2004	126	2.3	0.20	1.9	2.7	100	2.1	0.21	1.7	2.6
2005	107	1.9	0.18	1.5	2.3	87	1.8	0.20	1.5	2.3
2006	118	2.0	0.19	1.7	2.5	92	1.9	0.20	1.5	2.3
2007	116	2.0	0.19	1.6	2.4	89	1.8	0.19	1.4	2.2
2008	144	2.4	0.20	2.0	2.8	109	2.1	0.21	1.8	2.6
2009	135	2.1	0.19	1.8	2.5	108	2.0	0.20	1.7	2.5
2010	147	2.4	0.20	2.0	2.8	114	2.2	0.21	1.8	2.7
2011	152	2.3	0.19	2.0	2.8	122	2.2	0.21	1.8	2.7
2012	134	2.0	0.18	1.7	2.4	110	2.0	0.20	1.7	2.4
2013	145	2.2	0.19	1.9	2.6	120	2.2	0.21	1.8	2.7
2014	144	2.2	0.18	1.8	2.6	116	2.1	0.20	1.7	2.5
2015	167	2.4	0.19	2.0	2.8	127	2.2	0.20	1.8	2.6
2016	149	2.1	0.18	1.8	2.5	117	2.0	0.19	1.7	2.4
2017	151	2.1	0.18	1.8	2.5	126	2.1	0.19	1.7	2.5
2018	133	1.9	0.17	1.6	2.2	109	1.8	0.18	1.5	2.2
2019	168	2.3	0.18	2.0	2.7	124	2.0	0.19	1.7	2.4
2020	156	2.2	0.18	1.9	2.6	115	2.0	0.19	1.6	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gum and Other Mouth										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	635	2.7	0.11	2.5	3.0	211	2.7	0.19	2.3	3.1
1986	19	4.2	0.99	2.5	6.5	2	1.9	1.39	0.2	9.3
1987	22	4.2	0.92	2.6	6.4	0				
1988	28	5.5	1.09	3.6	8.1	0				
1989	32	6.9	1.33	4.6	10.0	1	0.5	0.48	0.0	6.1
1990	24	5.2	1.13	3.2	7.9	0				
1991	17	3.0	0.75	1.7	4.8	0				
1992	14	2.9	0.83	1.5	4.9	2	2.4	1.74	0.3	8.8
1993	16	2.9	0.75	1.6	4.8	1	1.3	1.25	0.0	6.7
1994	15	2.8	0.76	1.5	4.6	2	1.2	0.82	0.1	5.6
1995	22	4.0	0.88	2.4	6.1	3	3.5	2.28	0.5	10.5
1996	17	2.7	0.66	1.6	4.4	2	1.5	1.06	0.2	5.9
1997	16	2.7	0.69	1.5	4.4	0				
1998	12	2.1	0.64	1.1	3.7	2	1.0	0.68	0.1	4.5
1999	20	3.2	0.74	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	9	1.3	0.45	0.6	2.6	1	0.4	0.42	0.0	3.3
2001	12	1.7	0.50	0.9	3.0	4	2.0	1.11	0.5	5.8
2002	23	3.8	0.83	2.3	5.7	5	2.7	1.33	0.8	6.8
2003	21	2.9	0.65	1.8	4.5	1	0.4	0.36	0.0	2.8
2004	20	3.3	0.80	1.9	5.2	3	2.0	1.24	0.4	5.8
2005	14	1.8	0.49	1.0	3.1	6	3.0	1.33	1.0	6.8
2006	17	2.3	0.58	1.3	3.8	9	4.0	1.45	1.7	7.9
2007	20	2.9	0.68	1.7	4.5	6	2.1	0.90	0.7	4.9
2008	26	3.4	0.70	2.2	5.1	8	3.7	1.50	1.4	7.7
2009	18	2.4	0.62	1.4	4.0	7	2.2	0.83	0.9	4.7
2010	24	3.1	0.67	1.9	4.7	8	2.3	0.83	1.0	4.8
2011	16	2.2	0.57	1.2	3.6	12	4.6	1.50	2.2	8.5
2012	13	1.6	0.45	0.8	2.7	9	2.2	0.75	1.0	4.4
2013	16	2.0	0.52	1.1	3.3	9	2.4	0.79	1.1	4.6
2014	16	2.2	0.57	1.2	3.6	11	2.7	0.83	1.4	5.0
2015	28	3.5	0.69	2.3	5.1	11	2.9	0.88	1.4	5.3
2016	15	2.1	0.58	1.2	3.6	14	3.5	0.96	1.9	5.9
2017	9	1.0	0.34	0.5	2.0	15	3.8	0.99	2.1	6.3
2018	11	1.3	0.41	0.7	2.4	12	3.1	0.91	1.5	5.4
2019	22	2.5	0.57	1.6	3.9	21	5.1	1.14	3.1	7.9
2020	11	1.3	0.39	0.6	2.3	22	5.0	1.09	3.1	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gum and Other Mouth											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,358	1.3	0.02	1.3	1.4	2,862	1.3	0.03	1.3	1.4	
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7	
1987	98	1.6	0.16	1.3	2.0	90	1.7	0.18	1.3	2.1	
1988	81	1.3	0.15	1.1	1.7	70	1.3	0.16	1.0	1.7	
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3	
1990	70	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3	
1991	74	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.6	
1992	77	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5	
1993	82	1.3	0.15	1.0	1.6	72	1.3	0.16	1.0	1.7	
1994	76	1.1	0.13	0.9	1.4	70	1.2	0.14	0.9	1.5	
1995	96	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9	
1996	86	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5	
1997	81	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5	
1998	77	1.1	0.13	0.9	1.4	66	1.1	0.14	0.9	1.5	
1999	93	1.4	0.14	1.1	1.7	76	1.3	0.16	1.1	1.7	
2000	96	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8	
2001	91	1.3	0.14	1.0	1.6	76	1.2	0.14	1.0	1.6	
2002	100	1.4	0.14	1.2	1.7	85	1.4	0.15	1.1	1.7	
2003	106	1.5	0.15	1.2	1.8	88	1.5	0.16	1.2	1.8	
2004	101	1.4	0.14	1.2	1.7	82	1.4	0.15	1.1	1.7	
2005	85	1.2	0.13	0.9	1.5	72	1.2	0.14	0.9	1.5	
2006	97	1.3	0.14	1.1	1.6	86	1.4	0.15	1.1	1.7	
2007	90	1.3	0.13	1.0	1.6	73	1.2	0.15	1.0	1.6	
2008	114	1.5	0.14	1.3	1.8	97	1.5	0.16	1.3	1.9	
2009	103	1.4	0.14	1.2	1.8	89	1.5	0.16	1.2	1.9	
2010	108	1.4	0.14	1.2	1.7	88	1.4	0.15	1.1	1.8	
2011	111	1.4	0.14	1.2	1.7	98	1.5	0.16	1.2	1.9	
2012	104	1.3	0.13	1.1	1.6	89	1.4	0.15	1.1	1.7	
2013	94	1.2	0.13	1.0	1.5	84	1.3	0.14	1.0	1.6	
2014	112	1.4	0.13	1.1	1.7	95	1.4	0.15	1.1	1.7	
2015	111	1.4	0.13	1.1	1.7	93	1.4	0.15	1.2	1.8	
2016	109	1.3	0.13	1.1	1.6	91	1.4	0.15	1.1	1.7	
2017	119	1.5	0.14	1.2	1.7	102	1.5	0.16	1.2	1.9	
2018	104	1.2	0.12	1.0	1.4	91	1.3	0.13	1.0	1.6	
2019	124	1.4	0.13	1.2	1.7	102	1.4	0.15	1.2	1.8	
2020	140	1.6	0.14	1.4	1.9	113	1.6	0.15	1.3	1.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gum and Other Mouth										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	395	1.2	0.06	1.1	1.4	78	1.0	0.11	0.8	1.2
1986	10	1.6	0.53	0.8	3.0	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	10	1.4	0.47	0.7	2.6	1	1.0	1.00	0.0	6.1
1989	9	1.4	0.47	0.6	2.6	2	1.5	1.10	0.2	6.5
1990	14	2.1	0.55	1.1	3.4	0				
1991	7	0.9	0.33	0.4	1.8	0				
1992	10	1.3	0.41	0.6	2.4	0				
1993	8	1.1	0.38	0.5	2.1	2	1.7	1.20	0.2	6.1
1994	6	0.8	0.34	0.3	1.8	0				
1995	8	1.1	0.39	0.5	2.1	1	0.3	0.31	0.0	3.1
1996	12	1.4	0.42	0.7	2.5	3	2.6	1.53	0.5	7.3
1997	12	1.5	0.44	0.8	2.6	2	1.3	0.92	0.2	4.6
1998	11	1.4	0.42	0.7	2.4	0				
1999	14	1.8	0.48	1.0	2.9	3	1.9	1.17	0.3	5.6
2000	7	0.8	0.31	0.3	1.7	3	1.6	0.98	0.3	4.8
2001	14	1.7	0.45	0.9	2.8	1	0.4	0.39	0.0	2.5
2002	13	1.5	0.40	0.8	2.5	2	0.9	0.67	0.1	3.3
2003	13	1.5	0.43	0.8	2.6	4	2.2	1.17	0.5	5.5
2004	16	1.7	0.43	1.0	2.8	1	0.6	0.56	0.0	2.8
2005	8	0.8	0.29	0.4	1.6	3	1.2	0.76	0.2	3.7
2006	9	0.9	0.29	0.4	1.7	2	1.4	0.96	0.2	4.3
2007	16	1.7	0.42	1.0	2.7	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.36	0.6	2.2	4	1.2	0.58	0.3	3.1
2009	12	1.2	0.36	0.6	2.2	2	0.6	0.41	0.1	2.2
2010	15	1.4	0.36	0.8	2.3	4	1.3	0.71	0.3	3.5
2011	10	0.9	0.30	0.5	1.8	3	1.4	0.82	0.3	3.8
2012	14	1.3	0.34	0.7	2.1	1	0.3	0.28	0.0	1.6
2013	8	0.8	0.29	0.3	1.6	2	0.4	0.28	0.1	1.6
2014	14	1.2	0.33	0.7	2.1	2	0.5	0.34	0.1	1.8
2015	9	0.8	0.27	0.4	1.5	8	2.1	0.76	0.9	4.2
2016	12	1.0	0.29	0.5	1.8	5	1.2	0.54	0.4	2.8
2017	12	1.0	0.30	0.5	1.8	5	1.1	0.49	0.4	2.6
2018	9	0.7	0.25	0.3	1.5	4	1.0	0.52	0.3	2.6
2019	16	1.4	0.35	0.8	2.3	4	0.9	0.45	0.2	2.3
2020	17	1.5	0.38	0.9	2.5	3	0.7	0.40	0.1	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Nasopharynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,480	0.6	0.01	0.5	0.6	1,625	0.4	0.01	0.4	0.5
1986	74	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1987	54	0.5	0.07	0.4	0.7	39	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1989	58	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	72	0.7	0.08	0.5	0.8	53	0.6	0.08	0.4	0.8
1991	61	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1992	46	0.4	0.06	0.3	0.6	33	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	70	0.6	0.07	0.5	0.8	47	0.5	0.07	0.4	0.7
1995	78	0.7	0.08	0.5	0.8	64	0.7	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1998	71	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1999	64	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	79	0.7	0.07	0.5	0.8	51	0.5	0.07	0.4	0.7
2001	64	0.5	0.07	0.4	0.7	43	0.4	0.06	0.3	0.6
2002	73	0.6	0.07	0.5	0.7	49	0.5	0.07	0.4	0.6
2003	70	0.6	0.07	0.4	0.7	50	0.5	0.07	0.4	0.6
2004	77	0.6	0.07	0.5	0.8	44	0.4	0.06	0.3	0.6
2005	68	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.6
2006	78	0.6	0.07	0.5	0.8	53	0.5	0.07	0.4	0.6
2007	71	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.6
2008	65	0.5	0.06	0.4	0.6	42	0.4	0.06	0.3	0.5
2009	79	0.6	0.07	0.5	0.7	46	0.4	0.06	0.3	0.5
2010	83	0.6	0.07	0.5	0.8	51	0.5	0.07	0.3	0.6
2011	77	0.6	0.06	0.4	0.7	50	0.5	0.06	0.3	0.6
2012	78	0.6	0.06	0.4	0.7	44	0.4	0.06	0.3	0.5
2013	73	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.5
2014	69	0.5	0.06	0.4	0.6	39	0.3	0.05	0.2	0.4
2015	85	0.6	0.07	0.5	0.7	49	0.4	0.06	0.3	0.6
2016	80	0.5	0.06	0.4	0.7	49	0.4	0.06	0.3	0.5
2017	74	0.5	0.06	0.4	0.6	49	0.4	0.06	0.3	0.6
2018	77	0.5	0.06	0.4	0.7	48	0.4	0.06	0.3	0.6
2019	64	0.4	0.06	0.3	0.6	46	0.4	0.06	0.3	0.5
2020	74	0.5	0.06	0.4	0.6	48	0.4	0.06	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Nasopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	485	0.8	0.04	0.8	0.9	349	1.9	0.11	1.7	2.1
1986	16	1.3	0.34	0.7	2.1	4	2.9	1.64	0.7	7.9
1987	10	0.7	0.23	0.3	1.3	5	2.0	0.95	0.6	5.5
1988	12	0.9	0.26	0.4	1.6	9	4.2	1.61	1.7	8.8
1989	11	0.8	0.25	0.4	1.5	3	1.2	0.70	0.2	4.1
1990	15	1.1	0.31	0.6	1.9	4	2.7	1.41	0.7	6.9
1991	12	1.0	0.29	0.5	1.7	6	2.0	0.85	0.7	4.9
1992	6	0.3	0.14	0.1	0.8	6	1.9	0.81	0.7	4.6
1993	11	0.7	0.23	0.4	1.3	8	2.8	1.10	1.1	6.0
1994	12	0.8	0.24	0.4	1.4	10	2.8	0.92	1.3	5.5
1995	7	0.5	0.19	0.2	1.0	7	3.0	1.31	1.0	6.6
1996	18	1.2	0.29	0.7	1.9	6	1.7	0.74	0.6	4.0
1997	17	1.0	0.25	0.6	1.6	12	3.8	1.30	1.7	7.2
1998	17	1.0	0.25	0.6	1.6	11	3.0	0.92	1.4	5.5
1999	16	0.9	0.23	0.5	1.5	10	2.6	0.85	1.2	5.0
2000	16	1.0	0.25	0.6	1.6	10	2.3	0.79	1.0	4.5
2001	16	0.9	0.22	0.5	1.4	5	1.2	0.55	0.4	2.9
2002	16	1.0	0.24	0.5	1.6	8	2.0	0.77	0.8	4.1
2003	12	0.7	0.20	0.4	1.2	8	1.5	0.57	0.6	3.2
2004	21	1.2	0.28	0.8	1.9	11	2.4	0.81	1.1	4.5
2005	9	0.6	0.19	0.3	1.1	10	1.5	0.49	0.7	3.0
2006	6	0.3	0.14	0.1	0.7	19	3.9	0.97	2.2	6.3
2007	14	0.8	0.21	0.4	1.3	12	1.8	0.52	0.9	3.2
2008	16	0.9	0.23	0.5	1.5	7	1.2	0.45	0.5	2.5
2009	20	1.1	0.25	0.7	1.7	12	1.8	0.52	0.9	3.2
2010	17	0.9	0.23	0.5	1.5	15	2.2	0.57	1.2	3.7
2011	19	0.9	0.22	0.6	1.5	8	1.2	0.45	0.5	2.4
2012	17	0.9	0.23	0.5	1.5	17	2.2	0.55	1.2	3.6
2013	11	0.6	0.19	0.3	1.1	16	2.0	0.52	1.1	3.4
2014	17	0.9	0.22	0.5	1.5	11	1.4	0.42	0.7	2.5
2015	17	0.8	0.19	0.5	1.3	19	2.5	0.58	1.5	3.9
2016	17	0.9	0.21	0.5	1.4	13	1.7	0.48	0.9	2.9
2017	15	0.7	0.18	0.4	1.2	9	1.1	0.38	0.5	2.2
2018	9	0.4	0.15	0.2	0.8	18	2.0	0.48	1.2	3.2
2019	9	0.4	0.13	0.2	0.7	7	0.8	0.30	0.3	1.6
2020	11	0.5	0.16	0.3	0.9	13	1.3	0.37	0.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Nasopharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,691	0.8	0.02	0.8	0.9	1,105	0.6	0.02	0.6	0.7
1986	49	1.0	0.15	0.8	1.4	35	0.8	0.15	0.6	1.2
1987	37	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.0
1988	45	0.9	0.14	0.7	1.2	31	0.7	0.13	0.5	1.0
1989	37	0.7	0.12	0.5	1.0	27	0.6	0.12	0.4	0.9
1990	49	1.0	0.14	0.7	1.3	38	0.9	0.15	0.6	1.2
1991	37	0.8	0.13	0.6	1.1	27	0.6	0.12	0.4	0.9
1992	27	0.6	0.11	0.4	0.8	17	0.4	0.11	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.2	36	0.9	0.14	0.6	1.2
1995	53	1.0	0.14	0.8	1.3	41	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	34	0.8	0.13	0.5	1.1
1998	37	0.7	0.11	0.5	0.9	21	0.5	0.10	0.3	0.7
1999	36	0.6	0.11	0.5	0.9	23	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.2	36	0.8	0.13	0.5	1.1
2001	42	0.7	0.12	0.5	1.0	27	0.6	0.11	0.4	0.8
2002	53	0.9	0.13	0.7	1.2	34	0.7	0.12	0.5	1.0
2003	53	0.9	0.13	0.7	1.2	38	0.8	0.13	0.6	1.1
2004	56	1.0	0.13	0.7	1.2	31	0.6	0.11	0.4	0.9
2005	46	0.8	0.11	0.6	1.0	34	0.7	0.12	0.5	0.9
2006	53	0.9	0.12	0.7	1.2	38	0.8	0.12	0.5	1.0
2007	53	0.9	0.12	0.6	1.1	35	0.7	0.12	0.5	1.0
2008	44	0.7	0.11	0.5	1.0	28	0.5	0.10	0.4	0.8
2009	47	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
2010	63	1.0	0.12	0.7	1.2	40	0.7	0.12	0.5	1.0
2011	56	0.8	0.11	0.6	1.1	35	0.7	0.11	0.5	0.9
2012	60	0.9	0.12	0.7	1.1	34	0.6	0.11	0.4	0.9
2013	60	0.9	0.12	0.7	1.2	37	0.6	0.11	0.5	0.9
2014	46	0.7	0.10	0.5	0.9	26	0.4	0.09	0.3	0.7
2015	52	0.8	0.11	0.6	1.0	28	0.5	0.10	0.3	0.7
2016	56	0.8	0.11	0.6	1.0	34	0.5	0.10	0.4	0.8
2017	51	0.7	0.11	0.5	1.0	33	0.6	0.11	0.4	0.8
2018	52	0.8	0.11	0.6	1.0	31	0.5	0.10	0.4	0.8
2019	43	0.6	0.09	0.4	0.8	30	0.5	0.10	0.4	0.8
2020	56	0.8	0.11	0.6	1.0	35	0.6	0.11	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Nasopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	336	1.3	0.08	1.2	1.5	237	2.8	0.19	2.4	3.2
1986	11	2.2	0.76	1.0	4.2	3	5.5	3.58	0.8	16.8
1987	6	1.1	0.57	0.3	2.7	3	2.5	1.50	0.5	9.6
1988	8	1.3	0.49	0.5	2.7	6	6.2	3.09	1.7	15.8
1989	8	1.3	0.45	0.5	2.6	2	1.3	0.95	0.2	7.2
1990	10	1.8	0.62	0.8	3.4	1	1.7	1.70	0.0	8.8
1991	8	1.9	0.69	0.8	3.7	2	1.5	1.09	0.2	7.1
1992	4	0.5	0.28	0.1	1.5	5	3.5	1.61	1.1	9.4
1993	9	1.4	0.46	0.6	2.7	5	4.7	2.38	1.3	12.0
1994	5	0.8	0.40	0.3	2.0	6	3.1	1.29	1.1	8.0
1995	6	1.1	0.47	0.3	2.4	6	6.7	3.16	2.0	15.3
1996	13	2.1	0.64	1.0	3.8	5	3.2	1.52	1.0	8.3
1997	14	1.8	0.48	1.0	3.1	7	3.8	1.45	1.5	8.5
1998	11	1.4	0.43	0.7	2.6	5	2.7	1.22	0.8	6.9
1999	9	1.1	0.36	0.5	2.1	3	1.9	1.14	0.4	6.1
2000	10	1.5	0.50	0.7	2.9	6	3.4	1.56	1.1	8.1
2001	10	1.2	0.38	0.6	2.3	5	2.6	1.22	0.8	6.5
2002	12	1.7	0.49	0.8	2.9	7	4.2	1.80	1.4	9.2
2003	11	1.4	0.43	0.7	2.6	4	1.9	1.01	0.5	5.2
2004	17	2.5	0.64	1.4	4.0	8	3.9	1.56	1.5	8.2
2005	7	1.2	0.45	0.5	2.4	4	1.1	0.55	0.3	3.4
2006	3	0.4	0.25	0.1	1.3	12	5.4	1.72	2.6	9.9
2007	11	1.5	0.48	0.7	2.7	7	2.1	0.82	0.9	4.7
2008	10	1.5	0.51	0.7	2.8	6	1.9	0.77	0.7	4.3
2009	11	1.4	0.42	0.7	2.5	6	1.9	0.81	0.7	4.4
2010	12	1.5	0.43	0.7	2.6	11	3.5	1.05	1.7	6.3
2011	15	1.6	0.43	0.9	2.7	6	1.6	0.65	0.6	3.7
2012	12	1.5	0.43	0.7	2.6	14	3.5	0.95	1.9	6.1
2013	8	1.1	0.41	0.5	2.2	15	4.0	1.07	2.2	6.8
2014	10	1.4	0.44	0.6	2.5	8	2.0	0.71	0.9	4.1
2015	11	1.1	0.35	0.6	2.1	13	3.5	1.02	1.8	6.2
2016	14	1.6	0.43	0.8	2.7	7	2.0	0.81	0.8	4.3
2017	9	0.9	0.32	0.4	1.8	8	2.2	0.79	0.9	4.3
2018	5	0.6	0.25	0.2	1.3	15	3.7	0.95	2.0	6.1
2019	7	0.7	0.26	0.3	1.4	5	1.2	0.53	0.4	2.8
2020	9	0.9	0.32	0.4	1.8	11	2.3	0.71	1.2	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Nasopharynx											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	789	0.3	0.01	0.3	0.4	520	0.3	0.01	0.2	0.3	
1986	25	0.4	0.09	0.3	0.7	19	0.4	0.09	0.2	0.6	
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4	
1988	30	0.5	0.10	0.3	0.7	23	0.5	0.10	0.3	0.7	
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6	
1990	23	0.4	0.08	0.3	0.6	15	0.3	0.09	0.2	0.5	
1991	24	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5	
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5	
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4	
1994	23	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4	
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7	
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5	
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3	
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.3	0.6	
1999	28	0.4	0.08	0.3	0.6	14	0.2	0.07	0.1	0.4	
2000	26	0.4	0.08	0.3	0.6	15	0.3	0.07	0.2	0.5	
2001	22	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5	
2002	20	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4	
2003	17	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4	
2004	21	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4	
2005	22	0.3	0.07	0.2	0.5	12	0.2	0.06	0.1	0.4	
2006	25	0.4	0.07	0.2	0.5	15	0.3	0.06	0.1	0.4	
2007	18	0.3	0.06	0.2	0.4	10	0.2	0.06	0.1	0.3	
2008	21	0.3	0.06	0.2	0.5	14	0.2	0.06	0.1	0.4	
2009	32	0.4	0.08	0.3	0.6	17	0.3	0.07	0.2	0.5	
2010	20	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4	
2011	21	0.3	0.06	0.2	0.4	15	0.3	0.07	0.1	0.4	
2012	18	0.3	0.06	0.2	0.4	10	0.2	0.05	0.1	0.3	
2013	13	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3	
2014	23	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4	
2015	33	0.4	0.08	0.3	0.6	21	0.4	0.08	0.2	0.5	
2016	24	0.3	0.07	0.2	0.5	15	0.3	0.07	0.1	0.4	
2017	23	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4	
2018	25	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5	
2019	21	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4	
2020	18	0.2	0.06	0.1	0.4	13	0.2	0.05	0.1	0.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Nasopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	149	0.5	0.04	0.4	0.5	112	1.2	0.11	1.0	1.4
1986	5	0.7	0.32	0.2	1.6	1	1.1	1.10	0.0	6.8
1987	4	0.4	0.21	0.1	1.1	2	1.6	1.20	0.2	7.1
1988	4	0.5	0.27	0.1	1.4	3	2.5	1.61	0.4	8.5
1989	3	0.4	0.25	0.1	1.2	1	1.0	0.97	0.0	5.9
1990	5	0.7	0.30	0.2	1.5	3	3.4	2.07	0.6	10.0
1991	4	0.4	0.22	0.1	1.2	4	2.4	1.24	0.6	7.1
1992	2	0.2	0.13	0.0	0.7	1	0.6	0.59	0.0	4.3
1993	2	0.3	0.18	0.0	0.9	3	1.2	0.72	0.3	4.7
1994	7	0.8	0.32	0.3	1.7	4	2.5	1.28	0.7	6.8
1995	1	0.1	0.12	0.0	0.7	1	0.4	0.36	0.0	3.2
1996	5	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	3	0.4	0.21	0.1	1.0	5	3.4	1.79	0.9	8.5
1998	6	0.6	0.26	0.2	1.4	6	3.2	1.33	1.1	7.1
1999	7	0.8	0.28	0.3	1.6	7	3.3	1.25	1.3	6.9
2000	6	0.6	0.26	0.2	1.4	4	1.5	0.77	0.4	4.2
2001	6	0.6	0.25	0.2	1.3	0				
2002	4	0.4	0.22	0.1	1.1	1	0.3	0.28	0.0	2.1
2003	1	0.1	0.09	0.0	0.5	4	1.3	0.65	0.3	3.6
2004	4	0.4	0.21	0.1	1.1	3	1.2	0.77	0.2	3.7
2005	2	0.2	0.13	0.0	0.7	6	2.0	0.80	0.7	4.4
2006	3	0.3	0.17	0.1	0.9	7	2.6	1.03	1.0	5.4
2007	3	0.3	0.17	0.1	0.9	5	1.5	0.66	0.5	3.6
2008	6	0.6	0.23	0.2	1.2	1	0.5	0.45	0.0	2.2
2009	9	0.9	0.29	0.4	1.7	6	1.6	0.67	0.6	3.7
2010	5	0.5	0.22	0.2	1.2	4	1.1	0.54	0.3	2.9
2011	4	0.4	0.20	0.1	1.0	2	0.7	0.54	0.1	2.6
2012	5	0.5	0.25	0.2	1.3	3	0.9	0.54	0.2	2.6
2013	3	0.3	0.20	0.1	1.0	1	0.2	0.23	0.0	1.4
2014	7	0.6	0.23	0.2	1.2	3	0.8	0.47	0.1	2.3
2015	6	0.5	0.22	0.2	1.2	6	1.4	0.59	0.5	3.2
2016	3	0.3	0.17	0.1	0.9	6	1.5	0.61	0.5	3.2
2017	6	0.5	0.22	0.2	1.2	1	0.2	0.20	0.0	1.2
2018	4	0.4	0.19	0.1	1.0	3	0.6	0.35	0.1	1.9
2019	2	0.2	0.11	0.0	0.6	2	0.4	0.28	0.1	1.5
2020	2	0.2	0.12	0.0	0.7	2	0.4	0.30	0.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oropharynx											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,502	0.6	0.01	0.5	0.6	1,971	0.5	0.01	0.5	0.5	
1986	43	0.4	0.06	0.3	0.6	29	0.3	0.06	0.2	0.4	
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5	
1988	34	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3	
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3	
1990	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4	
1991	41	0.4	0.06	0.3	0.5	33	0.4	0.06	0.2	0.5	
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4	
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4	
1994	51	0.5	0.07	0.4	0.6	38	0.4	0.07	0.3	0.6	
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4	
1996	58	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.6	
1997	45	0.4	0.06	0.3	0.5	32	0.3	0.06	0.2	0.5	
1998	69	0.6	0.07	0.5	0.8	44	0.4	0.07	0.3	0.6	
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5	
2000	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6	
2001	66	0.5	0.07	0.4	0.7	53	0.5	0.07	0.4	0.7	
2002	67	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7	
2003	69	0.6	0.07	0.4	0.7	57	0.6	0.07	0.4	0.7	
2004	63	0.5	0.06	0.4	0.6	47	0.4	0.06	0.3	0.6	
2005	74	0.6	0.07	0.5	0.7	59	0.6	0.07	0.4	0.7	
2006	69	0.5	0.06	0.4	0.7	55	0.5	0.07	0.4	0.7	
2007	92	0.7	0.07	0.6	0.9	69	0.6	0.08	0.5	0.8	
2008	85	0.6	0.07	0.5	0.8	67	0.6	0.07	0.5	0.8	
2009	80	0.6	0.07	0.5	0.7	70	0.6	0.07	0.5	0.8	
2010	107	0.8	0.07	0.6	0.9	77	0.7	0.08	0.5	0.8	
2011	119	0.8	0.08	0.7	1.0	91	0.8	0.08	0.6	1.0	
2012	80	0.5	0.06	0.4	0.7	59	0.5	0.06	0.4	0.6	
2013	84	0.6	0.06	0.4	0.7	72	0.6	0.07	0.5	0.7	
2014	91	0.6	0.06	0.5	0.7	66	0.5	0.07	0.4	0.7	
2015	78	0.5	0.06	0.4	0.6	64	0.5	0.06	0.4	0.7	
2016	90	0.6	0.06	0.5	0.7	79	0.6	0.07	0.5	0.8	
2017	88	0.5	0.06	0.4	0.7	69	0.5	0.06	0.4	0.6	
2018	140	0.9	0.08	0.7	1.1	119	0.9	0.09	0.8	1.1	
2019	153	0.9	0.08	0.8	1.1	131	1.0	0.09	0.8	1.2	
2020	154	1.0	0.08	0.8	1.1	130	1.0	0.09	0.8	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oropharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	495	0.9	0.04	0.8	0.9	29	0.2	0.04	0.1	0.3
1986	14	1.2	0.32	0.7	2.0	0				
1987	11	0.8	0.26	0.4	1.5	0				
1988	11	0.9	0.28	0.5	1.7	0				
1989	7	0.6	0.21	0.2	1.1	0				
1990	10	0.8	0.26	0.4	1.5	2	1.7	1.31	0.2	5.9
1991	7	0.6	0.22	0.2	1.2	0				
1992	8	0.6	0.21	0.3	1.2	0				
1993	8	0.6	0.22	0.3	1.2	0				
1994	13	1.0	0.27	0.5	1.7	0				
1995	7	0.5	0.18	0.2	1.0	0				
1996	17	1.2	0.30	0.7	1.9	1	0.6	0.63	0.0	2.9
1997	12	0.9	0.25	0.4	1.5	1	0.3	0.25	0.0	1.7
1998	25	1.7	0.35	1.1	2.6	0				
1999	9	0.6	0.19	0.3	1.1	0				
2000	8	0.5	0.18	0.2	1.0	0				
2001	11	0.8	0.23	0.4	1.4	1	0.4	0.37	0.0	1.8
2002	11	0.7	0.21	0.3	1.2	0				
2003	11	0.6	0.19	0.3	1.1	1	0.2	0.18	0.0	1.2
2004	16	0.9	0.23	0.5	1.5	0				
2005	14	0.8	0.22	0.4	1.4	1	0.2	0.21	0.0	1.2
2006	11	0.6	0.19	0.3	1.2	2	0.4	0.25	0.0	1.4
2007	23	1.4	0.29	0.9	2.1	0				
2008	15	0.8	0.20	0.4	1.3	3	0.6	0.39	0.1	1.9
2009	10	0.5	0.17	0.3	1.0	0				
2010	25	1.4	0.28	0.9	2.0	5	1.0	0.47	0.3	2.3
2011	26	1.4	0.27	0.9	2.0	2	0.4	0.30	0.0	1.4
2012	21	1.1	0.25	0.7	1.7	0				
2013	12	0.7	0.19	0.3	1.1	0				
2014	24	1.2	0.25	0.8	1.8	1	0.2	0.15	0.0	0.8
2015	14	0.7	0.20	0.4	1.2	0				
2016	10	0.5	0.15	0.2	0.9	0				
2017	17	0.8	0.20	0.5	1.3	2	0.2	0.15	0.0	0.8
2018	17	0.8	0.20	0.5	1.3	3	0.3	0.17	0.1	0.9
2019	19	0.8	0.19	0.5	1.3	2	0.2	0.14	0.0	0.8
2020	21	1.1	0.24	0.6	1.6	2	0.2	0.14	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oropharynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,908	0.9	0.02	0.9	1.0	1,509	0.9	0.02	0.8	0.9
1986	37	0.8	0.13	0.5	1.1	24	0.6	0.11	0.4	0.8
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.11	0.3	0.8
1988	23	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.5
1989	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	18	0.5	0.11	0.3	0.7
1991	24	0.5	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	42	0.9	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1995	26	0.5	0.10	0.3	0.7	23	0.5	0.11	0.3	0.8
1996	43	0.8	0.13	0.6	1.1	30	0.7	0.12	0.5	1.0
1997	34	0.7	0.12	0.5	0.9	23	0.5	0.11	0.3	0.8
1998	56	1.0	0.14	0.8	1.4	35	0.8	0.13	0.5	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.4	0.8
2000	43	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
2001	52	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2002	52	0.9	0.13	0.7	1.2	43	0.9	0.14	0.7	1.2
2003	49	0.9	0.12	0.6	1.1	39	0.8	0.13	0.6	1.1
2004	45	0.8	0.12	0.6	1.0	34	0.7	0.12	0.5	1.0
2005	61	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	55	0.9	0.12	0.7	1.2	44	0.9	0.13	0.6	1.2
2007	72	1.2	0.14	0.9	1.5	54	1.0	0.14	0.8	1.3
2008	67	1.0	0.13	0.8	1.3	50	1.0	0.14	0.7	1.3
2009	63	1.0	0.12	0.7	1.3	54	1.0	0.14	0.8	1.3
2010	84	1.3	0.14	1.0	1.6	61	1.1	0.14	0.8	1.4
2011	89	1.3	0.15	1.1	1.7	67	1.2	0.15	0.9	1.6
2012	58	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.0
2013	59	0.9	0.12	0.7	1.1	52	0.9	0.13	0.7	1.2
2014	71	1.0	0.12	0.8	1.3	51	0.8	0.12	0.6	1.1
2015	61	0.8	0.11	0.6	1.1	50	0.8	0.12	0.6	1.1
2016	78	1.1	0.13	0.8	1.4	68	1.1	0.14	0.9	1.5
2017	69	0.9	0.11	0.7	1.1	55	0.8	0.11	0.6	1.1
2018	108	1.5	0.14	1.2	1.8	93	1.5	0.16	1.2	1.9
2019	121	1.6	0.15	1.3	1.9	105	1.7	0.17	1.4	2.1
2020	118	1.5	0.14	1.3	1.8	104	1.6	0.16	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oropharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	372	1.5	0.08	1.4	1.7	23	0.3	0.08	0.2	0.5
1986	13	2.5	0.70	1.3	4.3	0				
1987	9	1.7	0.56	0.8	3.2	0				
1988	9	1.8	0.61	0.8	3.4	0				
1989	3	0.6	0.32	0.1	1.6	0				
1990	3	0.6	0.34	0.1	1.7	2	4.0	3.09	0.4	13.8
1991	4	0.7	0.36	0.2	1.9	0				
1992	5	0.8	0.37	0.3	2.0	0				
1993	5	0.9	0.38	0.3	2.0	0				
1994	11	1.9	0.58	1.0	3.4	0				
1995	3	0.5	0.28	0.1	1.4	0				
1996	12	1.9	0.54	1.0	3.3	1	1.6	1.56	0.0	7.2
1997	10	1.7	0.55	0.8	3.1	1	0.5	0.51	0.0	4.1
1998	21	3.4	0.75	2.0	5.2	0				
1999	7	1.0	0.39	0.4	2.1	0				
2000	8	1.2	0.41	0.5	2.3	0				
2001	8	1.2	0.41	0.5	2.3	0				
2002	9	1.3	0.43	0.6	2.5	0				
2003	9	1.2	0.40	0.5	2.3	1	0.4	0.38	0.0	2.8
2004	11	1.5	0.44	0.7	2.6	0				
2005	12	1.7	0.49	0.8	2.9	1	0.4	0.44	0.0	2.7
2006	9	1.2	0.40	0.5	2.3	1	0.4	0.41	0.0	2.6
2007	18	2.6	0.65	1.5	4.2	0				
2008	15	1.7	0.44	1.0	2.9	2	1.2	0.91	0.1	4.1
2009	9	1.0	0.34	0.5	2.0	0				
2010	18	2.2	0.54	1.3	3.6	5	2.3	1.18	0.6	5.6
2011	20	2.4	0.56	1.4	3.8	2	0.9	0.66	0.1	3.1
2012	13	1.6	0.46	0.8	2.8	0				
2013	7	0.9	0.36	0.4	1.9	0				
2014	19	2.3	0.56	1.4	3.7	1	0.3	0.32	0.0	1.8
2015	11	1.3	0.40	0.6	2.4	0				
2016	9	1.0	0.35	0.4	2.0	0				
2017	13	1.5	0.43	0.8	2.6	1	0.2	0.23	0.0	1.4
2018	12	1.4	0.42	0.7	2.5	3	0.7	0.38	0.1	2.0
2019	14	1.4	0.40	0.8	2.5	1	0.2	0.20	0.0	1.3
2020	13	1.5	0.43	0.8	2.6	1	0.2	0.20	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oropharynx											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	594	0.2	0.01	0.2	0.3	462	0.2	0.01	0.2	0.2	
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2	
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4	
1988	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3	
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2	
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4	
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5	
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3	
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3	
1994	9	0.2	0.05	0.1	0.3	7	0.2	0.06	0.1	0.3	
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1	
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3	
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3	
1998	13	0.2	0.06	0.1	0.3	9	0.2	0.06	0.1	0.3	
1999	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3	
2000	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4	
2001	14	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3	
2002	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4	
2003	20	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5	
2004	18	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4	
2005	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4	
2006	14	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3	
2007	20	0.3	0.06	0.2	0.4	15	0.3	0.07	0.2	0.4	
2008	18	0.2	0.06	0.1	0.4	17	0.3	0.07	0.2	0.5	
2009	17	0.2	0.06	0.1	0.4	16	0.3	0.07	0.2	0.4	
2010	23	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.4	
2011	30	0.4	0.07	0.3	0.6	24	0.4	0.08	0.2	0.6	
2012	22	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4	
2013	25	0.3	0.06	0.2	0.5	20	0.3	0.07	0.2	0.5	
2014	20	0.2	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4	
2015	17	0.2	0.05	0.1	0.4	14	0.2	0.06	0.1	0.4	
2016	12	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3	
2017	19	0.2	0.05	0.1	0.3	14	0.2	0.05	0.1	0.3	
2018	32	0.4	0.07	0.3	0.6	26	0.4	0.08	0.3	0.6	
2019	32	0.4	0.07	0.2	0.5	26	0.4	0.08	0.2	0.6	
2020	36	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Oropharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	123	0.4	0.03	0.3	0.5	6	0.1	0.03	0.0	0.1
1986	1	0.2	0.17	0.0	0.9	0				
1987	2	0.2	0.17	0.0	0.9	0				
1988	2	0.3	0.20	0.0	1.0	0				
1989	4	0.5	0.27	0.1	1.4	0				
1990	7	1.0	0.37	0.4	2.0	0				
1991	3	0.5	0.27	0.1	1.3	0				
1992	3	0.4	0.23	0.1	1.2	0				
1993	3	0.4	0.25	0.1	1.2	0				
1994	2	0.3	0.20	0.0	1.0	0				
1995	4	0.5	0.23	0.1	1.2	0				
1996	5	0.6	0.29	0.2	1.5	0				
1997	2	0.2	0.17	0.0	0.9	0				
1998	4	0.5	0.25	0.1	1.2	0				
1999	2	0.2	0.16	0.0	0.8	0				
2000	0					0				
2001	3	0.4	0.23	0.1	1.1	1	0.7	0.65	0.0	3.2
2002	2	0.2	0.16	0.0	0.8	0				
2003	2	0.2	0.14	0.0	0.7	0				
2004	5	0.5	0.23	0.2	1.2	0				
2005	2	0.2	0.14	0.0	0.7	0				
2006	2	0.2	0.15	0.0	0.8	1	0.3	0.30	0.0	1.9
2007	5	0.5	0.24	0.2	1.2	0				
2008	0					1	0.3	0.25	0.0	1.7
2009	1	0.1	0.12	0.0	0.6	0				
2010	7	0.7	0.27	0.3	1.5	0				
2011	6	0.6	0.25	0.2	1.3	0				
2012	8	0.7	0.26	0.3	1.4	0				
2013	5	0.5	0.21	0.1	1.1	0				
2014	5	0.4	0.18	0.1	1.0	0				
2015	3	0.3	0.18	0.1	0.9	0				
2016	1	0.1	0.07	0.0	0.5	0				
2017	4	0.3	0.14	0.1	0.8	1	0.2	0.18	0.0	1.2
2018	5	0.4	0.19	0.1	1.0	0				
2019	5	0.4	0.17	0.1	0.9	1	0.2	0.20	0.0	1.2
2020	8	0.7	0.26	0.3	1.4	1	0.2	0.19	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hypopharynx											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,741	0.8	0.01	0.8	0.9	2,859	0.8	0.01	0.7	0.8	
1986	96	0.9	0.09	0.7	1.1	70	0.8	0.09	0.6	1.0	
1987	110	1.0	0.10	0.8	1.2	80	0.8	0.09	0.6	1.0	
1988	107	1.0	0.10	0.8	1.2	81	0.9	0.10	0.7	1.1	
1989	91	0.9	0.09	0.7	1.1	71	0.8	0.09	0.6	1.0	
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0	
1991	92	0.9	0.09	0.7	1.1	62	0.7	0.09	0.5	0.9	
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2	
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.09	0.7	1.1	
1994	97	0.9	0.09	0.7	1.0	69	0.7	0.09	0.6	0.9	
1995	127	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3	
1996	115	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2	
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0	
1998	111	1.0	0.09	0.8	1.1	82	0.8	0.09	0.7	1.0	
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	1.0	
2000	109	0.9	0.09	0.8	1.1	80	0.8	0.09	0.6	1.0	
2001	107	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1	
2002	98	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9	
2003	104	0.8	0.08	0.7	1.0	83	0.8	0.09	0.6	1.0	
2004	125	1.0	0.09	0.8	1.2	87	0.8	0.09	0.7	1.0	
2005	104	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9	
2006	112	0.9	0.08	0.7	1.0	81	0.8	0.08	0.6	0.9	
2007	108	0.8	0.08	0.7	1.0	75	0.7	0.08	0.5	0.8	
2008	122	0.9	0.08	0.7	1.1	85	0.8	0.08	0.6	0.9	
2009	85	0.6	0.07	0.5	0.8	75	0.7	0.08	0.5	0.8	
2010	110	0.8	0.08	0.6	1.0	81	0.7	0.08	0.6	0.9	
2011	125	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1	
2012	116	0.8	0.07	0.6	0.9	89	0.7	0.08	0.6	0.9	
2013	100	0.7	0.07	0.6	0.8	76	0.6	0.07	0.5	0.8	
2014	103	0.7	0.07	0.6	0.8	82	0.7	0.07	0.5	0.8	
2015	110	0.7	0.07	0.6	0.9	86	0.7	0.08	0.6	0.9	
2016	118	0.7	0.07	0.6	0.9	97	0.7	0.08	0.6	0.9	
2017	98	0.6	0.06	0.5	0.8	79	0.6	0.07	0.5	0.8	
2018	98	0.6	0.06	0.5	0.7	75	0.6	0.06	0.4	0.7	
2019	110	0.7	0.07	0.6	0.8	92	0.7	0.07	0.6	0.9	
2020	100	0.6	0.06	0.5	0.7	79	0.6	0.07	0.5	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hypopharynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	823	1.5	0.05	1.4	1.6	52	0.4	0.05	0.3	0.5
1986	25	2.1	0.42	1.3	3.1	1	0.7	0.67	0.0	4.0
1987	28	2.3	0.45	1.5	3.4	2	2.0	1.42	0.2	6.5
1988	25	2.0	0.41	1.3	3.0	1	1.1	1.09	0.0	5.0
1989	19	1.6	0.36	0.9	2.4	1	0.5	0.51	0.0	3.2
1990	26	2.2	0.43	1.4	3.2	0				
1991	29	2.3	0.43	1.5	3.3	1	0.5	0.45	0.0	2.8
1992	18	1.4	0.33	0.8	2.2	1	0.5	0.45	0.0	2.7
1993	24	1.9	0.39	1.2	2.8	0				
1994	26	1.9	0.38	1.2	2.8	2	0.8	0.56	0.1	3.0
1995	25	1.8	0.37	1.2	2.7	0				
1996	21	1.5	0.32	0.9	2.3	0				
1997	24	1.7	0.34	1.1	2.5	0				
1998	25	1.7	0.35	1.1	2.6	2	0.7	0.49	0.1	2.5
1999	25	1.7	0.33	1.1	2.4	2	0.4	0.31	0.1	1.9
2000	26	1.8	0.35	1.1	2.6	3	1.1	0.66	0.2	3.1
2001	21	1.5	0.32	0.9	2.2	0				
2002	22	1.5	0.32	0.9	2.2	0				
2003	20	1.2	0.27	0.7	1.8	1	0.4	0.43	0.0	2.0
2004	36	2.1	0.36	1.5	3.0	2	0.6	0.44	0.1	2.0
2005	27	1.6	0.31	1.1	2.4	2	0.4	0.27	0.1	1.5
2006	30	1.7	0.32	1.2	2.5	1	0.2	0.19	0.0	1.1
2007	30	1.7	0.32	1.2	2.5	3	0.5	0.27	0.1	1.5
2008	36	2.1	0.35	1.4	2.9	1	0.2	0.17	0.0	1.0
2009	10	0.6	0.18	0.3	1.1	0				
2010	27	1.5	0.30	1.0	2.2	2	0.6	0.40	0.1	1.8
2011	23	1.3	0.27	0.8	1.9	3	0.6	0.34	0.1	1.6
2012	27	1.4	0.28	0.9	2.1	0				
2013	23	1.2	0.25	0.7	1.8	1	0.3	0.25	0.0	1.1
2014	18	1.0	0.24	0.6	1.6	3	0.5	0.30	0.1	1.5
2015	22	1.1	0.24	0.7	1.7	2	0.3	0.25	0.0	1.2
2016	16	0.8	0.21	0.5	1.3	4	0.5	0.26	0.1	1.3
2017	16	0.7	0.18	0.4	1.2	3	0.4	0.24	0.1	1.2
2018	19	0.9	0.22	0.6	1.5	4	0.4	0.20	0.1	1.1
2019	15	0.7	0.18	0.4	1.2	3	0.3	0.18	0.1	0.9
2020	19	0.9	0.20	0.5	1.4	1	0.1	0.09	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hypopharynx											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,988	1.5	0.03	1.4	1.5	2,260	1.3	0.03	1.3	1.4	
1986	80	1.7	0.20	1.4	2.2	60	1.5	0.20	1.1	1.9	
1987	88	1.9	0.21	1.5	2.3	65	1.5	0.20	1.2	2.0	
1988	81	1.7	0.20	1.4	2.2	60	1.5	0.19	1.1	1.9	
1989	69	1.5	0.18	1.2	1.9	52	1.3	0.18	0.9	1.7	
1990	78	1.6	0.19	1.3	2.1	57	1.4	0.18	1.0	1.8	
1991	75	1.6	0.19	1.3	2.1	51	1.3	0.19	1.0	1.7	
1992	95	1.9	0.20	1.5	2.3	77	1.8	0.20	1.4	2.2	
1993	90	1.8	0.19	1.5	2.2	73	1.7	0.20	1.3	2.1	
1994	74	1.4	0.17	1.1	1.8	50	1.2	0.16	0.9	1.5	
1995	97	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2	
1996	95	1.8	0.19	1.5	2.3	77	1.7	0.20	1.4	2.2	
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7	
1998	92	1.8	0.19	1.4	2.2	67	1.5	0.19	1.2	1.9	
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7	
2000	89	1.7	0.18	1.4	2.1	66	1.5	0.18	1.1	1.9	
2001	87	1.6	0.17	1.3	2.0	70	1.5	0.18	1.2	1.9	
2002	78	1.4	0.16	1.1	1.8	58	1.2	0.16	0.9	1.6	
2003	86	1.6	0.17	1.2	1.9	66	1.4	0.18	1.1	1.8	
2004	109	1.9	0.18	1.6	2.3	74	1.6	0.18	1.2	2.0	
2005	79	1.4	0.16	1.1	1.7	55	1.1	0.16	0.9	1.5	
2006	88	1.5	0.16	1.2	1.8	62	1.3	0.16	1.0	1.6	
2007	85	1.4	0.15	1.1	1.7	56	1.1	0.14	0.8	1.4	
2008	95	1.5	0.16	1.2	1.9	67	1.3	0.16	1.0	1.6	
2009	71	1.2	0.14	0.9	1.5	64	1.2	0.16	1.0	1.6	
2010	93	1.5	0.16	1.2	1.9	70	1.4	0.16	1.1	1.7	
2011	99	1.6	0.16	1.3	1.9	75	1.4	0.17	1.1	1.8	
2012	97	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7	
2013	84	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5	
2014	76	1.1	0.13	0.9	1.4	59	1.0	0.14	0.8	1.3	
2015	90	1.3	0.14	1.1	1.6	70	1.3	0.15	1.0	1.6	
2016	94	1.3	0.14	1.0	1.6	77	1.3	0.15	1.0	1.6	
2017	77	1.1	0.12	0.8	1.3	61	1.0	0.14	0.8	1.3	
2018	73	1.0	0.11	0.7	1.2	55	0.9	0.12	0.6	1.1	
2019	85	1.1	0.13	0.9	1.4	72	1.2	0.14	0.9	1.5	
2020	81	1.0	0.12	0.8	1.3	62	1.0	0.13	0.7	1.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hypopharynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	680	2.8	0.11	2.6	3.1	42	0.7	0.11	0.5	0.9
1986	19	3.8	0.89	2.2	5.9	1	1.6	1.58	0.0	9.5
1987	21	4.3	0.98	2.6	6.6	2	4.7	3.38	0.5	15.5
1988	20	3.7	0.84	2.3	5.8	1	2.7	2.65	0.1	12.0
1989	17	3.2	0.79	1.9	5.2	0				
1990	20	3.8	0.86	2.3	5.9	0				
1991	23	4.2	0.88	2.6	6.3	1	0.9	0.92	0.0	6.4
1992	17	3.1	0.75	1.8	4.9	1	1.1	1.05	0.0	6.4
1993	17	3.2	0.79	1.8	5.1	0				
1994	22	3.7	0.79	2.3	5.6	2	1.8	1.26	0.2	6.9
1995	21	3.6	0.79	2.2	5.5	0				
1996	18	3.0	0.71	1.7	4.7	0				
1997	21	3.4	0.75	2.1	5.2	0				
1998	22	3.6	0.80	2.2	5.5	1	0.5	0.50	0.0	3.9
1999	20	3.2	0.73	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	21	3.6	0.83	2.1	5.5	2	1.6	1.25	0.2	5.9
2001	17	3.0	0.75	1.7	4.8	0				
2002	19	3.1	0.73	1.8	4.9	0				
2003	19	2.6	0.60	1.6	4.1	1	1.1	1.14	0.0	5.0
2004	33	4.6	0.81	3.1	6.5	2	1.4	1.12	0.1	5.1
2005	22	3.0	0.64	1.9	4.5	2	0.8	0.57	0.1	3.2
2006	25	3.2	0.66	2.1	4.8	1	0.4	0.41	0.0	2.6
2007	26	3.6	0.73	2.4	5.4	3	1.0	0.57	0.2	3.2
2008	27	3.6	0.73	2.3	5.3	1	0.4	0.36	0.0	2.3
2009	7	0.9	0.36	0.4	1.9	0				
2010	21	2.9	0.66	1.7	4.5	2	1.4	1.06	0.1	4.6
2011	20	2.7	0.62	1.6	4.2	3	1.2	0.76	0.2	3.6
2012	23	2.7	0.58	1.7	4.2	0				
2013	17	2.2	0.55	1.2	3.5	0				
2014	15	2.0	0.55	1.1	3.4	2	0.9	0.63	0.1	2.9
2015	19	2.3	0.57	1.4	3.7	1	0.5	0.50	0.0	2.3
2016	14	1.8	0.50	0.9	3.0	3	0.9	0.52	0.2	2.6
2017	13	1.4	0.39	0.7	2.4	3	0.9	0.53	0.2	2.6
2018	15	1.8	0.47	1.0	2.9	3	0.7	0.38	0.1	2.0
2019	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.3
2020	17	1.9	0.48	1.1	3.1	1	0.2	0.20	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hypopharynx											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	753	0.3	0.01	0.3	0.3	599	0.3	0.01	0.3	0.3	
1986	16	0.3	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3	
1987	22	0.4	0.08	0.2	0.5	15	0.3	0.07	0.2	0.5	
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.3	0.6	
1989	22	0.4	0.08	0.2	0.5	19	0.3	0.08	0.2	0.5	
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6	
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4	
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5	
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4	
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5	
1995	30	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7	
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5	
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6	
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4	
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5	
2000	20	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.4	
2001	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5	
2002	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5	
2003	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5	
2004	16	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4	
2005	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6	
2006	24	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5	
2007	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5	
2008	27	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5	
2009	14	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3	
2010	17	0.2	0.05	0.1	0.3	11	0.2	0.05	0.1	0.3	
2011	26	0.4	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6	
2012	19	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4	
2013	16	0.2	0.05	0.1	0.3	9	0.1	0.05	0.1	0.3	
2014	27	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.5	
2015	20	0.3	0.06	0.2	0.4	16	0.2	0.06	0.1	0.4	
2016	24	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5	
2017	21	0.2	0.05	0.2	0.4	18	0.3	0.06	0.2	0.4	
2018	25	0.3	0.06	0.2	0.4	20	0.3	0.06	0.2	0.5	
2019	25	0.3	0.06	0.2	0.4	20	0.3	0.07	0.2	0.5	
2020	19	0.2	0.05	0.1	0.3	17	0.2	0.06	0.1	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hypopharynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	143	0.4	0.04	0.4	0.5	10	0.1	0.04	0.1	0.2
1986	6	0.8	0.33	0.3	1.8	0				
1987	7	0.9	0.36	0.4	1.9	0				
1988	5	0.7	0.33	0.2	1.7	0				
1989	2	0.3	0.20	0.0	1.0	1	1.0	0.97	0.0	5.9
1990	6	0.9	0.38	0.3	2.0	0				
1991	6	0.8	0.32	0.3	1.7	0				
1992	1	0.1	0.13	0.0	0.7	0				
1993	7	1.0	0.36	0.4	2.0	0				
1994	4	0.6	0.29	0.2	1.4	0				
1995	4	0.5	0.26	0.1	1.3	0				
1996	3	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.20	0.1	1.0	0				
1998	3	0.4	0.23	0.1	1.1	1	0.7	0.73	0.0	3.7
1999	5	0.6	0.25	0.2	1.3	0				
2000	5	0.6	0.26	0.2	1.3	1	0.7	0.68	0.0	3.4
2001	4	0.4	0.22	0.1	1.1	0				
2002	3	0.4	0.21	0.1	1.0	0				
2003	1	0.1	0.10	0.0	0.6	0				
2004	3	0.3	0.18	0.1	0.9	0				
2005	5	0.6	0.25	0.2	1.3	0				
2006	5	0.5	0.23	0.2	1.2	0				
2007	4	0.4	0.18	0.1	1.0	0				
2008	9	0.9	0.31	0.4	1.8	0				
2009	3	0.3	0.17	0.1	0.9	0				
2010	6	0.6	0.23	0.2	1.2	0				
2011	3	0.3	0.16	0.1	0.8	0				
2012	4	0.5	0.22	0.1	1.1	0				
2013	6	0.5	0.22	0.2	1.2	1	0.4	0.41	0.0	2.0
2014	3	0.3	0.18	0.1	0.9	1	0.2	0.19	0.0	1.3
2015	3	0.3	0.15	0.1	0.8	1	0.3	0.25	0.0	1.4
2016	2	0.2	0.13	0.0	0.7	1	0.2	0.19	0.0	1.2
2017	3	0.3	0.15	0.1	0.8	0				
2018	4	0.3	0.16	0.1	0.9	1	0.2	0.17	0.0	1.1
2019	3	0.3	0.16	0.1	0.8	2	0.4	0.28	0.1	1.5
2020	2	0.1	0.09	0.0	0.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Digestive System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	406,489	91.3	0.14	91.0	91.6	336,038	88.6	0.15	88.3	88.9
1986	9,867	93.9	0.96	92.0	95.8	8,531	91.1	1.00	89.1	93.1
1987	10,107	95.3	0.96	93.5	97.2	8,751	92.8	1.00	90.9	94.8
1988	10,117	94.7	0.95	92.9	96.6	8,692	91.6	0.99	89.7	93.6
1989	9,936	92.6	0.94	90.8	94.4	8,559	90.0	0.98	88.1	91.9
1990	10,198	94.1	0.94	92.2	95.9	8,779	91.3	0.98	89.4	93.3
1991	9,971	90.8	0.92	89.0	92.6	8,619	88.8	0.96	86.9	90.7
1992	10,168	91.3	0.91	89.5	93.1	8,785	89.4	0.96	87.6	91.3
1993	10,272	91.1	0.90	89.4	92.9	8,786	88.5	0.95	86.7	90.4
1994	10,916	96.0	0.92	94.2	97.8	9,326	93.3	0.97	91.4	95.2
1995	10,920	95.3	0.91	93.5	97.1	9,159	91.3	0.96	89.5	93.2
1996	11,101	96.2	0.91	94.4	98.0	9,336	92.6	0.96	90.7	94.5
1997	11,209	96.3	0.91	94.5	98.1	9,447	93.1	0.96	91.2	95.0
1998	11,896	101.0	0.93	99.2	102.8	10,004	97.8	0.98	95.9	99.7
1999	11,678	98.2	0.91	96.4	100.0	9,866	95.8	0.97	93.9	97.7
2000	11,910	99.3	0.91	97.5	101.1	9,966	96.3	0.97	94.4	98.2
2001	11,750	97.1	0.90	95.4	98.9	9,792	94.0	0.95	92.2	95.9
2002	12,026	98.6	0.90	96.8	100.4	9,942	95.0	0.95	93.1	96.9
2003	11,825	95.7	0.88	94.0	97.4	9,747	92.1	0.94	90.3	94.0
2004	12,180	97.7	0.89	95.9	99.4	10,111	95.1	0.95	93.2	96.9
2005	12,056	95.4	0.87	93.7	97.1	9,914	92.2	0.93	90.4	94.0
2006	12,072	94.5	0.87	92.8	96.2	9,804	90.5	0.92	88.7	92.3
2007	12,108	93.3	0.85	91.6	95.0	9,887	90.1	0.91	88.3	91.9
2008	12,100	91.7	0.84	90.1	93.4	9,807	88.2	0.90	86.5	90.0
2009	12,013	89.7	0.83	88.1	91.4	9,773	86.9	0.89	85.2	88.7
2010	11,981	88.1	0.82	86.5	89.7	9,660	84.8	0.87	83.0	86.5
2011	12,265	88.6	0.81	87.1	90.3	9,829	85.3	0.87	83.6	87.0
2012	12,160	85.8	0.79	84.3	87.4	9,822	83.2	0.85	81.6	84.9
2013	12,350	85.8	0.79	84.3	87.4	9,902	83.0	0.85	81.4	84.7
2014	12,527	85.4	0.78	83.9	87.0	10,010	82.5	0.84	80.9	84.2
2015	12,853	86.8	0.78	85.3	88.4	10,318	84.6	0.85	82.9	86.3
2016	13,054	87.2	0.78	85.7	88.7	10,445	84.9	0.85	83.3	86.6
2017	12,896	84.9	0.76	83.5	86.5	10,393	83.8	0.84	82.1	85.4
2018	13,133	85.5	0.76	84.0	87.0	10,463	83.3	0.83	81.6	84.9
2019	13,122	84.2	0.75	82.7	85.7	10,441	82.1	0.82	80.5	83.7
2020	11,752	74.8	0.71	73.4	76.2	9,372	73.3	0.78	71.8	74.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Digestive System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	58,921	112.7	0.47	111.7	113.6	9,821	66.5	0.71	65.1	67.9
1986	1,222	114.1	3.39	107.6	121.0	105	78.9	9.09	62.1	98.4
1987	1,254	115.3	3.37	108.8	122.1	96	69.3	8.04	54.4	86.6
1988	1,306	120.0	3.43	113.4	126.9	102	80.4	8.98	63.8	99.5
1989	1,253	112.4	3.27	106.1	119.0	110	74.6	8.10	59.6	91.9
1990	1,296	115.2	3.30	108.8	121.8	117	78.8	8.28	63.4	96.4
1991	1,222	106.4	3.13	100.4	112.8	101	61.9	6.94	49.0	76.7
1992	1,232	102.7	3.01	96.9	108.8	128	70.9	7.05	57.8	85.9
1993	1,311	110.4	3.13	104.3	116.6	162	83.3	7.46	69.3	99.0
1994	1,421	117.4	3.19	111.2	123.8	155	73.9	6.59	61.6	87.8
1995	1,556	125.1	3.25	118.8	131.6	188	84.4	6.80	71.6	98.6
1996	1,549	122.9	3.19	116.7	129.3	199	88.9	7.11	75.5	103.7
1997	1,550	121.1	3.15	115.0	127.4	189	72.6	5.89	61.5	84.9
1998	1,655	127.4	3.20	121.2	133.8	205	78.6	6.09	67.1	91.3
1999	1,538	114.4	2.97	108.6	120.3	242	88.2	6.41	76.1	101.5
2000	1,657	120.4	3.01	114.6	126.4	247	83.2	5.82	72.1	95.2
2001	1,688	121.2	3.01	115.4	127.3	233	71.0	5.12	61.3	81.7
2002	1,762	124.5	3.03	118.6	130.5	272	86.0	5.67	75.3	97.7
2003	1,774	123.5	3.00	117.7	129.5	257	71.5	4.81	62.4	81.5
2004	1,773	120.4	2.92	114.8	126.3	264	69.4	4.63	60.6	79.0
2005	1,815	121.3	2.91	115.6	127.1	278	67.5	4.39	59.1	76.5
2006	1,897	122.9	2.88	117.3	128.7	320	72.1	4.35	63.9	81.1
2007	1,839	116.9	2.79	111.5	122.5	339	72.4	4.26	64.3	81.2
2008	1,895	118.0	2.77	112.6	123.6	347	70.3	4.08	62.6	78.7
2009	1,863	113.0	2.68	107.8	118.3	316	63.8	3.88	56.4	71.8
2010	1,910	114.3	2.68	109.1	119.7	354	67.0	3.82	59.7	74.9
2011	2,006	115.4	2.64	110.3	120.7	365	63.8	3.56	57.0	71.1
2012	1,841	104.7	2.50	99.8	109.7	433	71.6	3.65	64.6	79.1
2013	1,999	109.7	2.51	104.8	114.7	382	58.4	3.15	52.4	64.9
2014	1,995	107.7	2.47	103.0	112.7	427	62.3	3.15	56.3	68.8
2015	2,006	105.6	2.42	100.9	110.4	463	64.5	3.12	58.5	70.9
2016	2,058	107.5	2.43	102.8	112.3	480	62.5	2.94	56.8	68.5
2017	1,976	101.0	2.33	96.5	105.7	469	58.4	2.77	53.1	64.1
2018	2,054	104.0	2.35	99.5	108.7	492	59.5	2.74	54.3	65.1
2019	2,003	100.0	2.28	95.6	104.6	539	61.9	2.71	56.7	67.4
2020	1,745	85.5	2.09	81.4	89.7	445	50.0	2.40	45.4	54.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Digestive System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	216,074	112.8	0.25	112.3	113.3	179,142	109.5	0.26	109.0	110.1
1986	5,051	117.9	1.73	114.5	121.3	4,373	115.3	1.82	111.7	118.9
1987	5,183	120.2	1.74	116.8	123.6	4,447	116.5	1.82	113.0	120.1
1988	5,195	119.8	1.73	116.4	123.2	4,458	116.1	1.81	112.6	119.7
1989	5,069	115.5	1.68	112.2	118.9	4,366	112.5	1.76	109.1	116.0
1990	5,208	117.6	1.69	114.3	120.9	4,464	113.9	1.76	110.5	117.4
1991	5,155	114.9	1.65	111.7	118.2	4,468	113.0	1.74	109.6	116.5
1992	5,323	116.9	1.65	113.7	120.2	4,595	114.6	1.74	111.2	118.1
1993	5,244	113.4	1.61	110.2	116.6	4,463	109.8	1.68	106.5	113.1
1994	5,528	118.8	1.64	115.6	122.1	4,715	115.5	1.72	112.1	118.9
1995	5,661	120.4	1.64	117.3	123.7	4,714	114.9	1.71	111.6	118.3
1996	5,697	119.9	1.62	116.8	123.2	4,767	115.3	1.70	112.0	118.6
1997	5,763	120.0	1.61	116.9	123.2	4,866	116.5	1.69	113.2	119.9
1998	6,113	125.7	1.63	122.5	128.9	5,160	122.0	1.72	118.7	125.5
1999	6,139	124.1	1.61	121.0	127.3	5,186	121.0	1.70	117.7	124.4
2000	6,262	124.8	1.60	121.7	128.0	5,243	121.0	1.69	117.7	124.4
2001	6,098	120.6	1.57	117.5	123.7	5,108	117.3	1.66	114.1	120.6
2002	6,351	123.4	1.57	120.4	126.5	5,283	119.5	1.66	116.3	122.8
2003	6,313	120.9	1.54	117.9	124.0	5,239	117.1	1.63	113.9	120.3
2004	6,489	122.0	1.54	119.0	125.0	5,424	119.3	1.64	116.1	122.5
2005	6,371	117.6	1.50	114.7	120.5	5,245	113.4	1.58	110.3	116.6
2006	6,459	117.0	1.48	114.1	119.9	5,261	112.1	1.57	109.1	115.2
2007	6,419	114.1	1.45	111.2	116.9	5,236	109.6	1.54	106.6	112.6
2008	6,486	113.0	1.43	110.2	115.8	5,256	108.0	1.51	105.0	111.0
2009	6,489	110.4	1.40	107.7	113.2	5,262	106.0	1.49	103.1	109.0
2010	6,517	108.9	1.38	106.2	111.7	5,314	105.2	1.47	102.3	108.1
2011	6,686	108.9	1.36	106.3	111.6	5,418	105.3	1.46	102.4	108.2
2012	6,760	107.3	1.34	104.7	109.9	5,497	103.7	1.43	101.0	106.6
2013	6,760	105.3	1.31	102.7	107.9	5,456	101.7	1.41	99.0	104.5
2014	6,901	104.7	1.29	102.2	107.3	5,547	100.9	1.39	98.2	103.7
2015	7,165	107.3	1.30	104.8	109.9	5,810	104.6	1.41	101.9	107.4
2016	7,075	104.0	1.27	101.5	106.5	5,713	101.0	1.37	98.3	103.7
2017	7,061	102.5	1.25	100.0	105.0	5,786	101.4	1.37	98.8	104.2
2018	7,154	102.3	1.24	99.9	104.7	5,780	100.0	1.35	97.4	102.7
2019	7,332	102.7	1.23	100.3	105.1	5,892	99.8	1.33	97.2	102.4
2020	6,597	91.8	1.16	89.5	94.1	5,330	89.9	1.26	87.4	92.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Digestive System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	30,366	141.1	0.85	139.5	142.8	5,609	84.0	1.22	81.6	86.4
1986	617	136.9	5.91	125.5	148.9	58	80.8	12.38	58.4	108.5
1987	671	150.6	6.22	138.6	163.2	63	102.9	15.33	75.0	136.5
1988	670	150.9	6.23	138.9	163.5	58	99.3	14.80	72.4	131.8
1989	641	141.9	6.00	130.4	154.1	53	83.8	13.16	60.0	112.8
1990	662	145.6	6.04	134.0	157.8	79	121.6	16.03	92.2	156.2
1991	620	130.9	5.60	120.1	142.2	52	73.7	11.72	52.5	99.6
1992	638	134.9	5.72	123.9	146.5	79	95.3	12.35	72.6	122.1
1993	684	141.4	5.77	130.4	153.1	91	108.3	13.59	83.3	137.5
1994	729	150.7	5.95	139.3	162.7	78	79.8	10.42	60.7	102.5
1995	823	165.0	6.14	153.2	177.4	112	114.1	12.16	91.5	140.0
1996	798	153.1	5.74	142.1	164.7	121	121.0	13.04	96.8	148.8
1997	777	146.8	5.58	136.1	158.1	107	102.4	11.62	80.9	127.2
1998	836	158.9	5.83	147.6	170.6	105	92.3	10.43	73.0	114.6
1999	786	145.4	5.47	134.9	156.5	143	122.9	12.84	99.1	150.1
2000	858	153.8	5.54	143.2	165.0	140	100.9	9.81	82.5	121.6
2001	837	146.4	5.34	136.1	157.2	131	88.3	9.01	71.5	107.4
2002	890	154.5	5.49	143.9	165.6	153	110.9	10.23	91.7	132.4
2003	916	155.5	5.43	145.0	166.5	130	81.1	8.11	66.0	98.3
2004	899	148.6	5.24	138.5	159.2	147	87.9	8.18	72.6	105.2
2005	939	154.1	5.34	143.9	164.9	157	84.4	7.62	70.1	100.5
2006	991	155.1	5.19	145.1	165.6	179	92.0	7.72	77.5	108.2
2007	949	147.7	5.08	137.9	157.9	204	97.0	7.70	82.5	113.1
2008	997	153.1	5.13	143.2	163.4	200	93.9	7.49	79.8	109.5
2009	1,006	147.9	4.93	138.4	157.8	186	80.9	6.68	68.3	94.9
2010	968	140.3	4.77	131.1	150.0	203	86.9	6.78	74.2	101.1
2011	1,026	141.9	4.67	132.9	151.4	206	79.6	6.13	68.1	92.4
2012	969	134.3	4.55	125.6	143.5	261	93.6	6.31	81.6	106.7
2013	1,054	138.8	4.50	130.1	147.9	206	68.4	5.12	58.7	79.1
2014	1,066	138.5	4.46	129.9	147.5	242	76.4	5.25	66.5	87.3
2015	1,042	131.3	4.26	123.1	139.9	278	85.0	5.40	74.7	96.2
2016	1,044	132.0	4.28	123.7	140.6	287	82.0	5.06	72.4	92.5
2017	979	121.2	4.05	113.4	129.4	256	70.6	4.59	61.9	80.1
2018	1,021	121.8	3.96	114.2	129.8	284	74.8	4.58	66.1	84.3
2019	1,060	126.0	4.01	118.3	134.1	309	77.2	4.50	68.7	86.6
2020	903	105.6	3.64	98.6	113.0	251	62.0	3.98	54.4	70.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Digestive System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	190,415	74.9	0.17	74.5	75.2	156,896	72.4	0.19	72.1	72.8	
1986	4,816	77.6	1.13	75.4	79.8	4,158	74.8	1.18	72.5	77.2	
1987	4,924	78.4	1.13	76.2	80.7	4,304	76.8	1.19	74.5	79.2	
1988	4,922	77.4	1.12	75.3	79.7	4,234	74.6	1.16	72.4	76.9	
1989	4,867	76.8	1.11	74.6	79.0	4,193	74.3	1.17	72.0	76.6	
1990	4,990	77.9	1.12	75.7	80.1	4,315	75.8	1.17	73.5	78.2	
1991	4,816	74.1	1.08	72.0	76.2	4,151	72.0	1.14	69.8	74.2	
1992	4,845	73.5	1.07	71.4	75.6	4,190	71.7	1.12	69.5	74.0	
1993	5,028	75.3	1.07	73.3	77.5	4,323	73.5	1.13	71.3	75.7	
1994	5,388	79.7	1.10	77.6	81.9	4,611	77.3	1.16	75.1	79.6	
1995	5,259	77.7	1.08	75.6	79.9	4,445	74.8	1.14	72.6	77.1	
1996	5,404	79.0	1.08	76.9	81.1	4,569	76.2	1.14	74.0	78.5	
1997	5,446	79.2	1.08	77.1	81.3	4,581	76.3	1.14	74.1	78.6	
1998	5,783	83.4	1.11	81.3	85.6	4,844	80.4	1.17	78.1	82.7	
1999	5,539	79.3	1.07	77.2	81.4	4,680	77.1	1.14	74.9	79.4	
2000	5,648	80.4	1.08	78.3	82.5	4,723	77.6	1.15	75.4	79.9	
2001	5,652	80.0	1.07	77.9	82.1	4,684	76.9	1.14	74.7	79.2	
2002	5,675	79.9	1.07	77.8	82.0	4,659	76.2	1.13	74.0	78.4	
2003	5,512	77.0	1.05	75.0	79.1	4,508	73.5	1.11	71.3	75.7	
2004	5,691	78.9	1.06	76.8	81.0	4,687	76.1	1.13	73.9	78.3	
2005	5,685	78.3	1.05	76.3	80.4	4,669	75.5	1.12	73.3	77.8	
2006	5,613	77.0	1.04	75.0	79.1	4,543	73.5	1.11	71.3	75.7	
2007	5,689	77.2	1.04	75.2	79.2	4,651	74.6	1.12	72.5	76.9	
2008	5,614	75.4	1.02	73.4	77.4	4,551	72.7	1.10	70.6	74.9	
2009	5,524	73.4	1.00	71.4	75.4	4,511	71.5	1.09	69.4	73.7	
2010	5,464	71.4	0.98	69.5	73.4	4,346	68.1	1.06	66.1	70.2	
2011	5,579	72.1	0.98	70.2	74.0	4,411	68.6	1.06	66.5	70.7	
2012	5,400	68.6	0.95	66.8	70.5	4,325	66.4	1.03	64.4	68.4	
2013	5,590	70.2	0.96	68.3	72.1	4,446	67.7	1.04	65.7	69.8	
2014	5,626	69.9	0.95	68.1	71.8	4,463	67.3	1.04	65.3	69.4	
2015	5,688	69.9	0.95	68.1	71.8	4,508	67.6	1.04	65.6	69.7	
2016	5,979	73.4	0.97	71.5	75.3	4,732	71.4	1.07	69.3	73.6	
2017	5,835	70.4	0.95	68.6	72.3	4,607	68.6	1.05	66.6	70.7	
2018	5,979	71.4	0.95	69.5	73.3	4,683	68.9	1.04	66.9	71.0	
2019	5,790	68.7	0.93	66.9	70.5	4,549	66.9	1.03	64.9	68.9	
2020	5,155	60.4	0.87	58.8	62.2	4,042	58.9	0.96	57.0	60.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Digestive System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	28,555	93.1	0.56	92.0	94.2	4,212	52.5	0.84	50.9	54.2
1986	605	97.8	4.06	90.0	106.1	47	74.3	12.50	51.8	102.0
1987	583	91.4	3.86	84.0	99.3	33	43.1	8.28	28.4	62.0
1988	636	99.2	4.01	91.5	107.3	44	65.9	11.13	45.9	90.6
1989	612	93.2	3.83	85.8	101.0	57	68.4	10.29	49.8	91.1
1990	634	95.0	3.84	87.6	102.8	38	45.9	8.24	31.2	64.5
1991	602	89.2	3.69	82.1	96.7	49	53.4	8.50	38.0	72.3
1992	594	83.0	3.45	76.4	90.0	49	51.5	8.16	36.7	69.5
1993	627	89.2	3.60	82.2	96.5	71	64.6	8.45	49.1	83.0
1994	692	95.9	3.69	88.8	103.4	77	68.4	8.46	52.8	86.7
1995	733	99.1	3.70	92.0	106.6	76	61.9	7.72	47.7	78.6
1996	751	101.2	3.73	94.0	108.8	78	64.8	8.03	50.1	82.2
1997	773	102.3	3.72	95.2	109.9	82	52.7	6.28	41.1	66.4
1998	819	106.2	3.74	99.0	113.7	100	68.5	7.38	54.8	84.3
1999	752	94.0	3.46	87.4	101.0	99	65.3	6.99	52.3	80.3
2000	799	97.9	3.49	91.2	105.0	107	68.1	7.01	55.0	83.0
2001	851	103.2	3.57	96.4	110.4	102	57.6	6.07	46.3	70.6
2002	872	104.1	3.55	97.3	111.3	119	67.5	6.55	55.3	81.4
2003	858	101.3	3.48	94.6	108.3	127	64.6	6.01	53.4	77.4
2004	874	100.8	3.44	94.2	107.8	117	55.5	5.42	45.4	67.1
2005	876	99.3	3.39	92.8	106.2	121	53.9	5.19	44.2	64.9
2006	906	100.3	3.36	93.8	107.1	141	57.2	5.07	47.7	68.0
2007	890	96.6	3.27	90.3	103.2	135	53.3	4.84	44.2	63.6
2008	898	94.9	3.20	88.8	101.4	147	52.9	4.61	44.3	62.7
2009	857	89.1	3.08	83.2	95.3	130	49.5	4.58	40.9	59.2
2010	942	96.1	3.17	90.0	102.5	151	51.4	4.41	43.1	60.7
2011	980	96.5	3.12	90.4	102.8	159	51.3	4.26	43.3	60.3
2012	872	84.6	2.91	79.0	90.5	172	53.4	4.26	45.3	62.3
2013	945	89.3	2.95	83.7	95.3	176	49.6	3.90	42.3	57.8
2014	929	87.2	2.91	81.6	93.1	185	50.6	3.84	43.4	58.7
2015	964	87.9	2.88	82.4	93.8	185	47.7	3.62	40.9	55.3
2016	1,014	91.0	2.91	85.4	96.9	193	46.6	3.44	40.1	53.9
2017	997	87.8	2.83	82.3	93.5	213	48.5	3.40	42.1	55.6
2018	1,033	90.5	2.87	84.9	96.3	208	46.7	3.29	40.5	53.6
2019	943	81.3	2.70	76.1	86.8	230	49.2	3.29	43.0	56.1
2020	842	71.1	2.50	66.2	76.1	194	39.8	2.89	34.3	45.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Esophagus											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	23,138	5.1	0.03	5.1	5.2	18,786	4.9	0.04	4.9	5.0	
1986	545	5.2	0.23	4.7	5.6	364	3.9	0.21	3.5	4.3	
1987	516	4.8	0.22	4.4	5.3	357	3.8	0.20	3.4	4.2	
1988	499	4.7	0.21	4.3	5.1	354	3.7	0.20	3.4	4.2	
1989	539	5.0	0.22	4.6	5.5	394	4.1	0.21	3.7	4.6	
1990	514	4.7	0.21	4.3	5.2	362	3.8	0.20	3.4	4.2	
1991	538	4.9	0.21	4.5	5.3	395	4.1	0.21	3.7	4.5	
1992	578	5.2	0.22	4.8	5.6	436	4.5	0.22	4.1	4.9	
1993	552	4.9	0.21	4.5	5.3	416	4.2	0.21	3.8	4.6	
1994	605	5.3	0.22	4.9	5.8	463	4.6	0.22	4.2	5.1	
1995	652	5.7	0.22	5.3	6.2	489	4.9	0.22	4.5	5.4	
1996	641	5.6	0.22	5.2	6.0	475	4.8	0.22	4.4	5.2	
1997	556	4.8	0.20	4.4	5.2	416	4.2	0.20	3.8	4.6	
1998	672	5.7	0.22	5.3	6.2	538	5.3	0.23	4.9	5.8	
1999	668	5.6	0.22	5.2	6.1	545	5.4	0.23	4.9	5.8	
2000	710	5.9	0.22	5.5	6.4	568	5.5	0.23	5.1	6.0	
2001	680	5.7	0.22	5.2	6.1	556	5.4	0.23	5.0	5.9	
2002	657	5.4	0.21	5.0	5.8	545	5.3	0.23	4.8	5.7	
2003	661	5.3	0.21	4.9	5.8	556	5.3	0.22	4.8	5.7	
2004	701	5.6	0.21	5.2	6.1	586	5.6	0.23	5.1	6.0	
2005	666	5.3	0.20	4.9	5.7	568	5.3	0.22	4.9	5.8	
2006	698	5.4	0.21	5.0	5.9	575	5.3	0.22	4.9	5.8	
2007	710	5.4	0.20	5.0	5.8	596	5.4	0.22	4.9	5.8	
2008	722	5.4	0.20	5.0	5.8	623	5.6	0.22	5.1	6.0	
2009	724	5.4	0.20	5.0	5.8	624	5.6	0.22	5.1	6.0	
2010	662	4.8	0.19	4.4	5.2	552	4.8	0.21	4.4	5.2	
2011	734	5.2	0.20	4.9	5.6	622	5.4	0.22	4.9	5.8	
2012	762	5.3	0.20	5.0	5.7	654	5.5	0.22	5.1	5.9	
2013	712	4.9	0.18	4.5	5.2	610	5.0	0.21	4.6	5.5	
2014	741	4.9	0.18	4.6	5.3	634	5.1	0.21	4.7	5.5	
2015	761	5.0	0.18	4.6	5.4	659	5.2	0.21	4.8	5.7	
2016	707	4.6	0.18	4.3	5.0	595	4.7	0.20	4.3	5.1	
2017	702	4.5	0.17	4.2	4.9	604	4.8	0.20	4.4	5.2	
2018	727	4.5	0.17	4.2	4.8	630	4.7	0.19	4.4	5.1	
2019	832	5.2	0.18	4.8	5.5	731	5.5	0.21	5.1	5.9	
2020	794	4.9	0.18	4.5	5.3	694	5.3	0.20	4.9	5.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Esophagus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,991	7.3	0.12	7.0	7.5	324	2.2	0.13	2.0	2.5
1986	176	15.3	1.18	13.1	17.8	5	5.6	2.58	1.7	12.5
1987	156	13.5	1.11	11.4	15.8	2	2.0	1.55	0.2	6.9
1988	141	11.8	1.01	9.9	14.0	3	1.6	0.93	0.3	5.0
1989	140	11.8	1.01	9.9	13.9	3	1.9	1.14	0.4	5.6
1990	148	12.2	1.02	10.3	14.3	4	2.9	1.58	0.7	7.5
1991	137	10.9	0.95	9.1	12.9	6	3.5	1.55	1.1	7.8
1992	135	10.9	0.95	9.1	12.9	7	3.7	1.46	1.4	7.7
1993	128	9.8	0.89	8.2	11.7	8	3.5	1.30	1.4	7.1
1994	136	10.5	0.91	8.8	12.5	6	2.3	0.97	0.8	5.2
1995	153	11.6	0.95	9.8	13.5	10	5.0	1.77	2.2	9.5
1996	156	11.5	0.93	9.7	13.4	9	4.3	1.50	1.9	8.2
1997	135	9.8	0.86	8.2	11.7	4	1.5	0.79	0.4	3.9
1998	126	9.2	0.83	7.6	10.9	8	2.4	0.86	1.0	4.8
1999	117	8.5	0.80	7.0	10.2	6	2.5	1.14	0.8	5.5
2000	135	9.4	0.82	7.8	11.1	7	1.8	0.72	0.7	3.9
2001	112	7.8	0.75	6.4	9.4	9	2.6	0.98	1.1	5.2
2002	106	7.0	0.69	5.7	8.5	4	1.1	0.55	0.3	2.8
2003	94	6.3	0.66	5.1	7.7	10	2.8	0.95	1.3	5.3
2004	108	7.0	0.69	5.8	8.5	6	2.0	0.88	0.7	4.3
2005	92	5.9	0.63	4.7	7.3	6	1.6	0.75	0.5	3.6
2006	113	7.0	0.67	5.8	8.5	10	2.7	0.91	1.2	5.0
2007	100	6.2	0.64	5.1	7.6	13	2.4	0.70	1.2	4.2
2008	90	5.4	0.58	4.3	6.6	8	1.4	0.54	0.6	2.9
2009	88	5.0	0.55	4.0	6.2	11	2.4	0.77	1.1	4.3
2010	94	5.2	0.55	4.2	6.4	14	2.7	0.75	1.4	4.5
2011	98	5.6	0.58	4.5	6.8	13	2.7	0.79	1.3	4.6
2012	95	5.3	0.56	4.3	6.5	10	2.0	0.67	0.9	3.7
2013	93	4.9	0.52	3.9	6.0	8	1.2	0.46	0.5	2.5
2014	80	4.2	0.48	3.3	5.3	26	3.6	0.75	2.3	5.4
2015	88	4.4	0.49	3.5	5.5	14	1.9	0.54	1.0	3.3
2016	92	4.7	0.50	3.8	5.8	20	2.7	0.62	1.6	4.2
2017	84	4.1	0.46	3.2	5.1	12	1.5	0.44	0.8	2.6
2018	80	3.9	0.44	3.1	4.8	14	1.5	0.42	0.8	2.6
2019	86	4.3	0.47	3.4	5.3	13	1.4	0.40	0.8	2.5
2020	79	3.6	0.42	2.9	4.6	15	1.6	0.42	0.9	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Esophagus											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	17,677	9.0	0.07	8.8	9.1	14,641	8.7	0.07	8.6	8.9	
1986	398	8.8	0.46	7.9	9.7	273	6.9	0.43	6.1	7.8	
1987	380	8.3	0.44	7.5	9.2	263	6.5	0.41	5.7	7.4	
1988	364	8.0	0.43	7.2	8.9	260	6.6	0.42	5.8	7.4	
1989	393	8.5	0.44	7.7	9.4	286	7.1	0.43	6.2	8.0	
1990	354	7.5	0.41	6.7	8.4	248	6.0	0.39	5.3	6.8	
1991	401	8.5	0.43	7.6	9.4	298	7.3	0.43	6.4	8.1	
1992	427	9.1	0.45	8.2	10.0	330	8.0	0.45	7.2	8.9	
1993	392	8.0	0.41	7.2	8.8	299	7.0	0.41	6.2	7.8	
1994	458	9.4	0.45	8.6	10.3	354	8.3	0.45	7.5	9.3	
1995	503	10.3	0.46	9.4	11.2	383	9.0	0.47	8.1	9.9	
1996	487	9.8	0.45	8.9	10.7	368	8.6	0.45	7.7	9.5	
1997	406	8.1	0.41	7.3	8.9	315	7.3	0.42	6.5	8.2	
1998	520	10.4	0.46	9.5	11.3	425	9.8	0.48	8.9	10.8	
1999	528	10.4	0.46	9.5	11.3	433	9.9	0.48	9.0	10.9	
2000	539	10.5	0.46	9.7	11.5	440	10.0	0.48	9.1	11.0	
2001	498	9.6	0.43	8.7	10.5	409	9.2	0.46	8.3	10.1	
2002	498	9.4	0.43	8.6	10.2	421	9.3	0.46	8.4	10.2	
2003	518	9.8	0.43	8.9	10.6	447	9.8	0.47	8.9	10.8	
2004	529	9.6	0.42	8.8	10.5	457	9.8	0.46	8.9	10.7	
2005	521	9.5	0.42	8.6	10.3	452	9.6	0.46	8.7	10.5	
2006	556	9.8	0.42	9.0	10.7	466	9.7	0.46	8.8	10.6	
2007	532	9.2	0.41	8.4	10.0	457	9.3	0.44	8.5	10.2	
2008	580	9.9	0.42	9.1	10.7	509	10.2	0.46	9.3	11.2	
2009	556	9.4	0.41	8.6	10.2	477	9.5	0.44	8.7	10.5	
2010	500	8.2	0.37	7.4	8.9	426	8.3	0.41	7.5	9.1	
2011	569	9.1	0.39	8.4	9.9	499	9.5	0.43	8.6	10.4	
2012	587	9.3	0.39	8.5	10.1	521	9.7	0.44	8.9	10.6	
2013	570	8.7	0.38	8.0	9.5	498	9.1	0.42	8.3	10.0	
2014	590	8.7	0.37	8.0	9.4	519	9.1	0.41	8.3	9.9	
2015	613	8.9	0.37	8.2	9.7	537	9.4	0.41	8.6	10.2	
2016	542	7.8	0.34	7.1	8.5	463	8.0	0.38	7.2	8.8	
2017	551	7.9	0.34	7.2	8.6	486	8.4	0.39	7.6	9.2	
2018	552	7.5	0.33	6.9	8.1	490	8.0	0.37	7.3	8.7	
2019	648	8.8	0.36	8.1	9.6	582	9.5	0.40	8.7	10.3	
2020	617	8.3	0.34	7.6	9.0	550	9.0	0.39	8.2	9.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Esophagus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,786	12.1	0.24	11.7	12.6	220	3.3	0.24	2.8	3.8
1986	122	24.5	2.30	20.2	29.4	3	7.8	4.58	1.6	21.2
1987	115	23.5	2.30	19.2	28.4	1	1.1	1.09	0.0	7.9
1988	102	19.9	2.02	16.2	24.2	1	1.2	1.16	0.0	7.7
1989	102	20.0	2.07	16.2	24.5	3	4.3	2.63	0.8	12.9
1990	102	19.8	2.02	16.1	24.2	4	6.9	3.72	1.6	17.6
1991	101	18.6	1.90	15.1	22.7	2	1.7	1.20	0.2	7.4
1992	93	17.9	1.95	14.3	22.1	4	5.3	2.79	1.3	13.6
1993	87	16.2	1.81	12.8	20.1	6	5.0	2.12	1.8	11.6
1994	100	18.8	1.95	15.1	22.9	4	3.3	1.68	0.9	9.0
1995	112	20.5	2.02	16.7	24.8	8	10.5	4.32	3.8	21.5
1996	115	20.1	1.95	16.5	24.3	4	4.9	2.55	1.2	12.2
1997	90	15.7	1.71	12.6	19.4	0				
1998	88	15.7	1.77	12.4	19.5	7	4.8	1.83	1.9	10.1
1999	90	15.7	1.72	12.5	19.5	5	5.7	3.01	1.4	13.8
2000	95	16.4	1.77	13.1	20.2	4	1.9	0.93	0.5	5.4
2001	80	13.4	1.55	10.6	16.8	6	2.8	1.14	1.0	6.5
2002	73	11.5	1.40	8.9	14.5	3	1.8	1.09	0.3	5.4
2003	65	10.5	1.35	8.0	13.4	5	3.0	1.43	0.8	7.1
2004	68	10.5	1.32	8.1	13.4	3	1.5	0.92	0.3	4.6
2005	67	10.7	1.41	8.2	13.8	2	0.8	0.57	0.1	3.2
2006	83	12.7	1.47	10.0	15.9	7	4.0	1.64	1.5	8.4
2007	66	10.1	1.31	7.7	13.0	8	2.7	1.01	1.1	5.7
2008	64	9.7	1.27	7.4	12.5	6	2.6	1.17	0.8	5.9
2009	69	9.3	1.17	7.2	11.9	9	4.4	1.63	1.8	8.6
2010	60	7.8	1.06	5.9	10.2	13	5.2	1.55	2.6	9.2
2011	61	8.7	1.18	6.6	11.3	8	3.9	1.57	1.5	7.9
2012	60	8.2	1.13	6.2	10.7	4	1.6	0.85	0.4	4.1
2013	66	8.5	1.11	6.5	11.0	5	1.9	0.92	0.6	4.6
2014	52	6.7	0.96	4.9	8.8	18	5.6	1.41	3.2	9.0
2015	66	7.9	1.01	6.0	10.1	10	3.0	1.00	1.4	5.7
2016	62	7.9	1.06	6.0	10.3	17	5.2	1.36	2.9	8.5
2017	56	6.5	0.90	4.8	8.5	7	2.0	0.78	0.7	4.1
2018	49	5.5	0.81	4.0	7.4	11	2.7	0.85	1.3	5.0
2019	55	6.9	0.96	5.2	9.1	9	2.4	0.82	1.1	4.6
2020	50	5.5	0.80	4.0	7.3	13	3.0	0.85	1.6	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Esophagus										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	5,461	2.1	0.03	2.1	2.2	4,145	1.9	0.03	1.8	2.0
1986	147	2.5	0.21	2.1	2.9	91	1.7	0.18	1.3	2.0
1987	136	2.2	0.19	1.8	2.6	94	1.7	0.18	1.4	2.1
1988	135	2.1	0.19	1.8	2.5	94	1.6	0.17	1.3	2.0
1989	146	2.3	0.19	1.9	2.7	108	1.9	0.18	1.5	2.2
1990	160	2.6	0.20	2.2	3.0	114	2.0	0.19	1.6	2.4
1991	137	2.1	0.18	1.8	2.5	97	1.7	0.17	1.4	2.1
1992	151	2.3	0.19	2.0	2.7	106	1.9	0.18	1.5	2.3
1993	160	2.5	0.20	2.1	2.9	117	2.0	0.19	1.7	2.4
1994	147	2.2	0.19	1.9	2.6	109	1.9	0.18	1.5	2.3
1995	149	2.3	0.19	1.9	2.6	106	1.8	0.17	1.4	2.1
1996	154	2.3	0.19	2.0	2.7	107	1.8	0.18	1.5	2.2
1997	150	2.3	0.19	1.9	2.7	101	1.7	0.17	1.4	2.1
1998	152	2.2	0.18	1.9	2.6	113	1.9	0.18	1.6	2.3
1999	140	2.0	0.17	1.7	2.4	112	1.9	0.18	1.5	2.3
2000	171	2.5	0.19	2.1	2.9	128	2.1	0.19	1.8	2.5
2001	182	2.6	0.19	2.2	3.0	147	2.4	0.20	2.0	2.8
2002	159	2.3	0.18	1.9	2.7	124	2.0	0.18	1.7	2.4
2003	143	2.0	0.17	1.7	2.4	109	1.8	0.17	1.5	2.1
2004	172	2.5	0.19	2.1	2.9	129	2.2	0.19	1.8	2.6
2005	145	2.0	0.17	1.7	2.4	116	1.9	0.18	1.6	2.3
2006	142	2.0	0.17	1.7	2.3	109	1.8	0.17	1.5	2.2
2007	178	2.4	0.18	2.1	2.8	139	2.2	0.19	1.9	2.6
2008	142	1.9	0.16	1.6	2.3	114	1.8	0.18	1.5	2.2
2009	168	2.2	0.17	1.9	2.5	147	2.3	0.19	1.9	2.7
2010	162	2.1	0.17	1.8	2.4	126	1.9	0.18	1.6	2.3
2011	165	2.1	0.17	1.8	2.5	123	1.9	0.18	1.6	2.3
2012	175	2.2	0.17	1.9	2.6	133	2.0	0.18	1.7	2.4
2013	142	1.7	0.15	1.4	2.0	112	1.6	0.16	1.3	2.0
2014	151	1.8	0.15	1.6	2.2	115	1.7	0.16	1.4	2.1
2015	148	1.7	0.14	1.5	2.0	122	1.7	0.16	1.4	2.1
2016	165	2.0	0.16	1.7	2.3	132	1.9	0.17	1.6	2.3
2017	151	1.8	0.15	1.5	2.1	118	1.8	0.17	1.4	2.1
2018	175	2.0	0.15	1.7	2.3	140	1.9	0.17	1.6	2.3
2019	184	2.1	0.16	1.8	2.5	149	2.1	0.18	1.8	2.5
2020	177	2.0	0.16	1.7	2.4	144	2.0	0.17	1.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Esophagus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,205	3.8	0.11	3.6	4.0	104	1.3	0.14	1.1	1.6
1986	54	8.5	1.17	6.3	11.0	2	3.8	2.87	0.4	12.9
1987	41	6.2	0.98	4.4	8.4	1	2.5	2.46	0.1	10.7
1988	39	5.7	0.92	4.0	7.8	2	2.0	1.43	0.2	7.7
1989	38	5.7	0.93	4.0	7.8	0				
1990	46	6.6	0.99	4.8	8.8	0				
1991	36	5.1	0.86	3.6	7.0	4	4.7	2.50	1.2	12.0
1992	42	5.9	0.92	4.2	7.9	3	2.6	1.51	0.5	7.7
1993	41	5.4	0.85	3.9	7.3	2	2.1	1.52	0.2	7.1
1994	36	4.8	0.79	3.3	6.6	2	1.5	1.10	0.2	5.6
1995	41	5.4	0.85	3.9	7.3	2	1.3	0.94	0.1	4.9
1996	41	5.3	0.83	3.8	7.2	5	4.0	1.85	1.2	9.2
1997	45	5.6	0.85	4.1	7.5	4	2.7	1.39	0.7	6.9
1998	38	4.7	0.77	3.3	6.5	1	0.5	0.48	0.0	3.0
1999	27	3.4	0.65	2.2	4.9	1	0.4	0.40	0.0	2.7
2000	40	4.7	0.75	3.4	6.4	3	1.6	1.00	0.3	4.9
2001	32	3.8	0.68	2.6	5.4	3	2.1	1.29	0.4	5.9
2002	33	3.8	0.66	2.6	5.3	1	0.5	0.50	0.0	2.7
2003	29	3.4	0.63	2.3	4.8	5	2.7	1.24	0.8	6.2
2004	40	4.6	0.73	3.3	6.2	3	2.1	1.23	0.4	5.6
2005	25	2.8	0.56	1.8	4.1	4	2.0	1.09	0.4	5.1
2006	30	3.2	0.59	2.1	4.6	3	1.6	0.94	0.3	4.4
2007	34	3.6	0.63	2.5	5.1	5	2.0	0.92	0.6	4.6
2008	26	2.6	0.51	1.7	3.8	2	0.5	0.36	0.1	2.1
2009	19	1.9	0.44	1.1	3.0	2	0.8	0.61	0.1	2.9
2010	34	3.3	0.58	2.3	4.7	1	0.5	0.51	0.0	2.3
2011	37	3.5	0.58	2.5	4.9	5	1.9	0.86	0.6	4.3
2012	35	3.3	0.57	2.3	4.7	6	2.2	0.93	0.8	4.7
2013	27	2.5	0.48	1.6	3.6	3	0.7	0.39	0.1	2.1
2014	28	2.5	0.48	1.6	3.6	8	2.1	0.75	0.9	4.1
2015	22	1.9	0.41	1.2	2.9	4	1.0	0.49	0.2	2.5
2016	30	2.6	0.48	1.8	3.8	3	0.7	0.42	0.1	2.1
2017	28	2.3	0.45	1.5	3.4	5	1.1	0.51	0.3	2.6
2018	31	2.6	0.47	1.8	3.7	3	0.6	0.37	0.1	1.9
2019	31	2.5	0.46	1.7	3.6	4	0.7	0.36	0.2	1.9
2020	29	2.4	0.47	1.6	3.6	2	0.4	0.29	0.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Stomach										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	34,171	7.7	0.04	7.6	7.8	26,182	6.9	0.04	6.8	7.0
1986	922	8.9	0.30	8.3	9.5	744	8.0	0.30	7.5	8.7
1987	942	8.9	0.29	8.4	9.5	739	7.9	0.29	7.4	8.5
1988	951	9.0	0.30	8.4	9.6	750	8.0	0.30	7.5	8.6
1989	1,002	9.4	0.30	8.8	10.0	806	8.5	0.30	7.9	9.1
1990	953	8.8	0.29	8.2	9.4	776	8.1	0.29	7.5	8.7
1991	922	8.4	0.28	7.9	9.0	739	7.6	0.28	7.1	8.2
1992	938	8.4	0.28	7.9	9.0	739	7.5	0.28	7.0	8.1
1993	974	8.7	0.28	8.1	9.2	770	7.8	0.28	7.3	8.4
1994	945	8.3	0.27	7.8	8.9	746	7.5	0.28	7.0	8.1
1995	977	8.5	0.27	8.0	9.1	747	7.4	0.27	6.9	8.0
1996	968	8.4	0.27	7.9	8.9	746	7.4	0.27	6.9	8.0
1997	977	8.4	0.27	7.9	8.9	754	7.4	0.27	6.9	8.0
1998	1,004	8.5	0.27	8.0	9.1	769	7.5	0.27	7.0	8.1
1999	937	7.9	0.26	7.4	8.4	742	7.2	0.26	6.7	7.7
2000	911	7.6	0.25	7.1	8.1	686	6.6	0.25	6.1	7.1
2001	923	7.6	0.25	7.1	8.1	700	6.7	0.25	6.2	7.2
2002	976	8.0	0.26	7.5	8.5	754	7.2	0.26	6.7	7.7
2003	963	7.8	0.25	7.3	8.3	753	7.1	0.26	6.6	7.6
2004	936	7.5	0.25	7.1	8.0	715	6.7	0.25	6.2	7.2
2005	917	7.3	0.24	6.8	7.7	687	6.4	0.24	5.9	6.9
2006	918	7.2	0.24	6.8	7.7	670	6.2	0.24	5.8	6.7
2007	946	7.3	0.24	6.9	7.8	703	6.5	0.25	6.0	7.0
2008	946	7.2	0.24	6.8	7.7	702	6.4	0.24	5.9	6.9
2009	970	7.3	0.24	6.9	7.8	710	6.4	0.24	6.0	6.9
2010	936	7.0	0.23	6.5	7.4	701	6.2	0.24	5.8	6.7
2011	1,009	7.3	0.23	6.9	7.8	748	6.5	0.24	6.1	7.0
2012	980	7.0	0.23	6.5	7.4	758	6.5	0.24	6.0	6.9
2013	1,055	7.5	0.23	7.0	8.0	783	6.7	0.24	6.2	7.2
2014	1,033	7.1	0.23	6.7	7.6	768	6.4	0.24	6.0	6.9
2015	1,071	7.3	0.23	6.9	7.8	807	6.7	0.24	6.2	7.1
2016	1,065	7.2	0.23	6.8	7.7	797	6.6	0.24	6.1	7.0
2017	1,072	7.2	0.22	6.7	7.6	801	6.6	0.24	6.1	7.0
2018	1,067	7.0	0.22	6.6	7.4	809	6.5	0.23	6.1	7.0
2019	1,116	7.2	0.22	6.8	7.7	831	6.6	0.24	6.2	7.1
2020	949	6.0	0.20	5.7	6.5	732	5.8	0.22	5.3	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Stomach										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	6,387	12.5	0.16	12.2	12.9	1,442	10.0	0.28	9.4	10.5
1986	149	14.2	1.21	11.9	16.8	27	21.1	4.98	12.5	32.7
1987	182	17.2	1.32	14.7	19.9	21	15.8	4.12	8.7	25.5
1988	182	17.6	1.35	15.0	20.4	18	12.5	3.07	7.2	20.0
1989	169	15.7	1.25	13.4	18.3	26	18.2	4.17	10.9	27.8
1990	154	13.8	1.15	11.6	16.2	23	15.8	3.87	9.1	24.9
1991	159	14.6	1.19	12.3	17.1	22	14.4	3.71	8.1	23.1
1992	175	15.0	1.17	12.8	17.4	22	14.8	3.58	8.7	23.1
1993	166	14.3	1.14	12.1	16.7	35	18.4	3.52	12.1	26.4
1994	178	14.5	1.11	12.4	16.8	21	9.6	2.34	5.6	15.2
1995	189	14.9	1.12	12.8	17.3	40	17.0	2.92	11.7	23.6
1996	191	15.6	1.15	13.4	18.0	28	12.3	2.54	7.9	18.2
1997	180	14.1	1.08	12.1	16.4	41	15.1	2.71	10.3	21.3
1998	198	15.9	1.15	13.7	18.3	35	12.6	2.35	8.5	18.0
1999	154	11.6	0.96	9.8	13.6	37	13.4	2.47	9.0	19.0
2000	180	13.4	1.02	11.5	15.5	41	12.9	2.24	8.9	18.0
2001	180	13.5	1.03	11.6	15.7	41	12.7	2.21	8.7	17.6
2002	169	12.1	0.95	10.3	14.1	51	17.1	2.65	12.3	22.9
2003	168	12.1	0.95	10.3	14.1	38	11.5	2.02	7.9	16.0
2004	178	12.5	0.95	10.7	14.5	42	10.7	1.77	7.5	14.7
2005	183	12.7	0.96	10.9	14.7	43	11.2	1.85	7.8	15.3
2006	196	12.8	0.93	11.0	14.7	46	11.0	1.73	7.9	14.9
2007	188	12.3	0.92	10.6	14.3	51	11.5	1.76	8.4	15.4
2008	194	12.7	0.93	10.9	14.6	44	9.5	1.55	6.7	13.0
2009	214	13.1	0.92	11.4	15.0	41	8.2	1.39	5.7	11.3
2010	174	10.7	0.83	9.1	12.4	54	11.0	1.63	8.1	14.6
2011	203	12.0	0.86	10.4	13.8	49	8.8	1.35	6.4	11.9
2012	160	9.4	0.76	8.0	11.0	57	9.4	1.31	7.0	12.3
2013	204	11.7	0.84	10.1	13.5	59	9.9	1.36	7.4	12.9
2014	214	11.9	0.83	10.3	13.6	47	7.2	1.09	5.2	9.6
2015	195	10.4	0.77	9.0	12.0	63	9.0	1.18	6.8	11.6
2016	215	11.7	0.81	10.1	13.4	48	6.5	0.97	4.8	8.7
2017	211	11.2	0.79	9.7	12.9	54	6.8	0.96	5.1	9.0
2018	181	9.3	0.71	8.0	10.8	57	6.8	0.92	5.1	8.8
2019	201	10.4	0.75	9.0	11.9	68	8.0	0.99	6.2	10.2
2020	153	7.5	0.62	6.4	8.9	52	6.0	0.84	4.5	7.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Stomach											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	20,810	11.0	0.08	10.8	11.1	16,175	10.0	0.08	9.8	10.1	
1986	550	12.8	0.57	11.7	14.0	452	12.0	0.59	10.9	13.3	
1987	569	13.5	0.59	12.3	14.7	439	11.9	0.59	10.8	13.1	
1988	609	14.2	0.60	13.1	15.5	485	12.9	0.61	11.7	14.1	
1989	619	14.3	0.60	13.1	15.5	500	13.0	0.60	11.9	14.3	
1990	570	13.1	0.57	12.0	14.2	454	11.8	0.57	10.7	13.0	
1991	567	12.7	0.55	11.7	13.8	459	11.7	0.57	10.7	12.9	
1992	560	12.3	0.54	11.3	13.4	448	11.1	0.54	10.1	12.2	
1993	572	12.5	0.54	11.4	13.6	443	11.0	0.54	10.0	12.1	
1994	579	12.5	0.53	11.5	13.6	456	11.3	0.54	10.3	12.4	
1995	608	13.1	0.54	12.0	14.2	475	11.8	0.55	10.8	12.9	
1996	603	12.8	0.53	11.8	13.9	469	11.4	0.54	10.4	12.5	
1997	606	12.7	0.53	11.7	13.8	478	11.5	0.53	10.5	12.6	
1998	593	12.2	0.51	11.2	13.3	467	11.0	0.52	10.0	12.1	
1999	564	11.4	0.49	10.5	12.4	446	10.5	0.50	9.5	11.5	
2000	549	11.0	0.48	10.1	12.0	414	9.6	0.48	8.7	10.6	
2001	541	10.6	0.46	9.7	11.6	415	9.5	0.47	8.6	10.5	
2002	595	11.7	0.49	10.7	12.7	468	10.7	0.50	9.7	11.7	
2003	572	11.2	0.47	10.3	12.1	457	10.4	0.49	9.4	11.4	
2004	583	11.1	0.46	10.2	12.0	456	10.1	0.48	9.2	11.1	
2005	556	10.4	0.45	9.5	11.3	413	9.0	0.45	8.1	9.9	
2006	550	10.0	0.44	9.2	10.9	410	8.8	0.44	8.0	9.7	
2007	569	10.2	0.44	9.4	11.1	426	9.0	0.44	8.2	9.9	
2008	570	10.2	0.43	9.3	11.1	423	8.8	0.44	8.0	9.7	
2009	592	10.1	0.42	9.3	10.9	435	8.8	0.43	8.0	9.7	
2010	588	10.0	0.42	9.2	10.9	448	9.0	0.43	8.2	9.9	
2011	625	10.4	0.43	9.6	11.3	467	9.3	0.44	8.4	10.1	
2012	640	10.3	0.42	9.5	11.2	509	9.7	0.44	8.9	10.6	
2013	648	10.4	0.42	9.6	11.2	499	9.5	0.43	8.6	10.3	
2014	619	9.6	0.39	8.8	10.4	471	8.7	0.41	7.9	9.6	
2015	661	10.0	0.40	9.2	10.8	516	9.3	0.42	8.5	10.2	
2016	641	9.7	0.39	8.9	10.5	499	9.0	0.41	8.2	9.9	
2017	641	9.6	0.39	8.8	10.4	504	9.1	0.41	8.3	9.9	
2018	642	9.3	0.37	8.5	10.0	497	8.7	0.40	7.9	9.5	
2019	692	9.7	0.38	9.0	10.5	527	9.0	0.40	8.2	9.8	
2020	567	7.9	0.34	7.3	8.6	450	7.6	0.37	6.9	8.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Stomach										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,693	17.9	0.31	17.3	18.5	849	13.0	0.49	12.1	14.0
1986	84	18.7	2.20	14.6	23.5	13	13.5	3.94	7.0	24.7
1987	112	25.0	2.53	20.3	30.4	18	33.9	9.77	17.6	57.2
1988	113	26.5	2.67	21.6	32.2	10	16.0	5.37	7.3	29.9
1989	102	23.9	2.53	19.2	29.2	17	27.2	7.74	14.2	45.9
1990	100	22.0	2.35	17.7	27.1	16	25.4	7.57	12.8	43.7
1991	94	20.2	2.22	16.1	24.9	13	18.3	6.08	8.4	33.4
1992	97	21.6	2.37	17.2	26.7	14	23.6	7.14	11.8	40.8
1993	107	22.7	2.34	18.3	27.6	21	25.9	6.59	14.7	41.5
1994	111	21.6	2.17	17.6	26.3	12	13.0	4.65	5.6	24.8
1995	112	21.9	2.21	17.8	26.6	20	18.5	4.49	10.8	29.4
1996	114	23.4	2.35	19.0	28.4	17	17.8	4.96	9.4	29.7
1997	108	21.4	2.21	17.3	26.1	18	18.6	5.30	9.7	31.3
1998	104	21.4	2.25	17.2	26.2	21	17.7	4.27	10.3	27.9
1999	90	16.7	1.85	13.2	20.7	24	21.7	5.37	12.5	34.2
2000	103	19.4	2.03	15.6	23.7	28	20.2	4.42	12.5	30.5
2001	103	18.5	1.94	14.9	22.7	21	13.1	3.37	7.4	21.2
2002	100	17.3	1.83	13.9	21.3	26	19.0	4.29	11.5	28.9
2003	98	17.6	1.89	14.1	21.6	14	9.0	2.74	4.5	15.8
2004	100	17.8	1.91	14.3	21.9	26	15.0	3.29	9.2	22.7
2005	111	19.0	1.91	15.4	23.0	29	16.4	3.43	10.4	24.3
2006	112	17.5	1.75	14.3	21.3	24	12.5	2.87	7.5	19.3
2007	113	18.5	1.85	15.1	22.5	28	14.7	3.21	9.1	22.1
2008	116	20.1	1.98	16.4	24.3	26	13.1	2.86	8.1	19.7
2009	127	18.8	1.75	15.5	22.5	26	10.7	2.37	6.6	16.3
2010	102	15.6	1.64	12.6	19.1	32	14.7	3.02	9.4	21.6
2011	120	17.6	1.69	14.4	21.2	32	13.1	2.56	8.6	19.0
2012	89	13.4	1.51	10.6	16.7	41	15.0	2.54	10.4	20.7
2013	112	15.8	1.56	12.9	19.1	33	11.6	2.14	7.8	16.5
2014	122	16.8	1.60	13.8	20.3	23	7.6	1.70	4.6	11.6
2015	107	13.9	1.41	11.3	16.9	36	11.1	1.93	7.6	15.5
2016	107	14.6	1.47	11.9	17.8	32	9.6	1.75	6.4	13.6
2017	107	14.4	1.46	11.7	17.6	27	7.7	1.56	4.9	11.3
2018	99	12.1	1.26	9.7	14.8	37	9.6	1.63	6.7	13.3
2019	115	14.3	1.38	11.8	17.3	43	11.2	1.76	8.0	15.2
2020	82	10.1	1.15	7.9	12.6	31	7.9	1.44	5.3	11.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Stomach											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	13,361	5.3	0.05	5.2	5.4	10,007	4.6	0.05	4.5	4.7	
1986	372	6.1	0.32	5.5	6.8	292	5.3	0.32	4.7	6.0	
1987	373	5.9	0.31	5.3	6.5	300	5.3	0.31	4.7	5.9	
1988	342	5.5	0.30	4.9	6.1	265	4.8	0.30	4.2	5.4	
1989	383	6.0	0.31	5.4	6.7	306	5.4	0.31	4.8	6.0	
1990	383	5.9	0.31	5.3	6.6	322	5.6	0.32	5.0	6.3	
1991	355	5.4	0.29	4.8	6.0	280	4.8	0.29	4.2	5.4	
1992	378	5.7	0.30	5.2	6.4	291	5.0	0.30	4.4	5.6	
1993	402	6.0	0.30	5.4	6.6	327	5.5	0.31	4.9	6.1	
1994	366	5.4	0.28	4.8	6.0	290	4.8	0.29	4.3	5.4	
1995	369	5.5	0.29	4.9	6.1	272	4.6	0.28	4.0	5.2	
1996	365	5.3	0.28	4.8	5.9	277	4.6	0.28	4.0	5.2	
1997	371	5.4	0.28	4.9	6.0	276	4.5	0.28	4.0	5.1	
1998	411	5.8	0.29	5.3	6.4	302	4.9	0.29	4.4	5.5	
1999	373	5.3	0.28	4.8	5.9	296	4.8	0.28	4.3	5.4	
2000	362	5.1	0.27	4.6	5.7	272	4.4	0.27	3.9	5.0	
2001	382	5.3	0.27	4.8	5.9	285	4.6	0.28	4.1	5.2	
2002	381	5.3	0.28	4.8	5.9	286	4.7	0.28	4.1	5.3	
2003	391	5.4	0.28	4.9	6.0	296	4.8	0.28	4.2	5.4	
2004	353	4.9	0.26	4.4	5.5	259	4.2	0.26	3.7	4.8	
2005	361	4.9	0.26	4.4	5.5	274	4.4	0.27	3.9	5.0	
2006	368	5.1	0.27	4.6	5.6	260	4.2	0.27	3.7	4.8	
2007	377	5.2	0.27	4.7	5.7	277	4.5	0.28	4.0	5.1	
2008	376	5.1	0.27	4.6	5.7	279	4.5	0.27	4.0	5.1	
2009	378	5.1	0.27	4.6	5.7	275	4.5	0.28	4.0	5.1	
2010	348	4.7	0.25	4.2	5.2	253	4.0	0.26	3.5	4.6	
2011	384	4.9	0.26	4.5	5.5	281	4.4	0.27	3.8	4.9	
2012	340	4.4	0.24	3.9	4.9	249	3.8	0.25	3.4	4.4	
2013	407	5.2	0.26	4.7	5.7	284	4.4	0.27	3.9	5.0	
2014	414	5.2	0.26	4.7	5.7	297	4.6	0.27	4.0	5.1	
2015	410	5.2	0.26	4.7	5.7	291	4.5	0.27	4.0	5.0	
2016	424	5.2	0.26	4.7	5.7	298	4.5	0.27	4.0	5.1	
2017	431	5.3	0.26	4.8	5.8	297	4.5	0.27	4.0	5.0	
2018	425	5.2	0.26	4.7	5.7	312	4.7	0.27	4.2	5.3	
2019	424	5.2	0.26	4.7	5.7	304	4.7	0.28	4.1	5.2	
2020	382	4.5	0.24	4.1	5.0	282	4.2	0.26	3.7	4.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Stomach										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,694	9.0	0.17	8.6	9.3	593	7.6	0.32	6.9	8.2
1986	65	11.0	1.40	8.5	14.1	14	25.6	7.85	12.6	44.5
1987	70	11.6	1.42	9.0	14.7	3	2.1	1.28	0.4	7.6
1988	69	11.6	1.42	9.0	14.7	8	10.0	3.62	4.2	19.7
1989	67	10.5	1.31	8.1	13.4	9	11.1	4.48	4.2	22.7
1990	54	8.2	1.14	6.1	10.7	7	8.4	3.83	2.7	18.7
1991	65	10.4	1.30	8.0	13.3	9	11.5	4.61	4.3	23.2
1992	78	11.0	1.26	8.6	13.7	8	8.6	3.51	3.2	17.8
1993	59	8.6	1.14	6.5	11.1	14	12.7	3.82	6.4	22.2
1994	67	9.3	1.15	7.2	11.8	9	7.1	2.43	3.2	13.6
1995	77	10.1	1.17	8.0	12.7	20	15.6	3.78	9.1	24.7
1996	77	10.5	1.21	8.3	13.2	11	8.6	2.75	4.0	15.5
1997	72	9.5	1.13	7.4	11.9	23	13.6	3.07	8.3	21.0
1998	94	12.5	1.30	10.1	15.3	14	8.8	2.58	4.5	15.2
1999	64	8.2	1.04	6.3	10.5	13	8.0	2.34	4.1	13.8
2000	77	9.5	1.10	7.5	11.9	13	7.3	2.22	3.6	12.9
2001	77	9.8	1.13	7.7	12.3	20	11.8	2.83	6.9	18.5
2002	69	8.5	1.03	6.6	10.7	25	15.1	3.24	9.4	22.6
2003	70	8.4	1.01	6.5	10.6	24	13.2	2.83	8.2	19.7
2004	78	9.2	1.05	7.3	11.5	16	7.4	1.93	4.1	12.1
2005	72	8.4	1.00	6.6	10.6	14	6.9	1.96	3.6	11.7
2006	84	9.4	1.03	7.5	11.6	22	9.9	2.19	6.1	15.1
2007	75	8.4	0.97	6.6	10.5	23	9.3	2.04	5.7	14.1
2008	78	8.4	0.96	6.6	10.5	18	6.8	1.70	3.9	10.9
2009	87	9.0	0.98	7.2	11.2	15	6.1	1.66	3.3	10.2
2010	72	7.6	0.91	5.9	9.6	22	8.6	1.92	5.2	13.1
2011	83	8.2	0.91	6.5	10.2	17	5.6	1.41	3.1	9.0
2012	71	7.0	0.85	5.5	8.9	16	4.9	1.28	2.8	8.1
2013	92	8.8	0.93	7.1	10.8	26	8.2	1.66	5.3	12.1
2014	92	8.7	0.92	7.0	10.7	24	6.7	1.41	4.2	10.0
2015	88	8.2	0.89	6.5	10.1	27	7.1	1.41	4.6	10.4
2016	108	9.7	0.95	7.9	11.8	16	3.9	1.00	2.2	6.4
2017	104	9.5	0.95	7.7	11.6	27	6.1	1.21	4.0	9.0
2018	82	7.3	0.82	5.8	9.1	20	4.4	1.02	2.7	6.9
2019	86	7.7	0.85	6.2	9.6	25	5.6	1.13	3.6	8.2
2020	71	5.8	0.70	4.5	7.4	21	4.4	0.97	2.7	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Small Intestine											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	9,371	2.1	0.02	2.1	2.2	7,326	2.0	0.02	1.9	2.0	
1986	128	1.2	0.11	1.0	1.5	104	1.1	0.11	0.9	1.4	
1987	122	1.2	0.11	1.0	1.4	101	1.1	0.11	0.9	1.3	
1988	135	1.2	0.11	1.0	1.5	112	1.2	0.11	1.0	1.4	
1989	145	1.3	0.11	1.1	1.6	123	1.3	0.12	1.1	1.5	
1990	140	1.3	0.11	1.1	1.6	118	1.3	0.12	1.1	1.5	
1991	145	1.3	0.11	1.1	1.5	114	1.2	0.11	1.0	1.4	
1992	156	1.4	0.11	1.2	1.6	126	1.3	0.12	1.1	1.6	
1993	182	1.6	0.12	1.4	1.9	155	1.6	0.13	1.3	1.9	
1994	172	1.5	0.12	1.3	1.8	141	1.4	0.12	1.2	1.7	
1995	165	1.4	0.11	1.2	1.7	129	1.3	0.11	1.1	1.5	
1996	184	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7	
1997	185	1.6	0.12	1.4	1.8	144	1.4	0.12	1.2	1.7	
1998	216	1.8	0.13	1.6	2.1	178	1.8	0.13	1.5	2.1	
1999	212	1.8	0.12	1.6	2.0	171	1.7	0.13	1.4	2.0	
2000	211	1.8	0.12	1.5	2.0	173	1.7	0.13	1.5	2.0	
2001	237	2.0	0.13	1.7	2.2	188	1.8	0.13	1.6	2.1	
2002	269	2.2	0.13	1.9	2.5	211	2.0	0.14	1.8	2.3	
2003	211	1.7	0.12	1.5	2.0	164	1.6	0.12	1.3	1.8	
2004	250	2.0	0.13	1.8	2.3	196	1.9	0.13	1.6	2.1	
2005	281	2.2	0.13	2.0	2.5	226	2.1	0.14	1.8	2.4	
2006	262	2.1	0.13	1.8	2.3	199	1.9	0.13	1.6	2.1	
2007	307	2.4	0.14	2.1	2.6	243	2.2	0.14	1.9	2.5	
2008	312	2.4	0.14	2.1	2.7	235	2.1	0.14	1.9	2.4	
2009	346	2.6	0.14	2.3	2.9	270	2.4	0.15	2.1	2.7	
2010	347	2.6	0.14	2.3	2.9	260	2.3	0.15	2.1	2.6	
2011	359	2.6	0.14	2.3	2.9	275	2.4	0.15	2.1	2.7	
2012	391	2.7	0.14	2.5	3.0	308	2.6	0.15	2.3	2.9	
2013	383	2.7	0.14	2.4	3.0	299	2.5	0.15	2.2	2.8	
2014	381	2.7	0.14	2.4	3.0	292	2.5	0.15	2.2	2.8	
2015	423	2.9	0.14	2.6	3.2	334	2.7	0.15	2.4	3.0	
2016	410	2.8	0.14	2.5	3.1	310	2.6	0.15	2.3	2.9	
2017	415	2.8	0.14	2.5	3.1	316	2.6	0.15	2.3	2.9	
2018	460	3.0	0.14	2.8	3.3	352	2.8	0.15	2.5	3.2	
2019	420	2.8	0.14	2.5	3.0	308	2.5	0.14	2.2	2.8	
2020	409	2.7	0.14	2.4	2.9	307	2.5	0.14	2.2	2.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Small Intestine										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,770	3.3	0.08	3.1	3.5	212	1.4	0.10	1.2	1.6
1986	22	2.0	0.44	1.3	3.0	1	0.3	0.32	0.0	3.2
1987	19	1.7	0.39	1.0	2.6	2	1.4	1.00	0.2	5.1
1988	21	1.9	0.42	1.1	2.9	1	1.1	1.09	0.0	5.0
1989	20	1.6	0.37	1.0	2.5	2	1.3	0.92	0.2	4.6
1990	21	1.7	0.38	1.1	2.6	1	1.0	0.99	0.0	4.6
1991	30	2.4	0.45	1.6	3.5	1	0.4	0.39	0.0	2.7
1992	28	2.0	0.38	1.3	2.9	2	0.7	0.47	0.1	2.9
1993	25	1.9	0.38	1.2	2.8	2	0.5	0.38	0.1	2.5
1994	26	2.0	0.40	1.3	2.9	5	2.9	1.35	0.9	6.6
1995	34	2.7	0.48	1.9	3.8	2	0.7	0.50	0.1	2.7
1996	37	2.6	0.44	1.8	3.7	3	0.7	0.42	0.2	2.5
1997	39	2.8	0.46	2.0	3.8	2	0.8	0.63	0.1	3.0
1998	36	2.6	0.44	1.8	3.6	1	0.2	0.22	0.0	1.6
1999	33	2.3	0.41	1.6	3.3	7	2.2	0.92	0.8	4.8
2000	34	2.4	0.42	1.7	3.4	3	0.8	0.45	0.2	2.3
2001	44	3.1	0.47	2.2	4.1	4	1.4	0.71	0.4	3.5
2002	52	3.5	0.49	2.6	4.6	4	1.2	0.62	0.3	3.0
2003	41	2.8	0.44	2.0	3.7	4	1.0	0.54	0.2	2.6
2004	46	3.2	0.48	2.3	4.2	8	2.5	0.94	1.0	4.9
2005	48	3.1	0.46	2.3	4.2	7	1.2	0.47	0.5	2.6
2006	48	3.1	0.46	2.3	4.1	12	2.3	0.69	1.1	4.1
2007	58	3.5	0.47	2.6	4.5	5	1.2	0.56	0.3	2.7
2008	69	4.3	0.53	3.3	5.5	7	1.0	0.39	0.4	2.2
2009	67	4.1	0.51	3.1	5.2	6	1.6	0.67	0.6	3.4
2010	74	4.4	0.53	3.4	5.6	11	1.7	0.56	0.8	3.2
2011	66	3.7	0.46	2.8	4.7	15	2.6	0.71	1.4	4.4
2012	70	3.9	0.48	3.1	5.0	12	1.9	0.58	0.9	3.4
2013	79	4.2	0.49	3.3	5.3	3	0.6	0.35	0.1	1.7
2014	76	4.2	0.49	3.3	5.2	5	0.6	0.27	0.2	1.5
2015	77	4.2	0.48	3.3	5.2	9	1.2	0.41	0.5	2.3
2016	85	4.4	0.49	3.5	5.5	8	1.1	0.40	0.5	2.2
2017	88	4.7	0.51	3.7	5.8	11	1.5	0.46	0.7	2.7
2018	91	4.7	0.50	3.7	5.7	12	1.4	0.42	0.7	2.5
2019	85	4.3	0.48	3.4	5.4	21	2.5	0.54	1.5	3.8
2020	81	4.2	0.47	3.3	5.2	13	1.4	0.39	0.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Small Intestine										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,917	2.5	0.04	2.5	2.6	3,889	2.4	0.04	2.3	2.4
1986	69	1.7	0.21	1.3	2.2	56	1.6	0.22	1.2	2.1
1987	75	1.7	0.20	1.3	2.2	62	1.6	0.21	1.2	2.1
1988	66	1.4	0.18	1.1	1.8	56	1.4	0.19	1.0	1.8
1989	73	1.5	0.18	1.2	1.9	61	1.5	0.19	1.1	1.9
1990	74	1.6	0.20	1.3	2.1	67	1.7	0.21	1.3	2.2
1991	72	1.6	0.19	1.2	2.0	58	1.4	0.19	1.1	1.9
1992	76	1.6	0.18	1.2	2.0	62	1.5	0.19	1.1	1.9
1993	99	2.1	0.21	1.7	2.5	85	2.1	0.23	1.6	2.6
1994	81	1.7	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1995	92	1.9	0.20	1.5	2.3	72	1.7	0.20	1.3	2.1
1996	93	1.9	0.20	1.5	2.4	71	1.7	0.21	1.3	2.2
1997	87	1.7	0.19	1.4	2.1	69	1.6	0.19	1.2	2.0
1998	118	2.3	0.21	1.9	2.8	91	2.1	0.22	1.7	2.5
1999	116	2.2	0.21	1.9	2.7	92	2.1	0.22	1.7	2.5
2000	106	2.1	0.21	1.7	2.6	83	1.9	0.21	1.5	2.4
2001	124	2.4	0.22	2.0	2.9	99	2.3	0.23	1.8	2.8
2002	135	2.5	0.22	2.1	3.0	108	2.4	0.23	1.9	2.8
2003	121	2.3	0.21	1.9	2.8	92	2.1	0.22	1.7	2.5
2004	140	2.5	0.22	2.1	3.0	111	2.4	0.23	1.9	2.8
2005	151	2.7	0.22	2.3	3.2	125	2.6	0.24	2.2	3.1
2006	136	2.4	0.21	2.0	2.9	111	2.3	0.22	1.9	2.8
2007	148	2.5	0.21	2.1	3.0	120	2.4	0.23	2.0	2.9
2008	152	2.6	0.22	2.2	3.1	115	2.3	0.22	1.9	2.8
2009	186	3.1	0.23	2.7	3.6	147	2.9	0.24	2.4	3.4
2010	185	3.1	0.23	2.7	3.6	142	2.9	0.25	2.4	3.4
2011	177	2.8	0.22	2.4	3.3	144	2.7	0.23	2.3	3.2
2012	219	3.5	0.24	3.0	4.0	169	3.2	0.25	2.7	3.7
2013	177	2.7	0.21	2.3	3.2	139	2.6	0.22	2.1	3.0
2014	195	3.0	0.22	2.6	3.5	146	2.7	0.23	2.3	3.2
2015	232	3.5	0.24	3.1	4.0	192	3.5	0.26	3.0	4.0
2016	228	3.3	0.23	2.9	3.8	176	3.1	0.24	2.7	3.7
2017	225	3.3	0.22	2.9	3.8	177	3.1	0.24	2.7	3.6
2018	242	3.5	0.23	3.1	4.0	189	3.3	0.25	2.9	3.9
2019	219	3.1	0.21	2.7	3.6	160	2.7	0.22	2.3	3.2
2020	228	3.2	0.21	2.7	3.6	173	2.9	0.23	2.5	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Small Intestine										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	874	3.9	0.14	3.6	4.2	116	1.8	0.18	1.5	2.2
1986	11	2.3	0.73	1.1	4.2	1	0.7	0.68	0.0	7.5
1987	12	2.6	0.80	1.3	4.6	1	1.9	1.94	0.1	10.1
1988	8	1.5	0.54	0.6	3.0	1	2.7	2.65	0.1	12.0
1989	11	1.7	0.52	0.8	3.1	1	1.8	1.78	0.1	9.1
1990	7	1.4	0.54	0.5	2.9	0				
1991	14	3.0	0.85	1.6	5.1	0				
1992	13	1.9	0.56	1.0	3.4	1	0.6	0.62	0.0	5.4
1993	13	2.4	0.66	1.2	4.0	1	0.6	0.56	0.0	5.0
1994	10	1.8	0.60	0.8	3.4	2	3.0	2.32	0.3	10.3
1995	19	4.1	1.01	2.3	6.4	1	0.6	0.61	0.0	4.7
1996	20	3.2	0.74	2.0	5.0	2	1.1	0.75	0.1	5.0
1997	16	2.6	0.66	1.5	4.3	2	1.9	1.52	0.2	7.2
1998	26	4.5	0.90	2.9	6.6	0				
1999	20	3.5	0.83	2.1	5.5	3	1.4	0.80	0.3	4.9
2000	20	3.4	0.79	2.1	5.3	2	1.1	0.81	0.1	4.5
2001	23	4.2	0.91	2.6	6.3	2	2.0	1.40	0.2	6.5
2002	21	3.5	0.81	2.1	5.4	4	2.7	1.47	0.6	7.1
2003	25	3.9	0.83	2.5	5.9	2	0.8	0.56	0.1	3.4
2004	28	5.0	0.99	3.2	7.2	1	0.4	0.37	0.0	2.7
2005	22	3.5	0.78	2.1	5.3	4	1.4	0.71	0.4	4.0
2006	19	3.0	0.72	1.7	4.7	5	1.9	0.90	0.6	4.8
2007	24	3.3	0.69	2.1	5.0	3	1.5	0.93	0.2	4.4
2008	33	5.0	0.90	3.4	7.1	4	1.2	0.62	0.3	3.5
2009	33	5.0	0.91	3.4	7.1	5	2.8	1.32	0.9	6.5
2010	36	5.3	0.93	3.6	7.4	5	2.1	1.13	0.5	5.4
2011	23	2.9	0.63	1.8	4.4	9	3.4	1.20	1.5	6.6
2012	42	5.9	0.95	4.2	8.1	7	2.5	1.06	0.9	5.4
2013	35	4.7	0.82	3.2	6.6	2	0.7	0.55	0.1	2.6
2014	43	5.6	0.89	4.0	7.6	2	0.5	0.35	0.1	2.0
2015	33	4.2	0.75	2.8	5.9	4	1.3	0.67	0.3	3.3
2016	42	5.2	0.84	3.7	7.1	7	2.1	0.84	0.8	4.4
2017	40	5.0	0.82	3.5	6.9	8	2.6	0.92	1.1	5.0
2018	43	5.2	0.82	3.7	7.0	7	2.0	0.77	0.7	4.1
2019	44	5.1	0.78	3.6	6.9	12	3.3	0.98	1.7	5.8
2020	45	5.2	0.80	3.8	7.1	5	1.3	0.61	0.4	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Small Intestine										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,454	1.8	0.03	1.8	1.9	3,437	1.7	0.03	1.6	1.7
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	47	0.8	0.11	0.6	1.0	39	0.7	0.12	0.5	1.0
1988	69	1.1	0.14	0.9	1.4	56	1.0	0.14	0.8	1.4
1989	72	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1990	66	1.1	0.14	0.8	1.4	51	1.0	0.14	0.7	1.3
1991	73	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1992	80	1.3	0.15	1.0	1.6	64	1.2	0.15	0.9	1.5
1993	83	1.3	0.15	1.0	1.6	70	1.3	0.15	1.0	1.6
1994	91	1.4	0.15	1.1	1.7	72	1.2	0.15	1.0	1.6
1995	73	1.1	0.13	0.9	1.4	57	1.0	0.14	0.8	1.3
1996	91	1.4	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1997	98	1.5	0.15	1.2	1.8	75	1.3	0.15	1.0	1.6
1998	98	1.5	0.15	1.2	1.8	87	1.5	0.16	1.2	1.9
1999	96	1.4	0.14	1.1	1.7	79	1.3	0.15	1.1	1.7
2000	105	1.6	0.15	1.3	1.9	90	1.6	0.17	1.3	2.0
2001	113	1.7	0.16	1.4	2.0	89	1.6	0.17	1.2	1.9
2002	134	2.0	0.17	1.6	2.3	103	1.8	0.18	1.5	2.2
2003	90	1.3	0.14	1.0	1.6	72	1.2	0.14	0.9	1.5
2004	110	1.6	0.15	1.3	1.9	85	1.4	0.16	1.1	1.8
2005	130	1.8	0.16	1.5	2.1	101	1.7	0.17	1.4	2.0
2006	126	1.8	0.16	1.5	2.2	88	1.5	0.16	1.2	1.9
2007	159	2.2	0.18	1.9	2.6	123	2.1	0.19	1.7	2.5
2008	160	2.2	0.18	1.9	2.6	120	2.0	0.19	1.7	2.4
2009	160	2.2	0.17	1.8	2.5	123	2.0	0.18	1.7	2.4
2010	162	2.1	0.17	1.8	2.5	118	1.9	0.18	1.5	2.2
2011	182	2.4	0.18	2.1	2.8	131	2.1	0.19	1.8	2.6
2012	172	2.2	0.17	1.8	2.5	139	2.1	0.18	1.8	2.5
2013	206	2.6	0.19	2.3	3.0	160	2.5	0.20	2.1	3.0
2014	186	2.4	0.18	2.1	2.8	146	2.4	0.20	2.0	2.8
2015	191	2.3	0.17	2.0	2.7	142	2.1	0.18	1.7	2.5
2016	182	2.3	0.17	2.0	2.7	134	2.1	0.18	1.7	2.4
2017	190	2.4	0.18	2.1	2.8	139	2.2	0.19	1.8	2.6
2018	218	2.7	0.19	2.3	3.1	163	2.5	0.20	2.1	2.9
2019	201	2.5	0.18	2.1	2.8	148	2.3	0.19	1.9	2.7
2020	181	2.3	0.17	1.9	2.6	134	2.1	0.18	1.7	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Small Intestine										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	896	2.9	0.10	2.7	3.1	96	1.1	0.11	0.9	1.3
1986	11	1.8	0.53	0.9	3.1	0				
1987	7	1.0	0.38	0.4	2.1	1	1.0	1.01	0.0	6.4
1988	13	2.0	0.57	1.1	3.5	0				
1989	9	1.4	0.48	0.7	2.7	1	1.0	0.97	0.0	5.9
1990	14	2.0	0.54	1.1	3.4	1	1.7	1.66	0.0	7.8
1991	16	2.1	0.54	1.2	3.5	1	0.8	0.79	0.0	5.0
1992	15	2.0	0.51	1.1	3.2	1	0.7	0.72	0.0	4.6
1993	12	1.6	0.46	0.8	2.8	1	0.5	0.50	0.0	3.9
1994	16	2.1	0.53	1.2	3.4	3	2.8	1.67	0.6	8.0
1995	15	2.0	0.52	1.1	3.3	1	0.7	0.71	0.0	4.0
1996	17	2.1	0.52	1.2	3.4	1	0.4	0.43	0.0	3.1
1997	23	2.9	0.60	1.8	4.3	0				
1998	10	1.2	0.39	0.6	2.2	1	0.4	0.41	0.0	2.9
1999	13	1.6	0.44	0.8	2.7	4	2.7	1.43	0.7	6.9
2000	14	1.7	0.45	0.9	2.8	1	0.5	0.46	0.0	2.8
2001	21	2.4	0.53	1.5	3.7	2	1.1	0.75	0.1	3.7
2002	31	3.5	0.64	2.4	5.0	0				
2003	16	1.9	0.47	1.1	3.0	2	1.0	0.77	0.1	3.7
2004	18	2.0	0.48	1.2	3.2	7	3.9	1.53	1.5	7.9
2005	26	2.9	0.57	1.9	4.2	3	1.0	0.60	0.2	3.2
2006	29	3.2	0.60	2.1	4.6	7	2.6	1.00	1.0	5.4
2007	34	3.5	0.61	2.4	5.0	2	0.9	0.68	0.1	3.2
2008	36	3.8	0.64	2.7	5.3	3	0.8	0.48	0.2	2.6
2009	34	3.5	0.60	2.4	4.9	1	0.6	0.56	0.0	2.6
2010	38	3.8	0.63	2.7	5.3	6	1.6	0.65	0.6	3.6
2011	43	4.2	0.65	3.0	5.7	6	1.9	0.79	0.7	4.1
2012	28	2.6	0.50	1.7	3.8	5	1.4	0.67	0.4	3.4
2013	44	4.0	0.61	2.9	5.4	1	0.4	0.41	0.0	2.0
2014	33	3.1	0.56	2.1	4.4	3	0.7	0.40	0.1	2.1
2015	44	4.1	0.63	3.0	5.6	5	1.1	0.51	0.4	2.7
2016	43	4.0	0.62	2.9	5.4	1	0.3	0.25	0.0	1.4
2017	48	4.5	0.66	3.3	6.0	3	0.6	0.36	0.1	1.9
2018	48	4.2	0.62	3.1	5.6	5	1.1	0.48	0.4	2.6
2019	41	3.7	0.58	2.6	5.0	9	1.8	0.60	0.8	3.5
2020	36	3.3	0.57	2.3	4.7	8	1.5	0.54	0.6	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon and Rectum											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	232,271	52.3	0.11	52.1	52.5	195,710	51.7	0.12	51.4	51.9	
1986	6,475	61.7	0.78	60.2	63.3	5,793	61.9	0.82	60.3	63.5	
1987	6,703	63.1	0.78	61.6	64.7	6,009	63.6	0.83	62.0	65.2	
1988	6,651	62.3	0.77	60.8	63.8	5,871	61.8	0.82	60.3	63.5	
1989	6,403	59.6	0.75	58.1	61.1	5,678	59.5	0.80	57.9	61.1	
1990	6,635	61.2	0.76	59.7	62.7	5,879	61.1	0.80	59.5	62.7	
1991	6,572	59.8	0.74	58.4	61.3	5,829	59.9	0.79	58.4	61.5	
1992	6,568	59.0	0.73	57.5	60.4	5,856	59.5	0.78	58.0	61.1	
1993	6,594	58.4	0.72	57.0	59.9	5,777	58.1	0.77	56.6	59.6	
1994	6,831	60.0	0.73	58.6	61.5	5,988	59.8	0.78	58.3	61.3	
1995	6,712	58.6	0.72	57.2	60.0	5,802	57.8	0.76	56.3	59.3	
1996	6,803	58.9	0.72	57.5	60.3	5,889	58.3	0.76	56.8	59.8	
1997	7,051	60.5	0.72	59.1	62.0	6,066	59.7	0.77	58.2	61.2	
1998	7,372	62.6	0.73	61.2	64.0	6,309	61.5	0.78	60.0	63.1	
1999	7,186	60.4	0.71	59.0	61.8	6,187	59.9	0.76	58.5	61.5	
2000	7,328	61.1	0.71	59.7	62.5	6,258	60.3	0.76	58.8	61.9	
2001	7,080	58.5	0.70	57.2	59.9	6,003	57.5	0.74	56.1	59.0	
2002	7,279	59.7	0.70	58.3	61.1	6,122	58.4	0.75	56.9	59.9	
2003	7,092	57.4	0.68	56.1	58.8	5,897	55.7	0.73	54.3	57.2	
2004	7,200	57.8	0.68	56.4	59.1	6,033	56.7	0.73	55.3	58.2	
2005	6,978	55.3	0.67	54.0	56.6	5,800	54.0	0.71	52.6	55.4	
2006	7,044	55.1	0.66	53.9	56.5	5,803	53.5	0.71	52.1	54.9	
2007	6,830	52.7	0.64	51.5	54.0	5,646	51.5	0.69	50.2	52.9	
2008	6,720	51.0	0.63	49.8	52.2	5,503	49.6	0.67	48.2	50.9	
2009	6,299	47.2	0.60	46.0	48.4	5,166	46.0	0.65	44.7	47.3	
2010	6,366	46.8	0.59	45.7	48.0	5,160	45.3	0.64	44.0	46.6	
2011	6,447	46.7	0.59	45.6	47.9	5,196	45.2	0.64	43.9	46.4	
2012	6,185	44.0	0.57	42.9	45.1	4,992	42.6	0.61	41.4	43.8	
2013	6,226	43.4	0.56	42.4	44.6	5,000	42.1	0.61	40.9	43.3	
2014	6,217	42.7	0.55	41.6	43.8	4,997	41.4	0.60	40.3	42.6	
2015	6,288	42.9	0.55	41.8	44.0	5,092	42.2	0.60	41.0	43.4	
2016	6,476	43.8	0.56	42.7	44.9	5,192	42.8	0.61	41.6	44.0	
2017	6,143	40.9	0.53	39.9	42.0	4,956	40.5	0.59	39.3	41.7	
2018	6,233	41.3	0.53	40.2	42.3	4,959	40.2	0.59	39.1	41.4	
2019	5,992	39.1	0.52	38.1	40.1	4,759	38.2	0.57	37.1	39.3	
2020	5,292	34.5	0.49	33.6	35.5	4,243	34.0	0.54	33.0	35.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon and Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	30,850	59.4	0.34	58.7	60.1	4,561	30.4	0.48	29.5	31.3
1986	636	60.7	2.50	55.9	65.8	41	33.2	6.23	22.2	47.3
1987	643	59.5	2.43	54.9	64.4	46	35.3	5.80	24.8	48.2
1988	715	65.8	2.54	60.9	71.0	52	42.5	6.69	30.4	57.2
1989	666	60.6	2.42	55.9	65.5	49	32.5	5.30	23.0	44.3
1990	700	63.6	2.48	58.8	68.6	50	36.1	5.82	25.6	48.9
1991	673	59.2	2.35	54.7	64.0	46	28.1	4.51	20.0	38.2
1992	639	54.2	2.21	50.0	58.7	56	32.5	4.94	23.6	43.4
1993	736	63.0	2.39	58.4	67.9	72	36.3	4.81	27.5	46.8
1994	759	63.3	2.36	58.8	68.1	72	33.6	4.43	25.5	43.3
1995	806	65.7	2.37	61.1	70.5	90	41.2	4.83	32.3	51.6
1996	802	64.2	2.32	59.8	68.9	102	45.4	5.08	36.0	56.3
1997	876	69.6	2.40	64.9	74.4	90	34.5	4.04	27.1	43.2
1998	943	73.2	2.43	68.5	78.2	96	38.3	4.38	30.2	47.7
1999	863	64.3	2.23	60.0	68.8	111	40.9	4.39	32.7	50.2
2000	921	67.3	2.26	62.9	71.9	121	40.6	4.08	33.0	49.2
2001	938	68.0	2.27	63.6	72.6	111	33.0	3.43	26.6	40.3
2002	998	71.3	2.30	66.8	75.9	124	38.8	3.78	31.7	46.8
2003	1,036	72.4	2.30	68.0	77.0	122	33.4	3.26	27.3	40.3
2004	1,020	69.0	2.20	64.7	73.4	121	31.3	3.10	25.6	37.9
2005	986	66.0	2.14	61.8	70.3	154	36.4	3.16	30.4	43.0
2006	1,040	67.9	2.15	63.7	72.2	165	36.8	3.09	31.0	43.4
2007	990	63.0	2.05	59.1	67.2	161	34.7	2.96	29.2	41.0
2008	1,013	63.4	2.04	59.4	67.5	168	33.6	2.81	28.3	39.5
2009	954	58.1	1.93	54.4	62.0	136	27.2	2.53	22.5	32.6
2010	1,000	60.3	1.95	56.5	64.2	169	32.3	2.67	27.3	37.9
2011	1,049	60.4	1.91	56.7	64.2	161	28.2	2.38	23.8	33.2
2012	949	54.6	1.81	51.1	58.2	206	33.9	2.50	29.2	39.1
2013	995	55.0	1.79	51.6	58.7	191	28.0	2.14	23.9	32.5
2014	972	53.2	1.75	49.8	56.7	180	26.1	2.03	22.3	30.4
2015	942	50.1	1.67	46.8	53.5	208	28.2	2.03	24.3	32.4
2016	1,004	52.8	1.71	49.6	56.3	228	29.1	1.98	25.4	33.2
2017	921	47.5	1.60	44.4	50.7	225	28.0	1.91	24.4	32.0
2018	977	50.2	1.64	47.0	53.5	225	26.9	1.82	23.4	30.7
2019	920	46.4	1.56	43.4	49.5	231	25.8	1.72	22.6	29.5
2020	768	38.5	1.42	35.7	41.3	181	20.1	1.51	17.2	23.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon and Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	117,440	61.8	0.18	61.5	62.2	99,463	61.2	0.20	60.8	61.6
1986	3,177	75.1	1.39	72.4	77.9	2,872	76.2	1.48	73.3	79.2
1987	3,289	76.6	1.39	73.9	79.3	2,958	77.4	1.48	74.6	80.4
1988	3,282	76.3	1.39	73.6	79.1	2,909	76.2	1.47	73.3	79.1
1989	3,128	72.0	1.34	69.4	74.6	2,787	72.2	1.42	69.5	75.0
1990	3,265	74.4	1.35	71.8	77.1	2,899	74.4	1.43	71.7	77.3
1991	3,281	73.9	1.33	71.3	76.5	2,938	74.8	1.42	72.1	77.7
1992	3,343	74.2	1.32	71.7	76.9	2,990	75.2	1.41	72.5	78.1
1993	3,241	70.8	1.28	68.3	73.4	2,843	70.5	1.36	67.8	73.2
1994	3,254	70.4	1.27	67.9	72.9	2,874	70.5	1.35	67.9	73.2
1995	3,262	70.1	1.26	67.7	72.7	2,820	69.2	1.33	66.6	71.9
1996	3,289	69.9	1.24	67.5	72.4	2,863	69.7	1.33	67.1	72.3
1997	3,479	73.0	1.26	70.5	75.5	3,010	72.4	1.34	69.8	75.0
1998	3,617	74.9	1.27	72.5	77.5	3,118	74.1	1.34	71.5	76.8
1999	3,606	73.7	1.25	71.3	76.2	3,125	73.5	1.33	70.9	76.2
2000	3,692	74.1	1.24	71.7	76.6	3,168	73.5	1.32	70.9	76.1
2001	3,529	70.6	1.21	68.2	73.0	3,025	70.1	1.29	67.6	72.6
2002	3,675	72.0	1.21	69.7	74.4	3,127	71.1	1.28	68.6	73.6
2003	3,634	70.0	1.18	67.7	72.4	3,057	68.6	1.25	66.2	71.1
2004	3,620	68.6	1.16	66.4	70.9	3,049	67.5	1.24	65.1	70.0
2005	3,510	65.3	1.12	63.1	67.5	2,934	63.8	1.19	61.5	66.2
2006	3,535	64.6	1.11	62.5	66.8	2,925	62.8	1.18	60.5	65.1
2007	3,467	62.2	1.08	60.2	64.4	2,880	60.8	1.15	58.6	63.1
2008	3,422	60.0	1.05	57.9	62.1	2,794	57.8	1.11	55.7	60.0
2009	3,213	55.2	0.99	53.3	57.2	2,618	53.2	1.06	51.1	55.3
2010	3,329	56.0	0.99	54.1	58.0	2,734	54.4	1.06	52.3	56.5
2011	3,323	54.5	0.97	52.7	56.5	2,713	53.1	1.04	51.1	55.2
2012	3,245	52.2	0.94	50.4	54.1	2,646	50.6	1.00	48.7	52.6
2013	3,243	50.9	0.91	49.1	52.7	2,610	49.0	0.98	47.1	51.0
2014	3,264	50.1	0.90	48.3	51.9	2,635	48.4	0.97	46.6	50.4
2015	3,351	50.8	0.90	49.0	52.6	2,737	49.9	0.98	48.0	51.8
2016	3,350	49.8	0.88	48.1	51.6	2,714	48.6	0.96	46.7	50.5
2017	3,237	47.6	0.86	45.9	49.3	2,637	46.9	0.94	45.1	48.8
2018	3,235	47.0	0.85	45.3	48.7	2,594	45.7	0.92	43.9	47.6
2019	3,184	45.4	0.82	43.8	47.1	2,546	44.1	0.90	42.4	45.9
2020	2,869	40.8	0.78	39.3	42.3	2,314	40.0	0.85	38.3	41.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon and Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	14,849	70.4	0.61	69.2	71.6	2,494	36.9	0.80	35.3	38.5
1986	283	66.6	4.27	58.5	75.5	21	36.2	9.42	20.2	58.7
1987	304	70.6	4.35	62.3	79.5	26	43.9	9.94	26.6	67.0
1988	337	78.3	4.57	69.6	87.6	31	58.9	12.09	37.6	86.3
1989	315	72.8	4.40	64.4	81.9	20	37.2	9.24	21.4	58.8
1990	330	76.0	4.48	67.5	85.2	33	54.6	11.25	34.8	80.1
1991	312	68.1	4.12	60.3	76.6	19	27.5	6.83	15.8	43.8
1992	312	67.9	4.12	60.0	76.3	33	39.6	7.91	25.7	57.8
1993	355	76.2	4.34	67.9	85.1	39	44.5	8.24	29.8	63.1
1994	341	73.4	4.26	65.3	82.2	34	32.9	6.31	21.7	47.4
1995	387	80.0	4.33	71.7	88.9	45	45.4	7.50	31.9	62.2
1996	361	70.0	3.90	62.6	78.0	60	57.6	8.87	41.6	77.2
1997	405	78.7	4.16	70.7	87.2	54	53.0	8.47	37.7	71.7
1998	444	85.8	4.32	77.6	94.7	47	43.6	7.66	29.9	60.7
1999	403	76.5	4.04	68.8	84.7	61	53.5	8.54	38.1	72.3
2000	447	81.9	4.09	74.1	90.2	64	45.6	6.64	33.6	60.2
2001	425	76.1	3.90	68.7	84.1	63	42.3	6.13	31.2	55.8
2002	467	84.5	4.15	76.6	93.0	64	48.5	6.90	35.9	63.6
2003	496	85.5	4.06	77.8	93.8	60	39.0	5.80	28.5	51.7
2004	489	81.2	3.88	73.8	89.2	67	41.7	5.83	31.1	54.5
2005	470	79.3	3.88	71.9	87.2	84	44.0	5.43	34.0	55.8
2006	507	81.6	3.82	74.3	89.4	85	43.9	5.35	34.0	55.4
2007	476	74.7	3.62	67.8	82.1	89	43.9	5.26	34.2	55.2
2008	503	77.5	3.66	70.5	85.0	100	46.0	5.22	36.4	57.3
2009	499	74.9	3.55	68.1	82.2	72	31.2	4.13	23.7	40.2
2010	488	72.0	3.44	65.4	79.0	89	39.3	4.62	30.8	49.3
2011	505	69.4	3.25	63.2	76.1	82	32.0	3.92	24.8	40.5
2012	460	65.1	3.19	59.0	71.6	117	41.6	4.14	33.9	50.4
2013	498	66.9	3.16	60.8	73.3	106	33.7	3.55	27.1	41.4
2014	499	66.4	3.12	60.4	72.8	98	30.2	3.25	24.2	37.2
2015	465	60.8	2.96	55.1	66.8	122	35.9	3.43	29.5	43.2
2016	487	62.2	2.95	56.6	68.3	126	35.4	3.28	29.3	42.4
2017	447	56.9	2.80	51.5	62.6	126	35.1	3.24	29.1	42.1
2018	464	57.1	2.75	51.9	62.8	133	34.0	3.03	28.3	40.5
2019	462	55.8	2.69	50.6	61.3	133	31.8	2.81	26.6	37.8
2020	406	48.8	2.50	44.0	54.0	91	21.9	2.33	17.6	26.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon and Rectum											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	114,831	45.1	0.13	44.9	45.4	96,247	44.3	0.14	44.1	44.6	
1986	3,298	53.0	0.93	51.2	54.9	2,921	52.4	0.99	50.5	54.4	
1987	3,414	54.4	0.94	52.5	56.2	3,051	54.4	1.00	52.5	56.4	
1988	3,369	52.8	0.92	51.0	54.7	2,962	52.0	0.97	50.1	54.0	
1989	3,275	51.5	0.91	49.7	53.3	2,891	50.9	0.96	49.1	52.9	
1990	3,370	52.3	0.91	50.6	54.1	2,980	52.0	0.97	50.2	54.0	
1991	3,291	50.5	0.89	48.8	52.3	2,891	50.0	0.94	48.2	51.9	
1992	3,225	48.8	0.87	47.1	50.5	2,866	48.9	0.93	47.1	50.7	
1993	3,353	50.0	0.87	48.3	51.7	2,934	49.6	0.93	47.8	51.4	
1994	3,577	52.9	0.89	51.2	54.7	3,114	52.2	0.95	50.4	54.1	
1995	3,450	50.8	0.87	49.1	52.5	2,982	50.0	0.93	48.2	51.8	
1996	3,514	51.2	0.87	49.5	52.9	3,026	50.3	0.93	48.5	52.2	
1997	3,572	51.7	0.87	50.0	53.5	3,056	50.7	0.93	48.9	52.6	
1998	3,755	54.1	0.89	52.3	55.8	3,191	52.8	0.95	51.0	54.7	
1999	3,580	51.1	0.86	49.5	52.9	3,062	50.3	0.92	48.5	52.1	
2000	3,636	51.5	0.86	49.9	53.3	3,090	50.5	0.92	48.7	52.3	
2001	3,551	50.1	0.85	48.4	51.8	2,978	48.7	0.90	46.9	50.5	
2002	3,604	50.6	0.85	48.9	52.3	2,995	48.8	0.90	47.0	50.6	
2003	3,458	48.3	0.83	46.7	49.9	2,840	46.2	0.88	44.5	48.0	
2004	3,580	49.5	0.84	47.9	51.2	2,984	48.3	0.90	46.5	50.0	
2005	3,468	47.7	0.82	46.1	49.3	2,866	46.2	0.88	44.5	48.0	
2006	3,509	48.0	0.82	46.5	49.7	2,878	46.4	0.88	44.7	48.2	
2007	3,363	45.5	0.80	44.0	47.1	2,766	44.3	0.86	42.6	46.0	
2008	3,298	44.2	0.78	42.7	45.8	2,709	43.2	0.85	41.6	44.9	
2009	3,086	41.1	0.75	39.6	42.6	2,548	40.4	0.82	38.8	42.1	
2010	3,037	39.6	0.73	38.2	41.0	2,426	38.0	0.79	36.4	39.5	
2011	3,124	40.3	0.73	38.8	41.7	2,483	38.4	0.79	36.9	40.0	
2012	2,940	37.4	0.70	36.0	38.8	2,346	36.0	0.76	34.5	37.5	
2013	2,983	37.6	0.70	36.2	39.0	2,390	36.5	0.77	35.0	38.0	
2014	2,953	36.8	0.69	35.4	38.2	2,362	35.7	0.75	34.2	37.2	
2015	2,937	36.4	0.69	35.1	37.8	2,355	35.6	0.76	34.2	37.2	
2016	3,126	39.0	0.72	37.6	40.4	2,478	38.0	0.79	36.5	39.6	
2017	2,906	35.4	0.68	34.1	36.8	2,319	34.9	0.75	33.5	36.4	
2018	2,998	36.3	0.68	35.0	37.7	2,365	35.4	0.75	33.9	36.9	
2019	2,808	33.8	0.66	32.5	35.1	2,213	33.1	0.73	31.7	34.6	
2020	2,423	29.0	0.61	27.8	30.2	1,929	28.6	0.68	27.3	30.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon and Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	16,001	52.2	0.42	51.3	53.0	2,067	25.2	0.58	24.1	26.4
1986	353	57.0	3.10	51.1	63.4	20	30.6	8.18	16.8	50.0
1987	339	52.8	2.93	47.2	58.8	20	28.5	6.92	16.6	44.9
1988	378	58.3	3.05	52.4	64.5	21	30.7	7.59	17.7	48.5
1989	351	53.4	2.90	47.9	59.4	29	30.8	6.48	19.4	45.9
1990	370	56.0	2.96	50.3	62.1	17	22.2	5.91	12.2	36.3
1991	361	53.3	2.85	47.9	59.2	27	28.8	6.03	18.3	42.8
1992	327	46.3	2.59	41.3	51.6	23	26.5	6.19	15.8	40.9
1993	381	54.6	2.83	49.2	60.4	33	29.9	5.75	19.7	43.0
1994	418	58.1	2.87	52.6	63.9	38	33.4	5.98	22.7	46.9
1995	419	56.8	2.80	51.4	62.5	45	37.5	6.15	26.4	51.2
1996	441	59.6	2.87	54.1	65.5	42	35.7	5.99	24.9	49.0
1997	471	62.7	2.92	57.1	68.7	36	22.3	3.94	15.3	31.4
1998	499	64.9	2.93	59.2	70.8	49	34.7	5.34	25.1	46.6
1999	460	57.1	2.68	52.0	62.6	50	32.9	4.98	23.9	44.0
2000	474	58.0	2.68	52.9	63.5	57	36.0	5.09	26.7	47.2
2001	513	62.3	2.77	57.0	68.0	48	25.9	3.99	18.7	34.8
2002	531	63.2	2.76	57.9	68.8	60	32.3	4.41	24.2	41.9
2003	540	63.5	2.75	58.2	69.1	62	30.1	4.01	22.8	39.0
2004	531	60.7	2.65	55.6	66.1	54	24.3	3.49	18.0	32.0
2005	516	57.9	2.57	53.0	63.2	70	30.3	3.82	23.3	38.7
2006	533	58.8	2.57	53.8	64.0	80	31.7	3.74	24.8	39.9
2007	514	55.5	2.47	50.8	60.6	72	28.0	3.49	21.6	35.6
2008	510	54.1	2.42	49.4	59.0	68	24.2	3.11	18.5	31.0
2009	455	47.3	2.24	43.0	51.9	64	23.5	3.12	17.8	30.4
2010	512	52.1	2.33	47.6	56.8	80	26.9	3.17	21.0	33.8
2011	544	53.6	2.33	49.1	58.4	79	25.4	3.00	19.9	32.0
2012	489	47.7	2.19	43.5	52.1	89	27.4	3.04	21.8	34.0
2013	497	47.2	2.15	43.0	51.6	85	23.3	2.64	18.4	29.0
2014	473	44.6	2.08	40.6	48.9	82	22.4	2.55	17.7	28.0
2015	477	43.6	2.03	39.7	47.8	86	21.7	2.41	17.2	26.9
2016	517	46.8	2.09	42.7	51.0	102	24.2	2.45	19.6	29.5
2017	474	41.7	1.95	38.0	45.7	99	22.5	2.30	18.2	27.4
2018	513	45.2	2.03	41.3	49.4	92	20.7	2.19	16.7	25.5
2019	458	39.8	1.90	36.1	43.7	98	20.8	2.12	16.8	25.4
2020	362	31.1	1.67	27.9	34.5	90	18.4	1.96	14.7	22.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon excluding Rectum										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	167,882	37.8	0.09	37.7	38.0	140,814	37.1	0.10	36.9	37.3
1986	4,687	44.9	0.66	43.6	46.3	4,163	44.7	0.70	43.3	46.1
1987	4,852	45.8	0.67	44.6	47.2	4,342	46.1	0.71	44.7	47.5
1988	4,856	45.6	0.66	44.3	46.9	4,254	44.9	0.69	43.5	46.3
1989	4,679	43.6	0.64	42.3	44.9	4,130	43.3	0.68	41.9	44.6
1990	4,860	44.9	0.65	43.7	46.2	4,271	44.4	0.69	43.1	45.8
1991	4,721	43.1	0.63	41.8	44.3	4,186	43.1	0.67	41.8	44.4
1992	4,754	42.7	0.62	41.5	43.9	4,208	42.7	0.66	41.5	44.1
1993	4,811	42.7	0.62	41.5	43.9	4,208	42.3	0.65	41.0	43.6
1994	5,112	45.0	0.63	43.8	46.2	4,454	44.5	0.67	43.2	45.8
1995	4,881	42.6	0.61	41.4	43.8	4,169	41.4	0.64	40.1	42.7
1996	5,000	43.3	0.61	42.1	44.5	4,294	42.4	0.65	41.1	43.7
1997	5,136	44.1	0.62	42.9	45.3	4,400	43.2	0.65	41.9	44.5
1998	5,422	46.0	0.62	44.8	47.2	4,582	44.5	0.66	43.3	45.8
1999	5,274	44.3	0.61	43.1	45.5	4,495	43.4	0.65	42.1	44.7
2000	5,418	45.2	0.61	44.0	46.4	4,593	44.1	0.65	42.9	45.4
2001	5,239	43.3	0.60	42.1	44.5	4,404	42.0	0.63	40.8	43.3
2002	5,260	43.1	0.60	41.9	44.3	4,379	41.6	0.63	40.4	42.9
2003	5,234	42.4	0.59	41.2	43.6	4,327	40.8	0.62	39.6	42.0
2004	5,237	42.1	0.58	40.9	43.2	4,377	41.1	0.62	39.8	42.3
2005	5,030	39.9	0.57	38.8	41.1	4,168	38.7	0.60	37.5	39.9
2006	5,109	40.2	0.57	39.1	41.3	4,194	38.7	0.60	37.5	39.9
2007	4,987	38.6	0.55	37.5	39.7	4,122	37.5	0.59	36.4	38.7
2008	4,777	36.4	0.53	35.4	37.5	3,890	35.1	0.57	34.0	36.2
2009	4,539	34.2	0.51	33.2	35.2	3,712	33.1	0.55	32.0	34.2
2010	4,502	33.3	0.50	32.3	34.3	3,612	31.8	0.54	30.7	32.9
2011	4,628	33.7	0.50	32.8	34.7	3,732	32.5	0.54	31.5	33.6
2012	4,399	31.4	0.48	30.5	32.4	3,544	30.3	0.52	29.2	31.3
2013	4,417	30.9	0.47	30.0	31.9	3,537	29.8	0.51	28.8	30.8
2014	4,414	30.4	0.47	29.5	31.3	3,518	29.2	0.50	28.2	30.2
2015	4,462	30.5	0.47	29.6	31.4	3,610	29.9	0.51	28.9	30.9
2016	4,597	31.2	0.47	30.2	32.1	3,701	30.5	0.51	29.5	31.6
2017	4,313	28.7	0.45	27.9	29.6	3,501	28.5	0.49	27.5	29.5
2018	4,371	28.9	0.45	28.0	29.8	3,444	27.8	0.49	26.9	28.8
2019	4,184	27.2	0.43	26.4	28.1	3,314	26.4	0.47	25.5	27.3
2020	3,720	24.1	0.40	23.3	24.9	2,979	23.7	0.45	22.8	24.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon excluding Rectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	23,534	45.7	0.30	45.1	46.3	2,834	19.4	0.38	18.6	20.2
1986	493	47.4	2.22	43.2	51.9	26	23.1	5.41	13.8	35.6
1987	479	44.6	2.11	40.6	49.0	27	19.7	4.20	12.3	29.4
1988	568	53.0	2.30	48.5	57.6	28	24.1	5.22	15.0	36.0
1989	511	46.8	2.13	42.7	51.1	32	20.1	4.01	13.0	29.3
1990	551	50.2	2.21	46.0	54.7	34	25.0	4.94	16.3	36.2
1991	497	44.0	2.03	40.1	48.1	21	14.4	3.42	8.5	22.4
1992	497	42.3	1.95	38.6	46.3	36	22.9	4.28	15.3	32.5
1993	556	47.5	2.07	43.5	51.7	43	22.9	3.96	15.8	31.8
1994	600	50.7	2.12	46.6	55.0	53	25.5	3.91	18.4	34.1
1995	645	53.0	2.14	48.9	57.4	57	26.7	3.88	19.6	35.2
1996	634	51.1	2.08	47.1	55.3	65	31.6	4.46	23.5	41.3
1997	667	53.3	2.11	49.2	57.5	55	21.7	3.20	15.9	28.8
1998	760	59.6	2.21	55.4	64.1	66	27.4	3.76	20.6	35.6
1999	681	51.1	2.00	47.3	55.2	79	29.6	3.73	22.8	37.7
2000	728	53.8	2.03	49.9	57.9	84	28.8	3.46	22.5	36.3
2001	739	54.1	2.03	50.2	58.2	75	21.4	2.72	16.4	27.4
2002	779	55.9	2.04	52.0	60.0	82	26.7	3.21	20.7	33.6
2003	807	57.0	2.05	53.1	61.1	76	20.9	2.58	16.1	26.5
2004	773	53.0	1.94	49.2	56.9	72	19.3	2.48	14.7	24.7
2005	749	50.9	1.90	47.3	54.8	90	21.8	2.46	17.3	27.1
2006	798	52.6	1.90	49.0	56.5	96	20.7	2.29	16.5	25.6
2007	753	48.6	1.81	45.1	52.3	90	20.2	2.29	16.0	25.1
2008	764	48.4	1.79	44.9	52.0	103	21.4	2.29	17.2	26.3
2009	717	44.5	1.70	41.2	47.9	81	17.0	2.04	13.2	21.4
2010	766	46.7	1.73	43.4	50.2	99	19.5	2.10	15.6	24.0
2011	775	45.4	1.67	42.1	48.7	94	16.6	1.82	13.2	20.5
2012	703	41.2	1.59	38.2	44.4	131	22.5	2.08	18.6	26.9
2013	739	41.6	1.56	38.6	44.8	116	17.8	1.76	14.6	21.6
2014	741	40.9	1.54	37.9	44.0	109	16.1	1.61	13.1	19.6
2015	701	37.5	1.45	34.7	40.5	131	18.2	1.65	15.1	21.7
2016	728	38.7	1.47	35.9	41.7	137	17.7	1.55	14.7	21.0
2017	656	34.1	1.36	31.5	36.9	133	17.1	1.52	14.2	20.3
2018	737	38.1	1.43	35.3	41.0	152	18.4	1.52	15.5	21.6
2019	684	34.7	1.35	32.1	37.4	141	15.9	1.36	13.4	18.8
2020	558	28.0	1.21	25.6	30.4	120	13.6	1.26	11.3	16.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon excluding Rectum										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	80,827	43.1	0.15	42.8	43.4	68,021	42.3	0.16	42.0	42.6
1986	2,226	53.3	1.18	51.0	55.7	2,004	53.8	1.25	51.4	56.3
1987	2,276	53.8	1.18	51.5	56.2	2,038	54.2	1.25	51.8	56.7
1988	2,269	53.2	1.16	51.0	55.6	1,990	52.5	1.22	50.1	55.0
1989	2,202	51.0	1.13	48.8	53.2	1,951	50.9	1.19	48.6	53.3
1990	2,296	52.7	1.14	50.5	55.0	2,019	52.2	1.20	49.8	54.6
1991	2,274	51.6	1.12	49.4	53.9	2,033	52.2	1.20	49.9	54.6
1992	2,343	52.7	1.12	50.5	54.9	2,075	52.8	1.19	50.5	55.2
1993	2,254	49.7	1.08	47.6	51.8	1,971	49.3	1.14	47.1	51.5
1994	2,332	51.1	1.09	49.0	53.3	2,046	50.8	1.15	48.6	53.2
1995	2,271	49.2	1.06	47.2	51.4	1,929	47.7	1.11	45.6	50.0
1996	2,290	49.3	1.05	47.2	51.4	1,968	48.4	1.11	46.3	50.6
1997	2,397	50.8	1.06	48.8	52.9	2,054	49.9	1.12	47.7	52.1
1998	2,520	52.6	1.07	50.6	54.8	2,134	51.1	1.12	49.0	53.4
1999	2,500	51.6	1.05	49.6	53.7	2,150	51.0	1.11	48.9	53.2
2000	2,585	52.6	1.05	50.5	54.7	2,201	51.6	1.11	49.4	53.8
2001	2,482	50.2	1.02	48.3	52.3	2,101	49.2	1.08	47.1	51.4
2002	2,519	50.0	1.01	48.1	52.0	2,112	48.6	1.07	46.5	50.7
2003	2,588	50.4	1.01	48.5	52.4	2,164	49.0	1.06	46.9	51.1
2004	2,485	47.8	0.97	45.9	49.7	2,099	47.1	1.04	45.1	49.2
2005	2,406	45.3	0.94	43.5	47.2	2,013	44.2	1.00	42.3	46.2
2006	2,454	45.6	0.94	43.8	47.5	2,021	44.0	0.99	42.1	46.0
2007	2,415	43.9	0.91	42.1	45.7	1,993	42.6	0.97	40.7	44.5
2008	2,298	40.8	0.87	39.2	42.6	1,852	38.8	0.91	37.0	40.6
2009	2,180	38.2	0.83	36.5	39.8	1,769	36.5	0.88	34.8	38.3
2010	2,241	38.4	0.83	36.8	40.1	1,812	36.7	0.88	35.0	38.5
2011	2,258	37.7	0.81	36.1	39.3	1,846	36.6	0.87	35.0	38.4
2012	2,182	35.8	0.78	34.3	37.4	1,772	34.4	0.83	32.8	36.1
2013	2,192	34.9	0.76	33.5	36.5	1,752	33.3	0.81	31.8	35.0
2014	2,230	34.7	0.75	33.2	36.2	1,782	33.2	0.80	31.6	34.8
2015	2,242	34.4	0.75	33.0	35.9	1,825	33.6	0.81	32.1	35.2
2016	2,285	34.4	0.74	33.0	35.9	1,849	33.5	0.80	32.0	35.1
2017	2,144	31.9	0.71	30.6	33.3	1,762	31.6	0.77	30.1	33.2
2018	2,157	31.5	0.70	30.2	32.9	1,706	30.2	0.75	28.8	31.7
2019	2,132	30.6	0.68	29.3	32.0	1,696	29.5	0.74	28.1	31.0
2020	1,902	27.2	0.64	25.9	28.4	1,532	26.5	0.69	25.1	27.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon excluding Rectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	10,955	52.8	0.53	51.8	53.9	1,477	22.7	0.64	21.4	23.9
1986	210	50.7	3.78	43.6	58.6	11	23.8	8.51	10.1	45.0
1987	223	52.9	3.83	45.7	60.9	14	19.6	5.51	10.4	33.7
1988	258	61.4	4.09	53.7	69.9	17	35.3	10.07	18.4	59.2
1989	235	54.9	3.83	47.7	62.9	12	20.4	6.29	10.0	36.1
1990	251	58.4	3.94	50.9	66.5	24	39.4	9.59	22.9	61.7
1991	226	49.1	3.49	42.5	56.4	8	12.8	4.79	5.2	25.2
1992	241	52.7	3.64	45.9	60.3	20	26.8	6.84	15.1	43.0
1993	260	55.9	3.71	48.9	63.6	23	26.2	6.47	15.1	41.5
1994	259	57.1	3.82	49.9	65.0	26	27.1	5.95	16.7	41.0
1995	305	63.4	3.87	56.0	71.4	30	33.0	6.57	21.4	48.0
1996	284	56.1	3.54	49.4	63.5	36	38.8	7.75	25.1	56.3
1997	305	59.5	3.62	52.6	67.0	31	30.4	6.24	19.5	44.7
1998	353	68.7	3.88	61.3	76.6	28	27.6	6.22	16.8	41.9
1999	299	57.4	3.52	50.7	64.6	40	37.7	7.30	24.8	54.1
2000	337	63.2	3.64	56.2	70.7	44	32.8	5.85	22.3	45.9
2001	329	59.8	3.48	53.2	67.0	40	25.6	4.63	17.4	36.2
2002	358	65.1	3.64	58.1	72.6	39	31.4	5.73	21.2	44.2
2003	375	66.4	3.63	59.5	73.9	36	24.1	4.70	15.8	34.7
2004	343	57.8	3.30	51.6	64.6	35	23.4	4.47	15.5	33.5
2005	339	59.0	3.40	52.6	66.0	40	21.4	3.70	14.7	29.7
2006	375	61.5	3.35	55.1	68.3	50	25.1	4.07	17.8	34.2
2007	362	57.9	3.22	51.8	64.5	45	23.4	3.89	16.4	32.1
2008	376	58.9	3.22	52.8	65.5	57	27.6	4.11	20.1	36.7
2009	350	54.3	3.07	48.5	60.7	43	20.7	3.54	14.3	28.6
2010	363	54.3	3.01	48.6	60.5	54	24.7	3.74	18.0	33.0
2011	356	50.2	2.80	44.9	56.0	42	17.4	2.97	12.1	24.1
2012	326	47.8	2.78	42.5	53.5	72	26.7	3.39	20.4	34.1
2013	359	49.5	2.75	44.2	55.1	63	21.8	3.01	16.3	28.4
2014	374	50.7	2.75	45.5	56.4	53	16.5	2.40	12.1	21.9
2015	330	43.7	2.52	38.9	48.9	77	23.2	2.78	18.0	29.2
2016	343	44.6	2.52	39.8	49.8	78	22.5	2.65	17.6	28.3
2017	296	38.5	2.33	34.1	43.3	72	20.7	2.54	16.1	26.3
2018	343	42.7	2.39	38.2	47.7	84	21.7	2.43	17.2	26.9
2019	335	41.2	2.33	36.7	46.0	76	18.1	2.11	14.2	22.8
2020	277	33.6	2.08	29.6	37.9	57	14.0	1.89	10.6	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon excluding Rectum											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	87,055	34.0	0.12	33.8	34.2	72,793	33.2	0.12	33.0	33.5	
1986	2,461	39.6	0.81	38.1	41.2	2,159	38.8	0.85	37.2	40.5	
1987	2,576	40.9	0.81	39.3	42.5	2,304	40.9	0.86	39.2	42.6	
1988	2,587	40.4	0.80	38.9	42.1	2,264	39.6	0.84	38.0	41.3	
1989	2,477	38.7	0.79	37.2	40.3	2,179	38.1	0.83	36.5	39.8	
1990	2,564	39.7	0.79	38.2	41.3	2,252	39.1	0.84	37.5	40.8	
1991	2,447	37.5	0.77	36.0	39.0	2,153	37.0	0.81	35.5	38.7	
1992	2,411	36.3	0.75	34.8	37.8	2,133	36.1	0.79	34.6	37.7	
1993	2,557	38.0	0.76	36.5	39.5	2,237	37.5	0.80	35.9	39.1	
1994	2,780	40.9	0.78	39.4	42.5	2,408	40.1	0.83	38.5	41.8	
1995	2,610	38.2	0.75	36.8	39.7	2,240	37.2	0.80	35.7	38.8	
1996	2,710	39.3	0.76	37.8	40.8	2,326	38.4	0.81	36.9	40.0	
1997	2,739	39.4	0.76	38.0	41.0	2,346	38.6	0.81	37.0	40.2	
1998	2,902	41.4	0.78	39.9	43.0	2,448	40.1	0.82	38.5	41.7	
1999	2,774	39.4	0.75	37.9	40.9	2,345	38.1	0.80	36.6	39.7	
2000	2,833	39.9	0.76	38.4	41.4	2,392	38.7	0.80	37.1	40.3	
2001	2,757	38.6	0.74	37.1	40.1	2,303	37.2	0.79	35.6	38.7	
2002	2,741	38.3	0.74	36.8	39.7	2,267	36.6	0.78	35.1	38.1	
2003	2,646	36.7	0.72	35.3	38.2	2,163	34.8	0.76	33.4	36.4	
2004	2,752	37.8	0.73	36.4	39.2	2,278	36.4	0.78	34.9	38.0	
2005	2,624	35.9	0.71	34.5	37.3	2,155	34.3	0.75	32.9	35.9	
2006	2,655	36.2	0.71	34.8	37.6	2,173	34.7	0.76	33.2	36.2	
2007	2,572	34.6	0.69	33.3	36.0	2,129	33.7	0.75	32.3	35.2	
2008	2,479	33.2	0.68	31.8	34.5	2,038	32.3	0.73	30.9	33.8	
2009	2,359	31.2	0.65	29.9	32.5	1,943	30.5	0.71	29.2	32.0	
2010	2,261	29.3	0.63	28.1	30.6	1,800	27.8	0.67	26.5	29.2	
2011	2,370	30.5	0.64	29.2	31.7	1,886	29.0	0.69	27.7	30.4	
2012	2,217	28.0	0.61	26.9	29.3	1,772	26.9	0.66	25.6	28.2	
2013	2,225	27.9	0.60	26.7	29.1	1,785	27.0	0.66	25.7	28.3	
2014	2,184	27.0	0.59	25.8	28.2	1,736	25.9	0.64	24.7	27.2	
2015	2,220	27.3	0.59	26.1	28.5	1,785	26.7	0.65	25.4	28.0	
2016	2,312	28.6	0.61	27.4	29.8	1,852	28.1	0.68	26.8	29.5	
2017	2,169	26.2	0.58	25.1	27.3	1,739	25.8	0.64	24.6	27.1	
2018	2,214	26.5	0.58	25.4	27.6	1,738	25.6	0.63	24.3	26.9	
2019	2,052	24.3	0.55	23.2	25.4	1,618	23.7	0.61	22.5	24.9	
2020	1,818	21.5	0.52	20.5	22.6	1,447	21.2	0.58	20.1	22.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Colon excluding Rectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	12,579	41.2	0.37	40.5	41.9	1,357	16.9	0.48	15.9	17.8
1986	283	45.7	2.78	40.4	51.4	15	22.8	6.99	11.3	39.9
1987	256	40.0	2.55	35.2	45.3	13	19.3	5.93	9.5	33.9
1988	310	48.0	2.78	42.7	53.7	11	16.1	5.42	7.3	29.6
1989	276	42.2	2.58	37.3	47.6	20	20.8	5.33	11.7	33.7
1990	300	45.3	2.66	40.3	50.8	10	14.4	5.03	6.3	27.0
1991	271	40.5	2.50	35.7	45.7	13	15.5	4.74	7.7	27.2
1992	256	36.3	2.29	31.9	41.0	16	19.7	5.40	10.6	32.6
1993	296	42.1	2.48	37.4	47.3	20	20.0	4.92	11.5	31.6
1994	341	47.7	2.61	42.7	53.1	27	24.0	5.13	15.1	35.9
1995	340	46.5	2.55	41.6	51.7	27	22.1	4.65	13.9	32.8
1996	350	47.3	2.56	42.5	52.6	29	26.1	5.33	16.8	38.3
1997	362	48.4	2.57	43.5	53.7	24	15.9	3.43	9.9	24.0
1998	407	53.3	2.67	48.2	58.8	38	27.7	4.81	19.1	38.5
1999	382	47.6	2.46	42.9	52.7	39	25.2	4.27	17.5	34.8
2000	391	48.1	2.45	43.4	53.2	40	25.7	4.30	17.9	35.3
2001	410	50.0	2.49	45.2	55.1	35	18.0	3.27	12.2	25.5
2002	421	50.3	2.47	45.5	55.3	43	23.6	3.83	16.7	32.2
2003	432	51.0	2.47	46.3	56.1	40	19.5	3.20	13.8	26.7
2004	430	49.5	2.41	44.9	54.4	37	16.8	2.93	11.6	23.5
2005	410	46.4	2.31	42.0	51.1	50	22.0	3.27	16.0	29.2
2006	423	46.9	2.30	42.5	51.6	46	17.7	2.74	12.7	23.8
2007	391	42.7	2.18	38.5	47.2	45	17.9	2.81	12.8	24.2
2008	388	41.6	2.13	37.5	45.9	46	16.8	2.63	12.0	22.7
2009	367	38.3	2.02	34.4	42.5	38	14.1	2.42	9.7	19.6
2010	403	41.3	2.09	37.3	45.6	45	15.7	2.46	11.2	21.2
2011	419	41.6	2.06	37.7	45.8	52	16.4	2.38	12.0	21.7
2012	377	37.1	1.94	33.4	41.1	59	18.9	2.57	14.2	24.5
2013	380	36.5	1.90	32.8	40.4	53	14.9	2.15	11.0	19.7
2014	367	34.5	1.83	31.0	38.3	56	15.5	2.14	11.6	20.3
2015	371	33.9	1.79	30.5	37.6	54	14.1	1.97	10.5	18.4
2016	385	34.9	1.81	31.4	38.6	59	13.8	1.84	10.4	17.9
2017	360	31.8	1.71	28.5	35.3	61	14.2	1.86	10.8	18.4
2018	394	34.6	1.78	31.2	38.3	68	15.5	1.89	12.0	19.6
2019	349	30.1	1.64	27.0	33.6	65	14.0	1.75	10.7	17.8
2020	281	23.9	1.46	21.1	26.9	63	13.2	1.68	10.1	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Rectum and Rectosigmoid Junction											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	64,389	14.5	0.06	14.3	14.6	54,896	14.5	0.06	14.4	14.7	
1986	1,788	16.8	0.40	16.0	17.6	1,630	17.2	0.43	16.4	18.1	
1987	1,851	17.3	0.41	16.5	18.1	1,667	17.5	0.44	16.7	18.4	
1988	1,795	16.7	0.40	15.9	17.5	1,617	17.0	0.43	16.2	17.8	
1989	1,724	16.0	0.39	15.3	16.8	1,548	16.2	0.42	15.4	17.1	
1990	1,775	16.3	0.39	15.5	17.1	1,608	16.7	0.42	15.9	17.5	
1991	1,851	16.8	0.39	16.0	17.5	1,643	16.9	0.42	16.1	17.7	
1992	1,814	16.3	0.38	15.5	17.0	1,648	16.8	0.42	16.0	17.6	
1993	1,783	15.8	0.37	15.0	16.5	1,569	15.8	0.40	15.0	16.6	
1994	1,719	15.0	0.36	14.3	15.8	1,534	15.3	0.39	14.6	16.1	
1995	1,831	16.0	0.37	15.3	16.7	1,633	16.4	0.41	15.6	17.2	
1996	1,803	15.6	0.37	14.9	16.4	1,595	15.9	0.40	15.1	16.7	
1997	1,915	16.5	0.38	15.7	17.2	1,666	16.5	0.41	15.7	17.3	
1998	1,950	16.6	0.38	15.9	17.3	1,727	17.0	0.41	16.2	17.8	
1999	1,912	16.1	0.37	15.4	16.8	1,692	16.6	0.40	15.8	17.4	
2000	1,910	15.9	0.36	15.2	16.7	1,665	16.2	0.40	15.4	17.0	
2001	1,841	15.2	0.36	14.5	15.9	1,599	15.5	0.39	14.7	16.3	
2002	2,019	16.6	0.37	15.8	17.3	1,743	16.8	0.40	16.0	17.6	
2003	1,858	15.0	0.35	14.4	15.7	1,570	15.0	0.38	14.2	15.7	
2004	1,963	15.7	0.36	15.0	16.4	1,656	15.7	0.39	14.9	16.4	
2005	1,948	15.4	0.35	14.7	16.1	1,632	15.2	0.38	14.5	16.0	
2006	1,935	15.0	0.34	14.3	15.7	1,609	14.8	0.37	14.1	15.6	
2007	1,843	14.2	0.33	13.5	14.8	1,524	14.0	0.36	13.3	14.7	
2008	1,943	14.6	0.33	13.9	15.3	1,613	14.5	0.36	13.8	15.2	
2009	1,760	13.0	0.31	12.4	13.6	1,454	12.9	0.34	12.2	13.6	
2010	1,864	13.5	0.32	12.9	14.2	1,548	13.5	0.35	12.8	14.2	
2011	1,819	13.0	0.31	12.4	13.6	1,464	12.7	0.34	12.0	13.3	
2012	1,786	12.5	0.30	11.9	13.1	1,448	12.3	0.33	11.7	13.0	
2013	1,809	12.5	0.30	11.9	13.1	1,463	12.3	0.33	11.7	13.0	
2014	1,803	12.3	0.30	11.7	12.9	1,479	12.2	0.33	11.6	12.9	
2015	1,826	12.4	0.30	11.8	13.0	1,482	12.3	0.33	11.7	13.0	
2016	1,879	12.6	0.30	12.0	13.2	1,491	12.3	0.33	11.6	12.9	
2017	1,830	12.2	0.29	11.6	12.8	1,455	12.0	0.32	11.4	12.6	
2018	1,862	12.4	0.29	11.8	13.0	1,515	12.4	0.33	11.8	13.1	
2019	1,808	11.9	0.29	11.4	12.5	1,445	11.8	0.32	11.2	12.5	
2020	1,572	10.4	0.27	9.9	10.9	1,264	10.3	0.30	9.8	10.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Rectum and Rectosigmoid Junction										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,316	13.7	0.16	13.3	14.0	1,727	11.0	0.28	10.5	11.6
1986	143	13.3	1.15	11.1	15.7	15	10.1	3.10	5.0	17.9
1987	164	14.9	1.19	12.6	17.4	19	15.6	4.00	8.8	25.1
1988	147	12.9	1.10	10.8	15.2	24	18.4	4.18	11.1	28.1
1989	155	13.8	1.14	11.6	16.2	17	12.4	3.46	6.6	20.7
1990	149	13.4	1.13	11.3	15.8	16	11.0	3.07	5.9	18.4
1991	176	15.2	1.19	13.0	17.7	25	13.8	2.94	8.6	20.7
1992	142	11.9	1.03	10.0	14.1	20	9.6	2.47	5.4	15.6
1993	180	15.6	1.19	13.3	18.1	29	13.4	2.72	8.6	19.7
1994	159	12.6	1.02	10.7	14.8	19	8.1	2.07	4.6	13.1
1995	161	12.6	1.02	10.7	14.8	33	14.5	2.88	9.5	21.1
1996	168	13.2	1.03	11.2	15.3	37	13.8	2.44	9.4	19.4
1997	209	16.3	1.16	14.1	18.7	35	12.8	2.47	8.4	18.5
1998	183	13.6	1.03	11.7	15.8	30	10.8	2.25	6.9	16.0
1999	182	13.2	0.99	11.3	15.3	32	11.3	2.32	7.2	16.6
2000	193	13.5	0.99	11.6	15.6	37	11.7	2.15	7.9	16.6
2001	199	14.0	1.01	12.1	16.1	36	11.6	2.09	7.9	16.3
2002	219	15.4	1.06	13.4	17.6	42	12.1	2.00	8.5	16.6
2003	229	15.4	1.04	13.4	17.6	46	12.5	2.00	8.9	17.0
2004	247	16.0	1.04	14.1	18.2	49	12.0	1.86	8.7	16.2
2005	237	15.1	1.00	13.2	17.1	64	14.5	1.99	10.9	18.9
2006	242	15.3	1.00	13.4	17.3	69	16.1	2.08	12.3	20.7
2007	237	14.4	0.96	12.6	16.4	71	14.6	1.88	11.1	18.7
2008	249	15.0	0.97	13.1	17.0	65	12.2	1.63	9.2	15.8
2009	237	13.7	0.91	11.9	15.5	55	10.2	1.49	7.5	13.6
2010	234	13.6	0.91	11.8	15.4	70	12.8	1.64	9.8	16.4
2011	274	15.0	0.93	13.3	17.0	67	11.7	1.52	8.9	15.0
2012	246	13.4	0.87	11.7	15.2	75	11.4	1.38	8.9	14.5
2013	256	13.5	0.86	11.8	15.3	75	10.2	1.22	7.9	12.8
2014	231	12.3	0.83	10.8	14.1	71	10.0	1.23	7.7	12.7
2015	241	12.5	0.83	11.0	14.3	77	10.0	1.18	7.8	12.6
2016	276	14.2	0.87	12.5	16.0	91	11.4	1.22	9.2	14.1
2017	265	13.3	0.84	11.7	15.1	92	11.0	1.16	8.8	13.5
2018	240	12.1	0.80	10.6	13.8	73	8.5	1.01	6.6	10.8
2019	236	11.7	0.78	10.2	13.3	90	9.9	1.06	8.0	12.2
2020	210	10.5	0.74	9.1	12.1	61	6.4	0.83	4.9	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Rectum and Rectosigmoid Junction											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	36,613	18.8	0.10	18.6	19.0	31,442	18.9	0.11	18.7	19.1	
1986	951	21.8	0.74	20.4	23.3	868	22.4	0.79	20.9	24.0	
1987	1,013	22.8	0.74	21.3	24.3	920	23.3	0.79	21.7	24.9	
1988	1,013	23.1	0.75	21.6	24.6	919	23.7	0.81	22.1	25.3	
1989	926	21.0	0.71	19.6	22.4	836	21.3	0.76	19.8	22.8	
1990	969	21.8	0.72	20.4	23.2	880	22.3	0.77	20.8	23.8	
1991	1,007	22.2	0.72	20.8	23.7	905	22.6	0.77	21.1	24.2	
1992	1,000	21.6	0.70	20.2	23.0	915	22.4	0.76	20.9	23.9	
1993	987	21.2	0.69	19.8	22.6	872	21.2	0.74	19.8	22.7	
1994	922	19.2	0.65	18.0	20.5	828	19.7	0.70	18.4	21.1	
1995	991	20.9	0.68	19.6	22.3	891	21.5	0.73	20.1	23.0	
1996	999	20.6	0.66	19.3	22.0	895	21.3	0.72	19.9	22.7	
1997	1,082	22.2	0.68	20.9	23.6	956	22.5	0.74	21.1	24.0	
1998	1,097	22.3	0.68	21.0	23.7	984	23.0	0.74	21.6	24.5	
1999	1,106	22.1	0.67	20.8	23.4	975	22.5	0.73	21.1	24.0	
2000	1,107	21.6	0.66	20.3	22.9	967	21.9	0.71	20.6	23.4	
2001	1,047	20.4	0.64	19.1	21.6	924	20.8	0.69	19.5	22.2	
2002	1,156	22.0	0.66	20.8	23.3	1,015	22.5	0.71	21.1	23.9	
2003	1,046	19.6	0.62	18.4	20.9	893	19.7	0.66	18.4	21.0	
2004	1,135	20.8	0.63	19.6	22.1	950	20.5	0.67	19.2	21.8	
2005	1,104	19.9	0.61	18.8	21.2	921	19.6	0.65	18.3	20.9	
2006	1,081	19.0	0.59	17.9	20.2	904	18.7	0.63	17.5	20.0	
2007	1,052	18.3	0.58	17.2	19.5	887	18.3	0.62	17.1	19.5	
2008	1,124	19.1	0.58	18.0	20.3	942	19.0	0.63	17.8	20.3	
2009	1,033	17.0	0.54	16.0	18.1	849	16.7	0.58	15.6	17.9	
2010	1,088	17.6	0.55	16.6	18.7	922	17.7	0.59	16.5	18.9	
2011	1,065	16.9	0.53	15.9	17.9	867	16.5	0.57	15.4	17.7	
2012	1,063	16.4	0.52	15.4	17.5	874	16.2	0.56	15.1	17.3	
2013	1,051	15.9	0.50	15.0	17.0	858	15.7	0.55	14.6	16.8	
2014	1,034	15.4	0.49	14.4	16.4	853	15.3	0.54	14.2	16.3	
2015	1,109	16.3	0.50	15.4	17.4	912	16.3	0.55	15.2	17.4	
2016	1,065	15.4	0.48	14.4	16.4	865	15.1	0.53	14.1	16.1	
2017	1,093	15.7	0.49	14.7	16.7	875	15.3	0.53	14.2	16.3	
2018	1,078	15.4	0.48	14.5	16.4	888	15.5	0.53	14.5	16.6	
2019	1,052	14.8	0.47	13.9	15.7	850	14.6	0.51	13.6	15.6	
2020	967	13.6	0.45	12.8	14.5	782	13.5	0.50	12.5	14.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Rectum and Rectosigmoid Junction										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,894	17.6	0.30	17.0	18.2	1,017	14.2	0.48	13.3	15.2
1986	73	15.9	1.99	12.3	20.3	10	12.4	4.04	5.8	23.9
1987	81	17.7	2.05	13.9	22.1	12	24.3	8.28	10.9	44.7
1988	79	16.8	2.03	13.1	21.2	14	23.5	6.68	12.3	40.0
1989	80	17.9	2.16	13.9	22.6	8	16.8	6.77	6.3	33.9
1990	79	17.6	2.13	13.7	22.2	9	15.2	5.88	6.0	30.3
1991	86	19.0	2.20	15.0	23.8	11	14.7	4.86	6.8	27.1
1992	71	15.1	1.93	11.6	19.3	13	12.9	3.96	6.3	23.1
1993	95	20.2	2.25	16.1	25.0	16	18.3	5.10	9.7	30.7
1994	82	16.3	1.90	12.8	20.4	8	5.8	2.10	2.5	12.1
1995	82	16.6	1.95	13.0	20.8	15	12.4	3.62	6.4	21.6
1996	77	13.8	1.64	10.8	17.4	24	18.8	4.33	11.3	29.2
1997	100	19.1	2.04	15.4	23.5	23	22.6	5.73	12.8	36.0
1998	91	17.2	1.90	13.6	21.3	19	16.0	4.47	8.5	26.8
1999	104	19.1	1.98	15.4	23.4	21	15.8	4.43	8.4	26.4
2000	110	18.7	1.86	15.2	22.7	20	12.9	3.14	7.5	20.5
2001	96	16.3	1.75	13.0	20.1	23	16.7	4.03	9.8	26.2
2002	109	19.4	1.99	15.7	23.7	25	17.1	3.86	10.4	26.1
2003	121	19.1	1.82	15.7	23.0	24	14.9	3.39	9.0	22.9
2004	146	23.4	2.04	19.6	27.7	32	18.3	3.73	11.8	26.9
2005	131	20.3	1.86	16.8	24.2	44	22.7	3.97	15.6	31.6
2006	132	20.1	1.84	16.7	24.0	35	18.7	3.47	12.5	26.6
2007	114	16.8	1.66	13.7	20.4	44	20.4	3.53	14.1	28.4
2008	127	18.6	1.74	15.3	22.3	43	18.5	3.22	12.7	25.7
2009	149	20.6	1.79	17.2	24.4	29	10.5	2.12	6.8	15.6
2010	125	17.7	1.66	14.6	21.2	35	14.6	2.71	9.8	20.8
2011	149	19.2	1.65	16.1	22.7	40	14.6	2.55	10.0	20.4
2012	134	17.3	1.57	14.4	20.7	45	14.9	2.38	10.6	20.3
2013	139	17.4	1.55	14.5	20.7	43	11.9	1.89	8.5	16.3
2014	125	15.7	1.47	12.9	18.8	45	13.7	2.20	9.8	18.7
2015	135	17.1	1.55	14.2	20.4	45	12.8	2.00	9.2	17.3
2016	144	17.6	1.53	14.8	20.9	48	12.9	1.93	9.4	17.3
2017	151	18.4	1.56	15.4	21.7	54	14.4	2.02	10.7	18.9
2018	121	14.4	1.36	11.9	17.3	49	12.3	1.81	9.1	16.4
2019	127	14.6	1.34	12.1	17.5	57	13.7	1.85	10.3	17.8
2020	129	15.3	1.39	12.7	18.2	34	7.9	1.36	5.4	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Rectum and Rectosigmoid Junction											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	27,776	11.1	0.07	11.0	11.3	23,454	11.1	0.07	11.0	11.3	
1986	837	13.4	0.47	12.5	14.3	762	13.6	0.50	12.7	14.7	
1987	838	13.5	0.47	12.6	14.4	747	13.5	0.50	12.6	14.6	
1988	782	12.4	0.45	11.5	13.3	698	12.4	0.48	11.5	13.4	
1989	798	12.7	0.46	11.8	13.6	712	12.8	0.49	11.9	13.8	
1990	806	12.6	0.45	11.8	13.6	728	12.9	0.49	12.0	13.9	
1991	844	13.1	0.46	12.2	14.0	738	13.0	0.49	12.0	14.0	
1992	814	12.5	0.44	11.6	13.4	733	12.7	0.48	11.8	13.7	
1993	796	12.0	0.43	11.2	12.9	697	12.1	0.46	11.2	13.0	
1994	797	12.0	0.43	11.2	12.9	706	12.1	0.46	11.2	13.1	
1995	840	12.6	0.44	11.7	13.5	742	12.8	0.48	11.9	13.7	
1996	804	11.9	0.42	11.1	12.8	700	11.9	0.46	11.0	12.8	
1997	833	12.3	0.43	11.5	13.2	710	12.1	0.46	11.2	13.0	
1998	853	12.6	0.43	11.8	13.5	743	12.8	0.47	11.8	13.7	
1999	806	11.8	0.42	11.0	12.6	717	12.2	0.46	11.3	13.1	
2000	803	11.6	0.41	10.8	12.5	698	11.8	0.45	10.9	12.7	
2001	794	11.5	0.41	10.7	12.3	675	11.5	0.45	10.6	12.4	
2002	863	12.4	0.42	11.5	13.2	728	12.2	0.46	11.3	13.1	
2003	812	11.5	0.41	10.8	12.4	677	11.4	0.44	10.5	12.3	
2004	828	11.7	0.41	10.9	12.6	706	11.8	0.45	11.0	12.8	
2005	844	11.8	0.41	11.1	12.7	711	11.9	0.45	11.0	12.8	
2006	854	11.9	0.41	11.1	12.7	705	11.7	0.45	10.9	12.6	
2007	791	10.9	0.39	10.2	11.7	637	10.6	0.43	9.8	11.4	
2008	819	11.1	0.39	10.3	11.9	671	10.9	0.43	10.1	11.8	
2009	727	9.9	0.37	9.2	10.6	605	9.9	0.41	9.1	10.7	
2010	776	10.3	0.38	9.6	11.0	626	10.1	0.41	9.3	11.0	
2011	754	9.8	0.36	9.1	10.5	597	9.4	0.39	8.7	10.2	
2012	723	9.4	0.36	8.7	10.1	574	9.1	0.39	8.4	9.9	
2013	758	9.7	0.36	9.0	10.4	605	9.5	0.40	8.7	10.3	
2014	769	9.8	0.36	9.1	10.5	626	9.7	0.40	9.0	10.6	
2015	717	9.2	0.35	8.5	9.9	570	9.0	0.39	8.2	9.8	
2016	814	10.4	0.37	9.7	11.2	626	9.9	0.41	9.1	10.7	
2017	737	9.3	0.35	8.6	10.0	580	9.1	0.39	8.4	9.9	
2018	784	9.8	0.36	9.1	10.5	627	9.8	0.41	9.0	10.6	
2019	756	9.5	0.36	8.8	10.2	595	9.4	0.40	8.6	10.2	
2020	605	7.5	0.31	6.9	8.1	482	7.4	0.35	6.8	8.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Rectum and Rectosigmoid Junction										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,422	11.0	0.19	10.6	11.4	710	8.4	0.33	7.8	9.0
1986	70	11.4	1.38	8.8	14.4	5	7.8	4.25	1.8	19.6
1987	83	12.8	1.43	10.2	15.9	7	9.2	3.57	3.6	19.0
1988	68	10.3	1.27	7.9	13.0	10	14.7	5.32	6.2	28.1
1989	75	11.2	1.32	8.8	14.1	9	10.0	3.67	4.1	19.7
1990	70	10.7	1.29	8.3	13.5	7	7.8	3.09	3.0	16.3
1991	90	12.9	1.38	10.3	15.8	14	13.3	3.72	7.0	22.7
1992	71	10.0	1.21	7.8	12.6	7	6.8	3.03	2.2	15.0
1993	85	12.4	1.36	9.9	15.3	13	9.9	2.96	5.0	17.5
1994	77	10.4	1.19	8.2	13.0	11	9.4	3.08	4.3	17.2
1995	79	10.3	1.17	8.1	12.8	18	15.4	4.03	8.6	25.1
1996	91	12.3	1.30	9.9	15.1	13	9.5	2.75	4.9	16.4
1997	109	14.3	1.38	11.7	17.3	12	6.4	1.93	3.2	11.5
1998	92	11.5	1.21	9.3	14.1	11	7.0	2.31	3.2	12.9
1999	78	9.5	1.08	7.5	11.8	11	7.8	2.57	3.6	14.2
2000	83	9.9	1.09	7.9	12.3	17	10.3	2.72	5.7	16.9
2001	103	12.3	1.23	10.1	15.0	13	7.9	2.28	4.1	13.5
2002	110	12.9	1.24	10.6	15.6	17	8.7	2.18	4.9	14.0
2003	108	12.5	1.21	10.2	15.1	22	10.6	2.41	6.4	16.4
2004	101	11.2	1.12	9.1	13.6	17	7.5	1.88	4.2	12.1
2005	106	11.5	1.13	9.4	14.0	20	8.4	1.98	4.9	13.1
2006	110	11.9	1.14	9.7	14.3	34	14.1	2.54	9.5	19.9
2007	123	12.8	1.17	10.6	15.3	27	10.2	2.07	6.5	15.0
2008	122	12.5	1.15	10.4	15.0	22	7.4	1.65	4.5	11.4
2009	88	9.0	0.97	7.2	11.1	26	9.5	1.97	6.0	14.1
2010	109	10.7	1.04	8.8	13.0	35	11.2	2.00	7.6	15.8
2011	125	12.0	1.09	10.0	14.3	27	9.1	1.82	5.9	13.3
2012	112	10.6	1.01	8.7	12.8	30	8.5	1.62	5.6	12.3
2013	117	10.7	1.00	8.8	12.8	32	8.4	1.53	5.6	11.9
2014	106	10.1	0.99	8.2	12.2	26	6.9	1.39	4.4	10.2
2015	106	9.7	0.96	7.9	11.8	32	7.6	1.39	5.1	10.9
2016	132	11.9	1.05	9.9	14.1	43	10.4	1.61	7.5	14.0
2017	114	9.9	0.95	8.1	12.0	38	8.2	1.35	5.8	11.3
2018	119	10.5	0.99	8.7	12.7	24	5.3	1.09	3.4	7.9
2019	109	9.6	0.95	7.9	11.7	33	6.8	1.20	4.7	9.6
2020	81	7.2	0.81	5.7	9.0	27	5.2	1.01	3.4	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Anus, Anal Canal and Anorectum											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	6,654	1.5	0.02	1.5	1.5	5,558	1.5	0.02	1.5	1.5	
1986	97	0.9	0.09	0.7	1.1	81	0.9	0.10	0.7	1.1	
1987	111	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3	
1988	107	1.0	0.10	0.8	1.2	88	0.9	0.10	0.8	1.2	
1989	115	1.1	0.10	0.9	1.3	102	1.1	0.11	0.9	1.3	
1990	117	1.1	0.10	0.9	1.3	93	1.0	0.10	0.8	1.2	
1991	106	1.0	0.09	0.8	1.2	92	1.0	0.10	0.8	1.2	
1992	113	1.0	0.10	0.8	1.2	96	1.0	0.10	0.8	1.2	
1993	104	0.9	0.09	0.8	1.1	96	1.0	0.10	0.8	1.2	
1994	107	1.0	0.09	0.8	1.2	91	0.9	0.10	0.8	1.2	
1995	124	1.1	0.10	0.9	1.3	104	1.1	0.10	0.9	1.3	
1996	116	1.0	0.09	0.8	1.2	101	1.0	0.10	0.8	1.2	
1997	125	1.1	0.10	0.9	1.3	107	1.1	0.11	0.9	1.3	
1998	139	1.2	0.10	1.0	1.4	115	1.1	0.11	0.9	1.4	
1999	152	1.3	0.10	1.1	1.5	131	1.3	0.11	1.1	1.5	
2000	171	1.4	0.11	1.2	1.7	142	1.4	0.12	1.2	1.7	
2001	173	1.4	0.11	1.2	1.7	138	1.3	0.11	1.1	1.6	
2002	156	1.3	0.10	1.1	1.5	129	1.3	0.11	1.1	1.5	
2003	196	1.6	0.11	1.4	1.8	162	1.6	0.12	1.3	1.8	
2004	232	1.8	0.12	1.6	2.1	196	1.9	0.13	1.6	2.1	
2005	175	1.4	0.10	1.2	1.6	144	1.3	0.11	1.1	1.6	
2006	180	1.4	0.11	1.2	1.6	143	1.3	0.11	1.1	1.6	
2007	223	1.7	0.11	1.5	1.9	187	1.7	0.13	1.5	2.0	
2008	206	1.5	0.11	1.3	1.8	162	1.5	0.12	1.2	1.7	
2009	244	1.8	0.12	1.6	2.1	205	1.8	0.13	1.6	2.1	
2010	232	1.7	0.11	1.5	1.9	183	1.6	0.12	1.4	1.9	
2011	227	1.6	0.11	1.4	1.9	180	1.6	0.12	1.3	1.8	
2012	245	1.7	0.11	1.5	1.9	206	1.7	0.12	1.5	2.0	
2013	275	1.9	0.12	1.7	2.2	238	2.0	0.13	1.8	2.3	
2014	300	2.0	0.12	1.8	2.3	250	2.1	0.13	1.8	2.3	
2015	258	1.7	0.11	1.5	1.9	218	1.8	0.12	1.5	2.0	
2016	309	2.0	0.12	1.8	2.3	263	2.1	0.13	1.9	2.4	
2017	293	1.9	0.11	1.7	2.2	239	1.9	0.13	1.7	2.2	
2018	295	1.9	0.11	1.7	2.2	247	2.0	0.13	1.7	2.2	
2019	327	2.1	0.12	1.9	2.4	274	2.2	0.13	1.9	2.4	
2020	304	2.0	0.12	1.7	2.2	257	2.0	0.13	1.8	2.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Anus, Anal Canal and Anorectum										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,008	1.8	0.06	1.7	2.0	53	0.3	0.05	0.2	0.4
1986	16	1.4	0.36	0.8	2.3	0				
1987	13	1.1	0.33	0.6	2.0	0				
1988	18	1.7	0.40	1.0	2.6	1	0.4	0.36	0.0	3.0
1989	12	1.0	0.29	0.5	1.7	1	0.5	0.46	0.0	3.1
1990	24	2.1	0.43	1.3	3.1	0				
1991	14	1.0	0.28	0.6	1.8	0				
1992	17	1.3	0.32	0.7	2.1	0				
1993	7	0.6	0.22	0.2	1.2	0				
1994	14	1.1	0.31	0.6	1.9	2	1.2	0.88	0.1	4.1
1995	20	1.4	0.31	0.8	2.1	0				
1996	15	1.2	0.32	0.7	2.0	0				
1997	16	1.2	0.30	0.7	1.9	2	0.5	0.36	0.1	2.1
1998	23	1.6	0.33	1.0	2.3	0				
1999	19	1.3	0.30	0.8	2.0	2	0.8	0.64	0.1	2.9
2000	28	1.9	0.36	1.2	2.7	0				
2001	35	2.4	0.41	1.6	3.3	0				
2002	24	1.5	0.30	0.9	2.2	1	0.5	0.46	0.0	2.1
2003	32	2.0	0.36	1.4	2.8	1	0.2	0.18	0.0	1.2
2004	29	1.9	0.36	1.3	2.7	5	1.6	0.78	0.5	3.8
2005	28	1.6	0.31	1.1	2.3	1	0.2	0.17	0.0	1.1
2006	34	2.0	0.35	1.4	2.8	2	0.4	0.26	0.0	1.4
2007	34	1.9	0.34	1.3	2.7	1	0.2	0.17	0.0	1.0
2008	41	2.5	0.39	1.7	3.3	2	0.4	0.28	0.0	1.4
2009	34	2.0	0.35	1.4	2.8	3	0.5	0.27	0.1	1.4
2010	48	2.8	0.41	2.0	3.7	1	0.1	0.12	0.0	0.8
2011	40	2.3	0.36	1.6	3.1	5	0.6	0.28	0.2	1.5
2012	33	1.8	0.32	1.3	2.6	4	0.6	0.28	0.2	1.5
2013	34	1.9	0.32	1.3	2.6	0				
2014	48	2.5	0.37	1.8	3.3	1	0.2	0.20	0.0	1.0
2015	36	1.8	0.31	1.3	2.5	2	0.2	0.16	0.0	0.9
2016	41	2.1	0.34	1.5	2.9	4	0.5	0.24	0.1	1.3
2017	49	2.5	0.37	1.9	3.4	4	0.5	0.26	0.1	1.3
2018	44	2.3	0.35	1.7	3.1	2	0.2	0.13	0.0	0.7
2019	48	2.5	0.37	1.8	3.3	4	0.4	0.19	0.1	1.0
2020	40	2.1	0.34	1.5	2.9	2	0.2	0.14	0.0	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Anus, Anal Canal and Anorectum											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,543	1.3	0.03	1.2	1.3	2,020	1.2	0.03	1.2	1.3	
1986	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1	
1987	39	0.9	0.15	0.7	1.3	34	0.9	0.16	0.6	1.3	
1988	38	0.8	0.13	0.6	1.1	31	0.8	0.14	0.5	1.1	
1989	48	1.0	0.15	0.8	1.4	45	1.1	0.17	0.8	1.5	
1990	52	1.2	0.17	0.9	1.5	41	1.0	0.17	0.7	1.4	
1991	33	0.7	0.12	0.5	0.9	27	0.6	0.12	0.4	0.9	
1992	44	0.9	0.14	0.6	1.2	36	0.8	0.14	0.6	1.2	
1993	32	0.7	0.12	0.5	0.9	29	0.7	0.13	0.5	1.0	
1994	25	0.5	0.11	0.3	0.8	23	0.6	0.12	0.4	0.9	
1995	45	0.9	0.13	0.6	1.2	34	0.8	0.13	0.5	1.1	
1996	45	0.9	0.14	0.7	1.2	41	1.0	0.15	0.7	1.3	
1997	44	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.1	
1998	54	1.0	0.14	0.8	1.3	40	0.9	0.14	0.6	1.2	
1999	58	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5	
2000	66	1.2	0.15	1.0	1.6	54	1.2	0.17	0.9	1.6	
2001	71	1.3	0.15	1.0	1.6	55	1.2	0.16	0.9	1.6	
2002	64	1.1	0.14	0.9	1.5	50	1.1	0.15	0.8	1.4	
2003	87	1.5	0.17	1.2	1.9	66	1.4	0.17	1.1	1.8	
2004	101	1.8	0.18	1.5	2.2	80	1.7	0.19	1.3	2.1	
2005	76	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.5	
2006	80	1.4	0.16	1.1	1.7	56	1.2	0.16	0.9	1.5	
2007	79	1.4	0.16	1.1	1.7	65	1.4	0.17	1.0	1.7	
2008	86	1.4	0.16	1.1	1.8	63	1.3	0.16	1.0	1.6	
2009	88	1.5	0.16	1.2	1.8	71	1.4	0.17	1.1	1.8	
2010	94	1.5	0.16	1.2	1.9	64	1.2	0.15	0.9	1.5	
2011	77	1.3	0.15	1.0	1.6	56	1.1	0.15	0.8	1.5	
2012	101	1.5	0.16	1.3	1.9	81	1.5	0.17	1.2	1.9	
2013	106	1.7	0.17	1.4	2.1	88	1.7	0.18	1.4	2.1	
2014	122	1.8	0.17	1.5	2.2	99	1.8	0.18	1.4	2.2	
2015	100	1.4	0.14	1.1	1.7	85	1.5	0.16	1.2	1.8	
2016	106	1.5	0.15	1.2	1.8	84	1.4	0.16	1.1	1.8	
2017	110	1.6	0.16	1.3	2.0	81	1.4	0.16	1.1	1.8	
2018	105	1.5	0.15	1.2	1.8	82	1.4	0.16	1.1	1.8	
2019	115	1.6	0.15	1.3	1.9	91	1.5	0.16	1.2	1.9	
2020	118	1.7	0.16	1.4	2.0	93	1.6	0.17	1.3	1.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Anus, Anal Canal and Anorectum										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	479	2.0	0.09	1.8	2.2	24	0.3	0.08	0.2	0.5
1986	2	0.5	0.36	0.1	1.7	0				
1987	5	1.0	0.51	0.3	2.5	0				
1988	6	1.3	0.57	0.5	2.9	1	0.7	0.74	0.0	6.9
1989	2	0.4	0.26	0.0	1.4	1	0.9	0.91	0.0	6.9
1990	11	2.3	0.76	1.1	4.2	0				
1991	6	0.9	0.39	0.3	2.1	0				
1992	8	1.3	0.46	0.6	2.6	0				
1993	2	0.5	0.39	0.1	1.7	0				
1994	1	0.2	0.15	0.0	0.9	1	1.2	1.18	0.0	6.3
1995	11	1.5	0.47	0.8	2.8	0				
1996	4	0.7	0.33	0.2	1.7	0				
1997	7	1.1	0.40	0.4	2.2	0				
1998	13	1.8	0.52	1.0	3.2	0				
1999	7	1.0	0.38	0.4	2.1	1	0.4	0.44	0.0	3.6
2000	11	1.6	0.48	0.8	2.8	0				
2001	16	2.3	0.59	1.3	3.8	0				
2002	13	1.7	0.46	0.9	2.9	0				
2003	19	2.6	0.60	1.5	4.1	1	0.4	0.38	0.0	2.8
2004	17	2.8	0.72	1.5	4.5	3	2.7	1.72	0.4	7.6
2005	19	2.4	0.54	1.4	3.7	0				
2006	22	3.0	0.66	1.9	4.6	1	0.4	0.37	0.0	2.4
2007	12	1.6	0.46	0.8	2.8	1	0.4	0.35	0.0	2.3
2008	23	3.3	0.73	2.0	5.0	0				
2009	14	2.0	0.57	1.1	3.5	1	0.3	0.32	0.0	2.1
2010	30	4.3	0.84	2.9	6.3	0				
2011	18	2.4	0.57	1.4	3.8	2	0.6	0.39	0.1	2.3
2012	16	1.9	0.47	1.1	3.1	3	0.8	0.47	0.2	2.6
2013	15	2.0	0.52	1.1	3.3	0				
2014	22	2.4	0.53	1.5	3.7	1	0.4	0.44	0.0	2.1
2015	14	1.5	0.40	0.8	2.5	1	0.2	0.22	0.0	1.5
2016	21	2.5	0.56	1.5	3.8	1	0.3	0.27	0.0	1.6
2017	26	3.3	0.67	2.1	4.9	3	1.0	0.61	0.2	2.9
2018	22	2.5	0.54	1.5	3.8	0				
2019	21	2.5	0.57	1.5	3.9	2	0.5	0.32	0.1	1.7
2020	23	2.8	0.59	1.7	4.2	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Anus, Anal Canal and Anorectum											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	4,111	1.7	0.03	1.6	1.7	3,538	1.7	0.03	1.7	1.8	
1986	63	1.0	0.13	0.8	1.3	49	0.9	0.13	0.7	1.2	
1987	72	1.2	0.14	0.9	1.5	64	1.2	0.15	0.9	1.5	
1988	69	1.2	0.14	0.9	1.5	57	1.1	0.14	0.8	1.4	
1989	67	1.1	0.14	0.9	1.5	57	1.1	0.15	0.8	1.5	
1990	65	1.1	0.14	0.9	1.4	52	1.0	0.14	0.7	1.3	
1991	73	1.2	0.14	0.9	1.5	65	1.2	0.15	0.9	1.5	
1992	69	1.1	0.13	0.8	1.4	60	1.1	0.14	0.8	1.4	
1993	72	1.1	0.13	0.9	1.4	67	1.2	0.15	0.9	1.5	
1994	82	1.3	0.14	1.0	1.6	68	1.3	0.16	1.0	1.6	
1995	79	1.3	0.14	1.0	1.6	70	1.3	0.16	1.0	1.7	
1996	71	1.1	0.13	0.9	1.4	60	1.1	0.14	0.8	1.4	
1997	81	1.3	0.14	1.0	1.6	70	1.3	0.15	1.0	1.6	
1998	85	1.3	0.14	1.0	1.6	75	1.3	0.16	1.1	1.7	
1999	94	1.4	0.15	1.2	1.7	81	1.5	0.16	1.2	1.8	
2000	105	1.6	0.16	1.3	1.9	88	1.6	0.17	1.3	2.0	
2001	102	1.5	0.15	1.2	1.8	83	1.5	0.16	1.2	1.8	
2002	92	1.4	0.14	1.1	1.7	79	1.4	0.16	1.1	1.8	
2003	109	1.6	0.15	1.3	1.9	96	1.7	0.17	1.4	2.0	
2004	131	1.9	0.17	1.6	2.2	116	2.0	0.19	1.7	2.4	
2005	99	1.4	0.14	1.1	1.7	88	1.5	0.16	1.2	1.8	
2006	100	1.4	0.14	1.2	1.7	87	1.5	0.16	1.2	1.9	
2007	144	2.0	0.17	1.7	2.4	122	2.1	0.19	1.7	2.5	
2008	120	1.6	0.15	1.4	2.0	99	1.7	0.17	1.3	2.0	
2009	156	2.1	0.17	1.8	2.4	134	2.2	0.19	1.8	2.6	
2010	138	1.9	0.16	1.6	2.2	119	2.0	0.18	1.6	2.4	
2011	150	2.0	0.16	1.7	2.3	124	2.0	0.18	1.7	2.4	
2012	144	1.9	0.16	1.6	2.2	125	2.0	0.18	1.6	2.3	
2013	169	2.2	0.17	1.9	2.5	150	2.4	0.20	2.0	2.8	
2014	178	2.2	0.17	1.9	2.6	151	2.3	0.19	2.0	2.7	
2015	158	1.9	0.16	1.6	2.3	133	2.0	0.18	1.7	2.4	
2016	203	2.5	0.18	2.2	2.9	179	2.7	0.21	2.3	3.2	
2017	183	2.2	0.17	1.9	2.5	158	2.3	0.19	2.0	2.8	
2018	190	2.3	0.17	2.0	2.6	165	2.4	0.20	2.1	2.9	
2019	212	2.6	0.18	2.2	2.9	183	2.7	0.21	2.3	3.2	
2020	186	2.3	0.17	1.9	2.6	164	2.5	0.20	2.1	2.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Anus, Anal Canal and Anorectum										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	529	1.7	0.07	1.5	1.8	29	0.3	0.06	0.2	0.5
1986	14	2.1	0.57	1.1	3.5	0				
1987	8	1.2	0.44	0.5	2.4	0				
1988	12	1.9	0.55	1.0	3.3	0				
1989	10	1.4	0.46	0.7	2.6	0				
1990	13	2.0	0.54	1.0	3.3	0				
1991	8	1.1	0.39	0.5	2.1	0				
1992	9	1.2	0.41	0.6	2.3	0				
1993	5	0.7	0.30	0.2	1.5	0				
1994	13	1.8	0.49	0.9	3.0	1	1.2	1.23	0.0	5.7
1995	9	1.2	0.40	0.5	2.3	0				
1996	11	1.5	0.47	0.8	2.7	0				
1997	9	1.2	0.39	0.5	2.2	2	1.0	0.71	0.1	4.0
1998	10	1.2	0.40	0.6	2.3	0				
1999	12	1.4	0.41	0.7	2.5	1	1.0	0.98	0.0	4.4
2000	17	2.0	0.49	1.2	3.2	0				
2001	19	2.3	0.53	1.4	3.5	0				
2002	11	1.2	0.38	0.6	2.2	1	0.8	0.75	0.0	3.5
2003	13	1.5	0.41	0.8	2.5	0				
2004	12	1.3	0.38	0.7	2.3	2	1.0	0.74	0.1	3.5
2005	9	1.0	0.32	0.4	1.8	1	0.3	0.32	0.0	2.0
2006	12	1.2	0.35	0.6	2.1	1	0.4	0.37	0.0	2.1
2007	22	2.2	0.47	1.4	3.3	0				
2008	18	1.9	0.45	1.1	3.0	2	0.7	0.51	0.1	2.6
2009	20	2.0	0.46	1.2	3.1	2	0.6	0.42	0.1	2.2
2010	18	1.7	0.41	1.0	2.7	1	0.2	0.23	0.0	1.5
2011	22	2.1	0.45	1.3	3.2	3	0.7	0.40	0.1	2.2
2012	17	1.7	0.42	1.0	2.7	1	0.3	0.33	0.0	1.7
2013	19	1.8	0.42	1.1	2.8	0				
2014	26	2.4	0.49	1.6	3.6	0				
2015	22	2.0	0.43	1.2	3.0	1	0.3	0.25	0.0	1.4
2016	20	1.9	0.42	1.1	2.9	3	0.7	0.39	0.1	2.0
2017	23	2.0	0.42	1.2	3.0	1	0.2	0.17	0.0	1.2
2018	22	2.1	0.45	1.3	3.2	2	0.3	0.24	0.0	1.4
2019	27	2.4	0.48	1.6	3.6	2	0.3	0.24	0.0	1.4
2020	17	1.6	0.39	0.9	2.5	2	0.4	0.25	0.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Liver											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	22,270	4.9	0.03	4.9	5.0	16,781	4.4	0.03	4.3	4.5	
1986	243	2.3	0.15	2.0	2.6	183	2.0	0.15	1.7	2.3	
1987	230	2.2	0.14	1.9	2.5	177	1.9	0.14	1.6	2.2	
1988	260	2.4	0.15	2.1	2.7	206	2.1	0.15	1.8	2.4	
1989	262	2.4	0.15	2.1	2.7	191	2.0	0.15	1.7	2.3	
1990	253	2.3	0.15	2.0	2.6	195	2.0	0.15	1.7	2.3	
1991	257	2.3	0.15	2.1	2.6	196	2.0	0.15	1.8	2.3	
1992	263	2.4	0.15	2.1	2.7	211	2.1	0.15	1.9	2.5	
1993	320	2.8	0.16	2.5	3.1	240	2.4	0.16	2.1	2.8	
1994	421	3.7	0.18	3.3	4.1	324	3.2	0.18	2.9	3.6	
1995	438	3.8	0.18	3.5	4.2	325	3.3	0.18	2.9	3.6	
1996	461	4.0	0.19	3.6	4.4	329	3.3	0.18	2.9	3.7	
1997	464	4.0	0.19	3.6	4.4	349	3.5	0.19	3.1	3.9	
1998	497	4.2	0.19	3.9	4.6	382	3.8	0.19	3.4	4.2	
1999	538	4.5	0.20	4.2	4.9	401	3.9	0.20	3.6	4.3	
2000	551	4.6	0.20	4.2	5.0	408	4.0	0.20	3.6	4.4	
2001	553	4.6	0.19	4.2	5.0	426	4.1	0.20	3.7	4.5	
2002	592	4.9	0.20	4.5	5.3	444	4.3	0.20	3.9	4.7	
2003	577	4.7	0.19	4.3	5.1	445	4.2	0.20	3.9	4.7	
2004	640	5.1	0.20	4.7	5.5	491	4.7	0.21	4.3	5.1	
2005	692	5.4	0.21	5.0	5.9	531	5.0	0.22	4.6	5.4	
2006	688	5.3	0.20	4.9	5.7	518	4.8	0.21	4.4	5.2	
2007	751	5.7	0.21	5.3	6.1	548	5.0	0.21	4.6	5.4	
2008	743	5.5	0.20	5.1	5.9	543	4.8	0.21	4.4	5.3	
2009	852	6.2	0.22	5.8	6.6	662	5.8	0.23	5.4	6.3	
2010	890	6.4	0.22	6.0	6.8	681	5.9	0.23	5.5	6.4	
2011	852	5.9	0.21	5.5	6.4	630	5.3	0.22	4.9	5.8	
2012	909	6.1	0.21	5.7	6.6	693	5.7	0.22	5.2	6.1	
2013	909	6.1	0.21	5.7	6.5	674	5.5	0.22	5.1	6.0	
2014	1,009	6.6	0.21	6.2	7.0	743	6.0	0.22	5.5	6.4	
2015	1,048	6.8	0.21	6.4	7.2	781	6.2	0.22	5.7	6.6	
2016	1,046	6.6	0.21	6.2	7.0	770	6.0	0.22	5.5	6.4	
2017	1,017	6.3	0.20	5.9	6.7	767	5.9	0.22	5.5	6.4	
2018	1,077	6.7	0.21	6.3	7.1	840	6.4	0.23	6.0	6.9	
2019	1,081	6.6	0.20	6.2	7.0	830	6.2	0.22	5.8	6.7	
2020	886	5.4	0.19	5.0	5.8	647	4.8	0.19	4.5	5.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Liver										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,046	7.3	0.12	7.1	7.5	1,341	8.8	0.25	8.3	9.3
1986	46	3.9	0.59	2.8	5.2	14	7.6	2.07	4.1	13.2
1987	40	3.7	0.61	2.6	5.1	13	6.6	1.89	3.4	11.7
1988	47	4.4	0.66	3.2	5.8	7	4.2	1.61	1.6	8.8
1989	56	4.7	0.65	3.5	6.2	14	7.4	2.08	3.9	12.8
1990	40	3.3	0.55	2.4	4.6	18	9.0	2.31	5.1	14.8
1991	46	3.5	0.53	2.5	4.7	14	7.6	2.22	3.9	13.1
1992	34	2.7	0.48	1.9	3.8	16	7.4	1.95	4.0	12.2
1993	58	4.6	0.62	3.5	6.0	22	10.9	2.59	6.4	17.0
1994	79	6.6	0.76	5.2	8.2	17	6.8	1.75	3.8	11.2
1995	92	7.4	0.79	5.9	9.1	21	10.3	2.48	6.0	16.1
1996	100	7.7	0.79	6.2	9.4	31	13.5	2.75	8.6	19.8
1997	90	6.9	0.74	5.5	8.5	25	9.7	2.19	5.9	14.8
1998	88	6.5	0.71	5.2	8.1	25	8.3	1.81	5.2	12.6
1999	100	7.2	0.73	5.9	8.8	35	11.0	2.13	7.2	15.9
2000	107	7.5	0.74	6.1	9.1	35	12.5	2.25	8.5	17.6
2001	93	6.3	0.66	5.0	7.7	34	10.6	1.99	7.1	15.2
2002	107	7.3	0.72	6.0	8.9	39	12.1	2.08	8.3	16.7
2003	98	6.5	0.67	5.3	8.0	34	9.0	1.64	6.1	12.7
2004	111	7.3	0.71	6.0	8.8	37	8.9	1.55	6.1	12.4
2005	130	8.0	0.71	6.7	9.5	29	7.2	1.43	4.6	10.5
2006	130	7.8	0.69	6.5	9.2	39	7.7	1.29	5.4	10.7
2007	151	8.9	0.74	7.5	10.5	51	10.7	1.62	7.8	14.3
2008	146	8.3	0.70	7.0	9.8	52	10.3	1.52	7.5	13.7
2009	137	7.5	0.65	6.3	8.9	51	10.2	1.54	7.4	13.6
2010	158	8.7	0.71	7.4	10.2	48	8.3	1.26	6.0	11.1
2011	171	8.9	0.70	7.6	10.4	47	7.2	1.10	5.2	9.7
2012	156	8.0	0.66	6.8	9.4	55	9.1	1.31	6.7	12.0
2013	184	9.1	0.69	7.8	10.6	48	7.2	1.10	5.2	9.7
2014	188	9.0	0.68	7.8	10.5	72	10.5	1.28	8.1	13.3
2015	188	9.0	0.67	7.7	10.4	73	10.0	1.22	7.8	12.7
2016	194	9.1	0.67	7.8	10.5	79	9.8	1.13	7.7	12.2
2017	182	8.3	0.63	7.1	9.6	65	7.6	0.96	5.8	9.7
2018	177	8.1	0.63	6.9	9.5	52	6.1	0.86	4.5	8.0
2019	168	7.8	0.61	6.6	9.1	69	7.9	0.97	6.2	10.1
2020	154	7.1	0.58	6.0	8.3	60	7.0	0.91	5.3	9.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Liver										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	15,773	7.9	0.06	7.7	8.0	11,891	7.0	0.07	6.9	7.1
1986	154	3.5	0.30	3.0	4.2	106	2.8	0.29	2.3	3.4
1987	153	3.4	0.29	2.9	4.1	113	2.9	0.28	2.4	3.5
1988	165	3.6	0.29	3.1	4.2	134	3.3	0.30	2.8	4.0
1989	173	3.9	0.30	3.3	4.5	128	3.3	0.30	2.7	3.9
1990	175	3.7	0.29	3.2	4.3	130	3.1	0.28	2.6	3.7
1991	158	3.3	0.27	2.8	3.9	117	2.8	0.27	2.3	3.4
1992	176	3.8	0.30	3.3	4.5	138	3.4	0.30	2.9	4.1
1993	211	4.4	0.31	3.8	5.0	162	3.9	0.31	3.3	4.6
1994	280	5.9	0.36	5.2	6.6	213	5.1	0.35	4.4	5.8
1995	297	6.1	0.36	5.4	6.9	222	5.2	0.35	4.5	6.0
1996	307	6.2	0.36	5.5	6.9	208	4.8	0.34	4.2	5.6
1997	308	6.2	0.36	5.6	7.0	230	5.4	0.36	4.7	6.2
1998	344	6.8	0.37	6.1	7.5	268	6.1	0.38	5.4	6.9
1999	348	6.7	0.36	6.0	7.5	253	5.7	0.36	5.0	6.5
2000	368	7.0	0.37	6.3	7.8	278	6.2	0.37	5.5	7.0
2001	378	7.2	0.38	6.5	8.0	292	6.5	0.39	5.8	7.3
2002	409	7.6	0.38	6.9	8.4	312	6.8	0.39	6.1	7.6
2003	408	7.4	0.37	6.7	8.2	318	6.8	0.39	6.1	7.6
2004	449	7.9	0.38	7.2	8.7	350	7.3	0.39	6.6	8.1
2005	502	8.8	0.40	8.1	9.7	388	8.1	0.42	7.3	9.0
2006	491	8.4	0.39	7.7	9.2	371	7.6	0.40	6.9	8.4
2007	545	9.1	0.40	8.4	9.9	390	7.8	0.40	7.0	8.6
2008	517	8.4	0.38	7.7	9.2	377	7.3	0.38	6.6	8.1
2009	648	10.4	0.42	9.6	11.3	504	9.7	0.44	8.8	10.6
2010	625	9.8	0.40	9.0	10.6	484	9.1	0.42	8.3	10.0
2011	642	9.7	0.39	9.0	10.6	465	8.5	0.41	7.8	9.4
2012	674	9.8	0.39	9.0	10.6	513	8.9	0.40	8.2	9.8
2013	669	9.7	0.38	8.9	10.5	491	8.6	0.40	7.8	9.4
2014	754	10.6	0.40	9.8	11.4	558	9.5	0.41	8.7	10.4
2015	775	10.9	0.40	10.1	11.7	579	9.8	0.42	9.0	10.7
2016	756	10.2	0.38	9.4	11.0	558	9.1	0.40	8.4	9.9
2017	714	9.6	0.37	8.9	10.3	544	8.9	0.39	8.1	9.7
2018	769	10.4	0.38	9.6	11.1	604	9.9	0.41	9.1	10.7
2019	799	10.5	0.38	9.8	11.3	625	9.9	0.41	9.1	10.8
2020	632	8.3	0.34	7.7	9.0	468	7.5	0.35	6.8	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Liver										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,845	12.1	0.24	11.6	12.6	972	13.8	0.48	12.9	14.8
1986	36	7.3	1.30	5.0	10.3	12	13.1	3.85	6.7	24.1
1987	29	6.6	1.33	4.2	9.7	11	11.0	3.43	5.3	21.0
1988	26	5.6	1.19	3.5	8.4	5	5.7	2.57	1.8	14.1
1989	35	7.5	1.34	5.1	10.5	9	10.9	3.98	4.5	21.8
1990	28	6.0	1.23	3.9	8.9	17	18.6	5.06	10.0	31.4
1991	29	5.2	1.01	3.4	7.6	11	13.7	4.62	6.2	25.7
1992	23	4.7	1.08	2.8	7.3	14	13.9	4.11	7.0	24.4
1993	36	6.3	1.06	4.4	8.7	13	13.4	4.57	6.0	25.0
1994	53	11.6	1.70	8.5	15.3	13	11.2	3.32	5.6	19.8
1995	58	11.7	1.68	8.7	15.4	17	18.7	5.36	9.8	31.7
1996	74	13.5	1.65	10.5	17.1	24	24.0	5.91	13.9	37.9
1997	59	10.6	1.47	7.9	13.9	19	14.7	3.66	8.5	23.7
1998	60	10.6	1.44	8.0	13.7	15	11.5	3.38	5.8	19.9
1999	65	11.6	1.49	8.8	14.8	28	20.1	4.83	11.8	31.4
2000	69	11.6	1.46	9.0	14.8	21	14.4	3.50	8.4	22.8
2001	61	9.6	1.29	7.3	12.5	25	17.9	4.28	10.5	27.9
2002	68	10.7	1.36	8.2	13.7	28	19.2	4.23	11.9	29.0
2003	66	10.1	1.30	7.8	13.0	24	13.9	3.16	8.4	21.4
2004	74	11.2	1.37	8.7	14.2	25	13.3	2.88	8.3	20.1
2005	92	13.0	1.41	10.4	16.1	20	10.8	2.72	6.2	17.3
2006	92	12.5	1.36	10.0	15.5	27	12.2	2.59	7.7	18.3
2007	115	15.9	1.56	13.0	19.2	39	18.5	3.32	12.6	26.1
2008	108	14.3	1.44	11.6	17.4	31	14.3	2.89	9.2	21.0
2009	102	13.1	1.35	10.6	16.0	41	17.9	3.18	12.2	25.1
2010	105	13.3	1.35	10.8	16.2	34	12.2	2.23	8.2	17.4
2011	137	16.8	1.51	14.0	20.0	38	12.2	2.06	8.5	17.0
2012	120	14.2	1.34	11.7	17.0	40	15.6	2.73	10.7	21.7
2013	141	16.3	1.43	13.6	19.4	35	11.6	2.11	7.9	16.5
2014	140	15.7	1.39	13.1	18.7	51	16.0	2.40	11.6	21.4
2015	141	15.4	1.34	12.9	18.3	53	16.0	2.32	11.7	21.1
2016	138	15.0	1.33	12.5	17.9	59	15.4	2.09	11.6	20.1
2017	123	13.3	1.25	10.9	16.0	44	10.9	1.70	7.8	14.8
2018	121	13.2	1.25	10.9	15.9	38	9.9	1.65	6.9	13.7
2019	118	12.9	1.23	10.6	15.5	50	12.7	1.85	9.4	16.9
2020	103	11.2	1.14	9.1	13.7	41	10.4	1.65	7.4	14.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Liver										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	6,497	2.6	0.03	2.5	2.6	4,890	2.3	0.03	2.2	2.4
1986	89	1.5	0.16	1.2	1.8	77	1.4	0.17	1.1	1.8
1987	77	1.3	0.15	1.0	1.6	64	1.2	0.16	0.9	1.6
1988	95	1.5	0.15	1.2	1.8	72	1.3	0.15	1.0	1.6
1989	89	1.4	0.15	1.1	1.8	63	1.2	0.15	0.9	1.5
1990	78	1.3	0.15	1.0	1.6	65	1.2	0.16	1.0	1.6
1991	99	1.5	0.16	1.3	1.9	79	1.4	0.16	1.1	1.8
1992	87	1.3	0.14	1.1	1.7	73	1.3	0.15	1.0	1.6
1993	109	1.7	0.16	1.4	2.0	78	1.4	0.16	1.1	1.7
1994	141	2.1	0.17	1.7	2.4	111	1.8	0.17	1.5	2.2
1995	141	2.1	0.18	1.8	2.5	103	1.8	0.18	1.5	2.2
1996	154	2.3	0.18	1.9	2.7	121	2.0	0.18	1.7	2.4
1997	156	2.3	0.19	2.0	2.7	119	2.1	0.19	1.7	2.5
1998	153	2.2	0.18	1.9	2.6	114	1.9	0.18	1.6	2.3
1999	190	2.8	0.20	2.4	3.2	148	2.5	0.21	2.1	3.0
2000	183	2.6	0.20	2.3	3.1	130	2.2	0.19	1.8	2.6
2001	175	2.5	0.19	2.2	2.9	134	2.2	0.20	1.9	2.7
2002	183	2.6	0.19	2.2	3.0	132	2.2	0.19	1.8	2.6
2003	169	2.4	0.19	2.0	2.8	127	2.1	0.19	1.8	2.5
2004	191	2.7	0.20	2.3	3.1	141	2.4	0.20	2.0	2.8
2005	190	2.7	0.20	2.3	3.1	143	2.4	0.20	2.0	2.8
2006	197	2.7	0.20	2.4	3.1	147	2.4	0.20	2.0	2.8
2007	206	2.8	0.20	2.5	3.3	158	2.5	0.21	2.2	3.0
2008	226	3.0	0.20	2.6	3.4	166	2.6	0.21	2.2	3.1
2009	204	2.8	0.20	2.4	3.2	158	2.6	0.21	2.2	3.0
2010	265	3.5	0.22	3.1	4.0	197	3.2	0.23	2.7	3.7
2011	210	2.8	0.19	2.4	3.2	165	2.6	0.21	2.3	3.1
2012	235	3.0	0.20	2.6	3.4	180	2.7	0.21	2.4	3.2
2013	240	3.0	0.20	2.7	3.5	183	2.9	0.22	2.5	3.3
2014	255	3.2	0.20	2.8	3.6	185	2.8	0.21	2.4	3.3
2015	273	3.3	0.21	2.9	3.8	202	3.0	0.22	2.6	3.4
2016	290	3.4	0.21	3.0	3.9	212	3.1	0.22	2.7	3.6
2017	303	3.5	0.21	3.2	4.0	223	3.3	0.23	2.8	3.7
2018	308	3.6	0.21	3.2	4.0	236	3.4	0.23	3.0	3.9
2019	282	3.3	0.20	2.9	3.7	205	3.0	0.21	2.6	3.4
2020	254	2.9	0.19	2.5	3.3	179	2.6	0.20	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Liver										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,201	3.8	0.11	3.6	4.1	369	4.7	0.25	4.2	5.2
1986	10	1.5	0.48	0.7	2.7	2	2.3	1.65	0.3	8.8
1987	11	1.8	0.55	0.9	3.2	2	2.5	1.77	0.3	9.0
1988	21	3.4	0.76	2.1	5.2	2	2.8	1.96	0.3	9.5
1989	21	2.9	0.65	1.8	4.4	5	4.5	2.04	1.5	11.0
1990	12	1.6	0.48	0.8	2.9	1	0.9	0.93	0.0	5.6
1991	17	2.2	0.55	1.3	3.6	3	2.7	1.74	0.4	8.5
1992	11	1.5	0.46	0.7	2.7	2	1.8	1.30	0.2	6.6
1993	22	3.1	0.68	2.0	4.7	9	8.8	3.05	3.9	16.7
1994	26	3.6	0.71	2.3	5.2	4	3.2	1.68	0.8	8.3
1995	34	4.7	0.81	3.2	6.5	4	4.1	2.10	1.1	10.0
1996	26	3.5	0.70	2.3	5.2	7	5.9	2.44	2.1	12.3
1997	31	4.2	0.76	2.9	6.0	6	5.2	2.41	1.6	11.6
1998	28	3.7	0.70	2.4	5.3	10	5.9	1.97	2.7	11.1
1999	35	4.3	0.74	3.0	6.0	7	4.3	1.71	1.6	8.9
2000	38	4.6	0.75	3.2	6.3	14	10.6	2.85	5.7	17.4
2001	32	3.7	0.67	2.5	5.3	9	5.5	1.89	2.4	10.4
2002	39	4.7	0.76	3.4	6.5	11	6.8	2.10	3.3	12.0
2003	32	3.8	0.67	2.6	5.3	10	5.1	1.67	2.4	9.4
2004	37	4.3	0.72	3.0	6.0	12	5.4	1.63	2.7	9.5
2005	38	4.2	0.69	3.0	5.8	9	4.4	1.53	2.0	8.4
2006	38	4.1	0.68	2.9	5.7	12	4.1	1.21	2.1	7.3
2007	36	3.9	0.65	2.7	5.3	12	4.5	1.38	2.2	8.1
2008	38	3.9	0.64	2.7	5.3	21	7.4	1.68	4.5	11.5
2009	35	3.5	0.59	2.4	4.8	10	4.2	1.37	1.9	7.6
2010	53	5.3	0.73	3.9	6.9	14	4.9	1.36	2.6	8.3
2011	34	3.3	0.57	2.2	4.6	9	2.7	0.96	1.2	5.3
2012	36	3.4	0.57	2.4	4.7	15	4.4	1.17	2.4	7.3
2013	43	3.8	0.59	2.8	5.2	13	3.5	1.02	1.8	6.1
2014	48	4.2	0.61	3.1	5.6	21	6.2	1.37	3.8	9.4
2015	47	4.2	0.62	3.0	5.6	20	5.2	1.21	3.1	8.2
2016	56	4.7	0.64	3.5	6.1	20	5.0	1.15	3.0	7.8
2017	59	4.7	0.62	3.6	6.1	21	4.8	1.08	2.9	7.4
2018	56	4.5	0.61	3.4	5.8	14	2.9	0.79	1.6	5.0
2019	50	4.1	0.60	3.1	5.5	19	4.1	0.95	2.5	6.5
2020	51	4.1	0.58	3.0	5.4	19	4.1	0.95	2.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gallbladder											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	6,208	1.4	0.02	1.4	1.4	5,145	1.4	0.02	1.3	1.4	
1986	159	1.5	0.12	1.3	1.8	145	1.6	0.13	1.3	1.9	
1987	152	1.5	0.12	1.2	1.7	139	1.5	0.13	1.3	1.8	
1988	188	1.8	0.13	1.6	2.1	165	1.8	0.14	1.5	2.1	
1989	167	1.6	0.12	1.3	1.8	149	1.6	0.13	1.3	1.8	
1990	161	1.5	0.12	1.3	1.7	148	1.5	0.13	1.3	1.8	
1991	154	1.4	0.12	1.2	1.7	132	1.4	0.12	1.2	1.6	
1992	177	1.6	0.12	1.4	1.9	152	1.5	0.13	1.3	1.8	
1993	131	1.2	0.10	1.0	1.4	116	1.2	0.11	1.0	1.4	
1994	175	1.6	0.12	1.3	1.8	162	1.6	0.13	1.4	1.9	
1995	161	1.4	0.11	1.2	1.6	142	1.4	0.12	1.2	1.7	
1996	172	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.7	
1997	165	1.4	0.11	1.2	1.7	150	1.5	0.12	1.2	1.7	
1998	186	1.6	0.12	1.4	1.8	156	1.5	0.12	1.3	1.8	
1999	159	1.3	0.11	1.1	1.6	143	1.4	0.12	1.2	1.6	
2000	164	1.4	0.11	1.2	1.6	140	1.4	0.11	1.1	1.6	
2001	171	1.4	0.11	1.2	1.6	155	1.5	0.12	1.3	1.7	
2002	168	1.4	0.11	1.2	1.6	141	1.4	0.11	1.1	1.6	
2003	172	1.4	0.11	1.2	1.6	144	1.4	0.11	1.1	1.6	
2004	169	1.4	0.10	1.2	1.6	137	1.3	0.11	1.1	1.5	
2005	189	1.5	0.11	1.3	1.8	161	1.5	0.12	1.3	1.8	
2006	168	1.3	0.10	1.1	1.5	145	1.3	0.11	1.1	1.6	
2007	170	1.3	0.10	1.1	1.5	146	1.3	0.11	1.1	1.6	
2008	194	1.5	0.11	1.3	1.7	155	1.4	0.11	1.2	1.7	
2009	185	1.4	0.10	1.2	1.6	147	1.3	0.11	1.1	1.5	
2010	176	1.3	0.10	1.1	1.5	134	1.2	0.10	1.0	1.4	
2011	201	1.5	0.11	1.3	1.7	158	1.4	0.11	1.2	1.6	
2012	182	1.3	0.10	1.1	1.5	139	1.2	0.10	1.0	1.4	
2013	196	1.4	0.10	1.2	1.6	149	1.3	0.11	1.1	1.5	
2014	207	1.4	0.10	1.2	1.7	159	1.3	0.11	1.1	1.6	
2015	216	1.5	0.10	1.3	1.7	170	1.4	0.11	1.2	1.6	
2016	209	1.4	0.10	1.2	1.6	162	1.3	0.11	1.1	1.6	
2017	196	1.3	0.09	1.1	1.5	145	1.2	0.10	1.0	1.4	
2018	202	1.3	0.09	1.1	1.5	148	1.2	0.10	1.0	1.4	
2019	196	1.3	0.09	1.1	1.5	142	1.1	0.10	0.9	1.3	
2020	170	1.1	0.08	0.9	1.3	120	0.9	0.09	0.8	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gallbladder										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	862	1.7	0.06	1.6	1.8	182	1.3	0.10	1.1	1.5
1986	12	1.4	0.40	0.7	2.3	2	1.9	1.39	0.2	6.5
1987	11	1.0	0.33	0.5	1.9	2	2.0	1.55	0.2	6.9
1988	19	2.0	0.46	1.2	3.0	4	4.0	2.07	1.1	9.8
1989	16	1.5	0.38	0.8	2.4	2	1.8	1.27	0.2	5.9
1990	10	1.1	0.34	0.5	1.9	3	1.9	1.13	0.4	5.6
1991	21	1.9	0.43	1.2	2.9	1	0.9	0.91	0.0	4.2
1992	21	1.7	0.39	1.1	2.7	4	1.8	0.92	0.5	4.8
1993	11	1.0	0.32	0.5	1.8	4	1.4	0.71	0.3	3.8
1994	10	0.9	0.29	0.4	1.7	3	1.3	0.84	0.2	4.0
1995	17	1.4	0.34	0.8	2.2	2	0.8	0.57	0.1	2.9
1996	21	1.7	0.38	1.1	2.6	2	1.3	1.07	0.1	4.5
1997	11	0.9	0.27	0.4	1.5	4	1.4	0.71	0.4	3.6
1998	22	1.7	0.37	1.1	2.6	7	3.1	1.34	1.1	6.6
1999	12	0.9	0.26	0.5	1.5	4	1.3	0.66	0.3	3.3
2000	21	1.5	0.32	0.9	2.2	1	0.3	0.31	0.0	1.7
2001	13	0.9	0.26	0.5	1.6	3	0.6	0.35	0.1	2.0
2002	19	1.3	0.30	0.8	2.0	8	2.8	1.06	1.1	5.5
2003	22	1.6	0.35	1.0	2.4	6	2.3	0.97	0.8	4.8
2004	26	2.0	0.39	1.3	2.9	6	1.3	0.53	0.5	2.8
2005	24	1.8	0.37	1.1	2.6	4	0.8	0.43	0.2	2.2
2006	19	1.3	0.29	0.7	2.0	4	1.0	0.54	0.2	2.6
2007	22	1.4	0.31	0.9	2.1	2	0.5	0.39	0.1	1.8
2008	33	2.0	0.35	1.3	2.8	6	1.1	0.44	0.4	2.3
2009	31	1.9	0.35	1.3	2.7	5	1.2	0.57	0.3	2.8
2010	37	2.3	0.38	1.6	3.1	5	0.9	0.44	0.3	2.2
2011	37	2.2	0.37	1.5	3.0	5	0.9	0.42	0.3	2.1
2012	34	1.9	0.33	1.3	2.6	7	1.4	0.56	0.6	2.9
2013	36	2.0	0.34	1.4	2.8	10	1.5	0.49	0.7	2.8
2014	35	1.8	0.32	1.3	2.6	11	1.6	0.52	0.8	3.0
2015	35	1.8	0.32	1.3	2.6	10	1.5	0.48	0.7	2.7
2016	42	2.2	0.34	1.6	3.0	5	0.6	0.26	0.2	1.4
2017	41	2.1	0.33	1.5	2.9	9	1.0	0.35	0.5	2.0
2018	40	2.1	0.33	1.5	2.8	11	1.5	0.44	0.7	2.6
2019	41	2.1	0.33	1.5	2.9	10	1.3	0.40	0.6	2.3
2020	40	1.9	0.31	1.4	2.6	10	1.1	0.34	0.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gallbladder											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,738	1.0	0.02	0.9	1.0	1,423	0.9	0.02	0.9	1.0	
1986	45	1.1	0.18	0.8	1.5	41	1.1	0.19	0.8	1.6	
1987	42	1.1	0.17	0.8	1.4	36	1.0	0.18	0.7	1.5	
1988	44	1.1	0.18	0.8	1.5	37	1.0	0.18	0.7	1.4	
1989	38	0.9	0.15	0.6	1.2	35	0.9	0.16	0.6	1.3	
1990	40	0.9	0.15	0.7	1.2	38	1.0	0.16	0.7	1.3	
1991	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3	
1992	34	0.7	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2	
1993	28	0.6	0.12	0.4	0.9	24	0.6	0.12	0.4	0.9	
1994	50	1.1	0.17	0.8	1.5	45	1.2	0.18	0.9	1.6	
1995	35	0.8	0.14	0.6	1.2	30	0.8	0.15	0.5	1.2	
1996	54	1.2	0.17	0.9	1.6	50	1.3	0.19	1.0	1.7	
1997	49	1.1	0.16	0.8	1.5	43	1.1	0.17	0.8	1.5	
1998	44	1.0	0.15	0.7	1.3	40	1.0	0.16	0.7	1.4	
1999	53	1.1	0.15	0.8	1.5	48	1.2	0.17	0.9	1.5	
2000	41	0.8	0.13	0.6	1.1	33	0.8	0.13	0.5	1.1	
2001	45	0.9	0.14	0.7	1.2	40	0.9	0.15	0.7	1.3	
2002	55	1.1	0.15	0.8	1.4	44	1.0	0.15	0.7	1.4	
2003	37	0.8	0.12	0.5	1.0	31	0.7	0.13	0.5	1.0	
2004	51	1.0	0.14	0.7	1.3	45	1.0	0.15	0.7	1.4	
2005	51	1.0	0.14	0.7	1.3	39	0.9	0.14	0.6	1.2	
2006	50	1.0	0.14	0.7	1.3	43	1.0	0.15	0.7	1.3	
2007	50	0.9	0.13	0.7	1.2	39	0.9	0.14	0.6	1.2	
2008	47	0.8	0.12	0.6	1.1	36	0.8	0.13	0.5	1.1	
2009	54	1.0	0.13	0.7	1.3	41	0.9	0.14	0.6	1.2	
2010	58	1.1	0.14	0.8	1.4	44	0.9	0.14	0.7	1.3	
2011	69	1.2	0.15	0.9	1.5	56	1.2	0.16	0.9	1.5	
2012	52	0.9	0.13	0.7	1.2	39	0.8	0.13	0.6	1.1	
2013	58	1.0	0.13	0.7	1.2	43	0.9	0.13	0.6	1.2	
2014	49	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0	
2015	60	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2	
2016	62	0.9	0.12	0.7	1.2	47	0.8	0.13	0.6	1.1	
2017	66	1.0	0.12	0.7	1.2	48	0.9	0.13	0.6	1.1	
2018	63	0.9	0.12	0.7	1.2	46	0.8	0.12	0.6	1.1	
2019	73	1.1	0.13	0.8	1.3	55	1.0	0.13	0.7	1.3	
2020	48	0.7	0.10	0.5	0.9	31	0.6	0.10	0.4	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gallbladder										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	244	1.2	0.08	1.1	1.4	65	1.0	0.13	0.7	1.2
1986	4	1.1	0.63	0.3	2.9	0				
1987	4	0.7	0.35	0.2	1.8	2	4.7	3.72	0.4	16.4
1988	6	1.8	0.79	0.6	3.9	1	2.7	2.65	0.1	12.0
1989	3	0.8	0.48	0.2	2.2	0				
1990	1	0.2	0.16	0.0	1.0	1	1.7	1.70	0.0	8.8
1991	3	1.1	0.62	0.2	2.8	1	2.2	2.24	0.1	10.1
1992	0					0				
1993	4	0.7	0.33	0.2	1.7	0				
1994	3	0.7	0.40	0.1	1.9	2	1.2	0.87	0.2	5.7
1995	4	1.0	0.53	0.2	2.5	1	0.9	0.93	0.0	5.4
1996	3	0.7	0.42	0.1	2.0	1	0.6	0.57	0.0	4.4
1997	4	0.9	0.44	0.2	2.2	2	1.7	1.21	0.2	6.2
1998	3	0.7	0.45	0.1	2.1	1	1.3	1.32	0.0	6.2
1999	3	0.5	0.31	0.1	1.5	2	0.9	0.65	0.1	4.3
2000	7	1.2	0.45	0.5	2.4	1	0.7	0.69	0.0	4.0
2001	3	0.4	0.25	0.1	1.3	2	0.9	0.61	0.1	3.8
2002	7	1.1	0.43	0.4	2.3	4	2.5	1.32	0.6	6.6
2003	6	1.1	0.45	0.4	2.3	0				
2004	5	0.9	0.42	0.3	2.1	1	0.3	0.34	0.0	2.6
2005	10	1.7	0.59	0.8	3.2	2	1.1	0.81	0.1	4.0
2006	6	1.0	0.41	0.3	2.1	1	0.4	0.41	0.0	2.6
2007	10	1.6	0.53	0.8	3.0	1	0.3	0.34	0.0	2.3
2008	8	1.2	0.44	0.5	2.4	3	1.0	0.60	0.2	3.3
2009	10	1.5	0.50	0.7	2.8	2	1.3	1.06	0.1	4.6
2010	11	2.0	0.63	0.9	3.5	3	1.4	0.86	0.3	4.1
2011	11	1.9	0.60	0.9	3.4	1	0.3	0.26	0.0	1.8
2012	10	1.6	0.51	0.7	2.9	2	0.8	0.60	0.1	2.9
2013	13	1.8	0.53	0.9	3.2	2	0.6	0.42	0.1	2.2
2014	8	1.1	0.39	0.4	2.1	5	1.8	0.85	0.5	4.2
2015	8	1.1	0.40	0.4	2.1	5	1.4	0.64	0.4	3.3
2016	13	1.7	0.48	0.9	2.9	2	0.6	0.43	0.1	2.1
2017	14	1.7	0.49	0.9	3.0	3	0.7	0.38	0.1	2.1
2018	13	1.7	0.48	0.9	2.9	4	1.0	0.48	0.3	2.5
2019	15	1.9	0.51	1.0	3.2	1	0.2	0.24	0.0	1.4
2020	11	1.3	0.42	0.7	2.4	6	1.6	0.66	0.6	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gallbladder											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	4,470	1.8	0.03	1.7	1.8	3,722	1.7	0.03	1.7	1.8	
1986	114	1.8	0.17	1.5	2.2	104	1.9	0.19	1.5	2.3	
1987	110	1.8	0.17	1.4	2.1	103	1.8	0.18	1.5	2.2	
1988	144	2.3	0.19	1.9	2.7	128	2.3	0.21	1.9	2.7	
1989	129	2.0	0.18	1.7	2.4	114	2.0	0.19	1.7	2.4	
1990	121	1.9	0.17	1.5	2.2	110	1.9	0.18	1.6	2.3	
1991	111	1.7	0.17	1.4	2.1	93	1.6	0.17	1.3	2.0	
1992	143	2.2	0.18	1.8	2.6	118	2.0	0.18	1.6	2.4	
1993	103	1.6	0.16	1.3	1.9	92	1.6	0.17	1.3	2.0	
1994	125	1.8	0.17	1.5	2.2	117	2.0	0.18	1.6	2.4	
1995	126	1.9	0.17	1.6	2.3	112	1.9	0.18	1.6	2.3	
1996	118	1.8	0.16	1.5	2.1	99	1.7	0.17	1.4	2.1	
1997	116	1.7	0.16	1.4	2.0	107	1.8	0.17	1.4	2.1	
1998	142	2.1	0.18	1.8	2.5	116	2.0	0.18	1.6	2.4	
1999	106	1.5	0.15	1.2	1.8	95	1.6	0.16	1.3	1.9	
2000	123	1.8	0.16	1.5	2.1	107	1.8	0.18	1.5	2.2	
2001	126	1.8	0.16	1.5	2.2	115	1.9	0.18	1.6	2.3	
2002	113	1.6	0.15	1.3	1.9	97	1.6	0.17	1.3	2.0	
2003	135	1.9	0.16	1.6	2.2	113	1.8	0.18	1.5	2.2	
2004	118	1.6	0.15	1.3	1.9	92	1.5	0.16	1.2	1.8	
2005	138	1.9	0.16	1.6	2.3	122	2.0	0.18	1.6	2.4	
2006	118	1.6	0.15	1.3	1.9	102	1.6	0.16	1.3	1.9	
2007	120	1.6	0.15	1.3	2.0	107	1.7	0.17	1.4	2.1	
2008	147	2.0	0.17	1.7	2.4	119	1.9	0.18	1.6	2.3	
2009	131	1.7	0.15	1.4	2.0	106	1.6	0.16	1.3	2.0	
2010	118	1.5	0.14	1.3	1.9	90	1.4	0.15	1.1	1.7	
2011	132	1.7	0.15	1.4	2.0	102	1.6	0.16	1.3	2.0	
2012	130	1.6	0.15	1.4	1.9	100	1.5	0.15	1.2	1.8	
2013	138	1.7	0.15	1.5	2.1	106	1.6	0.16	1.3	2.0	
2014	158	2.0	0.16	1.7	2.3	123	1.8	0.17	1.5	2.2	
2015	156	1.9	0.15	1.6	2.2	123	1.8	0.17	1.5	2.2	
2016	147	1.8	0.15	1.5	2.1	115	1.8	0.17	1.5	2.1	
2017	130	1.6	0.14	1.3	1.9	97	1.4	0.15	1.2	1.8	
2018	139	1.7	0.14	1.4	2.0	102	1.5	0.15	1.2	1.8	
2019	123	1.5	0.13	1.2	1.7	87	1.3	0.14	1.0	1.6	
2020	122	1.4	0.13	1.2	1.7	89	1.3	0.14	1.0	1.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Gallbladder										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	618	2.0	0.08	1.9	2.2	117	1.5	0.14	1.2	1.8
1986	8	1.5	0.53	0.6	2.8	2	3.3	2.41	0.4	11.3
1987	7	1.2	0.46	0.5	2.4	0				
1988	13	2.1	0.60	1.1	3.6	3	5.1	3.04	1.0	14.0
1989	13	1.9	0.55	1.0	3.3	2	3.1	2.17	0.4	10.1
1990	9	1.5	0.52	0.7	2.9	2	2.1	1.52	0.2	7.7
1991	18	2.6	0.63	1.6	4.2	0				
1992	21	2.9	0.65	1.8	4.5	4	3.3	1.67	0.9	8.7
1993	7	1.1	0.43	0.5	2.3	4	2.5	1.27	0.6	6.9
1994	7	1.1	0.40	0.4	2.1	1	1.2	1.23	0.0	5.7
1995	13	1.7	0.47	0.9	2.9	1	0.7	0.71	0.0	4.0
1996	18	2.4	0.56	1.4	3.7	1	1.6	1.58	0.0	6.6
1997	7	0.9	0.34	0.4	1.8	2	1.2	0.86	0.2	4.5
1998	19	2.4	0.56	1.5	3.8	6	4.3	1.99	1.3	9.7
1999	9	1.1	0.37	0.5	2.1	2	1.4	1.01	0.2	4.8
2000	14	1.7	0.45	0.9	2.8	0				
2001	10	1.2	0.38	0.6	2.2	1	0.4	0.36	0.0	2.4
2002	12	1.4	0.40	0.7	2.4	4	2.8	1.43	0.7	6.8
2003	16	1.9	0.48	1.1	3.1	6	3.8	1.59	1.4	8.0
2004	21	2.6	0.56	1.6	3.9	5	2.1	0.94	0.7	4.9
2005	14	1.7	0.46	0.9	2.9	2	0.6	0.43	0.1	2.4
2006	13	1.4	0.39	0.7	2.4	3	1.3	0.82	0.2	3.9
2007	12	1.3	0.36	0.6	2.2	1	0.6	0.58	0.0	2.7
2008	25	2.5	0.51	1.6	3.8	3	1.1	0.62	0.2	3.1
2009	21	2.2	0.48	1.3	3.3	3	1.2	0.70	0.2	3.3
2010	26	2.6	0.52	1.7	3.9	2	0.6	0.41	0.1	2.2
2011	26	2.5	0.50	1.6	3.7	4	1.5	0.74	0.4	3.6
2012	24	2.2	0.46	1.4	3.3	5	1.9	0.85	0.6	4.3
2013	23	2.2	0.46	1.4	3.3	8	2.3	0.83	1.0	4.5
2014	27	2.5	0.49	1.6	3.7	6	1.5	0.65	0.5	3.4
2015	27	2.4	0.46	1.6	3.5	5	1.4	0.65	0.5	3.3
2016	29	2.5	0.47	1.7	3.6	3	0.5	0.31	0.1	1.7
2017	27	2.3	0.46	1.5	3.4	6	1.4	0.56	0.5	3.0
2018	27	2.4	0.47	1.6	3.5	7	1.8	0.70	0.7	3.7
2019	26	2.3	0.45	1.5	3.3	9	2.0	0.69	0.9	3.9
2020	29	2.4	0.46	1.6	3.5	4	0.7	0.34	0.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Pancreas											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	55,133	12.4	0.05	12.3	12.5	45,735	12.0	0.06	11.9	12.1	
1986	1,045	9.8	0.31	9.2	10.4	889	9.4	0.32	8.7	10.0	
1987	1,061	10.0	0.31	9.4	10.6	882	9.4	0.32	8.7	10.0	
1988	1,043	9.7	0.30	9.2	10.4	899	9.4	0.32	8.8	10.1	
1989	1,053	9.9	0.31	9.3	10.5	895	9.5	0.32	8.9	10.2	
1990	1,116	10.3	0.31	9.7	10.9	931	9.7	0.32	9.1	10.4	
1991	1,028	9.4	0.29	8.8	10.0	893	9.2	0.31	8.6	9.9	
1992	1,068	9.6	0.30	9.0	10.2	899	9.2	0.31	8.6	9.8	
1993	1,078	9.6	0.29	9.0	10.2	904	9.1	0.31	8.6	9.8	
1994	1,327	11.7	0.32	11.0	12.3	1,105	11.1	0.33	10.4	11.7	
1995	1,335	11.7	0.32	11.1	12.3	1,116	11.2	0.34	10.5	11.9	
1996	1,383	12.0	0.32	11.4	12.7	1,174	11.7	0.34	11.0	12.4	
1997	1,317	11.3	0.31	10.7	11.9	1,128	11.1	0.33	10.5	11.8	
1998	1,416	12.0	0.32	11.4	12.7	1,205	11.8	0.34	11.1	12.5	
1999	1,432	12.1	0.32	11.5	12.7	1,203	11.7	0.34	11.0	12.4	
2000	1,484	12.4	0.32	11.8	13.0	1,248	12.1	0.34	11.4	12.8	
2001	1,509	12.5	0.32	11.9	13.1	1,259	12.1	0.34	11.5	12.8	
2002	1,506	12.4	0.32	11.8	13.0	1,238	11.8	0.34	11.2	12.5	
2003	1,535	12.4	0.32	11.8	13.1	1,260	11.9	0.34	11.2	12.6	
2004	1,602	12.8	0.32	12.2	13.5	1,353	12.6	0.34	12.0	13.3	
2005	1,675	13.2	0.32	12.6	13.9	1,366	12.6	0.34	12.0	13.3	
2006	1,600	12.6	0.32	12.0	13.2	1,295	11.9	0.33	11.3	12.6	
2007	1,662	12.9	0.32	12.2	13.5	1,378	12.5	0.34	11.9	13.2	
2008	1,731	13.1	0.32	12.5	13.8	1,433	12.8	0.34	12.2	13.5	
2009	1,829	13.7	0.32	13.1	14.4	1,517	13.4	0.35	12.8	14.1	
2010	1,781	13.2	0.32	12.6	13.8	1,488	13.1	0.34	12.4	13.8	
2011	1,799	13.1	0.31	12.5	13.7	1,491	12.9	0.34	12.3	13.6	
2012	1,846	13.0	0.31	12.4	13.6	1,517	12.8	0.33	12.2	13.5	
2013	1,903	13.1	0.31	12.5	13.8	1,566	12.9	0.33	12.3	13.6	
2014	1,947	13.2	0.30	12.6	13.8	1,585	12.9	0.33	12.3	13.6	
2015	2,057	13.9	0.31	13.3	14.5	1,653	13.5	0.34	12.8	14.2	
2016	2,036	13.5	0.31	12.9	14.1	1,684	13.5	0.34	12.9	14.2	
2017	2,244	14.6	0.31	14.0	15.2	1,883	14.8	0.35	14.2	15.5	
2018	2,272	14.6	0.31	14.0	15.2	1,814	14.2	0.34	13.5	14.9	
2019	2,296	14.5	0.31	13.9	15.1	1,872	14.4	0.34	13.8	15.1	
2020	2,117	13.2	0.29	12.6	13.7	1,712	13.1	0.32	12.4	13.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Pancreas										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	8,244	16.1	0.18	15.7	16.4	1,063	7.7	0.25	7.2	8.2
1986	145	13.6	1.17	11.4	16.0	11	6.9	2.14	3.4	12.7
1987	170	15.8	1.25	13.5	18.4	9	5.9	2.09	2.5	11.5
1988	133	12.4	1.11	10.3	14.7	11	11.0	3.93	4.7	20.6
1989	148	13.1	1.11	11.0	15.4	10	9.4	3.29	4.1	17.5
1990	173	15.2	1.20	13.0	17.7	12	8.0	2.54	3.9	14.4
1991	125	11.4	1.04	9.4	13.6	9	5.6	2.19	2.2	11.3
1992	157	13.0	1.07	11.0	15.3	11	5.2	1.64	2.5	9.5
1993	161	13.6	1.09	11.5	15.9	13	7.8	2.52	3.7	13.9
1994	197	16.7	1.22	14.4	19.2	25	14.2	3.15	8.7	21.4
1995	204	17.1	1.22	14.7	19.6	13	6.3	1.84	3.2	10.8
1996	194	15.8	1.16	13.6	18.3	14	6.6	1.98	3.3	11.4
1997	175	13.6	1.05	11.7	15.9	14	6.4	1.86	3.3	10.9
1998	190	14.5	1.07	12.5	16.7	20	8.9	2.12	5.3	13.9
1999	200	15.3	1.10	13.2	17.6	29	12.8	2.61	8.2	18.7
2000	202	15.0	1.08	13.0	17.3	31	11.3	2.19	7.4	16.2
2001	227	16.2	1.09	14.1	18.4	20	6.1	1.53	3.5	9.8
2002	242	17.4	1.14	15.3	19.8	23	7.6	1.71	4.6	11.6
2003	246	17.4	1.14	15.3	19.8	28	8.5	1.71	5.5	12.4
2004	222	15.2	1.04	13.3	17.4	27	8.1	1.70	5.1	12.0
2005	279	19.1	1.17	16.9	21.6	29	8.1	1.62	5.3	11.8
2006	273	18.3	1.13	16.2	20.6	29	7.4	1.49	4.8	10.9
2007	251	16.7	1.08	14.7	19.0	31	6.4	1.25	4.2	9.3
2008	256	16.2	1.04	14.3	18.4	40	9.2	1.56	6.4	12.7
2009	274	17.3	1.07	15.3	19.5	37	7.8	1.38	5.3	10.9
2010	253	15.9	1.02	13.9	18.0	35	6.6	1.19	4.4	9.3
2011	263	15.7	0.99	13.8	17.7	42	7.6	1.24	5.3	10.3
2012	281	16.3	0.99	14.4	18.3	44	7.5	1.22	5.4	10.3
2013	293	16.5	0.99	14.6	18.6	39	6.3	1.07	4.4	8.8
2014	302	16.6	0.98	14.7	18.6	56	8.4	1.17	6.2	11.0
2015	353	19.1	1.04	17.2	21.3	49	7.1	1.05	5.1	9.4
2016	304	16.1	0.95	14.3	18.1	45	6.2	0.95	4.4	8.3
2017	315	16.2	0.94	14.4	18.2	42	5.4	0.86	3.9	7.4
2018	369	18.8	1.00	16.9	20.9	83	10.4	1.17	8.3	13.0
2019	347	17.0	0.93	15.3	19.0	68	8.0	0.99	6.2	10.2
2020	320	15.4	0.88	13.7	17.2	64	7.0	0.89	5.4	9.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Pancreas											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	27,237	14.3	0.09	14.1	14.4	22,870	14.0	0.09	13.8	14.2	
1986	492	11.1	0.52	10.1	12.2	421	10.8	0.55	9.7	11.9	
1987	514	11.9	0.55	10.9	13.1	430	11.3	0.57	10.2	12.5	
1988	486	11.2	0.53	10.1	12.2	424	11.0	0.55	9.9	12.1	
1989	475	10.6	0.50	9.6	11.6	414	10.6	0.53	9.5	11.6	
1990	526	11.8	0.53	10.8	12.9	447	11.3	0.55	10.3	12.5	
1991	478	10.6	0.50	9.6	11.6	420	10.5	0.53	9.5	11.6	
1992	514	11.1	0.50	10.1	12.1	430	10.5	0.52	9.5	11.6	
1993	502	10.8	0.49	9.9	11.8	423	10.3	0.51	9.4	11.4	
1994	649	13.9	0.56	12.8	15.0	541	13.2	0.58	12.1	14.4	
1995	645	13.6	0.55	12.5	14.7	531	12.8	0.57	11.8	14.0	
1996	653	13.7	0.55	12.6	14.8	554	13.3	0.57	12.2	14.5	
1997	620	12.8	0.52	11.8	13.9	534	12.7	0.56	11.7	13.9	
1998	644	13.3	0.53	12.3	14.4	551	13.1	0.57	12.1	14.3	
1999	692	13.9	0.54	12.9	15.0	590	13.7	0.57	12.6	14.8	
2000	744	14.8	0.55	13.8	15.9	633	14.6	0.59	13.5	15.8	
2001	738	14.5	0.54	13.4	15.6	625	14.2	0.57	13.1	15.4	
2002	723	14.1	0.53	13.1	15.2	595	13.5	0.56	12.4	14.6	
2003	763	14.6	0.54	13.6	15.7	618	13.8	0.56	12.7	14.9	
2004	819	15.5	0.55	14.5	16.6	699	15.5	0.59	14.4	16.7	
2005	789	14.7	0.53	13.7	15.8	645	14.1	0.56	13.0	15.2	
2006	804	14.6	0.53	13.6	15.7	654	14.0	0.55	12.9	15.1	
2007	816	14.6	0.52	13.6	15.6	683	14.3	0.55	13.2	15.4	
2008	872	15.4	0.53	14.4	16.5	730	15.1	0.57	14.0	16.2	
2009	905	15.6	0.53	14.5	16.6	759	15.4	0.57	14.3	16.5	
2010	888	15.1	0.52	14.1	16.2	759	15.2	0.56	14.1	16.4	
2011	902	14.9	0.51	13.9	15.9	769	15.0	0.55	14.0	16.2	
2012	919	14.6	0.49	13.6	15.6	757	14.2	0.53	13.2	15.3	
2013	979	15.3	0.50	14.4	16.4	824	15.4	0.55	14.3	16.5	
2014	1,012	15.5	0.50	14.6	16.5	843	15.4	0.54	14.4	16.5	
2015	1,053	16.1	0.51	15.1	17.1	854	15.6	0.55	14.6	16.7	
2016	1,035	15.6	0.50	14.6	16.6	876	15.8	0.55	14.7	16.9	
2017	1,159	16.7	0.50	15.8	17.7	997	17.3	0.56	16.2	18.5	
2018	1,155	16.5	0.50	15.5	17.5	957	16.5	0.54	15.4	17.6	
2019	1,178	16.5	0.49	15.5	17.5	968	16.4	0.54	15.3	17.5	
2020	1,094	15.1	0.47	14.2	16.0	915	15.3	0.52	14.3	16.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Pancreas										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,796	17.9	0.30	17.3	18.5	522	8.3	0.39	7.6	9.1
1986	67	14.1	1.84	10.7	18.1	4	4.6	2.36	1.2	13.3
1987	80	18.2	2.15	14.2	22.8	4	6.3	3.19	1.7	16.3
1988	57	13.2	1.87	9.8	17.3	5	7.7	4.03	1.9	19.3
1989	59	11.8	1.61	8.8	15.3	2	1.4	1.02	0.2	7.4
1990	73	15.7	1.95	12.1	20.0	6	11.5	5.13	3.7	25.1
1991	53	12.0	1.74	8.8	15.9	4	7.0	4.48	1.1	19.6
1992	76	16.7	2.05	12.9	21.1	7	7.4	3.05	2.6	16.0
1993	73	15.2	1.87	11.7	19.2	6	9.5	4.63	2.7	21.7
1994	99	20.4	2.18	16.4	25.1	9	13.4	5.03	5.4	26.0
1995	100	20.6	2.19	16.6	25.3	13	14.8	4.43	7.5	25.8
1996	90	18.3	2.06	14.5	22.8	8	11.0	4.43	4.1	22.2
1997	77	13.6	1.62	10.6	17.2	9	10.1	3.94	3.9	20.1
1998	84	15.7	1.80	12.3	19.5	9	9.9	3.48	4.3	18.7
1999	89	16.5	1.82	13.1	20.4	13	14.0	4.65	6.4	25.3
2000	93	16.3	1.78	13.0	20.1	16	12.7	3.43	6.9	21.1
2001	105	18.0	1.84	14.6	21.9	7	4.1	1.68	1.5	8.9
2002	113	19.4	1.94	15.8	23.6	13	9.8	3.12	4.7	17.5
2003	128	22.2	2.08	18.3	26.6	17	11.5	3.18	6.2	19.2
2004	105	16.6	1.71	13.5	20.3	15	9.1	2.64	4.7	15.6
2005	130	21.4	2.01	17.7	25.7	13	8.9	2.76	4.3	15.6
2006	128	20.3	1.88	16.8	24.3	19	11.1	2.88	6.2	17.9
2007	109	18.1	1.86	14.7	22.1	22	9.1	2.23	5.3	14.5
2008	121	18.8	1.80	15.5	22.7	21	11.8	2.87	6.9	18.5
2009	130	20.1	1.86	16.6	24.0	16	6.9	1.98	3.6	11.8
2010	108	16.1	1.63	13.1	19.6	18	7.4	1.88	4.2	12.0
2011	116	17.0	1.66	13.9	20.5	17	7.5	2.02	4.1	12.4
2012	139	19.5	1.74	16.2	23.2	22	7.8	1.80	4.7	12.1
2013	136	18.3	1.65	15.2	21.8	16	5.9	1.57	3.2	9.7
2014	140	18.5	1.64	15.4	22.0	28	8.7	1.76	5.6	12.9
2015	170	22.2	1.78	18.9	26.0	28	8.4	1.69	5.4	12.3
2016	138	18.3	1.63	15.2	21.7	20	6.3	1.49	3.7	9.8
2017	142	17.2	1.51	14.4	20.4	16	4.6	1.19	2.5	7.5
2018	159	19.1	1.58	16.1	22.5	37	10.4	1.77	7.2	14.4
2019	176	20.3	1.58	17.3	23.6	30	7.5	1.39	5.0	10.8
2020	133	15.2	1.37	12.6	18.2	32	7.7	1.38	5.2	10.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Pancreas											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	27,896	10.8	0.07	10.7	11.0	22,865	10.4	0.07	10.3	10.5	
1986	553	8.8	0.38	8.0	9.5	468	8.3	0.39	7.6	9.1	
1987	547	8.6	0.37	7.9	9.4	452	8.0	0.38	7.3	8.8	
1988	557	8.8	0.38	8.1	9.5	475	8.4	0.39	7.7	9.2	
1989	578	9.2	0.39	8.5	10.0	481	8.7	0.40	7.9	9.5	
1990	590	9.3	0.39	8.5	10.0	484	8.6	0.40	7.8	9.4	
1991	550	8.5	0.37	7.8	9.3	473	8.3	0.39	7.5	9.1	
1992	554	8.4	0.36	7.7	9.1	469	8.0	0.38	7.3	8.8	
1993	576	8.7	0.36	8.0	9.4	481	8.2	0.38	7.5	9.0	
1994	678	9.9	0.38	9.2	10.7	564	9.4	0.40	8.6	10.2	
1995	690	10.1	0.39	9.4	10.9	585	9.7	0.41	9.0	10.6	
1996	730	10.6	0.40	9.9	11.5	620	10.3	0.42	9.5	11.2	
1997	697	10.1	0.38	9.3	10.9	594	9.8	0.41	9.1	10.7	
1998	772	11.1	0.40	10.3	11.9	654	10.8	0.43	10.0	11.7	
1999	740	10.5	0.39	9.8	11.3	613	10.0	0.41	9.2	10.9	
2000	740	10.5	0.39	9.8	11.3	615	10.1	0.41	9.3	11.0	
2001	771	10.9	0.40	10.2	11.7	634	10.4	0.42	9.6	11.2	
2002	783	10.9	0.39	10.2	11.7	643	10.4	0.42	9.6	11.3	
2003	772	10.7	0.39	10.0	11.5	642	10.4	0.42	9.6	11.2	
2004	783	10.7	0.39	9.9	11.4	654	10.4	0.41	9.6	11.2	
2005	886	12.1	0.41	11.3	12.9	721	11.5	0.44	10.7	12.4	
2006	796	10.9	0.39	10.1	11.7	641	10.2	0.41	9.4	11.1	
2007	846	11.4	0.40	10.6	12.2	695	11.0	0.43	10.2	11.9	
2008	859	11.4	0.39	10.6	12.2	703	11.0	0.42	10.2	11.9	
2009	924	12.1	0.40	11.3	12.9	758	11.8	0.44	10.9	12.6	
2010	893	11.6	0.39	10.8	12.4	729	11.3	0.43	10.5	12.2	
2011	897	11.5	0.39	10.7	12.3	722	11.1	0.42	10.3	11.9	
2012	927	11.7	0.39	10.9	12.5	760	11.6	0.43	10.8	12.5	
2013	924	11.4	0.38	10.7	12.2	742	11.0	0.41	10.2	11.9	
2014	935	11.5	0.38	10.7	12.2	742	11.0	0.41	10.2	11.8	
2015	1,004	12.1	0.39	11.3	12.9	799	11.7	0.42	10.9	12.6	
2016	1,001	11.9	0.39	11.2	12.7	808	11.7	0.42	10.9	12.6	
2017	1,085	12.7	0.39	11.9	13.5	886	12.7	0.44	11.8	13.6	
2018	1,117	13.0	0.40	12.2	13.8	857	12.2	0.43	11.4	13.1	
2019	1,118	12.7	0.39	11.9	13.5	904	12.6	0.43	11.8	13.5	
2020	1,023	11.5	0.37	10.8	12.3	797	11.1	0.40	10.3	11.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Pancreas										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,448	14.7	0.22	14.2	15.1	541	7.1	0.32	6.5	7.7
1986	78	12.7	1.48	10.0	15.9	7	8.7	3.31	3.4	18.0
1987	90	14.2	1.52	11.4	17.5	5	5.7	2.81	1.6	14.1
1988	76	11.9	1.39	9.4	14.9	6	13.0	5.94	4.1	28.2
1989	89	13.7	1.47	10.9	16.8	8	15.0	5.56	6.1	28.8
1990	100	14.8	1.51	12.0	18.0	6	5.7	2.40	2.0	12.8
1991	72	10.9	1.30	8.5	13.8	5	4.8	2.19	1.6	11.3
1992	81	11.0	1.24	8.7	13.7	4	3.4	1.71	0.9	8.8
1993	88	12.4	1.34	10.0	15.3	7	6.8	2.91	2.4	14.6
1994	98	13.8	1.41	11.2	16.9	16	15.0	4.11	8.1	24.9
1995	104	14.6	1.44	11.9	17.6	0				
1996	104	14.1	1.40	11.5	17.1	6	4.1	1.78	1.4	9.1
1997	98	13.2	1.34	10.7	16.0	5	3.9	1.80	1.2	9.0
1998	106	13.6	1.33	11.1	16.4	11	8.3	2.63	4.0	14.9
1999	111	14.2	1.36	11.7	17.1	16	12.2	3.21	6.8	19.9
2000	109	13.8	1.33	11.3	16.6	15	9.8	2.70	5.3	16.4
2001	122	14.8	1.35	12.3	17.6	13	7.4	2.21	3.8	12.9
2002	129	15.7	1.40	13.1	18.7	10	6.0	1.99	2.8	11.0
2003	118	14.1	1.31	11.7	16.9	11	6.3	1.95	3.0	11.1
2004	117	13.8	1.29	11.4	16.6	12	7.0	2.13	3.5	12.3
2005	149	17.4	1.44	14.7	20.5	16	7.6	2.01	4.2	12.5
2006	145	16.6	1.38	14.0	19.5	10	4.8	1.58	2.2	8.8
2007	142	15.9	1.35	13.4	18.8	9	4.1	1.42	1.8	7.7
2008	135	14.3	1.25	12.0	17.0	19	7.4	1.78	4.3	11.7
2009	144	15.4	1.30	13.0	18.2	21	8.2	1.89	5.0	12.7
2010	145	15.3	1.29	12.9	18.0	17	5.7	1.48	3.2	9.3
2011	147	14.6	1.22	12.3	17.2	25	7.9	1.64	5.0	11.8
2012	142	13.9	1.18	11.7	16.4	22	7.1	1.59	4.3	10.9
2013	157	15.3	1.23	12.9	17.9	23	6.7	1.45	4.1	10.1
2014	162	15.3	1.22	13.0	17.9	28	8.0	1.57	5.3	11.7
2015	183	16.8	1.26	14.4	19.4	21	5.8	1.31	3.6	9.0
2016	166	14.8	1.17	12.6	17.2	25	6.3	1.28	4.0	9.3
2017	173	15.3	1.18	13.1	17.8	26	6.0	1.21	3.9	8.9
2018	210	18.4	1.29	15.9	21.1	46	10.4	1.55	7.5	13.9
2019	171	14.3	1.11	12.2	16.7	38	8.2	1.35	5.8	11.3
2020	187	15.4	1.15	13.3	17.9	32	6.4	1.15	4.4	9.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Respiratory System											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	327,537	73.1	0.13	72.8	73.3	275,431	72.2	0.14	72.0	72.5	
1986	7,206	66.6	0.80	65.0	68.2	6,186	64.5	0.83	62.9	66.2	
1987	7,760	71.6	0.82	70.0	73.2	6,661	69.7	0.87	68.0	71.4	
1988	7,443	68.2	0.80	66.6	69.7	6,328	65.7	0.84	64.1	67.4	
1989	7,653	69.8	0.81	68.2	71.4	6,513	67.4	0.85	65.8	69.1	
1990	7,957	72.1	0.82	70.5	73.7	6,789	70.0	0.86	68.3	71.7	
1991	7,926	70.9	0.80	69.3	72.5	6,812	69.3	0.85	67.7	71.0	
1992	8,357	74.2	0.82	72.6	75.8	7,139	72.5	0.86	70.8	74.2	
1993	8,756	77.1	0.83	75.5	78.7	7,377	74.4	0.87	72.7	76.1	
1994	9,333	81.5	0.85	79.8	83.2	7,948	79.6	0.90	77.8	81.4	
1995	9,360	81.3	0.84	79.6	82.9	7,878	78.7	0.89	76.9	80.4	
1996	9,369	81.1	0.84	79.5	82.8	7,863	78.5	0.89	76.8	80.2	
1997	9,246	79.4	0.83	77.8	81.0	7,797	77.4	0.88	75.6	79.1	
1998	9,383	79.8	0.82	78.2	81.5	7,895	77.8	0.88	76.1	79.5	
1999	9,461	79.9	0.82	78.3	81.5	7,993	78.4	0.88	76.7	80.1	
2000	9,335	78.3	0.81	76.7	79.9	7,934	77.6	0.87	75.9	79.3	
2001	9,459	78.8	0.81	77.2	80.4	8,013	77.9	0.87	76.2	79.7	
2002	9,759	80.5	0.82	78.9	82.1	8,229	79.4	0.88	77.7	81.2	
2003	9,771	79.6	0.81	78.1	81.2	8,242	78.9	0.87	77.2	80.7	
2004	9,516	76.9	0.79	75.4	78.5	7,970	75.8	0.85	74.2	77.5	
2005	9,708	77.6	0.79	76.0	79.2	8,157	77.1	0.86	75.4	78.8	
2006	9,930	78.7	0.79	77.1	80.2	8,321	77.9	0.86	76.3	79.6	
2007	10,071	78.5	0.79	77.0	80.1	8,438	78.0	0.86	76.4	79.7	
2008	10,085	77.2	0.78	75.7	78.8	8,520	77.6	0.85	75.9	79.2	
2009	10,287	77.8	0.78	76.3	79.3	8,664	78.2	0.85	76.5	79.9	
2010	9,991	74.2	0.75	72.8	75.7	8,359	74.2	0.82	72.6	75.8	
2011	10,057	73.3	0.74	71.8	74.7	8,426	73.5	0.81	71.9	75.1	
2012	10,019	71.6	0.73	70.2	73.0	8,294	71.1	0.79	69.6	72.7	
2013	9,848	68.6	0.70	67.3	70.0	8,163	68.5	0.77	67.0	70.0	
2014	10,389	71.1	0.71	69.7	72.5	8,683	71.8	0.78	70.2	73.3	
2015	10,251	68.8	0.69	67.5	70.2	8,446	68.7	0.76	67.3	70.3	
2016	10,196	67.6	0.68	66.3	69.0	8,454	68.0	0.75	66.5	69.5	
2017	10,282	66.8	0.67	65.5	68.1	8,550	67.5	0.74	66.0	68.9	
2018	10,293	65.3	0.65	64.0	66.6	8,580	66.1	0.73	64.7	67.6	
2019	9,998	62.2	0.63	61.0	63.4	8,279	62.8	0.70	61.5	64.2	
2020	9,082	55.7	0.59	54.6	56.9	7,530	56.5	0.66	55.2	57.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Respiratory System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	47,183	88.5	0.42	87.7	89.3	4,488	31.7	0.50	30.8	32.7
1986	989	86.0	2.80	80.6	91.7	27	23.2	5.00	14.5	34.7
1987	1,048	90.2	2.85	84.7	95.9	47	34.6	5.63	24.4	47.2
1988	1,066	89.8	2.82	84.4	95.5	45	32.5	5.37	22.9	44.5
1989	1,087	93.1	2.89	87.5	98.9	45	27.1	4.32	19.3	36.8
1990	1,115	92.6	2.83	87.1	98.3	49	31.6	5.04	22.5	42.9
1991	1,055	85.5	2.69	80.3	90.9	45	29.6	4.95	20.7	40.6
1992	1,159	93.5	2.81	88.1	99.2	50	27.3	4.25	19.6	36.8
1993	1,300	103.5	2.93	97.8	109.4	76	40.1	5.26	30.5	51.5
1994	1,302	102.2	2.89	96.6	108.0	76	36.9	4.63	28.4	46.9
1995	1,395	106.3	2.90	100.7	112.1	81	34.3	4.19	26.6	43.4
1996	1,406	107.0	2.90	101.4	112.8	93	41.5	4.78	32.7	51.7
1997	1,352	100.4	2.77	95.0	106.0	90	35.7	4.14	28.1	44.6
1998	1,365	100.3	2.76	95.0	105.9	107	40.8	4.23	32.9	49.8
1999	1,368	98.5	2.71	93.3	104.0	93	36.7	4.11	29.1	45.5
2000	1,291	91.2	2.58	86.2	96.4	99	34.0	3.67	27.2	41.9
2001	1,336	93.9	2.61	88.9	99.2	99	32.8	3.60	26.1	40.5
2002	1,402	96.4	2.62	91.3	101.6	118	37.7	3.74	30.7	45.6
2003	1,414	95.5	2.58	90.5	100.7	106	31.4	3.27	25.3	38.4
2004	1,424	95.2	2.57	90.2	100.4	115	33.2	3.32	27.0	40.3
2005	1,407	92.0	2.50	87.2	97.0	129	32.6	3.07	26.8	39.1
2006	1,463	94.3	2.51	89.4	99.3	138	34.9	3.18	28.9	41.6
2007	1,474	94.1	2.50	89.2	99.1	151	36.3	3.18	30.4	43.0
2008	1,408	87.3	2.38	82.7	92.1	143	31.1	2.81	25.8	37.0
2009	1,441	86.5	2.33	82.0	91.2	163	33.1	2.79	27.8	38.9
2010	1,442	85.5	2.31	81.0	90.1	174	34.1	2.76	28.9	39.9
2011	1,435	83.8	2.27	79.4	88.3	173	32.0	2.59	27.1	37.4
2012	1,520	87.1	2.29	82.7	91.7	190	31.9	2.45	27.3	37.0
2013	1,474	81.6	2.18	77.4	86.0	199	32.0	2.38	27.4	36.9
2014	1,488	80.4	2.14	76.3	84.7	200	30.4	2.25	26.2	35.1
2015	1,555	81.6	2.12	77.5	85.9	233	34.0	2.33	29.6	38.9
2016	1,524	79.8	2.10	75.7	84.0	207	27.5	1.98	23.8	31.6
2017	1,508	77.2	2.04	73.3	81.3	208	27.3	1.94	23.6	31.3
2018	1,468	74.3	1.98	70.4	78.3	223	27.1	1.85	23.6	30.9
2019	1,447	70.5	1.90	66.8	74.3	238	28.0	1.84	24.5	31.8
2020	1,255	59.6	1.72	56.3	63.1	258	29.1	1.84	25.7	33.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Respiratory System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	186,663	96.5	0.23	96.1	97.0	156,297	94.5	0.24	94.0	95.0
1986	4,891	107.4	1.59	104.3	110.6	4,175	103.4	1.66	100.2	106.7
1987	5,166	112.7	1.62	109.5	115.9	4,409	108.8	1.69	105.5	112.2
1988	4,837	104.7	1.55	101.7	107.8	4,133	101.2	1.62	98.1	104.5
1989	4,965	106.9	1.56	103.8	110.0	4,196	102.1	1.62	98.9	105.3
1990	5,089	109.2	1.57	106.2	112.4	4,310	105.0	1.64	101.8	108.3
1991	5,030	106.3	1.54	103.3	109.3	4,308	103.4	1.61	100.2	106.6
1992	5,215	108.7	1.54	105.7	111.8	4,426	105.1	1.61	102.0	108.3
1993	5,417	112.9	1.56	109.8	116.0	4,539	107.9	1.63	104.7	111.1
1994	5,701	118.6	1.60	115.5	121.8	4,832	114.9	1.68	111.7	118.3
1995	5,670	116.2	1.57	113.1	119.3	4,719	110.9	1.64	107.7	114.2
1996	5,593	114.7	1.56	111.6	117.8	4,665	109.9	1.63	106.7	113.1
1997	5,514	111.9	1.53	108.9	114.9	4,594	107.5	1.60	104.4	110.7
1998	5,547	111.4	1.51	108.4	114.4	4,613	106.7	1.58	103.7	109.9
1999	5,527	110.0	1.50	107.1	113.0	4,638	106.7	1.58	103.6	109.8
2000	5,436	106.9	1.46	104.0	109.8	4,569	104.2	1.55	101.1	107.2
2001	5,461	107.2	1.47	104.3	110.1	4,576	104.3	1.55	101.3	107.4
2002	5,538	107.7	1.46	104.9	110.6	4,671	105.8	1.56	102.7	108.9
2003	5,497	104.7	1.43	101.9	107.5	4,613	102.5	1.52	99.6	105.6
2004	5,305	99.9	1.39	97.2	102.6	4,404	96.9	1.47	94.0	99.8
2005	5,378	99.6	1.38	96.9	102.3	4,472	97.1	1.47	94.3	100.1
2006	5,447	100.4	1.38	97.7	103.1	4,546	98.3	1.47	95.4	101.2
2007	5,499	99.3	1.36	96.6	102.0	4,570	97.0	1.45	94.2	99.9
2008	5,417	95.6	1.32	93.0	98.2	4,556	94.7	1.42	91.9	97.5
2009	5,486	94.9	1.31	92.4	97.5	4,610	94.4	1.41	91.7	97.2
2010	5,332	90.5	1.27	88.0	93.0	4,443	89.3	1.37	86.7	92.1
2011	5,456	90.7	1.26	88.3	93.2	4,546	89.5	1.35	86.8	92.1
2012	5,304	86.2	1.21	83.8	88.6	4,394	84.7	1.31	82.2	87.3
2013	5,364	84.6	1.18	82.3	87.0	4,445	83.4	1.28	80.9	86.0
2014	5,463	84.3	1.17	82.0	86.6	4,543	83.6	1.27	81.2	86.2
2015	5,404	81.8	1.14	79.6	84.1	4,430	80.2	1.24	77.8	82.7
2016	5,301	79.1	1.12	77.0	81.3	4,406	78.8	1.22	76.5	81.3
2017	5,420	79.2	1.10	77.1	81.4	4,474	78.4	1.20	76.0	80.8
2018	5,252	74.3	1.05	72.3	76.4	4,409	74.9	1.15	72.6	77.2
2019	5,091	70.6	1.01	68.6	72.6	4,237	70.8	1.11	68.6	73.0
2020	4,650	63.8	0.96	61.9	65.7	3,826	63.4	1.05	61.3	65.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Respiratory System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	27,332	125.4	0.79	123.9	127.0	2,778	44.4	0.91	42.7	46.2
1986	693	146.1	5.84	134.9	158.0	21	41.1	10.27	23.5	65.3
1987	721	151.0	5.92	139.7	163.0	33	60.0	12.14	38.6	87.6
1988	668	137.4	5.59	126.7	148.8	34	55.4	10.96	36.0	80.3
1989	731	154.8	6.06	143.2	167.1	31	42.6	8.31	27.9	61.9
1990	739	150.1	5.80	138.9	161.8	38	53.1	9.88	35.5	75.5
1991	681	134.7	5.41	124.3	145.7	32	46.8	9.32	30.4	68.0
1992	752	148.1	5.67	137.1	159.5	31	35.8	6.93	23.5	51.8
1993	825	161.1	5.91	149.7	173.0	50	59.7	9.80	42.0	81.4
1994	817	158.0	5.83	146.8	169.8	47	52.4	8.49	37.1	71.4
1995	899	168.3	5.90	156.9	180.2	48	50.9	8.51	35.6	69.9
1996	865	162.5	5.79	151.4	174.2	61	64.3	9.44	47.2	85.0
1997	855	155.4	5.54	144.7	166.6	59	51.3	7.27	38.0	67.4
1998	847	154.5	5.57	143.8	165.8	77	64.1	8.04	49.3	81.6
1999	824	147.3	5.36	137.0	158.1	59	57.2	8.33	42.1	75.4
2000	802	138.8	5.12	129.0	149.2	57	43.5	6.41	31.8	57.6
2001	807	138.9	5.11	129.0	149.2	72	59.6	8.20	44.6	77.3
2002	796	133.7	4.96	124.1	143.7	66	48.9	6.68	36.7	63.4
2003	806	133.4	4.92	123.9	143.3	70	49.9	6.68	37.7	64.4
2004	823	136.9	5.02	127.2	147.0	74	47.3	6.14	36.0	60.6
2005	811	130.9	4.84	121.6	140.7	84	50.0	6.01	38.9	62.9
2006	810	129.3	4.79	120.0	139.0	87	54.8	6.52	42.8	68.8
2007	843	133.4	4.85	124.1	143.3	82	48.2	5.83	37.4	60.7
2008	777	118.7	4.49	110.0	127.7	78	38.1	4.95	29.1	48.9
2009	763	111.4	4.25	103.2	120.0	104	48.5	5.38	38.6	60.0
2010	780	111.9	4.23	103.8	120.5	103	46.9	5.09	37.4	57.8
2011	787	113.0	4.22	104.9	121.6	112	47.7	4.90	38.5	58.1
2012	786	111.5	4.18	103.4	119.9	117	45.1	4.57	36.6	54.8
2013	797	109.2	4.07	101.4	117.5	116	41.2	4.13	33.5	50.1
2014	789	105.3	3.94	97.7	113.3	120	39.8	3.87	32.6	48.1
2015	828	107.9	3.93	100.3	115.8	137	45.2	4.12	37.5	54.0
2016	759	97.3	3.69	90.2	104.8	129	36.8	3.38	30.5	44.0
2017	801	102.2	3.77	94.9	109.8	135	39.4	3.53	32.8	46.9
2018	706	86.5	3.39	80.0	93.4	123	32.7	3.04	27.0	39.2
2019	702	83.4	3.28	77.1	90.0	131	33.6	3.01	28.0	40.0
2020	642	74.1	3.03	68.3	80.3	160	40.7	3.29	34.5	47.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Respiratory System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	140,874	56.0	0.15	55.7	56.3	119,134	56.1	0.16	55.7	56.4	
1986	2,315	38.4	0.82	36.8	40.0	2,011	37.9	0.87	36.3	39.7	
1987	2,594	43.2	0.87	41.5	44.9	2,252	42.8	0.93	41.0	44.6	
1988	2,606	42.8	0.85	41.1	44.5	2,195	41.1	0.90	39.4	42.9	
1989	2,688	43.7	0.86	42.0	45.4	2,317	43.0	0.91	41.3	44.9	
1990	2,868	46.4	0.88	44.7	48.2	2,479	46.0	0.94	44.1	47.8	
1991	2,896	46.0	0.87	44.3	47.7	2,504	45.5	0.93	43.7	47.3	
1992	3,142	49.6	0.90	47.9	51.4	2,713	49.4	0.97	47.5	51.3	
1993	3,339	52.1	0.91	50.3	53.9	2,838	51.0	0.97	49.1	53.0	
1994	3,632	55.8	0.93	54.0	57.7	3,116	55.2	1.00	53.2	57.2	
1995	3,690	56.7	0.94	54.9	58.6	3,159	56.1	1.01	54.1	58.1	
1996	3,776	57.7	0.95	55.9	59.6	3,198	56.7	1.02	54.7	58.7	
1997	3,732	56.4	0.93	54.6	58.2	3,203	56.2	1.00	54.3	58.2	
1998	3,836	57.4	0.93	55.6	59.3	3,282	57.2	1.01	55.3	59.2	
1999	3,934	58.6	0.94	56.8	60.5	3,355	58.3	1.02	56.3	60.3	
2000	3,899	57.7	0.93	55.9	59.5	3,365	58.4	1.02	56.4	60.4	
2001	3,998	58.7	0.93	56.9	60.6	3,437	59.4	1.02	57.4	61.4	
2002	4,221	61.5	0.95	59.7	63.4	3,558	61.1	1.03	59.1	63.2	
2003	4,274	61.9	0.95	60.1	63.8	3,629	62.2	1.04	60.2	64.3	
2004	4,211	60.5	0.94	58.7	62.4	3,566	60.7	1.03	58.8	62.8	
2005	4,330	61.7	0.94	59.9	63.6	3,685	62.5	1.04	60.5	64.6	
2006	4,483	63.3	0.95	61.4	65.2	3,775	63.4	1.05	61.4	65.5	
2007	4,572	63.6	0.95	61.8	65.5	3,868	64.3	1.05	62.3	66.4	
2008	4,668	64.0	0.95	62.1	65.9	3,964	65.1	1.05	63.1	67.2	
2009	4,801	65.2	0.95	63.4	67.1	4,054	66.2	1.05	64.1	68.3	
2010	4,659	62.3	0.92	60.5	64.1	3,916	63.0	1.02	61.0	65.1	
2011	4,601	60.2	0.90	58.5	62.0	3,880	61.5	1.00	59.5	63.5	
2012	4,715	60.9	0.90	59.2	62.7	3,900	61.1	1.00	59.2	63.1	
2013	4,484	56.7	0.86	55.0	58.4	3,718	57.1	0.95	55.2	59.0	
2014	4,926	61.2	0.89	59.5	63.0	4,140	62.9	0.99	61.0	64.9	
2015	4,847	59.3	0.87	57.6	61.0	4,016	60.2	0.97	58.3	62.1	
2016	4,895	59.0	0.86	57.3	60.7	4,048	59.9	0.96	58.0	61.8	
2017	4,862	57.3	0.84	55.7	59.0	4,076	59.1	0.94	57.2	61.0	
2018	5,041	58.4	0.84	56.8	60.1	4,171	59.4	0.94	57.6	61.3	
2019	4,907	55.8	0.81	54.2	57.4	4,042	56.7	0.91	54.9	58.5	
2020	4,432	49.6	0.76	48.1	51.1	3,704	51.3	0.86	49.7	53.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Respiratory System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	19,851	63.6	0.46	62.8	64.5	1,710	21.8	0.55	20.8	22.9
1986	296	44.0	2.59	39.0	49.3	6	9.4	4.26	3.0	21.0
1987	327	48.4	2.71	43.2	54.0	14	15.7	4.29	8.4	26.6
1988	398	57.2	2.91	51.7	63.2	11	14.8	4.70	7.1	26.7
1989	356	51.6	2.77	46.3	57.3	14	15.5	4.41	8.1	26.5
1990	376	53.5	2.79	48.1	59.2	11	14.6	4.81	6.8	26.6
1991	374	51.9	2.71	46.7	57.5	13	16.4	5.15	7.9	28.9
1992	407	56.3	2.82	50.9	62.1	19	20.5	5.21	11.6	32.9
1993	475	64.6	2.99	58.8	70.7	26	25.3	5.66	15.4	38.4
1994	485	65.0	2.98	59.3	71.1	29	25.3	5.11	16.3	37.1
1995	496	64.6	2.93	59.0	70.6	33	23.0	4.24	15.5	32.8
1996	541	69.9	3.03	64.1	76.1	32	24.8	4.79	16.3	35.7
1997	497	62.9	2.84	57.4	68.7	31	23.1	4.59	15.0	33.6
1998	518	64.5	2.85	59.1	70.4	30	22.4	4.31	14.7	32.2
1999	544	66.5	2.87	61.0	72.3	34	22.5	4.10	15.2	31.8
2000	489	58.9	2.68	53.8	64.4	42	26.6	4.30	18.8	36.2
2001	529	63.4	2.77	58.1	69.1	27	15.0	3.03	9.7	22.1
2002	606	71.1	2.91	65.6	77.1	52	29.3	4.30	21.5	38.8
2003	608	70.1	2.86	64.6	75.9	36	18.4	3.21	12.7	25.7
2004	601	68.0	2.79	62.6	73.7	41	22.4	3.64	15.9	30.6
2005	596	66.5	2.75	61.2	72.1	45	19.8	3.11	14.1	26.7
2006	653	71.6	2.83	66.2	77.4	51	21.3	3.12	15.6	28.2
2007	631	68.7	2.76	63.4	74.3	69	27.7	3.53	21.2	35.5
2008	631	66.7	2.68	61.5	72.1	65	26.1	3.40	19.9	33.5
2009	678	69.9	2.72	64.7	75.5	59	21.8	2.98	16.3	28.4
2010	662	67.6	2.66	62.4	73.0	71	24.6	3.06	18.9	31.3
2011	648	64.0	2.55	59.1	69.2	61	19.7	2.63	14.8	25.5
2012	734	71.4	2.67	66.2	76.8	73	21.9	2.67	17.0	27.8
2013	677	63.9	2.49	59.1	68.9	83	24.5	2.79	19.3	30.6
2014	699	64.0	2.46	59.2	69.0	80	22.4	2.60	17.6	28.1
2015	727	64.9	2.45	60.2	69.9	96	25.3	2.67	20.3	31.1
2016	765	68.0	2.50	63.2	73.1	78	19.5	2.26	15.3	24.5
2017	707	61.1	2.34	56.6	65.9	73	17.5	2.09	13.7	22.1
2018	762	65.7	2.42	61.1	70.7	100	22.5	2.29	18.2	27.5
2019	745	61.9	2.31	57.5	66.7	107	23.2	2.27	19.0	28.1
2020	613	49.5	2.03	45.6	53.7	98	20.0	2.04	16.2	24.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Larynx										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	20,030	4.4	0.03	4.4	4.5	16,091	4.2	0.03	4.2	4.3
1986	552	5.1	0.22	4.7	5.5	450	4.7	0.23	4.3	5.2
1987	630	5.9	0.24	5.4	6.3	525	5.5	0.25	5.1	6.0
1988	520	4.8	0.22	4.4	5.3	439	4.6	0.22	4.2	5.1
1989	607	5.6	0.23	5.2	6.1	500	5.3	0.24	4.8	5.8
1990	591	5.4	0.23	5.0	5.9	473	5.0	0.23	4.5	5.4
1991	615	5.6	0.23	5.1	6.0	496	5.1	0.23	4.7	5.6
1992	602	5.4	0.22	5.0	5.9	477	5.0	0.23	4.5	5.4
1993	604	5.3	0.22	4.9	5.8	485	4.9	0.23	4.5	5.4
1994	591	5.2	0.22	4.8	5.7	483	4.9	0.23	4.5	5.4
1995	658	5.8	0.23	5.4	6.2	520	5.3	0.23	4.9	5.8
1996	642	5.6	0.22	5.2	6.1	521	5.3	0.23	4.9	5.8
1997	616	5.3	0.22	4.9	5.8	476	4.8	0.22	4.4	5.3
1998	566	4.8	0.20	4.4	5.2	450	4.5	0.21	4.1	4.9
1999	576	4.9	0.20	4.5	5.3	460	4.6	0.21	4.2	5.0
2000	602	5.1	0.21	4.7	5.5	492	4.9	0.22	4.5	5.3
2001	563	4.7	0.20	4.3	5.1	440	4.3	0.21	3.9	4.7
2002	594	4.9	0.20	4.5	5.3	474	4.6	0.21	4.2	5.0
2003	559	4.5	0.19	4.1	4.9	430	4.1	0.20	3.7	4.5
2004	536	4.2	0.18	3.9	4.6	419	4.0	0.19	3.6	4.4
2005	559	4.4	0.19	4.0	4.8	454	4.2	0.20	3.9	4.7
2006	532	4.1	0.18	3.8	4.5	434	4.0	0.20	3.7	4.4
2007	581	4.4	0.18	4.1	4.8	458	4.2	0.20	3.8	4.6
2008	556	4.1	0.18	3.8	4.5	466	4.2	0.19	3.8	4.6
2009	555	4.0	0.17	3.7	4.4	442	3.9	0.19	3.5	4.3
2010	584	4.1	0.17	3.8	4.5	464	4.0	0.19	3.6	4.4
2011	555	3.9	0.17	3.6	4.3	462	4.0	0.19	3.6	4.3
2012	544	3.8	0.16	3.5	4.1	434	3.6	0.18	3.3	4.0
2013	530	3.6	0.16	3.3	3.9	416	3.4	0.17	3.1	3.7
2014	568	3.8	0.16	3.4	4.1	450	3.6	0.17	3.3	4.0
2015	545	3.6	0.16	3.3	3.9	421	3.4	0.17	3.1	3.7
2016	561	3.6	0.15	3.3	3.9	454	3.5	0.17	3.2	3.9
2017	556	3.5	0.15	3.2	3.8	454	3.5	0.17	3.2	3.9
2018	599	3.7	0.16	3.4	4.0	481	3.6	0.17	3.3	4.0
2019	536	3.3	0.14	3.0	3.6	429	3.2	0.16	2.9	3.6
2020	445	2.7	0.13	2.5	3.0	362	2.7	0.14	2.4	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Larynx										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,680	6.6	0.11	6.4	6.8	192	1.3	0.10	1.1	1.5
1986	101	8.5	0.86	6.9	10.3	1	0.7	0.67	0.0	4.0
1987	102	8.6	0.86	7.0	10.4	3	1.7	0.98	0.3	5.3
1988	77	6.7	0.78	5.3	8.4	4	3.5	1.89	0.8	8.8
1989	103	8.7	0.87	7.1	10.5	2	1.0	0.73	0.1	4.0
1990	112	9.1	0.87	7.5	10.9	3	1.7	0.99	0.3	5.1
1991	116	9.2	0.86	7.5	11.0	2	0.9	0.71	0.1	3.7
1992	120	9.4	0.88	7.8	11.3	3	1.6	0.93	0.3	4.6
1993	112	8.7	0.84	7.2	10.5	7	3.9	1.56	1.5	8.0
1994	100	7.4	0.75	6.0	9.0	7	2.5	0.98	1.0	5.4
1995	134	10.0	0.87	8.3	11.8	2	0.9	0.67	0.1	3.3
1996	113	8.3	0.79	6.8	10.0	5	1.9	0.95	0.5	4.7
1997	130	9.2	0.81	7.7	10.9	9	2.8	0.95	1.2	5.4
1998	111	7.9	0.76	6.5	9.5	1	0.2	0.24	0.0	1.7
1999	110	7.4	0.72	6.1	9.0	5	1.4	0.63	0.4	3.3
2000	99	6.7	0.68	5.4	8.2	7	2.0	0.78	0.8	4.2
2001	115	7.6	0.71	6.2	9.1	7	1.6	0.63	0.6	3.5
2002	118	7.7	0.72	6.4	9.3	1	0.2	0.20	0.0	1.3
2003	124	8.0	0.73	6.6	9.6	4	1.2	0.65	0.3	3.1
2004	107	6.8	0.67	5.6	8.2	8	2.2	0.84	0.9	4.4
2005	101	6.1	0.62	5.0	7.5	2	0.5	0.34	0.1	1.7
2006	91	5.5	0.59	4.4	6.8	4	1.0	0.51	0.2	2.5
2007	116	6.9	0.65	5.7	8.3	5	0.8	0.37	0.3	2.0
2008	82	4.7	0.53	3.8	5.9	4	0.8	0.42	0.2	2.0
2009	105	5.8	0.58	4.7	7.1	4	0.8	0.40	0.2	2.0
2010	115	6.0	0.57	4.9	7.2	4	0.8	0.42	0.2	2.0
2011	85	4.7	0.53	3.8	5.9	5	1.2	0.55	0.4	2.7
2012	104	5.7	0.58	4.7	7.0	6	0.9	0.38	0.3	2.0
2013	104	5.6	0.57	4.6	6.9	8	1.1	0.38	0.5	2.1
2014	106	5.4	0.54	4.4	6.6	10	1.4	0.46	0.7	2.6
2015	108	5.3	0.52	4.3	6.4	12	1.7	0.50	0.8	2.9
2016	96	4.7	0.49	3.8	5.8	11	1.4	0.44	0.7	2.6
2017	97	4.8	0.50	3.9	5.9	3	0.5	0.29	0.1	1.4
2018	103	5.0	0.50	4.0	6.1	13	1.6	0.45	0.8	2.7
2019	91	4.2	0.45	3.3	5.1	11	1.3	0.39	0.6	2.3
2020	72	3.4	0.41	2.7	4.3	9	1.1	0.36	0.5	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Larynx										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	15,932	7.9	0.06	7.8	8.0	12,881	7.5	0.07	7.4	7.7
1986	444	9.4	0.46	8.5	10.3	363	8.7	0.47	7.8	9.7
1987	508	10.8	0.49	9.8	11.8	425	10.2	0.51	9.2	11.2
1988	426	9.1	0.45	8.2	10.0	365	8.7	0.47	7.8	9.7
1989	498	10.7	0.49	9.7	11.7	418	10.2	0.51	9.2	11.2
1990	461	9.8	0.46	8.9	10.7	366	8.9	0.47	8.0	9.8
1991	496	10.2	0.47	9.3	11.2	406	9.5	0.48	8.6	10.5
1992	474	9.8	0.46	9.0	10.8	385	9.1	0.47	8.2	10.1
1993	493	9.8	0.45	8.9	10.7	398	9.0	0.46	8.1	9.9
1994	472	9.4	0.44	8.6	10.3	384	8.9	0.46	8.0	9.8
1995	509	10.3	0.46	9.4	11.3	409	9.6	0.48	8.7	10.6
1996	493	9.8	0.45	9.0	10.8	398	9.2	0.47	8.3	10.2
1997	488	9.6	0.44	8.7	10.4	376	8.6	0.45	7.7	9.5
1998	467	9.1	0.42	8.3	10.0	376	8.5	0.44	7.7	9.4
1999	479	9.2	0.42	8.4	10.1	382	8.6	0.44	7.7	9.5
2000	487	9.2	0.42	8.4	10.1	400	8.8	0.44	8.0	9.7
2001	450	8.5	0.41	7.8	9.4	354	7.9	0.42	7.1	8.8
2002	474	8.8	0.41	8.0	9.6	386	8.4	0.43	7.6	9.3
2003	435	8.0	0.39	7.2	8.8	345	7.4	0.40	6.7	8.3
2004	436	7.8	0.38	7.1	8.6	348	7.4	0.40	6.6	8.2
2005	443	7.8	0.37	7.1	8.5	357	7.4	0.40	6.7	8.2
2006	436	7.5	0.37	6.8	8.3	358	7.3	0.39	6.6	8.2
2007	466	7.9	0.37	7.2	8.7	360	7.3	0.39	6.5	8.1
2008	450	7.4	0.35	6.7	8.1	375	7.3	0.38	6.5	8.1
2009	436	7.0	0.34	6.4	7.7	346	6.7	0.37	6.0	7.4
2010	450	7.0	0.34	6.4	7.7	358	6.8	0.37	6.1	7.5
2011	440	7.0	0.34	6.3	7.7	372	7.0	0.37	6.3	7.8
2012	415	6.5	0.33	5.8	7.1	338	6.2	0.35	5.6	7.0
2013	427	6.3	0.31	5.7	7.0	338	5.9	0.33	5.3	6.6
2014	443	6.4	0.31	5.8	7.1	351	6.1	0.34	5.5	6.8
2015	437	6.2	0.31	5.6	6.9	339	5.8	0.33	5.2	6.5
2016	439	6.2	0.30	5.6	6.8	359	6.1	0.33	5.4	6.7
2017	432	6.0	0.30	5.5	6.6	352	5.9	0.32	5.3	6.6
2018	460	6.2	0.30	5.7	6.8	370	6.0	0.32	5.4	6.7
2019	421	5.6	0.28	5.1	6.2	343	5.6	0.31	5.0	6.2
2020	347	4.6	0.25	4.1	5.1	281	4.5	0.28	4.0	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Larynx										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,837	12.2	0.24	11.7	12.7	165	2.4	0.20	2.0	2.8
1986	80	15.8	1.82	12.4	19.8	1	1.6	1.58	0.0	9.5
1987	81	16.2	1.86	12.7	20.2	2	2.3	1.70	0.3	9.9
1988	57	12.3	1.70	9.2	16.0	4	8.1	4.47	1.8	20.7
1989	76	15.8	1.91	12.3	19.9	2	2.4	1.68	0.3	9.3
1990	91	17.5	1.88	14.0	21.5	2	2.8	2.02	0.3	10.3
1991	87	16.3	1.79	13.0	20.2	2	2.2	1.66	0.2	8.7
1992	84	16.0	1.83	12.6	20.0	3	3.6	2.13	0.7	10.6
1993	89	16.7	1.86	13.3	20.8	6	8.3	3.62	2.8	18.1
1994	82	14.5	1.65	11.5	18.1	5	3.6	1.70	1.1	9.3
1995	97	17.3	1.82	13.9	21.2	2	2.2	1.58	0.3	7.8
1996	89	15.6	1.71	12.5	19.3	5	4.3	2.26	1.1	11.0
1997	104	17.3	1.73	14.1	21.0	7	4.4	1.75	1.7	9.7
1998	87	14.8	1.64	11.8	18.4	1	0.5	0.50	0.0	3.9
1999	91	14.8	1.60	11.9	18.3	5	2.9	1.38	0.9	7.4
2000	80	13.2	1.55	10.4	16.6	4	2.3	1.26	0.6	6.5
2001	90	13.9	1.50	11.2	17.2	6	3.0	1.30	1.0	7.1
2002	86	13.7	1.54	10.9	17.1	1	0.4	0.41	0.0	3.0
2003	86	13.7	1.55	10.8	17.1	3	2.5	1.48	0.5	6.9
2004	80	12.4	1.46	9.7	15.5	6	3.4	1.47	1.1	7.5
2005	82	11.6	1.32	9.2	14.5	2	1.0	0.75	0.1	3.8
2006	72	10.6	1.32	8.2	13.5	4	2.2	1.18	0.5	5.7
2007	101	14.3	1.47	11.5	17.4	4	1.4	0.68	0.4	3.7
2008	70	9.8	1.23	7.6	12.5	3	0.9	0.53	0.2	3.0
2009	85	11.2	1.27	8.9	14.0	3	1.4	0.92	0.2	4.3
2010	88	10.7	1.18	8.5	13.2	3	1.1	0.62	0.2	3.2
2011	62	8.4	1.12	6.4	10.9	4	2.1	1.14	0.5	5.3
2012	73	10.1	1.23	7.8	12.7	4	1.4	0.73	0.4	3.6
2013	80	10.9	1.28	8.5	13.7	7	2.0	0.77	0.8	4.3
2014	81	10.0	1.16	7.8	12.5	10	3.1	1.03	1.4	5.8
2015	84	10.0	1.14	7.9	12.5	11	3.2	1.02	1.6	5.9
2016	72	8.8	1.08	6.8	11.1	8	2.1	0.77	0.9	4.2
2017	75	8.9	1.08	7.0	11.3	3	1.1	0.64	0.2	3.0
2018	77	9.0	1.07	7.1	11.4	12	3.2	0.95	1.6	5.6
2019	63	6.8	0.89	5.2	8.8	11	2.9	0.89	1.4	5.2
2020	55	6.2	0.87	4.6	8.2	9	2.4	0.81	1.1	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Larynx											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	4,098	1.7	0.03	1.6	1.7	3,210	1.6	0.03	1.5	1.6	
1986	108	1.9	0.18	1.5	2.2	87	1.7	0.19	1.4	2.1	
1987	122	2.1	0.20	1.7	2.5	100	2.0	0.20	1.6	2.4	
1988	94	1.6	0.17	1.3	2.0	74	1.4	0.17	1.1	1.8	
1989	109	1.8	0.18	1.5	2.2	82	1.6	0.18	1.2	1.9	
1990	130	2.2	0.19	1.8	2.6	107	2.1	0.20	1.7	2.5	
1991	119	2.0	0.18	1.6	2.4	90	1.7	0.18	1.4	2.1	
1992	128	2.1	0.19	1.8	2.5	92	1.8	0.19	1.4	2.2	
1993	111	1.8	0.17	1.5	2.2	87	1.6	0.18	1.3	2.0	
1994	119	1.9	0.18	1.6	2.3	99	1.9	0.19	1.5	2.3	
1995	149	2.4	0.20	2.0	2.8	111	2.1	0.20	1.7	2.5	
1996	149	2.4	0.20	2.0	2.8	123	2.3	0.21	1.9	2.8	
1997	128	2.0	0.18	1.7	2.4	100	1.9	0.19	1.5	2.3	
1998	99	1.5	0.15	1.2	1.8	74	1.3	0.15	1.0	1.7	
1999	97	1.5	0.15	1.2	1.9	78	1.5	0.16	1.1	1.8	
2000	115	1.8	0.16	1.5	2.1	92	1.7	0.18	1.4	2.1	
2001	113	1.7	0.16	1.4	2.1	86	1.6	0.17	1.3	2.0	
2002	120	1.8	0.16	1.5	2.1	88	1.6	0.17	1.3	1.9	
2003	124	1.8	0.17	1.5	2.2	85	1.5	0.17	1.2	1.9	
2004	100	1.5	0.15	1.2	1.8	71	1.3	0.15	1.0	1.6	
2005	116	1.7	0.16	1.4	2.0	97	1.7	0.18	1.4	2.1	
2006	96	1.4	0.14	1.1	1.7	76	1.3	0.15	1.0	1.6	
2007	115	1.7	0.15	1.4	2.0	98	1.7	0.17	1.4	2.1	
2008	106	1.5	0.14	1.2	1.8	91	1.5	0.16	1.2	1.9	
2009	119	1.6	0.15	1.3	1.9	96	1.6	0.16	1.3	1.9	
2010	134	1.7	0.15	1.4	2.1	106	1.7	0.16	1.4	2.0	
2011	115	1.5	0.14	1.2	1.8	90	1.5	0.15	1.2	1.8	
2012	129	1.6	0.15	1.4	1.9	96	1.5	0.15	1.2	1.8	
2013	103	1.3	0.13	1.1	1.6	78	1.2	0.14	1.0	1.6	
2014	125	1.5	0.14	1.3	1.9	99	1.5	0.15	1.2	1.9	
2015	108	1.3	0.13	1.1	1.6	82	1.3	0.14	1.0	1.6	
2016	122	1.4	0.13	1.2	1.7	95	1.4	0.14	1.1	1.7	
2017	124	1.5	0.14	1.2	1.8	102	1.5	0.15	1.2	1.8	
2018	139	1.6	0.14	1.4	1.9	111	1.6	0.16	1.3	2.0	
2019	115	1.3	0.13	1.1	1.6	86	1.3	0.14	1.0	1.6	
2020	98	1.1	0.11	0.9	1.4	81	1.1	0.13	0.9	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Larynx										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	843	2.6	0.09	2.4	2.8	27	0.3	0.07	0.2	0.5
1986	21	3.1	0.67	1.9	4.7	0				
1987	21	3.1	0.67	1.9	4.7	1	1.1	1.08	0.0	6.5
1988	20	2.8	0.64	1.7	4.4	0				
1989	27	3.8	0.74	2.5	5.6	0				
1990	21	3.0	0.66	1.8	4.6	1	0.9	0.86	0.0	5.5
1991	29	4.0	0.74	2.6	5.7	0				
1992	36	4.9	0.83	3.4	6.8	0				
1993	23	3.0	0.64	1.9	4.6	1	0.7	0.66	0.0	4.2
1994	18	2.3	0.54	1.3	3.6	2	1.5	1.09	0.2	5.6
1995	37	4.8	0.79	3.4	6.6	0				
1996	24	3.1	0.64	2.0	4.6	0				
1997	26	3.1	0.62	2.1	4.6	2	1.3	0.94	0.2	4.7
1998	24	3.0	0.61	1.9	4.4	0				
1999	19	2.2	0.51	1.3	3.5	0				
2000	19	2.2	0.50	1.3	3.4	3	1.7	0.99	0.4	4.9
2001	25	2.9	0.58	1.9	4.2	1	0.4	0.43	0.0	2.6
2002	32	3.5	0.63	2.4	5.0	0				
2003	38	4.2	0.68	2.9	5.7	1	0.3	0.32	0.0	2.2
2004	27	3.0	0.58	2.0	4.3	2	1.1	0.85	0.1	3.9
2005	19	2.1	0.47	1.2	3.2	0				
2006	19	2.0	0.46	1.2	3.1	0				
2007	15	1.6	0.42	0.9	2.6	1	0.4	0.35	0.0	2.0
2008	12	1.2	0.35	0.6	2.1	1	0.6	0.55	0.0	2.5
2009	20	1.9	0.43	1.2	2.9	1	0.2	0.24	0.0	1.6
2010	27	2.5	0.49	1.7	3.7	1	0.5	0.50	0.0	2.3
2011	23	2.2	0.46	1.4	3.3	1	0.5	0.48	0.0	2.2
2012	31	2.9	0.52	1.9	4.1	2	0.5	0.34	0.1	1.9
2013	24	2.2	0.45	1.4	3.2	1	0.2	0.22	0.0	1.4
2014	25	2.3	0.46	1.5	3.4	0				
2015	24	2.0	0.41	1.3	3.0	1	0.3	0.34	0.0	1.7
2016	24	1.9	0.39	1.2	2.9	3	0.8	0.49	0.2	2.4
2017	22	2.1	0.45	1.3	3.2	0				
2018	26	2.1	0.43	1.4	3.2	1	0.2	0.22	0.0	1.3
2019	28	2.2	0.42	1.5	3.2	0				
2020	17	1.4	0.34	0.8	2.3	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lung and Bronchus										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	303,630	67.7	0.12	67.5	68.0	256,032	67.1	0.13	66.9	67.4
1986	6,552	60.6	0.76	59.1	62.1	5,645	58.9	0.80	57.3	60.5
1987	7,001	64.6	0.78	63.0	66.1	6,022	62.9	0.82	61.3	64.6
1988	6,802	62.2	0.76	60.7	63.7	5,787	60.0	0.80	58.4	61.6
1989	6,957	63.3	0.77	61.8	64.8	5,943	61.4	0.81	59.8	63.0
1990	7,282	65.9	0.78	64.4	67.5	6,244	64.3	0.82	62.7	65.9
1991	7,201	64.3	0.76	62.8	65.8	6,218	63.2	0.81	61.6	64.8
1992	7,644	67.7	0.78	66.2	69.3	6,566	66.5	0.83	64.9	68.1
1993	8,034	70.7	0.79	69.2	72.3	6,790	68.4	0.83	66.8	70.0
1994	8,639	75.4	0.81	73.8	77.0	7,375	73.7	0.86	72.0	75.4
1995	8,613	74.7	0.81	73.1	76.3	7,282	72.6	0.85	70.9	74.3
1996	8,620	74.6	0.80	73.0	76.2	7,244	72.2	0.85	70.5	73.9
1997	8,534	73.2	0.79	71.7	74.8	7,239	71.7	0.84	70.1	73.4
1998	8,703	74.0	0.79	72.5	75.6	7,346	72.3	0.84	70.7	74.0
1999	8,763	74.0	0.79	72.4	75.6	7,425	72.8	0.85	71.1	74.4
2000	8,620	72.3	0.78	70.8	73.9	7,351	71.8	0.84	70.2	73.4
2001	8,794	73.2	0.78	71.7	74.8	7,485	72.8	0.84	71.1	74.4
2002	9,041	74.6	0.79	73.1	76.2	7,644	73.8	0.85	72.1	75.5
2003	9,090	74.2	0.78	72.7	75.7	7,702	73.8	0.84	72.1	75.4
2004	8,881	71.9	0.77	70.4	73.4	7,462	71.0	0.83	69.4	72.7
2005	9,054	72.4	0.77	71.0	74.0	7,625	72.1	0.83	70.5	73.7
2006	9,281	73.6	0.77	72.1	75.2	7,789	73.0	0.83	71.4	74.6
2007	9,366	73.2	0.76	71.7	74.7	7,879	73.0	0.83	71.3	74.6
2008	9,401	72.1	0.75	70.6	73.6	7,948	72.4	0.82	70.8	74.0
2009	9,617	72.9	0.75	71.4	74.3	8,128	73.4	0.82	71.8	75.1
2010	9,301	69.3	0.73	67.9	70.7	7,800	69.4	0.80	67.8	70.9
2011	9,389	68.5	0.72	67.1	69.9	7,869	68.7	0.79	67.1	70.2
2012	9,366	67.1	0.70	65.7	68.4	7,767	66.7	0.77	65.2	68.2
2013	9,204	64.3	0.68	62.9	65.6	7,647	64.2	0.75	62.7	65.7
2014	9,694	66.4	0.69	65.1	67.8	8,127	67.3	0.76	65.8	68.8
2015	9,594	64.5	0.67	63.2	65.8	7,927	64.5	0.74	63.1	66.0
2016	9,512	63.2	0.66	61.9	64.5	7,910	63.7	0.73	62.3	65.2
2017	9,616	62.5	0.65	61.3	63.8	8,006	63.2	0.72	61.8	64.6
2018	9,588	60.9	0.63	59.6	62.1	8,016	61.8	0.70	60.5	63.2
2019	9,337	58.1	0.61	56.9	59.3	7,738	58.7	0.68	57.4	60.0
2020	8,539	52.4	0.58	51.2	53.5	7,086	53.1	0.64	51.9	54.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lung and Bronchus										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	43,044	81.1	0.40	80.3	81.9	4,202	29.9	0.49	29.0	30.9
1986	877	76.5	2.65	71.4	81.8	26	22.5	4.95	13.9	34.0
1987	933	80.5	2.70	75.3	85.9	42	32.2	5.52	22.3	44.6
1988	972	81.9	2.69	76.7	87.3	39	28.4	5.01	19.4	39.6
1989	969	83.1	2.73	77.8	88.6	39	23.3	3.98	16.2	32.4
1990	991	82.6	2.68	77.4	88.0	46	30.0	4.94	21.1	41.0
1991	931	75.9	2.54	71.0	81.0	40	27.7	4.86	19.0	38.5
1992	1,025	83.0	2.65	77.9	88.4	46	25.4	4.14	18.0	34.7
1993	1,174	93.7	2.79	88.3	99.3	67	34.9	4.92	25.9	45.6
1994	1,190	93.9	2.78	88.5	99.5	68	33.7	4.47	25.5	43.4
1995	1,248	95.6	2.76	90.2	101.1	79	33.3	4.14	25.7	42.3
1996	1,285	98.1	2.79	92.8	103.7	87	39.4	4.68	30.8	49.5
1997	1,214	90.7	2.64	85.6	96.0	76	31.6	3.99	24.3	40.3
1998	1,242	91.6	2.64	86.5	96.9	104	39.7	4.17	31.9	48.6
1999	1,245	90.3	2.60	85.3	95.5	87	35.1	4.06	27.6	43.8
2000	1,175	83.4	2.47	78.6	88.4	87	30.5	3.50	24.0	38.0
2001	1,209	85.6	2.50	80.7	90.6	90	30.7	3.53	24.2	38.3
2002	1,274	88.0	2.51	83.2	93.1	114	36.7	3.70	29.8	44.5
2003	1,278	86.8	2.47	82.0	91.8	102	30.2	3.21	24.2	37.1
2004	1,308	87.8	2.47	83.0	92.8	106	30.8	3.20	24.8	37.6
2005	1,291	85.0	2.41	80.3	89.8	126	32.0	3.05	26.3	38.4
2006	1,356	87.8	2.43	83.1	92.7	131	33.3	3.12	27.5	39.9
2007	1,341	86.1	2.40	81.4	90.9	141	34.7	3.13	28.8	41.3
2008	1,310	81.7	2.31	77.2	86.3	135	29.6	2.75	24.4	35.4
2009	1,320	79.8	2.25	75.4	84.3	154	31.5	2.74	26.4	37.3
2010	1,317	78.9	2.23	74.6	83.4	169	33.2	2.73	28.0	38.9
2011	1,336	78.3	2.19	74.0	82.7	165	30.4	2.51	25.7	35.7
2012	1,402	80.6	2.21	76.4	85.1	183	30.9	2.42	26.4	36.0
2013	1,359	75.4	2.10	71.4	79.6	188	30.5	2.35	26.1	35.5
2014	1,368	74.2	2.06	70.3	78.4	184	28.3	2.18	24.2	32.8
2015	1,436	75.7	2.05	71.8	79.9	218	32.0	2.26	27.7	36.7
2016	1,406	73.9	2.02	70.0	78.0	188	25.0	1.89	21.5	29.0
2017	1,396	71.6	1.96	67.8	75.6	202	26.4	1.90	22.8	30.4
2018	1,349	68.5	1.91	64.8	72.3	204	24.8	1.77	21.4	28.5
2019	1,344	65.7	1.83	62.1	69.4	226	26.5	1.79	23.1	30.3
2020	1,173	55.7	1.66	52.5	59.1	243	27.5	1.79	24.1	31.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lung and Bronchus											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	168,349	87.4	0.22	87.0	87.9	141,367	85.7	0.23	85.3	86.2	
1986	4,383	96.6	1.51	93.6	99.6	3,755	93.2	1.58	90.2	96.4	
1987	4,571	100.1	1.53	97.1	103.1	3,908	96.8	1.60	93.7	100.0	
1988	4,338	94.1	1.47	91.3	97.1	3,707	91.1	1.54	88.1	94.1	
1989	4,415	95.1	1.47	92.2	98.0	3,738	91.0	1.53	88.0	94.0	
1990	4,574	98.3	1.49	95.4	101.3	3,900	95.1	1.56	92.0	98.2	
1991	4,480	94.9	1.45	92.1	97.8	3,855	92.7	1.53	89.7	95.7	
1992	4,679	97.7	1.46	94.8	100.6	3,987	94.7	1.53	91.7	97.8	
1993	4,862	101.8	1.49	98.9	104.8	4,085	97.6	1.55	94.6	100.7	
1994	5,167	107.9	1.53	104.9	110.9	4,394	104.8	1.61	101.7	108.0	
1995	5,097	104.6	1.49	101.7	107.6	4,256	100.1	1.56	97.0	103.2	
1996	5,031	103.5	1.48	100.6	106.4	4,202	99.2	1.55	96.2	102.3	
1997	4,960	101.1	1.46	98.3	104.0	4,162	97.7	1.53	94.7	100.8	
1998	5,013	101.0	1.44	98.2	103.9	4,179	96.9	1.51	94.0	100.0	
1999	4,977	99.5	1.43	96.7	102.3	4,194	96.7	1.51	93.8	99.7	
2000	4,881	96.4	1.39	93.7	99.2	4,112	94.1	1.48	91.2	97.0	
2001	4,953	97.6	1.40	94.8	100.4	4,173	95.3	1.49	92.4	98.3	
2002	4,976	97.3	1.40	94.6	100.1	4,206	95.7	1.49	92.8	98.7	
2003	4,990	95.5	1.37	92.8	98.2	4,204	93.8	1.46	91.0	96.7	
2004	4,813	91.0	1.33	88.5	93.7	4,003	88.4	1.41	85.6	91.2	
2005	4,874	90.8	1.32	88.2	93.4	4,066	88.7	1.41	86.0	91.5	
2006	4,943	91.7	1.32	89.1	94.3	4,133	89.8	1.41	87.0	92.6	
2007	4,964	90.2	1.30	87.6	92.8	4,146	88.4	1.39	85.7	91.2	
2008	4,882	86.8	1.26	84.3	89.3	4,109	86.0	1.36	83.3	88.7	
2009	4,982	86.7	1.25	84.3	89.2	4,209	86.6	1.36	84.0	89.3	
2010	4,815	82.3	1.21	80.0	84.7	4,024	81.4	1.31	78.8	84.0	
2011	4,942	82.5	1.20	80.2	84.9	4,110	81.2	1.29	78.7	83.8	
2012	4,832	78.9	1.16	76.6	81.2	4,007	77.6	1.25	75.1	80.1	
2013	4,870	77.2	1.13	75.0	79.5	4,047	76.4	1.23	74.0	78.8	
2014	4,949	76.8	1.12	74.6	79.0	4,130	76.4	1.22	74.0	78.8	
2015	4,891	74.4	1.09	72.3	76.6	4,024	73.1	1.18	70.8	75.5	
2016	4,780	71.7	1.07	69.6	73.8	3,986	71.6	1.16	69.4	74.0	
2017	4,915	72.1	1.06	70.0	74.2	4,062	71.4	1.15	69.1	73.7	
2018	4,721	67.0	1.00	65.1	69.0	3,981	67.9	1.10	65.7	70.0	
2019	4,588	63.8	0.96	61.9	65.7	3,822	64.0	1.06	61.9	66.1	
2020	4,241	58.3	0.92	56.5	60.1	3,491	57.9	1.00	56.0	59.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lung and Bronchus										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	24,227	112.1	0.75	110.7	113.6	2,557	41.4	0.88	39.6	43.1
1986	606	128.9	5.52	118.3	140.1	20	39.5	10.15	22.2	63.5
1987	631	133.0	5.58	122.3	144.3	29	56.2	11.98	35.2	83.5
1988	601	123.5	5.30	113.3	134.2	28	45.9	9.96	28.5	68.9
1989	646	137.0	5.70	126.0	148.5	26	36.4	7.68	22.9	54.4
1990	638	130.8	5.45	120.3	141.8	36	50.3	9.67	33.2	72.4
1991	590	117.8	5.10	108.0	128.2	27	42.5	9.08	26.6	63.4
1992	661	131.0	5.35	120.7	141.8	27	31.5	6.57	20.0	46.9
1993	732	143.7	5.60	133.0	155.1	42	48.1	8.74	32.5	67.7
1994	728	142.4	5.57	131.7	153.7	41	47.1	8.14	32.5	65.4
1995	792	149.5	5.59	138.7	160.8	46	48.7	8.36	33.7	67.4
1996	772	146.1	5.52	135.5	157.3	56	60.0	9.17	43.4	80.1
1997	746	137.4	5.25	127.3	148.0	48	44.6	6.96	32.0	60.1
1998	752	138.4	5.30	128.2	149.2	76	63.6	8.02	48.9	81.1
1999	724	131.2	5.10	121.4	141.5	54	54.3	8.22	39.4	72.3
2000	715	124.6	4.87	115.3	134.5	49	38.9	6.17	27.8	52.6
2001	708	123.7	4.87	114.3	133.5	66	56.6	8.10	41.8	74.2
2002	702	118.8	4.70	109.8	128.3	64	48.1	6.65	35.9	62.6
2003	712	118.5	4.65	109.5	127.9	67	47.5	6.51	35.6	61.6
2004	740	124.1	4.80	114.9	133.9	68	43.9	5.96	33.0	56.9
2005	718	117.7	4.64	108.8	127.1	82	49.0	5.96	38.0	61.8
2006	727	117.0	4.57	108.2	126.2	81	51.8	6.39	40.1	65.6
2007	739	118.7	4.62	109.8	128.1	76	46.1	5.76	35.5	58.5
2008	699	107.7	4.29	99.4	116.4	71	35.6	4.83	26.8	46.1
2009	668	98.9	4.03	91.2	107.1	98	46.2	5.27	36.5	57.5
2010	686	100.7	4.06	92.9	108.9	100	45.8	5.05	36.4	56.6
2011	717	103.6	4.05	95.8	111.8	106	45.0	4.75	36.2	55.2
2012	707	100.6	3.98	93.0	108.7	112	43.5	4.50	35.1	53.1
2013	712	97.7	3.85	90.3	105.5	107	38.8	4.04	31.2	47.4
2014	702	94.5	3.75	87.3	102.1	108	36.3	3.71	29.3	44.2
2015	738	97.0	3.75	89.8	104.6	123	41.3	3.97	33.9	49.7
2016	673	86.7	3.50	80.0	93.8	116	33.2	3.21	27.2	40.1
2017	716	92.1	3.60	85.2	99.4	130	37.8	3.45	31.3	45.2
2018	618	76.2	3.19	70.0	82.7	109	28.9	2.86	23.6	35.1
2019	629	75.4	3.13	69.4	81.8	120	30.8	2.88	25.4	36.9
2020	582	67.2	2.89	61.7	73.1	148	37.7	3.17	31.8	44.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lung and Bronchus											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	135,281	53.7	0.15	53.4	54.0	114,665	53.9	0.16	53.6	54.2	
1986	2,169	35.9	0.79	34.4	37.5	1,890	35.6	0.84	34.0	37.3	
1987	2,430	40.4	0.84	38.8	42.1	2,114	40.0	0.89	38.3	41.8	
1988	2,464	40.3	0.83	38.7	42.0	2,080	38.9	0.87	37.2	40.6	
1989	2,542	41.2	0.83	39.6	42.9	2,205	40.9	0.89	39.2	42.7	
1990	2,708	43.8	0.85	42.1	45.5	2,344	43.4	0.91	41.6	45.2	
1991	2,721	43.1	0.84	41.5	44.8	2,363	42.8	0.90	41.1	44.6	
1992	2,965	46.8	0.87	45.1	48.5	2,579	46.9	0.94	45.0	48.7	
1993	3,172	49.4	0.89	47.7	51.2	2,705	48.6	0.95	46.7	50.5	
1994	3,472	53.3	0.91	51.5	55.1	2,981	52.6	0.98	50.7	54.6	
1995	3,516	53.9	0.92	52.1	55.7	3,026	53.6	0.99	51.7	55.5	
1996	3,589	54.7	0.92	53.0	56.6	3,042	53.8	0.99	51.9	55.8	
1997	3,574	53.9	0.91	52.2	55.7	3,077	53.9	0.98	52.0	55.9	
1998	3,690	55.2	0.91	53.5	57.1	3,167	55.2	0.99	53.3	57.2	
1999	3,786	56.3	0.92	54.5	58.2	3,231	56.1	1.00	54.1	58.1	
2000	3,739	55.3	0.91	53.5	57.1	3,239	56.1	1.00	54.2	58.1	
2001	3,841	56.3	0.91	54.6	58.2	3,312	57.1	1.00	55.2	59.1	
2002	4,065	59.2	0.93	57.4	61.1	3,438	59.0	1.02	57.0	61.0	
2003	4,100	59.3	0.93	57.5	61.2	3,498	59.9	1.02	57.9	61.9	
2004	4,068	58.4	0.92	56.6	60.3	3,459	58.9	1.01	56.9	60.9	
2005	4,180	59.5	0.93	57.7	61.4	3,559	60.3	1.02	58.3	62.3	
2006	4,338	61.2	0.94	59.4	63.1	3,656	61.4	1.03	59.4	63.5	
2007	4,402	61.2	0.93	59.4	63.1	3,733	62.0	1.03	60.0	64.1	
2008	4,519	61.9	0.93	60.1	63.8	3,839	63.1	1.03	61.1	65.1	
2009	4,635	63.0	0.94	61.2	64.9	3,919	64.0	1.04	61.9	66.0	
2010	4,486	60.0	0.91	58.2	61.8	3,776	60.8	1.01	58.8	62.8	
2011	4,447	58.2	0.89	56.5	60.0	3,759	59.5	0.99	57.6	61.5	
2012	4,534	58.6	0.88	56.9	60.4	3,760	59.0	0.98	57.0	60.9	
2013	4,334	54.7	0.84	53.1	56.4	3,600	55.1	0.94	53.3	57.0	
2014	4,745	59.0	0.87	57.3	60.7	3,997	60.7	0.98	58.8	62.7	
2015	4,703	57.5	0.85	55.8	59.2	3,903	58.4	0.95	56.5	60.3	
2016	4,732	57.0	0.84	55.4	58.7	3,924	58.1	0.95	56.2	59.9	
2017	4,701	55.4	0.82	53.8	57.1	3,944	57.2	0.93	55.3	59.0	
2018	4,867	56.4	0.82	54.8	58.0	4,035	57.5	0.92	55.7	59.3	
2019	4,749	54.0	0.80	52.4	55.6	3,916	54.9	0.89	53.1	56.6	
2020	4,298	48.0	0.74	46.6	49.5	3,595	49.7	0.84	48.1	51.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lung and Bronchus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	18,817	60.4	0.44	59.6	61.3	1,645	21.1	0.54	20.0	22.1
1986	271	40.2	2.48	35.5	45.3	6	9.4	4.26	3.0	21.0
1987	302	44.7	2.61	39.8	50.1	13	14.6	4.16	7.6	25.3
1988	371	53.5	2.81	48.1	59.3	11	14.8	4.70	7.1	26.7
1989	323	46.9	2.65	41.9	52.4	13	13.8	4.05	7.0	24.1
1990	353	50.2	2.71	45.1	55.8	10	13.8	4.74	6.1	25.7
1991	341	47.5	2.60	42.5	52.8	13	16.4	5.15	7.9	28.9
1992	364	50.4	2.67	45.3	55.9	19	20.5	5.21	11.6	32.9
1993	442	60.2	2.89	54.7	66.1	25	24.6	5.62	14.9	37.7
1994	462	62.0	2.91	56.4	68.0	27	23.8	4.99	15.0	35.3
1995	456	59.6	2.81	54.2	65.3	33	23.0	4.24	15.5	32.8
1996	513	66.4	2.95	60.7	72.4	31	24.4	4.78	16.0	35.4
1997	468	59.3	2.76	54.0	65.0	28	21.4	4.47	13.5	31.6
1998	490	61.1	2.78	55.8	66.8	28	20.9	4.16	13.6	30.5
1999	521	63.8	2.82	58.4	69.6	33	22.1	4.07	14.8	31.3
2000	460	55.6	2.61	50.6	60.9	38	24.0	4.09	16.7	33.2
2001	501	60.1	2.70	54.9	65.7	24	13.8	2.95	8.7	20.7
2002	572	67.4	2.84	61.9	73.1	50	28.2	4.21	20.5	37.5
2003	566	65.5	2.77	60.2	71.2	35	18.1	3.20	12.4	25.3
2004	568	64.3	2.72	59.1	69.9	38	20.9	3.52	14.6	28.8
2005	573	64.0	2.70	58.8	69.5	44	19.5	3.09	13.9	26.4
2006	629	69.2	2.78	63.8	74.8	50	20.9	3.10	15.3	27.8
2007	602	65.5	2.70	60.4	71.0	65	26.5	3.48	20.1	34.1
2008	611	64.7	2.65	59.6	70.1	64	25.5	3.35	19.4	32.9
2009	652	67.4	2.67	62.2	72.8	56	20.8	2.93	15.5	27.3
2010	631	64.6	2.61	59.6	69.9	69	23.8	3.00	18.3	30.4
2011	619	61.2	2.50	56.4	66.3	59	18.9	2.58	14.2	24.6
2012	695	67.7	2.61	62.7	73.0	71	21.4	2.65	16.6	27.3
2013	647	61.1	2.44	56.4	66.1	81	24.0	2.77	18.9	30.1
2014	666	60.9	2.40	56.3	65.8	76	21.5	2.55	16.8	27.0
2015	698	62.5	2.41	57.8	67.4	95	25.0	2.65	20.0	30.7
2016	733	65.4	2.46	60.6	70.4	72	18.0	2.17	14.0	22.8
2017	680	58.6	2.29	54.3	63.3	72	17.3	2.08	13.5	21.9
2018	731	63.1	2.37	58.6	68.0	95	21.4	2.24	17.2	26.3
2019	715	59.6	2.27	55.2	64.2	106	23.0	2.26	18.8	27.9
2020	591	47.7	1.99	43.8	51.7	95	19.4	2.02	15.7	23.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Bones and Joints											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,812	0.9	0.01	0.9	0.9	3,187	0.9	0.02	0.9	0.9	
1986	90	0.8	0.09	0.7	1.0	80	0.9	0.10	0.7	1.1	
1987	94	0.8	0.09	0.7	1.0	84	0.9	0.10	0.7	1.1	
1988	81	0.7	0.08	0.6	0.9	63	0.7	0.09	0.5	0.9	
1989	79	0.7	0.08	0.6	0.9	74	0.8	0.09	0.6	1.0	
1990	106	0.9	0.09	0.8	1.1	95	1.0	0.11	0.8	1.3	
1991	100	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1	
1992	82	0.7	0.08	0.6	0.9	73	0.7	0.09	0.6	0.9	
1993	84	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9	
1994	92	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	1.0	
1995	127	1.1	0.10	0.9	1.3	100	1.0	0.10	0.8	1.3	
1996	105	0.9	0.09	0.7	1.1	93	1.0	0.10	0.8	1.2	
1997	111	0.9	0.09	0.8	1.1	98	1.0	0.10	0.8	1.2	
1998	101	0.8	0.08	0.7	1.0	83	0.8	0.09	0.7	1.0	
1999	102	0.8	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1	
2000	120	1.0	0.09	0.8	1.2	104	1.0	0.10	0.9	1.3	
2001	107	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1	
2002	109	0.9	0.08	0.7	1.1	93	0.9	0.10	0.7	1.1	
2003	109	0.9	0.08	0.7	1.1	94	0.9	0.10	0.8	1.1	
2004	111	0.9	0.08	0.7	1.1	81	0.8	0.09	0.6	1.0	
2005	113	0.9	0.08	0.7	1.1	91	0.9	0.09	0.7	1.1	
2006	129	1.0	0.09	0.9	1.2	106	1.0	0.10	0.9	1.3	
2007	129	1.0	0.09	0.8	1.2	105	1.0	0.10	0.9	1.3	
2008	94	0.7	0.08	0.6	0.9	82	0.8	0.09	0.6	1.0	
2009	111	0.9	0.08	0.7	1.0	89	0.9	0.09	0.7	1.1	
2010	103	0.8	0.08	0.7	1.0	86	0.8	0.09	0.7	1.0	
2011	109	0.8	0.08	0.7	1.0	86	0.8	0.09	0.6	1.0	
2012	121	0.9	0.08	0.8	1.1	102	1.0	0.10	0.8	1.2	
2013	128	1.0	0.09	0.8	1.2	112	1.1	0.10	0.9	1.3	
2014	122	0.9	0.08	0.8	1.1	98	0.9	0.09	0.7	1.1	
2015	104	0.8	0.08	0.6	1.0	90	0.9	0.09	0.7	1.1	
2016	126	0.9	0.08	0.8	1.1	105	1.0	0.10	0.8	1.2	
2017	144	1.1	0.09	0.9	1.3	111	1.1	0.10	0.9	1.3	
2018	113	0.8	0.08	0.7	1.0	92	0.9	0.09	0.7	1.1	
2019	124	0.9	0.09	0.8	1.1	99	1.0	0.10	0.8	1.2	
2020	132	1.0	0.09	0.8	1.2	108	1.0	0.10	0.8	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Bones and Joints										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	455	0.7	0.03	0.7	0.8	127	0.7	0.06	0.6	0.8
1986	9	0.6	0.21	0.3	1.2	1	0.3	0.34	0.0	3.3
1987	8	0.4	0.15	0.2	0.9	0				
1988	16	1.0	0.29	0.6	1.8	2	0.8	0.58	0.1	3.7
1989	5	0.3	0.15	0.1	0.8	0				
1990	10	0.6	0.21	0.3	1.2	1	0.5	0.51	0.0	3.2
1991	13	0.7	0.20	0.4	1.2	1	0.3	0.27	0.0	2.4
1992	8	0.4	0.16	0.2	0.9	1	0.3	0.26	0.0	2.3
1993	10	0.6	0.20	0.3	1.1	1	0.2	0.19	0.0	2.0
1994	11	0.6	0.20	0.3	1.2	4	1.3	0.67	0.3	3.6
1995	19	1.1	0.26	0.6	1.7	6	1.6	0.69	0.5	3.9
1996	11	0.7	0.21	0.3	1.2	1	0.2	0.17	0.0	1.7
1997	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	2.0
1998	15	0.8	0.22	0.4	1.4	2	0.4	0.30	0.1	1.9
1999	11	0.7	0.22	0.3	1.2	2	0.4	0.27	0.0	1.8
2000	9	0.5	0.17	0.2	0.9	6	1.2	0.48	0.4	2.8
2001	13	0.8	0.24	0.4	1.4	2	0.5	0.34	0.1	1.8
2002	12	0.6	0.18	0.3	1.1	3	0.6	0.33	0.1	1.8
2003	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	1.6
2004	22	1.2	0.26	0.7	1.8	5	0.9	0.39	0.3	2.1
2005	11	0.6	0.18	0.3	1.0	6	1.0	0.43	0.4	2.4
2006	18	0.9	0.21	0.5	1.4	5	0.7	0.31	0.2	1.8
2007	16	0.8	0.21	0.5	1.4	7	1.2	0.49	0.4	2.6
2008	8	0.4	0.13	0.2	0.8	3	0.4	0.25	0.1	1.4
2009	18	1.0	0.24	0.6	1.6	2	0.5	0.35	0.1	1.6
2010	14	0.8	0.21	0.4	1.3	2	0.3	0.19	0.0	1.1
2011	17	0.8	0.20	0.5	1.3	6	1.1	0.46	0.4	2.4
2012	12	0.7	0.20	0.3	1.2	4	0.5	0.25	0.1	1.4
2013	13	0.7	0.18	0.3	1.1	3	0.4	0.21	0.1	1.1
2014	15	0.8	0.21	0.4	1.3	8	0.9	0.33	0.4	1.9
2015	9	0.4	0.14	0.2	0.8	5	0.8	0.36	0.2	1.8
2016	15	0.8	0.21	0.4	1.3	5	0.7	0.30	0.2	1.6
2017	19	1.1	0.24	0.6	1.6	9	1.1	0.39	0.5	2.2
2018	16	0.8	0.21	0.5	1.4	3	0.3	0.17	0.1	0.9
2019	14	0.7	0.18	0.4	1.2	9	1.1	0.36	0.5	2.0
2020	16	0.9	0.22	0.5	1.4	8	0.8	0.29	0.4	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Bones and Joints											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,113	1.0	0.02	1.0	1.1	1,765	1.0	0.03	1.0	1.1	
1986	57	1.2	0.17	0.9	1.6	49	1.2	0.18	0.9	1.6	
1987	54	1.0	0.14	0.7	1.3	47	1.0	0.15	0.7	1.4	
1988	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1	
1989	50	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4	
1990	57	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5	
1991	54	1.0	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4	
1992	41	0.8	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1	
1993	43	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2	
1994	44	0.8	0.12	0.6	1.1	36	0.8	0.13	0.6	1.1	
1995	68	1.2	0.15	0.9	1.5	51	1.1	0.16	0.8	1.5	
1996	61	1.1	0.15	0.8	1.4	53	1.2	0.16	0.9	1.5	
1997	64	1.2	0.15	0.9	1.5	57	1.2	0.17	0.9	1.6	
1998	48	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1	
1999	64	1.1	0.14	0.8	1.4	56	1.2	0.16	0.9	1.5	
2000	67	1.1	0.14	0.9	1.5	54	1.1	0.15	0.8	1.5	
2001	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1	
2002	55	0.9	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3	
2003	67	1.1	0.14	0.9	1.4	59	1.2	0.16	0.9	1.6	
2004	65	1.1	0.13	0.8	1.4	46	0.9	0.14	0.7	1.3	
2005	64	1.1	0.13	0.8	1.4	50	1.0	0.15	0.8	1.4	
2006	67	1.1	0.14	0.9	1.4	52	1.1	0.15	0.8	1.5	
2007	72	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6	
2008	44	0.7	0.11	0.5	1.0	39	0.8	0.13	0.6	1.1	
2009	60	1.0	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4	
2010	58	0.9	0.12	0.7	1.2	50	1.0	0.14	0.7	1.3	
2011	61	1.0	0.13	0.7	1.3	46	0.9	0.13	0.7	1.2	
2012	69	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5	
2013	76	1.2	0.14	1.0	1.5	66	1.3	0.17	1.0	1.7	
2014	75	1.1	0.13	0.9	1.4	59	1.1	0.14	0.8	1.4	
2015	58	0.9	0.12	0.7	1.2	51	1.0	0.14	0.7	1.3	
2016	64	1.0	0.12	0.7	1.2	51	0.9	0.14	0.7	1.3	
2017	74	1.2	0.14	0.9	1.5	56	1.1	0.15	0.8	1.5	
2018	61	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3	
2019	74	1.2	0.14	0.9	1.5	58	1.1	0.15	0.9	1.5	
2020	85	1.3	0.14	1.0	1.6	74	1.4	0.17	1.1	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Bones and Joints										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	247	0.9	0.06	0.8	1.0	76	0.8	0.10	0.6	1.1
1986	7	1.0	0.41	0.4	2.3	1	0.7	0.65	0.0	7.5
1987	5	0.5	0.25	0.2	1.5	0				
1988	8	0.9	0.34	0.4	2.0	1	0.6	0.56	0.0	6.6
1989	3	0.5	0.28	0.1	1.5	0				
1990	5	0.7	0.38	0.2	1.9	1	1.2	1.19	0.0	7.4
1991	7	0.9	0.38	0.4	2.1	0				
1992	5	0.5	0.25	0.2	1.4	1	0.5	0.50	0.0	5.2
1993	4	0.5	0.24	0.1	1.4	0				
1994	6	0.7	0.27	0.2	1.6	2	1.1	0.76	0.1	5.4
1995	13	1.7	0.49	0.8	3.0	3	1.4	0.81	0.3	5.5
1996	7	0.9	0.33	0.3	1.9	1	0.3	0.33	0.0	4.0
1997	6	0.8	0.36	0.3	1.9	1	0.5	0.45	0.0	4.0
1998	7	0.8	0.32	0.3	1.8	1	0.4	0.39	0.0	3.7
1999	7	1.1	0.44	0.4	2.3	1	0.5	0.46	0.0	3.7
2000	7	0.9	0.38	0.3	2.0	5	1.9	0.86	0.6	5.2
2001	4	0.8	0.44	0.2	2.0	1	0.6	0.62	0.0	3.7
2002	6	0.6	0.26	0.2	1.5	1	0.4	0.40	0.0	3.0
2003	6	0.9	0.37	0.3	2.0	2	0.9	0.63	0.1	3.6
2004	15	1.8	0.51	0.9	3.1	2	0.5	0.34	0.1	2.7
2005	5	0.6	0.29	0.2	1.5	4	1.4	0.70	0.4	4.0
2006	11	1.1	0.33	0.5	2.0	4	1.2	0.59	0.3	3.5
2007	8	0.9	0.33	0.4	1.9	3	1.0	0.58	0.2	3.3
2008	4	0.4	0.21	0.1	1.2	1	0.2	0.20	0.0	1.9
2009	6	0.7	0.29	0.3	1.6	1	0.7	0.74	0.0	3.3
2010	6	0.7	0.28	0.2	1.5	2	0.5	0.38	0.1	2.3
2011	13	1.4	0.41	0.7	2.5	2	0.5	0.37	0.1	2.2
2012	3	0.6	0.34	0.1	1.6	4	1.0	0.49	0.3	2.8
2013	8	0.8	0.30	0.3	1.7	2	0.5	0.32	0.1	1.9
2014	9	1.1	0.41	0.5	2.2	6	1.4	0.57	0.5	3.2
2015	3	0.3	0.17	0.1	0.9	4	1.2	0.66	0.3	3.2
2016	9	1.0	0.36	0.5	2.0	3	0.7	0.40	0.1	2.1
2017	10	1.2	0.39	0.6	2.2	3	1.0	0.59	0.2	2.8
2018	10	1.1	0.34	0.5	2.0	1	0.2	0.18	0.0	1.2
2019	7	0.7	0.29	0.3	1.6	8	2.0	0.73	0.9	4.0
2020	7	0.9	0.37	0.4	1.9	4	0.8	0.40	0.2	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Bones and Joints										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,699	0.8	0.02	0.7	0.8	1,422	0.8	0.02	0.8	0.8
1986	33	0.5	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	37	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.5	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.8
1990	49	0.8	0.12	0.6	1.1	44	0.9	0.14	0.7	1.3
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	41	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1993	41	0.7	0.10	0.5	0.9	34	0.7	0.12	0.5	0.9
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	59	1.0	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	47	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
1998	53	0.8	0.12	0.6	1.1	43	0.9	0.13	0.6	1.2
1999	38	0.6	0.09	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	53	0.8	0.11	0.6	1.1	50	1.0	0.14	0.7	1.3
2001	59	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2002	54	0.8	0.11	0.6	1.1	45	0.9	0.13	0.6	1.2
2003	42	0.6	0.10	0.5	0.9	35	0.7	0.11	0.5	0.9
2004	46	0.7	0.10	0.5	0.9	35	0.6	0.11	0.4	0.9
2005	49	0.7	0.11	0.5	1.0	41	0.8	0.12	0.6	1.1
2006	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2007	57	0.9	0.11	0.7	1.1	44	0.8	0.13	0.6	1.1
2008	50	0.8	0.11	0.6	1.0	43	0.8	0.13	0.6	1.1
2009	51	0.8	0.11	0.6	1.0	36	0.7	0.12	0.5	1.0
2010	45	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
2011	48	0.7	0.10	0.5	1.0	40	0.8	0.12	0.5	1.0
2012	52	0.8	0.11	0.6	1.0	41	0.8	0.12	0.5	1.0
2013	52	0.8	0.11	0.6	1.0	46	0.9	0.13	0.6	1.1
2014	47	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0
2015	46	0.7	0.10	0.5	0.9	39	0.8	0.12	0.5	1.0
2016	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2017	70	1.0	0.12	0.8	1.3	55	1.0	0.14	0.7	1.3
2018	52	0.7	0.11	0.6	1.0	43	0.8	0.12	0.5	1.0
2019	50	0.7	0.11	0.5	1.0	41	0.8	0.13	0.6	1.1
2020	47	0.7	0.11	0.5	1.0	34	0.7	0.12	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Bones and Joints										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	208	0.6	0.04	0.5	0.7	51	0.5	0.08	0.4	0.7
1986	2	0.3	0.18	0.0	1.0	0				
1987	3	0.3	0.19	0.1	1.0	0				
1988	8	1.0	0.40	0.4	2.1	1	1.0	1.02	0.0	6.2
1989	2	0.2	0.15	0.0	0.8	0				
1990	5	0.5	0.25	0.2	1.3	0				
1991	6	0.5	0.22	0.2	1.3	1	0.6	0.55	0.0	4.5
1992	3	0.3	0.19	0.1	1.0	0				
1993	6	0.6	0.27	0.2	1.4	1	0.4	0.35	0.0	3.6
1994	5	0.6	0.27	0.2	1.4	2	1.4	1.00	0.2	5.2
1995	6	0.6	0.26	0.2	1.4	3	1.7	1.02	0.3	5.4
1996	4	0.5	0.25	0.1	1.2	0				
1997	5	0.5	0.23	0.2	1.2	1	0.4	0.44	0.0	3.0
1998	8	0.8	0.31	0.4	1.7	1	0.4	0.41	0.0	2.9
1999	4	0.4	0.21	0.1	1.1	1	0.3	0.31	0.0	2.5
2000	2	0.2	0.13	0.0	0.7	1	0.4	0.41	0.0	2.6
2001	9	1.0	0.32	0.4	1.8	1	0.4	0.39	0.0	2.5
2002	6	0.6	0.24	0.2	1.3	2	0.7	0.52	0.1	2.9
2003	5	0.5	0.22	0.2	1.2	0				
2004	7	0.7	0.27	0.3	1.5	3	1.2	0.69	0.2	3.5
2005	6	0.6	0.23	0.2	1.3	2	0.7	0.50	0.1	2.7
2006	7	0.7	0.27	0.3	1.5	1	0.2	0.20	0.0	1.7
2007	8	0.7	0.26	0.3	1.5	4	1.3	0.71	0.3	3.6
2008	4	0.3	0.17	0.1	0.9	2	0.7	0.46	0.1	2.4
2009	12	1.2	0.35	0.6	2.1	1	0.3	0.32	0.0	1.8
2010	8	0.8	0.29	0.3	1.6	0				
2011	4	0.4	0.18	0.1	0.9	4	1.5	0.78	0.4	3.8
2012	9	0.9	0.29	0.4	1.6	0				
2013	5	0.5	0.21	0.2	1.1	1	0.3	0.27	0.0	1.5
2014	6	0.6	0.24	0.2	1.3	2	0.4	0.31	0.1	1.7
2015	6	0.5	0.22	0.2	1.2	1	0.3	0.32	0.0	1.6
2016	6	0.6	0.24	0.2	1.3	2	0.6	0.39	0.1	1.9
2017	9	0.9	0.31	0.4	1.7	6	1.3	0.52	0.5	2.8
2018	6	0.6	0.26	0.2	1.4	2	0.4	0.30	0.1	1.6
2019	7	0.6	0.25	0.3	1.3	1	0.2	0.17	0.0	1.1
2020	9	0.9	0.32	0.4	1.8	4	0.9	0.44	0.2	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Soft Tissue including Heart										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	13,186	3.0	0.03	3.0	3.1	10,802	3.0	0.03	2.9	3.0
1986	247	2.3	0.15	2.0	2.6	206	2.2	0.16	1.9	2.5
1987	273	2.5	0.15	2.2	2.8	229	2.5	0.17	2.2	2.8
1988	264	2.4	0.15	2.1	2.7	227	2.4	0.16	2.1	2.8
1989	251	2.3	0.15	2.0	2.6	209	2.2	0.15	1.9	2.5
1990	254	2.3	0.14	2.0	2.6	209	2.2	0.16	1.9	2.5
1991	224	2.0	0.14	1.8	2.3	191	2.0	0.15	1.7	2.3
1992	261	2.3	0.14	2.0	2.6	213	2.2	0.15	1.9	2.5
1993	255	2.2	0.14	1.9	2.5	217	2.2	0.15	1.9	2.5
1994	292	2.5	0.15	2.2	2.8	249	2.5	0.16	2.2	2.9
1995	295	2.5	0.15	2.2	2.8	250	2.5	0.16	2.2	2.9
1996	385	3.3	0.17	3.0	3.6	319	3.2	0.18	2.9	3.6
1997	362	3.1	0.16	2.8	3.4	296	3.0	0.17	2.6	3.3
1998	347	2.9	0.16	2.6	3.2	282	2.8	0.17	2.5	3.2
1999	335	2.8	0.15	2.5	3.1	267	2.6	0.16	2.3	3.0
2000	301	2.5	0.14	2.2	2.8	250	2.5	0.16	2.2	2.8
2001	373	3.0	0.16	2.7	3.4	311	3.1	0.17	2.7	3.4
2002	344	2.8	0.15	2.5	3.1	291	2.8	0.17	2.5	3.2
2003	407	3.3	0.16	3.0	3.6	344	3.3	0.18	3.0	3.7
2004	391	3.1	0.16	2.8	3.5	316	3.0	0.17	2.7	3.4
2005	391	3.1	0.16	2.8	3.4	309	3.0	0.17	2.6	3.3
2006	433	3.4	0.16	3.1	3.8	351	3.3	0.18	3.0	3.7
2007	422	3.3	0.16	3.0	3.6	349	3.3	0.18	3.0	3.7
2008	436	3.4	0.16	3.1	3.7	358	3.4	0.18	3.0	3.8
2009	427	3.3	0.16	3.0	3.6	347	3.2	0.18	2.9	3.6
2010	452	3.4	0.16	3.1	3.7	370	3.4	0.18	3.0	3.7
2011	431	3.2	0.16	2.9	3.5	355	3.3	0.18	2.9	3.6
2012	462	3.4	0.16	3.1	3.7	378	3.4	0.18	3.1	3.8
2013	483	3.5	0.16	3.2	3.9	387	3.5	0.18	3.1	3.8
2014	496	3.6	0.16	3.3	3.9	390	3.5	0.18	3.1	3.8
2015	451	3.2	0.16	2.9	3.5	357	3.1	0.17	2.8	3.5
2016	502	3.6	0.17	3.3	4.0	408	3.6	0.18	3.3	4.0
2017	508	3.6	0.16	3.3	4.0	393	3.4	0.18	3.1	3.8
2018	496	3.5	0.16	3.2	3.8	403	3.5	0.18	3.1	3.9
2019	468	3.3	0.16	3.0	3.6	387	3.4	0.18	3.1	3.8
2020	467	3.2	0.15	2.9	3.6	384	3.3	0.18	3.0	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Soft Tissue including Heart										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,922	3.3	0.08	3.2	3.5	327	1.9	0.11	1.7	2.1
1986	33	2.5	0.46	1.7	3.5	5	3.6	1.71	1.1	8.6
1987	42	2.9	0.47	2.0	4.0	1	0.4	0.44	0.0	3.3
1988	33	2.3	0.43	1.6	3.3	3	0.8	0.49	0.2	3.5
1989	40	2.7	0.46	1.9	3.8	1	0.5	0.50	0.0	3.2
1990	42	2.9	0.48	2.1	4.0	1	1.2	1.22	0.0	5.3
1991	30	2.3	0.45	1.5	3.4	1	0.5	0.48	0.0	2.9
1992	41	2.9	0.47	2.1	4.0	6	4.0	1.97	1.1	9.3
1993	35	2.4	0.43	1.7	3.4	3	0.8	0.46	0.2	2.9
1994	41	2.8	0.45	2.0	3.8	2	0.7	0.53	0.1	2.8
1995	40	2.4	0.40	1.7	3.4	3	0.7	0.39	0.1	2.5
1996	52	3.6	0.51	2.6	4.7	9	2.5	0.97	0.9	5.2
1997	57	3.8	0.52	2.8	5.0	6	1.4	0.56	0.5	3.3
1998	57	3.6	0.50	2.7	4.8	4	1.2	0.67	0.3	3.3
1999	56	3.6	0.49	2.7	4.7	9	1.9	0.66	0.8	3.9
2000	44	2.7	0.42	1.9	3.6	3	0.6	0.36	0.1	2.0
2001	50	3.2	0.46	2.3	4.2	9	1.8	0.62	0.8	3.6
2002	45	2.8	0.42	2.0	3.7	4	0.9	0.45	0.2	2.4
2003	50	3.1	0.44	2.3	4.1	10	1.9	0.62	0.8	3.6
2004	61	3.6	0.47	2.7	4.6	7	1.3	0.52	0.5	2.8
2005	61	3.7	0.48	2.8	4.7	13	2.9	0.87	1.4	5.1
2006	73	4.2	0.50	3.2	5.2	6	1.3	0.60	0.4	3.0
2007	57	3.3	0.45	2.5	4.3	14	3.0	0.88	1.5	5.2
2008	65	3.7	0.47	2.9	4.8	9	1.7	0.62	0.7	3.4
2009	55	3.1	0.42	2.3	4.0	16	2.4	0.66	1.3	4.1
2010	61	3.4	0.45	2.6	4.4	15	2.5	0.70	1.3	4.2
2011	62	3.3	0.43	2.5	4.3	11	1.8	0.57	0.8	3.3
2012	67	3.6	0.44	2.7	4.5	13	1.9	0.56	1.0	3.3
2013	65	3.5	0.45	2.7	4.5	21	3.3	0.75	2.0	5.1
2014	80	4.2	0.48	3.3	5.3	22	2.9	0.66	1.8	4.5
2015	76	4.1	0.48	3.2	5.1	15	1.9	0.50	1.1	3.2
2016	75	3.9	0.46	3.1	5.0	16	2.1	0.53	1.2	3.4
2017	80	4.2	0.48	3.3	5.3	29	3.4	0.64	2.2	4.9
2018	67	3.3	0.41	2.5	4.2	18	2.0	0.48	1.2	3.2
2019	61	3.2	0.41	2.4	4.1	15	1.8	0.46	1.0	2.9
2020	68	3.5	0.43	2.7	4.4	7	0.8	0.29	0.3	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Soft Tissue including Heart										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,062	3.6	0.04	3.5	3.7	5,897	3.6	0.05	3.5	3.7
1986	125	2.6	0.25	2.2	3.2	106	2.6	0.26	2.1	3.1
1987	142	2.9	0.26	2.4	3.5	118	2.9	0.27	2.3	3.5
1988	145	3.0	0.26	2.5	3.6	125	3.0	0.28	2.5	3.6
1989	121	2.4	0.23	2.0	2.9	98	2.3	0.24	1.9	2.8
1990	138	2.8	0.24	2.3	3.3	114	2.7	0.25	2.2	3.2
1991	107	2.1	0.21	1.7	2.6	89	2.1	0.22	1.7	2.6
1992	120	2.4	0.23	2.0	2.9	100	2.3	0.24	1.9	2.9
1993	129	2.5	0.22	2.0	2.9	111	2.5	0.24	2.0	3.0
1994	160	3.2	0.26	2.7	3.7	140	3.2	0.28	2.7	3.8
1995	154	2.9	0.24	2.5	3.4	137	3.1	0.27	2.6	3.7
1996	204	3.9	0.28	3.4	4.5	171	3.8	0.30	3.3	4.5
1997	197	3.8	0.27	3.3	4.4	165	3.7	0.29	3.2	4.4
1998	188	3.6	0.27	3.1	4.1	158	3.6	0.29	3.0	4.2
1999	188	3.5	0.26	3.0	4.0	147	3.2	0.27	2.7	3.8
2000	152	2.8	0.23	2.4	3.3	127	2.8	0.25	2.3	3.3
2001	202	3.6	0.26	3.1	4.1	170	3.6	0.28	3.1	4.2
2002	177	3.3	0.25	2.8	3.9	154	3.4	0.28	2.9	4.0
2003	206	3.7	0.26	3.2	4.2	174	3.7	0.28	3.2	4.3
2004	212	3.8	0.26	3.3	4.3	179	3.8	0.29	3.3	4.4
2005	209	3.7	0.26	3.2	4.2	172	3.6	0.28	3.1	4.2
2006	213	3.8	0.26	3.3	4.3	183	3.9	0.29	3.3	4.5
2007	233	4.0	0.27	3.5	4.6	199	4.1	0.30	3.6	4.7
2008	229	3.9	0.26	3.4	4.5	193	4.0	0.29	3.5	4.6
2009	218	3.7	0.26	3.2	4.2	184	3.8	0.28	3.2	4.4
2010	247	4.1	0.27	3.6	4.7	201	4.0	0.29	3.4	4.6
2011	251	4.0	0.26	3.5	4.6	213	4.1	0.29	3.6	4.7
2012	240	3.8	0.25	3.3	4.3	198	3.8	0.28	3.3	4.4
2013	269	4.3	0.27	3.8	4.9	219	4.2	0.29	3.7	4.9
2014	282	4.5	0.27	3.9	5.0	232	4.5	0.30	3.9	5.1
2015	274	4.3	0.26	3.8	4.8	223	4.2	0.29	3.7	4.8
2016	267	4.2	0.26	3.7	4.7	220	4.2	0.29	3.6	4.8
2017	277	4.3	0.26	3.8	4.8	214	4.1	0.28	3.5	4.7
2018	267	4.0	0.25	3.5	4.5	221	4.1	0.28	3.5	4.7
2019	264	4.1	0.26	3.6	4.6	225	4.2	0.29	3.7	4.9
2020	255	3.8	0.24	3.3	4.3	217	4.0	0.28	3.4	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Soft Tissue including Heart										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	897	3.6	0.13	3.3	3.8	188	2.3	0.19	2.0	2.7
1986	15	2.5	0.69	1.3	4.2	2	4.2	3.18	0.4	14.9
1987	23	3.2	0.72	2.0	5.0	0				
1988	17	3.1	0.83	1.7	5.1	2	1.2	0.88	0.1	7.3
1989	21	3.0	0.70	1.8	4.8	1	1.1	1.13	0.0	7.4
1990	22	3.4	0.85	2.0	5.5	1	2.9	2.89	0.1	12.5
1991	15	2.8	0.78	1.5	4.7	1	1.1	1.11	0.0	6.9
1992	18	3.1	0.76	1.8	4.9	1	3.7	3.72	0.1	15.0
1993	18	2.9	0.70	1.7	4.6	0				
1994	19	3.0	0.72	1.7	4.8	1	0.4	0.38	0.0	4.5
1995	14	1.8	0.48	0.9	3.0	1	0.4	0.39	0.0	4.3
1996	26	4.3	0.91	2.7	6.4	5	2.3	1.04	0.7	6.5
1997	28	4.3	0.87	2.7	6.3	2	1.0	0.70	0.1	4.7
1998	27	3.6	0.77	2.3	5.4	2	1.7	1.38	0.1	6.6
1999	31	4.9	0.96	3.2	7.2	7	3.2	1.27	1.2	7.4
2000	20	2.9	0.69	1.7	4.6	2	0.9	0.62	0.1	4.0
2001	28	4.0	0.80	2.6	5.9	2	1.0	0.75	0.1	4.2
2002	19	2.6	0.64	1.5	4.2	2	0.9	0.66	0.1	3.8
2003	23	3.2	0.73	2.0	5.0	7	2.8	1.17	1.0	6.4
2004	23	3.4	0.75	2.0	5.1	6	2.6	1.10	0.9	6.0
2005	28	4.2	0.89	2.7	6.3	4	1.9	1.04	0.4	5.1
2006	27	3.5	0.70	2.2	5.1	3	1.3	0.77	0.2	4.0
2007	28	3.8	0.76	2.4	5.6	5	2.0	1.02	0.5	5.1
2008	27	3.5	0.70	2.3	5.2	7	3.1	1.29	1.1	6.6
2009	20	2.5	0.60	1.5	4.0	9	2.2	0.75	1.0	4.6
2010	31	4.4	0.85	2.9	6.4	11	3.8	1.34	1.7	7.3
2011	27	3.3	0.67	2.2	4.9	8	3.1	1.24	1.1	6.4
2012	29	3.5	0.66	2.3	5.0	10	3.1	1.11	1.3	6.1
2013	30	3.6	0.68	2.4	5.2	15	4.7	1.27	2.6	7.9
2014	34	3.9	0.68	2.7	5.5	13	3.5	1.03	1.8	6.2
2015	39	5.2	0.87	3.6	7.2	10	2.8	0.89	1.3	5.2
2016	35	4.4	0.76	3.0	6.1	10	2.7	0.88	1.3	5.1
2017	39	4.7	0.78	3.3	6.5	21	5.2	1.17	3.1	8.0
2018	32	3.5	0.63	2.3	4.9	9	2.2	0.78	1.0	4.3
2019	32	4.0	0.72	2.7	5.7	4	0.9	0.46	0.3	2.4
2020	32	3.7	0.68	2.5	5.3	4	0.9	0.44	0.2	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Soft Tissue including Heart										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	6,124	2.6	0.03	2.5	2.7	4,905	2.5	0.04	2.5	2.6
1986	122	2.1	0.19	1.7	2.5	100	2.0	0.20	1.6	2.4
1987	131	2.2	0.20	1.9	2.6	111	2.2	0.21	1.8	2.7
1988	119	1.9	0.18	1.6	2.3	102	1.9	0.20	1.6	2.4
1989	130	2.2	0.19	1.8	2.6	111	2.2	0.21	1.8	2.6
1990	116	1.9	0.18	1.6	2.3	95	1.9	0.20	1.5	2.3
1991	117	2.0	0.18	1.6	2.4	102	2.0	0.21	1.6	2.5
1992	141	2.3	0.20	1.9	2.7	113	2.2	0.21	1.8	2.6
1993	126	2.0	0.18	1.7	2.4	106	2.0	0.20	1.6	2.4
1994	132	2.1	0.18	1.7	2.5	109	2.0	0.20	1.7	2.5
1995	141	2.2	0.19	1.9	2.6	113	2.1	0.20	1.8	2.6
1996	181	2.8	0.21	2.4	3.3	148	2.7	0.23	2.3	3.2
1997	165	2.5	0.20	2.2	3.0	131	2.4	0.21	2.0	2.8
1998	159	2.5	0.20	2.1	2.9	124	2.3	0.21	1.9	2.8
1999	147	2.2	0.18	1.9	2.6	120	2.2	0.20	1.8	2.6
2000	149	2.2	0.18	1.9	2.6	123	2.2	0.20	1.8	2.7
2001	171	2.6	0.20	2.2	3.0	141	2.6	0.22	2.2	3.1
2002	167	2.5	0.19	2.1	2.9	137	2.5	0.22	2.1	3.0
2003	201	3.0	0.21	2.6	3.4	170	3.1	0.24	2.6	3.6
2004	179	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2005	182	2.7	0.20	2.3	3.1	137	2.4	0.21	2.0	2.9
2006	220	3.2	0.22	2.8	3.7	168	3.0	0.23	2.5	3.5
2007	189	2.8	0.20	2.4	3.2	150	2.7	0.23	2.3	3.2
2008	207	3.0	0.21	2.6	3.4	165	2.9	0.23	2.5	3.4
2009	209	3.0	0.21	2.6	3.5	163	2.9	0.23	2.5	3.4
2010	205	2.9	0.20	2.5	3.3	169	2.9	0.23	2.5	3.4
2011	180	2.5	0.19	2.2	2.9	142	2.5	0.22	2.1	3.0
2012	222	3.0	0.21	2.6	3.4	180	3.0	0.23	2.6	3.5
2013	214	3.0	0.21	2.6	3.4	168	2.9	0.23	2.5	3.4
2014	214	2.9	0.20	2.5	3.3	158	2.6	0.22	2.2	3.1
2015	177	2.4	0.18	2.0	2.8	134	2.2	0.20	1.8	2.6
2016	235	3.2	0.21	2.8	3.6	188	3.2	0.24	2.7	3.7
2017	231	3.0	0.21	2.7	3.5	179	2.9	0.23	2.5	3.4
2018	229	3.1	0.21	2.7	3.5	182	3.1	0.24	2.6	3.6
2019	204	2.7	0.20	2.3	3.1	162	2.8	0.23	2.3	3.3
2020	212	2.8	0.20	2.4	3.3	167	2.8	0.23	2.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Soft Tissue including Heart										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,025	3.1	0.10	2.9	3.3	139	1.6	0.14	1.3	1.8
1986	18	2.4	0.60	1.4	3.9	3	3.5	2.00	0.7	10.5
1987	19	2.5	0.60	1.5	4.0	1	0.9	0.90	0.0	6.1
1988	16	1.9	0.49	1.0	3.1	1	0.5	0.48	0.0	5.0
1989	19	2.5	0.59	1.5	3.9	0				
1990	20	2.6	0.60	1.6	4.1	0				
1991	15	2.0	0.54	1.1	3.4	0				
1992	23	2.9	0.61	1.8	4.3	5	4.6	2.29	1.3	11.3
1993	17	2.1	0.51	1.2	3.3	3	1.6	0.89	0.3	5.3
1994	22	2.6	0.57	1.6	4.0	1	0.9	0.86	0.0	4.6
1995	26	2.9	0.59	1.9	4.3	2	1.0	0.69	0.1	4.1
1996	26	3.1	0.63	2.0	4.6	4	2.4	1.41	0.5	6.8
1997	29	3.4	0.65	2.3	4.9	4	1.7	0.85	0.4	4.8
1998	30	3.5	0.66	2.4	5.1	2	0.9	0.67	0.1	3.7
1999	25	2.7	0.55	1.8	4.0	2	0.8	0.55	0.1	3.3
2000	24	2.6	0.54	1.7	3.9	1	0.4	0.38	0.0	2.6
2001	22	2.5	0.54	1.6	3.8	7	2.7	1.02	1.1	5.7
2002	26	2.8	0.56	1.8	4.2	2	0.9	0.61	0.1	3.2
2003	27	2.9	0.56	1.9	4.2	3	1.0	0.59	0.2	3.2
2004	38	3.9	0.64	2.7	5.4	1	0.2	0.22	0.0	1.8
2005	33	3.5	0.61	2.4	4.9	9	3.7	1.30	1.6	7.2
2006	46	4.7	0.69	3.4	6.2	3	1.2	0.78	0.2	3.7
2007	29	2.9	0.55	2.0	4.2	9	3.7	1.30	1.6	7.1
2008	38	3.9	0.63	2.7	5.3	2	0.7	0.50	0.1	2.5
2009	35	3.6	0.61	2.5	5.0	7	2.5	0.98	0.9	5.1
2010	30	2.9	0.54	2.0	4.2	4	1.3	0.71	0.3	3.5
2011	35	3.3	0.56	2.3	4.6	3	0.9	0.50	0.2	2.6
2012	38	3.6	0.59	2.5	4.9	3	0.9	0.54	0.2	2.6
2013	35	3.4	0.58	2.4	4.7	6	1.9	0.81	0.7	4.2
2014	46	4.4	0.66	3.2	5.9	9	2.4	0.83	1.1	4.6
2015	37	3.4	0.57	2.4	4.7	5	1.2	0.53	0.4	2.8
2016	40	3.6	0.58	2.6	5.0	6	1.5	0.60	0.5	3.2
2017	41	3.9	0.62	2.8	5.3	8	1.8	0.65	0.8	3.6
2018	35	3.1	0.54	2.2	4.4	9	1.9	0.64	0.9	3.7
2019	29	2.4	0.46	1.6	3.6	11	2.5	0.77	1.2	4.5
2020	36	3.3	0.56	2.3	4.6	3	0.6	0.35	0.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Skin excluding Basal and Squamous										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	71,527	16.2	0.06	16.1	16.4	67,706	18.4	0.07	18.3	18.5
1986	891	8.5	0.29	8.0	9.1	858	9.5	0.33	8.9	10.2
1987	888	8.3	0.29	7.8	8.9	863	9.4	0.33	8.8	10.1
1988	855	8.0	0.28	7.5	8.6	821	8.9	0.32	8.3	9.6
1989	969	9.0	0.29	8.4	9.5	936	10.1	0.33	9.4	10.8
1990	913	8.4	0.28	7.9	9.0	881	9.4	0.32	8.8	10.1
1991	975	9.0	0.29	8.4	9.6	949	10.2	0.33	9.5	10.9
1992	1,039	9.3	0.29	8.8	9.9	998	10.5	0.33	9.8	11.1
1993	984	8.7	0.28	8.1	9.2	956	9.8	0.32	9.2	10.5
1994	1,191	10.4	0.30	9.8	11.0	1,152	11.8	0.35	11.1	12.5
1995	1,242	10.8	0.31	10.2	11.4	1,189	12.2	0.35	11.5	12.9
1996	1,343	11.5	0.31	10.9	12.1	1,288	13.0	0.36	12.3	13.8
1997	1,465	12.4	0.33	11.8	13.1	1,391	13.9	0.37	13.2	14.7
1998	1,500	12.6	0.33	12.0	13.3	1,418	14.1	0.37	13.4	14.8
1999	1,561	13.0	0.33	12.4	13.7	1,498	14.8	0.38	14.1	15.6
2000	1,691	14.0	0.34	13.3	14.7	1,602	15.8	0.39	15.0	16.5
2001	1,801	14.8	0.35	14.1	15.5	1,696	16.6	0.40	15.8	17.4
2002	1,831	14.8	0.35	14.2	15.5	1,716	16.6	0.40	15.9	17.4
2003	1,876	15.1	0.35	14.4	15.8	1,738	16.7	0.40	15.9	17.5
2004	2,013	16.1	0.36	15.4	16.8	1,880	18.0	0.42	17.2	18.9
2005	2,238	17.7	0.38	17.0	18.5	2,049	19.5	0.43	18.6	20.3
2006	2,283	18.0	0.38	17.2	18.7	2,139	20.3	0.44	19.4	21.2
2007	2,375	18.4	0.38	17.7	19.2	2,254	21.1	0.45	20.3	22.0
2008	2,552	19.6	0.39	18.8	20.3	2,404	22.2	0.46	21.4	23.2
2009	2,578	19.6	0.39	18.8	20.3	2,422	22.3	0.46	21.4	23.2
2010	2,517	18.8	0.38	18.0	19.5	2,363	21.4	0.45	20.5	22.3
2011	2,689	19.8	0.39	19.1	20.6	2,524	22.6	0.46	21.7	23.5
2012	2,777	20.2	0.39	19.5	21.0	2,623	23.2	0.46	22.3	24.2
2013	2,712	19.4	0.38	18.6	20.1	2,602	22.7	0.45	21.8	23.6
2014	2,902	20.3	0.38	19.6	21.1	2,755	23.5	0.46	22.6	24.5
2015	3,157	22.2	0.40	21.4	23.0	2,999	25.9	0.48	24.9	26.8
2016	3,470	23.9	0.42	23.1	24.8	3,321	28.2	0.50	27.2	29.2
2017	3,555	24.5	0.42	23.7	25.4	3,431	29.2	0.51	28.2	30.3
2018	3,540	23.9	0.41	23.1	24.8	3,311	27.6	0.49	26.7	28.6
2019	3,893	26.0	0.43	25.2	26.9	3,645	30.2	0.52	29.2	31.3
2020	3,261	21.8	0.39	21.0	22.6	3,034	25.2	0.47	24.3	26.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Skin excluding Basal and Squamous										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	967	1.7	0.06	1.6	1.9	297	1.8	0.11	1.6	2.0
1986	17	1.4	0.36	0.8	2.3	6	2.6	1.08	0.9	6.3
1987	12	0.9	0.27	0.4	1.6	2	0.6	0.44	0.1	3.4
1988	16	1.4	0.35	0.8	2.2	0				
1989	23	1.8	0.39	1.1	2.7	1	0.5	0.51	0.0	3.2
1990	23	1.9	0.40	1.2	2.9	2	0.7	0.55	0.1	3.4
1991	18	1.4	0.35	0.8	2.3	2	0.6	0.44	0.1	2.9
1992	22	1.5	0.33	0.9	2.3	6	3.5	1.74	0.9	8.2
1993	24	1.7	0.35	1.0	2.5	1	0.3	0.25	0.0	2.1
1994	20	1.3	0.31	0.8	2.1	3	1.1	0.67	0.2	3.5
1995	23	1.5	0.33	1.0	2.3	4	1.1	0.58	0.3	3.2
1996	24	1.7	0.37	1.1	2.6	7	2.8	1.26	0.9	6.2
1997	31	2.0	0.37	1.3	2.9	5	1.5	0.68	0.5	3.6
1998	31	2.2	0.40	1.5	3.1	5	2.1	1.12	0.5	5.2
1999	31	2.1	0.38	1.4	2.9	5	1.7	0.94	0.4	4.4
2000	26	1.6	0.31	1.0	2.3	8	1.8	0.72	0.7	3.9
2001	31	2.1	0.39	1.4	3.0	5	1.2	0.59	0.4	3.0
2002	26	1.5	0.30	1.0	2.3	9	1.9	0.69	0.8	3.8
2003	37	2.3	0.38	1.6	3.1	5	1.0	0.43	0.3	2.4
2004	25	1.5	0.31	1.0	2.3	7	1.5	0.62	0.6	3.3
2005	33	2.1	0.38	1.4	3.0	17	3.9	1.04	2.1	6.4
2006	41	2.4	0.38	1.7	3.3	7	1.1	0.41	0.4	2.3
2007	37	2.2	0.37	1.6	3.1	7	1.0	0.39	0.4	2.2
2008	34	2.0	0.36	1.4	2.9	11	1.7	0.55	0.8	3.2
2009	43	2.5	0.39	1.8	3.4	13	2.0	0.60	1.0	3.6
2010	34	2.0	0.35	1.4	2.8	12	1.9	0.61	0.9	3.5
2011	30	1.6	0.29	1.0	2.2	12	2.1	0.68	1.0	3.8
2012	29	1.6	0.31	1.1	2.3	16	2.3	0.60	1.3	3.8
2013	31	1.7	0.31	1.1	2.4	6	0.7	0.30	0.3	1.6
2014	25	1.4	0.27	0.9	2.0	15	2.2	0.59	1.2	3.6
2015	33	1.9	0.33	1.3	2.6	17	2.4	0.61	1.4	3.9
2016	29	1.6	0.31	1.1	2.4	14	1.7	0.47	0.9	2.9
2017	26	1.4	0.27	0.9	2.0	18	2.2	0.52	1.3	3.4
2018	35	1.7	0.30	1.2	2.4	21	2.2	0.48	1.3	3.3
2019	26	1.3	0.26	0.9	2.0	15	1.7	0.45	0.9	2.8
2020	21	1.1	0.25	0.7	1.7	13	1.4	0.38	0.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Skin excluding Basal and Squamous											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	39,980	20.6	0.10	20.4	20.8	38,143	23.1	0.12	22.9	23.3	
1986	483	10.4	0.49	9.4	11.4	470	11.6	0.55	10.5	12.7	
1987	463	9.6	0.46	8.7	10.5	454	10.8	0.52	9.8	11.9	
1988	411	8.6	0.44	7.7	9.4	396	9.5	0.49	8.5	10.5	
1989	534	11.1	0.50	10.2	12.1	515	12.3	0.56	11.3	13.5	
1990	481	10.3	0.48	9.3	11.3	459	11.2	0.54	10.2	12.3	
1991	513	10.6	0.48	9.7	11.6	503	12.0	0.55	11.0	13.1	
1992	573	11.7	0.50	10.7	12.7	555	13.1	0.57	12.0	14.2	
1993	534	10.8	0.48	9.9	11.8	522	12.2	0.55	11.2	13.3	
1994	639	12.8	0.52	11.8	13.9	615	14.3	0.59	13.2	15.5	
1995	704	14.0	0.54	12.9	15.1	684	15.7	0.61	14.6	17.0	
1996	718	13.9	0.53	12.9	15.0	696	15.7	0.60	14.5	16.9	
1997	830	16.0	0.56	14.9	17.2	795	17.9	0.64	16.6	19.2	
1998	838	16.3	0.57	15.2	17.5	802	18.2	0.65	16.9	19.5	
1999	912	17.3	0.58	16.2	18.5	879	19.5	0.66	18.2	20.9	
2000	940	17.7	0.59	16.6	18.9	894	19.7	0.67	18.5	21.1	
2001	1,000	18.6	0.60	17.5	19.8	945	20.7	0.68	19.4	22.0	
2002	1,058	19.6	0.61	18.4	20.8	1,002	21.8	0.70	20.5	23.2	
2003	1,033	18.9	0.60	17.7	20.1	985	21.1	0.68	19.8	22.5	
2004	1,164	21.0	0.62	19.8	22.2	1,096	23.3	0.71	21.9	24.7	
2005	1,225	22.0	0.64	20.7	23.2	1,139	24.1	0.72	22.7	25.6	
2006	1,241	22.1	0.64	20.9	23.4	1,176	24.8	0.73	23.3	26.2	
2007	1,284	22.5	0.64	21.3	23.8	1,229	25.5	0.74	24.1	27.0	
2008	1,447	25.0	0.67	23.7	26.4	1,385	28.3	0.77	26.8	29.9	
2009	1,424	24.2	0.65	23.0	25.6	1,340	27.1	0.75	25.6	28.6	
2010	1,452	24.1	0.65	22.8	25.4	1,371	27.0	0.74	25.6	28.5	
2011	1,519	25.0	0.66	23.7	26.3	1,446	28.3	0.76	26.8	29.8	
2012	1,574	25.4	0.65	24.1	26.7	1,498	28.8	0.76	27.4	30.4	
2013	1,527	24.3	0.64	23.1	25.6	1,476	28.0	0.75	26.6	29.6	
2014	1,662	25.8	0.65	24.5	27.1	1,592	29.5	0.76	28.0	31.0	
2015	1,750	26.9	0.66	25.7	28.3	1,679	31.0	0.77	29.5	32.5	
2016	1,940	29.2	0.68	27.9	30.6	1,870	33.9	0.81	32.4	35.5	
2017	2,050	30.6	0.69	29.3	32.0	1,991	35.9	0.82	34.3	37.5	
2018	1,998	29.4	0.67	28.1	30.7	1,873	33.2	0.79	31.7	34.8	
2019	2,228	31.9	0.69	30.5	33.3	2,091	36.2	0.81	34.6	37.8	
2020	1,831	26.3	0.63	25.1	27.6	1,720	30.0	0.74	28.6	31.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Skin excluding Basal and Squamous										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	424	1.8	0.09	1.6	2.0	158	2.1	0.18	1.8	2.5
1986	5	0.9	0.41	0.3	2.1	3	2.8	1.69	0.5	10.5
1987	2	0.3	0.23	0.0	1.2	1	0.7	0.65	0.0	7.1
1988	9	1.8	0.64	0.8	3.5	0				
1989	14	2.5	0.70	1.3	4.3	1	1.1	1.09	0.0	7.3
1990	14	2.9	0.82	1.5	4.9	2	1.6	1.19	0.2	7.7
1991	8	1.7	0.64	0.6	3.4	0				
1992	8	1.2	0.44	0.5	2.5	4	3.4	1.85	0.8	9.8
1993	10	1.7	0.59	0.8	3.3	0				
1994	12	2.0	0.63	1.0	3.6	3	2.5	1.52	0.5	8.0
1995	10	1.8	0.63	0.8	3.5	2	1.0	0.71	0.1	5.1
1996	9	1.5	0.53	0.7	3.0	3	2.1	1.31	0.4	6.9
1997	11	1.7	0.58	0.8	3.2	3	2.3	1.36	0.4	7.1
1998	13	1.8	0.52	1.0	3.2	4	4.9	2.99	0.9	13.2
1999	17	2.3	0.58	1.3	3.8	2	0.9	0.63	0.1	4.2
2000	11	1.5	0.46	0.7	2.7	3	2.1	1.33	0.3	6.4
2001	17	2.7	0.69	1.5	4.4	4	2.3	1.30	0.5	6.5
2002	10	1.4	0.44	0.6	2.6	6	3.0	1.43	0.9	7.3
2003	10	1.5	0.50	0.7	2.9	0				
2004	9	1.1	0.37	0.5	2.1	4	1.5	0.76	0.4	4.3
2005	12	1.9	0.60	0.9	3.4	10	4.2	1.53	1.8	8.4
2006	19	2.9	0.74	1.7	4.7	5	1.7	0.76	0.5	4.3
2007	16	2.2	0.56	1.2	3.6	4	1.3	0.65	0.4	3.7
2008	16	2.2	0.59	1.2	3.7	6	2.3	1.04	0.7	5.4
2009	19	2.5	0.60	1.5	4.0	7	2.9	1.19	1.0	6.1
2010	14	2.2	0.62	1.2	3.7	7	1.9	0.72	0.7	4.1
2011	14	1.8	0.50	1.0	3.1	5	2.3	1.21	0.6	5.7
2012	16	1.9	0.51	1.1	3.2	7	1.9	0.73	0.8	4.1
2013	13	1.6	0.47	0.8	2.8	1	0.2	0.24	0.0	1.6
2014	10	1.4	0.47	0.7	2.6	7	2.2	0.91	0.8	4.7
2015	13	1.7	0.49	0.9	3.0	12	3.7	1.12	1.8	6.5
2016	10	1.2	0.40	0.6	2.3	6	1.6	0.65	0.6	3.5
2017	12	1.4	0.43	0.7	2.6	10	3.1	1.02	1.4	5.7
2018	15	1.8	0.48	1.0	3.0	12	2.7	0.80	1.4	4.8
2019	11	1.3	0.41	0.6	2.4	7	1.9	0.74	0.8	4.0
2020	15	2.1	0.55	1.2	3.5	7	1.6	0.60	0.6	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Skin excluding Basal and Squamous											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	31,547	13.4	0.08	13.3	13.6	29,563	15.4	0.09	15.2	15.5	
1986	408	7.2	0.37	6.5	8.0	388	8.1	0.42	7.3	8.9	
1987	425	7.4	0.37	6.7	8.2	409	8.4	0.43	7.6	9.3	
1988	444	7.7	0.37	7.0	8.5	425	8.7	0.43	7.9	9.6	
1989	435	7.4	0.36	6.7	8.1	421	8.4	0.42	7.6	9.3	
1990	432	7.2	0.35	6.5	8.0	422	8.4	0.42	7.6	9.2	
1991	462	7.8	0.37	7.1	8.6	446	8.9	0.43	8.1	9.8	
1992	466	7.6	0.36	6.9	8.4	443	8.6	0.42	7.8	9.4	
1993	450	7.2	0.34	6.6	7.9	434	8.3	0.40	7.5	9.1	
1994	552	8.8	0.38	8.1	9.6	537	10.2	0.45	9.4	11.2	
1995	538	8.6	0.37	7.9	9.3	505	9.6	0.43	8.8	10.5	
1996	625	9.8	0.40	9.0	10.6	592	11.2	0.46	10.3	12.1	
1997	635	9.9	0.40	9.2	10.7	596	11.2	0.46	10.3	12.1	
1998	662	10.1	0.40	9.4	10.9	616	11.3	0.46	10.4	12.3	
1999	649	10.0	0.39	9.2	10.8	619	11.5	0.47	10.6	12.5	
2000	751	11.4	0.42	10.6	12.3	708	13.0	0.49	12.1	14.0	
2001	801	12.1	0.43	11.2	12.9	751	13.7	0.51	12.8	14.8	
2002	773	11.6	0.42	10.8	12.5	714	13.1	0.50	12.2	14.1	
2003	843	12.5	0.43	11.7	13.4	753	13.6	0.50	12.7	14.6	
2004	849	12.6	0.44	11.8	13.5	784	14.2	0.51	13.2	15.3	
2005	1,013	14.9	0.47	14.0	15.9	910	16.4	0.55	15.4	17.5	
2006	1,042	15.3	0.48	14.4	16.3	963	17.4	0.57	16.3	18.6	
2007	1,091	15.9	0.49	15.0	16.9	1,025	18.5	0.59	17.4	19.7	
2008	1,105	16.1	0.49	15.1	17.1	1,019	18.3	0.58	17.2	19.5	
2009	1,154	16.5	0.49	15.5	17.5	1,082	19.2	0.60	18.0	20.4	
2010	1,065	15.1	0.47	14.1	16.0	992	17.4	0.57	16.4	18.6	
2011	1,170	16.5	0.49	15.6	17.5	1,078	18.9	0.59	17.7	20.1	
2012	1,203	16.8	0.50	15.9	17.8	1,125	19.6	0.60	18.4	20.8	
2013	1,185	16.1	0.48	15.2	17.1	1,126	19.1	0.59	18.0	20.3	
2014	1,240	16.6	0.48	15.7	17.6	1,163	19.5	0.59	18.3	20.6	
2015	1,407	19.1	0.53	18.1	20.2	1,320	22.5	0.64	21.3	23.8	
2016	1,530	20.5	0.54	19.5	21.6	1,451	24.6	0.67	23.3	25.9	
2017	1,505	20.2	0.54	19.1	21.3	1,440	24.5	0.67	23.2	25.8	
2018	1,542	20.3	0.53	19.2	21.4	1,438	24.0	0.66	22.7	25.3	
2019	1,665	22.1	0.56	21.0	23.2	1,554	26.3	0.70	24.9	27.7	
2020	1,430	18.9	0.52	17.9	20.0	1,314	22.0	0.64	20.8	23.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Skin excluding Basal and Squamous										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	543	1.7	0.07	1.6	1.8	139	1.5	0.13	1.2	1.8
1986	12	1.7	0.52	0.9	3.1	3	2.4	1.43	0.5	8.4
1987	10	1.3	0.43	0.6	2.4	1	0.6	0.59	0.0	5.4
1988	7	1.0	0.40	0.4	2.1	0				
1989	9	1.2	0.43	0.6	2.4	0				
1990	9	1.2	0.41	0.5	2.3	0				
1991	10	1.3	0.43	0.6	2.4	2	1.2	0.84	0.1	5.4
1992	14	1.6	0.45	0.9	2.8	2	3.2	2.56	0.3	10.8
1993	14	1.7	0.45	0.9	2.8	1	0.5	0.53	0.0	3.9
1994	8	0.9	0.33	0.4	1.8	0				
1995	13	1.4	0.40	0.7	2.4	2	1.2	0.85	0.1	4.6
1996	15	1.8	0.47	1.0	3.0	4	3.1	1.81	0.6	8.4
1997	20	2.3	0.52	1.4	3.5	2	0.9	0.62	0.1	3.7
1998	18	2.2	0.53	1.3	3.5	1	0.4	0.44	0.0	2.9
1999	14	1.7	0.46	0.9	2.9	3	2.1	1.39	0.3	6.3
2000	15	1.6	0.41	0.9	2.6	5	1.8	0.83	0.5	4.6
2001	14	1.6	0.44	0.9	2.7	1	0.4	0.37	0.0	2.4
2002	16	1.7	0.42	1.0	2.7	3	1.1	0.66	0.2	3.5
2003	27	2.8	0.55	1.9	4.1	5	1.8	0.83	0.6	4.5
2004	16	1.8	0.45	1.0	2.9	3	1.4	0.86	0.3	4.1
2005	21	2.3	0.50	1.4	3.5	7	3.4	1.34	1.3	6.9
2006	22	2.2	0.48	1.4	3.4	2	0.5	0.37	0.1	2.2
2007	21	2.2	0.48	1.4	3.4	3	0.8	0.47	0.2	2.6
2008	18	1.9	0.46	1.1	3.1	5	1.3	0.61	0.4	3.3
2009	24	2.4	0.50	1.5	3.6	6	1.4	0.59	0.5	3.3
2010	20	1.9	0.44	1.2	3.0	5	1.8	0.86	0.5	4.3
2011	16	1.4	0.36	0.8	2.3	7	2.1	0.86	0.8	4.5
2012	13	1.3	0.37	0.7	2.3	9	2.6	0.89	1.1	5.0
2013	18	1.8	0.42	1.0	2.8	5	1.2	0.52	0.4	2.8
2014	15	1.3	0.35	0.7	2.2	8	2.2	0.79	0.9	4.3
2015	20	2.0	0.45	1.2	3.1	5	1.4	0.63	0.4	3.2
2016	19	1.9	0.45	1.2	3.0	8	1.8	0.64	0.8	3.6
2017	14	1.3	0.35	0.7	2.2	8	1.6	0.58	0.7	3.3
2018	20	1.7	0.38	1.0	2.6	9	1.7	0.58	0.8	3.3
2019	15	1.3	0.34	0.7	2.2	8	1.6	0.56	0.7	3.1
2020	6	0.5	0.20	0.2	1.1	6	1.1	0.47	0.4	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Melanoma of the Skin											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	65,726	14.9	0.06	14.8	15.0	62,693	17.1	0.07	16.9	17.2	
1986	800	7.7	0.28	7.1	8.2	779	8.6	0.32	8.0	9.3	
1987	818	7.7	0.27	7.1	8.2	799	8.7	0.32	8.1	9.4	
1988	775	7.3	0.26	6.7	7.8	753	8.2	0.30	7.6	8.8	
1989	864	8.0	0.28	7.5	8.6	848	9.2	0.32	8.5	9.8	
1990	813	7.5	0.26	6.9	8.0	797	8.5	0.31	7.9	9.1	
1991	881	8.1	0.28	7.6	8.6	866	9.3	0.32	8.7	10.0	
1992	924	8.3	0.28	7.8	8.9	904	9.5	0.32	8.9	10.1	
1993	854	7.5	0.26	7.0	8.0	846	8.7	0.30	8.1	9.3	
1994	1,065	9.3	0.29	8.8	9.9	1,042	10.7	0.33	10.1	11.4	
1995	1,122	9.7	0.29	9.2	10.3	1,087	11.1	0.34	10.5	11.8	
1996	1,205	10.3	0.30	9.8	10.9	1,171	11.9	0.35	11.2	12.6	
1997	1,323	11.2	0.31	10.6	11.8	1,268	12.7	0.36	12.0	13.5	
1998	1,345	11.3	0.31	10.7	12.0	1,290	12.8	0.36	12.2	13.6	
1999	1,415	11.8	0.31	11.2	12.5	1,371	13.6	0.37	12.9	14.3	
2000	1,522	12.6	0.32	12.0	13.2	1,453	14.3	0.38	13.6	15.1	
2001	1,626	13.3	0.33	12.7	14.0	1,542	15.1	0.38	14.3	15.8	
2002	1,663	13.5	0.33	12.8	14.2	1,575	15.3	0.39	14.6	16.1	
2003	1,696	13.6	0.33	13.0	14.3	1,583	15.2	0.38	14.5	16.0	
2004	1,840	14.7	0.34	14.0	15.4	1,729	16.6	0.40	15.8	17.4	
2005	2,044	16.2	0.36	15.5	16.9	1,889	18.0	0.42	17.2	18.8	
2006	2,062	16.2	0.36	15.5	16.9	1,949	18.5	0.42	17.7	19.3	
2007	2,190	17.0	0.37	16.3	17.7	2,096	19.7	0.43	18.8	20.6	
2008	2,335	17.9	0.37	17.2	18.7	2,219	20.6	0.44	19.7	21.4	
2009	2,369	18.0	0.37	17.3	18.7	2,254	20.8	0.44	19.9	21.7	
2010	2,340	17.4	0.37	16.7	18.1	2,211	20.0	0.43	19.2	20.9	
2011	2,507	18.5	0.38	17.8	19.3	2,366	21.3	0.44	20.4	22.1	
2012	2,588	18.8	0.38	18.1	19.6	2,462	21.8	0.45	20.9	22.7	
2013	2,526	18.0	0.37	17.3	18.8	2,438	21.3	0.44	20.4	22.2	
2014	2,702	18.9	0.37	18.2	19.7	2,579	22.1	0.44	21.2	22.9	
2015	2,928	20.6	0.39	19.9	21.4	2,798	24.2	0.47	23.3	25.1	
2016	3,237	22.3	0.40	21.5	23.1	3,112	26.5	0.49	25.5	27.4	
2017	3,315	22.9	0.41	22.1	23.7	3,210	27.4	0.50	26.4	28.4	
2018	3,316	22.5	0.40	21.7	23.3	3,122	26.1	0.48	25.2	27.1	
2019	3,668	24.6	0.42	23.8	25.4	3,443	28.6	0.50	27.6	29.6	
2020	3,048	20.4	0.38	19.7	21.2	2,842	23.7	0.46	22.8	24.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Melanoma of the Skin										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	408	0.8	0.04	0.7	0.9	187	1.1	0.08	0.9	1.3
1986	7	0.7	0.28	0.3	1.4	4	1.8	0.93	0.5	5.4
1987	8	0.7	0.25	0.3	1.3	1	0.3	0.31	0.0	3.1
1988	6	0.5	0.21	0.2	1.1	0				
1989	8	0.6	0.22	0.2	1.2	1	0.5	0.51	0.0	3.2
1990	9	0.8	0.26	0.4	1.5	2	0.7	0.55	0.1	3.4
1991	10	0.8	0.28	0.4	1.6	2	0.6	0.44	0.1	2.9
1992	9	0.6	0.20	0.3	1.2	3	2.2	1.56	0.3	6.7
1993	4	0.3	0.13	0.1	0.7	1	0.3	0.25	0.0	2.1
1994	8	0.6	0.22	0.3	1.2	2	0.8	0.56	0.1	3.0
1995	9	0.7	0.25	0.3	1.4	2	0.6	0.43	0.1	2.5
1996	10	0.9	0.29	0.4	1.6	5	1.5	0.70	0.5	3.7
1997	15	1.1	0.28	0.6	1.7	3	1.0	0.57	0.2	2.9
1998	9	0.7	0.23	0.3	1.3	4	1.2	0.66	0.3	3.3
1999	16	1.2	0.30	0.6	1.9	5	1.7	0.94	0.4	4.4
2000	11	0.7	0.22	0.4	1.3	5	1.1	0.51	0.3	2.8
2001	17	1.3	0.31	0.7	2.0	3	0.8	0.52	0.1	2.5
2002	11	0.7	0.21	0.4	1.3	7	1.5	0.63	0.5	3.3
2003	21	1.3	0.30	0.8	2.1	2	0.3	0.24	0.0	1.4
2004	10	0.7	0.21	0.3	1.2	3	0.6	0.33	0.1	1.8
2005	14	1.0	0.27	0.5	1.7	8	1.5	0.58	0.6	3.2
2006	18	1.2	0.28	0.7	1.8	4	0.6	0.29	0.2	1.6
2007	16	1.0	0.26	0.6	1.6	4	0.6	0.30	0.2	1.7
2008	8	0.5	0.19	0.2	1.1	9	1.5	0.52	0.6	2.9
2009	13	0.8	0.21	0.4	1.3	7	1.1	0.44	0.4	2.3
2010	17	1.0	0.26	0.6	1.7	7	1.1	0.45	0.4	2.4
2011	14	0.8	0.21	0.4	1.3	8	1.5	0.59	0.6	3.1
2012	7	0.4	0.16	0.2	0.8	13	1.9	0.56	1.0	3.4
2013	15	0.9	0.22	0.5	1.4	5	0.6	0.27	0.2	1.5
2014	12	0.7	0.20	0.3	1.2	6	0.8	0.31	0.3	1.7
2015	15	0.9	0.22	0.5	1.4	10	1.4	0.46	0.7	2.6
2016	13	0.7	0.20	0.4	1.2	10	1.2	0.39	0.6	2.2
2017	13	0.7	0.20	0.4	1.2	15	1.8	0.47	1.0	3.0
2018	15	0.7	0.20	0.4	1.2	9	0.9	0.29	0.4	1.7
2019	9	0.4	0.15	0.2	0.8	11	1.2	0.37	0.6	2.2
2020	11	0.6	0.19	0.3	1.1	6	0.6	0.25	0.2	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Melanoma of the Skin											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	36,829	18.9	0.10	18.7	19.1	35,366	21.4	0.11	21.1	21.6	
1986	444	9.5	0.47	8.6	10.5	435	10.7	0.53	9.7	11.8	
1987	424	8.8	0.44	7.9	9.7	416	9.9	0.50	8.9	10.9	
1988	375	7.8	0.41	7.0	8.6	365	8.7	0.47	7.8	9.6	
1989	481	10.1	0.47	9.2	11.0	473	11.4	0.54	10.4	12.5	
1990	425	9.0	0.45	8.1	9.9	411	9.9	0.50	9.0	11.0	
1991	474	9.8	0.46	8.9	10.7	471	11.2	0.53	10.2	12.3	
1992	505	10.3	0.47	9.4	11.2	497	11.7	0.53	10.6	12.8	
1993	473	9.5	0.44	8.6	10.4	469	10.8	0.51	9.8	11.9	
1994	563	11.3	0.49	10.4	12.3	549	12.7	0.55	11.7	13.9	
1995	645	12.7	0.51	11.7	13.8	632	14.4	0.58	13.3	15.6	
1996	656	12.7	0.50	11.7	13.7	641	14.4	0.58	13.3	15.6	
1997	749	14.4	0.53	13.4	15.5	722	16.1	0.61	15.0	17.4	
1998	762	14.8	0.54	13.7	15.9	739	16.6	0.62	15.5	17.9	
1999	831	15.7	0.55	14.6	16.8	807	17.8	0.63	16.6	19.1	
2000	850	15.9	0.55	14.8	17.0	813	17.8	0.63	16.6	19.1	
2001	910	17.0	0.57	15.9	18.1	867	19.0	0.65	17.7	20.3	
2002	964	17.7	0.58	16.6	18.9	920	19.9	0.66	18.6	21.2	
2003	954	17.3	0.57	16.2	18.5	910	19.4	0.65	18.2	20.8	
2004	1,073	19.3	0.60	18.1	20.5	1,015	21.5	0.68	20.2	22.9	
2005	1,107	19.8	0.60	18.6	21.0	1,041	22.0	0.69	20.6	23.4	
2006	1,121	20.0	0.61	18.8	21.2	1,071	22.5	0.70	21.2	23.9	
2007	1,195	21.0	0.62	19.8	22.2	1,151	23.9	0.71	22.5	25.3	
2008	1,324	22.9	0.64	21.6	24.2	1,277	26.0	0.74	24.6	27.5	
2009	1,321	22.5	0.63	21.2	23.7	1,258	25.4	0.73	24.0	26.9	
2010	1,348	22.3	0.62	21.1	23.5	1,278	25.1	0.72	23.7	26.5	
2011	1,412	23.2	0.63	22.0	24.5	1,351	26.4	0.73	25.0	27.9	
2012	1,462	23.5	0.63	22.3	24.8	1,402	27.0	0.73	25.5	28.4	
2013	1,431	22.7	0.61	21.5	23.9	1,391	26.3	0.72	25.0	27.8	
2014	1,543	23.8	0.62	22.6	25.1	1,484	27.4	0.73	26.0	28.9	
2015	1,614	24.7	0.63	23.5	26.0	1,556	28.6	0.74	27.2	30.1	
2016	1,806	27.0	0.65	25.8	28.4	1,747	31.5	0.77	30.0	33.1	
2017	1,913	28.5	0.67	27.2	29.8	1,863	33.5	0.80	32.0	35.1	
2018	1,861	27.3	0.65	26.1	28.6	1,754	31.0	0.76	29.6	32.6	
2019	2,112	30.2	0.67	28.9	31.5	1,987	34.3	0.79	32.8	35.9	
2020	1,701	24.4	0.61	23.2	25.6	1,603	27.9	0.72	26.5	29.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Melanoma of the Skin										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	167	0.8	0.06	0.7	0.9	94	1.2	0.13	1.0	1.5
1986	2	0.4	0.26	0.0	1.4	2	2.3	1.61	0.3	10.0
1987	1	0.2	0.21	0.0	1.1	1	0.7	0.65	0.0	7.1
1988	4	0.9	0.49	0.2	2.3	0				
1989	5	0.8	0.36	0.2	1.9	1	1.1	1.09	0.0	7.3
1990	7	1.5	0.58	0.6	3.0	2	1.6	1.19	0.2	7.7
1991	2	0.6	0.49	0.1	2.1	0				
1992	3	0.4	0.25	0.1	1.4	2	1.6	1.11	0.2	6.8
1993	2	0.3	0.23	0.0	1.2	0				
1994	4	0.8	0.41	0.2	2.0	2	1.7	1.30	0.2	6.9
1995	4	1.0	0.52	0.2	2.5	1	0.4	0.36	0.0	4.2
1996	3	0.6	0.33	0.1	1.6	2	1.6	1.21	0.2	6.3
1997	5	0.9	0.48	0.2	2.3	2	1.7	1.21	0.2	6.2
1998	3	0.6	0.32	0.1	1.6	3	2.3	1.47	0.3	7.2
1999	8	1.1	0.41	0.5	2.3	2	0.9	0.63	0.1	4.2
2000	5	0.8	0.34	0.2	1.8	2	0.9	0.66	0.1	4.1
2001	9	1.6	0.54	0.7	3.0	2	1.5	1.15	0.1	5.5
2002	5	0.7	0.34	0.2	1.8	5	2.6	1.37	0.6	6.8
2003	7	1.1	0.43	0.4	2.3	0				
2004	2	0.3	0.19	0.0	1.0	3	1.2	0.69	0.2	3.8
2005	2	0.5	0.37	0.0	1.6	4	1.3	0.65	0.4	3.8
2006	8	1.5	0.60	0.6	3.1	2	0.7	0.46	0.1	2.8
2007	8	1.2	0.43	0.5	2.4	2	0.7	0.47	0.1	2.8
2008	4	0.6	0.31	0.2	1.6	6	2.3	1.04	0.7	5.4
2009	5	0.7	0.31	0.2	1.6	3	1.4	0.89	0.2	4.2
2010	8	1.5	0.54	0.6	2.8	4	1.1	0.56	0.3	3.1
2011	6	0.9	0.36	0.3	1.9	3	1.8	1.16	0.3	5.2
2012	3	0.3	0.18	0.1	1.0	5	1.4	0.61	0.4	3.4
2013	6	0.8	0.36	0.3	1.8	1	0.2	0.24	0.0	1.6
2014	4	0.7	0.35	0.2	1.7	3	0.8	0.46	0.2	2.4
2015	7	1.0	0.37	0.4	2.0	6	2.0	0.84	0.7	4.3
2016	4	0.5	0.25	0.1	1.2	4	1.0	0.49	0.3	2.6
2017	5	0.6	0.25	0.2	1.3	8	2.3	0.86	1.0	4.7
2018	5	0.6	0.29	0.2	1.5	5	1.0	0.46	0.3	2.5
2019	2	0.2	0.16	0.0	0.8	4	1.0	0.53	0.3	2.7
2020	9	1.3	0.44	0.6	2.5	2	0.4	0.29	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Melanoma of the Skin											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	28,897	12.4	0.07	12.2	12.5	27,327	14.3	0.09	14.1	14.5	
1986	356	6.3	0.34	5.7	7.0	344	7.2	0.40	6.4	8.0	
1987	394	6.9	0.35	6.2	7.6	383	7.9	0.41	7.1	8.8	
1988	400	7.0	0.36	6.3	7.7	388	8.0	0.41	7.2	8.8	
1989	383	6.5	0.34	5.9	7.2	375	7.6	0.40	6.8	8.4	
1990	388	6.5	0.34	5.9	7.2	386	7.7	0.40	6.9	8.5	
1991	407	6.9	0.35	6.2	7.6	395	8.0	0.41	7.2	8.8	
1992	419	6.9	0.34	6.2	7.6	407	7.9	0.40	7.2	8.7	
1993	381	6.2	0.32	5.6	6.8	377	7.3	0.38	6.5	8.0	
1994	502	8.1	0.36	7.4	8.8	493	9.4	0.43	8.6	10.3	
1995	477	7.6	0.35	7.0	8.4	455	8.7	0.41	8.0	9.6	
1996	549	8.7	0.37	7.9	9.4	530	10.0	0.44	9.2	10.9	
1997	574	9.0	0.38	8.3	9.8	546	10.4	0.45	9.5	11.3	
1998	583	9.0	0.37	8.3	9.8	551	10.3	0.44	9.4	11.2	
1999	584	9.0	0.37	8.3	9.8	564	10.5	0.45	9.7	11.4	
2000	672	10.3	0.40	9.5	11.1	640	11.9	0.47	11.0	12.8	
2001	716	10.9	0.41	10.1	11.7	675	12.5	0.48	11.5	13.5	
2002	699	10.6	0.40	9.8	11.4	655	12.1	0.48	11.2	13.1	
2003	742	11.1	0.41	10.3	12.0	673	12.3	0.48	11.4	13.3	
2004	767	11.4	0.41	10.6	12.3	714	13.0	0.49	12.1	14.0	
2005	937	13.9	0.46	13.0	14.8	848	15.4	0.54	14.4	16.5	
2006	941	13.9	0.46	13.0	14.8	878	16.0	0.55	14.9	17.1	
2007	995	14.6	0.47	13.7	15.5	945	17.2	0.57	16.1	18.3	
2008	1,011	14.8	0.47	13.9	15.7	942	17.1	0.56	16.0	18.2	
2009	1,048	15.0	0.47	14.1	16.0	996	17.8	0.58	16.7	19.0	
2010	992	14.0	0.45	13.2	15.0	933	16.4	0.55	15.4	17.6	
2011	1,095	15.5	0.48	14.6	16.5	1,015	17.9	0.58	16.8	19.1	
2012	1,126	15.8	0.48	14.8	16.7	1,060	18.4	0.58	17.3	19.6	
2013	1,095	14.9	0.46	14.0	15.9	1,047	17.9	0.57	16.8	19.0	
2014	1,159	15.6	0.47	14.7	16.5	1,095	18.4	0.57	17.3	19.6	
2015	1,314	17.9	0.51	17.0	19.0	1,242	21.3	0.63	20.1	22.6	
2016	1,431	19.3	0.53	18.3	20.4	1,365	23.3	0.66	22.1	24.6	
2017	1,402	18.9	0.52	17.9	19.9	1,347	23.0	0.65	21.8	24.3	
2018	1,455	19.2	0.52	18.2	20.3	1,368	23.0	0.65	21.7	24.3	
2019	1,556	20.8	0.55	19.7	21.9	1,456	24.8	0.68	23.5	26.2	
2020	1,347	17.9	0.51	17.0	19.0	1,239	21.0	0.63	19.8	22.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Melanoma of the Skin										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	241	0.8	0.05	0.7	0.9	93	1.0	0.11	0.8	1.2
1986	5	0.9	0.41	0.3	2.0	2	1.4	1.03	0.2	6.9
1987	7	1.0	0.39	0.4	2.0	0				
1988	2	0.3	0.17	0.0	0.9	0				
1989	3	0.4	0.25	0.1	1.2	0				
1990	2	0.3	0.22	0.0	1.1	0				
1991	8	1.1	0.38	0.4	2.1	2	1.2	0.84	0.1	5.4
1992	6	0.7	0.31	0.3	1.6	1	2.4	2.43	0.1	10.0
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.53	0.0	3.9
1994	4	0.5	0.25	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	1	0.7	0.71	0.0	4.0
1996	7	1.0	0.39	0.4	2.1	3	1.5	0.89	0.3	4.9
1997	10	1.2	0.38	0.6	2.2	1	0.4	0.44	0.0	3.1
1998	6	0.8	0.32	0.3	1.6	1	0.4	0.44	0.0	2.9
1999	8	1.1	0.38	0.5	2.1	3	2.1	1.39	0.3	6.3
2000	6	0.7	0.28	0.2	1.5	3	1.2	0.74	0.2	3.9
2001	8	1.0	0.35	0.4	1.9	1	0.4	0.37	0.0	2.4
2002	6	0.7	0.28	0.3	1.5	2	0.7	0.52	0.1	2.9
2003	14	1.5	0.41	0.8	2.6	2	0.7	0.47	0.1	2.7
2004	8	0.9	0.32	0.4	1.8	0				
2005	12	1.4	0.40	0.7	2.4	4	1.6	0.86	0.4	4.3
2006	10	1.1	0.34	0.5	2.0	2	0.5	0.37	0.1	2.2
2007	8	0.8	0.30	0.4	1.6	2	0.6	0.40	0.1	2.2
2008	4	0.5	0.23	0.1	1.2	3	0.9	0.51	0.2	2.7
2009	8	0.8	0.29	0.3	1.6	4	0.9	0.47	0.3	2.6
2010	9	0.8	0.28	0.4	1.6	3	1.1	0.65	0.2	3.1
2011	8	0.8	0.27	0.3	1.5	5	1.5	0.69	0.4	3.5
2012	4	0.4	0.21	0.1	1.1	8	2.4	0.87	1.0	4.7
2013	9	0.9	0.30	0.4	1.7	4	0.9	0.47	0.3	2.5
2014	8	0.7	0.26	0.3	1.4	3	0.7	0.43	0.2	2.2
2015	8	0.8	0.28	0.3	1.5	4	1.0	0.51	0.3	2.6
2016	9	0.9	0.30	0.4	1.7	6	1.3	0.55	0.5	2.9
2017	8	0.7	0.26	0.3	1.5	7	1.4	0.55	0.6	3.0
2018	10	0.8	0.26	0.4	1.5	4	0.7	0.36	0.2	1.9
2019	7	0.6	0.23	0.2	1.3	7	1.4	0.53	0.6	2.9
2020	2	0.2	0.12	0.0	0.6	4	0.8	0.38	0.2	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Breast excluding in situ										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	312,233	70.9	0.13	70.6	71.1	262,986	71.1	0.14	70.8	71.4
1986	6,726	65.2	0.81	63.6	66.8	6,001	66.2	0.87	64.5	68.0
1987	7,255	69.7	0.83	68.1	71.4	6,490	71.2	0.90	69.4	73.0
1988	7,407	70.7	0.83	69.1	72.4	6,572	71.7	0.90	69.9	73.5
1989	7,124	67.7	0.81	66.1	69.3	6,257	68.1	0.87	66.4	69.9
1990	7,523	70.7	0.82	69.1	72.4	6,696	72.3	0.90	70.6	74.1
1991	7,742	71.7	0.82	70.1	73.4	6,847	73.0	0.89	71.3	74.8
1992	7,915	72.3	0.82	70.7	73.9	6,981	73.5	0.89	71.8	75.3
1993	7,762	69.6	0.79	68.0	71.2	6,753	70.0	0.86	68.3	71.7
1994	8,351	74.4	0.82	72.8	76.0	7,307	75.4	0.89	73.7	77.2
1995	8,279	73.0	0.80	71.4	74.6	7,188	73.7	0.87	72.0	75.4
1996	8,478	73.9	0.80	72.4	75.5	7,338	74.6	0.87	72.9	76.3
1997	8,617	74.4	0.80	72.8	76.0	7,381	74.5	0.87	72.8	76.2
1998	8,885	75.7	0.80	74.2	77.3	7,572	75.6	0.87	73.9	77.3
1999	9,137	76.9	0.80	75.3	78.5	7,822	77.5	0.88	75.7	79.2
2000	8,901	74.1	0.79	72.5	75.6	7,618	74.8	0.86	73.1	76.5
2001	9,085	74.7	0.78	73.2	76.3	7,718	75.1	0.86	73.4	76.8
2002	8,867	72.1	0.77	70.6	73.6	7,466	72.0	0.83	70.3	73.6
2003	8,259	66.2	0.73	64.8	67.7	6,926	66.1	0.80	64.5	67.7
2004	8,382	66.5	0.73	65.1	68.0	7,080	67.0	0.80	65.4	68.6
2005	8,581	67.4	0.73	65.9	68.8	7,176	67.3	0.80	65.7	68.9
2006	8,960	69.6	0.74	68.1	71.0	7,468	69.5	0.81	67.9	71.1
2007	9,006	68.9	0.73	67.5	70.4	7,538	69.3	0.80	67.7	70.9
2008	9,177	69.3	0.73	67.9	70.7	7,666	69.6	0.80	68.0	71.2
2009	9,391	69.9	0.73	68.5	71.4	7,752	69.6	0.80	68.0	71.2
2010	9,493	69.5	0.72	68.1	71.0	7,860	69.6	0.80	68.0	71.2
2011	9,811	71.2	0.73	69.8	72.6	8,065	70.9	0.80	69.3	72.5
2012	9,639	68.8	0.71	67.5	70.3	7,904	68.7	0.79	67.2	70.3
2013	10,065	70.9	0.72	69.5	72.4	8,200	70.5	0.79	68.9	72.0
2014	10,358	72.3	0.73	70.9	73.7	8,392	71.6	0.80	70.0	73.2
2015	10,477	72.2	0.72	70.8	73.6	8,499	71.8	0.80	70.2	73.3
2016	10,593	72.3	0.72	70.9	73.8	8,657	72.6	0.80	71.0	74.2
2017	10,525	71.4	0.71	70.0	72.8	8,486	70.8	0.79	69.3	72.4
2018	10,637	71.7	0.71	70.3	73.1	8,585	71.5	0.80	69.9	73.1
2019	10,892	72.9	0.72	71.5	74.3	8,687	71.9	0.80	70.3	73.5
2020	9,933	66.2	0.68	64.8	67.5	8,038	66.4	0.77	64.9	67.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Breast excluding in situ										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	39,651	72.6	0.37	71.9	73.4	8,036	46.0	0.53	44.9	47.0
1986	654	57.0	2.30	52.6	61.7	52	27.4	4.02	20.1	36.6
1987	681	59.4	2.34	54.9	64.1	72	36.7	4.68	28.1	47.2
1988	771	66.3	2.46	61.5	71.2	55	27.5	4.02	20.2	36.6
1989	773	65.2	2.41	60.6	70.1	84	41.6	5.17	32.1	53.0
1990	734	61.4	2.33	56.9	66.1	82	34.5	4.13	26.9	43.7
1991	785	62.3	2.28	57.9	67.0	68	27.1	3.60	20.5	35.2
1992	818	64.5	2.31	60.1	69.2	77	29.2	3.68	22.4	37.4
1993	887	68.4	2.36	63.8	73.1	101	38.0	4.19	30.2	47.1
1994	916	69.5	2.35	64.9	74.2	107	38.2	4.08	30.6	47.0
1995	947	70.4	2.34	65.8	75.1	121	38.9	3.90	31.6	47.3
1996	982	71.4	2.33	66.9	76.1	126	37.4	3.57	30.8	45.1
1997	1,055	76.4	2.40	71.7	81.2	145	40.1	3.47	33.6	47.6
1998	1,105	77.8	2.38	73.2	82.6	149	40.7	3.56	34.1	48.4
1999	1,088	74.9	2.31	70.4	79.5	159	42.1	3.63	35.3	49.9
2000	1,053	71.1	2.23	66.8	75.6	160	41.8	3.62	35.0	49.5
2001	1,160	77.6	2.32	73.1	82.3	169	40.5	3.39	34.1	47.7
2002	1,165	75.0	2.24	70.7	79.5	184	41.0	3.24	34.9	47.9
2003	1,101	70.0	2.15	65.9	74.4	194	41.5	3.17	35.6	48.2
2004	1,074	67.2	2.09	63.2	71.5	197	40.5	3.10	34.7	47.0
2005	1,155	72.0	2.16	67.8	76.3	209	39.4	2.86	34.0	45.4
2006	1,197	73.2	2.16	69.0	77.5	252	46.2	3.10	40.3	52.7
2007	1,174	70.1	2.08	66.1	74.3	247	44.5	2.98	38.8	50.7
2008	1,190	70.7	2.09	66.6	74.9	273	46.7	2.99	41.1	53.0
2009	1,327	77.0	2.16	72.9	81.4	266	43.9	2.84	38.5	49.8
2010	1,281	73.1	2.08	69.0	77.3	308	46.9	2.79	41.6	52.7
2011	1,335	75.6	2.12	71.5	79.9	334	48.8	2.78	43.5	54.5
2012	1,327	72.9	2.05	69.0	77.0	362	50.0	2.73	44.8	55.7
2013	1,448	78.2	2.10	74.1	82.4	365	49.2	2.65	44.1	54.7
2014	1,512	81.3	2.14	77.2	85.6	381	48.3	2.54	43.4	53.5
2015	1,517	80.0	2.10	75.9	84.2	401	49.9	2.55	45.0	55.2
2016	1,470	76.7	2.05	72.8	80.9	412	49.8	2.50	45.0	55.0
2017	1,509	78.4	2.07	74.4	82.6	494	58.0	2.65	53.0	63.5
2018	1,497	76.2	2.02	72.3	80.2	471	54.0	2.52	49.2	59.2
2019	1,576	79.7	2.06	75.7	83.8	537	59.1	2.58	54.1	64.4
2020	1,387	69.6	1.92	65.9	73.5	422	45.5	2.24	41.3	50.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Breast excluding in situ										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,463	1.3	0.03	1.2	1.3	2,015	1.2	0.03	1.2	1.3
1986	46	1.1	0.17	0.8	1.5	43	1.2	0.18	0.8	1.6
1987	55	1.2	0.17	0.9	1.6	48	1.2	0.17	0.9	1.6
1988	43	1.0	0.16	0.7	1.4	38	1.0	0.17	0.7	1.4
1989	35	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.1
1990	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1
1991	47	1.1	0.17	0.8	1.5	41	1.1	0.18	0.8	1.5
1992	67	1.5	0.19	1.1	1.9	55	1.4	0.19	1.0	1.8
1993	67	1.4	0.17	1.1	1.7	57	1.3	0.17	1.0	1.7
1994	58	1.3	0.18	1.0	1.7	46	1.2	0.18	0.9	1.6
1995	74	1.5	0.18	1.2	1.9	64	1.5	0.19	1.2	2.0
1996	68	1.4	0.17	1.1	1.8	57	1.4	0.18	1.0	1.8
1997	71	1.5	0.18	1.1	1.8	56	1.3	0.18	1.0	1.7
1998	58	1.1	0.15	0.9	1.5	47	1.1	0.16	0.8	1.4
1999	74	1.5	0.17	1.2	1.9	61	1.4	0.18	1.1	1.8
2000	66	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.6
2001	68	1.3	0.16	1.0	1.6	58	1.3	0.17	1.0	1.7
2002	79	1.6	0.18	1.2	2.0	64	1.5	0.19	1.1	1.9
2003	71	1.4	0.16	1.1	1.7	59	1.3	0.17	1.0	1.7
2004	69	1.3	0.15	1.0	1.6	56	1.2	0.16	0.9	1.6
2005	59	1.1	0.15	0.9	1.5	50	1.1	0.16	0.8	1.5
2006	61	1.1	0.14	0.9	1.4	52	1.1	0.16	0.8	1.5
2007	70	1.3	0.15	1.0	1.6	57	1.2	0.16	0.9	1.6
2008	74	1.3	0.16	1.0	1.7	60	1.3	0.17	1.0	1.6
2009	78	1.3	0.15	1.1	1.7	59	1.2	0.16	0.9	1.6
2010	72	1.2	0.14	0.9	1.5	59	1.2	0.15	0.9	1.5
2011	89	1.4	0.16	1.1	1.8	73	1.3	0.16	1.0	1.7
2012	93	1.5	0.16	1.2	1.9	74	1.5	0.17	1.1	1.9
2013	87	1.3	0.15	1.1	1.7	65	1.2	0.15	0.9	1.5
2014	86	1.3	0.14	1.0	1.6	67	1.2	0.15	0.9	1.6
2015	76	1.1	0.13	0.9	1.4	60	1.1	0.15	0.8	1.4
2016	92	1.4	0.15	1.1	1.7	78	1.4	0.16	1.1	1.7
2017	105	1.6	0.16	1.3	1.9	84	1.5	0.17	1.2	1.9
2018	90	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.6
2019	86	1.2	0.13	0.9	1.4	66	1.1	0.14	0.8	1.4
2020	95	1.4	0.14	1.1	1.7	74	1.3	0.15	1.0	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Breast excluding in situ										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	384	1.8	0.10	1.6	2.0	50	0.7	0.11	0.5	1.0
1986	3	0.8	0.47	0.1	2.2	0				
1987	6	1.5	0.68	0.5	3.3	1	1.1	1.09	0.0	7.9
1988	4	1.2	0.65	0.3	3.0	1	1.2	1.16	0.0	7.7
1989	6	1.3	0.55	0.4	2.8	1	1.8	1.78	0.1	9.1
1990	3	0.7	0.39	0.1	1.9	0				
1991	6	1.1	0.45	0.4	2.4	0				
1992	12	2.3	0.70	1.2	4.1	0				
1993	10	2.4	0.81	1.1	4.4	0				
1994	10	2.1	0.69	1.0	3.9	1	1.0	0.97	0.0	5.7
1995	9	1.7	0.58	0.7	3.2	1	1.7	1.67	0.0	7.6
1996	8	1.7	0.66	0.7	3.4	3	1.7	0.98	0.3	5.9
1997	13	2.7	0.80	1.4	4.7	2	1.8	1.49	0.1	7.0
1998	10	1.9	0.61	0.9	3.4	1	0.6	0.57	0.0	4.0
1999	11	2.1	0.67	1.0	3.8	2	0.8	0.60	0.1	4.1
2000	9	1.5	0.55	0.6	2.9	0				
2001	9	1.4	0.49	0.6	2.7	0				
2002	13	2.6	0.79	1.3	4.5	1	0.4	0.39	0.0	3.0
2003	12	2.0	0.60	1.0	3.5	0				
2004	11	2.0	0.66	0.9	3.7	1	0.5	0.47	0.0	2.9
2005	8	1.4	0.52	0.5	2.7	1	1.0	1.01	0.0	4.4
2006	7	1.2	0.46	0.5	2.4	1	0.3	0.29	0.0	2.3
2007	12	1.8	0.54	0.9	3.2	1	0.3	0.34	0.0	2.3
2008	11	1.5	0.45	0.7	2.6	3	2.5	1.49	0.5	6.6
2009	17	2.2	0.55	1.3	3.6	1	0.3	0.27	0.0	2.0
2010	12	1.7	0.51	0.9	3.0	0				
2011	13	2.0	0.59	1.1	3.5	1	0.3	0.25	0.0	1.8
2012	14	1.8	0.51	1.0	3.1	5	1.5	0.67	0.5	3.6
2013	20	2.9	0.67	1.7	4.5	1	0.2	0.23	0.0	1.6
2014	15	2.0	0.55	1.1	3.4	4	1.0	0.50	0.3	2.7
2015	12	1.5	0.45	0.7	2.6	4	0.9	0.46	0.3	2.5
2016	14	2.0	0.56	1.1	3.4	0				
2017	19	2.5	0.60	1.5	4.0	2	0.5	0.34	0.1	1.8
2018	12	1.4	0.44	0.7	2.6	5	1.5	0.69	0.5	3.5
2019	16	1.8	0.46	1.0	2.9	3	0.8	0.46	0.2	2.3
2020	17	2.0	0.49	1.1	3.2	3	0.7	0.42	0.1	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Breast excluding in situ											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	309,770	129.3	0.23	128.8	129.7	260,971	131.0	0.26	130.5	131.5	
1986	6,680	115.4	1.45	112.6	118.3	5,958	117.9	1.58	114.9	121.1	
1987	7,200	123.8	1.49	120.9	126.8	6,442	127.3	1.63	124.1	130.5	
1988	7,364	125.7	1.49	122.8	128.6	6,534	128.2	1.63	125.0	131.4	
1989	7,089	120.7	1.46	117.8	123.6	6,229	122.3	1.59	119.2	125.4	
1990	7,489	126.0	1.48	123.1	129.0	6,665	129.8	1.63	126.7	133.1	
1991	7,695	127.9	1.48	125.1	130.9	6,806	131.2	1.63	128.1	134.5	
1992	7,848	128.7	1.47	125.9	131.7	6,926	132.0	1.62	128.8	135.2	
1993	7,695	123.9	1.43	121.1	126.8	6,696	125.5	1.56	122.5	128.6	
1994	8,293	132.4	1.47	129.5	135.3	7,261	135.3	1.61	132.2	138.5	
1995	8,205	130.5	1.45	127.7	133.4	7,124	133.0	1.60	129.8	136.1	
1996	8,410	132.4	1.46	129.6	135.3	7,281	134.7	1.60	131.6	137.8	
1997	8,546	133.6	1.46	130.8	136.5	7,325	135.1	1.60	132.0	138.3	
1998	8,827	136.2	1.46	133.4	139.1	7,525	137.2	1.60	134.0	140.3	
1999	9,063	138.8	1.47	136.0	141.7	7,761	141.2	1.62	138.0	144.4	
2000	8,835	133.9	1.43	131.1	136.7	7,562	136.6	1.59	133.6	139.8	
2001	9,017	135.3	1.43	132.5	138.1	7,660	137.4	1.58	134.3	140.5	
2002	8,788	130.8	1.40	128.1	133.6	7,402	131.9	1.55	128.9	134.9	
2003	8,188	120.6	1.34	118.0	123.2	6,867	121.6	1.48	118.7	124.5	
2004	8,313	121.3	1.34	118.7	123.9	7,024	123.4	1.49	120.5	126.4	
2005	8,522	123.0	1.34	120.4	125.7	7,126	124.2	1.49	121.3	127.2	
2006	8,899	127.6	1.36	124.9	130.3	7,416	128.8	1.51	125.9	131.8	
2007	8,936	126.8	1.35	124.2	129.5	7,481	129.0	1.51	126.1	132.0	
2008	9,103	127.2	1.35	124.6	129.9	7,606	129.3	1.51	126.3	132.2	
2009	9,313	128.6	1.35	126.0	131.3	7,693	129.7	1.50	126.8	132.7	
2010	9,421	128.3	1.34	125.7	130.9	7,801	129.9	1.50	127.0	132.9	
2011	9,722	131.4	1.36	128.7	134.1	7,992	132.6	1.52	129.6	135.6	
2012	9,546	127.3	1.33	124.7	130.0	7,830	128.8	1.49	125.9	131.8	
2013	9,978	131.6	1.35	128.9	134.2	8,135	132.5	1.51	129.6	135.5	
2014	10,272	134.4	1.36	131.8	137.1	8,325	135.0	1.52	132.0	138.0	
2015	10,401	134.5	1.35	131.9	137.2	8,439	135.5	1.52	132.6	138.5	
2016	10,501	135.0	1.36	132.3	137.6	8,579	137.3	1.54	134.3	140.3	
2017	10,420	133.3	1.35	130.7	136.0	8,402	134.1	1.52	131.2	137.1	
2018	10,547	134.1	1.35	131.5	136.8	8,513	135.7	1.53	132.7	138.7	
2019	10,806	136.6	1.36	134.0	139.3	8,621	136.7	1.54	133.7	139.7	
2020	9,838	124.1	1.30	121.5	126.6	7,964	126.3	1.48	123.5	129.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Breast excluding in situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	39,267	124.3	0.63	123.1	125.5	7,986	85.1	0.98	83.2	87.0
1986	651	98.1	3.92	90.6	106.1	52	52.1	7.55	38.4	69.3
1987	675	101.3	3.97	93.7	109.4	71	67.5	8.52	51.9	86.5
1988	767	113.2	4.16	105.2	121.7	54	50.2	7.28	37.0	66.7
1989	767	111.3	4.08	103.4	119.5	83	76.0	9.23	59.0	96.3
1990	731	104.6	3.92	97.0	112.5	82	65.0	7.65	50.9	81.9
1991	779	106.6	3.88	99.2	114.5	68	50.7	6.58	38.6	65.4
1992	806	109.0	3.89	101.5	116.9	77	55.1	6.75	42.6	70.0
1993	877	115.6	3.96	108.0	123.6	101	70.2	7.54	56.2	86.6
1994	906	117.3	3.95	109.7	125.3	106	69.9	7.30	56.3	85.7
1995	938	119.3	3.94	111.7	127.3	120	71.2	6.94	58.3	86.2
1996	974	121.5	3.93	113.9	129.4	123	68.5	6.47	56.4	82.4
1997	1,042	128.8	4.03	121.0	136.9	143	74.3	6.36	62.3	87.9
1998	1,095	132.2	4.03	124.4	140.3	148	75.6	6.48	63.4	89.4
1999	1,077	127.1	3.90	119.6	135.0	157	77.3	6.51	65.0	91.1
2000	1,044	120.9	3.77	113.7	128.5	160	76.8	6.43	64.7	90.5
2001	1,151	131.8	3.91	124.3	139.7	169	74.7	6.05	63.3	87.5
2002	1,152	128.2	3.80	120.9	135.9	183	76.0	5.86	65.0	88.4
2003	1,089	119.5	3.65	112.5	126.9	194	77.2	5.78	66.3	89.4
2004	1,063	114.9	3.55	108.1	122.1	196	74.5	5.58	64.0	86.2
2005	1,147	123.1	3.66	116.0	130.5	208	72.9	5.23	63.0	83.9
2006	1,190	125.6	3.67	118.5	133.0	251	85.3	5.62	74.7	97.1
2007	1,162	120.4	3.56	113.5	127.6	246	82.4	5.46	72.1	93.9
2008	1,179	121.1	3.56	114.2	128.3	270	85.2	5.38	74.9	96.4
2009	1,310	131.8	3.69	124.7	139.3	265	81.3	5.19	71.5	92.1
2010	1,269	125.7	3.57	118.8	132.9	308	87.5	5.15	77.7	98.2
2011	1,322	129.4	3.61	122.4	136.7	333	90.7	5.13	81.0	101.4
2012	1,313	125.3	3.51	118.5	132.3	357	92.2	5.03	82.6	102.6
2013	1,428	133.9	3.60	126.9	141.1	364	91.9	4.93	82.5	102.1
2014	1,497	140.0	3.68	132.8	147.4	377	89.6	4.71	80.6	99.4
2015	1,505	138.1	3.63	131.1	145.4	397	92.6	4.74	83.6	102.4
2016	1,456	132.5	3.55	125.6	139.6	412	93.3	4.67	84.4	102.9
2017	1,490	135.2	3.58	128.2	142.4	492	108.0	4.94	98.6	118.2
2018	1,485	131.9	3.50	125.1	138.9	466	99.7	4.67	90.8	109.3
2019	1,560	137.9	3.58	131.0	145.1	534	110.2	4.82	100.9	120.1
2020	1,370	120.3	3.34	113.8	127.0	419	84.7	4.18	76.7	93.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Female Genital System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	130,745	54.3	0.15	54.0	54.6	109,645	54.9	0.17	54.6	55.3
1986	3,256	55.5	1.00	53.5	57.5	2,885	56.5	1.08	54.4	58.7
1987	3,310	56.1	1.00	54.1	58.1	2,878	56.2	1.08	54.1	58.4
1988	3,229	54.2	0.97	52.3	56.2	2,774	53.8	1.05	51.8	55.9
1989	3,204	53.9	0.97	52.0	55.8	2,773	54.2	1.05	52.1	56.3
1990	3,365	55.9	0.98	54.0	57.8	2,898	55.9	1.06	53.9	58.0
1991	3,343	54.8	0.96	53.0	56.7	2,922	55.9	1.06	53.9	58.0
1992	3,387	55.2	0.96	53.4	57.2	3,003	57.3	1.07	55.2	59.4
1993	3,405	54.7	0.95	52.9	56.6	2,932	55.3	1.04	53.2	57.3
1994	3,502	55.5	0.95	53.7	57.4	3,008	55.9	1.04	53.9	58.0
1995	3,518	55.7	0.95	53.9	57.6	3,030	56.6	1.04	54.6	58.7
1996	3,743	58.9	0.97	57.0	60.9	3,225	60.1	1.07	58.0	62.2
1997	3,541	55.2	0.93	53.4	57.1	3,032	56.0	1.03	54.0	58.1
1998	3,663	56.6	0.94	54.7	58.4	3,138	57.6	1.04	55.6	59.6
1999	3,508	53.7	0.91	52.0	55.6	2,980	54.4	1.01	52.4	56.4
2000	3,502	53.2	0.90	51.5	55.0	2,930	53.3	0.99	51.3	55.3
2001	3,551	53.5	0.90	51.8	55.3	2,986	54.0	1.00	52.0	56.0
2002	3,610	53.9	0.90	52.1	55.7	3,048	54.7	1.00	52.8	56.7
2003	3,489	51.3	0.87	49.6	53.0	2,950	52.2	0.97	50.3	54.1
2004	3,556	51.8	0.87	50.1	53.6	2,994	52.7	0.97	50.8	54.6
2005	3,694	53.3	0.88	51.5	55.0	3,100	54.2	0.98	52.3	56.2
2006	3,787	54.2	0.89	52.5	56.0	3,162	54.9	0.99	53.0	56.9
2007	3,724	52.7	0.87	51.0	54.5	3,120	53.7	0.98	51.8	55.7
2008	3,879	54.1	0.88	52.4	55.9	3,232	55.0	0.98	53.1	57.0
2009	3,969	54.6	0.88	52.9	56.3	3,271	55.0	0.98	53.1	57.0
2010	3,960	53.4	0.86	51.7	55.1	3,270	54.0	0.96	52.1	55.9
2011	4,042	54.1	0.87	52.5	55.9	3,324	54.6	0.97	52.7	56.5
2012	3,955	51.8	0.84	50.2	53.5	3,260	52.6	0.94	50.7	54.5
2013	4,134	53.3	0.85	51.6	55.0	3,376	53.8	0.95	52.0	55.7
2014	4,193	53.8	0.85	52.2	55.5	3,416	54.6	0.96	52.7	56.5
2015	4,243	53.7	0.85	52.1	55.4	3,447	54.2	0.95	52.4	56.1
2016	4,413	55.8	0.86	54.1	57.5	3,583	56.4	0.98	54.5	58.4
2017	4,336	54.4	0.85	52.8	56.1	3,511	55.2	0.97	53.4	57.2
2018	4,305	53.4	0.84	51.7	55.0	3,478	54.0	0.95	52.1	55.9
2019	4,458	55.0	0.85	53.3	56.7	3,567	55.2	0.96	53.4	57.2
2020	3,971	48.8	0.80	47.3	50.4	3,142	48.6	0.91	46.9	50.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Female Genital System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	16,876	52.9	0.41	52.1	53.7	3,139	33.6	0.62	32.4	34.9
1986	334	49.7	2.79	44.4	55.5	31	27.6	5.24	18.3	40.3
1987	395	56.3	2.91	50.7	62.2	29	28.0	5.75	17.9	41.7
1988	395	56.2	2.89	50.7	62.1	46	41.7	6.67	29.7	57.0
1989	385	53.5	2.79	48.2	59.2	38	33.5	5.79	23.1	46.9
1990	423	59.2	2.93	53.6	65.2	31	22.2	4.14	14.8	32.2
1991	362	49.0	2.63	44.0	54.4	36	31.2	5.62	21.2	44.2
1992	336	44.9	2.49	40.2	50.1	32	22.9	4.18	15.4	32.8
1993	413	53.2	2.67	48.2	58.7	42	27.7	4.72	19.2	38.6
1994	444	57.6	2.78	52.3	63.3	46	34.8	5.80	24.4	47.9
1995	407	51.3	2.58	46.3	56.6	67	41.2	5.37	31.4	53.1
1996	441	55.0	2.65	49.9	60.4	63	38.6	5.19	29.1	50.1
1997	442	53.4	2.57	48.5	58.7	49	25.5	3.74	18.7	34.1
1998	446	52.7	2.52	47.8	57.8	60	33.1	4.69	24.5	43.5
1999	433	50.6	2.45	45.9	55.6	59	29.2	4.03	21.8	38.2
2000	454	51.9	2.46	47.2	56.9	83	38.9	4.52	30.6	48.8
2001	459	52.2	2.46	47.5	57.3	89	40.1	4.47	31.9	49.9
2002	455	51.1	2.41	46.5	56.0	84	34.9	3.97	27.6	43.6
2003	422	47.2	2.32	42.8	51.9	69	28.1	3.54	21.6	35.9
2004	458	50.7	2.39	46.1	55.6	70	27.6	3.45	21.2	35.2
2005	468	50.3	2.34	45.8	55.1	82	30.8	3.58	24.2	38.6
2006	499	53.6	2.42	49.0	58.5	87	31.4	3.55	24.9	39.2
2007	485	50.6	2.32	46.2	55.4	92	30.8	3.35	24.6	38.1
2008	506	51.4	2.31	47.0	56.2	100	32.7	3.43	26.3	40.2
2009	548	54.9	2.37	50.3	59.8	105	33.6	3.44	27.2	41.0
2010	517	50.9	2.27	46.5	55.5	130	37.5	3.39	31.1	44.7
2011	538	52.6	2.30	48.2	57.3	132	36.4	3.29	30.2	43.4
2012	541	51.0	2.23	46.8	55.6	113	29.9	2.91	24.5	36.2
2013	563	51.7	2.22	47.4	56.2	139	34.4	2.99	28.7	40.8
2014	603	54.9	2.28	50.5	59.5	133	31.6	2.80	26.4	37.6
2015	616	55.7	2.29	51.3	60.4	149	34.5	2.90	29.0	40.7
2016	636	57.6	2.33	53.1	62.4	167	37.4	2.94	31.8	43.6
2017	630	55.5	2.26	51.1	60.1	168	36.1	2.83	30.8	42.1
2018	585	49.9	2.11	45.8	54.2	186	39.7	2.95	34.1	45.9
2019	657	56.2	2.25	51.9	60.8	166	33.6	2.64	28.6	39.2
2020	580	48.9	2.09	44.9	53.2	166	33.7	2.64	28.7	39.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Cervix Uteri											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	21,902	9.7	0.07	9.6	9.9	16,145	8.9	0.07	8.8	9.0	
1986	727	13.0	0.50	12.1	14.0	556	11.7	0.51	10.8	12.8	
1987	753	13.3	0.50	12.4	14.4	558	11.6	0.51	10.6	12.7	
1988	740	13.0	0.49	12.1	14.0	539	11.2	0.49	10.2	12.2	
1989	656	11.5	0.46	10.6	12.4	472	9.8	0.46	9.0	10.8	
1990	740	12.8	0.48	11.9	13.8	534	11.0	0.49	10.1	12.0	
1991	720	12.1	0.46	11.2	13.0	531	10.6	0.47	9.7	11.6	
1992	670	11.3	0.44	10.4	12.2	518	10.4	0.46	9.5	11.4	
1993	739	12.3	0.46	11.4	13.2	539	10.8	0.47	9.9	11.7	
1994	660	10.8	0.42	10.0	11.7	456	9.0	0.43	8.2	9.9	
1995	747	12.2	0.45	11.3	13.1	543	10.7	0.46	9.8	11.7	
1996	752	12.2	0.45	11.3	13.1	566	11.1	0.47	10.2	12.1	
1997	717	11.4	0.43	10.6	12.3	546	10.6	0.46	9.7	11.5	
1998	750	11.9	0.44	11.0	12.8	560	10.8	0.46	9.9	11.7	
1999	694	10.9	0.42	10.1	11.8	502	9.7	0.43	8.8	10.6	
2000	728	11.4	0.42	10.6	12.2	508	9.7	0.43	8.9	10.6	
2001	645	10.0	0.39	9.2	10.8	487	9.3	0.42	8.5	10.1	
2002	607	9.4	0.38	8.7	10.2	454	8.7	0.41	7.9	9.5	
2003	624	9.6	0.38	8.8	10.4	449	8.5	0.41	7.8	9.4	
2004	571	8.7	0.37	8.0	9.4	425	8.0	0.39	7.2	8.8	
2005	581	8.8	0.37	8.1	9.5	428	8.1	0.40	7.3	8.9	
2006	586	8.9	0.37	8.2	9.7	439	8.3	0.40	7.6	9.2	
2007	570	8.6	0.36	7.9	9.3	416	7.8	0.39	7.0	8.6	
2008	649	9.7	0.39	9.0	10.5	460	8.7	0.41	7.9	9.5	
2009	570	8.4	0.36	7.7	9.1	389	7.2	0.37	6.5	8.0	
2010	530	7.8	0.34	7.1	8.5	385	7.1	0.37	6.4	7.9	
2011	560	8.2	0.35	7.5	8.9	420	7.7	0.39	7.0	8.5	
2012	492	7.1	0.33	6.5	7.8	366	6.7	0.36	6.0	7.5	
2013	510	7.3	0.33	6.7	8.0	381	7.0	0.37	6.3	7.8	
2014	577	8.5	0.36	7.8	9.2	446	8.4	0.41	7.7	9.3	
2015	498	7.3	0.34	6.6	8.0	373	7.0	0.38	6.3	7.8	
2016	564	8.2	0.36	7.6	9.0	418	7.9	0.40	7.1	8.7	
2017	524	7.5	0.34	6.8	8.2	397	7.4	0.39	6.6	8.2	
2018	498	7.3	0.34	6.6	8.0	366	7.0	0.38	6.3	7.8	
2019	513	7.7	0.35	7.0	8.4	389	7.6	0.40	6.8	8.4	
2020	440	6.5	0.32	5.9	7.2	329	6.3	0.36	5.6	7.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Cervix Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,886	15.2	0.22	14.8	15.7	601	6.3	0.26	5.8	6.8
1986	158	22.8	1.87	19.3	26.8	10	8.3	2.74	3.8	16.3
1987	178	24.6	1.90	21.0	28.6	13	15.6	4.73	7.8	27.6
1988	174	24.3	1.89	20.7	28.3	20	16.5	3.86	9.8	26.3
1989	166	22.3	1.78	19.0	26.1	15	12.5	3.40	6.8	21.4
1990	184	25.2	1.89	21.6	29.2	17	11.9	3.00	6.8	19.9
1991	164	21.2	1.70	18.0	24.8	12	10.0	3.08	4.9	18.1
1992	133	17.3	1.53	14.4	20.6	10	8.3	2.67	3.9	15.4
1993	177	21.6	1.66	18.5	25.1	10	7.4	2.51	3.4	14.2
1994	184	22.6	1.70	19.4	26.2	18	12.9	3.39	7.2	21.2
1995	175	21.4	1.65	18.3	24.9	27	15.5	3.12	10.0	23.1
1996	156	18.3	1.49	15.5	21.5	21	13.4	3.07	8.1	20.9
1997	150	16.8	1.39	14.2	19.8	15	7.8	2.12	4.2	13.3
1998	167	18.7	1.46	16.0	21.8	21	10.9	2.52	6.5	17.1
1999	163	18.3	1.45	15.6	21.4	18	9.1	2.25	5.2	14.7
2000	184	20.2	1.50	17.3	23.3	27	11.8	2.36	7.6	17.5
2001	140	15.1	1.29	12.7	17.9	17	6.9	1.74	3.9	11.3
2002	132	14.4	1.26	12.0	17.0	16	7.4	1.96	4.1	12.2
2003	145	15.6	1.30	13.1	18.4	15	5.7	1.50	3.1	9.5
2004	120	13.0	1.19	10.7	15.5	14	5.4	1.48	2.9	9.1
2005	130	13.7	1.21	11.5	16.3	15	5.3	1.45	2.9	9.0
2006	125	13.1	1.18	10.9	15.6	10	4.3	1.43	2.0	8.0
2007	131	13.5	1.19	11.3	16.1	11	3.3	1.00	1.7	6.0
2008	158	16.1	1.29	13.7	18.8	17	5.2	1.33	2.9	8.5
2009	147	14.5	1.21	12.2	17.1	22	6.2	1.36	3.8	9.5
2010	118	11.5	1.07	9.5	13.8	16	4.4	1.15	2.5	7.4
2011	119	11.9	1.10	9.8	14.2	12	3.2	0.92	1.6	5.6
2012	98	9.6	0.99	7.8	11.8	16	4.4	1.13	2.5	7.2
2013	107	10.2	1.00	8.3	12.4	15	3.5	0.91	1.9	5.9
2014	108	10.2	1.00	8.3	12.4	22	5.3	1.15	3.3	8.1
2015	99	9.7	1.00	7.9	11.9	24	5.9	1.24	3.8	8.9
2016	123	11.9	1.10	9.9	14.3	19	4.1	0.95	2.4	6.4
2017	106	9.9	0.99	8.1	12.0	18	4.1	0.97	2.4	6.5
2018	99	9.2	0.94	7.4	11.2	26	5.7	1.14	3.7	8.4
2019	87	8.4	0.92	6.7	10.4	26	5.2	1.03	3.4	7.7
2020	81	8.0	0.91	6.3	10.0	16	3.2	0.81	1.8	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Uterus											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	66,473	27.1	0.11	26.9	27.3	56,897	28.0	0.12	27.7	28.2	
1986	1,448	24.0	0.65	22.8	25.3	1,344	25.5	0.72	24.2	27.0	
1987	1,431	23.6	0.64	22.3	24.8	1,320	25.0	0.71	23.6	26.4	
1988	1,385	22.8	0.62	21.6	24.1	1,248	23.7	0.69	22.4	25.1	
1989	1,445	24.0	0.64	22.8	25.3	1,312	25.3	0.72	23.9	26.7	
1990	1,434	23.4	0.63	22.2	24.7	1,303	24.7	0.70	23.3	26.1	
1991	1,472	23.7	0.63	22.5	25.0	1,357	25.3	0.70	24.0	26.7	
1992	1,558	25.2	0.65	23.9	26.5	1,426	26.9	0.73	25.5	28.4	
1993	1,511	24.1	0.63	22.9	25.4	1,371	25.6	0.70	24.2	27.0	
1994	1,588	25.0	0.63	23.8	26.3	1,449	26.7	0.71	25.3	28.1	
1995	1,594	25.2	0.64	23.9	26.5	1,441	26.7	0.71	25.3	28.1	
1996	1,743	27.4	0.66	26.2	28.8	1,567	29.1	0.75	27.7	30.6	
1997	1,606	24.9	0.63	23.7	26.2	1,428	26.2	0.70	24.8	27.6	
1998	1,698	26.2	0.64	24.9	27.5	1,502	27.4	0.71	26.0	28.9	
1999	1,607	24.6	0.62	23.4	25.9	1,418	25.8	0.69	24.5	27.2	
2000	1,627	24.8	0.62	23.6	26.0	1,410	25.7	0.69	24.3	27.0	
2001	1,746	26.3	0.63	25.1	27.5	1,516	27.3	0.71	25.9	28.7	
2002	1,775	26.4	0.63	25.2	27.7	1,537	27.4	0.70	26.0	28.8	
2003	1,679	24.6	0.60	23.4	25.8	1,459	25.7	0.68	24.4	27.0	
2004	1,779	25.8	0.62	24.6	27.1	1,535	26.9	0.69	25.5	28.3	
2005	1,868	26.7	0.62	25.5	28.0	1,602	27.8	0.70	26.4	29.2	
2006	1,977	28.1	0.64	26.8	29.3	1,662	28.6	0.71	27.2	30.0	
2007	1,923	26.9	0.62	25.7	28.2	1,630	27.8	0.69	26.4	29.2	
2008	1,990	27.2	0.62	26.0	28.5	1,700	28.4	0.70	27.0	29.8	
2009	2,175	29.4	0.64	28.2	30.7	1,857	30.7	0.72	29.3	32.2	
2010	2,184	28.9	0.63	27.7	30.1	1,840	29.8	0.71	28.4	31.2	
2011	2,221	29.1	0.63	27.8	30.3	1,837	29.4	0.70	28.0	30.8	
2012	2,236	28.6	0.61	27.4	29.8	1,860	29.2	0.69	27.9	30.6	
2013	2,350	29.5	0.62	28.3	30.7	1,941	30.2	0.70	28.8	31.6	
2014	2,370	29.4	0.62	28.2	30.6	1,904	29.4	0.69	28.0	30.8	
2015	2,438	29.8	0.62	28.6	31.0	1,985	30.0	0.69	28.7	31.4	
2016	2,538	31.0	0.63	29.7	32.2	2,072	31.5	0.71	30.2	33.0	
2017	2,550	31.0	0.63	29.8	32.3	2,053	31.2	0.71	29.8	32.6	
2018	2,541	30.3	0.62	29.1	31.6	2,076	31.0	0.70	29.6	32.4	
2019	2,606	30.9	0.62	29.7	32.2	2,077	30.9	0.70	29.5	32.3	
2020	2,380	28.3	0.60	27.1	29.5	1,858	27.7	0.67	26.4	29.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Uterus										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,469	23.3	0.27	22.8	23.8	1,499	16.0	0.42	15.2	16.9
1986	91	13.9	1.48	11.1	17.1	11	12.0	3.74	5.8	22.0
1987	100	14.2	1.45	11.5	17.4	7	5.2	2.06	2.0	11.9
1988	123	17.9	1.64	14.8	21.4	10	10.6	3.66	4.7	20.3
1989	118	16.9	1.58	13.9	20.3	11	10.2	3.25	4.8	18.8
1990	120	16.8	1.56	13.9	20.2	5	3.4	1.57	1.1	8.9
1991	98	14.0	1.43	11.4	17.1	11	10.4	3.41	4.9	19.3
1992	118	16.0	1.50	13.2	19.2	11	7.7	2.37	3.8	14.2
1993	121	16.7	1.53	13.8	19.9	15	8.9	2.35	4.9	15.2
1994	126	17.2	1.55	14.3	20.4	12	8.6	2.82	4.0	15.9
1995	121	15.8	1.45	13.1	18.9	25	17.4	3.75	10.9	26.3
1996	149	19.7	1.63	16.6	23.1	24	15.6	3.36	9.7	23.6
1997	158	20.0	1.60	17.0	23.4	12	6.5	1.92	3.3	11.6
1998	166	20.5	1.60	17.4	23.8	22	12.0	2.87	7.0	18.9
1999	148	18.0	1.49	15.2	21.1	22	11.0	2.42	6.8	16.9
2000	169	20.0	1.55	17.1	23.2	32	14.3	2.63	9.6	20.5
2001	180	21.1	1.58	18.1	24.4	38	16.7	2.83	11.6	23.2
2002	190	21.7	1.58	18.7	25.0	32	13.1	2.40	8.8	18.7
2003	161	18.6	1.47	15.8	21.7	34	13.3	2.34	9.1	18.8
2004	192	21.2	1.54	18.3	24.4	37	14.5	2.49	10.1	20.3
2005	206	22.2	1.56	19.2	25.4	33	11.9	2.17	8.1	17.0
2006	248	27.0	1.73	23.7	30.6	44	15.7	2.50	11.2	21.4
2007	235	24.6	1.62	21.6	28.0	46	15.0	2.28	10.8	20.2
2008	217	21.9	1.50	19.1	25.1	52	17.2	2.50	12.6	22.8
2009	246	24.7	1.59	21.6	28.0	48	15.6	2.37	11.3	21.0
2010	253	24.9	1.59	21.9	28.2	67	19.3	2.44	14.8	24.7
2011	281	27.1	1.64	24.0	30.5	70	18.9	2.34	14.6	24.1
2012	292	26.9	1.60	23.9	30.2	64	17.1	2.22	13.0	22.1
2013	289	25.4	1.52	22.5	28.6	79	19.3	2.23	15.2	24.2
2014	363	32.3	1.73	29.0	35.8	71	16.3	1.96	12.7	20.6
2015	355	31.0	1.68	27.8	34.5	76	17.4	2.04	13.6	21.9
2016	358	31.0	1.67	27.8	34.5	92	20.4	2.16	16.3	25.1
2017	378	32.6	1.72	29.4	36.2	98	20.7	2.12	16.7	25.3
2018	321	26.4	1.51	23.6	29.6	108	22.6	2.20	18.5	27.3
2019	403	33.2	1.69	29.9	36.6	82	16.5	1.84	13.1	20.5
2020	375	30.7	1.62	27.6	34.0	98	19.6	2.00	15.9	24.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Corpus Uteri											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	64,624	26.4	0.10	26.2	26.6	55,564	27.3	0.12	27.1	27.6	
1986	1,416	23.5	0.64	22.3	24.8	1,315	25.0	0.71	23.6	26.4	
1987	1,402	23.1	0.63	21.9	24.4	1,296	24.5	0.70	23.2	25.9	
1988	1,355	22.3	0.62	21.1	23.6	1,226	23.3	0.68	22.0	24.6	
1989	1,420	23.6	0.64	22.4	24.9	1,291	24.9	0.71	23.5	26.3	
1990	1,389	22.7	0.62	21.5	24.0	1,274	24.1	0.69	22.8	25.5	
1991	1,422	22.9	0.62	21.7	24.1	1,321	24.6	0.69	23.3	26.0	
1992	1,501	24.3	0.64	23.1	25.6	1,379	26.0	0.71	24.6	27.5	
1993	1,444	23.1	0.61	21.9	24.3	1,319	24.6	0.69	23.3	26.0	
1994	1,502	23.7	0.62	22.6	25.0	1,380	25.5	0.70	24.1	26.9	
1995	1,554	24.6	0.63	23.4	25.8	1,408	26.1	0.71	24.8	27.5	
1996	1,711	27.0	0.66	25.7	28.3	1,541	28.7	0.74	27.2	30.2	
1997	1,565	24.3	0.62	23.1	25.6	1,397	25.7	0.69	24.3	27.0	
1998	1,652	25.5	0.63	24.3	26.8	1,468	26.9	0.71	25.5	28.3	
1999	1,565	24.0	0.61	22.8	25.2	1,388	25.3	0.69	24.0	26.7	
2000	1,585	24.2	0.61	23.0	25.4	1,379	25.1	0.68	23.8	26.5	
2001	1,709	25.8	0.63	24.6	27.0	1,487	26.8	0.70	25.5	28.2	
2002	1,728	25.7	0.62	24.5	27.0	1,504	26.9	0.70	25.5	28.3	
2003	1,648	24.2	0.60	23.0	25.4	1,432	25.2	0.67	23.9	26.6	
2004	1,738	25.3	0.61	24.1	26.5	1,504	26.4	0.69	25.1	27.8	
2005	1,822	26.1	0.62	24.9	27.3	1,567	27.2	0.69	25.9	28.6	
2006	1,924	27.4	0.63	26.1	28.6	1,629	28.1	0.70	26.7	29.5	
2007	1,888	26.4	0.61	25.3	27.7	1,608	27.4	0.69	26.1	28.8	
2008	1,934	26.5	0.61	25.3	27.7	1,664	27.7	0.69	26.4	29.1	
2009	2,131	28.8	0.63	27.6	30.1	1,825	30.2	0.72	28.8	31.6	
2010	2,120	28.0	0.62	26.8	29.3	1,796	29.1	0.70	27.7	30.5	
2011	2,168	28.4	0.62	27.2	29.6	1,805	28.9	0.69	27.5	30.3	
2012	2,188	27.9	0.61	26.7	29.1	1,826	28.7	0.68	27.3	30.0	
2013	2,297	28.9	0.61	27.7	30.1	1,909	29.7	0.69	28.4	31.1	
2014	2,311	28.7	0.61	27.5	29.9	1,865	28.8	0.68	27.5	30.2	
2015	2,376	29.0	0.61	27.8	30.2	1,946	29.5	0.69	28.2	30.9	
2016	2,464	30.1	0.62	28.9	31.3	2,020	30.8	0.71	29.5	32.3	
2017	2,444	29.7	0.62	28.5	30.9	1,975	30.0	0.70	28.6	31.4	
2018	2,463	29.4	0.61	28.2	30.6	2,021	30.1	0.69	28.8	31.5	
2019	2,501	29.6	0.61	28.4	30.9	2,011	29.8	0.69	28.5	31.2	
2020	2,287	27.1	0.59	26.0	28.3	1,788	26.7	0.65	25.4	28.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Corpus Uteri										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,000	21.8	0.26	21.3	22.3	1,467	15.6	0.42	14.8	16.5
1986	88	13.4	1.46	10.7	16.6	11	12.0	3.74	5.8	22.0
1987	95	13.5	1.41	10.9	16.6	7	5.2	2.06	2.0	11.9
1988	115	16.6	1.57	13.6	19.9	10	10.6	3.66	4.7	20.3
1989	114	16.3	1.55	13.4	19.6	11	10.2	3.25	4.8	18.8
1990	107	14.9	1.46	12.2	18.1	4	2.7	1.41	0.7	7.9
1991	84	12.0	1.32	9.5	14.9	11	10.4	3.41	4.9	19.3
1992	108	14.7	1.43	12.0	17.7	11	7.7	2.37	3.8	14.2
1993	108	14.8	1.44	12.1	17.9	14	8.2	2.24	4.4	14.2
1994	109	14.6	1.42	12.0	17.7	12	8.6	2.82	4.0	15.9
1995	114	14.8	1.40	12.2	17.8	25	17.4	3.75	10.9	26.3
1996	144	19.0	1.60	16.0	22.4	23	15.1	3.34	9.3	23.1
1997	148	18.7	1.55	15.8	22.0	12	6.5	1.92	3.3	11.6
1998	155	19.1	1.55	16.2	22.4	21	10.6	2.52	6.3	16.8
1999	136	16.5	1.43	13.9	19.6	22	11.0	2.42	6.8	16.9
2000	159	18.7	1.49	15.9	21.9	31	13.9	2.60	9.3	20.1
2001	174	20.4	1.55	17.4	23.6	36	15.6	2.70	10.7	21.8
2002	176	20.1	1.52	17.2	23.3	32	13.1	2.40	8.8	18.7
2003	157	18.1	1.45	15.4	21.2	34	13.3	2.34	9.1	18.8
2004	182	20.1	1.50	17.3	23.3	37	14.5	2.49	10.1	20.3
2005	195	21.0	1.52	18.1	24.2	33	11.9	2.17	8.1	17.0
2006	229	24.8	1.65	21.7	28.3	43	15.1	2.42	10.7	20.6
2007	225	23.5	1.58	20.5	26.8	43	13.8	2.16	9.8	18.7
2008	199	20.1	1.44	17.4	23.2	52	17.2	2.50	12.6	22.8
2009	235	23.6	1.56	20.7	26.9	47	15.3	2.35	11.1	20.6
2010	235	23.1	1.53	20.2	26.2	65	18.7	2.40	14.3	24.0
2011	264	25.5	1.60	22.5	28.9	66	17.6	2.24	13.5	22.6
2012	279	25.7	1.56	22.7	28.9	63	16.7	2.18	12.7	21.5
2013	270	23.7	1.47	21.0	26.8	79	19.3	2.23	15.2	24.2
2014	343	30.5	1.68	27.3	34.0	71	16.3	1.96	12.7	20.6
2015	334	28.9	1.62	25.8	32.3	74	16.9	2.01	13.2	21.3
2016	336	28.9	1.61	25.9	32.3	92	20.4	2.16	16.3	25.1
2017	351	30.3	1.66	27.2	33.8	98	20.7	2.12	16.7	25.3
2018	305	25.0	1.47	22.2	28.1	104	21.7	2.16	17.7	26.4
2019	373	30.6	1.62	27.5	34.0	77	15.4	1.77	12.1	19.3
2020	354	28.8	1.57	25.8	32.1	96	19.2	1.97	15.5	23.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Uterus, NOS										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,849	0.7	0.02	0.7	0.8	1,333	0.6	0.02	0.6	0.7
1986	32	0.5	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1987	29	0.5	0.09	0.3	0.7	24	0.5	0.10	0.3	0.7
1988	30	0.5	0.09	0.3	0.7	22	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	45	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	57	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1993	67	1.1	0.13	0.8	1.3	52	1.0	0.13	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	40	0.6	0.10	0.4	0.8	33	0.6	0.10	0.4	0.8
1996	32	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1997	41	0.6	0.10	0.4	0.8	31	0.5	0.10	0.4	0.8
1998	46	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
1999	42	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
2000	42	0.6	0.09	0.4	0.8	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.08	0.4	0.7	29	0.4	0.08	0.3	0.6
2002	47	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2003	31	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
2004	41	0.5	0.08	0.4	0.7	31	0.5	0.08	0.3	0.7
2005	46	0.6	0.09	0.5	0.8	35	0.6	0.10	0.4	0.8
2006	53	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2007	35	0.5	0.08	0.3	0.7	22	0.4	0.08	0.2	0.6
2008	56	0.8	0.10	0.6	1.0	36	0.6	0.11	0.4	0.9
2009	44	0.6	0.09	0.4	0.8	32	0.5	0.10	0.4	0.8
2010	64	0.9	0.11	0.7	1.1	44	0.7	0.11	0.5	1.0
2011	53	0.7	0.10	0.5	0.9	32	0.5	0.09	0.3	0.7
2012	48	0.6	0.09	0.5	0.9	34	0.6	0.10	0.4	0.8
2013	53	0.6	0.09	0.5	0.8	32	0.5	0.08	0.3	0.6
2014	59	0.7	0.09	0.5	0.9	39	0.6	0.09	0.4	0.8
2015	62	0.8	0.10	0.6	1.0	39	0.6	0.09	0.4	0.8
2016	74	0.9	0.10	0.7	1.1	52	0.7	0.10	0.5	0.9
2017	106	1.3	0.13	1.0	1.6	78	1.2	0.14	0.9	1.5
2018	78	1.0	0.11	0.8	1.2	55	0.8	0.12	0.6	1.1
2019	105	1.3	0.13	1.0	1.6	66	1.0	0.13	0.8	1.3
2020	93	1.1	0.12	0.9	1.4	70	1.1	0.13	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Uterus, NOS										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	469	1.5	0.07	1.4	1.7	32	0.4	0.07	0.3	0.6
1986	3	0.4	0.25	0.1	1.3	0				
1987	5	0.7	0.34	0.2	1.7	0				
1988	8	1.3	0.48	0.6	2.6	0				
1989	4	0.6	0.31	0.2	1.5	0				
1990	13	1.9	0.54	1.0	3.3	1	0.7	0.69	0.0	5.1
1991	14	2.1	0.55	1.1	3.4	0				
1992	10	1.4	0.44	0.6	2.5	0				
1993	13	1.9	0.52	1.0	3.2	1	0.7	0.72	0.0	4.4
1994	17	2.5	0.61	1.5	4.0	0				
1995	7	1.0	0.39	0.4	2.1	0				
1996	5	0.7	0.30	0.2	1.5	1	0.4	0.44	0.0	3.2
1997	10	1.3	0.41	0.6	2.4	0				
1998	11	1.3	0.40	0.7	2.4	1	1.4	1.38	0.0	5.8
1999	12	1.4	0.42	0.7	2.5	0				
2000	10	1.3	0.41	0.6	2.3	1	0.4	0.38	0.0	2.6
2001	6	0.7	0.30	0.3	1.6	2	1.2	0.85	0.1	4.0
2002	14	1.6	0.43	0.9	2.7	0				
2003	4	0.5	0.23	0.1	1.2	0				
2004	10	1.1	0.34	0.5	2.0	0				
2005	11	1.2	0.35	0.6	2.1	0				
2006	19	2.2	0.51	1.3	3.4	1	0.6	0.60	0.0	2.8
2007	10	1.1	0.36	0.5	2.1	3	1.2	0.73	0.2	3.5
2008	18	1.8	0.42	1.1	2.8	0				
2009	11	1.0	0.31	0.5	1.9	1	0.3	0.30	0.0	1.8
2010	18	1.8	0.44	1.1	2.9	2	0.6	0.44	0.1	2.3
2011	17	1.6	0.39	0.9	2.5	4	1.2	0.66	0.3	3.3
2012	13	1.3	0.35	0.7	2.2	1	0.4	0.44	0.0	2.1
2013	19	1.7	0.40	1.0	2.7	0				
2014	20	1.8	0.41	1.1	2.8	0				
2015	21	2.1	0.47	1.3	3.2	2	0.5	0.35	0.1	1.8
2016	22	2.1	0.45	1.3	3.2	0				
2017	27	2.3	0.45	1.5	3.4	0				
2018	16	1.4	0.36	0.8	2.3	4	0.8	0.42	0.2	2.2
2019	30	2.6	0.48	1.7	3.7	5	1.1	0.51	0.4	2.7
2020	21	1.9	0.41	1.2	2.9	2	0.4	0.31	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ovary										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	31,835	13.2	0.07	13.0	13.3	27,624	13.8	0.08	13.6	13.9
1986	854	14.6	0.51	13.6	15.7	787	15.6	0.57	14.5	16.7
1987	895	15.4	0.53	14.4	16.5	802	15.9	0.58	14.8	17.1
1988	898	15.1	0.51	14.1	16.2	801	15.6	0.57	14.5	16.8
1989	882	14.8	0.51	13.9	15.9	800	15.6	0.57	14.6	16.8
1990	982	16.2	0.53	15.2	17.3	884	17.0	0.58	15.9	18.2
1991	951	15.9	0.52	14.8	16.9	861	16.8	0.59	15.7	18.0
1992	929	15.3	0.51	14.3	16.3	849	16.4	0.57	15.3	17.5
1993	919	14.8	0.49	13.8	15.8	820	15.4	0.55	14.4	16.5
1994	1,009	15.9	0.51	15.0	17.0	900	16.7	0.56	15.6	17.8
1995	937	14.8	0.49	13.9	15.8	837	15.6	0.55	14.5	16.7
1996	997	15.5	0.50	14.6	16.5	874	16.0	0.55	15.0	17.1
1997	969	15.1	0.49	14.2	16.1	849	15.7	0.54	14.6	16.8
1998	957	14.7	0.48	13.8	15.6	853	15.5	0.54	14.5	16.6
1999	964	14.7	0.47	13.8	15.6	861	15.5	0.54	14.5	16.6
2000	893	13.3	0.45	12.5	14.3	793	14.1	0.51	13.1	15.1
2001	894	13.4	0.45	12.5	14.3	758	13.6	0.50	12.6	14.6
2002	948	14.1	0.46	13.2	15.0	821	14.6	0.51	13.6	15.6
2003	925	13.4	0.44	12.5	14.3	811	14.1	0.50	13.1	15.1
2004	942	13.6	0.45	12.7	14.5	827	14.3	0.50	13.4	15.4
2005	951	13.6	0.44	12.8	14.5	825	14.3	0.50	13.3	15.3
2006	970	13.7	0.44	12.9	14.6	843	14.4	0.50	13.4	15.4
2007	935	13.2	0.44	12.3	14.1	816	13.9	0.49	13.0	14.9
2008	903	12.6	0.42	11.8	13.4	782	13.2	0.48	12.3	14.2
2009	909	12.5	0.42	11.7	13.3	760	12.7	0.47	11.8	13.7
2010	924	12.5	0.42	11.7	13.3	764	12.6	0.46	11.7	13.5
2011	899	12.1	0.41	11.3	12.9	754	12.4	0.46	11.5	13.4
2012	860	11.3	0.39	10.6	12.1	730	11.8	0.45	10.9	12.7
2013	879	11.5	0.39	10.7	12.3	718	11.5	0.44	10.7	12.4
2014	863	11.1	0.39	10.4	11.9	735	11.7	0.44	10.8	12.6
2015	904	11.6	0.40	10.9	12.4	752	12.0	0.45	11.1	12.9
2016	867	11.1	0.39	10.3	11.9	711	11.2	0.44	10.4	12.1
2017	832	10.7	0.38	10.0	11.5	703	11.3	0.44	10.4	12.2
2018	837	10.7	0.38	9.9	11.4	680	10.8	0.43	10.0	11.7
2019	831	10.3	0.37	9.5	11.0	667	10.3	0.42	9.5	11.2
2020	726	9.1	0.35	8.4	9.8	596	9.4	0.40	8.6	10.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ovary										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,228	10.2	0.18	9.9	10.6	845	9.0	0.32	8.4	9.7
1986	57	8.5	1.15	6.4	11.1	9	6.7	2.37	2.9	14.1
1987	85	12.9	1.43	10.3	16.0	8	5.7	2.09	2.4	12.4
1988	79	11.3	1.29	8.9	14.1	16	14.6	4.03	7.8	24.9
1989	73	10.4	1.24	8.1	13.1	8	7.1	2.64	2.9	14.7
1990	89	12.6	1.36	10.1	15.5	9	6.8	2.39	3.0	13.8
1991	76	10.4	1.22	8.2	13.1	11	7.7	2.39	3.7	14.3
1992	69	9.3	1.14	7.2	11.8	8	4.8	1.79	2.0	10.2
1993	86	11.3	1.24	9.0	14.0	12	8.3	2.90	3.6	15.9
1994	94	12.4	1.30	10.0	15.2	14	9.9	2.85	5.1	17.1
1995	81	10.1	1.14	8.0	12.6	15	8.3	2.24	4.5	14.1
1996	103	13.1	1.30	10.6	15.9	18	9.6	2.47	5.4	15.8
1997	97	12.0	1.24	9.7	14.7	20	10.1	2.31	6.1	15.9
1998	84	10.0	1.10	7.9	12.4	14	7.8	2.32	3.9	13.7
1999	85	10.0	1.09	8.0	12.4	15	6.6	1.76	3.6	11.2
2000	72	8.3	0.99	6.5	10.4	23	12.0	2.71	7.3	18.5
2001	101	11.7	1.18	9.5	14.3	31	14.8	2.77	9.8	21.2
2002	94	10.6	1.10	8.5	12.9	32	12.8	2.35	8.6	18.3
2003	91	10.3	1.09	8.3	12.7	17	7.5	1.96	4.1	12.3
2004	98	11.0	1.12	8.9	13.5	13	4.8	1.38	2.5	8.4
2005	91	9.9	1.04	7.9	12.1	29	11.5	2.27	7.5	16.8
2006	92	9.9	1.04	7.9	12.1	31	10.9	2.03	7.2	15.6
2007	93	9.8	1.02	7.9	12.0	25	8.7	1.84	5.5	13.1
2008	92	9.4	0.99	7.6	11.6	25	7.9	1.62	5.0	11.7
2009	117	11.9	1.12	9.9	14.3	27	9.2	1.83	5.9	13.4
2010	112	11.0	1.06	9.1	13.3	42	12.2	1.93	8.7	16.6
2011	95	9.3	0.96	7.5	11.4	45	12.5	1.94	9.0	16.9
2012	97	9.3	0.96	7.5	11.4	27	7.0	1.38	4.6	10.3
2013	119	11.6	1.07	9.6	13.9	36	9.1	1.55	6.3	12.7
2014	90	8.4	0.90	6.7	10.4	31	7.7	1.41	5.2	11.0
2015	117	10.7	1.01	8.9	12.9	32	7.6	1.39	5.2	10.9
2016	111	10.6	1.03	8.7	12.9	42	9.8	1.54	7.0	13.3
2017	90	8.0	0.87	6.4	9.9	36	7.8	1.32	5.4	10.8
2018	102	8.9	0.91	7.3	10.9	43	9.3	1.44	6.7	12.6
2019	113	9.9	0.95	8.1	11.9	40	8.3	1.32	5.9	11.3
2020	83	7.0	0.79	5.6	8.7	41	8.5	1.34	6.1	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Male Genital System											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	292,238	147.7	0.28	147.2	148.2	238,007	141.0	0.29	140.4	141.5	
1986	4,450	108.3	1.71	104.9	111.6	3,854	105.0	1.77	101.6	108.6	
1987	4,854	115.9	1.74	112.5	119.3	4,273	114.0	1.82	110.5	117.6	
1988	4,892	115.7	1.73	112.3	119.1	4,240	112.7	1.81	109.2	116.3	
1989	5,164	120.6	1.75	117.2	124.0	4,519	118.6	1.83	115.1	122.3	
1990	5,881	135.8	1.84	132.2	139.4	5,155	133.1	1.92	129.4	137.0	
1991	7,402	165.7	2.00	161.8	169.7	6,579	165.6	2.11	161.4	169.7	
1992	8,963	195.2	2.13	191.0	199.4	7,861	192.7	2.23	188.3	197.1	
1993	8,625	184.7	2.04	180.7	188.7	7,452	180.5	2.14	176.3	184.7	
1994	8,409	178.3	2.00	174.4	182.2	7,055	169.3	2.06	165.3	173.4	
1995	7,897	164.2	1.89	160.5	167.9	6,557	155.2	1.95	151.4	159.1	
1996	8,050	164.5	1.87	160.9	168.2	6,617	154.6	1.93	150.9	158.4	
1997	8,359	169.2	1.88	165.6	173.0	7,011	162.9	1.97	159.0	166.8	
1998	8,288	166.1	1.85	162.5	169.8	6,832	157.6	1.92	153.8	161.4	
1999	8,785	173.7	1.87	170.1	177.4	7,333	167.4	1.97	163.6	171.3	
2000	8,846	173.4	1.86	169.8	177.1	7,225	164.0	1.94	160.2	167.9	
2001	9,387	181.9	1.90	178.2	185.7	7,764	174.7	2.00	170.8	178.7	
2002	9,679	184.9	1.90	181.2	188.7	8,011	178.4	2.01	174.5	182.3	
2003	8,980	168.0	1.80	164.5	171.6	7,309	160.1	1.89	156.4	163.9	
2004	8,879	163.2	1.76	159.8	166.7	7,174	154.9	1.85	151.3	158.5	
2005	8,721	157.4	1.71	154.0	160.7	6,975	148.1	1.79	144.6	151.6	
2006	9,485	167.3	1.75	163.9	170.7	7,612	158.5	1.84	154.9	162.2	
2007	10,274	177.5	1.78	174.0	181.0	8,199	167.4	1.88	163.8	171.2	
2008	10,331	173.0	1.74	169.6	176.5	8,217	163.3	1.83	159.7	166.9	
2009	10,105	164.2	1.67	160.9	167.5	7,940	153.4	1.75	150.0	156.8	
2010	9,186	145.7	1.56	142.6	148.8	7,256	137.2	1.64	134.0	140.5	
2011	9,363	144.9	1.54	141.9	147.9	7,428	137.5	1.63	134.4	140.8	
2012	8,375	125.4	1.41	122.6	128.2	6,488	116.5	1.48	113.7	119.5	
2013	8,107	118.7	1.35	116.0	121.3	6,427	112.7	1.44	109.9	115.6	
2014	8,105	115.8	1.32	113.2	118.4	6,327	108.8	1.40	106.1	111.6	
2015	8,555	119.8	1.33	117.2	122.4	6,584	111.3	1.41	108.6	114.1	
2016	8,675	119.5	1.32	116.9	122.1	6,823	114.1	1.42	111.4	117.0	
2017	9,272	125.5	1.34	122.9	128.1	7,267	119.0	1.43	116.2	121.8	
2018	9,537	126.8	1.33	124.2	129.5	7,436	120.0	1.43	117.2	122.8	
2019	9,579	125.9	1.32	123.3	128.5	7,430	118.3	1.41	115.6	121.1	
2020	8,778	114.4	1.25	112.0	116.9	6,777	107.4	1.34	104.8	110.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Male Genital System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	45,869	210.1	1.03	208.1	212.1	4,267	63.8	1.05	61.8	65.9
1986	575	148.1	6.65	135.4	161.6	19	37.1	9.99	20.2	60.9
1987	562	145.0	6.52	132.5	158.3	15	28.4	8.83	13.8	49.8
1988	612	149.1	6.47	136.7	162.2	28	50.2	10.68	31.5	74.7
1989	608	146.9	6.36	134.7	159.8	25	45.2	10.37	27.2	69.0
1990	668	169.0	7.02	155.5	183.2	37	56.5	10.59	37.7	80.5
1991	756	176.0	6.86	162.8	189.9	32	55.6	10.77	36.5	79.8
1992	1,031	234.7	7.80	219.7	250.4	53	94.1	14.54	67.8	125.7
1993	1,109	241.0	7.72	226.1	256.6	44	65.7	11.05	45.9	90.2
1994	1,266	276.1	8.30	260.0	292.7	71	97.8	13.19	73.6	126.2
1995	1,251	260.0	7.81	244.9	275.7	60	69.6	10.14	51.2	91.8
1996	1,336	267.0	7.73	252.1	282.6	63	68.6	9.98	50.4	90.4
1997	1,207	234.1	7.10	220.3	248.4	70	62.7	8.49	47.2	81.2
1998	1,276	243.8	7.18	229.9	258.2	73	65.3	8.53	49.7	83.8
1999	1,243	230.5	6.85	217.3	244.3	105	91.7	10.29	72.7	113.7
2000	1,444	263.6	7.27	249.5	278.1	87	70.4	8.63	54.5	89.0
2001	1,406	252.4	7.06	238.7	266.6	98	72.2	8.33	56.8	90.1
2002	1,396	241.4	6.79	228.3	255.0	110	73.1	7.72	58.7	89.6
2003	1,429	237.6	6.58	224.9	250.8	105	63.7	7.01	50.7	78.7
2004	1,463	240.0	6.59	227.3	253.3	119	70.9	7.30	57.3	86.4
2005	1,456	235.3	6.51	222.7	248.3	137	78.9	7.50	64.9	94.8
2006	1,601	249.9	6.56	237.2	263.0	164	84.1	7.22	70.6	99.3
2007	1,748	266.9	6.69	253.9	280.3	170	76.5	6.43	64.5	90.1
2008	1,771	258.2	6.41	245.8	271.0	181	73.9	6.02	62.6	86.6
2009	1,779	250.2	6.21	238.2	262.7	174	72.3	6.06	60.9	85.1
2010	1,597	218.6	5.73	207.5	230.1	169	63.4	5.34	53.3	74.6
2011	1,498	196.1	5.30	185.8	206.7	181	69.1	5.65	58.5	81.0
2012	1,505	190.8	5.15	180.9	201.2	181	63.0	5.04	53.6	73.7
2013	1,391	175.5	4.92	165.9	185.4	171	57.6	4.69	48.7	67.4
2014	1,426	172.0	4.75	162.9	181.6	202	61.8	4.61	53.1	71.4
2015	1,587	188.7	4.95	179.2	198.7	190	53.1	4.04	45.5	61.6
2016	1,534	175.6	4.67	166.6	185.0	194	52.3	3.91	44.9	60.5
2017	1,651	187.4	4.79	178.1	197.0	206	54.7	3.94	47.3	63.0
2018	1,626	180.0	4.62	171.0	189.3	227	59.0	4.03	51.4	67.5
2019	1,635	180.7	4.63	171.7	190.0	263	65.3	4.11	57.5	73.9
2020	1,426	156.1	4.28	147.9	164.7	243	57.1	3.72	50.0	64.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Prostate											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	278,758	141.3	0.27	140.8	141.9	225,706	133.8	0.29	133.3	134.4	
1986	4,167	103.2	1.68	99.9	106.5	3,587	99.4	1.74	96.0	102.9	
1987	4,537	110.1	1.71	106.8	113.5	3,974	107.7	1.78	104.3	111.3	
1988	4,579	110.2	1.70	106.9	113.6	3,944	106.6	1.77	103.2	110.2	
1989	4,837	114.7	1.72	111.4	118.1	4,220	112.3	1.80	108.8	115.9	
1990	5,547	130.0	1.81	126.5	133.6	4,846	126.9	1.89	123.2	130.6	
1991	7,088	160.3	1.97	156.4	164.2	6,288	159.6	2.08	155.6	163.7	
1992	8,660	190.1	2.10	186.0	194.3	7,577	187.0	2.21	182.7	191.4	
1993	8,284	178.8	2.02	174.9	182.8	7,132	174.0	2.11	169.8	178.1	
1994	8,066	172.5	1.97	168.7	176.4	6,735	162.9	2.03	158.9	166.9	
1995	7,558	158.6	1.86	155.0	162.3	6,242	149.0	1.92	145.3	152.8	
1996	7,697	158.7	1.84	155.1	162.3	6,301	148.4	1.89	144.7	152.1	
1997	7,972	162.8	1.85	159.2	166.4	6,653	155.7	1.93	151.9	159.5	
1998	7,928	160.1	1.82	156.5	163.7	6,499	150.8	1.89	147.1	154.6	
1999	8,409	167.5	1.85	163.9	171.2	7,000	160.8	1.94	157.0	164.6	
2000	8,489	167.5	1.84	163.9	171.1	6,896	157.4	1.91	153.7	161.2	
2001	8,991	175.3	1.87	171.7	179.0	7,403	167.4	1.96	163.6	171.3	
2002	9,301	178.8	1.87	175.1	182.5	7,665	171.5	1.97	167.6	175.4	
2003	8,600	161.9	1.77	158.4	165.4	6,957	153.1	1.85	149.5	156.8	
2004	8,478	156.7	1.72	153.3	160.1	6,804	147.4	1.80	143.9	151.0	
2005	8,353	151.4	1.68	148.1	154.7	6,650	141.5	1.76	138.1	145.0	
2006	9,081	160.7	1.71	157.4	164.1	7,240	151.0	1.80	147.5	154.6	
2007	9,879	171.0	1.75	167.6	174.5	7,841	160.2	1.84	156.6	163.8	
2008	9,895	165.9	1.70	162.6	169.3	7,825	155.3	1.78	151.8	158.8	
2009	9,712	157.7	1.64	154.5	160.9	7,572	145.8	1.71	142.5	149.2	
2010	8,734	138.4	1.52	135.4	141.4	6,842	128.9	1.59	125.8	132.0	
2011	8,964	138.5	1.50	135.6	141.5	7,060	130.1	1.59	127.0	133.3	
2012	7,941	118.4	1.36	115.8	121.1	6,095	108.6	1.43	105.9	111.5	
2013	7,684	111.9	1.31	109.3	114.5	6,047	105.0	1.38	102.3	107.8	
2014	7,676	108.9	1.28	106.5	111.5	5,948	101.2	1.34	98.6	103.8	
2015	8,082	112.2	1.28	109.7	114.7	6,155	102.5	1.34	99.9	105.2	
2016	8,196	111.8	1.27	109.3	114.3	6,376	104.9	1.35	102.3	107.6	
2017	8,836	118.4	1.29	115.9	120.9	6,867	110.6	1.37	107.9	113.3	
2018	9,067	119.2	1.28	116.7	121.8	7,021	111.3	1.36	108.6	114.0	
2019	9,132	118.7	1.27	116.2	121.2	7,037	110.2	1.34	107.6	112.8	
2020	8,338	107.2	1.20	104.8	109.5	6,407	99.5	1.27	97.1	102.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Prostate										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	45,202	207.5	1.02	205.5	209.5	4,044	61.6	1.04	59.6	63.7
1986	562	145.8	6.61	133.2	159.3	17	35.9	9.95	19.1	59.6
1987	548	142.2	6.46	129.9	155.4	12	26.9	8.79	12.5	48.3
1988	599	146.8	6.43	134.4	159.8	24	48.0	10.63	29.5	72.5
1989	584	142.9	6.29	130.8	155.7	22	43.5	10.32	25.7	67.4
1990	649	165.0	6.95	151.7	179.1	32	53.9	10.53	35.3	77.8
1991	740	173.2	6.81	160.1	186.9	31	51.5	9.96	33.8	74.0
1992	1,015	232.2	7.77	217.3	247.9	51	92.3	14.49	66.1	123.9
1993	1,090	238.3	7.70	223.5	253.8	44	65.7	11.05	45.9	90.2
1994	1,249	273.5	8.27	257.5	290.1	67	94.0	12.98	70.3	122.1
1995	1,235	257.5	7.78	242.5	273.1	56	67.8	10.10	49.5	89.9
1996	1,316	264.1	7.70	249.3	279.6	56	66.0	9.93	48.0	87.7
1997	1,189	231.4	7.07	217.8	245.7	67	61.5	8.46	46.1	80.0
1998	1,259	241.6	7.16	227.8	256.0	69	63.0	8.43	47.5	81.3
1999	1,224	228.1	6.83	214.9	241.9	95	84.9	9.82	66.8	105.9
2000	1,427	261.1	7.24	247.1	275.6	81	67.8	8.53	52.1	86.2
2001	1,389	250.1	7.03	236.5	264.2	91	70.0	8.29	54.7	87.8
2002	1,375	238.6	6.76	225.6	252.2	108	72.3	7.70	58.0	88.8
2003	1,411	235.3	6.56	222.6	248.5	101	62.5	6.98	49.6	77.5
2004	1,446	237.8	6.57	225.1	251.0	113	69.1	7.26	55.6	84.6
2005	1,433	231.9	6.46	219.4	244.9	132	77.4	7.47	63.5	93.2
2006	1,586	248.0	6.54	235.3	261.1	159	82.9	7.20	69.4	98.1
2007	1,727	264.3	6.67	251.4	277.6	161	74.0	6.37	62.0	87.4
2008	1,747	255.2	6.38	242.9	268.0	171	71.3	5.96	60.1	83.9
2009	1,766	248.6	6.19	236.6	261.0	173	72.1	6.06	60.7	84.8
2010	1,574	215.7	5.70	204.6	227.1	163	61.9	5.30	52.0	73.1
2011	1,483	194.4	5.28	184.2	205.0	170	66.6	5.59	56.1	78.4
2012	1,486	188.4	5.12	178.5	198.7	169	59.8	4.94	50.5	70.2
2013	1,371	172.9	4.88	163.5	182.7	159	54.7	4.61	46.0	64.4
2014	1,401	168.6	4.69	159.5	178.1	193	59.5	4.55	51.0	69.1
2015	1,563	185.9	4.91	176.4	195.8	181	51.1	3.99	43.6	59.5
2016	1,516	173.4	4.64	164.4	182.7	183	49.7	3.82	42.5	57.7
2017	1,628	184.8	4.76	175.6	194.4	194	51.8	3.84	44.5	59.8
2018	1,597	176.2	4.57	167.4	185.4	216	56.7	3.97	49.1	65.0
2019	1,613	178.2	4.60	169.3	187.4	253	62.8	4.03	55.2	71.2
2020	1,404	153.5	4.24	145.3	162.0	230	54.4	3.65	47.5	62.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Testis											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	11,413	5.3	0.05	5.2	5.4	10,556	6.1	0.06	5.9	6.2	
1986	230	3.9	0.27	3.4	4.5	221	4.5	0.31	3.9	5.2	
1987	252	4.2	0.27	3.7	4.8	241	4.8	0.32	4.2	5.5	
1988	272	4.6	0.29	4.0	5.2	262	5.3	0.33	4.6	6.0	
1989	269	4.6	0.29	4.0	5.2	251	5.1	0.33	4.5	5.8	
1990	273	4.4	0.27	3.9	5.0	258	5.0	0.32	4.4	5.6	
1991	263	4.2	0.27	3.7	4.8	251	4.9	0.31	4.3	5.5	
1992	259	4.1	0.26	3.6	4.7	245	4.7	0.31	4.2	5.4	
1993	285	4.6	0.28	4.1	5.2	269	5.2	0.32	4.6	5.9	
1994	286	4.6	0.27	4.0	5.1	274	5.3	0.32	4.7	6.0	
1995	280	4.4	0.27	3.9	5.0	263	5.1	0.31	4.5	5.7	
1996	292	4.6	0.27	4.1	5.2	263	5.0	0.31	4.5	5.7	
1997	335	5.4	0.30	4.8	6.0	316	6.2	0.35	5.5	6.9	
1998	300	4.8	0.28	4.3	5.4	280	5.5	0.33	4.8	6.1	
1999	325	5.2	0.29	4.6	5.8	292	5.7	0.33	5.1	6.4	
2000	298	4.7	0.27	4.2	5.3	279	5.4	0.33	4.8	6.1	
2001	328	5.2	0.29	4.7	5.8	300	5.9	0.34	5.2	6.6	
2002	330	5.3	0.29	4.7	5.9	306	6.0	0.34	5.4	6.7	
2003	328	5.2	0.29	4.7	5.8	310	6.1	0.35	5.5	6.9	
2004	345	5.5	0.30	4.9	6.1	321	6.3	0.35	5.7	7.1	
2005	323	5.1	0.29	4.6	5.7	291	5.8	0.34	5.1	6.5	
2006	341	5.4	0.30	4.9	6.0	317	6.3	0.36	5.6	7.0	
2007	331	5.3	0.29	4.8	5.9	305	6.1	0.35	5.5	6.9	
2008	367	5.9	0.31	5.3	6.5	336	6.8	0.37	6.1	7.5	
2009	341	5.5	0.30	4.9	6.1	320	6.5	0.37	5.8	7.3	
2010	381	6.1	0.31	5.5	6.7	354	7.1	0.38	6.4	7.9	
2011	342	5.5	0.30	4.9	6.1	319	6.4	0.36	5.7	7.2	
2012	364	5.8	0.31	5.2	6.5	333	6.8	0.37	6.0	7.5	
2013	373	6.0	0.31	5.4	6.7	340	6.9	0.38	6.2	7.7	
2014	369	5.9	0.31	5.3	6.5	328	6.7	0.37	6.0	7.5	
2015	399	6.4	0.33	5.8	7.1	371	7.7	0.40	6.9	8.5	
2016	414	6.7	0.33	6.0	7.4	393	8.2	0.42	7.4	9.0	
2017	368	6.0	0.32	5.4	6.7	344	7.3	0.40	6.5	8.1	
2018	397	6.6	0.33	5.9	7.3	354	7.6	0.41	6.8	8.4	
2019	381	6.2	0.32	5.6	6.9	338	7.2	0.39	6.4	8.0	
2020	372	6.2	0.33	5.6	6.9	311	6.8	0.39	6.0	7.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Testis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	402	1.4	0.07	1.2	1.5	183	1.6	0.12	1.4	1.9
1986	7	0.9	0.33	0.3	2.0	1	0.6	0.55	0.0	7.3
1987	7	0.9	0.35	0.3	2.0	3	1.5	0.86	0.3	7.8
1988	6	0.9	0.37	0.3	2.0	4	2.2	1.12	0.6	8.4
1989	14	1.7	0.47	0.9	3.0	3	1.6	0.95	0.3	7.4
1990	10	1.5	0.49	0.7	2.9	4	2.0	1.04	0.5	7.8
1991	6	0.6	0.24	0.2	1.5	0				
1992	12	1.3	0.37	0.7	2.4	1	0.8	0.84	0.0	5.9
1993	15	1.9	0.51	1.0	3.2	0				
1994	8	0.8	0.30	0.4	1.8	3	1.6	0.93	0.3	6.1
1995	9	1.1	0.37	0.5	2.2	4	1.8	0.91	0.5	6.0
1996	12	1.5	0.43	0.7	2.7	7	2.6	0.98	1.0	6.6
1997	9	1.2	0.41	0.5	2.3	3	1.2	0.68	0.2	4.8
1998	12	1.3	0.37	0.6	2.3	2	0.8	0.58	0.1	4.2
1999	14	1.6	0.43	0.9	2.7	7	2.3	0.89	0.9	5.8
2000	9	1.0	0.32	0.4	1.9	5	1.5	0.65	0.5	4.5
2001	11	1.2	0.36	0.6	2.2	6	1.8	0.76	0.7	4.9
2002	14	1.6	0.44	0.9	2.8	1	0.4	0.36	0.0	2.9
2003	9	1.0	0.33	0.5	2.0	3	0.8	0.49	0.2	3.3
2004	11	1.3	0.40	0.7	2.4	6	1.8	0.73	0.6	4.4
2005	15	1.7	0.44	0.9	2.9	3	0.7	0.40	0.1	2.8
2006	10	1.2	0.37	0.6	2.2	4	0.9	0.45	0.2	3.0
2007	12	1.5	0.43	0.8	2.6	7	1.7	0.63	0.7	3.9
2008	14	1.6	0.45	0.9	2.8	8	2.0	0.72	0.9	4.4
2009	9	1.0	0.32	0.4	1.9	1	0.2	0.22	0.0	1.9
2010	13	1.5	0.43	0.8	2.7	6	1.4	0.59	0.5	3.5
2011	8	0.9	0.33	0.4	1.8	10	2.2	0.71	1.1	4.4
2012	12	1.4	0.40	0.7	2.4	9	2.4	0.86	1.0	4.9
2013	11	1.3	0.40	0.6	2.3	11	2.6	0.80	1.3	4.9
2014	17	1.9	0.47	1.1	3.1	8	1.9	0.68	0.8	3.9
2015	9	1.1	0.37	0.5	2.1	9	1.9	0.65	0.9	3.8
2016	11	1.3	0.41	0.7	2.4	8	1.9	0.70	0.8	3.9
2017	15	1.7	0.45	0.9	2.8	8	1.7	0.59	0.7	3.4
2018	21	2.6	0.59	1.6	4.1	9	1.9	0.64	0.9	3.7
2019	14	1.6	0.43	0.9	2.7	8	1.9	0.70	0.8	3.8
2020	16	1.8	0.47	1.0	3.0	11	2.2	0.67	1.1	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Penis										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,649	0.9	0.02	0.8	0.9	1,386	0.9	0.02	0.8	0.9
1986	42	0.9	0.15	0.7	1.3	35	0.9	0.15	0.6	1.2
1987	57	1.4	0.19	1.0	1.8	50	1.3	0.20	1.0	1.8
1988	32	0.7	0.13	0.5	1.0	28	0.7	0.14	0.5	1.1
1989	45	1.0	0.15	0.7	1.4	35	0.9	0.16	0.6	1.3
1990	38	0.9	0.15	0.6	1.2	31	0.8	0.14	0.5	1.1
1991	41	1.0	0.16	0.7	1.3	31	0.8	0.15	0.5	1.1
1992	38	0.8	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1993	41	0.9	0.15	0.7	1.3	37	1.0	0.16	0.7	1.3
1994	48	1.0	0.15	0.7	1.3	37	0.9	0.15	0.6	1.2
1995	46	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
1996	48	1.0	0.14	0.7	1.3	41	0.9	0.15	0.7	1.3
1997	42	0.9	0.14	0.6	1.2	33	0.8	0.14	0.6	1.1
1998	46	1.0	0.15	0.7	1.3	41	1.0	0.16	0.7	1.4
1999	49	1.0	0.15	0.7	1.3	39	0.9	0.15	0.7	1.3
2000	47	1.0	0.14	0.7	1.3	40	0.9	0.15	0.7	1.3
2001	54	1.1	0.15	0.8	1.4	48	1.1	0.16	0.8	1.5
2002	37	0.7	0.12	0.5	1.0	31	0.7	0.12	0.5	1.0
2003	39	0.7	0.12	0.5	1.0	32	0.7	0.13	0.5	1.0
2004	49	0.9	0.13	0.7	1.2	43	1.0	0.15	0.7	1.3
2005	34	0.6	0.11	0.4	0.9	25	0.6	0.11	0.4	0.8
2006	55	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4
2007	50	0.9	0.13	0.7	1.2	40	0.9	0.14	0.6	1.2
2008	48	0.9	0.13	0.6	1.2	40	0.9	0.14	0.6	1.2
2009	48	0.9	0.13	0.6	1.2	44	0.9	0.14	0.7	1.3
2010	58	1.0	0.13	0.8	1.3	49	1.0	0.14	0.7	1.3
2011	45	0.8	0.12	0.6	1.0	39	0.8	0.13	0.6	1.1
2012	54	0.9	0.12	0.7	1.2	47	0.9	0.13	0.7	1.2
2013	36	0.6	0.11	0.4	0.9	28	0.6	0.11	0.4	0.9
2014	50	0.8	0.12	0.6	1.1	42	0.8	0.12	0.6	1.1
2015	59	0.9	0.12	0.7	1.2	50	0.9	0.14	0.7	1.2
2016	52	0.8	0.12	0.6	1.1	44	0.9	0.13	0.6	1.2
2017	52	0.8	0.12	0.6	1.1	46	0.9	0.13	0.7	1.2
2018	61	0.9	0.12	0.7	1.2	49	0.9	0.13	0.7	1.2
2019	53	0.8	0.11	0.6	1.1	43	0.8	0.12	0.6	1.1
2020	55	0.8	0.11	0.6	1.1	48	0.9	0.13	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Penis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	221	1.1	0.08	0.9	1.2	29	0.5	0.10	0.3	0.7
1986	6	1.4	0.62	0.5	3.1	1	0.7	0.68	0.0	7.5
1987	7	1.9	0.78	0.7	3.9	0				
1988	4	0.7	0.35	0.2	1.8	0				
1989	10	2.3	0.77	1.1	4.3	0				
1990	7	2.1	0.81	0.8	4.2	0				
1991	9	2.2	0.80	0.9	4.2	1	4.1	4.09	0.1	16.4
1992	4	1.2	0.63	0.3	2.9	1	0.9	0.92	0.0	6.1
1993	4	0.8	0.43	0.2	2.1	0				
1994	9	1.8	0.60	0.8	3.3	1	2.2	2.18	0.1	9.4
1995	6	1.3	0.55	0.4	2.8	0				
1996	7	1.2	0.48	0.4	2.5	0				
1997	8	1.4	0.51	0.6	2.8	0				
1998	4	0.8	0.46	0.2	2.1	1	0.5	0.50	0.0	3.9
1999	5	0.8	0.37	0.3	1.9	3	4.5	2.96	0.7	12.8
2000	6	1.1	0.46	0.4	2.4	1	1.2	1.15	0.0	5.4
2001	5	1.0	0.44	0.3	2.2	1	0.4	0.41	0.0	3.2
2002	5	0.8	0.35	0.3	1.8	1	0.4	0.39	0.0	3.0
2003	7	1.0	0.37	0.4	2.1	0				
2004	5	0.8	0.36	0.2	1.8	0				
2005	7	1.3	0.54	0.5	2.7	1	0.4	0.44	0.0	2.7
2006	5	0.7	0.33	0.2	1.7	1	0.3	0.30	0.0	2.3
2007	8	1.0	0.36	0.4	2.0	2	0.9	0.66	0.1	3.4
2008	7	1.0	0.38	0.4	2.0	1	0.3	0.26	0.0	2.0
2009	4	0.7	0.35	0.2	1.7	0				
2010	8	1.2	0.45	0.5	2.4	0				
2011	5	0.6	0.26	0.2	1.4	1	0.3	0.31	0.0	1.9
2012	6	1.0	0.42	0.3	2.1	1	0.3	0.25	0.0	1.7
2013	8	1.2	0.44	0.5	2.3	0				
2014	7	1.4	0.52	0.6	2.7	1	0.3	0.32	0.0	1.8
2015	9	1.0	0.36	0.5	2.0	0				
2016	4	0.6	0.32	0.2	1.6	3	0.7	0.40	0.1	2.2
2017	3	0.4	0.22	0.1	1.1	3	1.0	0.63	0.2	2.9
2018	8	1.1	0.41	0.5	2.2	2	0.5	0.32	0.1	1.7
2019	8	0.9	0.33	0.4	1.8	2	0.6	0.42	0.1	2.0
2020	6	0.9	0.35	0.3	1.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary System											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	165,777	37.3	0.09	37.1	37.4	147,208	38.9	0.10	38.7	39.1	
1986	3,159	29.8	0.54	28.8	30.9	2,907	30.9	0.58	29.8	32.1	
1987	3,298	31.1	0.55	30.0	32.2	3,029	32.3	0.59	31.1	33.5	
1988	3,269	30.6	0.54	29.5	31.6	3,022	32.0	0.59	30.9	33.2	
1989	3,353	31.1	0.54	30.1	32.2	3,079	32.4	0.59	31.3	33.6	
1990	3,345	30.7	0.54	29.7	31.8	3,100	32.4	0.59	31.3	33.6	
1991	3,411	31.0	0.53	30.0	32.1	3,164	32.7	0.59	31.6	33.9	
1992	3,551	31.8	0.54	30.7	32.8	3,262	33.3	0.59	32.1	34.4	
1993	3,677	32.4	0.54	31.4	33.5	3,337	33.7	0.59	32.6	34.9	
1994	3,814	33.5	0.54	32.4	34.6	3,477	35.0	0.60	33.8	36.1	
1995	3,822	33.2	0.54	32.2	34.3	3,497	34.9	0.59	33.8	36.1	
1996	4,070	35.3	0.55	34.2	36.4	3,685	36.8	0.61	35.6	38.0	
1997	4,193	36.0	0.56	34.9	37.1	3,789	37.5	0.61	36.3	38.7	
1998	4,154	35.3	0.55	34.2	36.4	3,759	37.0	0.60	35.8	38.2	
1999	4,277	36.0	0.55	34.9	37.1	3,862	37.7	0.61	36.5	38.9	
2000	4,502	37.6	0.56	36.5	38.7	4,030	39.2	0.62	38.0	40.4	
2001	4,520	37.5	0.56	36.4	38.6	4,054	39.3	0.62	38.1	40.5	
2002	4,844	39.8	0.57	38.7	40.9	4,346	41.7	0.63	40.5	43.0	
2003	4,984	40.5	0.57	39.4	41.6	4,467	42.6	0.64	41.3	43.8	
2004	5,030	40.4	0.57	39.3	41.5	4,521	42.7	0.64	41.5	44.0	
2005	5,152	41.0	0.57	39.8	42.1	4,574	43.0	0.64	41.7	44.2	
2006	5,132	40.5	0.57	39.4	41.6	4,549	42.4	0.63	41.2	43.7	
2007	5,238	40.7	0.57	39.6	41.8	4,594	42.3	0.63	41.1	43.6	
2008	5,472	41.8	0.57	40.7	43.0	4,789	43.5	0.63	42.2	44.7	
2009	5,596	42.1	0.57	41.0	43.3	4,916	44.1	0.64	42.9	45.4	
2010	5,346	39.5	0.55	38.5	40.6	4,700	41.5	0.61	40.3	42.8	
2011	5,514	40.0	0.55	38.9	41.1	4,825	41.9	0.61	40.7	43.2	
2012	5,546	39.6	0.54	38.5	40.7	4,857	41.6	0.61	40.4	42.8	
2013	5,824	40.9	0.55	39.8	42.0	5,067	42.8	0.61	41.7	44.1	
2014	5,903	40.6	0.54	39.6	41.7	5,087	42.3	0.60	41.1	43.5	
2015	6,081	41.3	0.54	40.2	42.4	5,262	43.3	0.61	42.1	44.5	
2016	5,993	40.4	0.53	39.3	41.4	5,206	42.6	0.60	41.4	43.8	
2017	6,025	39.9	0.52	38.9	40.9	5,264	42.4	0.60	41.3	43.6	
2018	5,893	38.6	0.51	37.6	39.6	5,080	40.6	0.58	39.4	41.7	
2019	6,135	39.2	0.51	38.2	40.3	5,236	40.9	0.58	39.8	42.1	
2020	5,654	36.1	0.49	35.1	37.0	4,815	37.5	0.55	36.4	38.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	15,214	28.8	0.24	28.3	29.3	2,129	14.6	0.33	14.0	15.3
1986	232	21.8	1.49	19.0	24.9	17	12.8	3.71	6.6	21.9
1987	245	22.1	1.46	19.4	25.2	18	11.2	2.84	6.4	18.2
1988	223	20.0	1.39	17.4	22.9	16	9.9	2.90	5.0	17.1
1989	256	22.9	1.48	20.1	26.0	12	7.8	2.61	3.6	14.4
1990	222	18.9	1.31	16.4	21.7	19	12.4	3.06	7.1	19.7
1991	218	19.1	1.33	16.5	21.8	22	10.8	2.45	6.5	16.7
1992	253	21.6	1.40	18.9	24.5	30	18.0	3.80	11.3	26.7
1993	301	23.3	1.38	20.7	26.2	31	12.8	2.42	8.5	18.5
1994	296	23.6	1.41	20.9	26.5	32	16.4	3.23	10.7	23.8
1995	291	22.6	1.36	20.0	25.4	25	9.4	1.99	5.9	14.1
1996	332	25.5	1.44	22.8	28.5	42	17.3	2.97	11.9	23.9
1997	333	25.2	1.42	22.5	28.1	49	17.6	2.73	12.7	23.8
1998	338	24.9	1.39	22.3	27.8	33	12.5	2.46	8.2	18.2
1999	357	26.7	1.45	23.9	29.6	35	11.4	2.09	7.7	16.2
2000	406	29.1	1.47	26.2	32.1	33	10.0	1.84	6.7	14.2
2001	401	28.5	1.45	25.7	31.5	40	11.7	1.99	8.1	16.2
2002	429	30.4	1.50	27.5	33.5	34	8.9	1.66	6.0	12.7
2003	438	29.2	1.42	26.5	32.1	44	13.2	2.14	9.3	18.0
2004	425	28.2	1.40	25.5	31.1	52	14.8	2.21	10.8	19.7
2005	458	30.0	1.43	27.3	33.0	66	15.9	2.13	12.0	20.6
2006	488	31.5	1.46	28.7	34.5	65	14.8	1.98	11.2	19.1
2007	537	34.2	1.51	31.3	37.3	68	15.5	2.02	11.8	19.9
2008	584	36.1	1.53	33.2	39.2	57	11.6	1.68	8.5	15.3
2009	570	34.7	1.49	31.8	37.7	77	15.4	1.90	11.9	19.6
2010	517	30.7	1.39	28.1	33.6	81	15.7	1.86	12.2	19.7
2011	540	31.1	1.37	28.5	33.9	92	16.3	1.81	12.9	20.2
2012	550	31.4	1.37	28.7	34.2	90	14.9	1.66	11.8	18.5
2013	599	33.4	1.40	30.7	36.2	112	17.9	1.78	14.6	21.7
2014	653	35.4	1.42	32.7	38.3	110	16.5	1.64	13.5	20.0
2015	642	33.9	1.37	31.3	36.7	113	15.7	1.53	12.8	19.0
2016	637	33.9	1.37	31.3	36.7	106	14.5	1.47	11.8	17.7
2017	599	30.5	1.28	28.0	33.1	121	15.4	1.44	12.8	18.5
2018	602	30.6	1.28	28.2	33.2	129	16.0	1.44	13.3	19.0
2019	662	32.9	1.31	30.4	35.6	132	15.7	1.39	13.1	18.6
2020	580	28.9	1.23	26.5	31.4	126	14.6	1.32	12.1	17.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary System											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	113,623	60.0	0.18	59.6	60.3	102,029	62.8	0.20	62.4	63.2	
1986	2,207	51.4	1.14	49.2	53.7	2,053	53.7	1.24	51.3	56.2	
1987	2,305	53.2	1.15	51.0	55.5	2,138	55.6	1.25	53.2	58.1	
1988	2,182	50.5	1.12	48.3	52.7	2,035	53.2	1.22	50.8	55.6	
1989	2,282	51.9	1.13	49.7	54.2	2,126	54.7	1.22	52.3	57.1	
1990	2,304	52.2	1.13	50.0	54.4	2,165	55.5	1.23	53.1	57.9	
1991	2,353	52.1	1.11	49.9	54.3	2,208	55.4	1.21	53.0	57.8	
1992	2,417	53.0	1.11	50.8	55.2	2,236	55.5	1.20	53.1	57.9	
1993	2,508	53.8	1.10	51.7	56.0	2,309	56.5	1.20	54.2	58.9	
1994	2,549	54.5	1.11	52.4	56.7	2,354	57.4	1.21	55.0	59.8	
1995	2,588	54.8	1.10	52.6	57.0	2,395	58.0	1.21	55.6	60.4	
1996	2,754	57.5	1.12	55.3	59.7	2,529	60.5	1.22	58.2	63.0	
1997	2,814	58.0	1.11	55.8	60.2	2,572	60.8	1.21	58.5	63.2	
1998	2,818	57.6	1.10	55.5	59.8	2,584	60.7	1.21	58.4	63.1	
1999	2,878	58.3	1.10	56.2	60.5	2,621	61.1	1.21	58.8	63.6	
2000	3,035	60.6	1.11	58.4	62.8	2,750	63.4	1.22	61.1	65.9	
2001	3,075	60.5	1.10	58.4	62.7	2,800	63.8	1.21	61.4	66.2	
2002	3,346	65.6	1.15	63.4	67.9	3,046	69.2	1.27	66.7	71.7	
2003	3,400	65.6	1.14	63.4	67.9	3,064	68.8	1.25	66.3	71.3	
2004	3,432	65.2	1.13	63.0	67.4	3,111	68.8	1.25	66.4	71.3	
2005	3,500	65.2	1.12	63.1	67.5	3,147	68.6	1.24	66.2	71.0	
2006	3,447	63.6	1.10	61.5	65.8	3,092	66.7	1.21	64.4	69.2	
2007	3,546	64.4	1.10	62.2	66.6	3,144	66.9	1.21	64.6	69.4	
2008	3,744	66.5	1.11	64.4	68.7	3,331	69.6	1.22	67.2	72.0	
2009	3,812	66.3	1.10	64.2	68.5	3,388	69.5	1.21	67.1	71.9	
2010	3,671	62.6	1.06	60.6	64.7	3,262	65.8	1.17	63.5	68.1	
2011	3,776	62.7	1.04	60.7	64.8	3,360	66.0	1.16	63.8	68.3	
2012	3,795	61.6	1.02	59.6	63.7	3,374	65.0	1.14	62.8	67.3	
2013	4,044	64.5	1.04	62.5	66.5	3,540	67.1	1.15	64.9	69.4	
2014	4,099	64.0	1.02	62.0	66.1	3,551	66.2	1.14	64.0	68.5	
2015	4,236	64.7	1.02	62.7	66.7	3,681	67.4	1.14	65.2	69.6	
2016	4,182	63.6	1.01	61.6	65.6	3,689	67.3	1.14	65.0	69.5	
2017	4,208	62.3	0.99	60.4	64.3	3,719	66.1	1.11	63.9	68.3	
2018	4,036	59.2	0.95	57.4	61.1	3,514	62.1	1.07	60.0	64.2	
2019	4,270	61.1	0.96	59.3	63.0	3,691	63.6	1.07	61.5	65.7	
2020	4,010	56.8	0.92	55.0	58.6	3,450	58.8	1.03	56.8	60.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	9,218	42.7	0.47	41.8	43.6	1,497	23.2	0.65	22.0	24.6
1986	143	33.9	3.07	28.1	40.3	10	17.1	6.18	7.2	33.2
1987	150	33.8	2.97	28.3	40.1	14	19.8	5.85	10.0	34.7
1988	131	29.0	2.72	24.0	34.8	12	18.4	6.53	7.9	34.9
1989	142	31.1	2.78	25.9	36.9	10	16.0	6.03	6.5	31.4
1990	124	25.9	2.51	21.2	31.2	12	20.5	6.40	10.0	36.3
1991	127	27.3	2.57	22.5	32.7	13	14.3	4.26	7.2	25.3
1992	155	33.6	2.90	28.2	39.7	22	34.8	8.80	19.7	55.2
1993	175	33.0	2.65	28.0	38.6	19	16.0	3.95	9.2	25.9
1994	162	32.1	2.70	27.0	37.7	25	27.8	6.51	16.5	43.0
1995	169	32.3	2.62	27.3	37.8	18	13.7	3.45	7.8	22.4
1996	190	34.9	2.68	29.9	40.5	27	27.3	6.21	16.5	41.7
1997	196	36.5	2.78	31.3	42.3	32	26.1	5.06	17.1	37.8
1998	196	35.1	2.65	30.1	40.7	22	17.8	4.47	10.2	28.5
1999	216	39.3	2.86	33.9	45.3	23	15.5	3.56	9.4	24.1
2000	234	41.8	2.90	36.3	47.8	28	19.3	3.95	12.4	28.5
2001	228	40.0	2.82	34.7	45.9	29	17.6	3.55	11.3	25.9
2002	255	46.0	3.08	40.2	52.4	23	14.9	3.56	8.7	23.3
2003	282	46.2	2.90	40.7	52.2	27	19.7	4.24	12.3	29.4
2004	262	43.2	2.85	37.8	49.1	36	24.7	4.63	16.5	35.1
2005	273	44.8	2.90	39.3	50.8	43	24.8	4.32	17.1	34.5
2006	287	46.8	2.94	41.2	52.8	44	23.4	3.93	16.4	32.3
2007	325	51.1	3.00	45.4	57.3	44	21.5	3.63	15.0	29.7
2008	339	50.7	2.89	45.2	56.7	44	21.1	3.71	14.5	29.4
2009	343	50.8	2.91	45.2	56.8	59	25.3	3.65	18.7	33.4
2010	323	46.1	2.70	41.0	51.7	54	24.2	3.65	17.6	32.3
2011	320	44.5	2.63	39.5	49.9	59	24.0	3.48	17.7	31.7
2012	331	45.7	2.65	40.7	51.2	60	23.6	3.40	17.4	31.1
2013	382	51.6	2.76	46.4	57.3	85	30.0	3.49	23.6	37.6
2014	425	55.8	2.83	50.3	61.6	86	29.2	3.38	22.9	36.5
2015	426	53.7	2.73	48.5	59.3	81	24.9	2.91	19.5	31.2
2016	388	49.7	2.63	44.7	55.1	76	22.9	2.76	17.8	28.9
2017	377	46.7	2.51	41.9	51.8	81	22.9	2.62	18.1	28.7
2018	373	45.5	2.45	40.8	50.6	87	23.9	2.64	19.0	29.6
2019	400	48.6	2.53	43.8	53.8	97	25.6	2.67	20.6	31.3
2020	369	44.5	2.39	39.9	49.4	95	24.4	2.55	19.6	29.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	52,154	20.8	0.09	20.6	20.9	45,179	21.3	0.10	21.1	21.5	
1986	952	15.3	0.50	14.4	16.4	854	15.6	0.54	14.5	16.7	
1987	993	16.1	0.52	15.1	17.1	891	16.3	0.56	15.2	17.4	
1988	1,087	17.7	0.54	16.6	18.8	987	18.3	0.60	17.2	19.5	
1989	1,071	17.2	0.53	16.2	18.3	953	17.4	0.58	16.3	18.6	
1990	1,041	16.5	0.52	15.5	17.6	935	17.0	0.57	15.9	18.2	
1991	1,058	16.4	0.51	15.5	17.5	956	16.9	0.56	15.8	18.0	
1992	1,134	17.5	0.53	16.5	18.6	1,026	18.1	0.58	17.0	19.3	
1993	1,169	17.8	0.53	16.8	18.9	1,028	17.9	0.57	16.8	19.1	
1994	1,265	19.0	0.54	18.0	20.1	1,123	19.4	0.59	18.3	20.6	
1995	1,234	18.5	0.53	17.4	19.5	1,102	19.0	0.58	17.9	20.2	
1996	1,316	19.7	0.55	18.6	20.8	1,156	20.0	0.60	18.9	21.3	
1997	1,379	20.5	0.56	19.4	21.6	1,217	20.9	0.61	19.8	22.2	
1998	1,336	19.8	0.54	18.7	20.9	1,175	20.3	0.60	19.1	21.5	
1999	1,399	20.4	0.55	19.4	21.5	1,241	21.3	0.61	20.1	22.5	
2000	1,467	21.4	0.56	20.3	22.5	1,280	21.9	0.62	20.7	23.1	
2001	1,445	20.9	0.55	19.8	22.0	1,254	21.3	0.61	20.2	22.6	
2002	1,498	21.4	0.56	20.4	22.6	1,300	21.9	0.61	20.7	23.1	
2003	1,584	22.7	0.57	21.6	23.9	1,403	23.8	0.64	22.5	25.1	
2004	1,598	22.6	0.57	21.5	23.8	1,410	23.6	0.64	22.4	24.9	
2005	1,652	23.2	0.58	22.1	24.4	1,427	23.8	0.64	22.6	25.1	
2006	1,685	23.5	0.58	22.4	24.7	1,457	24.2	0.64	22.9	25.5	
2007	1,692	23.4	0.57	22.2	24.5	1,450	23.9	0.64	22.7	25.2	
2008	1,728	23.5	0.57	22.4	24.7	1,458	23.8	0.63	22.5	25.0	
2009	1,784	24.1	0.58	22.9	25.2	1,528	24.7	0.65	23.5	26.0	
2010	1,675	22.1	0.55	21.1	23.2	1,438	22.9	0.62	21.7	24.1	
2011	1,738	22.8	0.56	21.7	23.9	1,465	23.4	0.62	22.2	24.6	
2012	1,751	22.7	0.55	21.6	23.8	1,483	23.1	0.62	22.0	24.4	
2013	1,780	22.7	0.55	21.6	23.8	1,527	23.7	0.62	22.5	24.9	
2014	1,804	22.4	0.54	21.4	23.5	1,536	23.4	0.61	22.2	24.6	
2015	1,845	22.9	0.55	21.8	24.0	1,581	24.0	0.62	22.8	25.3	
2016	1,811	22.1	0.53	21.1	23.2	1,517	22.8	0.60	21.6	24.0	
2017	1,817	22.2	0.54	21.2	23.3	1,545	23.4	0.61	22.2	24.6	
2018	1,857	22.3	0.53	21.2	23.3	1,566	23.3	0.61	22.1	24.5	
2019	1,865	21.9	0.52	20.9	23.0	1,545	22.6	0.59	21.4	23.8	
2020	1,644	19.6	0.50	18.6	20.6	1,365	20.2	0.57	19.1	21.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	5,996	19.4	0.25	18.9	19.9	632	7.8	0.32	7.2	8.5
1986	89	13.9	1.51	11.1	17.2	7	9.6	4.51	2.9	21.8
1987	95	14.5	1.52	11.7	17.8	4	4.4	2.24	1.1	11.6
1988	92	14.0	1.50	11.2	17.2	4	3.3	1.67	0.8	9.2
1989	114	17.4	1.66	14.3	20.9	2	1.7	1.18	0.2	6.8
1990	98	14.3	1.47	11.6	17.4	7	6.7	2.72	2.5	14.4
1991	91	13.6	1.45	10.9	16.7	9	8.1	2.86	3.5	15.8
1992	98	14.0	1.44	11.4	17.1	8	6.3	2.29	2.7	12.7
1993	126	16.8	1.52	13.9	20.0	12	9.8	2.93	5.0	17.4
1994	134	18.0	1.58	15.0	21.3	7	7.8	3.07	3.0	15.7
1995	122	15.9	1.46	13.2	19.0	7	5.6	2.20	2.1	11.5
1996	142	18.7	1.59	15.7	22.0	15	10.4	2.94	5.5	17.7
1997	137	17.5	1.52	14.7	20.7	17	11.1	2.89	6.2	18.2
1998	142	17.9	1.51	15.0	21.1	11	8.2	2.72	3.8	15.0
1999	141	18.1	1.54	15.2	21.4	12	7.9	2.41	3.9	14.0
2000	172	20.8	1.60	17.8	24.2	5	2.7	1.25	0.8	6.4
2001	173	20.8	1.60	17.8	24.2	11	6.5	2.08	3.1	11.8
2002	174	20.6	1.57	17.6	23.9	11	4.6	1.45	2.2	8.4
2003	156	17.9	1.44	15.2	20.9	17	8.6	2.19	4.8	13.9
2004	163	18.4	1.45	15.7	21.5	16	7.7	2.02	4.2	12.6
2005	185	20.6	1.52	17.7	23.8	23	9.4	2.07	5.8	14.3
2006	201	21.9	1.56	19.0	25.2	21	8.2	1.89	4.9	12.7
2007	212	23.1	1.60	20.0	26.4	24	10.5	2.26	6.6	15.8
2008	245	26.0	1.68	22.8	29.5	13	4.7	1.37	2.4	8.2
2009	227	23.9	1.60	20.8	27.2	18	7.2	1.78	4.1	11.4
2010	194	19.9	1.44	17.1	22.9	27	9.2	1.88	5.9	13.6
2011	220	21.8	1.49	19.0	24.9	33	10.5	1.90	7.1	14.8
2012	219	21.7	1.49	18.9	24.8	30	8.8	1.66	5.8	12.7
2013	217	20.9	1.44	18.2	23.9	27	7.8	1.56	5.1	11.5
2014	228	21.2	1.43	18.5	24.2	24	6.5	1.37	4.1	9.8
2015	216	20.0	1.38	17.4	22.9	32	8.2	1.48	5.5	11.6
2016	249	22.9	1.48	20.1	26.0	30	7.6	1.43	5.1	10.9
2017	222	19.4	1.32	16.9	22.2	40	9.1	1.48	6.5	12.5
2018	229	20.1	1.35	17.5	22.9	42	9.5	1.48	6.8	12.8
2019	262	22.0	1.39	19.4	25.0	35	7.6	1.30	5.3	10.7
2020	211	17.9	1.26	15.5	20.5	31	6.6	1.20	4.5	9.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary Bladder (incl in situ)											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	95,054	21.4	0.07	21.2	21.5	87,177	22.9	0.08	22.8	23.1	
1986	2,124	20.1	0.44	19.3	21.0	1,988	21.1	0.48	20.2	22.1	
1987	2,202	20.7	0.45	19.9	21.6	2,052	21.8	0.49	20.8	22.8	
1988	2,121	19.8	0.43	18.9	20.6	1,990	20.9	0.47	20.0	21.9	
1989	2,161	20.0	0.43	19.2	20.9	2,024	21.2	0.48	20.2	22.1	
1990	2,202	20.2	0.43	19.3	21.1	2,080	21.6	0.48	20.7	22.6	
1991	2,164	19.7	0.43	18.8	20.5	2,039	21.0	0.47	20.1	21.9	
1992	2,251	20.1	0.43	19.3	20.9	2,101	21.3	0.47	20.4	22.2	
1993	2,384	21.0	0.43	20.2	21.9	2,227	22.4	0.48	21.5	23.3	
1994	2,417	21.2	0.43	20.3	22.0	2,255	22.5	0.48	21.6	23.5	
1995	2,352	20.4	0.42	19.6	21.3	2,193	21.8	0.47	20.9	22.7	
1996	2,599	22.5	0.44	21.6	23.3	2,408	23.9	0.49	22.9	24.9	
1997	2,584	22.1	0.44	21.3	23.0	2,394	23.6	0.48	22.6	24.5	
1998	2,567	21.8	0.43	20.9	22.6	2,375	23.2	0.48	22.3	24.2	
1999	2,658	22.4	0.43	21.5	23.2	2,461	23.9	0.48	23.0	24.9	
2000	2,763	23.1	0.44	22.2	24.0	2,555	24.7	0.49	23.8	25.7	
2001	2,692	22.4	0.43	21.5	23.2	2,495	24.1	0.48	23.1	25.0	
2002	2,876	23.7	0.44	22.8	24.6	2,665	25.5	0.49	24.5	26.5	
2003	2,921	23.8	0.44	22.9	24.7	2,717	25.8	0.50	24.8	26.8	
2004	2,875	23.2	0.43	22.4	24.1	2,654	25.1	0.49	24.1	26.0	
2005	2,979	23.8	0.44	22.9	24.6	2,732	25.6	0.49	24.6	26.6	
2006	2,776	22.0	0.42	21.2	22.8	2,552	23.8	0.47	22.8	24.7	
2007	2,862	22.4	0.42	21.5	23.2	2,605	23.9	0.47	23.0	24.9	
2008	3,014	23.2	0.43	22.4	24.1	2,722	24.7	0.48	23.8	25.6	
2009	3,060	23.1	0.42	22.3	24.0	2,777	24.8	0.48	23.9	25.7	
2010	2,923	21.7	0.41	20.9	22.5	2,672	23.5	0.46	22.6	24.4	
2011	2,954	21.5	0.40	20.7	22.3	2,691	23.3	0.46	22.4	24.2	
2012	2,912	20.9	0.39	20.2	21.7	2,666	22.8	0.45	21.9	23.7	
2013	3,158	22.2	0.40	21.5	23.1	2,840	23.9	0.46	23.0	24.8	
2014	3,072	21.2	0.39	20.4	22.0	2,751	22.8	0.44	21.9	23.7	
2015	3,217	21.8	0.39	21.0	22.5	2,917	23.7	0.45	22.8	24.6	
2016	3,111	20.9	0.38	20.1	21.6	2,811	22.7	0.44	21.9	23.6	
2017	3,124	20.5	0.37	19.8	21.2	2,852	22.6	0.43	21.7	23.4	
2018	2,966	19.2	0.36	18.5	19.9	2,650	20.7	0.41	19.9	21.5	
2019	3,082	19.4	0.36	18.8	20.2	2,705	20.7	0.40	19.9	21.5	
2020	2,931	18.3	0.34	17.7	19.0	2,561	19.4	0.39	18.7	20.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary Bladder (incl in situ)										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	6,103	12.2	0.16	11.9	12.5	1,020	7.5	0.25	7.1	8.0
1986	126	12.8	1.18	10.6	15.3	7	6.8	3.04	2.2	14.7
1987	135	12.8	1.14	10.7	15.2	10	7.2	2.45	3.3	13.6
1988	117	11.1	1.06	9.1	13.4	9	6.9	2.66	2.7	13.7
1989	124	12.0	1.11	9.9	14.3	8	5.8	2.39	2.1	12.0
1990	107	9.6	0.96	7.8	11.6	12	8.6	2.62	4.3	15.1
1991	109	10.0	0.99	8.2	12.1	12	6.4	1.98	3.2	11.5
1992	127	11.4	1.04	9.5	13.6	18	11.9	3.31	6.3	19.7
1993	140	11.6	1.01	9.7	13.8	11	4.7	1.54	2.2	8.8
1994	140	11.8	1.03	9.9	14.0	15	8.0	2.25	4.2	13.5
1995	136	11.1	0.97	9.3	13.1	16	5.9	1.57	3.3	9.9
1996	155	12.8	1.05	10.8	15.0	28	10.7	2.21	6.9	15.9
1997	148	12.2	1.03	10.3	14.4	26	10.3	2.21	6.5	15.5
1998	155	12.0	0.99	10.2	14.1	18	8.0	2.13	4.4	13.0
1999	164	13.1	1.05	11.2	15.3	14	4.3	1.25	2.2	7.5
2000	174	13.1	1.01	11.2	15.2	12	4.1	1.24	2.0	7.2
2001	163	12.4	0.99	10.6	14.5	19	6.1	1.51	3.5	9.7
2002	176	13.4	1.03	11.5	15.6	16	5.0	1.34	2.7	8.2
2003	156	11.2	0.91	9.5	13.1	25	8.3	1.78	5.2	12.4
2004	164	11.5	0.92	9.8	13.4	30	8.7	1.72	5.6	12.6
2005	179	12.4	0.95	10.7	14.4	30	7.8	1.56	5.0	11.3
2006	176	12.4	0.95	10.6	14.4	28	6.8	1.38	4.3	10.0
2007	194	13.0	0.95	11.2	15.0	36	9.0	1.60	6.1	12.6
2008	238	15.7	1.04	13.7	17.8	26	6.5	1.38	4.1	9.7
2009	229	14.8	1.00	12.9	16.9	33	7.2	1.36	4.8	10.3
2010	189	12.0	0.89	10.3	13.9	35	6.9	1.23	4.7	9.7
2011	196	12.0	0.87	10.3	13.8	44	8.1	1.30	5.7	11.0
2012	188	11.5	0.86	9.9	13.3	35	6.4	1.14	4.4	9.0
2013	241	14.2	0.93	12.4	16.1	58	9.5	1.31	7.1	12.4
2014	242	13.4	0.88	11.8	15.3	56	8.9	1.25	6.7	11.7
2015	213	11.9	0.83	10.3	13.6	44	6.5	1.02	4.7	8.8
2016	225	12.2	0.83	10.6	13.9	46	6.9	1.05	5.0	9.3
2017	197	10.4	0.76	8.9	12.0	53	7.0	0.99	5.2	9.2
2018	208	10.8	0.77	9.4	12.5	62	8.1	1.04	6.1	10.4
2019	253	13.0	0.84	11.5	14.8	65	8.0	1.01	6.2	10.3
2020	219	11.1	0.76	9.6	12.7	63	7.6	0.97	5.8	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary Bladder (incl in situ)											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	70,225	38.0	0.15	37.7	38.3	65,049	40.8	0.16	40.5	41.1	
1986	1,556	37.1	0.98	35.2	39.0	1,470	39.1	1.07	37.1	41.3	
1987	1,631	38.0	0.98	36.1	40.0	1,539	40.3	1.07	38.3	42.5	
1988	1,508	35.6	0.96	33.7	37.5	1,427	37.8	1.04	35.8	39.9	
1989	1,565	36.2	0.95	34.4	38.1	1,479	38.5	1.04	36.5	40.6	
1990	1,634	37.5	0.96	35.6	39.4	1,566	40.4	1.06	38.4	42.6	
1991	1,587	35.8	0.93	34.0	37.6	1,514	38.5	1.02	36.5	40.6	
1992	1,645	36.7	0.93	34.9	38.5	1,549	38.9	1.02	37.0	41.0	
1993	1,742	38.0	0.94	36.2	39.8	1,644	40.7	1.03	38.7	42.7	
1994	1,706	37.0	0.92	35.3	38.9	1,610	39.6	1.01	37.7	41.7	
1995	1,723	37.1	0.92	35.4	39.0	1,627	39.9	1.01	38.0	42.0	
1996	1,873	39.8	0.94	38.0	41.7	1,766	42.8	1.04	40.8	44.9	
1997	1,875	39.4	0.92	37.6	41.2	1,752	41.9	1.01	39.9	43.9	
1998	1,881	39.1	0.92	37.3	40.9	1,754	41.7	1.01	39.7	43.7	
1999	1,929	39.7	0.92	38.0	41.6	1,803	42.5	1.01	40.5	44.5	
2000	2,000	40.8	0.92	39.0	42.6	1,866	43.7	1.02	41.7	45.7	
2001	1,979	39.9	0.91	38.1	41.7	1,861	43.1	1.01	41.2	45.1	
2002	2,138	43.1	0.94	41.2	45.0	2,017	46.7	1.05	44.7	48.8	
2003	2,115	41.9	0.92	40.1	43.7	1,976	45.1	1.03	43.2	47.2	
2004	2,148	41.9	0.92	40.1	43.7	1,998	45.1	1.02	43.1	47.1	
2005	2,181	41.7	0.91	39.9	43.5	2,030	45.1	1.01	43.1	47.1	
2006	2,013	38.4	0.87	36.7	40.1	1,865	41.2	0.96	39.4	43.2	
2007	2,115	39.6	0.87	37.9	41.3	1,944	42.4	0.97	40.5	44.3	
2008	2,232	41.1	0.88	39.4	42.9	2,049	43.9	0.98	42.0	45.9	
2009	2,305	41.4	0.88	39.7	43.2	2,116	44.4	0.98	42.5	46.3	
2010	2,199	38.7	0.84	37.1	40.4	2,025	41.8	0.94	39.9	43.7	
2011	2,189	37.6	0.82	36.0	39.3	2,017	40.6	0.92	38.8	42.5	
2012	2,171	36.6	0.80	35.0	38.2	2,019	40.0	0.91	38.3	41.8	
2013	2,386	39.1	0.82	37.5	40.8	2,162	41.8	0.92	40.0	43.7	
2014	2,311	37.1	0.79	35.6	38.7	2,081	39.7	0.89	37.9	41.4	
2015	2,394	37.5	0.79	35.9	39.0	2,178	40.4	0.89	38.7	42.2	
2016	2,328	36.3	0.77	34.8	37.8	2,121	39.3	0.87	37.6	41.1	
2017	2,391	36.3	0.76	34.8	37.8	2,193	39.6	0.86	37.9	41.3	
2018	2,219	33.1	0.72	31.7	34.6	1,997	35.5	0.81	34.0	37.2	
2019	2,331	34.0	0.72	32.6	35.4	2,072	36.0	0.81	34.4	37.6	
2020	2,225	31.9	0.69	30.6	33.3	1,962	33.7	0.78	32.2	35.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary Bladder (incl in situ)										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,833	19.4	0.33	18.8	20.1	778	13.3	0.52	12.3	14.3
1986	79	20.9	2.54	16.3	26.4	6	10.7	5.01	3.2	24.6
1987	81	19.5	2.33	15.2	24.5	8	13.4	5.22	5.2	27.4
1988	71	16.8	2.12	12.9	21.4	8	14.6	6.24	5.1	30.8
1989	76	17.9	2.19	13.9	22.7	7	12.3	5.60	3.9	27.1
1990	57	12.9	1.85	9.5	16.9	8	14.7	5.52	6.0	28.9
1991	62	14.2	1.91	10.7	18.4	8	9.0	3.48	3.5	18.7
1992	76	17.6	2.18	13.6	22.3	16	26.2	7.98	12.9	45.1
1993	88	18.0	2.02	14.2	22.3	5	4.5	2.31	1.2	11.6
1994	79	16.9	2.04	13.2	21.3	11	12.0	4.06	5.4	22.4
1995	79	16.1	1.91	12.6	20.3	12	9.1	2.83	4.4	16.7
1996	82	16.1	1.88	12.7	20.2	18	15.4	3.97	8.7	25.2
1997	92	19.6	2.18	15.6	24.3	20	17.7	4.33	10.3	28.1
1998	101	18.9	1.99	15.3	23.2	14	13.3	4.15	6.4	23.4
1999	98	20.3	2.19	16.2	24.9	11	7.0	2.36	3.1	13.3
2000	107	20.6	2.12	16.7	25.2	12	9.4	2.94	4.6	16.8
2001	93	18.1	2.00	14.4	22.4	14	8.9	2.56	4.6	15.3
2002	97	19.8	2.13	15.8	24.3	14	11.0	3.32	5.5	19.1
2003	105	18.8	1.95	15.2	23.0	16	13.8	3.76	7.4	22.6
2004	108	19.2	1.98	15.5	23.4	23	16.4	3.81	9.8	25.3
2005	107	19.3	1.99	15.6	23.6	19	11.9	3.15	6.5	19.4
2006	111	21.0	2.11	17.1	25.5	22	13.2	3.12	7.8	20.5
2007	123	20.9	2.01	17.1	25.1	24	13.7	3.08	8.3	20.8
2008	142	23.1	2.05	19.3	27.5	19	12.1	3.15	6.7	19.4
2009	149	24.4	2.12	20.4	28.8	27	12.9	2.80	8.0	19.3
2010	125	19.5	1.83	16.1	23.4	26	11.5	2.51	7.1	17.3
2011	123	19.2	1.83	15.8	23.1	30	13.4	2.70	8.7	19.6
2012	111	16.8	1.67	13.6	20.3	25	11.2	2.51	6.9	17.0
2013	161	24.2	1.99	20.4	28.4	49	17.8	2.71	12.9	23.9
2014	165	22.6	1.85	19.1	26.5	48	17.5	2.74	12.6	23.6
2015	147	20.5	1.78	17.2	24.3	38	12.7	2.17	8.8	17.6
2016	156	21.2	1.77	17.9	24.9	31	10.2	1.93	6.8	14.7
2017	141	19.0	1.67	15.9	22.5	40	12.1	1.97	8.5	16.5
2018	136	17.7	1.58	14.7	21.0	48	14.0	2.08	10.2	18.6
2019	157	20.7	1.71	17.4	24.3	54	15.3	2.14	11.4	20.0
2020	148	18.7	1.59	15.7	22.1	47	13.0	1.94	9.5	17.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary Bladder (incl in situ)										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	24,829	9.7	0.06	9.5	9.8	22,128	10.1	0.07	10.0	10.3
1986	568	9.1	0.39	8.4	9.9	518	9.4	0.42	8.6	10.2
1987	571	9.1	0.39	8.4	9.9	513	9.3	0.42	8.5	10.1
1988	613	9.8	0.40	9.0	10.6	563	10.2	0.44	9.3	11.1
1989	596	9.4	0.39	8.6	10.2	545	9.7	0.42	8.9	10.6
1990	568	8.9	0.38	8.2	9.7	514	9.1	0.41	8.4	10.0
1991	577	8.9	0.37	8.1	9.6	525	9.1	0.40	8.3	9.9
1992	606	9.2	0.38	8.4	9.9	552	9.5	0.41	8.7	10.4
1993	642	9.7	0.38	8.9	10.4	583	10.0	0.42	9.2	10.8
1994	711	10.5	0.40	9.7	11.3	645	10.9	0.43	10.0	11.8
1995	629	9.2	0.37	8.5	10.0	566	9.5	0.41	8.8	10.4
1996	726	10.6	0.40	9.8	11.4	642	10.8	0.43	10.0	11.7
1997	709	10.3	0.39	9.6	11.1	642	10.8	0.43	10.0	11.7
1998	686	10.0	0.38	9.2	10.8	621	10.5	0.43	9.7	11.4
1999	729	10.4	0.39	9.7	11.2	658	11.0	0.43	10.1	11.9
2000	763	10.9	0.40	10.2	11.8	689	11.5	0.45	10.7	12.4
2001	713	10.1	0.38	9.4	10.9	634	10.5	0.42	9.7	11.4
2002	738	10.3	0.38	9.6	11.1	648	10.6	0.42	9.7	11.4
2003	806	11.4	0.40	10.6	12.2	741	12.3	0.46	11.4	13.2
2004	727	10.1	0.38	9.4	10.8	656	10.7	0.42	9.9	11.6
2005	798	11.0	0.39	10.2	11.8	702	11.4	0.44	10.6	12.3
2006	763	10.5	0.38	9.7	11.2	687	11.2	0.43	10.3	12.0
2007	747	10.1	0.37	9.4	10.8	661	10.6	0.42	9.8	11.4
2008	782	10.4	0.38	9.7	11.2	673	10.7	0.42	9.9	11.5
2009	755	10.0	0.37	9.3	10.7	661	10.4	0.41	9.6	11.2
2010	724	9.3	0.35	8.6	10.0	647	9.9	0.40	9.1	10.7
2011	765	9.8	0.36	9.1	10.6	674	10.4	0.41	9.6	11.2
2012	741	9.4	0.35	8.7	10.1	647	9.8	0.39	9.0	10.6
2013	772	9.6	0.35	8.9	10.3	678	10.1	0.40	9.4	10.9
2014	761	9.3	0.34	8.6	10.0	670	9.9	0.39	9.2	10.7
2015	823	9.9	0.35	9.2	10.6	739	10.7	0.40	10.0	11.6
2016	783	9.2	0.34	8.5	9.9	690	9.9	0.39	9.1	10.6
2017	733	8.5	0.32	7.9	9.2	659	9.3	0.37	8.6	10.1
2018	747	8.7	0.32	8.1	9.3	653	9.3	0.37	8.6	10.1
2019	751	8.4	0.31	7.8	9.0	633	8.7	0.35	8.0	9.4
2020	706	7.9	0.30	7.3	8.5	599	8.3	0.35	7.6	9.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Urinary Bladder (incl in situ)										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,270	7.6	0.16	7.3	8.0	242	3.2	0.21	2.8	3.6
1986	47	7.8	1.16	5.7	10.3	1	3.6	3.63	0.1	14.9
1987	54	8.6	1.19	6.4	11.2	2	2.6	1.82	0.3	9.2
1988	46	7.4	1.12	5.4	9.9	1	1.0	1.00	0.0	6.1
1989	48	8.0	1.17	5.8	10.6	1	0.9	0.91	0.0	5.7
1990	50	7.6	1.08	5.6	10.0	4	4.4	2.27	1.1	11.3
1991	47	7.3	1.08	5.3	9.7	4	4.3	2.23	1.1	11.0
1992	51	7.6	1.08	5.7	10.0	2	1.8	1.29	0.2	6.6
1993	52	7.4	1.04	5.5	9.7	6	4.8	2.06	1.6	10.7
1994	61	8.6	1.11	6.5	11.0	4	4.9	2.50	1.3	11.8
1995	57	7.7	1.03	5.8	10.0	4	3.1	1.64	0.8	8.0
1996	73	10.2	1.20	8.0	12.8	10	7.1	2.44	3.1	13.4
1997	56	7.6	1.03	5.7	9.9	6	4.6	2.07	1.5	10.2
1998	54	7.2	0.99	5.4	9.4	4	3.9	2.13	0.9	9.7
1999	66	8.8	1.09	6.8	11.2	3	2.1	1.24	0.4	5.9
2000	67	8.4	1.04	6.5	10.7	0				
2001	70	8.8	1.06	6.9	11.1	5	3.6	1.66	1.1	8.1
2002	79	9.8	1.10	7.7	12.1	2	0.7	0.50	0.1	2.8
2003	51	6.3	0.88	4.7	8.3	9	4.7	1.65	2.0	8.9
2004	56	6.6	0.89	5.0	8.6	7	3.1	1.27	1.2	6.6
2005	72	8.3	0.99	6.5	10.5	11	4.8	1.56	2.3	8.8
2006	65	7.5	0.93	5.8	9.5	6	2.1	0.90	0.7	4.7
2007	71	8.1	0.97	6.3	10.2	12	5.4	1.65	2.7	9.5
2008	96	10.8	1.11	8.7	13.1	7	2.9	1.16	1.1	6.0
2009	80	8.8	0.99	6.9	10.9	6	2.8	1.17	1.0	5.9
2010	64	6.9	0.87	5.3	8.8	9	3.3	1.14	1.4	6.2
2011	73	7.5	0.89	5.8	9.4	14	4.2	1.16	2.2	7.1
2012	77	8.1	0.93	6.4	10.1	10	3.3	1.08	1.6	6.1
2013	80	7.9	0.89	6.2	9.8	9	2.7	0.92	1.2	5.1
2014	77	7.3	0.84	5.8	9.2	8	2.4	0.87	1.0	4.7
2015	66	6.3	0.78	4.8	8.0	6	1.6	0.66	0.6	3.5
2016	69	6.3	0.76	4.8	8.0	15	4.2	1.10	2.3	6.9
2017	56	4.8	0.66	3.6	6.3	13	2.9	0.82	1.5	5.0
2018	72	6.4	0.77	5.0	8.1	14	3.3	0.91	1.8	5.6
2019	96	8.0	0.83	6.5	9.8	11	2.3	0.71	1.2	4.2
2020	71	6.0	0.72	4.7	7.6	16	3.4	0.86	1.9	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kidney and Renal Pelvis											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	66,656	15.0	0.06	14.9	15.1	56,393	15.0	0.06	14.9	15.2	
1986	941	8.8	0.29	8.2	9.4	837	8.9	0.31	8.3	9.6	
1987	1,001	9.5	0.30	8.9	10.1	891	9.6	0.33	9.0	10.3	
1988	1,047	9.8	0.31	9.2	10.5	935	10.1	0.34	9.4	10.8	
1989	1,087	10.2	0.31	9.6	10.8	959	10.3	0.34	9.6	10.9	
1990	1,039	9.6	0.30	9.0	10.2	927	9.9	0.33	9.2	10.5	
1991	1,137	10.4	0.31	9.8	11.0	1,026	10.7	0.34	10.1	11.4	
1992	1,208	10.8	0.31	10.2	11.5	1,076	11.1	0.34	10.5	11.8	
1993	1,199	10.6	0.31	10.0	11.2	1,026	10.5	0.33	9.9	11.2	
1994	1,289	11.4	0.32	10.7	12.0	1,124	11.5	0.34	10.8	12.2	
1995	1,372	12.0	0.32	11.3	12.6	1,212	12.2	0.35	11.5	12.9	
1996	1,387	12.1	0.32	11.4	12.7	1,201	12.2	0.35	11.5	12.9	
1997	1,509	13.0	0.33	12.3	13.7	1,302	13.1	0.36	12.4	13.8	
1998	1,480	12.6	0.33	12.0	13.3	1,283	12.8	0.36	12.1	13.5	
1999	1,526	12.8	0.33	12.2	13.5	1,322	13.0	0.36	12.3	13.8	
2000	1,632	13.6	0.34	13.0	14.3	1,380	13.5	0.36	12.8	14.3	
2001	1,731	14.3	0.34	13.6	15.0	1,470	14.3	0.37	13.6	15.1	
2002	1,855	15.2	0.35	14.5	15.9	1,575	15.2	0.38	14.5	16.0	
2003	1,954	15.8	0.36	15.1	16.5	1,656	15.9	0.39	15.1	16.6	
2004	2,050	16.4	0.36	15.6	17.1	1,782	16.9	0.40	16.1	17.7	
2005	2,060	16.3	0.36	15.6	17.0	1,739	16.4	0.40	15.7	17.2	
2006	2,232	17.5	0.37	16.8	18.2	1,888	17.7	0.41	16.9	18.5	
2007	2,249	17.3	0.37	16.6	18.1	1,879	17.3	0.40	16.6	18.2	
2008	2,333	17.7	0.37	16.9	18.4	1,951	17.7	0.41	16.9	18.5	
2009	2,410	18.0	0.37	17.3	18.8	2,027	18.3	0.41	17.5	19.1	
2010	2,286	16.8	0.36	16.1	17.5	1,906	16.9	0.39	16.2	17.7	
2011	2,429	17.5	0.36	16.8	18.2	2,018	17.7	0.40	16.9	18.5	
2012	2,501	17.7	0.36	17.0	18.4	2,070	17.8	0.40	17.0	18.6	
2013	2,549	17.8	0.36	17.1	18.5	2,124	18.1	0.40	17.3	18.9	
2014	2,687	18.4	0.36	17.7	19.2	2,210	18.5	0.40	17.7	19.3	
2015	2,734	18.6	0.36	17.9	19.3	2,231	18.7	0.41	17.9	19.5	
2016	2,738	18.5	0.36	17.8	19.3	2,269	18.8	0.41	18.0	19.6	
2017	2,748	18.4	0.36	17.7	19.1	2,279	18.8	0.41	18.0	19.6	
2018	2,787	18.4	0.36	17.7	19.2	2,306	18.9	0.40	18.1	19.7	
2019	2,896	18.8	0.36	18.1	19.5	2,393	19.2	0.40	18.4	20.0	
2020	2,573	16.8	0.34	16.1	17.5	2,119	17.0	0.38	16.3	17.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kidney and Renal Pelvis										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	8,768	15.9	0.17	15.6	16.2	1,034	6.5	0.21	6.1	7.0
1986	96	8.1	0.87	6.5	10.0	8	4.8	1.92	1.8	10.2
1987	102	8.6	0.87	6.9	10.4	7	3.4	1.30	1.3	7.4
1988	102	8.5	0.88	6.9	10.4	7	3.0	1.17	1.2	6.7
1989	123	10.2	0.95	8.4	12.2	4	2.0	1.06	0.5	5.5
1990	105	8.4	0.84	6.8	10.2	7	3.8	1.58	1.3	8.2
1991	100	8.3	0.85	6.7	10.1	8	3.7	1.35	1.5	7.5
1992	121	9.8	0.91	8.1	11.7	11	5.7	1.81	2.7	10.3
1993	151	10.8	0.90	9.1	12.7	20	8.1	1.87	4.9	12.7
1994	148	11.1	0.94	9.3	13.1	15	7.0	2.09	3.6	12.2
1995	150	11.1	0.93	9.3	13.0	8	3.2	1.18	1.3	6.4
1996	170	12.2	0.96	10.4	14.2	13	5.8	1.85	2.7	10.4
1997	178	12.4	0.95	10.6	14.4	23	7.3	1.61	4.5	11.2
1998	180	12.7	0.96	10.8	14.7	13	3.7	1.05	1.9	6.5
1999	183	12.8	0.97	11.0	14.9	17	5.6	1.46	3.2	9.2
2000	220	15.0	1.03	13.1	17.2	21	6.0	1.36	3.6	9.2
2001	231	15.5	1.04	13.5	17.7	21	5.6	1.29	3.3	8.7
2002	246	16.5	1.07	14.5	18.7	18	4.0	0.97	2.3	6.4
2003	269	17.2	1.07	15.2	19.4	18	4.6	1.15	2.6	7.4
2004	243	15.4	1.01	13.5	17.5	20	5.8	1.38	3.4	9.0
2005	273	17.2	1.06	15.2	19.4	32	7.3	1.39	4.8	10.5
2006	299	18.2	1.07	16.1	20.4	35	7.6	1.39	5.1	10.8
2007	327	20.1	1.13	17.9	22.4	32	6.5	1.24	4.3	9.4
2008	339	20.1	1.11	17.9	22.3	29	4.8	0.93	3.2	7.0
2009	329	19.1	1.07	17.0	21.3	42	8.0	1.31	5.6	10.9
2010	317	17.9	1.03	16.0	20.1	42	8.0	1.33	5.6	11.0
2011	336	18.7	1.04	16.7	20.8	41	6.6	1.10	4.7	9.1
2012	352	19.2	1.05	17.2	21.4	53	8.1	1.17	6.0	10.7
2013	345	18.5	1.02	16.6	20.6	53	8.3	1.19	6.1	10.9
2014	400	21.4	1.09	19.3	23.6	48	6.6	0.98	4.8	8.8
2015	418	21.4	1.07	19.3	23.6	64	8.5	1.10	6.5	10.9
2016	397	21.0	1.08	18.9	23.2	57	7.1	0.97	5.3	9.2
2017	389	19.5	1.01	17.5	21.5	61	7.5	0.97	5.7	9.6
2018	383	19.2	1.00	17.2	21.2	62	7.4	0.95	5.6	9.5
2019	397	19.3	0.99	17.4	21.3	62	7.1	0.91	5.4	9.1
2020	349	17.3	0.95	15.5	19.2	62	6.9	0.89	5.3	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kidney and Renal Pelvis											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	40,878	20.6	0.10	20.4	20.8	34,672	20.6	0.11	20.4	20.8	
1986	589	12.9	0.55	11.8	14.0	528	13.1	0.59	12.0	14.3	
1987	614	13.8	0.58	12.7	15.0	547	14.0	0.62	12.8	15.3	
1988	617	13.6	0.57	12.5	14.8	551	13.9	0.61	12.7	15.2	
1989	647	14.2	0.57	13.1	15.3	581	14.5	0.62	13.3	15.8	
1990	609	13.4	0.56	12.3	14.5	540	13.6	0.60	12.4	14.8	
1991	704	14.9	0.57	13.8	16.1	637	15.4	0.62	14.2	16.7	
1992	715	15.0	0.58	13.9	16.2	636	15.3	0.62	14.1	16.5	
1993	712	14.7	0.56	13.6	15.8	616	14.7	0.60	13.5	15.9	
1994	781	16.1	0.59	15.0	17.3	685	16.2	0.63	15.0	17.5	
1995	802	16.3	0.58	15.2	17.5	709	16.6	0.63	15.4	17.9	
1996	831	16.6	0.58	15.5	17.8	715	16.5	0.62	15.3	17.8	
1997	873	17.2	0.59	16.1	18.4	757	17.4	0.64	16.2	18.7	
1998	871	17.2	0.59	16.0	18.4	766	17.5	0.64	16.3	18.8	
1999	891	17.4	0.59	16.2	18.6	766	17.4	0.63	16.2	18.7	
2000	975	18.6	0.60	17.5	19.8	829	18.5	0.65	17.3	19.8	
2001	1,037	19.4	0.61	18.2	20.6	885	19.4	0.66	18.1	20.7	
2002	1,136	21.1	0.63	19.9	22.4	959	20.9	0.68	19.5	22.2	
2003	1,217	22.4	0.65	21.1	23.7	1,029	22.3	0.70	20.9	23.7	
2004	1,225	22.1	0.64	20.9	23.4	1,063	22.5	0.70	21.2	23.9	
2005	1,248	22.1	0.64	20.9	23.4	1,050	22.0	0.69	20.7	23.4	
2006	1,359	23.8	0.66	22.5	25.1	1,158	24.0	0.71	22.6	25.4	
2007	1,354	23.3	0.64	22.0	24.6	1,132	23.0	0.69	21.7	24.4	
2008	1,436	24.0	0.65	22.8	25.3	1,211	24.1	0.70	22.7	25.5	
2009	1,433	23.6	0.63	22.3	24.8	1,203	23.6	0.69	22.3	25.0	
2010	1,390	22.4	0.62	21.3	23.7	1,165	22.5	0.67	21.2	23.9	
2011	1,498	23.6	0.62	22.4	24.8	1,261	23.8	0.68	22.5	25.2	
2012	1,542	23.6	0.62	22.4	24.9	1,282	23.5	0.67	22.2	24.9	
2013	1,585	24.1	0.62	22.9	25.3	1,309	23.9	0.68	22.6	25.3	
2014	1,707	25.6	0.63	24.3	26.8	1,400	25.2	0.69	23.9	26.6	
2015	1,761	25.9	0.63	24.6	27.1	1,429	25.5	0.69	24.2	26.9	
2016	1,752	25.7	0.63	24.5	27.0	1,477	26.2	0.70	24.9	27.6	
2017	1,727	24.7	0.61	23.5	25.9	1,447	25.1	0.68	23.8	26.5	
2018	1,728	24.7	0.61	23.5	25.9	1,432	25.0	0.68	23.7	26.3	
2019	1,832	25.6	0.62	24.5	26.9	1,525	26.0	0.68	24.6	27.3	
2020	1,680	23.4	0.59	22.3	24.6	1,392	23.5	0.65	22.2	24.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kidney and Renal Pelvis										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	5,219	22.4	0.32	21.8	23.1	680	9.4	0.38	8.6	10.1
1986	57	11.4	1.60	8.5	14.9	4	6.5	3.62	1.4	17.7
1987	62	12.8	1.73	9.6	16.6	5	4.9	2.20	1.6	12.9
1988	60	12.2	1.69	9.1	15.9	4	3.7	1.94	1.0	11.1
1989	62	12.4	1.67	9.4	16.1	3	3.7	2.24	0.7	11.5
1990	65	12.4	1.62	9.4	16.0	4	5.8	3.23	1.3	15.5
1991	61	12.3	1.67	9.3	16.0	4	4.1	2.18	1.0	11.4
1992	74	14.8	1.83	11.4	18.8	5	7.7	3.59	2.4	17.6
1993	82	13.8	1.61	10.9	17.4	14	11.5	3.20	6.1	20.0
1994	82	14.9	1.76	11.7	18.8	12	12.4	4.45	5.3	23.7
1995	87	15.5	1.76	12.3	19.4	5	4.0	1.88	1.2	9.9
1996	106	18.4	1.87	14.9	22.4	9	11.9	4.77	4.4	23.8
1997	101	16.2	1.67	13.1	19.8	12	8.4	2.62	4.0	15.3
1998	93	15.8	1.73	12.6	19.5	8	4.6	1.65	1.9	9.5
1999	114	18.3	1.78	14.9	22.1	10	7.0	2.32	3.2	13.2
2000	122	20.0	1.90	16.4	24.0	16	9.9	2.64	5.4	16.6
2001	131	20.9	1.91	17.3	24.9	15	8.7	2.46	4.6	15.0
2002	156	25.9	2.21	21.8	30.6	9	3.8	1.28	1.7	7.6
2003	169	26.2	2.11	22.2	30.6	11	6.0	1.96	2.8	11.1
2004	147	22.6	1.96	18.9	26.8	11	7.6	2.58	3.4	14.0
2005	164	25.1	2.09	21.2	29.5	22	11.9	2.85	7.0	18.7
2006	170	24.7	1.99	20.9	28.9	22	10.2	2.39	6.1	16.0
2007	194	28.9	2.17	24.8	33.4	20	7.9	1.92	4.6	12.6
2008	194	27.3	2.03	23.4	31.5	23	8.4	1.90	5.1	13.0
2009	190	25.6	1.94	21.9	29.7	31	12.2	2.31	8.1	17.6
2010	191	25.3	1.92	21.7	29.4	25	11.4	2.53	7.0	17.3
2011	193	24.8	1.87	21.3	28.7	26	8.8	1.91	5.5	13.4
2012	212	27.6	1.99	23.9	31.8	34	11.7	2.20	7.8	16.8
2013	218	27.0	1.90	23.4	31.0	35	11.9	2.18	8.1	16.9
2014	254	32.4	2.12	28.4	36.9	34	10.0	1.77	6.8	14.1
2015	273	32.3	2.03	28.4	36.5	42	12.0	1.93	8.5	16.4
2016	223	27.4	1.90	23.8	31.4	43	11.9	1.89	8.4	16.1
2017	230	27.1	1.86	23.6	31.0	36	9.4	1.59	6.5	13.0
2018	233	27.1	1.83	23.6	31.0	39	9.9	1.63	7.0	13.7
2019	235	26.9	1.82	23.5	30.8	40	9.6	1.54	6.9	13.2
2020	214	24.9	1.75	21.5	28.5	47	11.2	1.65	8.2	14.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kidney and Renal Pelvis											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	25,778	10.5	0.07	10.4	10.6	21,721	10.6	0.07	10.4	10.7	
1986	352	5.7	0.31	5.1	6.4	309	5.8	0.33	5.1	6.5	
1987	387	6.4	0.33	5.8	7.1	344	6.4	0.35	5.8	7.2	
1988	430	7.2	0.35	6.5	7.9	384	7.4	0.39	6.7	8.2	
1989	440	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9	
1990	430	7.0	0.34	6.3	7.7	387	7.3	0.38	6.6	8.1	
1991	433	6.9	0.34	6.3	7.6	389	7.1	0.37	6.4	7.9	
1992	493	7.8	0.36	7.1	8.5	440	8.1	0.39	7.3	8.9	
1993	487	7.6	0.35	6.9	8.3	410	7.4	0.37	6.6	8.1	
1994	508	7.8	0.35	7.2	8.6	439	7.9	0.38	7.1	8.6	
1995	570	8.7	0.37	8.0	9.5	503	8.9	0.40	8.2	9.8	
1996	556	8.6	0.37	7.9	9.4	486	8.8	0.40	8.0	9.6	
1997	636	9.6	0.38	8.9	10.4	545	9.6	0.42	8.8	10.5	
1998	609	9.2	0.38	8.5	10.0	517	9.2	0.41	8.4	10.0	
1999	635	9.5	0.38	8.8	10.3	556	9.8	0.42	9.0	10.7	
2000	657	9.8	0.38	9.0	10.6	551	9.7	0.42	8.9	10.5	
2001	694	10.3	0.39	9.5	11.1	585	10.2	0.43	9.4	11.1	
2002	719	10.6	0.40	9.8	11.4	616	10.8	0.44	9.9	11.6	
2003	737	10.8	0.40	10.0	11.6	627	10.9	0.44	10.1	11.8	
2004	825	11.9	0.42	11.1	12.7	719	12.4	0.47	11.5	13.3	
2005	812	11.6	0.41	10.8	12.5	689	11.9	0.46	11.0	12.8	
2006	873	12.4	0.42	11.5	13.2	730	12.4	0.46	11.5	13.3	
2007	895	12.6	0.43	11.8	13.5	747	12.7	0.47	11.8	13.7	
2008	897	12.5	0.42	11.6	13.3	740	12.4	0.46	11.5	13.4	
2009	977	13.4	0.44	12.6	14.3	824	13.7	0.49	12.8	14.7	
2010	896	12.1	0.41	11.3	13.0	741	12.2	0.46	11.4	13.2	
2011	931	12.5	0.42	11.7	13.3	757	12.5	0.46	11.6	13.4	
2012	959	12.6	0.42	11.8	13.5	788	12.7	0.46	11.8	13.6	
2013	964	12.5	0.41	11.7	13.4	815	13.0	0.47	12.1	14.0	
2014	980	12.4	0.40	11.6	13.2	810	12.6	0.45	11.7	13.5	
2015	973	12.4	0.41	11.7	13.3	802	12.7	0.46	11.8	13.7	
2016	986	12.4	0.41	11.6	13.3	792	12.4	0.46	11.5	13.3	
2017	1,021	13.0	0.42	12.2	13.8	832	13.3	0.48	12.3	14.2	
2018	1,059	13.0	0.41	12.2	13.8	874	13.4	0.47	12.5	14.4	
2019	1,064	12.9	0.41	12.2	13.8	868	13.2	0.47	12.3	14.2	
2020	893	11.1	0.39	10.4	11.9	727	11.4	0.44	10.5	12.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kidney and Renal Pelvis										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,549	11.2	0.19	10.8	11.6	354	4.2	0.23	3.7	4.7
1986	39	5.7	0.95	4.0	7.9	4	3.8	2.09	0.9	11.0
1987	40	5.7	0.92	4.1	7.8	2	1.8	1.30	0.2	7.5
1988	42	6.0	0.95	4.3	8.1	3	2.3	1.34	0.4	7.7
1989	61	8.7	1.14	6.6	11.2	1	0.8	0.76	0.0	5.3
1990	40	5.5	0.88	3.9	7.5	3	2.4	1.49	0.4	7.9
1991	39	5.5	0.90	3.9	7.6	4	3.4	1.74	0.9	9.0
1992	47	6.4	0.95	4.7	8.5	6	4.5	1.89	1.6	10.2
1993	69	8.7	1.06	6.7	11.0	6	5.1	2.08	1.9	11.0
1994	66	8.5	1.06	6.5	10.8	3	2.9	1.79	0.5	8.4
1995	63	8.0	1.01	6.1	10.2	3	2.5	1.47	0.5	7.1
1996	64	7.9	1.00	6.0	10.1	4	2.1	1.06	0.6	5.7
1997	77	9.4	1.09	7.4	11.8	11	6.5	2.03	3.1	11.8
1998	87	10.5	1.14	8.4	13.0	5	2.8	1.29	0.9	6.7
1999	69	8.6	1.05	6.7	10.9	7	4.4	1.78	1.7	9.3
2000	98	11.5	1.17	9.3	14.0	5	2.7	1.25	0.8	6.4
2001	100	11.7	1.18	9.5	14.2	6	2.9	1.26	1.0	6.5
2002	90	10.3	1.09	8.3	12.6	9	3.9	1.36	1.7	7.6
2003	100	11.1	1.11	9.0	13.5	7	3.3	1.31	1.3	6.9
2004	96	10.5	1.08	8.5	12.9	9	4.5	1.57	2.0	8.6
2005	109	11.8	1.14	9.7	14.3	10	3.9	1.28	1.8	7.3
2006	129	13.7	1.21	11.4	16.3	13	5.3	1.56	2.7	9.3
2007	133	14.1	1.23	11.8	16.7	12	5.1	1.54	2.5	9.0
2008	145	14.8	1.25	12.5	17.5	6	1.8	0.73	0.7	4.0
2009	139	14.2	1.22	11.9	16.8	11	4.2	1.33	2.0	7.5
2010	126	12.6	1.13	10.4	15.0	17	5.6	1.44	3.1	9.1
2011	143	13.9	1.18	11.7	16.4	15	4.8	1.29	2.6	8.0
2012	140	13.4	1.15	11.2	15.9	19	5.3	1.25	3.1	8.3
2013	127	12.1	1.09	10.0	14.4	18	5.2	1.26	3.0	8.3
2014	146	13.4	1.13	11.3	15.8	14	3.6	0.98	1.9	6.1
2015	145	13.2	1.12	11.1	15.6	22	5.5	1.21	3.4	8.4
2016	174	16.1	1.25	13.8	18.8	14	3.1	0.85	1.7	5.3
2017	159	13.9	1.12	11.8	16.3	25	5.8	1.18	3.7	8.6
2018	150	13.0	1.08	11.0	15.3	23	5.1	1.07	3.2	7.6
2019	162	13.7	1.10	11.6	16.0	22	4.8	1.03	3.0	7.3
2020	135	11.5	1.01	9.6	13.7	15	3.2	0.83	1.8	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ureter											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,769	0.6	0.01	0.6	0.7	2,596	0.7	0.01	0.7	0.7	
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8	
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8	
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9	
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0	
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9	
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9	
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9	
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8	
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0	
1995	79	0.7	0.08	0.5	0.9	77	0.8	0.09	0.6	1.0	
1996	70	0.6	0.07	0.5	0.8	66	0.7	0.08	0.5	0.8	
1997	74	0.6	0.07	0.5	0.8	72	0.7	0.08	0.6	0.9	
1998	80	0.7	0.08	0.5	0.8	77	0.7	0.08	0.6	0.9	
1999	63	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7	
2000	79	0.7	0.07	0.5	0.8	73	0.7	0.08	0.6	0.9	
2001	68	0.6	0.07	0.4	0.7	67	0.7	0.08	0.5	0.8	
2002	82	0.7	0.08	0.5	0.8	79	0.8	0.08	0.6	0.9	
2003	76	0.6	0.07	0.5	0.8	70	0.7	0.08	0.5	0.9	
2004	69	0.6	0.07	0.4	0.7	62	0.6	0.07	0.5	0.8	
2005	82	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9	
2006	95	0.8	0.08	0.6	0.9	85	0.8	0.09	0.6	1.0	
2007	90	0.7	0.08	0.6	0.9	84	0.8	0.08	0.6	1.0	
2008	81	0.6	0.07	0.5	0.8	78	0.7	0.08	0.6	0.9	
2009	86	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9	
2010	90	0.7	0.07	0.6	0.8	83	0.7	0.08	0.6	0.9	
2011	89	0.6	0.07	0.5	0.8	80	0.7	0.08	0.5	0.9	
2012	88	0.7	0.07	0.5	0.8	82	0.7	0.08	0.6	0.9	
2013	68	0.5	0.06	0.4	0.6	65	0.6	0.07	0.4	0.7	
2014	104	0.7	0.07	0.6	0.9	94	0.8	0.08	0.6	1.0	
2015	88	0.6	0.07	0.5	0.8	80	0.7	0.08	0.5	0.8	
2016	90	0.6	0.07	0.5	0.8	81	0.7	0.08	0.5	0.8	
2017	97	0.7	0.07	0.5	0.8	87	0.7	0.08	0.6	0.9	
2018	80	0.5	0.06	0.4	0.7	76	0.6	0.07	0.5	0.8	
2019	94	0.6	0.06	0.5	0.7	85	0.7	0.07	0.5	0.8	
2020	75	0.5	0.05	0.4	0.6	70	0.5	0.06	0.4	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ureter										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	117	0.2	0.02	0.2	0.3	50	0.4	0.05	0.3	0.5
1986	5	0.5	0.22	0.2	1.1	1	0.9	0.88	0.0	4.6
1987	2	0.2	0.15	0.0	0.7	0				
1988	0					0				
1989	0					0				
1990	2	0.2	0.17	0.0	0.8	0				
1991	2	0.2	0.14	0.0	0.6	0				
1992	2	0.2	0.11	0.0	0.6	1	0.4	0.42	0.0	2.6
1993	3	0.3	0.16	0.1	0.8	0				
1994	1	0.1	0.10	0.0	0.5	2	1.4	1.00	0.2	4.5
1995	1	0.1	0.07	0.0	0.4	1	0.3	0.30	0.0	2.0
1996	3	0.2	0.13	0.1	0.6	1	0.7	0.74	0.0	3.3
1997	2	0.2	0.13	0.0	0.6	0				
1998	1	0.1	0.07	0.0	0.4	1	0.4	0.35	0.0	1.9
1999	5	0.4	0.16	0.1	0.8	2	0.7	0.53	0.1	2.5
2000	6	0.5	0.20	0.2	1.0	0				
2001	0					0				
2002	3	0.2	0.12	0.0	0.6	0				
2003	5	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.6
2004	6	0.4	0.18	0.2	0.9	1	0.2	0.16	0.0	1.1
2005	1	0.1	0.08	0.0	0.4	2	0.5	0.37	0.1	1.8
2006	8	0.6	0.21	0.3	1.2	2	0.4	0.31	0.0	1.6
2007	5	0.3	0.15	0.1	0.7	0				
2008	1	0.1	0.05	0.0	0.3	2	0.3	0.22	0.0	1.2
2009	5	0.3	0.16	0.1	0.8	2	0.3	0.20	0.0	1.1
2010	5	0.4	0.16	0.1	0.8	2	0.4	0.25	0.0	1.3
2011	4	0.2	0.12	0.1	0.6	5	1.1	0.52	0.3	2.5
2012	4	0.3	0.14	0.1	0.7	2	0.4	0.29	0.0	1.4
2013	2	0.1	0.07	0.0	0.4	1	0.1	0.10	0.0	0.7
2014	4	0.2	0.12	0.1	0.6	5	0.8	0.36	0.2	1.8
2015	5	0.3	0.14	0.1	0.7	3	0.4	0.24	0.1	1.2
2016	7	0.3	0.13	0.1	0.7	2	0.4	0.26	0.0	1.2
2017	6	0.3	0.13	0.1	0.7	4	0.5	0.27	0.1	1.4
2018	2	0.1	0.09	0.0	0.4	2	0.3	0.18	0.0	0.9
2019	5	0.3	0.11	0.1	0.6	4	0.5	0.24	0.1	1.2
2020	4	0.2	0.11	0.1	0.6	1	0.1	0.09	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ureter											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,678	0.9	0.02	0.9	1.0	1,580	1.0	0.03	0.9	1.0	
1986	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4	
1987	30	0.7	0.12	0.4	0.9	29	0.7	0.14	0.5	1.0	
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2	
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7	
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.17	0.8	1.5	
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.5	
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3	
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1	
1994	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6	
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.6	
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5	
1997	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6	
1998	50	1.1	0.15	0.8	1.4	49	1.2	0.17	0.9	1.6	
1999	38	0.8	0.13	0.6	1.1	33	0.8	0.14	0.5	1.1	
2000	44	0.9	0.13	0.6	1.2	40	0.9	0.14	0.7	1.2	
2001	40	0.8	0.13	0.6	1.1	39	0.9	0.14	0.6	1.2	
2002	51	1.0	0.15	0.8	1.4	50	1.2	0.17	0.9	1.5	
2003	47	0.9	0.13	0.7	1.2	44	1.0	0.15	0.7	1.3	
2004	41	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.2	
2005	49	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4	
2006	55	1.0	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5	
2007	54	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5	
2008	44	0.8	0.13	0.6	1.1	41	0.9	0.14	0.7	1.2	
2009	51	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.3	
2010	53	0.9	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3	
2011	57	0.9	0.13	0.7	1.2	53	1.0	0.14	0.8	1.4	
2012	52	0.9	0.13	0.7	1.2	47	0.9	0.14	0.7	1.3	
2013	43	0.7	0.12	0.5	1.0	42	0.9	0.13	0.6	1.2	
2014	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3	
2015	57	1.0	0.13	0.7	1.3	54	1.1	0.15	0.8	1.4	
2016	59	1.0	0.13	0.7	1.2	53	1.0	0.14	0.8	1.3	
2017	56	0.9	0.12	0.7	1.1	52	1.0	0.14	0.7	1.3	
2018	49	0.8	0.11	0.6	1.0	48	0.9	0.13	0.7	1.2	
2019	59	0.9	0.12	0.7	1.1	53	0.9	0.13	0.7	1.2	
2020	53	0.7	0.10	0.5	1.0	49	0.8	0.12	0.6	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ureter										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	67	0.3	0.04	0.3	0.4	28	0.5	0.09	0.3	0.7
1986	4	1.0	0.52	0.2	2.5	0				
1987	1	0.2	0.17	0.0	1.0	0				
1988	0					0				
1989	0					0				
1990	0					0				
1991	1	0.2	0.15	0.0	1.0	0				
1992	2	0.4	0.27	0.1	1.4	1	0.9	0.92	0.0	6.1
1993	2	0.3	0.24	0.0	1.3	0				
1994	0					2	3.4	2.47	0.4	11.0
1995	1	0.2	0.16	0.0	0.9	1	0.6	0.61	0.0	4.7
1996	1	0.2	0.20	0.0	1.0	0				
1997	2	0.5	0.36	0.1	1.6	0				
1998	1	0.2	0.16	0.0	0.9	0				
1999	3	0.6	0.42	0.1	1.9	2	1.6	1.30	0.1	6.2
2000	4	0.8	0.42	0.2	2.0	0				
2001	0					0				
2002	1	0.2	0.15	0.0	0.9	0				
2003	3	0.4	0.24	0.1	1.3	0				
2004	3	0.5	0.30	0.1	1.5	1	0.3	0.34	0.0	2.6
2005	1	0.2	0.24	0.0	1.1	1	0.7	0.68	0.0	3.4
2006	4	0.7	0.36	0.2	1.8	0				
2007	3	0.4	0.23	0.1	1.2	0				
2008	1	0.1	0.11	0.0	0.7	2	0.6	0.46	0.1	2.7
2009	3	0.6	0.38	0.1	1.7	1	0.3	0.33	0.0	2.1
2010	3	0.5	0.32	0.1	1.5	1	0.3	0.32	0.0	2.0
2011	1	0.1	0.10	0.0	0.7	3	1.7	1.07	0.3	4.8
2012	4	0.7	0.37	0.2	1.8	1	0.7	0.67	0.0	2.9
2013	0					1	0.2	0.23	0.0	1.6
2014	2	0.3	0.21	0.0	1.0	3	1.2	0.76	0.2	3.5
2015	2	0.3	0.20	0.0	1.0	1	0.2	0.24	0.0	1.5
2016	4	0.5	0.27	0.1	1.3	2	0.8	0.58	0.1	2.7
2017	2	0.2	0.15	0.0	0.8	2	0.5	0.38	0.1	2.0
2018	1	0.2	0.19	0.0	0.9	0				
2019	4	0.6	0.30	0.2	1.5	2	0.4	0.29	0.1	1.6
2020	3	0.5	0.26	0.1	1.3	1	0.2	0.20	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ureter											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,091	0.4	0.01	0.4	0.5	1,016	0.5	0.01	0.4	0.5	
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5	
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7	
1988	34	0.6	0.10	0.4	0.8	34	0.6	0.11	0.4	0.9	
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6	
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7	
1991	31	0.5	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7	
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7	
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6	
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.4	0.7	
1995	27	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6	
1996	26	0.4	0.07	0.3	0.6	23	0.4	0.08	0.2	0.6	
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6	
1998	30	0.4	0.08	0.3	0.6	28	0.4	0.08	0.3	0.6	
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.3	0.6	
2000	35	0.5	0.08	0.3	0.7	33	0.5	0.09	0.4	0.7	
2001	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7	
2002	31	0.4	0.08	0.3	0.6	29	0.4	0.08	0.3	0.7	
2003	29	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6	
2004	28	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6	
2005	33	0.5	0.08	0.3	0.6	32	0.5	0.09	0.3	0.7	
2006	40	0.6	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8	
2007	36	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.8	
2008	37	0.5	0.08	0.3	0.7	37	0.6	0.10	0.4	0.8	
2009	35	0.5	0.08	0.3	0.7	32	0.5	0.09	0.3	0.7	
2010	37	0.5	0.08	0.4	0.7	34	0.5	0.09	0.4	0.8	
2011	32	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6	
2012	36	0.5	0.08	0.3	0.6	35	0.5	0.09	0.4	0.8	
2013	25	0.3	0.06	0.2	0.5	23	0.3	0.07	0.2	0.5	
2014	50	0.6	0.09	0.5	0.8	46	0.7	0.10	0.5	0.9	
2015	31	0.4	0.06	0.2	0.5	26	0.3	0.07	0.2	0.5	
2016	31	0.4	0.07	0.3	0.6	28	0.4	0.08	0.3	0.6	
2017	41	0.5	0.08	0.3	0.7	35	0.5	0.09	0.3	0.7	
2018	31	0.4	0.07	0.3	0.5	28	0.4	0.08	0.3	0.6	
2019	35	0.4	0.07	0.3	0.6	32	0.5	0.08	0.3	0.7	
2020	22	0.2	0.05	0.2	0.4	21	0.3	0.06	0.2	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ureter										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	50	0.2	0.02	0.1	0.2	22	0.3	0.06	0.2	0.4
1986	1	0.2	0.16	0.0	0.8	1	1.5	1.54	0.0	8.0
1987	1	0.2	0.20	0.0	0.9	0				
1988	0					0				
1989	0					0				
1990	2	0.4	0.26	0.0	1.2	0				
1991	1	0.2	0.18	0.0	0.9	0				
1992	0					0				
1993	1	0.2	0.17	0.0	0.8	0				
1994	1	0.2	0.16	0.0	0.8	0				
1995	0					0				
1996	2	0.3	0.17	0.0	0.9	1	1.2	1.23	0.0	5.5
1997	0					0				
1998	0					1	0.6	0.63	0.0	3.4
1999	2	0.2	0.16	0.0	0.8	0				
2000	2	0.3	0.19	0.0	0.9	0				
2001	0					0				
2002	2	0.2	0.17	0.0	0.8	0				
2003	2	0.2	0.15	0.0	0.8	1	0.6	0.59	0.0	2.9
2004	3	0.4	0.22	0.1	1.1	0				
2005	0					1	0.4	0.40	0.0	2.2
2006	4	0.5	0.25	0.1	1.3	2	0.8	0.57	0.1	2.8
2007	2	0.2	0.17	0.0	0.8	0				
2008	0					0				
2009	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.6
2010	2	0.2	0.16	0.0	0.8	1	0.4	0.38	0.0	2.0
2011	3	0.3	0.20	0.1	1.0	2	0.7	0.51	0.1	2.4
2012	0					1	0.2	0.22	0.0	1.4
2013	2	0.2	0.14	0.0	0.7	0				
2014	2	0.2	0.13	0.0	0.7	2	0.6	0.40	0.1	2.0
2015	3	0.3	0.19	0.1	0.9	2	0.5	0.39	0.1	1.9
2016	3	0.2	0.14	0.1	0.8	0				
2017	4	0.4	0.19	0.1	1.0	2	0.5	0.37	0.1	1.8
2018	1	0.1	0.11	0.0	0.6	2	0.5	0.34	0.1	1.7
2019	1	0.1	0.07	0.0	0.5	2	0.5	0.35	0.1	1.8
2020	1	0.1	0.08	0.0	0.5	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Eye and Orbit										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,454	0.8	0.01	0.8	0.8	3,192	0.9	0.02	0.8	0.9
1986	65	0.6	0.08	0.5	0.8	62	0.7	0.09	0.5	0.9
1987	83	0.8	0.09	0.6	1.0	74	0.8	0.09	0.6	1.0
1988	83	0.8	0.08	0.6	0.9	73	0.8	0.09	0.6	1.0
1989	63	0.6	0.07	0.4	0.7	58	0.6	0.08	0.5	0.8
1990	66	0.6	0.07	0.5	0.8	56	0.6	0.08	0.5	0.8
1991	72	0.6	0.08	0.5	0.8	65	0.7	0.08	0.5	0.9
1992	98	0.9	0.09	0.7	1.0	89	0.9	0.10	0.7	1.1
1993	78	0.7	0.08	0.5	0.8	71	0.7	0.09	0.6	0.9
1994	81	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	0.9
1995	96	0.8	0.08	0.7	1.0	88	0.9	0.10	0.7	1.1
1996	118	1.0	0.09	0.8	1.2	106	1.1	0.11	0.9	1.3
1997	81	0.7	0.08	0.6	0.9	77	0.8	0.09	0.6	1.0
1998	68	0.6	0.07	0.4	0.7	64	0.6	0.08	0.5	0.8
1999	94	0.8	0.08	0.6	1.0	90	0.9	0.09	0.7	1.1
2000	96	0.8	0.08	0.6	1.0	89	0.9	0.09	0.7	1.1
2001	105	0.9	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2002	91	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
2003	127	1.0	0.09	0.9	1.2	124	1.2	0.11	1.0	1.4
2004	103	0.8	0.08	0.7	1.0	98	0.9	0.10	0.8	1.2
2005	123	1.0	0.09	0.8	1.2	116	1.1	0.10	0.9	1.3
2006	107	0.8	0.08	0.7	1.0	104	1.0	0.10	0.8	1.2
2007	122	1.0	0.09	0.8	1.1	119	1.1	0.10	0.9	1.4
2008	101	0.8	0.08	0.6	0.9	92	0.9	0.09	0.7	1.0
2009	144	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.5
2010	105	0.8	0.08	0.7	1.0	100	0.9	0.09	0.8	1.1
2011	116	0.9	0.08	0.7	1.1	102	0.9	0.09	0.8	1.1
2012	103	0.7	0.07	0.6	0.9	97	0.8	0.09	0.7	1.0
2013	118	0.9	0.08	0.7	1.0	106	0.9	0.09	0.8	1.1
2014	91	0.6	0.07	0.5	0.8	83	0.7	0.08	0.6	0.9
2015	111	0.8	0.08	0.7	1.0	105	0.9	0.09	0.8	1.1
2016	116	0.8	0.07	0.7	1.0	106	0.9	0.09	0.7	1.1
2017	101	0.7	0.07	0.6	0.9	95	0.8	0.08	0.6	1.0
2018	113	0.7	0.07	0.6	0.9	107	0.9	0.08	0.7	1.0
2019	116	0.8	0.08	0.7	1.0	104	0.9	0.09	0.7	1.1
2020	99	0.7	0.07	0.6	0.8	90	0.8	0.08	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Eye and Orbit										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	158	0.2	0.02	0.2	0.3	49	0.3	0.04	0.2	0.4
1986	2	0.1	0.09	0.0	0.5	1	0.9	0.88	0.0	4.6
1987	6	0.4	0.17	0.1	0.9	1	0.3	0.29	0.0	3.0
1988	8	0.4	0.15	0.2	0.8	2	0.6	0.40	0.1	3.2
1989	4	0.2	0.09	0.1	0.6	1	0.3	0.28	0.0	2.7
1990	8	0.5	0.19	0.2	1.0	1	0.3	0.25	0.0	2.6
1991	2	0.1	0.07	0.0	0.4	0				
1992	9	0.5	0.18	0.2	1.0	0				
1993	4	0.2	0.10	0.0	0.5	1	0.3	0.25	0.0	2.1
1994	5	0.3	0.14	0.1	0.7	0				
1995	5	0.2	0.10	0.1	0.6	0				
1996	6	0.3	0.15	0.1	0.8	4	1.5	0.80	0.3	3.9
1997	3	0.2	0.09	0.0	0.5	1	0.2	0.21	0.0	1.7
1998	2	0.1	0.09	0.0	0.4	1	0.2	0.20	0.0	1.6
1999	4	0.2	0.10	0.1	0.5	0				
2000	3	0.2	0.12	0.0	0.6	2	0.6	0.50	0.1	2.4
2001	7	0.4	0.14	0.1	0.8	2	0.9	0.69	0.1	3.0
2002	8	0.3	0.12	0.2	0.7	3	0.5	0.31	0.1	1.8
2003	1	0.0	0.04	0.0	0.3	0				
2004	3	0.1	0.08	0.0	0.4	0				
2005	4	0.2	0.09	0.1	0.5	2	0.5	0.40	0.1	1.9
2006	1	0.1	0.05	0.0	0.3	1	0.2	0.16	0.0	1.1
2007	1	0.0	0.04	0.0	0.3	1	0.1	0.14	0.0	1.0
2008	4	0.2	0.09	0.1	0.5	3	0.4	0.23	0.1	1.3
2009	8	0.4	0.15	0.2	0.8	0				
2010	4	0.2	0.12	0.1	0.6	1	0.1	0.13	0.0	0.9
2011	7	0.4	0.13	0.1	0.7	3	0.7	0.43	0.2	2.0
2012	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.8
2013	6	0.3	0.13	0.1	0.7	2	0.3	0.18	0.0	1.0
2014	5	0.3	0.12	0.1	0.6	1	0.1	0.13	0.0	0.8
2015	3	0.2	0.10	0.0	0.5	3	0.4	0.24	0.1	1.2
2016	2	0.1	0.08	0.0	0.4	4	0.4	0.22	0.1	1.2
2017	3	0.2	0.09	0.0	0.4	2	0.2	0.17	0.0	0.9
2018	5	0.2	0.11	0.1	0.6	1	0.1	0.12	0.0	0.7
2019	9	0.5	0.16	0.2	0.9	2	0.2	0.17	0.0	0.9
2020	4	0.2	0.10	0.1	0.5	2	0.2	0.13	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Eye and Orbit											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,819	0.9	0.02	0.9	1.0	1,675	1.0	0.02	1.0	1.1	
1986	36	0.8	0.13	0.5	1.1	34	0.8	0.15	0.6	1.2	
1987	40	0.8	0.14	0.6	1.1	35	0.9	0.15	0.6	1.2	
1988	43	0.9	0.14	0.6	1.2	37	0.9	0.15	0.6	1.2	
1989	27	0.6	0.12	0.4	0.9	24	0.6	0.13	0.4	0.9	
1990	35	0.7	0.12	0.5	1.0	30	0.7	0.13	0.5	1.0	
1991	34	0.7	0.13	0.5	1.0	31	0.8	0.14	0.5	1.1	
1992	50	1.0	0.14	0.7	1.3	44	1.0	0.16	0.7	1.4	
1993	38	0.7	0.12	0.5	1.0	35	0.8	0.14	0.6	1.1	
1994	41	0.8	0.13	0.6	1.1	39	0.9	0.15	0.6	1.2	
1995	54	1.0	0.14	0.7	1.3	49	1.1	0.15	0.8	1.4	
1996	65	1.3	0.16	1.0	1.6	56	1.3	0.17	1.0	1.7	
1997	47	0.9	0.14	0.7	1.2	43	1.0	0.15	0.7	1.3	
1998	32	0.6	0.11	0.4	0.9	31	0.7	0.12	0.5	1.0	
1999	50	1.0	0.14	0.7	1.3	50	1.1	0.16	0.8	1.5	
2000	56	1.1	0.14	0.8	1.4	51	1.1	0.16	0.8	1.5	
2001	54	1.0	0.14	0.8	1.3	47	1.0	0.15	0.8	1.4	
2002	58	1.0	0.14	0.8	1.3	50	1.1	0.15	0.8	1.4	
2003	64	1.2	0.15	0.9	1.5	63	1.3	0.17	1.0	1.7	
2004	50	0.9	0.13	0.7	1.2	47	1.0	0.15	0.7	1.4	
2005	69	1.2	0.14	0.9	1.5	66	1.4	0.17	1.0	1.7	
2006	54	0.9	0.13	0.7	1.2	53	1.1	0.15	0.8	1.4	
2007	60	1.0	0.13	0.8	1.3	59	1.2	0.16	0.9	1.6	
2008	58	1.0	0.13	0.8	1.3	56	1.2	0.16	0.9	1.5	
2009	83	1.3	0.15	1.1	1.6	76	1.5	0.17	1.1	1.8	
2010	54	0.9	0.13	0.7	1.2	52	1.1	0.15	0.8	1.4	
2011	66	1.1	0.13	0.8	1.4	61	1.2	0.15	0.9	1.5	
2012	54	0.9	0.12	0.7	1.2	53	1.0	0.14	0.8	1.4	
2013	66	1.1	0.13	0.8	1.3	59	1.1	0.15	0.9	1.5	
2014	50	0.7	0.10	0.5	1.0	45	0.8	0.12	0.6	1.1	
2015	54	0.8	0.12	0.6	1.1	50	0.9	0.14	0.7	1.2	
2016	59	0.9	0.11	0.6	1.1	52	0.9	0.13	0.7	1.2	
2017	59	0.9	0.12	0.7	1.2	57	1.1	0.15	0.8	1.4	
2018	50	0.7	0.10	0.5	0.9	46	0.7	0.11	0.5	1.0	
2019	57	0.9	0.12	0.7	1.1	50	0.9	0.13	0.7	1.2	
2020	52	0.8	0.11	0.6	1.0	44	0.8	0.12	0.6	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Eye and Orbit										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	91	0.3	0.03	0.2	0.4	27	0.3	0.07	0.2	0.5
1986	2	0.3	0.19	0.0	1.1	0				
1987	4	0.5	0.28	0.1	1.6	1	0.6	0.56	0.0	6.9
1988	4	0.5	0.28	0.1	1.5	2	1.1	0.79	0.1	7.1
1989	2	0.2	0.14	0.0	1.0	1	0.5	0.53	0.0	6.2
1990	5	0.5	0.26	0.2	1.5	0				
1991	1	0.1	0.13	0.0	0.9	0				
1992	6	0.5	0.23	0.2	1.4	0				
1993	2	0.1	0.10	0.0	0.8	0				
1994	2	0.2	0.19	0.0	1.1	0				
1995	3	0.3	0.19	0.1	1.1	0				
1996	5	0.7	0.34	0.2	1.7	2	2.3	1.71	0.2	8.0
1997	3	0.3	0.20	0.1	1.1	1	0.4	0.42	0.0	3.9
1998	0					0				
1999	0					0				
2000	3	0.6	0.40	0.1	1.8	1	0.4	0.35	0.0	3.2
2001	4	0.5	0.29	0.1	1.5	2	2.4	2.08	0.2	8.6
2002	5	0.4	0.19	0.1	1.1	2	0.7	0.48	0.1	3.3
2003	1	0.1	0.09	0.0	0.7	0				
2004	1	0.1	0.09	0.0	0.7	0				
2005	3	0.3	0.15	0.1	0.9	0				
2006	1	0.1	0.09	0.0	0.7	0				
2007	0					1	0.3	0.28	0.0	2.2
2008	1	0.1	0.09	0.0	0.7	0				
2009	6	0.7	0.28	0.2	1.5	0				
2010	1	0.2	0.21	0.0	1.0	1	0.3	0.26	0.0	1.9
2011	2	0.2	0.17	0.0	0.9	1	0.6	0.59	0.0	2.8
2012	0					1	0.3	0.25	0.0	1.7
2013	3	0.4	0.22	0.1	1.1	1	0.3	0.25	0.0	1.6
2014	3	0.3	0.19	0.1	1.0	1	0.3	0.26	0.0	1.6
2015	1	0.2	0.15	0.0	0.8	3	0.9	0.50	0.2	2.5
2016	2	0.3	0.21	0.0	1.0	2	0.5	0.33	0.1	1.8
2017	2	0.2	0.15	0.0	0.8	0				
2018	3	0.3	0.17	0.1	0.9	1	0.3	0.25	0.0	1.4
2019	6	0.6	0.25	0.2	1.4	1	0.2	0.24	0.0	1.4
2020	4	0.4	0.20	0.1	1.1	2	0.4	0.27	0.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Eye and Orbit											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,635	0.7	0.02	0.7	0.7	1,517	0.8	0.02	0.7	0.8	
1986	29	0.5	0.10	0.3	0.8	28	0.6	0.12	0.4	0.9	
1987	43	0.7	0.11	0.5	1.0	39	0.8	0.13	0.5	1.1	
1988	40	0.7	0.11	0.5	0.9	36	0.7	0.12	0.5	1.0	
1989	36	0.6	0.11	0.4	0.9	34	0.7	0.12	0.5	1.0	
1990	31	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.7	
1991	38	0.6	0.10	0.4	0.9	34	0.6	0.11	0.4	0.9	
1992	48	0.8	0.11	0.6	1.0	45	0.8	0.13	0.6	1.1	
1993	40	0.6	0.10	0.5	0.9	36	0.7	0.11	0.5	0.9	
1994	40	0.6	0.10	0.4	0.9	36	0.7	0.11	0.5	0.9	
1995	42	0.7	0.10	0.5	0.9	39	0.7	0.12	0.5	1.0	
1996	53	0.8	0.12	0.6	1.1	50	0.9	0.13	0.7	1.2	
1997	34	0.5	0.09	0.4	0.7	34	0.6	0.11	0.4	0.9	
1998	36	0.6	0.09	0.4	0.8	33	0.6	0.11	0.4	0.9	
1999	44	0.7	0.10	0.5	0.9	40	0.8	0.12	0.5	1.0	
2000	40	0.6	0.09	0.4	0.8	38	0.7	0.11	0.5	0.9	
2001	51	0.8	0.11	0.6	1.0	46	0.9	0.13	0.6	1.1	
2002	33	0.5	0.08	0.3	0.7	29	0.5	0.10	0.3	0.7	
2003	63	0.9	0.12	0.7	1.2	61	1.1	0.14	0.8	1.4	
2004	53	0.8	0.11	0.6	1.0	51	0.9	0.13	0.7	1.2	
2005	54	0.8	0.11	0.6	1.1	50	0.9	0.13	0.7	1.2	
2006	53	0.8	0.11	0.6	1.0	51	0.9	0.13	0.7	1.2	
2007	62	0.9	0.12	0.7	1.2	60	1.1	0.14	0.8	1.4	
2008	43	0.6	0.10	0.4	0.8	36	0.6	0.10	0.4	0.9	
2009	61	0.9	0.11	0.7	1.1	59	1.1	0.14	0.8	1.4	
2010	51	0.7	0.10	0.5	1.0	48	0.8	0.12	0.6	1.1	
2011	50	0.7	0.10	0.5	1.0	41	0.7	0.12	0.5	1.0	
2012	49	0.7	0.10	0.5	0.9	44	0.7	0.11	0.5	1.0	
2013	52	0.7	0.10	0.5	1.0	47	0.8	0.12	0.6	1.1	
2014	41	0.5	0.08	0.4	0.7	38	0.6	0.10	0.4	0.8	
2015	57	0.8	0.10	0.6	1.0	55	0.9	0.13	0.7	1.2	
2016	57	0.8	0.10	0.6	1.0	54	0.9	0.13	0.7	1.2	
2017	42	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8	
2018	63	0.8	0.10	0.6	1.0	61	1.0	0.13	0.7	1.2	
2019	59	0.8	0.11	0.6	1.0	54	0.9	0.13	0.7	1.2	
2020	47	0.6	0.09	0.4	0.8	46	0.8	0.12	0.6	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Eye and Orbit										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	67	0.2	0.02	0.1	0.2	22	0.2	0.05	0.2	0.4
1986	0					1	1.5	1.54	0.0	8.0
1987	2	0.2	0.18	0.0	0.9	0				
1988	4	0.3	0.17	0.1	1.0	0				
1989	2	0.2	0.14	0.0	0.8	0				
1990	3	0.4	0.23	0.1	1.2	1	0.5	0.51	0.0	4.7
1991	1	0.1	0.08	0.0	0.6	0				
1992	3	0.4	0.23	0.1	1.1	0				
1993	2	0.2	0.15	0.0	0.8	1	0.5	0.52	0.0	3.9
1994	3	0.3	0.20	0.1	1.0	0				
1995	2	0.1	0.10	0.0	0.6	0				
1996	1	0.1	0.07	0.0	0.5	2	1.0	0.73	0.1	4.1
1997	0					0				
1998	2	0.2	0.15	0.0	0.8	1	0.4	0.40	0.0	2.8
1999	4	0.4	0.19	0.1	1.0	0				
2000	0					1	0.8	0.79	0.0	3.7
2001	3	0.3	0.14	0.1	0.8	0				
2002	3	0.3	0.15	0.1	0.8	1	0.4	0.39	0.0	2.4
2003	0					0				
2004	2	0.2	0.13	0.0	0.7	0				
2005	1	0.1	0.09	0.0	0.6	2	0.9	0.70	0.1	3.3
2006	0					1	0.3	0.30	0.0	1.9
2007	1	0.1	0.09	0.0	0.5	0				
2008	3	0.3	0.16	0.1	0.8	3	0.8	0.47	0.2	2.6
2009	2	0.2	0.14	0.0	0.7	0				
2010	3	0.3	0.16	0.1	0.8	0				
2011	5	0.5	0.21	0.2	1.1	2	0.8	0.58	0.1	2.7
2012	2	0.2	0.14	0.0	0.7	0				
2013	3	0.3	0.17	0.1	0.9	1	0.3	0.26	0.0	1.5
2014	2	0.2	0.13	0.0	0.7	0				
2015	2	0.2	0.14	0.0	0.7	0				
2016	0					2	0.4	0.28	0.1	1.6
2017	1	0.1	0.10	0.0	0.6	2	0.5	0.34	0.1	1.7
2018	2	0.2	0.14	0.0	0.7	0				
2019	3	0.3	0.19	0.1	0.9	1	0.3	0.25	0.0	1.3
2020	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain and Other Nervous System										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	28,193	6.4	0.04	6.3	6.5	25,107	6.9	0.04	6.8	7.0
1986	652	5.9	0.24	5.5	6.4	598	6.3	0.26	5.8	6.9
1987	681	6.3	0.25	5.8	6.8	608	6.6	0.27	6.1	7.1
1988	711	6.4	0.24	6.0	6.9	635	6.7	0.27	6.2	7.3
1989	757	6.8	0.25	6.4	7.4	685	7.3	0.28	6.7	7.8
1990	680	6.1	0.24	5.6	6.5	625	6.6	0.27	6.1	7.1
1991	727	6.5	0.24	6.0	6.9	670	7.0	0.27	6.5	7.6
1992	710	6.2	0.24	5.8	6.7	638	6.6	0.26	6.1	7.2
1993	716	6.2	0.23	5.8	6.7	645	6.6	0.26	6.1	7.2
1994	768	6.6	0.24	6.2	7.1	683	7.0	0.27	6.5	7.5
1995	724	6.2	0.23	5.8	6.7	666	6.8	0.27	6.3	7.4
1996	761	6.4	0.23	6.0	6.9	684	6.9	0.26	6.4	7.4
1997	797	6.7	0.24	6.3	7.2	722	7.3	0.27	6.8	7.8
1998	756	6.3	0.23	5.9	6.8	668	6.7	0.26	6.2	7.2
1999	791	6.6	0.23	6.1	7.0	702	7.0	0.26	6.5	7.5
2000	773	6.4	0.23	5.9	6.8	692	6.9	0.26	6.4	7.4
2001	794	6.5	0.23	6.1	7.0	722	7.1	0.27	6.6	7.7
2002	763	6.2	0.22	5.8	6.6	685	6.7	0.26	6.2	7.2
2003	803	6.5	0.23	6.0	6.9	725	7.1	0.26	6.6	7.6
2004	855	6.8	0.23	6.4	7.3	767	7.4	0.27	6.9	8.0
2005	812	6.4	0.23	6.0	6.9	717	6.9	0.26	6.4	7.4
2006	893	7.0	0.24	6.6	7.5	786	7.6	0.27	7.0	8.1
2007	836	6.5	0.23	6.1	7.0	737	7.0	0.26	6.5	7.5
2008	896	6.9	0.23	6.5	7.4	793	7.4	0.27	6.9	8.0
2009	845	6.5	0.22	6.0	6.9	749	7.0	0.26	6.5	7.5
2010	903	6.8	0.23	6.4	7.3	797	7.4	0.27	6.9	7.9
2011	915	6.9	0.23	6.4	7.3	798	7.4	0.27	6.9	7.9
2012	841	6.1	0.21	5.7	6.6	747	6.7	0.25	6.2	7.2
2013	851	6.3	0.22	5.8	6.7	766	7.0	0.26	6.5	7.5
2014	893	6.5	0.22	6.1	7.0	782	7.1	0.26	6.6	7.6
2015	912	6.6	0.22	6.1	7.0	803	7.2	0.26	6.7	7.7
2016	899	6.4	0.22	6.0	6.8	768	6.8	0.25	6.3	7.3
2017	884	6.3	0.22	5.9	6.7	787	6.9	0.25	6.4	7.5
2018	883	6.4	0.22	5.9	6.8	768	6.9	0.26	6.4	7.4
2019	853	6.0	0.21	5.6	6.5	730	6.5	0.25	6.0	7.0
2020	858	6.0	0.21	5.6	6.4	759	6.6	0.25	6.2	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain and Other Nervous System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,339	3.9	0.08	3.8	4.1	591	3.4	0.14	3.1	3.7
1986	53	3.7	0.53	2.7	4.9	1	0.4	0.42	0.0	3.4
1987	66	4.9	0.63	3.7	6.3	6	2.5	1.06	0.9	6.1
1988	69	4.7	0.60	3.6	6.1	6	2.8	1.34	0.8	6.9
1989	65	4.4	0.58	3.4	5.7	6	2.9	1.39	0.8	7.0
1990	48	3.3	0.50	2.4	4.4	7	3.0	1.22	1.1	6.7
1991	46	3.2	0.49	2.3	4.3	6	2.4	1.04	0.8	5.6
1992	67	4.3	0.55	3.3	5.6	4	1.6	0.81	0.4	4.3
1993	58	3.8	0.52	2.9	5.0	12	4.3	1.35	2.1	7.9
1994	77	5.0	0.60	3.9	6.3	5	1.4	0.62	0.4	3.6
1995	52	3.4	0.49	2.5	4.5	5	1.6	0.82	0.4	4.1
1996	63	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	6.0
1997	53	3.2	0.45	2.3	4.2	18	4.9	1.24	2.8	8.1
1998	67	4.0	0.51	3.1	5.2	18	5.5	1.50	3.0	9.2
1999	68	4.2	0.52	3.2	5.3	14	3.5	0.99	1.8	6.0
2000	68	4.1	0.52	3.2	5.3	11	2.5	0.79	1.2	4.7
2001	52	3.3	0.47	2.4	4.3	17	3.8	1.01	2.1	6.4
2002	56	3.3	0.46	2.5	4.4	19	3.8	0.88	2.2	6.0
2003	59	3.6	0.48	2.7	4.7	14	3.4	1.06	1.6	6.1
2004	67	4.0	0.50	3.1	5.1	15	2.9	0.80	1.5	4.9
2005	72	4.1	0.50	3.2	5.2	14	2.8	0.80	1.5	4.8
2006	81	4.8	0.55	3.8	6.0	20	4.1	0.96	2.4	6.4
2007	69	3.9	0.48	3.0	5.0	26	4.4	0.93	2.8	6.6
2008	73	4.0	0.48	3.1	5.0	24	4.0	0.86	2.5	6.0
2009	66	3.7	0.47	2.9	4.8	22	3.5	0.81	2.1	5.5
2010	78	4.2	0.49	3.3	5.3	24	4.2	0.91	2.6	6.3
2011	88	4.8	0.52	3.8	5.9	22	3.1	0.67	1.9	4.7
2012	59	3.1	0.41	2.3	4.0	27	3.9	0.79	2.5	5.8
2013	59	3.2	0.43	2.5	4.2	20	3.1	0.71	1.8	4.8
2014	70	3.7	0.45	2.9	4.7	34	4.7	0.83	3.2	6.6
2015	76	3.9	0.46	3.1	5.0	26	3.4	0.68	2.2	5.0
2016	96	4.9	0.51	4.0	6.0	27	3.4	0.67	2.2	5.0
2017	72	3.8	0.46	3.0	4.8	22	2.6	0.55	1.6	3.9
2018	81	4.2	0.48	3.3	5.2	28	3.4	0.64	2.2	4.9
2019	86	4.4	0.48	3.5	5.4	30	3.3	0.61	2.2	4.8
2020	59	2.9	0.38	2.2	3.7	28	3.2	0.62	2.1	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain and Other Nervous System											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	15,386	7.6	0.06	7.5	7.7	13,751	8.1	0.07	8.0	8.3	
1986	335	6.6	0.37	5.9	7.4	313	7.2	0.42	6.4	8.1	
1987	372	7.6	0.41	6.8	8.4	330	7.8	0.44	7.0	8.8	
1988	380	7.5	0.40	6.8	8.3	349	8.0	0.44	7.2	9.0	
1989	396	7.9	0.41	7.1	8.8	359	8.4	0.45	7.5	9.3	
1990	375	7.3	0.39	6.6	8.1	344	7.8	0.43	7.0	8.7	
1991	397	7.8	0.40	7.0	8.6	369	8.5	0.45	7.6	9.4	
1992	388	7.6	0.39	6.8	8.4	352	8.1	0.44	7.2	9.0	
1993	392	7.6	0.39	6.8	8.4	357	8.1	0.44	7.3	9.0	
1994	432	8.3	0.41	7.5	9.1	387	8.7	0.45	7.9	9.7	
1995	399	7.4	0.38	6.7	8.2	373	8.2	0.43	7.4	9.1	
1996	417	7.6	0.38	6.9	8.4	380	8.2	0.43	7.4	9.1	
1997	452	8.4	0.40	7.6	9.2	405	8.9	0.45	8.1	9.8	
1998	417	7.6	0.38	6.9	8.3	366	8.0	0.42	7.2	8.8	
1999	430	7.9	0.38	7.1	8.7	380	8.3	0.43	7.5	9.1	
2000	403	7.2	0.36	6.5	8.0	360	7.7	0.41	6.9	8.5	
2001	441	7.9	0.38	7.2	8.7	398	8.5	0.43	7.7	9.4	
2002	383	6.7	0.35	6.1	7.4	346	7.3	0.39	6.5	8.1	
2003	446	7.8	0.37	7.1	8.5	401	8.4	0.42	7.5	9.2	
2004	442	7.8	0.37	7.1	8.5	399	8.4	0.42	7.6	9.3	
2005	442	7.6	0.36	6.9	8.3	392	8.0	0.41	7.3	8.9	
2006	489	8.3	0.38	7.6	9.1	438	9.0	0.43	8.2	9.9	
2007	433	7.2	0.35	6.5	7.9	380	7.6	0.40	6.9	8.4	
2008	468	7.8	0.37	7.1	8.6	412	8.3	0.42	7.5	9.2	
2009	455	7.5	0.36	6.8	8.2	403	8.0	0.41	7.2	8.9	
2010	495	8.0	0.37	7.3	8.8	445	8.8	0.42	8.0	9.6	
2011	506	8.2	0.37	7.5	8.9	439	8.6	0.42	7.8	9.5	
2012	469	7.3	0.34	6.6	8.0	418	7.9	0.39	7.1	8.7	
2013	476	7.4	0.35	6.7	8.1	424	8.1	0.40	7.3	8.9	
2014	471	7.3	0.34	6.7	8.0	424	8.1	0.40	7.3	8.9	
2015	523	8.0	0.36	7.3	8.7	460	8.6	0.41	7.8	9.5	
2016	489	7.3	0.34	6.7	8.0	426	7.8	0.39	7.1	8.6	
2017	504	7.7	0.35	7.0	8.4	445	8.3	0.40	7.5	9.1	
2018	483	7.3	0.34	6.6	8.0	415	7.8	0.39	7.0	8.6	
2019	492	7.5	0.34	6.8	8.2	421	7.9	0.40	7.2	8.8	
2020	494	7.3	0.34	6.7	8.0	441	8.1	0.40	7.3	8.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain and Other Nervous System										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,238	4.7	0.14	4.4	5.0	320	3.8	0.23	3.4	4.3
1986	21	3.4	0.76	2.0	5.2	1	0.9	0.85	0.0	7.8
1987	37	6.2	1.10	4.3	8.8	4	3.5	1.80	0.9	10.9
1988	28	4.3	0.87	2.8	6.4	2	1.1	0.79	0.1	7.2
1989	33	5.0	0.96	3.3	7.2	4	2.2	1.12	0.6	8.1
1990	29	4.3	0.86	2.8	6.3	2	2.2	1.56	0.3	8.8
1991	25	4.2	0.93	2.6	6.4	2	1.2	0.86	0.1	6.5
1992	33	4.7	0.86	3.2	6.7	2	1.2	0.88	0.2	6.2
1993	28	4.0	0.81	2.6	6.0	7	5.8	2.53	2.0	13.3
1994	42	6.5	1.07	4.5	8.9	3	1.8	1.08	0.4	6.5
1995	23	3.4	0.79	2.0	5.3	3	1.5	0.85	0.3	5.7
1996	27	3.2	0.64	2.1	4.7	9	5.2	1.87	2.2	10.8
1997	32	4.6	0.90	3.0	6.7	12	7.6	2.44	3.6	14.2
1998	39	4.8	0.83	3.3	6.7	10	5.8	1.93	2.6	11.3
1999	36	5.0	0.88	3.4	7.0	9	4.4	1.56	1.9	9.1
2000	36	5.2	0.96	3.5	7.4	5	2.1	0.98	0.6	5.6
2001	33	5.0	0.94	3.4	7.2	9	4.9	1.88	1.9	10.1
2002	26	4.0	0.88	2.5	6.1	10	4.4	1.45	2.0	8.6
2003	36	4.9	0.85	3.4	6.9	7	4.0	1.79	1.3	8.9
2004	32	4.2	0.81	2.8	6.1	9	3.9	1.48	1.6	8.0
2005	39	5.0	0.84	3.5	7.0	6	2.6	1.16	0.9	6.1
2006	38	5.2	0.92	3.6	7.4	10	4.3	1.49	1.9	8.3
2007	33	4.0	0.72	2.7	5.7	17	5.6	1.47	3.1	9.5
2008	38	4.5	0.75	3.1	6.2	15	5.1	1.42	2.7	8.8
2009	37	4.5	0.78	3.1	6.3	12	4.3	1.44	2.0	8.1
2010	37	4.7	0.82	3.3	6.6	12	3.7	1.09	1.9	6.7
2011	54	6.5	0.93	4.9	8.6	9	2.9	1.01	1.2	5.7
2012	32	3.6	0.65	2.4	5.1	15	5.5	1.60	2.9	9.5
2013	37	4.2	0.72	2.9	5.9	12	3.9	1.24	1.9	7.1
2014	33	4.0	0.73	2.7	5.7	10	2.6	0.84	1.3	4.9
2015	42	5.0	0.79	3.5	6.8	17	4.9	1.27	2.7	8.1
2016	48	5.5	0.83	4.0	7.4	10	2.4	0.78	1.2	4.6
2017	44	5.2	0.81	3.8	7.1	14	3.3	0.90	1.8	5.6
2018	50	5.7	0.82	4.2	7.5	14	3.5	0.94	1.9	5.9
2019	49	5.9	0.87	4.3	7.9	18	4.2	0.99	2.5	6.6
2020	31	3.3	0.62	2.2	4.8	19	4.6	1.07	2.8	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain and Other Nervous System										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	12,807	5.4	0.05	5.4	5.5	11,356	5.9	0.06	5.8	6.0
1986	317	5.3	0.30	4.7	5.9	285	5.6	0.34	4.9	6.3
1987	309	5.2	0.30	4.6	5.8	278	5.5	0.34	4.9	6.2
1988	331	5.5	0.31	5.0	6.2	286	5.6	0.34	5.0	6.4
1989	361	6.1	0.33	5.5	6.8	326	6.5	0.37	5.8	7.3
1990	305	5.1	0.29	4.5	5.7	281	5.5	0.34	4.9	6.2
1991	330	5.3	0.30	4.8	5.9	301	5.7	0.34	5.1	6.4
1992	322	5.2	0.29	4.6	5.8	286	5.4	0.33	4.8	6.1
1993	324	5.1	0.29	4.6	5.7	288	5.4	0.32	4.8	6.1
1994	336	5.3	0.29	4.7	5.9	296	5.5	0.32	4.9	6.2
1995	325	5.1	0.29	4.6	5.7	293	5.6	0.33	4.9	6.2
1996	344	5.4	0.29	4.8	6.0	304	5.7	0.33	5.1	6.4
1997	345	5.4	0.29	4.8	6.0	317	6.0	0.34	5.3	6.7
1998	339	5.3	0.29	4.7	5.9	302	5.7	0.33	5.1	6.4
1999	361	5.5	0.29	4.9	6.1	322	5.9	0.33	5.3	6.6
2000	370	5.7	0.30	5.1	6.3	332	6.2	0.34	5.5	6.9
2001	353	5.4	0.29	4.8	6.0	324	6.0	0.34	5.4	6.7
2002	380	5.7	0.30	5.2	6.4	339	6.2	0.34	5.6	6.9
2003	357	5.3	0.28	4.8	5.9	324	5.9	0.33	5.3	6.6
2004	413	6.2	0.31	5.6	6.8	368	6.7	0.36	6.1	7.5
2005	370	5.5	0.29	4.9	6.1	325	5.9	0.33	5.3	6.6
2006	404	6.0	0.30	5.4	6.6	348	6.4	0.34	5.7	7.1
2007	403	5.9	0.30	5.3	6.5	357	6.5	0.35	5.8	7.2
2008	428	6.1	0.30	5.6	6.8	381	6.7	0.35	6.1	7.5
2009	390	5.6	0.29	5.1	6.2	346	6.2	0.34	5.5	6.9
2010	408	5.7	0.29	5.2	6.3	352	6.1	0.33	5.5	6.8
2011	409	5.7	0.29	5.2	6.3	359	6.3	0.34	5.6	7.0
2012	372	5.2	0.28	4.7	5.8	329	5.7	0.32	5.1	6.4
2013	375	5.2	0.28	4.7	5.8	342	5.9	0.33	5.3	6.6
2014	422	5.8	0.29	5.3	6.4	358	6.2	0.34	5.5	6.9
2015	389	5.4	0.28	4.8	6.0	343	6.0	0.33	5.3	6.7
2016	410	5.6	0.28	5.1	6.2	342	5.9	0.33	5.2	6.6
2017	380	5.0	0.27	4.5	5.6	342	5.7	0.32	5.1	6.3
2018	400	5.5	0.29	5.0	6.1	353	6.2	0.34	5.5	6.9
2019	361	4.8	0.26	4.3	5.3	309	5.2	0.31	4.6	5.8
2020	364	4.8	0.26	4.3	5.3	318	5.3	0.31	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain and Other Nervous System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,101	3.3	0.10	3.1	3.5	271	3.0	0.19	2.6	3.4
1986	32	3.9	0.72	2.6	5.6	0				
1987	29	3.8	0.74	2.5	5.6	2	1.6	1.21	0.2	7.1
1988	41	5.1	0.82	3.6	7.0	4	4.2	2.30	0.9	11.4
1989	32	4.0	0.74	2.7	5.7	2	3.1	2.17	0.4	10.1
1990	19	2.4	0.56	1.4	3.7	5	3.8	1.80	1.1	9.7
1991	21	2.5	0.56	1.5	3.8	4	3.3	1.71	0.8	8.9
1992	34	4.0	0.70	2.7	5.6	2	1.7	1.25	0.2	6.4
1993	30	3.6	0.67	2.4	5.2	5	3.2	1.44	1.0	7.8
1994	35	4.0	0.69	2.7	5.6	2	1.0	0.70	0.1	4.3
1995	29	3.5	0.65	2.3	5.0	2	1.5	1.18	0.1	5.6
1996	36	4.1	0.70	2.8	5.7	4	1.8	0.91	0.5	5.1
1997	21	2.2	0.49	1.3	3.4	6	2.8	1.17	1.0	6.5
1998	28	3.2	0.63	2.1	4.7	8	4.8	1.98	1.8	10.1
1999	32	3.5	0.62	2.4	4.9	5	2.6	1.23	0.8	6.3
2000	32	3.5	0.63	2.4	4.9	6	2.9	1.20	1.0	6.4
2001	19	2.1	0.48	1.2	3.2	8	3.2	1.17	1.3	6.5
2002	30	3.1	0.58	2.1	4.5	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	35	3.7	0.64	2.6	5.2	6	2.1	0.89	0.7	4.7
2005	33	3.4	0.59	2.3	4.7	8	2.9	1.09	1.2	5.9
2006	43	4.4	0.69	3.2	6.0	10	3.9	1.28	1.8	7.3
2007	36	3.7	0.62	2.6	5.1	9	3.2	1.13	1.4	6.2
2008	35	3.5	0.60	2.4	4.9	9	2.9	1.01	1.3	5.6
2009	29	3.1	0.58	2.1	4.5	10	3.0	0.98	1.4	5.6
2010	41	3.9	0.62	2.8	5.4	12	4.3	1.31	2.1	7.6
2011	34	3.3	0.58	2.3	4.7	13	3.3	0.91	1.7	5.7
2012	27	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.1
2013	22	2.3	0.50	1.5	3.5	8	2.4	0.87	1.0	4.8
2014	37	3.4	0.57	2.4	4.7	24	6.4	1.33	4.0	9.5
2015	34	3.2	0.55	2.2	4.4	9	2.2	0.74	1.0	4.2
2016	48	4.6	0.67	3.4	6.1	17	4.0	1.00	2.3	6.5
2017	28	2.6	0.51	1.7	3.8	8	1.9	0.69	0.8	3.8
2018	31	3.0	0.55	2.0	4.3	14	3.2	0.85	1.7	5.3
2019	37	3.4	0.57	2.4	4.8	12	2.6	0.75	1.3	4.5
2020	28	2.4	0.46	1.6	3.5	9	2.0	0.66	0.9	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	26,458	6.0	0.04	5.9	6.1	23,700	6.5	0.04	6.4	6.6
1986	606	5.5	0.23	5.1	6.0	561	6.0	0.26	5.5	6.5
1987	620	5.7	0.23	5.3	6.2	559	6.0	0.26	5.5	6.6
1988	649	5.9	0.23	5.4	6.3	590	6.2	0.26	5.7	6.8
1989	706	6.4	0.24	5.9	6.9	646	6.8	0.27	6.3	7.4
1990	626	5.6	0.23	5.2	6.0	579	6.1	0.26	5.6	6.6
1991	682	6.0	0.23	5.6	6.5	635	6.6	0.27	6.1	7.2
1992	676	5.9	0.23	5.5	6.4	610	6.3	0.26	5.8	6.8
1993	655	5.7	0.22	5.3	6.1	596	6.1	0.25	5.6	6.6
1994	727	6.3	0.23	5.8	6.8	649	6.6	0.26	6.1	7.2
1995	688	5.9	0.23	5.5	6.4	635	6.5	0.26	6.0	7.0
1996	708	6.0	0.23	5.5	6.4	646	6.5	0.26	6.0	7.0
1997	756	6.4	0.23	5.9	6.9	686	6.9	0.26	6.4	7.5
1998	706	5.9	0.22	5.5	6.4	628	6.3	0.25	5.8	6.8
1999	746	6.2	0.23	5.8	6.6	664	6.6	0.26	6.1	7.1
2000	731	6.0	0.22	5.6	6.5	659	6.5	0.25	6.0	7.1
2001	752	6.2	0.22	5.7	6.6	688	6.8	0.26	6.3	7.3
2002	727	5.9	0.22	5.5	6.3	657	6.4	0.25	6.0	7.0
2003	773	6.2	0.22	5.8	6.7	697	6.8	0.26	6.3	7.3
2004	799	6.4	0.23	6.0	6.9	716	6.9	0.26	6.4	7.5
2005	752	5.9	0.22	5.5	6.4	671	6.4	0.25	5.9	6.9
2006	848	6.7	0.23	6.2	7.1	753	7.2	0.27	6.7	7.8
2007	776	6.0	0.22	5.6	6.5	685	6.5	0.25	6.0	7.0
2008	843	6.5	0.23	6.1	7.0	748	7.0	0.26	6.5	7.5
2009	794	6.1	0.22	5.6	6.5	709	6.6	0.25	6.2	7.2
2010	859	6.5	0.22	6.0	6.9	762	7.0	0.26	6.5	7.6
2011	863	6.5	0.22	6.0	6.9	754	6.9	0.26	6.4	7.5
2012	789	5.7	0.21	5.3	6.2	703	6.3	0.24	5.8	6.8
2013	799	5.9	0.21	5.5	6.3	721	6.5	0.25	6.0	7.0
2014	833	6.1	0.21	5.6	6.5	732	6.6	0.25	6.1	7.1
2015	853	6.1	0.21	5.7	6.5	758	6.8	0.25	6.3	7.3
2016	842	5.9	0.21	5.5	6.4	726	6.4	0.24	5.9	6.9
2017	822	5.8	0.21	5.4	6.2	734	6.4	0.24	6.0	6.9
2018	829	5.9	0.21	5.5	6.4	725	6.5	0.25	6.0	7.0
2019	808	5.7	0.21	5.3	6.1	694	6.1	0.24	5.6	6.6
2020	815	5.7	0.20	5.3	6.1	724	6.3	0.24	5.8	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,086	3.5	0.08	3.4	3.7	542	3.1	0.14	2.8	3.4
1986	44	3.0	0.48	2.2	4.1	1	0.4	0.42	0.0	3.4
1987	55	4.1	0.58	3.1	5.4	5	1.9	0.90	0.6	5.3
1988	53	3.6	0.52	2.6	4.7	5	2.3	1.24	0.5	6.3
1989	53	3.6	0.52	2.6	4.7	6	2.9	1.39	0.8	7.0
1990	40	2.8	0.47	2.0	3.9	7	3.0	1.22	1.1	6.7
1991	38	2.6	0.44	1.8	3.6	4	1.3	0.67	0.3	3.9
1992	62	4.0	0.53	3.1	5.2	3	1.3	0.75	0.2	3.9
1993	48	3.2	0.48	2.3	4.3	10	3.5	1.21	1.5	6.9
1994	70	4.5	0.56	3.5	5.7	5	1.4	0.62	0.4	3.6
1995	49	3.2	0.48	2.3	4.3	3	1.2	0.76	0.2	3.7
1996	54	3.2	0.45	2.3	4.2	8	2.0	0.76	0.8	4.3
1997	50	3.0	0.44	2.2	4.0	16	4.3	1.14	2.3	7.2
1998	59	3.5	0.47	2.6	4.6	17	5.3	1.48	2.8	8.9
1999	62	3.8	0.50	2.9	4.9	13	3.3	0.97	1.7	5.9
2000	59	3.6	0.49	2.7	4.7	11	2.5	0.79	1.2	4.7
2001	46	2.9	0.45	2.1	4.0	15	3.2	0.86	1.7	5.4
2002	50	3.0	0.44	2.2	4.0	18	3.6	0.86	2.1	5.8
2003	57	3.5	0.47	2.6	4.5	14	3.4	1.06	1.6	6.1
2004	62	3.7	0.48	2.8	4.7	15	2.9	0.80	1.5	4.9
2005	63	3.6	0.46	2.7	4.6	12	2.5	0.77	1.2	4.5
2006	74	4.3	0.51	3.3	5.4	17	3.4	0.87	1.9	5.6
2007	62	3.5	0.45	2.7	4.5	25	4.3	0.92	2.7	6.5
2008	66	3.6	0.45	2.8	4.6	23	3.6	0.77	2.2	5.5
2009	59	3.4	0.46	2.6	4.4	20	3.3	0.79	1.9	5.2
2010	73	4.0	0.47	3.1	5.0	22	3.9	0.89	2.3	6.0
2011	81	4.5	0.50	3.5	5.6	22	3.1	0.67	1.9	4.7
2012	54	2.9	0.40	2.1	3.8	26	3.8	0.78	2.4	5.6
2013	54	2.9	0.41	2.2	3.8	19	2.9	0.70	1.7	4.6
2014	64	3.3	0.43	2.6	4.3	31	4.3	0.80	2.9	6.2
2015	66	3.4	0.43	2.6	4.3	25	3.2	0.67	2.1	4.8
2016	83	4.3	0.48	3.4	5.3	27	3.4	0.67	2.2	5.0
2017	67	3.5	0.44	2.7	4.5	19	2.2	0.52	1.3	3.5
2018	75	3.9	0.46	3.1	4.9	24	2.9	0.60	1.9	4.4
2019	81	4.2	0.47	3.3	5.2	27	3.0	0.58	2.0	4.4
2020	53	2.6	0.36	1.9	3.4	27	3.1	0.61	2.1	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	14,587	7.2	0.06	7.1	7.3	13,113	7.8	0.07	7.6	7.9
1986	315	6.3	0.36	5.6	7.0	298	6.9	0.41	6.1	7.7
1987	338	6.9	0.39	6.1	7.7	304	7.2	0.42	6.4	8.0
1988	361	7.2	0.39	6.4	8.0	336	7.7	0.43	6.9	8.6
1989	374	7.5	0.40	6.7	8.3	342	8.0	0.44	7.1	8.9
1990	349	6.8	0.37	6.1	7.6	322	7.3	0.42	6.5	8.2
1991	369	7.2	0.38	6.5	8.0	345	7.9	0.43	7.1	8.8
1992	371	7.2	0.38	6.5	8.0	339	7.7	0.43	6.9	8.6
1993	363	7.0	0.38	6.3	7.8	333	7.6	0.42	6.8	8.5
1994	420	8.1	0.40	7.3	8.9	377	8.5	0.45	7.7	9.4
1995	380	7.1	0.37	6.4	7.9	356	7.9	0.42	7.1	8.7
1996	393	7.2	0.37	6.5	8.0	364	7.9	0.42	7.1	8.8
1997	430	8.0	0.39	7.3	8.8	387	8.5	0.44	7.7	9.4
1998	390	7.1	0.36	6.4	7.8	341	7.4	0.40	6.6	8.3
1999	408	7.5	0.38	6.8	8.3	363	7.9	0.42	7.1	8.8
2000	386	6.9	0.36	6.2	7.7	346	7.4	0.40	6.6	8.2
2001	419	7.6	0.37	6.8	8.3	380	8.1	0.42	7.3	9.0
2002	364	6.4	0.34	5.7	7.1	332	7.0	0.38	6.2	7.8
2003	436	7.6	0.37	6.9	8.4	393	8.2	0.42	7.4	9.0
2004	420	7.4	0.37	6.7	8.2	380	8.0	0.41	7.2	8.9
2005	415	7.1	0.35	6.4	7.8	371	7.6	0.40	6.9	8.4
2006	472	8.1	0.38	7.3	8.8	425	8.7	0.43	7.9	9.6
2007	407	6.7	0.34	6.1	7.4	357	7.2	0.38	6.4	7.9
2008	449	7.5	0.36	6.8	8.2	397	8.0	0.41	7.2	8.8
2009	428	7.0	0.34	6.3	7.7	381	7.6	0.39	6.8	8.4
2010	482	7.8	0.36	7.1	8.6	434	8.5	0.42	7.7	9.4
2011	486	7.8	0.36	7.2	8.6	422	8.3	0.41	7.5	9.1
2012	444	6.9	0.33	6.3	7.6	400	7.5	0.38	6.8	8.3
2013	449	7.0	0.33	6.3	7.6	399	7.6	0.39	6.8	8.4
2014	451	7.0	0.34	6.4	7.7	408	7.7	0.39	7.0	8.5
2015	491	7.5	0.34	6.8	8.2	435	8.1	0.40	7.4	8.9
2016	458	6.8	0.33	6.2	7.5	405	7.4	0.38	6.7	8.2
2017	474	7.2	0.34	6.5	7.9	421	7.8	0.39	7.1	8.6
2018	454	6.8	0.33	6.2	7.5	394	7.3	0.38	6.6	8.1
2019	471	7.1	0.34	6.5	7.8	405	7.6	0.39	6.9	8.4
2020	470	7.0	0.33	6.3	7.7	421	7.7	0.39	7.0	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,115	4.3	0.13	4.0	4.5	294	3.5	0.22	3.1	4.0
1986	16	2.5	0.64	1.4	4.1	1	0.9	0.85	0.0	7.8
1987	29	5.2	1.03	3.4	7.6	4	3.5	1.80	0.9	10.9
1988	22	3.5	0.80	2.1	5.5	2	1.1	0.79	0.1	7.2
1989	28	4.3	0.91	2.7	6.5	4	2.2	1.12	0.6	8.1
1990	25	3.7	0.81	2.3	5.7	2	2.2	1.56	0.3	8.8
1991	21	3.7	0.89	2.2	5.9	2	1.2	0.86	0.1	6.5
1992	30	4.3	0.83	2.8	6.3	1	0.6	0.62	0.0	5.4
1993	24	3.5	0.76	2.2	5.4	6	4.8	2.32	1.4	11.9
1994	40	6.1	1.04	4.2	8.5	3	1.8	1.08	0.4	6.5
1995	22	3.2	0.78	1.9	5.1	2	1.0	0.68	0.1	5.0
1996	24	2.9	0.61	1.8	4.4	5	3.0	1.45	0.9	8.0
1997	30	4.5	0.89	2.9	6.6	10	6.1	2.17	2.7	12.3
1998	38	4.7	0.82	3.2	6.7	9	5.3	1.87	2.3	10.7
1999	32	4.5	0.84	3.0	6.5	8	4.1	1.53	1.7	8.7
2000	33	4.7	0.92	3.1	6.8	5	2.1	0.98	0.6	5.6
2001	30	4.6	0.91	3.0	6.8	8	3.6	1.36	1.4	7.7
2002	23	3.5	0.79	2.1	5.3	9	4.0	1.40	1.8	8.1
2003	34	4.6	0.82	3.1	6.5	7	4.0	1.79	1.3	8.9
2004	29	3.8	0.77	2.5	5.6	9	3.9	1.48	1.6	8.0
2005	35	4.5	0.80	3.0	6.3	4	2.1	1.09	0.5	5.4
2006	36	5.0	0.90	3.4	7.1	10	4.3	1.49	1.9	8.3
2007	30	3.6	0.68	2.4	5.3	17	5.6	1.47	3.1	9.5
2008	34	4.0	0.72	2.8	5.7	15	5.1	1.42	2.7	8.8
2009	33	4.1	0.75	2.7	5.8	11	4.1	1.41	1.8	7.8
2010	35	4.5	0.80	3.1	6.3	12	3.7	1.09	1.9	6.7
2011	52	6.4	0.92	4.7	8.4	9	2.9	1.01	1.2	5.7
2012	28	3.2	0.62	2.1	4.7	14	5.2	1.57	2.6	9.1
2013	36	4.1	0.70	2.8	5.7	11	3.7	1.21	1.7	6.8
2014	30	3.5	0.67	2.4	5.1	9	2.4	0.79	1.1	4.6
2015	37	4.4	0.75	3.0	6.1	17	4.9	1.27	2.7	8.1
2016	39	4.6	0.77	3.3	6.4	10	2.4	0.78	1.2	4.6
2017	40	4.8	0.77	3.4	6.5	12	2.9	0.84	1.5	5.1
2018	46	5.2	0.80	3.8	7.0	11	2.8	0.84	1.4	5.0
2019	46	5.6	0.85	4.1	7.5	17	3.9	0.96	2.3	6.3
2020	28	3.0	0.59	2.0	4.5	18	4.4	1.05	2.6	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	11,871	5.0	0.05	4.9	5.1	10,587	5.5	0.05	5.4	5.6	
1986	291	4.9	0.29	4.3	5.5	263	5.2	0.33	4.5	5.8	
1987	282	4.7	0.29	4.2	5.3	255	5.0	0.32	4.4	5.7	
1988	288	4.8	0.29	4.3	5.4	254	5.0	0.32	4.4	5.7	
1989	332	5.6	0.31	5.0	6.2	304	6.1	0.35	5.4	6.8	
1990	277	4.6	0.28	4.1	5.2	257	5.1	0.32	4.5	5.7	
1991	313	5.0	0.29	4.5	5.6	290	5.5	0.33	4.9	6.2	
1992	305	4.9	0.28	4.4	5.5	271	5.2	0.32	4.5	5.8	
1993	292	4.6	0.27	4.1	5.2	263	4.9	0.31	4.3	5.6	
1994	307	4.8	0.28	4.3	5.4	272	5.0	0.31	4.5	5.7	
1995	308	4.9	0.28	4.3	5.4	279	5.3	0.32	4.7	5.9	
1996	315	4.9	0.28	4.4	5.5	282	5.3	0.32	4.7	6.0	
1997	326	5.1	0.28	4.5	5.7	299	5.6	0.33	5.0	6.3	
1998	316	4.9	0.28	4.4	5.5	287	5.4	0.32	4.8	6.1	
1999	338	5.2	0.28	4.6	5.7	301	5.5	0.32	4.9	6.2	
2000	345	5.3	0.29	4.7	5.9	313	5.8	0.33	5.2	6.5	
2001	333	5.1	0.28	4.5	5.6	308	5.7	0.33	5.1	6.4	
2002	363	5.5	0.29	4.9	6.1	325	6.0	0.33	5.3	6.7	
2003	337	5.0	0.27	4.5	5.6	304	5.5	0.32	4.9	6.2	
2004	379	5.6	0.29	5.1	6.2	336	6.1	0.34	5.5	6.8	
2005	337	5.0	0.27	4.4	5.5	300	5.4	0.32	4.8	6.1	
2006	376	5.6	0.29	5.0	6.1	328	6.0	0.33	5.3	6.6	
2007	369	5.4	0.28	4.8	6.0	328	5.9	0.33	5.3	6.6	
2008	394	5.7	0.29	5.1	6.3	351	6.2	0.34	5.5	6.9	
2009	366	5.3	0.28	4.7	5.8	328	5.8	0.33	5.2	6.5	
2010	377	5.3	0.28	4.8	5.8	328	5.7	0.32	5.1	6.4	
2011	377	5.3	0.28	4.7	5.8	332	5.8	0.33	5.2	6.5	
2012	345	4.8	0.26	4.3	5.4	303	5.2	0.31	4.6	5.8	
2013	350	4.9	0.27	4.4	5.4	322	5.5	0.32	4.9	6.2	
2014	382	5.2	0.27	4.7	5.8	324	5.6	0.32	5.0	6.3	
2015	362	5.0	0.27	4.5	5.5	323	5.6	0.32	5.0	6.3	
2016	384	5.2	0.27	4.7	5.7	321	5.4	0.32	4.8	6.1	
2017	348	4.6	0.25	4.1	5.1	313	5.1	0.30	4.6	5.8	
2018	375	5.2	0.27	4.6	5.7	331	5.7	0.33	5.1	6.4	
2019	337	4.4	0.25	4.0	5.0	289	4.8	0.29	4.2	5.4	
2020	345	4.5	0.25	4.0	5.0	303	5.0	0.30	4.4	5.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Brain										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	971	2.9	0.09	2.7	3.1	248	2.7	0.18	2.4	3.1
1986	28	3.4	0.67	2.2	5.0	0				
1987	26	3.3	0.68	2.1	4.9	1	0.5	0.49	0.0	5.3
1988	31	3.6	0.68	2.4	5.2	3	3.1	2.06	0.5	10.0
1989	25	3.1	0.64	2.0	4.6	2	3.1	2.17	0.4	10.1
1990	15	2.0	0.53	1.1	3.3	5	3.8	1.80	1.1	9.7
1991	17	1.9	0.48	1.1	3.1	2	1.3	0.94	0.1	5.6
1992	32	3.8	0.69	2.6	5.4	2	1.7	1.25	0.2	6.4
1993	24	2.9	0.61	1.8	4.3	4	2.5	1.24	0.7	6.8
1994	30	3.3	0.62	2.2	4.8	2	1.0	0.70	0.1	4.3
1995	27	3.2	0.62	2.1	4.7	1	1.1	1.14	0.0	5.3
1996	30	3.3	0.61	2.2	4.7	3	1.2	0.74	0.2	4.3
1997	20	2.1	0.47	1.2	3.2	6	2.8	1.17	1.0	6.5
1998	21	2.4	0.53	1.5	3.7	8	4.8	1.98	1.8	10.1
1999	30	3.2	0.60	2.2	4.7	5	2.6	1.23	0.8	6.3
2000	26	2.9	0.58	1.9	4.3	6	2.9	1.20	1.0	6.4
2001	16	1.8	0.45	1.0	2.9	7	2.9	1.13	1.1	6.2
2002	27	2.8	0.55	1.9	4.1	9	3.2	1.10	1.5	6.4
2003	23	2.5	0.53	1.6	3.8	7	2.9	1.27	1.0	6.5
2004	33	3.5	0.62	2.4	4.9	6	2.1	0.89	0.7	4.7
2005	28	2.8	0.54	1.9	4.1	8	2.9	1.09	1.2	5.9
2006	38	3.9	0.63	2.7	5.3	7	2.8	1.06	1.1	5.7
2007	32	3.3	0.59	2.2	4.7	8	2.9	1.10	1.2	5.9
2008	32	3.2	0.57	2.2	4.5	8	2.3	0.82	1.0	4.7
2009	26	2.8	0.56	1.8	4.2	9	2.7	0.95	1.2	5.3
2010	38	3.6	0.59	2.6	5.0	10	3.7	1.25	1.7	6.9
2011	29	2.9	0.54	1.9	4.1	13	3.3	0.91	1.7	5.7
2012	26	2.6	0.51	1.7	3.8	12	2.9	0.84	1.5	5.1
2013	18	1.9	0.46	1.1	3.0	8	2.4	0.87	1.0	4.8
2014	34	3.1	0.55	2.2	4.4	22	6.0	1.30	3.7	9.1
2015	29	2.6	0.49	1.7	3.8	8	2.0	0.71	0.9	4.0
2016	44	4.1	0.63	3.0	5.6	17	4.0	1.00	2.3	6.5
2017	27	2.5	0.50	1.7	3.7	7	1.7	0.63	0.7	3.4
2018	29	2.8	0.53	1.9	4.1	13	3.0	0.84	1.6	5.1
2019	35	3.2	0.56	2.2	4.5	10	2.2	0.69	1.0	4.0
2020	25	2.1	0.43	1.4	3.2	9	2.0	0.66	0.9	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Endocrine System											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	45,744	10.5	0.05	10.4	10.6	39,041	11.0	0.06	10.9	11.1	
1986	521	4.8	0.22	4.4	5.3	459	5.0	0.24	4.5	5.5	
1987	553	5.1	0.22	4.7	5.5	496	5.4	0.25	4.9	5.9	
1988	550	5.0	0.22	4.6	5.4	475	5.1	0.24	4.6	5.5	
1989	528	4.8	0.21	4.4	5.2	452	4.8	0.23	4.4	5.3	
1990	602	5.4	0.22	5.0	5.8	533	5.6	0.25	5.2	6.2	
1991	567	5.0	0.21	4.6	5.5	502	5.3	0.24	4.8	5.8	
1992	630	5.5	0.22	5.1	6.0	562	5.9	0.25	5.4	6.4	
1993	672	5.8	0.23	5.4	6.3	592	6.1	0.25	5.7	6.7	
1994	667	5.7	0.22	5.3	6.2	583	6.0	0.25	5.5	6.5	
1995	736	6.2	0.23	5.8	6.7	637	6.5	0.26	6.0	7.0	
1996	796	6.7	0.24	6.2	7.2	697	7.1	0.27	6.5	7.6	
1997	833	7.0	0.24	6.5	7.5	708	7.1	0.27	6.6	7.7	
1998	848	7.0	0.24	6.6	7.5	716	7.2	0.27	6.7	7.7	
1999	948	7.8	0.25	7.3	8.3	827	8.3	0.29	7.7	8.8	
2000	942	7.7	0.25	7.2	8.2	813	8.1	0.28	7.5	8.6	
2001	1,025	8.3	0.26	7.8	8.8	880	8.7	0.29	8.1	9.3	
2002	1,206	9.7	0.28	9.2	10.3	1,050	10.3	0.32	9.7	10.9	
2003	1,224	9.8	0.28	9.2	10.3	1,063	10.4	0.32	9.8	11.0	
2004	1,372	10.9	0.30	10.4	11.5	1,204	11.8	0.34	11.1	12.5	
2005	1,391	11.0	0.30	10.4	11.6	1,190	11.5	0.34	10.9	12.2	
2006	1,553	12.2	0.31	11.6	12.8	1,330	12.9	0.36	12.2	13.6	
2007	1,661	13.0	0.32	12.3	13.6	1,426	13.7	0.37	13.0	14.5	
2008	1,762	13.6	0.33	13.0	14.3	1,519	14.5	0.38	13.8	15.3	
2009	1,869	14.3	0.34	13.7	15.0	1,621	15.4	0.39	14.7	16.2	
2010	1,882	14.3	0.33	13.7	15.0	1,593	15.1	0.38	14.4	15.9	
2011	1,988	14.9	0.34	14.2	15.6	1,695	15.8	0.39	15.0	16.6	
2012	2,150	16.1	0.35	15.4	16.8	1,819	17.0	0.41	16.2	17.8	
2013	2,191	16.4	0.36	15.7	17.1	1,847	17.4	0.41	16.6	18.2	
2014	2,176	16.2	0.35	15.5	16.9	1,828	17.1	0.41	16.3	17.9	
2015	2,298	17.0	0.36	16.3	17.8	1,954	18.3	0.43	17.4	19.1	
2016	2,139	15.9	0.35	15.2	16.6	1,772	16.6	0.41	15.8	17.4	
2017	1,921	14.1	0.33	13.4	14.7	1,572	14.6	0.38	13.8	15.3	
2018	1,933	14.2	0.33	13.5	14.8	1,626	15.1	0.39	14.4	15.9	
2019	1,958	14.5	0.34	13.8	15.2	1,631	15.3	0.39	14.5	16.0	
2020	1,652	12.3	0.31	11.7	12.9	1,369	13.0	0.36	12.3	13.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Endocrine System										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,812	6.5	0.11	6.3	6.8	2,228	11.6	0.25	11.1	12.1
1986	40	3.1	0.51	2.1	4.2	18	8.8	2.42	4.7	15.0
1987	35	2.8	0.49	1.9	3.9	18	7.6	1.93	4.3	12.7
1988	53	4.1	0.59	3.0	5.4	21	8.3	2.02	4.9	13.5
1989	48	3.5	0.54	2.6	4.8	24	10.6	2.76	5.9	17.3
1990	51	3.6	0.53	2.7	4.8	17	6.1	1.59	3.4	10.4
1991	42	3.0	0.49	2.1	4.1	8	2.7	1.03	1.1	5.9
1992	47	3.2	0.48	2.3	4.3	15	6.2	1.82	3.2	10.9
1993	48	3.4	0.51	2.5	4.6	23	6.5	1.41	4.1	10.2
1994	57	3.9	0.54	3.0	5.1	22	6.6	1.53	4.0	10.5
1995	61	4.0	0.53	3.1	5.2	30	8.3	1.62	5.4	12.3
1996	68	4.3	0.54	3.4	5.5	28	7.8	1.71	4.8	11.9
1997	82	5.6	0.63	4.4	7.0	36	8.8	1.59	6.0	12.6
1998	80	5.1	0.59	4.1	6.4	39	9.4	1.71	6.3	13.4
1999	64	3.8	0.48	2.9	4.8	38	9.3	1.65	6.4	13.2
2000	73	4.4	0.53	3.5	5.6	37	9.0	1.67	6.1	12.9
2001	98	6.0	0.62	4.9	7.4	38	8.6	1.52	5.8	12.1
2002	98	6.0	0.61	4.8	7.3	41	7.8	1.29	5.5	10.8
2003	101	5.9	0.60	4.8	7.2	37	6.8	1.19	4.7	9.6
2004	100	5.8	0.58	4.7	7.0	54	10.6	1.54	7.8	14.1
2005	109	6.4	0.63	5.3	7.8	69	12.7	1.64	9.7	16.3
2006	128	7.3	0.65	6.1	8.7	77	13.2	1.59	10.3	16.8
2007	132	7.6	0.67	6.3	9.0	78	12.6	1.50	9.8	15.9
2008	141	7.8	0.67	6.5	9.2	83	12.2	1.40	9.6	15.3
2009	155	8.7	0.71	7.4	10.2	70	10.1	1.26	7.8	12.9
2010	169	9.1	0.71	7.7	10.6	84	11.4	1.29	9.0	14.2
2011	168	9.0	0.71	7.7	10.5	106	14.4	1.46	11.7	17.6
2012	177	9.5	0.73	8.2	11.1	119	15.6	1.48	12.8	18.8
2013	182	9.5	0.72	8.2	11.0	123	15.3	1.41	12.6	18.3
2014	192	10.1	0.75	8.7	11.7	129	15.6	1.41	13.0	18.7
2015	183	9.8	0.74	8.4	11.4	124	15.0	1.38	12.4	18.0
2016	198	10.6	0.77	9.1	12.2	140	16.2	1.39	13.6	19.2
2017	182	9.4	0.71	8.0	10.9	139	15.9	1.37	13.4	18.9
2018	151	7.7	0.65	6.5	9.1	115	12.8	1.21	10.5	15.4
2019	155	7.9	0.66	6.7	9.3	126	13.8	1.24	11.5	16.5
2020	144	7.3	0.62	6.1	8.6	102	11.0	1.10	9.0	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Endocrine System										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	12,305	6.0	0.05	5.9	6.1	10,705	6.3	0.06	6.1	6.4
1986	147	3.0	0.26	2.6	3.6	136	3.2	0.28	2.7	3.8
1987	164	3.3	0.27	2.8	3.9	146	3.5	0.30	2.9	4.1
1988	144	2.8	0.24	2.4	3.4	123	2.8	0.26	2.3	3.4
1989	136	2.7	0.24	2.3	3.2	122	2.8	0.26	2.3	3.4
1990	172	3.4	0.26	2.9	3.9	151	3.4	0.29	2.9	4.1
1991	157	3.1	0.25	2.6	3.6	140	3.2	0.28	2.7	3.8
1992	184	3.5	0.27	3.0	4.1	162	3.6	0.29	3.1	4.3
1993	194	3.7	0.27	3.2	4.3	180	4.0	0.30	3.5	4.7
1994	190	3.5	0.26	3.0	4.1	161	3.5	0.28	3.0	4.1
1995	191	3.5	0.26	3.0	4.0	170	3.7	0.29	3.2	4.3
1996	221	4.1	0.28	3.5	4.6	193	4.2	0.30	3.6	4.8
1997	229	4.2	0.28	3.7	4.8	198	4.3	0.31	3.7	4.9
1998	255	4.6	0.29	4.1	5.2	213	4.6	0.32	4.0	5.2
1999	255	4.5	0.28	3.9	5.0	228	4.8	0.32	4.2	5.4
2000	228	4.0	0.27	3.5	4.6	205	4.3	0.30	3.7	4.9
2001	293	5.1	0.30	4.5	5.7	253	5.3	0.33	4.6	5.9
2002	307	5.3	0.30	4.7	5.9	271	5.6	0.34	5.0	6.3
2003	290	5.0	0.29	4.4	5.6	251	5.2	0.33	4.5	5.8
2004	362	6.1	0.32	5.5	6.7	325	6.6	0.37	5.9	7.3
2005	367	6.1	0.32	5.5	6.8	325	6.5	0.37	5.8	7.3
2006	404	6.7	0.34	6.1	7.4	348	7.0	0.38	6.3	7.8
2007	429	7.1	0.35	6.4	7.8	372	7.4	0.39	6.7	8.2
2008	432	6.9	0.34	6.3	7.6	383	7.4	0.38	6.7	8.2
2009	442	7.0	0.34	6.4	7.7	387	7.5	0.39	6.7	8.3
2010	501	8.0	0.36	7.3	8.8	436	8.5	0.41	7.7	9.4
2011	521	8.2	0.37	7.5	8.9	453	8.6	0.41	7.8	9.4
2012	555	8.6	0.37	7.9	9.3	484	9.1	0.42	8.3	10.0
2013	596	9.1	0.38	8.3	9.8	521	9.7	0.44	8.9	10.6
2014	593	9.0	0.38	8.3	9.7	516	9.6	0.43	8.7	10.5
2015	612	9.3	0.38	8.5	10.1	517	9.6	0.43	8.8	10.5
2016	605	9.2	0.38	8.5	10.0	504	9.5	0.43	8.7	10.4
2017	568	8.5	0.37	7.8	9.3	486	9.0	0.42	8.2	9.8
2018	542	8.1	0.36	7.4	8.8	476	8.8	0.42	8.0	9.7
2019	536	8.0	0.36	7.4	8.8	467	8.6	0.41	7.9	9.5
2020	483	7.2	0.34	6.6	7.9	402	7.4	0.38	6.7	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Endocrine System										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	896	3.6	0.13	3.4	3.8	552	6.3	0.28	5.7	6.8
1986	7	1.4	0.54	0.6	2.9	4	5.5	3.30	1.0	16.1
1987	12	2.4	0.79	1.1	4.4	5	4.3	2.11	1.2	12.2
1988	14	2.5	0.69	1.3	4.2	7	7.0	3.26	2.2	16.9
1989	9	1.6	0.65	0.6	3.4	5	7.1	4.70	1.0	20.4
1990	16	3.0	0.84	1.6	5.1	4	3.2	1.62	0.8	9.7
1991	10	1.4	0.46	0.6	2.7	5	4.0	1.98	1.1	10.8
1992	15	2.4	0.63	1.3	4.0	6	6.7	3.18	2.0	15.7
1993	11	1.7	0.55	0.8	3.1	1	0.4	0.36	0.0	4.7
1994	21	4.1	0.94	2.4	6.3	5	3.5	1.69	1.0	9.2
1995	14	1.9	0.54	1.0	3.4	4	1.9	0.94	0.5	6.1
1996	21	3.2	0.71	2.0	4.9	7	3.7	1.45	1.4	8.6
1997	20	3.2	0.77	1.9	5.1	10	4.5	1.45	2.1	9.1
1998	24	3.5	0.71	2.2	5.2	12	6.7	2.08	3.2	12.4
1999	16	2.2	0.56	1.2	3.6	9	4.7	1.71	2.0	9.7
2000	11	1.4	0.43	0.7	2.5	9	4.7	1.66	2.0	9.5
2001	27	4.2	0.83	2.7	6.1	10	4.5	1.59	1.9	9.0
2002	19	2.6	0.63	1.6	4.2	13	4.6	1.32	2.4	8.4
2003	23	3.2	0.68	2.0	4.8	7	3.7	1.46	1.4	7.8
2004	20	2.6	0.60	1.5	4.0	13	6.0	1.87	2.9	10.9
2005	26	3.6	0.72	2.3	5.3	12	4.5	1.41	2.2	8.4
2006	31	3.9	0.72	2.6	5.6	21	7.9	1.84	4.7	12.5
2007	30	4.3	0.84	2.8	6.3	23	8.3	1.86	5.0	12.8
2008	31	3.8	0.72	2.5	5.5	13	3.6	1.02	1.9	6.5
2009	32	4.0	0.72	2.7	5.7	20	5.9	1.37	3.6	9.4
2010	35	4.2	0.74	2.9	6.0	18	5.4	1.30	3.2	8.7
2011	37	4.5	0.78	3.1	6.3	25	7.7	1.64	4.8	11.7
2012	39	5.1	0.85	3.6	7.1	25	6.9	1.44	4.4	10.4
2013	36	4.2	0.72	2.9	5.9	29	8.0	1.51	5.3	11.6
2014	44	5.2	0.80	3.7	7.0	28	7.3	1.41	4.8	10.7
2015	51	6.3	0.90	4.6	8.3	32	8.4	1.52	5.7	12.0
2016	52	6.3	0.91	4.7	8.4	41	10.3	1.66	7.3	14.1
2017	40	4.9	0.80	3.4	6.7	40	9.7	1.57	6.9	13.4
2018	25	3.1	0.63	2.0	4.6	32	7.7	1.37	5.2	10.9
2019	34	4.0	0.71	2.8	5.7	28	6.3	1.19	4.1	9.1
2020	43	5.0	0.77	3.6	6.7	29	6.5	1.22	4.3	9.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Endocrine System											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	33,439	14.9	0.08	14.7	15.1	28,336	15.7	0.09	15.5	15.9	
1986	374	6.5	0.34	5.8	7.2	323	6.6	0.38	5.9	7.4	
1987	389	6.8	0.35	6.1	7.5	350	7.3	0.40	6.6	8.2	
1988	406	6.9	0.35	6.3	7.7	352	7.2	0.39	6.4	8.0	
1989	392	6.7	0.35	6.1	7.4	330	6.8	0.38	6.1	7.6	
1990	430	7.2	0.35	6.5	7.9	382	7.7	0.40	6.9	8.5	
1991	410	7.0	0.35	6.3	7.7	362	7.4	0.40	6.6	8.2	
1992	446	7.4	0.36	6.7	8.2	400	8.0	0.41	7.2	8.8	
1993	478	7.9	0.36	7.2	8.6	412	8.2	0.41	7.4	9.0	
1994	477	7.8	0.36	7.1	8.6	422	8.4	0.41	7.6	9.3	
1995	545	8.8	0.38	8.1	9.6	467	9.2	0.43	8.4	10.1	
1996	575	9.2	0.39	8.5	10.0	504	9.9	0.44	9.0	10.8	
1997	604	9.6	0.39	8.9	10.4	510	9.9	0.44	9.1	10.8	
1998	593	9.5	0.39	8.7	10.2	503	9.9	0.44	9.0	10.8	
1999	693	11.0	0.42	10.2	11.8	599	11.7	0.48	10.8	12.7	
2000	714	11.2	0.42	10.4	12.0	608	11.8	0.48	10.8	12.7	
2001	732	11.4	0.42	10.6	12.3	627	12.1	0.49	11.2	13.1	
2002	899	13.9	0.47	13.0	14.9	779	15.0	0.54	13.9	16.1	
2003	934	14.4	0.47	13.5	15.4	812	15.6	0.55	14.5	16.7	
2004	1,010	15.6	0.49	14.7	16.6	879	17.0	0.58	15.9	18.2	
2005	1,024	15.7	0.49	14.7	16.7	865	16.6	0.57	15.5	17.7	
2006	1,149	17.5	0.52	16.5	18.5	982	18.8	0.60	17.6	20.0	
2007	1,232	18.6	0.54	17.6	19.7	1,054	20.0	0.62	18.8	21.3	
2008	1,330	20.0	0.55	18.9	21.1	1,136	21.5	0.65	20.3	22.9	
2009	1,427	21.3	0.57	20.2	22.5	1,234	23.4	0.68	22.1	24.7	
2010	1,381	20.5	0.56	19.5	21.7	1,157	21.8	0.65	20.5	23.1	
2011	1,467	21.4	0.57	20.3	22.5	1,242	22.9	0.67	21.6	24.3	
2012	1,595	23.4	0.60	22.3	24.6	1,335	24.9	0.70	23.5	26.3	
2013	1,595	23.5	0.60	22.4	24.8	1,326	25.1	0.71	23.7	26.5	
2014	1,583	23.3	0.60	22.1	24.5	1,312	24.7	0.70	23.3	26.1	
2015	1,686	24.6	0.62	23.4	25.9	1,437	27.0	0.74	25.5	28.4	
2016	1,534	22.4	0.59	21.3	23.6	1,268	23.8	0.69	22.5	25.2	
2017	1,353	19.6	0.55	18.5	20.7	1,086	20.2	0.64	19.0	21.5	
2018	1,391	20.1	0.56	19.0	21.2	1,150	21.6	0.66	20.3	22.9	
2019	1,422	20.8	0.57	19.7	21.9	1,164	21.9	0.67	20.7	23.3	
2020	1,169	17.3	0.52	16.3	18.3	967	18.5	0.62	17.3	19.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Endocrine System										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,916	8.9	0.17	8.6	9.2	1,676	16.4	0.41	15.6	17.2
1986	33	4.4	0.79	3.0	6.2	14	11.8	3.57	5.9	21.5
1987	23	3.1	0.67	1.9	4.7	13	10.5	3.10	5.3	19.0
1988	39	5.3	0.88	3.7	7.4	14	9.9	2.76	5.3	17.6
1989	39	5.1	0.84	3.6	7.0	19	13.9	3.51	7.9	22.9
1990	35	4.3	0.74	3.0	6.0	13	8.5	2.50	4.3	15.5
1991	32	4.2	0.76	2.8	5.9	3	1.7	0.98	0.3	6.0
1992	32	3.9	0.69	2.6	5.5	9	6.1	2.21	2.6	12.3
1993	37	4.7	0.79	3.3	6.5	22	12.3	2.70	7.6	19.2
1994	36	4.1	0.69	2.9	5.7	17	9.4	2.44	5.2	15.7
1995	47	5.5	0.82	4.1	7.4	26	13.7	2.84	8.7	20.7
1996	47	5.3	0.78	3.9	7.0	21	10.8	2.69	6.2	17.5
1997	62	7.5	0.96	5.7	9.6	26	12.5	2.61	8.0	18.9
1998	56	6.3	0.85	4.8	8.2	27	11.7	2.51	7.3	17.8
1999	48	5.1	0.74	3.7	6.7	29	13.3	2.65	8.6	19.6
2000	62	6.7	0.86	5.1	8.6	28	12.6	2.61	8.0	18.8
2001	71	7.6	0.91	5.9	9.6	28	12.0	2.39	7.7	17.6
2002	79	8.5	0.96	6.7	10.6	28	10.7	2.10	7.0	15.7
2003	78	8.1	0.93	6.4	10.2	30	9.8	1.87	6.4	14.3
2004	80	8.3	0.93	6.6	10.4	41	14.8	2.40	10.5	20.4
2005	83	8.7	0.96	6.9	10.8	57	19.8	2.77	14.8	26.0
2006	97	9.8	1.00	8.0	12.0	56	18.2	2.52	13.6	23.9
2007	102	10.3	1.03	8.4	12.6	55	16.5	2.30	12.3	21.7
2008	110	11.0	1.06	9.0	13.3	70	19.8	2.45	15.3	25.3
2009	123	12.3	1.12	10.2	14.7	50	13.8	2.02	10.1	18.4
2010	134	13.1	1.14	10.9	15.5	66	16.7	2.11	12.8	21.4
2011	131	12.6	1.12	10.5	15.0	81	20.6	2.36	16.2	25.8
2012	138	13.2	1.14	11.1	15.7	94	23.4	2.47	18.8	28.8
2013	146	13.8	1.16	11.6	16.2	94	22.0	2.32	17.7	27.1
2014	148	14.2	1.19	12.0	16.8	101	23.1	2.35	18.7	28.2
2015	132	12.8	1.14	10.7	15.2	92	20.7	2.20	16.6	25.5
2016	146	14.2	1.20	11.9	16.7	99	21.8	2.22	17.7	26.6
2017	142	13.2	1.14	11.1	15.6	99	21.7	2.20	17.6	26.4
2018	126	11.6	1.07	9.6	13.9	83	17.3	1.93	13.7	21.5
2019	121	11.1	1.04	9.2	13.4	98	20.8	2.12	16.8	25.4
2020	101	9.2	0.94	7.4	11.2	73	15.3	1.80	12.0	19.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Thyroid											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	42,593	9.8	0.05	9.7	9.9	36,576	10.3	0.05	10.2	10.4	
1986	468	4.3	0.21	3.9	4.8	412	4.5	0.23	4.0	4.9	
1987	483	4.5	0.21	4.1	4.9	436	4.8	0.23	4.3	5.2	
1988	503	4.6	0.21	4.2	5.0	439	4.7	0.23	4.2	5.2	
1989	462	4.2	0.20	3.8	4.6	395	4.2	0.22	3.8	4.7	
1990	537	4.8	0.21	4.4	5.2	482	5.1	0.24	4.7	5.6	
1991	508	4.5	0.20	4.1	4.9	454	4.8	0.23	4.3	5.3	
1992	541	4.8	0.21	4.4	5.2	485	5.1	0.23	4.6	5.5	
1993	595	5.2	0.21	4.8	5.6	527	5.5	0.24	5.0	6.0	
1994	604	5.2	0.21	4.8	5.6	531	5.4	0.24	5.0	5.9	
1995	654	5.5	0.22	5.1	6.0	568	5.8	0.24	5.3	6.3	
1996	718	6.1	0.23	5.6	6.5	636	6.4	0.26	6.0	7.0	
1997	759	6.4	0.23	5.9	6.9	654	6.6	0.26	6.1	7.1	
1998	782	6.5	0.23	6.0	7.0	667	6.7	0.26	6.2	7.2	
1999	866	7.1	0.24	6.6	7.6	762	7.6	0.28	7.1	8.2	
2000	874	7.1	0.24	6.7	7.6	759	7.5	0.27	7.0	8.1	
2001	929	7.5	0.25	7.1	8.0	803	7.9	0.28	7.4	8.5	
2002	1,112	8.9	0.27	8.4	9.5	972	9.5	0.31	8.9	10.2	
2003	1,127	9.0	0.27	8.5	9.5	981	9.6	0.31	9.0	10.2	
2004	1,256	10.0	0.28	9.5	10.6	1,109	10.9	0.33	10.2	11.5	
2005	1,303	10.3	0.29	9.7	10.9	1,119	10.9	0.33	10.2	11.5	
2006	1,440	11.3	0.30	10.7	11.9	1,244	12.1	0.34	11.4	12.8	
2007	1,559	12.2	0.31	11.6	12.8	1,354	13.1	0.36	12.4	13.8	
2008	1,664	12.9	0.32	12.2	13.5	1,439	13.8	0.37	13.1	14.5	
2009	1,775	13.6	0.33	13.0	14.3	1,554	14.8	0.38	14.1	15.6	
2010	1,781	13.6	0.33	12.9	14.2	1,518	14.4	0.37	13.7	15.1	
2011	1,885	14.1	0.33	13.5	14.8	1,618	15.1	0.38	14.3	15.8	
2012	2,049	15.4	0.35	14.7	16.1	1,739	16.3	0.40	15.5	17.1	
2013	2,106	15.8	0.35	15.1	16.5	1,786	16.8	0.41	16.0	17.6	
2014	2,080	15.5	0.35	14.8	16.2	1,751	16.4	0.40	15.6	17.2	
2015	2,189	16.2	0.36	15.6	17.0	1,873	17.5	0.42	16.7	18.3	
2016	2,023	15.0	0.34	14.4	15.7	1,689	15.8	0.40	15.1	16.6	
2017	1,801	13.2	0.32	12.6	13.9	1,486	13.8	0.37	13.1	14.5	
2018	1,783	13.1	0.32	12.4	13.7	1,515	14.1	0.37	13.4	14.9	
2019	1,858	13.8	0.33	13.1	14.4	1,547	14.5	0.38	13.7	15.2	
2020	1,519	11.3	0.30	10.8	11.9	1,272	12.1	0.35	11.4	12.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Thyroid										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,289	5.7	0.10	5.5	5.9	2,092	10.8	0.25	10.4	11.3
1986	35	2.7	0.47	1.8	3.8	17	8.4	2.39	4.4	14.6
1987	29	2.4	0.47	1.6	3.5	15	6.4	1.79	3.4	11.3
1988	45	3.6	0.55	2.6	4.8	18	7.6	1.97	4.2	12.7
1989	41	3.1	0.51	2.2	4.3	22	10.0	2.73	5.4	16.7
1990	39	2.9	0.48	2.0	4.0	15	5.3	1.49	2.8	9.4
1991	33	2.5	0.45	1.7	3.5	7	2.5	0.99	0.9	5.6
1992	38	2.6	0.43	1.8	3.6	12	5.0	1.69	2.3	9.5
1993	39	2.7	0.44	1.9	3.7	20	5.8	1.34	3.5	9.3
1994	49	3.4	0.49	2.5	4.5	20	5.9	1.43	3.4	9.5
1995	52	3.5	0.50	2.6	4.6	27	7.6	1.57	4.8	11.5
1996	54	3.4	0.48	2.6	4.5	25	7.1	1.67	4.2	11.2
1997	64	4.5	0.58	3.5	5.8	34	8.5	1.57	5.7	12.3
1998	67	4.4	0.54	3.4	5.6	35	8.2	1.60	5.4	12.0
1999	50	3.0	0.43	2.2	3.9	35	8.6	1.60	5.7	12.3
2000	65	4.0	0.51	3.1	5.1	33	8.1	1.60	5.3	11.8
2001	85	5.2	0.58	4.2	6.5	33	7.1	1.31	4.7	10.2
2002	85	5.2	0.57	4.1	6.4	39	7.5	1.27	5.3	10.5
2003	89	5.3	0.57	4.2	6.5	34	6.3	1.16	4.3	9.1
2004	82	4.7	0.53	3.7	5.9	52	10.0	1.48	7.4	13.4
2005	93	5.5	0.58	4.4	6.8	68	12.5	1.63	9.5	16.1
2006	103	5.9	0.59	4.8	7.2	75	12.9	1.56	10.0	16.3
2007	115	6.7	0.63	5.5	8.1	69	11.1	1.40	8.5	14.2
2008	129	7.2	0.65	6.0	8.6	78	11.5	1.36	9.0	14.5
2009	133	7.4	0.66	6.2	8.8	66	9.5	1.23	7.3	12.3
2010	147	8.0	0.67	6.7	9.4	80	10.6	1.22	8.4	13.3
2011	145	7.8	0.66	6.5	9.2	103	14.0	1.44	11.3	17.1
2012	162	8.7	0.70	7.4	10.2	113	14.7	1.43	12.1	17.8
2013	163	8.5	0.68	7.2	10.0	119	14.7	1.38	12.1	17.7
2014	179	9.5	0.73	8.2	11.1	125	15.1	1.39	12.5	18.1
2015	164	8.8	0.70	7.5	10.3	117	14.1	1.34	11.6	17.0
2016	175	9.4	0.72	8.0	10.9	132	15.3	1.35	12.7	18.2
2017	158	8.2	0.67	6.9	9.6	131	14.8	1.31	12.4	17.7
2018	121	6.3	0.58	5.2	7.5	107	11.8	1.15	9.6	14.3
2019	145	7.4	0.63	6.2	8.8	120	13.1	1.21	10.9	15.7
2020	116	5.9	0.57	4.9	7.1	96	10.4	1.06	8.4	12.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Thyroid										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	10,647	5.2	0.05	5.1	5.3	9,404	5.5	0.06	5.4	5.6
1986	117	2.4	0.23	2.0	2.9	107	2.6	0.25	2.1	3.1
1987	128	2.6	0.24	2.2	3.2	113	2.7	0.26	2.2	3.3
1988	121	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	2.9
1989	97	2.0	0.21	1.6	2.4	89	2.1	0.23	1.7	2.6
1990	139	2.8	0.24	2.3	3.3	125	2.9	0.26	2.4	3.4
1991	124	2.4	0.22	2.0	2.9	113	2.6	0.25	2.1	3.1
1992	138	2.7	0.23	2.2	3.2	124	2.8	0.26	2.3	3.3
1993	150	2.8	0.23	2.4	3.3	142	3.2	0.27	2.7	3.7
1994	151	2.8	0.24	2.4	3.3	128	2.8	0.25	2.3	3.3
1995	151	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.6
1996	178	3.3	0.25	2.8	3.8	160	3.5	0.28	3.0	4.1
1997	193	3.5	0.26	3.1	4.1	171	3.7	0.29	3.2	4.3
1998	219	4.0	0.27	3.5	4.5	186	4.0	0.29	3.4	4.6
1999	219	3.8	0.26	3.3	4.4	198	4.1	0.30	3.6	4.8
2000	196	3.4	0.25	3.0	4.0	180	3.8	0.28	3.2	4.4
2001	238	4.2	0.27	3.7	4.7	211	4.4	0.30	3.8	5.0
2002	254	4.3	0.27	3.8	4.9	227	4.7	0.31	4.1	5.3
2003	245	4.2	0.27	3.7	4.8	210	4.3	0.30	3.7	4.9
2004	306	5.1	0.30	4.6	5.8	275	5.6	0.34	4.9	6.3
2005	315	5.2	0.30	4.7	5.9	283	5.7	0.34	5.0	6.4
2006	334	5.5	0.31	5.0	6.2	294	5.9	0.35	5.2	6.6
2007	377	6.3	0.33	5.6	6.9	337	6.7	0.37	6.0	7.5
2008	386	6.2	0.32	5.5	6.8	349	6.7	0.37	6.0	7.5
2009	402	6.4	0.33	5.8	7.1	359	7.0	0.37	6.2	7.7
2010	450	7.2	0.35	6.5	7.9	396	7.7	0.39	6.9	8.5
2011	461	7.2	0.34	6.5	7.9	412	7.8	0.39	7.0	8.6
2012	502	7.7	0.35	7.1	8.5	444	8.3	0.40	7.6	9.2
2013	541	8.2	0.36	7.5	9.0	478	8.9	0.42	8.1	9.8
2014	543	8.2	0.36	7.5	9.0	477	8.8	0.41	8.0	9.7
2015	548	8.3	0.36	7.6	9.0	469	8.7	0.41	7.9	9.6
2016	541	8.2	0.36	7.5	8.9	462	8.7	0.41	7.9	9.5
2017	509	7.6	0.35	7.0	8.3	447	8.2	0.40	7.5	9.1
2018	476	7.0	0.33	6.4	7.7	422	7.7	0.39	7.0	8.5
2019	486	7.3	0.34	6.6	7.9	424	7.8	0.39	7.0	8.6
2020	412	6.1	0.31	5.5	6.8	351	6.5	0.36	5.8	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Thyroid										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	630	2.6	0.11	2.4	2.8	477	5.4	0.26	4.9	6.0
1986	7	1.4	0.54	0.6	2.9	3	4.6	3.18	0.6	15.2
1987	10	2.2	0.77	0.9	4.1	4	3.6	1.96	0.8	11.3
1988	12	2.2	0.67	1.1	3.9	6	6.6	3.23	1.8	16.4
1989	4	0.9	0.54	0.2	2.5	4	6.5	4.67	0.8	20.0
1990	10	2.2	0.76	0.9	4.1	3	2.4	1.38	0.5	8.6
1991	6	1.0	0.41	0.4	2.2	4	3.5	1.90	0.8	10.2
1992	10	1.7	0.54	0.8	3.2	3	4.2	2.84	0.6	12.9
1993	6	0.9	0.36	0.3	1.9	0				
1994	17	3.3	0.85	1.9	5.4	4	2.3	1.21	0.6	7.2
1995	9	1.3	0.46	0.6	2.6	2	1.0	0.69	0.1	5.0
1996	14	2.2	0.60	1.2	3.7	4	2.4	1.26	0.6	7.1
1997	12	2.1	0.66	1.0	3.8	9	4.2	1.42	1.9	8.8
1998	18	2.6	0.62	1.5	4.1	9	4.7	1.69	2.0	9.7
1999	11	1.6	0.47	0.8	2.8	8	4.0	1.54	1.6	8.7
2000	9	1.2	0.41	0.5	2.3	5	2.7	1.32	0.8	6.9
2001	17	2.7	0.67	1.5	4.3	7	3.2	1.40	1.1	7.4
2002	11	1.5	0.44	0.7	2.6	12	4.4	1.30	2.2	8.2
2003	19	2.7	0.64	1.6	4.3	7	3.7	1.46	1.4	7.8
2004	14	1.8	0.51	1.0	3.1	13	6.0	1.87	2.9	10.9
2005	16	2.2	0.58	1.3	3.7	12	4.5	1.41	2.2	8.4
2006	17	2.3	0.57	1.3	3.7	19	7.0	1.72	4.1	11.4
2007	21	3.3	0.76	1.9	5.1	17	5.9	1.49	3.4	9.8
2008	23	3.0	0.65	1.8	4.5	10	2.7	0.88	1.3	5.4
2009	23	2.8	0.61	1.8	4.3	18	5.3	1.30	3.1	8.7
2010	24	3.1	0.66	1.9	4.7	18	5.4	1.30	3.2	8.7
2011	20	2.5	0.58	1.5	3.9	23	7.1	1.59	4.4	11.0
2012	28	3.6	0.71	2.4	5.3	23	6.5	1.41	4.0	9.9
2013	27	3.3	0.66	2.2	4.9	27	7.3	1.41	4.7	10.7
2014	35	4.2	0.74	2.9	5.9	26	6.8	1.36	4.4	10.1
2015	39	4.7	0.77	3.3	6.5	29	7.7	1.45	5.1	11.1
2016	39	4.8	0.79	3.4	6.6	33	8.3	1.51	5.6	11.9
2017	27	3.4	0.67	2.2	5.0	35	8.4	1.45	5.8	11.8
2018	16	2.1	0.53	1.2	3.4	30	7.2	1.32	4.8	10.3
2019	29	3.3	0.63	2.2	4.8	26	5.9	1.16	3.8	8.7
2020	30	3.5	0.66	2.3	5.0	24	5.3	1.10	3.4	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Thyroid											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	31,946	14.3	0.08	14.1	14.4	27,172	15.1	0.09	14.9	15.3	
1986	351	6.1	0.34	5.5	6.8	305	6.3	0.37	5.6	7.1	
1987	355	6.2	0.34	5.6	6.9	323	6.8	0.39	6.1	7.6	
1988	382	6.5	0.34	5.9	7.2	336	6.9	0.38	6.1	7.7	
1989	365	6.3	0.33	5.6	6.9	306	6.3	0.37	5.6	7.0	
1990	398	6.7	0.34	6.1	7.4	357	7.3	0.39	6.5	8.1	
1991	384	6.5	0.34	5.9	7.2	341	7.0	0.38	6.2	7.8	
1992	403	6.7	0.34	6.1	7.4	361	7.2	0.39	6.5	8.0	
1993	445	7.3	0.35	6.7	8.1	385	7.7	0.40	6.9	8.5	
1994	453	7.5	0.35	6.8	8.2	403	8.1	0.41	7.3	8.9	
1995	503	8.1	0.36	7.4	8.9	430	8.5	0.41	7.7	9.3	
1996	540	8.7	0.38	8.0	9.4	476	9.4	0.43	8.5	10.2	
1997	566	9.0	0.38	8.3	9.8	483	9.4	0.43	8.6	10.3	
1998	563	9.0	0.38	8.3	9.8	481	9.5	0.43	8.6	10.4	
1999	647	10.3	0.40	9.5	11.1	564	11.1	0.47	10.2	12.1	
2000	678	10.6	0.41	9.8	11.4	579	11.2	0.47	10.3	12.2	
2001	691	10.8	0.41	10.0	11.6	592	11.5	0.47	10.6	12.4	
2002	858	13.3	0.45	12.4	14.2	745	14.3	0.53	13.3	15.4	
2003	882	13.6	0.46	12.7	14.6	771	14.8	0.54	13.8	15.9	
2004	950	14.7	0.48	13.8	15.7	834	16.2	0.56	15.1	17.3	
2005	988	15.1	0.48	14.2	16.1	836	16.0	0.56	15.0	17.2	
2006	1,106	16.9	0.51	15.9	17.9	950	18.2	0.60	17.0	19.4	
2007	1,182	17.9	0.52	16.9	18.9	1,017	19.3	0.61	18.2	20.6	
2008	1,278	19.2	0.54	18.2	20.3	1,090	20.7	0.64	19.5	22.0	
2009	1,373	20.6	0.56	19.5	21.7	1,195	22.7	0.67	21.4	24.0	
2010	1,331	19.8	0.55	18.7	20.9	1,122	21.1	0.64	19.9	22.4	
2011	1,424	20.8	0.56	19.7	21.9	1,206	22.3	0.66	21.0	23.6	
2012	1,547	22.8	0.59	21.6	23.9	1,295	24.2	0.69	22.9	25.6	
2013	1,565	23.1	0.60	21.9	24.3	1,308	24.8	0.70	23.4	26.2	
2014	1,537	22.6	0.59	21.4	23.8	1,274	24.0	0.69	22.7	25.4	
2015	1,641	24.0	0.61	22.8	25.2	1,404	26.4	0.73	25.0	27.8	
2016	1,482	21.8	0.58	20.6	22.9	1,227	23.1	0.68	21.8	24.5	
2017	1,292	18.7	0.54	17.7	19.8	1,039	19.4	0.62	18.2	20.6	
2018	1,307	19.0	0.54	17.9	20.1	1,093	20.6	0.65	19.3	21.9	
2019	1,372	20.1	0.56	19.0	21.3	1,123	21.2	0.66	20.0	22.6	
2020	1,107	16.4	0.51	15.4	17.4	921	17.7	0.60	16.5	18.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Thyroid										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,659	8.1	0.16	7.8	8.5	1,615	15.7	0.40	15.0	16.6
1986	28	3.7	0.72	2.4	5.4	14	11.8	3.57	5.9	21.5
1987	19	2.6	0.63	1.6	4.2	11	8.9	2.87	4.2	17.1
1988	33	4.6	0.82	3.1	6.5	12	8.8	2.65	4.4	16.4
1989	37	4.8	0.82	3.4	6.7	18	13.3	3.46	7.4	22.3
1990	29	3.6	0.69	2.4	5.2	12	7.8	2.41	3.8	14.6
1991	27	3.6	0.71	2.3	5.2	3	1.7	0.98	0.3	6.0
1992	28	3.4	0.64	2.2	4.9	9	6.1	2.21	2.6	12.3
1993	33	4.1	0.73	2.8	5.8	20	11.2	2.57	6.7	17.8
1994	32	3.7	0.65	2.5	5.2	16	8.9	2.39	4.8	15.1
1995	43	5.1	0.79	3.7	6.9	25	13.2	2.81	8.3	20.1
1996	40	4.5	0.71	3.2	6.1	21	10.8	2.69	6.2	17.5
1997	52	6.4	0.90	4.8	8.4	25	12.1	2.58	7.6	18.4
1998	49	5.6	0.81	4.1	7.4	26	11.2	2.46	6.9	17.3
1999	39	4.1	0.66	2.9	5.6	27	12.5	2.59	8.0	18.7
2000	56	6.1	0.82	4.6	7.9	28	12.6	2.61	8.0	18.8
2001	68	7.3	0.89	5.7	9.3	26	10.6	2.14	6.8	15.8
2002	74	8.0	0.93	6.3	10.0	27	10.3	2.07	6.7	15.3
2003	70	7.4	0.88	5.7	9.3	27	8.8	1.79	5.7	13.2
2004	68	7.0	0.86	5.5	8.9	39	13.8	2.28	9.7	19.1
2005	77	8.1	0.93	6.4	10.1	56	19.5	2.74	14.5	25.6
2006	86	8.7	0.94	6.9	10.7	56	18.2	2.52	13.6	23.9
2007	94	9.6	1.00	7.7	11.8	52	15.5	2.24	11.5	20.6
2008	106	10.6	1.04	8.7	12.9	68	19.3	2.41	14.8	24.6
2009	110	11.0	1.06	9.0	13.3	48	13.2	1.98	9.6	17.8
2010	123	12.0	1.10	10.0	14.4	62	15.3	1.99	11.7	19.8
2011	125	12.1	1.09	10.0	14.4	80	20.3	2.33	15.9	25.4
2012	134	12.8	1.13	10.7	15.2	90	22.2	2.39	17.8	27.4
2013	136	12.7	1.11	10.6	15.1	92	21.6	2.30	17.3	26.6
2014	144	13.9	1.18	11.7	16.4	99	22.7	2.33	18.3	27.7
2015	125	12.2	1.11	10.1	14.6	88	19.8	2.15	15.8	24.5
2016	136	13.2	1.16	11.1	15.7	99	21.8	2.22	17.7	26.6
2017	131	12.2	1.10	10.2	14.6	96	20.9	2.15	16.9	25.6
2018	105	9.7	0.98	7.9	11.8	77	16.0	1.84	12.6	20.1
2019	116	10.7	1.03	8.8	12.9	94	19.8	2.06	16.0	24.3
2020	86	7.9	0.88	6.3	9.8	72	15.2	1.80	11.8	19.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lymphoma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	95,149	21.6	0.07	21.4	21.7	83,614	22.5	0.08	22.4	22.7	
1986	1,698	15.9	0.39	15.1	16.7	1,550	16.6	0.43	15.8	17.5	
1987	1,747	16.2	0.39	15.4	16.9	1,618	17.2	0.43	16.4	18.1	
1988	1,852	17.0	0.40	16.2	17.8	1,686	17.8	0.44	17.0	18.7	
1989	1,903	17.4	0.40	16.6	18.2	1,733	18.3	0.45	17.5	19.2	
1990	2,070	18.8	0.42	18.0	19.6	1,874	19.7	0.46	18.8	20.6	
1991	2,058	18.4	0.41	17.6	19.2	1,882	19.5	0.45	18.6	20.4	
1992	2,258	20.0	0.42	19.2	20.8	2,064	21.2	0.47	20.3	22.1	
1993	2,308	20.2	0.42	19.4	21.1	2,086	21.2	0.47	20.3	22.2	
1994	2,436	21.2	0.43	20.3	22.0	2,172	21.9	0.47	21.0	22.9	
1995	2,528	21.8	0.43	20.9	22.6	2,247	22.6	0.48	21.6	23.5	
1996	2,635	22.5	0.44	21.7	23.4	2,351	23.5	0.49	22.6	24.5	
1997	2,566	21.8	0.43	20.9	22.6	2,275	22.6	0.47	21.7	23.5	
1998	2,628	22.1	0.43	21.3	23.0	2,311	22.8	0.48	21.9	23.8	
1999	2,738	22.9	0.44	22.0	23.7	2,467	24.2	0.49	23.3	25.2	
2000	2,728	22.6	0.43	21.7	23.4	2,414	23.6	0.48	22.7	24.6	
2001	2,733	22.4	0.43	21.6	23.3	2,428	23.5	0.48	22.6	24.5	
2002	2,777	22.6	0.43	21.8	23.5	2,472	23.9	0.48	22.9	24.8	
2003	2,809	22.7	0.43	21.8	23.5	2,472	23.7	0.48	22.7	24.6	
2004	2,983	23.9	0.44	23.1	24.8	2,607	24.9	0.49	23.9	25.8	
2005	2,926	23.3	0.43	22.4	24.1	2,567	24.3	0.48	23.4	25.3	
2006	2,885	22.7	0.43	21.9	23.6	2,555	24.1	0.48	23.2	25.1	
2007	2,927	22.7	0.42	21.9	23.6	2,566	23.9	0.48	23.0	24.8	
2008	3,052	23.4	0.43	22.5	24.2	2,661	24.4	0.48	23.5	25.4	
2009	3,032	23.0	0.42	22.2	23.8	2,643	24.0	0.47	23.1	25.0	
2010	3,129	23.4	0.42	22.6	24.3	2,701	24.3	0.48	23.4	25.3	
2011	3,053	22.5	0.41	21.7	23.4	2,626	23.4	0.46	22.5	24.3	
2012	3,011	22.0	0.41	21.3	22.9	2,609	23.1	0.46	22.2	24.0	
2013	3,092	22.1	0.40	21.3	22.9	2,665	23.2	0.46	22.3	24.1	
2014	3,252	22.9	0.41	22.2	23.8	2,796	24.0	0.46	23.1	24.9	
2015	3,285	23.0	0.41	22.2	23.8	2,841	24.2	0.46	23.3	25.1	
2016	3,229	22.5	0.40	21.7	23.3	2,792	23.7	0.46	22.9	24.7	
2017	3,288	22.5	0.40	21.8	23.3	2,790	23.4	0.45	22.5	24.3	
2018	3,203	21.7	0.39	20.9	22.4	2,688	22.2	0.44	21.4	23.1	
2019	3,355	22.2	0.39	21.4	23.0	2,872	23.4	0.45	22.5	24.3	
2020	2,975	19.8	0.37	19.1	20.5	2,533	20.7	0.42	19.9	21.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	8,718	15.4	0.17	15.1	15.8	2,031	12.9	0.30	12.3	13.5
1986	125	10.0	0.94	8.2	12.0	23	14.5	3.30	8.8	22.5
1987	113	8.9	0.87	7.3	10.8	10	4.7	1.58	2.1	9.2
1988	147	11.0	0.96	9.2	13.0	15	9.1	2.78	4.5	16.1
1989	151	11.3	0.97	9.5	13.4	18	9.6	2.57	5.2	15.9
1990	171	12.7	1.02	10.8	14.9	19	8.6	2.15	4.9	14.0
1991	142	10.4	0.91	8.7	12.3	19	9.0	2.43	4.9	14.9
1992	171	12.5	1.00	10.6	14.6	19	10.0	2.78	5.3	16.6
1993	194	13.2	0.99	11.3	15.3	21	9.7	2.29	5.7	15.2
1994	227	15.6	1.07	13.6	17.8	32	15.5	3.13	10.0	22.7
1995	231	16.1	1.10	14.0	18.4	39	15.9	2.90	10.8	22.5
1996	235	15.4	1.04	13.5	17.6	37	12.7	2.33	8.6	18.1
1997	235	15.3	1.03	13.3	17.4	43	16.2	2.77	11.2	22.4
1998	259	16.7	1.07	14.7	18.9	39	11.4	2.13	7.6	16.3
1999	225	14.7	1.01	12.8	16.8	27	7.7	1.61	4.9	11.5
2000	248	15.6	1.01	13.7	17.7	45	11.0	1.82	7.7	15.2
2001	250	15.7	1.02	13.8	17.8	45	11.6	1.93	8.2	16.0
2002	243	15.1	0.99	13.2	17.2	45	13.3	2.18	9.4	18.2
2003	261	16.0	1.01	14.1	18.1	59	14.8	2.10	11.0	19.5
2004	298	18.6	1.11	16.5	20.9	53	12.3	1.83	9.0	16.4
2005	272	16.7	1.04	14.8	18.9	68	16.2	2.13	12.3	20.8
2006	255	15.4	0.98	13.5	17.4	51	10.6	1.63	7.7	14.3
2007	291	17.1	1.02	15.1	19.2	56	10.7	1.55	7.9	14.2
2008	282	16.7	1.02	14.7	18.8	73	12.7	1.60	9.8	16.3
2009	275	15.8	0.98	14.0	17.9	70	13.6	1.75	10.4	17.4
2010	303	17.2	1.01	15.3	19.3	76	13.6	1.69	10.4	17.3
2011	311	17.3	1.00	15.4	19.4	77	13.0	1.58	10.0	16.4
2012	297	16.2	0.96	14.3	18.2	72	11.5	1.43	8.9	14.7
2013	297	16.0	0.95	14.2	18.0	96	14.0	1.51	11.2	17.3
2014	316	16.9	0.97	15.0	18.9	107	15.3	1.54	12.4	18.6
2015	307	16.3	0.95	14.5	18.2	105	14.3	1.46	11.6	17.5
2016	302	16.3	0.96	14.5	18.3	108	14.0	1.38	11.4	16.9
2017	353	18.9	1.03	16.9	21.0	111	14.1	1.37	11.5	17.0
2018	348	18.1	0.99	16.2	20.1	124	14.8	1.36	12.3	17.7
2019	309	15.7	0.91	13.9	17.5	118	13.6	1.27	11.2	16.3
2020	274	13.8	0.85	12.2	15.6	111	12.5	1.20	10.2	15.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lymphoma											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	50,710	26.0	0.12	25.8	26.2	44,508	27.0	0.13	26.8	27.3	
1986	835	17.9	0.65	16.7	19.2	745	18.4	0.70	17.1	19.8	
1987	887	18.8	0.66	17.6	20.2	811	19.8	0.72	18.4	21.2	
1988	972	20.4	0.68	19.1	21.8	887	21.5	0.75	20.1	23.0	
1989	985	20.7	0.68	19.3	22.0	898	21.7	0.75	20.3	23.2	
1990	1,104	22.8	0.71	21.4	24.2	990	23.7	0.77	22.2	25.2	
1991	1,071	21.7	0.68	20.4	23.1	978	23.0	0.75	21.5	24.5	
1992	1,174	24.2	0.73	22.8	25.7	1,067	25.4	0.80	23.9	27.0	
1993	1,217	24.3	0.71	22.9	25.7	1,094	25.4	0.78	23.8	26.9	
1994	1,243	24.7	0.72	23.3	26.2	1,096	25.4	0.78	23.9	27.0	
1995	1,335	26.2	0.73	24.8	27.7	1,176	26.9	0.80	25.4	28.5	
1996	1,383	26.8	0.73	25.4	28.3	1,205	27.4	0.80	25.8	29.0	
1997	1,337	25.9	0.72	24.5	27.3	1,171	26.5	0.79	25.0	28.1	
1998	1,405	27.1	0.73	25.6	28.5	1,228	27.8	0.80	26.2	29.4	
1999	1,457	27.8	0.74	26.4	29.3	1,296	29.0	0.81	27.4	30.6	
2000	1,448	27.2	0.72	25.8	28.6	1,277	28.3	0.80	26.7	29.9	
2001	1,406	26.4	0.71	25.0	27.8	1,248	27.6	0.79	26.0	29.2	
2002	1,483	27.6	0.73	26.2	29.1	1,322	29.0	0.81	27.4	30.6	
2003	1,493	27.4	0.72	26.0	28.8	1,316	28.5	0.79	26.9	30.1	
2004	1,625	29.7	0.75	28.2	31.2	1,425	30.8	0.83	29.2	32.5	
2005	1,556	28.2	0.73	26.8	29.6	1,365	29.2	0.80	27.7	30.8	
2006	1,562	27.9	0.72	26.5	29.3	1,385	29.4	0.80	27.8	31.0	
2007	1,590	27.8	0.71	26.4	29.2	1,393	29.0	0.79	27.5	30.6	
2008	1,606	27.7	0.70	26.4	29.2	1,408	28.9	0.78	27.4	30.5	
2009	1,588	27.2	0.69	25.8	28.6	1,392	28.3	0.77	26.8	29.9	
2010	1,701	28.6	0.71	27.2	30.0	1,464	29.3	0.78	27.8	30.9	
2011	1,636	26.9	0.68	25.6	28.3	1,406	27.7	0.75	26.2	29.2	
2012	1,605	26.2	0.67	24.9	27.5	1,402	27.4	0.75	26.0	28.9	
2013	1,695	27.1	0.67	25.8	28.4	1,482	28.6	0.76	27.1	30.1	
2014	1,740	27.0	0.66	25.7	28.3	1,508	28.2	0.74	26.8	29.7	
2015	1,817	27.9	0.67	26.6	29.3	1,569	29.1	0.75	27.6	30.6	
2016	1,739	26.9	0.66	25.6	28.2	1,522	28.5	0.75	27.0	30.0	
2017	1,823	27.4	0.66	26.1	28.7	1,548	28.0	0.73	26.6	29.4	
2018	1,709	25.2	0.62	24.0	26.5	1,449	25.9	0.70	24.6	27.3	
2019	1,826	26.5	0.63	25.3	27.8	1,570	27.7	0.72	26.3	29.1	
2020	1,657	23.9	0.60	22.8	25.2	1,415	24.9	0.68	23.6	26.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,673	19.1	0.29	18.5	19.7	1,109	15.8	0.52	14.8	16.9
1986	76	13.4	1.67	10.3	17.1	14	17.9	5.20	9.2	31.5
1987	67	12.8	1.67	9.7	16.5	5	5.0	2.52	1.3	13.6
1988	75	12.5	1.56	9.6	15.9	8	9.0	3.32	3.7	18.7
1989	77	13.2	1.65	10.1	16.8	9	12.3	4.62	4.9	24.6
1990	96	16.5	1.84	13.1	20.5	14	15.1	4.55	7.6	27.0
1991	76	12.3	1.53	9.5	15.7	8	9.9	4.68	2.9	22.4
1992	95	16.6	1.85	13.2	20.6	10	13.5	5.01	5.5	26.2
1993	109	16.1	1.68	13.0	19.8	13	14.1	4.30	6.9	24.9
1994	128	18.9	1.74	15.7	22.7	16	17.3	5.24	8.6	30.1
1995	138	22.0	2.05	18.2	26.4	16	15.9	4.86	7.8	27.8
1996	151	22.7	1.99	18.9	26.9	20	14.9	3.96	8.2	24.7
1997	133	19.0	1.72	15.7	22.7	26	22.7	5.33	13.4	35.2
1998	146	21.4	1.85	17.9	25.3	21	14.9	4.12	7.9	24.9
1999	129	19.4	1.85	16.0	23.4	16	9.8	2.74	5.2	16.8
2000	137	19.1	1.70	15.9	22.7	22	13.2	3.46	7.3	21.6
2001	128	18.3	1.72	15.1	22.0	22	12.1	2.91	7.1	19.2
2002	126	17.8	1.68	14.7	21.4	28	19.1	4.13	11.8	28.6
2003	138	19.7	1.75	16.4	23.4	31	15.8	3.16	10.2	23.2
2004	160	23.2	1.96	19.6	27.4	29	14.2	3.02	8.9	21.3
2005	139	20.2	1.84	16.7	24.1	41	22.4	4.03	15.2	31.5
2006	131	18.0	1.65	14.9	21.5	32	16.1	3.26	10.3	23.6
2007	162	21.9	1.83	18.4	25.7	26	10.6	2.36	6.5	16.3
2008	141	19.5	1.74	16.3	23.2	36	13.5	2.54	9.0	19.4
2009	135	18.1	1.65	15.0	21.6	43	19.1	3.28	13.3	26.5
2010	169	22.6	1.83	19.1	26.5	39	16.9	3.09	11.4	23.9
2011	166	21.8	1.79	18.5	25.6	45	17.2	2.81	12.1	23.5
2012	146	18.3	1.57	15.3	21.6	39	14.1	2.42	9.7	19.6
2013	149	18.4	1.57	15.5	21.8	52	16.4	2.44	11.9	21.9
2014	163	19.9	1.63	16.8	23.3	56	18.6	2.69	13.7	24.6
2015	170	21.0	1.67	17.8	24.5	62	18.9	2.57	14.2	24.5
2016	154	19.2	1.61	16.2	22.6	48	13.0	1.94	9.5	17.4
2017	186	23.7	1.81	20.3	27.5	70	20.4	2.54	15.7	25.9
2018	170	20.4	1.62	17.4	23.9	65	16.9	2.16	12.9	21.7
2019	155	18.0	1.50	15.2	21.2	68	17.5	2.19	13.5	22.3
2020	152	18.0	1.51	15.1	21.1	59	14.1	1.86	10.7	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lymphoma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	44,439	18.1	0.09	17.9	18.3	39,106	19.0	0.10	18.8	19.2	
1986	863	14.1	0.49	13.2	15.1	805	15.1	0.55	14.1	16.2	
1987	860	13.9	0.48	13.0	14.9	807	15.0	0.54	14.0	16.1	
1988	880	14.3	0.49	13.4	15.3	799	14.9	0.54	13.9	16.0	
1989	918	14.9	0.50	14.0	15.9	835	15.7	0.55	14.6	16.8	
1990	966	15.6	0.51	14.6	16.6	884	16.5	0.57	15.4	17.6	
1991	987	15.6	0.50	14.7	16.7	904	16.6	0.56	15.5	17.7	
1992	1,084	16.8	0.52	15.8	17.9	997	18.0	0.58	16.9	19.2	
1993	1,091	16.9	0.52	15.9	17.9	992	17.8	0.57	16.7	19.0	
1994	1,193	18.3	0.53	17.3	19.4	1,076	19.2	0.59	18.0	20.4	
1995	1,193	18.1	0.53	17.1	19.2	1,071	18.8	0.58	17.7	20.0	
1996	1,252	19.0	0.54	17.9	20.0	1,146	20.3	0.61	19.1	21.5	
1997	1,229	18.5	0.53	17.5	19.6	1,104	19.5	0.59	18.3	20.7	
1998	1,223	18.3	0.53	17.3	19.4	1,083	19.1	0.59	17.9	20.2	
1999	1,281	19.1	0.54	18.0	20.1	1,171	20.6	0.61	19.4	21.8	
2000	1,280	19.0	0.53	18.0	20.1	1,137	20.0	0.60	18.9	21.3	
2001	1,327	19.4	0.54	18.4	20.5	1,180	20.4	0.60	19.3	21.6	
2002	1,294	18.8	0.53	17.8	19.8	1,150	19.8	0.59	18.7	21.0	
2003	1,316	19.0	0.53	18.0	20.1	1,156	19.9	0.59	18.7	21.1	
2004	1,358	19.5	0.53	18.5	20.6	1,182	20.2	0.60	19.1	21.4	
2005	1,370	19.6	0.53	18.5	20.6	1,202	20.5	0.60	19.3	21.7	
2006	1,323	18.7	0.52	17.7	19.8	1,170	19.9	0.59	18.8	21.1	
2007	1,337	18.8	0.52	17.8	19.8	1,173	19.8	0.59	18.7	21.0	
2008	1,446	20.1	0.53	19.0	21.2	1,253	21.0	0.61	19.8	22.2	
2009	1,444	19.8	0.53	18.8	20.9	1,251	20.8	0.60	19.6	22.0	
2010	1,428	19.6	0.53	18.6	20.6	1,237	20.6	0.60	19.4	21.8	
2011	1,417	19.1	0.52	18.1	20.1	1,220	19.9	0.58	18.8	21.1	
2012	1,406	18.7	0.51	17.7	19.8	1,207	19.6	0.58	18.4	20.7	
2013	1,397	18.2	0.50	17.2	19.2	1,183	18.8	0.56	17.7	19.9	
2014	1,512	19.8	0.52	18.8	20.8	1,288	20.6	0.59	19.5	21.8	
2015	1,468	19.0	0.51	18.0	20.0	1,272	20.2	0.58	19.0	21.4	
2016	1,490	19.0	0.51	18.0	20.0	1,270	19.9	0.58	18.8	21.1	
2017	1,465	18.7	0.50	17.8	19.8	1,242	19.7	0.58	18.5	20.8	
2018	1,494	18.8	0.50	17.8	19.8	1,239	19.2	0.57	18.1	20.4	
2019	1,529	18.7	0.49	17.7	19.7	1,302	19.8	0.57	18.7	20.9	
2020	1,318	16.3	0.46	15.4	17.2	1,118	17.2	0.53	16.2	18.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,045	12.7	0.20	12.3	13.1	922	10.7	0.37	10.0	11.4
1986	49	7.2	1.06	5.3	9.6	9	11.6	4.17	4.9	22.7
1987	46	6.1	0.94	4.4	8.2	5	4.5	2.08	1.4	11.4
1988	72	9.7	1.19	7.5	12.3	7	8.8	4.01	2.8	19.6
1989	74	10.0	1.20	7.8	12.7	9	7.9	3.00	3.1	16.2
1990	75	10.0	1.19	7.8	12.6	5	3.6	1.64	1.1	9.2
1991	66	8.8	1.11	6.8	11.2	11	8.7	2.73	4.2	16.1
1992	76	9.6	1.13	7.5	12.1	9	7.7	3.18	2.7	16.1
1993	85	10.8	1.20	8.5	13.4	8	6.4	2.43	2.6	13.0
1994	99	12.6	1.29	10.2	15.3	16	14.2	3.91	7.6	23.7
1995	93	11.7	1.24	9.4	14.4	23	16.3	3.69	9.9	25.1
1996	84	10.0	1.11	7.9	12.4	17	11.1	2.86	6.2	18.1
1997	102	12.1	1.22	9.8	14.7	17	11.5	3.01	6.4	18.8
1998	113	13.0	1.24	10.7	15.6	18	9.1	2.36	5.1	15.0
1999	96	11.3	1.17	9.1	13.8	11	6.0	1.91	2.8	10.9
2000	111	12.6	1.20	10.3	15.1	23	9.8	2.15	6.0	15.0
2001	122	13.7	1.25	11.4	16.4	23	11.0	2.51	6.7	17.0
2002	117	13.0	1.21	10.7	15.6	17	9.0	2.33	5.0	14.6
2003	123	13.4	1.21	11.1	16.0	28	13.7	2.74	8.9	20.1
2004	138	15.3	1.31	12.8	18.0	24	10.7	2.30	6.7	16.1
2005	133	14.4	1.26	12.0	17.1	27	11.6	2.36	7.5	17.1
2006	124	13.1	1.19	10.9	15.7	19	6.8	1.64	4.0	10.8
2007	129	13.6	1.21	11.3	16.2	30	10.6	2.06	7.0	15.5
2008	141	14.7	1.25	12.3	17.3	37	12.3	2.13	8.5	17.2
2009	140	14.3	1.22	12.0	16.8	27	9.4	1.90	6.0	13.8
2010	134	13.5	1.18	11.3	16.1	37	11.4	1.99	7.9	16.0
2011	145	14.2	1.20	12.0	16.8	32	9.5	1.76	6.4	13.6
2012	151	14.6	1.20	12.3	17.1	33	9.5	1.73	6.4	13.5
2013	148	14.1	1.18	11.9	16.6	44	12.0	1.88	8.6	16.3
2014	153	14.6	1.20	12.3	17.1	51	13.1	1.89	9.7	17.4
2015	137	12.9	1.12	10.8	15.3	43	10.8	1.70	7.7	14.7
2016	148	14.1	1.18	11.9	16.6	60	14.5	1.91	11.0	18.8
2017	167	15.6	1.23	13.3	18.2	41	9.1	1.44	6.5	12.4
2018	178	16.3	1.25	14.0	19.0	59	13.1	1.73	9.9	16.9
2019	154	13.7	1.12	11.6	16.1	50	10.5	1.50	7.8	13.9
2020	122	10.9	1.00	9.0	13.0	52	11.0	1.53	8.2	14.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hodgkin Lymphoma										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	12,362	2.8	0.03	2.8	2.9	10,274	2.9	0.03	2.9	3.0
1986	324	2.9	0.17	2.6	3.2	288	3.1	0.18	2.7	3.4
1987	287	2.5	0.15	2.2	2.8	255	2.6	0.17	2.3	3.0
1988	286	2.4	0.15	2.1	2.7	248	2.5	0.16	2.2	2.9
1989	324	2.8	0.16	2.5	3.1	290	3.0	0.18	2.7	3.4
1990	335	2.9	0.16	2.6	3.2	289	3.0	0.18	2.7	3.4
1991	329	2.8	0.16	2.5	3.1	290	3.0	0.18	2.6	3.4
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	318	2.6	0.15	2.3	2.9	262	2.6	0.16	2.3	3.0
1994	328	2.7	0.15	2.4	3.0	283	2.8	0.17	2.5	3.2
1995	322	2.6	0.15	2.4	3.0	278	2.8	0.17	2.5	3.1
1996	377	3.1	0.16	2.8	3.4	316	3.2	0.18	2.8	3.5
1997	363	3.0	0.16	2.7	3.3	299	3.0	0.17	2.7	3.3
1998	326	2.6	0.15	2.4	3.0	270	2.7	0.16	2.4	3.0
1999	347	2.8	0.15	2.5	3.1	297	3.0	0.17	2.6	3.3
2000	363	2.9	0.15	2.6	3.2	305	3.0	0.17	2.7	3.4
2001	365	2.9	0.15	2.6	3.2	302	3.0	0.17	2.7	3.4
2002	366	2.9	0.15	2.6	3.2	315	3.1	0.17	2.8	3.5
2003	353	2.8	0.15	2.5	3.1	298	2.9	0.17	2.6	3.3
2004	362	2.9	0.15	2.6	3.2	301	3.0	0.17	2.7	3.3
2005	384	3.1	0.16	2.8	3.4	307	3.1	0.18	2.7	3.4
2006	388	3.1	0.16	2.8	3.4	324	3.2	0.18	2.9	3.6
2007	346	2.7	0.15	2.4	3.0	290	2.8	0.17	2.5	3.2
2008	416	3.3	0.16	3.0	3.6	338	3.3	0.18	3.0	3.7
2009	368	2.9	0.15	2.6	3.2	300	2.9	0.17	2.6	3.3
2010	384	3.0	0.16	2.7	3.3	309	3.1	0.18	2.7	3.4
2011	357	2.8	0.15	2.5	3.1	282	2.8	0.17	2.5	3.1
2012	356	2.8	0.15	2.5	3.1	283	2.8	0.17	2.4	3.1
2013	362	2.7	0.15	2.5	3.1	292	2.8	0.17	2.5	3.2
2014	380	2.9	0.15	2.6	3.2	311	3.0	0.17	2.7	3.3
2015	363	2.9	0.15	2.6	3.2	291	2.9	0.17	2.6	3.3
2016	347	2.7	0.15	2.4	3.0	277	2.7	0.17	2.4	3.1
2017	388	3.0	0.15	2.7	3.3	307	3.0	0.17	2.7	3.4
2018	385	2.9	0.15	2.7	3.3	305	3.0	0.18	2.7	3.4
2019	365	2.8	0.15	2.5	3.1	293	2.8	0.17	2.5	3.2
2020	357	2.8	0.15	2.5	3.1	281	2.8	0.17	2.4	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hodgkin Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,648	2.6	0.06	2.5	2.7	272	1.4	0.09	1.2	1.6
1986	32	2.0	0.38	1.4	3.0	4	2.1	1.11	0.6	6.0
1987	28	1.7	0.35	1.1	2.6	0				
1988	35	2.0	0.36	1.4	2.8	3	1.6	0.94	0.3	5.0
1989	34	2.1	0.37	1.4	2.9	0				
1990	44	2.6	0.41	1.9	3.6	1	0.5	0.51	0.0	3.2
1991	31	1.8	0.34	1.2	2.6	4	1.3	0.68	0.3	3.9
1992	39	2.3	0.39	1.6	3.2	3	0.7	0.42	0.2	2.8
1993	50	2.8	0.42	2.1	3.8	4	1.4	0.73	0.3	3.9
1994	37	2.2	0.36	1.5	3.0	5	1.4	0.64	0.4	3.6
1995	37	2.0	0.33	1.4	2.7	4	2.0	1.25	0.3	5.6
1996	48	2.7	0.40	2.0	3.6	8	2.1	0.84	0.8	4.6
1997	57	3.2	0.44	2.4	4.2	3	0.7	0.42	0.2	2.4
1998	42	2.2	0.35	1.6	3.1	8	2.1	0.86	0.8	4.6
1999	36	2.1	0.35	1.4	2.9	6	1.2	0.49	0.4	2.8
2000	47	2.6	0.39	1.9	3.5	3	0.6	0.32	0.1	1.9
2001	49	2.7	0.38	2.0	3.5	10	2.0	0.68	0.9	3.9
2002	43	2.4	0.37	1.7	3.2	2	0.5	0.37	0.0	1.9
2003	43	2.3	0.36	1.7	3.2	8	1.3	0.47	0.6	2.8
2004	52	2.8	0.40	2.1	3.7	5	0.8	0.38	0.3	2.1
2005	65	3.6	0.46	2.8	4.6	8	1.4	0.53	0.6	3.0
2006	46	2.5	0.37	1.8	3.3	10	1.8	0.65	0.8	3.6
2007	46	2.4	0.35	1.7	3.2	7	1.0	0.38	0.4	2.2
2008	57	3.0	0.41	2.3	3.9	14	1.9	0.52	1.0	3.3
2009	50	2.7	0.38	2.0	3.5	7	1.0	0.38	0.4	2.1
2010	57	2.9	0.39	2.2	3.8	10	1.3	0.41	0.6	2.5
2011	59	3.1	0.41	2.3	4.0	5	0.5	0.22	0.2	1.3
2012	59	3.1	0.41	2.3	4.0	11	1.4	0.45	0.7	2.6
2013	53	2.7	0.37	2.0	3.5	13	1.7	0.48	0.9	3.0
2014	48	2.5	0.37	1.8	3.4	15	2.0	0.53	1.1	3.3
2015	50	2.5	0.37	1.9	3.4	18	2.2	0.54	1.3	3.5
2016	53	2.8	0.39	2.1	3.7	15	1.9	0.49	1.0	3.1
2017	57	2.9	0.39	2.2	3.8	17	1.9	0.47	1.1	3.1
2018	55	2.9	0.39	2.1	3.7	17	2.0	0.49	1.1	3.2
2019	56	2.8	0.38	2.1	3.6	10	1.1	0.35	0.5	2.0
2020	53	2.8	0.39	2.1	3.7	14	1.5	0.41	0.8	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hodgkin Lymphoma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	6,819	3.2	0.04	3.2	3.3	5,643	3.3	0.04	3.2	3.4
1986	158	3.0	0.25	2.5	3.5	138	3.1	0.27	2.6	3.7
1987	168	3.1	0.24	2.6	3.6	149	3.2	0.27	2.7	3.8
1988	158	2.8	0.23	2.4	3.3	138	3.0	0.26	2.5	3.5
1989	166	3.0	0.24	2.6	3.5	148	3.2	0.27	2.7	3.8
1990	192	3.5	0.26	3.0	4.0	164	3.5	0.28	3.0	4.1
1991	180	3.3	0.25	2.8	3.8	158	3.4	0.28	2.9	4.0
1992	172	3.1	0.24	2.6	3.6	154	3.3	0.27	2.8	3.8
1993	181	3.1	0.24	2.7	3.6	150	3.1	0.26	2.6	3.7
1994	185	3.2	0.24	2.7	3.7	152	3.1	0.26	2.6	3.7
1995	192	3.3	0.24	2.8	3.8	160	3.3	0.27	2.8	3.9
1996	215	3.7	0.25	3.2	4.2	173	3.6	0.27	3.1	4.1
1997	187	3.1	0.23	2.7	3.6	147	3.0	0.25	2.5	3.5
1998	188	3.2	0.24	2.8	3.7	160	3.3	0.26	2.8	3.9
1999	188	3.2	0.23	2.7	3.7	155	3.2	0.26	2.7	3.7
2000	216	3.6	0.25	3.1	4.1	185	3.8	0.28	3.2	4.4
2001	198	3.3	0.24	2.9	3.8	160	3.3	0.26	2.8	3.8
2002	197	3.3	0.23	2.8	3.7	173	3.5	0.27	3.0	4.1
2003	183	3.1	0.23	2.6	3.5	156	3.2	0.25	2.7	3.7
2004	213	3.6	0.25	3.1	4.1	175	3.6	0.27	3.1	4.2
2005	217	3.6	0.24	3.1	4.1	177	3.6	0.27	3.1	4.2
2006	203	3.3	0.24	2.9	3.8	170	3.5	0.27	2.9	4.0
2007	202	3.3	0.23	2.8	3.8	165	3.3	0.26	2.8	3.9
2008	215	3.5	0.24	3.0	4.0	174	3.5	0.26	3.0	4.0
2009	199	3.2	0.23	2.8	3.7	162	3.3	0.26	2.8	3.8
2010	207	3.4	0.24	2.9	3.9	163	3.3	0.26	2.8	3.9
2011	202	3.3	0.23	2.8	3.8	160	3.2	0.26	2.7	3.8
2012	195	3.1	0.23	2.7	3.6	157	3.2	0.26	2.7	3.7
2013	190	3.0	0.22	2.6	3.4	160	3.2	0.25	2.7	3.7
2014	211	3.2	0.23	2.8	3.7	171	3.3	0.25	2.8	3.8
2015	217	3.4	0.24	3.0	3.9	171	3.4	0.26	2.9	4.0
2016	212	3.3	0.23	2.9	3.8	166	3.3	0.26	2.8	3.8
2017	207	3.2	0.23	2.8	3.7	166	3.3	0.26	2.8	3.8
2018	208	3.3	0.23	2.8	3.7	166	3.3	0.26	2.8	3.8
2019	200	3.1	0.22	2.6	3.5	165	3.2	0.25	2.7	3.7
2020	197	3.1	0.22	2.7	3.6	155	3.1	0.25	2.6	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	923	3.2	0.11	3.0	3.4	160	1.7	0.15	1.5	2.1
1986	17	2.2	0.58	1.2	3.8	3	3.4	2.12	0.6	11.8
1987	16	2.6	0.71	1.4	4.4	0				
1988	18	2.1	0.54	1.2	3.6	2	2.4	1.67	0.3	9.5
1989	18	2.6	0.71	1.4	4.4	0				
1990	26	3.5	0.71	2.2	5.2	1	1.2	1.19	0.0	7.4
1991	17	2.3	0.57	1.3	3.8	2	1.3	0.92	0.2	6.6
1992	18	2.8	0.74	1.6	4.6	0				
1993	28	3.4	0.66	2.2	5.0	3	2.5	1.52	0.4	8.1
1994	26	3.3	0.67	2.1	5.0	4	2.6	1.35	0.7	7.7
1995	29	3.4	0.64	2.2	4.9	1	0.4	0.39	0.0	4.3
1996	32	3.9	0.71	2.6	5.6	6	3.8	1.88	1.1	9.6
1997	36	4.5	0.79	3.1	6.4	2	0.9	0.67	0.1	4.6
1998	21	2.3	0.52	1.4	3.7	3	2.9	1.88	0.4	8.7
1999	21	2.5	0.57	1.5	4.0	5	2.0	0.93	0.6	5.7
2000	26	3.1	0.64	2.0	4.6	0				
2001	29	3.4	0.65	2.3	5.0	6	3.1	1.40	1.0	7.3
2002	21	2.4	0.54	1.4	3.7	1	0.8	0.84	0.0	4.2
2003	21	2.5	0.57	1.5	3.9	6	2.0	0.83	0.7	4.9
2004	36	4.4	0.76	3.0	6.2	2	0.8	0.54	0.1	3.2
2005	31	3.5	0.64	2.4	5.1	6	2.4	1.03	0.8	5.6
2006	24	2.8	0.59	1.8	4.3	4	1.4	0.78	0.3	4.1
2007	28	3.1	0.60	2.1	4.6	6	1.7	0.71	0.6	4.1
2008	28	3.3	0.64	2.2	4.8	9	2.5	0.83	1.1	5.0
2009	29	3.4	0.64	2.2	4.9	4	1.0	0.52	0.3	3.0
2010	34	3.9	0.70	2.7	5.5	6	1.7	0.69	0.6	3.9
2011	33	3.9	0.72	2.7	5.6	2	0.4	0.29	0.1	2.0
2012	29	3.3	0.62	2.2	4.8	6	1.7	0.74	0.6	3.9
2013	23	2.6	0.56	1.6	3.9	7	1.8	0.69	0.7	3.8
2014	30	3.5	0.65	2.3	5.0	10	2.9	1.00	1.3	5.6
2015	32	3.4	0.63	2.3	4.9	12	3.2	0.98	1.6	5.8
2016	36	4.1	0.70	2.8	5.7	9	2.1	0.69	0.9	4.0
2017	27	3.0	0.59	1.9	4.4	9	2.2	0.75	1.0	4.3
2018	27	2.9	0.56	1.9	4.2	11	2.9	0.91	1.4	5.2
2019	27	2.8	0.54	1.8	4.1	4	0.8	0.41	0.2	2.2
2020	29	3.4	0.66	2.3	5.0	8	1.8	0.64	0.8	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hodgkin Lymphoma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	5,543	2.5	0.03	2.4	2.5	4,631	2.6	0.04	2.5	2.6	
1986	166	2.8	0.22	2.4	3.2	150	2.9	0.25	2.5	3.5	
1987	119	1.9	0.18	1.6	2.3	106	2.1	0.20	1.7	2.5	
1988	128	2.1	0.18	1.7	2.4	110	2.1	0.20	1.7	2.5	
1989	158	2.6	0.21	2.2	3.0	142	2.8	0.24	2.3	3.3	
1990	143	2.4	0.20	2.0	2.8	125	2.5	0.23	2.1	3.0	
1991	149	2.4	0.20	2.0	2.8	132	2.6	0.23	2.2	3.1	
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2	
1993	137	2.2	0.19	1.8	2.6	112	2.2	0.21	1.8	2.6	
1994	143	2.2	0.19	1.9	2.6	131	2.5	0.22	2.1	3.0	
1995	130	2.1	0.18	1.7	2.5	118	2.3	0.22	1.9	2.8	
1996	162	2.6	0.20	2.2	3.0	143	2.8	0.24	2.4	3.3	
1997	176	2.8	0.21	2.4	3.2	152	3.0	0.24	2.5	3.5	
1998	138	2.2	0.19	1.8	2.6	110	2.2	0.21	1.8	2.6	
1999	159	2.5	0.20	2.1	2.9	142	2.8	0.23	2.3	3.3	
2000	147	2.3	0.19	1.9	2.7	120	2.4	0.22	1.9	2.8	
2001	167	2.6	0.20	2.2	3.0	142	2.8	0.23	2.3	3.3	
2002	169	2.6	0.20	2.2	3.0	142	2.7	0.23	2.3	3.2	
2003	170	2.6	0.20	2.3	3.1	142	2.8	0.23	2.3	3.3	
2004	149	2.3	0.19	2.0	2.7	126	2.5	0.22	2.0	2.9	
2005	167	2.6	0.20	2.2	3.0	130	2.6	0.23	2.1	3.0	
2006	185	2.8	0.21	2.4	3.3	154	3.0	0.24	2.5	3.5	
2007	144	2.2	0.19	1.9	2.6	125	2.4	0.22	2.0	2.9	
2008	201	3.1	0.22	2.7	3.6	164	3.2	0.26	2.8	3.8	
2009	169	2.6	0.20	2.2	3.0	138	2.7	0.23	2.3	3.2	
2010	177	2.7	0.21	2.3	3.2	146	2.9	0.24	2.4	3.4	
2011	155	2.4	0.19	2.0	2.8	122	2.4	0.22	2.0	2.9	
2012	161	2.4	0.19	2.1	2.8	126	2.4	0.22	2.0	2.9	
2013	172	2.5	0.20	2.2	3.0	132	2.5	0.22	2.1	3.0	
2014	169	2.6	0.20	2.2	3.0	140	2.7	0.24	2.3	3.2	
2015	146	2.3	0.20	2.0	2.8	120	2.5	0.23	2.1	3.0	
2016	135	2.1	0.18	1.7	2.5	111	2.2	0.22	1.8	2.7	
2017	181	2.7	0.21	2.4	3.2	141	2.8	0.24	2.3	3.3	
2018	177	2.6	0.20	2.3	3.1	139	2.7	0.23	2.2	3.2	
2019	165	2.5	0.20	2.1	2.9	128	2.5	0.23	2.1	3.0	
2020	160	2.5	0.20	2.1	2.9	126	2.5	0.23	2.1	3.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	725	2.1	0.08	1.9	2.3	112	1.1	0.10	0.9	1.3
1986	15	1.9	0.50	1.0	3.2	1	1.2	1.19	0.0	7.1
1987	12	1.2	0.35	0.6	2.2	0				
1988	17	1.9	0.48	1.1	3.1	1	1.0	1.00	0.0	6.1
1989	16	1.8	0.45	1.0	2.9	0				
1990	18	2.0	0.48	1.2	3.2	0				
1991	14	1.5	0.41	0.8	2.6	2	1.3	0.96	0.1	5.6
1992	21	2.1	0.47	1.3	3.3	3	1.5	0.86	0.3	5.4
1993	22	2.3	0.51	1.4	3.6	1	0.5	0.53	0.0	3.9
1994	11	1.2	0.36	0.6	2.2	1	0.3	0.33	0.0	3.3
1995	8	0.8	0.28	0.3	1.6	3	3.0	1.98	0.5	8.8
1996	16	1.7	0.42	0.9	2.7	2	0.7	0.50	0.1	3.5
1997	21	2.2	0.49	1.4	3.4	1	0.5	0.52	0.0	3.2
1998	21	2.1	0.47	1.3	3.3	5	1.8	0.83	0.6	4.8
1999	15	1.6	0.43	0.9	2.7	1	0.3	0.32	0.0	2.6
2000	21	2.2	0.48	1.3	3.3	3	1.1	0.65	0.2	3.6
2001	20	2.0	0.45	1.2	3.1	4	1.1	0.57	0.3	3.4
2002	22	2.3	0.49	1.4	3.5	1	0.2	0.22	0.0	2.0
2003	22	2.2	0.47	1.4	3.3	2	0.6	0.44	0.1	2.6
2004	16	1.6	0.39	0.9	2.6	3	0.9	0.54	0.2	3.0
2005	34	3.5	0.61	2.4	4.9	2	0.6	0.41	0.1	2.4
2006	22	2.2	0.46	1.3	3.3	6	2.1	0.94	0.7	4.8
2007	18	1.8	0.42	1.0	2.8	1	0.3	0.26	0.0	1.8
2008	29	2.8	0.53	1.9	4.1	5	1.4	0.65	0.5	3.5
2009	21	2.0	0.45	1.2	3.1	3	0.9	0.54	0.2	2.7
2010	23	2.1	0.45	1.3	3.2	4	1.0	0.51	0.3	2.7
2011	26	2.5	0.49	1.6	3.7	3	0.6	0.34	0.1	2.0
2012	30	2.9	0.54	2.0	4.2	5	1.2	0.55	0.4	2.9
2013	30	2.8	0.52	1.9	4.0	6	1.6	0.67	0.6	3.5
2014	18	1.8	0.42	1.0	2.8	5	1.3	0.58	0.4	3.0
2015	18	1.8	0.43	1.1	2.9	6	1.3	0.53	0.5	2.9
2016	17	1.7	0.42	1.0	2.7	6	1.6	0.66	0.6	3.4
2017	30	2.8	0.53	1.9	4.1	8	1.7	0.59	0.7	3.3
2018	28	2.8	0.53	1.8	4.0	6	1.2	0.51	0.4	2.8
2019	29	2.8	0.52	1.8	4.0	6	1.4	0.56	0.5	3.0
2020	24	2.4	0.49	1.5	3.5	6	1.3	0.51	0.5	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	82,787	18.7	0.07	18.6	18.9	73,340	19.6	0.07	19.5	19.8	
1986	1,374	13.0	0.36	12.3	13.7	1,262	13.6	0.39	12.8	14.4	
1987	1,460	13.7	0.36	13.0	14.4	1,363	14.6	0.40	13.8	15.4	
1988	1,566	14.6	0.37	13.9	15.3	1,438	15.3	0.41	14.5	16.1	
1989	1,579	14.6	0.37	13.9	15.4	1,443	15.3	0.41	14.5	16.2	
1990	1,735	15.9	0.39	15.2	16.7	1,585	16.7	0.42	15.9	17.6	
1991	1,729	15.6	0.38	14.8	16.3	1,592	16.5	0.42	15.7	17.3	
1992	1,917	17.1	0.39	16.4	17.9	1,766	18.2	0.44	17.4	19.1	
1993	1,990	17.6	0.40	16.8	18.4	1,824	18.6	0.44	17.8	19.5	
1994	2,108	18.5	0.40	17.7	19.3	1,889	19.1	0.44	18.3	20.0	
1995	2,206	19.1	0.41	18.3	20.0	1,969	19.8	0.45	18.9	20.7	
1996	2,258	19.4	0.41	18.6	20.3	2,035	20.4	0.45	19.5	21.3	
1997	2,203	18.8	0.40	18.0	19.6	1,976	19.6	0.44	18.7	20.5	
1998	2,302	19.5	0.41	18.7	20.3	2,041	20.1	0.45	19.3	21.0	
1999	2,391	20.0	0.41	19.2	20.9	2,170	21.3	0.46	20.4	22.2	
2000	2,365	19.6	0.40	18.9	20.5	2,109	20.6	0.45	19.7	21.5	
2001	2,368	19.5	0.40	18.7	20.3	2,126	20.5	0.45	19.7	21.4	
2002	2,411	19.7	0.40	18.9	20.5	2,157	20.8	0.45	19.9	21.7	
2003	2,456	19.9	0.40	19.1	20.7	2,174	20.7	0.45	19.9	21.6	
2004	2,621	21.0	0.41	20.2	21.9	2,306	21.9	0.46	21.0	22.8	
2005	2,542	20.2	0.40	19.4	21.0	2,260	21.2	0.45	20.4	22.1	
2006	2,497	19.7	0.40	18.9	20.5	2,231	20.9	0.45	20.0	21.8	
2007	2,581	20.0	0.40	19.3	20.8	2,276	21.0	0.44	20.2	21.9	
2008	2,636	20.1	0.40	19.3	20.9	2,323	21.1	0.44	20.3	22.0	
2009	2,664	20.1	0.39	19.3	20.9	2,343	21.1	0.44	20.2	22.0	
2010	2,745	20.4	0.39	19.6	21.2	2,392	21.3	0.44	20.4	22.2	
2011	2,696	19.7	0.39	19.0	20.5	2,344	20.6	0.43	19.7	21.4	
2012	2,655	19.3	0.38	18.6	20.1	2,326	20.4	0.43	19.5	21.2	
2013	2,730	19.4	0.38	18.6	20.1	2,373	20.3	0.43	19.5	21.2	
2014	2,872	20.1	0.38	19.3	20.8	2,485	21.0	0.43	20.2	21.9	
2015	2,922	20.1	0.38	19.4	20.9	2,550	21.3	0.43	20.4	22.1	
2016	2,882	19.8	0.38	19.1	20.6	2,515	21.0	0.43	20.2	21.9	
2017	2,900	19.6	0.37	18.9	20.3	2,483	20.4	0.42	19.6	21.2	
2018	2,818	18.7	0.36	18.0	19.4	2,383	19.3	0.40	18.5	20.1	
2019	2,990	19.4	0.36	18.7	20.2	2,579	20.6	0.41	19.8	21.4	
2020	2,618	17.0	0.34	16.4	17.7	2,252	18.0	0.39	17.2	18.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,070	12.8	0.16	12.5	13.2	1,759	11.6	0.29	11.0	12.1
1986	93	7.9	0.85	6.3	9.8	19	12.4	3.11	7.1	20.0
1987	85	7.2	0.80	5.7	8.9	10	4.7	1.58	2.1	9.2
1988	112	9.0	0.89	7.3	10.9	12	7.5	2.62	3.3	14.2
1989	117	9.3	0.89	7.6	11.2	18	9.6	2.57	5.2	15.9
1990	127	10.1	0.93	8.4	12.1	18	8.1	2.09	4.6	13.4
1991	111	8.6	0.85	7.0	10.4	15	7.7	2.33	3.8	13.5
1992	132	10.2	0.92	8.4	12.1	16	9.2	2.75	4.7	15.9
1993	144	10.4	0.90	8.7	12.3	17	8.3	2.17	4.6	13.6
1994	190	13.5	1.00	11.6	15.6	27	14.2	3.06	8.8	21.2
1995	194	14.1	1.05	12.1	16.3	35	13.9	2.62	9.3	20.0
1996	187	12.8	0.96	10.9	14.8	29	10.7	2.18	6.8	15.8
1997	178	12.0	0.93	10.3	14.0	40	15.4	2.74	10.6	21.6
1998	217	14.5	1.01	12.6	16.6	31	9.3	1.94	5.9	13.8
1999	189	12.6	0.95	10.9	14.6	21	6.5	1.54	3.9	10.2
2000	201	13.0	0.93	11.2	15.0	42	10.5	1.79	7.3	14.6
2001	201	13.1	0.94	11.3	15.0	35	9.7	1.81	6.5	13.8
2002	200	12.7	0.92	11.0	14.7	43	12.8	2.15	9.0	17.6
2003	218	13.7	0.94	11.9	15.7	51	13.5	2.05	9.8	18.1
2004	246	15.8	1.03	13.9	18.0	48	11.5	1.80	8.2	15.5
2005	207	13.1	0.93	11.3	15.1	60	14.7	2.06	11.0	19.3
2006	209	12.9	0.91	11.2	14.8	41	8.8	1.49	6.2	12.2
2007	245	14.7	0.96	12.9	16.7	49	9.7	1.51	7.0	13.1
2008	225	13.6	0.93	11.9	15.6	59	10.8	1.52	8.1	14.2
2009	225	13.2	0.90	11.5	15.0	63	12.6	1.71	9.5	16.4
2010	246	14.3	0.93	12.6	16.3	66	12.3	1.64	9.3	15.9
2011	252	14.2	0.92	12.5	16.1	72	12.5	1.56	9.6	15.9
2012	238	13.1	0.87	11.4	14.9	61	10.1	1.36	7.6	13.1
2013	244	13.3	0.87	11.7	15.1	83	12.3	1.43	9.7	15.4
2014	268	14.3	0.90	12.6	16.2	92	13.3	1.44	10.6	16.4
2015	257	13.7	0.88	12.1	15.6	87	12.1	1.36	9.6	15.1
2016	249	13.5	0.87	11.8	15.3	93	12.1	1.29	9.7	14.9
2017	296	16.0	0.95	14.2	18.0	94	12.2	1.29	9.8	15.0
2018	293	15.2	0.91	13.5	17.1	107	12.8	1.26	10.4	15.5
2019	253	12.9	0.83	11.3	14.6	108	12.5	1.22	10.2	15.1
2020	221	11.0	0.76	9.6	12.6	97	10.9	1.12	8.9	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	43,891	22.8	0.11	22.6	23.0	38,865	23.7	0.12	23.5	24.0	
1986	677	14.9	0.60	13.8	16.2	607	15.3	0.64	14.1	16.6	
1987	719	15.8	0.61	14.6	17.0	662	16.6	0.67	15.3	17.9	
1988	814	17.6	0.64	16.4	18.9	749	18.6	0.70	17.2	20.0	
1989	819	17.6	0.64	16.4	18.9	750	18.5	0.70	17.2	19.9	
1990	912	19.3	0.66	18.1	20.7	826	20.1	0.72	18.7	21.6	
1991	891	18.5	0.64	17.2	19.8	820	19.5	0.70	18.2	21.0	
1992	1,002	21.1	0.69	19.8	22.5	913	22.1	0.75	20.7	23.7	
1993	1,036	21.1	0.67	19.8	22.5	944	22.2	0.74	20.8	23.7	
1994	1,058	21.5	0.68	20.2	22.9	944	22.3	0.74	20.9	23.8	
1995	1,143	22.9	0.69	21.6	24.3	1,016	23.6	0.75	22.1	25.1	
1996	1,168	23.1	0.69	21.8	24.5	1,032	23.8	0.75	22.3	25.3	
1997	1,150	22.7	0.68	21.4	24.1	1,024	23.6	0.75	22.1	25.1	
1998	1,217	23.8	0.69	22.5	25.2	1,068	24.4	0.76	23.0	26.0	
1999	1,269	24.7	0.70	23.3	26.1	1,141	25.8	0.77	24.3	27.4	
2000	1,232	23.6	0.68	22.3	24.9	1,092	24.5	0.75	23.1	26.0	
2001	1,208	23.1	0.67	21.8	24.4	1,088	24.3	0.74	22.9	25.8	
2002	1,286	24.4	0.69	23.0	25.7	1,149	25.5	0.76	24.0	27.0	
2003	1,310	24.3	0.68	23.0	25.7	1,160	25.3	0.75	23.9	26.8	
2004	1,412	26.1	0.71	24.8	27.6	1,250	27.3	0.78	25.8	28.8	
2005	1,339	24.6	0.68	23.3	26.0	1,188	25.6	0.75	24.2	27.1	
2006	1,359	24.5	0.68	23.2	25.9	1,215	25.9	0.75	24.5	27.4	
2007	1,388	24.5	0.67	23.2	25.8	1,228	25.7	0.74	24.2	27.2	
2008	1,391	24.3	0.66	23.0	25.6	1,234	25.5	0.74	24.1	27.0	
2009	1,389	23.9	0.65	22.7	25.2	1,230	25.1	0.73	23.7	26.5	
2010	1,494	25.2	0.67	23.9	26.5	1,301	26.0	0.73	24.6	27.5	
2011	1,434	23.7	0.64	22.4	25.0	1,246	24.5	0.71	23.1	25.9	
2012	1,410	23.0	0.63	21.8	24.3	1,245	24.3	0.70	22.9	25.7	
2013	1,505	24.1	0.63	22.9	25.4	1,322	25.4	0.71	24.0	26.8	
2014	1,529	23.8	0.62	22.6	25.0	1,337	24.9	0.70	23.6	26.3	
2015	1,600	24.5	0.63	23.3	25.8	1,398	25.7	0.70	24.3	27.1	
2016	1,527	23.6	0.62	22.4	24.8	1,356	25.2	0.70	23.9	26.6	
2017	1,616	24.2	0.62	23.0	25.4	1,382	24.7	0.68	23.4	26.1	
2018	1,501	22.0	0.58	20.9	23.2	1,283	22.6	0.65	21.4	23.9	
2019	1,626	23.4	0.60	22.3	24.6	1,405	24.5	0.67	23.2	25.9	
2020	1,460	20.9	0.56	19.8	22.0	1,260	21.8	0.63	20.6	23.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,750	15.9	0.27	15.4	16.5	949	14.1	0.50	13.1	15.1
1986	59	11.2	1.56	8.3	14.7	11	14.4	4.74	6.7	27.3
1987	51	10.2	1.51	7.5	13.6	5	5.0	2.52	1.3	13.6
1988	57	10.4	1.46	7.7	13.6	6	6.6	2.87	2.2	15.6
1989	59	10.6	1.49	7.9	13.9	9	12.3	4.62	4.9	24.6
1990	70	13.1	1.70	10.0	16.8	13	14.0	4.39	6.7	25.5
1991	59	10.1	1.42	7.5	13.2	6	8.6	4.59	2.1	21.1
1992	77	13.8	1.69	10.7	17.5	10	13.5	5.01	5.5	26.2
1993	81	12.8	1.55	9.9	16.2	10	11.6	4.02	5.1	22.0
1994	102	15.6	1.61	12.6	19.1	12	14.7	5.07	6.5	27.3
1995	109	18.7	1.95	15.0	22.8	15	15.5	4.84	7.5	27.4
1996	119	18.8	1.86	15.3	22.7	14	11.1	3.48	5.4	20.0
1997	97	14.4	1.53	11.6	17.8	24	21.7	5.29	12.6	34.2
1998	125	19.1	1.78	15.7	22.9	18	12.0	3.67	5.9	21.1
1999	108	16.9	1.76	13.6	20.7	11	7.8	2.58	3.6	14.5
2000	111	16.0	1.58	13.1	19.4	22	13.2	3.46	7.3	21.6
2001	99	14.9	1.59	11.9	18.3	16	9.0	2.55	4.8	15.5
2002	105	15.5	1.59	12.5	18.9	27	18.2	4.05	11.2	27.6
2003	117	17.2	1.66	14.1	20.7	25	13.8	3.05	8.5	21.0
2004	124	18.8	1.81	15.5	22.7	27	13.5	2.98	8.3	20.5
2005	108	16.6	1.72	13.4	20.3	35	20.0	3.89	13.1	28.9
2006	107	15.2	1.54	12.3	18.5	28	14.6	3.17	9.1	22.0
2007	134	18.7	1.73	15.5	22.4	20	8.9	2.25	5.1	14.4
2008	113	16.2	1.62	13.2	19.7	27	11.0	2.39	6.9	16.7
2009	106	14.7	1.52	11.9	18.0	39	18.1	3.24	12.3	25.4
2010	135	18.7	1.70	15.5	22.3	33	15.2	3.01	9.9	22.1
2011	133	17.9	1.64	14.8	21.4	43	16.8	2.79	11.8	23.1
2012	117	15.0	1.44	12.3	18.1	33	12.4	2.31	8.3	17.7
2013	126	15.9	1.47	13.1	19.0	45	14.6	2.34	10.4	19.9
2014	133	16.4	1.49	13.6	19.6	46	15.7	2.49	11.2	21.3
2015	138	17.5	1.55	14.6	20.8	50	15.6	2.38	11.3	21.0
2016	118	15.1	1.44	12.4	18.2	39	10.9	1.81	7.7	15.1
2017	159	20.8	1.71	17.5	24.4	61	18.2	2.42	13.7	23.5
2018	143	17.6	1.52	14.7	20.8	54	14.0	1.96	10.4	18.4
2019	128	15.3	1.40	12.7	18.3	64	16.7	2.15	12.7	21.4
2020	123	14.5	1.35	12.0	17.4	51	12.3	1.75	9.1	16.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	38,896	15.7	0.08	15.5	15.8	34,475	16.4	0.09	16.3	16.6	
1986	697	11.4	0.44	10.5	12.3	655	12.2	0.49	11.2	13.2	
1987	741	12.0	0.45	11.2	12.9	701	12.9	0.50	12.0	14.0	
1988	752	12.3	0.45	11.4	13.2	689	12.8	0.50	11.9	13.8	
1989	760	12.4	0.45	11.5	13.3	693	12.9	0.50	11.9	13.9	
1990	823	13.2	0.47	12.3	14.2	759	14.0	0.52	13.0	15.0	
1991	838	13.2	0.46	12.3	14.2	772	14.0	0.51	13.0	15.0	
1992	915	14.2	0.48	13.3	15.2	853	15.3	0.53	14.3	16.4	
1993	954	14.7	0.48	13.8	15.7	880	15.6	0.54	14.6	16.7	
1994	1,050	16.1	0.50	15.1	17.1	945	16.6	0.55	15.6	17.7	
1995	1,063	16.0	0.50	15.1	17.0	953	16.5	0.54	15.5	17.6	
1996	1,090	16.4	0.50	15.4	17.4	1,003	17.5	0.56	16.4	18.6	
1997	1,053	15.7	0.49	14.8	16.7	952	16.5	0.54	15.5	17.6	
1998	1,085	16.2	0.49	15.2	17.1	973	16.9	0.55	15.8	18.0	
1999	1,122	16.6	0.50	15.6	17.6	1,029	17.8	0.56	16.7	18.9	
2000	1,133	16.7	0.50	15.8	17.7	1,017	17.7	0.56	16.6	18.8	
2001	1,160	16.8	0.50	15.8	17.8	1,038	17.7	0.56	16.6	18.8	
2002	1,125	16.2	0.49	15.2	17.2	1,008	17.1	0.54	16.0	18.2	
2003	1,146	16.4	0.49	15.4	17.4	1,014	17.1	0.54	16.1	18.2	
2004	1,209	17.2	0.50	16.2	18.2	1,056	17.7	0.55	16.7	18.9	
2005	1,203	17.0	0.49	16.0	18.0	1,072	17.9	0.56	16.9	19.1	
2006	1,138	15.9	0.48	14.9	16.8	1,016	16.9	0.54	15.9	18.0	
2007	1,193	16.5	0.48	15.6	17.5	1,048	17.4	0.55	16.3	18.5	
2008	1,245	17.0	0.49	16.0	17.9	1,089	17.8	0.55	16.7	18.9	
2009	1,275	17.3	0.49	16.3	18.3	1,113	18.0	0.55	17.0	19.2	
2010	1,251	16.9	0.49	15.9	17.8	1,091	17.7	0.55	16.6	18.8	
2011	1,262	16.7	0.48	15.8	17.7	1,098	17.5	0.54	16.5	18.6	
2012	1,245	16.3	0.47	15.4	17.3	1,081	17.2	0.53	16.1	18.2	
2013	1,225	15.6	0.46	14.8	16.6	1,051	16.3	0.52	15.3	17.3	
2014	1,343	17.2	0.48	16.3	18.2	1,148	17.9	0.54	16.9	19.0	
2015	1,322	16.6	0.47	15.7	17.6	1,152	17.7	0.54	16.6	18.8	
2016	1,355	16.9	0.47	16.0	17.9	1,159	17.7	0.54	16.7	18.8	
2017	1,284	16.0	0.46	15.1	16.9	1,101	16.9	0.53	15.9	18.0	
2018	1,317	16.2	0.46	15.3	17.1	1,100	16.6	0.52	15.6	17.6	
2019	1,364	16.2	0.45	15.3	17.1	1,174	17.3	0.52	16.3	18.3	
2020	1,158	13.9	0.42	13.0	14.7	992	14.7	0.48	13.8	15.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Non-Hodgkin Lymphoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,320	10.6	0.19	10.2	10.9	810	9.6	0.35	8.9	10.3
1986	34	5.3	0.93	3.6	7.4	8	10.4	3.99	4.1	21.2
1987	34	4.9	0.87	3.4	6.9	5	4.5	2.08	1.4	11.4
1988	55	7.8	1.09	5.8	10.3	6	7.8	3.88	2.1	18.4
1989	58	8.3	1.11	6.2	10.7	9	7.9	3.00	3.1	16.2
1990	57	8.0	1.08	6.1	10.4	5	3.6	1.64	1.1	9.2
1991	52	7.3	1.03	5.4	9.6	9	7.4	2.55	3.3	14.5
1992	55	7.5	1.03	5.6	9.8	6	6.2	3.06	1.7	14.5
1993	63	8.4	1.08	6.4	10.8	7	5.9	2.38	2.2	12.4
1994	88	11.4	1.23	9.1	14.1	15	13.9	3.90	7.3	23.3
1995	85	10.9	1.20	8.7	13.5	20	13.3	3.12	7.9	20.9
1996	68	8.3	1.02	6.4	10.6	15	10.3	2.82	5.6	17.3
1997	81	9.9	1.11	7.8	12.3	16	11.0	2.96	6.0	18.2
1998	92	10.8	1.14	8.7	13.3	13	7.3	2.21	3.6	12.9
1999	81	9.7	1.09	7.7	12.0	10	5.6	1.88	2.6	10.6
2000	90	10.4	1.11	8.4	12.8	20	8.6	2.05	5.1	13.7
2001	102	11.7	1.17	9.5	14.2	19	9.9	2.44	5.7	15.8
2002	95	10.7	1.11	8.6	13.1	16	8.7	2.32	4.8	14.4
2003	101	11.2	1.12	9.1	13.6	26	13.1	2.70	8.3	19.4
2004	122	13.7	1.25	11.4	16.4	21	9.8	2.24	5.9	15.1
2005	99	10.9	1.10	8.8	13.2	25	11.1	2.32	7.0	16.5
2006	102	11.0	1.09	8.9	13.3	13	4.7	1.35	2.4	8.1
2007	111	11.8	1.13	9.7	14.3	29	10.4	2.04	6.8	15.2
2008	112	11.8	1.13	9.7	14.3	32	10.9	2.02	7.3	15.6
2009	119	12.2	1.13	10.1	14.7	24	8.5	1.83	5.3	12.8
2010	111	11.4	1.10	9.4	13.8	33	10.4	1.92	7.0	14.9
2011	119	11.7	1.09	9.7	14.1	29	8.9	1.73	5.8	12.9
2012	121	11.6	1.07	9.6	13.9	28	8.3	1.64	5.4	12.1
2013	118	11.3	1.06	9.3	13.6	38	10.4	1.75	7.2	14.4
2014	135	12.8	1.12	10.7	15.2	46	11.9	1.79	8.6	15.9
2015	119	11.1	1.04	9.2	13.3	37	9.5	1.62	6.6	13.2
2016	131	12.4	1.10	10.3	14.8	54	12.9	1.80	9.7	17.0
2017	137	12.8	1.11	10.7	15.2	33	7.4	1.31	5.1	10.5
2018	150	13.6	1.14	11.4	16.0	53	11.8	1.65	8.8	15.5
2019	125	10.9	0.99	9.1	13.1	44	9.1	1.39	6.6	12.3
2020	98	8.5	0.88	6.9	10.4	46	9.7	1.45	7.1	13.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Myeloma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	27,384	6.1	0.04	6.1	6.2	20,501	5.4	0.04	5.3	5.5	
1986	429	4.1	0.20	3.7	4.5	339	3.6	0.20	3.2	4.0	
1987	461	4.3	0.20	3.9	4.8	359	3.8	0.20	3.4	4.2	
1988	468	4.4	0.20	4.0	4.8	382	4.0	0.21	3.6	4.5	
1989	505	4.7	0.21	4.3	5.2	412	4.4	0.22	3.9	4.8	
1990	512	4.7	0.21	4.3	5.1	391	4.0	0.21	3.6	4.5	
1991	553	5.1	0.22	4.6	5.5	453	4.7	0.22	4.3	5.2	
1992	531	4.8	0.21	4.4	5.2	424	4.3	0.21	3.9	4.8	
1993	619	5.5	0.22	5.1	5.9	477	4.8	0.22	4.4	5.3	
1994	709	6.2	0.23	5.8	6.7	536	5.4	0.23	4.9	5.8	
1995	717	6.2	0.23	5.8	6.7	551	5.5	0.23	5.0	5.9	
1996	650	5.6	0.22	5.2	6.1	502	5.0	0.22	4.6	5.5	
1997	697	6.0	0.23	5.6	6.5	533	5.3	0.23	4.8	5.7	
1998	739	6.3	0.23	5.8	6.8	553	5.4	0.23	5.0	5.9	
1999	726	6.1	0.23	5.7	6.6	538	5.2	0.23	4.8	5.7	
2000	753	6.3	0.23	5.9	6.8	555	5.4	0.23	4.9	5.8	
2001	751	6.2	0.23	5.8	6.7	569	5.5	0.23	5.1	6.0	
2002	851	7.0	0.24	6.5	7.5	665	6.4	0.25	5.9	6.9	
2003	815	6.6	0.23	6.2	7.1	620	5.9	0.24	5.4	6.3	
2004	762	6.1	0.22	5.7	6.6	567	5.4	0.23	4.9	5.8	
2005	801	6.4	0.23	5.9	6.8	599	5.6	0.23	5.2	6.1	
2006	815	6.4	0.23	6.0	6.9	608	5.6	0.23	5.2	6.1	
2007	760	5.9	0.22	5.5	6.3	570	5.2	0.22	4.8	5.7	
2008	870	6.6	0.23	6.2	7.1	662	6.0	0.23	5.5	6.5	
2009	897	6.7	0.23	6.3	7.2	672	6.0	0.23	5.5	6.4	
2010	861	6.3	0.22	5.9	6.8	641	5.6	0.22	5.2	6.1	
2011	930	6.7	0.22	6.3	7.2	694	6.0	0.23	5.6	6.5	
2012	959	6.8	0.22	6.4	7.3	695	5.9	0.23	5.5	6.4	
2013	928	6.5	0.22	6.1	6.9	681	5.7	0.22	5.2	6.1	
2014	964	6.6	0.22	6.2	7.0	700	5.7	0.22	5.3	6.2	
2015	1,015	6.9	0.22	6.4	7.3	721	5.9	0.22	5.5	6.3	
2016	1,075	7.1	0.22	6.7	7.6	786	6.3	0.23	5.8	6.8	
2017	1,072	7.0	0.22	6.6	7.4	801	6.3	0.23	5.9	6.8	
2018	1,088	7.0	0.22	6.6	7.4	755	5.9	0.22	5.5	6.4	
2019	1,102	7.0	0.21	6.6	7.4	776	6.0	0.22	5.6	6.5	
2020	999	6.3	0.20	5.9	6.8	714	5.5	0.21	5.1	6.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Myeloma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	6,223	12.0	0.15	11.7	12.3	528	3.6	0.16	3.3	3.9
1986	84	8.1	0.92	6.4	10.1	5	3.1	1.42	1.0	7.5
1987	99	8.9	0.92	7.2	10.9	3	1.8	1.04	0.4	5.5
1988	79	7.1	0.81	5.6	8.8	7	4.9	1.99	1.8	10.3
1989	87	8.1	0.89	6.4	10.0	6	3.7	1.71	1.2	8.5
1990	117	10.5	1.00	8.6	12.6	1	1.0	0.99	0.0	4.6
1991	94	8.3	0.87	6.6	10.1	3	2.4	1.71	0.3	7.3
1992	104	8.4	0.84	6.8	10.2	2	1.0	0.74	0.1	3.8
1993	132	11.3	1.01	9.4	13.5	10	4.0	1.31	1.9	7.5
1994	165	13.6	1.09	11.6	15.9	7	2.8	1.13	1.1	6.0
1995	155	12.7	1.04	10.7	14.9	11	4.9	1.53	2.3	8.8
1996	140	10.9	0.94	9.1	12.9	8	3.3	1.28	1.3	6.7
1997	150	11.8	0.98	9.9	13.9	13	5.7	1.75	2.8	10.0
1998	177	13.5	1.03	11.6	15.7	7	2.2	0.93	0.8	4.8
1999	177	12.9	0.99	11.0	15.0	8	2.6	0.95	1.1	5.1
2000	178	12.7	0.97	10.9	14.7	18	5.2	1.31	3.0	8.4
2001	167	11.8	0.93	10.0	13.7	13	3.9	1.22	1.9	7.0
2002	176	12.4	0.95	10.6	14.4	9	2.6	0.91	1.2	5.0
2003	186	13.1	0.98	11.3	15.2	8	2.7	0.99	1.1	5.2
2004	181	12.1	0.92	10.4	14.0	9	2.3	0.81	1.0	4.4
2005	190	12.6	0.93	10.8	14.5	10	2.4	0.81	1.1	4.5
2006	194	12.8	0.94	11.0	14.8	12	2.7	0.84	1.4	4.9
2007	170	10.8	0.84	9.2	12.5	17	3.5	0.88	1.9	5.6
2008	179	11.3	0.86	9.7	13.1	25	5.7	1.20	3.6	8.5
2009	199	12.2	0.88	10.5	14.1	23	4.7	1.06	2.8	7.2
2010	203	12.2	0.88	10.5	14.0	12	2.2	0.67	1.1	3.9
2011	209	12.1	0.85	10.4	13.8	21	3.5	0.81	2.1	5.4
2012	228	13.2	0.89	11.5	15.0	27	4.0	0.80	2.6	5.9
2013	221	12.7	0.88	11.1	14.6	21	3.6	0.84	2.2	5.6
2014	231	12.9	0.87	11.2	14.7	25	4.0	0.83	2.5	5.9
2015	262	14.0	0.88	12.3	15.8	26	3.7	0.75	2.4	5.5
2016	259	13.7	0.87	12.0	15.5	24	2.9	0.60	1.8	4.3
2017	230	12.0	0.81	10.5	13.7	36	4.6	0.80	3.2	6.5
2018	291	14.7	0.88	13.0	16.6	32	4.1	0.74	2.8	5.8
2019	277	13.8	0.85	12.2	15.5	36	4.2	0.70	2.9	5.8
2020	232	11.7	0.78	10.2	13.3	33	3.5	0.62	2.4	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Myeloma										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	14,298	7.5	0.06	7.4	7.6	10,994	6.8	0.07	6.6	6.9
1986	210	4.8	0.35	4.2	5.6	167	4.3	0.34	3.6	5.0
1987	225	5.2	0.36	4.5	6.0	173	4.6	0.36	3.9	5.3
1988	232	5.3	0.36	4.6	6.1	189	4.9	0.37	4.2	5.7
1989	240	5.6	0.37	4.9	6.4	196	5.2	0.39	4.5	6.0
1990	244	5.3	0.35	4.7	6.0	195	4.8	0.35	4.1	5.5
1991	280	6.2	0.38	5.5	7.0	229	5.8	0.39	5.0	6.6
1992	271	5.9	0.37	5.2	6.7	215	5.4	0.38	4.7	6.2
1993	301	6.4	0.38	5.7	7.2	237	5.7	0.38	5.0	6.5
1994	364	7.8	0.42	7.0	8.7	275	6.8	0.42	6.0	7.6
1995	369	7.8	0.42	7.0	8.7	280	6.8	0.41	6.0	7.6
1996	331	6.9	0.39	6.2	7.7	254	6.1	0.39	5.4	7.0
1997	351	7.3	0.39	6.5	8.1	278	6.6	0.40	5.9	7.5
1998	380	7.8	0.41	7.1	8.7	293	6.9	0.41	6.1	7.8
1999	360	7.2	0.38	6.4	8.0	284	6.6	0.39	5.8	7.4
2000	381	7.5	0.39	6.8	8.3	294	6.8	0.40	6.0	7.6
2001	368	7.2	0.38	6.5	8.0	287	6.6	0.39	5.8	7.4
2002	437	8.5	0.41	7.7	9.3	350	7.9	0.43	7.1	8.8
2003	418	8.1	0.40	7.3	8.9	322	7.3	0.41	6.5	8.1
2004	390	7.4	0.38	6.7	8.2	294	6.6	0.39	5.8	7.4
2005	430	8.0	0.39	7.2	8.8	331	7.2	0.40	6.5	8.1
2006	435	8.0	0.39	7.2	8.8	330	7.1	0.39	6.3	7.9
2007	414	7.5	0.38	6.8	8.3	320	6.8	0.39	6.1	7.6
2008	483	8.5	0.39	7.8	9.3	383	8.0	0.41	7.2	8.8
2009	473	8.2	0.39	7.5	9.0	359	7.4	0.40	6.6	8.2
2010	449	7.4	0.36	6.8	8.2	341	6.7	0.37	6.0	7.5
2011	501	8.3	0.38	7.6	9.1	384	7.6	0.39	6.8	8.4
2012	538	8.7	0.38	8.0	9.5	409	7.9	0.40	7.1	8.7
2013	489	7.8	0.36	7.1	8.5	376	7.0	0.37	6.3	7.8
2014	528	8.1	0.36	7.4	8.9	400	7.3	0.37	6.6	8.1
2015	544	8.2	0.36	7.5	8.9	402	7.3	0.37	6.6	8.0
2016	599	8.9	0.37	8.2	9.6	451	8.1	0.39	7.4	8.9
2017	547	8.0	0.35	7.3	8.7	425	7.4	0.37	6.7	8.2
2018	570	8.2	0.35	7.5	8.9	421	7.3	0.36	6.6	8.0
2019	602	8.5	0.36	7.8	9.3	435	7.5	0.37	6.8	8.2
2020	544	7.6	0.33	7.0	8.3	415	7.0	0.35	6.3	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Myeloma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,932	13.9	0.27	13.4	14.4	305	4.6	0.28	4.1	5.2
1986	39	9.8	1.67	6.8	13.5	4	5.4	2.83	1.4	15.0
1987	51	11.4	1.70	8.3	15.1	1	1.5	1.46	0.0	8.8
1988	39	8.5	1.46	5.9	11.8	4	7.3	4.04	1.6	19.0
1989	40	8.9	1.51	6.2	12.3	4	4.6	2.43	1.1	12.7
1990	46	10.0	1.55	7.2	13.4	1	2.5	2.46	0.1	11.1
1991	47	10.1	1.56	7.3	13.6	1	0.6	0.60	0.0	5.8
1992	55	10.8	1.54	8.0	14.3	1	1.1	1.05	0.0	6.4
1993	57	12.8	1.82	9.4	16.8	7	5.8	2.35	2.2	12.8
1994	85	17.3	1.98	13.6	21.6	4	4.4	2.32	1.1	11.4
1995	80	16.5	1.97	12.9	20.8	9	9.6	3.40	4.1	18.5
1996	72	13.7	1.72	10.6	17.5	5	5.2	2.55	1.5	12.5
1997	65	12.3	1.61	9.4	15.8	7	5.3	2.17	1.9	11.5
1998	82	16.6	1.96	13.0	20.8	4	3.6	2.05	0.8	9.7
1999	71	12.3	1.54	9.5	15.7	4	2.4	1.27	0.6	6.7
2000	77	13.0	1.54	10.2	16.4	10	5.6	1.92	2.5	10.8
2001	74	12.6	1.52	9.7	15.9	5	3.9	1.87	1.1	9.2
2002	80	14.3	1.67	11.2	17.9	7	4.5	1.75	1.7	9.3
2003	90	16.4	1.82	13.0	20.3	5	4.0	2.07	1.1	9.7
2004	88	14.6	1.63	11.6	18.1	6	3.8	1.73	1.2	8.5
2005	91	14.3	1.55	11.4	17.6	6	2.8	1.17	1.0	6.2
2006	100	16.7	1.77	13.4	20.4	5	2.3	1.12	0.6	5.6
2007	85	13.2	1.49	10.5	16.4	7	2.5	0.93	1.0	5.3
2008	87	13.1	1.48	10.4	16.4	13	6.8	1.99	3.5	11.7
2009	97	14.5	1.55	11.6	17.8	15	7.5	2.13	3.9	12.6
2010	98	13.9	1.48	11.1	17.1	8	3.7	1.46	1.4	7.6
2011	104	15.0	1.55	12.1	18.4	12	4.5	1.41	2.2	8.1
2012	108	15.2	1.53	12.4	18.5	18	5.7	1.39	3.3	9.1
2013	98	14.0	1.47	11.2	17.1	12	4.4	1.43	2.1	8.0
2014	106	15.0	1.52	12.1	18.2	16	5.6	1.51	3.0	9.3
2015	124	16.1	1.51	13.2	19.3	15	4.9	1.33	2.7	8.2
2016	128	15.9	1.47	13.2	19.1	16	4.0	1.02	2.3	6.6
2017	99	12.7	1.33	10.2	15.5	20	6.0	1.39	3.6	9.3
2018	126	15.9	1.47	13.1	19.0	17	4.9	1.21	2.8	7.8
2019	137	16.7	1.48	13.9	19.9	23	6.0	1.26	3.8	9.0
2020	106	13.1	1.31	10.6	15.9	13	3.0	0.84	1.6	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Myeloma										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	13,086	5.2	0.05	5.1	5.3	9,507	4.4	0.05	4.3	4.5
1986	219	3.6	0.25	3.2	4.2	172	3.2	0.25	2.7	3.7
1987	236	3.8	0.25	3.3	4.3	186	3.4	0.25	2.9	3.9
1988	236	3.7	0.25	3.3	4.2	193	3.5	0.26	3.0	4.0
1989	265	4.2	0.26	3.7	4.8	216	3.9	0.27	3.4	4.5
1990	268	4.2	0.26	3.7	4.8	196	3.5	0.25	3.0	4.0
1991	273	4.2	0.26	3.7	4.8	224	3.9	0.26	3.4	4.4
1992	260	4.0	0.25	3.6	4.6	209	3.6	0.26	3.2	4.2
1993	318	4.8	0.27	4.3	5.4	240	4.1	0.27	3.6	4.7
1994	345	5.2	0.28	4.7	5.8	261	4.5	0.28	4.0	5.1
1995	348	5.2	0.28	4.7	5.8	271	4.6	0.28	4.1	5.2
1996	319	4.8	0.27	4.3	5.3	248	4.2	0.27	3.7	4.8
1997	346	5.1	0.28	4.6	5.7	255	4.3	0.27	3.8	4.9
1998	359	5.3	0.28	4.8	5.9	260	4.5	0.28	3.9	5.0
1999	366	5.3	0.28	4.8	5.9	254	4.2	0.27	3.7	4.8
2000	372	5.4	0.28	4.9	6.0	261	4.4	0.27	3.8	4.9
2001	383	5.5	0.28	5.0	6.1	282	4.7	0.28	4.2	5.3
2002	414	5.9	0.29	5.3	6.5	315	5.2	0.30	4.6	5.8
2003	397	5.6	0.28	5.1	6.2	298	4.9	0.29	4.3	5.5
2004	372	5.3	0.28	4.7	5.8	273	4.5	0.28	4.0	5.1
2005	371	5.2	0.27	4.7	5.7	268	4.4	0.27	3.9	5.0
2006	380	5.3	0.27	4.7	5.8	278	4.5	0.28	4.0	5.1
2007	346	4.8	0.26	4.3	5.3	250	4.1	0.26	3.6	4.6
2008	387	5.2	0.27	4.7	5.8	279	4.5	0.27	3.9	5.0
2009	424	5.6	0.27	5.1	6.2	313	4.9	0.28	4.4	5.5
2010	412	5.4	0.27	4.9	5.9	300	4.7	0.28	4.2	5.3
2011	429	5.6	0.27	5.1	6.2	310	4.9	0.28	4.3	5.5
2012	421	5.4	0.27	4.9	6.0	286	4.4	0.27	3.9	5.0
2013	439	5.5	0.27	5.0	6.1	305	4.6	0.27	4.1	5.2
2014	436	5.4	0.26	4.9	5.9	300	4.5	0.26	4.0	5.0
2015	471	5.8	0.27	5.3	6.3	319	4.7	0.27	4.2	5.3
2016	476	5.8	0.27	5.2	6.3	335	4.9	0.27	4.4	5.5
2017	525	6.2	0.27	5.6	6.7	376	5.4	0.29	4.9	6.0
2018	518	6.0	0.27	5.5	6.6	334	4.8	0.27	4.3	5.4
2019	500	5.8	0.26	5.3	6.3	341	4.8	0.27	4.3	5.4
2020	455	5.4	0.26	4.9	5.9	299	4.4	0.26	3.9	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Myeloma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,291	10.7	0.19	10.3	11.1	223	2.8	0.19	2.4	3.1
1986	45	7.3	1.10	5.3	9.7	1	1.1	1.08	0.0	6.8
1987	48	7.3	1.07	5.3	9.7	2	2.1	1.48	0.3	8.1
1988	40	6.0	0.97	4.3	8.2	3	3.0	1.71	0.6	9.1
1989	47	7.4	1.09	5.4	9.8	2	3.0	2.33	0.3	10.5
1990	71	10.7	1.29	8.3	13.5	0				
1991	47	7.0	1.03	5.1	9.2	2	3.6	2.84	0.3	12.0
1992	49	6.8	0.98	5.0	9.0	1	1.0	1.02	0.0	5.4
1993	75	10.7	1.24	8.4	13.4	3	2.4	1.40	0.5	7.1
1994	80	11.2	1.26	8.9	13.9	3	1.8	1.05	0.4	5.7
1995	75	10.3	1.20	8.1	12.9	2	1.4	1.01	0.2	5.2
1996	68	8.9	1.10	6.9	11.3	3	2.0	1.26	0.4	6.1
1997	85	11.2	1.23	9.0	13.9	6	5.6	2.41	1.9	11.9
1998	95	12.0	1.24	9.7	14.6	3	1.3	0.76	0.3	4.2
1999	106	13.1	1.28	10.7	15.9	4	2.6	1.33	0.7	6.5
2000	101	12.2	1.23	10.0	14.9	8	4.7	1.74	2.0	9.3
2001	93	11.2	1.17	9.0	13.7	8	4.0	1.54	1.6	8.1
2002	96	11.3	1.16	9.1	13.8	2	1.1	0.81	0.1	3.8
2003	96	11.3	1.16	9.1	13.7	3	1.8	1.02	0.4	4.8
2004	93	10.5	1.10	8.5	12.9	3	1.2	0.72	0.2	3.6
2005	99	11.2	1.13	9.1	13.6	4	1.9	0.99	0.5	4.8
2006	94	10.4	1.08	8.4	12.7	7	3.1	1.21	1.2	6.4
2007	85	9.2	1.00	7.3	11.3	10	4.1	1.35	1.9	7.6
2008	92	10.0	1.05	8.0	12.2	12	4.9	1.47	2.4	8.6
2009	102	10.7	1.07	8.7	13.0	8	2.5	0.97	1.0	5.2
2010	105	10.9	1.07	8.9	13.2	4	1.1	0.54	0.3	2.9
2011	105	10.2	1.01	8.3	12.4	9	2.7	0.96	1.2	5.3
2012	120	11.7	1.08	9.7	14.0	9	2.6	0.89	1.1	4.9
2013	123	11.9	1.09	9.8	14.2	9	3.1	1.06	1.4	5.8
2014	125	11.7	1.06	9.7	14.0	9	2.7	0.95	1.2	5.2
2015	138	12.6	1.09	10.6	14.9	11	2.8	0.85	1.4	5.0
2016	131	12.1	1.08	10.1	14.4	8	1.9	0.69	0.8	3.8
2017	131	11.6	1.02	9.6	13.8	16	3.6	0.93	2.0	5.9
2018	165	14.1	1.12	12.0	16.5	15	3.4	0.89	1.9	5.6
2019	140	12.0	1.03	10.0	14.2	13	2.7	0.75	1.4	4.6
2020	126	10.8	0.98	8.9	12.9	20	4.1	0.92	2.5	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Leukemia											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	58,007	13.2	0.05	13.1	13.3	50,547	13.6	0.06	13.5	13.7	
1986	987	9.3	0.30	8.7	9.9	887	9.5	0.32	8.9	10.2	
1987	1,100	10.1	0.31	9.5	10.7	1,002	10.6	0.34	9.9	11.3	
1988	1,075	10.0	0.31	9.4	10.6	946	10.1	0.33	9.4	10.7	
1989	1,092	10.1	0.31	9.5	10.7	975	10.4	0.34	9.7	11.0	
1990	1,187	10.7	0.31	10.1	11.4	1,079	11.2	0.35	10.6	11.9	
1991	1,165	10.4	0.31	9.9	11.1	1,046	10.9	0.34	10.2	11.6	
1992	1,245	11.1	0.32	10.4	11.7	1,108	11.4	0.34	10.7	12.1	
1993	1,312	11.5	0.32	10.9	12.2	1,186	12.1	0.35	11.4	12.8	
1994	1,582	13.8	0.35	13.1	14.5	1,413	14.3	0.38	13.5	15.0	
1995	1,573	13.6	0.34	12.9	14.3	1,406	14.2	0.38	13.4	14.9	
1996	1,510	13.0	0.33	12.3	13.6	1,346	13.5	0.37	12.7	14.2	
1997	1,524	12.9	0.33	12.3	13.6	1,346	13.4	0.36	12.7	14.1	
1998	1,534	12.9	0.33	12.3	13.6	1,354	13.3	0.36	12.6	14.1	
1999	1,665	13.9	0.34	13.2	14.6	1,488	14.6	0.38	13.8	15.3	
2000	1,709	14.2	0.34	13.5	14.8	1,495	14.6	0.38	13.9	15.4	
2001	1,784	14.7	0.35	14.0	15.4	1,550	15.0	0.38	14.3	15.8	
2002	1,808	14.8	0.35	14.1	15.5	1,594	15.3	0.38	14.6	16.1	
2003	1,790	14.5	0.34	13.8	15.2	1,594	15.2	0.38	14.5	16.0	
2004	1,812	14.5	0.34	13.8	15.2	1,572	14.9	0.38	14.2	15.7	
2005	1,754	13.9	0.33	13.3	14.6	1,521	14.4	0.37	13.7	15.1	
2006	1,811	14.3	0.34	13.6	14.9	1,585	14.8	0.38	14.1	15.6	
2007	1,666	13.0	0.32	12.4	13.7	1,437	13.4	0.36	12.8	14.2	
2008	1,843	14.2	0.33	13.6	14.9	1,604	14.8	0.37	14.1	15.6	
2009	1,794	13.6	0.32	13.0	14.3	1,559	14.2	0.36	13.5	14.9	
2010	1,889	14.2	0.33	13.5	14.8	1,609	14.6	0.37	13.8	15.3	
2011	1,943	14.4	0.33	13.8	15.1	1,666	14.9	0.37	14.2	15.6	
2012	1,993	14.6	0.33	13.9	15.2	1,691	15.0	0.37	14.3	15.8	
2013	1,965	14.2	0.32	13.5	14.8	1,667	14.6	0.37	13.9	15.4	
2014	1,945	13.8	0.32	13.2	14.4	1,679	14.5	0.36	13.8	15.3	
2015	1,985	14.0	0.32	13.3	14.6	1,726	14.8	0.37	14.1	15.6	
2016	1,960	13.6	0.31	13.0	14.3	1,652	14.1	0.36	13.4	14.8	
2017	2,104	14.5	0.32	13.8	15.1	1,819	15.3	0.37	14.6	16.1	
2018	2,029	13.8	0.31	13.2	14.5	1,700	14.3	0.36	13.6	15.0	
2019	2,031	13.7	0.31	13.1	14.3	1,725	14.4	0.36	13.7	15.1	
2020	1,841	12.4	0.30	11.8	13.0	1,520	12.6	0.33	11.9	13.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	5,773	10.6	0.14	10.4	10.9	1,152	7.1	0.22	6.7	7.6
1986	91	7.8	0.87	6.2	9.7	6	2.9	1.24	1.0	6.9
1987	80	6.7	0.80	5.2	8.4	16	9.0	2.67	4.6	15.8
1988	111	9.6	0.96	7.8	11.6	14	5.8	1.76	2.9	10.6
1989	106	8.6	0.88	7.0	10.5	10	3.6	1.19	1.7	7.2
1990	98	7.6	0.82	6.1	9.4	8	6.0	2.60	2.1	12.7
1991	103	7.9	0.82	6.4	9.7	10	4.1	1.84	1.3	9.1
1992	115	9.0	0.88	7.3	10.8	19	9.0	2.46	4.8	14.9
1993	110	8.2	0.82	6.6	9.9	13	4.1	1.27	2.0	7.6
1994	141	10.6	0.93	8.9	12.6	21	6.6	1.65	3.8	10.7
1995	144	10.6	0.92	8.9	12.6	19	7.4	1.92	4.1	12.1
1996	135	9.8	0.88	8.1	11.6	26	8.4	2.03	4.9	13.3
1997	156	10.9	0.90	9.2	12.8	17	4.8	1.41	2.4	8.3
1998	147	10.2	0.87	8.6	12.1	26	9.3	2.08	5.7	14.2
1999	151	10.2	0.86	8.6	12.0	21	6.0	1.47	3.5	9.6
2000	183	12.5	0.95	10.7	14.5	22	6.1	1.44	3.6	9.6
2001	183	11.9	0.91	10.2	13.8	38	8.0	1.41	5.5	11.3
2002	172	12.0	0.94	10.2	14.0	27	6.7	1.41	4.2	10.0
2003	161	10.5	0.86	8.9	12.4	26	5.8	1.22	3.7	8.7
2004	176	11.2	0.87	9.5	13.0	35	7.3	1.36	4.9	10.5
2005	177	11.6	0.90	9.9	13.5	39	8.5	1.51	5.8	11.9
2006	189	12.1	0.90	10.4	13.9	25	4.6	0.99	2.9	7.0
2007	178	10.9	0.84	9.3	12.6	42	8.9	1.49	6.2	12.3
2008	172	10.9	0.85	9.3	12.7	43	8.5	1.40	6.0	11.7
2009	177	11.0	0.84	9.4	12.7	34	5.6	1.03	3.7	8.0
2010	211	12.3	0.87	10.7	14.1	45	8.9	1.43	6.3	12.1
2011	201	11.5	0.83	10.0	13.3	44	8.3	1.34	5.9	11.3
2012	233	13.4	0.90	11.7	15.2	37	5.9	1.02	4.0	8.2
2013	218	12.0	0.83	10.4	13.8	50	8.2	1.23	6.0	11.0
2014	199	11.1	0.80	9.6	12.8	43	5.9	0.95	4.2	8.1
2015	190	10.3	0.76	8.8	11.9	40	5.2	0.86	3.7	7.2
2016	214	11.1	0.78	9.6	12.7	68	8.7	1.07	6.7	11.0
2017	204	10.6	0.76	9.1	12.1	64	8.1	1.04	6.2	10.4
2018	224	11.6	0.79	10.1	13.2	78	9.2	1.06	7.2	11.5
2019	214	11.0	0.76	9.5	12.6	58	6.8	0.91	5.1	8.8
2020	209	10.7	0.75	9.2	12.2	68	8.0	0.98	6.2	10.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Leukemia											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	32,792	17.2	0.10	17.0	17.4	28,716	17.8	0.11	17.6	18.0	
1986	532	12.0	0.55	11.0	13.2	480	12.4	0.59	11.2	13.6	
1987	603	13.1	0.56	12.0	14.2	557	13.9	0.61	12.7	15.2	
1988	580	12.9	0.56	11.8	14.1	506	12.9	0.59	11.7	14.1	
1989	592	12.7	0.54	11.7	13.9	535	13.2	0.59	12.1	14.4	
1990	631	13.5	0.56	12.5	14.7	572	14.0	0.60	12.8	15.2	
1991	652	13.5	0.55	12.5	14.7	588	14.1	0.60	12.9	15.3	
1992	730	15.2	0.58	14.1	16.4	651	15.6	0.63	14.4	16.9	
1993	721	14.9	0.57	13.8	16.1	645	15.5	0.63	14.3	16.8	
1994	873	18.4	0.64	17.1	19.7	776	18.9	0.69	17.5	20.3	
1995	861	17.7	0.62	16.5	18.9	774	18.4	0.68	17.1	19.8	
1996	849	17.5	0.62	16.3	18.8	752	18.0	0.67	16.7	19.3	
1997	844	17.0	0.60	15.9	18.3	755	17.8	0.66	16.5	19.1	
1998	854	16.8	0.59	15.7	18.0	761	17.5	0.64	16.2	18.8	
1999	919	18.1	0.61	16.9	19.3	834	19.1	0.67	17.8	20.5	
2000	934	18.1	0.60	16.9	19.3	815	18.4	0.65	17.2	19.8	
2001	994	19.2	0.62	18.0	20.5	854	19.5	0.67	18.2	20.8	
2002	1,026	19.8	0.63	18.6	21.1	907	20.5	0.69	19.1	21.8	
2003	1,007	19.2	0.61	18.0	20.4	905	20.2	0.68	18.9	21.6	
2004	996	18.7	0.60	17.5	19.9	880	19.4	0.66	18.1	20.8	
2005	1,007	18.7	0.60	17.6	19.9	880	19.3	0.66	18.0	20.6	
2006	1,053	19.3	0.60	18.1	20.5	930	20.1	0.67	18.8	21.4	
2007	962	17.4	0.57	16.3	18.5	840	18.0	0.63	16.8	19.3	
2008	1,071	18.9	0.59	17.7	20.1	932	19.5	0.65	18.3	20.8	
2009	987	17.1	0.55	16.1	18.2	865	17.8	0.61	16.6	19.1	
2010	1,096	18.7	0.58	17.6	19.9	938	19.2	0.64	18.0	20.5	
2011	1,092	18.4	0.57	17.3	19.5	931	18.7	0.62	17.5	20.0	
2012	1,148	18.9	0.57	17.8	20.1	987	19.5	0.63	18.3	20.8	
2013	1,116	18.1	0.55	17.0	19.2	954	18.6	0.61	17.4	19.8	
2014	1,122	17.8	0.54	16.8	18.9	976	18.7	0.61	17.5	19.9	
2015	1,155	18.1	0.54	17.1	19.2	1,007	19.1	0.61	17.9	20.3	
2016	1,125	17.4	0.53	16.3	18.4	962	18.0	0.59	16.8	19.2	
2017	1,200	18.3	0.54	17.2	19.3	1,037	19.1	0.61	18.0	20.4	
2018	1,192	17.8	0.53	16.8	18.9	1,013	18.5	0.59	17.3	19.7	
2019	1,206	17.9	0.53	16.8	18.9	1,029	18.5	0.59	17.4	19.7	
2020	1,062	15.5	0.49	14.6	16.5	888	15.8	0.54	14.8	16.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,105	13.8	0.26	13.3	14.3	651	8.9	0.39	8.2	9.7
1986	48	10.4	1.73	7.3	14.3	2	2.2	1.68	0.2	10.0
1987	36	6.4	1.15	4.4	9.1	9	13.7	5.64	4.9	28.6
1988	65	13.2	1.84	9.8	17.2	6	5.1	2.16	1.8	12.8
1989	49	9.7	1.51	7.0	13.1	7	5.5	2.20	2.1	12.9
1990	53	10.5	1.65	7.5	14.1	6	11.9	6.04	3.1	27.8
1991	54	9.6	1.42	7.1	12.8	6	6.5	4.23	1.0	18.5
1992	68	12.7	1.69	9.6	16.4	10	10.2	4.41	3.5	21.8
1993	65	11.0	1.49	8.2	14.2	9	5.5	1.98	2.4	11.7
1994	82	15.2	1.88	11.7	19.2	11	7.3	2.82	2.9	15.2
1995	74	12.7	1.60	9.7	16.2	11	9.4	3.31	4.1	18.1
1996	83	15.3	1.85	11.9	19.3	12	8.8	3.51	3.3	17.9
1997	81	13.4	1.62	10.4	16.9	5	2.1	0.97	0.7	6.1
1998	77	12.8	1.55	9.9	16.1	14	13.8	4.46	6.5	24.7
1999	69	11.4	1.49	8.6	14.6	12	7.0	2.41	3.1	13.4
2000	101	16.8	1.77	13.5	20.6	15	8.4	2.40	4.4	14.6
2001	107	17.1	1.79	13.8	20.9	28	11.3	2.33	7.2	17.1
2002	91	15.6	1.78	12.4	19.5	17	10.6	2.93	5.7	17.8
2003	84	13.1	1.53	10.2	16.4	15	6.9	1.91	3.7	11.8
2004	83	12.6	1.53	9.8	15.9	16	8.0	2.42	4.0	14.0
2005	98	15.8	1.74	12.6	19.5	23	12.5	2.98	7.4	19.6
2006	107	16.4	1.68	13.2	20.0	12	4.6	1.45	2.2	8.5
2007	96	14.1	1.53	11.3	17.4	20	9.1	2.30	5.1	14.6
2008	97	14.9	1.61	11.9	18.3	24	11.2	2.64	6.7	17.4
2009	88	13.5	1.54	10.6	16.8	22	8.6	2.12	5.0	13.7
2010	123	17.2	1.66	14.1	20.7	23	9.6	2.24	5.7	14.9
2011	110	15.3	1.54	12.4	18.6	26	12.2	2.64	7.6	18.3
2012	130	18.5	1.72	15.3	22.2	11	3.8	1.27	1.8	7.1
2013	108	14.2	1.44	11.6	17.3	35	11.8	2.17	7.9	16.8
2014	103	13.8	1.43	11.1	16.9	25	7.9	1.70	4.9	11.9
2015	111	14.3	1.42	11.6	17.3	22	6.2	1.39	3.8	9.5
2016	103	12.6	1.29	10.2	15.4	42	11.5	1.82	8.2	15.6
2017	108	13.5	1.36	10.9	16.4	43	11.8	1.87	8.4	16.0
2018	119	14.6	1.39	12.0	17.6	40	10.0	1.62	7.1	13.7
2019	119	14.7	1.40	12.1	17.7	38	9.9	1.66	6.9	13.7
2020	115	13.7	1.32	11.2	16.5	34	8.4	1.46	5.8	11.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Leukemia											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	25,215	10.2	0.07	10.1	10.4	21,831	10.6	0.07	10.4	10.7	
1986	455	7.5	0.36	6.8	8.2	407	7.7	0.39	6.9	8.5	
1987	497	8.1	0.37	7.4	8.9	445	8.4	0.40	7.6	9.2	
1988	495	8.0	0.37	7.3	8.8	440	8.2	0.40	7.5	9.0	
1989	500	8.2	0.37	7.4	8.9	440	8.3	0.40	7.5	9.1	
1990	556	8.8	0.38	8.1	9.6	507	9.3	0.42	8.5	10.2	
1991	513	8.1	0.36	7.4	8.9	458	8.4	0.40	7.7	9.3	
1992	515	8.1	0.36	7.4	8.8	457	8.3	0.40	7.6	9.1	
1993	591	9.1	0.38	8.3	9.8	541	9.6	0.42	8.8	10.5	
1994	709	10.8	0.41	10.0	11.7	637	11.3	0.45	10.4	12.2	
1995	712	10.8	0.41	10.0	11.6	632	11.2	0.45	10.3	12.1	
1996	661	9.9	0.39	9.1	10.7	594	10.4	0.43	9.6	11.3	
1997	680	10.1	0.39	9.3	10.9	591	10.2	0.43	9.4	11.1	
1998	680	9.9	0.38	9.2	10.7	593	10.1	0.42	9.3	11.0	
1999	746	11.0	0.40	10.2	11.8	654	11.4	0.45	10.5	12.3	
2000	775	11.3	0.41	10.5	12.1	680	11.7	0.46	10.9	12.7	
2001	790	11.5	0.41	10.7	12.3	696	12.0	0.46	11.1	12.9	
2002	782	11.1	0.40	10.4	12.0	687	11.6	0.45	10.8	12.5	
2003	783	11.2	0.40	10.4	12.0	689	11.7	0.45	10.8	12.6	
2004	816	11.6	0.41	10.8	12.4	692	11.7	0.45	10.9	12.7	
2005	747	10.6	0.39	9.8	11.4	641	10.9	0.44	10.1	11.8	
2006	758	10.5	0.39	9.8	11.3	655	10.9	0.43	10.0	11.7	
2007	704	9.9	0.38	9.2	10.7	597	10.2	0.42	9.3	11.0	
2008	772	10.7	0.39	9.9	11.5	672	11.2	0.44	10.3	12.1	
2009	807	11.0	0.39	10.2	11.7	694	11.3	0.44	10.5	12.2	
2010	793	10.6	0.38	9.8	11.4	671	10.8	0.43	10.0	11.7	
2011	851	11.4	0.40	10.6	12.2	735	12.0	0.45	11.1	12.9	
2012	845	11.2	0.39	10.4	12.0	704	11.4	0.44	10.6	12.4	
2013	849	11.2	0.39	10.4	12.0	713	11.6	0.45	10.7	12.5	
2014	823	10.7	0.38	9.9	11.5	703	11.2	0.44	10.4	12.1	
2015	830	10.8	0.39	10.1	11.6	719	11.6	0.45	10.7	12.5	
2016	835	10.7	0.38	10.0	11.5	690	10.9	0.43	10.1	11.8	
2017	904	11.5	0.39	10.7	12.3	782	12.3	0.46	11.4	13.2	
2018	837	10.6	0.38	9.8	11.3	687	10.8	0.43	10.0	11.7	
2019	825	10.4	0.37	9.6	11.1	696	11.0	0.44	10.1	11.9	
2020	779	9.9	0.37	9.2	10.7	632	10.0	0.42	9.2	10.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,668	8.5	0.17	8.2	8.8	501	5.7	0.27	5.2	6.3
1986	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
1987	44	6.6	1.05	4.8	9.0	7	5.8	2.24	2.3	12.8
1988	46	7.1	1.07	5.1	9.5	8	6.2	2.51	2.3	13.6
1989	57	8.0	1.08	6.0	10.4	3	2.0	1.20	0.4	7.1
1990	45	6.0	0.92	4.3	8.1	2	1.8	1.38	0.2	7.2
1991	49	6.5	0.96	4.7	8.6	4	2.5	1.25	0.6	7.2
1992	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
1993	45	6.0	0.92	4.3	8.1	4	2.8	1.58	0.6	7.9
1994	59	7.8	1.03	5.9	10.1	10	6.1	2.07	2.8	11.8
1995	70	9.0	1.10	7.0	11.4	8	5.8	2.29	2.2	11.9
1996	52	6.3	0.90	4.7	8.3	14	8.3	2.56	4.0	14.8
1997	75	9.2	1.08	7.2	11.6	12	6.7	2.24	3.0	12.5
1998	70	8.3	1.01	6.4	10.5	12	6.6	2.05	3.3	12.0
1999	82	9.5	1.06	7.5	11.8	9	5.1	1.84	2.2	10.0
2000	82	9.5	1.07	7.6	11.9	7	3.9	1.62	1.4	8.3
2001	76	8.5	0.99	6.7	10.7	10	4.8	1.60	2.2	9.0
2002	81	9.6	1.08	7.6	11.9	10	4.0	1.32	1.9	7.6
2003	77	8.7	1.01	6.9	10.9	11	4.8	1.51	2.3	8.7
2004	93	10.2	1.07	8.2	12.6	19	7.1	1.72	4.2	11.4
2005	79	8.9	1.01	7.0	11.1	16	5.5	1.48	3.0	9.3
2006	82	9.1	1.01	7.2	11.2	13	4.6	1.35	2.4	8.1
2007	82	8.7	0.97	6.9	10.8	22	8.8	1.98	5.3	13.5
2008	75	8.2	0.95	6.4	10.2	19	6.7	1.61	3.9	10.6
2009	89	9.5	1.02	7.6	11.7	12	3.4	0.99	1.7	6.0
2010	88	8.8	0.95	7.1	10.9	22	8.3	1.85	5.0	12.6
2011	91	9.0	0.96	7.3	11.1	18	5.5	1.38	3.2	8.9
2012	103	10.0	1.00	8.2	12.2	26	7.6	1.53	4.9	11.2
2013	110	10.5	1.01	8.6	12.6	15	4.9	1.31	2.7	8.1
2014	96	9.4	0.97	7.6	11.5	18	4.4	1.07	2.6	7.1
2015	79	7.4	0.85	5.8	9.3	18	4.5	1.09	2.6	7.2
2016	111	10.1	0.97	8.3	12.2	26	6.3	1.26	4.1	9.3
2017	96	8.8	0.92	7.1	10.8	21	5.0	1.11	3.0	7.7
2018	105	9.4	0.93	7.6	11.4	38	8.5	1.40	6.0	11.8
2019	95	8.4	0.87	6.7	10.3	20	4.3	0.98	2.6	6.7
2020	94	8.6	0.90	6.9	10.5	34	7.7	1.33	5.3	10.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Lymphocytic Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	6,520	1.5	0.02	1.5	1.6	5,562	1.7	0.02	1.6	1.7
1986	125	1.1	0.10	0.9	1.3	112	1.2	0.11	1.0	1.4
1987	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
1988	137	1.2	0.10	1.0	1.4	115	1.2	0.12	1.0	1.5
1989	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
1990	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
1991	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
1992	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
1993	169	1.4	0.11	1.2	1.7	147	1.5	0.13	1.3	1.8
1994	160	1.3	0.10	1.1	1.6	135	1.4	0.12	1.2	1.7
1995	202	1.6	0.12	1.4	1.9	183	1.9	0.14	1.6	2.2
1996	166	1.4	0.10	1.2	1.6	142	1.5	0.12	1.2	1.7
1997	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
1998	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
1999	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2000	173	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2001	188	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
2002	189	1.5	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2003	193	1.6	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2004	189	1.5	0.11	1.3	1.7	154	1.6	0.13	1.3	1.8
2005	199	1.6	0.11	1.4	1.8	177	1.8	0.14	1.6	2.1
2006	206	1.7	0.12	1.4	1.9	175	1.8	0.14	1.5	2.1
2007	188	1.5	0.11	1.3	1.7	155	1.6	0.13	1.4	1.9
2008	217	1.8	0.12	1.5	2.0	191	2.0	0.14	1.7	2.3
2009	189	1.5	0.11	1.3	1.8	159	1.6	0.13	1.4	1.9
2010	197	1.6	0.11	1.4	1.8	163	1.7	0.13	1.4	2.0
2011	204	1.6	0.12	1.4	1.9	169	1.7	0.14	1.5	2.0
2012	217	1.7	0.12	1.5	2.0	184	1.9	0.14	1.6	2.2
2013	208	1.7	0.12	1.5	1.9	179	1.9	0.14	1.6	2.2
2014	198	1.6	0.11	1.4	1.8	179	1.9	0.14	1.6	2.2
2015	213	1.7	0.12	1.5	2.0	185	1.9	0.14	1.7	2.2
2016	208	1.7	0.12	1.5	1.9	164	1.7	0.14	1.5	2.0
2017	227	1.8	0.12	1.6	2.1	187	1.9	0.14	1.7	2.2
2018	227	1.9	0.13	1.6	2.2	191	2.1	0.15	1.8	2.4
2019	228	1.9	0.13	1.7	2.2	194	2.1	0.15	1.8	2.4
2020	203	1.7	0.12	1.5	1.9	156	1.7	0.14	1.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Lymphocytic Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	616	0.9	0.04	0.8	1.0	246	1.3	0.08	1.1	1.4
1986	10	0.6	0.21	0.3	1.2	3	0.9	0.53	0.2	3.9
1987	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
1988	18	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
1989	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
1990	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
1991	18	1.0	0.24	0.6	1.6	3	0.7	0.43	0.2	3.0
1992	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
1993	18	1.0	0.25	0.6	1.6	3	0.7	0.41	0.2	2.7
1994	15	0.7	0.20	0.4	1.3	8	1.7	0.61	0.7	3.8
1995	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
1996	20	1.0	0.24	0.6	1.6	3	0.6	0.33	0.1	2.2
1997	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
1998	12	0.6	0.20	0.3	1.2	7	1.6	0.62	0.6	3.5
1999	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
2000	13	0.7	0.21	0.4	1.3	3	0.6	0.36	0.1	2.0
2001	32	1.6	0.29	1.1	2.3	7	1.3	0.48	0.5	2.8
2002	14	0.7	0.19	0.4	1.2	6	1.1	0.43	0.4	2.5
2003	19	0.9	0.21	0.5	1.4	5	0.9	0.40	0.3	2.2
2004	24	1.3	0.27	0.8	1.9	10	1.7	0.54	0.8	3.2
2005	15	0.7	0.18	0.4	1.2	5	0.9	0.43	0.3	2.2
2006	20	1.1	0.24	0.6	1.7	9	1.4	0.47	0.6	2.7
2007	22	1.1	0.24	0.7	1.7	10	1.5	0.48	0.7	2.9
2008	12	0.6	0.18	0.3	1.1	7	1.1	0.41	0.4	2.3
2009	20	1.0	0.23	0.6	1.6	6	0.8	0.34	0.3	1.9
2010	21	1.0	0.21	0.6	1.5	7	0.9	0.36	0.4	2.0
2011	18	0.9	0.21	0.5	1.4	5	0.7	0.30	0.2	1.6
2012	19	1.1	0.25	0.6	1.7	6	0.8	0.34	0.3	1.8
2013	17	0.9	0.22	0.5	1.5	9	1.1	0.37	0.5	2.1
2014	11	0.5	0.16	0.3	1.0	3	0.4	0.21	0.1	1.1
2015	16	0.8	0.19	0.4	1.3	9	1.2	0.39	0.5	2.2
2016	25	1.3	0.26	0.8	1.9	15	1.9	0.50	1.1	3.2
2017	23	1.1	0.23	0.7	1.7	15	1.8	0.48	1.0	3.0
2018	12	0.6	0.17	0.3	1.1	17	2.1	0.50	1.2	3.3
2019	18	1.0	0.24	0.6	1.6	8	0.9	0.34	0.4	1.9
2020	15	0.8	0.20	0.4	1.3	26	3.1	0.62	2.0	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,638	1.7	0.03	1.7	1.8	3,114	1.9	0.03	1.8	1.9
1986	65	1.2	0.15	0.9	1.5	59	1.3	0.17	1.0	1.7
1987	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
1988	73	1.3	0.16	1.0	1.7	63	1.4	0.18	1.1	1.8
1989	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
1990	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1991	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
1992	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
1993	97	1.7	0.18	1.4	2.1	87	1.9	0.21	1.5	2.4
1994	94	1.6	0.17	1.3	2.0	77	1.6	0.19	1.3	2.1
1995	113	1.9	0.18	1.5	2.3	100	2.1	0.21	1.7	2.6
1996	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
1997	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
1998	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
1999	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
2000	76	1.2	0.14	1.0	1.5	67	1.4	0.17	1.1	1.7
2001	111	1.8	0.18	1.5	2.2	90	1.9	0.20	1.5	2.3
2002	114	1.9	0.18	1.6	2.3	99	2.0	0.21	1.7	2.5
2003	102	1.7	0.17	1.4	2.0	90	1.9	0.20	1.5	2.3
2004	92	1.5	0.16	1.2	1.8	73	1.5	0.18	1.2	1.9
2005	108	1.7	0.17	1.4	2.1	97	2.0	0.20	1.6	2.4
2006	121	1.9	0.18	1.6	2.3	106	2.2	0.21	1.8	2.6
2007	102	1.7	0.17	1.4	2.0	86	1.8	0.19	1.4	2.2
2008	132	2.1	0.18	1.8	2.5	117	2.4	0.22	2.0	2.9
2009	107	1.7	0.17	1.4	2.1	91	1.9	0.20	1.5	2.3
2010	123	2.0	0.18	1.6	2.4	100	2.1	0.21	1.7	2.5
2011	114	1.9	0.17	1.5	2.2	92	1.9	0.20	1.6	2.4
2012	118	1.9	0.18	1.6	2.3	99	2.1	0.21	1.7	2.5
2013	115	1.9	0.18	1.5	2.2	96	2.0	0.21	1.6	2.4
2014	119	1.9	0.18	1.6	2.3	105	2.2	0.22	1.8	2.7
2015	119	1.9	0.18	1.6	2.3	104	2.2	0.22	1.8	2.7
2016	129	2.1	0.19	1.8	2.5	110	2.3	0.23	1.9	2.8
2017	128	2.1	0.19	1.8	2.5	104	2.2	0.22	1.8	2.7
2018	129	2.2	0.19	1.8	2.6	111	2.5	0.24	2.0	3.0
2019	123	2.1	0.19	1.7	2.5	107	2.3	0.23	1.9	2.8
2020	104	1.7	0.17	1.4	2.1	78	1.7	0.19	1.3	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Lymphocytic Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	339	1.0	0.06	0.9	1.1	123	1.3	0.12	1.0	1.5
1986	5	0.7	0.36	0.2	1.8	1	0.6	0.57	0.0	7.4
1987	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
1988	10	1.2	0.43	0.5	2.5	0				
1989	6	0.6	0.25	0.2	1.5	0				
1990	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
1991	11	1.2	0.38	0.6	2.3	2	1.0	0.67	0.1	6.1
1992	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
1993	8	0.8	0.31	0.3	1.8	1	0.5	0.46	0.0	4.9
1994	11	1.0	0.31	0.5	2.0	5	2.1	0.95	0.7	6.5
1995	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
1996	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
1997	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
1998	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
1999	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
2000	7	0.8	0.30	0.3	1.7	2	0.8	0.60	0.1	3.9
2001	17	1.8	0.49	1.0	3.1	4	1.4	0.72	0.4	4.5
2002	11	1.2	0.37	0.6	2.3	3	1.1	0.62	0.2	3.9
2003	9	0.8	0.29	0.4	1.7	3	1.1	0.61	0.2	3.7
2004	16	2.1	0.64	1.1	3.7	3	1.1	0.61	0.2	3.6
2005	8	0.7	0.25	0.3	1.5	3	1.2	0.78	0.2	4.0
2006	11	1.2	0.37	0.6	2.2	4	1.4	0.69	0.4	3.8
2007	11	1.1	0.34	0.5	2.1	4	1.1	0.58	0.3	3.4
2008	5	0.5	0.24	0.2	1.3	4	1.1	0.57	0.3	3.3
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.47	0.2	2.7
2010	14	1.3	0.36	0.7	2.3	4	1.1	0.55	0.3	3.1
2011	10	1.0	0.31	0.5	1.9	2	0.6	0.42	0.1	2.4
2012	12	1.3	0.39	0.7	2.3	2	0.6	0.39	0.1	2.2
2013	10	1.2	0.38	0.5	2.2	7	1.7	0.65	0.7	3.7
2014	7	0.8	0.32	0.3	1.7	3	0.7	0.42	0.2	2.3
2015	11	1.1	0.33	0.5	2.0	2	0.5	0.33	0.1	1.8
2016	10	1.1	0.35	0.5	2.0	7	1.8	0.66	0.7	3.7
2017	12	1.2	0.36	0.6	2.2	11	2.9	0.91	1.4	5.3
2018	7	0.7	0.27	0.3	1.5	6	1.5	0.60	0.5	3.2
2019	7	0.9	0.33	0.3	1.8	6	1.6	0.67	0.6	3.5
2020	9	0.9	0.30	0.4	1.7	13	3.1	0.87	1.7	5.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	2,882	1.3	0.02	1.3	1.4	2,448	1.4	0.03	1.4	1.5
1986	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
1987	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
1988	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
1989	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
1990	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
1991	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
1992	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
1993	72	1.2	0.14	0.9	1.5	60	1.2	0.16	0.9	1.6
1994	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
1995	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
1996	73	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
1997	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
1998	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
1999	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2000	97	1.5	0.15	1.2	1.9	89	1.8	0.19	1.4	2.2
2001	77	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2002	75	1.2	0.14	0.9	1.5	69	1.4	0.17	1.1	1.8
2003	91	1.4	0.15	1.2	1.8	78	1.6	0.18	1.2	2.0
2004	97	1.5	0.16	1.3	1.9	81	1.7	0.19	1.3	2.1
2005	91	1.4	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
2006	85	1.3	0.14	1.1	1.6	69	1.4	0.17	1.1	1.7
2007	86	1.4	0.15	1.1	1.7	69	1.4	0.17	1.1	1.8
2008	85	1.4	0.15	1.1	1.7	74	1.6	0.18	1.2	2.0
2009	82	1.3	0.14	1.0	1.6	68	1.4	0.17	1.1	1.8
2010	74	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2011	90	1.4	0.15	1.1	1.7	77	1.6	0.18	1.2	2.0
2012	99	1.6	0.16	1.3	1.9	85	1.7	0.19	1.4	2.2
2013	93	1.5	0.16	1.2	1.8	83	1.7	0.19	1.4	2.2
2014	79	1.3	0.15	1.0	1.6	74	1.6	0.18	1.2	2.0
2015	94	1.5	0.16	1.2	1.8	81	1.7	0.19	1.3	2.1
2016	79	1.3	0.15	1.0	1.6	54	1.1	0.16	0.8	1.5
2017	99	1.5	0.16	1.2	1.9	83	1.7	0.19	1.3	2.1
2018	98	1.6	0.16	1.3	1.9	80	1.7	0.19	1.3	2.1
2019	105	1.7	0.17	1.4	2.1	87	1.8	0.20	1.5	2.3
2020	99	1.7	0.17	1.3	2.0	78	1.7	0.20	1.3	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Lymphocytic Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	277	0.8	0.05	0.7	0.9	123	1.3	0.11	1.0	1.5
1986	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
1987	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
1988	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
1989	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
1990	7	0.9	0.37	0.4	2.0	0				
1991	7	0.8	0.30	0.3	1.6	1	0.5	0.54	0.0	4.4
1992	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
1993	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
1994	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
1995	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
1996	11	1.1	0.34	0.6	2.0	1	0.5	0.46	0.0	3.2
1997	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
1998	7	0.7	0.26	0.3	1.4	3	1.2	0.69	0.3	4.0
1999	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
2000	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
2001	15	1.4	0.37	0.8	2.3	3	1.1	0.65	0.2	3.6
2002	3	0.3	0.15	0.1	0.8	3	1.1	0.61	0.2	3.3
2003	10	0.9	0.29	0.4	1.7	2	0.7	0.49	0.1	2.7
2004	8	0.7	0.26	0.3	1.5	7	2.4	0.90	1.0	5.0
2005	7	0.6	0.24	0.3	1.3	2	0.6	0.45	0.1	2.5
2006	9	0.9	0.30	0.4	1.7	5	1.4	0.64	0.5	3.5
2007	11	1.1	0.34	0.6	2.0	6	1.9	0.77	0.7	4.2
2008	7	0.7	0.26	0.3	1.4	3	0.9	0.57	0.2	2.9
2009	10	1.0	0.31	0.5	1.8	3	0.8	0.48	0.2	2.6
2010	7	0.6	0.24	0.3	1.3	3	0.8	0.47	0.2	2.5
2011	8	0.8	0.27	0.3	1.5	3	0.7	0.41	0.1	2.2
2012	7	0.8	0.29	0.3	1.6	4	1.1	0.55	0.3	2.8
2013	7	0.7	0.27	0.3	1.4	2	0.5	0.32	0.1	1.8
2014	4	0.4	0.18	0.1	0.9	0				
2015	5	0.5	0.21	0.2	1.1	7	1.8	0.70	0.7	3.8
2016	15	1.5	0.39	0.8	2.5	8	2.1	0.75	0.9	4.1
2017	11	1.0	0.30	0.5	1.8	4	0.9	0.45	0.2	2.3
2018	5	0.5	0.23	0.2	1.2	11	2.6	0.78	1.3	4.6
2019	11	1.2	0.35	0.6	2.1	2	0.4	0.30	0.1	1.6
2020	6	0.7	0.27	0.2	1.4	13	3.1	0.86	1.6	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Lymphocytic Leukemia											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	18,921	4.2	0.03	4.2	4.3	16,743	4.4	0.03	4.3	4.5	
1986	273	2.6	0.16	2.3	3.0	249	2.7	0.17	2.4	3.0	
1987	322	3.0	0.17	2.7	3.4	294	3.1	0.19	2.8	3.5	
1988	351	3.3	0.18	3.0	3.7	313	3.3	0.19	2.9	3.7	
1989	342	3.2	0.17	2.8	3.5	311	3.3	0.19	2.9	3.7	
1990	373	3.4	0.18	3.1	3.8	344	3.6	0.19	3.2	4.0	
1991	387	3.5	0.18	3.2	3.9	350	3.6	0.19	3.2	4.0	
1992	425	3.8	0.19	3.5	4.2	386	3.9	0.20	3.6	4.4	
1993	407	3.6	0.18	3.3	4.0	374	3.8	0.20	3.4	4.2	
1994	533	4.7	0.20	4.3	5.1	481	4.8	0.22	4.4	5.3	
1995	463	4.1	0.19	3.7	4.5	420	4.2	0.21	3.8	4.7	
1996	460	4.0	0.19	3.6	4.4	425	4.2	0.21	3.8	4.7	
1997	443	3.8	0.18	3.5	4.2	403	4.0	0.20	3.6	4.4	
1998	470	4.0	0.18	3.7	4.4	423	4.1	0.20	3.8	4.6	
1999	497	4.2	0.19	3.8	4.6	459	4.5	0.21	4.1	4.9	
2000	517	4.3	0.19	4.0	4.7	433	4.2	0.20	3.8	4.6	
2001	593	4.9	0.20	4.5	5.3	522	5.0	0.22	4.6	5.5	
2002	635	5.2	0.21	4.8	5.6	563	5.4	0.23	4.9	5.8	
2003	635	5.2	0.20	4.8	5.6	585	5.5	0.23	5.1	6.0	
2004	628	5.0	0.20	4.6	5.4	560	5.2	0.22	4.8	5.7	
2005	598	4.8	0.20	4.4	5.2	524	4.9	0.22	4.5	5.3	
2006	654	5.2	0.20	4.8	5.6	579	5.3	0.22	4.9	5.8	
2007	549	4.3	0.18	3.9	4.6	482	4.4	0.20	4.0	4.8	
2008	684	5.2	0.20	4.8	5.6	601	5.4	0.22	5.0	5.9	
2009	628	4.7	0.19	4.3	5.1	556	4.9	0.21	4.5	5.3	
2010	602	4.4	0.18	4.0	4.8	516	4.5	0.20	4.1	4.9	
2011	595	4.3	0.18	4.0	4.7	526	4.5	0.20	4.1	4.9	
2012	665	4.7	0.19	4.4	5.1	572	4.9	0.21	4.5	5.3	
2013	629	4.4	0.18	4.0	4.8	543	4.5	0.20	4.1	4.9	
2014	608	4.1	0.17	3.8	4.5	518	4.3	0.19	3.9	4.6	
2015	670	4.5	0.18	4.1	4.8	579	4.6	0.20	4.3	5.0	
2016	671	4.4	0.17	4.1	4.7	576	4.5	0.19	4.2	4.9	
2017	707	4.6	0.18	4.2	4.9	639	5.0	0.20	4.6	5.4	
2018	679	4.4	0.17	4.1	4.7	577	4.5	0.19	4.1	4.9	
2019	661	4.2	0.17	3.9	4.5	576	4.4	0.19	4.1	4.8	
2020	567	3.6	0.15	3.3	3.9	484	3.7	0.17	3.4	4.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Lymphocytic Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,784	3.5	0.08	3.3	3.6	157	1.1	0.09	1.0	1.3
1986	24	2.4	0.51	1.5	3.6	0				
1987	23	2.3	0.50	1.4	3.5	4	3.2	1.76	0.7	8.3
1988	36	3.6	0.61	2.5	5.0	0				
1989	30	2.6	0.49	1.8	3.8	1	0.5	0.50	0.0	3.2
1990	28	2.7	0.52	1.7	3.8	1	0.7	0.72	0.0	3.7
1991	37	3.2	0.55	2.2	4.5	0				
1992	38	3.4	0.56	2.4	4.6	0				
1993	33	2.8	0.49	1.9	3.9	0				
1994	47	3.8	0.57	2.8	5.1	2	1.4	1.00	0.2	4.5
1995	38	3.1	0.52	2.2	4.3	1	0.7	0.68	0.0	3.1
1996	34	2.8	0.49	1.9	3.9	0				
1997	37	2.8	0.47	2.0	3.9	2	0.5	0.32	0.1	2.0
1998	41	3.0	0.48	2.2	4.1	4	1.3	0.66	0.3	3.4
1999	33	2.3	0.41	1.6	3.3	3	1.4	0.85	0.3	3.9
2000	77	5.6	0.65	4.4	7.0	3	1.1	0.65	0.2	3.1
2001	56	4.0	0.55	3.0	5.3	6	1.7	0.74	0.6	3.8
2002	64	4.7	0.60	3.6	6.1	4	1.7	0.84	0.5	4.0
2003	45	3.1	0.47	2.3	4.2	2	0.4	0.26	0.0	1.5
2004	48	3.1	0.45	2.3	4.1	2	0.4	0.29	0.1	1.5
2005	61	4.2	0.55	3.2	5.4	7	1.4	0.52	0.5	2.9
2006	69	4.5	0.55	3.5	5.7	1	0.4	0.37	0.0	1.7
2007	58	3.8	0.50	2.8	4.9	6	1.4	0.61	0.5	3.1
2008	69	4.6	0.56	3.6	5.8	5	1.3	0.60	0.4	2.9
2009	55	3.5	0.48	2.6	4.5	4	0.9	0.46	0.2	2.3
2010	66	4.1	0.52	3.1	5.2	10	2.2	0.74	1.0	4.0
2011	58	3.5	0.47	2.6	4.5	4	0.9	0.45	0.2	2.2
2012	71	4.0	0.49	3.1	5.1	5	0.9	0.42	0.3	2.1
2013	67	3.8	0.47	2.9	4.8	8	1.5	0.56	0.6	3.0
2014	70	3.9	0.48	3.0	4.9	5	0.6	0.28	0.2	1.5
2015	64	3.6	0.45	2.7	4.6	8	1.1	0.40	0.4	2.2
2016	69	3.7	0.45	2.8	4.7	11	1.3	0.40	0.6	2.4
2017	49	2.5	0.37	1.9	3.4	13	1.7	0.48	0.9	2.9
2018	75	4.0	0.47	3.1	5.0	17	2.0	0.50	1.2	3.3
2019	63	3.1	0.40	2.4	4.0	8	1.0	0.38	0.4	2.1
2020	51	2.6	0.37	1.9	3.4	10	1.2	0.39	0.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Lymphocytic Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	11,151	5.9	0.06	5.8	6.0	9,863	6.1	0.06	6.0	6.2
1986	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
1987	177	4.0	0.32	3.5	4.7	163	4.2	0.35	3.6	5.0
1988	187	4.3	0.33	3.7	5.0	162	4.2	0.35	3.6	5.0
1989	177	4.0	0.31	3.4	4.6	165	4.1	0.33	3.5	4.9
1990	218	4.9	0.34	4.2	5.6	201	5.0	0.36	4.3	5.8
1991	227	4.9	0.33	4.3	5.6	201	4.9	0.35	4.2	5.7
1992	252	5.5	0.36	4.9	6.3	230	5.7	0.38	5.0	6.5
1993	211	4.5	0.32	3.9	5.1	189	4.6	0.34	3.9	5.3
1994	312	7.0	0.41	6.2	7.8	283	7.1	0.44	6.3	8.1
1995	260	5.6	0.36	5.0	6.4	234	5.8	0.39	5.1	6.6
1996	271	5.9	0.36	5.2	6.6	247	6.1	0.39	5.3	6.9
1997	263	5.5	0.34	4.8	6.2	239	5.7	0.38	5.0	6.5
1998	267	5.4	0.33	4.7	6.1	237	5.5	0.36	4.8	6.3
1999	285	5.8	0.35	5.2	6.5	267	6.3	0.39	5.5	7.1
2000	313	6.2	0.35	5.5	6.9	261	6.0	0.37	5.3	6.8
2001	319	6.4	0.36	5.7	7.1	277	6.4	0.39	5.7	7.2
2002	353	7.0	0.38	6.3	7.8	315	7.2	0.41	6.5	8.1
2003	382	7.4	0.38	6.7	8.2	355	8.0	0.43	7.2	8.9
2004	365	7.0	0.37	6.3	7.8	326	7.3	0.41	6.5	8.1
2005	354	6.7	0.36	6.0	7.5	312	6.9	0.40	6.2	7.7
2006	393	7.3	0.38	6.6	8.1	349	7.6	0.41	6.8	8.5
2007	341	6.3	0.35	5.6	7.0	304	6.6	0.38	5.8	7.3
2008	419	7.5	0.37	6.8	8.2	366	7.6	0.40	6.8	8.4
2009	376	6.5	0.34	5.8	7.2	339	6.9	0.38	6.2	7.7
2010	386	6.6	0.34	5.9	7.3	328	6.6	0.37	5.9	7.3
2011	359	6.0	0.32	5.4	6.7	317	6.2	0.36	5.5	7.0
2012	409	6.7	0.34	6.0	7.4	355	6.9	0.37	6.2	7.7
2013	386	6.1	0.32	5.5	6.8	342	6.4	0.35	5.7	7.1
2014	375	5.8	0.31	5.2	6.4	320	5.9	0.34	5.3	6.6
2015	405	6.1	0.31	5.5	6.8	350	6.3	0.35	5.7	7.0
2016	393	5.8	0.30	5.3	6.5	341	6.0	0.34	5.4	6.7
2017	406	5.9	0.30	5.4	6.6	365	6.4	0.34	5.7	7.1
2018	402	5.8	0.30	5.2	6.4	344	5.9	0.33	5.3	6.6
2019	406	5.8	0.29	5.2	6.4	348	5.9	0.32	5.3	6.6
2020	360	5.1	0.27	4.5	5.6	302	5.1	0.30	4.5	5.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Lymphocytic Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,051	5.0	0.16	4.7	5.4	101	1.7	0.18	1.3	2.0
1986	13	3.2	1.00	1.6	5.7	0				
1987	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
1988	23	5.3	1.19	3.2	8.1	0				
1989	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
1990	17	4.5	1.18	2.5	7.3	0				
1991	26	5.1	1.05	3.2	7.6	0				
1992	22	4.7	1.04	2.9	7.2	0				
1993	22	4.2	0.94	2.6	6.5	0				
1994	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
1995	23	4.7	1.03	2.9	7.1	1	1.7	1.67	0.0	7.6
1996	23	4.7	1.05	2.9	7.1	0				
1997	23	4.3	0.92	2.7	6.4	0				
1998	27	4.7	0.93	3.0	6.8	2	1.6	1.15	0.2	5.9
1999	16	2.8	0.74	1.6	4.6	1	1.5	1.53	0.0	6.7
2000	48	8.4	1.25	6.1	11.2	2	1.8	1.34	0.2	6.3
2001	37	6.9	1.21	4.7	9.6	4	2.4	1.31	0.5	6.5
2002	32	5.9	1.13	3.9	8.5	3	3.1	1.78	0.6	8.2
2003	25	4.1	0.89	2.6	6.2	2	0.8	0.54	0.1	3.3
2004	27	4.2	0.86	2.7	6.3	1	0.5	0.47	0.0	2.9
2005	37	6.4	1.12	4.4	8.9	4	1.9	0.96	0.5	5.0
2006	40	6.2	1.02	4.3	8.5	1	0.9	0.94	0.0	4.1
2007	33	5.0	0.92	3.4	7.1	2	0.6	0.44	0.1	2.7
2008	43	7.1	1.14	5.1	9.7	4	2.5	1.43	0.5	6.5
2009	27	4.2	0.84	2.7	6.1	3	1.6	0.97	0.3	4.5
2010	45	7.0	1.12	5.0	9.5	8	3.8	1.58	1.4	7.9
2011	35	5.4	0.97	3.7	7.6	4	2.0	1.07	0.5	5.1
2012	40	5.8	0.97	4.1	8.0	1	0.7	0.67	0.0	2.9
2013	33	4.3	0.79	2.9	6.2	5	2.1	0.99	0.6	4.9
2014	41	5.4	0.89	3.8	7.4	4	1.1	0.56	0.3	2.9
2015	40	5.4	0.89	3.8	7.4	5	1.5	0.72	0.5	3.6
2016	34	4.4	0.79	3.0	6.2	9	2.4	0.81	1.0	4.6
2017	30	3.9	0.75	2.6	5.7	8	2.4	0.88	1.0	4.7
2018	40	5.3	0.87	3.7	7.3	11	2.7	0.81	1.3	4.8
2019	44	5.8	0.90	4.1	7.8	4	1.2	0.62	0.3	3.0
2020	36	4.5	0.78	3.1	6.3	8	2.2	0.77	0.9	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Lymphocytic Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,770	3.0	0.03	2.9	3.1	6,880	3.1	0.04	3.1	3.2
1986	131	2.1	0.19	1.8	2.5	120	2.2	0.20	1.8	2.6
1987	145	2.3	0.19	2.0	2.7	131	2.4	0.21	2.0	2.8
1988	164	2.6	0.21	2.2	3.1	151	2.7	0.22	2.3	3.2
1989	165	2.6	0.21	2.2	3.1	146	2.6	0.22	2.2	3.1
1990	155	2.5	0.20	2.1	2.9	143	2.6	0.22	2.2	3.1
1991	160	2.4	0.19	2.1	2.8	149	2.5	0.21	2.1	3.0
1992	173	2.6	0.20	2.2	3.0	156	2.6	0.21	2.2	3.1
1993	196	2.9	0.21	2.5	3.3	185	3.1	0.23	2.7	3.6
1994	221	3.3	0.22	2.9	3.8	198	3.3	0.24	2.9	3.8
1995	203	3.0	0.21	2.6	3.5	186	3.2	0.24	2.7	3.7
1996	189	2.8	0.20	2.4	3.2	178	3.0	0.23	2.6	3.5
1997	180	2.6	0.19	2.2	3.0	164	2.6	0.21	2.2	3.1
1998	203	2.9	0.20	2.5	3.3	186	3.0	0.22	2.6	3.5
1999	212	3.1	0.21	2.7	3.6	192	3.3	0.24	2.8	3.8
2000	204	2.9	0.21	2.5	3.3	172	2.8	0.22	2.4	3.3
2001	274	3.9	0.24	3.4	4.4	245	4.0	0.26	3.5	4.6
2002	282	3.9	0.23	3.4	4.4	248	4.0	0.26	3.5	4.5
2003	253	3.5	0.22	3.1	4.0	230	3.7	0.25	3.3	4.2
2004	263	3.6	0.22	3.2	4.1	234	3.8	0.25	3.3	4.3
2005	244	3.4	0.22	3.0	3.8	212	3.4	0.24	3.0	3.9
2006	261	3.5	0.22	3.1	4.0	230	3.6	0.24	3.2	4.1
2007	208	2.8	0.19	2.4	3.2	178	2.8	0.21	2.4	3.2
2008	265	3.5	0.22	3.1	4.0	235	3.7	0.25	3.2	4.2
2009	252	3.2	0.21	2.8	3.7	217	3.3	0.23	2.8	3.7
2010	216	2.8	0.19	2.4	3.2	188	2.8	0.21	2.4	3.3
2011	236	3.0	0.20	2.6	3.4	209	3.2	0.22	2.7	3.6
2012	256	3.2	0.20	2.8	3.6	217	3.3	0.23	2.9	3.8
2013	243	3.1	0.20	2.7	3.5	201	3.1	0.22	2.6	3.5
2014	233	2.8	0.19	2.5	3.2	198	2.9	0.21	2.5	3.4
2015	265	3.2	0.20	2.8	3.6	229	3.3	0.23	2.9	3.8
2016	278	3.3	0.20	2.9	3.7	235	3.4	0.22	2.9	3.8
2017	301	3.5	0.21	3.1	3.9	274	3.9	0.24	3.4	4.4
2018	277	3.2	0.19	2.8	3.6	233	3.3	0.22	2.9	3.7
2019	255	2.9	0.19	2.6	3.3	228	3.2	0.22	2.8	3.7
2020	207	2.4	0.17	2.1	2.7	182	2.6	0.20	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Lymphocytic Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	733	2.4	0.09	2.3	2.6	56	0.7	0.10	0.5	0.9
1986	11	1.9	0.59	1.0	3.4	0				
1987	11	2.1	0.63	1.0	3.6	3	3.1	1.79	0.6	9.5
1988	13	2.4	0.65	1.2	3.9	0				
1989	19	2.7	0.63	1.6	4.2	0				
1990	11	1.6	0.49	0.8	2.9	1	1.3	1.26	0.0	6.5
1991	11	1.8	0.54	0.9	3.1	0				
1992	16	2.4	0.60	1.4	3.8	0				
1993	11	1.6	0.50	0.8	2.9	0				
1994	21	2.8	0.62	1.8	4.3	0				
1995	15	2.1	0.54	1.1	3.4	0				
1996	11	1.5	0.46	0.8	2.7	0				
1997	14	1.8	0.49	1.0	3.0	2	0.9	0.61	0.1	3.7
1998	14	1.8	0.49	1.0	3.0	2	1.1	0.80	0.1	4.1
1999	17	2.1	0.50	1.2	3.3	2	1.5	1.05	0.2	4.9
2000	29	3.6	0.68	2.4	5.2	1	0.6	0.57	0.0	3.1
2001	19	2.3	0.53	1.4	3.6	2	1.2	0.83	0.1	4.0
2002	32	4.0	0.70	2.7	5.6	1	0.7	0.73	0.0	3.4
2003	20	2.4	0.54	1.5	3.7	0				
2004	21	2.3	0.51	1.4	3.6	1	0.3	0.34	0.0	2.1
2005	24	2.9	0.59	1.8	4.3	3	0.9	0.53	0.2	2.9
2006	29	3.3	0.62	2.2	4.8	0				
2007	25	2.8	0.56	1.8	4.1	4	1.9	0.97	0.5	4.7
2008	26	2.9	0.57	1.9	4.2	1	0.5	0.45	0.0	2.2
2009	28	3.0	0.58	2.0	4.4	1	0.4	0.42	0.0	2.1
2010	21	2.3	0.50	1.4	3.5	2	1.0	0.71	0.1	3.2
2011	23	2.3	0.49	1.5	3.5	0				
2012	31	2.9	0.53	2.0	4.2	4	1.2	0.61	0.3	3.0
2013	34	3.3	0.58	2.3	4.7	3	1.0	0.61	0.2	2.9
2014	29	2.8	0.53	1.9	4.0	1	0.2	0.21	0.0	1.3
2015	24	2.3	0.48	1.5	3.5	3	0.7	0.43	0.1	2.2
2016	35	3.2	0.55	2.2	4.4	2	0.4	0.30	0.1	1.6
2017	19	1.6	0.38	1.0	2.6	5	1.2	0.55	0.4	2.8
2018	35	3.1	0.53	2.1	4.3	6	1.5	0.61	0.5	3.2
2019	19	1.5	0.34	0.9	2.4	4	0.9	0.48	0.3	2.4
2020	15	1.3	0.34	0.7	2.2	2	0.4	0.28	0.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	17,460	4.0	0.03	3.9	4.0	15,200	4.1	0.03	4.0	4.2
1986	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
1987	275	2.5	0.15	2.2	2.9	250	2.6	0.17	2.3	3.0
1988	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
1989	266	2.4	0.15	2.2	2.8	242	2.5	0.17	2.2	2.9
1990	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
1991	306	2.8	0.16	2.5	3.1	277	2.9	0.17	2.6	3.3
1992	340	3.0	0.16	2.7	3.3	307	3.1	0.18	2.8	3.5
1993	354	3.1	0.17	2.8	3.5	325	3.3	0.18	3.0	3.7
1994	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
1995	432	3.7	0.18	3.4	4.1	386	3.9	0.20	3.5	4.3
1996	438	3.8	0.18	3.4	4.1	389	3.9	0.20	3.5	4.3
1997	473	4.0	0.19	3.7	4.4	416	4.1	0.20	3.7	4.5
1998	443	3.7	0.18	3.4	4.1	384	3.8	0.19	3.4	4.2
1999	484	4.0	0.18	3.7	4.4	433	4.2	0.20	3.9	4.7
2000	533	4.4	0.19	4.1	4.8	480	4.7	0.21	4.3	5.1
2001	550	4.5	0.19	4.2	4.9	480	4.7	0.21	4.2	5.1
2002	525	4.3	0.19	3.9	4.7	476	4.6	0.21	4.2	5.0
2003	493	4.0	0.18	3.6	4.4	433	4.1	0.20	3.8	4.5
2004	532	4.2	0.18	3.9	4.6	462	4.4	0.20	4.0	4.8
2005	515	4.1	0.18	3.8	4.5	445	4.2	0.20	3.8	4.6
2006	514	4.0	0.18	3.7	4.4	460	4.3	0.20	3.9	4.7
2007	507	4.0	0.18	3.6	4.4	447	4.2	0.20	3.8	4.6
2008	510	4.0	0.18	3.6	4.3	445	4.1	0.20	3.7	4.5
2009	556	4.2	0.18	3.9	4.6	482	4.3	0.20	3.9	4.7
2010	631	4.8	0.19	4.4	5.2	535	4.9	0.21	4.5	5.3
2011	612	4.5	0.19	4.2	4.9	520	4.6	0.21	4.2	5.1
2012	648	4.7	0.19	4.4	5.1	544	4.8	0.21	4.4	5.2
2013	688	4.9	0.19	4.6	5.3	581	5.1	0.21	4.7	5.5
2014	642	4.5	0.18	4.2	4.9	554	4.7	0.21	4.3	5.2
2015	649	4.6	0.18	4.2	5.0	569	4.9	0.21	4.5	5.3
2016	608	4.3	0.18	4.0	4.7	502	4.4	0.20	4.0	4.8
2017	667	4.6	0.18	4.3	5.0	569	4.8	0.21	4.4	5.2
2018	659	4.4	0.17	4.0	4.7	546	4.4	0.19	4.0	4.8
2019	647	4.3	0.17	4.0	4.7	548	4.5	0.20	4.1	4.9
2020	660	4.4	0.17	4.0	4.7	541	4.4	0.19	4.0	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Myeloid Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,765	3.3	0.08	3.1	3.4	437	2.8	0.14	2.5	3.1
1986	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
1987	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
1988	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
1989	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
1990	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
1991	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
1992	23	1.8	0.39	1.1	2.7	9	4.3	1.82	1.5	9.1
1993	25	1.7	0.36	1.1	2.6	3	1.0	0.60	0.2	3.3
1994	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
1995	40	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
1996	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
1997	51	3.6	0.51	2.6	4.7	6	1.7	0.77	0.5	4.0
1998	49	3.4	0.50	2.5	4.5	9	3.7	1.36	1.5	7.2
1999	43	2.9	0.45	2.1	3.9	7	1.5	0.58	0.6	3.3
2000	45	2.9	0.45	2.1	3.9	7	2.2	0.97	0.8	4.9
2001	57	3.7	0.50	2.8	4.8	12	2.3	0.70	1.1	4.3
2002	38	2.5	0.42	1.8	3.5	8	1.7	0.67	0.7	3.6
2003	49	3.2	0.47	2.3	4.2	10	2.1	0.70	1.0	4.0
2004	57	3.6	0.50	2.7	4.7	12	2.7	0.83	1.3	4.8
2005	52	3.4	0.49	2.5	4.5	15	3.1	0.91	1.6	5.4
2006	43	2.7	0.42	1.9	3.7	10	1.8	0.61	0.8	3.5
2007	48	2.9	0.43	2.1	3.9	12	3.0	0.91	1.4	5.2
2008	43	2.7	0.43	2.0	3.7	19	4.0	1.00	2.3	6.4
2009	58	3.8	0.51	2.9	4.9	14	2.5	0.74	1.3	4.4
2010	75	4.4	0.53	3.5	5.6	19	4.0	0.97	2.3	6.3
2011	67	3.8	0.47	2.9	4.8	22	4.3	0.98	2.6	6.6
2012	84	5.0	0.55	3.9	6.2	15	2.6	0.70	1.4	4.3
2013	81	4.5	0.51	3.5	5.6	20	3.6	0.83	2.1	5.5
2014	64	3.7	0.47	2.8	4.7	24	3.6	0.78	2.3	5.5
2015	64	3.5	0.45	2.7	4.5	15	2.0	0.55	1.1	3.4
2016	73	3.8	0.46	3.0	4.8	31	3.9	0.72	2.6	5.6
2017	76	4.0	0.47	3.1	5.0	22	2.7	0.59	1.7	4.1
2018	79	4.1	0.47	3.2	5.1	30	3.6	0.67	2.4	5.2
2019	75	3.9	0.46	3.0	4.9	21	2.2	0.49	1.4	3.4
2020	92	4.7	0.50	3.7	5.7	18	2.1	0.50	1.2	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	9,313	4.9	0.05	4.8	5.0	8,209	5.1	0.06	5.0	5.2
1986	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
1987	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
1988	152	3.4	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
1989	152	3.2	0.27	2.7	3.8	139	3.4	0.29	2.8	4.0
1990	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
1991	160	3.4	0.28	2.8	4.0	149	3.6	0.30	3.0	4.2
1992	194	4.0	0.30	3.4	4.6	178	4.2	0.32	3.6	4.9
1993	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
1994	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
1995	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
1996	220	4.5	0.31	3.9	5.1	194	4.5	0.33	3.9	5.2
1997	228	4.5	0.30	4.0	5.2	206	4.8	0.33	4.1	5.5
1998	229	4.4	0.30	3.9	5.1	202	4.5	0.32	3.9	5.2
1999	247	4.8	0.31	4.3	5.5	225	5.1	0.35	4.5	5.9
2000	275	5.4	0.33	4.7	6.0	249	5.7	0.36	5.0	6.4
2001	298	5.8	0.34	5.2	6.5	256	5.9	0.37	5.2	6.6
2002	289	5.6	0.34	5.0	6.3	263	5.9	0.37	5.2	6.7
2003	254	4.9	0.31	4.3	5.5	230	5.2	0.34	4.5	5.9
2004	268	5.0	0.31	4.4	5.6	242	5.3	0.34	4.6	6.0
2005	270	5.0	0.31	4.5	5.7	240	5.3	0.34	4.6	6.0
2006	273	5.0	0.31	4.4	5.7	251	5.4	0.35	4.8	6.2
2007	278	5.0	0.31	4.4	5.7	250	5.3	0.34	4.7	6.1
2008	270	4.9	0.30	4.3	5.5	236	5.0	0.33	4.4	5.7
2009	287	5.1	0.30	4.5	5.7	250	5.2	0.33	4.5	5.8
2010	324	5.6	0.32	5.0	6.3	280	5.8	0.35	5.1	6.5
2011	299	5.1	0.30	4.5	5.7	256	5.2	0.33	4.6	5.9
2012	360	6.0	0.32	5.4	6.7	308	6.1	0.35	5.4	6.9
2013	375	6.1	0.32	5.5	6.8	316	6.2	0.36	5.6	7.0
2014	338	5.5	0.30	4.9	6.1	296	5.7	0.34	5.1	6.4
2015	376	6.0	0.31	5.4	6.6	330	6.3	0.35	5.6	7.0
2016	322	5.1	0.29	4.5	5.6	270	5.1	0.32	4.5	5.8
2017	364	5.6	0.30	5.1	6.3	310	5.8	0.34	5.2	6.5
2018	384	5.6	0.29	5.1	6.2	326	5.8	0.33	5.1	6.4
2019	367	5.4	0.29	4.9	6.0	317	5.7	0.33	5.1	6.4
2020	357	5.2	0.28	4.7	5.8	306	5.4	0.32	4.8	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	839	3.8	0.14	3.5	4.1	233	3.4	0.25	2.9	3.9
1986	13	2.9	0.95	1.4	5.3	0				
1987	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
1988	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
1989	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
1990	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
1991	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
1992	11	2.1	0.69	1.0	3.8	5	6.2	3.95	1.0	17.3
1993	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
1994	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
1995	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
1996	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
1997	19	3.2	0.76	1.9	5.0	3	1.3	0.75	0.3	5.0
1998	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
1999	16	2.4	0.60	1.3	3.9	5	2.4	1.11	0.7	6.4
2000	22	3.5	0.80	2.1	5.4	4	2.0	1.00	0.5	5.6
2001	32	4.6	0.84	3.1	6.6	9	3.8	1.38	1.6	7.9
2002	18	3.3	0.86	1.9	5.4	5	2.6	1.39	0.7	6.8
2003	19	3.1	0.78	1.8	5.0	5	2.2	1.09	0.6	5.7
2004	20	2.9	0.70	1.7	4.6	5	2.5	1.30	0.6	6.4
2005	23	3.6	0.80	2.2	5.5	6	2.7	1.24	0.8	6.3
2006	17	2.3	0.58	1.3	3.7	5	1.6	0.73	0.5	4.1
2007	24	3.6	0.79	2.2	5.5	4	2.1	1.15	0.5	5.5
2008	22	3.3	0.76	2.0	5.1	10	5.2	1.86	2.2	9.9
2009	28	4.8	0.97	3.1	7.1	9	4.3	1.66	1.7	8.5
2010	34	5.0	0.91	3.4	7.1	9	4.0	1.41	1.7	7.6
2011	30	3.9	0.74	2.5	5.6	10	5.3	1.85	2.3	9.9
2012	46	6.9	1.07	5.0	9.3	4	1.5	0.83	0.3	4.0
2013	42	5.8	0.94	4.1	7.9	14	5.5	1.61	2.8	9.5
2014	29	4.4	0.85	2.9	6.4	13	4.8	1.43	2.4	8.3
2015	34	4.4	0.79	3.0	6.2	12	3.5	1.09	1.7	6.3
2016	34	4.2	0.76	2.9	6.0	16	4.5	1.16	2.5	7.4
2017	38	4.9	0.82	3.4	6.7	16	4.3	1.10	2.4	7.0
2018	39	4.8	0.79	3.3	6.6	15	4.0	1.06	2.2	6.6
2019	35	4.4	0.77	3.0	6.2	13	2.8	0.79	1.5	4.9
2020	42	5.1	0.81	3.7	7.0	5	1.3	0.57	0.4	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	8,147	3.3	0.04	3.2	3.4	6,991	3.4	0.04	3.3	3.5
1986	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
1987	128	2.1	0.19	1.8	2.5	114	2.2	0.21	1.8	2.6
1988	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
1989	114	1.8	0.17	1.5	2.2	103	1.9	0.19	1.6	2.3
1990	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
1991	146	2.4	0.20	2.0	2.8	128	2.5	0.22	2.0	2.9
1992	146	2.3	0.19	2.0	2.7	129	2.4	0.21	2.0	2.9
1993	153	2.4	0.20	2.0	2.8	143	2.6	0.22	2.2	3.1
1994	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
1995	196	3.0	0.22	2.6	3.5	171	3.1	0.24	2.7	3.6
1996	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
1997	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
1998	214	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
1999	237	3.5	0.23	3.1	4.0	208	3.7	0.26	3.2	4.2
2000	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
2001	252	3.7	0.23	3.3	4.2	224	3.9	0.26	3.4	4.5
2002	236	3.4	0.22	3.0	3.9	213	3.6	0.25	3.1	4.2
2003	239	3.4	0.22	3.0	3.9	203	3.5	0.25	3.0	4.0
2004	264	3.8	0.23	3.3	4.3	220	3.8	0.26	3.3	4.3
2005	245	3.5	0.23	3.1	4.0	205	3.5	0.25	3.1	4.1
2006	241	3.4	0.22	3.0	3.9	209	3.6	0.25	3.1	4.1
2007	229	3.3	0.22	2.9	3.7	197	3.4	0.25	2.9	3.9
2008	240	3.3	0.22	2.9	3.7	209	3.4	0.24	3.0	3.9
2009	269	3.7	0.23	3.2	4.1	232	3.8	0.26	3.3	4.4
2010	307	4.2	0.24	3.7	4.7	255	4.2	0.27	3.7	4.8
2011	313	4.2	0.24	3.7	4.7	264	4.3	0.27	3.8	4.9
2012	288	3.8	0.23	3.3	4.2	236	3.8	0.25	3.3	4.3
2013	313	4.0	0.23	3.5	4.5	265	4.2	0.26	3.7	4.7
2014	304	3.9	0.23	3.5	4.4	258	4.1	0.26	3.6	4.6
2015	273	3.5	0.22	3.1	4.0	239	3.8	0.26	3.3	4.3
2016	286	3.8	0.23	3.3	4.3	232	3.8	0.26	3.3	4.4
2017	303	3.9	0.23	3.4	4.3	259	4.1	0.26	3.6	4.6
2018	275	3.4	0.21	3.0	3.9	220	3.4	0.24	3.0	3.9
2019	280	3.4	0.21	3.0	3.9	231	3.6	0.24	3.1	4.1
2020	303	3.8	0.22	3.3	4.2	235	3.6	0.25	3.1	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Acute Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	926	2.9	0.10	2.8	3.1	204	2.4	0.17	2.0	2.7
1986	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6
1987	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8
1988	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1
1989	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7
1990	16	2.1	0.54	1.2	3.4	0				
1991	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5
1992	12	1.6	0.48	0.8	2.8	4	3.2	1.61	0.8	8.4
1993	10	1.3	0.41	0.6	2.3	0				
1994	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3
1995	23	2.9	0.61	1.8	4.3	2	2.0	1.50	0.2	6.8
1996	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0
1997	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7
1998	25	2.9	0.59	1.9	4.3	6	3.9	1.70	1.3	8.6
1999	27	3.1	0.61	2.0	4.5	2	0.7	0.49	0.1	3.1
2000	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.1
2001	25	2.9	0.58	1.9	4.2	3	1.0	0.60	0.2	3.3
2002	20	2.2	0.50	1.3	3.4	3	1.1	0.64	0.2	3.4
2003	30	3.3	0.61	2.2	4.8	5	2.0	0.92	0.6	4.8
2004	37	4.1	0.68	2.9	5.6	7	2.9	1.15	1.1	6.1
2005	29	3.2	0.61	2.2	4.6	9	3.3	1.23	1.4	6.7
2006	26	2.9	0.58	1.9	4.3	5	2.0	0.91	0.6	4.6
2007	24	2.5	0.52	1.6	3.7	8	3.6	1.33	1.5	7.1
2008	21	2.3	0.51	1.4	3.5	9	3.3	1.17	1.5	6.4
2009	30	3.3	0.60	2.2	4.7	5	1.4	0.61	0.4	3.3
2010	41	4.1	0.65	2.9	5.6	10	3.9	1.28	1.8	7.1
2011	37	3.7	0.62	2.6	5.1	12	3.8	1.17	1.9	6.8
2012	38	3.8	0.62	2.6	5.2	11	3.4	1.07	1.7	6.2
2013	39	3.6	0.58	2.5	4.9	6	2.0	0.84	0.7	4.3
2014	35	3.5	0.59	2.4	4.8	11	2.8	0.88	1.3	5.1
2015	30	2.8	0.53	1.9	4.1	3	0.7	0.45	0.1	2.2
2016	39	3.5	0.58	2.5	4.9	15	3.5	0.91	1.9	5.8
2017	38	3.5	0.58	2.5	4.8	6	1.4	0.59	0.5	3.1
2018	40	3.6	0.58	2.6	5.0	15	3.4	0.87	1.9	5.6
2019	40	3.4	0.55	2.4	4.7	8	1.6	0.59	0.7	3.3
2020	50	4.4	0.63	3.2	5.8	13	2.9	0.81	1.5	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Myeloid Leukemia										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	7,583	1.7	0.02	1.7	1.8	6,395	1.7	0.02	1.7	1.8
1986	139	1.3	0.11	1.1	1.6	122	1.3	0.12	1.1	1.6
1987	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
1988	113	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3
1989	131	1.3	0.11	1.1	1.5	105	1.2	0.11	0.9	1.4
1990	157	1.4	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1991	166	1.5	0.12	1.3	1.7	151	1.6	0.13	1.3	1.8
1992	155	1.4	0.11	1.2	1.6	136	1.4	0.12	1.2	1.7
1993	174	1.5	0.12	1.3	1.8	149	1.5	0.12	1.3	1.8
1994	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	220	1.9	0.13	1.7	2.2	183	1.8	0.14	1.6	2.1
1996	205	1.8	0.12	1.5	2.0	177	1.8	0.13	1.5	2.1
1997	188	1.6	0.12	1.4	1.9	162	1.6	0.13	1.4	1.9
1998	203	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
1999	225	1.9	0.13	1.6	2.1	190	1.9	0.13	1.6	2.1
2000	219	1.8	0.12	1.6	2.1	185	1.8	0.13	1.6	2.1
2001	245	2.0	0.13	1.8	2.3	214	2.1	0.14	1.8	2.4
2002	196	1.6	0.11	1.4	1.9	161	1.6	0.12	1.3	1.8
2003	236	1.9	0.12	1.7	2.2	207	2.0	0.14	1.7	2.3
2004	253	2.0	0.13	1.8	2.3	214	2.0	0.14	1.8	2.3
2005	213	1.7	0.12	1.5	1.9	176	1.7	0.13	1.4	1.9
2006	232	1.8	0.12	1.6	2.1	195	1.8	0.13	1.6	2.1
2007	201	1.6	0.11	1.4	1.8	163	1.5	0.12	1.3	1.8
2008	228	1.8	0.12	1.5	2.0	185	1.7	0.13	1.5	2.0
2009	239	1.8	0.12	1.6	2.1	205	1.9	0.13	1.6	2.2
2010	266	2.0	0.12	1.8	2.3	228	2.1	0.14	1.8	2.4
2011	286	2.1	0.13	1.9	2.4	234	2.1	0.14	1.8	2.4
2012	244	1.8	0.12	1.6	2.1	204	1.9	0.13	1.6	2.1
2013	239	1.7	0.11	1.5	2.0	197	1.8	0.13	1.5	2.0
2014	266	1.9	0.12	1.7	2.2	225	2.0	0.13	1.7	2.2
2015	234	1.7	0.11	1.5	1.9	196	1.7	0.12	1.5	2.0
2016	270	1.9	0.12	1.6	2.1	224	1.9	0.13	1.7	2.2
2017	276	1.9	0.12	1.7	2.2	225	1.9	0.13	1.7	2.2
2018	289	2.0	0.12	1.8	2.2	234	2.0	0.13	1.7	2.3
2019	288	2.0	0.12	1.7	2.2	236	2.0	0.13	1.7	2.2
2020	239	1.6	0.11	1.4	1.8	193	1.6	0.12	1.4	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Myeloid Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	915	1.7	0.06	1.6	1.8	187	1.1	0.09	1.0	1.3
1986	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
1987	7	0.6	0.22	0.2	1.2	2	0.7	0.51	0.1	3.6
1988	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
1989	22	2.0	0.43	1.2	3.0	4	1.5	0.76	0.4	4.4
1990	20	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
1991	15	1.2	0.31	0.6	2.0	0				
1992	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
1993	21	1.6	0.37	1.0	2.5	3	0.8	0.45	0.2	2.8
1994	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
1995	34	2.5	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
1996	22	1.6	0.36	1.0	2.5	5	1.0	0.45	0.3	2.7
1997	21	1.5	0.34	0.9	2.3	2	0.5	0.35	0.1	2.1
1998	21	1.4	0.30	0.8	2.1	5	2.5	1.27	0.7	6.0
1999	29	2.1	0.40	1.4	3.0	4	1.5	0.84	0.3	4.0
2000	27	1.8	0.35	1.1	2.6	6	1.5	0.67	0.5	3.5
2001	20	1.4	0.32	0.8	2.1	8	1.8	0.74	0.7	3.9
2002	28	1.9	0.38	1.3	2.8	6	1.4	0.63	0.5	3.2
2003	24	1.7	0.35	1.1	2.5	4	1.2	0.67	0.3	3.2
2004	27	1.8	0.36	1.2	2.7	8	1.8	0.75	0.6	3.8
2005	28	1.9	0.36	1.2	2.7	4	0.8	0.41	0.2	2.1
2006	32	2.0	0.36	1.3	2.8	2	0.3	0.21	0.0	1.3
2007	25	1.5	0.31	1.0	2.3	9	1.7	0.62	0.7	3.4
2008	31	1.9	0.34	1.3	2.7	7	1.3	0.51	0.5	2.7
2009	25	1.5	0.31	1.0	2.2	5	0.7	0.31	0.2	1.7
2010	30	1.7	0.31	1.1	2.4	5	1.0	0.50	0.3	2.4
2011	37	2.1	0.34	1.4	2.8	9	1.7	0.61	0.7	3.3
2012	34	2.0	0.34	1.4	2.8	6	0.7	0.30	0.3	1.7
2013	30	1.6	0.30	1.1	2.3	9	1.5	0.53	0.6	2.8
2014	34	1.9	0.33	1.3	2.6	7	0.8	0.31	0.3	1.7
2015	28	1.5	0.28	1.0	2.1	6	0.8	0.33	0.3	1.7
2016	32	1.6	0.30	1.1	2.3	9	1.2	0.41	0.5	2.3
2017	39	2.0	0.33	1.4	2.8	5	0.6	0.27	0.2	1.4
2018	40	2.0	0.32	1.4	2.7	10	1.0	0.33	0.5	1.9
2019	34	1.8	0.31	1.2	2.5	13	1.6	0.45	0.8	2.7
2020	31	1.7	0.30	1.1	2.4	11	1.2	0.38	0.6	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Myeloid Leukemia										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,337	2.3	0.04	2.2	2.4	3,677	2.3	0.04	2.2	2.4
1986	85	1.8	0.21	1.4	2.3	74	1.8	0.22	1.4	2.3
1987	80	1.8	0.20	1.4	2.2	75	1.9	0.23	1.5	2.4
1988	64	1.5	0.20	1.2	2.0	55	1.5	0.21	1.1	2.0
1989	78	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
1990	83	1.8	0.20	1.4	2.2	69	1.7	0.21	1.3	2.2
1991	90	1.9	0.21	1.5	2.3	85	2.1	0.23	1.6	2.6
1992	90	1.9	0.21	1.5	2.3	78	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	87	2.1	0.23	1.7	2.6
1994	111	2.3	0.22	1.9	2.7	97	2.3	0.24	1.8	2.8
1995	118	2.4	0.22	1.9	2.8	102	2.4	0.24	1.9	2.9
1996	120	2.5	0.24	2.1	3.0	105	2.6	0.26	2.1	3.1
1997	110	2.3	0.22	1.8	2.7	96	2.3	0.24	1.8	2.8
1998	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
1999	133	2.6	0.23	2.2	3.1	116	2.6	0.24	2.2	3.1
2000	123	2.4	0.22	2.0	2.8	103	2.3	0.23	1.9	2.8
2001	141	2.8	0.24	2.3	3.3	122	2.8	0.26	2.3	3.4
2002	112	2.2	0.21	1.8	2.6	92	2.1	0.22	1.7	2.6
2003	135	2.6	0.22	2.2	3.1	115	2.6	0.24	2.1	3.1
2004	146	2.8	0.23	2.3	3.2	131	2.9	0.25	2.4	3.4
2005	137	2.5	0.22	2.1	3.0	115	2.5	0.23	2.0	3.0
2006	140	2.6	0.22	2.2	3.0	118	2.5	0.24	2.1	3.0
2007	111	2.0	0.19	1.6	2.4	87	1.9	0.20	1.5	2.3
2008	128	2.3	0.20	1.9	2.7	104	2.2	0.22	1.8	2.7
2009	117	2.1	0.19	1.7	2.5	99	2.1	0.21	1.7	2.5
2010	156	2.7	0.22	2.3	3.2	135	2.8	0.24	2.3	3.3
2011	173	2.9	0.22	2.5	3.4	140	2.8	0.24	2.4	3.3
2012	139	2.3	0.20	2.0	2.8	117	2.4	0.22	1.9	2.8
2013	126	2.0	0.19	1.7	2.4	104	2.0	0.20	1.6	2.5
2014	152	2.4	0.20	2.0	2.8	135	2.6	0.23	2.2	3.1
2015	127	2.0	0.18	1.7	2.4	106	2.0	0.20	1.7	2.5
2016	153	2.4	0.20	2.0	2.8	122	2.3	0.21	1.9	2.8
2017	165	2.5	0.20	2.1	2.9	136	2.5	0.22	2.1	3.0
2018	176	2.7	0.20	2.3	3.1	145	2.7	0.23	2.3	3.2
2019	172	2.6	0.20	2.2	3.0	142	2.5	0.22	2.1	3.0
2020	128	1.9	0.17	1.6	2.2	107	1.9	0.19	1.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Myeloid Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	501	2.2	0.10	2.0	2.4	108	1.4	0.15	1.1	1.8
1986	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
1987	3	0.5	0.32	0.1	1.6	2	1.4	1.01	0.2	8.0
1988	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
1989	12	2.7	0.82	1.3	4.7	4	3.2	1.69	0.8	9.9
1990	13	2.3	0.74	1.1	4.2	1	4.6	4.56	0.1	18.3
1991	5	0.8	0.37	0.3	2.0	0				
1992	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
1993	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
1994	11	2.0	0.63	0.9	3.6	1	0.5	0.54	0.0	4.8
1995	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
1996	12	2.0	0.59	1.0	3.5	3	1.2	0.69	0.2	5.0
1997	13	2.4	0.73	1.2	4.2	0				
1998	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
1999	13	2.5	0.75	1.2	4.3	2	1.6	1.29	0.1	6.1
2000	16	2.8	0.76	1.5	4.6	4	2.5	1.42	0.5	7.0
2001	10	1.8	0.59	0.8	3.3	6	2.0	0.82	0.7	5.1
2002	16	3.0	0.79	1.7	4.9	4	2.4	1.36	0.5	6.6
2003	17	2.8	0.71	1.6	4.5	2	0.8	0.54	0.1	3.3
2004	10	1.8	0.61	0.8	3.3	4	2.4	1.57	0.3	6.9
2005	16	2.7	0.73	1.5	4.5	3	1.4	0.83	0.2	4.2
2006	21	3.5	0.81	2.1	5.4	1	0.4	0.36	0.0	2.4
2007	15	2.2	0.60	1.2	3.7	7	3.2	1.36	1.1	6.9
2008	17	2.3	0.60	1.3	3.8	3	1.0	0.60	0.2	3.3
2009	13	2.0	0.59	1.0	3.5	4	1.2	0.60	0.3	3.3
2010	20	2.5	0.58	1.5	3.9	1	0.3	0.25	0.0	1.9
2011	21	2.7	0.60	1.6	4.1	6	2.7	1.20	0.9	5.9
2012	21	3.1	0.70	1.9	4.8	1	0.2	0.24	0.0	1.7
2013	14	1.8	0.51	1.0	3.1	5	1.2	0.55	0.4	3.0
2014	13	1.5	0.44	0.8	2.7	4	1.0	0.50	0.3	2.7
2015	17	2.1	0.52	1.2	3.3	2	0.4	0.31	0.1	1.8
2016	18	2.1	0.52	1.2	3.4	8	2.2	0.81	0.9	4.5
2017	21	2.5	0.57	1.5	3.8	2	0.4	0.29	0.1	1.7
2018	24	2.8	0.58	1.7	4.1	4	0.9	0.44	0.2	2.3
2019	18	2.0	0.48	1.2	3.2	8	2.4	0.88	1.0	4.8
2020	15	1.7	0.46	0.9	2.9	5	1.1	0.52	0.4	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Myeloid Leukemia										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	3,246	1.3	0.02	1.3	1.4	2,718	1.3	0.03	1.3	1.4
1986	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1989	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
1990	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1991	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
1992	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1993	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1994	102	1.6	0.16	1.3	1.9	87	1.6	0.17	1.3	1.9
1995	102	1.5	0.15	1.3	1.9	81	1.4	0.16	1.1	1.8
1996	85	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.5
1997	78	1.2	0.13	0.9	1.5	66	1.1	0.14	0.9	1.5
1998	86	1.3	0.14	1.0	1.6	75	1.3	0.15	1.0	1.6
1999	92	1.4	0.14	1.1	1.7	74	1.3	0.15	1.0	1.6
2000	96	1.4	0.15	1.2	1.7	82	1.4	0.16	1.1	1.8
2001	104	1.5	0.15	1.3	1.9	92	1.6	0.17	1.3	2.0
2002	84	1.2	0.13	1.0	1.5	69	1.2	0.14	0.9	1.5
2003	101	1.4	0.14	1.2	1.7	92	1.6	0.17	1.3	1.9
2004	107	1.5	0.15	1.3	1.9	83	1.4	0.16	1.1	1.7
2005	76	1.1	0.13	0.9	1.4	61	1.1	0.14	0.8	1.4
2006	92	1.3	0.13	1.0	1.6	77	1.3	0.15	1.0	1.6
2007	90	1.3	0.14	1.0	1.6	76	1.3	0.15	1.0	1.6
2008	100	1.4	0.14	1.1	1.7	81	1.3	0.15	1.1	1.7
2009	122	1.7	0.15	1.4	2.0	106	1.8	0.17	1.4	2.2
2010	110	1.4	0.14	1.2	1.7	93	1.5	0.16	1.2	1.8
2011	113	1.6	0.15	1.3	1.9	94	1.6	0.17	1.3	2.0
2012	105	1.4	0.14	1.2	1.8	87	1.5	0.16	1.2	1.8
2013	113	1.5	0.15	1.3	1.9	93	1.6	0.17	1.3	1.9
2014	114	1.5	0.14	1.2	1.8	90	1.5	0.16	1.2	1.8
2015	107	1.4	0.14	1.2	1.7	90	1.5	0.16	1.2	1.8
2016	117	1.5	0.14	1.2	1.8	102	1.6	0.16	1.3	2.0
2017	111	1.5	0.14	1.2	1.8	89	1.5	0.16	1.2	1.8
2018	113	1.5	0.14	1.2	1.8	89	1.5	0.16	1.2	1.8
2019	116	1.5	0.14	1.2	1.8	94	1.5	0.16	1.2	1.9
2020	111	1.4	0.14	1.2	1.7	86	1.4	0.15	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Chronic Myeloid Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	414	1.3	0.07	1.2	1.5	79	0.9	0.11	0.7	1.1
1986	6	0.9	0.35	0.3	1.9	0				
1987	4	0.6	0.31	0.2	1.6	0				
1988	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
1989	10	1.5	0.49	0.7	2.8	0				
1990	7	0.9	0.34	0.4	1.9	0				
1991	10	1.4	0.44	0.6	2.5	0				
1992	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
1993	9	1.3	0.45	0.6	2.5	1	0.5	0.47	0.0	3.8
1994	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
1995	20	2.6	0.59	1.6	4.0	1	0.6	0.60	0.0	3.7
1996	10	1.3	0.43	0.6	2.4	2	0.8	0.60	0.1	3.7
1997	8	1.0	0.34	0.4	1.9	2	1.0	0.68	0.1	3.9
1998	9	1.0	0.34	0.5	1.9	1	0.4	0.44	0.0	2.9
1999	16	1.9	0.48	1.1	3.1	2	1.5	1.10	0.2	5.1
2000	11	1.2	0.36	0.6	2.1	2	0.8	0.54	0.1	3.1
2001	10	1.2	0.37	0.5	2.1	2	1.5	1.04	0.2	4.8
2002	12	1.3	0.39	0.7	2.3	2	0.8	0.53	0.1	2.9
2003	7	0.9	0.33	0.3	1.7	2	1.4	0.99	0.2	4.5
2004	17	1.9	0.47	1.1	3.1	4	1.5	0.83	0.4	4.1
2005	12	1.3	0.39	0.7	2.3	1	0.3	0.29	0.0	2.0
2006	11	1.1	0.32	0.5	1.9	1	0.3	0.26	0.0	1.8
2007	10	1.0	0.33	0.5	1.9	2	0.5	0.37	0.1	2.1
2008	14	1.5	0.40	0.8	2.5	4	1.4	0.74	0.4	3.7
2009	12	1.2	0.36	0.6	2.2	1	0.2	0.21	0.0	1.5
2010	10	0.9	0.30	0.4	1.7	4	1.5	0.81	0.4	3.9
2011	16	1.5	0.38	0.9	2.5	3	1.0	0.62	0.2	3.0
2012	13	1.3	0.36	0.7	2.2	5	1.2	0.53	0.4	2.9
2013	16	1.5	0.37	0.8	2.4	4	1.4	0.73	0.4	3.5
2014	21	2.1	0.46	1.3	3.2	3	0.6	0.38	0.1	2.0
2015	11	1.0	0.30	0.5	1.8	4	1.0	0.53	0.3	2.6
2016	14	1.2	0.32	0.6	2.0	1	0.3	0.32	0.0	1.6
2017	18	1.7	0.42	1.0	2.8	3	0.7	0.40	0.1	2.0
2018	16	1.3	0.34	0.8	2.2	6	1.2	0.48	0.4	2.6
2019	16	1.5	0.39	0.9	2.5	5	1.0	0.46	0.3	2.4
2020	16	1.6	0.41	0.9	2.6	6	1.3	0.54	0.5	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Other Leukemia											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,955	0.9	0.01	0.9	0.9	3,427	0.9	0.02	0.9	0.9	
1986	95	0.9	0.09	0.7	1.1	87	0.9	0.10	0.8	1.2	
1987	118	1.1	0.10	0.9	1.3	108	1.2	0.11	1.0	1.4	
1988	97	0.9	0.09	0.7	1.1	81	0.9	0.09	0.7	1.1	
1989	97	0.9	0.09	0.7	1.1	85	0.9	0.10	0.7	1.1	
1990	95	0.9	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1	
1991	71	0.7	0.08	0.5	0.8	63	0.7	0.08	0.5	0.9	
1992	68	0.6	0.07	0.5	0.8	60	0.6	0.08	0.5	0.8	
1993	124	1.1	0.10	0.9	1.3	111	1.1	0.11	0.9	1.3	
1994	161	1.4	0.11	1.2	1.7	144	1.4	0.12	1.2	1.7	
1995	161	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.7	
1996	135	1.2	0.10	1.0	1.4	116	1.1	0.11	0.9	1.4	
1997	127	1.1	0.10	0.9	1.3	107	1.0	0.10	0.9	1.3	
1998	136	1.1	0.10	1.0	1.4	118	1.1	0.10	0.9	1.4	
1999	173	1.4	0.11	1.2	1.7	152	1.4	0.12	1.2	1.7	
2000	159	1.3	0.10	1.1	1.5	138	1.3	0.11	1.1	1.6	
2001	92	0.8	0.08	0.6	0.9	79	0.7	0.08	0.6	0.9	
2002	139	1.1	0.10	1.0	1.3	116	1.1	0.10	0.9	1.3	
2003	116	0.9	0.09	0.8	1.1	100	0.9	0.09	0.8	1.1	
2004	96	0.8	0.08	0.6	0.9	81	0.7	0.08	0.6	0.9	
2005	115	0.9	0.08	0.7	1.1	99	0.9	0.09	0.7	1.1	
2006	107	0.8	0.08	0.7	1.0	90	0.8	0.09	0.7	1.0	
2007	108	0.8	0.08	0.7	1.0	92	0.8	0.09	0.7	1.0	
2008	100	0.8	0.08	0.6	0.9	91	0.8	0.09	0.7	1.0	
2009	95	0.7	0.07	0.6	0.9	81	0.7	0.08	0.6	0.9	
2010	105	0.8	0.07	0.6	0.9	89	0.8	0.08	0.6	0.9	
2011	126	0.9	0.08	0.8	1.1	110	1.0	0.09	0.8	1.2	
2012	105	0.8	0.07	0.6	0.9	85	0.7	0.08	0.6	0.9	
2013	109	0.8	0.08	0.6	0.9	86	0.7	0.08	0.6	0.9	
2014	121	0.9	0.08	0.7	1.0	103	0.9	0.09	0.7	1.1	
2015	96	0.7	0.07	0.6	0.8	81	0.7	0.08	0.5	0.9	
2016	98	0.7	0.07	0.5	0.8	89	0.7	0.08	0.6	0.9	
2017	122	0.8	0.08	0.7	1.0	104	0.8	0.08	0.7	1.0	
2018	98	0.7	0.07	0.5	0.8	83	0.7	0.08	0.6	0.9	
2019	102	0.7	0.07	0.5	0.8	83	0.6	0.07	0.5	0.8	
2020	88	0.6	0.06	0.5	0.7	78	0.6	0.07	0.5	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Other Leukemia										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	445	0.9	0.04	0.8	1.0	59	0.4	0.05	0.3	0.5
1986	8	0.7	0.26	0.3	1.4	0				
1987	8	0.6	0.22	0.3	1.2	2	0.9	0.68	0.1	4.0
1988	12	1.1	0.32	0.5	1.9	3	1.1	0.66	0.2	4.0
1989	11	0.9	0.27	0.4	1.6	1	0.3	0.28	0.0	2.7
1990	6	0.5	0.20	0.2	1.0	1	0.3	0.27	0.0	2.6
1991	8	0.7	0.27	0.3	1.4	0				
1992	8	0.6	0.24	0.3	1.3	0				
1993	11	1.0	0.30	0.5	1.7	2	0.6	0.48	0.1	2.8
1994	17	1.4	0.36	0.8	2.3	0				
1995	10	0.8	0.27	0.4	1.5	2	1.1	0.87	0.1	3.9
1996	14	1.2	0.32	0.6	2.0	5	1.6	0.79	0.4	4.0
1997	20	1.6	0.36	0.9	2.4	0				
1998	16	1.2	0.31	0.7	2.0	1	0.2	0.17	0.0	1.5
1999	20	1.5	0.35	0.9	2.4	1	0.2	0.21	0.0	1.5
2000	18	1.3	0.32	0.8	2.1	2	0.5	0.34	0.1	1.9
2001	11	0.9	0.26	0.4	1.5	2	0.4	0.26	0.0	1.6
2002	21	1.7	0.37	1.0	2.5	0				
2003	16	1.2	0.29	0.7	1.9	0				
2004	12	0.9	0.26	0.4	1.5	2	0.5	0.42	0.1	2.0
2005	12	0.9	0.26	0.5	1.5	4	1.1	0.60	0.2	2.8
2006	15	1.1	0.29	0.6	1.8	2	0.6	0.42	0.1	1.9
2007	13	0.9	0.25	0.5	1.5	3	0.9	0.52	0.2	2.4
2008	8	0.5	0.19	0.2	1.0	1	0.1	0.12	0.0	0.9
2009	12	0.7	0.22	0.4	1.3	2	0.3	0.20	0.0	1.1
2010	11	0.7	0.21	0.3	1.2	2	0.4	0.25	0.0	1.3
2011	13	0.9	0.25	0.5	1.5	2	0.4	0.28	0.0	1.3
2012	16	0.9	0.22	0.5	1.4	4	0.7	0.38	0.2	1.8
2013	15	0.9	0.23	0.5	1.5	3	0.5	0.28	0.1	1.4
2014	15	0.8	0.22	0.5	1.4	2	0.3	0.18	0.0	1.0
2015	13	0.7	0.20	0.4	1.3	1	0.1	0.11	0.0	0.7
2016	8	0.4	0.15	0.2	0.8	1	0.1	0.12	0.0	0.7
2017	14	0.7	0.20	0.4	1.3	3	0.4	0.25	0.1	1.2
2018	12	0.6	0.18	0.3	1.1	2	0.2	0.16	0.0	0.8
2019	14	0.7	0.19	0.4	1.2	2	0.3	0.18	0.0	0.9
2020	7	0.3	0.13	0.1	0.7	1	0.1	0.13	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Other Leukemia											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,100	1.2	0.03	1.1	1.2	1,817	1.2	0.03	1.1	1.3	
1986	45	1.1	0.16	0.8	1.4	41	1.1	0.17	0.8	1.5	
1987	63	1.4	0.19	1.1	1.8	58	1.5	0.20	1.1	2.0	
1988	51	1.1	0.17	0.8	1.5	42	1.1	0.17	0.8	1.5	
1989	54	1.2	0.17	0.9	1.6	48	1.2	0.18	0.9	1.6	
1990	55	1.2	0.17	0.9	1.6	52	1.3	0.19	1.0	1.7	
1991	35	0.8	0.14	0.6	1.1	32	0.8	0.15	0.6	1.2	
1992	42	0.9	0.15	0.7	1.3	37	0.9	0.16	0.7	1.3	
1993	63	1.4	0.18	1.0	1.8	54	1.4	0.19	1.0	1.8	
1994	84	1.9	0.21	1.5	2.3	76	1.9	0.23	1.5	2.4	
1995	82	1.8	0.21	1.4	2.3	76	1.9	0.22	1.5	2.4	
1996	78	1.8	0.21	1.4	2.3	64	1.7	0.21	1.3	2.2	
1997	69	1.6	0.20	1.3	2.1	60	1.6	0.22	1.2	2.1	
1998	71	1.6	0.19	1.2	2.0	65	1.7	0.21	1.3	2.1	
1999	84	1.9	0.21	1.5	2.3	73	1.9	0.22	1.5	2.3	
2000	72	1.5	0.18	1.2	1.9	63	1.5	0.19	1.2	1.9	
2001	49	1.0	0.15	0.8	1.4	41	1.0	0.16	0.7	1.4	
2002	77	1.5	0.18	1.2	1.9	67	1.6	0.19	1.2	2.0	
2003	55	1.1	0.16	0.9	1.5	46	1.1	0.16	0.8	1.5	
2004	55	1.2	0.16	0.9	1.5	47	1.1	0.17	0.8	1.5	
2005	65	1.4	0.17	1.0	1.7	53	1.3	0.18	1.0	1.7	
2006	57	1.1	0.15	0.9	1.5	46	1.1	0.16	0.8	1.4	
2007	52	1.0	0.15	0.8	1.4	45	1.0	0.15	0.8	1.4	
2008	56	1.1	0.15	0.8	1.4	52	1.2	0.16	0.9	1.5	
2009	46	0.9	0.13	0.6	1.1	38	0.8	0.14	0.6	1.1	
2010	53	1.0	0.13	0.7	1.2	46	1.0	0.15	0.7	1.3	
2011	69	1.3	0.16	1.0	1.6	57	1.2	0.16	0.9	1.6	
2012	58	1.0	0.13	0.8	1.3	46	1.0	0.14	0.7	1.3	
2013	62	1.1	0.14	0.8	1.4	49	1.0	0.15	0.7	1.3	
2014	63	1.1	0.14	0.8	1.4	53	1.1	0.15	0.8	1.4	
2015	54	0.9	0.13	0.7	1.2	46	0.9	0.14	0.7	1.2	
2016	55	0.8	0.12	0.6	1.1	52	1.0	0.13	0.7	1.3	
2017	66	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4	
2018	50	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1	
2019	60	0.9	0.11	0.7	1.1	49	0.9	0.12	0.6	1.1	
2020	50	0.7	0.11	0.6	1.0	44	0.8	0.12	0.6	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Other Leukemia										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	230	1.1	0.08	1.0	1.3	40	0.6	0.09	0.4	0.8
1986	4	1.0	0.55	0.2	2.6	0				
1987	3	0.6	0.39	0.1	1.9	2	2.0	1.56	0.2	9.4
1988	7	1.6	0.67	0.5	3.4	1	1.2	1.18	0.0	7.8
1989	6	1.1	0.46	0.4	2.4	0				
1990	3	0.6	0.33	0.1	1.7	0				
1991	3	1.0	0.58	0.2	2.6	0				
1992	5	0.9	0.51	0.2	2.4	0				
1993	7	1.5	0.61	0.6	3.1	2	1.4	1.10	0.1	6.5
1994	8	1.8	0.72	0.7	3.6	0				
1995	5	0.9	0.41	0.3	2.1	1	0.7	0.74	0.0	5.0
1996	12	2.7	0.85	1.3	4.8	2	1.2	0.85	0.1	5.3
1997	9	1.6	0.60	0.7	3.2	0				
1998	5	0.7	0.33	0.2	1.7	1	0.3	0.33	0.0	3.6
1999	11	2.3	0.73	1.1	4.1	0				
2000	7	1.2	0.49	0.5	2.6	2	1.0	0.69	0.1	4.2
2001	6	1.2	0.55	0.4	2.7	2	0.8	0.53	0.1	3.6
2002	9	1.4	0.51	0.6	2.8	0				
2003	9	1.4	0.49	0.6	2.7	0				
2004	5	1.0	0.49	0.3	2.4	2	1.2	0.98	0.1	4.6
2005	8	1.5	0.56	0.6	2.9	4	2.7	1.59	0.5	7.2
2006	11	1.8	0.55	0.9	3.2	0				
2007	6	1.3	0.53	0.5	2.7	1	0.9	0.91	0.0	4.0
2008	4	0.6	0.34	0.2	1.6	0				
2009	7	1.1	0.46	0.4	2.3	1	0.3	0.26	0.0	2.0
2010	5	0.5	0.24	0.2	1.3	1	0.4	0.44	0.0	2.3
2011	9	1.6	0.56	0.7	3.1	2	0.8	0.62	0.1	3.0
2012	9	1.1	0.41	0.5	2.2	3	0.9	0.53	0.2	2.8
2013	6	0.8	0.31	0.3	1.7	3	1.0	0.60	0.2	2.9
2014	9	1.2	0.43	0.5	2.4	0				
2015	7	1.1	0.42	0.4	2.2	1	0.2	0.23	0.0	1.5
2016	2	0.2	0.14	0.0	0.8	1	0.3	0.25	0.0	1.5
2017	4	0.5	0.28	0.1	1.4	3	0.9	0.54	0.2	2.6
2018	6	0.7	0.31	0.3	1.6	2	0.5	0.33	0.1	1.8
2019	9	1.0	0.36	0.5	2.0	2	0.5	0.37	0.1	1.9
2020	4	0.5	0.22	0.1	1.2	1	0.3	0.29	0.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Other Leukemia											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,855	0.7	0.02	0.7	0.8	1,610	0.7	0.02	0.7	0.8	
1986	50	0.8	0.12	0.6	1.1	46	0.9	0.13	0.6	1.2	
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2	
1988	46	0.7	0.11	0.5	1.0	39	0.7	0.11	0.5	0.9	
1989	43	0.7	0.11	0.5	1.0	37	0.7	0.12	0.5	1.0	
1990	40	0.6	0.10	0.4	0.8	36	0.6	0.11	0.4	0.9	
1991	36	0.6	0.09	0.4	0.8	31	0.6	0.10	0.4	0.8	
1992	26	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7	
1993	61	0.9	0.11	0.7	1.1	57	0.9	0.12	0.7	1.2	
1994	77	1.1	0.13	0.9	1.4	68	1.1	0.13	0.8	1.4	
1995	79	1.1	0.13	0.9	1.4	73	1.2	0.14	0.9	1.5	
1996	57	0.8	0.10	0.6	1.0	52	0.8	0.11	0.6	1.1	
1997	58	0.8	0.11	0.6	1.1	47	0.8	0.11	0.6	1.0	
1998	65	0.9	0.11	0.7	1.2	53	0.9	0.12	0.6	1.1	
1999	89	1.2	0.13	1.0	1.5	79	1.2	0.14	1.0	1.5	
2000	87	1.2	0.13	1.0	1.5	75	1.2	0.14	0.9	1.5	
2001	43	0.6	0.09	0.4	0.8	38	0.6	0.10	0.4	0.8	
2002	62	0.8	0.11	0.6	1.1	49	0.8	0.11	0.6	1.0	
2003	61	0.8	0.10	0.6	1.0	54	0.8	0.11	0.6	1.1	
2004	41	0.5	0.08	0.4	0.7	34	0.5	0.09	0.3	0.7	
2005	50	0.6	0.09	0.5	0.9	46	0.7	0.10	0.5	0.9	
2006	50	0.6	0.09	0.5	0.8	44	0.6	0.10	0.5	0.9	
2007	56	0.7	0.10	0.6	1.0	47	0.7	0.11	0.5	1.0	
2008	44	0.6	0.09	0.4	0.8	39	0.6	0.10	0.4	0.8	
2009	49	0.6	0.09	0.5	0.8	43	0.6	0.10	0.5	0.9	
2010	52	0.6	0.09	0.5	0.8	43	0.6	0.09	0.4	0.8	
2011	57	0.7	0.09	0.5	0.9	53	0.8	0.11	0.6	1.0	
2012	47	0.6	0.08	0.4	0.8	39	0.6	0.09	0.4	0.8	
2013	47	0.6	0.08	0.4	0.8	37	0.5	0.09	0.4	0.7	
2014	58	0.7	0.09	0.5	0.9	50	0.7	0.10	0.5	0.9	
2015	42	0.5	0.08	0.4	0.7	35	0.5	0.09	0.4	0.8	
2016	43	0.5	0.08	0.4	0.7	37	0.6	0.09	0.4	0.8	
2017	56	0.7	0.10	0.5	0.9	46	0.7	0.10	0.5	0.9	
2018	48	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9	
2019	42	0.5	0.08	0.4	0.7	34	0.5	0.09	0.3	0.7	
2020	38	0.4	0.07	0.3	0.6	34	0.5	0.09	0.3	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Other Leukemia										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	215	0.7	0.05	0.6	0.8	19	0.2	0.05	0.1	0.4
1986	4	0.5	0.28	0.1	1.4	0				
1987	5	0.6	0.29	0.2	1.5	0				
1988	5	0.8	0.36	0.3	1.8	2	1.1	0.80	0.1	5.8
1989	5	0.7	0.33	0.2	1.7	1	0.5	0.54	0.0	4.9
1990	3	0.4	0.23	0.1	1.1	1	0.6	0.56	0.0	4.8
1991	5	0.6	0.30	0.2	1.5	0				
1992	3	0.4	0.26	0.1	1.2	0				
1993	4	0.6	0.31	0.2	1.5	0				
1994	9	1.3	0.43	0.6	2.4	0				
1995	5	0.7	0.33	0.2	1.7	1	1.3	1.32	0.0	5.9
1996	2	0.3	0.21	0.0	1.0	3	1.8	1.17	0.3	5.7
1997	11	1.5	0.46	0.8	2.7	0				
1998	11	1.4	0.43	0.7	2.5	0				
1999	9	1.1	0.37	0.5	2.1	1	0.4	0.40	0.0	2.7
2000	11	1.4	0.41	0.7	2.4	0				
2001	5	0.6	0.29	0.2	1.5	0				
2002	12	1.6	0.46	0.8	2.7	0				
2003	7	0.9	0.33	0.3	1.8	0				
2004	7	0.8	0.31	0.3	1.7	0				
2005	4	0.5	0.25	0.1	1.3	0				
2006	4	0.5	0.25	0.1	1.3	2	1.0	0.71	0.1	3.3
2007	7	0.7	0.27	0.3	1.5	2	0.9	0.68	0.1	3.2
2008	4	0.5	0.23	0.1	1.2	1	0.3	0.26	0.0	1.7
2009	5	0.5	0.24	0.2	1.3	1	0.3	0.32	0.0	1.8
2010	6	0.7	0.27	0.2	1.4	1	0.3	0.28	0.0	1.7
2011	4	0.4	0.22	0.1	1.1	0				
2012	7	0.7	0.26	0.3	1.4	1	0.4	0.43	0.0	2.0
2013	9	0.9	0.30	0.4	1.7	0				
2014	6	0.6	0.23	0.2	1.2	2	0.5	0.37	0.1	1.9
2015	6	0.6	0.23	0.2	1.2	0				
2016	6	0.5	0.22	0.2	1.2	0				
2017	10	1.0	0.32	0.5	1.8	0				
2018	6	0.6	0.24	0.2	1.3	0				
2019	5	0.4	0.20	0.1	1.1	0				
2020	3	0.3	0.15	0.1	0.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Mesothelioma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	4,882	1.1	0.02	1.1	1.1	4,603	1.2	0.02	1.2	1.3	
1986	98	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2	
1987	127	1.2	0.11	1.0	1.4	122	1.3	0.12	1.1	1.5	
1988	134	1.2	0.11	1.0	1.4	126	1.3	0.12	1.1	1.5	
1989	102	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2	
1990	102	0.9	0.09	0.8	1.1	94	1.0	0.10	0.8	1.2	
1991	120	1.1	0.10	0.9	1.3	116	1.2	0.11	1.0	1.4	
1992	127	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4	
1993	119	1.0	0.10	0.9	1.3	112	1.1	0.11	0.9	1.3	
1994	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6	
1995	163	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.8	
1996	142	1.2	0.10	1.0	1.4	128	1.3	0.11	1.1	1.5	
1997	138	1.2	0.10	1.0	1.4	129	1.3	0.11	1.1	1.5	
1998	156	1.3	0.11	1.1	1.6	149	1.5	0.12	1.2	1.7	
1999	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6	
2000	143	1.2	0.10	1.0	1.4	137	1.3	0.11	1.1	1.6	
2001	182	1.5	0.11	1.3	1.8	172	1.7	0.13	1.4	1.9	
2002	155	1.3	0.10	1.1	1.5	151	1.5	0.12	1.2	1.7	
2003	166	1.4	0.11	1.2	1.6	156	1.5	0.12	1.3	1.8	
2004	145	1.2	0.10	1.0	1.4	138	1.3	0.11	1.1	1.6	
2005	155	1.3	0.10	1.1	1.5	146	1.4	0.11	1.2	1.6	
2006	162	1.3	0.10	1.1	1.5	152	1.4	0.12	1.2	1.7	
2007	144	1.1	0.09	0.9	1.3	134	1.2	0.11	1.0	1.4	
2008	164	1.3	0.10	1.1	1.5	160	1.5	0.12	1.3	1.7	
2009	142	1.1	0.09	0.9	1.3	136	1.2	0.11	1.0	1.5	
2010	147	1.1	0.09	1.0	1.3	139	1.3	0.11	1.1	1.5	
2011	146	1.1	0.09	0.9	1.3	135	1.2	0.11	1.0	1.4	
2012	161	1.2	0.09	1.0	1.4	148	1.3	0.11	1.1	1.5	
2013	144	1.0	0.09	0.8	1.2	133	1.1	0.10	0.9	1.3	
2014	157	1.1	0.09	0.9	1.3	150	1.3	0.10	1.1	1.5	
2015	136	0.9	0.08	0.8	1.1	131	1.1	0.10	0.9	1.3	
2016	126	0.8	0.08	0.7	1.0	121	1.0	0.09	0.8	1.2	
2017	128	0.9	0.08	0.7	1.0	115	0.9	0.09	0.8	1.1	
2018	116	0.8	0.07	0.7	1.0	113	0.9	0.09	0.8	1.1	
2019	138	0.9	0.08	0.7	1.0	125	1.0	0.09	0.8	1.2	
2020	117	0.8	0.07	0.6	0.9	108	0.8	0.08	0.7	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Mesothelioma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	222	0.4	0.03	0.4	0.5	50	0.3	0.05	0.3	0.5
1986	3	0.3	0.15	0.1	0.8	0				
1987	4	0.4	0.18	0.1	0.9	1	0.6	0.62	0.0	3.7
1988	8	0.7	0.26	0.3	1.4	0				
1989	5	0.4	0.19	0.1	1.0	0				
1990	6	0.5	0.20	0.2	1.1	1	0.5	0.51	0.0	3.2
1991	3	0.3	0.15	0.1	0.7	1	0.3	0.33	0.0	2.6
1992	5	0.5	0.21	0.2	1.1	2	0.7	0.48	0.1	2.9
1993	5	0.5	0.21	0.2	1.1	2	0.9	0.65	0.1	3.3
1994	7	0.6	0.21	0.2	1.1	0				
1995	14	1.1	0.31	0.6	1.9	0				
1996	13	0.9	0.25	0.5	1.5	1	0.2	0.24	0.0	1.8
1997	8	0.6	0.20	0.2	1.1	1	0.7	0.68	0.0	3.0
1998	7	0.5	0.21	0.2	1.1	0				
1999	6	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	2.1
2000	6	0.5	0.19	0.2	1.0	0				
2001	9	0.6	0.22	0.3	1.2	1	0.3	0.29	0.0	1.6
2002	4	0.3	0.17	0.1	0.8	0				
2003	4	0.3	0.13	0.1	0.6	5	1.5	0.68	0.5	3.4
2004	7	0.5	0.18	0.2	1.0	0				
2005	8	0.6	0.21	0.3	1.1	1	0.2	0.15	0.0	1.1
2006	6	0.4	0.17	0.2	0.9	4	0.9	0.48	0.2	2.3
2007	9	0.5	0.18	0.2	1.0	0				
2008	2	0.2	0.11	0.0	0.5	2	0.3	0.20	0.0	1.2
2009	5	0.3	0.14	0.1	0.7	1	0.3	0.31	0.0	1.4
2010	7	0.5	0.18	0.2	1.0	1	0.3	0.30	0.0	1.4
2011	8	0.5	0.18	0.2	1.0	3	0.5	0.33	0.1	1.6
2012	12	0.7	0.22	0.4	1.3	1	0.1	0.12	0.0	0.8
2013	7	0.4	0.16	0.2	0.8	4	0.7	0.37	0.2	1.8
2014	5	0.3	0.13	0.1	0.7	2	0.2	0.17	0.0	0.9
2015	5	0.3	0.12	0.1	0.6	0				
2016	1	0.0	0.04	0.0	0.3	3	0.4	0.20	0.1	1.1
2017	7	0.4	0.15	0.2	0.8	4	0.6	0.31	0.2	1.5
2018	2	0.1	0.07	0.0	0.4	1	0.1	0.12	0.0	0.7
2019	8	0.4	0.14	0.2	0.8	4	0.4	0.23	0.1	1.2
2020	6	0.3	0.13	0.1	0.7	3	0.3	0.20	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Mesothelioma											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,651	2.0	0.03	1.9	2.1	3,454	2.2	0.04	2.1	2.3	
1986	74	1.6	0.19	1.3	2.0	73	1.8	0.22	1.4	2.3	
1987	97	2.2	0.23	1.7	2.6	92	2.3	0.25	1.8	2.8	
1988	96	2.1	0.21	1.7	2.5	90	2.2	0.23	1.7	2.7	
1989	82	1.8	0.21	1.5	2.3	77	2.0	0.23	1.5	2.4	
1990	77	1.7	0.19	1.3	2.1	71	1.7	0.21	1.3	2.2	
1991	97	2.1	0.22	1.7	2.5	93	2.2	0.24	1.8	2.8	
1992	91	2.0	0.21	1.6	2.5	86	2.1	0.23	1.7	2.6	
1993	86	1.9	0.21	1.5	2.3	80	2.0	0.22	1.6	2.5	
1994	101	2.1	0.21	1.7	2.6	98	2.3	0.24	1.9	2.8	
1995	123	2.7	0.25	2.2	3.2	114	2.8	0.27	2.3	3.4	
1996	109	2.2	0.22	1.8	2.7	97	2.3	0.23	1.8	2.8	
1997	111	2.3	0.22	1.9	2.8	105	2.5	0.25	2.0	3.0	
1998	109	2.3	0.22	1.9	2.7	105	2.5	0.24	2.0	3.0	
1999	104	2.1	0.21	1.7	2.6	99	2.3	0.23	1.9	2.8	
2000	110	2.3	0.22	1.8	2.7	106	2.5	0.24	2.0	3.0	
2001	145	3.0	0.25	2.5	3.5	136	3.2	0.28	2.7	3.8	
2002	124	2.5	0.23	2.1	3.0	122	2.9	0.26	2.4	3.4	
2003	133	2.6	0.23	2.2	3.1	127	2.9	0.26	2.4	3.5	
2004	107	2.1	0.21	1.7	2.6	104	2.4	0.24	1.9	2.9	
2005	118	2.4	0.22	1.9	2.8	111	2.5	0.24	2.1	3.1	
2006	120	2.4	0.22	2.0	2.8	113	2.6	0.24	2.1	3.1	
2007	107	2.0	0.20	1.7	2.5	101	2.2	0.22	1.8	2.7	
2008	118	2.3	0.21	1.9	2.7	115	2.5	0.24	2.1	3.1	
2009	114	2.1	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9	
2010	115	2.2	0.20	1.8	2.6	109	2.4	0.23	1.9	2.9	
2011	101	1.8	0.18	1.5	2.2	93	2.0	0.21	1.6	2.4	
2012	123	2.1	0.19	1.7	2.5	114	2.3	0.22	1.9	2.8	
2013	103	1.7	0.17	1.4	2.1	95	1.9	0.19	1.5	2.3	
2014	115	2.0	0.19	1.6	2.4	111	2.3	0.22	1.8	2.7	
2015	100	1.6	0.17	1.3	2.0	97	1.9	0.19	1.5	2.3	
2016	92	1.5	0.16	1.2	1.8	89	1.7	0.18	1.3	2.1	
2017	80	1.3	0.15	1.0	1.6	71	1.4	0.16	1.1	1.7	
2018	82	1.3	0.15	1.1	1.6	79	1.5	0.17	1.2	1.9	
2019	103	1.5	0.15	1.2	1.9	92	1.6	0.17	1.3	2.0	
2020	84	1.3	0.14	1.0	1.6	80	1.4	0.16	1.1	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Mesothelioma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	160	0.8	0.06	0.7	0.9	33	0.5	0.10	0.4	0.8
1986	1	0.2	0.17	0.0	1.1	0				
1987	4	0.8	0.43	0.2	2.1	1	1.5	1.46	0.0	8.8
1988	6	1.3	0.57	0.5	2.9	0				
1989	5	1.0	0.48	0.3	2.4	0				
1990	6	1.2	0.47	0.4	2.5	0				
1991	3	0.6	0.38	0.1	1.8	1	0.7	0.67	0.0	5.9
1992	5	1.2	0.56	0.4	2.8	0				
1993	4	1.1	0.61	0.3	2.8	2	2.0	1.46	0.2	7.7
1994	3	0.5	0.32	0.1	1.6	0				
1995	9	2.0	0.73	0.9	3.9	0				
1996	11	1.8	0.55	0.9	3.3	1	0.5	0.50	0.0	4.3
1997	5	0.8	0.36	0.3	1.9	1	1.8	1.76	0.0	7.7
1998	4	0.9	0.49	0.2	2.3	0				
1999	4	0.7	0.36	0.2	1.8	1	1.0	0.97	0.0	5.0
2000	4	0.9	0.46	0.2	2.2	0				
2001	8	1.4	0.55	0.6	2.9	1	0.6	0.62	0.0	3.7
2002	2	0.4	0.29	0.0	1.4	0				
2003	2	0.3	0.20	0.0	1.0	3	2.3	1.36	0.4	6.4
2004	3	0.5	0.32	0.1	1.5	0				
2005	6	1.3	0.56	0.5	2.8	1	0.3	0.32	0.0	2.4
2006	4	0.6	0.32	0.2	1.6	3	1.4	0.95	0.2	4.5
2007	6	0.8	0.35	0.3	1.8	0				
2008	2	0.4	0.27	0.1	1.3	1	0.3	0.29	0.0	2.1
2009	4	0.6	0.30	0.1	1.5	1	0.7	0.74	0.0	3.3
2010	6	1.1	0.48	0.4	2.4	0				
2011	7	1.2	0.48	0.5	2.5	1	0.6	0.59	0.0	2.8
2012	8	1.2	0.44	0.5	2.4	1	0.3	0.25	0.0	1.7
2013	5	0.7	0.31	0.2	1.6	3	1.2	0.80	0.2	3.6
2014	3	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.6
2015	3	0.4	0.25	0.1	1.2	0				
2016	1	0.1	0.10	0.0	0.6	1	0.2	0.22	0.0	1.4
2017	5	0.7	0.31	0.2	1.6	3	1.2	0.67	0.2	3.1
2018	2	0.2	0.17	0.0	0.9	1	0.3	0.25	0.0	1.4
2019	7	0.9	0.34	0.3	1.8	3	0.8	0.45	0.1	2.2
2020	2	0.3	0.22	0.0	1.0	2	0.4	0.30	0.1	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Mesothelioma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,231	0.5	0.01	0.5	0.5	1,149	0.5	0.02	0.5	0.6	
1986	24	0.4	0.08	0.3	0.6	22	0.4	0.09	0.3	0.6	
1987	30	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8	
1988	38	0.6	0.10	0.4	0.8	36	0.7	0.11	0.5	0.9	
1989	20	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6	
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6	
1991	23	0.4	0.08	0.2	0.5	23	0.4	0.09	0.3	0.6	
1992	36	0.5	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8	
1993	33	0.5	0.09	0.3	0.7	32	0.6	0.10	0.4	0.8	
1994	39	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8	
1995	40	0.6	0.10	0.4	0.8	35	0.6	0.10	0.4	0.9	
1996	33	0.5	0.09	0.3	0.7	31	0.5	0.10	0.4	0.8	
1997	27	0.4	0.07	0.3	0.6	24	0.4	0.08	0.3	0.6	
1998	47	0.7	0.10	0.5	0.9	44	0.8	0.12	0.6	1.0	
1999	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8	
2000	33	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7	
2001	37	0.5	0.09	0.4	0.7	36	0.6	0.10	0.4	0.8	
2002	31	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7	
2003	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7	
2004	38	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8	
2005	37	0.5	0.09	0.4	0.7	35	0.6	0.10	0.4	0.8	
2006	42	0.6	0.10	0.4	0.8	39	0.7	0.11	0.5	0.9	
2007	37	0.5	0.08	0.4	0.7	33	0.5	0.09	0.4	0.7	
2008	46	0.6	0.10	0.5	0.9	45	0.8	0.12	0.6	1.0	
2009	28	0.4	0.07	0.3	0.6	27	0.4	0.09	0.3	0.6	
2010	32	0.4	0.07	0.3	0.6	30	0.5	0.09	0.3	0.7	
2011	45	0.6	0.09	0.4	0.8	42	0.6	0.10	0.5	0.9	
2012	38	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.7	
2013	41	0.5	0.08	0.4	0.7	38	0.6	0.09	0.4	0.8	
2014	42	0.5	0.08	0.4	0.7	39	0.6	0.09	0.4	0.8	
2015	36	0.5	0.08	0.3	0.7	34	0.6	0.10	0.4	0.8	
2016	34	0.4	0.07	0.3	0.6	32	0.5	0.09	0.3	0.7	
2017	48	0.6	0.09	0.4	0.8	44	0.7	0.10	0.5	0.9	
2018	34	0.4	0.07	0.3	0.6	34	0.5	0.09	0.4	0.7	
2019	35	0.4	0.07	0.3	0.6	33	0.5	0.08	0.3	0.7	
2020	33	0.4	0.07	0.3	0.6	28	0.4	0.08	0.3	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Mesothelioma										
Females										
Blacks							Asian or Other Races			
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	62	0.2	0.03	0.2	0.3	17	0.2	0.05	0.1	0.3
1986	2	0.3	0.24	0.0	1.1	0				
1987	0					0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	0					0				
1990	0					1	0.9	0.88	0.0	5.5
1991	0					0				
1992	0					2	1.3	0.96	0.2	5.5
1993	1	0.1	0.14	0.0	0.7	0				
1994	4	0.5	0.26	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	0				
1996	2	0.2	0.17	0.0	0.8	0				
1997	3	0.4	0.21	0.1	1.1	0				
1998	3	0.4	0.21	0.1	1.1	0				
1999	2	0.2	0.15	0.0	0.8	0				
2000	2	0.2	0.14	0.0	0.8	0				
2001	1	0.1	0.14	0.0	0.7	0				
2002	2	0.3	0.19	0.0	0.9	0				
2003	2	0.2	0.16	0.0	0.8	2	0.9	0.66	0.1	3.3
2004	4	0.4	0.22	0.1	1.1	0				
2005	2	0.2	0.15	0.0	0.8	0				
2006	2	0.3	0.18	0.0	0.9	1	0.5	0.50	0.0	2.5
2007	3	0.3	0.20	0.1	1.0	0				
2008	0					1	0.3	0.28	0.0	1.8
2009	1	0.1	0.12	0.0	0.6	0				
2010	1	0.1	0.10	0.0	0.6	1	0.5	0.50	0.0	2.3
2011	1	0.1	0.08	0.0	0.5	2	0.5	0.36	0.1	2.0
2012	4	0.4	0.21	0.1	1.0	0				
2013	2	0.2	0.15	0.0	0.7	1	0.4	0.41	0.0	1.9
2014	2	0.2	0.16	0.0	0.8	1	0.2	0.24	0.0	1.4
2015	2	0.2	0.12	0.0	0.6	0				
2016	0					2	0.5	0.34	0.1	1.8
2017	2	0.2	0.13	0.0	0.7	1	0.2	0.18	0.0	1.2
2018	0					0				
2019	1	0.1	0.06	0.0	0.5	1	0.2	0.20	0.0	1.2
2020	4	0.4	0.18	0.1	0.9	1	0.3	0.25	0.0	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kaposi Sarcoma											
Both Sexes											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,750	0.7	0.01	0.6	0.7	1,858	0.5	0.01	0.5	0.6	
1986	90	0.9	0.09	0.7	1.1	74	0.8	0.10	0.7	1.1	
1987	95	0.8	0.09	0.7	1.0	79	0.8	0.10	0.7	1.0	
1988	117	1.1	0.10	0.9	1.3	98	1.1	0.11	0.9	1.3	
1989	145	1.3	0.11	1.1	1.5	123	1.3	0.12	1.1	1.6	
1990	176	1.5	0.11	1.3	1.7	123	1.3	0.12	1.1	1.5	
1991	189	1.6	0.12	1.4	1.8	146	1.5	0.12	1.2	1.7	
1992	187	1.5	0.11	1.3	1.8	140	1.4	0.12	1.2	1.7	
1993	191	1.5	0.11	1.3	1.8	139	1.4	0.12	1.1	1.6	
1994	184	1.5	0.11	1.3	1.8	128	1.3	0.11	1.1	1.5	
1995	153	1.2	0.10	1.1	1.5	99	1.0	0.10	0.8	1.2	
1996	149	1.2	0.10	1.0	1.4	92	0.9	0.10	0.7	1.1	
1997	75	0.6	0.07	0.5	0.8	45	0.4	0.07	0.3	0.6	
1998	55	0.4	0.06	0.3	0.6	30	0.3	0.05	0.2	0.4	
1999	58	0.5	0.06	0.4	0.6	32	0.3	0.06	0.2	0.4	
2000	40	0.3	0.05	0.2	0.4	21	0.2	0.05	0.1	0.3	
2001	51	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4	
2002	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4	
2003	50	0.4	0.06	0.3	0.5	30	0.3	0.05	0.2	0.4	
2004	54	0.4	0.06	0.3	0.6	31	0.3	0.05	0.2	0.4	
2005	42	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4	
2006	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4	
2007	46	0.4	0.06	0.3	0.5	26	0.3	0.05	0.2	0.4	
2008	42	0.4	0.05	0.3	0.5	23	0.2	0.05	0.1	0.3	
2009	48	0.4	0.06	0.3	0.5	32	0.3	0.05	0.2	0.4	
2010	46	0.4	0.06	0.3	0.5	28	0.3	0.05	0.2	0.4	
2011	43	0.3	0.05	0.3	0.5	23	0.2	0.05	0.2	0.4	
2012	27	0.2	0.04	0.1	0.3	18	0.2	0.04	0.1	0.3	
2013	32	0.2	0.04	0.2	0.3	16	0.2	0.04	0.1	0.2	
2014	45	0.4	0.05	0.3	0.5	26	0.3	0.05	0.2	0.4	
2015	41	0.3	0.05	0.2	0.4	28	0.3	0.05	0.2	0.4	
2016	48	0.4	0.05	0.3	0.5	36	0.3	0.06	0.2	0.5	
2017	30	0.2	0.04	0.2	0.3	15	0.1	0.04	0.1	0.2	
2018	38	0.3	0.05	0.2	0.4	19	0.2	0.04	0.1	0.3	
2019	37	0.3	0.05	0.2	0.4	19	0.2	0.04	0.1	0.3	
2020	34	0.3	0.05	0.2	0.4	14	0.1	0.04	0.1	0.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kaposi Sarcoma										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	812	1.3	0.05	1.2	1.4	35	0.2	0.03	0.1	0.3
1986	15	1.2	0.33	0.6	2.0	0				
1987	15	1.0	0.29	0.5	1.8	1	0.3	0.31	0.0	3.1
1988	18	1.1	0.27	0.6	1.7	0				
1989	21	1.2	0.26	0.7	1.8	0				
1990	49	2.8	0.41	2.0	3.7	1	0.4	0.35	0.0	2.8
1991	41	2.4	0.39	1.7	3.3	0				
1992	46	2.5	0.38	1.8	3.4	1	0.3	0.30	0.0	2.4
1993	48	2.8	0.41	2.0	3.7	4	0.9	0.46	0.2	3.0
1994	53	3.0	0.42	2.2	4.0	1	0.3	0.30	0.0	2.1
1995	52	3.0	0.42	2.2	3.9	2	0.7	0.47	0.1	2.6
1996	53	2.8	0.39	2.1	3.7	3	0.7	0.38	0.1	2.4
1997	28	1.5	0.29	1.0	2.2	2	0.7	0.60	0.1	2.8
1998	24	1.3	0.27	0.9	2.0	0				
1999	24	1.3	0.28	0.9	2.0	0				
2000	17	0.9	0.23	0.5	1.5	1	0.2	0.19	0.0	1.4
2001	23	1.3	0.26	0.8	1.9	1	0.2	0.21	0.0	1.4
2002	18	1.0	0.24	0.6	1.6	2	0.4	0.29	0.1	1.6
2003	18	1.0	0.25	0.6	1.6	1	0.2	0.17	0.0	1.2
2004	19	1.1	0.25	0.7	1.7	1	0.2	0.19	0.0	1.2
2005	13	0.8	0.22	0.4	1.3	1	0.3	0.30	0.0	1.5
2006	17	1.0	0.25	0.6	1.6	0				
2007	18	1.1	0.26	0.6	1.7	1	0.1	0.11	0.0	0.9
2008	15	0.9	0.23	0.5	1.4	1	0.1	0.11	0.0	0.9
2009	14	0.8	0.23	0.5	1.4	1	0.2	0.16	0.0	1.0
2010	16	0.9	0.22	0.5	1.5	1	0.1	0.12	0.0	0.8
2011	18	1.0	0.24	0.6	1.6	1	0.1	0.11	0.0	0.8
2012	5	0.3	0.12	0.1	0.6	2	0.3	0.21	0.0	1.1
2013	16	0.8	0.20	0.5	1.3	0				
2014	17	0.9	0.21	0.5	1.4	1	0.1	0.09	0.0	0.7
2015	10	0.6	0.18	0.3	1.0	1	0.1	0.13	0.0	0.7
2016	10	0.5	0.17	0.3	1.0	1	0.1	0.12	0.0	0.7
2017	12	0.7	0.20	0.3	1.2	2	0.3	0.18	0.0	0.9
2018	17	0.8	0.21	0.5	1.3	0				
2019	15	0.8	0.22	0.5	1.4	0				
2020	17	0.9	0.22	0.5	1.4	1	0.1	0.09	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kaposi Sarcoma											
Males											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,535	1.2	0.02	1.2	1.3	1,699	1.0	0.02	1.0	1.1	
1986	84	1.8	0.20	1.4	2.2	71	1.8	0.22	1.4	2.3	
1987	88	1.7	0.19	1.3	2.1	73	1.6	0.20	1.3	2.1	
1988	105	2.0	0.20	1.6	2.4	88	2.0	0.22	1.6	2.5	
1989	136	2.5	0.22	2.1	2.9	115	2.5	0.24	2.1	3.0	
1990	165	2.9	0.23	2.4	3.4	114	2.4	0.23	2.0	2.9	
1991	185	3.2	0.24	2.8	3.7	143	3.0	0.26	2.5	3.5	
1992	182	3.1	0.23	2.6	3.6	136	2.8	0.24	2.3	3.3	
1993	179	2.9	0.22	2.5	3.4	130	2.5	0.22	2.1	3.0	
1994	174	3.0	0.23	2.5	3.5	120	2.5	0.23	2.0	3.0	
1995	146	2.4	0.20	2.0	2.9	94	1.9	0.19	1.5	2.3	
1996	138	2.3	0.20	1.9	2.7	85	1.7	0.19	1.4	2.2	
1997	67	1.1	0.14	0.9	1.4	40	0.8	0.13	0.6	1.1	
1998	47	0.8	0.12	0.6	1.1	25	0.5	0.10	0.3	0.8	
1999	52	0.9	0.13	0.7	1.2	28	0.6	0.12	0.4	0.9	
2000	34	0.6	0.10	0.4	0.8	16	0.4	0.09	0.2	0.6	
2001	43	0.7	0.11	0.5	1.0	21	0.4	0.10	0.3	0.7	
2002	45	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8	
2003	46	0.8	0.12	0.6	1.1	26	0.6	0.11	0.4	0.8	
2004	47	0.8	0.12	0.6	1.1	25	0.5	0.11	0.4	0.8	
2005	37	0.7	0.11	0.5	0.9	24	0.5	0.11	0.3	0.8	
2006	42	0.7	0.12	0.5	1.0	23	0.5	0.10	0.3	0.8	
2007	42	0.7	0.11	0.5	1.0	22	0.5	0.10	0.3	0.7	
2008	37	0.7	0.11	0.5	0.9	19	0.4	0.10	0.3	0.7	
2009	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.4	0.8	
2010	41	0.7	0.11	0.5	1.0	25	0.5	0.11	0.3	0.8	
2011	36	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6	
2012	25	0.4	0.08	0.3	0.6	18	0.4	0.09	0.2	0.6	
2013	28	0.4	0.08	0.3	0.6	12	0.2	0.07	0.1	0.4	
2014	37	0.6	0.10	0.4	0.9	22	0.5	0.10	0.3	0.7	
2015	37	0.6	0.10	0.4	0.9	24	0.5	0.10	0.3	0.8	
2016	42	0.7	0.11	0.5	0.9	30	0.6	0.11	0.4	0.9	
2017	28	0.5	0.09	0.3	0.7	15	0.3	0.08	0.2	0.5	
2018	37	0.6	0.10	0.4	0.8	18	0.4	0.09	0.2	0.6	
2019	31	0.5	0.09	0.3	0.7	15	0.3	0.08	0.2	0.5	
2020	31	0.5	0.09	0.3	0.7	13	0.3	0.08	0.2	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kaposi Sarcoma										
Males										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	762	2.7	0.10	2.5	2.9	32	0.3	0.06	0.2	0.5
1986	12	1.8	0.53	0.9	3.2	0				
1987	14	2.1	0.63	1.0	3.7	1	0.7	0.65	0.0	7.1
1988	16	2.0	0.51	1.1	3.3	0				
1989	20	2.4	0.55	1.4	3.8	0				
1990	48	6.1	0.90	4.4	8.2	1	0.7	0.71	0.0	6.4
1991	40	5.2	0.86	3.7	7.3	0				
1992	45	5.4	0.82	3.9	7.3	1	0.6	0.62	0.0	5.4
1993	45	6.0	0.95	4.2	8.2	4	1.9	0.98	0.5	6.6
1994	51	6.5	0.95	4.7	8.7	1	0.6	0.62	0.0	4.9
1995	51	6.4	0.91	4.7	8.5	1	0.5	0.52	0.0	4.5
1996	49	5.7	0.83	4.2	7.7	3	1.4	0.79	0.3	5.3
1997	26	3.1	0.63	2.0	4.7	1	0.3	0.31	0.0	3.7
1998	21	2.5	0.55	1.6	3.9	0				
1999	22	2.7	0.60	1.7	4.2	0				
2000	16	1.9	0.49	1.1	3.2	1	0.4	0.39	0.0	3.3
2001	20	2.3	0.52	1.4	3.7	1	0.4	0.43	0.0	3.2
2002	17	2.1	0.51	1.2	3.4	2	0.8	0.59	0.1	3.6
2003	18	2.4	0.62	1.3	3.9	1	0.3	0.34	0.0	2.7
2004	18	2.2	0.51	1.3	3.4	1	0.4	0.39	0.0	2.7
2005	10	1.4	0.45	0.6	2.6	1	0.7	0.68	0.0	3.4
2006	17	2.3	0.60	1.3	3.8	0				
2007	18	2.4	0.59	1.4	3.9	1	0.2	0.22	0.0	2.0
2008	14	1.8	0.49	1.0	3.0	1	0.2	0.22	0.0	2.0
2009	14	1.9	0.52	1.0	3.2	1	0.3	0.32	0.0	2.1
2010	14	1.7	0.45	0.9	2.9	1	0.3	0.25	0.0	1.9
2011	16	1.9	0.49	1.1	3.2	1	0.2	0.24	0.0	1.8
2012	4	0.4	0.21	0.1	1.1	1	0.2	0.24	0.0	1.7
2013	16	1.7	0.44	1.0	2.9	0				
2014	13	1.5	0.42	0.8	2.5	1	0.2	0.19	0.0	1.5
2015	10	1.2	0.39	0.6	2.2	1	0.3	0.28	0.0	1.6
2016	10	1.2	0.40	0.6	2.3	1	0.3	0.25	0.0	1.5
2017	10	1.1	0.36	0.5	2.1	2	0.5	0.37	0.1	1.9
2018	17	1.7	0.44	1.0	2.8	0				
2019	14	1.8	0.48	0.9	3.0	0				
2020	16	1.8	0.46	1.0	3.0	1	0.2	0.19	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kaposi Sarcoma											
Females											
All Races						Whites					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	215	0.1	0.01	0.1	0.1	159	0.1	0.01	0.1	0.1	
1986	6	0.1	0.04	0.0	0.2	3	0.1	0.03	0.0	0.2	
1987	7	0.1	0.04	0.0	0.2	6	0.1	0.04	0.0	0.2	
1988	12	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3	
1989	9	0.1	0.04	0.1	0.3	8	0.1	0.05	0.1	0.3	
1990	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3	
1991	4	0.1	0.03	0.0	0.2	3	0.1	0.03	0.0	0.2	
1992	5	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2	
1993	12	0.2	0.06	0.1	0.3	9	0.2	0.05	0.1	0.3	
1994	10	0.1	0.05	0.1	0.3	8	0.1	0.04	0.1	0.3	
1995	7	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2	
1996	11	0.2	0.05	0.1	0.3	7	0.1	0.05	0.1	0.3	
1997	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2	
1998	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2	
1999	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2	
2000	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2	
2001	8	0.1	0.04	0.1	0.2	5	0.1	0.04	0.0	0.2	
2002	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2	
2003	4	0.1	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2	
2004	7	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2	
2005	5	0.1	0.03	0.0	0.2	2	0.0	0.02	0.0	0.1	
2006	0					0					
2007	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2	
2008	5	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2	
2009	7	0.1	0.03	0.0	0.2	7	0.1	0.04	0.0	0.2	
2010	5	0.1	0.03	0.0	0.2	3	0.0	0.03	0.0	0.1	
2011	7	0.1	0.04	0.0	0.2	5	0.1	0.05	0.0	0.2	
2012	2	0.0	0.02	0.0	0.1	0					
2013	4	0.1	0.03	0.0	0.1	4	0.1	0.03	0.0	0.2	
2014	8	0.1	0.04	0.0	0.2	4	0.1	0.03	0.0	0.2	
2015	4	0.0	0.02	0.0	0.1	4	0.1	0.03	0.0	0.2	
2016	6	0.1	0.03	0.0	0.2	6	0.1	0.04	0.0	0.2	
2017	2	0.0	0.03	0.0	0.1	0					
2018	1	0.0	0.01	0.0	0.1	1	0.0	0.01	0.0	0.1	
2019	6	0.1	0.03	0.0	0.2	4	0.1	0.03	0.0	0.2	
2020	3	0.0	0.02	0.0	0.1	1	0.0	0.01	0.0	0.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Kaposi Sarcoma										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	50	0.2	0.02	0.1	0.2	3	0.0	0.02	0.0	0.1
1986	3	0.6	0.35	0.1	1.6	0				
1987	1	0.2	0.20	0.0	0.9	0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	1	0.2	0.15	0.0	0.8	0				
1990	1	0.1	0.09	0.0	0.6	0				
1991	1	0.1	0.09	0.0	0.6	0				
1992	1	0.2	0.15	0.0	0.8	0				
1993	3	0.3	0.19	0.1	1.0	0				
1994	2	0.2	0.15	0.0	0.8	0				
1995	1	0.1	0.11	0.0	0.6	1	0.7	0.71	0.0	4.0
1996	4	0.4	0.20	0.1	1.0	0				
1997	2	0.2	0.14	0.0	0.8	1	1.0	0.98	0.0	4.6
1998	3	0.3	0.19	0.1	1.0	0				
1999	2	0.2	0.14	0.0	0.8	0				
2000	1	0.1	0.10	0.0	0.6	0				
2001	3	0.3	0.19	0.1	0.9	0				
2002	1	0.1	0.11	0.0	0.6	0				
2003	0					0				
2004	1	0.1	0.14	0.0	0.7	0				
2005	3	0.3	0.19	0.1	0.9	0				
2006	0					0				
2007	0					0				
2008	1	0.1	0.11	0.0	0.6	0				
2009	0					0				
2010	2	0.2	0.15	0.0	0.8	0				
2011	2	0.2	0.16	0.0	0.8	0				
2012	1	0.1	0.12	0.0	0.6	1	0.3	0.33	0.0	1.7
2013	0					0				
2014	4	0.4	0.18	0.1	1.0	0				
2015	0					0				
2016	0					0				
2017	2	0.3	0.18	0.0	0.9	0				
2018	0					0				
2019	1	0.1	0.10	0.0	0.6	0				
2020	1	0.1	0.06	0.0	0.5	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ill-defined and unknown Sites										
Both Sexes										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	66,326	15.0	0.06	14.9	15.1	56,175	14.8	0.06	14.7	14.9
1986	1,382	13.2	0.36	12.5	13.9	1,163	12.5	0.37	11.8	13.3
1987	1,380	13.1	0.36	12.4	13.8	1,171	12.5	0.37	11.8	13.3
1988	1,469	13.7	0.36	13.0	14.5	1,242	13.1	0.38	12.4	13.9
1989	1,484	13.9	0.36	13.2	14.6	1,229	13.0	0.37	12.3	13.8
1990	1,418	13.1	0.35	12.4	13.8	1,189	12.5	0.37	11.8	13.2
1991	1,412	12.9	0.35	12.2	13.6	1,217	12.6	0.36	11.9	13.3
1992	1,413	12.7	0.34	12.1	13.4	1,216	12.4	0.36	11.7	13.2
1993	1,871	16.7	0.39	15.9	17.4	1,609	16.2	0.41	15.5	17.1
1994	1,900	16.8	0.39	16.0	17.6	1,637	16.5	0.41	15.7	17.3
1995	1,752	15.3	0.37	14.6	16.0	1,461	14.6	0.38	13.8	15.3
1996	1,670	14.5	0.36	13.8	15.2	1,379	13.7	0.37	13.0	14.4
1997	1,552	13.3	0.34	12.7	14.0	1,307	12.9	0.36	12.2	13.6
1998	1,524	12.9	0.33	12.3	13.6	1,286	12.5	0.35	11.8	13.2
1999	1,557	13.1	0.33	12.4	13.7	1,282	12.4	0.35	11.7	13.1
2000	1,625	13.5	0.34	12.9	14.2	1,352	13.0	0.35	12.3	13.7
2001	2,239	18.5	0.39	17.7	19.3	1,891	18.1	0.42	17.3	18.9
2002	2,273	18.6	0.39	17.8	19.4	1,974	18.8	0.42	17.9	19.6
2003	2,232	18.1	0.38	17.4	18.9	1,901	17.9	0.41	17.1	18.7
2004	2,100	16.9	0.37	16.2	17.6	1,836	17.2	0.40	16.4	18.0
2005	2,097	16.6	0.36	15.9	17.4	1,814	16.8	0.40	16.0	17.6
2006	2,106	16.6	0.36	15.9	17.4	1,798	16.6	0.39	15.9	17.4
2007	2,198	17.0	0.37	16.3	17.7	1,882	17.1	0.40	16.3	17.9
2008	2,235	17.1	0.36	16.4	17.8	1,921	17.3	0.40	16.5	18.1
2009	2,222	16.8	0.36	16.1	17.5	1,870	16.6	0.39	15.9	17.4
2010	2,237	16.7	0.36	16.0	17.4	1,890	16.7	0.39	16.0	17.5
2011	2,048	14.9	0.33	14.3	15.6	1,769	15.2	0.37	14.5	16.0
2012	2,154	15.5	0.34	14.8	16.2	1,823	15.6	0.37	14.9	16.4
2013	2,087	14.7	0.33	14.1	15.4	1,733	14.6	0.36	13.9	15.4
2014	2,141	14.9	0.33	14.2	15.5	1,816	15.1	0.36	14.4	15.8
2015	2,111	14.4	0.32	13.8	15.1	1,792	14.7	0.36	14.1	15.5
2016	2,084	14.1	0.31	13.5	14.7	1,756	14.3	0.35	13.6	15.0
2017	2,136	14.2	0.31	13.6	14.8	1,801	14.5	0.35	13.8	15.2
2018	2,156	14.2	0.31	13.6	14.8	1,804	14.4	0.35	13.7	15.1
2019	2,128	13.8	0.30	13.2	14.4	1,771	13.9	0.34	13.3	14.6
2020	1,933	12.4	0.29	11.8	13.0	1,593	12.5	0.32	11.9	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ill-defined and unknown Sites										
Both Sexes										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	8,685	17.0	0.19	16.6	17.4	1,156	8.7	0.27	8.1	9.2
1986	208	20.0	1.45	17.2	23.0	11	9.8	3.39	4.3	18.3
1987	205	19.0	1.38	16.4	21.9	4	2.5	1.26	0.6	6.5
1988	215	19.2	1.35	16.6	22.0	9	6.1	2.20	2.6	11.9
1989	238	21.4	1.43	18.7	24.4	15	11.8	3.44	6.1	20.1
1990	219	18.7	1.31	16.2	21.4	8	3.4	1.21	1.5	7.0
1991	177	15.3	1.18	13.1	17.8	13	7.0	2.06	3.6	12.3
1992	185	15.8	1.19	13.5	18.3	12	8.0	2.62	3.7	14.4
1993	241	20.4	1.36	17.8	23.2	19	9.5	2.35	5.5	15.1
1994	254	20.3	1.32	17.8	23.1	8	3.8	1.59	1.3	8.0
1995	267	21.6	1.35	19.0	24.4	21	11.7	2.91	6.7	18.4
1996	276	22.0	1.36	19.4	24.8	11	4.6	1.58	2.1	8.6
1997	218	16.9	1.17	14.7	19.4	24	10.3	2.36	6.2	15.8
1998	207	16.0	1.14	13.9	18.4	28	13.5	2.77	8.6	19.8
1999	247	18.8	1.22	16.4	21.3	22	9.2	2.24	5.3	14.4
2000	242	17.6	1.15	15.4	20.0	24	8.0	1.80	4.8	12.2
2001	301	22.2	1.31	19.7	24.9	39	12.4	2.18	8.6	17.3
2002	270	19.4	1.21	17.1	21.9	26	8.6	1.85	5.4	12.9
2003	283	19.7	1.20	17.4	22.2	37	11.6	2.07	7.9	16.3
2004	220	15.2	1.05	13.2	17.4	36	10.1	1.81	6.9	14.2
2005	230	15.4	1.04	13.5	17.6	45	11.5	1.93	8.1	15.8
2006	259	17.7	1.12	15.6	20.0	42	11.6	1.92	8.1	15.8
2007	273	18.0	1.11	15.9	20.3	39	9.4	1.62	6.5	13.0
2008	274	17.6	1.09	15.5	19.9	35	8.0	1.47	5.4	11.3
2009	293	18.6	1.11	16.4	20.8	44	10.5	1.70	7.5	14.3
2010	294	18.3	1.09	16.2	20.5	43	8.8	1.45	6.2	12.0
2011	225	13.9	0.95	12.1	15.9	41	8.2	1.37	5.8	11.3
2012	274	16.0	0.99	14.1	18.1	37	7.4	1.27	5.1	10.2
2013	286	16.5	1.00	14.6	18.6	55	9.6	1.36	7.1	12.6
2014	256	14.7	0.94	12.9	16.6	54	9.0	1.28	6.6	11.8
2015	249	13.9	0.90	12.2	15.7	49	7.5	1.11	5.5	10.0
2016	236	12.9	0.86	11.3	14.7	69	9.9	1.23	7.6	12.6
2017	265	14.1	0.88	12.4	15.9	60	8.1	1.08	6.2	10.5
2018	270	14.4	0.89	12.7	16.2	63	8.0	1.03	6.1	10.3
2019	282	14.7	0.90	13.0	16.6	56	6.9	0.94	5.2	9.0
2020	246	12.1	0.79	10.6	13.8	57	6.6	0.89	5.0	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ill-defined and unknown Sites										
Males										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	32,577	17.7	0.10	17.5	17.9	27,701	17.5	0.11	17.3	17.7
1986	687	16.0	0.64	14.7	17.3	572	15.0	0.65	13.7	16.3
1987	647	15.2	0.62	14.0	16.4	545	14.4	0.64	13.1	15.7
1988	739	17.0	0.65	15.7	18.3	613	16.1	0.68	14.8	17.4
1989	719	16.3	0.63	15.1	17.6	584	15.1	0.65	13.8	16.4
1990	691	15.4	0.61	14.3	16.7	573	14.6	0.63	13.4	15.9
1991	705	15.7	0.61	14.5	16.9	603	15.2	0.64	14.0	16.5
1992	684	15.1	0.60	14.0	16.4	581	14.6	0.62	13.4	15.9
1993	840	18.6	0.66	17.3	19.9	707	17.8	0.69	16.5	19.2
1994	863	19.0	0.67	17.7	20.3	743	18.7	0.71	17.4	20.2
1995	829	17.7	0.63	16.5	19.0	679	16.7	0.66	15.5	18.0
1996	806	17.3	0.63	16.1	18.6	668	16.5	0.65	15.3	17.8
1997	743	15.6	0.58	14.5	16.8	615	14.9	0.61	13.7	16.1
1998	718	15.0	0.57	13.9	16.1	613	14.7	0.60	13.6	16.0
1999	708	14.5	0.55	13.5	15.6	569	13.4	0.57	12.3	14.6
2000	779	15.9	0.58	14.8	17.1	646	15.3	0.61	14.1	16.5
2001	1,113	22.4	0.68	21.1	23.8	943	22.0	0.72	20.6	23.5
2002	1,078	21.5	0.66	20.2	22.8	934	21.6	0.71	20.2	23.0
2003	1,093	21.6	0.66	20.3	23.0	936	21.5	0.71	20.1	22.9
2004	1,048	20.5	0.64	19.3	21.8	922	20.9	0.70	19.6	22.3
2005	1,016	19.5	0.62	18.3	20.7	880	19.7	0.67	18.4	21.0
2006	1,019	19.4	0.62	18.2	20.6	874	19.3	0.66	18.1	20.7
2007	1,075	20.0	0.62	18.8	21.3	929	20.2	0.67	18.9	21.6
2008	1,107	20.2	0.62	19.0	21.4	966	20.6	0.67	19.3	22.0
2009	1,093	19.5	0.60	18.3	20.7	938	19.7	0.65	18.4	21.0
2010	1,114	19.7	0.60	18.5	20.9	951	19.8	0.65	18.5	21.1
2011	1,032	17.9	0.57	16.8	19.1	908	18.5	0.63	17.3	19.8
2012	1,090	18.6	0.58	17.5	19.8	947	19.2	0.63	18.0	20.5
2013	1,058	17.3	0.54	16.2	18.4	889	17.2	0.59	16.1	18.4
2014	1,075	17.3	0.54	16.3	18.4	914	17.4	0.59	16.3	18.6
2015	1,132	17.8	0.54	16.7	18.9	971	18.1	0.59	17.0	19.3
2016	1,038	16.2	0.51	15.2	17.2	899	16.7	0.57	15.6	17.8
2017	1,101	16.9	0.52	15.9	17.9	939	17.3	0.58	16.2	18.5
2018	1,084	16.3	0.51	15.3	17.3	918	16.6	0.56	15.5	17.7
2019	1,079	16.0	0.50	15.0	17.0	924	16.4	0.55	15.4	17.5
2020	974	14.1	0.46	13.2	15.1	808	14.2	0.51	13.2	15.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ill-defined and unknown Sites										
Males										
	Blacks					Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,129	19.8	0.33	19.2	20.5	574	9.5	0.43	8.7	10.4
1986	107	24.6	2.58	19.8	30.1	8	12.5	4.87	4.9	25.9
1987	99	23.8	2.59	19.0	29.4	3	4.6	2.72	0.9	13.8
1988	119	24.8	2.42	20.3	30.0	6	10.4	4.65	3.4	23.2
1989	129	27.7	2.60	22.9	33.2	6	9.2	4.36	2.7	21.2
1990	114	23.2	2.31	18.9	28.2	4	3.4	1.71	0.9	10.0
1991	95	20.5	2.24	16.4	25.3	6	8.6	3.83	2.8	19.2
1992	98	21.8	2.38	17.4	26.9	5	6.0	3.12	1.5	15.0
1993	120	25.1	2.47	20.5	30.4	11	10.9	3.43	5.2	19.9
1994	114	21.7	2.18	17.6	26.3	5	3.7	1.74	1.1	9.4
1995	138	26.4	2.39	22.0	31.5	9	9.1	3.37	3.7	17.9
1996	127	24.8	2.36	20.4	29.8	7	7.7	3.65	2.3	17.4
1997	115	21.5	2.13	17.6	26.1	11	10.3	3.41	4.7	18.9
1998	92	16.5	1.79	13.1	20.3	11	12.3	4.23	5.5	22.7
1999	122	23.4	2.26	19.2	28.2	12	12.1	4.33	5.2	22.8
2000	118	21.1	2.06	17.3	25.5	12	11.1	3.88	4.8	20.6
2001	145	27.1	2.39	22.6	32.2	18	10.7	2.78	6.0	17.6
2002	128	22.3	2.06	18.4	26.6	15	9.8	2.72	5.2	16.5
2003	136	23.4	2.11	19.4	27.8	14	8.0	2.40	4.0	14.0
2004	99	17.3	1.86	13.9	21.3	21	13.5	3.25	7.9	21.1
2005	109	17.8	1.80	14.4	21.6	22	14.3	3.67	8.0	22.8
2006	119	20.4	1.99	16.7	24.7	22	12.4	2.96	7.3	19.3
2007	121	19.8	1.91	16.2	23.8	22	12.0	2.83	7.1	18.6
2008	122	20.2	1.96	16.6	24.4	17	7.5	2.07	4.0	12.6
2009	127	18.9	1.77	15.6	22.7	19	9.2	2.46	5.1	15.1
2010	136	21.9	2.00	18.2	26.1	24	10.8	2.53	6.4	16.7
2011	98	14.9	1.60	12.0	18.4	18	7.8	2.02	4.4	12.7
2012	121	17.4	1.66	14.3	20.9	16	6.8	1.88	3.6	11.3
2013	131	18.3	1.67	15.2	21.9	31	12.4	2.39	8.2	17.9
2014	124	17.8	1.67	14.6	21.3	28	10.7	2.17	6.9	15.7
2015	121	16.3	1.55	13.4	19.6	27	9.9	2.01	6.3	14.5
2016	96	12.7	1.37	10.2	15.7	32	11.0	2.04	7.4	15.6
2017	126	15.9	1.48	13.2	19.1	29	8.8	1.71	5.8	12.8
2018	126	16.6	1.54	13.7	19.8	29	7.9	1.50	5.2	11.4
2019	122	15.9	1.49	13.1	19.1	24	7.0	1.47	4.4	10.4
2020	115	13.3	1.29	10.9	16.1	30	7.9	1.48	5.3	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ill-defined and unknown Sites										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	33,749	13.1	0.07	13.0	13.2	28,474	12.9	0.08	12.8	13.1
1986	695	11.4	0.44	10.5	12.3	591	10.9	0.46	10.0	11.8
1987	733	11.9	0.45	11.1	12.8	626	11.5	0.47	10.6	12.4
1988	730	11.6	0.43	10.7	12.5	629	11.2	0.46	10.4	12.2
1989	765	12.2	0.45	11.3	13.1	645	11.6	0.46	10.7	12.5
1990	727	11.5	0.43	10.6	12.3	616	10.9	0.45	10.1	11.9
1991	707	10.9	0.42	10.1	11.8	614	10.7	0.44	9.9	11.6
1992	729	11.1	0.42	10.3	12.0	635	11.0	0.44	10.1	11.9
1993	1,031	15.4	0.48	14.5	16.4	902	15.3	0.52	14.3	16.3
1994	1,037	15.3	0.48	14.4	16.3	894	15.0	0.51	14.0	16.1
1995	923	13.4	0.44	12.5	14.3	782	12.9	0.47	12.0	13.9
1996	864	12.6	0.43	11.8	13.5	711	11.8	0.45	11.0	12.8
1997	809	11.7	0.41	10.9	12.5	692	11.4	0.44	10.5	12.3
1998	806	11.3	0.40	10.6	12.2	673	10.8	0.42	10.0	11.7
1999	849	11.9	0.41	11.1	12.8	713	11.5	0.44	10.6	12.4
2000	846	11.9	0.41	11.1	12.8	706	11.5	0.44	10.6	12.4
2001	1,126	15.7	0.47	14.8	16.7	948	15.3	0.51	14.3	16.3
2002	1,195	16.6	0.48	15.6	17.5	1,040	16.8	0.53	15.7	17.8
2003	1,139	15.7	0.47	14.8	16.7	965	15.4	0.51	14.5	16.5
2004	1,052	14.5	0.45	13.6	15.4	914	14.7	0.50	13.8	15.7
2005	1,081	14.7	0.45	13.8	15.6	934	14.8	0.49	13.9	15.8
2006	1,087	14.7	0.45	13.9	15.7	924	14.7	0.49	13.8	15.8
2007	1,123	15.0	0.45	14.1	15.9	953	15.0	0.50	14.1	16.0
2008	1,128	14.9	0.45	14.0	15.8	955	14.8	0.49	13.9	15.8
2009	1,129	14.7	0.45	13.9	15.6	932	14.3	0.48	13.4	15.3
2010	1,123	14.6	0.45	13.8	15.5	939	14.5	0.49	13.6	15.5
2011	1,016	12.9	0.41	12.1	13.7	861	13.0	0.46	12.1	13.9
2012	1,064	13.3	0.42	12.5	14.2	876	13.1	0.46	12.2	14.0
2013	1,029	12.8	0.41	12.0	13.6	844	12.7	0.45	11.8	13.6
2014	1,066	13.1	0.41	12.3	14.0	902	13.4	0.46	12.5	14.3
2015	979	11.9	0.39	11.2	12.7	821	12.1	0.44	11.3	13.0
2016	1,046	12.6	0.40	11.8	13.4	857	12.5	0.44	11.7	13.4
2017	1,035	12.2	0.39	11.4	13.0	862	12.4	0.44	11.6	13.3
2018	1,072	12.5	0.39	11.7	13.2	886	12.6	0.43	11.7	13.4
2019	1,049	12.3	0.39	11.6	13.1	847	12.1	0.43	11.3	13.0
2020	959	11.1	0.37	10.4	11.8	785	11.2	0.41	10.4	12.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Ill-defined and unknown Sites										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	4,556	15.1	0.23	14.6	15.5	582	7.9	0.34	7.2	8.6
1986	101	16.7	1.71	13.5	20.4	3	7.3	4.48	1.3	19.8
1987	106	16.4	1.62	13.4	19.8	1	0.9	0.90	0.0	6.1
1988	96	14.9	1.55	12.0	18.2	3	3.0	1.74	0.6	9.2
1989	109	16.8	1.64	13.7	20.3	9	13.8	5.03	5.8	26.5
1990	105	15.5	1.54	12.6	18.8	4	3.3	1.66	0.9	9.0
1991	82	11.9	1.34	9.5	14.8	7	6.0	2.30	2.4	12.6
1992	87	12.2	1.33	9.8	15.1	7	9.2	3.82	3.3	19.1
1993	121	17.2	1.58	14.2	20.5	8	8.3	3.12	3.4	16.4
1994	140	19.1	1.64	16.0	22.5	3	3.5	2.24	0.5	9.9
1995	129	17.8	1.58	14.8	21.1	12	12.9	4.13	6.1	22.9
1996	149	19.9	1.65	16.8	23.4	4	2.7	1.36	0.7	6.9
1997	103	13.6	1.35	11.1	16.5	13	10.2	3.12	5.0	17.9
1998	115	15.0	1.41	12.4	18.0	17	14.3	3.66	8.0	22.9
1999	125	15.8	1.43	13.2	18.9	10	7.2	2.51	3.2	13.6
2000	124	15.3	1.38	12.7	18.2	12	6.4	1.94	3.2	11.4
2001	156	19.1	1.54	16.2	22.3	21	13.0	3.00	7.8	20.0
2002	142	17.1	1.45	14.4	20.2	11	7.0	2.26	3.3	12.6
2003	147	17.2	1.43	14.5	20.2	23	13.6	2.98	8.4	20.5
2004	121	14.0	1.28	11.6	16.7	15	7.5	2.04	4.0	12.4
2005	121	13.7	1.26	11.4	16.4	23	10.2	2.27	6.2	15.5
2006	140	16.0	1.36	13.4	18.9	20	10.5	2.43	6.3	16.2
2007	152	16.7	1.37	14.2	19.6	17	7.3	1.87	4.1	11.8
2008	152	16.4	1.34	13.9	19.2	18	8.0	1.96	4.6	12.7
2009	166	17.9	1.40	15.3	20.9	25	11.4	2.34	7.3	16.7
2010	158	16.5	1.32	14.0	19.3	19	7.2	1.74	4.2	11.3
2011	127	13.2	1.19	11.0	15.7	23	8.3	1.81	5.2	12.6
2012	153	15.1	1.24	12.8	17.7	21	7.7	1.73	4.7	11.8
2013	155	14.9	1.21	12.6	17.5	24	7.2	1.53	4.5	10.8
2014	132	12.8	1.13	10.6	15.2	26	7.6	1.53	4.9	11.2
2015	128	12.0	1.08	10.0	14.3	22	5.8	1.26	3.6	8.8
2016	140	13.0	1.12	10.9	15.4	37	9.2	1.55	6.4	12.7
2017	139	12.6	1.09	10.6	14.9	31	7.6	1.39	5.1	10.8
2018	144	12.9	1.09	10.9	15.3	34	7.9	1.37	5.4	11.1
2019	160	14.2	1.15	12.0	16.6	32	7.1	1.27	4.8	10.1
2020	131	11.1	0.99	9.2	13.2	27	5.5	1.07	3.6	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Female Breast In situ										
Females										
All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	62,884	26.9	0.11	26.7	27.1	51,863	27.1	0.12	26.8	27.3
1986	541	10.0	0.44	9.1	10.9	499	10.7	0.50	9.8	11.8
1987	578	10.7	0.45	9.8	11.6	536	11.6	0.52	10.6	12.7
1988	699	12.6	0.49	11.7	13.6	629	13.3	0.54	12.2	14.4
1989	688	12.4	0.48	11.5	13.4	631	13.3	0.54	12.3	14.4
1990	783	13.8	0.50	12.9	14.9	719	15.0	0.57	13.9	16.1
1991	916	16.0	0.54	15.0	17.1	823	16.9	0.60	15.7	18.1
1992	1,011	17.4	0.56	16.3	18.5	909	18.5	0.62	17.3	19.7
1993	988	16.8	0.54	15.8	17.9	872	17.7	0.61	16.5	18.9
1994	1,063	17.6	0.54	16.5	18.7	936	18.3	0.61	17.2	19.6
1995	1,216	20.0	0.58	18.9	21.2	1,070	20.9	0.65	19.7	22.2
1996	1,349	22.0	0.60	20.9	23.3	1,148	22.4	0.67	21.1	23.7
1997	1,479	23.9	0.62	22.6	25.1	1,272	24.4	0.69	23.1	25.8
1998	1,714	27.3	0.66	26.1	28.7	1,488	28.4	0.74	27.0	29.9
1999	1,724	27.0	0.65	25.8	28.3	1,477	27.8	0.73	26.3	29.2
2000	1,944	30.3	0.69	28.9	31.7	1,674	31.4	0.77	30.0	33.0
2001	2,000	30.8	0.69	29.5	32.2	1,702	31.7	0.77	30.2	33.2
2002	1,892	28.7	0.66	27.4	30.0	1,611	29.6	0.74	28.2	31.1
2003	1,888	28.3	0.65	27.1	29.6	1,589	28.9	0.73	27.5	30.4
2004	2,053	30.4	0.67	29.1	31.8	1,703	30.8	0.75	29.3	32.3
2005	2,099	30.8	0.68	29.5	32.2	1,737	31.0	0.75	29.6	32.6
2006	2,142	31.1	0.68	29.8	32.4	1,781	31.7	0.76	30.2	33.2
2007	2,328	33.4	0.70	32.0	34.8	1,908	33.5	0.78	32.0	35.1
2008	2,308	32.7	0.69	31.4	34.1	1,893	33.0	0.77	31.5	34.5
2009	2,500	35.1	0.71	33.7	36.5	2,045	35.4	0.79	33.8	37.0
2010	2,396	33.2	0.69	31.9	34.6	1,939	33.4	0.77	31.9	34.9
2011	2,476	33.8	0.69	32.5	35.2	1,999	34.0	0.78	32.5	35.5
2012	2,547	34.6	0.70	33.3	36.0	2,007	34.0	0.78	32.5	35.5
2013	2,586	34.9	0.70	33.6	36.3	2,043	34.4	0.78	32.9	36.0
2014	2,483	33.1	0.68	31.8	34.5	1,947	32.5	0.76	31.1	34.1
2015	2,466	32.7	0.68	31.4	34.0	1,942	32.3	0.76	30.8	33.8
2016	2,446	32.3	0.67	31.0	33.7	1,947	32.6	0.76	31.1	34.1
2017	2,487	32.4	0.67	31.1	33.7	1,910	31.4	0.75	30.0	32.9
2018	2,342	30.8	0.66	29.5	32.1	1,762	29.4	0.73	28.0	30.9
2019	2,514	33.1	0.69	31.8	34.5	1,966	33.2	0.78	31.7	34.8
2020	2,238	29.1	0.64	27.9	30.4	1,749	28.9	0.72	27.5	30.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Race, Illinois 1986-2020

Female Breast In situ										
Females										
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	8,209	25.7	0.29	25.1	26.3	2,215	23.4	0.51	22.4	24.4
1986	35	5.5	0.94	3.8	7.6	3	3.3	1.91	0.7	10.1
1987	37	5.7	0.96	4.0	7.9	3	2.8	1.63	0.6	8.9
1988	55	8.3	1.14	6.2	10.8	13	11.9	3.32	6.3	20.7
1989	41	6.2	0.98	4.4	8.4	10	8.0	2.58	3.8	15.3
1990	54	7.6	1.05	5.7	9.9	9	6.3	2.13	2.8	12.6
1991	73	10.7	1.26	8.4	13.4	9	6.5	2.29	2.8	13.0
1992	83	11.1	1.23	8.9	13.8	10	8.2	2.66	3.9	15.3
1993	98	12.7	1.29	10.3	15.5	13	8.6	2.54	4.4	15.3
1994	102	13.0	1.30	10.6	15.8	18	12.2	3.15	6.8	20.0
1995	114	14.4	1.36	11.9	17.3	21	13.0	2.97	7.9	20.3
1996	151	19.2	1.57	16.2	22.5	30	16.6	3.12	11.1	24.1
1997	156	19.0	1.53	16.1	22.2	26	12.9	2.58	8.4	19.2
1998	167	20.0	1.56	17.1	23.3	28	14.2	2.80	9.3	20.9
1999	174	20.6	1.57	17.7	24.0	41	20.5	3.33	14.5	28.1
2000	180	20.8	1.56	17.9	24.1	56	25.3	3.51	18.9	33.2
2001	223	25.1	1.69	21.9	28.6	56	22.9	3.12	17.2	30.0
2002	217	24.0	1.63	20.9	27.4	52	20.8	2.95	15.4	27.5
2003	225	24.2	1.62	21.2	27.6	52	20.6	2.95	15.3	27.3
2004	278	30.1	1.82	26.7	33.9	65	23.3	2.97	17.8	29.9
2005	272	29.3	1.79	25.9	33.0	66	23.3	2.95	17.8	29.8
2006	295	30.5	1.79	27.1	34.2	54	17.4	2.41	13.0	22.9
2007	309	32.0	1.84	28.5	35.8	90	30.9	3.38	24.7	38.3
2008	321	32.4	1.82	28.9	36.2	74	23.0	2.74	18.0	29.1
2009	341	33.9	1.86	30.4	37.7	97	28.6	2.98	23.1	35.1
2010	343	33.1	1.81	29.6	36.8	94	26.3	2.76	21.2	32.3
2011	366	34.8	1.85	31.3	38.7	91	25.5	2.75	20.4	31.5
2012	413	39.0	1.95	35.2	43.0	108	27.8	2.72	22.8	33.7
2013	414	39.2	1.96	35.5	43.2	108	26.4	2.59	21.6	32.0
2014	394	35.9	1.84	32.4	39.7	113	27.1	2.59	22.3	32.7
2015	375	33.8	1.78	30.4	37.5	132	31.5	2.79	26.2	37.5
2016	369	33.0	1.75	29.6	36.6	108	24.0	2.33	19.7	29.1
2017	420	36.9	1.85	33.4	40.7	132	28.8	2.54	24.1	34.3
2018	398	35.4	1.82	31.9	39.1	153	32.3	2.64	27.3	37.9
2019	371	31.8	1.69	28.6	35.3	156	32.4	2.61	27.5	37.9
2020	345	30.3	1.68	27.1	33.8	124	25.5	2.31	21.2	30.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

SECTION II
Cancer Incidence by Hispanic Ethnicity and Race
Illinois, 1990-2020

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

All Sites										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	96,287	359.4	1.30	356.9	361.9	1,831,229	487.8	0.36	487.1	488.6
1990	1,138	298.8	10.40	278.8	319.7	46,373	440.1	2.06	436.0	444.1
1991	1,149	278.8	9.71	260.1	298.4	47,941	449.2	2.07	445.2	453.3
1992	1,263	302.9	10.06	283.5	323.2	50,779	469.8	2.10	465.7	473.9
1993	1,437	330.0	10.21	310.3	350.5	51,404	471.0	2.09	466.9	475.1
1994	1,605	350.7	10.36	330.7	371.5	53,948	491.7	2.13	487.5	495.9
1995	1,739	381.2	10.90	360.2	403.1	53,464	484.9	2.10	480.8	489.0
1996	1,846	398.9	11.03	377.5	421.0	54,525	492.6	2.11	488.4	496.7
1997	1,892	381.6	10.46	361.4	402.5	54,790	491.7	2.10	487.5	495.8
1998	2,051	400.5	10.57	380.1	421.6	55,728	495.9	2.10	491.8	500.1
1999	2,241	400.2	10.11	380.6	420.4	56,631	500.8	2.11	496.7	505.0
2000	2,168	353.5	9.05	336.0	371.6	57,044	501.6	2.10	497.5	505.7
2001	2,331	377.3	9.28	359.4	395.8	58,632	512.4	2.12	508.3	516.6
2002	2,504	374.6	8.83	357.5	392.2	59,893	519.4	2.13	515.3	523.6
2003	2,547	359.5	8.39	343.3	376.2	58,504	502.7	2.08	498.6	506.8
2004	2,793	375.9	8.37	359.7	392.6	58,886	502.5	2.08	498.4	506.6
2005	2,913	367.1	7.90	351.8	382.8	59,187	500.6	2.07	496.5	504.6
2006	3,036	371.2	7.80	356.0	386.7	60,950	512.0	2.09	507.9	516.1
2007	3,258	371.9	7.46	357.4	386.8	61,970	514.0	2.08	509.9	518.1
2008	3,446	378.2	7.37	363.9	392.9	63,229	517.0	2.08	512.9	521.1
2009	3,665	382.8	7.20	368.8	397.2	63,401	512.3	2.06	508.2	516.3
2010	3,675	355.9	6.64	343.0	369.1	62,153	495.6	2.02	491.7	499.6
2011	3,891	363.7	6.57	351.0	376.8	63,314	497.7	2.02	493.8	501.7
2012	4,036	360.0	6.32	347.7	372.5	62,149	481.3	1.97	477.5	485.2
2013	4,258	360.1	6.13	348.2	372.3	62,565	477.7	1.95	473.9	481.5
2014	4,450	355.6	5.88	344.2	367.3	63,993	482.2	1.95	478.4	486.1
2015	4,717	360.2	5.75	349.0	371.6	65,216	486.5	1.96	482.7	490.4
2016	4,985	362.4	5.59	351.5	373.5	65,591	485.8	1.95	481.9	489.6
2017	5,201	369.7	5.55	358.9	380.7	65,939	482.7	1.94	478.9	486.5
2018	5,444	370.6	5.40	360.1	381.3	65,906	477.5	1.92	473.7	481.3
2019	5,625	366.8	5.23	356.7	377.2	66,710	478.5	1.91	474.8	482.3
2020	4,983	312.6	4.71	303.4	321.9	60,414	432.8	1.82	429.2	436.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

All Sites										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,530,054	489.0	0.40	488.2	489.8	248,567	512.7	1.05	510.6	514.8
1990	40,397	438.4	2.21	434.1	442.7	5,493	472.1	6.57	459.3	485.2
1991	42,062	451.5	2.23	447.1	455.9	5,293	443.5	6.28	431.2	455.9
1992	44,391	471.9	2.26	467.5	476.4	5,790	475.6	6.43	463.1	488.4
1993	44,347	468.0	2.24	463.6	472.4	6,372	514.0	6.62	501.1	527.2
1994	46,373	488.1	2.28	483.6	492.6	6,871	547.7	6.78	534.5	561.1
1995	45,563	479.7	2.26	475.2	484.1	7,071	549.8	6.70	536.8	563.1
1996	46,336	487.3	2.28	482.9	491.8	7,278	556.3	6.67	543.3	569.6
1997	46,646	488.5	2.27	484.1	493.0	7,126	534.7	6.47	522.1	547.6
1998	47,159	491.1	2.27	486.7	495.6	7,414	547.0	6.49	534.4	559.9
1999	48,189	500.8	2.29	496.4	505.3	7,235	522.2	6.26	510.0	534.6
2000	48,209	500.0	2.28	495.5	504.5	7,548	534.3	6.27	522.1	546.7
2001	49,566	512.6	2.31	508.1	517.1	7,769	545.0	6.30	532.7	557.5
2002	50,537	519.9	2.32	515.4	524.5	7,901	543.0	6.23	530.9	555.3
2003	49,153	502.6	2.28	498.2	507.1	7,895	532.1	6.10	520.2	544.2
2004	49,384	503.3	2.28	498.9	507.8	7,983	528.9	6.03	517.1	540.8
2005	49,372	500.4	2.27	495.9	504.8	8,057	526.7	5.98	515.0	538.5
2006	50,682	511.9	2.30	507.4	516.5	8,543	547.2	6.04	535.4	559.2
2007	51,483	515.0	2.30	510.5	519.5	8,676	546.0	5.98	534.4	557.9
2008	52,514	519.3	2.30	514.8	523.8	8,775	540.1	5.89	528.6	551.7
2009	52,427	514.3	2.29	509.8	518.8	8,982	540.0	5.83	528.7	551.6
2010	51,227	497.2	2.24	492.8	501.6	8,833	522.2	5.69	511.1	533.4
2011	52,190	501.0	2.24	496.6	505.4	8,847	510.1	5.55	499.3	521.1
2012	51,051	484.8	2.20	480.5	489.1	8,838	499.9	5.44	489.2	510.6
2013	51,353	482.5	2.19	478.2	486.8	9,031	499.8	5.38	489.3	510.4
2014	52,301	486.3	2.19	482.0	490.6	9,246	503.3	5.36	492.8	513.9
2015	53,189	491.9	2.21	487.6	496.3	9,477	503.9	5.31	493.6	514.4
2016	53,603	493.4	2.21	489.1	497.7	9,432	497.8	5.25	487.5	508.2
2017	53,862	491.4	2.20	487.1	495.7	9,434	489.7	5.17	479.6	499.9
2018	53,539	484.3	2.18	480.1	488.6	9,428	482.2	5.09	472.3	492.3
2019	54,036	485.6	2.18	481.3	489.9	9,542	481.0	5.04	471.2	491.0
2020	48,913	440.5	2.09	436.5	444.7	8,387	417.3	4.67	408.2	426.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

All Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	46,824	394.5	2.12	390.4	398.7	927,364	564.1	0.59	562.9	565.2
1990	525	334.0	18.39	299.0	371.6	22,948	525.9	3.58	518.9	532.9
1991	557	309.1	16.59	277.5	343.0	24,440	551.3	3.63	544.2	558.4
1992	600	341.7	17.58	308.1	377.5	26,622	591.7	3.72	584.4	599.0
1993	700	381.2	18.19	346.4	418.1	26,612	584.2	3.67	577.0	591.4
1994	815	410.4	18.17	375.5	447.2	27,345	598.7	3.70	591.4	605.9
1995	851	448.4	19.46	411.1	487.8	27,162	586.4	3.63	579.3	593.6
1996	936	472.7	19.52	435.2	512.1	27,409	587.1	3.60	580.1	594.2
1997	954	445.5	17.99	411.0	481.9	27,719	589.0	3.58	582.0	596.1
1998	1,004	484.8	19.11	448.1	523.3	27,963	588.7	3.56	581.7	595.7
1999	1,111	461.2	17.38	427.7	496.2	28,666	597.6	3.56	590.6	604.6
2000	1,064	409.3	15.44	379.6	440.4	29,003	599.3	3.55	592.4	606.3
2001	1,157	443.1	15.99	412.3	475.3	29,915	614.1	3.58	607.1	621.2
2002	1,250	444.0	15.31	414.5	474.7	30,888	628.3	3.61	621.2	635.4
2003	1,320	427.5	14.30	399.9	456.2	30,143	604.4	3.52	597.5	611.3
2004	1,368	430.2	14.12	402.9	458.5	30,326	600.1	3.48	593.2	606.9
2005	1,469	417.6	13.05	392.4	443.8	30,032	586.2	3.42	579.5	593.0
2006	1,525	423.5	12.93	398.5	449.4	31,026	597.9	3.44	591.1	604.6
2007	1,639	437.2	12.78	412.5	462.8	31,932	604.3	3.43	597.6	611.1
2008	1,730	441.9	12.51	417.7	467.0	32,507	602.9	3.40	596.2	609.6
2009	1,802	437.5	12.05	414.2	461.7	32,244	586.2	3.33	579.7	592.8
2010	1,821	394.1	10.75	373.4	415.7	31,415	562.4	3.24	556.1	568.8
2011	1,904	396.1	10.60	375.5	417.3	32,032	561.9	3.21	555.6	568.2
2012	1,991	400.4	10.36	380.4	421.1	31,043	533.8	3.10	527.8	539.9
2013	2,015	377.6	9.66	358.9	396.9	31,114	525.5	3.05	519.5	531.5
2014	2,064	371.2	9.30	353.2	389.8	31,578	522.7	3.02	516.8	528.7
2015	2,241	373.7	8.95	356.3	391.6	32,571	531.6	3.03	525.7	537.6
2016	2,387	379.9	8.74	362.9	397.3	32,334	522.4	2.99	516.5	528.3
2017	2,474	383.2	8.60	366.5	400.3	33,265	529.4	2.98	523.5	535.3
2018	2,582	382.1	8.36	365.9	398.8	32,857	514.8	2.92	509.1	520.6
2019	2,661	373.9	7.99	358.4	389.8	33,573	518.8	2.91	513.1	524.5
2020	2,307	311.6	7.11	297.9	325.9	30,680	472.5	2.78	467.0	477.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

All Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	775,066	559.7	0.64	558.4	560.9	126,535	638.0	1.88	634.3	641.6
1990	19,914	518.3	3.78	510.9	525.8	2,786	605.5	12.32	581.6	630.0
1991	21,480	551.4	3.86	543.9	559.0	2,704	569.9	11.69	547.3	593.3
1992	23,191	587.5	3.95	579.8	595.3	3,144	660.1	12.59	635.6	685.1
1993	22,911	575.5	3.88	567.9	583.2	3,387	688.1	12.63	663.6	713.2
1994	23,338	586.1	3.91	578.4	593.8	3,672	743.5	13.11	718.1	769.6
1995	22,943	570.9	3.83	563.4	578.4	3,841	752.2	12.91	727.1	777.9
1996	23,064	571.1	3.81	563.7	578.6	3,905	743.1	12.60	718.6	768.2
1997	23,518	579.1	3.81	571.7	586.6	3,704	689.2	11.96	665.9	713.0
1998	23,574	576.3	3.78	568.9	583.7	3,830	706.5	12.05	683.1	730.5
1999	24,345	591.1	3.81	583.6	598.6	3,711	671.8	11.61	649.2	694.9
2000	24,375	588.8	3.79	581.4	596.3	4,019	711.9	11.81	689.0	735.4
2001	25,267	607.8	3.84	600.3	615.4	3,989	698.0	11.63	675.4	721.2
2002	26,133	624.5	3.89	616.9	632.2	4,016	689.2	11.47	666.9	712.0
2003	25,314	598.4	3.79	591.0	605.8	4,137	688.3	11.25	666.4	710.6
2004	25,390	594.1	3.76	586.8	601.5	4,159	682.4	11.16	660.7	704.6
2005	24,994	578.3	3.69	571.1	585.6	4,155	674.4	11.07	652.8	696.4
2006	25,776	590.6	3.72	583.3	597.9	4,401	694.5	11.03	673.0	716.4
2007	26,389	595.2	3.71	587.9	602.5	4,619	716.5	11.11	694.9	738.6
2008	26,948	597.2	3.69	590.0	604.5	4,607	693.8	10.75	672.9	715.2
2009	26,605	580.2	3.62	573.1	587.3	4,598	668.4	10.37	648.2	689.0
2010	25,916	557.5	3.53	550.6	564.4	4,479	641.1	10.09	621.5	661.2
2011	26,480	559.3	3.51	552.4	566.2	4,425	612.8	9.68	594.0	632.0
2012	25,571	531.6	3.40	524.9	538.3	4,371	596.3	9.47	577.8	615.1
2013	25,697	525.9	3.36	519.3	532.5	4,405	587.3	9.27	569.2	605.7
2014	25,934	521.6	3.32	515.1	528.1	4,477	582.8	9.12	565.0	600.9
2015	26,611	529.9	3.34	523.4	536.5	4,706	597.7	9.12	580.0	615.8
2016	26,631	526.5	3.33	520.0	533.1	4,497	562.2	8.76	545.1	579.6
2017	27,417	534.7	3.33	528.2	541.3	4,595	567.6	8.74	550.6	584.9
2018	26,911	517.8	3.26	511.4	524.2	4,516	542.5	8.39	526.2	559.2
2019	27,462	522.0	3.25	515.6	528.4	4,591	547.7	8.39	531.4	564.4
2020	24,967	474.6	3.11	468.5	480.7	4,089	479.9	7.77	464.8	495.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

All Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	49,463	338.2	1.66	334.9	341.4	903,865	438.4	0.47	437.5	439.3
1990	613	286.7	12.87	262.0	312.9	23,425	395.7	2.63	390.5	400.8
1991	592	263.6	12.14	240.4	288.4	23,501	392.5	2.61	387.4	397.6
1992	663	284.3	12.40	260.5	309.5	24,157	399.0	2.61	393.9	404.1
1993	737	303.6	12.45	279.7	328.8	24,792	403.4	2.60	398.3	408.5
1994	790	313.8	12.59	289.6	339.3	26,603	428.3	2.66	423.1	433.6
1995	888	343.3	13.11	318.1	369.8	26,302	423.5	2.64	418.3	428.7
1996	910	352.5	13.25	327.0	379.3	27,116	434.3	2.67	429.1	439.6
1997	938	338.5	12.71	314.1	364.2	27,071	431.0	2.65	425.9	436.3
1998	1,047	349.9	12.40	326.0	374.9	27,765	438.3	2.66	433.1	443.6
1999	1,130	360.9	12.34	337.1	385.8	27,965	439.9	2.65	434.7	445.1
2000	1,104	316.5	11.02	295.3	338.7	28,041	438.7	2.64	433.5	443.9
2001	1,174	332.8	11.18	311.3	355.3	28,717	446.6	2.66	441.4	451.8
2002	1,254	327.5	10.58	307.1	348.8	29,005	448.6	2.66	443.4	453.8
2003	1,227	309.7	10.13	290.2	330.1	28,361	436.3	2.62	431.2	441.5
2004	1,425	339.8	10.30	319.9	360.5	28,560	437.2	2.62	432.0	442.3
2005	1,444	331.0	9.84	312.0	350.8	29,155	443.9	2.63	438.8	449.1
2006	1,511	333.8	9.66	315.1	353.2	29,924	454.3	2.66	449.1	459.6
2007	1,619	327.6	9.04	310.2	345.8	30,038	452.7	2.65	447.6	458.0
2008	1,716	334.3	8.99	317.0	352.3	30,722	458.2	2.66	453.0	463.5
2009	1,863	346.3	8.90	329.1	364.2	31,157	461.4	2.67	456.2	466.7
2010	1,854	329.0	8.41	312.7	345.8	30,738	450.1	2.63	445.0	455.3
2011	1,987	343.3	8.43	327.0	360.2	31,282	454.1	2.63	448.9	459.3
2012	2,045	333.9	8.01	318.4	349.9	31,106	446.9	2.61	441.9	452.1
2013	2,243	352.4	8.03	336.8	368.4	31,451	446.8	2.60	441.7	451.9
2014	2,386	351.5	7.71	336.6	366.9	32,415	457.5	2.63	452.4	462.7
2015	2,476	355.4	7.61	340.6	370.6	32,645	457.6	2.63	452.5	462.8
2016	2,598	355.0	7.39	340.7	369.8	33,257	463.8	2.65	458.6	469.0
2017	2,727	365.5	7.39	351.2	380.3	32,674	451.6	2.60	446.5	456.8
2018	2,862	369.2	7.24	355.2	383.6	33,049	453.1	2.60	448.0	458.2
2019	2,964	368.3	7.07	354.6	382.4	33,137	452.4	2.60	447.4	457.6
2020	2,676	320.4	6.44	307.9	333.3	29,734	406.4	2.48	401.6	411.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

All Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	754,988	444.2	0.52	443.2	445.2	122,032	432.3	1.25	429.8	434.7
1990	20,483	399.4	2.86	393.8	405.1	2,707	392.2	7.67	377.3	407.5
1991	20,582	397.5	2.84	391.9	403.1	2,589	365.7	7.31	351.5	380.2
1992	21,200	406.1	2.85	400.5	411.7	2,646	364.1	7.18	350.2	378.4
1993	21,436	405.0	2.83	399.5	410.6	2,985	405.6	7.53	391.0	420.7
1994	23,035	431.6	2.90	425.9	437.3	3,199	427.9	7.67	413.0	443.2
1995	22,620	426.2	2.89	420.5	431.9	3,230	422.6	7.53	407.9	437.6
1996	23,272	437.9	2.93	432.2	443.7	3,373	435.8	7.59	421.0	450.9
1997	23,128	433.7	2.90	428.1	439.5	3,422	434.7	7.51	420.1	449.7
1998	23,585	439.7	2.91	434.0	445.5	3,584	445.8	7.52	431.2	460.8
1999	23,844	445.0	2.93	439.3	450.8	3,524	428.7	7.28	414.5	443.2
2000	23,834	444.2	2.93	438.5	450.0	3,529	421.0	7.14	407.1	435.2
2001	24,299	451.8	2.95	446.1	457.6	3,780	447.1	7.33	432.8	461.7
2002	24,404	452.0	2.94	446.3	457.8	3,885	451.1	7.29	437.0	465.7
2003	23,839	441.2	2.91	435.5	446.9	3,758	430.3	7.07	416.6	444.4
2004	23,994	443.2	2.92	437.5	448.9	3,824	430.7	7.02	417.0	444.6
2005	24,378	449.6	2.94	443.8	455.4	3,902	433.9	7.00	420.3	447.9
2006	24,906	459.7	2.98	453.9	465.6	4,142	453.1	7.10	439.2	467.2
2007	25,094	461.7	2.99	455.9	467.6	4,057	436.9	6.93	423.4	450.7
2008	25,566	466.5	3.00	460.7	472.4	4,168	440.6	6.90	427.2	454.4
2009	25,822	469.9	3.01	464.1	475.9	4,384	456.1	6.97	442.6	470.0
2010	25,311	456.8	2.97	451.0	462.6	4,354	444.9	6.83	431.6	458.5
2011	25,710	462.2	2.99	456.4	468.1	4,422	442.0	6.74	428.9	455.5
2012	25,480	455.1	2.96	449.3	460.9	4,467	438.3	6.66	425.3	451.5
2013	25,656	455.4	2.96	449.6	461.3	4,626	444.1	6.64	431.1	457.3
2014	26,367	466.2	3.00	460.3	472.1	4,769	453.6	6.69	440.6	466.9
2015	26,578	469.0	3.02	463.1	474.9	4,771	444.7	6.57	431.9	457.7
2016	26,972	474.9	3.05	468.9	480.9	4,935	457.8	6.65	444.9	471.0
2017	26,445	462.9	3.01	457.1	468.9	4,839	441.2	6.48	428.6	454.1
2018	26,628	463.8	3.01	458.0	469.8	4,912	441.4	6.44	428.8	454.2
2019	26,574	462.7	3.02	456.8	468.7	4,951	438.9	6.39	426.5	451.6
2020	23,946	419.1	2.89	413.5	424.8	4,298	376.5	5.89	365.1	388.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oral Cavity and Pharynx											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,925	7.2	0.18	6.8	7.5	44,366	11.8	0.06	11.7	11.9	
1990	26	6.3	1.35	3.9	9.5	1,130	11.0	0.33	10.3	11.6	
1991	26	5.6	1.23	3.5	8.5	1,107	10.6	0.32	10.0	11.3	
1992	13	2.7	0.82	1.3	4.8	1,107	10.5	0.32	9.9	11.1	
1993	27	6.6	1.47	4.0	10.0	1,108	10.4	0.31	9.8	11.1	
1994	32	7.7	1.58	4.9	11.3	1,154	10.7	0.32	10.1	11.4	
1995	23	5.1	1.22	3.0	8.0	1,278	11.8	0.33	11.2	12.5	
1996	48	13.5	2.21	9.5	18.3	1,248	11.5	0.33	10.8	12.1	
1997	59	13.0	1.97	9.4	17.3	1,257	11.5	0.32	10.8	12.1	
1998	39	7.7	1.47	5.1	11.1	1,215	11.0	0.31	10.3	11.6	
1999	49	6.5	1.00	4.7	8.8	1,262	11.3	0.32	10.7	11.9	
2000	38	6.0	1.20	3.9	8.8	1,257	11.1	0.31	10.5	11.8	
2001	47	7.8	1.37	5.3	10.8	1,219	10.7	0.31	10.1	11.3	
2002	52	7.2	1.15	5.1	9.8	1,302	11.3	0.31	10.7	11.9	
2003	49	7.8	1.28	5.4	10.6	1,286	11.0	0.31	10.4	11.6	
2004	48	6.3	1.00	4.5	8.5	1,387	11.8	0.32	11.2	12.4	
2005	42	4.3	0.73	2.9	5.9	1,303	10.9	0.30	10.3	11.5	
2006	58	6.6	1.01	4.8	8.9	1,343	11.1	0.31	10.5	11.7	
2007	73	7.5	1.01	5.7	9.8	1,448	11.9	0.31	11.3	12.5	
2008	76	8.3	1.08	6.3	10.7	1,508	12.1	0.32	11.5	12.8	
2009	75	6.9	0.89	5.3	8.8	1,521	12.2	0.32	11.5	12.8	
2010	74	7.0	0.92	5.3	9.0	1,526	11.9	0.31	11.3	12.6	
2011	82	7.0	0.85	5.4	8.8	1,660	12.8	0.32	12.2	13.5	
2012	76	6.5	0.82	5.0	8.3	1,656	12.6	0.32	12.0	13.2	
2013	75	6.5	0.82	5.0	8.3	1,689	12.7	0.32	12.1	13.3	
2014	76	6.3	0.79	4.9	8.1	1,708	12.6	0.31	12.0	13.2	
2015	97	7.8	0.86	6.2	9.7	1,770	13.1	0.32	12.4	13.7	
2016	92	6.4	0.72	5.1	8.0	1,786	13.0	0.32	12.4	13.6	
2017	112	7.8	0.79	6.3	9.5	1,821	13.1	0.32	12.5	13.8	
2018	114	7.9	0.78	6.4	9.5	1,730	12.4	0.31	11.8	13.0	
2019	132	9.1	0.85	7.6	10.9	1,816	12.8	0.31	12.2	13.4	
2020	95	5.9	0.63	4.7	7.2	1,764	12.6	0.31	12.0	13.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oral Cavity and Pharynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	36,598	11.8	0.06	11.6	11.9	6,214	12.2	0.16	11.9	12.5	
1990	903	10.0	0.34	9.4	10.7	215	17.5	1.22	15.2	20.1	
1991	887	9.8	0.33	9.1	10.5	202	15.8	1.13	13.6	18.1	
1992	928	10.1	0.34	9.5	10.8	163	12.5	0.99	10.7	14.6	
1993	912	10.0	0.33	9.3	10.6	171	13.0	1.00	11.1	15.1	
1994	924	10.0	0.33	9.4	10.7	207	15.6	1.10	13.5	17.9	
1995	1,053	11.4	0.35	10.7	12.1	199	14.5	1.04	12.5	16.6	
1996	1,011	10.9	0.34	10.2	11.6	214	15.3	1.06	13.3	17.5	
1997	1,019	10.9	0.34	10.3	11.6	207	14.6	1.03	12.6	16.8	
1998	973	10.4	0.33	9.7	11.0	210	14.5	1.01	12.6	16.6	
1999	1,035	11.0	0.34	10.3	11.7	196	13.1	0.95	11.3	15.1	
2000	1,026	10.8	0.34	10.2	11.5	195	12.8	0.93	11.1	14.8	
2001	1,006	10.5	0.33	9.9	11.2	178	11.4	0.87	9.8	13.2	
2002	1,070	11.1	0.34	10.5	11.8	201	13.0	0.93	11.2	14.9	
2003	1,065	10.9	0.34	10.3	11.6	187	11.6	0.86	10.0	13.4	
2004	1,103	11.3	0.34	10.6	12.0	231	14.1	0.94	12.4	16.1	
2005	1,082	11.0	0.34	10.3	11.7	171	10.2	0.79	8.7	11.9	
2006	1,106	11.1	0.34	10.5	11.8	179	10.4	0.79	8.9	12.1	
2007	1,188	11.8	0.35	11.2	12.5	210	12.3	0.87	10.7	14.2	
2008	1,244	12.2	0.35	11.5	12.9	217	12.4	0.86	10.8	14.2	
2009	1,262	12.3	0.35	11.6	13.0	195	11.1	0.81	9.5	12.8	
2010	1,227	11.7	0.34	11.1	12.4	222	12.4	0.85	10.8	14.2	
2011	1,380	13.1	0.36	12.4	13.8	216	11.7	0.82	10.2	13.5	
2012	1,375	12.9	0.36	12.2	13.6	224	12.0	0.82	10.5	13.7	
2013	1,401	12.9	0.35	12.2	13.6	219	11.9	0.82	10.3	13.6	
2014	1,424	12.9	0.35	12.2	13.6	215	11.6	0.81	10.1	13.3	
2015	1,470	13.5	0.36	12.8	14.2	216	10.9	0.76	9.5	12.5	
2016	1,488	13.4	0.36	12.7	14.1	211	10.8	0.76	9.4	12.4	
2017	1,562	14.1	0.37	13.4	14.8	180	8.8	0.67	7.5	10.2	
2018	1,465	13.0	0.35	12.4	13.8	174	8.8	0.68	7.5	10.2	
2019	1,548	13.7	0.36	13.0	14.4	191	9.4	0.70	8.1	10.9	
2020	1,461	13.1	0.36	12.4	13.8	198	9.5	0.69	8.2	11.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oral Cavity and Pharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,324	10.3	0.32	9.6	10.9	30,743	18.1	0.10	17.9	18.3
1990	15	8.2	2.42	4.2	14.4	772	17.3	0.64	16.1	18.6
1991	17	8.9	2.59	4.6	15.4	741	16.2	0.61	15.1	17.5
1992	9	3.3	1.16	1.4	6.8	740	16.1	0.60	14.9	17.3
1993	19	10.3	3.01	5.3	17.6	758	16.1	0.59	15.0	17.3
1994	20	10.5	2.93	5.6	17.6	771	16.4	0.60	15.2	17.6
1995	16	6.9	1.92	3.7	11.7	874	18.3	0.63	17.1	19.6
1996	35	19.7	4.03	12.7	28.9	846	17.6	0.61	16.5	18.9
1997	40	18.8	3.70	12.3	27.2	840	17.4	0.61	16.2	18.6
1998	24	11.8	3.05	6.6	18.9	828	16.8	0.59	15.6	17.9
1999	32	9.1	1.73	6.0	13.3	843	16.9	0.58	15.7	18.0
2000	25	7.8	1.87	4.5	12.3	865	17.2	0.59	16.0	18.4
2001	31	9.3	2.09	5.6	14.2	845	16.6	0.57	15.5	17.7
2002	38	10.4	1.92	7.0	14.9	876	17.0	0.58	15.8	18.1
2003	37	13.8	2.77	8.9	20.1	869	16.7	0.57	15.6	17.8
2004	38	10.3	1.92	6.9	14.7	974	18.2	0.59	17.1	19.4
2005	29	6.0	1.27	3.7	9.0	903	16.7	0.56	15.6	17.8
2006	42	9.4	1.72	6.3	13.3	911	16.5	0.56	15.5	17.7
2007	57	12.2	1.91	8.8	16.5	1,005	17.9	0.57	16.8	19.1
2008	53	11.9	1.89	8.5	16.1	1,032	18.0	0.57	16.9	19.1
2009	49	9.4	1.53	6.7	12.9	1,049	18.1	0.57	17.0	19.3
2010	53	10.9	1.69	7.8	14.6	1,082	18.3	0.57	17.2	19.5
2011	55	9.7	1.51	6.9	13.1	1,189	19.8	0.59	18.6	20.9
2012	57	10.1	1.54	7.3	13.5	1,160	19.0	0.57	17.9	20.2
2013	54	9.7	1.52	7.0	13.1	1,214	19.8	0.58	18.7	21.0
2014	48	8.4	1.37	5.9	11.5	1,190	18.9	0.56	17.8	20.0
2015	57	9.8	1.46	7.2	13.0	1,263	20.0	0.58	18.9	21.2
2016	70	10.1	1.32	7.7	13.0	1,267	19.7	0.57	18.6	20.9
2017	72	10.3	1.35	7.9	13.3	1,290	20.0	0.58	18.9	21.2
2018	81	11.5	1.40	8.9	14.5	1,214	18.7	0.55	17.7	19.9
2019	93	13.5	1.53	10.7	16.8	1,285	19.4	0.56	18.3	20.5
2020	58	7.2	1.00	5.3	9.4	1,247	19.0	0.56	17.9	20.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oral Cavity and Pharynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	25,295	17.8	0.11	17.6	18.0	4,395	20.2	0.31	19.6	20.8	
1990	619	16.0	0.66	14.7	17.3	145	27.9	2.39	23.4	33.0	
1991	588	14.8	0.62	13.6	16.1	142	26.5	2.30	22.1	31.3	
1992	610	15.4	0.63	14.1	16.7	116	21.2	2.03	17.4	25.6	
1993	617	15.2	0.62	14.0	16.5	125	22.0	2.02	18.3	26.4	
1994	613	15.2	0.62	14.0	16.5	144	25.5	2.21	21.3	30.2	
1995	708	17.3	0.66	16.0	18.6	146	25.2	2.16	21.1	29.7	
1996	677	16.5	0.64	15.3	17.9	155	25.7	2.11	21.7	30.2	
1997	669	16.3	0.63	15.1	17.6	152	25.3	2.14	21.3	29.8	
1998	650	15.5	0.61	14.3	16.8	155	25.2	2.09	21.2	29.6	
1999	691	16.4	0.62	15.2	17.6	137	21.2	1.86	17.7	25.2	
2000	695	16.4	0.62	15.2	17.6	152	23.5	1.96	19.8	27.7	
2001	699	16.3	0.62	15.1	17.6	124	18.5	1.71	15.3	22.2	
2002	703	16.2	0.62	15.0	17.5	152	23.0	1.92	19.4	27.1	
2003	707	16.2	0.61	15.0	17.4	142	20.1	1.73	16.9	23.8	
2004	762	17.0	0.62	15.8	18.3	175	25.3	2.00	21.6	29.6	
2005	747	16.6	0.61	15.4	17.8	129	18.1	1.63	15.0	21.6	
2006	749	16.4	0.60	15.2	17.6	120	16.1	1.50	13.3	19.3	
2007	818	17.6	0.62	16.4	18.8	154	21.3	1.79	17.9	25.1	
2008	847	17.8	0.62	16.6	19.1	151	20.7	1.78	17.4	24.5	
2009	880	18.4	0.63	17.2	19.7	128	16.7	1.53	13.8	20.0	
2010	878	17.9	0.62	16.7	19.1	150	20.1	1.72	16.8	23.7	
2011	982	19.8	0.65	18.5	21.1	160	20.3	1.67	17.2	23.9	
2012	958	19.1	0.63	17.9	20.4	160	19.9	1.64	16.9	23.4	
2013	1,013	19.9	0.64	18.7	21.2	152	19.5	1.65	16.4	23.0	
2014	1,003	19.3	0.63	18.1	20.6	137	17.8	1.58	14.8	21.1	
2015	1,055	20.4	0.65	19.2	21.7	154	18.6	1.55	15.6	21.9	
2016	1,062	20.1	0.64	18.9	21.4	144	17.5	1.51	14.6	20.7	
2017	1,113	21.3	0.66	20.0	22.6	120	13.8	1.31	11.3	16.6	
2018	1,033	19.5	0.63	18.3	20.8	120	14.2	1.35	11.7	17.1	
2019	1,113	20.8	0.65	19.5	22.1	122	13.8	1.30	11.4	16.6	
2020	1,036	19.7	0.64	18.5	21.0	132	14.7	1.32	12.2	17.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oral Cavity and Pharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	601	4.4	0.19	4.0	4.7	13,623	6.6	0.06	6.5	6.7
1990	11	4.8	1.54	2.2	8.8	358	6.0	0.33	5.4	6.7
1991	9	3.0	1.07	1.3	6.1	366	6.3	0.34	5.7	7.0
1992	4	1.9	1.04	0.5	5.0	367	6.2	0.33	5.6	6.9
1993	8	3.7	1.44	1.4	7.5	350	5.8	0.31	5.2	6.5
1994	12	5.5	1.78	2.6	10.0	383	6.2	0.32	5.6	6.9
1995	7	3.2	1.40	1.1	6.9	404	6.5	0.33	5.9	7.2
1996	13	8.1	2.38	4.2	13.8	402	6.5	0.33	5.8	7.1
1997	19	8.2	2.12	4.6	13.2	417	6.8	0.33	6.1	7.5
1998	15	4.9	1.41	2.5	8.4	387	6.2	0.32	5.6	6.8
1999	17	4.2	1.06	2.3	6.9	419	6.7	0.33	6.1	7.4
2000	13	4.2	1.44	1.8	7.8	392	6.2	0.32	5.6	6.9
2001	16	6.1	1.75	3.1	10.2	374	5.9	0.31	5.3	6.5
2002	14	4.1	1.28	2.0	7.3	426	6.6	0.32	6.0	7.3
2003	12	2.9	0.96	1.4	5.4	417	6.4	0.32	5.8	7.1
2004	10	2.6	0.87	1.2	4.9	413	6.4	0.32	5.8	7.1
2005	13	2.6	0.78	1.3	4.6	400	6.1	0.31	5.5	6.8
2006	16	4.0	1.12	2.1	6.7	432	6.5	0.32	5.9	7.2
2007	16	3.2	0.94	1.6	5.5	443	6.7	0.32	6.1	7.4
2008	23	5.0	1.17	3.0	7.8	476	7.1	0.33	6.4	7.8
2009	26	4.6	0.98	2.9	6.9	472	7.0	0.33	6.4	7.7
2010	21	3.6	0.89	2.1	5.7	444	6.6	0.32	6.0	7.2
2011	27	4.5	0.94	2.8	6.7	471	6.8	0.32	6.2	7.4
2012	19	3.3	0.82	1.9	5.3	496	7.0	0.32	6.4	7.7
2013	21	3.7	0.84	2.2	5.7	475	6.7	0.31	6.1	7.3
2014	28	4.6	0.91	3.0	6.7	518	7.1	0.32	6.5	7.7
2015	40	6.1	1.03	4.2	8.4	507	7.0	0.32	6.4	7.7
2016	22	3.0	0.67	1.8	4.6	519	7.2	0.33	6.6	7.9
2017	40	5.5	0.92	3.9	7.6	531	7.2	0.32	6.5	7.8
2018	33	4.6	0.83	3.1	6.5	516	6.9	0.32	6.3	7.6
2019	39	5.2	0.87	3.7	7.2	531	7.0	0.32	6.4	7.7
2020	37	4.6	0.78	3.2	6.4	517	6.9	0.32	6.3	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oral Cavity and Pharynx										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	11,303	6.6	0.06	6.5	6.7	1,819	6.3	0.15	6.0	6.6
1990	284	5.4	0.33	4.8	6.1	70	9.9	1.20	7.7	12.5
1991	299	6.0	0.35	5.3	6.7	60	7.9	1.04	6.0	10.2
1992	318	6.1	0.35	5.5	6.9	47	6.3	0.92	4.6	8.3
1993	295	5.7	0.34	5.0	6.4	46	6.2	0.91	4.5	8.2
1994	311	5.8	0.33	5.2	6.5	63	8.4	1.07	6.4	10.7
1995	345	6.5	0.35	5.8	7.2	53	6.6	0.92	4.9	8.7
1996	334	6.3	0.35	5.6	7.0	59	7.5	0.98	5.7	9.6
1997	350	6.7	0.36	6.0	7.5	55	6.8	0.93	5.1	8.9
1998	323	6.1	0.34	5.4	6.8	55	6.6	0.90	5.0	8.6
1999	344	6.6	0.36	5.9	7.4	59	6.9	0.91	5.3	8.9
2000	331	6.3	0.35	5.6	7.0	43	4.9	0.76	3.6	6.6
2001	307	5.7	0.33	5.1	6.4	54	6.1	0.84	4.6	8.0
2002	367	6.9	0.36	6.2	7.6	49	5.5	0.80	4.1	7.3
2003	358	6.6	0.36	5.9	7.4	45	5.1	0.76	3.7	6.8
2004	341	6.4	0.35	5.7	7.1	56	6.0	0.81	4.6	7.9
2005	335	6.3	0.35	5.6	7.0	42	4.4	0.68	3.2	6.0
2006	357	6.5	0.35	5.8	7.2	59	6.1	0.80	4.6	7.9
2007	370	6.8	0.36	6.1	7.6	56	5.9	0.79	4.4	7.6
2008	397	7.2	0.37	6.5	7.9	66	6.7	0.83	5.2	8.5
2009	382	7.0	0.37	6.3	7.8	67	6.8	0.85	5.3	8.7
2010	349	6.3	0.35	5.7	7.1	72	7.1	0.85	5.5	9.0
2011	398	7.0	0.36	6.3	7.8	56	5.4	0.73	4.1	7.0
2012	417	7.3	0.37	6.6	8.0	64	6.1	0.78	4.7	7.8
2013	388	6.7	0.35	6.0	7.4	67	6.3	0.79	4.9	8.1
2014	421	7.1	0.36	6.4	7.9	78	7.4	0.86	5.8	9.3
2015	415	7.3	0.38	6.6	8.1	62	5.5	0.71	4.2	7.0
2016	426	7.5	0.38	6.7	8.3	67	6.0	0.75	4.6	7.7
2017	449	7.6	0.38	6.9	8.4	60	5.2	0.68	3.9	6.7
2018	432	7.2	0.37	6.5	8.0	54	4.9	0.68	3.6	6.4
2019	435	7.3	0.37	6.6	8.0	69	6.2	0.76	4.8	7.8
2020	425	7.1	0.36	6.4	7.9	66	5.8	0.73	4.5	7.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lip										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	91	0.4	0.04	0.3	0.5	2,349	0.6	0.01	0.6	0.7
1990	1	0.2	0.23	0.0	1.4	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	1.3	102	1.0	0.09	0.8	1.2
1992	0					96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	1.0	80	0.7	0.08	0.6	0.9
1994	0					94	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	1.0	101	0.9	0.09	0.8	1.1
1996	2	0.6	0.50	0.0	2.2	106	1.0	0.09	0.8	1.2
1997	0					97	0.9	0.09	0.7	1.1
1998	1	0.2	0.16	0.0	1.0	80	0.7	0.08	0.6	0.9
1999	4	0.4	0.21	0.1	1.2	82	0.7	0.08	0.6	0.9
2000	3	0.7	0.47	0.1	2.1	77	0.7	0.08	0.5	0.9
2001	1	0.1	0.14	0.0	0.9	59	0.5	0.07	0.4	0.7
2002	3	0.6	0.39	0.1	1.8	96	0.8	0.08	0.7	1.0
2003	3	0.4	0.21	0.1	1.1	66	0.6	0.07	0.4	0.7
2004	1	0.2	0.24	0.0	1.1	82	0.7	0.08	0.6	0.9
2005	3	0.4	0.20	0.1	1.1	69	0.6	0.07	0.5	0.7
2006	4	0.6	0.34	0.1	1.6	68	0.6	0.07	0.5	0.7
2007	3	0.2	0.13	0.1	0.8	74	0.6	0.07	0.5	0.8
2008	7	0.9	0.39	0.3	1.9	72	0.6	0.07	0.5	0.8
2009	3	0.4	0.27	0.1	1.2	71	0.6	0.07	0.5	0.7
2010	4	0.5	0.25	0.1	1.2	80	0.6	0.07	0.5	0.8
2011	5	0.5	0.25	0.1	1.2	56	0.4	0.06	0.3	0.6
2012	4	0.3	0.13	0.1	0.7	54	0.4	0.06	0.3	0.5
2013	2	0.2	0.16	0.0	0.7	69	0.5	0.06	0.4	0.7
2014	3	0.3	0.20	0.1	0.9	63	0.5	0.06	0.4	0.6
2015	8	0.8	0.29	0.3	1.5	68	0.5	0.06	0.4	0.7
2016	2	0.2	0.12	0.0	0.6	71	0.5	0.06	0.4	0.7
2017	11	0.9	0.30	0.4	1.7	64	0.5	0.06	0.4	0.6
2018	3	0.3	0.16	0.1	0.7	50	0.4	0.05	0.3	0.5
2019	4	0.3	0.16	0.1	0.8	49	0.4	0.05	0.3	0.5
2020	3	0.2	0.12	0.0	0.6	34	0.2	0.04	0.2	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lip											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,257	0.7	0.02	0.7	0.8	36	0.1	0.01	0.1	0.1	
1990	119	1.3	0.12	1.1	1.5	0					
1991	100	1.1	0.11	0.9	1.3	1	0.1	0.09	0.0	0.5	
1992	96	1.0	0.11	0.8	1.3	0					
1993	79	0.9	0.10	0.7	1.1	1	0.1	0.05	0.0	0.3	
1994	90	1.0	0.10	0.8	1.2	3	0.3	0.18	0.1	0.8	
1995	98	1.0	0.10	0.8	1.3	1	0.1	0.05	0.0	0.3	
1996	104	1.1	0.11	0.9	1.3	1	0.1	0.08	0.0	0.4	
1997	94	1.0	0.10	0.8	1.2	2	0.2	0.15	0.0	0.7	
1998	79	0.8	0.09	0.7	1.0	1	0.1	0.05	0.0	0.3	
1999	80	0.8	0.09	0.6	1.0	0					
2000	73	0.8	0.09	0.6	1.0	2	0.1	0.10	0.0	0.5	
2001	57	0.6	0.08	0.4	0.8	1	0.1	0.07	0.0	0.4	
2002	93	0.9	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4	
2003	64	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3	
2004	78	0.8	0.09	0.6	1.0	3	0.2	0.11	0.0	0.6	
2005	65	0.7	0.08	0.5	0.8	2	0.1	0.08	0.0	0.4	
2006	68	0.7	0.09	0.5	0.9	0					
2007	70	0.7	0.08	0.5	0.9	3	0.2	0.12	0.0	0.6	
2008	66	0.7	0.08	0.5	0.8	3	0.2	0.12	0.0	0.6	
2009	64	0.6	0.08	0.5	0.8	2	0.2	0.11	0.0	0.5	
2010	75	0.7	0.08	0.6	0.9	3	0.2	0.10	0.0	0.5	
2011	55	0.5	0.07	0.4	0.7	0					
2012	53	0.5	0.07	0.4	0.7	0					
2013	64	0.6	0.07	0.5	0.8	1	0.1	0.07	0.0	0.4	
2014	59	0.5	0.07	0.4	0.7	0					
2015	63	0.6	0.08	0.5	0.8	0					
2016	64	0.6	0.07	0.4	0.7	0					
2017	60	0.6	0.08	0.4	0.7	0					
2018	47	0.4	0.06	0.3	0.6	2	0.1	0.09	0.0	0.4	
2019	47	0.4	0.06	0.3	0.6	0					
2020	33	0.3	0.05	0.2	0.4	1	0.1	0.06	0.0	0.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lip										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	66	0.6	0.08	0.4	0.7	1,813	1.1	0.03	1.1	1.2
1990	1	0.4	0.44	0.0	3.3	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.41	0.0	3.1	87	2.0	0.22	1.6	2.4
1992	0					82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	2.5	69	1.5	0.19	1.2	1.9
1994	0					69	1.5	0.19	1.2	1.9
1995	0					79	1.8	0.21	1.4	2.2
1996	2	1.5	1.34	0.1	5.6	85	1.9	0.20	1.5	2.3
1997	0					79	1.8	0.21	1.4	2.2
1998	1	0.3	0.33	0.0	2.3	63	1.3	0.17	1.0	1.7
1999	3	0.6	0.40	0.1	2.6	70	1.5	0.18	1.2	1.9
2000	1	0.3	0.27	0.0	2.0	65	1.3	0.17	1.0	1.7
2001	1	0.3	0.29	0.0	2.0	44	0.9	0.14	0.7	1.3
2002	2	0.5	0.36	0.0	2.1	67	1.4	0.18	1.1	1.8
2003	2	0.4	0.30	0.0	1.9	48	1.0	0.14	0.7	1.3
2004	1	0.6	0.55	0.0	2.5	64	1.3	0.16	1.0	1.7
2005	1	0.2	0.17	0.0	1.4	58	1.2	0.16	0.9	1.5
2006	3	0.8	0.52	0.1	2.5	49	1.0	0.14	0.7	1.3
2007	3	0.4	0.26	0.1	1.6	55	1.0	0.14	0.8	1.4
2008	4	0.9	0.45	0.2	2.3	48	0.9	0.14	0.7	1.2
2009	2	0.3	0.18	0.0	1.2	53	1.0	0.14	0.8	1.3
2010	4	1.0	0.57	0.2	2.7	59	1.1	0.14	0.8	1.4
2011	2	0.3	0.18	0.0	1.1	42	0.8	0.12	0.6	1.1
2012	4	0.5	0.25	0.1	1.4	42	0.7	0.12	0.5	1.0
2013	2	0.5	0.36	0.0	1.6	48	0.9	0.13	0.6	1.2
2014	2	0.5	0.41	0.0	1.8	44	0.8	0.12	0.5	1.0
2015	5	1.0	0.51	0.3	2.4	51	0.9	0.13	0.7	1.2
2016	1	0.1	0.10	0.0	0.7	57	1.0	0.13	0.7	1.3
2017	9	1.7	0.62	0.7	3.3	46	0.8	0.12	0.6	1.1
2018	2	0.4	0.31	0.0	1.4	36	0.6	0.10	0.4	0.8
2019	3	0.5	0.27	0.1	1.3	36	0.6	0.10	0.4	0.8
2020	3	0.4	0.26	0.1	1.2	22	0.3	0.07	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lip											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,756	1.3	0.03	1.2	1.4	20	0.1	0.03	0.1	0.2	
1990	96	2.5	0.26	2.0	3.1	0					
1991	85	2.2	0.24	1.7	2.7	1	0.2	0.20	0.0	1.1	
1992	82	2.2	0.24	1.7	2.7	0					
1993	69	1.7	0.21	1.3	2.2	0					
1994	68	1.7	0.21	1.3	2.2	0					
1995	77	2.0	0.23	1.6	2.5	0					
1996	83	2.1	0.23	1.7	2.6	1	0.2	0.20	0.0	1.0	
1997	77	2.0	0.23	1.6	2.5	2	0.7	0.47	0.1	2.1	
1998	62	1.5	0.20	1.2	2.0	1	0.1	0.12	0.0	0.8	
1999	68	1.7	0.21	1.3	2.2	0					
2000	62	1.5	0.19	1.2	1.9	1	0.2	0.19	0.0	1.0	
2001	44	1.1	0.17	0.8	1.5	0					
2002	66	1.6	0.20	1.3	2.1	1	0.1	0.12	0.0	0.8	
2003	47	1.1	0.16	0.8	1.5	1	0.1	0.12	0.0	0.8	
2004	62	1.5	0.19	1.1	1.9	1	0.1	0.13	0.0	0.8	
2005	54	1.3	0.18	1.0	1.7	2	0.3	0.18	0.0	1.0	
2006	49	1.2	0.17	0.9	1.5	0					
2007	53	1.2	0.16	0.9	1.5	1	0.2	0.22	0.0	1.0	
2008	44	1.0	0.15	0.7	1.4	2	0.4	0.26	0.0	1.2	
2009	47	1.1	0.16	0.8	1.4	2	0.4	0.26	0.0	1.2	
2010	56	1.2	0.17	0.9	1.6	2	0.3	0.20	0.0	1.0	
2011	41	0.9	0.14	0.7	1.2	0					
2012	41	0.9	0.14	0.6	1.2	0					
2013	48	1.0	0.15	0.8	1.4	0					
2014	41	0.8	0.13	0.6	1.2	0					
2015	48	1.0	0.15	0.7	1.4	0					
2016	52	1.1	0.15	0.8	1.4	0					
2017	43	0.9	0.14	0.7	1.2	0					
2018	34	0.7	0.12	0.5	1.0	2	0.3	0.22	0.0	1.1	
2019	35	0.7	0.12	0.5	1.0	0					
2020	22	0.4	0.09	0.3	0.6	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lip											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	25	0.2	0.05	0.1	0.3	536	0.3	0.01	0.2	0.3	
1990	0					23	0.4	0.07	0.2	0.5	
1991	0					15	0.2	0.06	0.1	0.4	
1992	0					14	0.2	0.05	0.1	0.4	
1993	0					11	0.2	0.05	0.1	0.3	
1994	0					25	0.4	0.08	0.2	0.6	
1995	1	0.3	0.29	0.0	1.9	22	0.3	0.07	0.2	0.5	
1996	0					21	0.3	0.07	0.2	0.5	
1997	0					18	0.3	0.07	0.2	0.4	
1998	0					17	0.3	0.06	0.2	0.4	
1999	1	0.1	0.09	0.0	1.3	12	0.2	0.05	0.1	0.3	
2000	2	1.0	0.77	0.1	3.3	12	0.2	0.05	0.1	0.3	
2001	0					15	0.2	0.06	0.1	0.4	
2002	1	0.6	0.60	0.0	2.6	29	0.4	0.08	0.3	0.6	
2003	1	0.3	0.29	0.0	1.5	18	0.3	0.06	0.2	0.4	
2004	0					18	0.3	0.06	0.2	0.4	
2005	2	0.5	0.35	0.1	1.8	11	0.2	0.05	0.1	0.3	
2006	1	0.4	0.43	0.0	1.9	19	0.3	0.07	0.2	0.5	
2007	0					19	0.3	0.07	0.2	0.4	
2008	3	0.9	0.55	0.1	2.4	24	0.4	0.08	0.2	0.6	
2009	1	0.4	0.41	0.0	1.7	18	0.2	0.06	0.1	0.4	
2010	0					21	0.3	0.07	0.2	0.5	
2011	3	0.6	0.39	0.1	1.8	14	0.2	0.05	0.1	0.3	
2012	0					12	0.2	0.05	0.1	0.3	
2013	0					21	0.3	0.06	0.2	0.5	
2014	1	0.2	0.22	0.0	1.0	19	0.2	0.05	0.1	0.4	
2015	3	0.5	0.33	0.1	1.5	17	0.2	0.06	0.1	0.4	
2016	1	0.2	0.20	0.0	0.9	14	0.2	0.05	0.1	0.3	
2017	2	0.3	0.22	0.0	1.1	18	0.2	0.06	0.1	0.4	
2018	1	0.2	0.17	0.0	0.8	14	0.2	0.05	0.1	0.3	
2019	1	0.2	0.16	0.0	0.8	13	0.2	0.05	0.1	0.3	
2020	0					12	0.2	0.05	0.1	0.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lip											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	501	0.3	0.01	0.3	0.3	16	0.1	0.01	0.0	0.1	
1990	23	0.4	0.08	0.3	0.6	0					
1991	15	0.3	0.07	0.2	0.5	0					
1992	14	0.2	0.06	0.1	0.4	0					
1993	10	0.2	0.06	0.1	0.4	1	0.1	0.09	0.0	0.6	
1994	22	0.4	0.08	0.2	0.6	3	0.5	0.28	0.1	1.3	
1995	21	0.4	0.08	0.2	0.6	1	0.1	0.10	0.0	0.6	
1996	21	0.4	0.09	0.2	0.6	0					
1997	17	0.3	0.07	0.2	0.5	0					
1998	17	0.3	0.08	0.2	0.5	0					
1999	12	0.2	0.06	0.1	0.4	0					
2000	11	0.2	0.06	0.1	0.4	1	0.1	0.12	0.0	0.6	
2001	13	0.2	0.06	0.1	0.4	1	0.1	0.11	0.0	0.6	
2002	27	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6	
2003	17	0.3	0.07	0.2	0.5	0					
2004	16	0.3	0.07	0.2	0.5	2	0.2	0.17	0.0	0.8	
2005	11	0.2	0.06	0.1	0.3	0					
2006	19	0.4	0.08	0.2	0.6	0					
2007	17	0.3	0.07	0.2	0.5	2	0.2	0.15	0.0	0.8	
2008	22	0.4	0.09	0.3	0.6	1	0.1	0.12	0.0	0.6	
2009	17	0.3	0.07	0.2	0.5	0					
2010	19	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6	
2011	14	0.2	0.06	0.1	0.4	0					
2012	12	0.2	0.06	0.1	0.4	0					
2013	16	0.3	0.07	0.2	0.5	1	0.1	0.11	0.0	0.6	
2014	18	0.3	0.06	0.2	0.4	0					
2015	15	0.3	0.07	0.2	0.5	0					
2016	12	0.2	0.05	0.1	0.3	0					
2017	17	0.3	0.07	0.2	0.5	0					
2018	13	0.2	0.06	0.1	0.4	0					
2019	12	0.2	0.06	0.1	0.4	0					
2020	11	0.2	0.06	0.1	0.3	1	0.1	0.11	0.0	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Tongue										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	515	2.0	0.09	1.8	2.1	12,189	3.2	0.03	3.2	3.3
1990	4	1.1	0.56	0.3	2.8	250	2.4	0.15	2.1	2.7
1991	8	1.8	0.73	0.7	3.9	269	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	1.9	261	2.5	0.15	2.2	2.8
1993	6	1.4	0.65	0.5	3.3	265	2.5	0.15	2.2	2.8
1994	8	2.2	0.89	0.8	4.5	261	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	3.8	276	2.5	0.15	2.3	2.9
1996	14	4.2	1.27	2.1	7.3	283	2.6	0.16	2.3	2.9
1997	15	3.8	1.11	2.0	6.5	328	3.0	0.17	2.7	3.4
1998	9	1.5	0.53	0.7	3.0	264	2.4	0.15	2.1	2.7
1999	10	1.3	0.44	0.6	2.6	322	2.9	0.16	2.6	3.2
2000	7	1.2	0.48	0.4	2.5	299	2.6	0.15	2.4	3.0
2001	7	1.5	0.65	0.5	3.2	284	2.5	0.15	2.2	2.8
2002	10	1.5	0.55	0.7	3.0	345	3.0	0.16	2.7	3.3
2003	15	2.2	0.62	1.1	3.7	328	2.8	0.16	2.5	3.1
2004	16	2.2	0.59	1.2	3.6	369	3.1	0.16	2.8	3.5
2005	11	1.4	0.46	0.6	2.6	386	3.2	0.16	2.9	3.6
2006	12	1.3	0.43	0.6	2.4	363	3.0	0.16	2.7	3.3
2007	14	1.5	0.44	0.8	2.6	443	3.6	0.17	3.3	4.0
2008	18	2.1	0.53	1.1	3.3	411	3.3	0.16	3.0	3.6
2009	19	1.9	0.47	1.1	3.0	413	3.3	0.17	3.0	3.7
2010	22	2.0	0.47	1.2	3.1	397	3.1	0.16	2.8	3.4
2011	28	2.5	0.52	1.6	3.7	450	3.5	0.17	3.2	3.8
2012	19	1.6	0.40	0.9	2.6	515	3.9	0.18	3.6	4.3
2013	21	1.6	0.37	0.9	2.5	521	3.8	0.17	3.5	4.2
2014	21	1.9	0.45	1.1	3.0	538	3.9	0.17	3.6	4.3
2015	29	2.4	0.48	1.6	3.5	536	3.9	0.17	3.6	4.3
2016	29	2.0	0.39	1.3	2.9	535	3.9	0.17	3.5	4.2
2017	30	1.9	0.37	1.3	2.8	609	4.4	0.18	4.0	4.7
2018	38	2.7	0.46	1.9	3.7	548	3.9	0.17	3.6	4.2
2019	39	2.7	0.45	1.8	3.7	544	3.8	0.17	3.5	4.1
2020	24	1.4	0.30	0.9	2.1	576	4.1	0.18	3.8	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Tongue											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	10,456	3.4	0.03	3.3	3.4	1,353	2.6	0.07	2.5	2.8	
1990	198	2.2	0.16	1.9	2.5	52	4.2	0.58	3.1	5.5	
1991	209	2.4	0.17	2.1	2.7	54	4.3	0.59	3.2	5.6	
1992	217	2.4	0.16	2.1	2.7	42	3.3	0.51	2.4	4.5	
1993	227	2.5	0.16	2.1	2.8	33	2.6	0.45	1.8	3.6	
1994	216	2.4	0.16	2.1	2.7	42	3.2	0.50	2.3	4.3	
1995	227	2.4	0.16	2.1	2.8	42	3.0	0.48	2.2	4.1	
1996	234	2.5	0.17	2.2	2.9	46	3.3	0.49	2.4	4.4	
1997	276	3.0	0.18	2.7	3.4	47	3.5	0.51	2.5	4.6	
1998	220	2.4	0.16	2.1	2.7	38	2.7	0.43	1.9	3.7	
1999	276	3.0	0.18	2.6	3.3	40	2.6	0.41	1.8	3.5	
2000	247	2.6	0.17	2.3	3.0	44	2.9	0.45	2.1	4.0	
2001	232	2.4	0.16	2.1	2.8	45	2.8	0.42	2.1	3.8	
2002	287	3.0	0.18	2.7	3.4	50	3.1	0.44	2.3	4.1	
2003	280	2.9	0.17	2.6	3.3	39	2.5	0.41	1.8	3.4	
2004	304	3.1	0.18	2.8	3.5	47	2.9	0.43	2.1	3.9	
2005	331	3.3	0.18	3.0	3.7	37	2.3	0.38	1.6	3.1	
2006	304	3.1	0.18	2.7	3.4	43	2.4	0.38	1.8	3.3	
2007	390	3.9	0.20	3.5	4.3	40	2.3	0.37	1.7	3.2	
2008	368	3.6	0.19	3.3	4.0	34	2.0	0.34	1.3	2.7	
2009	358	3.5	0.19	3.2	3.9	34	1.9	0.33	1.3	2.7	
2010	344	3.3	0.18	2.9	3.7	35	2.0	0.34	1.4	2.8	
2011	380	3.6	0.19	3.3	4.0	52	2.9	0.40	2.1	3.8	
2012	451	4.2	0.20	3.8	4.7	51	2.8	0.40	2.0	3.7	
2013	449	4.1	0.20	3.7	4.5	57	3.0	0.40	2.2	3.9	
2014	469	4.2	0.20	3.8	4.6	51	2.8	0.40	2.0	3.7	
2015	472	4.3	0.20	3.9	4.7	46	2.4	0.36	1.7	3.2	
2016	470	4.2	0.20	3.9	4.7	45	2.2	0.34	1.6	3.0	
2017	541	4.9	0.22	4.4	5.3	44	2.2	0.34	1.6	3.0	
2018	484	4.3	0.20	3.9	4.7	41	1.9	0.30	1.4	2.6	
2019	495	4.3	0.20	3.9	4.7	33	1.6	0.28	1.1	2.2	
2020	500	4.6	0.21	4.2	5.0	49	2.3	0.33	1.7	3.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Tongue											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	346	2.7	0.16	2.4	3.0	8,417	4.9	0.05	4.8	5.0	
1990	3	1.9	1.17	0.3	5.8	169	3.7	0.29	3.1	4.3	
1991	6	3.3	1.62	0.9	8.0	192	4.3	0.32	3.7	5.0	
1992	3	0.8	0.57	0.1	3.6	169	3.6	0.28	3.1	4.2	
1993	5	2.7	1.43	0.6	6.9	173	3.6	0.28	3.1	4.2	
1994	5	3.7	2.05	0.8	9.3	175	3.7	0.28	3.2	4.3	
1995	6	2.4	0.97	0.9	5.4	195	4.1	0.29	3.5	4.7	
1996	10	6.6	2.43	2.7	12.7	189	3.9	0.29	3.4	4.5	
1997	10	4.9	1.88	1.9	9.7	210	4.3	0.30	3.7	4.9	
1998	5	2.0	0.92	0.6	4.8	169	3.4	0.26	2.9	3.9	
1999	6	1.7	0.71	0.6	4.0	205	4.0	0.28	3.5	4.6	
2000	7	2.4	1.04	0.8	5.4	193	3.8	0.27	3.3	4.4	
2001	4	0.9	0.43	0.2	2.6	199	3.8	0.27	3.3	4.4	
2002	8	2.5	1.00	0.9	5.2	237	4.5	0.30	4.0	5.1	
2003	12	3.9	1.30	1.8	7.2	227	4.3	0.29	3.8	4.9	
2004	13	3.8	1.18	1.9	6.8	251	4.6	0.29	4.0	5.2	
2005	8	1.9	0.80	0.6	4.1	265	4.8	0.30	4.2	5.4	
2006	7	1.4	0.68	0.4	3.4	253	4.5	0.29	4.0	5.1	
2007	8	1.6	0.63	0.6	3.4	308	5.4	0.31	4.8	6.1	
2008	10	2.5	0.91	1.0	4.9	285	4.9	0.30	4.4	5.5	
2009	13	2.7	0.84	1.3	4.8	273	4.7	0.29	4.1	5.3	
2010	15	2.7	0.75	1.4	4.6	282	4.7	0.29	4.2	5.3	
2011	18	3.2	0.85	1.8	5.3	312	5.1	0.30	4.6	5.7	
2012	14	2.3	0.70	1.1	4.1	362	5.9	0.32	5.3	6.6	
2013	18	2.6	0.68	1.5	4.3	367	5.8	0.31	5.2	6.4	
2014	10	2.0	0.69	0.9	3.7	371	5.8	0.31	5.2	6.4	
2015	18	2.9	0.74	1.6	4.6	382	6.0	0.32	5.4	6.6	
2016	20	2.7	0.67	1.6	4.4	382	5.8	0.31	5.2	6.5	
2017	17	2.3	0.60	1.3	3.8	435	6.7	0.33	6.1	7.4	
2018	22	3.2	0.74	1.9	5.0	390	5.9	0.31	5.3	6.6	
2019	27	3.7	0.78	2.3	5.5	390	5.7	0.30	5.2	6.4	
2020	18	2.2	0.55	1.2	3.5	407	6.2	0.32	5.6	6.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Tongue											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	7,185	5.0	0.06	4.9	5.1	990	4.5	0.15	4.2	4.8	
1990	130	3.2	0.29	2.7	3.9	39	7.2	1.17	5.1	9.9	
1991	144	3.7	0.32	3.1	4.4	43	8.0	1.27	5.7	10.9	
1992	137	3.4	0.29	2.8	4.0	30	5.4	0.99	3.6	7.7	
1993	144	3.5	0.29	2.9	4.1	25	4.3	0.86	2.7	6.3	
1994	145	3.6	0.30	3.0	4.2	29	5.2	1.02	3.4	7.6	
1995	159	3.8	0.31	3.3	4.5	30	5.3	1.03	3.5	7.7	
1996	155	3.8	0.31	3.2	4.4	34	5.6	0.97	3.8	7.8	
1997	172	4.1	0.31	3.5	4.8	34	6.0	1.09	4.1	8.5	
1998	134	3.2	0.28	2.7	3.8	29	4.8	0.91	3.2	6.9	
1999	174	4.0	0.31	3.5	4.7	29	4.2	0.77	2.8	6.0	
2000	156	3.6	0.29	3.1	4.3	35	5.3	0.91	3.7	7.4	
2001	161	3.7	0.29	3.2	4.3	36	5.3	0.89	3.7	7.4	
2002	193	4.4	0.32	3.8	5.1	38	5.4	0.89	3.8	7.5	
2003	191	4.3	0.32	3.8	5.0	30	4.6	0.88	3.0	6.6	
2004	201	4.4	0.31	3.8	5.1	38	5.3	0.88	3.7	7.3	
2005	226	4.9	0.33	4.3	5.6	30	4.4	0.82	2.9	6.3	
2006	213	4.6	0.32	4.0	5.2	28	3.6	0.70	2.4	5.3	
2007	267	5.7	0.35	5.0	6.4	33	4.4	0.79	3.0	6.3	
2008	256	5.3	0.34	4.7	6.0	23	3.3	0.73	2.0	5.1	
2009	236	4.9	0.32	4.3	5.6	22	2.8	0.60	1.7	4.2	
2010	246	4.9	0.32	4.3	5.6	24	3.4	0.72	2.1	5.1	
2011	264	5.3	0.33	4.6	6.0	37	4.8	0.82	3.3	6.7	
2012	313	6.2	0.36	5.5	7.0	40	5.2	0.86	3.7	7.2	
2013	319	6.1	0.35	5.5	6.9	39	4.8	0.80	3.3	6.6	
2014	329	6.2	0.35	5.5	7.0	31	4.0	0.76	2.7	5.8	
2015	337	6.4	0.36	5.8	7.2	33	4.1	0.74	2.8	5.8	
2016	335	6.3	0.36	5.6	7.0	34	4.0	0.71	2.7	5.6	
2017	386	7.3	0.39	6.6	8.1	34	4.2	0.74	2.9	5.9	
2018	345	6.5	0.36	5.8	7.3	31	3.3	0.60	2.2	4.7	
2019	362	6.6	0.36	5.9	7.3	18	1.9	0.45	1.1	3.0	
2020	355	6.8	0.38	6.1	7.6	34	3.6	0.64	2.5	5.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Tongue											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	169	1.3	0.11	1.1	1.5	3,772	1.8	0.03	1.8	1.9	
1990	1	0.4	0.43	0.0	2.5	81	1.4	0.16	1.1	1.7	
1991	2	0.7	0.51	0.1	2.8	77	1.4	0.16	1.1	1.7	
1992	1	0.4	0.40	0.0	2.4	92	1.6	0.17	1.3	2.0	
1993	1	0.5	0.45	0.0	2.4	92	1.5	0.16	1.2	1.9	
1994	3	1.4	0.81	0.3	3.9	86	1.4	0.15	1.1	1.7	
1995	2	1.2	0.90	0.1	4.0	81	1.3	0.14	1.0	1.6	
1996	4	2.4	1.29	0.6	5.9	94	1.5	0.16	1.2	1.9	
1997	5	2.8	1.32	0.9	6.3	118	1.9	0.18	1.6	2.3	
1998	4	1.2	0.60	0.3	3.2	95	1.5	0.16	1.2	1.9	
1999	4	1.0	0.52	0.2	2.8	117	1.9	0.18	1.6	2.3	
2000	0					106	1.7	0.16	1.4	2.0	
2001	3	1.8	1.04	0.4	4.6	85	1.3	0.15	1.1	1.7	
2002	2	0.7	0.54	0.1	2.5	108	1.7	0.16	1.4	2.1	
2003	3	0.7	0.42	0.2	2.2	101	1.6	0.16	1.3	1.9	
2004	3	0.7	0.43	0.1	2.2	118	1.8	0.17	1.5	2.2	
2005	3	0.9	0.52	0.2	2.5	121	1.8	0.17	1.5	2.2	
2006	5	1.2	0.56	0.4	2.8	110	1.7	0.16	1.4	2.0	
2007	6	1.4	0.61	0.5	3.1	135	2.1	0.18	1.7	2.4	
2008	8	1.7	0.64	0.7	3.4	126	1.9	0.17	1.6	2.3	
2009	6	1.2	0.51	0.4	2.6	140	2.1	0.18	1.8	2.5	
2010	7	1.3	0.54	0.5	2.8	115	1.7	0.16	1.4	2.0	
2011	10	1.8	0.62	0.8	3.4	138	2.0	0.18	1.7	2.4	
2012	5	0.9	0.44	0.3	2.2	153	2.2	0.18	1.8	2.6	
2013	3	0.5	0.33	0.1	1.6	154	2.1	0.17	1.8	2.5	
2014	11	1.8	0.59	0.9	3.3	167	2.3	0.19	2.0	2.7	
2015	11	1.9	0.62	0.9	3.5	154	2.1	0.17	1.8	2.5	
2016	9	1.3	0.43	0.6	2.4	153	2.2	0.18	1.8	2.5	
2017	13	1.6	0.47	0.8	2.8	174	2.3	0.18	2.0	2.7	
2018	16	2.3	0.60	1.3	3.7	158	2.1	0.17	1.8	2.5	
2019	12	1.7	0.51	0.9	3.0	154	2.0	0.17	1.7	2.4	
2020	6	0.7	0.29	0.3	1.5	169	2.3	0.18	1.9	2.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Tongue											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,271	1.9	0.03	1.9	2.0	363	1.3	0.07	1.1	1.4	
1990	68	1.3	0.16	1.0	1.7	13	1.9	0.52	1.0	3.2	
1991	65	1.3	0.17	1.0	1.7	11	1.5	0.46	0.8	2.7	
1992	80	1.6	0.18	1.3	2.0	12	1.7	0.50	0.9	3.0	
1993	83	1.6	0.18	1.3	2.0	8	1.2	0.43	0.5	2.3	
1994	71	1.3	0.16	1.0	1.7	13	1.7	0.47	0.9	2.9	
1995	68	1.2	0.15	1.0	1.6	12	1.5	0.43	0.8	2.6	
1996	79	1.5	0.17	1.2	1.9	12	1.5	0.44	0.8	2.6	
1997	104	2.0	0.20	1.7	2.5	13	1.7	0.47	0.9	2.9	
1998	86	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0	
1999	102	2.0	0.20	1.6	2.4	11	1.3	0.39	0.6	2.3	
2000	91	1.7	0.18	1.4	2.1	9	1.1	0.36	0.5	2.0	
2001	71	1.3	0.16	1.0	1.7	9	1.0	0.33	0.5	1.9	
2002	94	1.8	0.19	1.4	2.2	12	1.3	0.38	0.7	2.3	
2003	89	1.7	0.18	1.4	2.1	9	1.0	0.34	0.5	1.9	
2004	103	1.9	0.19	1.6	2.4	9	1.0	0.35	0.5	1.9	
2005	105	1.9	0.19	1.6	2.4	7	0.7	0.28	0.3	1.5	
2006	91	1.7	0.18	1.3	2.1	15	1.6	0.40	0.9	2.6	
2007	123	2.3	0.21	1.9	2.7	7	0.7	0.28	0.3	1.5	
2008	112	2.1	0.20	1.7	2.5	11	1.1	0.33	0.5	2.0	
2009	122	2.3	0.21	1.9	2.7	12	1.3	0.37	0.6	2.2	
2010	98	1.8	0.19	1.5	2.2	11	1.0	0.31	0.5	1.9	
2011	116	2.1	0.20	1.7	2.5	15	1.5	0.38	0.8	2.4	
2012	138	2.5	0.22	2.1	2.9	11	1.0	0.31	0.5	1.9	
2013	130	2.2	0.20	1.8	2.6	18	1.7	0.40	1.0	2.7	
2014	140	2.4	0.21	2.0	2.9	20	1.9	0.43	1.2	3.0	
2015	135	2.3	0.21	1.9	2.8	13	1.1	0.32	0.6	2.0	
2016	135	2.4	0.22	2.0	2.9	11	0.9	0.29	0.5	1.7	
2017	155	2.6	0.22	2.2	3.1	10	0.8	0.26	0.4	1.6	
2018	139	2.3	0.21	2.0	2.8	10	0.9	0.29	0.4	1.7	
2019	133	2.3	0.21	1.9	2.7	15	1.3	0.34	0.7	2.2	
2020	145	2.5	0.22	2.1	3.0	15	1.3	0.34	0.7	2.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Salivary Gland											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	259	0.9	0.06	0.8	1.0	4,655	1.3	0.02	1.2	1.3	
1990	7	1.7	0.75	0.5	3.8	91	0.9	0.09	0.7	1.1	
1991	3	0.5	0.32	0.1	1.8	96	0.9	0.09	0.7	1.1	
1992	1	0.1	0.14	0.0	1.2	115	1.1	0.10	0.9	1.3	
1993	4	0.7	0.41	0.2	2.1	112	1.0	0.10	0.9	1.3	
1994	3	0.6	0.48	0.1	2.2	131	1.2	0.11	1.0	1.4	
1995	2	0.3	0.22	0.0	1.3	133	1.2	0.11	1.0	1.5	
1996	9	3.0	1.09	1.3	5.7	132	1.2	0.11	1.0	1.4	
1997	14	2.7	0.86	1.3	4.8	142	1.3	0.11	1.1	1.5	
1998	6	1.0	0.44	0.3	2.3	134	1.2	0.10	1.0	1.4	
1999	4	0.5	0.26	0.1	1.4	147	1.3	0.11	1.1	1.5	
2000	6	0.5	0.25	0.2	1.4	132	1.2	0.10	1.0	1.4	
2001	4	0.4	0.20	0.1	1.1	133	1.2	0.10	1.0	1.4	
2002	11	1.1	0.40	0.4	2.2	142	1.2	0.10	1.0	1.5	
2003	8	1.5	0.66	0.5	3.2	135	1.2	0.10	1.0	1.4	
2004	5	0.6	0.31	0.2	1.5	131	1.1	0.10	1.0	1.4	
2005	3	0.2	0.12	0.0	0.7	129	1.1	0.10	0.9	1.3	
2006	5	0.4	0.19	0.1	1.0	144	1.2	0.10	1.0	1.5	
2007	12	1.2	0.41	0.5	2.2	161	1.4	0.11	1.2	1.6	
2008	8	0.8	0.31	0.3	1.6	145	1.2	0.10	1.0	1.4	
2009	16	1.5	0.43	0.8	2.6	163	1.4	0.11	1.2	1.6	
2010	7	0.4	0.16	0.2	0.9	168	1.4	0.11	1.2	1.6	
2011	5	0.4	0.17	0.1	0.9	163	1.3	0.11	1.1	1.6	
2012	12	1.2	0.36	0.6	2.0	199	1.6	0.12	1.4	1.8	
2013	7	0.6	0.26	0.2	1.3	164	1.3	0.11	1.1	1.6	
2014	11	0.9	0.29	0.4	1.7	181	1.4	0.11	1.2	1.6	
2015	14	0.9	0.27	0.5	1.6	188	1.5	0.11	1.3	1.7	
2016	11	0.8	0.26	0.4	1.4	187	1.5	0.11	1.3	1.7	
2017	18	1.3	0.32	0.7	2.1	186	1.4	0.11	1.2	1.6	
2018	13	1.0	0.30	0.5	1.7	200	1.5	0.11	1.3	1.8	
2019	16	1.1	0.30	0.6	1.8	202	1.6	0.11	1.4	1.8	
2020	14	0.8	0.21	0.4	1.3	169	1.2	0.10	1.0	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Salivary Gland											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,860	1.3	0.02	1.2	1.3	611	1.2	0.05	1.1	1.3	
1990	84	0.9	0.10	0.7	1.2	6	0.4	0.18	0.2	1.0	
1991	80	0.9	0.10	0.7	1.1	15	1.1	0.29	0.6	1.8	
1992	103	1.1	0.11	0.9	1.4	10	0.8	0.25	0.4	1.4	
1993	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2	
1994	115	1.2	0.12	1.0	1.5	12	0.9	0.25	0.4	1.5	
1995	112	1.2	0.11	1.0	1.5	16	1.2	0.30	0.6	1.9	
1996	113	1.2	0.11	1.0	1.5	15	1.0	0.27	0.6	1.7	
1997	123	1.3	0.12	1.1	1.6	14	1.0	0.26	0.5	1.6	
1998	111	1.2	0.11	1.0	1.4	16	1.1	0.28	0.6	1.8	
1999	132	1.4	0.12	1.2	1.7	12	0.8	0.25	0.4	1.5	
2000	116	1.2	0.11	1.0	1.5	13	0.8	0.23	0.4	1.4	
2001	114	1.2	0.11	1.0	1.4	12	0.7	0.22	0.4	1.3	
2002	125	1.3	0.12	1.1	1.6	12	0.8	0.23	0.4	1.4	
2003	120	1.2	0.11	1.0	1.5	13	0.8	0.21	0.4	1.3	
2004	107	1.1	0.11	0.9	1.4	19	1.1	0.26	0.7	1.8	
2005	115	1.2	0.11	1.0	1.5	12	0.7	0.19	0.3	1.2	
2006	118	1.2	0.11	1.0	1.5	20	1.2	0.27	0.7	1.9	
2007	135	1.4	0.12	1.1	1.6	20	1.2	0.26	0.7	1.8	
2008	114	1.2	0.11	0.9	1.4	25	1.5	0.30	0.9	2.2	
2009	136	1.4	0.12	1.2	1.6	21	1.3	0.29	0.8	2.0	
2010	131	1.3	0.12	1.1	1.6	26	1.6	0.33	1.1	2.4	
2011	137	1.4	0.12	1.1	1.6	17	1.0	0.24	0.6	1.6	
2012	160	1.6	0.13	1.3	1.8	29	1.6	0.29	1.0	2.2	
2013	126	1.2	0.11	1.0	1.5	29	1.6	0.31	1.1	2.4	
2014	141	1.3	0.12	1.1	1.6	33	1.9	0.33	1.3	2.7	
2015	152	1.5	0.12	1.2	1.7	26	1.3	0.26	0.9	2.0	
2016	149	1.5	0.12	1.2	1.7	33	1.8	0.32	1.3	2.6	
2017	153	1.4	0.12	1.2	1.7	26	1.3	0.27	0.9	2.0	
2018	160	1.5	0.12	1.3	1.8	25	1.4	0.28	0.9	2.0	
2019	157	1.5	0.13	1.3	1.8	35	1.9	0.33	1.3	2.7	
2020	130	1.2	0.11	1.0	1.4	31	1.5	0.28	1.0	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Salivary Gland											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	120	0.9	0.10	0.7	1.1	2,661	1.7	0.03	1.6	1.7	
1990	3	1.6	1.09	0.2	5.4	57	1.4	0.19	1.0	1.8	
1991	0					53	1.2	0.16	0.9	1.5	
1992	0					66	1.5	0.19	1.2	1.9	
1993	1	0.3	0.31	0.0	2.7	65	1.4	0.17	1.1	1.8	
1994	0					68	1.6	0.20	1.2	2.0	
1995	0					75	1.7	0.19	1.3	2.1	
1996	3	1.9	1.22	0.3	5.6	74	1.6	0.19	1.3	2.0	
1997	5	2.0	0.92	0.6	4.8	76	1.6	0.19	1.3	2.0	
1998	2	0.4	0.31	0.0	2.3	75	1.6	0.18	1.2	2.0	
1999	3	0.8	0.46	0.2	2.8	82	1.7	0.19	1.4	2.1	
2000	2	0.3	0.24	0.0	2.0	78	1.6	0.18	1.3	2.0	
2001	0					80	1.7	0.19	1.3	2.1	
2002	8	1.8	0.84	0.6	4.3	81	1.7	0.19	1.3	2.1	
2003	4	2.4	1.41	0.5	6.2	77	1.6	0.18	1.2	2.0	
2004	3	0.8	0.57	0.1	2.7	76	1.6	0.18	1.2	2.0	
2005	1	0.2	0.18	0.0	1.4	70	1.4	0.16	1.1	1.7	
2006	3	0.6	0.35	0.1	1.9	75	1.5	0.17	1.2	1.9	
2007	6	1.5	0.70	0.5	3.5	96	1.9	0.20	1.5	2.3	
2008	6	1.4	0.66	0.4	3.3	82	1.6	0.17	1.2	1.9	
2009	8	1.6	0.68	0.5	3.4	95	1.8	0.19	1.4	2.2	
2010	5	0.6	0.27	0.2	1.6	92	1.7	0.18	1.4	2.1	
2011	2	0.3	0.21	0.0	1.2	102	1.9	0.19	1.6	2.4	
2012	7	1.5	0.62	0.6	3.2	113	2.0	0.20	1.7	2.5	
2013	4	1.0	0.55	0.2	2.5	93	1.7	0.18	1.4	2.1	
2014	4	0.8	0.46	0.2	2.1	100	1.7	0.18	1.4	2.1	
2015	5	1.0	0.51	0.3	2.4	123	2.1	0.20	1.8	2.6	
2016	9	1.3	0.51	0.5	2.7	95	1.6	0.17	1.3	2.0	
2017	9	1.0	0.36	0.5	2.1	100	1.7	0.17	1.4	2.1	
2018	6	1.0	0.47	0.3	2.3	114	1.9	0.18	1.6	2.3	
2019	8	1.0	0.39	0.4	2.1	122	2.1	0.19	1.7	2.5	
2020	3	0.3	0.20	0.1	1.0	106	1.7	0.17	1.4	2.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Salivary Gland											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,267	1.7	0.04	1.6	1.8	299	1.4	0.09	1.3	1.6	
1990	53	1.5	0.21	1.1	2.0	3	0.5	0.28	0.1	1.5	
1991	45	1.1	0.17	0.8	1.5	8	1.4	0.50	0.6	2.8	
1992	60	1.6	0.21	1.2	2.0	5	1.0	0.46	0.3	2.3	
1993	54	1.3	0.18	1.0	1.7	10	1.9	0.62	0.9	3.5	
1994	63	1.7	0.22	1.3	2.2	4	0.6	0.30	0.2	1.6	
1995	69	1.8	0.22	1.4	2.2	4	0.6	0.31	0.2	1.6	
1996	63	1.6	0.21	1.2	2.1	8	1.3	0.47	0.5	2.6	
1997	66	1.6	0.20	1.3	2.1	7	1.3	0.54	0.5	2.7	
1998	63	1.6	0.20	1.2	2.0	8	1.4	0.55	0.6	2.9	
1999	74	1.8	0.21	1.4	2.3	7	1.3	0.52	0.5	2.7	
2000	68	1.7	0.20	1.3	2.1	9	1.3	0.43	0.6	2.5	
2001	71	1.7	0.21	1.3	2.2	4	0.8	0.44	0.2	2.0	
2002	72	1.7	0.21	1.4	2.2	7	1.0	0.37	0.4	2.0	
2003	69	1.7	0.20	1.3	2.1	7	0.9	0.35	0.4	1.9	
2004	64	1.6	0.20	1.2	2.0	9	1.4	0.47	0.6	2.6	
2005	62	1.4	0.18	1.1	1.9	7	0.9	0.36	0.4	1.9	
2006	65	1.5	0.19	1.2	2.0	6	0.8	0.32	0.3	1.7	
2007	82	1.9	0.22	1.5	2.4	11	1.4	0.44	0.7	2.6	
2008	66	1.5	0.19	1.2	1.9	12	1.8	0.57	0.9	3.3	
2009	84	1.9	0.21	1.5	2.4	9	1.3	0.47	0.6	2.5	
2010	77	1.7	0.19	1.3	2.1	10	1.8	0.59	0.9	3.3	
2011	85	1.9	0.21	1.5	2.4	12	1.6	0.49	0.8	2.9	
2012	90	2.0	0.22	1.6	2.5	18	2.2	0.55	1.3	3.6	
2013	71	1.6	0.19	1.2	2.0	18	2.4	0.58	1.4	3.9	
2014	81	1.7	0.20	1.3	2.1	15	1.8	0.47	1.0	3.0	
2015	102	2.2	0.22	1.8	2.6	15	2.0	0.53	1.1	3.3	
2016	80	1.7	0.19	1.3	2.1	11	1.3	0.39	0.6	2.3	
2017	87	1.8	0.20	1.4	2.2	10	1.1	0.38	0.5	2.2	
2018	95	1.9	0.20	1.5	2.4	12	1.6	0.48	0.8	2.8	
2019	98	2.0	0.21	1.6	2.5	19	2.4	0.57	1.4	3.8	
2020	88	1.8	0.20	1.4	2.2	14	1.7	0.46	0.9	2.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Salivary Gland											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	139	0.9	0.08	0.7	1.1	1,994	1.0	0.02	1.0	1.1	
1990	4	1.8	1.01	0.4	4.9	34	0.6	0.10	0.4	0.8	
1991	3	1.1	0.64	0.2	3.4	43	0.7	0.11	0.5	1.0	
1992	1	0.3	0.30	0.0	2.1	49	0.9	0.12	0.6	1.1	
1993	3	1.1	0.71	0.2	3.5	47	0.8	0.12	0.6	1.1	
1994	3	1.2	0.81	0.2	3.7	63	1.0	0.13	0.8	1.3	
1995	2	0.6	0.46	0.1	2.5	58	1.0	0.13	0.7	1.2	
1996	6	3.7	1.58	1.3	7.8	58	0.9	0.12	0.7	1.2	
1997	9	3.2	1.26	1.2	6.5	66	1.1	0.14	0.9	1.4	
1998	4	1.4	0.76	0.3	3.7	59	1.0	0.13	0.7	1.3	
1999	1	0.2	0.23	0.0	1.6	65	1.1	0.13	0.8	1.4	
2000	4	0.8	0.43	0.2	2.3	54	0.9	0.12	0.7	1.2	
2001	4	0.7	0.39	0.2	2.2	53	0.9	0.12	0.6	1.1	
2002	3	0.4	0.22	0.1	1.5	61	1.0	0.13	0.7	1.3	
2003	4	1.0	0.64	0.2	2.9	58	0.9	0.12	0.7	1.2	
2004	2	0.5	0.33	0.1	1.7	55	0.9	0.12	0.7	1.2	
2005	2	0.2	0.15	0.0	1.1	59	0.9	0.12	0.7	1.2	
2006	2	0.2	0.18	0.0	1.2	69	1.1	0.13	0.8	1.4	
2007	6	0.9	0.46	0.2	2.3	65	1.0	0.13	0.8	1.3	
2008	2	0.3	0.20	0.0	1.2	63	1.0	0.12	0.7	1.2	
2009	8	1.5	0.56	0.6	3.0	68	1.0	0.13	0.8	1.3	
2010	2	0.2	0.16	0.0	1.0	76	1.2	0.15	1.0	1.6	
2011	3	0.4	0.25	0.1	1.3	61	0.9	0.12	0.7	1.2	
2012	5	0.9	0.41	0.3	2.0	86	1.3	0.14	1.0	1.6	
2013	3	0.4	0.22	0.1	1.2	71	1.1	0.13	0.8	1.4	
2014	7	1.1	0.42	0.4	2.2	81	1.2	0.13	0.9	1.5	
2015	9	1.0	0.32	0.4	1.9	65	1.0	0.13	0.7	1.3	
2016	2	0.3	0.21	0.0	1.0	92	1.4	0.15	1.1	1.7	
2017	9	1.4	0.50	0.6	2.7	86	1.3	0.14	1.0	1.6	
2018	7	1.0	0.39	0.4	2.0	86	1.3	0.15	1.0	1.6	
2019	8	1.1	0.42	0.5	2.2	80	1.2	0.14	0.9	1.5	
2020	11	1.2	0.36	0.6	2.1	63	0.9	0.11	0.7	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Salivary Gland											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,593	1.0	0.03	0.9	1.0	312	1.1	0.06	1.0	1.2	
1990	31	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.2	
1991	35	0.7	0.12	0.5	1.0	7	0.8	0.32	0.3	1.7	
1992	43	0.9	0.14	0.6	1.2	5	0.7	0.30	0.2	1.5	
1993	37	0.7	0.12	0.5	1.0	8	1.0	0.37	0.4	2.0	
1994	52	1.0	0.14	0.8	1.3	8	1.0	0.36	0.4	2.0	
1995	43	0.8	0.13	0.6	1.1	12	1.5	0.44	0.8	2.6	
1996	50	0.9	0.13	0.7	1.2	7	0.9	0.32	0.3	1.8	
1997	57	1.1	0.15	0.9	1.5	7	0.8	0.30	0.3	1.7	
1998	48	0.9	0.14	0.7	1.3	8	0.9	0.33	0.4	1.8	
1999	58	1.1	0.15	0.9	1.5	5	0.6	0.25	0.2	1.3	
2000	48	1.0	0.14	0.7	1.3	4	0.4	0.22	0.1	1.1	
2001	43	0.8	0.13	0.6	1.1	8	0.8	0.30	0.4	1.7	
2002	53	1.0	0.14	0.8	1.4	5	0.6	0.27	0.2	1.4	
2003	51	0.9	0.13	0.7	1.2	6	0.6	0.26	0.2	1.4	
2004	43	0.8	0.13	0.6	1.1	10	1.0	0.33	0.5	1.9	
2005	53	1.1	0.15	0.8	1.4	5	0.5	0.22	0.2	1.2	
2006	53	1.0	0.14	0.7	1.3	14	1.5	0.40	0.8	2.5	
2007	53	1.0	0.14	0.7	1.3	9	1.0	0.32	0.4	1.8	
2008	48	0.9	0.13	0.6	1.2	13	1.3	0.37	0.7	2.3	
2009	52	1.0	0.14	0.7	1.3	12	1.3	0.38	0.7	2.3	
2010	54	1.1	0.15	0.8	1.4	16	1.7	0.42	0.9	2.7	
2011	52	1.0	0.14	0.7	1.3	5	0.5	0.23	0.2	1.2	
2012	70	1.3	0.16	1.0	1.6	11	1.0	0.31	0.5	1.9	
2013	55	1.1	0.15	0.8	1.4	11	1.0	0.30	0.5	1.8	
2014	60	1.0	0.14	0.8	1.4	18	1.9	0.45	1.1	3.0	
2015	50	1.0	0.14	0.7	1.3	11	0.9	0.29	0.5	1.7	
2016	69	1.3	0.17	1.0	1.7	22	2.2	0.48	1.4	3.4	
2017	66	1.2	0.16	0.9	1.6	16	1.5	0.37	0.8	2.4	
2018	65	1.2	0.16	0.9	1.6	13	1.3	0.36	0.7	2.2	
2019	59	1.1	0.15	0.8	1.5	16	1.6	0.41	0.9	2.6	
2020	42	0.7	0.11	0.5	1.0	17	1.5	0.36	0.8	2.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Floor of Mouth										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	95	0.4	0.04	0.3	0.4	3,065	0.8	0.01	0.8	0.8
1990	3	0.7	0.40	0.1	2.1	126	1.3	0.11	1.1	1.5
1991	2	0.4	0.30	0.1	1.7	134	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	2.3	123	1.2	0.11	1.0	1.4
1993	4	1.3	0.63	0.3	3.1	103	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	2.3	120	1.1	0.10	0.9	1.4
1995	1	0.2	0.18	0.0	1.1	132	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	1.6	125	1.2	0.11	1.0	1.4
1997	6	1.8	0.81	0.5	3.9	103	0.9	0.09	0.8	1.1
1998	5	0.7	0.33	0.2	1.8	101	0.9	0.09	0.7	1.1
1999	6	0.8	0.34	0.3	1.9	93	0.8	0.09	0.7	1.0
2000	4	0.5	0.25	0.1	1.4	122	1.1	0.10	0.9	1.3
2001	9	1.5	0.60	0.6	3.1	107	0.9	0.09	0.8	1.1
2002	1	0.1	0.12	0.0	0.8	92	0.8	0.08	0.7	1.0
2003	1	0.1	0.11	0.0	0.7	95	0.8	0.08	0.7	1.0
2004	3	0.4	0.23	0.1	1.1	96	0.8	0.08	0.7	1.0
2005	1	0.1	0.06	0.0	0.6	75	0.6	0.07	0.5	0.8
2006	4	0.4	0.18	0.1	1.0	101	0.8	0.08	0.7	1.0
2007	3	0.4	0.25	0.1	1.2	85	0.7	0.07	0.6	0.9
2008	4	0.5	0.24	0.1	1.2	106	0.8	0.08	0.7	1.0
2009	1	0.1	0.08	0.0	0.5	104	0.8	0.08	0.7	1.0
2010	1	0.1	0.07	0.0	0.5	80	0.6	0.07	0.5	0.8
2011	2	0.1	0.09	0.0	0.5	90	0.7	0.07	0.5	0.8
2012	3	0.3	0.19	0.1	0.9	94	0.7	0.07	0.6	0.9
2013	1	0.1	0.09	0.0	0.5	100	0.7	0.07	0.6	0.9
2014	2	0.1	0.08	0.0	0.5	80	0.6	0.06	0.5	0.7
2015	4	0.4	0.22	0.1	1.0	96	0.7	0.07	0.6	0.9
2016	2	0.2	0.15	0.0	0.7	80	0.6	0.07	0.5	0.7
2017	3	0.2	0.12	0.0	0.6	74	0.5	0.06	0.4	0.6
2018	3	0.2	0.15	0.0	0.7	75	0.5	0.06	0.4	0.7
2019	2	0.1	0.07	0.0	0.4	82	0.6	0.06	0.4	0.7
2020	3	0.2	0.13	0.0	0.6	71	0.5	0.06	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Floor of Mouth											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,471	0.8	0.02	0.8	0.8	548	1.1	0.05	1.0	1.2	
1990	100	1.2	0.12	1.0	1.4	25	2.0	0.41	1.3	3.0	
1991	107	1.2	0.11	1.0	1.4	26	2.0	0.39	1.3	2.9	
1992	93	1.0	0.11	0.8	1.3	29	2.2	0.42	1.5	3.2	
1993	82	0.9	0.10	0.7	1.1	20	1.5	0.33	0.9	2.3	
1994	89	1.0	0.10	0.8	1.2	31	2.4	0.44	1.6	3.4	
1995	107	1.2	0.11	1.0	1.4	24	1.7	0.35	1.1	2.6	
1996	96	1.1	0.11	0.9	1.3	28	2.1	0.40	1.4	3.0	
1997	82	0.9	0.10	0.7	1.1	19	1.3	0.30	0.8	2.0	
1998	82	0.9	0.10	0.7	1.1	18	1.2	0.29	0.7	1.9	
1999	71	0.8	0.09	0.6	1.0	20	1.3	0.30	0.8	2.0	
2000	93	1.0	0.10	0.8	1.2	28	1.8	0.35	1.2	2.7	
2001	91	1.0	0.10	0.8	1.2	16	1.0	0.24	0.6	1.6	
2002	77	0.8	0.09	0.6	1.0	13	0.8	0.24	0.4	1.5	
2003	77	0.8	0.09	0.6	1.0	18	1.1	0.25	0.6	1.7	
2004	74	0.8	0.09	0.6	1.0	18	1.1	0.26	0.6	1.7	
2005	61	0.6	0.08	0.5	0.8	12	0.7	0.22	0.4	1.3	
2006	83	0.8	0.09	0.7	1.0	18	1.1	0.26	0.6	1.7	
2007	69	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5	
2008	87	0.8	0.09	0.7	1.0	18	1.0	0.23	0.6	1.5	
2009	82	0.8	0.09	0.6	1.0	21	1.2	0.26	0.7	1.8	
2010	63	0.6	0.07	0.4	0.8	15	0.8	0.21	0.4	1.3	
2011	76	0.7	0.08	0.5	0.9	13	0.6	0.18	0.3	1.1	
2012	73	0.7	0.08	0.5	0.8	20	1.2	0.26	0.7	1.8	
2013	80	0.7	0.08	0.6	0.9	18	0.9	0.20	0.5	1.4	
2014	60	0.5	0.07	0.4	0.7	16	0.9	0.23	0.5	1.5	
2015	86	0.8	0.09	0.6	1.0	7	0.4	0.13	0.1	0.7	
2016	72	0.7	0.08	0.5	0.8	6	0.3	0.13	0.1	0.7	
2017	64	0.6	0.07	0.4	0.7	9	0.4	0.13	0.2	0.7	
2018	67	0.6	0.07	0.5	0.8	6	0.3	0.14	0.1	0.8	
2019	66	0.5	0.07	0.4	0.7	13	0.7	0.18	0.3	1.1	
2020	61	0.5	0.07	0.4	0.7	8	0.3	0.12	0.2	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Floor of Mouth											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	72	0.5	0.07	0.4	0.7	2,157	1.2	0.03	1.2	1.3	
1990	3	1.4	0.81	0.3	4.6	95	2.2	0.23	1.8	2.7	
1991	1	0.4	0.42	0.0	3.1	92	1.9	0.20	1.5	2.4	
1992	3	1.3	0.77	0.3	4.3	85	1.9	0.21	1.5	2.3	
1993	3	2.0	1.18	0.4	5.7	76	1.6	0.18	1.2	2.0	
1994	3	1.2	0.70	0.2	4.0	84	1.7	0.19	1.4	2.2	
1995	1	0.4	0.36	0.0	2.6	95	2.0	0.21	1.6	2.4	
1996	3	1.0	0.61	0.2	3.5	95	2.0	0.20	1.6	2.4	
1997	5	3.3	1.85	0.7	8.3	66	1.4	0.17	1.0	1.7	
1998	3	0.9	0.51	0.2	3.0	76	1.5	0.17	1.2	1.9	
1999	6	1.6	0.67	0.6	3.9	65	1.3	0.16	1.0	1.6	
2000	4	1.0	0.52	0.3	3.0	90	1.8	0.19	1.4	2.2	
2001	7	1.7	0.68	0.7	3.9	79	1.5	0.17	1.2	1.9	
2002	1	0.2	0.23	0.0	1.8	56	1.1	0.14	0.8	1.4	
2003	1	0.2	0.21	0.0	1.6	67	1.2	0.15	1.0	1.6	
2004	2	0.6	0.45	0.0	2.3	70	1.3	0.15	1.0	1.6	
2005	1	0.1	0.11	0.0	1.3	53	1.0	0.13	0.7	1.3	
2006	2	0.3	0.24	0.0	1.5	71	1.3	0.15	1.0	1.6	
2007	3	0.9	0.56	0.1	2.6	55	1.0	0.13	0.7	1.2	
2008	4	1.0	0.51	0.2	2.5	69	1.2	0.14	0.9	1.5	
2009	1	0.2	0.15	0.0	1.1	74	1.3	0.15	1.0	1.6	
2010	1	0.1	0.14	0.0	1.0	54	0.9	0.12	0.6	1.1	
2011	2	0.3	0.18	0.0	1.1	63	1.0	0.13	0.7	1.3	
2012	2	0.5	0.42	0.1	1.9	66	1.0	0.13	0.8	1.3	
2013	1	0.2	0.18	0.0	1.0	76	1.2	0.14	0.9	1.5	
2014	2	0.2	0.15	0.0	0.9	60	0.9	0.12	0.7	1.2	
2015	1	0.3	0.25	0.0	1.2	68	1.1	0.13	0.8	1.4	
2016	1	0.2	0.23	0.0	1.1	48	0.8	0.12	0.6	1.1	
2017	1	0.2	0.21	0.0	1.0	49	0.7	0.10	0.5	1.0	
2018	2	0.4	0.30	0.0	1.3	54	0.8	0.11	0.6	1.1	
2019	0					59	0.8	0.11	0.6	1.1	
2020	2	0.2	0.14	0.0	0.8	47	0.7	0.10	0.5	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Floor of Mouth											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,708	1.2	0.03	1.1	1.2	414	1.9	0.09	1.7	2.1	
1990	75	2.0	0.24	1.6	2.5	19	3.6	0.84	2.2	5.7	
1991	75	1.8	0.21	1.4	2.3	16	2.8	0.70	1.6	4.5	
1992	61	1.6	0.21	1.2	2.0	23	4.3	0.95	2.7	6.6	
1993	58	1.4	0.18	1.1	1.8	17	2.9	0.71	1.7	4.6	
1994	61	1.5	0.19	1.1	1.9	23	4.3	0.95	2.7	6.5	
1995	75	1.8	0.21	1.5	2.3	19	3.2	0.73	1.9	5.0	
1996	72	1.8	0.21	1.4	2.2	22	3.6	0.78	2.3	5.5	
1997	50	1.2	0.17	0.9	1.6	14	2.1	0.57	1.2	3.6	
1998	59	1.4	0.18	1.0	1.8	16	2.5	0.63	1.4	4.1	
1999	48	1.1	0.16	0.8	1.5	15	2.3	0.60	1.3	3.8	
2000	67	1.6	0.19	1.2	2.0	22	3.4	0.73	2.1	5.2	
2001	66	1.5	0.19	1.2	1.9	13	1.8	0.49	0.9	3.1	
2002	45	1.0	0.15	0.8	1.4	10	1.4	0.46	0.7	2.7	
2003	52	1.2	0.16	0.9	1.5	15	2.0	0.53	1.1	3.4	
2004	50	1.1	0.16	0.8	1.4	16	2.4	0.64	1.3	4.0	
2005	43	0.9	0.14	0.7	1.3	9	1.1	0.38	0.5	2.2	
2006	58	1.2	0.16	0.9	1.6	13	1.8	0.50	0.9	3.1	
2007	42	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.3	
2008	57	1.2	0.16	0.9	1.5	11	1.3	0.42	0.7	2.5	
2009	57	1.2	0.16	0.9	1.5	17	2.2	0.56	1.3	3.6	
2010	43	0.8	0.13	0.6	1.1	9	1.1	0.35	0.5	2.0	
2011	53	1.0	0.14	0.7	1.3	10	1.1	0.36	0.5	2.1	
2012	52	0.9	0.13	0.7	1.2	13	1.7	0.50	0.9	3.0	
2013	60	1.1	0.15	0.9	1.5	14	1.6	0.42	0.8	2.7	
2014	48	0.9	0.13	0.6	1.2	9	1.3	0.46	0.6	2.5	
2015	63	1.2	0.16	0.9	1.6	3	0.3	0.19	0.1	1.0	
2016	43	0.9	0.14	0.6	1.2	4	0.5	0.24	0.1	1.2	
2017	42	0.8	0.12	0.5	1.0	7	0.7	0.25	0.3	1.4	
2018	47	0.9	0.13	0.6	1.1	5	0.7	0.33	0.2	1.7	
2019	49	0.8	0.12	0.6	1.1	9	1.1	0.37	0.5	2.1	
2020	37	0.7	0.12	0.5	1.0	8	0.8	0.29	0.4	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Floor of Mouth											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	23	0.2	0.04	0.1	0.3	908	0.4	0.01	0.4	0.5	
1990	0					31	0.5	0.10	0.4	0.8	
1991	1	0.4	0.41	0.0	2.4	42	0.7	0.11	0.5	1.0	
1992	1	0.4	0.40	0.0	2.4	38	0.6	0.10	0.4	0.9	
1993	1	0.6	0.61	0.0	2.9	27	0.5	0.09	0.3	0.7	
1994	1	0.6	0.58	0.0	2.8	36	0.6	0.10	0.4	0.8	
1995	0					37	0.6	0.10	0.4	0.8	
1996	0					30	0.5	0.09	0.3	0.7	
1997	1	0.7	0.66	0.0	2.9	37	0.6	0.10	0.4	0.8	
1998	2	0.6	0.43	0.1	2.3	25	0.4	0.08	0.3	0.6	
1999	0					28	0.5	0.09	0.3	0.7	
2000	0					32	0.5	0.09	0.4	0.7	
2001	2	1.1	0.82	0.1	3.5	28	0.4	0.08	0.3	0.6	
2002	0					36	0.6	0.09	0.4	0.8	
2003	0					28	0.5	0.09	0.3	0.7	
2004	1	0.2	0.19	0.0	1.2	26	0.4	0.08	0.3	0.6	
2005	0					22	0.3	0.07	0.2	0.5	
2006	2	0.4	0.27	0.1	1.5	30	0.5	0.08	0.3	0.7	
2007	0					30	0.4	0.08	0.3	0.6	
2008	0					37	0.5	0.09	0.4	0.8	
2009	0					30	0.4	0.08	0.3	0.6	
2010	0					26	0.4	0.08	0.3	0.6	
2011	0					27	0.4	0.07	0.3	0.6	
2012	1	0.1	0.13	0.0	0.8	28	0.4	0.08	0.3	0.6	
2013	0					24	0.3	0.07	0.2	0.5	
2014	0					20	0.3	0.06	0.2	0.4	
2015	3	0.6	0.33	0.1	1.6	28	0.4	0.07	0.2	0.6	
2016	1	0.2	0.20	0.0	0.9	32	0.4	0.08	0.3	0.6	
2017	2	0.2	0.16	0.0	0.8	25	0.3	0.07	0.2	0.5	
2018	1	0.1	0.13	0.0	0.7	21	0.3	0.06	0.2	0.4	
2019	2	0.2	0.15	0.0	0.8	23	0.3	0.07	0.2	0.5	
2020	1	0.2	0.20	0.0	0.9	24	0.3	0.06	0.2	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Floor of Mouth											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	763	0.4	0.02	0.4	0.5	134	0.5	0.04	0.4	0.6	
1990	25	0.5	0.10	0.3	0.7	6	0.8	0.33	0.3	1.7	
1991	32	0.6	0.11	0.4	0.9	10	1.4	0.43	0.6	2.5	
1992	32	0.6	0.10	0.4	0.8	6	0.8	0.32	0.3	1.7	
1993	24	0.5	0.10	0.3	0.7	3	0.4	0.22	0.1	1.1	
1994	28	0.5	0.10	0.4	0.8	8	1.1	0.39	0.5	2.2	
1995	32	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.4	
1996	24	0.5	0.09	0.3	0.7	6	0.8	0.35	0.3	1.8	
1997	32	0.6	0.11	0.4	0.9	5	0.6	0.29	0.2	1.5	
1998	23	0.4	0.09	0.3	0.7	2	0.2	0.17	0.0	0.9	
1999	23	0.5	0.10	0.3	0.7	5	0.6	0.26	0.2	1.4	
2000	26	0.5	0.10	0.3	0.7	6	0.7	0.28	0.3	1.5	
2001	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	1.0	
2002	32	0.6	0.11	0.4	0.9	3	0.4	0.21	0.1	1.0	
2003	25	0.5	0.10	0.3	0.7	3	0.3	0.18	0.1	0.9	
2004	24	0.5	0.09	0.3	0.7	2	0.2	0.14	0.0	0.8	
2005	18	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0	
2006	25	0.5	0.09	0.3	0.7	5	0.5	0.24	0.2	1.2	
2007	27	0.5	0.09	0.3	0.7	2	0.2	0.13	0.0	0.7	
2008	30	0.5	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4	
2009	25	0.4	0.09	0.3	0.7	4	0.4	0.20	0.1	1.0	
2010	20	0.4	0.08	0.2	0.6	6	0.6	0.25	0.2	1.3	
2011	23	0.4	0.09	0.3	0.6	3	0.2	0.14	0.1	0.8	
2012	21	0.4	0.08	0.2	0.6	7	0.7	0.28	0.3	1.5	
2013	20	0.3	0.08	0.2	0.5	4	0.3	0.16	0.1	0.9	
2014	12	0.2	0.06	0.1	0.4	7	0.6	0.25	0.3	1.3	
2015	23	0.4	0.08	0.2	0.6	4	0.4	0.18	0.1	0.9	
2016	29	0.5	0.09	0.3	0.7	2	0.2	0.15	0.0	0.7	
2017	22	0.4	0.08	0.2	0.6	2	0.2	0.10	0.0	0.6	
2018	20	0.3	0.08	0.2	0.6	1	0.1	0.07	0.0	0.5	
2019	17	0.3	0.07	0.2	0.5	4	0.4	0.18	0.1	0.9	
2020	24	0.4	0.08	0.2	0.6	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gum and Other Mouth											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	317	1.3	0.08	1.1	1.5	6,585	1.7	0.02	1.7	1.8	
1990	4	0.9	0.44	0.2	2.4	182	1.8	0.13	1.5	2.1	
1991	7	1.2	0.48	0.4	2.7	154	1.5	0.12	1.2	1.7	
1992	0					172	1.6	0.12	1.4	1.9	
1993	6	1.9	0.91	0.6	4.3	177	1.7	0.13	1.4	1.9	
1994	6	1.4	0.71	0.4	3.4	163	1.5	0.12	1.3	1.8	
1995	2	0.7	0.59	0.0	2.5	198	1.8	0.13	1.6	2.1	
1996	8	2.1	0.91	0.7	4.5	195	1.8	0.13	1.5	2.0	
1997	9	1.6	0.59	0.7	3.2	190	1.7	0.12	1.5	2.0	
1998	6	2.0	0.93	0.6	4.4	175	1.6	0.12	1.3	1.8	
1999	7	0.9	0.37	0.3	2.0	201	1.8	0.13	1.6	2.1	
2000	5	0.8	0.48	0.1	2.2	188	1.7	0.12	1.4	1.9	
2001	6	1.2	0.54	0.4	2.7	193	1.7	0.12	1.5	1.9	
2002	5	1.0	0.51	0.3	2.4	202	1.7	0.12	1.5	2.0	
2003	10	1.7	0.60	0.7	3.2	213	1.8	0.12	1.6	2.1	
2004	11	1.5	0.50	0.7	2.8	216	1.8	0.13	1.6	2.1	
2005	3	0.3	0.15	0.1	0.9	189	1.6	0.12	1.4	1.8	
2006	9	1.4	0.54	0.5	2.7	206	1.7	0.12	1.5	2.0	
2007	14	1.4	0.46	0.6	2.6	192	1.6	0.12	1.4	1.8	
2008	17	1.8	0.48	1.0	2.9	241	1.9	0.13	1.7	2.2	
2009	12	0.9	0.28	0.5	1.7	226	1.8	0.12	1.6	2.1	
2010	19	2.1	0.56	1.2	3.5	236	1.9	0.12	1.6	2.1	
2011	11	0.9	0.29	0.4	1.6	252	1.9	0.12	1.7	2.2	
2012	12	1.4	0.43	0.7	2.4	226	1.7	0.12	1.5	2.0	
2013	15	1.8	0.48	1.0	2.9	224	1.7	0.12	1.5	1.9	
2014	7	0.7	0.28	0.2	1.4	249	1.9	0.12	1.6	2.1	
2015	22	1.8	0.43	1.1	2.8	256	1.9	0.12	1.7	2.1	
2016	11	0.7	0.23	0.4	1.3	247	1.8	0.12	1.6	2.0	
2017	20	1.6	0.37	0.9	2.5	250	1.8	0.12	1.6	2.1	
2018	14	1.1	0.31	0.6	1.8	223	1.6	0.11	1.4	1.8	
2019	21	1.6	0.36	0.9	2.4	271	1.9	0.12	1.7	2.1	
2020	18	1.2	0.29	0.7	1.9	278	2.0	0.12	1.8	2.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gum and Other Mouth											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	5,370	1.7	0.02	1.7	1.8	887	1.8	0.06	1.7	1.9	
1990	142	1.6	0.13	1.3	1.9	38	3.3	0.55	2.3	4.6	
1991	129	1.4	0.12	1.2	1.7	24	1.8	0.37	1.1	2.7	
1992	146	1.6	0.13	1.3	1.9	24	1.9	0.40	1.2	2.9	
1993	150	1.6	0.13	1.4	1.9	24	1.9	0.39	1.2	2.8	
1994	139	1.5	0.13	1.3	1.8	21	1.6	0.36	1.0	2.5	
1995	164	1.8	0.14	1.5	2.0	30	2.3	0.43	1.6	3.3	
1996	159	1.7	0.13	1.4	2.0	29	2.0	0.38	1.4	2.9	
1997	160	1.7	0.13	1.4	2.0	28	2.0	0.39	1.3	3.0	
1998	149	1.6	0.13	1.3	1.8	23	1.7	0.36	1.1	2.5	
1999	162	1.7	0.13	1.5	2.0	34	2.5	0.43	1.7	3.5	
2000	167	1.7	0.13	1.5	2.0	16	1.1	0.26	0.6	1.7	
2001	164	1.7	0.13	1.4	2.0	24	1.6	0.34	1.0	2.4	
2002	159	1.6	0.13	1.4	1.9	36	2.4	0.41	1.7	3.3	
2003	172	1.7	0.13	1.5	2.0	33	2.2	0.38	1.5	3.0	
2004	171	1.7	0.13	1.5	2.0	36	2.3	0.39	1.6	3.2	
2005	156	1.6	0.13	1.3	1.8	22	1.3	0.28	0.8	2.0	
2006	169	1.7	0.13	1.4	2.0	26	1.5	0.30	1.0	2.2	
2007	148	1.5	0.12	1.3	1.8	36	2.2	0.37	1.5	3.0	
2008	189	1.8	0.14	1.6	2.1	38	2.2	0.37	1.6	3.1	
2009	185	1.8	0.14	1.6	2.1	30	1.7	0.32	1.2	2.5	
2010	184	1.8	0.13	1.5	2.0	39	2.1	0.34	1.5	2.9	
2011	210	1.9	0.14	1.7	2.2	26	1.5	0.30	1.0	2.2	
2012	189	1.8	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1	
2013	189	1.7	0.13	1.5	2.0	24	1.4	0.28	0.9	2.0	
2014	204	1.9	0.13	1.6	2.2	30	1.6	0.30	1.1	2.3	
2015	199	1.8	0.13	1.6	2.1	36	1.9	0.33	1.3	2.7	
2016	197	1.8	0.13	1.5	2.0	27	1.4	0.28	0.9	2.1	
2017	209	1.9	0.13	1.6	2.1	21	1.0	0.23	0.6	1.6	
2018	186	1.6	0.12	1.4	1.8	20	1.0	0.23	0.6	1.6	
2019	206	1.8	0.13	1.5	2.0	38	1.9	0.32	1.3	2.6	
2020	217	1.9	0.13	1.7	2.2	27	1.4	0.28	0.9	2.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gum and Other Mouth											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	191	1.7	0.14	1.4	1.9	3,680	2.2	0.04	2.1	2.3	
1990	3	1.2	0.69	0.2	4.2	113	2.6	0.25	2.1	3.1	
1991	5	2.0	0.93	0.7	5.3	82	1.8	0.20	1.4	2.2	
1992	0					95	2.1	0.22	1.7	2.6	
1993	4	2.7	1.89	0.3	8.1	97	2.1	0.22	1.7	2.6	
1994	2	0.7	0.47	0.1	3.1	91	1.9	0.21	1.6	2.4	
1995	0					104	2.2	0.21	1.8	2.6	
1996	5	1.9	1.14	0.4	5.4	112	2.4	0.23	1.9	2.8	
1997	7	2.8	1.22	0.9	6.2	111	2.4	0.23	1.9	2.8	
1998	4	3.4	1.98	0.7	8.7	100	2.0	0.20	1.7	2.5	
1999	3	0.9	0.58	0.1	3.1	112	2.3	0.22	1.9	2.7	
2000	2	1.2	1.09	0.0	4.5	95	1.9	0.20	1.6	2.4	
2001	3	1.1	0.65	0.2	3.3	105	2.1	0.21	1.7	2.6	
2002	1	0.5	0.46	0.0	2.3	106	2.1	0.20	1.7	2.5	
2003	7	2.9	1.26	1.0	6.2	110	2.1	0.21	1.8	2.6	
2004	8	2.2	0.88	0.9	4.6	118	2.3	0.21	1.9	2.7	
2005	3	0.5	0.29	0.1	1.8	104	2.0	0.20	1.6	2.4	
2006	6	2.0	1.02	0.5	4.7	112	2.1	0.20	1.7	2.5	
2007	10	1.9	0.71	0.7	3.8	106	2.0	0.19	1.6	2.4	
2008	12	2.8	0.91	1.3	5.1	132	2.3	0.21	1.9	2.8	
2009	5	0.9	0.41	0.3	2.2	130	2.2	0.20	1.9	2.7	
2010	11	3.1	1.02	1.4	5.6	136	2.4	0.21	2.0	2.8	
2011	4	0.6	0.32	0.2	1.7	148	2.5	0.21	2.1	2.9	
2012	8	1.9	0.78	0.7	3.9	126	2.1	0.19	1.7	2.5	
2013	6	1.7	0.75	0.6	3.7	139	2.3	0.20	1.9	2.8	
2014	5	0.8	0.42	0.2	2.1	139	2.3	0.20	1.9	2.7	
2015	15	2.6	0.77	1.3	4.5	152	2.4	0.20	2.0	2.8	
2016	9	1.1	0.39	0.5	2.2	140	2.2	0.19	1.9	2.6	
2017	10	1.6	0.55	0.7	3.0	141	2.2	0.19	1.8	2.6	
2018	12	1.9	0.61	0.9	3.5	121	1.9	0.18	1.6	2.3	
2019	15	2.3	0.65	1.2	3.9	153	2.3	0.19	2.0	2.7	
2020	6	0.8	0.37	0.3	1.9	150	2.4	0.20	2.0	2.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gum and Other Mouth											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,913	2.1	0.04	2.0	2.1	532	2.5	0.11	2.3	2.8	
1990	87	2.3	0.25	1.8	2.8	24	5.3	1.15	3.3	8.0	
1991	65	1.6	0.21	1.3	2.1	17	3.0	0.76	1.7	4.9	
1992	79	2.0	0.23	1.6	2.5	14	2.9	0.84	1.5	5.0	
1993	80	2.0	0.23	1.6	2.5	16	3.0	0.76	1.7	4.9	
1994	73	1.8	0.21	1.4	2.3	15	2.8	0.76	1.5	4.7	
1995	79	1.9	0.21	1.5	2.4	22	4.0	0.89	2.4	6.1	
1996	92	2.3	0.24	1.8	2.8	17	2.8	0.67	1.6	4.4	
1997	95	2.3	0.24	1.9	2.9	16	2.7	0.70	1.5	4.4	
1998	85	2.0	0.22	1.6	2.5	12	2.1	0.65	1.1	3.8	
1999	90	2.2	0.23	1.7	2.7	20	3.2	0.75	1.9	5.0	
2000	85	2.0	0.22	1.6	2.5	9	1.4	0.46	0.6	2.6	
2001	90	2.2	0.23	1.7	2.7	11	1.6	0.48	0.8	2.9	
2002	78	1.8	0.21	1.4	2.3	23	3.8	0.84	2.3	5.8	
2003	86	2.0	0.22	1.6	2.5	21	3.0	0.66	1.8	4.6	
2004	92	2.1	0.22	1.7	2.6	20	3.3	0.81	2.0	5.3	
2005	84	1.9	0.21	1.5	2.4	14	1.8	0.50	1.0	3.1	
2006	86	1.9	0.21	1.5	2.4	17	2.4	0.59	1.4	3.8	
2007	79	1.8	0.20	1.4	2.2	20	2.9	0.69	1.7	4.6	
2008	97	2.1	0.21	1.7	2.5	26	3.5	0.71	2.2	5.2	
2009	103	2.1	0.21	1.7	2.6	18	2.5	0.63	1.4	4.0	
2010	104	2.2	0.22	1.8	2.7	24	3.1	0.68	1.9	4.8	
2011	119	2.4	0.22	2.0	2.9	16	2.2	0.58	1.2	3.7	
2012	104	2.1	0.21	1.7	2.6	13	1.6	0.46	0.8	2.8	
2013	114	2.3	0.22	1.9	2.8	16	2.1	0.53	1.2	3.4	
2014	111	2.3	0.22	1.9	2.7	16	2.2	0.58	1.2	3.7	
2015	113	2.2	0.21	1.8	2.6	27	3.5	0.70	2.3	5.2	
2016	108	2.1	0.20	1.7	2.5	15	2.2	0.59	1.2	3.6	
2017	117	2.2	0.21	1.8	2.6	9	1.0	0.35	0.5	2.0	
2018	97	1.8	0.19	1.5	2.2	11	1.4	0.42	0.7	2.5	
2019	110	2.0	0.20	1.7	2.5	22	2.6	0.58	1.6	4.0	
2020	111	2.2	0.21	1.8	2.6	11	1.3	0.40	0.6	2.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gum and Other Mouth											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	126	1.0	0.09	0.8	1.2	2,905	1.4	0.03	1.3	1.4	
1990	1	0.5	0.52	0.0	2.8	69	1.2	0.14	0.9	1.5	
1991	2	0.3	0.24	0.0	2.1	72	1.2	0.14	0.9	1.5	
1992	0					77	1.2	0.14	1.0	1.5	
1993	2	1.4	0.99	0.2	4.4	80	1.3	0.15	1.1	1.7	
1994	4	1.8	1.09	0.4	5.0	72	1.1	0.13	0.9	1.4	
1995	2	1.1	0.92	0.1	4.0	94	1.5	0.15	1.2	1.8	
1996	3	2.0	1.22	0.4	5.4	83	1.3	0.14	1.0	1.6	
1997	2	0.7	0.47	0.1	2.5	79	1.2	0.14	1.0	1.6	
1998	2	1.1	0.88	0.1	3.8	75	1.2	0.14	0.9	1.5	
1999	4	0.9	0.49	0.2	2.6	89	1.4	0.15	1.1	1.7	
2000	3	0.6	0.38	0.1	2.1	93	1.4	0.15	1.2	1.8	
2001	3	1.2	0.78	0.2	3.5	88	1.3	0.14	1.0	1.6	
2002	4	1.4	0.81	0.3	3.7	96	1.4	0.15	1.2	1.7	
2003	3	0.7	0.46	0.1	2.2	103	1.5	0.15	1.3	1.9	
2004	3	0.9	0.55	0.2	2.6	98	1.5	0.15	1.2	1.8	
2005	0					85	1.3	0.14	1.0	1.6	
2006	3	0.9	0.57	0.1	2.5	94	1.4	0.14	1.1	1.7	
2007	4	0.9	0.54	0.2	2.5	86	1.3	0.14	1.0	1.6	
2008	5	0.9	0.45	0.2	2.2	109	1.5	0.15	1.3	1.9	
2009	7	1.0	0.38	0.4	2.1	96	1.4	0.15	1.2	1.8	
2010	8	1.4	0.58	0.5	3.0	100	1.4	0.15	1.2	1.7	
2011	7	1.1	0.45	0.4	2.4	104	1.4	0.14	1.2	1.7	
2012	4	1.0	0.49	0.2	2.3	100	1.4	0.14	1.1	1.7	
2013	9	1.9	0.64	0.8	3.5	85	1.2	0.13	0.9	1.5	
2014	2	0.5	0.37	0.1	1.6	110	1.5	0.14	1.2	1.8	
2015	7	1.2	0.47	0.4	2.4	104	1.4	0.14	1.1	1.7	
2016	2	0.3	0.23	0.0	1.1	107	1.4	0.14	1.2	1.8	
2017	10	1.5	0.51	0.7	2.8	109	1.5	0.15	1.2	1.8	
2018	2	0.3	0.25	0.0	1.1	102	1.3	0.13	1.0	1.6	
2019	6	0.9	0.38	0.3	1.9	118	1.5	0.14	1.2	1.8	
2020	12	1.5	0.45	0.8	2.6	128	1.7	0.15	1.4	2.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gum and Other Mouth											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,457	1.4	0.03	1.3	1.4	355	1.2	0.07	1.1	1.4	
1990	55	1.0	0.14	0.8	1.4	14	2.1	0.56	1.1	3.5	
1991	64	1.2	0.16	0.9	1.6	7	0.9	0.34	0.4	1.8	
1992	67	1.2	0.15	0.9	1.6	10	1.3	0.42	0.6	2.4	
1993	70	1.4	0.17	1.1	1.7	8	1.1	0.38	0.5	2.1	
1994	66	1.2	0.14	0.9	1.5	6	0.8	0.34	0.3	1.8	
1995	85	1.6	0.17	1.2	1.9	8	1.1	0.39	0.5	2.1	
1996	67	1.2	0.15	0.9	1.5	12	1.5	0.42	0.8	2.5	
1997	65	1.2	0.15	0.9	1.5	12	1.5	0.45	0.8	2.6	
1998	64	1.2	0.15	0.9	1.5	11	1.4	0.42	0.7	2.5	
1999	72	1.4	0.16	1.1	1.7	14	1.8	0.48	1.0	3.0	
2000	82	1.5	0.17	1.2	1.9	7	0.8	0.31	0.3	1.7	
2001	74	1.3	0.15	1.0	1.6	13	1.6	0.45	0.8	2.7	
2002	81	1.4	0.16	1.1	1.7	13	1.5	0.41	0.8	2.5	
2003	86	1.5	0.17	1.2	1.9	12	1.4	0.42	0.7	2.5	
2004	79	1.4	0.16	1.1	1.8	16	1.7	0.43	1.0	2.8	
2005	72	1.3	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7	
2006	83	1.5	0.16	1.2	1.8	9	0.9	0.30	0.4	1.7	
2007	69	1.3	0.15	1.0	1.6	16	1.7	0.43	1.0	2.8	
2008	92	1.6	0.17	1.3	1.9	12	1.3	0.37	0.6	2.2	
2009	82	1.5	0.17	1.2	1.9	12	1.3	0.37	0.6	2.2	
2010	80	1.4	0.16	1.1	1.7	15	1.4	0.37	0.8	2.3	
2011	91	1.5	0.16	1.2	1.9	10	1.0	0.31	0.5	1.8	
2012	85	1.4	0.16	1.1	1.8	14	1.3	0.35	0.7	2.2	
2013	75	1.2	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7	
2014	93	1.5	0.16	1.2	1.9	14	1.2	0.34	0.7	2.1	
2015	86	1.5	0.16	1.2	1.8	9	0.8	0.27	0.4	1.6	
2016	89	1.5	0.17	1.2	1.9	12	1.0	0.29	0.5	1.8	
2017	92	1.5	0.17	1.2	1.9	12	1.0	0.30	0.5	1.8	
2018	89	1.4	0.15	1.1	1.7	9	0.8	0.26	0.3	1.5	
2019	96	1.5	0.16	1.2	1.9	16	1.4	0.36	0.8	2.3	
2020	106	1.7	0.17	1.4	2.0	16	1.5	0.39	0.9	2.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Nasopharynx											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	113	0.4	0.04	0.3	0.4	2,106	0.6	0.01	0.6	0.6	
1990	2	0.3	0.23	0.0	1.5	70	0.7	0.08	0.5	0.9	
1991	2	0.5	0.32	0.1	1.7	59	0.6	0.08	0.4	0.7	
1992	1	0.5	0.50	0.0	2.2	45	0.4	0.06	0.3	0.6	
1993	1	0.1	0.10	0.0	1.0	62	0.6	0.08	0.5	0.8	
1994	3	0.6	0.37	0.1	1.8	67	0.6	0.08	0.5	0.8	
1995	1	0.2	0.21	0.0	1.2	77	0.7	0.08	0.6	0.9	
1996	1	0.3	0.28	0.0	1.4	63	0.6	0.07	0.4	0.7	
1997	5	0.7	0.34	0.2	1.8	67	0.6	0.08	0.5	0.8	
1998	2	0.1	0.09	0.0	0.9	69	0.6	0.08	0.5	0.8	
1999	2	0.2	0.14	0.0	1.0	62	0.6	0.07	0.4	0.7	
2000	3	0.6	0.49	0.1	2.1	76	0.7	0.08	0.5	0.9	
2001	2	0.1	0.06	0.0	0.7	62	0.6	0.07	0.4	0.7	
2002	5	0.6	0.27	0.2	1.4	68	0.6	0.07	0.5	0.8	
2003	2	0.7	0.48	0.1	2.0	68	0.6	0.07	0.5	0.8	
2004	1	0.1	0.10	0.0	0.7	76	0.7	0.08	0.5	0.8	
2005	6	0.5	0.22	0.2	1.2	62	0.5	0.07	0.4	0.7	
2006	5	0.4	0.19	0.1	1.1	73	0.6	0.07	0.5	0.8	
2007	7	0.8	0.33	0.3	1.7	64	0.5	0.07	0.4	0.7	
2008	5	0.6	0.31	0.1	1.5	60	0.5	0.06	0.4	0.6	
2009	3	0.2	0.09	0.0	0.6	76	0.6	0.07	0.5	0.8	
2010	7	0.6	0.28	0.2	1.4	76	0.6	0.07	0.5	0.8	
2011	4	0.2	0.11	0.1	0.6	73	0.6	0.07	0.5	0.7	
2012	5	0.3	0.12	0.1	0.7	73	0.6	0.07	0.5	0.7	
2013	5	0.4	0.19	0.1	0.9	68	0.6	0.07	0.4	0.7	
2014	2	0.1	0.07	0.0	0.4	67	0.5	0.06	0.4	0.7	
2015	4	0.2	0.12	0.1	0.6	81	0.7	0.07	0.5	0.8	
2016	5	0.4	0.18	0.1	0.9	75	0.6	0.07	0.4	0.7	
2017	4	0.2	0.11	0.1	0.6	70	0.5	0.07	0.4	0.7	
2018	9	0.5	0.16	0.2	0.9	68	0.5	0.07	0.4	0.7	
2019	6	0.3	0.14	0.1	0.7	58	0.5	0.06	0.3	0.6	
2020	3	0.2	0.15	0.0	0.7	71	0.6	0.07	0.4	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Nasopharynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,334	0.4	0.01	0.4	0.5	432	0.8	0.04	0.8	0.9	
1990	51	0.6	0.08	0.4	0.8	15	1.1	0.31	0.6	1.9	
1991	41	0.5	0.07	0.3	0.6	12	1.0	0.30	0.5	1.7	
1992	32	0.4	0.06	0.2	0.5	6	0.3	0.14	0.1	0.8	
1993	42	0.5	0.07	0.3	0.7	11	0.8	0.23	0.4	1.4	
1994	45	0.5	0.07	0.4	0.7	12	0.8	0.25	0.4	1.5	
1995	63	0.7	0.09	0.5	0.9	7	0.5	0.19	0.2	1.0	
1996	39	0.4	0.07	0.3	0.6	18	1.2	0.30	0.7	2.0	
1997	39	0.4	0.07	0.3	0.6	16	1.0	0.24	0.5	1.6	
1998	42	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6	
1999	35	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5	
2000	48	0.5	0.08	0.4	0.7	16	1.0	0.26	0.6	1.6	
2001	41	0.4	0.07	0.3	0.6	16	0.9	0.22	0.5	1.4	
2002	44	0.5	0.07	0.3	0.6	16	1.0	0.25	0.6	1.6	
2003	48	0.5	0.07	0.4	0.7	12	0.7	0.20	0.4	1.2	
2004	44	0.5	0.07	0.3	0.6	20	1.2	0.27	0.7	1.9	
2005	44	0.5	0.07	0.3	0.6	8	0.5	0.19	0.2	1.0	
2006	48	0.5	0.07	0.4	0.7	6	0.3	0.14	0.1	0.8	
2007	38	0.4	0.06	0.3	0.5	14	0.8	0.21	0.4	1.3	
2008	37	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5	
2009	43	0.4	0.07	0.3	0.6	20	1.1	0.25	0.7	1.7	
2010	44	0.4	0.07	0.3	0.6	17	0.9	0.23	0.5	1.5	
2011	46	0.5	0.07	0.3	0.6	19	1.0	0.22	0.6	1.5	
2012	40	0.4	0.06	0.3	0.5	17	1.0	0.24	0.6	1.5	
2013	41	0.4	0.06	0.3	0.5	11	0.7	0.20	0.3	1.2	
2014	38	0.3	0.06	0.2	0.5	16	0.9	0.22	0.5	1.4	
2015	45	0.5	0.07	0.3	0.6	17	0.8	0.20	0.5	1.3	
2016	44	0.4	0.06	0.3	0.5	17	0.9	0.22	0.5	1.4	
2017	45	0.4	0.07	0.3	0.6	15	0.7	0.19	0.4	1.2	
2018	42	0.4	0.07	0.3	0.6	9	0.5	0.15	0.2	0.9	
2019	40	0.4	0.07	0.3	0.6	9	0.4	0.13	0.2	0.8	
2020	45	0.4	0.07	0.3	0.6	11	0.5	0.16	0.3	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Nasopharynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	72	0.5	0.07	0.4	0.6	1,451	0.9	0.02	0.8	0.9
1990	0					49	1.0	0.15	0.8	1.4
1991	1	0.4	0.37	0.0	3.0	36	0.8	0.13	0.6	1.1
1992	0					27	0.6	0.12	0.4	0.9
1993	1	0.2	0.18	0.0	2.5	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	2.8	45	1.0	0.14	0.7	1.3
1995	1	0.5	0.45	0.0	2.8	52	1.0	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	3.2	40	0.8	0.13	0.6	1.1
1997	4	1.3	0.67	0.3	3.7	51	1.0	0.14	0.8	1.3
1998	0					37	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	1.8	35	0.7	0.12	0.5	1.0
2000	1	0.2	0.23	0.0	1.9	52	1.0	0.14	0.7	1.3
2001	1	0.1	0.10	0.0	1.6	41	0.8	0.12	0.6	1.1
2002	3	0.8	0.50	0.2	2.7	50	1.0	0.14	0.7	1.3
2003	2	1.7	1.23	0.2	5.2	51	1.0	0.14	0.7	1.3
2004	1	0.2	0.20	0.0	1.5	55	1.0	0.14	0.8	1.3
2005	3	0.5	0.32	0.1	1.8	43	0.8	0.12	0.6	1.1
2006	4	0.7	0.34	0.2	2.0	49	0.9	0.13	0.7	1.2
2007	7	1.7	0.72	0.6	3.7	46	0.8	0.12	0.6	1.1
2008	3	1.0	0.74	0.1	3.2	41	0.7	0.12	0.5	1.0
2009	1	0.1	0.07	0.0	1.0	46	0.8	0.12	0.6	1.1
2010	4	1.1	0.60	0.3	2.8	59	1.0	0.13	0.7	1.3
2011	3	0.3	0.18	0.1	1.2	53	0.9	0.13	0.7	1.2
2012	3	0.3	0.18	0.1	1.1	57	0.9	0.13	0.7	1.2
2013	3	0.4	0.24	0.1	1.3	57	1.0	0.13	0.7	1.3
2014	2	0.2	0.13	0.0	0.9	44	0.7	0.12	0.5	1.0
2015	0					52	0.9	0.12	0.6	1.2
2016	4	0.7	0.39	0.2	1.9	52	0.8	0.12	0.6	1.1
2017	3	0.4	0.21	0.1	1.1	48	0.8	0.12	0.6	1.1
2018	7	0.8	0.30	0.3	1.7	45	0.8	0.12	0.6	1.0
2019	4	0.4	0.18	0.1	1.0	39	0.6	0.11	0.5	0.9
2020	2	0.3	0.19	0.0	1.0	54	0.9	0.13	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Nasopharynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	920	0.7	0.02	0.6	0.7	300	1.3	0.08	1.2	1.5	
1990	38	0.9	0.15	0.7	1.3	10	1.8	0.62	0.8	3.5	
1991	26	0.6	0.13	0.4	0.9	8	1.9	0.70	0.8	3.7	
1992	17	0.5	0.11	0.3	0.7	4	0.5	0.28	0.1	1.5	
1993	30	0.7	0.14	0.5	1.1	9	1.4	0.47	0.6	2.7	
1994	34	0.9	0.15	0.6	1.2	5	0.9	0.40	0.3	2.1	
1995	40	0.9	0.15	0.7	1.3	6	1.1	0.47	0.4	2.4	
1996	22	0.5	0.11	0.3	0.8	13	2.1	0.65	1.1	3.8	
1997	30	0.7	0.13	0.5	1.0	14	1.8	0.49	1.0	3.1	
1998	21	0.5	0.11	0.3	0.8	11	1.4	0.44	0.7	2.6	
1999	22	0.5	0.11	0.3	0.8	9	1.1	0.37	0.5	2.1	
2000	35	0.8	0.14	0.6	1.1	10	1.5	0.51	0.7	2.9	
2001	26	0.6	0.12	0.4	0.9	10	1.2	0.39	0.6	2.3	
2002	31	0.7	0.13	0.5	1.0	12	1.7	0.50	0.9	3.0	
2003	36	0.8	0.14	0.6	1.2	11	1.4	0.44	0.7	2.6	
2004	31	0.7	0.12	0.5	1.0	16	2.4	0.64	1.3	3.9	
2005	33	0.7	0.13	0.5	1.0	6	1.0	0.43	0.4	2.2	
2006	34	0.8	0.13	0.5	1.1	3	0.4	0.26	0.1	1.3	
2007	28	0.6	0.12	0.4	0.9	11	1.5	0.49	0.7	2.8	
2008	25	0.5	0.11	0.3	0.8	10	1.5	0.51	0.7	2.9	
2009	28	0.6	0.11	0.4	0.9	11	1.4	0.43	0.7	2.5	
2010	36	0.7	0.12	0.5	1.0	12	1.5	0.44	0.8	2.6	
2011	32	0.7	0.12	0.5	1.0	15	1.7	0.44	0.9	2.8	
2012	32	0.7	0.12	0.4	0.9	12	1.5	0.44	0.8	2.6	
2013	34	0.7	0.12	0.5	1.0	8	1.1	0.42	0.5	2.3	
2014	25	0.5	0.10	0.3	0.7	9	1.3	0.43	0.6	2.4	
2015	28	0.6	0.11	0.4	0.9	11	1.2	0.36	0.6	2.1	
2016	30	0.5	0.10	0.4	0.8	14	1.6	0.44	0.9	2.7	
2017	30	0.7	0.12	0.4	0.9	9	1.0	0.33	0.4	1.9	
2018	27	0.5	0.11	0.4	0.8	5	0.6	0.26	0.2	1.4	
2019	26	0.6	0.11	0.4	0.8	7	0.7	0.26	0.3	1.5	
2020	33	0.7	0.13	0.5	1.0	9	1.0	0.33	0.4	1.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Nasopharynx											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	41	0.2	0.04	0.2	0.3	655	0.3	0.01	0.3	0.4	
1990	2	0.6	0.46	0.1	2.7	21	0.4	0.08	0.2	0.6	
1991	1	0.5	0.50	0.0	2.7	23	0.4	0.09	0.3	0.6	
1992	1	0.8	0.82	0.0	3.6	18	0.3	0.08	0.2	0.5	
1993	0					17	0.3	0.07	0.2	0.5	
1994	1	0.6	0.58	0.0	2.8	22	0.4	0.09	0.3	0.6	
1995	0					25	0.4	0.09	0.3	0.6	
1996	0					23	0.4	0.08	0.2	0.6	
1997	1	0.2	0.22	0.0	1.7	16	0.3	0.07	0.2	0.4	
1998	2	0.3	0.19	0.0	1.6	32	0.5	0.09	0.4	0.7	
1999	1	0.3	0.26	0.0	1.7	27	0.5	0.09	0.3	0.7	
2000	2	0.8	0.75	0.0	3.2	24	0.4	0.08	0.3	0.6	
2001	1	0.1	0.09	0.0	1.2	21	0.4	0.08	0.2	0.5	
2002	2	0.4	0.26	0.0	1.6	18	0.3	0.07	0.2	0.5	
2003	0					17	0.3	0.07	0.2	0.5	
2004	0					21	0.3	0.07	0.2	0.5	
2005	3	0.5	0.30	0.1	1.6	19	0.3	0.07	0.2	0.5	
2006	1	0.2	0.17	0.0	1.1	24	0.4	0.07	0.2	0.5	
2007	0					18	0.3	0.07	0.2	0.5	
2008	2	0.3	0.22	0.0	1.2	19	0.3	0.07	0.2	0.5	
2009	2	0.2	0.16	0.0	1.0	30	0.5	0.08	0.3	0.7	
2010	3	0.3	0.17	0.1	1.1	17	0.3	0.07	0.2	0.4	
2011	1	0.1	0.13	0.0	0.8	20	0.3	0.07	0.2	0.5	
2012	2	0.2	0.15	0.0	0.9	16	0.2	0.06	0.1	0.4	
2013	2	0.4	0.27	0.0	1.3	11	0.2	0.06	0.1	0.3	
2014	0					23	0.3	0.07	0.2	0.5	
2015	4	0.5	0.24	0.1	1.3	29	0.4	0.08	0.3	0.6	
2016	1	0.1	0.07	0.0	0.6	23	0.4	0.08	0.2	0.5	
2017	1	0.1	0.08	0.0	0.6	22	0.3	0.07	0.2	0.5	
2018	2	0.2	0.14	0.0	0.8	23	0.3	0.08	0.2	0.5	
2019	2	0.3	0.19	0.0	0.9	19	0.3	0.07	0.2	0.5	
2020	1	0.2	0.20	0.0	0.9	17	0.3	0.06	0.1	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Nasopharynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	414	0.3	0.01	0.2	0.3	132	0.5	0.04	0.4	0.5	
1990	13	0.3	0.08	0.2	0.5	5	0.7	0.30	0.2	1.6	
1991	15	0.3	0.08	0.2	0.5	4	0.4	0.23	0.1	1.2	
1992	15	0.3	0.08	0.2	0.5	2	0.2	0.13	0.0	0.8	
1993	12	0.2	0.07	0.1	0.4	2	0.3	0.18	0.0	0.9	
1994	11	0.2	0.07	0.1	0.4	7	0.8	0.32	0.3	1.7	
1995	23	0.5	0.10	0.3	0.7	1	0.1	0.12	0.0	0.7	
1996	17	0.3	0.08	0.2	0.5	5	0.6	0.28	0.2	1.4	
1997	9	0.2	0.06	0.1	0.4	2	0.3	0.18	0.0	0.9	
1998	21	0.4	0.09	0.3	0.6	6	0.6	0.26	0.2	1.4	
1999	13	0.3	0.07	0.1	0.4	7	0.8	0.29	0.3	1.6	
2000	13	0.3	0.07	0.1	0.5	6	0.7	0.27	0.2	1.4	
2001	15	0.3	0.08	0.2	0.5	6	0.6	0.25	0.2	1.4	
2002	13	0.2	0.07	0.1	0.4	4	0.4	0.22	0.1	1.1	
2003	12	0.2	0.07	0.1	0.4	1	0.1	0.09	0.0	0.6	
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1	
2005	11	0.2	0.07	0.1	0.4	2	0.2	0.13	0.0	0.7	
2006	14	0.2	0.07	0.1	0.4	3	0.3	0.17	0.1	0.9	
2007	10	0.2	0.06	0.1	0.4	3	0.3	0.18	0.1	0.9	
2008	12	0.2	0.07	0.1	0.4	6	0.6	0.24	0.2	1.3	
2009	15	0.3	0.07	0.2	0.5	9	0.9	0.30	0.4	1.7	
2010	8	0.2	0.06	0.1	0.4	5	0.5	0.23	0.2	1.2	
2011	14	0.3	0.07	0.1	0.5	4	0.4	0.20	0.1	1.0	
2012	8	0.1	0.05	0.1	0.3	5	0.6	0.25	0.2	1.3	
2013	7	0.1	0.05	0.1	0.3	3	0.4	0.20	0.1	1.0	
2014	13	0.2	0.07	0.1	0.4	7	0.6	0.23	0.2	1.3	
2015	17	0.3	0.08	0.2	0.5	6	0.6	0.23	0.2	1.2	
2016	14	0.3	0.08	0.1	0.5	3	0.3	0.17	0.1	0.9	
2017	15	0.2	0.06	0.1	0.4	6	0.5	0.22	0.2	1.2	
2018	15	0.3	0.08	0.2	0.5	4	0.4	0.19	0.1	1.0	
2019	14	0.3	0.09	0.2	0.5	2	0.2	0.11	0.0	0.6	
2020	12	0.2	0.06	0.1	0.4	2	0.2	0.13	0.0	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oropharynx											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	82	0.3	0.04	0.2	0.4	2,276	0.6	0.01	0.6	0.6	
1990	1	0.3	0.27	0.0	1.5	42	0.4	0.06	0.3	0.5	
1991	0					41	0.4	0.06	0.3	0.5	
1992	0					36	0.3	0.06	0.2	0.5	
1993	0					37	0.4	0.06	0.3	0.5	
1994	2	0.7	0.55	0.1	2.4	49	0.5	0.07	0.4	0.6	
1995	1	0.3	0.29	0.0	1.4	31	0.3	0.05	0.2	0.4	
1996	3	0.8	0.55	0.1	2.5	55	0.5	0.07	0.4	0.7	
1997	2	0.9	0.67	0.1	2.8	43	0.4	0.06	0.3	0.5	
1998	1	0.2	0.19	0.0	1.1	68	0.6	0.07	0.5	0.8	
1999	0					42	0.4	0.06	0.3	0.5	
2000	2	0.4	0.27	0.0	1.3	53	0.5	0.06	0.4	0.6	
2001	4	0.8	0.48	0.1	2.1	62	0.5	0.07	0.4	0.7	
2002	5	0.8	0.38	0.2	1.9	62	0.5	0.07	0.4	0.7	
2003	1	0.1	0.10	0.0	0.7	68	0.6	0.07	0.5	0.7	
2004	2	0.2	0.17	0.0	0.9	61	0.5	0.07	0.4	0.7	
2005	1	0.1	0.06	0.0	0.6	73	0.6	0.07	0.5	0.8	
2006	2	0.2	0.13	0.0	0.7	67	0.6	0.07	0.4	0.7	
2007	3	0.3	0.17	0.1	0.9	89	0.7	0.08	0.6	0.9	
2008	5	0.5	0.21	0.1	1.1	80	0.6	0.07	0.5	0.8	
2009	3	0.3	0.21	0.0	1.0	77	0.6	0.07	0.5	0.8	
2010	4	0.5	0.26	0.1	1.2	103	0.8	0.08	0.7	1.0	
2011	4	0.3	0.13	0.1	0.7	115	0.9	0.08	0.7	1.1	
2012	3	0.2	0.11	0.0	0.6	77	0.6	0.07	0.5	0.7	
2013	1	0.2	0.17	0.0	0.7	83	0.6	0.07	0.5	0.8	
2014	2	0.1	0.08	0.0	0.5	89	0.6	0.07	0.5	0.8	
2015	3	0.2	0.10	0.0	0.5	75	0.5	0.06	0.4	0.7	
2016	3	0.2	0.10	0.0	0.5	87	0.6	0.07	0.5	0.8	
2017	5	0.3	0.13	0.1	0.7	83	0.6	0.06	0.4	0.7	
2018	4	0.3	0.13	0.1	0.7	136	1.0	0.08	0.8	1.1	
2019	12	0.8	0.25	0.4	1.4	141	0.9	0.08	0.8	1.1	
2020	3	0.2	0.13	0.0	0.6	151	1.1	0.09	0.9	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oropharynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,791	0.6	0.01	0.5	0.6	450	0.9	0.04	0.8	1.0	
1990	30	0.3	0.06	0.2	0.5	10	0.8	0.27	0.4	1.5	
1991	33	0.4	0.06	0.3	0.5	7	0.6	0.23	0.2	1.2	
1992	28	0.3	0.06	0.2	0.4	8	0.6	0.21	0.3	1.2	
1993	29	0.3	0.06	0.2	0.5	8	0.6	0.22	0.3	1.2	
1994	36	0.4	0.07	0.3	0.6	13	1.0	0.28	0.5	1.7	
1995	24	0.3	0.05	0.2	0.4	7	0.5	0.18	0.2	1.0	
1996	37	0.4	0.07	0.3	0.6	17	1.2	0.30	0.7	2.0	
1997	30	0.3	0.06	0.2	0.5	12	0.9	0.25	0.4	1.5	
1998	43	0.5	0.07	0.3	0.6	25	1.8	0.35	1.1	2.6	
1999	33	0.4	0.06	0.2	0.5	9	0.6	0.20	0.3	1.1	
2000	45	0.5	0.07	0.3	0.6	8	0.5	0.18	0.2	1.0	
2001	49	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4	
2002	51	0.5	0.07	0.4	0.7	11	0.7	0.21	0.4	1.2	
2003	56	0.6	0.08	0.4	0.8	11	0.6	0.19	0.3	1.2	
2004	45	0.5	0.07	0.3	0.6	16	1.0	0.24	0.5	1.5	
2005	58	0.6	0.08	0.5	0.8	14	0.8	0.22	0.4	1.4	
2006	53	0.5	0.07	0.4	0.7	11	0.7	0.20	0.3	1.2	
2007	67	0.7	0.08	0.5	0.8	22	1.3	0.29	0.8	2.0	
2008	62	0.6	0.08	0.5	0.8	15	0.8	0.20	0.4	1.3	
2009	67	0.6	0.08	0.5	0.8	10	0.5	0.17	0.3	1.0	
2010	73	0.7	0.08	0.5	0.9	25	1.4	0.28	0.9	2.1	
2011	87	0.8	0.09	0.7	1.0	26	1.4	0.28	0.9	2.1	
2012	56	0.5	0.07	0.4	0.7	21	1.1	0.25	0.7	1.7	
2013	71	0.6	0.08	0.5	0.8	12	0.7	0.19	0.3	1.2	
2014	65	0.6	0.07	0.5	0.8	23	1.2	0.25	0.7	1.8	
2015	61	0.5	0.07	0.4	0.7	14	0.7	0.20	0.4	1.3	
2016	76	0.7	0.08	0.6	0.9	10	0.5	0.15	0.2	0.9	
2017	64	0.5	0.07	0.4	0.7	17	0.8	0.21	0.5	1.4	
2018	115	1.0	0.10	0.8	1.2	17	0.8	0.20	0.5	1.3	
2019	119	1.0	0.10	0.8	1.2	19	0.8	0.20	0.5	1.3	
2020	128	1.1	0.10	0.9	1.3	21	1.1	0.24	0.7	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oropharynx											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	66	0.5	0.07	0.4	0.7	1,735	1.0	0.02	1.0	1.0	
1990	0					23	0.5	0.11	0.3	0.8	
1991	0					24	0.5	0.11	0.3	0.8	
1992	0					23	0.5	0.10	0.3	0.7	
1993	0					23	0.5	0.10	0.3	0.7	
1994	2	1.8	1.45	0.1	6.2	40	0.9	0.14	0.6	1.2	
1995	1	0.6	0.63	0.0	3.3	25	0.5	0.10	0.3	0.8	
1996	3	2.0	1.41	0.2	6.1	40	0.8	0.13	0.6	1.1	
1997	1	1.5	1.51	0.0	6.1	33	0.7	0.12	0.5	0.9	
1998	1	0.4	0.41	0.0	2.5	55	1.1	0.15	0.8	1.4	
1999	0					32	0.6	0.11	0.4	0.9	
2000	1	0.5	0.49	0.0	2.6	42	0.8	0.13	0.6	1.1	
2001	4	1.8	1.29	0.2	5.5	48	0.9	0.13	0.7	1.2	
2002	4	1.4	0.77	0.3	3.8	48	0.9	0.13	0.7	1.2	
2003	1	0.2	0.19	0.0	1.6	48	0.9	0.13	0.7	1.2	
2004	2	0.5	0.35	0.1	2.0	43	0.8	0.12	0.6	1.1	
2005	1	0.1	0.11	0.0	1.3	60	1.1	0.14	0.8	1.4	
2006	2	0.4	0.27	0.0	1.6	53	0.9	0.13	0.7	1.2	
2007	3	0.6	0.34	0.1	1.8	69	1.2	0.15	0.9	1.5	
2008	5	0.9	0.44	0.3	2.3	62	1.1	0.13	0.8	1.4	
2009	3	0.7	0.47	0.1	2.2	60	1.0	0.13	0.8	1.3	
2010	3	0.6	0.39	0.1	1.9	81	1.3	0.15	1.1	1.7	
2011	4	0.5	0.26	0.1	1.5	85	1.4	0.16	1.1	1.8	
2012	3	0.4	0.20	0.1	1.2	55	0.9	0.12	0.7	1.2	
2013	1	0.4	0.44	0.0	1.8	58	0.9	0.12	0.7	1.2	
2014	1	0.1	0.11	0.0	0.8	70	1.1	0.13	0.8	1.4	
2015	1	0.2	0.16	0.0	0.9	60	0.9	0.12	0.7	1.2	
2016	3	0.3	0.19	0.1	1.1	75	1.2	0.14	0.9	1.5	
2017	3	0.3	0.18	0.1	1.0	66	0.9	0.12	0.7	1.2	
2018	3	0.4	0.24	0.1	1.2	105	1.6	0.16	1.3	1.9	
2019	8	1.3	0.49	0.5	2.5	113	1.7	0.16	1.4	2.0	
2020	2	0.2	0.15	0.0	0.8	116	1.7	0.16	1.4	2.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oropharynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,372	0.9	0.03	0.9	1.0	337	1.5	0.09	1.4	1.7	
1990	18	0.5	0.11	0.3	0.7	3	0.6	0.35	0.1	1.7	
1991	19	0.5	0.11	0.3	0.7	4	0.7	0.37	0.2	1.9	
1992	18	0.4	0.10	0.3	0.7	5	0.8	0.37	0.3	2.0	
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.39	0.3	2.0	
1994	29	0.7	0.13	0.5	1.0	11	2.0	0.59	1.0	3.5	
1995	22	0.5	0.11	0.3	0.8	3	0.5	0.28	0.1	1.5	
1996	27	0.6	0.12	0.4	0.9	12	1.9	0.55	1.0	3.3	
1997	22	0.5	0.11	0.3	0.8	10	1.7	0.56	0.8	3.2	
1998	34	0.8	0.14	0.6	1.1	21	3.4	0.76	2.1	5.2	
1999	25	0.6	0.12	0.4	0.9	7	1.0	0.39	0.4	2.2	
2000	34	0.8	0.14	0.6	1.1	8	1.2	0.42	0.5	2.3	
2001	40	0.9	0.15	0.7	1.3	8	1.2	0.41	0.5	2.3	
2002	39	0.9	0.14	0.6	1.2	9	1.3	0.44	0.6	2.5	
2003	38	0.9	0.14	0.6	1.2	9	1.2	0.40	0.6	2.3	
2004	32	0.7	0.13	0.5	1.0	11	1.5	0.45	0.7	2.7	
2005	47	1.0	0.15	0.8	1.4	12	1.7	0.50	0.8	3.0	
2006	42	0.9	0.14	0.6	1.2	9	1.2	0.41	0.6	2.3	
2007	52	1.1	0.15	0.8	1.4	17	2.5	0.65	1.4	4.1	
2008	45	0.9	0.14	0.7	1.3	15	1.7	0.45	1.0	2.9	
2009	51	1.0	0.15	0.8	1.4	9	1.1	0.35	0.5	2.0	
2010	58	1.2	0.16	0.9	1.5	18	2.3	0.55	1.3	3.7	
2011	63	1.3	0.17	1.0	1.7	20	2.5	0.57	1.5	3.9	
2012	42	0.8	0.12	0.6	1.1	13	1.6	0.47	0.8	2.8	
2013	51	1.0	0.14	0.7	1.3	7	0.9	0.37	0.4	2.0	
2014	50	0.9	0.14	0.7	1.3	19	2.4	0.57	1.4	3.8	
2015	49	0.9	0.13	0.7	1.2	11	1.3	0.41	0.6	2.4	
2016	65	1.3	0.16	1.0	1.6	9	1.0	0.36	0.5	2.0	
2017	52	0.9	0.12	0.7	1.2	13	1.5	0.44	0.8	2.7	
2018	90	1.7	0.18	1.3	2.1	12	1.4	0.43	0.7	2.5	
2019	97	1.8	0.19	1.4	2.2	14	1.5	0.41	0.8	2.5	
2020	103	1.9	0.19	1.5	2.3	13	1.6	0.45	0.8	2.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oropharynx										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	16	0.1	0.03	0.1	0.2	541	0.3	0.01	0.2	0.3
1990	1	0.5	0.52	0.0	2.8	19	0.3	0.07	0.2	0.5
1991	0					17	0.3	0.07	0.2	0.5
1992	0					13	0.2	0.06	0.1	0.4
1993	0					14	0.2	0.06	0.1	0.4
1994	0					9	0.2	0.06	0.1	0.3
1995	0					6	0.1	0.04	0.0	0.2
1996	0					15	0.2	0.06	0.1	0.4
1997	1	0.7	0.66	0.0	2.9	10	0.2	0.05	0.1	0.3
1998	0					13	0.2	0.06	0.1	0.4
1999	0					10	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	1.6	11	0.2	0.05	0.1	0.3
2001	0					14	0.2	0.06	0.1	0.4
2002	1	0.3	0.27	0.0	1.5	14	0.2	0.06	0.1	0.4
2003	0					20	0.3	0.07	0.2	0.5
2004	0					18	0.3	0.07	0.2	0.5
2005	0					13	0.2	0.06	0.1	0.4
2006	0					14	0.2	0.06	0.1	0.4
2007	0					20	0.3	0.07	0.2	0.5
2008	0					18	0.3	0.06	0.2	0.4
2009	0					17	0.3	0.06	0.2	0.4
2010	1	0.3	0.32	0.0	1.4	22	0.3	0.07	0.2	0.5
2011	0					30	0.4	0.08	0.3	0.6
2012	0					22	0.3	0.07	0.2	0.5
2013	0					25	0.3	0.07	0.2	0.5
2014	1	0.1	0.12	0.0	0.7	19	0.3	0.06	0.2	0.4
2015	2	0.2	0.14	0.0	0.8	15	0.2	0.06	0.1	0.4
2016	0					12	0.2	0.05	0.1	0.3
2017	2	0.3	0.18	0.0	0.9	17	0.2	0.05	0.1	0.3
2018	1	0.1	0.11	0.0	0.6	31	0.4	0.07	0.3	0.6
2019	4	0.4	0.21	0.1	1.1	28	0.3	0.06	0.2	0.5
2020	1	0.2	0.20	0.0	0.9	35	0.5	0.09	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Oropharynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	419	0.2	0.01	0.2	0.3	113	0.4	0.04	0.3	0.5	
1990	12	0.2	0.06	0.1	0.4	7	1.0	0.37	0.4	2.0	
1991	14	0.3	0.08	0.2	0.5	3	0.5	0.27	0.1	1.3	
1992	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.2	
1993	11	0.2	0.06	0.1	0.3	3	0.4	0.25	0.1	1.2	
1994	7	0.2	0.06	0.1	0.3	2	0.3	0.20	0.0	1.0	
1995	2	0.0	0.02	0.0	0.1	4	0.5	0.24	0.1	1.2	
1996	10	0.2	0.06	0.1	0.4	5	0.6	0.29	0.2	1.5	
1997	8	0.2	0.05	0.1	0.3	2	0.3	0.17	0.0	0.9	
1998	9	0.2	0.06	0.1	0.3	4	0.5	0.25	0.1	1.3	
1999	8	0.2	0.06	0.1	0.3	2	0.2	0.16	0.0	0.8	
2000	11	0.2	0.06	0.1	0.4	0					
2001	9	0.2	0.06	0.1	0.3	3	0.4	0.23	0.1	1.1	
2002	12	0.2	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8	
2003	18	0.3	0.08	0.2	0.6	2	0.2	0.15	0.0	0.8	
2004	13	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.2	
2005	11	0.2	0.06	0.1	0.4	2	0.2	0.14	0.0	0.7	
2006	11	0.2	0.06	0.1	0.4	2	0.2	0.16	0.0	0.8	
2007	15	0.3	0.07	0.2	0.5	5	0.5	0.24	0.2	1.2	
2008	17	0.3	0.07	0.2	0.5	0					
2009	16	0.3	0.07	0.2	0.5	1	0.1	0.12	0.0	0.6	
2010	15	0.3	0.07	0.2	0.5	7	0.7	0.28	0.3	1.5	
2011	24	0.4	0.08	0.3	0.6	6	0.6	0.25	0.2	1.3	
2012	14	0.2	0.07	0.1	0.4	8	0.7	0.26	0.3	1.5	
2013	20	0.3	0.08	0.2	0.5	5	0.5	0.21	0.2	1.1	
2014	15	0.3	0.07	0.1	0.5	4	0.3	0.16	0.1	0.9	
2015	12	0.2	0.06	0.1	0.4	3	0.3	0.19	0.1	0.9	
2016	11	0.2	0.07	0.1	0.4	1	0.1	0.07	0.0	0.5	
2017	12	0.2	0.06	0.1	0.4	4	0.3	0.14	0.1	0.8	
2018	25	0.4	0.08	0.3	0.6	5	0.4	0.19	0.1	1.0	
2019	22	0.3	0.07	0.2	0.5	5	0.4	0.17	0.1	1.0	
2020	25	0.5	0.09	0.3	0.7	8	0.7	0.26	0.3	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hypopharynx											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	132	0.5	0.05	0.4	0.6	3,205	0.8	0.01	0.8	0.9	
1990	2	0.7	0.56	0.1	2.5	105	1.0	0.10	0.8	1.2	
1991	0					92	0.9	0.10	0.7	1.1	
1992	2	0.4	0.28	0.1	1.6	110	1.0	0.10	0.9	1.3	
1993	1	0.2	0.19	0.0	1.2	109	1.0	0.10	0.8	1.2	
1994	2	0.5	0.36	0.1	1.8	95	0.9	0.09	0.7	1.1	
1995	3	0.7	0.49	0.1	2.2	124	1.1	0.10	0.9	1.4	
1996	5	1.0	0.47	0.3	2.4	110	1.0	0.10	0.8	1.2	
1997	2	0.3	0.20	0.0	1.2	99	0.9	0.09	0.7	1.1	
1998	2	0.4	0.28	0.0	1.4	109	1.0	0.09	0.8	1.2	
1999	2	0.5	0.34	0.1	1.6	101	0.9	0.09	0.7	1.1	
2000	2	0.6	0.45	0.0	1.9	107	1.0	0.09	0.8	1.2	
2001	4	0.8	0.46	0.2	2.2	103	0.9	0.09	0.7	1.1	
2002	3	0.4	0.23	0.1	1.2	95	0.8	0.08	0.7	1.0	
2003	3	0.4	0.22	0.1	1.2	101	0.9	0.09	0.7	1.1	
2004	2	0.2	0.11	0.0	0.7	123	1.0	0.09	0.9	1.2	
2005	4	0.4	0.21	0.1	1.1	100	0.8	0.08	0.7	1.0	
2006	5	0.5	0.23	0.2	1.2	107	0.9	0.09	0.7	1.1	
2007	4	0.3	0.16	0.1	0.9	104	0.8	0.08	0.7	1.0	
2008	5	0.8	0.38	0.2	1.8	117	0.9	0.09	0.8	1.1	
2009	4	0.5	0.26	0.1	1.3	81	0.6	0.07	0.5	0.8	
2010	3	0.3	0.20	0.1	1.0	107	0.8	0.08	0.7	1.0	
2011	9	1.0	0.38	0.4	2.0	116	0.9	0.09	0.8	1.1	
2012	4	0.4	0.22	0.1	1.0	112	0.8	0.08	0.7	1.0	
2013	8	0.6	0.22	0.3	1.2	92	0.7	0.07	0.5	0.8	
2014	9	0.8	0.29	0.4	1.6	94	0.7	0.07	0.5	0.8	
2015	2	0.2	0.15	0.0	0.7	108	0.8	0.08	0.6	1.0	
2016	10	0.8	0.26	0.3	1.4	108	0.7	0.07	0.6	0.9	
2017	6	0.5	0.22	0.2	1.1	92	0.6	0.07	0.5	0.8	
2018	7	0.4	0.15	0.2	0.8	91	0.6	0.06	0.5	0.8	
2019	11	0.8	0.26	0.4	1.5	99	0.7	0.07	0.5	0.8	
2020	6	0.4	0.18	0.2	0.9	94	0.6	0.07	0.5	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hypopharynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,430	0.8	0.02	0.7	0.8	724	1.4	0.05	1.3	1.5	
1990	79	0.8	0.10	0.7	1.1	26	2.2	0.43	1.4	3.2	
1991	62	0.7	0.09	0.5	0.9	29	2.3	0.43	1.5	3.3	
1992	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2	
1993	85	0.9	0.10	0.7	1.1	24	1.9	0.39	1.2	2.8	
1994	67	0.7	0.09	0.6	0.9	26	1.9	0.38	1.3	2.8	
1995	99	1.0	0.11	0.9	1.3	25	1.9	0.37	1.2	2.7	
1996	89	1.0	0.10	0.8	1.2	21	1.5	0.33	0.9	2.3	
1997	75	0.8	0.09	0.6	1.0	24	1.7	0.34	1.1	2.5	
1998	80	0.8	0.09	0.7	1.1	25	1.8	0.36	1.1	2.6	
1999	74	0.8	0.09	0.6	1.0	25	1.7	0.34	1.1	2.5	
2000	78	0.8	0.09	0.7	1.0	26	1.8	0.35	1.2	2.6	
2001	82	0.9	0.10	0.7	1.1	21	1.5	0.32	0.9	2.2	
2002	73	0.8	0.09	0.6	1.0	22	1.5	0.32	0.9	2.3	
2003	80	0.8	0.09	0.7	1.0	20	1.2	0.27	0.7	1.9	
2004	85	0.9	0.09	0.7	1.1	36	2.2	0.36	1.5	3.0	
2005	71	0.7	0.09	0.6	0.9	27	1.6	0.32	1.1	2.4	
2006	77	0.8	0.09	0.6	1.0	29	1.7	0.32	1.1	2.4	
2007	71	0.7	0.08	0.5	0.9	30	1.8	0.33	1.2	2.5	
2008	80	0.8	0.09	0.6	1.0	36	2.1	0.35	1.5	2.9	
2009	71	0.7	0.08	0.5	0.9	10	0.6	0.19	0.3	1.1	
2010	78	0.7	0.08	0.6	0.9	27	1.5	0.30	1.0	2.2	
2011	90	0.9	0.09	0.7	1.1	23	1.3	0.28	0.8	2.0	
2012	85	0.8	0.09	0.6	1.0	27	1.5	0.29	1.0	2.1	
2013	68	0.6	0.08	0.5	0.8	23	1.2	0.26	0.8	1.8	
2014	73	0.6	0.08	0.5	0.8	18	1.0	0.24	0.6	1.6	
2015	84	0.8	0.08	0.6	0.9	22	1.1	0.25	0.7	1.7	
2016	87	0.7	0.08	0.6	0.9	16	0.8	0.21	0.5	1.4	
2017	73	0.6	0.08	0.5	0.8	16	0.7	0.19	0.4	1.2	
2018	69	0.6	0.07	0.4	0.7	18	0.9	0.22	0.5	1.4	
2019	81	0.7	0.08	0.5	0.9	15	0.7	0.18	0.4	1.2	
2020	73	0.6	0.08	0.5	0.8	19	0.9	0.20	0.5	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hypopharynx											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	120	1.0	0.10	0.8	1.2	2,550	1.5	0.03	1.4	1.5	
1990	1	1.3	1.34	0.0	5.9	77	1.7	0.19	1.3	2.1	
1991	0					75	1.7	0.20	1.3	2.2	
1992	2	0.8	0.56	0.1	3.5	93	2.0	0.20	1.6	2.4	
1993	1	0.4	0.38	0.0	2.9	89	1.9	0.20	1.5	2.3	
1994	2	1.1	0.77	0.1	4.0	72	1.5	0.17	1.2	1.9	
1995	3	1.7	1.17	0.2	5.3	94	1.9	0.20	1.6	2.4	
1996	5	2.1	0.98	0.7	5.2	90	1.8	0.19	1.5	2.3	
1997	2	0.6	0.40	0.1	2.7	76	1.6	0.18	1.2	2.0	
1998	2	0.8	0.60	0.1	3.1	90	1.8	0.19	1.5	2.3	
1999	1	0.5	0.52	0.0	2.7	79	1.6	0.18	1.3	2.0	
2000	1	0.2	0.23	0.0	1.9	88	1.8	0.19	1.4	2.2	
2001	4	1.9	1.10	0.4	5.0	83	1.6	0.18	1.3	2.0	
2002	3	0.8	0.47	0.2	2.6	75	1.4	0.17	1.1	1.8	
2003	3	0.8	0.46	0.2	2.5	83	1.6	0.18	1.3	2.0	
2004	2	0.3	0.21	0.0	1.6	107	2.0	0.19	1.6	2.4	
2005	2	0.5	0.35	0.1	1.9	77	1.4	0.17	1.1	1.8	
2006	5	1.0	0.47	0.3	2.5	83	1.5	0.17	1.2	1.9	
2007	4	0.6	0.31	0.2	1.8	81	1.4	0.16	1.1	1.8	
2008	3	0.5	0.31	0.1	1.7	92	1.6	0.17	1.3	2.0	
2009	4	1.1	0.59	0.2	2.8	67	1.2	0.15	0.9	1.5	
2010	3	0.7	0.44	0.1	2.1	90	1.6	0.17	1.3	1.9	
2011	9	2.3	0.88	0.9	4.6	90	1.6	0.17	1.2	1.9	
2012	4	0.9	0.53	0.2	2.4	93	1.5	0.16	1.2	1.8	
2013	8	1.2	0.47	0.5	2.5	76	1.2	0.14	1.0	1.5	
2014	6	1.4	0.61	0.4	3.0	70	1.1	0.14	0.9	1.4	
2015	2	0.5	0.37	0.0	1.6	88	1.4	0.15	1.1	1.8	
2016	9	1.5	0.53	0.6	2.9	85	1.3	0.14	1.0	1.6	
2017	6	1.1	0.48	0.3	2.4	71	1.1	0.13	0.8	1.4	
2018	7	0.8	0.30	0.3	1.7	66	1.0	0.12	0.7	1.2	
2019	11	1.7	0.58	0.8	3.2	74	1.1	0.13	0.8	1.3	
2020	5	0.8	0.37	0.2	1.8	76	1.1	0.13	0.9	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hypopharynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,908	1.3	0.03	1.3	1.4	601	2.8	0.12	2.6	3.0	
1990	57	1.4	0.19	1.1	1.8	20	3.8	0.87	2.3	6.0	
1991	51	1.4	0.19	1.0	1.8	23	4.2	0.90	2.7	6.4	
1992	75	1.8	0.21	1.4	2.3	17	3.1	0.76	1.8	5.0	
1993	72	1.7	0.21	1.4	2.2	17	3.2	0.80	1.8	5.2	
1994	48	1.2	0.17	0.9	1.6	22	3.7	0.80	2.3	5.6	
1995	73	1.7	0.20	1.4	2.2	21	3.6	0.80	2.2	5.6	
1996	72	1.7	0.20	1.3	2.2	18	3.0	0.72	1.8	4.8	
1997	55	1.4	0.18	1.0	1.8	21	3.5	0.76	2.1	5.3	
1998	65	1.6	0.19	1.2	2.0	22	3.7	0.81	2.2	5.6	
1999	57	1.4	0.18	1.0	1.8	20	3.2	0.74	1.9	5.0	
2000	65	1.5	0.19	1.2	2.0	21	3.6	0.84	2.1	5.6	
2001	66	1.5	0.19	1.2	1.9	17	3.0	0.76	1.7	4.9	
2002	56	1.3	0.17	1.0	1.7	19	3.1	0.74	1.8	4.9	
2003	63	1.5	0.18	1.1	1.9	19	2.6	0.61	1.6	4.2	
2004	72	1.6	0.19	1.3	2.1	33	4.6	0.82	3.2	6.6	
2005	53	1.2	0.17	0.9	1.6	22	3.0	0.65	1.9	4.6	
2006	58	1.3	0.17	1.0	1.7	24	3.2	0.66	2.0	4.8	
2007	52	1.1	0.15	0.8	1.4	26	3.7	0.74	2.4	5.4	
2008	64	1.3	0.17	1.0	1.7	27	3.7	0.74	2.4	5.4	
2009	60	1.3	0.16	1.0	1.6	7	0.9	0.36	0.4	2.0	
2010	67	1.4	0.18	1.1	1.8	21	2.9	0.67	1.7	4.5	
2011	67	1.4	0.17	1.1	1.8	20	2.7	0.63	1.6	4.2	
2012	70	1.4	0.17	1.1	1.8	23	2.8	0.59	1.8	4.2	
2013	59	1.1	0.15	0.9	1.5	17	2.2	0.56	1.2	3.6	
2014	53	1.0	0.14	0.8	1.4	15	2.1	0.56	1.1	3.5	
2015	68	1.3	0.17	1.0	1.7	19	2.4	0.58	1.4	3.8	
2016	68	1.2	0.15	0.9	1.6	14	1.8	0.51	1.0	3.1	
2017	55	1.0	0.14	0.8	1.4	13	1.4	0.40	0.7	2.5	
2018	49	0.9	0.13	0.6	1.2	14	1.7	0.46	0.9	2.9	
2019	61	1.1	0.14	0.8	1.4	12	1.3	0.37	0.6	2.3	
2020	57	1.0	0.14	0.8	1.4	17	2.0	0.49	1.1	3.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hypopharynx											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	12	0.1	0.03	0.1	0.2	655	0.3	0.01	0.3	0.3	
1990	1	0.4	0.43	0.0	2.5	28	0.5	0.09	0.3	0.7	
1991	0					17	0.3	0.07	0.2	0.5	
1992	0					17	0.3	0.07	0.2	0.5	
1993	0					20	0.3	0.07	0.2	0.5	
1994	0					23	0.4	0.08	0.2	0.6	
1995	0					30	0.5	0.09	0.3	0.7	
1996	0					20	0.3	0.08	0.2	0.5	
1997	0					23	0.4	0.08	0.2	0.6	
1998	0					19	0.3	0.07	0.2	0.5	
1999	1	0.4	0.44	0.0	2.2	22	0.4	0.08	0.2	0.5	
2000	1	0.7	0.73	0.0	3.1	19	0.3	0.07	0.2	0.5	
2001	0					20	0.3	0.07	0.2	0.5	
2002	0					20	0.3	0.07	0.2	0.5	
2003	0					18	0.3	0.07	0.2	0.4	
2004	0					16	0.3	0.06	0.2	0.4	
2005	2	0.4	0.26	0.0	1.4	23	0.4	0.07	0.2	0.5	
2006	0					24	0.4	0.07	0.2	0.5	
2007	0					23	0.3	0.07	0.2	0.5	
2008	2	0.8	0.58	0.1	2.5	25	0.4	0.07	0.2	0.6	
2009	0					14	0.2	0.05	0.1	0.3	
2010	0					17	0.2	0.06	0.1	0.4	
2011	0					26	0.4	0.08	0.3	0.6	
2012	0					19	0.3	0.06	0.2	0.4	
2013	0					16	0.2	0.06	0.1	0.4	
2014	3	0.4	0.23	0.1	1.2	24	0.3	0.07	0.2	0.5	
2015	0					20	0.3	0.06	0.2	0.4	
2016	1	0.1	0.11	0.0	0.7	23	0.3	0.07	0.2	0.5	
2017	0					21	0.3	0.06	0.2	0.4	
2018	0					25	0.3	0.06	0.2	0.5	
2019	0					25	0.3	0.07	0.2	0.5	
2020	1	0.1	0.12	0.0	0.7	18	0.2	0.05	0.1	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hypopharynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	522	0.3	0.01	0.3	0.3	123	0.4	0.04	0.4	0.5	
1990	22	0.4	0.08	0.2	0.6	6	0.9	0.38	0.3	2.0	
1991	11	0.2	0.07	0.1	0.4	6	0.8	0.33	0.3	1.7	
1992	16	0.3	0.08	0.2	0.5	1	0.1	0.13	0.0	0.7	
1993	13	0.2	0.07	0.1	0.4	7	1.0	0.37	0.4	2.0	
1994	19	0.4	0.08	0.2	0.6	4	0.6	0.29	0.2	1.4	
1995	26	0.5	0.10	0.3	0.7	4	0.5	0.26	0.1	1.3	
1996	17	0.4	0.09	0.2	0.6	3	0.4	0.20	0.1	1.0	
1997	20	0.4	0.09	0.2	0.6	3	0.3	0.20	0.1	1.0	
1998	15	0.3	0.07	0.2	0.5	3	0.4	0.24	0.1	1.1	
1999	17	0.3	0.08	0.2	0.5	5	0.6	0.25	0.2	1.3	
2000	13	0.3	0.07	0.1	0.4	5	0.6	0.26	0.2	1.4	
2001	16	0.3	0.08	0.2	0.5	4	0.5	0.22	0.1	1.1	
2002	17	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0	
2003	17	0.3	0.08	0.2	0.5	1	0.1	0.10	0.0	0.6	
2004	13	0.3	0.07	0.1	0.4	3	0.3	0.18	0.1	0.9	
2005	18	0.3	0.08	0.2	0.6	5	0.6	0.26	0.2	1.3	
2006	19	0.4	0.08	0.2	0.6	5	0.5	0.24	0.2	1.2	
2007	19	0.4	0.08	0.2	0.6	4	0.4	0.19	0.1	1.0	
2008	16	0.3	0.07	0.2	0.5	9	0.9	0.32	0.4	1.8	
2009	11	0.2	0.06	0.1	0.3	3	0.3	0.18	0.1	0.9	
2010	11	0.2	0.06	0.1	0.3	6	0.6	0.23	0.2	1.3	
2011	23	0.4	0.09	0.3	0.6	3	0.3	0.16	0.1	0.8	
2012	15	0.3	0.07	0.1	0.4	4	0.5	0.23	0.1	1.1	
2013	9	0.2	0.05	0.1	0.3	6	0.5	0.22	0.2	1.2	
2014	20	0.3	0.08	0.2	0.5	3	0.3	0.18	0.1	0.9	
2015	16	0.3	0.07	0.2	0.5	3	0.3	0.15	0.1	0.8	
2016	19	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7	
2017	18	0.3	0.07	0.2	0.5	3	0.3	0.15	0.1	0.8	
2018	20	0.3	0.07	0.2	0.5	4	0.3	0.17	0.1	0.9	
2019	20	0.3	0.07	0.2	0.5	3	0.3	0.17	0.1	0.9	
2020	16	0.3	0.07	0.2	0.4	2	0.1	0.09	0.0	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Digestive System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	20,011	83.8	0.65	82.5	85.1	346,451	91.5	0.16	91.2	91.8
1990	233	69.4	5.15	59.7	80.1	9,965	94.6	0.96	92.8	96.5
1991	198	58.3	4.73	49.4	68.2	9,773	91.8	0.94	89.9	93.6
1992	224	63.8	4.84	54.7	73.9	9,944	92.1	0.93	90.3	93.9
1993	313	87.9	5.63	77.2	99.4	9,959	91.2	0.92	89.5	93.1
1994	314	82.9	5.36	72.7	93.9	10,602	96.4	0.94	94.5	98.2
1995	339	88.8	5.54	78.3	100.2	10,581	95.7	0.93	93.9	97.5
1996	342	86.1	5.33	76.0	97.0	10,759	96.7	0.93	94.9	98.6
1997	350	83.6	5.07	74.0	94.0	10,859	96.9	0.93	95.1	98.7
1998	417	95.5	5.42	85.2	106.6	11,479	101.4	0.95	99.6	103.3
1999	425	87.2	4.92	77.9	97.3	11,253	98.7	0.93	96.9	100.5
2000	409	79.9	4.56	71.3	89.3	11,501	100.3	0.94	98.4	102.1
2001	485	89.7	4.70	80.7	99.3	11,265	97.6	0.92	95.8	99.4
2002	498	87.0	4.43	78.6	96.1	11,528	99.2	0.93	97.4	101.1
2003	514	81.9	4.11	74.0	90.2	11,311	96.4	0.91	94.6	98.2
2004	594	93.4	4.40	85.0	102.4	11,586	98.1	0.91	96.3	99.9
2005	611	89.7	4.11	81.8	98.0	11,445	95.9	0.90	94.1	97.7
2006	640	91.3	4.08	83.4	99.5	11,432	95.0	0.89	93.3	96.8
2007	641	83.9	3.74	76.8	91.5	11,467	94.1	0.89	92.3	95.8
2008	646	78.1	3.43	71.5	85.0	11,454	92.7	0.87	91.0	94.4
2009	726	85.5	3.55	78.6	92.6	11,287	90.3	0.86	88.6	92.0
2010	777	84.6	3.37	78.1	91.4	11,204	88.4	0.85	86.8	90.1
2011	789	83.2	3.28	76.9	89.8	11,476	89.3	0.85	87.6	91.0
2012	857	85.4	3.21	79.3	91.9	11,303	86.1	0.83	84.5	87.8
2013	841	79.5	3.01	73.7	85.6	11,509	86.7	0.82	85.1	88.3
2014	899	79.2	2.88	73.7	85.0	11,628	86.3	0.82	84.7	87.9
2015	997	82.9	2.85	77.4	88.6	11,856	87.4	0.82	85.8	89.0
2016	1,124	88.0	2.84	82.5	93.7	11,930	87.3	0.82	85.7	88.9
2017	1,171	88.8	2.80	83.4	94.4	11,725	84.7	0.80	83.1	86.3
2018	1,260	92.9	2.80	87.5	98.5	11,873	85.1	0.80	83.5	86.7
2019	1,240	85.3	2.58	80.3	90.5	11,882	84.3	0.80	82.8	85.9
2020	1,137	75.6	2.38	71.0	80.4	10,615	75.0	0.75	73.5	76.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Digestive System											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	282,427	88.5	0.17	88.2	88.8	53,523	113.3	0.50	112.3	114.3	
1990	8,551	91.7	1.00	89.8	93.7	1,292	116.1	3.33	109.7	122.8	
1991	8,424	89.6	0.99	87.7	91.6	1,220	107.4	3.16	101.3	113.8	
1992	8,569	90.2	0.98	88.2	92.1	1,227	103.4	3.03	97.5	109.5	
1993	8,485	88.5	0.97	86.6	90.4	1,305	110.9	3.15	104.8	117.3	
1994	9,032	93.6	0.99	91.7	95.6	1,408	117.3	3.20	111.1	123.8	
1995	8,832	91.5	0.98	89.6	93.5	1,548	125.7	3.27	119.3	132.2	
1996	9,005	92.9	0.98	91.0	94.9	1,539	123.4	3.22	117.1	129.8	
1997	9,112	93.6	0.98	91.7	95.6	1,539	121.4	3.16	115.3	127.7	
1998	9,611	98.1	1.00	96.2	100.1	1,637	127.1	3.20	120.9	133.5	
1999	9,456	96.1	0.99	94.2	98.1	1,528	114.7	2.99	108.9	120.7	
2000	9,577	97.1	1.00	95.2	99.1	1,643	120.5	3.03	114.7	126.6	
2001	9,323	94.2	0.98	92.3	96.2	1,678	121.7	3.03	115.9	127.8	
2002	9,459	95.4	0.98	93.4	97.3	1,752	124.9	3.04	119.0	131.0	
2003	9,248	92.5	0.97	90.6	94.4	1,763	124.0	3.01	118.2	130.0	
2004	9,533	95.2	0.98	93.3	97.1	1,763	120.9	2.94	115.2	126.8	
2005	9,324	92.4	0.96	90.5	94.3	1,803	121.8	2.93	116.2	127.7	
2006	9,191	90.7	0.95	88.8	92.6	1,881	123.3	2.90	117.6	129.1	
2007	9,257	90.4	0.95	88.5	92.3	1,833	118.1	2.82	112.6	123.7	
2008	9,181	88.8	0.94	87.0	90.7	1,885	119.0	2.80	113.5	124.6	
2009	9,070	87.1	0.93	85.3	88.9	1,853	114.0	2.71	108.7	119.4	
2010	8,911	84.6	0.91	82.9	86.4	1,898	115.3	2.71	110.0	120.7	
2011	9,084	85.6	0.92	83.8	87.4	1,993	116.5	2.67	111.3	121.8	
2012	9,010	83.2	0.90	81.5	85.0	1,823	105.5	2.53	100.6	110.6	
2013	9,106	83.6	0.90	81.9	85.4	1,987	111.0	2.55	106.1	116.1	
2014	9,158	83.0	0.89	81.3	84.8	1,981	109.0	2.51	104.1	114.0	
2015	9,361	84.8	0.90	83.0	86.5	1,993	106.9	2.46	102.2	111.9	
2016	9,368	84.5	0.90	82.7	86.3	2,038	108.6	2.47	103.8	113.6	
2017	9,264	83.1	0.89	81.3	84.9	1,961	102.5	2.37	97.9	107.2	
2018	9,295	82.5	0.89	80.8	84.3	2,036	105.5	2.39	100.8	110.3	
2019	9,293	82.1	0.88	80.4	83.8	1,989	101.7	2.33	97.1	106.3	
2020	8,337	73.5	0.84	71.9	75.2	1,727	86.6	2.13	82.5	90.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Digestive System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	11,264	99.2	1.07	97.1	101.4	184,312	113.2	0.27	112.7	113.8
1990	129	84.8	9.03	68.0	104.0	5,079	118.5	1.72	115.1	121.9
1991	123	72.4	7.80	57.9	89.0	5,032	116.1	1.69	112.8	119.5
1992	127	78.0	8.47	62.3	96.0	5,196	118.1	1.68	114.9	121.5
1993	159	92.6	9.11	75.6	111.8	5,085	114.0	1.64	110.8	117.3
1994	169	90.9	8.47	75.0	108.7	5,359	119.7	1.67	116.4	123.0
1995	182	102.8	9.46	85.1	122.6	5,479	121.3	1.67	118.0	124.6
1996	193	106.1	9.30	88.7	125.5	5,504	120.8	1.66	117.5	124.0
1997	204	99.9	8.27	84.4	117.2	5,559	120.9	1.65	117.7	124.2
1998	223	116.6	9.56	98.6	136.4	5,890	126.5	1.67	123.3	129.8
1999	254	113.6	8.92	96.8	132.1	5,885	124.7	1.64	121.5	128.0
2000	204	83.0	7.00	69.9	97.7	6,058	126.8	1.65	123.6	130.1
2001	265	107.2	7.94	92.2	123.6	5,833	121.5	1.61	118.4	124.7
2002	299	112.1	7.79	97.3	128.2	6,052	124.2	1.61	121.1	127.4
2003	308	100.9	6.80	88.0	114.9	6,005	121.8	1.59	118.7	124.9
2004	338	112.3	7.46	98.2	127.7	6,151	122.7	1.58	119.6	125.9
2005	333	104.3	6.76	91.4	118.2	6,038	118.7	1.55	115.7	121.7
2006	359	107.4	6.60	94.9	121.0	6,100	117.9	1.53	114.9	121.0
2007	366	102.5	6.37	90.4	115.6	6,053	115.1	1.50	112.2	118.1
2008	370	98.1	5.93	86.8	110.3	6,116	114.3	1.49	111.4	117.2
2009	394	100.1	5.88	88.9	112.1	6,095	111.6	1.46	108.7	114.5
2010	452	100.3	5.44	89.9	111.4	6,065	109.4	1.43	106.6	112.3
2011	451	97.3	5.30	87.2	108.2	6,235	110.0	1.42	107.2	112.8
2012	485	103.7	5.38	93.5	114.7	6,275	108.1	1.40	105.4	110.9
2013	488	95.3	4.92	85.9	105.3	6,272	106.5	1.38	103.8	109.2
2014	491	91.3	4.65	82.4	100.8	6,410	106.3	1.36	103.7	109.0
2015	559	98.0	4.67	89.0	107.5	6,606	108.6	1.37	105.9	111.3
2016	611	97.3	4.40	88.9	106.3	6,464	104.7	1.34	102.1	107.4
2017	675	106.6	4.56	97.9	115.9	6,386	102.3	1.32	99.8	104.9
2018	696	106.8	4.49	98.2	115.9	6,458	102.3	1.31	99.7	104.9
2019	705	99.3	4.10	91.4	107.6	6,627	103.4	1.31	100.8	106.0
2020	652	89.3	3.83	82.0	97.1	5,945	92.4	1.23	90.0	94.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Digestive System											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	150,728	109.6	0.29	109.0	110.2	27,593	142.1	0.90	140.3	143.8	
1990	4,337	114.5	1.79	111.1	118.1	661	147.0	6.10	135.3	159.4	
1991	4,348	114.1	1.78	110.6	117.6	618	132.0	5.65	121.2	143.5	
1992	4,472	115.7	1.77	112.3	119.3	635	135.6	5.76	124.5	147.2	
1993	4,307	110.1	1.72	106.8	113.5	683	142.7	5.82	131.5	154.5	
1994	4,554	116.2	1.76	112.8	119.7	722	150.3	5.96	138.9	162.4	
1995	4,539	115.5	1.74	112.1	118.9	819	166.0	6.18	154.1	178.5	
1996	4,579	115.8	1.74	112.4	119.2	794	154.0	5.78	142.8	165.7	
1997	4,670	117.2	1.74	113.8	120.6	773	147.6	5.62	136.8	159.0	
1998	4,946	122.8	1.76	119.3	126.3	828	158.5	5.83	147.2	170.3	
1999	4,943	121.5	1.74	118.1	125.0	780	145.6	5.49	135.0	156.7	
2000	5,048	123.0	1.74	119.6	126.5	853	154.5	5.58	143.8	165.8	
2001	4,848	117.9	1.71	114.6	121.3	834	147.4	5.38	137.1	158.3	
2002	4,992	120.0	1.71	116.6	123.4	886	155.0	5.52	144.4	166.2	
2003	4,941	117.6	1.69	114.3	121.0	909	156.0	5.46	145.5	167.0	
2004	5,094	119.7	1.69	116.4	123.1	895	149.4	5.27	139.2	160.0	
2005	4,923	114.2	1.64	111.0	117.5	931	154.5	5.37	144.2	165.4	
2006	4,916	112.6	1.62	109.4	115.8	982	155.6	5.22	145.5	166.2	
2007	4,875	110.0	1.59	106.9	113.2	947	149.3	5.13	139.4	159.7	
2008	4,897	108.8	1.58	105.8	112.0	994	154.8	5.19	144.8	165.2	
2009	4,882	106.8	1.55	103.8	109.9	1,002	149.4	4.98	139.8	159.5	
2010	4,879	105.2	1.53	102.2	108.2	963	141.7	4.82	132.4	151.4	
2011	4,994	106.0	1.53	103.0	109.0	1,020	143.6	4.73	134.4	153.1	
2012	5,037	104.2	1.50	101.3	107.2	958	135.2	4.60	126.3	144.4	
2013	4,996	102.6	1.48	99.7	105.6	1,049	140.9	4.57	132.1	150.1	
2014	5,082	102.2	1.47	99.3	105.1	1,057	139.7	4.51	131.0	148.8	
2015	5,268	105.4	1.49	102.5	108.3	1,034	133.1	4.34	124.7	141.9	
2016	5,121	101.1	1.45	98.2	104.0	1,037	134.0	4.35	125.6	142.8	
2017	5,137	100.9	1.45	98.1	103.8	971	123.1	4.13	115.1	131.4	
2018	5,129	99.6	1.43	96.8	102.5	1,013	124.0	4.04	116.2	132.2	
2019	5,237	100.3	1.43	97.5	103.2	1,052	128.3	4.10	120.4	136.6	
2020	4,737	90.7	1.36	88.0	93.4	893	107.1	3.71	100.0	114.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Digestive System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	8,747	70.5	0.81	68.9	72.1	162,139	74.8	0.19	74.4	75.1
1990	104	57.8	6.17	46.4	71.0	4,886	78.3	1.14	76.1	80.5
1991	75	44.7	5.66	34.3	56.9	4,741	75.0	1.10	72.8	77.2
1992	97	52.3	5.76	41.6	64.6	4,748	74.1	1.09	71.9	76.2
1993	154	83.5	7.24	69.9	98.7	4,874	75.2	1.09	73.1	77.3
1994	145	75.0	6.82	62.2	89.3	5,243	79.8	1.11	77.7	82.1
1995	157	78.2	6.81	65.4	92.4	5,102	77.9	1.10	75.7	80.1
1996	149	70.5	6.33	58.6	83.8	5,255	79.3	1.11	77.1	81.5
1997	146	68.4	6.22	56.7	81.4	5,300	79.8	1.11	77.6	82.0
1998	194	80.4	6.44	68.2	93.8	5,589	83.5	1.13	81.3	85.8
1999	171	66.7	5.65	56.1	78.5	5,368	79.8	1.10	77.6	81.9
2000	205	76.9	5.99	65.6	89.4	5,443	80.5	1.10	78.4	82.7
2001	220	75.7	5.69	64.9	87.5	5,432	80.1	1.10	77.9	82.2
2002	199	66.6	5.18	56.9	77.4	5,476	80.5	1.10	78.3	82.7
2003	206	64.9	4.99	55.5	75.3	5,306	77.7	1.08	75.6	79.8
2004	256	78.0	5.38	67.8	89.1	5,435	79.1	1.09	77.0	81.2
2005	278	77.4	5.12	67.7	88.0	5,407	78.3	1.08	76.2	80.5
2006	281	76.7	5.05	67.1	87.1	5,332	77.4	1.08	75.3	79.5
2007	275	68.8	4.52	60.3	78.2	5,414	77.7	1.07	75.6	79.9
2008	276	62.0	4.05	54.3	70.3	5,338	76.1	1.06	74.0	78.2
2009	332	73.7	4.39	65.3	82.7	5,192	73.4	1.04	71.4	75.5
2010	325	70.1	4.19	62.1	78.7	5,139	71.8	1.02	69.8	73.8
2011	338	70.6	4.12	62.7	79.0	5,241	72.5	1.03	70.5	74.5
2012	372	70.4	3.90	63.0	78.4	5,028	68.5	0.99	66.6	70.5
2013	353	65.5	3.72	58.4	73.1	5,237	70.8	1.01	68.9	72.8
2014	408	68.9	3.62	62.0	76.3	5,218	70.2	1.00	68.3	72.2
2015	438	69.9	3.54	63.1	77.1	5,250	70.0	1.00	68.1	72.0
2016	513	79.4	3.71	72.3	87.0	5,466	73.0	1.02	71.0	75.1
2017	496	73.0	3.46	66.4	80.1	5,339	70.2	1.00	68.3	72.2
2018	564	80.8	3.57	74.0	88.1	5,415	70.6	0.99	68.7	72.6
2019	535	72.5	3.27	66.3	79.2	5,255	68.5	0.98	66.6	70.5
2020	485	62.9	2.97	57.3	69.0	4,670	60.3	0.92	58.5	62.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Digestive System											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	131,699	72.0	0.20	71.6	72.4	25,930	93.5	0.59	92.3	94.6	
1990	4,214	76.1	1.19	73.7	78.4	631	95.5	3.87	88.1	103.4	
1991	4,076	72.8	1.16	70.5	75.1	602	90.1	3.73	82.9	97.6	
1992	4,097	72.2	1.15	69.9	74.5	592	83.6	3.48	76.9	90.6	
1993	4,178	73.2	1.15	71.0	75.5	622	89.3	3.62	82.3	96.6	
1994	4,478	77.4	1.18	75.2	79.8	686	95.9	3.70	88.8	103.5	
1995	4,293	74.7	1.16	72.5	77.0	729	99.4	3.72	92.3	107.0	
1996	4,426	76.4	1.17	74.2	78.8	745	101.4	3.75	94.1	109.0	
1997	4,442	76.8	1.17	74.5	79.2	766	102.3	3.73	95.1	109.9	
1998	4,665	80.4	1.20	78.1	82.8	809	105.8	3.75	98.6	113.4	
1999	4,513	77.4	1.17	75.1	79.7	748	94.4	3.48	87.7	101.4	
2000	4,529	77.6	1.18	75.4	80.0	790	97.8	3.50	91.0	104.9	
2001	4,475	76.8	1.17	74.5	79.1	844	103.4	3.58	96.5	110.6	
2002	4,467	76.6	1.17	74.3	78.9	866	104.4	3.57	97.5	111.6	
2003	4,307	73.9	1.15	71.7	76.2	854	101.7	3.51	95.0	108.8	
2004	4,439	76.0	1.17	73.7	78.3	868	101.1	3.46	94.4	108.1	
2005	4,401	75.2	1.16	73.0	77.5	872	100.0	3.41	93.4	106.9	
2006	4,275	73.5	1.15	71.3	75.8	899	100.6	3.38	94.1	107.4	
2007	4,382	74.8	1.16	72.6	77.2	886	97.3	3.30	91.0	104.0	
2008	4,284	73.1	1.15	70.9	75.4	891	95.4	3.23	89.2	102.0	
2009	4,188	71.1	1.13	68.9	73.4	851	89.8	3.12	83.8	96.1	
2010	4,032	68.1	1.10	65.9	70.3	935	96.8	3.21	90.6	103.2	
2011	4,090	68.6	1.11	66.5	70.8	973	97.2	3.16	91.1	103.6	
2012	3,973	65.9	1.08	63.8	68.1	865	85.3	2.94	79.7	91.3	
2013	4,110	68.1	1.10	66.0	70.3	938	90.3	2.99	84.5	96.3	
2014	4,076	67.2	1.09	65.1	69.4	924	88.3	2.96	82.6	94.3	
2015	4,093	67.3	1.10	65.2	69.5	959	89.0	2.93	83.4	95.0	
2016	4,247	70.6	1.14	68.4	72.9	1,001	91.6	2.95	85.9	97.6	
2017	4,127	67.8	1.11	65.6	70.0	990	89.0	2.88	83.4	94.8	
2018	4,166	67.8	1.10	65.7	70.0	1,023	91.5	2.92	85.9	97.4	
2019	4,056	66.6	1.10	64.4	68.8	937	82.5	2.75	77.2	88.1	
2020	3,600	58.7	1.03	56.7	60.7	834	72.0	2.55	67.1	77.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Esophagus											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	729	3.2	0.13	2.9	3.4	20,310	5.3	0.04	5.2	5.4	
1990	12	3.5	1.10	1.7	6.2	502	4.8	0.22	4.4	5.2	
1991	11	2.9	0.92	1.4	5.2	527	5.0	0.22	4.6	5.4	
1992	6	1.8	0.79	0.6	3.9	572	5.3	0.22	4.9	5.8	
1993	13	3.6	1.16	1.7	6.4	539	4.9	0.21	4.5	5.4	
1994	15	4.6	1.28	2.4	7.6	590	5.4	0.22	5.0	5.9	
1995	14	3.4	0.99	1.8	5.9	638	5.8	0.23	5.4	6.3	
1996	25	6.4	1.43	3.9	9.7	616	5.6	0.23	5.2	6.1	
1997	14	3.0	0.95	1.4	5.3	542	4.9	0.21	4.5	5.3	
1998	19	4.3	1.14	2.3	7.0	653	5.8	0.23	5.4	6.3	
1999	23	5.9	1.36	3.5	9.0	645	5.7	0.22	5.3	6.2	
2000	11	2.2	0.73	1.0	4.0	699	6.1	0.23	5.7	6.6	
2001	27	6.4	1.39	3.9	9.5	653	5.7	0.22	5.3	6.2	
2002	23	3.8	0.90	2.3	5.9	634	5.5	0.22	5.1	5.9	
2003	25	4.6	1.01	2.9	6.9	636	5.4	0.22	5.0	5.9	
2004	21	3.1	0.79	1.7	5.0	680	5.8	0.22	5.4	6.2	
2005	29	5.0	1.01	3.2	7.3	637	5.3	0.21	4.9	5.8	
2006	26	4.1	0.86	2.5	6.0	672	5.6	0.22	5.1	6.0	
2007	24	3.1	0.69	1.9	4.7	686	5.6	0.21	5.1	6.0	
2008	22	2.9	0.67	1.7	4.4	700	5.6	0.21	5.2	6.0	
2009	26	2.8	0.61	1.8	4.3	698	5.6	0.21	5.1	6.0	
2010	22	2.6	0.63	1.5	4.1	640	5.0	0.20	4.6	5.4	
2011	34	3.7	0.68	2.5	5.2	700	5.4	0.21	5.0	5.8	
2012	27	3.0	0.64	1.9	4.5	735	5.5	0.21	5.1	6.0	
2013	21	1.8	0.44	1.1	2.9	691	5.1	0.20	4.7	5.5	
2014	21	1.7	0.39	1.0	2.6	720	5.2	0.20	4.8	5.6	
2015	27	2.6	0.54	1.7	3.9	734	5.2	0.20	4.8	5.6	
2016	34	2.7	0.50	1.8	3.8	673	4.8	0.19	4.4	5.2	
2017	36	2.7	0.49	1.9	3.9	666	4.7	0.19	4.4	5.1	
2018	33	2.5	0.46	1.7	3.5	694	4.7	0.18	4.4	5.1	
2019	47	3.3	0.50	2.4	4.4	785	5.4	0.20	5.0	5.8	
2020	41	2.8	0.46	1.9	3.8	753	5.1	0.19	4.8	5.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Esophagus											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	16,610	5.2	0.04	5.1	5.3	3,364	6.8	0.12	6.6	7.0	
1990	350	3.7	0.20	3.4	4.2	148	12.3	1.03	10.4	14.5	
1991	385	4.1	0.21	3.7	4.6	136	11.0	0.95	9.2	13.0	
1992	430	4.6	0.22	4.1	5.0	135	11.0	0.96	9.2	13.0	
1993	404	4.2	0.21	3.8	4.7	127	9.9	0.89	8.2	11.8	
1994	449	4.7	0.22	4.3	5.2	135	10.5	0.92	8.8	12.5	
1995	477	5.0	0.23	4.6	5.5	151	11.5	0.95	9.8	13.6	
1996	450	4.7	0.22	4.3	5.2	156	11.6	0.94	9.8	13.6	
1997	402	4.2	0.21	3.8	4.6	135	9.9	0.87	8.3	11.8	
1998	519	5.4	0.24	4.9	5.9	126	9.2	0.84	7.7	11.0	
1999	523	5.4	0.24	5.0	5.9	116	8.5	0.80	7.0	10.2	
2000	557	5.7	0.24	5.3	6.2	135	9.5	0.82	7.9	11.2	
2001	531	5.5	0.24	5.0	5.9	111	7.8	0.75	6.4	9.4	
2002	523	5.3	0.23	4.9	5.8	105	7.0	0.69	5.7	8.5	
2003	531	5.3	0.23	4.9	5.8	94	6.4	0.67	5.1	7.8	
2004	565	5.7	0.24	5.3	6.2	108	7.1	0.69	5.8	8.6	
2005	539	5.4	0.23	4.9	5.8	92	6.0	0.63	4.8	7.3	
2006	549	5.4	0.23	5.0	5.9	113	7.1	0.68	5.8	8.6	
2007	572	5.5	0.23	5.1	6.0	100	6.3	0.65	5.1	7.7	
2008	601	5.8	0.24	5.3	6.3	90	5.5	0.59	4.4	6.7	
2009	599	5.8	0.24	5.3	6.3	87	5.0	0.55	4.0	6.2	
2010	530	5.0	0.22	4.6	5.4	94	5.3	0.56	4.2	6.5	
2011	590	5.5	0.23	5.1	6.0	98	5.7	0.59	4.6	6.9	
2012	628	5.7	0.23	5.3	6.2	94	5.3	0.56	4.3	6.5	
2013	590	5.3	0.22	4.9	5.8	93	5.0	0.53	4.0	6.2	
2014	614	5.4	0.22	5.0	5.9	80	4.3	0.49	3.4	5.3	
2015	633	5.5	0.22	5.1	6.0	87	4.5	0.49	3.6	5.6	
2016	561	4.9	0.21	4.5	5.4	92	4.8	0.51	3.8	5.9	
2017	568	5.0	0.22	4.6	5.5	84	4.1	0.46	3.3	5.2	
2018	600	5.0	0.21	4.6	5.5	79	3.9	0.45	3.1	4.9	
2019	684	5.8	0.23	5.3	6.2	86	4.4	0.49	3.5	5.5	
2020	656	5.6	0.23	5.1	6.0	77	3.6	0.42	2.9	4.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Esophagus										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	583	5.3	0.25	4.9	5.8	15,559	9.3	0.08	9.2	9.5
1990	11	6.5	2.28	2.8	12.5	343	7.6	0.42	6.8	8.4
1991	10	5.3	1.86	2.3	10.3	391	8.6	0.44	7.7	9.5
1992	6	4.1	1.85	1.3	9.1	421	9.3	0.46	8.4	10.2
1993	7	3.6	1.69	1.1	8.3	385	8.2	0.42	7.4	9.0
1994	12	9.4	3.06	4.4	16.8	446	9.5	0.46	8.6	10.5
1995	13	7.3	2.30	3.5	13.0	490	10.4	0.48	9.5	11.4
1996	20	10.5	2.83	5.7	17.2	467	9.8	0.46	8.9	10.8
1997	13	6.4	2.32	2.7	12.2	393	8.2	0.42	7.4	9.1
1998	15	6.6	2.02	3.3	11.6	505	10.6	0.48	9.7	11.6
1999	16	8.6	2.47	4.5	14.5	512	10.6	0.47	9.7	11.5
2000	8	3.2	1.37	1.1	6.8	531	10.9	0.48	10.0	11.9
2001	21	10.6	2.73	5.9	16.9	477	9.7	0.45	8.8	10.6
2002	18	5.8	1.69	3.0	9.9	480	9.6	0.44	8.7	10.5
2003	20	8.4	2.08	4.9	13.3	498	9.9	0.45	9.1	10.8
2004	16	3.9	1.11	2.1	6.8	513	9.9	0.44	9.1	10.8
2005	23	9.4	2.17	5.6	14.4	498	9.6	0.44	8.8	10.5
2006	18	5.4	1.41	3.0	8.8	538	10.1	0.44	9.3	11.0
2007	17	4.8	1.35	2.5	8.0	515	9.5	0.43	8.7	10.4
2008	18	5.3	1.42	2.9	8.7	562	10.2	0.44	9.4	11.1
2009	24	5.8	1.35	3.5	9.0	532	9.6	0.43	8.8	10.5
2010	16	3.0	0.81	1.6	5.0	484	8.5	0.40	7.7	9.3
2011	27	6.1	1.32	3.8	9.1	542	9.4	0.41	8.6	10.2
2012	20	5.3	1.34	3.0	8.4	567	9.6	0.41	8.8	10.5
2013	19	3.4	0.88	1.9	5.6	551	9.2	0.40	8.4	10.0
2014	17	2.8	0.78	1.5	4.7	573	9.2	0.39	8.4	10.0
2015	22	4.6	1.08	2.7	7.1	591	9.4	0.40	8.6	10.2
2016	28	4.3	0.88	2.7	6.3	514	8.1	0.37	7.4	8.9
2017	31	5.1	1.02	3.3	7.5	520	8.1	0.37	7.4	8.9
2018	23	3.6	0.82	2.2	5.5	529	7.9	0.35	7.2	8.6
2019	40	5.8	1.00	4.0	8.0	608	9.2	0.38	8.4	10.0
2020	34	4.7	0.88	3.2	6.8	583	8.7	0.37	8.0	9.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Esophagus											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	12,993	9.2	0.08	9.1	9.4	2,335	11.4	0.24	10.9	11.9	
1990	237	6.0	0.40	5.2	6.8	102	20.1	2.05	16.3	24.5	
1991	289	7.3	0.44	6.5	8.2	100	18.7	1.91	15.1	22.8	
1992	324	8.2	0.46	7.3	9.1	93	18.1	1.97	14.5	22.4	
1993	292	7.1	0.42	6.3	8.0	87	16.4	1.83	13.0	20.3	
1994	343	8.4	0.46	7.5	9.4	99	18.8	1.96	15.1	23.0	
1995	372	9.1	0.48	8.2	10.1	110	20.4	2.03	16.6	24.7	
1996	348	8.5	0.46	7.6	9.5	115	20.3	1.97	16.6	24.5	
1997	302	7.4	0.43	6.5	8.2	90	15.9	1.73	12.7	19.6	
1998	410	10.0	0.50	9.0	11.0	88	15.9	1.78	12.6	19.7	
1999	418	10.1	0.49	9.1	11.1	89	15.7	1.73	12.5	19.5	
2000	432	10.4	0.50	9.4	11.4	95	16.6	1.78	13.2	20.4	
2001	389	9.3	0.47	8.4	10.2	80	13.6	1.56	10.7	16.9	
2002	404	9.5	0.47	8.6	10.5	72	11.5	1.41	8.9	14.5	
2003	427	10.0	0.49	9.1	11.0	65	10.6	1.36	8.1	13.6	
2004	441	10.1	0.48	9.2	11.1	68	10.6	1.34	8.2	13.6	
2005	429	9.7	0.47	8.8	10.7	67	10.9	1.42	8.3	14.0	
2006	448	10.0	0.48	9.1	11.0	83	12.9	1.48	10.2	16.1	
2007	440	9.7	0.47	8.8	10.6	66	10.3	1.33	7.8	13.2	
2008	491	10.6	0.49	9.7	11.6	64	9.8	1.28	7.5	12.6	
2009	454	9.9	0.47	9.0	10.8	68	9.3	1.17	7.1	11.9	
2010	410	8.7	0.44	7.8	9.6	60	7.9	1.08	6.0	10.3	
2011	474	9.8	0.46	8.9	10.7	61	8.9	1.20	6.7	11.5	
2012	501	10.2	0.47	9.3	11.2	60	8.4	1.14	6.3	10.9	
2013	480	9.7	0.45	8.8	10.6	66	8.7	1.12	6.6	11.2	
2014	503	9.7	0.44	8.8	10.6	52	6.8	0.98	5.0	9.0	
2015	516	9.9	0.45	9.0	10.8	65	7.9	1.02	6.0	10.2	
2016	435	8.3	0.41	7.5	9.2	62	8.1	1.08	6.1	10.5	
2017	455	8.7	0.42	7.9	9.6	56	6.6	0.92	4.9	8.7	
2018	468	8.5	0.40	7.7	9.3	49	5.6	0.83	4.1	7.5	
2019	542	9.9	0.44	9.0	10.8	55	7.1	0.99	5.3	9.3	
2020	519	9.6	0.43	8.7	10.5	48	5.4	0.81	3.9	7.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Esophagus											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	146	1.3	0.11	1.1	1.6	4,751	2.2	0.03	2.1	2.3	
1990	1	0.8	0.83	0.0	3.7	159	2.6	0.21	2.2	3.1	
1991	1	0.7	0.68	0.0	3.2	136	2.2	0.19	1.8	2.6	
1992	0					151	2.4	0.20	2.0	2.8	
1993	6	3.4	1.53	1.1	7.5	154	2.5	0.20	2.1	2.9	
1994	3	1.2	0.68	0.2	3.4	144	2.3	0.19	1.9	2.7	
1995	1	0.4	0.36	0.0	2.1	148	2.3	0.19	2.0	2.7	
1996	5	3.0	1.37	0.9	6.6	149	2.3	0.19	2.0	2.7	
1997	1	0.3	0.33	0.0	1.9	149	2.3	0.19	2.0	2.7	
1998	4	2.1	1.19	0.5	5.4	148	2.3	0.19	1.9	2.7	
1999	7	3.6	1.44	1.3	7.2	133	2.0	0.17	1.7	2.4	
2000	3	1.3	0.77	0.3	3.6	168	2.6	0.20	2.2	3.0	
2001	6	3.0	1.33	1.0	6.4	176	2.6	0.20	2.2	3.0	
2002	5	2.1	0.97	0.7	4.7	154	2.3	0.19	1.9	2.7	
2003	5	1.5	0.74	0.4	3.6	138	2.0	0.17	1.7	2.4	
2004	5	2.0	0.99	0.6	4.6	167	2.5	0.20	2.2	2.9	
2005	6	1.6	0.69	0.6	3.5	139	2.0	0.17	1.7	2.4	
2006	8	2.7	1.02	1.1	5.3	134	2.0	0.17	1.6	2.3	
2007	7	1.7	0.68	0.7	3.5	171	2.5	0.19	2.1	2.9	
2008	4	0.9	0.47	0.2	2.3	138	2.0	0.17	1.7	2.4	
2009	2	0.3	0.22	0.0	1.2	166	2.3	0.18	2.0	2.7	
2010	6	2.0	0.83	0.7	4.1	156	2.2	0.18	1.8	2.5	
2011	7	1.6	0.63	0.6	3.2	158	2.2	0.18	1.8	2.6	
2012	7	1.4	0.56	0.5	2.9	168	2.3	0.18	1.9	2.6	
2013	2	0.4	0.32	0.1	1.4	140	1.8	0.16	1.5	2.2	
2014	4	0.6	0.31	0.2	1.5	147	1.9	0.16	1.6	2.3	
2015	5	1.0	0.45	0.3	2.2	143	1.8	0.15	1.5	2.1	
2016	6	1.1	0.48	0.4	2.4	159	2.1	0.17	1.8	2.4	
2017	5	0.7	0.30	0.2	1.5	146	1.9	0.16	1.6	2.3	
2018	10	1.5	0.48	0.7	2.7	165	2.0	0.16	1.7	2.4	
2019	7	1.0	0.39	0.4	2.1	177	2.3	0.18	1.9	2.6	
2020	7	1.0	0.39	0.4	2.0	170	2.1	0.17	1.8	2.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Esophagus											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,617	2.0	0.03	1.9	2.0	1,029	3.6	0.11	3.4	3.8	
1990	113	2.0	0.19	1.7	2.5	46	6.7	1.00	4.9	8.9	
1991	96	1.7	0.18	1.4	2.1	36	5.1	0.87	3.6	7.1	
1992	106	1.9	0.19	1.6	2.3	42	5.9	0.92	4.3	8.0	
1993	112	2.0	0.19	1.6	2.4	40	5.3	0.85	3.8	7.3	
1994	106	1.9	0.18	1.5	2.3	36	4.8	0.80	3.4	6.6	
1995	105	1.8	0.18	1.5	2.2	41	5.5	0.86	3.9	7.4	
1996	102	1.8	0.18	1.5	2.2	41	5.3	0.84	3.8	7.2	
1997	100	1.8	0.18	1.4	2.2	45	5.7	0.85	4.1	7.6	
1998	109	1.9	0.19	1.6	2.3	38	4.8	0.78	3.4	6.6	
1999	105	1.8	0.18	1.5	2.2	27	3.4	0.66	2.2	4.9	
2000	125	2.2	0.20	1.8	2.6	40	4.8	0.76	3.4	6.5	
2001	142	2.5	0.21	2.1	2.9	31	3.8	0.68	2.5	5.3	
2002	119	2.0	0.19	1.7	2.5	33	3.8	0.67	2.6	5.4	
2003	104	1.8	0.18	1.4	2.2	29	3.4	0.63	2.3	4.9	
2004	124	2.2	0.20	1.8	2.7	40	4.6	0.74	3.3	6.3	
2005	110	1.9	0.18	1.6	2.3	25	2.8	0.57	1.8	4.1	
2006	101	1.8	0.18	1.4	2.2	30	3.2	0.59	2.2	4.6	
2007	132	2.3	0.20	1.9	2.7	34	3.7	0.64	2.5	5.1	
2008	110	1.9	0.19	1.6	2.3	26	2.6	0.51	1.7	3.8	
2009	145	2.4	0.21	2.0	2.9	19	1.9	0.45	1.2	3.0	
2010	120	2.0	0.18	1.6	2.4	34	3.4	0.59	2.3	4.8	
2011	116	2.0	0.19	1.6	2.4	37	3.6	0.59	2.5	4.9	
2012	127	2.1	0.19	1.7	2.5	34	3.3	0.57	2.3	4.6	
2013	110	1.8	0.17	1.4	2.1	27	2.5	0.49	1.6	3.7	
2014	111	1.8	0.17	1.5	2.2	28	2.5	0.49	1.7	3.7	
2015	117	1.8	0.17	1.5	2.2	22	1.9	0.42	1.2	2.9	
2016	126	2.0	0.18	1.7	2.4	30	2.7	0.49	1.8	3.8	
2017	113	1.9	0.19	1.5	2.3	28	2.4	0.46	1.6	3.5	
2018	132	2.0	0.18	1.7	2.4	30	2.5	0.47	1.7	3.7	
2019	142	2.3	0.20	1.9	2.7	31	2.6	0.48	1.7	3.7	
2020	137	2.1	0.19	1.8	2.6	29	2.5	0.48	1.7	3.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Stomach										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	2,872	11.9	0.25	11.4	12.4	27,482	7.3	0.04	7.2	7.4
1990	36	11.5	2.23	7.5	16.5	917	8.7	0.29	8.2	9.3
1991	36	9.4	1.80	6.2	13.5	886	8.3	0.28	7.8	8.9
1992	44	11.8	2.10	8.1	16.5	894	8.3	0.28	7.7	8.8
1993	58	16.4	2.48	11.9	21.8	916	8.4	0.28	7.9	9.0
1994	55	14.6	2.27	10.5	19.6	890	8.1	0.27	7.6	8.7
1995	54	12.5	1.97	8.9	16.9	923	8.4	0.28	7.8	8.9
1996	51	13.1	2.13	9.2	17.8	917	8.2	0.27	7.7	8.8
1997	45	9.4	1.57	6.6	12.9	932	8.3	0.27	7.8	8.9
1998	68	14.1	2.02	10.4	18.5	936	8.3	0.27	7.7	8.8
1999	62	10.7	1.62	7.8	14.3	875	7.7	0.26	7.2	8.2
2000	66	13.2	1.85	9.8	17.2	845	7.4	0.25	6.9	7.9
2001	76	12.2	1.67	9.1	15.8	847	7.3	0.25	6.8	7.8
2002	76	14.0	1.85	10.6	18.0	900	7.8	0.26	7.3	8.3
2003	80	11.7	1.53	8.9	15.0	883	7.5	0.25	7.0	8.0
2004	87	13.2	1.66	10.1	16.7	849	7.2	0.25	6.7	7.7
2005	90	13.2	1.60	10.2	16.6	827	6.9	0.24	6.5	7.4
2006	90	13.0	1.57	10.1	16.4	828	6.9	0.24	6.5	7.4
2007	92	11.5	1.33	9.0	14.4	854	7.1	0.24	6.6	7.5
2008	89	10.9	1.29	8.5	13.7	857	7.0	0.24	6.5	7.5
2009	123	14.7	1.50	12.0	17.9	847	6.8	0.24	6.4	7.3
2010	106	10.6	1.16	8.4	13.1	830	6.7	0.23	6.2	7.1
2011	112	11.9	1.26	9.6	14.6	897	7.0	0.24	6.6	7.5
2012	105	10.0	1.08	8.0	12.3	875	6.7	0.23	6.3	7.2
2013	118	11.1	1.13	9.0	13.5	937	7.2	0.24	6.7	7.7
2014	129	11.5	1.11	9.4	13.9	904	6.8	0.23	6.3	7.2
2015	147	12.1	1.09	10.1	14.4	924	6.8	0.23	6.4	7.3
2016	148	12.2	1.09	10.1	14.5	917	6.7	0.23	6.3	7.2
2017	156	12.0	1.04	10.1	14.2	916	6.7	0.23	6.2	7.1
2018	173	13.2	1.08	11.2	15.4	894	6.4	0.22	6.0	6.8
2019	166	11.1	0.91	9.4	13.0	950	6.7	0.22	6.3	7.2
2020	134	8.7	0.80	7.2	10.4	815	5.7	0.21	5.3	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Stomach											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	20,381	6.4	0.05	6.3	6.5	5,665	12.3	0.17	12.0	12.6	
1990	741	7.9	0.29	7.4	8.5	153	13.9	1.16	11.7	16.3	
1991	704	7.5	0.29	7.0	8.1	158	14.6	1.20	12.4	17.2	
1992	698	7.4	0.28	6.8	7.9	173	14.9	1.17	12.7	17.4	
1993	713	7.5	0.28	6.9	8.0	165	14.3	1.15	12.2	16.7	
1994	692	7.2	0.28	6.7	7.8	177	14.5	1.12	12.4	16.8	
1995	693	7.2	0.27	6.6	7.7	189	15.1	1.13	12.9	17.4	
1996	697	7.2	0.27	6.7	7.7	190	15.6	1.16	13.4	18.1	
1997	712	7.3	0.27	6.8	7.8	178	14.1	1.08	12.0	16.3	
1998	706	7.2	0.27	6.7	7.7	194	15.7	1.15	13.6	18.1	
1999	680	6.9	0.26	6.4	7.4	154	11.7	0.97	9.9	13.8	
2000	622	6.3	0.25	5.8	6.8	179	13.4	1.02	11.5	15.6	
2001	624	6.3	0.25	5.8	6.8	180	13.6	1.04	11.7	15.8	
2002	679	6.8	0.26	6.3	7.4	169	12.2	0.96	10.4	14.3	
2003	675	6.7	0.26	6.2	7.2	167	12.1	0.96	10.3	14.1	
2004	629	6.3	0.25	5.8	6.8	177	12.5	0.96	10.7	14.6	
2005	600	5.9	0.24	5.4	6.4	182	12.8	0.97	11.0	14.8	
2006	585	5.8	0.24	5.3	6.3	193	12.7	0.93	10.9	14.6	
2007	614	6.0	0.25	5.6	6.5	186	12.4	0.92	10.6	14.3	
2008	616	6.0	0.24	5.5	6.5	194	12.8	0.94	11.0	14.8	
2009	592	5.8	0.24	5.3	6.3	212	13.1	0.92	11.4	15.1	
2010	601	5.8	0.24	5.3	6.2	172	10.7	0.83	9.1	12.4	
2011	643	6.1	0.24	5.6	6.6	202	12.1	0.87	10.5	14.0	
2012	656	6.1	0.24	5.6	6.6	160	9.6	0.77	8.1	11.2	
2013	673	6.2	0.25	5.8	6.7	203	11.9	0.85	10.3	13.7	
2014	643	5.9	0.24	5.4	6.4	211	11.9	0.84	10.3	13.7	
2015	667	6.0	0.24	5.6	6.5	194	10.6	0.78	9.1	12.2	
2016	653	5.9	0.24	5.4	6.4	213	11.8	0.83	10.3	13.6	
2017	650	5.9	0.24	5.4	6.4	209	11.4	0.80	9.8	13.0	
2018	648	5.7	0.23	5.3	6.2	180	9.5	0.72	8.1	11.0	
2019	673	5.9	0.24	5.5	6.4	199	10.5	0.76	9.1	12.1	
2020	602	5.3	0.22	4.8	5.7	152	7.6	0.63	6.5	9.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Stomach											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,608	14.4	0.42	13.6	15.2	16,855	10.5	0.08	10.3	10.6	
1990	19	16.2	4.68	8.4	27.2	551	13.0	0.57	11.9	14.2	
1991	26	13.0	3.01	7.8	20.2	541	12.6	0.56	11.5	13.8	
1992	23	15.3	4.05	8.4	24.8	537	12.2	0.54	11.2	13.3	
1993	32	18.0	4.11	10.8	27.4	540	12.2	0.54	11.2	13.3	
1994	33	19.4	4.14	12.1	28.8	546	12.2	0.54	11.2	13.3	
1995	34	17.3	3.74	10.8	25.9	574	12.9	0.55	11.8	14.0	
1996	35	20.6	4.34	13.0	30.4	568	12.6	0.54	11.6	13.7	
1997	32	13.9	2.84	8.9	20.5	574	12.6	0.54	11.6	13.7	
1998	35	17.6	3.70	11.1	26.0	558	12.0	0.52	11.1	13.1	
1999	36	14.3	3.12	8.9	21.5	528	11.3	0.50	10.3	12.3	
2000	33	15.9	3.23	10.2	23.2	516	10.9	0.48	9.9	11.8	
2001	46	18.1	3.47	12.0	25.9	495	10.3	0.47	9.4	11.2	
2002	40	15.9	3.07	10.5	22.8	555	11.5	0.49	10.6	12.5	
2003	45	13.0	2.35	8.8	18.4	527	10.9	0.48	10.0	11.9	
2004	52	14.2	2.39	9.9	19.5	531	10.7	0.47	9.8	11.7	
2005	50	16.9	2.96	11.6	23.5	506	10.0	0.45	9.2	11.0	
2006	47	14.8	2.59	10.2	20.6	503	9.8	0.44	9.0	10.7	
2007	55	15.7	2.43	11.3	21.1	514	9.9	0.44	9.1	10.8	
2008	53	14.3	2.25	10.3	19.3	517	9.9	0.44	9.0	10.8	
2009	68	18.5	2.61	13.7	24.1	524	9.5	0.42	8.7	10.4	
2010	61	14.5	2.15	10.6	19.2	527	9.7	0.43	8.8	10.5	
2011	66	14.4	2.04	10.6	18.8	559	10.1	0.44	9.3	11.0	
2012	63	14.2	2.06	10.4	18.7	577	10.1	0.43	9.3	11.0	
2013	72	14.0	1.92	10.5	18.2	576	10.0	0.43	9.2	10.9	
2014	66	12.2	1.70	9.1	15.9	553	9.3	0.40	8.5	10.1	
2015	72	12.4	1.66	9.4	16.0	589	9.7	0.41	8.9	10.6	
2016	76	13.0	1.70	9.9	16.7	565	9.4	0.40	8.6	10.2	
2017	86	14.5	1.73	11.4	18.3	555	9.1	0.40	8.4	9.9	
2018	93	15.6	1.80	12.3	19.5	549	8.7	0.38	7.9	9.4	
2019	92	13.0	1.48	10.3	16.2	600	9.3	0.39	8.6	10.1	
2020	67	8.8	1.17	6.7	11.4	500	7.8	0.36	7.1	8.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Stomach											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	12,743	9.3	0.08	9.2	9.5	3,264	17.6	0.32	16.9	18.2	
1990	435	11.7	0.58	10.6	12.9	100	22.3	2.37	17.9	27.4	
1991	434	11.6	0.57	10.5	12.7	93	20.2	2.24	16.1	25.0	
1992	427	11.0	0.54	10.0	12.1	95	21.2	2.34	16.9	26.2	
1993	412	10.7	0.54	9.6	11.8	106	22.7	2.35	18.3	27.7	
1994	424	11.0	0.54	10.0	12.1	110	21.4	2.15	17.4	26.0	
1995	441	11.5	0.56	10.4	12.6	112	22.1	2.23	18.0	26.9	
1996	435	11.1	0.54	10.1	12.2	114	23.6	2.37	19.2	28.7	
1997	448	11.3	0.54	10.3	12.4	107	21.5	2.22	17.3	26.2	
1998	432	10.7	0.52	9.7	11.8	104	21.6	2.26	17.4	26.4	
1999	410	10.2	0.51	9.2	11.2	90	16.8	1.87	13.4	20.9	
2000	383	9.4	0.48	8.5	10.4	102	19.4	2.04	15.6	23.7	
2001	369	9.0	0.47	8.1	9.9	103	18.7	1.96	15.1	22.9	
2002	429	10.4	0.51	9.4	11.5	100	17.5	1.85	14.1	21.5	
2003	413	10.0	0.50	9.0	11.0	98	17.8	1.90	14.2	21.8	
2004	405	9.6	0.48	8.7	10.6	99	17.9	1.93	14.3	22.0	
2005	365	8.5	0.45	7.7	9.4	110	19.0	1.92	15.5	23.1	
2006	363	8.4	0.44	7.5	9.3	112	17.8	1.77	14.5	21.6	
2007	371	8.5	0.44	7.6	9.4	113	18.8	1.87	15.3	22.8	
2008	372	8.4	0.44	7.6	9.3	116	20.3	2.00	16.6	24.6	
2009	370	8.1	0.43	7.3	9.0	126	18.9	1.77	15.6	22.7	
2010	393	8.6	0.44	7.7	9.5	100	15.4	1.63	12.4	18.9	
2011	404	8.8	0.44	7.9	9.7	120	17.9	1.71	14.7	21.6	
2012	448	9.4	0.45	8.5	10.3	89	13.7	1.54	10.8	17.0	
2013	432	9.0	0.44	8.1	9.9	111	16.0	1.58	13.0	19.4	
2014	406	8.2	0.42	7.4	9.1	121	17.0	1.62	13.9	20.4	
2015	445	8.9	0.43	8.0	9.8	107	14.2	1.44	11.5	17.3	
2016	424	8.5	0.42	7.7	9.4	107	14.9	1.50	12.1	18.2	
2017	419	8.4	0.42	7.6	9.3	106	14.6	1.48	11.9	17.8	
2018	411	7.9	0.40	7.2	8.8	98	12.3	1.29	9.9	15.0	
2019	438	8.4	0.41	7.6	9.2	114	14.6	1.41	11.9	17.6	
2020	385	7.3	0.38	6.6	8.1	81	10.2	1.17	8.0	12.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Stomach										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,264	9.8	0.30	9.3	10.4	10,627	4.9	0.05	4.8	5.0
1990	17	8.9	2.33	4.9	14.5	366	5.8	0.31	5.2	6.4
1991	10	5.8	2.04	2.5	10.9	345	5.4	0.29	4.8	6.0
1992	21	9.6	2.34	5.6	15.2	357	5.6	0.30	5.0	6.2
1993	26	14.8	3.13	9.3	21.9	376	5.7	0.30	5.1	6.3
1994	22	10.9	2.59	6.4	16.9	344	5.2	0.28	4.7	5.8
1995	20	8.8	2.17	5.1	14.0	349	5.3	0.29	4.8	5.9
1996	16	7.5	2.10	4.0	12.5	349	5.2	0.28	4.7	5.8
1997	13	5.4	1.63	2.7	9.4	358	5.4	0.29	4.8	6.0
1998	33	11.9	2.31	7.8	17.2	378	5.5	0.29	5.0	6.1
1999	26	8.1	1.77	5.0	12.3	347	5.1	0.28	4.5	5.6
2000	33	11.3	2.21	7.4	16.3	329	4.8	0.27	4.3	5.3
2001	30	8.0	1.62	5.1	11.8	352	5.0	0.27	4.5	5.6
2002	36	12.4	2.33	8.3	17.6	345	5.0	0.27	4.5	5.6
2003	35	10.4	1.98	6.9	14.9	356	5.1	0.28	4.6	5.7
2004	35	11.7	2.20	7.7	16.6	318	4.7	0.27	4.2	5.2
2005	40	10.6	1.84	7.3	14.7	321	4.6	0.26	4.1	5.1
2006	43	11.6	1.96	8.1	16.0	325	4.8	0.27	4.2	5.3
2007	37	8.2	1.47	5.6	11.5	340	4.9	0.27	4.4	5.5
2008	36	8.1	1.48	5.4	11.4	340	4.9	0.27	4.4	5.5
2009	55	11.9	1.76	8.7	15.8	323	4.6	0.26	4.1	5.2
2010	45	7.6	1.24	5.3	10.4	303	4.4	0.26	3.9	4.9
2011	46	9.7	1.55	6.9	13.1	338	4.6	0.26	4.2	5.2
2012	42	6.9	1.14	4.9	9.5	298	4.1	0.24	3.6	4.6
2013	46	8.6	1.36	6.2	11.6	361	4.9	0.27	4.4	5.5
2014	63	10.8	1.44	8.2	13.9	351	4.8	0.26	4.3	5.3
2015	75	11.9	1.45	9.2	15.0	335	4.6	0.26	4.1	5.1
2016	72	11.5	1.42	8.9	14.6	352	4.6	0.26	4.2	5.2
2017	70	10.0	1.25	7.7	12.7	361	4.8	0.26	4.3	5.3
2018	80	11.4	1.34	9.0	14.3	345	4.5	0.25	4.1	5.1
2019	74	9.5	1.14	7.4	12.0	350	4.6	0.26	4.1	5.2
2020	67	8.5	1.08	6.5	10.9	315	4.0	0.23	3.6	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Stomach											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	7,638	4.2	0.05	4.1	4.3	2,401	8.8	0.18	8.5	9.2	
1990	306	5.5	0.32	4.9	6.1	53	8.1	1.14	6.0	10.7	
1991	270	4.7	0.29	4.2	5.4	65	10.5	1.32	8.1	13.4	
1992	271	4.8	0.30	4.2	5.4	78	11.1	1.27	8.7	13.8	
1993	301	5.2	0.30	4.6	5.8	59	8.7	1.15	6.6	11.2	
1994	268	4.6	0.28	4.0	5.2	67	9.4	1.16	7.3	12.0	
1995	252	4.4	0.28	3.8	4.9	77	10.2	1.18	8.0	12.8	
1996	262	4.5	0.28	3.9	5.1	76	10.5	1.21	8.2	13.1	
1997	264	4.5	0.28	4.0	5.1	71	9.4	1.13	7.3	11.9	
1998	274	4.5	0.28	4.0	5.1	90	12.1	1.29	9.7	14.9	
1999	270	4.5	0.28	4.0	5.1	64	8.3	1.05	6.4	10.6	
2000	239	3.9	0.26	3.5	4.5	77	9.6	1.11	7.6	12.0	
2001	255	4.2	0.27	3.7	4.8	77	9.9	1.13	7.8	12.4	
2002	250	4.3	0.28	3.8	4.9	69	8.5	1.03	6.6	10.8	
2003	262	4.4	0.28	3.9	5.0	69	8.4	1.02	6.5	10.6	
2004	224	3.8	0.26	3.3	4.4	78	9.3	1.06	7.3	11.6	
2005	235	4.0	0.26	3.5	4.5	72	8.5	1.01	6.7	10.7	
2006	222	3.8	0.26	3.3	4.4	81	9.1	1.02	7.2	11.3	
2007	243	4.2	0.28	3.7	4.8	73	8.2	0.97	6.4	10.4	
2008	244	4.2	0.27	3.6	4.7	78	8.5	0.98	6.7	10.7	
2009	222	3.9	0.27	3.4	4.4	86	9.0	0.99	7.2	11.2	
2010	208	3.5	0.25	3.1	4.1	72	7.7	0.92	6.0	9.7	
2011	239	4.0	0.26	3.5	4.5	82	8.2	0.92	6.5	10.3	
2012	208	3.4	0.25	3.0	3.9	71	7.2	0.86	5.6	9.1	
2013	241	4.0	0.27	3.5	4.6	92	8.9	0.95	7.2	11.0	
2014	237	4.0	0.27	3.5	4.5	90	8.7	0.93	7.0	10.8	
2015	222	3.7	0.26	3.2	4.2	87	8.2	0.90	6.6	10.2	
2016	229	3.8	0.26	3.3	4.3	106	9.7	0.96	8.0	11.8	
2017	231	3.7	0.26	3.3	4.3	103	9.6	0.96	7.8	11.7	
2018	237	3.9	0.26	3.4	4.4	82	7.4	0.83	5.9	9.3	
2019	235	3.9	0.27	3.4	4.5	85	7.8	0.86	6.2	9.7	
2020	217	3.6	0.25	3.1	4.1	71	5.9	0.71	4.6	7.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Small Intestine										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	434	1.7	0.09	1.5	1.9	8,407	2.2	0.02	2.2	2.3
1990	6	1.3	0.55	0.5	3.0	134	1.3	0.11	1.1	1.5
1991	2	0.6	0.44	0.1	2.1	143	1.3	0.11	1.1	1.6
1992	4	1.1	0.64	0.2	3.0	152	1.4	0.12	1.2	1.7
1993	7	1.5	0.58	0.6	3.1	175	1.6	0.12	1.4	1.9
1994	7	1.8	0.76	0.6	3.8	165	1.5	0.12	1.3	1.8
1995	6	1.5	0.71	0.4	3.4	159	1.5	0.12	1.2	1.7
1996	4	0.5	0.28	0.1	1.6	180	1.6	0.12	1.4	1.9
1997	3	1.1	0.65	0.2	2.9	182	1.6	0.12	1.4	1.9
1998	12	2.4	0.79	1.1	4.4	204	1.8	0.13	1.6	2.1
1999	8	2.0	0.77	0.8	4.0	204	1.8	0.13	1.6	2.1
2000	3	0.4	0.26	0.1	1.3	208	1.8	0.13	1.6	2.1
2001	6	1.3	0.56	0.4	2.8	231	2.0	0.13	1.8	2.3
2002	10	2.2	0.77	0.9	4.1	259	2.2	0.14	2.0	2.5
2003	9	1.7	0.68	0.6	3.4	202	1.7	0.12	1.5	2.0
2004	12	1.6	0.62	0.7	3.2	238	2.0	0.13	1.8	2.3
2005	7	0.8	0.33	0.3	1.7	274	2.3	0.14	2.0	2.6
2006	14	1.8	0.54	0.9	3.1	248	2.1	0.13	1.8	2.4
2007	13	1.3	0.40	0.7	2.4	294	2.4	0.14	2.1	2.7
2008	14	1.4	0.40	0.7	2.4	298	2.5	0.14	2.2	2.8
2009	18	2.2	0.61	1.2	3.7	328	2.6	0.15	2.4	2.9
2010	20	2.4	0.58	1.4	3.8	327	2.6	0.15	2.3	2.9
2011	13	1.3	0.41	0.6	2.3	346	2.7	0.15	2.4	3.0
2012	20	1.9	0.45	1.1	2.9	371	2.8	0.15	2.5	3.1
2013	22	1.7	0.39	1.0	2.6	361	2.7	0.15	2.5	3.1
2014	14	1.1	0.31	0.6	1.9	367	2.8	0.15	2.5	3.1
2015	24	1.8	0.41	1.1	2.8	399	3.0	0.15	2.7	3.3
2016	30	2.3	0.45	1.5	3.3	380	2.8	0.15	2.6	3.1
2017	29	1.8	0.36	1.2	2.7	386	2.9	0.15	2.6	3.2
2018	34	2.5	0.47	1.7	3.6	426	3.1	0.16	2.8	3.4
2019	27	1.9	0.39	1.2	2.8	393	2.9	0.15	2.6	3.2
2020	36	2.3	0.41	1.6	3.3	373	2.7	0.15	2.5	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Small Intestine											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	6,477	2.1	0.03	2.0	2.1	1,677	3.5	0.09	3.3	3.6	
1990	113	1.3	0.12	1.0	1.5	20	1.7	0.38	1.0	2.6	
1991	112	1.2	0.11	1.0	1.4	30	2.4	0.45	1.6	3.5	
1992	122	1.3	0.12	1.1	1.6	28	2.0	0.38	1.3	2.9	
1993	148	1.6	0.13	1.3	1.8	25	1.9	0.39	1.2	2.8	
1994	135	1.4	0.12	1.2	1.7	25	1.9	0.40	1.2	2.9	
1995	123	1.3	0.12	1.1	1.5	34	2.8	0.48	1.9	3.9	
1996	141	1.5	0.12	1.2	1.7	36	2.6	0.45	1.8	3.6	
1997	141	1.5	0.12	1.2	1.7	39	2.8	0.46	2.0	3.9	
1998	166	1.7	0.14	1.5	2.0	36	2.6	0.44	1.8	3.6	
1999	164	1.7	0.13	1.5	2.0	32	2.3	0.41	1.5	3.2	
2000	170	1.8	0.14	1.5	2.1	34	2.4	0.43	1.7	3.4	
2001	182	1.9	0.14	1.6	2.2	44	3.1	0.47	2.2	4.2	
2002	202	2.1	0.15	1.8	2.4	51	3.4	0.49	2.6	4.5	
2003	155	1.6	0.13	1.3	1.8	41	2.8	0.44	2.0	3.8	
2004	184	1.9	0.14	1.6	2.2	46	3.2	0.48	2.3	4.3	
2005	219	2.2	0.15	1.9	2.5	48	3.2	0.47	2.3	4.2	
2006	185	1.9	0.14	1.6	2.2	48	3.1	0.46	2.3	4.2	
2007	230	2.3	0.15	2.0	2.6	58	3.5	0.47	2.7	4.6	
2008	221	2.2	0.15	1.9	2.5	69	4.4	0.54	3.4	5.6	
2009	253	2.5	0.16	2.2	2.8	67	4.1	0.52	3.2	5.3	
2010	240	2.3	0.15	2.1	2.7	74	4.5	0.53	3.5	5.7	
2011	264	2.5	0.16	2.2	2.9	65	3.7	0.47	2.8	4.7	
2012	288	2.7	0.16	2.4	3.0	70	4.0	0.49	3.1	5.1	
2013	279	2.6	0.16	2.3	2.9	77	4.2	0.49	3.3	5.3	
2014	281	2.7	0.16	2.4	3.0	76	4.2	0.50	3.3	5.3	
2015	311	2.8	0.16	2.5	3.2	76	4.2	0.49	3.3	5.3	
2016	283	2.6	0.16	2.3	3.0	84	4.5	0.50	3.6	5.6	
2017	287	2.7	0.16	2.4	3.0	88	4.8	0.52	3.8	5.9	
2018	321	2.9	0.17	2.6	3.2	90	4.7	0.51	3.8	5.9	
2019	283	2.6	0.16	2.3	2.9	85	4.4	0.49	3.5	5.5	
2020	274	2.5	0.16	2.2	2.8	81	4.3	0.49	3.4	5.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Small Intestine											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	224	1.8	0.14	1.5	2.1	4,410	2.7	0.04	2.6	2.8	
1990	5	2.1	0.95	0.6	5.5	69	1.6	0.20	1.2	2.0	
1991	1	0.4	0.41	0.0	3.1	71	1.6	0.19	1.2	2.0	
1992	2	0.7	0.48	0.1	3.3	74	1.6	0.19	1.2	2.0	
1993	3	1.4	0.88	0.2	4.5	96	2.1	0.22	1.7	2.6	
1994	4	2.3	1.35	0.5	6.3	77	1.7	0.20	1.4	2.2	
1995	1	0.4	0.35	0.0	2.6	91	2.0	0.21	1.6	2.4	
1996	2	0.4	0.25	0.0	2.4	91	2.0	0.21	1.6	2.4	
1997	0					87	1.8	0.20	1.5	2.3	
1998	4	1.3	0.66	0.4	3.7	114	2.3	0.22	1.9	2.8	
1999	4	2.9	1.67	0.6	7.4	112	2.3	0.22	1.9	2.7	
2000	0					106	2.2	0.22	1.8	2.7	
2001	3	0.9	0.54	0.2	2.9	121	2.5	0.23	2.1	3.0	
2002	5	2.0	0.90	0.6	4.5	130	2.6	0.23	2.1	3.0	
2003	4	0.8	0.44	0.2	2.5	117	2.4	0.22	1.9	2.8	
2004	5	1.7	1.10	0.3	4.8	135	2.6	0.23	2.2	3.1	
2005	5	1.3	0.65	0.4	3.2	146	2.8	0.23	2.4	3.3	
2006	9	2.4	0.95	0.9	4.9	127	2.4	0.22	2.0	2.9	
2007	6	1.5	0.68	0.5	3.4	142	2.6	0.22	2.2	3.1	
2008	7	1.5	0.67	0.5	3.4	145	2.7	0.23	2.3	3.2	
2009	9	2.2	0.90	0.8	4.5	177	3.2	0.24	2.7	3.7	
2010	9	1.6	0.57	0.7	3.1	176	3.2	0.25	2.8	3.8	
2011	9	2.1	0.81	0.8	4.2	168	2.9	0.23	2.5	3.4	
2012	12	2.2	0.67	1.0	3.9	207	3.6	0.26	3.1	4.2	
2013	11	1.6	0.51	0.7	2.9	166	2.8	0.22	2.4	3.3	
2014	6	0.8	0.37	0.3	1.9	189	3.2	0.24	2.8	3.7	
2015	14	2.3	0.70	1.1	4.0	218	3.7	0.25	3.2	4.2	
2016	20	2.9	0.72	1.6	4.6	208	3.4	0.24	2.9	3.9	
2017	14	2.0	0.59	1.0	3.5	211	3.4	0.24	3.0	3.9	
2018	19	3.3	0.83	1.8	5.2	223	3.6	0.25	3.1	4.1	
2019	13	2.0	0.62	1.0	3.6	206	3.3	0.23	2.8	3.8	
2020	18	2.5	0.66	1.4	4.1	210	3.3	0.23	2.8	3.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Small Intestine											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,438	2.5	0.04	2.4	2.6	829	4.1	0.15	3.8	4.4	
1990	62	1.6	0.21	1.2	2.1	7	1.4	0.55	0.5	2.9	
1991	57	1.5	0.20	1.1	1.9	14	3.0	0.86	1.6	5.1	
1992	60	1.5	0.20	1.1	2.0	13	2.0	0.56	1.0	3.5	
1993	82	2.1	0.23	1.6	2.6	13	2.4	0.67	1.3	4.1	
1994	65	1.7	0.21	1.3	2.2	10	1.8	0.60	0.9	3.4	
1995	71	1.7	0.21	1.4	2.2	19	4.1	1.01	2.4	6.5	
1996	70	1.8	0.21	1.4	2.3	19	3.2	0.74	1.9	5.0	
1997	69	1.7	0.21	1.3	2.2	16	2.6	0.67	1.5	4.3	
1998	87	2.1	0.23	1.7	2.6	26	4.5	0.91	2.9	6.6	
1999	88	2.1	0.22	1.7	2.6	20	3.5	0.83	2.1	5.5	
2000	83	2.0	0.23	1.6	2.5	20	3.5	0.79	2.1	5.4	
2001	96	2.3	0.24	1.9	2.8	23	4.2	0.92	2.6	6.4	
2002	103	2.4	0.24	2.0	2.9	21	3.5	0.81	2.1	5.4	
2003	88	2.1	0.22	1.7	2.6	25	4.0	0.83	2.5	5.9	
2004	106	2.4	0.24	2.0	2.9	28	5.0	1.00	3.2	7.3	
2005	120	2.7	0.25	2.3	3.3	22	3.5	0.79	2.1	5.4	
2006	102	2.3	0.23	1.9	2.8	19	3.0	0.73	1.8	4.8	
2007	114	2.5	0.24	2.1	3.0	24	3.4	0.71	2.1	5.0	
2008	108	2.4	0.23	1.9	2.9	33	5.1	0.91	3.5	7.2	
2009	138	3.0	0.26	2.5	3.5	33	5.1	0.92	3.4	7.2	
2010	133	3.0	0.26	2.5	3.5	36	5.4	0.94	3.7	7.5	
2011	136	2.8	0.25	2.4	3.4	23	3.0	0.65	1.8	4.5	
2012	157	3.3	0.27	2.8	3.9	42	6.0	0.97	4.3	8.2	
2013	128	2.6	0.23	2.2	3.1	35	4.8	0.84	3.3	6.7	
2014	141	2.9	0.25	2.4	3.4	43	5.7	0.91	4.1	7.8	
2015	179	3.7	0.28	3.1	4.3	32	4.2	0.76	2.8	5.9	
2016	157	3.1	0.26	2.7	3.7	41	5.2	0.85	3.7	7.1	
2017	163	3.2	0.26	2.7	3.8	40	5.1	0.84	3.6	7.0	
2018	171	3.4	0.27	2.9	3.9	43	5.3	0.84	3.8	7.2	
2019	148	2.8	0.24	2.4	3.4	44	5.2	0.81	3.7	7.1	
2020	156	3.0	0.25	2.5	3.5	45	5.4	0.83	3.9	7.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Small Intestine											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	210	1.6	0.12	1.4	1.9	3,997	1.9	0.03	1.9	2.0	
1990	1	0.5	0.52	0.0	2.8	65	1.1	0.14	0.9	1.4	
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5	
1992	2	1.3	0.96	0.1	4.3	78	1.3	0.15	1.0	1.6	
1993	4	1.6	0.81	0.4	4.2	79	1.3	0.15	1.0	1.6	
1994	3	1.4	0.88	0.2	4.1	88	1.4	0.15	1.1	1.7	
1995	5	2.3	1.15	0.6	5.5	68	1.1	0.13	0.9	1.4	
1996	2	0.7	0.49	0.1	2.6	89	1.4	0.15	1.1	1.7	
1997	3	1.8	1.10	0.3	4.9	95	1.5	0.16	1.2	1.8	
1998	8	3.2	1.26	1.3	6.5	90	1.4	0.15	1.1	1.7	
1999	4	1.5	0.75	0.4	3.7	92	1.4	0.15	1.1	1.7	
2000	3	0.8	0.49	0.2	2.5	102	1.6	0.16	1.3	2.0	
2001	3	1.5	0.87	0.3	3.9	110	1.7	0.17	1.4	2.1	
2002	5	2.1	1.05	0.6	4.9	129	2.0	0.18	1.7	2.4	
2003	5	2.2	1.08	0.6	5.1	85	1.3	0.14	1.0	1.6	
2004	7	1.7	0.77	0.6	3.8	103	1.5	0.15	1.3	1.9	
2005	2	0.4	0.27	0.0	1.5	128	1.9	0.17	1.6	2.2	
2006	5	1.3	0.60	0.4	3.0	121	1.9	0.17	1.5	2.2	
2007	7	1.3	0.50	0.5	2.7	152	2.3	0.19	1.9	2.6	
2008	7	1.3	0.51	0.5	2.7	153	2.3	0.19	2.0	2.7	
2009	9	2.2	0.82	0.9	4.3	151	2.2	0.18	1.8	2.6	
2010	11	2.9	0.91	1.4	5.1	151	2.1	0.18	1.8	2.5	
2011	4	0.7	0.38	0.2	1.8	178	2.6	0.20	2.2	3.0	
2012	8	1.6	0.58	0.6	3.1	164	2.2	0.18	1.9	2.6	
2013	11	1.8	0.57	0.9	3.2	195	2.7	0.20	2.3	3.1	
2014	8	1.3	0.47	0.5	2.5	178	2.6	0.20	2.2	3.0	
2015	10	1.4	0.48	0.7	2.7	181	2.4	0.19	2.1	2.8	
2016	10	1.7	0.55	0.8	3.1	172	2.4	0.19	2.0	2.8	
2017	15	1.7	0.45	0.9	2.8	175	2.5	0.19	2.1	2.9	
2018	15	2.0	0.52	1.1	3.2	203	2.8	0.20	2.4	3.2	
2019	14	1.9	0.52	1.0	3.2	187	2.5	0.19	2.2	3.0	
2020	18	2.2	0.54	1.3	3.5	163	2.3	0.19	1.9	2.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Small Intestine											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,039	1.8	0.03	1.7	1.8	848	3.0	0.10	2.8	3.2	
1990	51	1.0	0.14	0.7	1.3	13	1.9	0.53	1.0	3.3	
1991	55	1.0	0.14	0.8	1.3	16	2.2	0.54	1.2	3.5	
1992	62	1.2	0.16	0.9	1.6	15	2.0	0.51	1.1	3.2	
1993	66	1.2	0.15	0.9	1.5	12	1.6	0.47	0.8	2.8	
1994	70	1.2	0.15	1.0	1.6	15	2.0	0.52	1.1	3.3	
1995	52	1.0	0.14	0.7	1.3	15	2.0	0.53	1.1	3.3	
1996	71	1.3	0.15	1.0	1.6	17	2.1	0.53	1.2	3.4	
1997	72	1.3	0.16	1.0	1.6	23	2.9	0.61	1.8	4.4	
1998	79	1.4	0.16	1.1	1.8	10	1.2	0.39	0.6	2.3	
1999	76	1.4	0.16	1.1	1.7	12	1.5	0.42	0.8	2.5	
2000	87	1.6	0.18	1.3	2.0	14	1.7	0.46	0.9	2.8	
2001	86	1.6	0.17	1.3	2.0	21	2.4	0.54	1.5	3.7	
2002	99	1.8	0.19	1.5	2.2	30	3.5	0.64	2.3	5.0	
2003	67	1.2	0.15	0.9	1.5	16	1.9	0.48	1.1	3.1	
2004	78	1.4	0.16	1.1	1.8	18	2.0	0.48	1.2	3.2	
2005	99	1.8	0.18	1.4	2.1	26	2.9	0.57	1.9	4.3	
2006	83	1.5	0.17	1.2	1.9	29	3.2	0.61	2.2	4.7	
2007	116	2.1	0.20	1.7	2.5	34	3.6	0.62	2.5	5.0	
2008	113	2.1	0.20	1.7	2.5	36	3.9	0.65	2.7	5.4	
2009	115	2.0	0.19	1.7	2.4	34	3.5	0.61	2.4	4.9	
2010	107	1.8	0.18	1.5	2.2	38	3.9	0.64	2.7	5.4	
2011	128	2.3	0.21	1.9	2.7	42	4.2	0.65	3.0	5.6	
2012	131	2.2	0.20	1.8	2.6	28	2.6	0.50	1.8	3.8	
2013	151	2.6	0.22	2.2	3.1	42	3.9	0.61	2.8	5.3	
2014	140	2.5	0.22	2.1	3.0	33	3.2	0.57	2.2	4.5	
2015	132	2.1	0.19	1.8	2.5	44	4.2	0.65	3.1	5.7	
2016	126	2.1	0.20	1.8	2.6	43	4.1	0.63	2.9	5.5	
2017	124	2.2	0.21	1.8	2.6	48	4.6	0.67	3.4	6.1	
2018	150	2.5	0.22	2.1	3.0	47	4.2	0.64	3.1	5.7	
2019	135	2.3	0.21	1.9	2.8	41	3.7	0.59	2.7	5.1	
2020	118	2.1	0.20	1.7	2.5	36	3.4	0.59	2.4	4.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon and Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	8,749	35.7	0.42	34.9	36.6	197,290	52.2	0.12	52.0	52.4
1990	129	38.5	3.84	31.3	46.6	6,506	61.7	0.77	60.2	63.3
1991	93	29.4	3.50	22.9	36.9	6,479	60.7	0.76	59.3	62.3
1992	113	33.2	3.50	26.6	40.6	6,455	59.7	0.75	58.2	61.2
1993	144	41.9	3.93	34.6	50.2	6,450	59.0	0.74	57.6	60.5
1994	147	37.7	3.58	31.0	45.3	6,684	60.6	0.74	59.2	62.1
1995	167	48.3	4.26	40.3	57.2	6,545	59.1	0.73	57.7	60.6
1996	154	38.1	3.50	31.5	45.4	6,649	59.7	0.73	58.2	61.1
1997	184	45.1	3.74	38.1	52.9	6,867	61.2	0.74	59.7	62.7
1998	186	45.4	3.83	38.2	53.4	7,186	63.4	0.75	61.9	64.9
1999	191	40.6	3.42	34.2	47.8	6,995	61.3	0.73	59.8	62.7
2000	201	39.7	3.24	33.6	46.4	7,127	62.0	0.74	60.6	63.5
2001	221	41.8	3.23	35.7	48.5	6,859	59.3	0.72	57.9	60.7
2002	244	43.0	3.14	37.1	49.5	7,035	60.5	0.72	59.1	61.9
2003	244	39.2	2.88	33.7	45.1	6,848	58.3	0.71	57.0	59.7
2004	278	44.8	3.10	39.0	51.2	6,922	58.6	0.71	57.2	60.0
2005	283	41.5	2.79	36.2	47.3	6,695	56.1	0.69	54.8	57.5
2006	296	41.3	2.74	36.2	47.0	6,748	56.1	0.69	54.8	57.5
2007	300	39.0	2.56	34.1	44.2	6,530	53.7	0.67	52.4	55.0
2008	290	34.0	2.24	29.7	38.6	6,430	52.1	0.66	50.8	53.4
2009	300	34.1	2.20	29.9	38.6	5,999	48.1	0.63	46.9	49.3
2010	314	32.5	2.05	28.6	36.8	6,052	47.8	0.62	46.6	49.1
2011	342	34.0	2.05	30.1	38.2	6,105	47.7	0.62	46.5	48.9
2012	347	33.2	1.97	29.5	37.3	5,838	44.8	0.60	43.7	46.0
2013	337	31.5	1.89	27.9	35.4	5,889	44.6	0.59	43.4	45.8
2014	408	35.1	1.90	31.5	39.0	5,809	43.5	0.58	42.4	44.7
2015	424	33.6	1.77	30.2	37.2	5,864	43.8	0.59	42.7	45.0
2016	469	34.6	1.72	31.3	38.1	6,007	44.6	0.59	43.5	45.8
2017	485	34.5	1.69	31.2	37.9	5,658	41.6	0.57	40.5	42.7
2018	509	35.2	1.68	32.0	38.6	5,724	41.9	0.57	40.8	43.1
2019	503	33.4	1.58	30.4	36.6	5,489	39.9	0.56	38.8	41.0
2020	446	28.8	1.45	26.0	31.8	4,846	35.2	0.52	34.2	36.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon and Rectum										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	164,077	51.5	0.13	51.2	51.7	28,016	59.6	0.36	58.9	60.4
1990	5,752	61.6	0.82	60.0	63.2	699	64.2	2.50	59.4	69.3
1991	5,736	60.9	0.81	59.3	62.5	673	59.8	2.38	55.3	64.7
1992	5,745	60.3	0.80	58.7	61.9	638	54.7	2.22	50.4	59.2
1993	5,641	58.7	0.79	57.1	60.2	733	63.4	2.40	58.7	68.2
1994	5,852	60.5	0.79	58.9	62.1	753	63.4	2.37	58.8	68.2
1995	5,640	58.3	0.78	56.8	59.8	804	66.1	2.39	61.5	70.9
1996	5,741	59.1	0.78	57.5	60.6	796	64.4	2.33	59.9	69.1
1997	5,893	60.4	0.79	58.9	62.0	868	69.6	2.42	64.9	74.5
1998	6,135	62.4	0.80	60.9	64.0	934	73.2	2.44	68.5	78.1
1999	6,005	60.9	0.79	59.3	62.4	858	64.5	2.24	60.2	69.0
2000	6,070	61.4	0.79	59.9	63.0	911	67.2	2.27	62.9	71.8
2001	5,788	58.3	0.77	56.8	59.8	935	68.4	2.28	64.0	73.0
2002	5,886	59.2	0.77	57.7	60.8	993	71.5	2.31	67.1	76.2
2003	5,661	56.6	0.76	55.1	58.1	1,030	72.6	2.31	68.2	77.3
2004	5,766	57.5	0.76	56.0	59.0	1,014	69.2	2.22	64.9	73.7
2005	5,528	54.8	0.74	53.3	56.2	981	66.4	2.16	62.2	70.7
2006	5,524	54.5	0.74	53.0	55.9	1,030	68.0	2.16	63.8	72.4
2007	5,353	52.3	0.72	50.9	53.8	987	63.7	2.07	59.7	67.8
2008	5,224	50.6	0.71	49.2	52.0	1,005	63.7	2.05	59.7	67.8
2009	4,875	46.9	0.68	45.5	48.2	951	58.8	1.95	55.0	62.7
2010	4,860	46.3	0.68	45.0	47.6	995	60.9	1.98	57.1	64.9
2011	4,871	46.0	0.67	44.7	47.4	1,045	61.2	1.94	57.4	65.1
2012	4,666	43.4	0.65	42.2	44.7	938	54.9	1.83	51.3	58.6
2013	4,683	43.3	0.65	42.0	44.6	990	55.8	1.81	52.3	59.4
2014	4,614	42.2	0.64	41.0	43.5	965	53.8	1.77	50.4	57.4
2015	4,689	43.1	0.65	41.9	44.4	935	50.7	1.70	47.4	54.1
2016	4,751	43.6	0.65	42.3	44.9	995	53.5	1.74	50.1	57.0
2017	4,496	41.2	0.64	40.0	42.5	911	48.0	1.63	44.9	51.3
2018	4,491	41.0	0.64	39.7	42.2	973	51.2	1.68	47.9	54.6
2019	4,304	39.2	0.62	38.0	40.4	913	47.1	1.59	44.0	50.3
2020	3,837	34.9	0.59	33.8	36.1	763	39.2	1.45	36.4	42.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon and Rectum											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,847	42.1	0.70	40.7	43.5	99,717	61.7	0.20	61.3	62.1	
1990	69	45.2	6.47	33.5	59.4	3,196	75.2	1.38	72.5	78.0	
1991	52	35.4	6.01	24.6	48.7	3,229	75.1	1.36	72.4	77.8	
1992	66	41.4	6.18	30.2	55.0	3,277	75.2	1.35	72.6	77.9	
1993	71	43.2	6.25	31.8	56.8	3,170	71.8	1.31	69.2	74.4	
1994	79	41.1	5.64	30.8	53.4	3,175	71.2	1.29	68.7	73.8	
1995	86	57.3	7.58	43.4	73.6	3,176	70.9	1.28	68.4	73.4	
1996	77	40.8	5.64	30.5	53.1	3,212	71.0	1.28	68.5	73.6	
1997	105	54.9	6.28	43.3	68.3	3,374	73.8	1.29	71.3	76.4	
1998	99	56.5	6.94	43.8	71.3	3,518	76.0	1.30	73.4	78.5	
1999	116	53.0	6.17	41.6	66.1	3,490	74.6	1.28	72.1	77.2	
2000	102	42.3	5.02	33.0	53.0	3,590	75.6	1.28	73.2	78.2	
2001	113	47.9	5.34	38.0	59.2	3,416	71.8	1.24	69.4	74.3	
2002	155	61.0	5.92	49.9	73.4	3,520	72.7	1.24	70.3	75.2	
2003	148	48.5	4.82	39.5	58.6	3,486	71.1	1.22	68.7	73.5	
2004	161	57.8	5.62	47.4	69.6	3,459	69.5	1.20	67.1	71.8	
2005	147	46.1	4.50	37.7	55.6	3,363	66.5	1.16	64.3	68.8	
2006	155	46.0	4.31	37.9	55.1	3,380	65.9	1.15	63.6	68.2	
2007	169	46.1	4.25	38.2	55.1	3,298	63.3	1.12	61.2	65.6	
2008	158	41.9	3.93	34.5	50.1	3,264	61.3	1.09	59.2	63.5	
2009	157	40.5	3.74	33.5	48.4	3,056	56.4	1.04	54.4	58.5	
2010	184	38.7	3.30	32.5	45.6	3,145	57.2	1.04	55.1	59.2	
2011	190	39.7	3.36	33.4	46.8	3,133	55.7	1.02	53.8	57.8	
2012	194	40.6	3.34	34.4	47.6	3,051	53.3	0.99	51.4	55.3	
2013	179	35.1	2.98	29.5	41.3	3,064	52.4	0.97	50.6	54.4	
2014	218	40.5	3.11	34.7	47.0	3,046	51.2	0.95	49.4	53.1	
2015	243	41.0	2.97	35.4	47.2	3,108	51.8	0.95	50.0	53.7	
2016	242	36.8	2.64	31.8	42.3	3,108	51.1	0.94	49.2	52.9	
2017	285	41.9	2.76	36.7	47.6	2,952	48.3	0.91	46.5	50.1	
2018	280	39.4	2.63	34.5	44.9	2,955	47.9	0.91	46.1	49.7	
2019	287	39.2	2.53	34.4	44.4	2,897	46.4	0.89	44.6	48.1	
2020	260	34.9	2.38	30.4	39.9	2,609	41.7	0.84	40.1	43.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon and Rectum											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	83,350	61.0	0.21	60.6	61.4	13,528	70.9	0.64	69.6	72.1	
1990	2,832	75.2	1.46	72.4	78.1	329	76.6	4.52	68.0	85.9	
1991	2,886	76.1	1.46	73.2	79.0	312	68.9	4.16	60.9	77.4	
1992	2,924	76.2	1.45	73.4	79.1	312	68.6	4.15	60.7	77.1	
1993	2,774	71.4	1.39	68.7	74.2	355	76.9	4.38	68.6	85.9	
1994	2,799	71.5	1.38	68.8	74.2	338	73.4	4.28	65.3	82.2	
1995	2,737	69.9	1.36	67.3	72.7	386	80.6	4.36	72.2	89.5	
1996	2,788	70.9	1.36	68.2	73.6	359	70.3	3.93	62.8	78.4	
1997	2,911	73.3	1.37	70.6	76.0	402	78.9	4.18	70.9	87.4	
1998	3,026	75.3	1.38	72.6	78.0	438	85.3	4.32	77.0	94.1	
1999	3,015	74.5	1.37	71.9	77.3	401	76.6	4.05	68.9	84.9	
2000	3,071	75.1	1.37	72.5	77.9	443	82.0	4.11	74.1	90.4	
2001	2,914	71.3	1.33	68.7	74.0	424	76.7	3.93	69.2	84.7	
2002	2,977	71.8	1.33	69.2	74.5	465	84.6	4.16	76.7	93.1	
2003	2,914	69.6	1.30	67.1	72.2	492	85.6	4.08	77.8	94.0	
2004	2,893	68.4	1.28	65.9	70.9	487	81.6	3.89	74.1	89.6	
2005	2,790	65.0	1.24	62.6	67.5	468	79.6	3.89	72.2	87.6	
2006	2,782	64.1	1.23	61.7	66.6	499	81.3	3.83	74.0	89.1	
2007	2,716	61.8	1.20	59.5	64.2	474	75.4	3.65	68.4	82.9	
2008	2,640	59.1	1.16	56.8	61.4	501	78.3	3.70	71.2	85.8	
2009	2,468	54.4	1.11	52.2	56.6	498	75.8	3.59	69.0	83.2	
2010	2,557	55.5	1.12	53.3	57.7	487	73.1	3.49	66.4	80.2	
2011	2,533	54.2	1.10	52.1	56.4	504	70.6	3.30	64.3	77.3	
2012	2,464	51.7	1.06	49.7	53.9	453	65.1	3.21	59.0	71.7	
2013	2,445	50.7	1.05	48.7	52.8	496	67.8	3.20	61.7	74.4	
2014	2,431	49.6	1.03	47.6	51.6	495	67.0	3.16	60.9	73.4	
2015	2,505	51.0	1.05	48.9	53.1	461	61.5	3.00	55.8	67.7	
2016	2,485	49.8	1.03	47.8	51.9	483	63.0	3.00	57.3	69.2	
2017	2,369	47.7	1.01	45.7	49.7	443	57.7	2.86	52.2	63.6	
2018	2,336	46.7	1.00	44.7	48.7	463	58.5	2.82	53.1	64.3	
2019	2,289	45.3	0.98	43.4	47.3	458	56.8	2.75	51.5	62.4	
2020	2,079	41.1	0.94	39.3	43.0	402	49.6	2.56	44.7	54.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon and Rectum											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,902	30.4	0.52	29.4	31.5	97,573	45.0	0.15	44.7	45.3	
1990	60	33.2	4.70	24.7	43.5	3,310	52.7	0.93	50.9	54.6	
1991	41	24.4	4.20	16.8	33.7	3,250	51.3	0.91	49.5	53.1	
1992	47	26.3	4.12	18.9	35.4	3,178	49.4	0.89	47.6	51.1	
1993	73	40.6	5.08	31.3	51.6	3,280	50.3	0.89	48.6	52.1	
1994	68	34.4	4.58	26.0	44.3	3,509	53.4	0.91	51.7	55.3	
1995	81	42.4	5.13	33.0	53.4	3,369	51.2	0.89	49.5	53.0	
1996	77	35.8	4.46	27.6	45.4	3,437	51.7	0.89	49.9	53.5	
1997	79	36.8	4.52	28.5	46.5	3,493	52.3	0.89	50.6	54.1	
1998	87	37.9	4.48	29.6	47.4	3,668	54.7	0.91	52.9	56.5	
1999	75	30.8	3.94	23.6	39.3	3,505	52.0	0.89	50.3	53.8	
2000	99	37.3	4.20	29.5	46.2	3,537	52.1	0.89	50.4	53.9	
2001	108	37.2	3.99	29.8	45.7	3,443	50.6	0.87	48.9	52.3	
2002	89	29.0	3.38	22.7	36.2	3,515	51.6	0.88	49.8	53.3	
2003	96	31.0	3.50	24.5	38.5	3,362	49.2	0.86	47.5	50.9	
2004	117	35.1	3.59	28.4	42.7	3,463	50.3	0.87	48.6	52.0	
2005	136	37.8	3.56	31.2	45.3	3,332	48.2	0.85	46.6	49.9	
2006	141	37.1	3.47	30.6	44.4	3,368	48.8	0.85	47.1	50.5	
2007	131	33.0	3.15	27.1	39.6	3,232	46.4	0.83	44.7	48.0	
2008	132	28.1	2.65	23.2	33.7	3,166	45.1	0.82	43.5	46.7	
2009	143	29.4	2.66	24.4	35.0	2,943	41.7	0.78	40.2	43.3	
2010	130	26.7	2.55	21.9	32.1	2,907	40.5	0.77	39.0	42.1	
2011	152	29.3	2.55	24.5	34.7	2,972	41.1	0.77	39.6	42.6	
2012	153	27.3	2.36	22.8	32.2	2,787	38.1	0.74	36.7	39.6	
2013	158	28.5	2.43	23.9	33.6	2,825	38.4	0.74	36.9	39.9	
2014	190	30.9	2.39	26.4	35.9	2,763	37.3	0.73	35.9	38.8	
2015	181	27.3	2.15	23.3	31.8	2,756	37.2	0.73	35.8	38.7	
2016	227	32.9	2.31	28.5	37.7	2,899	39.4	0.76	38.0	41.0	
2017	200	27.7	2.08	23.8	32.1	2,706	36.1	0.72	34.7	37.6	
2018	229	31.2	2.17	27.1	35.7	2,769	36.8	0.73	35.4	38.3	
2019	216	28.3	2.00	24.5	32.4	2,592	34.5	0.71	33.1	35.9	
2020	186	23.4	1.79	20.0	27.2	2,237	29.5	0.65	28.3	30.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon and Rectum											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	80,727	44.1	0.16	43.8	44.4	14,488	52.2	0.44	51.4	53.1	
1990	2,920	52.4	0.99	50.4	54.3	370	56.5	2.99	50.8	62.7	
1991	2,850	50.7	0.97	48.8	52.7	361	53.9	2.88	48.4	59.8	
1992	2,821	49.5	0.95	47.6	51.4	326	46.6	2.61	41.6	52.0	
1993	2,867	49.9	0.95	48.1	51.8	378	54.6	2.84	49.2	60.5	
1994	3,053	52.8	0.97	50.9	54.7	415	58.1	2.88	52.6	64.0	
1995	2,903	50.3	0.95	48.5	52.2	418	57.1	2.82	51.7	62.9	
1996	2,953	50.8	0.95	49.0	52.7	437	59.6	2.88	54.1	65.5	
1997	2,982	51.3	0.96	49.5	53.3	466	62.6	2.93	57.0	68.6	
1998	3,109	53.5	0.98	51.6	55.5	496	65.1	2.95	59.4	71.1	
1999	2,990	51.2	0.95	49.3	53.1	457	57.3	2.70	52.1	62.8	
2000	2,999	51.1	0.95	49.3	53.0	468	57.8	2.69	52.7	63.3	
2001	2,874	49.1	0.93	47.3	50.9	511	62.6	2.79	57.3	68.3	
2002	2,909	49.7	0.94	47.9	51.6	528	63.4	2.78	58.1	69.1	
2003	2,747	47.1	0.92	45.3	48.9	538	63.8	2.77	58.5	69.5	
2004	2,873	49.0	0.93	47.2	50.9	527	60.8	2.67	55.6	66.2	
2005	2,738	46.7	0.91	44.9	48.5	513	58.2	2.59	53.3	63.5	
2006	2,742	47.1	0.92	45.3	48.9	531	59.2	2.59	54.2	64.5	
2007	2,637	45.0	0.90	43.2	46.8	513	56.1	2.50	51.3	61.2	
2008	2,584	44.0	0.89	42.3	45.8	504	54.2	2.44	49.5	59.2	
2009	2,407	41.0	0.86	39.3	42.7	453	47.8	2.27	43.4	52.4	
2010	2,303	38.9	0.84	37.3	40.6	508	52.4	2.35	47.9	57.2	
2011	2,338	39.1	0.84	37.5	40.8	541	54.1	2.36	49.6	59.0	
2012	2,202	36.6	0.81	35.0	38.2	485	48.1	2.22	43.9	52.7	
2013	2,238	37.3	0.82	35.7	38.9	494	47.7	2.18	43.5	52.2	
2014	2,183	36.1	0.80	34.5	37.7	470	45.1	2.12	41.1	49.5	
2015	2,184	36.4	0.82	34.8	38.1	474	44.1	2.06	40.1	48.3	
2016	2,266	38.5	0.85	36.8	40.2	512	47.2	2.13	43.2	51.6	
2017	2,127	35.6	0.82	34.0	37.2	468	42.1	1.99	38.3	46.2	
2018	2,155	35.9	0.81	34.3	37.5	510	45.9	2.08	41.9	50.2	
2019	2,015	33.9	0.80	32.3	35.5	455	40.4	1.93	36.7	44.4	
2020	1,758	29.3	0.74	27.8	30.8	361	31.7	1.71	28.5	35.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon excluding Rectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	5,672	24.1	0.35	23.4	24.8	143,136	37.8	0.10	37.6	38.0
1990	82	24.7	3.08	19.1	31.4	4,778	45.4	0.66	44.1	46.7
1991	61	20.5	2.97	15.1	26.9	4,660	43.8	0.65	42.5	45.0
1992	78	23.8	3.03	18.2	30.3	4,676	43.2	0.64	42.0	44.5
1993	95	28.0	3.24	22.0	34.9	4,716	43.1	0.63	41.9	44.4
1994	100	26.8	3.08	21.1	33.4	5,012	45.5	0.64	44.2	46.8
1995	117	34.7	3.63	28.0	42.4	4,764	43.0	0.62	41.8	44.2
1996	99	25.0	2.85	19.7	31.0	4,901	43.9	0.63	42.7	45.2
1997	128	32.0	3.18	26.0	38.7	5,008	44.5	0.63	43.3	45.8
1998	119	30.6	3.21	24.6	37.3	5,303	46.7	0.64	45.4	48.0
1999	129	27.6	2.80	22.4	33.5	5,145	45.0	0.63	43.7	46.2
2000	142	28.4	2.78	23.2	34.3	5,276	45.8	0.63	44.6	47.1
2001	151	29.8	2.75	24.6	35.6	5,088	43.9	0.62	42.7	45.1
2002	152	27.6	2.53	22.8	32.9	5,108	43.8	0.61	42.6	45.0
2003	162	26.0	2.37	21.5	30.9	5,072	43.1	0.61	42.0	44.3
2004	189	32.3	2.69	27.2	37.9	5,048	42.7	0.60	41.5	43.9
2005	186	29.4	2.41	24.8	34.4	4,844	40.6	0.59	39.4	41.7
2006	211	29.9	2.33	25.5	34.7	4,898	40.8	0.59	39.6	41.9
2007	203	28.4	2.25	24.1	33.0	4,784	39.3	0.57	38.2	40.4
2008	178	21.2	1.77	17.9	24.9	4,599	37.3	0.56	36.2	38.4
2009	192	23.5	1.88	20.0	27.4	4,347	34.9	0.54	33.9	36.0
2010	201	22.2	1.75	18.9	25.8	4,301	34.1	0.53	33.1	35.1
2011	232	23.0	1.68	19.9	26.5	4,396	34.4	0.53	33.4	35.5
2012	228	23.0	1.67	19.8	26.5	4,171	32.1	0.51	31.1	33.1
2013	204	20.1	1.55	17.2	23.4	4,213	31.9	0.50	30.9	32.9
2014	266	24.2	1.62	21.1	27.5	4,148	31.0	0.49	30.1	32.0
2015	275	22.6	1.48	19.7	25.6	4,187	31.2	0.49	30.2	32.2
2016	299	23.2	1.45	20.4	26.2	4,298	31.9	0.50	30.9	32.8
2017	292	21.5	1.36	18.9	24.3	4,021	29.4	0.48	28.5	30.4
2018	302	21.3	1.32	18.8	24.0	4,069	29.7	0.48	28.7	30.6
2019	308	21.3	1.29	18.8	23.9	3,876	27.9	0.46	27.0	28.8
2020	291	19.4	1.21	17.1	21.9	3,429	24.7	0.43	23.8	25.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon excluding Rectum											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	118,550	37.0	0.11	36.8	37.2	21,355	45.9	0.32	45.3	46.5	
1990	4,190	44.9	0.70	43.5	46.3	551	50.7	2.23	46.5	55.3	
1991	4,125	43.8	0.69	42.4	45.1	497	44.4	2.05	40.5	48.6	
1992	4,132	43.3	0.68	42.0	44.6	496	42.6	1.97	38.9	46.6	
1993	4,119	42.7	0.67	41.4	44.1	554	47.8	2.08	43.8	52.0	
1994	4,361	45.0	0.68	43.7	46.4	596	50.8	2.13	46.7	55.1	
1995	4,056	41.8	0.66	40.5	43.1	643	53.3	2.15	49.2	57.7	
1996	4,201	43.1	0.67	41.8	44.4	628	51.1	2.09	47.1	55.3	
1997	4,280	43.6	0.67	42.3	45.0	661	53.3	2.12	49.2	57.6	
1998	4,471	45.3	0.68	44.0	46.6	754	59.7	2.22	55.4	64.2	
1999	4,372	44.1	0.67	42.8	45.4	678	51.4	2.01	47.5	55.5	
2000	4,461	44.8	0.67	43.5	46.2	720	53.8	2.04	49.8	57.9	
2001	4,259	42.6	0.66	41.4	43.9	736	54.3	2.04	50.4	58.5	
2002	4,232	42.3	0.65	41.0	43.6	776	56.2	2.06	52.2	60.4	
2003	4,172	41.5	0.65	40.2	42.8	802	57.2	2.06	53.2	61.3	
2004	4,198	41.6	0.65	40.4	42.9	768	53.1	1.95	49.3	57.1	
2005	3,988	39.3	0.63	38.1	40.6	746	51.2	1.91	47.5	55.1	
2006	3,993	39.2	0.63	38.0	40.5	790	52.7	1.91	49.0	56.6	
2007	3,922	38.1	0.62	36.9	39.4	752	49.2	1.83	45.6	52.9	
2008	3,716	35.9	0.60	34.7	37.1	761	48.8	1.81	45.4	52.5	
2009	3,525	33.8	0.58	32.7	35.0	714	44.9	1.72	41.6	48.4	
2010	3,421	32.5	0.57	31.4	33.7	762	47.2	1.75	43.8	50.7	
2011	3,512	33.2	0.57	32.0	34.3	771	45.9	1.69	42.6	49.3	
2012	3,327	30.8	0.55	29.8	31.9	695	41.5	1.61	38.4	44.7	
2013	3,343	30.7	0.54	29.7	31.8	735	42.1	1.59	39.0	45.3	
2014	3,268	29.8	0.53	28.7	30.8	736	41.3	1.56	38.3	44.5	
2015	3,348	30.6	0.54	29.5	31.7	696	38.0	1.47	35.1	41.0	
2016	3,422	31.3	0.55	30.2	32.4	721	39.1	1.49	36.2	42.1	
2017	3,224	29.3	0.54	28.3	30.4	650	34.6	1.39	31.9	37.4	
2018	3,164	28.6	0.53	27.6	29.7	734	38.8	1.46	36.0	41.8	
2019	3,033	27.2	0.51	26.2	28.3	679	35.2	1.38	32.6	38.0	
2020	2,715	24.3	0.49	23.4	25.3	553	28.4	1.23	26.0	30.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon excluding Rectum											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,983	27.2	0.57	26.1	28.4	68,871	43.0	0.17	42.7	43.4	
1990	43	30.1	5.47	20.4	42.4	2,253	53.3	1.16	51.1	55.7	
1991	34	23.1	4.77	14.7	33.9	2,240	52.5	1.15	50.3	54.8	
1992	49	32.4	5.68	22.2	45.0	2,294	53.2	1.14	51.0	55.5	
1993	45	29.8	5.48	20.0	42.0	2,209	50.4	1.10	48.2	52.6	
1994	49	26.3	4.55	18.1	36.4	2,283	51.9	1.11	49.7	54.1	
1995	61	41.1	6.42	29.5	55.1	2,210	49.7	1.08	47.6	51.8	
1996	44	23.6	4.23	16.0	33.1	2,246	50.2	1.08	48.1	52.4	
1997	69	35.6	4.98	26.5	46.5	2,328	51.4	1.08	49.3	53.6	
1998	58	36.1	5.73	25.8	48.6	2,462	53.5	1.09	51.4	55.7	
1999	74	34.6	4.96	25.6	45.4	2,426	52.3	1.08	50.2	54.5	
2000	69	28.9	4.23	21.2	38.1	2,516	53.6	1.08	51.5	55.7	
2001	74	32.9	4.50	24.7	42.6	2,408	51.2	1.05	49.1	53.3	
2002	85	35.1	4.54	26.7	44.8	2,434	50.8	1.04	48.8	52.9	
2003	102	33.0	4.00	25.7	41.6	2,486	51.1	1.04	49.1	53.2	
2004	99	38.2	4.68	29.6	48.2	2,386	48.5	1.00	46.5	50.5	
2005	92	30.8	3.72	24.0	38.8	2,314	46.2	0.97	44.4	48.2	
2006	106	33.2	3.69	26.4	41.1	2,348	46.4	0.97	44.5	48.4	
2007	108	31.8	3.66	25.1	39.6	2,307	44.7	0.94	42.9	46.6	
2008	90	23.7	2.96	18.3	30.1	2,208	42.0	0.91	40.2	43.8	
2009	90	26.2	3.14	20.4	32.9	2,090	39.2	0.87	37.5	40.9	
2010	113	24.9	2.70	19.8	30.6	2,128	39.3	0.87	37.6	41.0	
2011	124	25.3	2.65	20.4	31.0	2,134	38.5	0.85	36.9	40.2	
2012	125	27.2	2.77	22.1	33.1	2,057	36.5	0.82	35.0	38.2	
2013	102	21.6	2.43	17.1	26.8	2,090	36.2	0.81	34.6	37.8	
2014	133	27.8	2.72	22.7	33.5	2,097	35.6	0.80	34.0	37.2	
2015	146	24.9	2.33	20.5	29.8	2,096	35.3	0.79	33.8	36.9	
2016	151	24.3	2.21	20.1	28.9	2,134	35.3	0.78	33.8	36.9	
2017	160	25.0	2.19	20.9	29.6	1,984	32.7	0.75	31.3	34.2	
2018	157	22.7	2.02	18.9	27.0	2,000	32.6	0.75	31.1	34.1	
2019	172	24.7	2.06	20.8	29.1	1,960	31.5	0.73	30.1	33.0	
2020	159	23.1	2.02	19.3	27.3	1,743	27.9	0.69	26.5	29.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon excluding Rectum										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	57,208	42.2	0.18	41.8	42.5	9,970	53.1	0.56	52.0	54.2
1990	1,977	52.8	1.22	50.4	55.2	251	59.0	3.98	51.5	67.2
1991	1,999	53.1	1.22	50.7	55.6	226	49.6	3.52	43.0	56.9
1992	2,026	53.4	1.22	51.0	55.8	241	53.3	3.67	46.3	60.9
1993	1,928	50.0	1.17	47.7	52.3	260	56.5	3.75	49.4	64.3
1994	1,999	51.6	1.18	49.3	54.0	258	57.4	3.84	50.1	65.3
1995	1,870	48.1	1.13	45.9	50.4	304	63.8	3.90	56.4	71.8
1996	1,926	49.4	1.14	47.2	51.7	282	56.3	3.56	49.5	63.6
1997	1,989	50.5	1.15	48.2	52.8	303	59.7	3.64	52.8	67.3
1998	2,081	52.1	1.15	49.8	54.4	348	68.2	3.88	60.9	76.2
1999	2,080	51.7	1.14	49.5	54.0	298	57.7	3.54	51.0	65.0
2000	2,135	52.6	1.15	50.4	54.9	334	63.3	3.66	56.3	70.8
2001	2,029	50.1	1.12	48.0	52.4	328	60.2	3.51	53.5	67.4
2002	2,029	49.4	1.10	47.2	51.6	358	65.7	3.67	58.7	73.2
2003	2,066	49.7	1.10	47.5	51.9	372	66.5	3.65	59.6	74.0
2004	2,005	47.8	1.08	45.8	50.0	341	57.9	3.30	51.6	64.7
2005	1,923	45.2	1.04	43.1	47.2	337	59.1	3.41	52.6	66.1
2006	1,922	44.8	1.03	42.8	46.9	368	61.0	3.35	54.6	67.9
2007	1,886	43.3	1.01	41.3	45.3	362	58.7	3.25	52.5	65.4
2008	1,764	39.8	0.96	38.0	41.8	375	59.5	3.25	53.3	66.2
2009	1,682	37.5	0.93	35.7	39.3	349	54.9	3.10	49.0	61.3
2010	1,703	37.5	0.92	35.7	39.4	362	55.1	3.06	49.2	61.4
2011	1,728	37.4	0.92	35.6	39.2	355	51.0	2.84	45.6	56.9
2012	1,654	35.1	0.88	33.4	36.9	320	47.7	2.79	42.4	53.4
2013	1,656	34.6	0.87	32.9	36.3	358	50.2	2.79	44.9	55.9
2014	1,656	34.0	0.86	32.4	35.7	371	51.1	2.78	45.8	56.8
2015	1,685	34.5	0.86	32.8	36.2	328	44.3	2.56	39.4	49.6
2016	1,707	34.4	0.86	32.8	36.1	341	45.2	2.56	40.3	50.5
2017	1,612	32.6	0.84	31.0	34.3	293	39.0	2.38	34.5	44.0
2018	1,561	31.3	0.82	29.7	33.0	342	43.7	2.45	39.0	48.8
2019	1,540	30.5	0.81	29.0	32.2	332	41.9	2.38	37.3	46.8
2020	1,390	27.3	0.76	25.9	28.9	273	33.9	2.12	29.9	38.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon excluding Rectum											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,689	21.6	0.45	20.7	22.5	74,265	33.9	0.13	33.7	34.2	
1990	39	21.0	3.66	14.5	29.2	2,525	40.1	0.81	38.5	41.7	
1991	27	17.8	3.72	11.3	26.3	2,420	38.1	0.78	36.5	39.6	
1992	29	17.0	3.35	11.0	24.6	2,382	36.8	0.76	35.3	38.4	
1993	50	27.0	4.09	19.6	36.0	2,507	38.3	0.77	36.8	39.8	
1994	51	26.8	4.10	19.4	35.8	2,729	41.3	0.80	39.8	42.9	
1995	56	30.5	4.37	22.5	40.0	2,554	38.6	0.77	37.1	40.1	
1996	55	25.9	3.81	19.0	34.2	2,655	39.7	0.78	38.2	41.3	
1997	59	28.3	4.03	21.0	37.1	2,680	39.9	0.78	38.4	41.4	
1998	61	27.3	3.85	20.2	35.6	2,841	42.0	0.80	40.4	43.6	
1999	55	22.3	3.31	16.3	29.5	2,719	40.0	0.78	38.5	41.6	
2000	73	27.8	3.65	21.1	35.7	2,760	40.4	0.78	38.8	41.9	
2001	77	27.5	3.46	21.2	35.0	2,680	39.0	0.76	37.5	40.5	
2002	67	22.0	2.95	16.6	28.4	2,674	38.9	0.76	37.4	40.4	
2003	60	19.6	2.83	14.5	25.8	2,586	37.6	0.75	36.1	39.1	
2004	90	28.2	3.28	22.2	35.3	2,662	38.3	0.75	36.8	39.8	
2005	94	28.0	3.15	22.2	34.8	2,530	36.3	0.73	34.9	37.8	
2006	105	27.1	2.94	21.6	33.3	2,550	36.6	0.74	35.2	38.1	
2007	95	25.5	2.85	20.2	31.6	2,477	35.2	0.72	33.8	36.7	
2008	88	19.5	2.24	15.4	24.3	2,391	33.8	0.70	32.5	35.3	
2009	102	22.0	2.35	17.7	27.0	2,257	31.7	0.68	30.4	33.1	
2010	88	19.5	2.24	15.4	24.3	2,173	30.0	0.66	28.8	31.4	
2011	108	21.1	2.18	17.1	25.7	2,262	31.1	0.67	29.8	32.4	
2012	103	19.5	2.06	15.7	23.9	2,114	28.7	0.64	27.4	29.9	
2013	102	19.1	2.02	15.3	23.4	2,123	28.6	0.64	27.4	29.9	
2014	133	21.8	2.02	18.0	26.1	2,051	27.3	0.62	26.1	28.6	
2015	129	20.5	1.91	16.9	24.6	2,091	27.9	0.63	26.7	29.1	
2016	148	22.4	1.95	18.7	26.5	2,164	29.1	0.65	27.8	30.4	
2017	132	18.5	1.71	15.3	22.2	2,037	26.8	0.62	25.6	28.0	
2018	145	20.0	1.74	16.7	23.7	2,069	27.1	0.62	25.9	28.3	
2019	136	18.3	1.64	15.2	21.8	1,916	24.9	0.59	23.8	26.1	
2020	132	16.5	1.50	13.7	19.7	1,686	21.9	0.56	20.8	23.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Colon excluding Rectum											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	61,342	33.1	0.14	32.8	33.3	11,385	41.2	0.39	40.5	42.0	
1990	2,213	39.4	0.85	37.8	41.2	300	45.8	2.69	40.7	51.3	
1991	2,126	37.6	0.83	36.0	39.3	271	40.9	2.52	36.1	46.1	
1992	2,106	36.7	0.81	35.1	38.3	255	36.5	2.31	32.1	41.3	
1993	2,191	37.8	0.82	36.2	39.5	294	42.3	2.49	37.5	47.4	
1994	2,362	40.5	0.85	38.9	42.2	338	47.7	2.62	42.7	53.1	
1995	2,186	37.5	0.82	36.0	39.2	339	46.8	2.56	41.9	52.0	
1996	2,275	38.9	0.83	37.3	40.5	346	47.3	2.57	42.4	52.5	
1997	2,291	39.1	0.83	37.5	40.7	358	48.3	2.57	43.3	53.5	
1998	2,390	40.6	0.85	39.0	42.3	406	53.7	2.69	48.6	59.2	
1999	2,292	38.7	0.82	37.1	40.4	380	47.8	2.47	43.1	52.9	
2000	2,326	39.2	0.83	37.6	40.9	386	48.0	2.46	43.3	53.0	
2001	2,230	37.5	0.81	36.0	39.1	408	50.2	2.50	45.4	55.3	
2002	2,203	37.2	0.81	35.6	38.8	418	50.4	2.48	45.6	55.5	
2003	2,106	35.7	0.79	34.1	37.3	430	51.2	2.49	46.5	56.3	
2004	2,193	36.9	0.80	35.3	38.5	427	49.6	2.42	45.0	54.6	
2005	2,065	34.7	0.78	33.2	36.3	409	46.7	2.33	42.3	51.5	
2006	2,071	35.0	0.79	33.5	36.6	422	47.3	2.32	42.9	52.1	
2007	2,036	34.2	0.78	32.7	35.8	390	43.1	2.21	38.9	47.7	
2008	1,952	32.9	0.77	31.4	34.5	386	41.9	2.15	37.8	46.3	
2009	1,843	30.9	0.74	29.5	32.4	365	38.6	2.05	34.7	42.9	
2010	1,718	28.6	0.71	27.2	30.0	400	41.6	2.11	37.6	45.9	
2011	1,784	29.6	0.72	28.1	31.0	416	41.9	2.08	37.9	46.2	
2012	1,673	27.4	0.69	26.0	28.8	375	37.5	1.96	33.8	41.6	
2013	1,687	27.7	0.70	26.3	29.1	377	36.8	1.92	33.1	40.8	
2014	1,612	26.2	0.68	24.9	27.6	365	34.9	1.86	31.4	38.8	
2015	1,663	27.3	0.70	25.9	28.7	368	34.2	1.82	30.8	38.0	
2016	1,715	28.7	0.73	27.3	30.2	380	35.1	1.83	31.6	38.9	
2017	1,612	26.4	0.70	25.1	27.8	357	32.2	1.74	28.9	35.8	
2018	1,603	26.1	0.69	24.8	27.5	392	35.2	1.81	31.7	38.9	
2019	1,493	24.4	0.67	23.1	25.7	347	30.6	1.68	27.4	34.1	
2020	1,325	21.6	0.63	20.4	22.9	280	24.4	1.49	21.5	27.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Rectum and Rectosigmoid Junction										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	3,077	11.6	0.23	11.2	12.1	54,154	14.4	0.06	14.3	14.5
1990	47	13.7	2.29	9.6	18.8	1,728	16.3	0.40	15.6	17.1
1991	32	9.0	1.86	5.7	13.2	1,819	17.0	0.40	16.2	17.8
1992	35	9.4	1.75	6.2	13.4	1,779	16.5	0.39	15.7	17.3
1993	49	14.0	2.22	9.9	18.9	1,734	15.9	0.38	15.1	16.6
1994	47	10.9	1.83	7.6	15.0	1,672	15.1	0.37	14.4	15.9
1995	50	13.5	2.24	9.5	18.5	1,781	16.1	0.38	15.4	16.9
1996	55	13.1	2.04	9.4	17.6	1,748	15.7	0.38	15.0	16.5
1997	56	13.1	1.97	9.6	17.5	1,859	16.7	0.39	15.9	17.4
1998	67	14.8	2.08	11.0	19.4	1,883	16.7	0.39	16.0	17.5
1999	62	13.0	1.97	9.5	17.3	1,850	16.3	0.38	15.6	17.1
2000	59	11.3	1.66	8.3	14.9	1,851	16.2	0.38	15.5	17.0
2001	70	12.0	1.68	9.0	15.7	1,771	15.4	0.37	14.7	16.2
2002	92	15.5	1.86	12.1	19.5	1,927	16.7	0.38	15.9	17.4
2003	82	13.2	1.64	10.2	16.7	1,776	15.2	0.36	14.5	15.9
2004	89	12.5	1.54	9.7	15.9	1,874	15.9	0.37	15.2	16.7
2005	97	12.2	1.42	9.6	15.2	1,851	15.6	0.36	14.9	16.3
2006	85	11.5	1.43	8.8	14.5	1,850	15.3	0.36	14.6	16.0
2007	97	10.6	1.22	8.4	13.2	1,746	14.4	0.35	13.7	15.1
2008	112	12.8	1.37	10.2	15.7	1,831	14.8	0.35	14.1	15.5
2009	108	10.6	1.14	8.5	13.0	1,652	13.2	0.33	12.5	13.8
2010	113	10.3	1.08	8.3	12.6	1,751	13.8	0.33	13.1	14.4
2011	110	11.0	1.16	8.8	13.5	1,709	13.3	0.33	12.6	13.9
2012	119	10.2	1.03	8.3	12.4	1,667	12.7	0.32	12.1	13.4
2013	133	11.4	1.08	9.4	13.7	1,676	12.7	0.32	12.1	13.4
2014	142	11.0	0.99	9.1	13.1	1,661	12.5	0.31	11.9	13.1
2015	149	11.0	0.97	9.2	13.1	1,677	12.6	0.32	12.0	13.2
2016	170	11.4	0.94	9.7	13.4	1,709	12.8	0.32	12.1	13.4
2017	193	12.9	1.00	11.0	15.0	1,637	12.2	0.31	11.6	12.8
2018	207	13.9	1.04	11.9	16.1	1,655	12.3	0.31	11.7	12.9
2019	195	12.1	0.92	10.4	14.0	1,613	12.0	0.31	11.4	12.6
2020	155	9.5	0.80	8.0	11.2	1,417	10.6	0.29	10.0	11.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Rectum and Rectosigmoid Junction											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	45,527	14.5	0.07	14.3	14.6	6,661	13.8	0.17	13.4	14.1	
1990	1,562	16.7	0.43	15.9	17.6	148	13.5	1.14	11.3	15.9	
1991	1,611	17.1	0.43	16.3	18.0	176	15.4	1.20	13.1	17.9	
1992	1,613	17.0	0.43	16.2	17.9	142	12.1	1.04	10.1	14.3	
1993	1,522	15.9	0.41	15.1	16.7	179	15.6	1.20	13.3	18.1	
1994	1,491	15.5	0.40	14.7	16.3	157	12.6	1.03	10.7	14.8	
1995	1,584	16.5	0.42	15.7	17.4	161	12.8	1.03	10.8	14.9	
1996	1,540	16.0	0.41	15.2	16.8	168	13.3	1.04	11.3	15.5	
1997	1,613	16.7	0.42	15.9	17.6	207	16.3	1.16	14.1	18.7	
1998	1,664	17.2	0.42	16.4	18.0	180	13.5	1.03	11.6	15.7	
1999	1,633	16.8	0.42	16.0	17.6	180	13.1	0.99	11.2	15.2	
2000	1,609	16.6	0.41	15.8	17.4	191	13.5	0.99	11.6	15.5	
2001	1,529	15.7	0.40	14.9	16.5	199	14.1	1.02	12.2	16.2	
2002	1,654	16.9	0.42	16.1	17.7	217	15.3	1.06	13.3	17.5	
2003	1,489	15.1	0.39	14.3	15.9	228	15.5	1.04	13.5	17.6	
2004	1,568	15.9	0.40	15.1	16.7	246	16.1	1.04	14.1	18.3	
2005	1,540	15.4	0.40	14.7	16.2	235	15.1	1.01	13.2	17.2	
2006	1,531	15.2	0.39	14.5	16.0	240	15.3	1.01	13.4	17.4	
2007	1,431	14.2	0.38	13.5	15.0	235	14.5	0.97	12.7	16.5	
2008	1,508	14.7	0.38	14.0	15.5	244	14.9	0.97	13.0	16.9	
2009	1,350	13.1	0.36	12.4	13.8	237	13.9	0.92	12.1	15.8	
2010	1,439	13.7	0.37	13.0	14.5	233	13.7	0.92	12.0	15.6	
2011	1,359	12.9	0.36	12.2	13.6	274	15.3	0.95	13.5	17.3	
2012	1,339	12.6	0.35	11.9	13.3	243	13.4	0.88	11.8	15.3	
2013	1,340	12.6	0.35	11.9	13.3	255	13.7	0.88	12.0	15.5	
2014	1,346	12.4	0.35	11.8	13.1	229	12.5	0.84	10.9	14.2	
2015	1,341	12.6	0.35	11.9	13.3	239	12.7	0.84	11.1	14.4	
2016	1,329	12.3	0.35	11.7	13.1	274	14.4	0.89	12.7	16.2	
2017	1,272	11.9	0.35	11.3	12.6	261	13.5	0.85	11.8	15.2	
2018	1,327	12.3	0.35	11.7	13.1	239	12.4	0.82	10.8	14.1	
2019	1,271	11.9	0.35	11.3	12.7	234	11.9	0.80	10.4	13.6	
2020	1,122	10.6	0.33	9.9	11.3	210	10.8	0.76	9.3	12.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Rectum and Rectosigmoid Junction											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,864	14.9	0.40	14.1	15.7	30,846	18.7	0.11	18.5	18.9	
1990	26	15.1	3.45	9.1	23.3	943	21.9	0.74	20.5	23.4	
1991	18	12.3	3.66	6.2	21.1	989	22.6	0.74	21.2	24.1	
1992	17	9.1	2.43	5.0	15.1	983	22.0	0.72	20.6	23.5	
1993	26	13.4	3.01	8.1	20.5	961	21.4	0.71	20.0	22.8	
1994	30	14.8	3.32	9.1	22.6	892	19.3	0.66	18.1	20.7	
1995	25	16.2	4.03	9.3	25.5	966	21.2	0.70	19.8	22.6	
1996	33	17.3	3.73	10.7	25.8	966	20.8	0.68	19.5	22.2	
1997	36	19.3	3.82	12.5	27.9	1,046	22.4	0.70	21.1	23.8	
1998	41	20.4	3.92	13.5	29.2	1,056	22.4	0.70	21.1	23.8	
1999	42	18.4	3.66	11.9	26.6	1,064	22.3	0.69	21.0	23.7	
2000	33	13.4	2.71	8.7	19.6	1,074	22.1	0.68	20.8	23.4	
2001	39	15.0	2.89	9.9	21.5	1,008	20.7	0.66	19.4	22.0	
2002	70	25.9	3.81	19.0	34.2	1,086	21.9	0.67	20.6	23.3	
2003	46	15.4	2.68	10.6	21.4	1,000	19.9	0.64	18.7	21.2	
2004	62	19.6	3.10	14.0	26.5	1,073	21.0	0.65	19.7	22.3	
2005	55	15.3	2.54	10.7	20.9	1,049	20.3	0.63	19.1	21.6	
2006	49	12.8	2.23	8.8	17.8	1,032	19.5	0.61	18.3	20.7	
2007	61	14.3	2.16	10.4	19.1	991	18.6	0.60	17.5	19.8	
2008	68	18.1	2.58	13.4	23.8	1,056	19.4	0.61	18.2	20.6	
2009	67	14.4	2.03	10.7	18.8	966	17.3	0.57	16.2	18.4	
2010	71	13.9	1.89	10.4	18.0	1,017	17.9	0.57	16.8	19.0	
2011	66	14.4	2.06	10.7	18.9	999	17.2	0.56	16.1	18.3	
2012	69	13.4	1.86	10.0	17.5	994	16.8	0.54	15.7	17.9	
2013	77	13.5	1.72	10.3	17.2	974	16.3	0.53	15.3	17.4	
2014	85	12.7	1.50	10.0	16.0	949	15.7	0.52	14.7	16.7	
2015	97	16.1	1.85	12.7	20.1	1,012	16.5	0.53	15.5	17.6	
2016	91	12.5	1.44	9.9	15.7	974	15.7	0.52	14.7	16.8	
2017	125	17.0	1.68	13.8	20.6	968	15.5	0.51	14.6	16.6	
2018	123	16.7	1.68	13.6	20.3	955	15.3	0.51	14.4	16.4	
2019	115	14.4	1.47	11.7	17.6	937	14.9	0.50	13.9	15.9	
2020	101	11.9	1.26	9.5	14.6	866	13.9	0.49	13.0	14.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Rectum and Rectosigmoid Junction											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	26,142	18.8	0.12	18.6	19.0	3,558	17.8	0.31	17.2	18.4	
1990	855	22.4	0.79	20.9	24.0	78	17.6	2.15	13.7	22.3	
1991	887	23.0	0.79	21.5	24.6	86	19.2	2.22	15.1	24.0	
1992	898	22.9	0.78	21.4	24.4	71	15.3	1.95	11.7	19.5	
1993	846	21.5	0.75	20.0	23.0	95	20.4	2.27	16.2	25.3	
1994	800	19.8	0.71	18.5	21.3	80	16.0	1.90	12.5	20.2	
1995	867	21.8	0.75	20.4	23.3	82	16.8	1.96	13.1	21.0	
1996	862	21.5	0.74	20.0	23.0	77	14.0	1.65	11.0	17.6	
1997	922	22.8	0.76	21.3	24.3	99	19.1	2.05	15.3	23.5	
1998	945	23.2	0.76	21.7	24.7	90	17.0	1.89	13.5	21.1	
1999	935	22.8	0.75	21.3	24.3	103	18.9	1.96	15.3	23.1	
2000	936	22.5	0.74	21.1	24.0	109	18.7	1.87	15.2	22.7	
2001	885	21.2	0.72	19.8	22.7	96	16.5	1.77	13.2	20.3	
2002	948	22.4	0.73	21.0	23.9	107	19.0	1.95	15.3	23.1	
2003	848	20.0	0.69	18.6	21.4	120	19.1	1.83	15.7	23.0	
2004	888	20.5	0.69	19.2	21.9	146	23.7	2.06	19.8	28.0	
2005	867	19.9	0.68	18.5	21.2	131	20.5	1.88	17.0	24.6	
2006	860	19.3	0.66	18.0	20.6	131	20.3	1.85	16.8	24.2	
2007	830	18.6	0.65	17.3	19.9	112	16.7	1.66	13.6	20.3	
2008	876	19.2	0.66	18.0	20.6	126	18.7	1.76	15.4	22.5	
2009	786	16.9	0.61	15.7	18.2	149	20.9	1.82	17.5	24.8	
2010	854	18.0	0.63	16.8	19.2	125	18.0	1.69	14.8	21.6	
2011	805	16.8	0.61	15.7	18.1	149	19.6	1.68	16.4	23.1	
2012	810	16.6	0.60	15.4	17.8	133	17.4	1.59	14.5	20.8	
2013	789	16.1	0.59	15.0	17.3	138	17.7	1.57	14.7	21.0	
2014	775	15.6	0.58	14.5	16.7	124	15.9	1.49	13.1	19.1	
2015	820	16.5	0.59	15.3	17.7	133	17.2	1.57	14.3	20.6	
2016	778	15.4	0.57	14.3	16.6	142	17.8	1.56	14.9	21.1	
2017	757	15.1	0.57	14.0	16.3	150	18.7	1.59	15.7	22.0	
2018	775	15.4	0.57	14.3	16.6	121	14.8	1.39	12.2	17.8	
2019	749	14.8	0.56	13.7	16.0	126	14.9	1.37	12.3	17.9	
2020	689	13.8	0.55	12.7	14.9	129	15.7	1.43	13.0	18.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Rectum and Rectosigmoid Junction										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,213	8.8	0.27	8.3	9.4	23,308	11.1	0.07	10.9	11.2
1990	21	12.2	2.95	7.2	19.1	785	12.7	0.46	11.8	13.6
1991	14	6.6	1.96	3.3	11.4	830	13.2	0.47	12.3	14.2
1992	18	9.4	2.40	5.3	15.1	796	12.5	0.45	11.7	13.4
1993	23	13.6	3.02	8.4	20.5	773	12.1	0.44	11.2	12.9
1994	17	7.6	2.03	4.2	12.5	780	12.1	0.44	11.3	13.0
1995	25	11.9	2.68	7.3	18.1	815	12.6	0.45	11.8	13.5
1996	22	9.9	2.33	5.9	15.3	782	12.0	0.43	11.1	12.8
1997	20	8.5	2.03	5.0	13.2	813	12.5	0.44	11.6	13.3
1998	26	10.6	2.29	6.6	15.9	827	12.7	0.45	11.9	13.6
1999	20	8.6	2.15	4.9	13.6	786	12.0	0.43	11.2	12.9
2000	26	9.4	2.08	5.8	14.2	777	11.8	0.43	11.0	12.6
2001	31	9.6	1.98	6.2	14.2	763	11.6	0.42	10.8	12.4
2002	22	7.0	1.63	4.2	10.8	841	12.6	0.44	11.8	13.5
2003	36	11.4	2.06	7.7	16.0	776	11.6	0.42	10.8	12.5
2004	27	6.9	1.46	4.3	10.3	801	12.0	0.43	11.2	12.9
2005	42	9.8	1.65	6.8	13.5	802	11.9	0.43	11.1	12.8
2006	36	10.1	1.85	6.8	14.2	818	12.1	0.43	11.3	13.0
2007	36	7.5	1.36	5.0	10.6	755	11.2	0.41	10.4	12.0
2008	44	8.6	1.42	6.1	11.8	775	11.2	0.41	10.4	12.1
2009	41	7.4	1.26	5.1	10.2	686	10.0	0.39	9.3	10.8
2010	42	7.2	1.20	5.0	9.9	734	10.5	0.40	9.7	11.3
2011	44	8.2	1.33	5.8	11.2	710	10.0	0.38	9.3	10.8
2012	50	7.7	1.16	5.6	10.3	673	9.4	0.37	8.7	10.2
2013	56	9.4	1.35	7.0	12.4	702	9.8	0.38	9.1	10.6
2014	57	9.0	1.27	6.7	11.9	712	10.0	0.38	9.2	10.7
2015	52	6.8	0.98	5.1	9.0	665	9.4	0.38	8.6	10.1
2016	79	10.5	1.24	8.2	13.2	735	10.4	0.40	9.6	11.2
2017	68	9.2	1.18	7.0	11.8	669	9.3	0.38	8.6	10.1
2018	84	11.2	1.29	8.9	14.0	700	9.7	0.38	9.0	10.5
2019	80	9.9	1.15	7.8	12.5	676	9.5	0.38	8.8	10.3
2020	54	6.9	0.98	5.1	9.1	551	7.6	0.34	7.0	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Rectum and Rectosigmoid Junction											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	19,385	11.0	0.08	10.9	11.2	3,103	11.0	0.20	10.6	11.4	
1990	707	12.9	0.50	12.0	13.9	70	10.8	1.31	8.4	13.6	
1991	724	13.1	0.50	12.1	14.1	90	13.0	1.39	10.4	16.0	
1992	715	12.8	0.49	11.9	13.8	71	10.1	1.22	7.9	12.8	
1993	676	12.1	0.47	11.2	13.1	84	12.4	1.36	9.8	15.3	
1994	691	12.3	0.48	11.4	13.2	77	10.5	1.21	8.3	13.1	
1995	717	12.8	0.49	11.9	13.8	79	10.4	1.18	8.2	12.9	
1996	678	12.0	0.47	11.1	12.9	91	12.4	1.31	10.0	15.2	
1997	691	12.3	0.47	11.3	13.2	108	14.3	1.39	11.7	17.3	
1998	719	12.9	0.49	12.0	13.9	90	11.4	1.21	9.1	14.0	
1999	698	12.4	0.48	11.5	13.4	77	9.4	1.08	7.4	11.8	
2000	673	12.0	0.47	11.1	12.9	82	9.9	1.09	7.8	12.2	
2001	644	11.6	0.46	10.7	12.5	103	12.5	1.24	10.2	15.1	
2002	706	12.5	0.48	11.6	13.5	110	13.1	1.25	10.7	15.7	
2003	641	11.4	0.46	10.5	12.4	108	12.6	1.22	10.3	15.2	
2004	680	12.2	0.48	11.2	13.1	100	11.1	1.12	9.1	13.6	
2005	673	12.0	0.47	11.1	13.0	104	11.5	1.13	9.4	13.9	
2006	671	12.1	0.48	11.1	13.0	109	11.9	1.15	9.7	14.4	
2007	601	10.7	0.45	9.9	11.7	123	13.0	1.18	10.8	15.5	
2008	632	11.1	0.45	10.3	12.1	118	12.3	1.14	10.1	14.7	
2009	564	10.0	0.43	9.2	10.9	88	9.1	0.99	7.3	11.3	
2010	585	10.3	0.44	9.5	11.2	108	10.8	1.05	8.8	13.1	
2011	554	9.6	0.42	8.8	10.4	125	12.2	1.11	10.1	14.6	
2012	529	9.2	0.42	8.4	10.1	110	10.6	1.03	8.7	12.8	
2013	551	9.6	0.42	8.8	10.5	117	10.9	1.02	9.0	13.1	
2014	571	9.9	0.43	9.1	10.8	105	10.2	1.01	8.3	12.4	
2015	521	9.2	0.42	8.4	10.0	106	9.9	0.98	8.1	12.0	
2016	551	9.8	0.44	8.9	10.7	132	12.1	1.08	10.1	14.4	
2017	515	9.2	0.43	8.4	10.1	111	9.9	0.96	8.1	12.0	
2018	552	9.8	0.44	8.9	10.7	118	10.7	1.01	8.8	12.9	
2019	522	9.5	0.44	8.6	10.4	108	9.8	0.96	8.0	11.8	
2020	433	7.7	0.39	6.9	8.5	81	7.4	0.84	5.8	9.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Anus, Anal Canal and Anorectum										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	335	1.3	0.08	1.2	1.5	5,889	1.6	0.02	1.5	1.6
1990	0					117	1.2	0.11	1.0	1.4
1991	2	0.6	0.44	0.1	2.1	104	1.0	0.10	0.8	1.2
1992	6	2.2	0.98	0.7	4.8	107	1.0	0.10	0.8	1.2
1993	8	1.9	0.77	0.7	4.0	96	0.9	0.09	0.7	1.1
1994	2	0.3	0.24	0.0	1.4	105	1.0	0.10	0.8	1.2
1995	6	2.1	0.98	0.6	4.6	118	1.1	0.10	0.9	1.3
1996	7	2.6	1.08	1.0	5.3	109	1.0	0.10	0.8	1.2
1997	5	0.6	0.27	0.2	1.6	120	1.1	0.10	0.9	1.3
1998	8	1.6	0.74	0.5	3.6	131	1.2	0.10	1.0	1.4
1999	9	1.6	0.56	0.7	3.1	143	1.3	0.11	1.1	1.5
2000	6	0.7	0.31	0.3	1.7	165	1.5	0.11	1.2	1.7
2001	8	1.0	0.41	0.4	2.2	165	1.4	0.11	1.2	1.7
2002	8	1.3	0.49	0.5	2.6	148	1.3	0.11	1.1	1.5
2003	10	1.7	0.58	0.7	3.2	186	1.6	0.12	1.4	1.9
2004	10	1.7	0.62	0.7	3.3	222	1.9	0.13	1.6	2.2
2005	9	0.9	0.34	0.4	1.8	166	1.4	0.11	1.2	1.6
2006	9	1.2	0.43	0.5	2.3	171	1.4	0.11	1.2	1.7
2007	11	1.4	0.47	0.6	2.6	212	1.8	0.12	1.5	2.0
2008	13	1.6	0.49	0.8	2.9	193	1.6	0.11	1.3	1.8
2009	18	1.8	0.50	1.0	3.0	226	1.9	0.12	1.6	2.1
2010	14	1.4	0.41	0.7	2.4	218	1.7	0.12	1.5	2.0
2011	14	1.3	0.37	0.7	2.2	213	1.7	0.12	1.5	1.9
2012	11	0.7	0.22	0.4	1.3	234	1.8	0.12	1.6	2.0
2013	15	1.1	0.31	0.6	1.9	260	2.0	0.13	1.8	2.3
2014	13	1.1	0.34	0.6	2.0	287	2.1	0.13	1.9	2.4
2015	19	1.6	0.39	0.9	2.5	239	1.8	0.12	1.5	2.0
2016	14	1.1	0.31	0.6	1.8	295	2.2	0.13	1.9	2.5
2017	17	1.4	0.36	0.8	2.3	276	2.0	0.12	1.8	2.3
2018	22	1.3	0.30	0.8	2.1	273	2.0	0.12	1.8	2.3
2019	19	1.4	0.35	0.8	2.2	308	2.2	0.13	2.0	2.5
2020	22	1.3	0.30	0.8	2.0	282	2.1	0.13	1.8	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Anus, Anal Canal and Anorectum											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,875	1.6	0.02	1.5	1.6	936	1.9	0.06	1.8	2.0	
1990	93	1.0	0.11	0.8	1.3	24	2.1	0.44	1.3	3.1	
1991	90	1.0	0.10	0.8	1.2	14	1.1	0.29	0.6	1.8	
1992	91	1.0	0.10	0.8	1.2	16	1.2	0.31	0.7	2.0	
1993	88	0.9	0.10	0.8	1.2	7	0.6	0.22	0.2	1.2	
1994	89	1.0	0.10	0.8	1.2	14	1.1	0.31	0.6	1.9	
1995	98	1.1	0.11	0.9	1.3	20	1.4	0.32	0.8	2.2	
1996	94	1.0	0.10	0.8	1.2	15	1.2	0.33	0.7	2.0	
1997	102	1.1	0.11	0.9	1.3	16	1.2	0.30	0.7	1.9	
1998	107	1.1	0.11	0.9	1.4	23	1.6	0.33	1.0	2.4	
1999	122	1.3	0.12	1.1	1.5	19	1.3	0.30	0.8	2.0	
2000	136	1.4	0.12	1.2	1.7	28	1.9	0.36	1.2	2.7	
2001	131	1.4	0.12	1.1	1.6	34	2.4	0.41	1.6	3.3	
2002	122	1.3	0.12	1.1	1.5	23	1.4	0.30	0.9	2.1	
2003	154	1.6	0.13	1.4	1.9	31	2.0	0.36	1.3	2.8	
2004	186	1.9	0.14	1.6	2.2	29	1.9	0.36	1.3	2.8	
2005	137	1.4	0.12	1.2	1.6	27	1.6	0.31	1.0	2.3	
2006	135	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8	
2007	176	1.8	0.13	1.5	2.0	34	2.0	0.34	1.4	2.8	
2008	149	1.5	0.12	1.3	1.7	41	2.5	0.40	1.8	3.4	
2009	189	1.9	0.14	1.6	2.2	33	2.0	0.36	1.4	2.8	
2010	169	1.6	0.13	1.4	1.9	48	2.8	0.42	2.1	3.8	
2011	167	1.6	0.13	1.4	1.9	39	2.3	0.37	1.6	3.1	
2012	196	1.8	0.13	1.6	2.1	33	1.9	0.33	1.3	2.6	
2013	224	2.2	0.15	1.9	2.5	33	1.9	0.33	1.3	2.6	
2014	237	2.2	0.14	1.9	2.5	48	2.5	0.38	1.9	3.4	
2015	199	1.8	0.13	1.6	2.1	36	1.9	0.32	1.3	2.6	
2016	249	2.3	0.15	2.0	2.6	41	2.2	0.34	1.5	3.0	
2017	222	2.0	0.14	1.7	2.3	49	2.6	0.38	1.9	3.4	
2018	227	2.1	0.14	1.8	2.4	42	2.2	0.35	1.6	3.1	
2019	257	2.3	0.15	2.0	2.6	47	2.5	0.38	1.8	3.4	
2020	239	2.2	0.15	1.9	2.5	39	2.1	0.35	1.5	2.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Anus, Anal Canal and Anorectum										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	138	1.1	0.11	0.9	1.3	2,246	1.4	0.03	1.3	1.4
1990	0					52	1.2	0.17	0.9	1.6
1991	1	0.4	0.41	0.0	3.1	32	0.7	0.12	0.5	1.0
1992	2	1.2	0.91	0.1	4.6	42	0.9	0.14	0.6	1.2
1993	3	2.4	1.63	0.3	7.2	29	0.6	0.12	0.4	0.9
1994	2	0.7	0.46	0.1	3.1	23	0.5	0.11	0.3	0.8
1995	3	2.1	1.49	0.2	6.5	42	0.9	0.13	0.6	1.2
1996	6	6.3	2.84	2.0	13.5	39	0.8	0.13	0.6	1.1
1997	1	0.3	0.32	0.0	2.4	43	0.9	0.13	0.6	1.2
1998	2	0.3	0.23	0.0	2.2	52	1.1	0.15	0.8	1.4
1999	3	1.1	0.65	0.2	3.4	55	1.1	0.15	0.8	1.4
2000	3	0.7	0.39	0.1	2.5	63	1.3	0.16	1.0	1.6
2001	4	0.7	0.38	0.2	2.4	67	1.3	0.16	1.0	1.7
2002	2	0.7	0.51	0.1	2.6	62	1.2	0.15	0.9	1.5
2003	6	2.2	1.04	0.7	5.1	81	1.5	0.17	1.2	1.9
2004	3	1.1	0.71	0.2	3.3	98	1.9	0.19	1.5	2.3
2005	6	0.9	0.36	0.3	2.2	70	1.3	0.16	1.0	1.7
2006	2	0.3	0.19	0.0	1.4	78	1.5	0.17	1.2	1.8
2007	2	0.5	0.47	0.0	2.2	77	1.5	0.17	1.2	1.8
2008	6	1.6	0.73	0.5	3.6	80	1.5	0.16	1.1	1.8
2009	7	0.8	0.33	0.3	2.0	81	1.5	0.17	1.2	1.9
2010	4	0.7	0.40	0.2	2.0	90	1.6	0.17	1.3	2.0
2011	3	0.5	0.26	0.1	1.4	74	1.4	0.16	1.1	1.7
2012	6	0.7	0.30	0.3	1.7	95	1.6	0.17	1.3	2.0
2013	5	0.5	0.23	0.2	1.4	101	1.8	0.18	1.5	2.2
2014	3	0.6	0.39	0.1	1.8	119	2.0	0.18	1.6	2.4
2015	9	1.6	0.60	0.6	3.1	91	1.4	0.15	1.1	1.8
2016	8	1.3	0.49	0.5	2.6	98	1.6	0.16	1.3	1.9
2017	5	0.9	0.46	0.2	2.2	105	1.7	0.17	1.4	2.1
2018	12	1.6	0.49	0.8	2.8	93	1.5	0.16	1.2	1.9
2019	7	1.1	0.46	0.4	2.3	108	1.7	0.17	1.4	2.1
2020	12	1.6	0.50	0.8	2.9	106	1.7	0.17	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Anus, Anal Canal and Anorectum											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,752	1.3	0.03	1.2	1.3	457	2.1	0.10	1.9	2.3	
1990	41	1.1	0.18	0.8	1.5	11	2.3	0.77	1.1	4.3	
1991	26	0.6	0.13	0.4	0.9	6	0.9	0.40	0.3	2.1	
1992	35	0.9	0.15	0.6	1.2	7	1.1	0.43	0.5	2.4	
1993	26	0.6	0.13	0.4	0.9	2	0.5	0.39	0.1	1.8	
1994	21	0.5	0.12	0.3	0.8	1	0.2	0.15	0.0	0.9	
1995	31	0.7	0.13	0.5	1.1	11	1.6	0.48	0.8	2.9	
1996	35	0.8	0.14	0.6	1.2	4	0.7	0.34	0.2	1.7	
1997	36	0.9	0.14	0.6	1.2	7	1.1	0.40	0.4	2.2	
1998	38	0.9	0.15	0.6	1.3	13	1.9	0.52	1.0	3.2	
1999	47	1.1	0.16	0.8	1.5	7	1.0	0.39	0.4	2.1	
2000	51	1.2	0.17	0.9	1.6	11	1.6	0.49	0.8	2.9	
2001	52	1.2	0.17	0.9	1.6	15	2.2	0.59	1.2	3.7	
2002	48	1.1	0.16	0.8	1.5	13	1.7	0.47	0.9	3.0	
2003	62	1.4	0.18	1.1	1.8	18	2.5	0.60	1.5	4.0	
2004	77	1.8	0.20	1.4	2.2	17	2.8	0.73	1.6	4.6	
2005	52	1.2	0.17	0.9	1.6	18	2.3	0.54	1.4	3.7	
2006	54	1.2	0.17	0.9	1.6	22	3.1	0.67	1.9	4.7	
2007	63	1.4	0.18	1.1	1.8	12	1.6	0.47	0.8	2.8	
2008	57	1.3	0.17	1.0	1.7	23	3.3	0.74	2.0	5.1	
2009	65	1.5	0.19	1.1	1.9	14	2.1	0.58	1.1	3.5	
2010	60	1.3	0.17	1.0	1.6	30	4.4	0.86	2.9	6.4	
2011	54	1.2	0.17	0.9	1.6	17	2.3	0.58	1.3	3.7	
2012	75	1.5	0.18	1.2	1.9	16	1.9	0.49	1.1	3.2	
2013	83	1.8	0.21	1.5	2.3	15	2.0	0.54	1.1	3.3	
2014	96	1.9	0.20	1.5	2.3	22	2.5	0.54	1.6	3.8	
2015	76	1.5	0.17	1.1	1.8	14	1.5	0.41	0.8	2.6	
2016	76	1.5	0.18	1.2	1.9	21	2.5	0.57	1.5	3.9	
2017	76	1.5	0.18	1.2	1.9	26	3.4	0.69	2.2	5.0	
2018	71	1.4	0.17	1.1	1.8	21	2.5	0.55	1.5	3.8	
2019	85	1.6	0.18	1.3	2.0	21	2.6	0.59	1.6	4.0	
2020	83	1.6	0.18	1.2	2.0	22	2.8	0.60	1.7	4.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Anus, Anal Canal and Anorectum										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	197	1.5	0.11	1.3	1.7	3,643	1.8	0.03	1.7	1.8
1990	0					65	1.2	0.15	0.9	1.5
1991	1	0.7	0.68	0.0	3.2	72	1.2	0.14	0.9	1.5
1992	4	2.8	1.48	0.7	6.8	65	1.1	0.13	0.8	1.4
1993	5	1.9	0.87	0.6	4.6	67	1.1	0.13	0.8	1.4
1994	0					82	1.3	0.15	1.1	1.7
1995	3	2.0	1.25	0.4	5.5	76	1.3	0.15	1.0	1.6
1996	1	0.4	0.39	0.0	2.1	70	1.1	0.14	0.9	1.4
1997	4	0.9	0.44	0.2	2.6	77	1.2	0.14	1.0	1.6
1998	6	2.5	1.22	0.8	5.8	79	1.3	0.14	1.0	1.6
1999	6	2.0	0.89	0.7	4.5	88	1.4	0.15	1.1	1.7
2000	3	0.8	0.45	0.1	2.4	102	1.6	0.16	1.3	2.0
2001	4	1.3	0.68	0.3	3.3	98	1.5	0.16	1.2	1.9
2002	6	1.8	0.79	0.6	4.0	86	1.4	0.15	1.1	1.7
2003	4	1.3	0.65	0.3	3.2	105	1.6	0.16	1.3	2.0
2004	7	2.2	0.91	0.8	4.6	124	1.9	0.17	1.6	2.3
2005	3	0.9	0.52	0.2	2.4	96	1.4	0.15	1.2	1.8
2006	7	1.9	0.77	0.7	3.9	93	1.4	0.15	1.2	1.8
2007	9	2.1	0.76	0.9	4.0	135	2.0	0.18	1.7	2.4
2008	7	1.7	0.66	0.6	3.4	113	1.7	0.16	1.4	2.0
2009	11	2.5	0.82	1.2	4.5	145	2.1	0.18	1.8	2.5
2010	10	1.9	0.66	0.9	3.6	128	1.9	0.17	1.6	2.2
2011	11	2.0	0.65	1.0	3.7	139	1.9	0.17	1.6	2.3
2012	5	0.7	0.31	0.2	1.6	139	2.0	0.17	1.6	2.3
2013	10	1.6	0.54	0.7	3.0	159	2.3	0.18	1.9	2.6
2014	10	1.6	0.54	0.8	3.0	168	2.3	0.18	2.0	2.7
2015	10	1.5	0.51	0.7	2.8	148	2.0	0.17	1.7	2.4
2016	6	0.9	0.38	0.3	1.9	197	2.7	0.20	2.3	3.1
2017	12	1.8	0.55	0.9	3.2	171	2.3	0.18	1.9	2.6
2018	10	1.2	0.37	0.5	2.1	180	2.4	0.18	2.0	2.8
2019	12	1.7	0.50	0.8	2.9	200	2.7	0.20	2.3	3.1
2020	10	1.2	0.37	0.5	2.1	176	2.4	0.19	2.1	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Anus, Anal Canal and Anorectum											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,123	1.9	0.03	1.8	1.9	479	1.7	0.08	1.5	1.8	
1990	52	1.1	0.15	0.8	1.4	13	2.0	0.55	1.0	3.3	
1991	64	1.2	0.15	0.9	1.5	8	1.1	0.39	0.5	2.1	
1992	56	1.0	0.14	0.8	1.4	9	1.2	0.42	0.6	2.3	
1993	62	1.2	0.15	0.9	1.5	5	0.7	0.30	0.2	1.5	
1994	68	1.3	0.16	1.0	1.7	13	1.8	0.50	0.9	3.0	
1995	67	1.4	0.17	1.1	1.8	9	1.2	0.41	0.6	2.3	
1996	59	1.1	0.15	0.8	1.4	11	1.6	0.47	0.8	2.8	
1997	66	1.3	0.16	1.0	1.6	9	1.2	0.40	0.5	2.2	
1998	69	1.3	0.16	1.0	1.7	10	1.3	0.40	0.6	2.3	
1999	75	1.4	0.17	1.1	1.8	12	1.4	0.41	0.7	2.5	
2000	85	1.6	0.18	1.3	2.0	17	2.0	0.49	1.2	3.2	
2001	79	1.5	0.17	1.2	1.9	19	2.3	0.53	1.4	3.6	
2002	74	1.4	0.17	1.1	1.8	10	1.1	0.36	0.5	2.1	
2003	92	1.7	0.18	1.4	2.1	13	1.5	0.42	0.8	2.6	
2004	109	2.1	0.20	1.7	2.5	12	1.3	0.39	0.7	2.3	
2005	85	1.5	0.17	1.2	1.9	9	1.0	0.33	0.4	1.8	
2006	81	1.5	0.17	1.2	1.9	11	1.1	0.34	0.6	2.0	
2007	113	2.1	0.20	1.7	2.5	22	2.2	0.48	1.4	3.4	
2008	92	1.7	0.18	1.4	2.1	18	1.9	0.45	1.1	3.0	
2009	124	2.2	0.20	1.8	2.7	19	2.0	0.46	1.2	3.1	
2010	109	2.0	0.19	1.6	2.4	18	1.8	0.42	1.0	2.8	
2011	113	2.0	0.19	1.6	2.4	22	2.1	0.46	1.3	3.3	
2012	121	2.1	0.20	1.7	2.5	17	1.7	0.42	1.0	2.8	
2013	141	2.5	0.21	2.1	2.9	18	1.8	0.43	1.0	2.8	
2014	141	2.4	0.21	2.0	2.9	26	2.5	0.50	1.6	3.7	
2015	123	2.1	0.20	1.7	2.5	22	2.0	0.44	1.3	3.1	
2016	173	3.0	0.24	2.5	3.5	20	1.9	0.44	1.2	3.0	
2017	146	2.4	0.21	2.0	2.9	23	2.0	0.43	1.3	3.1	
2018	156	2.6	0.22	2.2	3.1	21	2.0	0.44	1.2	3.1	
2019	172	2.9	0.23	2.5	3.4	26	2.4	0.48	1.5	3.5	
2020	156	2.7	0.23	2.3	3.2	17	1.6	0.40	0.9	2.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Liver										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	2,491	10.3	0.22	9.8	10.7	18,784	4.9	0.04	4.9	5.0
1990	10	3.4	1.16	1.5	6.3	243	2.3	0.15	2.0	2.6
1991	14	3.2	0.90	1.6	5.5	243	2.3	0.15	2.0	2.6
1992	14	3.8	1.15	1.9	6.6	249	2.3	0.15	2.0	2.6
1993	27	6.5	1.38	4.1	9.7	293	2.7	0.16	2.4	3.0
1994	20	5.3	1.35	3.0	8.5	401	3.6	0.18	3.3	4.0
1995	28	6.1	1.30	3.8	9.1	410	3.7	0.18	3.4	4.1
1996	39	9.0	1.64	6.1	12.7	422	3.8	0.19	3.5	4.2
1997	35	8.3	1.60	5.5	11.9	429	3.9	0.19	3.5	4.2
1998	46	10.4	1.76	7.2	14.3	451	4.0	0.19	3.7	4.4
1999	50	9.7	1.67	6.7	13.4	488	4.3	0.20	4.0	4.7
2000	50	8.9	1.46	6.3	12.2	501	4.4	0.20	4.0	4.8
2001	54	10.1	1.52	7.4	13.5	499	4.4	0.19	4.0	4.8
2002	60	9.1	1.28	6.8	11.9	532	4.6	0.20	4.2	5.0
2003	57	8.4	1.22	6.2	11.1	520	4.5	0.20	4.1	4.9
2004	60	8.8	1.27	6.5	11.6	580	4.9	0.21	4.5	5.3
2005	72	9.4	1.24	7.2	12.1	620	5.2	0.21	4.8	5.6
2006	61	8.7	1.23	6.4	11.3	627	5.2	0.21	4.8	5.6
2007	76	9.3	1.17	7.1	11.8	675	5.5	0.21	5.1	5.9
2008	65	7.7	1.06	5.8	10.1	678	5.4	0.21	5.0	5.9
2009	106	11.8	1.28	9.5	14.6	746	5.8	0.22	5.4	6.3
2010	128	13.6	1.32	11.2	16.4	762	5.9	0.22	5.5	6.4
2011	97	10.1	1.13	8.0	12.5	755	5.7	0.21	5.3	6.1
2012	126	12.5	1.21	10.2	15.1	783	5.7	0.21	5.3	6.2
2013	130	11.4	1.10	9.3	13.7	779	5.6	0.21	5.2	6.1
2014	112	10.1	1.03	8.2	12.3	897	6.4	0.22	5.9	6.8
2015	125	10.4	1.02	8.5	12.6	923	6.5	0.22	6.1	7.0
2016	162	12.1	1.01	10.2	14.2	884	6.1	0.21	5.7	6.5
2017	158	12.2	1.04	10.3	14.4	859	5.8	0.20	5.4	6.3
2018	188	14.3	1.11	12.3	16.7	889	6.0	0.21	5.6	6.5
2019	167	11.5	0.95	9.8	13.5	914	6.1	0.21	5.7	6.6
2020	154	10.3	0.87	8.6	12.1	732	4.9	0.19	4.6	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Liver										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	13,631	4.3	0.04	4.2	4.4	3,824	7.6	0.13	7.4	7.9
1990	185	2.0	0.15	1.7	2.3	40	3.4	0.55	2.4	4.6
1991	182	2.0	0.15	1.7	2.3	46	3.5	0.53	2.6	4.7
1992	197	2.1	0.15	1.8	2.4	34	2.7	0.48	1.9	3.9
1993	214	2.2	0.15	1.9	2.6	57	4.6	0.62	3.4	5.9
1994	305	3.2	0.18	2.8	3.6	78	6.5	0.76	5.1	8.2
1995	300	3.2	0.18	2.8	3.5	89	7.2	0.79	5.7	8.9
1996	290	3.0	0.18	2.7	3.4	100	7.8	0.80	6.3	9.5
1997	314	3.3	0.19	2.9	3.7	90	6.9	0.75	5.6	8.6
1998	339	3.5	0.19	3.2	3.9	86	6.4	0.71	5.1	7.9
1999	351	3.6	0.19	3.3	4.0	100	7.3	0.74	5.9	8.9
2000	359	3.7	0.20	3.3	4.1	107	7.6	0.75	6.2	9.2
2001	375	3.8	0.20	3.5	4.3	91	6.2	0.66	4.9	7.6
2002	385	3.9	0.20	3.6	4.4	107	7.4	0.73	6.0	9.0
2003	389	4.0	0.20	3.6	4.4	97	6.5	0.67	5.3	8.0
2004	432	4.4	0.21	4.0	4.8	110	7.3	0.71	6.0	8.8
2005	460	4.6	0.22	4.2	5.1	129	8.0	0.72	6.7	9.6
2006	457	4.5	0.21	4.1	5.0	130	7.9	0.70	6.5	9.4
2007	472	4.6	0.22	4.2	5.1	151	9.0	0.75	7.6	10.6
2008	481	4.7	0.21	4.2	5.1	145	8.4	0.71	7.1	9.9
2009	557	5.3	0.23	4.9	5.8	136	7.6	0.66	6.3	9.0
2010	557	5.2	0.22	4.8	5.7	155	8.7	0.71	7.4	10.2
2011	535	4.9	0.22	4.5	5.4	171	9.1	0.71	7.7	10.6
2012	574	5.1	0.22	4.7	5.6	153	8.0	0.66	6.8	9.4
2013	550	4.9	0.21	4.5	5.4	182	9.2	0.70	7.9	10.7
2014	637	5.6	0.23	5.2	6.1	186	9.1	0.68	7.8	10.5
2015	659	5.7	0.23	5.3	6.2	188	9.2	0.68	7.9	10.6
2016	611	5.3	0.22	4.8	5.7	193	9.2	0.68	8.0	10.7
2017	611	5.2	0.22	4.8	5.6	181	8.4	0.64	7.2	9.8
2018	663	5.6	0.22	5.2	6.1	174	8.2	0.64	7.0	9.5
2019	672	5.6	0.22	5.2	6.1	167	7.9	0.62	6.7	9.2
2020	518	4.4	0.20	4.0	4.8	151	7.1	0.59	6.0	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Liver										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,799	14.9	0.40	14.1	15.7	13,329	7.9	0.07	7.7	8.0
1990	6	3.9	1.89	1.2	9.3	169	3.7	0.29	3.2	4.4
1991	13	6.1	1.87	3.0	11.1	145	3.2	0.27	2.7	3.8
1992	11	6.2	2.15	2.7	11.8	165	3.8	0.30	3.2	4.4
1993	20	9.2	2.47	5.1	15.3	191	4.1	0.30	3.6	4.8
1994	11	4.6	1.48	2.2	8.7	269	5.9	0.37	5.2	6.6
1995	18	6.9	1.82	3.8	11.5	279	6.0	0.37	5.3	6.8
1996	24	10.2	2.42	6.0	16.0	283	6.0	0.36	5.3	6.7
1997	24	8.8	1.93	5.5	13.5	284	6.1	0.36	5.4	6.8
1998	35	16.8	3.45	10.7	24.6	309	6.4	0.37	5.7	7.2
1999	33	13.0	3.03	7.8	20.0	315	6.5	0.37	5.8	7.2
2000	30	8.5	1.71	5.5	12.7	338	6.9	0.38	6.1	7.6
2001	37	13.1	2.43	8.8	18.7	341	6.9	0.38	6.2	7.7
2002	48	14.6	2.34	10.3	19.8	361	7.1	0.38	6.4	7.9
2003	40	11.8	2.10	8.1	16.6	368	7.2	0.38	6.4	7.9
2004	45	12.8	2.29	8.7	18.0	404	7.6	0.38	6.9	8.4
2005	54	15.2	2.39	10.8	20.5	448	8.5	0.40	7.7	9.3
2006	49	13.7	2.18	9.7	18.5	442	8.2	0.39	7.4	9.0
2007	60	14.7	2.16	10.8	19.5	485	8.8	0.40	8.0	9.6
2008	51	12.0	1.93	8.5	16.3	466	8.2	0.39	7.5	9.0
2009	79	18.3	2.40	13.9	23.5	569	9.9	0.42	9.1	10.7
2010	101	22.6	2.55	17.9	28.1	524	8.9	0.40	8.1	9.7
2011	72	15.3	2.08	11.5	19.8	570	9.4	0.40	8.6	10.2
2012	94	18.8	2.19	14.7	23.5	580	9.2	0.39	8.5	10.0
2013	92	15.8	1.88	12.4	19.9	577	9.1	0.39	8.3	9.9
2014	87	16.6	1.97	13.0	20.9	667	10.2	0.41	9.4	11.0
2015	90	15.8	1.89	12.3	19.8	685	10.5	0.41	9.7	11.3
2016	123	18.4	1.83	15.0	22.3	633	9.4	0.39	8.7	10.2
2017	104	16.2	1.75	13.0	19.9	610	9.0	0.37	8.2	9.7
2018	125	18.7	1.84	15.3	22.6	644	9.5	0.39	8.8	10.3
2019	115	15.6	1.58	12.7	19.0	684	9.9	0.39	9.2	10.7
2020	108	14.0	1.45	11.3	17.1	524	7.7	0.34	7.0	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Liver											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	9,673	6.8	0.07	6.7	7.0	2,698	12.7	0.25	12.2	13.2	
1990	124	3.1	0.28	2.6	3.7	28	6.1	1.24	3.9	9.0	
1991	104	2.7	0.26	2.2	3.2	29	5.3	1.02	3.5	7.7	
1992	127	3.3	0.30	2.7	4.0	23	4.8	1.09	2.9	7.3	
1993	142	3.6	0.30	3.0	4.2	36	6.4	1.08	4.4	8.9	
1994	202	5.0	0.36	4.4	5.8	53	11.7	1.72	8.6	15.5	
1995	205	5.1	0.36	4.4	5.8	57	11.7	1.69	8.6	15.4	
1996	184	4.5	0.34	3.9	5.2	74	13.7	1.66	10.6	17.3	
1997	206	5.1	0.36	4.4	5.9	59	10.7	1.48	8.0	14.0	
1998	234	5.7	0.37	5.0	6.5	59	10.5	1.44	7.9	13.7	
1999	220	5.3	0.36	4.6	6.0	65	11.7	1.51	8.9	15.0	
2000	249	5.9	0.38	5.2	6.7	69	11.8	1.48	9.1	15.0	
2001	256	6.1	0.38	5.4	6.9	60	9.6	1.30	7.2	12.5	
2002	264	6.2	0.38	5.5	7.0	68	10.9	1.38	8.3	13.9	
2003	279	6.5	0.39	5.7	7.3	65	10.1	1.30	7.7	13.0	
2004	306	6.9	0.40	6.1	7.7	73	11.2	1.38	8.7	14.2	
2005	335	7.6	0.42	6.8	8.5	91	13.1	1.42	10.5	16.2	
2006	322	7.2	0.40	6.4	8.0	92	12.7	1.38	10.1	15.7	
2007	330	7.2	0.40	6.4	8.0	115	16.1	1.58	13.2	19.5	
2008	329	7.0	0.39	6.3	7.9	107	14.4	1.45	11.7	17.5	
2009	425	8.9	0.44	8.0	9.8	102	13.3	1.37	10.7	16.2	
2010	385	7.9	0.41	7.1	8.7	104	13.3	1.36	10.8	16.3	
2011	395	7.9	0.41	7.2	8.8	137	17.1	1.53	14.2	20.4	
2012	423	8.1	0.40	7.4	9.0	118	14.2	1.36	11.7	17.1	
2013	404	7.8	0.40	7.0	8.6	139	16.4	1.45	13.7	19.5	
2014	476	9.0	0.42	8.2	9.9	138	15.7	1.40	13.1	18.7	
2015	489	9.1	0.42	8.3	10.0	141	15.7	1.37	13.2	18.7	
2016	438	8.0	0.39	7.3	8.8	137	15.2	1.35	12.7	18.1	
2017	441	8.0	0.39	7.2	8.8	122	13.5	1.27	11.1	16.2	
2018	487	8.8	0.41	8.0	9.7	118	13.3	1.27	10.9	16.0	
2019	514	9.1	0.41	8.3	10.0	117	13.0	1.25	10.7	15.7	
2020	378	6.7	0.36	6.1	7.5	102	11.4	1.16	9.2	13.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Liver											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	692	6.0	0.24	5.6	6.5	5,455	2.6	0.03	2.5	2.6	
1990	4	2.8	1.43	0.7	6.8	74	1.3	0.15	1.0	1.6	
1991	1	0.4	0.41	0.0	2.4	98	1.6	0.16	1.3	1.9	
1992	3	1.6	1.08	0.2	4.9	84	1.3	0.15	1.1	1.7	
1993	7	3.9	1.53	1.5	7.9	102	1.6	0.16	1.3	2.0	
1994	9	5.2	1.89	2.2	9.9	132	2.0	0.17	1.6	2.3	
1995	10	5.0	1.69	2.3	9.2	131	2.1	0.18	1.7	2.4	
1996	15	7.5	2.11	4.0	12.6	139	2.1	0.18	1.8	2.5	
1997	11	6.9	2.17	3.3	12.1	145	2.3	0.19	1.9	2.7	
1998	11	5.1	1.71	2.3	9.3	142	2.1	0.18	1.8	2.5	
1999	17	6.9	1.91	3.7	11.5	173	2.7	0.20	2.3	3.1	
2000	20	8.5	2.08	5.0	13.4	163	2.5	0.19	2.1	2.9	
2001	17	7.2	1.82	4.0	11.4	158	2.4	0.19	2.0	2.8	
2002	12	4.1	1.23	2.0	7.1	171	2.5	0.20	2.2	3.0	
2003	17	5.2	1.37	2.9	8.5	152	2.3	0.19	1.9	2.7	
2004	15	5.2	1.38	2.8	8.5	176	2.6	0.20	2.2	3.0	
2005	18	4.4	1.15	2.4	7.2	172	2.6	0.20	2.2	3.0	
2006	12	4.0	1.24	2.0	7.0	185	2.7	0.20	2.3	3.2	
2007	16	4.3	1.14	2.4	7.0	190	2.8	0.20	2.4	3.2	
2008	14	3.9	1.08	2.0	6.5	212	3.0	0.21	2.6	3.5	
2009	27	6.2	1.28	3.9	9.1	177	2.6	0.20	2.2	3.0	
2010	27	5.8	1.19	3.7	8.5	238	3.4	0.22	3.0	3.9	
2011	25	5.6	1.18	3.6	8.3	185	2.6	0.20	2.3	3.0	
2012	32	6.8	1.27	4.6	9.7	203	2.8	0.20	2.4	3.2	
2013	38	7.1	1.24	4.9	9.9	202	2.7	0.20	2.4	3.1	
2014	25	4.4	0.92	2.7	6.5	230	3.1	0.21	2.7	3.5	
2015	35	5.8	1.03	3.9	8.1	238	3.2	0.21	2.8	3.6	
2016	39	6.1	1.03	4.3	8.4	251	3.2	0.21	2.8	3.7	
2017	54	8.4	1.19	6.2	11.0	249	3.2	0.21	2.8	3.6	
2018	63	10.3	1.33	7.8	13.2	245	3.1	0.20	2.7	3.5	
2019	52	7.5	1.08	5.6	9.9	230	3.0	0.20	2.6	3.4	
2020	46	6.5	0.99	4.7	8.7	208	2.7	0.19	2.3	3.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Liver											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,958	2.2	0.04	2.1	2.3	1,126	4.0	0.12	3.7	4.2	
1990	61	1.2	0.16	0.9	1.6	12	1.6	0.48	0.8	2.9	
1991	78	1.4	0.17	1.1	1.8	17	2.3	0.56	1.3	3.6	
1992	70	1.3	0.15	1.0	1.6	11	1.5	0.46	0.7	2.7	
1993	72	1.3	0.16	1.0	1.7	21	3.0	0.66	1.9	4.6	
1994	103	1.7	0.17	1.4	2.1	25	3.4	0.69	2.2	5.0	
1995	95	1.7	0.18	1.4	2.1	32	4.4	0.79	3.0	6.2	
1996	106	1.8	0.18	1.5	2.2	26	3.6	0.71	2.3	5.2	
1997	108	2.0	0.20	1.6	2.4	31	4.3	0.77	2.9	6.0	
1998	105	1.8	0.18	1.5	2.2	27	3.5	0.69	2.3	5.1	
1999	131	2.3	0.21	1.9	2.8	35	4.4	0.74	3.0	6.1	
2000	110	1.9	0.19	1.6	2.3	38	4.6	0.76	3.3	6.4	
2001	119	2.1	0.20	1.7	2.5	31	3.6	0.66	2.5	5.2	
2002	121	2.1	0.19	1.7	2.5	39	4.8	0.77	3.4	6.5	
2003	110	1.9	0.19	1.6	2.3	32	3.8	0.68	2.6	5.4	
2004	126	2.2	0.20	1.8	2.7	37	4.4	0.72	3.1	6.0	
2005	125	2.2	0.20	1.8	2.6	38	4.3	0.70	3.0	5.9	
2006	135	2.4	0.21	2.0	2.8	38	4.2	0.69	2.9	5.7	
2007	142	2.4	0.21	2.0	2.9	36	3.9	0.66	2.7	5.4	
2008	152	2.6	0.21	2.2	3.0	38	3.9	0.64	2.8	5.4	
2009	132	2.3	0.21	1.9	2.8	34	3.4	0.59	2.4	4.8	
2010	172	3.0	0.23	2.6	3.5	51	5.1	0.73	3.8	6.8	
2011	140	2.4	0.21	2.0	2.9	34	3.3	0.58	2.3	4.6	
2012	151	2.5	0.21	2.1	2.9	35	3.3	0.57	2.3	4.7	
2013	146	2.5	0.21	2.1	2.9	43	3.9	0.60	2.8	5.3	
2014	161	2.7	0.23	2.3	3.2	48	4.2	0.62	3.1	5.7	
2015	170	2.8	0.22	2.4	3.2	47	4.2	0.63	3.1	5.7	
2016	173	2.8	0.22	2.4	3.3	56	4.8	0.65	3.6	6.2	
2017	170	2.8	0.22	2.4	3.3	59	4.8	0.63	3.6	6.2	
2018	176	2.8	0.22	2.4	3.3	56	4.6	0.62	3.4	6.0	
2019	158	2.6	0.22	2.2	3.0	50	4.2	0.61	3.1	5.6	
2020	140	2.4	0.21	2.0	2.8	49	4.0	0.58	2.9	5.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gallbladder											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	539	2.3	0.11	2.1	2.6	5,003	1.3	0.02	1.3	1.4	
1990	9	2.3	0.83	1.0	4.6	152	1.4	0.12	1.2	1.7	
1991	7	2.2	0.95	0.7	4.7	147	1.4	0.12	1.2	1.6	
1992	6	1.5	0.65	0.5	3.4	171	1.6	0.12	1.4	1.9	
1993	11	4.1	1.38	1.9	7.5	120	1.1	0.10	0.9	1.3	
1994	12	3.3	1.06	1.5	5.9	163	1.5	0.12	1.3	1.7	
1995	15	3.3	0.95	1.7	5.6	146	1.3	0.11	1.1	1.6	
1996	8	1.4	0.53	0.6	2.9	164	1.5	0.12	1.3	1.7	
1997	11	3.4	1.14	1.5	6.1	154	1.4	0.11	1.2	1.6	
1998	12	3.3	1.08	1.5	5.9	174	1.5	0.12	1.3	1.8	
1999	14	3.1	0.89	1.6	5.3	145	1.3	0.10	1.1	1.5	
2000	10	1.6	0.59	0.6	3.1	154	1.3	0.11	1.1	1.6	
2001	15	2.7	0.81	1.3	4.6	156	1.3	0.11	1.1	1.6	
2002	17	3.2	0.85	1.7	5.2	151	1.3	0.11	1.1	1.5	
2003	15	2.1	0.61	1.1	3.6	157	1.3	0.11	1.1	1.6	
2004	20	2.9	0.70	1.7	4.6	149	1.3	0.10	1.1	1.5	
2005	13	1.8	0.58	0.8	3.2	176	1.5	0.11	1.3	1.7	
2006	23	3.2	0.75	1.9	4.9	145	1.2	0.10	1.0	1.4	
2007	13	1.9	0.59	1.0	3.4	157	1.3	0.10	1.1	1.5	
2008	18	2.0	0.50	1.2	3.2	176	1.4	0.11	1.2	1.7	
2009	24	2.8	0.62	1.7	4.3	161	1.3	0.10	1.1	1.5	
2010	19	2.3	0.57	1.3	3.7	157	1.2	0.10	1.1	1.5	
2011	18	2.0	0.52	1.1	3.2	183	1.4	0.11	1.2	1.7	
2012	29	3.5	0.70	2.2	5.1	153	1.2	0.10	1.0	1.4	
2013	16	1.7	0.46	0.9	2.8	180	1.4	0.10	1.2	1.6	
2014	24	2.1	0.45	1.3	3.1	183	1.4	0.10	1.2	1.6	
2015	27	2.3	0.47	1.4	3.4	189	1.4	0.10	1.2	1.6	
2016	34	3.1	0.57	2.1	4.4	175	1.3	0.10	1.1	1.5	
2017	24	1.9	0.43	1.2	2.9	172	1.2	0.09	1.0	1.4	
2018	23	1.7	0.37	1.0	2.5	179	1.3	0.10	1.1	1.5	
2019	21	1.5	0.36	0.9	2.4	175	1.2	0.09	1.0	1.4	
2020	31	2.0	0.38	1.4	2.9	139	1.0	0.08	0.8	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gallbladder											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,032	1.3	0.02	1.2	1.3	797	1.7	0.06	1.6	1.8	
1990	139	1.5	0.13	1.2	1.8	10	1.1	0.35	0.5	1.9	
1991	125	1.3	0.12	1.1	1.6	21	1.9	0.44	1.2	3.0	
1992	146	1.5	0.13	1.3	1.8	21	1.8	0.40	1.1	2.7	
1993	106	1.1	0.11	0.9	1.4	11	1.0	0.32	0.5	1.8	
1994	150	1.5	0.13	1.3	1.8	10	0.9	0.30	0.4	1.7	
1995	127	1.3	0.12	1.1	1.6	17	1.4	0.34	0.8	2.2	
1996	141	1.5	0.12	1.2	1.7	21	1.7	0.39	1.1	2.7	
1997	139	1.4	0.12	1.2	1.7	11	0.9	0.27	0.4	1.6	
1998	145	1.5	0.12	1.2	1.7	21	1.6	0.36	1.0	2.5	
1999	129	1.3	0.11	1.1	1.5	12	0.9	0.26	0.5	1.5	
2000	130	1.3	0.11	1.1	1.6	21	1.5	0.33	0.9	2.3	
2001	140	1.4	0.12	1.2	1.7	13	0.9	0.26	0.5	1.6	
2002	124	1.2	0.11	1.0	1.5	19	1.3	0.30	0.8	2.0	
2003	129	1.3	0.11	1.1	1.5	22	1.6	0.35	1.0	2.5	
2004	117	1.1	0.11	0.9	1.4	26	2.0	0.40	1.3	2.9	
2005	150	1.5	0.12	1.3	1.8	22	1.6	0.35	1.0	2.5	
2006	123	1.2	0.11	1.0	1.4	18	1.2	0.29	0.7	1.9	
2007	133	1.3	0.11	1.1	1.5	22	1.4	0.31	0.9	2.2	
2008	138	1.4	0.12	1.1	1.6	33	2.0	0.35	1.4	2.8	
2009	125	1.2	0.11	1.0	1.4	31	1.9	0.35	1.3	2.8	
2010	116	1.1	0.10	0.9	1.3	37	2.3	0.39	1.6	3.2	
2011	140	1.3	0.12	1.1	1.6	37	2.2	0.37	1.5	3.1	
2012	110	1.0	0.10	0.8	1.2	34	1.9	0.34	1.3	2.7	
2013	134	1.3	0.11	1.0	1.5	36	2.1	0.35	1.4	2.9	
2014	137	1.2	0.11	1.0	1.5	35	1.9	0.33	1.3	2.6	
2015	144	1.3	0.11	1.1	1.5	35	1.9	0.32	1.3	2.6	
2016	128	1.2	0.10	1.0	1.4	42	2.2	0.35	1.6	3.0	
2017	123	1.1	0.10	0.9	1.3	41	2.1	0.34	1.5	2.9	
2018	127	1.1	0.10	0.9	1.3	40	2.1	0.34	1.5	2.9	
2019	124	1.1	0.10	0.9	1.3	41	2.1	0.34	1.5	2.9	
2020	93	0.8	0.08	0.6	1.0	37	1.8	0.31	1.3	2.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gallbladder											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	143	1.4	0.14	1.2	1.7	1,426	0.9	0.02	0.9	1.0	
1990	3	2.2	1.47	0.3	6.8	37	0.9	0.15	0.6	1.2	
1991	3	1.7	1.08	0.3	5.4	40	0.9	0.15	0.7	1.3	
1992	1	0.5	0.52	0.0	3.3	33	0.8	0.13	0.5	1.1	
1993	2	1.8	1.47	0.1	6.3	26	0.6	0.11	0.4	0.8	
1994	0					50	1.2	0.17	0.9	1.6	
1995	2	0.9	0.67	0.1	3.5	33	0.8	0.14	0.6	1.1	
1996	3	1.4	0.88	0.2	4.4	51	1.2	0.17	0.9	1.6	
1997	4	3.1	1.83	0.6	8.1	45	1.1	0.16	0.8	1.4	
1998	1	1.3	1.26	0.0	5.2	43	1.0	0.15	0.7	1.3	
1999	6	2.9	1.23	1.0	6.3	47	1.0	0.15	0.8	1.4	
2000	3	1.7	1.20	0.2	5.2	38	0.8	0.13	0.6	1.1	
2001	4	2.2	1.38	0.4	6.0	41	0.9	0.14	0.6	1.2	
2002	2	1.5	1.22	0.1	5.0	53	1.1	0.15	0.8	1.4	
2003	4	2.1	1.05	0.5	5.0	33	0.7	0.12	0.5	1.0	
2004	8	2.8	1.06	1.1	5.6	43	0.9	0.14	0.7	1.2	
2005	3	0.5	0.34	0.1	1.9	48	1.0	0.14	0.7	1.3	
2006	6	1.9	0.86	0.6	4.3	44	0.9	0.14	0.7	1.2	
2007	3	1.3	0.89	0.2	3.9	47	0.9	0.14	0.7	1.2	
2008	6	1.2	0.51	0.4	2.7	41	0.8	0.13	0.6	1.1	
2009	5	1.1	0.53	0.3	2.6	49	0.9	0.14	0.7	1.2	
2010	5	1.1	0.52	0.3	2.6	53	1.0	0.14	0.8	1.3	
2011	4	0.8	0.45	0.2	2.1	65	1.2	0.15	0.9	1.6	
2012	7	2.5	1.00	0.9	5.0	45	0.8	0.13	0.6	1.1	
2013	4	0.5	0.25	0.1	1.4	54	1.0	0.13	0.7	1.3	
2014	6	1.0	0.44	0.3	2.3	43	0.8	0.12	0.5	1.0	
2015	9	1.5	0.56	0.6	3.0	51	0.9	0.12	0.6	1.1	
2016	11	2.3	0.76	1.0	4.1	51	0.8	0.12	0.6	1.1	
2017	9	1.7	0.59	0.7	3.2	57	0.9	0.12	0.7	1.2	
2018	6	0.9	0.41	0.3	2.1	57	0.9	0.13	0.7	1.2	
2019	7	1.2	0.50	0.4	2.5	66	1.0	0.13	0.8	1.3	
2020	6	1.1	0.48	0.4	2.4	42	0.7	0.11	0.5	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gallbladder											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,137	0.9	0.03	0.8	0.9	226	1.2	0.09	1.1	1.4	
1990	35	0.9	0.16	0.6	1.3	1	0.2	0.17	0.0	1.0	
1991	36	0.9	0.16	0.7	1.3	3	1.1	0.62	0.2	2.8	
1992	33	0.8	0.15	0.6	1.2	0					
1993	22	0.6	0.12	0.3	0.8	4	0.7	0.33	0.2	1.7	
1994	45	1.2	0.18	0.9	1.6	3	0.7	0.41	0.1	1.9	
1995	28	0.8	0.15	0.5	1.1	4	1.0	0.53	0.2	2.5	
1996	47	1.3	0.19	0.9	1.7	3	0.7	0.43	0.1	2.0	
1997	39	1.1	0.17	0.7	1.4	4	0.9	0.45	0.2	2.2	
1998	39	1.0	0.17	0.7	1.4	3	0.7	0.46	0.1	2.1	
1999	42	1.1	0.17	0.8	1.4	3	0.5	0.31	0.1	1.5	
2000	30	0.7	0.13	0.5	1.0	7	1.2	0.46	0.5	2.4	
2001	36	0.9	0.15	0.6	1.2	3	0.4	0.26	0.1	1.3	
2002	42	1.0	0.16	0.7	1.4	7	1.1	0.44	0.4	2.3	
2003	27	0.7	0.13	0.4	1.0	6	1.1	0.46	0.4	2.3	
2004	37	0.9	0.15	0.6	1.2	5	1.0	0.43	0.3	2.2	
2005	37	0.9	0.15	0.6	1.2	9	1.6	0.57	0.7	3.1	
2006	37	0.9	0.15	0.6	1.2	6	1.0	0.42	0.4	2.2	
2007	36	0.8	0.14	0.6	1.2	10	1.7	0.54	0.8	3.0	
2008	31	0.7	0.13	0.5	1.0	8	1.2	0.45	0.5	2.4	
2009	37	0.8	0.14	0.6	1.2	10	1.5	0.50	0.7	2.8	
2010	39	0.9	0.14	0.6	1.2	11	2.0	0.64	0.9	3.6	
2011	52	1.2	0.16	0.9	1.5	11	1.9	0.61	0.9	3.4	
2012	32	0.7	0.13	0.5	1.0	10	1.6	0.52	0.7	2.9	
2013	39	0.9	0.14	0.6	1.2	13	1.9	0.54	1.0	3.2	
2014	30	0.6	0.12	0.4	0.9	8	1.1	0.39	0.4	2.1	
2015	38	0.8	0.13	0.5	1.1	8	1.1	0.41	0.4	2.2	
2016	36	0.7	0.12	0.5	1.0	13	1.7	0.49	0.9	3.0	
2017	40	0.8	0.13	0.6	1.1	14	1.8	0.50	0.9	3.0	
2018	40	0.8	0.13	0.6	1.1	13	1.7	0.49	0.9	3.0	
2019	50	0.9	0.14	0.7	1.3	15	2.0	0.52	1.1	3.3	
2020	25	0.5	0.10	0.3	0.7	11	1.4	0.43	0.7	2.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gallbladder										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	396	3.2	0.17	2.8	3.5	3,577	1.6	0.03	1.6	1.7
1990	6	2.8	1.15	1.0	6.1	115	1.8	0.17	1.5	2.2
1991	4	2.4	1.36	0.5	6.3	107	1.7	0.17	1.4	2.1
1992	5	2.4	1.13	0.7	5.6	138	2.1	0.18	1.8	2.5
1993	9	5.8	2.07	2.5	10.9	94	1.5	0.15	1.2	1.8
1994	12	6.0	1.84	2.9	10.5	113	1.7	0.16	1.4	2.0
1995	13	5.4	1.61	2.7	9.4	113	1.7	0.16	1.4	2.1
1996	5	1.5	0.70	0.5	3.7	113	1.7	0.17	1.4	2.1
1997	7	3.7	1.51	1.4	7.6	109	1.6	0.16	1.3	2.0
1998	11	4.9	1.65	2.3	9.0	131	2.0	0.17	1.7	2.4
1999	8	3.2	1.22	1.3	6.4	98	1.4	0.15	1.2	1.8
2000	7	1.7	0.64	0.7	3.6	116	1.7	0.16	1.4	2.1
2001	11	3.2	1.07	1.5	6.0	115	1.7	0.16	1.4	2.0
2002	15	4.9	1.32	2.6	8.1	98	1.4	0.15	1.2	1.8
2003	11	2.5	0.76	1.2	4.5	124	1.8	0.16	1.5	2.1
2004	12	3.1	0.96	1.5	5.5	106	1.5	0.15	1.2	1.8
2005	10	2.8	0.98	1.2	5.3	128	1.9	0.17	1.5	2.2
2006	17	4.3	1.14	2.3	7.0	101	1.4	0.14	1.1	1.7
2007	10	2.6	0.85	1.2	4.7	110	1.6	0.15	1.3	1.9
2008	12	2.7	0.81	1.4	4.7	135	1.9	0.17	1.6	2.3
2009	19	4.3	1.04	2.5	6.7	112	1.5	0.15	1.3	1.9
2010	14	3.3	0.93	1.7	5.6	104	1.4	0.14	1.2	1.8
2011	14	3.0	0.85	1.6	5.0	118	1.6	0.15	1.4	2.0
2012	22	4.5	1.02	2.7	6.9	108	1.4	0.14	1.2	1.7
2013	12	2.5	0.77	1.2	4.4	126	1.7	0.15	1.4	2.0
2014	18	3.0	0.75	1.7	4.8	140	1.9	0.16	1.6	2.2
2015	18	2.9	0.72	1.6	4.6	138	1.8	0.15	1.5	2.1
2016	23	3.9	0.85	2.4	5.9	124	1.6	0.15	1.4	2.0
2017	15	2.2	0.61	1.2	3.7	115	1.5	0.14	1.2	1.8
2018	17	2.4	0.60	1.4	3.8	122	1.6	0.15	1.3	1.9
2019	14	1.9	0.53	1.0	3.2	109	1.4	0.14	1.1	1.7
2020	25	3.0	0.62	1.9	4.5	97	1.2	0.13	1.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Gallbladder											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,895	1.6	0.03	1.5	1.6	571	2.0	0.09	1.9	2.2	
1990	104	1.8	0.18	1.5	2.2	9	1.5	0.52	0.7	2.9	
1991	89	1.6	0.17	1.3	2.0	18	2.7	0.64	1.6	4.2	
1992	113	1.9	0.18	1.6	2.3	21	3.0	0.66	1.8	4.5	
1993	84	1.5	0.17	1.2	1.9	7	1.1	0.43	0.5	2.3	
1994	105	1.8	0.18	1.5	2.2	7	1.1	0.41	0.4	2.2	
1995	99	1.7	0.18	1.4	2.1	13	1.7	0.48	0.9	2.9	
1996	94	1.7	0.17	1.3	2.0	18	2.4	0.57	1.4	3.8	
1997	100	1.7	0.17	1.4	2.1	7	0.9	0.34	0.4	1.8	
1998	106	1.9	0.18	1.5	2.3	18	2.3	0.54	1.4	3.6	
1999	87	1.5	0.16	1.2	1.8	9	1.1	0.38	0.5	2.1	
2000	100	1.7	0.18	1.4	2.1	14	1.7	0.45	0.9	2.8	
2001	104	1.8	0.18	1.5	2.2	10	1.2	0.38	0.6	2.2	
2002	82	1.4	0.16	1.1	1.8	12	1.4	0.40	0.7	2.4	
2003	102	1.7	0.17	1.4	2.1	16	1.9	0.49	1.1	3.1	
2004	80	1.3	0.15	1.0	1.7	21	2.6	0.56	1.6	3.9	
2005	113	1.9	0.18	1.6	2.3	13	1.6	0.45	0.9	2.7	
2006	86	1.4	0.15	1.1	1.8	12	1.3	0.39	0.7	2.3	
2007	97	1.7	0.17	1.4	2.1	12	1.3	0.37	0.7	2.2	
2008	107	1.8	0.18	1.5	2.2	25	2.6	0.52	1.7	3.8	
2009	88	1.4	0.16	1.1	1.8	21	2.2	0.49	1.4	3.4	
2010	77	1.3	0.15	1.0	1.6	26	2.7	0.53	1.7	3.9	
2011	88	1.5	0.16	1.2	1.9	26	2.5	0.50	1.6	3.7	
2012	78	1.2	0.14	1.0	1.6	24	2.2	0.46	1.4	3.3	
2013	95	1.6	0.16	1.3	1.9	23	2.2	0.47	1.4	3.3	
2014	107	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.8	
2015	106	1.7	0.17	1.4	2.0	27	2.4	0.47	1.6	3.6	
2016	92	1.5	0.16	1.2	1.9	29	2.6	0.48	1.7	3.7	
2017	83	1.3	0.15	1.0	1.7	27	2.4	0.47	1.6	3.5	
2018	87	1.4	0.15	1.1	1.7	27	2.4	0.47	1.6	3.6	
2019	74	1.2	0.14	0.9	1.5	26	2.3	0.46	1.5	3.4	
2020	68	1.0	0.13	0.8	1.3	26	2.2	0.45	1.4	3.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Pancreas											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,614	12.0	0.26	11.5	12.5	48,317	12.7	0.06	12.6	12.8	
1990	20	5.6	1.41	3.2	9.0	1,096	10.4	0.32	9.8	11.1	
1991	28	8.6	1.81	5.4	12.8	1,000	9.4	0.30	8.8	10.0	
1992	21	6.4	1.58	3.7	10.1	1,047	9.7	0.30	9.1	10.3	
1993	34	9.8	1.85	6.5	13.9	1,044	9.6	0.30	9.0	10.2	
1994	36	10.3	1.92	6.9	14.7	1,291	11.7	0.33	11.1	12.4	
1995	36	9.1	1.68	6.1	12.9	1,299	11.8	0.33	11.1	12.4	
1996	37	10.8	1.98	7.3	15.2	1,346	12.1	0.33	11.5	12.8	
1997	41	10.2	1.80	6.9	14.2	1,276	11.4	0.32	10.8	12.0	
1998	42	9.4	1.68	6.4	13.1	1,374	12.1	0.33	11.5	12.8	
1999	50	9.9	1.55	7.1	13.3	1,382	12.1	0.33	11.5	12.8	
2000	48	10.6	1.73	7.5	14.4	1,436	12.5	0.33	11.9	13.2	
2001	57	10.9	1.67	7.9	14.6	1,452	12.6	0.33	12.0	13.3	
2002	45	8.3	1.39	5.8	11.4	1,461	12.6	0.33	11.9	13.2	
2003	51	8.6	1.33	6.2	11.5	1,484	12.6	0.33	12.0	13.3	
2004	74	12.5	1.60	9.6	16.0	1,528	12.9	0.33	12.2	13.5	
2005	72	12.1	1.61	9.2	15.6	1,603	13.4	0.33	12.7	14.0	
2006	90	13.7	1.61	10.7	17.2	1,510	12.5	0.32	11.9	13.2	
2007	82	11.4	1.42	8.8	14.5	1,580	12.9	0.33	12.3	13.6	
2008	98	13.1	1.47	10.4	16.3	1,633	13.2	0.33	12.5	13.8	
2009	70	10.0	1.30	7.6	12.7	1,759	14.0	0.34	13.4	14.7	
2010	102	12.9	1.40	10.3	15.9	1,679	13.2	0.33	12.6	13.9	
2011	104	13.1	1.39	10.5	16.0	1,695	13.2	0.33	12.5	13.8	
2012	121	13.1	1.29	10.7	15.8	1,725	13.0	0.32	12.4	13.7	
2013	118	12.1	1.20	9.8	14.6	1,785	13.3	0.32	12.7	13.9	
2014	116	11.2	1.13	9.1	13.6	1,831	13.4	0.32	12.8	14.1	
2015	126	11.4	1.09	9.3	13.7	1,931	14.1	0.33	13.5	14.8	
2016	147	12.8	1.13	10.6	15.1	1,889	13.6	0.32	13.0	14.3	
2017	178	14.9	1.20	12.7	17.4	2,066	14.5	0.33	13.9	15.2	
2018	189	15.2	1.18	13.0	17.7	2,083	14.6	0.33	14.0	15.2	
2019	198	14.7	1.12	12.6	17.1	2,098	14.5	0.32	13.9	15.2	
2020	183	13.2	1.03	11.2	15.3	1,934	13.2	0.31	12.6	13.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Pancreas											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	39,675	12.3	0.06	12.2	12.5	7,592	16.4	0.19	16.0	16.8	
1990	911	9.8	0.33	9.2	10.5	173	15.4	1.21	13.1	17.9	
1991	866	9.3	0.32	8.6	9.9	125	11.5	1.05	9.5	13.7	
1992	878	9.3	0.32	8.7	9.9	157	13.2	1.08	11.1	15.4	
1993	870	9.1	0.31	8.5	9.7	161	13.7	1.10	11.6	16.0	
1994	1,073	11.1	0.34	10.5	11.8	194	16.5	1.22	14.2	19.1	
1995	1,082	11.3	0.34	10.6	12.0	203	17.1	1.23	14.8	19.7	
1996	1,139	11.8	0.35	11.1	12.5	192	15.8	1.17	13.6	18.3	
1997	1,088	11.2	0.34	10.5	11.8	174	13.7	1.06	11.7	15.9	
1998	1,166	11.9	0.35	11.2	12.6	188	14.4	1.07	12.4	16.7	
1999	1,156	11.7	0.35	11.1	12.4	197	15.2	1.10	13.1	17.5	
2000	1,204	12.2	0.35	11.5	12.9	199	14.9	1.08	12.9	17.2	
2001	1,205	12.2	0.35	11.5	12.9	225	16.2	1.10	14.1	18.5	
2002	1,195	12.0	0.35	11.3	12.7	240	17.5	1.15	15.3	19.8	
2003	1,211	12.1	0.35	11.4	12.8	244	17.5	1.14	15.3	19.9	
2004	1,281	12.6	0.36	12.0	13.4	220	15.3	1.05	13.3	17.5	
2005	1,296	12.7	0.36	12.0	13.4	277	19.2	1.18	17.0	21.7	
2006	1,208	11.8	0.34	11.2	12.5	272	18.4	1.14	16.3	20.8	
2007	1,297	12.6	0.35	11.9	13.3	250	16.9	1.09	14.8	19.1	
2008	1,336	12.8	0.35	12.1	13.5	255	16.4	1.05	14.4	18.5	
2009	1,449	13.8	0.37	13.1	14.5	272	17.4	1.08	15.4	19.7	
2010	1,388	13.1	0.36	12.4	13.8	252	16.0	1.03	14.0	18.1	
2011	1,393	13.1	0.36	12.4	13.8	261	15.8	1.00	13.9	17.8	
2012	1,405	12.8	0.35	12.2	13.5	278	16.4	1.00	14.5	18.5	
2013	1,453	13.1	0.35	12.4	13.8	292	16.7	1.00	14.8	18.8	
2014	1,475	13.1	0.35	12.4	13.8	300	16.8	0.99	14.9	18.8	
2015	1,531	13.7	0.36	13.0	14.4	351	19.4	1.06	17.4	21.6	
2016	1,544	13.6	0.35	12.9	14.3	299	16.1	0.96	14.3	18.1	
2017	1,711	14.8	0.37	14.1	15.5	314	16.5	0.95	14.7	18.5	
2018	1,638	14.1	0.36	13.4	14.9	365	19.0	1.02	17.1	21.1	
2019	1,685	14.4	0.36	13.7	15.1	345	17.3	0.95	15.5	19.3	
2020	1,541	13.1	0.34	12.5	13.8	317	15.6	0.89	13.9	17.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Pancreas											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,323	12.7	0.39	11.9	13.5	23,947	14.7	0.10	14.5	14.9	
1990	11	5.6	1.85	2.6	10.6	515	11.9	0.54	10.9	13.0	
1991	14	8.3	2.47	4.2	14.6	464	10.7	0.51	9.7	11.7	
1992	10	6.9	2.68	2.7	13.7	504	11.2	0.51	10.3	12.3	
1993	16	11.2	3.38	5.5	19.3	486	10.8	0.50	9.9	11.8	
1994	19	10.4	2.82	5.6	17.1	630	14.0	0.57	12.9	15.1	
1995	19	9.3	2.45	5.1	15.2	626	13.8	0.56	12.7	14.9	
1996	16	10.5	2.99	5.5	17.6	637	13.9	0.56	12.8	15.0	
1997	21	9.3	2.20	5.5	14.6	599	12.9	0.54	11.9	14.0	
1998	20	11.4	3.03	6.3	18.5	624	13.5	0.55	12.4	14.6	
1999	29	12.0	2.60	7.4	18.0	663	14.0	0.55	12.9	15.1	
2000	20	8.7	2.33	4.7	14.2	724	15.1	0.57	14.0	16.3	
2001	27	10.5	2.31	6.4	15.8	711	14.7	0.56	13.6	15.8	
2002	22	9.1	2.18	5.3	14.1	701	14.4	0.55	13.3	15.5	
2003	29	9.8	2.06	6.2	14.6	734	14.8	0.55	13.8	16.0	
2004	36	13.4	2.45	9.0	18.9	783	15.7	0.57	14.6	16.9	
2005	30	9.4	1.94	6.0	13.9	759	15.0	0.55	13.9	16.1	
2006	58	18.3	2.84	13.2	24.6	746	14.5	0.54	13.4	15.6	
2007	42	11.7	2.16	7.9	16.6	774	14.8	0.54	13.7	15.9	
2008	47	14.2	2.34	10.0	19.4	825	15.5	0.55	14.5	16.7	
2009	32	9.0	1.79	5.8	13.0	873	16.1	0.55	15.0	17.2	
2010	51	13.9	2.25	9.9	18.9	837	15.2	0.54	14.2	16.3	
2011	49	12.3	1.96	8.7	16.6	853	15.2	0.53	14.1	16.2	
2012	62	13.6	1.94	10.1	17.9	857	14.7	0.51	13.7	15.7	
2013	80	18.0	2.23	13.9	22.8	899	15.3	0.52	14.3	16.3	
2014	60	11.8	1.72	8.6	15.5	952	15.8	0.53	14.8	16.9	
2015	64	12.1	1.69	9.1	15.8	989	16.5	0.54	15.4	17.6	
2016	68	12.2	1.63	9.2	15.7	967	15.9	0.52	14.9	16.9	
2017	96	16.7	1.89	13.2	20.7	1,063	16.7	0.53	15.7	17.8	
2018	94	16.4	1.83	13.0	20.3	1,061	16.6	0.52	15.6	17.7	
2019	93	13.9	1.58	11.0	17.3	1,085	16.8	0.52	15.8	17.9	
2020	88	13.1	1.52	10.3	16.4	1,006	15.4	0.50	14.4	16.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Pancreas											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	19,909	14.4	0.10	14.2	14.6	3,508	18.3	0.32	17.7	19.0	
1990	436	11.5	0.56	10.4	12.6	73	15.9	1.97	12.3	20.2	
1991	407	10.6	0.54	9.6	11.7	53	12.1	1.76	8.9	16.0	
1992	420	10.7	0.53	9.6	11.7	76	16.9	2.06	13.1	21.3	
1993	407	10.3	0.52	9.3	11.4	73	15.3	1.89	11.8	19.4	
1994	524	13.3	0.59	12.2	14.6	97	20.1	2.16	16.1	24.7	
1995	513	13.0	0.58	11.9	14.2	100	20.8	2.21	16.7	25.6	
1996	539	13.5	0.59	12.4	14.7	89	18.3	2.06	14.5	22.8	
1997	513	12.8	0.57	11.7	14.0	77	13.8	1.64	10.8	17.3	
1998	532	13.3	0.58	12.2	14.5	83	15.4	1.77	12.2	19.3	
1999	564	13.8	0.58	12.6	14.9	86	16.1	1.82	12.8	20.0	
2000	614	14.9	0.61	13.8	16.2	93	16.4	1.79	13.1	20.3	
2001	598	14.4	0.59	13.3	15.7	105	18.2	1.85	14.7	22.2	
2002	574	13.8	0.58	12.7	15.0	112	19.5	1.95	15.9	23.6	
2003	590	14.0	0.58	12.9	15.2	127	22.3	2.10	18.4	26.8	
2004	663	15.6	0.61	14.5	16.9	105	16.8	1.72	13.6	20.5	
2005	617	14.4	0.58	13.2	15.6	128	21.4	2.02	17.6	25.7	
2006	598	13.7	0.57	12.6	14.9	127	20.4	1.89	16.9	24.4	
2007	641	14.4	0.58	13.3	15.6	109	18.4	1.88	14.9	22.4	
2008	683	15.2	0.59	14.0	16.4	121	19.1	1.83	15.7	23.0	
2009	728	15.9	0.60	14.8	17.2	129	20.2	1.88	16.7	24.2	
2010	709	15.3	0.58	14.2	16.5	108	16.4	1.66	13.3	19.9	
2011	722	15.3	0.58	14.2	16.5	115	17.1	1.68	14.0	20.7	
2012	700	14.3	0.55	13.3	15.5	137	19.6	1.76	16.3	23.4	
2013	747	15.2	0.57	14.1	16.4	136	18.6	1.68	15.5	22.2	
2014	787	15.7	0.57	14.6	16.9	138	18.5	1.65	15.4	22.0	
2015	792	16.0	0.58	14.9	17.2	168	22.4	1.81	19.0	26.3	
2016	809	16.0	0.58	14.9	17.2	137	18.5	1.66	15.4	22.1	
2017	905	17.4	0.59	16.2	18.6	141	17.5	1.54	14.6	20.8	
2018	866	16.6	0.58	15.5	17.8	158	19.4	1.61	16.4	22.8	
2019	879	16.7	0.58	15.5	17.8	175	20.7	1.62	17.6	24.1	
2020	832	15.7	0.56	14.6	16.8	132	15.4	1.40	12.8	18.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Pancreas											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,291	11.3	0.33	10.7	12.0	24,370	11.1	0.07	10.9	11.2	
1990	9	5.2	1.91	2.2	10.1	581	9.4	0.40	8.6	10.2	
1991	14	8.4	2.43	4.3	14.3	536	8.5	0.37	7.8	9.3	
1992	11	6.1	2.00	2.8	11.1	543	8.5	0.37	7.8	9.2	
1993	18	9.1	2.28	5.2	14.6	558	8.7	0.37	8.0	9.4	
1994	17	10.1	2.57	5.7	16.1	661	10.0	0.39	9.2	10.8	
1995	17	8.6	2.24	4.8	13.9	673	10.2	0.40	9.4	11.0	
1996	21	11.0	2.60	6.5	17.0	709	10.7	0.40	9.9	11.5	
1997	20	10.1	2.51	5.8	15.9	677	10.1	0.39	9.4	10.9	
1998	22	8.1	1.95	4.7	12.7	750	11.2	0.41	10.4	12.0	
1999	21	8.1	1.91	4.8	12.6	719	10.6	0.40	9.8	11.4	
2000	28	12.0	2.47	7.7	17.6	712	10.5	0.40	9.7	11.3	
2001	30	11.0	2.25	7.0	16.1	741	10.9	0.41	10.2	11.8	
2002	23	7.7	1.75	4.7	11.8	760	11.0	0.41	10.3	11.9	
2003	22	7.4	1.70	4.5	11.3	750	10.9	0.40	10.1	11.7	
2004	38	11.8	2.07	8.1	16.4	745	10.6	0.39	9.8	11.4	
2005	42	13.8	2.33	9.7	19.0	844	12.1	0.42	11.3	13.0	
2006	32	9.8	1.84	6.5	13.9	764	11.0	0.40	10.2	11.8	
2007	40	11.1	1.89	7.7	15.3	806	11.4	0.41	10.6	12.2	
2008	51	12.4	1.88	9.0	16.5	808	11.3	0.41	10.5	12.2	
2009	38	10.5	1.81	7.3	14.5	886	12.3	0.42	11.5	13.2	
2010	51	12.2	1.81	9.0	16.2	842	11.6	0.41	10.8	12.4	
2011	55	13.3	1.90	9.9	17.5	842	11.5	0.40	10.7	12.3	
2012	59	12.4	1.71	9.3	16.2	868	11.7	0.40	10.9	12.5	
2013	38	7.2	1.24	5.0	10.0	886	11.7	0.40	11.0	12.6	
2014	56	10.6	1.49	7.8	13.8	879	11.6	0.40	10.8	12.4	
2015	62	10.7	1.43	8.1	13.9	942	12.2	0.41	11.4	13.0	
2016	79	13.2	1.57	10.3	16.6	922	11.8	0.40	11.1	12.7	
2017	82	13.5	1.57	10.6	16.9	1,003	12.6	0.41	11.8	13.4	
2018	95	14.3	1.53	11.4	17.5	1,022	12.9	0.41	12.1	13.7	
2019	105	15.3	1.56	12.4	18.6	1,013	12.5	0.40	11.7	13.3	
2020	95	13.1	1.39	10.5	16.0	928	11.4	0.38	10.7	12.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Pancreas											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	19,766	10.6	0.08	10.5	10.8	4,084	14.9	0.23	14.4	15.3	
1990	475	8.7	0.41	7.9	9.5	100	14.9	1.52	12.1	18.2	
1991	459	8.3	0.39	7.5	9.1	72	11.0	1.31	8.6	13.9	
1992	458	8.1	0.38	7.3	8.8	81	11.1	1.25	8.8	13.8	
1993	463	8.1	0.38	7.4	8.9	88	12.6	1.35	10.1	15.5	
1994	549	9.4	0.41	8.6	10.2	97	13.8	1.42	11.2	16.9	
1995	569	9.8	0.42	9.0	10.7	103	14.5	1.45	11.8	17.6	
1996	600	10.3	0.43	9.5	11.2	103	14.1	1.40	11.5	17.1	
1997	575	9.9	0.42	9.1	10.7	97	13.1	1.34	10.6	16.0	
1998	634	10.9	0.44	10.0	11.8	105	13.6	1.33	11.1	16.4	
1999	592	10.0	0.42	9.2	10.9	111	14.3	1.37	11.8	17.2	
2000	590	10.2	0.43	9.3	11.0	106	13.5	1.32	11.1	16.4	
2001	607	10.4	0.43	9.5	11.3	120	14.7	1.35	12.2	17.6	
2002	621	10.5	0.43	9.7	11.4	128	15.8	1.40	13.1	18.7	
2003	621	10.5	0.43	9.7	11.4	117	14.2	1.32	11.7	17.0	
2004	618	10.2	0.42	9.4	11.1	115	13.7	1.29	11.3	16.5	
2005	679	11.5	0.45	10.6	12.4	149	17.6	1.45	14.9	20.7	
2006	610	10.3	0.43	9.5	11.2	145	16.7	1.40	14.1	19.7	
2007	656	11.0	0.44	10.1	11.9	141	15.9	1.35	13.4	18.8	
2008	653	10.9	0.44	10.1	11.8	134	14.4	1.26	12.0	17.1	
2009	721	11.9	0.46	11.1	12.9	143	15.5	1.31	13.1	18.3	
2010	679	11.2	0.44	10.4	12.1	144	15.4	1.30	12.9	18.1	
2011	671	11.1	0.44	10.2	12.0	146	14.7	1.23	12.4	17.3	
2012	705	11.6	0.45	10.7	12.5	141	14.0	1.20	11.8	16.6	
2013	706	11.3	0.44	10.5	12.2	156	15.4	1.25	13.1	18.1	
2014	688	11.0	0.43	10.2	11.9	162	15.5	1.24	13.2	18.2	
2015	739	11.8	0.45	10.9	12.7	183	17.1	1.28	14.6	19.8	
2016	735	11.6	0.44	10.7	12.5	162	14.6	1.17	12.4	17.1	
2017	806	12.5	0.45	11.6	13.4	173	15.5	1.20	13.3	18.1	
2018	772	12.0	0.45	11.2	12.9	207	18.5	1.31	16.0	21.3	
2019	806	12.4	0.45	11.5	13.3	170	14.5	1.13	12.4	16.9	
2020	709	10.9	0.42	10.1	11.8	185	15.6	1.16	13.4	18.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Respiratory System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	7,591	34.9	0.44	34.1	35.8	289,884	76.1	0.14	75.8	76.4
1990	114	36.4	3.86	29.3	44.6	7,843	73.4	0.84	71.8	75.1
1991	108	32.0	3.48	25.5	39.4	7,818	72.3	0.83	70.7	74.0
1992	121	34.6	3.50	28.1	42.0	8,236	75.7	0.84	74.0	77.3
1993	141	35.4	3.33	29.2	42.4	8,615	78.6	0.85	77.0	80.3
1994	158	39.1	3.51	32.6	46.5	9,175	83.1	0.87	81.4	84.8
1995	175	50.6	4.27	42.6	59.5	9,185	82.9	0.87	81.2	84.6
1996	194	49.7	4.02	42.1	58.1	9,175	82.6	0.86	81.0	84.4
1997	181	45.9	3.83	38.7	53.9	9,065	81.1	0.85	79.4	82.8
1998	212	54.9	4.20	47.0	63.6	9,171	81.4	0.85	79.7	83.1
1999	203	43.5	3.45	37.0	50.7	9,258	81.7	0.85	80.0	83.4
2000	201	39.3	3.14	33.4	45.8	9,134	80.2	0.84	78.6	81.9
2001	205	41.2	3.27	35.1	48.0	9,254	80.8	0.84	79.2	82.5
2002	191	36.2	2.95	30.6	42.3	9,568	82.9	0.85	81.3	84.6
2003	210	36.3	2.78	31.1	42.1	9,561	82.1	0.84	80.4	83.7
2004	252	42.3	3.00	36.6	48.4	9,264	79.0	0.82	77.4	80.6
2005	235	37.3	2.69	32.2	42.9	9,473	80.0	0.83	78.4	81.7
2006	246	37.8	2.65	32.8	43.3	9,684	81.2	0.83	79.6	82.9
2007	268	39.3	2.60	34.4	44.6	9,803	81.1	0.83	79.5	82.7
2008	306	41.2	2.60	36.3	46.5	9,779	79.6	0.81	78.1	81.2
2009	250	33.6	2.31	29.2	38.3	10,037	80.9	0.82	79.3	82.5
2010	263	32.5	2.17	28.4	37.0	9,728	77.2	0.79	75.7	78.8
2011	324	39.0	2.34	34.6	43.8	9,733	75.9	0.78	74.4	77.5
2012	305	34.9	2.15	30.8	39.3	9,714	74.5	0.77	73.0	76.0
2013	270	28.3	1.86	24.8	32.1	9,578	71.8	0.75	70.3	73.3
2014	321	30.8	1.86	27.3	34.6	10,068	74.2	0.75	72.7	75.7
2015	363	33.0	1.86	29.4	36.8	9,888	71.7	0.74	70.3	73.2
2016	320	28.4	1.70	25.2	31.9	9,876	71.0	0.73	69.6	72.4
2017	393	34.3	1.84	30.8	38.0	9,889	69.7	0.71	68.3	71.2
2018	356	28.8	1.62	25.7	32.1	9,937	68.6	0.70	67.3	70.0
2019	359	28.0	1.56	25.0	31.2	9,639	65.4	0.68	64.1	66.8
2020	346	26.0	1.47	23.2	29.0	8,736	58.7	0.64	57.5	60.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Respiratory System										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	242,512	75.7	0.15	75.4	76.0	42,794	89.2	0.44	88.4	90.1
1990	6,678	71.3	0.88	69.6	73.0	1,112	93.3	2.86	87.8	99.0
1991	6,708	70.8	0.87	69.1	72.5	1,054	86.4	2.71	81.1	91.9
1992	7,019	74.0	0.89	72.2	75.8	1,158	94.4	2.83	89.0	100.2
1993	7,242	75.9	0.90	74.1	77.7	1,295	104.2	2.95	98.5	110.1
1994	7,800	81.2	0.93	79.4	83.1	1,297	102.9	2.91	97.2	108.7
1995	7,712	80.4	0.92	78.6	82.2	1,389	106.9	2.92	101.2	112.7
1996	7,684	80.2	0.92	78.4	82.0	1,393	107.1	2.92	101.5	113.0
1997	7,623	79.1	0.91	77.4	80.9	1,345	100.8	2.79	95.4	106.4
1998	7,697	79.5	0.91	77.7	81.3	1,356	100.6	2.77	95.2	106.2
1999	7,795	80.3	0.91	78.5	82.1	1,363	99.1	2.73	93.8	104.6
2000	7,742	79.7	0.91	77.9	81.5	1,283	91.5	2.59	86.5	96.7
2001	7,817	80.2	0.91	78.4	82.0	1,330	94.4	2.63	89.3	99.7
2002	8,047	82.1	0.92	80.3	83.9	1,396	96.9	2.63	91.8	102.2
2003	8,037	81.6	0.91	79.8	83.4	1,410	96.2	2.60	91.1	101.4
2004	7,727	78.1	0.89	76.3	79.8	1,419	95.8	2.59	90.8	101.0
2005	7,932	79.8	0.90	78.0	81.6	1,401	92.6	2.52	87.7	97.7
2006	8,081	80.7	0.90	79.0	82.5	1,461	95.2	2.54	90.3	100.3
2007	8,181	80.9	0.90	79.1	82.7	1,466	94.7	2.52	89.8	99.8
2008	8,220	80.2	0.89	78.5	82.0	1,404	88.2	2.40	83.5	93.0
2009	8,422	81.6	0.90	79.9	83.4	1,434	87.3	2.36	82.8	92.1
2010	8,108	77.6	0.87	75.9	79.3	1,437	86.5	2.34	81.9	91.1
2011	8,121	76.5	0.86	74.8	78.2	1,428	84.7	2.30	80.2	89.3
2012	8,015	74.4	0.85	72.8	76.1	1,511	88.0	2.32	83.5	92.6
2013	7,910	72.0	0.82	70.4	73.7	1,467	82.6	2.21	78.3	87.0
2014	8,380	75.4	0.84	73.7	77.0	1,479	81.3	2.17	77.1	85.7
2015	8,100	71.9	0.82	70.3	73.6	1,549	82.7	2.16	78.6	87.1
2016	8,147	71.8	0.81	70.3	73.5	1,516	80.8	2.13	76.7	85.1
2017	8,170	70.8	0.80	69.3	72.4	1,500	78.3	2.07	74.3	82.5
2018	8,249	70.0	0.79	68.5	71.6	1,456	75.1	2.02	71.2	79.2
2019	7,943	66.6	0.76	65.2	68.2	1,435	71.3	1.93	67.6	75.2
2020	7,205	60.1	0.72	58.6	61.5	1,250	60.6	1.75	57.2	64.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Respiratory System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	4,468	45.6	0.76	44.1	47.1	162,336	98.7	0.25	98.2	99.2
1990	65	48.4	7.37	35.0	64.5	5,024	111.4	1.61	108.3	114.6
1991	68	45.9	6.54	34.0	60.2	4,962	108.5	1.58	105.5	111.7
1992	72	47.6	6.68	35.4	62.1	5,143	111.1	1.58	108.0	114.3
1993	95	52.7	6.42	40.8	66.5	5,322	115.1	1.61	111.9	118.2
1994	98	51.0	6.28	39.4	64.5	5,603	121.0	1.65	117.8	124.3
1995	114	77.1	8.55	61.3	95.2	5,556	118.4	1.61	115.3	121.6
1996	136	76.5	7.83	61.9	93.0	5,457	116.6	1.60	113.4	119.7
1997	114	63.8	7.05	50.7	78.7	5,400	114.3	1.57	111.2	117.4
1998	121	74.1	7.87	59.5	90.7	5,426	113.7	1.56	110.6	116.8
1999	125	57.9	6.07	46.6	70.7	5,402	112.6	1.55	109.6	115.6
2000	134	55.5	5.55	45.2	67.3	5,302	109.4	1.51	106.5	112.4
2001	125	58.0	5.99	46.8	70.6	5,336	110.0	1.52	107.0	113.0
2002	108	49.2	5.50	39.0	60.9	5,430	111.0	1.52	108.1	114.1
2003	145	55.4	5.21	45.7	66.4	5,352	107.5	1.48	104.6	110.5
2004	147	51.5	4.96	42.3	62.0	5,158	102.7	1.45	99.9	105.5
2005	153	52.6	4.83	43.5	62.7	5,225	102.5	1.43	99.7	105.3
2006	155	51.9	4.76	43.0	61.9	5,292	103.4	1.44	100.6	106.3
2007	163	53.8	4.70	45.0	63.6	5,336	102.3	1.42	99.6	105.2
2008	180	52.1	4.36	43.9	61.2	5,237	98.5	1.38	95.8	101.2
2009	131	40.0	3.91	32.7	48.2	5,355	98.8	1.37	96.1	101.5
2010	151	43.5	3.92	36.1	51.6	5,181	94.0	1.33	91.4	96.7
2011	178	49.6	4.13	41.8	58.2	5,278	94.0	1.32	91.5	96.7
2012	172	45.4	3.81	38.2	53.3	5,132	89.5	1.28	87.1	92.1
2013	156	36.5	3.26	30.4	43.3	5,208	88.4	1.25	86.0	90.9
2014	175	38.4	3.20	32.3	45.0	5,288	88.0	1.24	85.6	90.5
2015	204	38.6	3.00	32.9	44.8	5,200	85.3	1.21	82.9	87.7
2016	182	35.9	2.93	30.4	42.0	5,119	83.0	1.19	80.6	85.3
2017	219	41.3	3.04	35.6	47.6	5,201	82.8	1.18	80.5	85.1
2018	201	36.7	2.81	31.4	42.5	5,051	78.0	1.12	75.8	80.3
2019	198	33.7	2.61	28.8	39.2	4,893	74.2	1.08	72.1	76.3
2020	183	30.1	2.40	25.6	35.1	4,467	67.4	1.03	65.4	69.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Respiratory System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	135,137	97.0	0.27	96.5	97.5	24,402	124.7	0.83	123.1	126.3
1990	4,245	107.0	1.68	103.7	110.3	739	151.8	5.86	140.5	163.7
1991	4,241	105.5	1.66	102.3	108.8	681	136.3	5.47	125.7	147.4
1992	4,354	107.4	1.66	104.2	110.7	752	149.7	5.73	138.7	161.3
1993	4,448	110.0	1.68	106.7	113.3	822	162.3	5.95	150.8	174.3
1994	4,740	117.4	1.73	114.1	120.9	814	159.3	5.87	148.0	171.1
1995	4,612	113.1	1.69	109.8	116.5	894	168.8	5.93	157.4	180.8
1996	4,540	111.8	1.68	108.5	115.1	856	162.5	5.81	151.4	174.3
1997	4,483	109.9	1.66	106.6	113.2	852	156.5	5.58	145.8	167.8
1998	4,498	109.1	1.64	105.9	112.3	844	155.5	5.61	144.7	166.8
1999	4,515	109.3	1.64	106.1	112.5	822	148.4	5.40	138.0	159.3
2000	4,439	106.7	1.61	103.6	109.9	799	139.8	5.16	129.8	150.2
2001	4,456	107.2	1.62	104.1	110.5	803	139.7	5.15	129.8	150.2
2002	4,568	109.3	1.63	106.2	112.6	793	134.5	4.99	124.9	144.7
2003	4,472	105.5	1.59	102.4	108.6	803	134.3	4.96	124.7	144.3
2004	4,264	99.8	1.54	96.8	102.9	818	137.5	5.05	127.8	147.7
2005	4,326	100.1	1.54	97.1	103.2	808	131.9	4.89	122.5	141.8
2006	4,394	101.4	1.54	98.4	104.5	809	130.6	4.84	121.3	140.4
2007	4,412	100.2	1.52	97.2	103.2	839	134.4	4.89	125.0	144.3
2008	4,379	97.7	1.50	94.8	100.7	775	119.9	4.53	111.2	129.1
2009	4,483	98.7	1.50	95.8	101.7	759	112.5	4.30	104.2	121.2
2010	4,300	93.1	1.44	90.3	96.0	776	113.2	4.29	105.0	121.9
2011	4,383	93.2	1.43	90.4	96.1	782	114.2	4.28	105.9	122.8
2012	4,236	88.4	1.39	85.7	91.2	781	112.5	4.23	104.4	121.1
2013	4,300	87.6	1.36	85.0	90.3	793	110.6	4.13	102.7	119.0
2014	4,379	87.7	1.35	85.1	90.4	784	106.5	3.99	98.8	114.6
2015	4,241	84.0	1.32	81.4	86.6	823	109.3	4.00	101.6	117.4
2016	4,237	83.1	1.31	80.6	85.8	751	98.1	3.74	90.9	105.7
2017	4,264	82.2	1.29	79.7	84.8	795	103.5	3.84	96.1	111.3
2018	4,223	79.2	1.25	76.7	81.6	700	87.7	3.45	81.0	94.7
2019	4,051	74.8	1.20	72.5	77.2	695	84.4	3.33	78.0	91.1
2020	3,654	67.4	1.14	65.2	69.7	640	75.6	3.10	69.6	81.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Respiratory System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	3,123	26.5	0.50	25.5	27.5	127,548	59.6	0.17	59.3	60.0
1990	49	28.1	4.33	20.3	37.7	2,819	47.2	0.90	45.4	49.0
1991	40	21.0	3.73	14.4	29.4	2,856	46.9	0.89	45.1	48.7
1992	49	25.6	3.88	18.5	34.1	3,093	50.5	0.92	48.8	52.4
1993	46	21.5	3.44	15.3	29.2	3,293	53.2	0.94	51.4	55.1
1994	60	29.4	4.07	22.0	38.3	3,572	56.9	0.96	55.0	58.8
1995	61	31.7	4.34	23.8	41.2	3,629	57.9	0.97	56.0	59.9
1996	58	28.6	4.08	21.2	37.5	3,718	59.1	0.98	57.2	61.0
1997	67	32.0	4.23	24.2	41.1	3,665	57.6	0.96	55.7	59.5
1998	91	41.2	4.67	32.6	51.2	3,745	58.4	0.96	56.5	60.3
1999	78	31.7	3.96	24.4	40.2	3,856	59.9	0.97	58.0	61.9
2000	67	25.1	3.42	18.9	32.5	3,832	59.3	0.96	57.4	61.2
2001	80	27.7	3.49	21.3	35.2	3,918	60.2	0.97	58.4	62.2
2002	83	26.6	3.23	20.7	33.6	4,138	63.3	0.99	61.4	65.3
2003	65	20.4	2.77	15.4	26.4	4,209	64.1	1.00	62.2	66.1
2004	105	34.1	3.64	27.4	41.8	4,106	62.1	0.98	60.2	64.0
2005	82	24.7	2.95	19.2	31.0	4,248	63.9	0.99	62.0	65.9
2006	91	26.3	2.95	20.8	32.6	4,392	65.6	1.00	63.6	67.6
2007	105	27.9	2.88	22.5	34.0	4,467	65.9	1.00	63.9	67.8
2008	126	31.8	3.09	26.1	38.4	4,542	66.1	0.99	64.2	68.1
2009	119	28.8	2.80	23.5	34.7	4,682	67.7	1.00	65.8	69.7
2010	112	24.2	2.44	19.6	29.3	4,547	64.9	0.98	63.0	66.8
2011	146	31.3	2.75	26.2	37.1	4,455	62.3	0.95	60.5	64.2
2012	133	27.0	2.48	22.4	32.2	4,582	63.4	0.95	61.6	65.3
2013	114	21.9	2.17	17.9	26.5	4,370	59.3	0.91	57.6	61.2
2014	146	25.1	2.19	21.0	29.7	4,780	63.9	0.94	62.1	65.8
2015	159	28.1	2.34	23.7	33.0	4,688	61.8	0.92	60.0	63.6
2016	138	22.7	2.02	18.9	26.9	4,757	62.0	0.92	60.2	63.8
2017	174	28.5	2.26	24.3	33.2	4,688	59.9	0.89	58.1	61.6
2018	155	22.7	1.91	19.1	26.7	4,886	61.4	0.90	59.7	63.2
2019	161	23.5	1.93	19.8	27.5	4,746	58.8	0.87	57.1	60.5
2020	163	22.7	1.84	19.3	26.6	4,269	52.1	0.81	50.5	53.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Respiratory System											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	107,375	60.1	0.19	59.8	60.5	18,392	65.4	0.49	64.5	66.4	
1990	2,433	46.8	0.97	44.9	48.7	373	53.5	2.80	48.2	59.3	
1991	2,467	46.4	0.96	44.6	48.4	373	52.3	2.74	47.1	57.9	
1992	2,665	50.3	1.00	48.4	52.3	406	56.7	2.84	51.3	62.5	
1993	2,794	52.2	1.01	50.3	54.2	473	65.0	3.02	59.2	71.2	
1994	3,060	56.3	1.04	54.3	58.4	483	65.4	3.00	59.6	71.5	
1995	3,100	57.4	1.05	55.4	59.5	495	65.1	2.95	59.4	71.1	
1996	3,144	58.3	1.06	56.2	60.4	537	70.1	3.05	64.3	76.3	
1997	3,140	57.6	1.04	55.6	59.7	493	62.9	2.85	57.4	68.7	
1998	3,199	58.4	1.05	56.4	60.5	512	64.4	2.86	58.9	70.2	
1999	3,280	59.8	1.06	57.7	61.9	541	66.7	2.89	61.2	72.6	
2000	3,303	60.3	1.06	58.2	62.4	484	58.9	2.69	53.7	64.4	
2001	3,361	61.2	1.07	59.1	63.4	527	63.7	2.79	58.4	69.4	
2002	3,479	63.1	1.08	61.0	65.2	603	71.4	2.93	65.8	77.4	
2003	3,565	64.8	1.10	62.6	67.0	607	70.6	2.89	65.1	76.5	
2004	3,463	62.5	1.08	60.5	64.7	601	68.7	2.82	63.2	74.4	
2005	3,606	65.1	1.10	63.0	67.3	593	66.8	2.77	61.5	72.5	
2006	3,687	66.0	1.10	63.9	68.2	652	72.3	2.86	66.8	78.1	
2007	3,769	67.0	1.11	64.8	69.2	627	69.1	2.78	63.7	74.7	
2008	3,841	67.6	1.11	65.5	69.8	629	67.3	2.71	62.1	72.8	
2009	3,939	69.0	1.12	66.8	71.3	675	70.5	2.75	65.3	76.1	
2010	3,808	66.0	1.09	63.9	68.2	661	68.4	2.70	63.2	73.9	
2011	3,738	63.9	1.07	61.9	66.1	646	64.7	2.59	59.8	70.0	
2012	3,779	64.0	1.06	62.0	66.2	730	72.1	2.71	66.8	77.6	
2013	3,610	60.1	1.02	58.1	62.2	674	64.6	2.53	59.7	69.8	
2014	4,001	66.1	1.07	64.0	68.3	695	64.6	2.49	59.9	69.7	
2015	3,859	63.0	1.04	61.0	65.0	726	65.9	2.49	61.1	71.0	
2016	3,910	63.3	1.04	61.3	65.4	765	69.1	2.54	64.2	74.3	
2017	3,906	62.1	1.02	60.1	64.1	705	62.0	2.38	57.5	66.9	
2018	4,026	63.0	1.02	61.0	65.0	756	66.4	2.46	61.7	71.4	
2019	3,892	60.3	0.99	58.4	62.3	740	62.7	2.35	58.2	67.5	
2020	3,551	54.5	0.94	52.7	56.4	610	50.2	2.07	46.2	54.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Larynx											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	643	2.6	0.11	2.4	2.9	17,078	4.5	0.03	4.4	4.5	
1990	13	3.5	1.07	1.7	6.2	578	5.5	0.23	5.1	6.0	
1991	12	3.4	1.06	1.7	6.1	603	5.7	0.23	5.2	6.1	
1992	13	3.7	1.10	1.9	6.4	589	5.5	0.23	5.1	6.0	
1993	19	3.9	0.96	2.2	6.3	585	5.4	0.22	5.0	5.9	
1994	18	4.1	1.05	2.3	6.6	573	5.3	0.22	4.8	5.7	
1995	19	4.6	1.18	2.6	7.4	639	5.9	0.23	5.4	6.3	
1996	21	5.3	1.30	3.0	8.3	621	5.7	0.23	5.3	6.2	
1997	20	5.5	1.40	3.1	8.8	596	5.4	0.22	5.0	5.9	
1998	14	3.6	1.11	1.8	6.3	552	4.9	0.21	4.5	5.4	
1999	17	3.5	0.93	1.9	5.7	559	5.0	0.21	4.6	5.4	
2000	20	3.2	0.77	1.9	5.1	582	5.2	0.21	4.7	5.6	
2001	17	2.7	0.76	1.5	4.6	546	4.8	0.21	4.4	5.2	
2002	15	2.5	0.72	1.3	4.3	579	5.0	0.21	4.6	5.4	
2003	20	2.8	0.66	1.6	4.4	539	4.6	0.20	4.2	5.0	
2004	16	2.6	0.76	1.3	4.4	520	4.4	0.19	4.0	4.8	
2005	15	2.5	0.68	1.3	4.1	544	4.6	0.20	4.2	5.0	
2006	15	1.9	0.56	1.0	3.3	517	4.3	0.19	3.9	4.7	
2007	30	3.8	0.74	2.5	5.5	551	4.5	0.19	4.1	4.9	
2008	31	3.2	0.61	2.1	4.6	525	4.2	0.19	3.9	4.6	
2009	18	2.2	0.56	1.3	3.6	537	4.2	0.18	3.8	4.6	
2010	16	2.0	0.54	1.1	3.3	568	4.3	0.18	4.0	4.7	
2011	27	3.3	0.69	2.1	4.9	528	4.0	0.18	3.7	4.4	
2012	21	2.1	0.50	1.3	3.3	523	3.9	0.17	3.6	4.3	
2013	17	1.7	0.44	0.9	2.7	513	3.7	0.17	3.4	4.1	
2014	28	2.3	0.47	1.5	3.4	540	3.9	0.17	3.6	4.2	
2015	29	2.2	0.44	1.4	3.2	516	3.7	0.17	3.4	4.0	
2016	22	1.7	0.38	1.0	2.6	539	3.7	0.17	3.4	4.1	
2017	31	2.3	0.44	1.5	3.3	525	3.7	0.16	3.3	4.0	
2018	41	3.0	0.51	2.1	4.2	558	3.8	0.17	3.5	4.2	
2019	20	1.4	0.33	0.8	2.2	516	3.5	0.16	3.2	3.8	
2020	28	1.7	0.33	1.1	2.5	417	2.8	0.14	2.5	3.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Larynx											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	13,567	4.3	0.04	4.2	4.4	3,281	6.5	0.12	6.3	6.7	
1990	460	5.0	0.24	4.6	5.5	112	9.2	0.88	7.5	11.1	
1991	484	5.2	0.24	4.7	5.7	116	9.3	0.87	7.6	11.1	
1992	465	5.1	0.24	4.6	5.5	119	9.5	0.88	7.8	11.4	
1993	467	5.0	0.23	4.5	5.4	111	8.7	0.84	7.2	10.6	
1994	469	5.0	0.23	4.6	5.5	98	7.4	0.75	6.0	9.0	
1995	501	5.4	0.24	4.9	5.9	134	10.1	0.88	8.4	11.9	
1996	501	5.4	0.24	4.9	5.9	112	8.3	0.79	6.8	10.0	
1997	458	4.9	0.23	4.5	5.4	128	9.1	0.81	7.6	10.8	
1998	436	4.6	0.22	4.2	5.0	111	8.0	0.77	6.5	9.6	
1999	443	4.7	0.22	4.2	5.1	110	7.5	0.72	6.2	9.1	
2000	474	5.0	0.23	4.6	5.5	98	6.7	0.69	5.4	8.2	
2001	423	4.4	0.22	4.0	4.9	115	7.6	0.72	6.3	9.2	
2002	459	4.7	0.22	4.3	5.2	118	7.8	0.73	6.4	9.4	
2003	410	4.2	0.21	3.8	4.6	124	8.1	0.74	6.7	9.7	
2004	404	4.1	0.20	3.7	4.5	106	6.8	0.67	5.6	8.3	
2005	440	4.4	0.21	4.0	4.9	101	6.2	0.62	5.0	7.6	
2006	419	4.2	0.21	3.8	4.6	91	5.6	0.60	4.5	6.9	
2007	430	4.2	0.20	3.8	4.6	115	6.9	0.66	5.7	8.3	
2008	435	4.2	0.21	3.8	4.7	82	4.8	0.54	3.8	6.0	
2009	425	4.1	0.20	3.7	4.5	104	5.9	0.58	4.8	7.1	
2010	448	4.2	0.20	3.8	4.6	115	6.1	0.58	5.0	7.4	
2011	437	4.1	0.20	3.7	4.5	85	4.8	0.54	3.8	6.0	
2012	414	3.8	0.19	3.4	4.2	103	5.8	0.58	4.7	7.0	
2013	402	3.6	0.18	3.2	4.0	103	5.7	0.57	4.6	6.9	
2014	422	3.8	0.19	3.4	4.1	106	5.5	0.55	4.5	6.7	
2015	395	3.5	0.18	3.2	3.9	108	5.4	0.53	4.4	6.5	
2016	433	3.7	0.19	3.4	4.1	95	4.7	0.50	3.8	5.8	
2017	423	3.7	0.18	3.3	4.0	97	4.9	0.51	4.0	6.1	
2018	444	3.8	0.18	3.4	4.2	102	5.0	0.51	4.1	6.1	
2019	410	3.5	0.18	3.2	3.9	91	4.3	0.46	3.4	5.3	
2020	336	2.8	0.16	2.5	3.2	71	3.4	0.42	2.7	4.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Larynx										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	542	4.9	0.24	4.4	5.4	13,514	7.9	0.07	7.8	8.1
1990	8	4.4	1.79	1.6	9.4	453	10.0	0.48	9.0	10.9
1991	11	7.2	2.47	3.2	13.5	485	10.4	0.48	9.5	11.4
1992	10	6.2	2.26	2.6	12.0	464	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	11.7	478	9.9	0.46	9.0	10.9
1994	15	7.7	2.36	3.8	13.6	457	9.5	0.45	8.7	10.5
1995	16	9.1	2.72	4.6	15.7	493	10.4	0.48	9.5	11.4
1996	19	10.9	3.09	5.7	18.2	474	9.9	0.46	9.0	10.9
1997	17	10.9	3.13	5.6	18.3	471	9.7	0.45	8.8	10.6
1998	9	5.5	2.21	2.0	11.0	458	9.4	0.44	8.5	10.3
1999	14	6.2	1.92	3.0	10.9	465	9.4	0.44	8.6	10.3
2000	20	6.8	1.62	4.0	10.7	467	9.3	0.43	8.5	10.2
2001	13	5.2	1.66	2.5	9.4	437	8.8	0.42	8.0	9.6
2002	14	5.1	1.59	2.5	9.1	460	9.0	0.42	8.2	9.9
2003	19	5.6	1.41	3.2	9.1	416	8.1	0.40	7.3	8.9
2004	13	5.4	1.78	2.5	9.8	423	8.1	0.40	7.3	8.9
2005	13	5.1	1.50	2.6	8.7	430	8.0	0.39	7.3	8.8
2006	14	3.8	1.17	1.8	6.7	422	7.8	0.39	7.1	8.6
2007	27	7.6	1.59	4.8	11.3	439	8.0	0.39	7.2	8.8
2008	28	6.1	1.24	3.9	9.0	422	7.5	0.37	6.8	8.3
2009	15	4.4	1.24	2.4	7.4	421	7.3	0.36	6.6	8.0
2010	10	2.7	0.91	1.2	5.0	440	7.4	0.36	6.7	8.2
2011	21	5.8	1.40	3.4	9.0	419	7.2	0.36	6.5	7.9
2012	17	4.0	1.08	2.1	6.5	398	6.7	0.34	6.0	7.4
2013	15	3.2	0.93	1.7	5.5	412	6.6	0.33	6.0	7.3
2014	21	3.8	0.92	2.2	6.0	422	6.7	0.33	6.1	7.4
2015	25	3.8	0.86	2.3	5.9	412	6.5	0.33	5.8	7.1
2016	22	3.6	0.86	2.1	5.6	417	6.4	0.32	5.8	7.1
2017	23	3.8	0.89	2.3	5.9	409	6.3	0.32	5.6	6.9
2018	33	5.5	1.07	3.6	8.0	427	6.4	0.32	5.8	7.0
2019	19	2.8	0.70	1.6	4.5	402	5.9	0.30	5.4	6.6
2020	26	3.3	0.68	2.1	4.9	321	4.8	0.27	4.2	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Larynx											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	10,795	7.6	0.07	7.4	7.7	2,530	12.1	0.25	11.6	12.6	
1990	358	9.0	0.49	8.1	10.0	91	17.7	1.91	14.1	21.8	
1991	395	9.7	0.49	8.7	10.7	87	16.5	1.81	13.2	20.5	
1992	375	9.3	0.49	8.4	10.3	84	16.2	1.85	12.8	20.2	
1993	384	9.1	0.47	8.2	10.1	88	16.8	1.87	13.3	20.8	
1994	372	9.0	0.47	8.1	10.0	80	14.4	1.65	11.3	18.0	
1995	393	9.6	0.49	8.7	10.7	97	17.5	1.84	14.0	21.4	
1996	380	9.3	0.48	8.3	10.2	88	15.6	1.72	12.5	19.4	
1997	360	8.6	0.46	7.8	9.6	103	17.4	1.74	14.1	21.1	
1998	367	8.8	0.46	7.9	9.7	87	15.0	1.65	11.9	18.6	
1999	368	8.7	0.46	7.9	9.7	91	15.0	1.62	12.0	18.5	
2000	382	9.0	0.46	8.1	9.9	79	13.2	1.55	10.4	16.6	
2001	341	8.1	0.44	7.3	9.1	90	14.1	1.52	11.3	17.4	
2002	372	8.6	0.45	7.8	9.6	86	13.9	1.55	11.0	17.3	
2003	326	7.5	0.42	6.7	8.4	86	13.9	1.57	11.0	17.3	
2004	336	7.6	0.42	6.8	8.5	79	12.4	1.47	9.7	15.6	
2005	345	7.7	0.42	6.9	8.6	82	11.8	1.33	9.3	14.7	
2006	344	7.6	0.42	6.8	8.5	72	10.8	1.34	8.3	13.7	
2007	335	7.3	0.40	6.5	8.1	100	14.3	1.48	11.5	17.5	
2008	347	7.4	0.40	6.6	8.2	70	10.0	1.24	7.7	12.7	
2009	332	7.0	0.39	6.2	7.8	84	11.3	1.28	9.0	14.1	
2010	348	7.2	0.39	6.4	8.0	88	10.8	1.20	8.6	13.5	
2011	353	7.2	0.39	6.5	8.1	62	8.6	1.14	6.5	11.1	
2012	322	6.5	0.37	5.8	7.3	72	10.0	1.24	7.8	12.7	
2013	326	6.3	0.36	5.6	7.0	79	11.0	1.29	8.6	13.8	
2014	330	6.4	0.36	5.7	7.1	81	10.2	1.19	8.0	12.8	
2015	317	6.1	0.35	5.4	6.8	84	10.2	1.16	8.0	12.7	
2016	338	6.4	0.36	5.7	7.1	71	8.8	1.10	6.8	11.3	
2017	329	6.2	0.35	5.5	6.9	75	9.1	1.10	7.1	11.6	
2018	339	6.2	0.34	5.5	6.9	77	9.3	1.10	7.2	11.7	
2019	324	5.9	0.34	5.3	6.6	63	7.0	0.91	5.3	9.0	
2020	257	4.7	0.30	4.1	5.3	54	6.3	0.88	4.7	8.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Larynx											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	101	0.7	0.08	0.6	0.9	3,564	1.7	0.03	1.7	1.8	
1990	5	2.7	1.27	0.8	6.3	125	2.2	0.20	1.8	2.6	
1991	1	0.5	0.45	0.0	2.5	118	2.0	0.19	1.7	2.5	
1992	3	1.7	1.00	0.3	4.7	125	2.1	0.19	1.8	2.6	
1993	4	1.5	0.76	0.4	3.9	107	1.8	0.18	1.5	2.2	
1994	3	1.1	0.64	0.2	3.3	116	1.9	0.18	1.6	2.3	
1995	3	1.2	0.68	0.2	3.4	146	2.5	0.21	2.1	2.9	
1996	2	1.0	0.74	0.1	3.4	147	2.5	0.21	2.1	2.9	
1997	3	1.4	0.98	0.2	4.3	125	2.1	0.19	1.7	2.5	
1998	5	2.3	1.15	0.6	5.5	94	1.5	0.15	1.2	1.8	
1999	3	1.3	0.76	0.2	3.6	94	1.6	0.16	1.3	1.9	
2000	0					115	1.9	0.17	1.5	2.2	
2001	4	0.7	0.37	0.2	2.1	109	1.8	0.17	1.4	2.1	
2002	1	0.3	0.27	0.0	1.5	119	1.9	0.17	1.6	2.3	
2003	1	0.2	0.20	0.0	1.3	123	2.0	0.18	1.6	2.3	
2004	3	0.4	0.26	0.1	1.5	97	1.5	0.15	1.2	1.8	
2005	2	0.4	0.29	0.1	1.5	114	1.8	0.17	1.5	2.2	
2006	1	0.3	0.32	0.0	1.5	95	1.4	0.15	1.2	1.8	
2007	3	0.5	0.30	0.1	1.6	112	1.7	0.16	1.4	2.1	
2008	3	0.6	0.33	0.1	1.7	103	1.5	0.15	1.2	1.9	
2009	3	0.5	0.27	0.1	1.4	116	1.7	0.16	1.4	2.0	
2010	6	1.4	0.62	0.5	3.1	128	1.8	0.16	1.5	2.1	
2011	6	1.4	0.59	0.5	3.0	109	1.5	0.15	1.3	1.9	
2012	4	0.6	0.32	0.2	1.6	125	1.7	0.16	1.4	2.1	
2013	2	0.4	0.27	0.0	1.3	101	1.4	0.14	1.2	1.7	
2014	7	1.0	0.41	0.4	2.1	118	1.6	0.15	1.3	1.9	
2015	4	0.7	0.35	0.2	1.7	104	1.4	0.14	1.1	1.7	
2016	0					122	1.5	0.14	1.3	1.8	
2017	8	1.0	0.35	0.4	1.9	116	1.5	0.15	1.3	1.9	
2018	8	1.0	0.35	0.4	1.9	131	1.7	0.15	1.4	2.0	
2019	1	0.1	0.10	0.0	0.6	114	1.5	0.14	1.2	1.8	
2020	2	0.2	0.16	0.0	0.8	96	1.2	0.13	1.0	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Larynx											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,772	1.6	0.03	1.6	1.7	751	2.6	0.09	2.4	2.8	
1990	102	2.1	0.21	1.7	2.5	21	3.0	0.66	1.9	4.6	
1991	89	1.7	0.19	1.4	2.2	29	4.0	0.75	2.7	5.7	
1992	90	1.8	0.19	1.4	2.2	35	4.8	0.82	3.4	6.7	
1993	83	1.6	0.18	1.3	2.0	23	3.1	0.65	1.9	4.6	
1994	97	1.9	0.20	1.6	2.3	18	2.3	0.55	1.4	3.6	
1995	108	2.2	0.21	1.8	2.6	37	4.8	0.79	3.4	6.6	
1996	121	2.4	0.22	2.0	2.9	24	3.1	0.64	2.0	4.7	
1997	98	1.9	0.20	1.6	2.4	25	3.0	0.61	2.0	4.5	
1998	69	1.3	0.16	1.0	1.6	24	3.0	0.62	1.9	4.5	
1999	75	1.5	0.17	1.2	1.9	19	2.2	0.51	1.3	3.5	
2000	92	1.8	0.19	1.4	2.2	19	2.2	0.51	1.3	3.5	
2001	82	1.6	0.18	1.3	2.0	25	2.9	0.59	1.9	4.3	
2002	87	1.7	0.18	1.3	2.1	32	3.6	0.63	2.4	5.0	
2003	84	1.6	0.18	1.3	2.0	38	4.2	0.68	3.0	5.8	
2004	68	1.3	0.16	1.0	1.6	27	3.0	0.58	2.0	4.4	
2005	95	1.8	0.19	1.5	2.2	19	2.1	0.48	1.2	3.2	
2006	75	1.4	0.16	1.1	1.8	19	2.0	0.46	1.2	3.1	
2007	95	1.8	0.19	1.5	2.2	15	1.6	0.42	0.9	2.7	
2008	88	1.6	0.17	1.3	2.0	12	1.2	0.35	0.6	2.1	
2009	93	1.7	0.17	1.3	2.1	20	1.9	0.43	1.2	3.0	
2010	100	1.7	0.17	1.4	2.1	27	2.6	0.50	1.7	3.8	
2011	84	1.5	0.16	1.2	1.9	23	2.2	0.46	1.4	3.3	
2012	92	1.6	0.17	1.2	1.9	31	2.9	0.53	2.0	4.2	
2013	76	1.3	0.16	1.0	1.7	24	2.2	0.46	1.4	3.3	
2014	92	1.6	0.16	1.2	1.9	25	2.3	0.47	1.5	3.5	
2015	78	1.3	0.16	1.0	1.7	24	2.0	0.42	1.3	3.1	
2016	95	1.5	0.16	1.2	1.8	24	1.9	0.40	1.2	2.9	
2017	94	1.5	0.16	1.2	1.9	22	2.1	0.46	1.3	3.2	
2018	105	1.7	0.17	1.4	2.1	25	2.1	0.42	1.3	3.1	
2019	86	1.4	0.16	1.1	1.8	28	2.2	0.43	1.5	3.3	
2020	79	1.3	0.15	1.0	1.6	17	1.4	0.35	0.8	2.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lung and Bronchus										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	6,701	31.6	0.42	30.8	32.4	269,617	70.7	0.14	70.5	71.0
1990	99	32.7	3.70	25.9	40.6	7,183	67.2	0.80	65.6	68.8
1991	88	27.4	3.26	21.4	34.4	7,113	65.7	0.79	64.2	67.2
1992	102	29.9	3.29	23.8	36.9	7,542	69.2	0.80	67.6	70.8
1993	116	30.8	3.17	24.9	37.5	7,918	72.2	0.82	70.6	73.8
1994	135	34.6	3.34	28.4	41.7	8,504	76.9	0.84	75.3	78.6
1995	149	45.2	4.09	37.5	53.8	8,464	76.3	0.83	74.7	77.9
1996	169	43.5	3.76	36.4	51.3	8,451	76.0	0.83	74.4	77.7
1997	158	40.1	3.56	33.4	47.6	8,376	74.8	0.82	73.2	76.4
1998	194	50.1	3.99	42.5	58.3	8,509	75.4	0.82	73.9	77.1
1999	181	39.5	3.31	33.3	46.4	8,582	75.7	0.82	74.1	77.3
2000	170	34.3	2.98	28.7	40.6	8,450	74.2	0.81	72.6	75.8
2001	180	37.9	3.17	31.9	44.5	8,614	75.2	0.81	73.6	76.8
2002	167	32.4	2.81	27.1	38.3	8,874	76.9	0.82	75.3	78.5
2003	181	32.9	2.68	27.8	38.5	8,909	76.5	0.81	74.9	78.1
2004	226	38.7	2.87	33.3	44.6	8,655	73.8	0.80	72.3	75.4
2005	211	33.9	2.58	29.1	39.3	8,843	74.8	0.80	73.2	76.3
2006	226	35.2	2.57	30.4	40.5	9,055	76.0	0.80	74.4	77.6
2007	233	35.3	2.49	30.6	40.4	9,133	75.6	0.80	74.1	77.2
2008	265	37.4	2.52	32.7	42.6	9,136	74.5	0.79	72.9	76.0
2009	224	30.5	2.21	26.3	35.1	9,393	75.8	0.79	74.2	77.3
2010	237	29.8	2.09	25.8	34.1	9,064	72.1	0.77	70.6	73.6
2011	288	35.0	2.22	30.8	39.6	9,101	71.0	0.76	69.5	72.5
2012	276	32.4	2.08	28.4	36.6	9,090	69.7	0.74	68.3	71.2
2013	244	26.1	1.80	22.7	29.8	8,960	67.2	0.72	65.8	68.6
2014	283	27.8	1.78	24.5	31.5	9,411	69.4	0.73	68.0	70.9
2015	321	30.1	1.80	26.7	33.8	9,273	67.2	0.71	65.8	68.6
2016	285	25.8	1.63	22.7	29.2	9,227	66.4	0.70	65.0	67.8
2017	354	31.5	1.78	28.1	35.2	9,262	65.3	0.69	64.0	66.7
2018	310	25.5	1.54	22.6	28.7	9,278	64.1	0.68	62.7	65.4
2019	322	25.7	1.51	22.8	28.8	9,015	61.2	0.66	59.9	62.5
2020	307	23.6	1.42	20.9	26.5	8,232	55.3	0.62	54.0	56.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lung and Bronchus											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	226,250	70.5	0.15	70.2	70.8	39,112	81.9	0.42	81.1	82.7	
1990	6,148	65.5	0.85	63.9	67.2	988	83.2	2.70	78.0	88.7	
1991	6,133	64.6	0.83	63.0	66.2	930	76.6	2.56	71.7	81.8	
1992	6,464	68.0	0.85	66.3	69.7	1,025	83.9	2.67	78.7	89.3	
1993	6,679	69.9	0.86	68.2	71.6	1,170	94.4	2.82	89.0	100.1	
1994	7,246	75.3	0.89	73.6	77.1	1,187	94.6	2.80	89.2	100.2	
1995	7,142	74.3	0.88	72.5	76.0	1,242	96.0	2.77	90.6	101.6	
1996	7,089	73.8	0.88	72.0	75.5	1,273	98.2	2.80	92.8	103.9	
1997	7,086	73.4	0.87	71.7	75.1	1,209	91.2	2.66	86.0	96.5	
1998	7,165	73.9	0.87	72.1	75.6	1,233	91.8	2.66	86.7	97.1	
1999	7,249	74.6	0.88	72.8	76.3	1,240	90.8	2.62	85.7	96.1	
2000	7,188	73.8	0.87	72.1	75.5	1,168	83.7	2.49	78.9	88.7	
2001	7,313	74.9	0.88	73.2	76.7	1,203	86.0	2.52	81.1	91.1	
2002	7,486	76.3	0.88	74.6	78.0	1,268	88.5	2.52	83.6	93.5	
2003	7,526	76.4	0.88	74.6	78.1	1,274	87.4	2.49	82.6	92.4	
2004	7,243	73.1	0.86	71.5	74.9	1,304	88.4	2.49	83.6	93.4	
2005	7,422	74.6	0.87	72.9	76.4	1,285	85.5	2.43	80.8	90.4	
2006	7,569	75.6	0.88	73.9	77.3	1,354	88.7	2.45	83.9	93.6	
2007	7,655	75.7	0.87	74.0	77.5	1,334	86.7	2.42	82.0	91.6	
2008	7,689	75.0	0.86	73.3	76.7	1,306	82.4	2.33	77.9	87.1	
2009	7,911	76.7	0.87	75.0	78.4	1,314	80.5	2.27	76.1	85.1	
2010	7,575	72.5	0.84	70.9	74.2	1,312	79.8	2.26	75.5	84.4	
2011	7,597	71.5	0.83	69.9	73.2	1,329	79.0	2.22	74.8	83.5	
2012	7,515	69.8	0.82	68.2	71.4	1,394	81.4	2.23	77.1	85.9	
2013	7,416	67.5	0.80	66.0	69.1	1,354	76.3	2.13	72.2	80.6	
2014	7,861	70.7	0.81	69.2	72.3	1,359	75.0	2.09	71.0	79.2	
2015	7,620	67.6	0.79	66.0	69.1	1,430	76.7	2.08	72.7	80.9	
2016	7,636	67.4	0.79	65.8	68.9	1,399	74.8	2.05	70.9	79.0	
2017	7,665	66.4	0.77	64.9	67.9	1,388	72.6	2.00	68.7	76.6	
2018	7,727	65.5	0.76	64.1	67.1	1,338	69.2	1.94	65.5	73.1	
2019	7,437	62.3	0.74	60.8	63.7	1,333	66.4	1.86	62.8	70.2	
2020	6,798	56.5	0.70	55.2	57.9	1,169	56.7	1.69	53.4	60.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lung and Bronchus											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,758	39.7	0.72	38.3	41.1	146,884	89.6	0.24	89.2	90.1	
1990	56	43.7	7.14	30.8	59.3	4,518	100.3	1.53	97.3	103.3	
1991	55	38.2	6.04	27.3	51.5	4,425	97.0	1.49	94.1	100.0	
1992	58	40.0	6.24	28.7	53.7	4,621	99.9	1.50	97.0	102.9	
1993	77	45.3	6.10	34.1	58.5	4,785	103.9	1.53	100.9	107.0	
1994	79	42.6	5.80	32.0	55.2	5,088	110.2	1.57	107.2	113.4	
1995	94	67.4	8.09	52.5	84.6	5,003	106.7	1.53	103.7	109.7	
1996	113	63.4	7.05	50.3	78.3	4,918	105.3	1.52	102.3	108.3	
1997	94	52.3	6.30	40.6	65.7	4,866	103.4	1.50	100.5	106.4	
1998	110	67.2	7.48	53.4	83.1	4,903	103.0	1.49	100.1	105.9	
1999	109	51.2	5.75	40.5	63.4	4,868	101.8	1.47	98.9	104.7	
2000	106	46.0	5.18	36.4	57.0	4,775	98.9	1.44	96.1	101.7	
2001	109	52.3	5.75	41.7	64.5	4,844	100.1	1.45	97.3	103.0	
2002	89	42.7	5.22	33.1	53.9	4,887	100.4	1.45	97.6	103.3	
2003	119	48.7	4.99	39.4	59.2	4,871	98.2	1.42	95.4	101.0	
2004	127	44.9	4.57	36.4	54.5	4,686	93.6	1.38	90.9	96.4	
2005	133	46.1	4.55	37.7	55.7	4,741	93.4	1.37	90.7	96.1	
2006	136	46.8	4.55	38.3	56.4	4,807	94.4	1.38	91.7	97.2	
2007	133	45.9	4.42	37.7	55.2	4,831	93.1	1.36	90.5	95.8	
2008	142	44.9	4.16	37.1	53.7	4,740	89.6	1.32	87.0	92.2	
2009	111	34.4	3.66	27.6	42.2	4,871	90.3	1.32	87.8	92.9	
2010	131	39.3	3.76	32.2	47.2	4,684	85.5	1.27	83.0	88.1	
2011	152	43.0	3.86	35.8	51.1	4,790	85.6	1.26	83.2	88.1	
2012	149	40.8	3.65	34.0	48.4	4,683	82.0	1.22	79.6	84.4	
2013	136	32.8	3.12	27.0	39.3	4,734	80.7	1.20	78.4	83.1	
2014	149	34.0	3.05	28.3	40.4	4,800	80.3	1.19	78.0	82.6	
2015	168	33.6	2.84	28.3	39.6	4,723	77.7	1.16	75.4	80.0	
2016	148	30.6	2.74	25.5	36.3	4,632	75.3	1.14	73.1	77.6	
2017	190	36.7	2.89	31.2	42.7	4,725	75.4	1.12	73.2	77.6	
2018	165	30.8	2.59	26.0	36.3	4,556	70.5	1.07	68.4	72.7	
2019	167	29.8	2.49	25.1	35.0	4,421	67.1	1.03	65.1	69.2	
2020	153	26.4	2.29	22.1	31.2	4,088	61.7	0.99	59.8	63.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lung and Bronchus											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	122,688	88.2	0.25	87.7	88.7	21,641	111.6	0.79	110.0	113.1	
1990	3,844	96.9	1.60	93.8	100.1	638	132.3	5.51	121.7	143.5	
1991	3,801	94.7	1.57	91.7	97.9	590	119.2	5.15	109.3	129.6	
1992	3,929	96.9	1.57	93.8	100.0	661	132.4	5.41	122.1	143.4	
1993	4,011	99.6	1.60	96.5	102.8	730	144.9	5.64	134.0	156.3	
1994	4,318	107.2	1.66	104.0	110.5	727	143.8	5.62	132.9	155.1	
1995	4,169	102.2	1.60	99.1	105.4	787	149.8	5.61	139.0	161.2	
1996	4,099	101.1	1.60	98.0	104.2	764	146.2	5.54	135.5	157.4	
1997	4,070	100.0	1.58	96.9	103.1	744	138.5	5.29	128.3	149.2	
1998	4,074	98.9	1.56	95.9	102.1	749	139.2	5.34	129.0	150.1	
1999	4,087	99.1	1.56	96.0	102.2	722	132.1	5.13	122.2	142.5	
2000	4,008	96.6	1.53	93.6	99.6	713	125.5	4.91	116.1	135.5	
2001	4,069	98.0	1.54	95.0	101.1	704	124.3	4.90	114.9	134.3	
2002	4,122	99.0	1.55	96.0	102.1	699	119.5	4.73	110.4	129.1	
2003	4,089	96.7	1.52	93.7	99.7	709	119.2	4.69	110.2	128.8	
2004	3,882	91.1	1.47	88.2	94.0	736	124.8	4.83	115.5	134.5	
2005	3,938	91.5	1.47	88.6	94.4	715	118.5	4.68	109.5	128.0	
2006	4,000	92.6	1.48	89.8	95.6	726	118.2	4.61	109.3	127.5	
2007	4,016	91.5	1.46	88.7	94.4	736	119.6	4.66	110.7	129.1	
2008	3,970	88.9	1.43	86.2	91.8	697	108.7	4.34	100.4	117.5	
2009	4,101	90.6	1.43	87.8	93.4	665	99.9	4.08	92.1	108.2	
2010	3,901	84.8	1.38	82.1	87.5	682	101.7	4.11	93.8	110.1	
2011	3,971	84.6	1.37	82.0	87.4	712	104.5	4.10	96.6	112.9	
2012	3,870	81.0	1.33	78.4	83.6	703	101.7	4.03	94.0	109.9	
2013	3,918	80.2	1.31	77.6	82.8	710	99.1	3.91	91.5	107.0	
2014	3,991	80.2	1.30	77.7	82.8	697	95.5	3.80	88.2	103.2	
2015	3,868	76.7	1.26	74.2	79.2	733	98.2	3.81	90.9	106.0	
2016	3,849	75.7	1.25	73.3	78.2	666	87.4	3.54	80.6	94.6	
2017	3,881	75.0	1.23	72.6	77.4	710	93.2	3.65	86.2	100.6	
2018	3,829	71.9	1.19	69.6	74.2	612	77.0	3.25	70.8	83.6	
2019	3,666	67.7	1.14	65.5	70.0	623	76.3	3.18	70.2	82.8	
2020	3,347	61.7	1.09	59.6	63.9	581	68.6	2.95	63.0	74.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lung and Bronchus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	2,943	25.3	0.49	24.3	26.3	122,733	57.3	0.16	57.0	57.6
1990	43	25.3	4.13	17.9	34.5	2,665	44.5	0.88	42.8	46.3
1991	33	19.0	3.58	12.7	27.1	2,688	44.0	0.86	42.3	45.7
1992	44	23.3	3.73	16.5	31.5	2,921	47.7	0.89	45.9	49.4
1993	39	19.4	3.33	13.4	26.9	3,133	50.6	0.91	48.8	52.4
1994	56	28.2	4.02	20.8	36.9	3,416	54.3	0.94	52.4	56.1
1995	55	29.7	4.26	21.9	38.9	3,461	55.1	0.95	53.3	57.0
1996	56	27.6	4.01	20.3	36.3	3,533	56.0	0.95	54.2	57.9
1997	64	30.5	4.12	23.0	39.5	3,510	55.1	0.94	53.2	56.9
1998	84	38.0	4.45	29.7	47.5	3,606	56.2	0.94	54.4	58.1
1999	72	29.8	3.87	22.7	38.2	3,714	57.7	0.95	55.8	59.6
2000	64	24.3	3.38	18.1	31.6	3,675	56.7	0.94	54.9	58.6
2001	71	26.2	3.44	19.9	33.6	3,770	57.9	0.95	56.0	59.8
2002	78	25.2	3.15	19.4	32.0	3,987	60.9	0.97	59.0	62.8
2003	62	20.0	2.75	14.9	26.0	4,038	61.4	0.97	59.5	63.4
2004	99	32.9	3.60	26.3	40.6	3,969	60.0	0.96	58.1	61.9
2005	78	23.8	2.90	18.4	30.0	4,102	61.7	0.97	59.8	63.6
2006	90	26.0	2.93	20.5	32.2	4,248	63.4	0.98	61.5	65.3
2007	100	27.2	2.87	21.9	33.3	4,302	63.3	0.98	61.4	65.3
2008	123	31.3	3.07	25.6	37.8	4,396	64.0	0.98	62.1	65.9
2009	113	27.7	2.77	22.6	33.6	4,522	65.4	0.99	63.5	67.4
2010	106	22.8	2.35	18.4	27.8	4,380	62.5	0.96	60.6	64.4
2011	136	29.4	2.67	24.4	35.1	4,311	60.3	0.93	58.4	62.1
2012	127	26.2	2.45	21.6	31.4	4,407	61.0	0.93	59.2	62.8
2013	108	21.0	2.13	17.0	25.5	4,226	57.3	0.90	55.5	59.1
2014	134	23.3	2.12	19.4	27.8	4,611	61.6	0.92	59.8	63.4
2015	153	27.2	2.31	22.9	32.1	4,550	59.9	0.91	58.1	61.7
2016	137	22.5	2.01	18.7	26.7	4,595	59.9	0.90	58.1	61.7
2017	164	27.3	2.23	23.1	32.0	4,537	57.9	0.88	56.2	59.6
2018	145	21.5	1.87	18.0	25.5	4,722	59.3	0.88	57.6	61.1
2019	155	22.7	1.90	19.2	26.7	4,594	56.8	0.86	55.2	58.6
2020	154	21.6	1.80	18.2	25.4	4,144	50.5	0.80	49.0	52.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lung and Bronchus											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	103,562	57.9	0.18	57.5	58.3	17,471	62.2	0.48	61.3	63.2	
1990	2,304	44.2	0.94	42.4	46.1	350	50.3	2.72	45.1	55.9	
1991	2,332	43.8	0.93	42.0	45.7	340	47.8	2.62	42.8	53.2	
1992	2,535	47.8	0.97	45.9	49.7	364	50.9	2.70	45.8	56.5	
1993	2,668	49.8	0.98	47.9	51.7	440	60.6	2.92	55.0	66.5	
1994	2,928	53.7	1.01	51.7	55.7	460	62.3	2.93	56.7	68.3	
1995	2,973	54.9	1.02	52.9	56.9	455	60.0	2.84	54.6	65.8	
1996	2,990	55.3	1.03	53.3	57.3	509	66.6	2.97	60.9	72.6	
1997	3,016	55.2	1.02	53.2	57.2	465	59.5	2.78	54.1	65.1	
1998	3,091	56.4	1.03	54.4	58.4	484	60.9	2.78	55.5	66.6	
1999	3,162	57.6	1.04	55.5	59.6	518	64.0	2.83	58.6	69.8	
2000	3,180	57.9	1.04	55.9	60.0	455	55.5	2.62	50.5	60.8	
2001	3,244	59.0	1.05	56.9	61.1	499	60.4	2.72	55.2	66.0	
2002	3,364	60.9	1.06	58.8	63.0	569	67.6	2.85	62.2	73.4	
2003	3,437	62.3	1.08	60.2	64.5	565	66.0	2.80	60.6	71.7	
2004	3,361	60.6	1.06	58.6	62.7	568	64.9	2.74	59.7	70.5	
2005	3,484	62.8	1.08	60.7	65.0	570	64.3	2.72	59.1	69.9	
2006	3,569	63.8	1.08	61.7	66.0	628	69.8	2.81	64.4	75.5	
2007	3,639	64.6	1.09	62.4	66.7	598	65.9	2.72	60.7	71.4	
2008	3,719	65.4	1.09	63.3	67.6	609	65.3	2.67	60.1	70.7	
2009	3,810	66.7	1.10	64.6	68.9	649	68.0	2.70	62.8	73.5	
2010	3,674	63.7	1.07	61.6	65.8	630	65.4	2.64	60.3	70.8	
2011	3,626	61.9	1.05	59.9	64.0	617	61.9	2.53	57.1	67.1	
2012	3,645	61.8	1.04	59.7	63.9	691	68.3	2.64	63.2	73.7	
2013	3,498	58.1	1.00	56.2	60.1	644	61.8	2.47	57.1	66.9	
2014	3,870	63.9	1.05	61.9	66.0	662	61.5	2.43	56.9	66.5	
2015	3,752	61.1	1.02	59.1	63.2	697	63.4	2.44	58.7	68.4	
2016	3,787	61.3	1.02	59.3	63.4	733	66.5	2.50	61.7	71.6	
2017	3,784	60.1	1.00	58.1	62.1	678	59.5	2.33	55.1	64.3	
2018	3,898	60.9	1.00	59.0	62.9	726	63.9	2.41	59.2	68.8	
2019	3,771	58.3	0.97	56.4	60.3	710	60.3	2.30	55.9	65.0	
2020	3,451	52.8	0.92	51.1	54.7	588	48.3	2.03	44.4	52.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Bones and Joints										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	403	0.9	0.05	0.8	1.0	3,065	0.9	0.02	0.9	0.9
1990	9	1.9	0.78	0.7	4.0	97	0.9	0.10	0.8	1.1
1991	10	1.2	0.43	0.5	2.6	90	0.9	0.09	0.7	1.0
1992	9	0.9	0.35	0.4	2.1	73	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	2.1	77	0.7	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	1.3	86	0.8	0.09	0.7	1.0
1995	8	0.6	0.25	0.2	1.6	119	1.1	0.10	0.9	1.3
1996	7	0.6	0.27	0.2	1.6	98	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	2.9	99	0.9	0.09	0.8	1.1
1998	11	0.8	0.26	0.4	1.7	90	0.8	0.09	0.7	1.0
1999	7	0.3	0.13	0.1	1.1	95	0.9	0.09	0.7	1.1
2000	16	0.9	0.24	0.5	1.7	104	1.0	0.09	0.8	1.2
2001	15	1.1	0.34	0.5	2.1	92	0.8	0.09	0.7	1.0
2002	13	1.2	0.46	0.5	2.4	96	0.9	0.09	0.7	1.1
2003	9	0.7	0.36	0.2	1.8	100	0.9	0.09	0.7	1.1
2004	9	0.4	0.14	0.2	1.0	102	0.9	0.09	0.7	1.1
2005	12	0.7	0.25	0.3	1.5	101	0.9	0.09	0.7	1.1
2006	15	1.4	0.47	0.6	2.6	114	1.0	0.10	0.9	1.2
2007	16	0.9	0.27	0.5	1.7	113	1.0	0.10	0.8	1.2
2008	6	0.5	0.23	0.1	1.2	88	0.8	0.09	0.6	1.0
2009	15	0.7	0.21	0.4	1.3	96	0.9	0.09	0.7	1.1
2010	9	0.5	0.22	0.2	1.2	94	0.8	0.09	0.7	1.0
2011	13	0.7	0.25	0.3	1.4	96	0.8	0.09	0.7	1.0
2012	20	1.1	0.27	0.6	1.8	101	0.9	0.09	0.7	1.1
2013	22	1.3	0.34	0.7	2.1	106	1.0	0.09	0.8	1.2
2014	15	0.8	0.22	0.4	1.4	107	0.9	0.09	0.8	1.1
2015	18	0.8	0.20	0.5	1.3	86	0.8	0.08	0.6	0.9
2016	16	0.7	0.18	0.4	1.2	110	1.0	0.09	0.8	1.2
2017	21	1.2	0.29	0.7	1.9	123	1.1	0.10	0.9	1.3
2018	17	0.9	0.24	0.5	1.5	96	0.9	0.09	0.7	1.1
2019	21	1.1	0.26	0.6	1.7	103	0.9	0.09	0.7	1.1
2020	19	0.9	0.21	0.5	1.4	113	1.0	0.10	0.8	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Bones and Joints											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,503	0.9	0.02	0.9	1.0	412	0.7	0.04	0.7	0.8	
1990	86	1.0	0.11	0.8	1.3	10	0.6	0.21	0.3	1.2	
1991	74	0.8	0.10	0.7	1.1	13	0.7	0.21	0.4	1.3	
1992	64	0.7	0.09	0.5	0.9	8	0.4	0.16	0.2	0.9	
1993	65	0.7	0.09	0.6	0.9	10	0.6	0.20	0.3	1.1	
1994	71	0.8	0.10	0.6	1.0	11	0.7	0.20	0.3	1.2	
1995	92	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.7	
1996	86	1.0	0.11	0.8	1.2	11	0.7	0.22	0.3	1.3	
1997	86	1.0	0.11	0.8	1.2	11	0.6	0.20	0.3	1.2	
1998	72	0.8	0.10	0.7	1.0	15	0.8	0.23	0.5	1.4	
1999	81	0.9	0.11	0.7	1.2	11	0.7	0.22	0.3	1.3	
2000	88	1.0	0.11	0.8	1.2	9	0.5	0.17	0.2	1.0	
2001	77	0.9	0.10	0.7	1.1	13	0.8	0.24	0.4	1.5	
2002	80	0.9	0.10	0.7	1.1	12	0.6	0.18	0.3	1.1	
2003	85	1.0	0.11	0.8	1.2	11	0.7	0.20	0.3	1.2	
2004	72	0.8	0.10	0.6	1.0	22	1.2	0.26	0.7	1.9	
2005	79	0.9	0.10	0.7	1.1	11	0.6	0.18	0.3	1.1	
2006	91	1.1	0.11	0.9	1.3	18	0.9	0.22	0.5	1.5	
2007	90	1.1	0.11	0.9	1.3	15	0.8	0.20	0.4	1.3	
2008	76	0.9	0.10	0.7	1.1	8	0.4	0.14	0.2	0.8	
2009	74	0.9	0.10	0.7	1.1	18	1.0	0.25	0.6	1.6	
2010	77	0.9	0.10	0.7	1.1	14	0.8	0.21	0.4	1.3	
2011	74	0.8	0.10	0.6	1.0	17	0.8	0.20	0.5	1.3	
2012	86	1.0	0.11	0.8	1.2	11	0.6	0.19	0.3	1.1	
2013	90	1.1	0.12	0.9	1.3	13	0.7	0.19	0.4	1.2	
2014	84	1.0	0.11	0.8	1.2	15	0.8	0.21	0.4	1.3	
2015	73	0.9	0.10	0.7	1.1	9	0.4	0.14	0.2	0.8	
2016	90	1.0	0.11	0.8	1.3	14	0.8	0.21	0.4	1.3	
2017	92	1.1	0.12	0.8	1.3	19	1.1	0.25	0.7	1.7	
2018	77	0.9	0.11	0.7	1.1	16	0.9	0.22	0.5	1.4	
2019	79	0.9	0.11	0.7	1.2	13	0.7	0.18	0.3	1.1	
2020	92	1.1	0.12	0.8	1.3	15	0.9	0.22	0.5	1.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Bones and Joints										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	224	0.9	0.08	0.8	1.1	1,684	1.0	0.03	1.0	1.1
1990	7	3.7	1.82	1.0	8.9	50	1.0	0.14	0.7	1.3
1991	1	0.1	0.11	0.0	2.6	53	1.1	0.15	0.8	1.4
1992	6	1.4	0.63	0.4	4.1	35	0.7	0.12	0.5	1.0
1993	3	0.3	0.18	0.1	2.6	40	0.8	0.13	0.6	1.1
1994	1	0.1	0.14	0.0	2.4	43	0.9	0.13	0.6	1.2
1995	4	0.5	0.23	0.1	2.5	64	1.3	0.16	1.0	1.6
1996	3	0.7	0.43	0.1	2.9	58	1.2	0.15	0.9	1.5
1997	8	0.9	0.32	0.4	2.8	56	1.1	0.15	0.9	1.5
1998	4	0.4	0.20	0.1	2.2	44	0.9	0.13	0.6	1.1
1999	4	0.4	0.17	0.1	2.0	60	1.2	0.15	0.9	1.5
2000	9	1.1	0.39	0.4	2.8	58	1.1	0.15	0.9	1.5
2001	8	0.8	0.29	0.3	2.3	40	0.8	0.12	0.5	1.0
2002	8	1.6	0.91	0.4	4.3	47	0.9	0.13	0.7	1.2
2003	5	0.4	0.19	0.1	1.7	62	1.2	0.15	0.9	1.5
2004	6	0.5	0.21	0.2	1.8	59	1.1	0.15	0.9	1.4
2005	7	1.0	0.47	0.3	2.5	57	1.1	0.14	0.8	1.4
2006	10	1.6	0.67	0.6	3.5	57	1.1	0.15	0.8	1.4
2007	8	0.8	0.28	0.3	1.9	64	1.2	0.16	1.0	1.6
2008	3	0.7	0.50	0.1	2.3	41	0.8	0.13	0.6	1.1
2009	11	0.9	0.29	0.4	2.0	49	0.9	0.13	0.7	1.2
2010	1	0.1	0.11	0.0	1.0	57	1.0	0.14	0.8	1.4
2011	8	0.8	0.33	0.3	1.9	53	1.0	0.14	0.7	1.3
2012	10	0.8	0.27	0.4	1.8	59	1.1	0.14	0.8	1.4
2013	11	1.3	0.48	0.5	2.6	65	1.2	0.15	0.9	1.6
2014	9	0.9	0.30	0.4	1.8	66	1.2	0.15	0.9	1.5
2015	11	1.1	0.33	0.5	2.0	47	0.9	0.13	0.6	1.1
2016	8	0.7	0.26	0.3	1.5	56	1.0	0.14	0.7	1.3
2017	14	1.4	0.43	0.7	2.6	60	1.1	0.15	0.9	1.5
2018	9	0.7	0.25	0.3	1.5	52	1.0	0.14	0.7	1.3
2019	13	1.4	0.46	0.7	2.6	61	1.1	0.15	0.8	1.5
2020	14	1.3	0.38	0.7	2.3	71	1.3	0.15	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Bones and Joints											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,375	1.1	0.03	1.0	1.1	222	0.9	0.06	0.8	1.0	
1990	44	1.1	0.16	0.8	1.4	5	0.8	0.38	0.2	2.0	
1991	45	1.1	0.17	0.8	1.5	7	1.0	0.38	0.4	2.1	
1992	29	0.7	0.13	0.5	1.0	5	0.6	0.25	0.2	1.5	
1993	35	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.4	
1994	35	0.9	0.15	0.6	1.2	6	0.7	0.28	0.2	1.6	
1995	47	1.1	0.17	0.8	1.5	13	1.7	0.50	0.9	3.0	
1996	50	1.2	0.17	0.9	1.6	7	0.9	0.34	0.3	1.9	
1997	49	1.2	0.17	0.9	1.6	6	0.9	0.36	0.3	1.9	
1998	36	0.9	0.14	0.6	1.2	7	0.8	0.33	0.3	1.8	
1999	52	1.3	0.18	1.0	1.7	7	1.1	0.44	0.4	2.3	
2000	45	1.1	0.16	0.8	1.5	7	0.9	0.39	0.3	2.0	
2001	35	0.8	0.14	0.6	1.2	4	0.8	0.44	0.2	2.0	
2002	40	1.0	0.15	0.7	1.3	6	0.7	0.27	0.2	1.5	
2003	54	1.3	0.18	1.0	1.7	6	0.9	0.38	0.3	2.0	
2004	40	1.0	0.15	0.7	1.3	15	1.8	0.51	1.0	3.2	
2005	43	1.0	0.16	0.8	1.4	5	0.6	0.30	0.2	1.5	
2006	42	1.1	0.16	0.8	1.4	11	1.1	0.33	0.5	2.0	
2007	53	1.3	0.18	1.0	1.7	8	1.0	0.34	0.4	1.9	
2008	36	0.9	0.15	0.6	1.2	4	0.4	0.22	0.1	1.2	
2009	42	1.0	0.15	0.7	1.3	6	0.7	0.30	0.3	1.6	
2010	49	1.1	0.16	0.8	1.5	6	0.7	0.29	0.2	1.6	
2011	38	0.9	0.14	0.6	1.2	13	1.4	0.43	0.7	2.5	
2012	53	1.2	0.17	0.9	1.6	3	0.6	0.34	0.1	1.6	
2013	55	1.4	0.19	1.0	1.8	8	0.8	0.31	0.4	1.7	
2014	51	1.2	0.17	0.8	1.5	9	1.2	0.42	0.5	2.3	
2015	41	1.0	0.16	0.7	1.3	3	0.3	0.18	0.1	1.0	
2016	44	1.0	0.15	0.7	1.3	8	1.0	0.35	0.4	2.0	
2017	44	1.1	0.17	0.8	1.4	10	1.2	0.41	0.6	2.3	
2018	40	1.0	0.16	0.7	1.3	10	1.1	0.36	0.5	2.1	
2019	46	1.1	0.17	0.8	1.5	6	0.7	0.28	0.2	1.5	
2020	62	1.4	0.19	1.1	1.9	7	1.0	0.38	0.4	2.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Bones and Joints										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	179	0.8	0.07	0.7	1.0	1,381	0.8	0.02	0.7	0.8
1990	2	0.5	0.38	0.1	2.5	47	0.9	0.13	0.6	1.2
1991	9	2.4	0.88	1.0	5.1	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	2.1	38	0.7	0.11	0.5	0.9
1993	4	1.4	0.73	0.4	3.8	37	0.6	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	2.3	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	2.5	55	1.0	0.13	0.7	1.3
1996	4	0.6	0.31	0.1	2.1	40	0.7	0.11	0.5	1.0
1997	4	1.4	0.92	0.2	4.2	43	0.8	0.12	0.6	1.1
1998	7	1.2	0.49	0.4	2.9	46	0.8	0.12	0.6	1.1
1999	3	0.3	0.20	0.1	1.6	35	0.6	0.10	0.4	0.8
2000	7	0.7	0.27	0.3	2.0	46	0.8	0.12	0.6	1.1
2001	7	1.4	0.59	0.5	3.2	52	0.9	0.13	0.7	1.2
2002	5	0.8	0.45	0.2	2.3	49	0.9	0.12	0.6	1.1
2003	4	1.0	0.61	0.2	2.8	38	0.7	0.11	0.5	0.9
2004	3	0.3	0.18	0.1	1.3	43	0.7	0.11	0.5	1.0
2005	5	0.5	0.25	0.2	1.6	44	0.7	0.11	0.5	1.0
2006	5	1.1	0.60	0.3	2.8	57	1.0	0.13	0.8	1.3
2007	8	1.1	0.44	0.4	2.4	49	0.8	0.12	0.6	1.1
2008	3	0.3	0.15	0.1	1.1	47	0.8	0.12	0.6	1.1
2009	4	0.5	0.29	0.1	1.5	47	0.8	0.12	0.6	1.1
2010	8	0.9	0.40	0.3	2.1	37	0.7	0.11	0.5	0.9
2011	5	0.6	0.34	0.1	1.7	43	0.7	0.12	0.5	1.0
2012	10	1.2	0.43	0.6	2.4	42	0.7	0.11	0.5	0.9
2013	11	1.3	0.46	0.6	2.6	41	0.7	0.11	0.5	1.0
2014	6	0.7	0.31	0.2	1.6	41	0.7	0.12	0.5	1.0
2015	7	0.6	0.21	0.2	1.3	39	0.7	0.11	0.5	0.9
2016	8	0.7	0.26	0.3	1.5	54	0.9	0.13	0.7	1.2
2017	7	0.9	0.38	0.3	1.9	63	1.0	0.14	0.8	1.3
2018	8	0.9	0.36	0.4	1.9	44	0.8	0.12	0.5	1.0
2019	8	0.7	0.27	0.3	1.5	42	0.7	0.12	0.5	1.0
2020	5	0.5	0.20	0.1	1.1	42	0.8	0.13	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Bones and Joints											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,128	0.8	0.03	0.8	0.9	190	0.6	0.05	0.5	0.7	
1990	42	1.0	0.15	0.7	1.3	5	0.5	0.25	0.2	1.3	
1991	29	0.6	0.12	0.4	0.9	6	0.6	0.23	0.2	1.3	
1992	35	0.8	0.13	0.5	1.1	3	0.3	0.19	0.1	1.0	
1993	30	0.6	0.12	0.4	0.9	6	0.7	0.28	0.2	1.5	
1994	36	0.8	0.14	0.6	1.1	5	0.6	0.27	0.2	1.4	
1995	45	1.0	0.15	0.7	1.3	6	0.6	0.26	0.2	1.4	
1996	36	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.3	
1997	37	0.9	0.14	0.6	1.2	5	0.5	0.23	0.2	1.2	
1998	36	0.8	0.13	0.6	1.1	8	0.9	0.31	0.4	1.7	
1999	29	0.6	0.12	0.4	0.9	4	0.4	0.21	0.1	1.1	
2000	43	0.9	0.15	0.7	1.3	2	0.2	0.13	0.0	0.7	
2001	42	1.0	0.15	0.7	1.3	9	1.0	0.33	0.4	1.9	
2002	40	0.9	0.14	0.6	1.2	6	0.6	0.24	0.2	1.3	
2003	31	0.7	0.13	0.5	1.0	5	0.5	0.23	0.2	1.2	
2004	32	0.7	0.12	0.4	0.9	7	0.7	0.27	0.3	1.5	
2005	36	0.8	0.13	0.5	1.1	6	0.6	0.24	0.2	1.3	
2006	49	1.1	0.16	0.8	1.5	7	0.7	0.27	0.3	1.5	
2007	37	0.8	0.14	0.6	1.1	7	0.6	0.24	0.3	1.3	
2008	40	0.9	0.14	0.6	1.2	4	0.4	0.18	0.1	0.9	
2009	32	0.8	0.14	0.5	1.1	12	1.2	0.36	0.6	2.1	
2010	28	0.6	0.13	0.4	0.9	8	0.8	0.29	0.4	1.6	
2011	36	0.8	0.14	0.6	1.1	4	0.4	0.19	0.1	1.0	
2012	33	0.7	0.13	0.5	1.0	8	0.8	0.27	0.3	1.5	
2013	35	0.8	0.14	0.5	1.1	5	0.5	0.22	0.2	1.2	
2014	33	0.8	0.14	0.5	1.1	6	0.6	0.25	0.2	1.4	
2015	32	0.7	0.14	0.5	1.1	6	0.6	0.23	0.2	1.2	
2016	46	1.1	0.17	0.8	1.4	6	0.6	0.25	0.2	1.3	
2017	48	1.0	0.16	0.8	1.4	9	0.9	0.32	0.4	1.8	
2018	37	0.8	0.15	0.6	1.2	6	0.7	0.27	0.2	1.4	
2019	33	0.8	0.15	0.5	1.1	7	0.7	0.26	0.3	1.4	
2020	30	0.7	0.14	0.5	1.1	8	0.9	0.32	0.4	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Soft Tissue including Heart										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,021	2.8	0.10	2.6	3.1	11,130	3.1	0.03	3.0	3.2
1990	12	1.7	0.60	0.7	3.4	242	2.3	0.15	2.0	2.6
1991	11	1.7	0.56	0.8	3.3	213	2.0	0.14	1.8	2.3
1992	15	2.4	0.79	1.1	4.5	246	2.3	0.15	2.0	2.6
1993	12	1.6	0.54	0.7	3.1	243	2.3	0.14	2.0	2.6
1994	14	1.7	0.53	0.8	3.2	278	2.6	0.15	2.3	2.9
1995	18	1.9	0.52	1.0	3.4	277	2.5	0.15	2.2	2.9
1996	23	2.9	0.84	1.5	5.0	362	3.3	0.17	3.0	3.7
1997	24	3.4	0.86	1.9	5.5	338	3.1	0.17	2.7	3.4
1998	26	3.0	0.70	1.8	4.8	321	2.9	0.16	2.6	3.2
1999	15	1.6	0.50	0.7	2.9	320	2.9	0.16	2.6	3.2
2000	16	1.5	0.46	0.7	2.8	285	2.5	0.15	2.3	2.9
2001	31	3.3	0.78	2.0	5.2	342	3.1	0.17	2.7	3.4
2002	17	1.3	0.40	0.7	2.4	327	2.9	0.16	2.6	3.2
2003	32	2.4	0.56	1.4	3.8	375	3.3	0.17	3.0	3.7
2004	33	2.8	0.59	1.7	4.2	358	3.1	0.17	2.8	3.5
2005	35	2.4	0.50	1.6	3.7	356	3.1	0.17	2.8	3.4
2006	31	3.4	0.73	2.2	5.1	402	3.5	0.18	3.2	3.9
2007	38	3.4	0.67	2.2	5.0	384	3.3	0.17	3.0	3.7
2008	35	2.8	0.60	1.8	4.2	401	3.5	0.18	3.2	3.9
2009	40	3.1	0.61	2.1	4.5	387	3.3	0.17	3.0	3.7
2010	49	3.8	0.67	2.6	5.3	403	3.4	0.17	3.1	3.8
2011	38	2.9	0.55	1.9	4.2	393	3.3	0.17	3.0	3.7
2012	56	3.8	0.56	2.7	5.0	406	3.3	0.17	3.0	3.7
2013	50	3.4	0.54	2.4	4.6	433	3.6	0.18	3.2	3.9
2014	42	3.0	0.51	2.1	4.1	454	3.7	0.18	3.4	4.1
2015	50	2.9	0.44	2.1	3.9	401	3.2	0.17	2.9	3.6
2016	53	3.2	0.49	2.3	4.3	449	3.7	0.18	3.3	4.0
2017	53	3.4	0.52	2.5	4.6	455	3.7	0.18	3.3	4.0
2018	54	3.2	0.48	2.4	4.3	442	3.5	0.17	3.2	3.8
2019	45	2.5	0.41	1.8	3.4	423	3.4	0.17	3.1	3.8
2020	53	2.8	0.40	2.0	3.7	414	3.3	0.17	3.0	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Soft Tissue including Heart											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	8,962	3.1	0.03	3.0	3.1	1,759	3.4	0.08	3.3	3.6	
1990	197	2.2	0.16	1.9	2.6	42	3.0	0.48	2.1	4.1	
1991	180	2.0	0.15	1.7	2.3	30	2.4	0.46	1.6	3.4	
1992	198	2.2	0.16	1.9	2.5	41	3.0	0.47	2.1	4.0	
1993	205	2.3	0.16	2.0	2.6	35	2.5	0.43	1.7	3.5	
1994	235	2.6	0.17	2.2	2.9	41	2.8	0.46	2.0	3.9	
1995	232	2.5	0.17	2.2	2.9	40	2.5	0.40	1.8	3.4	
1996	297	3.2	0.19	2.9	3.6	52	3.6	0.52	2.7	4.8	
1997	273	2.9	0.18	2.6	3.3	56	3.8	0.53	2.8	5.0	
1998	257	2.8	0.17	2.4	3.1	56	3.6	0.50	2.7	4.7	
1999	253	2.7	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7	
2000	235	2.5	0.17	2.2	2.9	44	2.7	0.42	2.0	3.7	
2001	282	3.1	0.19	2.7	3.5	48	3.1	0.46	2.3	4.1	
2002	274	3.0	0.18	2.6	3.3	45	2.8	0.43	2.0	3.8	
2003	313	3.4	0.19	3.0	3.8	50	3.1	0.45	2.3	4.1	
2004	284	3.0	0.18	2.7	3.4	60	3.6	0.47	2.7	4.6	
2005	276	2.9	0.18	2.6	3.3	60	3.7	0.49	2.8	4.8	
2006	320	3.4	0.19	3.0	3.8	73	4.2	0.51	3.3	5.4	
2007	313	3.4	0.20	3.0	3.8	56	3.3	0.45	2.5	4.3	
2008	324	3.5	0.20	3.1	3.9	64	3.8	0.48	2.9	4.8	
2009	309	3.3	0.19	2.9	3.7	54	3.1	0.43	2.3	4.1	
2010	323	3.3	0.19	3.0	3.7	61	3.5	0.46	2.7	4.5	
2011	318	3.4	0.20	3.0	3.8	62	3.4	0.44	2.6	4.4	
2012	328	3.3	0.19	3.0	3.7	66	3.6	0.45	2.8	4.6	
2013	343	3.5	0.20	3.2	3.9	65	3.6	0.46	2.8	4.7	
2014	348	3.6	0.20	3.2	4.0	80	4.3	0.50	3.4	5.4	
2015	309	3.1	0.18	2.7	3.5	76	4.2	0.49	3.3	5.3	
2016	358	3.6	0.20	3.2	4.0	74	4.0	0.47	3.1	5.1	
2017	344	3.5	0.20	3.1	3.9	79	4.3	0.49	3.4	5.4	
2018	355	3.5	0.20	3.1	3.9	65	3.3	0.42	2.5	4.2	
2019	346	3.5	0.20	3.2	4.0	61	3.3	0.43	2.5	4.2	
2020	333	3.4	0.20	3.0	3.8	68	3.6	0.44	2.8	4.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Soft Tissue including Heart										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	564	3.3	0.17	3.0	3.7	5,965	3.7	0.05	3.6	3.8
1990	9	3.1	1.29	1.1	7.0	129	2.7	0.25	2.3	3.3
1991	2	0.8	0.55	0.1	3.6	105	2.2	0.22	1.8	2.7
1992	9	3.6	1.66	1.1	8.3	111	2.4	0.23	2.0	2.9
1993	7	1.5	0.68	0.5	4.2	122	2.5	0.23	2.1	3.0
1994	9	2.0	0.83	0.7	4.9	151	3.2	0.26	2.7	3.7
1995	15	3.0	0.93	1.4	5.9	139	2.9	0.25	2.4	3.4
1996	14	2.4	0.75	1.2	5.0	190	3.9	0.29	3.4	4.5
1997	15	3.8	1.19	1.8	7.1	182	3.8	0.28	3.2	4.4
1998	12	3.2	1.22	1.3	6.6	176	3.6	0.28	3.1	4.2
1999	11	2.5	1.00	1.0	5.5	177	3.5	0.27	3.0	4.1
2000	5	0.9	0.48	0.2	2.8	147	3.0	0.25	2.5	3.5
2001	15	2.8	0.91	1.3	5.3	187	3.7	0.27	3.2	4.2
2002	7	0.6	0.24	0.2	2.0	170	3.5	0.27	3.0	4.1
2003	22	3.6	1.25	1.6	6.8	184	3.6	0.27	3.1	4.2
2004	20	3.6	1.11	1.8	6.4	192	3.8	0.27	3.2	4.3
2005	22	2.7	0.72	1.5	4.6	187	3.6	0.27	3.1	4.2
2006	21	4.7	1.21	2.6	7.6	192	3.8	0.27	3.2	4.3
2007	13	3.1	1.14	1.3	6.0	220	4.2	0.29	3.7	4.8
2008	14	2.0	0.81	0.7	4.1	215	4.2	0.29	3.6	4.8
2009	23	4.7	1.27	2.5	7.7	195	3.7	0.27	3.2	4.2
2010	26	3.7	0.89	2.1	5.9	221	4.1	0.28	3.6	4.7
2011	22	3.5	0.92	2.0	5.8	229	4.2	0.28	3.6	4.8
2012	30	4.4	0.94	2.8	6.6	210	3.8	0.27	3.3	4.3
2013	30	4.4	0.95	2.7	6.7	239	4.3	0.29	3.8	4.9
2014	24	3.9	0.92	2.3	6.1	258	4.6	0.30	4.1	5.3
2015	33	3.6	0.69	2.3	5.2	241	4.3	0.28	3.7	4.8
2016	32	4.3	0.88	2.8	6.4	235	4.2	0.28	3.7	4.8
2017	21	2.8	0.71	1.6	4.5	256	4.5	0.29	4.0	5.2
2018	30	4.1	0.87	2.6	6.2	237	4.0	0.27	3.5	4.6
2019	25	2.9	0.67	1.8	4.5	239	4.2	0.28	3.7	4.8
2020	26	2.7	0.58	1.7	4.1	229	3.9	0.27	3.4	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Soft Tissue including Heart										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	4,919	3.7	0.05	3.6	3.8	812	3.7	0.13	3.4	3.9
1990	105	2.6	0.26	2.1	3.2	22	3.5	0.86	2.0	5.6
1991	87	2.1	0.23	1.7	2.7	15	2.8	0.79	1.5	4.8
1992	91	2.3	0.25	1.8	2.8	18	3.1	0.77	1.8	5.0
1993	104	2.5	0.25	2.1	3.1	18	2.9	0.71	1.7	4.7
1994	131	3.3	0.29	2.7	3.9	19	3.0	0.73	1.8	4.8
1995	122	3.0	0.28	2.5	3.6	14	1.8	0.49	1.0	3.1
1996	158	3.9	0.31	3.3	4.5	26	4.3	0.92	2.7	6.5
1997	151	3.7	0.30	3.1	4.3	27	4.2	0.87	2.7	6.3
1998	146	3.6	0.30	3.0	4.2	27	3.7	0.78	2.3	5.5
1999	137	3.3	0.28	2.8	3.9	30	4.9	0.97	3.2	7.2
2000	122	3.0	0.27	2.5	3.5	20	2.9	0.70	1.7	4.6
2001	156	3.7	0.30	3.1	4.3	27	4.0	0.81	2.5	5.9
2002	147	3.6	0.30	3.1	4.3	19	2.6	0.64	1.5	4.2
2003	153	3.7	0.30	3.1	4.3	23	3.3	0.74	2.0	5.1
2004	160	3.8	0.30	3.2	4.4	22	3.3	0.75	2.0	5.1
2005	150	3.5	0.29	3.0	4.1	28	4.3	0.91	2.7	6.4
2006	162	3.8	0.30	3.2	4.4	27	3.5	0.71	2.3	5.2
2007	187	4.4	0.33	3.8	5.1	27	3.8	0.77	2.4	5.6
2008	179	4.3	0.32	3.7	5.0	27	3.6	0.72	2.3	5.3
2009	163	3.7	0.30	3.2	4.4	19	2.5	0.60	1.4	3.9
2010	177	3.9	0.30	3.4	4.6	31	4.5	0.87	3.0	6.5
2011	192	4.3	0.32	3.7	5.0	27	3.4	0.69	2.2	5.1
2012	172	3.8	0.30	3.3	4.5	28	3.5	0.67	2.3	5.0
2013	193	4.3	0.32	3.7	5.0	30	3.8	0.71	2.5	5.4
2014	208	4.6	0.33	4.0	5.3	34	4.0	0.70	2.8	5.7
2015	192	4.1	0.31	3.5	4.8	39	5.4	0.89	3.8	7.4
2016	191	4.2	0.32	3.6	4.9	34	4.4	0.77	3.0	6.2
2017	195	4.3	0.32	3.7	5.0	39	4.9	0.81	3.4	6.7
2018	194	4.1	0.30	3.5	4.7	31	3.5	0.64	2.3	5.0
2019	203	4.5	0.33	3.9	5.2	32	4.1	0.75	2.8	5.9
2020	191	4.1	0.31	3.5	4.7	32	3.9	0.70	2.6	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Soft Tissue including Heart										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	457	2.5	0.13	2.2	2.8	5,165	2.7	0.04	2.6	2.7
1990	3	0.5	0.26	0.1	2.3	113	2.0	0.19	1.6	2.4
1991	9	2.7	1.00	1.1	5.6	108	1.9	0.18	1.5	2.3
1992	6	1.6	0.73	0.5	4.0	135	2.3	0.20	1.9	2.8
1993	5	1.6	0.81	0.4	4.1	121	2.0	0.19	1.7	2.4
1994	5	1.4	0.67	0.4	3.6	127	2.1	0.19	1.8	2.5
1995	3	0.9	0.50	0.2	2.7	138	2.3	0.20	1.9	2.7
1996	9	3.0	1.26	1.1	6.4	172	2.9	0.22	2.4	3.3
1997	9	2.8	1.12	1.1	5.8	156	2.5	0.21	2.2	3.0
1998	14	3.0	0.87	1.6	5.4	145	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.2	2.2	143	2.3	0.20	2.0	2.8
2000	11	2.1	0.77	0.9	4.3	138	2.2	0.19	1.9	2.6
2001	16	3.7	1.14	1.8	6.6	155	2.6	0.21	2.2	3.0
2002	10	2.0	0.72	0.9	4.0	157	2.6	0.21	2.2	3.0
2003	10	1.4	0.47	0.6	2.9	191	3.1	0.23	2.7	3.6
2004	13	2.1	0.62	1.1	3.8	166	2.7	0.21	2.3	3.1
2005	13	2.1	0.69	1.0	3.9	169	2.7	0.21	2.3	3.1
2006	10	2.3	0.83	1.0	4.4	210	3.4	0.24	3.0	3.9
2007	25	3.9	0.90	2.4	6.1	164	2.7	0.21	2.3	3.1
2008	21	3.6	0.91	2.0	5.8	186	3.0	0.22	2.5	3.4
2009	17	2.0	0.54	1.1	3.4	192	3.1	0.23	2.7	3.6
2010	23	3.7	0.93	2.1	5.9	182	2.9	0.22	2.5	3.3
2011	16	2.4	0.67	1.2	4.0	164	2.6	0.21	2.2	3.1
2012	26	3.2	0.69	2.0	4.9	196	2.9	0.21	2.5	3.4
2013	20	2.5	0.61	1.4	4.0	194	3.0	0.23	2.6	3.5
2014	18	2.3	0.55	1.3	3.6	196	3.0	0.22	2.6	3.5
2015	17	2.2	0.55	1.2	3.5	160	2.4	0.20	2.1	2.9
2016	21	2.3	0.53	1.4	3.6	214	3.2	0.23	2.8	3.7
2017	32	4.0	0.76	2.7	5.8	199	2.9	0.22	2.5	3.4
2018	24	2.6	0.56	1.6	4.0	205	3.1	0.23	2.7	3.6
2019	20	2.2	0.51	1.3	3.4	184	2.7	0.21	2.3	3.2
2020	27	2.9	0.56	1.9	4.2	185	2.8	0.22	2.4	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Soft Tissue including Heart											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,043	2.6	0.04	2.5	2.7	947	3.3	0.11	3.0	3.5	
1990	92	2.0	0.21	1.6	2.4	20	2.6	0.60	1.6	4.1	
1991	93	1.9	0.21	1.6	2.4	15	2.1	0.55	1.1	3.4	
1992	107	2.2	0.22	1.8	2.7	23	2.9	0.61	1.8	4.4	
1993	101	2.0	0.21	1.7	2.5	17	2.1	0.52	1.2	3.4	
1994	104	2.1	0.21	1.7	2.6	22	2.7	0.58	1.7	4.1	
1995	110	2.2	0.22	1.8	2.7	26	3.0	0.60	1.9	4.4	
1996	139	2.8	0.24	2.3	3.3	26	3.2	0.63	2.1	4.7	
1997	122	2.4	0.22	2.0	2.8	29	3.5	0.66	2.3	5.0	
1998	111	2.3	0.22	1.8	2.7	29	3.5	0.65	2.3	5.0	
1999	116	2.3	0.22	1.9	2.8	25	2.8	0.56	1.8	4.1	
2000	113	2.2	0.21	1.8	2.7	24	2.6	0.54	1.7	3.9	
2001	126	2.6	0.24	2.2	3.1	21	2.4	0.53	1.5	3.7	
2002	127	2.6	0.24	2.2	3.1	26	2.9	0.57	1.9	4.2	
2003	160	3.3	0.26	2.8	3.8	27	2.9	0.57	1.9	4.3	
2004	124	2.4	0.22	2.0	2.9	38	4.0	0.65	2.8	5.5	
2005	126	2.5	0.23	2.0	2.9	32	3.4	0.61	2.3	4.9	
2006	158	3.2	0.26	2.7	3.7	46	4.8	0.71	3.5	6.4	
2007	126	2.6	0.24	2.2	3.1	29	3.0	0.56	2.0	4.3	
2008	145	2.9	0.25	2.4	3.4	37	3.9	0.64	2.7	5.3	
2009	146	3.0	0.26	2.5	3.5	35	3.6	0.62	2.5	5.1	
2010	146	2.8	0.24	2.4	3.3	30	3.0	0.55	2.0	4.3	
2011	126	2.6	0.25	2.2	3.2	35	3.4	0.58	2.3	4.7	
2012	156	2.9	0.24	2.4	3.4	38	3.7	0.60	2.6	5.0	
2013	150	3.0	0.26	2.5	3.5	35	3.5	0.60	2.4	4.9	
2014	140	2.7	0.24	2.3	3.2	46	4.5	0.68	3.3	6.0	
2015	117	2.2	0.22	1.8	2.7	37	3.5	0.59	2.4	4.9	
2016	167	3.1	0.26	2.6	3.7	40	3.7	0.60	2.7	5.1	
2017	149	2.7	0.24	2.3	3.3	40	3.9	0.63	2.8	5.3	
2018	161	3.1	0.26	2.6	3.7	34	3.1	0.55	2.1	4.4	
2019	143	2.8	0.25	2.3	3.3	29	2.5	0.48	1.7	3.7	
2020	142	2.8	0.25	2.3	3.4	36	3.4	0.58	2.4	4.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Skin excluding Basal and Squamous										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,490	5.1	0.15	4.8	5.4	66,434	18.2	0.07	18.1	18.3
1990	10	2.2	0.89	0.8	4.6	903	8.7	0.29	8.2	9.3
1991	17	3.9	1.25	1.9	7.0	958	9.3	0.30	8.7	9.9
1992	17	3.1	0.94	1.6	5.5	1,022	9.7	0.30	9.1	10.3
1993	17	3.6	1.04	1.9	6.2	967	9.0	0.29	8.4	9.6
1994	19	3.2	0.88	1.7	5.4	1,172	10.8	0.32	10.2	11.5
1995	30	5.2	1.15	3.2	7.9	1,212	11.1	0.32	10.5	11.8
1996	27	4.2	1.04	2.4	6.6	1,316	12.0	0.33	11.3	12.7
1997	25	3.9	1.03	2.1	6.4	1,440	13.0	0.34	12.4	13.7
1998	27	5.1	1.21	3.0	8.0	1,473	13.2	0.34	12.6	13.9
1999	38	6.4	1.32	4.1	9.4	1,523	13.6	0.35	12.9	14.3
2000	34	5.2	1.10	3.3	7.7	1,657	14.7	0.36	14.0	15.4
2001	23	2.4	0.62	1.4	4.0	1,778	15.7	0.37	15.0	16.4
2002	41	5.7	1.08	3.7	8.1	1,790	15.7	0.37	15.0	16.5
2003	42	4.6	0.89	3.1	6.7	1,834	16.0	0.37	15.3	16.7
2004	42	4.3	0.83	2.8	6.2	1,971	17.1	0.39	16.4	17.9
2005	46	5.0	0.88	3.4	7.0	2,192	18.9	0.41	18.1	19.7
2006	48	5.1	0.89	3.5	7.1	2,235	19.2	0.41	18.4	20.1
2007	52	5.4	0.92	3.8	7.5	2,323	19.8	0.42	19.0	20.6
2008	39	3.6	0.66	2.4	5.1	2,513	21.2	0.43	20.3	22.0
2009	58	4.3	0.65	3.1	5.8	2,520	21.1	0.43	20.3	22.0
2010	56	4.8	0.74	3.4	6.4	2,461	20.3	0.42	19.4	21.1
2011	68	6.5	0.90	4.9	8.5	2,621	21.4	0.43	20.6	22.3
2012	71	5.8	0.79	4.4	7.6	2,706	21.9	0.43	21.1	22.8
2013	66	5.9	0.80	4.4	7.6	2,646	21.0	0.42	20.2	21.8
2014	72	5.9	0.78	4.5	7.6	2,830	22.0	0.42	21.2	22.9
2015	66	5.0	0.67	3.8	6.5	3,091	24.3	0.45	23.4	25.2
2016	71	5.0	0.66	3.8	6.5	3,399	26.3	0.47	25.4	27.2
2017	98	6.9	0.76	5.5	8.5	3,457	26.8	0.47	25.9	27.7
2018	96	6.3	0.69	5.0	7.8	3,444	26.2	0.46	25.3	27.2
2019	104	6.7	0.70	5.4	8.2	3,789	28.7	0.48	27.7	29.6
2020	70	4.1	0.51	3.1	5.2	3,191	24.3	0.45	23.4	25.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Skin excluding Basal and Squamous											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	62,814	21.0	0.08	20.8	21.1	894	1.8	0.06	1.7	1.9	
1990	872	9.9	0.34	9.2	10.6	23	1.9	0.41	1.2	2.9	
1991	932	10.6	0.35	9.9	11.3	18	1.5	0.36	0.8	2.3	
1992	981	10.9	0.35	10.2	11.6	22	1.5	0.33	0.9	2.3	
1993	939	10.2	0.34	9.6	10.9	24	1.7	0.36	1.1	2.5	
1994	1,135	12.4	0.37	11.7	13.1	20	1.4	0.31	0.8	2.1	
1995	1,160	12.7	0.37	12.0	13.4	23	1.6	0.34	1.0	2.4	
1996	1,261	13.7	0.39	12.9	14.5	24	1.7	0.37	1.1	2.6	
1997	1,367	14.8	0.40	14.0	15.6	30	2.0	0.37	1.3	2.8	
1998	1,391	14.9	0.40	14.1	15.7	31	2.2	0.40	1.5	3.1	
1999	1,462	15.7	0.41	14.9	16.5	30	2.0	0.38	1.3	2.9	
2000	1,568	16.8	0.43	16.0	17.6	26	1.6	0.31	1.0	2.3	
2001	1,674	17.9	0.44	17.0	18.7	31	2.1	0.40	1.4	3.1	
2002	1,676	17.8	0.44	17.0	18.7	26	1.6	0.31	1.0	2.3	
2003	1,697	17.9	0.44	17.1	18.8	37	2.3	0.39	1.6	3.2	
2004	1,838	19.4	0.46	18.5	20.3	25	1.6	0.32	1.0	2.3	
2005	2,009	21.1	0.48	20.2	22.1	33	2.1	0.38	1.5	3.0	
2006	2,095	22.1	0.49	21.1	23.1	41	2.5	0.39	1.8	3.4	
2007	2,204	23.2	0.50	22.2	24.2	37	2.3	0.38	1.6	3.1	
2008	2,366	24.5	0.51	23.5	25.5	34	2.1	0.36	1.4	2.9	
2009	2,369	24.5	0.51	23.5	25.5	42	2.5	0.39	1.8	3.4	
2010	2,312	23.5	0.50	22.6	24.5	34	2.0	0.36	1.4	2.9	
2011	2,461	24.9	0.52	23.9	26.0	30	1.6	0.30	1.1	2.3	
2012	2,559	25.7	0.52	24.7	26.8	29	1.6	0.31	1.1	2.4	
2013	2,538	25.1	0.52	24.1	26.1	31	1.7	0.32	1.2	2.5	
2014	2,687	26.0	0.52	25.0	27.1	24	1.3	0.27	0.8	2.0	
2015	2,936	28.9	0.56	27.9	30.1	33	1.9	0.34	1.3	2.7	
2016	3,252	31.7	0.58	30.6	32.9	29	1.7	0.32	1.1	2.4	
2017	3,335	32.7	0.59	31.6	33.9	26	1.4	0.28	0.9	2.1	
2018	3,219	31.0	0.57	29.9	32.2	35	1.8	0.30	1.2	2.5	
2019	3,550	34.2	0.60	33.0	35.4	26	1.4	0.27	0.9	2.0	
2020	2,969	28.8	0.56	27.7	29.9	20	1.1	0.25	0.7	1.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Skin excluding Basal and Squamous											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	687	5.5	0.25	5.1	6.1	37,402	23.0	0.12	22.8	23.2	
1990	6	2.9	1.70	0.6	7.9	475	10.6	0.50	9.7	11.7	
1991	8	3.1	1.67	0.7	7.9	505	11.0	0.50	10.1	12.0	
1992	6	1.8	0.83	0.6	4.9	567	12.2	0.52	11.2	13.3	
1993	8	5.6	2.35	2.0	11.6	526	11.2	0.50	10.3	12.2	
1994	11	4.6	1.88	1.7	9.6	628	13.3	0.54	12.3	14.4	
1995	17	7.9	2.33	4.0	13.6	687	14.4	0.56	13.3	15.6	
1996	12	2.8	0.95	1.3	5.7	706	14.6	0.55	13.5	15.7	
1997	13	3.4	1.30	1.4	7.0	817	16.8	0.59	15.6	18.0	
1998	16	9.3	2.82	4.6	16.1	822	17.0	0.60	15.8	18.2	
1999	25	11.6	3.04	6.5	18.7	887	18.0	0.61	16.8	19.2	
2000	17	6.3	1.98	3.1	11.2	923	18.6	0.62	17.4	19.9	
2001	13	3.7	1.29	1.6	7.1	987	19.7	0.63	18.5	21.0	
2002	18	6.4	1.94	3.2	11.1	1,040	20.7	0.65	19.4	22.0	
2003	17	3.5	0.99	1.8	6.1	1,016	20.0	0.63	18.8	21.3	
2004	19	4.8	1.53	2.3	8.6	1,145	22.3	0.66	21.0	23.6	
2005	26	5.6	1.35	3.3	8.9	1,199	23.3	0.68	21.9	24.6	
2006	19	5.4	1.56	2.8	9.2	1,222	23.6	0.68	22.3	25.0	
2007	26	7.0	1.77	4.0	11.1	1,258	24.0	0.69	22.7	25.4	
2008	20	3.9	0.98	2.2	6.3	1,427	26.8	0.72	25.4	28.2	
2009	21	3.5	0.89	2.0	5.7	1,403	26.0	0.71	24.7	27.5	
2010	27	5.6	1.31	3.3	8.6	1,425	25.8	0.70	24.5	27.2	
2011	25	5.5	1.30	3.2	8.5	1,494	26.9	0.71	25.5	28.3	
2012	30	5.4	1.14	3.4	8.0	1,544	27.4	0.71	26.0	28.8	
2013	38	7.7	1.43	5.2	11.0	1,489	26.0	0.69	24.7	27.4	
2014	37	7.3	1.38	4.8	10.4	1,625	27.7	0.70	26.4	29.1	
2015	26	4.6	1.03	2.8	7.0	1,724	29.3	0.72	27.9	30.8	
2016	31	4.9	1.01	3.1	7.2	1,909	31.8	0.75	30.4	33.4	
2017	45	7.5	1.24	5.3	10.3	2,005	33.3	0.77	31.9	34.9	
2018	43	6.2	1.05	4.3	8.6	1,955	32.1	0.75	30.6	33.6	
2019	46	6.8	1.13	4.8	9.4	2,182	34.9	0.77	33.4	36.4	
2020	21	2.9	0.71	1.7	4.6	1,810	29.3	0.71	27.9	30.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Skin excluding Basal and Squamous										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	35,662	26.1	0.14	25.9	26.4	391	1.9	0.10	1.7	2.1
1990	454	11.7	0.56	10.6	12.9	14	3.0	0.83	1.6	5.0
1991	495	12.5	0.57	11.4	13.7	8	1.7	0.65	0.7	3.4
1992	549	13.7	0.60	12.5	14.9	8	1.2	0.44	0.5	2.5
1993	514	12.7	0.57	11.6	13.9	10	1.8	0.60	0.8	3.3
1994	606	15.0	0.62	13.8	16.2	12	2.0	0.64	1.0	3.7
1995	667	16.3	0.64	15.1	17.7	10	1.9	0.64	0.8	3.5
1996	684	16.6	0.64	15.3	17.9	9	1.6	0.54	0.7	3.0
1997	783	18.8	0.68	17.5	20.2	10	1.6	0.58	0.7	3.1
1998	786	19.0	0.68	17.7	20.4	13	1.9	0.53	1.0	3.2
1999	856	20.4	0.70	19.1	21.9	16	2.2	0.57	1.3	3.7
2000	877	21.0	0.71	19.6	22.4	11	1.5	0.46	0.7	2.7
2001	932	22.1	0.73	20.7	23.5	17	2.8	0.70	1.6	4.5
2002	985	23.3	0.75	21.8	24.8	10	1.4	0.45	0.7	2.6
2003	968	22.7	0.73	21.3	24.2	10	1.6	0.51	0.7	2.9
2004	1,077	25.0	0.77	23.5	26.6	9	1.1	0.38	0.5	2.2
2005	1,117	25.9	0.78	24.4	27.5	12	1.9	0.61	0.9	3.5
2006	1,159	26.8	0.79	25.2	28.4	19	3.0	0.75	1.7	4.8
2007	1,204	27.5	0.80	26.0	29.1	16	2.2	0.57	1.2	3.7
2008	1,366	30.7	0.84	29.1	32.4	16	2.2	0.60	1.2	3.7
2009	1,321	29.5	0.82	27.9	31.1	18	2.5	0.60	1.4	4.0
2010	1,347	29.4	0.82	27.8	31.1	14	2.3	0.63	1.2	3.8
2011	1,422	30.9	0.84	29.2	32.6	14	1.9	0.51	1.0	3.2
2012	1,471	31.6	0.84	29.9	33.3	16	2.0	0.52	1.1	3.3
2013	1,439	30.4	0.82	28.9	32.1	13	1.6	0.48	0.8	2.8
2014	1,557	32.2	0.84	30.5	33.9	10	1.5	0.48	0.7	2.7
2015	1,655	34.3	0.87	32.6	36.0	13	1.8	0.51	0.9	3.1
2016	1,840	37.7	0.91	35.9	39.5	10	1.2	0.41	0.6	2.3
2017	1,947	39.8	0.93	38.0	41.6	12	1.5	0.44	0.8	2.6
2018	1,831	36.8	0.89	35.1	38.6	15	1.9	0.49	1.0	3.1
2019	2,053	40.5	0.92	38.7	42.3	11	1.4	0.43	0.7	2.5
2020	1,700	34.1	0.86	32.5	35.8	15	2.2	0.57	1.2	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Skin excluding Basal and Squamous											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	803	5.0	0.19	4.6	5.4	29,032	15.1	0.09	14.9	15.2	
1990	4	1.6	0.98	0.3	4.7	428	7.5	0.37	6.8	8.3	
1991	9	4.5	1.77	1.7	9.1	453	8.1	0.39	7.3	8.9	
1992	11	4.2	1.49	1.8	8.1	455	7.8	0.37	7.1	8.6	
1993	9	2.6	0.93	1.1	5.3	441	7.5	0.36	6.8	8.2	
1994	8	2.3	0.84	1.0	4.8	544	9.2	0.40	8.4	10.0	
1995	13	3.2	1.07	1.5	6.1	525	8.9	0.39	8.1	9.7	
1996	15	5.0	1.58	2.4	8.9	610	10.2	0.42	9.4	11.0	
1997	12	4.0	1.45	1.7	7.7	623	10.4	0.42	9.6	11.3	
1998	11	2.3	0.80	1.0	4.6	651	10.7	0.42	9.9	11.5	
1999	13	2.7	0.86	1.3	5.0	636	10.5	0.42	9.7	11.3	
2000	17	4.5	1.28	2.4	7.7	734	12.1	0.45	11.2	13.0	
2001	10	1.5	0.50	0.7	3.1	791	12.9	0.46	12.0	13.8	
2002	23	5.4	1.32	3.1	8.6	750	12.3	0.45	11.5	13.3	
2003	25	5.5	1.35	3.2	8.7	818	13.3	0.47	12.4	14.2	
2004	23	4.1	0.99	2.4	6.5	826	13.4	0.47	12.5	14.3	
2005	20	4.3	1.13	2.4	7.1	993	16.1	0.52	15.1	17.2	
2006	29	5.1	1.08	3.2	7.7	1,013	16.4	0.52	15.4	17.5	
2007	26	4.5	1.02	2.7	6.9	1,065	17.3	0.54	16.2	18.4	
2008	19	3.4	0.87	1.9	5.5	1,086	17.6	0.54	16.5	18.7	
2009	37	5.2	0.96	3.5	7.5	1,117	17.8	0.55	16.8	19.0	
2010	29	4.3	0.88	2.8	6.4	1,036	16.4	0.52	15.4	17.4	
2011	43	7.6	1.27	5.3	10.4	1,127	17.9	0.55	16.9	19.0	
2012	41	6.3	1.10	4.4	8.8	1,162	18.3	0.56	17.2	19.4	
2013	28	4.4	0.87	2.8	6.4	1,157	17.7	0.54	16.7	18.8	
2014	35	5.1	0.93	3.4	7.2	1,205	18.1	0.54	17.1	19.2	
2015	40	5.6	0.94	3.9	7.7	1,367	21.1	0.59	19.9	22.3	
2016	40	5.4	0.90	3.7	7.4	1,490	22.7	0.62	21.5	24.0	
2017	53	6.7	0.97	4.9	8.9	1,452	22.1	0.61	21.0	23.4	
2018	53	6.6	0.94	4.9	8.7	1,489	22.3	0.61	21.1	23.5	
2019	58	6.8	0.93	5.1	8.9	1,607	24.5	0.64	23.2	25.8	
2020	49	5.5	0.80	4.0	7.3	1,381	21.1	0.60	19.9	22.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Skin excluding Basal and Squamous										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	27,152	17.6	0.11	17.4	17.8	503	1.8	0.08	1.6	1.9
1990	418	8.8	0.44	7.9	9.7	9	1.2	0.42	0.6	2.3
1991	437	9.3	0.46	8.4	10.2	10	1.3	0.43	0.6	2.5
1992	432	8.9	0.44	8.1	9.8	14	1.7	0.46	0.9	2.8
1993	425	8.6	0.42	7.8	9.4	14	1.7	0.46	0.9	2.8
1994	529	10.7	0.48	9.8	11.7	8	0.9	0.33	0.4	1.8
1995	493	10.1	0.46	9.2	11.0	13	1.4	0.40	0.8	2.5
1996	577	11.7	0.50	10.8	12.7	15	1.8	0.48	1.0	3.0
1997	584	11.9	0.50	10.9	12.9	20	2.3	0.52	1.4	3.6
1998	605	12.1	0.50	11.1	13.1	18	2.3	0.54	1.3	3.6
1999	606	12.3	0.51	11.3	13.3	14	1.7	0.47	0.9	2.9
2000	691	13.9	0.54	12.9	15.0	15	1.6	0.42	0.9	2.7
2001	742	15.0	0.56	13.9	16.1	14	1.7	0.45	0.9	2.8
2002	691	14.1	0.55	13.1	15.3	16	1.7	0.43	1.0	2.8
2003	729	14.6	0.55	13.6	15.8	27	2.9	0.56	1.9	4.2
2004	761	15.3	0.57	14.2	16.5	16	1.8	0.45	1.0	2.9
2005	892	18.1	0.62	16.9	19.3	21	2.3	0.51	1.4	3.5
2006	936	19.0	0.64	17.8	20.3	22	2.3	0.49	1.4	3.4
2007	1,000	20.6	0.67	19.3	21.9	21	2.2	0.49	1.4	3.4
2008	1,000	20.5	0.67	19.2	21.9	18	2.0	0.47	1.2	3.1
2009	1,048	21.3	0.68	20.0	22.7	24	2.5	0.51	1.6	3.7
2010	965	19.4	0.65	18.2	20.8	20	2.0	0.45	1.2	3.1
2011	1,039	21.1	0.68	19.8	22.5	16	1.5	0.37	0.8	2.4
2012	1,088	21.9	0.69	20.5	23.3	13	1.3	0.38	0.7	2.3
2013	1,099	21.7	0.69	20.3	23.1	18	1.8	0.44	1.1	2.9
2014	1,130	21.8	0.68	20.5	23.2	14	1.3	0.34	0.7	2.1
2015	1,281	25.5	0.75	24.0	27.0	20	2.1	0.47	1.2	3.2
2016	1,412	28.0	0.79	26.5	29.7	19	2.0	0.46	1.2	3.1
2017	1,388	27.7	0.79	26.2	29.3	14	1.3	0.36	0.7	2.2
2018	1,388	27.3	0.78	25.8	28.8	20	1.7	0.39	1.0	2.7
2019	1,497	30.0	0.83	28.4	31.7	15	1.4	0.35	0.8	2.3
2020	1,269	25.3	0.77	23.9	26.9	5	0.4	0.19	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Melanoma of the Skin											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,206	4.2	0.14	3.9	4.5	61,263	16.8	0.07	16.7	16.9	
1990	8	2.0	0.87	0.7	4.3	805	7.7	0.28	7.2	8.3	
1991	13	3.3	1.20	1.4	6.3	868	8.4	0.29	7.8	9.0	
1992	13	2.7	0.91	1.2	5.0	911	8.6	0.29	8.1	9.2	
1993	13	2.7	0.87	1.3	4.9	841	7.8	0.27	7.3	8.4	
1994	12	2.4	0.82	1.1	4.5	1,053	9.7	0.30	9.2	10.3	
1995	24	3.8	0.93	2.2	6.1	1,098	10.1	0.31	9.5	10.7	
1996	17	2.5	0.76	1.2	4.4	1,188	10.8	0.32	10.2	11.5	
1997	18	3.1	0.94	1.5	5.4	1,305	11.8	0.33	11.2	12.5	
1998	23	4.4	1.08	2.5	6.9	1,322	11.9	0.33	11.2	12.5	
1999	27	4.7	1.15	2.8	7.4	1,388	12.4	0.33	11.8	13.1	
2000	30	4.9	1.08	3.0	7.4	1,492	13.3	0.34	12.6	14.0	
2001	20	2.2	0.60	1.2	3.7	1,606	14.2	0.35	13.5	14.9	
2002	32	4.3	0.90	2.7	6.4	1,631	14.3	0.36	13.6	15.1	
2003	35	4.1	0.86	2.6	6.1	1,661	14.5	0.36	13.8	15.2	
2004	38	4.0	0.82	2.6	5.9	1,802	15.6	0.37	14.9	16.4	
2005	35	3.8	0.76	2.5	5.6	2,009	17.3	0.39	16.6	18.1	
2006	37	3.6	0.71	2.4	5.3	2,025	17.4	0.39	16.7	18.2	
2007	38	4.3	0.84	2.8	6.2	2,152	18.4	0.40	17.6	19.2	
2008	30	3.1	0.63	2.0	4.6	2,305	19.4	0.41	18.6	20.3	
2009	45	3.3	0.57	2.3	4.6	2,324	19.5	0.41	18.7	20.3	
2010	44	3.6	0.63	2.5	5.1	2,296	18.9	0.40	18.1	19.7	
2011	55	5.2	0.81	3.8	7.0	2,452	20.1	0.42	19.3	21.0	
2012	55	4.6	0.71	3.4	6.2	2,533	20.5	0.42	19.7	21.3	
2013	59	5.3	0.76	3.9	6.9	2,467	19.6	0.40	18.8	20.4	
2014	57	4.9	0.72	3.6	6.5	2,645	20.6	0.41	19.8	21.4	
2015	58	4.2	0.60	3.1	5.6	2,870	22.6	0.44	21.8	23.5	
2016	64	4.7	0.64	3.5	6.1	3,173	24.6	0.45	23.7	25.5	
2017	79	5.5	0.67	4.2	6.9	3,236	25.1	0.46	24.2	26.0	
2018	78	5.1	0.62	4.0	6.5	3,238	24.7	0.45	23.8	25.6	
2019	89	5.7	0.65	4.5	7.1	3,579	27.1	0.47	26.2	28.1	
2020	60	3.5	0.48	2.6	4.6	2,988	22.9	0.44	22.0	23.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Melanoma of the Skin											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	58,366	19.5	0.08	19.4	19.7	377	0.8	0.04	0.7	0.9	
1990	789	8.9	0.32	8.3	9.6	9	0.8	0.27	0.4	1.5	
1991	853	9.7	0.34	9.1	10.4	10	0.8	0.28	0.4	1.6	
1992	891	9.9	0.34	9.3	10.6	9	0.6	0.21	0.3	1.2	
1993	833	9.1	0.32	8.5	9.8	4	0.3	0.13	0.1	0.7	
1994	1,031	11.3	0.35	10.6	12.0	8	0.6	0.22	0.3	1.2	
1995	1,064	11.7	0.36	11.0	12.4	9	0.7	0.25	0.3	1.4	
1996	1,154	12.6	0.37	11.8	13.3	10	0.9	0.29	0.4	1.6	
1997	1,250	13.5	0.38	12.8	14.3	15	1.1	0.28	0.6	1.8	
1998	1,267	13.6	0.38	12.9	14.4	9	0.7	0.23	0.3	1.3	
1999	1,345	14.5	0.40	13.7	15.3	16	1.2	0.30	0.7	1.9	
2000	1,423	15.3	0.41	14.5	16.1	11	0.7	0.22	0.4	1.3	
2001	1,523	16.3	0.42	15.5	17.1	17	1.3	0.32	0.7	2.0	
2002	1,544	16.5	0.42	15.7	17.4	11	0.7	0.22	0.4	1.3	
2003	1,549	16.4	0.42	15.6	17.3	21	1.4	0.30	0.8	2.1	
2004	1,691	17.9	0.44	17.0	18.8	10	0.7	0.22	0.3	1.2	
2005	1,859	19.6	0.46	18.7	20.6	14	1.0	0.28	0.5	1.7	
2006	1,915	20.2	0.47	19.3	21.2	18	1.2	0.29	0.7	1.9	
2007	2,059	21.7	0.49	20.8	22.7	16	1.0	0.26	0.6	1.7	
2008	2,189	22.7	0.49	21.8	23.7	8	0.5	0.19	0.2	1.1	
2009	2,214	23.0	0.50	22.0	24.0	12	0.7	0.21	0.4	1.3	
2010	2,171	22.1	0.49	21.2	23.1	17	1.1	0.26	0.6	1.7	
2011	2,313	23.6	0.50	22.6	24.6	14	0.8	0.22	0.4	1.3	
2012	2,413	24.3	0.51	23.3	25.3	7	0.4	0.16	0.2	0.9	
2013	2,380	23.6	0.50	22.6	24.6	15	0.9	0.23	0.5	1.4	
2014	2,524	24.5	0.51	23.6	25.6	12	0.7	0.20	0.4	1.2	
2015	2,743	27.2	0.54	26.1	28.3	15	0.9	0.23	0.5	1.4	
2016	3,050	29.9	0.57	28.8	31.0	13	0.7	0.21	0.4	1.3	
2017	3,133	30.8	0.58	29.7	32.0	13	0.7	0.20	0.4	1.2	
2018	3,048	29.5	0.56	28.4	30.6	15	0.8	0.20	0.4	1.3	
2019	3,362	32.5	0.59	31.4	33.7	9	0.5	0.15	0.2	0.9	
2020	2,786	27.2	0.55	26.2	28.3	10	0.6	0.18	0.3	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Melanoma of the Skin											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	536	4.6	0.23	4.1	5.0	34,569	21.2	0.12	21.0	21.4	
1990	4	2.5	1.68	0.4	7.6	421	9.3	0.46	8.4	10.3	
1991	6	2.6	1.61	0.4	7.4	468	10.2	0.48	9.2	11.1	
1992	4	1.6	0.81	0.4	4.6	501	10.7	0.49	9.8	11.7	
1993	7	4.1	1.86	1.3	9.2	466	9.8	0.46	8.9	10.8	
1994	6	3.6	1.79	1.0	8.5	557	11.8	0.51	10.8	12.8	
1995	14	6.1	1.99	2.9	11.2	631	13.2	0.53	12.1	14.2	
1996	8	1.7	0.73	0.6	4.3	648	13.3	0.53	12.3	14.4	
1997	9	3.0	1.27	1.0	6.6	740	15.1	0.56	14.0	16.2	
1998	13	7.5	2.41	3.5	13.4	749	15.4	0.57	14.3	16.5	
1999	18	8.8	2.69	4.4	15.2	813	16.4	0.58	15.3	17.5	
2000	14	5.8	1.95	2.6	10.6	836	16.7	0.58	15.6	17.9	
2001	12	3.5	1.28	1.5	6.9	898	17.9	0.60	16.8	19.1	
2002	13	4.7	1.51	2.2	8.4	951	18.8	0.61	17.6	20.0	
2003	12	2.6	0.88	1.2	5.0	942	18.5	0.61	17.3	19.7	
2004	17	4.5	1.51	2.1	8.3	1,056	20.5	0.64	19.2	21.8	
2005	17	3.7	1.09	1.9	6.5	1,090	21.1	0.65	19.8	22.4	
2006	15	4.4	1.42	2.0	7.8	1,106	21.3	0.65	20.1	22.6	
2007	20	5.8	1.65	3.0	9.7	1,175	22.4	0.66	21.1	23.7	
2008	13	3.0	0.91	1.5	5.3	1,311	24.6	0.69	23.2	25.9	
2009	14	2.6	0.80	1.3	4.7	1,307	24.2	0.68	22.9	25.6	
2010	20	4.0	1.10	2.2	6.7	1,328	24.0	0.67	22.7	25.3	
2011	19	4.4	1.18	2.4	7.2	1,393	25.0	0.69	23.7	26.4	
2012	25	4.8	1.10	2.9	7.3	1,437	25.4	0.69	24.1	26.8	
2013	33	6.8	1.35	4.5	9.9	1,398	24.4	0.67	23.1	25.7	
2014	30	6.1	1.27	3.9	9.0	1,513	25.7	0.68	24.4	27.1	
2015	21	3.4	0.86	2.0	5.5	1,593	27.0	0.69	25.7	28.4	
2016	27	4.6	1.00	2.8	6.9	1,779	29.5	0.72	28.1	31.0	
2017	36	6.1	1.12	4.1	8.6	1,877	31.2	0.74	29.7	32.6	
2018	31	5.1	1.00	3.3	7.3	1,830	30.0	0.72	28.6	31.4	
2019	40	6.1	1.07	4.2	8.5	2,072	33.1	0.75	31.6	34.6	
2020	18	2.6	0.69	1.5	4.3	1,683	27.2	0.68	25.9	28.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Melanoma of the Skin											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	33,171	24.3	0.13	24.0	24.5	154	0.8	0.07	0.7	1.0	
1990	407	10.4	0.53	9.4	11.4	7	1.5	0.58	0.6	3.1	
1991	465	11.7	0.55	10.6	12.8	2	0.6	0.49	0.1	2.1	
1992	493	12.2	0.56	11.2	13.4	3	0.4	0.25	0.1	1.4	
1993	462	11.3	0.53	10.3	12.4	2	0.3	0.23	0.0	1.2	
1994	544	13.4	0.58	12.3	14.6	4	0.8	0.42	0.2	2.1	
1995	618	15.1	0.61	13.9	16.3	4	1.0	0.53	0.2	2.5	
1996	633	15.3	0.61	14.1	16.5	3	0.6	0.34	0.1	1.6	
1997	713	17.1	0.64	15.8	18.4	5	1.0	0.49	0.3	2.3	
1998	726	17.5	0.65	16.2	18.8	3	0.6	0.32	0.1	1.6	
1999	790	18.8	0.67	17.5	20.1	8	1.1	0.41	0.5	2.3	
2000	799	18.9	0.67	17.7	20.3	5	0.8	0.35	0.3	1.8	
2001	855	20.2	0.70	18.9	21.6	9	1.6	0.55	0.7	3.0	
2002	908	21.3	0.71	20.0	22.8	5	0.8	0.34	0.2	1.8	
2003	898	21.0	0.70	19.6	22.4	7	1.1	0.44	0.4	2.3	
2004	998	23.1	0.74	21.7	24.6	2	0.3	0.19	0.0	1.0	
2005	1,028	23.8	0.75	22.3	25.3	2	0.5	0.37	0.0	1.6	
2006	1,058	24.4	0.76	22.9	25.9	8	1.6	0.60	0.6	3.1	
2007	1,131	25.8	0.78	24.3	27.4	8	1.2	0.44	0.5	2.4	
2008	1,264	28.3	0.81	26.8	29.9	4	0.6	0.32	0.2	1.6	
2009	1,246	27.8	0.80	26.3	29.4	4	0.6	0.30	0.1	1.5	
2010	1,260	27.5	0.79	25.9	29.1	8	1.5	0.55	0.6	2.9	
2011	1,332	28.9	0.81	27.3	30.5	6	0.9	0.37	0.3	1.9	
2012	1,380	29.6	0.82	28.0	31.2	3	0.3	0.19	0.1	1.0	
2013	1,358	28.7	0.80	27.1	30.3	6	0.9	0.37	0.3	1.9	
2014	1,455	30.0	0.81	28.4	31.6	4	0.7	0.35	0.2	1.7	
2015	1,537	31.8	0.84	30.2	33.5	7	1.0	0.38	0.4	2.0	
2016	1,721	35.1	0.87	33.4	36.8	4	0.5	0.25	0.1	1.3	
2017	1,828	37.3	0.90	35.6	39.1	5	0.6	0.26	0.2	1.4	
2018	1,724	34.7	0.86	33.0	36.4	5	0.7	0.30	0.2	1.5	
2019	1,955	38.5	0.90	36.8	40.3	2	0.2	0.16	0.0	0.9	
2020	1,585	31.8	0.83	30.2	33.5	9	1.3	0.46	0.6	2.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Melanoma of the Skin											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	670	4.1	0.17	3.8	4.5	26,694	13.9	0.09	13.8	14.1	
1990	4	1.6	0.98	0.3	4.7	384	6.8	0.35	6.1	7.5	
1991	7	3.7	1.70	1.2	8.2	400	7.2	0.36	6.5	7.9	
1992	9	3.6	1.42	1.4	7.4	410	7.1	0.35	6.4	7.8	
1993	6	1.9	0.80	0.6	4.3	375	6.4	0.33	5.8	7.1	
1994	6	1.9	0.78	0.7	4.3	496	8.4	0.38	7.7	9.2	
1995	10	2.1	0.72	1.0	4.3	467	7.9	0.37	7.2	8.7	
1996	9	3.1	1.19	1.2	6.2	540	9.1	0.39	8.3	9.9	
1997	9	3.1	1.27	1.1	6.4	565	9.5	0.40	8.8	10.4	
1998	10	2.2	0.80	0.9	4.5	573	9.5	0.40	8.7	10.3	
1999	9	1.9	0.70	0.8	3.9	575	9.5	0.40	8.8	10.3	
2000	16	4.4	1.27	2.3	7.6	656	10.8	0.43	10.0	11.7	
2001	8	1.2	0.44	0.5	2.7	708	11.7	0.44	10.8	12.6	
2002	19	4.2	1.12	2.3	7.0	680	11.3	0.44	10.4	12.2	
2003	23	5.3	1.34	3.1	8.6	719	11.8	0.44	10.9	12.7	
2004	21	3.9	0.98	2.2	6.3	746	12.1	0.45	11.3	13.1	
2005	18	3.9	1.05	2.1	6.4	919	15.0	0.50	14.0	16.0	
2006	22	3.4	0.77	2.1	5.4	919	15.0	0.50	14.0	16.0	
2007	18	3.3	0.89	1.8	5.5	977	15.9	0.52	14.9	17.0	
2008	17	3.2	0.87	1.8	5.4	994	16.2	0.52	15.2	17.3	
2009	31	4.2	0.83	2.7	6.1	1,017	16.4	0.53	15.4	17.4	
2010	24	3.5	0.79	2.2	5.4	968	15.3	0.51	14.4	16.4	
2011	36	6.1	1.13	4.1	8.7	1,059	17.0	0.54	15.9	18.1	
2012	30	4.6	0.94	3.0	6.8	1,096	17.3	0.54	16.3	18.4	
2013	26	4.0	0.84	2.5	6.0	1,069	16.5	0.52	15.4	17.5	
2014	27	4.1	0.85	2.6	6.1	1,132	17.1	0.53	16.1	18.2	
2015	37	5.1	0.89	3.5	7.1	1,277	19.8	0.58	18.7	21.0	
2016	37	5.0	0.88	3.4	7.0	1,394	21.4	0.60	20.2	22.6	
2017	43	5.3	0.85	3.7	7.2	1,359	20.8	0.59	19.7	22.0	
2018	47	5.5	0.83	4.0	7.4	1,408	21.2	0.59	20.1	22.4	
2019	49	5.6	0.83	4.1	7.5	1,507	23.1	0.63	21.9	24.4	
2020	42	4.6	0.73	3.3	6.3	1,305	20.1	0.59	19.0	21.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Melanoma of the Skin											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	25,195	16.5	0.11	16.2	16.7	223	0.8	0.05	0.7	0.9	
1990	382	8.1	0.42	7.2	8.9	2	0.3	0.22	0.0	1.1	
1991	388	8.3	0.43	7.5	9.2	8	1.1	0.39	0.4	2.1	
1992	398	8.2	0.42	7.4	9.1	6	0.8	0.31	0.3	1.6	
1993	371	7.6	0.40	6.8	8.4	2	0.2	0.15	0.0	0.8	
1994	487	10.0	0.46	9.1	10.9	4	0.5	0.26	0.1	1.3	
1995	446	9.2	0.44	8.4	10.1	5	0.6	0.28	0.2	1.4	
1996	521	10.6	0.47	9.7	11.6	7	1.0	0.39	0.4	2.1	
1997	537	11.1	0.49	10.2	12.1	10	1.2	0.38	0.6	2.2	
1998	541	11.0	0.48	10.0	11.9	6	0.8	0.32	0.3	1.7	
1999	555	11.3	0.49	10.4	12.3	8	1.1	0.38	0.5	2.1	
2000	624	12.7	0.51	11.7	13.7	6	0.7	0.28	0.3	1.5	
2001	668	13.6	0.54	12.6	14.7	8	1.0	0.35	0.4	1.9	
2002	636	13.2	0.53	12.1	14.2	6	0.7	0.28	0.3	1.5	
2003	651	13.3	0.53	12.2	14.3	14	1.5	0.42	0.8	2.6	
2004	693	14.1	0.54	13.0	15.2	8	0.9	0.33	0.4	1.8	
2005	831	17.0	0.60	15.8	18.2	12	1.4	0.40	0.7	2.4	
2006	857	17.6	0.62	16.4	18.9	10	1.1	0.35	0.5	2.0	
2007	928	19.3	0.65	18.0	20.6	8	0.8	0.30	0.4	1.7	
2008	925	19.2	0.65	17.9	20.5	4	0.5	0.23	0.1	1.2	
2009	968	19.9	0.66	18.6	21.3	8	0.8	0.29	0.4	1.6	
2010	911	18.4	0.63	17.2	19.7	9	0.9	0.29	0.4	1.7	
2011	981	20.1	0.67	18.8	21.4	8	0.8	0.28	0.3	1.5	
2012	1,033	20.8	0.68	19.5	22.2	4	0.4	0.21	0.1	1.1	
2013	1,022	20.3	0.67	19.0	21.7	9	0.9	0.31	0.4	1.7	
2014	1,069	20.8	0.67	19.5	22.2	8	0.7	0.26	0.3	1.5	
2015	1,206	24.2	0.74	22.8	25.7	8	0.8	0.28	0.3	1.6	
2016	1,329	26.7	0.78	25.2	28.3	9	0.9	0.31	0.4	1.8	
2017	1,305	26.2	0.77	24.7	27.8	8	0.7	0.27	0.3	1.5	
2018	1,324	26.2	0.77	24.7	27.7	10	0.8	0.27	0.4	1.6	
2019	1,407	28.6	0.82	27.0	30.2	7	0.6	0.23	0.2	1.3	
2020	1,201	24.3	0.75	22.8	25.8	1	0.1	0.08	0.0	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Breast excluding in situ										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	14,270	47.6	0.44	46.7	48.4	269,451	73.0	0.14	72.7	73.3
1990	166	39.7	3.44	33.2	47.0	7,357	71.9	0.85	70.2	73.6
1991	173	38.0	3.18	32.0	44.7	7,569	73.0	0.85	71.3	74.7
1992	191	43.0	3.62	36.2	50.6	7,724	73.5	0.84	71.9	75.2
1993	217	40.7	3.12	34.8	47.3	7,545	70.6	0.82	69.0	72.2
1994	214	41.5	3.25	35.3	48.3	8,137	75.7	0.84	74.1	77.4
1995	265	49.0	3.49	42.4	56.3	8,014	74.0	0.83	72.4	75.7
1996	289	57.2	3.98	49.7	65.4	8,189	75.0	0.83	73.4	76.6
1997	308	53.3	3.64	46.4	60.9	8,309	75.5	0.83	73.9	77.1
1998	274	47.0	3.35	40.7	54.0	8,611	77.3	0.83	75.7	79.0
1999	342	54.5	3.45	48.0	61.7	8,795	78.3	0.84	76.7	79.9
2000	335	44.3	2.82	38.9	50.1	8,566	75.6	0.82	74.0	77.2
2001	317	45.4	3.03	39.6	51.6	8,768	76.7	0.82	75.1	78.3
2002	369	45.6	2.77	40.3	51.3	8,498	73.7	0.80	72.1	75.3
2003	351	44.1	2.78	38.8	49.8	7,908	67.9	0.77	66.4	69.4
2004	375	42.6	2.52	37.8	47.8	8,007	68.2	0.77	66.7	69.8
2005	432	47.6	2.61	42.7	53.0	8,149	68.9	0.77	67.4	70.4
2006	417	44.9	2.50	40.1	50.0	8,543	71.7	0.78	70.1	73.2
2007	465	45.6	2.36	41.1	50.4	8,541	70.8	0.77	69.3	72.3
2008	469	44.0	2.29	39.7	48.7	8,708	71.3	0.77	69.8	72.9
2009	503	45.7	2.29	41.4	50.4	8,888	72.1	0.78	70.6	73.6
2010	541	47.5	2.28	43.1	52.1	8,952	71.7	0.77	70.2	73.2
2011	532	43.6	2.10	39.6	47.9	9,279	73.8	0.78	72.2	75.3
2012	560	44.8	2.08	40.8	49.0	9,079	71.4	0.77	69.9	72.9
2013	640	49.4	2.14	45.3	53.7	9,425	73.2	0.77	71.7	74.7
2014	678	48.2	2.00	44.4	52.3	9,680	74.9	0.78	73.4	76.5
2015	730	51.1	2.05	47.2	55.3	9,747	74.4	0.78	72.9	76.0
2016	773	52.7	2.04	48.8	56.8	9,820	74.7	0.78	73.2	76.2
2017	793	50.8	1.93	47.1	54.8	9,732	73.7	0.77	72.2	75.3
2018	833	52.2	1.92	48.5	56.1	9,804	74.0	0.78	72.5	75.5
2019	888	53.7	1.90	50.1	57.6	10,004	75.2	0.78	73.7	76.8
2020	830	48.3	1.76	44.9	51.8	9,103	68.5	0.75	67.1	70.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Breast excluding in situ										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	224,092	73.3	0.16	73.0	73.6	36,493	74.3	0.39	73.5	75.0
1990	6,537	73.6	0.92	71.8	75.4	730	61.8	2.35	57.3	66.5
1991	6,677	74.4	0.92	72.6	76.2	784	63.0	2.31	58.6	67.7
1992	6,796	74.9	0.92	73.1	76.7	816	65.1	2.34	60.6	69.9
1993	6,543	71.0	0.89	69.3	72.8	883	68.9	2.38	64.3	73.7
1994	7,103	76.9	0.92	75.1	78.8	911	69.9	2.37	65.3	74.7
1995	6,934	74.9	0.90	73.1	76.7	943	70.9	2.36	66.3	75.7
1996	7,060	75.7	0.91	74.0	77.5	975	71.7	2.35	67.2	76.4
1997	7,090	75.8	0.90	74.0	77.5	1,045	76.5	2.42	71.9	81.4
1998	7,313	77.4	0.91	75.6	79.2	1,096	78.0	2.40	73.4	82.9
1999	7,491	79.0	0.91	77.2	80.8	1,081	75.2	2.33	70.7	79.9
2000	7,305	76.6	0.90	74.9	78.4	1,043	71.3	2.25	67.0	75.9
2001	7,414	77.3	0.90	75.6	79.1	1,153	77.9	2.34	73.4	82.6
2002	7,110	73.7	0.88	72.0	75.4	1,157	75.5	2.26	71.1	80.0
2003	6,596	68.0	0.84	66.4	69.7	1,087	70.0	2.16	65.8	74.3
2004	6,713	68.8	0.85	67.2	70.5	1,068	67.7	2.11	63.7	72.0
2005	6,761	68.9	0.85	67.3	70.6	1,145	72.4	2.18	68.2	76.8
2006	7,072	71.8	0.86	70.2	73.5	1,188	73.7	2.18	69.5	78.1
2007	7,093	71.4	0.86	69.7	73.1	1,166	70.8	2.11	66.7	75.0
2008	7,216	71.8	0.86	70.2	73.6	1,183	71.4	2.12	67.3	75.7
2009	7,270	71.9	0.86	70.2	73.6	1,321	78.1	2.19	73.8	82.5
2010	7,345	71.9	0.86	70.3	73.6	1,273	74.0	2.11	69.9	78.2
2011	7,568	73.8	0.87	72.1	75.6	1,321	76.3	2.14	72.1	80.6
2012	7,371	71.6	0.86	70.0	73.3	1,317	73.8	2.08	69.8	78.0
2013	7,589	72.9	0.86	71.3	74.7	1,435	79.1	2.13	75.0	83.4
2014	7,749	74.5	0.88	72.8	76.2	1,502	82.5	2.18	78.3	86.9
2015	7,807	74.2	0.87	72.5	75.9	1,501	80.8	2.14	76.7	85.1
2016	7,916	75.2	0.88	73.4	76.9	1,462	78.1	2.09	74.1	82.4
2017	7,720	73.2	0.87	71.5	74.9	1,494	79.6	2.11	75.5	83.9
2018	7,808	74.1	0.88	72.4	75.9	1,478	77.1	2.06	73.2	81.3
2019	7,863	74.5	0.89	72.8	76.3	1,560	80.9	2.10	76.8	85.1
2020	7,262	69.2	0.86	67.5	70.9	1,375	70.8	1.96	67.0	74.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Breast excluding in situ											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	64	0.5	0.07	0.4	0.6	2,220	1.4	0.03	1.3	1.4	
1990	0					34	0.8	0.13	0.5	1.1	
1991	0					47	1.1	0.17	0.8	1.5	
1992	0					67	1.5	0.19	1.2	1.9	
1993	3	1.1	0.65	0.2	3.8	64	1.4	0.17	1.0	1.7	
1994	0					58	1.4	0.18	1.0	1.8	
1995	1	0.3	0.27	0.0	2.4	73	1.6	0.19	1.2	2.0	
1996	4	1.8	1.13	0.3	5.3	64	1.4	0.18	1.1	1.8	
1997	0					71	1.5	0.18	1.2	1.9	
1998	0					58	1.2	0.16	0.9	1.5	
1999	1	0.8	0.77	0.0	3.5	73	1.5	0.18	1.2	1.9	
2000	1	0.2	0.19	0.0	1.8	65	1.3	0.17	1.0	1.7	
2001	3	0.8	0.46	0.2	2.6	65	1.3	0.16	1.0	1.7	
2002	3	1.8	1.25	0.2	5.3	76	1.6	0.19	1.3	2.0	
2003	2	1.0	0.73	0.1	3.3	69	1.4	0.17	1.1	1.8	
2004	0					69	1.3	0.16	1.0	1.7	
2005	0					59	1.2	0.16	0.9	1.5	
2006	1	0.1	0.13	0.0	1.2	60	1.2	0.15	0.9	1.5	
2007	0					70	1.3	0.16	1.0	1.7	
2008	3	0.2	0.13	0.1	1.2	71	1.3	0.16	1.0	1.7	
2009	3	0.5	0.30	0.1	1.6	75	1.4	0.16	1.1	1.7	
2010	1	0.1	0.12	0.0	1.0	71	1.3	0.15	1.0	1.6	
2011	5	1.0	0.50	0.2	2.4	84	1.5	0.16	1.2	1.8	
2012	3	0.4	0.22	0.1	1.3	90	1.6	0.17	1.3	2.0	
2013	4	0.7	0.42	0.1	2.0	83	1.4	0.15	1.1	1.7	
2014	4	0.9	0.47	0.2	2.2	82	1.4	0.15	1.1	1.7	
2015	5	0.7	0.39	0.2	1.9	71	1.1	0.14	0.9	1.5	
2016	4	0.6	0.30	0.1	1.5	88	1.4	0.16	1.1	1.8	
2017	2	0.4	0.32	0.0	1.4	103	1.7	0.17	1.4	2.1	
2018	2	0.2	0.14	0.0	0.8	88	1.4	0.15	1.1	1.7	
2019	7	1.0	0.39	0.4	2.0	79	1.2	0.13	0.9	1.5	
2020	2	0.3	0.19	0.0	0.9	93	1.5	0.16	1.2	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Breast excluding in situ											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,797	1.3	0.03	1.2	1.4	363	1.9	0.11	1.7	2.1	
1990	31	0.8	0.14	0.5	1.1	3	0.7	0.39	0.1	1.9	
1991	41	1.1	0.18	0.8	1.5	6	1.1	0.46	0.4	2.4	
1992	55	1.4	0.20	1.1	1.9	12	2.4	0.71	1.2	4.2	
1993	54	1.3	0.18	1.0	1.7	10	2.4	0.81	1.1	4.4	
1994	46	1.3	0.19	0.9	1.7	10	2.1	0.70	1.0	3.9	
1995	63	1.6	0.20	1.2	2.0	9	1.7	0.59	0.7	3.2	
1996	54	1.3	0.18	1.0	1.8	7	1.6	0.66	0.6	3.4	
1997	56	1.4	0.19	1.0	1.8	13	2.7	0.81	1.4	4.7	
1998	47	1.1	0.17	0.8	1.5	10	1.9	0.61	0.9	3.5	
1999	60	1.5	0.19	1.1	1.9	11	2.1	0.68	1.0	3.8	
2000	55	1.3	0.18	1.0	1.7	9	1.5	0.56	0.6	3.0	
2001	55	1.3	0.18	1.0	1.7	9	1.4	0.50	0.6	2.8	
2002	61	1.5	0.19	1.1	1.9	13	2.6	0.80	1.3	4.6	
2003	57	1.4	0.18	1.0	1.8	12	2.0	0.61	1.0	3.6	
2004	56	1.3	0.17	1.0	1.7	11	2.0	0.66	1.0	3.7	
2005	50	1.2	0.17	0.9	1.6	8	1.4	0.53	0.5	2.8	
2006	51	1.2	0.17	0.9	1.6	7	1.2	0.47	0.5	2.4	
2007	57	1.3	0.17	1.0	1.7	12	1.8	0.55	0.9	3.2	
2008	57	1.3	0.17	1.0	1.7	11	1.5	0.45	0.7	2.7	
2009	58	1.3	0.17	1.0	1.7	16	2.2	0.55	1.2	3.5	
2010	58	1.2	0.16	0.9	1.6	12	1.7	0.52	0.9	3.1	
2011	68	1.4	0.17	1.0	1.7	13	2.1	0.60	1.1	3.6	
2012	71	1.5	0.19	1.2	2.0	14	1.9	0.52	1.0	3.2	
2013	61	1.2	0.16	0.9	1.6	20	2.9	0.68	1.8	4.6	
2014	63	1.3	0.16	1.0	1.6	15	2.1	0.56	1.1	3.4	
2015	55	1.1	0.15	0.8	1.5	12	1.5	0.45	0.7	2.7	
2016	74	1.4	0.17	1.1	1.8	14	2.1	0.58	1.1	3.5	
2017	82	1.6	0.18	1.3	2.0	19	2.6	0.62	1.5	4.1	
2018	70	1.4	0.17	1.1	1.7	12	1.5	0.45	0.7	2.6	
2019	59	1.1	0.14	0.8	1.4	16	1.8	0.47	1.0	3.0	
2020	72	1.4	0.17	1.1	1.8	17	2.0	0.50	1.1	3.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Breast excluding in situ										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	14,206	92.4	0.83	90.8	94.1	267,231	132.9	0.26	132.4	133.5
1990	166	76.2	6.34	64.3	89.6	7,323	127.8	1.52	124.8	130.8
1991	173	73.9	5.97	62.7	86.5	7,522	129.9	1.53	126.9	132.9
1992	191	81.7	6.51	69.5	95.4	7,657	130.6	1.52	127.7	133.6
1993	214	78.7	5.82	67.7	90.9	7,481	125.4	1.47	122.5	128.3
1994	214	80.1	5.98	68.8	92.6	8,079	134.5	1.52	131.5	137.5
1995	264	94.4	6.39	82.3	107.7	7,941	132.0	1.50	129.1	135.0
1996	285	106.0	7.01	92.7	120.5	8,125	134.0	1.50	131.1	137.0
1997	308	102.0	6.56	89.6	115.6	8,238	135.2	1.50	132.3	138.2
1998	274	89.6	6.06	78.1	102.1	8,553	138.8	1.51	135.8	141.8
1999	341	104.1	6.29	92.2	117.1	8,722	140.9	1.52	137.9	143.9
2000	334	86.7	5.29	76.7	97.7	8,501	136.2	1.49	133.3	139.1
2001	314	86.2	5.50	75.7	97.6	8,703	138.4	1.49	135.5	141.4
2002	366	87.7	5.08	78.0	98.2	8,422	133.3	1.46	130.5	136.2
2003	349	84.0	5.06	74.3	94.4	7,839	123.2	1.40	120.5	126.0
2004	375	83.0	4.73	74.0	92.8	7,938	124.0	1.40	121.2	126.7
2005	432	92.6	4.88	83.3	102.6	8,090	125.3	1.41	122.6	128.1
2006	416	86.6	4.63	77.7	96.1	8,483	131.0	1.44	128.1	133.8
2007	465	88.9	4.45	80.4	98.0	8,471	129.8	1.43	127.0	132.6
2008	466	85.4	4.30	77.2	94.2	8,637	130.5	1.43	127.7	133.4
2009	500	88.1	4.28	80.0	96.9	8,813	132.2	1.44	129.4	135.0
2010	540	91.8	4.26	83.6	100.5	8,881	131.8	1.43	129.0	134.6
2011	527	84.0	3.93	76.5	92.1	9,195	135.7	1.45	132.8	138.6
2012	557	86.8	3.92	79.3	94.8	8,989	131.6	1.43	128.8	134.4
2013	636	95.5	4.03	87.8	103.7	9,342	135.3	1.44	132.4	138.1
2014	674	94.1	3.81	86.8	101.9	9,598	138.7	1.46	135.9	141.6
2015	725	99.4	3.90	91.9	107.3	9,676	138.1	1.46	135.3	141.0
2016	769	102.6	3.88	95.1	110.5	9,732	138.7	1.46	135.8	141.6
2017	791	100.1	3.71	92.9	107.6	9,629	136.9	1.46	134.1	139.8
2018	831	103.0	3.71	95.9	110.6	9,716	137.6	1.46	134.8	140.5
2019	881	105.7	3.68	98.6	113.1	9,925	140.2	1.48	137.3	143.2
2020	828	95.7	3.43	89.1	102.7	9,010	127.7	1.42	124.9	130.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Breast excluding in situ										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	222,295	135.0	0.29	134.4	135.6	36,130	127.0	0.67	125.7	128.4
1990	6,506	131.9	1.68	128.6	135.3	727	105.2	3.96	97.5	113.2
1991	6,636	133.3	1.68	130.1	136.7	778	107.7	3.92	100.2	115.7
1992	6,741	134.1	1.67	130.9	137.4	804	110.0	3.93	102.4	118.0
1993	6,489	127.1	1.61	124.0	130.3	873	116.4	3.99	108.7	124.5
1994	7,057	137.8	1.67	134.5	141.1	901	117.9	3.98	110.3	126.0
1995	6,871	134.7	1.66	131.5	138.0	934	120.1	3.97	112.5	128.2
1996	7,006	136.6	1.66	133.3	139.9	968	122.0	3.96	114.4	130.0
1997	7,034	137.0	1.66	133.8	140.3	1,032	129.0	4.05	121.2	137.2
1998	7,266	140.2	1.67	136.9	143.5	1,086	132.6	4.05	124.7	140.7
1999	7,431	143.6	1.69	140.3	147.0	1,070	127.6	3.93	120.0	135.5
2000	7,250	139.5	1.66	136.3	142.8	1,034	121.2	3.79	113.8	128.8
2001	7,359	141.1	1.67	137.9	144.4	1,144	132.4	3.94	124.8	140.3
2002	7,049	134.6	1.62	131.5	137.8	1,144	128.9	3.83	121.5	136.6
2003	6,539	124.8	1.57	121.8	127.9	1,075	119.3	3.66	112.2	126.7
2004	6,657	126.4	1.57	123.3	129.5	1,057	115.8	3.58	108.8	123.0
2005	6,711	126.8	1.58	123.7	129.9	1,137	123.8	3.70	116.6	131.2
2006	7,021	132.8	1.62	129.7	136.0	1,181	126.4	3.71	119.3	133.9
2007	7,036	132.6	1.61	129.4	135.8	1,154	121.5	3.61	114.5	128.7
2008	7,159	133.1	1.61	130.0	136.3	1,172	122.3	3.61	115.3	129.6
2009	7,212	133.6	1.62	130.5	136.8	1,305	133.6	3.74	126.4	141.2
2010	7,287	133.9	1.62	130.8	137.1	1,261	127.2	3.63	120.2	134.5
2011	7,500	137.7	1.65	134.5	141.0	1,308	130.5	3.66	123.4	137.8
2012	7,300	133.9	1.63	130.7	137.1	1,303	126.8	3.57	119.9	134.0
2013	7,528	136.8	1.64	133.6	140.0	1,415	135.3	3.66	128.2	142.6
2014	7,686	139.9	1.67	136.7	143.2	1,487	141.9	3.75	134.6	149.4
2015	7,752	139.7	1.66	136.4	143.0	1,489	139.5	3.69	132.3	146.9
2016	7,842	141.6	1.69	138.3	145.0	1,448	134.8	3.62	127.8	142.1
2017	7,638	137.9	1.67	134.7	141.2	1,475	137.0	3.66	129.9	144.4
2018	7,738	140.0	1.69	136.7	143.3	1,466	133.4	3.57	126.5	140.6
2019	7,804	141.1	1.70	137.8	144.5	1,544	139.9	3.66	132.8	147.2
2020	7,190	131.1	1.65	127.8	134.4	1,358	122.2	3.41	115.6	129.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Female Genital System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	8,142	50.7	0.61	49.5	51.9	109,604	54.3	0.17	54.0	54.6
1990	127	51.6	4.95	42.3	62.2	3,238	55.8	1.00	53.9	57.8
1991	139	57.7	5.52	47.4	69.5	3,204	54.7	0.98	52.7	56.6
1992	148	56.0	5.11	46.4	66.9	3,239	55.0	0.98	53.1	56.9
1993	141	49.8	4.62	41.2	59.7	3,264	54.7	0.97	52.8	56.7
1994	158	53.9	4.76	45.0	64.0	3,344	55.3	0.97	53.4	57.2
1995	162	50.8	4.49	42.4	60.4	3,356	55.7	0.97	53.8	57.6
1996	160	51.8	4.66	43.0	61.6	3,583	59.2	1.00	57.3	61.2
1997	167	53.6	4.80	44.6	63.7	3,374	55.4	0.96	53.5	57.3
1998	195	57.4	4.73	48.5	67.3	3,468	56.5	0.97	54.6	58.4
1999	202	59.7	4.89	50.5	69.9	3,306	53.6	0.94	51.7	55.4
2000	188	49.3	4.08	41.6	57.9	3,314	53.4	0.93	51.6	55.3
2001	200	48.4	3.86	41.1	56.5	3,351	53.7	0.93	51.9	55.5
2002	221	52.1	4.01	44.5	60.5	3,389	53.9	0.93	52.1	55.8
2003	190	39.9	3.30	33.7	46.9	3,299	51.8	0.91	50.0	53.6
2004	249	53.9	3.84	46.6	61.9	3,307	51.5	0.90	49.8	53.3
2005	218	43.5	3.29	37.3	50.4	3,476	53.8	0.92	52.0	55.6
2006	257	49.8	3.48	43.2	57.0	3,530	54.3	0.93	52.5	56.2
2007	245	45.8	3.19	39.8	52.5	3,479	53.2	0.91	51.4	55.0
2008	292	52.7	3.40	46.3	59.8	3,587	54.2	0.92	52.4	56.0
2009	291	49.4	3.17	43.3	56.0	3,678	54.8	0.92	53.0	56.6
2010	259	40.6	2.78	35.3	46.4	3,701	54.3	0.91	52.5	56.1
2011	315	50.7	3.12	44.7	57.1	3,727	54.5	0.92	52.7	56.3
2012	316	47.3	2.86	41.8	53.2	3,639	52.0	0.89	50.2	53.7
2013	385	56.7	3.08	50.8	63.0	3,749	52.9	0.89	51.2	54.7
2014	376	50.2	2.74	45.0	55.8	3,817	53.7	0.90	52.0	55.5
2015	377	50.7	2.75	45.4	56.3	3,866	53.8	0.90	52.1	55.6
2016	400	50.3	2.62	45.3	55.7	4,013	55.8	0.92	54.1	57.7
2017	410	50.7	2.61	45.7	56.1	3,926	54.4	0.91	52.7	56.3
2018	450	54.3	2.66	49.2	59.7	3,855	52.8	0.89	51.1	54.6
2019	494	57.8	2.70	52.6	63.3	3,964	54.1	0.90	52.3	55.9
2020	410	46.7	2.39	42.1	51.6	3,561	48.8	0.86	47.1	50.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Female Genital System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	90,658	55.0	0.19	54.6	55.3	15,238	53.2	0.43	52.3	54.1
1990	2,778	55.9	1.09	53.7	58.0	422	59.7	2.96	54.0	65.8
1991	2,790	55.7	1.08	53.6	57.9	356	48.7	2.64	43.7	54.2
1992	2,861	57.1	1.09	54.9	59.2	332	44.9	2.51	40.1	50.1
1993	2,796	55.2	1.06	53.1	57.3	410	53.5	2.69	48.3	59.0
1994	2,853	55.6	1.06	53.5	57.7	441	57.9	2.80	52.5	63.6
1995	2,877	56.5	1.07	54.4	58.7	404	51.5	2.59	46.5	56.8
1996	3,072	60.5	1.11	58.3	62.7	436	54.9	2.66	49.8	60.4
1997	2,869	56.2	1.06	54.1	58.3	438	53.5	2.59	48.6	58.8
1998	2,947	57.4	1.07	55.3	59.5	445	53.1	2.54	48.3	58.3
1999	2,784	54.1	1.04	52.1	56.2	429	50.7	2.47	45.9	55.7
2000	2,749	53.4	1.03	51.4	55.5	452	52.3	2.48	47.5	57.3
2001	2,791	54.0	1.04	52.0	56.1	457	52.6	2.48	47.9	57.7
2002	2,838	54.8	1.04	52.8	56.9	453	51.4	2.43	46.8	56.4
2003	2,769	52.7	1.02	50.8	54.8	420	47.5	2.34	43.0	52.3
2004	2,750	52.2	1.01	50.3	54.3	456	51.1	2.41	46.5	56.0
2005	2,891	54.9	1.04	52.9	57.0	466	50.7	2.37	46.2	55.6
2006	2,914	55.0	1.04	53.0	57.1	498	54.3	2.45	49.6	59.3
2007	2,882	54.1	1.03	52.1	56.2	482	51.1	2.35	46.6	56.0
2008	2,957	55.1	1.04	53.1	57.2	502	51.9	2.34	47.4	56.7
2009	2,994	55.2	1.03	53.2	57.2	543	55.3	2.40	50.7	60.2
2010	3,031	55.1	1.03	53.1	57.1	514	51.5	2.30	47.1	56.2
2011	3,034	55.1	1.03	53.1	57.1	531	53.0	2.33	48.5	57.8
2012	2,967	52.8	1.00	50.9	54.8	538	51.8	2.27	47.4	56.4
2013	3,035	53.7	1.01	51.8	55.8	555	51.9	2.24	47.6	56.5
2014	3,058	54.4	1.03	52.4	56.5	599	55.7	2.32	51.2	60.4
2015	3,086	54.2	1.02	52.2	56.3	608	56.1	2.33	51.7	60.9
2016	3,208	56.5	1.05	54.5	58.6	623	57.6	2.36	53.0	62.4
2017	3,119	55.1	1.04	53.1	57.2	626	56.4	2.31	52.0	61.2
2018	3,063	53.5	1.03	51.5	55.6	579	50.5	2.15	46.4	54.9
2019	3,112	54.2	1.03	52.2	56.2	652	57.2	2.30	52.8	61.9
2020	2,783	49.0	0.99	47.1	51.0	571	49.4	2.13	45.3	53.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Cervix Uteri										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	2,363	13.1	0.29	12.5	13.7	16,663	9.1	0.07	9.0	9.3
1990	55	19.5	2.88	14.3	26.1	685	12.5	0.49	11.6	13.5
1991	76	30.4	4.00	23.0	39.1	644	11.4	0.46	10.5	12.3
1992	71	25.1	3.41	18.8	32.6	599	10.6	0.44	9.8	11.5
1993	64	19.0	2.52	14.4	24.7	675	11.9	0.46	11.0	12.8
1994	71	20.8	2.75	15.8	27.0	589	10.2	0.43	9.4	11.1
1995	68	19.3	2.60	14.6	25.1	679	11.7	0.45	10.9	12.7
1996	77	20.5	2.55	15.8	26.2	675	11.7	0.45	10.8	12.6
1997	81	21.1	2.71	16.1	27.1	636	10.9	0.43	10.1	11.8
1998	89	22.3	2.75	17.2	28.3	661	11.3	0.44	10.4	12.2
1999	78	19.3	2.45	14.8	24.7	616	10.5	0.42	9.7	11.3
2000	67	15.1	2.10	11.2	19.8	661	11.2	0.44	10.4	12.1
2001	81	16.0	1.91	12.5	20.3	564	9.5	0.40	8.7	10.3
2002	70	14.2	1.98	10.6	18.6	537	9.1	0.40	8.4	9.9
2003	78	14.4	1.84	11.0	18.5	546	9.2	0.40	8.4	10.0
2004	78	14.9	1.87	11.5	19.0	493	8.2	0.37	7.5	9.0
2005	64	10.7	1.43	8.1	13.9	517	8.7	0.39	8.0	9.5
2006	79	15.0	1.93	11.4	19.2	507	8.6	0.39	7.8	9.4
2007	83	14.5	1.74	11.3	18.4	487	8.2	0.38	7.5	9.0
2008	83	13.7	1.69	10.6	17.4	566	9.5	0.41	8.7	10.3
2009	71	10.2	1.32	7.8	13.2	499	8.3	0.38	7.5	9.0
2010	70	9.3	1.20	7.1	12.0	460	7.6	0.36	6.9	8.4
2011	92	13.1	1.48	10.3	16.3	468	7.7	0.37	7.0	8.4
2012	62	8.3	1.11	6.2	10.7	430	7.0	0.35	6.4	7.8
2013	76	10.1	1.23	7.9	12.9	434	7.2	0.36	6.5	7.9
2014	87	10.6	1.21	8.4	13.3	490	8.2	0.39	7.5	9.0
2015	69	8.2	1.03	6.3	10.5	429	7.2	0.36	6.5	8.0
2016	91	11.1	1.22	8.8	13.8	473	7.9	0.38	7.2	8.7
2017	80	9.2	1.07	7.3	11.6	444	7.2	0.36	6.6	8.0
2018	81	9.5	1.09	7.5	11.9	417	7.0	0.36	6.4	7.8
2019	100	11.2	1.16	9.0	13.7	413	7.1	0.37	6.4	7.9
2020	71	8.0	0.99	6.2	10.2	369	6.4	0.35	5.8	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Cervix Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	11,779	8.2	0.08	8.0	8.3	4,175	14.6	0.23	14.2	15.1
1990	481	10.5	0.49	9.6	11.5	184	25.5	1.92	21.9	29.5
1991	459	9.7	0.46	8.8	10.7	160	20.9	1.70	17.7	24.5
1992	449	9.6	0.46	8.7	10.5	132	17.4	1.54	14.5	20.6
1993	475	10.1	0.47	9.2	11.1	177	21.9	1.68	18.8	25.5
1994	385	8.1	0.42	7.3	9.0	184	22.9	1.72	19.7	26.5
1995	477	10.1	0.47	9.2	11.1	173	21.5	1.66	18.3	24.9
1996	493	10.5	0.48	9.6	11.5	154	18.3	1.50	15.5	21.5
1997	466	9.8	0.46	8.9	10.8	149	17.0	1.41	14.3	20.0
1998	472	9.9	0.46	9.0	10.8	166	18.9	1.48	16.1	22.0
1999	428	9.0	0.44	8.2	9.9	160	18.1	1.45	15.4	21.2
2000	445	9.4	0.45	8.5	10.3	183	20.3	1.51	17.5	23.5
2001	407	8.6	0.43	7.7	9.4	139	15.3	1.30	12.8	18.0
2002	387	8.3	0.43	7.5	9.2	132	14.6	1.27	12.2	17.3
2003	373	7.9	0.42	7.1	8.8	145	15.8	1.32	13.3	18.6
2004	347	7.2	0.40	6.5	8.1	120	13.2	1.21	10.9	15.8
2005	368	7.9	0.42	7.1	8.8	129	13.9	1.23	11.6	16.5
2006	364	7.9	0.42	7.1	8.8	125	13.3	1.20	11.0	15.8
2007	335	7.2	0.40	6.4	8.0	131	13.8	1.21	11.5	16.4
2008	384	8.3	0.44	7.5	9.2	156	16.2	1.31	13.7	19.0
2009	323	6.9	0.40	6.1	7.7	146	14.7	1.23	12.4	17.3
2010	324	7.0	0.40	6.2	7.8	116	11.5	1.08	9.5	13.9
2011	339	7.2	0.41	6.4	8.0	116	11.9	1.12	9.8	14.3
2012	311	6.6	0.39	5.9	7.4	98	9.9	1.01	8.0	12.1
2013	311	6.8	0.40	6.0	7.6	106	10.4	1.03	8.5	12.6
2014	361	8.1	0.45	7.3	9.1	107	10.4	1.03	8.5	12.6
2015	305	6.8	0.41	6.1	7.7	98	9.9	1.02	8.0	12.1
2016	332	7.5	0.43	6.6	8.4	122	12.2	1.13	10.1	14.6
2017	321	7.0	0.42	6.2	7.9	104	10.0	1.01	8.2	12.2
2018	291	6.7	0.42	5.9	7.5	97	9.3	0.97	7.5	11.4
2019	296	6.8	0.42	6.0	7.7	87	8.7	0.96	6.9	10.8
2020	270	6.3	0.41	5.5	7.2	79	8.1	0.94	6.3	10.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Uterus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	3,644	23.4	0.41	22.6	24.2	57,120	27.6	0.12	27.4	27.9
1990	44	20.4	3.22	14.6	27.7	1,390	23.4	0.64	22.2	24.7
1991	26	13.0	2.69	8.2	19.2	1,446	24.1	0.64	22.8	25.4
1992	36	16.2	2.85	11.1	22.7	1,522	25.5	0.66	24.2	26.9
1993	40	15.2	2.59	10.6	21.2	1,471	24.4	0.64	23.1	25.7
1994	37	15.3	2.67	10.5	21.4	1,551	25.4	0.65	24.1	26.7
1995	43	15.3	2.47	10.8	20.9	1,551	25.5	0.66	24.2	26.8
1996	46	19.3	3.20	13.6	26.4	1,697	27.9	0.68	26.6	29.3
1997	52	18.8	2.98	13.4	25.5	1,554	25.2	0.65	24.0	26.5
1998	62	22.0	3.12	16.3	28.8	1,636	26.4	0.66	25.2	27.8
1999	64	21.7	3.08	16.1	28.4	1,543	24.9	0.64	23.6	26.1
2000	70	18.8	2.49	14.3	24.3	1,557	25.0	0.64	23.8	26.3
2001	71	20.1	2.64	15.2	25.9	1,675	26.6	0.65	25.4	27.9
2002	95	23.4	2.65	18.5	29.2	1,680	26.4	0.65	25.2	27.7
2003	66	15.4	2.09	11.6	20.1	1,613	25.1	0.63	23.9	26.3
2004	105	23.1	2.49	18.4	28.4	1,674	25.9	0.64	24.6	27.1
2005	95	19.9	2.23	15.8	24.8	1,773	27.0	0.65	25.8	28.3
2006	112	22.2	2.29	17.9	27.1	1,865	28.3	0.66	27.0	29.6
2007	104	20.7	2.19	16.7	25.4	1,819	27.3	0.65	26.1	28.6
2008	123	22.8	2.20	18.7	27.5	1,867	27.5	0.64	26.2	28.8
2009	145	24.1	2.16	20.1	28.7	2,030	29.5	0.66	28.3	30.9
2010	116	18.5	1.87	15.0	22.5	2,068	29.6	0.66	28.3	30.9
2011	149	23.7	2.07	19.8	28.1	2,072	29.4	0.66	28.1	30.7
2012	164	24.6	2.05	20.8	29.0	2,072	28.7	0.64	27.4	30.0
2013	206	30.2	2.22	26.0	34.8	2,144	29.2	0.65	27.9	30.5
2014	207	27.9	2.03	24.0	32.1	2,163	29.2	0.65	27.9	30.5
2015	196	25.9	1.93	22.3	30.0	2,242	29.9	0.65	28.7	31.2
2016	212	26.2	1.85	22.7	30.1	2,326	31.0	0.66	29.7	32.3
2017	221	27.4	1.91	23.8	31.4	2,329	31.0	0.67	29.7	32.4
2018	250	29.9	1.96	26.2	34.0	2,291	30.0	0.65	28.7	31.3
2019	266	31.1	1.97	27.4	35.2	2,340	30.5	0.66	29.2	31.8
2020	221	24.4	1.68	21.2	27.9	2,159	28.3	0.64	27.1	29.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Uterus											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	48,252	28.6	0.13	28.3	28.8	6,982	24.1	0.29	23.6	24.7	
1990	1,264	24.8	0.72	23.4	26.2	119	16.9	1.57	13.9	20.2	
1991	1,331	25.7	0.72	24.3	27.2	98	14.2	1.45	11.5	17.3	
1992	1,391	27.3	0.75	25.9	28.9	117	16.1	1.51	13.2	19.3	
1993	1,332	25.9	0.72	24.5	27.4	121	16.8	1.55	14.0	20.1	
1994	1,414	27.2	0.74	25.8	28.7	124	17.1	1.55	14.2	20.4	
1995	1,400	27.2	0.74	25.7	28.7	121	16.0	1.47	13.2	19.1	
1996	1,523	29.8	0.78	28.3	31.3	147	19.5	1.63	16.5	23.0	
1997	1,376	26.5	0.73	25.1	28.0	158	20.2	1.62	17.1	23.6	
1998	1,441	27.8	0.74	26.3	29.3	166	20.6	1.61	17.6	24.0	
1999	1,355	26.2	0.72	24.8	27.6	147	18.0	1.50	15.2	21.2	
2000	1,343	25.9	0.72	24.6	27.4	168	20.1	1.56	17.1	23.4	
2001	1,448	27.7	0.74	26.3	29.2	179	21.2	1.59	18.2	24.5	
2002	1,446	27.5	0.73	26.1	29.0	189	21.8	1.59	18.8	25.1	
2003	1,397	26.4	0.71	25.0	27.8	160	18.6	1.48	15.8	21.7	
2004	1,435	27.0	0.72	25.6	28.4	190	21.2	1.55	18.3	24.5	
2005	1,512	28.2	0.74	26.8	29.7	205	22.3	1.57	19.3	25.6	
2006	1,555	28.9	0.74	27.4	30.4	247	27.3	1.75	23.9	30.9	
2007	1,531	28.3	0.73	26.8	29.7	232	24.7	1.63	21.6	28.1	
2008	1,583	28.7	0.74	27.3	30.2	215	22.1	1.52	19.2	25.2	
2009	1,717	30.9	0.76	29.4	32.4	244	24.8	1.61	21.8	28.2	
2010	1,730	30.6	0.75	29.2	32.2	253	25.3	1.61	22.2	28.7	
2011	1,699	29.8	0.74	28.3	31.3	278	27.3	1.67	24.2	30.8	
2012	1,708	29.5	0.73	28.0	30.9	289	27.1	1.62	24.0	30.5	
2013	1,759	30.0	0.74	28.6	31.5	287	25.7	1.55	22.8	28.9	
2014	1,708	29.0	0.73	27.6	30.5	360	32.6	1.75	29.3	36.2	
2015	1,799	30.2	0.74	28.7	31.6	350	31.1	1.70	27.9	34.6	
2016	1,871	31.6	0.76	30.1	33.1	352	31.0	1.69	27.8	34.5	
2017	1,843	31.1	0.76	29.7	32.7	377	33.2	1.75	29.9	36.8	
2018	1,845	30.7	0.75	29.2	32.2	319	26.8	1.53	23.9	30.0	
2019	1,834	30.4	0.75	29.0	31.9	399	33.5	1.72	30.2	37.1	
2020	1,662	27.9	0.72	26.5	29.4	371	31.1	1.65	27.9	34.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Corpus Uteri											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,526	22.6	0.40	21.8	23.4	55,505	26.9	0.12	26.6	27.1	
1990	40	18.7	3.10	13.1	25.7	1,349	22.8	0.63	21.5	24.0	
1991	24	11.9	2.57	7.4	17.9	1,398	23.2	0.63	22.0	24.5	
1992	34	15.2	2.77	10.3	21.6	1,467	24.6	0.65	23.4	25.9	
1993	37	14.3	2.52	9.8	20.0	1,407	23.4	0.63	22.1	24.6	
1994	33	13.8	2.56	9.3	19.7	1,469	24.1	0.64	22.9	25.4	
1995	40	14.2	2.34	10.0	19.6	1,514	24.9	0.65	23.7	26.2	
1996	45	18.5	3.10	13.0	25.4	1,666	27.4	0.68	26.1	28.8	
1997	49	18.0	2.94	12.7	24.6	1,516	24.6	0.64	23.4	25.9	
1998	57	20.2	2.96	14.8	26.7	1,595	25.8	0.65	24.6	27.1	
1999	60	20.2	2.95	14.9	26.7	1,505	24.3	0.63	23.1	25.6	
2000	68	18.4	2.47	13.9	23.8	1,517	24.4	0.63	23.2	25.7	
2001	71	20.1	2.64	15.2	25.9	1,638	26.1	0.65	24.9	27.4	
2002	93	22.9	2.62	18.0	28.6	1,635	25.8	0.64	24.5	27.1	
2003	65	15.3	2.08	11.5	19.9	1,583	24.6	0.62	23.4	25.9	
2004	103	22.8	2.48	18.2	28.2	1,635	25.3	0.63	24.1	26.6	
2005	93	19.4	2.20	15.4	24.2	1,729	26.4	0.64	25.2	27.7	
2006	107	21.1	2.24	17.0	26.0	1,817	27.6	0.65	26.4	28.9	
2007	104	20.7	2.19	16.7	25.4	1,784	26.8	0.64	25.6	28.1	
2008	119	21.8	2.13	17.8	26.3	1,815	26.7	0.64	25.5	28.0	
2009	144	24.0	2.16	20.0	28.6	1,987	28.9	0.66	27.7	30.2	
2010	113	17.9	1.83	14.5	21.8	2,007	28.7	0.65	27.4	30.0	
2011	148	23.5	2.06	19.6	27.9	2,020	28.7	0.65	27.4	30.0	
2012	160	23.9	2.01	20.1	28.1	2,028	28.1	0.64	26.8	29.3	
2013	203	29.6	2.20	25.5	34.2	2,094	28.5	0.64	27.3	29.8	
2014	203	27.3	2.01	23.5	31.5	2,108	28.5	0.64	27.2	29.8	
2015	193	25.4	1.91	21.8	29.4	2,183	29.1	0.64	27.9	30.4	
2016	207	25.5	1.82	22.0	29.3	2,257	30.1	0.66	28.8	31.4	
2017	208	25.8	1.85	22.3	29.6	2,236	29.8	0.65	28.6	31.2	
2018	239	28.4	1.89	24.8	32.3	2,224	29.1	0.64	27.9	30.4	
2019	253	29.4	1.91	25.8	33.4	2,248	29.3	0.64	28.0	30.6	
2020	213	23.6	1.66	20.5	27.1	2,074	27.2	0.62	26.0	28.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Corpus Uteri										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	47,123	27.9	0.13	27.7	28.2	6,536	22.6	0.28	22.0	23.1
1990	1,238	24.3	0.71	22.9	25.7	106	14.9	1.47	12.2	18.1
1991	1,297	25.0	0.71	23.7	26.5	84	12.1	1.34	9.6	15.0
1992	1,346	26.5	0.74	25.0	28.0	107	14.7	1.44	12.0	17.8
1993	1,283	25.0	0.71	23.6	26.4	108	15.0	1.45	12.2	18.1
1994	1,348	26.0	0.72	24.6	27.5	108	14.6	1.43	12.0	17.7
1995	1,370	26.6	0.73	25.2	28.1	114	14.9	1.41	12.3	17.9
1996	1,498	29.3	0.77	27.8	30.9	142	18.9	1.60	15.9	22.2
1997	1,348	26.0	0.72	24.7	27.5	148	18.9	1.56	15.9	22.2
1998	1,412	27.3	0.74	25.9	28.8	155	19.3	1.56	16.4	22.6
1999	1,329	25.7	0.71	24.4	27.2	135	16.6	1.44	13.9	19.6
2000	1,314	25.5	0.71	24.1	26.9	158	18.8	1.50	16.0	22.0
2001	1,419	27.3	0.73	25.9	28.8	173	20.4	1.56	17.5	23.7
2002	1,414	27.0	0.72	25.6	28.4	176	20.3	1.54	17.4	23.5
2003	1,371	25.9	0.71	24.6	27.4	156	18.1	1.46	15.4	21.2
2004	1,406	26.6	0.72	25.2	28.0	180	20.1	1.51	17.3	23.3
2005	1,479	27.7	0.73	26.3	29.1	194	21.1	1.53	18.2	24.3
2006	1,527	28.4	0.74	27.0	29.9	228	25.0	1.67	21.9	28.5
2007	1,509	27.9	0.73	26.5	29.3	222	23.6	1.59	20.5	26.9
2008	1,550	28.1	0.73	26.7	29.6	197	20.3	1.46	17.5	23.3
2009	1,686	30.3	0.75	28.8	31.8	233	23.8	1.58	20.8	27.1
2010	1,689	29.9	0.74	28.5	31.4	235	23.4	1.55	20.5	26.6
2011	1,668	29.3	0.73	27.8	30.7	261	25.7	1.62	22.7	29.1
2012	1,678	28.9	0.73	27.5	30.4	276	25.9	1.58	22.8	29.1
2013	1,730	29.6	0.73	28.2	31.1	268	24.0	1.49	21.2	27.1
2014	1,673	28.5	0.72	27.1	29.9	340	30.8	1.70	27.5	34.3
2015	1,763	29.6	0.73	28.2	31.1	329	29.0	1.63	25.9	32.4
2016	1,824	30.9	0.76	29.5	32.4	330	28.9	1.63	25.8	32.3
2017	1,778	30.1	0.75	28.6	31.6	350	30.9	1.69	27.7	34.4
2018	1,799	29.9	0.74	28.5	31.4	303	25.3	1.49	22.5	28.5
2019	1,777	29.4	0.73	28.0	30.9	370	31.0	1.65	27.8	34.4
2020	1,600	26.9	0.71	25.5	28.3	350	29.2	1.60	26.1	32.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Uterus, NOS											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	118	0.8	0.08	0.7	1.0	1,615	0.8	0.02	0.7	0.8	
1990	4	1.8	0.89	0.5	4.6	41	0.7	0.11	0.5	0.9	
1991	2	1.1	0.79	0.1	3.8	48	0.8	0.12	0.6	1.1	
1992	2	0.9	0.67	0.1	3.3	55	0.9	0.13	0.7	1.2	
1993	3	1.0	0.59	0.2	3.1	64	1.0	0.13	0.8	1.3	
1994	4	1.5	0.76	0.4	3.9	82	1.3	0.14	1.0	1.6	
1995	3	1.0	0.77	0.1	3.5	37	0.6	0.10	0.4	0.8	
1996	1	0.8	0.80	0.0	3.4	31	0.5	0.09	0.3	0.7	
1997	3	0.8	0.49	0.2	2.6	38	0.6	0.09	0.4	0.8	
1998	5	1.8	0.97	0.4	4.5	41	0.6	0.10	0.4	0.8	
1999	4	1.5	0.88	0.3	4.0	38	0.6	0.09	0.4	0.8	
2000	2	0.4	0.30	0.1	1.8	40	0.6	0.09	0.4	0.8	
2001	0					37	0.5	0.09	0.4	0.7	
2002	2	0.5	0.38	0.1	2.0	45	0.7	0.10	0.5	0.9	
2003	1	0.2	0.18	0.0	1.3	30	0.4	0.08	0.3	0.6	
2004	2	0.2	0.17	0.0	1.2	39	0.5	0.09	0.4	0.7	
2005	2	0.5	0.38	0.1	1.8	44	0.6	0.10	0.5	0.9	
2006	5	1.0	0.49	0.3	2.5	48	0.7	0.10	0.5	0.9	
2007	0					35	0.5	0.09	0.4	0.7	
2008	4	1.1	0.55	0.3	2.6	52	0.8	0.11	0.6	1.0	
2009	1	0.1	0.14	0.0	0.9	43	0.6	0.09	0.4	0.8	
2010	3	0.6	0.38	0.1	1.8	61	0.9	0.12	0.7	1.2	
2011	1	0.2	0.20	0.0	1.0	52	0.7	0.10	0.5	1.0	
2012	4	0.8	0.40	0.2	1.9	44	0.6	0.10	0.5	0.9	
2013	3	0.5	0.33	0.1	1.5	50	0.7	0.10	0.5	0.9	
2014	4	0.5	0.26	0.1	1.4	55	0.7	0.10	0.5	0.9	
2015	3	0.5	0.30	0.1	1.4	59	0.8	0.11	0.6	1.1	
2016	5	0.8	0.35	0.2	1.8	69	0.9	0.11	0.7	1.1	
2017	13	1.6	0.47	0.8	2.8	93	1.2	0.13	1.0	1.5	
2018	11	1.6	0.49	0.8	2.8	67	0.9	0.12	0.7	1.2	
2019	13	1.7	0.48	0.9	2.9	92	1.2	0.13	1.0	1.5	
2020	8	0.8	0.28	0.3	1.6	85	1.2	0.13	0.9	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Uterus, NOS											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,129	0.6	0.02	0.6	0.7	446	1.6	0.08	1.4	1.7	
1990	26	0.5	0.10	0.3	0.7	13	1.9	0.55	1.0	3.3	
1991	34	0.7	0.12	0.5	1.0	14	2.1	0.56	1.1	3.5	
1992	45	0.9	0.13	0.6	1.2	10	1.4	0.44	0.7	2.5	
1993	49	0.9	0.13	0.7	1.2	13	1.9	0.53	1.0	3.2	
1994	66	1.2	0.15	0.9	1.5	16	2.4	0.61	1.4	3.9	
1995	30	0.6	0.10	0.4	0.8	7	1.0	0.39	0.4	2.1	
1996	25	0.5	0.10	0.3	0.7	5	0.7	0.31	0.2	1.6	
1997	28	0.5	0.09	0.3	0.7	10	1.3	0.42	0.6	2.4	
1998	29	0.5	0.09	0.3	0.7	11	1.3	0.40	0.7	2.4	
1999	26	0.4	0.08	0.3	0.6	12	1.5	0.42	0.7	2.5	
2000	29	0.5	0.09	0.3	0.7	10	1.3	0.41	0.6	2.4	
2001	29	0.5	0.09	0.3	0.7	6	0.7	0.31	0.3	1.6	
2002	32	0.5	0.10	0.4	0.8	13	1.5	0.42	0.8	2.6	
2003	26	0.4	0.09	0.3	0.7	4	0.5	0.23	0.1	1.2	
2004	29	0.4	0.08	0.3	0.6	10	1.1	0.34	0.5	2.0	
2005	33	0.6	0.10	0.4	0.8	11	1.2	0.35	0.6	2.1	
2006	28	0.4	0.08	0.3	0.6	19	2.2	0.51	1.3	3.5	
2007	22	0.4	0.08	0.2	0.6	10	1.1	0.36	0.5	2.1	
2008	33	0.6	0.11	0.4	0.9	18	1.8	0.43	1.1	2.9	
2009	31	0.6	0.10	0.4	0.8	11	1.1	0.32	0.5	1.9	
2010	41	0.7	0.12	0.5	1.0	18	1.9	0.45	1.1	3.0	
2011	31	0.5	0.10	0.4	0.8	17	1.6	0.39	0.9	2.6	
2012	30	0.5	0.10	0.4	0.8	13	1.3	0.36	0.7	2.2	
2013	29	0.4	0.09	0.3	0.7	19	1.7	0.40	1.0	2.7	
2014	35	0.5	0.09	0.4	0.8	20	1.8	0.42	1.1	2.9	
2015	36	0.5	0.09	0.4	0.8	21	2.2	0.48	1.3	3.3	
2016	47	0.7	0.11	0.5	0.9	22	2.1	0.46	1.3	3.2	
2017	65	1.1	0.14	0.8	1.4	27	2.3	0.46	1.5	3.4	
2018	46	0.8	0.12	0.6	1.0	16	1.4	0.36	0.8	2.4	
2019	57	1.0	0.14	0.7	1.3	29	2.5	0.48	1.7	3.7	
2020	62	1.1	0.14	0.8	1.4	21	1.9	0.42	1.2	3.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ovary										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,633	10.5	0.28	9.9	11.0	26,673	13.2	0.08	13.0	13.3
1990	25	10.0	2.23	6.1	15.4	957	16.4	0.54	15.4	17.5
1991	34	12.9	2.52	8.5	18.8	917	16.0	0.54	14.9	17.1
1992	30	9.9	1.94	6.5	14.6	899	15.4	0.52	14.4	16.4
1993	30	13.1	2.69	8.4	19.3	889	14.9	0.51	13.9	15.9
1994	41	14.1	2.39	9.8	19.6	968	15.9	0.52	14.9	17.0
1995	38	10.1	1.90	6.7	14.6	899	14.9	0.50	13.9	15.9
1996	32	10.4	2.07	6.8	15.2	965	15.8	0.51	14.8	16.8
1997	24	10.2	2.29	6.2	15.5	945	15.5	0.51	14.5	16.5
1998	31	10.0	2.06	6.4	14.8	926	14.9	0.50	14.0	16.0
1999	49	14.2	2.43	9.8	19.6	915	14.7	0.49	13.7	15.7
2000	37	10.4	1.95	6.9	14.8	856	13.5	0.47	12.6	14.4
2001	40	9.9	1.79	6.7	14.0	854	13.6	0.47	12.7	14.5
2002	42	9.6	1.66	6.6	13.4	906	14.3	0.48	13.4	15.3
2003	37	7.9	1.58	5.1	11.6	888	13.7	0.46	12.8	14.6
2004	56	13.1	2.03	9.5	17.6	886	13.6	0.46	12.7	14.6
2005	53	11.9	1.89	8.5	16.1	898	13.8	0.47	12.9	14.7
2006	59	11.5	1.71	8.4	15.3	911	13.8	0.46	12.9	14.7
2007	43	7.8	1.32	5.4	10.8	892	13.5	0.46	12.6	14.5
2008	66	12.0	1.67	9.0	15.7	837	12.5	0.44	11.7	13.4
2009	60	11.5	1.64	8.5	15.1	849	12.6	0.44	11.8	13.5
2010	57	9.0	1.34	6.6	12.0	867	12.7	0.44	11.9	13.6
2011	62	11.2	1.59	8.3	14.7	837	12.3	0.44	11.5	13.2
2012	56	8.1	1.15	6.0	10.6	804	11.6	0.42	10.7	12.4
2013	75	11.5	1.44	8.8	14.6	804	11.5	0.42	10.7	12.4
2014	60	8.3	1.15	6.2	10.8	803	11.3	0.41	10.6	12.2
2015	88	12.9	1.47	10.2	16.1	816	11.5	0.42	10.7	12.4
2016	69	8.7	1.10	6.7	11.1	798	11.3	0.42	10.5	12.1
2017	81	10.2	1.20	8.0	12.8	751	10.8	0.41	10.0	11.6
2018	89	11.2	1.25	8.9	13.9	748	10.6	0.41	9.8	11.4
2019	87	10.3	1.15	8.1	12.8	744	10.2	0.39	9.4	11.0
2020	82	9.3	1.06	7.3	11.6	644	9.0	0.37	8.3	9.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ovary										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	22,894	13.8	0.09	13.6	14.0	2,906	10.3	0.19	9.9	10.6
1990	859	17.2	0.60	16.1	18.5	89	12.7	1.38	10.2	15.7
1991	830	17.1	0.61	15.9	18.3	74	10.3	1.23	8.1	13.0
1992	822	16.6	0.59	15.4	17.8	67	9.2	1.14	7.1	11.7
1993	794	15.7	0.57	14.6	16.8	83	11.1	1.23	8.8	13.8
1994	860	16.7	0.58	15.6	17.9	93	12.4	1.30	10.0	15.2
1995	802	15.7	0.56	14.6	16.8	81	10.2	1.15	8.1	12.7
1996	843	16.3	0.57	15.2	17.4	102	13.1	1.31	10.7	15.9
1997	827	16.2	0.57	15.1	17.3	95	11.9	1.23	9.6	14.6
1998	824	15.9	0.56	14.8	17.0	84	10.1	1.11	8.0	12.5
1999	812	15.6	0.55	14.5	16.7	85	10.1	1.10	8.1	12.5
2000	756	14.3	0.53	13.3	15.4	72	8.4	1.00	6.5	10.6
2001	719	13.8	0.52	12.8	14.9	101	11.9	1.19	9.6	14.4
2002	782	14.9	0.54	13.9	16.0	94	10.7	1.11	8.6	13.1
2003	777	14.5	0.53	13.5	15.5	90	10.3	1.10	8.3	12.7
2004	771	14.4	0.53	13.4	15.5	98	11.2	1.14	9.1	13.6
2005	772	14.5	0.53	13.5	15.6	91	10.0	1.06	8.0	12.3
2006	784	14.4	0.53	13.4	15.5	92	10.0	1.05	8.1	12.3
2007	773	14.4	0.53	13.3	15.4	93	9.9	1.04	8.0	12.2
2008	719	13.2	0.51	12.2	14.3	92	9.6	1.01	7.7	11.8
2009	703	12.9	0.50	12.0	14.0	115	11.9	1.12	9.8	14.3
2010	712	12.8	0.50	11.9	13.9	111	11.2	1.07	9.2	13.5
2011	695	12.7	0.50	11.7	13.7	94	9.3	0.97	7.5	11.4
2012	677	12.1	0.48	11.1	13.1	97	9.5	0.98	7.7	11.6
2013	655	11.7	0.47	10.8	12.7	115	11.4	1.07	9.4	13.7
2014	680	12.1	0.48	11.1	13.1	90	8.6	0.92	6.9	10.6
2015	667	11.9	0.48	10.9	12.9	116	10.9	1.03	8.9	13.1
2016	649	11.5	0.48	10.5	12.4	106	10.4	1.03	8.5	12.6
2017	624	11.4	0.48	10.4	12.4	90	8.2	0.89	6.6	10.2
2018	598	10.8	0.47	9.9	11.8	102	9.2	0.93	7.4	11.2
2019	588	10.3	0.45	9.4	11.2	112	10.1	0.97	8.2	12.2
2020	520	9.3	0.43	8.5	10.2	82	7.1	0.80	5.6	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Male Genital System											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	13,323	117.0	1.15	114.7	119.2	259,555	153.9	0.31	153.3	154.5	
1990	120	101.4	10.96	81.1	124.6	5,761	136.8	1.87	133.1	140.5	
1991	113	82.0	9.31	64.8	101.8	7,289	168.0	2.04	164.1	172.1	
1992	155	116.3	11.11	95.5	139.5	8,808	197.6	2.17	193.4	201.9	
1993	172	124.0	11.20	103.0	147.4	8,453	187.0	2.09	182.9	191.1	
1994	241	152.5	11.71	130.4	176.7	8,168	179.5	2.03	175.5	183.5	
1995	234	143.1	11.16	122.1	166.2	7,663	165.6	1.93	161.8	169.4	
1996	267	161.6	11.75	139.4	185.8	7,783	165.6	1.91	161.9	169.4	
1997	272	143.4	10.27	124.0	164.6	8,087	170.9	1.92	167.2	174.7	
1998	275	154.4	11.08	133.5	177.3	8,013	167.8	1.89	164.1	171.6	
1999	330	158.6	10.39	138.9	180.0	8,455	175.3	1.92	171.6	179.1	
2000	335	142.2	9.23	124.6	161.1	8,511	175.4	1.92	171.7	179.2	
2001	346	147.0	9.29	129.3	166.0	9,041	184.6	1.96	180.7	188.4	
2002	374	144.4	8.70	127.8	162.2	9,305	187.7	1.96	183.9	191.6	
2003	380	134.5	8.14	119.0	151.2	8,600	170.5	1.86	166.8	174.1	
2004	389	130.8	7.56	116.4	146.3	8,490	165.8	1.82	162.2	169.4	
2005	427	128.8	7.14	115.2	143.5	8,294	159.4	1.77	156.0	162.9	
2006	456	133.8	7.17	120.1	148.4	9,029	170.0	1.81	166.5	173.6	
2007	516	148.0	7.42	133.8	163.1	9,758	180.2	1.85	176.6	183.9	
2008	569	153.9	7.37	139.8	168.9	9,762	175.3	1.80	171.8	178.9	
2009	613	155.1	7.08	141.6	169.5	9,492	165.9	1.74	162.6	169.4	
2010	560	124.6	5.98	113.2	136.8	8,626	147.8	1.63	144.6	151.0	
2011	564	114.1	5.45	103.7	125.2	8,799	147.4	1.61	144.3	150.6	
2012	551	111.3	5.34	101.1	122.2	7,824	127.2	1.47	124.4	130.2	
2013	569	107.3	5.03	97.7	117.6	7,538	120.2	1.42	117.5	123.1	
2014	567	99.4	4.66	90.4	108.9	7,538	117.7	1.39	114.9	120.4	
2015	579	94.8	4.40	86.3	103.7	7,976	122.1	1.40	119.4	124.9	
2016	637	99.8	4.39	91.4	108.7	8,038	121.7	1.39	118.9	124.4	
2017	649	98.9	4.29	90.7	107.6	8,623	128.3	1.42	125.6	131.1	
2018	701	101.3	4.22	93.2	109.8	8,836	129.7	1.41	126.9	132.5	
2019	737	102.5	4.13	94.5	110.8	8,842	128.6	1.40	125.9	131.4	
2020	625	81.9	3.56	75.1	89.1	8,153	118.3	1.34	115.6	120.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Male Genital System										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	208,637	146.8	0.32	146.2	147.5	43,253	217.9	1.09	215.8	220.1
1990	5,042	134.2	1.95	130.4	138.1	662	168.9	7.04	155.3	183.1
1991	6,472	168.0	2.15	163.8	172.3	753	176.9	6.90	163.6	190.8
1992	7,711	195.3	2.28	190.8	199.8	1,027	236.0	7.85	220.8	251.8
1993	7,288	182.9	2.19	178.7	187.3	1,101	241.6	7.77	226.6	257.2
1994	6,822	170.3	2.10	166.2	174.5	1,259	276.9	8.34	260.8	293.6
1995	6,340	156.7	2.00	152.8	160.6	1,240	260.0	7.84	244.9	275.8
1996	6,366	155.7	1.97	151.8	159.6	1,323	266.4	7.74	251.4	281.9
1997	6,756	164.7	2.02	160.8	168.7	1,200	235.0	7.15	221.2	249.4
1998	6,572	159.3	1.98	155.4	163.2	1,267	244.2	7.21	230.2	258.7
1999	7,026	169.3	2.03	165.3	173.3	1,225	228.9	6.85	215.7	242.6
2000	6,904	165.9	2.01	162.0	169.9	1,434	264.5	7.31	250.4	279.2
2001	7,435	177.5	2.07	173.4	181.6	1,401	253.9	7.11	240.1	268.2
2002	7,650	181.2	2.08	177.1	185.3	1,391	242.7	6.83	229.5	256.5
2003	6,945	162.5	1.96	158.6	166.4	1,424	239.3	6.64	226.5	252.6
2004	6,801	157.3	1.92	153.6	161.1	1,457	241.2	6.63	228.4	254.5
2005	6,575	150.0	1.87	146.4	153.7	1,446	236.5	6.56	223.8	249.7
2006	7,170	161.0	1.92	157.2	164.8	1,596	252.0	6.62	239.2	265.3
2007	7,703	169.8	1.96	165.9	173.7	1,744	269.7	6.76	256.6	283.3
2008	7,681	165.3	1.91	161.6	169.1	1,762	260.5	6.48	248.0	273.5
2009	7,366	154.8	1.84	151.3	158.5	1,770	252.7	6.28	240.6	265.3
2010	6,732	139.1	1.73	135.7	142.5	1,592	221.5	5.81	210.2	233.2
2011	6,915	140.1	1.72	136.7	143.5	1,486	198.0	5.37	187.6	208.8
2012	5,975	118.1	1.56	115.0	121.2	1,502	193.9	5.24	183.8	204.5
2013	5,898	114.2	1.52	111.3	117.3	1,382	177.5	4.99	167.8	187.5
2014	5,806	110.6	1.49	107.7	113.5	1,418	174.3	4.82	165.0	184.0
2015	6,053	113.4	1.50	110.5	116.4	1,578	191.4	5.03	181.7	201.5
2016	6,217	115.9	1.51	112.9	118.9	1,526	178.3	4.76	169.1	187.9
2017	6,638	121.1	1.53	118.2	124.2	1,643	190.6	4.89	181.1	200.4
2018	6,793	122.6	1.53	119.6	125.6	1,614	182.8	4.71	173.7	192.3
2019	6,770	121.0	1.51	118.1	124.0	1,619	183.2	4.71	174.1	192.7
2020	6,215	111.3	1.46	108.5	114.2	1,411	158.3	4.36	149.9	167.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Prostate											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	11,740	111.2	1.13	109.0	113.5	248,898	147.3	0.30	146.7	147.9	
1990	101	95.0	10.70	75.2	117.7	5,446	130.9	1.84	127.3	134.5	
1991	95	76.7	9.06	60.0	96.0	6,993	162.4	2.01	158.5	166.4	
1992	138	113.4	11.08	92.7	136.6	8,522	192.3	2.14	188.2	196.6	
1993	155	121.2	11.17	100.3	144.5	8,129	180.8	2.06	176.8	184.9	
1994	223	149.8	11.69	127.8	174.1	7,843	173.4	2.00	169.5	177.4	
1995	208	138.6	11.10	117.7	161.6	7,350	159.8	1.90	156.1	163.6	
1996	243	157.1	11.69	135.0	181.2	7,454	159.5	1.88	155.9	163.3	
1997	247	140.6	10.25	121.2	161.7	7,725	164.1	1.89	160.4	167.8	
1998	250	151.0	11.04	130.1	173.8	7,678	161.4	1.86	157.8	165.1	
1999	299	155.3	10.37	135.7	176.7	8,110	168.8	1.89	165.1	172.5	
2000	294	137.2	9.19	119.7	156.1	8,195	169.4	1.89	165.7	173.1	
2001	313	143.0	9.25	125.4	162.0	8,678	177.6	1.92	173.9	181.4	
2002	332	139.2	8.63	122.8	156.9	8,969	181.3	1.93	177.5	185.1	
2003	335	129.4	8.04	114.1	145.9	8,265	164.1	1.82	160.5	167.7	
2004	354	127.2	7.53	112.8	142.6	8,124	158.7	1.78	155.2	162.2	
2005	382	124.0	7.07	110.5	138.5	7,971	153.2	1.74	149.8	156.6	
2006	402	128.6	7.12	115.0	143.1	8,679	163.3	1.78	159.8	166.8	
2007	458	143.0	7.38	128.8	158.0	9,421	173.6	1.82	170.1	177.2	
2008	508	147.6	7.29	133.7	162.5	9,387	168.0	1.76	164.5	171.5	
2009	563	149.7	7.02	136.2	163.9	9,149	159.1	1.70	155.8	162.5	
2010	491	118.0	5.91	106.7	130.1	8,243	140.4	1.58	137.3	143.5	
2011	488	107.9	5.40	97.5	118.9	8,476	141.1	1.57	138.1	144.3	
2012	491	105.9	5.29	95.8	116.7	7,450	120.0	1.42	117.3	122.9	
2013	510	102.0	4.97	92.5	112.1	7,174	113.1	1.37	110.4	115.8	
2014	495	92.5	4.56	83.7	101.8	7,181	110.7	1.34	108.1	113.4	
2015	482	86.1	4.29	77.9	94.9	7,600	114.8	1.35	112.2	117.5	
2016	548	91.9	4.30	83.7	100.7	7,648	114.0	1.34	111.4	116.7	
2017	554	89.2	4.13	81.3	97.6	8,282	121.6	1.37	118.9	124.3	
2018	584	90.9	4.10	83.0	99.2	8,483	122.6	1.36	119.9	125.3	
2019	652	95.5	4.05	87.7	103.7	8,480	121.5	1.35	118.8	124.1	
2020	545	74.9	3.46	68.3	82.0	7,793	110.9	1.29	108.4	113.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Prostate											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	198,993	139.2	0.32	138.6	139.8	42,661	215.3	1.09	213.2	217.4	
1990	4,752	127.8	1.92	124.0	131.6	643	164.8	6.97	151.4	178.9	
1991	6,197	161.9	2.12	157.7	166.1	737	174.0	6.85	160.8	187.8	
1992	7,444	189.3	2.25	184.9	193.8	1,011	233.5	7.82	218.4	249.2	
1993	6,985	176.0	2.15	171.8	180.3	1,082	238.8	7.74	223.9	254.4	
1994	6,520	163.5	2.07	159.4	167.6	1,242	274.2	8.31	258.2	290.9	
1995	6,050	150.1	1.96	146.3	154.0	1,224	257.5	7.81	242.4	273.2	
1996	6,072	149.0	1.94	145.2	152.8	1,304	263.6	7.71	248.7	279.0	
1997	6,421	156.9	1.98	153.1	160.8	1,183	232.5	7.12	218.7	246.8	
1998	6,263	152.0	1.93	148.2	155.8	1,250	242.0	7.19	228.1	256.4	
1999	6,723	162.1	1.99	158.2	166.0	1,206	226.5	6.82	213.3	240.2	
2000	6,615	159.0	1.96	155.1	162.9	1,417	262.0	7.29	248.0	276.7	
2001	7,104	169.6	2.02	165.6	173.6	1,384	251.6	7.08	237.9	265.8	
2002	7,345	173.8	2.04	169.9	177.9	1,370	240.0	6.81	226.8	253.6	
2003	6,636	155.0	1.91	151.3	158.8	1,408	237.2	6.61	224.4	250.5	
2004	6,465	149.1	1.87	145.4	152.8	1,440	238.9	6.60	226.1	252.2	
2005	6,292	143.0	1.82	139.5	146.6	1,423	233.1	6.51	220.5	246.1	
2006	6,851	153.1	1.87	149.4	156.8	1,581	250.1	6.60	237.3	263.3	
2007	7,400	162.2	1.91	158.5	166.0	1,723	267.0	6.74	254.0	280.5	
2008	7,346	156.8	1.86	153.2	160.5	1,738	257.4	6.44	244.9	270.3	
2009	7,045	146.6	1.78	143.1	150.1	1,758	251.2	6.27	239.0	263.7	
2010	6,384	130.3	1.66	127.1	133.6	1,569	218.5	5.78	207.3	230.1	
2011	6,622	132.7	1.67	129.4	136.0	1,471	196.2	5.35	185.9	207.0	
2012	5,637	109.6	1.49	106.6	112.5	1,483	191.4	5.20	181.3	201.9	
2013	5,572	105.8	1.45	103.0	108.7	1,362	174.8	4.95	165.3	184.8	
2014	5,492	102.5	1.41	99.8	105.3	1,394	170.9	4.77	161.7	180.5	
2015	5,715	104.6	1.42	101.9	107.5	1,555	188.6	5.00	179.0	198.7	
2016	5,858	106.5	1.43	103.8	109.4	1,508	176.0	4.72	166.9	185.5	
2017	6,333	113.0	1.45	110.2	115.9	1,620	187.9	4.85	178.5	197.6	
2018	6,486	114.3	1.45	111.4	117.1	1,586	179.1	4.65	170.0	188.4	
2019	6,454	112.6	1.43	109.8	115.5	1,598	180.7	4.68	171.7	190.1	
2020	5,914	103.0	1.37	100.4	105.8	1,391	155.7	4.32	147.3	164.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Testis											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,395	4.3	0.12	4.1	4.5	8,995	5.6	0.06	5.4	5.7	
1990	14	2.8	0.87	1.4	5.9	259	4.6	0.29	4.1	5.2	
1991	14	2.2	0.65	1.1	4.9	249	4.5	0.29	3.9	5.1	
1992	14	1.9	0.56	1.0	4.4	245	4.4	0.28	3.8	5.0	
1993	14	1.9	0.58	1.0	4.4	271	4.9	0.30	4.3	5.5	
1994	17	2.5	0.66	1.4	5.0	269	4.8	0.30	4.3	5.5	
1995	21	2.5	0.62	1.5	4.9	259	4.7	0.29	4.1	5.3	
1996	19	2.3	0.54	1.3	4.4	273	4.9	0.30	4.3	5.5	
1997	23	2.3	0.50	1.5	4.3	312	5.7	0.33	5.1	6.4	
1998	22	2.4	0.60	1.3	4.5	278	5.1	0.31	4.6	5.8	
1999	29	2.8	0.56	1.8	4.8	296	5.5	0.32	4.9	6.2	
2000	36	3.8	0.70	2.5	5.9	262	4.9	0.30	4.3	5.5	
2001	29	2.7	0.54	1.8	4.5	299	5.6	0.32	5.0	6.3	
2002	37	4.0	1.03	2.3	6.7	293	5.5	0.32	4.9	6.2	
2003	43	3.8	0.64	2.7	5.6	285	5.4	0.32	4.8	6.1	
2004	28	2.3	0.45	1.5	3.8	317	6.1	0.34	5.4	6.8	
2005	41	4.0	0.83	2.5	6.2	282	5.4	0.32	4.8	6.1	
2006	49	4.3	0.64	3.1	6.0	292	5.7	0.33	5.0	6.3	
2007	54	4.6	0.65	3.4	6.3	277	5.4	0.33	4.8	6.1	
2008	56	4.8	0.66	3.6	6.4	311	6.1	0.35	5.4	6.8	
2009	40	3.4	0.56	2.4	4.9	301	5.9	0.35	5.3	6.7	
2010	61	5.2	0.70	3.9	6.9	320	6.3	0.36	5.6	7.0	
2011	72	5.8	0.69	4.5	7.5	270	5.3	0.33	4.7	6.0	
2012	55	4.7	0.71	3.4	6.4	309	6.1	0.35	5.4	6.8	
2013	53	4.3	0.60	3.2	5.8	320	6.4	0.36	5.7	7.1	
2014	64	5.4	0.73	4.1	7.1	305	6.0	0.35	5.4	6.8	
2015	87	6.9	0.75	5.5	8.6	312	6.2	0.36	5.5	7.0	
2016	80	6.4	0.72	5.1	8.1	334	6.6	0.37	5.9	7.4	
2017	78	6.3	0.73	5.0	8.0	290	5.9	0.35	5.2	6.6	
2018	101	8.3	0.83	6.7	10.1	296	6.1	0.36	5.5	6.9	
2019	76	5.9	0.68	4.7	7.5	305	6.2	0.36	5.5	7.0	
2020	68	5.4	0.66	4.2	6.9	304	6.4	0.37	5.7	7.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Testis											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	8,268	6.6	0.07	6.4	6.7	358	1.4	0.08	1.3	1.6	
1990	244	5.3	0.34	4.6	6.0	10	1.5	0.50	0.7	2.9	
1991	239	5.2	0.34	4.6	5.9	6	0.6	0.25	0.2	1.5	
1992	231	5.1	0.34	4.4	5.8	12	1.3	0.38	0.7	2.4	
1993	255	5.7	0.36	5.0	6.4	15	1.9	0.52	1.1	3.3	
1994	257	5.7	0.36	5.0	6.5	8	0.9	0.31	0.4	1.8	
1995	243	5.4	0.35	4.8	6.1	9	1.1	0.37	0.5	2.2	
1996	246	5.5	0.35	4.8	6.2	11	1.4	0.42	0.7	2.6	
1997	294	6.7	0.39	6.0	7.6	9	1.2	0.42	0.5	2.4	
1998	259	6.0	0.37	5.3	6.8	12	1.3	0.38	0.7	2.4	
1999	264	6.2	0.38	5.5	7.0	14	1.6	0.44	0.9	2.8	
2000	244	5.8	0.37	5.1	6.6	9	1.0	0.33	0.5	2.0	
2001	274	6.5	0.39	5.8	7.3	11	1.2	0.37	0.6	2.3	
2002	270	6.5	0.40	5.7	7.3	14	1.7	0.45	0.9	2.9	
2003	269	6.5	0.40	5.8	7.4	7	0.8	0.29	0.3	1.7	
2004	294	7.2	0.42	6.4	8.1	11	1.4	0.41	0.7	2.5	
2005	252	6.3	0.40	5.5	7.1	15	1.8	0.46	1.0	3.0	
2006	269	6.8	0.41	6.0	7.6	10	1.2	0.38	0.6	2.3	
2007	254	6.5	0.41	5.7	7.3	12	1.5	0.44	0.8	2.7	
2008	284	7.3	0.43	6.4	8.2	14	1.7	0.46	0.9	2.9	
2009	283	7.3	0.44	6.5	8.3	8	0.9	0.31	0.4	1.8	
2010	296	7.7	0.45	6.8	8.6	13	1.6	0.45	0.8	2.8	
2011	247	6.3	0.41	5.6	7.2	8	1.0	0.34	0.4	1.9	
2012	283	7.3	0.44	6.5	8.3	12	1.4	0.42	0.7	2.6	
2013	292	7.7	0.46	6.8	8.6	11	1.3	0.42	0.7	2.4	
2014	271	7.2	0.44	6.3	8.1	16	1.9	0.47	1.0	3.1	
2015	290	7.7	0.46	6.9	8.7	8	1.0	0.36	0.4	2.0	
2016	313	8.4	0.48	7.4	9.4	11	1.4	0.43	0.7	2.5	
2017	266	7.3	0.46	6.5	8.3	15	1.8	0.47	1.0	3.0	
2018	261	7.4	0.46	6.5	8.3	20	2.6	0.61	1.6	4.1	
2019	270	7.4	0.46	6.6	8.4	13	1.5	0.44	0.8	2.7	
2020	254	7.3	0.46	6.4	8.2	14	1.7	0.48	0.9	2.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Penis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	165	1.3	0.12	1.1	1.5	1,308	0.8	0.02	0.8	0.9
1990	4	3.2	2.17	0.4	9.4	34	0.8	0.14	0.6	1.1
1991	4	3.1	2.05	0.5	9.0	37	0.9	0.15	0.6	1.2
1992	2	0.8	0.56	0.1	3.5	36	0.8	0.14	0.6	1.1
1993	2	0.6	0.44	0.1	3.1	39	0.9	0.15	0.7	1.3
1994	1	0.2	0.17	0.0	2.4	47	1.0	0.15	0.8	1.4
1995	5	2.0	0.90	0.6	5.0	41	0.9	0.13	0.6	1.2
1996	5	2.2	1.05	0.7	5.4	43	0.9	0.14	0.6	1.2
1997	2	0.5	0.37	0.1	2.6	40	0.9	0.14	0.6	1.2
1998	3	1.1	0.67	0.2	3.5	43	1.0	0.15	0.7	1.3
1999	1	0.3	0.29	0.0	2.2	48	1.0	0.15	0.8	1.4
2000	5	1.2	0.58	0.4	3.3	42	0.9	0.14	0.7	1.2
2001	4	1.2	0.74	0.2	3.6	50	1.1	0.15	0.8	1.4
2002	5	1.2	0.54	0.4	3.1	32	0.7	0.12	0.4	0.9
2003	2	1.3	1.11	0.1	4.5	37	0.7	0.12	0.5	1.0
2004	6	1.1	0.46	0.4	2.7	43	0.9	0.14	0.6	1.2
2005	4	0.9	0.55	0.1	2.7	30	0.6	0.11	0.4	0.9
2006	4	0.9	0.55	0.2	2.7	51	1.0	0.14	0.7	1.3
2007	4	0.5	0.25	0.1	1.6	46	0.9	0.13	0.7	1.2
2008	4	1.4	0.82	0.3	3.7	44	0.9	0.13	0.6	1.2
2009	10	2.0	0.74	0.8	4.0	38	0.8	0.13	0.5	1.1
2010	6	1.1	0.53	0.4	2.7	52	1.0	0.13	0.7	1.3
2011	4	0.5	0.24	0.1	1.4	41	0.8	0.12	0.5	1.0
2012	5	0.7	0.33	0.2	1.8	49	0.9	0.13	0.7	1.2
2013	4	0.7	0.39	0.1	1.9	32	0.6	0.11	0.4	0.8
2014	5	1.0	0.53	0.3	2.5	45	0.8	0.12	0.6	1.1
2015	10	1.7	0.62	0.7	3.3	49	0.8	0.12	0.6	1.1
2016	8	1.2	0.47	0.5	2.5	44	0.8	0.12	0.6	1.1
2017	15	3.1	0.88	1.6	5.2	37	0.6	0.11	0.4	0.9
2018	14	1.8	0.52	0.9	3.1	47	0.8	0.12	0.6	1.1
2019	9	1.1	0.39	0.4	2.1	44	0.7	0.11	0.5	1.0
2020	8	1.0	0.39	0.4	2.1	47	0.8	0.12	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Penis											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,078	0.8	0.02	0.8	0.9	193	1.0	0.08	0.9	1.2	
1990	27	0.7	0.13	0.5	1.0	7	2.1	0.82	0.8	4.2	
1991	27	0.7	0.14	0.5	1.0	9	2.2	0.80	0.9	4.3	
1992	31	0.8	0.15	0.5	1.1	4	1.2	0.63	0.3	2.9	
1993	35	1.0	0.16	0.7	1.3	4	0.9	0.44	0.2	2.1	
1994	36	0.9	0.15	0.6	1.3	9	1.8	0.61	0.8	3.4	
1995	35	0.9	0.14	0.6	1.2	6	1.3	0.55	0.5	2.8	
1996	36	0.9	0.15	0.6	1.2	7	1.2	0.49	0.4	2.6	
1997	32	0.8	0.15	0.6	1.2	7	1.2	0.49	0.5	2.6	
1998	38	1.0	0.16	0.7	1.4	4	0.8	0.46	0.2	2.1	
1999	38	1.0	0.15	0.7	1.3	5	0.8	0.37	0.3	1.9	
2000	35	0.9	0.15	0.6	1.2	6	1.1	0.47	0.4	2.4	
2001	44	1.1	0.17	0.8	1.5	5	1.0	0.44	0.3	2.2	
2002	26	0.6	0.12	0.4	0.9	5	0.8	0.36	0.3	1.8	
2003	30	0.7	0.13	0.5	1.0	7	1.0	0.38	0.4	2.1	
2004	37	0.9	0.15	0.6	1.2	5	0.8	0.36	0.2	1.9	
2005	22	0.5	0.11	0.3	0.8	7	1.3	0.54	0.5	2.8	
2006	43	1.0	0.15	0.7	1.4	5	0.7	0.34	0.2	1.7	
2007	36	0.9	0.14	0.6	1.2	8	1.0	0.37	0.4	2.1	
2008	36	0.8	0.14	0.6	1.2	7	1.0	0.39	0.4	2.1	
2009	34	0.8	0.14	0.6	1.1	4	0.7	0.35	0.2	1.7	
2010	43	0.9	0.14	0.7	1.3	8	1.2	0.46	0.5	2.5	
2011	36	0.8	0.14	0.6	1.2	5	0.6	0.26	0.2	1.4	
2012	42	0.9	0.14	0.7	1.2	6	1.0	0.42	0.3	2.1	
2013	24	0.5	0.11	0.3	0.8	8	1.2	0.44	0.5	2.4	
2014	37	0.7	0.12	0.5	1.0	7	1.4	0.53	0.6	2.8	
2015	40	0.8	0.14	0.6	1.2	9	1.1	0.37	0.5	2.1	
2016	37	0.8	0.13	0.6	1.1	4	0.6	0.33	0.2	1.6	
2017	31	0.6	0.12	0.4	0.9	3	0.4	0.22	0.1	1.1	
2018	36	0.8	0.13	0.5	1.1	8	1.1	0.42	0.5	2.2	
2019	34	0.7	0.12	0.5	1.0	8	0.9	0.34	0.4	1.9	
2020	40	0.8	0.13	0.6	1.1	6	0.9	0.36	0.3	1.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	6,880	27.8	0.37	27.1	28.5	145,818	38.6	0.10	38.4	38.8
1990	71	22.3	2.99	16.9	28.8	3,274	31.1	0.55	30.0	32.2
1991	76	20.4	2.65	15.5	26.1	3,335	31.3	0.55	30.2	32.4
1992	78	21.3	2.72	16.3	27.2	3,473	32.1	0.55	31.0	33.2
1993	74	19.1	2.46	14.6	24.4	3,603	32.9	0.55	31.9	34.0
1994	99	25.4	2.86	20.1	31.5	3,715	33.8	0.56	32.7	34.9
1995	100	23.9	2.82	18.7	30.0	3,722	33.6	0.55	32.5	34.7
1996	98	23.9	2.79	18.7	29.8	3,972	35.8	0.57	34.7	36.9
1997	142	35.6	3.53	29.1	43.1	4,051	36.2	0.57	35.1	37.4
1998	141	28.7	2.81	23.5	34.6	4,013	35.6	0.56	34.5	36.7
1999	141	29.0	2.85	23.7	35.0	4,136	36.4	0.57	35.3	37.5
2000	141	24.4	2.35	20.0	29.4	4,361	38.2	0.58	37.1	39.3
2001	159	27.3	2.51	22.6	32.6	4,361	38.0	0.58	36.9	39.2
2002	153	25.7	2.37	21.3	30.7	4,691	40.5	0.59	39.4	41.7
2003	192	29.1	2.39	24.6	34.1	4,792	41.1	0.59	39.9	42.3
2004	165	23.9	2.13	19.9	28.3	4,865	41.3	0.59	40.2	42.5
2005	204	29.4	2.35	24.9	34.3	4,948	41.8	0.60	40.6	42.9
2006	195	26.2	2.16	22.2	30.7	4,937	41.4	0.59	40.3	42.6
2007	234	28.1	2.04	24.2	32.3	5,004	41.4	0.59	40.3	42.6
2008	235	27.8	2.06	23.9	32.1	5,237	42.8	0.60	41.6	44.0
2009	261	30.5	2.12	26.4	34.9	5,335	43.1	0.60	41.9	44.2
2010	262	26.7	1.87	23.2	30.6	5,084	40.4	0.58	39.3	41.5
2011	311	31.6	2.00	27.8	35.7	5,203	40.6	0.57	39.5	41.7
2012	309	29.1	1.83	25.6	32.8	5,237	40.4	0.57	39.3	41.5
2013	326	29.0	1.76	25.6	32.6	5,498	41.8	0.57	40.7	42.9
2014	367	33.1	1.88	29.5	36.9	5,536	41.4	0.57	40.3	42.5
2015	370	30.1	1.71	26.9	33.6	5,711	42.2	0.57	41.1	43.3
2016	367	28.6	1.62	25.6	32.0	5,626	41.3	0.57	40.2	42.5
2017	401	29.9	1.61	26.8	33.2	5,624	40.8	0.56	39.7	41.9
2018	403	28.2	1.50	25.3	31.3	5,490	39.5	0.55	38.5	40.6
2019	408	28.0	1.48	25.2	31.0	5,727	40.3	0.55	39.3	41.4
2020	397	25.9	1.38	23.3	28.8	5,257	37.0	0.53	36.0	38.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary System											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	128,651	40.5	0.11	40.3	40.7	14,176	29.7	0.25	29.2	30.2	
1990	3,030	32.8	0.60	31.6	34.0	222	19.1	1.33	16.6	21.9	
1991	3,091	33.1	0.60	31.9	34.3	218	19.3	1.34	16.7	22.0	
1992	3,187	33.7	0.60	32.5	34.9	251	21.7	1.41	19.0	24.6	
1993	3,263	34.2	0.60	33.1	35.4	301	23.6	1.40	20.9	26.5	
1994	3,380	35.3	0.61	34.1	36.6	295	23.8	1.42	21.1	26.7	
1995	3,400	35.4	0.61	34.2	36.6	290	22.7	1.37	20.1	25.5	
1996	3,590	37.5	0.63	36.3	38.7	330	25.7	1.45	22.9	28.6	
1997	3,652	37.9	0.63	36.7	39.1	329	25.1	1.42	22.4	28.0	
1998	3,619	37.3	0.62	36.1	38.6	337	25.1	1.40	22.4	28.0	
1999	3,724	38.3	0.63	37.0	39.5	355	26.8	1.45	24.0	29.8	
2000	3,891	39.9	0.64	38.6	41.2	406	29.4	1.49	26.5	32.4	
2001	3,903	40.0	0.64	38.8	41.3	397	28.5	1.46	25.7	31.5	
2002	4,194	42.7	0.66	41.4	44.0	428	30.6	1.51	27.7	33.7	
2003	4,279	43.3	0.66	42.0	44.6	437	29.4	1.43	26.7	32.4	
2004	4,363	43.9	0.67	42.6	45.2	422	28.3	1.41	25.6	31.2	
2005	4,376	44.0	0.67	42.7	45.3	456	30.3	1.45	27.5	33.2	
2006	4,359	43.6	0.67	42.3	44.9	486	31.8	1.47	29.0	34.8	
2007	4,366	43.2	0.66	41.9	44.5	533	34.4	1.52	31.5	37.5	
2008	4,565	44.6	0.67	43.3	45.9	580	36.3	1.54	33.3	39.4	
2009	4,667	45.3	0.67	44.0	46.6	569	35.1	1.51	32.2	38.2	
2010	4,449	42.6	0.65	41.3	43.9	516	31.1	1.40	28.5	34.0	
2011	4,530	42.7	0.65	41.5	44.0	538	31.5	1.39	28.8	34.3	
2012	4,570	42.7	0.65	41.5	44.0	546	31.7	1.39	29.0	34.5	
2013	4,773	44.2	0.65	42.9	45.5	594	33.7	1.41	31.0	36.6	
2014	4,741	43.3	0.65	42.1	44.6	649	35.9	1.44	33.1	38.8	
2015	4,914	44.5	0.65	43.3	45.9	637	34.3	1.39	31.7	37.2	
2016	4,853	43.8	0.65	42.6	45.1	634	34.5	1.40	31.8	37.3	
2017	4,883	43.7	0.65	42.4	45.0	592	30.8	1.30	28.3	33.4	
2018	4,712	42.0	0.63	40.8	43.3	598	31.1	1.30	28.6	33.8	
2019	4,874	42.6	0.63	41.3	43.8	654	33.3	1.33	30.7	36.0	
2020	4,453	38.7	0.60	37.6	39.9	576	29.4	1.25	27.0	32.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	4,503	39.9	0.69	38.6	41.3	100,144	62.1	0.20	61.7	62.5
1990	42	32.4	5.86	22.0	45.5	2,262	52.9	1.15	50.7	55.2
1991	56	32.8	5.30	23.2	44.6	2,297	52.7	1.13	50.5	54.9
1992	54	34.2	5.55	24.2	46.4	2,363	53.6	1.13	51.4	55.9
1993	50	27.7	4.59	19.4	37.9	2,458	54.7	1.13	52.5	57.0
1994	67	37.7	5.50	27.7	49.7	2,482	55.1	1.13	52.9	57.4
1995	67	35.9	5.53	25.9	48.0	2,521	55.5	1.13	53.3	57.8
1996	59	33.0	5.35	23.3	44.7	2,695	58.6	1.15	56.4	60.9
1997	99	58.2	7.36	44.7	73.9	2,715	58.3	1.14	56.1	60.6
1998	99	46.8	5.81	36.2	59.3	2,719	58.1	1.13	55.9	60.4
1999	78	32.7	4.53	24.4	42.5	2,800	59.4	1.14	57.2	61.7
2000	93	36.9	4.51	28.6	46.6	2,942	61.7	1.15	59.5	64.0
2001	102	38.5	4.61	30.0	48.4	2,973	61.6	1.14	59.4	63.9
2002	98	35.6	4.24	27.8	44.7	3,248	67.2	1.19	64.8	69.5
2003	121	40.4	4.39	32.2	49.7	3,279	66.9	1.18	64.6	69.2
2004	115	38.4	4.27	30.5	47.5	3,317	66.7	1.17	64.4	69.1
2005	139	43.9	4.50	35.5	53.3	3,361	66.6	1.16	64.3	68.9
2006	117	34.1	3.77	27.1	42.1	3,330	65.5	1.15	63.2	67.7
2007	147	39.6	3.76	32.6	47.5	3,399	65.8	1.15	63.6	68.1
2008	151	39.2	3.84	32.1	47.3	3,593	68.3	1.16	66.1	70.6
2009	176	46.4	4.05	38.8	54.9	3,636	67.9	1.15	65.6	70.1
2010	171	37.3	3.33	31.0	44.3	3,500	64.3	1.11	62.1	66.5
2011	192	44.1	3.71	37.1	51.8	3,584	64.1	1.09	62.0	66.3
2012	197	41.2	3.38	34.8	48.2	3,598	63.2	1.08	61.1	65.4
2013	197	37.2	3.03	31.5	43.6	3,847	66.5	1.10	64.4	68.7
2014	239	47.2	3.46	40.7	54.4	3,860	65.6	1.08	63.5	67.8
2015	246	43.1	3.09	37.3	49.5	3,990	66.5	1.08	64.4	68.7
2016	261	44.4	3.08	38.5	50.7	3,921	65.3	1.07	63.2	67.4
2017	279	44.1	2.96	38.5	50.2	3,929	63.8	1.05	61.8	65.9
2018	264	39.4	2.67	34.3	44.9	3,772	61.1	1.02	59.2	63.2
2019	265	37.6	2.53	32.8	42.9	4,005	63.4	1.03	61.4	65.5
2020	262	37.1	2.51	32.3	42.3	3,748	58.9	0.99	56.9	60.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary System											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	89,417	65.4	0.22	64.9	65.8	8,604	44.1	0.50	43.2	45.1	
1990	2,124	56.4	1.26	53.9	58.9	124	26.2	2.54	21.5	31.6	
1991	2,154	56.1	1.24	53.7	58.6	127	27.5	2.59	22.7	33.0	
1992	2,185	56.3	1.23	53.9	58.8	153	33.6	2.91	28.1	39.7	
1993	2,259	57.5	1.24	55.1	60.0	175	33.4	2.68	28.3	39.0	
1994	2,289	58.1	1.24	55.7	60.6	161	32.3	2.72	27.2	38.0	
1995	2,329	58.8	1.24	56.4	61.3	169	32.6	2.65	27.6	38.2	
1996	2,472	61.9	1.26	59.4	64.4	188	35.0	2.69	29.9	40.6	
1997	2,476	61.3	1.24	58.9	63.8	194	36.5	2.80	31.2	42.4	
1998	2,486	61.4	1.24	59.0	63.9	195	35.4	2.67	30.3	40.9	
1999	2,544	62.5	1.25	60.1	65.0	215	39.6	2.88	34.1	45.6	
2000	2,657	64.7	1.26	62.3	67.2	234	42.2	2.93	36.7	48.3	
2001	2,704	65.3	1.26	62.8	67.8	226	40.1	2.83	34.8	46.0	
2002	2,949	71.1	1.32	68.5	73.7	254	46.3	3.10	40.4	52.7	
2003	2,946	70.3	1.30	67.8	72.9	282	46.7	2.93	41.1	52.8	
2004	3,001	70.7	1.30	68.2	73.3	259	43.3	2.86	37.9	49.3	
2005	3,013	70.2	1.29	67.7	72.8	271	45.1	2.92	39.6	51.1	
2006	2,978	69.0	1.28	66.5	71.5	286	47.2	2.97	41.6	53.4	
2007	3,000	68.7	1.27	66.2	71.2	324	51.6	3.03	45.8	57.8	
2008	3,186	71.7	1.29	69.2	74.3	338	51.3	2.93	45.7	57.3	
2009	3,220	71.4	1.28	68.9	74.0	343	51.6	2.95	46.0	57.7	
2010	3,097	67.7	1.24	65.3	70.2	323	46.9	2.74	41.7	52.6	
2011	3,177	67.8	1.23	65.4	70.3	319	45.0	2.66	40.0	50.5	
2012	3,190	67.2	1.22	64.8	69.6	329	46.3	2.69	41.2	51.8	
2013	3,366	69.9	1.23	67.5	72.4	379	52.2	2.80	46.8	57.9	
2014	3,324	68.2	1.21	65.8	70.6	423	56.6	2.88	51.1	62.5	
2015	3,449	69.6	1.22	67.3	72.1	423	54.6	2.78	49.3	60.3	
2016	3,439	69.4	1.22	67.0	71.8	385	50.5	2.68	45.4	56.0	
2017	3,456	68.1	1.19	65.8	70.5	372	47.2	2.55	42.3	52.4	
2018	3,279	64.8	1.16	62.6	67.1	369	46.2	2.50	41.4	51.3	
2019	3,458	66.8	1.17	64.5	69.1	397	49.6	2.58	44.6	54.9	
2020	3,210	61.3	1.12	59.2	63.6	367	45.4	2.45	40.7	50.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary System											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,377	17.8	0.39	17.0	18.5	45,674	21.4	0.10	21.2	21.6	
1990	29	15.3	3.15	9.8	22.6	1,012	16.6	0.53	15.6	17.7	
1991	20	10.2	2.52	5.9	16.2	1,038	16.6	0.52	15.6	17.7	
1992	24	11.4	2.54	7.0	17.4	1,110	17.6	0.54	16.6	18.7	
1993	24	12.0	2.61	7.5	18.1	1,145	18.0	0.54	17.0	19.1	
1994	32	15.4	2.94	10.2	22.1	1,233	19.1	0.55	18.1	20.2	
1995	33	14.7	2.90	9.5	21.2	1,201	18.6	0.54	17.6	19.7	
1996	39	17.3	3.06	11.8	24.1	1,277	19.9	0.56	18.8	21.0	
1997	43	19.4	3.35	13.4	26.8	1,336	20.6	0.57	19.5	21.8	
1998	42	14.8	2.53	10.3	20.5	1,294	20.0	0.56	18.9	21.1	
1999	63	25.5	3.61	18.9	33.3	1,336	20.4	0.56	19.3	21.5	
2000	48	14.1	2.30	10.0	19.3	1,419	21.6	0.58	20.5	22.8	
2001	57	18.1	2.71	13.1	24.0	1,388	21.1	0.57	20.0	22.2	
2002	55	17.3	2.58	12.7	23.0	1,443	21.7	0.58	20.6	22.8	
2003	71	19.7	2.61	15.0	25.4	1,513	22.9	0.59	21.7	24.1	
2004	50	12.0	1.90	8.6	16.3	1,548	23.1	0.59	22.0	24.3	
2005	65	17.7	2.42	13.2	22.9	1,587	23.6	0.60	22.5	24.8	
2006	78	19.6	2.49	15.1	25.0	1,607	23.8	0.60	22.6	25.0	
2007	87	18.7	2.17	14.7	23.4	1,605	23.6	0.60	22.4	24.8	
2008	84	18.7	2.22	14.6	23.5	1,644	23.9	0.60	22.7	25.1	
2009	85	17.6	2.10	13.7	22.1	1,699	24.5	0.61	23.4	25.8	
2010	91	17.6	2.04	13.8	22.0	1,584	22.4	0.58	21.3	23.6	
2011	119	21.7	2.17	17.7	26.4	1,619	22.8	0.58	21.6	23.9	
2012	112	19.2	1.95	15.6	23.4	1,639	22.8	0.58	21.7	24.0	
2013	129	21.9	2.07	18.0	26.3	1,651	22.7	0.57	21.6	23.8	
2014	128	21.4	2.01	17.6	25.7	1,676	22.6	0.57	21.5	23.7	
2015	124	18.9	1.80	15.5	22.7	1,721	23.2	0.58	22.1	24.4	
2016	106	15.3	1.57	12.4	18.6	1,705	22.6	0.57	21.6	23.8	
2017	122	17.4	1.65	14.3	20.9	1,695	22.7	0.57	21.6	23.9	
2018	139	18.5	1.64	15.4	22.0	1,718	22.5	0.56	21.5	23.7	
2019	143	19.2	1.68	16.0	22.7	1,722	22.1	0.55	21.1	23.2	
2020	135	16.4	1.46	13.6	19.5	1,509	19.7	0.53	18.7	20.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary System											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	39,234	22.1	0.11	21.8	22.3	5,572	20.0	0.27	19.4	20.5	
1990	906	17.1	0.58	16.0	18.3	98	14.4	1.48	11.7	17.6	
1991	937	17.1	0.57	16.0	18.3	91	13.7	1.46	11.0	16.8	
1992	1,002	18.3	0.59	17.2	19.5	98	14.2	1.45	11.5	17.3	
1993	1,004	18.1	0.58	17.0	19.3	126	16.9	1.54	14.1	20.2	
1994	1,091	19.5	0.60	18.3	20.7	134	18.2	1.59	15.2	21.5	
1995	1,071	19.2	0.60	18.1	20.4	121	15.9	1.47	13.2	19.0	
1996	1,118	20.2	0.62	19.1	21.5	142	18.8	1.60	15.8	22.2	
1997	1,176	21.1	0.63	19.9	22.4	135	17.4	1.52	14.6	20.6	
1998	1,133	20.5	0.62	19.3	21.7	142	18.0	1.53	15.2	21.3	
1999	1,180	21.3	0.63	20.1	22.6	140	18.2	1.55	15.3	21.4	
2000	1,234	22.2	0.64	20.9	23.5	172	21.0	1.62	18.0	24.4	
2001	1,199	21.6	0.63	20.3	22.8	171	20.8	1.60	17.8	24.2	
2002	1,245	22.1	0.64	20.9	23.4	174	20.8	1.59	17.8	24.1	
2003	1,333	24.0	0.67	22.7	25.3	155	18.0	1.45	15.2	21.0	
2004	1,362	24.2	0.67	22.9	25.6	163	18.6	1.47	15.8	21.7	
2005	1,363	24.4	0.67	23.1	25.7	185	20.8	1.54	17.9	24.0	
2006	1,381	24.5	0.67	23.2	25.9	200	22.1	1.58	19.1	25.4	
2007	1,366	24.2	0.67	22.9	25.6	209	23.1	1.61	20.0	26.4	
2008	1,379	24.1	0.67	22.9	25.5	242	25.9	1.68	22.7	29.4	
2009	1,447	25.4	0.69	24.0	26.8	226	24.1	1.62	21.0	27.5	
2010	1,352	23.4	0.66	22.1	24.7	193	20.1	1.46	17.3	23.1	
2011	1,353	23.3	0.65	22.1	24.7	219	22.0	1.51	19.2	25.2	
2012	1,380	23.4	0.65	22.1	24.7	217	21.9	1.51	19.0	25.1	
2013	1,407	23.8	0.66	22.6	25.2	215	21.1	1.46	18.3	24.1	
2014	1,417	23.7	0.65	22.4	25.0	226	21.4	1.45	18.7	24.5	
2015	1,465	24.5	0.67	23.2	25.8	214	20.2	1.40	17.5	23.1	
2016	1,414	23.4	0.65	22.1	24.7	249	23.4	1.51	20.5	26.5	
2017	1,427	24.0	0.67	22.8	25.4	220	19.6	1.35	17.0	22.4	
2018	1,433	23.7	0.66	22.4	25.0	229	20.5	1.38	17.9	23.4	
2019	1,416	23.0	0.64	21.8	24.3	257	22.0	1.40	19.4	25.0	
2020	1,243	20.4	0.61	19.3	21.7	209	18.1	1.28	15.7	20.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary Bladder (incl in situ)											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,430	11.7	0.26	11.2	12.2	84,016	22.1	0.08	22.0	22.3	
1990	37	13.2	2.39	8.9	18.5	2,165	20.4	0.44	19.6	21.3	
1991	41	11.8	2.08	8.1	16.5	2,123	19.9	0.43	19.0	20.8	
1992	40	11.2	1.95	7.7	15.6	2,211	20.3	0.44	19.5	21.2	
1993	38	10.2	1.84	7.0	14.4	2,346	21.4	0.44	20.5	22.3	
1994	46	12.6	2.07	8.9	17.2	2,371	21.5	0.44	20.6	22.4	
1995	41	10.8	1.98	7.3	15.2	2,311	20.8	0.43	19.9	21.6	
1996	42	11.2	1.94	7.7	15.5	2,557	22.9	0.45	22.0	23.8	
1997	65	19.9	2.78	14.8	25.8	2,519	22.4	0.45	21.5	23.3	
1998	64	14.7	2.11	10.9	19.3	2,503	22.1	0.44	21.2	23.0	
1999	66	15.0	2.12	11.2	19.6	2,592	22.7	0.45	21.9	23.6	
2000	59	10.9	1.60	8.0	14.5	2,704	23.6	0.45	22.7	24.5	
2001	73	15.5	2.05	11.8	19.9	2,619	22.7	0.44	21.9	23.6	
2002	68	13.8	1.88	10.4	17.9	2,808	24.2	0.46	23.3	25.1	
2003	80	13.4	1.69	10.3	17.0	2,841	24.3	0.46	23.4	25.2	
2004	68	12.0	1.63	9.0	15.5	2,807	23.8	0.45	22.9	24.7	
2005	81	13.6	1.68	10.5	17.2	2,898	24.4	0.45	23.5	25.3	
2006	60	10.1	1.45	7.5	13.3	2,716	22.7	0.44	21.9	23.6	
2007	81	11.4	1.40	8.8	14.4	2,781	23.0	0.44	22.1	23.8	
2008	73	11.1	1.44	8.5	14.2	2,941	24.0	0.45	23.1	24.9	
2009	88	12.3	1.43	9.7	15.4	2,972	23.9	0.44	23.0	24.8	
2010	90	11.5	1.33	9.0	14.3	2,833	22.4	0.43	21.6	23.2	
2011	96	12.3	1.36	9.8	15.2	2,858	22.2	0.42	21.4	23.1	
2012	101	12.3	1.32	9.8	15.1	2,811	21.6	0.41	20.8	22.4	
2013	100	10.2	1.10	8.1	12.5	3,058	23.1	0.42	22.3	23.9	
2014	126	13.9	1.32	11.4	16.7	2,946	21.8	0.41	21.0	22.6	
2015	125	12.4	1.19	10.2	14.9	3,092	22.5	0.41	21.7	23.3	
2016	105	10.5	1.08	8.5	12.8	3,006	21.8	0.41	21.0	22.6	
2017	115	10.1	1.00	8.2	12.2	3,009	21.4	0.40	20.6	22.2	
2018	119	9.7	0.94	7.9	11.7	2,847	20.0	0.38	19.3	20.8	
2019	125	10.4	0.98	8.6	12.5	2,957	20.3	0.38	19.6	21.1	
2020	117	8.8	0.87	7.2	10.7	2,814	19.2	0.37	18.5	19.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary Bladder (incl in situ)											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	76,809	23.9	0.09	23.7	24.1	5,568	12.3	0.17	12.0	12.7	
1990	2,044	21.9	0.49	21.0	22.9	107	9.7	0.97	7.9	11.8	
1991	1,998	21.3	0.48	20.3	22.2	109	10.1	0.99	8.3	12.2	
1992	2,064	21.6	0.48	20.7	22.6	125	11.3	1.04	9.4	13.5	
1993	2,189	22.8	0.49	21.9	23.8	140	11.8	1.02	9.8	13.9	
1994	2,210	22.9	0.49	21.9	23.9	140	11.9	1.03	10.0	14.1	
1995	2,154	22.2	0.48	21.3	23.2	135	11.1	0.98	9.3	13.2	
1996	2,367	24.4	0.50	23.5	25.5	154	12.9	1.06	10.9	15.1	
1997	2,331	23.9	0.50	23.0	24.9	147	12.2	1.03	10.3	14.4	
1998	2,311	23.6	0.49	22.7	24.6	155	12.1	0.99	10.3	14.2	
1999	2,397	24.4	0.50	23.4	25.4	162	13.1	1.05	11.1	15.3	
2000	2,497	25.4	0.51	24.4	26.4	174	13.2	1.02	11.3	15.4	
2001	2,424	24.6	0.50	23.6	25.6	162	12.5	1.00	10.6	14.6	
2002	2,597	26.2	0.52	25.2	27.2	176	13.5	1.04	11.6	15.7	
2003	2,638	26.4	0.52	25.4	27.5	156	11.3	0.92	9.5	13.2	
2004	2,588	25.8	0.51	24.8	26.8	163	11.5	0.92	9.8	13.5	
2005	2,653	26.4	0.52	25.4	27.4	178	12.5	0.96	10.7	14.5	
2006	2,494	24.7	0.50	23.7	25.7	175	12.5	0.96	10.7	14.5	
2007	2,526	24.7	0.50	23.7	25.7	193	13.1	0.96	11.3	15.1	
2008	2,653	25.7	0.50	24.7	26.7	236	15.7	1.04	13.7	17.9	
2009	2,694	25.7	0.50	24.8	26.7	228	14.9	1.01	13.0	17.0	
2010	2,588	24.4	0.49	23.5	25.4	188	12.1	0.90	10.4	14.0	
2011	2,598	24.2	0.48	23.3	25.2	195	12.1	0.88	10.4	13.9	
2012	2,570	23.7	0.48	22.8	24.7	187	11.6	0.86	10.0	13.4	
2013	2,751	25.1	0.49	24.1	26.0	239	14.3	0.94	12.5	16.2	
2014	2,632	23.7	0.47	22.8	24.6	239	13.5	0.89	11.8	15.3	
2015	2,801	24.7	0.48	23.8	25.7	211	11.9	0.84	10.4	13.7	
2016	2,709	23.9	0.47	23.0	24.9	225	12.4	0.85	10.8	14.2	
2017	2,740	23.7	0.46	22.8	24.7	195	10.5	0.77	9.0	12.1	
2018	2,545	21.9	0.44	21.0	22.8	206	11.0	0.78	9.5	12.6	
2019	2,592	21.8	0.44	21.0	22.7	250	13.2	0.85	11.6	14.9	
2020	2,454	20.6	0.42	19.7	21.4	218	11.2	0.78	9.8	12.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary Bladder (incl in situ)										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,757	19.0	0.51	18.0	20.0	62,208	39.3	0.16	39.0	39.6
1990	28	22.5	4.87	14.0	33.7	1,606	38.0	0.98	36.1	40.0
1991	32	21.3	4.58	13.3	31.8	1,555	36.2	0.95	34.4	38.1
1992	33	21.0	4.21	13.6	30.6	1,612	37.2	0.95	35.3	39.1
1993	25	14.6	3.36	8.8	22.5	1,717	38.7	0.96	36.9	40.7
1994	33	19.9	4.13	12.7	29.3	1,673	37.6	0.94	35.8	39.5
1995	30	17.0	3.92	10.2	26.0	1,693	37.8	0.94	36.0	39.7
1996	28	16.3	3.79	9.7	25.0	1,845	40.7	0.97	38.9	42.7
1997	49	35.5	6.04	24.6	48.7	1,826	39.8	0.94	38.0	41.7
1998	47	25.3	4.38	17.5	35.0	1,834	39.7	0.94	37.9	41.6
1999	40	18.9	3.59	12.5	26.9	1,889	40.6	0.95	38.8	42.5
2000	42	18.7	3.41	12.6	26.4	1,958	41.7	0.95	39.9	43.7
2001	50	24.3	4.01	17.1	33.2	1,929	40.7	0.94	38.9	42.6
2002	50	22.8	3.66	16.2	30.9	2,088	44.1	0.98	42.2	46.1
2003	56	20.8	3.32	14.8	28.0	2,059	42.9	0.95	41.0	44.8
2004	52	21.1	3.38	15.0	28.5	2,096	43.0	0.95	41.2	44.9
2005	60	23.3	3.55	16.8	31.0	2,121	42.8	0.94	41.0	44.7
2006	39	15.3	2.80	10.3	21.5	1,974	39.8	0.91	38.0	41.6
2007	59	18.8	2.78	13.8	24.9	2,056	40.7	0.91	39.0	42.6
2008	53	18.8	2.98	13.4	25.3	2,179	42.5	0.92	40.7	44.4
2009	63	20.8	2.89	15.5	27.0	2,242	42.8	0.92	41.1	44.7
2010	63	17.8	2.53	13.2	23.3	2,136	40.1	0.88	38.4	41.9
2011	67	19.8	2.66	14.9	25.5	2,122	39.0	0.86	37.3	40.7
2012	74	20.7	2.66	15.8	26.4	2,097	37.8	0.84	36.2	39.5
2013	65	13.8	1.91	10.3	17.9	2,321	40.9	0.87	39.2	42.7
2014	92	22.7	2.58	17.9	28.2	2,219	38.4	0.83	36.7	40.0
2015	88	19.1	2.24	14.9	23.9	2,306	38.9	0.83	37.3	40.6
2016	83	18.7	2.21	14.7	23.5	2,245	37.8	0.82	36.3	39.5
2017	88	16.9	1.99	13.2	21.1	2,303	37.9	0.81	36.3	39.5
2018	86	15.5	1.82	12.1	19.4	2,133	34.7	0.77	33.2	36.3
2019	92	16.1	1.81	12.8	20.0	2,239	35.7	0.77	34.2	37.2
2020	90	15.2	1.74	12.0	18.9	2,135	33.6	0.74	32.1	35.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary Bladder (incl in situ)											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	57,462	42.5	0.18	42.1	42.8	3,507	19.7	0.35	19.0	20.3	
1990	1,539	41.1	1.08	39.0	43.3	57	13.0	1.87	9.6	17.1	
1991	1,482	39.1	1.05	37.0	41.2	62	14.4	1.93	10.8	18.6	
1992	1,519	39.6	1.04	37.6	41.7	74	17.4	2.18	13.4	22.1	
1993	1,619	41.6	1.06	39.5	43.7	88	18.1	2.04	14.4	22.5	
1994	1,578	40.4	1.04	38.4	42.4	79	17.1	2.05	13.3	21.5	
1995	1,598	40.8	1.04	38.8	42.9	79	16.3	1.93	12.7	20.4	
1996	1,739	44.0	1.07	41.9	46.1	81	16.1	1.89	12.6	20.2	
1997	1,705	42.5	1.04	40.5	44.6	91	19.6	2.19	15.5	24.3	
1998	1,707	42.4	1.04	40.4	44.5	101	19.1	2.01	15.4	23.4	
1999	1,764	43.6	1.05	41.6	45.7	97	20.3	2.20	16.2	25.0	
2000	1,824	44.9	1.06	42.8	47.0	107	20.8	2.14	16.9	25.4	
2001	1,813	44.2	1.05	42.2	46.3	92	18.2	2.01	14.4	22.4	
2002	1,967	48.0	1.09	45.9	50.2	97	20.0	2.15	16.0	24.5	
2003	1,921	46.4	1.07	44.3	48.5	105	19.0	1.97	15.3	23.2	
2004	1,947	46.5	1.06	44.5	48.7	107	19.2	1.99	15.5	23.5	
2005	1,972	46.5	1.06	44.5	48.6	106	19.4	2.00	15.6	23.6	
2006	1,828	43.0	1.01	41.0	45.0	110	21.1	2.13	17.2	25.6	
2007	1,887	43.8	1.02	41.8	45.9	122	20.9	2.02	17.1	25.2	
2008	1,998	45.7	1.03	43.7	47.8	142	23.4	2.07	19.6	27.8	
2009	2,056	46.1	1.03	44.1	48.2	149	24.7	2.15	20.7	29.2	
2010	1,966	43.5	1.00	41.6	45.5	125	19.8	1.86	16.4	23.8	
2011	1,951	42.3	0.97	40.4	44.3	123	19.5	1.86	16.0	23.5	
2012	1,947	41.6	0.96	39.8	43.6	111	17.0	1.70	13.9	20.7	
2013	2,104	44.1	0.98	42.2	46.1	160	24.4	2.01	20.6	28.6	
2014	1,994	41.3	0.94	39.4	43.1	163	22.7	1.87	19.2	26.6	
2015	2,095	42.3	0.95	40.5	44.2	147	20.9	1.81	17.5	24.8	
2016	2,040	41.4	0.94	39.5	43.2	156	21.6	1.81	18.2	25.4	
2017	2,108	41.6	0.93	39.8	43.5	139	19.2	1.70	16.0	22.8	
2018	1,925	37.8	0.88	36.1	39.5	134	17.8	1.60	14.8	21.2	
2019	1,989	38.2	0.87	36.5	39.9	156	21.0	1.74	17.7	24.7	
2020	1,880	35.7	0.84	34.1	37.4	147	19.0	1.62	16.0	22.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary Bladder (incl in situ)										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	673	5.9	0.24	5.4	6.4	21,808	9.9	0.07	9.8	10.1
1990	9	6.2	2.23	2.6	11.8	559	9.0	0.39	8.3	9.8
1991	9	4.7	1.65	2.1	9.0	568	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	7.1	599	9.3	0.38	8.6	10.1
1993	13	6.7	1.99	3.4	11.6	629	9.7	0.39	9.0	10.5
1994	13	6.7	2.02	3.4	11.7	698	10.6	0.41	9.8	11.4
1995	11	5.9	1.98	2.7	10.8	618	9.4	0.38	8.6	10.1
1996	14	7.4	2.07	3.9	12.3	712	10.7	0.41	10.0	11.6
1997	16	9.0	2.41	4.9	14.6	693	10.5	0.40	9.7	11.3
1998	17	6.5	1.80	3.5	10.9	669	10.1	0.39	9.3	10.9
1999	26	11.7	2.53	7.2	17.4	703	10.5	0.40	9.7	11.3
2000	17	4.9	1.23	2.7	7.9	746	11.1	0.41	10.3	12.0
2001	23	8.6	2.00	5.1	13.2	690	10.2	0.39	9.4	11.0
2002	18	6.5	1.72	3.6	10.5	720	10.5	0.40	9.7	11.3
2003	24	7.5	1.66	4.6	11.3	782	11.6	0.42	10.8	12.4
2004	16	4.7	1.32	2.5	7.9	711	10.3	0.39	9.6	11.1
2005	21	6.3	1.45	3.8	9.7	777	11.3	0.41	10.5	12.1
2006	21	6.2	1.49	3.6	9.7	742	10.8	0.40	10.0	11.6
2007	22	5.4	1.25	3.2	8.3	725	10.3	0.39	9.6	11.1
2008	20	5.4	1.28	3.2	8.4	762	10.8	0.40	10.0	11.6
2009	25	5.8	1.27	3.6	8.8	730	10.2	0.38	9.5	11.0
2010	27	6.2	1.32	3.9	9.3	697	9.5	0.37	8.8	10.2
2011	29	6.6	1.30	4.3	9.5	736	10.1	0.38	9.4	10.9
2012	27	5.8	1.18	3.7	8.4	714	9.6	0.37	8.9	10.4
2013	35	7.0	1.24	4.8	9.8	737	9.8	0.37	9.0	10.5
2014	34	6.9	1.23	4.7	9.7	727	9.5	0.36	8.8	10.3
2015	37	6.9	1.19	4.8	9.6	786	10.1	0.37	9.4	10.9
2016	22	4.0	0.89	2.5	6.1	761	9.6	0.36	8.9	10.3
2017	27	4.5	0.89	2.9	6.5	706	8.9	0.34	8.3	9.6
2018	33	5.0	0.91	3.4	7.1	714	9.0	0.34	8.3	9.7
2019	33	5.4	0.97	3.7	7.6	718	8.7	0.33	8.0	9.4
2020	27	3.6	0.72	2.3	5.3	679	8.3	0.33	7.7	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urinary Bladder (incl in situ)										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	19,347	10.5	0.08	10.3	10.6	2,061	7.6	0.17	7.3	8.0
1990	505	9.3	0.42	8.5	10.1	50	7.6	1.09	5.6	10.1
1991	516	9.2	0.41	8.4	10.1	47	7.4	1.09	5.4	9.8
1992	545	9.7	0.42	8.9	10.6	51	7.7	1.09	5.7	10.1
1993	570	10.1	0.43	9.2	11.0	52	7.4	1.05	5.5	9.8
1994	632	11.0	0.45	10.2	11.9	61	8.6	1.12	6.6	11.1
1995	556	9.7	0.42	8.9	10.6	56	7.6	1.03	5.7	9.9
1996	628	11.0	0.45	10.1	11.9	73	10.3	1.21	8.0	12.9
1997	626	11.0	0.45	10.1	11.9	56	7.7	1.03	5.8	9.9
1998	604	10.7	0.44	9.8	11.6	54	7.3	1.00	5.5	9.5
1999	633	11.0	0.45	10.2	11.9	65	8.7	1.09	6.7	11.1
2000	673	11.8	0.46	10.9	12.7	67	8.5	1.05	6.6	10.8
2001	611	10.7	0.44	9.8	11.6	70	8.9	1.07	6.9	11.2
2002	630	10.8	0.44	9.9	11.7	79	9.8	1.11	7.8	12.3
2003	717	12.5	0.48	11.6	13.5	51	6.3	0.89	4.7	8.3
2004	641	11.0	0.44	10.1	11.9	56	6.7	0.90	5.0	8.6
2005	681	11.7	0.46	10.8	12.6	72	8.4	1.00	6.6	10.6
2006	666	11.5	0.46	10.7	12.5	65	7.5	0.94	5.8	9.6
2007	639	10.8	0.44	10.0	11.7	71	8.2	0.98	6.4	10.3
2008	655	11.1	0.44	10.2	12.0	94	10.6	1.10	8.6	13.0
2009	638	10.7	0.43	9.9	11.6	79	8.8	1.00	6.9	10.9
2010	622	10.2	0.42	9.4	11.0	63	6.9	0.87	5.3	8.8
2011	647	10.8	0.43	9.9	11.7	72	7.5	0.89	5.8	9.4
2012	623	10.1	0.41	9.3	11.0	76	8.1	0.94	6.4	10.1
2013	647	10.4	0.42	9.6	11.3	79	7.9	0.90	6.2	9.8
2014	638	10.3	0.42	9.5	11.2	76	7.3	0.85	5.8	9.2
2015	706	11.1	0.43	10.3	12.0	64	6.2	0.79	4.8	7.9
2016	669	10.4	0.42	9.6	11.3	69	6.4	0.78	4.9	8.1
2017	632	9.9	0.41	9.1	10.7	56	4.9	0.67	3.7	6.4
2018	620	9.6	0.40	8.9	10.5	72	6.5	0.78	5.1	8.3
2019	603	9.1	0.38	8.4	9.9	94	8.0	0.84	6.5	9.9
2020	574	8.7	0.38	8.0	9.5	71	6.1	0.74	4.7	7.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kidney and Renal Pelvis											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,324	15.5	0.26	15.0	16.0	58,256	15.6	0.06	15.4	15.7	
1990	33	8.6	1.70	5.6	12.5	1,006	9.7	0.31	9.1	10.3	
1991	31	6.8	1.33	4.5	9.9	1,106	10.5	0.32	9.8	11.1	
1992	36	9.0	1.69	5.9	12.8	1,172	10.9	0.32	10.3	11.6	
1993	32	7.9	1.56	5.2	11.5	1,167	10.7	0.32	10.1	11.4	
1994	50	12.1	1.92	8.6	16.3	1,239	11.4	0.32	10.7	12.0	
1995	59	13.1	2.01	9.5	17.6	1,313	11.9	0.33	11.3	12.6	
1996	53	11.3	1.82	8.0	15.3	1,334	12.2	0.33	11.5	12.8	
1997	74	14.9	2.10	11.1	19.5	1,435	13.0	0.34	12.3	13.7	
1998	70	12.5	1.74	9.3	16.3	1,410	12.6	0.34	12.0	13.3	
1999	69	12.7	1.82	9.3	16.7	1,457	12.9	0.34	12.3	13.6	
2000	79	12.7	1.66	9.7	16.3	1,553	13.7	0.35	13.0	14.4	
2001	83	11.0	1.37	8.5	14.0	1,648	14.5	0.36	13.8	15.2	
2002	81	11.3	1.41	8.7	14.4	1,774	15.4	0.37	14.7	16.1	
2003	107	15.0	1.67	11.9	18.6	1,847	15.9	0.37	15.2	16.6	
2004	97	11.9	1.37	9.3	14.8	1,953	16.6	0.38	15.9	17.4	
2005	121	15.5	1.63	12.5	19.0	1,939	16.5	0.38	15.7	17.2	
2006	133	15.8	1.58	12.8	19.1	2,099	17.7	0.39	16.9	18.4	
2007	148	16.1	1.46	13.3	19.2	2,101	17.5	0.38	16.7	18.2	
2008	159	16.3	1.45	13.6	19.4	2,174	17.8	0.39	17.0	18.6	
2009	170	17.6	1.53	14.7	20.8	2,240	18.2	0.39	17.4	19.0	
2010	170	15.0	1.29	12.5	17.7	2,116	16.9	0.37	16.2	17.6	
2011	211	18.7	1.45	16.0	21.8	2,218	17.4	0.38	16.6	18.1	
2012	201	16.0	1.23	13.7	18.6	2,300	17.8	0.38	17.1	18.6	
2013	220	18.3	1.36	15.7	21.1	2,329	17.8	0.38	17.1	18.6	
2014	235	18.6	1.33	16.1	21.4	2,452	18.5	0.38	17.8	19.3	
2015	236	16.8	1.18	14.6	19.3	2,498	18.8	0.39	18.0	19.6	
2016	257	17.7	1.19	15.5	20.2	2,481	18.5	0.38	17.8	19.3	
2017	280	19.1	1.23	16.8	21.7	2,468	18.4	0.38	17.6	19.1	
2018	279	18.1	1.15	16.0	20.5	2,508	18.5	0.38	17.8	19.3	
2019	279	17.2	1.09	15.2	19.5	2,617	19.0	0.38	18.2	19.7	
2020	271	16.5	1.05	14.5	18.7	2,302	16.8	0.36	16.1	17.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kidney and Renal Pelvis											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	48,689	15.7	0.07	15.5	15.8	8,296	16.7	0.19	16.4	17.1	
1990	894	9.9	0.34	9.3	10.6	105	8.5	0.85	6.9	10.3	
1991	998	10.9	0.35	10.2	11.6	100	8.3	0.86	6.8	10.2	
1992	1,040	11.2	0.35	10.5	11.9	121	9.9	0.92	8.2	11.8	
1993	994	10.6	0.34	10.0	11.3	151	10.9	0.91	9.2	12.8	
1994	1,075	11.4	0.35	10.8	12.2	147	11.2	0.95	9.4	13.2	
1995	1,154	12.2	0.36	11.5	12.9	150	11.2	0.94	9.4	13.2	
1996	1,150	12.3	0.36	11.6	13.0	169	12.3	0.97	10.5	14.3	
1997	1,231	13.0	0.37	12.3	13.8	175	12.3	0.95	10.5	14.3	
1998	1,214	12.8	0.37	12.1	13.5	179	12.7	0.97	10.9	14.8	
1999	1,254	13.1	0.37	12.4	13.9	183	13.0	0.98	11.1	15.0	
2000	1,302	13.6	0.38	12.9	14.3	220	15.2	1.04	13.2	17.3	
2001	1,393	14.5	0.39	13.8	15.3	228	15.5	1.05	13.5	17.7	
2002	1,495	15.5	0.40	14.7	16.3	245	16.6	1.08	14.6	18.9	
2003	1,552	16.0	0.41	15.2	16.8	268	17.4	1.08	15.3	19.6	
2004	1,690	17.2	0.42	16.4	18.0	241	15.5	1.02	13.6	17.6	
2005	1,622	16.6	0.42	15.8	17.4	272	17.4	1.08	15.4	19.6	
2006	1,758	17.8	0.43	17.0	18.7	298	18.4	1.08	16.3	20.6	
2007	1,735	17.5	0.42	16.6	18.3	324	20.2	1.14	18.1	22.6	
2008	1,799	17.8	0.43	17.0	18.7	337	20.2	1.12	18.1	22.5	
2009	1,864	18.5	0.44	17.6	19.4	329	19.4	1.09	17.3	21.6	
2010	1,741	17.0	0.42	16.2	17.9	317	18.3	1.05	16.3	20.4	
2011	1,820	17.5	0.42	16.7	18.3	335	19.0	1.06	16.9	21.1	
2012	1,886	17.9	0.42	17.1	18.8	349	19.4	1.06	17.4	21.6	
2013	1,924	18.2	0.43	17.3	19.0	342	18.7	1.03	16.7	20.9	
2014	1,989	18.6	0.43	17.7	19.4	399	21.8	1.12	19.7	24.1	
2015	2,008	18.9	0.44	18.0	19.8	415	21.7	1.09	19.6	24.0	
2016	2,023	18.8	0.44	18.0	19.7	394	21.3	1.10	19.2	23.5	
2017	2,016	18.8	0.44	18.0	19.7	384	19.7	1.03	17.7	21.8	
2018	2,048	19.1	0.44	18.2	20.0	381	19.5	1.03	17.6	21.6	
2019	2,148	19.6	0.44	18.8	20.5	392	19.5	1.01	17.6	21.6	
2020	1,872	17.1	0.42	16.3	18.0	346	17.6	0.97	15.7	19.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kidney and Renal Pelvis											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,671	20.1	0.45	19.2	21.0	35,740	21.4	0.11	21.2	21.6	
1990	13	8.3	2.86	3.7	15.5	596	13.6	0.57	12.5	14.7	
1991	23	11.1	2.63	6.6	17.5	681	15.0	0.59	13.9	16.2	
1992	20	11.4	3.14	6.1	19.0	695	15.2	0.59	14.1	16.4	
1993	22	11.4	2.97	6.4	18.6	690	14.8	0.57	13.7	16.0	
1994	31	16.3	3.51	10.1	24.4	750	16.1	0.60	15.0	17.4	
1995	37	18.8	3.91	12.0	27.7	765	16.3	0.60	15.1	17.5	
1996	29	14.5	3.39	8.6	22.3	802	16.8	0.60	15.7	18.0	
1997	50	22.7	4.22	15.2	32.2	823	17.1	0.60	16.0	18.3	
1998	48	19.4	3.55	13.1	27.4	823	17.1	0.60	16.0	18.3	
1999	34	12.2	2.64	7.6	18.4	857	17.6	0.61	16.5	18.9	
2000	48	16.5	2.77	11.5	22.7	927	18.8	0.62	17.6	20.0	
2001	51	13.5	2.18	9.6	18.5	986	19.7	0.63	18.5	21.0	
2002	46	12.2	2.08	8.5	17.0	1,090	21.6	0.66	20.3	22.9	
2003	62	18.8	2.83	13.6	25.0	1,155	22.7	0.67	21.4	24.0	
2004	63	17.3	2.61	12.6	23.1	1,162	22.5	0.67	21.2	23.8	
2005	77	20.0	2.72	15.0	25.9	1,171	22.4	0.66	21.1	23.7	
2006	77	18.6	2.52	14.0	24.1	1,282	24.2	0.68	22.9	25.6	
2007	83	19.4	2.45	14.9	24.7	1,271	23.6	0.67	22.3	25.0	
2008	96	19.8	2.36	15.4	24.9	1,340	24.3	0.68	23.0	25.7	
2009	113	25.7	2.84	20.4	31.7	1,320	23.6	0.66	22.3	24.9	
2010	107	19.3	2.16	15.3	23.9	1,283	22.6	0.65	21.4	23.9	
2011	123	23.9	2.57	19.1	29.4	1,375	23.6	0.65	22.3	24.9	
2012	118	19.5	2.02	15.8	23.9	1,424	24.0	0.65	22.7	25.3	
2013	130	23.0	2.32	18.7	27.9	1,455	24.3	0.65	23.1	25.6	
2014	143	23.8	2.28	19.6	28.7	1,564	25.9	0.67	24.6	27.3	
2015	154	22.9	2.05	19.1	27.3	1,607	26.2	0.67	24.9	27.5	
2016	174	24.8	2.10	20.9	29.3	1,578	25.7	0.67	24.5	27.1	
2017	187	26.3	2.14	22.3	30.8	1,540	24.6	0.65	23.3	25.9	
2018	174	23.2	1.93	19.6	27.3	1,554	25.0	0.65	23.7	26.3	
2019	172	21.2	1.74	17.9	24.9	1,660	26.2	0.66	24.9	27.5	
2020	166	21.0	1.77	17.7	24.7	1,514	23.8	0.63	22.6	25.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kidney and Renal Pelvis											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	29,951	21.4	0.12	21.2	21.6	4,949	23.7	0.35	23.0	24.4	
1990	527	13.8	0.61	12.6	15.1	65	12.6	1.64	9.6	16.2	
1991	616	15.6	0.64	14.3	16.9	61	12.5	1.69	9.4	16.2	
1992	616	15.5	0.63	14.3	16.8	74	15.0	1.85	11.6	19.0	
1993	594	14.8	0.62	13.6	16.1	82	14.0	1.63	11.0	17.6	
1994	655	16.3	0.64	15.0	17.6	81	15.0	1.77	11.7	18.8	
1995	672	16.5	0.64	15.3	17.8	87	15.7	1.78	12.4	19.6	
1996	687	16.8	0.64	15.5	18.1	105	18.4	1.89	14.9	22.5	
1997	708	17.2	0.65	16.0	18.6	100	16.2	1.69	13.1	19.9	
1998	719	17.5	0.66	16.2	18.8	92	15.8	1.74	12.6	19.6	
1999	732	17.7	0.66	16.4	19.0	114	18.5	1.80	15.1	22.3	
2000	781	18.6	0.67	17.3	20.0	122	20.2	1.92	16.6	24.3	
2001	838	19.7	0.68	18.4	21.1	130	21.0	1.93	17.4	25.1	
2002	914	21.4	0.71	20.0	22.8	155	26.0	2.22	21.9	30.7	
2003	969	22.5	0.73	21.1	24.0	169	26.5	2.13	22.5	31.0	
2004	1,004	23.0	0.73	21.6	24.4	145	22.6	1.97	18.9	26.8	
2005	976	22.2	0.72	20.8	23.6	163	25.3	2.11	21.4	29.8	
2006	1,082	24.4	0.75	23.0	25.9	170	25.0	2.02	21.2	29.3	
2007	1,050	23.3	0.73	21.9	24.8	194	29.3	2.19	25.2	33.9	
2008	1,119	24.4	0.74	23.0	25.9	193	27.5	2.06	23.6	31.8	
2009	1,095	23.7	0.73	22.3	25.2	190	26.0	1.97	22.3	30.2	
2010	1,060	22.6	0.71	21.3	24.1	191	25.8	1.96	22.1	29.9	
2011	1,146	23.8	0.72	22.4	25.3	192	25.0	1.89	21.5	29.0	
2012	1,175	24.1	0.72	22.7	25.5	210	27.9	2.02	24.1	32.2	
2013	1,194	24.3	0.72	22.9	25.8	216	27.4	1.93	23.7	31.4	
2014	1,264	25.5	0.74	24.1	27.0	254	33.2	2.17	29.1	37.7	
2015	1,284	25.8	0.75	24.4	27.3	270	32.8	2.07	28.8	37.1	
2016	1,312	26.3	0.75	24.8	27.8	220	27.7	1.94	24.0	31.8	
2017	1,273	25.1	0.73	23.6	26.5	227	27.4	1.89	23.8	31.4	
2018	1,273	25.4	0.74	24.0	26.9	231	27.6	1.88	24.0	31.5	
2019	1,376	26.8	0.75	25.4	28.3	233	27.5	1.87	23.9	31.4	
2020	1,240	23.9	0.71	22.5	25.3	213	25.5	1.80	22.1	29.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kidney and Renal Pelvis											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,653	11.4	0.30	10.8	12.0	22,516	10.9	0.07	10.7	11.0	
1990	20	9.2	2.23	5.3	14.5	410	6.9	0.35	6.3	7.6	
1991	8	3.0	1.16	1.2	6.2	425	7.0	0.35	6.4	7.7	
1992	16	7.3	1.96	4.0	12.1	477	7.8	0.36	7.1	8.6	
1993	10	4.9	1.64	2.2	9.1	477	7.7	0.36	7.0	8.4	
1994	19	8.7	2.14	5.0	13.8	489	7.8	0.36	7.1	8.5	
1995	22	8.7	2.12	5.1	13.7	548	8.7	0.38	8.0	9.5	
1996	24	9.1	2.08	5.5	14.0	532	8.6	0.38	7.9	9.4	
1997	24	8.9	2.12	5.3	13.9	612	9.7	0.39	8.9	10.5	
1998	22	7.2	1.65	4.3	11.1	587	9.3	0.39	8.6	10.1	
1999	35	12.8	2.46	8.4	18.3	600	9.4	0.39	8.7	10.2	
2000	31	9.3	1.94	5.9	13.8	626	9.8	0.40	9.0	10.6	
2001	32	8.5	1.70	5.5	12.5	662	10.3	0.41	9.5	11.2	
2002	35	10.2	1.87	6.9	14.4	684	10.6	0.41	9.8	11.5	
2003	45	11.8	1.98	8.2	16.2	692	10.8	0.41	10.0	11.6	
2004	34	7.3	1.38	4.9	10.5	791	12.1	0.44	11.3	13.0	
2005	44	11.4	1.93	7.9	15.7	768	11.8	0.43	10.9	12.6	
2006	56	13.1	1.96	9.5	17.4	817	12.4	0.44	11.5	13.3	
2007	65	13.3	1.78	10.0	17.2	830	12.6	0.44	11.7	13.5	
2008	63	13.1	1.79	9.8	17.0	834	12.4	0.44	11.6	13.3	
2009	57	10.8	1.58	7.9	14.3	920	13.7	0.46	12.8	14.6	
2010	63	11.0	1.51	8.2	14.3	833	12.2	0.43	11.4	13.1	
2011	88	14.7	1.69	11.6	18.4	843	12.1	0.43	11.3	13.0	
2012	83	12.9	1.51	10.1	16.2	876	12.5	0.43	11.7	13.4	
2013	90	14.3	1.62	11.3	17.8	874	12.4	0.43	11.6	13.3	
2014	92	14.2	1.57	11.3	17.6	888	12.3	0.42	11.5	13.1	
2015	82	11.3	1.31	8.8	14.1	891	12.5	0.43	11.7	13.4	
2016	83	11.1	1.28	8.7	13.9	903	12.5	0.43	11.7	13.4	
2017	93	12.5	1.36	9.9	15.4	928	13.0	0.45	12.2	13.9	
2018	105	13.4	1.36	10.9	16.4	954	12.9	0.44	12.1	13.8	
2019	107	13.3	1.35	10.8	16.2	957	12.9	0.44	12.0	13.8	
2020	105	12.4	1.25	10.0	15.0	788	10.9	0.41	10.1	11.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kidney and Renal Pelvis											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	18,738	11.0	0.08	10.8	11.1	3,347	11.7	0.20	11.3	12.2	
1990	367	7.2	0.39	6.5	8.0	40	5.6	0.89	3.9	7.6	
1991	382	7.3	0.38	6.5	8.1	39	5.6	0.91	3.9	7.6	
1992	424	8.1	0.40	7.3	8.9	47	6.5	0.96	4.7	8.6	
1993	400	7.5	0.38	6.8	8.3	69	8.7	1.07	6.8	11.1	
1994	420	7.8	0.39	7.1	8.6	66	8.5	1.07	6.6	10.9	
1995	482	8.9	0.41	8.1	9.8	63	8.0	1.02	6.2	10.3	
1996	463	8.8	0.42	8.0	9.7	64	8.0	1.01	6.1	10.2	
1997	523	9.7	0.43	8.8	10.6	75	9.2	1.08	7.3	11.6	
1998	495	9.3	0.42	8.5	10.2	87	10.6	1.15	8.5	13.1	
1999	522	9.8	0.44	9.0	10.7	69	8.7	1.06	6.7	11.0	
2000	521	9.7	0.43	8.9	10.6	98	11.6	1.19	9.4	14.2	
2001	555	10.3	0.45	9.5	11.2	98	11.6	1.18	9.4	14.1	
2002	581	10.8	0.45	9.9	11.7	90	10.4	1.10	8.3	12.8	
2003	583	10.9	0.46	10.0	11.8	99	11.1	1.12	9.0	13.5	
2004	686	12.7	0.49	11.7	13.7	96	10.7	1.10	8.6	13.0	
2005	646	12.1	0.48	11.1	13.1	109	12.0	1.16	9.8	14.5	
2006	676	12.3	0.48	11.4	13.3	128	13.8	1.23	11.5	16.4	
2007	685	12.7	0.50	11.7	13.7	130	14.0	1.24	11.7	16.6	
2008	680	12.4	0.49	11.4	13.4	144	14.9	1.26	12.6	17.6	
2009	769	14.0	0.52	13.0	15.1	139	14.5	1.24	12.1	17.1	
2010	681	12.4	0.49	11.4	13.4	126	12.8	1.15	10.6	15.2	
2011	674	12.1	0.48	11.1	13.0	143	14.2	1.20	11.9	16.7	
2012	711	12.6	0.49	11.6	13.6	139	13.6	1.17	11.4	16.1	
2013	730	12.9	0.50	12.0	13.9	126	12.2	1.11	10.2	14.6	
2014	725	12.5	0.48	11.6	13.5	145	13.6	1.15	11.4	16.1	
2015	724	12.9	0.50	11.9	13.9	145	13.5	1.14	11.3	15.9	
2016	711	12.4	0.49	11.5	13.4	174	16.5	1.27	14.1	19.2	
2017	743	13.4	0.52	12.4	14.4	157	14.0	1.14	11.9	16.5	
2018	775	13.5	0.51	12.5	14.5	150	13.3	1.11	11.2	15.7	
2019	772	13.3	0.51	12.3	14.3	159	13.7	1.11	11.6	16.0	
2020	632	11.2	0.47	10.3	12.1	133	11.6	1.03	9.7	13.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urter											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	80	0.4	0.05	0.3	0.5	2,424	0.6	0.01	0.6	0.7	
1990	0					75	0.7	0.08	0.5	0.9	
1991	3	1.5	0.94	0.3	4.1	72	0.7	0.08	0.5	0.8	
1992	2	1.2	0.83	0.1	3.6	71	0.7	0.08	0.5	0.8	
1993	1	0.3	0.34	0.0	1.6	61	0.6	0.07	0.4	0.7	
1994	3	0.7	0.43	0.1	2.1	79	0.7	0.08	0.6	0.9	
1995	0					79	0.7	0.08	0.6	0.9	
1996	2	1.1	0.79	0.1	3.3	68	0.6	0.07	0.5	0.8	
1997	2	0.7	0.57	0.1	2.4	72	0.6	0.08	0.5	0.8	
1998	2	0.4	0.25	0.0	1.3	78	0.7	0.08	0.5	0.9	
1999	4	0.9	0.47	0.2	2.3	59	0.5	0.07	0.4	0.7	
2000	1	0.2	0.23	0.0	1.1	78	0.7	0.08	0.5	0.9	
2001	2	0.5	0.36	0.1	1.7	66	0.6	0.07	0.4	0.7	
2002	3	0.6	0.33	0.1	1.6	79	0.7	0.08	0.5	0.9	
2003	2	0.3	0.23	0.0	1.1	74	0.6	0.07	0.5	0.8	
2004	0					69	0.6	0.07	0.5	0.7	
2005	2	0.3	0.20	0.0	1.0	80	0.7	0.08	0.5	0.9	
2006	2	0.3	0.23	0.0	1.1	93	0.8	0.08	0.6	1.0	
2007	3	0.3	0.18	0.1	0.9	87	0.7	0.08	0.6	0.9	
2008	3	0.4	0.26	0.1	1.2	78	0.7	0.07	0.5	0.8	
2009	2	0.3	0.19	0.0	0.9	84	0.7	0.08	0.6	0.9	
2010	1	0.1	0.08	0.0	0.5	89	0.7	0.08	0.6	0.9	
2011	3	0.3	0.21	0.1	1.0	86	0.7	0.07	0.5	0.8	
2012	6	0.7	0.30	0.2	1.5	82	0.6	0.07	0.5	0.8	
2013	4	0.5	0.25	0.1	1.2	64	0.5	0.06	0.4	0.6	
2014	5	0.5	0.21	0.1	1.0	99	0.8	0.08	0.6	0.9	
2015	5	0.6	0.28	0.2	1.3	83	0.6	0.07	0.5	0.8	
2016	3	0.3	0.18	0.1	0.8	87	0.6	0.07	0.5	0.8	
2017	4	0.5	0.25	0.1	1.2	93	0.7	0.07	0.5	0.8	
2018	2	0.2	0.12	0.0	0.6	78	0.6	0.06	0.4	0.7	
2019	3	0.3	0.15	0.1	0.7	91	0.6	0.07	0.5	0.8	
2020	5	0.4	0.17	0.1	0.8	70	0.5	0.06	0.4	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ureter											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,260	0.7	0.01	0.7	0.7	110	0.3	0.02	0.2	0.3	
1990	72	0.8	0.09	0.6	0.9	2	0.2	0.17	0.0	0.8	
1991	70	0.7	0.09	0.6	0.9	2	0.2	0.14	0.0	0.6	
1992	67	0.7	0.09	0.5	0.9	2	0.2	0.11	0.0	0.6	
1993	58	0.6	0.08	0.5	0.8	3	0.3	0.16	0.1	0.8	
1994	76	0.8	0.09	0.6	1.0	1	0.1	0.10	0.0	0.5	
1995	77	0.8	0.09	0.6	1.0	1	0.1	0.07	0.0	0.4	
1996	64	0.7	0.08	0.5	0.8	3	0.2	0.13	0.1	0.6	
1997	70	0.7	0.09	0.6	0.9	2	0.2	0.13	0.0	0.6	
1998	75	0.8	0.09	0.6	0.9	1	0.1	0.07	0.0	0.4	
1999	52	0.5	0.07	0.4	0.7	5	0.4	0.16	0.1	0.8	
2000	72	0.7	0.09	0.6	0.9	6	0.5	0.20	0.2	1.0	
2001	65	0.7	0.08	0.5	0.8	0					
2002	76	0.8	0.09	0.6	0.9	3	0.2	0.12	0.0	0.6	
2003	68	0.7	0.08	0.5	0.9	5	0.3	0.14	0.1	0.7	
2004	62	0.6	0.08	0.5	0.8	6	0.4	0.18	0.2	0.9	
2005	77	0.8	0.09	0.6	1.0	1	0.1	0.08	0.0	0.4	
2006	83	0.8	0.09	0.7	1.0	8	0.6	0.22	0.3	1.2	
2007	81	0.8	0.09	0.6	1.0	5	0.3	0.15	0.1	0.8	
2008	75	0.7	0.09	0.6	0.9	1	0.1	0.05	0.0	0.3	
2009	77	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8	
2010	82	0.8	0.09	0.6	1.0	5	0.4	0.16	0.1	0.8	
2011	77	0.7	0.08	0.6	0.9	4	0.3	0.13	0.1	0.6	
2012	76	0.7	0.08	0.6	0.9	4	0.3	0.14	0.1	0.7	
2013	62	0.6	0.07	0.4	0.8	2	0.1	0.08	0.0	0.4	
2014	89	0.8	0.09	0.7	1.0	4	0.2	0.12	0.1	0.6	
2015	75	0.7	0.08	0.5	0.9	5	0.3	0.15	0.1	0.7	
2016	78	0.7	0.08	0.6	0.9	7	0.4	0.13	0.1	0.7	
2017	83	0.7	0.08	0.6	0.9	6	0.3	0.14	0.1	0.7	
2018	74	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.4	
2019	82	0.7	0.08	0.6	0.9	5	0.3	0.11	0.1	0.6	
2020	65	0.5	0.06	0.4	0.7	4	0.2	0.12	0.1	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urter											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	44	0.5	0.08	0.4	0.7	1,473	0.9	0.02	0.9	1.0	
1990	0					45	1.0	0.15	0.7	1.3	
1991	0					44	1.1	0.16	0.8	1.4	
1992	1	1.8	1.81	0.1	7.3	41	0.9	0.14	0.7	1.2	
1993	1	0.8	0.76	0.0	3.8	33	0.7	0.13	0.5	1.0	
1994	3	1.5	0.91	0.3	4.6	47	1.1	0.16	0.8	1.4	
1995	0					52	1.2	0.17	0.9	1.5	
1996	1	1.6	1.57	0.0	6.3	43	1.0	0.15	0.7	1.3	
1997	0					50	1.1	0.16	0.8	1.5	
1998	1	0.3	0.33	0.0	2.3	49	1.1	0.16	0.8	1.4	
1999	2	0.6	0.46	0.1	2.7	36	0.8	0.13	0.5	1.1	
2000	1	0.5	0.49	0.0	2.6	43	0.9	0.14	0.6	1.2	
2001	1	0.7	0.65	0.0	3.0	39	0.8	0.13	0.6	1.1	
2002	1	0.5	0.46	0.0	2.3	50	1.1	0.15	0.8	1.4	
2003	1	0.5	0.45	0.0	2.2	46	0.9	0.14	0.7	1.2	
2004	0					41	0.8	0.13	0.6	1.1	
2005	2	0.6	0.43	0.1	2.2	47	1.0	0.14	0.7	1.3	
2006	1	0.2	0.17	0.0	1.3	54	1.1	0.15	0.8	1.4	
2007	3	0.6	0.36	0.1	1.9	51	1.1	0.15	0.8	1.4	
2008	2	0.7	0.53	0.1	2.3	42	0.8	0.13	0.6	1.1	
2009	0					51	1.0	0.14	0.7	1.3	
2010	1	0.2	0.16	0.0	1.1	52	1.0	0.14	0.7	1.3	
2011	1	0.1	0.13	0.0	1.0	56	1.0	0.13	0.7	1.3	
2012	4	0.9	0.48	0.2	2.3	48	0.9	0.13	0.7	1.2	
2013	2	0.5	0.38	0.0	1.7	41	0.8	0.12	0.5	1.0	
2014	3	0.6	0.34	0.1	1.6	51	0.9	0.13	0.7	1.2	
2015	3	0.9	0.53	0.2	2.4	54	1.0	0.14	0.7	1.3	
2016	2	0.6	0.40	0.1	1.8	57	1.0	0.13	0.7	1.3	
2017	2	0.6	0.43	0.1	1.8	54	0.9	0.12	0.7	1.2	
2018	1	0.3	0.28	0.0	1.2	48	0.8	0.12	0.6	1.1	
2019	1	0.3	0.27	0.0	1.2	58	0.9	0.12	0.7	1.2	
2020	3	0.4	0.28	0.1	1.3	50	0.8	0.11	0.6	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urter											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,381	1.0	0.03	1.0	1.1	62	0.4	0.05	0.3	0.5	
1990	45	1.1	0.17	0.8	1.5	0					
1991	43	1.2	0.18	0.8	1.6	1	0.2	0.15	0.0	1.0	
1992	38	1.0	0.16	0.7	1.3	2	0.4	0.27	0.1	1.4	
1993	31	0.8	0.14	0.5	1.1	2	0.3	0.24	0.0	1.3	
1994	45	1.2	0.18	0.8	1.6	0					
1995	50	1.3	0.18	1.0	1.7	1	0.2	0.16	0.0	1.0	
1996	42	1.1	0.17	0.8	1.5	1	0.2	0.20	0.0	1.0	
1997	48	1.2	0.18	0.9	1.6	2	0.5	0.36	0.1	1.6	
1998	48	1.2	0.18	0.9	1.6	1	0.2	0.16	0.0	0.9	
1999	31	0.8	0.14	0.5	1.1	3	0.7	0.42	0.1	1.9	
2000	39	0.9	0.15	0.7	1.3	4	0.8	0.43	0.2	2.0	
2001	38	0.9	0.15	0.6	1.3	0					
2002	49	1.2	0.17	0.9	1.6	1	0.2	0.15	0.0	0.9	
2003	43	1.0	0.16	0.7	1.4	3	0.4	0.25	0.1	1.3	
2004	37	0.9	0.15	0.6	1.2	3	0.5	0.30	0.1	1.5	
2005	45	1.1	0.16	0.8	1.5	1	0.2	0.24	0.0	1.1	
2006	50	1.2	0.17	0.9	1.5	4	0.7	0.36	0.2	1.8	
2007	47	1.1	0.17	0.8	1.5	3	0.4	0.24	0.1	1.2	
2008	39	0.9	0.15	0.7	1.3	1	0.1	0.11	0.0	0.7	
2009	47	1.1	0.16	0.8	1.4	3	0.6	0.38	0.1	1.8	
2010	48	1.0	0.15	0.8	1.4	3	0.6	0.32	0.1	1.5	
2011	52	1.1	0.15	0.8	1.4	1	0.1	0.10	0.0	0.7	
2012	43	1.0	0.15	0.7	1.3	4	0.7	0.37	0.2	1.8	
2013	41	0.9	0.14	0.6	1.2	0					
2014	45	1.0	0.15	0.7	1.3	2	0.3	0.22	0.0	1.1	
2015	51	1.1	0.16	0.8	1.5	2	0.3	0.21	0.0	1.0	
2016	51	1.1	0.15	0.8	1.4	4	0.5	0.27	0.1	1.4	
2017	50	1.0	0.14	0.7	1.3	2	0.2	0.15	0.0	0.8	
2018	47	1.0	0.14	0.7	1.3	1	0.2	0.20	0.0	0.9	
2019	52	1.0	0.14	0.8	1.3	4	0.6	0.31	0.2	1.5	
2020	46	0.8	0.12	0.6	1.1	3	0.5	0.27	0.1	1.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Urter											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	36	0.3	0.06	0.2	0.5	951	0.4	0.01	0.4	0.5	
1990	0					30	0.5	0.08	0.3	0.7	
1991	3	2.5	1.52	0.5	6.8	28	0.4	0.08	0.3	0.6	
1992	1	0.8	0.82	0.0	3.6	30	0.5	0.08	0.3	0.7	
1993	0					28	0.4	0.08	0.3	0.6	
1994	0					32	0.5	0.09	0.3	0.7	
1995	0					27	0.4	0.08	0.3	0.6	
1996	1	0.9	0.86	0.0	3.6	25	0.4	0.08	0.2	0.6	
1997	2	1.2	0.90	0.1	3.9	22	0.3	0.07	0.2	0.5	
1998	1	0.4	0.36	0.0	2.0	29	0.4	0.08	0.3	0.6	
1999	2	1.1	0.75	0.1	3.4	23	0.4	0.07	0.2	0.5	
2000	0					35	0.5	0.08	0.3	0.7	
2001	1	0.4	0.40	0.0	2.0	27	0.4	0.08	0.3	0.6	
2002	2	0.7	0.47	0.1	2.3	29	0.4	0.08	0.3	0.6	
2003	1	0.2	0.22	0.0	1.3	28	0.4	0.08	0.3	0.6	
2004	0					28	0.4	0.08	0.3	0.6	
2005	0					33	0.5	0.08	0.3	0.7	
2006	1	0.4	0.38	0.0	1.7	39	0.6	0.09	0.4	0.8	
2007	0					36	0.5	0.09	0.4	0.7	
2008	1	0.2	0.24	0.0	1.2	36	0.5	0.08	0.4	0.7	
2009	2	0.5	0.36	0.1	1.7	33	0.5	0.08	0.3	0.7	
2010	0					37	0.5	0.09	0.4	0.7	
2011	2	0.5	0.36	0.1	1.6	30	0.4	0.08	0.3	0.6	
2012	2	0.5	0.38	0.1	1.7	34	0.5	0.08	0.3	0.7	
2013	2	0.4	0.31	0.0	1.4	23	0.3	0.07	0.2	0.5	
2014	2	0.3	0.25	0.0	1.2	48	0.6	0.09	0.5	0.8	
2015	2	0.4	0.26	0.0	1.2	29	0.4	0.07	0.2	0.5	
2016	1	0.1	0.12	0.0	0.7	30	0.4	0.07	0.3	0.6	
2017	2	0.5	0.33	0.1	1.4	39	0.5	0.08	0.3	0.7	
2018	1	0.1	0.11	0.0	0.6	30	0.4	0.07	0.3	0.6	
2019	2	0.3	0.20	0.0	1.0	33	0.4	0.07	0.3	0.6	
2020	2	0.3	0.22	0.0	1.0	20	0.2	0.05	0.1	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ureter											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	879	0.5	0.02	0.4	0.5	48	0.2	0.03	0.1	0.2	
1990	27	0.5	0.09	0.3	0.7	2	0.4	0.26	0.0	1.2	
1991	27	0.5	0.09	0.3	0.7	1	0.2	0.18	0.0	0.9	
1992	29	0.5	0.09	0.3	0.7	0					
1993	27	0.5	0.09	0.3	0.7	1	0.2	0.17	0.0	0.8	
1994	31	0.5	0.10	0.4	0.8	1	0.2	0.17	0.0	0.8	
1995	27	0.5	0.09	0.3	0.7	0					
1996	22	0.4	0.08	0.2	0.6	2	0.3	0.18	0.0	0.9	
1997	22	0.4	0.09	0.3	0.6	0					
1998	27	0.4	0.08	0.3	0.6	0					
1999	21	0.4	0.08	0.2	0.6	2	0.2	0.16	0.0	0.8	
2000	33	0.5	0.10	0.4	0.8	2	0.3	0.19	0.0	0.9	
2001	27	0.5	0.09	0.3	0.7	0					
2002	27	0.4	0.08	0.3	0.6	2	0.2	0.17	0.0	0.8	
2003	25	0.4	0.08	0.3	0.6	2	0.2	0.15	0.0	0.8	
2004	25	0.4	0.09	0.3	0.6	3	0.4	0.22	0.1	1.1	
2005	32	0.5	0.10	0.4	0.8	0					
2006	33	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3	
2007	34	0.6	0.10	0.4	0.8	2	0.3	0.17	0.0	0.8	
2008	36	0.6	0.10	0.4	0.8	0					
2009	30	0.5	0.09	0.3	0.7	2	0.2	0.16	0.0	0.8	
2010	34	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8	
2011	25	0.4	0.08	0.3	0.6	3	0.3	0.20	0.1	1.0	
2012	33	0.5	0.10	0.4	0.8	0					
2013	21	0.3	0.07	0.2	0.5	2	0.2	0.14	0.0	0.7	
2014	44	0.7	0.11	0.5	1.0	2	0.2	0.13	0.0	0.7	
2015	24	0.4	0.07	0.2	0.5	3	0.3	0.19	0.1	0.9	
2016	27	0.4	0.09	0.3	0.7	3	0.2	0.14	0.1	0.8	
2017	33	0.5	0.09	0.3	0.7	4	0.4	0.19	0.1	1.0	
2018	27	0.4	0.08	0.3	0.6	1	0.1	0.11	0.0	0.6	
2019	30	0.5	0.09	0.3	0.7	1	0.1	0.08	0.0	0.5	
2020	19	0.3	0.06	0.2	0.5	1	0.1	0.08	0.0	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Eye and Orbit										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	229	0.6	0.05	0.5	0.7	2,931	0.8	0.02	0.8	0.8
1990	5	1.4	0.81	0.3	3.7	61	0.6	0.07	0.4	0.8
1991	7	0.8	0.37	0.2	2.1	65	0.6	0.08	0.5	0.8
1992	5	0.7	0.37	0.2	2.0	93	0.9	0.09	0.7	1.0
1993	2	0.2	0.17	0.0	1.2	76	0.7	0.08	0.5	0.9
1994	1	0.1	0.05	0.0	0.9	80	0.7	0.08	0.6	0.9
1995	7	0.5	0.22	0.2	1.4	89	0.8	0.09	0.7	1.0
1996	7	1.2	0.64	0.3	3.0	111	1.0	0.10	0.8	1.2
1997	2	0.4	0.39	0.0	1.8	79	0.7	0.08	0.6	0.9
1998	3	0.6	0.40	0.1	1.9	65	0.6	0.07	0.5	0.7
1999	3	0.3	0.25	0.0	1.3	91	0.8	0.09	0.7	1.0
2000	7	1.2	0.65	0.3	2.9	89	0.8	0.08	0.6	1.0
2001	9	0.6	0.27	0.2	1.5	96	0.9	0.09	0.7	1.0
2002	7	0.6	0.37	0.1	1.7	84	0.8	0.08	0.6	0.9
2003	11	1.3	0.51	0.5	2.7	116	1.0	0.09	0.8	1.2
2004	11	1.0	0.37	0.4	2.0	92	0.8	0.08	0.7	1.0
2005	8	0.8	0.31	0.3	1.7	115	1.0	0.09	0.8	1.2
2006	9	0.8	0.35	0.3	1.8	98	0.8	0.09	0.7	1.0
2007	10	0.7	0.31	0.3	1.6	112	1.0	0.09	0.8	1.2
2008	4	0.2	0.11	0.1	0.7	97	0.8	0.08	0.7	1.0
2009	10	0.6	0.24	0.3	1.3	134	1.1	0.10	0.9	1.3
2010	7	0.7	0.33	0.2	1.6	98	0.8	0.09	0.7	1.0
2011	13	0.7	0.24	0.4	1.4	103	0.9	0.09	0.7	1.1
2012	9	0.5	0.16	0.2	1.0	94	0.8	0.08	0.6	0.9
2013	12	0.8	0.26	0.4	1.4	106	0.9	0.08	0.7	1.0
2014	7	0.4	0.19	0.2	1.0	84	0.6	0.07	0.5	0.8
2015	6	0.4	0.18	0.1	0.9	105	0.8	0.08	0.7	1.0
2016	6	0.5	0.21	0.2	1.0	110	0.8	0.08	0.7	1.0
2017	12	0.7	0.21	0.3	1.3	89	0.7	0.08	0.6	0.9
2018	4	0.3	0.14	0.1	0.7	109	0.8	0.08	0.7	1.0
2019	15	0.8	0.23	0.4	1.4	101	0.8	0.08	0.6	1.0
2020	10	0.6	0.19	0.3	1.1	89	0.7	0.08	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Eye and Orbit											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,712	0.9	0.02	0.9	0.9	133	0.2	0.02	0.2	0.3	
1990	52	0.6	0.08	0.4	0.8	7	0.4	0.17	0.1	0.9	
1991	58	0.6	0.08	0.5	0.8	2	0.1	0.07	0.0	0.4	
1992	84	0.9	0.10	0.7	1.1	9	0.5	0.18	0.2	1.0	
1993	69	0.7	0.09	0.6	0.9	4	0.2	0.10	0.1	0.5	
1994	74	0.8	0.09	0.6	1.0	5	0.3	0.14	0.1	0.7	
1995	82	0.9	0.10	0.7	1.1	5	0.2	0.10	0.1	0.6	
1996	99	1.1	0.11	0.9	1.3	6	0.3	0.15	0.1	0.8	
1997	75	0.8	0.10	0.7	1.0	3	0.2	0.09	0.0	0.5	
1998	61	0.7	0.08	0.5	0.8	2	0.1	0.09	0.0	0.5	
1999	87	0.9	0.10	0.8	1.2	4	0.2	0.10	0.1	0.6	
2000	82	0.9	0.10	0.7	1.1	3	0.2	0.13	0.0	0.6	
2001	85	0.9	0.10	0.7	1.1	7	0.4	0.14	0.1	0.8	
2002	72	0.8	0.09	0.6	1.0	8	0.4	0.13	0.2	0.7	
2003	113	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3	
2004	88	0.9	0.10	0.7	1.2	3	0.1	0.08	0.0	0.4	
2005	108	1.1	0.11	0.9	1.4	4	0.2	0.09	0.1	0.5	
2006	95	1.0	0.10	0.8	1.2	1	0.1	0.05	0.0	0.3	
2007	109	1.2	0.11	1.0	1.4	1	0.1	0.05	0.0	0.3	
2008	88	0.9	0.10	0.7	1.1	4	0.2	0.10	0.1	0.5	
2009	125	1.3	0.12	1.1	1.6	8	0.4	0.15	0.2	0.9	
2010	93	1.0	0.10	0.8	1.2	4	0.2	0.12	0.1	0.6	
2011	92	1.0	0.10	0.8	1.2	6	0.3	0.13	0.1	0.7	
2012	90	0.9	0.10	0.7	1.1	2	0.1	0.07	0.0	0.4	
2013	96	1.0	0.10	0.8	1.2	5	0.3	0.13	0.1	0.7	
2014	76	0.7	0.08	0.6	0.9	5	0.3	0.12	0.1	0.6	
2015	100	1.0	0.10	0.8	1.2	2	0.1	0.08	0.0	0.4	
2016	101	1.0	0.10	0.8	1.2	2	0.1	0.09	0.0	0.4	
2017	83	0.8	0.09	0.6	1.0	3	0.2	0.09	0.0	0.5	
2018	103	1.0	0.10	0.8	1.2	5	0.3	0.11	0.1	0.6	
2019	90	0.9	0.09	0.7	1.1	9	0.5	0.16	0.2	0.9	
2020	82	0.8	0.10	0.6	1.0	3	0.2	0.09	0.0	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Eye and Orbit											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	125	0.7	0.08	0.6	0.9	1,548	1.0	0.02	0.9	1.0	
1990	3	1.9	1.40	0.2	6.4	32	0.7	0.12	0.5	1.0	
1991	5	0.6	0.27	0.2	3.0	29	0.7	0.13	0.4	1.0	
1992	1	0.5	0.52	0.0	3.3	49	1.0	0.15	0.8	1.4	
1993	0					38	0.8	0.13	0.6	1.1	
1994	0					41	0.9	0.14	0.6	1.2	
1995	3	0.3	0.17	0.1	2.4	51	1.0	0.14	0.8	1.3	
1996	5	2.5	1.66	0.4	7.2	60	1.3	0.16	1.0	1.6	
1997	1	0.1	0.09	0.0	2.0	46	1.0	0.14	0.7	1.3	
1998	1	0.3	0.33	0.0	2.3	31	0.6	0.11	0.4	0.9	
1999	0					50	1.0	0.15	0.8	1.4	
2000	4	1.5	1.28	0.1	5.3	52	1.1	0.15	0.8	1.4	
2001	4	0.5	0.28	0.1	2.1	50	1.0	0.15	0.8	1.3	
2002	4	1.2	0.88	0.1	3.9	54	1.1	0.15	0.8	1.4	
2003	6	0.8	0.40	0.2	2.4	58	1.1	0.15	0.9	1.5	
2004	4	0.8	0.47	0.1	2.5	46	0.9	0.14	0.7	1.2	
2005	6	1.3	0.58	0.4	3.1	63	1.2	0.15	0.9	1.5	
2006	6	1.0	0.56	0.2	2.7	48	0.9	0.13	0.7	1.2	
2007	8	1.4	0.70	0.4	3.4	52	1.0	0.14	0.7	1.3	
2008	4	0.4	0.20	0.1	1.4	54	1.0	0.14	0.8	1.3	
2009	4	0.6	0.35	0.2	1.8	79	1.4	0.16	1.1	1.8	
2010	5	0.9	0.51	0.2	2.4	49	0.9	0.13	0.7	1.2	
2011	6	0.8	0.38	0.2	2.0	60	1.1	0.14	0.8	1.4	
2012	3	0.3	0.18	0.1	1.1	51	0.9	0.13	0.7	1.2	
2013	6	0.8	0.40	0.2	2.0	60	1.1	0.14	0.8	1.4	
2014	4	0.4	0.20	0.1	1.2	46	0.8	0.11	0.6	1.0	
2015	4	0.5	0.29	0.1	1.4	50	0.9	0.12	0.6	1.2	
2016	4	0.7	0.38	0.2	1.8	55	0.9	0.13	0.7	1.2	
2017	9	1.1	0.43	0.5	2.3	50	0.9	0.13	0.6	1.2	
2018	2	0.2	0.16	0.0	0.9	48	0.7	0.11	0.5	1.0	
2019	8	0.7	0.26	0.3	1.5	49	0.8	0.12	0.6	1.1	
2020	5	0.5	0.24	0.2	1.3	47	0.8	0.12	0.6	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Eye and Orbit											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,429	1.1	0.03	1.0	1.1	75	0.3	0.03	0.2	0.4	
1990	28	0.7	0.14	0.5	1.0	4	0.3	0.17	0.1	1.1	
1991	26	0.7	0.14	0.5	1.0	1	0.1	0.14	0.0	0.9	
1992	43	1.1	0.16	0.8	1.4	6	0.5	0.23	0.2	1.4	
1993	35	0.8	0.14	0.6	1.2	2	0.1	0.10	0.0	0.9	
1994	39	1.0	0.16	0.7	1.3	2	0.3	0.19	0.0	1.1	
1995	47	1.1	0.17	0.8	1.5	3	0.3	0.20	0.1	1.1	
1996	51	1.3	0.18	0.9	1.7	5	0.7	0.34	0.2	1.8	
1997	42	1.1	0.16	0.8	1.4	3	0.3	0.20	0.1	1.1	
1998	30	0.7	0.13	0.5	1.0	0					
1999	50	1.2	0.17	0.9	1.6	0					
2000	47	1.1	0.16	0.8	1.5	3	0.6	0.40	0.1	1.8	
2001	43	1.0	0.16	0.7	1.4	4	0.5	0.29	0.1	1.5	
2002	46	1.1	0.16	0.8	1.5	5	0.4	0.20	0.1	1.2	
2003	57	1.3	0.18	1.0	1.7	1	0.1	0.09	0.0	0.7	
2004	44	1.0	0.16	0.8	1.4	1	0.1	0.09	0.0	0.7	
2005	60	1.4	0.18	1.0	1.7	3	0.3	0.15	0.1	0.9	
2006	47	1.0	0.15	0.8	1.4	1	0.1	0.09	0.0	0.7	
2007	51	1.2	0.17	0.9	1.6	0					
2008	52	1.2	0.17	0.9	1.6	1	0.1	0.10	0.0	0.7	
2009	72	1.6	0.19	1.2	2.0	6	0.7	0.29	0.2	1.6	
2010	47	1.1	0.16	0.8	1.4	1	0.2	0.21	0.0	1.0	
2011	55	1.2	0.17	0.9	1.6	2	0.2	0.18	0.0	0.9	
2012	50	1.1	0.16	0.8	1.5	0					
2013	55	1.2	0.16	0.9	1.6	2	0.3	0.20	0.0	1.0	
2014	41	0.8	0.13	0.6	1.1	3	0.4	0.20	0.1	1.1	
2015	47	1.0	0.15	0.7	1.3	0					
2016	49	1.0	0.14	0.7	1.3	2	0.3	0.22	0.0	1.0	
2017	48	1.1	0.16	0.8	1.4	2	0.2	0.16	0.0	0.8	
2018	44	0.8	0.12	0.6	1.1	3	0.3	0.18	0.1	1.0	
2019	42	0.9	0.14	0.6	1.2	6	0.6	0.26	0.2	1.4	
2020	41	0.9	0.14	0.6	1.2	3	0.3	0.18	0.1	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Eye and Orbit										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	104	0.6	0.07	0.4	0.7	1,383	0.7	0.02	0.7	0.7
1990	2	1.1	0.93	0.1	4.2	29	0.5	0.09	0.3	0.7
1991	2	1.0	0.67	0.1	3.4	36	0.6	0.10	0.4	0.9
1992	4	1.0	0.57	0.2	3.1	44	0.7	0.11	0.5	1.0
1993	2	0.4	0.35	0.0	2.2	38	0.6	0.11	0.5	0.9
1994	1	0.1	0.11	0.0	1.6	39	0.7	0.11	0.5	0.9
1995	4	0.7	0.40	0.1	2.4	38	0.6	0.10	0.4	0.9
1996	2	0.5	0.35	0.0	2.1	51	0.9	0.12	0.6	1.1
1997	1	0.7	0.66	0.0	2.9	33	0.5	0.09	0.4	0.8
1998	2	0.7	0.64	0.0	2.9	34	0.6	0.10	0.4	0.8
1999	3	0.6	0.46	0.1	2.3	41	0.7	0.11	0.5	1.0
2000	3	1.0	0.76	0.1	3.3	37	0.6	0.10	0.4	0.8
2001	5	0.7	0.43	0.1	2.3	46	0.8	0.11	0.6	1.0
2002	3	0.2	0.12	0.0	1.3	30	0.5	0.09	0.3	0.7
2003	5	1.7	0.84	0.5	4.0	58	0.9	0.12	0.7	1.2
2004	7	1.2	0.57	0.4	2.9	46	0.7	0.11	0.5	1.0
2005	2	0.4	0.28	0.0	1.5	52	0.9	0.12	0.6	1.1
2006	3	0.6	0.44	0.1	2.0	50	0.8	0.11	0.6	1.1
2007	2	0.1	0.10	0.0	0.9	60	1.0	0.13	0.7	1.2
2008	0					43	0.7	0.11	0.5	1.0
2009	6	0.6	0.32	0.2	1.7	55	0.9	0.12	0.7	1.2
2010	2	0.5	0.40	0.1	1.8	49	0.8	0.11	0.6	1.0
2011	7	0.7	0.30	0.3	1.7	43	0.7	0.11	0.5	0.9
2012	6	0.6	0.27	0.2	1.5	43	0.7	0.10	0.5	0.9
2013	6	0.8	0.34	0.3	1.8	46	0.7	0.11	0.5	1.0
2014	3	0.5	0.30	0.1	1.4	38	0.5	0.09	0.4	0.7
2015	2	0.3	0.22	0.0	1.1	55	0.8	0.12	0.6	1.1
2016	2	0.3	0.21	0.0	1.0	55	0.8	0.12	0.6	1.1
2017	3	0.3	0.19	0.1	1.0	39	0.5	0.09	0.4	0.7
2018	2	0.3	0.21	0.0	1.0	61	0.9	0.12	0.7	1.1
2019	7	0.8	0.35	0.3	1.8	52	0.8	0.11	0.6	1.0
2020	5	0.6	0.29	0.2	1.5	42	0.6	0.10	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Eye and Orbit											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,283	0.8	0.02	0.8	0.8	58	0.2	0.02	0.1	0.2	
1990	24	0.5	0.10	0.3	0.7	3	0.4	0.24	0.1	1.2	
1991	32	0.6	0.12	0.4	0.9	1	0.1	0.09	0.0	0.6	
1992	41	0.8	0.13	0.6	1.1	3	0.4	0.23	0.1	1.1	
1993	34	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8	
1994	35	0.7	0.12	0.5	1.0	3	0.4	0.21	0.1	1.0	
1995	35	0.7	0.12	0.5	1.0	2	0.2	0.10	0.0	0.6	
1996	48	1.0	0.14	0.7	1.3	1	0.1	0.07	0.0	0.5	
1997	33	0.7	0.12	0.5	0.9	0					
1998	31	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8	
1999	37	0.8	0.13	0.5	1.1	4	0.4	0.19	0.1	1.0	
2000	35	0.7	0.12	0.5	1.0	0					
2001	42	0.8	0.13	0.6	1.2	3	0.3	0.15	0.1	0.8	
2002	26	0.5	0.10	0.3	0.7	3	0.3	0.16	0.1	0.8	
2003	56	1.1	0.14	0.8	1.4	0					
2004	44	0.9	0.14	0.6	1.2	2	0.2	0.13	0.0	0.7	
2005	48	1.0	0.14	0.7	1.3	1	0.1	0.10	0.0	0.6	
2006	48	1.0	0.14	0.7	1.3	0					
2007	58	1.1	0.16	0.9	1.5	1	0.1	0.09	0.0	0.6	
2008	36	0.7	0.12	0.5	1.0	3	0.3	0.17	0.1	0.9	
2009	53	1.1	0.15	0.8	1.4	2	0.2	0.14	0.0	0.7	
2010	46	0.9	0.14	0.7	1.2	3	0.3	0.17	0.1	0.9	
2011	37	0.7	0.13	0.5	1.0	4	0.4	0.19	0.1	1.0	
2012	40	0.7	0.12	0.5	1.0	2	0.2	0.15	0.0	0.8	
2013	41	0.8	0.12	0.5	1.1	3	0.3	0.18	0.1	0.9	
2014	35	0.6	0.10	0.4	0.8	2	0.2	0.13	0.0	0.7	
2015	53	1.0	0.15	0.8	1.4	2	0.2	0.15	0.0	0.7	
2016	52	1.0	0.15	0.7	1.3	0					
2017	35	0.6	0.09	0.4	0.8	1	0.1	0.11	0.0	0.6	
2018	59	1.1	0.15	0.8	1.4	2	0.2	0.15	0.0	0.8	
2019	48	0.9	0.13	0.6	1.2	3	0.3	0.19	0.1	1.0	
2020	41	0.8	0.14	0.6	1.1	0					

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain and Other Nervous System										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,929	5.3	0.14	5.0	5.6	23,463	6.6	0.04	6.5	6.7
1990	26	4.1	1.00	2.4	6.6	654	6.2	0.24	5.7	6.7
1991	34	5.1	1.03	3.3	7.6	693	6.5	0.25	6.0	7.0
1992	32	4.0	0.81	2.6	6.0	678	6.3	0.24	5.8	6.8
1993	32	4.8	1.03	3.0	7.3	684	6.3	0.24	5.9	6.8
1994	28	3.1	0.74	1.8	4.9	740	6.8	0.25	6.3	7.3
1995	36	3.8	0.73	2.6	5.7	688	6.3	0.24	5.9	6.8
1996	38	4.6	0.90	3.0	6.8	723	6.6	0.25	6.1	7.1
1997	50	5.7	1.03	3.8	8.0	747	6.8	0.25	6.3	7.3
1998	44	4.3	0.83	2.8	6.3	712	6.5	0.24	6.0	6.9
1999	49	5.5	0.99	3.7	7.8	742	6.7	0.24	6.2	7.2
2000	48	5.7	1.03	3.9	8.1	725	6.5	0.24	6.0	7.0
2001	63	6.7	1.13	4.7	9.2	731	6.5	0.24	6.1	7.0
2002	65	6.7	1.03	4.8	9.0	698	6.2	0.24	5.8	6.7
2003	59	6.5	1.09	4.5	9.0	744	6.6	0.24	6.1	7.1
2004	65	5.9	0.97	4.1	8.0	790	7.0	0.25	6.5	7.5
2005	56	4.7	0.82	3.2	6.5	756	6.7	0.24	6.2	7.1
2006	66	6.1	0.91	4.4	8.1	827	7.2	0.25	6.8	7.8
2007	76	6.1	0.84	4.5	7.9	760	6.6	0.24	6.2	7.1
2008	60	4.7	0.73	3.4	6.4	836	7.2	0.25	6.7	7.7
2009	79	5.8	0.79	4.4	7.5	766	6.5	0.24	6.1	7.0
2010	76	5.9	0.80	4.4	7.6	827	7.1	0.25	6.6	7.6
2011	79	5.2	0.70	4.0	6.8	836	7.1	0.25	6.6	7.6
2012	78	5.5	0.74	4.1	7.1	763	6.3	0.23	5.8	6.7
2013	64	4.2	0.61	3.1	5.6	787	6.6	0.24	6.1	7.1
2014	92	5.3	0.62	4.2	6.7	801	6.7	0.24	6.2	7.2
2015	79	5.0	0.63	3.8	6.4	833	6.9	0.25	6.4	7.4
2016	102	6.5	0.71	5.2	8.0	797	6.5	0.24	6.1	7.0
2017	87	5.2	0.60	4.0	6.5	797	6.5	0.24	6.1	7.0
2018	100	5.6	0.60	4.5	6.9	783	6.5	0.24	6.1	7.0
2019	89	4.9	0.55	3.8	6.1	764	6.2	0.24	5.8	6.7
2020	77	4.1	0.50	3.2	5.2	781	6.3	0.23	5.8	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain and Other Nervous System											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	20,727	7.2	0.05	7.1	7.3	2,067	3.9	0.09	3.8	4.1	
1990	599	6.7	0.28	6.2	7.3	48	3.3	0.51	2.4	4.5	
1991	637	7.1	0.29	6.6	7.7	46	3.2	0.49	2.3	4.3	
1992	607	6.7	0.27	6.2	7.3	66	4.4	0.56	3.3	5.6	
1993	613	6.8	0.28	6.2	7.3	58	3.9	0.53	2.9	5.0	
1994	655	7.2	0.28	6.7	7.8	77	5.1	0.60	4.0	6.4	
1995	631	7.0	0.28	6.5	7.6	52	3.5	0.50	2.5	4.6	
1996	646	7.1	0.28	6.6	7.7	63	3.8	0.50	2.9	5.0	
1997	673	7.4	0.29	6.9	8.0	53	3.2	0.46	2.4	4.3	
1998	626	6.9	0.28	6.4	7.5	65	4.0	0.51	3.0	5.1	
1999	654	7.1	0.28	6.6	7.7	68	4.2	0.53	3.2	5.4	
2000	644	7.1	0.28	6.5	7.6	68	4.2	0.53	3.2	5.4	
2001	661	7.2	0.28	6.7	7.8	51	3.3	0.47	2.4	4.3	
2002	621	6.8	0.28	6.3	7.4	56	3.4	0.47	2.5	4.4	
2003	668	7.3	0.28	6.7	7.9	58	3.6	0.48	2.7	4.7	
2004	703	7.7	0.29	7.1	8.3	67	4.1	0.51	3.1	5.2	
2005	664	7.2	0.28	6.7	7.8	71	4.2	0.51	3.2	5.3	
2006	722	7.9	0.30	7.3	8.5	80	4.8	0.55	3.8	6.0	
2007	661	7.2	0.29	6.7	7.8	69	4.0	0.49	3.1	5.1	
2008	735	7.8	0.29	7.2	8.4	72	4.1	0.49	3.2	5.1	
2009	673	7.2	0.28	6.6	7.8	66	3.8	0.48	2.9	4.9	
2010	723	7.8	0.30	7.2	8.4	76	4.3	0.50	3.4	5.4	
2011	723	7.7	0.30	7.1	8.3	88	4.9	0.53	3.9	6.1	
2012	674	6.9	0.28	6.4	7.5	58	3.1	0.42	2.4	4.1	
2013	706	7.5	0.30	7.0	8.2	59	3.3	0.44	2.5	4.3	
2014	694	7.3	0.29	6.8	7.9	70	3.8	0.46	3.0	4.8	
2015	726	7.7	0.30	7.1	8.3	76	4.1	0.47	3.2	5.1	
2016	671	7.0	0.29	6.5	7.6	94	5.0	0.52	4.0	6.1	
2017	701	7.3	0.29	6.8	7.9	71	3.9	0.48	3.1	5.0	
2018	676	7.3	0.30	6.7	7.9	78	4.2	0.48	3.3	5.2	
2019	649	6.8	0.28	6.3	7.4	84	4.4	0.49	3.5	5.5	
2020	691	7.2	0.29	6.6	7.8	59	2.9	0.39	2.2	3.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain and Other Nervous System

Males

Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,109	6.2	0.23	5.7	6.6	12,794	7.8	0.07	7.7	7.9
1990	15	3.2	1.19	1.3	6.9	360	7.5	0.40	6.7	8.3
1991	18	4.2	1.13	2.3	7.7	379	7.9	0.42	7.1	8.8
1992	18	4.5	1.17	2.5	8.0	370	7.7	0.41	6.9	8.5
1993	20	6.4	1.93	3.2	11.4	372	7.7	0.41	6.9	8.5
1994	15	3.6	1.39	1.4	7.5	417	8.6	0.43	7.8	9.5
1995	19	3.8	1.06	2.0	6.9	380	7.7	0.40	6.9	8.5
1996	21	4.6	1.24	2.5	8.0	396	7.9	0.40	7.1	8.7
1997	27	4.9	1.07	3.0	7.9	425	8.5	0.42	7.8	9.4
1998	30	6.0	1.54	3.4	9.9	387	7.7	0.39	6.9	8.5
1999	30	5.9	1.58	3.2	9.9	400	8.0	0.40	7.2	8.8
2000	23	6.2	1.60	3.5	10.1	380	7.4	0.38	6.7	8.2
2001	39	8.6	1.86	5.4	13.0	402	7.9	0.40	7.2	8.7
2002	35	7.2	1.67	4.3	11.2	348	6.8	0.37	6.1	7.5
2003	35	7.2	1.69	4.2	11.2	411	7.9	0.39	7.2	8.7
2004	34	6.7	1.48	4.1	10.2	408	8.0	0.40	7.2	8.8
2005	37	6.3	1.41	3.8	9.7	405	7.7	0.39	7.0	8.5
2006	32	6.6	1.47	4.0	10.0	457	8.7	0.41	7.9	9.6
2007	47	8.0	1.53	5.3	11.5	386	7.2	0.37	6.5	8.0
2008	34	5.6	1.17	3.5	8.4	434	8.1	0.39	7.3	8.9
2009	45	6.9	1.27	4.7	9.8	410	7.5	0.38	6.8	8.3
2010	44	6.7	1.28	4.4	9.7	451	8.3	0.40	7.5	9.1
2011	50	6.6	1.16	4.6	9.3	456	8.4	0.40	7.6	9.2
2012	40	5.5	1.06	3.6	7.9	429	7.5	0.37	6.8	8.3
2013	37	4.7	0.92	3.0	6.8	439	7.8	0.38	7.1	8.6
2014	51	6.1	0.98	4.3	8.3	420	7.5	0.37	6.8	8.3
2015	46	6.1	1.05	4.2	8.5	477	8.4	0.39	7.6	9.2
2016	58	7.7	1.15	5.6	10.3	431	7.4	0.37	6.7	8.2
2017	56	7.0	1.05	5.1	9.3	448	8.0	0.39	7.2	8.8
2018	59	6.9	0.98	5.1	9.1	424	7.4	0.37	6.7	8.2
2019	54	6.4	0.98	4.6	8.6	438	7.7	0.38	7.0	8.5
2020	40	4.2	0.73	2.9	5.9	454	7.8	0.38	7.1	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain and Other Nervous System

Males

Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	11,324	8.5	0.08	8.3	8.6	1,111	4.8	0.15	4.5	5.1
1990	329	8.1	0.45	7.2	9.0	29	4.4	0.87	2.8	6.4
1991	351	8.6	0.47	7.8	9.6	25	4.3	0.94	2.6	6.5
1992	335	8.2	0.46	7.4	9.2	32	4.7	0.87	3.1	6.7
1993	337	8.3	0.46	7.4	9.2	28	4.1	0.82	2.7	6.1
1994	372	9.1	0.48	8.2	10.1	42	6.6	1.09	4.6	9.0
1995	354	8.6	0.46	7.7	9.5	23	3.4	0.80	2.0	5.4
1996	359	8.6	0.45	7.7	9.5	27	3.2	0.65	2.1	4.8
1997	379	9.1	0.47	8.2	10.1	32	4.7	0.91	3.1	6.8
1998	336	8.1	0.44	7.2	9.0	39	4.9	0.84	3.4	6.9
1999	350	8.4	0.45	7.5	9.3	36	5.1	0.89	3.5	7.1
2000	337	8.0	0.43	7.1	8.9	36	5.2	0.97	3.5	7.5
2001	360	8.6	0.45	7.7	9.5	33	5.1	0.95	3.4	7.3
2002	312	7.4	0.42	6.6	8.3	26	4.1	0.89	2.5	6.2
2003	367	8.6	0.45	7.8	9.6	35	4.9	0.86	3.3	6.9
2004	365	8.7	0.46	7.8	9.6	32	4.3	0.82	2.8	6.2
2005	356	8.3	0.44	7.4	9.2	39	5.1	0.86	3.6	7.1
2006	406	9.5	0.48	8.6	10.5	38	5.4	0.94	3.7	7.5
2007	333	7.7	0.43	6.9	8.6	33	4.1	0.74	2.8	5.9
2008	379	8.7	0.45	7.8	9.6	38	4.6	0.77	3.2	6.4
2009	359	8.2	0.44	7.4	9.1	37	4.6	0.80	3.2	6.5
2010	402	9.2	0.47	8.3	10.2	36	4.8	0.83	3.3	6.7
2011	390	8.9	0.46	8.0	9.8	54	6.7	0.95	5.0	8.9
2012	380	8.3	0.44	7.4	9.2	31	3.6	0.67	2.4	5.2
2013	389	8.8	0.46	7.9	9.7	37	4.3	0.73	3.0	6.1
2014	375	8.4	0.45	7.5	9.3	33	4.2	0.75	2.8	5.9
2015	415	9.2	0.47	8.3	10.2	42	5.1	0.82	3.6	7.0
2016	370	8.0	0.44	7.2	8.9	47	5.6	0.85	4.1	7.6
2017	390	8.7	0.46	7.9	9.7	43	5.3	0.83	3.8	7.2
2018	362	8.1	0.45	7.3	9.0	48	5.6	0.84	4.1	7.6
2019	370	8.3	0.45	7.5	9.3	49	6.1	0.90	4.5	8.1
2020	405	8.9	0.46	8.0	9.9	31	3.5	0.64	2.3	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain and Other Nervous System

Females

Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	820	4.4	0.18	4.1	4.8	10,669	5.6	0.05	5.5	5.7
1990	11	4.9	1.57	2.3	9.0	294	5.1	0.30	4.6	5.8
1991	16	5.7	1.60	3.0	9.8	314	5.3	0.31	4.8	6.0
1992	14	3.3	1.04	1.6	6.3	308	5.2	0.30	4.6	5.8
1993	12	3.5	1.14	1.7	6.6	312	5.2	0.30	4.6	5.8
1994	13	2.8	0.88	1.4	5.3	323	5.4	0.30	4.8	6.0
1995	17	3.9	1.03	2.2	6.7	308	5.2	0.30	4.6	5.8
1996	17	4.6	1.28	2.4	7.8	327	5.5	0.31	4.9	6.2
1997	23	5.9	1.54	3.3	9.7	322	5.4	0.30	4.8	6.0
1998	14	2.7	0.85	1.3	5.1	325	5.4	0.30	4.9	6.1
1999	19	5.1	1.35	2.8	8.4	342	5.6	0.31	5.0	6.3
2000	25	5.3	1.31	3.0	8.5	345	5.7	0.31	5.1	6.4
2001	24	4.9	1.32	2.6	8.1	329	5.5	0.30	4.9	6.1
2002	30	6.2	1.34	3.9	9.4	350	5.8	0.31	5.2	6.4
2003	24	5.7	1.44	3.3	9.1	333	5.4	0.30	4.9	6.0
2004	31	5.0	1.19	2.9	7.9	382	6.3	0.33	5.7	7.0
2005	19	3.1	0.92	1.6	5.4	351	5.8	0.31	5.2	6.4
2006	34	5.7	1.17	3.7	8.4	370	6.0	0.32	5.4	6.7
2007	29	4.4	0.92	2.8	6.7	374	6.1	0.32	5.5	6.8
2008	26	3.9	0.91	2.4	6.1	402	6.4	0.33	5.8	7.1
2009	34	4.7	0.97	3.0	7.0	356	5.7	0.31	5.1	6.3
2010	32	5.1	1.03	3.3	7.5	376	6.0	0.32	5.4	6.6
2011	29	3.9	0.84	2.4	5.9	380	6.0	0.32	5.4	6.6
2012	38	5.4	1.01	3.6	7.7	334	5.2	0.30	4.7	5.9
2013	27	3.8	0.82	2.3	5.7	348	5.5	0.31	4.9	6.1
2014	41	4.7	0.79	3.2	6.5	381	6.0	0.32	5.4	6.6
2015	33	4.0	0.76	2.6	5.7	356	5.6	0.31	5.0	6.2
2016	44	5.4	0.87	3.8	7.4	366	5.8	0.32	5.2	6.4
2017	31	3.5	0.67	2.3	5.1	349	5.2	0.30	4.7	5.9
2018	41	4.5	0.74	3.2	6.2	359	5.8	0.32	5.1	6.4
2019	35	3.6	0.63	2.5	5.1	326	4.9	0.29	4.4	5.5
2020	37	4.0	0.69	2.8	5.6	327	4.9	0.29	4.3	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain and Other Nervous System

Females

Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	9,403	6.1	0.07	6.0	6.3	956	3.3	0.11	3.1	3.5
1990	270	5.6	0.35	5.0	6.4	19	2.4	0.57	1.4	3.8
1991	286	5.8	0.35	5.1	6.5	21	2.5	0.56	1.5	3.9
1992	272	5.5	0.34	4.8	6.2	34	4.0	0.71	2.8	5.7
1993	276	5.5	0.34	4.9	6.2	30	3.6	0.68	2.4	5.2
1994	283	5.6	0.34	4.9	6.3	35	4.0	0.70	2.8	5.6
1995	277	5.6	0.35	5.0	6.4	29	3.5	0.66	2.3	5.1
1996	287	5.9	0.36	5.2	6.7	36	4.1	0.70	2.9	5.7
1997	294	6.0	0.36	5.4	6.8	21	2.2	0.49	1.4	3.4
1998	290	6.0	0.36	5.3	6.7	26	3.1	0.61	2.0	4.5
1999	304	6.1	0.36	5.4	6.9	32	3.5	0.63	2.4	5.0
2000	307	6.3	0.37	5.6	7.1	32	3.5	0.63	2.4	5.0
2001	301	6.2	0.37	5.5	7.0	18	2.0	0.47	1.2	3.1
2002	309	6.3	0.37	5.6	7.1	30	3.2	0.58	2.1	4.5
2003	301	6.1	0.36	5.4	6.9	23	2.6	0.54	1.6	3.8
2004	338	6.9	0.39	6.2	7.8	35	3.8	0.65	2.6	5.3
2005	308	6.3	0.37	5.6	7.1	32	3.3	0.60	2.3	4.7
2006	316	6.5	0.37	5.8	7.3	42	4.4	0.69	3.2	6.0
2007	328	6.8	0.39	6.1	7.6	36	3.8	0.64	2.6	5.2
2008	356	7.1	0.39	6.4	7.9	34	3.5	0.61	2.4	4.9
2009	314	6.3	0.37	5.6	7.1	29	3.2	0.60	2.1	4.6
2010	321	6.5	0.38	5.8	7.3	40	4.0	0.63	2.8	5.4
2011	333	6.7	0.39	6.0	7.5	34	3.4	0.59	2.4	4.8
2012	294	5.8	0.36	5.1	6.6	27	2.7	0.53	1.8	4.0
2013	317	6.4	0.38	5.7	7.2	22	2.4	0.52	1.5	3.6
2014	319	6.4	0.38	5.7	7.2	37	3.5	0.59	2.5	4.9
2015	311	6.3	0.38	5.6	7.1	34	3.2	0.56	2.2	4.6
2016	301	6.2	0.38	5.5	7.0	47	4.6	0.68	3.4	6.2
2017	311	6.0	0.37	5.3	6.8	28	2.7	0.52	1.8	4.0
2018	314	6.6	0.40	5.8	7.4	30	3.0	0.56	2.0	4.3
2019	279	5.5	0.35	4.8	6.2	35	3.3	0.57	2.3	4.6
2020	286	5.6	0.36	4.9	6.4	28	2.4	0.47	1.6	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,775	4.9	0.14	4.7	5.2	22,102	6.2	0.04	6.1	6.3	
1990	24	3.8	0.97	2.2	6.3	602	5.7	0.23	5.2	6.2	
1991	30	4.5	0.97	2.8	6.8	652	6.1	0.24	5.7	6.6	
1992	28	3.4	0.75	2.1	5.4	648	6.0	0.24	5.6	6.5	
1993	28	4.4	1.01	2.7	6.9	627	5.8	0.23	5.3	6.3	
1994	25	2.7	0.69	1.5	4.5	702	6.5	0.25	6.0	7.0	
1995	34	3.7	0.72	2.4	5.5	654	6.0	0.24	5.6	6.5	
1996	35	4.3	0.87	2.8	6.4	673	6.1	0.24	5.7	6.6	
1997	49	5.6	1.02	3.8	8.0	707	6.4	0.24	6.0	6.9	
1998	39	4.0	0.82	2.6	6.0	667	6.0	0.23	5.6	6.5	
1999	43	4.9	0.96	3.2	7.1	703	6.3	0.24	5.9	6.8	
2000	45	5.5	1.02	3.7	7.8	686	6.2	0.23	5.7	6.6	
2001	56	6.3	1.12	4.3	8.8	696	6.2	0.24	5.8	6.7	
2002	61	6.5	1.03	4.6	8.8	666	5.9	0.23	5.5	6.4	
2003	56	6.1	1.06	4.3	8.5	717	6.3	0.24	5.9	6.8	
2004	63	5.8	0.97	4.0	7.9	736	6.5	0.24	6.0	7.0	
2005	48	4.3	0.82	2.9	6.2	704	6.2	0.23	5.7	6.6	
2006	63	5.8	0.90	4.2	7.8	785	6.9	0.25	6.4	7.4	
2007	66	5.5	0.82	4.0	7.3	710	6.2	0.23	5.7	6.6	
2008	56	4.6	0.72	3.2	6.2	787	6.7	0.24	6.3	7.2	
2009	72	5.2	0.74	3.9	6.9	722	6.1	0.23	5.7	6.6	
2010	69	5.4	0.77	4.0	7.1	790	6.7	0.24	6.2	7.2	
2011	73	5.0	0.69	3.7	6.5	790	6.7	0.24	6.2	7.2	
2012	72	4.9	0.69	3.7	6.4	717	5.9	0.22	5.4	6.3	
2013	58	4.0	0.60	2.9	5.3	741	6.2	0.23	5.7	6.7	
2014	83	4.9	0.60	3.8	6.2	750	6.2	0.23	5.8	6.7	
2015	73	4.7	0.62	3.6	6.1	780	6.4	0.24	5.9	6.9	
2016	93	6.0	0.68	4.8	7.5	749	6.1	0.23	5.6	6.6	
2017	81	4.8	0.58	3.8	6.1	741	6.0	0.23	5.6	6.5	
2018	94	5.4	0.59	4.3	6.7	735	6.1	0.23	5.6	6.5	
2019	86	4.7	0.55	3.7	5.9	722	5.8	0.23	5.4	6.3	
2020	72	3.9	0.49	3.0	5.0	743	5.9	0.23	5.5	6.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	19,634	6.8	0.05	6.7	6.9	1,864	3.5	0.08	3.4	3.7	
1990	555	6.2	0.27	5.7	6.8	40	2.8	0.48	2.0	3.9	
1991	606	6.8	0.28	6.2	7.3	38	2.6	0.45	1.8	3.7	
1992	583	6.4	0.27	5.9	7.0	61	4.0	0.54	3.1	5.3	
1993	568	6.3	0.27	5.8	6.8	48	3.2	0.49	2.4	4.3	
1994	624	6.9	0.28	6.3	7.4	70	4.6	0.57	3.5	5.8	
1995	602	6.7	0.27	6.2	7.2	49	3.2	0.48	2.4	4.3	
1996	611	6.7	0.27	6.2	7.3	54	3.2	0.46	2.4	4.2	
1997	638	7.0	0.28	6.5	7.6	50	3.1	0.45	2.2	4.1	
1998	591	6.5	0.27	6.0	7.1	57	3.4	0.47	2.6	4.5	
1999	622	6.8	0.27	6.2	7.3	62	3.9	0.50	2.9	5.0	
2000	614	6.7	0.27	6.2	7.3	59	3.7	0.50	2.8	4.8	
2001	634	6.9	0.28	6.4	7.5	45	2.9	0.45	2.1	3.9	
2002	597	6.6	0.27	6.0	7.1	50	3.0	0.44	2.2	4.0	
2003	643	7.0	0.28	6.5	7.6	56	3.5	0.47	2.6	4.5	
2004	654	7.1	0.28	6.6	7.7	62	3.7	0.49	2.8	4.8	
2005	625	6.7	0.27	6.2	7.3	62	3.6	0.47	2.7	4.6	
2006	692	7.5	0.29	7.0	8.1	73	4.3	0.52	3.4	5.4	
2007	619	6.7	0.27	6.2	7.2	62	3.6	0.46	2.7	4.6	
2008	694	7.3	0.28	6.8	7.9	65	3.7	0.46	2.8	4.7	
2009	639	6.8	0.28	6.3	7.4	59	3.5	0.47	2.6	4.5	
2010	694	7.4	0.29	6.8	8.0	72	4.0	0.49	3.1	5.1	
2011	684	7.2	0.29	6.7	7.8	81	4.6	0.52	3.6	5.7	
2012	636	6.5	0.27	6.0	7.0	53	2.9	0.41	2.2	3.8	
2013	666	7.1	0.28	6.5	7.6	54	3.0	0.42	2.2	3.9	
2014	652	6.8	0.28	6.3	7.4	64	3.5	0.44	2.6	4.4	
2015	686	7.2	0.29	6.7	7.8	66	3.5	0.44	2.7	4.5	
2016	637	6.6	0.28	6.1	7.2	81	4.3	0.49	3.4	5.4	
2017	654	6.8	0.28	6.2	7.3	66	3.6	0.46	2.8	4.6	
2018	637	6.8	0.28	6.2	7.4	73	3.9	0.47	3.1	5.0	
2019	616	6.4	0.27	5.9	6.9	79	4.2	0.48	3.3	5.2	
2020	661	6.8	0.28	6.3	7.4	53	2.6	0.37	2.0	3.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,047	5.9	0.23	5.5	6.4	12,152	7.4	0.07	7.3	7.5	
1990	14	3.0	1.18	1.2	6.8	335	7.0	0.39	6.2	7.8	
1991	17	3.8	1.05	2.1	7.2	352	7.3	0.40	6.6	8.2	
1992	16	3.9	1.08	2.1	7.2	355	7.4	0.40	6.6	8.2	
1993	17	6.0	1.90	2.8	10.9	346	7.2	0.39	6.4	8.0	
1994	15	3.6	1.39	1.4	7.5	405	8.3	0.42	7.5	9.2	
1995	18	3.7	1.06	1.9	6.8	362	7.3	0.39	6.6	8.1	
1996	20	4.5	1.24	2.4	7.9	373	7.4	0.39	6.7	8.2	
1997	27	4.9	1.07	3.0	7.9	403	8.1	0.41	7.3	9.0	
1998	26	5.6	1.52	3.0	9.5	364	7.2	0.38	6.5	8.0	
1999	29	5.8	1.57	3.2	9.8	379	7.6	0.39	6.8	8.4	
2000	22	6.1	1.60	3.4	10.1	364	7.1	0.38	6.4	7.9	
2001	35	8.3	1.85	5.1	12.7	384	7.6	0.39	6.8	8.4	
2002	35	7.2	1.67	4.3	11.2	329	6.4	0.36	5.7	7.1	
2003	35	7.2	1.69	4.2	11.2	401	7.7	0.39	7.0	8.5	
2004	34	6.7	1.48	4.1	10.2	386	7.5	0.39	6.8	8.3	
2005	35	6.1	1.41	3.7	9.5	380	7.2	0.37	6.5	8.0	
2006	32	6.6	1.47	4.0	10.0	440	8.4	0.40	7.6	9.2	
2007	41	7.6	1.52	4.9	11.1	366	6.8	0.36	6.1	7.5	
2008	33	5.5	1.17	3.5	8.3	416	7.8	0.39	7.0	8.5	
2009	42	6.3	1.21	4.2	9.1	386	7.1	0.37	6.4	7.9	
2010	42	6.5	1.27	4.3	9.5	440	8.1	0.39	7.3	8.9	
2011	46	6.3	1.15	4.3	9.0	440	8.1	0.39	7.3	8.9	
2012	38	5.3	1.05	3.4	7.7	406	7.1	0.36	6.4	7.9	
2013	34	4.5	0.91	2.9	6.6	415	7.4	0.37	6.6	8.1	
2014	49	5.8	0.96	4.1	8.0	402	7.1	0.36	6.4	7.9	
2015	43	5.7	1.02	3.9	8.1	448	7.8	0.38	7.1	8.6	
2016	55	7.2	1.10	5.2	9.7	403	6.9	0.35	6.2	7.6	
2017	53	6.7	1.03	4.8	9.0	421	7.5	0.38	6.8	8.3	
2018	55	6.6	0.97	4.8	8.8	399	7.0	0.36	6.3	7.7	
2019	53	6.3	0.98	4.5	8.5	418	7.3	0.37	6.6	8.1	
2020	36	3.9	0.71	2.6	5.5	434	7.5	0.37	6.8	8.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	10,815	8.1	0.08	7.9	8.2	1,013	4.4	0.14	4.1	4.7
1990	308	7.5	0.44	6.7	8.4	25	3.8	0.82	2.3	5.8
1991	328	8.0	0.45	7.2	9.0	21	3.8	0.90	2.2	5.9
1992	324	7.9	0.45	7.1	8.9	29	4.3	0.84	2.8	6.3
1993	316	7.8	0.44	6.9	8.7	24	3.6	0.77	2.2	5.5
1994	362	8.9	0.47	8.0	9.8	40	6.2	1.06	4.3	8.6
1995	338	8.2	0.45	7.3	9.1	22	3.3	0.79	1.9	5.2
1996	344	8.2	0.44	7.3	9.1	24	2.9	0.62	1.8	4.5
1997	361	8.7	0.46	7.8	9.6	30	4.5	0.90	2.9	6.6
1998	315	7.6	0.43	6.8	8.5	38	4.8	0.84	3.3	6.8
1999	334	8.0	0.44	7.2	8.9	32	4.6	0.85	3.1	6.6
2000	324	7.7	0.43	6.8	8.5	33	4.8	0.93	3.1	6.9
2001	346	8.2	0.44	7.4	9.2	30	4.7	0.92	3.1	6.8
2002	298	7.1	0.41	6.3	7.9	23	3.5	0.80	2.1	5.4
2003	359	8.5	0.45	7.6	9.4	33	4.5	0.82	3.1	6.5
2004	346	8.2	0.44	7.4	9.1	29	3.9	0.78	2.5	5.7
2005	337	7.8	0.43	7.0	8.7	35	4.6	0.81	3.1	6.5
2006	393	9.2	0.47	8.3	10.2	36	5.1	0.92	3.4	7.2
2007	316	7.2	0.41	6.4	8.1	30	3.7	0.70	2.5	5.4
2008	365	8.3	0.44	7.5	9.2	34	4.2	0.74	2.8	5.9
2009	340	7.7	0.43	6.9	8.6	33	4.2	0.76	2.8	6.0
2010	393	9.0	0.46	8.1	9.9	34	4.5	0.81	3.1	6.4
2011	376	8.5	0.45	7.7	9.4	52	6.5	0.94	4.8	8.7
2012	364	7.9	0.43	7.1	8.8	27	3.2	0.63	2.1	4.7
2013	367	8.2	0.44	7.3	9.1	36	4.2	0.72	2.9	5.9
2014	361	8.0	0.43	7.2	8.9	30	3.7	0.69	2.4	5.3
2015	392	8.7	0.46	7.8	9.6	37	4.5	0.78	3.1	6.3
2016	352	7.6	0.42	6.8	8.5	38	4.7	0.79	3.3	6.5
2017	369	8.2	0.45	7.4	9.2	39	4.8	0.79	3.4	6.7
2018	343	7.6	0.43	6.8	8.5	45	5.3	0.82	3.8	7.2
2019	355	8.0	0.44	7.1	8.9	46	5.8	0.88	4.2	7.8
2020	389	8.6	0.46	7.7	9.5	28	3.2	0.61	2.1	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	728	4.0	0.17	3.7	4.4	9,950	5.2	0.05	5.1	5.3
1990	10	4.4	1.51	2.0	8.4	267	4.7	0.29	4.1	5.3
1991	13	4.8	1.49	2.3	8.7	300	5.1	0.30	4.5	5.7
1992	12	2.8	0.97	1.3	5.6	293	4.9	0.29	4.4	5.6
1993	11	3.2	1.11	1.5	6.3	281	4.7	0.28	4.1	5.3
1994	10	2.0	0.71	0.9	4.2	297	4.9	0.29	4.4	5.5
1995	16	3.7	1.01	2.0	6.4	292	4.9	0.29	4.3	5.5
1996	15	4.1	1.21	2.0	7.2	300	5.0	0.29	4.5	5.7
1997	22	5.8	1.53	3.2	9.6	304	5.1	0.29	4.5	5.7
1998	13	2.6	0.84	1.2	5.0	303	5.1	0.29	4.5	5.7
1999	14	4.0	1.24	1.9	7.1	324	5.3	0.30	4.8	6.0
2000	23	5.0	1.29	2.8	8.1	322	5.3	0.30	4.8	6.0
2001	21	4.4	1.29	2.3	7.6	312	5.2	0.29	4.6	5.8
2002	26	5.8	1.33	3.5	9.0	337	5.6	0.31	5.0	6.2
2003	21	5.1	1.35	2.8	8.3	316	5.1	0.29	4.6	5.7
2004	29	4.8	1.19	2.8	7.7	350	5.7	0.31	5.1	6.4
2005	13	2.6	0.90	1.2	4.9	324	5.3	0.30	4.7	5.9
2006	31	5.2	1.12	3.3	7.9	345	5.6	0.31	5.0	6.2
2007	25	3.8	0.86	2.3	5.9	344	5.6	0.31	5.0	6.2
2008	23	3.6	0.89	2.1	5.8	371	5.9	0.31	5.3	6.5
2009	30	4.1	0.91	2.6	6.3	336	5.4	0.30	4.8	6.0
2010	27	4.3	0.94	2.6	6.5	350	5.5	0.30	4.9	6.1
2011	27	3.7	0.83	2.3	5.7	350	5.5	0.30	4.9	6.1
2012	34	4.6	0.91	3.0	6.8	311	4.9	0.29	4.3	5.4
2013	24	3.5	0.79	2.1	5.3	326	5.1	0.29	4.6	5.7
2014	34	4.0	0.75	2.7	5.8	348	5.4	0.30	4.9	6.1
2015	30	3.7	0.74	2.4	5.4	332	5.1	0.29	4.6	5.8
2016	38	4.9	0.85	3.4	6.8	346	5.4	0.30	4.8	6.0
2017	28	3.2	0.65	2.1	4.7	320	4.7	0.28	4.2	5.3
2018	39	4.3	0.72	3.0	6.0	336	5.3	0.31	4.7	6.0
2019	33	3.4	0.61	2.3	4.9	304	4.5	0.28	4.0	5.1
2020	36	3.9	0.68	2.7	5.5	309	4.5	0.27	4.0	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Brain											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	8,819	5.7	0.06	5.6	5.8	851	2.9	0.10	2.7	3.1	
1990	247	5.2	0.34	4.5	5.9	15	2.0	0.54	1.1	3.3	
1991	278	5.6	0.34	4.9	6.3	17	1.9	0.49	1.1	3.2	
1992	259	5.2	0.33	4.6	5.9	32	3.8	0.69	2.6	5.4	
1993	252	5.0	0.32	4.4	5.7	24	2.9	0.61	1.9	4.4	
1994	262	5.2	0.33	4.6	5.9	30	3.4	0.63	2.3	4.9	
1995	264	5.4	0.34	4.7	6.1	27	3.2	0.63	2.1	4.7	
1996	267	5.5	0.34	4.8	6.2	30	3.3	0.62	2.2	4.8	
1997	277	5.7	0.35	5.0	6.4	20	2.1	0.48	1.3	3.3	
1998	276	5.7	0.35	5.0	6.4	19	2.2	0.51	1.3	3.5	
1999	288	5.8	0.35	5.1	6.5	30	3.3	0.61	2.2	4.7	
2000	290	6.0	0.36	5.3	6.7	26	2.9	0.58	1.9	4.3	
2001	288	5.9	0.35	5.2	6.7	15	1.7	0.44	0.9	2.8	
2002	299	6.1	0.36	5.4	6.9	27	2.9	0.56	1.9	4.2	
2003	284	5.7	0.35	5.1	6.4	23	2.6	0.54	1.6	3.8	
2004	308	6.3	0.37	5.6	7.0	33	3.6	0.63	2.5	5.0	
2005	288	5.9	0.35	5.2	6.6	27	2.8	0.54	1.8	4.1	
2006	299	6.1	0.36	5.4	6.8	37	3.8	0.63	2.7	5.3	
2007	303	6.2	0.37	5.5	7.0	32	3.4	0.60	2.3	4.7	
2008	329	6.5	0.37	5.8	7.3	31	3.2	0.58	2.2	4.6	
2009	299	6.0	0.36	5.3	6.8	26	2.9	0.57	1.9	4.2	
2010	301	6.0	0.36	5.3	6.7	38	3.7	0.61	2.6	5.2	
2011	308	6.2	0.37	5.5	7.0	29	2.9	0.55	2.0	4.2	
2012	272	5.3	0.34	4.7	6.0	26	2.6	0.52	1.7	3.9	
2013	299	6.0	0.37	5.3	6.8	18	2.0	0.47	1.2	3.1	
2014	291	5.8	0.36	5.2	6.6	34	3.2	0.56	2.2	4.6	
2015	294	5.9	0.37	5.2	6.7	29	2.7	0.51	1.8	3.9	
2016	285	5.8	0.37	5.1	6.5	43	4.2	0.64	3.0	5.6	
2017	285	5.4	0.34	4.7	6.1	27	2.6	0.51	1.7	3.8	
2018	294	6.1	0.38	5.3	6.8	28	2.8	0.53	1.8	4.0	
2019	261	5.0	0.33	4.4	5.7	33	3.1	0.56	2.1	4.4	
2020	272	5.2	0.34	4.5	5.9	25	2.2	0.44	1.4	3.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Endocrine System											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,445	11.2	0.19	10.8	11.6	39,147	11.2	0.06	11.1	11.3	
1990	26	4.3	1.07	2.5	7.0	576	5.5	0.23	5.0	6.0	
1991	30	4.1	0.84	2.6	6.2	537	5.1	0.22	4.7	5.5	
1992	29	3.8	0.88	2.3	6.0	601	5.7	0.23	5.2	6.1	
1993	42	6.2	1.15	4.1	8.9	630	5.9	0.24	5.4	6.4	
1994	46	4.9	0.80	3.4	6.8	621	5.7	0.23	5.3	6.2	
1995	42	6.4	1.23	4.2	9.2	694	6.4	0.24	5.9	6.9	
1996	52	5.8	0.95	4.1	8.1	744	6.8	0.25	6.3	7.3	
1997	49	5.1	0.87	3.6	7.2	784	7.1	0.26	6.7	7.7	
1998	71	6.5	0.84	4.9	8.4	777	7.1	0.25	6.6	7.6	
1999	77	7.1	0.98	5.3	9.4	871	7.9	0.27	7.4	8.4	
2000	57	5.1	0.77	3.7	6.9	885	8.0	0.27	7.5	8.5	
2001	84	7.2	0.90	5.5	9.2	941	8.4	0.28	7.9	9.0	
2002	81	6.9	0.87	5.3	8.8	1,125	10.1	0.30	9.5	10.7	
2003	110	8.7	1.00	6.8	10.9	1,114	9.9	0.30	9.3	10.5	
2004	122	9.2	0.99	7.4	11.4	1,250	11.2	0.32	10.6	11.8	
2005	133	10.1	1.04	8.1	12.3	1,258	11.1	0.32	10.5	11.8	
2006	131	9.0	0.89	7.3	10.9	1,422	12.6	0.34	11.9	13.2	
2007	156	11.0	1.02	9.1	13.2	1,505	13.3	0.35	12.6	13.9	
2008	161	11.2	1.03	9.3	13.5	1,601	14.0	0.36	13.3	14.7	
2009	185	12.4	1.04	10.4	14.6	1,684	14.7	0.36	14.0	15.4	
2010	206	13.2	1.02	11.2	15.3	1,676	14.6	0.36	13.9	15.3	
2011	216	14.2	1.08	12.2	16.5	1,772	15.2	0.37	14.5	15.9	
2012	213	12.4	0.91	10.6	14.3	1,937	16.7	0.39	15.9	17.5	
2013	256	14.6	0.98	12.7	16.6	1,935	16.7	0.39	15.9	17.4	
2014	253	14.9	1.02	12.9	17.0	1,923	16.5	0.39	15.8	17.3	
2015	287	16.8	1.06	14.8	19.1	2,011	17.2	0.40	16.5	18.0	
2016	287	15.6	0.98	13.7	17.6	1,852	16.0	0.39	15.2	16.8	
2017	263	14.9	0.98	13.0	16.9	1,658	14.2	0.36	13.5	14.9	
2018	256	13.8	0.91	12.1	15.7	1,677	14.3	0.36	13.6	15.0	
2019	287	15.5	0.97	13.7	17.5	1,671	14.5	0.37	13.8	15.2	
2020	237	12.3	0.84	10.7	14.1	1,415	12.4	0.34	11.8	13.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Endocrine System											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	32,961	11.8	0.07	11.7	12.0	3,597	6.9	0.12	6.7	7.1	
1990	508	5.8	0.26	5.3	6.3	51	3.7	0.54	2.7	4.9	
1991	473	5.4	0.25	4.9	5.9	42	3.0	0.49	2.2	4.2	
1992	535	6.0	0.26	5.5	6.6	47	3.2	0.48	2.4	4.3	
1993	552	6.2	0.27	5.7	6.8	48	3.5	0.52	2.5	4.6	
1994	537	6.0	0.26	5.5	6.6	57	4.0	0.54	3.0	5.2	
1995	598	6.7	0.28	6.2	7.3	60	4.0	0.53	3.0	5.2	
1996	647	7.2	0.28	6.6	7.8	67	4.4	0.54	3.4	5.5	
1997	660	7.3	0.29	6.8	7.9	81	5.6	0.64	4.4	7.0	
1998	645	7.2	0.28	6.7	7.8	80	5.2	0.60	4.1	6.5	
1999	754	8.5	0.31	7.9	9.1	63	3.8	0.48	2.9	4.9	
2000	758	8.5	0.31	7.9	9.1	72	4.5	0.54	3.5	5.6	
2001	798	8.9	0.32	8.3	9.5	97	6.1	0.63	4.9	7.4	
2002	972	10.8	0.35	10.2	11.6	98	6.1	0.62	4.9	7.4	
2003	956	10.7	0.35	10.0	11.4	100	6.0	0.60	4.8	7.3	
2004	1,083	12.2	0.37	11.5	13.0	99	5.8	0.59	4.7	7.1	
2005	1,065	11.9	0.37	11.1	12.6	105	6.3	0.63	5.2	7.7	
2006	1,204	13.4	0.39	12.6	14.2	125	7.3	0.66	6.0	8.7	
2007	1,278	14.2	0.41	13.4	15.0	129	7.5	0.67	6.3	9.0	
2008	1,360	15.1	0.42	14.3	16.0	141	8.0	0.68	6.7	9.4	
2009	1,447	16.1	0.44	15.3	17.0	153	8.8	0.72	7.4	10.3	
2010	1,400	15.6	0.43	14.8	16.5	168	9.3	0.73	7.9	10.8	
2011	1,491	16.3	0.44	15.4	17.2	167	9.2	0.72	7.8	10.7	
2012	1,619	17.9	0.46	17.0	18.8	173	9.6	0.74	8.2	11.1	
2013	1,613	18.0	0.47	17.1	18.9	182	9.8	0.74	8.4	11.3	
2014	1,586	17.7	0.46	16.8	18.6	191	10.4	0.77	8.9	12.0	
2015	1,685	18.8	0.48	17.9	19.8	182	10.0	0.76	8.6	11.6	
2016	1,501	16.9	0.46	16.0	17.8	195	10.7	0.78	9.2	12.4	
2017	1,318	14.7	0.43	13.9	15.5	181	9.6	0.73	8.2	11.2	
2018	1,391	15.6	0.44	14.8	16.5	149	7.9	0.66	6.6	9.3	
2019	1,372	15.5	0.44	14.7	16.4	152	8.1	0.67	6.8	9.5	
2020	1,155	13.4	0.42	12.6	14.2	142	7.4	0.64	6.2	8.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Endocrine System										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	959	5.2	0.20	4.8	5.6	10,755	6.5	0.06	6.3	6.6
1990	3	0.6	0.35	0.1	3.2	169	3.5	0.28	3.0	4.1
1991	8	2.4	1.09	0.7	5.9	149	3.1	0.26	2.6	3.7
1992	8	1.8	0.75	0.7	4.7	176	3.6	0.28	3.1	4.2
1993	10	4.5	1.92	1.6	9.7	184	3.7	0.28	3.2	4.3
1994	12	1.9	0.63	0.9	4.4	178	3.6	0.27	3.1	4.2
1995	11	4.8	1.85	1.9	9.6	180	3.6	0.27	3.1	4.1
1996	15	3.7	1.31	1.6	7.4	206	4.1	0.29	3.5	4.7
1997	15	4.0	1.37	1.8	7.7	214	4.3	0.29	3.7	4.9
1998	15	3.5	0.99	1.8	6.3	240	4.7	0.31	4.1	5.4
1999	18	3.1	0.85	1.6	5.6	237	4.6	0.30	4.0	5.2
2000	16	2.6	0.77	1.3	4.9	212	4.1	0.28	3.6	4.7
2001	19	3.1	0.79	1.7	5.3	274	5.3	0.32	4.7	5.9
2002	19	2.7	0.70	1.5	4.8	288	5.5	0.33	4.9	6.2
2003	20	3.0	0.78	1.7	5.1	270	5.1	0.32	4.5	5.8
2004	19	2.5	0.64	1.4	4.4	343	6.5	0.35	5.8	7.2
2005	27	4.8	1.34	2.5	8.1	340	6.3	0.35	5.7	7.0
2006	28	3.8	0.85	2.3	6.0	376	7.0	0.36	6.3	7.8
2007	29	4.6	1.03	2.8	7.1	400	7.4	0.38	6.7	8.2
2008	32	5.2	1.11	3.3	7.9	400	7.2	0.36	6.5	7.9
2009	37	5.9	1.18	3.8	8.7	405	7.2	0.37	6.5	8.0
2010	39	5.6	1.07	3.7	8.1	462	8.4	0.40	7.6	9.2
2011	43	6.0	1.04	4.1	8.4	478	8.5	0.40	7.8	9.3
2012	46	4.7	0.72	3.4	6.4	509	9.0	0.41	8.2	9.8
2013	51	5.9	0.96	4.2	8.1	545	9.5	0.42	8.7	10.4
2014	52	6.2	0.93	4.5	8.3	541	9.4	0.41	8.6	10.2
2015	65	8.9	1.26	6.6	11.7	547	9.5	0.42	8.7	10.4
2016	67	7.9	1.08	5.9	10.3	538	9.5	0.42	8.7	10.4
2017	55	6.6	0.97	4.8	8.8	513	8.9	0.41	8.1	9.7
2018	65	7.0	0.94	5.3	9.1	477	8.2	0.39	7.5	9.0
2019	62	7.1	0.98	5.3	9.3	474	8.4	0.40	7.6	9.2
2020	53	6.1	0.91	4.4	8.1	430	7.6	0.38	6.8	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Endocrine System											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	9,273	6.8	0.07	6.7	7.0	844	3.8	0.13	3.5	4.1	
1990	148	3.6	0.30	3.1	4.3	16	3.0	0.85	1.6	5.1	
1991	132	3.3	0.29	2.7	3.9	10	1.4	0.46	0.7	2.7	
1992	154	3.8	0.31	3.2	4.4	15	2.4	0.64	1.3	4.0	
1993	170	4.1	0.32	3.5	4.8	11	1.7	0.56	0.8	3.2	
1994	149	3.6	0.29	3.0	4.2	21	4.1	0.95	2.5	6.4	
1995	161	3.8	0.30	3.3	4.5	13	1.8	0.53	0.9	3.2	
1996	178	4.2	0.32	3.6	4.9	21	3.2	0.72	2.0	5.0	
1997	183	4.3	0.32	3.7	5.0	20	3.3	0.78	1.9	5.2	
1998	198	4.7	0.33	4.1	5.4	24	3.5	0.72	2.2	5.3	
1999	210	5.0	0.34	4.3	5.7	16	2.2	0.57	1.2	3.6	
2000	190	4.5	0.33	3.9	5.2	10	1.3	0.42	0.6	2.5	
2001	235	5.5	0.36	4.8	6.2	27	4.2	0.84	2.7	6.2	
2002	252	5.9	0.37	5.2	6.7	19	2.7	0.64	1.6	4.3	
2003	232	5.4	0.36	4.7	6.2	23	3.2	0.69	2.0	4.9	
2004	307	7.1	0.41	6.3	7.9	19	2.5	0.59	1.5	4.0	
2005	299	6.9	0.40	6.1	7.7	25	3.5	0.72	2.2	5.2	
2006	321	7.3	0.41	6.5	8.2	30	3.9	0.72	2.6	5.6	
2007	345	7.9	0.43	7.1	8.8	29	4.3	0.84	2.8	6.2	
2008	351	7.8	0.42	7.0	8.7	31	3.9	0.73	2.6	5.6	
2009	352	7.8	0.42	7.0	8.6	32	4.1	0.74	2.7	5.8	
2010	401	9.1	0.46	8.2	10.0	35	4.3	0.76	3.0	6.1	
2011	413	9.1	0.46	8.2	10.0	37	4.7	0.80	3.2	6.5	
2012	442	9.7	0.48	8.8	10.7	39	5.2	0.87	3.7	7.2	
2013	474	10.4	0.49	9.4	11.4	36	4.3	0.74	3.0	6.0	
2014	465	10.1	0.49	9.2	11.1	44	5.3	0.82	3.8	7.2	
2015	458	10.1	0.49	9.1	11.1	51	6.4	0.93	4.8	8.5	
2016	440	9.9	0.49	8.9	10.9	52	6.5	0.94	4.8	8.6	
2017	431	9.5	0.48	8.6	10.5	40	5.0	0.82	3.5	6.9	
2018	418	9.2	0.47	8.3	10.2	23	2.8	0.60	1.8	4.3	
2019	407	9.1	0.47	8.2	10.1	34	4.2	0.73	2.8	5.9	
2020	357	8.1	0.45	7.2	9.0	41	4.9	0.78	3.5	6.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Endocrine System										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	3,486	17.5	0.32	16.9	18.1	28,392	15.7	0.09	15.5	15.9
1990	23	7.7	1.93	4.4	12.5	407	7.3	0.37	6.6	8.0
1991	22	6.2	1.41	3.7	9.8	388	7.0	0.36	6.3	7.7
1992	21	5.8	1.47	3.2	9.5	425	7.5	0.37	6.8	8.3
1993	32	8.5	1.68	5.6	12.6	446	7.9	0.38	7.2	8.7
1994	34	8.1	1.50	5.4	11.7	443	7.8	0.37	7.1	8.6
1995	31	8.3	1.75	5.2	12.5	514	9.0	0.40	8.2	9.8
1996	37	8.3	1.51	5.6	11.9	538	9.3	0.40	8.5	10.2
1997	34	6.6	1.26	4.4	9.7	570	9.8	0.41	9.0	10.6
1998	56	10.0	1.44	7.4	13.4	537	9.3	0.40	8.6	10.2
1999	59	11.4	1.71	8.3	15.3	634	11.0	0.44	10.2	11.9
2000	41	7.7	1.33	5.4	10.9	673	11.6	0.45	10.7	12.5
2001	65	11.5	1.60	8.6	15.2	667	11.5	0.45	10.6	12.4
2002	62	11.1	1.57	8.3	14.7	837	14.4	0.50	13.4	15.4
2003	90	14.5	1.77	11.3	18.5	844	14.4	0.50	13.5	15.5
2004	103	16.0	1.80	12.6	19.9	907	15.7	0.53	14.7	16.8
2005	106	15.8	1.70	12.6	19.6	918	15.7	0.52	14.7	16.7
2006	103	14.3	1.56	11.4	17.8	1,046	17.8	0.56	16.7	18.9
2007	127	17.7	1.74	14.5	21.5	1,105	18.8	0.57	17.7	19.9
2008	129	17.6	1.72	14.4	21.3	1,201	20.4	0.60	19.2	21.6
2009	148	19.2	1.73	16.0	22.9	1,279	21.8	0.62	20.6	23.0
2010	167	21.2	1.75	17.9	25.0	1,214	20.7	0.61	19.5	21.9
2011	173	22.6	1.86	19.1	26.6	1,294	21.5	0.62	20.3	22.7
2012	167	20.2	1.65	17.0	23.7	1,428	24.0	0.65	22.8	25.3
2013	205	23.7	1.73	20.4	27.4	1,390	23.5	0.65	22.2	24.8
2014	201	23.5	1.78	20.2	27.3	1,382	23.4	0.65	22.2	24.8
2015	222	25.4	1.77	22.1	29.2	1,464	24.7	0.67	23.4	26.0
2016	220	23.7	1.67	20.6	27.2	1,314	22.3	0.64	21.0	23.6
2017	208	23.3	1.69	20.1	26.9	1,145	19.3	0.60	18.1	20.5
2018	191	20.9	1.57	17.9	24.2	1,200	20.2	0.61	19.1	21.5
2019	225	24.2	1.67	21.1	27.7	1,197	20.4	0.62	19.2	21.6
2020	184	18.9	1.44	16.2	21.9	985	17.1	0.57	16.0	18.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Endocrine System										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	23,688	16.8	0.11	16.6	17.0	2,753	9.4	0.18	9.1	9.8
1990	360	7.8	0.42	7.0	8.7	35	4.4	0.75	3.0	6.1
1991	341	7.5	0.41	6.7	8.3	32	4.2	0.77	2.8	6.0
1992	381	8.2	0.43	7.4	9.1	32	3.9	0.70	2.7	5.5
1993	382	8.3	0.43	7.4	9.1	37	4.8	0.80	3.4	6.6
1994	388	8.4	0.43	7.6	9.3	36	4.2	0.70	2.9	5.8
1995	437	9.5	0.46	8.6	10.5	47	5.6	0.83	4.1	7.5
1996	469	10.1	0.47	9.2	11.1	46	5.2	0.78	3.8	7.0
1997	477	10.2	0.47	9.3	11.1	61	7.5	0.97	5.7	9.6
1998	447	9.8	0.46	8.9	10.7	56	6.4	0.87	4.8	8.3
1999	544	11.9	0.51	10.9	13.0	47	5.1	0.74	3.7	6.7
2000	568	12.3	0.52	11.3	13.4	62	6.8	0.87	5.2	8.8
2001	563	12.3	0.52	11.3	13.4	70	7.6	0.92	5.9	9.7
2002	720	15.7	0.59	14.6	16.9	79	8.6	0.98	6.8	10.8
2003	724	15.8	0.59	14.6	17.0	77	8.2	0.94	6.4	10.2
2004	776	17.3	0.63	16.1	18.5	80	8.5	0.95	6.7	10.5
2005	766	16.8	0.62	15.6	18.0	80	8.6	0.97	6.8	10.7
2006	883	19.3	0.66	18.0	20.6	95	9.8	1.01	7.9	12.0
2007	933	20.4	0.68	19.1	21.8	100	10.3	1.04	8.4	12.6
2008	1,009	22.2	0.72	20.8	23.7	110	11.2	1.08	9.2	13.5
2009	1,095	24.4	0.76	22.9	25.9	121	12.4	1.13	10.2	14.8
2010	999	22.2	0.73	20.8	23.7	133	13.3	1.17	11.1	15.8
2011	1,078	23.4	0.74	21.9	24.9	130	12.9	1.15	10.7	15.4
2012	1,177	26.0	0.79	24.4	27.5	134	13.2	1.16	11.0	15.7
2013	1,139	25.5	0.79	24.0	27.1	146	14.1	1.19	11.9	16.7
2014	1,121	25.2	0.79	23.7	26.8	147	14.5	1.22	12.2	17.1
2015	1,227	27.5	0.83	25.9	29.2	131	13.1	1.17	10.9	15.6
2016	1,061	23.9	0.77	22.4	25.5	143	14.3	1.22	12.0	16.9
2017	887	19.9	0.71	18.6	21.4	141	13.5	1.17	11.3	16.0
2018	973	22.1	0.75	20.7	23.7	126	12.0	1.10	9.9	14.4
2019	965	22.0	0.75	20.6	23.5	118	11.2	1.07	9.2	13.5
2020	798	18.7	0.70	17.3	20.1	101	9.5	0.97	7.7	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Thyroid											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,184	10.6	0.18	10.2	11.0	36,493	10.4	0.06	10.3	10.5	
1990	24	3.8	0.99	2.1	6.3	513	4.9	0.22	4.5	5.3	
1991	26	3.8	0.83	2.3	5.9	482	4.6	0.21	4.2	5.0	
1992	26	3.5	0.85	2.0	5.6	515	4.8	0.22	4.4	5.3	
1993	36	4.9	0.96	3.2	7.3	559	5.2	0.22	4.8	5.7	
1994	38	4.4	0.78	3.0	6.3	566	5.2	0.22	4.8	5.7	
1995	37	5.6	1.15	3.6	8.3	617	5.7	0.23	5.2	6.1	
1996	46	5.2	0.90	3.5	7.3	672	6.1	0.24	5.7	6.6	
1997	42	4.5	0.82	3.0	6.5	717	6.5	0.24	6.1	7.0	
1998	66	5.8	0.79	4.4	7.7	716	6.5	0.24	6.0	7.0	
1999	71	6.7	0.96	4.9	8.9	795	7.2	0.26	6.7	7.7	
2000	54	4.7	0.74	3.4	6.5	820	7.4	0.26	6.9	7.9	
2001	76	6.6	0.87	5.0	8.6	853	7.6	0.26	7.1	8.2	
2002	73	6.4	0.85	4.8	8.3	1,039	9.3	0.29	8.7	9.9	
2003	97	7.5	0.92	5.8	9.6	1,030	9.2	0.29	8.6	9.8	
2004	113	8.6	0.97	6.8	10.7	1,143	10.2	0.30	9.6	10.8	
2005	127	9.7	1.02	7.8	11.9	1,176	10.4	0.31	9.8	11.0	
2006	127	8.6	0.87	7.0	10.5	1,313	11.6	0.32	11.0	12.2	
2007	145	10.3	0.98	8.5	12.4	1,414	12.4	0.33	11.8	13.1	
2008	155	10.9	1.02	9.0	13.1	1,509	13.2	0.34	12.5	13.9	
2009	176	11.9	1.03	10.0	14.1	1,599	14.0	0.36	13.3	14.7	
2010	193	12.4	0.98	10.6	14.5	1,588	13.8	0.35	13.1	14.5	
2011	207	13.8	1.07	11.8	16.1	1,678	14.4	0.36	13.7	15.1	
2012	202	11.8	0.90	10.1	13.7	1,847	15.9	0.38	15.2	16.7	
2013	241	13.7	0.94	11.9	15.7	1,865	16.1	0.38	15.3	16.8	
2014	242	14.3	1.00	12.4	16.4	1,838	15.8	0.38	15.1	16.6	
2015	275	16.2	1.04	14.2	18.3	1,914	16.4	0.39	15.7	17.2	
2016	276	15.1	0.97	13.2	17.1	1,747	15.1	0.37	14.4	15.9	
2017	247	13.9	0.94	12.1	15.9	1,554	13.3	0.35	12.6	14.0	
2018	246	13.3	0.90	11.6	15.2	1,537	13.1	0.35	12.5	13.8	
2019	277	15.1	0.96	13.3	17.1	1,581	13.7	0.36	13.0	14.4	
2020	223	11.6	0.82	10.1	13.3	1,296	11.4	0.33	10.8	12.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Thyroid										
Both Sexes										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	30,947	11.1	0.06	11.0	11.2	3,103	6.0	0.11	5.8	6.2
1990	459	5.2	0.25	4.8	5.8	39	2.9	0.49	2.0	4.0
1991	429	4.9	0.24	4.4	5.3	33	2.5	0.46	1.7	3.6
1992	461	5.2	0.24	4.7	5.7	38	2.7	0.44	1.9	3.7
1993	493	5.6	0.25	5.1	6.1	39	2.7	0.45	1.9	3.8
1994	493	5.5	0.25	5.0	6.0	49	3.4	0.50	2.5	4.6
1995	533	6.0	0.26	5.5	6.5	52	3.6	0.50	2.6	4.7
1996	592	6.6	0.27	6.1	7.1	53	3.4	0.48	2.6	4.5
1997	613	6.8	0.27	6.3	7.4	63	4.5	0.58	3.5	5.8
1998	601	6.7	0.27	6.2	7.3	67	4.4	0.55	3.4	5.6
1999	694	7.8	0.30	7.2	8.4	50	3.0	0.43	2.2	4.0
2000	707	7.9	0.30	7.3	8.5	64	4.0	0.51	3.1	5.2
2001	729	8.1	0.30	7.5	8.7	84	5.3	0.58	4.2	6.5
2002	902	10.0	0.34	9.4	10.7	85	5.3	0.58	4.2	6.5
2003	887	9.9	0.33	9.3	10.6	88	5.3	0.57	4.2	6.6
2004	997	11.2	0.36	10.5	12.0	81	4.8	0.53	3.8	5.9
2005	1,000	11.1	0.36	10.4	11.8	89	5.4	0.58	4.3	6.6
2006	1,122	12.5	0.38	11.8	13.2	100	5.9	0.59	4.8	7.1
2007	1,217	13.6	0.40	12.8	14.4	112	6.6	0.63	5.4	8.0
2008	1,286	14.3	0.41	13.5	15.1	129	7.4	0.66	6.2	8.8
2009	1,387	15.5	0.43	14.7	16.4	132	7.5	0.66	6.3	8.9
2010	1,338	14.9	0.42	14.1	15.7	146	8.1	0.68	6.8	9.6
2011	1,423	15.5	0.43	14.7	16.4	144	7.9	0.67	6.7	9.4
2012	1,549	17.1	0.45	16.3	18.0	158	8.7	0.71	7.4	10.2
2013	1,566	17.5	0.46	16.6	18.4	163	8.8	0.70	7.4	10.2
2014	1,519	16.9	0.45	16.0	17.8	178	9.7	0.74	8.3	11.3
2015	1,615	18.0	0.47	17.1	18.9	163	9.0	0.72	7.7	10.6
2016	1,428	16.1	0.45	15.2	17.0	172	9.5	0.74	8.1	11.1
2017	1,248	13.9	0.41	13.1	14.7	157	8.4	0.69	7.1	9.9
2018	1,290	14.5	0.43	13.7	15.4	119	6.3	0.60	5.2	7.6
2019	1,298	14.7	0.43	13.9	15.6	142	7.5	0.65	6.3	8.9
2020	1,071	12.4	0.40	11.6	13.2	114	6.0	0.58	4.9	7.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Thyroid											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	811	4.6	0.19	4.3	5.0	9,373	5.6	0.06	5.5	5.7	
1990	3	0.6	0.35	0.1	3.2	136	2.9	0.25	2.4	3.4	
1991	6	2.1	1.07	0.5	5.7	118	2.5	0.23	2.0	3.0	
1992	5	1.2	0.61	0.3	3.9	133	2.7	0.24	2.3	3.3	
1993	7	3.1	1.48	0.9	7.4	143	2.9	0.24	2.4	3.4	
1994	5	1.2	0.56	0.3	3.6	146	2.9	0.25	2.5	3.5	
1995	8	3.9	1.72	1.3	8.5	143	2.8	0.24	2.4	3.4	
1996	11	3.1	1.26	1.2	6.7	167	3.3	0.26	2.8	3.9	
1997	11	3.4	1.30	1.3	7.0	182	3.6	0.27	3.1	4.2	
1998	10	2.2	0.77	1.0	4.7	209	4.1	0.29	3.6	4.7	
1999	15	2.8	0.84	1.4	5.3	204	3.9	0.28	3.4	4.5	
2000	14	2.2	0.73	1.0	4.5	182	3.5	0.26	3.0	4.1	
2001	13	2.3	0.69	1.1	4.4	225	4.3	0.29	3.8	4.9	
2002	14	2.3	0.68	1.2	4.4	240	4.6	0.30	4.0	5.2	
2003	13	2.1	0.70	1.0	4.1	232	4.4	0.29	3.9	5.0	
2004	15	2.1	0.57	1.1	3.8	291	5.5	0.32	4.9	6.1	
2005	24	4.6	1.33	2.3	7.8	291	5.4	0.32	4.8	6.0	
2006	25	3.4	0.82	2.0	5.6	309	5.7	0.33	5.1	6.4	
2007	23	3.7	0.92	2.1	6.0	354	6.6	0.35	5.9	7.3	
2008	29	4.9	1.10	3.0	7.6	357	6.4	0.34	5.7	7.1	
2009	32	5.5	1.17	3.5	8.3	370	6.6	0.35	6.0	7.4	
2010	33	5.2	1.06	3.3	7.7	417	7.5	0.38	6.8	8.3	
2011	37	5.4	1.02	3.6	7.8	424	7.5	0.37	6.8	8.3	
2012	40	4.2	0.69	3.0	5.9	462	8.1	0.39	7.4	8.9	
2013	41	5.1	0.92	3.5	7.3	500	8.7	0.40	8.0	9.6	
2014	49	6.0	0.92	4.3	8.1	494	8.5	0.40	7.8	9.4	
2015	55	7.7	1.18	5.6	10.4	493	8.5	0.40	7.8	9.3	
2016	60	7.3	1.05	5.4	9.7	481	8.4	0.40	7.7	9.3	
2017	51	6.2	0.96	4.5	8.4	458	7.9	0.38	7.2	8.7	
2018	58	6.4	0.91	4.7	8.4	418	7.1	0.36	6.4	7.9	
2019	56	6.5	0.95	4.8	8.7	430	7.5	0.38	6.8	8.3	
2020	48	5.5	0.86	4.0	7.5	364	6.4	0.35	5.7	7.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Thyroid											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	8,228	6.0	0.07	5.9	6.2	588	2.7	0.11	2.5	2.9	
1990	122	3.0	0.28	2.5	3.6	10	2.2	0.77	1.0	4.2	
1991	107	2.6	0.26	2.1	3.2	6	1.0	0.42	0.4	2.3	
1992	119	2.9	0.27	2.4	3.5	10	1.7	0.55	0.8	3.2	
1993	135	3.2	0.28	2.7	3.8	6	0.9	0.36	0.3	2.0	
1994	123	2.9	0.27	2.4	3.5	17	3.4	0.86	1.9	5.4	
1995	131	3.1	0.27	2.6	3.7	9	1.3	0.47	0.6	2.6	
1996	149	3.5	0.29	3.0	4.1	14	2.2	0.61	1.2	3.8	
1997	160	3.8	0.30	3.2	4.4	12	2.1	0.67	1.0	3.8	
1998	176	4.2	0.31	3.6	4.8	18	2.6	0.63	1.6	4.2	
1999	183	4.3	0.32	3.7	5.0	11	1.6	0.48	0.8	2.9	
2000	167	3.9	0.30	3.3	4.5	8	1.1	0.40	0.5	2.2	
2001	199	4.6	0.33	4.0	5.3	17	2.7	0.68	1.5	4.4	
2002	213	4.9	0.34	4.3	5.7	11	1.5	0.45	0.7	2.7	
2003	198	4.6	0.33	4.0	5.3	19	2.7	0.65	1.6	4.3	
2004	261	6.0	0.37	5.3	6.8	13	1.7	0.50	0.9	3.0	
2005	260	5.9	0.37	5.2	6.7	15	2.1	0.57	1.2	3.6	
2006	270	6.1	0.38	5.4	6.9	16	2.2	0.57	1.3	3.6	
2007	316	7.2	0.41	6.4	8.1	20	3.2	0.76	1.9	5.0	
2008	320	7.1	0.40	6.3	7.9	23	3.0	0.67	1.9	4.6	
2009	328	7.3	0.41	6.5	8.1	23	2.9	0.62	1.8	4.4	
2010	367	8.2	0.44	7.4	9.1	24	3.1	0.67	2.0	4.7	
2011	378	8.2	0.44	7.4	9.1	20	2.6	0.60	1.6	4.0	
2012	407	8.9	0.45	8.0	9.8	28	3.7	0.73	2.4	5.4	
2013	440	9.6	0.47	8.7	10.6	27	3.4	0.67	2.2	5.0	
2014	429	9.3	0.47	8.4	10.3	35	4.3	0.76	3.0	6.1	
2015	419	9.1	0.46	8.2	10.1	39	4.8	0.79	3.4	6.7	
2016	404	9.0	0.47	8.1	10.0	39	4.9	0.82	3.5	6.8	
2017	396	8.7	0.46	7.8	9.6	27	3.5	0.70	2.3	5.1	
2018	371	8.0	0.44	7.2	8.9	14	1.8	0.49	1.0	3.1	
2019	370	8.2	0.45	7.3	9.1	29	3.4	0.66	2.3	5.0	
2020	310	7.0	0.42	6.2	7.9	28	3.4	0.66	2.2	4.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Thyroid											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,373	16.9	0.31	16.3	17.5	27,120	15.0	0.09	14.8	15.2	
1990	21	6.9	1.78	3.8	11.3	377	6.8	0.35	6.1	7.5	
1991	20	5.8	1.39	3.4	9.4	364	6.6	0.35	5.9	7.3	
1992	21	5.8	1.47	3.2	9.5	382	6.8	0.35	6.1	7.5	
1993	29	7.4	1.49	4.7	11.0	416	7.3	0.36	6.7	8.1	
1994	33	7.9	1.50	5.3	11.6	420	7.4	0.37	6.7	8.2	
1995	29	7.7	1.66	4.8	11.7	474	8.3	0.38	7.5	9.0	
1996	35	7.6	1.43	5.1	11.1	505	8.8	0.39	8.0	9.6	
1997	31	6.0	1.19	3.9	9.0	535	9.2	0.40	8.4	10.0	
1998	56	10.0	1.44	7.4	13.4	507	8.8	0.39	8.1	9.6	
1999	56	10.7	1.66	7.7	14.6	591	10.3	0.43	9.5	11.2	
2000	40	7.4	1.29	5.1	10.5	638	11.0	0.44	10.1	11.9	
2001	63	11.2	1.59	8.3	14.9	628	10.8	0.43	10.0	11.7	
2002	59	10.6	1.54	7.8	14.1	799	13.7	0.49	12.7	14.7	
2003	84	13.2	1.64	10.2	16.9	798	13.7	0.49	12.7	14.7	
2004	98	15.2	1.76	12.0	19.1	852	14.8	0.51	13.8	15.8	
2005	103	15.3	1.67	12.2	19.0	885	15.1	0.51	14.1	16.2	
2006	102	14.1	1.54	11.2	17.5	1,004	17.1	0.55	16.0	18.2	
2007	122	17.2	1.72	14.0	20.9	1,060	18.0	0.56	16.9	19.1	
2008	126	17.2	1.71	14.0	20.9	1,152	19.6	0.59	18.5	20.8	
2009	144	18.8	1.71	15.6	22.5	1,229	21.0	0.61	19.8	22.2	
2010	160	20.3	1.70	17.1	23.9	1,171	19.9	0.60	18.8	21.1	
2011	170	22.3	1.85	18.8	26.3	1,254	20.9	0.61	19.7	22.1	
2012	162	19.5	1.63	16.5	23.0	1,385	23.4	0.65	22.1	24.7	
2013	200	22.9	1.69	19.7	26.4	1,365	23.1	0.64	21.8	24.4	
2014	193	22.6	1.74	19.3	26.3	1,344	22.8	0.64	21.5	24.1	
2015	220	25.2	1.76	21.9	28.9	1,421	24.0	0.66	22.7	25.3	
2016	216	23.3	1.66	20.2	26.8	1,266	21.6	0.63	20.4	22.9	
2017	196	21.9	1.63	18.8	25.3	1,096	18.5	0.58	17.4	19.7	
2018	188	20.6	1.55	17.6	23.9	1,119	19.0	0.59	17.8	20.2	
2019	221	23.9	1.66	20.7	27.4	1,151	19.7	0.61	18.5	20.9	
2020	175	18.0	1.40	15.4	21.0	932	16.2	0.56	15.1	17.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Thyroid											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	22,719	16.1	0.11	15.9	16.3	2,515	8.6	0.17	8.3	9.0	
1990	337	7.3	0.41	6.6	8.2	29	3.7	0.70	2.4	5.3	
1991	322	7.0	0.40	6.3	7.9	27	3.6	0.72	2.3	5.3	
1992	342	7.3	0.40	6.6	8.2	28	3.4	0.65	2.3	4.9	
1993	358	7.7	0.41	6.9	8.6	33	4.2	0.74	2.9	5.9	
1994	370	8.1	0.42	7.2	8.9	32	3.7	0.66	2.5	5.2	
1995	402	8.7	0.44	7.9	9.6	43	5.2	0.80	3.7	7.0	
1996	443	9.6	0.46	8.7	10.5	39	4.4	0.72	3.1	6.1	
1997	453	9.6	0.46	8.7	10.6	51	6.4	0.90	4.7	8.4	
1998	425	9.3	0.45	8.4	10.2	49	5.7	0.82	4.2	7.5	
1999	511	11.3	0.50	10.3	12.3	39	4.2	0.67	3.0	5.7	
2000	540	11.8	0.51	10.8	12.8	56	6.2	0.84	4.7	8.1	
2001	530	11.6	0.51	10.6	12.6	67	7.3	0.90	5.7	9.3	
2002	689	15.0	0.58	13.9	16.2	74	8.1	0.95	6.4	10.2	
2003	689	15.1	0.58	13.9	16.2	69	7.4	0.89	5.7	9.3	
2004	736	16.4	0.61	15.2	17.6	68	7.2	0.87	5.6	9.1	
2005	740	16.2	0.61	15.1	17.5	74	7.9	0.93	6.2	10.0	
2006	852	18.7	0.65	17.4	20.0	84	8.7	0.95	6.9	10.7	
2007	901	19.7	0.67	18.4	21.1	92	9.6	1.01	7.7	11.8	
2008	966	21.4	0.71	20.0	22.8	106	10.9	1.06	8.9	13.2	
2009	1,059	23.6	0.75	22.2	25.1	109	11.1	1.08	9.1	13.4	
2010	971	21.6	0.72	20.2	23.0	122	12.2	1.12	10.1	14.6	
2011	1,045	22.7	0.73	21.3	24.2	124	12.3	1.12	10.2	14.7	
2012	1,142	25.3	0.78	23.8	26.8	130	12.8	1.14	10.7	15.2	
2013	1,126	25.2	0.79	23.7	26.8	136	13.1	1.14	10.9	15.5	
2014	1,090	24.5	0.78	23.0	26.1	143	14.2	1.21	11.9	16.7	
2015	1,196	26.8	0.82	25.2	28.4	124	12.4	1.14	10.3	14.9	
2016	1,024	23.2	0.77	21.7	24.8	133	13.3	1.18	11.1	15.9	
2017	852	19.2	0.69	17.8	20.6	130	12.5	1.13	10.4	14.9	
2018	919	21.0	0.73	19.6	22.5	105	10.0	1.01	8.2	12.2	
2019	928	21.3	0.74	19.8	22.8	113	10.8	1.05	8.9	13.1	
2020	761	17.8	0.68	16.5	19.2	86	8.1	0.91	6.5	10.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lymphoma											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	5,986	20.7	0.31	20.1	21.3	81,963	22.3	0.08	22.2	22.5	
1990	77	13.3	1.89	9.9	17.5	1,993	19.0	0.43	18.1	19.8	
1991	69	14.2	2.12	10.3	18.9	1,989	18.6	0.42	17.8	19.5	
1992	98	19.0	2.37	14.6	24.2	2,160	20.1	0.43	19.2	20.9	
1993	99	18.0	2.30	13.8	23.0	2,209	20.3	0.44	19.5	21.2	
1994	118	19.3	2.24	15.2	24.1	2,318	21.2	0.44	20.3	22.1	
1995	122	22.8	2.64	17.9	28.5	2,406	21.9	0.45	21.0	22.8	
1996	115	19.0	2.24	14.8	23.8	2,520	22.8	0.46	21.9	23.7	
1997	99	15.2	1.88	11.7	19.2	2,467	22.2	0.45	21.3	23.1	
1998	128	19.8	2.09	15.9	24.2	2,500	22.3	0.45	21.5	23.2	
1999	162	23.4	2.33	19.1	28.4	2,576	22.9	0.45	22.0	23.8	
2000	125	17.9	2.01	14.2	22.2	2,603	23.0	0.45	22.2	23.9	
2001	133	19.5	2.06	15.6	23.8	2,600	22.8	0.45	22.0	23.7	
2002	172	23.4	2.19	19.3	28.1	2,605	22.8	0.45	21.9	23.6	
2003	172	21.0	1.96	17.3	25.1	2,637	22.9	0.45	22.0	23.8	
2004	184	22.6	2.08	18.7	27.0	2,799	24.2	0.46	23.3	25.1	
2005	186	21.3	1.90	17.7	25.3	2,740	23.5	0.45	22.6	24.4	
2006	189	18.5	1.56	15.5	21.8	2,696	23.0	0.45	22.2	23.9	
2007	210	22.6	1.85	19.1	26.4	2,717	22.9	0.44	22.1	23.8	
2008	241	24.4	1.88	20.9	28.3	2,811	23.4	0.45	22.6	24.3	
2009	231	22.8	1.75	19.5	26.4	2,801	23.2	0.44	22.3	24.1	
2010	222	21.5	1.65	18.3	24.9	2,907	23.8	0.45	23.0	24.7	
2011	220	19.6	1.52	16.8	22.8	2,833	22.9	0.44	22.0	23.8	
2012	224	19.3	1.46	16.5	22.3	2,787	22.5	0.43	21.6	23.3	
2013	269	21.1	1.45	18.4	24.1	2,823	22.3	0.43	21.4	23.1	
2014	291	23.0	1.51	20.1	26.1	2,961	23.0	0.43	22.2	23.9	
2015	285	22.1	1.45	19.3	25.1	3,000	23.3	0.44	22.4	24.1	
2016	299	21.6	1.37	19.0	24.4	2,930	22.7	0.43	21.8	23.5	
2017	310	22.2	1.37	19.6	25.1	2,978	22.8	0.43	21.9	23.6	
2018	311	20.5	1.25	18.1	23.1	2,892	21.9	0.42	21.1	22.7	
2019	352	22.3	1.27	19.9	25.0	3,003	22.1	0.42	21.3	23.0	
2020	273	16.6	1.08	14.6	18.8	2,702	20.2	0.40	19.5	21.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lymphoma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	71,309	23.4	0.09	23.2	23.6	8,117	16.1	0.18	15.7	16.5	
1990	1,799	19.9	0.47	19.0	20.8	170	12.8	1.03	10.9	15.0	
1991	1,814	19.8	0.47	18.9	20.7	141	10.5	0.92	8.8	12.5	
1992	1,970	21.3	0.49	20.4	22.3	168	12.5	1.00	10.6	14.6	
1993	1,990	21.4	0.48	20.4	22.3	192	13.3	1.00	11.4	15.4	
1994	2,056	22.0	0.49	21.0	22.9	226	15.7	1.08	13.7	18.0	
1995	2,131	22.7	0.49	21.7	23.7	227	16.0	1.11	14.0	18.4	
1996	2,239	23.9	0.51	22.9	24.9	233	15.5	1.05	13.5	17.7	
1997	2,179	23.1	0.50	22.1	24.1	233	15.3	1.03	13.4	17.5	
1998	2,189	23.1	0.50	22.2	24.1	256	16.8	1.07	14.7	19.0	
1999	2,308	24.3	0.51	23.3	25.3	224	14.9	1.02	12.9	17.0	
2000	2,291	24.2	0.51	23.2	25.2	248	15.8	1.02	13.8	17.9	
2001	2,297	24.1	0.50	23.1	25.1	249	15.9	1.03	13.9	18.0	
2002	2,307	24.1	0.50	23.1	25.1	240	15.1	1.00	13.3	17.2	
2003	2,301	23.9	0.50	22.9	24.9	260	16.2	1.02	14.3	18.3	
2004	2,427	25.2	0.51	24.2	26.2	296	18.8	1.12	16.7	21.1	
2005	2,384	24.6	0.51	23.6	25.6	270	16.9	1.05	14.9	19.1	
2006	2,368	24.5	0.51	23.5	25.5	255	15.6	1.00	13.7	17.7	
2007	2,359	24.1	0.50	23.1	25.1	290	17.3	1.04	15.3	19.5	
2008	2,428	24.5	0.51	23.6	25.6	280	16.9	1.03	14.9	19.0	
2009	2,424	24.3	0.50	23.4	25.3	273	16.1	0.99	14.2	18.1	
2010	2,485	24.8	0.51	23.8	25.8	302	17.6	1.03	15.6	19.7	
2011	2,421	23.8	0.50	22.9	24.8	309	17.6	1.02	15.6	19.7	
2012	2,401	23.7	0.50	22.7	24.7	293	16.4	0.98	14.5	18.4	
2013	2,417	23.5	0.49	22.5	24.5	293	16.1	0.96	14.3	18.1	
2014	2,520	24.2	0.50	23.2	25.2	314	17.2	0.99	15.3	19.2	
2015	2,573	24.7	0.50	23.7	25.7	303	16.5	0.97	14.6	18.5	
2016	2,502	24.0	0.50	23.0	25.0	298	16.6	0.98	14.7	18.6	
2017	2,492	23.6	0.49	22.7	24.6	350	19.3	1.05	17.3	21.5	
2018	2,404	22.6	0.48	21.7	23.6	345	18.5	1.02	16.5	20.6	
2019	2,549	23.4	0.48	22.5	24.4	308	16.1	0.93	14.3	18.0	
2020	2,284	21.5	0.47	20.5	22.4	271	14.1	0.88	12.5	16.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lymphoma											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,375	23.7	0.50	22.7	24.7	43,656	27.0	0.13	26.7	27.3	
1990	48	15.8	2.90	10.6	22.7	1,056	23.0	0.73	21.6	24.5	
1991	51	19.1	3.64	12.6	27.5	1,020	21.9	0.70	20.5	23.3	
1992	62	24.5	4.14	17.0	33.8	1,112	24.2	0.75	22.8	25.7	
1993	65	18.8	3.06	13.3	25.8	1,152	24.4	0.73	23.0	25.9	
1994	74	23.1	3.72	16.4	31.4	1,169	24.7	0.74	23.3	26.2	
1995	69	23.8	4.02	16.6	32.8	1,266	26.5	0.76	25.0	28.0	
1996	71	21.4	3.69	14.8	29.7	1,312	27.2	0.76	25.7	28.7	
1997	61	18.6	3.17	12.9	25.8	1,276	26.4	0.75	24.9	27.9	
1998	78	27.0	4.09	19.6	36.0	1,327	27.3	0.76	25.9	28.9	
1999	100	30.0	4.14	22.4	39.0	1,357	27.8	0.76	26.3	29.3	
2000	76	21.7	3.36	15.6	29.2	1,372	27.8	0.76	26.3	29.3	
2001	65	20.2	3.48	13.9	27.9	1,341	27.1	0.75	25.6	28.6	
2002	104	29.9	3.81	22.9	38.1	1,379	27.7	0.75	26.3	29.2	
2003	99	26.1	3.55	19.6	33.8	1,394	27.6	0.75	26.2	29.2	
2004	114	30.2	3.85	23.1	38.5	1,511	29.9	0.78	28.4	31.5	
2005	103	22.7	2.86	17.4	28.9	1,453	28.6	0.76	27.1	30.1	
2006	113	21.5	2.47	16.9	26.8	1,449	28.2	0.75	26.8	29.8	
2007	114	25.2	3.02	19.7	31.7	1,476	28.2	0.74	26.7	29.7	
2008	121	27.2	3.10	21.5	33.8	1,485	28.1	0.74	26.6	29.6	
2009	130	28.6	3.08	22.9	35.2	1,458	27.4	0.73	26.0	28.8	
2010	121	24.5	2.69	19.5	30.3	1,580	29.1	0.75	27.7	30.6	
2011	119	21.5	2.39	17.1	26.7	1,517	27.4	0.72	26.1	28.9	
2012	130	23.6	2.44	19.1	28.8	1,475	26.6	0.71	25.3	28.1	
2013	150	24.2	2.35	19.8	29.2	1,545	27.3	0.71	26.0	28.8	
2014	139	21.3	2.12	17.4	25.8	1,601	27.5	0.70	26.2	29.0	
2015	172	28.6	2.52	23.9	33.9	1,645	28.1	0.71	26.7	29.5	
2016	164	24.1	2.14	20.1	28.6	1,575	27.2	0.70	25.9	28.7	
2017	158	22.2	2.01	18.5	26.5	1,665	28.0	0.70	26.6	29.4	
2018	161	22.2	1.97	18.5	26.4	1,548	25.7	0.67	24.4	27.0	
2019	191	25.3	2.02	21.5	29.5	1,635	26.6	0.68	25.3	28.0	
2020	152	17.7	1.59	14.7	21.1	1,505	24.6	0.65	23.3	25.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lymphoma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	37,934	28.1	0.15	27.8	28.4	4,347	20.0	0.32	19.3	20.6	
1990	943	23.9	0.80	22.4	25.5	96	16.8	1.86	13.3	20.8	
1991	928	23.1	0.78	21.6	24.7	75	12.4	1.55	9.6	15.8	
1992	1,007	25.5	0.82	23.9	27.1	94	16.7	1.86	13.2	20.7	
1993	1,031	25.5	0.81	24.0	27.2	108	16.2	1.70	13.1	19.9	
1994	1,024	25.4	0.81	23.9	27.1	127	18.9	1.75	15.7	22.7	
1995	1,111	27.3	0.83	25.7	28.9	136	22.1	2.07	18.3	26.5	
1996	1,136	27.7	0.83	26.1	29.4	150	22.9	2.01	19.1	27.2	
1997	1,111	27.1	0.82	25.5	28.8	132	19.1	1.74	15.8	22.8	
1998	1,152	28.0	0.83	26.4	29.7	145	21.5	1.87	18.0	25.5	
1999	1,199	29.0	0.84	27.4	30.7	128	19.6	1.87	16.1	23.6	
2000	1,202	29.0	0.84	27.4	30.7	137	19.4	1.73	16.1	23.1	
2001	1,184	28.4	0.83	26.8	30.1	127	18.5	1.73	15.2	22.2	
2002	1,222	29.2	0.84	27.6	30.9	125	18.0	1.70	14.8	21.6	
2003	1,218	28.8	0.83	27.2	30.5	137	19.9	1.77	16.6	23.7	
2004	1,314	31.1	0.87	29.4	32.9	159	23.5	1.99	19.8	27.7	
2005	1,264	29.7	0.84	28.1	31.4	138	20.4	1.86	16.9	24.4	
2006	1,273	29.8	0.84	28.2	31.5	131	18.4	1.67	15.2	21.9	
2007	1,279	29.4	0.83	27.8	31.1	162	22.3	1.86	18.8	26.2	
2008	1,291	29.4	0.83	27.8	31.0	140	19.8	1.77	16.4	23.5	
2009	1,269	28.7	0.82	27.1	30.3	133	18.2	1.67	15.1	21.8	
2010	1,348	29.9	0.83	28.3	31.6	168	23.0	1.87	19.5	27.0	
2011	1,292	28.2	0.80	26.6	29.8	166	22.4	1.83	18.9	26.2	
2012	1,280	28.1	0.80	26.5	29.7	145	18.6	1.60	15.6	22.1	
2013	1,343	29.1	0.81	27.5	30.7	148	18.8	1.61	15.8	22.2	
2014	1,375	28.9	0.80	27.3	30.5	162	20.2	1.66	17.1	23.8	
2015	1,406	29.4	0.81	27.8	31.0	167	21.2	1.71	18.0	24.8	
2016	1,364	28.9	0.81	27.4	30.6	151	19.4	1.64	16.3	22.9	
2017	1,396	28.5	0.79	27.0	30.1	185	24.3	1.86	20.8	28.3	
2018	1,299	26.5	0.76	25.0	28.0	170	21.1	1.67	17.9	24.6	
2019	1,399	28.0	0.78	26.5	29.6	155	18.6	1.55	15.7	21.9	
2020	1,274	25.7	0.75	24.3	27.3	150	18.4	1.55	15.4	21.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lymphoma										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	2,611	18.0	0.39	17.3	18.8	38,307	18.7	0.10	18.5	18.8
1990	29	10.8	2.38	6.7	16.5	937	15.7	0.52	14.7	16.8
1991	18	9.4	2.46	5.2	15.2	969	16.0	0.52	15.0	17.1
1992	36	14.1	2.74	9.2	20.4	1,048	17.0	0.53	16.0	18.1
1993	34	15.9	3.11	10.4	22.9	1,057	17.0	0.53	16.0	18.1
1994	44	15.7	2.77	10.7	22.0	1,149	18.4	0.55	17.3	19.5
1995	53	21.1	3.46	14.9	28.8	1,140	18.1	0.54	17.0	19.2
1996	44	16.6	2.84	11.5	23.0	1,208	19.2	0.56	18.1	20.3
1997	38	12.0	2.26	8.0	17.2	1,191	18.8	0.55	17.8	19.9
1998	50	14.4	2.20	10.4	19.4	1,173	18.5	0.55	17.5	19.6
1999	62	18.0	2.69	13.1	24.0	1,219	19.1	0.55	18.1	20.2
2000	49	14.5	2.46	10.1	20.0	1,231	19.4	0.56	18.4	20.6
2001	68	19.6	2.69	14.7	25.5	1,259	19.5	0.56	18.5	20.6
2002	68	18.0	2.56	13.3	23.6	1,226	18.9	0.55	17.8	20.0
2003	73	17.1	2.28	13.0	22.1	1,243	19.2	0.55	18.1	20.3
2004	70	16.6	2.33	12.3	21.7	1,288	19.7	0.56	18.7	20.9
2005	83	19.7	2.52	15.1	25.2	1,287	19.7	0.56	18.6	20.8
2006	76	15.6	1.99	12.0	20.0	1,247	19.0	0.55	17.9	20.1
2007	96	20.4	2.36	16.0	25.5	1,241	18.8	0.54	17.7	19.9
2008	120	22.5	2.36	18.1	27.5	1,326	19.9	0.56	18.8	21.0
2009	101	18.2	2.04	14.5	22.6	1,343	20.0	0.56	18.9	21.2
2010	101	18.9	2.07	15.0	23.3	1,327	19.9	0.56	18.8	21.0
2011	101	18.0	1.96	14.3	22.2	1,316	19.3	0.55	18.3	20.5
2012	94	15.5	1.76	12.3	19.3	1,312	19.1	0.54	18.1	20.2
2013	119	18.4	1.83	15.0	22.3	1,278	18.2	0.53	17.2	19.3
2014	152	24.2	2.13	20.2	28.7	1,360	19.5	0.55	18.5	20.6
2015	113	16.7	1.69	13.5	20.3	1,355	19.4	0.55	18.3	20.5
2016	135	19.0	1.76	15.7	22.8	1,355	19.1	0.54	18.0	20.2
2017	152	22.0	1.88	18.4	25.9	1,313	18.8	0.54	17.7	19.9
2018	150	19.2	1.65	16.1	22.7	1,344	18.9	0.54	17.8	19.9
2019	161	19.9	1.65	16.8	23.4	1,368	18.5	0.52	17.5	19.5
2020	121	15.4	1.46	12.6	18.5	1,197	16.7	0.51	15.7	17.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Lymphoma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	33,375	19.7	0.11	19.5	19.9	3,770	13.2	0.22	12.8	13.6	
1990	856	16.6	0.58	15.5	17.8	74	10.1	1.20	7.9	12.7	
1991	886	17.0	0.58	15.9	18.2	66	8.9	1.12	6.8	11.4	
1992	963	18.3	0.60	17.1	19.5	74	9.5	1.13	7.4	12.0	
1993	959	18.0	0.59	16.9	19.2	84	10.8	1.21	8.6	13.4	
1994	1,032	19.2	0.61	18.1	20.5	99	12.7	1.30	10.3	15.5	
1995	1,020	18.9	0.60	17.7	20.1	91	11.6	1.23	9.3	14.3	
1996	1,103	20.6	0.63	19.4	21.9	83	10.0	1.11	7.9	12.4	
1997	1,068	19.9	0.62	18.7	21.2	101	12.1	1.22	9.8	14.8	
1998	1,037	19.4	0.61	18.2	20.6	111	12.9	1.24	10.6	15.6	
1999	1,109	20.7	0.63	19.5	22.0	96	11.4	1.18	9.2	14.0	
2000	1,089	20.6	0.64	19.4	21.9	111	12.7	1.22	10.4	15.3	
2001	1,113	20.6	0.63	19.4	21.9	122	13.9	1.27	11.5	16.6	
2002	1,085	20.0	0.62	18.8	21.3	115	12.9	1.22	10.7	15.5	
2003	1,083	20.0	0.62	18.8	21.3	123	13.5	1.23	11.2	16.2	
2004	1,113	20.5	0.63	19.3	21.8	137	15.4	1.32	12.9	18.2	
2005	1,120	20.7	0.63	19.5	22.0	132	14.5	1.27	12.1	17.2	
2006	1,095	20.3	0.63	19.1	21.6	124	13.3	1.21	11.1	15.9	
2007	1,080	19.8	0.62	18.6	21.1	128	13.7	1.22	11.4	16.3	
2008	1,137	20.8	0.64	19.6	22.1	140	14.8	1.27	12.4	17.5	
2009	1,155	21.0	0.64	19.8	22.3	140	14.5	1.24	12.2	17.2	
2010	1,137	20.9	0.65	19.7	22.3	134	13.8	1.21	11.6	16.4	
2011	1,129	20.4	0.63	19.2	21.7	143	14.3	1.21	12.0	16.9	
2012	1,121	20.1	0.62	18.9	21.3	148	14.6	1.22	12.3	17.2	
2013	1,074	19.0	0.61	17.8	20.2	145	14.1	1.19	11.9	16.6	
2014	1,145	20.4	0.63	19.2	21.7	152	14.9	1.23	12.6	17.5	
2015	1,167	20.8	0.64	19.5	22.1	136	13.1	1.15	11.0	15.6	
2016	1,138	20.0	0.63	18.8	21.3	147	14.4	1.21	12.1	17.0	
2017	1,096	19.8	0.63	18.6	21.1	165	15.8	1.26	13.5	18.5	
2018	1,105	19.5	0.63	18.3	20.8	175	16.5	1.28	14.1	19.2	
2019	1,150	19.6	0.61	18.4	20.8	153	14.0	1.15	11.8	16.4	
2020	1,010	17.9	0.60	16.8	19.2	121	11.1	1.03	9.2	13.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hodgkin Lymphoma											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,080	2.6	0.09	2.4	2.8	10,061	3.0	0.03	2.9	3.0	
1990	18	2.2	0.59	1.2	3.9	317	2.9	0.17	2.6	3.3	
1991	16	2.7	0.93	1.2	5.1	313	2.9	0.17	2.6	3.3	
1992	15	2.0	0.69	0.8	3.8	326	2.9	0.16	2.6	3.3	
1993	17	1.8	0.53	0.9	3.3	301	2.7	0.16	2.4	3.1	
1994	23	2.1	0.49	1.3	3.5	305	2.8	0.16	2.5	3.1	
1995	21	1.4	0.33	0.9	2.5	301	2.7	0.16	2.4	3.1	
1996	20	2.0	0.60	1.0	3.6	357	3.2	0.17	2.9	3.6	
1997	23	3.2	0.94	1.6	5.5	340	3.1	0.17	2.8	3.5	
1998	23	2.4	0.71	1.2	4.2	303	2.8	0.16	2.5	3.1	
1999	34	2.7	0.54	1.8	4.1	313	2.9	0.16	2.5	3.2	
2000	23	2.7	0.83	1.3	4.8	340	3.1	0.17	2.8	3.5	
2001	30	3.0	0.66	1.9	4.7	335	3.1	0.17	2.7	3.4	
2002	29	2.2	0.53	1.3	3.5	337	3.1	0.17	2.8	3.4	
2003	32	2.3	0.49	1.5	3.5	321	2.9	0.16	2.6	3.3	
2004	35	3.4	0.82	2.0	5.4	327	3.0	0.17	2.7	3.3	
2005	36	2.5	0.50	1.6	3.7	348	3.2	0.17	2.9	3.6	
2006	35	2.5	0.52	1.6	3.7	353	3.3	0.17	2.9	3.6	
2007	39	2.6	0.51	1.7	3.8	307	2.8	0.16	2.5	3.2	
2008	44	3.0	0.57	2.0	4.3	372	3.4	0.18	3.1	3.8	
2009	43	2.9	0.54	1.9	4.1	325	3.0	0.17	2.7	3.3	
2010	52	3.5	0.58	2.5	4.8	332	3.1	0.17	2.8	3.5	
2011	49	3.5	0.59	2.4	4.8	308	2.8	0.16	2.5	3.2	
2012	36	2.2	0.44	1.5	3.3	320	2.9	0.17	2.6	3.2	
2013	46	3.0	0.51	2.1	4.1	316	2.8	0.16	2.5	3.2	
2014	57	3.3	0.49	2.4	4.4	323	2.9	0.16	2.5	3.2	
2015	48	2.7	0.43	1.9	3.6	315	3.0	0.17	2.7	3.3	
2016	48	2.6	0.42	1.9	3.6	299	2.8	0.16	2.4	3.1	
2017	42	2.5	0.43	1.7	3.5	346	3.2	0.18	2.8	3.5	
2018	48	2.6	0.39	1.8	3.4	337	3.1	0.18	2.8	3.5	
2019	49	2.3	0.34	1.7	3.1	316	2.9	0.17	2.6	3.2	
2020	49	2.4	0.36	1.7	3.2	308	2.9	0.17	2.6	3.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hodgkin Lymphoma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	8,173	3.1	0.03	3.0	3.1	1,501	2.7	0.07	2.6	2.8	
1990	272	3.1	0.19	2.7	3.5	43	2.6	0.41	1.9	3.6	
1991	274	3.1	0.19	2.7	3.5	31	1.9	0.34	1.3	2.7	
1992	284	3.1	0.19	2.8	3.5	38	2.3	0.39	1.6	3.2	
1993	245	2.7	0.18	2.4	3.1	50	2.9	0.42	2.1	3.9	
1994	261	2.9	0.18	2.6	3.3	37	2.2	0.37	1.5	3.1	
1995	260	2.9	0.18	2.6	3.3	35	1.9	0.33	1.3	2.7	
1996	297	3.4	0.20	3.0	3.8	47	2.7	0.40	2.0	3.6	
1997	276	3.2	0.19	2.8	3.6	57	3.3	0.45	2.5	4.3	
1998	250	2.9	0.18	2.5	3.2	41	2.3	0.36	1.6	3.1	
1999	264	3.0	0.19	2.7	3.4	36	2.1	0.36	1.5	2.9	
2000	284	3.3	0.20	2.9	3.7	47	2.6	0.39	1.9	3.5	
2001	272	3.2	0.19	2.8	3.6	49	2.7	0.39	2.0	3.6	
2002	290	3.4	0.20	3.0	3.8	41	2.3	0.37	1.6	3.2	
2003	266	3.1	0.19	2.7	3.5	43	2.4	0.37	1.7	3.2	
2004	266	3.1	0.19	2.8	3.5	52	2.9	0.40	2.1	3.8	
2005	272	3.2	0.20	2.9	3.7	64	3.7	0.47	2.8	4.7	
2006	290	3.5	0.20	3.1	3.9	46	2.5	0.38	1.9	3.4	
2007	252	3.0	0.19	2.6	3.4	45	2.4	0.36	1.7	3.2	
2008	297	3.5	0.21	3.1	4.0	56	3.1	0.41	2.3	4.0	
2009	262	3.1	0.20	2.8	3.6	48	2.6	0.39	1.9	3.5	
2010	260	3.2	0.20	2.8	3.6	57	3.0	0.40	2.3	3.9	
2011	237	2.8	0.19	2.5	3.2	59	3.2	0.42	2.4	4.1	
2012	247	2.9	0.19	2.6	3.3	59	3.2	0.43	2.4	4.2	
2013	250	3.0	0.20	2.6	3.4	52	2.7	0.38	2.0	3.6	
2014	256	3.0	0.19	2.6	3.4	48	2.6	0.38	1.9	3.5	
2015	246	3.1	0.20	2.7	3.5	50	2.6	0.38	1.9	3.5	
2016	229	2.8	0.19	2.4	3.2	53	2.9	0.41	2.2	3.8	
2017	268	3.3	0.21	2.9	3.7	55	2.9	0.40	2.2	3.8	
2018	264	3.3	0.21	2.9	3.7	54	2.9	0.41	2.2	3.8	
2019	245	3.0	0.20	2.6	3.4	56	2.9	0.40	2.2	3.8	
2020	237	3.0	0.20	2.6	3.4	52	2.9	0.41	2.1	3.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hodgkin Lymphoma											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	638	3.2	0.16	2.9	3.5	5,531	3.4	0.05	3.3	3.5	
1990	10	2.8	0.99	1.2	6.1	182	3.5	0.27	3.0	4.1	
1991	10	3.5	1.83	0.9	8.7	170	3.4	0.26	2.9	3.9	
1992	10	3.4	1.60	1.0	8.0	162	3.2	0.25	2.7	3.7	
1993	11	2.3	0.93	0.8	5.4	170	3.3	0.25	2.8	3.8	
1994	14	2.7	0.81	1.4	5.5	171	3.2	0.25	2.8	3.8	
1995	10	1.4	0.47	0.6	3.6	182	3.5	0.26	3.0	4.0	
1996	13	1.9	0.62	0.9	4.2	202	3.8	0.27	3.3	4.4	
1997	12	1.8	0.57	0.8	4.0	175	3.3	0.25	2.8	3.8	
1998	18	4.3	1.65	1.7	8.6	170	3.3	0.25	2.8	3.8	
1999	20	2.8	0.71	1.6	5.0	168	3.2	0.25	2.7	3.7	
2000	14	3.8	1.62	1.3	8.0	202	3.9	0.27	3.3	4.4	
2001	17	3.7	1.05	1.9	6.5	181	3.5	0.26	3.0	4.0	
2002	16	2.2	0.62	1.2	4.2	181	3.4	0.26	3.0	4.0	
2003	18	2.7	0.77	1.4	4.8	165	3.2	0.25	2.7	3.7	
2004	21	4.4	1.46	2.0	8.0	192	3.7	0.27	3.2	4.2	
2005	19	2.4	0.63	1.3	4.2	198	3.8	0.27	3.3	4.4	
2006	20	2.6	0.73	1.4	4.5	183	3.5	0.26	3.0	4.1	
2007	25	3.7	0.97	2.0	6.1	177	3.4	0.25	2.9	3.9	
2008	21	2.8	0.72	1.6	4.7	194	3.7	0.26	3.2	4.2	
2009	27	4.3	1.13	2.4	7.0	172	3.3	0.25	2.8	3.8	
2010	26	4.0	0.98	2.3	6.4	181	3.5	0.26	3.0	4.1	
2011	34	5.1	1.07	3.2	7.6	168	3.2	0.25	2.7	3.7	
2012	20	2.4	0.64	1.3	4.1	175	3.3	0.25	2.8	3.8	
2013	30	3.9	0.86	2.4	6.0	160	3.0	0.24	2.5	3.5	
2014	25	2.8	0.65	1.7	4.4	186	3.3	0.25	2.9	3.9	
2015	32	4.1	0.84	2.6	6.0	185	3.5	0.26	3.0	4.0	
2016	31	3.7	0.75	2.4	5.5	181	3.4	0.26	2.9	3.9	
2017	25	2.5	0.54	1.5	3.8	182	3.4	0.26	2.9	3.9	
2018	29	3.1	0.63	2.0	4.6	179	3.4	0.26	2.9	4.0	
2019	26	2.6	0.55	1.7	4.0	174	3.2	0.25	2.7	3.7	
2020	34	3.2	0.58	2.2	4.6	163	3.2	0.25	2.7	3.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hodgkin Lymphoma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,465	3.5	0.05	3.4	3.6	845	3.3	0.12	3.1	3.6	
1990	154	3.6	0.30	3.1	4.3	26	3.5	0.72	2.2	5.3	
1991	148	3.5	0.29	3.0	4.2	17	2.3	0.58	1.3	3.8	
1992	145	3.4	0.28	2.9	4.0	17	2.7	0.74	1.5	4.6	
1993	139	3.3	0.28	2.7	3.8	28	3.4	0.67	2.2	5.1	
1994	139	3.2	0.28	2.7	3.8	26	3.4	0.69	2.2	5.1	
1995	152	3.6	0.29	3.0	4.2	28	3.3	0.65	2.2	4.9	
1996	161	3.8	0.30	3.2	4.4	31	3.9	0.72	2.6	5.6	
1997	135	3.2	0.27	2.7	3.8	36	4.6	0.80	3.2	6.5	
1998	143	3.4	0.29	2.9	4.0	21	2.4	0.53	1.5	3.7	
1999	136	3.2	0.28	2.7	3.8	21	2.6	0.58	1.6	4.0	
2000	172	4.1	0.31	3.5	4.8	26	3.1	0.65	2.0	4.7	
2001	143	3.4	0.29	2.9	4.0	29	3.5	0.66	2.3	5.1	
2002	160	3.8	0.30	3.2	4.5	20	2.3	0.54	1.4	3.7	
2003	138	3.3	0.28	2.8	3.9	21	2.5	0.58	1.5	4.0	
2004	154	3.7	0.30	3.2	4.4	36	4.5	0.77	3.1	6.3	
2005	159	3.9	0.31	3.3	4.5	30	3.5	0.65	2.4	5.1	
2006	150	3.7	0.30	3.1	4.3	24	2.9	0.60	1.8	4.4	
2007	140	3.4	0.29	2.9	4.0	28	3.2	0.62	2.1	4.7	
2008	155	3.7	0.30	3.1	4.3	27	3.2	0.64	2.1	4.8	
2009	139	3.3	0.29	2.8	4.0	27	3.2	0.62	2.1	4.7	
2010	139	3.4	0.30	2.9	4.1	34	4.0	0.72	2.8	5.7	
2011	129	3.1	0.28	2.6	3.7	33	4.1	0.74	2.7	5.8	
2012	137	3.4	0.29	2.8	4.0	29	3.4	0.64	2.3	4.9	
2013	132	3.2	0.29	2.7	3.9	22	2.6	0.56	1.6	4.0	
2014	146	3.4	0.29	2.8	4.0	30	3.6	0.67	2.4	5.2	
2015	142	3.5	0.30	3.0	4.2	32	3.6	0.65	2.4	5.1	
2016	135	3.3	0.29	2.8	3.9	36	4.3	0.73	2.9	5.9	
2017	142	3.4	0.30	2.9	4.1	27	3.1	0.61	2.0	4.6	
2018	140	3.6	0.31	3.0	4.2	27	3.0	0.59	2.0	4.4	
2019	139	3.3	0.29	2.8	4.0	27	2.9	0.56	1.9	4.2	
2020	122	3.1	0.29	2.5	3.7	29	3.6	0.69	2.4	5.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hodgkin Lymphoma											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	442	2.1	0.12	1.9	2.3	4,530	2.6	0.04	2.5	2.7	
1990	8	1.6	0.62	0.6	3.9	135	2.4	0.21	2.0	2.8	
1991	6	2.2	1.06	0.6	5.3	143	2.5	0.21	2.1	2.9	
1992	5	0.9	0.39	0.3	2.7	164	2.8	0.22	2.3	3.2	
1993	6	1.4	0.62	0.4	3.5	131	2.2	0.20	1.9	2.7	
1994	9	1.5	0.53	0.6	3.4	134	2.3	0.20	1.9	2.7	
1995	11	1.5	0.45	0.7	3.2	119	2.1	0.19	1.7	2.5	
1996	7	2.0	0.91	0.6	4.6	155	2.7	0.22	2.3	3.2	
1997	11	4.1	1.50	1.7	7.9	165	2.9	0.23	2.5	3.4	
1998	5	0.8	0.37	0.2	2.3	133	2.4	0.21	2.0	2.8	
1999	14	2.5	0.78	1.2	4.7	145	2.6	0.21	2.2	3.0	
2000	9	1.9	0.86	0.6	4.3	138	2.4	0.21	2.1	2.9	
2001	13	2.5	0.83	1.1	4.7	154	2.7	0.22	2.3	3.2	
2002	13	2.1	0.76	0.9	4.2	156	2.7	0.22	2.3	3.2	
2003	14	2.0	0.61	1.0	3.7	156	2.8	0.22	2.3	3.2	
2004	14	2.7	0.94	1.1	5.1	135	2.4	0.21	2.0	2.9	
2005	17	2.5	0.74	1.3	4.4	150	2.7	0.22	2.3	3.1	
2006	15	2.4	0.72	1.2	4.3	170	3.0	0.23	2.6	3.5	
2007	14	1.7	0.50	0.9	3.1	130	2.3	0.21	2.0	2.8	
2008	23	3.1	0.80	1.7	5.1	178	3.2	0.25	2.8	3.8	
2009	16	1.7	0.45	0.9	2.9	153	2.8	0.23	2.3	3.2	
2010	26	3.2	0.70	2.0	4.9	151	2.7	0.23	2.3	3.2	
2011	15	2.0	0.62	1.0	3.6	140	2.5	0.22	2.1	3.0	
2012	16	2.0	0.58	1.0	3.5	145	2.5	0.22	2.1	3.0	
2013	16	2.1	0.58	1.1	3.5	156	2.7	0.22	2.3	3.2	
2014	32	3.8	0.74	2.5	5.6	137	2.4	0.21	2.0	2.9	
2015	16	1.4	0.36	0.8	2.4	130	2.5	0.23	2.1	3.0	
2016	17	1.6	0.43	0.9	2.7	118	2.1	0.20	1.8	2.6	
2017	17	2.3	0.62	1.3	3.8	164	3.0	0.24	2.6	3.5	
2018	19	2.0	0.48	1.2	3.2	158	2.8	0.23	2.4	3.3	
2019	23	2.0	0.43	1.3	3.1	142	2.6	0.22	2.2	3.1	
2020	15	1.5	0.41	0.8	2.6	145	2.7	0.23	2.3	3.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Hodgkin Lymphoma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,708	2.7	0.05	2.7	2.8	656	2.2	0.09	2.0	2.3	
1990	118	2.6	0.24	2.1	3.1	17	1.9	0.48	1.1	3.1	
1991	126	2.7	0.24	2.2	3.2	14	1.5	0.41	0.8	2.6	
1992	139	2.8	0.25	2.4	3.4	21	2.1	0.47	1.3	3.3	
1993	106	2.2	0.22	1.8	2.7	22	2.4	0.52	1.5	3.6	
1994	122	2.6	0.24	2.2	3.1	11	1.2	0.37	0.6	2.2	
1995	108	2.4	0.23	1.9	2.9	7	0.7	0.27	0.3	1.5	
1996	136	3.0	0.26	2.5	3.6	16	1.7	0.43	1.0	2.8	
1997	141	3.1	0.27	2.6	3.7	21	2.3	0.50	1.4	3.5	
1998	107	2.4	0.24	2.0	2.9	20	2.1	0.48	1.3	3.3	
1999	128	2.9	0.26	2.4	3.4	15	1.7	0.43	0.9	2.7	
2000	112	2.6	0.25	2.1	3.1	21	2.2	0.48	1.4	3.4	
2001	129	2.9	0.26	2.5	3.5	20	2.1	0.46	1.3	3.2	
2002	130	2.9	0.26	2.4	3.5	21	2.2	0.49	1.4	3.4	
2003	128	2.9	0.26	2.4	3.5	22	2.2	0.48	1.4	3.4	
2004	112	2.6	0.25	2.1	3.1	16	1.6	0.40	0.9	2.6	
2005	113	2.6	0.25	2.2	3.2	34	3.6	0.62	2.5	5.0	
2006	140	3.3	0.28	2.7	3.9	22	2.2	0.48	1.4	3.4	
2007	112	2.6	0.25	2.1	3.2	17	1.7	0.42	1.0	2.7	
2008	142	3.4	0.29	2.9	4.1	29	2.9	0.54	1.9	4.2	
2009	123	3.0	0.28	2.5	3.6	21	2.1	0.46	1.3	3.2	
2010	121	2.9	0.27	2.4	3.5	23	2.2	0.46	1.4	3.3	
2011	108	2.6	0.26	2.1	3.1	26	2.6	0.51	1.7	3.8	
2012	110	2.5	0.25	2.1	3.0	30	3.1	0.56	2.0	4.4	
2013	118	2.8	0.27	2.3	3.4	30	2.9	0.53	1.9	4.1	
2014	110	2.6	0.26	2.1	3.2	18	1.8	0.44	1.1	2.9	
2015	104	2.7	0.27	2.2	3.3	18	1.9	0.45	1.1	3.0	
2016	94	2.3	0.25	1.9	2.9	17	1.7	0.43	1.0	2.8	
2017	126	3.2	0.29	2.6	3.8	28	2.8	0.53	1.8	4.0	
2018	124	3.0	0.28	2.5	3.6	27	2.8	0.55	1.8	4.1	
2019	106	2.6	0.27	2.1	3.2	29	2.9	0.54	1.9	4.2	
2020	115	2.9	0.28	2.4	3.5	23	2.4	0.50	1.5	3.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Non-Hodgkin Lymphoma											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	4,906	18.1	0.29	17.5	18.6	71,902	19.3	0.07	19.2	19.5	
1990	59	11.1	1.79	7.9	15.2	1,676	16.0	0.40	15.3	16.8	
1991	53	11.5	1.91	8.1	15.8	1,676	15.7	0.39	15.0	16.5	
1992	83	17.1	2.27	12.9	22.0	1,834	17.1	0.40	16.3	17.9	
1993	82	16.3	2.23	12.2	21.2	1,908	17.6	0.41	16.8	18.4	
1994	95	17.2	2.18	13.2	22.0	2,013	18.5	0.41	17.7	19.3	
1995	101	21.4	2.62	16.5	27.0	2,105	19.1	0.42	18.3	20.0	
1996	95	16.9	2.16	13.0	21.6	2,163	19.6	0.42	18.7	20.4	
1997	76	11.9	1.62	9.0	15.5	2,127	19.1	0.41	18.3	19.9	
1998	105	17.4	1.97	13.8	21.6	2,197	19.6	0.42	18.8	20.4	
1999	128	20.7	2.26	16.5	25.6	2,263	20.0	0.42	19.2	20.9	
2000	102	15.2	1.83	11.8	19.1	2,263	19.9	0.42	19.1	20.8	
2001	103	16.4	1.95	12.8	20.6	2,265	19.8	0.42	19.0	20.6	
2002	143	21.2	2.13	17.3	25.7	2,268	19.7	0.41	18.9	20.5	
2003	140	18.6	1.90	15.1	22.7	2,316	19.9	0.42	19.1	20.8	
2004	149	19.2	1.91	15.6	23.2	2,472	21.2	0.43	20.3	22.0	
2005	150	18.8	1.84	15.4	22.7	2,392	20.3	0.42	19.5	21.1	
2006	154	16.0	1.47	13.2	19.1	2,343	19.8	0.41	19.0	20.6	
2007	171	19.9	1.78	16.6	23.7	2,410	20.1	0.41	19.3	20.9	
2008	197	21.4	1.79	18.0	25.2	2,439	20.0	0.41	19.2	20.8	
2009	188	19.9	1.66	16.8	23.4	2,476	20.2	0.41	19.4	21.0	
2010	170	17.9	1.54	15.0	21.2	2,575	20.8	0.42	20.0	21.6	
2011	171	16.1	1.40	13.5	19.1	2,525	20.1	0.41	19.3	20.9	
2012	188	17.0	1.39	14.4	20.0	2,467	19.6	0.40	18.8	20.4	
2013	223	18.2	1.36	15.6	21.0	2,507	19.4	0.40	18.7	20.2	
2014	234	19.7	1.43	17.0	22.6	2,638	20.2	0.40	19.4	21.0	
2015	237	19.4	1.39	16.8	22.3	2,685	20.3	0.40	19.5	21.1	
2016	251	18.9	1.31	16.5	21.7	2,631	19.9	0.40	19.1	20.7	
2017	268	19.8	1.31	17.3	22.5	2,632	19.6	0.39	18.8	20.4	
2018	263	17.9	1.19	15.7	20.4	2,555	18.8	0.38	18.0	19.5	
2019	303	20.0	1.23	17.7	22.6	2,687	19.3	0.38	18.5	20.0	
2020	224	14.3	1.02	12.3	16.4	2,394	17.3	0.37	16.6	18.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Non-Hodgkin Lymphoma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	63,136	20.3	0.08	20.2	20.5	6,616	13.4	0.17	13.1	13.8	
1990	1,527	16.8	0.44	16.0	17.7	127	10.2	0.94	8.5	12.2	
1991	1,540	16.7	0.43	15.8	17.5	110	8.6	0.86	7.0	10.5	
1992	1,686	18.2	0.45	17.3	19.1	130	10.2	0.92	8.4	12.1	
1993	1,745	18.6	0.45	17.8	19.6	142	10.4	0.91	8.7	12.3	
1994	1,795	19.1	0.45	18.2	20.0	189	13.5	1.01	11.6	15.7	
1995	1,871	19.8	0.46	18.9	20.7	192	14.1	1.06	12.2	16.4	
1996	1,942	20.5	0.47	19.6	21.4	186	12.8	0.97	11.0	14.9	
1997	1,903	19.9	0.46	19.0	20.9	176	12.0	0.93	10.3	14.0	
1998	1,939	20.3	0.46	19.4	21.2	215	14.5	1.01	12.6	16.6	
1999	2,044	21.2	0.47	20.3	22.2	188	12.8	0.96	10.9	14.8	
2000	2,007	20.9	0.47	20.0	21.9	201	13.2	0.95	11.4	15.1	
2001	2,025	20.9	0.47	20.0	21.8	200	13.2	0.95	11.4	15.2	
2002	2,017	20.7	0.46	19.8	21.7	199	12.8	0.93	11.1	14.8	
2003	2,035	20.8	0.46	19.9	21.7	217	13.9	0.95	12.0	15.8	
2004	2,161	22.0	0.48	21.1	23.0	244	15.9	1.04	14.0	18.1	
2005	2,112	21.4	0.47	20.5	22.3	206	13.3	0.94	11.5	15.2	
2006	2,078	21.0	0.47	20.1	22.0	209	13.1	0.92	11.3	15.0	
2007	2,107	21.1	0.47	20.2	22.1	245	14.9	0.98	13.1	17.0	
2008	2,131	21.0	0.46	20.1	22.0	224	13.8	0.94	12.0	15.8	
2009	2,162	21.2	0.46	20.3	22.1	225	13.4	0.91	11.7	15.3	
2010	2,225	21.7	0.47	20.8	22.6	245	14.6	0.95	12.8	16.6	
2011	2,184	21.0	0.46	20.1	21.9	250	14.4	0.93	12.6	16.4	
2012	2,154	20.8	0.46	19.9	21.7	234	13.2	0.88	11.5	15.0	
2013	2,167	20.5	0.45	19.6	21.4	241	13.4	0.88	11.7	15.3	
2014	2,264	21.2	0.46	20.3	22.1	266	14.6	0.91	12.8	16.5	
2015	2,327	21.5	0.46	20.7	22.5	253	13.8	0.89	12.1	15.7	
2016	2,273	21.2	0.46	20.3	22.1	245	13.7	0.89	12.0	15.5	
2017	2,224	20.4	0.45	19.5	21.3	295	16.4	0.97	14.5	18.4	
2018	2,140	19.4	0.44	18.5	20.2	291	15.5	0.93	13.8	17.5	
2019	2,304	20.5	0.44	19.6	21.4	252	13.2	0.85	11.5	14.9	
2020	2,047	18.5	0.43	17.7	19.4	219	11.3	0.78	9.8	12.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Non-Hodgkin Lymphoma											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,737	20.5	0.47	19.6	21.5	38,125	23.6	0.12	23.4	23.9	
1990	38	13.0	2.73	8.2	19.6	874	19.5	0.68	18.2	20.9	
1991	41	15.5	3.14	10.0	22.9	850	18.5	0.65	17.3	19.8	
1992	52	21.1	3.82	14.3	29.8	950	21.1	0.70	19.7	22.5	
1993	54	16.5	2.91	11.3	23.3	982	21.1	0.69	19.8	22.5	
1994	60	20.3	3.63	13.9	28.6	998	21.5	0.69	20.2	22.9	
1995	59	22.4	3.99	15.3	31.4	1,084	23.0	0.71	21.6	24.4	
1996	58	19.5	3.64	13.0	27.7	1,110	23.3	0.71	22.0	24.8	
1997	49	16.8	3.12	11.3	23.9	1,101	23.1	0.71	21.7	24.5	
1998	60	22.7	3.75	16.0	31.0	1,157	24.0	0.72	22.7	25.5	
1999	80	27.2	4.08	19.8	36.1	1,189	24.6	0.72	23.2	26.0	
2000	62	18.0	2.95	12.7	24.6	1,170	23.9	0.71	22.6	25.4	
2001	48	16.5	3.32	10.7	24.0	1,160	23.6	0.70	22.3	25.0	
2002	88	27.6	3.76	20.7	35.8	1,198	24.3	0.71	22.9	25.7	
2003	81	23.4	3.46	17.1	31.0	1,229	24.5	0.70	23.1	25.9	
2004	93	25.8	3.56	19.3	33.5	1,319	26.3	0.73	24.8	27.7	
2005	84	20.3	2.79	15.2	26.4	1,255	24.8	0.71	23.4	26.2	
2006	93	18.9	2.36	14.6	24.1	1,266	24.7	0.70	23.4	26.1	
2007	89	21.6	2.85	16.3	27.8	1,299	24.8	0.70	23.5	26.2	
2008	100	24.4	3.01	18.8	30.8	1,291	24.4	0.69	23.1	25.8	
2009	103	24.3	2.87	19.0	30.5	1,286	24.1	0.68	22.8	25.5	
2010	95	20.5	2.50	15.9	25.9	1,399	25.6	0.70	24.3	27.0	
2011	85	16.5	2.14	12.6	21.1	1,349	24.3	0.67	23.0	25.6	
2012	110	21.2	2.35	16.8	26.2	1,300	23.3	0.66	22.1	24.7	
2013	120	20.3	2.19	16.3	25.0	1,385	24.4	0.67	23.1	25.7	
2014	114	18.5	2.01	14.8	22.8	1,415	24.2	0.66	22.9	25.5	
2015	140	24.6	2.38	20.1	29.6	1,460	24.6	0.66	23.3	25.9	
2016	133	20.4	2.00	16.7	24.7	1,394	23.8	0.66	22.6	25.2	
2017	133	19.7	1.93	16.1	23.9	1,483	24.6	0.66	23.3	25.9	
2018	132	19.1	1.86	15.6	23.1	1,369	22.2	0.62	21.1	23.5	
2019	165	22.6	1.94	19.0	26.7	1,461	23.4	0.63	22.2	24.7	
2020	118	14.5	1.48	11.8	17.7	1,342	21.5	0.60	20.3	22.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Non-Hodgkin Lymphoma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	33,469	24.7	0.14	24.4	24.9	3,502	16.7	0.29	16.1	17.2	
1990	789	20.3	0.74	18.9	21.8	70	13.3	1.72	10.1	17.1	
1991	780	19.6	0.72	18.2	21.1	58	10.1	1.43	7.5	13.3	
1992	862	22.1	0.77	20.6	23.7	77	14.0	1.71	10.8	17.7	
1993	892	22.3	0.76	20.8	23.8	80	12.8	1.56	9.9	16.2	
1994	885	22.2	0.76	20.8	23.8	101	15.6	1.61	12.6	19.1	
1995	959	23.7	0.77	22.2	25.2	108	18.8	1.96	15.2	23.0	
1996	975	24.0	0.77	22.5	25.5	119	19.0	1.88	15.5	23.1	
1997	976	24.0	0.77	22.5	25.5	96	14.5	1.55	11.6	17.9	
1998	1,009	24.6	0.78	23.1	26.2	124	19.2	1.79	15.8	23.0	
1999	1,063	25.8	0.80	24.2	27.4	107	17.0	1.78	13.7	20.8	
2000	1,030	24.9	0.78	23.4	26.5	111	16.2	1.60	13.2	19.7	
2001	1,041	25.0	0.78	23.5	26.6	98	15.0	1.60	12.0	18.4	
2002	1,062	25.4	0.79	23.9	27.0	105	15.7	1.61	12.7	19.1	
2003	1,080	25.5	0.78	24.0	27.1	116	17.3	1.67	14.2	20.9	
2004	1,160	27.4	0.81	25.8	29.0	123	19.0	1.83	15.6	22.9	
2005	1,105	25.8	0.78	24.3	27.4	108	16.9	1.74	13.6	20.6	
2006	1,123	26.1	0.79	24.6	27.7	107	15.5	1.56	12.6	18.8	
2007	1,139	26.0	0.78	24.5	27.6	134	19.1	1.75	15.8	22.8	
2008	1,136	25.7	0.77	24.2	27.3	113	16.5	1.65	13.4	20.0	
2009	1,130	25.3	0.76	23.8	26.9	106	15.0	1.55	12.1	18.3	
2010	1,209	26.5	0.78	25.0	28.1	134	19.0	1.72	15.7	22.6	
2011	1,163	25.1	0.75	23.6	26.6	133	18.3	1.67	15.2	21.9	
2012	1,143	24.7	0.75	23.3	26.2	116	15.2	1.47	12.5	18.4	
2013	1,211	25.8	0.76	24.4	27.4	126	16.2	1.50	13.4	19.5	
2014	1,229	25.5	0.75	24.0	27.0	132	16.7	1.52	13.8	19.9	
2015	1,264	25.8	0.75	24.4	27.3	135	17.6	1.58	14.7	21.0	
2016	1,229	25.6	0.75	24.2	27.1	115	15.2	1.47	12.4	18.3	
2017	1,254	25.1	0.73	23.7	26.6	158	21.2	1.75	17.9	24.9	
2018	1,159	22.9	0.70	21.6	24.3	143	18.1	1.57	15.1	21.4	
2019	1,260	24.7	0.72	23.3	26.1	128	15.8	1.44	13.1	18.8	
2020	1,152	22.7	0.69	21.3	24.1	121	14.8	1.39	12.2	17.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Non-Hodgkin Lymphoma											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,169	15.9	0.37	15.2	16.7	33,777	16.1	0.09	15.9	16.3	
1990	21	9.2	2.30	5.3	14.7	802	13.3	0.48	12.4	14.3	
1991	12	7.2	2.22	3.5	12.6	826	13.5	0.48	12.6	14.5	
1992	31	13.2	2.72	8.4	19.5	884	14.3	0.49	13.3	15.3	
1993	28	14.5	3.05	9.2	21.5	926	14.8	0.49	13.8	15.8	
1994	35	14.2	2.71	9.4	20.4	1,015	16.1	0.51	15.1	17.1	
1995	42	19.7	3.43	13.5	27.3	1,021	16.0	0.51	15.0	17.0	
1996	37	14.7	2.69	9.9	20.8	1,053	16.5	0.51	15.5	17.5	
1997	27	7.9	1.70	4.9	11.9	1,026	15.9	0.50	15.0	17.0	
1998	45	13.6	2.17	9.7	18.5	1,040	16.2	0.51	15.2	17.2	
1999	48	15.5	2.58	10.8	21.2	1,074	16.6	0.51	15.6	17.6	
2000	40	12.6	2.30	8.5	17.8	1,093	17.0	0.52	16.0	18.0	
2001	55	17.1	2.55	12.5	22.8	1,105	16.8	0.51	15.8	17.8	
2002	55	15.9	2.44	11.4	21.3	1,070	16.2	0.50	15.2	17.2	
2003	59	15.1	2.19	11.1	20.0	1,087	16.4	0.50	15.4	17.4	
2004	56	13.9	2.13	10.1	18.6	1,153	17.3	0.52	16.3	18.4	
2005	66	17.2	2.41	12.8	22.5	1,137	17.1	0.51	16.1	18.1	
2006	61	13.2	1.85	9.9	17.3	1,077	16.0	0.49	15.0	17.0	
2007	82	18.6	2.30	14.4	23.6	1,111	16.4	0.50	15.5	17.5	
2008	97	19.4	2.22	15.3	24.2	1,148	16.7	0.50	15.7	17.7	
2009	85	16.6	1.99	12.9	20.9	1,190	17.3	0.51	16.3	18.3	
2010	75	15.7	1.95	12.1	19.9	1,176	17.2	0.51	16.2	18.2	
2011	86	16.0	1.86	12.5	20.0	1,176	16.8	0.50	15.8	17.8	
2012	78	13.5	1.66	10.5	17.1	1,167	16.6	0.50	15.6	17.6	
2013	103	16.4	1.74	13.2	20.1	1,122	15.5	0.48	14.6	16.5	
2014	120	20.4	2.00	16.7	24.6	1,223	17.1	0.50	16.1	18.1	
2015	97	15.3	1.65	12.2	18.8	1,225	16.9	0.50	15.9	17.9	
2016	118	17.4	1.71	14.2	21.1	1,237	16.9	0.50	16.0	18.0	
2017	135	19.7	1.78	16.3	23.4	1,149	15.7	0.48	14.8	16.7	
2018	131	17.2	1.58	14.2	20.5	1,186	16.0	0.49	15.1	17.0	
2019	138	17.9	1.59	14.9	21.3	1,226	15.9	0.47	15.0	16.9	
2020	106	13.8	1.40	11.2	16.8	1,052	14.0	0.45	13.1	14.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Non-Hodgkin Lymphoma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	29,667	16.9	0.10	16.7	17.1	3,114	11.0	0.20	10.7	11.4	
1990	738	14.0	0.53	13.0	15.1	57	8.1	1.09	6.1	10.6	
1991	760	14.3	0.53	13.3	15.4	52	7.4	1.04	5.5	9.7	
1992	824	15.4	0.55	14.4	16.5	53	7.4	1.03	5.5	9.6	
1993	853	15.8	0.55	14.7	16.9	62	8.4	1.09	6.4	10.8	
1994	910	16.7	0.56	15.6	17.8	88	11.5	1.25	9.2	14.2	
1995	912	16.5	0.56	15.4	17.6	84	10.9	1.20	8.7	13.5	
1996	967	17.6	0.58	16.5	18.8	67	8.3	1.03	6.4	10.5	
1997	927	16.8	0.56	15.7	17.9	80	9.9	1.12	7.8	12.3	
1998	930	16.9	0.57	15.9	18.1	91	10.8	1.15	8.7	13.3	
1999	981	17.8	0.58	16.7	19.0	81	9.8	1.10	7.7	12.1	
2000	977	18.0	0.59	16.9	19.2	90	10.5	1.12	8.4	12.9	
2001	984	17.7	0.57	16.6	18.9	102	11.8	1.18	9.6	14.4	
2002	955	17.1	0.56	16.0	18.2	94	10.7	1.11	8.6	13.1	
2003	955	17.1	0.56	16.0	18.3	101	11.3	1.13	9.2	13.7	
2004	1,001	17.9	0.58	16.8	19.1	121	13.8	1.26	11.4	16.5	
2005	1,007	18.0	0.58	16.9	19.2	98	10.9	1.11	8.9	13.3	
2006	955	17.1	0.57	16.0	18.2	102	11.1	1.11	9.0	13.5	
2007	968	17.2	0.57	16.1	18.4	111	12.0	1.15	9.9	14.5	
2008	995	17.4	0.57	16.3	18.5	111	11.9	1.14	9.8	14.4	
2009	1,032	18.0	0.58	16.9	19.2	119	12.5	1.15	10.3	14.9	
2010	1,016	18.0	0.59	16.9	19.2	111	11.6	1.12	9.6	14.0	
2011	1,021	17.8	0.58	16.7	19.0	117	11.8	1.10	9.7	14.1	
2012	1,011	17.5	0.57	16.4	18.7	118	11.6	1.08	9.5	13.9	
2013	956	16.2	0.54	15.1	17.3	115	11.2	1.06	9.2	13.5	
2014	1,035	17.8	0.57	16.7	18.9	134	13.0	1.15	10.9	15.5	
2015	1,063	18.1	0.58	17.0	19.2	118	11.2	1.06	9.3	13.5	
2016	1,044	17.7	0.58	16.6	18.9	130	12.6	1.13	10.5	15.1	
2017	970	16.6	0.56	15.5	17.7	137	13.1	1.14	10.9	15.5	
2018	981	16.5	0.56	15.5	17.7	148	13.7	1.16	11.5	16.2	
2019	1,044	17.0	0.55	15.9	18.1	124	11.1	1.01	9.2	13.3	
2020	895	15.0	0.53	14.0	16.1	98	8.7	0.90	7.1	10.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Myeloma										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,543	6.5	0.18	6.2	6.9	23,978	6.3	0.04	6.2	6.4
1990	21	6.5	1.57	3.8	10.2	491	4.6	0.21	4.2	5.0
1991	15	3.9	1.15	1.9	6.7	538	5.1	0.22	4.7	5.5
1992	20	6.1	1.52	3.5	9.6	511	4.7	0.21	4.3	5.2
1993	19	4.3	1.11	2.4	7.0	600	5.5	0.22	5.1	5.9
1994	17	4.6	1.21	2.5	7.5	692	6.3	0.24	5.8	6.8
1995	27	8.0	1.70	5.1	11.9	690	6.2	0.24	5.7	6.7
1996	25	6.2	1.39	3.8	9.4	625	5.6	0.23	5.2	6.1
1997	20	4.1	0.97	2.4	6.4	677	6.1	0.23	5.6	6.5
1998	30	5.7	1.15	3.6	8.4	709	6.3	0.24	5.8	6.8
1999	28	5.3	1.14	3.3	7.9	698	6.1	0.23	5.7	6.6
2000	49	10.4	1.70	7.4	14.2	704	6.2	0.23	5.7	6.6
2001	37	6.6	1.20	4.5	9.3	714	6.2	0.23	5.8	6.7
2002	32	5.3	1.06	3.4	7.7	819	7.1	0.25	6.6	7.6
2003	34	5.8	1.16	3.7	8.4	781	6.7	0.24	6.2	7.1
2004	36	5.9	1.07	4.0	8.3	726	6.2	0.23	5.7	6.6
2005	54	7.8	1.17	5.7	10.4	747	6.3	0.23	5.8	6.8
2006	42	5.2	0.89	3.6	7.2	773	6.4	0.23	6.0	6.9
2007	38	4.7	0.84	3.2	6.6	722	6.0	0.22	5.5	6.4
2008	54	7.1	1.06	5.1	9.4	816	6.6	0.23	6.2	7.1
2009	65	7.8	1.09	5.9	10.2	832	6.6	0.23	6.2	7.1
2010	60	5.8	0.80	4.3	7.5	801	6.3	0.23	5.9	6.8
2011	55	5.1	0.76	3.7	6.8	875	6.8	0.23	6.3	7.3
2012	82	8.2	0.98	6.4	10.3	877	6.8	0.23	6.3	7.2
2013	76	7.2	0.91	5.6	9.2	852	6.4	0.22	6.0	6.9
2014	71	7.1	0.91	5.4	9.0	893	6.6	0.22	6.2	7.0
2015	77	6.6	0.80	5.1	8.3	938	6.9	0.23	6.4	7.3
2016	95	7.6	0.83	6.1	9.4	980	7.1	0.23	6.6	7.5
2017	86	6.8	0.78	5.3	8.4	986	7.0	0.23	6.6	7.5
2018	91	7.3	0.82	5.8	9.1	997	7.0	0.23	6.6	7.5
2019	86	6.2	0.70	4.9	7.7	1,016	7.1	0.23	6.7	7.6
2020	101	6.9	0.73	5.6	8.5	898	6.3	0.21	5.8	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Myeloma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	17,546	5.5	0.04	5.4	5.6	5,834	12.4	0.17	12.1	12.7	
1990	373	4.0	0.21	3.6	4.4	115	10.4	1.00	8.6	12.5	
1991	438	4.7	0.23	4.3	5.2	94	8.3	0.88	6.7	10.2	
1992	405	4.3	0.21	3.9	4.7	104	8.5	0.85	6.9	10.3	
1993	458	4.8	0.22	4.4	5.2	132	11.4	1.02	9.5	13.6	
1994	519	5.4	0.24	4.9	5.9	165	13.8	1.10	11.7	16.1	
1995	524	5.4	0.24	4.9	5.9	155	12.8	1.05	10.8	15.0	
1996	479	5.0	0.23	4.5	5.4	138	10.8	0.94	9.0	12.8	
1997	513	5.3	0.23	4.8	5.8	150	11.9	0.99	10.0	14.0	
1998	523	5.4	0.24	4.9	5.9	177	13.6	1.04	11.7	15.8	
1999	511	5.2	0.23	4.8	5.7	176	13.0	1.00	11.1	15.0	
2000	508	5.2	0.23	4.7	5.6	176	12.7	0.97	10.9	14.7	
2001	533	5.4	0.23	5.0	5.9	167	11.9	0.94	10.1	13.9	
2002	634	6.4	0.25	5.9	6.9	175	12.4	0.96	10.6	14.5	
2003	589	5.9	0.24	5.4	6.4	184	13.1	0.98	11.2	15.2	
2004	534	5.3	0.23	4.9	5.8	178	12.0	0.92	10.3	13.9	
2005	547	5.4	0.23	5.0	5.9	188	12.6	0.93	10.8	14.6	
2006	568	5.6	0.24	5.1	6.1	192	12.8	0.94	11.0	14.8	
2007	533	5.2	0.23	4.8	5.7	170	10.9	0.85	9.3	12.7	
2008	608	5.9	0.24	5.4	6.4	179	11.4	0.87	9.8	13.3	
2009	609	5.8	0.24	5.4	6.3	199	12.4	0.90	10.7	14.3	
2010	584	5.5	0.23	5.1	6.0	201	12.3	0.89	10.6	14.1	
2011	640	6.0	0.24	5.5	6.5	208	12.2	0.87	10.6	14.0	
2012	620	5.8	0.24	5.3	6.2	225	13.2	0.90	11.5	15.1	
2013	608	5.5	0.23	5.0	5.9	220	12.9	0.89	11.2	14.8	
2014	632	5.6	0.23	5.2	6.1	229	13.0	0.88	11.3	14.8	
2015	645	5.7	0.23	5.3	6.2	262	14.2	0.90	12.5	16.1	
2016	695	6.1	0.24	5.7	6.6	257	13.9	0.89	12.2	15.7	
2017	718	6.3	0.24	5.8	6.8	228	12.2	0.82	10.6	13.9	
2018	672	5.8	0.23	5.3	6.3	289	14.9	0.90	13.2	16.8	
2019	703	6.1	0.24	5.6	6.6	272	13.9	0.86	12.2	15.6	
2020	623	5.4	0.22	5.0	5.8	229	11.8	0.79	10.3	13.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Myeloma										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	835	7.3	0.29	6.8	7.9	12,556	7.7	0.07	7.6	7.9
1990	11	6.5	2.18	2.9	12.2	233	5.3	0.35	4.6	6.0
1991	11	4.9	1.77	2.1	9.7	269	6.2	0.39	5.4	7.0
1992	11	6.3	2.22	2.8	12.1	260	5.9	0.37	5.2	6.7
1993	10	4.8	1.75	2.0	9.5	291	6.4	0.38	5.7	7.2
1994	8	5.0	2.08	1.8	10.4	356	7.9	0.43	7.1	8.8
1995	12	6.6	2.12	3.2	12.0	357	7.9	0.42	7.0	8.7
1996	9	5.0	2.12	1.8	10.5	322	7.0	0.40	6.3	7.8
1997	9	3.1	1.06	1.3	6.1	342	7.4	0.40	6.6	8.2
1998	13	5.6	1.81	2.7	10.2	367	7.9	0.42	7.1	8.8
1999	11	4.8	1.80	2.0	9.4	349	7.3	0.39	6.5	8.1
2000	28	12.5	2.81	7.6	18.9	353	7.3	0.39	6.6	8.2
2001	23	9.2	2.27	5.3	14.5	345	7.1	0.39	6.4	7.9
2002	22	7.5	1.81	4.4	11.8	415	8.5	0.42	7.7	9.4
2003	17	4.4	1.21	2.4	7.5	401	8.2	0.42	7.4	9.1
2004	18	7.0	1.93	3.7	11.6	372	7.5	0.39	6.7	8.3
2005	32	10.2	2.04	6.6	14.9	398	7.9	0.40	7.1	8.7
2006	24	6.3	1.57	3.6	10.0	411	8.1	0.40	7.3	8.9
2007	20	5.2	1.30	3.0	8.3	394	7.7	0.39	6.9	8.5
2008	34	9.6	1.94	6.2	13.9	449	8.5	0.41	7.7	9.3
2009	35	9.3	1.83	6.1	13.5	438	8.1	0.40	7.4	9.0
2010	35	6.6	1.21	4.4	9.4	414	7.5	0.37	6.7	8.2
2011	35	6.9	1.28	4.6	9.8	466	8.4	0.40	7.6	9.2
2012	48	9.9	1.60	7.0	13.5	490	8.6	0.40	7.9	9.5
2013	40	8.1	1.46	5.5	11.4	449	7.8	0.38	7.0	8.5
2014	37	7.8	1.44	5.2	11.0	491	8.2	0.38	7.5	9.0
2015	39	6.6	1.16	4.5	9.2	505	8.3	0.38	7.6	9.1
2016	56	9.4	1.37	6.9	12.4	543	8.8	0.39	8.1	9.6
2017	40	6.6	1.16	4.5	9.2	507	8.1	0.37	7.4	8.9
2018	52	8.5	1.29	6.2	11.3	518	8.2	0.37	7.5	9.0
2019	43	5.8	0.96	4.1	8.0	559	8.8	0.38	8.0	9.6
2020	52	7.4	1.12	5.4	9.9	492	7.6	0.35	6.9	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Myeloma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	9,472	6.9	0.07	6.8	7.0	2,744	14.4	0.29	13.8	15.0	
1990	186	4.7	0.36	4.1	5.5	45	9.9	1.55	7.1	13.4	
1991	218	5.7	0.40	5.0	6.5	47	10.2	1.57	7.4	13.7	
1992	204	5.3	0.38	4.6	6.1	55	11.0	1.56	8.1	14.4	
1993	227	5.7	0.38	5.0	6.5	57	12.9	1.84	9.5	16.9	
1994	267	6.8	0.43	6.0	7.7	85	17.5	2.00	13.8	21.8	
1995	268	6.7	0.42	6.0	7.6	80	16.7	1.99	13.0	21.0	
1996	247	6.2	0.40	5.5	7.1	70	13.4	1.71	10.3	17.1	
1997	269	6.7	0.41	5.9	7.6	65	12.4	1.62	9.5	16.0	
1998	280	7.0	0.42	6.2	7.8	82	16.8	1.98	13.1	21.0	
1999	273	6.7	0.41	5.9	7.5	71	12.4	1.55	9.6	15.8	
2000	267	6.5	0.40	5.8	7.4	76	13.0	1.55	10.1	16.4	
2001	265	6.4	0.40	5.7	7.2	74	12.7	1.54	9.9	16.0	
2002	329	7.9	0.44	7.1	8.8	79	14.3	1.68	11.2	17.9	
2003	306	7.3	0.42	6.5	8.2	90	16.5	1.84	13.1	20.5	
2004	279	6.6	0.40	5.9	7.5	85	14.2	1.61	11.2	17.7	
2005	300	7.0	0.41	6.3	7.9	90	14.3	1.56	11.4	17.6	
2006	307	7.1	0.41	6.3	7.9	99	16.5	1.75	13.3	20.3	
2007	300	6.9	0.40	6.2	7.8	85	13.4	1.51	10.6	16.6	
2008	349	7.8	0.43	7.0	8.7	87	13.3	1.50	10.6	16.6	
2009	325	7.2	0.41	6.4	8.1	97	14.7	1.57	11.8	18.1	
2010	307	6.6	0.38	5.9	7.4	97	14.0	1.50	11.2	17.3	
2011	349	7.5	0.41	6.7	8.4	104	15.3	1.58	12.3	18.7	
2012	365	7.7	0.41	6.9	8.6	105	15.2	1.55	12.3	18.5	
2013	338	6.9	0.38	6.2	7.7	98	14.2	1.50	11.5	17.5	
2014	363	7.2	0.39	6.5	8.1	106	15.2	1.55	12.4	18.6	
2015	363	7.2	0.39	6.5	8.0	124	16.4	1.54	13.5	19.7	
2016	396	7.9	0.41	7.1	8.7	128	16.3	1.50	13.5	19.5	
2017	387	7.6	0.40	6.8	8.4	98	12.8	1.35	10.3	15.7	
2018	372	7.1	0.38	6.4	7.9	126	16.2	1.51	13.4	19.5	
2019	398	7.7	0.40	6.9	8.5	135	16.9	1.51	14.1	20.1	
2020	368	7.0	0.37	6.2	7.7	104	13.1	1.33	10.7	16.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Myeloma											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	708	5.9	0.23	5.4	6.3	11,422	5.3	0.05	5.2	5.4	
1990	10	6.2	2.11	2.8	11.5	258	4.2	0.26	3.7	4.7	
1991	4	2.6	1.37	0.6	6.4	269	4.3	0.26	3.8	4.8	
1992	9	5.6	2.00	2.4	10.6	251	4.0	0.26	3.5	4.5	
1993	9	3.8	1.42	1.6	7.5	309	4.8	0.28	4.3	5.4	
1994	9	4.4	1.55	1.9	8.4	336	5.2	0.29	4.7	5.8	
1995	15	8.7	2.39	4.7	14.4	333	5.1	0.28	4.6	5.7	
1996	16	7.4	1.96	4.1	12.1	303	4.7	0.27	4.2	5.3	
1997	11	4.7	1.50	2.3	8.5	335	5.1	0.28	4.6	5.7	
1998	17	5.9	1.53	3.3	9.6	342	5.3	0.29	4.7	5.9	
1999	17	5.9	1.55	3.2	9.6	349	5.3	0.29	4.7	5.9	
2000	21	8.7	2.08	5.1	13.5	351	5.3	0.29	4.8	5.9	
2001	14	4.7	1.31	2.5	7.9	369	5.5	0.29	5.0	6.1	
2002	10	3.2	1.15	1.3	6.1	404	6.0	0.30	5.4	6.6	
2003	17	6.5	1.75	3.6	10.6	380	5.6	0.29	5.1	6.2	
2004	18	5.2	1.28	3.0	8.3	354	5.3	0.28	4.7	5.9	
2005	22	5.9	1.34	3.6	9.1	349	5.1	0.28	4.6	5.7	
2006	18	4.3	1.08	2.4	6.8	362	5.3	0.28	4.7	5.9	
2007	18	4.2	1.08	2.4	6.8	328	4.8	0.27	4.3	5.3	
2008	20	5.0	1.19	3.0	7.8	367	5.3	0.28	4.7	5.9	
2009	30	6.7	1.32	4.4	9.7	394	5.5	0.28	5.0	6.1	
2010	25	4.9	1.04	3.1	7.3	387	5.4	0.28	4.8	6.0	
2011	20	3.6	0.87	2.1	5.6	409	5.7	0.29	5.1	6.3	
2012	34	6.7	1.21	4.5	9.4	387	5.3	0.28	4.8	5.9	
2013	36	6.6	1.18	4.5	9.3	403	5.4	0.28	4.9	6.0	
2014	34	6.6	1.18	4.5	9.2	402	5.4	0.27	4.9	5.9	
2015	38	6.4	1.09	4.5	8.9	433	5.7	0.28	5.2	6.3	
2016	39	6.0	1.01	4.2	8.3	437	5.7	0.28	5.2	6.3	
2017	46	6.9	1.06	4.9	9.2	479	6.1	0.29	5.6	6.7	
2018	39	6.2	1.03	4.3	8.5	479	6.1	0.29	5.5	6.7	
2019	43	6.2	0.99	4.4	8.4	457	5.9	0.28	5.3	6.4	
2020	49	6.5	0.96	4.8	8.6	406	5.2	0.27	4.7	5.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Myeloma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	8,074	4.4	0.05	4.3	4.5	3,090	11.1	0.20	10.7	11.5	
1990	187	3.4	0.26	2.9	4.0	70	10.6	1.29	8.3	13.4	
1991	220	3.9	0.27	3.4	4.5	47	7.0	1.04	5.1	9.3	
1992	201	3.6	0.26	3.1	4.2	49	6.9	0.99	5.1	9.1	
1993	231	4.1	0.27	3.6	4.7	75	10.7	1.26	8.4	13.5	
1994	252	4.5	0.29	3.9	5.1	80	11.3	1.27	8.9	14.1	
1995	256	4.5	0.29	4.0	5.1	75	10.4	1.21	8.1	13.0	
1996	232	4.1	0.27	3.6	4.7	68	9.0	1.11	7.0	11.4	
1997	244	4.3	0.28	3.7	4.9	85	11.3	1.24	9.0	14.0	
1998	243	4.3	0.28	3.8	4.9	95	12.1	1.25	9.8	14.8	
1999	238	4.1	0.27	3.6	4.7	105	13.1	1.29	10.7	15.9	
2000	241	4.2	0.27	3.7	4.8	100	12.2	1.23	9.9	14.9	
2001	268	4.6	0.29	4.1	5.3	93	11.3	1.18	9.1	13.8	
2002	305	5.2	0.31	4.7	5.9	96	11.4	1.17	9.2	13.9	
2003	283	4.9	0.30	4.3	5.5	94	11.1	1.16	9.0	13.6	
2004	255	4.5	0.28	3.9	5.1	93	10.6	1.11	8.5	13.0	
2005	247	4.3	0.28	3.8	4.9	98	11.2	1.14	9.1	13.6	
2006	261	4.5	0.28	4.0	5.1	93	10.4	1.09	8.4	12.8	
2007	233	4.0	0.27	3.5	4.6	85	9.3	1.01	7.4	11.5	
2008	259	4.4	0.28	3.9	5.0	92	10.1	1.06	8.1	12.4	
2009	284	4.8	0.29	4.2	5.4	102	10.9	1.09	8.8	13.2	
2010	277	4.6	0.28	4.1	5.2	104	10.9	1.08	8.9	13.3	
2011	291	4.9	0.29	4.3	5.5	104	10.3	1.03	8.4	12.5	
2012	255	4.3	0.27	3.8	4.9	120	11.9	1.10	9.8	14.2	
2013	270	4.4	0.27	3.9	5.0	122	12.0	1.10	9.9	14.4	
2014	269	4.4	0.27	3.9	5.0	123	11.7	1.07	9.7	14.0	
2015	282	4.5	0.27	4.0	5.1	138	12.8	1.11	10.8	15.2	
2016	299	4.8	0.29	4.2	5.4	129	12.2	1.09	10.1	14.5	
2017	331	5.2	0.29	4.6	5.8	130	11.7	1.04	9.7	13.9	
2018	300	4.7	0.28	4.2	5.3	163	14.2	1.14	12.1	16.7	
2019	305	4.8	0.29	4.3	5.4	137	12.0	1.05	10.0	14.3	
2020	255	4.1	0.27	3.6	4.7	125	10.9	0.99	9.0	13.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Leukemia											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,807	10.8	0.21	10.4	11.3	49,946	13.6	0.06	13.4	13.7	
1990	46	7.7	1.54	5.0	11.3	1,141	10.8	0.32	10.2	11.4	
1991	47	8.0	1.49	5.3	11.4	1,118	10.5	0.32	9.9	11.2	
1992	53	8.1	1.45	5.5	11.4	1,192	11.1	0.32	10.5	11.7	
1993	50	7.1	1.24	4.9	10.0	1,262	11.6	0.33	11.0	12.3	
1994	80	11.0	1.72	7.9	14.9	1,502	13.7	0.36	13.1	14.5	
1995	80	10.0	1.51	7.2	13.4	1,493	13.6	0.35	12.9	14.3	
1996	70	8.8	1.48	6.1	12.1	1,440	13.0	0.34	12.3	13.7	
1997	84	10.0	1.46	7.4	13.3	1,440	12.9	0.34	12.3	13.6	
1998	85	10.0	1.51	7.3	13.3	1,449	12.9	0.34	12.3	13.6	
1999	100	11.9	1.60	9.0	15.4	1,565	13.9	0.35	13.2	14.6	
2000	103	9.3	1.26	7.0	12.1	1,606	14.2	0.35	13.5	14.9	
2001	83	9.7	1.43	7.1	12.8	1,701	15.0	0.36	14.3	15.7	
2002	116	13.0	1.63	10.0	16.5	1,692	14.7	0.36	14.0	15.5	
2003	88	9.3	1.32	6.9	12.1	1,702	14.7	0.36	14.1	15.5	
2004	108	10.1	1.34	7.6	13.0	1,704	14.7	0.36	14.0	15.4	
2005	113	9.7	1.16	7.6	12.2	1,641	14.1	0.35	13.4	14.8	
2006	139	13.8	1.52	10.9	17.0	1,672	14.2	0.35	13.5	14.9	
2007	117	8.5	0.97	6.7	10.7	1,549	13.1	0.34	12.5	13.8	
2008	147	11.7	1.20	9.4	14.2	1,696	14.2	0.35	13.6	14.9	
2009	137	11.2	1.19	9.0	13.8	1,657	13.7	0.34	13.0	14.4	
2010	148	10.7	1.06	8.7	13.0	1,741	14.2	0.35	13.6	14.9	
2011	145	9.9	0.99	8.1	12.0	1,798	14.6	0.35	13.9	15.3	
2012	172	12.4	1.12	10.3	14.8	1,821	14.6	0.35	13.9	15.3	
2013	183	13.1	1.14	11.0	15.6	1,782	14.1	0.34	13.4	14.7	
2014	173	10.8	0.94	9.1	12.8	1,772	13.8	0.34	13.2	14.5	
2015	187	12.2	1.01	10.3	14.3	1,798	13.9	0.34	13.2	14.6	
2016	176	10.8	0.92	9.1	12.7	1,784	13.7	0.33	13.0	14.4	
2017	197	12.6	1.00	10.7	14.7	1,907	14.5	0.34	13.8	15.2	
2018	219	13.1	0.98	11.3	15.2	1,810	13.6	0.33	13.0	14.3	
2019	197	11.5	0.90	9.8	13.4	1,834	13.7	0.33	13.1	14.4	
2020	164	9.4	0.79	7.9	11.1	1,677	12.6	0.32	12.0	13.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	43,098	14.1	0.07	13.9	14.2	5,342	11.0	0.15	10.7	11.3	
1990	1,035	11.3	0.36	10.6	12.0	98	7.7	0.83	6.2	9.5	
1991	1,000	10.9	0.35	10.3	11.7	102	7.9	0.83	6.4	9.7	
1992	1,055	11.4	0.35	10.7	12.1	115	9.1	0.89	7.4	11.0	
1993	1,138	12.2	0.36	11.5	12.9	110	8.3	0.83	6.7	10.0	
1994	1,334	14.2	0.39	13.4	15.0	140	10.7	0.94	8.9	12.6	
1995	1,326	14.2	0.39	13.4	14.9	144	10.7	0.93	9.0	12.7	
1996	1,277	13.5	0.38	12.8	14.3	134	9.8	0.89	8.2	11.7	
1997	1,263	13.3	0.38	12.6	14.1	155	11.0	0.91	9.2	12.9	
1998	1,270	13.3	0.38	12.6	14.1	147	10.4	0.88	8.7	12.2	
1999	1,388	14.6	0.39	13.8	15.4	151	10.3	0.87	8.7	12.2	
2000	1,396	14.6	0.39	13.9	15.4	181	12.5	0.96	10.7	14.5	
2001	1,472	15.4	0.40	14.6	16.2	180	11.9	0.92	10.2	13.9	
2002	1,480	15.3	0.40	14.5	16.1	171	12.0	0.95	10.3	14.0	
2003	1,507	15.6	0.40	14.8	16.4	161	10.7	0.87	9.1	12.5	
2004	1,468	15.1	0.40	14.3	15.9	173	11.1	0.87	9.5	12.9	
2005	1,413	14.5	0.39	13.8	15.3	176	11.7	0.91	10.0	13.6	
2006	1,449	14.8	0.39	14.0	15.6	187	12.1	0.91	10.4	14.0	
2007	1,324	13.6	0.38	12.8	14.3	177	11.0	0.85	9.4	12.8	
2008	1,464	14.9	0.40	14.1	15.7	170	10.9	0.86	9.3	12.7	
2009	1,430	14.3	0.39	13.6	15.1	172	10.9	0.85	9.3	12.6	
2010	1,470	14.7	0.39	13.9	15.5	207	12.3	0.88	10.7	14.2	
2011	1,532	15.1	0.40	14.3	15.9	199	11.7	0.85	10.1	13.5	
2012	1,529	15.1	0.40	14.3	15.9	233	13.6	0.91	11.9	15.5	
2013	1,497	14.6	0.39	13.8	15.3	216	12.2	0.85	10.6	14.0	
2014	1,512	14.6	0.39	13.8	15.4	198	11.3	0.82	9.7	13.0	
2015	1,542	14.7	0.39	14.0	15.5	189	10.5	0.78	9.0	12.1	
2016	1,484	14.0	0.38	13.3	14.8	213	11.4	0.80	9.8	13.0	
2017	1,633	15.4	0.40	14.6	16.2	200	10.7	0.77	9.2	12.3	
2018	1,492	14.0	0.38	13.3	14.8	223	11.8	0.81	10.3	13.5	
2019	1,541	14.5	0.39	13.7	15.2	214	11.3	0.78	9.8	12.9	
2020	1,377	12.9	0.37	12.2	13.7	206	10.8	0.77	9.4	12.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Leukemia											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,159	12.7	0.35	12.0	13.4	28,326	17.8	0.11	17.6	18.0	
1990	17	4.9	1.87	2.0	10.1	614	13.8	0.58	12.7	15.0	
1991	25	8.8	2.32	4.9	14.6	627	13.7	0.56	12.6	14.9	
1992	30	8.8	2.07	5.2	14.0	700	15.4	0.60	14.2	16.6	
1993	27	7.4	1.91	4.1	12.3	694	15.1	0.59	14.0	16.3	
1994	46	11.1	2.38	7.0	16.9	827	18.4	0.66	17.2	19.8	
1995	45	13.0	3.10	7.7	20.3	816	17.8	0.63	16.5	19.0	
1996	40	9.1	2.50	4.9	15.2	809	17.7	0.63	16.5	19.0	
1997	46	10.9	2.27	6.9	16.3	798	17.2	0.62	16.0	18.4	
1998	52	12.6	2.59	8.0	18.6	802	16.9	0.60	15.7	18.1	
1999	53	11.9	2.41	7.6	17.5	866	18.2	0.63	17.0	19.5	
2000	55	10.8	2.21	6.9	15.9	879	18.2	0.62	17.0	19.5	
2001	48	12.4	2.60	7.9	18.4	946	19.7	0.65	18.4	21.0	
2002	59	16.0	2.94	10.8	22.6	967	20.0	0.65	18.8	21.3	
2003	45	10.2	2.26	6.2	15.4	962	19.6	0.64	18.4	20.9	
2004	49	10.7	2.19	6.9	15.7	947	19.2	0.63	17.9	20.4	
2005	69	11.1	1.75	8.0	15.1	938	18.9	0.63	17.7	20.2	
2006	89	19.3	2.84	14.1	25.5	964	19.1	0.62	17.9	20.4	
2007	72	11.5	1.76	8.3	15.5	890	17.5	0.59	16.4	18.7	
2008	88	15.0	2.16	11.1	19.8	983	19.0	0.61	17.8	20.2	
2009	71	11.1	1.72	8.0	14.9	916	17.4	0.59	16.3	18.6	
2010	78	11.6	1.70	8.5	15.4	1,018	19.1	0.61	17.9	20.4	
2011	86	12.2	1.68	9.1	15.9	1,006	18.6	0.60	17.5	19.9	
2012	110	16.7	1.98	13.1	21.0	1,038	18.8	0.60	17.7	20.0	
2013	102	15.3	1.87	11.9	19.3	1,014	18.1	0.58	17.0	19.2	
2014	101	13.2	1.57	10.3	16.6	1,021	18.0	0.57	16.9	19.1	
2015	112	14.1	1.58	11.2	17.5	1,043	18.0	0.57	16.9	19.2	
2016	101	13.4	1.59	10.5	16.8	1,024	17.5	0.56	16.4	18.7	
2017	104	13.2	1.50	10.5	16.5	1,096	18.5	0.57	17.4	19.7	
2018	128	15.8	1.61	12.8	19.2	1,064	17.7	0.56	16.6	18.8	
2019	124	14.4	1.46	11.7	17.6	1,082	17.9	0.56	16.8	19.0	
2020	87	10.6	1.27	8.2	13.3	975	16.0	0.53	15.0	17.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	24,575	18.5	0.12	18.2	18.7	2,882	14.3	0.28	13.8	14.9	
1990	556	14.3	0.62	13.1	15.6	53	10.6	1.67	7.6	14.3	
1991	564	14.3	0.62	13.1	15.6	53	9.6	1.43	7.0	12.8	
1992	621	15.8	0.65	14.5	17.1	68	12.8	1.71	9.7	16.6	
1993	619	15.8	0.65	14.5	17.1	65	11.1	1.51	8.3	14.4	
1994	730	18.9	0.71	17.5	20.3	82	15.3	1.90	11.9	19.5	
1995	729	18.5	0.70	17.2	19.9	74	12.8	1.62	9.9	16.4	
1996	713	18.1	0.69	16.8	19.5	82	15.3	1.86	11.9	19.3	
1997	710	17.9	0.68	16.6	19.3	80	13.4	1.63	10.4	16.9	
1998	709	17.5	0.66	16.3	18.9	77	12.9	1.57	10.0	16.3	
1999	781	19.3	0.70	18.0	20.7	69	11.5	1.50	8.7	14.8	
2000	761	18.6	0.68	17.3	20.0	100	16.9	1.78	13.6	20.7	
2001	809	20.0	0.71	18.6	21.4	106	17.2	1.81	13.9	21.1	
2002	849	20.7	0.72	19.4	22.2	91	15.8	1.80	12.5	19.7	
2003	861	20.8	0.71	19.4	22.3	84	13.2	1.55	10.4	16.6	
2004	832	20.0	0.70	18.6	21.4	82	12.6	1.53	9.8	16.0	
2005	814	19.5	0.69	18.2	20.9	97	15.9	1.75	12.6	19.6	
2006	844	20.0	0.70	18.7	21.4	105	16.3	1.69	13.1	19.9	
2007	771	18.2	0.66	16.9	19.5	95	14.3	1.55	11.4	17.6	
2008	849	19.7	0.69	18.4	21.1	95	14.8	1.61	11.8	18.3	
2009	798	18.2	0.66	16.9	19.5	87	13.6	1.56	10.8	17.0	
2010	864	19.7	0.68	18.4	21.1	121	17.4	1.68	14.2	20.9	
2011	854	19.0	0.67	17.8	20.4	108	15.4	1.56	12.5	18.7	
2012	884	19.5	0.67	18.2	20.8	130	18.9	1.75	15.6	22.6	
2013	859	18.6	0.65	17.4	19.9	107	14.5	1.47	11.7	17.6	
2014	879	18.9	0.65	17.6	20.2	102	14.0	1.45	11.3	17.1	
2015	898	18.9	0.65	17.7	20.2	110	14.5	1.44	11.8	17.6	
2016	866	18.1	0.64	16.9	19.4	102	12.8	1.32	10.4	15.7	
2017	938	19.4	0.66	18.1	20.7	107	13.7	1.39	11.1	16.7	
2018	892	18.3	0.63	17.1	19.6	118	14.8	1.42	12.2	17.9	
2019	910	18.5	0.63	17.2	19.8	119	15.2	1.44	12.5	18.3	
2020	811	16.4	0.60	15.2	17.6	113	13.9	1.35	11.4	16.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Leukemia											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,648	9.2	0.26	8.7	9.7	21,620	10.4	0.07	10.3	10.6	
1990	29	10.0	2.32	6.0	15.6	527	8.7	0.38	8.0	9.5	
1991	22	7.2	1.89	3.9	11.8	491	8.1	0.37	7.4	8.9	
1992	23	7.1	1.89	3.9	11.8	492	8.0	0.37	7.3	8.8	
1993	23	6.8	1.67	3.9	10.9	568	9.1	0.39	8.3	9.8	
1994	34	10.4	2.32	6.3	15.8	675	10.8	0.42	9.9	11.6	
1995	35	8.3	1.63	5.4	12.2	677	10.7	0.42	9.9	11.6	
1996	30	8.7	1.96	5.3	13.3	631	9.9	0.40	9.1	10.7	
1997	38	9.2	1.91	5.9	13.7	642	10.0	0.40	9.2	10.8	
1998	33	7.8	1.76	4.7	11.9	647	9.9	0.40	9.2	10.7	
1999	47	11.9	2.17	8.0	16.8	699	10.9	0.42	10.1	11.7	
2000	48	8.3	1.53	5.6	11.9	727	11.2	0.42	10.4	12.1	
2001	35	7.5	1.61	4.7	11.3	755	11.7	0.43	10.8	12.6	
2002	57	10.7	1.84	7.4	14.9	725	10.9	0.41	10.1	11.8	
2003	43	8.8	1.65	5.9	12.6	740	11.3	0.42	10.5	12.2	
2004	59	9.8	1.66	6.8	13.6	757	11.5	0.43	10.7	12.4	
2005	44	8.1	1.50	5.4	11.5	703	10.7	0.41	9.9	11.5	
2006	50	9.3	1.64	6.4	13.0	708	10.6	0.41	9.8	11.4	
2007	45	6.0	1.05	4.1	8.4	659	10.1	0.40	9.3	10.9	
2008	59	8.9	1.37	6.4	12.0	713	10.6	0.41	9.8	11.4	
2009	66	11.1	1.63	8.2	14.7	741	10.9	0.41	10.1	11.7	
2010	70	10.1	1.37	7.6	13.2	723	10.4	0.40	9.6	11.2	
2011	59	7.9	1.19	5.8	10.6	792	11.5	0.42	10.7	12.4	
2012	62	8.6	1.25	6.3	11.4	783	11.4	0.42	10.6	12.3	
2013	81	11.3	1.42	8.7	14.4	768	11.0	0.41	10.2	11.8	
2014	72	8.7	1.13	6.6	11.2	751	10.6	0.40	9.9	11.5	
2015	75	10.2	1.29	7.8	13.0	755	10.8	0.41	10.0	11.6	
2016	75	8.7	1.09	6.6	11.1	760	10.7	0.41	9.9	11.5	
2017	93	12.0	1.36	9.5	14.9	811	11.3	0.42	10.5	12.2	
2018	91	10.8	1.21	8.5	13.4	746	10.4	0.40	9.6	11.2	
2019	73	8.6	1.09	6.6	11.0	752	10.5	0.40	9.7	11.3	
2020	77	8.5	1.02	6.6	10.8	702	10.0	0.40	9.3	10.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Leukemia										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	18,523	10.8	0.08	10.7	11.0	2,460	8.7	0.18	8.4	9.1
1990	479	9.1	0.43	8.3	10.0	45	6.1	0.93	4.4	8.2
1991	436	8.4	0.41	7.6	9.3	49	6.6	0.97	4.8	8.7
1992	434	8.3	0.41	7.5	9.1	47	6.5	0.96	4.7	8.6
1993	519	9.6	0.43	8.8	10.5	45	6.1	0.93	4.4	8.2
1994	604	11.2	0.46	10.3	12.1	58	7.8	1.04	5.9	10.0
1995	597	11.2	0.47	10.3	12.1	70	9.1	1.11	7.1	11.6
1996	564	10.4	0.45	9.5	11.3	52	6.4	0.91	4.7	8.4
1997	553	10.1	0.44	9.3	11.0	75	9.3	1.09	7.3	11.7
1998	561	10.1	0.44	9.3	11.0	70	8.4	1.02	6.5	10.6
1999	607	11.3	0.47	10.4	12.2	82	9.6	1.08	7.6	12.0
2000	635	11.7	0.48	10.8	12.7	81	9.5	1.07	7.6	11.9
2001	663	12.2	0.49	11.3	13.2	74	8.5	1.00	6.6	10.7
2002	631	11.3	0.46	10.4	12.3	80	9.5	1.08	7.5	11.9
2003	646	11.8	0.48	10.9	12.8	77	8.8	1.02	7.0	11.1
2004	636	11.6	0.48	10.7	12.6	91	10.1	1.07	8.1	12.5
2005	599	11.0	0.47	10.1	12.0	79	9.0	1.02	7.1	11.3
2006	605	10.8	0.46	10.0	11.8	82	9.2	1.02	7.3	11.4
2007	553	10.3	0.46	9.4	11.2	82	8.8	0.98	7.0	11.0
2008	615	11.1	0.47	10.2	12.1	75	8.3	0.96	6.5	10.4
2009	632	11.3	0.47	10.4	12.3	85	9.2	1.01	7.3	11.4
2010	606	10.6	0.45	9.8	11.6	86	8.8	0.96	7.0	10.9
2011	678	12.1	0.49	11.1	13.1	91	9.2	0.98	7.4	11.4
2012	645	11.7	0.49	10.8	12.7	103	10.2	1.02	8.3	12.5
2013	638	11.4	0.48	10.5	12.4	109	10.6	1.03	8.7	12.8
2014	633	11.2	0.47	10.2	12.1	96	9.6	0.99	7.7	11.7
2015	644	11.6	0.49	10.7	12.6	79	7.6	0.87	6.0	9.5
2016	618	10.8	0.46	9.9	11.7	111	10.3	1.00	8.5	12.5
2017	695	12.1	0.49	11.2	13.1	93	8.8	0.94	7.1	10.8
2018	600	10.5	0.46	9.6	11.5	105	9.6	0.95	7.8	11.7
2019	631	11.3	0.48	10.3	12.2	95	8.6	0.90	6.9	10.5
2020	566	10.3	0.47	9.4	11.2	93	8.7	0.93	7.0	10.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Lymphocytic Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,420	2.4	0.07	2.3	2.6	4,508	1.4	0.02	1.4	1.4
1990	21	1.6	0.34	1.0	2.8	115	1.1	0.10	0.9	1.3
1991	18	1.8	0.47	1.0	3.2	129	1.2	0.11	1.0	1.4
1992	20	1.8	0.45	1.0	3.2	142	1.3	0.11	1.1	1.6
1993	18	1.5	0.42	0.8	2.8	151	1.4	0.11	1.2	1.7
1994	29	1.8	0.34	1.2	2.9	131	1.2	0.11	1.0	1.4
1995	36	2.7	0.53	1.8	4.1	166	1.5	0.12	1.3	1.8
1996	36	2.4	0.42	1.6	3.6	130	1.2	0.10	1.0	1.4
1997	37	2.3	0.42	1.6	3.5	147	1.4	0.11	1.1	1.6
1998	24	1.4	0.29	0.8	2.3	141	1.3	0.11	1.1	1.5
1999	32	1.9	0.37	1.3	3.0	144	1.3	0.11	1.1	1.6
2000	43	2.3	0.40	1.6	3.4	130	1.2	0.11	1.0	1.4
2001	28	2.2	0.67	1.1	3.9	160	1.5	0.12	1.3	1.8
2002	41	2.1	0.37	1.5	3.1	148	1.4	0.11	1.2	1.6
2003	34	1.6	0.29	1.1	2.4	159	1.5	0.12	1.3	1.8
2004	39	1.6	0.26	1.1	2.4	150	1.4	0.12	1.2	1.7
2005	45	1.9	0.30	1.4	2.7	154	1.5	0.12	1.3	1.7
2006	57	2.8	0.47	1.9	3.9	149	1.5	0.12	1.2	1.7
2007	55	2.7	0.43	1.9	3.8	133	1.3	0.11	1.1	1.6
2008	63	3.1	0.46	2.2	4.2	154	1.5	0.12	1.3	1.8
2009	48	2.1	0.32	1.5	2.9	141	1.4	0.12	1.2	1.7
2010	56	2.5	0.37	1.8	3.3	141	1.4	0.12	1.2	1.6
2011	56	2.4	0.37	1.8	3.3	148	1.5	0.12	1.2	1.7
2012	69	3.1	0.43	2.3	4.1	148	1.5	0.12	1.2	1.7
2013	61	2.6	0.36	2.0	3.5	147	1.5	0.12	1.2	1.7
2014	57	2.4	0.35	1.8	3.2	141	1.4	0.12	1.2	1.6
2015	64	2.6	0.34	2.0	3.4	149	1.4	0.12	1.2	1.7
2016	60	2.3	0.30	1.8	3.0	148	1.5	0.12	1.2	1.7
2017	67	3.0	0.40	2.3	3.9	160	1.5	0.13	1.3	1.8
2018	74	3.2	0.39	2.5	4.1	153	1.6	0.13	1.3	1.9
2019	77	3.4	0.41	2.7	4.4	151	1.5	0.13	1.3	1.8
2020	55	2.4	0.34	1.8	3.2	148	1.5	0.13	1.3	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Lymphocytic Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,681	1.5	0.03	1.5	1.6	549	0.9	0.04	0.9	1.0	
1990	103	1.2	0.12	1.0	1.5	12	0.9	0.27	0.4	1.6	
1991	105	1.3	0.12	1.0	1.5	18	1.0	0.25	0.6	1.6	
1992	111	1.3	0.12	1.1	1.6	24	1.5	0.33	0.9	2.3	
1993	129	1.5	0.14	1.3	1.8	18	1.0	0.25	0.6	1.7	
1994	106	1.2	0.12	1.0	1.5	15	0.7	0.21	0.4	1.3	
1995	147	1.8	0.15	1.5	2.1	14	0.6	0.17	0.3	1.1	
1996	106	1.3	0.12	1.0	1.5	20	1.0	0.24	0.6	1.6	
1997	121	1.5	0.13	1.2	1.7	20	1.0	0.24	0.6	1.6	
1998	120	1.5	0.13	1.2	1.7	12	0.7	0.20	0.3	1.2	
1999	124	1.5	0.14	1.3	1.8	17	0.8	0.20	0.5	1.3	
2000	113	1.4	0.13	1.1	1.7	13	0.7	0.21	0.4	1.3	
2001	123	1.5	0.14	1.3	1.8	30	1.5	0.29	1.0	2.2	
2002	127	1.6	0.14	1.3	1.9	14	0.7	0.19	0.4	1.2	
2003	134	1.7	0.15	1.4	2.0	19	0.9	0.21	0.5	1.4	
2004	116	1.5	0.14	1.2	1.8	24	1.3	0.27	0.8	2.0	
2005	132	1.7	0.15	1.4	2.0	15	0.7	0.19	0.4	1.2	
2006	119	1.6	0.15	1.3	1.9	20	1.1	0.25	0.7	1.7	
2007	103	1.3	0.13	1.1	1.6	21	1.1	0.25	0.7	1.7	
2008	130	1.7	0.15	1.4	2.1	12	0.6	0.18	0.3	1.1	
2009	115	1.5	0.15	1.3	1.9	18	1.0	0.23	0.6	1.5	
2010	111	1.5	0.14	1.2	1.8	20	1.0	0.22	0.6	1.5	
2011	118	1.6	0.15	1.3	1.9	18	0.9	0.22	0.5	1.5	
2012	122	1.6	0.15	1.3	1.9	19	1.1	0.26	0.7	1.7	
2013	119	1.6	0.15	1.3	1.9	17	0.9	0.23	0.5	1.5	
2014	123	1.7	0.15	1.4	2.0	11	0.6	0.17	0.3	1.0	
2015	122	1.6	0.15	1.3	1.9	16	0.8	0.20	0.5	1.3	
2016	107	1.4	0.14	1.2	1.7	25	1.3	0.27	0.9	2.0	
2017	122	1.6	0.15	1.3	1.9	22	1.1	0.24	0.7	1.7	
2018	121	1.7	0.16	1.4	2.1	12	0.6	0.18	0.3	1.1	
2019	123	1.7	0.16	1.4	2.1	18	1.1	0.26	0.6	1.7	
2020	109	1.5	0.15	1.2	1.8	15	0.8	0.21	0.4	1.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Lymphocytic Leukemia											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	818	2.6	0.10	2.4	2.8	2,514	1.6	0.03	1.5	1.7	
1990	7	1.0	0.37	0.4	3.5	57	1.1	0.15	0.8	1.5	
1991	8	1.5	0.58	0.6	4.2	80	1.6	0.18	1.2	1.9	
1992	7	0.9	0.35	0.4	3.3	80	1.6	0.18	1.2	1.9	
1993	10	1.9	0.72	0.8	4.6	87	1.7	0.19	1.4	2.1	
1994	18	2.2	0.53	1.3	4.5	76	1.5	0.17	1.2	1.8	
1995	22	2.7	0.62	1.6	5.0	91	1.7	0.18	1.4	2.1	
1996	27	3.3	0.68	2.2	5.7	66	1.2	0.15	1.0	1.6	
1997	20	2.2	0.50	1.3	4.2	89	1.7	0.18	1.4	2.1	
1998	14	1.4	0.38	0.8	3.2	84	1.7	0.18	1.3	2.0	
1999	23	2.6	0.60	1.6	4.6	80	1.5	0.17	1.2	1.9	
2000	20	1.8	0.41	1.1	3.5	56	1.1	0.14	0.8	1.4	
2001	18	3.8	1.54	1.4	7.8	93	1.8	0.19	1.5	2.2	
2002	21	2.2	0.56	1.3	4.0	93	1.8	0.19	1.5	2.2	
2003	19	1.5	0.35	0.9	2.9	83	1.6	0.18	1.3	2.0	
2004	14	1.1	0.29	0.6	2.4	78	1.5	0.18	1.2	1.9	
2005	28	2.5	0.49	1.6	4.0	80	1.6	0.18	1.2	2.0	
2006	37	3.0	0.51	2.1	4.5	84	1.7	0.18	1.3	2.1	
2007	33	3.5	0.79	2.1	5.6	69	1.4	0.17	1.1	1.7	
2008	38	3.4	0.60	2.3	5.0	94	1.8	0.19	1.5	2.3	
2009	30	2.5	0.50	1.6	3.9	77	1.6	0.18	1.2	2.0	
2010	33	2.6	0.48	1.8	3.9	90	1.8	0.19	1.5	2.2	
2011	35	2.7	0.47	1.8	4.0	79	1.6	0.18	1.3	2.0	
2012	36	2.8	0.47	1.9	4.0	82	1.7	0.19	1.3	2.1	
2013	32	2.5	0.45	1.7	3.7	83	1.7	0.19	1.3	2.1	
2014	34	2.7	0.48	1.9	4.0	85	1.7	0.19	1.3	2.1	
2015	40	3.1	0.50	2.2	4.4	79	1.6	0.18	1.2	1.9	
2016	37	2.8	0.46	1.9	3.9	92	1.8	0.20	1.5	2.3	
2017	36	3.2	0.60	2.2	4.7	92	1.9	0.20	1.5	2.3	
2018	43	3.4	0.52	2.5	4.7	86	1.8	0.20	1.5	2.3	
2019	49	4.2	0.64	3.1	5.7	74	1.6	0.19	1.2	2.0	
2020	29	2.5	0.49	1.6	3.7	75	1.5	0.18	1.2	1.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Lymphocytic Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,054	1.7	0.04	1.7	1.8	307	1.1	0.06	0.9	1.2	
1990	52	1.3	0.18	0.9	1.7	5	0.8	0.43	0.2	2.1	
1991	65	1.6	0.20	1.2	2.0	11	1.2	0.39	0.6	2.4	
1992	60	1.5	0.19	1.1	1.9	16	2.1	0.62	1.1	3.7	
1993	77	1.9	0.22	1.5	2.4	8	0.9	0.32	0.4	1.9	
1994	59	1.5	0.19	1.1	1.9	11	1.0	0.32	0.5	2.0	
1995	78	1.9	0.22	1.5	2.4	11	0.9	0.29	0.5	1.9	
1996	54	1.3	0.18	1.0	1.7	9	0.9	0.30	0.4	1.8	
1997	74	1.9	0.22	1.5	2.3	13	1.3	0.36	0.7	2.3	
1998	74	1.9	0.22	1.5	2.4	5	0.6	0.28	0.2	1.5	
1999	70	1.7	0.21	1.4	2.2	8	0.6	0.23	0.3	1.4	
2000	47	1.2	0.17	0.9	1.6	7	0.8	0.31	0.3	1.7	
2001	73	1.9	0.22	1.5	2.4	16	1.8	0.50	1.0	3.1	
2002	78	2.0	0.22	1.6	2.5	11	1.3	0.38	0.6	2.3	
2003	71	1.8	0.21	1.4	2.3	9	0.9	0.29	0.4	1.8	
2004	59	1.5	0.20	1.2	2.0	16	2.2	0.65	1.1	3.8	
2005	69	1.8	0.21	1.4	2.2	8	0.7	0.26	0.3	1.6	
2006	70	1.9	0.23	1.5	2.4	11	1.2	0.38	0.6	2.3	
2007	55	1.5	0.20	1.1	1.9	10	1.0	0.33	0.5	2.0	
2008	81	2.1	0.24	1.7	2.6	5	0.5	0.25	0.2	1.4	
2009	64	1.7	0.22	1.3	2.2	9	0.9	0.31	0.4	1.8	
2010	70	1.9	0.23	1.5	2.4	13	1.3	0.36	0.7	2.3	
2011	61	1.7	0.22	1.3	2.1	10	1.0	0.33	0.5	1.9	
2012	67	1.8	0.22	1.4	2.3	12	1.4	0.40	0.7	2.4	
2013	64	1.7	0.22	1.3	2.2	10	1.2	0.40	0.6	2.3	
2014	72	1.9	0.23	1.5	2.5	7	0.8	0.33	0.3	1.8	
2015	65	1.7	0.22	1.3	2.2	11	1.1	0.34	0.6	2.1	
2016	74	2.0	0.24	1.5	2.5	10	1.1	0.37	0.5	2.1	
2017	68	1.9	0.23	1.4	2.4	12	1.3	0.38	0.7	2.3	
2018	70	2.0	0.25	1.6	2.6	7	0.7	0.28	0.3	1.6	
2019	61	1.8	0.23	1.4	2.3	7	0.9	0.35	0.4	1.9	
2020	52	1.4	0.21	1.1	1.9	9	0.9	0.31	0.4	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Lymphocytic Leukemia											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	602	2.2	0.10	2.0	2.4	1,994	1.2	0.03	1.2	1.3	
1990	14	2.2	0.59	1.2	4.3	58	1.0	0.14	0.8	1.3	
1991	10	2.1	0.73	0.9	4.4	49	0.9	0.13	0.7	1.2	
1992	13	2.7	0.85	1.3	5.3	62	1.1	0.14	0.8	1.4	
1993	8	1.2	0.44	0.5	3.0	64	1.2	0.15	0.9	1.5	
1994	11	1.4	0.42	0.7	3.1	55	1.0	0.13	0.7	1.3	
1995	14	2.7	0.84	1.3	5.1	75	1.4	0.16	1.1	1.7	
1996	9	1.3	0.48	0.5	3.0	64	1.2	0.14	0.9	1.5	
1997	17	2.5	0.67	1.3	4.5	58	1.1	0.14	0.8	1.4	
1998	10	1.3	0.45	0.6	2.9	57	1.0	0.14	0.8	1.3	
1999	9	1.2	0.42	0.5	2.7	64	1.2	0.15	0.9	1.5	
2000	23	2.8	0.67	1.7	4.7	74	1.3	0.16	1.0	1.7	
2001	10	1.1	0.35	0.5	2.4	67	1.2	0.15	1.0	1.6	
2002	20	2.0	0.49	1.2	3.5	55	1.0	0.14	0.8	1.3	
2003	15	1.6	0.46	0.9	3.0	76	1.5	0.17	1.1	1.8	
2004	25	2.2	0.45	1.4	3.5	72	1.4	0.16	1.1	1.7	
2005	17	1.3	0.33	0.8	2.4	74	1.4	0.16	1.1	1.7	
2006	20	2.3	0.68	1.2	4.1	65	1.2	0.15	0.9	1.6	
2007	22	2.0	0.45	1.2	3.3	64	1.3	0.16	1.0	1.6	
2008	25	2.7	0.65	1.6	4.3	60	1.2	0.16	0.9	1.5	
2009	18	1.7	0.41	0.9	2.8	64	1.2	0.16	1.0	1.6	
2010	23	2.2	0.54	1.3	3.6	51	1.0	0.14	0.7	1.3	
2011	21	2.1	0.53	1.2	3.5	69	1.3	0.16	1.0	1.7	
2012	33	3.3	0.68	2.2	5.0	66	1.3	0.16	1.0	1.6	
2013	29	2.7	0.55	1.7	4.1	64	1.3	0.16	1.0	1.6	
2014	23	2.0	0.46	1.2	3.2	56	1.1	0.15	0.8	1.4	
2015	24	2.1	0.45	1.3	3.3	70	1.3	0.16	1.0	1.7	
2016	23	1.9	0.40	1.2	2.9	56	1.1	0.15	0.8	1.5	
2017	31	2.8	0.53	1.9	4.1	68	1.2	0.16	1.0	1.6	
2018	31	2.9	0.55	1.9	4.2	67	1.4	0.17	1.0	1.7	
2019	28	2.6	0.52	1.7	3.8	77	1.5	0.18	1.2	1.9	
2020	26	2.3	0.47	1.5	3.5	73	1.5	0.18	1.2	1.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Lymphocytic Leukemia											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,627	1.3	0.03	1.2	1.4	242	0.8	0.05	0.7	0.9	
1990	51	1.1	0.16	0.8	1.5	7	1.0	0.37	0.4	2.0	
1991	40	0.9	0.15	0.7	1.3	7	0.8	0.30	0.3	1.6	
1992	51	1.2	0.16	0.9	1.5	8	1.0	0.36	0.4	2.0	
1993	52	1.2	0.17	0.9	1.6	10	1.1	0.36	0.5	2.1	
1994	47	1.1	0.16	0.8	1.4	4	0.4	0.23	0.1	1.2	
1995	69	1.6	0.20	1.3	2.1	3	0.3	0.18	0.1	0.9	
1996	52	1.2	0.17	0.9	1.6	11	1.1	0.35	0.6	2.1	
1997	47	1.1	0.17	0.8	1.5	7	0.8	0.29	0.3	1.6	
1998	46	1.1	0.16	0.8	1.5	7	0.7	0.26	0.3	1.4	
1999	54	1.3	0.18	1.0	1.7	9	0.9	0.31	0.4	1.8	
2000	66	1.6	0.20	1.2	2.0	6	0.6	0.26	0.2	1.4	
2001	50	1.2	0.17	0.9	1.6	14	1.3	0.36	0.7	2.3	
2002	49	1.2	0.17	0.9	1.6	3	0.3	0.16	0.1	0.8	
2003	63	1.6	0.21	1.2	2.1	10	0.9	0.30	0.5	1.8	
2004	57	1.5	0.20	1.1	1.9	8	0.8	0.27	0.3	1.5	
2005	63	1.6	0.20	1.2	2.0	7	0.7	0.25	0.3	1.4	
2006	49	1.2	0.18	0.9	1.6	9	0.9	0.31	0.4	1.8	
2007	48	1.3	0.19	0.9	1.7	11	1.1	0.35	0.6	2.1	
2008	49	1.3	0.20	1.0	1.8	7	0.7	0.27	0.3	1.5	
2009	51	1.3	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8	
2010	41	1.0	0.17	0.7	1.4	7	0.7	0.25	0.3	1.4	
2011	57	1.5	0.20	1.1	1.9	8	0.8	0.28	0.3	1.6	
2012	55	1.5	0.20	1.1	1.9	7	0.8	0.29	0.3	1.6	
2013	55	1.5	0.21	1.1	1.9	7	0.7	0.28	0.3	1.5	
2014	51	1.4	0.20	1.0	1.8	4	0.4	0.18	0.1	1.0	
2015	57	1.5	0.21	1.1	1.9	5	0.5	0.22	0.2	1.1	
2016	33	0.9	0.16	0.6	1.2	15	1.6	0.41	0.9	2.6	
2017	54	1.4	0.20	1.0	1.8	10	0.9	0.29	0.4	1.7	
2018	51	1.4	0.21	1.0	1.9	5	0.5	0.24	0.2	1.2	
2019	62	1.6	0.22	1.2	2.1	11	1.2	0.37	0.6	2.2	
2020	57	1.6	0.22	1.2	2.1	6	0.7	0.28	0.3	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Lymphocytic Leukemia

Both Sexes

Year	Hispanic (Any Race)					Non-Hispanic (Any Race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	390	1.8	0.10	1.7	2.1	17,243	4.5	0.03	4.5	4.6
1990	4	1.4	0.75	0.4	3.6	369	3.5	0.18	3.2	3.9
1991	6	2.0	0.88	0.7	4.4	381	3.6	0.18	3.2	4.0
1992	5	2.0	1.02	0.5	4.7	420	3.9	0.19	3.5	4.3
1993	6	1.7	0.78	0.6	3.8	401	3.7	0.18	3.3	4.0
1994	2	0.6	0.48	0.0	2.1	531	4.9	0.21	4.5	5.3
1995	2	0.4	0.31	0.0	1.6	461	4.2	0.20	3.8	4.6
1996	7	2.6	1.04	1.0	5.2	453	4.1	0.19	3.7	4.5
1997	5	1.4	0.71	0.4	3.4	438	3.9	0.19	3.6	4.3
1998	7	1.3	0.55	0.5	2.9	463	4.1	0.19	3.7	4.5
1999	9	2.3	0.85	0.9	4.4	488	4.3	0.19	3.9	4.7
2000	8	1.4	0.52	0.6	2.8	509	4.5	0.20	4.1	4.9
2001	5	0.6	0.26	0.2	1.4	588	5.1	0.21	4.7	5.5
2002	8	1.2	0.45	0.5	2.5	627	5.4	0.21	5.0	5.8
2003	11	2.6	0.86	1.2	4.7	624	5.3	0.21	4.9	5.8
2004	9	1.6	0.56	0.7	3.0	619	5.2	0.21	4.8	5.6
2005	11	1.9	0.59	0.9	3.4	587	4.9	0.20	4.5	5.4
2006	14	2.9	0.83	1.5	4.9	640	5.3	0.21	4.9	5.7
2007	14	1.8	0.52	0.9	3.1	535	4.4	0.19	4.0	4.8
2008	17	2.1	0.56	1.2	3.5	667	5.4	0.21	5.0	5.9
2009	15	2.0	0.57	1.0	3.3	613	4.9	0.20	4.5	5.3
2010	10	1.1	0.39	0.5	2.1	592	4.6	0.19	4.2	5.0
2011	11	1.4	0.44	0.6	2.5	584	4.5	0.19	4.1	4.9
2012	14	1.7	0.48	0.9	2.8	651	5.0	0.20	4.6	5.4
2013	20	2.4	0.56	1.4	3.7	609	4.6	0.19	4.2	5.0
2014	19	1.9	0.47	1.1	3.0	589	4.3	0.18	4.0	4.7
2015	24	1.9	0.42	1.2	2.9	646	4.6	0.19	4.3	5.0
2016	25	2.6	0.54	1.6	3.8	646	4.6	0.18	4.2	5.0
2017	23	2.1	0.45	1.3	3.1	684	4.8	0.19	4.5	5.2
2018	32	2.5	0.47	1.6	3.5	647	4.6	0.18	4.2	4.9
2019	24	1.9	0.41	1.2	2.9	637	4.4	0.18	4.1	4.8
2020	23	1.6	0.35	1.0	2.4	544	3.8	0.17	3.5	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Lymphocytic Leukemia

Both Sexes

Year	Non-Hispanic Whites					Non-Hispanic Blacks				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	15,213	4.7	0.04	4.7	4.8	1,662	3.6	0.09	3.4	3.7
1990	340	3.7	0.20	3.3	4.1	28	2.7	0.52	1.8	3.9
1991	345	3.7	0.20	3.3	4.1	36	3.2	0.55	2.2	4.4
1992	381	4.0	0.21	3.6	4.4	38	3.4	0.56	2.4	4.7
1993	368	3.8	0.20	3.5	4.3	33	2.8	0.50	1.9	3.9
1994	480	5.0	0.23	4.6	5.5	46	3.8	0.57	2.8	5.1
1995	418	4.4	0.21	4.0	4.8	38	3.1	0.52	2.2	4.3
1996	418	4.3	0.21	3.9	4.8	34	2.8	0.49	1.9	3.9
1997	398	4.1	0.21	3.7	4.5	37	2.9	0.48	2.0	3.9
1998	416	4.3	0.21	3.9	4.7	41	3.1	0.49	2.2	4.2
1999	450	4.6	0.22	4.2	5.1	33	2.4	0.42	1.6	3.3
2000	426	4.4	0.21	4.0	4.8	77	5.6	0.65	4.4	7.0
2001	517	5.2	0.23	4.8	5.7	56	4.1	0.56	3.1	5.3
2002	555	5.5	0.24	5.1	6.0	64	4.8	0.61	3.7	6.1
2003	574	5.7	0.24	5.3	6.2	45	3.1	0.48	2.3	4.2
2004	551	5.5	0.23	5.0	5.9	48	3.1	0.46	2.3	4.1
2005	515	5.1	0.23	4.7	5.6	60	4.2	0.55	3.2	5.4
2006	565	5.5	0.23	5.1	6.0	69	4.6	0.56	3.6	5.8
2007	468	4.5	0.21	4.1	5.0	58	3.8	0.51	2.9	4.9
2008	585	5.6	0.24	5.2	6.1	68	4.6	0.56	3.5	5.8
2009	543	5.1	0.22	4.7	5.6	54	3.4	0.48	2.6	4.5
2010	507	4.7	0.21	4.3	5.2	65	4.1	0.52	3.1	5.2
2011	515	4.8	0.21	4.4	5.2	58	3.6	0.48	2.7	4.6
2012	559	5.2	0.22	4.8	5.7	71	4.1	0.50	3.2	5.2
2013	523	4.7	0.21	4.3	5.2	67	3.8	0.48	2.9	4.9
2014	502	4.5	0.20	4.1	4.9	69	3.9	0.48	3.0	5.0
2015	557	4.9	0.21	4.5	5.3	63	3.6	0.46	2.7	4.6
2016	553	4.8	0.21	4.4	5.2	69	3.7	0.46	2.9	4.7
2017	616	5.3	0.22	4.9	5.8	49	2.6	0.38	1.9	3.4
2018	546	4.7	0.21	4.3	5.2	75	4.1	0.48	3.2	5.1
2019	555	4.8	0.21	4.4	5.2	63	3.2	0.41	2.4	4.1
2020	467	4.0	0.19	3.6	4.4	50	2.6	0.38	1.9	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Lymphocytic Leukemia

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	222	2.2	0.17	1.9	2.6	10,246	6.3	0.06	6.2	6.5	
1990	2	1.0	0.71	0.1	4.1	216	5.0	0.35	4.3	5.7	
1991	3	1.9	1.13	0.3	5.6	224	5.0	0.34	4.4	5.7	
1992	2	1.7	1.33	0.1	5.9	250	5.7	0.37	5.0	6.4	
1993	3	2.0	1.34	0.3	6.1	208	4.6	0.33	4.0	5.3	
1994	1	1.2	1.18	0.0	5.1	311	7.2	0.42	6.4	8.0	
1995	2	0.9	0.67	0.1	3.5	258	5.8	0.37	5.1	6.6	
1996	1	1.6	1.57	0.0	6.3	270	6.0	0.38	5.3	6.8	
1997	3	2.1	1.44	0.3	6.3	260	5.6	0.36	5.0	6.4	
1998	4	1.6	0.98	0.3	4.7	263	5.5	0.34	4.9	6.3	
1999	5	3.0	1.60	0.7	7.3	280	6.0	0.36	5.3	6.7	
2000	5	1.8	0.85	0.6	4.4	308	6.4	0.37	5.7	7.1	
2001	4	0.9	0.47	0.2	2.8	315	6.6	0.38	5.9	7.4	
2002	5	1.5	0.72	0.5	3.7	348	7.3	0.39	6.5	8.1	
2003	7	4.1	1.82	1.3	8.7	375	7.6	0.40	6.9	8.5	
2004	3	1.5	0.89	0.3	4.1	362	7.3	0.39	6.6	8.1	
2005	3	1.1	0.66	0.2	3.1	351	7.1	0.38	6.3	7.8	
2006	10	4.8	1.68	2.1	8.9	383	7.6	0.39	6.8	8.4	
2007	11	3.2	1.07	1.5	5.9	330	6.4	0.36	5.8	7.2	
2008	11	3.0	1.01	1.3	5.5	408	7.8	0.39	7.0	8.6	
2009	10	2.4	0.90	0.9	4.7	366	6.7	0.36	6.1	7.5	
2010	7	1.8	0.72	0.7	3.7	379	6.9	0.36	6.2	7.6	
2011	6	1.5	0.65	0.5	3.2	353	6.3	0.34	5.7	7.0	
2012	9	2.4	0.85	1.0	4.5	400	7.0	0.36	6.3	7.8	
2013	9	2.1	0.77	0.9	4.1	377	6.4	0.34	5.8	7.1	
2014	14	2.5	0.73	1.2	4.3	361	6.0	0.32	5.4	6.7	
2015	16	2.4	0.63	1.3	3.9	389	6.4	0.33	5.8	7.1	
2016	14	3.3	0.93	1.7	5.5	379	6.1	0.32	5.5	6.7	
2017	9	1.7	0.60	0.7	3.2	397	6.4	0.33	5.8	7.1	
2018	17	2.9	0.78	1.6	4.8	385	6.1	0.32	5.5	6.8	
2019	13	2.2	0.67	1.1	3.9	393	6.1	0.32	5.5	6.8	
2020	13	1.8	0.57	0.9	3.3	347	5.4	0.30	4.8	6.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Lymphocytic Leukemia

Males

Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	9,038	6.6	0.07	6.4	6.7	985	5.2	0.18	4.9	5.6	
1990	199	5.1	0.37	4.4	5.9	17	4.6	1.19	2.6	7.4	
1991	199	5.1	0.36	4.4	5.8	25	5.0	1.05	3.1	7.5	
1992	228	5.9	0.40	5.1	6.7	22	4.8	1.05	2.9	7.2	
1993	186	4.7	0.35	4.0	5.4	22	4.3	0.95	2.6	6.6	
1994	282	7.4	0.45	6.5	8.3	26	5.9	1.25	3.7	8.7	
1995	232	6.0	0.40	5.2	6.8	23	4.7	1.04	2.9	7.2	
1996	246	6.3	0.41	5.5	7.1	23	4.7	1.06	2.9	7.2	
1997	236	5.9	0.39	5.2	6.7	23	4.3	0.93	2.7	6.5	
1998	233	5.7	0.37	5.0	6.5	27	4.7	0.94	3.1	6.9	
1999	262	6.4	0.40	5.7	7.3	16	2.8	0.74	1.6	4.6	
2000	256	6.2	0.39	5.5	7.0	48	8.5	1.26	6.2	11.3	
2001	273	6.7	0.41	5.9	7.5	37	6.9	1.22	4.7	9.7	
2002	310	7.5	0.43	6.7	8.4	32	6.0	1.14	3.9	8.6	
2003	348	8.3	0.45	7.4	9.2	25	4.2	0.90	2.6	6.3	
2004	323	7.7	0.43	6.8	8.6	27	4.3	0.87	2.8	6.3	
2005	310	7.3	0.42	6.5	8.2	36	6.3	1.12	4.3	8.8	
2006	339	7.9	0.43	7.0	8.8	40	6.3	1.03	4.4	8.6	
2007	293	6.7	0.40	6.0	7.6	33	5.1	0.93	3.4	7.2	
2008	356	8.0	0.43	7.1	8.8	42	7.0	1.13	5.0	9.5	
2009	330	7.2	0.40	6.5	8.1	27	4.2	0.85	2.7	6.2	
2010	322	7.0	0.39	6.2	7.8	44	7.0	1.13	5.0	9.5	
2011	311	6.6	0.38	5.9	7.4	35	5.5	0.98	3.8	7.8	
2012	347	7.3	0.40	6.5	8.1	40	5.9	0.99	4.1	8.1	
2013	333	6.8	0.38	6.1	7.6	33	4.4	0.80	3.0	6.3	
2014	308	6.2	0.36	5.5	7.0	40	5.4	0.90	3.8	7.5	
2015	336	6.7	0.37	6.0	7.5	39	5.4	0.90	3.8	7.4	
2016	328	6.3	0.36	5.6	7.1	34	4.5	0.80	3.0	6.3	
2017	356	6.9	0.38	6.2	7.7	30	4.0	0.77	2.7	5.8	
2018	327	6.3	0.36	5.6	7.0	40	5.4	0.89	3.8	7.5	
2019	336	6.4	0.36	5.7	7.1	44	5.9	0.92	4.2	8.0	
2020	293	5.5	0.33	4.9	6.2	35	4.5	0.79	3.1	6.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Lymphocytic Leukemia

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	168	1.5	0.12	1.3	1.8	6,997	3.2	0.04	3.1	3.2	
1990	2	1.6	1.10	0.2	5.0	153	2.5	0.20	2.1	2.9	
1991	3	2.0	1.19	0.4	5.5	157	2.4	0.20	2.1	2.9	
1992	3	2.1	1.37	0.3	6.0	170	2.6	0.20	2.2	3.1	
1993	3	1.6	0.96	0.3	4.5	193	2.9	0.21	2.5	3.4	
1994	1	0.3	0.26	0.0	1.9	220	3.4	0.23	2.9	3.9	
1995	0					203	3.1	0.22	2.7	3.6	
1996	6	3.6	1.50	1.3	7.5	183	2.8	0.21	2.4	3.2	
1997	2	1.0	0.74	0.1	3.4	178	2.6	0.20	2.2	3.0	
1998	3	1.1	0.65	0.2	3.2	200	2.9	0.21	2.5	3.4	
1999	4	1.8	0.98	0.4	4.6	208	3.2	0.22	2.8	3.6	
2000	3	1.0	0.61	0.2	3.0	201	3.0	0.21	2.6	3.4	
2001	1	0.2	0.20	0.0	1.4	273	4.0	0.25	3.6	4.5	
2002	3	1.0	0.56	0.2	2.7	279	4.0	0.24	3.5	4.5	
2003	4	1.6	0.85	0.4	4.0	249	3.6	0.23	3.2	4.1	
2004	6	1.7	0.74	0.6	3.7	257	3.7	0.23	3.3	4.2	
2005	8	2.6	0.92	1.1	4.9	236	3.4	0.22	3.0	3.9	
2006	4	1.5	0.80	0.4	3.7	257	3.7	0.23	3.2	4.1	
2007	3	0.6	0.38	0.1	1.9	205	2.9	0.20	2.5	3.3	
2008	6	1.4	0.62	0.5	3.1	259	3.6	0.23	3.2	4.1	
2009	5	1.5	0.72	0.5	3.4	247	3.4	0.22	2.9	3.8	
2010	3	0.6	0.37	0.1	1.7	213	2.9	0.20	2.5	3.3	
2011	5	1.2	0.57	0.4	2.8	231	3.1	0.21	2.7	3.6	
2012	5	1.1	0.53	0.3	2.5	251	3.4	0.22	3.0	3.8	
2013	11	2.5	0.78	1.3	4.4	232	3.2	0.21	2.8	3.6	
2014	5	1.3	0.58	0.4	2.8	228	3.0	0.20	2.6	3.4	
2015	8	1.4	0.53	0.6	2.8	257	3.3	0.21	2.9	3.8	
2016	11	2.0	0.63	1.0	3.6	267	3.4	0.22	3.0	3.9	
2017	14	2.4	0.66	1.3	4.0	287	3.6	0.22	3.2	4.1	
2018	15	2.1	0.56	1.2	3.5	262	3.3	0.21	2.9	3.7	
2019	11	1.7	0.52	0.8	3.0	244	3.0	0.20	2.7	3.5	
2020	10	1.3	0.44	0.6	2.5	197	2.5	0.18	2.1	2.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Lymphocytic Leukemia

Females

Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	6,175	3.3	0.04	3.2	3.4	677	2.5	0.10	2.3	2.7	
1990	141	2.6	0.23	2.2	3.1	11	1.6	0.50	0.8	2.9	
1991	146	2.6	0.21	2.2	3.0	11	1.8	0.55	0.9	3.2	
1992	153	2.7	0.22	2.3	3.1	16	2.4	0.61	1.4	3.9	
1993	182	3.1	0.24	2.7	3.6	11	1.6	0.50	0.8	2.9	
1994	198	3.4	0.25	2.9	3.9	20	2.8	0.62	1.7	4.2	
1995	186	3.3	0.25	2.8	3.8	15	2.1	0.54	1.2	3.4	
1996	172	3.0	0.24	2.6	3.5	11	1.5	0.47	0.8	2.7	
1997	162	2.7	0.21	2.3	3.1	14	1.8	0.49	1.0	3.0	
1998	183	3.1	0.23	2.6	3.6	14	1.8	0.50	1.0	3.1	
1999	188	3.4	0.25	2.9	3.9	17	2.1	0.50	1.2	3.3	
2000	170	2.9	0.23	2.5	3.4	29	3.7	0.68	2.4	5.2	
2001	244	4.2	0.27	3.7	4.8	19	2.3	0.53	1.4	3.6	
2002	245	4.1	0.27	3.6	4.7	32	4.0	0.71	2.7	5.6	
2003	226	3.8	0.26	3.3	4.4	20	2.4	0.54	1.5	3.7	
2004	228	3.8	0.26	3.4	4.4	21	2.4	0.52	1.5	3.6	
2005	205	3.5	0.25	3.0	4.0	24	2.9	0.60	1.9	4.3	
2006	226	3.8	0.26	3.3	4.3	29	3.4	0.63	2.3	4.8	
2007	175	2.9	0.23	2.5	3.4	25	2.8	0.57	1.8	4.2	
2008	229	3.8	0.26	3.3	4.4	26	2.9	0.58	1.9	4.3	
2009	213	3.4	0.24	3.0	3.9	27	2.9	0.57	1.9	4.3	
2010	185	3.0	0.22	2.6	3.5	21	2.3	0.50	1.4	3.5	
2011	204	3.3	0.24	2.9	3.8	23	2.4	0.50	1.5	3.6	
2012	212	3.5	0.25	3.0	4.1	31	3.0	0.54	2.0	4.3	
2013	190	3.1	0.23	2.7	3.6	34	3.4	0.59	2.3	4.7	
2014	194	3.1	0.23	2.7	3.6	29	2.9	0.53	1.9	4.1	
2015	221	3.5	0.24	3.0	4.0	24	2.4	0.49	1.5	3.5	
2016	225	3.5	0.24	3.1	4.1	35	3.2	0.56	2.2	4.5	
2017	260	4.0	0.26	3.5	4.6	19	1.7	0.39	1.0	2.6	
2018	219	3.4	0.24	2.9	3.9	35	3.1	0.54	2.2	4.4	
2019	219	3.4	0.24	3.0	4.0	19	1.5	0.35	0.9	2.4	
2020	174	2.8	0.22	2.4	3.2	15	1.3	0.35	0.7	2.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Myeloid Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,112	3.7	0.13	3.4	4.0	15,260	4.1	0.03	4.1	4.2
1990	10	1.9	0.77	0.7	4.0	323	3.0	0.17	2.7	3.4
1991	10	1.6	0.66	0.6	3.5	296	2.8	0.16	2.5	3.1
1992	19	2.7	0.73	1.5	4.6	321	3.0	0.17	2.6	3.3
1993	13	1.3	0.40	0.6	2.6	341	3.1	0.17	2.8	3.5
1994	26	4.0	1.02	2.3	6.5	397	3.6	0.18	3.3	4.0
1995	23	3.0	0.78	1.7	5.0	409	3.7	0.18	3.4	4.1
1996	19	3.0	0.91	1.5	5.3	419	3.8	0.18	3.4	4.2
1997	13	1.9	0.59	0.9	3.5	460	4.1	0.19	3.8	4.5
1998	29	3.1	0.76	1.8	5.0	414	3.7	0.18	3.3	4.1
1999	31	4.2	1.04	2.4	6.7	453	4.0	0.19	3.7	4.4
2000	30	3.3	0.86	1.8	5.3	503	4.4	0.20	4.1	4.8
2001	24	3.0	0.77	1.7	4.8	526	4.6	0.20	4.2	5.0
2002	39	5.1	1.01	3.3	7.4	486	4.2	0.19	3.9	4.6
2003	22	2.2	0.57	1.3	3.7	471	4.1	0.19	3.7	4.5
2004	38	4.4	0.96	2.8	6.6	494	4.3	0.19	3.9	4.7
2005	31	2.9	0.61	1.9	4.4	484	4.2	0.19	3.8	4.6
2006	41	4.6	0.89	3.1	6.6	473	4.0	0.19	3.7	4.4
2007	30	2.6	0.57	1.6	4.0	477	4.1	0.19	3.7	4.5
2008	28	3.0	0.68	1.8	4.6	482	4.1	0.19	3.7	4.4
2009	43	3.9	0.74	2.6	5.6	513	4.2	0.19	3.8	4.6
2010	49	4.5	0.75	3.2	6.2	582	4.8	0.20	4.4	5.2
2011	38	3.4	0.64	2.3	4.9	574	4.6	0.20	4.3	5.1
2012	56	5.2	0.78	3.7	6.9	592	4.7	0.20	4.3	5.1
2013	62	4.9	0.72	3.6	6.5	626	4.9	0.20	4.5	5.3
2014	56	3.9	0.58	2.8	5.2	586	4.5	0.19	4.2	4.9
2015	50	3.8	0.60	2.7	5.1	599	4.7	0.20	4.3	5.1
2016	54	3.7	0.56	2.7	4.9	554	4.4	0.19	4.0	4.8
2017	62	4.4	0.63	3.3	5.8	605	4.6	0.19	4.2	5.0
2018	59	4.0	0.58	3.0	5.3	600	4.4	0.18	4.0	4.7
2019	54	3.6	0.53	2.6	4.8	593	4.4	0.19	4.0	4.8
2020	53	3.3	0.49	2.5	4.4	607	4.5	0.19	4.1	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Myeloid Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	13,153	4.3	0.04	4.2	4.4	1,650	3.4	0.09	3.2	3.6	
1990	293	3.2	0.19	2.8	3.6	27	1.9	0.39	1.2	2.8	
1991	267	2.9	0.18	2.6	3.3	20	1.5	0.35	0.9	2.4	
1992	288	3.1	0.18	2.7	3.5	23	1.8	0.39	1.1	2.8	
1993	313	3.4	0.19	3.0	3.8	25	1.7	0.36	1.1	2.6	
1994	358	3.8	0.20	3.4	4.2	32	2.3	0.42	1.5	3.2	
1995	363	3.8	0.20	3.5	4.3	40	3.0	0.49	2.1	4.1	
1996	371	3.9	0.21	3.5	4.4	35	2.5	0.44	1.7	3.5	
1997	404	4.3	0.21	3.9	4.7	50	3.5	0.51	2.6	4.7	
1998	355	3.7	0.20	3.4	4.1	49	3.4	0.50	2.5	4.5	
1999	402	4.2	0.21	3.8	4.7	43	2.9	0.45	2.1	3.9	
2000	451	4.7	0.22	4.3	5.2	44	2.9	0.45	2.1	3.9	
2001	457	4.8	0.22	4.3	5.2	57	3.7	0.50	2.8	4.8	
2002	438	4.5	0.22	4.1	5.0	38	2.6	0.43	1.8	3.5	
2003	411	4.2	0.21	3.8	4.7	49	3.2	0.47	2.4	4.3	
2004	425	4.4	0.21	4.0	4.8	56	3.6	0.49	2.7	4.7	
2005	415	4.3	0.21	3.9	4.7	52	3.4	0.49	2.5	4.5	
2006	420	4.3	0.21	3.9	4.7	42	2.7	0.42	1.9	3.6	
2007	417	4.3	0.21	3.9	4.8	48	3.0	0.44	2.2	4.0	
2008	419	4.3	0.21	3.8	4.7	43	2.8	0.43	2.0	3.8	
2009	439	4.3	0.21	3.9	4.7	58	3.9	0.52	2.9	5.0	
2010	489	4.9	0.23	4.5	5.4	73	4.4	0.53	3.4	5.6	
2011	485	4.8	0.22	4.3	5.2	65	3.7	0.47	2.9	4.8	
2012	489	4.8	0.22	4.3	5.2	84	5.1	0.56	4.0	6.3	
2013	527	5.1	0.23	4.6	5.5	79	4.5	0.51	3.5	5.6	
2014	499	4.7	0.22	4.3	5.2	64	3.8	0.48	2.9	4.8	
2015	519	5.0	0.23	4.6	5.5	64	3.6	0.46	2.7	4.6	
2016	449	4.4	0.22	4.0	4.8	72	3.9	0.46	3.0	4.9	
2017	510	4.8	0.22	4.4	5.2	75	4.1	0.48	3.2	5.1	
2018	491	4.4	0.20	4.0	4.8	78	4.1	0.48	3.3	5.2	
2019	495	4.6	0.21	4.2	5.0	75	4.0	0.47	3.1	5.0	
2020	494	4.6	0.22	4.2	5.0	90	4.7	0.50	3.8	5.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Myeloid Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	584	4.2	0.22	3.8	4.7	8,142	5.1	0.06	5.0	5.3
1990	4	2.0	1.58	0.2	6.9	164	3.7	0.30	3.1	4.3
1991	7	2.8	1.49	0.7	7.2	153	3.4	0.28	2.9	4.0
1992	13	3.4	1.12	1.6	6.8	181	3.9	0.30	3.4	4.6
1993	8	1.3	0.51	0.5	3.7	193	4.2	0.31	3.7	4.9
1994	12	3.9	1.56	1.4	8.2	203	4.5	0.33	3.9	5.2
1995	9	2.8	1.46	0.7	7.0	227	5.0	0.34	4.3	5.7
1996	7	3.1	1.73	0.7	7.9	213	4.6	0.32	4.0	5.2
1997	4	1.1	0.61	0.3	3.5	224	4.7	0.32	4.1	5.4
1998	17	3.5	1.08	1.7	6.5	212	4.4	0.30	3.8	5.0
1999	12	3.6	1.49	1.3	7.6	235	4.9	0.32	4.3	5.6
2000	15	4.1	1.77	1.4	8.7	260	5.4	0.34	4.8	6.1
2001	12	1.9	0.70	0.8	4.1	286	6.0	0.36	5.3	6.7
2002	23	6.4	1.71	3.5	10.6	266	5.6	0.34	4.9	6.3
2003	10	2.6	1.07	1.0	5.5	244	5.0	0.32	4.4	5.7
2004	16	3.9	1.28	1.8	7.1	252	5.1	0.32	4.5	5.8
2005	17	3.2	0.93	1.7	5.6	253	5.1	0.33	4.5	5.8
2006	22	5.2	1.36	2.9	8.5	251	5.0	0.32	4.4	5.7
2007	18	3.5	1.07	1.8	6.2	260	5.1	0.32	4.5	5.8
2008	19	4.6	1.34	2.4	7.8	251	4.9	0.31	4.3	5.6
2009	15	2.3	0.74	1.1	4.2	272	5.2	0.32	4.6	5.9
2010	21	4.3	1.12	2.4	7.0	303	5.7	0.34	5.1	6.4
2011	19	4.2	1.17	2.2	6.9	280	5.2	0.32	4.6	5.9
2012	42	8.2	1.50	5.5	11.5	318	5.8	0.33	5.2	6.5
2013	38	6.5	1.27	4.3	9.4	337	6.0	0.34	5.4	6.7
2014	27	4.4	1.02	2.7	6.8	311	5.6	0.32	4.9	6.2
2015	29	4.7	1.03	2.9	7.1	347	6.1	0.33	5.4	6.8
2016	28	4.2	0.93	2.6	6.4	294	5.1	0.31	4.5	5.8
2017	33	4.8	0.96	3.1	7.0	331	5.6	0.32	5.0	6.3
2018	33	5.0	1.00	3.3	7.3	351	5.7	0.31	5.1	6.3
2019	29	4.0	0.83	2.6	6.0	338	5.6	0.31	5.0	6.2
2020	25	3.3	0.72	2.0	5.0	332	5.4	0.31	4.8	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Myeloid Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	7,119	5.3	0.06	5.2	5.5	780	3.9	0.15	3.6	4.2	
1990	150	3.9	0.33	3.3	4.6	11	1.5	0.46	0.7	2.8	
1991	142	3.6	0.31	3.0	4.3	6	1.1	0.47	0.4	2.5	
1992	165	4.1	0.33	3.5	4.8	11	2.1	0.70	1.0	3.9	
1993	175	4.5	0.35	3.8	5.2	15	2.4	0.68	1.3	4.1	
1994	178	4.6	0.35	3.9	5.3	22	4.0	0.93	2.4	6.2	
1995	206	5.2	0.37	4.5	6.0	17	3.2	0.83	1.8	5.2	
1996	188	4.7	0.34	4.0	5.4	20	4.0	0.96	2.3	6.2	
1997	203	5.0	0.35	4.3	5.7	18	3.0	0.75	1.8	4.9	
1998	185	4.5	0.33	3.9	5.2	24	4.3	0.96	2.6	6.5	
1999	213	5.2	0.36	4.5	6.0	16	2.4	0.61	1.4	3.9	
2000	234	5.8	0.38	5.0	6.5	22	3.6	0.81	2.2	5.5	
2001	245	6.0	0.39	5.3	6.9	32	4.7	0.85	3.2	6.7	
2002	241	5.9	0.38	5.2	6.7	18	3.3	0.86	1.9	5.4	
2003	220	5.3	0.36	4.6	6.1	19	3.2	0.79	1.8	5.1	
2004	226	5.4	0.36	4.7	6.2	20	2.9	0.71	1.7	4.6	
2005	223	5.3	0.36	4.7	6.1	23	3.6	0.81	2.2	5.5	
2006	230	5.4	0.36	4.7	6.2	16	2.2	0.57	1.2	3.6	
2007	232	5.4	0.36	4.8	6.2	24	3.7	0.80	2.3	5.6	
2008	218	5.1	0.35	4.5	5.9	22	3.4	0.77	2.1	5.2	
2009	235	5.3	0.35	4.6	6.0	28	4.9	0.98	3.2	7.2	
2010	259	5.9	0.37	5.2	6.7	34	5.1	0.93	3.5	7.2	
2011	240	5.4	0.35	4.7	6.1	28	3.7	0.74	2.4	5.5	
2012	267	5.9	0.37	5.2	6.6	46	7.0	1.09	5.1	9.5	
2013	283	6.2	0.38	5.5	7.0	41	5.8	0.96	4.1	8.0	
2014	269	5.8	0.36	5.1	6.5	29	4.5	0.87	2.9	6.5	
2015	301	6.4	0.38	5.7	7.2	34	4.5	0.81	3.1	6.4	
2016	243	5.2	0.34	4.5	5.9	33	4.3	0.77	2.9	6.0	
2017	279	5.8	0.36	5.1	6.6	37	4.9	0.83	3.4	6.8	
2018	297	5.8	0.34	5.1	6.5	38	4.7	0.79	3.3	6.5	
2019	288	5.8	0.35	5.1	6.5	35	4.6	0.80	3.1	6.4	
2020	284	5.7	0.35	5.1	6.5	41	5.2	0.83	3.7	7.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Myeloid Leukemia											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	528	3.3	0.16	3.0	3.6	7,118	3.5	0.04	3.4	3.5	
1990	6	2.2	0.95	0.7	5.1	159	2.6	0.21	2.2	3.1	
1991	3	0.7	0.46	0.1	2.7	143	2.5	0.21	2.1	2.9	
1992	6	1.9	0.90	0.6	4.7	140	2.3	0.20	2.0	2.8	
1993	5	1.3	0.62	0.4	3.5	148	2.4	0.20	2.0	2.8	
1994	14	4.3	1.39	2.0	7.9	194	3.2	0.23	2.7	3.7	
1995	14	3.6	1.04	1.8	6.4	182	2.9	0.22	2.5	3.4	
1996	12	3.4	1.13	1.6	6.4	206	3.3	0.23	2.9	3.8	
1997	9	2.7	0.98	1.1	5.4	236	3.7	0.25	3.3	4.3	
1998	12	2.6	0.99	1.1	5.3	202	3.2	0.22	2.7	3.6	
1999	19	4.7	1.43	2.4	8.3	218	3.4	0.24	3.0	3.9	
2000	15	2.9	0.92	1.4	5.3	243	3.8	0.24	3.3	4.3	
2001	12	3.7	1.25	1.7	6.9	240	3.8	0.25	3.3	4.3	
2002	16	3.9	1.16	2.0	6.8	220	3.4	0.23	2.9	3.8	
2003	12	2.1	0.64	1.0	3.9	227	3.5	0.23	3.0	4.0	
2004	22	4.8	1.29	2.6	7.9	242	3.7	0.24	3.3	4.2	
2005	14	2.6	0.81	1.3	4.7	231	3.6	0.24	3.1	4.1	
2006	19	4.1	1.13	2.2	6.8	222	3.4	0.23	3.0	3.9	
2007	12	1.9	0.61	0.9	3.5	217	3.4	0.23	2.9	3.9	
2008	9	1.7	0.65	0.7	3.4	231	3.4	0.23	3.0	3.9	
2009	28	5.2	1.16	3.2	7.9	241	3.5	0.23	3.1	4.0	
2010	28	4.8	1.01	3.1	7.2	279	4.1	0.25	3.6	4.6	
2011	19	2.9	0.75	1.7	4.8	294	4.3	0.26	3.8	4.8	
2012	14	2.6	0.75	1.3	4.4	274	3.9	0.24	3.5	4.4	
2013	24	3.7	0.82	2.2	5.6	289	4.0	0.24	3.5	4.5	
2014	29	3.6	0.72	2.3	5.3	275	3.9	0.24	3.4	4.4	
2015	21	3.0	0.71	1.8	4.7	252	3.6	0.23	3.1	4.1	
2016	26	3.3	0.70	2.1	5.0	260	3.8	0.25	3.3	4.3	
2017	29	4.1	0.84	2.7	6.1	274	3.8	0.24	3.4	4.3	
2018	26	3.3	0.69	2.1	4.9	249	3.4	0.22	3.0	3.9	
2019	25	3.2	0.68	2.0	4.8	255	3.4	0.23	3.0	3.9	
2020	28	3.4	0.68	2.2	5.0	275	3.9	0.25	3.4	4.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Acute Myeloid Leukemia											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	6,034	3.5	0.05	3.5	3.6	870	3.1	0.11	2.9	3.3	
1990	143	2.7	0.23	2.3	3.2	16	2.1	0.55	1.2	3.5	
1991	125	2.5	0.23	2.1	3.0	14	1.8	0.49	1.0	3.0	
1992	123	2.4	0.22	2.0	2.9	12	1.7	0.48	0.8	2.9	
1993	138	2.6	0.23	2.2	3.1	10	1.3	0.41	0.6	2.4	
1994	180	3.5	0.26	3.0	4.0	10	1.2	0.38	0.6	2.2	
1995	157	3.0	0.24	2.5	3.5	23	2.9	0.61	1.8	4.4	
1996	183	3.4	0.26	3.0	4.0	15	1.7	0.46	0.9	2.9	
1997	201	3.7	0.27	3.2	4.3	32	3.9	0.70	2.6	5.5	
1998	170	3.1	0.24	2.7	3.7	25	3.0	0.60	1.9	4.4	
1999	189	3.6	0.26	3.1	4.1	27	3.1	0.61	2.1	4.6	
2000	217	4.0	0.28	3.5	4.6	22	2.4	0.52	1.5	3.7	
2001	212	4.0	0.28	3.5	4.6	25	2.9	0.59	1.9	4.3	
2002	197	3.6	0.26	3.1	4.1	20	2.2	0.50	1.3	3.4	
2003	191	3.5	0.26	3.0	4.1	30	3.4	0.62	2.3	4.8	
2004	199	3.7	0.27	3.2	4.3	36	4.0	0.67	2.8	5.5	
2005	192	3.6	0.27	3.1	4.2	29	3.3	0.62	2.2	4.7	
2006	190	3.5	0.26	3.0	4.1	26	3.0	0.58	1.9	4.3	
2007	185	3.5	0.27	3.0	4.1	24	2.6	0.53	1.6	3.8	
2008	201	3.6	0.26	3.1	4.2	21	2.3	0.51	1.4	3.6	
2009	204	3.6	0.26	3.1	4.2	30	3.3	0.61	2.2	4.7	
2010	230	4.2	0.28	3.6	4.8	39	4.0	0.64	2.8	5.5	
2011	245	4.3	0.29	3.8	5.0	37	3.8	0.63	2.6	5.2	
2012	222	3.9	0.28	3.4	4.5	38	3.8	0.63	2.7	5.3	
2013	244	4.2	0.28	3.6	4.8	38	3.6	0.59	2.5	4.9	
2014	230	4.0	0.27	3.4	4.5	35	3.6	0.61	2.5	5.0	
2015	218	3.9	0.28	3.4	4.5	30	2.9	0.54	1.9	4.1	
2016	206	3.8	0.28	3.2	4.4	39	3.6	0.59	2.6	5.0	
2017	231	4.0	0.28	3.5	4.6	38	3.6	0.59	2.5	5.0	
2018	194	3.3	0.25	2.8	3.8	40	3.7	0.60	2.6	5.1	
2019	207	3.6	0.27	3.1	4.2	40	3.5	0.56	2.5	4.8	
2020	210	3.7	0.28	3.2	4.3	49	4.4	0.64	3.2	5.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Myeloid Leukemia											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	533	1.7	0.08	1.5	1.8	6,532	1.8	0.02	1.7	1.8	
1990	3	0.8	0.56	0.1	2.6	154	1.5	0.12	1.2	1.7	
1991	7	1.4	0.65	0.4	3.3	159	1.5	0.12	1.3	1.7	
1992	5	1.1	0.49	0.4	2.6	150	1.4	0.12	1.2	1.7	
1993	8	1.7	0.64	0.7	3.4	166	1.5	0.12	1.3	1.8	
1994	14	2.9	0.99	1.3	5.4	199	1.8	0.13	1.6	2.1	
1995	9	0.9	0.33	0.4	2.0	211	1.9	0.13	1.7	2.2	
1996	4	0.4	0.23	0.1	1.4	201	1.8	0.13	1.6	2.1	
1997	19	2.8	0.79	1.4	4.7	169	1.5	0.12	1.3	1.8	
1998	11	1.4	0.51	0.6	2.8	192	1.7	0.12	1.5	2.0	
1999	15	1.7	0.48	0.9	3.0	210	1.9	0.13	1.6	2.1	
2000	13	1.6	0.57	0.7	3.1	206	1.8	0.13	1.6	2.1	
2001	18	2.9	0.84	1.5	5.0	227	2.0	0.13	1.7	2.3	
2002	14	2.5	0.82	1.2	4.5	182	1.6	0.12	1.4	1.8	
2003	14	1.8	0.58	0.9	3.3	222	1.9	0.13	1.7	2.2	
2004	13	0.8	0.27	0.4	1.6	240	2.1	0.13	1.8	2.4	
2005	17	1.5	0.47	0.8	2.7	196	1.7	0.12	1.4	1.9	
2006	16	1.8	0.54	0.9	3.2	216	1.8	0.13	1.6	2.1	
2007	11	0.9	0.32	0.4	1.8	190	1.6	0.12	1.4	1.9	
2008	25	2.1	0.48	1.3	3.3	203	1.7	0.12	1.5	1.9	
2009	22	2.2	0.52	1.3	3.4	217	1.8	0.13	1.6	2.1	
2010	22	1.9	0.47	1.1	3.0	244	2.0	0.13	1.8	2.3	
2011	27	1.7	0.37	1.1	2.6	259	2.1	0.13	1.8	2.4	
2012	22	1.7	0.39	1.0	2.6	222	1.8	0.13	1.6	2.1	
2013	20	1.4	0.38	0.8	2.3	219	1.8	0.12	1.5	2.0	
2014	25	1.7	0.37	1.1	2.6	241	1.9	0.13	1.7	2.2	
2015	31	2.2	0.44	1.4	3.2	203	1.6	0.12	1.4	1.8	
2016	24	1.4	0.29	0.8	2.1	246	1.9	0.12	1.6	2.1	
2017	27	1.8	0.38	1.2	2.7	249	1.9	0.13	1.7	2.2	
2018	37	2.4	0.43	1.6	3.3	252	1.9	0.13	1.7	2.2	
2019	20	1.1	0.26	0.7	1.8	268	2.0	0.13	1.8	2.3	
2020	20	1.1	0.26	0.7	1.7	219	1.7	0.12	1.4	1.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Myeloid Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	5,434	1.8	0.02	1.7	1.8	853	1.8	0.06	1.6	1.9	
1990	133	1.5	0.13	1.2	1.7	20	1.4	0.34	0.8	2.3	
1991	144	1.6	0.13	1.3	1.9	15	1.2	0.32	0.7	2.0	
1992	131	1.4	0.13	1.2	1.7	15	1.2	0.31	0.6	1.9	
1993	142	1.5	0.13	1.3	1.8	21	1.6	0.38	1.0	2.5	
1994	170	1.8	0.14	1.6	2.1	24	1.9	0.40	1.2	2.9	
1995	174	1.9	0.14	1.6	2.2	34	2.5	0.45	1.7	3.6	
1996	173	1.8	0.14	1.6	2.1	22	1.7	0.36	1.0	2.5	
1997	143	1.5	0.13	1.3	1.8	21	1.5	0.34	0.9	2.3	
1998	165	1.7	0.13	1.5	2.0	21	1.4	0.31	0.8	2.1	
1999	175	1.8	0.14	1.6	2.1	29	2.1	0.40	1.4	3.0	
2000	173	1.8	0.14	1.6	2.1	27	1.8	0.35	1.2	2.6	
2001	198	2.1	0.15	1.8	2.4	19	1.4	0.32	0.8	2.1	
2002	147	1.5	0.13	1.3	1.8	28	2.0	0.38	1.3	2.8	
2003	193	2.0	0.14	1.7	2.3	24	1.7	0.35	1.1	2.5	
2004	201	2.1	0.15	1.8	2.4	27	1.8	0.36	1.2	2.7	
2005	160	1.6	0.13	1.4	1.9	28	1.9	0.37	1.2	2.8	
2006	179	1.8	0.14	1.6	2.1	32	2.0	0.36	1.4	2.9	
2007	153	1.6	0.13	1.3	1.9	25	1.5	0.32	1.0	2.3	
2008	162	1.6	0.13	1.4	1.9	30	1.8	0.34	1.2	2.6	
2009	185	1.9	0.14	1.6	2.2	23	1.4	0.30	0.9	2.1	
2010	206	2.1	0.15	1.8	2.4	30	1.7	0.32	1.1	2.4	
2011	209	2.0	0.14	1.8	2.4	37	2.1	0.35	1.5	2.9	
2012	182	1.9	0.14	1.6	2.2	34	2.0	0.35	1.4	2.8	
2013	178	1.8	0.14	1.5	2.1	30	1.6	0.31	1.1	2.4	
2014	200	1.9	0.14	1.7	2.2	34	1.9	0.33	1.3	2.7	
2015	165	1.6	0.13	1.4	1.9	28	1.5	0.29	1.0	2.2	
2016	202	1.9	0.14	1.7	2.2	32	1.7	0.30	1.1	2.4	
2017	201	1.9	0.14	1.7	2.2	38	2.0	0.34	1.4	2.8	
2018	199	1.9	0.14	1.7	2.2	40	2.0	0.33	1.5	2.8	
2019	217	2.0	0.14	1.8	2.3	34	1.8	0.32	1.3	2.6	
2020	174	1.6	0.13	1.4	1.9	31	1.7	0.31	1.1	2.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Myeloid Leukemia										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	321	2.1	0.14	1.8	2.4	3,709	2.3	0.04	2.3	2.4
1990	1	0.1	0.12	0.0	2.8	82	1.9	0.21	1.5	2.3
1991	4	1.5	0.81	0.4	4.6	86	1.9	0.21	1.5	2.4
1992	4	1.8	0.92	0.5	5.0	86	1.9	0.21	1.5	2.4
1993	2	0.6	0.42	0.1	3.0	99	2.2	0.22	1.7	2.6
1994	8	2.1	0.91	0.7	5.1	103	2.2	0.23	1.8	2.7
1995	5	1.1	0.55	0.3	3.4	113	2.4	0.23	2.0	2.9
1996	3	0.7	0.43	0.1	2.9	117	2.6	0.25	2.1	3.1
1997	13	4.3	1.47	1.9	8.2	97	2.1	0.22	1.7	2.6
1998	7	2.2	1.06	0.6	5.3	110	2.3	0.22	1.9	2.8
1999	9	1.8	0.67	0.7	4.0	124	2.6	0.23	2.1	3.1
2000	10	1.9	0.67	0.8	4.1	113	2.3	0.22	1.9	2.8
2001	9	3.8	1.50	1.4	7.7	132	2.8	0.24	2.3	3.3
2002	6	3.2	1.43	1.0	6.9	106	2.2	0.22	1.8	2.7
2003	7	1.3	0.57	0.5	3.2	128	2.6	0.23	2.2	3.1
2004	10	1.2	0.45	0.5	2.8	136	2.8	0.24	2.3	3.3
2005	15	2.7	0.93	1.2	5.2	122	2.4	0.22	2.0	2.9
2006	10	2.6	1.12	0.9	5.5	130	2.6	0.23	2.2	3.1
2007	6	0.7	0.30	0.2	1.9	105	2.1	0.20	1.7	2.5
2008	11	2.2	0.82	0.9	4.3	117	2.3	0.21	1.9	2.7
2009	10	2.2	0.79	0.9	4.2	107	2.1	0.20	1.7	2.5
2010	12	2.4	0.90	1.0	4.7	144	2.7	0.23	2.3	3.2
2011	17	2.3	0.66	1.2	4.0	156	2.9	0.23	2.4	3.4
2012	14	2.4	0.75	1.2	4.3	125	2.3	0.21	1.9	2.8
2013	11	1.6	0.60	0.6	3.1	115	2.1	0.20	1.7	2.5
2014	16	2.5	0.73	1.3	4.3	136	2.4	0.21	2.0	2.8
2015	17	2.1	0.57	1.1	3.5	110	1.9	0.19	1.6	2.3
2016	14	1.8	0.52	0.9	3.1	139	2.4	0.21	2.0	2.9
2017	17	2.6	0.73	1.4	4.4	148	2.5	0.21	2.1	2.9
2018	24	3.0	0.70	1.8	4.7	152	2.6	0.21	2.2	3.0
2019	17	1.9	0.53	1.1	3.3	155	2.6	0.21	2.2	3.0
2020	12	1.5	0.44	0.7	2.6	116	1.9	0.18	1.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Myeloid Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,103	2.3	0.04	2.3	2.4	467	2.3	0.11	2.1	2.5	
1990	68	1.8	0.22	1.4	2.3	13	2.3	0.75	1.1	4.2	
1991	81	2.1	0.24	1.6	2.6	5	0.8	0.38	0.3	2.0	
1992	74	1.9	0.22	1.5	2.4	10	2.1	0.69	0.9	3.8	
1993	85	2.2	0.24	1.7	2.7	12	1.9	0.64	0.9	3.6	
1994	89	2.3	0.24	1.8	2.8	11	2.0	0.64	1.0	3.7	
1995	97	2.4	0.25	2.0	3.0	14	2.3	0.66	1.2	4.0	
1996	102	2.6	0.27	2.2	3.2	12	2.0	0.60	1.0	3.6	
1997	83	2.1	0.23	1.7	2.6	13	2.4	0.73	1.2	4.2	
1998	94	2.3	0.24	1.9	2.8	12	1.8	0.55	0.9	3.2	
1999	107	2.6	0.25	2.1	3.1	13	2.5	0.76	1.3	4.4	
2000	93	2.3	0.24	1.8	2.8	16	2.8	0.77	1.5	4.7	
2001	114	2.8	0.27	2.3	3.4	10	1.8	0.60	0.8	3.3	
2002	86	2.1	0.23	1.7	2.6	16	3.0	0.80	1.7	4.9	
2003	108	2.6	0.25	2.1	3.2	17	2.8	0.72	1.6	4.6	
2004	121	2.9	0.26	2.4	3.5	10	1.8	0.62	0.8	3.4	
2005	101	2.4	0.24	1.9	2.9	16	2.7	0.74	1.5	4.5	
2006	108	2.6	0.25	2.1	3.1	21	3.5	0.82	2.1	5.5	
2007	82	1.9	0.22	1.5	2.4	15	2.2	0.61	1.2	3.8	
2008	94	2.2	0.23	1.8	2.7	16	2.3	0.60	1.3	3.8	
2009	89	2.1	0.22	1.7	2.6	13	2.0	0.60	1.0	3.5	
2010	123	2.8	0.26	2.3	3.4	20	2.6	0.60	1.5	4.0	
2011	125	2.8	0.25	2.3	3.3	21	2.7	0.62	1.7	4.2	
2012	103	2.3	0.23	1.9	2.8	21	3.1	0.72	1.9	4.9	
2013	94	2.0	0.21	1.6	2.5	14	1.9	0.52	1.0	3.2	
2014	119	2.5	0.24	2.1	3.1	13	1.6	0.45	0.8	2.7	
2015	89	1.9	0.20	1.5	2.3	17	2.1	0.53	1.2	3.4	
2016	110	2.4	0.23	2.0	2.9	18	2.2	0.54	1.3	3.5	
2017	121	2.5	0.23	2.1	3.0	21	2.5	0.58	1.5	3.9	
2018	122	2.6	0.24	2.1	3.1	24	2.8	0.59	1.8	4.3	
2019	126	2.5	0.23	2.1	3.0	18	2.0	0.49	1.2	3.3	
2020	95	2.0	0.21	1.6	2.4	15	1.8	0.47	1.0	3.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Myeloid Leukemia											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	212	1.3	0.10	1.1	1.5	2,823	1.4	0.03	1.3	1.4	
1990	2	1.3	0.94	0.1	4.3	72	1.2	0.14	0.9	1.5	
1991	3	1.1	0.86	0.1	4.0	73	1.2	0.14	0.9	1.5	
1992	1	0.4	0.40	0.0	2.4	64	1.1	0.13	0.8	1.4	
1993	6	2.6	1.13	0.9	5.8	67	1.1	0.13	0.8	1.4	
1994	6	3.1	1.45	0.9	6.9	96	1.6	0.16	1.3	1.9	
1995	4	0.7	0.39	0.2	2.4	98	1.5	0.16	1.3	1.9	
1996	1	0.1	0.12	0.0	1.5	84	1.3	0.14	1.0	1.6	
1997	6	1.4	0.75	0.3	3.7	72	1.1	0.13	0.9	1.4	
1998	4	0.8	0.40	0.2	2.4	82	1.3	0.14	1.0	1.6	
1999	6	1.6	0.67	0.6	3.6	86	1.3	0.14	1.1	1.6	
2000	3	1.1	0.79	0.1	3.5	93	1.5	0.15	1.2	1.8	
2001	9	2.3	0.92	0.9	4.8	95	1.5	0.15	1.2	1.8	
2002	8	2.0	0.91	0.7	4.5	76	1.2	0.14	0.9	1.5	
2003	7	2.1	0.92	0.7	4.5	94	1.4	0.15	1.1	1.7	
2004	3	0.5	0.29	0.1	1.6	104	1.6	0.16	1.3	1.9	
2005	2	0.4	0.34	0.0	1.7	74	1.1	0.13	0.9	1.4	
2006	6	1.3	0.55	0.4	2.8	86	1.3	0.14	1.0	1.6	
2007	5	1.0	0.52	0.3	2.5	85	1.3	0.14	1.0	1.6	
2008	14	2.1	0.61	1.1	3.7	86	1.2	0.14	1.0	1.6	
2009	12	2.2	0.69	1.1	3.9	110	1.7	0.16	1.4	2.0	
2010	10	1.6	0.54	0.7	3.0	100	1.4	0.14	1.1	1.7	
2011	10	1.2	0.40	0.6	2.3	103	1.5	0.15	1.2	1.9	
2012	8	1.1	0.39	0.5	2.2	97	1.5	0.16	1.2	1.9	
2013	9	1.3	0.48	0.5	2.6	104	1.6	0.16	1.3	1.9	
2014	9	1.0	0.35	0.5	2.0	105	1.5	0.16	1.2	1.9	
2015	14	2.2	0.63	1.1	3.8	93	1.4	0.15	1.1	1.7	
2016	10	1.0	0.31	0.5	1.9	107	1.4	0.14	1.2	1.7	
2017	10	1.2	0.39	0.6	2.2	101	1.5	0.16	1.2	1.9	
2018	13	1.7	0.51	0.9	3.0	100	1.4	0.15	1.2	1.8	
2019	3	0.3	0.18	0.1	0.9	113	1.7	0.16	1.4	2.0	
2020	8	0.8	0.29	0.4	1.6	103	1.5	0.15	1.2	1.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Chronic Myeloid Leukemia											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,331	1.4	0.03	1.3	1.4	386	1.4	0.07	1.2	1.5	
1990	65	1.2	0.15	0.9	1.6	7	0.9	0.35	0.4	1.9	
1991	63	1.2	0.15	0.9	1.5	10	1.4	0.44	0.7	2.5	
1992	57	1.1	0.15	0.8	1.4	5	0.6	0.28	0.2	1.4	
1993	57	1.0	0.14	0.8	1.4	9	1.4	0.45	0.6	2.5	
1994	81	1.5	0.17	1.2	1.9	13	1.8	0.51	1.0	3.1	
1995	77	1.4	0.16	1.1	1.8	20	2.6	0.60	1.6	4.0	
1996	71	1.3	0.15	1.0	1.6	10	1.3	0.43	0.6	2.5	
1997	60	1.1	0.14	0.8	1.4	8	1.0	0.35	0.4	1.9	
1998	71	1.3	0.15	1.0	1.6	9	1.0	0.34	0.5	1.9	
1999	68	1.2	0.15	1.0	1.6	16	1.9	0.48	1.1	3.1	
2000	80	1.5	0.17	1.2	1.9	11	1.2	0.37	0.6	2.2	
2001	84	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0	
2002	61	1.1	0.15	0.8	1.4	12	1.4	0.39	0.7	2.4	
2003	85	1.6	0.17	1.2	1.9	7	0.9	0.33	0.3	1.8	
2004	80	1.4	0.16	1.1	1.8	17	1.9	0.47	1.1	3.1	
2005	59	1.1	0.15	0.8	1.4	12	1.4	0.39	0.7	2.4	
2006	71	1.3	0.15	1.0	1.6	11	1.1	0.33	0.5	2.0	
2007	71	1.3	0.16	1.0	1.7	10	1.1	0.33	0.5	1.9	
2008	68	1.2	0.15	0.9	1.5	14	1.5	0.41	0.8	2.6	
2009	96	1.8	0.19	1.4	2.2	10	1.0	0.33	0.5	1.9	
2010	83	1.4	0.16	1.1	1.8	10	1.0	0.30	0.5	1.8	
2011	84	1.5	0.17	1.2	1.9	16	1.6	0.39	0.9	2.5	
2012	79	1.5	0.18	1.2	1.9	13	1.3	0.37	0.7	2.3	
2013	84	1.6	0.18	1.3	2.0	16	1.5	0.39	0.9	2.5	
2014	81	1.5	0.17	1.2	1.9	21	2.1	0.47	1.3	3.3	
2015	76	1.4	0.17	1.1	1.8	11	1.0	0.31	0.5	1.8	
2016	92	1.6	0.17	1.3	2.0	14	1.2	0.33	0.7	2.1	
2017	80	1.5	0.18	1.2	1.9	17	1.7	0.42	1.0	2.8	
2018	77	1.5	0.18	1.1	1.9	16	1.4	0.34	0.8	2.2	
2019	91	1.7	0.19	1.4	2.1	16	1.6	0.40	0.9	2.6	
2020	79	1.4	0.17	1.1	1.8	16	1.7	0.42	0.9	2.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Other Leukemia										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	180	0.7	0.06	0.6	0.8	3,368	0.9	0.02	0.9	0.9
1990	5	1.2	0.68	0.3	3.2	90	0.8	0.09	0.7	1.0
1991	5	1.1	0.60	0.3	2.9	66	0.6	0.08	0.5	0.8
1992	2	0.3	0.19	0.0	1.3	66	0.6	0.08	0.5	0.8
1993	3	0.6	0.40	0.1	2.0	121	1.1	0.10	0.9	1.3
1994	7	1.5	0.74	0.4	3.5	154	1.4	0.11	1.2	1.6
1995	7	2.2	0.94	0.7	4.6	154	1.4	0.11	1.2	1.6
1996	3	0.3	0.20	0.1	1.2	132	1.2	0.10	1.0	1.4
1997	6	1.2	0.66	0.3	3.0	121	1.1	0.10	0.9	1.3
1998	8	2.1	0.96	0.7	4.5	128	1.1	0.10	0.9	1.3
1999	6	0.9	0.44	0.3	2.2	167	1.5	0.11	1.2	1.7
2000	3	0.3	0.19	0.0	1.1	156	1.4	0.11	1.2	1.6
2001	3	0.5	0.41	0.1	1.8	89	0.8	0.08	0.6	0.9
2002	7	1.5	0.75	0.4	3.4	132	1.1	0.10	1.0	1.4
2003	4	0.7	0.44	0.1	2.0	112	1.0	0.09	0.8	1.1
2004	3	0.5	0.35	0.1	1.6	93	0.8	0.08	0.6	0.9
2005	4	0.9	0.47	0.2	2.1	111	0.9	0.09	0.8	1.1
2006	4	0.8	0.46	0.2	2.1	103	0.9	0.08	0.7	1.0
2007	5	0.3	0.14	0.1	0.8	103	0.8	0.08	0.7	1.0
2008	6	0.9	0.45	0.3	2.1	94	0.8	0.08	0.6	0.9
2009	5	0.6	0.34	0.2	1.6	90	0.7	0.08	0.6	0.9
2010	5	0.3	0.15	0.1	0.8	100	0.8	0.08	0.6	0.9
2011	6	0.4	0.20	0.1	1.0	120	0.9	0.09	0.8	1.1
2012	4	0.3	0.18	0.1	0.9	101	0.8	0.08	0.6	0.9
2013	11	1.0	0.34	0.4	1.8	98	0.8	0.08	0.6	0.9
2014	7	0.4	0.15	0.1	0.8	114	0.9	0.09	0.7	1.1
2015	9	0.9	0.34	0.4	1.8	87	0.7	0.07	0.5	0.8
2016	6	0.3	0.12	0.1	0.7	92	0.7	0.07	0.5	0.8
2017	5	0.4	0.17	0.1	0.9	117	0.9	0.08	0.7	1.0
2018	9	0.6	0.23	0.3	1.2	89	0.7	0.07	0.5	0.8
2019	11	0.8	0.26	0.4	1.5	91	0.6	0.07	0.5	0.8
2020	11	0.8	0.25	0.4	1.4	77	0.5	0.06	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Other Leukemia											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,898	0.9	0.02	0.9	0.9	401	0.9	0.04	0.8	1.0	
1990	83	0.9	0.10	0.7	1.1	6	0.5	0.20	0.2	1.0	
1991	58	0.6	0.09	0.5	0.8	8	0.7	0.27	0.3	1.4	
1992	58	0.6	0.08	0.5	0.8	8	0.6	0.24	0.3	1.3	
1993	108	1.1	0.11	0.9	1.4	11	1.0	0.31	0.5	1.8	
1994	137	1.4	0.12	1.2	1.7	17	1.5	0.37	0.8	2.3	
1995	142	1.5	0.12	1.2	1.7	10	0.8	0.27	0.4	1.5	
1996	113	1.2	0.11	1.0	1.4	14	1.2	0.33	0.6	2.0	
1997	101	1.0	0.10	0.8	1.3	20	1.6	0.36	0.9	2.4	
1998	111	1.1	0.11	0.9	1.4	16	1.2	0.32	0.7	2.0	
1999	146	1.5	0.12	1.2	1.7	20	1.6	0.36	0.9	2.4	
2000	136	1.4	0.12	1.1	1.6	17	1.3	0.32	0.7	2.1	
2001	76	0.7	0.09	0.6	0.9	11	0.9	0.26	0.4	1.5	
2002	110	1.1	0.11	0.9	1.3	20	1.6	0.36	0.9	2.4	
2003	96	0.9	0.10	0.8	1.1	16	1.2	0.30	0.7	1.9	
2004	80	0.8	0.08	0.6	0.9	10	0.8	0.24	0.4	1.4	
2005	96	0.9	0.09	0.7	1.1	12	0.9	0.26	0.5	1.5	
2006	86	0.8	0.09	0.7	1.0	15	1.1	0.29	0.6	1.8	
2007	87	0.8	0.09	0.7	1.0	13	0.9	0.26	0.5	1.5	
2008	85	0.8	0.09	0.6	1.0	8	0.5	0.20	0.2	1.1	
2009	76	0.7	0.08	0.6	0.9	12	0.8	0.22	0.4	1.3	
2010	85	0.8	0.08	0.6	0.9	11	0.7	0.21	0.3	1.2	
2011	104	1.0	0.10	0.8	1.2	13	0.9	0.25	0.5	1.5	
2012	82	0.7	0.08	0.6	0.9	16	0.9	0.23	0.5	1.4	
2013	77	0.7	0.08	0.5	0.9	15	0.9	0.23	0.5	1.5	
2014	96	0.9	0.09	0.7	1.1	15	0.9	0.23	0.5	1.4	
2015	72	0.7	0.08	0.5	0.8	13	0.8	0.21	0.4	1.3	
2016	83	0.7	0.08	0.6	0.9	8	0.4	0.15	0.2	0.8	
2017	100	0.9	0.09	0.7	1.1	13	0.7	0.21	0.4	1.3	
2018	74	0.7	0.08	0.5	0.9	12	0.6	0.19	0.3	1.1	
2019	73	0.6	0.08	0.5	0.8	14	0.7	0.19	0.4	1.2	
2020	67	0.6	0.07	0.4	0.7	7	0.3	0.13	0.1	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Other Leukemia											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	102	0.9	0.10	0.7	1.1	1,785	1.2	0.03	1.1	1.2	
1990	1	0.2	0.15	0.0	2.8	54	1.2	0.17	0.9	1.6	
1991	3	1.2	0.93	0.1	4.6	32	0.8	0.14	0.5	1.1	
1992	2	0.5	0.36	0.0	3.0	40	0.9	0.15	0.7	1.3	
1993	3	1.3	0.87	0.2	4.5	60	1.4	0.18	1.0	1.8	
1994	6	1.7	0.86	0.5	4.7	78	1.8	0.22	1.4	2.3	
1995	6	4.2	2.11	1.1	9.8	76	1.8	0.21	1.4	2.2	
1996	2	0.4	0.36	0.0	2.6	76	1.8	0.21	1.4	2.3	
1997	3	0.5	0.35	0.1	2.5	66	1.6	0.21	1.3	2.1	
1998	5	2.6	1.68	0.4	7.3	66	1.5	0.19	1.2	1.9	
1999	1	0.3	0.31	0.0	2.2	83	1.9	0.22	1.5	2.4	
2000	1	0.4	0.38	0.0	2.3	71	1.5	0.18	1.2	1.9	
2001	2	1.2	0.99	0.1	4.2	47	1.0	0.15	0.8	1.4	
2002	3	2.5	1.68	0.3	7.0	74	1.6	0.18	1.2	2.0	
2003	0					55	1.2	0.16	0.9	1.6	
2004	2	1.1	0.78	0.1	3.5	53	1.2	0.16	0.9	1.5	
2005	1	0.4	0.42	0.0	2.0	64	1.4	0.18	1.1	1.8	
2006	3	1.9	1.15	0.4	5.0	54	1.1	0.15	0.9	1.5	
2007	3	0.4	0.26	0.1	1.6	49	1.1	0.15	0.8	1.4	
2008	4	1.4	0.86	0.2	3.8	52	1.1	0.15	0.8	1.4	
2009	4	1.0	0.67	0.1	2.9	42	0.9	0.13	0.6	1.2	
2010	2	0.1	0.10	0.0	1.0	51	1.0	0.14	0.7	1.3	
2011	4	0.7	0.42	0.1	2.0	65	1.3	0.16	1.0	1.7	
2012	3	0.3	0.16	0.1	1.1	55	1.0	0.14	0.8	1.4	
2013	6	1.1	0.56	0.3	2.7	56	1.0	0.14	0.8	1.4	
2014	3	0.3	0.20	0.1	1.1	60	1.1	0.15	0.9	1.5	
2015	6	1.4	0.62	0.4	3.0	48	0.9	0.13	0.6	1.2	
2016	3	0.3	0.18	0.1	1.0	52	0.9	0.12	0.6	1.1	
2017	2	0.2	0.13	0.0	0.8	64	1.1	0.13	0.8	1.4	
2018	3	0.5	0.31	0.1	1.4	47	0.8	0.12	0.6	1.1	
2019	9	1.4	0.51	0.6	2.7	51	0.8	0.12	0.6	1.1	
2020	6	1.0	0.44	0.3	2.2	44	0.7	0.11	0.5	1.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Other Leukemia											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,531	1.2	0.03	1.1	1.3	208	1.1	0.08	1.0	1.3	
1990	51	1.3	0.19	1.0	1.8	3	0.6	0.33	0.1	1.7	
1991	29	0.8	0.15	0.5	1.2	3	1.0	0.58	0.2	2.6	
1992	35	0.9	0.16	0.7	1.3	5	1.0	0.51	0.2	2.4	
1993	51	1.4	0.19	1.0	1.8	7	1.5	0.61	0.6	3.2	
1994	70	1.9	0.23	1.5	2.4	8	1.8	0.73	0.7	3.7	
1995	70	1.8	0.22	1.4	2.3	5	0.9	0.42	0.3	2.1	
1996	62	1.7	0.22	1.3	2.2	12	2.7	0.86	1.3	4.8	
1997	57	1.6	0.22	1.2	2.1	9	1.6	0.60	0.7	3.2	
1998	60	1.6	0.21	1.2	2.1	5	0.7	0.33	0.2	1.8	
1999	72	1.9	0.23	1.5	2.4	11	2.3	0.74	1.1	4.1	
2000	63	1.6	0.20	1.2	2.0	6	1.1	0.46	0.4	2.4	
2001	39	1.0	0.16	0.7	1.4	6	1.3	0.55	0.4	2.7	
2002	64	1.6	0.20	1.2	2.0	9	1.5	0.51	0.6	2.8	
2003	46	1.2	0.17	0.9	1.6	9	1.5	0.50	0.7	2.8	
2004	46	1.2	0.17	0.9	1.6	4	0.8	0.46	0.2	2.1	
2005	53	1.3	0.18	1.0	1.8	8	1.5	0.57	0.6	3.0	
2006	43	1.1	0.16	0.8	1.4	11	1.8	0.56	0.9	3.2	
2007	42	1.0	0.16	0.7	1.4	6	1.3	0.53	0.5	2.7	
2008	48	1.1	0.16	0.8	1.5	4	0.6	0.34	0.2	1.7	
2009	34	0.8	0.14	0.6	1.1	7	1.1	0.47	0.4	2.4	
2010	44	1.0	0.15	0.7	1.4	5	0.6	0.25	0.2	1.3	
2011	53	1.2	0.17	0.9	1.6	9	1.7	0.57	0.7	3.1	
2012	44	1.0	0.15	0.7	1.3	9	1.2	0.42	0.5	2.3	
2013	44	1.0	0.15	0.7	1.3	6	0.8	0.32	0.3	1.7	
2014	50	1.1	0.16	0.8	1.5	9	1.3	0.44	0.6	2.4	
2015	40	0.9	0.14	0.6	1.2	7	1.1	0.43	0.4	2.3	
2016	49	1.0	0.14	0.7	1.3	2	0.2	0.14	0.0	0.8	
2017	56	1.1	0.15	0.8	1.5	4	0.5	0.28	0.1	1.4	
2018	38	0.8	0.14	0.6	1.2	6	0.8	0.32	0.3	1.7	
2019	40	0.8	0.12	0.5	1.1	9	1.1	0.37	0.5	2.1	
2020	38	0.7	0.12	0.5	1.0	4	0.5	0.23	0.1	1.2	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Other Leukemia										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	78	0.6	0.07	0.4	0.7	1,583	0.7	0.02	0.7	0.7
1990	4	2.0	1.16	0.4	5.5	36	0.6	0.09	0.4	0.8
1991	2	1.1	0.81	0.1	3.9	34	0.6	0.10	0.4	0.8
1992	0					26	0.4	0.09	0.3	0.6
1993	0					61	0.9	0.12	0.7	1.2
1994	1	0.9	0.94	0.0	4.0	76	1.1	0.13	0.9	1.4
1995	1	0.7	0.74	0.0	3.2	78	1.1	0.13	0.9	1.4
1996	1	0.2	0.18	0.0	1.6	56	0.8	0.11	0.6	1.0
1997	3	1.6	1.05	0.2	4.6	55	0.8	0.11	0.6	1.1
1998	3	1.7	1.13	0.2	4.9	62	0.9	0.12	0.7	1.2
1999	5	1.4	0.76	0.3	3.7	84	1.2	0.13	0.9	1.5
2000	2	0.3	0.19	0.0	1.5	85	1.2	0.13	1.0	1.5
2001	1	0.1	0.08	0.0	1.2	42	0.6	0.09	0.4	0.8
2002	4	1.0	0.70	0.1	3.1	58	0.8	0.11	0.6	1.0
2003	4	1.2	0.74	0.2	3.4	57	0.8	0.10	0.6	1.0
2004	1	0.1	0.09	0.0	1.0	40	0.5	0.09	0.4	0.7
2005	3	1.2	0.72	0.2	3.2	47	0.6	0.09	0.5	0.9
2006	1	0.1	0.12	0.0	1.0	49	0.6	0.09	0.5	0.8
2007	2	0.1	0.10	0.0	0.9	54	0.7	0.10	0.6	1.0
2008	2	0.5	0.46	0.0	2.0	42	0.6	0.09	0.4	0.8
2009	1	0.4	0.35	0.0	1.5	48	0.6	0.09	0.5	0.9
2010	3	0.5	0.29	0.1	1.5	49	0.6	0.09	0.4	0.8
2011	2	0.2	0.11	0.0	0.8	55	0.7	0.10	0.5	0.9
2012	1	0.3	0.29	0.0	1.3	46	0.6	0.09	0.4	0.8
2013	5	0.8	0.42	0.2	2.0	42	0.5	0.08	0.4	0.7
2014	4	0.4	0.22	0.1	1.2	54	0.7	0.10	0.5	0.9
2015	3	0.6	0.35	0.1	1.6	39	0.6	0.09	0.4	0.8
2016	3	0.3	0.16	0.1	0.9	40	0.5	0.08	0.4	0.7
2017	3	0.5	0.30	0.1	1.4	53	0.7	0.11	0.6	1.0
2018	6	0.8	0.32	0.3	1.7	42	0.6	0.09	0.4	0.8
2019	2	0.3	0.22	0.0	1.0	40	0.5	0.08	0.4	0.7
2020	5	0.6	0.30	0.2	1.5	33	0.4	0.08	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Other Leukemia											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,367	0.7	0.02	0.7	0.8	193	0.7	0.05	0.6	0.8	
1990	32	0.6	0.10	0.4	0.8	3	0.4	0.23	0.1	1.2	
1991	29	0.5	0.10	0.4	0.8	5	0.7	0.30	0.2	1.5	
1992	23	0.5	0.10	0.3	0.7	3	0.4	0.26	0.1	1.3	
1993	57	1.0	0.13	0.7	1.2	4	0.6	0.31	0.2	1.5	
1994	67	1.1	0.14	0.9	1.4	9	1.3	0.43	0.6	2.4	
1995	72	1.2	0.14	0.9	1.5	5	0.7	0.33	0.2	1.7	
1996	51	0.8	0.12	0.6	1.1	2	0.3	0.21	0.0	1.0	
1997	44	0.7	0.11	0.5	1.0	11	1.5	0.46	0.8	2.7	
1998	51	0.9	0.13	0.7	1.2	11	1.4	0.43	0.7	2.5	
1999	74	1.2	0.14	0.9	1.5	9	1.1	0.38	0.5	2.1	
2000	73	1.2	0.14	0.9	1.5	11	1.4	0.41	0.7	2.4	
2001	37	0.6	0.10	0.4	0.8	5	0.6	0.29	0.2	1.5	
2002	46	0.7	0.11	0.5	1.0	11	1.5	0.44	0.7	2.6	
2003	50	0.8	0.11	0.6	1.1	7	0.9	0.33	0.4	1.8	
2004	34	0.5	0.09	0.4	0.7	6	0.7	0.30	0.3	1.5	
2005	43	0.7	0.11	0.5	0.9	4	0.5	0.26	0.1	1.3	
2006	43	0.7	0.10	0.5	0.9	4	0.5	0.26	0.1	1.3	
2007	45	0.7	0.11	0.5	1.0	7	0.7	0.27	0.3	1.5	
2008	37	0.6	0.10	0.4	0.8	4	0.5	0.24	0.1	1.2	
2009	42	0.7	0.10	0.5	0.9	5	0.6	0.25	0.2	1.3	
2010	41	0.6	0.09	0.4	0.8	6	0.7	0.27	0.2	1.4	
2011	51	0.8	0.11	0.6	1.1	4	0.4	0.22	0.1	1.1	
2012	38	0.6	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4	
2013	33	0.5	0.09	0.3	0.7	9	0.9	0.30	0.4	1.7	
2014	46	0.7	0.11	0.5	1.0	6	0.6	0.23	0.2	1.2	
2015	32	0.5	0.10	0.4	0.8	6	0.6	0.24	0.2	1.3	
2016	34	0.5	0.10	0.4	0.8	6	0.5	0.22	0.2	1.2	
2017	44	0.7	0.12	0.5	1.0	9	1.0	0.33	0.4	1.8	
2018	36	0.6	0.10	0.4	0.8	6	0.6	0.25	0.2	1.3	
2019	33	0.5	0.10	0.3	0.8	5	0.5	0.20	0.1	1.1	
2020	29	0.5	0.09	0.3	0.7	3	0.3	0.15	0.1	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Mesothelioma											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	201	0.8	0.06	0.7	1.0	4,220	1.1	0.02	1.1	1.2	
1990	4	0.8	0.40	0.2	2.2	98	0.9	0.09	0.8	1.1	
1991	2	0.5	0.33	0.1	1.8	118	1.1	0.10	0.9	1.3	
1992	3	0.6	0.36	0.1	1.9	124	1.1	0.10	0.9	1.4	
1993	4	1.4	0.72	0.4	3.4	115	1.0	0.10	0.9	1.3	
1994	0					140	1.3	0.11	1.1	1.5	
1995	5	1.1	0.55	0.3	2.7	158	1.4	0.11	1.2	1.7	
1996	6	1.0	0.44	0.4	2.4	136	1.2	0.10	1.0	1.4	
1997	0					138	1.2	0.10	1.0	1.5	
1998	4	0.5	0.27	0.1	1.5	152	1.3	0.11	1.1	1.6	
1999	5	1.0	0.46	0.3	2.3	135	1.2	0.10	1.0	1.4	
2000	5	1.0	0.49	0.2	2.3	138	1.2	0.10	1.0	1.4	
2001	7	1.3	0.48	0.5	2.6	175	1.5	0.11	1.3	1.8	
2002	3	0.5	0.31	0.1	1.5	152	1.3	0.11	1.1	1.5	
2003	9	1.5	0.54	0.6	2.9	157	1.4	0.11	1.2	1.6	
2004	9	1.5	0.57	0.6	3.0	136	1.2	0.10	1.0	1.4	
2005	12	1.9	0.61	0.9	3.4	143	1.2	0.10	1.0	1.4	
2006	7	0.9	0.41	0.3	2.0	155	1.3	0.11	1.1	1.6	
2007	8	1.1	0.42	0.4	2.2	136	1.1	0.10	0.9	1.3	
2008	8	0.7	0.29	0.3	1.5	156	1.3	0.11	1.1	1.5	
2009	10	1.2	0.41	0.6	2.3	132	1.1	0.10	0.9	1.3	
2010	4	0.4	0.24	0.1	1.1	143	1.2	0.10	1.0	1.4	
2011	9	1.1	0.40	0.4	2.1	137	1.1	0.10	0.9	1.3	
2012	9	0.9	0.33	0.4	1.8	152	1.2	0.10	1.0	1.4	
2013	9	0.8	0.29	0.3	1.6	135	1.0	0.09	0.9	1.2	
2014	8	0.8	0.29	0.3	1.5	149	1.1	0.09	1.0	1.3	
2015	8	0.7	0.25	0.3	1.3	128	1.0	0.09	0.8	1.1	
2016	12	1.1	0.35	0.6	2.0	114	0.8	0.08	0.7	1.0	
2017	7	0.6	0.22	0.2	1.1	121	0.9	0.08	0.7	1.1	
2018	7	0.4	0.16	0.2	0.9	109	0.8	0.08	0.7	1.0	
2019	9	0.6	0.21	0.3	1.1	129	0.9	0.08	0.7	1.1	
2020	8	0.6	0.24	0.3	1.3	109	0.8	0.07	0.6	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Mesothelioma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,966	1.2	0.02	1.2	1.3	198	0.4	0.03	0.4	0.5	
1990	90	1.0	0.10	0.8	1.2	6	0.5	0.21	0.2	1.1	
1991	114	1.2	0.11	1.0	1.5	3	0.3	0.15	0.1	0.7	
1992	117	1.2	0.11	1.0	1.5	5	0.5	0.21	0.2	1.1	
1993	108	1.1	0.11	0.9	1.4	5	0.5	0.22	0.2	1.1	
1994	133	1.4	0.12	1.1	1.6	7	0.6	0.21	0.2	1.1	
1995	144	1.5	0.13	1.3	1.8	14	1.1	0.31	0.6	1.9	
1996	124	1.3	0.11	1.1	1.5	11	0.8	0.24	0.4	1.4	
1997	129	1.3	0.12	1.1	1.6	8	0.6	0.20	0.2	1.1	
1998	145	1.5	0.12	1.3	1.8	7	0.5	0.21	0.2	1.1	
1999	128	1.3	0.12	1.1	1.6	6	0.4	0.17	0.2	0.9	
2000	132	1.3	0.12	1.1	1.6	6	0.5	0.19	0.2	1.0	
2001	165	1.7	0.13	1.4	1.9	9	0.6	0.22	0.3	1.2	
2002	148	1.5	0.12	1.3	1.8	4	0.3	0.17	0.1	0.8	
2003	147	1.5	0.12	1.3	1.8	4	0.3	0.13	0.1	0.7	
2004	129	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0	
2005	134	1.3	0.12	1.1	1.6	8	0.6	0.21	0.3	1.2	
2006	145	1.5	0.12	1.2	1.7	6	0.4	0.17	0.2	0.9	
2007	126	1.2	0.11	1.0	1.4	9	0.6	0.19	0.3	1.1	
2008	152	1.5	0.12	1.3	1.8	2	0.2	0.11	0.0	0.5	
2009	126	1.2	0.11	1.0	1.5	5	0.3	0.14	0.1	0.7	
2010	135	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0	
2011	126	1.2	0.11	1.0	1.5	8	0.5	0.18	0.2	1.0	
2012	140	1.3	0.11	1.1	1.5	11	0.7	0.21	0.3	1.2	
2013	124	1.1	0.10	0.9	1.4	7	0.4	0.16	0.2	0.9	
2014	142	1.3	0.11	1.1	1.5	5	0.3	0.13	0.1	0.7	
2015	123	1.1	0.10	0.9	1.3	5	0.3	0.12	0.1	0.6	
2016	109	0.9	0.09	0.8	1.1	1	0.0	0.04	0.0	0.3	
2017	108	1.0	0.10	0.8	1.2	7	0.4	0.15	0.2	0.8	
2018	106	1.0	0.09	0.8	1.2	2	0.1	0.07	0.0	0.4	
2019	116	1.0	0.09	0.8	1.2	8	0.4	0.14	0.2	0.8	
2020	101	0.9	0.09	0.7	1.1	5	0.3	0.12	0.1	0.7	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Mesothelioma											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	148	1.4	0.13	1.2	1.7	3,154	2.0	0.04	2.0	2.1	
1990	3	1.3	0.75	0.3	4.4	74	1.7	0.20	1.3	2.1	
1991	2	1.0	0.67	0.1	3.9	95	2.1	0.22	1.7	2.6	
1992	0					91	2.1	0.22	1.6	2.5	
1993	4	3.2	1.70	0.8	8.0	82	1.9	0.21	1.5	2.3	
1994	0					101	2.2	0.22	1.8	2.7	
1995	4	2.0	1.22	0.4	5.7	119	2.7	0.25	2.2	3.2	
1996	6	2.1	0.90	0.7	5.0	103	2.2	0.22	1.8	2.7	
1997	0					111	2.4	0.23	2.0	2.9	
1998	3	0.7	0.43	0.1	2.8	106	2.3	0.23	1.9	2.8	
1999	3	1.4	0.88	0.2	4.2	101	2.1	0.22	1.7	2.6	
2000	4	2.0	1.09	0.5	5.1	106	2.3	0.22	1.9	2.7	
2001	5	2.0	0.93	0.6	4.7	140	3.0	0.26	2.5	3.5	
2002	3	1.0	0.70	0.1	3.3	121	2.6	0.24	2.1	3.1	
2003	9	3.2	1.19	1.3	6.3	124	2.6	0.23	2.2	3.1	
2004	5	1.8	1.13	0.3	5.0	102	2.1	0.21	1.7	2.6	
2005	9	2.9	1.04	1.2	5.6	109	2.3	0.22	1.9	2.8	
2006	4	1.6	0.99	0.3	4.3	116	2.4	0.23	2.0	2.9	
2007	6	2.1	0.91	0.7	4.5	101	2.0	0.20	1.7	2.5	
2008	6	1.2	0.59	0.4	2.9	112	2.3	0.22	1.9	2.7	
2009	5	1.6	0.72	0.5	3.5	109	2.2	0.21	1.8	2.6	
2010	2	0.4	0.27	0.0	1.4	113	2.3	0.22	1.9	2.7	
2011	8	2.3	0.95	0.9	4.7	93	1.8	0.19	1.4	2.2	
2012	8	1.9	0.75	0.7	3.8	115	2.1	0.20	1.7	2.5	
2013	7	1.4	0.63	0.5	3.1	96	1.7	0.18	1.4	2.1	
2014	7	1.6	0.64	0.6	3.2	108	2.0	0.20	1.6	2.4	
2015	7	1.4	0.58	0.5	2.9	93	1.6	0.17	1.3	2.0	
2016	10	2.3	0.78	1.1	4.3	82	1.4	0.16	1.1	1.8	
2017	3	0.5	0.34	0.1	1.6	77	1.3	0.16	1.1	1.7	
2018	3	0.5	0.31	0.1	1.4	79	1.4	0.16	1.1	1.7	
2019	6	0.8	0.37	0.3	1.9	97	1.6	0.16	1.3	1.9	
2020	6	1.1	0.47	0.4	2.3	78	1.3	0.15	1.0	1.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Mesothelioma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,977	2.2	0.04	2.2	2.3	141	0.8	0.07	0.7	0.9	
1990	68	1.7	0.21	1.3	2.2	6	1.2	0.48	0.4	2.5	
1991	91	2.3	0.24	1.8	2.8	3	0.6	0.38	0.1	1.9	
1992	86	2.2	0.24	1.7	2.7	5	1.2	0.57	0.4	2.8	
1993	76	1.9	0.23	1.5	2.4	4	1.1	0.61	0.3	2.8	
1994	98	2.4	0.25	1.9	2.9	3	0.6	0.32	0.1	1.6	
1995	110	2.8	0.27	2.3	3.4	9	2.1	0.73	0.9	3.9	
1996	93	2.3	0.24	1.8	2.8	9	1.5	0.51	0.7	2.9	
1997	105	2.6	0.26	2.1	3.2	5	0.8	0.36	0.3	1.9	
1998	102	2.5	0.25	2.1	3.1	4	0.9	0.49	0.2	2.3	
1999	96	2.4	0.24	1.9	2.9	4	0.7	0.36	0.2	1.8	
2000	102	2.5	0.25	2.0	3.0	4	0.9	0.46	0.2	2.2	
2001	131	3.2	0.28	2.7	3.8	8	1.4	0.55	0.6	2.9	
2002	119	2.9	0.27	2.4	3.5	2	0.4	0.29	0.0	1.4	
2003	118	2.9	0.26	2.4	3.4	2	0.3	0.20	0.0	1.1	
2004	99	2.4	0.24	1.9	2.9	3	0.6	0.32	0.1	1.6	
2005	102	2.5	0.25	2.0	3.0	6	1.3	0.56	0.5	2.8	
2006	109	2.6	0.25	2.2	3.2	4	0.6	0.32	0.2	1.6	
2007	95	2.2	0.23	1.8	2.7	6	0.8	0.35	0.3	1.9	
2008	109	2.6	0.25	2.1	3.1	2	0.4	0.28	0.1	1.3	
2009	104	2.4	0.24	2.0	2.9	4	0.6	0.30	0.2	1.5	
2010	107	2.5	0.24	2.0	3.0	6	1.1	0.48	0.4	2.4	
2011	85	1.9	0.21	1.5	2.4	7	1.2	0.48	0.5	2.5	
2012	107	2.3	0.23	1.9	2.8	7	1.1	0.43	0.4	2.3	
2013	88	1.9	0.20	1.5	2.3	5	0.7	0.31	0.2	1.6	
2014	104	2.3	0.23	1.9	2.8	3	0.4	0.21	0.1	1.1	
2015	90	1.9	0.20	1.5	2.3	3	0.4	0.26	0.1	1.2	
2016	79	1.6	0.18	1.3	2.0	1	0.1	0.11	0.0	0.7	
2017	68	1.4	0.17	1.1	1.8	5	0.7	0.32	0.2	1.6	
2018	76	1.6	0.18	1.3	2.0	2	0.2	0.17	0.0	0.9	
2019	86	1.7	0.18	1.4	2.1	7	0.9	0.35	0.3	1.9	
2020	74	1.5	0.17	1.2	1.9	2	0.3	0.22	0.0	1.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Mesothelioma											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	53	0.4	0.05	0.3	0.5	1,066	0.5	0.02	0.5	0.5	
1990	1	0.3	0.26	0.0	2.1	24	0.4	0.08	0.2	0.6	
1991	0					23	0.4	0.08	0.2	0.6	
1992	3	1.2	0.70	0.2	3.6	33	0.5	0.09	0.4	0.7	
1993	0					33	0.5	0.09	0.4	0.7	
1994	0					39	0.6	0.09	0.4	0.8	
1995	1	0.4	0.36	0.0	2.1	39	0.6	0.10	0.4	0.9	
1996	0					33	0.5	0.09	0.4	0.7	
1997	0					27	0.4	0.08	0.3	0.6	
1998	1	0.3	0.32	0.0	1.8	46	0.7	0.11	0.5	1.0	
1999	2	0.6	0.45	0.1	2.3	34	0.5	0.09	0.4	0.7	
2000	1	0.1	0.09	0.0	1.3	32	0.5	0.08	0.3	0.7	
2001	2	0.6	0.42	0.1	2.1	35	0.5	0.09	0.4	0.7	
2002	0					31	0.5	0.08	0.3	0.7	
2003	0					33	0.5	0.09	0.3	0.7	
2004	4	1.3	0.68	0.4	3.3	34	0.5	0.09	0.4	0.7	
2005	3	1.0	0.64	0.2	2.8	34	0.5	0.09	0.4	0.7	
2006	3	0.5	0.29	0.1	1.6	39	0.6	0.10	0.4	0.8	
2007	2	0.3	0.21	0.0	1.2	35	0.5	0.09	0.3	0.7	
2008	2	0.3	0.20	0.0	1.2	44	0.7	0.10	0.5	0.9	
2009	5	1.0	0.47	0.3	2.3	23	0.3	0.07	0.2	0.5	
2010	2	0.5	0.35	0.1	1.6	30	0.4	0.08	0.3	0.6	
2011	1	0.2	0.15	0.0	0.9	44	0.6	0.09	0.4	0.8	
2012	1	0.1	0.13	0.0	0.8	37	0.5	0.08	0.4	0.7	
2013	2	0.3	0.22	0.0	1.1	39	0.5	0.09	0.4	0.7	
2014	1	0.1	0.13	0.0	0.8	41	0.5	0.09	0.4	0.8	
2015	1	0.1	0.11	0.0	0.7	35	0.5	0.09	0.4	0.7	
2016	2	0.2	0.16	0.0	0.8	32	0.4	0.08	0.3	0.6	
2017	4	0.6	0.32	0.2	1.6	44	0.6	0.09	0.4	0.8	
2018	4	0.4	0.21	0.1	1.1	30	0.4	0.07	0.3	0.6	
2019	3	0.4	0.22	0.1	1.1	32	0.4	0.07	0.3	0.6	
2020	2	0.3	0.19	0.0	0.9	31	0.4	0.08	0.3	0.6	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Mesothelioma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	989	0.6	0.02	0.5	0.6	57	0.2	0.03	0.2	0.3	
1990	22	0.4	0.08	0.2	0.6	0					
1991	23	0.4	0.09	0.3	0.6	0					
1992	31	0.5	0.10	0.4	0.8	0					
1993	32	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7	
1994	35	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3	
1995	34	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.5	
1996	31	0.6	0.10	0.4	0.8	2	0.2	0.17	0.0	0.9	
1997	24	0.4	0.08	0.3	0.6	3	0.4	0.21	0.1	1.1	
1998	43	0.8	0.12	0.6	1.1	3	0.4	0.22	0.1	1.1	
1999	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8	
2000	30	0.5	0.10	0.3	0.8	2	0.2	0.15	0.0	0.8	
2001	34	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7	
2002	29	0.5	0.10	0.4	0.8	2	0.3	0.20	0.0	0.9	
2003	29	0.5	0.10	0.3	0.8	2	0.2	0.16	0.0	0.8	
2004	30	0.5	0.10	0.4	0.8	4	0.4	0.22	0.1	1.1	
2005	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8	
2006	36	0.7	0.11	0.5	1.0	2	0.3	0.18	0.0	0.9	
2007	31	0.5	0.09	0.3	0.7	3	0.3	0.20	0.1	1.0	
2008	43	0.8	0.12	0.6	1.1	0					
2009	22	0.4	0.08	0.2	0.6	1	0.1	0.12	0.0	0.6	
2010	28	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6	
2011	41	0.7	0.11	0.5	0.9	1	0.1	0.08	0.0	0.5	
2012	33	0.5	0.10	0.4	0.8	4	0.4	0.21	0.1	1.1	
2013	36	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8	
2014	38	0.6	0.10	0.4	0.8	2	0.2	0.16	0.0	0.8	
2015	33	0.6	0.11	0.4	0.9	2	0.2	0.12	0.0	0.7	
2016	30	0.5	0.09	0.3	0.7	0					
2017	40	0.7	0.11	0.5	1.0	2	0.2	0.14	0.0	0.7	
2018	30	0.5	0.10	0.3	0.7	0					
2019	30	0.5	0.08	0.3	0.7	1	0.1	0.06	0.0	0.5	
2020	27	0.4	0.09	0.3	0.7	3	0.3	0.17	0.1	0.9	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kaposi Sarcoma											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	337	0.8	0.05	0.7	1.0	1,966	0.6	0.01	0.6	0.6	
1990	16	2.0	0.62	1.0	3.8	160	1.5	0.12	1.2	1.7	
1991	30	3.2	0.77	1.9	5.2	159	1.4	0.12	1.2	1.7	
1992	19	1.6	0.41	0.9	2.9	168	1.5	0.12	1.3	1.8	
1993	28	2.8	0.57	1.8	4.3	163	1.4	0.11	1.2	1.7	
1994	22	2.4	0.65	1.3	4.1	162	1.5	0.12	1.2	1.7	
1995	16	1.8	0.57	0.8	3.3	137	1.2	0.10	1.0	1.4	
1996	27	3.7	0.95	2.1	6.0	122	1.1	0.10	0.9	1.3	
1997	10	0.7	0.26	0.3	1.7	65	0.6	0.07	0.4	0.7	
1998	7	0.6	0.23	0.2	1.5	48	0.4	0.06	0.3	0.6	
1999	8	0.8	0.38	0.2	1.9	50	0.5	0.06	0.3	0.6	
2000	4	0.3	0.16	0.1	1.1	36	0.3	0.05	0.2	0.5	
2001	9	1.3	0.53	0.5	2.7	42	0.4	0.06	0.3	0.5	
2002	7	0.7	0.34	0.2	1.7	43	0.4	0.06	0.3	0.5	
2003	10	1.4	0.58	0.5	2.9	40	0.4	0.06	0.3	0.5	
2004	9	0.6	0.21	0.2	1.3	45	0.4	0.06	0.3	0.5	
2005	7	0.6	0.25	0.2	1.3	35	0.3	0.06	0.2	0.5	
2006	7	1.0	0.42	0.3	2.1	35	0.3	0.06	0.2	0.5	
2007	7	0.4	0.16	0.2	1.0	39	0.4	0.06	0.3	0.5	
2008	5	0.6	0.31	0.2	1.5	37	0.4	0.06	0.3	0.5	
2009	8	0.8	0.33	0.3	1.7	40	0.4	0.06	0.3	0.5	
2010	7	0.6	0.27	0.2	1.4	39	0.4	0.06	0.3	0.5	
2011	8	0.7	0.27	0.3	1.4	35	0.3	0.06	0.2	0.5	
2012	7	0.4	0.14	0.1	0.8	20	0.2	0.04	0.1	0.3	
2013	1	0.1	0.13	0.0	0.6	31	0.3	0.05	0.2	0.4	
2014	8	0.6	0.25	0.2	1.3	37	0.3	0.05	0.2	0.5	
2015	14	0.8	0.25	0.4	1.5	27	0.2	0.05	0.2	0.4	
2016	13	0.8	0.24	0.4	1.4	35	0.3	0.05	0.2	0.4	
2017	7	0.4	0.16	0.2	0.9	23	0.2	0.05	0.1	0.3	
2018	6	0.3	0.15	0.1	0.8	32	0.3	0.05	0.2	0.4	
2019	8	0.4	0.16	0.2	0.9	29	0.3	0.05	0.2	0.4	
2020	2	0.1	0.07	0.0	0.4	32	0.3	0.05	0.2	0.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kaposi Sarcoma											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,163	0.4	0.01	0.4	0.5	739	1.4	0.05	1.3	1.5	
1990	107	1.2	0.12	1.0	1.5	49	2.8	0.41	2.1	3.8	
1991	116	1.3	0.12	1.1	1.6	41	2.4	0.39	1.7	3.4	
1992	121	1.3	0.12	1.1	1.6	46	2.6	0.38	1.9	3.4	
1993	112	1.2	0.11	1.0	1.5	47	2.8	0.42	2.0	3.7	
1994	109	1.2	0.12	1.0	1.5	52	3.0	0.43	2.2	4.0	
1995	83	0.9	0.10	0.7	1.1	52	3.0	0.42	2.2	4.0	
1996	65	0.7	0.09	0.6	0.9	53	2.9	0.40	2.2	3.8	
1997	36	0.4	0.06	0.3	0.5	27	1.5	0.29	1.0	2.2	
1998	23	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.0	
1999	24	0.3	0.05	0.2	0.4	24	1.4	0.28	0.9	2.1	
2000	17	0.2	0.04	0.1	0.3	17	1.0	0.23	0.6	1.5	
2001	18	0.2	0.05	0.1	0.3	23	1.3	0.27	0.8	1.9	
2002	23	0.3	0.05	0.2	0.4	18	1.0	0.25	0.6	1.7	
2003	20	0.2	0.05	0.1	0.4	18	1.1	0.25	0.6	1.7	
2004	23	0.2	0.05	0.2	0.4	19	1.1	0.26	0.7	1.8	
2005	19	0.2	0.05	0.1	0.3	13	0.8	0.22	0.4	1.4	
2006	16	0.2	0.05	0.1	0.3	17	1.0	0.25	0.6	1.7	
2007	20	0.2	0.05	0.1	0.3	18	1.1	0.26	0.7	1.8	
2008	19	0.2	0.05	0.1	0.3	15	0.9	0.23	0.5	1.5	
2009	24	0.3	0.05	0.2	0.4	14	0.9	0.23	0.5	1.4	
2010	22	0.3	0.06	0.2	0.4	15	0.9	0.23	0.5	1.4	
2011	15	0.2	0.05	0.1	0.3	18	1.1	0.25	0.6	1.7	
2012	12	0.1	0.04	0.1	0.3	5	0.3	0.13	0.1	0.7	
2013	15	0.2	0.04	0.1	0.3	16	0.8	0.21	0.5	1.3	
2014	18	0.2	0.05	0.1	0.3	17	0.9	0.22	0.5	1.4	
2015	16	0.2	0.04	0.1	0.3	10	0.6	0.19	0.3	1.1	
2016	24	0.3	0.05	0.2	0.4	10	0.6	0.18	0.3	1.0	
2017	8	0.1	0.03	0.0	0.2	12	0.7	0.21	0.4	1.2	
2018	13	0.2	0.04	0.1	0.3	17	0.9	0.22	0.5	1.4	
2019	13	0.1	0.04	0.1	0.2	15	0.9	0.23	0.5	1.4	
2020	12	0.1	0.04	0.1	0.3	17	0.9	0.23	0.5	1.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kaposi Sarcoma											
Males											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	322	1.5	0.10	1.3	1.7	1,800	1.1	0.03	1.1	1.2	
1990	16	4.0	1.33	1.8	8.0	149	2.8	0.24	2.4	3.3	
1991	30	6.5	1.83	3.4	11.3	155	3.0	0.24	2.5	3.5	
1992	19	3.0	0.76	1.7	5.8	163	3.0	0.24	2.6	3.5	
1993	28	5.2	1.09	3.3	8.5	151	2.7	0.22	2.3	3.2	
1994	22	4.8	1.47	2.3	8.8	152	2.9	0.24	2.4	3.4	
1995	16	3.5	1.30	1.5	7.2	130	2.4	0.21	2.0	2.8	
1996	23	5.3	1.79	2.4	9.9	115	2.1	0.20	1.7	2.6	
1997	10	1.4	0.49	0.6	3.5	57	1.1	0.14	0.8	1.4	
1998	7	1.1	0.43	0.4	3.0	40	0.8	0.12	0.5	1.0	
1999	7	0.8	0.33	0.3	2.6	45	0.9	0.13	0.6	1.2	
2000	3	0.4	0.26	0.1	2.1	31	0.6	0.11	0.4	0.9	
2001	8	2.5	1.17	0.8	5.7	35	0.7	0.11	0.5	0.9	
2002	7	1.5	0.72	0.4	3.7	38	0.8	0.12	0.5	1.0	
2003	9	2.2	0.95	0.7	4.8	37	0.7	0.12	0.5	1.0	
2004	9	1.1	0.43	0.4	2.6	38	0.8	0.12	0.5	1.1	
2005	7	1.2	0.53	0.4	2.8	30	0.6	0.11	0.4	0.9	
2006	7	2.1	0.95	0.7	4.7	35	0.7	0.12	0.5	1.0	
2007	7	0.8	0.31	0.3	2.0	35	0.7	0.12	0.5	1.0	
2008	4	0.8	0.50	0.1	2.4	33	0.7	0.12	0.5	1.0	
2009	6	0.9	0.43	0.3	2.3	35	0.7	0.12	0.5	1.0	
2010	6	0.9	0.42	0.3	2.2	35	0.7	0.12	0.5	1.0	
2011	7	1.1	0.43	0.4	2.4	29	0.6	0.11	0.4	0.8	
2012	7	0.7	0.26	0.3	1.6	18	0.3	0.08	0.2	0.5	
2013	0					28	0.5	0.10	0.3	0.7	
2014	8	1.4	0.58	0.5	2.9	29	0.6	0.10	0.4	0.8	
2015	14	1.7	0.53	0.8	3.1	23	0.5	0.10	0.3	0.7	
2016	13	1.6	0.49	0.8	2.9	29	0.6	0.11	0.4	0.8	
2017	7	0.8	0.32	0.3	1.7	21	0.4	0.09	0.3	0.6	
2018	5	0.5	0.22	0.2	1.2	32	0.6	0.11	0.4	0.9	
2019	8	0.9	0.32	0.4	1.8	23	0.4	0.09	0.3	0.7	
2020	2	0.2	0.14	0.0	0.8	29	0.6	0.11	0.4	0.8	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kaposi Sarcoma											
Males											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	1,046	0.8	0.03	0.8	0.9	696	2.9	0.11	2.7	3.1	
1990	98	2.3	0.24	1.9	2.8	48	6.2	0.92	4.5	8.4	
1991	113	2.6	0.25	2.2	3.2	40	5.4	0.88	3.8	7.4	
1992	117	2.7	0.25	2.2	3.2	45	5.5	0.84	4.0	7.5	
1993	103	2.2	0.22	1.8	2.7	44	5.9	0.96	4.2	8.2	
1994	101	2.3	0.24	1.9	2.9	50	6.5	0.96	4.8	8.7	
1995	78	1.7	0.20	1.4	2.2	51	6.5	0.93	4.8	8.7	
1996	62	1.4	0.18	1.1	1.8	49	5.9	0.85	4.3	7.8	
1997	31	0.7	0.13	0.5	1.0	25	3.1	0.63	2.0	4.6	
1998	18	0.4	0.10	0.3	0.7	21	2.6	0.56	1.6	4.0	
1999	21	0.5	0.11	0.3	0.8	22	2.8	0.61	1.7	4.3	
2000	13	0.3	0.09	0.2	0.6	16	2.0	0.50	1.1	3.3	
2001	14	0.3	0.09	0.2	0.6	20	2.4	0.53	1.5	3.7	
2002	19	0.5	0.11	0.3	0.8	17	2.2	0.52	1.3	3.5	
2003	17	0.4	0.10	0.3	0.7	18	2.5	0.63	1.4	4.0	
2004	17	0.4	0.10	0.2	0.7	18	2.2	0.52	1.3	3.5	
2005	17	0.4	0.11	0.3	0.7	10	1.4	0.46	0.7	2.6	
2006	16	0.4	0.10	0.2	0.6	17	2.4	0.61	1.3	3.9	
2007	16	0.4	0.10	0.2	0.6	18	2.5	0.60	1.5	4.0	
2008	16	0.4	0.10	0.2	0.7	14	1.8	0.50	1.0	3.1	
2009	19	0.5	0.11	0.3	0.7	14	1.9	0.53	1.0	3.3	
2010	20	0.5	0.11	0.3	0.8	13	1.6	0.46	0.9	2.8	
2011	11	0.3	0.08	0.1	0.5	16	2.0	0.51	1.1	3.3	
2012	12	0.3	0.09	0.2	0.5	4	0.4	0.22	0.1	1.2	
2013	12	0.3	0.08	0.1	0.5	16	1.8	0.45	1.0	3.0	
2014	14	0.3	0.09	0.2	0.6	13	1.5	0.43	0.8	2.6	
2015	12	0.3	0.08	0.1	0.5	10	1.3	0.41	0.6	2.3	
2016	18	0.4	0.10	0.3	0.7	10	1.2	0.41	0.6	2.3	
2017	8	0.2	0.06	0.1	0.4	10	1.2	0.38	0.5	2.2	
2018	13	0.3	0.09	0.2	0.6	17	1.8	0.45	1.0	3.0	
2019	9	0.2	0.07	0.1	0.4	14	1.8	0.50	1.0	3.1	
2020	11	0.3	0.09	0.1	0.5	16	1.9	0.48	1.1	3.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kaposi Sarcoma											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	15	0.2	0.04	0.1	0.2	166	0.1	0.01	0.1	0.1	
1990	0					11	0.2	0.05	0.1	0.3	
1991	0					4	0.1	0.03	0.0	0.2	
1992	0					5	0.1	0.04	0.0	0.2	
1993	0					12	0.2	0.06	0.1	0.4	
1994	0					10	0.2	0.05	0.1	0.3	
1995	0					7	0.1	0.04	0.0	0.2	
1996	4	2.0	1.07	0.5	5.0	7	0.1	0.04	0.1	0.2	
1997	0					8	0.1	0.04	0.1	0.2	
1998	0					8	0.1	0.04	0.1	0.3	
1999	1	0.6	0.61	0.0	2.7	5	0.1	0.03	0.0	0.2	
2000	1	0.2	0.18	0.0	1.4	5	0.1	0.03	0.0	0.2	
2001	1	0.3	0.28	0.0	1.6	7	0.1	0.04	0.1	0.2	
2002	0					5	0.1	0.03	0.0	0.2	
2003	1	0.6	0.64	0.0	2.7	3	0.0	0.02	0.0	0.1	
2004	0					7	0.1	0.03	0.0	0.2	
2005	0					5	0.1	0.04	0.0	0.2	
2006	0					0					
2007	0					4	0.1	0.02	0.0	0.1	
2008	1	0.4	0.37	0.0	1.6	4	0.1	0.03	0.0	0.2	
2009	2	0.6	0.43	0.0	1.9	5	0.1	0.03	0.0	0.2	
2010	1	0.3	0.31	0.0	1.4	4	0.1	0.03	0.0	0.2	
2011	1	0.3	0.30	0.0	1.3	6	0.1	0.04	0.0	0.2	
2012	0					2	0.0	0.02	0.0	0.1	
2013	1	0.2	0.23	0.0	1.1	3	0.0	0.03	0.0	0.1	
2014	0					8	0.1	0.04	0.1	0.3	
2015	0					4	0.1	0.02	0.0	0.1	
2016	0					6	0.1	0.03	0.0	0.2	
2017	0					2	0.1	0.03	0.0	0.2	
2018	1	0.2	0.17	0.0	0.8	0					
2019	0					6	0.1	0.03	0.0	0.2	
2020	0					3	0.0	0.02	0.0	0.1	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Kaposi Sarcoma											
Females											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	117	0.1	0.01	0.1	0.1	43	0.2	0.02	0.1	0.2	
1990	9	0.2	0.05	0.1	0.3	1	0.1	0.09	0.0	0.6	
1991	3	0.1	0.03	0.0	0.2	1	0.1	0.09	0.0	0.6	
1992	4	0.1	0.03	0.0	0.2	1	0.2	0.15	0.0	0.8	
1993	9	0.2	0.06	0.1	0.3	3	0.3	0.19	0.1	1.0	
1994	8	0.1	0.05	0.1	0.3	2	0.2	0.15	0.0	0.8	
1995	5	0.1	0.04	0.0	0.2	1	0.1	0.12	0.0	0.7	
1996	3	0.1	0.03	0.0	0.2	4	0.4	0.20	0.1	1.1	
1997	5	0.1	0.04	0.0	0.2	2	0.2	0.14	0.0	0.8	
1998	5	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0	
1999	3	0.0	0.02	0.0	0.1	2	0.2	0.15	0.0	0.8	
2000	4	0.1	0.03	0.0	0.2	1	0.1	0.10	0.0	0.6	
2001	4	0.1	0.04	0.0	0.2	3	0.3	0.19	0.1	1.0	
2002	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6	
2003	3	0.0	0.03	0.0	0.2	0					
2004	6	0.1	0.04	0.0	0.2	1	0.1	0.14	0.0	0.7	
2005	2	0.0	0.02	0.0	0.1	3	0.3	0.19	0.1	1.0	
2006	0					0					
2007	4	0.1	0.03	0.0	0.2	0					
2008	3	0.0	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6	
2009	5	0.1	0.03	0.0	0.2	0					
2010	2	0.0	0.02	0.0	0.1	2	0.2	0.16	0.0	0.8	
2011	4	0.1	0.05	0.0	0.3	2	0.2	0.16	0.0	0.8	
2012	0					1	0.1	0.12	0.0	0.6	
2013	3	0.1	0.04	0.0	0.2	0					
2014	4	0.1	0.03	0.0	0.2	4	0.4	0.19	0.1	1.0	
2015	4	0.1	0.03	0.0	0.2	0					
2016	6	0.1	0.04	0.0	0.2	0					
2017	0					2	0.3	0.19	0.0	0.9	
2018	0					0					
2019	4	0.1	0.03	0.0	0.2	1	0.1	0.11	0.0	0.6	
2020	1	0.0	0.02	0.0	0.1	1	0.1	0.06	0.0	0.5	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ill-defined and unknown Sites											
Both Sexes											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	2,754	12.5	0.26	12.0	13.0	57,857	15.3	0.06	15.2	15.4	
1990	29	10.2	2.21	6.4	15.3	1,389	13.3	0.36	12.6	14.0	
1991	44	12.7	2.21	8.7	17.6	1,368	12.9	0.35	12.2	13.6	
1992	33	9.2	1.87	5.9	13.5	1,380	12.8	0.35	12.2	13.5	
1993	40	11.7	2.12	7.9	16.4	1,831	16.8	0.40	16.1	17.6	
1994	38	10.0	1.90	6.6	14.2	1,862	17.0	0.40	16.3	17.8	
1995	50	13.7	2.27	9.6	18.7	1,702	15.4	0.37	14.7	16.1	
1996	51	13.7	2.20	9.7	18.6	1,619	14.6	0.36	13.9	15.3	
1997	38	8.6	1.62	5.7	12.2	1,514	13.5	0.35	12.9	14.2	
1998	62	13.0	2.02	9.4	17.4	1,462	12.9	0.34	12.2	13.6	
1999	57	13.5	2.09	9.8	18.1	1,500	13.1	0.34	12.5	13.8	
2000	57	11.3	1.81	8.0	15.2	1,568	13.6	0.34	13.0	14.3	
2001	78	15.4	2.05	11.7	19.8	2,161	18.7	0.40	17.9	19.5	
2002	92	15.3	1.89	11.8	19.3	2,181	18.7	0.40	17.9	19.5	
2003	85	15.8	1.94	12.2	20.0	2,147	18.3	0.40	17.5	19.1	
2004	93	15.7	1.89	12.3	19.8	2,007	17.0	0.38	16.2	17.7	
2005	82	12.3	1.57	9.4	15.6	2,015	16.9	0.38	16.1	17.6	
2006	83	12.3	1.55	9.5	15.7	2,023	16.9	0.38	16.2	17.7	
2007	88	11.5	1.41	8.9	14.5	2,110	17.3	0.38	16.5	18.0	
2008	93	13.7	1.59	10.8	17.1	2,142	17.4	0.38	16.6	18.1	
2009	108	13.4	1.45	10.7	16.4	2,114	17.0	0.37	16.3	17.8	
2010	95	11.1	1.27	8.7	13.8	2,142	17.1	0.37	16.4	17.9	
2011	110	12.8	1.36	10.3	15.7	1,938	15.1	0.35	14.4	15.8	
2012	121	13.1	1.33	10.7	16.0	2,033	15.7	0.35	15.0	16.4	
2013	144	15.4	1.40	12.8	18.4	1,943	14.8	0.34	14.1	15.5	
2014	134	13.0	1.23	10.7	15.6	2,007	15.1	0.34	14.4	15.8	
2015	127	11.4	1.10	9.3	13.7	1,984	14.7	0.34	14.1	15.4	
2016	142	12.1	1.10	10.1	14.5	1,942	14.2	0.33	13.6	14.9	
2017	131	10.9	1.03	9.0	13.1	2,005	14.5	0.33	13.9	15.2	
2018	166	13.2	1.09	11.1	15.5	1,990	14.3	0.33	13.6	14.9	
2019	154	12.0	1.03	10.1	14.2	1,974	14.1	0.33	13.4	14.7	
2020	129	9.5	0.89	7.9	11.4	1,804	12.7	0.31	12.1	13.3	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ill-defined and unknown Sites											
Both Sexes											
Non-Hispanic Whites						Non-Hispanic Blacks					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	48,718	15.2	0.07	15.1	15.3	7,784	16.9	0.20	16.5	17.3	
1990	1,160	12.6	0.37	11.9	13.3	219	18.9	1.32	16.4	21.7	
1991	1,177	12.6	0.37	11.9	13.3	174	15.2	1.18	13.0	17.7	
1992	1,183	12.5	0.37	11.8	13.3	185	15.9	1.20	13.7	18.4	
1993	1,569	16.4	0.42	15.6	17.2	241	20.6	1.37	18.0	23.4	
1994	1,601	16.7	0.42	15.9	17.6	252	20.4	1.32	17.9	23.1	
1995	1,412	14.6	0.39	13.9	15.4	267	21.8	1.36	19.2	24.6	
1996	1,328	13.7	0.38	13.0	14.5	276	22.2	1.37	19.6	25.1	
1997	1,271	13.1	0.37	12.4	13.8	216	16.9	1.18	14.7	19.4	
1998	1,225	12.4	0.36	11.7	13.1	206	16.1	1.15	13.9	18.5	
1999	1,228	12.4	0.36	11.7	13.1	246	18.9	1.23	16.5	21.4	
2000	1,296	13.0	0.36	12.3	13.8	242	17.8	1.17	15.6	20.2	
2001	1,815	18.2	0.43	17.4	19.1	300	22.3	1.31	19.8	25.0	
2002	1,882	18.8	0.44	18.0	19.7	270	19.6	1.22	17.3	22.1	
2003	1,818	18.0	0.43	17.2	18.9	283	19.9	1.21	17.6	22.4	
2004	1,745	17.3	0.42	16.5	18.1	218	15.2	1.05	13.2	17.4	
2005	1,733	17.0	0.41	16.2	17.8	230	15.6	1.05	13.6	17.8	
2006	1,716	16.9	0.41	16.1	17.7	259	17.9	1.13	15.7	20.2	
2007	1,796	17.3	0.41	16.5	18.2	271	18.1	1.12	16.0	20.4	
2008	1,830	17.6	0.42	16.7	18.4	273	17.8	1.10	15.7	20.1	
2009	1,766	16.9	0.41	16.1	17.7	293	18.8	1.12	16.7	21.1	
2010	1,800	17.2	0.41	16.4	18.0	292	18.5	1.10	16.4	20.8	
2011	1,665	15.5	0.39	14.7	16.2	222	14.0	0.96	12.2	16.0	
2012	1,710	15.9	0.39	15.1	16.6	271	16.1	1.00	14.2	18.2	
2013	1,594	14.6	0.38	13.9	15.4	285	16.7	1.01	14.8	18.9	
2014	1,686	15.3	0.38	14.5	16.0	255	14.9	0.95	13.1	16.9	
2015	1,670	15.1	0.38	14.3	15.8	248	14.1	0.91	12.3	16.0	
2016	1,619	14.4	0.37	13.7	15.2	235	13.1	0.87	11.4	14.9	
2017	1,674	14.9	0.37	14.1	15.6	262	14.2	0.89	12.5	16.1	
2018	1,646	14.5	0.37	13.8	15.2	269	14.6	0.91	12.9	16.5	
2019	1,625	14.2	0.37	13.5	14.9	280	15.0	0.91	13.2	16.9	
2020	1,478	12.9	0.35	12.2	13.6	244	12.3	0.81	10.8	14.0	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ill-defined and unknown Sites										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,371	13.6	0.43	12.8	14.5	28,414	18.1	0.11	17.9	18.3
1990	16	11.1	3.39	5.4	19.3	675	15.6	0.62	14.4	16.9
1991	19	15.6	4.34	8.3	25.8	686	15.8	0.62	14.6	17.0
1992	13	6.2	2.07	2.8	11.6	671	15.4	0.61	14.2	16.7
1993	20	15.1	4.16	8.1	24.8	820	18.8	0.68	17.5	20.2
1994	22	11.6	3.26	6.1	19.4	841	19.2	0.68	17.9	20.6
1995	22	13.2	3.60	7.1	21.7	807	18.0	0.65	16.7	19.3
1996	23	14.3	3.61	8.1	22.7	783	17.6	0.64	16.3	18.9
1997	20	10.5	3.07	5.4	17.8	723	15.8	0.60	14.7	17.1
1998	31	11.4	2.46	7.1	17.2	687	15.0	0.58	13.9	16.2
1999	29	16.3	3.63	10.0	24.6	679	14.6	0.57	13.5	15.7
2000	32	17.8	3.87	11.0	26.5	747	16.0	0.59	14.9	17.2
2001	38	16.8	3.38	10.8	24.3	1,075	22.8	0.70	21.4	24.2
2002	44	15.1	2.87	10.0	21.5	1,034	21.7	0.68	20.4	23.1
2003	43	17.0	3.14	11.4	24.0	1,050	21.9	0.68	20.6	23.3
2004	44	17.1	2.95	11.8	23.6	1,004	20.8	0.66	19.5	22.1
2005	43	12.6	2.25	8.6	17.7	973	19.8	0.64	18.5	21.1
2006	42	12.9	2.49	8.5	18.5	977	19.7	0.64	18.5	21.0
2007	40	11.4	2.17	7.6	16.3	1,035	20.5	0.65	19.3	21.8
2008	44	14.9	2.56	10.3	20.5	1,063	20.7	0.64	19.4	21.9
2009	48	12.0	2.05	8.3	16.5	1,045	19.9	0.63	18.7	21.2
2010	49	11.1	1.84	7.8	15.2	1,065	20.2	0.63	19.0	21.5
2011	50	13.1	2.18	9.2	17.9	982	18.3	0.59	17.2	19.5
2012	64	14.6	2.12	10.7	19.2	1,026	18.9	0.60	17.7	20.1
2013	75	17.0	2.20	12.9	21.7	983	17.4	0.57	16.3	18.6
2014	71	15.8	2.11	12.0	20.4	1,004	17.5	0.56	16.4	18.7
2015	62	11.7	1.69	8.6	15.4	1,070	18.3	0.57	17.2	19.5
2016	78	14.8	1.88	11.3	18.9	960	16.3	0.54	15.2	17.4
2017	66	11.7	1.59	8.8	15.2	1,035	17.4	0.55	16.3	18.5
2018	80	13.7	1.69	10.6	17.3	1,004	16.6	0.54	15.6	17.7
2019	76	13.7	1.72	10.6	17.4	1,003	16.3	0.53	15.3	17.4
2020	67	11.1	1.47	8.4	14.3	907	14.5	0.49	13.5	15.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ill-defined and unknown Sites										
Males										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	24,069	18.0	0.12	17.8	18.3	3,660	19.6	0.34	18.9	20.2
1990	557	14.8	0.64	13.5	16.1	114	23.5	2.33	19.1	28.5
1991	586	15.3	0.65	14.1	16.6	93	20.3	2.23	16.1	25.1
1992	568	14.9	0.64	13.6	16.2	98	22.0	2.40	17.6	27.2
1993	687	18.0	0.70	16.6	19.4	120	25.4	2.49	20.7	30.7
1994	722	19.0	0.72	17.6	20.4	113	21.7	2.20	17.6	26.4
1995	658	16.9	0.67	15.6	18.3	138	26.7	2.41	22.2	31.8
1996	645	16.7	0.67	15.4	18.1	127	25.0	2.38	20.6	30.1
1997	595	15.1	0.63	13.9	16.4	115	21.8	2.15	17.8	26.3
1998	582	14.7	0.62	13.5	16.0	92	16.6	1.80	13.3	20.5
1999	541	13.4	0.58	12.3	14.6	122	23.6	2.28	19.4	28.5
2000	614	15.3	0.62	14.1	16.6	118	21.3	2.08	17.4	25.8
2001	906	22.3	0.75	20.9	23.8	145	27.4	2.41	22.9	32.5
2002	890	21.8	0.74	20.4	23.3	128	22.5	2.08	18.6	26.9
2003	895	21.8	0.73	20.4	23.3	136	23.6	2.13	19.6	28.1
2004	878	21.2	0.72	19.8	22.7	99	17.5	1.88	14.0	21.5
2005	838	19.9	0.69	18.6	21.3	109	18.0	1.82	14.6	21.9
2006	832	19.7	0.69	18.4	21.1	119	20.7	2.01	16.9	24.9
2007	890	20.7	0.70	19.3	22.1	120	19.9	1.93	16.3	24.0
2008	924	21.2	0.70	19.8	22.6	121	20.3	1.97	16.6	24.5
2009	892	20.2	0.68	18.8	21.5	127	19.2	1.79	15.9	23.1
2010	903	20.3	0.68	19.0	21.7	135	22.1	2.02	18.3	26.4
2011	860	19.0	0.66	17.7	20.3	97	15.1	1.62	12.1	18.6
2012	888	19.5	0.67	18.3	20.9	119	17.5	1.68	14.3	21.0
2013	818	17.3	0.62	16.1	18.5	130	18.6	1.70	15.4	22.2
2014	845	17.6	0.62	16.4	18.8	124	18.1	1.70	14.9	21.7
2015	913	18.7	0.64	17.5	20.0	120	16.5	1.58	13.6	19.9
2016	824	16.8	0.60	15.7	18.1	95	12.9	1.40	10.3	15.9
2017	875	17.9	0.62	16.7	19.1	124	16.0	1.50	13.2	19.2
2018	843	17.0	0.60	15.9	18.3	125	16.7	1.56	13.8	20.1
2019	851	16.9	0.59	15.7	18.1	122	16.3	1.53	13.4	19.5
2020	749	14.6	0.55	13.6	15.7	115	13.7	1.32	11.2	16.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ill-defined and unknown Sites										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	1,383	11.6	0.34	11.0	12.3	29,443	13.4	0.08	13.2	13.5
1990	13	9.3	2.84	4.6	16.1	714	11.6	0.44	10.8	12.5
1991	25	11.6	2.53	7.2	17.6	682	10.9	0.42	10.1	11.7
1992	20	11.2	2.76	6.4	17.6	709	11.1	0.42	10.3	12.0
1993	20	9.8	2.41	5.7	15.5	1,011	15.6	0.50	14.6	16.6
1994	16	8.6	2.35	4.7	14.2	1,021	15.5	0.49	14.6	16.5
1995	28	14.1	2.98	8.8	20.9	895	13.4	0.45	12.5	14.3
1996	28	13.6	2.80	8.6	20.0	836	12.6	0.44	11.7	13.5
1997	18	7.5	1.91	4.3	12.1	791	11.8	0.42	11.0	12.7
1998	31	13.4	2.80	8.5	19.8	775	11.3	0.41	10.5	12.1
1999	28	11.5	2.50	7.2	17.3	821	12.0	0.42	11.2	12.8
2000	25	7.0	1.63	4.2	10.9	821	12.0	0.42	11.2	12.9
2001	40	14.5	2.60	9.9	20.3	1,086	15.8	0.49	14.9	16.8
2002	48	15.4	2.51	10.9	21.0	1,147	16.6	0.50	15.6	17.6
2003	42	14.9	2.49	10.5	20.4	1,097	15.8	0.48	14.9	16.8
2004	49	14.6	2.40	10.2	19.8	1,003	14.5	0.46	13.6	15.4
2005	39	11.6	2.09	7.9	16.3	1,042	14.9	0.47	14.0	15.9
2006	41	12.0	2.03	8.4	16.5	1,046	14.9	0.47	14.0	15.9
2007	48	11.7	1.87	8.3	15.8	1,075	15.1	0.47	14.2	16.1
2008	49	12.9	2.02	9.2	17.3	1,079	15.1	0.47	14.2	16.0
2009	60	14.4	2.01	10.7	18.8	1,069	14.8	0.46	13.9	15.7
2010	46	10.8	1.71	7.7	14.5	1,077	15.0	0.47	14.1	15.9
2011	60	12.8	1.79	9.5	16.7	956	12.9	0.43	12.1	13.8
2012	57	11.9	1.70	8.8	15.6	1,007	13.5	0.44	12.7	14.4
2013	69	14.0	1.79	10.7	17.9	960	12.8	0.42	11.9	13.6
2014	63	11.0	1.48	8.3	14.2	1,003	13.4	0.44	12.5	14.3
2015	65	11.1	1.46	8.4	14.3	914	12.0	0.41	11.2	12.8
2016	64	10.2	1.34	7.7	13.1	982	12.7	0.42	11.9	13.6
2017	65	10.1	1.33	7.7	13.0	970	12.4	0.41	11.6	13.2
2018	86	12.8	1.45	10.1	15.9	986	12.4	0.41	11.6	13.2
2019	78	10.9	1.30	8.5	13.7	971	12.5	0.42	11.7	13.3
2020	62	8.5	1.12	6.4	10.9	897	11.3	0.39	10.6	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Ill-defined and unknown Sites										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	24,649	13.2	0.09	13.0	13.4	4,124	15.1	0.24	14.6	15.6
1990	603	11.1	0.46	10.2	12.0	105	15.6	1.55	12.7	19.0
1991	591	10.6	0.44	9.7	11.5	81	11.9	1.35	9.5	14.9
1992	615	11.0	0.45	10.1	11.9	87	12.3	1.34	9.8	15.2
1993	882	15.4	0.53	14.4	16.5	121	17.3	1.60	14.4	20.7
1994	879	15.3	0.53	14.3	16.4	139	19.1	1.64	16.0	22.6
1995	754	12.8	0.48	11.9	13.8	129	17.9	1.59	14.9	21.3
1996	683	11.8	0.46	10.9	12.7	149	20.1	1.66	17.0	23.6
1997	676	11.5	0.45	10.7	12.5	101	13.5	1.36	11.0	16.4
1998	643	10.7	0.43	9.9	11.6	114	15.0	1.42	12.3	18.0
1999	687	11.5	0.45	10.7	12.5	124	15.8	1.43	13.2	18.9
2000	682	11.5	0.45	10.7	12.4	124	15.4	1.39	12.8	18.4
2001	909	15.4	0.52	14.4	16.4	155	19.1	1.55	16.2	22.4
2002	992	16.7	0.54	15.7	17.8	142	17.3	1.46	14.5	20.4
2003	923	15.5	0.52	14.5	16.6	147	17.4	1.44	14.7	20.4
2004	867	14.7	0.51	13.7	15.7	119	13.9	1.28	11.5	16.6
2005	895	15.0	0.52	14.0	16.1	121	13.9	1.27	11.5	16.6
2006	884	15.0	0.52	14.0	16.0	140	16.2	1.38	13.6	19.1
2007	906	15.1	0.52	14.2	16.2	151	16.8	1.38	14.2	19.8
2008	906	14.9	0.51	13.9	15.9	152	16.6	1.36	14.1	19.5
2009	874	14.4	0.50	13.4	15.4	166	18.1	1.42	15.5	21.2
2010	897	14.9	0.52	13.9	16.0	157	16.6	1.34	14.1	19.4
2011	805	13.1	0.48	12.1	14.0	125	13.2	1.20	11.0	15.8
2012	822	13.2	0.48	12.3	14.2	152	15.3	1.26	12.9	17.9
2013	776	12.6	0.47	11.7	13.6	155	15.2	1.23	12.8	17.8
2014	841	13.7	0.49	12.7	14.7	131	12.9	1.14	10.7	15.3
2015	757	12.2	0.47	11.3	13.2	128	12.2	1.10	10.2	14.6
2016	795	12.6	0.47	11.7	13.5	140	13.2	1.14	11.1	15.7
2017	799	12.6	0.47	11.7	13.6	138	12.8	1.10	10.7	15.1
2018	803	12.4	0.46	11.5	13.4	144	13.2	1.11	11.1	15.6
2019	774	12.3	0.46	11.4	13.2	158	14.3	1.17	12.1	16.8
2020	729	11.6	0.45	10.7	12.5	129	11.2	1.01	9.3	13.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Female Breast In situ											
Females											
Hispanic (Any Race)						Non-Hispanic (Any Race)					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1990-2020	3,402	21.6	0.39	20.8	22.4	56,976	29.2	0.12	28.9	29.4	
1990	17	6.9	1.71	4.0	11.2	766	14.1	0.52	13.1	15.1	
1991	11	4.5	1.58	2.0	8.7	905	16.5	0.56	15.4	17.6	
1992	20	8.2	1.93	4.9	12.9	991	17.8	0.58	16.7	19.0	
1993	36	13.3	2.28	9.2	18.6	952	16.9	0.56	15.9	18.1	
1994	20	7.6	1.84	4.4	12.0	1,043	18.1	0.57	17.0	19.2	
1995	39	15.8	2.68	11.0	21.9	1,177	20.4	0.60	19.2	21.6	
1996	45	14.1	2.30	10.0	19.4	1,304	22.4	0.63	21.2	23.7	
1997	42	13.6	2.22	9.6	18.7	1,437	24.4	0.65	23.2	25.7	
1998	49	16.0	2.50	11.5	21.6	1,665	28.1	0.69	26.7	29.5	
1999	61	19.3	2.67	14.4	25.2	1,663	27.6	0.68	26.3	28.9	
2000	73	18.6	2.25	14.5	23.6	1,871	30.9	0.72	29.6	32.4	
2001	89	21.9	2.55	17.2	27.5	1,911	31.4	0.72	30.0	32.8	
2002	84	18.0	2.11	14.1	22.7	1,808	29.3	0.69	27.9	30.6	
2003	90	22.3	2.55	17.6	27.8	1,798	28.9	0.68	27.6	30.3	
2004	92	20.2	2.27	16.0	25.1	1,961	31.2	0.71	29.8	32.6	
2005	125	25.7	2.43	21.1	30.9	1,974	31.2	0.71	29.8	32.6	
2006	88	17.8	2.04	14.1	22.3	2,054	32.3	0.72	30.9	33.7	
2007	130	24.1	2.24	19.9	28.9	2,198	34.1	0.74	32.7	35.6	
2008	111	20.1	2.05	16.3	24.5	2,197	33.9	0.73	32.5	35.3	
2009	135	22.8	2.08	18.9	27.3	2,365	36.3	0.76	34.8	37.8	
2010	131	20.7	1.91	17.1	24.8	2,265	34.5	0.74	33.1	36.0	
2011	181	27.0	2.11	23.0	31.5	2,295	34.5	0.74	33.0	35.9	
2012	155	24.1	2.05	20.2	28.4	2,392	35.9	0.75	34.4	37.4	
2013	181	25.9	2.02	22.1	30.2	2,405	36.0	0.76	34.5	37.5	
2014	174	23.6	1.86	20.1	27.5	2,309	34.1	0.73	32.7	35.6	
2015	188	24.8	1.87	21.3	28.7	2,278	33.7	0.73	32.3	35.2	
2016	188	24.8	1.89	21.3	28.8	2,258	33.3	0.73	31.9	34.8	
2017	184	23.3	1.78	19.9	27.0	2,303	33.7	0.73	32.2	35.1	
2018	198	23.4	1.71	20.2	27.0	2,144	31.7	0.72	30.3	33.2	
2019	254	30.1	1.94	26.4	34.1	2,260	33.7	0.75	32.3	35.2	
2020	211	23.6	1.66	20.5	27.1	2,027	30.0	0.70	28.6	31.4	

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2020

Female Breast In situ										
Females										
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2020	46,354	29.4	0.14	29.2	29.7	7,982	27.7	0.31	27.1	28.3
1990	702	15.3	0.59	14.1	16.5	54	7.7	1.06	5.7	10.0
1991	812	17.5	0.63	16.3	18.8	73	10.8	1.28	8.4	13.6
1992	889	19.0	0.65	17.7	20.3	83	11.3	1.25	9.0	14.0
1993	836	17.8	0.63	16.6	19.1	98	12.8	1.31	10.4	15.6
1994	917	18.9	0.64	17.7	20.2	102	13.2	1.32	10.7	16.0
1995	1,032	21.4	0.68	20.1	22.7	113	14.4	1.36	11.9	17.3
1996	1,106	22.8	0.70	21.5	24.2	150	19.2	1.58	16.2	22.5
1997	1,234	25.2	0.73	23.8	26.6	155	19.1	1.54	16.2	22.3
1998	1,442	29.4	0.78	27.9	30.9	166	20.1	1.57	17.2	23.5
1999	1,420	28.5	0.76	27.0	30.0	172	20.6	1.58	17.6	23.9
2000	1,607	32.4	0.81	30.8	34.0	179	20.9	1.57	18.0	24.3
2001	1,615	32.4	0.81	30.8	34.0	223	25.4	1.71	22.1	28.9
2002	1,533	30.3	0.78	28.8	31.9	214	23.9	1.64	20.8	27.3
2003	1,500	29.6	0.77	28.1	31.1	225	24.5	1.64	21.4	28.0
2004	1,611	31.7	0.80	30.1	33.3	278	30.5	1.84	27.0	34.3
2005	1,621	31.6	0.79	30.0	33.2	270	29.4	1.80	26.0	33.2
2006	1,696	33.2	0.82	31.6	34.8	294	30.8	1.81	27.4	34.6
2007	1,785	34.5	0.83	32.9	36.2	307	32.2	1.86	28.7	36.1
2008	1,786	34.4	0.83	32.8	36.0	320	32.8	1.85	29.3	36.6
2009	1,916	36.8	0.86	35.1	38.5	336	34.0	1.88	30.4	37.9
2010	1,811	34.9	0.84	33.3	36.6	341	33.5	1.84	30.0	37.3
2011	1,826	34.8	0.84	33.1	36.4	365	35.4	1.88	31.8	39.2
2012	1,859	35.3	0.85	33.7	37.1	410	39.4	1.98	35.7	43.5
2013	1,870	35.6	0.86	34.0	37.4	410	39.6	1.99	35.8	43.7
2014	1,789	33.8	0.83	32.2	35.5	390	36.2	1.87	32.6	40.0
2015	1,765	33.4	0.83	31.8	35.1	371	34.2	1.81	30.7	37.9
2016	1,773	33.9	0.85	32.2	35.6	365	33.3	1.79	29.9	37.0
2017	1,734	32.9	0.84	31.2	34.6	419	37.7	1.89	34.1	41.6
2018	1,586	30.6	0.82	29.0	32.3	392	35.7	1.85	32.2	39.5
2019	1,727	34.0	0.88	32.3	35.8	368	32.2	1.73	28.9	35.8
2020	1,554	30.0	0.82	28.4	31.6	339	30.5	1.71	27.3	34.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

SECTION III
Pediatric Cancer Incidence
Illinois, 1986-2020

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

All Sites										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	13,711	152.4	1.30	149.8	154.9	20,249	168.1	1.18	165.8	170.5
1986	335	131.7	7.21	117.9	146.6	488	141.6	6.42	129.3	154.7
1987	372	147.2	7.65	132.6	163.0	540	158.1	6.81	145.0	172.0
1988	356	141.3	7.50	127.0	156.8	520	153.5	6.74	140.6	167.3
1989	345	136.2	7.35	122.2	151.4	495	146.9	6.61	134.2	160.4
1990	304	120.6	6.93	107.4	135.0	454	136.5	6.42	124.3	149.7
1991	352	136.1	7.27	122.2	151.1	486	144.3	6.56	131.7	157.8
1992	333	128.4	7.05	114.9	142.9	467	138.7	6.44	126.4	151.9
1993	339	127.2	6.92	113.9	141.5	494	144.2	6.51	131.7	157.5
1994	377	141.9	7.33	128.0	157.1	519	150.3	6.61	137.6	163.8
1995	418	155.8	7.63	141.2	171.5	566	161.3	6.79	148.2	175.1
1996	379	140.7	7.23	126.8	155.6	538	151.9	6.56	139.4	165.4
1997	402	148.8	7.42	134.6	164.0	572	160.3	6.71	147.4	174.0
1998	382	141.5	7.24	127.7	156.5	554	154.6	6.57	142.0	168.1
1999	408	150.8	7.47	136.5	166.2	591	164.4	6.76	151.4	178.2
2000	356	131.4	6.97	118.1	145.8	548	152.2	6.50	139.7	165.5
2001	415	153.1	7.52	138.7	168.5	595	165.0	6.77	152.0	178.9
2002	415	153.7	7.55	139.3	169.3	584	162.5	6.73	149.6	176.3
2003	372	138.5	7.18	124.7	153.3	574	160.3	6.69	147.5	174.0
2004	433	161.8	7.78	146.9	177.8	616	172.0	6.93	158.6	186.1
2005	424	160.0	7.77	145.1	176.0	614	172.0	6.94	158.7	186.2
2006	400	152.5	7.63	137.9	168.2	593	166.8	6.85	153.6	180.8
2007	407	155.9	7.73	141.1	171.8	631	177.4	7.06	163.8	191.8
2008	402	154.6	7.71	139.9	170.5	631	177.6	7.07	164.0	192.0
2009	387	149.6	7.61	135.1	165.3	609	172.1	6.98	158.7	186.4
2010	420	163.2	7.96	148.0	179.6	637	181.5	7.19	167.6	196.1
2011	423	165.8	8.06	150.3	182.3	636	183.1	7.26	169.1	197.9
2012	401	158.6	7.92	143.5	174.9	602	175.5	7.15	161.7	190.1
2013	440	176.0	8.39	159.9	193.2	647	191.2	7.52	176.7	206.5
2014	421	170.3	8.30	154.4	187.3	645	192.9	7.60	178.3	208.4
2015	410	167.6	8.28	151.8	184.6	633	191.3	7.60	176.7	206.8
2016	445	183.8	8.71	167.1	201.7	672	205.2	7.92	190.0	221.3
2017	413	172.9	8.51	156.6	190.4	639	197.4	7.81	182.4	213.4
2018	434	183.6	8.82	166.8	201.7	645	201.5	7.94	186.3	217.7
2019	416	179.1	8.78	162.3	197.2	630	199.4	7.95	184.2	215.7
2020	375	164.2	8.48	148.0	181.8	584	187.7	7.77	172.7	203.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Leukemia											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	4,370	48.5	0.73	47.0	49.9	5,304	44.0	0.60	42.8	45.2	
1986	85	33.1	3.60	26.4	41.0	106	30.7	2.98	25.1	37.1	
1987	128	50.4	4.46	42.0	60.0	152	44.6	3.62	37.8	52.3	
1988	96	37.8	3.87	30.6	46.2	113	33.3	3.13	27.4	40.0	
1989	99	38.8	3.90	31.5	47.2	112	32.9	3.11	27.1	39.6	
1990	89	34.9	3.70	28.0	43.0	115	34.1	3.19	28.2	41.0	
1991	113	43.8	4.13	36.1	52.7	137	40.4	3.46	33.9	47.8	
1992	105	40.5	3.96	33.1	49.0	120	35.1	3.21	29.1	42.0	
1993	100	37.3	3.74	30.4	45.4	131	37.8	3.31	31.5	44.8	
1994	118	44.5	4.10	36.8	53.2	134	38.2	3.31	32.0	45.3	
1995	142	52.1	4.38	43.9	61.5	163	45.4	3.56	38.6	52.9	
1996	102	37.5	3.72	30.6	45.5	120	33.3	3.05	27.6	39.9	
1997	117	43.0	3.98	35.6	51.5	146	40.5	3.36	34.2	47.7	
1998	109	39.9	3.83	32.8	48.2	124	34.1	3.07	28.4	40.7	
1999	132	48.6	4.23	40.7	57.6	163	45.1	3.53	38.4	52.6	
2000	118	43.5	4.00	36.0	52.1	153	42.4	3.42	35.9	49.6	
2001	147	54.5	4.49	46.0	64.0	179	49.7	3.72	42.7	57.6	
2002	131	48.7	4.25	40.7	57.8	153	42.6	3.44	36.1	49.9	
2003	135	50.5	4.35	42.3	59.8	164	45.9	3.59	39.2	53.5	
2004	156	58.3	4.67	49.5	68.2	191	53.4	3.86	46.1	61.5	
2005	130	48.9	4.29	40.9	58.1	160	44.9	3.55	38.2	52.4	
2006	139	53.1	4.50	44.6	62.7	163	46.3	3.63	39.5	54.0	
2007	127	48.9	4.34	40.7	58.2	153	43.6	3.53	37.0	51.1	
2008	144	55.4	4.62	46.8	65.3	178	50.7	3.80	43.5	58.7	
2009	133	51.3	4.45	42.9	60.8	162	46.2	3.63	39.4	53.9	
2010	145	56.3	4.67	47.5	66.2	179	51.4	3.84	44.1	59.5	
2011	143	56.0	4.68	47.2	66.0	175	50.8	3.84	43.5	58.9	
2012	141	55.7	4.69	46.9	65.7	172	50.5	3.85	43.2	58.6	
2013	134	53.5	4.63	44.9	63.4	166	49.3	3.82	42.1	57.4	
2014	136	55.0	4.71	46.1	65.0	177	53.1	3.99	45.6	61.6	
2015	128	52.4	4.63	43.7	62.3	154	46.9	3.78	39.8	54.9	
2016	136	56.3	4.82	47.2	66.6	162	49.9	3.92	42.5	58.2	
2017	130	54.4	4.77	45.5	64.6	161	50.1	3.95	42.6	58.4	
2018	135	57.2	4.92	48.0	67.7	169	53.1	4.09	45.4	61.8	
2019	131	56.3	4.92	47.1	66.9	155	49.5	3.98	42.0	57.9	
2020	116	50.7	4.71	41.9	60.9	142	46.0	3.86	38.8	54.3	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Lymphoid leukemia											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	3,406	37.8	0.65	36.5	39.1	3,931	32.6	0.52	31.6	33.6	
1986	66	25.6	3.15	19.8	32.6	77	22.3	2.54	17.6	27.8	
1987	107	42.1	4.07	34.5	50.9	123	36.1	3.26	30.0	43.1	
1988	79	31.0	3.49	24.5	38.6	88	25.8	2.75	20.7	31.8	
1989	83	32.5	3.57	25.9	40.3	90	26.4	2.78	21.2	32.5	
1990	68	26.8	3.26	20.8	34.0	82	24.4	2.70	19.4	30.3	
1991	81	31.4	3.49	24.9	39.0	96	28.2	2.89	22.9	34.5	
1992	88	34.0	3.63	27.3	41.9	97	28.3	2.88	23.0	34.6	
1993	79	29.5	3.32	23.3	36.8	99	28.4	2.86	23.1	34.6	
1994	88	33.3	3.55	26.7	41.0	96	27.4	2.80	22.2	33.5	
1995	127	46.4	4.13	38.7	55.3	139	38.4	3.26	32.2	45.3	
1996	83	30.5	3.35	24.3	37.8	95	26.3	2.70	21.3	32.2	
1997	93	34.0	3.53	27.5	41.7	113	31.2	2.94	25.7	37.6	
1998	81	29.6	3.29	23.5	36.8	91	25.0	2.62	20.1	30.7	
1999	97	35.7	3.62	28.9	43.5	115	31.8	2.96	26.2	38.1	
2000	95	35.0	3.59	28.3	42.8	116	32.1	2.98	26.5	38.5	
2001	113	41.9	3.94	34.5	50.4	134	37.3	3.22	31.2	44.1	
2002	101	37.6	3.74	30.6	45.7	115	32.1	2.99	26.5	38.5	
2003	111	41.6	3.95	34.2	50.1	127	35.6	3.16	29.7	42.4	
2004	113	42.3	3.98	34.9	50.9	133	37.2	3.23	31.2	44.1	
2005	99	37.3	3.75	30.3	45.4	121	34.0	3.09	28.2	40.6	
2006	114	43.6	4.08	35.9	52.4	128	36.4	3.22	30.4	43.3	
2007	93	35.9	3.72	29.0	44.0	109	31.2	2.99	25.6	37.6	
2008	110	42.3	4.04	34.8	51.0	132	37.6	3.28	31.5	44.6	
2009	103	39.7	3.91	32.4	48.1	115	33.0	3.07	27.2	39.6	
2010	115	44.7	4.17	36.9	53.6	124	35.9	3.22	29.9	42.8	
2011	113	44.3	4.16	36.5	53.2	128	37.3	3.30	31.1	44.3	
2012	113	44.7	4.20	36.8	53.7	128	37.7	3.33	31.4	44.8	
2013	106	42.4	4.11	34.7	51.2	124	36.9	3.31	30.7	44.0	
2014	92	37.2	3.88	30.0	45.6	109	32.8	3.14	26.9	39.6	
2015	96	39.3	4.02	31.9	48.0	109	33.3	3.19	27.3	40.2	
2016	105	43.5	4.24	35.6	52.7	120	37.0	3.38	30.7	44.3	
2017	91	38.1	4.00	30.7	46.8	108	33.7	3.24	27.6	40.6	
2018	104	44.2	4.33	36.1	53.6	125	39.5	3.53	32.8	47.0	
2019	104	44.7	4.38	36.5	54.2	117	37.4	3.46	30.9	44.9	
2020	95	41.5	4.26	33.6	50.7	108	35.1	3.38	28.8	42.4	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Acute myeloid leukemia											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	613	6.8	0.27	6.3	7.4	871	7.2	0.24	6.8	7.7	
1986	9	3.5	1.18	1.6	6.7	15	4.3	1.12	2.4	7.1	
1987	15	6.0	1.55	3.4	9.9	17	5.1	1.23	2.9	8.1	
1988	12	4.9	1.42	2.5	8.6	15	4.6	1.18	2.6	7.5	
1989	8	3.2	1.12	1.4	6.2	14	4.2	1.11	2.3	7.0	
1990	14	5.4	1.45	3.0	9.1	21	6.2	1.36	3.8	9.5	
1991	19	7.4	1.70	4.4	11.5	26	7.8	1.52	5.1	11.4	
1992	14	5.3	1.43	2.9	9.0	18	5.3	1.24	3.1	8.3	
1993	16	6.0	1.51	3.4	9.8	23	6.7	1.40	4.3	10.1	
1994	20	7.4	1.67	4.5	11.5	26	7.4	1.46	4.9	10.9	
1995	14	5.3	1.42	2.9	8.9	20	5.8	1.29	3.5	8.9	
1996	17	6.2	1.51	3.6	10.0	23	6.4	1.34	4.1	9.7	
1997	13	4.9	1.35	2.6	8.3	21	5.9	1.30	3.7	9.1	
1998	22	8.2	1.74	5.1	12.4	26	7.2	1.42	4.7	10.6	
1999	23	8.5	1.78	5.4	12.8	32	8.9	1.58	6.1	12.6	
2000	20	7.4	1.65	4.5	11.4	31	8.6	1.55	5.9	12.2	
2001	23	8.5	1.77	5.4	12.7	32	8.9	1.57	6.1	12.5	
2002	18	6.6	1.56	3.9	10.5	24	6.7	1.36	4.3	9.9	
2003	17	6.3	1.53	3.7	10.1	25	7.0	1.40	4.5	10.3	
2004	28	10.4	1.97	6.9	15.1	36	10.0	1.67	7.0	13.9	
2005	23	8.6	1.80	5.5	13.0	26	7.3	1.43	4.8	10.7	
2006	18	6.9	1.63	4.1	10.9	23	6.5	1.36	4.1	9.8	
2007	25	9.5	1.91	6.2	14.1	31	8.8	1.58	6.0	12.5	
2008	21	8.1	1.77	5.0	12.4	28	8.0	1.50	5.3	11.5	
2009	23	8.9	1.86	5.6	13.4	29	8.3	1.54	5.6	11.9	
2010	15	5.8	1.50	3.2	9.6	34	9.5	1.64	6.6	13.3	
2011	16	6.3	1.57	3.6	10.2	26	7.5	1.46	4.9	10.9	
2012	16	6.3	1.58	3.6	10.3	26	7.6	1.48	4.9	11.1	
2013	13	5.2	1.44	2.8	8.9	25	7.4	1.47	4.8	10.9	
2014	18	7.3	1.71	4.3	11.5	33	9.8	1.71	6.8	13.8	
2015	14	5.7	1.53	3.1	9.6	21	6.4	1.39	3.9	9.7	
2016	22	9.1	1.93	5.7	13.7	30	9.2	1.67	6.2	13.1	
2017	24	10.0	2.04	6.4	14.9	35	10.8	1.83	7.5	15.0	
2018	12	5.0	1.45	2.6	8.8	19	5.9	1.35	3.5	9.2	
2019	17	7.3	1.78	4.3	11.8	20	6.4	1.43	3.9	9.9	
2020	14	6.1	1.63	3.3	10.3	20	6.4	1.44	3.9	10.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Lymphoma and reticuloendothelial neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,590	17.8	0.45	17.0	18.7	3,180	26.5	0.47	25.6	27.4
1986	49	19.9	2.84	14.7	26.3	87	25.6	2.74	20.5	31.5
1987	45	18.2	2.71	13.3	24.3	89	26.2	2.78	21.0	32.2
1988	48	19.7	2.84	14.5	26.1	99	29.6	2.98	24.0	36.0
1989	41	16.9	2.64	12.1	22.9	82	24.9	2.75	19.8	30.9
1990	33	13.5	2.35	9.3	18.9	74	22.8	2.65	17.9	28.6
1991	37	14.8	2.44	10.4	20.4	69	21.2	2.56	16.5	26.9
1992	40	15.8	2.50	11.3	21.5	72	22.0	2.60	17.2	27.7
1993	42	16.1	2.50	11.6	21.8	80	24.1	2.70	19.1	30.0
1994	45	17.4	2.59	12.7	23.2	80	23.8	2.67	18.9	29.7
1995	34	13.1	2.25	9.1	18.3	73	21.6	2.53	16.9	27.1
1996	51	19.3	2.70	14.4	25.4	99	28.5	2.87	23.2	34.7
1997	48	18.1	2.61	13.3	24.0	103	29.4	2.89	24.0	35.6
1998	51	19.2	2.69	14.3	25.2	98	27.7	2.80	22.5	33.7
1999	50	18.6	2.63	13.8	24.5	89	24.9	2.64	20.0	30.7
2000	30	11.1	2.03	7.5	15.9	79	22.1	2.48	17.5	27.5
2001	41	15.2	2.37	10.9	20.5	80	22.3	2.49	17.7	27.7
2002	45	16.7	2.49	12.2	22.3	83	23.2	2.54	18.5	28.7
2003	45	16.7	2.50	12.2	22.4	86	24.0	2.59	19.2	29.7
2004	39	14.5	2.33	10.3	19.9	80	22.3	2.49	17.7	27.7
2005	38	14.3	2.32	10.1	19.6	79	22.0	2.47	17.4	27.4
2006	36	13.8	2.31	9.7	19.1	87	24.3	2.60	19.4	29.9
2007	48	18.3	2.65	13.5	24.3	105	29.2	2.85	23.9	35.3
2008	39	15.0	2.41	10.7	20.5	89	24.8	2.63	19.9	30.5
2009	37	14.3	2.35	10.1	19.7	82	22.9	2.53	18.2	28.4
2010	41	15.9	2.49	11.4	21.6	99	27.8	2.79	22.6	33.8
2011	42	16.4	2.54	11.9	22.2	92	26.2	2.73	21.1	32.1
2012	51	20.2	2.83	15.0	26.5	90	26.1	2.75	21.0	32.1
2013	65	25.9	3.22	20.0	33.1	116	34.1	3.16	28.1	40.9
2014	62	25.0	3.18	19.2	32.1	107	31.9	3.08	26.1	38.5
2015	56	22.8	3.05	17.2	29.6	117	35.1	3.24	29.0	42.1
2016	55	22.7	3.06	17.1	29.5	106	32.2	3.12	26.3	38.9
2017	57	23.8	3.15	18.0	30.8	103	31.7	3.12	25.8	38.4
2018	57	24.0	3.18	18.2	31.1	103	31.9	3.15	26.1	38.8
2019	44	18.9	2.85	13.8	25.4	98	30.7	3.10	24.9	37.4
2020	48	20.8	3.00	15.3	27.6	105	33.2	3.24	27.2	40.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Hodgkin lymphoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	505	5.7	0.25	5.2	6.2	1,560	13.0	0.33	12.4	13.7	
1986	16	6.7	1.68	3.8	10.8	42	12.3	1.91	8.9	16.7	
1987	17	7.1	1.71	4.1	11.3	51	15.0	2.10	11.2	19.7	
1988	14	5.9	1.59	3.2	9.9	56	16.7	2.23	12.6	21.7	
1989	13	5.5	1.52	2.9	9.3	40	12.2	1.93	8.7	16.6	
1990	14	5.9	1.59	3.3	9.9	47	14.6	2.13	10.8	19.4	
1991	11	4.6	1.37	2.3	8.1	34	10.7	1.84	7.4	14.9	
1992	13	5.3	1.47	2.8	9.0	35	11.0	1.86	7.6	15.2	
1993	17	6.7	1.64	3.9	10.8	46	14.2	2.10	10.4	18.9	
1994	12	4.7	1.36	2.4	8.2	36	11.0	1.83	7.7	15.2	
1995	11	4.3	1.31	2.2	7.7	36	10.8	1.80	7.6	14.9	
1996	18	6.9	1.63	4.1	10.9	52	15.2	2.10	11.3	19.9	
1997	18	6.9	1.63	4.1	10.9	57	16.4	2.17	12.4	21.2	
1998	17	6.5	1.57	3.8	10.4	47	13.4	1.95	9.8	17.8	
1999	14	5.3	1.41	2.9	8.8	40	11.3	1.78	8.1	15.3	
2000	8	3.0	1.06	1.3	5.9	46	12.9	1.90	9.4	17.2	
2001	16	5.9	1.48	3.4	9.6	41	11.4	1.79	8.2	15.5	
2002	19	7.0	1.61	4.2	11.0	41	11.5	1.79	8.2	15.5	
2003	14	5.2	1.38	2.8	8.7	43	12.0	1.83	8.7	16.2	
2004	15	5.6	1.44	3.1	9.2	44	12.2	1.84	8.9	16.4	
2005	17	6.4	1.55	3.7	10.2	47	13.0	1.90	9.6	17.3	
2006	10	3.9	1.23	1.9	7.1	44	12.2	1.84	8.9	16.4	
2007	16	6.1	1.52	3.5	9.9	50	13.8	1.95	10.2	18.2	
2008	19	7.3	1.67	4.4	11.4	55	15.2	2.05	11.4	19.8	
2009	12	4.6	1.34	2.4	8.1	43	11.9	1.81	8.6	16.0	
2010	15	5.8	1.51	3.3	9.6	53	14.8	2.03	11.1	19.3	
2011	6	2.3	0.96	0.9	5.1	32	9.0	1.58	6.1	12.7	
2012	12	4.7	1.37	2.4	8.3	30	8.6	1.57	5.8	12.3	
2013	17	6.8	1.64	3.9	10.8	47	13.7	1.99	10.0	18.2	
2014	14	5.6	1.50	3.1	9.4	40	11.8	1.87	8.4	16.1	
2015	15	6.1	1.57	3.4	10.0	59	17.5	2.28	13.4	22.6	
2016	14	5.8	1.54	3.1	9.7	42	12.7	1.95	9.1	17.1	
2017	12	5.0	1.43	2.6	8.7	40	12.2	1.92	8.7	16.6	
2018	22	9.2	1.97	5.8	14.0	53	16.3	2.24	12.2	21.4	
2019	11	4.7	1.41	2.3	8.4	41	12.7	1.98	9.1	17.2	
2020	16	6.9	1.72	3.9	11.2	50	15.7	2.22	11.6	20.7	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Non-Hodgkin lymphoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	796	8.9	0.32	8.3	9.6	1,303	10.9	0.30	10.3	11.5	
1986	25	10.1	2.02	6.5	14.9	37	10.9	1.80	7.7	15.1	
1987	20	8.1	1.80	4.9	12.4	30	8.9	1.62	6.0	12.7	
1988	26	10.7	2.10	7.0	15.6	35	10.6	1.80	7.4	14.8	
1989	21	8.6	1.88	5.3	13.2	35	10.7	1.80	7.4	14.8	
1990	18	7.2	1.70	4.3	11.4	26	7.9	1.54	5.1	11.5	
1991	20	8.0	1.80	4.9	12.4	29	8.9	1.65	5.9	12.7	
1992	23	9.0	1.88	5.7	13.5	33	9.9	1.73	6.8	13.9	
1993	21	8.0	1.75	4.9	12.2	30	8.8	1.61	5.9	12.6	
1994	25	9.7	1.94	6.3	14.3	36	10.7	1.78	7.5	14.8	
1995	15	5.9	1.51	3.3	9.6	29	8.6	1.60	5.8	12.3	
1996	22	8.4	1.78	5.2	12.6	36	10.4	1.73	7.3	14.3	
1997	20	7.5	1.69	4.6	11.6	36	10.3	1.71	7.2	14.2	
1998	28	10.5	1.99	7.0	15.2	45	12.7	1.89	9.3	17.0	
1999	26	9.6	1.89	6.3	14.1	39	10.9	1.74	7.7	14.9	
2000	19	7.0	1.61	4.2	11.0	30	8.4	1.52	5.6	11.9	
2001	21	7.8	1.70	4.8	11.9	35	9.7	1.65	6.8	13.6	
2002	25	9.3	1.86	6.0	13.7	41	11.4	1.79	8.2	15.5	
2003	28	10.5	1.98	7.0	15.1	40	11.2	1.77	8.0	15.3	
2004	20	7.5	1.67	4.6	11.6	32	8.9	1.58	6.1	12.6	
2005	19	7.2	1.65	4.3	11.2	30	8.4	1.53	5.7	12.0	
2006	20	7.7	1.71	4.7	11.8	36	10.1	1.68	7.1	14.0	
2007	29	11.1	2.06	7.4	15.9	52	14.5	2.02	10.9	19.1	
2008	19	7.4	1.69	4.4	11.5	33	9.3	1.62	6.4	13.1	
2009	20	7.7	1.73	4.7	11.9	34	9.6	1.64	6.6	13.4	
2010	18	7.0	1.64	4.1	11.0	38	10.7	1.73	7.6	14.7	
2011	19	7.5	1.71	4.5	11.7	41	11.7	1.83	8.4	15.9	
2012	27	10.7	2.06	7.0	15.5	45	13.1	1.95	9.5	17.5	
2013	26	10.4	2.03	6.8	15.2	46	13.5	1.99	9.9	18.0	
2014	29	11.7	2.17	7.8	16.8	45	13.4	2.00	9.8	18.0	
2015	21	8.6	1.87	5.3	13.1	36	10.8	1.81	7.6	15.0	
2016	31	12.8	2.29	8.7	18.1	52	15.8	2.19	11.8	20.8	
2017	28	11.7	2.21	7.8	16.9	44	13.6	2.04	9.9	18.2	
2018	19	8.0	1.83	4.8	12.5	32	9.9	1.76	6.8	14.0	
2019	23	9.9	2.07	6.3	14.9	40	12.6	2.00	9.0	17.2	
2020	25	10.8	2.17	7.0	16.0	45	14.3	2.13	10.4	19.2	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

CNS and misc intracranial and intraspinal neoplasms											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	2,754	30.7	0.59	29.6	31.9	3,366	28.1	0.48	27.1	29.0	
1986	69	27.4	3.31	21.3	34.7	88	25.9	2.76	20.7	31.9	
1987	63	25.2	3.17	19.3	32.2	78	23.1	2.62	18.3	28.8	
1988	83	32.9	3.62	26.2	40.8	98	29.0	2.93	23.5	35.4	
1989	78	31.2	3.54	24.7	39.0	92	27.6	2.88	22.2	33.8	
1990	72	29.0	3.42	22.6	36.5	84	25.4	2.77	20.2	31.4	
1991	76	29.6	3.41	23.3	37.1	89	26.3	2.79	21.1	32.4	
1992	69	27.3	3.29	21.2	34.5	82	24.6	2.72	19.5	30.5	
1993	63	23.9	3.02	18.4	30.6	81	23.6	2.63	18.7	29.3	
1994	84	31.7	3.47	25.3	39.3	101	29.0	2.89	23.6	35.3	
1995	90	34.1	3.60	27.4	41.9	109	31.3	3.00	25.7	37.7	
1996	91	33.9	3.56	27.3	41.6	109	30.7	2.94	25.2	37.0	
1997	81	30.2	3.35	23.9	37.5	96	26.9	2.75	21.8	32.8	
1998	86	31.9	3.44	25.5	39.4	115	32.1	3.00	26.5	38.6	
1999	77	28.4	3.23	22.4	35.5	98	27.2	2.74	22.0	33.1	
2000	74	27.3	3.17	21.4	34.3	90	24.9	2.63	20.0	30.6	
2001	80	29.6	3.30	23.4	36.8	96	26.6	2.72	21.5	32.5	
2002	80	29.7	3.32	23.5	36.9	100	27.8	2.78	22.7	33.9	
2003	55	20.6	2.78	15.5	26.8	74	20.8	2.41	16.3	26.1	
2004	88	33.2	3.55	26.7	41.0	106	29.9	2.90	24.5	36.1	
2005	94	35.7	3.68	28.8	43.7	119	33.6	3.08	27.8	40.2	
2006	87	33.2	3.56	26.6	40.9	106	30.0	2.91	24.6	36.3	
2007	84	32.2	3.52	25.7	39.9	101	28.7	2.86	23.4	34.9	
2008	69	26.7	3.21	20.8	33.8	85	24.3	2.64	19.4	30.1	
2009	73	28.4	3.32	22.2	35.7	91	26.1	2.74	21.0	32.1	
2010	82	31.9	3.52	25.4	39.6	104	29.9	2.93	24.4	36.2	
2011	93	36.5	3.78	29.4	44.7	113	32.8	3.09	27.1	39.5	
2012	78	30.8	3.49	24.4	38.5	98	28.7	2.90	23.3	35.0	
2013	89	35.6	3.78	28.6	43.8	98	29.2	2.95	23.7	35.6	
2014	94	38.1	3.93	30.8	46.6	117	35.2	3.26	29.1	42.2	
2015	80	32.8	3.66	26.0	40.8	98	29.8	3.01	24.2	36.4	
2016	88	36.4	3.88	29.2	44.9	102	31.4	3.11	25.6	38.2	
2017	65	27.3	3.38	21.0	34.7	85	26.4	2.87	21.1	32.7	
2018	94	39.9	4.11	32.2	48.8	114	35.9	3.36	29.6	43.1	
2019	72	31.0	3.65	24.2	39.0	82	26.2	2.90	20.9	32.6	
2020	53	23.2	3.19	17.4	30.4	67	21.7	2.65	16.8	27.6	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Ependymoma and choroid plexus tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	255	2.8	0.18	2.5	3.2	299	2.5	0.14	2.2	2.8	
1986	5	1.9	0.86	0.6	4.5	5	1.4	0.64	0.5	3.4	
1987	5	2.0	0.88	0.6	4.6	6	1.8	0.72	0.6	3.8	
1988	5	1.9	0.85	0.6	4.5	5	1.4	0.64	0.5	3.4	
1989	8	3.0	1.07	1.3	6.0	10	2.9	0.91	1.4	5.3	
1990	5	1.9	0.86	0.6	4.5	6	1.7	0.71	0.6	3.8	
1991	11	4.2	1.28	2.1	7.6	11	3.2	0.96	1.6	5.7	
1992	11	4.3	1.30	2.1	7.7	11	3.2	0.97	1.6	5.8	
1993	9	3.3	1.12	1.5	6.4	9	2.5	0.83	1.1	4.8	
1994	10	3.6	1.14	1.7	6.7	12	3.3	0.96	1.7	5.8	
1995	11	4.0	1.20	2.0	7.1	11	3.0	0.90	1.5	5.4	
1996	10	3.6	1.15	1.7	6.7	12	3.3	0.95	1.7	5.8	
1997	7	2.6	0.98	1.0	5.3	7	1.9	0.73	0.8	4.0	
1998	7	2.6	0.97	1.0	5.3	9	2.5	0.83	1.1	4.7	
1999	11	4.0	1.21	2.0	7.2	14	3.9	1.03	2.1	6.5	
2000	10	3.7	1.17	1.8	6.8	11	3.0	0.92	1.5	5.4	
2001	12	4.4	1.28	2.3	7.7	13	3.6	0.99	1.9	6.1	
2002	4	1.5	0.74	0.4	3.8	5	1.4	0.62	0.5	3.3	
2003	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6	
2004	11	4.2	1.25	2.1	7.4	15	4.2	1.09	2.4	7.0	
2005	8	3.1	1.09	1.3	6.0	12	3.4	0.98	1.8	5.9	
2006	3	1.2	0.66	0.2	3.4	7	2.0	0.74	0.8	4.0	
2007	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3	
2008	8	3.1	1.09	1.3	6.1	9	2.6	0.86	1.2	4.9	
2009	4	1.6	0.78	0.4	4.0	7	2.0	0.75	0.8	4.1	
2010	7	2.7	1.03	1.1	5.6	7	2.0	0.77	0.8	4.2	
2011	7	2.7	1.04	1.1	5.7	8	2.3	0.82	1.0	4.6	
2012	7	2.8	1.05	1.1	5.7	9	2.6	0.88	1.2	5.0	
2013	7	2.8	1.06	1.1	5.8	8	2.4	0.84	1.0	4.7	
2014	12	4.9	1.40	2.5	8.5	13	3.9	1.09	2.1	6.7	
2015	8	3.3	1.16	1.4	6.5	10	3.1	0.96	1.5	5.6	
2016	4	1.7	0.82	0.5	4.2	5	1.5	0.69	0.5	3.6	
2017	2	0.8	0.59	0.1	3.0	2	0.6	0.44	0.1	2.3	
2018	9	3.8	1.27	1.7	7.2	9	2.9	0.95	1.3	5.4	
2019	5	2.2	0.96	0.7	5.0	5	1.6	0.72	0.5	3.8	
2020	4	1.7	0.86	0.5	4.4	5	1.6	0.72	0.5	3.8	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Astrocytoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	1,365	15.2	0.41	14.4	16.1	1,719	14.3	0.35	13.7	15.0	
1986	33	13.2	2.31	9.1	18.6	45	13.3	1.98	9.7	17.8	
1987	30	11.9	2.17	8.0	17.0	39	11.5	1.84	8.1	15.7	
1988	36	14.6	2.43	10.2	20.1	45	13.5	2.02	9.9	18.1	
1989	49	19.9	2.85	14.7	26.3	58	17.6	2.32	13.4	22.8	
1990	38	15.3	2.49	10.8	21.0	47	14.2	2.08	10.5	18.9	
1991	31	12.1	2.17	8.2	17.1	39	11.6	1.86	8.2	15.8	
1992	34	13.4	2.31	9.3	18.8	43	12.9	1.97	9.3	17.4	
1993	28	10.8	2.04	7.2	15.6	36	10.6	1.77	7.4	14.7	
1994	41	15.3	2.40	11.0	20.8	48	13.6	1.97	10.1	18.1	
1995	40	15.2	2.41	10.9	20.7	50	14.4	2.04	10.7	19.0	
1996	46	17.2	2.54	12.6	23.0	54	15.2	2.08	11.4	19.9	
1997	41	15.3	2.39	11.0	20.8	47	13.2	1.92	9.7	17.5	
1998	46	17.2	2.54	12.6	23.0	64	18.0	2.25	13.8	23.0	
1999	33	12.2	2.13	8.4	17.2	44	12.3	1.85	8.9	16.4	
2000	38	14.1	2.28	10.0	19.3	49	13.6	1.94	10.1	18.0	
2001	33	12.2	2.13	8.4	17.2	41	11.4	1.78	8.2	15.4	
2002	36	13.4	2.23	9.4	18.5	48	13.4	1.93	9.9	17.7	
2003	26	9.7	1.91	6.4	14.3	38	10.7	1.73	7.5	14.6	
2004	38	14.3	2.33	10.1	19.7	45	12.7	1.89	9.2	17.0	
2005	53	20.1	2.76	15.0	26.2	66	18.6	2.29	14.4	23.7	
2006	50	19.1	2.70	14.1	25.1	58	16.4	2.16	12.5	21.3	
2007	42	16.1	2.49	11.6	21.8	54	15.3	2.09	11.5	20.0	
2008	30	11.7	2.14	7.9	16.7	39	11.2	1.79	8.0	15.3	
2009	30	11.7	2.13	7.9	16.7	38	10.9	1.77	7.7	15.0	
2010	41	15.9	2.49	11.4	21.6	61	17.4	2.23	13.3	22.4	
2011	44	17.3	2.60	12.5	23.2	56	16.2	2.17	12.3	21.1	
2012	48	19.0	2.74	14.0	25.2	61	17.9	2.29	13.7	23.0	
2013	44	17.6	2.65	12.8	23.6	48	14.3	2.07	10.6	19.0	
2014	46	18.6	2.74	13.6	24.8	61	18.3	2.34	14.0	23.5	
2015	35	14.3	2.42	10.0	19.9	44	13.4	2.02	9.7	18.0	
2016	48	19.9	2.87	14.6	26.3	56	17.2	2.30	13.0	22.4	
2017	33	13.8	2.40	9.5	19.4	47	14.5	2.12	10.7	19.3	
2018	54	22.9	3.12	17.2	29.9	65	20.5	2.54	15.8	26.1	
2019	40	17.3	2.73	12.3	23.5	47	15.1	2.20	11.1	20.0	
2020	30	13.2	2.40	8.9	18.8	38	12.3	2.00	8.7	16.9	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Intracranial and intraspinal embryonal tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	608	6.8	0.27	6.2	7.3	700	5.8	0.22	5.4	6.3
1986	10	3.9	1.23	1.9	7.2	14	4.0	1.08	2.2	6.8
1987	17	6.8	1.65	4.0	10.9	17	5.1	1.23	3.0	8.1
1988	20	7.8	1.74	4.8	12.0	23	6.7	1.40	4.3	10.1
1989	7	2.7	1.03	1.1	5.6	8	2.3	0.83	1.0	4.6
1990	17	6.8	1.65	4.0	10.9	17	5.1	1.24	3.0	8.2
1991	14	5.5	1.48	3.0	9.2	17	5.1	1.23	3.0	8.1
1992	16	6.3	1.59	3.6	10.3	16	4.8	1.19	2.7	7.7
1993	14	5.3	1.42	2.9	8.9	19	5.6	1.28	3.3	8.7
1994	19	7.4	1.70	4.4	11.5	24	7.1	1.45	4.5	10.5
1995	20	7.6	1.70	4.6	11.7	25	7.2	1.44	4.7	10.6
1996	19	7.0	1.61	4.2	10.9	23	6.4	1.34	4.1	9.6
1997	19	7.0	1.61	4.2	10.9	21	5.8	1.27	3.6	8.9
1998	17	6.3	1.52	3.7	10.0	22	6.1	1.30	3.8	9.3
1999	17	6.3	1.52	3.6	10.0	20	5.5	1.23	3.4	8.5
2000	16	5.9	1.47	3.4	9.5	18	5.0	1.17	2.9	7.8
2001	17	6.3	1.52	3.7	10.0	21	5.8	1.27	3.6	8.9
2002	19	7.0	1.61	4.2	11.0	24	6.7	1.36	4.3	9.9
2003	18	6.8	1.60	4.0	10.7	21	5.9	1.29	3.7	9.1
2004	24	9.1	1.85	5.8	13.5	26	7.3	1.44	4.8	10.7
2005	17	6.5	1.57	3.8	10.4	19	5.4	1.24	3.2	8.4
2006	19	7.2	1.65	4.3	11.2	23	6.5	1.35	4.1	9.7
2007	22	8.4	1.79	5.3	12.7	24	6.8	1.39	4.4	10.2
2008	17	6.5	1.58	3.8	10.4	19	5.4	1.24	3.3	8.5
2009	16	6.2	1.56	3.6	10.1	20	5.7	1.28	3.5	8.9
2010	17	6.6	1.60	3.9	10.6	19	5.5	1.26	3.3	8.6
2011	23	9.0	1.88	5.7	13.5	27	7.9	1.51	5.2	11.4
2012	12	4.7	1.37	2.5	8.3	14	4.1	1.10	2.3	6.9
2013	21	8.4	1.84	5.2	12.9	24	7.2	1.46	4.6	10.7
2014	24	9.8	1.99	6.3	14.5	24	7.3	1.49	4.7	10.9
2015	19	7.8	1.79	4.7	12.2	21	6.4	1.40	4.0	9.8
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5
2017	19	8.0	1.83	4.8	12.5	20	6.3	1.40	3.8	9.7
2018	21	8.9	1.94	5.5	13.6	23	7.3	1.52	4.6	10.9
2019	17	7.3	1.77	4.3	11.7	18	5.8	1.36	3.4	9.1
2020	6	2.7	1.08	1.0	5.8	9	2.9	0.97	1.3	5.5

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Other glioma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	414	4.6	0.23	4.2	5.1	511	4.3	0.19	3.9	4.7	
1986	13	5.2	1.43	2.7	8.8	15	4.4	1.14	2.5	7.3	
1987	9	3.7	1.22	1.7	6.9	12	3.6	1.04	1.9	6.3	
1988	10	4.0	1.26	1.9	7.3	11	3.3	0.99	1.6	5.8	
1989	4	1.6	0.78	0.4	4.0	6	1.8	0.72	0.7	3.9	
1990	9	3.7	1.22	1.7	6.9	11	3.4	1.01	1.7	6.0	
1991	14	5.5	1.47	3.0	9.2	15	4.4	1.15	2.5	7.3	
1992	7	2.8	1.06	1.1	5.8	11	3.4	1.02	1.7	6.0	
1993	7	2.7	1.02	1.1	5.5	12	3.6	1.04	1.9	6.3	
1994	12	4.7	1.34	2.4	8.1	15	4.4	1.14	2.5	7.3	
1995	16	6.2	1.56	3.6	10.1	19	5.6	1.28	3.4	8.7	
1996	15	5.7	1.47	3.2	9.4	18	5.1	1.21	3.0	8.1	
1997	9	3.4	1.12	1.5	6.4	15	4.2	1.10	2.4	7.0	
1998	11	4.1	1.23	2.0	7.3	14	3.9	1.04	2.1	6.6	
1999	13	4.8	1.32	2.5	8.2	16	4.4	1.10	2.5	7.2	
2000	10	3.7	1.16	1.8	6.8	12	3.3	0.95	1.7	5.8	
2001	17	6.3	1.52	3.7	10.0	20	5.5	1.24	3.4	8.5	
2002	20	7.4	1.66	4.6	11.5	21	5.9	1.28	3.6	8.9	
2003	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7	
2004	9	3.5	1.16	1.6	6.6	14	4.0	1.07	2.2	6.7	
2005	12	4.6	1.33	2.4	8.0	18	5.1	1.20	3.0	8.1	
2006	13	5.0	1.38	2.7	8.5	15	4.3	1.11	2.4	7.1	
2007	14	5.4	1.44	3.0	9.0	14	4.0	1.08	2.2	6.8	
2008	12	4.6	1.34	2.4	8.1	14	4.0	1.07	2.2	6.7	
2009	20	7.8	1.74	4.7	12.0	21	6.1	1.33	3.8	9.3	
2010	15	5.9	1.51	3.3	9.7	15	4.4	1.13	2.5	7.2	
2011	16	6.3	1.57	3.6	10.2	19	5.5	1.27	3.3	8.7	
2012	6	2.4	0.97	0.9	5.2	9	2.6	0.87	1.2	5.0	
2013	14	5.6	1.49	3.1	9.4	15	4.5	1.15	2.5	7.4	
2014	11	4.5	1.34	2.2	8.0	17	5.1	1.23	3.0	8.2	
2015	18	7.4	1.74	4.4	11.6	22	6.7	1.43	4.2	10.1	
2016	16	6.6	1.66	3.8	10.8	19	5.9	1.34	3.5	9.1	
2017	10	4.2	1.34	2.0	7.8	13	4.1	1.13	2.2	7.0	
2018	7	3.0	1.12	1.2	6.1	13	4.0	1.12	2.2	6.9	
2019	8	3.4	1.21	1.5	6.8	10	3.2	1.00	1.5	5.8	
2020	13	5.7	1.57	3.0	9.7	14	4.6	1.22	2.5	7.7	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Neuroblastoma and other peripheral nervous cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	1,006	11.0	0.35	10.3	11.7	1,035	8.5	0.26	8.0	9.0
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	21	7.6	1.67	4.7	11.7	21	5.7	1.25	3.5	8.8
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	39	10.8	1.73	7.7	14.8
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	33	9.3	1.62	6.4	13.0
2006	18	6.9	1.62	4.1	10.9	19	5.4	1.25	3.3	8.5
2007	27	10.2	1.96	6.7	14.8	27	7.6	1.47	5.0	11.1
2008	23	8.8	1.83	5.6	13.2	24	6.8	1.40	4.4	10.2
2009	24	9.3	1.89	5.9	13.8	25	7.2	1.44	4.7	10.6
2010	37	14.4	2.37	10.1	19.9	39	11.3	1.81	8.1	15.5
2011	31	12.2	2.18	8.3	17.3	31	9.1	1.63	6.2	12.9
2012	19	7.6	1.73	4.5	11.8	20	5.9	1.33	3.6	9.2
2013	20	8.1	1.81	4.9	12.5	20	6.1	1.35	3.7	9.3
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6
2016	33	13.6	2.37	9.4	19.1	33	10.2	1.78	7.0	14.3
2017	23	9.7	2.02	6.1	14.5	25	7.9	1.57	5.1	11.6
2018	29	12.4	2.30	8.3	17.8	29	9.3	1.72	6.2	13.3
2019	24	10.4	2.13	6.7	15.5	25	8.1	1.62	5.3	12.0
2020	38	16.9	2.75	12.0	23.2	38	12.7	2.06	9.0	17.4

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Neuroblastoma and ganglioneuroblastoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	989	10.8	0.34	10.1	11.5	1,007	8.2	0.26	7.7	8.8	
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1	
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7	
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4	
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3	
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3	
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5	
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0	
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1	
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4	
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7	
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4	
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6	
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4	
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8	
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5	
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6	
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1	
2003	38	14.1	2.28	10.0	19.3	38	10.5	1.71	7.5	14.5	
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2	
2005	32	12.0	2.13	8.2	17.0	32	9.0	1.59	6.2	12.7	
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1	
2007	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8	
2008	22	8.4	1.79	5.3	12.7	22	6.3	1.34	3.9	9.5	
2009	23	8.9	1.85	5.6	13.3	23	6.6	1.38	4.2	10.0	
2010	36	14.0	2.34	9.8	19.4	38	11.0	1.79	7.8	15.2	
2011	30	11.8	2.15	7.9	16.8	30	8.8	1.61	5.9	12.6	
2012	18	7.2	1.69	4.2	11.3	19	5.6	1.29	3.4	8.8	
2013	19	7.7	1.76	4.6	12.0	19	5.8	1.32	3.5	9.0	
2014	27	11.0	2.11	7.2	16.0	27	8.2	1.58	5.4	12.0	
2015	38	15.5	2.52	11.0	21.3	40	12.2	1.93	8.7	16.6	
2016	33	13.6	2.37	9.4	19.1	33	10.2	1.78	7.0	14.3	
2017	23	9.7	2.02	6.1	14.5	25	7.9	1.57	5.1	11.6	
2018	29	12.4	2.30	8.3	17.8	29	9.3	1.72	6.2	13.3	
2019	23	10.0	2.09	6.3	15.0	23	7.5	1.56	4.8	11.2	
2020	38	16.9	2.75	12.0	23.2	38	12.7	2.06	9.0	17.4	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Retinoblastoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	363	3.9	0.21	3.6	4.4	363	3.0	0.15	2.7	3.3	
1986	10	3.8	1.20	1.8	7.0	10	2.8	0.90	1.4	5.2	
1987	9	3.4	1.15	1.6	6.5	9	2.6	0.86	1.2	4.9	
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.3	
1989	8	3.0	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4	
1990	10	3.6	1.15	1.8	6.8	10	2.7	0.86	1.3	5.1	
1991	7	2.5	0.95	1.0	5.2	7	1.9	0.71	0.8	3.9	
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9	
1993	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9	
1994	10	3.5	1.11	1.7	6.5	10	2.6	0.83	1.3	4.9	
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6	
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4	
1997	10	3.6	1.14	1.7	6.6	10	2.7	0.85	1.3	5.0	
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9	
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3	
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.67	0.6	3.6	
2001	12	4.3	1.25	2.2	7.6	12	3.3	0.94	1.7	5.7	
2002	15	5.5	1.43	3.1	9.1	15	4.1	1.07	2.3	6.8	
2003	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2	
2004	12	4.4	1.28	2.3	7.8	12	3.3	0.96	1.7	5.8	
2005	9	3.4	1.13	1.5	6.4	9	2.5	0.84	1.2	4.8	
2006	10	3.8	1.20	1.8	7.0	10	2.9	0.90	1.4	5.2	
2007	15	5.7	1.46	3.2	9.4	15	4.2	1.10	2.4	7.0	
2008	9	3.4	1.14	1.6	6.5	9	2.6	0.85	1.2	4.9	
2009	16	6.2	1.55	3.5	10.1	16	4.6	1.16	2.7	7.5	
2010	10	3.9	1.23	1.9	7.2	10	2.9	0.92	1.4	5.3	
2011	10	3.9	1.24	1.9	7.2	10	2.9	0.93	1.4	5.4	
2012	5	2.0	0.89	0.7	4.7	5	1.5	0.67	0.5	3.5	
2013	12	4.9	1.40	2.5	8.5	12	3.6	1.05	1.9	6.3	
2014	7	2.9	1.08	1.2	5.9	7	2.1	0.81	0.9	4.4	
2015	11	4.5	1.36	2.3	8.1	11	3.4	1.02	1.7	6.0	
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0	
2017	11	4.7	1.40	2.3	8.3	11	3.5	1.05	1.7	6.2	
2018	10	4.3	1.35	2.1	7.9	10	3.2	1.01	1.5	5.9	
2019	13	5.7	1.58	3.0	9.7	13	4.3	1.18	2.3	7.3	
2020	12	5.4	1.55	2.8	9.3	12	4.0	1.16	2.1	7.0	
Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.											
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022											

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Renal tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	756	8.3	0.30	7.7	8.9	802	6.6	0.23	6.1	7.1	
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5	
1987	29	11.1	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9	
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3	
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.6	
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9	
1991	19	7.2	1.65	4.3	11.2	19	5.4	1.24	3.2	8.4	
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5	
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.37	4.4	10.1	
1994	17	6.2	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8	
1995	22	7.9	1.68	4.9	11.9	22	5.9	1.26	3.7	8.9	
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3	
1997	32	11.5	2.04	7.9	16.3	34	9.2	1.58	6.4	12.9	
1998	22	8.0	1.71	5.0	12.2	24	6.6	1.34	4.2	9.8	
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1	
2000	27	9.9	1.91	6.5	14.5	29	8.0	1.48	5.4	11.5	
2001	20	7.4	1.65	4.5	11.4	20	5.5	1.23	3.4	8.5	
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6	
2003	21	7.8	1.69	4.8	11.9	24	6.7	1.36	4.3	9.9	
2004	16	6.0	1.49	3.4	9.7	18	5.0	1.18	3.0	7.9	
2005	20	7.6	1.69	4.6	11.7	22	6.2	1.32	3.9	9.4	
2006	20	7.6	1.70	4.6	11.7	23	6.5	1.36	4.1	9.8	
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1	
2008	20	7.7	1.71	4.7	11.8	23	6.6	1.37	4.2	9.8	
2009	26	10.0	1.96	6.5	14.7	31	8.8	1.59	6.0	12.6	
2010	19	7.4	1.69	4.4	11.5	20	5.8	1.29	3.5	8.9	
2011	19	7.5	1.71	4.5	11.7	21	6.2	1.34	3.8	9.4	
2012	24	9.5	1.94	6.1	14.2	26	7.7	1.51	5.0	11.3	
2013	19	7.6	1.75	4.6	11.9	22	6.6	1.40	4.1	9.9	
2014	13	5.3	1.46	2.8	9.0	14	4.2	1.13	2.3	7.1	
2015	19	7.8	1.79	4.7	12.2	20	6.1	1.37	3.8	9.5	
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7	
2017	34	14.3	2.45	9.9	20.0	35	11.0	1.86	7.7	15.3	
2018	14	5.9	1.59	3.3	10.0	17	5.4	1.30	3.1	8.6	
2019	21	9.1	1.98	5.6	13.9	22	7.1	1.52	4.5	10.8	
2020	27	12.0	2.30	7.9	17.4	27	9.0	1.72	5.9	13.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Nephroblastoma and other nonepithelial renal tumors											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	723	7.9	0.29	7.4	8.5	740	6.1	0.22	5.6	6.5	
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5	
1987	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8	
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3	
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3	
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9	
1991	19	7.2	1.65	4.3	11.2	19	5.4	1.24	3.2	8.4	
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5	
1993	24	8.8	1.79	5.6	13.1	24	6.6	1.34	4.2	9.8	
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.04	2.2	6.6	
1995	20	7.1	1.58	4.3	11.0	20	5.3	1.19	3.2	8.2	
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3	
1997	31	11.1	2.00	7.6	15.8	32	8.6	1.52	5.9	12.2	
1998	21	7.7	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1	
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1	
2000	26	9.6	1.87	6.2	14.0	26	7.2	1.40	4.7	10.5	
2001	19	7.0	1.61	4.2	11.0	19	5.3	1.20	3.2	8.2	
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6	
2003	21	7.8	1.69	4.8	11.9	22	6.1	1.30	3.8	9.2	
2004	12	4.5	1.29	2.3	7.8	12	3.4	0.97	1.7	5.9	
2005	19	7.2	1.64	4.3	11.2	21	5.9	1.29	3.7	9.0	
2006	18	6.8	1.61	4.1	10.8	19	5.4	1.24	3.3	8.4	
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1	
2008	18	6.9	1.62	4.1	10.9	18	5.2	1.22	3.1	8.2	
2009	25	9.6	1.92	6.2	14.2	26	7.5	1.46	4.9	10.9	
2010	19	7.4	1.69	4.4	11.5	19	5.5	1.26	3.3	8.6	
2011	19	7.5	1.71	4.5	11.7	19	5.6	1.28	3.4	8.7	
2012	24	9.5	1.94	6.1	14.2	25	7.4	1.48	4.8	10.9	
2013	18	7.2	1.70	4.3	11.4	19	5.7	1.31	3.4	8.9	
2014	12	4.9	1.41	2.5	8.5	12	3.7	1.05	1.9	6.4	
2015	18	7.4	1.74	4.4	11.7	18	5.5	1.30	3.3	8.7	
2016	15	6.2	1.60	3.5	10.3	15	4.7	1.20	2.6	7.7	
2017	31	13.0	2.34	8.9	18.5	31	9.8	1.75	6.6	13.8	
2018	13	5.5	1.53	2.9	9.5	16	5.1	1.26	2.9	8.2	
2019	21	9.1	1.98	5.6	13.9	21	6.8	1.48	4.2	10.4	
2020	23	10.2	2.13	6.5	15.3	23	7.6	1.59	4.8	11.5	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Hepatic tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	196	2.2	0.15	1.9	2.5	222	1.8	0.12	1.6	2.1	
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2	
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9	
1988	0					0					
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1	
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4	
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1	
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6	
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4	
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2	
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0	
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2	
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6	
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0	
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4	
2000	5	1.9	0.83	0.6	4.3	6	1.7	0.68	0.6	3.6	
2001	7	2.6	0.96	1.0	5.3	8	2.2	0.77	0.9	4.3	
2002	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8	
2003	7	2.6	0.98	1.0	5.3	8	2.2	0.78	1.0	4.4	
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2	
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1	
2006	3	1.1	0.65	0.2	3.3	4	1.1	0.56	0.3	2.9	
2007	4	1.5	0.77	0.4	3.9	6	1.7	0.69	0.6	3.7	
2008	6	2.3	0.93	0.8	5.0	7	2.0	0.75	0.8	4.1	
2009	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1	
2010	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3	
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6	
2012	10	4.0	1.25	1.9	7.3	10	3.0	0.94	1.4	5.4	
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6	
2014	10	4.1	1.28	2.0	7.5	10	3.0	0.96	1.5	5.6	
2015	6	2.5	1.00	0.9	5.3	7	2.1	0.81	0.9	4.4	
2016	6	2.5	1.01	0.9	5.4	6	1.9	0.76	0.7	4.0	
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7	
2018	6	2.6	1.04	0.9	5.6	8	2.5	0.89	1.1	5.0	
2019	6	2.6	1.06	1.0	5.7	6	2.0	0.79	0.7	4.2	
2020	5	2.2	0.97	0.7	5.1	6	1.9	0.79	0.7	4.2	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Hepatoblastoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	164	1.8	0.14	1.5	2.1	167	1.4	0.11	1.2	1.6	
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5	
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1	
1988	0					0					
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2	
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9	
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8	
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6	
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4	
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2	
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6	
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2	
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8	
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8	
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3	
2000	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8	
2001	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2	
2002	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0	
2003	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6	
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2	
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1	
2006	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1	
2007	4	1.5	0.77	0.4	3.9	4	1.2	0.57	0.3	2.9	
2008	4	1.5	0.76	0.4	3.9	4	1.1	0.57	0.3	2.9	
2009	5	1.9	0.87	0.6	4.5	5	1.5	0.65	0.5	3.4	
2010	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5	
2011	8	3.2	1.11	1.4	6.2	8	2.4	0.83	1.0	4.6	
2012	8	3.2	1.12	1.4	6.3	8	2.4	0.84	1.0	4.7	
2013	10	4.0	1.28	1.9	7.4	10	3.0	0.96	1.5	5.6	
2014	9	3.7	1.22	1.7	7.0	9	2.7	0.91	1.3	5.2	
2015	5	2.1	0.92	0.7	4.8	5	1.5	0.69	0.5	3.6	
2016	5	2.1	0.93	0.7	4.8	5	1.6	0.69	0.5	3.6	
2017	5	2.1	0.94	0.7	4.9	5	1.6	0.71	0.5	3.7	
2018	5	2.1	0.96	0.7	5.0	5	1.6	0.71	0.5	3.7	
2019	5	2.2	0.97	0.7	5.1	5	1.6	0.73	0.5	3.8	
2020	4	1.7	0.87	0.5	4.5	4	1.3	0.65	0.4	3.3	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Malignant bone tumor											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	546	6.2	0.26	5.7	6.7	987	8.3	0.26	7.8	8.8	
1986	8	3.4	1.19	1.5	6.6	19	5.6	1.29	3.4	8.8	
1987	10	4.2	1.32	2.0	7.6	27	8.0	1.54	5.3	11.6	
1988	9	3.8	1.27	1.7	7.2	25	7.5	1.50	4.9	11.1	
1989	12	5.1	1.46	2.6	8.8	23	7.1	1.48	4.5	10.6	
1990	15	6.4	1.64	3.6	10.4	24	7.5	1.54	4.8	11.2	
1991	10	4.0	1.28	1.9	7.4	22	6.8	1.46	4.3	10.3	
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7	
1993	16	6.4	1.61	3.7	10.4	25	7.7	1.53	5.0	11.3	
1994	15	6.0	1.54	3.3	9.8	24	7.3	1.48	4.7	10.8	
1995	21	8.2	1.80	5.1	12.6	38	11.3	1.83	8.0	15.5	
1996	11	4.2	1.28	2.1	7.6	25	7.3	1.46	4.7	10.7	
1997	20	7.7	1.72	4.7	11.9	30	8.6	1.58	5.8	12.3	
1998	25	9.4	1.89	6.1	13.9	37	10.5	1.72	7.4	14.4	
1999	19	7.2	1.64	4.3	11.2	31	8.7	1.57	5.9	12.4	
2000	23	8.6	1.78	5.4	12.8	39	10.9	1.74	7.7	14.9	
2001	13	4.8	1.33	2.6	8.2	24	6.7	1.36	4.3	9.9	
2002	16	5.9	1.47	3.4	9.6	30	8.4	1.52	5.6	11.9	
2003	14	5.1	1.37	2.8	8.6	26	7.2	1.41	4.7	10.6	
2004	17	6.3	1.52	3.7	10.1	31	8.6	1.54	5.8	12.2	
2005	21	7.9	1.73	4.9	12.1	36	10.1	1.68	7.1	14.0	
2006	17	6.5	1.56	3.8	10.3	30	8.4	1.53	5.7	12.0	
2007	17	6.5	1.58	3.8	10.4	35	9.7	1.65	6.8	13.6	
2008	13	5.0	1.40	2.7	8.6	24	6.7	1.38	4.3	10.0	
2009	15	5.8	1.50	3.3	9.6	31	8.7	1.56	5.9	12.4	
2010	17	6.6	1.60	3.9	10.6	29	8.2	1.53	5.5	11.8	
2011	13	5.1	1.41	2.7	8.7	25	7.1	1.43	4.6	10.6	
2012	12	4.7	1.37	2.5	8.3	24	6.9	1.42	4.4	10.3	
2013	18	7.2	1.68	4.2	11.3	28	8.2	1.55	5.5	11.9	
2014	14	5.6	1.50	3.1	9.4	29	8.6	1.60	5.8	12.4	
2015	17	6.9	1.67	4.0	11.1	28	8.4	1.59	5.6	12.2	
2016	16	6.6	1.64	3.8	10.7	25	7.6	1.52	4.9	11.2	
2017	16	6.6	1.65	3.8	10.8	32	9.8	1.73	6.7	13.8	
2018	20	8.4	1.87	5.1	12.9	29	9.0	1.67	6.0	12.9	
2019	18	7.7	1.82	4.6	12.2	31	9.8	1.75	6.6	13.9	
2020	16	6.9	1.73	3.9	11.2	33	10.4	1.82	7.2	14.7	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Osteosarcoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	318	3.6	0.20	3.2	4.0	583	4.9	0.20	4.5	5.3	
1986	5	2.1	0.94	0.7	4.9	8	2.4	0.86	1.0	4.7	
1987	4	1.7	0.86	0.5	4.3	15	4.4	1.15	2.5	7.3	
1988	7	3.0	1.12	1.2	6.1	17	5.1	1.25	3.0	8.2	
1989	4	1.7	0.85	0.5	4.3	9	2.8	0.92	1.3	5.2	
1990	6	2.5	1.03	0.9	5.4	9	2.8	0.94	1.3	5.3	
1991	2	0.8	0.58	0.1	2.9	12	3.8	1.09	2.0	6.6	
1992	5	2.0	0.91	0.7	4.7	9	2.8	0.93	1.3	5.3	
1993	7	2.8	1.07	1.1	5.8	14	4.3	1.16	2.4	7.2	
1994	7	2.8	1.05	1.1	5.7	12	3.6	1.05	1.9	6.3	
1995	15	5.9	1.52	3.3	9.7	26	7.7	1.51	5.0	11.3	
1996	8	3.1	1.10	1.3	6.1	15	4.4	1.13	2.5	7.2	
1997	11	4.3	1.28	2.1	7.6	18	5.2	1.22	3.1	8.2	
1998	12	4.5	1.31	2.3	7.9	23	6.5	1.36	4.1	9.8	
1999	13	4.9	1.36	2.6	8.4	22	6.2	1.32	3.9	9.4	
2000	16	6.0	1.49	3.4	9.7	26	7.3	1.42	4.7	10.6	
2001	6	2.2	0.91	0.8	4.8	11	3.1	0.92	1.5	5.5	
2002	13	4.8	1.33	2.6	8.2	20	5.6	1.24	3.4	8.6	
2003	10	3.6	1.15	1.7	6.7	19	5.3	1.20	3.2	8.2	
2004	13	4.8	1.34	2.6	8.3	23	6.4	1.33	4.1	9.6	
2005	15	5.6	1.46	3.2	9.3	23	6.4	1.34	4.1	9.6	
2006	10	3.8	1.19	1.8	7.0	16	4.5	1.12	2.6	7.3	
2007	11	4.2	1.26	2.1	7.5	19	5.3	1.22	3.2	8.3	
2008	8	3.1	1.09	1.3	6.1	15	4.2	1.09	2.4	7.0	
2009	9	3.5	1.16	1.6	6.6	19	5.3	1.22	3.2	8.3	
2010	11	4.3	1.29	2.1	7.6	19	5.4	1.23	3.2	8.4	
2011	6	2.4	0.96	0.9	5.1	12	3.4	0.99	1.8	6.0	
2012	6	2.4	0.97	0.9	5.2	14	4.0	1.08	2.2	6.8	
2013	12	4.8	1.37	2.5	8.3	19	5.6	1.28	3.4	8.7	
2014	8	3.2	1.14	1.4	6.3	19	5.6	1.29	3.4	8.8	
2015	9	3.7	1.22	1.7	6.9	15	4.5	1.16	2.5	7.4	
2016	9	3.7	1.23	1.7	7.0	13	4.0	1.10	2.1	6.8	
2017	10	4.1	1.31	2.0	7.6	19	5.8	1.33	3.5	9.1	
2018	11	4.6	1.39	2.3	8.3	15	4.7	1.21	2.6	7.7	
2019	10	4.3	1.37	2.1	8.0	20	6.3	1.41	3.8	9.7	
2020	9	3.9	1.29	1.8	7.4	18	5.7	1.34	3.4	9.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Ewing tumor and related sarcomas of bone											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	178	2.0	0.15	1.7	2.3	304	2.6	0.15	2.3	2.9	
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.6	
1987	4	1.7	0.83	0.5	4.2	6	1.8	0.74	0.7	3.9	
1988	1	0.4	0.43	0.0	2.3	5	1.5	0.67	0.5	3.5	
1989	5	2.1	0.92	0.7	4.8	10	3.0	0.96	1.5	5.6	
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6	
1991	6	2.5	1.00	0.9	5.3	7	2.2	0.82	0.9	4.4	
1992	5	2.0	0.89	0.7	4.6	5	1.5	0.67	0.5	3.5	
1993	6	2.4	0.97	0.9	5.2	7	2.1	0.79	0.8	4.3	
1994	8	3.2	1.13	1.4	6.2	11	3.3	1.00	1.7	5.9	
1995	4	1.6	0.79	0.4	4.0	9	2.7	0.90	1.2	5.1	
1996	2	0.7	0.52	0.1	2.7	6	1.7	0.71	0.6	3.8	
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	4.9	
1998	8	3.0	1.07	1.3	5.9	9	2.5	0.85	1.2	4.8	
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7	
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2	
2001	7	2.6	0.98	1.0	5.3	12	3.3	0.96	1.7	5.8	
2002	3	1.1	0.64	0.2	3.2	6	1.7	0.68	0.6	3.6	
2003	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0	
2004	3	1.1	0.63	0.2	3.2	7	1.9	0.73	0.8	4.0	
2005	3	1.2	0.67	0.2	3.4	10	2.8	0.88	1.3	5.2	
2006	6	2.3	0.94	0.8	5.0	12	3.4	0.97	1.7	5.9	
2007	5	1.9	0.86	0.6	4.5	15	4.2	1.07	2.3	6.9	
2008	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1	
2009	5	1.9	0.87	0.6	4.5	11	3.1	0.93	1.5	5.5	
2010	4	1.6	0.78	0.4	4.0	8	2.3	0.80	1.0	4.5	
2011	6	2.4	0.96	0.9	5.1	11	3.2	0.95	1.6	5.6	
2012	5	2.0	0.88	0.6	4.6	9	2.6	0.87	1.2	5.0	
2013	3	1.2	0.69	0.3	3.5	4	1.2	0.59	0.3	3.0	
2014	3	1.2	0.69	0.3	3.5	7	2.1	0.78	0.8	4.3	
2015	7	2.9	1.08	1.2	5.9	9	2.7	0.91	1.3	5.2	
2016	7	2.9	1.08	1.2	5.9	9	2.7	0.91	1.3	5.2	
2017	6	2.5	1.01	0.9	5.4	12	3.7	1.06	1.9	6.4	
2018	8	3.3	1.17	1.4	6.6	11	3.4	1.02	1.7	6.1	
2019	5	2.1	0.95	0.7	5.0	8	2.5	0.88	1.1	5.0	
2020	6	2.6	1.06	1.0	5.7	11	3.5	1.05	1.7	6.3	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Soft tissue and other extraosseous sarcomas											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	938	10.5	0.34	9.8	11.2	1,403	11.7	0.31	11.1	12.3	
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3	
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7	
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7	
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5	
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0	
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5	
1992	26	9.9	1.94	6.4	14.5	41	12.2	1.90	8.7	16.5	
1993	19	7.4	1.69	4.4	11.5	29	8.7	1.62	5.8	12.5	
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4	
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1	
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2	
1997	29	10.7	1.99	7.2	15.4	35	9.7	1.65	6.8	13.5	
1998	28	10.5	1.98	7.0	15.2	37	10.4	1.71	7.3	14.3	
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2	
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9	
2001	26	9.6	1.88	6.3	14.1	41	11.4	1.78	8.2	15.5	
2002	33	12.2	2.12	8.4	17.1	41	11.4	1.77	8.2	15.4	
2003	22	8.2	1.74	5.1	12.4	42	11.7	1.81	8.5	15.9	
2004	28	10.5	1.98	7.0	15.1	42	11.7	1.81	8.5	15.8	
2005	27	10.3	1.97	6.8	14.9	43	12.1	1.84	8.7	16.3	
2006	25	9.5	1.89	6.1	14.0	35	9.8	1.66	6.8	13.6	
2007	38	14.6	2.38	10.4	20.1	56	15.8	2.12	12.0	20.6	
2008	33	12.7	2.21	8.7	17.8	51	14.4	2.01	10.7	18.9	
2009	28	10.9	2.06	7.2	15.7	44	12.5	1.88	9.1	16.8	
2010	30	11.7	2.13	7.9	16.7	44	12.6	1.90	9.1	16.9	
2011	30	11.8	2.15	7.9	16.8	42	12.1	1.87	8.7	16.4	
2012	24	9.5	1.94	6.1	14.2	39	11.4	1.82	8.1	15.5	
2013	30	12.0	2.19	8.1	17.1	47	13.9	2.02	10.2	18.4	
2014	24	9.7	1.98	6.2	14.5	34	10.2	1.75	7.1	14.2	
2015	21	8.6	1.87	5.3	13.1	38	11.4	1.86	8.1	15.7	
2016	38	15.7	2.55	11.1	21.6	54	16.5	2.25	12.4	21.6	
2017	26	10.8	2.13	7.1	15.9	48	14.7	2.13	10.9	19.6	
2018	21	8.9	1.93	5.5	13.5	29	9.1	1.68	6.1	13.0	
2019	31	13.4	2.40	9.1	19.0	44	14.0	2.11	10.2	18.8	
2020	20	8.7	1.96	5.3	13.5	33	10.6	1.84	7.3	14.9	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Rhabdomyosarcomas											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	455	5.1	0.24	4.6	5.5	560	4.7	0.20	4.3	5.1	
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7	
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5	
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1	
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4	
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5	
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8	
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0	
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3	
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0	
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4	
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7	
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8	
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1	
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2	
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9	
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.22	3.2	8.3	
2002	18	6.7	1.57	4.0	10.5	20	5.6	1.24	3.4	8.6	
2003	11	4.1	1.23	2.0	7.3	16	4.5	1.12	2.6	7.3	
2004	8	3.0	1.07	1.3	5.9	11	3.1	0.93	1.5	5.5	
2005	6	2.3	0.95	0.9	5.1	9	2.6	0.86	1.2	4.9	
2006	11	4.2	1.26	2.1	7.5	15	4.2	1.09	2.4	7.0	
2007	16	6.2	1.55	3.6	10.1	21	6.0	1.31	3.7	9.2	
2008	11	4.2	1.27	2.1	7.5	15	4.2	1.09	2.4	7.0	
2009	14	5.5	1.46	3.0	9.2	18	5.2	1.22	3.1	8.2	
2010	16	6.3	1.56	3.6	10.1	17	5.0	1.20	2.9	7.9	
2011	11	4.3	1.30	2.2	7.7	16	4.6	1.15	2.6	7.5	
2012	12	4.8	1.37	2.5	8.3	16	4.7	1.17	2.7	7.6	
2013	14	5.6	1.50	3.1	9.4	18	5.3	1.26	3.2	8.5	
2014	8	3.2	1.15	1.4	6.4	9	2.7	0.91	1.2	5.2	
2015	11	4.5	1.35	2.2	8.0	12	3.7	1.06	1.9	6.4	
2016	18	7.5	1.76	4.4	11.8	20	6.2	1.38	3.8	9.5	
2017	14	5.9	1.56	3.2	9.8	19	5.9	1.35	3.5	9.2	
2018	10	4.2	1.34	2.0	7.8	11	3.5	1.05	1.7	6.2	
2019	14	6.1	1.63	3.3	10.2	17	5.5	1.33	3.2	8.8	
2020	10	4.4	1.38	2.1	8.1	15	4.8	1.25	2.7	8.0	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Germ cell, trophoblastic tumors and neoplasms of gonads											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	490	5.5	0.25	5.0	6.0	1,373	11.4	0.31	10.8	12.0	
1986	12	4.9	1.43	2.6	8.6	25	7.4	1.47	4.8	10.9	
1987	11	4.6	1.38	2.3	8.1	34	10.0	1.71	6.9	13.9	
1988	16	6.4	1.59	3.6	10.3	41	12.0	1.88	8.6	16.3	
1989	17	6.6	1.61	3.8	10.6	37	10.9	1.80	7.7	15.1	
1990	10	4.0	1.27	1.9	7.3	31	9.5	1.70	6.4	13.4	
1991	11	4.4	1.34	2.2	7.9	26	8.1	1.58	5.3	11.8	
1992	14	5.5	1.46	3.0	9.1	39	12.0	1.93	8.6	16.4	
1993	13	4.8	1.34	2.6	8.3	34	10.3	1.76	7.1	14.3	
1994	18	6.8	1.60	4.0	10.7	45	13.5	2.01	9.8	18.0	
1995	15	5.8	1.49	3.2	9.5	27	7.9	1.53	5.2	11.5	
1996	14	5.2	1.40	2.9	8.8	31	8.9	1.60	6.1	12.6	
1997	12	4.6	1.32	2.4	8.0	27	7.8	1.49	5.1	11.3	
1998	12	4.5	1.30	2.3	7.9	36	10.2	1.69	7.1	14.1	
1999	19	7.0	1.61	4.2	11.0	44	12.3	1.85	8.9	16.5	
2000	12	4.4	1.28	2.3	7.8	35	9.8	1.65	6.8	13.6	
2001	11	4.0	1.20	2.0	7.1	38	10.6	1.71	7.5	14.5	
2002	12	4.4	1.28	2.3	7.7	39	10.9	1.74	7.8	14.9	
2003	12	4.4	1.28	2.3	7.7	46	12.9	1.90	9.4	17.1	
2004	15	5.6	1.44	3.1	9.2	38	10.6	1.71	7.5	14.5	
2005	19	7.1	1.64	4.3	11.2	43	12.0	1.82	8.7	16.1	
2006	19	7.2	1.65	4.3	11.3	45	12.5	1.86	9.1	16.7	
2007	11	4.2	1.27	2.1	7.5	35	9.7	1.63	6.7	13.4	
2008	17	6.5	1.58	3.8	10.4	57	15.7	2.08	11.9	20.3	
2009	9	3.5	1.17	1.6	6.7	39	10.8	1.72	7.6	14.7	
2010	11	4.3	1.30	2.2	7.7	36	10.1	1.68	7.0	13.9	
2011	15	5.9	1.52	3.3	9.7	50	14.1	1.99	10.5	18.6	
2012	11	4.4	1.31	2.2	7.8	45	12.9	1.92	9.4	17.2	
2013	12	4.8	1.39	2.5	8.4	39	11.4	1.82	8.1	15.5	
2014	11	4.5	1.34	2.2	8.0	50	14.7	2.08	10.9	19.4	
2015	13	5.3	1.47	2.8	9.0	46	13.7	2.02	10.0	18.3	
2016	20	8.2	1.84	5.0	12.7	47	14.2	2.07	10.4	18.9	
2017	21	8.8	1.92	5.4	13.5	48	14.7	2.12	10.9	19.5	
2018	12	5.1	1.47	2.6	8.9	35	10.8	1.83	7.5	15.0	
2019	19	8.2	1.88	4.9	12.8	42	13.2	2.03	9.5	17.8	
2020	14	6.1	1.64	3.4	10.3	43	13.6	2.07	9.8	18.3	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Intracranial and intraspinal germ cell tumors											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	126	1.4	0.13	1.2	1.7	200	1.7	0.12	1.5	1.9	
1986	3	1.3	0.72	0.3	3.6	4	1.2	0.61	0.3	3.1	
1987	2	0.9	0.61	0.1	3.0	3	0.9	0.54	0.2	2.7	
1988	3	1.3	0.72	0.3	3.6	6	1.8	0.74	0.7	3.9	
1989	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9	
1990	1	0.4	0.43	0.0	2.3	2	0.6	0.45	0.1	2.2	
1991	5	2.1	0.92	0.7	4.8	8	2.5	0.88	1.1	4.9	
1992	3	1.2	0.71	0.3	3.5	5	1.6	0.70	0.5	3.6	
1993	1	0.4	0.40	0.0	2.2	2	0.6	0.44	0.1	2.2	
1994	5	2.0	0.89	0.7	4.6	7	2.1	0.80	0.9	4.3	
1995	3	1.2	0.68	0.2	3.4	3	0.9	0.51	0.2	2.6	
1996	3	1.1	0.65	0.2	3.3	3	0.9	0.49	0.2	2.5	
1997	3	1.2	0.66	0.2	3.3	3	0.9	0.50	0.2	2.5	
1998	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5	
1999	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7	
2000	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8	
2001	1	0.4	0.37	0.0	2.1	3	0.8	0.48	0.2	2.4	
2002	1	0.4	0.38	0.0	2.1	3	0.8	0.49	0.2	2.5	
2003	3	1.1	0.64	0.2	3.3	6	1.7	0.68	0.6	3.7	
2004	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0	
2005	3	1.1	0.66	0.2	3.3	6	1.7	0.68	0.6	3.7	
2006	4	1.5	0.76	0.4	3.9	8	2.2	0.79	1.0	4.4	
2007	6	2.3	0.95	0.9	5.1	7	2.0	0.76	0.8	4.1	
2008	4	1.5	0.77	0.4	3.9	9	2.5	0.84	1.1	4.8	
2009	2	0.8	0.56	0.1	2.8	2	0.6	0.42	0.1	2.1	
2010	6	2.3	0.96	0.9	5.1	10	2.9	0.90	1.4	5.2	
2011	2	0.8	0.55	0.1	2.8	7	2.0	0.74	0.8	4.1	
2012	3	1.2	0.68	0.2	3.5	6	1.7	0.71	0.6	3.8	
2013	3	1.2	0.69	0.3	3.5	6	1.8	0.72	0.6	3.8	
2014	2	0.8	0.58	0.1	2.9	5	1.5	0.67	0.5	3.5	
2015	5	2.0	0.91	0.7	4.8	10	3.0	0.95	1.4	5.5	
2016	10	4.1	1.30	2.0	7.5	12	3.7	1.06	1.9	6.4	
2017	6	2.5	1.03	0.9	5.5	7	2.2	0.83	0.9	4.5	
2018	3	1.3	0.73	0.3	3.7	4	1.3	0.62	0.3	3.2	
2019	5	2.2	0.97	0.7	5.0	8	2.5	0.90	1.1	5.0	
2020	6	2.6	1.07	1.0	5.7	9	2.9	0.96	1.3	5.5	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Malignant gonadal germ cell tumors											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	231	2.6	0.17	2.3	2.9	916	7.6	0.25	7.1	8.1	
1986	9	3.7	1.23	1.7	7.0	17	5.0	1.22	2.9	8.0	
1987	7	2.9	1.11	1.2	6.0	24	7.1	1.44	4.5	10.5	
1988	7	2.8	1.06	1.1	5.8	21	6.2	1.35	3.8	9.4	
1989	7	2.8	1.05	1.1	5.7	23	6.9	1.43	4.4	10.3	
1990	4	1.7	0.84	0.5	4.2	21	6.5	1.42	4.0	9.9	
1991	4	1.6	0.80	0.4	4.0	15	4.7	1.21	2.6	7.7	
1992	9	3.5	1.17	1.6	6.6	29	9.0	1.67	6.0	12.9	
1993	9	3.4	1.13	1.5	6.4	24	7.3	1.49	4.7	10.8	
1994	6	2.2	0.90	0.8	4.8	22	6.6	1.41	4.1	10.0	
1995	8	3.1	1.08	1.3	6.0	18	5.3	1.25	3.1	8.4	
1996	9	3.3	1.11	1.5	6.3	22	6.3	1.35	4.0	9.6	
1997	7	2.7	1.02	1.1	5.5	19	5.5	1.25	3.3	8.5	
1998	7	2.7	1.00	1.1	5.5	26	7.4	1.44	4.8	10.8	
1999	11	4.1	1.22	2.0	7.3	30	8.4	1.53	5.7	12.0	
2000	5	1.9	0.83	0.6	4.3	25	7.0	1.40	4.5	10.3	
2001	4	1.5	0.73	0.4	3.8	24	6.7	1.37	4.3	10.0	
2002	6	2.2	0.90	0.8	4.8	26	7.3	1.43	4.8	10.7	
2003	5	1.8	0.82	0.6	4.3	31	8.7	1.56	5.9	12.3	
2004	8	3.0	1.05	1.3	5.9	24	6.7	1.36	4.3	9.9	
2005	7	2.6	0.99	1.1	5.4	26	7.2	1.41	4.7	10.6	
2006	11	4.2	1.26	2.1	7.5	30	8.3	1.52	5.6	11.9	
2007	1	0.4	0.38	0.0	2.1	22	6.0	1.27	3.7	9.1	
2008	9	3.5	1.15	1.6	6.6	39	10.7	1.71	7.6	14.6	
2009	6	2.3	0.95	0.9	5.1	31	8.5	1.53	5.8	12.1	
2010	2	0.8	0.55	0.1	2.8	22	6.1	1.29	3.8	9.2	
2011	8	3.1	1.11	1.4	6.2	35	9.8	1.66	6.9	13.7	
2012	1	0.4	0.39	0.0	2.2	29	8.2	1.52	5.5	11.8	
2013	5	2.0	0.89	0.7	4.7	26	7.5	1.48	4.9	11.0	
2014	9	3.6	1.21	1.7	6.9	42	12.4	1.91	8.9	16.7	
2015	6	2.4	0.99	0.9	5.3	32	9.5	1.68	6.5	13.4	
2016	7	2.9	1.09	1.2	5.9	28	8.4	1.59	5.6	12.2	
2017	9	3.8	1.25	1.7	7.1	33	10.0	1.75	6.9	14.1	
2018	6	2.5	1.04	0.9	5.5	24	7.4	1.50	4.7	11.0	
2019	6	2.6	1.06	1.0	5.7	24	7.5	1.52	4.8	11.1	
2020	6	2.6	1.06	1.0	5.7	32	10.0	1.77	6.8	14.1	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Other malignant epithelial neoplasms and melanomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	614	6.9	0.28	6.4	7.5	2,091	17.4	0.38	16.7	18.2
1986	12	4.9	1.41	2.5	8.5	41	11.8	1.85	8.5	16.0
1987	13	5.5	1.52	2.9	9.3	40	11.8	1.87	8.4	16.1
1988	10	4.4	1.37	2.1	7.9	36	10.8	1.81	7.6	15.0
1989	7	2.9	1.09	1.2	5.9	41	12.4	1.93	8.9	16.7
1990	8	3.4	1.22	1.5	6.7	36	11.2	1.87	7.9	15.5
1991	10	4.1	1.30	2.0	7.5	40	12.6	1.99	9.0	17.1
1992	5	2.0	0.91	0.7	4.7	28	8.9	1.67	5.9	12.8
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.9	15.5
1994	10	3.9	1.23	1.9	7.1	35	10.7	1.80	7.4	14.8
1995	13	5.0	1.40	2.7	8.6	39	11.6	1.86	8.3	15.9
1996	10	3.9	1.23	1.9	7.1	39	11.4	1.83	8.1	15.6
1997	14	5.4	1.44	3.0	9.0	49	14.1	2.02	10.5	18.7
1998	11	4.2	1.25	2.1	7.4	42	11.9	1.83	8.6	16.1
1999	17	6.4	1.56	3.7	10.3	55	15.5	2.09	11.7	20.2
2000	13	4.8	1.34	2.6	8.3	51	14.3	2.00	10.6	18.8
2001	20	7.4	1.66	4.5	11.4	57	15.9	2.11	12.1	20.6
2002	21	7.7	1.68	4.8	11.8	60	16.7	2.16	12.8	21.5
2003	17	6.3	1.52	3.7	10.1	58	16.2	2.13	12.3	21.0
2004	21	7.8	1.71	4.9	12.0	55	15.3	2.07	11.5	19.9
2005	26	9.8	1.91	6.4	14.3	61	16.9	2.17	13.0	21.8
2006	25	9.5	1.91	6.2	14.1	69	19.1	2.30	14.9	24.2
2007	17	6.4	1.55	3.7	10.3	77	21.1	2.40	16.6	26.3
2008	26	9.9	1.95	6.5	14.6	80	22.0	2.46	17.5	27.4
2009	18	6.9	1.63	4.1	11.0	78	21.5	2.43	17.0	26.8
2010	24	9.3	1.91	6.0	13.9	71	19.8	2.36	15.5	25.0
2011	17	6.7	1.61	3.9	10.7	67	18.8	2.30	14.6	23.9
2012	25	9.9	1.98	6.4	14.6	70	20.1	2.40	15.7	25.4
2013	28	11.1	2.10	7.4	16.1	86	25.0	2.69	20.0	30.9
2014	22	8.8	1.88	5.5	13.4	71	20.9	2.48	16.3	26.4
2015	19	7.7	1.77	4.6	12.0	71	21.1	2.51	16.5	26.7
2016	29	11.9	2.21	8.0	17.1	111	33.4	3.17	27.4	40.2
2017	23	9.5	1.99	6.1	14.3	83	25.2	2.77	20.1	31.3
2018	30	12.5	2.29	8.5	17.9	94	28.8	2.97	23.3	35.3
2019	28	11.9	2.24	7.9	17.2	101	31.2	3.10	25.4	37.9
2020	16	6.9	1.72	3.9	11.2	63	19.7	2.48	15.2	25.2

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Thyroid carcinoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	253	2.9	0.18	2.5	3.2	931	7.8	0.25	7.3	8.3	
1986	3	1.3	0.74	0.3	3.7	17	4.9	1.19	2.9	7.8	
1987	4	1.7	0.85	0.5	4.3	14	4.1	1.10	2.3	6.9	
1988	5	2.2	0.97	0.7	5.0	15	4.5	1.17	2.5	7.5	
1989	1	0.4	0.43	0.0	2.3	14	4.2	1.13	2.3	7.1	
1990	1	0.4	0.43	0.0	2.3	15	4.6	1.20	2.6	7.6	
1991	2	0.8	0.59	0.1	2.9	12	3.8	1.10	2.0	6.6	
1992	1	0.4	0.41	0.0	2.2	11	3.5	1.05	1.7	6.2	
1993	5	2.0	0.90	0.7	4.7	15	4.7	1.21	2.6	7.7	
1994	4	1.6	0.80	0.4	4.0	13	4.0	1.10	2.1	6.8	
1995	3	1.1	0.66	0.2	3.3	14	4.2	1.12	2.3	7.0	
1996	4	1.6	0.78	0.4	4.0	15	4.4	1.13	2.5	7.2	
1997	2	0.8	0.55	0.1	2.8	17	4.9	1.19	2.9	7.8	
1998	3	1.1	0.66	0.2	3.3	12	3.4	0.98	1.8	5.9	
1999	7	2.7	1.01	1.1	5.5	23	6.5	1.36	4.1	9.7	
2000	5	1.9	0.83	0.6	4.3	18	5.0	1.19	3.0	8.0	
2001	4	1.5	0.74	0.4	3.8	17	4.8	1.15	2.8	7.6	
2002	11	4.0	1.22	2.0	7.2	27	7.5	1.45	5.0	10.9	
2003	7	2.6	0.97	1.0	5.3	27	7.5	1.45	5.0	11.0	
2004	11	4.1	1.23	2.0	7.3	34	9.5	1.62	6.6	13.2	
2005	14	5.3	1.40	2.9	8.8	27	7.5	1.44	4.9	10.9	
2006	14	5.3	1.43	2.9	9.0	35	9.7	1.65	6.8	13.5	
2007	8	3.0	1.07	1.3	6.0	34	9.3	1.60	6.4	13.0	
2008	10	3.8	1.21	1.8	7.0	33	9.1	1.58	6.3	12.8	
2009	9	3.5	1.15	1.6	6.6	45	12.4	1.84	9.0	16.5	
2010	15	5.8	1.50	3.3	9.6	38	10.6	1.73	7.5	14.6	
2011	6	2.4	0.96	0.9	5.1	30	8.4	1.53	5.7	12.0	
2012	12	4.7	1.37	2.5	8.3	38	10.9	1.77	7.7	15.0	
2013	14	5.6	1.48	3.0	9.3	47	13.6	1.99	10.0	18.1	
2014	10	4.0	1.27	1.9	7.4	37	10.9	1.79	7.7	15.0	
2015	6	2.4	0.99	0.9	5.3	31	9.2	1.65	6.3	13.1	
2016	16	6.6	1.64	3.8	10.7	60	18.0	2.33	13.8	23.2	
2017	6	2.5	1.01	0.9	5.4	34	10.3	1.76	7.1	14.4	
2018	13	5.4	1.51	2.9	9.3	39	12.0	1.92	8.5	16.4	
2019	11	4.7	1.41	2.3	8.4	43	13.3	2.02	9.6	17.9	
2020	6	2.6	1.05	1.0	5.6	30	9.4	1.71	6.3	13.4	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Malignant melanoma											
Ages 0-14						Ages 0-19					
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI	
1986-2020	128	1.4	0.13	1.2	1.7	463	3.9	0.18	3.5	4.2	
1986	6	2.3	0.96	0.9	5.1	13	3.7	1.03	2.0	6.4	
1987	2	0.8	0.57	0.1	2.9	8	2.3	0.82	1.0	4.6	
1988	3	1.3	0.75	0.3	3.7	12	3.6	1.04	1.9	6.3	
1989	3	1.2	0.67	0.2	3.4	13	3.9	1.07	2.1	6.6	
1990	3	1.3	0.75	0.3	3.7	11	3.4	1.04	1.7	6.1	
1991	4	1.6	0.81	0.4	4.1	14	4.4	1.17	2.4	7.3	
1992	3	1.2	0.71	0.3	3.5	9	2.8	0.94	1.3	5.3	
1993	2	0.8	0.54	0.1	2.7	9	2.8	0.93	1.3	5.3	
1994	3	1.2	0.66	0.2	3.3	10	3.0	0.96	1.5	5.6	
1995	1	0.4	0.39	0.0	2.1	7	2.1	0.80	0.9	4.3	
1996	2	0.8	0.55	0.1	2.8	8	2.4	0.83	1.0	4.6	
1997	3	1.1	0.65	0.2	3.3	11	3.2	0.95	1.6	5.6	
1998	4	1.5	0.75	0.4	3.8	13	3.7	1.02	2.0	6.3	
1999	3	1.1	0.63	0.2	3.2	14	3.9	1.05	2.1	6.6	
2000	1	0.4	0.37	0.0	2.1	12	3.4	0.97	1.7	5.9	
2001	4	1.5	0.74	0.4	3.8	11	3.1	0.93	1.5	5.5	
2002	6	2.2	0.90	0.8	4.8	17	4.7	1.15	2.8	7.6	
2003	6	2.2	0.90	0.8	4.8	16	4.5	1.12	2.6	7.3	
2004	5	1.9	0.83	0.6	4.3	12	3.3	0.96	1.7	5.8	
2005	5	1.9	0.85	0.6	4.4	17	4.7	1.15	2.8	7.6	
2006	4	1.5	0.76	0.4	3.9	19	5.2	1.20	3.2	8.2	
2007	4	1.5	0.75	0.4	3.9	25	6.8	1.36	4.4	10.1	
2008	4	1.5	0.76	0.4	3.9	21	5.7	1.25	3.6	8.8	
2009	3	1.2	0.67	0.2	3.4	13	3.6	0.99	1.9	6.1	
2010	4	1.6	0.78	0.4	4.0	15	4.2	1.08	2.3	6.9	
2011	4	1.6	0.79	0.4	4.0	13	3.7	1.02	2.0	6.3	
2012	5	2.0	0.89	0.6	4.6	12	3.5	1.00	1.8	6.1	
2013	7	2.8	1.05	1.1	5.7	21	6.1	1.33	3.8	9.3	
2014	6	2.4	0.99	0.9	5.3	13	3.9	1.07	2.1	6.6	
2015	5	2.0	0.91	0.7	4.7	14	4.2	1.12	2.3	7.0	
2016	3	1.2	0.71	0.3	3.6	18	5.4	1.27	3.2	8.5	
2017	2	0.8	0.59	0.1	3.0	6	1.8	0.75	0.7	4.0	
2018	2	0.9	0.60	0.1	3.1	12	3.7	1.06	1.9	6.4	
2019	5	2.1	0.95	0.7	5.0	15	4.7	1.20	2.6	7.7	
2020	1	0.4	0.43	0.0	2.4	9	2.8	0.93	1.3	5.3	

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2020

Other and unspecified malignant neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2020	52	0.6	0.08	0.4	0.8	72	0.6	0.07	0.5	0.8
1986	1	0.4	0.38	0.0	2.1	1	0.3	0.28	0.0	1.6
1987	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1988	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1989	2	0.7	0.50	0.1	2.7	3	0.8	0.48	0.2	2.5
1990	3	1.1	0.66	0.2	3.4	3	0.9	0.49	0.2	2.5
1991	2	0.8	0.58	0.1	2.9	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.5
1993	5	1.8	0.78	0.6	4.1	5	1.3	0.58	0.4	3.1
1994	0					2	0.6	0.44	0.1	2.2
1995	0					0				
1996	2	0.8	0.54	0.1	2.7	2	0.6	0.40	0.1	2.1
1997	2	0.7	0.51	0.1	2.6	2	0.5	0.38	0.1	2.0
1998	0					0				
1999	3	1.1	0.66	0.2	3.3	4	1.1	0.57	0.3	2.9
2000	0					1	0.3	0.28	0.0	1.6
2001	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2002	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.5
2003	0					1	0.3	0.28	0.0	1.6
2004	0					1	0.3	0.28	0.0	1.6
2005	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2006	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.6
2007	1	0.4	0.40	0.0	2.2	2	0.6	0.40	0.1	2.1
2008	2	0.8	0.54	0.1	2.8	3	0.8	0.48	0.2	2.5
2009	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2010	1	0.4	0.39	0.0	2.2	1	0.3	0.29	0.0	1.6
2011	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2012	1	0.4	0.39	0.0	2.2	3	0.9	0.50	0.2	2.5
2013	3	1.2	0.70	0.3	3.5	3	0.9	0.52	0.2	2.6
2014	1	0.4	0.40	0.0	2.3	1	0.3	0.30	0.0	1.7
2015	1	0.4	0.40	0.0	2.3	2	0.6	0.42	0.1	2.2
2016	2	0.8	0.58	0.1	3.0	4	1.2	0.61	0.3	3.1
2017	2	0.8	0.59	0.1	3.0	3	0.9	0.54	0.2	2.7
2018	1	0.4	0.42	0.0	2.4	1	0.3	0.31	0.0	1.8
2019	4	1.7	0.86	0.5	4.4	5	1.6	0.72	0.5	3.7
2020	0					2	0.6	0.44	0.1	2.3

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95% for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

APPENDIX A
Illinois Populations Used for Rate Calculations
1986-2020

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1986 Both Sexes	All Races	White	Black	Asian/Other
00 years	179,676	141,272	33,619	4,785
01-04 years	685,741	539,747	127,126	18,868
05-09 years	840,015	654,792	163,228	21,995
10-14 years	801,106	625,887	153,631	21,588
15-19 years	894,573	708,528	164,820	21,225
20-24 years	970,457	789,299	158,083	23,075
25-29 years	1,029,119	849,144	153,831	26,144
30-34 years	965,832	798,020	139,838	27,974
35-39 years	857,675	717,002	115,594	25,079
40-44 years	669,691	563,036	87,200	19,455
45-49 years	563,123	470,845	77,378	14,900
50-54 years	508,174	430,308	67,379	10,487
55-59 years	534,011	461,509	64,395	8,107
60-64 years	514,443	452,016	55,853	6,574
65-69 years	447,559	397,070	45,347	5,142
70-74 years	358,683	321,299	33,754	3,630
75-79 years	264,995	240,179	22,611	2,205
80-84 years	167,694	153,372	13,180	1,142
85+ years	134,680	124,037	9,933	710
Total	11,387,247	9,437,362	1,686,800	263,085
1986 Males	All Races	White	Black	Asian/Other
00 years	91,652	72,253	16,960	2,439
01-04 years	350,680	276,795	64,257	9,628
05-09 years	430,022	336,492	82,234	11,296
10-14 years	409,806	321,055	77,696	11,055
15-19 years	460,191	366,032	83,033	11,126
20-24 years	488,879	401,885	74,977	12,017
25-29 years	514,242	430,908	70,890	12,444
30-34 years	478,642	402,311	62,635	13,696
35-39 years	421,737	358,559	51,342	11,836
40-44 years	327,713	279,665	38,471	9,577
45-49 years	274,431	232,401	34,403	7,627
50-54 years	246,234	211,007	30,024	5,203
55-59 years	255,211	222,740	28,764	3,707
60-64 years	239,267	211,702	24,582	2,983
65-69 years	197,789	176,318	19,304	2,167
70-74 years	147,709	132,678	13,468	1,563
75-79 years	99,020	89,518	8,571	931
80-84 years	55,243	50,177	4,603	463
85+ years	36,582	33,140	3,159	283
Total	5,525,050	4,605,636	789,373	130,041
1986 Females	All Races	White	Black	Asian/Other
00 years	88,024	69,019	16,659	2,346
01-04 years	335,061	262,952	62,869	9,240
05-09 years	409,993	318,300	80,994	10,699
10-14 years	391,300	304,832	75,935	10,533
15-19 years	434,382	342,496	81,787	10,099
20-24 years	481,578	387,414	83,106	11,058
25-29 years	514,877	418,236	82,941	13,700
30-34 years	487,190	395,709	77,203	14,278
35-39 years	435,938	358,443	64,252	13,243
40-44 years	341,978	283,371	48,729	9,878
45-49 years	288,692	238,444	42,975	7,273
50-54 years	261,940	219,301	37,355	5,284
55-59 years	278,800	238,769	35,631	4,400
60-64 years	275,176	240,314	31,271	3,591
65-69 years	249,770	220,752	26,043	2,975
70-74 years	210,974	188,621	20,286	2,067
75-79 years	165,975	150,661	14,040	1,274
80-84 years	112,451	103,195	8,577	679
85+ years	98,098	90,897	6,774	427
Total	5,862,197	4,831,726	897,427	133,044

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1987 Both Sexes	All Races	White	Black	Asian/Other
00 years	177,252	138,782	33,611	4,859
01-04 years	679,949	535,136	125,619	19,194
05-09 years	846,978	661,147	162,701	23,130
10-14 years	788,073	614,772	151,239	22,062
15-19 years	882,134	694,811	164,317	23,006
20-24 years	936,012	758,666	153,291	24,055
25-29 years	1,020,499	840,957	152,521	27,021
30-34 years	983,627	811,447	143,456	28,724
35-39 years	854,581	709,570	118,875	26,136
40-44 years	715,780	604,030	90,593	21,157
45-49 years	579,345	484,012	79,120	16,213
50-54 years	507,829	428,666	67,750	11,413
55-59 years	519,166	446,758	63,884	8,524
60-64 years	507,596	443,952	56,675	6,969
65-69 years	450,268	398,665	46,075	5,528
70-74 years	362,207	324,315	34,059	3,833
75-79 years	269,578	244,170	23,064	2,344
80-84 years	172,168	157,287	13,648	1,233
85+ years	138,133	127,069	10,310	754
Total	11,391,175	9,424,212	1,690,808	276,155
1987 Males	All Races	White	Black	Asian/Other
00 years	90,385	70,977	16,926	2,482
01-04 years	347,774	274,460	63,518	9,796
05-09 years	433,565	339,705	81,985	11,875
10-14 years	403,272	315,405	76,586	11,281
15-19 years	454,524	359,535	82,965	12,024
20-24 years	471,993	386,535	72,903	12,555
25-29 years	509,933	426,355	70,546	13,032
30-34 years	487,774	409,199	64,461	14,114
35-39 years	420,791	355,565	52,882	12,344
40-44 years	350,430	300,167	39,955	10,308
45-49 years	282,372	238,968	35,181	8,223
50-54 years	246,196	210,323	30,137	5,736
55-59 years	248,354	216,029	28,392	3,933
60-64 years	236,162	208,147	24,872	3,143
65-69 years	199,842	177,866	19,632	2,344
70-74 years	149,274	134,050	13,583	1,641
75-79 years	101,272	91,584	8,713	975
80-84 years	56,807	51,583	4,715	509
85+ years	37,404	33,862	3,241	301
Total	5,528,124	4,600,315	791,193	136,616
1987 Females	All Races	White	Black	Asian/Other
00 years	86,867	67,805	16,685	2,377
01-04 years	332,175	260,676	62,101	9,398
05-09 years	413,413	321,442	80,716	11,255
10-14 years	384,801	299,367	74,653	10,781
15-19 years	427,610	335,276	81,352	10,982
20-24 years	464,019	372,131	80,388	11,500
25-29 years	510,566	414,602	81,975	13,989
30-34 years	495,853	402,248	78,995	14,610
35-39 years	433,790	354,005	65,993	13,792
40-44 years	365,350	303,863	50,638	10,849
45-49 years	296,973	245,044	43,939	7,990
50-54 years	261,633	218,343	37,613	5,677
55-59 years	270,812	230,729	35,492	4,591
60-64 years	271,434	235,805	31,803	3,826
65-69 years	250,426	220,799	26,443	3,184
70-74 years	212,933	190,265	20,476	2,192
75-79 years	168,306	152,586	14,351	1,369
80-84 years	115,361	105,704	8,933	724
85+ years	100,729	93,207	7,069	453
Total	5,863,051	4,823,897	899,615	139,539

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1988 Both Sexes	All Races	White	Black	Asian/Other
00 years	177,317	138,312	33,939	5,066
01-04 years	675,117	530,725	124,964	19,428
05-09 years	845,772	661,385	160,250	24,137
10-14 years	782,814	610,766	149,335	22,713
15-19 years	863,630	676,133	162,854	24,643
20-24 years	903,266	729,750	148,411	25,105
25-29 years	1,010,154	830,759	151,419	27,976
30-34 years	997,737	822,319	146,041	29,377
35-39 years	867,996	718,386	122,322	27,288
40-44 years	734,259	617,242	94,054	22,963
45-49 years	605,845	507,719	80,517	17,609
50-54 years	516,184	434,676	69,048	12,460
55-59 years	502,006	429,781	63,248	8,977
60-64 years	503,969	439,391	57,245	7,333
65-69 years	449,701	396,690	47,031	5,980
70-74 years	364,391	326,276	34,111	4,004
75-79 years	274,351	248,443	23,429	2,479
80-84 years	175,511	160,161	14,034	1,316
85+ years	140,202	128,794	10,609	799
Total	11,390,222	9,407,708	1,692,861	289,653
1988 Males	All Races	White	Black	Asian/Other
00 years	90,386	70,713	17,089	2,584
01-04 years	345,288	272,195	63,161	9,932
05-09 years	433,108	339,894	80,816	12,398
10-14 years	400,627	313,342	75,700	11,585
15-19 years	445,886	350,543	82,470	12,873
20-24 years	456,704	372,708	70,842	13,154
25-29 years	504,868	420,899	70,293	13,676
30-34 years	495,061	414,825	65,770	14,466
35-39 years	427,865	360,420	54,542	12,903
40-44 years	359,675	307,035	41,557	11,083
45-49 years	295,278	250,662	35,769	8,847
50-54 years	250,273	213,335	30,600	6,338
55-59 years	240,191	208,007	28,009	4,175
60-64 years	234,936	206,600	25,053	3,283
65-69 years	199,788	177,233	20,006	2,549
70-74 years	150,827	135,482	13,638	1,707
75-79 years	103,515	93,697	8,799	1,019
80-84 years	57,836	52,508	4,779	549
85+ years	37,616	34,009	3,285	322
Total	5,529,728	4,594,107	792,178	143,443
1988 Females	All Races	White	Black	Asian/Other
00 years	86,931	67,599	16,850	2,482
01-04 years	329,829	258,530	61,803	9,496
05-09 years	412,664	321,491	79,434	11,739
10-14 years	382,187	297,424	73,635	11,128
15-19 years	417,744	325,590	80,384	11,770
20-24 years	446,562	357,042	77,569	11,951
25-29 years	505,286	409,860	81,126	14,300
30-34 years	502,676	407,494	80,271	14,911
35-39 years	440,131	357,966	67,780	14,385
40-44 years	374,584	310,207	52,497	11,880
45-49 years	310,567	257,057	44,748	8,762
50-54 years	265,911	221,341	38,448	6,122
55-59 years	261,815	221,774	35,239	4,802
60-64 years	269,033	232,791	32,192	4,050
65-69 years	249,913	219,457	27,025	3,431
70-74 years	213,564	190,794	20,473	2,297
75-79 years	170,836	154,746	14,630	1,460
80-84 years	117,675	107,653	9,255	767
85+ years	102,586	94,785	7,324	477
Total	5,860,494	4,813,601	900,683	146,210

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1989 Both Sexes	All Races	White	Black	Asian/Other
00 years	180,243	139,525	35,385	5,333
01-04 years	678,493	531,856	126,584	20,053
05-09 years	842,916	660,663	157,222	25,031
10-14 years	788,092	613,783	150,551	23,758
15-19 years	839,552	652,980	160,359	26,213
20-24 years	877,382	706,631	144,247	26,504
25-29 years	997,960	819,229	149,695	29,036
30-34 years	1,004,533	826,767	147,701	30,065
35-39 years	886,089	731,786	125,866	28,437
40-44 years	764,302	639,943	99,303	25,056
45-49 years	621,247	520,801	81,452	18,994
50-54 years	525,121	441,112	70,467	13,542
55-59 years	488,463	416,273	62,748	9,442
60-64 years	496,244	430,805	57,735	7,704
65-69 years	451,934	397,434	48,071	6,429
70-74 years	365,166	326,726	34,257	4,183
75-79 years	279,783	253,353	23,792	2,638
80-84 years	179,146	163,303	14,441	1,402
85+ years	143,135	131,404	10,884	847
Total	11,409,801	9,404,374	1,700,760	304,667
1989 Males	All Races	White	Black	Asian/Other
00 years	91,832	71,317	17,794	2,721
01-04 years	347,020	272,800	63,974	10,246
05-09 years	431,777	339,567	79,356	12,854
10-14 years	403,223	314,771	76,346	12,106
15-19 years	434,398	339,305	81,420	13,673
20-24 years	444,620	361,576	69,143	13,901
25-29 years	498,982	414,831	69,757	14,394
30-34 years	498,549	417,096	66,619	14,834
35-39 years	437,441	367,709	56,271	13,461
40-44 years	374,767	318,822	43,933	12,012
45-49 years	302,649	257,037	36,157	9,455
50-54 years	254,523	216,500	31,095	6,928
55-59 years	233,815	201,656	27,701	4,458
60-64 years	231,948	203,311	25,206	3,431
65-69 years	200,950	177,763	20,444	2,743
70-74 years	151,629	136,123	13,722	1,784
75-79 years	105,911	95,964	8,874	1,073
80-84 years	59,308	53,838	4,877	593
85+ years	38,197	34,536	3,317	344
Total	5,541,539	4,594,522	796,006	151,011
1989 Females	All Races	White	Black	Asian/Other
00 years	88,411	68,208	17,591	2,612
01-04 years	331,473	259,056	62,610	9,807
05-09 years	411,139	321,096	77,866	12,177
10-14 years	384,869	299,012	74,205	11,652
15-19 years	405,154	313,675	78,939	12,540
20-24 years	432,762	345,055	75,104	12,603
25-29 years	498,978	404,398	79,938	14,642
30-34 years	505,984	409,671	81,082	15,231
35-39 years	448,648	364,077	69,595	14,976
40-44 years	389,535	321,121	55,370	13,044
45-49 years	318,598	263,764	45,295	9,539
50-54 years	270,598	224,612	39,372	6,614
55-59 years	254,648	214,617	35,047	4,984
60-64 years	264,296	227,494	32,529	4,273
65-69 years	250,984	219,671	27,627	3,686
70-74 years	213,537	190,603	20,535	2,399
75-79 years	173,872	157,389	14,918	1,565
80-84 years	119,838	109,465	9,564	809
85+ years	104,938	96,868	7,567	503
Total	5,868,262	4,809,852	904,754	153,656

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	All Races	White	Black	Asian/Other
00 years	184,854	143,704	35,567	5,583
01-04 years	677,463	528,227	128,927	20,309
05-09 years	825,298	647,828	152,454	25,016
10-14 years	789,976	613,327	152,009	24,640
15-19 years	815,587	629,540	158,885	27,162
20-24 years	867,197	697,611	141,256	28,330
25-29 years	985,945	807,516	148,336	30,093
30-34 years	1,015,289	834,970	149,294	31,025
35-39 years	910,904	750,932	130,175	29,797
40-44 years	803,653	669,867	106,272	27,514
45-49 years	636,041	533,000	82,477	20,564
50-54 years	532,198	445,608	71,907	14,683
55-59 years	483,955	411,049	62,904	10,002
60-64 years	490,499	424,124	58,253	8,122
65-69 years	453,212	397,613	48,824	6,775
70-74 years	366,919	328,035	34,492	4,392
75-79 years	285,100	258,313	24,064	2,723
80-84 years	182,890	166,637	14,794	1,459
85+ years	146,336	134,379	11,108	849
Total	11,453,316	9,422,280	1,711,998	319,038
1990 Males	All Races	White	Black	Asian/Other
00 years	94,230	73,486	17,895	2,849
01-04 years	346,537	270,974	65,150	10,413
05-09 years	422,865	333,034	76,987	12,844
10-14 years	404,043	314,423	77,106	12,514
15-19 years	422,426	327,555	80,739	14,132
20-24 years	440,742	357,813	68,026	14,903
25-29 years	492,990	408,710	69,266	15,014
30-34 years	504,019	421,281	67,386	15,352
35-39 years	450,185	377,737	58,308	14,140
40-44 years	394,313	334,102	47,090	13,121
45-49 years	309,805	263,102	36,562	10,141
50-54 years	257,853	218,652	31,680	7,521
55-59 years	231,602	199,162	27,650	4,790
60-64 years	230,057	201,067	25,383	3,607
65-69 years	201,641	177,975	20,793	2,873
70-74 years	152,849	137,185	13,800	1,864
75-79 years	108,375	98,334	8,944	1,097
80-84 years	60,751	55,203	4,931	617
85+ years	38,716	35,069	3,307	340
Total	5,563,999	4,604,864	801,003	158,132
1990 Females	All Races	White	Black	Asian/Other
00 years	90,624	70,218	17,672	2,734
01-04 years	330,926	257,253	63,777	9,896
05-09 years	402,433	314,794	75,467	12,172
10-14 years	385,933	298,904	74,903	12,126
15-19 years	393,161	301,985	78,146	13,030
20-24 years	426,455	339,798	73,230	13,427
25-29 years	492,955	398,806	79,070	15,079
30-34 years	511,270	413,689	81,908	15,673
35-39 years	460,719	373,195	71,867	15,657
40-44 years	409,340	335,765	59,182	14,393
45-49 years	326,236	269,898	45,915	10,423
50-54 years	274,345	226,956	40,227	7,162
55-59 years	252,353	211,887	35,254	5,212
60-64 years	260,442	223,057	32,870	4,515
65-69 years	251,571	219,638	28,031	3,902
70-74 years	214,070	190,850	20,692	2,528
75-79 years	176,725	159,979	15,120	1,626
80-84 years	122,139	111,434	9,863	842
85+ years	107,620	99,310	7,801	509
Total	5,889,317	4,817,416	910,995	160,906

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	All Races	White	Black	Asian/Other
00 years	187,020	142,679	38,845	5,496
01-04 years	694,334	539,089	134,094	21,151
05-09 years	829,971	651,342	153,363	25,266
10-14 years	815,525	632,313	157,008	26,204
15-19 years	793,443	612,668	153,643	27,132
20-24 years	865,618	691,151	142,903	31,564
25-29 years	968,258	790,668	145,795	31,795
30-34 years	1,032,815	849,638	150,965	32,212
35-39 years	933,113	768,041	133,940	31,132
40-44 years	845,461	702,851	113,904	28,706
45-49 years	642,865	537,725	83,238	21,902
50-54 years	542,708	453,622	72,955	16,131
55-59 years	479,641	405,517	63,295	10,829
60-64 years	486,214	418,881	58,676	8,657
65-69 years	449,805	392,847	49,774	7,184
70-74 years	372,218	331,513	35,847	4,858
75-79 years	291,446	263,970	24,519	2,957
80-84 years	187,333	170,598	15,127	1,608
85+ years	151,176	138,576	11,647	953
Total	11,568,964	9,493,689	1,739,538	335,737
1991 Males	All Races	White	Black	Asian/Other
00 years	95,297	72,918	19,588	2,791
01-04 years	355,113	276,449	67,823	10,841
05-09 years	425,253	334,795	77,502	12,956
10-14 years	417,158	324,390	79,466	13,302
15-19 years	411,022	318,743	78,157	14,122
20-24 years	439,626	355,001	68,571	16,054
25-29 years	484,664	400,952	67,925	15,787
30-34 years	513,901	429,304	68,489	16,108
35-39 years	461,673	386,813	59,949	14,911
40-44 years	415,201	351,141	50,490	13,570
45-49 years	313,330	265,839	36,756	10,735
50-54 years	263,173	222,886	32,126	8,161
55-59 years	229,814	196,816	27,744	5,254
60-64 years	228,523	199,018	25,623	3,882
65-69 years	200,631	176,321	21,225	3,085
70-74 years	156,129	139,577	14,493	2,059
75-79 years	111,728	101,417	9,104	1,207
80-84 years	62,381	56,708	5,016	657
85+ years	39,716	35,919	3,418	379
Total	5,624,333	4,645,007	813,465	165,861
1991 Females	All Races	White	Black	Asian/Other
00 years	91,723	69,761	19,257	2,705
01-04 years	339,221	262,640	66,271	10,310
05-09 years	404,718	316,547	75,861	12,310
10-14 years	398,367	307,923	77,542	12,902
15-19 years	382,421	293,925	75,486	13,010
20-24 years	425,992	336,150	74,332	15,510
25-29 years	483,594	389,716	77,870	16,008
30-34 years	518,914	420,334	82,476	16,104
35-39 years	471,440	381,228	73,991	16,221
40-44 years	430,260	351,710	63,414	15,136
45-49 years	329,535	271,886	46,482	11,167
50-54 years	279,535	230,736	40,829	7,970
55-59 years	249,827	208,701	35,551	5,575
60-64 years	257,691	219,863	33,053	4,775
65-69 years	249,174	216,526	28,549	4,099
70-74 years	216,089	191,936	21,354	2,799
75-79 years	179,718	162,553	15,415	1,750
80-84 years	124,952	113,890	10,111	951
85+ years	111,460	102,657	8,229	574
Total	5,944,631	4,848,682	926,073	169,876

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	All Races	White	Black	Asian/Other
00 years	187,167	141,601	39,249	6,317
01-04 years	712,317	548,459	141,943	21,915
05-09 years	829,299	649,833	153,933	25,533
10-14 years	832,910	645,739	159,763	27,408
15-19 years	790,067	611,175	151,340	27,552
20-24 years	862,353	682,304	145,996	34,053
25-29 years	947,988	771,699	143,043	33,246
30-34 years	1,043,131	856,956	152,641	33,534
35-39 years	958,420	786,728	139,009	32,683
40-44 years	846,525	699,300	117,886	29,339
45-49 years	694,355	583,645	86,864	23,846
50-54 years	561,083	467,581	75,835	17,667
55-59 years	482,596	406,263	64,383	11,950
60-64 years	476,695	408,990	58,498	9,207
65-69 years	446,061	387,945	50,564	7,552
70-74 years	380,054	337,297	37,353	5,404
75-79 years	295,593	267,200	25,176	3,217
80-84 years	191,099	174,190	15,202	1,707
85+ years	156,471	143,186	12,231	1,054
Total	11,694,184	9,570,091	1,770,909	353,184
1992 Males	All Races	White	Black	Asian/Other
00 years	95,291	72,378	19,670	3,243
01-04 years	364,267	281,260	71,749	11,258
05-09 years	424,876	333,895	77,873	13,108
10-14 years	426,078	331,338	80,852	13,888
15-19 years	409,299	317,944	77,036	14,319
20-24 years	438,548	350,937	70,351	17,260
25-29 years	475,131	392,493	66,640	15,998
30-34 years	519,971	433,535	69,562	16,874
35-39 years	474,815	396,638	62,222	15,955
40-44 years	415,791	349,847	52,193	13,751
45-49 years	339,159	289,056	38,509	11,594
50-54 years	272,261	229,875	33,450	8,936
55-59 years	231,472	197,598	28,086	5,788
60-64 years	224,388	194,634	25,552	4,202
65-69 years	199,285	174,438	21,595	3,252
70-74 years	160,488	142,998	15,196	2,294
75-79 years	113,489	102,900	9,269	1,320
80-84 years	64,359	58,599	5,072	688
85+ years	41,114	37,171	3,526	417
Total	5,690,082	4,687,534	828,403	174,145
1992 Females	All Races	White	Black	Asian/Other
00 years	91,876	69,223	19,579	3,074
01-04 years	348,050	267,199	70,194	10,657
05-09 years	404,423	315,938	76,060	12,425
10-14 years	406,832	314,401	78,911	13,520
15-19 years	380,768	293,231	74,304	13,233
20-24 years	423,805	331,367	75,645	16,793
25-29 years	472,857	379,206	76,403	17,248
30-34 years	523,160	423,421	83,079	16,660
35-39 years	483,605	390,090	76,787	16,728
40-44 years	430,734	349,453	65,693	15,588
45-49 years	355,196	294,589	48,355	12,252
50-54 years	288,822	237,706	42,385	8,731
55-59 years	251,124	208,665	36,297	6,162
60-64 years	252,307	214,356	32,946	5,005
65-69 years	246,776	213,507	28,969	4,300
70-74 years	219,566	194,299	22,157	3,110
75-79 years	182,104	164,300	15,907	1,897
80-84 years	126,740	115,591	10,130	1,019
85+ years	115,357	106,015	8,705	637
Total	6,004,102	4,882,557	942,506	179,039

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	All Races	White	Black	Asian/Other
00 years	184,208	138,435	39,727	6,046
01-04 years	725,948	553,921	148,899	23,128
05-09 years	830,711	648,394	156,351	25,966
10-14 years	847,145	656,451	161,961	28,733
15-19 years	795,697	617,161	150,168	28,368
20-24 years	856,321	672,305	147,832	36,184
25-29 years	927,027	751,344	140,898	34,785
30-34 years	1,047,422	858,447	153,559	35,416
35-39 years	984,076	806,031	144,248	33,797
40-44 years	863,322	711,643	120,870	30,809
45-49 years	715,575	598,680	91,116	25,779
50-54 years	591,143	494,370	77,670	19,103
55-59 years	492,716	413,399	66,086	13,231
60-64 years	465,263	396,782	58,609	9,872
65-69 years	444,437	385,352	51,234	7,851
70-74 years	382,914	338,604	38,334	5,976
75-79 years	298,385	269,310	25,628	3,447
80-84 years	195,935	178,576	15,497	1,862
85+ years	161,334	147,393	12,780	1,161
Total	11,809,579	9,636,598	1,801,467	371,514
1993 Males	All Races	White	Black	Asian/Other
00 years	94,040	70,771	20,112	3,157
01-04 years	371,123	284,045	75,132	11,946
05-09 years	425,550	333,090	79,206	13,254
10-14 years	433,379	336,871	81,926	14,582
15-19 years	412,149	321,025	76,444	14,680
20-24 years	434,868	345,289	71,163	18,416
25-29 years	464,764	382,598	65,899	16,267
30-34 years	522,707	434,868	70,173	17,666
35-39 years	487,940	406,543	64,804	16,593
40-44 years	424,140	356,064	53,532	14,544
45-49 years	349,707	297,109	40,205	12,393
50-54 years	287,156	243,137	34,421	9,598
55-59 years	236,524	201,140	28,916	6,468
60-64 years	219,187	189,155	25,552	4,480
65-69 years	199,303	174,064	21,879	3,360
70-74 years	162,355	144,164	15,651	2,540
75-79 years	115,405	104,500	9,481	1,424
80-84 years	66,105	60,230	5,135	740
85+ years	42,368	38,307	3,611	450
Total	5,748,770	4,722,970	843,242	182,558
1993 Females	All Races	White	Black	Asian/Other
00 years	90,168	67,664	19,615	2,889
01-04 years	354,825	269,876	73,767	11,182
05-09 years	405,161	315,304	77,145	12,712
10-14 years	413,766	319,580	80,035	14,151
15-19 years	383,548	296,136	73,724	13,688
20-24 years	421,453	327,016	76,669	17,768
25-29 years	462,263	368,746	74,999	18,518
30-34 years	524,715	423,579	83,386	17,750
35-39 years	496,136	399,488	79,444	17,204
40-44 years	439,182	355,579	67,338	16,265
45-49 years	365,868	301,571	50,911	13,386
50-54 years	303,987	251,233	43,249	9,505
55-59 years	256,192	212,259	37,170	6,763
60-64 years	246,076	207,627	33,057	5,392
65-69 years	245,134	211,288	29,355	4,491
70-74 years	220,559	194,440	22,683	3,436
75-79 years	182,980	164,810	16,147	2,023
80-84 years	129,830	118,346	10,362	1,122
85+ years	118,966	109,086	9,169	711
Total	6,060,809	4,913,628	958,225	188,956

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	All Races	White	Black	Asian/Other
00 years	182,330	138,089	38,016	6,225
01-04 years	736,628	557,506	154,972	24,150
05-09 years	844,037	655,985	161,341	26,711
10-14 years	855,594	663,826	162,112	29,656
15-19 years	811,431	629,624	152,211	29,596
20-24 years	844,634	658,501	148,569	37,564
25-29 years	906,858	732,968	137,662	36,228
30-34 years	1,045,381	856,005	152,494	36,882
35-39 years	1,001,695	819,085	147,799	34,811
40-44 years	882,538	725,863	124,538	32,137
45-49 years	745,618	621,929	95,955	27,734
50-54 years	607,853	507,855	79,405	20,593
55-59 years	502,517	420,763	67,264	14,490
60-64 years	454,505	385,371	58,527	10,607
65-69 years	439,453	379,448	51,800	8,205
70-74 years	385,481	340,182	38,919	6,380
75-79 years	299,961	269,996	26,216	3,749
80-84 years	201,076	183,273	15,749	2,054
85+ years	164,995	150,512	13,235	1,248
Total	11,912,585	9,696,781	1,826,784	389,020
1994 Males	All Races	White	Black	Asian/Other
00 years	92,993	70,653	19,147	3,193
01-04 years	376,684	285,796	78,488	12,400
05-09 years	432,387	336,881	81,779	13,727
10-14 years	437,683	340,796	81,794	15,093
15-19 years	420,411	327,618	77,538	15,255
20-24 years	429,286	338,556	71,668	19,062
25-29 years	455,390	374,269	64,271	16,850
30-34 years	522,495	434,309	70,071	18,115
35-39 years	497,285	413,566	66,556	17,163
40-44 years	433,997	363,195	55,530	15,272
45-49 years	364,678	309,279	42,150	13,249
50-54 years	295,391	249,953	35,270	10,168
55-59 years	241,297	204,854	29,300	7,143
60-64 years	214,328	183,931	25,523	4,874
65-69 years	197,716	172,101	22,088	3,527
70-74 years	163,877	145,377	15,801	2,699
75-79 years	116,678	105,296	9,828	1,554
80-84 years	68,348	62,271	5,257	820
85+ years	43,486	39,314	3,706	466
Total	5,804,410	4,758,015	855,765	190,630
1994 Females	All Races	White	Black	Asian/Other
00 years	89,337	67,436	18,869	3,032
01-04 years	359,944	271,710	76,484	11,750
05-09 years	411,650	319,104	79,562	12,984
10-14 years	417,911	323,030	80,318	14,563
15-19 years	391,020	302,006	74,673	14,341
20-24 years	415,348	319,945	76,901	18,502
25-29 years	451,468	358,699	73,391	19,378
30-34 years	522,886	421,696	82,423	18,767
35-39 years	504,410	405,519	81,243	17,648
40-44 years	448,541	362,668	69,008	16,865
45-49 years	380,940	312,650	53,805	14,485
50-54 years	312,462	257,902	44,135	10,425
55-59 years	261,220	215,909	37,964	7,347
60-64 years	240,177	201,440	33,004	5,733
65-69 years	241,737	207,347	29,712	4,678
70-74 years	221,604	194,805	23,118	3,681
75-79 years	183,283	164,700	16,388	2,195
80-84 years	132,728	121,002	10,492	1,234
85+ years	121,509	111,198	9,529	782
Total	6,108,175	4,938,766	971,019	198,390

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	All Races	White	Black	Asian/Other
00 years	179,719	137,788	35,577	6,354
01-04 years	740,391	556,114	159,343	24,934
05-09 years	862,351	668,053	166,342	27,956
10-14 years	861,513	669,947	161,482	30,084
15-19 years	833,645	645,407	157,295	30,943
20-24 years	829,585	645,283	146,253	38,049
25-29 years	898,263	721,900	137,571	38,792
30-34 years	1,030,874	842,967	150,190	37,717
35-39 years	1,014,860	829,024	149,671	36,165
40-44 years	901,661	740,633	127,870	33,158
45-49 years	779,647	648,609	101,746	29,292
50-54 years	622,103	519,238	80,850	22,015
55-59 years	505,708	421,248	68,466	15,994
60-64 years	448,526	378,389	58,771	11,366
65-69 years	434,296	373,494	52,270	8,532
70-74 years	388,478	342,455	39,278	6,745
75-79 years	300,976	269,719	27,270	3,987
80-84 years	206,533	188,320	15,975	2,238
85+ years	169,308	154,212	13,707	1,389
Total	12,008,437	9,752,800	1,849,927	405,710
1995 Males	All Races	White	Black	Asian/Other
00 years	91,667	70,470	17,908	3,289
01-04 years	378,575	284,971	80,813	12,791
05-09 years	441,805	343,053	84,383	14,369
10-14 years	440,701	343,913	81,485	15,303
15-19 years	431,984	335,897	80,119	15,968
20-24 years	422,464	332,265	70,694	19,505
25-29 years	451,944	369,718	64,379	17,847
30-34 years	515,917	428,322	69,305	18,290
35-39 years	504,458	418,906	67,626	17,926
40-44 years	443,902	370,886	57,306	15,710
45-49 years	381,771	323,032	44,780	13,959
50-54 years	302,519	255,972	35,778	10,769
55-59 years	242,908	205,019	29,953	7,936
60-64 years	211,527	180,685	25,608	5,234
65-69 years	196,191	170,256	22,239	3,696
70-74 years	165,635	146,871	15,924	2,840
75-79 years	117,697	105,695	10,384	1,618
80-84 years	70,896	64,727	5,279	890
85+ years	44,772	40,441	3,830	501
Total	5,857,333	4,791,099	867,793	198,441
1995 Females	All Races	White	Black	Asian/Other
00 years	88,052	67,318	17,669	3,065
01-04 years	361,816	271,143	78,530	12,143
05-09 years	420,546	325,000	81,959	13,587
10-14 years	420,812	326,034	79,997	14,781
15-19 years	401,661	309,510	77,176	14,975
20-24 years	407,121	313,018	75,559	18,544
25-29 years	446,319	352,182	73,192	20,945
30-34 years	514,957	414,645	80,885	19,427
35-39 years	510,402	410,118	82,045	18,239
40-44 years	457,759	369,747	70,564	17,448
45-49 years	397,876	325,577	56,966	15,333
50-54 years	319,584	263,266	45,072	11,246
55-59 years	262,800	216,229	38,513	8,058
60-64 years	236,999	197,704	33,163	6,132
65-69 years	238,105	203,238	30,031	4,836
70-74 years	222,843	195,584	23,354	3,905
75-79 years	183,279	164,024	16,886	2,369
80-84 years	135,637	123,593	10,696	1,348
85+ years	124,536	113,771	9,877	888
Total	6,151,104	4,961,701	982,134	207,269

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,637	136,026	32,662	6,949
01-04 years	737,880	554,211	157,495	26,174
05-09 years	885,165	681,423	174,742	29,000
10-14 years	869,233	675,734	162,794	30,705
15-19 years	857,067	663,288	161,038	32,741
20-24 years	810,802	630,767	141,377	38,658
25-29 years	903,332	721,481	139,601	42,250
30-34 years	1,007,551	821,061	147,969	38,521
35-39 years	1,024,270	836,244	150,756	37,270
40-44 years	921,038	755,668	130,920	34,450
45-49 years	821,115	681,213	108,927	30,975
50-54 years	629,013	524,091	81,569	23,353
55-59 years	513,699	427,281	69,071	17,347
60-64 years	443,641	372,469	59,076	12,096
65-69 years	429,349	368,062	52,426	8,861
70-74 years	384,288	337,310	39,988	6,990
75-79 years	304,806	272,244	28,264	4,298
80-84 years	210,713	192,092	16,217	2,404
85+ years	173,398	157,969	13,921	1,508
Total	12,101,997	9,808,634	1,868,813	424,550
1996 Males	All Races	White	Black	Asian/Other
00 years	89,619	69,657	16,411	3,551
01-04 years	377,301	283,995	79,851	13,455
05-09 years	453,418	349,834	88,752	14,832
10-14 years	444,661	346,830	82,178	15,653
15-19 years	444,118	345,563	81,659	16,896
20-24 years	413,506	325,247	68,335	19,924
25-29 years	454,893	370,425	65,229	19,239
30-34 years	504,894	417,909	68,373	18,612
35-39 years	509,617	422,581	68,457	18,579
40-44 years	453,870	378,954	58,522	16,394
45-49 years	402,598	339,925	47,973	14,700
50-54 years	306,016	258,546	36,022	11,448
55-59 years	246,865	208,089	30,204	8,572
60-64 years	209,449	178,091	25,679	5,679
65-69 years	194,189	168,112	22,238	3,839
70-74 years	164,178	145,047	16,176	2,955
75-79 years	120,101	107,531	10,844	1,726
80-84 years	73,127	66,805	5,367	955
85+ years	45,938	41,566	3,847	525
Total	5,908,358	4,824,707	876,117	207,534
1996 Females	All Races	White	Black	Asian/Other
00 years	86,018	66,369	16,251	3,398
01-04 years	360,579	270,216	77,644	12,719
05-09 years	431,747	331,589	85,990	14,168
10-14 years	424,572	328,904	80,616	15,052
15-19 years	412,949	317,725	79,379	15,845
20-24 years	397,296	305,520	73,042	18,734
25-29 years	448,439	351,056	74,372	23,011
30-34 years	502,657	403,152	79,596	19,909
35-39 years	514,653	413,663	82,299	18,691
40-44 years	467,168	376,714	72,398	18,056
45-49 years	418,517	341,288	60,954	16,275
50-54 years	322,997	265,545	45,547	11,905
55-59 years	266,834	219,192	38,867	8,775
60-64 years	234,192	194,378	33,397	6,417
65-69 years	235,160	199,950	30,188	5,022
70-74 years	220,110	192,263	23,812	4,035
75-79 years	184,705	164,713	17,420	2,572
80-84 years	137,586	125,287	10,850	1,449
85+ years	127,460	116,403	10,074	983
Total	6,193,639	4,983,927	992,696	217,016

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	All Races	White	Black	Asian/Other
00 years	174,269	135,324	32,089	6,856
01-04 years	729,498	550,145	152,355	26,998
05-09 years	908,107	694,320	182,755	31,032
10-14 years	873,516	677,670	164,432	31,414
15-19 years	873,507	676,014	163,248	34,245
20-24 years	808,831	630,943	139,051	38,837
25-29 years	902,993	715,831	142,076	45,086
30-34 years	978,564	794,584	144,450	39,530
35-39 years	1,023,563	833,515	151,384	38,664
40-44 years	940,893	769,921	135,203	35,769
45-49 years	821,035	677,430	112,043	31,562
50-54 years	676,901	566,437	85,081	25,383
55-59 years	527,799	438,205	71,098	18,496
60-64 years	444,622	371,663	59,734	13,225
65-69 years	419,481	358,371	51,795	9,315
70-74 years	380,559	332,605	40,698	7,256
75-79 years	310,635	276,680	29,314	4,641
80-84 years	213,552	194,369	16,575	2,608
85+ years	177,390	161,687	14,116	1,587
Total	12,185,715	9,855,714	1,887,497	442,504
1997 Males	All Races	White	Black	Asian/Other
00 years	88,899	69,285	16,115	3,499
01-04 years	373,121	281,966	77,344	13,811
05-09 years	465,065	356,586	92,613	15,866
10-14 years	446,792	347,645	83,076	16,071
15-19 years	452,411	352,133	82,591	17,687
20-24 years	412,553	325,510	67,083	19,960
25-29 years	454,846	367,748	66,422	20,676
30-34 years	490,423	405,082	66,687	18,654
35-39 years	509,366	420,721	69,252	19,393
40-44 years	464,192	386,469	60,528	17,195
45-49 years	402,690	338,475	49,376	14,839
50-54 years	329,884	279,747	37,778	12,359
55-59 years	253,747	213,412	31,158	9,177
60-64 years	210,129	178,041	25,868	6,220
65-69 years	189,892	163,885	21,868	4,139
70-74 years	162,973	143,506	16,400	3,067
75-79 years	123,607	110,427	11,307	1,873
80-84 years	74,307	67,878	5,418	1,011
85+ years	47,569	43,093	3,917	559
Total	5,952,466	4,851,609	884,801	216,056
1997 Females	All Races	White	Black	Asian/Other
00 years	85,370	66,039	15,974	3,357
01-04 years	356,377	268,179	75,011	13,187
05-09 years	443,042	337,734	90,142	15,166
10-14 years	426,724	330,025	81,356	15,343
15-19 years	421,096	323,881	80,657	16,558
20-24 years	396,278	305,433	71,968	18,877
25-29 years	448,147	348,083	75,654	24,410
30-34 years	488,141	389,502	77,763	20,876
35-39 years	514,197	412,794	82,132	19,271
40-44 years	476,701	383,452	74,675	18,574
45-49 years	418,345	338,955	62,667	16,723
50-54 years	347,017	286,690	47,303	13,024
55-59 years	274,052	224,793	39,940	9,319
60-64 years	234,493	193,622	33,866	7,005
65-69 years	229,589	194,486	29,927	5,176
70-74 years	217,586	189,099	24,298	4,189
75-79 years	187,028	166,253	18,007	2,768
80-84 years	139,245	126,491	11,157	1,597
85+ years	129,821	118,594	10,199	1,028
Total	6,233,249	5,004,105	1,002,696	226,448

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	All Races	White	Black	Asian/Other
00 years	172,524	133,407	31,829	7,288
01-04 years	718,162	544,972	145,118	28,072
05-09 years	919,305	698,195	189,000	32,110
10-14 years	878,210	678,601	167,442	32,167
15-19 years	888,287	687,291	165,135	35,861
20-24 years	818,115	640,966	137,279	39,870
25-29 years	903,502	712,593	142,953	47,956
30-34 years	952,093	769,524	141,478	41,091
35-39 years	1,018,829	827,411	151,407	40,011
40-44 years	962,252	786,046	139,642	36,564
45-49 years	837,043	689,475	114,491	33,077
50-54 years	696,444	579,467	89,539	27,438
55-59 years	552,995	460,794	72,422	19,779
60-64 years	452,911	377,634	61,015	14,262
65-69 years	409,749	347,988	51,987	9,774
70-74 years	380,196	331,121	41,552	7,523
75-79 years	312,521	277,459	30,028	5,034
80-84 years	215,803	196,040	17,001	2,762
85+ years	182,906	166,528	14,661	1,717
Total	12,271,847	9,905,512	1,903,979	462,356
1998 Males	All Races	White	Black	Asian/Other
00 years	88,100	68,491	15,979	3,630
01-04 years	367,089	279,311	73,579	14,199
05-09 years	470,953	358,510	95,930	16,513
10-14 years	449,162	347,974	84,771	16,417
15-19 years	459,980	357,864	83,534	18,582
20-24 years	417,756	331,004	66,417	20,335
25-29 years	455,476	366,636	66,809	22,031
30-34 years	477,665	392,969	65,530	19,166
35-39 years	507,279	417,929	69,410	19,940
40-44 years	475,396	394,896	62,859	17,641
45-49 years	410,991	344,858	50,507	15,626
50-54 years	339,450	286,537	39,683	13,230
55-59 years	266,163	224,514	31,867	9,782
60-64 years	214,191	180,913	26,438	6,840
65-69 years	185,260	159,097	21,819	4,344
70-74 years	163,817	143,901	16,733	3,183
75-79 years	125,223	111,511	11,670	2,042
80-84 years	75,955	69,286	5,594	1,075
85+ years	49,585	44,903	4,087	595
Total	5,999,491	4,881,104	893,216	225,171
1998 Females	All Races	White	Black	Asian/Other
00 years	84,424	64,916	15,850	3,658
01-04 years	351,073	265,661	71,539	13,873
05-09 years	448,352	339,685	93,070	15,597
10-14 years	429,048	330,627	82,671	15,750
15-19 years	428,307	329,427	81,601	17,279
20-24 years	400,359	309,962	70,862	19,535
25-29 years	448,026	345,957	76,144	25,925
30-34 years	474,428	376,555	75,948	21,925
35-39 years	511,550	409,482	81,997	20,071
40-44 years	486,856	391,150	76,783	18,923
45-49 years	426,052	344,617	63,984	17,451
50-54 years	356,994	292,930	49,856	14,208
55-59 years	286,832	236,280	40,555	9,997
60-64 years	238,720	196,721	34,577	7,422
65-69 years	224,489	188,891	30,168	5,430
70-74 years	216,379	187,220	24,819	4,340
75-79 years	187,298	165,948	18,358	2,992
80-84 years	139,848	126,754	11,407	1,687
85+ years	133,321	121,625	10,574	1,122
Total	6,272,356	5,024,408	1,010,763	237,185

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	All Races	White	Black	Asian/Other
00 years	173,288	134,127	31,863	7,298
01-04 years	708,678	539,504	140,005	29,169
05-09 years	929,962	703,954	192,642	33,366
10-14 years	893,453	686,974	173,479	33,000
15-19 years	893,729	691,705	165,124	36,900
20-24 years	833,765	652,675	139,240	41,850
25-29 years	897,285	701,726	143,116	52,443
30-34 years	928,426	746,084	138,566	43,776
35-39 years	1,009,780	818,825	149,972	40,983
40-44 years	977,421	797,160	143,048	37,213
45-49 years	857,556	704,703	118,651	34,202
50-54 years	726,545	602,803	94,330	29,412
55-59 years	567,540	472,587	73,865	21,088
60-64 years	461,748	384,371	62,216	15,161
65-69 years	400,609	338,610	51,741	10,258
70-74 years	377,467	327,533	42,204	7,730
75-79 years	315,497	279,619	30,553	5,325
80-84 years	217,871	197,360	17,535	2,976
85+ years	188,400	171,445	15,110	1,845
Total	12,359,020	9,951,765	1,923,260	483,995
1999 Males	All Races	White	Black	Asian/Other
00 years	88,454	68,706	16,094	3,654
01-04 years	362,225	276,613	71,029	14,583
05-09 years	476,378	361,466	97,991	16,921
10-14 years	456,954	352,152	87,847	16,955
15-19 years	462,476	360,107	83,178	19,191
20-24 years	425,667	337,145	67,256	21,266
25-29 years	452,885	360,468	66,712	25,705
30-34 years	466,410	381,527	64,237	20,646
35-39 years	502,699	413,380	69,063	20,256
40-44 years	483,354	400,703	64,671	17,980
45-49 years	421,594	352,729	52,663	16,202
50-54 years	354,365	298,604	41,651	14,110
55-59 years	273,277	230,392	32,611	10,274
60-64 years	218,350	184,171	26,857	7,322
65-69 years	181,963	155,500	21,797	4,666
70-74 years	163,272	143,034	16,948	3,290
75-79 years	126,587	112,697	11,741	2,149
80-84 years	77,148	70,104	5,880	1,164
85+ years	51,612	46,783	4,203	626
Total	6,045,670	4,906,281	902,429	236,960
1999 Females	All Races	White	Black	Asian/Other
00 years	84,834	65,421	15,769	3,644
01-04 years	346,453	262,891	68,976	14,586
05-09 years	453,584	342,488	94,651	16,445
10-14 years	436,499	334,822	85,632	16,045
15-19 years	431,253	331,598	81,946	17,709
20-24 years	408,098	315,530	71,984	20,584
25-29 years	444,400	341,258	76,404	26,738
30-34 years	462,016	364,557	74,329	23,130
35-39 years	507,081	405,445	80,909	20,727
40-44 years	494,067	396,457	78,377	19,233
45-49 years	435,962	351,974	65,988	18,000
50-54 years	372,180	304,199	52,679	15,302
55-59 years	294,263	242,195	41,254	10,814
60-64 years	243,398	200,200	35,359	7,839
65-69 years	218,646	183,110	29,944	5,592
70-74 years	214,195	184,499	25,256	4,440
75-79 years	188,910	166,922	18,812	3,176
80-84 years	140,723	127,256	11,655	1,812
85+ years	136,788	124,662	10,907	1,219
Total	6,313,350	5,045,484	1,020,831	247,035

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,439	135,164	32,354	7,921
01-04 years	699,946	533,719	136,105	30,122
05-09 years	924,569	698,589	191,462	34,518
10-14 years	908,672	696,055	178,442	34,175
15-19 years	897,721	695,571	164,253	37,897
20-24 years	855,309	667,560	143,375	44,374
25-29 years	886,378	691,821	140,263	54,294
30-34 years	919,791	733,038	137,469	49,284
35-39 years	992,982	803,424	147,287	42,271
40-44 years	988,790	804,931	145,186	38,673
45-49 years	877,971	720,097	122,297	35,577
50-54 years	760,140	628,268	100,377	31,495
55-59 years	581,134	483,404	75,181	22,549
60-64 years	464,665	385,031	63,277	16,357
65-69 years	396,176	333,444	51,763	10,969
70-74 years	374,113	323,205	42,751	8,157
75-79 years	317,375	280,714	30,920	5,741
80-84 years	220,139	198,536	18,305	3,298
85+ years	192,851	175,264	15,465	2,122
Total	12,434,161	9,987,835	1,936,532	509,794
2000 Males	All Races	White	Black	Asian/Other
00 years	89,554	69,242	16,345	3,967
01-04 years	357,727	273,665	69,166	14,896
05-09 years	473,486	358,575	97,429	17,482
10-14 years	464,675	356,784	90,373	17,518
15-19 years	465,393	362,751	82,818	19,824
20-24 years	436,995	345,243	69,135	22,617
25-29 years	448,493	356,362	65,283	26,848
30-34 years	463,249	374,852	63,763	24,634
35-39 years	494,563	405,930	67,704	20,929
40-44 years	489,472	404,743	65,968	18,761
45-49 years	432,205	360,781	54,624	16,800
50-54 years	370,935	311,464	44,426	15,045
55-59 years	279,918	235,938	33,101	10,879
60-64 years	219,856	184,422	27,442	7,992
65-69 years	180,469	153,690	21,793	4,986
70-74 years	162,737	142,060	17,212	3,465
75-79 years	127,478	113,321	11,813	2,344
80-84 years	78,370	70,896	6,188	1,286
85+ years	53,309	48,335	4,272	702
Total	6,088,884	4,929,054	908,855	250,975
2000 Females	All Races	White	Black	Asian/Other
00 years	85,885	65,922	16,009	3,954
01-04 years	342,219	260,054	66,939	15,226
05-09 years	451,083	340,014	94,033	17,036
10-14 years	443,997	339,271	88,069	16,657
15-19 years	432,328	332,820	81,435	18,073
20-24 years	418,314	322,317	74,240	21,757
25-29 years	437,885	335,459	74,980	27,446
30-34 years	456,542	358,186	73,706	24,650
35-39 years	498,419	397,494	79,583	21,342
40-44 years	499,318	400,188	79,218	19,912
45-49 years	445,766	359,316	67,673	18,777
50-54 years	389,205	316,804	55,951	16,450
55-59 years	301,216	247,466	42,080	11,670
60-64 years	244,809	200,609	35,835	8,365
65-69 years	215,707	179,754	29,970	5,983
70-74 years	211,376	181,145	25,539	4,692
75-79 years	189,897	167,393	19,107	3,397
80-84 years	141,769	127,640	12,117	2,012
85+ years	139,542	126,929	11,193	1,420
Total	6,345,277	5,058,781	1,027,677	258,819

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	All Races	White	Black	Asian/Other
00 years	182,014	139,768	33,814	8,432
01-04 years	691,925	529,124	131,552	31,249
05-09 years	911,716	689,382	186,312	36,022
10-14 years	920,321	701,606	183,293	35,422
15-19 years	897,214	695,574	162,800	38,840
20-24 years	870,940	677,857	147,051	46,032
25-29 years	864,728	674,434	134,682	55,612
30-34 years	923,737	732,858	137,898	52,981
35-39 years	969,687	782,162	143,562	43,963
40-44 years	998,028	811,771	146,713	39,544
45-49 years	894,624	732,866	124,473	37,285
50-54 years	798,852	658,879	106,831	33,142
55-59 years	592,146	492,021	76,176	23,949
60-64 years	471,511	390,267	63,464	17,780
65-69 years	394,996	330,204	52,826	11,966
70-74 years	369,777	318,443	42,833	8,501
75-79 years	316,711	278,738	31,911	6,062
80-84 years	224,395	201,960	18,867	3,568
85+ years	195,123	177,585	15,191	2,347
Total	12,488,445	10,015,499	1,940,249	532,697
2001 Males	All Races	White	Black	Asian/Other
00 years	92,914	71,656	16,944	4,314
01-04 years	353,419	271,290	66,695	15,434
05-09 years	466,792	353,621	95,067	18,104
10-14 years	470,908	359,867	92,853	18,188
15-19 years	465,200	362,645	82,222	20,333
20-24 years	443,839	349,698	70,913	23,228
25-29 years	438,094	347,848	62,613	27,633
30-34 years	464,909	374,797	63,764	26,348
35-39 years	483,500	395,822	65,952	21,726
40-44 years	494,116	408,025	66,915	19,176
45-49 years	440,608	367,269	55,768	17,571
50-54 years	389,849	326,855	47,188	15,806
55-59 years	285,724	240,654	33,553	11,517
60-64 years	223,317	187,116	27,491	8,710
65-69 years	180,585	152,787	22,309	5,489
70-74 years	161,164	140,321	17,267	3,576
75-79 years	128,062	113,351	12,222	2,489
80-84 years	80,654	72,844	6,435	1,375
85+ years	54,348	49,454	4,133	761
Total	6,118,002	4,945,920	910,304	261,778
2001 Females	All Races	White	Black	Asian/Other
00 years	89,100	68,112	16,870	4,118
01-04 years	338,506	257,834	64,857	15,815
05-09 years	444,924	335,761	91,245	17,918
10-14 years	449,413	341,739	90,440	17,234
15-19 years	432,014	332,929	80,578	18,507
20-24 years	427,101	328,159	76,138	22,804
25-29 years	426,634	326,586	72,069	27,979
30-34 years	458,828	358,061	74,134	26,633
35-39 years	486,187	386,340	77,610	22,237
40-44 years	503,912	403,746	79,798	20,368
45-49 years	454,016	365,597	68,705	19,714
50-54 years	409,003	332,024	59,643	17,336
55-59 years	306,422	251,367	42,623	12,432
60-64 years	248,194	203,151	35,973	9,070
65-69 years	214,411	177,417	30,517	6,477
70-74 years	208,613	178,122	25,566	4,925
75-79 years	188,649	165,387	19,689	3,573
80-84 years	143,741	129,116	12,432	2,193
85+ years	140,775	128,131	11,058	1,586
Total	6,370,443	5,069,579	1,029,945	270,919

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	All Races	White	Black	Asian/Other
00 years	176,591	135,929	32,285	8,377
01-04 years	696,170	533,230	130,001	32,939
05-09 years	895,265	677,247	180,461	37,557
10-14 years	930,923	706,977	187,495	36,451
15-19 years	895,240	693,020	162,783	39,437
20-24 years	877,701	681,248	148,863	47,590
25-29 years	855,133	667,415	130,814	56,904
30-34 years	923,515	727,731	138,456	57,328
35-39 years	944,575	759,619	139,430	45,526
40-44 years	996,885	809,482	146,794	40,609
45-49 years	914,730	747,879	128,338	38,513
50-54 years	798,777	656,037	108,853	33,887
55-59 years	633,979	527,900	79,829	26,250
60-64 years	487,129	403,571	64,414	19,144
65-69 years	395,915	329,367	53,689	12,859
70-74 years	362,437	311,122	42,405	8,910
75-79 years	315,212	276,349	32,617	6,246
80-84 years	228,489	205,034	19,558	3,897
85+ years	196,890	179,177	15,158	2,555
Total	12,525,556	10,028,334	1,942,243	554,979
2002 Males	All Races	White	Black	Asian/Other
00 years	90,111	69,256	16,508	4,347
01-04 years	355,630	273,540	65,738	16,352
05-09 years	458,034	347,237	92,159	18,638
10-14 years	476,398	362,564	95,097	18,737
15-19 years	463,262	360,294	82,303	20,665
20-24 years	447,211	351,282	71,912	24,017
25-29 years	432,783	343,693	60,943	28,147
30-34 years	465,021	373,019	63,688	28,314
35-39 years	471,247	384,756	64,026	22,465
40-44 years	493,648	406,813	67,013	19,822
45-49 years	450,261	374,460	57,608	18,193
50-54 years	390,501	326,356	48,134	16,011
55-59 years	306,029	258,246	35,225	12,558
60-64 years	230,644	193,426	27,910	9,308
65-69 years	182,095	153,440	22,658	5,997
70-74 years	158,320	137,392	17,134	3,794
75-79 years	128,269	113,206	12,509	2,554
80-84 years	82,888	74,633	6,729	1,526
85+ years	55,307	50,343	4,123	841
Total	6,137,659	4,953,956	911,417	272,286
2002 Females	All Races	White	Black	Asian/Other
00 years	86,480	66,673	15,777	4,030
01-04 years	340,540	259,690	64,263	16,587
05-09 years	437,231	330,010	88,302	18,919
10-14 years	454,525	344,413	92,398	17,714
15-19 years	431,978	332,726	80,480	18,772
20-24 years	430,490	329,966	76,951	23,573
25-29 years	422,350	323,722	69,871	28,757
30-34 years	458,494	354,712	74,768	29,014
35-39 years	473,328	374,863	75,404	23,061
40-44 years	503,237	402,669	79,781	20,787
45-49 years	464,469	373,419	70,730	20,320
50-54 years	408,276	329,681	60,719	17,876
55-59 years	327,950	269,654	44,604	13,692
60-64 years	256,485	210,145	36,504	9,836
65-69 years	213,820	175,927	31,031	6,862
70-74 years	204,117	173,730	25,271	5,116
75-79 years	186,943	163,143	20,108	3,692
80-84 years	145,601	130,401	12,829	2,371
85+ years	141,583	128,834	11,035	1,714
Total	6,387,897	5,074,378	1,030,826	282,693

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,067	135,034	31,058	8,975
01-04 years	696,763	534,659	127,731	34,373
05-09 years	878,647	666,289	173,483	38,875
10-14 years	934,873	706,646	190,737	37,490
15-19 years	895,952	691,039	164,755	40,158
20-24 years	885,309	686,442	149,675	49,192
25-29 years	851,314	665,779	128,340	57,195
30-34 years	913,055	715,550	137,170	60,335
35-39 years	921,738	738,187	135,798	47,753
40-44 years	989,314	801,882	145,641	41,791
45-49 years	932,188	760,534	131,824	39,830
50-54 years	811,359	665,374	111,042	34,943
55-59 years	655,253	543,591	83,428	28,234
60-64 years	509,631	423,500	65,743	20,388
65-69 years	403,600	335,044	54,682	13,874
70-74 years	355,695	303,372	42,888	9,435
75-79 years	314,438	274,963	32,826	6,649
80-84 years	231,567	207,279	20,178	4,110
85+ years	200,243	182,145	15,341	2,757
Total	12,556,006	10,037,309	1,942,340	576,357
2003 Males	All Races	White	Black	Asian/Other
00 years	89,850	69,567	15,633	4,650
01-04 years	355,505	273,624	64,739	17,142
05-09 years	449,053	341,643	88,188	19,222
10-14 years	478,322	362,351	96,799	19,172
15-19 years	463,364	358,903	83,406	21,055
20-24 years	450,472	353,123	72,435	24,914
25-29 years	430,703	342,658	59,963	28,082
30-34 years	459,817	366,949	63,135	29,733
35-39 years	459,961	374,154	62,215	23,592
40-44 years	489,999	403,245	66,410	20,344
45-49 years	458,797	380,429	59,499	18,869
50-54 years	396,751	331,113	49,142	16,496
55-59 years	316,817	266,718	36,787	13,312
60-64 years	241,245	202,941	28,419	9,885
65-69 years	186,314	156,680	23,089	6,545
70-74 years	155,480	134,079	17,369	4,032
75-79 years	128,800	113,594	12,451	2,755
80-84 years	84,771	76,137	7,063	1,571
85+ years	57,126	51,992	4,180	954
Total	6,153,147	4,959,900	910,922	282,325
2003 Females	All Races	White	Black	Asian/Other
00 years	85,217	65,467	15,425	4,325
01-04 years	341,258	261,035	62,992	17,231
05-09 years	429,594	324,646	85,295	19,653
10-14 years	456,551	344,295	93,938	18,318
15-19 years	432,588	332,136	81,349	19,103
20-24 years	434,837	333,319	77,240	24,278
25-29 years	420,611	323,121	68,377	29,113
30-34 years	453,238	348,601	74,035	30,602
35-39 years	461,777	364,033	73,583	24,161
40-44 years	499,315	398,637	79,231	21,447
45-49 years	473,391	380,105	72,325	20,961
50-54 years	414,608	334,261	61,900	18,447
55-59 years	338,436	276,873	46,641	14,922
60-64 years	268,386	220,559	37,324	10,503
65-69 years	217,286	178,364	31,593	7,329
70-74 years	200,215	169,293	25,519	5,403
75-79 years	185,638	161,369	20,375	3,894
80-84 years	146,796	131,142	13,115	2,539
85+ years	143,117	130,153	11,161	1,803
Total	6,402,859	5,077,409	1,031,418	294,032

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	All Races	White	Black	Asian/Other
00 years	175,433	135,407	31,034	8,992
01-04 years	696,198	534,707	125,405	36,086
05-09 years	862,340	655,867	166,227	40,246
10-14 years	932,571	702,514	191,598	38,459
15-19 years	905,172	694,617	169,203	41,352
20-24 years	893,225	692,923	149,887	50,415
25-29 years	855,707	668,244	129,000	58,463
30-34 years	895,938	699,034	134,999	61,905
35-39 years	901,438	719,081	132,142	50,215
40-44 years	980,971	793,549	143,952	43,470
45-49 years	944,741	769,622	134,714	40,405
50-54 years	827,820	677,801	113,904	36,115
55-59 years	683,028	565,307	87,543	30,178
60-64 years	523,872	435,057	67,013	21,802
65-69 years	412,331	342,020	55,201	15,110
70-74 years	349,297	296,285	43,064	9,948
75-79 years	310,471	270,401	33,136	6,934
80-84 years	235,573	210,408	20,820	4,345
85+ years	203,647	184,989	15,631	3,027
Total	12,589,773	10,047,833	1,944,473	597,467
2004 Males	All Races	White	Black	Asian/Other
00 years	89,786	69,300	15,834	4,652
01-04 years	355,473	273,990	63,384	18,099
05-09 years	441,115	336,583	84,673	19,859
10-14 years	476,921	360,245	97,185	19,491
15-19 years	468,246	360,697	85,752	21,797
20-24 years	457,173	357,998	73,230	25,945
25-29 years	432,643	343,665	60,449	28,529
30-34 years	450,964	358,566	61,884	30,514
35-39 years	450,439	364,956	60,738	24,745
40-44 years	486,070	399,090	65,924	21,056
45-49 years	465,474	385,191	60,949	19,334
50-54 years	405,133	337,662	50,618	16,853
55-59 years	330,198	277,505	38,502	14,191
60-64 years	248,476	208,894	29,061	10,521
65-69 years	190,601	160,079	23,301	7,221
70-74 years	152,876	131,221	17,372	4,283
75-79 years	128,269	112,805	12,588	2,876
80-84 years	86,963	77,945	7,347	1,671
85+ years	58,744	53,440	4,254	1,050
Total	6,175,564	4,969,832	913,045	292,687
2004 Females	All Races	White	Black	Asian/Other
00 years	85,647	66,107	15,200	4,340
01-04 years	340,725	260,717	62,021	17,987
05-09 years	421,225	319,284	81,554	20,387
10-14 years	455,650	342,269	94,413	18,968
15-19 years	436,926	333,920	83,451	19,555
20-24 years	436,052	334,925	76,657	24,470
25-29 years	423,064	324,579	68,551	29,934
30-34 years	444,974	340,468	73,115	31,391
35-39 years	450,999	354,125	71,404	25,470
40-44 years	494,901	394,459	78,028	22,414
45-49 years	479,267	384,431	73,765	21,071
50-54 years	422,687	340,139	63,286	19,262
55-59 years	352,830	287,802	49,041	15,987
60-64 years	275,396	226,163	37,952	11,281
65-69 years	221,730	181,941	31,900	7,889
70-74 years	196,421	165,064	25,692	5,665
75-79 years	182,202	157,596	20,548	4,058
80-84 years	148,610	132,463	13,473	2,674
85+ years	144,903	131,549	11,377	1,977
Total	6,414,209	5,078,001	1,031,428	304,780

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	All Races	White	Black	Asian/Other
00 years	170,542	130,970	30,179	9,393
01-04 years	695,164	533,585	124,171	37,408
05-09 years	849,518	647,948	159,713	41,857
10-14 years	923,414	694,468	189,410	39,536
15-19 years	914,275	697,628	174,137	42,510
20-24 years	887,761	689,488	147,215	51,058
25-29 years	866,083	673,867	132,562	59,654
30-34 years	872,576	678,729	130,952	62,895
35-39 years	894,288	709,913	130,624	53,751
40-44 years	962,577	777,279	140,530	44,768
45-49 years	956,112	777,548	137,430	41,134
50-54 years	846,124	692,668	116,312	37,144
55-59 years	720,161	593,867	93,765	32,529
60-64 years	533,991	443,647	67,515	22,829
65-69 years	416,992	344,826	55,790	16,376
70-74 years	345,362	291,275	43,500	10,587
75-79 years	309,059	268,191	33,505	7,363
80-84 years	237,858	211,971	21,261	4,626
85+ years	208,046	188,509	16,282	3,255
Total	12,609,903	10,046,377	1,944,853	618,673
2005 Males	All Races	White	Black	Asian/Other
00 years	87,581	67,298	15,513	4,770
01-04 years	355,118	273,535	62,761	18,822
05-09 years	433,859	332,117	81,113	20,629
10-14 years	473,075	356,574	96,418	20,083
15-19 years	471,806	361,204	88,259	22,343
20-24 years	453,595	355,312	72,032	26,251
25-29 years	437,507	346,001	62,573	28,933
30-34 years	438,795	347,660	60,011	31,124
35-39 years	447,535	361,310	59,894	26,331
40-44 years	476,681	390,636	64,373	21,672
45-49 years	471,149	389,013	62,425	19,711
50-54 years	414,128	344,982	51,865	17,281
55-59 years	348,751	292,358	41,138	15,255
60-64 years	253,941	213,735	29,278	10,928
65-69 years	192,586	161,292	23,500	7,794
70-74 years	152,160	129,839	17,650	4,671
75-79 years	128,452	112,637	12,741	3,074
80-84 years	88,696	79,384	7,552	1,760
85+ years	60,657	55,081	4,444	1,132
Total	6,186,072	4,969,968	913,540	302,564
2005 Females	All Races	White	Black	Asian/Other
00 years	82,961	63,672	14,666	4,623
01-04 years	340,046	260,050	61,410	18,586
05-09 years	415,659	315,831	78,600	21,228
10-14 years	450,339	337,894	92,992	19,453
15-19 years	442,469	336,424	85,878	20,167
20-24 years	434,166	334,176	75,183	24,807
25-29 years	428,576	327,866	69,989	30,721
30-34 years	433,781	331,069	70,941	31,771
35-39 years	446,753	348,603	70,730	27,420
40-44 years	485,896	386,643	76,157	23,096
45-49 years	484,963	388,535	75,005	21,423
50-54 years	431,996	347,686	64,447	19,863
55-59 years	371,410	301,509	52,627	17,274
60-64 years	280,050	229,912	38,237	11,901
65-69 years	224,406	183,534	32,290	8,582
70-74 years	193,202	161,436	25,850	5,916
75-79 years	180,607	155,554	20,764	4,289
80-84 years	149,162	132,587	13,709	2,866
85+ years	147,389	133,428	11,838	2,123
Total	6,423,831	5,076,409	1,031,313	316,109

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	All Races	White	Black	Asian/Other
00 years	169,033	129,304	30,309	9,420
01-04 years	684,749	525,037	121,213	38,499
05-09 years	847,980	646,466	157,625	43,889
10-14 years	913,671	687,592	185,037	41,042
15-19 years	921,587	699,365	178,697	43,525
20-24 years	882,932	685,638	145,009	52,285
25-29 years	885,291	687,133	135,922	62,236
30-34 years	852,538	662,240	126,417	63,881
35-39 years	896,374	707,605	131,981	56,788
40-44 years	938,217	754,709	137,191	46,317
45-49 years	964,149	783,274	139,172	41,703
50-54 years	862,914	705,216	119,055	38,643
55-59 years	756,726	622,889	99,654	34,183
60-64 years	544,441	451,676	68,545	24,220
65-69 years	422,623	349,241	55,767	17,615
70-74 years	343,777	288,001	44,271	11,505
75-79 years	305,729	264,851	33,291	7,587
80-84 years	237,652	210,948	21,859	4,845
85+ years	213,572	193,251	16,821	3,500
Total	12,643,955	10,054,436	1,947,836	641,683
2006 Males	All Races	White	Black	Asian/Other
00 years	86,058	65,851	15,414	4,793
01-04 years	350,282	269,353	61,558	19,371
05-09 years	432,746	331,345	79,660	21,741
10-14 years	467,938	352,755	94,453	20,730
15-19 years	475,323	361,879	90,613	22,831
20-24 years	452,086	354,015	71,209	26,862
25-29 years	445,687	351,515	64,046	30,126
30-34 years	429,108	339,463	57,939	31,706
35-39 years	448,168	359,800	60,540	27,828
40-44 years	465,428	379,985	63,027	22,416
45-49 years	475,339	391,809	63,505	20,025
50-54 years	422,184	350,992	53,263	17,929
55-59 years	366,500	306,801	43,680	16,019
60-64 years	259,204	217,995	29,717	11,492
65-69 years	195,347	163,484	23,431	8,432
70-74 years	152,414	129,198	18,075	5,141
75-79 years	127,262	111,519	12,642	3,101
80-84 years	89,680	79,996	7,776	1,908
85+ years	63,179	57,358	4,612	1,209
Total	6,203,933	4,975,113	915,160	313,660
2006 Females	All Races	White	Black	Asian/Other
00 years	82,975	63,453	14,895	4,627
01-04 years	334,467	255,684	59,655	19,128
05-09 years	415,234	315,121	77,965	22,148
10-14 years	445,733	334,837	90,584	20,312
15-19 years	446,264	337,486	88,084	20,694
20-24 years	430,846	331,623	73,800	25,423
25-29 years	439,604	335,618	71,876	32,110
30-34 years	423,430	322,777	68,478	32,175
35-39 years	448,206	347,805	71,441	28,960
40-44 years	472,789	374,724	74,164	23,901
45-49 years	488,810	391,465	75,667	21,678
50-54 years	440,730	354,224	65,792	20,714
55-59 years	390,226	316,088	55,974	18,164
60-64 years	285,237	233,681	38,828	12,728
65-69 years	227,276	185,757	32,336	9,183
70-74 years	191,363	158,803	26,196	6,364
75-79 years	178,467	153,332	20,649	4,486
80-84 years	147,972	130,952	14,083	2,937
85+ years	150,393	135,893	12,209	2,291
Total	6,440,022	5,079,323	1,032,676	328,023

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	All Races	White	Black	Asian/Other
00 years	171,292	130,410	31,207	9,675
01-04 years	680,035	519,964	120,176	39,895
05-09 years	849,196	648,054	155,205	45,937
10-14 years	902,390	679,121	180,422	42,847
15-19 years	928,377	701,655	182,108	44,614
20-24 years	880,284	683,003	144,362	52,919
25-29 years	896,088	694,439	136,892	64,757
30-34 years	846,449	657,755	123,484	65,210
35-39 years	895,616	701,496	133,256	60,864
40-44 years	914,035	732,788	133,627	47,620
45-49 years	963,025	781,173	139,172	42,680
50-54 years	884,179	721,078	123,200	39,901
55-59 years	757,044	620,696	101,393	34,955
60-64 years	585,472	487,122	71,880	26,470
65-69 years	438,209	362,354	56,874	18,981
70-74 years	345,528	288,337	44,905	12,286
75-79 years	300,856	259,965	32,982	7,909
80-84 years	237,865	210,378	22,419	5,068
85+ years	219,926	198,555	17,593	3,778
Total	12,695,866	10,078,343	1,951,157	666,366
2007 Males	All Races	White	Black	Asian/Other
00 years	87,088	66,292	15,807	4,989
01-04 years	347,598	266,786	60,796	20,016
05-09 years	433,174	331,859	78,468	22,847
10-14 years	461,889	348,231	92,169	21,489
15-19 years	478,022	362,349	92,276	23,397
20-24 years	450,322	352,226	70,917	27,179
25-29 years	450,353	354,514	64,441	31,398
30-34 years	425,658	336,511	56,862	32,285
35-39 years	447,670	357,193	60,781	29,696
40-44 years	453,514	369,022	61,355	23,137
45-49 years	474,963	390,669	63,767	20,527
50-54 years	432,359	358,641	55,147	18,571
55-59 years	367,365	306,672	44,495	16,198
60-64 years	279,088	235,298	31,265	12,525
65-69 years	202,844	169,866	23,919	9,059
70-74 years	154,084	130,248	18,258	5,578
75-79 years	125,966	110,070	12,626	3,270
80-84 years	90,580	80,606	8,007	1,967
85+ years	65,752	59,575	4,851	1,326
Total	6,228,289	4,986,628	916,207	325,454
2007 Females	All Races	White	Black	Asian/Other
00 years	84,204	64,118	15,400	4,686
01-04 years	332,437	253,178	59,380	19,879
05-09 years	416,022	316,195	76,737	23,090
10-14 years	440,501	330,890	88,253	21,358
15-19 years	450,355	339,306	89,832	21,217
20-24 years	429,962	330,777	73,445	25,740
25-29 years	445,735	339,925	72,451	33,359
30-34 years	420,791	321,244	66,622	32,925
35-39 years	447,946	344,303	72,475	31,168
40-44 years	460,521	363,766	72,272	24,483
45-49 years	488,062	390,504	75,405	22,153
50-54 years	451,820	362,437	68,053	21,330
55-59 years	389,679	314,024	56,898	18,757
60-64 years	306,384	251,824	40,615	13,945
65-69 years	235,365	192,488	32,955	9,922
70-74 years	191,444	158,089	26,647	6,708
75-79 years	174,890	149,895	20,356	4,639
80-84 years	147,285	129,772	14,412	3,101
85+ years	154,174	138,980	12,742	2,452
Total	6,467,577	5,091,715	1,034,950	340,912

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	All Races	White	Black	Asian/Other
00 years	167,968	127,193	30,801	9,974
01-04 years	679,695	517,513	121,197	40,985
05-09 years	851,542	649,864	153,271	48,407
10-14 years	892,352	673,078	174,996	44,278
15-19 years	931,065	699,910	185,452	45,703
20-24 years	876,545	677,997	144,948	53,600
25-29 years	910,258	706,342	137,419	66,497
30-34 years	847,213	659,641	122,168	65,404
35-39 years	886,700	690,639	132,618	63,443
40-44 years	893,262	713,156	130,473	49,633
45-49 years	956,686	774,510	138,174	44,002
50-54 years	903,901	735,748	126,902	41,251
55-59 years	773,071	632,972	103,768	36,331
60-64 years	607,263	503,406	75,316	28,541
65-69 years	459,748	381,396	58,171	20,181
70-74 years	352,243	293,507	45,534	13,202
75-79 years	295,130	253,451	33,366	8,313
80-84 years	237,298	209,555	22,366	5,377
85+ years	225,098	202,785	18,291	4,022
Total	12,747,038	10,102,663	1,955,231	689,144
2008 Males	All Races	White	Black	Asian/Other
00 years	85,428	64,702	15,710	5,016
01-04 years	346,730	264,666	61,431	20,633
05-09 years	434,399	332,826	77,447	24,126
10-14 years	456,320	345,265	88,833	22,222
15-19 years	479,091	361,261	94,041	23,789
20-24 years	448,311	349,338	71,346	27,627
25-29 years	457,001	360,012	64,698	32,291
30-34 years	425,636	337,220	56,357	32,059
35-39 years	443,154	351,802	60,537	30,815
40-44 years	443,341	359,266	59,849	24,226
45-49 years	472,034	387,652	63,214	21,168
50-54 years	442,161	365,669	57,261	19,231
55-59 years	375,209	312,749	45,517	16,943
60-64 years	290,220	244,078	32,795	13,347
65-69 years	213,062	179,051	24,419	9,592
70-74 years	157,850	133,217	18,533	6,100
75-79 years	123,871	107,660	12,759	3,452
80-84 years	91,303	81,319	7,874	2,110
85+ years	68,380	61,822	5,156	1,402
Total	6,253,501	4,999,575	917,777	336,149
2008 Females	All Races	White	Black	Asian/Other
00 years	82,540	62,491	15,091	4,958
01-04 years	332,965	252,847	59,766	20,352
05-09 years	417,143	317,038	75,824	24,281
10-14 years	436,032	327,813	86,163	22,056
15-19 years	451,974	338,649	91,411	21,914
20-24 years	428,234	328,659	73,602	25,973
25-29 years	453,257	346,330	72,721	34,206
30-34 years	421,577	322,421	65,811	33,345
35-39 years	443,546	338,837	72,081	32,628
40-44 years	449,921	353,890	70,624	25,407
45-49 years	484,652	386,858	74,960	22,834
50-54 years	461,740	370,079	69,641	22,020
55-59 years	397,862	320,223	58,251	19,388
60-64 years	317,043	259,328	42,521	15,194
65-69 years	246,686	202,345	33,752	10,589
70-74 years	194,393	160,290	27,001	7,102
75-79 years	171,259	145,791	20,607	4,861
80-84 years	145,995	128,236	14,492	3,267
85+ years	156,718	140,963	13,135	2,620
Total	6,493,537	5,103,088	1,037,454	352,995

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	All Races	White	Black	Asian/Other
00 years	164,646	124,155	29,977	10,514
01-04 years	675,629	511,337	122,049	42,243
05-09 years	857,360	653,996	152,608	50,756
10-14 years	883,928	668,383	169,513	46,032
15-19 years	928,201	694,845	186,663	46,693
20-24 years	877,648	675,274	147,430	54,944
25-29 years	914,697	711,443	136,085	67,169
30-34 years	855,772	665,548	123,779	66,445
35-39 years	871,430	675,058	131,454	64,918
40-44 years	875,346	696,279	127,112	51,955
45-49 years	951,529	768,833	136,813	45,883
50-54 years	919,619	747,354	130,282	41,983
55-59 years	792,394	648,144	106,655	37,595
60-64 years	636,573	526,825	79,313	30,435
65-69 years	475,070	393,444	59,842	21,784
70-74 years	360,531	300,339	45,906	14,286
75-79 years	290,359	248,235	33,405	8,719
80-84 years	235,236	206,920	22,703	5,613
85+ years	230,810	207,326	19,237	4,247
Total	12,796,778	10,123,738	1,960,826	712,214
2009 Males	All Races	White	Black	Asian/Other
00 years	84,067	63,417	15,285	5,365
01-04 years	344,363	261,404	61,786	21,173
05-09 years	437,254	334,801	77,160	25,293
10-14 years	452,140	342,816	86,247	23,077
15-19 years	476,519	357,880	94,451	24,188
20-24 years	447,564	346,835	72,331	28,398
25-29 years	459,187	362,434	64,104	32,649
30-34 years	429,092	339,638	57,122	32,332
35-39 years	434,765	343,502	59,687	31,576
40-44 years	434,796	350,942	58,513	25,341
45-49 years	469,227	384,347	62,972	21,908
50-54 years	450,526	371,765	58,938	19,823
55-59 years	384,729	320,441	46,985	17,303
60-64 years	304,478	255,922	34,400	14,156
65-69 years	220,766	185,177	25,261	10,328
70-74 years	161,814	136,510	18,621	6,683
75-79 years	122,312	105,929	12,745	3,638
80-84 years	91,462	81,247	7,986	2,229
85+ years	70,994	64,042	5,450	1,502
Total	6,276,055	5,009,049	920,044	346,962
2009 Females	All Races	White	Black	Asian/Other
00 years	80,579	60,738	14,692	5,149
01-04 years	331,266	249,933	60,263	21,070
05-09 years	420,106	319,195	75,448	25,463
10-14 years	431,788	325,567	83,266	22,955
15-19 years	451,682	336,965	92,212	22,505
20-24 years	430,084	328,439	75,099	26,546
25-29 years	455,510	349,009	71,981	34,520
30-34 years	426,680	325,910	66,657	34,113
35-39 years	436,665	331,556	71,767	33,342
40-44 years	440,550	345,337	68,599	26,614
45-49 years	482,302	384,486	73,841	23,975
50-54 years	469,093	375,589	71,344	22,160
55-59 years	407,665	327,703	59,670	20,292
60-64 years	332,095	270,903	44,913	16,279
65-69 years	254,304	208,267	34,581	11,456
70-74 years	198,717	163,829	27,285	7,603
75-79 years	168,047	142,306	20,660	5,081
80-84 years	143,774	125,673	14,717	3,384
85+ years	159,816	143,284	13,787	2,745
Total	6,520,723	5,114,689	1,040,782	365,252

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	All Races	White	Black	Asian/Other
00 years	163,767	123,254	30,007	10,506
01-04 years	671,033	506,589	121,469	42,975
05-09 years	857,438	652,333	152,021	53,084
10-14 years	877,818	665,087	165,062	47,669
15-19 years	920,259	688,201	184,379	47,679
20-24 years	880,138	672,397	151,789	55,952
25-29 years	909,788	708,972	133,685	67,131
30-34 years	868,881	674,254	127,528	67,099
35-39 years	851,287	658,050	127,888	65,349
40-44 years	870,048	688,329	126,531	55,188
45-49 years	936,046	754,915	134,066	47,065
50-54 years	932,381	756,447	133,256	42,678
55-59 years	812,811	664,450	109,518	38,843
60-64 years	672,857	554,980	85,165	32,712
65-69 years	487,940	404,022	60,915	23,003
70-74 years	366,102	304,002	46,581	15,519
75-79 years	288,997	245,554	34,109	9,334
80-84 years	235,865	206,658	23,262	5,945
85+ years	237,089	212,312	20,234	4,543
Total	12,840,545	10,140,806	1,967,465	732,274
2010 Males	All Races	White	Black	Asian/Other
00 years	83,879	63,121	15,365	5,393
01-04 years	341,737	258,605	61,443	21,689
05-09 years	437,609	334,174	76,966	26,469
10-14 years	448,026	340,583	83,646	23,797
15-19 years	472,792	354,468	93,650	24,674
20-24 years	448,002	344,790	74,325	28,887
25-29 years	456,810	360,924	63,190	32,696
30-34 years	435,270	343,638	59,077	32,555
35-39 years	424,340	334,477	58,098	31,765
40-44 years	432,652	347,551	58,262	26,839
45-49 years	461,534	377,272	61,815	22,447
50-54 years	456,861	376,186	60,513	20,162
55-59 years	394,729	328,389	48,421	17,919
60-64 years	322,391	270,303	36,867	15,221
65-69 years	227,401	190,774	25,814	10,813
70-74 years	164,234	138,125	18,846	7,263
75-79 years	122,755	105,645	13,111	3,999
80-84 years	92,351	81,784	8,225	2,342
85+ years	73,737	66,385	5,748	1,604
Total	6,297,110	5,017,194	923,382	356,534
2010 Females	All Races	White	Black	Asian/Other
00 years	79,888	60,133	14,642	5,113
01-04 years	329,296	247,984	60,026	21,286
05-09 years	419,829	318,159	75,055	26,615
10-14 years	429,792	324,504	81,416	23,872
15-19 years	447,467	333,733	90,729	23,005
20-24 years	432,136	327,607	77,464	27,065
25-29 years	452,978	348,048	70,495	34,435
30-34 years	433,611	330,616	68,451	34,544
35-39 years	426,947	323,573	69,790	33,584
40-44 years	437,396	340,778	68,269	28,349
45-49 years	474,512	377,643	72,251	24,618
50-54 years	475,520	380,261	72,743	22,516
55-59 years	418,082	336,061	61,097	20,924
60-64 years	350,466	284,677	48,298	17,491
65-69 years	260,539	213,248	35,101	12,190
70-74 years	201,868	165,877	27,735	8,256
75-79 years	166,242	139,909	20,998	5,335
80-84 years	143,514	124,874	15,037	3,603
85+ years	163,352	145,927	14,486	2,939
Total	6,543,435	5,123,612	1,044,083	375,740

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	All Races	White	Black	Asian/Other
00 years	162,099	122,311	29,435	10,353
01-04 years	663,317	499,924	120,185	43,208
05-09 years	850,924	647,192	149,589	54,143
10-14 years	872,280	661,201	161,972	49,107
15-19 years	908,093	680,146	178,998	48,949
20-24 years	887,529	670,736	159,130	57,663
25-29 years	906,505	704,956	133,590	67,959
30-34 years	881,534	683,265	129,268	69,001
35-39 years	830,080	640,805	123,262	66,013
40-44 years	873,337	687,019	127,588	58,730
45-49 years	912,260	732,943	130,829	48,488
50-54 years	938,800	761,566	133,964	43,270
55-59 years	831,180	678,132	112,641	40,407
60-64 years	707,983	583,370	90,023	34,590
65-69 years	499,357	412,866	61,877	24,614
70-74 years	374,548	310,478	47,314	16,756
75-79 years	289,985	244,397	35,328	10,260
80-84 years	235,358	205,468	23,575	6,315
85+ years	242,614	216,535	21,067	5,012
Total	12,867,783	10,143,310	1,969,635	754,838
2011 Males	All Races	White	Black	Asian/Other
00 years	83,225	62,767	15,098	5,360
01-04 years	337,674	255,013	60,832	21,829
05-09 years	434,578	331,789	75,686	27,103
10-14 years	444,773	338,250	82,001	24,522
15-19 years	466,275	349,737	91,311	25,227
20-24 years	451,597	343,584	78,383	29,630
25-29 years	455,902	359,057	63,655	33,190
30-34 years	441,170	347,804	59,983	33,383
35-39 years	414,392	325,893	56,239	32,260
40-44 years	433,982	347,036	58,603	28,343
45-49 years	450,425	366,961	60,252	23,212
50-54 years	460,397	378,785	61,194	20,418
55-59 years	403,694	335,236	49,791	18,667
60-64 years	338,975	284,232	38,734	16,009
65-69 years	233,464	195,605	26,287	11,572
70-74 years	168,299	141,331	19,120	7,848
75-79 years	123,948	105,774	13,628	4,546
80-84 years	92,570	81,727	8,378	2,465
85+ years	76,580	68,752	6,060	1,768
Total	6,311,920	5,019,333	925,235	367,352
2011 Females	All Races	White	Black	Asian/Other
00 years	78,874	59,544	14,337	4,993
01-04 years	325,643	244,911	59,353	21,379
05-09 years	416,346	315,403	73,903	27,040
10-14 years	427,507	322,951	79,971	24,585
15-19 years	441,818	330,409	87,687	23,722
20-24 years	435,932	327,152	80,747	28,033
25-29 years	450,603	345,899	69,935	34,769
30-34 years	440,364	335,461	69,285	35,618
35-39 years	415,688	314,912	67,023	33,753
40-44 years	439,355	339,983	68,985	30,387
45-49 years	461,835	365,982	70,577	25,276
50-54 years	478,403	382,781	72,770	22,852
55-59 years	427,486	342,896	62,850	21,740
60-64 years	369,008	299,138	51,289	18,581
65-69 years	265,893	217,261	35,590	13,042
70-74 years	206,249	169,147	28,194	8,908
75-79 years	166,037	138,623	21,700	5,714
80-84 years	142,788	123,741	15,197	3,850
85+ years	166,034	147,783	15,007	3,244
Total	6,555,863	5,123,977	1,044,400	387,486

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	All Races	White	Black	Asian/Other
00 years	159,693	119,593	29,593	10,507
01-04 years	654,227	492,608	118,032	43,587
05-09 years	847,642	643,762	148,723	55,157
10-14 years	864,883	656,027	158,391	50,465
15-19 years	891,375	668,282	173,108	49,985
20-24 years	898,540	672,794	165,991	59,755
25-29 years	899,641	696,592	134,416	68,633
30-34 years	889,829	688,579	130,108	71,142
35-39 years	821,940	634,717	120,560	66,663
40-44 years	869,650	679,213	128,031	62,406
45-49 years	889,400	712,032	127,517	49,851
50-54 years	933,919	756,674	133,177	44,068
55-59 years	850,656	692,785	116,277	41,594
60-64 years	709,461	582,182	91,524	35,755
65-69 years	538,183	446,254	65,185	26,744
70-74 years	389,415	322,559	48,675	18,181
75-79 years	293,369	245,888	36,264	11,217
80-84 years	232,487	201,932	23,838	6,717
85+ years	248,719	221,206	21,980	5,533
Total	12,883,029	10,133,679	1,971,390	777,960
2012 Males	All Races	White	Black	Asian/Other
00 years	81,325	60,846	15,062	5,417
01-04 years	334,046	251,992	59,954	22,100
05-09 years	432,154	329,316	75,192	27,646
10-14 years	441,278	335,695	80,219	25,364
15-19 years	457,071	343,099	88,340	25,632
20-24 years	457,452	344,738	82,144	30,570
25-29 years	452,843	354,505	64,615	33,723
30-34 years	445,263	350,299	60,530	34,434
35-39 years	410,639	322,872	55,247	32,520
40-44 years	432,224	343,428	58,744	30,052
45-49 years	439,557	357,062	58,611	23,884
50-54 years	457,987	376,258	60,959	20,770
55-59 years	413,240	342,394	51,610	19,236
60-64 years	340,193	284,464	39,291	16,438
65-69 years	252,414	212,135	27,710	12,569
70-74 years	175,143	147,042	19,612	8,489
75-79 years	126,157	107,084	13,970	5,103
80-84 years	91,841	80,697	8,470	2,674
85+ years	79,384	71,037	6,410	1,937
Total	6,320,211	5,014,963	926,690	378,558
2012 Females	All Races	White	Black	Asian/Other
00 years	78,368	58,747	14,531	5,090
01-04 years	320,181	240,616	58,078	21,487
05-09 years	415,488	314,446	73,531	27,511
10-14 years	423,605	320,332	78,172	25,101
15-19 years	434,304	325,183	84,768	24,353
20-24 years	441,088	328,056	83,847	29,185
25-29 years	446,798	342,087	69,801	34,910
30-34 years	444,566	338,280	69,578	36,708
35-39 years	411,301	311,845	65,313	34,143
40-44 years	437,426	335,785	69,287	32,354
45-49 years	449,843	354,970	68,906	25,967
50-54 years	475,932	380,416	72,218	23,298
55-59 years	437,416	350,391	64,667	22,358
60-64 years	369,268	297,718	52,233	19,317
65-69 years	285,769	234,119	37,475	14,175
70-74 years	214,272	175,517	29,063	9,692
75-79 years	167,212	138,804	22,294	6,114
80-84 years	140,646	121,235	15,368	4,043
85+ years	169,335	150,169	15,570	3,596
Total	6,562,818	5,118,716	1,044,700	399,402

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	All Races	White	Black	Asian/Other
00 years	157,125	116,921	29,424	10,780
01-04 years	644,142	483,961	116,242	43,939
05-09 years	842,371	638,150	148,274	55,947
10-14 years	858,290	652,026	154,261	52,003
15-19 years	875,843	658,571	166,402	50,870
20-24 years	906,356	672,529	172,086	61,741
25-29 years	897,893	690,672	136,888	70,333
30-34 years	897,268	692,324	131,193	73,751
35-39 years	824,147	637,238	119,233	67,676
40-44 years	858,428	666,298	127,358	64,772
45-49 years	867,256	691,582	124,405	51,269
50-54 years	926,328	748,986	131,959	45,383
55-59 years	866,870	704,914	119,351	42,605
60-64 years	722,184	591,369	93,710	37,105
65-69 years	558,512	461,906	67,969	28,637
70-74 years	409,870	339,962	50,360	19,548
75-79 years	299,827	250,680	36,958	12,189
80-84 years	229,946	198,192	24,517	7,237
85+ years	253,122	224,281	22,747	6,094
Total	12,895,778	10,120,562	1,973,337	801,879
2013 Males	All Races	White	Black	Asian/Other
00 years	80,309	59,953	14,872	5,484
01-04 years	329,071	247,484	59,227	22,360
05-09 years	429,139	326,054	74,931	28,154
10-14 years	437,720	333,658	77,950	26,112
15-19 years	448,812	337,839	84,929	26,044
20-24 years	461,959	344,714	85,726	31,519
25-29 years	453,629	352,488	66,304	34,837
30-34 years	448,702	351,602	61,145	35,955
35-39 years	412,430	324,484	55,003	32,943
40-44 years	426,318	336,987	58,143	31,188
45-49 years	429,047	347,194	57,179	24,674
50-54 years	454,418	372,692	60,396	21,330
55-59 years	421,667	348,580	53,309	19,778
60-64 years	346,078	288,938	40,201	16,939
65-69 years	262,576	220,360	28,823	13,393
70-74 years	184,835	155,319	20,349	9,167
75-79 years	129,456	109,649	14,234	5,573
80-84 years	91,417	79,762	8,735	2,920
85+ years	81,683	72,864	6,659	2,160
Total	6,329,266	5,010,621	928,115	390,530
2013 Females	All Races	White	Black	Asian/Other
00 years	76,816	56,968	14,552	5,296
01-04 years	315,071	236,477	57,015	21,579
05-09 years	413,232	312,096	73,343	27,793
10-14 years	420,570	318,368	76,311	25,891
15-19 years	427,031	320,732	81,473	24,826
20-24 years	444,397	327,815	86,360	30,222
25-29 years	444,264	338,184	70,584	35,496
30-34 years	448,566	340,722	70,048	37,796
35-39 years	411,717	312,754	64,230	34,733
40-44 years	432,110	329,311	69,215	33,584
45-49 years	438,209	344,388	67,226	26,595
50-54 years	471,910	376,294	71,563	24,053
55-59 years	445,203	356,334	66,042	22,827
60-64 years	376,106	302,431	53,509	20,166
65-69 years	295,936	241,546	39,146	15,244
70-74 years	225,035	184,643	30,011	10,381
75-79 years	170,371	141,031	22,724	6,616
80-84 years	138,529	118,430	15,782	4,317
85+ years	171,439	151,417	16,088	3,934
Total	6,566,512	5,109,941	1,045,222	411,349

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	All Races	White	Black	Asian/Other
00 years	156,919	116,980	29,457	10,482
01-04 years	636,750	476,546	115,784	44,420
05-09 years	829,417	626,530	146,841	56,046
10-14 years	852,397	648,448	150,320	53,629
15-19 years	860,874	649,387	159,922	51,565
20-24 years	907,384	670,125	174,215	63,044
25-29 years	896,731	683,809	141,634	71,288
30-34 years	896,546	690,830	130,466	75,250
35-39 years	829,090	640,250	119,810	69,030
40-44 years	841,724	650,257	125,766	65,701
45-49 years	846,914	672,860	121,084	52,970
50-54 years	916,299	739,518	129,751	47,030
55-59 years	876,716	712,333	121,403	42,980
60-64 years	738,251	603,465	96,488	38,298
65-69 years	583,353	481,556	71,312	30,485
70-74 years	423,071	350,348	51,637	21,086
75-79 years	307,561	256,656	37,611	13,294
80-84 years	227,452	194,680	25,041	7,731
85+ years	257,643	227,361	23,586	6,696
Total	12,885,092	10,091,939	1,972,128	821,025
2014 Males	All Races	White	Black	Asian/Other
00 years	80,234	59,937	14,949	5,348
01-04 years	325,620	243,865	59,016	22,739
05-09 years	422,193	319,691	74,253	28,249
10-14 years	434,741	331,925	75,944	26,872
15-19 years	440,984	333,159	81,490	26,335
20-24 years	461,835	342,654	87,191	31,990
25-29 years	453,711	349,455	69,030	35,226
30-34 years	448,802	350,899	61,004	36,899
35-39 years	414,915	326,004	55,553	33,358
40-44 years	417,795	328,830	57,210	31,755
45-49 years	419,352	338,088	55,650	25,614
50-54 years	449,768	368,124	59,588	22,056
55-59 years	426,650	352,339	54,301	20,010
60-64 years	354,037	295,168	41,476	17,393
65-69 years	274,403	230,267	29,960	14,176
70-74 years	191,423	160,544	21,005	9,874
75-79 years	133,002	112,377	14,555	6,070
80-84 years	90,884	78,754	8,920	3,210
85+ years	84,234	74,883	6,987	2,364
Total	6,324,583	4,996,963	928,082	399,538
2014 Females	All Races	White	Black	Asian/Other
00 years	76,685	57,043	14,508	5,134
01-04 years	311,130	232,681	56,768	21,681
05-09 years	407,224	306,839	72,588	27,797
10-14 years	417,656	316,523	74,376	26,757
15-19 years	419,890	316,228	78,432	25,230
20-24 years	445,549	327,471	87,024	31,054
25-29 years	443,020	334,354	72,604	36,062
30-34 years	447,744	339,931	69,462	38,351
35-39 years	414,175	314,246	64,257	35,672
40-44 years	423,929	321,427	68,556	33,946
45-49 years	427,562	334,772	65,434	27,356
50-54 years	466,531	371,394	70,163	24,974
55-59 years	450,066	359,994	67,102	22,970
60-64 years	384,214	308,297	55,012	20,905
65-69 years	308,950	251,289	41,352	16,309
70-74 years	231,648	189,804	30,632	11,212
75-79 years	174,559	144,279	23,056	7,224
80-84 years	136,568	115,926	16,121	4,521
85+ years	173,409	152,478	16,599	4,332
Total	6,560,509	5,094,976	1,044,046	421,487

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	All Races	White	Black	Asian/Other
00 years	158,613	117,777	29,951	10,885
01-04 years	628,043	468,945	114,916	44,182
05-09 years	818,372	616,798	145,544	56,030
10-14 years	841,646	640,889	146,273	54,484
15-19 years	851,824	643,509	155,699	52,616
20-24 years	898,480	662,877	171,604	63,999
25-29 years	895,990	676,719	146,952	72,319
30-34 years	888,637	683,627	128,628	76,382
35-39 years	839,098	646,425	122,135	70,538
40-44 years	820,104	632,140	122,066	65,898
45-49 years	837,933	662,210	120,189	55,534
50-54 years	897,847	723,518	126,405	47,924
55-59 years	883,079	716,314	123,173	43,592
60-64 years	755,998	617,486	99,012	39,500
65-69 years	611,176	503,443	75,163	32,570
70-74 years	433,342	358,354	52,666	22,322
75-79 years	312,151	259,207	38,364	14,580
80-84 years	226,282	192,174	25,726	8,382
85+ years	260,970	229,189	24,388	7,393
Total	12,859,585	10,051,601	1,968,854	839,130
2015 Males	All Races	White	Black	Asian/Other
00 years	81,038	60,331	15,195	5,512
01-04 years	321,181	240,055	58,454	22,672
05-09 years	416,749	314,774	73,661	28,314
10-14 years	429,845	328,434	74,030	27,381
15-19 years	435,953	330,002	79,259	26,692
20-24 years	456,972	338,516	86,078	32,378
25-29 years	453,693	346,073	71,843	35,777
30-34 years	445,615	347,441	60,379	37,795
35-39 years	419,914	328,986	56,927	34,001
40-44 years	407,462	319,929	55,454	32,079
45-49 years	415,102	333,220	55,192	26,690
50-54 years	441,307	360,605	58,123	22,579
55-59 years	429,883	354,225	55,335	20,323
60-64 years	362,673	302,170	42,647	17,856
65-69 years	287,695	241,185	31,425	15,085
70-74 years	196,732	164,919	21,482	10,331
75-79 years	135,117	113,608	14,799	6,710
80-84 years	91,158	78,399	9,215	3,544
85+ years	86,000	76,067	7,328	2,605
Total	6,314,089	4,978,939	926,826	408,324
2015 Females	All Races	White	Black	Asian/Other
00 years	77,575	57,446	14,756	5,373
01-04 years	306,862	228,890	56,462	21,510
05-09 years	401,623	302,024	71,883	27,716
10-14 years	411,801	312,455	72,243	27,103
15-19 years	415,871	313,507	76,440	25,924
20-24 years	441,508	324,361	85,526	31,621
25-29 years	442,297	330,646	75,109	36,542
30-34 years	443,022	336,186	68,249	38,587
35-39 years	419,184	317,439	65,208	36,537
40-44 years	412,642	312,211	66,612	33,819
45-49 years	422,831	328,990	64,997	28,844
50-54 years	456,540	362,913	68,282	25,345
55-59 years	453,196	362,089	67,838	23,269
60-64 years	393,325	315,316	56,365	21,644
65-69 years	323,481	262,258	43,738	17,485
70-74 years	236,610	193,435	31,184	11,991
75-79 years	177,034	145,599	23,565	7,870
80-84 years	135,124	113,775	16,511	4,838
85+ years	174,970	153,122	17,060	4,788
Total	6,545,496	5,072,662	1,042,028	430,806

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	All Races	White	Black	Asian/Other
00 years	156,029	115,995	29,237	10,797
01-04 years	623,126	463,879	115,047	44,200
05-09 years	805,831	606,965	142,970	55,896
10-14 years	833,008	634,406	143,469	55,133
15-19 years	843,854	638,306	152,218	53,330
20-24 years	880,389	651,016	165,462	63,911
25-29 years	898,874	672,093	153,675	73,106
30-34 years	882,724	677,671	127,972	77,081
35-39 years	846,578	652,008	123,207	71,363
40-44 years	795,493	612,753	116,892	65,848
45-49 years	837,296	658,221	120,734	58,341
50-54 years	871,361	699,491	122,842	49,028
55-59 years	884,995	717,825	123,414	43,756
60-64 years	769,627	627,690	101,160	40,777
65-69 years	640,068	526,673	79,235	34,160
70-74 years	442,033	364,956	53,452	23,625
75-79 years	318,548	264,129	38,786	15,633
80-84 years	227,798	191,798	26,777	9,223
85+ years	264,077	231,054	24,971	8,052
Total	12,821,709	10,006,929	1,961,520	853,260
2016 Males	All Races	White	Black	Asian/Other
00 years	79,904	59,503	14,931	5,470
01-04 years	318,231	237,390	58,249	22,592
05-09 years	411,047	309,885	72,726	28,436
10-14 years	425,557	325,191	72,647	27,719
15-19 years	431,424	327,052	77,380	26,992
20-24 years	447,525	331,947	83,241	32,337
25-29 years	455,337	343,867	75,512	35,958
30-34 years	444,182	345,227	60,698	38,257
35-39 years	423,527	331,614	57,363	34,550
40-44 years	395,747	310,365	53,216	32,166
45-49 years	414,707	331,525	55,220	27,962
50-54 years	428,956	349,329	56,433	23,194
55-59 years	431,433	355,191	55,822	20,420
60-64 years	369,444	307,267	43,689	18,488
65-69 years	301,072	252,528	32,891	15,653
70-74 years	201,251	168,415	21,923	10,913
75-79 years	138,251	116,143	14,924	7,184
80-84 years	92,441	78,795	9,650	3,996
85+ years	87,800	77,383	7,581	2,836
Total	6,297,836	4,958,617	924,096	415,123
2016 Females	All Races	White	Black	Asian/Other
00 years	76,125	56,492	14,306	5,327
01-04 years	304,895	226,489	56,798	21,608
05-09 years	394,784	297,080	70,244	27,460
10-14 years	407,451	309,215	70,822	27,414
15-19 years	412,430	311,254	74,838	26,338
20-24 years	432,864	319,069	82,221	31,574
25-29 years	443,537	328,226	78,163	37,148
30-34 years	438,542	332,444	67,274	38,824
35-39 years	423,051	320,394	65,844	36,813
40-44 years	399,746	302,388	63,676	33,682
45-49 years	422,589	326,696	65,514	30,379
50-54 years	442,405	350,162	66,409	25,834
55-59 years	453,562	362,634	67,592	23,336
60-64 years	400,183	320,423	57,471	22,289
65-69 years	338,996	274,145	46,344	18,507
70-74 years	240,782	196,541	31,529	12,712
75-79 years	180,297	147,986	23,862	8,449
80-84 years	135,357	113,003	17,127	5,227
85+ years	176,277	153,671	17,390	5,216
Total	6,523,873	5,048,312	1,037,424	438,137

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	All Races	White	Black	Asian/Other
00 years	150,693	110,831	28,751	11,111
01-04 years	619,132	460,443	114,280	44,409
05-09 years	792,221	595,794	140,368	56,059
10-14 years	827,272	629,323	142,150	55,799
15-19 years	835,421	632,719	148,303	54,399
20-24 years	862,251	638,570	159,458	64,223
25-29 years	904,088	670,622	158,915	74,551
30-34 years	873,238	668,160	127,940	77,138
35-39 years	850,827	654,758	123,154	72,915
40-44 years	785,050	604,972	113,837	66,241
45-49 years	830,620	648,500	120,769	61,351
50-54 years	846,101	676,903	119,304	49,894
55-59 years	877,649	710,963	122,360	44,326
60-64 years	785,249	639,360	104,233	41,656
65-69 years	639,538	524,042	80,456	35,040
70-74 years	474,654	393,035	56,083	25,536
75-79 years	330,471	273,782	39,884	16,805
80-84 years	230,200	192,878	27,293	10,029
85+ years	265,218	230,863	25,621	8,734
Total	12,779,893	9,956,518	1,953,159	870,216
2017 Males	All Races	White	Black	Asian/Other
00 years	76,830	56,577	14,671	5,582
01-04 years	316,711	236,139	57,957	22,615
05-09 years	404,310	304,175	71,562	28,573
10-14 years	421,979	322,139	71,792	28,048
15-19 years	427,066	324,085	75,323	27,658
20-24 years	438,385	325,457	80,271	32,657
25-29 years	457,902	343,043	78,477	36,382
30-34 years	440,182	340,584	61,226	38,372
35-39 years	425,792	332,959	57,291	35,542
40-44 years	391,128	306,884	52,039	32,205
45-49 years	411,566	326,977	55,188	29,401
50-54 years	416,932	338,656	54,643	23,633
55-59 years	427,915	351,747	55,499	20,669
60-64 years	377,238	313,061	45,205	18,972
65-69 years	301,177	251,929	33,361	15,887
70-74 years	216,799	182,030	22,987	11,782
75-79 years	143,642	120,680	15,286	7,676
80-84 years	94,047	79,710	9,872	4,465
85+ years	88,953	78,020	7,834	3,099
Total	6,278,554	4,934,852	920,484	423,218
2017 Females	All Races	White	Black	Asian/Other
00 years	73,863	54,254	14,080	5,529
01-04 years	302,421	224,304	56,323	21,794
05-09 years	387,911	291,619	68,806	27,486
10-14 years	405,293	307,184	70,358	27,751
15-19 years	408,355	308,634	72,980	26,741
20-24 years	423,866	313,113	79,187	31,566
25-29 years	446,186	327,579	80,438	38,169
30-34 years	433,056	327,576	66,714	38,766
35-39 years	425,035	321,799	65,863	37,373
40-44 years	393,922	298,088	61,798	34,036
45-49 years	419,054	321,523	65,581	31,950
50-54 years	429,169	338,247	64,661	26,261
55-59 years	449,734	359,216	66,861	23,657
60-64 years	408,011	326,299	59,028	22,684
65-69 years	338,361	272,113	47,095	19,153
70-74 years	257,855	211,005	33,096	13,754
75-79 years	186,829	153,102	24,598	9,129
80-84 years	136,153	113,168	17,421	5,564
85+ years	176,265	152,843	17,787	5,635
Total	6,501,339	5,021,666	1,032,675	446,998

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2018 Both Sexes	All Races	White	Black	Asian/Other
00 years	147,406	107,992	28,738	10,676
01-04 years	612,342	454,200	113,490	44,652
05-09 years	777,957	583,558	138,301	56,098
10-14 years	820,048	622,291	141,559	56,198
15-19 years	828,384	628,250	144,760	55,374
20-24 years	844,896	627,868	153,364	63,664
25-29 years	902,447	664,341	163,452	74,654
30-34 years	865,311	658,640	129,443	77,228
35-39 years	853,575	655,179	123,647	74,749
40-44 years	783,210	604,510	112,140	66,560
45-49 years	816,189	633,697	119,401	63,091
50-54 years	820,358	653,763	115,917	50,678
55-59 years	866,579	700,548	120,753	45,278
60-64 years	796,674	647,804	106,525	42,345
65-69 years	648,701	530,698	81,905	36,098
70-74 years	491,917	406,321	58,344	27,252
75-79 years	347,640	288,372	41,301	17,967
80-84 years	235,326	196,549	27,914	10,863
85+ years	265,725	229,782	26,389	9,554
Total	12,724,685	9,894,363	1,947,343	882,979
2018 Males	All Races	White	Black	Asian/Other
00 years	75,141	55,035	14,688	5,418
01-04 years	313,217	232,765	57,732	22,720
05-09 years	397,492	298,340	70,553	28,599
10-14 years	417,995	318,040	71,632	28,323
15-19 years	423,226	321,841	73,269	28,116
20-24 years	429,402	319,775	77,225	32,402
25-29 years	457,016	339,448	81,077	36,491
30-34 years	437,145	336,411	62,367	38,367
35-39 years	426,986	332,589	57,624	36,773
40-44 years	391,068	307,211	51,650	32,207
45-49 years	404,088	319,550	54,249	30,289
50-54 years	404,489	327,381	52,978	24,130
55-59 years	422,790	347,028	54,718	21,044
60-64 years	383,026	317,284	46,388	19,354
65-69 years	305,328	255,072	33,980	16,276
70-74 years	225,684	189,293	23,856	12,535
75-79 years	151,477	127,343	15,875	8,259
80-84 years	96,770	81,824	10,087	4,859
85+ years	89,755	78,188	8,113	3,454
Total	6,252,095	4,904,418	918,061	429,616
2018 Females	All Races	White	Black	Asian/Other
00 years	72,265	52,957	14,050	5,258
01-04 years	299,125	221,435	55,758	21,932
05-09 years	380,465	285,218	67,748	27,499
10-14 years	402,053	304,251	69,927	27,875
15-19 years	405,158	306,409	71,491	27,258
20-24 years	415,494	308,093	76,139	31,262
25-29 years	445,431	324,893	82,375	38,163
30-34 years	428,166	322,229	67,076	38,861
35-39 years	426,589	322,590	66,023	37,976
40-44 years	392,142	297,299	60,490	34,353
45-49 years	412,101	314,147	65,152	32,802
50-54 years	415,869	326,382	62,939	26,548
55-59 years	443,789	353,520	66,035	24,234
60-64 years	413,648	330,520	60,137	22,991
65-69 years	343,373	275,626	47,925	19,822
70-74 years	266,233	217,028	34,488	14,717
75-79 years	196,163	161,029	25,426	9,708
80-84 years	138,556	114,725	17,827	6,004
85+ years	175,970	151,594	18,276	6,100
Total	6,472,590	4,989,945	1,029,282	453,363

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2019 Both Sexes	All Races	White	Black	Asian/Other
00 years	141,867	104,397	26,385	11,085
01-04 years	603,788	445,901	113,247	44,640
05-09 years	769,274	575,537	137,913	55,824
10-14 years	806,797	610,632	139,973	56,192
15-19 years	823,417	625,110	141,873	56,434
20-24 years	829,516	618,609	147,971	62,936
25-29 years	897,868	659,026	165,142	73,700
30-34 years	861,264	650,623	133,867	76,774
35-39 years	850,411	651,858	122,950	75,603
40-44 years	786,072	606,328	112,432	67,312
45-49 years	798,602	617,024	117,850	63,728
50-54 years	799,055	634,633	112,507	51,915
55-59 years	854,020	688,988	118,624	46,408
60-64 years	802,804	652,069	108,192	42,543
65-69 years	661,539	540,370	84,208	36,961
70-74 years	513,990	423,766	61,295	28,929
75-79 years	358,855	297,126	42,446	19,283
80-84 years	241,394	201,176	28,469	11,749
85+ years	266,484	228,995	27,204	10,285
Total	12,667,017	9,832,168	1,942,548	892,301
2019 Males	All Races	White	Black	Asian/Other
00 years	72,432	53,336	13,448	5,648
01-04 years	308,425	228,137	57,628	22,660
05-09 years	393,605	294,615	70,444	28,546
10-14 years	410,815	311,604	70,830	28,381
15-19 years	420,735	320,281	71,878	28,576
20-24 years	420,993	314,657	74,382	31,954
25-29 years	455,137	336,731	82,288	36,118
30-34 years	435,793	332,651	64,955	38,187
35-39 years	425,776	331,024	57,457	37,295
40-44 years	392,531	308,080	52,075	32,376
45-49 years	395,188	311,242	53,266	30,680
50-54 years	394,391	318,166	51,332	24,893
55-59 years	417,135	341,563	53,948	21,624
60-64 years	386,164	319,365	47,253	19,546
65-69 years	311,681	260,136	34,985	16,560
70-74 years	235,792	197,779	24,797	13,216
75-79 years	157,009	131,687	16,475	8,847
80-84 years	99,464	83,884	10,352	5,228
85+ years	90,831	78,626	8,397	3,808
Total	6,223,897	4,873,564	916,190	434,143
2019 Females	All Races	White	Black	Asian/Other
00 years	69,435	51,061	12,937	5,437
01-04 years	295,363	217,764	55,619	21,980
05-09 years	375,669	280,922	67,469	27,278
10-14 years	395,982	299,028	69,143	27,811
15-19 years	402,682	304,829	69,995	27,858
20-24 years	408,523	303,952	73,589	30,982
25-29 years	442,731	322,295	82,854	37,582
30-34 years	425,471	317,972	68,912	38,587
35-39 years	424,635	320,834	65,493	38,308
40-44 years	393,541	298,248	60,357	34,936
45-49 years	403,414	305,782	64,584	33,048
50-54 years	404,664	316,467	61,175	27,022
55-59 years	436,885	347,425	64,676	24,784
60-64 years	416,640	332,704	60,939	22,997
65-69 years	349,858	280,234	49,223	20,401
70-74 years	278,198	225,987	36,498	15,713
75-79 years	201,846	165,439	25,971	10,436
80-84 years	141,930	117,292	18,117	6,521
85+ years	175,653	150,369	18,807	6,477
Total	6,443,120	4,958,604	1,026,358	458,158

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2020 Both Sexes	All Races	White	Black	Asian/Other
00 years	140,052	103,030	25,737	11,285
01-04 years	587,467	432,716	110,358	44,393
05-09 years	762,503	568,920	137,733	55,850
10-14 years	795,778	600,597	139,235	55,946
15-19 years	812,241	617,030	138,407	56,804
20-24 years	818,355	611,130	144,844	62,381
25-29 years	882,835	647,731	162,902	72,202
30-34 years	858,449	643,182	139,248	76,019
35-39 years	841,651	644,298	121,477	75,876
40-44 years	794,767	611,729	114,736	68,302
45-49 years	777,065	599,125	114,336	63,604
50-54 years	788,673	622,794	111,957	53,922
55-59 years	833,446	670,950	115,446	47,050
60-64 years	805,014	652,457	109,904	42,653
65-69 years	674,898	550,876	86,404	37,618
70-74 years	536,843	441,627	64,554	30,662
75-79 years	366,390	302,775	43,296	20,319
80-84 years	244,247	202,473	29,040	12,734
85+ years	266,856	227,847	27,901	11,108
Total	12,587,530	9,751,287	1,937,515	898,728
2020 Males	All Races	White	Black	Asian/Other
00 years	71,485	52,601	13,128	5,756
01-04 years	299,965	221,140	56,300	22,525
05-09 years	390,001	291,448	70,085	28,468
10-14 years	405,004	306,120	70,521	28,363
15-19 years	415,550	316,494	70,264	28,792
20-24 years	415,004	310,540	72,785	31,679
25-29 years	447,334	330,493	81,344	35,497
30-34 years	434,727	329,018	67,763	37,946
35-39 years	421,828	327,310	57,112	37,406
40-44 years	397,182	310,870	53,485	32,827
45-49 years	385,074	302,708	51,512	30,854
50-54 years	389,372	312,600	51,035	25,737
55-59 years	407,585	333,039	52,531	22,015
60-64 years	387,733	319,708	48,348	19,677
65-69 years	317,718	264,997	35,942	16,779
70-74 years	246,484	206,578	25,965	13,941
75-79 years	160,757	134,653	16,844	9,260
80-84 years	100,597	84,356	10,534	5,707
85+ years	91,906	79,063	8,662	4,181
Total	6,185,306	4,833,736	914,160	437,410
2020 Females	All Races	White	Black	Asian/Other
00 years	68,567	50,429	12,609	5,529
01-04 years	287,502	211,576	54,058	21,868
05-09 years	372,502	277,472	67,648	27,382
10-14 years	390,774	294,477	68,714	27,583
15-19 years	396,691	300,536	68,143	28,012
20-24 years	403,351	300,590	72,059	30,702
25-29 years	435,501	317,238	81,558	36,705
30-34 years	423,722	314,164	71,485	38,073
35-39 years	419,823	316,988	64,365	38,470
40-44 years	397,585	300,859	61,251	35,475
45-49 years	391,991	296,417	62,824	32,750
50-54 years	399,301	310,194	60,922	28,185
55-59 years	425,861	337,911	62,915	25,035
60-64 years	417,281	332,749	61,556	22,976
65-69 years	357,180	285,879	50,462	20,839
70-74 years	290,359	235,049	38,589	16,721
75-79 years	205,633	168,122	26,452	11,059
80-84 years	143,650	118,117	18,506	7,027
85+ years	174,950	148,784	19,239	6,927
Total	6,402,224	4,917,551	1,023,355	461,318

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1990 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	23,730	161,124	121,323	34,685
01-04 years	81,638	595,825	451,368	125,947
05-09 years	92,016	733,282	560,978	149,304
10-14 years	83,710	706,266	534,567	149,066
15-19 years	90,196	725,391	544,712	155,724
20-24 years	101,662	765,535	601,493	138,066
25-29 years	98,786	887,159	714,367	144,960
30-34 years	87,197	928,092	752,852	146,353
35-39 years	67,580	843,324	687,457	127,781
40-44 years	50,733	752,920	622,233	104,580
45-49 years	35,343	600,698	499,904	81,241
50-54 years	27,602	504,596	419,686	70,935
55-59 years	22,834	461,121	389,572	62,085
60-64 years	18,046	472,453	407,137	57,557
65-69 years	12,596	440,616	385,791	48,341
70-74 years	7,601	359,318	320,894	34,190
75-79 years	5,260	279,840	253,355	23,870
80-84 years	3,073	179,817	163,734	14,689
85+ years	2,101	144,235	132,401	11,024
Total	911,704	10,541,612	8,563,824	1,680,398
1990 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,148	82,082	62,010	17,452
01-04 years	41,514	305,023	231,876	63,646
05-09 years	47,295	375,570	288,410	75,388
10-14 years	42,556	361,487	274,358	75,626
15-19 years	49,699	372,727	280,721	79,068
20-24 years	58,452	382,290	302,468	66,270
25-29 years	54,661	438,329	357,118	67,445
30-34 years	47,520	456,499	376,468	65,813
35-39 years	36,185	414,000	343,708	57,006
40-44 years	26,699	367,614	308,953	46,244
45-49 years	18,284	291,521	245,929	35,941
50-54 years	14,126	243,727	205,400	31,172
55-59 years	11,517	220,085	188,285	27,262
60-64 years	9,018	221,039	192,542	25,053
65-69 years	6,058	195,583	172,272	20,564
70-74 years	3,200	149,649	134,183	13,672
75-79 years	2,017	106,358	96,416	8,882
80-84 years	1,147	59,604	54,114	4,901
85+ years	751	37,965	34,372	3,273
Total	482,847	5,081,152	4,149,603	784,678
1990 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	11,582	79,042	59,313	17,233
01-04 years	40,124	290,802	219,492	62,301
05-09 years	44,721	357,712	272,568	73,916
10-14 years	41,154	344,779	260,209	73,440
15-19 years	40,497	352,664	263,991	76,656
20-24 years	43,210	383,245	299,025	71,796
25-29 years	44,125	448,830	357,249	77,515
30-34 years	39,677	471,593	376,384	80,540
35-39 years	31,395	429,324	343,749	70,775
40-44 years	24,034	385,306	313,280	58,336
45-49 years	17,059	309,177	253,975	45,300
50-54 years	13,476	260,869	214,286	39,763
55-59 years	11,317	241,036	201,287	34,823
60-64 years	9,028	251,414	214,595	32,504
65-69 years	6,538	245,033	213,519	27,777
70-74 years	4,401	209,669	186,711	20,518
75-79 years	3,243	173,482	156,939	14,988
80-84 years	1,926	120,213	109,620	9,788
85+ years	1,350	106,270	98,029	7,751
Total	428,857	5,460,460	4,414,221	895,720

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1991 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	24,461	162,559	119,390	38,038
01-04 years	86,660	607,674	457,540	130,918
05-09 years	94,951	735,020	561,701	150,143
10-14 years	88,539	726,986	548,910	153,965
15-19 years	90,129	703,314	527,777	150,521
20-24 years	107,094	758,524	589,916	139,570
25-29 years	103,290	864,968	693,002	142,409
30-34 years	93,097	939,718	761,730	147,898
35-39 years	72,428	860,685	699,821	131,527
40-44 years	54,832	790,629	651,216	112,080
45-49 years	37,739	605,126	502,285	81,933
50-54 years	28,781	513,927	426,535	71,991
55-59 years	23,595	456,046	383,210	62,510
60-64 years	18,936	467,278	401,024	57,977
65-69 years	13,241	436,564	380,393	49,282
70-74 years	8,169	364,049	323,794	35,538
75-79 years	5,340	286,106	258,929	24,320
80-84 years	3,190	184,143	167,576	15,025
85+ years	2,175	149,001	136,527	11,569
Total	956,647	10,612,317	8,591,276	1,707,214
1991 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,444	82,853	61,052	19,183
01-04 years	44,185	310,928	234,832	66,228
05-09 years	48,633	376,620	288,871	75,886
10-14 years	45,209	371,949	281,756	77,925
15-19 years	48,812	362,210	272,713	76,523
20-24 years	61,828	377,798	296,454	66,755
25-29 years	57,950	426,714	346,072	66,090
30-34 years	50,939	462,962	381,115	66,873
35-39 years	39,096	422,577	349,913	58,650
40-44 years	28,920	386,281	323,838	49,547
45-49 years	19,453	293,877	247,497	36,133
50-54 years	14,766	248,407	209,004	31,621
55-59 years	11,936	217,878	185,501	27,365
60-64 years	9,479	219,044	190,030	25,301
65-69 years	6,385	194,246	170,303	20,986
70-74 years	3,494	152,635	136,282	14,357
75-79 years	2,072	109,656	99,441	9,046
80-84 years	1,158	61,223	55,601	4,988
85+ years	804	38,912	35,171	3,388
Total	507,563	5,116,770	4,165,446	796,845
1991 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	12,017	79,706	58,338	18,855
01-04 years	42,475	296,746	222,708	64,690
05-09 years	46,318	358,400	272,830	74,257
10-14 years	43,330	355,037	267,154	76,040
15-19 years	41,317	341,104	255,064	73,998
20-24 years	45,266	380,726	293,462	72,815
25-29 years	45,340	438,254	346,930	76,319
30-34 years	42,158	476,756	380,615	81,025
35-39 years	33,332	438,108	349,908	72,877
40-44 years	25,912	404,348	327,378	62,533
45-49 years	18,286	311,249	254,788	45,800
50-54 years	14,015	265,520	217,531	40,370
55-59 years	11,659	238,168	197,709	35,145
60-64 years	9,457	248,234	210,994	32,676
65-69 years	6,856	242,318	210,090	28,296
70-74 years	4,675	211,414	187,512	21,181
75-79 years	3,268	176,450	159,488	15,274
80-84 years	2,032	122,920	111,975	10,037
85+ years	1,371	110,089	101,356	8,181
Total	449,084	5,495,547	4,425,830	910,369

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1992 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	27,131	160,036	116,334	37,935
01-04 years	91,965	620,352	461,682	138,704
05-09 years	98,864	730,435	556,450	150,670
10-14 years	93,054	739,856	558,004	156,569
15-19 years	93,360	696,707	523,044	148,220
20-24 years	111,362	750,991	576,944	142,627
25-29 years	108,928	839,060	668,487	139,596
30-34 years	98,351	944,780	763,963	149,435
35-39 years	77,580	880,840	713,407	136,535
40-44 years	57,618	788,907	644,916	116,032
45-49 years	41,431	652,924	544,567	85,536
50-54 years	30,139	530,944	439,153	74,826
55-59 years	24,335	458,261	383,187	63,614
60-64 years	19,533	457,162	390,520	57,816
65-69 years	13,855	432,206	374,900	50,055
70-74 years	8,785	371,269	328,981	37,031
75-79 years	5,417	290,176	262,075	24,978
80-84 years	3,254	187,845	171,096	15,102
85+ years	2,319	154,152	140,999	12,149
Total	1,007,281	10,686,903	8,618,709	1,737,430
1992 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,821	81,470	59,470	19,013
01-04 years	47,027	317,240	236,834	70,126
05-09 years	50,367	374,509	286,307	76,241
10-14 years	47,689	378,389	286,332	79,225
15-19 years	49,958	359,341	270,722	75,427
20-24 years	64,001	374,547	290,234	68,571
25-29 years	61,333	413,798	334,275	64,775
30-34 years	53,718	466,253	382,621	67,884
35-39 years	42,162	432,653	356,740	60,894
40-44 years	30,468	385,323	320,992	51,239
45-49 years	21,359	317,800	268,840	37,876
50-54 years	15,405	256,856	215,358	32,921
55-59 years	12,373	219,099	185,838	27,712
60-64 years	9,843	214,545	185,289	25,238
65-69 years	6,579	192,706	168,227	21,354
70-74 years	3,853	156,635	139,347	15,055
75-79 years	2,117	111,372	100,885	9,204
80-84 years	1,176	63,183	57,466	5,047
85+ years	858	40,256	36,367	3,498
Total	534,107	5,155,975	4,182,144	811,300
1992 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,310	78,566	56,864	18,922
01-04 years	44,938	303,112	224,848	68,578
05-09 years	48,497	355,926	270,143	74,429
10-14 years	45,365	361,467	271,672	77,344
15-19 years	43,402	337,366	252,322	72,793
20-24 years	47,361	376,444	286,710	74,056
25-29 years	47,595	425,262	334,212	74,821
30-34 years	44,633	478,527	381,342	81,551
35-39 years	35,418	448,187	356,667	75,641
40-44 years	27,150	403,584	323,924	64,793
45-49 years	20,072	335,124	275,727	47,660
50-54 years	14,734	274,088	223,795	41,905
55-59 years	11,962	239,162	197,349	35,902
60-64 years	9,690	242,617	205,231	32,578
65-69 years	7,276	239,500	206,673	28,701
70-74 years	4,932	214,634	189,634	21,976
75-79 years	3,300	178,804	161,190	15,774
80-84 years	2,078	124,662	113,630	10,055
85+ years	1,461	113,896	104,632	8,651
Total	473,174	5,530,928	4,436,565	926,130

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1993 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	27,736	156,472	112,337	38,585
01-04 years	98,241	627,707	461,469	145,158
05-09 years	103,074	727,637	551,168	152,938
10-14 years	97,920	749,225	563,911	158,728
15-19 years	97,741	697,956	524,791	146,967
20-24 years	116,353	739,968	562,134	144,413
25-29 years	114,460	812,567	642,692	137,409
30-34 years	103,867	943,555	759,987	150,309
35-39 years	83,203	900,873	727,263	141,688
40-44 years	61,691	801,631	653,207	118,990
45-49 years	44,542	671,033	556,583	89,728
50-54 years	32,675	558,468	463,467	76,612
55-59 years	25,253	467,463	389,390	65,322
60-64 years	20,219	445,044	377,629	57,926
65-69 years	14,547	429,890	371,579	50,736
70-74 years	9,391	373,523	329,722	37,992
75-79 years	5,648	292,737	263,956	25,430
80-84 years	3,357	192,578	175,376	15,400
85+ years	2,418	158,916	145,114	12,693
Total	1,062,336	10,747,243	8,631,775	1,767,024
1993 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,278	79,762	57,286	19,576
01-04 years	50,297	320,826	236,632	73,264
05-09 years	52,457	373,093	283,577	77,498
10-14 years	50,377	383,002	289,226	80,279
15-19 years	51,884	360,265	271,924	74,803
20-24 years	66,181	368,687	282,442	69,386
25-29 years	64,573	400,191	321,152	64,041
30-34 years	56,823	465,884	380,873	68,481
35-39 years	45,203	442,737	363,681	63,465
40-44 years	32,678	391,462	325,032	52,549
45-49 years	23,099	326,608	275,211	39,542
50-54 years	16,664	270,492	227,377	33,876
55-59 years	12,709	223,815	189,045	28,542
60-64 years	10,221	208,966	179,426	25,238
65-69 years	6,880	192,423	167,534	21,646
70-74 years	4,196	158,159	140,193	15,497
75-79 years	2,205	113,200	102,392	9,419
80-84 years	1,244	64,861	59,037	5,108
85+ years	860	41,508	37,494	3,588
Total	562,829	5,185,941	4,189,534	825,798
1993 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	13,458	76,710	55,051	19,009
01-04 years	47,944	306,881	224,837	71,894
05-09 years	50,617	354,544	267,591	75,440
10-14 years	47,543	366,223	274,685	78,449
15-19 years	45,857	337,691	252,867	72,164
20-24 years	50,172	371,281	279,692	75,027
25-29 years	49,887	412,376	321,540	73,368
30-34 years	47,044	477,671	379,114	81,828
35-39 years	38,000	458,136	363,582	78,223
40-44 years	29,013	410,169	328,175	66,441
45-49 years	21,443	344,425	281,372	50,186
50-54 years	16,011	287,976	236,090	42,736
55-59 years	12,544	243,648	200,345	36,780
60-64 years	9,998	236,078	198,203	32,688
65-69 years	7,667	237,467	204,045	29,090
70-74 years	5,195	215,364	189,529	22,495
75-79 years	3,443	179,537	161,564	16,011
80-84 years	2,113	127,717	116,339	10,292
85+ years	1,558	117,408	107,620	9,105
Total	499,507	5,561,302	4,442,241	941,226

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1994 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	29,211	153,119	110,572	36,803
01-04 years	105,103	631,525	458,614	150,891
05-09 years	108,776	735,261	553,389	157,765
10-14 years	102,683	752,911	566,612	158,858
15-19 years	103,715	707,716	531,520	148,885
20-24 years	120,070	724,564	544,676	145,075
25-29 years	121,267	785,591	617,747	134,106
30-34 years	109,771	935,610	751,673	149,233
35-39 years	88,432	913,263	735,199	145,156
40-44 years	65,937	816,601	663,329	122,563
45-49 years	47,919	697,699	576,471	94,591
50-54 years	34,369	573,484	475,292	78,313
55-59 years	26,447	476,070	395,602	66,484
60-64 years	20,776	433,729	365,632	57,862
65-69 years	15,388	424,065	364,846	51,281
70-74 years	10,177	375,304	330,525	38,579
75-79 years	5,868	294,093	264,417	26,018
80-84 years	3,436	197,640	179,998	15,648
85+ years	2,542	162,453	148,108	13,150
Total	1,121,887	10,790,698	8,634,222	1,791,261
1994 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,935	78,058	56,585	18,523
01-04 years	53,829	322,855	235,023	76,497
05-09 years	55,389	376,998	284,602	79,973
10-14 years	52,978	384,705	290,594	80,145
15-19 years	55,028	365,383	275,464	75,851
20-24 years	67,771	361,515	274,095	69,886
25-29 years	68,716	386,674	308,850	62,376
30-34 years	60,193	462,302	376,964	68,381
35-39 years	48,060	449,225	367,872	65,189
40-44 years	34,864	399,133	330,060	54,502
45-49 years	24,910	339,768	285,585	41,500
50-54 years	17,500	277,891	233,346	34,722
55-59 years	13,325	227,972	192,162	28,923
60-64 years	10,434	203,894	173,991	25,202
65-69 years	7,263	190,453	165,174	21,861
70-74 years	4,679	159,198	140,931	15,646
75-79 years	2,293	114,385	103,109	9,758
80-84 years	1,275	67,073	61,048	5,227
85+ years	900	42,586	38,456	3,688
Total	594,342	5,210,068	4,193,911	837,850
1994 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,276	75,061	53,987	18,280
01-04 years	51,274	308,670	223,591	74,394
05-09 years	53,387	358,263	268,787	77,792
10-14 years	49,705	368,206	276,018	78,713
15-19 years	48,687	342,333	256,056	73,034
20-24 years	52,299	363,049	270,581	75,189
25-29 years	52,551	398,917	308,897	71,730
30-34 years	49,578	473,308	374,709	80,852
35-39 years	40,372	464,038	367,327	79,967
40-44 years	31,073	417,468	333,269	68,061
45-49 years	23,009	357,931	290,886	53,091
50-54 years	16,869	295,593	241,946	43,591
55-59 years	13,122	248,098	203,440	37,561
60-64 years	10,342	229,835	191,641	32,660
65-69 years	8,125	233,612	199,672	29,420
70-74 years	5,498	216,106	189,594	22,933
75-79 years	3,575	179,708	161,308	16,260
80-84 years	2,161	130,567	118,950	10,421
85+ years	1,642	119,867	109,652	9,462
Total	527,545	5,580,630	4,440,311	953,411

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1995 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	30,709	149,010	108,826	34,373
01-04 years	111,586	628,805	451,140	154,913
05-09 years	115,889	746,462	558,690	162,615
10-14 years	106,707	754,806	568,928	158,146
15-19 years	110,697	722,948	540,516	153,853
20-24 years	124,188	705,397	527,358	142,721
25-29 years	127,756	770,507	600,321	133,993
30-34 years	114,511	916,363	734,006	146,834
35-39 years	93,577	921,283	740,062	147,036
40-44 years	70,836	830,825	673,350	125,800
45-49 years	51,421	728,226	599,750	100,323
50-54 years	36,895	585,208	484,195	79,744
55-59 years	27,242	478,466	395,291	67,689
60-64 years	21,436	427,090	357,966	58,127
65-69 years	15,995	418,301	358,283	51,747
70-74 years	10,898	377,580	332,069	38,946
75-79 years	6,118	294,858	263,896	27,062
80-84 years	3,550	202,983	184,938	15,868
85+ years	2,645	166,663	151,699	13,628
Total	1,182,656	10,825,781	8,631,284	1,813,418
1995 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,752	75,915	55,656	17,273
01-04 years	57,025	321,550	231,211	78,645
05-09 years	59,239	382,566	287,100	82,485
10-14 years	54,867	385,834	291,926	79,807
15-19 years	58,922	373,062	279,962	78,358
20-24 years	69,596	352,868	265,935	68,923
25-29 years	72,650	379,294	300,430	62,483
30-34 years	62,878	453,039	368,330	67,590
35-39 years	51,024	453,434	370,301	66,268
40-44 years	37,583	406,319	335,101	56,223
45-49 years	26,807	354,964	297,510	44,102
50-54 years	18,939	283,580	237,946	35,227
55-59 years	13,690	229,218	191,965	29,573
60-64 years	10,693	200,834	170,471	25,303
65-69 years	7,575	188,616	163,011	22,011
70-74 years	5,032	160,603	142,071	15,773
75-79 years	2,453	115,244	103,355	10,306
80-84 years	1,320	69,576	63,459	5,249
85+ years	949	43,823	39,533	3,813
Total	626,994	5,230,339	4,195,273	849,412
1995 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	14,957	73,095	53,170	17,100
01-04 years	54,561	307,255	219,929	76,268
05-09 years	56,650	363,896	271,590	80,130
10-14 years	51,840	368,972	277,002	78,339
15-19 years	51,775	349,886	260,554	75,495
20-24 years	54,592	352,529	261,423	73,798
25-29 years	55,106	391,213	299,891	71,510
30-34 years	51,633	463,324	365,676	79,244
35-39 years	42,553	467,849	369,761	80,768
40-44 years	33,253	424,506	338,249	69,577
45-49 years	24,614	373,262	302,240	56,221
50-54 years	17,956	301,628	246,249	44,517
55-59 years	13,552	249,248	203,326	38,116
60-64 years	10,743	226,256	187,495	32,824
65-69 years	8,420	229,685	195,272	29,736
70-74 years	5,866	216,977	189,998	23,173
75-79 years	3,665	179,614	160,541	16,756
80-84 years	2,230	133,407	121,479	10,619
85+ years	1,696	122,840	112,166	9,815
Total	555,662	5,595,442	4,436,011	964,006

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1996 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	31,641	143,996	106,149	31,468
01-04 years	118,802	619,078	442,686	152,648
05-09 years	123,602	761,563	564,505	170,937
10-14 years	110,782	758,451	570,836	159,340
15-19 years	118,714	738,353	550,633	157,502
20-24 years	129,161	681,641	507,916	137,850
25-29 years	135,872	767,460	592,040	135,935
30-34 years	119,489	888,062	707,108	144,676
35-39 years	98,975	925,295	741,981	148,062
40-44 years	75,958	845,080	683,355	128,853
45-49 years	55,497	765,618	628,417	107,402
50-54 years	39,440	589,573	486,565	80,407
55-59 years	28,444	485,255	400,116	68,321
60-64 years	22,186	421,455	351,262	58,457
65-69 years	16,696	412,653	352,160	51,902
70-74 years	11,363	372,925	326,473	39,650
75-79 years	6,509	298,297	266,029	28,050
80-84 years	3,581	207,132	188,682	16,110
85+ years	2,784	170,614	155,323	13,841
Total	1,249,496	10,852,501	8,622,236	1,831,411
1996 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,269	73,350	54,279	15,790
01-04 years	60,763	316,538	226,908	77,463
05-09 years	63,216	390,202	289,964	86,811
10-14 years	56,750	387,911	293,029	80,457
15-19 years	63,752	380,366	284,917	79,847
20-24 years	71,562	341,944	256,991	66,574
25-29 years	77,023	377,870	296,880	63,315
30-34 years	65,930	438,964	354,848	66,701
35-39 years	53,870	455,747	371,135	67,096
40-44 years	40,435	413,435	340,359	57,457
45-49 years	28,973	373,625	312,331	47,226
50-54 years	20,213	285,803	239,276	35,460
55-59 years	14,397	232,468	194,328	29,834
60-64 years	11,092	198,357	167,470	25,380
65-69 years	7,880	186,309	160,551	22,019
70-74 years	5,261	158,917	140,027	16,020
75-79 years	2,614	117,487	105,027	10,763
80-84 years	1,343	71,784	65,518	5,341
85+ years	987	44,951	40,624	3,828
Total	662,330	5,246,028	4,194,462	857,382
1996 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	15,372	70,646	51,870	15,678
01-04 years	58,039	302,540	215,778	75,185
05-09 years	60,386	371,361	274,541	84,126
10-14 years	54,032	370,540	277,807	78,883
15-19 years	54,962	357,987	265,716	77,655
20-24 years	57,599	339,697	250,925	71,276
25-29 years	58,849	389,590	295,160	72,620
30-34 years	53,559	449,098	352,260	77,975
35-39 years	45,105	469,548	370,846	80,966
40-44 years	35,523	431,645	342,996	71,396
45-49 years	26,524	391,993	316,086	60,176
50-54 years	19,227	303,770	247,289	44,947
55-59 years	14,047	252,787	205,788	38,487
60-64 years	11,094	223,098	183,792	33,077
65-69 years	8,816	226,344	191,609	29,883
70-74 years	6,102	214,008	186,446	23,630
75-79 years	3,895	180,810	161,002	17,287
80-84 years	2,238	135,348	123,164	10,769
85+ years	1,797	125,663	114,699	10,013
Total	587,166	5,606,473	4,427,774	974,029

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1997 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	33,560	140,709	103,466	30,993
01-04 years	124,076	605,422	433,245	147,640
05-09 years	134,063	774,044	567,737	178,461
10-14 years	115,746	757,770	567,988	160,902
15-19 years	125,191	748,316	557,078	159,602
20-24 years	137,337	671,494	500,092	135,454
25-29 years	143,100	759,893	579,285	138,401
30-34 years	124,455	854,109	675,713	141,169
35-39 years	103,254	920,309	735,117	148,653
40-44 years	80,402	860,491	693,210	133,116
45-49 years	58,576	762,459	621,634	110,502
50-54 years	42,898	634,003	525,476	83,919
55-59 years	29,703	498,096	409,812	70,319
60-64 years	23,112	421,510	349,517	59,126
65-69 years	17,329	402,152	341,814	51,291
70-74 years	11,877	368,682	321,254	40,361
75-79 years	6,931	303,704	270,044	29,101
80-84 years	3,585	209,967	190,956	16,466
85+ years	2,874	174,516	158,953	14,031
Total	1,318,069	10,867,646	8,602,391	1,849,507
1997 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,333	71,566	52,838	15,540
01-04 years	63,544	309,577	222,070	75,010
05-09 years	68,654	396,411	291,653	90,438
10-14 years	58,969	387,823	291,696	81,328
15-19 years	67,656	384,755	287,711	80,704
20-24 years	75,745	336,808	253,131	65,302
25-29 years	80,639	374,207	290,586	64,552
30-34 years	68,770	421,653	339,202	65,034
35-39 years	55,953	453,413	367,239	67,889
40-44 years	43,037	421,155	345,337	59,457
45-49 years	30,625	372,065	309,249	48,629
50-54 years	21,944	307,940	258,762	37,213
55-59 years	14,972	238,775	199,097	30,771
60-64 years	11,549	198,580	166,968	25,576
65-69 years	8,194	181,698	156,015	21,652
70-74 years	5,450	157,523	138,297	16,247
75-79 years	2,862	120,745	107,662	11,233
80-84 years	1,374	72,933	66,571	5,381
85+ years	1,027	46,542	42,112	3,898
Total	698,297	5,254,169	4,186,196	865,854
1997 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,227	69,143	50,628	15,453
01-04 years	60,532	295,845	211,175	72,630
05-09 years	65,409	377,633	276,084	88,023
10-14 years	56,777	369,947	276,292	79,574
15-19 years	57,535	363,561	269,367	78,898
20-24 years	61,592	334,686	246,961	70,152
25-29 years	62,461	385,686	288,699	73,849
30-34 years	55,685	432,456	336,511	76,135
35-39 years	47,301	466,896	367,878	80,764
40-44 years	37,365	439,336	347,873	73,659
45-49 years	27,951	390,394	312,385	61,873
50-54 years	20,954	326,063	266,714	46,706
55-59 years	14,731	259,321	210,715	39,548
60-64 years	11,563	222,930	182,549	33,550
65-69 years	9,135	220,454	185,799	29,639
70-74 years	6,427	211,159	182,957	24,114
75-79 years	4,069	182,959	162,382	17,868
80-84 years	2,211	137,034	124,385	11,085
85+ years	1,847	127,974	116,841	10,133
Total	619,772	5,613,477	4,416,195	983,653

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1998 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	34,542	137,982	100,600	30,739
01-04 years	129,811	588,351	422,492	140,419
05-09 years	143,176	776,129	562,779	184,466
10-14 years	121,278	756,932	563,786	163,731
15-19 years	131,837	756,450	561,826	161,486
20-24 years	146,971	671,144	500,727	133,563
25-29 years	152,019	751,483	567,334	139,245
30-34 years	129,918	822,175	645,309	138,191
35-39 years	108,004	910,825	724,311	148,674
40-44 years	85,667	876,585	704,260	137,500
45-49 years	62,542	774,501	629,757	112,932
50-54 years	46,127	650,317	535,387	88,324
55-59 years	31,811	521,184	430,331	71,638
60-64 years	24,161	428,750	354,456	60,409
65-69 years	17,998	391,751	330,772	51,494
70-74 years	12,491	367,705	319,140	41,220
75-79 years	7,380	305,141	270,405	29,803
80-84 years	3,700	212,103	192,506	16,896
85+ years	2,980	179,926	163,689	14,575
Total	1,392,413	10,879,434	8,579,867	1,865,305
1998 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,785	70,315	51,572	15,400
01-04 years	66,463	300,626	216,634	71,205
05-09 years	73,385	397,568	288,970	93,654
10-14 years	61,632	387,530	289,538	82,943
15-19 years	71,425	388,555	289,752	81,646
20-24 years	80,918	336,838	253,575	64,570
25-29 years	85,154	370,322	285,022	64,952
30-34 years	71,524	406,141	324,349	63,908
35-39 years	58,643	448,636	361,799	68,045
40-44 years	45,785	429,611	351,094	61,791
45-49 years	32,756	378,235	313,547	49,740
50-54 years	23,616	315,834	263,934	39,091
55-59 years	16,016	250,147	209,169	31,483
60-64 years	11,851	202,340	169,545	26,147
65-69 years	8,460	176,800	150,957	21,608
70-74 years	5,727	158,090	138,408	16,584
75-79 years	3,146	122,077	108,487	11,584
80-84 years	1,411	74,544	67,937	5,561
85+ years	1,081	48,504	43,866	4,069
Total	736,778	5,262,713	4,178,155	873,981
1998 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,757	67,667	49,028	15,339
01-04 years	63,348	287,725	205,858	69,214
05-09 years	69,791	378,561	273,809	90,812
10-14 years	59,646	369,402	274,248	80,788
15-19 years	60,412	367,895	272,074	79,840
20-24 years	66,053	334,306	247,152	68,993
25-29 years	66,865	381,161	282,312	74,293
30-34 years	58,394	416,034	320,960	74,283
35-39 years	49,361	462,189	362,512	80,629
40-44 years	39,882	446,974	353,166	75,709
45-49 years	29,786	396,266	316,210	63,192
50-54 years	22,511	334,483	271,453	49,233
55-59 years	15,795	271,037	221,162	40,155
60-64 years	12,310	226,410	184,911	34,262
65-69 years	9,538	214,951	179,815	29,886
70-74 years	6,764	209,615	180,732	24,636
75-79 years	4,234	183,064	161,918	18,219
80-84 years	2,289	137,559	124,569	11,335
85+ years	1,899	131,422	119,823	10,506
Total	655,635	5,616,721	4,401,712	991,324

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
1999 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,521	136,767	99,470	30,713
01-04 years	134,941	573,737	412,010	135,436
05-09 years	153,886	776,076	558,293	187,800
10-14 years	127,759	765,694	565,959	169,591
15-19 years	137,384	756,345	560,864	161,457
20-24 years	156,578	677,187	503,153	135,413
25-29 years	159,120	738,165	549,446	139,361
30-34 years	135,774	792,652	616,127	135,340
35-39 years	113,288	896,492	710,511	147,274
40-44 years	90,515	886,906	710,673	140,842
45-49 years	66,790	790,766	640,911	117,009
50-54 years	49,943	676,602	554,984	93,121
55-59 years	33,464	534,076	440,506	73,062
60-64 years	25,298	436,450	360,081	61,603
65-69 years	18,718	381,891	320,646	51,273
70-74 years	13,239	364,228	314,798	41,872
75-79 years	7,968	307,529	271,993	30,329
80-84 years	3,788	214,083	193,733	17,429
85+ years	3,088	185,312	168,499	15,022
Total	1,468,062	10,890,958	8,552,657	1,883,947
1999 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,788	69,666	50,887	15,494
01-04 years	69,148	293,077	211,287	68,714
05-09 years	78,715	397,663	286,833	95,542
10-14 years	64,937	392,017	290,544	85,926
15-19 years	74,702	387,774	288,817	81,292
20-24 years	86,583	339,084	254,212	65,356
25-29 years	88,188	364,697	275,795	64,864
30-34 years	74,664	391,746	309,848	62,646
35-39 years	61,427	441,272	354,498	67,721
40-44 years	48,364	434,990	354,378	63,575
45-49 years	34,969	386,625	319,304	51,861
50-54 years	25,649	328,716	274,033	41,054
55-59 years	16,667	256,610	214,397	32,231
60-64 years	12,392	205,958	172,280	26,560
65-69 years	8,735	173,228	147,089	21,590
70-74 years	6,089	157,183	137,160	16,810
75-79 years	3,527	123,060	109,305	11,653
80-84 years	1,464	75,684	68,706	5,842
85+ years	1,134	50,478	45,692	4,183
Total	776,142	5,269,528	4,165,065	882,914
1999 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,733	67,101	48,583	15,219
01-04 years	65,793	280,660	200,723	66,722
05-09 years	75,171	378,413	271,460	92,258
10-14 years	62,822	373,677	275,415	83,665
15-19 years	62,682	368,571	272,047	80,165
20-24 years	69,995	338,103	248,941	70,057
25-29 years	70,932	373,468	273,651	74,497
30-34 years	61,110	400,906	306,279	72,694
35-39 years	51,861	455,220	356,013	79,553
40-44 years	42,151	451,916	356,295	77,267
45-49 years	31,821	404,141	321,607	65,148
50-54 years	24,294	347,886	280,951	52,067
55-59 years	16,797	277,466	226,109	40,831
60-64 years	12,906	230,492	187,801	35,043
65-69 years	9,983	208,663	173,557	29,683
70-74 years	7,150	207,045	177,638	25,062
75-79 years	4,441	184,469	162,688	18,676
80-84 years	2,324	138,399	125,027	11,587
85+ years	1,954	134,834	122,807	10,839
Total	691,920	5,621,430	4,387,592	1,001,033

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2000 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	38,562	136,877	98,656	31,151
01-04 years	139,352	560,594	402,247	131,481
05-09 years	162,031	762,538	545,386	186,335
10-14 years	135,837	772,835	567,585	174,297
15-19 years	142,644	755,077	559,945	160,474
20-24 years	165,960	689,349	509,183	139,325
25-29 years	166,983	719,395	532,035	136,351
30-34 years	142,211	777,580	597,005	134,187
35-39 years	118,187	874,795	690,619	144,482
40-44 years	95,717	893,073	713,560	142,915
45-49 years	71,632	806,339	651,815	120,528
50-54 years	53,635	706,505	577,037	99,066
55-59 years	35,768	545,366	449,143	74,362
60-64 years	26,259	438,406	359,908	62,617
65-69 years	19,564	376,612	314,713	51,285
70-74 years	13,928	360,185	309,855	42,384
75-79 years	8,510	308,865	272,586	30,688
80-84 years	4,085	216,054	194,655	18,178
85+ years	3,300	189,551	172,155	15,356
Total	1,544,165	10,889,996	8,518,088	1,895,462
2000 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,852	69,702	50,441	15,727
01-04 years	71,336	286,391	206,319	66,848
05-09 years	82,767	390,719	280,223	94,832
10-14 years	69,180	395,495	291,236	88,323
15-19 years	77,592	387,801	288,823	80,875
20-24 years	92,531	344,464	256,701	67,094
25-29 years	92,408	356,085	267,625	63,375
30-34 years	78,056	385,193	299,940	62,156
35-39 years	63,933	430,630	344,722	66,325
40-44 years	51,159	438,313	355,798	64,849
45-49 years	37,534	394,671	324,968	53,762
50-54 years	27,586	343,349	285,114	43,778
55-59 years	17,880	262,038	218,788	32,711
60-64 years	12,825	207,031	172,158	27,115
65-69 years	9,104	171,365	144,956	21,580
70-74 years	6,450	156,287	135,858	17,056
75-79 years	3,797	123,681	109,675	11,723
80-84 years	1,646	76,724	69,346	6,135
85+ years	1,216	52,093	47,178	4,247
Total	816,852	5,272,032	4,149,869	888,511
2000 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,710	67,175	48,215	15,424
01-04 years	68,016	274,203	195,928	64,633
05-09 years	79,264	371,819	265,163	91,503
10-14 years	66,657	377,340	276,349	85,974
15-19 years	65,052	367,276	271,122	79,599
20-24 years	73,429	344,885	252,482	72,231
25-29 years	74,575	363,310	264,410	72,976
30-34 years	64,155	392,387	297,065	72,031
35-39 years	54,254	444,165	345,897	78,157
40-44 years	44,558	454,760	357,762	78,066
45-49 years	34,098	411,668	326,847	66,766
50-54 years	26,049	363,156	291,923	55,288
55-59 years	17,888	283,328	230,355	41,651
60-64 years	13,434	231,375	187,750	35,502
65-69 years	10,460	205,247	169,757	29,705
70-74 years	7,478	203,898	173,997	25,328
75-79 years	4,713	185,184	162,911	18,965
80-84 years	2,439	139,330	125,309	12,043
85+ years	2,084	137,458	124,977	11,109
Total	727,313	5,617,964	4,368,219	1,006,951

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2001 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,104	140,910	100,342	32,607
01-04 years	143,644	548,281	393,965	126,644
05-09 years	166,083	745,633	532,963	180,817
10-14 years	143,008	777,313	566,771	178,846
15-19 years	143,747	753,467	559,389	158,907
20-24 years	168,328	702,612	517,700	142,781
25-29 years	172,003	692,725	510,325	130,532
30-34 years	148,554	775,183	591,191	134,334
35-39 years	123,112	846,575	664,958	140,646
40-44 years	100,704	897,324	715,855	144,306
45-49 years	75,720	818,904	660,875	122,615
50-54 years	57,580	741,272	604,028	105,437
55-59 years	38,274	553,872	455,391	75,307
60-64 years	27,395	444,116	364,086	62,791
65-69 years	20,474	374,522	310,635	52,337
70-74 years	14,562	355,215	304,458	42,504
75-79 years	9,227	307,484	269,898	31,692
80-84 years	4,586	219,809	197,598	18,734
85+ years	3,428	191,695	174,342	15,089
Total	1,601,533	10,886,912	8,494,770	1,896,926
2001 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,091	71,823	51,429	16,336
01-04 years	73,696	279,723	201,910	64,194
05-09 years	84,772	382,020	273,680	92,308
10-14 years	73,062	397,846	290,893	90,631
15-19 years	77,786	387,414	288,765	80,244
20-24 years	93,384	350,455	260,619	68,770
25-29 years	95,023	343,071	256,853	60,611
30-34 years	81,139	383,770	297,085	62,041
35-39 years	66,692	416,808	332,142	64,516
40-44 years	53,650	440,466	356,786	65,745
45-49 years	39,650	400,958	329,523	54,863
50-54 years	29,648	360,201	298,615	46,508
55-59 years	19,158	266,566	222,303	33,140
60-64 years	13,495	209,822	174,214	27,159
65-69 years	9,519	171,066	143,675	22,099
70-74 years	6,700	154,464	133,869	17,130
75-79 years	4,149	123,913	109,359	12,134
80-84 years	1,853	78,801	71,095	6,378
85+ years	1,249	53,099	48,255	4,119
Total	845,716	5,272,286	4,141,070	888,926
2001 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,013	69,087	48,913	16,271
01-04 years	69,948	268,558	192,055	62,450
05-09 years	81,311	363,613	259,283	88,509
10-14 years	69,946	379,467	275,878	88,215
15-19 years	65,961	366,053	270,624	78,663
20-24 years	74,944	352,157	257,081	74,011
25-29 years	76,980	349,654	253,472	69,921
30-34 years	67,415	391,413	294,106	72,293
35-39 years	56,420	429,767	332,816	76,130
40-44 years	47,054	456,858	359,069	78,561
45-49 years	36,070	417,946	331,352	67,752
50-54 years	27,932	381,071	305,413	58,929
55-59 years	19,116	287,306	233,088	42,167
60-64 years	13,900	234,294	189,872	35,632
65-69 years	10,955	203,456	166,960	30,238
70-74 years	7,862	200,751	170,589	25,374
75-79 years	5,078	183,571	160,539	19,558
80-84 years	2,733	141,008	126,503	12,356
85+ years	2,179	138,596	126,087	10,970
Total	755,817	5,614,626	4,353,700	1,008,000

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2002 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	40,895	135,696	96,716	31,113
01-04 years	150,256	545,914	391,710	124,871
05-09 years	168,672	726,593	519,054	174,624
10-14 years	149,769	781,154	566,206	182,714
15-19 years	144,951	750,289	556,248	158,714
20-24 years	169,662	708,039	520,281	144,387
25-29 years	175,364	679,769	500,571	126,501
30-34 years	155,780	767,735	579,599	134,554
35-39 years	126,891	817,684	639,246	136,326
40-44 years	105,446	891,439	709,291	144,250
45-49 years	80,422	834,308	671,527	126,363
50-54 years	60,256	738,521	598,727	107,405
55-59 years	41,700	592,279	488,093	78,875
60-64 years	28,406	458,723	376,404	63,754
65-69 years	21,283	374,632	309,036	53,206
70-74 years	15,128	347,309	296,571	42,111
75-79 years	9,788	305,424	266,945	32,431
80-84 years	5,030	223,459	200,227	19,438
85+ years	3,601	193,289	175,762	15,056
Total	1,653,300	10,872,256	8,462,214	1,896,693
2002 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,764	69,347	49,355	15,925
01-04 years	77,064	278,566	200,875	63,119
05-09 years	86,265	371,769	266,218	89,209
10-14 years	76,448	399,950	290,659	92,701
15-19 years	77,539	385,723	286,922	80,285
20-24 years	94,057	353,154	261,855	69,655
25-29 years	96,530	336,253	251,537	58,840
30-34 years	84,847	380,174	291,918	61,826
35-39 years	68,458	402,789	319,599	62,493
40-44 years	56,136	437,512	353,342	65,766
45-49 years	42,150	408,111	334,386	56,641
50-54 years	31,102	359,399	296,782	47,421
55-59 years	20,952	285,077	238,207	34,780
60-64 years	13,883	216,761	180,138	27,591
65-69 years	10,032	172,063	143,825	22,457
70-74 years	6,920	151,400	130,724	17,011
75-79 years	4,298	123,971	109,053	12,435
80-84 years	2,072	80,816	72,667	6,675
85+ years	1,304	54,003	49,088	4,112
Total	870,821	5,266,838	4,127,150	888,942
2002 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,131	66,349	47,361	15,188
01-04 years	73,192	267,348	190,835	61,752
05-09 years	82,407	354,824	252,836	85,415
10-14 years	73,321	381,204	275,547	90,013
15-19 years	67,412	364,566	269,326	78,429
20-24 years	75,605	354,885	258,426	74,732
25-29 years	78,834	343,516	249,034	67,661
30-34 years	70,933	387,561	287,681	72,728
35-39 years	58,433	414,895	319,647	73,833
40-44 years	49,310	453,927	355,949	78,484
45-49 years	38,272	426,197	337,141	69,722
50-54 years	29,154	379,122	301,945	59,984
55-59 years	20,748	307,202	249,886	44,095
60-64 years	14,523	241,962	196,266	36,163
65-69 years	11,251	202,569	165,211	30,749
70-74 years	8,208	195,909	165,847	25,100
75-79 years	5,490	181,453	157,892	19,996
80-84 years	2,958	142,643	127,560	12,763
85+ years	2,297	139,286	126,674	10,944
Total	782,479	5,605,418	4,335,064	1,007,751

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2003 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,379	133,688	95,351	29,861
01-04 years	156,169	540,594	387,645	122,442
05-09 years	170,992	707,655	506,615	167,279
10-14 years	156,214	778,659	560,306	185,579
15-19 years	146,392	749,560	553,510	160,433
20-24 years	169,938	715,371	525,495	145,226
25-29 years	176,734	674,580	498,342	123,649
30-34 years	161,347	751,708	562,572	133,061
35-39 years	132,109	789,629	613,155	132,580
40-44 years	109,674	879,640	698,016	142,911
45-49 years	84,704	847,484	680,316	129,755
50-54 years	63,304	748,055	605,304	109,495
55-59 years	45,150	610,103	500,600	82,351
60-64 years	29,731	479,900	395,112	65,074
65-69 years	22,404	381,196	313,654	54,180
70-74 years	15,708	339,987	288,283	42,588
75-79 years	10,587	303,851	264,780	32,627
80-84 years	5,537	226,030	201,963	20,064
85+ years	3,850	196,393	178,512	15,210
Total	1,701,923	10,854,083	8,429,531	1,894,365
2003 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,330	68,520	49,084	15,037
01-04 years	79,724	275,781	198,462	62,055
05-09 years	87,511	361,542	259,856	85,022
10-14 years	79,799	398,523	287,535	94,218
15-19 years	77,727	385,637	285,690	81,273
20-24 years	93,723	356,749	264,165	70,208
25-29 years	96,878	333,825	250,583	57,692
30-34 years	87,732	372,085	283,327	61,151
35-39 years	70,955	389,006	306,768	60,637
40-44 years	58,240	431,759	347,926	65,098
45-49 years	44,329	414,468	338,375	58,500
50-54 years	32,632	364,119	300,121	48,408
55-59 years	22,849	293,968	244,926	36,264
60-64 years	14,446	226,799	189,118	28,106
65-69 years	10,573	175,741	146,551	22,871
70-74 years	7,098	148,382	127,253	17,241
75-79 years	4,681	124,119	109,071	12,375
80-84 years	2,334	82,437	73,909	7,006
85+ years	1,422	55,704	50,648	4,145
Total	893,983	5,259,164	4,113,368	887,307
2003 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,049	65,168	46,267	14,824
01-04 years	76,445	264,813	189,183	60,387
05-09 years	83,481	346,113	246,759	82,257
10-14 years	76,415	380,136	272,771	91,361
15-19 years	68,665	363,923	267,820	79,160
20-24 years	76,215	358,622	261,330	75,018
25-29 years	79,856	340,755	247,759	65,957
30-34 years	73,615	379,623	279,245	71,910
35-39 years	61,154	400,623	306,387	71,943
40-44 years	51,434	447,881	350,090	77,813
45-49 years	40,375	433,016	341,941	71,255
50-54 years	30,672	383,936	305,183	61,087
55-59 years	22,301	316,135	255,674	46,087
60-64 years	15,285	253,101	205,994	36,968
65-69 years	11,831	205,455	167,103	31,309
70-74 years	8,610	191,605	161,030	25,347
75-79 years	5,906	179,732	155,709	20,252
80-84 years	3,203	143,593	128,054	13,058
85+ years	2,428	140,689	127,864	11,065
Total	807,940	5,594,919	4,316,163	1,007,058

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2004 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,262	133,171	94,894	29,818
01-04 years	161,057	535,141	383,134	119,969
05-09 years	173,109	689,231	494,952	159,684
10-14 years	162,799	769,772	550,541	186,011
15-19 years	149,006	756,166	555,265	164,566
20-24 years	168,255	724,970	534,134	145,351
25-29 years	178,342	677,365	499,863	124,012
30-34 years	166,019	729,919	542,154	130,597
35-39 years	136,060	765,378	590,721	128,749
40-44 years	114,136	866,835	685,679	141,084
45-49 years	88,827	855,914	685,696	132,476
50-54 years	66,689	761,131	614,752	112,201
55-59 years	48,327	634,701	519,394	86,390
60-64 years	31,303	492,569	405,178	66,337
65-69 years	23,201	389,130	319,934	54,657
70-74 years	16,468	332,829	280,495	42,736
75-79 years	11,111	299,360	259,750	32,912
80-84 years	6,297	229,276	204,376	20,681
85+ years	4,004	199,643	181,189	15,515
Total	1,747,272	10,842,501	8,402,101	1,893,746
2004 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,545	68,241	48,648	15,219
01-04 years	82,372	273,101	196,313	60,622
05-09 years	88,597	352,518	254,192	81,333
10-14 years	83,208	393,713	282,514	94,353
15-19 years	78,771	389,475	286,843	83,443
20-24 years	92,670	364,503	270,359	70,979
25-29 years	97,243	335,400	251,631	57,972
30-34 years	89,567	361,397	273,422	59,825
35-39 years	73,052	377,387	295,769	59,069
40-44 years	60,618	425,452	341,655	64,516
45-49 years	46,466	419,008	341,187	59,884
50-54 years	34,354	370,779	305,182	49,799
55-59 years	24,554	305,644	254,144	37,928
60-64 years	15,148	233,328	194,391	28,761
65-69 years	10,966	179,635	149,615	23,064
70-74 years	7,415	145,461	124,109	17,227
75-79 years	4,884	123,385	108,104	12,503
80-84 years	2,714	84,249	75,361	7,273
85+ years	1,475	57,269	52,024	4,239
Total	915,619	5,259,945	4,105,463	888,009
2004 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,717	64,930	46,246	14,599
01-04 years	78,685	262,040	186,821	59,347
05-09 years	84,512	336,713	240,760	78,351
10-14 years	79,591	376,059	268,027	91,658
15-19 years	70,235	366,691	268,422	81,123
20-24 years	75,585	360,467	263,775	74,372
25-29 years	81,099	341,965	248,232	66,040
30-34 years	76,452	368,522	268,732	70,772
35-39 years	63,008	387,991	294,952	69,680
40-44 years	53,518	441,383	344,024	76,568
45-49 years	42,361	436,906	344,509	72,592
50-54 years	32,335	390,352	309,570	62,402
55-59 years	23,773	329,057	265,250	48,462
60-64 years	16,155	259,241	210,787	37,576
65-69 years	12,235	209,495	170,319	31,593
70-74 years	9,053	187,368	156,386	25,509
75-79 years	6,227	175,975	151,646	20,409
80-84 years	3,583	145,027	129,015	13,408
85+ years	2,529	142,374	129,165	11,276
Total	831,653	5,582,556	4,296,638	1,005,737

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2005 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,473	129,069	91,352	28,867
01-04 years	164,169	530,995	379,356	118,565
05-09 years	176,794	672,724	484,407	152,726
10-14 years	168,562	754,852	537,504	183,517
15-19 years	153,264	761,011	554,941	169,054
20-24 years	165,540	722,221	533,993	142,488
25-29 years	179,751	686,332	504,904	127,237
30-34 years	169,057	703,519	519,481	126,352
35-39 years	142,157	752,131	576,263	126,940
40-44 years	117,325	845,252	666,641	137,578
45-49 years	93,875	862,237	688,979	135,049
50-54 years	70,243	775,881	626,470	114,418
55-59 years	52,308	667,853	544,299	92,500
60-64 years	33,322	500,669	411,889	66,765
65-69 years	23,991	393,001	322,091	55,166
70-74 years	17,157	328,205	274,874	43,142
75-79 years	12,009	297,050	256,682	33,259
80-84 years	6,755	231,103	205,535	21,118
85+ years	4,397	203,649	184,344	16,148
Total	1,792,149	10,817,754	8,364,005	1,890,889
2005 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,299	66,282	46,931	14,855
01-04 years	83,807	271,311	194,612	59,929
05-09 years	90,767	343,092	248,163	77,522
10-14 years	86,130	386,945	276,330	93,414
15-19 years	80,408	391,398	286,219	85,708
20-24 years	90,850	362,745	269,741	69,754
25-29 years	97,585	339,922	254,162	59,841
30-34 years	90,846	347,949	261,556	57,857
35-39 years	76,066	371,469	289,502	58,092
40-44 years	62,039	414,642	331,993	62,924
45-49 years	49,247	421,902	342,421	61,290
50-54 years	36,202	377,926	310,833	50,964
55-59 years	26,690	322,061	267,018	40,518
60-64 years	16,113	237,828	198,324	28,945
65-69 years	11,350	181,236	150,510	23,219
70-74 years	7,624	144,536	122,544	17,495
75-79 years	5,355	123,097	107,475	12,649
80-84 years	2,876	85,820	76,647	7,490
85+ years	1,644	59,013	53,517	4,414
Total	936,898	5,249,174	4,088,498	886,880
2005 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,174	62,787	44,421	14,012
01-04 years	80,362	259,684	184,744	58,636
05-09 years	86,027	329,632	236,244	75,204
10-14 years	82,432	367,907	261,174	90,103
15-19 years	72,856	369,613	268,722	83,346
20-24 years	74,690	359,476	264,252	72,734
25-29 years	82,166	346,410	250,742	67,396
30-34 years	78,211	355,570	257,925	68,495
35-39 years	66,091	380,662	286,761	68,848
40-44 years	55,286	430,610	334,648	74,654
45-49 years	44,628	440,335	346,558	73,759
50-54 years	34,041	397,955	315,637	63,454
55-59 years	25,618	345,792	277,281	51,982
60-64 years	17,209	262,841	213,565	37,820
65-69 years	12,641	211,765	171,581	31,947
70-74 years	9,533	183,669	152,330	25,647
75-79 years	6,654	173,953	149,207	20,610
80-84 years	3,879	145,283	128,888	13,628
85+ years	2,753	144,636	130,827	11,734
Total	855,251	5,568,580	4,275,507	1,004,009

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2006 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,032	127,001	89,200	28,996
01-04 years	164,664	520,085	371,005	115,317
05-09 years	182,389	665,591	478,147	150,198
10-14 years	173,928	739,743	526,209	178,764
15-19 years	159,164	762,423	551,706	173,170
20-24 years	165,546	717,386	530,939	139,911
25-29 years	180,748	704,543	517,955	130,252
30-34 years	172,611	679,927	500,219	121,577
35-39 years	147,168	749,206	569,650	128,061
40-44 years	121,375	816,842	640,531	134,096
45-49 years	97,873	866,276	691,193	136,602
50-54 years	73,959	788,955	635,744	117,025
55-59 years	55,684	701,042	570,233	98,304
60-64 years	35,482	508,959	417,946	67,707
65-69 years	25,085	397,538	325,559	55,090
70-74 years	17,864	325,913	270,974	43,855
75-79 years	12,602	293,127	252,793	33,033
80-84 years	7,293	230,359	203,990	21,692
85+ years	4,760	208,812	188,737	16,680
Total	1,840,227	10,803,728	8,332,730	1,890,330
2006 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,322	64,736	45,516	14,744
01-04 years	84,052	266,230	190,542	58,551
05-09 years	93,590	339,156	244,991	75,840
10-14 years	88,662	379,276	270,392	91,287
15-19 years	83,566	391,757	284,262	87,795
20-24 years	90,826	361,260	268,883	68,703
25-29 years	97,726	347,961	259,906	61,138
30-34 years	92,523	336,585	252,082	55,695
35-39 years	78,211	369,957	286,205	58,630
40-44 years	64,346	401,082	319,319	61,508
45-49 years	51,159	424,180	343,559	62,288
50-54 years	38,110	384,074	315,176	52,280
55-59 years	28,396	338,104	279,898	43,031
60-64 years	17,117	242,087	201,672	29,329
65-69 years	11,991	183,356	152,124	23,130
70-74 years	7,966	144,448	121,618	17,885
75-79 years	5,525	121,737	106,183	12,561
80-84 years	3,147	86,533	77,001	7,702
85+ years	1,771	61,408	55,671	4,581
Total	960,006	5,243,927	4,075,000	886,678
2006 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,710	62,265	43,684	14,252
01-04 years	80,612	253,855	180,463	56,766
05-09 years	88,799	326,435	233,156	74,358
10-14 years	85,266	360,467	255,817	87,477
15-19 years	75,598	370,666	267,444	85,375
20-24 years	74,720	356,126	262,056	71,208
25-29 years	83,022	356,582	258,049	69,114
30-34 years	80,088	343,342	248,137	65,882
35-39 years	68,957	379,249	283,445	69,431
40-44 years	57,029	415,760	321,212	72,588
45-49 years	46,714	442,096	347,634	74,314
50-54 years	35,849	404,881	320,568	64,745
55-59 years	27,288	362,938	290,335	55,273
60-64 years	18,365	266,872	216,274	38,378
65-69 years	13,094	214,182	173,435	31,960
70-74 years	9,898	181,465	149,356	25,970
75-79 years	7,077	171,390	146,610	20,472
80-84 years	4,146	143,826	126,989	13,990
85+ years	2,989	147,404	133,066	12,099
Total	880,221	5,559,801	4,257,730	1,003,652

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2007 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	43,014	128,278	89,469	29,774
01-04 years	166,521	513,514	365,038	113,857
05-09 years	189,178	660,018	473,836	147,491
10-14 years	178,163	724,227	514,388	173,774
15-19 years	164,953	763,424	549,174	176,109
20-24 years	165,210	715,074	529,228	139,029
25-29 years	181,335	714,753	525,483	130,866
30-34 years	175,109	671,340	494,045	118,398
35-39 years	153,709	741,907	557,814	129,011
40-44 years	124,591	789,444	615,959	130,349
45-49 years	101,821	861,204	685,607	136,457
50-54 years	78,473	805,706	647,499	121,008
55-59 years	57,997	699,047	565,904	99,989
60-64 years	38,551	546,921	450,571	70,914
65-69 years	26,098	412,111	337,771	56,163
70-74 years	18,711	326,817	270,535	44,450
75-79 years	13,208	287,648	247,371	32,696
80-84 years	7,839	230,026	202,930	22,230
85+ years	5,146	214,780	193,676	17,440
Total	1,889,627	10,806,239	8,316,298	1,890,005
2007 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,858	65,230	45,482	15,092
01-04 years	84,980	262,618	187,583	57,529
05-09 years	96,802	336,372	242,728	74,536
10-14 years	90,985	370,904	264,035	88,773
15-19 years	86,296	391,726	282,571	89,198
20-24 years	90,019	360,303	268,162	68,316
25-29 years	97,729	352,624	263,329	61,377
30-34 years	93,446	332,212	248,672	54,488
35-39 years	81,384	366,286	280,836	58,730
40-44 years	65,862	387,652	307,108	59,769
45-49 years	53,218	421,745	340,607	62,472
50-54 years	40,442	391,917	320,689	54,089
55-59 years	29,635	337,730	278,599	43,814
60-64 years	18,703	260,385	217,501	30,833
65-69 years	12,347	190,497	158,205	23,607
70-74 years	8,464	145,620	122,190	18,051
75-79 years	5,794	120,172	104,507	12,521
80-84 years	3,282	87,298	77,492	7,923
85+ years	1,954	63,798	57,713	4,813
Total	983,200	5,245,089	4,068,009	885,931
2007 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,156	63,048	43,987	14,682
01-04 years	81,541	250,896	177,455	56,328
05-09 years	92,376	323,646	231,108	72,955
10-14 years	87,178	353,323	250,353	85,001
15-19 years	78,657	371,698	266,603	86,911
20-24 years	75,191	354,771	261,066	70,713
25-29 years	83,606	362,129	262,154	69,489
30-34 years	81,663	339,128	245,373	63,910
35-39 years	72,325	375,621	276,978	70,281
40-44 years	58,729	401,792	308,851	70,580
45-49 years	48,603	439,459	345,000	73,985
50-54 years	38,031	413,789	326,810	66,919
55-59 years	28,362	361,317	287,305	56,175
60-64 years	19,848	286,536	233,070	40,081
65-69 years	13,751	221,614	179,566	32,556
70-74 years	10,247	181,197	148,345	26,399
75-79 years	7,414	167,476	142,864	20,175
80-84 years	4,557	142,728	125,438	14,307
85+ years	3,192	150,982	135,963	12,627
Total	906,427	5,561,150	4,248,289	1,004,074

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2008 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	42,012	125,956	87,337	29,329
01-04 years	169,784	509,911	360,632	114,158
05-09 years	196,021	655,521	469,776	145,222
10-14 years	182,935	709,417	504,546	167,945
15-19 years	171,103	759,962	542,230	178,975
20-24 years	166,301	710,244	524,013	139,159
25-29 years	181,703	728,555	537,509	131,359
30-34 years	176,403	670,810	495,529	116,643
35-39 years	159,681	727,019	541,829	128,101
40-44 years	129,694	763,568	591,741	127,087
45-49 years	105,642	851,044	675,710	135,249
50-54 years	82,853	821,048	658,241	124,579
55-59 years	61,009	712,062	575,522	102,264
60-64 years	41,683	565,580	464,043	74,214
65-69 years	27,274	432,474	355,714	57,437
70-74 years	19,636	332,607	274,877	45,037
75-79 years	13,562	281,568	240,563	33,045
80-84 years	8,414	228,884	201,543	22,172
85+ years	5,638	219,460	197,449	18,123
Total	1,941,348	10,805,690	8,298,804	1,890,098
2008 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,292	64,136	44,492	14,980
01-04 years	86,341	260,389	184,772	57,797
05-09 years	100,259	334,140	240,685	73,360
10-14 years	93,423	362,897	259,195	85,188
15-19 years	89,316	389,775	278,919	90,724
20-24 years	90,241	358,070	265,558	68,508
25-29 years	97,354	359,647	269,388	61,650
30-34 years	93,681	331,955	249,609	53,829
35-39 years	84,512	358,642	272,840	58,287
40-44 years	68,308	375,033	295,190	58,225
45-49 years	55,180	416,854	335,924	61,837
50-54 years	42,653	399,508	325,720	56,157
55-59 years	31,148	344,061	283,356	44,813
60-64 years	20,429	269,791	224,738	32,283
65-69 years	12,843	200,219	166,908	24,096
70-74 years	8,877	148,973	124,803	18,298
75-79 years	5,886	117,985	102,037	12,629
80-84 years	3,535	87,768	77,939	7,806
85+ years	2,167	66,213	59,765	5,108
Total	1,007,445	5,246,056	4,061,838	885,575
2008 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,720	61,820	42,845	14,349
01-04 years	83,443	249,522	175,860	56,361
05-09 years	95,762	321,381	229,091	71,862
10-14 years	89,512	346,520	245,351	82,757
15-19 years	81,787	370,187	263,311	88,251
20-24 years	76,060	352,174	258,455	70,651
25-29 years	84,349	368,908	268,121	69,709
30-34 years	82,722	338,855	245,920	62,814
35-39 years	75,169	368,377	268,989	69,814
40-44 years	61,386	388,535	296,551	68,862
45-49 years	50,462	434,190	339,786	73,412
50-54 years	40,200	421,540	332,521	68,422
55-59 years	29,861	368,001	292,166	57,451
60-64 years	21,254	295,789	239,305	41,931
65-69 years	14,431	232,255	188,806	33,341
70-74 years	10,759	183,634	150,074	26,739
75-79 years	7,676	163,583	138,526	20,416
80-84 years	4,879	141,116	123,604	14,366
85+ years	3,471	153,247	137,684	13,015
Total	933,903	5,559,634	4,236,966	1,004,523

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2009 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,747	122,899	85,709	28,122
01-04 years	171,143	504,486	354,417	114,367
05-09 years	203,209	654,151	467,751	144,120
10-14 years	187,630	696,298	496,144	162,034
15-19 years	177,072	751,129	532,284	179,653
20-24 years	167,357	710,291	521,055	141,286
25-29 years	180,158	734,539	544,708	129,897
30-34 years	178,300	677,472	500,293	117,932
35-39 years	164,597	706,833	522,144	126,637
40-44 years	134,088	741,258	571,090	123,495
45-49 years	109,989	841,540	666,186	133,758
50-54 years	87,093	832,526	666,101	127,772
55-59 years	64,438	727,956	587,554	105,015
60-64 years	44,681	591,892	484,754	78,097
65-69 years	28,984	446,086	366,230	59,084
70-74 years	20,498	340,033	280,973	45,349
75-79 years	14,464	275,895	234,527	33,031
80-84 years	8,903	226,333	198,480	22,474
85+ years	6,204	224,606	201,453	19,055
Total	1,990,555	10,806,223	8,281,853	1,891,178
2009 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,236	62,831	43,867	14,352
01-04 years	86,911	257,452	181,572	57,879
05-09 years	103,900	333,354	239,578	72,823
10-14 years	95,685	356,455	254,964	82,418
15-19 years	91,949	384,570	273,467	90,844
20-24 years	90,242	357,322	263,423	69,318
25-29 years	96,302	362,885	273,140	61,020
30-34 years	93,883	335,209	252,207	54,421
35-39 years	86,460	348,305	262,966	57,375
40-44 years	70,704	364,092	284,788	56,761
45-49 years	57,387	411,840	330,672	61,521
50-54 years	44,866	405,660	329,854	57,748
55-59 years	32,777	351,952	289,554	46,209
60-64 years	22,003	282,475	235,156	33,823
65-69 years	13,612	207,154	172,339	24,946
70-74 years	9,264	152,550	127,754	18,356
75-79 years	6,251	116,061	99,987	12,589
80-84 years	3,733	87,729	77,704	7,902
85+ years	2,440	68,554	61,723	5,393
Total	1,029,605	5,246,450	4,054,715	885,698
2009 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,511	60,068	41,842	13,770
01-04 years	84,232	247,034	172,845	56,488
05-09 years	99,309	320,797	228,173	71,297
10-14 years	91,945	339,843	241,180	79,616
15-19 years	85,123	366,559	258,817	88,809
20-24 years	77,115	352,969	257,632	71,968
25-29 years	83,856	371,654	271,568	68,877
30-34 years	84,417	342,263	248,086	63,511
35-39 years	78,137	358,528	259,178	69,262
40-44 years	63,384	377,166	286,302	66,734
45-49 years	52,602	429,700	335,514	72,237
50-54 years	42,227	426,866	336,247	70,024
55-59 years	31,661	376,004	298,000	58,806
60-64 years	22,678	309,417	249,598	44,274
65-69 years	15,372	238,932	193,891	34,138
70-74 years	11,234	187,483	153,219	26,993
75-79 years	8,213	159,834	134,540	20,442
80-84 years	5,170	138,604	120,776	14,572
85+ years	3,764	156,052	139,730	13,662
Total	960,950	5,559,773	4,227,138	1,005,480

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2010 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	41,188	122,579	85,571	28,025
01-04 years	171,681	499,352	350,583	113,165
05-09 years	207,850	649,588	462,625	142,987
10-14 years	192,959	684,859	488,362	157,160
15-19 years	182,067	738,192	521,272	177,047
20-24 years	168,989	711,149	517,206	145,276
25-29 years	177,754	732,034	544,993	127,362
30-34 years	179,354	689,527	508,479	121,452
35-39 years	167,543	683,744	502,619	122,939
40-44 years	139,857	730,191	558,045	122,646
45-49 years	113,060	822,986	649,672	130,892
50-54 years	91,933	840,448	670,727	130,589
55-59 years	67,983	744,828	600,767	107,690
60-64 years	48,135	624,722	509,766	83,839
65-69 years	30,972	456,968	374,957	60,081
70-74 years	21,281	344,821	283,984	45,969
75-79 years	15,229	273,768	231,169	33,699
80-84 years	9,701	226,164	197,489	22,999
85+ years	6,740	230,349	205,954	20,034
Total	2,034,276	10,806,269	8,264,240	1,893,851
2010 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	21,052	62,827	43,845	14,375
01-04 years	87,063	254,674	179,500	57,206
05-09 years	106,238	331,371	237,194	72,362
10-14 years	98,432	349,594	250,438	79,596
15-19 years	94,082	378,710	268,217	89,875
20-24 years	90,500	357,502	261,479	71,123
25-29 years	94,393	362,417	273,666	60,099
30-34 years	94,217	341,053	256,248	56,197
35-39 years	87,537	336,803	253,060	55,749
40-44 years	73,569	359,083	278,894	56,385
45-49 years	58,840	402,694	322,391	60,302
50-54 years	47,447	409,414	331,900	59,249
55-59 years	34,690	360,039	295,834	47,549
60-64 years	23,741	298,650	247,941	36,261
65-69 years	14,608	212,793	177,027	25,447
70-74 years	9,655	154,579	129,067	18,548
75-79 years	6,577	116,178	99,423	12,937
80-84 years	4,112	88,239	77,890	8,120
85+ years	2,619	71,118	63,911	5,681
Total	1,049,372	5,247,738	4,047,925	887,061
2010 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	20,136	59,752	41,726	13,650
01-04 years	84,618	244,678	171,083	55,959
05-09 years	101,612	318,217	225,431	70,625
10-14 years	94,527	335,265	237,924	77,564
15-19 years	87,985	359,482	253,055	87,172
20-24 years	78,489	353,647	255,727	74,153
25-29 years	83,361	369,617	271,327	67,263
30-34 years	85,137	348,474	252,231	65,255
35-39 years	80,006	346,941	249,559	67,190
40-44 years	66,288	371,108	279,151	66,261
45-49 years	54,220	420,292	327,281	70,590
50-54 years	44,486	431,034	338,827	71,340
55-59 years	33,293	384,789	304,933	60,141
60-64 years	24,394	326,072	261,825	47,578
65-69 years	16,364	244,175	197,930	34,634
70-74 years	11,626	190,242	154,917	27,421
75-79 years	8,652	157,590	131,746	20,762
80-84 years	5,589	137,925	119,599	14,879
85+ years	4,121	159,231	142,043	14,353
Total	984,904	5,558,531	4,216,315	1,006,790

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2011 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	38,871	123,228	86,034	27,823
01-04 years	169,515	493,802	345,700	111,902
05-09 years	209,893	641,031	455,758	140,323
10-14 years	195,942	676,338	481,771	153,879
15-19 years	183,956	724,137	511,428	171,631
20-24 years	169,927	717,602	514,785	152,445
25-29 years	176,339	730,166	542,348	127,302
30-34 years	178,882	702,652	517,994	123,064
35-39 years	169,315	660,765	483,742	118,188
40-44 years	144,996	728,341	552,163	123,495
45-49 years	116,610	795,650	624,430	127,517
50-54 years	95,296	843,504	672,753	131,237
55-59 years	71,654	759,526	611,115	110,664
60-64 years	51,463	656,520	535,068	88,628
65-69 years	33,203	466,154	381,706	60,975
70-74 years	22,254	352,294	289,550	46,675
75-79 years	16,015	273,970	229,303	34,862
80-84 years	10,353	225,005	195,713	23,294
85+ years	7,503	235,111	209,452	20,841
Total	2,061,987	10,805,796	8,240,813	1,894,745
2011 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	19,924	63,301	44,198	14,266
01-04 years	85,871	251,803	176,909	56,618
05-09 years	107,360	327,218	233,813	70,988
10-14 years	99,810	344,963	246,835	77,891
15-19 years	94,592	371,683	263,055	87,458
20-24 years	90,218	361,379	260,653	75,067
25-29 years	93,488	362,414	272,663	60,561
30-34 years	93,830	347,340	260,861	57,032
35-39 years	88,330	326,062	243,756	53,830
40-44 years	76,070	357,912	276,164	56,628
45-49 years	60,888	389,537	310,171	58,673
50-54 years	49,176	411,221	332,920	59,901
55-59 years	36,548	367,146	300,970	48,851
60-64 years	25,558	313,417	260,191	38,095
65-69 years	15,679	217,785	180,835	25,896
70-74 years	10,088	158,211	131,874	18,815
75-79 years	6,998	116,950	99,191	13,416
80-84 years	4,373	88,197	77,587	8,266
85+ years	2,911	73,669	66,001	5,985
Total	1,061,712	5,250,208	4,038,647	888,237
2011 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,947	59,927	41,836	13,557
01-04 years	83,644	241,999	168,791	55,284
05-09 years	102,533	313,813	221,945	69,335
10-14 years	96,132	331,375	234,936	75,988
15-19 years	89,364	352,454	248,373	84,173
20-24 years	79,709	356,223	254,132	77,378
25-29 years	82,851	367,752	269,685	66,741
30-34 years	85,052	355,312	257,133	66,032
35-39 years	80,985	334,703	239,986	64,358
40-44 years	68,926	370,429	275,999	66,867
45-49 years	55,722	406,113	314,259	68,844
50-54 years	46,120	432,283	339,833	71,336
55-59 years	35,106	392,380	310,145	61,813
60-64 years	25,905	343,103	274,877	50,533
65-69 years	17,524	248,369	200,871	35,079
70-74 years	12,166	194,083	157,676	27,860
75-79 years	9,017	157,020	130,112	21,446
80-84 years	5,980	136,808	118,126	15,028
85+ years	4,592	161,442	143,451	14,856
Total	1,000,275	5,555,588	4,202,166	1,006,508

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2012 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	37,603	122,090	84,598	27,920
01-04 years	164,637	489,590	341,890	110,251
05-09 years	212,583	635,059	450,076	139,108
10-14 years	198,683	666,200	474,201	150,125
15-19 years	184,531	706,844	499,214	165,603
20-24 years	172,096	726,444	515,110	159,091
25-29 years	173,007	726,634	537,097	128,253
30-34 years	178,253	711,576	523,991	123,806
35-39 years	170,257	651,683	476,905	115,343
40-44 years	149,823	719,827	540,046	123,745
45-49 years	120,141	769,259	600,259	124,063
50-54 years	97,967	835,952	665,437	130,389
55-59 years	75,867	774,789	621,952	114,143
60-64 years	53,670	655,791	531,814	90,076
65-69 years	36,216	501,967	412,292	64,193
70-74 years	23,400	366,015	300,579	47,999
75-79 years	16,693	276,676	230,176	35,769
80-84 years	10,905	221,582	191,648	23,549
85+ years	8,321	240,398	213,357	21,738
Total	2,084,653	10,798,376	8,210,642	1,895,164
2012 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,926	62,399	43,235	14,230
01-04 years	83,690	250,356	175,410	55,974
05-09 years	108,387	323,767	230,517	70,303
10-14 years	101,036	340,242	243,192	76,061
15-19 years	94,475	362,596	256,673	84,401
20-24 years	90,615	366,837	261,614	78,691
25-29 years	91,458	361,385	270,102	61,564
30-34 years	93,549	351,714	263,711	57,509
35-39 years	88,734	321,905	240,420	52,762
40-44 years	78,311	353,913	270,587	56,687
45-49 years	62,820	376,737	298,478	56,955
50-54 years	50,551	407,436	329,118	59,652
55-59 years	38,750	374,490	306,150	50,595
60-64 years	26,843	313,350	259,218	38,620
65-69 years	17,176	235,238	195,958	27,285
70-74 years	10,599	164,544	137,110	19,292
75-79 years	7,409	118,748	100,133	13,742
80-84 years	4,567	87,274	76,361	8,361
85+ years	3,218	76,166	67,996	6,329
Total	1,071,114	5,249,097	4,025,983	889,013
2012 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,677	59,691	41,363	13,690
01-04 years	80,947	239,234	166,480	54,277
05-09 years	104,196	311,292	219,559	68,805
10-14 years	97,647	325,958	231,009	74,064
15-19 years	90,056	344,248	242,541	81,202
20-24 years	81,481	359,607	253,496	80,400
25-29 years	81,549	365,249	266,995	66,689
30-34 years	84,704	359,862	260,280	66,297
35-39 years	81,523	329,778	236,485	62,581
40-44 years	71,512	365,914	269,459	67,058
45-49 years	57,321	392,522	301,781	67,108
50-54 years	47,416	428,516	336,319	70,737
55-59 years	37,117	400,299	315,802	63,548
60-64 years	26,827	342,441	272,596	51,456
65-69 years	19,040	266,729	216,334	36,908
70-74 years	12,801	201,471	163,469	28,707
75-79 years	9,284	157,928	130,043	22,027
80-84 years	6,338	134,308	115,287	15,188
85+ years	5,103	164,232	145,361	15,409
Total	1,013,539	5,549,279	4,184,659	1,006,151

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2013 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,454	120,671	83,110	27,748
01-04 years	158,542	485,600	338,038	108,927
05-09 years	213,539	628,832	443,788	138,391
10-14 years	201,424	656,866	467,870	145,756
15-19 years	185,552	690,291	488,591	158,874
20-24 years	174,348	732,008	512,914	165,045
25-29 years	170,982	726,911	533,070	130,700
30-34 years	177,037	720,231	529,012	124,884
35-39 years	170,729	653,418	479,129	113,752
40-44 years	153,245	705,183	524,168	122,887
45-49 years	124,174	743,082	575,922	120,964
50-54 years	101,174	825,154	654,848	129,059
55-59 years	79,526	787,344	630,727	117,077
60-64 years	56,299	665,885	538,620	92,201
65-69 years	38,979	519,533	425,293	66,899
70-74 years	24,751	385,119	316,746	49,651
75-79 years	17,484	282,343	234,251	36,433
80-84 years	11,479	218,467	187,380	24,198
85+ years	9,149	243,973	215,666	22,488
Total	2,104,867	10,790,911	8,179,143	1,895,934
2013 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,545	61,764	42,714	14,045
01-04 years	80,645	248,426	173,243	55,513
05-09 years	108,446	320,693	227,348	69,890
10-14 years	102,522	335,198	239,901	73,651
15-19 years	94,686	354,126	251,219	81,017
20-24 years	91,068	370,891	261,273	82,161
25-29 years	90,508	363,121	269,022	63,226
30-34 years	92,876	355,826	265,771	58,128
35-39 years	88,846	323,584	241,958	52,390
40-44 years	79,822	346,496	262,805	56,022
45-49 years	65,047	364,000	286,466	55,534
50-54 years	52,257	402,161	323,998	59,025
55-59 years	40,646	381,021	310,614	52,222
60-64 years	28,222	317,856	262,450	39,502
65-69 years	18,676	243,900	202,755	28,353
70-74 years	11,210	173,625	144,804	20,027
75-79 years	7,735	121,721	102,399	13,994
80-84 years	4,792	86,625	75,220	8,615
85+ years	3,562	78,121	69,506	6,570
Total	1,080,111	5,249,155	4,013,466	889,885
2013 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,909	58,907	40,396	13,703
01-04 years	77,897	237,174	164,795	53,414
05-09 years	105,093	308,139	216,440	68,501
10-14 years	98,902	321,668	227,969	72,105
15-19 years	90,866	336,165	237,372	77,857
20-24 years	83,280	361,117	251,641	82,884
25-29 years	80,474	363,790	264,048	67,474
30-34 years	84,161	364,405	263,241	66,756
35-39 years	81,883	329,834	237,171	61,362
40-44 years	73,423	358,687	261,363	66,865
45-49 years	59,127	379,082	289,456	65,430
50-54 years	48,917	422,993	330,850	70,034
55-59 years	38,880	406,323	320,113	64,855
60-64 years	28,077	348,029	276,170	52,699
65-69 years	20,303	275,633	222,538	38,546
70-74 years	13,541	211,494	171,942	29,624
75-79 years	9,749	160,622	131,852	22,439
80-84 years	6,687	131,842	112,160	15,583
85+ years	5,587	165,852	146,160	15,918
Total	1,024,756	5,541,756	4,165,677	1,006,049

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2014 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	35,875	121,044	83,850	27,692
01-04 years	153,452	483,298	334,679	108,809
05-09 years	212,224	617,193	433,602	136,748
10-14 years	204,171	648,226	461,854	141,632
15-19 years	187,119	673,755	478,124	152,303
20-24 years	176,952	730,432	508,078	167,059
25-29 years	169,551	727,180	527,630	135,386
30-34 years	175,755	720,791	528,832	124,169
35-39 years	170,140	658,950	482,868	114,144
40-44 years	156,511	685,213	505,233	121,129
45-49 years	127,649	719,265	553,972	117,552
50-54 years	104,482	811,817	642,385	126,756
55-59 years	82,852	793,864	635,127	118,986
60-64 years	59,625	678,626	547,642	94,880
65-69 years	41,608	541,745	442,533	70,140
70-74 years	26,413	396,658	325,617	50,901
75-79 years	18,166	289,395	239,593	37,069
80-84 years	12,095	215,357	183,315	24,689
85+ years	10,101	247,542	217,873	23,293
Total	2,124,741	10,760,351	8,132,807	1,893,337
2014 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,217	62,017	43,114	14,059
01-04 years	78,062	247,558	171,659	55,494
05-09 years	107,631	314,562	221,796	69,143
10-14 years	104,136	330,605	236,769	71,545
15-19 years	95,276	345,708	246,040	77,557
20-24 years	91,395	370,440	258,943	83,553
25-29 years	90,040	363,671	266,518	65,887
30-34 years	92,169	356,633	265,823	57,981
35-39 years	88,465	326,450	243,865	52,867
40-44 years	81,212	336,583	253,431	55,011
45-49 years	66,846	352,506	275,711	53,960
50-54 years	53,982	395,786	317,873	58,163
55-59 years	42,435	384,215	312,743	53,149
60-64 years	30,022	324,015	267,013	40,733
65-69 years	20,065	254,338	211,391	29,440
70-74 years	12,025	179,398	149,273	20,678
75-79 years	8,014	124,988	104,870	14,300
80-84 years	5,008	85,876	74,038	8,779
85+ years	3,975	80,259	71,138	6,884
Total	1,088,975	5,235,608	3,992,008	889,183
2014 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,658	59,027	40,736	13,633
01-04 years	75,390	235,740	163,020	53,315
05-09 years	104,593	302,631	211,806	67,605
10-14 years	100,035	317,621	225,085	70,087
15-19 years	91,843	328,047	232,084	74,746
20-24 years	85,557	359,992	249,135	83,506
25-29 years	79,511	363,509	261,112	69,499
30-34 years	83,586	364,158	263,009	66,188
35-39 years	81,675	332,500	239,003	61,277
40-44 years	75,299	348,630	251,802	66,118
45-49 years	60,803	366,759	278,261	63,592
50-54 years	50,500	416,031	324,512	68,593
55-59 years	40,417	409,649	322,384	65,837
60-64 years	29,603	354,611	280,629	54,147
65-69 years	21,543	287,407	231,142	40,700
70-74 years	14,388	217,260	176,344	30,223
75-79 years	10,152	164,407	134,723	22,769
80-84 years	7,087	129,481	109,277	15,910
85+ years	6,126	167,283	146,735	16,409
Total	1,035,766	5,524,743	4,140,799	1,004,154

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2015 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,796	121,817	83,830	28,093
01-04 years	147,941	480,102	331,913	108,140
05-09 years	210,018	608,354	425,780	135,444
10-14 years	205,282	636,364	453,438	137,417
15-19 years	189,953	661,871	469,666	147,942
20-24 years	178,444	720,036	499,396	164,408
25-29 years	168,782	727,208	521,526	140,611
30-34 years	172,414	716,223	524,737	122,418
35-39 years	170,793	668,305	488,672	116,231
40-44 years	158,592	661,512	485,099	117,381
45-49 years	132,182	705,751	539,230	116,444
50-54 years	106,958	790,889	624,074	123,387
55-59 years	86,523	796,556	635,830	120,612
60-64 years	63,375	692,623	558,170	97,311
65-69 years	44,293	566,883	461,952	73,910
70-74 years	28,160	405,182	332,037	51,874
75-79 years	18,953	293,198	241,441	37,792
80-84 years	12,678	213,604	180,274	25,359
85+ years	11,163	249,807	218,732	24,058
Total	2,143,300	10,716,285	8,075,797	1,888,832
2015 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,662	62,376	43,110	14,252
01-04 years	75,191	245,990	170,391	55,021
05-09 years	106,597	310,152	217,766	68,569
10-14 years	104,782	325,063	232,756	69,557
15-19 years	96,635	339,318	241,630	75,266
20-24 years	91,535	365,437	254,695	82,398
25-29 years	89,415	364,278	263,908	68,635
30-34 years	90,411	355,204	263,952	57,404
35-39 years	89,157	330,757	246,342	54,127
40-44 years	82,148	325,314	243,613	53,227
45-49 years	69,027	346,075	268,919	53,372
50-54 years	55,452	385,855	308,972	56,685
55-59 years	44,291	385,592	312,975	54,128
60-64 years	32,051	330,622	272,114	41,853
65-69 years	21,387	266,308	221,088	30,874
70-74 years	12,922	183,810	152,820	21,141
75-79 years	8,425	126,692	105,738	14,522
80-84 years	5,248	85,910	73,468	9,059
85+ years	4,364	81,636	71,962	7,217
Total	1,097,700	5,216,389	3,966,219	887,307
2015 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,134	59,441	40,720	13,841
01-04 years	72,750	234,112	161,522	53,119
05-09 years	103,421	298,202	208,014	66,875
10-14 years	100,500	311,301	220,682	67,860
15-19 years	93,318	322,553	228,036	72,676
20-24 years	86,909	354,599	244,701	82,010
25-29 years	79,367	362,930	257,618	71,976
30-34 years	82,003	361,019	260,785	65,014
35-39 years	81,636	337,548	242,330	62,104
40-44 years	76,444	336,198	241,486	64,154
45-49 years	63,155	359,676	270,311	63,072
50-54 years	51,506	405,034	315,102	66,702
55-59 years	42,232	410,964	322,855	66,484
60-64 years	31,324	362,001	286,056	55,458
65-69 years	22,906	300,575	240,864	43,036
70-74 years	15,238	221,372	179,217	30,733
75-79 years	10,528	166,506	135,703	23,270
80-84 years	7,430	127,694	106,806	16,300
85+ years	6,799	168,171	146,770	16,841
Total	1,045,600	5,499,896	4,109,578	1,001,525

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2016 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	36,119	119,910	82,696	27,383
01-04 years	145,652	477,474	329,378	108,023
05-09 years	205,374	600,457	419,387	133,252
10-14 years	207,203	625,805	445,376	134,435
15-19 years	192,759	651,095	461,850	144,307
20-24 years	179,161	701,228	486,867	158,292
25-29 years	168,787	730,087	517,214	147,189
30-34 years	170,952	711,772	520,187	121,832
35-39 years	169,967	676,611	495,100	117,180
40-44 years	159,839	635,654	464,516	112,087
45-49 years	136,794	700,502	531,184	116,796
50-54 years	110,011	761,350	597,205	119,720
55-59 years	89,346	795,649	634,761	120,807
60-64 years	66,447	703,180	565,589	99,311
65-69 years	47,177	592,891	482,476	77,950
70-74 years	30,049	411,984	336,896	52,582
75-79 years	19,701	298,847	245,658	38,204
80-84 years	13,372	214,426	179,287	26,361
85+ years	12,165	251,912	219,672	24,629
Total	2,160,875	10,660,834	8,015,299	1,880,340
2016 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	18,444	61,460	42,476	13,998
01-04 years	73,761	244,470	169,235	54,702
05-09 years	104,285	306,762	214,660	67,767
10-14 years	106,085	319,472	228,404	68,058
15-19 years	97,916	333,508	237,458	73,364
20-24 years	91,375	356,150	248,275	79,572
25-29 years	88,938	366,399	262,359	72,192
30-34 years	90,025	354,157	262,130	57,712
35-39 years	88,661	334,866	249,495	54,503
40-44 years	82,870	312,877	233,346	50,938
45-49 years	71,260	343,447	265,259	53,323
50-54 years	57,280	371,676	295,996	54,928
55-59 years	45,795	385,638	312,592	54,584
60-64 years	33,590	335,854	275,807	42,823
65-69 years	23,017	278,055	230,908	32,321
70-74 years	13,798	187,453	155,485	21,554
75-79 years	8,756	129,495	107,968	14,652
80-84 years	5,646	86,795	73,523	9,464
85+ years	4,766	83,034	72,909	7,454
Total	1,106,268	5,191,568	3,938,285	883,909
2016 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,675	58,450	40,220	13,385
01-04 years	71,891	233,004	160,143	53,321
05-09 years	101,089	293,695	204,727	65,485
10-14 years	101,118	306,333	216,972	66,377
15-19 years	94,843	317,587	224,392	70,943
20-24 years	87,786	345,078	238,592	78,720
25-29 years	79,849	363,688	254,855	74,997
30-34 years	80,927	357,615	258,057	64,120
35-39 years	81,306	341,745	245,605	62,677
40-44 years	76,969	322,777	231,170	61,149
45-49 years	65,534	357,055	265,925	63,473
50-54 years	52,731	389,674	301,209	64,792
55-59 years	43,551	410,011	322,169	66,223
60-64 years	32,857	367,326	289,782	56,488
65-69 years	24,160	314,836	251,568	45,629
70-74 years	16,251	224,531	181,411	31,028
75-79 years	10,945	169,352	137,690	23,552
80-84 years	7,726	127,631	105,764	16,897
85+ years	7,399	168,878	146,763	17,175
Total	1,054,607	5,469,266	4,077,014	996,431

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2017 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	34,729	115,964	79,040	26,846
01-04 years	144,249	474,883	327,605	107,035
05-09 years	198,929	593,292	413,318	131,156
10-14 years	209,524	617,748	438,278	132,855
15-19 years	195,213	640,208	454,060	140,239
20-24 years	179,749	682,502	473,910	152,246
25-29 years	170,815	733,273	514,103	152,195
30-34 years	167,781	705,457	513,528	121,929
35-39 years	169,416	681,411	498,405	117,107
40-44 years	160,680	624,370	456,078	108,862
45-49 years	141,201	689,419	517,530	116,652
50-54 years	113,060	733,041	571,787	116,045
55-59 years	91,785	785,864	625,658	119,721
60-64 years	70,443	714,806	573,692	102,201
65-69 years	49,281	590,257	477,926	79,098
70-74 years	32,611	442,043	362,554	55,154
75-79 years	20,600	309,871	254,488	39,276
80-84 years	13,923	216,277	179,856	26,853
85+ years	13,146	252,072	218,587	25,236
Total	2,177,135	10,602,758	7,950,403	1,870,706
2017 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,699	59,131	40,400	13,693
01-04 years	73,350	243,361	168,546	54,270
05-09 years	100,919	303,391	211,585	66,877
10-14 years	107,060	314,919	224,521	67,062
15-19 years	99,201	327,865	233,319	71,264
20-24 years	91,485	346,900	241,707	76,606
25-29 years	89,362	368,540	261,245	75,032
30-34 years	88,307	351,875	259,097	58,270
35-39 years	88,527	337,265	251,000	54,427
40-44 years	83,422	307,706	229,379	49,671
45-49 years	73,292	338,274	258,910	53,215
50-54 years	58,967	357,965	283,747	53,063
55-59 years	47,128	380,787	307,897	54,243
60-64 years	35,641	341,597	279,791	44,241
65-69 years	24,222	276,955	229,194	32,755
70-74 years	15,078	201,721	167,880	22,600
75-79 years	9,151	134,491	112,137	15,001
80-84 years	5,951	88,096	74,167	9,675
85+ years	5,069	83,884	73,266	7,692
Total	1,113,831	5,164,723	3,907,788	879,657
2017 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	17,030	56,833	38,640	13,153
01-04 years	70,899	231,522	159,059	52,765
05-09 years	98,010	289,901	201,733	64,279
10-14 years	102,464	302,829	213,757	65,793
15-19 years	96,012	312,343	220,741	68,975
20-24 years	88,264	335,602	232,203	75,640
25-29 years	81,453	364,733	252,858	77,163
30-34 years	79,474	353,582	254,431	63,659
35-39 years	80,889	344,146	247,405	62,680
40-44 years	77,258	316,664	226,699	59,191
45-49 years	67,909	351,145	258,620	63,437
50-54 years	54,093	375,076	288,040	62,982
55-59 years	44,657	405,077	317,761	65,478
60-64 years	34,802	373,209	293,901	57,960
65-69 years	25,059	313,302	248,732	46,343
70-74 years	17,533	240,322	194,674	32,554
75-79 years	11,449	175,380	142,351	24,275
80-84 years	7,972	128,181	105,689	17,178
85+ years	8,077	168,188	145,321	17,544
Total	1,063,304	5,438,035	4,042,615	991,049

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2018 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	33,737	113,669	77,146	26,877
01-04 years	142,860	469,482	323,013	106,065
05-09 years	192,344	585,613	406,640	129,459
10-14 years	210,932	609,116	430,163	131,937
15-19 years	197,973	630,411	447,216	136,461
20-24 years	180,806	664,090	462,184	146,169
25-29 years	172,465	729,982	506,382	156,655
30-34 years	165,330	699,981	506,441	123,299
35-39 years	168,552	685,023	499,797	117,581
40-44 years	161,067	622,143	455,406	106,946
45-49 years	144,394	671,795	499,897	115,127
50-54 years	116,584	703,774	545,276	112,634
55-59 years	94,481	772,098	612,843	118,005
60-64 years	73,807	722,867	579,115	104,333
65-69 years	51,531	597,170	482,552	80,494
70-74 years	35,114	456,803	373,459	57,336
75-79 years	21,916	325,724	267,890	40,658
80-84 years	14,637	220,689	182,900	27,429
85+ years	14,095	251,630	216,652	25,958
Total	2,192,625	10,532,060	7,874,972	1,863,423
2018 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,980	58,161	39,497	13,770
01-04 years	72,679	240,538	166,045	53,954
05-09 years	97,675	299,817	208,390	66,094
10-14 years	107,362	310,633	220,279	66,747
15-19 years	100,802	322,424	229,691	69,089
20-24 years	91,686	337,716	235,781	73,598
25-29 years	89,510	367,506	257,611	77,535
30-34 years	87,024	350,121	256,253	59,313
35-39 years	88,139	338,847	251,108	54,755
40-44 years	83,726	307,342	229,450	49,201
45-49 years	74,795	329,293	250,118	52,210
50-54 years	60,805	343,684	270,710	51,408
55-59 years	48,695	374,095	301,762	53,399
60-64 years	37,289	345,737	282,533	45,353
65-69 years	25,384	279,944	231,314	33,336
70-74 years	16,516	209,168	173,794	23,417
75-79 years	9,708	141,769	118,280	15,588
80-84 years	6,236	90,534	76,036	9,870
85+ years	5,474	84,281	73,084	7,949
Total	1,120,485	5,131,610	3,871,736	876,586
2018 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,757	55,508	37,649	13,107
01-04 years	70,181	228,944	156,968	52,111
05-09 years	94,669	285,796	198,250	63,365
10-14 years	103,570	298,483	209,884	65,190
15-19 years	97,171	307,987	217,525	67,372
20-24 years	89,120	326,374	226,403	72,571
25-29 years	82,955	362,476	248,771	79,120
30-34 years	78,306	349,860	250,188	63,986
35-39 years	80,413	346,176	248,689	62,826
40-44 years	77,341	314,801	225,956	57,745
45-49 years	69,599	342,502	249,779	62,917
50-54 years	55,779	360,090	274,566	61,226
55-59 years	45,786	398,003	311,081	64,606
60-64 years	36,518	377,130	296,582	58,980
65-69 years	26,147	317,226	251,238	47,158
70-74 years	18,598	247,635	199,665	33,919
75-79 years	12,208	183,955	149,610	25,070
80-84 years	8,401	130,155	106,864	17,559
85+ years	8,621	167,349	143,568	18,009
Total	1,072,140	5,400,450	4,003,236	986,837

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2019 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	33,216	108,651	74,772	24,570
01-04 years	141,084	462,704	316,705	105,677
05-09 years	186,745	582,529	403,378	129,313
10-14 years	209,847	596,950	419,753	130,191
15-19 years	200,713	622,704	441,612	133,414
20-24 years	182,300	647,216	451,742	140,616
25-29 years	174,943	722,925	498,763	158,194
30-34 years	163,256	698,008	500,477	127,706
35-39 years	167,116	683,295	497,948	116,865
40-44 years	160,214	625,858	458,149	107,114
45-49 years	147,382	651,220	480,571	113,403
50-54 years	119,988	679,067	522,942	109,157
55-59 years	97,426	756,594	598,569	115,804
60-64 years	76,753	726,051	580,732	105,875
65-69 years	54,251	607,288	489,665	82,739
70-74 years	37,458	476,532	388,735	60,203
75-79 years	23,295	335,560	275,385	41,775
80-84 years	15,248	226,146	186,951	27,974
85+ years	15,008	251,476	215,038	26,727
Total	2,206,243	10,460,774	7,801,887	1,857,317
2019 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,774	55,658	38,363	12,556
01-04 years	71,671	236,754	162,504	53,780
05-09 years	94,899	298,706	207,066	66,094
10-14 years	106,580	304,235	214,661	65,878
15-19 years	102,402	318,333	226,727	67,597
20-24 years	92,167	328,826	230,288	70,688
25-29 years	90,008	365,129	254,437	78,675
30-34 years	86,080	349,713	253,484	61,854
35-39 years	87,455	338,321	250,249	54,561
40-44 years	83,194	309,337	230,831	49,584
45-49 years	76,182	319,006	240,559	51,160
50-54 years	62,564	331,827	259,839	49,735
55-59 years	50,206	366,929	294,915	52,589
60-64 years	38,830	347,334	283,216	46,170
65-69 years	26,899	284,782	234,951	34,312
70-74 years	17,677	218,115	181,222	24,308
75-79 years	10,366	146,643	122,014	16,182
80-84 years	6,548	92,916	77,805	10,120
85+ years	5,820	85,011	73,218	8,210
Total	1,126,322	5,097,575	3,836,349	874,053
2019 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,442	52,993	36,409	12,014
01-04 years	69,413	225,950	154,201	51,897
05-09 years	91,846	283,823	196,312	63,219
10-14 years	103,267	292,715	205,092	64,313
15-19 years	98,311	304,371	214,885	65,817
20-24 years	90,133	318,390	221,454	69,928
25-29 years	84,935	357,796	244,326	79,519
30-34 years	77,176	348,295	246,993	65,852
35-39 years	79,661	344,974	247,699	62,304
40-44 years	77,020	316,521	227,318	57,530
45-49 years	71,200	332,214	240,012	62,243
50-54 years	57,424	347,240	263,103	59,422
55-59 years	47,220	389,665	303,654	63,215
60-64 years	37,923	378,717	297,516	59,705
65-69 years	27,352	322,506	254,714	48,427
70-74 years	19,781	258,417	207,513	35,895
75-79 years	12,929	188,917	153,371	25,593
80-84 years	8,700	133,230	109,146	17,854
85+ years	9,188	166,465	141,820	18,517
Total	1,079,921	5,363,199	3,965,538	983,264

Illinois populations used to calculate rates.				
SOURCE: U.S. Census Bureau's Population Estimates Program				
2020 Both Sexes	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	32,957	107,095	74,075	23,840
01-04 years	137,644	449,823	307,576	102,867
05-09 years	182,536	579,967	400,630	129,158
10-14 years	207,761	588,017	411,579	129,399
15-19 years	201,924	610,317	432,619	129,811
20-24 years	184,544	633,811	442,138	137,397
25-29 years	176,504	706,331	485,953	155,927
30-34 years	162,536	695,913	493,939	133,002
35-39 years	164,172	677,479	493,168	115,481
40-44 years	160,985	633,782	463,069	109,179
45-49 years	149,360	627,705	460,766	109,818
50-54 years	124,309	664,364	507,197	108,396
55-59 years	99,983	733,463	578,151	112,568
60-64 years	80,082	724,932	578,107	107,472
65-69 years	57,684	617,214	496,944	84,849
70-74 years	40,037	496,806	404,182	63,396
75-79 years	24,761	341,629	279,711	42,569
80-84 years	15,873	228,374	187,650	28,535
85+ years	16,096	250,760	212,862	27,394
Total	2,219,748	10,367,782	7,710,316	1,851,058
2020 Males	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,773	54,712	37,869	12,163
01-04 years	69,848	230,117	157,666	52,501
05-09 years	92,710	297,291	205,925	65,740
10-14 years	105,496	299,508	210,149	65,543
15-19 years	103,010	312,540	222,437	65,935
20-24 years	93,208	321,796	225,170	69,042
25-29 years	90,187	357,147	247,985	77,730
30-34 years	85,571	349,156	250,503	64,610
35-39 years	85,941	335,887	247,968	54,219
40-44 years	83,892	313,290	233,087	50,868
45-49 years	77,217	307,857	231,020	49,381
50-54 years	64,570	324,802	252,490	49,318
55-59 years	51,623	355,962	285,066	51,138
60-64 years	40,578	347,155	281,992	47,203
65-69 years	28,735	288,983	238,074	35,238
70-74 years	18,970	227,514	188,814	25,447
75-79 years	11,097	149,660	124,308	16,540
80-84 years	6,877	93,720	77,973	10,285
85+ years	6,238	85,668	73,263	8,461
Total	1,132,541	5,052,765	3,791,759	871,362
2020 Females	Hispanic (any race)	Non-Hispanic (any race)	Non-Hispanic White	Non-Hispanic Black
00 years	16,184	52,383	36,206	11,677
01-04 years	67,796	219,706	149,910	50,366
05-09 years	89,826	282,676	194,705	63,418
10-14 years	102,265	288,509	201,430	63,856
15-19 years	98,914	297,777	210,182	63,876
20-24 years	91,336	312,015	216,968	68,355
25-29 years	86,317	349,184	237,968	78,197
30-34 years	76,965	346,757	243,436	68,392
35-39 years	78,231	341,592	245,200	61,262
40-44 years	77,093	320,492	229,982	58,311
45-49 years	72,143	319,848	229,746	60,437
50-54 years	59,739	339,562	254,707	59,078
55-59 years	48,360	377,501	293,085	61,430
60-64 years	39,504	377,777	296,115	60,269
65-69 years	28,949	328,231	258,870	49,611
70-74 years	21,067	269,292	215,368	37,949
75-79 years	13,664	191,969	155,403	26,029
80-84 years	8,996	134,654	109,677	18,250
85+ years	9,858	165,092	139,599	18,933
Total	1,087,207	5,315,017	3,918,557	979,696

APPENDIX B

SEER Site Groups for Primary Site Based on ICD-O-3 / WHO 2008

SEER Site Groups for Primary Site Based on ICD-O-3/WHO 2008 Definition*^

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Oral Cavity and Pharynx			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089		20030
Floor of Mouth	C040-C049		20040
Gum and Other Mouth	C030-C039, C050-C059, C060-C069		20050
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
Digestive System			
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179		21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182		21043
Hepatic Flexure	C183		21044
Transverse Colon	C184		21045
Splenic Flexure	C185		21046
Descending Colon	C186		21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209		21052
Anus, Anal Canal, and Anorectum	C210-C212, C218		21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221		21072
Gallbladder	C239		21080
Other Biliary	C240-C249		21090

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Pancreas	C250-C259		21100
Retroperitoneum	C480		21110
Peritoneum, Omentum, and Mesentery	C481-C482		21120
Other Digestive Organs	C268-C269, C488		21130
Respiratory System			
Nose, Nasal Cavity, and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329		22020
Lung and Bronchus	C340-C349		22030
Pleura	C384		22050
Trachea, Mediastinum, and Other Respiratory Organs	C339, C381-C383, C388, C390, C398, C399		22060
Bones and Joints	C400-C419	excluding 9050-9055, 9140, 9590-9992	23000
Soft Tissue, Including Heart	C380, C470-C479, C490-C499	excluding 9050-9055, 9140, 9590-9992	24000
Skin, Excluding Basal and Squamous			
Melanoma of the Skin	C440-C449	8720-8790	25010
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050-8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020
Breast	C500-C509	excluding 9050-9055, 9140, 9590-9992	26000
Female Genital System			
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010
Corpus and Uterus, NOS			
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020
Uterus, NOS	C559		27030
Ovary	C569		27040
Vagina	C529		27050
Vulva	C510-C519		27060
Other Female Genital Organs	C570-C589		27070
Male Genital System			
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010
Testis	C620-C629		28020
Penis	C600-C609		28030
Other Male Genital Organs	C630-C639		28040
Urinary System			
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010
Kidney and Renal Pelvis	C649, C659		29020
Ureter	C669		29030
Other Urinary Organs	C680-C689		29040
Eye and Orbit	C690-C699	excluding 9050-9055, 9140, 9590-9992	30000

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Brain and Other Nervous System			
Brain	C710-C719	excluding 9050-9055, 9140, 9530-9539, 9590-9992	31010
Cranial Nerves Other Nervous System	C710-C719 C700-C709, C720-C729	9530-9539 excluding 9050-9055, 9140, 9590-9992	31040
Endocrine System			
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010
Other Endocrine, Including Thymus	C379, C740-C749, C750-C759		32020
Lymphoma			
Hodgkin Lymphoma			
Hodgkin - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin - Extranodal	All other sites		33012
Non-Hodgkin Lymphoma			
NHL - Nodal	C024, C098,C099, C111,C142, C379,C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724-9729, 9735, 9737-9738	33042
	All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424, C770-C779	9811-9818, 9823, 9827, 9837	
Myeloma		9731-9732, 9734	34000
Leukemia			
Lymphocytic Leukemia			
Acute Lymphocytic Leukemia		9826, 9835-9836	35011
	C420, C421, C424	9811-9818, 9837	
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	35012
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Chronic Myeloid Leukemia		9863, 9875-9876, 9945-9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic, and NOS		9733, 9742, 9800, 9831, 9870, 9948, 9963-9964	35043
	C420, C421, C424	9827	
Mesothelioma		9050-9055	36010
Kaposi Sarcoma		9140	36020
Miscellaneous		9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982-9987, 9989, 9991-9992	37000
	C760-C768, C809	excluding 9050-9055, 9140, 9590-9992	
	C420-C424		
	C770-C779		
Invalid	Site or histology code not within valid range or site code not found in this table.		99999

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX C

**SEER Site/Histology Recode Based on ICCC Third Edition
and ICD-O-3/WHO 2008**

Site/Histology Recode Based on International Classification of Childhood Cancer, Third Edition (ICCC-3) Based on ICD-O-3 / WHO 2008*^

Main Classification Table

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
I Leukemias, Myeloproliferative Diseases, and Myelodysplastic Diseases					
(a) Lymphoid Leukemias					
(a.1) Precursor Cell Leukemias	C000-C809 C420-C421, C424	9835-9836 9811-9818, 9837	3	001	011
(a.2) Mature B-cell Leukemias	C000-C809 C420-C421, C424	9826, 9832-9833, 9940 9823	3	002	011
(a.3) Mature T-cell and NK Cell Leukemias	C000-C809 C420-C421, C424	9831, 9834, 9948 9827	3	003	011
(a.4) Lymphoid Leukemia, NOS	C000-C809	9820	3	004	011
(b) Acute Myeloid Leukemias	C000-C809	9840, 9861, 9865-9867, 9869-9874, 9891, 9895-9898, 9910-9911, 9920, 9931	3	005	012
(c) Chronic Myeloproliferative Diseases	C000-C809	9863, 9875-9876, 9950, 9960-9964	3	006	013
(d) Myelodysplastic Syndrome and Other Myeloproliferative Diseases	C000-C809	9945-9946, 9975, 9980, 9982-9987, 9989, 9991-9992	3	007	014
(e) Unspecified and Other Specified Leukemias	C000-C809	9800-9801, 9805-9809, 9860, 9930, 9965-9967, 9971	3	008	015
II Lymphomas and Reticuloendothelial Neoplasms					
(a) Hodgkin Lymphomas	C000-C809	9650-9655, 9659, 9661-9665, 9667	3	009	021
(b) Non-Hodgkin Lymphomas (except Burkitt Lymphoma)					
(b.1) Precursor Cell Lymphomas	C000-C809 C000-C419, C422-C423, C425-C809	9727-9729 9811-9818, 9837	3	010	022
(b.2) Mature B-cell Lymphomas (except Burkitt Lymphoma)	C000-C809 C000-C419, C422-C423, C425-C809	9597, 9670-9671, 9673, 9675, 9678-9680, 9684, 9688-9691, 9695, 9698-9699, 9712, 9731-9735, 9737-9738, 9761-9762, 9764-9766, 9769, 9970 9823	3	011	022
(b.3) Mature T-cell and NK-Cell Lymphomas	C000-C809 C000-C419, C422-C423, C425-C809	9700-9702, 9705, 9708-9709, 9714, 9716-9719, 9724-9726, 9767-9768 9827	3	012	022

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.4) Non-Hodgkin Lymphomas, NOS	C000-C809	9591, 9760	3	013	022
(c) Burkitt Lymphoma	C000-C809	9687	3	014	023
(d) Miscellaneous Lymphoreticular Neoplasms	C000-C809	9740-9742, 9750-9759	3	015	024
(e) Unspecified Lymphomas	C000-C809	9590, 9596	3	016	025
III CNS and Miscellaneous Intracranial and Intraspinal Neoplasms					
(a) Ependymomas and Choroid Plexus Tumor					
(a.1) Ependymomas	C000-C809	9383, 9391-9394	0,1,3	017	031
(a.2) Choroid Plexus Tumor	C000-C809	9390	0,1,3	018	031
(b) Astrocytomas	C723	9380	0,1,3	019	032
	C000-C809	9384, 9400-9411, 9420-9424, 9440-9442	0,1,3	019	032
(c) Intracranial and Intraspinal Embryonal Tumors					
(c.1) Medulloblastomas	C000-C809	9470-9472, 9474, 9480	0,1,3	020	033
(c.2) PNET	C000-C809	9473	0,1,3	021	033
(c.3) Medulloepithelioma	C700-C729	9501-9504	0,1,3	022	033
(c.4) Atypical Teratoid/Rhabdoid Tumor	C000-C809	9508	0,1,3	023	033
(d) Other Gliomas					
(d.1) Oligodendrogiomas	C000-C809	9450, 9451, 9460	0,1,3	024	034
(d.2) Mixed and Unspecified Gliomas	C700-C722, C724-C729, C751, C753	9380	0,1,3	025	034
	C000-C809	9382	0,1,3	025	034
(d.3) Neuroepithelial Glial Tumors of Uncertain Origin	C000-C809	9381, 9430, 9444	0,1,3	026	034
(e) Other Specified Intracranial and Intraspinal Neoplasms					
(e.1) Pituitary Adenomas and Carcinomas	C000-C809	8270-8281, 8300	0,1,3	027	035
(e.2) Tumors of the Sellar Region (Craniopharyngiomas)	C000-C809	9350-9352, 9582	0,1,3	028	035
(e.3) Pineal Parenchymal Tumors	C000-C809	9360-9362	0,1,3	029	035
(e.4) Neuronal and Mixed Neuronal-glial Tumors	C000-C809	9412-9413, 9492, 9493, 9505-9507	0,1,3	030	035
(e.5) Meningiomas	C000-C809	9530-9539	0,1,3	031	035
(f) Unspecified Intracranial and Intraspinal Neoplasms	C700-C729, C751-C753	8000-8005	0,1,3	032	036
IV Neuroblastoma and Other Peripheral Nervous Cell Tumors					
(a) Neuroblastoma and Ganglioneuroblastoma	C000-C809	9490, 9500	3	033	041

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other peripheral Nervous Cell Tumors	C000-C809	8680-8683, 8690-8693, 8700, 9520-9523	3	034	042
	C000-C699, C739-C768, C809	9501-9504	3	034	042
V Retinoblastoma	C000-C809	9510-9514	3	035	050
VI Renal tumors					
(a) Nephroblastoma and Other Nonepithelial Renal Tumors					
(a.1) Nephroblastoma	C000-C809	8959, 8960	3	036	061
(a.2) Rhabdoid Renal Tumor	C649	8963	3	037	061
(a.3) Kidney Sarcomas	C000-C809	8964-8967	3	038	061
(a.4) pPNET of Kidney	C649	9364	3	039	061
(b) Renal Carcinomas	C649	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8155, 8190-8201, 8210-8211, 8221-8231, 8240-8241, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	040	062
	C000-C809	8311-8312, 8316-8319, 8361	3	040	062
(c) Unspecified Malignant Renal Tumors	C649	8000-8005	3	041	063
VII Hepatic Tumors					
(a) Hepatoblastoma	C000-C809	8970	3	042	071
(b) Hepatic Carcinomas	C220, C221	8010-8041, 8050-8075, 8082, 8120-8122, 8140-8141, 8143, 8155, 8190-8201, 8210-8211, 8230, 8231, 8240-8241, 8244-8246, 8260-8264, 8310, 8320, 8323, 8401, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8576	3	043	072
	C000-C809	8160-8180	3	043	072
(c) Unspecified Malignant Hepatic Tumors	C220-C221	8000-8005	3	044	073
VIII Malignant Bone Tumors					
(a) Osteosarcomas	C400-C419, C760-C768, C809	9180-9187, 9191-9195, 9200	3	045	081
(b) Chondrosarcomas	C400-C419, C760-C768, C809	9210, 9220, 9240	3	046	082
	C000-C809	9221, 9230, 9241-9243	3	046	082
(c) Ewing Tumor and Related Sarcomas of Bone					
(c.1) Ewing Tumor and Askin Tumor of Bone	C400-C419, C760-C768, C809	9260	3	047	083
	C400-C419	9365	3	047	083
(c.2) pPNET of Bone	C400-C419	9363-9364	3	048	083
(d) Other Specified Malignant Bone Tumors					

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.1) Malignant Fibrous Neoplasms of Bone	C400-C419	8810-8811, 8823, 8830	3	049	084
	C000-C809	8812, 9262	3	049	084
(d.2) Malignant Chordomas	C000-C809	9370-9372	3	050	084
(d.3) Odontogenic Malignant Tumors	C000-C809	9270-9275, 9280-9282, 9290, 9300-9302, 9310-9312, 9320-9322, 9330, 9340-9342	3	051	084
(d.4) Miscellaneous Malignant Bone Tumors	C000-C809	9250, 9261	3	052	084
(e) Unspecified Malignant Bone Tumors	C400-C419	8000-8005, 8800-8801, 8803-8805	3	053	085
IX Soft Tissue and Other Extraosseous Sarcomas					
(a) Rhabdomyosarcomas	C000-C809	8900-8905, 8910, 8912, 8920, 8991	3	054	091
(b) Fibrosarcomas, Peripheral Nerve Sheath Tumors, and Other Fibrous Neoplasms					
(b.1) Fibroblastic and Myofibroblastic Tumors	C000-C399, C440-C768, C809	8810-8811, 8813-8815, 8821, 8823, 8834-8835	3	055	092
	C000-C809	8820, 8822, 8824-8827, 9150, 9160	3	055	092
(b.2) Nerve Sheath Tumors	C000-C809	9540-9571	3	056	092
(b.3) Other Fibromatous Neoplasms	C000-C809	9491, 9580	3	057	092
(c) Kaposi Sarcoma	C000-C809	9140	3	058	093
(d) Other Specified Soft Tissue Sarcomas					
(d.1) Ewing Tumor and Askin Tumor of Soft Tissue	C000-C399, C470-C759	9260	3	059	094
	C000-C399, C470-C639, C659-C768, C809	9365	3	059	094
(d.2) pPNET of Soft Tissue	C000-C399, C470-C639, C659-C699, C739-C768, C809	9364	3	060	094
(d.3) Extrarenal Rhabdoid Tumor	C000-C639, C659-C699, C739-C768, C809	8963	3	061	094
(d.4) Liposarcomas	C000-C809	8850-8858, 8860-8862, 8870, 8880-8881	3	062	094
(d.5) Fibrohistiocytic Tumors	C000-C399, C440-C768, C809	8830	3	063	094
	C000-C809	8831-8833, 8836, 9251-9252	3	063	094
(d.6) Leiomyosarcomas	C000-C809	8890-8898	3	064	094
(d.7) Synovial Sarcomas	C000-C809	9040-9044	3	065	094
(d.8) Blood Vessel Tumors	C000-C809	9120-9125, 9130-9133, 9135-9136, 9141-9142, 9161, 9170-9175	3	066	094

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(d.9) Osseous and Chondromatous Neoplasms of Soft Tissue	C490-C499	9180, 9210, 9220, 9240	3	067	094
	C000-C809	9231	3	067	094
(d.10) Alveolar Soft Parts Sarcoma	C000-C809	9581	3	068	094
(d.11) Miscellaneous Soft Tissue Sarcomas	C000-C809	8587, 8710-8713, 8806, 8840-8842, 8921, 8982, 8990, 9373	3	069	094
(e) Unspecified Soft Tissue Sarcomas	C000-C399, C440-C768, C809	8800-8805	3	070	095
X Germ Cell Tumors, Trophoblastic Tumors, and Neoplasms of Gonads					
(a) Intracranial and Intradural Germ Cell Tumors					
(a.1) Intracranial and Intradural Germinomas	C700-C729, C751-C753	9060-9065	0,1,3	071	101
(a.2) Intracranial and Intradural Teratomas	C700-C729, C751-C753	9080-9084	0,1,3	072	101
(a.3) Intracranial and Intradural Embryonal Carcinomas	C700-C729, C751-C753	9070, 9072	0,1,3	073	101
(a.4) Intracranial and Intradural Yolk Sac Tumor	C700-C729, C751-C753	9071	0,1,3	074	101
(a.5) Intracranial and Intradural Choriocarcinoma	C700-C729, C751-C753	9100	0,1,3	075	101
(a.6) Intracranial and Intradural Tumors of Mixed Forms	C700-C729, C751-C753	9085, 9101	0,1,3	076	101
(b) Malignant Extracranial and Extragonadal Germ Cell Tumors					
(b.1) Malignant Germinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9060-9065	3	077	102
(b.2) Malignant Teratomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9080-9084	3	078	102
(b.3) Embryonal Carcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9070, 9072	3	079	102
(b.4) Yolk Sac Tumor of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9071	3	080	102
(b.5) Choriocarcinomas of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9100, 9103, 9104	3	081	102

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b.6) Other and Unspecified Malignant Mixed Germ Cell Tumors of Extracranial and Extragonadal Sites	C000-C559, C570-C619, C630-C699, C739-C750, C754-C768, C809	9085, 9101-9102, 9105	3	082	102
(c) Malignant Gonadal Germ Cell Tumors					
(c.1) Malignant Gonadal Germinomas	C569, C620-C629	9060-9065	3	083	103
(c.2) Malignant Gonadal Teratomas	C569, C620-C629	9080-9084, 9090-9091	3	084	103
(c.3) Gonadal Embryonal Carcinomas	C569, C620-C629	9070, 9072	3	085	103
(c.4) Gonadal Yolk Sac Tumor	C569, C620-C629	9071	3	086	103
(c.5) Gonadal Choriocarcinoma	C569, C620-C629	9100	3	087	103
(c.6) Malignant Gonadal Tumors of Mixed Forms	C569, C620-C629	9085, 9101	3	088	103
(c.7) Malignant Gonadal Gonadoblastoma	C569, C620-C629	9073	3	089	103
(d) Gonadal Carcinomas	C569, C620-C629	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8143, 8190-8201, 8210-8211, 8221-8241, 8244-8246, 8260-8263, 8290, 8310, 8313, 8320, 8323, 8380-8384, 8430, 8440, 8480-8490, 8504, 8510, 8550, 8560-8573, 9000, 9014, 9015	3	090	104
	C000-C809	8441-8444, 8450-8451, 8460-8473	3	090	104
(e) Other and Unspecified Malignant Gonadal Tumors	C000-C809	8590-8671	3	091	105
	C569, C620-C629	8000-8005	3	091	105
XI Other Malignant Epithelial Neoplasms and Malignant Melanomas					
(a) Adrenocortical Carcinomas	C000-C809	8370-8375	3	092	111
(b) Thyroid Carcinomas	C739	8010-8041, 8050-8075, 8082, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230, 8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8510, 8560-8573	3	093	112
	C000-C809	8330-8337, 8340-8347, 8350	3	093	112
(c) Nasopharyngeal Carcinomas	C110-C119	8010-8041, 8050-8075, 8082-8083, 8120-8122, 8130-8141, 8190, 8200-8201, 8211, 8230-8231, 8244-8246, 8260-8263, 8290, 8310, 8320, 8323, 8430, 8440, 8480-8481, 8500-8576	3	094	113
(d) Malignant Melanomas	C000-C809	8720-8780, 8790	3	095	114

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(e) Skin Carcinomas	C440-C449	8010-8041, 8050-8075, 8078, 8082, 8090-8110, 8140, 8143, 8147, 8190, 8200, 8240, 8246-8247, 8260, 8310, 8320, 8323, 8390-8420, 8430, 8480, 8542, 8560, 8570-8573, 8940, 8941	3	096	115
(f) Other and Unspecified Carcinomas					
(f.1) Carcinomas of Salivary Glands	C079-C089	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	097	116
(f.2) Carcinomas of Colon and Rectum	C180, C182-C189, C199, C209, C210-C218	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	098	116
(f.3) Carcinomas of Appendix	C181	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	099	116
(f.4) Carcinomas of Lung	C340-C349	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	100	116
(f.5) Carcinomas of Thymus	C379	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	101	116
(f.6) Carcinomas of Breast	C500-C509	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	102	116

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(f.7) Carcinomas of Cervix Uteri	C530-C539	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	103	116
(f.8) Carcinomas of Bladder	C670-C679	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	104	116
(f.9) Carcinomas of Eye	C690-C699	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	105	116
(f.10) Carcinomas of Other Specified Sites	C000-069, C090-C109, C129-C179, C239-C339, C380-C399, C480-C488, C510-C529, C540-C549, C559, C570-C619, C630-C639, C659-C669, C680-C689, C700-C729, C750-C759	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	106	116
(f.11) Carcinomas of Unspecified Site	C760-C768, C809	8010-8084, 8120-8157, 8190-8264, 8290, 8310, 8313-8315, 8320-8325, 8360, 8380-8384, 8430-8440, 8452-8454, 8480-8586, 8588-8589, 8940-8941, 8983, 9000, 9010-9016, 9020, 9030	3	107	116
XII Other and Unspecified Malignant Neoplasms					
(a) Other Specified Malignant Tumors					
(a.1) Gastrointestinal Stromal Tumor	C000-C809	8936	3	108	121
(a.2) Pancreatoblastoma	C000-C809	8971	3	109	121
(a.3) Pulmonary Blastoma and Pleuropulmonary Blastoma	C000-C809	8972, 8973	3	110	121
(a.4) Other Complex Mixed and Stromal Neoplasms	C000-C809	8930-8935, 8950-8951, 8974-8981	3	111	121
(a.5) Mesothelioma	C000-C809	9050-9055	3	112	121
(a.6) Other Specified Malignant Tumors	C000-C809	9110	3	113	121
	C000-C399, C470-C759	9363	3	113	121

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	ICD-O-3 Behavior	Extended Classification	Main Classification
(b) Other Unspecified Malignant Tumors	C000-C218, C239-C399, C420-C559, C570-C619, C630-C639, C659-C699, C739-C750, C754-809	8000-8005	3	114	122

* This table was updated for Hematopoietic codes based on *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues (2008)*.

^ Subject to change based on evolving ICD-O-3 coding rules.

APPENDIX D

Formulas for Rates

Formulas for Rates

SEER*Stat software was used to calculate rates. The following are the rate algorithms.

Crude Rate

A crude rate is the number of new cases (or deaths) occurring in a specified population per year, usually expressed as the number of cases per 100,000 population at risk.

$$cruderate = \frac{count}{population} \times 100,000$$

SEER*Stat allows you to display rates as cases per 1,000; 10,000; 100,000; or 1,000,000.

Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. Several sets of standard populations are included in SEER*Stat. These include the total U.S. populations (1940, 1950, 1960, 1970, 1980, 1990, and 2000), 1991 and 1996 Canadian populations, European population, and the world population. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[\left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmili}{\sum_{j=x}^y stdmili} \right) \right]$$

where *count* is the number of cases for the *i*th age group, *popi* is the relevant population for the same age group, and *stdmili* is the standard population for the same age group.

Standard Error for a Crude Rate

This calculation assumes that the cancer counts have Poisson distributions.

$$SE_{crude} = \frac{\sqrt{count}}{population} \times 100,000$$

Standard Error for an Age-adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AARate} = \left[\sum_{i=x}^y \left(\frac{stdmili}{\sum_{j=x}^y stdmili} \right)^2 \times \left(\frac{count_i}{pop_i^2} \right) \right]^{\frac{1}{2}} \times 100,000$$

Crude Rate Confidence Intervals

The endpoints of a p x 100% confidence interval are calculated as:

$$CI_{low} = \frac{\left(\frac{1}{2} \left(ChiInv\left(\frac{p}{2}, 2 \times count\right) \right) \right)}{population} \times 100,000$$

$$CI_{high} = \frac{\left(\frac{1}{2} \left(ChiInv\left(1 - \frac{p}{2}, 2 \times (count + 1)\right) \right) \right)}{population} \times 100,000$$

where $Chi\ Inv(p,n)$ is the inverse of the chi-squared distribution function evaluated at p and with n degrees of freedom, and we define $Chi\ Inv(p,0) = 0$.

Although the normal approximation may be used with the standard errors to obtain confidence intervals when the count is large, we use the above exact method that holds even with small counts. When the count is large these two methods produce similar results.

Age-adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmal_i}{\left(pop_i \times \sum_{j=x}^y stdmal_j \right)}$$

$$\nu = \sum_{i=x}^y (w_i^2 \times count_i)$$

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \left(\frac{\nu}{2 \times rate} \right) \times \left(ChiInv\left(\frac{p}{2}, \frac{(2 \times rate^2)}{\nu}\right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{\nu}{2 \times rate} \right) \times \left(ChiInv\left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{\nu}\right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

Note: The rate used in the above formulas is not per 100,000 population.

References:

Johnson NL, Kotz S. Distributions in Statistics: Discrete Distributions. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.