



State of Illinois
Illinois Department of Public Health

Illinois County Cancer Statistics Review Incidence, 2016-2020

Epidemiologic Report Series 23:05

April 2023



Illinois County Cancer Statistics Review

Incidence, 2016-2020



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Illinois 62761

April 2023

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Jane Fornoff, D.Phil.
Chief, Division of Epidemiologic Studies

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

The contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers of Disease Control and Prevention or the National Institutes of Health.

The Illinois State Cancer Registry has been funded in whole or in part with federal funds from the National Cancer Institute (NCI); National Institutes of Health; U.S. Department of Health and Human Services, under Contract No. 75N91021D00006: the National Program of Cancer Registries; Centers for Disease Control and Prevention under cooperative agreement 1NU58DP007162-01-00; and the state of Illinois.

Suggested citation

Garner K, Fornoff J. Illinois County Cancer Statistics Review Incidence, 2016-2020. Epidemiologic Report Series 23:05. Springfield, Ill.: Illinois Department of Public Health, April 2023.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health (IDPH), Illinois State Cancer Registry (ISCR), makes the cancer incidence data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by IDPH, and none should be inferred.

ILLINOIS COUNTY CANCER STATISTICS REVIEW INCIDENCE, 2016 – 2020

TABLE OF CONTENTS

Overview and Technical Notes	1
------------------------------------	---

SECTION I

Cancer Incidence Rates for Selected Sites by County and Race	I-1
All Sites Combined.....	I-2
Oral Cavity and Pharynx	I-6
Colon and Rectum.....	I-10
Lung and Bronchus	I-14
Melanoma of the Skin.....	I-18
Female Breast (invasive).....	I-22
Cervix	I-25
Female Breast (in situ).....	I-28
Prostate	I-31

SECTION II

Percent Distribution of Stage at Diagnosis by County.....	II-1
Oral Cavity and Pharynx	II-2
Colon and Rectum.....	II-5
Melanoma of the Skin.....	II-8
Female Breast (invasive).....	II-11
Cervix	II-14
Prostate	II-17

SECTION III

County-specific Cancer Incidence Rates, All Races	III-1
Illinois.....	III-2
Adams County	III-3
Alexander County	III-4
Bond County.....	III-5
Boone County.....	III-6
Brown County	III-7
Bureau County	III-8

Calhoun County	III-9
Carroll County	III-10
Cass County	III-11
Champaign County	III-12
Christian County	III-13
Clark County	III-14
Clay County	III-15
Clinton County	III-16
Coles County	III-17
Cook County	III-18
Crawford County	III-19
Cumberland County	III-20
DeKalb County	III-21
DeWitt County	III-22
Douglas County	III-23
DuPage County	III-24
Edgar County	III-25
Edwards County	III-26
Effingham County	III-27
Fayette County	III-28
Ford County	III-29
Franklin County	III-30
Fulton County	III-31
Gallatin County	III-32
Greene County	III-33
Grundy County	III-34
Hamilton County	III-35
Hancock County	III-36
Hardin County	III-37
Henderson County	III-38
Henry County	III-39
Iroquois County	III-40
Jackson County	III-41
Jasper County	III-42
Jefferson County	III-43
Jersey County	III-44
Jo Daviess County	III-45
Johnson County	III-46
Kane County	III-47
Kankakee County	III-48
Kendall County	III-49
Knox County	III-50
Lake County	III-51

LaSalle County	III-52
Lawrence County.....	III-53
Lee County	III-54
Livingston County.....	III-55
Logan County.....	III-56
McDonough County.....	III-57
McHenry County	III-58
McLean County.....	III-59
Macon County.....	III-60
Macoupin County	III-61
Madison County.....	III-62
Marion County	III-63
Marshall County.....	III-64
Mason County.....	III-65
Massac County.....	III-66
Menard County.....	III-67
Mercer County.....	III-68
Monroe County	III-69
Montgomery County.....	III-70
Morgan County.....	III-71
Moultrie County	III-72
Ogle County	III-73
Peoria County	III-74
Perry County.....	III-75
Piatt County.....	III-76
Pike County.....	III-77
Pope County.....	III-78
Pulaski County.....	III-79
Putnam County.....	III-80
Randolph County.....	III-81
Richland County	III-82
Rock Island County.....	III-83
St. Clair County	III-84
Saline County	III-85
Sangamon County.....	III-86
Schuylerville County	III-87
Scott County	III-88
Shelby County	III-89
Stark County.....	III-90
Stephenson County	III-91
Tazewell County.....	III-92
Union County	III-93
Vermilion County	III-94

Wabash County	III-95
Warren County	III-96
Washington County.....	III-97
Wayne County	III-98
White County	III-99
Whiteside County	III-100
Will County.....	III-101
Williamson County	III-102
Winnebago County.....	III-103
Woodford County	III-104

SECTION IV

County-specific Cancer Incidence Rates by Race.....	IV-1
---	------

Whites

Illinois	IV-2
Champaign County	IV-3
Cook County.....	IV-4
DuPage County	IV-5
Kane County.....	IV-6
Kankakee County	IV-7
Lake County.....	IV-8
Macon County.....	IV-9
Madison County.....	IV-10
Peoria County	IV-11
Rock Island County	IV-12
St. Clair County.....	IV-13
Sangamon County.....	IV-14
Vermilion County	IV-15
Will County.....	IV-16
Winnebago County.....	IV-17

Blacks

Illinois	IV-18
Champaign County	IV-19
Cook County	IV-20
DuPage County	IV-21
Kane County	IV-22
Kankakee County	IV-23
Lake County.....	IV-24
Macon County.....	IV-25

Madison County.....	IV-26
Peoria County	IV-27
Rock Island County	IV-28
St. Clair County	IV-29
Sangamon County.....	IV-30
Vermilion County	IV-31
Will County.....	IV-32
Winnebago County.....	IV-33

SECTION V

County-specific Cancer Incidence Rates by Hispanic Ethnicity.....	V-1
Non-Hispanics	
Illinois.....	V-2
Cook County	V-3
DuPage County	V-4
Kane County	V-5
Lake County.....	V-6
Will County	V-7
Hispanics	
Illinois.....	V-8
Cook County	V-9
DuPage County	V-10
Kane County	V-11
Lake County.....	V-12
Will County	V-13

OVERVIEW AND TECHNICAL NOTES

ILLINOIS COUNTY CANCER STATISTICS REVIEW INCIDENCE, 2016 – 2020

OVERVIEW

This report presents cancer incidence in Illinois' 102 counties for 2016 through 2020. The first two sections of the report include tables designed to facilitate county comparisons. County-specific tables with expanded cancer sites are included in Section III for all races. Cancer incidence data for Whites and Blacks are included in Section IV for 15 counties, including Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, Sangamon, St. Clair, Vermilion, Will, and Winnebago; these counties have sufficiently large Black populations to allow meaningful statistics for the race group. Cancer incidence for Hispanics (of any race) and non-Hispanics (of any race) are included in Section V for five counties (Cook, DuPage, Kane, Lake, and Will) that have sufficiently large Hispanic populations to allow meaningful statistics for the ethnicity group. Details for each section follow.

Section I. Tables containing five-year aggregate incidence counts, average annual age-adjusted rates and lower- and upper-95% confidence intervals are presented for all sites combined; oral cavity and pharynx; colon and rectum; lung and bronchus; melanoma of the skin by sex, race, and Hispanic ethnicity (selected counties); and for female breast invasive and *in situ*, cervix and prostate by race and Hispanic ethnicity (selected counties). These sites were chosen based on two considerations: 1) the need to facilitate evaluation of various cancer prevention and control programs, and 2) a sufficient number of cases to allow meaningful presentation of rates.

Section II. Stage at diagnosis of cancer for counties is expressed as percentage localized, regional, distant, and unstaged for cancers of the oral cavity and pharynx (both sexes); colon and rectum (both sexes); melanoma and the skin (both sexes); and for invasive cervix and prostate. Female breast cancer incidence data are displayed with *in situ* stage in addition to localized, regional, distant, and unstaged stage categories. Data by race and Hispanic ethnicity are available for the selected counties.

Section III. In separate tables for each of the state's counties, cancer incidence data are presented for all sites combined, the sites in Sections I-II, as well as additional cancer sites included in the county-level public data set for 2016 – 2020. Since the incidence for female breast cancer *in situ* is highly correlated with mammography screening usage, it also is reported in the section. All tables in the section contain five-year aggregate incidence counts, average annual age-adjusted rates, and lower- and upper-95% confidence intervals for each cancer site by sex category for all races.

Section IV. For the 15 above-mentioned counties with sufficiently large Black populations, tables in the same format as Section III are presented for Whites and Blacks.

Section V. For the five above-mentioned counties with sufficiently large Hispanic populations, tables in the same format as Section III are presented for Hispanics (of any race) and non-Hispanics (of any race).

TECHNICAL NOTES

Data Sources

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), is the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories, and physician offices, as mandated by state law. All newly diagnosed cancer cases among Illinois residents are reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send back Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (beginning in August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (beginning in February 2008), and the Mayo Clinic in Minnesota (beginning in October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents and their standards of quality.¹ For data used in this publication, approximately 6% of ISCR cases were reported from out-of-state agencies and organizations.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths in an effort to identify the cases not reported to ISCR. Between 2016 and 2020, 1.5% of reported cases were identified from death certificate clearance.

The preparation and release of data used for this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as of November 2022.

Data Use Agreement

By using these data contained in this report, you signify your agreement to comply with the following statutorily based requirements. The Illinois Health and Hazardous Substances Registry Act (410 ILCS 525/12) provides data collected by the Illinois State Cancer Registry be made available to the public; however, the identification or contact of individuals is prohibited.

In an effort to exclude identifying information on individual patients, the data (e.g., age, race, Hispanic ethnicity, year of diagnosis, and type of cancer) have been reported in aggregate categories, the number of which depends on the size of the geographic area.

These data are provided as a public service for the purpose of statistical reporting and analysis only. There should be no attempt to learn the identity of any person included in these data. If the identity of any person is discovered inadvertently, no disclosure or other use of the identity will be made. Uses of these data do not constitute an endorsement of the user's opinion or conclusions by IDPH, and none should be inferred.

Population Estimates

Age-, sex-, and race/ethnicity-specific population counts for Illinois and Illinois counties for each year were obtained from the Vintage 2020 bridged-race postcensal population estimates files. Population estimates by age, sex, race, and Hispanic origin were produced by the U. S. Bureau of Census Population Estimates Program (<http://www.census.gov/programs-surveys/popest.html>), in collaboration with the National Center for Health Statistics. The population estimates used in this report incorporate Vintage 2020 bridged single-race estimates (for 2016-2020) are derived from the original multiple race categories in the 2010 census (as specified in the 1997 Office of Management and Budget standards for the collection of data on race and ethnicity). The bridged single-race estimates, and a description of the methodology used to develop them appear on the National Center for Health Statistics website (http://www.cdc.gov/nchs/nvss/bridged_race.htm).

Population estimates utilized prior to the availability of the 2010 census data were prone to increased error as the time from the actual 2000 census increased. At the national level, estimates using both the 2000 census and the 2010 census are not very different from the previous estimates. However, there are more significant differences at the state and county levels that may result in changes to cancer incidence rates when one compares this report to earlier versions. In addition, differences in incidence rates may not solely be the result of changes in population estimates. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Incidence Sites

All cases diagnosed during 2016 through 2020 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.³ Cancer sites in this report were grouped according to site group definitions established by the Surveillance Epidemiology and End Results (SEER) program of NCI⁴ and are used also by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national, and state publications.⁴⁻⁶ The ISCR cancer site groups used in the county tables are listed in Appendix B.

Beginning with the 1998-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers. However, due to small numbers of cases at the county level, these two sites are not shown in this report.

When comparing this report to the ones published before the 2001-2005 county report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, myelodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "brain and other nervous system" and "all sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Because of the way cancers are grouped in this report, these changes would have a slight or small impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

The ICD-O-3 recode with adjustment for WHO 2008 hematopoietic histologies was first used in the 2006-2010 report and continues to be used in subsequent reports. SEER-NCI recommends this site recode scheme (Site Recode ICD-O-3/WHO 2008) be used for any data containing cases diagnosed in 2010 or later years. In the interests of comparability to other national, state, and registry specific data, subsequent versions of this report containing cases diagnosed in 2010 or later will use the SEER Site Recode ICD-O-3/WHO 2008.

Counts and rates were calculated only for invasive cancers except for carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Incidence Rates

Rates are expressed per 100,000 population and are age-adjusted by the direct method to the 2000 U.S. standard million population. The SEER*Stat® software package, developed by Information Management Services Inc. for the NCI, was used to calculate average annual age-adjusted cancer incidence rates for 2016 – 2020.⁷ Rates are rounded to the nearest 10th and very small rates (e.g., 0.04) are shown as 0.0. Rates are presented with the lower and upper confidence intervals computed at the 95% level using Tiwari method.⁸ The formulas for rate calculations are displayed in Appendix C.

Race Categories

The race-specific categories in this report are all races for Illinois and all 102 counties. Data for Whites and Blacks are presented for Illinois and 15 counties (Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, St. Clair, Sangamon, Vermilion, Will, and Winnebago) with sufficient Black population estimates and annual cancer incidence for Blacks to allow for stable statistics. Cases reported as “other” or “unknown” race are included in the “all races” category.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 were linked to the Indian Health Service (IHS), which provides medical services to an estimated 55% of the American Indian/Alaska Native population nationally.⁹ If a race code in the ISCR database is White, Black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for Whites or Blacks due to the small number of cases affected.

Hispanic Ethnicity Categories

Through the use of the NAACCR Hispanic identification algorithm (NHIA) improvements have been made in classifying cases as Hispanic or Latino for diagnosis years 1990 through 2020.¹⁰ NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.¹¹ Cases that meet certain criteria around race and birthplace, and who are also identified as non-Hispanic, Hispanic not otherwise specified, Spanish surname only, and unknown ethnicity are examined. Using race, birthplace, last name, first name, and maiden name, NHIA assigns a more specific and sometimes different ethnicity to these cases.

The Hispanic ethnicity-specific categories are presented in this report for Illinois and five counties (Cook, DuPage, Kane, Lake, and Will) with sufficient Hispanic population estimates and annual cancer incidence for Hispanics to allow meaningful statistics. To be consistent with national data, cases reported as “unknown” ethnicity are included in the non-Hispanic category.⁴⁻⁶

Quality Control

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data.¹² In 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy, and timeliness of reporting (starting with cases diagnosed in 1995). ISCR has submitted data each year to the NAACCR for registry certification. Based on the certification criteria shown in the following table, ISCR has been awarded gold certification for diagnosis years 1996-2019. Certification of diagnosis year 2020 has not yet been completed. The table below shows the criteria used for silver and gold certification.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2022, ISCR quality control data for the diagnosis years considered in this report (2016 – 2020) are as follows:

Year	Completeness (NAACCR Method- As of 11-22)	Pass EDITS	DCO	Unresolved Duplicate Per 1,000	Missing Data Fields			
					Sex	Age	County	Race
2016	100%	100%	1.9%	0.9	0.0%	0.0%	0.0%	0.8%
2017	100%	100%	1.9%	0.6	0.0%	0.0%	0.0%	0.8%
2018	100%	100%	1.4%	0.7	0.0%	0.0%	0.0%	1.4%
2019	100%	100%	0.9%	0.2	0.0%	0.0%	0.0%	1.5%
2020	100%	100%	1.2%	0.2	0.0%	0.0%	0.0%	2.0%

Data Interpretation

Observed differences in cancer incidence among counties may be real, reflecting differences in risk factor modifications or consequences of screening and early detection programs within the county. However, county cancer incidence differences also could be the result of other factors. Any conclusions should be made only after carefully considering the following factors that influence the average annual age-adjusted cancer incidence rates:

- Aggregate cancer case counts for 2016–2020 produce more stable age-adjusted cancer incidence rates than those calculated for an individual year. Counties with smaller populations and smaller numbers of cancer incidence cases will still have less stable age-adjusted rates than larger counties or the entire state. Where the number of cases is less than or equal to 16, the relative standard error for the rate in these instances is equal to or exceeds 25%. At this level, interpretation of the rate is limited by excessive

uncertainty and these rates should be evaluated cautiously.

- The 95% confidence intervals are included with reported rates to help put the rate in perspective and to facilitate county comparisons. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95% probability where the “true” rate for the county or the state may fall. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two county rates and is more conservative than the standard significance test when the null hypothesis is true.¹³
- Population estimates used for denominators may be inaccurate. These data are estimates based on demographic characteristics of the population rather than actual counts. Incidence rates produced using these population estimates would be expected to exhibit more error than those calculated using 2010 census population counts. Also, keep in mind when comparing this report to earlier versions, the methods for developing the population estimates have changed and denominator data will lack comparability. Ensuring the same estimate methods (e.g., revised intercensal estimates and Vintage 2020) are used across the time period being examined accounts for this issue.

REFERENCES

1. Lehnher M, Havener LA. Assessment of interstate exchange of cancer data, 1986–1998. ISCR Quality Control Series 02:1. Springfield, Ill.: Illinois Department of Public Health, January 2002.
2. The Population Estimates Program, U.S. Census Bureau. *Release notes Vintage 2020*. U.S. Census Bureau . [2020-est-relnotes.pdf \(census.gov\)](https://www.census.gov/2020-est-relnotes.pdf) Accessed March 13, 2023.
3. Fritz A, Percy C, Jack A, Shmuglarnam K, Sabin L, Parkin DM, Whelan S (eds). International Classification of Diseases for Oncology. 3rd edition. Geneva: World Health Organization, 2000.
4. Howlander N, Noone AM, Krapcho M, et al (eds). SEER Cancer Statistics Review, 1975- 2018, National Cancer Institute. Bethesda, Md., https://seer.cancer.gov/csr/1975_2018/, based on November 2020 SEER data submission, posted to the SEER website, April 2021.
5. Sherman R, Firth R, Kahl A, et al (eds). Cancer in North America: 2015-2019. Volume One: Combined Cancer Incidence for the United States, Canada, and North America. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
6. Sherman R, Firth R, Kahl A, et al (eds). Cancer in North America: 2015-2019. Volume Two: Registry-specific Cancer Incidence in the United States and Canada. Springfield, Ill.: North American Association of Central Cancer Registries, Inc. May 2022.
7. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) version 8.4.0, March 31, 2022.
8. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006;15(6):547-569.
9. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. Cancer 2008; 113(5 Suppl):1120-1130.
10. NAACCR Expert Panel in Hispanic Identification. *Report of the Expert Panel on Hispanic Identification 2003*. Springfield, Ill: North American Association of Central Cancer Registries, October 2003.
11. Howe HL. *Evaluation of NHIA Submission for 1997-2001*. Springfield, Ill: North American Association of Central Cancer Registries, October 2004.

12. Hofferkamp, J (Ed). Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data. Springfield Ill.: North American Association of Central Cancer Registries, August 2008.
13. Schenke N, Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-1.

SECTION I

Cancer Incidence Rates for Selected Sites by County and Race Illinois, 2016-2020

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	350,798	459.7	458.2	461.3	175,120	496.8	494.4	499.2	175,678	436.5	434.4	438.6
Adams	2,261	496.3	475.0	518.4	1,159	527.4	496.5	559.9	1,102	474.0	444.4	505.1
Alexander	249	517.7	451.2	592.4	149	626.8	526.7	744.0	100	431.1	343.2	536.6
Bond	545	481.5	440.4	525.7	285	517.5	457.6	583.6	260	473.9	414.0	540.7
Boone	1,415	440.5	417.4	464.6	723	463.8	429.8	500.0	692	425.5	393.6	459.3
Brown	191	508.0	437.9	586.7	123	650.5	538.1	779.8	68	388.9	297.5	502.4
Bureau	1,290	528.4	498.2	560.0	684	585.6	540.9	633.4	606	485.9	444.8	530.0
Calhoun	199	489.9	421.3	568.5	110	574.5	467.8	702.3	89	422.8	335.8	530.5
Carroll	550	476.5	434.1	522.5	310	527.0	466.4	594.5	240	438.8	378.9	506.2
Cass	418	515.5	465.9	569.2	220	580.9	504.8	665.6	198	466.5	401.1	540.2
Champaign	4,577	442.9	429.8	456.4	2,373	497.4	477.0	518.4	2,204	403.4	386.1	421.2
Christian	1,301	555.4	524.5	587.9	730	655.6	607.8	706.4	571	475.0	434.2	519.0
Clark	487	445.9	405.3	489.7	255	494.3	433.2	562.2	232	418.8	363.2	481.2
Clay	528	548.6	500.8	600.3	284	624.1	551.4	704.6	244	493.8	429.2	566.1
Clinton	1,176	482.2	454.2	511.6	628	523.3	482.2	567.2	548	456.1	416.7	498.3
Coles	1,369	438.6	414.8	463.5	659	459.5	424.0	497.2	710	425.6	393.2	460.1
Cook	129,876	438.8	436.4	441.3	62,625	470.8	467.1	474.6	67,251	420.7	417.5	424.0
Crawford	630	471.8	434.6	511.6	332	530.9	474.1	593.1	298	438.9	387.3	496.1
Cumberland	345	471.8	420.8	527.6	177	494.7	421.5	577.7	168	451.5	381.7	531.3
DeKalb	2,729	525.4	505.4	546.0	1,405	579.1	548.2	611.2	1,324	491.0	464.2	519.0
DeWitt	526	475.6	434.3	520.2	259	502.5	441.1	570.8	267	456.7	401.0	518.7
Douglas	625	494.2	454.8	536.3	301	495.8	440.0	557.0	324	505.6	449.1	567.6
DuPage	25,106	448.2	442.6	454.0	12,248	473.5	464.8	482.2	12,858	435.8	428.1	443.7
Edgar	563	438.1	400.4	478.6	306	483.6	429.1	544.0	257	408.6	355.5	468.0
Edwards	190	405.1	346.6	471.5	100	449.0	362.8	551.8	90	370.0	291.6	464.6
Effingham	1,105	498.2	468.1	529.7	558	533.9	489.1	581.9	547	478.7	437.3	523.3
Fayette	693	467.9	432.6	505.5	399	551.0	497.2	609.3	294	400.8	353.4	453.3
Ford	473	528.8	479.8	581.7	254	614.6	538.8	698.8	219	472.1	407.4	544.9
Franklin	1,427	512.8	485.4	541.4	746	559.0	518.4	602.2	681	479.1	441.7	519.0
Fulton	1,260	505.5	476.9	535.5	672	564.3	521.6	609.9	588	474.0	433.4	517.6
Gallatin	172	450.0	380.9	529.5	86	470.6	372.1	590.3	86	439.9	343.4	558.0
Greene	484	519.1	472.4	569.6	245	558.4	489.2	635.5	239	494.4	430.5	566.3
Grundy	1,552	545.1	517.8	573.5	815	611.6	568.8	656.8	737	503.0	466.6	541.5
Hamilton	247	404.5	352.9	462.2	138	487.0	406.2	580.9	109	348.3	281.0	428.2
Hancock	656	481.5	442.6	523.3	342	508.9	453.4	570.1	314	459.6	405.1	520.0
Hardin	153	451.7	376.9	539.8	94	527.2	421.7	658.2	59	380.9	277.0	515.3
Henderson	245	420.6	365.3	483.2	130	427.6	354.3	515.2	115	420.2	339.1	517.5
Henry	1,700	481.9	458.2	506.6	885	515.3	480.7	551.9	815	456.3	423.5	491.1
Iroquois	1,043	509.3	477.1	543.3	558	567.0	519.0	618.7	485	465.7	422.1	513.0
Jackson	1,479	463.9	439.6	489.2	780	526.1	488.5	565.8	699	418.0	385.9	452.1
Jasper	327	486.5	432.5	545.9	186	563.8	482.7	655.6	141	427.4	354.8	511.4
Jefferson	1,254	490.3	462.7	519.4	706	571.1	528.8	616.0	548	428.8	391.5	468.9
Jersey	737	486.5	450.6	524.7	367	504.3	452.6	560.9	370	475.0	425.0	529.6
Jo Daviess	858	468.1	433.4	505.1	470	504.0	455.3	557.3	388	439.5	390.2	493.9
Johnson	426	455.4	411.7	503.0	248	524.1	459.5	596.4	178	396.9	336.5	466.4
Kane	12,663	431.4	423.7	439.1	6,322	461.5	449.8	473.4	6,341	413.2	402.9	423.7
Kankakee	3,371	494.8	477.7	512.4	1,664	504.8	480.2	530.4	1,707	490.4	466.5	515.2
Kendall	2,795	479.9	461.7	498.6	1,351	513.3	484.8	543.0	1,444	460.3	436.5	485.2
Knox	1,708	473.2	449.8	497.6	859	492.9	459.4	528.4	849	463.4	429.9	499.1
Lake	18,177	454.1	447.4	461.0	9,054	481.1	470.9	491.5	9,123	437.8	428.6	447.2
LaSalle	3,732	497.2	480.7	514.1	1,961	544.8	520.2	570.4	1,771	462.7	440.1	486.3
Lawrence	496	476.8	434.9	521.9	270	551.9	487.2	623.2	226	438.1	378.9	504.7
Lee	1,143	471.4	443.3	500.9	593	479.2	440.4	520.8	550	477.2	435.0	522.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	1,237	504.6	475.8	534.9	629	541.8	499.0	587.4	608	478.3	438.9	520.5
Logan	1,058	554.1	520.3	589.6	527	589.3	539.1	643.1	531	537.9	490.9	588.6
Macon	4,008	546.0	528.5	564.1	2,108	620.0	592.9	648.1	1,900	490.2	466.9	514.3
Macoupin	1,758	534.2	508.4	561.1	931	600.0	560.8	641.4	827	485.6	451.0	522.4
Madison	8,407	489.1	478.4	500.0	4,164	529.0	512.6	545.9	4,243	463.5	449.1	478.3
Marion	1,450	565.4	535.4	596.8	778	635.6	590.4	683.5	672	515.7	474.9	559.4
Marshall	457	516.9	467.2	571.1	228	532.5	461.8	612.2	229	512.4	442.4	591.5
Mason	550	527.0	481.7	576.0	295	597.4	528.7	673.7	255	479.0	418.1	547.3
Massac	466	459.3	416.5	505.7	256	531.9	466.4	604.9	210	401.7	345.6	465.1
McDonough	803	437.1	405.8	470.3	385	453.1	407.3	502.9	418	433.3	389.9	480.5
McHenry	8,501	466.5	456.3	476.9	4,226	488.1	472.8	503.7	4,275	454.8	440.9	469.2
McLean	3,770	425.5	411.7	439.7	1,925	468.7	447.4	490.7	1,845	397.1	378.6	416.2
Menard	495	567.2	516.1	622.4	257	625.3	548.1	711.1	238	533.1	463.8	610.8
Mercer	601	534.4	490.2	581.9	334	579.4	516.6	648.7	267	497.0	434.8	566.1
Monroe	1,032	446.1	418.2	475.4	518	459.7	419.5	503.0	514	440.6	401.6	482.7
Montgomery	1,029	510.6	478.5	544.4	566	572.6	525.3	623.4	463	470.8	425.2	520.3
Morgan	1,331	556.7	526.0	588.8	668	589.3	544.5	637.1	663	547.6	503.5	594.8
Moultrie	460	476.6	432.2	524.5	247	539.0	472.1	613.3	213	435.1	375.6	501.9
Ogle	1,675	481.2	457.6	505.8	838	495.3	461.4	531.3	837	472.9	439.9	507.9
Peoria	5,697	504.1	490.7	517.8	2,938	561.0	540.4	582.2	2,759	463.0	445.2	481.5
Perry	689	499.6	461.8	539.9	355	517.2	463.9	575.4	334	499.1	443.3	560.5
Piatt	546	479.5	438.3	523.9	292	518.9	459.0	585.1	254	450.2	393.1	513.8
Pike	612	543.4	499.1	591.0	326	604.9	538.9	677.5	286	493.9	433.6	560.8
Pope	167	440.8	368.3	526.9	106	550.4	438.1	689.8	61	337.4	248.0	457.6
Pulaski	215	516.6	445.7	596.9	120	564.2	464.9	682.1	95	476.7	377.7	595.5
Putnam	199	424.8	364.7	493.8	111	468.9	381.8	573.5	88	383.4	301.9	483.6
Randolph	1,072	483.8	454.4	514.8	551	514.6	471.6	560.7	521	488.5	443.8	536.8
Richland	534	477.5	435.9	522.2	287	523.3	463.1	589.8	247	448.8	390.3	514.0
Rock Island	4,477	462.6	448.6	476.9	2,365	517.4	496.2	539.4	2,112	422.9	404.0	442.6
Saline	852	504.6	470.0	541.4	451	576.2	522.8	633.9	401	451.7	406.0	501.7
Sangamon	6,926	539.8	526.7	553.2	3,491	601.2	580.8	622.2	3,435	499.6	482.2	517.5
Schuyler	259	483.6	423.6	550.9	151	556.2	468.3	658.2	108	418.5	336.4	517.0
Scott	199	568.6	488.7	658.9	96	589.0	472.9	727.4	103	566.2	455.4	698.1
Shelby	880	538.3	501.0	578.0	503	629.3	572.8	690.5	377	456.1	407.3	509.6
St Clair	7,453	467.3	456.4	478.4	3,724	515.0	498.1	532.5	3,729	434.8	420.5	449.6
Stark	204	497.8	428.4	576.5	115	563.4	462.0	683.5	89	455.4	358.3	572.7
Stephenson	1,460	429.3	406.0	453.6	729	454.3	420.4	490.4	731	414.8	382.5	449.2
Tazewell	4,487	501.6	486.6	517.0	2,272	540.9	518.3	564.2	2,215	475.7	455.1	497.0
Union	618	486.9	447.5	529.1	328	530.0	472.3	593.5	290	454.0	399.8	514.3
Vermilion	2,710	515.4	495.4	536.1	1,438	571.2	541.3	602.5	1,272	475.6	448.2	504.4
Wabash	401	482.4	433.6	535.7	213	536.8	463.9	618.8	188	424.5	360.9	497.3
Warren	590	523.6	479.9	570.4	302	527.9	467.9	594.1	288	525.1	461.5	595.2
Washington	508	517.7	471.4	567.7	294	602.8	532.6	680.3	214	436.7	376.7	504.2
Wayne	548	441.1	403.3	481.9	273	452.3	398.8	511.9	275	433.8	380.7	493.0
White	472	465.9	422.3	513.2	254	524.6	459.6	597.0	218	419.2	360.6	485.5
Whiteside	1,942	473.3	451.5	496.0	1,042	534.4	501.4	569.2	900	428.6	399.2	459.8
Will	17,711	473.1	466.0	480.3	8,933	514.6	503.6	525.9	8,778	445.8	436.3	455.4
Williamson	2,264	502.8	481.6	524.7	1,250	585.8	553.0	620.1	1,014	437.8	410.0	467.2
Winnebago	8,281	455.6	445.5	465.8	4,121	481.5	466.5	496.9	4,160	440.9	427.0	455.2
Woodford	1,215	484.8	456.9	514.1	611	501.1	461.0	544.1	604	478.3	439.0	520.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, All Sites, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	288,452	464.6	462.9	466.4	144,958	498.0	495.3	500.6	143,494	444.8	442.4	447.2
Champaign	3,919	452.3	437.7	467.3	2,033	503.7	481.3	526.9	1,886	415.7	396.2	435.9
Cook	87,573	438.8	435.8	441.8	42,750	464.0	459.5	468.6	44,823	427.1	423.0	431.2
DuPage	22,072	465.0	458.6	471.3	10,810	491.9	482.4	501.6	11,262	452.8	444.1	461.7
Kane	11,540	435.3	427.2	443.5	5,737	462.6	450.3	475.1	5,803	420.4	409.4	431.6
Kankakee	2,890	490.2	471.8	509.1	1,412	490.8	464.8	517.9	1,478	495.0	468.9	522.2
Lake	15,999	462.6	455.2	470.1	7,982	486.6	475.6	497.8	8,017	449.2	439.1	459.6
Macon	3,459	546.3	527.0	566.0	1,806	608.0	579.1	638.1	1,653	500.9	475.0	528.1
Madison	7,778	486.7	475.5	498.0	3,846	522.5	505.6	539.8	3,932	464.8	449.7	480.3
Peoria	4,692	492.5	477.9	507.4	2,383	536.6	514.6	559.3	2,309	463.2	443.3	483.7
Rock Island	4,064	462.9	448.0	478.3	2,129	513.0	490.5	536.3	1,935	426.9	406.7	448.0
Sangamon	6,249	542.1	528.1	556.4	3,161	603.0	581.4	625.2	3,088	503.4	484.7	522.7
St Clair	5,433	471.5	458.6	484.7	2,772	514.5	494.9	534.7	2,661	444.3	426.7	462.4
Vermilion	2,472	522.8	501.4	545.1	1,288	562.4	531.0	595.3	1,184	497.3	467.2	529.0
Will	15,056	480.7	472.9	488.6	7,591	519.2	507.2	531.5	7,465	456.5	446.0	467.2
Winnebago	7,358	462.2	451.2	473.3	3,662	482.9	466.9	499.3	3,696	453.3	437.9	469.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, All Sites, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	46,629	466.3	462.0	470.7	22,472	530.8	523.6	538.0	24,157	425.0	419.5	430.5
Champaign	467	450.0	408.1	494.8	246	535.2	465.4	611.9	221	385.0	334.0	441.2
Cook	34,020	467.8	462.7	472.9	15,947	530.2	521.7	538.7	18,073	429.1	422.7	435.6
DuPage	883	454.8	422.0	489.2	386	486.3	431.8	545.2	497	437.2	396.1	481.1
Kane	613	429.5	394.4	466.9	324	499.7	442.4	561.9	289	375.1	331.5	422.6
Kankakee	442	538.3	487.3	593.0	231	609.1	528.8	697.8	211	480.1	415.7	551.5
Lake	1,018	420.9	394.2	449.0	526	487.8	443.2	535.4	492	373.2	339.9	408.9
Macon	493	532.6	485.1	583.5	278	684.7	602.0	775.4	215	414.1	359.3	475.0
Madison	534	523.7	478.4	571.9	273	632.6	554.7	717.8	261	446.1	392.1	505.2
Peoria	800	540.0	501.5	580.5	435	661.3	596.7	730.7	365	448.7	402.3	498.9
Rock Island	320	477.8	425.6	534.5	182	590.2	503.8	686.3	138	392.9	328.6	465.5
Sangamon	585	544.9	499.6	593.1	286	588.7	518.1	666.0	299	501.8	444.6	564.1
St Clair	1,907	467.8	446.4	489.9	905	520.3	485.3	557.0	1,002	431.3	404.4	459.5
Vermilion	213	481.6	416.7	553.4	134	687.1	566.6	823.9	79	331.7	260.6	415.7
Will	1,799	458.5	436.0	481.8	912	528.7	490.4	569.0	887	410.1	382.3	439.4
Winnebago	771	460.5	427.2	495.6	383	524.9	469.8	584.2	388	414.4	373.2	458.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, All Sites, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	26,238	355.4	350.8	360.1	12,411	364.5	357.4	371.7	13,827	355.2	349.0	361.4
Cook	16,531	347.0	341.4	352.7	7,869	358.9	350.3	367.6	8,662	344.4	336.9	352.0
DuPage	1,618	393.4	372.4	415.2	712	406.2	372.5	441.9	906	397.5	370.1	426.3
Kane	1,646	318.7	301.6	336.4	811	339.8	313.2	367.8	835	304.4	282.2	327.8
Lake	1,623	358.4	338.8	378.7	750	360.0	330.3	391.3	873	363.2	337.0	390.7
Will	1,394	392.5	369.8	416.1	645	403.6	368.4	441.0	749	393.0	363.0	424.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, All Sites, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	324,560	471.2	469.5	472.9	162,709	511.2	508.7	513.8	161,851	445.3	443.0	447.6
Cook	113,345	456.1	453.3	458.8	54,756	492.8	488.6	497.0	58,589	434.0	430.4	437.7
DuPage	23,488	453.2	447.2	459.2	11,536	480.5	471.5	489.7	11,952	438.4	430.2	446.7
Kane	11,017	455.8	447.0	464.7	5,511	487.6	474.3	501.1	5,506	436.5	424.5	448.8
Lake	16,554	465.9	458.5	473.3	8,304	495.2	484.2	506.4	8,250	447.3	437.3	457.6
Will	16,317	482.1	474.5	489.7	8,288	526.8	515.1	538.8	8,029	451.7	441.6	461.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	9,462	12.2	11.9	12.4	6,677	18.3	17.9	18.8	2,785	6.8	6.5	7.0
Adams	62	14.4	10.9	18.8	49	22.9	16.7	30.8	13	6.7	3.4	11.9
Alexander	10	23.7	10.5	47.3	6	30.0	9.8	72.8	4	18.8	4.4	55.0
Bond	9	7.3	3.3	14.8	9	15.0	6.8	30.2	0			
Boone	39	12.1	8.5	16.8	25	16.0	10.2	24.1	14	8.6	4.6	14.8
Brown	6	15.7	5.7	35.8	4	16.8	4.6	47.3	2	10.0	1.2	46.4
Bureau	41	16.4	11.5	23.0	29	23.8	15.5	35.4	12	9.3	4.6	17.5
Calhoun	4	10.4	2.7	31.8	4	21.1	5.5	63.8	0			
Carroll	23	20.6	12.4	32.9	15	26.8	14.0	47.8	8	16.4	6.4	35.5
Cass	17	18.7	10.8	30.8	12	29.7	15.2	53.6	5	9.7	3.1	25.6
Champaign	127	13.0	10.8	15.6	95	21.2	17.1	26.1	32	5.9	4.0	8.4
Christian	39	18.0	12.5	25.2	34	32.3	22.0	46.1	5	3.9	1.2	10.4
Clark	18	16.6	9.4	27.3	12	25.0	12.3	45.8	6	10.1	3.5	24.4
Clay	16	17.7	9.6	30.1	11	27.0	12.8	50.7	5	8.1	2.6	22.4
Clinton	30	12.5	8.3	18.3	19	17.0	10.0	27.1	11	7.7	3.7	14.6
Coles	42	12.8	9.1	17.7	33	21.5	14.6	30.7	9	5.2	2.2	10.7
Cook	3,341	11.1	10.7	11.5	2,269	16.6	15.9	17.3	1,072	6.6	6.2	7.0
Crawford	15	10.6	5.9	18.2	10	15.1	7.1	29.0	5	6.7	2.2	17.8
Cumberland	6	7.4	2.6	17.7	5	12.3	3.8	31.9	1	2.5	0.1	18.0
DeKalb	70	13.4	10.3	17.0	49	18.9	13.8	25.2	21	8.0	4.9	12.4
DeWitt	14	12.3	6.5	21.7	5	7.6	2.4	20.3	9	16.4	7.0	33.6
Douglas	12	9.0	4.5	16.4	10	16.6	7.7	31.5	2	2.4	0.3	11.1
DuPage	671	11.6	10.7	12.5	486	17.9	16.3	19.7	185	6.1	5.2	7.1
Edgar	18	12.5	7.3	20.7	15	22.4	12.4	38.9	3	3.9	0.8	14.3
Edwards	2	3.7	0.4	17.2	1	4.2	0.1	30.6	1	2.3	0.1	26.2
Effingham	26	12.1	7.7	18.2	18	17.1	9.7	28.0	8	6.5	2.7	13.7
Fayette	22	14.8	9.1	23.1	14	18.9	10.1	32.8	8	10.0	4.2	21.4
Ford	17	16.9	9.5	28.4	9	19.6	8.7	39.5	8	14.2	5.2	32.5
Franklin	43	15.4	11.0	21.1	35	25.6	17.6	36.4	8	6.0	2.4	12.7
Fulton	38	15.0	10.5	21.1	28	22.4	14.7	33.1	10	8.4	3.7	16.6
Gallatin	3	9.5	1.5	32.0	3	21.0	3.6	67.8	0			
Greene	14	14.0	7.6	24.6	11	23.5	11.6	43.9	3	5.4	1.1	19.6
Grundy	42	13.9	10.0	19.0	31	20.6	13.9	29.6	11	7.3	3.6	13.3
Hamilton	7	9.5	3.8	22.2	6	19.7	7.0	47.2	1	2.5	0.1	22.1
Hancock	20	12.2	7.4	20.0	15	19.7	10.9	34.6	5	5.0	1.6	15.3
Hardin	3	6.6	1.3	29.9	3	13.9	2.8	60.9	0			
Henderson	9	12.9	5.9	28.6	8	22.4	9.6	52.9	1	3.2	0.1	29.3
Henry	47	14.5	10.4	19.6	35	21.9	15.0	31.3	12	7.3	3.6	13.5
Iroquois	29	13.3	8.7	19.8	20	18.3	11.1	29.4	9	8.7	3.5	18.5
Jackson	42	13.0	9.2	17.9	29	18.5	12.2	27.1	13	8.3	4.2	14.7
Jasper	6	9.1	3.3	21.4	5	16.7	5.3	41.3	1	2.7	0.1	20.3
Jefferson	39	15.9	11.1	22.0	30	25.5	17.0	36.9	9	6.1	2.8	12.4
Jersey	19	13.0	7.6	21.1	13	18.5	9.6	32.9	6	7.9	2.5	19.1
Jo Daviess	36	20.2	13.6	29.5	24	26.7	16.4	42.3	12	13.9	6.4	27.5
Johnson	10	11.1	5.2	21.6	8	18.9	8.0	39.1	2	3.8	0.5	19.5
Kane	351	11.6	10.4	12.9	247	16.9	14.8	19.2	104	6.8	5.5	8.3
Kankakee	94	12.8	10.3	15.8	68	19.3	14.9	24.7	26	6.8	4.4	10.1
Kendall	84	14.7	11.6	18.3	57	20.0	14.9	26.3	27	9.7	6.3	14.2
Knox	55	15.4	11.5	20.4	43	25.3	18.1	34.7	12	6.3	3.1	11.7
Lake	432	10.2	9.2	11.2	312	15.6	13.8	17.5	120	5.4	4.5	6.5
LaSalle	118	15.3	12.6	18.5	90	24.8	19.8	30.8	28	6.4	4.2	9.6
Lawrence	13	13.4	7.0	23.6	11	24.2	12.0	44.0	2	3.3	0.4	15.7
Lee	41	16.5	11.7	22.9	33	26.8	18.2	38.4	8	5.7	2.4	12.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	34	13.5	9.2	19.3	26	21.7	13.9	32.6	8	5.6	2.4	12.1
Logan	34	18.0	12.3	25.6	24	27.8	17.6	42.1	10	10.0	4.6	19.4
Macon	119	16.4	13.5	19.9	74	22.5	17.5	28.7	45	11.0	7.9	15.0
Macoupin	54	17.0	12.6	22.6	41	27.8	19.7	38.5	13	7.2	3.7	13.2
Madison	245	14.3	12.5	16.3	164	20.2	17.1	23.6	81	9.0	7.0	11.3
Marion	36	14.7	10.1	20.7	26	22.2	14.4	33.2	10	8.0	3.6	15.6
Marshall	16	16.3	9.2	28.2	10	20.7	9.7	41.5	6	12.7	4.5	31.4
Mason	14	13.1	6.9	23.4	9	18.6	8.2	37.8	5	7.9	2.2	22.8
Massac	15	13.6	7.5	23.7	11	22.2	10.9	41.8	4	5.4	1.4	17.9
McDonough	21	11.6	6.9	18.4	13	14.0	7.1	25.2	8	8.7	3.4	18.6
McHenry	259	13.1	11.5	14.9	189	20.0	17.1	23.2	70	6.9	5.3	8.8
McLean	110	12.7	10.4	15.4	82	20.1	15.9	25.0	28	6.3	4.1	9.2
Menard	16	19.7	10.9	33.4	10	25.1	11.6	48.7	6	16.3	5.5	37.6
Mercer	18	17.3	9.9	28.7	12	23.5	11.6	43.4	6	10.8	3.5	26.3
Monroe	31	12.0	8.0	17.6	21	16.3	9.9	25.9	10	7.6	3.4	15.2
Montgomery	28	14.0	9.1	20.7	20	20.4	12.3	32.3	8	7.5	3.2	16.1
Morgan	25	9.8	6.3	14.9	18	14.6	8.6	23.8	7	5.6	2.2	12.5
Moultrie	14	13.2	6.9	23.3	13	26.9	13.9	48.1	1	1.8	0.0	13.0
Ogle	53	15.1	11.2	20.1	34	19.2	13.1	27.3	19	11.2	6.5	18.1
Peoria	150	13.1	11.0	15.4	100	18.6	15.1	22.8	50	8.3	6.1	11.2
Perry	16	11.5	6.4	19.2	14	18.8	10.1	32.5	2	2.8	0.3	12.3
Piatt	19	17.5	10.2	28.3	11	18.4	9.0	34.7	8	16.4	6.6	34.0
Pike	25	24.7	15.5	37.7	18	34.0	19.7	55.5	7	16.2	5.8	35.4
Pope	8	16.9	7.2	44.0	7	29.8	11.8	82.1	1	3.8	0.1	56.9
Pulaski	7	15.4	6.1	35.3	7	31.9	12.8	73.2	0			
Putnam	2	5.2	0.6	22.4	2	10.7	1.2	45.2	0			
Randolph	19	8.9	5.2	14.3	15	13.1	7.2	22.4	4	4.6	1.1	13.0
Richland	13	10.1	5.3	18.2	10	16.3	7.7	31.9	3	4.8	1.0	16.6
Rock Island	148	15.3	12.8	18.1	109	24.4	19.8	29.6	39	7.2	5.0	10.1
Saline	24	14.4	9.0	22.2	15	19.3	10.6	33.0	9	9.6	4.0	20.1
Sangamon	197	15.5	13.3	17.9	148	25.0	21.0	29.6	49	7.4	5.4	10.0
Schuylerville	9	16.8	7.4	34.8	6	22.3	8.1	53.7	3	12.8	2.2	44.9
Scott	4	11.8	3.1	33.3	4	25.7	6.9	71.3	0			
Shelby	27	17.6	11.1	26.9	24	32.6	20.0	50.7	3	3.3	0.7	11.8
St Clair	217	13.2	11.4	15.1	154	20.9	17.6	24.6	63	6.8	5.2	8.8
Stark	6	12.5	4.6	31.2	4	22.4	5.8	63.3	2	9.0	1.1	41.8
Stephenson	37	10.7	7.4	15.3	25	15.9	10.0	24.4	12	5.9	2.8	11.4
Tazewell	125	13.9	11.5	16.7	94	22.1	17.7	27.2	31	6.5	4.3	9.6
Union	18	15.2	8.8	25.0	14	23.1	12.4	40.6	4	7.6	1.8	21.4
Vermilion	64	12.8	9.7	16.6	42	17.3	12.3	23.8	22	8.4	5.1	13.2
Wabash	10	11.2	4.9	22.7	6	15.2	4.9	36.5	4	5.6	1.4	20.6
Warren	16	14.7	8.0	25.0	11	20.2	9.5	38.2	5	9.3	2.6	23.8
Washington	11	15.1	7.3	27.6	9	24.5	10.7	47.7	2	5.4	0.5	20.7
Wayne	11	8.3	4.1	15.7	8	12.6	5.4	26.7	3	4.2	0.9	15.1
White	14	15.9	8.3	28.0	11	25.3	12.1	47.6	3	6.7	1.2	22.2
Whiteside	62	13.6	10.4	17.7	40	18.5	13.2	25.7	22	9.3	5.8	14.7
Will	441	11.2	10.2	12.4	314	16.4	14.6	18.4	127	6.5	5.4	7.8
Williamson	74	17.3	13.4	22.0	60	30.5	23.1	39.7	14	5.1	2.8	9.0
Winnebago	225	12.3	10.7	14.1	164	18.4	15.6	21.5	61	6.9	5.2	9.0
Woodford	29	12.0	7.9	17.5	21	18.4	11.2	28.6	8	6.0	2.5	12.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Oral Cavity and Pharynx, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	8,028	12.7	12.4	12.9	5,703	18.9	18.4	19.4	2,325	7.0	6.7	7.3
Champaign	113	14.1	11.5	17.0	87	23.7	18.8	29.5	26	5.4	3.5	8.1
Cook	2,359	11.6	11.1	12.1	1,623	17.1	16.2	17.9	736	6.7	6.2	7.3
DuPage	589	12.0	11.0	13.0	423	18.3	16.5	20.2	166	6.5	5.5	7.6
Kane	324	11.8	10.5	13.2	227	17.1	14.9	19.5	97	7.0	5.7	8.6
Kankakee	87	13.7	10.9	17.1	62	20.3	15.5	26.4	25	7.4	4.8	11.3
Lake	385	10.5	9.4	11.6	279	16.0	14.1	18.1	106	5.6	4.5	6.8
Macon	101	16.6	13.3	20.5	63	22.5	17.0	29.4	38	11.2	7.8	15.8
Madison	229	14.5	12.6	16.6	153	20.2	17.0	23.8	76	9.3	7.2	11.8
Peoria	134	14.0	11.6	16.7	86	19.2	15.2	23.9	48	9.5	6.9	12.9
Rock Island	136	15.7	13.0	18.8	100	25.0	20.1	30.8	36	7.4	5.0	10.6
Sangamon	178	15.5	13.2	18.1	133	24.8	20.6	29.7	45	7.5	5.4	10.3
St Clair	184	15.4	13.2	17.9	129	23.2	19.3	27.8	55	8.6	6.4	11.3
Vermilion	59	13.0	9.7	17.2	38	17.4	12.0	24.6	21	8.7	5.1	14.0
Will	388	11.8	10.6	13.1	276	17.0	15.0	19.2	112	6.9	5.7	8.3
Winnebago	201	12.6	10.8	14.6	150	19.2	16.2	22.7	51	6.6	4.8	8.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Oral Cavity and Pharynx, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	963	9.3	8.7	9.9	643	14.6	13.4	15.8	320	5.5	4.9	6.2
Champaign	8	7.3	3.1	14.3	5	10.8	3.4	25.5	3	4.8	1.0	14.0
Cook	731	9.9	9.2	10.6	469	15.2	13.8	16.7	262	6.2	5.5	7.1
DuPage	12	6.7	3.2	12.1	9	13.6	5.5	26.8	3	2.0	0.4	6.5
Kane	12	9.0	4.5	16.1	9	14.7	6.2	28.7	3	4.5	0.8	13.0
Kankakee	6	6.4	2.3	14.4	5	10.7	3.4	26.3	1	2.6	0.1	13.8
Lake	17	6.8	3.8	11.2	10	8.7	3.8	16.8	7	5.3	2.0	11.3
Macon	15	15.3	8.2	25.8	10	23.9	10.5	46.2	5	8.6	2.6	20.9
Madison	13	11.5	6.0	20.0	9	17.1	7.7	33.6	4	6.8	1.7	17.7
Peoria	13	7.8	4.0	13.6	13	17.7	9.1	31.0	0			
Rock Island	10	14.6	6.9	27.0	8	25.3	10.4	50.3	2	4.9	0.6	18.6
Sangamon	12	10.0	5.1	17.7	10	19.1	9.0	36.1	2	2.4	0.3	9.8
St Clair	29	6.7	4.5	9.7	21	11.9	7.2	18.4	8	3.1	1.3	6.3
Vermilion	5	11.9	3.8	27.6	4	19.9	5.1	51.8	1	5.8	0.1	28.3
Will	28	6.3	4.1	9.3	21	10.7	6.2	17.2	7	3.0	1.2	6.4
Winnebago	16	9.1	5.1	14.9	10	11.6	5.5	21.8	6	6.8	2.4	14.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Oral Cavity and Pharynx, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	545	7.4	6.8	8.1	374	10.5	9.4	11.7	171	4.6	3.9	5.4
Cook	352	7.5	6.7	8.4	238	10.5	9.1	12.1	114	4.8	3.9	5.8
DuPage	35	9.3	6.3	13.2	28	16.8	10.4	25.2	7	3.5	1.3	7.2
Kane	24	4.3	2.6	6.5	15	5.6	2.8	9.8	9	3.0	1.3	5.9
Lake	33	6.4	4.2	9.3	23	9.0	5.3	14.2	10	4.0	1.8	7.7
Will	21	6.0	3.5	9.3	13	8.3	4.1	14.6	8	3.8	1.6	7.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Oral Cavity and Pharynx, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	8,917	12.8	12.5	13.1	6,303	19.4	18.9	19.9	2,614	7.0	6.8	7.3
Cook	2,989	11.9	11.5	12.4	2,031	18.0	17.2	18.8	958	7.0	6.5	7.4
DuPage	636	11.9	11.0	12.9	458	18.3	16.6	20.2	178	6.4	5.5	7.5
Kane	327	13.3	11.8	14.9	232	19.6	17.1	22.5	95	7.6	6.1	9.4
Lake	399	10.5	9.5	11.7	289	16.3	14.4	18.4	110	5.5	4.5	6.7
Will	420	11.9	10.8	13.1	301	17.5	15.5	19.7	119	6.8	5.6	8.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	30,136	39.8	39.4	40.3	15,875	46.0	45.3	46.7	14,261	34.6	34.1	35.2
Adams	179	39.8	33.8	46.6	88	43.4	34.3	54.2	91	36.1	28.6	45.2
Alexander	23	46.0	28.6	72.3	11	43.9	21.7	85.5	12	49.3	24.6	92.6
Bond	55	51.4	38.4	67.9	34	67.3	46.2	95.2	21	39.6	23.8	62.9
Boone	110	35.0	28.7	42.4	54	34.4	25.6	45.3	56	35.2	26.4	46.1
Brown	17	45.7	26.5	74.2	10	55.3	26.2	103.1	7	34.2	13.6	78.7
Bureau	109	41.6	33.9	50.8	64	55.2	42.1	71.4	45	29.0	20.8	40.0
Calhoun	24	61.9	39.0	96.1	15	82.9	45.4	144.5	9	44.1	19.8	93.4
Carroll	45	38.0	27.0	52.7	23	39.5	24.5	62.0	22	36.2	21.1	59.5
Cass	39	51.3	35.9	71.2	19	55.8	32.9	88.6	20	45.3	26.9	72.5
Champaign	332	33.2	29.7	37.1	184	39.8	34.1	46.2	148	27.1	22.8	32.1
Christian	122	51.9	42.7	62.6	74	67.5	52.6	85.5	48	38.1	27.4	52.2
Clark	47	44.0	31.8	59.8	18	36.8	21.3	59.8	29	48.9	31.4	73.5
Clay	56	57.5	42.9	75.9	29	62.0	41.0	91.1	27	53.9	34.3	81.8
Clinton	91	39.0	31.1	48.3	46	41.8	30.4	56.2	45	37.2	26.5	50.9
Coles	146	46.1	38.7	54.7	72	51.1	39.7	64.9	74	42.6	33.1	54.3
Cook	11,677	39.6	38.9	40.4	6,050	46.2	45.0	47.4	5,627	34.5	33.6	35.4
Crawford	63	50.5	38.5	65.4	39	69.8	49.3	96.3	24	32.7	20.5	50.9
Cumberland	45	56.4	40.8	76.7	18	47.5	27.8	77.4	27	64.4	41.8	96.6
DeKalb	229	44.9	39.1	51.2	117	49.6	40.7	59.7	112	41.0	33.6	49.6
DeWitt	48	44.3	32.2	59.8	29	57.8	38.2	84.7	19	32.8	19.0	53.7
Douglas	49	38.3	28.0	51.5	22	35.5	21.9	54.9	27	40.6	26.0	61.0
DuPage	1,985	35.9	34.3	37.6	1,052	41.3	38.8	44.0	933	31.5	29.5	33.7
Edgar	59	44.1	33.1	58.1	35	55.7	38.3	79.4	24	32.3	19.6	51.2
Edwards	21	46.4	28.3	73.0	10	52.1	24.7	98.7	11	38.5	19.0	74.6
Effingham	109	50.6	41.3	61.5	52	55.2	40.8	73.2	57	46.0	34.5	60.4
Fayette	62	42.4	32.2	55.1	39	56.4	39.8	78.0	23	28.3	17.6	44.2
Ford	41	45.3	31.8	63.1	22	55.4	34.1	85.7	19	41.6	23.8	68.2
Franklin	130	46.5	38.6	55.7	78	61.1	47.8	77.1	52	33.9	25.0	45.3
Fulton	131	52.0	43.2	62.2	66	56.9	43.8	73.1	65	46.8	35.6	61.0
Gallatin	15	37.7	20.5	66.1	11	58.9	28.4	113.2	4	15.9	4.3	52.8
Greene	35	36.5	25.1	52.0	15	34.6	19.1	58.8	20	38.5	22.9	62.4
Grundy	135	48.8	40.8	57.9	75	61.4	47.8	77.6	60	40.9	31.0	53.0
Hamilton	26	42.8	27.0	65.3	14	52.4	27.3	92.5	12	30.8	14.7	60.5
Hancock	59	39.9	29.9	52.7	25	34.7	22.0	53.4	34	43.2	29.0	63.2
Hardin	19	55.6	31.8	94.5	12	74.9	35.2	146.7	7	35.2	14.1	88.8
Henderson	16	24.7	13.9	43.7	8	23.9	10.2	55.3	8	25.6	10.6	58.7
Henry	136	37.6	31.3	44.8	73	42.8	33.2	54.6	63	31.9	24.2	41.6
Iroquois	105	54.1	43.6	66.5	53	52.5	38.9	69.8	52	55.6	40.2	75.1
Jackson	136	42.5	35.4	50.7	79	54.3	42.5	68.3	57	31.5	23.3	41.7
Jasper	31	44.0	29.3	64.2	14	44.4	23.7	77.4	17	45.4	25.5	77.0
Jefferson	123	46.8	38.7	56.2	67	53.7	41.4	68.8	56	41.4	30.9	54.7
Jersey	65	44.7	34.1	57.9	32	45.0	30.5	64.8	33	44.6	29.8	64.6
Jo Daviess	58	35.0	25.8	47.0	34	42.3	28.2	61.7	24	28.3	16.9	45.5
Johnson	38	42.3	29.4	59.5	28	59.7	39.3	88.4	10	27.6	11.9	55.1
Kane	996	34.3	32.1	36.5	526	38.2	34.9	41.7	470	30.6	27.9	33.6
Kankakee	256	37.6	33.0	42.7	127	39.5	32.7	47.3	129	35.5	29.5	42.5
Kendall	210	36.4	31.5	41.9	116	43.4	35.4	52.5	94	30.7	24.7	37.8
Knox	154	41.6	35.0	49.3	75	43.3	33.7	55.0	79	40.1	31.0	51.4
Lake	1,410	35.7	33.8	37.7	745	40.6	37.6	43.7	665	31.5	29.1	34.1
LaSalle	339	45.1	40.3	50.5	181	52.4	44.8	61.0	158	38.8	32.7	45.9
Lawrence	42	40.2	28.8	55.1	27	54.0	35.4	79.6	15	26.4	14.6	46.0
Lee	93	39.7	31.7	49.3	52	43.3	32.1	57.5	41	35.4	24.4	49.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	129	52.2	43.4	62.5	71	63.3	49.1	80.5	58	42.4	32.0	55.8
Logan	99	52.3	42.2	64.3	47	51.3	37.4	69.0	52	52.8	38.7	70.8
Macon	367	50.2	45.0	56.0	198	60.0	51.6	69.4	169	42.0	35.5	49.5
Macoupin	143	45.1	37.7	53.7	76	54.1	42.3	68.4	67	38.3	29.2	49.7
Madison	707	41.2	38.1	44.4	356	46.4	41.6	51.6	351	37.1	33.2	41.4
Marion	144	57.0	47.7	67.7	79	66.0	51.9	83.1	65	49.6	37.5	64.5
Marshall	48	56.3	40.3	77.1	19	48.3	27.9	78.8	29	64.6	41.3	97.8
Mason	55	52.4	39.0	69.7	29	57.6	38.4	84.9	26	49.0	31.0	75.2
Massac	42	45.7	32.3	63.2	20	50.9	30.2	80.7	22	41.0	24.9	64.7
McDonough	81	44.1	34.6	55.5	44	53.2	38.2	72.4	37	36.3	24.9	51.6
McHenry	689	38.4	35.5	41.5	373	42.9	38.5	47.8	316	34.0	30.2	38.1
McLean	320	37.1	33.1	41.5	170	43.1	36.7	50.2	150	32.1	27.0	37.9
Menard	43	49.2	35.0	67.9	19	45.2	26.3	73.6	24	52.8	32.8	81.8
Mercer	58	51.0	38.2	67.4	30	50.9	33.8	74.9	28	50.2	32.2	75.4
Monroe	57	24.4	18.3	32.2	32	28.4	19.2	40.9	25	21.8	13.8	33.1
Montgomery	100	49.4	39.9	60.8	59	60.1	45.5	78.4	41	40.9	28.2	57.7
Morgan	133	56.4	46.9	67.5	67	63.4	48.8	81.1	66	50.2	38.0	65.5
Moultrie	54	56.5	41.8	75.0	28	63.5	41.6	93.5	26	50.4	31.8	76.6
Ogle	143	41.9	35.1	49.7	61	37.5	28.4	48.8	82	44.5	35.0	56.1
Peoria	494	44.8	40.8	49.1	246	49.9	43.7	56.8	248	40.3	35.3	46.0
Perry	79	58.7	46.1	73.9	36	53.6	37.2	75.1	43	63.0	44.6	87.3
Piatt	48	42.3	30.8	57.0	31	57.8	38.7	83.7	17	28.2	16.1	47.1
Pike	49	46.1	33.2	62.6	24	47.9	29.9	73.4	25	46.1	28.1	71.9
Pope	13	27.5	14.6	56.6	8	32.6	14.0	84.8	5	22.7	7.3	78.2
Pulaski	15	34.7	18.8	60.9	6	30.1	10.5	73.0	9	39.3	17.1	82.4
Putnam	16	33.0	18.6	57.0	10	44.0	20.7	87.7	6	23.0	8.3	59.5
Randolph	113	50.6	41.5	61.4	56	54.1	40.6	70.9	57	47.2	35.0	63.0
Richland	57	53.0	39.4	70.1	30	57.0	38.0	83.0	27	50.5	31.7	77.0
Rock Island	310	32.4	28.7	36.4	164	38.2	32.4	44.8	146	27.1	22.7	32.2
Saline	85	49.9	39.5	62.4	45	58.9	42.6	79.9	40	42.1	29.7	58.9
Sangamon	567	45.4	41.6	49.5	289	52.5	46.4	59.1	278	39.6	34.8	44.8
Schuylerville	27	47.3	30.6	71.8	16	59.4	33.2	101.5	11	31.9	15.7	65.2
Scott	19	62.9	36.7	101.5	10	70.9	32.4	136.0	9	51.5	22.2	104.9
Shelby	91	56.1	44.4	70.2	49	67.2	48.8	90.9	42	44.9	31.5	63.2
St Clair	585	36.8	33.8	40.0	335	47.2	42.1	52.7	250	28.0	24.5	31.9
Stark	19	46.9	27.6	76.5	11	57.9	28.2	109.5	8	41.9	17.0	89.6
Stephenson	123	36.0	29.5	43.6	64	41.5	31.6	53.9	59	31.1	22.9	41.7
Tazewell	400	44.1	39.8	48.9	201	49.1	42.4	56.7	199	39.7	34.2	46.1
Union	54	41.7	30.9	55.5	29	47.4	31.3	69.9	25	36.8	23.2	56.8
Vermilion	239	46.3	40.4	52.9	117	48.1	39.5	58.0	122	44.9	36.8	54.3
Wabash	44	58.0	41.0	80.1	23	63.1	38.6	98.1	21	52.8	30.6	85.6
Warren	61	52.9	39.9	69.1	37	60.9	42.5	85.6	24	45.5	27.9	70.3
Washington	46	47.4	34.1	64.5	27	55.8	36.0	83.6	19	38.8	22.7	63.0
Wayne	45	35.4	25.5	48.4	23	39.9	24.8	61.9	22	30.5	18.8	48.4
White	32	34.6	23.0	50.5	22	48.3	29.5	75.6	10	23.0	10.1	45.3
Whiteside	144	35.3	29.5	41.9	89	47.1	37.5	58.5	55	24.8	18.3	33.2
Will	1,444	39.1	37.1	41.2	812	46.9	43.6	50.4	632	32.2	29.7	34.9
Williamson	216	48.6	42.2	55.8	112	53.9	44.1	65.2	104	43.5	35.3	53.3
Winnebago	650	36.6	33.8	39.7	358	43.8	39.3	48.8	292	30.3	26.8	34.2
Woodford	98	38.4	30.9	47.3	58	48.8	36.7	63.8	40	28.2	19.6	39.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Colon and Rectum, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	24,109	39.1	38.6	39.6	12,805	45.0	44.2	45.8	11,304	34.0	33.3	34.6
Champaign	286	34.6	30.6	39.0	157	41.2	34.8	48.4	129	28.4	23.5	34.1
Cook	7,450	37.3	36.5	38.2	3,961	43.4	42.0	44.8	3,489	32.3	31.2	33.4
DuPage	1,725	36.7	35.0	38.6	905	42.0	39.2	44.9	820	32.6	30.3	35.0
Kane	898	34.2	32.0	36.6	473	38.1	34.6	41.8	425	30.6	27.7	33.8
Kankakee	217	37.0	32.0	42.5	109	39.0	31.8	47.4	108	34.6	28.2	42.2
Lake	1,196	34.8	32.8	36.9	628	39.0	35.9	42.3	568	30.9	28.3	33.7
Macon	299	47.3	41.7	53.5	164	57.2	48.4	67.4	135	38.9	32.1	46.9
Madison	649	40.5	37.3	43.8	321	44.6	39.7	49.9	328	37.3	33.2	41.8
Peoria	403	43.4	39.1	48.1	201	48.8	42.0	56.4	202	38.4	33.0	44.6
Rock Island	277	32.0	28.1	36.3	141	36.7	30.6	43.7	136	27.8	23.0	33.3
Sangamon	498	44.2	40.2	48.4	253	50.8	44.6	57.8	245	38.7	33.7	44.3
St Clair	391	33.9	30.5	37.6	230	43.6	38.0	49.9	161	25.0	21.1	29.5
Vermilion	218	47.1	40.7	54.2	107	48.7	39.6	59.4	111	45.7	36.9	56.1
Will	1,219	39.4	37.1	41.7	694	47.4	43.8	51.2	525	32.0	29.3	35.0
Winnebago	567	36.1	33.0	39.3	310	42.8	38.1	48.1	257	30.0	26.3	34.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Colon and Rectum, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	4,590	46.9	45.5	48.3	2,266	55.9	53.6	58.4	2,324	40.8	39.1	42.5
Champaign	38	37.2	25.9	51.6	21	42.3	25.6	65.7	17	31.3	17.7	50.4
Cook	3,407	47.5	45.9	49.2	1,634	56.6	53.8	59.5	1,773	41.6	39.6	43.6
DuPage	79	41.5	31.9	53.0	36	49.1	32.4	70.8	43	36.4	25.5	50.2
Kane	51	35.6	26.2	47.2	24	34.4	21.5	52.1	27	35.9	23.4	52.6
Kankakee	36	44.3	30.5	62.1	16	45.6	24.9	75.7	20	43.4	26.1	67.9
Lake	103	47.4	38.3	58.0	57	60.1	44.4	79.2	46	38.0	27.4	51.2
Macon	67	69.8	53.6	89.3	34	80.2	54.9	113.4	33	60.4	41.0	85.7
Madison	48	52.4	38.1	70.0	27	72.5	46.3	107.1	21	38.6	23.5	59.5
Peoria	70	50.9	39.2	64.8	35	62.4	42.4	88.0	35	43.2	29.7	60.5
Rock Island	28	40.7	26.8	59.1	19	60.0	35.1	94.9	9	22.9	10.3	44.0
Sangamon	57	57.0	42.5	74.4	29	65.6	43.1	95.3	28	48.8	31.8	71.2
St Clair	188	47.3	40.6	54.8	104	62.3	50.4	76.2	84	36.9	29.3	45.9
Vermilion	18	41.8	24.4	66.4	8	44.2	17.6	88.8	10	40.9	19.4	75.7
Will	164	43.3	36.5	51.1	86	53.4	41.4	67.6	78	36.1	28.1	45.5
Winnebago	71	43.4	33.6	55.1	38	53.8	37.1	75.1	33	35.8	24.4	50.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Colon and Rectum, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,412	33.2	31.8	34.6	1,354	38.3	36.1	40.7	1,058	28.6	26.8	30.4
Cook	1,575	33.5	31.8	35.3	885	39.3	36.5	42.2	690	28.6	26.4	30.9
DuPage	135	33.9	27.8	40.7	74	41.1	30.9	53.2	61	28.6	21.4	37.3
Kane	128	23.3	19.0	28.2	80	30.1	23.1	38.4	48	16.8	12.0	22.7
Lake	158	35.9	29.8	42.7	85	40.8	31.3	52.1	73	31.6	24.1	40.6
Will	117	34.5	27.9	42.1	60	35.8	26.0	47.8	57	33.3	24.7	43.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Colon and Rectum, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	27,724	40.6	40.1	41.1	14,521	47.0	46.2	47.8	13,203	35.2	34.6	35.9
Cook	10,102	40.7	39.9	41.6	5,165	47.6	46.3	48.9	4,937	35.5	34.4	36.5
DuPage	1,850	36.2	34.5	37.9	978	41.6	39.0	44.4	872	31.7	29.5	34.0
Kane	868	36.2	33.8	38.8	446	40.2	36.4	44.2	422	32.6	29.5	36.0
Lake	1,252	35.9	33.9	38.1	660	41.1	37.9	44.5	592	31.4	28.8	34.1
Will	1,327	39.6	37.5	41.9	752	48.2	44.7	51.9	575	32.1	29.5	34.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	46,592	59.3	58.8	59.9	23,245	66.4	65.6	67.3	23,347	54.1	53.4	54.8
Adams	349	71.1	63.6	79.3	192	82.6	71.1	95.6	157	61.5	51.8	72.6
Alexander	62	123.6	93.5	162.3	40	168.7	119.5	235.6	22	86.5	52.0	139.1
Bond	71	57.3	44.5	73.2	37	64.1	44.8	89.9	34	53.9	36.6	77.9
Boone	218	64.6	56.2	74.0	116	73.6	60.6	88.8	102	57.5	46.8	70.2
Brown	31	83.1	56.3	119.1	17	95.4	54.9	154.4	14	68.7	37.4	122.1
Bureau	209	79.1	68.5	91.1	92	74.8	60.1	92.5	117	84.3	69.1	102.3
Calhoun	20	44.1	26.9	72.2	10	45.3	21.6	92.8	10	43.9	21.0	90.9
Carroll	71	54.5	42.0	70.5	37	55.7	38.9	79.3	34	54.7	36.6	80.4
Cass	79	96.9	76.4	121.7	38	104.7	73.7	144.9	41	93.2	66.2	128.6
Champaign	544	51.4	47.1	56.0	277	57.7	51.0	65.2	267	46.3	40.8	52.4
Christian	234	95.9	83.8	109.5	129	112.8	93.9	134.8	105	80.7	65.5	98.8
Clark	79	67.9	53.4	85.6	43	80.5	57.6	110.4	36	59.2	40.9	84.1
Clay	91	88.9	71.4	110.1	56	125.1	94.0	164.3	35	61.1	42.4	87.1
Clinton	163	65.1	55.3	76.3	87	73.1	58.2	90.8	76	58.2	45.6	73.7
Coles	244	74.7	65.4	85.0	117	80.3	66.1	96.8	127	71.2	59.0	85.5
Cook	15,646	52.2	51.4	53.0	7,477	57.8	56.5	59.2	8,169	48.2	47.2	49.3
Crawford	108	78.6	64.2	95.5	60	94.9	72.0	123.3	48	67.1	48.9	90.8
Cumberland	49	57.6	42.4	77.4	28	70.2	46.4	103.9	21	48.0	29.3	76.5
DeKalb	336	64.7	57.8	72.1	176	75.6	64.6	88.0	160	56.4	47.8	66.0
DeWitt	90	77.0	61.7	95.6	56	108.9	81.8	143.0	34	53.9	36.8	77.5
Douglas	86	67.8	53.9	84.4	47	79.4	58.0	106.5	39	59.9	42.0	83.4
DuPage	2,671	47.2	45.3	49.0	1,241	49.2	46.4	52.1	1,430	45.9	43.5	48.4
Edgar	88	63.4	50.3	79.2	50	78.6	57.8	105.6	38	52.9	36.5	75.2
Edwards	39	81.1	56.7	113.7	24	106.7	67.1	163.8	15	58.2	31.5	101.9
Effingham	144	61.4	51.6	72.7	74	69.4	54.2	87.9	70	55.8	43.3	71.3
Fayette	114	73.4	60.4	88.9	72	95.6	74.5	121.4	42	51.4	36.7	71.1
Ford	65	68.4	52.2	88.4	43	99.3	70.9	136.1	22	41.3	25.5	64.9
Franklin	254	85.5	75.1	97.2	141	101.8	85.3	120.8	113	72.1	59.1	87.6
Fulton	208	76.9	66.6	88.6	117	93.2	76.8	112.4	91	64.4	51.5	80.3
Gallatin	36	81.4	56.5	116.3	18	93.4	54.4	154.9	18	70.9	41.9	120.6
Greene	82	82.3	65.3	103.1	45	97.7	70.9	132.4	37	70.5	49.4	99.4
Grundy	195	68.0	58.6	78.5	92	71.3	57.0	88.0	103	66.7	54.3	81.2
Hamilton	36	54.1	37.7	76.6	22	75.7	47.1	117.6	14	40.4	21.5	72.4
Hancock	99	67.7	54.5	83.6	51	72.0	53.1	96.6	48	62.4	45.0	85.6
Hardin	35	101.4	69.2	147.3	21	119.5	72.6	194.8	14	82.4	42.6	153.3
Henderson	48	76.0	55.2	104.3	28	88.5	58.4	134.2	20	65.8	38.4	109.9
Henry	246	63.7	55.9	72.5	121	66.1	54.7	79.6	125	61.8	51.2	74.4
Iroquois	168	75.3	64.1	88.2	96	89.3	72.1	110.1	72	63.5	49.2	81.3
Jackson	235	71.5	62.4	81.6	127	83.8	69.4	100.4	108	60.9	49.6	74.1
Jasper	46	64.2	46.6	87.1	26	76.8	49.6	115.3	20	53.4	32.0	86.0
Jefferson	215	80.6	70.0	92.6	119	94.5	78.0	113.7	96	69.1	55.5	85.5
Jersey	110	68.6	56.2	83.3	56	73.5	55.2	96.8	54	63.6	47.4	84.4
Jo Daviess	105	50.2	40.7	62.0	52	52.7	39.0	71.1	53	50.4	37.0	68.6
Johnson	87	87.4	69.6	109.1	50	104.1	76.8	139.3	37	72.3	50.3	103.1
Kane	1,353	46.7	44.2	49.3	658	50.8	46.9	55.0	695	43.7	40.5	47.1
Kankakee	542	76.5	70.1	83.4	283	85.9	75.9	96.8	259	68.6	60.4	77.7
Kendall	280	53.6	47.3	60.5	150	65.7	55.1	77.7	130	44.3	36.8	52.8
Knox	300	76.5	67.9	86.1	154	86.1	72.8	101.3	146	68.0	57.1	80.7
Lake	2,007	50.2	47.9	52.5	950	52.8	49.3	56.4	1,057	48.4	45.5	51.5
LaSalle	633	78.9	72.7	85.5	332	89.5	79.9	100.1	301	69.6	61.7	78.3
Lawrence	80	73.4	58.1	92.0	43	84.8	61.1	115.3	37	63.6	44.4	90.0
Lee	169	64.2	54.7	75.0	86	65.2	52.0	81.3	83	63.7	50.4	79.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	193	75.6	65.1	87.6	100	83.6	67.7	102.4	93	70.3	56.4	87.1
Logan	203	102.5	88.7	118.2	108	119.2	97.4	144.6	95	91.3	73.4	112.9
Macon	701	90.0	83.3	97.2	343	97.2	87.0	108.5	358	85.0	76.1	94.7
Macoupin	311	88.7	78.9	99.5	178	108.7	93.0	126.7	133	72.9	60.7	87.2
Madison	1,427	79.1	75.0	83.5	695	87.5	81.0	94.5	732	74.2	68.8	79.9
Marion	262	94.7	83.3	107.4	138	108.2	90.6	128.6	124	85.2	70.3	102.7
Marshall	82	80.2	63.7	100.8	46	97.4	71.0	132.5	36	66.5	46.5	95.0
Mason	121	108.2	89.4	130.5	65	126.2	96.7	163.3	56	95.6	71.8	126.5
Massac	97	90.3	72.8	111.4	53	106.9	79.6	141.8	44	76.7	54.8	105.7
McDonough	132	68.0	56.6	81.3	57	67.5	50.7	88.5	75	69.3	54.2	88.0
McHenry	1,042	57.1	53.6	60.8	537	64.4	58.8	70.4	505	51.7	47.2	56.5
McLean	504	55.2	50.4	60.4	263	64.3	56.5	72.8	241	48.5	42.4	55.2
Menard	60	64.2	48.6	84.0	35	81.4	56.0	115.8	25	49.8	31.8	76.2
Mercer	114	90.4	74.3	109.5	72	116.3	90.6	148.3	42	66.4	47.7	91.7
Monroe	121	49.9	41.2	60.0	58	53.3	40.1	69.6	63	48.0	36.6	62.4
Montgomery	180	86.1	73.7	100.3	94	94.2	75.8	116.2	86	78.6	62.3	98.5
Morgan	221	85.8	74.7	98.4	115	98.7	81.2	119.1	106	78.3	63.6	95.9
Moultrie	71	70.1	54.5	89.2	40	84.9	60.5	116.9	31	59.7	40.2	86.3
Ogle	233	62.8	54.9	71.7	117	67.5	55.6	81.5	116	58.8	48.4	71.0
Peoria	963	81.7	76.5	87.2	517	97.5	89.1	106.5	446	69.4	63.0	76.4
Perry	124	86.7	71.8	104.1	64	93.7	71.8	120.5	60	81.1	61.1	106.4
Piatt	73	59.0	45.9	75.0	39	71.6	50.3	99.6	34	48.9	33.8	70.0
Pike	110	91.7	75.0	111.6	64	118.1	90.4	152.5	46	68.8	49.8	94.1
Pope	29	63.4	42.1	99.1	17	75.6	43.4	137.5	12	51.2	26.3	111.0
Pulaski	43	99.9	71.4	137.9	23	114.8	72.0	178.2	20	85.4	50.9	139.3
Putnam	39	78.4	55.4	110.2	20	82.3	49.5	133.9	19	74.2	44.3	123.3
Randolph	177	76.2	65.2	88.8	81	73.7	58.2	92.2	96	82.8	66.3	102.8
Richland	85	75.1	59.4	94.1	48	88.7	64.9	119.2	37	63.5	43.5	90.4
Rock Island	686	65.7	60.8	71.0	352	74.5	66.8	82.9	334	59.1	52.8	66.1
Saline	142	78.3	65.8	92.9	78	97.0	76.3	122.2	64	63.5	48.7	82.3
Sangamon	1,039	76.6	71.9	81.5	518	88.4	80.8	96.7	521	68.7	62.8	75.1
Schuylerville	46	81.3	59.0	110.9	26	91.4	59.2	138.4	20	71.2	42.6	116.6
Scott	28	72.3	47.9	107.2	13	81.1	42.9	143.4	15	70.1	39.0	122.3
Shelby	133	77.4	64.3	92.7	77	93.6	73.4	118.6	56	64.0	47.6	85.0
St. Clair	1,183	71.4	67.3	75.7	573	79.1	72.5	86.1	610	66.8	61.5	72.5
Stark	38	87.7	61.1	123.8	30	148.0	98.6	217.2	8	37.6	14.1	84.3
Stephenson	209	57.1	49.4	65.8	104	60.1	48.9	73.5	105	55.6	45.2	68.3
Tazewell	722	75.7	70.2	81.6	351	80.8	72.5	90.0	371	71.8	64.5	79.7
Union	112	81.3	66.7	98.8	56	85.2	63.9	112.5	56	78.9	59.2	104.5
Vermilion	519	92.7	84.7	101.3	287	109.6	97.0	123.4	232	79.2	69.0	90.6
Wabash	58	66.8	50.2	87.9	35	88.2	60.7	125.2	23	47.9	30.0	74.9
Warren	113	89.6	73.5	108.7	67	117.9	90.7	151.5	46	68.3	49.6	92.9
Washington	66	61.9	47.7	79.7	38	76.0	53.4	106.2	28	51.4	33.9	76.3
Wayne	86	66.4	52.8	82.9	39	63.9	45.2	88.9	47	69.3	50.2	94.4
White	81	70.4	55.7	88.6	46	88.5	64.4	119.9	35	54.1	37.5	77.7
Whiteside	288	66.1	58.5	74.5	152	75.1	63.4	88.7	136	58.0	48.5	69.3
Will	2,115	57.5	55.0	60.0	1,043	63.5	59.6	67.7	1,072	53.3	50.1	56.6
Williamson	378	78.0	70.2	86.5	208	94.4	81.8	108.6	170	64.9	55.3	75.8
Winnebago	1,201	62.7	59.1	66.4	607	69.2	63.7	75.1	594	57.8	53.2	62.8
Woodford	161	61.3	52.0	72.0	84	68.7	54.5	85.7	77	56.2	44.1	71.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Lung and Bronchus, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	38,756	60.0	59.4	60.6	19,342	66.4	65.5	67.4	19,414	55.4	54.6	56.2
Champaign	470	51.3	46.7	56.3	234	56.3	49.1	64.2	236	47.6	41.6	54.4
Cook	10,065	49.7	48.8	50.7	4,765	53.4	51.9	55.0	5,300	47.2	45.9	48.5
DuPage	2,447	50.2	48.2	52.3	1,124	51.9	48.8	55.2	1,323	49.3	46.6	52.1
Kane	1,238	46.9	44.2	49.6	594	50.4	46.3	54.7	644	44.4	41.0	48.0
Kankakee	472	76.2	69.3	83.6	244	83.7	73.3	95.2	228	69.7	60.8	79.7
Lake	1,796	51.2	48.8	53.7	840	52.9	49.3	56.7	956	50.2	47.0	53.6
Macon	609	89.8	82.6	97.6	291	94.1	83.4	106.1	318	87.4	77.7	98.2
Madison	1,329	78.6	74.4	83.1	655	87.5	80.8	94.7	674	73.1	67.6	79.1
Peoria	791	78.9	73.4	84.8	434	95.8	86.8	105.5	357	65.9	59.0	73.4
Rock Island	620	64.7	59.6	70.2	314	72.6	64.6	81.4	306	59.0	52.4	66.4
Sangamon	946	76.7	71.8	81.9	476	89.6	81.5	98.4	470	68.1	62.0	74.9
St Clair	869	71.2	66.4	76.2	431	78.9	71.4	87.0	438	66.8	60.5	73.6
Vermilion	473	93.3	84.8	102.5	258	107.9	94.8	122.5	215	81.9	70.9	94.4
Will	1,868	59.8	57.0	62.6	912	65.2	60.9	69.8	956	56.1	52.6	59.9
Winnebago	1,080	63.5	59.7	67.5	542	68.9	63.1	75.1	538	59.5	54.4	65.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Lung and Bronchus, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,668	66.9	65.3	68.6	3,218	79.2	76.4	82.1	3,450	58.7	56.8	60.8
Champaign	66	70.5	53.8	90.3	39	92.2	64.0	127.7	27	53.7	34.8	78.4
Cook	4,881	65.9	64.1	67.9	2,286	77.9	74.6	81.2	2,595	58.4	56.1	60.7
DuPage	73	44.6	34.1	57.1	30	49.2	31.2	72.7	43	43.0	30.2	59.0
Kane	80	57.4	44.8	72.2	46	74.0	52.8	100.4	34	44.0	29.8	62.3
Kankakee	68	85.1	65.3	108.9	38	113.5	78.4	158.0	30	64.5	42.9	93.2
Lake	126	55.0	45.3	66.2	65	69.2	51.8	90.0	61	45.9	34.7	59.4
Macon	88	96.3	76.6	119.5	51	122.8	89.4	164.5	37	75.0	52.4	103.9
Madison	90	89.8	71.5	111.1	39	101.4	70.3	140.6	51	84.2	62.2	111.4
Peoria	158	106.1	89.4	124.9	72	109.7	84.4	139.9	86	102.7	81.3	127.9
Rock Island	59	89.7	67.8	116.1	35	117.6	80.6	164.8	24	69.3	43.9	103.5
Sangamon	82	77.9	61.2	97.6	35	68.4	47.0	96.3	47	81.2	58.9	108.7
St Clair	303	74.2	65.9	83.4	139	81.3	67.7	96.8	164	69.5	59.0	81.3
Vermilion	42	97.5	69.0	133.1	25	130.1	81.0	196.0	17	71.8	40.8	116.3
Will	198	56.3	48.2	65.4	103	72.3	57.3	89.6	95	45.9	36.7	56.7
Winnebago	108	69.4	56.4	84.3	58	93.7	69.6	122.7	50	53.9	39.7	71.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Lung and Bronchus, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,578	26.3	25.0	27.7	823	30.7	28.4	33.0	755	23.1	21.4	24.9
Cook	978	24.8	23.2	26.4	527	29.7	27.1	32.6	451	21.0	19.0	23.0
DuPage	94	29.7	23.6	36.8	48	35.4	25.2	47.9	46	25.6	18.3	34.5
Kane	91	23.1	18.2	28.8	50	30.0	21.6	40.3	41	17.6	12.3	24.3
Lake	85	26.1	20.4	32.8	42	29.6	20.5	40.8	43	23.6	16.6	32.3
Will	85	30.3	23.8	37.9	36	30.5	20.5	42.9	49	31.9	23.2	42.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Lung and Bronchus, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	45,014	62.3	61.7	62.9	22,422	69.9	68.9	70.8	22,592	56.8	56.1	57.6
Cook	14,668	56.7	55.8	57.7	6,950	62.8	61.3	64.4	7,718	52.4	51.3	53.6
DuPage	2,577	48.2	46.3	50.1	1,193	50.1	47.2	53.2	1,384	47.0	44.5	49.7
Kane	1,262	50.3	47.5	53.3	608	54.5	50.1	59.2	654	47.3	43.7	51.2
Lake	1,922	52.3	49.9	54.8	908	55.0	51.4	58.8	1,014	50.5	47.3	53.8
Will	2,030	59.7	57.0	62.4	1,007	66.4	62.2	70.8	1,023	54.9	51.5	58.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	16,584	22.5	22.2	22.9	9,393	27.5	26.9	28.0	7,191	19.2	18.8	19.7
Adams	160	36.8	31.0	43.5	90	41.3	32.9	51.3	70	34.0	25.9	43.9
Alexander	5	10.0	3.1	27.4	3	13.1	2.6	46.6	2	8.9	0.9	39.9
Bond	31	29.6	19.7	43.0	20	36.6	22.1	57.9	11	27.0	12.9	49.9
Boone	60	19.2	14.5	24.9	26	16.6	10.7	24.7	34	22.4	15.3	31.7
Brown	16	41.9	23.9	69.4	12	60.3	30.5	108.1	4	19.5	5.2	59.5
Bureau	90	41.4	32.7	51.9	54	49.8	36.8	66.3	36	35.2	23.7	50.6
Calhoun	4	8.9	2.4	28.7	3	15.4	3.0	55.8	1	3.1	0.1	38.5
Carroll	30	27.2	17.9	40.4	19	32.6	19.4	53.3	11	23.4	10.8	45.2
Cass	12	14.0	7.1	25.3	8	20.6	8.7	42.2	4	9.5	2.5	26.4
Champaign	347	33.9	30.3	37.8	207	43.3	37.4	49.8	140	27.2	22.7	32.3
Christian	62	28.5	21.5	37.2	38	35.3	24.8	49.2	24	25.5	15.5	39.5
Clark	25	24.0	15.2	36.4	15	29.0	16.0	49.4	10	21.4	9.7	41.2
Clay	27	29.2	18.7	43.8	14	29.8	15.9	52.3	13	27.5	13.5	50.5
Clinton	73	31.7	24.6	40.3	43	35.7	25.6	48.8	30	28.3	18.7	41.4
Coles	81	27.0	21.2	34.0	48	34.4	25.1	46.3	33	21.4	14.3	30.8
Cook	4,502	15.5	15.0	16.0	2,527	19.4	18.7	20.2	1,975	12.9	12.3	13.5
Crawford	35	27.1	18.5	38.5	18	28.9	16.9	46.8	17	27.4	14.9	46.8
Cumberland	21	36.0	21.5	56.6	14	45.8	24.1	79.2	7	27.0	9.9	57.5
DeKalb	162	31.1	26.4	36.5	90	37.3	29.8	46.2	72	26.9	20.9	34.1
DeWitt	31	29.5	19.5	43.1	16	31.7	17.7	53.3	15	28.3	15.0	49.2
Douglas	41	31.5	22.3	43.4	20	32.7	19.8	51.4	21	32.2	19.3	50.7
DuPage	1,334	24.3	23.0	25.7	766	30.0	27.8	32.2	568	20.5	18.8	22.3
Edgar	26	25.4	16.2	38.1	15	28.1	15.5	47.7	11	25.1	12.0	46.2
Edwards	8	19.7	7.6	41.9	5	22.7	7.3	57.4	3	20.9	3.7	61.8
Effingham	62	31.1	23.5	40.3	32	33.5	22.6	47.8	30	30.9	20.2	45.1
Fayette	38	27.3	19.0	38.1	24	35.0	22.3	52.8	14	21.3	10.9	37.6
Ford	33	36.5	24.8	52.4	19	44.1	26.2	70.8	14	31.1	16.6	54.4
Franklin	93	35.1	28.1	43.6	51	38.2	28.2	50.9	42	33.9	24.0	46.8
Fulton	60	25.9	19.5	33.9	29	25.0	16.6	36.5	31	29.9	19.7	43.7
Gallatin	9	26.5	11.5	54.0	4	27.3	7.0	75.0	5	25.4	7.7	68.5
Greene	24	26.4	16.7	40.3	9	22.4	10.0	44.0	15	31.0	17.2	53.4
Grundy	80	28.6	22.6	35.8	45	34.7	24.9	47.0	35	26.2	18.1	36.6
Hamilton	21	38.0	22.6	60.6	12	43.5	21.8	79.8	9	35.8	14.9	72.4
Hancock	42	32.4	22.7	45.3	23	33.4	21.0	51.7	19	33.9	19.2	55.8
Hardin	6	21.4	6.6	54.4	5	26.1	8.4	77.1	1	15.7	0.4	78.4
Henderson	17	29.4	16.1	51.2	9	30.9	13.7	65.8	8	29.0	10.5	67.3
Henry	105	32.0	25.8	39.3	61	35.5	26.9	46.2	44	30.8	21.8	42.3
Iroquois	58	30.8	22.9	40.8	31	30.2	20.4	43.8	27	34.2	21.6	51.4
Jackson	82	26.0	20.4	32.6	49	35.3	25.8	47.1	33	19.8	13.3	28.6
Jasper	15	24.8	13.2	42.9	11	38.2	18.4	70.8	4	15.5	3.6	42.4
Jefferson	82	34.7	27.3	43.6	54	46.8	34.9	61.7	28	24.1	15.5	36.0
Jersey	48	33.7	24.4	45.6	23	30.3	19.0	46.8	25	38.7	24.2	58.7
Jo Daviess	48	25.3	18.0	35.2	28	28.9	18.6	44.4	20	22.5	12.6	38.2
Johnson	20	23.9	14.2	38.5	14	29.5	15.7	51.9	6	18.9	6.0	44.6
Kane	649	22.4	20.6	24.2	359	26.4	23.7	29.4	290	19.6	17.3	22.0
Kankakee	151	24.3	20.4	28.7	79	26.0	20.5	32.7	72	23.1	17.9	29.5
Kendall	154	25.2	21.3	29.6	75	27.5	21.3	34.8	79	24.3	19.2	30.4
Knox	94	26.1	20.8	32.4	49	28.5	20.9	38.3	45	24.6	17.3	34.1
Lake	1,079	27.6	25.9	29.3	621	33.8	31.1	36.7	458	23.2	21.0	25.5
LaSalle	182	25.8	22.0	30.1	109	30.6	25.0	37.3	73	22.4	17.2	28.7
Lawrence	26	24.8	16.0	37.1	16	32.6	18.4	53.9	10	21.7	9.8	42.3
Lee	56	24.0	17.9	31.8	30	24.4	16.3	35.6	26	26.8	16.8	40.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	70	31.7	24.4	40.7	43	40.5	28.9	55.3	27	24.0	15.3	36.0
Logan	54	30.7	22.8	40.5	30	36.4	24.3	52.5	24	27.1	16.9	41.5
Macon	194	29.3	25.1	34.0	109	34.9	28.4	42.5	85	25.5	20.0	32.0
Macoupin	88	28.1	22.3	35.1	51	34.4	25.3	45.9	37	23.4	16.0	33.2
Madison	379	23.8	21.4	26.5	215	29.2	25.3	33.5	164	20.2	17.1	23.7
Marion	85	36.6	28.8	45.9	49	41.9	30.7	56.1	36	34.4	23.4	48.6
Marshall	22	28.5	17.0	45.3	12	29.7	14.6	55.1	10	28.0	12.0	55.7
Mason	34	37.8	25.2	54.8	24	55.2	34.1	85.2	10	22.4	9.6	44.9
Massac	14	13.4	7.0	24.0	8	16.2	6.8	34.1	6	12.0	3.9	28.9
McDonough	42	22.4	15.9	31.0	22	27.1	16.7	41.8	20	20.3	11.9	32.8
McHenry	589	33.7	31.0	36.7	326	38.5	34.3	43.1	263	30.4	26.7	34.4
McLean	309	36.7	32.6	41.1	172	43.3	36.9	50.5	137	32.4	27.0	38.5
Menard	32	41.5	27.8	60.0	18	47.2	27.5	76.5	14	38.8	20.3	67.6
Mercer	44	44.7	31.8	61.4	22	44.7	27.3	69.7	22	45.4	27.3	71.5
Monroe	68	32.2	24.7	41.4	40	37.3	26.3	51.7	28	28.6	18.5	42.4
Montgomery	44	26.2	18.8	35.7	23	25.0	15.7	38.1	21	29.8	17.7	46.9
Morgan	59	25.1	18.8	33.0	35	31.2	21.4	44.2	24	20.9	12.6	32.7
Moultrie	20	22.4	13.4	35.4	12	25.9	13.2	46.5	8	19.5	8.0	39.7
Ogle	116	35.1	28.8	42.5	65	38.2	29.2	49.2	51	33.3	24.3	44.6
Peoria	331	31.0	27.6	34.7	190	39.1	33.6	45.3	141	25.8	21.5	30.7
Perry	38	27.6	19.3	38.6	25	37.8	24.2	56.6	13	20.2	9.9	37.1
Piatt	55	56.3	41.5	74.7	34	66.3	44.8	94.9	21	49.1	29.3	76.8
Pike	34	35.2	23.7	50.5	18	37.1	21.2	60.7	16	33.5	17.9	57.1
Pope	5	20.2	5.4	55.5	4	28.9	5.6	92.7	1	11.1	0.3	71.2
Pulaski	6	17.1	5.5	40.8	3	14.6	3.0	50.7	3	20.1	3.2	64.0
Putnam	14	37.4	18.6	67.7	8	40.4	16.3	86.7	6	36.8	10.9	89.6
Randolph	49	22.9	16.8	30.8	29	27.9	18.5	40.7	20	22.0	12.7	35.6
Richland	22	21.3	13.0	33.2	17	31.6	18.3	52.0	5	13.7	4.3	32.2
Rock Island	248	27.1	23.7	30.9	144	32.9	27.6	39.0	104	23.2	18.7	28.6
Saline	43	26.4	18.8	36.2	28	36.2	23.8	53.3	15	19.5	10.4	33.7
Sangamon	364	30.3	27.2	33.8	188	34.3	29.4	39.8	176	28.9	24.5	33.8
Schuylerville	14	26.5	14.0	47.4	11	40.9	19.9	78.4	3	10.7	2.2	39.7
Scott	11	39.7	18.9	73.8	4	22.5	5.9	65.5	7	57.7	22.0	121.3
Shelby	51	33.9	24.3	46.1	35	46.0	30.9	66.4	16	22.6	11.8	39.3
St Clair	320	20.6	18.3	23.1	202	27.9	24.0	32.2	118	15.2	12.5	18.3
Stark	12	29.0	14.1	54.8	4	19.9	5.2	58.2	8	41.3	15.9	90.1
Stephenson	90	28.9	22.7	36.2	46	30.8	22.1	42.0	44	28.0	19.6	38.9
Tazewell	281	34.3	30.3	38.8	159	40.5	34.3	47.6	122	30.6	25.2	36.9
Union	22	18.2	11.1	28.7	13	20.9	10.9	37.5	9	16.7	7.1	33.9
Vermilion	180	35.6	30.4	41.6	94	37.5	30.1	46.2	86	36.3	28.5	45.6
Wabash	9	9.7	4.4	19.9	8	18.2	7.7	38.8	1	1.9	0.0	16.3
Warren	26	22.4	14.3	33.7	11	18.5	9.1	34.9	15	27.8	15.0	47.6
Washington	40	40.5	28.4	56.5	23	42.9	26.7	66.9	17	37.6	21.0	62.9
Wayne	18	14.8	8.4	24.6	12	18.4	9.5	34.1	6	11.5	3.6	27.7
White	17	17.5	9.8	29.4	14	28.6	15.2	50.4	3	7.4	1.3	23.9
Whiteside	111	28.0	22.8	34.2	66	35.0	26.8	45.1	45	22.5	16.0	31.0
Will	773	20.9	19.4	22.4	429	24.6	22.2	27.1	344	18.3	16.4	20.4
Williamson	133	32.8	27.2	39.1	86	43.0	34.2	53.5	47	24.5	17.7	33.2
Winnebago	392	22.5	20.2	24.9	211	25.9	22.4	29.8	181	20.8	17.8	24.3
Woodford	95	43.0	34.4	53.1	59	52.4	39.4	68.3	36	35.0	23.9	49.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Melanoma of the Skin, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	15,729	26.4	26.0	26.9	8,954	31.6	31.0	32.3	6,775	23.0	22.5	23.6
Champaign	326	38.4	34.2	43.1	194	47.6	40.9	55.1	132	32.2	26.7	38.6
Cook	4,226	21.5	20.8	22.2	2,389	26.2	25.2	27.3	1,837	18.4	17.5	19.2
DuPage	1,289	28.1	26.5	29.7	744	34.3	31.8	36.9	545	24.0	21.9	26.3
Kane	623	23.8	21.9	25.8	346	28.0	25.1	31.3	277	21.0	18.5	23.7
Kankakee	144	27.1	22.7	32.2	76	28.8	22.5	36.5	68	26.1	19.9	33.6
Lake	1,010	30.1	28.2	32.1	581	36.2	33.2	39.4	429	26.0	23.5	28.7
Macon	187	33.1	28.2	38.7	106	38.8	31.4	47.5	81	29.2	22.6	37.2
Madison	371	25.4	22.8	28.3	209	30.4	26.3	35.0	162	22.2	18.7	26.1
Peoria	297	33.6	29.7	37.9	168	40.9	34.7	47.9	129	29.3	24.1	35.3
Rock Island	241	29.3	25.5	33.6	139	35.2	29.4	42.0	102	25.3	20.3	31.3
Sangamon	361	34.2	30.6	38.1	188	38.0	32.5	44.1	173	33.1	28.0	38.9
St Clair	310	27.8	24.7	31.3	197	36.0	31.0	41.7	113	21.5	17.5	26.2
Vermilion	177	39.4	33.5	46.3	92	40.4	32.3	50.2	85	40.7	31.8	51.5
Will	750	24.3	22.6	26.2	419	28.4	25.7	31.4	331	21.6	19.3	24.1
Winnebago	390	25.7	23.1	28.6	211	29.1	25.2	33.5	179	24.3	20.6	28.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Melanoma of the Skin, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	61	0.6	0.5	0.8	25	0.6	0.4	1.0	36	0.6	0.4	0.9
Champaign	0				0				0			
Cook	49	0.7	0.5	0.9	19	0.7	0.4	1.1	30	0.7	0.5	1.0
DuPage	3	1.2	0.2	3.8	2	1.8	0.2	7.9	1	0.7	0.0	4.6
Kane	1	0.7	0.0	3.8	1	1.4	0.0	8.3	0			
Kankakee	2	2.7	0.3	9.5	0				2	5.1	0.6	17.8
Lake	2	1.1	0.1	3.8	2	3.1	0.3	10.5	0			
Macon	0				0				0			
Madison	0				0				0			
Peoria	0				0				0			
Rock Island	0				0				0			
Sangamon	1	0.8	0.0	4.8	0				1	1.4	0.0	8.3
St Clair	1	0.2	0.0	1.3	0				1	0.3	0.0	2.2
Vermilion	0				0				0			
Will	1	0.2	0.0	1.3	1	0.4	0.0	3.1	0			
Winnebago	0				0				0			

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Melanoma of the Skin, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	370	4.9	4.3	5.4	152	4.8	4.0	5.8	218	5.2	4.5	6.0
Cook	187	3.9	3.3	4.5	84	4.1	3.2	5.2	103	3.9	3.1	4.7
DuPage	21	5.0	2.9	8.0	6	5.1	1.7	11.0	15	5.7	3.1	9.7
Kane	21	3.6	2.1	5.7	10	4.1	1.7	8.0	11	3.4	1.6	6.2
Lake	24	4.7	2.8	7.3	9	4.8	1.9	9.7	15	4.8	2.6	8.3
Will	21	4.6	2.7	7.3	8	4.2	1.4	9.2	13	5.5	2.9	9.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Melanoma of the Skin, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	16,214	24.9	24.5	25.3	9,241	30.2	29.5	30.8	6,973	21.3	20.8	21.9
Cook	4,315	18.1	17.5	18.6	2,443	22.7	21.7	23.6	1,872	15.0	14.3	15.7
DuPage	1,313	26.3	24.9	27.9	760	32.4	30.0	34.8	553	22.2	20.3	24.2
Kane	628	27.4	25.2	29.8	349	31.8	28.4	35.4	279	24.6	21.6	27.8
Lake	1,055	31.1	29.2	33.2	612	37.9	34.8	41.1	443	26.4	23.9	29.1
Will	752	23.0	21.3	24.7	421	26.9	24.3	29.7	331	20.3	18.1	22.7

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	52,112	132.6	131.4	133.7	42,079	134.0	132.7	135.3	7,361	131.5	128.4	134.6
Adams	305	136.8	120.8	154.4								
Alexander	22	100.6	59.3	161.4								
Bond	78	138.2	107.3	176.1								
Boone	187	116.1	99.6	134.5								
Brown	17	105.4	59.4	175.8								
Bureau	167	135.6	114.3	160.1								
Calhoun	35	176.4	121.0	254.1								
Carroll	60	129.0	95.0	171.5								
Cass	40	100.7	70.8	139.6								
Champaign	686	127.0	117.3	137.2	576	127.7	117.0	139.2	79	136.1	107.0	170.4
Christian	152	130.0	108.8	154.4								
Clark	46	84.2	60.6	114.8								
Clay	61	130.6	97.4	172.1								
Clinton	159	133.9	112.8	158.0								
Coles	191	112.0	95.9	130.2								
Cook	20,297	130.6	128.8	132.5	13,336	131.7	129.4	134.0	5,489	133.8	130.2	137.5
Crawford	77	120.0	92.8	153.4								
Cumberland	55	159.1	117.3	211.6								
DeKalb	369	139.3	125.0	154.7								
DeWitt	67	110.5	84.8	142.6								
Douglas	87	135.6	107.0	169.8								
DuPage	4,231	143.9	139.5	148.5	3,603	146.1	141.1	151.2	189	156.1	132.9	182.0
Edgar	64	103.3	77.4	135.6								
Edwards	25	104.4	64.5	161.7								
Effingham	161	147.0	123.8	173.4								
Fayette	94	129.6	103.1	161.2								
Ford	63	138.9	105.0	181.1								
Franklin	185	136.1	116.0	158.9								
Fulton	181	145.9	123.9	171.1								
Gallatin	24	145.2	88.1	227.1								
Greene	66	136.3	104.1	176.7								
Grundy	219	148.6	129.2	170.2								
Hamilton	29	93.1	60.4	139.1								
Hancock	68	106.9	80.6	139.6								
Hardin	7	59.9	19.6	139.5								
Henderson	26	98.8	62.5	152.2								
Henry	205	112.3	96.6	130.0								
Iroquois	125	122.6	100.6	148.4								
Jackson	203	127.8	109.9	147.8								
Jasper	43	143.1	100.4	198.3								
Jefferson	138	116.4	96.5	139.3								
Jersey	100	128.6	103.3	158.7								
Jo Daviess	120	140.9	113.2	174.0								
Johnson	54	122.0	89.7	163.8								
Kane	1,981	128.8	123.0	134.7	1,820	131.8	125.7	138.2	82	103.8	81.9	129.6
Kankakee	526	155.9	142.3	170.5	448	155.8	141.0	171.8	71	158.9	123.2	201.6
Kendall	471	145.3	132.3	159.2								
Knox	243	135.4	117.4	155.7								
Lake	2,880	137.8	132.7	143.1	2,508	140.8	135.1	146.6	151	111.7	94.1	131.5
LaSalle	476	129.2	117.1	142.3								
Lawrence	71	137.1	105.1	176.8								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	142	127.6	105.7	152.9								
Livingston	172	141.8	120.3	166.3								
Logan	120	130.1	106.9	157.2								
Macon	448	116.6	105.3	128.8	388	118.6	106.1	132.3	56	105.6	79.2	138.0
Macoupin	224	136.5	118.1	157.2								
Madison	1,164	130.5	122.8	138.6	1,077	131.0	122.9	139.6	74	120.8	94.2	152.5
Marion	159	124.5	104.6	147.3								
Marshall	57	133.3	98.5	177.5								
Mason	55	111.7	82.4	149.0								
Massac	49	98.0	70.7	133.0								
McDonough	105	112.7	90.7	138.7								
McHenry	1,369	145.2	137.3	153.4								
McLean	573	123.4	113.2	134.3								
Menard	63	132.8	100.8	173.0								
Mercer	65	129.4	97.8	168.5								
Monroe	177	157.4	134.0	183.9								
Montgomery	107	113.8	91.6	140.1								
Morgan	188	162.7	138.5	190.1								
Moultrie	60	129.4	97.2	169.2								
Ogle	216	127.4	110.1	146.8								
Peoria	805	138.7	128.9	149.2	690	142.4	131.3	154.2	94	119.4	95.8	146.9
Perry	79	121.3	94.5	154.0								
Piatt	68	124.1	94.7	160.3								
Pike	66	115.0	87.3	149.6								
Pope	15	102.6	50.2	193.0								
Pulaski	29	156.1	100.1	233.7								
Putnam	26	117.3	73.8	181.0								
Randolph	137	134.0	110.8	161.0								
Richland	67	122.5	93.3	158.5								
Rock Island	570	117.3	107.2	128.0	521	117.0	106.4	128.4	38	111.4	78.2	153.3
Saline	102	114.5	92.2	141.2								
Sangamon	987	148.3	138.7	158.4	895	151.7	141.3	162.8	80	133.5	104.9	167.2
Schuylerville	24	85.8	53.1	135.3								
Scott	30	162.5	107.0	239.7								
Shelby	103	123.9	99.5	153.1								
St Clair	1,073	127.3	119.5	135.5	779	132.1	122.5	142.3	282	122.3	108.2	137.9
Stark	19	92.6	53.0	153.4								
Stephenson	198	115.2	98.2	134.6								
Tazewell	658	144.6	133.2	156.8								
Union	88	139.5	109.8	175.5								
Vermilion	304	117.7	104.0	132.8	285	123.9	108.8	140.6	15	68.5	37.7	113.4
Wabash	49	115.8	83.5	157.7								
Warren	68	130.3	99.0	168.6								
Washington	58	126.4	94.2	166.8								
Wayne	83	135.1	105.8	170.7								
White	59	117.3	86.8	155.8								
Whiteside	233	116.6	101.1	134.0								
Will	2,748	138.8	133.6	144.2	2,277	139.7	133.9	145.7	319	142.0	126.2	159.2
Williamson	261	119.3	104.5	135.6								
Winnebago	1,158	123.5	116.2	131.2	1,030	126.7	118.6	135.2	107	114.0	93.1	138.2
Woodford	197	159.1	136.6	184.3								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	48,012	136.2	134.9	137.5	4,100	101.3	98.1	104.6
Cook	17,770	137.4	135.3	139.5	2,527	97.0	93.1	101.0
DuPage	3,944	146.1	141.3	150.9	287	118.7	104.6	134.1
Kane	1,727	137.9	131.2	144.9	254	87.6	76.4	100.0
Lake	2,629	143.4	137.7	149.3	251	98.3	85.5	112.3
Will	2,502	140.8	135.2	146.6	246	119.0	103.5	136.0

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,539	7.4	7.1	7.7	1,899	7.2	6.9	7.6	496	9.5	8.6	10.4
Adams	9	4.8	2.0	9.5								
Alexander	3	23.5	3.9	70.1								
Bond	7	17.6	6.7	37.3								
Boone	9	6.8	3.0	13.1								
Brown	1	9.7	0.2	51.5								
Bureau	9	11.1	4.6	22.1								
Calhoun	2	8.9	1.1	46.7								
Carroll	5	8.6	2.6	23.5								
Cass	3	8.6	1.5	26.7								
Champaign	21	4.9	3.0	7.5	14	4.4	2.4	7.5	5	7.6	2.4	17.9
Christian	8	9.0	3.6	18.8								
Clark	4	11.6	3.0	29.5								
Clay	2	6.6	0.8	23.4								
Clinton	8	8.9	3.8	17.8								
Coles	7	5.4	2.1	11.4								
Cook	1,119	7.8	7.4	8.3	653	7.1	6.6	7.7	380	10.1	9.1	11.2
Crawford	0											
Cumberland	1	1.9	0.0	16.9								
DeKalb	19	7.7	4.5	12.2								
DeWitt	2	2.9	0.3	13.7								
Douglas	3	5.3	0.9	16.7								
DuPage	124	4.8	3.9	5.7	106	5.2	4.2	6.4	9	5.9	2.7	11.8
Edgar	6	9.4	2.9	23.4								
Edwards	1	3.1	0.1	27.5								
Effingham	5	6.7	2.0	15.7								
Fayette	2	5.1	0.6	17.2								
Ford	3	7.4	1.3	23.8								
Franklin	13	11.6	5.9	20.6								
Fulton	11	14.2	6.7	26.1								
Gallatin	1	10.4	0.3	53.4								
Greene	4	12.9	3.0	34.6								
Grundy	13	11.0	5.8	18.8								
Hamilton	1	6.8	0.2	33.3								
Hancock	3	5.7	0.8	19.1								
Hardin	0											
Henderson	2	11.2	1.0	45.1								
Henry	23	16.6	10.1	25.6								
Iroquois	4	6.0	1.5	15.8								
Jackson	10	7.0	3.2	13.2								
Jasper	4	13.8	2.9	39.6								
Jefferson	9	9.0	4.0	17.4								
Jersey	0											
Jo Daviess	3	5.2	0.8	17.3								
Johnson	2	7.3	0.7	28.1								
Kane	77	5.5	4.3	6.9	66	5.4	4.1	6.9	6	8.5	3.0	18.5
Kankakee	23	8.9	5.6	13.5	21	9.7	5.9	14.9	1	2.8	0.1	14.3
Kendall	18	5.4	3.2	8.7								
Knox	11	10.8	5.2	19.4								
Lake	102	5.7	4.7	7.0	80	5.5	4.3	6.9	8	6.3	2.7	12.6
LaSalle	24	7.5	4.7	11.6								
Lawrence	1	1.8	0.0	13.8								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	8	11.5	4.8	22.9								
Livingston	9	9.4	4.1	18.5								
Logan	5	7.2	2.2	17.2								
Macon	21	7.9	4.8	12.3	20	9.4	5.5	14.9	1	2.6	0.1	12.9
Macoupin	16	12.7	6.9	21.3								
Madison	50	7.0	5.1	9.3	45	7.0	5.0	9.5	3	5.4	1.0	15.8
Marion	10	10.0	4.5	19.1								
Marshall	3	16.2	3.3	44.0								
Mason	2	7.7	0.9	26.3								
Massac	3	8.5	1.6	25.4								
McDonough	12	17.3	8.7	30.9								
McHenry	55	6.8	5.1	8.9								
McLean	23	5.9	3.7	8.9								
Menard	3	10.1	2.0	29.9								
Mercer	2	3.6	0.4	15.7								
Monroe	4	3.2	0.7	9.5								
Montgomery	11	16.1	7.5	29.8								
Morgan	11	13.4	6.3	24.7								
Moultrie	4	11.3	2.9	29.3								
Ogle	10	6.3	2.9	12.2								
Peoria	52	11.5	8.5	15.3	42	11.9	8.4	16.4	8	10.3	4.4	20.3
Perry	7	14.5	5.5	30.9								
Piatt	3	7.9	1.4	23.6								
Pike	1	1.4	0.0	11.9								
Pope	4	34.1	7.6	104.4								
Pulaski	0											
Putnam	1	10.0	0.3	50.4								
Randolph	2	3.9	0.5	13.1								
Richland	2	5.3	0.6	19.1								
Rock Island	36	10.0	6.8	14.0	33	11.1	7.4	15.8	2	4.9	0.6	18.6
Saline	8	14.8	6.2	29.2								
Sangamon	42	8.5	6.1	11.7	30	7.1	4.7	10.4	11	17.4	8.6	31.2
Schuylerville	3	21.4	3.9	63.2								
Scott	0											
Shelby	5	8.3	2.2	21.1								
St Clair	64	8.9	6.8	11.5	44	9.7	6.9	13.2	20	8.4	5.1	13.2
Stark	2	15.9	1.9	57.4								
Stephenson	6	5.9	2.1	12.9								
Tazewell	41	11.5	8.1	15.7								
Union	2	4.5	0.5	16.9								
Vermilion	20	9.5	5.6	15.0	19	10.5	6.1	16.9	1	3.6	0.1	21.8
Wabash	5	20.6	6.0	48.9								
Warren	7	21.2	8.3	43.0								
Washington	1	1.8	0.0	13.8								
Wayne	2	4.4	0.4	16.9								
White	3	5.1	1.0	18.5								
Whiteside	16	11.8	6.5	19.7								
Will	135	7.3	6.1	8.7	115	7.7	6.3	9.2	13	6.0	3.2	10.5
Williamson	12	6.3	3.1	11.3								
Winnebago	46	6.2	4.5	8.4	34	5.5	3.7	7.8	11	11.4	5.6	20.5
Woodford	7	9.0	3.6	18.2								

Cancer Incidence Counts and Age-adjusted Rates by County Cervix, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,116	7.1	6.8	7.5	423	9.8	8.8	10.8
Cook	832	7.2	6.7	7.7	287	10.6	9.4	11.9
DuPage	109	4.6	3.8	5.7	15	5.2	2.9	8.7
Kane	55	5.1	3.8	6.8	22	7.4	4.4	11.6
Lake	80	5.5	4.3	6.9	22	8.4	5.0	13.2
Will	112	6.9	5.7	8.4	23	9.4	5.8	14.5

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	12,027	31.5	31.0	32.1	9,334	31.1	30.4	31.8	1,903	33.4	31.9	35.0
Adams	58	28.7	21.3	37.8								
Alexander	3	14.7	2.4	49.8								
Bond	8	14.2	5.6	30.7								
Boone	47	29.6	21.5	39.8								
Brown	5	24.6	8.0	66.0								
Bureau	38	30.9	21.2	44.1								
Calhoun	3	15.7	3.0	57.2								
Carroll	15	26.3	13.6	47.4								
Cass	7	19.9	7.5	42.8								
Champaign	132	27.4	22.8	32.7	109	27.9	22.6	34.0	12	21.7	11.1	37.8
Christian	22	24.3	14.6	38.0								
Clark	7	13.3	5.1	29.3								
Clay	12	26.0	13.1	47.6								
Clinton	22	20.3	12.4	31.6								
Coles	28	18.1	11.6	27.0								
Cook	4,950	32.6	31.7	33.6	3,143	32.3	31.2	33.5	1,396	33.4	31.7	35.3
Crawford	6	8.9	3.0	21.8								
Cumberland	4	13.4	3.2	36.7								
DeKalb	78	30.0	23.6	37.7								
DeWitt	5	7.8	2.5	20.5								
Douglas	13	25.3	12.9	44.2								
DuPage	1,193	41.8	39.4	44.4	1,000	42.3	39.6	45.2	53	41.1	30.3	54.6
Edgar	10	17.3	7.6	34.4								
Edwards	3	10.3	2.1	37.5								
Effingham	15	15.1	8.0	26.0								
Fayette	12	18.6	9.1	34.3								
Ford	10	21.9	10.3	42.4								
Franklin	29	21.4	13.9	31.8								
Fulton	41	37.1	26.0	51.8								
Gallatin	2	8.3	1.0	43.1								
Greene	11	23.5	11.3	44.7								
Grundy	41	28.3	20.1	38.7								
Hamilton	7	23.3	8.8	52.7								
Hancock	13	18.4	9.3	34.0								
Hardin	3	16.6	3.3	66.7								
Henderson	7	20.5	8.2	50.9								
Henry	58	37.2	27.7	49.1								
Iroquois	23	24.0	14.8	37.3								
Jackson	29	18.7	12.1	27.5								
Jasper	5	14.5	4.2	38.1								
Jefferson	27	23.5	15.1	35.2								
Jersey	11	14.9	7.2	28.1								
Jo Daviess	22	29.9	17.4	48.5								
Johnson	4	8.5	2.1	26.3								
Kane	462	30.4	27.6	33.4	414	30.7	27.7	33.8	28	32.9	21.7	47.9
Kankakee	84	25.3	19.9	31.6	69	24.4	18.8	31.3	14	32.0	17.2	54.3
Kendall	129	39.6	33.0	47.2								
Knox	40	22.9	15.9	32.3								
Lake	696	33.2	30.7	35.8	593	33.7	30.9	36.6	39	29.1	20.4	40.3
LaSalle	92	26.5	21.1	33.0								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	7	11.8	4.7	27.1								
Lee	27	24.5	15.6	36.9								
Livingston	37	32.2	22.2	45.5								
Logan	21	21.6	12.9	34.3								
Macon	104	28.6	23.1	35.2	86	27.7	21.7	34.9	17	33.8	19.4	54.5
Macoupin	37	23.5	16.1	33.3								
Madison	256	31.0	27.1	35.3	229	29.9	26.0	34.3	23	38.1	24.0	57.5
Marion	25	18.9	11.8	29.0								
Marshall	10	26.5	11.7	52.5								
Mason	11	20.6	9.9	39.7								
Massac	15	27.6	14.9	48.0								
McDonough	19	22.6	13.1	36.6								
McHenry	271	28.6	25.2	32.4								
McLean	129	27.7	23.0	33.1								
Menard	7	17.7	6.2	39.7								
Mercer	17	33.1	18.7	55.1								
Monroe	26	25.3	16.1	38.1								
Montgomery	13	15.5	7.8	28.0								
Morgan	33	29.3	19.6	42.4								
Moultrie	14	30.0	15.9	52.1								
Ogle	40	24.8	17.5	34.4								
Peoria	192	34.5	29.5	40.1	164	36.2	30.4	42.7	20	24.1	14.4	37.7
Perry	15	20.4	11.1	35.6								
Piatt	14	26.2	13.6	46.3								
Pike	5	9.8	3.0	24.8								
Pope	2	10.4	1.3	64.7								
Pulaski	1	4.5	0.1	34.9								
Putnam	4	15.3	4.1	49.5								
Randolph	21	22.1	13.1	35.2								
Richland	10	21.0	9.4	40.6								
Rock Island	149	33.6	28.1	39.9	136	34.3	28.3	41.1	12	34.2	17.3	60.0
Saline	10	9.6	4.6	19.2								
Sangamon	233	34.3	29.8	39.3	195	33.5	28.6	39.0	30	43.5	29.1	62.7
Schuylerville	11	49.0	22.9	94.4								
Scott	4	33.3	8.4	86.9								
Shelby	16	16.5	9.3	28.6								
St. Clair	259	31.2	27.4	35.5	170	30.5	25.9	35.8	80	32.2	25.3	40.3
Stark	3	12.9	2.6	47.0								
Stephenson	37	23.7	16.0	33.9								
Tazewell	126	29.1	24.0	35.0								
Union	12	23.3	11.4	42.7								
Vermilion	64	29.8	22.4	38.7	57	31.0	22.9	41.1	6	29.3	10.3	63.4
Wabash	10	22.4	10.5	44.3								
Warren	18	31.5	17.9	51.8								
Washington	9	19.9	8.8	39.8								
Wayne	13	22.8	11.5	41.4								
White	11	26.3	12.1	49.9								
Whiteside	46	25.9	18.5	35.4								
Will	751	37.3	34.6	40.1	601	36.5	33.6	39.6	95	39.7	31.9	48.8
Williamson	44	21.4	15.3	29.2								
Winnebago	227	25.7	22.3	29.5	202	27.0	23.2	31.3	21	21.3	13.1	32.7
Woodford	49	39.0	28.5	52.5								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	10,992	32.5	31.8	33.1	1,035	25.0	23.5	26.7
Cook	4,314	34.6	33.6	35.7	636	24.0	22.1	26.0
DuPage	1,103	42.5	39.9	45.2	90	38.7	30.6	48.1
Kane	395	32.6	29.3	36.2	67	20.6	15.8	26.5
Lake	633	34.8	32.0	37.7	63	22.9	17.3	29.8
Will	692	38.4	35.5	41.5	59	26.9	20.2	35.0

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	43,569	115.1	114.0	116.2	33,708	107.3	106.2	108.5	7,758	173.1	169.1	177.2
Adams	246	105.9	92.8	120.5								
Alexander	38	150.5	105.6	212.9								
Bond	69	115.3	89.1	147.7								
Boone	158	93.4	79.1	109.6								
Brown	25	125.6	80.3	188.1								
Bureau	161	126.8	107.6	149.0								
Calhoun	26	119.6	77.6	183.1								
Carroll	74	114.5	89.0	146.7								
Cass	51	121.8	90.1	162.1								
Champaign	646	128.9	118.8	139.5	529	123.6	113.0	135.0	96	206.7	164.5	255.8
Christian	152	128.3	108.3	151.2								
Clark	45	77.9	56.5	106.0								
Clay	62	125.9	95.9	163.7								
Clinton	152	118.1	99.7	139.1								
Coles	103	65.1	52.9	79.4								
Cook	16,933	119.7	117.9	121.6	10,419	106.3	104.2	108.4	5,534	173.5	168.9	178.3
Crawford	67	102.2	78.8	131.1								
Cumberland	40	105.6	74.2	147.0								
DeKalb	366	139.7	125.3	155.3								
DeWitt	37	61.6	43.0	86.7								
Douglas	77	118.1	92.8	148.8								
DuPage	3,173	112.0	108.0	116.1	2,725	112.7	108.4	117.2	167	189.2	158.1	224.5
Edgar	58	83.4	63.0	109.6								
Edwards	22	89.0	55.4	139.4								
Effingham	155	136.4	115.2	160.6								
Fayette	100	130.1	105.5	159.1								
Ford	46	98.8	71.7	133.9								
Franklin	132	91.7	76.5	109.4								
Fulton	143	114.1	96.0	135.1								
Gallatin	15	71.7	40.0	125.4								
Greene	53	111.9	83.2	148.4								
Grundy	210	143.3	124.0	164.8								
Hamilton	28	88.5	58.3	131.6								
Hancock	78	108.2	84.7	137.4								
Hardin	16	85.5	48.1	151.8								
Henderson	28	90.0	59.1	136.6								
Henry	218	115.3	100.2	132.4								
Iroquois	119	112.3	92.6	135.5								
Jackson	162	101.0	85.7	118.5								
Jasper	55	156.6	117.2	206.9								
Jefferson	142	108.9	91.5	129.0								
Jersey	77	100.5	78.9	126.8								
Jo Daviess	122	112.7	92.9	136.9								
Johnson	51	100.2	74.3	133.9								
Kane	1,705	114.6	109.1	120.4	1,491	110.3	104.6	116.3	133	192.6	159.2	230.8
Kankakee	370	104.8	94.2	116.4	283	91.7	81.1	103.4	82	204.0	160.2	255.9
Kendall	339	121.6	108.5	135.9								
Knox	177	95.5	81.6	111.4								
Lake	2,364	114.7	110.0	119.6	2,018	111.9	106.9	117.1	198	164.8	141.1	191.3
LaSalle	401	102.9	92.9	113.9								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	62	125.6	95.9	162.0								
Lee	118	90.6	74.7	109.3								
Livingston	145	115.5	97.1	136.8								
Logan	100	107.1	86.8	131.0								
Macon	444	119.5	108.4	131.5	362	109.7	98.5	122.0	77	184.9	144.1	233.7
Macoupin	172	104.0	88.6	121.6								
Madison	889	105.2	98.3	112.6	785	99.8	92.8	107.3	94	192.2	153.6	237.7
Marion	159	121.2	102.8	142.2								
Marshall	56	115.0	86.0	152.6								
Mason	68	123.6	95.6	158.9								
Massac	68	134.3	103.7	172.5								
McDonough	92	99.7	79.7	123.6								
McHenry	1,000	104.0	97.4	110.9								
McLean	451	99.7	90.5	109.7								
Menard	73	162.6	126.4	207.5								
Mercer	59	91.9	69.6	120.4								
Monroe	143	115.5	96.9	137.1								
Montgomery	106	100.0	81.5	121.9								
Morgan	148	124.4	104.8	146.9								
Moultrie	44	89.7	64.6	122.2								
Ogle	180	100.2	85.8	116.6								
Peoria	783	138.8	129.0	149.1	591	122.3	112.5	132.9	142	208.0	173.4	247.4
Perry	70	98.2	76.2	125.0								
Piatt	59	95.1	71.9	124.3								
Pike	57	99.6	75.0	130.9								
Pope	25	114.9	73.8	184.3								
Pulaski	40	184.6	130.0	258.7								
Putnam	23	82.5	51.8	131.1								
Randolph	113	100.0	82.0	121.0								
Richland	84	141.8	112.8	177.0								
Rock Island	546	110.5	101.2	120.4	482	105.5	96.1	115.8	49	167.4	122.1	222.9
Saline	102	118.0	95.8	144.4								
Sangamon	777	121.4	112.7	130.5	679	117.2	108.3	126.7	91	179.5	142.3	223.2
Schuylerville	31	109.0	73.4	159.4								
Scott	32	184.6	124.7	267.0								
Shelby	123	142.6	118.0	171.6								
St. Clair	869	111.9	104.4	119.9	577	99.5	91.3	108.3	277	150.8	132.7	170.5
Stark	25	116.0	74.5	176.8								
Stephenson	156	86.8	73.6	102.2								
Tazewell	562	125.1	114.8	136.2								
Union	62	94.0	71.6	122.3								
Vermilion	320	120.6	107.5	135.0	275	113.5	100.2	128.3	42	214.8	151.4	294.4
Wabash	54	121.2	90.2	160.9								
Warren	45	74.0	53.3	101.0								
Washington	75	141.4	110.1	180.0								
Wayne	69	107.6	83.5	137.7								
White	51	96.5	71.6	128.8								
Whiteside	228	107.5	93.8	123.0								
Will	2,302	122.1	116.9	127.4	1,818	114.0	108.7	119.6	350	187.0	165.8	210.2
Williamson	266	115.0	101.4	130.1								
Winnebago	801	85.5	79.5	91.8	684	81.6	75.4	88.1	105	137.2	110.4	168.1
Woodford	155	117.0	98.9	137.8								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2016-2020

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	40,686	118.2	117.0	119.4	2,883	88.2	84.7	91.7
Cook	15,085	126.8	124.7	128.8	1,848	86.6	82.4	90.9
DuPage	2,993	112.7	108.6	117.0	180	110.9	93.6	130.2
Kane	1,514	121.2	115.0	127.7	191	80.7	68.4	94.5
Lake	2,208	119.2	114.2	124.5	156	79.6	66.2	94.8
Will	2,149	124.3	118.9	129.8	153	100.2	83.3	119.3

SECTION II
Percent Distribution of Stage at Diagnosis by County
Illinois, 2016-2020

Percent Distribution of Stage at Diagnosis by County												
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2016-2020												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	30.4	56.3	8.3	5.0	30.9	56.4	7.8	4.9	22.9	59.0	12.4	5.7
Adams	22.6	66.1	8.1	3.2								
Alexander	40.0	30.0	0.0	30.0								
Bond	11.1	55.6	22.2	11.1								
Boone	41.0	51.3	5.1	2.6								
Brown	33.3	66.7	0.0	0.0								
Bureau	39.0	39.0	7.3	14.6								
Calhoun	50.0	50.0	0.0	0.0								
Carroll	26.1	52.2	13.0	8.7								
Cass	29.4	70.6	0.0	0.0								
Champaign	37.8	52.8	7.1	2.4	36.3	54.0	8.0	1.8	62.5	37.5	0.0	0.0
Christian	25.6	64.1	10.3	0.0								
Clark	16.7	77.8	0.0	5.6								
Clay	25.0	62.5	12.5	0.0								
Clinton	16.7	63.3	10.0	10.0								
Coles	26.2	57.1	11.9	4.8								
Cook	30.2	56.0	9.1	4.6	32.2	55.7	8.0	4.2	23.0	58.4	13.0	5.6
Crawford	46.7	46.7	0.0	6.7								
Cumberland	0.0	66.7	16.7	16.7								
DeKalb	21.4	67.1	5.7	5.7								
DeWitt	50.0	35.7	7.1	7.1								
Douglas	25.0	66.7	0.0	8.3								
DuPage	35.0	55.0	7.5	2.5	34.6	56.4	6.8	2.2	25.0	41.7	16.7	16.7
Edgar	22.2	55.6	11.1	11.1								
Edwards	100.0	0.0	0.0	0.0								
Effingham	19.2	69.2	3.8	7.7								
Fayette	36.4	59.1	0.0	4.5								
Ford	52.9	35.3	11.8	0.0								
Franklin	30.2	58.1	4.7	7.0								
Fulton	28.9	65.8	2.6	2.6								
Gallatin	0.0	100.0	0.0	0.0								
Greene	35.7	35.7	7.1	21.4								
Grundy	38.1	52.4	2.4	7.1								
Hamilton	28.6	42.9	0.0	28.6								
Hancock	45.0	35.0	10.0	10.0								
Hardin	0.0	33.3	66.7	0.0								
Henderson	11.1	66.7	0.0	22.2								
Henry	40.4	42.6	10.6	6.4								
Iroquois	31.0	44.8	13.8	10.3								
Jackson	26.2	52.4	4.8	16.7								

Percent Distribution of Stage at Diagnosis by County												
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2016-2020												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	50.0	33.3	16.7	0.0								
Jefferson	30.8	53.8	2.6	12.8								
Jersey	31.6	57.9	0.0	10.5								
Jo Daviess	33.3	33.3	5.6	27.8								
Johnson	60.0	30.0	10.0	0.0								
Kane	32.5	53.6	9.4	4.6	32.1	54.0	9.3	4.6	25.0	50.0	16.7	8.3
Kankakee	29.8	60.6	7.4	2.1	31.0	58.6	8.0	2.3	16.7	83.3	0.0	0.0
Kendall	34.5	56.0	7.1	2.4								
Knox	21.8	67.3	7.3	3.6								
Lake	31.3	59.5	6.5	2.8	30.6	59.5	6.8	3.1	35.3	64.7	0.0	0.0
LaSalle	32.2	51.7	7.6	8.5								
Lawrence	23.1	53.8	15.4	7.7								
Lee	29.3	46.3	19.5	4.9								
Livingston	29.4	55.9	5.9	8.8								
Logan	32.4	64.7	2.9	0.0								
Macon	37.8	50.4	9.2	2.5	39.6	50.5	7.9	2.0	20.0	53.3	20.0	6.7
Macoupin	27.8	59.3	7.4	5.6								
Madison	27.8	52.7	8.6	11.0	27.5	52.4	8.7	11.4	15.4	69.2	7.7	7.7
Marion	22.2	58.3	5.6	13.9								
Marshall	25.0	56.3	12.5	6.3								
Mason	50.0	42.9	7.1	0.0								
Massac	40.0	46.7	0.0	13.3								
McDonough	28.6	57.1	4.8	9.5								
McHenry	25.9	65.6	7.3	1.2								
McLean	30.0	63.6	3.6	2.7								
Menard	25.0	62.5	12.5	0.0								
Mercer	33.3	55.6	5.6	5.6								
Monroe	35.5	41.9	6.5	16.1								
Montgomery	21.4	71.4	7.1	0.0								
Morgan	32.0	64.0	4.0	0.0								
Moultrie	28.6	42.9	21.4	7.1								
Ogle	39.6	47.2	11.3	1.9								
Peoria	21.3	60.0	10.0	8.7	23.1	59.0	9.0	9.0	0.0	76.9	23.1	0.0
Perry	31.3	62.5	0.0	6.3								
Piatt	21.1	57.9	15.8	5.3								
Pike	28.0	72.0	0.0	0.0								
Pope	12.5	75.0	12.5	0.0								
Pulaski	42.9	28.6	0.0	28.6								
Putnam	50.0	50.0	0.0	0.0								
Randolph	15.8	63.2	10.5	10.5								

Percent Distribution of Stage at Diagnosis by County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	46.2	46.2	7.7	0.0								
Rock Island	28.4	54.7	10.8	6.1	29.4	52.9	11.0	6.6	0.0	90.0	10.0	0.0
Saline	25.0	58.3	4.2	12.5								
Sangamon	29.4	62.9	5.1	2.5	29.8	64.0	4.5	1.7	25.0	58.3	8.3	8.3
Schuylerville	11.1	66.7	11.1	11.1								
Scott	0.0	50.0	50.0	0.0								
Shelby	22.2	63.0	7.4	7.4								
St Clair	22.6	58.1	9.2	10.1	23.9	57.6	8.7	9.8	10.3	62.1	13.8	13.8
Stark	50.0	16.7	33.3	0.0								
Stephenson	45.9	48.6	5.4	0.0								
Tazewell	27.2	58.4	8.8	5.6								
Union	27.8	44.4	16.7	11.1								
Vermilion	29.7	56.3	9.4	4.7	30.5	55.9	8.5	5.1	20.0	60.0	20.0	0.0
Wabash	40.0	30.0	20.0	10.0								
Warren	25.0	68.8	0.0	6.3								
Washington	36.4	63.6	0.0	0.0								
Wayne	18.2	63.6	18.2	0.0								
White	21.4	64.3	14.3	0.0								
Whiteside	40.3	40.3	6.5	12.9								
Will	32.7	55.6	7.5	4.3	32.2	56.2	7.5	4.1	25.0	57.1	10.7	7.1
Williamson	18.9	67.6	6.8	6.8								
Winnebago	29.8	57.8	10.2	2.2	28.4	58.7	10.4	2.5	50.0	43.8	6.3	0.0
Woodford	31.0	51.7	6.9	10.3								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	30.5	52.1	11.9	5.5	30.4	56.6	8.0	5.0
Cook	31.3	51.4	11.6	5.7	30.1	56.6	8.8	4.5
DuPage	25.7	54.3	17.1	2.9	35.5	55.0	6.9	2.5
Kane	37.5	54.2	4.2	4.2	32.1	53.5	9.8	4.6
Lake	30.3	60.6	6.1	3.0	31.3	59.4	6.5	2.8
Will	28.6	47.6	14.3	9.5	32.9	56.0	7.1	4.0

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	33.0	39.5	20.9	6.6	33.1	40.1	20.4	6.4	31.7	36.1	25.1	7.1
Adams	26.8	45.3	20.1	7.8								
Alexander	30.4	30.4	13.0	26.1								
Bond	45.5	29.1	10.9	14.5								
Boone	29.1	41.8	22.7	6.4								
Brown	23.5	52.9	17.6	5.9								
Bureau	38.5	39.4	16.5	5.5								
Calhoun	25.0	37.5	12.5	25.0								
Carroll	40.0	42.2	8.9	8.9								
Cass	41.0	35.9	12.8	10.3								
Champaign	39.2	34.0	18.4	8.4	38.8	34.3	18.2	8.7	42.1	31.6	21.1	5.3
Christian	32.8	45.1	13.9	8.2								
Clark	25.5	44.7	25.5	4.3								
Clay	32.1	37.5	26.8	3.6								
Clinton	35.2	40.7	19.8	4.4								
Coles	37.0	38.4	19.9	4.8								
Cook	32.7	39.3	21.6	6.3	33.2	40.4	20.5	5.9	31.3	36.2	25.3	7.2
Crawford	39.7	36.5	14.3	9.5								
Cumberland	35.6	40.0	11.1	13.3								
DeKalb	30.6	39.3	24.5	5.7								
DeWitt	35.4	33.3	20.8	10.4								
Douglas	46.9	30.6	20.4	2.0								
DuPage	34.2	41.8	20.0	4.0	33.6	42.0	20.4	3.9	34.2	32.9	27.8	5.1
Edgar	27.1	42.4	16.9	13.6								
Edwards	33.3	42.9	19.0	4.8								
Effingham	36.7	45.0	15.6	2.8								
Fayette	37.1	35.5	24.2	3.2								
Ford	29.3	41.5	29.3	0.0								
Franklin	33.8	36.9	21.5	7.7								
Fulton	35.1	37.4	19.8	7.6								
Gallatin	26.7	60.0	13.3	0.0								
Greene	28.6	25.7	37.1	8.6								
Grundy	41.5	33.3	19.3	5.9								
Hamilton	34.6	38.5	23.1	3.8								
Hancock	25.4	44.1	16.9	13.6								
Hardin	21.1	52.6	21.1	5.3								
Henderson	25.0	31.3	31.3	12.5								
Henry	47.8	26.5	18.4	7.4								
Iroquois	32.4	42.9	18.1	6.7								
Jackson	32.4	44.9	12.5	10.3								

Percent Distribution of Stage at Diagnosis by County												
Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2016-2020												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	38.7	29.0	29.0	3.2								
Jefferson	35.0	37.4	18.7	8.9								
Jersey	38.5	29.2	20.0	12.3								
Jo Daviess	29.3	29.3	17.2	24.1								
Johnson	23.7	44.7	21.1	10.5								
Kane	33.4	39.8	22.4	4.4	33.9	39.9	22.2	4.1	31.4	37.3	25.5	5.9
Kankakee	32.4	35.9	23.4	8.2	33.2	35.9	23.5	7.4	25.0	38.9	25.0	11.1
Kendall	41.0	38.6	15.2	5.2								
Knox	35.1	37.7	20.8	6.5								
Lake	33.5	38.1	21.5	6.9	34.1	38.2	21.5	6.2	27.2	36.9	28.2	7.8
LaSalle	31.3	39.8	21.8	7.1								
Lawrence	31.0	52.4	11.9	4.8								
Lee	32.3	39.8	22.6	5.4								
Livingston	28.7	37.2	24.0	10.1								
Logan	30.3	50.5	17.2	2.0								
Macon	31.3	43.1	21.8	3.8	29.4	45.2	21.4	4.0	38.8	34.3	23.9	3.0
Macoupin	27.3	45.5	19.6	7.7								
Madison	32.4	37.5	22.2	7.9	31.7	38.2	22.3	7.7	39.6	27.1	22.9	10.4
Marion	36.8	38.2	20.1	4.9								
Marshall	41.7	29.2	27.1	2.1								
Mason	40.0	38.2	16.4	5.5								
Massac	47.6	40.5	4.8	7.1								
McDonough	42.0	34.6	17.3	6.2								
McHenry	32.8	42.1	19.7	5.4								
McLean	35.9	38.4	20.0	5.6								
Menard	25.6	51.2	16.3	7.0								
Mercer	36.2	41.4	20.7	1.7								
Monroe	33.3	38.6	15.8	12.3								
Montgomery	32.0	49.0	12.0	7.0								
Morgan	36.8	40.6	19.5	3.0								
Moultrie	29.6	38.9	24.1	7.4								
Ogle	32.9	39.9	20.3	7.0								
Peoria	32.8	35.4	23.1	8.7	32.0	36.7	24.6	6.7	40.0	35.7	18.6	5.7
Perry	22.8	43.0	22.8	11.4								
Piatt	35.4	37.5	18.8	8.3								
Pike	16.3	38.8	38.8	6.1								
Pope	23.1	53.8	15.4	7.7								
Pulaski	20.0	26.7	20.0	33.3								
Putnam	37.5	31.3	31.3	0.0								
Randolph	33.6	45.1	15.9	5.3								

Percent Distribution of Stage at Diagnosis by County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	33.3	40.4	22.8	3.5								
Rock Island	33.5	39.7	18.1	8.7	32.9	39.4	18.1	9.7	35.7	46.4	17.9	0.0
Saline	30.6	31.8	25.9	11.8								
Sangamon	30.9	50.1	15.3	3.7	31.3	50.8	14.3	3.6	28.1	43.9	26.3	1.8
Schuylerville	18.5	66.7	11.1	3.7								
Scott	31.6	47.4	15.8	5.3								
Shelby	33.0	47.3	13.2	6.6								
St Clair	28.4	37.1	23.4	11.1	28.1	40.4	22.8	8.7	29.3	29.8	25.0	16.0
Stark	31.6	36.8	31.6	0.0								
Stephenson	48.0	31.7	15.4	4.9								
Tazewell	36.8	29.0	23.0	11.3								
Union	22.2	44.4	16.7	16.7								
Vermilion	32.6	43.9	17.6	5.9	31.7	45.9	16.5	6.0	38.9	27.8	33.3	0.0
Wabash	31.8	25.0	36.4	6.8								
Warren	31.1	41.0	19.7	8.2								
Washington	32.6	39.1	19.6	8.7								
Wayne	28.9	37.8	22.2	11.1								
White	40.6	21.9	28.1	9.4								
Whiteside	29.9	39.6	20.1	10.4								
Will	32.1	40.9	21.5	5.5	31.0	42.2	21.1	5.7	36.6	31.1	28.7	3.7
Williamson	30.6	35.2	19.0	15.3								
Winnebago	28.3	40.6	22.0	9.1	28.0	40.6	22.2	9.2	32.4	38.0	22.5	7.0
Woodford	32.7	36.7	22.4	8.2								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Colon and Rectal Cancer (invasive), Both Sexes, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	32.5	40.2	21.8	5.5	33.0	39.4	20.8	6.7
Cook	33.3	39.9	21.3	5.5	32.6	39.2	21.7	6.5
DuPage	34.1	35.6	26.7	3.7	34.2	42.2	19.5	4.1
Kane	33.6	38.3	23.4	4.7	33.4	40.0	22.2	4.4
Lake	20.9	43.7	29.1	6.3	35.1	37.4	20.5	6.9
Will	28.2	43.6	21.4	6.8	32.4	40.7	21.6	5.4

Percent Distribution of Stage at Diagnosis by County													
Melanoma of the Skin (invasive), Both Sexes, Illinois 2016-2020													
	All Races				White				Black				
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	
Illinois	82.8	10.2	3.9	3.1	82.6	10.5	4.0	2.9	45.9	23.0	26.2	4.9	
Adams	83.1	11.9	3.1	1.9									
Alexander	80.0	20.0	0.0	0.0									
Bond	74.2	19.4	0.0	6.5									
Boone	78.3	6.7	6.7	8.3									
Brown	87.5	6.3	6.3	0.0									
Bureau	88.9	5.6	3.3	2.2									
Calhoun	75.0	0.0	0.0	25.0									
Carroll	80.0	3.3	13.3	3.3									
Cass	91.7	8.3	0.0	0.0									
Champaign	87.3	9.8	2.3	0.6	86.5	10.4	2.5	0.6					
Christian	79.0	14.5	4.8	1.6									
Clark	64.0	24.0	8.0	4.0									
Clay	70.4	25.9	0.0	3.7									
Clinton	91.8	4.1	4.1	0.0									
Coles	76.5	14.8	3.7	4.9									
Cook	83.1	9.8	4.3	2.9	83.6	9.8	4.1	2.4	42.9	26.5	26.5	4.1	
Crawford	71.4	11.4	8.6	8.6									
Cumberland	71.4	19.0	9.5	0.0									
DeKalb	88.9	6.2	4.9	0.0									
DeWitt	77.4	16.1	0.0	6.5									
Douglas	78.0	14.6	2.4	4.9									
DuPage	84.9	9.7	4.3	1.0	85.0	9.8	4.3	0.9	0.0	33.3	66.7	0.0	
Edgar	84.6	7.7	3.8	3.8									
Edwards	87.5	12.5	0.0	0.0									
Effingham	82.3	14.5	3.2	0.0									
Fayette	68.4	21.1	7.9	2.6									
Ford	90.9	6.1	3.0	0.0									
Franklin	75.3	19.4	2.2	3.2									
Fulton	88.3	6.7	3.3	1.7									
Gallatin	44.4	55.6	0.0	0.0									
Greene	66.7	20.8	8.3	4.2									
Grundy	83.8	8.8	3.8	3.8									
Hamilton	66.7	19.0	4.8	9.5									
Hancock	73.8	9.5	2.4	14.3									
Hardin	100.0	0.0	0.0	0.0									
Henderson	70.6	5.9	0.0	23.5									
Henry	82.9	8.6	2.9	5.7									
Iroquois	82.8	5.2	10.3	1.7									
Jackson	72.0	17.1	3.7	7.3									

Percent Distribution of Stage at Diagnosis by County												
Melanoma of the Skin (invasive), Both Sexes, Illinois 2016-2020												
DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022												
	All Races				White				Black			
County	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	80.0	13.3	6.7	0.0								
Jefferson	79.3	12.2	6.1	2.4								
Jersey	79.2	8.3	4.2	8.3								
Jo Daviess	39.6	6.3	0.0	54.2								
Johnson	70.0	20.0	5.0	5.0								
Kane	84.0	10.6	3.4	2.0	84.3	10.4	3.5	1.8	100.0	0.0	0.0	0.0
Kankakee	84.8	10.6	4.6	0.0	84.0	11.1	4.9	0.0	100.0	0.0	0.0	0.0
Kendall	86.4	10.4	2.6	0.6								
Knox	92.6	3.2	3.2	1.1								
Lake	83.0	9.4	3.2	4.4	82.3	9.9	3.5	4.4	100.0	0.0	0.0	0.0
LaSalle	84.6	9.3	3.3	2.7								
Lawrence	73.1	15.4	7.7	3.8								
Lee	87.5	5.4	3.6	3.6								
Livingston	80.0	15.7	2.9	1.4								
Logan	77.8	13.0	3.7	5.6								
Macon	86.1	7.7	5.2	1.0	86.1	8.0	5.3	0.5				
Macoupin	70.5	18.2	8.0	3.4								
Madison	78.6	9.5	3.2	8.7	78.7	9.7	3.2	8.4				
Marion	83.5	10.6	3.5	2.4								
Marshall	90.9	4.5	0.0	4.5								
Mason	94.1	2.9	2.9	0.0								
Massac	78.6	7.1	14.3	0.0								
McDonough	61.9	21.4	4.8	11.9								
McHenry	84.7	9.7	3.4	2.2								
McLean	84.5	7.4	2.6	5.5								
Menard	81.3	12.5	6.3	0.0								
Mercer	84.1	11.4	0.0	4.5								
Monroe	79.4	8.8	1.5	10.3								
Montgomery	70.5	22.7	2.3	4.5								
Morgan	64.4	25.4	8.5	1.7								
Moultrie	75.0	10.0	10.0	5.0								
Ogle	81.0	9.5	6.9	2.6								
Peoria	87.6	8.2	3.0	1.2	86.5	9.1	3.4	1.0				
Perry	65.8	21.1	13.2	0.0								
Piatt	87.3	9.1	3.6	0.0								
Pike	85.3	5.9	2.9	5.9								
Pope	80.0	20.0	0.0	0.0								
Pulaski	66.7	16.7	0.0	16.7								
Putnam	78.6	7.1	14.3	0.0								
Randolph	63.3	30.6	2.0	4.1								

Percent Distribution of Stage at Diagnosis by County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	86.4	9.1	4.5	0.0								
Rock Island	80.2	8.1	4.4	7.3	79.7	8.3	4.6	7.5				
Saline	72.1	20.9	2.3	4.7								
Sangamon	85.4	9.9	4.1	0.5	85.6	10.0	3.9	0.6	0.0	0.0	100.0	0.0
Schuylerville	71.4	14.3	14.3	0.0								
Scott	81.8	9.1	0.0	9.1								
Shelby	72.5	15.7	9.8	2.0								
St Clair	83.1	7.8	3.8	5.3	82.9	8.1	3.9	5.2	0.0	0.0	0.0	100.0
Stark	91.7	8.3	0.0	0.0								
Stephenson	83.3	6.7	2.2	7.8								
Tazewell	86.5	8.9	3.9	0.7								
Union	54.5	22.7	9.1	13.6								
Vermilion	87.2	9.4	2.2	1.1	87.0	9.6	2.3	1.1				
Wabash	77.8	0.0	0.0	22.2								
Warren	80.8	3.8	3.8	11.5								
Washington	82.5	12.5	0.0	5.0								
Wayne	72.2	16.7	5.6	5.6								
White	64.7	29.4	5.9	0.0								
Whiteside	83.8	8.1	1.8	6.3								
Will	84.2	10.6	3.8	1.4	84.0	10.7	3.9	1.5	100.0	0.0	0.0	0.0
Williamson	75.9	16.5	2.3	5.3								
Winnebago	81.4	11.5	4.6	2.6	81.3	11.5	4.6	2.6				
Woodford	88.4	8.4	1.1	2.1								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Melanoma of the Skin (invasive), Both Sexes, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	69.5	20.0	6.2	4.3	83.1	10.0	3.9	3.1
Cook	65.2	23.5	7.5	3.7	83.8	9.2	4.1	2.9
DuPage	66.7	19.0	4.8	9.5	85.2	9.5	4.3	0.9
Kane	47.6	38.1	14.3	0.0	85.2	9.7	3.0	2.1
Lake	62.5	20.8	8.3	8.3	83.5	9.1	3.1	4.3
Will	66.7	19.0	4.8	9.5	84.7	10.4	3.7	1.2

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Illinois	18.8	53.6	21.1	5.1	1.5	18.2	55.2	20.5	4.7	1.5	20.5	46.2	24.0	7.6	1.7
Adams	16.0	54.0	21.8	6.1	2.2										
Alexander	12.0	44.0	28.0	8.0	8.0										
Bond	9.3	58.1	16.3	3.5	12.8										
Boone	20.1	48.3	25.6	4.3	1.7										
Brown	22.7	54.5	18.2	4.5	0.0										
Bureau	18.5	61.0	15.1	3.9	1.5										
Calhoun	7.9	60.5	23.7	0.0	7.9										
Carroll	20.0	42.7	21.3	10.7	5.3										
Cass	14.9	55.3	23.4	6.4	0.0										
Champaign	16.1	57.8	19.3	5.5	1.2	15.9	59.6	18.4	4.8	1.3	13.2	48.4	26.4	11.0	1.1
Christian	12.6	62.1	20.1	4.0	1.1										
Clark	13.2	50.9	22.6	9.4	3.8										
Clay	16.4	56.2	23.3	1.4	2.7										
Clinton	12.2	61.9	16.6	5.5	3.9										
Coles	12.8	62.6	16.0	5.9	2.7										
Cook	19.6	52.2	21.3	5.7	1.2	19.1	54.7	20.2	4.9	1.1	20.3	46.6	23.8	7.8	1.5
Crawford	7.2	65.1	20.5	4.8	2.4										
Cumberland	6.8	55.9	32.2	3.4	1.7										
DeKalb	17.4	54.1	19.7	7.4	1.3										
DeWitt	6.9	48.6	27.8	8.3	8.3										
Douglas	13.0	52.0	24.0	9.0	2.0										
DuPage	22.0	54.3	19.4	3.7	0.6	21.7	55.4	18.7	3.6	0.5	21.9	43.4	26.9	6.6	1.2
Edgar	13.5	52.7	20.3	10.8	2.7										
Edwards	10.7	46.4	32.1	7.1	3.6										
Effingham	8.5	59.7	25.6	4.0	2.3										
Fayette	11.3	50.9	26.4	11.3	0.0										
Ford	13.7	53.4	24.7	2.7	5.5										
Franklin	13.6	50.5	28.0	4.7	3.3										
Fulton	18.5	50.5	18.9	9.5	2.7										
Gallatin	7.7	57.7	11.5	23.1	0.0										
Greene	14.3	59.7	15.6	6.5	3.9										
Grundy	15.8	56.5	21.2	5.0	1.5										
Hamilton	19.4	52.8	11.1	11.1	5.6										
Hancock	16.0	54.3	21.0	1.2	7.4										
Hardin	30.0	50.0	20.0	0.0	0.0										
Henderson	21.2	39.4	18.2	3.0	18.2										
Henry	22.1	52.1	19.0	4.2	2.7										
Iroquois	15.5	62.8	17.6	4.1	0.0										
Jackson	12.5	55.2	26.3	5.2	0.9										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Jasper	10.4	64.6	25.0	0.0	0.0										
Jefferson	16.4	51.5	24.2	7.3	0.6										
Jersey	9.9	55.0	23.4	7.2	4.5										
Jo Daviess	15.5	50.0	21.1	4.9	8.5										
Johnson	6.9	65.5	15.5	8.6	3.4										
Kane	18.9	55.3	20.6	4.1	1.0	18.5	56.1	20.3	4.1	0.9	25.5	52.7	16.4	4.5	0.9
Kankakee	13.8	58.2	22.6	4.8	0.7	13.3	59.2	22.6	4.4	0.4	16.5	52.9	22.4	7.1	1.2
Kendall	21.5	49.3	24.5	4.5	0.2										
Knox	14.1	65.0	18.0	2.8	0.0										
Lake	19.5	55.0	20.5	3.9	1.2	19.1	56.1	19.8	3.7	1.2	20.5	43.2	28.4	5.3	2.6
LaSalle	16.2	56.2	21.8	3.2	2.6										
Lawrence	9.0	64.1	21.8	2.6	2.6										
Lee	16.0	56.2	21.9	5.3	0.6										
Livingston	17.7	60.8	14.4	6.2	1.0										
Logan	14.9	59.6	21.3	3.5	0.7										
Macon	18.8	48.4	26.4	5.6	0.7	18.1	49.6	26.4	5.5	0.4	23.3	42.5	27.4	6.8	0.0
Macoupin	14.2	51.7	24.1	6.5	3.4										
Madison	18.0	50.0	19.8	4.4	7.8	17.5	51.4	19.4	4.2	7.5	23.7	34.0	25.8	6.2	10.3
Marion	13.6	53.3	21.7	8.2	3.3										
Marshall	14.9	61.2	17.9	3.0	3.0										
Mason	16.7	57.6	19.7	3.0	3.0										
Massac	23.4	48.4	17.2	7.8	3.1										
McDonough	15.3	50.0	24.2	7.3	3.2										
McHenry	16.5	57.0	20.8	4.9	0.8										
McLean	18.4	55.7	21.7	3.1	1.1										
Menard	10.0	57.1	25.7	4.3	2.9										
Mercer	20.7	50.0	24.4	3.7	1.2										
Monroe	12.8	48.3	24.1	3.9	10.8										
Montgomery	10.8	61.7	17.5	9.2	0.8										
Morgan	14.9	58.8	21.7	4.1	0.5										
Moultrie	18.9	58.1	17.6	2.7	2.7										
Ogle	15.6	53.9	25.0	4.7	0.8										
Peoria	19.3	57.8	16.4	5.2	1.3	19.2	60.3	14.8	4.8	0.9	17.5	44.7	24.6	8.8	4.4
Perry	16.0	59.6	20.2	4.3	0.0										
Piatt	17.1	53.7	23.2	4.9	1.2										
Pike	7.0	66.2	18.3	4.2	4.2										
Pope	11.8	41.2	23.5	11.8	11.8										
Pulaski	3.3	43.3	26.7	13.3	13.3										
Putnam	13.3	60.0	26.7	0.0	0.0										
Randolph	13.3	58.2	22.2	1.9	4.4										

Percent Distribution of Stage at Diagnosis by County

Female Breast, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races					White					Black				
	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown	<i>in situ</i>	Localized	Regional	Distant	Unknown
Richland	13.0	55.8	26.0	5.2	0.0										
Rock Island	20.7	52.0	22.4	4.3	0.6	20.7	53.4	21.8	3.5	0.6	24.0	32.0	28.0	16.0	0.0
Saline	8.9	53.6	23.2	8.9	5.4										
Sangamon	19.1	57.3	18.0	4.9	0.7	17.9	58.3	18.6	4.5	0.6	27.3	49.1	13.6	9.1	0.9
Schuylerville	31.4	51.4	14.3	2.9	0.0										
Scott	11.8	47.1	29.4	11.8	0.0										
Shelby	13.4	60.5	23.5	2.5	0.0										
St Clair	19.4	48.9	21.6	5.6	4.4	17.9	51.7	20.7	5.4	4.3	22.1	42.0	24.6	6.6	4.7
Stark	13.6	72.7	9.1	4.5	0.0										
Stephenson	15.7	49.8	26.0	5.1	3.4										
Tazewell	16.1	60.7	18.0	4.1	1.1										
Union	12.0	53.0	27.0	4.0	4.0										
Vermilion	17.4	52.4	22.0	6.5	1.6	16.7	51.8	23.1	6.7	1.8	28.6	61.9	4.8	4.8	0.0
Wabash	16.9	49.2	25.4	5.1	3.4										
Warren	20.9	55.8	20.9	1.2	1.2										
Washington	13.4	56.7	25.4	1.5	3.0										
Wayne	13.5	55.2	28.1	3.1	0.0										
White	15.7	58.6	20.0	4.3	1.4										
Whiteside	16.5	55.9	19.7	3.9	3.9										
Will	21.5	51.2	21.6	5.0	0.7	20.9	52.0	21.5	5.0	0.7	22.9	46.1	23.9	5.8	1.2
Williamson	14.4	57.4	21.3	5.9	1.0										
Winnebago	16.4	52.9	24.0	5.5	1.2	16.4	53.2	23.7	5.4	1.3	16.4	51.6	24.2	7.0	0.8
Woodford	19.9	54.9	19.9	4.9	0.4										

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Female Breast, Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Hispanic					Non-Hispanic				
	<i>In Situ</i>	Localized	Regional	Distant	Unknown	<i>In Situ</i>	Localized	Regional	Distant	Unknown
Illinois	20.2	49.0	25.3	4.5	1.1	18.6	54.0	20.7	5.1	1.6
Cook	20.1	48.8	25.4	4.7	1.0	19.5	52.7	20.7	5.8	1.3
DuPage	23.9	49.9	21.2	4.2	0.8	21.9	54.6	19.3	3.7	0.6
Kane	20.9	46.7	26.8	4.7	0.9	18.6	56.6	19.7	4.1	1.0
Lake	20.1	45.9	29.6	3.8	0.6	19.4	55.9	19.6	3.9	1.3
Will	19.3	46.6	28.5	4.3	1.3	21.7	51.7	20.9	5.1	0.7

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	45.8	34.6	15.2	4.3	46.7	33.8	15.6	3.9	42.1	36.7	15.9	5.2
Adams	33.3	22.2	44.4	0.0								
Alexander	33.3	0.0	33.3	33.3								
Bond	28.6	28.6	14.3	28.6								
Boone	55.6	22.2	22.2	0.0								
Brown	0.0	0.0	100.0	0.0								
Bureau	66.7	11.1	22.2	0.0								
Calhoun	50.0	0.0	50.0	0.0								
Carroll	0.0	80.0	20.0	0.0								
Cass	0.0	100.0	0.0	0.0								
Champaign	47.6	42.9	9.5	0.0	50.0	35.7	14.3	0.0	40.0	60.0	0.0	0.0
Christian	25.0	50.0	25.0	0.0								
Clark	25.0	75.0	0.0	0.0								
Clay	0.0	100.0	0.0	0.0								
Clinton	62.5	25.0	12.5	0.0								
Coles	14.3	71.4	14.3	0.0								
Cook	46.2	35.7	14.3	3.8	48.7	34.3	13.8	3.2	42.9	35.8	16.6	4.7
Crawford												
Cumberland	0.0	0.0	100.0	0.0								
DeKalb	57.9	31.6	5.3	5.3								
DeWitt	50.0	50.0	0.0	0.0								
Douglas	66.7	33.3	0.0	0.0								
DuPage	50.0	34.7	12.9	2.4	51.9	34.9	12.3	0.9	55.6	33.3	11.1	0.0
Edgar	33.3	50.0	16.7	0.0								
Edwards	0.0	100.0	0.0	0.0								
Effingham	60.0	0.0	40.0	0.0								
Fayette	50.0	50.0	0.0	0.0								
Ford	33.3	66.7	0.0	0.0								
Franklin	53.8	23.1	7.7	15.4								
Fulton	72.7	18.2	9.1	0.0								
Gallatin	0.0	0.0	100.0	0.0								
Greene	25.0	75.0	0.0	0.0								
Grundy	69.2	15.4	7.7	7.7								
Hamilton	100.0	0.0	0.0	0.0								
Hancock	66.7	0.0	0.0	33.3								
Hardin												
Henderson	100.0	0.0	0.0	0.0								
Henry	52.2	30.4	13.0	4.3								
Iroquois	25.0	75.0	0.0	0.0								
Jackson	50.0	40.0	0.0	10.0								

Percent Distribution of Stage at Diagnosis by County

Cervical Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	25.0	75.0	0.0	0.0								
Jefferson	33.3	44.4	11.1	11.1								
Jersey												
Jo Daviess	33.3	0.0	33.3	33.3								
Johnson	50.0	0.0	0.0	50.0								
Kane	42.9	29.9	23.4	3.9	45.5	28.8	22.7	3.0	0.0	50.0	50.0	0.0
Kankakee	47.8	26.1	21.7	4.3	42.9	28.6	23.8	4.8	100.0	0.0	0.0	0.0
Kendall	44.4	38.9	16.7	0.0								
Knox	36.4	36.4	27.3	0.0								
Lake	46.1	33.3	16.7	3.9	41.3	33.8	20.0	5.0	50.0	37.5	12.5	0.0
LaSalle	20.8	37.5	37.5	4.2								
Lawrence	0.0	0.0	100.0	0.0								
Lee	62.5	25.0	12.5	0.0								
Livingston	66.7	22.2	11.1	0.0								
Logan	60.0	40.0	0.0	0.0								
Macon	57.1	28.6	14.3	0.0	55.0	30.0	15.0	0.0	100.0	0.0	0.0	0.0
Macoupin	37.5	43.8	18.8	0.0								
Madison	44.0	24.0	16.0	16.0	44.4	26.7	15.6	13.3	66.7	0.0	33.3	0.0
Marion	30.0	30.0	30.0	10.0								
Marshall	33.3	66.7	0.0	0.0								
Mason	50.0	50.0	0.0	0.0								
Massac	0.0	66.7	33.3	0.0								
McDonough	50.0	16.7	16.7	16.7								
McHenry	43.6	38.2	18.2	0.0								
McLean	60.9	34.8	4.3	0.0								
Menard	66.7	33.3	0.0	0.0								
Mercer	50.0	50.0	0.0	0.0								
Monroe	50.0	25.0	25.0	0.0								
Montgomery	63.6	18.2	18.2	0.0								
Morgan	72.7	18.2	9.1	0.0								
Moultrie	75.0	25.0	0.0	0.0								
Ogle	40.0	60.0	0.0	0.0								
Peoria	40.4	34.6	15.4	9.6	42.9	31.0	16.7	9.5	12.5	62.5	12.5	12.5
Perry	42.9	0.0	57.1	0.0								
Piatt	100.0	0.0	0.0	0.0								
Pike	0.0	100.0	0.0	0.0								
Pope	25.0	50.0	25.0	0.0								
Pulaski												
Putnam	0.0	100.0	0.0	0.0								
Randolph	0.0	0.0	0.0	100.0								

Percent Distribution of Stage at Diagnosis by County
Cervical Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	0.0	0.0	50.0	50.0								
Rock Island	41.7	41.7	13.9	2.8	45.5	39.4	12.1	3.0	0.0	50.0	50.0	0.0
Saline	12.5	25.0	50.0	12.5								
Sangamon	61.9	26.2	11.9	0.0	66.7	23.3	10.0	0.0	54.5	27.3	18.2	0.0
Schuylerville	100.0	0.0	0.0	0.0								
Scott												
Shelby	40.0	20.0	40.0	0.0								
St. Clair	40.6	31.3	9.4	18.8	45.5	27.3	9.1	18.2	30.0	40.0	10.0	20.0
Stark	50.0	50.0	0.0	0.0								
Stephenson	16.7	50.0	33.3	0.0								
Tazewell	56.1	24.4	14.6	4.9								
Union	50.0	50.0	0.0	0.0								
Vermilion	45.0	30.0	20.0	5.0	42.1	31.6	21.1	5.3	100.0	0.0	0.0	0.0
Wabash	60.0	0.0	40.0	0.0								
Warren	28.6	42.9	14.3	14.3								
Washington	0.0	100.0	0.0	0.0								
Wayne	50.0	50.0	0.0	0.0								
White	100.0	0.0	0.0	0.0								
Whiteside	37.5	43.8	18.8	0.0								
Will	40.7	41.5	16.3	1.5	39.1	41.7	17.4	1.7	53.8	38.5	7.7	0.0
Williamson	41.7	33.3	16.7	8.3								
Winnebago	43.5	41.3	10.9	4.3	44.1	38.2	14.7	2.9	36.4	54.5	0.0	9.1
Woodford	57.1	28.6	14.3	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Cervical Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	55.3	30.5	10.4	3.8	44.0	35.4	16.2	4.4
Cook	51.6	32.4	11.5	4.5	44.4	36.8	15.3	3.6
DuPage	66.7	26.7	6.7	0.0	47.7	35.8	13.8	2.8
Kane	45.5	36.4	18.2	0.0	41.8	27.3	25.5	5.5
Lake	77.3	18.2	4.5	0.0	37.5	37.5	20.0	5.0
Will	52.2	34.8	8.7	4.3	38.4	42.9	17.9	0.9

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	70.9	15.3	8.1	5.8	71.7	15.9	7.7	4.7	71.3	13.3	10.2	5.2
Adams	76.4	12.6	8.5	2.4								
Alexander	50.0	7.9	5.3	36.8								
Bond	72.5	5.8	4.3	17.4								
Boone	65.2	20.3	10.8	3.8								
Brown	72.0	8.0	16.0	4.0								
Bureau	65.2	23.0	7.5	4.3								
Calhoun	65.4	11.5	7.7	15.4								
Carroll	70.3	9.5	8.1	12.2								
Cass	82.4	11.8	3.9	2.0								
Champaign	77.7	13.2	7.9	1.2	78.4	13.4	7.0	1.1	72.9	13.5	12.5	1.0
Christian	77.6	13.2	7.9	1.3								
Clark	64.4	13.3	11.1	11.1								
Clay	62.9	19.4	3.2	14.5								
Clinton	75.0	8.6	7.2	9.2								
Coles	74.8	10.7	10.7	3.9								
Cook	70.6	15.5	9.0	4.9	70.9	17.1	8.2	3.8	71.2	12.9	10.8	5.1
Crawford	64.2	14.9	14.9	6.0								
Cumberland	60.0	20.0	7.5	12.5								
DeKalb	71.6	20.5	6.8	1.1								
DeWitt	67.6	13.5	16.2	2.7								
Douglas	80.5	10.4	9.1	0.0								
DuPage	71.2	17.9	7.0	3.8	71.6	18.1	7.0	3.3	73.1	21.0	5.4	0.6
Edgar	70.7	13.8	6.9	8.6								
Edwards	59.1	13.6	4.5	22.7								
Effingham	65.8	14.8	5.2	14.2								
Fayette	75.0	10.0	2.0	13.0								
Ford	73.9	13.0	13.0	0.0								
Franklin	74.2	10.6	8.3	6.8								
Fulton	70.6	9.8	8.4	11.2								
Gallatin	73.3	13.3	13.3	0.0								
Greene	69.8	15.1	13.2	1.9								
Grundy	76.7	14.3	4.8	4.3								
Hamilton	78.6	7.1	3.6	10.7								
Hancock	67.9	15.4	5.1	11.5								
Hardin	81.3	6.3	6.3	6.3								
Henderson	67.9	7.1	0.0	25.0								
Henry	66.5	15.6	4.1	13.8								
Iroquois	67.2	24.4	7.6	0.8								
Jackson	68.5	9.3	12.3	9.9								

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Jasper	56.4	16.4	9.1	18.2								
Jefferson	73.9	9.2	9.9	7.0								
Jersey	67.5	5.2	13.0	14.3								
Jo Daviess	59.0	12.3	4.1	24.6								
Johnson	78.4	13.7	2.0	5.9								
Kane	69.1	19.7	6.6	4.6	69.5	20.7	6.6	3.2	74.4	13.5	6.8	5.3
Kankakee	72.7	14.6	10.3	2.4	72.1	16.3	9.5	2.1	76.8	9.8	12.2	1.2
Kendall	70.5	17.7	8.8	2.9								
Knox	70.6	15.3	7.3	6.8								
Lake	68.2	18.4	6.7	6.7	70.0	17.9	6.8	5.4	66.2	22.2	6.1	5.6
LaSalle	67.6	20.0	9.0	3.5								
Lawrence	74.2	11.3	11.3	3.2								
Lee	81.4	7.6	9.3	1.7								
Livingston	68.3	17.9	9.0	4.8								
Logan	89.0	2.0	6.0	3.0								
Macon	76.8	12.6	9.2	1.4	76.5	14.1	8.6	0.8	79.2	6.5	13.0	1.3
Macoupin	81.4	8.7	4.7	5.2								
Madison	70.4	13.8	5.7	10.0	71.2	13.4	5.4	10.1	64.9	17.0	9.6	8.5
Marion	74.2	8.8	5.0	11.9								
Marshall	62.5	10.7	5.4	21.4								
Mason	67.6	10.3	11.8	10.3								
Massac	73.5	13.2	5.9	7.4								
McDonough	65.2	13.0	13.0	8.7								
McHenry	63.8	23.1	8.6	4.5								
McLean	74.7	13.3	7.8	4.2								
Menard	90.4	6.8	2.7	0.0								
Mercer	55.9	15.3	11.9	16.9								
Monroe	60.8	14.0	4.9	20.3								
Montgomery	71.7	14.2	10.4	3.8								
Morgan	81.8	10.8	6.1	1.4								
Moultrie	72.7	18.2	4.5	4.5								
Ogle	68.3	17.8	10.0	3.9								
Peoria	70.1	10.0	5.4	14.6	73.6	9.0	5.4	12.0	68.3	16.2	5.6	9.9
Perry	77.1	11.4	2.9	8.6								
Piatt	76.3	8.5	13.6	1.7								
Pike	80.7	10.5	7.0	1.8								
Pope	72.0	16.0	4.0	8.0								
Pulaski	67.5	10.0	2.5	20.0								
Putnam	65.2	26.1	4.3	4.3								
Randolph	74.3	8.8	5.3	11.5								

Percent Distribution of Stage at Diagnosis by County

Prostate Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	All Races				White				Black			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Richland	64.3	13.1	6.0	16.7								
Rock Island	63.7	13.9	8.6	13.7	64.3	14.3	8.9	12.4	67.3	8.2	8.2	16.3
Saline	78.4	3.9	2.9	14.7								
Sangamon	80.4	11.2	6.6	1.8	81.0	11.5	5.7	1.8	78.0	7.7	12.1	2.2
Schuylerville	64.5	9.7	19.4	6.5								
Scott	81.3	3.1	12.5	3.1								
Shelby	71.5	12.2	8.1	8.1								
St Clair	66.7	13.2	9.0	11.0	69.2	13.3	7.8	9.7	62.8	13.4	11.6	12.3
Stark	48.0	12.0	20.0	20.0								
Stephenson	69.2	13.5	11.5	5.8								
Tazewell	69.9	13.0	5.3	11.7								
Union	40.3	12.9	16.1	30.6								
Vermilion	78.1	13.8	6.9	1.3	78.9	13.1	6.9	1.1	73.8	16.7	7.1	2.4
Wabash	83.3	7.4	5.6	3.7								
Warren	68.9	15.6	8.9	6.7								
Washington	72.0	13.3	9.3	5.3								
Wayne	79.7	10.1	5.8	4.3								
White	84.3	9.8	3.9	2.0								
Whiteside	69.3	12.7	9.6	8.3								
Will	77.5	13.2	6.3	3.0	78.4	13.6	6.4	1.6	78.9	12.9	5.4	2.9
Williamson	70.3	9.8	13.5	6.4								
Winnebago	63.3	18.7	12.6	5.4	63.9	18.9	12.6	4.7	61.0	17.1	13.3	8.6
Woodford	65.8	13.5	3.2	17.4								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity and County

Prostate Cancer (invasive), Illinois 2016-2020

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

County	Hispanic				Non-Hispanic			
	Localized	Regional	Distant	Unknown	Localized	Regional	Distant	Unknown
Illinois	69.9	16.5	8.3	5.3	71.0	15.2	8.1	5.8
Cook	69.8	15.9	9.1	5.2	70.7	15.5	9.0	4.8
DuPage	62.8	21.1	10.6	5.6	71.7	17.7	6.8	3.7
Kane	72.3	20.9	3.1	3.7	68.7	19.6	7.1	4.7
Lake	66.7	17.9	7.1	8.3	68.3	18.4	6.7	6.6
Will	73.9	13.1	9.2	3.9	77.8	13.3	6.0	2.9

SECTION III
County-specific Cancer Incidence Rates
All Races, Illinois, 2016-2020

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	350,798	459.7	458.2	461.3	175,120	496.8	494.4	499.2	175,678	436.5	434.4	438.6
Oral Cavity and Pharynx	9,462	12.2	11.9	12.4	6,677	18.3	17.9	18.8	2,785	6.8	6.5	7.0
Esophagus	3,762	4.7	4.6	4.9	2,910	8.1	7.8	8.4	852	2.0	1.8	2.1
Stomach	5,269	6.9	6.7	7.1	3,183	9.2	8.9	9.5	2,086	5.1	4.8	5.3
Colon and Rectum	30,136	39.8	39.4	40.3	15,875	46.0	45.3	46.7	14,261	34.6	34.1	35.2
Liver	5,107	6.3	6.1	6.5	3,670	9.8	9.5	10.1	1,437	3.3	3.2	3.5
Pancreas	10,965	14.1	13.8	14.3	5,621	16.0	15.6	16.5	5,344	12.4	12.0	12.7
Lung and Bronchus	46,592	59.3	58.8	59.9	23,245	66.4	65.6	67.3	23,347	54.1	53.4	54.8
Bones and Joints	639	1.0	0.9	1.0	358	1.1	1.0	1.2	281	0.8	0.7	0.9
Melanoma of the Skin	16,584	22.5	22.2	22.9	9,393	27.5	26.9	28.0	7,191	19.2	18.8	19.7
Breast (invasive)	52,580	70.9	70.2	71.5	468	1.3	1.2	1.5	52,112	132.6	131.4	133.7
Cervix									2,539	7.4	7.1	7.7
Corpus and Uterus, NOS									12,615	30.3	29.8	30.8
Ovary									4,093	10.3	10.0	10.7
Prostate					43,569	115.1	114.0	116.2				
Testis					1,932	6.4	6.1	6.6				
Urinary Bladder (includes in situ)	15,214	19.6	19.3	19.9	11,494	34.2	33.6	34.9	3,720	8.5	8.2	8.8
Kidney and Renal Pelvis	13,742	18.2	17.9	18.5	8,719	24.8	24.3	25.3	5,023	12.5	12.1	12.8
Brain and Nervous System	4,377	6.2	6.0	6.4	2,462	7.4	7.1	7.7	1,915	5.1	4.9	5.4
Hodgkin Lymphoma	1,842	2.8	2.7	2.9	1,024	3.2	3.0	3.4	818	2.5	2.3	2.7
Non-Hodgkin Lymphoma	14,208	18.9	18.6	19.2	7,730	22.8	22.3	23.3	6,478	15.8	15.4	16.2
Myeloma	5,336	6.9	6.7	7.1	2,862	8.2	7.9	8.5	2,474	5.8	5.6	6.1
Leukemia	9,965	13.6	13.3	13.9	5,785	17.4	16.9	17.8	4,180	10.6	10.3	10.9
All Other Sites	40,270	54.6	54.0	55.1	18,143	53.6	52.8	54.4	22,127	56.7	56.0	57.5
Breast in Situ (not in total)									12,027	31.5	31.0	32.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Adams

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,261	496.3	475.0	518.4	1,159	527.4	496.5	559.9	1,102	474.0	444.4	505.1
Oral Cavity and Pharynx	62	14.4	10.9	18.8	49	22.9	16.7	30.8	13	6.7	3.4	11.9
Esophagus	33	7.4	5.0	10.5	28	13.1	8.6	19.2	5	2.2	0.6	5.7
Stomach	16	3.0	1.7	5.2	12	5.1	2.6	9.5	4	1.1	0.3	3.8
Colon and Rectum	179	39.8	33.8	46.6	88	43.4	34.3	54.2	91	36.1	28.6	45.2
Liver	34	6.9	4.7	9.9	21	8.7	5.4	13.7	13	5.0	2.4	9.4
Pancreas	76	15.8	12.3	20.0	40	17.7	12.6	24.5	36	14.2	9.7	20.4
Lung and Bronchus	349	71.1	63.6	79.3	192	82.6	71.1	95.6	157	61.5	51.8	72.6
Bones and Joints	5	1.6	0.5	3.8	3	1.8	0.3	5.3	2	1.5	0.2	5.2
Melanoma of the Skin	160	36.8	31.0	43.5	90	41.3	32.9	51.3	70	34.0	25.9	43.9
Breast (invasive)	306	71.5	63.2	80.6	1	0.4	0.0	2.8	305	136.8	120.8	154.4
Cervix									9	4.8	2.0	9.5
Corpus and Uterus, NOS									83	35.3	27.8	44.4
Ovary									26	11.9	7.5	18.2
Prostate					246	105.9	92.8	120.5				
Testis					4	2.4	0.6	6.3				
Urinary Bladder (includes in situ)	116	23.9	19.7	28.9	94	42.1	33.9	51.9	22	8.6	5.3	13.5
Kidney and Renal Pelvis	72	16.9	13.0	21.6	37	17.9	12.4	25.1	35	16.0	10.8	23.0
Brain and Nervous System	28	7.0	4.5	10.3	17	9.4	5.3	15.3	11	4.7	2.2	9.0
Hodgkin Lymphoma	10	3.3	1.6	6.1	6	4.1	1.5	8.9	4	2.5	0.7	6.5
Non-Hodgkin Lymphoma	76	16.3	12.6	20.8	36	18.2	12.5	25.6	40	14.7	10.3	20.7
Myeloma	32	6.8	4.6	9.7	16	7.6	4.3	12.7	16	5.9	3.4	10.1
Leukemia	58	12.3	9.2	16.2	36	16.5	11.4	23.4	22	8.4	5.0	13.4
All Other Sites	281	63.5	55.8	71.9	143	66.2	55.4	78.7	138	61.8	51.1	74.1
Breast in Situ (not in total)									58	28.7	21.3	37.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Alexander

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	249	517.7	451.2	592.4	149	626.8	526.7	744.0	100	431.1	343.2	536.6
Oral Cavity and Pharynx	10	23.7	10.5	47.3	6	30.0	9.8	72.8	4	18.8	4.4	55.0
Esophagus	1	2.2	0.1	16.7	1	5.2	0.1	36.2	0			
Stomach	3	5.8	1.2	21.3	1	5.2	0.1	36.2	2	7.1	0.8	35.5
Colon and Rectum	23	46.0	28.6	72.3	11	43.9	21.7	85.5	12	49.3	24.6	92.6
Liver	0				0				0			
Pancreas	5	9.6	3.1	26.5	3	11.6	2.2	43.8	2	7.7	0.9	36.7
Lung and Bronchus	62	123.6	93.5	162.3	40	168.7	119.5	235.6	22	86.5	52.0	139.1
Bones and Joints	0				0				0			
Melanoma of the Skin	5	10.0	3.1	27.4	3	13.1	2.6	46.6	2	8.9	0.9	39.9
Breast (invasive)	22	53.4	31.6	85.4	0				22	100.6	59.3	161.4
Cervix									3	23.5	3.9	70.1
Corpus and Uterus, NOS									10	33.9	16.1	69.6
Ovary									3	11.6	2.4	42.0
Prostate					38	150.5	105.6	212.9				
Testis					0							
Urinary Bladder (includes in situ)	11	24.9	11.6	48.5	8	35.8	15.2	76.9	3	16.6	2.6	54.7
Kidney and Renal Pelvis	4	11.1	2.4	32.0	3	13.3	2.7	46.7	1	10.8	0.3	50.4
Brain and Nervous System	4	8.7	2.3	25.8	4	18.8	5.0	54.9	0			
Hodgkin Lymphoma	1	2.0	0.1	16.2	0				1	3.9	0.1	31.6
Non-Hodgkin Lymphoma	7	16.8	6.2	38.0	5	25.1	6.9	66.8	2	9.8	1.1	41.4
Myeloma	5	8.4	2.7	24.3	3	9.6	2.0	39.9	2	6.6	0.8	34.7
Leukemia	5	10.6	3.3	28.3	4	17.4	4.5	52.5	1	3.9	0.1	31.6
All Other Sites	27	53.8	34.3	82.2	19	78.7	45.3	131.5	8	31.4	12.9	69.3
Breast in Situ (not in total)									3	14.7	2.4	49.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Bond

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	545	481.5	440.4	525.7	285	517.5	457.6	583.6	260	473.9	414.0	540.7
Oral Cavity and Pharynx	9	7.3	3.3	14.8	9	15.0	6.8	30.2	0			
Esophagus	9	7.8	3.5	15.8	8	14.0	5.8	29.3	1	1.8	0.0	12.8
Stomach	2	2.1	0.2	8.1	2	4.2	0.5	16.2	0			
Colon and Rectum	55	51.4	38.4	67.9	34	67.3	46.2	95.2	21	39.6	23.8	62.9
Liver	7	6.0	2.4	13.2	5	9.1	2.9	22.7	2	3.3	0.4	14.8
Pancreas	17	14.9	8.6	24.5	8	14.6	6.2	30.3	9	16.0	7.2	32.2
Lung and Bronchus	71	57.3	44.5	73.2	37	64.1	44.8	89.9	34	53.9	36.6	77.9
Bones and Joints	0				0				0			
Melanoma of the Skin	31	29.6	19.7	43.0	20	36.6	22.1	57.9	11	27.0	12.9	49.9
Breast (invasive)	79	69.9	54.8	88.4	1	1.3	0.0	11.0	78	138.2	107.3	176.1
Cervix									7	17.6	6.7	37.3
Corpus and Uterus, NOS									19	32.9	19.1	54.1
Ovary									8	12.9	5.1	28.5
Prostate					69	115.3	89.1	147.7				
Testis					2	4.9	0.6	17.8				
Urinary Bladder (includes in situ)	24	20.5	13.0	31.2	19	36.5	21.9	58.1	5	7.1	2.3	19.6
Kidney and Renal Pelvis	18	17.9	10.3	29.2	12	21.3	10.8	38.7	6	17.9	6.4	38.9
Brain and Nervous System	9	8.5	3.6	17.3	6	11.6	3.8	27.2	3	4.4	0.9	16.3
Hodgkin Lymphoma	3	2.8	0.5	9.2	2	2.7	0.3	12.9	1	3.3	0.1	16.7
Non-Hodgkin Lymphoma	19	16.2	9.6	26.2	14	26.9	14.5	46.3	5	7.0	2.2	19.5
Myeloma	5	3.7	1.2	9.8	3	5.1	1.0	16.8	2	2.7	0.3	13.6
Leukemia	15	12.2	6.7	21.2	8	15.7	6.6	32.1	7	8.6	3.4	21.1
All Other Sites	67	63.9	49.0	82.3	26	51.2	33.0	76.3	41	79.5	55.4	111.0
Breast in Situ (not in total)									8	14.2	5.6	30.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Boone

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,415	440.5	417.4	464.6	723	463.8	429.8	500.0	692	425.5	393.6	459.3
Oral Cavity and Pharynx	39	12.1	8.5	16.8	25	16.0	10.2	24.1	14	8.6	4.6	14.8
Esophagus	15	4.5	2.5	7.6	12	7.7	3.9	13.8	3	1.5	0.3	5.1
Stomach	22	6.7	4.2	10.3	16	10.4	5.9	17.3	6	3.3	1.2	7.7
Colon and Rectum	110	35.0	28.7	42.4	54	34.4	25.6	45.3	56	35.2	26.4	46.1
Liver	14	4.5	2.4	7.6	11	7.6	3.7	13.9	3	1.7	0.3	5.4
Pancreas	51	14.7	10.9	19.5	30	19.0	12.6	27.6	21	11.5	7.1	18.0
Lung and Bronchus	218	64.6	56.2	74.0	116	73.6	60.6	88.8	102	57.5	46.8	70.2
Bones and Joints	2	0.7	0.1	2.6	1	0.7	0.0	4.1	1	0.7	0.0	4.1
Melanoma of the Skin	60	19.2	14.5	24.9	26	16.6	10.7	24.7	34	22.4	15.3	31.7
Breast (invasive)	192	61.2	52.6	70.8	5	3.3	1.1	8.0	187	116.1	99.6	134.5
Cervix									9	6.8	3.0	13.1
Corpus and Uterus, NOS									57	33.3	25.1	43.6
Ovary									16	10.3	5.8	17.1
Prostate					158	93.4	79.1	109.6				
Testis					6	4.9	1.8	10.6				
Urinary Bladder (includes in situ)	58	17.3	13.1	22.6	47	29.5	21.5	39.6	11	6.3	3.2	11.7
Kidney and Renal Pelvis	56	18.2	13.6	23.8	35	23.0	15.9	32.4	21	13.8	8.5	21.4
Brain and Nervous System	16	5.6	3.2	9.2	11	8.1	4.0	14.7	5	2.9	0.9	7.2
Hodgkin Lymphoma	5	1.7	0.5	4.1	2	1.2	0.1	4.8	3	2.2	0.4	6.6
Non-Hodgkin Lymphoma	68	22.1	17.0	28.2	45	30.1	21.7	40.7	23	15.3	9.6	23.2
Myeloma	21	6.4	3.9	9.9	14	9.4	5.1	16.1	7	3.7	1.5	8.2
Leukemia	46	14.8	10.8	20.0	32	22.5	15.2	32.2	14	8.2	4.4	14.2
All Other Sites	176	57.7	49.3	67.2	77	52.4	41.0	65.9	99	64.0	51.7	78.4
Breast in Situ (not in total)									47	29.6	21.5	39.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Brown

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	191	508.0	437.9	586.7	123	650.5	538.1	779.8	68	388.9	297.5	502.4
Oral Cavity and Pharynx	6	15.7	5.7	35.8	4	16.8	4.6	47.3	2	10.0	1.2	46.4
Esophagus	2	5.4	0.6	21.2	2	10.9	1.3	41.1	0			
Stomach	3	7.8	1.6	24.5	2	13.0	1.6	46.0	1	3.9	0.1	37.3
Colon and Rectum	17	45.7	26.5	74.2	10	55.3	26.2	103.1	7	34.2	13.6	78.7
Liver	5	13.5	4.3	32.9	4	20.1	5.3	54.2	1	5.3	0.1	40.0
Pancreas	6	16.8	6.1	37.7	6	35.2	12.6	77.4	0			
Lung and Bronchus	31	83.1	56.3	119.1	17	95.4	54.9	154.4	14	68.7	37.4	122.1
Bones and Joints	0				0				0			
Melanoma of the Skin	16	41.9	23.9	69.4	12	60.3	30.5	108.1	4	19.5	5.2	59.5
Breast (invasive)	18	48.0	28.3	77.2	1	6.3	0.2	34.6	17	105.4	59.4	175.8
Cervix									1	9.7	0.2	51.5
Corpus and Uterus, NOS									3	22.5	3.8	71.0
Ovary									0			
Prostate					25	125.6	80.3	188.1				
Testis					1	4.0	0.1	28.8				
Urinary Bladder (includes in situ)	9	24.5	11.1	47.7	7	41.8	16.5	86.9	2	9.4	1.1	45.2
Kidney and Renal Pelvis	9	23.9	10.8	46.6	7	36.8	14.4	78.3	2	9.2	1.1	44.9
Brain and Nervous System	2	5.1	0.6	20.5	1	6.3	0.2	34.7	1	4.9	0.1	39.2
Hodgkin Lymphoma	1	2.2	0.1	15.7	1	4.0	0.1	28.8	0			
Non-Hodgkin Lymphoma	8	19.8	8.5	40.7	5	21.4	6.9	53.9	3	14.9	3.1	53.0
Myeloma	1	2.9	0.1	17.6	1	6.7	0.2	35.8	0			
Leukemia	5	14.1	4.5	33.9	3	17.2	3.5	51.3	2	11.1	1.3	48.7
All Other Sites	22	58.2	36.3	89.5	14	73.4	39.4	125.7	8	60.2	24.5	123.7
Breast in Situ (not in total)									5	24.6	8.0	66.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Bureau

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,290	528.4	498.2	560.0	684	585.6	540.9	633.4	606	485.9	444.8	530.0
Oral Cavity and Pharynx	41	16.4	11.5	23.0	29	23.8	15.5	35.4	12	9.3	4.6	17.5
Esophagus	20	6.8	4.1	11.0	16	12.2	6.9	20.8	4	2.1	0.6	7.4
Stomach	16	5.8	3.3	10.0	13	10.8	5.7	19.3	3	2.0	0.4	7.5
Colon and Rectum	109	41.6	33.9	50.8	64	55.2	42.1	71.4	45	29.0	20.8	40.0
Liver	14	4.8	2.6	8.7	10	7.1	3.4	14.2	4	2.8	0.8	8.5
Pancreas	44	16.5	11.9	22.7	27	22.4	14.6	33.5	17	11.0	6.3	18.9
Lung and Bronchus	209	79.1	68.5	91.1	92	74.8	60.1	92.5	117	84.3	69.1	102.3
Bones and Joints	2	0.6	0.1	3.2	1	0.6	0.0	5.6	1	0.6	0.0	5.6
Melanoma of the Skin	90	41.4	32.7	51.9	54	49.8	36.8	66.3	36	35.2	23.7	50.6
Breast (invasive)	168	70.8	59.9	83.4	1	0.6	0.0	5.6	167	135.6	114.3	160.1
Cervix									9	11.1	4.6	22.1
Corpus and Uterus, NOS									30	23.3	15.4	34.4
Ovary									13	11.5	5.8	20.8
Prostate					161	126.8	107.6	149.0				
Testis					11	15.8	7.8	28.2				
Urinary Bladder (includes in situ)	45	17.3	12.4	23.7	35	29.9	20.6	42.4	10	7.4	3.5	14.7
Kidney and Renal Pelvis	55	25.1	18.6	33.3	35	33.4	22.9	47.3	20	18.2	10.7	29.3
Brain and Nervous System	16	8.0	4.3	13.5	11	11.8	5.6	22.0	5	4.2	1.2	11.0
Hodgkin Lymphoma	8	4.8	2.0	9.9	6	7.6	2.6	17.0	2	2.1	0.2	8.4
Non-Hodgkin Lymphoma	42	16.4	11.7	22.7	20	16.5	9.9	26.3	22	16.5	10.1	26.2
Myeloma	11	3.9	1.9	7.5	7	5.5	2.2	12.4	4	2.8	0.8	8.6
Leukemia	29	12.7	8.2	18.9	14	12.4	6.5	21.9	15	13.3	6.9	23.3
All Other Sites	147	64.9	54.0	77.4	77	68.5	53.4	87.0	70	63.8	48.3	82.8
Breast in Situ (not in total)									38	30.9	21.2	44.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Calhoun

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	199	489.9	421.3	568.5	110	574.5	467.8	702.3	89	422.8	335.8	530.5
Oral Cavity and Pharynx	4	10.4	2.7	31.8	4	21.1	5.5	63.8	0			
Esophagus	5	11.1	3.6	31.6	5	22.5	7.3	63.5	0			
Stomach	1	2.1	0.1	19.9	1	4.0	0.1	39.1	0			
Colon and Rectum	24	61.9	39.0	96.1	15	82.9	45.4	144.5	9	44.1	19.8	93.4
Liver	1	2.4	0.1	20.5	0				1	4.7	0.1	41.4
Pancreas	5	12.6	3.9	34.4	4	21.0	5.5	63.7	1	4.2	0.1	40.5
Lung and Bronchus	20	44.1	26.9	72.2	10	45.3	21.6	92.8	10	43.9	21.0	90.9
Bones and Joints	1	2.5	0.1	20.7	1	4.8	0.1	40.6	0			
Melanoma of the Skin	4	8.9	2.4	28.7	3	15.4	3.0	55.8	1	3.1	0.1	38.5
Breast (invasive)	35	88.4	60.7	127.1	0				35	176.4	121.0	254.1
Cervix									2	8.9	1.1	46.7
Corpus and Uterus, NOS									7	34.1	13.3	80.5
Ovary									2	8.5	1.0	45.8
Prostate					26	119.6	77.6	183.1				
Testis					0							
Urinary Bladder (includes in situ)	8	22.1	8.6	49.0	7	40.5	14.9	93.0	1	3.1	0.1	38.5
Kidney and Renal Pelvis	12	27.4	14.2	52.3	8	38.9	16.8	85.6	4	16.7	4.5	56.4
Brain and Nervous System	1	2.4	0.1	20.5	0				1	4.7	0.1	41.4
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	10	26.3	12.1	53.0	6	35.6	12.3	85.8	4	17.6	4.7	57.8
Myeloma	3	6.8	1.4	26.2	2	11.4	1.3	51.0	1	3.8	0.1	39.7
Leukemia	5	14.6	4.0	39.4	3	21.2	3.8	68.5	2	7.3	0.8	43.8
All Other Sites	23	62.5	37.5	99.8	15	90.1	48.1	157.5	8	41.6	15.0	96.2
Breast in Situ (not in total)									3	15.7	3.0	57.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Carroll

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	550	476.5	434.1	522.5	310	527.0	466.4	594.5	240	438.8	378.9	506.2
Oral Cavity and Pharynx	23	20.6	12.4	32.9	15	26.8	14.0	47.8	8	16.4	6.4	35.5
Esophagus	10	9.6	4.2	19.4	9	18.1	7.5	37.6	1	1.3	0.0	13.2
Stomach	6	5.4	1.9	13.3	6	11.2	4.0	27.2	0			
Colon and Rectum	45	38.0	27.0	52.7	23	39.5	24.5	62.0	22	36.2	21.1	59.5
Liver	6	5.0	1.7	12.6	5	8.4	2.5	23.2	1	1.6	0.0	13.6
Pancreas	12	8.5	4.4	16.5	10	15.7	7.5	31.7	2	2.8	0.3	15.0
Lung and Bronchus	71	54.5	42.0	70.5	37	55.7	38.9	79.3	34	54.7	36.6	80.4
Bones and Joints	0				0				0			
Melanoma of the Skin	30	27.2	17.9	40.4	19	32.6	19.4	53.3	11	23.4	10.8	45.2
Breast (invasive)	60	65.0	47.9	86.3	0				60	129.0	95.0	171.5
Cervix									5	8.6	2.6	23.5
Corpus and Uterus, NOS									17	28.5	15.8	49.2
Ovary									7	14.0	4.6	33.3
Prostate					74	114.5	89.0	146.7				
Testis					7	18.5	6.8	40.0				
Urinary Bladder (includes in situ)	29	22.4	14.7	33.7	22	37.4	23.1	59.2	7	10.2	3.7	25.2
Kidney and Renal Pelvis	20	18.2	10.5	30.0	12	24.5	11.7	46.2	8	12.5	5.1	28.2
Brain and Nervous System	6	5.3	1.7	13.4	4	6.0	1.6	19.3	2	4.9	0.4	20.4
Hodgkin Lymphoma	2	1.4	0.2	7.5	1	1.2	0.0	12.8	1	1.6	0.0	13.6
Non-Hodgkin Lymphoma	25	18.5	11.7	28.9	17	27.3	15.4	46.8	8	10.1	4.3	24.0
Myeloma	7	5.4	2.2	12.9	3	4.8	1.0	17.8	4	6.3	1.7	19.8
Leukemia	27	26.3	16.4	40.5	18	34.4	19.1	58.2	9	19.7	7.9	41.0
All Other Sites	61	53.4	39.7	70.8	28	50.7	32.2	77.1	33	57.1	37.8	84.3
Breast in Situ (not in total)									15	26.3	13.6	47.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Cass

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	418	515.5	465.9	569.2	220	580.9	504.8	665.6	198	466.5	401.1	540.2
Oral Cavity and Pharynx	17	18.7	10.8	30.8	12	29.7	15.2	53.6	5	9.7	3.1	25.6
Esophagus	7	8.9	3.4	19.3	6	15.5	5.3	35.8	1	2.3	0.1	15.8
Stomach	6	8.5	2.9	19.4	3	8.1	1.4	25.8	3	8.8	1.6	27.1
Colon and Rectum	39	51.3	35.9	71.2	19	55.8	32.9	88.6	20	45.3	26.9	72.5
Liver	9	10.3	4.6	20.4	6	15.5	5.5	35.3	3	6.5	1.3	21.8
Pancreas	14	15.9	8.6	27.5	7	16.2	6.4	35.5	7	15.4	6.2	33.8
Lung and Bronchus	79	96.9	76.4	121.7	38	104.7	73.7	144.9	41	93.2	66.2	128.6
Bones and Joints	1	1.3	0.0	8.1	1	2.7	0.1	16.8	0			
Melanoma of the Skin	12	14.0	7.1	25.3	8	20.6	8.7	42.2	4	9.5	2.5	26.4
Breast (invasive)	40	51.7	36.4	71.5	0				40	100.7	70.8	139.6
Cervix									3	8.6	1.5	26.7
Corpus and Uterus, NOS									14	35.8	19.0	62.1
Ovary									4	10.4	2.6	28.8
Prostate					51	121.8	90.1	162.1				
Testis					2	7.1	0.9	24.9				
Urinary Bladder (includes in situ)	18	20.6	12.1	33.4	14	38.2	20.7	65.3	4	8.0	2.1	23.5
Kidney and Renal Pelvis	19	24.4	14.4	39.1	11	29.2	14.2	53.9	8	20.5	8.3	42.6
Brain and Nervous System	2	2.9	0.3	11.1	0				2	5.8	0.6	22.4
Hodgkin Lymphoma	2	2.9	0.3	11.1	2	5.7	0.6	21.9	0			
Non-Hodgkin Lymphoma	11	13.6	6.7	25.2	7	20.5	8.1	43.0	4	8.5	2.2	24.8
Myeloma	6	6.3	2.3	15.0	5	10.9	3.5	27.8	1	1.9	0.0	14.8
Leukemia	12	16.0	8.2	28.5	7	20.1	8.0	42.3	5	12.7	4.1	31.3
All Other Sites	50	61.7	45.3	82.5	21	58.5	35.8	90.8	29	62.8	41.0	93.4
Breast in Situ (not in total)									7	19.9	7.5	42.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,577	442.9	429.8	456.4	2,373	497.4	477.0	518.4	2,204	403.4	386.1	421.2
Oral Cavity and Pharynx	127	13.0	10.8	15.6	95	21.2	17.1	26.1	32	5.9	4.0	8.4
Esophagus	53	5.0	3.7	6.6	35	7.1	4.8	9.9	18	3.2	1.9	5.1
Stomach	63	6.1	4.7	7.9	33	7.3	5.0	10.3	30	5.2	3.5	7.6
Colon and Rectum	332	33.2	29.7	37.1	184	39.8	34.1	46.2	148	27.1	22.8	32.1
Liver	60	5.6	4.3	7.3	43	9.0	6.4	12.2	17	2.8	1.6	4.6
Pancreas	135	12.7	10.6	15.1	68	14.5	11.1	18.5	67	11.1	8.6	14.2
Lung and Bronchus	544	51.4	47.1	56.0	277	57.7	51.0	65.2	267	46.3	40.8	52.4
Bones and Joints	11	1.2	0.6	2.2	6	1.3	0.5	2.9	5	1.2	0.3	2.8
Melanoma of the Skin	347	33.9	30.3	37.8	207	43.3	37.4	49.8	140	27.2	22.7	32.3
Breast (invasive)	696	68.8	63.6	74.2	10	2.1	1.0	4.0	686	127.0	117.3	137.2
Cervix									21	4.9	3.0	7.5
Corpus and Uterus, NOS									147	26.7	22.4	31.5
Ovary									53	10.4	7.7	13.7
Prostate					646	128.9	118.8	139.5				
Testis					27	5.1	3.2	7.6				
Urinary Bladder (includes in situ)	186	17.4	14.9	20.2	137	28.9	24.2	34.3	49	8.4	6.2	11.3
Kidney and Renal Pelvis	148	14.4	12.1	17.0	96	20.0	16.1	24.6	52	9.5	7.0	12.7
Brain and Nervous System	67	7.0	5.4	9.0	44	9.7	7.0	13.2	23	4.9	3.0	7.4
Hodgkin Lymphoma	26	2.6	1.6	3.9	16	3.7	2.1	6.1	10	1.4	0.7	2.7
Non-Hodgkin Lymphoma	174	16.8	14.3	19.6	108	22.8	18.6	27.6	66	12.0	9.2	15.5
Myeloma	72	7.0	5.4	8.9	40	9.3	6.6	12.7	32	5.3	3.6	7.5
Leukemia	129	12.7	10.6	15.2	70	15.3	11.9	19.4	59	10.8	8.1	14.0
All Other Sites	513	50.5	46.1	55.2	231	50.3	43.9	57.5	282	52.1	46.0	58.8
Breast in Situ (not in total)									132	27.4	22.8	32.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Christian
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,301	555.4	524.5	587.9	730	655.6	607.8	706.4	571	475.0	434.2	519.0
Oral Cavity and Pharynx	39	18.0	12.5	25.2	34	32.3	22.0	46.1	5	3.9	1.2	10.4
Esophagus	16	7.1	3.9	12.1	13	11.5	6.1	20.3	3	4.0	0.7	12.2
Stomach	13	5.6	2.9	10.0	8	6.9	3.0	14.4	5	4.6	1.3	12.1
Colon and Rectum	122	51.9	42.7	62.6	74	67.5	52.6	85.5	48	38.1	27.4	52.2
Liver	23	9.2	5.8	14.3	17	14.3	8.3	23.7	6	4.8	1.7	11.6
Pancreas	39	15.2	10.7	21.1	25	21.7	14.0	32.7	14	8.8	4.8	16.2
Lung and Bronchus	234	95.9	83.8	109.5	129	112.8	93.9	134.8	105	80.7	65.5	98.8
Bones and Joints	2	1.1	0.1	4.3	0				2	2.2	0.2	8.7
Melanoma of the Skin	62	28.5	21.5	37.2	38	35.3	24.8	49.2	24	25.5	15.5	39.5
Breast (invasive)	153	67.3	56.6	79.6	1	0.7	0.0	5.7	152	130.0	108.8	154.4
Cervix									8	9.0	3.6	18.8
Corpus and Uterus, NOS									26	19.3	12.5	29.3
Ovary									18	15.1	8.5	25.2
Prostate					152	128.3	108.3	151.2				
Testis					5	6.0	1.9	14.3				
Urinary Bladder (includes in situ)	60	23.7	18.0	30.9	49	43.0	31.7	57.5	11	8.4	4.1	16.3
Kidney and Renal Pelvis	63	27.3	20.7	35.5	41	36.6	26.0	50.4	22	20.0	12.1	31.6
Brain and Nervous System	17	8.4	4.7	13.9	11	10.7	5.2	19.8	6	6.5	2.1	15.0
Hodgkin Lymphoma	7	4.2	1.6	8.9	6	7.3	2.6	16.2	1	0.7	0.0	5.8
Non-Hodgkin Lymphoma	50	20.7	15.2	27.7	28	25.6	16.9	37.6	22	16.5	10.3	26.0
Myeloma	9	3.5	1.6	7.0	7	6.1	2.4	13.4	2	1.5	0.2	6.9
Leukemia	41	18.1	12.8	25.1	22	21.7	13.4	33.6	19	14.2	8.4	23.3
All Other Sites	142	63.4	53.0	75.5	70	67.2	52.0	85.6	72	61.2	46.8	78.9
Breast in Situ (not in total)									22	24.3	14.6	38.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Clark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	487	445.9	405.3	489.7	255	494.3	433.2	562.2	232	418.8	363.2	481.2
Oral Cavity and Pharynx	18	16.6	9.4	27.3	12	25.0	12.3	45.8	6	10.1	3.5	24.4
Esophagus	5	4.0	1.3	10.4	5	9.7	3.0	24.4	0			
Stomach	4	4.4	1.1	11.8	2	5.3	0.6	19.1	2	3.1	0.4	14.1
Colon and Rectum	47	44.0	31.8	59.8	18	36.8	21.3	59.8	29	48.9	31.4	73.5
Liver	8	6.4	2.7	13.6	5	8.7	2.8	22.5	3	4.0	0.8	15.2
Pancreas	14	11.5	6.2	20.1	9	17.2	7.6	34.3	5	8.0	2.6	21.0
Lung and Bronchus	79	67.9	53.4	85.6	43	80.5	57.6	110.4	36	59.2	40.9	84.1
Bones and Joints	1	0.9	0.0	6.3	1	2.0	0.0	13.0	0			
Melanoma of the Skin	25	24.0	15.2	36.4	15	29.0	16.0	49.4	10	21.4	9.7	41.2
Breast (invasive)	47	45.3	32.9	61.3	1	2.9	0.1	15.4	46	84.2	60.6	114.8
Cervix									4	11.6	3.0	29.5
Corpus and Uterus, NOS									24	43.4	26.9	67.2
Ovary									7	14.1	5.2	31.1
Prostate					45	77.9	56.5	106.0				
Testis					1	3.0	0.1	15.7				
Urinary Bladder (includes in situ)	29	23.7	15.8	34.9	23	42.2	26.4	65.0	6	8.9	3.2	21.9
Kidney and Renal Pelvis	25	23.2	14.6	35.3	19	35.3	20.6	57.4	6	11.3	3.9	26.6
Brain and Nervous System	6	6.4	2.2	14.8	2	6.0	0.7	21.3	4	6.4	1.7	18.8
Hodgkin Lymphoma	3	4.2	0.7	12.3	0				3	8.4	1.5	25.0
Non-Hodgkin Lymphoma	27	24.0	15.6	35.8	16	30.8	17.3	51.6	11	18.2	8.6	35.1
Myeloma	2	1.6	0.2	7.1	1	1.4	0.0	11.7	1	1.6	0.0	12.1
Leukemia	16	17.0	9.2	28.8	7	15.5	5.6	34.0	9	17.4	7.2	35.6
All Other Sites	50	48.1	35.0	64.8	30	65.3	43.2	95.0	20	38.6	22.4	62.5
Breast in Situ (not in total)									7	13.3	5.1	29.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Clay

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	528	548.6	500.8	600.3	284	624.1	551.4	704.6	244	493.8	429.2	566.1
Oral Cavity and Pharynx	16	17.7	9.6	30.1	11	27.0	12.8	50.7	5	8.1	2.6	22.4
Esophagus	12	11.8	6.0	21.7	10	20.6	9.7	40.2	2	3.8	0.5	17.1
Stomach	4	3.6	1.0	10.8	3	6.7	1.3	21.9	1	1.2	0.0	13.0
Colon and Rectum	56	57.5	42.9	75.9	29	62.0	41.0	91.1	27	53.9	34.3	81.8
Liver	5	4.9	1.6	12.6	5	10.3	3.3	26.6	0			
Pancreas	6	5.7	2.1	13.8	5	10.2	3.2	26.5	1	2.0	0.0	14.5
Lung and Bronchus	91	88.9	71.4	110.1	56	125.1	94.0	164.3	35	61.1	42.4	87.1
Bones and Joints	1	1.0	0.0	7.3	1	2.0	0.1	14.6	0			
Melanoma of the Skin	27	29.2	18.7	43.8	14	29.8	15.9	52.3	13	27.5	13.5	50.5
Breast (invasive)	62	68.7	51.7	89.9	1	2.4	0.1	15.6	61	130.6	97.4	172.1
Cervix									2	6.6	0.8	23.4
Corpus and Uterus, NOS									15	30.4	16.2	53.1
Ovary									6	12.6	3.8	31.0
Prostate					62	125.9	95.9	163.7				
Testis					2	6.9	0.8	24.3				
Urinary Bladder (includes in situ)	21	20.4	12.4	32.5	18	38.6	22.6	62.9	3	7.5	1.2	24.6
Kidney and Renal Pelvis	31	36.0	23.7	52.7	15	38.2	20.7	65.1	16	34.8	18.6	60.0
Brain and Nervous System	3	3.9	0.6	12.7	2	6.3	0.5	23.7	1	1.6	0.0	13.8
Hodgkin Lymphoma	1	2.1	0.1	10.3	0				1	4.3	0.1	20.8
Non-Hodgkin Lymphoma	23	21.9	13.8	34.0	14	29.3	15.7	51.4	9	14.5	6.5	30.6
Myeloma	4	3.5	0.9	10.6	1	1.7	0.0	14.0	3	4.6	0.9	17.7
Leukemia	14	14.7	7.8	25.9	5	11.0	3.5	27.8	9	17.7	7.6	36.5
All Other Sites	64	69.6	52.9	90.2	30	70.1	46.7	102.1	34	71.1	47.9	102.6
Breast in Situ (not in total)									12	26.0	13.1	47.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Clinton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,176	482.2	454.2	511.6	628	523.3	482.2	567.2	548	456.1	416.7	498.3
Oral Cavity and Pharynx	30	12.5	8.3	18.3	19	17.0	10.0	27.1	11	7.7	3.7	14.6
Esophagus	27	12.1	7.8	18.0	17	14.8	8.5	24.3	10	9.5	4.2	18.4
Stomach	14	5.7	3.0	9.9	12	10.1	5.1	18.2	2	1.5	0.2	6.5
Colon and Rectum	91	39.0	31.1	48.3	46	41.8	30.4	56.2	45	37.2	26.5	50.9
Liver	11	4.6	2.3	8.6	9	7.5	3.3	14.7	2	1.8	0.2	7.1
Pancreas	26	10.1	6.5	15.2	13	11.7	6.2	20.4	13	9.3	4.9	16.7
Lung and Bronchus	163	65.1	55.3	76.3	87	73.1	58.2	90.8	76	58.2	45.6	73.7
Bones and Joints	1	0.3	0.0	2.5	1	0.7	0.0	4.9	0			
Melanoma of the Skin	73	31.7	24.6	40.3	43	35.7	25.6	48.8	30	28.3	18.7	41.4
Breast (invasive)	159	67.3	56.8	79.2	0				159	133.9	112.8	158.0
Cervix									8	8.9	3.8	17.8
Corpus and Uterus, NOS									37	29.5	20.5	41.7
Ovary									10	7.4	3.4	14.5
Prostate					152	118.1	99.7	139.1				
Testis					10	9.5	4.5	17.7				
Urinary Bladder (includes in situ)	56	22.5	16.9	29.5	44	37.6	27.2	51.0	12	9.8	5.0	17.9
Kidney and Renal Pelvis	59	23.6	17.7	30.8	38	30.8	21.4	43.0	21	16.9	10.2	26.6
Brain and Nervous System	9	3.5	1.6	6.9	5	4.1	1.3	10.1	4	2.9	0.7	8.4
Hodgkin Lymphoma	2	1.3	0.2	4.4	1	1.1	0.0	6.1	1	1.4	0.0	7.3
Non-Hodgkin Lymphoma	42	17.5	12.4	24.1	23	19.0	11.8	29.2	19	15.9	9.2	25.8
Myeloma	13	4.8	2.5	8.5	7	5.4	2.1	11.7	6	4.6	1.7	10.8
Leukemia	39	16.6	11.7	23.1	23	19.1	12.0	29.2	16	14.6	8.0	24.7
All Other Sites	144	59.3	49.7	70.3	78	66.2	52.0	83.2	66	56.7	43.2	73.4
Breast in Situ (not in total)									22	20.3	12.4	31.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Coles

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,369	438.6	414.8	463.5	659	459.5	424.0	497.2	710	425.6	393.2	460.1
Oral Cavity and Pharynx	42	12.8	9.1	17.7	33	21.5	14.6	30.7	9	5.2	2.2	10.7
Esophagus	19	5.8	3.4	9.3	17	11.0	6.3	18.0	2	1.5	0.2	5.7
Stomach	10	2.6	1.3	5.2	5	3.3	1.0	8.2	5	2.2	0.7	6.2
Colon and Rectum	146	46.1	38.7	54.7	72	51.1	39.7	64.9	74	42.6	33.1	54.3
Liver	23	7.4	4.6	11.4	16	10.8	6.0	18.1	7	4.3	1.7	9.5
Pancreas	37	11.7	8.1	16.4	18	12.3	7.2	20.0	19	11.0	6.3	17.9
Lung and Bronchus	244	74.7	65.4	85.0	117	80.3	66.1	96.8	127	71.2	59.0	85.5
Bones and Joints	2	0.7	0.1	2.8	1	0.8	0.0	4.7	1	0.7	0.0	4.4
Melanoma of the Skin	81	27.0	21.2	34.0	48	34.4	25.1	46.3	33	21.4	14.3	30.8
Breast (invasive)	193	61.0	52.4	70.7	2	1.2	0.1	5.0	191	112.0	95.9	130.2
Cervix									7	5.4	2.1	11.4
Corpus and Uterus, NOS									52	28.2	20.8	37.6
Ovary									13	9.7	4.9	17.1
Prostate					103	65.1	52.9	79.4				
Testis					12	10.8	5.5	19.0				
Urinary Bladder (includes in situ)	62	18.9	14.4	24.5	50	35.7	26.3	47.4	12	6.2	3.1	11.4
Kidney and Renal Pelvis	67	24.2	18.5	31.2	43	32.7	23.3	44.7	24	16.2	10.0	24.8
Brain and Nervous System	17	6.3	3.6	10.4	9	7.1	3.1	13.8	8	5.3	2.2	11.0
Hodgkin Lymphoma	7	3.0	1.1	6.3	2	1.5	0.1	6.0	5	4.4	1.3	10.5
Non-Hodgkin Lymphoma	53	16.5	12.3	21.9	31	22.0	14.8	31.7	22	11.6	7.2	18.1
Myeloma	11	3.3	1.6	6.2	6	3.7	1.3	8.6	5	3.1	1.0	7.8
Leukemia	28	10.0	6.4	14.7	11	7.9	3.8	14.5	17	12.1	6.7	20.1
All Other Sites	140	48.4	40.4	57.5	63	46.2	35.2	59.6	77	51.3	39.9	65.1
Breast in Situ (not in total)									28	18.1	11.6	27.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	129,876	438.8	436.4	441.3	62,625	470.8	467.1	474.6	67,251	420.7	417.5	424.0
Oral Cavity and Pharynx	3,341	11.1	10.7	11.5	2,269	16.6	15.9	17.3	1,072	6.6	6.2	7.0
Esophagus	1,223	3.9	3.7	4.2	889	6.5	6.1	7.0	334	1.9	1.7	2.1
Stomach	2,474	8.4	8.1	8.7	1,414	10.9	10.4	11.5	1,060	6.5	6.1	6.9
Colon and Rectum	11,677	39.6	38.9	40.4	6,050	46.2	45.0	47.4	5,627	34.5	33.6	35.4
Liver	2,260	7.2	6.9	7.6	1,562	11.1	10.5	11.7	698	4.1	3.8	4.4
Pancreas	4,376	14.6	14.1	15.0	2,129	16.2	15.5	16.9	2,247	13.3	12.7	13.9
Lung and Bronchus	15,646	52.2	51.4	53.0	7,477	57.8	56.5	59.2	8,169	48.2	47.2	49.3
Bones and Joints	261	1.0	0.9	1.1	144	1.2	1.0	1.4	117	0.8	0.7	1.0
Melanoma of the Skin	4,502	15.5	15.0	16.0	2,527	19.4	18.7	20.2	1,975	12.9	12.3	13.5
Breast (invasive)	20,473	71.0	70.0	72.0	176	1.3	1.1	1.6	20,297	130.6	128.8	132.5
Cervix									1,119	7.8	7.4	8.3
Corpus and Uterus, NOS									5,161	31.4	30.6	32.3
Ovary									1,714	11.0	10.5	11.6
Prostate					16,933	119.7	117.9	121.6				
Testis					755	5.8	5.4	6.2				
Urinary Bladder (includes in situ)	5,099	17.1	16.7	17.6	3,714	29.7	28.8	30.7	1,385	8.1	7.6	8.5
Kidney and Renal Pelvis	4,660	15.9	15.4	16.4	2,893	21.7	20.9	22.5	1,767	11.1	10.5	11.6
Brain and Nervous System	1,529	5.5	5.2	5.8	842	6.5	6.1	7.0	687	4.6	4.2	4.9
Hodgkin Lymphoma	755	2.8	2.6	3.0	404	3.1	2.8	3.5	351	2.5	2.3	2.8
Non-Hodgkin Lymphoma	5,218	18.0	17.5	18.5	2,731	21.4	20.6	22.2	2,487	15.4	14.8	16.0
Myeloma	2,262	7.6	7.3	8.0	1,139	8.7	8.2	9.3	1,123	6.8	6.4	7.2
Leukemia	3,603	12.7	12.2	13.1	2,055	16.3	15.6	17.1	1,548	9.9	9.4	10.5
All Other Sites	14,835	51.3	50.4	52.1	6,522	50.6	49.4	51.9	8,313	52.8	51.7	54.0
Breast in Situ (not in total)									4,950	32.6	31.7	33.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Crawford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	630	471.8	434.6	511.6	332	530.9	474.1	593.1	298	438.9	387.3	496.1
Oral Cavity and Pharynx	15	10.6	5.9	18.2	10	15.1	7.1	29.0	5	6.7	2.2	17.8
Esophagus	10	7.7	3.6	14.9	9	15.2	6.8	29.8	1	2.2	0.1	12.6
Stomach	9	8.1	3.5	16.0	7	11.1	4.4	24.1	2	5.9	0.7	20.0
Colon and Rectum	63	50.5	38.5	65.4	39	69.8	49.3	96.3	24	32.7	20.5	50.9
Liver	6	4.6	1.6	10.9	4	5.9	1.5	16.8	2	2.8	0.3	12.7
Pancreas	24	16.8	10.7	25.7	10	16.8	7.9	31.8	14	18.8	10.1	33.6
Lung and Bronchus	108	78.6	64.2	95.5	60	94.9	72.0	123.3	48	67.1	48.9	90.8
Bones and Joints	1	1.3	0.0	6.7	0				1	3.1	0.1	15.3
Melanoma of the Skin	35	27.1	18.5	38.5	18	28.9	16.9	46.8	17	27.4	14.9	46.8
Breast (invasive)	78	61.5	48.1	77.8	1	1.8	0.0	11.0	77	120.0	92.8	153.4
Cervix									0			
Corpus and Uterus, NOS									24	29.5	18.7	45.9
Ovary									6	8.1	2.8	20.0
Prostate					67	102.2	78.8	131.1				
Testis					4	7.5	2.0	19.7				
Urinary Bladder (includes in situ)	22	15.1	9.4	23.6	21	32.2	19.8	50.4	1	2.2	0.1	12.6
Kidney and Renal Pelvis	25	19.0	12.2	28.8	14	19.8	10.7	34.6	11	19.2	9.3	35.9
Brain and Nervous System	10	7.9	3.7	15.3	3	5.9	1.1	18.0	7	9.4	3.8	21.5
Hodgkin Lymphoma	2	2.0	0.2	7.8	1	2.8	0.1	13.7	1	1.2	0.0	10.2
Non-Hodgkin Lymphoma	31	21.6	14.6	31.4	15	22.3	12.3	38.1	16	19.8	11.2	34.2
Myeloma	2	1.2	0.1	5.7	2	2.4	0.3	11.3	0			
Leukemia	15	10.9	6.0	18.6	8	12.9	5.5	26.6	7	9.1	3.6	20.8
All Other Sites	73	56.3	43.7	71.7	39	63.2	44.5	87.6	34	53.7	36.0	77.8
Breast in Situ (not in total)									6	8.9	3.0	21.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Cumberland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	345	471.8	420.8	527.6	177	494.7	421.5	577.7	168	451.5	381.7	531.3
Oral Cavity and Pharynx	6	7.4	2.6	17.7	5	12.3	3.8	31.9	1	2.5	0.1	18.0
Esophagus	5	6.7	2.0	17.3	3	7.2	1.5	24.5	2	6.1	0.5	25.0
Stomach	2	2.7	0.3	11.5	1	1.9	0.0	16.6	1	3.6	0.1	21.0
Colon and Rectum	45	56.4	40.8	76.7	18	47.5	27.8	77.4	27	64.4	41.8	96.6
Liver	3	4.7	0.9	14.6	3	9.2	1.8	28.8	0			
Pancreas	8	11.3	4.8	23.3	4	12.1	3.3	32.7	4	10.6	2.9	29.8
Lung and Bronchus	49	57.6	42.4	77.4	28	70.2	46.4	103.9	21	48.0	29.3	76.5
Bones and Joints	0				0				0			
Melanoma of the Skin	21	36.0	21.5	56.6	14	45.8	24.1	79.2	7	27.0	9.9	57.5
Breast (invasive)	56	81.7	60.6	108.1	1	2.8	0.1	18.6	55	159.1	117.3	211.6
Cervix									1	1.9	0.0	16.9
Corpus and Uterus, NOS									11	26.9	12.8	51.7
Ovary									4	8.6	2.3	26.1
Prostate					40	105.6	74.2	147.0				
Testis					1	4.5	0.1	23.3				
Urinary Bladder (includes in situ)	14	17.5	9.4	30.8	12	28.4	14.6	52.3	2	7.3	0.8	27.2
Kidney and Renal Pelvis	15	20.7	11.2	35.6	9	24.7	10.9	49.7	6	17.3	6.0	40.4
Brain and Nervous System	7	14.7	5.7	30.4	7	29.5	11.6	60.5	0			
Hodgkin Lymphoma	1	1.3	0.0	9.2	1	3.0	0.1	19.0	0			
Non-Hodgkin Lymphoma	8	9.4	3.9	20.1	7	15.8	6.2	36.0	1	3.6	0.1	21.0
Myeloma	2	3.2	0.3	12.7	2	6.4	0.6	25.3	0			
Leukemia	3	5.5	1.1	16.5	1	3.0	0.1	19.0	2	8.6	1.0	30.0
All Other Sites	43	61.2	43.4	84.3	20	64.8	38.6	102.5	23	55.9	34.4	87.6
Breast in Situ (not in total)									4	13.4	3.2	36.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

DeKalb

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,729	525.4	505.4	546.0	1,405	579.1	548.2	611.2	1,324	491.0	464.2	519.0
Oral Cavity and Pharynx	70	13.4	10.3	17.0	49	18.9	13.8	25.2	21	8.0	4.9	12.4
Esophagus	27	4.9	3.2	7.1	22	8.5	5.2	13.0	5	1.6	0.5	3.9
Stomach	36	6.8	4.7	9.4	24	10.2	6.4	15.3	12	4.2	2.2	7.6
Colon and Rectum	229	44.9	39.1	51.2	117	49.6	40.7	59.7	112	41.0	33.6	49.6
Liver	21	3.7	2.3	5.8	15	5.6	3.1	9.5	6	1.9	0.7	4.3
Pancreas	84	16.8	13.3	20.9	39	16.8	11.8	23.1	45	16.7	12.1	22.5
Lung and Bronchus	336	64.7	57.8	72.1	176	75.6	64.6	88.0	160	56.4	47.8	66.0
Bones and Joints	2	0.4	0.0	1.4	1	0.4	0.0	2.4	1	0.3	0.0	2.0
Melanoma of the Skin	162	31.1	26.4	36.5	90	37.3	29.8	46.2	72	26.9	20.9	34.1
Breast (invasive)	374	74.0	66.5	82.1	5	1.6	0.5	4.0	369	139.3	125.0	154.7
Cervix									19	7.7	4.5	12.2
Corpus and Uterus, NOS									71	25.3	19.6	32.2
Ovary									23	8.5	5.3	13.0
Prostate					366	139.7	125.3	155.3				
Testis					16	6.5	3.6	10.8				
Urinary Bladder (includes in situ)	113	22.6	18.6	27.2	92	42.7	34.2	52.6	21	7.3	4.5	11.2
Kidney and Renal Pelvis	101	19.0	15.4	23.2	62	25.3	19.2	32.8	39	13.5	9.5	18.7
Brain and Nervous System	37	7.0	4.9	9.8	28	11.4	7.4	16.7	9	3.4	1.5	6.7
Hodgkin Lymphoma	19	3.1	1.8	5.0	12	4.1	2.1	7.5	7	2.2	0.8	4.8
Non-Hodgkin Lymphoma	99	19.5	15.8	23.8	52	22.7	16.8	29.9	47	17.0	12.4	22.7
Myeloma	46	8.7	6.3	11.7	29	12.0	7.9	17.5	17	6.3	3.6	10.2
Leukemia	100	19.6	15.9	24.0	58	24.3	18.3	31.6	42	15.5	11.1	21.2
All Other Sites	378	75.6	68.0	83.9	152	65.8	55.4	77.4	226	88.0	76.5	100.8
Breast in Situ (not in total)									78	30.0	23.6	37.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

DeWitt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	526	475.6	434.3	520.2	259	502.5	441.1	570.8	267	456.7	401.0	518.7
Oral Cavity and Pharynx	14	12.3	6.5	21.7	5	7.6	2.4	20.3	9	16.4	7.0	33.6
Esophagus	5	3.4	1.1	9.4	5	6.8	2.2	18.9	0			
Stomach	7	5.3	2.1	12.1	4	6.4	1.6	19.2	3	4.5	0.9	16.0
Colon and Rectum	48	44.3	32.2	59.8	29	57.8	38.2	84.7	19	32.8	19.0	53.7
Liver	6	5.4	1.8	12.9	4	6.3	1.7	18.7	2	4.6	0.4	18.1
Pancreas	18	15.0	8.9	24.6	7	12.1	4.7	27.0	11	17.1	8.5	32.6
Lung and Bronchus	90	77.0	61.7	95.6	56	108.9	81.8	143.0	34	53.9	36.8	77.5
Bones and Joints	0				0				0			
Melanoma of the Skin	31	29.5	19.5	43.1	16	31.7	17.7	53.3	15	28.3	15.0	49.2
Breast (invasive)	67	58.2	44.7	74.9	0				67	110.5	84.8	142.6
Cervix									2	2.9	0.3	13.7
Corpus and Uterus, NOS									24	43.1	26.9	66.3
Ovary									4	6.2	1.7	18.4
Prostate					37	61.6	43.0	86.7				
Testis					1	3.0	0.1	15.9				
Urinary Bladder (includes in situ)	30	27.2	18.1	39.7	19	38.5	22.8	61.6	11	18.4	8.9	35.1
Kidney and Renal Pelvis	17	17.1	9.6	28.5	16	33.0	18.3	55.5	1	1.6	0.0	12.1
Brain and Nervous System	7	7.1	2.7	15.5	3	7.8	1.6	22.9	4	6.0	1.6	18.0
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	22	21.9	13.4	34.1	12	26.7	13.2	48.3	10	16.2	7.7	31.7
Myeloma	10	8.9	4.2	17.2	6	11.0	4.0	25.9	4	6.2	1.7	18.4
Leukemia	17	17.9	10.1	29.7	7	18.6	7.2	38.8	10	17.4	7.9	34.3
All Other Sites	69	66.8	51.4	85.6	32	64.7	43.6	93.2	37	70.5	48.6	99.5
Breast in Situ (not in total)									5	7.8	2.5	20.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Douglas

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	625	494.2	454.8	536.3	301	495.8	440.0	557.0	324	505.6	449.1	567.6
Oral Cavity and Pharynx	12	9.0	4.5	16.4	10	16.6	7.7	31.5	2	2.4	0.3	11.1
Esophagus	15	11.8	6.4	20.2	10	16.2	7.5	31.0	5	7.9	2.3	20.1
Stomach	4	3.3	0.8	9.3	4	7.1	1.7	19.4	0			
Colon and Rectum	49	38.3	28.0	51.5	22	35.5	21.9	54.9	27	40.6	26.0	61.0
Liver	7	5.3	2.0	11.6	3	4.8	1.0	15.2	4	6.1	1.5	17.4
Pancreas	20	15.1	9.1	24.0	13	21.9	11.5	38.5	7	9.2	3.6	20.5
Lung and Bronchus	86	67.8	53.9	84.4	47	79.4	58.0	106.5	39	59.9	42.0	83.4
Bones and Joints	2	1.3	0.2	5.7	1	1.8	0.0	10.7	1	1.1	0.0	9.2
Melanoma of the Skin	41	31.5	22.3	43.4	20	32.7	19.8	51.4	21	32.2	19.3	50.7
Breast (invasive)	89	73.1	58.1	91.1	2	4.0	0.4	15.1	87	135.6	107.0	169.8
Cervix									3	5.3	0.9	16.7
Corpus and Uterus, NOS									17	27.4	15.4	45.4
Ovary									7	12.7	4.7	27.2
Prostate					77	118.1	92.8	148.8				
Testis					1	2.4	0.1	12.6				
Urinary Bladder (includes in situ)	27	19.0	12.4	28.2	20	30.1	18.2	47.5	7	10.5	4.1	22.8
Kidney and Renal Pelvis	24	18.3	11.5	27.9	14	22.1	11.8	38.4	10	13.6	6.2	26.8
Brain and Nervous System	5	4.3	1.4	10.5	3	5.7	1.1	17.0	2	2.6	0.3	11.5
Hodgkin Lymphoma	3	3.2	0.7	9.3	2	4.2	0.5	15.0	1	2.2	0.1	12.0
Non-Hodgkin Lymphoma	24	21.0	13.2	32.0	6	11.3	4.0	25.2	18	29.8	17.0	48.6
Myeloma	7	5.6	2.1	12.1	5	9.6	3.0	22.8	2	3.1	0.4	12.4
Leukemia	27	20.2	13.2	30.0	9	15.3	6.9	29.8	18	25.6	14.8	42.0
All Other Sites	78	66.0	51.6	83.2	32	57.3	38.8	81.8	46	77.8	55.9	105.5
Breast in Situ (not in total)									13	25.3	12.9	44.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	25,106	448.2	442.6	454.0	12,248	473.5	464.8	482.2	12,858	435.8	428.1	443.7
Oral Cavity and Pharynx	671	11.6	10.7	12.5	486	17.9	16.3	19.7	185	6.1	5.2	7.1
Esophagus	223	3.9	3.4	4.4	148	5.8	4.9	6.8	75	2.3	1.8	3.0
Stomach	380	6.8	6.1	7.5	233	9.2	8.0	10.5	147	4.8	4.0	5.7
Colon and Rectum	1,985	35.9	34.3	37.6	1,052	41.3	38.8	44.0	933	31.5	29.5	33.7
Liver	271	4.7	4.1	5.3	193	7.3	6.3	8.4	78	2.6	2.0	3.3
Pancreas	751	13.4	12.4	14.4	399	16.1	14.5	17.8	352	11.2	10.0	12.5
Lung and Bronchus	2,671	47.2	45.3	49.0	1,241	49.2	46.4	52.1	1,430	45.9	43.5	48.4
Bones and Joints	56	1.2	0.9	1.6	30	1.3	0.8	1.8	26	1.2	0.8	1.7
Melanoma of the Skin	1,334	24.3	23.0	25.7	766	30.0	27.8	32.2	568	20.5	18.8	22.3
Breast (invasive)	4,269	76.9	74.5	79.3	38	1.6	1.1	2.2	4,231	143.9	139.5	148.5
Cervix									124	4.8	3.9	5.7
Corpus and Uterus, NOS									986	31.2	29.3	33.3
Ovary									320	10.8	9.6	12.1
Prostate					3,173	112.0	108.0	116.1				
Testis					161	7.4	6.3	8.7				
Urinary Bladder (includes in situ)	1,171	20.9	19.7	22.1	912	37.5	35.0	40.1	259	8.2	7.2	9.3
Kidney and Renal Pelvis	882	15.7	14.6	16.8	568	21.4	19.7	23.3	314	10.6	9.4	11.9
Brain and Nervous System	347	6.7	5.9	7.4	199	8.3	7.1	9.5	148	5.3	4.4	6.2
Hodgkin Lymphoma	153	3.3	2.8	3.9	75	3.2	2.5	4.1	78	3.4	2.7	4.3
Non-Hodgkin Lymphoma	1,122	20.5	19.3	21.7	637	25.6	23.6	27.7	485	16.4	14.9	17.9
Myeloma	372	6.5	5.8	7.2	205	8.2	7.1	9.5	167	5.2	4.5	6.1
Leukemia	776	14.4	13.3	15.4	471	19.1	17.4	21.0	305	10.6	9.4	11.9
All Other Sites	2,908	54.6	52.6	56.7	1,261	51.2	48.3	54.2	1,647	59.3	56.3	62.3
Breast in Situ (not in total)									1,193	41.8	39.4	44.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Edgar

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	563	438.1	400.4	478.6	306	483.6	429.1	544.0	257	408.6	355.5	468.0
Oral Cavity and Pharynx	18	12.5	7.3	20.7	15	22.4	12.4	38.9	3	3.9	0.8	14.3
Esophagus	13	8.8	4.6	16.1	11	15.0	7.3	29.3	2	2.7	0.3	12.8
Stomach	7	6.6	2.4	14.7	4	5.9	1.5	17.5	3	7.7	1.4	22.8
Colon and Rectum	59	44.1	33.1	58.1	35	55.7	38.3	79.4	24	32.3	19.6	51.2
Liver	7	4.7	1.9	10.8	4	5.3	1.4	16.4	3	3.7	0.7	14.0
Pancreas	14	9.3	5.1	16.7	7	10.9	4.3	24.5	7	8.6	3.4	20.3
Lung and Bronchus	88	63.4	50.3	79.2	50	78.6	57.8	105.6	38	52.9	36.5	75.2
Bones and Joints	1	0.6	0.0	5.3	0				1	0.8	0.0	10.0
Melanoma of the Skin	26	25.4	16.2	38.1	15	28.1	15.5	47.7	11	25.1	12.0	46.2
Breast (invasive)	65	56.1	42.5	73.0	1	2.3	0.1	13.4	64	103.3	77.4	135.6
Cervix									6	9.4	2.9	23.4
Corpus and Uterus, NOS									20	29.0	16.8	47.9
Ovary									4	6.3	1.6	18.3
Prostate					58	83.4	63.0	109.6				
Testis					4	11.9	3.2	29.7				
Urinary Bladder (includes in situ)	37	26.4	18.3	37.6	27	40.2	26.2	60.3	10	16.8	7.4	33.6
Kidney and Renal Pelvis	21	17.1	10.2	27.2	13	22.1	11.6	39.5	8	14.4	5.5	30.8
Brain and Nervous System	4	3.7	0.9	10.4	3	6.2	1.2	19.4	1	1.3	0.0	10.8
Hodgkin Lymphoma	5	5.3	1.6	12.9	5	10.8	3.4	26.2	0			
Non-Hodgkin Lymphoma	19	13.3	7.9	21.9	11	16.3	8.0	31.2	8	12.6	5.2	26.9
Myeloma	11	7.8	3.7	15.3	5	6.5	2.1	17.9	6	8.8	2.8	22.0
Leukemia	14	14.6	7.7	25.3	9	17.2	7.6	34.3	5	13.0	4.0	30.5
All Other Sites	62	50.2	37.6	65.9	29	44.7	29.5	66.1	33	56.3	37.0	82.4
Breast in Situ (not in total)									10	17.3	7.6	34.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Edwards

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	190	405.1	346.6	471.5	100	449.0	362.8	551.8	90	370.0	291.6	464.6
Oral Cavity and Pharynx	2	3.7	0.4	17.2	1	4.2	0.1	30.6	1	2.3	0.1	26.2
Esophagus	5	8.5	2.8	23.4	4	15.6	4.0	46.8	1	3.1	0.1	27.5
Stomach	2	3.3	0.4	16.2	0				2	6.3	0.8	31.9
Colon and Rectum	21	46.4	28.3	73.0	10	52.1	24.7	98.7	11	38.5	19.0	74.6
Liver	3	5.1	1.1	18.8	3	10.7	2.2	39.1	0			
Pancreas	2	3.8	0.4	17.4	1	3.4	0.1	29.0	1	4.0	0.1	29.5
Lung and Bronchus	39	81.1	56.7	113.7	24	106.7	67.1	163.8	15	58.2	31.5	101.9
Bones and Joints	2	5.4	0.5	21.4	1	7.3	0.2	38.8	1	3.1	0.1	27.5
Melanoma of the Skin	8	19.7	7.6	41.9	5	22.7	7.3	57.4	3	20.9	3.7	61.8
Breast (invasive)	25	55.0	34.4	84.4	0				25	104.4	64.5	161.7
Cervix									1	3.1	0.1	27.5
Corpus and Uterus, NOS									6	30.1	9.4	71.7
Ovary									0			
Prostate					22	89.0	55.4	139.4				
Testis					2	15.6	1.9	53.7				
Urinary Bladder (includes in situ)	3	5.9	1.2	20.4	2	11.2	1.4	42.8	1	3.7	0.1	28.8
Kidney and Renal Pelvis	12	28.3	14.0	51.8	9	41.1	18.3	82.6	3	16.1	2.7	51.2
Brain and Nervous System	1	1.6	0.0	14.0	1	3.4	0.1	29.0	0			
Hodgkin Lymphoma	1	1.6	0.0	14.0	0				1	2.3	0.1	26.2
Non-Hodgkin Lymphoma	4	9.4	2.5	26.1	2	9.8	1.2	39.8	2	9.2	1.0	38.5
Myeloma	4	7.1	1.9	21.7	3	11.5	2.3	40.8	1	3.2	0.1	27.9
Leukemia	6	11.5	4.1	28.1	4	15.9	4.1	47.3	2	6.4	0.8	32.1
All Other Sites	19	40.1	23.6	65.2	6	28.7	10.2	66.7	13	55.0	28.2	99.2
Breast in Situ (not in total)									3	10.3	2.1	37.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Effingham

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,105	498.2	468.1	529.7	558	533.9	489.1	581.9	547	478.7	437.3	523.3
Oral Cavity and Pharynx	26	12.1	7.7	18.2	18	17.1	9.7	28.0	8	6.5	2.7	13.7
Esophagus	9	3.4	1.6	6.9	6	4.9	1.8	11.6	3	2.0	0.4	7.2
Stomach	6	2.5	0.9	5.8	6	6.0	2.1	13.6	0			
Colon and Rectum	109	50.6	41.3	61.5	52	55.2	40.8	73.2	57	46.0	34.5	60.4
Liver	13	5.2	2.7	9.2	11	9.4	4.6	17.6	2	1.5	0.2	6.7
Pancreas	30	12.4	8.3	18.0	11	9.8	4.8	18.2	19	14.0	8.3	22.7
Lung and Bronchus	144	61.4	51.6	72.7	74	69.4	54.2	87.9	70	55.8	43.3	71.3
Bones and Joints	5	3.4	1.0	7.9	2	2.9	0.3	9.8	3	3.9	0.7	11.4
Melanoma of the Skin	62	31.1	23.5	40.3	32	33.5	22.6	47.8	30	30.9	20.2	45.1
Breast (invasive)	163	77.4	65.4	91.0	2	2.1	0.3	8.0	161	147.0	123.8	173.4
Cervix									5	6.7	2.0	15.7
Corpus and Uterus, NOS									41	32.1	22.9	44.4
Ovary									11	10.8	5.0	20.2
Prostate					155	136.4	115.2	160.6				
Testis					6	8.0	2.8	17.3				
Urinary Bladder (includes in situ)	54	23.8	17.7	31.4	42	40.9	29.3	55.9	12	11.0	5.4	20.2
Kidney and Renal Pelvis	43	19.2	13.8	26.3	31	28.3	19.0	40.8	12	11.7	5.8	21.2
Brain and Nervous System	11	5.1	2.5	9.5	7	7.4	2.9	15.6	4	3.2	0.8	9.2
Hodgkin Lymphoma	3	1.6	0.3	4.9	3	3.1	0.6	9.6	0			
Non-Hodgkin Lymphoma	39	18.3	12.8	25.4	19	20.2	11.9	32.2	20	17.2	10.2	27.5
Myeloma	15	6.3	3.5	10.8	8	7.4	3.1	15.3	7	5.9	2.2	13.1
Leukemia	21	9.0	5.5	14.1	12	11.0	5.5	20.0	9	7.0	3.1	14.1
All Other Sites	134	61.9	51.5	74.0	61	60.9	46.1	79.0	73	65.7	50.6	83.9
Breast in Situ (not in total)									15	15.1	8.0	26.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Fayette

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	693	467.9	432.6	505.5	399	551.0	497.2	609.3	294	400.8	353.4	453.3
Oral Cavity and Pharynx	22	14.8	9.1	23.1	14	18.9	10.1	32.8	8	10.0	4.2	21.4
Esophagus	4	2.8	0.7	7.6	3	4.4	0.9	13.6	1	1.3	0.0	9.6
Stomach	9	5.6	2.6	11.3	7	9.1	3.6	19.7	2	2.6	0.3	11.3
Colon and Rectum	62	42.4	32.2	55.1	39	56.4	39.8	78.0	23	28.3	17.6	44.2
Liver	10	5.9	2.8	11.5	6	7.4	2.7	17.3	4	4.3	1.2	13.4
Pancreas	17	11.0	6.3	18.3	13	17.5	9.2	30.7	4	5.8	1.4	16.6
Lung and Bronchus	114	73.4	60.4	88.9	72	95.6	74.5	121.4	42	51.4	36.7	71.1
Bones and Joints	1	0.6	0.0	4.5	0				1	1.1	0.0	9.1
Melanoma of the Skin	38	27.3	19.0	38.1	24	35.0	22.3	52.8	14	21.3	10.9	37.6
Breast (invasive)	94	65.0	52.1	80.4	0				94	129.6	103.1	161.2
Cervix									2	5.1	0.6	17.2
Corpus and Uterus, NOS									21	27.6	16.5	44.0
Ovary									1	1.1	0.0	9.1
Prostate					100	130.1	105.5	159.1				
Testis					5	8.9	2.8	21.0				
Urinary Bladder (includes in situ)	28	17.9	11.8	26.4	23	31.7	20.0	48.4	5	6.1	2.0	16.1
Kidney and Renal Pelvis	33	24.2	16.4	34.7	19	25.6	15.2	41.0	14	24.6	12.7	42.9
Brain and Nervous System	6	5.6	1.9	12.5	5	8.8	2.7	20.9	1	2.5	0.1	12.6
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	30	20.0	13.3	29.2	17	24.5	14.1	39.9	13	17.0	8.6	31.0
Myeloma	9	5.6	2.6	11.3	4	5.9	1.6	15.9	5	5.7	1.8	15.3
Leukemia	17	12.2	6.9	20.2	14	21.2	11.3	36.3	3	3.3	0.7	12.1
All Other Sites	70	49.7	38.4	63.6	34	50.0	34.4	70.6	36	52.2	35.3	74.7
Breast in Situ (not in total)									12	18.6	9.1	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Ford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	473	528.8	479.8	581.7	254	614.6	538.8	698.8	219	472.1	407.4	544.9
Oral Cavity and Pharynx	17	16.9	9.5	28.4	9	19.6	8.7	39.5	8	14.2	5.2	32.5
Esophagus	7	7.6	3.0	16.6	4	9.5	2.5	26.2	3	5.9	1.2	20.1
Stomach	9	10.1	4.3	20.4	6	15.8	5.5	36.0	3	4.3	0.8	17.3
Colon and Rectum	41	45.3	31.8	63.1	22	55.4	34.1	85.7	19	41.6	23.8	68.2
Liver	7	6.3	2.5	14.5	5	10.8	3.4	27.6	2	4.0	0.5	17.4
Pancreas	20	23.9	14.1	38.1	14	38.8	20.6	66.7	6	11.7	4.3	28.0
Lung and Bronchus	65	68.4	52.2	88.4	43	99.3	70.9	136.1	22	41.3	25.5	64.9
Bones and Joints	1	0.7	0.0	6.6	0				1	0.9	0.0	12.6
Melanoma of the Skin	33	36.5	24.8	52.4	19	44.1	26.2	70.8	14	31.1	16.6	54.4
Breast (invasive)	64	74.2	56.4	96.1	1	1.9	0.0	14.5	63	138.9	105.0	181.1
Cervix									3	7.4	1.3	23.8
Corpus and Uterus, NOS									7	12.4	5.0	28.4
Ovary									10	17.3	8.2	34.8
Prostate					46	98.8	71.7	133.9				
Testis					2	8.0	1.0	27.0				
Urinary Bladder (includes in situ)	18	17.9	10.4	29.5	14	35.2	19.0	60.3	4	5.5	1.3	18.9
Kidney and Renal Pelvis	21	24.8	14.9	39.2	14	36.5	19.2	63.2	7	14.9	5.8	32.9
Brain and Nervous System	7	8.7	3.3	18.8	4	10.9	2.9	28.9	3	8.2	1.5	25.4
Hodgkin Lymphoma	1	1.9	0.0	9.7	0				1	3.8	0.1	19.5
Non-Hodgkin Lymphoma	21	21.8	13.1	34.6	13	32.4	16.9	57.1	8	13.3	5.3	29.9
Myeloma	10	12.9	5.9	24.7	7	20.7	8.0	43.6	3	5.0	0.9	18.7
Leukemia	14	17.6	9.4	30.4	11	29.1	14.2	53.5	3	6.6	1.3	21.8
All Other Sites	49	62.9	45.5	84.8	20	48.0	28.8	76.1	29	83.7	54.4	122.8
Breast in Situ (not in total)									10	21.9	10.3	42.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Franklin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,427	512.8	485.4	541.4	746	559.0	518.4	602.2	681	479.1	441.7	519.0
Oral Cavity and Pharynx	43	15.4	11.0	21.1	35	25.6	17.6	36.4	8	6.0	2.4	12.7
Esophagus	30	10.5	7.0	15.3	25	18.3	11.7	27.7	5	3.5	1.1	9.0
Stomach	17	6.2	3.5	10.4	11	8.8	4.2	16.5	6	4.4	1.5	10.5
Colon and Rectum	130	46.5	38.6	55.7	78	61.1	47.8	77.1	52	33.9	25.0	45.3
Liver	17	6.2	3.5	10.2	13	9.0	4.7	16.1	4	3.5	0.8	9.5
Pancreas	37	12.2	8.6	17.1	21	15.1	9.3	23.7	16	9.1	5.2	15.6
Lung and Bronchus	254	85.5	75.1	97.2	141	101.8	85.3	120.8	113	72.1	59.1	87.6
Bones and Joints	1	0.3	0.0	2.4	0				1	0.5	0.0	4.5
Melanoma of the Skin	93	35.1	28.1	43.6	51	38.2	28.2	50.9	42	33.9	24.0	46.8
Breast (invasive)	186	72.0	61.5	83.9	1	0.7	0.0	5.1	185	136.1	116.0	158.9
Cervix									13	11.6	5.9	20.6
Corpus and Uterus, NOS									39	27.1	18.8	38.2
Ovary									11	6.4	3.2	12.3
Prostate					132	91.7	76.5	109.4				
Testis					5	6.2	2.0	14.2				
Urinary Bladder (includes in situ)	76	26.1	20.4	33.1	50	38.2	28.2	51.1	26	15.8	10.1	24.2
Kidney and Renal Pelvis	71	26.9	20.8	34.5	36	30.2	20.9	42.6	35	23.9	16.2	34.3
Brain and Nervous System	17	7.0	3.9	11.7	10	8.4	3.9	16.2	7	6.0	2.2	13.2
Hodgkin Lymphoma	5	2.5	0.7	5.9	3	2.3	0.4	7.7	2	2.7	0.3	9.1
Non-Hodgkin Lymphoma	50	19.1	13.9	25.8	30	24.4	16.1	35.6	20	15.6	9.1	25.1
Myeloma	20	6.5	3.9	10.4	12	8.1	4.2	14.9	8	5.2	2.1	11.2
Leukemia	29	10.7	7.0	15.7	20	16.6	9.9	26.2	9	5.5	2.5	11.2
All Other Sites	151	54.8	46.1	64.9	72	54.3	42.2	69.1	79	56.3	43.9	71.5
Breast in Situ (not in total)									29	21.4	13.9	31.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Fulton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,260	505.5	476.9	535.5	672	564.3	521.6	609.9	588	474.0	433.4	517.6
Oral Cavity and Pharynx	38	15.0	10.5	21.1	28	22.4	14.7	33.1	10	8.4	3.7	16.6
Esophagus	18	6.8	3.9	11.2	15	12.0	6.6	20.5	3	2.0	0.4	7.4
Stomach	8	3.6	1.4	7.5	5	4.1	1.2	10.4	3	3.1	0.5	10.0
Colon and Rectum	131	52.0	43.2	62.2	66	56.9	43.8	73.1	65	46.8	35.6	61.0
Liver	18	6.8	4.0	11.2	15	12.6	7.0	21.3	3	2.1	0.4	7.6
Pancreas	44	17.3	12.4	23.7	23	20.0	12.6	30.5	21	15.2	8.9	24.9
Lung and Bronchus	208	76.9	66.6	88.6	117	93.2	76.8	112.4	91	64.4	51.5	80.3
Bones and Joints	1	0.4	0.0	2.8	1	0.8	0.0	5.5	0			
Melanoma of the Skin	60	25.9	19.5	33.9	29	25.0	16.6	36.5	31	29.9	19.7	43.7
Breast (invasive)	181	73.6	62.9	85.9	0				181	145.9	123.9	171.1
Cervix									11	14.2	6.7	26.1
Corpus and Uterus, NOS									24	19.8	12.1	31.0
Ovary									11	9.4	4.3	18.2
Prostate					143	114.1	96.0	135.1				
Testis					6	6.8	2.5	14.9				
Urinary Bladder (includes in situ)	69	26.1	20.2	33.4	59	50.6	38.4	65.7	10	7.1	3.1	14.6
Kidney and Renal Pelvis	50	20.9	15.3	28.0	36	31.1	21.6	43.7	14	12.0	6.3	21.3
Brain and Nervous System	21	10.5	6.3	16.5	10	10.6	4.9	20.0	11	10.2	4.8	19.4
Hodgkin Lymphoma	4	2.5	0.6	6.4	3	3.8	0.8	10.9	1	0.6	0.0	5.6
Non-Hodgkin Lymphoma	54	21.3	15.8	28.3	30	26.1	17.4	37.9	24	17.5	11.0	27.3
Myeloma	18	7.5	4.3	12.3	10	8.6	4.1	16.5	8	7.0	2.8	15.0
Leukemia	17	7.3	4.1	12.2	10	8.9	4.1	17.0	7	5.3	1.9	12.4
All Other Sites	125	53.3	43.9	64.2	66	56.9	43.7	73.1	59	53.1	39.3	70.4
Breast in Situ (not in total)									41	37.1	26.0	51.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Gallatin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	172	450.0	380.9	529.5	86	470.6	372.1	590.3	86	439.9	343.4	558.0
Oral Cavity and Pharynx	3	9.5	1.5	32.0	3	21.0	3.6	67.8	0			
Esophagus	2	4.3	0.5	21.7	2	8.9	1.1	44.3	0			
Stomach	2	4.3	0.5	21.7	1	4.2	0.1	37.8	1	4.6	0.1	38.6
Colon and Rectum	15	37.7	20.5	66.1	11	58.9	28.4	113.2	4	15.9	4.3	52.8
Liver	0				0				0			
Pancreas	4	8.9	2.4	27.8	0				4	17.0	4.6	54.5
Lung and Bronchus	36	81.4	56.5	116.3	18	93.4	54.4	154.9	18	70.9	41.9	120.6
Bones and Joints	0				0				0			
Melanoma of the Skin	9	26.5	11.5	54.0	4	27.3	7.0	75.0	5	25.4	7.7	68.5
Breast (invasive)	25	76.4	47.4	117.5	1	5.5	0.1	40.6	24	145.2	88.1	227.1
Cervix									1	10.4	0.3	53.4
Corpus and Uterus, NOS									2	8.2	1.0	42.8
Ovary									2	7.2	0.9	41.1
Prostate					15	71.7	40.0	125.4				
Testis					0							
Urinary Bladder (includes in situ)	11	26.4	13.1	51.0	9	47.0	21.1	96.5	2	9.1	1.1	44.7
Kidney and Renal Pelvis	6	13.2	4.8	33.4	4	19.6	5.3	59.4	2	8.6	1.0	43.8
Brain and Nervous System	4	14.4	3.5	39.4	1	7.3	0.2	44.8	3	19.7	3.1	65.5
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	14.4	5.0	35.9	4	17.9	4.8	56.1	2	11.6	1.1	50.9
Myeloma	1	2.0	0.0	18.5	0				1	3.5	0.1	36.5
Leukemia	2	5.7	0.7	24.5	1	7.8	0.2	46.2	1	4.9	0.1	39.3
All Other Sites	26	79.3	49.4	121.3	12	80.0	38.9	147.3	14	77.4	38.5	141.2
Breast in Situ (not in total)									2	8.3	1.0	43.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Greene

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	484	519.1	472.4	569.6	245	558.4	489.2	635.5	239	494.4	430.5	566.3
Oral Cavity and Pharynx	14	14.0	7.6	24.6	11	23.5	11.6	43.9	3	5.4	1.1	19.6
Esophagus	5	4.6	1.5	12.3	4	8.4	2.3	24.0	1	1.7	0.0	14.5
Stomach	4	3.9	1.1	11.4	2	4.0	0.5	17.6	2	3.5	0.4	17.0
Colon and Rectum	35	36.5	25.1	52.0	15	34.6	19.1	58.8	20	38.5	22.9	62.4
Liver	9	9.0	4.0	18.2	4	9.1	2.4	25.4	5	8.8	2.8	24.0
Pancreas	17	17.5	10.1	28.9	8	18.4	7.8	38.1	9	16.6	7.6	34.4
Lung and Bronchus	82	82.3	65.3	103.1	45	97.7	70.9	132.4	37	70.5	49.4	99.4
Bones and Joints	0				0				0			
Melanoma of the Skin	24	26.4	16.7	40.3	9	22.4	10.0	44.0	15	31.0	17.2	53.4
Breast (invasive)	67	72.6	55.8	93.6	1	2.8	0.1	16.5	66	136.3	104.1	176.7
Cervix									4	12.9	3.0	34.6
Corpus and Uterus, NOS									14	30.9	16.0	55.0
Ovary									8	18.8	7.4	40.0
Prostate					53	111.9	83.2	148.4				
Testis					0							
Urinary Bladder (includes in situ)	21	20.1	12.4	31.8	17	37.5	21.7	61.8	4	6.7	1.8	21.0
Kidney and Renal Pelvis	25	29.6	18.7	44.8	16	40.1	22.5	66.7	9	20.1	8.7	41.1
Brain and Nervous System	1	2.1	0.1	10.5	1	3.9	0.1	19.9	0			
Hodgkin Lymphoma	3	5.8	1.2	16.2	1	3.4	0.1	18.2	2	8.6	1.0	28.7
Non-Hodgkin Lymphoma	25	27.5	17.6	41.6	16	37.5	21.1	62.6	9	19.6	8.5	39.9
Myeloma	3	3.4	0.7	11.0	2	5.3	0.6	20.3	1	1.7	0.0	14.5
Leukemia	19	22.6	13.3	36.4	13	32.0	16.8	56.3	6	14.4	4.7	34.4
All Other Sites	51	56.7	41.7	75.8	27	66.0	43.0	97.7	24	48.4	30.0	75.3
Breast in Situ (not in total)									11	23.5	11.3	44.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Grundy

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,552	545.1	517.8	573.5	815	611.6	568.8	656.8	737	503.0	466.6	541.5
Oral Cavity and Pharynx	42	13.9	10.0	19.0	31	20.6	13.9	29.6	11	7.3	3.6	13.3
Esophagus	18	6.0	3.5	9.7	16	11.2	6.3	18.6	2	1.4	0.2	5.3
Stomach	18	6.7	3.9	10.7	10	7.4	3.5	14.0	8	6.1	2.6	12.1
Colon and Rectum	135	48.8	40.8	57.9	75	61.4	47.8	77.6	60	40.9	31.0	53.0
Liver	18	5.9	3.5	9.5	15	10.3	5.6	17.3	3	1.6	0.3	5.3
Pancreas	46	16.8	12.3	22.6	33	26.9	18.3	38.2	13	8.9	4.7	15.4
Lung and Bronchus	195	68.0	58.6	78.5	92	71.3	57.0	88.0	103	66.7	54.3	81.2
Bones and Joints	3	1.0	0.2	3.0	2	1.2	0.1	5.1	1	0.8	0.0	4.4
Melanoma of the Skin	80	28.6	22.6	35.8	45	34.7	24.9	47.0	35	26.2	18.1	36.6
Breast (invasive)	219	77.7	67.6	89.0	0				219	148.6	129.2	170.2
Cervix									13	11.0	5.8	18.8
Corpus and Uterus, NOS									46	30.4	22.1	40.9
Ovary									9	6.4	2.8	12.4
Prostate					210	143.3	124.0	164.8				
Testis					6	5.4	2.0	11.7				
Urinary Bladder (includes in situ)	67	23.3	18.0	29.8	50	38.6	28.3	51.4	17	11.1	6.4	18.1
Kidney and Renal Pelvis	61	20.8	15.8	26.9	33	23.0	15.6	32.7	28	18.1	12.0	26.5
Brain and Nervous System	26	10.0	6.5	14.8	14	11.0	5.9	18.7	12	9.6	4.9	16.8
Hodgkin Lymphoma	9	3.6	1.6	6.9	7	6.1	2.4	12.5	2	1.3	0.2	5.1
Non-Hodgkin Lymphoma	57	20.3	15.3	26.4	35	28.1	19.2	39.6	22	15.0	9.4	23.0
Myeloma	24	8.8	5.6	13.2	11	9.2	4.5	16.5	13	8.5	4.4	14.8
Leukemia	55	19.6	14.7	25.7	30	23.0	15.3	33.3	25	17.2	11.0	25.8
All Other Sites	195	70.4	60.7	81.2	100	79.2	63.9	97.0	95	66.0	53.2	81.1
Breast in Situ (not in total)									41	28.3	20.1	38.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Hamilton

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	247	404.5	352.9	462.2	138	487.0	406.2	580.9	109	348.3	281.0	428.2
Oral Cavity and Pharynx	7	9.5	3.8	22.2	6	19.7	7.0	47.2	1	2.5	0.1	22.1
Esophagus	4	5.6	1.5	17.1	3	10.2	2.0	34.7	1	2.9	0.1	23.0
Stomach	2	3.1	0.4	14.0	1	3.0	0.1	23.7	1	2.9	0.1	23.0
Colon and Rectum	26	42.8	27.0	65.3	14	52.4	27.3	92.5	12	30.8	14.7	60.5
Liver	2	3.7	0.4	15.5	1	4.8	0.1	27.9	1	1.7	0.0	20.7
Pancreas	8	11.5	4.9	24.9	4	12.5	3.4	37.0	4	10.0	2.6	32.1
Lung and Bronchus	36	54.1	37.7	76.6	22	75.7	47.1	117.6	14	40.4	21.5	72.4
Bones and Joints	1	3.0	0.1	15.4	1	5.7	0.1	30.5	0			
Melanoma of the Skin	21	38.0	22.6	60.6	12	43.5	21.8	79.8	9	35.8	14.9	72.4
Breast (invasive)	29	49.2	32.2	73.0	0				29	93.1	60.4	139.1
Cervix									1	6.8	0.2	33.3
Corpus and Uterus, NOS									8	28.2	11.3	60.2
Ovary									6	17.0	6.2	42.0
Prostate					28	88.5	58.3	131.6				
Testis					2	13.0	1.6	44.1				
Urinary Bladder (includes in situ)	13	18.8	10.0	34.2	11	37.7	18.7	70.9	2	5.1	0.6	25.6
Kidney and Renal Pelvis	10	18.4	8.3	36.0	6	22.7	7.8	53.3	4	16.2	3.9	45.1
Brain and Nervous System	3	4.6	0.9	16.0	2	6.7	0.8	29.2	1	2.9	0.1	23.0
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	10	18.3	8.1	36.1	6	22.8	7.6	54.3	4	14.1	3.2	41.3
Myeloma	2	2.8	0.3	13.3	2	6.4	0.7	28.7	0			
Leukemia	4	5.5	1.5	16.9	3	10.4	2.0	35.0	1	2.5	0.1	22.1
All Other Sites	24	42.1	26.1	65.2	14	51.4	27.2	90.3	10	35.5	15.9	69.9
Breast in Situ (not in total)									7	23.3	8.8	52.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Hancock

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	656	481.5	442.6	523.3	342	508.9	453.4	570.1	314	459.6	405.1	520.0
Oral Cavity and Pharynx	20	12.2	7.4	20.0	15	19.7	10.9	34.6	5	5.0	1.6	15.3
Esophagus	8	4.6	2.0	10.3	7	8.1	3.2	19.4	1	0.8	0.0	9.9
Stomach	9	5.8	2.6	12.0	7	9.5	3.8	21.8	2	2.5	0.3	12.3
Colon and Rectum	59	39.9	29.9	52.7	25	34.7	22.0	53.4	34	43.2	29.0	63.2
Liver	8	8.1	3.3	16.6	6	13.3	4.6	29.6	2	2.5	0.3	12.4
Pancreas	18	12.1	6.9	20.4	5	8.4	2.3	22.0	13	15.1	8.0	28.2
Lung and Bronchus	99	67.7	54.5	83.6	51	72.0	53.1	96.6	48	62.4	45.0	85.6
Bones and Joints	0				0				0			
Melanoma of the Skin	42	32.4	22.7	45.3	23	33.4	21.0	51.7	19	33.9	19.2	55.8
Breast (invasive)	70	56.0	42.6	72.6	2	3.1	0.4	13.4	68	106.9	80.6	139.6
Cervix									3	5.7	0.8	19.1
Corpus and Uterus, NOS									28	43.8	27.6	66.8
Ovary									13	22.6	10.9	41.6
Prostate					78	108.2	84.7	137.4				
Testis					2	6.3	0.8	21.1				
Urinary Bladder (includes in situ)	35	22.8	15.6	33.0	26	35.1	22.6	53.5	9	13.0	5.5	27.4
Kidney and Renal Pelvis	31	25.7	16.8	37.9	24	41.5	25.5	64.2	7	11.4	4.3	25.6
Brain and Nervous System	7	7.1	2.7	15.4	3	5.7	1.1	18.2	4	8.3	1.9	22.8
Hodgkin Lymphoma	3	4.0	0.7	11.7	1	1.4	0.0	10.8	2	6.7	0.8	22.1
Non-Hodgkin Lymphoma	24	17.3	10.7	27.1	15	24.7	13.1	43.2	9	11.1	5.0	23.5
Myeloma	12	8.2	4.1	15.6	8	11.7	4.7	25.5	4	4.8	1.3	15.3
Leukemia	21	14.4	8.5	23.4	10	15.1	6.9	30.0	11	14.1	6.4	28.5
All Other Sites	66	50.9	38.5	66.5	34	57.1	38.4	82.4	32	45.8	30.2	67.5
Breast in Situ (not in total)									13	18.4	9.3	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Hardin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	153	451.7	376.9	539.8	94	527.2	421.7	658.2	59	380.9	277.0	515.3
Oral Cavity and Pharynx	3	6.6	1.3	29.9	3	13.9	2.8	60.9	0			
Esophagus	2	7.2	0.8	32.7	2	13.9	1.5	64.5	0			
Stomach	4	11.0	2.9	36.3	1	6.3	0.2	52.7	3	15.9	3.2	65.3
Colon and Rectum	19	55.6	31.8	94.5	12	74.9	35.2	146.7	7	35.2	14.1	88.8
Liver	0				0				0			
Pancreas	7	15.3	6.1	40.5	5	22.8	7.4	71.6	2	8.7	1.0	55.2
Lung and Bronchus	35	101.4	69.2	147.3	21	119.5	72.6	194.8	14	82.4	42.6	153.3
Bones and Joints	0				0				0			
Melanoma of the Skin	6	21.4	6.6	54.4	5	26.1	8.4	77.1	1	15.7	0.4	78.4
Breast (invasive)	7	29.4	9.9	67.8	0				7	59.9	19.6	139.5
Cervix									0			
Corpus and Uterus, NOS									6	42.2	12.2	109.4
Ovary									1	15.7	0.4	78.4
Prostate					16	85.5	48.1	151.8				
Testis					0							
Urinary Bladder (includes in situ)	7	19.5	7.8	47.2	6	33.7	12.3	87.7	1	4.7	0.1	50.8
Kidney and Renal Pelvis	7	21.1	7.8	50.9	5	27.4	8.7	79.4	2	15.8	1.3	71.4
Brain and Nervous System	2	4.8	0.6	28.0	1	4.3	0.1	49.2	1	5.9	0.1	53.0
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	14.4	5.2	39.9	4	21.8	5.8	72.3	2	7.8	0.9	53.7
Myeloma	1	2.3	0.1	25.0	1	4.6	0.1	49.6	0			
Leukemia	2	5.0	0.6	28.5	1	4.3	0.1	49.2	1	5.8	0.1	52.9
All Other Sites	22	66.2	39.5	107.9	11	68.1	32.8	134.4	11	65.2	28.5	135.4
Breast in Situ (not in total)									3	16.6	3.3	66.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Henderson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	245	420.6	365.3	483.2	130	427.6	354.3	515.2	115	420.2	339.1	517.5
Oral Cavity and Pharynx	9	12.9	5.9	28.6	8	22.4	9.6	52.9	1	3.2	0.1	29.3
Esophagus	3	4.7	1.0	18.6	2	6.6	0.8	33.9	1	2.9	0.1	28.8
Stomach	3	4.0	0.8	17.3	2	6.8	0.8	34.2	1	1.8	0.0	27.1
Colon and Rectum	16	24.7	13.9	43.7	8	23.9	10.2	55.3	8	25.6	10.6	58.7
Liver	2	3.2	0.4	16.7	2	6.3	0.8	33.3	0			
Pancreas	6	8.6	3.2	23.3	3	9.3	1.9	37.0	3	8.4	1.7	35.5
Lung and Bronchus	48	76.0	55.2	104.3	28	88.5	58.4	134.2	20	65.8	38.4	109.9
Bones and Joints	0				0				0			
Melanoma of the Skin	17	29.4	16.1	51.2	9	30.9	13.7	65.8	8	29.0	10.5	67.3
Breast (invasive)	26	51.2	32.1	78.9	0				26	98.8	62.5	152.2
Cervix									2	11.2	1.0	45.1
Corpus and Uterus, NOS									7	21.9	8.4	53.7
Ovary									2	4.7	0.5	30.6
Prostate					28	90.0	59.1	136.6				
Testis					1	8.5	0.2	42.9				
Urinary Bladder (includes in situ)	13	19.0	10.0	36.1	12	40.8	21.0	77.7	1	2.8	0.1	28.7
Kidney and Renal Pelvis	12	20.6	10.0	40.2	6	19.1	7.0	49.7	6	21.6	6.8	56.3
Brain and Nervous System	1	4.0	0.1	20.6	0				1	8.1	0.2	41.5
Hodgkin Lymphoma	2	8.4	1.0	28.4	1	8.4	0.2	42.4	1	8.4	0.2	42.6
Non-Hodgkin Lymphoma	6	16.0	5.0	38.2	2	5.9	0.7	32.6	4	26.4	6.2	70.6
Myeloma	2	2.8	0.3	15.9	0				2	5.6	0.7	32.1
Leukemia	4	5.6	1.5	19.4	2	5.3	0.6	31.5	2	5.5	0.7	31.9
All Other Sites	35	62.4	41.8	91.4	16	54.8	29.8	97.1	19	68.4	38.5	116.0
Breast in Situ (not in total)									7	20.5	8.2	50.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Henry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,700	481.9	458.2	506.6	885	515.3	480.7	551.9	815	456.3	423.5	491.1
Oral Cavity and Pharynx	47	14.5	10.4	19.6	35	21.9	15.0	31.3	12	7.3	3.6	13.5
Esophagus	22	6.3	3.8	9.8	19	11.5	6.8	18.5	3	1.9	0.3	6.2
Stomach	14	3.6	1.9	6.3	9	5.2	2.3	10.5	5	2.2	0.7	6.1
Colon and Rectum	136	37.6	31.3	44.8	73	42.8	33.2	54.6	63	31.9	24.2	41.6
Liver	26	6.7	4.3	10.1	22	12.2	7.6	19.0	4	1.8	0.5	5.7
Pancreas	51	14.1	10.4	18.9	31	18.4	12.4	26.6	20	10.4	6.1	16.9
Lung and Bronchus	246	63.7	55.9	72.5	121	66.1	54.7	79.6	125	61.8	51.2	74.4
Bones and Joints	3	1.0	0.2	3.2	2	1.4	0.2	5.4	1	0.5	0.0	3.9
Melanoma of the Skin	105	32.0	25.8	39.3	61	35.5	26.9	46.2	44	30.8	21.8	42.3
Breast (invasive)	208	59.2	51.0	68.3	3	1.7	0.3	5.7	205	112.3	96.6	130.0
Cervix									23	16.6	10.1	25.6
Corpus and Uterus, NOS									61	35.4	26.7	46.3
Ovary									25	15.4	9.5	23.7
Prostate					218	115.3	100.2	132.4				
Testis					10	9.4	4.4	17.2				
Urinary Bladder (includes in situ)	69	18.1	14.0	23.3	49	28.5	20.9	38.2	20	10.0	5.9	16.2
Kidney and Renal Pelvis	66	21.6	16.4	28.0	44	29.4	20.9	40.3	22	14.2	8.6	22.2
Brain and Nervous System	16	5.4	2.9	9.0	12	8.5	4.2	15.4	4	2.2	0.5	6.6
Hodgkin Lymphoma	3	1.1	0.2	3.4	2	1.5	0.1	5.9	1	0.5	0.0	3.9
Non-Hodgkin Lymphoma	87	23.8	18.8	29.8	50	29.1	21.3	39.0	37	19.2	13.2	27.4
Myeloma	17	4.2	2.5	7.1	13	7.0	3.7	12.6	4	1.8	0.5	5.6
Leukemia	45	13.9	9.9	19.0	23	14.9	9.3	22.9	22	14.0	8.4	22.0
All Other Sites	202	60.5	52.0	70.0	88	54.9	43.7	68.3	114	66.3	53.9	80.8
Breast in Situ (not in total)									58	37.2	27.7	49.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Iroquois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,043	509.3	477.1	543.3	558	567.0	519.0	618.7	485	465.7	422.1	513.0
Oral Cavity and Pharynx	29	13.3	8.7	19.8	20	18.3	11.1	29.4	9	8.7	3.5	18.5
Esophagus	14	8.5	4.3	14.9	13	16.8	8.5	30.0	1	0.5	0.0	6.2
Stomach	19	8.8	5.2	14.3	14	14.4	7.8	25.2	5	4.1	1.3	11.1
Colon and Rectum	105	54.1	43.6	66.5	53	52.5	38.9	69.8	52	55.6	40.2	75.1
Liver	11	4.9	2.4	9.4	5	4.4	1.4	11.7	6	5.4	1.9	13.2
Pancreas	32	14.8	9.9	21.6	19	20.8	12.2	33.6	13	10.1	5.3	18.8
Lung and Bronchus	168	75.3	64.1	88.2	96	89.3	72.1	110.1	72	63.5	49.2	81.3
Bones and Joints	3	1.1	0.2	4.3	3	2.6	0.5	9.3	0			
Melanoma of the Skin	58	30.8	22.9	40.8	31	30.2	20.4	43.8	27	34.2	21.6	51.4
Breast (invasive)	127	65.1	53.6	78.5	2	2.4	0.3	9.6	125	122.6	100.6	148.4
Cervix									4	6.0	1.5	15.8
Corpus and Uterus, NOS									28	23.1	15.2	34.6
Ovary									14	13.4	6.8	24.2
Prostate					119	112.3	92.6	135.5				
Testis					4	8.2	2.2	19.9				
Urinary Bladder (includes in situ)	40	17.9	12.7	24.9	32	32.1	21.8	46.2	8	6.7	2.8	14.7
Kidney and Renal Pelvis	57	26.9	20.0	35.7	40	40.2	28.2	56.2	17	15.8	8.8	26.9
Brain and Nervous System	16	8.6	4.8	14.6	5	4.7	1.5	12.3	11	12.6	6.0	23.8
Hodgkin Lymphoma	6	3.3	1.1	7.9	5	5.9	1.7	15.0	1	0.9	0.0	6.9
Non-Hodgkin Lymphoma	42	20.6	14.6	28.6	25	27.7	17.4	42.4	17	13.9	8.1	23.5
Myeloma	21	9.8	6.0	15.5	11	11.0	5.4	20.7	10	8.6	4.0	17.3
Leukemia	20	11.6	6.8	18.7	14	18.2	9.6	31.4	6	5.8	1.9	14.3
All Other Sites	106	55.0	44.3	67.6	47	55.2	39.7	74.9	59	54.1	40.2	71.9
Breast in Situ (not in total)									23	24.0	14.8	37.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Jackson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,479	463.9	439.6	489.2	780	526.1	488.5	565.8	699	418.0	385.9	452.1
Oral Cavity and Pharynx	42	13.0	9.2	17.9	29	18.5	12.2	27.1	13	8.3	4.2	14.7
Esophagus	21	6.7	4.1	10.5	15	10.1	5.5	17.1	6	3.6	1.3	8.3
Stomach	14	4.6	2.4	7.9	8	5.5	2.3	11.3	6	3.4	1.1	8.1
Colon and Rectum	136	42.5	35.4	50.7	79	54.3	42.5	68.3	57	31.5	23.3	41.7
Liver	23	7.3	4.6	11.2	13	8.8	4.5	15.5	10	5.9	2.8	11.3
Pancreas	35	9.4	6.5	13.3	19	12.1	7.1	19.3	16	7.0	4.0	12.0
Lung and Bronchus	235	71.5	62.4	81.6	127	83.8	69.4	100.4	108	60.9	49.6	74.1
Bones and Joints	0				0				0			
Melanoma of the Skin	82	26.0	20.4	32.6	49	35.3	25.8	47.1	33	19.8	13.3	28.6
Breast (invasive)	205	67.9	58.5	78.3	2	1.5	0.2	5.7	203	127.8	109.9	147.8
Cervix									10	7.0	3.2	13.2
Corpus and Uterus, NOS									40	24.5	17.2	34.1
Ovary									15	9.4	5.1	15.8
Prostate					162	101.0	85.7	118.5				
Testis					4	4.0	1.1	9.8				
Urinary Bladder (includes in situ)	76	22.0	17.2	27.8	63	41.6	31.7	53.7	13	6.9	3.6	12.3
Kidney and Renal Pelvis	63	21.7	16.5	28.1	35	26.8	18.4	37.6	28	17.3	11.2	25.6
Brain and Nervous System	21	7.9	4.8	12.2	14	11.0	5.9	18.6	7	5.0	1.8	10.8
Hodgkin Lymphoma	6	1.8	0.6	4.2	5	3.2	0.9	8.2	1	0.3	0.0	3.2
Non-Hodgkin Lymphoma	60	19.4	14.6	25.2	33	22.5	15.2	32.0	27	17.3	11.1	25.7
Myeloma	18	5.1	3.0	8.3	11	6.2	3.1	11.6	7	3.9	1.5	8.5
Leukemia	45	14.5	10.4	19.7	33	23.4	15.9	33.4	12	6.9	3.5	12.6
All Other Sites	166	52.8	44.8	62.0	79	56.4	44.3	70.9	87	51.4	40.5	64.3
Breast in Situ (not in total)									29	18.7	12.1	27.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Jasper

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	327	486.5	432.5	545.9	186	563.8	482.7	655.6	141	427.4	354.8	511.4
Oral Cavity and Pharynx	6	9.1	3.3	21.4	5	16.7	5.3	41.3	1	2.7	0.1	20.3
Esophagus	2	2.5	0.3	11.6	2	5.3	0.6	23.6	0			
Stomach	5	5.9	1.9	16.0	5	12.7	4.1	33.7	0			
Colon and Rectum	31	44.0	29.3	64.2	14	44.4	23.7	77.4	17	45.4	25.5	77.0
Liver	4	4.8	1.3	14.6	2	5.2	0.6	23.5	2	4.3	0.5	21.9
Pancreas	13	20.2	10.3	36.3	6	18.3	6.1	43.7	7	20.7	7.8	46.5
Lung and Bronchus	46	64.2	46.6	87.1	26	76.8	49.6	115.3	20	53.4	32.0	86.0
Bones and Joints	0				0				0			
Melanoma of the Skin	15	24.8	13.2	42.9	11	38.2	18.4	70.8	4	15.5	3.6	42.4
Breast (invasive)	44	72.8	51.5	100.2	1	2.3	0.1	19.1	43	143.1	100.4	198.3
Cervix									4	13.8	2.9	39.6
Corpus and Uterus, NOS									8	25.3	10.4	53.0
Ovary									5	11.7	3.8	31.9
Prostate					55	156.6	117.2	206.9				
Testis					2	11.3	1.4	37.8				
Urinary Bladder (includes in situ)	16	21.8	12.3	36.8	11	33.0	16.3	61.8	5	11.8	3.7	32.2
Kidney and Renal Pelvis	13	24.5	12.4	43.4	10	37.3	16.8	71.4	3	11.0	2.1	34.5
Brain and Nervous System	4	6.6	1.6	18.6	2	7.6	0.7	29.8	2	4.9	0.6	23.0
Hodgkin Lymphoma	2	3.6	0.3	14.4	1	2.3	0.1	19.2	1	5.0	0.1	26.2
Non-Hodgkin Lymphoma	10	14.4	6.8	28.1	4	12.2	3.2	34.5	6	16.4	5.8	39.6
Myeloma	5	6.6	2.1	17.4	2	4.6	0.6	22.3	3	7.7	1.5	27.2
Leukemia	11	15.1	7.4	28.6	10	28.5	13.5	55.5	1	3.2	0.1	21.3
All Other Sites	26	39.9	25.4	60.3	17	50.2	28.8	83.2	9	31.8	13.5	63.6
Breast in Situ (not in total)									5	14.5	4.2	38.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Jefferson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,254	490.3	462.7	519.4	706	571.1	528.8	616.0	548	428.8	391.5	468.9
Oral Cavity and Pharynx	39	15.9	11.1	22.0	30	25.5	17.0	36.9	9	6.1	2.8	12.4
Esophagus	21	7.7	4.7	12.1	18	13.7	8.0	22.2	3	1.7	0.3	6.3
Stomach	13	4.5	2.4	8.1	6	4.8	1.7	11.0	7	4.6	1.8	10.5
Colon and Rectum	123	46.8	38.7	56.2	67	53.7	41.4	68.8	56	41.4	30.9	54.7
Liver	23	8.6	5.3	13.3	19	14.9	8.8	24.0	4	2.5	0.7	7.7
Pancreas	50	18.8	13.8	25.1	28	23.2	15.3	34.0	22	14.5	9.0	23.0
Lung and Bronchus	215	80.6	70.0	92.6	119	94.5	78.0	113.7	96	69.1	55.5	85.5
Bones and Joints	1	0.3	0.0	2.4	0				1	0.6	0.0	5.0
Melanoma of the Skin	82	34.7	27.3	43.6	54	46.8	34.9	61.7	28	24.1	15.5	36.0
Breast (invasive)	139	58.5	48.7	69.6	1	0.6	0.0	4.8	138	116.4	96.5	139.3
Cervix									9	9.0	4.0	17.4
Corpus and Uterus, NOS									37	27.3	18.8	38.6
Ovary									10	7.6	3.6	14.8
Prostate					142	108.9	91.5	129.0				
Testis					2	2.0	0.2	7.5				
Urinary Bladder (includes in situ)	69	26.3	20.3	33.6	58	47.5	35.8	61.9	11	8.5	4.1	16.1
Kidney and Renal Pelvis	47	19.4	14.0	26.3	30	26.0	17.3	37.8	17	13.2	7.4	22.2
Brain and Nervous System	13	5.9	3.0	10.4	7	6.5	2.5	13.9	6	5.3	1.8	12.1
Hodgkin Lymphoma	4	2.4	0.6	6.0	1	1.3	0.0	6.6	3	3.7	0.7	10.6
Non-Hodgkin Lymphoma	40	15.4	10.9	21.3	27	21.3	13.9	31.6	13	10.0	5.1	18.0
Myeloma	14	5.0	2.7	8.7	8	6.9	3.0	14.0	6	3.5	1.3	8.8
Leukemia	39	15.2	10.7	21.1	22	18.7	11.5	28.7	17	11.0	6.1	18.7
All Other Sites	122	49.8	41.0	60.0	67	54.1	41.7	69.3	55	48.7	35.9	64.6
Breast in Situ (not in total)									27	23.5	15.1	35.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Jersey

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	737	486.5	450.6	524.7	367	504.3	452.6	560.9	370	475.0	425.0	529.6
Oral Cavity and Pharynx	19	13.0	7.6	21.1	13	18.5	9.6	32.9	6	7.9	2.5	19.1
Esophagus	11	6.3	3.1	12.1	10	12.3	5.8	24.0	1	0.9	0.0	8.3
Stomach	10	5.7	2.7	11.2	3	3.6	0.7	12.4	7	7.3	2.9	16.9
Colon and Rectum	65	44.7	34.1	57.9	32	45.0	30.5	64.8	33	44.6	29.8	64.6
Liver	5	2.8	0.9	7.4	5	5.8	1.9	15.4	0			
Pancreas	25	15.8	10.1	23.9	14	18.5	10.0	32.2	11	13.0	6.3	24.9
Lung and Bronchus	110	68.6	56.2	83.3	56	73.5	55.2	96.8	54	63.6	47.4	84.4
Bones and Joints	0				0				0			
Melanoma of the Skin	48	33.7	24.4	45.6	23	30.3	19.0	46.8	25	38.7	24.2	58.7
Breast (invasive)	101	68.3	55.1	84.0	1	1.1	0.0	8.8	100	128.6	103.3	158.7
Cervix									0			
Corpus and Uterus, NOS									29	42.5	27.5	63.0
Ovary									4	4.2	1.1	12.9
Prostate					77	100.5	78.9	126.8				
Testis					1	2.4	0.1	12.2				
Urinary Bladder (includes in situ)	31	20.3	13.6	29.5	22	30.1	18.6	46.8	9	11.3	4.8	23.3
Kidney and Renal Pelvis	29	20.1	13.2	29.7	21	31.5	19.1	49.4	8	9.6	3.9	20.6
Brain and Nervous System	10	7.6	3.4	14.8	4	6.1	1.4	17.1	6	8.9	2.9	20.9
Hodgkin Lymphoma	9	7.3	3.3	14.2	6	9.5	3.4	21.4	3	5.4	1.1	16.0
Non-Hodgkin Lymphoma	39	25.8	18.0	36.1	23	34.9	21.6	53.7	16	18.4	10.3	31.5
Myeloma	10	7.8	3.5	14.9	3	6.2	1.1	18.4	7	8.7	3.5	19.4
Leukemia	23	16.1	9.9	24.9	13	19.5	10.0	34.7	10	12.8	5.8	25.2
All Other Sites	81	51.0	40.2	64.1	40	55.3	39.2	76.4	41	48.5	34.3	67.6
Breast in Situ (not in total)									11	14.9	7.2	28.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Jo Daviess

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	858	468.1	433.4	505.1	470	504.0	455.3	557.3	388	439.5	390.2	493.9
Oral Cavity and Pharynx	36	20.2	13.6	29.5	24	26.7	16.4	42.3	12	13.9	6.4	27.5
Esophagus	18	9.0	4.9	15.8	15	13.4	7.4	24.5	3	4.8	0.6	16.9
Stomach	4	2.7	0.6	8.1	4	5.4	1.3	16.3	0			
Colon and Rectum	58	35.0	25.8	47.0	34	42.3	28.2	61.7	24	28.3	16.9	45.5
Liver	7	3.6	1.3	8.8	5	5.5	1.6	15.6	2	1.7	0.2	10.3
Pancreas	31	14.6	9.6	22.2	16	16.6	8.7	30.0	15	12.1	6.7	22.9
Lung and Bronchus	105	50.2	40.7	62.0	52	52.7	39.0	71.1	53	50.4	37.0	68.6
Bones and Joints	3	2.4	0.3	8.2	0				3	4.8	0.6	16.8
Melanoma of the Skin	48	25.3	18.0	35.2	28	28.9	18.6	44.4	20	22.5	12.6	38.2
Breast (invasive)	120	71.8	57.8	88.5	0				120	140.9	113.2	174.0
Cervix									3	5.2	0.8	17.3
Corpus and Uterus, NOS									25	23.5	14.4	37.9
Ovary									9	11.5	4.4	25.2
Prostate					122	112.7	92.9	136.9				
Testis					3	8.0	1.6	22.5				
Urinary Bladder (includes in situ)	51	24.4	17.9	33.4	38	37.6	26.5	53.4	13	13.0	6.0	26.0
Kidney and Renal Pelvis	33	20.3	13.1	30.3	24	28.8	17.2	46.0	9	12.1	4.8	26.2
Brain and Nervous System	8	6.4	2.3	14.1	6	9.1	2.7	22.5	2	3.7	0.2	15.3
Hodgkin Lymphoma	7	6.9	2.5	15.1	6	12.8	4.3	28.7	1	0.7	0.0	9.2
Non-Hodgkin Lymphoma	24	14.5	8.6	23.3	16	21.0	10.9	37.3	8	8.0	3.0	19.1
Myeloma	7	2.9	1.2	7.6	5	4.2	1.3	13.1	2	1.7	0.2	10.3
Leukemia	20	12.0	6.7	20.3	16	18.6	9.7	33.2	4	5.5	1.0	17.4
All Other Sites	116	66.6	53.4	82.3	56	59.8	43.8	80.7	60	75.2	54.6	101.8
Breast in Situ (not in total)									22	29.9	17.4	48.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Johnson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	426	455.4	411.7	503.0	248	524.1	459.5	596.4	178	396.9	336.5	466.4
Oral Cavity and Pharynx	10	11.1	5.2	21.6	8	18.9	8.0	39.1	2	3.8	0.5	19.5
Esophagus	4	4.2	1.2	12.4	2	4.2	0.5	18.2	2	3.5	0.4	18.8
Stomach	2	2.6	0.3	10.5	2	4.9	0.6	19.9	0			
Colon and Rectum	38	42.3	29.4	59.5	28	59.7	39.3	88.4	10	27.6	11.9	55.1
Liver	12	12.2	6.3	22.7	10	20.4	9.7	39.8	2	4.0	0.5	19.8
Pancreas	13	12.5	6.6	22.7	8	16.8	7.2	35.3	5	8.8	2.9	25.6
Lung and Bronchus	87	87.4	69.6	109.1	50	104.1	76.8	139.3	37	72.3	50.3	103.1
Bones and Joints	1	1.1	0.0	8.0	1	2.2	0.1	15.3	0			
Melanoma of the Skin	20	23.9	14.2	38.5	14	29.5	15.7	51.9	6	18.9	6.0	44.6
Breast (invasive)	54	59.7	44.3	79.4	0				54	122.0	89.7	163.8
Cervix									2	7.3	0.7	28.1
Corpus and Uterus, NOS									8	18.1	7.2	39.8
Ovary									1	1.8	0.0	16.7
Prostate					51	100.2	74.3	133.9				
Testis					1	3.1	0.1	17.7				
Urinary Bladder (includes in situ)	25	24.6	15.9	37.5	19	38.2	22.9	61.7	6	10.9	4.0	28.4
Kidney and Renal Pelvis	15	16.9	9.1	29.3	7	16.0	6.1	35.3	8	16.8	7.1	37.0
Brain and Nervous System	5	6.0	1.7	15.6	4	10.2	2.4	28.6	1	1.7	0.0	16.5
Hodgkin Lymphoma	2	1.9	0.2	9.0	1	2.2	0.1	15.3	1	1.7	0.0	16.5
Non-Hodgkin Lymphoma	14	15.3	8.2	26.9	8	18.3	7.7	38.2	6	11.3	4.1	29.0
Myeloma	5	5.0	1.6	13.3	4	8.2	2.2	23.6	1	1.8	0.0	16.7
Leukemia	9	9.1	4.2	18.7	8	16.7	7.1	35.2	1	2.2	0.1	17.6
All Other Sites	47	54.4	39.3	74.0	22	50.5	31.1	78.6	25	62.4	38.7	96.7
Breast in Situ (not in total)									4	8.5	2.1	26.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	12,663	431.4	423.7	439.1	6,322	461.5	449.8	473.4	6,341	413.2	402.9	423.7
Oral Cavity and Pharynx	351	11.6	10.4	12.9	247	16.9	14.8	19.2	104	6.8	5.5	8.3
Esophagus	102	3.4	2.7	4.1	88	6.2	4.9	7.7	14	0.9	0.5	1.6
Stomach	199	6.9	6.0	8.0	126	9.5	7.8	11.3	73	4.9	3.8	6.2
Colon and Rectum	996	34.3	32.1	36.5	526	38.2	34.9	41.7	470	30.6	27.9	33.6
Liver	151	5.0	4.2	5.8	111	8.0	6.5	9.7	40	2.5	1.8	3.4
Pancreas	396	13.6	12.2	15.0	207	15.7	13.6	18.1	189	11.9	10.2	13.7
Lung and Bronchus	1,353	46.7	44.2	49.3	658	50.8	46.9	55.0	695	43.7	40.5	47.1
Bones and Joints	29	1.0	0.7	1.5	20	1.5	0.9	2.3	9	0.6	0.3	1.1
Melanoma of the Skin	649	22.4	20.6	24.2	359	26.4	23.7	29.4	290	19.6	17.3	22.0
Breast (invasive)	1,991	67.8	64.8	70.9	10	0.7	0.3	1.4	1,981	128.8	123.0	134.7
Cervix									77	5.5	4.3	6.9
Corpus and Uterus, NOS									436	26.9	24.4	29.6
Ovary									144	9.3	7.8	10.9
Prostate					1,705	114.6	109.1	120.4				
Testis					97	7.8	6.3	9.5				
Urinary Bladder (includes in situ)	569	20.1	18.4	21.8	446	35.9	32.6	39.6	123	7.6	6.3	9.2
Kidney and Renal Pelvis	484	16.6	15.1	18.2	313	22.6	20.1	25.4	171	11.3	9.6	13.1
Brain and Nervous System	180	6.3	5.4	7.4	103	7.4	6.0	9.0	77	5.3	4.1	6.6
Hodgkin Lymphoma	64	2.4	1.8	3.0	26	1.9	1.2	2.8	38	2.8	2.0	3.9
Non-Hodgkin Lymphoma	544	18.9	17.3	20.6	306	23.1	20.5	26.0	238	15.4	13.5	17.6
Myeloma	204	7.0	6.0	8.0	104	7.8	6.3	9.5	100	6.4	5.2	7.9
Leukemia	362	12.8	11.5	14.2	213	16.2	14.0	18.6	149	10.1	8.6	12.0
All Other Sites	1,580	55.5	52.8	58.4	657	50.2	46.3	54.3	923	62.3	58.2	66.5
Breast in Situ (not in total)									462	30.4	27.6	33.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,371	494.8	477.7	512.4	1,664	504.8	480.2	530.4	1,707	490.4	466.5	515.2
Oral Cavity and Pharynx	94	12.8	10.3	15.8	68	19.3	14.9	24.7	26	6.8	4.4	10.1
Esophagus	40	5.5	3.9	7.7	34	9.5	6.5	13.5	6	2.1	0.7	4.6
Stomach	48	6.9	5.1	9.3	34	10.2	7.0	14.4	14	3.9	2.1	6.7
Colon and Rectum	256	37.6	33.0	42.7	127	39.5	32.7	47.3	129	35.5	29.5	42.5
Liver	47	6.4	4.7	8.6	33	8.9	6.1	12.7	14	4.1	2.2	7.0
Pancreas	101	14.1	11.5	17.3	47	13.6	9.9	18.2	54	14.5	10.8	19.1
Lung and Bronchus	542	76.5	70.1	83.4	283	85.9	75.9	96.8	259	68.6	60.4	77.7
Bones and Joints	1	0.2	0.0	1.0	1	0.4	0.0	2.1	0			
Melanoma of the Skin	151	24.3	20.4	28.7	79	26.0	20.5	32.7	72	23.1	17.9	29.5
Breast (invasive)	530	81.6	74.6	89.2	4	1.3	0.4	3.5	526	155.9	142.3	170.5
Cervix									23	8.9	5.6	13.5
Corpus and Uterus, NOS									113	30.7	25.1	37.2
Ovary									40	12.1	8.5	16.7
Prostate					370	104.8	94.2	116.4				
Testis					19	7.7	4.6	12.1				
Urinary Bladder (includes in situ)	181	25.1	21.5	29.1	141	42.6	35.7	50.4	40	10.2	7.2	14.0
Kidney and Renal Pelvis	141	21.3	17.8	25.3	80	25.6	20.1	32.2	61	17.4	13.2	22.5
Brain and Nervous System	35	5.5	3.8	7.8	20	6.4	3.9	10.1	15	4.8	2.6	8.2
Hodgkin Lymphoma	18	3.1	1.8	4.9	12	4.0	2.0	7.0	6	2.2	0.8	4.9
Non-Hodgkin Lymphoma	136	20.3	16.9	24.1	70	22.9	17.7	29.2	66	18.1	13.9	23.2
Myeloma	44	6.5	4.7	8.8	22	7.1	4.4	10.9	22	6.0	3.7	9.2
Leukemia	85	12.6	10.0	15.7	47	15.2	11.0	20.3	38	10.3	7.2	14.4
All Other Sites	356	54.4	48.7	60.6	173	54.1	46.1	63.1	183	55.4	47.3	64.5
Breast in Situ (not in total)									84	25.3	19.9	31.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kendall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,795	479.9	461.7	498.6	1,351	513.3	484.8	543.0	1,444	460.3	436.5	485.2
Oral Cavity and Pharynx	84	14.7	11.6	18.3	57	20.0	14.9	26.3	27	9.7	6.3	14.2
Esophagus	24	3.9	2.5	5.9	20	6.9	4.1	10.8	4	1.3	0.4	3.4
Stomach	43	7.3	5.2	9.9	27	10.0	6.4	14.8	16	5.0	2.8	8.2
Colon and Rectum	210	36.4	31.5	41.9	116	43.4	35.4	52.5	94	30.7	24.7	37.8
Liver	20	3.5	2.1	5.5	11	4.7	2.2	8.4	9	2.7	1.2	5.1
Pancreas	101	18.3	14.8	22.3	56	22.4	16.6	29.4	45	14.9	10.8	20.0
Lung and Bronchus	280	53.6	47.3	60.5	150	65.7	55.1	77.7	130	44.3	36.8	52.8
Bones and Joints	6	1.0	0.4	2.1	3	1.0	0.2	3.0	3	1.0	0.2	2.8
Melanoma of the Skin	154	25.2	21.3	29.6	75	27.5	21.3	34.8	79	24.3	19.2	30.4
Breast (invasive)	475	76.9	70.0	84.3	4	1.4	0.4	3.8	471	145.3	132.3	159.2
Cervix									18	5.4	3.2	8.7
Corpus and Uterus, NOS									91	27.4	22.0	33.7
Ovary									24	7.9	5.0	11.8
Prostate					339	121.6	108.5	135.9				
Testis					31	10.3	7.0	14.7				
Urinary Bladder (includes in situ)	144	28.4	23.8	33.5	107	48.6	39.4	59.2	37	13.0	9.1	18.0
Kidney and Renal Pelvis	101	16.8	13.6	20.5	60	21.2	16.0	27.5	41	13.1	9.3	17.9
Brain and Nervous System	40	6.8	4.8	9.3	21	7.1	4.3	11.0	19	6.4	3.8	10.1
Hodgkin Lymphoma	22	3.6	2.2	5.4	17	5.6	3.2	9.0	5	1.6	0.5	3.7
Non-Hodgkin Lymphoma	105	18.3	14.8	22.2	50	17.9	13.1	23.9	55	18.5	13.8	24.1
Myeloma	38	7.2	5.0	10.0	17	7.1	4.0	11.5	21	7.5	4.6	11.5
Leukemia	85	14.9	11.8	18.6	51	19.0	13.9	25.3	34	11.3	7.7	15.9
All Other Sites	360	60.3	54.1	67.0	139	51.9	43.2	61.9	221	69.1	60.1	79.0
Breast in Situ (not in total)									129	39.6	33.0	47.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Knox

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,708	473.2	449.8	497.6	859	492.9	459.4	528.4	849	463.4	429.9	499.1
Oral Cavity and Pharynx	55	15.4	11.5	20.4	43	25.3	18.1	34.7	12	6.3	3.1	11.7
Esophagus	22	5.8	3.5	9.1	18	9.6	5.6	15.7	4	2.5	0.5	7.4
Stomach	22	5.7	3.5	9.0	10	5.3	2.5	10.2	12	6.4	3.2	12.1
Colon and Rectum	154	41.6	35.0	49.3	75	43.3	33.7	55.0	79	40.1	31.0	51.4
Liver	19	5.0	2.9	8.2	18	9.9	5.8	16.3	1	0.4	0.0	3.8
Pancreas	54	14.7	10.9	19.5	30	17.4	11.6	25.3	24	11.7	7.3	18.4
Lung and Bronchus	300	76.5	67.9	86.1	154	86.1	72.8	101.3	146	68.0	57.1	80.7
Bones and Joints	1	0.2	0.0	1.9	0				1	0.5	0.0	3.8
Melanoma of the Skin	94	26.1	20.8	32.4	49	28.5	20.9	38.3	45	24.6	17.3	34.1
Breast (invasive)	245	70.3	61.2	80.5	2	1.2	0.1	4.9	243	135.4	117.4	155.7
Cervix									11	10.8	5.2	19.4
Corpus and Uterus, NOS									57	32.2	23.7	43.0
Ovary									9	5.5	2.2	11.3
Prostate					177	95.5	81.6	111.4				
Testis					9	8.3	3.8	15.6				
Urinary Bladder (includes in situ)	92	24.0	19.2	29.7	67	38.6	29.8	49.4	25	12.6	7.9	19.5
Kidney and Renal Pelvis	75	22.6	17.4	28.9	45	28.7	20.5	39.2	30	16.3	10.6	24.4
Brain and Nervous System	26	9.5	5.9	14.3	12	8.2	4.0	14.8	14	11.0	5.6	19.2
Hodgkin Lymphoma	6	2.2	0.8	5.1	4	3.2	0.8	8.4	2	0.9	0.1	4.4
Non-Hodgkin Lymphoma	47	12.5	9.0	17.0	32	17.7	12.0	25.5	15	8.4	4.4	14.9
Myeloma	11	3.2	1.5	6.0	7	4.3	1.6	9.3	4	2.2	0.6	6.5
Leukemia	42	12.8	9.1	17.8	20	12.0	7.2	19.1	22	13.9	8.3	22.0
All Other Sites	180	50.8	43.2	59.3	87	49.9	39.7	62.0	93	53.7	42.3	67.4
Breast in Situ (not in total)									40	22.9	15.9	32.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	18,177	454.1	447.4	461.0	9,054	481.1	470.9	491.5	9,123	437.8	428.6	447.2
Oral Cavity and Pharynx	432	10.2	9.2	11.2	312	15.6	13.8	17.5	120	5.4	4.5	6.5
Esophagus	185	4.6	3.9	5.3	136	7.5	6.3	8.9	49	2.2	1.6	3.0
Stomach	264	6.8	6.0	7.7	169	9.2	7.8	10.8	95	4.7	3.8	5.8
Colon and Rectum	1,410	35.7	33.8	37.7	745	40.6	37.6	43.7	665	31.5	29.1	34.1
Liver	210	5.0	4.4	5.8	152	7.6	6.4	9.0	58	2.8	2.1	3.7
Pancreas	566	14.0	12.9	15.3	317	16.9	15.0	18.9	249	11.5	10.1	13.0
Lung and Bronchus	2,007	50.2	47.9	52.5	950	52.8	49.3	56.4	1,057	48.4	45.5	51.5
Bones and Joints	34	0.9	0.6	1.3	22	1.2	0.8	1.9	12	0.6	0.3	1.1
Melanoma of the Skin	1,079	27.6	25.9	29.3	621	33.8	31.1	36.7	458	23.2	21.0	25.5
Breast (invasive)	2,906	72.7	70.0	75.5	26	1.3	0.9	2.0	2,880	137.8	132.7	143.1
Cervix									102	5.7	4.7	7.0
Corpus and Uterus, NOS									664	30.0	27.7	32.4
Ovary									213	10.2	8.8	11.7
Prostate					2,364	114.7	110.0	119.6				
Testis					107	6.7	5.5	8.1				
Urinary Bladder (includes in situ)	812	20.6	19.1	22.1	612	34.7	32.0	37.7	200	9.2	7.9	10.6
Kidney and Renal Pelvis	640	15.7	14.5	17.0	453	23.4	21.2	25.7	187	8.9	7.6	10.3
Brain and Nervous System	260	7.0	6.1	7.9	143	7.8	6.6	9.3	117	6.4	5.2	7.7
Hodgkin Lymphoma	85	2.4	1.9	3.0	47	2.6	1.9	3.5	38	2.3	1.6	3.1
Non-Hodgkin Lymphoma	863	22.2	20.7	23.7	486	27.2	24.7	29.8	377	18.1	16.3	20.1
Myeloma	285	7.0	6.2	7.9	155	8.3	7.0	9.8	130	5.9	4.9	7.1
Leukemia	575	15.0	13.8	16.3	331	18.9	16.8	21.1	244	12.1	10.6	13.8
All Other Sites	2,114	55.2	52.9	57.7	906	50.3	46.9	53.8	1,208	60.9	57.4	64.5
Breast in Situ (not in total)									696	33.2	30.7	35.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

LaSalle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,732	497.2	480.7	514.1	1,961	544.8	520.2	570.4	1,771	462.7	440.1	486.3
Oral Cavity and Pharynx	118	15.3	12.6	18.5	90	24.8	19.8	30.8	28	6.4	4.2	9.6
Esophagus	46	5.7	4.1	7.7	39	10.5	7.4	14.5	7	1.5	0.6	3.5
Stomach	40	5.4	3.8	7.5	27	7.2	4.7	10.7	13	4.1	2.1	7.2
Colon and Rectum	339	45.1	40.3	50.5	181	52.4	44.8	61.0	158	38.8	32.7	45.9
Liver	52	6.2	4.6	8.2	43	10.9	7.8	15.0	9	2.1	0.9	4.3
Pancreas	119	15.1	12.4	18.2	60	16.4	12.4	21.4	59	13.6	10.2	17.9
Lung and Bronchus	633	78.9	72.7	85.5	332	89.5	79.9	100.1	301	69.6	61.7	78.3
Bones and Joints	11	2.2	1.1	4.0	4	1.4	0.4	3.6	7	3.2	1.3	6.6
Melanoma of the Skin	182	25.8	22.0	30.1	109	30.6	25.0	37.3	73	22.4	17.2	28.7
Breast (invasive)	477	66.6	60.4	73.2	1	0.3	0.0	1.9	476	129.2	117.1	142.3
Cervix									24	7.5	4.7	11.6
Corpus and Uterus, NOS									105	27.3	22.1	33.6
Ovary									38	10.0	6.9	14.2
Prostate					401	102.9	92.9	113.9				
Testis					21	8.4	5.1	13.0				
Urinary Bladder (includes in situ)	189	24.5	21.1	28.4	142	40.6	34.0	48.1	47	11.0	8.0	14.9
Kidney and Renal Pelvis	178	25.3	21.6	29.6	113	33.9	27.7	41.2	65	16.8	12.8	21.9
Brain and Nervous System	45	7.4	5.3	10.1	20	6.3	3.8	10.0	25	8.7	5.5	13.2
Hodgkin Lymphoma	13	2.1	1.1	3.7	9	2.7	1.2	5.4	4	1.6	0.4	4.0
Non-Hodgkin Lymphoma	131	17.8	14.8	21.3	62	17.6	13.4	22.8	69	18.4	14.1	23.8
Myeloma	52	6.8	5.0	9.0	33	9.4	6.4	13.5	19	4.3	2.5	7.0
Leukemia	103	14.2	11.5	17.5	67	19.0	14.6	24.4	36	10.2	6.9	14.6
All Other Sites	415	56.8	51.2	62.8	207	59.9	51.7	69.0	208	55.9	48.1	64.6
Breast in Situ (not in total)									92	26.5	21.1	33.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Lawrence

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	496	476.8	434.9	521.9	270	551.9	487.2	623.2	226	438.1	378.9	504.7
Oral Cavity and Pharynx	13	13.4	7.0	23.6	11	24.2	12.0	44.0	2	3.3	0.4	15.7
Esophagus	4	3.6	0.9	10.3	3	6.3	1.3	19.3	1	1.1	0.0	12.5
Stomach	6	6.1	2.2	14.0	4	8.2	2.2	22.0	2	5.5	0.5	21.1
Colon and Rectum	42	40.2	28.8	55.1	27	54.0	35.4	79.6	15	26.4	14.6	46.0
Liver	11	10.6	5.1	19.9	8	14.3	6.1	29.7	3	7.4	1.3	23.6
Pancreas	15	12.7	7.1	21.7	6	11.5	4.1	26.2	9	13.1	5.9	28.1
Lung and Bronchus	80	73.4	58.1	92.0	43	84.8	61.1	115.3	37	63.6	44.4	90.0
Bones and Joints	1	1.4	0.0	7.6	1	2.4	0.1	13.5	0			
Melanoma of the Skin	26	24.8	16.0	37.1	16	32.6	18.4	53.9	10	21.7	9.8	42.3
Breast (invasive)	71	68.8	53.4	87.6	0				71	137.1	105.1	176.8
Cervix									1	1.8	0.0	13.8
Corpus and Uterus, NOS									13	30.0	14.9	54.2
Ovary									4	7.7	1.9	22.5
Prostate					62	125.6	95.9	162.0				
Testis					1	1.5	0.0	11.3				
Urinary Bladder (includes in situ)	19	17.7	10.6	28.3	15	32.2	17.9	53.8	4	7.1	1.9	21.1
Kidney and Renal Pelvis	20	21.0	12.6	33.0	13	28.4	15.1	49.2	7	14.2	5.3	31.9
Brain and Nervous System	6	6.0	2.1	13.7	4	7.7	2.0	21.1	2	5.8	0.6	22.0
Hodgkin Lymphoma	1	0.9	0.0	6.4	1	2.0	0.1	12.7	0			
Non-Hodgkin Lymphoma	25	24.9	15.9	37.4	14	28.5	15.5	48.7	11	22.7	10.4	43.8
Myeloma	3	3.0	0.6	9.4	2	4.6	0.5	17.1	1	1.6	0.0	13.4
Leukemia	14	13.7	7.4	23.8	11	24.5	12.1	44.4	3	6.7	1.0	22.8
All Other Sites	58	58.0	43.7	75.7	28	58.9	38.9	85.9	30	61.3	39.7	91.2
Breast in Situ (not in total)									7	11.8	4.7	27.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Lee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,143	471.4	443.3	500.9	593	479.2	440.4	520.8	550	477.2	435.0	522.6
Oral Cavity and Pharynx	41	16.5	11.7	22.9	33	26.8	18.2	38.4	8	5.7	2.4	12.4
Esophagus	10	3.6	1.7	7.2	7	5.5	2.2	12.1	3	2.2	0.4	7.9
Stomach	19	7.9	4.7	12.8	15	12.8	7.1	21.8	4	2.7	0.7	8.5
Colon and Rectum	93	39.7	31.7	49.3	52	43.3	32.1	57.5	41	35.4	24.4	49.8
Liver	14	6.2	3.3	10.8	12	9.7	4.9	17.8	2	2.5	0.2	9.4
Pancreas	45	17.3	12.5	23.6	25	19.8	12.6	30.0	20	14.3	8.6	23.2
Lung and Bronchus	169	64.2	54.7	75.0	86	65.2	52.0	81.3	83	63.7	50.4	79.9
Bones and Joints	3	1.6	0.3	4.9	1	0.6	0.0	5.1	2	2.5	0.3	9.3
Melanoma of the Skin	56	24.0	17.9	31.8	30	24.4	16.3	35.6	26	26.8	16.8	40.7
Breast (invasive)	142	61.8	51.5	73.6	0				142	127.6	105.7	152.9
Cervix									8	11.5	4.8	22.9
Corpus and Uterus, NOS									52	44.4	32.4	59.9
Ovary									12	9.6	4.9	17.9
Prostate					118	90.6	74.7	109.3				
Testis					4	4.1	1.1	10.9				
Urinary Bladder (includes in situ)	57	22.4	16.8	29.4	42	33.9	24.2	46.6	15	11.8	6.4	20.7
Kidney and Renal Pelvis	48	20.0	14.5	27.0	33	27.1	18.4	38.8	15	13.5	7.2	23.4
Brain and Nervous System	15	6.4	3.5	10.9	7	5.6	2.2	12.3	8	7.7	3.1	16.3
Hodgkin Lymphoma	1	0.3	0.0	2.7	1	0.6	0.0	5.2	0			
Non-Hodgkin Lymphoma	59	23.8	17.9	31.3	32	25.6	17.3	36.9	27	21.5	13.6	32.9
Myeloma	11	4.4	2.1	8.4	5	4.5	1.4	11.3	6	4.1	1.4	10.4
Leukemia	35	15.4	10.5	22.0	25	22.2	14.2	33.6	10	8.8	3.9	17.4
All Other Sites	131	58.0	48.0	69.5	65	56.8	43.5	73.2	66	61.0	46.0	79.6
Breast in Situ (not in total)									27	24.5	15.6	36.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Livingston

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,237	504.6	475.8	534.9	629	541.8	499.0	587.4	608	478.3	438.9	520.5
Oral Cavity and Pharynx	34	13.5	9.2	19.3	26	21.7	13.9	32.6	8	5.6	2.4	12.1
Esophagus	20	7.0	4.3	11.2	17	13.4	7.7	22.1	3	1.6	0.3	6.4
Stomach	11	4.8	2.3	8.9	8	7.0	3.0	14.4	3	2.9	0.5	9.3
Colon and Rectum	129	52.2	43.4	62.5	71	63.3	49.1	80.5	58	42.4	32.0	55.8
Liver	10	3.9	1.8	7.6	7	5.7	2.2	12.4	3	2.0	0.4	7.2
Pancreas	40	16.5	11.6	22.9	20	17.3	10.3	27.4	20	15.6	9.2	25.2
Lung and Bronchus	193	75.6	65.1	87.6	100	83.6	67.7	102.4	93	70.3	56.4	87.1
Bones and Joints	0				0				0			
Melanoma of the Skin	70	31.7	24.4	40.7	43	40.5	28.9	55.3	27	24.0	15.3	36.0
Breast (invasive)	175	73.9	62.9	86.4	3	2.3	0.5	7.7	172	141.8	120.3	166.3
Cervix									9	9.4	4.1	18.5
Corpus and Uterus, NOS									33	26.2	17.8	37.6
Ovary									12	7.6	3.8	14.4
Prostate					145	115.5	97.1	136.8				
Testis					5	6.8	2.1	15.6				
Urinary Bladder (includes in situ)	61	24.1	18.3	31.4	43	39.1	28.1	53.3	18	11.7	6.8	19.5
Kidney and Renal Pelvis	66	26.2	20.1	33.8	36	31.2	21.6	43.8	30	22.7	15.0	33.4
Brain and Nervous System	13	6.8	3.5	12.0	8	7.8	3.2	15.9	5	6.4	2.0	14.9
Hodgkin Lymphoma	3	1.3	0.2	4.2	2	1.6	0.2	6.7	1	1.3	0.0	6.9
Non-Hodgkin Lymphoma	38	16.0	11.2	22.3	19	16.1	9.6	25.9	19	15.8	9.2	25.7
Myeloma	10	4.2	2.0	8.2	4	3.6	1.0	9.9	6	4.6	1.5	11.2
Leukemia	29	13.3	8.7	19.5	18	18.6	10.8	29.9	11	7.8	3.6	15.1
All Other Sites	131	53.5	44.3	64.1	54	46.8	34.8	61.9	77	58.5	45.3	74.6
Breast in Situ (not in total)									37	32.2	22.2	45.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Logan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,058	554.1	520.3	589.6	527	589.3	539.1	643.1	531	537.9	490.9	588.6
Oral Cavity and Pharynx	34	18.0	12.3	25.6	24	27.8	17.6	42.1	10	10.0	4.6	19.4
Esophagus	17	8.4	4.9	13.9	13	14.3	7.5	25.1	4	3.6	1.0	10.5
Stomach	12	5.9	3.0	10.9	8	8.5	3.6	17.6	4	4.1	1.1	11.6
Colon and Rectum	99	52.3	42.2	64.3	47	51.3	37.4	69.0	52	52.8	38.7	70.8
Liver	13	5.9	3.1	10.5	9	8.5	3.8	17.1	4	3.5	0.9	10.3
Pancreas	40	19.6	13.9	27.1	14	16.1	8.7	27.7	26	21.5	13.9	32.6
Lung and Bronchus	203	102.5	88.7	118.2	108	119.2	97.4	144.6	95	91.3	73.4	112.9
Bones and Joints	0				0				0			
Melanoma of the Skin	54	30.7	22.8	40.5	30	36.4	24.3	52.5	24	27.1	16.9	41.5
Breast (invasive)	123	68.8	56.8	82.7	3	3.6	0.7	11.4	120	130.1	106.9	157.2
Cervix									5	7.2	2.2	17.2
Corpus and Uterus, NOS									40	38.4	27.0	53.4
Ovary									8	9.2	3.6	19.3
Prostate					100	107.1	86.8	131.0				
Testis					4	5.3	1.4	13.8				
Urinary Bladder (includes in situ)	51	27.4	20.2	36.5	36	43.7	30.4	60.9	15	14.8	8.0	25.7
Kidney and Renal Pelvis	44	22.7	16.4	30.9	26	28.1	18.2	41.9	18	18.3	10.4	30.2
Brain and Nervous System	12	6.4	3.2	11.5	5	5.3	1.7	13.1	7	8.1	3.1	17.6
Hodgkin Lymphoma	5	3.0	0.9	7.3	4	5.2	1.4	13.6	1	0.8	0.0	6.6
Non-Hodgkin Lymphoma	43	21.2	15.2	29.0	21	23.8	14.5	37.0	22	18.1	11.2	28.6
Myeloma	15	7.5	4.1	12.8	12	13.0	6.6	23.5	3	2.4	0.5	8.7
Leukemia	26	13.6	8.8	20.4	18	20.4	12.0	32.9	8	8.9	3.6	18.5
All Other Sites	110	59.4	48.5	72.1	45	51.6	37.4	69.7	65	67.8	51.5	88.0
Breast in Situ (not in total)									21	21.6	12.9	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,008	546.0	528.5	564.1	2,108	620.0	592.9	648.1	1,900	490.2	466.9	514.3
Oral Cavity and Pharynx	119	16.4	13.5	19.9	74	22.5	17.5	28.7	45	11.0	7.9	15.0
Esophagus	51	6.5	4.8	8.7	43	12.3	8.9	16.9	8	1.7	0.7	3.7
Stomach	37	4.8	3.3	6.8	21	6.3	3.8	10.0	16	3.5	2.0	6.0
Colon and Rectum	367	50.2	45.0	56.0	198	60.0	51.6	69.4	169	42.0	35.5	49.5
Liver	65	8.4	6.4	10.9	53	14.8	11.0	19.6	12	2.8	1.4	5.2
Pancreas	115	15.1	12.4	18.3	65	19.2	14.7	24.9	50	11.4	8.4	15.4
Lung and Bronchus	701	90.0	83.3	97.2	343	97.2	87.0	108.5	358	85.0	76.1	94.7
Bones and Joints	4	0.6	0.2	1.8	2	0.8	0.1	2.9	2	0.5	0.1	2.1
Melanoma of the Skin	194	29.3	25.1	34.0	109	34.9	28.4	42.5	85	25.5	20.0	32.0
Breast (invasive)	453	63.3	57.3	69.9	5	1.6	0.5	4.0	448	116.6	105.3	128.8
Cervix									21	7.9	4.8	12.3
Corpus and Uterus, NOS									102	26.9	21.6	33.1
Ovary									32	9.7	6.5	14.1
Prostate					444	119.5	108.4	131.5				
Testis					8	3.7	1.6	7.2				
Urinary Bladder (includes in situ)	203	25.5	22.0	29.4	152	43.9	37.1	51.8	51	11.5	8.4	15.4
Kidney and Renal Pelvis	189	27.5	23.5	32.0	110	35.1	28.6	42.8	79	21.1	16.5	26.8
Brain and Nervous System	42	6.8	4.8	9.4	26	8.7	5.5	13.1	16	5.0	2.7	8.4
Hodgkin Lymphoma	16	3.3	1.9	5.4	11	4.5	2.2	8.2	5	2.2	0.7	5.0
Non-Hodgkin Lymphoma	166	22.1	18.7	25.9	88	26.8	21.3	33.3	78	18.4	14.4	23.3
Myeloma	62	8.0	6.1	10.5	35	9.9	6.8	14.1	27	6.6	4.3	10.0
Leukemia	111	15.0	12.2	18.2	73	21.6	16.8	27.4	38	9.4	6.5	13.3
All Other Sites	506	72.8	66.2	79.9	248	76.5	66.9	87.1	258	71.3	62.2	81.4
Breast in Situ (not in total)									104	28.6	23.1	35.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Macoupin

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,758	534.2	508.4	561.1	931	600.0	560.8	641.4	827	485.6	451.0	522.4
Oral Cavity and Pharynx	54	17.0	12.6	22.6	41	27.8	19.7	38.5	13	7.2	3.7	13.2
Esophagus	22	6.8	4.1	10.7	17	11.0	6.1	18.5	5	2.9	0.9	7.5
Stomach	22	7.2	4.3	11.3	16	12.0	6.6	20.1	6	2.8	1.0	7.1
Colon and Rectum	143	45.1	37.7	53.7	76	54.1	42.3	68.4	67	38.3	29.2	49.7
Liver	22	6.3	3.9	9.9	19	12.1	7.2	19.4	3	1.2	0.2	4.9
Pancreas	42	11.9	8.5	16.4	23	14.1	8.8	21.9	19	9.3	5.5	15.4
Lung and Bronchus	311	88.7	78.9	99.5	178	108.7	93.0	126.7	133	72.9	60.7	87.2
Bones and Joints	4	1.7	0.4	4.6	3	2.6	0.5	7.9	1	0.8	0.0	4.8
Melanoma of the Skin	88	28.1	22.3	35.1	51	34.4	25.3	45.9	37	23.4	16.0	33.2
Breast (invasive)	227	72.0	62.4	82.7	3	1.6	0.3	5.6	224	136.5	118.1	157.2
Cervix									16	12.7	6.9	21.3
Corpus and Uterus, NOS									57	32.3	24.1	42.8
Ovary									12	7.5	3.6	13.9
Prostate					172	104.0	88.6	121.6				
Testis					5	4.7	1.4	11.3				
Urinary Bladder (includes in situ)	82	23.1	18.3	29.0	64	39.9	30.6	51.6	18	9.2	5.4	15.3
Kidney and Renal Pelvis	102	31.5	25.4	38.8	63	40.6	30.8	52.9	39	23.4	16.2	33.1
Brain and Nervous System	6	1.6	0.6	3.8	1	0.6	0.0	4.4	5	2.3	0.8	6.6
Hodgkin Lymphoma	4	1.7	0.5	4.5	0				4	3.3	0.9	8.7
Non-Hodgkin Lymphoma	68	18.8	14.6	24.2	40	25.2	17.9	34.9	28	13.9	9.2	20.9
Myeloma	29	8.7	5.8	12.8	21	13.9	8.5	21.7	8	4.3	1.8	9.4
Leukemia	57	17.0	12.8	22.4	32	21.8	14.8	31.3	25	13.1	8.4	20.0
All Other Sites	213	68.9	59.5	79.5	106	70.8	57.6	86.4	107	68.3	55.0	84.1
Breast in Situ (not in total)									37	23.5	16.1	33.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,407	489.1	478.4	500.0	4,164	529.0	512.6	545.9	4,243	463.5	449.1	478.3
Oral Cavity and Pharynx	245	14.3	12.5	16.3	164	20.2	17.1	23.6	81	9.0	7.0	11.3
Esophagus	93	5.3	4.3	6.6	83	10.3	8.1	12.9	10	1.0	0.5	2.0
Stomach	104	5.8	4.7	7.1	64	7.8	6.0	10.1	40	4.0	2.8	5.6
Colon and Rectum	707	41.2	38.1	44.4	356	46.4	41.6	51.6	351	37.1	33.2	41.4
Liver	108	5.7	4.6	6.9	86	9.5	7.6	11.9	22	2.3	1.4	3.6
Pancreas	253	14.5	12.7	16.5	125	16.7	13.8	20.0	128	12.7	10.5	15.2
Lung and Bronchus	1,427	79.1	75.0	83.5	695	87.5	81.0	94.5	732	74.2	68.8	79.9
Bones and Joints	12	0.8	0.4	1.5	10	1.5	0.7	2.7	2	0.3	0.0	1.0
Melanoma of the Skin	379	23.8	21.4	26.5	215	29.2	25.3	33.5	164	20.2	17.1	23.7
Breast (invasive)	1,178	70.6	66.5	75.0	14	2.0	1.1	3.4	1,164	130.5	122.8	138.6
Cervix									50	7.0	5.1	9.3
Corpus and Uterus, NOS									279	29.3	25.9	33.2
Ovary									93	10.3	8.2	12.7
Prostate					889	105.2	98.3	112.6				
Testis					33	5.8	4.0	8.2				
Urinary Bladder (includes in situ)	383	21.6	19.4	23.9	273	36.1	31.8	40.7	110	11.1	9.1	13.5
Kidney and Renal Pelvis	422	25.1	22.6	27.7	263	33.9	29.8	38.5	159	17.4	14.7	20.5
Brain and Nervous System	112	7.3	6.0	8.8	61	8.6	6.5	11.1	51	6.2	4.5	8.3
Hodgkin Lymphoma	33	2.3	1.5	3.2	17	2.3	1.3	3.7	16	2.3	1.3	3.8
Non-Hodgkin Lymphoma	328	18.9	16.9	21.2	169	21.0	17.9	24.5	159	17.3	14.6	20.3
Myeloma	102	5.6	4.5	6.8	62	7.6	5.8	9.9	40	4.0	2.8	5.5
Leukemia	269	16.5	14.5	18.6	143	18.9	15.9	22.4	126	14.5	11.9	17.4
All Other Sites	908	55.0	51.4	58.8	442	58.7	53.2	64.6	466	52.9	48.0	58.2
Breast in Situ (not in total)									256	31.0	27.1	35.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Marion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,450	565.4	535.4	596.8	778	635.6	590.4	683.5	672	515.7	474.9	559.4
Oral Cavity and Pharynx	36	14.7	10.1	20.7	26	22.2	14.4	33.2	10	8.0	3.6	15.6
Esophagus	30	10.6	7.1	15.5	26	19.5	12.6	29.3	4	2.9	0.8	8.4
Stomach	13	4.7	2.4	8.4	7	5.9	2.3	12.9	6	3.8	1.4	9.2
Colon and Rectum	144	57.0	47.7	67.7	79	66.0	51.9	83.1	65	49.6	37.5	64.5
Liver	16	5.5	3.1	9.3	14	10.2	5.5	17.9	2	1.3	0.2	5.9
Pancreas	25	8.5	5.5	12.9	13	9.3	4.9	16.7	12	7.7	3.9	14.3
Lung and Bronchus	262	94.7	83.3	107.4	138	108.2	90.6	128.6	124	85.2	70.3	102.7
Bones and Joints	3	1.0	0.2	3.4	1	0.6	0.0	4.9	2	1.1	0.1	5.5
Melanoma of the Skin	85	36.6	28.8	45.9	49	41.9	30.7	56.1	36	34.4	23.4	48.6
Breast (invasive)	160	65.8	55.5	77.6	1	0.9	0.0	5.5	159	124.5	104.6	147.3
Cervix									10	10.0	4.5	19.1
Corpus and Uterus, NOS									48	34.9	25.2	47.4
Ovary									10	7.7	3.4	15.0
Prostate					159	121.2	102.8	142.2				
Testis					6	8.3	3.0	17.5				
Urinary Bladder (includes in situ)	66	23.8	18.3	30.7	52	41.1	30.5	54.4	14	10.1	5.3	17.9
Kidney and Renal Pelvis	50	21.2	15.4	28.6	33	29.2	19.7	41.8	17	14.4	7.9	24.1
Brain and Nervous System	21	9.6	5.7	15.0	11	11.0	5.3	20.2	10	8.3	3.7	16.2
Hodgkin Lymphoma	4	2.1	0.5	5.5	2	2.4	0.3	8.4	2	1.8	0.2	7.1
Non-Hodgkin Lymphoma	50	20.2	14.8	27.1	30	25.1	16.7	36.6	20	16.4	9.7	26.2
Myeloma	16	5.8	3.3	9.8	11	8.3	4.1	15.6	5	3.5	1.1	9.0
Leukemia	53	21.7	16.0	28.9	29	25.7	16.9	37.6	24	17.7	10.8	27.5
All Other Sites	183	74.2	63.4	86.5	91	78.6	62.8	97.3	92	72.6	57.6	90.4
Breast in Situ (not in total)									25	18.9	11.8	29.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Marshall

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	457	516.9	467.2	571.1	228	532.5	461.8	612.2	229	512.4	442.4	591.5
Oral Cavity and Pharynx	16	16.3	9.2	28.2	10	20.7	9.7	41.5	6	12.7	4.5	31.4
Esophagus	6	8.1	2.6	19.3	6	16.2	5.3	38.6	0			
Stomach	6	7.5	2.4	18.3	6	16.3	5.5	38.4	0			
Colon and Rectum	48	56.3	40.3	77.1	19	48.3	27.9	78.8	29	64.6	41.3	97.8
Liver	5	4.5	1.5	12.8	2	4.1	0.5	19.3	3	5.1	1.1	20.4
Pancreas	8	7.8	3.4	17.2	5	10.5	3.4	28.1	3	5.3	1.0	21.0
Lung and Bronchus	82	80.2	63.7	100.8	46	97.4	71.0	132.5	36	66.5	46.5	95.0
Bones and Joints	0				0				0			
Melanoma of the Skin	22	28.5	17.0	45.3	12	29.7	14.6	55.1	10	28.0	12.0	55.7
Breast (invasive)	57	68.2	50.6	90.5	0				57	133.3	98.5	177.5
Cervix									3	16.2	3.3	44.0
Corpus and Uterus, NOS									19	39.0	22.8	64.6
Ovary									7	12.9	5.0	31.0
Prostate					56	115.0	86.0	152.6				
Testis					4	19.8	5.4	48.3				
Urinary Bladder (includes in situ)	15	16.6	8.9	29.1	13	30.3	15.6	54.9	2	5.0	0.6	21.5
Kidney and Renal Pelvis	17	21.7	11.9	36.8	10	29.1	12.8	56.8	7	13.6	5.4	31.9
Brain and Nervous System	6	9.4	3.1	21.6	1	2.3	0.1	17.0	5	16.3	4.7	40.4
Hodgkin Lymphoma	2	5.0	0.6	16.6	0				2	10.2	1.2	33.8
Non-Hodgkin Lymphoma	17	18.9	10.6	32.3	9	24.1	10.4	48.8	8	13.9	6.0	31.8
Myeloma	6	5.9	2.2	14.8	3	6.4	1.3	22.6	3	6.1	1.2	22.2
Leukemia	14	15.6	8.3	27.9	7	17.2	6.5	38.6	7	14.2	5.6	33.1
All Other Sites	41	46.4	32.4	65.2	19	45.2	26.6	73.5	22	49.7	29.3	80.1
Breast in Situ (not in total)									10	26.5	11.7	52.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Mason

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	550	527.0	481.7	576.0	295	597.4	528.7	673.7	255	479.0	418.1	547.3
Oral Cavity and Pharynx	14	13.1	6.9	23.4	9	18.6	8.2	37.8	5	7.9	2.2	22.8
Esophagus	6	5.8	2.0	14.2	4	9.1	2.3	25.7	2	3.2	0.4	15.9
Stomach	6	5.9	2.1	14.2	4	7.9	2.1	23.1	2	4.7	0.5	19.2
Colon and Rectum	55	52.4	39.0	69.7	29	57.6	38.4	84.9	26	49.0	31.0	75.2
Liver	7	5.8	2.3	13.5	6	12.3	4.5	29.1	1	1.1	0.0	12.9
Pancreas	18	15.9	9.2	26.5	10	20.8	9.7	40.7	8	11.8	5.0	26.8
Lung and Bronchus	121	108.2	89.4	130.5	65	126.2	96.7	163.3	56	95.6	71.8	126.5
Bones and Joints	1	1.7	0.0	9.3	0				1	3.3	0.1	18.1
Melanoma of the Skin	34	37.8	25.2	54.8	24	55.2	34.1	85.2	10	22.4	9.6	44.9
Breast (invasive)	56	57.3	42.5	76.1	1	2.0	0.1	14.8	55	111.7	82.4	149.0
Cervix									2	7.7	0.9	26.3
Corpus and Uterus, NOS									10	25.6	11.3	49.7
Ovary									5	10.6	2.9	28.2
Prostate					68	123.6	95.6	158.9				
Testis					2	7.7	0.9	26.4				
Urinary Bladder (includes in situ)	23	22.7	14.0	35.7	20	45.1	26.9	72.0	3	4.9	1.0	18.2
Kidney and Renal Pelvis	21	19.6	12.0	31.3	9	17.5	7.7	36.1	12	20.6	10.4	39.0
Brain and Nervous System	6	6.1	2.0	14.8	3	7.0	1.2	23.0	3	5.0	1.0	18.5
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	19	19.0	11.1	31.1	12	25.3	12.6	46.8	7	13.1	4.9	30.4
Myeloma	8	6.5	2.8	14.3	2	4.0	0.5	17.6	6	9.7	3.6	24.5
Leukemia	13	11.2	5.9	20.4	5	10.0	3.2	26.0	8	12.4	5.3	27.7
All Other Sites	55	52.4	38.8	69.9	22	47.7	29.0	74.9	33	58.8	39.4	86.0
Breast in Situ (not in total)									11	20.6	9.9	39.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Massac

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	466	459.3	416.5	505.7	256	531.9	466.4	604.9	210	401.7	345.6	465.1
Oral Cavity and Pharynx	15	13.6	7.5	23.7	11	22.2	10.9	41.8	4	5.4	1.4	17.9
Esophagus	4	3.3	0.9	10.1	4	7.1	1.9	21.2	0			
Stomach	5	4.5	1.4	11.7	3	5.8	1.2	19.8	2	3.3	0.4	15.3
Colon and Rectum	42	45.7	32.3	63.2	20	50.9	30.2	80.7	22	41.0	24.9	64.7
Liver	6	6.1	2.1	14.5	3	5.7	1.2	19.7	3	6.6	1.1	21.8
Pancreas	11	10.3	5.0	19.6	4	7.1	1.9	21.3	7	12.7	4.8	28.9
Lung and Bronchus	97	90.3	72.8	111.4	53	106.9	79.6	141.8	44	76.7	54.8	105.7
Bones and Joints	0				0				0			
Melanoma of the Skin	14	13.4	7.0	24.0	8	16.2	6.8	34.1	6	12.0	3.9	28.9
Breast (invasive)	49	51.7	37.5	69.9	0				49	98.0	70.7	133.0
Cervix									3	8.5	1.6	25.4
Corpus and Uterus, NOS									13	24.8	12.6	45.0
Ovary									2	4.1	0.4	17.3
Prostate					68	134.3	103.7	172.5				
Testis					1	4.4	0.1	21.1				
Urinary Bladder (includes in situ)	18	15.0	8.9	24.9	16	29.6	16.9	50.3	2	3.4	0.4	15.6
Kidney and Renal Pelvis	14	12.8	6.8	22.6	11	21.5	10.5	40.9	3	4.8	1.0	17.4
Brain and Nervous System	8	9.0	3.7	18.8	5	13.2	4.1	32.2	3	5.1	1.0	17.9
Hodgkin Lymphoma	3	5.0	1.0	14.4	1	3.5	0.1	18.4	2	6.5	0.7	22.8
Non-Hodgkin Lymphoma	13	13.9	7.1	24.9	8	18.2	7.4	38.3	5	10.3	2.9	26.7
Myeloma	5	4.3	1.4	11.5	3	5.1	1.0	18.4	2	3.5	0.4	15.7
Leukemia	15	16.3	8.8	28.2	9	20.2	9.0	40.2	6	13.0	4.1	31.1
All Other Sites	60	59.8	44.7	78.6	28	59.9	38.6	89.5	32	62.1	41.1	90.8
Breast in Situ (not in total)									15	27.6	14.9	48.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

McDonough

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	803	437.1	405.8	470.3	385	453.1	407.3	502.9	418	433.3	389.9	480.5
Oral Cavity and Pharynx	21	11.6	6.9	18.4	13	14.0	7.1	25.2	8	8.7	3.4	18.6
Esophagus	5	2.2	0.7	6.0	4	3.9	1.1	11.4	1	0.5	0.0	6.2
Stomach	4	2.5	0.6	7.0	3	4.4	0.8	13.2	1	1.1	0.0	7.5
Colon and Rectum	81	44.1	34.6	55.5	44	53.2	38.2	72.4	37	36.3	24.9	51.6
Liver	5	2.6	0.8	6.5	4	4.3	1.1	12.2	1	1.1	0.0	7.5
Pancreas	19	9.8	5.7	16.0	9	11.7	5.2	23.0	10	8.3	3.9	16.8
Lung and Bronchus	132	68.0	56.6	81.3	57	67.5	50.7	88.5	75	69.3	54.2	88.0
Bones and Joints	1	0.6	0.0	3.8	1	1.4	0.0	8.3	0			
Melanoma of the Skin	42	22.4	15.9	31.0	22	27.1	16.7	41.8	20	20.3	11.9	32.8
Breast (invasive)	106	59.7	48.3	73.2	1	0.8	0.0	7.0	105	112.7	90.7	138.7
Cervix									12	17.3	8.7	30.9
Corpus and Uterus, NOS									26	26.5	16.8	40.2
Ovary									4	4.5	1.1	12.6
Prostate					92	99.7	79.7	123.6				
Testis					6	8.6	2.9	19.6				
Urinary Bladder (includes in situ)	34	16.6	11.3	23.8	24	27.6	17.5	41.8	10	8.2	3.7	16.7
Kidney and Renal Pelvis	31	16.7	11.1	24.4	18	19.0	11.0	31.3	13	15.0	7.6	26.8
Brain and Nervous System	9	6.5	2.8	12.8	5	6.9	2.0	17.1	4	6.1	1.5	16.1
Hodgkin Lymphoma	3	1.4	0.3	5.0	1	1.3	0.0	8.1	2	1.6	0.2	7.9
Non-Hodgkin Lymphoma	36	19.5	13.3	27.7	13	16.9	8.6	29.9	23	22.5	14.0	34.8
Myeloma	7	3.1	1.2	7.0	3	2.8	0.6	9.8	4	2.7	0.7	9.3
Leukemia	31	16.4	11.0	23.9	20	24.5	14.7	38.7	11	10.7	5.1	20.4
All Other Sites	96	57.3	45.7	71.0	45	57.5	41.4	77.9	51	59.9	43.2	80.9
Breast in Situ (not in total)									19	22.6	13.1	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

McHenry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,501	466.5	456.3	476.9	4,226	488.1	472.8	503.7	4,275	454.8	440.9	469.2
Oral Cavity and Pharynx	259	13.1	11.5	14.9	189	20.0	17.1	23.2	70	6.9	5.3	8.8
Esophagus	87	4.7	3.7	5.8	70	8.3	6.4	10.6	17	1.8	1.0	2.9
Stomach	107	6.0	4.9	7.3	73	8.7	6.7	11.1	34	3.7	2.6	5.3
Colon and Rectum	689	38.4	35.5	41.5	373	42.9	38.5	47.8	316	34.0	30.2	38.1
Liver	112	5.8	4.8	7.1	76	8.4	6.5	10.6	36	3.6	2.5	5.1
Pancreas	252	13.9	12.2	15.8	136	15.6	13.0	18.7	116	12.1	9.9	14.5
Lung and Bronchus	1,042	57.1	53.6	60.8	537	64.4	58.8	70.4	505	51.7	47.2	56.5
Bones and Joints	18	1.1	0.6	1.8	10	1.2	0.6	2.3	8	1.0	0.4	2.0
Melanoma of the Skin	589	33.7	31.0	36.7	326	38.5	34.3	43.1	263	30.4	26.7	34.4
Breast (invasive)	1,385	76.4	72.3	80.7	16	1.7	1.0	2.9	1,369	145.2	137.3	153.4
Cervix									55	6.8	5.1	8.9
Corpus and Uterus, NOS									312	30.0	26.7	33.6
Ovary									111	11.7	9.6	14.2
Prostate					1,000	104.0	97.4	110.9				
Testis					58	8.5	6.4	11.0				
Urinary Bladder (includes in situ)	375	21.0	18.9	23.3	290	36.3	32.1	41.0	85	8.6	6.9	10.8
Kidney and Renal Pelvis	311	16.5	14.6	18.5	200	22.4	19.3	25.9	111	11.4	9.3	13.8
Brain and Nervous System	122	7.2	6.0	8.7	67	8.1	6.2	10.4	55	6.4	4.8	8.5
Hodgkin Lymphoma	30	1.9	1.3	2.8	16	1.9	1.1	3.2	14	2.0	1.1	3.3
Non-Hodgkin Lymphoma	342	19.1	17.1	21.4	191	23.0	19.7	26.7	151	15.7	13.3	18.5
Myeloma	110	5.9	4.8	7.2	61	7.0	5.3	9.2	49	5.0	3.6	6.6
Leukemia	220	12.7	11.0	14.6	133	16.8	13.9	20.1	87	9.4	7.5	11.7
All Other Sites	915	53.5	49.9	57.2	404	50.3	45.3	55.7	511	57.6	52.6	63.0
Breast in Situ (not in total)									271	28.6	25.2	32.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

McLean

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,770	425.5	411.7	439.7	1,925	468.7	447.4	490.7	1,845	397.1	378.6	416.2
Oral Cavity and Pharynx	110	12.7	10.4	15.4	82	20.1	15.9	25.0	28	6.3	4.1	9.2
Esophagus	38	4.0	2.8	5.5	35	8.2	5.7	11.6	3	0.7	0.1	2.1
Stomach	33	3.7	2.5	5.2	22	5.5	3.4	8.5	11	2.2	1.1	4.1
Colon and Rectum	320	37.1	33.1	41.5	170	43.1	36.7	50.2	150	32.1	27.0	37.9
Liver	37	4.0	2.8	5.5	27	6.3	4.1	9.2	10	2.1	1.0	3.9
Pancreas	106	11.5	9.3	13.9	53	12.6	9.3	16.6	53	10.5	7.8	13.9
Lung and Bronchus	504	55.2	50.4	60.4	263	64.3	56.5	72.8	241	48.5	42.4	55.2
Bones and Joints	6	0.8	0.3	1.6	3	0.8	0.2	2.4	3	0.7	0.1	2.0
Melanoma of the Skin	309	36.7	32.6	41.1	172	43.3	36.9	50.5	137	32.4	27.0	38.5
Breast (invasive)	580	65.8	60.4	71.6	7	1.6	0.6	3.3	573	123.4	113.2	134.3
Cervix									23	5.9	3.7	8.9
Corpus and Uterus, NOS									124	26.7	22.1	32.0
Ovary									37	8.0	5.6	11.2
Prostate					451	99.7	90.5	109.7				
Testis					27	6.5	4.2	9.6				
Urinary Bladder (includes in situ)	191	21.4	18.4	24.7	145	37.6	31.6	44.4	46	8.7	6.3	11.8
Kidney and Renal Pelvis	147	17.2	14.4	20.3	105	26.5	21.5	32.2	42	9.1	6.5	12.4
Brain and Nervous System	51	6.0	4.4	7.9	29	7.0	4.7	10.2	22	5.2	3.2	7.9
Hodgkin Lymphoma	28	3.4	2.2	4.9	19	4.6	2.8	7.3	9	2.2	1.0	4.2
Non-Hodgkin Lymphoma	140	15.7	13.1	18.6	76	18.7	14.7	23.6	64	13.4	10.3	17.3
Myeloma	44	5.1	3.7	6.9	24	6.2	3.9	9.3	20	4.3	2.6	6.8
Leukemia	75	8.9	6.9	11.1	46	12.1	8.8	16.1	29	6.5	4.3	9.4
All Other Sites	389	45.8	41.3	50.7	169	44.0	37.5	51.3	220	48.3	42.0	55.4
Breast in Situ (not in total)									129	27.7	23.0	33.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Menard

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	495	567.2	516.1	622.4	257	625.3	548.1	711.1	238	533.1	463.8	610.8
Oral Cavity and Pharynx	16	19.7	10.9	33.4	10	25.1	11.6	48.7	6	16.3	5.5	37.6
Esophagus	7	7.3	2.9	16.5	6	15.4	5.5	35.7	1	1.7	0.0	14.8
Stomach	8	9.4	3.7	20.3	3	5.5	1.1	20.4	5	13.7	3.8	34.6
Colon and Rectum	43	49.2	35.0	67.9	19	45.2	26.3	73.6	24	52.8	32.8	81.8
Liver	6	5.8	2.1	14.2	6	12.0	4.3	29.6	0			
Pancreas	19	21.9	12.9	35.3	7	16.2	6.3	36.0	12	26.7	13.5	49.2
Lung and Bronchus	60	64.2	48.6	84.0	35	81.4	56.0	115.8	25	49.8	31.8	76.2
Bones and Joints	0				0				0			
Melanoma of the Skin	32	41.5	27.8	60.0	18	47.2	27.5	76.5	14	38.8	20.3	67.6
Breast (invasive)	63	69.8	53.1	90.8	0				63	132.8	100.8	173.0
Cervix									3	10.1	2.0	29.9
Corpus and Uterus, NOS									13	26.5	13.7	48.4
Ovary									9	23.0	9.9	46.2
Prostate					73	162.6	126.4	207.5				
Testis					3	12.0	2.4	34.1				
Urinary Bladder (includes in situ)	24	26.7	16.8	40.9	20	49.5	29.6	78.9	4	8.7	2.3	25.0
Kidney and Renal Pelvis	20	21.3	12.7	34.3	11	23.9	11.6	45.6	9	20.2	8.7	41.5
Brain and Nervous System	3	2.7	0.6	10.1	1	2.2	0.1	16.2	2	3.5	0.4	17.2
Hodgkin Lymphoma	2	3.5	0.4	12.8	2	7.4	0.8	26.4	0			
Non-Hodgkin Lymphoma	17	21.7	12.2	36.1	8	21.8	9.0	45.1	9	22.2	9.4	45.2
Myeloma	6	7.7	2.7	17.8	5	14.5	4.5	35.5	1	2.4	0.1	16.3
Leukemia	17	20.3	11.5	33.9	10	26.7	12.4	51.3	7	16.0	6.1	35.7
All Other Sites	51	61.4	44.9	82.4	20	56.7	34.0	89.6	31	68.1	45.1	100.0
Breast in Situ (not in total)									7	17.7	6.2	39.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Mercer

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	601	534.4	490.2	581.9	334	579.4	516.6	648.7	267	497.0	434.8	566.1
Oral Cavity and Pharynx	18	17.3	9.9	28.7	12	23.5	11.6	43.4	6	10.8	3.5	26.3
Esophagus	10	7.7	3.7	15.3	8	12.4	5.3	26.9	2	3.0	0.4	14.5
Stomach	1	0.8	0.0	6.2	1	1.6	0.0	12.4	0			
Colon and Rectum	58	51.0	38.2	67.4	30	50.9	33.8	74.9	28	50.2	32.2	75.4
Liver	4	2.8	0.8	8.9	4	5.9	1.6	18.2	0			
Pancreas	24	20.0	12.7	30.7	10	17.7	8.3	34.5	14	21.9	11.9	39.0
Lung and Bronchus	114	90.4	74.3	109.5	72	116.3	90.6	148.3	42	66.4	47.7	91.7
Bones and Joints	2	3.3	0.4	11.2	0				2	6.7	0.8	23.0
Melanoma of the Skin	44	44.7	31.8	61.4	22	44.7	27.3	69.7	22	45.4	27.3	71.5
Breast (invasive)	66	66.2	50.2	85.8	1	1.6	0.0	12.5	65	129.4	97.8	168.5
Cervix									2	3.6	0.4	15.7
Corpus and Uterus, NOS									20	39.8	23.5	63.9
Ovary									7	13.9	4.9	31.4
Prostate					59	91.9	69.6	120.4				
Testis				0								
Urinary Bladder (includes in situ)	29	22.5	15.0	33.3	27	43.2	28.3	64.8	2	3.2	0.4	14.8
Kidney and Renal Pelvis	13	12.6	6.3	23.0	9	15.4	6.8	31.6	4	10.3	2.5	27.7
Brain and Nervous System	6	6.5	2.2	15.1	5	11.9	3.5	29.3	1	1.4	0.0	12.2
Hodgkin Lymphoma	5	6.0	1.8	14.8	3	7.1	1.3	22.1	2	5.3	0.5	20.1
Non-Hodgkin Lymphoma	37	32.9	22.6	46.8	19	34.1	20.1	55.3	18	32.6	18.0	54.9
Myeloma	8	6.2	2.6	13.4	3	4.9	1.0	17.0	5	7.5	2.4	20.3
Leukemia	11	9.2	4.4	17.6	7	12.8	4.9	28.6	4	5.9	1.6	18.2
All Other Sites	63	60.3	45.4	78.9	42	83.7	59.1	115.7	21	39.7	23.2	64.0
Breast in Situ (not in total)									17	33.1	18.7	55.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Monroe

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,032	446.1	418.2	475.4	518	459.7	419.5	503.0	514	440.6	401.6	482.7
Oral Cavity and Pharynx	31	12.0	8.0	17.6	21	16.3	9.9	25.9	10	7.6	3.4	15.2
Esophagus	11	4.6	2.3	8.7	9	8.0	3.5	16.0	2	1.6	0.2	7.0
Stomach	13	5.4	2.8	9.6	8	6.8	2.8	14.2	5	4.0	1.3	10.4
Colon and Rectum	57	24.4	18.3	32.2	32	28.4	19.2	40.9	25	21.8	13.8	33.1
Liver	10	4.3	2.0	8.3	8	7.1	3.0	14.7	2	1.7	0.2	7.1
Pancreas	29	11.6	7.7	17.1	15	12.8	7.0	21.9	14	10.5	5.7	18.6
Lung and Bronchus	121	49.9	41.2	60.0	58	53.3	40.1	69.6	63	48.0	36.6	62.4
Bones and Joints	2	0.6	0.1	3.1	1	0.6	0.0	5.2	1	0.7	0.0	5.5
Melanoma of the Skin	68	32.2	24.7	41.4	40	37.3	26.3	51.7	28	28.6	18.5	42.4
Breast (invasive)	180	82.4	70.3	96.1	3	2.5	0.5	8.3	177	157.4	134.0	183.9
Cervix									4	3.2	0.7	9.5
Corpus and Uterus, NOS									24	19.6	12.3	30.0
Ovary									8	5.8	2.5	12.5
Prostate					143	115.5	96.9	137.1				
Testis					4	5.9	1.6	14.5				
Urinary Bladder (includes in situ)	42	16.4	11.7	22.6	31	27.5	18.5	39.8	11	7.8	3.8	15.0
Kidney and Renal Pelvis	44	18.8	13.4	25.7	25	21.9	13.9	33.3	19	16.0	9.4	25.8
Brain and Nervous System	22	10.3	6.2	16.0	13	11.8	6.0	21.2	9	8.8	3.8	17.7
Hodgkin Lymphoma	3	1.9	0.4	5.5	0				3	3.7	0.7	10.8
Non-Hodgkin Lymphoma	52	22.1	16.3	29.4	28	25.3	16.5	37.4	24	19.6	12.4	30.1
Myeloma	15	7.0	3.8	11.8	7	7.8	3.1	16.2	8	6.4	2.7	13.4
Leukemia	28	12.5	8.1	18.5	16	14.1	7.8	23.7	12	11.6	5.7	21.1
All Other Sites	121	56.3	46.3	67.9	56	56.8	42.4	74.7	65	56.1	42.8	72.7
Breast in Situ (not in total)									26	25.3	16.1	38.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Montgomery

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,029	510.6	478.5	544.4	566	572.6	525.3	623.4	463	470.8	425.2	520.3
Oral Cavity and Pharynx	28	14.0	9.1	20.7	20	20.4	12.3	32.3	8	7.5	3.2	16.1
Esophagus	13	6.1	3.2	11.0	12	11.8	6.0	21.3	1	1.4	0.0	8.2
Stomach	7	3.0	1.2	6.7	2	2.0	0.2	8.1	5	3.9	1.2	10.9
Colon and Rectum	100	49.4	39.9	60.8	59	60.1	45.5	78.4	41	40.9	28.2	57.7
Liver	14	6.4	3.4	11.3	10	9.5	4.5	18.4	4	3.6	0.7	11.5
Pancreas	20	9.0	5.4	14.4	9	9.3	4.2	18.4	11	8.9	4.3	17.7
Lung and Bronchus	180	86.1	73.7	100.3	94	94.2	75.8	116.2	86	78.6	62.3	98.5
Bones and Joints	1	0.5	0.0	3.4	1	0.9	0.0	6.5	0			
Melanoma of the Skin	44	26.2	18.8	35.7	23	25.0	15.7	38.1	21	29.8	17.7	46.9
Breast (invasive)	108	56.6	46.0	69.2	1	0.8	0.0	6.2	107	113.8	91.6	140.1
Cervix									11	16.1	7.5	29.8
Corpus and Uterus, NOS									33	31.3	21.0	45.6
Ovary									8	9.5	3.6	20.4
Prostate					106	100.0	81.5	121.9				
Testis					4	4.4	1.1	12.1				
Urinary Bladder (includes in situ)	50	22.4	16.6	30.1	42	42.1	30.2	57.6	8	6.8	2.9	15.0
Kidney and Renal Pelvis	60	29.0	21.8	38.0	43	43.2	30.8	59.1	17	14.5	8.1	25.0
Brain and Nervous System	18	10.1	5.8	16.5	11	12.9	6.3	23.8	7	7.6	2.7	17.5
Hodgkin Lymphoma	4	2.3	0.6	6.3	2	2.6	0.3	9.6	2	1.7	0.2	8.1
Non-Hodgkin Lymphoma	40	19.2	13.5	26.7	20	21.6	13.0	34.0	20	16.6	10.0	27.0
Myeloma	13	5.8	3.0	10.5	8	7.8	3.3	16.1	5	3.9	1.1	11.3
Leukemia	37	17.9	12.3	25.4	26	27.0	17.4	40.5	11	10.5	4.8	20.6
All Other Sites	130	68.5	56.6	82.3	73	77.0	59.9	97.8	57	63.9	46.8	85.3
Breast in Situ (not in total)									13	15.5	7.8	28.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Morgan

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,331	556.7	526.0	588.8	668	589.3	544.5	637.1	663	547.6	503.5	594.8
Oral Cavity and Pharynx	25	9.8	6.3	14.9	18	14.6	8.6	23.8	7	5.6	2.2	12.5
Esophagus	24	10.1	6.3	15.4	18	16.4	9.6	26.7	6	4.2	1.6	10.4
Stomach	16	6.2	3.5	10.5	12	10.2	5.2	18.5	4	3.1	0.8	9.0
Colon and Rectum	133	56.4	46.9	67.5	67	63.4	48.8	81.1	66	50.2	38.0	65.5
Liver	17	6.7	3.8	11.0	14	11.8	6.4	20.6	3	2.1	0.4	7.6
Pancreas	23	8.5	5.4	13.1	11	8.9	4.4	16.7	12	8.0	4.1	15.2
Lung and Bronchus	221	85.8	74.7	98.4	115	98.7	81.2	119.1	106	78.3	63.6	95.9
Bones and Joints	4	2.2	0.5	5.9	1	0.7	0.0	5.4	3	4.0	0.7	11.7
Melanoma of the Skin	59	25.1	18.8	33.0	35	31.2	21.4	44.2	24	20.9	12.6	32.7
Breast (invasive)	190	84.5	72.3	98.3	2	1.7	0.2	7.0	188	162.7	138.5	190.1
Cervix									11	13.4	6.3	24.7
Corpus and Uterus, NOS									40	30.2	21.2	42.2
Ovary									14	9.6	5.2	17.2
Prostate					148	124.4	104.8	146.9				
Testis					4	5.1	1.4	12.8				
Urinary Bladder (includes in situ)	60	22.9	17.4	29.8	48	42.9	31.5	57.5	12	7.4	3.8	14.3
Kidney and Renal Pelvis	57	24.2	18.1	31.9	28	25.3	16.6	37.4	29	22.6	14.7	33.8
Brain and Nervous System	14	6.4	3.4	11.2	8	7.0	3.0	14.5	6	6.7	2.2	15.3
Hodgkin Lymphoma	7	3.5	1.3	7.6	4	3.5	0.9	9.8	3	4.2	0.8	12.2
Non-Hodgkin Lymphoma	48	20.5	14.9	27.6	30	27.4	18.2	39.9	18	13.4	7.8	22.2
Myeloma	18	6.6	3.9	10.8	8	7.0	3.0	14.5	10	6.2	2.9	12.7
Leukemia	38	17.8	12.3	24.9	21	19.8	12.1	30.9	17	16.5	9.1	27.7
All Other Sites	160	71.8	60.6	84.6	76	69.4	54.4	87.5	84	78.5	61.2	99.2
Breast in Situ (not in total)									33	29.3	19.6	42.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Moultrie

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	460	476.6	432.2	524.5	247	539.0	472.1	613.3	213	435.1	375.6	501.9
Oral Cavity and Pharynx	14	13.2	6.9	23.3	13	26.9	13.9	48.1	1	1.8	0.0	13.0
Esophagus	6	7.4	2.6	16.7	5	11.9	3.7	29.1	1	3.4	0.1	17.4
Stomach	5	5.0	1.5	12.8	3	7.9	1.6	23.6	2	2.6	0.3	13.6
Colon and Rectum	54	56.5	41.8	75.0	28	63.5	41.6	93.5	26	50.4	31.8	76.6
Liver	5	5.0	1.6	12.5	5	10.6	3.4	26.4	0			
Pancreas	14	13.1	7.1	23.0	6	14.4	5.2	32.3	8	12.2	5.1	26.6
Lung and Bronchus	71	70.1	54.5	89.2	40	84.9	60.5	116.9	31	59.7	40.2	86.3
Bones and Joints	0				0				0			
Melanoma of the Skin	20	22.4	13.4	35.4	12	25.9	13.2	46.5	8	19.5	8.0	39.7
Breast (invasive)	61	68.7	51.8	89.4	1	2.3	0.1	14.5	60	129.4	97.2	169.2
Cervix									4	11.3	2.9	29.3
Corpus and Uterus, NOS									15	32.4	17.5	55.4
Ovary									6	11.9	4.0	28.0
Prostate					44	89.7	64.6	122.2				
Testis					1	3.6	0.1	18.1				
Urinary Bladder (includes in situ)	25	23.8	15.1	36.1	20	42.7	25.8	67.5	5	9.2	2.7	23.9
Kidney and Renal Pelvis	29	28.2	18.4	41.8	16	32.9	18.3	55.5	13	24.5	12.3	44.7
Brain and Nervous System	7	9.7	3.7	20.4	4	11.3	3.0	29.2	3	8.3	1.5	24.8
Hodgkin Lymphoma	2	2.5	0.3	9.7	2	5.2	0.5	19.8	0			
Non-Hodgkin Lymphoma	16	14.7	8.3	24.7	14	28.3	15.3	49.0	2	2.9	0.3	14.4
Myeloma	6	7.0	2.4	16.0	4	10.4	2.5	28.0	2	3.8	0.4	16.1
Leukemia	9	9.2	4.1	18.5	5	11.4	3.5	28.1	4	7.0	1.9	20.3
All Other Sites	46	48.2	34.8	65.3	24	55.0	34.8	83.3	22	44.9	27.7	69.7
Breast in Situ (not in total)									14	30.0	15.9	52.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Ogle

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,675	481.2	457.6	505.8	838	495.3	461.4	531.3	837	472.9	439.9	507.9
Oral Cavity and Pharynx	53	15.1	11.2	20.1	34	19.2	13.1	27.3	19	11.2	6.5	18.1
Esophagus	19	5.2	3.1	8.3	14	8.1	4.3	14.0	5	2.3	0.7	6.2
Stomach	21	5.6	3.5	8.8	15	8.0	4.5	13.8	6	3.3	1.2	7.7
Colon and Rectum	143	41.9	35.1	49.7	61	37.5	28.4	48.8	82	44.5	35.0	56.1
Liver	11	2.8	1.4	5.2	7	3.5	1.4	7.8	4	2.0	0.5	5.9
Pancreas	41	11.2	7.9	15.4	27	15.8	10.3	23.6	14	7.1	3.8	12.4
Lung and Bronchus	233	62.8	54.9	71.7	117	67.5	55.6	81.5	116	58.8	48.4	71.0
Bones and Joints	0				0				0			
Melanoma of the Skin	116	35.1	28.8	42.5	65	38.2	29.2	49.2	51	33.3	24.3	44.6
Breast (invasive)	217	66.0	57.1	75.9	1	0.7	0.0	4.3	216	127.4	110.1	146.8
Cervix									10	6.3	2.9	12.2
Corpus and Uterus, NOS									55	29.8	22.1	39.6
Ovary									16	8.4	4.7	14.3
Prostate					180	100.2	85.8	116.6				
Testis					6	5.2	1.8	11.4				
Urinary Bladder (includes in situ)	70	19.2	14.9	24.5	57	34.4	25.9	45.1	13	7.0	3.7	12.5
Kidney and Renal Pelvis	79	22.6	17.7	28.4	46	26.9	19.5	36.5	33	18.3	12.4	26.4
Brain and Nervous System	24	7.8	4.9	11.9	11	7.3	3.5	13.5	13	8.6	4.4	15.1
Hodgkin Lymphoma	5	2.0	0.6	4.7	4	3.3	0.9	8.5	1	0.7	0.0	4.3
Non-Hodgkin Lymphoma	85	24.8	19.6	31.0	50	31.5	23.1	42.1	35	18.6	12.8	26.5
Myeloma	24	6.4	4.1	9.8	16	9.1	5.1	15.2	8	3.9	1.7	8.4
Leukemia	59	17.6	13.3	23.0	31	20.5	13.7	29.6	28	14.8	9.7	22.0
All Other Sites	208	61.9	53.5	71.5	96	58.5	47.0	72.1	112	66.6	54.2	81.2
Breast in Situ (not in total)									40	24.8	17.5	34.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,697	504.1	490.7	517.8	2,938	561.0	540.4	582.2	2,759	463.0	445.2	481.5
Oral Cavity and Pharynx	150	13.1	11.0	15.4	100	18.6	15.1	22.8	50	8.3	6.1	11.2
Esophagus	76	6.7	5.2	8.4	56	10.5	7.8	13.7	20	3.5	2.1	5.6
Stomach	54	4.7	3.5	6.1	30	5.8	3.9	8.4	24	3.9	2.5	6.0
Colon and Rectum	494	44.8	40.8	49.1	246	49.9	43.7	56.8	248	40.3	35.3	46.0
Liver	83	6.8	5.3	8.4	65	10.9	8.4	14.0	18	3.2	1.9	5.3
Pancreas	159	14.0	11.8	16.4	81	16.3	12.9	20.4	78	11.7	9.2	14.8
Lung and Bronchus	963	81.7	76.5	87.2	517	97.5	89.1	106.5	446	69.4	63.0	76.4
Bones and Joints	12	1.1	0.6	2.0	6	1.3	0.5	2.8	6	1.1	0.4	2.4
Melanoma of the Skin	331	31.0	27.6	34.7	190	39.1	33.6	45.3	141	25.8	21.5	30.7
Breast (invasive)	815	75.1	69.9	80.7	10	2.2	1.0	4.1	805	138.7	128.9	149.2
Cervix									52	11.5	8.5	15.3
Corpus and Uterus, NOS									153	25.3	21.3	29.9
Ovary									48	7.7	5.6	10.3
Prostate					783	138.8	129.0	149.1				
Testis					21	5.5	3.4	8.4				
Urinary Bladder (includes in situ)	225	19.4	16.9	22.1	170	33.8	28.8	39.4	55	8.3	6.1	10.9
Kidney and Renal Pelvis	259	23.8	20.9	26.9	167	33.6	28.6	39.3	92	15.5	12.4	19.2
Brain and Nervous System	70	6.8	5.2	8.7	38	7.8	5.4	10.8	32	6.0	4.0	8.6
Hodgkin Lymphoma	32	3.4	2.3	4.8	19	4.2	2.5	6.6	13	2.6	1.4	4.6
Non-Hodgkin Lymphoma	216	19.1	16.5	21.9	115	21.7	17.8	26.2	101	16.9	13.6	20.7
Myeloma	57	4.7	3.5	6.1	28	5.2	3.4	7.6	29	4.3	2.8	6.3
Leukemia	117	10.8	8.9	13.0	72	14.5	11.3	18.4	45	7.8	5.6	10.6
All Other Sites	527	47.3	43.2	51.7	224	43.8	38.1	50.1	303	51.1	45.2	57.5
Breast in Situ (not in total)									192	34.5	29.5	40.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Perry

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	689	499.6	461.8	539.9	355	517.2	463.9	575.4	334	499.1	443.3	560.5
Oral Cavity and Pharynx	16	11.5	6.4	19.2	14	18.8	10.1	32.5	2	2.8	0.3	12.3
Esophagus	9	5.9	2.6	11.9	7	9.4	3.7	20.6	2	2.2	0.3	11.2
Stomach	7	5.0	1.9	11.0	4	5.9	1.5	16.3	3	3.6	0.7	13.1
Colon and Rectum	79	58.7	46.1	73.9	36	53.6	37.2	75.1	43	63.0	44.6	87.3
Liver	9	7.1	3.1	14.1	7	10.7	4.3	22.8	2	3.5	0.3	14.4
Pancreas	18	12.5	7.3	20.4	9	13.6	6.1	26.6	9	10.7	4.8	22.4
Lung and Bronchus	124	86.7	71.8	104.1	64	93.7	71.8	120.5	60	81.1	61.1	106.4
Bones and Joints	2	1.3	0.2	5.6	1	1.3	0.0	8.9	1	1.1	0.0	9.8
Melanoma of the Skin	38	27.6	19.3	38.6	25	37.8	24.2	56.6	13	20.2	9.9	37.1
Breast (invasive)	79	58.9	46.2	74.1	0				79	121.3	94.5	154.0
Cervix									7	14.5	5.5	30.9
Corpus and Uterus, NOS									15	22.2	11.9	38.7
Ovary									9	16.8	7.1	33.5
Prostate					70	98.2	76.2	125.0				
Testis					1	1.3	0.0	9.0				
Urinary Bladder (includes in situ)	40	26.8	19.0	37.1	29	42.5	28.3	61.9	11	13.2	6.2	26.0
Kidney and Renal Pelvis	40	29.4	20.8	40.8	31	44.3	29.8	63.9	9	15.1	6.4	30.3
Brain and Nervous System	5	4.0	1.2	9.9	1	2.1	0.1	11.1	4	5.3	1.4	15.7
Hodgkin Lymphoma	6	5.9	2.1	13.0	2	3.0	0.4	11.7	4	10.1	2.6	25.6
Non-Hodgkin Lymphoma	17	11.2	6.5	18.5	9	12.0	5.4	23.9	8	10.6	4.6	22.7
Myeloma	5	3.3	1.1	8.4	2	3.0	0.3	11.7	3	3.7	0.8	13.3
Leukemia	17	13.7	7.7	22.5	9	13.3	6.0	26.1	8	14.3	5.7	29.8
All Other Sites	76	57.3	44.8	72.5	34	52.8	36.3	74.5	42	63.9	44.7	89.1
Breast in Situ (not in total)									15	20.4	11.1	35.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Piatt

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	546	479.5	438.3	523.9	292	518.9	459.0	585.1	254	450.2	393.1	513.8
Oral Cavity and Pharynx	19	17.5	10.2	28.3	11	18.4	9.0	34.7	8	16.4	6.6	34.0
Esophagus	3	2.3	0.5	8.0	2	4.1	0.5	16.0	1	1.3	0.0	11.0
Stomach	9	7.6	3.3	15.5	9	15.8	6.8	32.0	0			
Colon and Rectum	48	42.3	30.8	57.0	31	57.8	38.7	83.7	17	28.2	16.1	47.1
Liver	7	6.2	2.4	13.6	5	9.4	3.0	23.6	2	3.2	0.4	14.1
Pancreas	17	13.5	7.8	22.4	12	19.5	9.9	35.9	5	7.7	2.5	20.2
Lung and Bronchus	73	59.0	45.9	75.0	39	71.6	50.3	99.6	34	48.9	33.8	70.0
Bones and Joints	1	1.2	0.0	6.8	1	2.4	0.1	13.8	0			
Melanoma of the Skin	55	56.3	41.5	74.7	34	66.3	44.8	94.9	21	49.1	29.3	76.8
Breast (invasive)	68	64.2	49.1	82.7	0				68	124.1	94.7	160.3
Cervix									3	7.9	1.4	23.6
Corpus and Uterus, NOS									21	34.4	20.6	55.0
Ovary									9	18.2	7.7	36.6
Prostate					59	95.1	71.9	124.3				
Testis					2	6.0	0.7	20.6				
Urinary Bladder (includes in situ)	19	15.1	9.0	24.5	16	27.2	15.4	45.8	3	4.4	0.9	15.6
Kidney and Renal Pelvis	24	19.3	12.1	29.7	17	27.5	15.7	46.1	7	11.7	4.5	26.2
Brain and Nervous System	6	6.0	2.0	14.0	3	6.6	1.2	20.7	3	5.5	0.9	18.3
Hodgkin Lymphoma	2	2.9	0.3	9.9	2	5.7	0.7	19.8	0			
Non-Hodgkin Lymphoma	26	20.7	13.4	31.2	15	25.1	13.9	43.0	11	17.1	8.2	32.7
Myeloma	7	5.6	2.2	12.5	4	6.3	1.7	18.5	3	4.7	1.0	16.1
Leukemia	15	12.4	6.7	21.5	8	14.7	5.9	31.0	7	10.0	4.0	22.8
All Other Sites	53	48.3	35.6	64.3	22	39.4	24.4	61.2	31	57.4	37.8	84.0
Breast in Situ (not in total)									14	26.2	13.6	46.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pike

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	612	543.4	499.1	591.0	326	604.9	538.9	677.5	286	493.9	433.6	560.8
Oral Cavity and Pharynx	25	24.7	15.5	37.7	18	34.0	19.7	55.5	7	16.2	5.8	35.4
Esophagus	6	5.4	1.9	12.7	5	9.2	2.9	23.3	1	1.6	0.0	12.2
Stomach	4	3.8	0.9	10.8	4	7.5	1.8	21.2	0			
Colon and Rectum	49	46.1	33.2	62.6	24	47.9	29.9	73.4	25	46.1	28.1	71.9
Liver	10	7.4	3.5	14.8	8	13.8	5.9	29.0	2	3.0	0.4	14.0
Pancreas	19	14.8	8.9	24.2	8	12.1	5.2	26.1	11	16.8	8.1	32.6
Lung and Bronchus	110	91.7	75.0	111.6	64	118.1	90.4	152.5	46	68.8	49.8	94.1
Bones and Joints	0				0				0			
Melanoma of the Skin	34	35.2	23.7	50.5	18	37.1	21.2	60.7	16	33.5	17.9	57.1
Breast (invasive)	66	59.5	45.4	77.1	0				66	115.0	87.3	149.6
Cervix									1	1.4	0.0	11.9
Corpus and Uterus, NOS									19	33.4	19.4	54.6
Ovary									5	11.0	3.2	27.5
Prostate					57	99.6	75.0	130.9				
Testis					1	3.8	0.1	18.2				
Urinary Bladder (includes in situ)	19	15.4	9.2	24.9	15	27.4	15.3	46.6	4	6.5	1.6	19.5
Kidney and Renal Pelvis	26	24.0	15.3	36.4	20	37.8	22.7	60.2	6	11.6	3.7	27.9
Brain and Nervous System	4	3.6	0.9	10.5	1	1.9	0.0	12.7	3	5.8	1.0	19.2
Hodgkin Lymphoma	4	3.9	0.9	11.0	3	5.7	1.0	18.8	1	1.6	0.0	12.3
Non-Hodgkin Lymphoma	22	19.5	11.9	30.8	14	26.1	14.1	45.3	8	15.9	6.2	33.8
Myeloma	11	8.8	4.1	17.1	7	10.9	4.3	24.7	4	7.5	1.5	22.3
Leukemia	29	26.0	17.0	38.4	16	30.7	17.1	51.6	13	19.7	9.6	37.2
All Other Sites	91	79.6	63.3	99.2	43	81.2	58.0	111.2	48	78.6	56.4	107.8
Breast in Situ (not in total)									5	9.8	3.0	24.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pope

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	167	440.8	368.3	526.9	106	550.4	438.1	689.8	61	337.4	248.0	457.6
Oral Cavity and Pharynx	8	16.9	7.2	44.0	7	29.8	11.8	82.1	1	3.8	0.1	56.9
Esophagus	2	8.2	0.8	37.3	2	16.4	1.5	73.6	0			
Stomach	0				0				0			
Colon and Rectum	13	27.5	14.6	56.6	8	32.6	14.0	84.8	5	22.7	7.3	78.2
Liver	2	4.1	0.5	29.1	0				2	8.5	1.0	61.8
Pancreas	7	14.8	5.9	41.5	5	22.5	7.3	73.7	2	7.5	0.9	60.4
Lung and Bronchus	29	63.4	42.1	99.1	17	75.6	43.4	137.5	12	51.2	26.3	111.0
Bones and Joints	0				0				0			
Melanoma of the Skin	5	20.2	5.4	55.5	4	28.9	5.6	92.7	1	11.1	0.3	71.2
Breast (invasive)	16	53.6	27.0	98.4	1	3.5	0.1	51.5	15	102.6	50.2	193.0
Cervix									4	34.1	7.6	104.4
Corpus and Uterus, NOS									1	5.2	0.1	58.9
Ovary									1	9.1	0.2	66.3
Prostate					25	114.9	73.8	184.3				
Testis					1	15.6	0.4	79.6				
Urinary Bladder (includes in situ)	6	13.2	4.8	39.9	6	25.5	9.3	76.9	0			
Kidney and Renal Pelvis	12	35.3	16.1	72.1	9	56.6	21.8	127.6	3	14.8	3.0	69.5
Brain and Nervous System	2	4.6	0.6	30.0	2	9.7	1.2	59.1	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	8	23.5	8.5	56.9	4	29.2	5.8	93.1	4	17.6	4.7	72.0
Myeloma	2	4.2	0.5	29.4	1	5.1	0.1	53.9	1	3.7	0.1	56.6
Leukemia	6	12.9	4.7	39.4	3	13.7	2.8	63.6	3	12.7	2.5	66.4
All Other Sites	17	49.9	26.5	90.2	11	70.7	29.7	147.8	6	32.9	11.4	93.2
Breast in Situ (not in total)									2	10.4	1.3	64.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Pulaski

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	215	516.6	445.7	596.9	120	564.2	464.9	682.1	95	476.7	377.7	595.5
Oral Cavity and Pharynx	7	15.4	6.1	35.3	7	31.9	12.8	73.2	0			
Esophagus	3	5.6	1.1	21.8	2	7.2	0.9	39.1	1	4.2	0.1	34.2
Stomach	3	9.9	1.6	31.6	1	4.7	0.1	36.8	2	14.5	1.3	55.4
Colon and Rectum	15	34.7	18.8	60.9	6	30.1	10.5	73.0	9	39.3	17.1	82.4
Liver	6	13.4	4.9	32.8	4	17.8	4.8	54.3	2	9.1	1.1	41.4
Pancreas	5	11.6	3.8	30.6	3	15.1	3.1	51.8	2	8.3	1.0	39.7
Lung and Bronchus	43	99.9	71.4	137.9	23	114.8	72.0	178.2	20	85.4	50.9	139.3
Bones and Joints	0				0				0			
Melanoma of the Skin	6	17.1	5.5	40.8	3	14.6	3.0	50.7	3	20.1	3.2	64.0
Breast (invasive)	29	81.7	52.5	122.0	0				29	156.1	100.1	233.7
Cervix									0			
Corpus and Uterus, NOS									6	30.6	9.3	75.9
Ovary									0			
Prostate					40	184.6	130.0	258.7				
Testis					0							
Urinary Bladder (includes in situ)	12	24.2	12.4	46.0	9	38.5	17.4	80.8	3	11.4	2.3	43.4
Kidney and Renal Pelvis	6	13.4	4.9	32.9	5	22.4	7.2	60.6	1	4.6	0.1	35.0
Brain and Nervous System	3	6.3	1.3	23.1	2	9.4	1.1	43.3	1	3.1	0.1	32.2
Hodgkin Lymphoma	1	5.4	0.1	26.3	1	11.3	0.3	54.6	0			
Non-Hodgkin Lymphoma	5	9.7	3.1	27.3	4	15.5	4.2	50.3	1	4.5	0.1	35.0
Myeloma	3	5.8	1.2	22.2	0				3	11.2	2.2	43.1
Leukemia	2	6.2	0.7	24.8	0				2	12.2	1.2	49.1
All Other Sites	20	53.9	31.7	86.8	10	46.3	22.0	91.8	10	62.2	28.0	120.1
Breast in Situ (not in total)									1	4.5	0.1	34.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Putnam

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	199	424.8	364.7	493.8	111	468.9	381.8	573.5	88	383.4	301.9	483.6
Oral Cavity and Pharynx	2	5.2	0.6	22.4	2	10.7	1.2	45.2	0			
Esophagus	7	15.0	6.0	34.6	7	30.7	12.3	70.1	0			
Stomach	2	3.4	0.4	18.7	2	6.8	0.8	37.0	0			
Colon and Rectum	16	33.0	18.6	57.0	10	44.0	20.7	87.7	6	23.0	8.3	59.5
Liver	2	6.3	0.5	25.8	2	12.3	1.0	50.7	0			
Pancreas	2	4.5	0.5	20.8	1	4.6	0.1	35.3	1	4.4	0.1	35.9
Lung and Bronchus	39	78.4	55.4	110.2	20	82.3	49.5	133.9	19	74.2	44.3	123.3
Bones and Joints	1	1.7	0.0	16.5	1	3.1	0.1	32.3	0			
Melanoma of the Skin	14	37.4	18.6	67.7	8	40.4	16.3	86.7	6	36.8	10.9	89.6
Breast (invasive)	27	60.7	38.6	92.7	1	3.1	0.1	32.3	26	117.3	73.8	181.0
Cervix									1	10.0	0.3	50.4
Corpus and Uterus, NOS									4	14.1	3.8	47.4
Ovary									2	8.5	1.0	41.2
Prostate					23	82.5	51.8	131.1				
Testis					0							
Urinary Bladder (includes in situ)	13	25.2	13.3	46.9	13	52.2	27.1	96.9	0			
Kidney and Renal Pelvis	5	11.3	3.5	30.3	3	11.6	2.3	44.1	2	9.7	1.1	44.1
Brain and Nervous System	3	8.2	1.3	27.7	1	8.7	0.2	45.8	2	7.7	0.9	39.7
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	6	11.5	4.1	29.7	3	12.3	2.4	45.5	3	10.1	2.1	42.2
Myeloma	4	7.6	2.0	24.5	2	7.6	0.8	38.7	2	7.7	0.9	39.8
Leukemia	5	10.5	3.3	28.6	3	14.4	2.7	49.9	2	7.1	0.9	38.7
All Other Sites	21	46.3	27.6	74.9	9	41.8	17.5	87.8	12	52.8	26.2	100.4
Breast in Situ (not in total)									4	15.3	4.1	49.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Randolph

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,072	483.8	454.4	514.8	551	514.6	471.6	560.7	521	488.5	443.8	536.8
Oral Cavity and Pharynx	19	8.9	5.2	14.3	15	13.1	7.2	22.4	4	4.6	1.1	13.0
Esophagus	12	5.8	2.9	10.4	11	11.1	5.5	20.3	1	0.7	0.0	6.4
Stomach	14	6.8	3.6	11.8	7	7.7	3.1	16.1	7	6.9	2.5	15.7
Colon and Rectum	113	50.6	41.5	61.4	56	54.1	40.6	70.9	57	47.2	35.0	63.0
Liver	24	9.8	6.3	15.0	19	16.0	9.5	25.7	5	3.8	1.2	10.5
Pancreas	27	11.1	7.3	16.6	15	13.9	7.7	23.5	12	7.8	4.0	15.3
Lung and Bronchus	177	76.2	65.2	88.8	81	73.7	58.2	92.2	96	82.8	66.3	102.8
Bones and Joints	1	0.8	0.0	4.2	0				1	1.8	0.0	9.1
Melanoma of the Skin	49	22.9	16.8	30.8	29	27.9	18.5	40.7	20	22.0	12.7	35.6
Breast (invasive)	138	64.4	53.8	76.7	1	1.1	0.0	6.6	137	134.0	110.8	161.0
Cervix									2	3.9	0.5	13.1
Corpus and Uterus, NOS									33	28.0	18.8	40.9
Ovary									12	11.6	5.7	21.5
Prostate					113	100.0	82.0	121.0				
Testis					6	6.8	2.5	15.0				
Urinary Bladder (includes in situ)	37	15.7	11.0	22.1	27	26.4	17.2	38.9	10	6.9	3.2	14.3
Kidney and Renal Pelvis	48	21.8	15.9	29.4	31	28.3	19.1	40.8	17	18.7	10.4	31.4
Brain and Nervous System	14	7.3	3.9	12.6	8	7.8	3.3	15.9	6	7.4	2.4	17.4
Hodgkin Lymphoma	6	3.8	1.3	8.3	3	3.7	0.7	10.9	3	4.6	0.9	13.7
Non-Hodgkin Lymphoma	47	20.8	15.1	28.1	29	27.3	18.1	39.8	18	17.1	9.5	28.8
Myeloma	18	7.8	4.6	12.7	12	11.1	5.6	20.0	6	4.5	1.6	11.5
Leukemia	32	15.0	10.0	21.7	22	21.1	13.0	32.7	10	9.9	4.4	19.7
All Other Sites	130	61.2	50.8	73.2	66	63.6	49.0	81.5	64	64.1	47.8	84.4
Breast in Situ (not in total)									21	22.1	13.1	35.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Richland

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	534	477.5	435.9	522.2	287	523.3	463.1	589.8	247	448.8	390.3	514.0
Oral Cavity and Pharynx	13	10.1	5.3	18.2	10	16.3	7.7	31.9	3	4.8	1.0	16.6
Esophagus	9	8.1	3.4	16.7	7	13.3	4.9	29.7	2	4.1	0.5	16.5
Stomach	1	0.9	0.0	6.3	0				1	1.7	0.0	12.4
Colon and Rectum	57	53.0	39.4	70.1	30	57.0	38.0	83.0	27	50.5	31.7	77.0
Liver	8	7.0	3.0	14.8	3	5.8	1.2	18.6	5	8.6	2.7	22.3
Pancreas	15	12.7	6.9	22.1	8	14.4	6.1	30.2	7	10.7	3.8	25.3
Lung and Bronchus	85	75.1	59.4	94.1	48	88.7	64.9	119.2	37	63.5	43.5	90.4
Bones and Joints	0				0				0			
Melanoma of the Skin	22	21.3	13.0	33.2	17	31.6	18.3	52.0	5	13.7	4.3	32.2
Breast (invasive)	67	63.6	48.6	82.0	0				67	122.5	93.3	158.5
Cervix									2	5.3	0.6	19.1
Corpus and Uterus, NOS									14	23.5	12.6	41.6
Ovary									0			
Prostate					84	141.8	112.8	177.0				
Testis					1	2.7	0.1	14.7				
Urinary Bladder (includes in situ)	14	11.7	6.2	20.7	13	21.9	11.5	39.1	1	3.2	0.1	16.4
Kidney and Renal Pelvis	22	21.3	13.0	33.4	10	19.6	9.3	37.5	12	23.9	11.5	44.2
Brain and Nervous System	5	4.0	1.3	10.4	1	1.5	0.0	11.9	4	6.1	1.6	18.2
Hodgkin Lymphoma	2	2.2	0.2	8.8	2	4.5	0.4	17.6	0			
Non-Hodgkin Lymphoma	20	16.9	10.1	27.2	8	14.2	6.1	29.6	12	19.8	9.6	37.3
Myeloma	4	4.0	1.0	11.2	2	5.2	0.6	19.1	2	2.7	0.3	13.5
Leukemia	20	17.1	10.1	27.5	11	20.9	10.2	39.1	9	13.0	5.2	28.3
All Other Sites	69	66.4	50.8	85.4	32	64.0	43.3	91.8	37	71.1	48.2	101.4
Breast in Situ (not in total)									10	21.0	9.4	40.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Rock Island
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,477	462.6	448.6	476.9	2,365	517.4	496.2	539.4	2,112	422.9	404.0	442.6
Oral Cavity and Pharynx	148	15.3	12.8	18.1	109	24.4	19.8	29.6	39	7.2	5.0	10.1
Esophagus	63	6.0	4.5	7.8	55	10.9	8.2	14.4	8	1.6	0.6	3.4
Stomach	45	4.5	3.3	6.2	26	6.0	3.9	8.9	19	3.2	1.9	5.2
Colon and Rectum	310	32.4	28.7	36.4	164	38.2	32.4	44.8	146	27.1	22.7	32.2
Liver	68	6.3	4.9	8.1	56	11.0	8.2	14.4	12	2.1	1.1	3.8
Pancreas	145	14.6	12.2	17.3	86	18.8	14.9	23.4	59	11.1	8.4	14.6
Lung and Bronchus	686	65.7	60.8	71.0	352	74.5	66.8	82.9	334	59.1	52.8	66.1
Bones and Joints	5	0.6	0.2	1.4	3	0.7	0.1	2.1	2	0.5	0.1	1.8
Melanoma of the Skin	248	27.1	23.7	30.9	144	32.9	27.6	39.0	104	23.2	18.7	28.6
Breast (invasive)	572	61.8	56.6	67.3	2	0.6	0.1	2.3	570	117.3	107.2	128.0
Cervix									36	10.0	6.8	14.0
Corpus and Uterus, NOS									164	32.3	27.3	38.0
Ovary									66	13.6	10.3	17.6
Prostate					546	110.5	101.2	120.4				
Testis					25	7.5	4.8	11.1				
Urinary Bladder (includes in situ)	195	19.4	16.7	22.4	153	34.2	28.9	40.2	42	7.8	5.5	10.8
Kidney and Renal Pelvis	199	20.9	18.0	24.2	129	28.6	23.7	34.2	70	14.3	10.9	18.5
Brain and Nervous System	62	7.3	5.5	9.5	33	7.9	5.4	11.2	29	6.9	4.5	10.1
Hodgkin Lymphoma	21	2.8	1.7	4.3	11	2.9	1.4	5.2	10	2.8	1.3	5.2
Non-Hodgkin Lymphoma	166	18.2	15.4	21.3	95	22.5	18.0	27.7	71	14.2	10.9	18.3
Myeloma	69	6.6	5.1	8.5	42	8.8	6.3	12.0	27	5.0	3.2	7.4
Leukemia	105	10.9	8.9	13.4	65	15.1	11.6	19.3	40	7.6	5.3	10.7
All Other Sites	533	58.2	53.1	63.6	269	61.8	54.4	69.9	264	56.1	49.0	63.9
Breast in Situ (not in total)									149	33.6	28.1	39.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Saline

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	852	504.6	470.0	541.4	451	576.2	522.8	633.9	401	451.7	406.0	501.7
Oral Cavity and Pharynx	24	14.4	9.0	22.2	15	19.3	10.6	33.0	9	9.6	4.0	20.1
Esophagus	13	7.6	3.9	13.7	9	10.6	4.8	21.3	4	5.2	1.2	14.9
Stomach	16	9.6	5.3	16.1	10	13.8	6.5	26.3	6	5.4	1.9	13.6
Colon and Rectum	85	49.9	39.5	62.4	45	58.9	42.6	79.9	40	42.1	29.7	58.9
Liver	12	6.6	3.4	12.1	10	12.6	6.0	24.1	2	1.7	0.2	8.8
Pancreas	23	13.4	8.3	20.7	14	18.6	9.9	32.4	9	8.5	3.9	17.8
Lung and Bronchus	142	78.3	65.8	92.9	78	97.0	76.3	122.2	64	63.5	48.7	82.3
Bones and Joints	0				0				0			
Melanoma of the Skin	43	26.4	18.8	36.2	28	36.2	23.8	53.3	15	19.5	10.4	33.7
Breast (invasive)	102	61.3	49.5	75.3	0				102	114.5	92.2	141.2
Cervix									8	14.8	6.2	29.2
Corpus and Uterus, NOS									26	28.4	18.3	43.0
Ovary									2	2.1	0.3	9.4
Prostate					102	118.0	95.8	144.4				
Testis					1	1.6	0.0	9.3				
Urinary Bladder (includes in situ)	41	22.7	16.1	31.4	29	36.3	24.2	53.0	12	12.7	6.2	24.0
Kidney and Renal Pelvis	32	17.5	11.8	25.2	19	21.5	12.9	34.8	13	13.9	7.1	25.3
Brain and Nervous System	7	6.2	2.3	12.9	2	5.0	0.6	16.4	5	7.9	2.3	19.2
Hodgkin Lymphoma	6	5.9	2.1	12.7	4	7.6	1.9	19.4	2	4.4	0.5	14.8
Non-Hodgkin Lymphoma	25	16.6	10.5	25.3	13	17.7	9.3	31.1	12	15.1	7.2	28.1
Myeloma	17	10.8	6.1	17.9	8	10.8	4.6	22.0	9	11.7	5.0	23.8
Leukemia	23	15.2	9.3	23.4	12	18.6	9.2	33.4	11	12.2	6.0	23.2
All Other Sites	102	63.9	51.5	78.4	52	72.1	53.5	95.6	50	58.3	42.3	79.0
Breast in Situ (not in total)									10	9.6	4.6	19.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,926	539.8	526.7	553.2	3,491	601.2	580.8	622.2	3,435	499.6	482.2	517.5
Oral Cavity and Pharynx	197	15.5	13.3	17.9	148	25.0	21.0	29.6	49	7.4	5.4	10.0
Esophagus	70	5.3	4.1	6.8	53	8.9	6.6	11.8	17	2.5	1.4	4.1
Stomach	76	5.8	4.5	7.3	40	6.6	4.7	9.1	36	5.1	3.5	7.2
Colon and Rectum	567	45.4	41.6	49.5	289	52.5	46.4	59.1	278	39.6	34.8	44.8
Liver	119	8.6	7.1	10.3	98	15.8	12.7	19.5	21	2.8	1.7	4.4
Pancreas	234	17.9	15.7	20.5	129	22.3	18.5	26.7	105	14.5	11.8	17.7
Lung and Bronchus	1,039	76.6	71.9	81.5	518	88.4	80.8	96.7	521	68.7	62.8	75.1
Bones and Joints	17	1.6	0.9	2.6	10	1.9	0.9	3.6	7	1.4	0.5	2.9
Melanoma of the Skin	364	30.3	27.2	33.8	188	34.3	29.4	39.8	176	28.9	24.5	33.8
Breast (invasive)	999	81.1	76.0	86.6	12	1.8	0.9	3.4	987	148.3	138.7	158.4
Cervix									42	8.5	6.1	11.7
Corpus and Uterus, NOS									198	27.5	23.6	31.9
Ovary									80	11.4	9.0	14.5
Prostate					777	121.4	112.7	130.5				
Testis					45	10.6	7.7	14.2				
Urinary Bladder (includes in situ)	283	21.0	18.6	23.7	227	40.1	34.9	45.8	56	7.2	5.4	9.5
Kidney and Renal Pelvis	334	26.4	23.5	29.6	216	37.3	32.3	42.8	118	17.9	14.6	21.7
Brain and Nervous System	78	6.5	5.1	8.2	51	9.3	6.8	12.3	27	4.1	2.7	6.2
Hodgkin Lymphoma	20	1.9	1.1	3.0	15	3.1	1.7	5.1	5	0.9	0.3	2.1
Non-Hodgkin Lymphoma	318	24.9	22.2	27.9	163	29.5	25.0	34.6	155	21.9	18.4	25.8
Myeloma	85	6.4	5.1	8.0	51	9.4	6.9	12.5	34	4.2	2.9	6.1
Leukemia	210	17.3	15.0	19.9	115	21.2	17.3	25.6	95	14.0	11.2	17.3
All Other Sites	774	61.7	57.3	66.4	346	61.9	55.3	69.0	428	62.9	56.8	69.6
Breast in Situ (not in total)									233	34.3	29.8	39.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Schuyler

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	259	483.6	423.6	550.9	151	556.2	468.3	658.2	108	418.5	336.4	517.0
Oral Cavity and Pharynx	9	16.8	7.4	34.8	6	22.3	8.1	53.7	3	12.8	2.2	44.9
Esophagus	3	4.2	0.9	17.0	3	11.0	2.2	38.2	0			
Stomach	3	6.2	1.3	21.0	2	8.6	1.0	35.7	1	3.1	0.1	29.1
Colon and Rectum	27	47.3	30.6	71.8	16	59.4	33.2	101.5	11	31.9	15.7	65.2
Liver	3	5.4	1.1	19.3	2	6.5	0.8	31.5	1	3.8	0.1	30.5
Pancreas	7	15.1	5.7	33.7	3	11.4	2.3	39.0	4	19.0	4.6	54.4
Lung and Bronchus	46	81.3	59.0	110.9	26	91.4	59.2	138.4	20	71.2	42.6	116.6
Bones and Joints	2	6.7	0.8	23.8	2	13.1	1.5	46.7	0			
Melanoma of the Skin	14	26.5	14.0	47.4	11	40.9	19.9	78.4	3	10.7	2.2	39.7
Breast (invasive)	24	43.0	27.0	66.7	0				24	85.8	53.1	135.3
Cervix									3	21.4	3.9	63.2
Corpus and Uterus, NOS									4	13.7	3.7	43.2
Ovary									0			
Prostate					31	109.0	73.4	159.4				
Testis				0								
Urinary Bladder (includes in situ)	15	23.6	13.2	41.8	11	36.3	17.9	70.4	4	12.7	3.4	41.7
Kidney and Renal Pelvis	10	16.4	7.8	33.3	8	27.9	11.9	60.3	2	6.4	0.8	33.4
Brain and Nervous System	0				0				0			
Hodgkin Lymphoma	1	2.9	0.1	17.1	1	5.2	0.1	31.5	0			
Non-Hodgkin Lymphoma	9	14.5	6.6	30.7	4	12.6	3.4	39.5	5	15.8	5.0	45.7
Myeloma	2	3.2	0.4	16.1	2	6.2	0.7	30.8	0			
Leukemia	9	24.4	10.4	48.5	5	23.3	7.0	58.5	4	25.4	5.8	69.1
All Other Sites	37	75.6	51.6	107.9	18	71.3	41.1	117.7	19	84.8	47.5	141.5
Breast in Situ (not in total)									11	49.0	22.9	94.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Scott

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	199	568.6	488.7	658.9	96	589.0	472.9	727.4	103	566.2	455.4	698.1
Oral Cavity and Pharynx	4	11.8	3.1	33.3	4	25.7	6.9	71.3	0			
Esophagus	3	10.3	2.0	32.4	2	16.1	1.9	60.4	1	5.1	0.1	38.5
Stomach	2	4.6	0.6	22.0	1	4.4	0.1	38.5	1	4.3	0.1	37.0
Colon and Rectum	19	62.9	36.7	101.5	10	70.9	32.4	136.0	9	51.5	22.2	104.9
Liver	1	3.0	0.1	20.5	1	6.8	0.2	43.8	0			
Pancreas	4	9.6	2.6	29.0	1	4.9	0.1	39.5	3	12.8	2.6	48.4
Lung and Bronchus	28	72.3	47.9	107.2	13	81.1	42.9	143.4	15	70.1	39.0	122.3
Bones and Joints	0				0				0			
Melanoma of the Skin	11	39.7	18.9	73.8	4	22.5	5.9	65.5	7	57.7	22.0	121.3
Breast (invasive)	31	87.9	58.6	128.3	1	6.1	0.2	42.3	30	162.5	107.0	239.7
Cervix									0			
Corpus and Uterus, NOS									8	36.5	15.8	79.7
Ovary									2	7.7	0.9	41.0
Prostate					32	184.6	124.7	267.0				
Testis					1	11.8	0.3	57.7				
Urinary Bladder (includes in situ)	6	15.5	5.7	37.4	5	31.7	10.2	79.2	1	5.1	0.1	38.5
Kidney and Renal Pelvis	5	15.6	4.5	40.1	4	27.1	6.0	77.5	1	5.3	0.1	39.1
Brain and Nervous System	2	10.5	1.3	35.7	0				2	21.3	2.6	71.9
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	8	18.9	8.1	41.2	4	20.5	5.5	61.2	4	16.2	4.3	52.4
Myeloma	0				0				0			
Leukemia	4	10.1	2.7	30.0	3	15.7	3.2	54.9	1	5.1	0.1	38.5
All Other Sites	28	81.7	52.9	121.9	10	59.1	27.4	115.3	18	105.1	59.3	174.7
Breast in Situ (not in total)									4	33.3	8.4	86.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Shelby

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	880	538.3	501.0	578.0	503	629.3	572.8	690.5	377	456.1	407.3	509.6
Oral Cavity and Pharynx	27	17.6	11.1	26.9	24	32.6	20.0	50.7	3	3.3	0.7	11.8
Esophagus	14	7.1	3.9	12.8	13	13.7	7.3	25.1	1	1.0	0.0	8.7
Stomach	5	3.3	1.0	8.5	4	4.7	1.3	13.8	1	2.3	0.1	11.9
Colon and Rectum	91	56.1	44.4	70.2	49	67.2	48.8	90.9	42	44.9	31.5	63.2
Liver	9	5.1	2.3	10.4	8	9.8	4.2	20.7	1	0.9	0.0	8.5
Pancreas	24	13.5	8.5	21.0	13	15.0	7.9	27.2	11	11.6	5.5	23.0
Lung and Bronchus	133	77.4	64.3	92.7	77	93.6	73.4	118.6	56	64.0	47.6	85.0
Bones and Joints	0				0				0			
Melanoma of the Skin	51	33.9	24.3	46.1	35	46.0	30.9	66.4	16	22.6	11.8	39.3
Breast (invasive)	104	63.9	51.5	78.8	1	1.0	0.0	8.5	103	123.9	99.5	153.1
Cervix									5	8.3	2.2	21.1
Corpus and Uterus, NOS									25	32.4	20.2	49.9
Ovary									4	4.8	1.2	14.2
Prostate					123	142.6	118.0	171.6				
Testis					5	12.4	4.0	27.8				
Urinary Bladder (includes in situ)	36	19.5	13.6	27.7	31	35.5	24.0	51.7	5	4.7	1.5	13.5
Kidney and Renal Pelvis	44	29.1	20.5	40.2	28	39.6	25.5	59.1	16	19.3	10.5	33.4
Brain and Nervous System	8	4.4	1.7	9.9	4	5.5	1.2	16.0	4	3.5	0.9	11.7
Hodgkin Lymphoma	5	4.4	1.3	10.8	2	3.2	0.3	12.8	3	5.7	1.0	17.2
Non-Hodgkin Lymphoma	31	18.6	12.3	27.4	19	24.1	14.1	39.2	12	13.7	6.5	26.3
Myeloma	15	9.8	5.1	17.2	5	6.9	1.9	18.1	10	12.2	5.3	24.8
Leukemia	29	17.5	11.5	26.0	13	16.0	8.3	28.8	16	18.7	10.1	32.5
All Other Sites	92	58.8	46.4	73.8	49	60.0	43.5	81.4	43	58.4	40.6	81.7
Breast in Situ (not in total)									16	16.5	9.3	28.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,453	467.3	456.4	478.4	3,724	515.0	498.1	532.5	3,729	434.8	420.5	449.6
Oral Cavity and Pharynx	217	13.2	11.4	15.1	154	20.9	17.6	24.6	63	6.8	5.2	8.8
Esophagus	85	5.0	4.0	6.3	69	8.9	6.9	11.4	16	1.9	1.1	3.1
Stomach	84	5.1	4.0	6.3	49	6.8	5.0	9.1	35	3.7	2.6	5.2
Colon and Rectum	585	36.8	33.8	40.0	335	47.2	42.1	52.7	250	28.0	24.5	31.9
Liver	137	8.2	6.8	9.7	95	12.3	9.9	15.2	42	4.8	3.4	6.6
Pancreas	206	12.8	11.1	14.8	101	14.0	11.3	17.1	105	11.6	9.4	14.1
Lung and Bronchus	1,183	71.4	67.3	75.7	573	79.1	72.5	86.1	610	66.8	61.5	72.5
Bones and Joints	9	0.7	0.3	1.3	4	0.6	0.2	1.6	5	0.7	0.2	1.6
Melanoma of the Skin	320	20.6	18.3	23.1	202	27.9	24.0	32.2	118	15.2	12.5	18.3
Breast (invasive)	1,079	69.6	65.4	74.1	6	0.7	0.3	1.7	1,073	127.3	119.5	135.5
Cervix									64	8.9	6.8	11.5
Corpus and Uterus, NOS									298	34.1	30.3	38.4
Ovary									81	9.6	7.6	12.1
Prostate					869	111.9	104.4	119.9				
Testis					34	5.6	3.9	7.9				
Urinary Bladder (includes in situ)	324	20.7	18.4	23.1	245	36.8	32.2	41.8	79	8.8	7.0	11.1
Kidney and Renal Pelvis	380	24.2	21.7	26.8	243	33.5	29.2	38.1	137	16.4	13.7	19.6
Brain and Nervous System	95	6.5	5.2	8.0	49	7.1	5.2	9.5	46	5.8	4.2	7.8
Hodgkin Lymphoma	49	3.7	2.7	5.0	24	3.8	2.4	5.7	25	3.7	2.4	5.5
Non-Hodgkin Lymphoma	264	17.1	15.0	19.4	140	21.2	17.7	25.1	124	14.1	11.7	17.0
Myeloma	130	8.1	6.7	9.7	64	9.1	7.0	11.7	66	7.6	5.8	9.8
Leukemia	195	12.9	11.1	14.9	112	16.3	13.4	19.8	83	9.9	7.9	12.4
All Other Sites	765	49.4	45.9	53.2	356	51.4	46.0	57.2	409	49.1	44.2	54.3
Breast in Situ (not in total)									259	31.2	27.4	35.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Stark

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	204	497.8	428.4	576.5	115	563.4	462.0	683.5	89	455.4	358.3	572.7
Oral Cavity and Pharynx	6	12.5	4.6	31.2	4	22.4	5.8	63.3	2	9.0	1.1	41.8
Esophagus	5	10.6	3.4	28.9	4	16.3	4.4	51.0	1	5.4	0.1	37.5
Stomach	4	9.0	2.4	27.0	3	13.9	2.8	48.7	1	3.8	0.1	34.1
Colon and Rectum	19	46.9	27.6	76.5	11	57.9	28.2	109.5	8	41.9	17.0	89.6
Liver	2	4.5	0.5	20.8	1	4.1	0.1	34.8	1	5.4	0.1	37.5
Pancreas	8	17.4	7.5	37.8	4	18.0	4.9	54.2	4	16.8	4.6	51.9
Lung and Bronchus	38	87.7	61.1	123.8	30	148.0	98.6	217.2	8	37.6	14.1	84.3
Bones and Joints	1	2.3	0.1	17.9	1	4.9	0.1	36.4	0			
Melanoma of the Skin	12	29.0	14.1	54.8	4	19.9	5.2	58.2	8	41.3	15.9	90.1
Breast (invasive)	19	46.7	27.0	76.8	0				19	92.6	53.0	153.4
Cervix									2	15.9	1.9	57.4
Corpus and Uterus, NOS									3	16.0	2.6	54.9
Ovary									3	14.1	2.9	49.2
Prostate					25	116.0	74.5	176.8				
Testis					2	19.7	2.3	66.9				
Urinary Bladder (includes in situ)	7	14.6	5.8	34.0	6	25.1	9.1	62.8	1	5.4	0.1	37.5
Kidney and Renal Pelvis	10	21.0	10.0	42.1	7	28.5	11.4	66.9	3	13.3	2.7	47.5
Brain and Nervous System	2	6.7	0.7	26.2	0				2	13.7	1.4	53.2
Hodgkin Lymphoma	1	4.6	0.1	23.7	1	8.8	0.2	46.7	0			
Non-Hodgkin Lymphoma	4	9.1	2.5	27.2	3	13.3	2.7	47.5	1	4.3	0.1	35.2
Myeloma	1	1.8	0.0	16.8	0				1	3.6	0.1	33.7
Leukemia	6	15.8	5.6	37.4	4	20.6	5.4	59.4	2	9.9	0.9	45.0
All Other Sites	24	67.4	41.6	104.2	5	25.9	8.2	66.5	19	105.7	59.7	174.5
Breast in Situ (not in total)									3	12.9	2.6	47.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Stephenson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,460	429.3	406.0	453.6	729	454.3	420.4	490.4	731	414.8	382.5	449.2
Oral Cavity and Pharynx	37	10.7	7.4	15.3	25	15.9	10.0	24.4	12	5.9	2.8	11.4
Esophagus	20	5.0	3.0	8.1	16	9.1	5.2	15.6	4	1.8	0.5	5.9
Stomach	19	5.9	3.4	9.7	16	11.0	6.0	18.8	3	1.0	0.2	4.7
Colon and Rectum	123	36.0	29.5	43.6	64	41.5	31.6	53.9	59	31.1	22.9	41.7
Liver	18	4.6	2.7	7.7	13	7.2	3.8	13.2	5	2.3	0.7	6.5
Pancreas	33	9.3	6.2	13.6	20	12.3	7.2	19.9	13	6.9	3.5	12.9
Lung and Bronchus	209	57.1	49.4	65.8	104	60.1	48.9	73.5	105	55.6	45.2	68.3
Bones and Joints	1	0.3	0.0	2.2	1	0.6	0.0	4.4	0			
Melanoma of the Skin	90	28.9	22.7	36.2	46	30.8	22.1	42.0	44	28.0	19.6	38.9
Breast (invasive)	202	62.1	53.1	72.3	4	2.6	0.7	7.4	198	115.2	98.2	134.6
Cervix									6	5.9	2.1	12.9
Corpus and Uterus, NOS									54	28.0	20.6	37.6
Ovary									23	13.9	8.4	21.9
Prostate					156	86.8	73.6	102.2				
Testis					6	7.2	2.5	15.5				
Urinary Bladder (includes in situ)	60	16.3	12.2	21.4	46	28.8	20.8	39.3	14	6.4	3.4	11.8
Kidney and Renal Pelvis	52	14.6	10.7	19.6	28	18.1	11.7	27.0	24	11.6	7.4	18.1
Brain and Nervous System	19	5.8	3.4	9.6	10	6.4	2.9	12.7	9	5.1	2.2	10.7
Hodgkin Lymphoma	5	2.4	0.7	5.7	3	3.2	0.7	9.1	2	1.6	0.1	6.3
Non-Hodgkin Lymphoma	67	20.2	15.4	26.2	40	26.1	18.4	36.4	27	15.6	9.9	23.8
Myeloma	20	5.4	3.2	8.8	11	6.8	3.3	13.1	9	4.0	1.8	8.6
Leukemia	48	13.9	10.0	19.1	28	18.4	11.9	27.5	20	10.8	6.3	17.7
All Other Sites	192	62.0	52.8	72.4	92	61.3	48.7	76.4	100	64.0	50.9	79.6
Breast in Situ (not in total)									37	23.7	16.0	33.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Tazewell

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,487	501.6	486.6	517.0	2,272	540.9	518.3	564.2	2,215	475.7	455.1	497.0
Oral Cavity and Pharynx	125	13.9	11.5	16.7	94	22.1	17.7	27.2	31	6.5	4.3	9.6
Esophagus	65	6.9	5.3	8.9	55	13.2	9.9	17.4	10	1.8	0.9	3.6
Stomach	55	6.4	4.8	8.5	34	8.2	5.7	11.6	21	5.2	3.2	8.2
Colon and Rectum	400	44.1	39.8	48.9	201	49.1	42.4	56.7	199	39.7	34.2	46.1
Liver	62	6.7	5.1	8.7	49	11.2	8.2	14.9	13	2.8	1.4	5.1
Pancreas	124	12.7	10.5	15.2	69	15.6	12.1	20.0	55	10.3	7.7	13.6
Lung and Bronchus	722	75.7	70.2	81.6	351	80.8	72.5	90.0	371	71.8	64.5	79.7
Bones and Joints	9	1.2	0.5	2.4	3	0.9	0.2	2.7	6	1.6	0.6	3.7
Melanoma of the Skin	281	34.3	30.3	38.8	159	40.5	34.3	47.6	122	30.6	25.2	36.9
Breast (invasive)	661	76.4	70.5	82.7	3	0.7	0.1	2.2	658	144.6	133.2	156.8
Cervix									41	11.5	8.1	15.7
Corpus and Uterus, NOS									137	28.8	23.9	34.3
Ovary									35	7.8	5.3	11.1
Prostate					562	125.1	114.8	136.2				
Testis					25	8.3	5.3	12.3				
Urinary Bladder (includes in situ)	216	22.5	19.6	25.8	154	36.6	30.9	43.0	62	11.4	8.7	14.8
Kidney and Renal Pelvis	206	23.3	20.1	26.9	130	32.2	26.7	38.5	76	15.5	12.1	19.7
Brain and Nervous System	54	6.7	5.0	8.9	35	9.4	6.4	13.2	19	4.3	2.5	6.9
Hodgkin Lymphoma	14	2.0	1.1	3.4	8	2.3	1.0	4.6	6	1.8	0.6	3.9
Non-Hodgkin Lymphoma	171	19.9	16.9	23.2	96	24.2	19.5	29.7	75	16.3	12.6	20.8
Myeloma	39	3.9	2.8	5.4	21	4.7	2.9	7.4	18	3.3	1.9	5.4
Leukemia	87	10.3	8.2	12.9	50	12.8	9.4	17.0	37	8.3	5.7	11.7
All Other Sites	396	47.1	42.4	52.2	173	42.9	36.6	50.1	223	51.8	44.8	59.6
Breast in Situ (not in total)									126	29.1	24.0	35.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Union

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	618	486.9	447.5	529.1	328	530.0	472.3	593.5	290	454.0	399.8	514.3
Oral Cavity and Pharynx	18	15.2	8.8	25.0	14	23.1	12.4	40.6	4	7.6	1.8	21.4
Esophagus	5	3.6	1.2	9.5	5	7.5	2.4	19.6	0			
Stomach	5	3.4	1.1	9.2	3	4.7	0.9	16.1	2	2.6	0.3	12.7
Colon and Rectum	54	41.7	30.9	55.5	29	47.4	31.3	69.9	25	36.8	23.2	56.8
Liver	9	7.1	3.2	14.3	7	11.3	4.4	25.1	2	3.0	0.4	13.5
Pancreas	13	11.0	5.6	19.9	8	14.8	5.9	31.1	5	6.9	2.2	18.8
Lung and Bronchus	112	81.3	66.7	98.8	56	85.2	63.9	112.5	56	78.9	59.2	104.5
Bones and Joints	2	1.3	0.2	6.4	1	1.6	0.0	11.5	1	1.3	0.0	11.0
Melanoma of the Skin	22	18.2	11.1	28.7	13	20.9	10.9	37.5	9	16.7	7.1	33.9
Breast (invasive)	90	73.4	58.1	91.7	2	3.2	0.4	13.9	88	139.5	109.8	175.5
Cervix									2	4.5	0.5	16.9
Corpus and Uterus, NOS									16	24.7	13.5	42.8
Ovary									7	10.9	4.2	24.8
Prostate					62	94.0	71.6	122.3				
Testis					1	2.3	0.1	13.2				
Urinary Bladder (includes in situ)	40	29.1	20.7	40.4	34	54.6	37.7	77.8	6	7.7	2.8	19.5
Kidney and Renal Pelvis	33	26.6	17.9	38.6	21	33.5	20.2	53.4	12	19.3	9.3	36.3
Brain and Nervous System	8	9.0	3.7	18.4	7	15.0	5.7	32.3	1	3.2	0.1	15.9
Hodgkin Lymphoma	4	4.6	1.1	12.4	2	3.1	0.4	13.7	2	6.6	0.8	22.1
Non-Hodgkin Lymphoma	22	17.8	10.9	27.9	12	22.1	11.1	40.2	10	14.0	6.6	28.1
Myeloma	8	6.6	2.8	13.9	3	5.5	1.1	17.7	5	7.6	2.3	20.0
Leukemia	15	11.1	6.1	19.4	11	16.8	8.3	31.8	4	6.8	1.6	19.7
All Other Sites	70	59.3	45.4	76.3	37	63.4	43.7	89.6	33	55.5	36.8	81.0
Breast in Situ (not in total)									12	23.3	11.4	42.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,710	515.4	495.4	536.1	1,438	571.2	541.3	602.5	1,272	475.6	448.2	504.4
Oral Cavity and Pharynx	64	12.8	9.7	16.6	42	17.3	12.3	23.8	22	8.4	5.1	13.2
Esophagus	32	5.8	3.9	8.3	25	10.0	6.4	15.0	7	2.5	1.0	5.6
Stomach	38	7.1	4.9	9.9	28	11.1	7.3	16.5	10	3.7	1.7	7.1
Colon and Rectum	239	46.3	40.4	52.9	117	48.1	39.5	58.0	122	44.9	36.8	54.3
Liver	37	6.5	4.5	9.1	28	10.2	6.7	15.0	9	3.2	1.4	6.6
Pancreas	77	14.0	11.0	17.7	39	15.4	10.8	21.3	38	12.9	9.0	18.3
Lung and Bronchus	519	92.7	84.7	101.3	287	109.6	97.0	123.4	232	79.2	69.0	90.6
Bones and Joints	7	2.0	0.8	4.0	4	2.1	0.5	5.3	3	1.9	0.4	5.4
Melanoma of the Skin	180	35.6	30.4	41.6	94	37.5	30.1	46.2	86	36.3	28.5	45.6
Breast (invasive)	310	62.3	55.2	70.1	6	2.4	0.9	5.6	304	117.7	104.0	132.8
Cervix									20	9.5	5.6	15.0
Corpus and Uterus, NOS									81	28.0	22.0	35.3
Ovary									17	6.1	3.4	10.3
Prostate					320	120.6	107.5	135.0				
Testis					4	2.7	0.7	6.7				
Urinary Bladder (includes in situ)	131	24.0	20.0	28.7	100	40.4	32.7	49.5	31	10.7	7.1	15.6
Kidney and Renal Pelvis	105	20.1	16.3	24.6	68	27.5	21.1	35.3	37	13.3	9.2	18.8
Brain and Nervous System	26	6.0	3.8	8.9	12	6.5	3.3	11.5	14	5.2	2.8	9.1
Hodgkin Lymphoma	12	2.7	1.3	4.9	7	3.2	1.2	6.9	5	2.2	0.6	5.4
Non-Hodgkin Lymphoma	87	16.5	13.1	20.6	57	23.4	17.6	30.7	30	10.7	7.0	16.0
Myeloma	33	6.1	4.1	8.8	21	8.3	5.0	13.0	12	4.3	2.1	8.0
Leukemia	65	13.1	10.0	17.0	37	15.8	11.0	22.1	28	10.7	6.9	16.0
All Other Sites	306	61.4	54.4	69.1	142	59.2	49.6	70.2	164	64.3	54.2	75.8
Breast in Situ (not in total)									64	29.8	22.4	38.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Wabash

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	401	482.4	433.6	535.7	213	536.8	463.9	618.8	188	424.5	360.9	497.3
Oral Cavity and Pharynx	10	11.2	4.9	22.7	6	15.2	4.9	36.5	4	5.6	1.4	20.6
Esophagus	6	5.8	2.1	14.4	5	10.0	3.2	27.1	1	1.7	0.0	15.9
Stomach	4	4.2	1.1	12.6	1	1.8	0.0	15.8	3	6.1	1.3	22.1
Colon and Rectum	44	58.0	41.0	80.1	23	63.1	38.6	98.1	21	52.8	30.6	85.6
Liver	6	6.9	2.4	16.6	5	11.5	3.5	30.1	1	2.0	0.1	16.6
Pancreas	16	18.7	10.3	31.9	8	18.6	7.8	39.5	8	17.5	7.0	38.5
Lung and Bronchus	58	66.8	50.2	87.9	35	88.2	60.7	125.2	23	47.9	30.0	74.9
Bones and Joints	1	2.0	0.1	10.7	1	3.7	0.1	20.3	0			
Melanoma of the Skin	9	9.7	4.4	19.9	8	18.2	7.7	38.8	1	1.9	0.0	16.3
Breast (invasive)	51	62.5	45.7	84.1	2	4.3	0.5	19.5	49	115.8	83.5	157.7
Cervix									5	20.6	6.0	48.9
Corpus and Uterus, NOS									12	27.9	13.0	53.3
Ovary									7	17.1	6.2	39.0
Prostate					54	121.2	90.2	160.9				
Testis					2	9.3	1.1	31.3				
Urinary Bladder (includes in situ)	10	10.9	5.1	21.5	5	13.4	4.3	33.3	5	8.5	2.6	24.8
Kidney and Renal Pelvis	17	22.0	12.3	36.8	12	36.6	18.4	65.7	5	7.8	2.5	23.6
Brain and Nervous System	3	4.6	0.8	14.4	2	6.6	0.7	25.1	1	2.0	0.1	16.6
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	21	25.8	15.6	41.0	11	30.7	14.7	57.4	10	22.4	10.4	44.4
Myeloma	5	6.4	2.1	16.1	1	2.9	0.1	18.2	4	9.6	2.6	27.6
Leukemia	19	22.3	12.9	36.6	13	32.7	16.9	58.5	6	11.8	3.6	30.9
All Other Sites	41	47.4	33.4	65.9	19	48.8	28.6	78.9	22	45.5	27.4	73.1
Breast in Situ (not in total)									10	22.4	10.5	44.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Warren

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	590	523.6	479.9	570.4	302	527.9	467.9	594.1	288	525.1	461.5	595.2
Oral Cavity and Pharynx	16	14.7	8.0	25.0	11	20.2	9.5	38.2	5	9.3	2.6	23.8
Esophagus	7	5.5	2.2	12.3	4	6.5	1.7	18.5	3	4.8	1.0	16.0
Stomach	16	17.7	9.7	29.6	7	12.8	4.9	27.9	9	22.7	9.8	44.0
Colon and Rectum	61	52.9	39.9	69.1	37	60.9	42.5	85.6	24	45.5	27.9	70.3
Liver	10	7.6	3.6	14.9	6	8.9	3.2	21.5	4	6.2	1.7	17.9
Pancreas	15	13.2	7.1	22.7	4	7.8	1.8	22.0	11	16.7	7.9	32.2
Lung and Bronchus	113	89.6	73.5	108.7	67	117.9	90.7	151.5	46	68.3	49.6	92.9
Bones and Joints	1	0.7	0.0	5.4	1	1.3	0.0	11.0	0			
Melanoma of the Skin	26	22.4	14.3	33.7	11	18.5	9.1	34.9	15	27.8	15.0	47.6
Breast (invasive)	68	66.6	50.8	85.9	0				68	130.3	99.0	168.6
Cervix									7	21.2	8.3	43.0
Corpus and Uterus, NOS									19	35.5	20.7	57.2
Ovary									7	12.5	4.5	28.1
Prostate					45	74.0	53.3	101.0				
Testis					3	7.0	1.4	21.0				
Urinary Bladder (includes in situ)	25	19.1	12.3	28.8	22	36.8	22.9	57.1	3	3.5	0.7	13.6
Kidney and Renal Pelvis	30	28.1	18.4	41.3	19	33.8	19.7	54.7	11	22.4	10.5	41.9
Brain and Nervous System	11	10.5	5.0	19.5	7	13.1	5.1	28.4	4	8.0	1.8	22.2
Hodgkin Lymphoma	2	3.1	0.4	10.3	1	3.1	0.1	15.5	1	3.1	0.1	15.4
Non-Hodgkin Lymphoma	24	21.1	13.3	32.3	14	25.4	13.6	44.3	10	17.1	7.9	33.2
Myeloma	6	5.0	1.8	11.8	3	5.7	1.1	18.2	3	4.3	0.9	15.1
Leukemia	15	15.2	8.1	26.0	8	18.1	7.4	36.8	7	10.9	3.7	25.4
All Other Sites	63	55.3	41.8	72.1	32	56.1	37.8	81.0	31	55.1	36.1	81.0
Breast in Situ (not in total)									18	31.5	17.9	51.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Washington

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	508	517.7	471.4	567.7	294	602.8	532.6	680.3	214	436.7	376.7	504.2
Oral Cavity and Pharynx	11	15.1	7.3	27.6	9	24.5	10.7	47.7	2	5.4	0.5	20.7
Esophagus	11	10.3	5.0	19.7	9	17.4	7.6	35.5	2	3.4	0.4	15.7
Stomach	5	5.7	1.8	14.3	3	7.2	1.3	22.7	2	3.7	0.4	16.4
Colon and Rectum	46	47.4	34.1	64.5	27	55.8	36.0	83.6	19	38.8	22.7	63.0
Liver	5	4.7	1.5	12.2	4	7.8	2.1	22.5	1	1.9	0.0	13.9
Pancreas	19	18.4	10.8	29.9	10	19.2	9.0	37.6	9	17.3	7.3	36.0
Lung and Bronchus	66	61.9	47.7	79.7	38	76.0	53.4	106.2	28	51.4	33.9	76.3
Bones and Joints	1	1.9	0.0	9.6	0				1	3.9	0.1	19.4
Melanoma of the Skin	40	40.5	28.4	56.5	23	42.9	26.7	66.9	17	37.6	21.0	62.9
Breast (invasive)	58	63.5	47.4	83.6	0				58	126.4	94.2	166.8
Cervix									1	1.8	0.0	13.8
Corpus and Uterus, NOS									17	33.3	18.6	56.2
Ovary									6	9.8	3.5	24.3
Prostate					75	141.4	110.1	180.0				
Testis					3	9.5	1.7	28.1				
Urinary Bladder (includes in situ)	20	17.7	10.7	28.4	15	28.4	15.7	49.0	5	8.4	2.5	23.0
Kidney and Renal Pelvis	30	31.9	21.0	46.9	23	49.2	30.2	76.6	7	14.8	5.6	32.7
Brain and Nervous System	11	14.0	6.6	25.9	8	21.0	8.6	42.9	3	6.8	1.2	22.1
Hodgkin Lymphoma	2	2.9	0.3	10.9	2	5.6	0.5	21.4	0			
Non-Hodgkin Lymphoma	9	9.6	4.1	19.7	8	17.7	7.0	37.4	1	1.8	0.0	13.8
Myeloma	8	7.4	3.0	15.9	5	9.5	2.8	25.3	3	4.8	1.0	17.8
Leukemia	12	13.1	6.4	24.1	9	22.4	9.8	44.1	3	4.6	0.9	17.2
All Other Sites	52	53.7	39.4	71.9	23	47.1	29.2	73.0	29	60.6	39.2	90.2
Breast in Situ (not in total)									9	19.9	8.8	39.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Wayne

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	548	441.1	403.3	481.9	273	452.3	398.8	511.9	275	433.8	380.7	493.0
Oral Cavity and Pharynx	11	8.3	4.1	15.7	8	12.6	5.4	26.7	3	4.2	0.9	15.1
Esophagus	9	6.8	3.1	14.0	5	8.7	2.7	22.2	4	5.2	1.4	16.3
Stomach	5	3.5	1.1	9.4	4	5.8	1.6	17.5	1	1.3	0.0	11.0
Colon and Rectum	45	35.4	25.5	48.4	23	39.9	24.8	61.9	22	30.5	18.8	48.4
Liver	9	6.5	2.9	13.3	7	10.6	4.2	23.9	2	2.5	0.3	12.5
Pancreas	12	9.5	4.7	17.8	10	17.0	7.7	33.6	2	2.8	0.3	13.1
Lung and Bronchus	86	66.4	52.8	82.9	39	63.9	45.2	88.9	47	69.3	50.2	94.4
Bones and Joints	1	0.7	0.0	5.7	1	1.6	0.0	11.8	0			
Melanoma of the Skin	18	14.8	8.4	24.6	12	18.4	9.5	34.1	6	11.5	3.6	27.7
Breast (invasive)	83	70.2	55.1	88.5	0				83	135.1	105.8	170.7
Cervix									2	4.4	0.4	16.9
Corpus and Uterus, NOS									15	27.1	14.3	47.4
Ovary									2	4.4	0.4	17.1
Prostate					69	107.6	83.5	137.7				
Testis					2	6.1	0.7	21.1				
Urinary Bladder (includes in situ)	25	19.6	12.4	30.1	20	35.0	20.9	56.0	5	6.6	2.1	18.1
Kidney and Renal Pelvis	26	21.0	13.3	32.0	14	22.4	12.1	39.4	12	20.7	9.9	38.8
Brain and Nervous System	5	5.5	1.6	13.7	2	4.4	0.4	17.3	3	6.6	1.1	20.8
Hodgkin Lymphoma	3	2.2	0.4	7.7	1	1.3	0.0	11.3	2	2.8	0.3	13.2
Non-Hodgkin Lymphoma	24	17.3	11.1	26.6	10	16.7	7.9	32.3	14	18.2	9.9	32.8
Myeloma	10	7.2	3.5	14.3	6	9.1	3.3	22.0	4	5.1	1.4	16.0
Leukemia	13	10.3	5.4	18.7	8	14.5	6.1	30.3	5	6.3	2.0	17.6
All Other Sites	73	63.3	49.0	80.9	32	56.8	38.2	82.1	41	69.4	48.7	96.7
Breast in Situ (not in total)									13	22.8	11.5	41.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

White

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	472	465.9	422.3	513.2	254	524.6	459.6	597.0	218	419.2	360.6	485.5
Oral Cavity and Pharynx	14	15.9	8.3	28.0	11	25.3	12.1	47.6	3	6.7	1.2	22.2
Esophagus	4	3.8	1.0	11.2	3	6.0	1.2	20.5	1	1.6	0.0	13.6
Stomach	8	6.3	2.7	14.0	5	9.6	3.1	24.9	3	4.6	0.9	17.5
Colon and Rectum	32	34.6	23.0	50.5	22	48.3	29.5	75.6	10	23.0	10.1	45.3
Liver	8	7.8	3.2	16.7	6	11.0	4.0	26.6	2	5.0	0.5	20.1
Pancreas	18	17.8	10.0	29.7	8	19.0	7.7	39.7	10	16.3	7.2	33.9
Lung and Bronchus	81	70.4	55.7	88.6	46	88.5	64.4	119.9	35	54.1	37.5	77.7
Bones and Joints	0				0				0			
Melanoma of the Skin	17	17.5	9.8	29.4	14	28.6	15.2	50.4	3	7.4	1.3	23.9
Breast (invasive)	59	61.3	45.6	81.1	0				59	117.3	86.8	155.8
Cervix									3	5.1	1.0	18.5
Corpus and Uterus, NOS									17	42.1	23.2	70.3
Ovary									3	4.6	0.9	17.6
Prostate					51	96.5	71.6	128.8				
Testis					1	3.5	0.1	18.2				
Urinary Bladder (includes in situ)	36	31.7	22.1	44.9	30	58.9	39.7	85.9	6	9.7	3.5	24.5
Kidney and Renal Pelvis	21	22.9	13.6	36.6	11	24.1	11.5	45.5	10	21.9	9.6	43.6
Brain and Nervous System	6	6.6	2.1	15.9	4	10.3	2.4	28.5	2	3.3	0.4	15.9
Hodgkin Lymphoma	3	4.5	0.8	13.5	0				3	9.0	1.6	27.3
Non-Hodgkin Lymphoma	23	20.3	12.7	31.7	9	17.7	8.0	35.8	14	21.9	11.6	40.0
Myeloma	2	1.7	0.2	8.0	2	4.1	0.5	17.5	0			
Leukemia	14	15.4	7.9	27.4	7	19.7	7.5	41.8	7	11.4	4.0	27.5
All Other Sites	51	53.1	38.6	71.7	24	53.5	33.2	82.5	27	54.3	34.3	82.7
Breast in Situ (not in total)									11	26.3	12.1	49.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Whiteside

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,942	473.3	451.5	496.0	1,042	534.4	501.4	569.2	900	428.6	399.2	459.8
Oral Cavity and Pharynx	62	13.6	10.4	17.7	40	18.5	13.2	25.7	22	9.3	5.8	14.7
Esophagus	16	3.3	1.9	5.7	13	5.8	3.1	10.5	3	0.9	0.2	3.9
Stomach	17	3.9	2.2	6.5	13	6.6	3.5	11.8	4	1.8	0.5	5.3
Colon and Rectum	144	35.3	29.5	41.9	89	47.1	37.5	58.5	55	24.8	18.3	33.2
Liver	32	7.7	5.2	11.1	24	12.0	7.6	18.4	8	3.5	1.5	7.6
Pancreas	65	15.1	11.5	19.6	36	17.7	12.2	25.0	29	13.1	8.6	19.6
Lung and Bronchus	288	66.1	58.5	74.5	152	75.1	63.4	88.7	136	58.0	48.5	69.3
Bones and Joints	2	0.8	0.1	2.9	0				2	1.7	0.2	6.0
Melanoma of the Skin	111	28.0	22.8	34.2	66	35.0	26.8	45.1	45	22.5	16.0	31.0
Breast (invasive)	236	61.2	53.2	70.1	3	1.6	0.3	5.2	233	116.6	101.1	134.0
Cervix									16	11.8	6.5	19.7
Corpus and Uterus, NOS									72	32.8	25.4	42.0
Ovary									23	9.6	6.0	15.0
Prostate					228	107.5	93.8	123.0				
Testis					17	14.3	8.3	22.9				
Urinary Bladder (includes in situ)	117	27.3	22.5	33.1	98	50.7	41.0	62.1	19	8.9	5.1	14.7
Kidney and Renal Pelvis	77	20.2	15.7	25.8	55	30.3	22.5	40.2	22	11.0	6.6	17.5
Brain and Nervous System	23	6.4	4.0	10.0	15	9.5	5.2	16.1	8	3.6	1.5	7.9
Hodgkin Lymphoma	7	1.9	0.7	4.2	4	1.8	0.5	5.2	3	2.1	0.4	6.4
Non-Hodgkin Lymphoma	79	19.1	14.9	24.1	39	20.8	14.6	29.0	40	18.1	12.7	25.4
Myeloma	27	6.1	3.9	9.1	16	7.6	4.3	12.9	11	5.1	2.5	9.8
Leukemia	64	14.9	11.3	19.3	36	17.7	12.3	25.0	28	13.0	8.3	19.5
All Other Sites	219	57.1	49.3	65.8	98	54.6	43.8	67.3	121	60.2	49.0	73.3
Breast in Situ (not in total)									46	25.9	18.5	35.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,711	473.1	466.0	480.3	8,933	514.6	503.6	525.9	8,778	445.8	436.3	455.4
Oral Cavity and Pharynx	441	11.2	10.2	12.4	314	16.4	14.6	18.4	127	6.5	5.4	7.8
Esophagus	170	4.5	3.8	5.2	139	7.7	6.4	9.1	31	1.6	1.1	2.3
Stomach	266	7.3	6.4	8.3	161	9.8	8.3	11.5	105	5.3	4.4	6.5
Colon and Rectum	1,444	39.1	37.1	41.2	812	46.9	43.6	50.4	632	32.2	29.7	34.9
Liver	207	5.3	4.6	6.1	144	7.8	6.5	9.2	63	3.2	2.4	4.1
Pancreas	499	13.7	12.5	15.0	262	15.7	13.8	17.8	237	12.1	10.6	13.8
Lung and Bronchus	2,115	57.5	55.0	60.0	1,043	63.5	59.6	67.7	1,072	53.3	50.1	56.6
Bones and Joints	30	0.8	0.5	1.2	21	1.1	0.7	1.8	9	0.5	0.2	0.9
Melanoma of the Skin	773	20.9	19.4	22.4	429	24.6	22.2	27.1	344	18.3	16.4	20.4
Breast (invasive)	2,768	73.4	70.6	76.3	20	1.2	0.7	1.9	2,748	138.8	133.6	144.2
Cervix									135	7.3	6.1	8.7
Corpus and Uterus, NOS									645	30.5	28.2	33.0
Ovary									182	9.0	7.7	10.4
Prostate					2,302	122.1	116.9	127.4				
Testis					103	6.1	5.0	7.5				
Urinary Bladder (includes in situ)	805	22.8	21.2	24.5	606	39.5	36.3	42.9	199	10.2	8.8	11.7
Kidney and Renal Pelvis	664	17.3	16.0	18.7	440	24.0	21.8	26.5	224	11.2	9.7	12.8
Brain and Nervous System	258	7.2	6.3	8.1	152	8.8	7.4	10.4	106	5.6	4.6	6.9
Hodgkin Lymphoma	118	3.4	2.8	4.1	66	3.9	3.0	5.0	52	2.9	2.2	3.8
Non-Hodgkin Lymphoma	728	20.1	18.6	21.6	412	24.8	22.4	27.5	316	16.3	14.5	18.2
Myeloma	277	7.3	6.5	8.3	156	9.2	7.8	10.9	121	5.9	4.9	7.1
Leukemia	592	16.4	15.1	17.8	345	20.8	18.6	23.2	247	12.7	11.2	14.5
All Other Sites	2,189	60.7	58.1	63.3	1,006	60.6	56.8	64.6	1,183	62.4	58.8	66.1
Breast in Situ (not in total)									751	37.3	34.6	40.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Williamson

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,264	502.8	481.6	524.7	1,250	585.8	553.0	620.1	1,014	437.8	410.0	467.2
Oral Cavity and Pharynx	74	17.3	13.4	22.0	60	30.5	23.1	39.7	14	5.1	2.8	9.0
Esophagus	28	5.7	3.8	8.4	27	12.2	8.0	18.0	1	0.4	0.0	2.8
Stomach	27	6.1	4.0	9.0	18	8.8	5.2	14.2	9	4.0	1.8	8.1
Colon and Rectum	216	48.6	42.2	55.8	112	53.9	44.1	65.2	104	43.5	35.3	53.3
Liver	32	6.2	4.2	9.0	24	9.5	6.0	14.4	8	3.4	1.4	7.2
Pancreas	67	14.2	10.9	18.2	33	15.2	10.4	21.7	34	12.8	8.8	18.3
Lung and Bronchus	378	78.0	70.2	86.5	208	94.4	81.8	108.6	170	64.9	55.3	75.8
Bones and Joints	0				0				0			
Melanoma of the Skin	133	32.8	27.2	39.1	86	43.0	34.2	53.5	47	24.5	17.7	33.2
Breast (invasive)	263	62.3	54.7	70.7	2	0.9	0.1	3.7	261	119.3	104.5	135.6
Cervix									12	6.3	3.1	11.3
Corpus and Uterus, NOS									60	24.6	18.5	32.1
Ovary									16	6.3	3.5	10.6
Prostate					266	115.0	101.4	130.1				
Testis					7	4.4	1.8	9.1				
Urinary Bladder (includes in situ)	103	21.4	17.4	26.1	80	37.0	29.2	46.4	23	8.5	5.4	13.2
Kidney and Renal Pelvis	109	26.4	21.5	32.2	74	37.4	29.1	47.3	35	16.0	10.8	22.8
Brain and Nervous System	23	5.7	3.5	8.8	12	6.2	3.1	11.1	11	5.1	2.4	9.6
Hodgkin Lymphoma	8	2.2	0.9	4.4	6	3.1	1.1	7.1	2	1.3	0.2	4.6
Non-Hodgkin Lymphoma	84	18.9	14.9	23.6	44	21.5	15.5	29.1	40	16.6	11.7	23.1
Myeloma	24	5.0	3.2	7.6	14	6.4	3.5	11.1	10	3.8	1.8	7.5
Leukemia	60	14.3	10.8	18.7	39	19.7	13.9	27.2	21	10.4	6.1	16.5
All Other Sites	274	62.7	55.3	70.9	138	66.5	55.6	79.0	136	61.2	50.8	73.1
Breast in Situ (not in total)									44	21.4	15.3	29.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,281	455.6	445.5	465.8	4,121	481.5	466.5	496.9	4,160	440.9	427.0	455.2
Oral Cavity and Pharynx	225	12.3	10.7	14.1	164	18.4	15.6	21.5	61	6.9	5.2	9.0
Esophagus	106	5.5	4.5	6.7	78	8.9	7.0	11.2	28	2.7	1.8	3.9
Stomach	119	6.3	5.2	7.6	83	9.6	7.6	12.0	36	3.6	2.5	5.0
Colon and Rectum	650	36.6	33.8	39.7	358	43.8	39.3	48.8	292	30.3	26.8	34.2
Liver	147	7.5	6.3	8.8	109	11.9	9.7	14.4	38	3.6	2.5	5.1
Pancreas	263	13.6	12.0	15.4	128	14.4	12.0	17.2	135	12.9	10.8	15.4
Lung and Bronchus	1,201	62.7	59.1	66.4	607	69.2	63.7	75.1	594	57.8	53.2	62.8
Bones and Joints	10	0.7	0.3	1.2	4	0.6	0.1	1.5	6	0.7	0.2	1.6
Melanoma of the Skin	392	22.5	20.2	24.9	211	25.9	22.4	29.8	181	20.8	17.8	24.3
Breast (invasive)	1,172	66.3	62.4	70.4	14	1.6	0.9	2.8	1,158	123.5	116.2	131.2
Cervix									46	6.2	4.5	8.4
Corpus and Uterus, NOS									301	31.7	28.0	35.7
Ovary									105	11.8	9.6	14.5
Prostate					801	85.5	79.5	91.8				
Testis					39	6.6	4.6	9.0				
Urinary Bladder (includes in situ)	377	19.7	17.8	21.9	288	34.3	30.4	38.7	89	8.5	6.8	10.6
Kidney and Renal Pelvis	352	19.7	17.7	22.0	219	26.2	22.8	30.1	133	14.2	11.8	17.0
Brain and Nervous System	96	5.8	4.6	7.1	59	7.7	5.8	10.0	37	4.2	2.9	5.9
Hodgkin Lymphoma	48	3.5	2.5	4.6	33	4.8	3.3	6.8	15	2.1	1.2	3.6
Non-Hodgkin Lymphoma	338	19.3	17.2	21.6	191	23.4	20.1	27.1	147	15.9	13.3	18.9
Myeloma	148	7.8	6.6	9.2	91	10.8	8.7	13.4	57	5.3	4.0	6.9
Leukemia	255	14.6	12.8	16.6	145	17.9	15.0	21.2	110	12.1	9.8	14.7
All Other Sites	1,090	62.3	58.5	66.2	499	60.0	54.7	65.7	591	66.0	60.5	71.8
Breast in Situ (not in total)									227	25.7	22.3	29.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Woodford

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, All Races, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,215	484.8	456.9	514.1	611	501.1	461.0	544.1	604	478.3	439.0	520.5
Oral Cavity and Pharynx	29	12.0	7.9	17.5	21	18.4	11.2	28.6	8	6.0	2.5	12.7
Esophagus	15	5.4	2.9	9.3	12	8.6	4.4	15.8	3	2.5	0.4	8.2
Stomach	8	3.4	1.4	6.9	4	3.4	0.9	9.3	4	3.1	0.7	8.8
Colon and Rectum	98	38.4	30.9	47.3	58	48.8	36.7	63.8	40	28.2	19.6	39.6
Liver	7	3.0	1.2	6.5	5	4.4	1.4	10.8	2	1.6	0.2	6.5
Pancreas	40	15.1	10.7	20.9	20	16.3	9.8	25.7	20	14.5	8.6	23.2
Lung and Bronchus	161	61.3	52.0	72.0	84	68.7	54.5	85.7	77	56.2	44.1	71.0
Bones and Joints	1	0.4	0.0	2.5	1	0.7	0.0	5.0	0			
Melanoma of the Skin	95	43.0	34.4	53.1	59	52.4	39.4	68.3	36	35.0	23.9	49.2
Breast (invasive)	198	81.6	70.1	94.4	1	0.8	0.0	5.2	197	159.1	136.6	184.3
Cervix									7	9.0	3.6	18.2
Corpus and Uterus, NOS									43	32.1	23.0	44.0
Ovary									15	11.7	6.2	20.3
Prostate					155	117.0	98.9	137.8				
Testis					6	7.0	2.5	15.2				
Urinary Bladder (includes in situ)	55	20.5	15.3	27.0	42	33.6	24.0	46.2	13	8.8	4.6	15.9
Kidney and Renal Pelvis	53	20.4	15.1	27.1	35	28.1	19.2	39.9	18	13.3	7.7	21.8
Brain and Nervous System	10	4.5	2.1	8.4	8	7.7	3.2	15.5	2	1.4	0.2	6.1
Hodgkin Lymphoma	5	2.9	0.9	6.8	3	3.5	0.7	10.1	2	2.4	0.3	8.3
Non-Hodgkin Lymphoma	48	19.8	14.5	26.7	23	20.2	12.6	30.8	25	20.0	12.7	30.3
Myeloma	15	5.4	3.0	9.3	11	8.6	4.3	16.1	4	3.2	0.8	9.0
Leukemia	22	8.6	5.3	13.3	11	9.3	4.5	17.1	11	8.7	4.2	16.2
All Other Sites	129	52.7	43.6	63.2	52	43.7	32.3	58.0	77	61.5	47.7	78.3
Breast in Situ (not in total)									49	39.0	28.5	52.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

SECTION IV
County-specific Cancer Incidence Rates by Race
Illinois, 2016-2020

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	288,452	464.6	462.9	466.4	144,958	498.0	495.3	500.6	143,494	444.8	442.4	447.2
Oral Cavity and Pharynx	8,028	12.7	12.4	12.9	5,703	18.9	18.4	19.4	2,325	7.0	6.7	7.3
Esophagus	3,254	5.0	4.8	5.2	2,571	8.5	8.2	8.9	683	2.0	1.8	2.1
Stomach	3,970	6.4	6.2	6.6	2,477	8.7	8.3	9.0	1,493	4.5	4.3	4.7
Colon and Rectum	24,109	39.1	38.6	39.6	12,805	45.0	44.2	45.8	11,304	34.0	33.3	34.6
Liver	3,854	5.9	5.7	6.1	2,799	9.0	8.7	9.4	1,055	3.1	2.9	3.3
Pancreas	8,965	14.0	13.7	14.3	4,713	16.2	15.8	16.7	4,252	12.1	11.7	12.4
Lung and Bronchus	38,756	60.0	59.4	60.6	19,342	66.4	65.5	67.4	19,414	55.4	54.6	56.2
Bones and Joints	515	1.0	0.9	1.1	288	1.1	1.0	1.2	227	0.8	0.7	1.0
Melanoma of the Skin	15,729	26.4	26.0	26.9	8,954	31.6	31.0	32.3	6,775	23.0	22.5	23.6
Breast (invasive)	42,453	70.6	69.9	71.3	374	1.3	1.2	1.4	42,079	134.0	132.7	135.3
Cervix									1,899	7.2	6.9	7.6
Corpus and Uterus, NOS									10,136	30.5	29.8	31.1
Ovary									3,357	10.6	10.2	11.0
Prostate					33,708	107.3	106.2	108.5				
Testis					1,740	7.4	7.1	7.8				
Urinary Bladder (includes in situ)	13,579	21.2	20.8	21.6	10,345	36.7	36.0	37.5	3,234	9.1	8.8	9.4
Kidney and Renal Pelvis	11,366	18.5	18.2	18.9	7,273	25.1	24.5	25.7	4,093	12.7	12.3	13.1
Brain and Nervous System	3,812	6.7	6.5	7.0	2,148	8.0	7.6	8.3	1,664	5.6	5.4	5.9
Hodgkin Lymphoma	1,463	2.9	2.7	3.0	818	3.2	3.0	3.4	645	2.5	2.3	2.7
Non-Hodgkin Lymphoma	12,212	19.8	19.5	20.2	6,686	23.8	23.2	24.3	5,526	16.6	16.2	17.1
Myeloma	3,832	6.0	5.8	6.2	2,147	7.4	7.1	7.8	1,685	4.9	4.6	5.1
Leukemia	8,416	14.1	13.8	14.4	4,929	18.0	17.5	18.5	3,487	11.0	10.6	11.4
All Other Sites	33,299	55.6	55.0	56.2	15,138	54.2	53.3	55.1	18,161	58.3	57.4	59.2
Breast in situ (not in total)									9,334	31.1	30.4	31.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,919	452.3	437.7	467.3	2,033	503.7	481.3	526.9	1,886	415.7	396.2	435.9
Oral Cavity and Pharynx	113	14.1	11.5	17.0	87	23.7	18.8	29.5	26	5.4	3.5	8.1
Esophagus	45	5.0	3.6	6.7	30	7.0	4.6	10.1	15	3.1	1.7	5.4
Stomach	49	5.5	4.1	7.4	26	6.6	4.3	9.9	23	4.6	2.9	7.1
Colon and Rectum	286	34.6	30.6	39.0	157	41.2	34.8	48.4	129	28.4	23.5	34.1
Liver	50	5.5	4.0	7.3	38	9.3	6.5	13.0	12	2.2	1.1	4.1
Pancreas	113	12.5	10.3	15.2	59	14.6	11.0	19.1	54	10.6	7.9	14.0
Lung and Bronchus	470	51.3	46.7	56.3	234	56.3	49.1	64.2	236	47.6	41.6	54.4
Bones and Joints	10	1.4	0.6	2.6	5	1.3	0.4	3.1	5	1.6	0.5	3.7
Melanoma of the Skin	326	38.4	34.2	43.1	194	47.6	40.9	55.1	132	32.2	26.7	38.6
Breast (invasive)	583	68.5	62.8	74.5	7	1.6	0.6	3.5	576	127.7	117.0	139.2
Cervix									14	4.4	2.4	7.5
Corpus and Uterus, NOS									130	28.7	23.8	34.4
Ovary									40	9.4	6.6	13.1
Prostate					529	123.6	113.0	135.0				
Testis					26	6.9	4.4	10.3				
Urinary Bladder (includes in situ)	173	18.8	16.0	21.9	128	31.1	25.9	37.2	45	9.0	6.5	12.3
Kidney and Renal Pelvis	119	14.4	11.8	17.4	76	19.5	15.2	24.7	43	9.9	7.0	13.5
Brain and Nervous System	60	7.8	5.9	10.2	38	10.0	7.0	13.9	22	6.3	3.8	9.7
Hodgkin Lymphoma	23	3.1	1.9	4.8	13	4.4	2.3	7.5	10	1.8	0.9	3.6
Non-Hodgkin Lymphoma	156	17.8	15.0	20.9	97	23.9	19.3	29.4	59	12.7	9.5	16.6
Myeloma	59	6.7	5.0	8.7	31	8.5	5.7	12.2	28	5.3	3.5	7.9
Leukemia	113	13.3	10.9	16.2	61	15.9	12.0	20.6	52	11.5	8.4	15.4
All Other Sites	432	51.0	46.1	56.3	197	50.7	43.6	58.6	235	53.0	46.2	60.7
Breast in situ (not in total)									109	27.9	22.6	34.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	87,573	438.8	435.8	441.8	42,750	464.0	459.5	468.6	44,823	427.1	423.0	431.2
Oral Cavity and Pharynx	2,359	11.6	11.1	12.1	1,623	17.1	16.2	17.9	736	6.7	6.2	7.3
Esophagus	863	4.1	3.8	4.4	654	6.8	6.3	7.4	209	1.8	1.5	2.0
Stomach	1,525	7.6	7.3	8.0	902	10.0	9.3	10.6	623	5.8	5.3	6.2
Colon and Rectum	7,450	37.3	36.5	38.2	3,961	43.4	42.0	44.8	3,489	32.3	31.2	33.4
Liver	1,394	6.7	6.3	7.0	964	9.9	9.3	10.6	430	3.8	3.4	4.2
Pancreas	2,941	14.4	13.9	15.0	1,478	16.2	15.4	17.1	1,463	13.0	12.3	13.7
Lung and Bronchus	10,065	49.7	48.8	50.7	4,765	53.4	51.9	55.0	5,300	47.2	45.9	48.5
Bones and Joints	182	1.0	0.9	1.2	99	1.2	0.9	1.4	83	0.9	0.7	1.1
Melanoma of the Skin	4,226	21.5	20.8	22.2	2,389	26.2	25.2	27.3	1,837	18.4	17.5	19.2
Breast (invasive)	13,445	69.3	68.1	70.5	109	1.2	0.9	1.4	13,336	131.7	129.4	134.0
Cervix									653	7.1	6.6	7.7
Corpus and Uterus, NOS									3,404	31.9	30.8	33.0
Ovary									1,192	11.6	11.0	12.3
Prostate					10,419	106.3	104.2	108.4				
Testis					652	7.3	6.8	7.9				
Urinary Bladder (includes in situ)	4,060	19.9	19.3	20.6	3,011	34.3	33.0	35.5	1,049	9.1	8.6	9.7
Kidney and Renal Pelvis	3,133	15.9	15.3	16.4	2,013	21.7	20.7	22.7	1,120	10.8	10.1	11.4
Brain and Nervous System	1,167	6.2	5.8	6.6	648	7.3	6.7	7.9	519	5.2	4.8	5.7
Hodgkin Lymphoma	512	2.8	2.6	3.1	272	3.1	2.7	3.5	240	2.6	2.3	3.0
Non-Hodgkin Lymphoma	3,901	19.7	19.1	20.4	2,085	23.3	22.3	24.4	1,816	16.8	16.0	17.6
Myeloma	1,207	6.0	5.7	6.4	650	7.2	6.6	7.8	557	5.0	4.6	5.5
Leukemia	2,600	13.5	13.0	14.1	1,510	17.4	16.5	18.3	1,090	10.5	9.9	11.2
All Other Sites	10,223	52.2	51.2	53.3	4,546	50.8	49.3	52.3	5,677	54.8	53.3	56.3
Breast in situ (not in total)									3,143	32.3	31.2	33.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	22,072	465.0	458.6	471.3	10,810	491.9	482.4	501.6	11,262	452.8	444.1	461.7
Oral Cavity and Pharynx	589	12.0	11.0	13.0	423	18.3	16.5	20.2	166	6.5	5.5	7.6
Esophagus	209	4.2	3.7	4.9	139	6.3	5.3	7.5	70	2.5	1.9	3.2
Stomach	326	6.8	6.1	7.6	198	9.2	7.9	10.6	128	5.0	4.1	6.0
Colon and Rectum	1,725	36.7	35.0	38.6	905	42.0	39.2	44.9	820	32.6	30.3	35.0
Liver	215	4.4	3.8	5.0	149	6.6	5.5	7.8	66	2.6	2.0	3.3
Pancreas	666	13.8	12.8	14.9	358	16.9	15.1	18.8	308	11.4	10.1	12.8
Lung and Bronchus	2,447	50.2	48.2	52.3	1,124	51.9	48.8	55.2	1,323	49.3	46.6	52.1
Bones and Joints	48	1.3	0.9	1.7	25	1.3	0.8	1.9	23	1.3	0.8	2.0
Melanoma of the Skin	1,289	28.1	26.5	29.7	744	34.3	31.8	36.9	545	24.0	21.9	26.3
Breast (invasive)	3,636	77.8	75.2	80.4	33	1.7	1.2	2.4	3,603	146.1	141.1	151.2
Cervix									106	5.2	4.2	6.4
Corpus and Uterus, NOS									869	32.5	30.3	34.8
Ovary									271	11.0	9.7	12.5
Prostate					2,725	112.7	108.4	117.2				
Testis					146	8.5	7.1	10.0				
Urinary Bladder (includes in situ)	1,062	22.0	20.7	23.4	832	39.9	37.1	42.8	230	8.4	7.3	9.6
Kidney and Renal Pelvis	760	16.0	14.8	17.2	490	21.9	19.9	24.0	270	10.8	9.5	12.3
Brain and Nervous System	318	7.3	6.5	8.2	180	9.0	7.6	10.4	138	5.9	4.9	7.0
Hodgkin Lymphoma	129	3.5	2.9	4.1	62	3.3	2.5	4.2	67	3.6	2.8	4.6
Non-Hodgkin Lymphoma	993	21.3	19.9	22.7	566	26.7	24.5	29.1	427	16.9	15.3	18.7
Myeloma	316	6.5	5.7	7.2	180	8.5	7.3	9.9	136	4.9	4.1	5.9
Leukemia	689	14.9	13.8	16.1	421	20.1	18.1	22.1	268	10.9	9.6	12.4
All Other Sites	2,538	56.5	54.2	58.8	1,110	53.1	49.9	56.4	1,428	61.4	58.1	64.9
Breast in situ (not in total)									1,000	42.3	39.6	45.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,540	435.3	427.2	443.5	5,737	462.6	450.3	475.1	5,803	420.4	409.4	431.6
Oral Cavity and Pharynx	324	11.8	10.5	13.2	227	17.1	14.9	19.5	97	7.0	5.7	8.6
Esophagus	98	3.6	2.9	4.4	84	6.5	5.1	8.1	14	1.0	0.5	1.7
Stomach	180	7.0	6.0	8.1	113	9.5	7.8	11.5	67	4.9	3.8	6.3
Colon and Rectum	898	34.2	32.0	36.6	473	38.1	34.6	41.8	425	30.6	27.7	33.8
Liver	131	4.7	3.9	5.6	96	7.6	6.1	9.3	35	2.4	1.7	3.4
Pancreas	371	13.9	12.5	15.4	191	15.8	13.6	18.3	180	12.4	10.6	14.4
Lung and Bronchus	1,238	46.9	44.2	49.6	594	50.4	46.3	54.7	644	44.4	41.0	48.0
Bones and Joints	25	1.1	0.7	1.6	17	1.5	0.9	2.4	8	0.6	0.2	1.2
Melanoma of the Skin	623	23.8	21.9	25.8	346	28.0	25.1	31.3	277	21.0	18.5	23.7
Breast (invasive)	1,828	69.2	66.0	72.5	8	0.7	0.3	1.3	1,820	131.8	125.7	138.2
Cervix									66	5.4	4.1	6.9
Corpus and Uterus, NOS									382	26.3	23.7	29.2
Ovary									128	9.2	7.6	11.0
Prostate					1,491	110.3	104.6	116.3				
Testis					93	8.6	6.9	10.6				
Urinary Bladder (includes in situ)	537	20.7	19.0	22.6	421	37.1	33.6	41.0	116	7.9	6.5	9.5
Kidney and Renal Pelvis	447	17.0	15.4	18.7	287	23.0	20.3	25.9	160	11.8	10.0	13.8
Brain and Nervous System	167	6.6	5.6	7.7	97	7.8	6.3	9.6	70	5.3	4.1	6.8
Hodgkin Lymphoma	57	2.4	1.8	3.1	23	1.9	1.2	2.8	34	2.9	2.0	4.1
Non-Hodgkin Lymphoma	504	19.4	17.8	21.3	283	23.7	20.9	26.7	221	15.9	13.9	18.2
Myeloma	179	6.8	5.8	7.9	91	7.5	6.0	9.3	88	6.3	5.0	7.8
Leukemia	334	13.1	11.7	14.6	200	16.7	14.4	19.3	134	10.1	8.4	12.0
All Other Sites	1,439	56.1	53.1	59.1	602	50.8	46.7	55.2	837	62.9	58.6	67.5
Breast in situ (not in total)									414	30.7	27.7	33.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,890	490.2	471.8	509.1	1,412	490.8	464.8	517.9	1,478	495.0	468.9	522.2
Oral Cavity and Pharynx	87	13.7	10.9	17.1	62	20.3	15.5	26.4	25	7.4	4.8	11.3
Esophagus	33	5.2	3.5	7.5	29	9.5	6.3	13.9	4	1.5	0.4	4.1
Stomach	40	6.7	4.7	9.2	27	9.2	6.0	13.7	13	4.1	2.1	7.3
Colon and Rectum	217	37.0	32.0	42.5	109	39.0	31.8	47.4	108	34.6	28.2	42.2
Liver	37	5.8	4.1	8.1	28	8.8	5.8	13.0	9	3.0	1.3	6.0
Pancreas	89	14.2	11.3	17.6	44	14.4	10.4	19.7	45	13.8	9.9	18.7
Lung and Bronchus	472	76.2	69.3	83.6	244	83.7	73.3	95.2	228	69.7	60.8	79.7
Bones and Joints	1	0.2	0.0	1.2	1	0.4	0.0	2.5	0			
Melanoma of the Skin	144	27.1	22.7	32.2	76	28.8	22.5	36.5	68	26.1	19.9	33.6
Breast (invasive)	452	81.1	73.4	89.3	4	1.5	0.4	4.0	448	155.8	141.0	171.8
Cervix									21	9.7	5.9	14.9
Corpus and Uterus, NOS									101	32.0	25.9	39.3
Ovary									36	12.5	8.6	17.7
Prostate					283	91.7	81.1	103.4				
Testis					18	8.9	5.2	14.1				
Urinary Bladder (includes in situ)	163	25.6	21.7	29.9	125	42.6	35.3	51.0	38	11.0	7.7	15.4
Kidney and Renal Pelvis	120	20.7	17.0	25.0	65	23.5	17.9	30.4	55	18.3	13.6	24.1
Brain and Nervous System	29	5.2	3.4	7.6	18	6.6	3.9	10.7	11	4.0	1.9	7.4
Hodgkin Lymphoma	13	2.6	1.3	4.5	8	2.8	1.2	5.7	5	2.4	0.7	5.6
Non-Hodgkin Lymphoma	122	20.8	17.1	25.0	61	22.7	17.2	29.5	61	19.3	14.6	25.1
Myeloma	36	6.0	4.2	8.4	20	7.1	4.3	11.2	16	5.1	2.9	8.6
Leukemia	75	12.7	9.9	16.1	43	15.9	11.4	21.8	32	9.7	6.5	14.1
All Other Sites	301	53.7	47.6	60.5	147	53.2	44.7	62.9	154	55.1	46.3	65.1
Breast in situ (not in total)									69	24.4	18.8	31.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,999	462.6	455.2	470.1	7,982	486.6	475.6	497.8	8,017	449.2	439.1	459.6
Oral Cavity and Pharynx	385	10.5	9.4	11.6	279	16.0	14.1	18.1	106	5.6	4.5	6.8
Esophagus	175	5.0	4.3	5.8	131	8.2	6.8	9.8	44	2.3	1.7	3.1
Stomach	220	6.6	5.7	7.6	150	9.4	7.9	11.1	70	4.1	3.2	5.3
Colon and Rectum	1,196	34.8	32.8	36.9	628	39.0	35.9	42.3	568	30.9	28.3	33.7
Liver	176	4.9	4.2	5.7	128	7.4	6.2	8.9	48	2.8	2.0	3.7
Pancreas	492	13.9	12.7	15.2	286	17.3	15.3	19.5	206	10.8	9.4	12.5
Lung and Bronchus	1,796	51.2	48.8	53.7	840	52.9	49.3	56.7	956	50.2	47.0	53.6
Bones and Joints	28	0.9	0.6	1.3	20	1.3	0.8	2.1	8	0.5	0.2	1.0
Melanoma of the Skin	1,010	30.1	28.2	32.1	581	36.2	33.2	39.4	429	26.0	23.5	28.7
Breast (invasive)	2,533	73.9	71.0	77.0	25	1.5	1.0	2.3	2,508	140.8	135.1	146.6
Cervix									80	5.5	4.3	6.9
Corpus and Uterus, NOS									580	30.5	27.9	33.2
Ovary									186	10.3	8.8	12.0
Prostate					2,018	111.9	106.9	117.1				
Testis					90	7.1	5.7	8.8				
Urinary Bladder (includes in situ)	760	21.8	20.3	23.5	573	36.7	33.7	39.9	187	9.8	8.4	11.4
Kidney and Renal Pelvis	582	16.6	15.2	18.0	405	24.2	21.8	26.7	177	9.8	8.3	11.4
Brain and Nervous System	242	7.7	6.7	8.8	132	8.5	7.0	10.1	110	7.1	5.8	8.6
Hodgkin Lymphoma	69	2.3	1.8	3.0	39	2.5	1.8	3.5	30	2.2	1.5	3.2
Non-Hodgkin Lymphoma	783	23.3	21.6	25.0	433	27.9	25.2	30.7	350	19.6	17.5	21.8
Myeloma	228	6.5	5.6	7.4	123	7.5	6.2	9.0	105	5.6	4.5	6.8
Leukemia	521	15.8	14.5	17.3	298	19.6	17.4	22.0	223	13.0	11.3	14.9
All Other Sites	1,849	56.3	53.6	59.0	803	51.4	47.8	55.2	1,046	62.0	58.1	66.0
Breast in situ (not in total)									593	33.7	30.9	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,459	546.3	527.0	566.0	1,806	608.0	579.1	638.1	1,653	500.9	475.0	528.1
Oral Cavity and Pharynx	101	16.6	13.3	20.5	63	22.5	17.0	29.4	38	11.2	7.8	15.8
Esophagus	45	6.7	4.8	9.2	38	12.6	8.8	17.7	7	1.7	0.7	4.1
Stomach	32	4.9	3.3	7.1	18	6.2	3.6	10.2	14	3.7	2.0	6.7
Colon and Rectum	299	47.3	41.7	53.5	164	57.2	48.4	67.4	135	38.9	32.1	46.9
Liver	54	8.3	6.2	11.1	45	14.8	10.6	20.2	9	2.6	1.1	5.4
Pancreas	97	14.7	11.8	18.2	55	18.9	14.0	25.0	42	11.0	7.8	15.5
Lung and Bronchus	609	89.8	82.6	97.6	291	94.1	83.4	106.1	318	87.4	77.7	98.2
Bones and Joints	2	0.5	0.0	1.8	1	0.6	0.0	3.2	1	0.3	0.0	2.2
Melanoma of the Skin	187	33.1	28.2	38.7	106	38.8	31.4	47.5	81	29.2	22.6	37.2
Breast (invasive)	392	63.9	57.3	71.2	4	1.6	0.4	4.3	388	118.6	106.1	132.3
Cervix									20	9.4	5.5	14.9
Corpus and Uterus, NOS									88	27.5	21.6	34.6
Ovary									29	10.8	7.0	16.1
Prostate					362	109.7	98.5	122.0				
Testis					6	3.3	1.2	7.3				
Urinary Bladder (includes in situ)	189	27.0	23.2	31.4	144	46.8	39.3	55.6	45	11.5	8.3	16.0
Kidney and Renal Pelvis	163	27.6	23.2	32.6	93	33.6	26.8	41.8	70	22.4	17.0	29.1
Brain and Nervous System	38	7.7	5.3	10.9	22	9.4	5.6	14.8	16	6.1	3.3	10.4
Hodgkin Lymphoma	14	3.6	1.9	6.1	9	4.3	1.9	8.5	5	2.9	0.9	6.6
Non-Hodgkin Lymphoma	145	21.9	18.3	26.0	76	26.3	20.5	33.4	69	18.1	13.9	23.5
Myeloma	50	7.2	5.3	9.8	28	8.8	5.8	13.1	22	6.1	3.7	9.8
Leukemia	93	15.1	12.0	18.8	62	21.5	16.3	28.1	31	9.5	6.2	14.2
All Other Sites	444	73.3	66.1	81.1	219	76.8	66.5	88.4	225	72.0	61.9	83.4
Breast in situ (not in total)									86	27.7	21.7	34.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,778	486.7	475.5	498.0	3,846	522.5	505.6	539.8	3,932	464.8	449.7	480.3
Oral Cavity and Pharynx	229	14.5	12.6	16.6	153	20.2	17.0	23.8	76	9.3	7.2	11.8
Esophagus	86	5.3	4.2	6.6	78	10.3	8.1	13.0	8	0.9	0.4	1.9
Stomach	93	5.5	4.4	6.9	59	7.6	5.7	9.9	34	3.8	2.5	5.4
Colon and Rectum	649	40.5	37.3	43.8	321	44.6	39.7	49.9	328	37.3	33.2	41.8
Liver	100	5.7	4.6	7.0	79	9.5	7.4	11.9	21	2.3	1.4	3.6
Pancreas	238	14.5	12.7	16.6	119	16.8	13.9	20.2	119	12.6	10.4	15.2
Lung and Bronchus	1,329	78.6	74.4	83.1	655	87.5	80.8	94.7	674	73.1	67.6	79.1
Bones and Joints	11	0.9	0.4	1.6	10	1.6	0.8	3.1	1	0.1	0.0	0.7
Melanoma of the Skin	371	25.4	22.8	28.3	209	30.4	26.3	35.0	162	22.2	18.7	26.1
Breast (invasive)	1,091	70.6	66.3	75.1	14	2.1	1.2	3.7	1,077	131.0	122.9	139.6
Cervix									45	7.0	5.0	9.5
Corpus and Uterus, NOS									255	29.0	25.4	33.0
Ovary									90	10.9	8.7	13.6
Prostate					785	99.8	92.8	107.3				
Testis					31	6.1	4.2	8.7				
Urinary Bladder (includes in situ)	372	22.3	20.0	24.7	263	36.7	32.3	41.5	109	11.8	9.7	14.4
Kidney and Renal Pelvis	392	25.2	22.6	27.9	243	33.8	29.5	38.6	149	17.7	14.8	21.0
Brain and Nervous System	102	7.3	5.9	8.9	55	8.4	6.2	11.0	47	6.2	4.5	8.5
Hodgkin Lymphoma	30	2.3	1.5	3.3	15	2.2	1.2	3.7	15	2.4	1.3	4.0
Non-Hodgkin Lymphoma	310	19.0	16.9	21.3	161	21.2	18.0	24.9	149	17.3	14.5	20.4
Myeloma	86	4.9	3.9	6.1	55	7.1	5.3	9.3	31	3.2	2.2	4.7
Leukemia	251	16.6	14.5	18.9	134	19.3	16.0	23.0	117	14.4	11.7	17.5
All Other Sites	832	54.1	50.3	58.1	407	57.5	51.8	63.5	425	52.4	47.3	58.0
Breast in situ (not in total)									229	29.9	26.0	34.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,692	492.5	477.9	507.4	2,383	536.6	514.6	559.3	2,309	463.2	443.3	483.7
Oral Cavity and Pharynx	134	14.0	11.6	16.7	86	19.2	15.2	23.9	48	9.5	6.9	12.9
Esophagus	61	6.2	4.7	8.0	45	9.8	7.1	13.3	16	3.2	1.7	5.4
Stomach	41	4.0	2.8	5.5	23	5.2	3.3	7.9	18	3.1	1.8	5.1
Colon and Rectum	403	43.4	39.1	48.1	201	48.8	42.0	56.4	202	38.4	33.0	44.6
Liver	57	5.6	4.2	7.4	44	8.7	6.3	11.9	13	3.0	1.5	5.4
Pancreas	134	13.7	11.4	16.4	69	16.4	12.6	20.9	65	11.2	8.5	14.5
Lung and Bronchus	791	78.9	73.4	84.8	434	95.8	86.8	105.5	357	65.9	59.0	73.4
Bones and Joints	8	0.9	0.4	1.9	4	1.2	0.3	3.1	4	0.7	0.2	2.0
Melanoma of the Skin	297	33.6	29.7	37.9	168	40.9	34.7	47.9	129	29.3	24.1	35.3
Breast (invasive)	698	76.5	70.6	82.7	8	2.1	0.9	4.2	690	142.4	131.3	154.2
Cervix									42	11.9	8.4	16.4
Corpus and Uterus, NOS									127	25.3	20.9	30.5
Ovary									43	8.2	5.8	11.4
Prostate					591	122.3	112.5	132.9				
Testis					18	6.3	3.7	9.9				
Urinary Bladder (includes in situ)	202	19.8	17.1	22.8	154	34.9	29.6	41.1	48	8.0	5.9	10.9
Kidney and Renal Pelvis	206	22.2	19.1	25.6	132	31.1	25.9	37.2	74	14.8	11.4	18.9
Brain and Nervous System	59	6.7	5.0	8.8	32	7.7	5.2	11.2	27	5.8	3.7	8.8
Hodgkin Lymphoma	23	3.1	1.9	4.8	14	3.8	2.0	6.5	9	2.4	1.1	4.8
Non-Hodgkin Lymphoma	178	18.5	15.7	21.6	92	20.0	16.0	24.8	86	17.3	13.6	21.7
Myeloma	38	3.7	2.6	5.2	16	3.7	2.1	6.2	22	3.8	2.3	6.0
Leukemia	97	10.9	8.7	13.4	60	14.5	11.0	18.9	37	7.9	5.4	11.2
All Other Sites	444	47.4	42.9	52.3	192	44.2	38.0	51.2	252	51.1	44.6	58.4
Breast in situ (not in total)									164	36.2	30.4	42.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Rock Island
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,064	462.9	448.0	478.3	2,129	513.0	490.5	536.3	1,935	426.9	406.7	448.0
Oral Cavity and Pharynx	136	15.7	13.0	18.8	100	25.0	20.1	30.8	36	7.4	5.0	10.6
Esophagus	58	6.0	4.5	7.9	52	11.2	8.3	15.0	6	1.4	0.4	3.4
Stomach	35	3.9	2.7	5.5	22	5.6	3.5	8.7	13	2.4	1.3	4.5
Colon and Rectum	277	32.0	28.1	36.3	141	36.7	30.6	43.7	136	27.8	23.0	33.3
Liver	58	5.8	4.4	7.6	48	10.2	7.5	13.8	10	1.8	0.9	3.7
Pancreas	132	14.3	11.9	17.1	79	18.9	14.8	23.8	53	10.6	7.8	14.2
Lung and Bronchus	620	64.7	59.6	70.2	314	72.6	64.6	81.4	306	59.0	52.4	66.4
Bones and Joints	4	0.6	0.1	1.5	2	0.6	0.1	2.3	2	0.5	0.1	2.1
Melanoma of the Skin	241	29.3	25.5	33.6	139	35.2	29.4	42.0	102	25.3	20.3	31.3
Breast (invasive)	523	62.1	56.5	68.0	2	0.7	0.1	2.7	521	117.0	106.4	128.4
Cervix									33	11.1	7.4	15.8
Corpus and Uterus, NOS									158	34.4	28.9	40.7
Ovary									64	14.9	11.2	19.4
Prostate					482	105.5	96.1	115.8				
Testis					23	8.6	5.3	13.0				
Urinary Bladder (includes in situ)	187	20.2	17.3	23.5	148	35.9	30.2	42.4	39	8.0	5.6	11.3
Kidney and Renal Pelvis	179	20.6	17.5	24.1	118	28.6	23.4	34.6	61	13.8	10.3	18.2
Brain and Nervous System	58	7.7	5.8	10.2	32	8.6	5.8	12.4	26	7.0	4.4	10.6
Hodgkin Lymphoma	17	2.6	1.5	4.2	10	3.1	1.4	5.8	7	2.2	0.8	4.8
Non-Hodgkin Lymphoma	150	18.0	15.0	21.4	84	22.0	17.3	27.7	66	14.3	10.8	18.7
Myeloma	56	5.8	4.4	7.7	37	8.4	5.9	11.9	19	3.7	2.1	6.1
Leukemia	96	11.1	8.9	13.7	58	14.7	11.1	19.3	38	8.3	5.7	11.8
All Other Sites	477	57.9	52.5	63.8	238	60.8	53.0	69.5	239	56.2	48.7	64.6
Breast in situ (not in total)									136	34.3	28.3	41.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,249	542.1	528.1	556.4	3,161	603.0	581.4	625.2	3,088	503.4	484.7	522.7
Oral Cavity and Pharynx	178	15.5	13.2	18.1	133	24.8	20.6	29.7	45	7.5	5.4	10.3
Esophagus	64	5.4	4.1	7.0	49	9.0	6.6	12.2	15	2.6	1.4	4.4
Stomach	63	5.1	3.9	6.6	37	6.6	4.6	9.3	26	3.7	2.4	5.7
Colon and Rectum	498	44.2	40.2	48.4	253	50.8	44.6	57.8	245	38.7	33.7	44.3
Liver	96	7.6	6.1	9.4	82	14.5	11.4	18.2	14	2.2	1.2	4.0
Pancreas	215	18.1	15.7	20.8	120	22.8	18.8	27.5	95	14.4	11.5	17.8
Lung and Bronchus	946	76.7	71.8	81.9	476	89.6	81.5	98.4	470	68.1	62.0	74.9
Bones and Joints	13	1.5	0.7	2.6	9	2.0	0.9	4.0	4	0.9	0.2	2.5
Melanoma of the Skin	361	34.2	30.6	38.1	188	38.0	32.5	44.1	173	33.1	28.0	38.9
Breast (invasive)	904	82.4	76.8	88.3	9	1.6	0.7	3.2	895	151.7	141.3	162.8
Cervix									30	7.1	4.7	10.4
Corpus and Uterus, NOS									182	28.4	24.2	33.3
Ovary									76	12.1	9.3	15.5
Prostate					679	117.2	108.3	126.7				
Testis					41	11.6	8.3	15.8				
Urinary Bladder (includes in situ)	271	22.0	19.4	24.8	218	41.9	36.4	48.1	53	7.3	5.4	9.7
Kidney and Renal Pelvis	293	25.9	22.9	29.2	189	35.9	30.8	41.7	104	18.1	14.5	22.2
Brain and Nervous System	72	6.9	5.3	8.9	48	10.0	7.3	13.5	24	4.3	2.7	6.7
Hodgkin Lymphoma	18	2.0	1.2	3.3	14	3.3	1.8	5.7	4	0.8	0.2	2.3
Non-Hodgkin Lymphoma	289	24.6	21.8	27.8	149	29.4	24.7	34.8	140	21.4	17.8	25.5
Myeloma	67	5.6	4.3	7.2	44	8.8	6.4	12.0	23	3.2	2.0	5.1
Leukemia	198	18.4	15.8	21.4	107	22.4	18.2	27.4	91	15.0	11.9	18.7
All Other Sites	695	61.7	57.0	66.8	316	62.5	55.6	70.1	379	62.6	56.1	69.8
Breast in situ (not in total)									195	33.5	28.6	39.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,433	471.5	458.6	484.7	2,772	514.5	494.9	534.7	2,661	444.3	426.7	462.4
Oral Cavity and Pharynx	184	15.4	13.2	17.9	129	23.2	19.3	27.8	55	8.6	6.4	11.3
Esophagus	64	5.4	4.1	6.9	54	9.5	7.1	12.6	10	1.8	0.8	3.5
Stomach	46	3.7	2.7	5.1	30	5.6	3.7	8.2	16	2.2	1.2	3.7
Colon and Rectum	391	33.9	30.5	37.6	230	43.6	38.0	49.9	161	25.0	21.1	29.5
Liver	94	7.9	6.3	9.7	63	11.2	8.5	14.6	31	5.1	3.4	7.4
Pancreas	146	12.3	10.3	14.6	75	13.7	10.7	17.3	71	10.6	8.2	13.6
Lung and Bronchus	869	71.2	66.4	76.2	431	78.9	71.4	87.0	438	66.8	60.5	73.6
Bones and Joints	7	0.8	0.3	1.7	3	0.7	0.1	2.1	4	0.9	0.2	2.4
Melanoma of the Skin	310	27.8	24.7	31.3	197	36.0	31.0	41.7	113	21.5	17.5	26.2
Breast (invasive)	783	69.9	64.9	75.2	4	0.7	0.2	2.0	779	132.1	122.5	142.3
Cervix									44	9.7	6.9	13.2
Corpus and Uterus, NOS									194	32.6	28.0	37.8
Ovary									56	9.6	7.1	12.6
Prostate					577	99.5	91.3	108.3				
Testis					32	7.9	5.3	11.2				
Urinary Bladder (includes in situ)	269	23.1	20.4	26.1	208	40.5	35.1	46.6	61	9.6	7.2	12.5
Kidney and Renal Pelvis	275	24.3	21.4	27.5	176	32.6	27.8	38.1	99	17.0	13.6	21.0
Brain and Nervous System	78	7.5	5.8	9.5	39	7.9	5.5	11.1	39	6.8	4.8	9.6
Hodgkin Lymphoma	34	4.1	2.8	5.7	20	4.8	2.9	7.4	14	3.4	1.8	5.7
Non-Hodgkin Lymphoma	214	18.9	16.4	21.8	116	23.4	19.2	28.3	98	15.5	12.5	19.2
Myeloma	74	6.1	4.8	7.7	42	7.9	5.6	10.8	32	4.8	3.2	6.9
Leukemia	140	12.5	10.5	14.9	82	15.7	12.4	19.6	58	9.7	7.3	12.7
All Other Sites	552	50.0	45.7	54.5	264	51.0	44.9	57.9	288	51.1	45.0	57.8
Breast in situ (not in total)									170	30.5	25.9	35.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,472	522.8	501.4	545.1	1,288	562.4	531.0	595.3	1,184	497.3	467.2	529.0
Oral Cavity and Pharynx	59	13.0	9.7	17.2	38	17.4	12.0	24.6	21	8.7	5.1	14.0
Esophagus	29	5.7	3.8	8.3	24	10.4	6.6	15.8	5	1.8	0.6	4.9
Stomach	33	6.7	4.5	9.8	25	10.8	6.9	16.6	8	3.3	1.4	7.2
Colon and Rectum	218	47.1	40.7	54.2	107	48.7	39.6	59.4	111	45.7	36.9	56.1
Liver	27	5.2	3.4	7.8	19	7.4	4.4	12.0	8	3.3	1.3	7.2
Pancreas	69	13.8	10.7	17.8	34	15.0	10.3	21.5	35	12.9	8.8	18.7
Lung and Bronchus	473	93.3	84.8	102.5	258	107.9	94.8	122.5	215	81.9	70.9	94.4
Bones and Joints	6	2.0	0.7	4.4	3	1.7	0.3	5.1	3	2.4	0.5	6.8
Melanoma of the Skin	177	39.4	33.5	46.3	92	40.4	32.3	50.2	85	40.7	31.8	51.5
Breast (invasive)	290	65.5	57.7	74.1	5	2.3	0.7	5.8	285	123.9	108.8	140.6
Cervix									19	10.5	6.1	16.9
Corpus and Uterus, NOS									69	26.4	20.3	34.1
Ovary									17	6.8	3.8	11.6
Prostate					275	113.5	100.2	128.3				
Testis					4	3.4	0.9	8.4				
Urinary Bladder (includes in situ)	127	25.5	21.1	30.6	97	42.8	34.5	52.7	30	11.2	7.3	16.6
Kidney and Renal Pelvis	93	19.7	15.7	24.6	58	26.0	19.5	34.3	35	13.8	9.4	19.9
Brain and Nervous System	22	5.5	3.3	8.6	9	5.2	2.3	10.2	13	5.6	2.9	10.2
Hodgkin Lymphoma	9	2.3	1.0	4.6	4	1.9	0.5	5.4	5	2.6	0.7	6.7
Non-Hodgkin Lymphoma	84	17.8	14.0	22.5	55	25.1	18.7	33.2	29	11.7	7.4	17.7
Myeloma	31	6.3	4.2	9.2	20	8.4	5.0	13.4	11	4.4	2.1	8.7
Leukemia	58	12.8	9.5	16.9	32	14.3	9.6	20.7	26	11.5	7.2	17.6
All Other Sites	283	63.7	56.1	72.1	129	59.7	49.5	71.6	154	68.0	56.8	80.8
Breast in situ (not in total)									57	31.0	22.9	41.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	15,056	480.7	472.9	488.6	7,591	519.2	507.2	531.5	7,465	456.5	446.0	467.2
Oral Cavity and Pharynx	388	11.8	10.6	13.1	276	17.0	15.0	19.2	112	6.9	5.7	8.3
Esophagus	157	4.9	4.1	5.8	128	8.3	6.9	10.0	29	1.8	1.2	2.6
Stomach	219	7.1	6.2	8.2	131	9.4	7.8	11.2	88	5.3	4.2	6.6
Colon and Rectum	1,219	39.4	37.1	41.7	694	47.4	43.8	51.2	525	32.0	29.3	35.0
Liver	176	5.4	4.6	6.2	123	7.8	6.4	9.4	53	3.2	2.4	4.2
Pancreas	423	13.8	12.5	15.2	235	16.6	14.5	19.0	188	11.3	9.8	13.1
Lung and Bronchus	1,868	59.8	57.0	62.6	912	65.2	60.9	69.8	956	56.1	52.6	59.9
Bones and Joints	24	0.8	0.5	1.2	17	1.2	0.7	1.9	7	0.4	0.2	0.9
Melanoma of the Skin	750	24.3	22.6	26.2	419	28.4	25.7	31.4	331	21.6	19.3	24.1
Breast (invasive)	2,293	73.4	70.3	76.5	16	1.1	0.6	1.9	2,277	139.7	133.9	145.7
Cervix									115	7.7	6.3	9.2
Corpus and Uterus, NOS									540	30.9	28.3	33.7
Ovary									156	9.3	7.8	10.9
Prostate					1,818	114.0	108.7	119.6				
Testis					94	7.0	5.7	8.6				
Urinary Bladder (includes in situ)	711	23.6	21.9	25.5	530	40.5	37.0	44.2	181	10.9	9.3	12.6
Kidney and Renal Pelvis	546	17.2	15.7	18.7	359	23.6	21.1	26.2	187	11.2	9.6	13.0
Brain and Nervous System	228	7.8	6.8	8.9	133	9.5	7.9	11.3	95	6.2	5.0	7.6
Hodgkin Lymphoma	99	3.5	2.9	4.3	57	4.2	3.2	5.5	42	2.9	2.1	3.9
Non-Hodgkin Lymphoma	642	20.9	19.3	22.6	363	25.8	23.1	28.7	279	17.1	15.1	19.3
Myeloma	220	7.0	6.0	8.0	128	9.1	7.5	10.9	92	5.4	4.3	6.6
Leukemia	514	17.1	15.6	18.6	301	21.7	19.2	24.4	213	13.1	11.4	15.0
All Other Sites	1,856	61.5	58.7	64.5	857	61.4	57.2	65.8	999	63.6	59.6	67.8
Breast in situ (not in total)									601	36.5	33.6	39.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,358	462.2	451.2	473.3	3,662	482.9	466.9	499.3	3,696	453.3	437.9	469.1
Oral Cavity and Pharynx	201	12.6	10.8	14.6	150	19.2	16.2	22.7	51	6.6	4.8	8.8
Esophagus	100	5.9	4.8	7.3	72	9.2	7.2	11.8	28	3.0	2.0	4.5
Stomach	101	6.1	4.9	7.4	72	9.3	7.2	11.8	29	3.3	2.1	4.9
Colon and Rectum	567	36.1	33.0	39.3	310	42.8	38.1	48.1	257	30.0	26.3	34.2
Liver	123	7.1	5.9	8.5	98	11.9	9.6	14.6	25	2.8	1.8	4.3
Pancreas	225	13.2	11.5	15.1	109	13.8	11.3	16.8	116	12.6	10.3	15.2
Lung and Bronchus	1,080	63.5	59.7	67.5	542	68.9	63.1	75.1	538	59.5	54.4	65.0
Bones and Joints	9	0.7	0.3	1.4	3	0.5	0.1	1.5	6	0.9	0.3	2.0
Melanoma of the Skin	390	25.7	23.1	28.6	211	29.1	25.2	33.5	179	24.3	20.6	28.5
Breast (invasive)	1,044	67.5	63.3	72.0	14	1.8	1.0	3.2	1,030	126.7	118.6	135.2
Cervix									34	5.5	3.7	7.8
Corpus and Uterus, NOS									268	33.3	29.2	37.9
Ovary									97	12.7	10.2	15.7
Prostate					684	81.6	75.4	88.1				
Testis					36	7.6	5.3	10.4				
Urinary Bladder (includes in situ)	354	20.7	18.6	23.1	271	35.8	31.6	40.5	83	9.0	7.1	11.3
Kidney and Renal Pelvis	298	19.1	16.9	21.5	186	25.3	21.7	29.4	112	13.9	11.3	16.9
Brain and Nervous System	90	6.3	5.0	7.8	57	8.5	6.4	11.2	33	4.4	2.9	6.3
Hodgkin Lymphoma	46	4.1	3.0	5.5	31	5.5	3.7	7.9	15	2.7	1.5	4.4
Non-Hodgkin Lymphoma	307	20.2	17.9	22.8	174	24.3	20.7	28.4	133	16.9	14.0	20.3
Myeloma	116	6.9	5.7	8.4	73	9.7	7.5	12.3	43	4.6	3.3	6.3
Leukemia	223	14.6	12.7	16.8	131	18.3	15.2	21.9	92	11.8	9.4	14.7
All Other Sites	965	63.5	59.3	67.8	438	59.7	54.1	65.8	527	69.0	62.8	75.6
Breast in situ (not in total)									202	27.0	23.2	31.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	46,629	466.3	462.0	470.7	22,472	530.8	523.6	538.0	24,157	425.0	419.5	430.5
Oral Cavity and Pharynx	963	9.3	8.7	9.9	643	14.6	13.4	15.8	320	5.5	4.9	6.2
Esophagus	421	4.1	3.7	4.5	272	6.4	5.7	7.3	149	2.5	2.1	2.9
Stomach	961	10.0	9.3	10.6	510	13.1	11.9	14.3	451	8.0	7.2	8.8
Colon and Rectum	4,590	46.9	45.5	48.3	2,266	55.9	53.6	58.4	2,324	40.8	39.1	42.5
Liver	875	8.1	7.6	8.7	603	13.2	12.1	14.3	272	4.4	3.9	5.0
Pancreas	1,655	16.7	15.9	17.5	748	18.0	16.7	19.4	907	15.6	14.6	16.7
Lung and Bronchus	6,668	66.9	65.3	68.6	3,218	79.2	76.4	82.1	3,450	58.7	56.8	60.8
Bones and Joints	80	0.8	0.7	1.0	43	1.0	0.7	1.4	37	0.7	0.5	1.0
Melanoma of the Skin	61	0.6	0.5	0.8	25	0.6	0.4	1.0	36	0.6	0.4	0.9
Breast (invasive)	7,439	76.1	74.3	77.9	78	1.9	1.5	2.4	7,361	131.5	128.4	134.6
Cervix									496	9.5	8.6	10.4
Corpus and Uterus, NOS									1,835	30.8	29.4	32.3
Ovary									499	8.9	8.1	9.7
Prostate					7,758	173.1	169.1	177.2				
Testis					77	1.8	1.4	2.3				
Urinary Bladder (includes in situ)	1,102	11.5	10.8	12.2	738	19.4	18.0	20.9	364	6.3	5.7	7.0
Kidney and Renal Pelvis	1,915	19.2	18.3	20.1	1,135	26.6	25.1	28.3	780	13.6	12.7	14.6
Brain and Nervous System	394	4.0	3.6	4.5	222	5.1	4.4	5.9	172	3.2	2.7	3.7
Hodgkin Lymphoma	274	2.8	2.5	3.2	146	3.2	2.7	3.8	128	2.5	2.0	2.9
Non-Hodgkin Lymphoma	1,312	13.7	12.9	14.5	671	16.6	15.3	17.9	641	11.6	10.7	12.6
Myeloma	1,289	13.2	12.4	13.9	596	14.9	13.7	16.2	693	12.1	11.2	13.0
Leukemia	1,065	11.0	10.3	11.7	564	13.8	12.7	15.1	501	9.0	8.3	9.9
All Other Sites	4,900	50.3	48.8	51.7	2,159	52.2	50.0	54.6	2,741	49.1	47.2	51.0
Breast in situ (not in total)									1,903	33.4	31.9	35.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	467	450.0	408.1	494.8	246	535.2	465.4	611.9	221	385.0	334.0	441.2
Oral Cavity and Pharynx	8	7.3	3.1	14.3	5	10.8	3.4	25.5	3	4.8	1.0	14.0
Esophagus	6	5.6	1.9	12.3	4	7.3	1.9	19.4	2	4.2	0.4	14.3
Stomach	8	8.2	3.4	16.0	5	14.9	4.4	34.4	3	4.6	0.9	13.5
Colon and Rectum	38	37.2	25.9	51.6	21	42.3	25.6	65.7	17	31.3	17.7	50.4
Liver	8	7.0	2.9	14.1	4	7.5	1.9	20.2	4	6.8	1.7	17.7
Pancreas	17	17.2	9.7	27.9	5	13.2	3.9	30.7	12	19.8	10.0	34.9
Lung and Bronchus	66	70.5	53.8	90.3	39	92.2	64.0	127.7	27	53.7	34.8	78.4
Bones and Joints	1	0.6	0.0	4.2	1	1.2	0.0	9.7	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	81	79.6	62.6	99.6	2	5.6	0.5	19.9	79	136.1	107.0	170.4
Cervix									5	7.6	2.4	17.9
Corpus and Uterus, NOS									9	12.3	5.6	23.8
Ovary									7	12.8	4.9	26.2
Prostate					96	206.7	164.5	255.8				
Testis					0							
Urinary Bladder (includes in situ)	10	9.2	4.2	17.3	8	19.3	7.3	39.5	2	2.6	0.3	10.2
Kidney and Renal Pelvis	23	18.3	11.5	27.8	15	24.5	13.5	41.3	8	12.4	5.2	24.7
Brain and Nervous System	3	2.7	0.6	7.9	3	5.8	1.2	17.6	0			
Hodgkin Lymphoma	1	0.5	0.0	3.9	1	1.0	0.0	9.3	0			
Non-Hodgkin Lymphoma	9	8.3	3.6	16.2	6	12.8	4.5	28.2	3	4.8	0.7	14.9
Myeloma	11	12.9	6.2	23.0	8	22.6	8.9	45.1	3	6.7	1.3	18.7
Leukemia	12	11.1	5.4	20.0	6	11.4	3.5	26.7	6	10.9	3.7	23.9
All Other Sites	48	46.8	33.8	62.8	17	36.2	20.0	59.5	31	53.6	35.7	76.8
Breast in situ (not in total)									12	21.7	11.1	37.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	34,020	467.8	462.7	472.9	15,947	530.2	521.7	538.7	18,073	429.1	422.7	435.6
Oral Cavity and Pharynx	731	9.9	9.2	10.6	469	15.2	13.8	16.7	262	6.2	5.5	7.1
Esophagus	313	4.2	3.7	4.7	196	6.5	5.6	7.6	117	2.6	2.1	3.1
Stomach	737	10.3	9.6	11.1	384	13.6	12.3	15.1	353	8.3	7.4	9.2
Colon and Rectum	3,407	47.5	45.9	49.2	1,634	56.6	53.8	59.5	1,773	41.6	39.6	43.6
Liver	633	8.1	7.4	8.7	427	13.3	12.0	14.6	206	4.5	3.9	5.2
Pancreas	1,251	17.0	16.0	18.0	573	19.0	17.5	20.7	678	15.5	14.3	16.7
Lung and Bronchus	4,881	65.9	64.1	67.9	2,286	77.9	74.6	81.2	2,595	58.4	56.1	60.7
Bones and Joints	54	0.9	0.6	1.1	28	1.0	0.7	1.5	26	0.8	0.5	1.1
Melanoma of the Skin	49	0.7	0.5	0.9	19	0.7	0.4	1.1	30	0.7	0.5	1.0
Breast (invasive)	5,545	79.1	77.0	81.3	56	2.0	1.5	2.6	5,489	133.8	130.2	137.5
Cervix									380	10.1	9.1	11.2
Corpus and Uterus, NOS									1,395	31.5	29.9	33.3
Ovary									386	9.4	8.4	10.4
Prostate					5,534	173.5	168.9	178.3				
Testis					45	1.7	1.2	2.3				
Urinary Bladder (includes in situ)	780	10.8	10.1	11.6	506	18.3	16.7	20.0	274	6.2	5.5	7.0
Kidney and Renal Pelvis	1,301	18.1	17.1	19.1	733	24.7	22.8	26.6	568	13.4	12.3	14.6
Brain and Nervous System	254	3.8	3.3	4.3	140	4.8	4.0	5.7	114	3.0	2.5	3.7
Hodgkin Lymphoma	185	2.9	2.5	3.4	100	3.5	2.8	4.3	85	2.4	1.9	3.0
Non-Hodgkin Lymphoma	956	13.9	13.0	14.9	464	16.6	15.1	18.2	492	12.2	11.1	13.3
Myeloma	931	12.9	12.1	13.8	420	14.6	13.2	16.1	511	11.9	10.9	13.0
Leukemia	751	10.7	10.0	11.6	394	13.7	12.3	15.2	357	8.9	7.9	9.9
All Other Sites	3,521	49.9	48.2	51.6	1,539	53.0	50.3	55.8	1,982	47.8	45.7	50.0
Breast in situ (not in total)									1,396	33.4	31.7	35.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	883	454.8	422.0	489.2	386	486.3	431.8	545.2	497	437.2	396.1	481.1
Oral Cavity and Pharynx	12	6.7	3.2	12.1	9	13.6	5.5	26.8	3	2.0	0.4	6.5
Esophagus	1	1.0	0.0	4.3	1	2.4	0.1	10.9	0			
Stomach	19	12.1	6.9	19.3	11	17.0	8.0	31.0	8	8.3	3.2	17.0
Colon and Rectum	79	41.5	31.9	53.0	36	49.1	32.4	70.8	43	36.4	25.5	50.2
Liver	10	5.5	2.4	10.6	9	13.0	4.7	27.1	1	1.1	0.0	5.6
Pancreas	27	16.7	10.3	25.2	7	9.0	3.0	20.0	20	21.6	12.4	34.4
Lung and Bronchus	73	44.6	34.1	57.1	30	49.2	31.2	72.7	43	43.0	30.2	59.0
Bones and Joints	2	0.7	0.1	3.1	1	1.0	0.0	6.9	1	0.7	0.0	4.5
Melanoma of the Skin	3	1.2	0.2	3.8	2	1.8	0.2	7.9	1	0.7	0.0	4.6
Breast (invasive)	193	93.4	79.4	109.0	4	6.4	0.9	18.9	189	156.1	132.9	182.0
Cervix									9	5.9	2.7	11.8
Corpus and Uterus, NOS									32	26.3	17.2	38.3
Ovary									11	9.6	4.3	18.0
Prostate					167	189.2	158.1	224.5				
Testis					2	1.4	0.2	7.2				
Urinary Bladder (includes in situ)	29	18.6	11.9	27.3	20	26.2	15.2	41.7	9	12.1	5.3	22.8
Kidney and Renal Pelvis	44	22.3	15.6	30.8	24	29.7	17.5	46.7	20	18.0	10.3	28.8
Brain and Nervous System	10	4.1	1.9	7.7	5	4.7	1.5	12.1	5	3.7	1.2	9.0
Hodgkin Lymphoma	6	2.0	0.7	4.8	4	3.0	0.8	9.4	2	1.3	0.2	5.4
Non-Hodgkin Lymphoma	26	13.9	8.5	21.1	11	14.9	6.1	29.2	15	13.8	7.1	23.8
Myeloma	25	11.8	7.3	18.0	9	12.4	5.1	24.6	16	11.8	6.5	19.7
Leukemia	18	10.4	5.8	17.0	7	9.9	3.5	21.2	11	10.9	5.0	20.2
All Other Sites	85	45.3	35.3	57.1	27	32.3	19.8	49.4	58	53.9	40.0	70.7
Breast in situ (not in total)									53	41.1	30.3	54.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	613	429.5	394.4	466.9	324	499.7	442.4	561.9	289	375.1	331.5	422.6
Oral Cavity and Pharynx	12	9.0	4.5	16.1	9	14.7	6.2	28.7	3	4.5	0.8	13.0
Esophagus	2	1.7	0.2	5.8	2	3.9	0.4	13.5	0			
Stomach	14	10.3	5.4	17.5	8	13.2	5.1	27.3	6	8.2	2.9	17.9
Colon and Rectum	51	35.6	26.2	47.2	24	34.4	21.5	52.1	27	35.9	23.4	52.6
Liver	11	7.8	3.7	14.2	8	13.3	5.2	27.0	3	3.4	0.7	10.4
Pancreas	22	19.1	11.5	29.2	14	29.1	15.0	49.6	8	11.8	4.8	23.5
Lung and Bronchus	80	57.4	44.8	72.2	46	74.0	52.8	100.4	34	44.0	29.8	62.3
Bones and Joints	2	1.0	0.1	4.2	2	2.1	0.3	9.2	0			
Melanoma of the Skin	1	0.7	0.0	3.8	1	1.4	0.0	8.3	0			
Breast (invasive)	83	56.6	44.6	70.8	1	1.0	0.0	7.6	82	103.8	81.9	129.6
Cervix									6	8.5	3.0	18.5
Corpus and Uterus, NOS									28	34.1	22.4	49.8
Ovary									10	12.4	5.8	23.1
Prostate					133	192.6	159.2	230.8				
Testis					0							
Urinary Bladder (includes in situ)	17	14.0	7.8	22.8	12	22.0	10.5	39.4	5	7.7	2.3	17.9
Kidney and Renal Pelvis	26	18.0	11.4	27.0	19	27.5	15.7	44.4	7	9.8	3.7	20.5
Brain and Nervous System	8	5.6	2.3	11.4	4	4.8	1.3	13.2	4	5.9	1.5	15.0
Hodgkin Lymphoma	5	3.1	1.0	7.4	1	1.3	0.0	8.1	4	4.7	1.2	12.3
Non-Hodgkin Lymphoma	12	7.5	3.7	13.5	4	4.3	1.2	12.2	8	9.9	4.1	20.0
Myeloma	20	15.0	8.9	23.6	10	18.2	8.0	34.4	10	13.0	6.0	24.3
Leukemia	10	7.7	3.5	14.5	3	6.0	0.8	18.2	7	9.6	3.7	19.9
All Other Sites	60	42.1	31.6	54.7	23	35.9	21.9	55.0	37	48.0	33.3	66.7
Breast in situ (not in total)									28	32.9	21.7	47.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	442	538.3	487.3	593.0	231	609.1	528.8	697.8	211	480.1	415.7	551.5
Oral Cavity and Pharynx	6	6.4	2.3	14.4	5	10.7	3.4	26.3	1	2.6	0.1	13.8
Esophagus	6	7.0	2.4	15.7	4	7.8	2.1	21.7	2	6.1	0.7	20.5
Stomach	8	10.9	4.6	21.4	7	21.8	8.5	44.8	1	2.5	0.1	13.4
Colon and Rectum	36	44.3	30.5	62.1	16	45.6	24.9	75.7	20	43.4	26.1	67.9
Liver	8	9.2	3.7	18.7	4	7.8	2.1	21.7	4	9.8	2.5	25.2
Pancreas	12	15.9	8.1	28.0	3	6.8	1.4	21.1	9	22.4	10.1	42.5
Lung and Bronchus	68	85.1	65.3	108.9	38	113.5	78.4	158.0	30	64.5	42.9	93.2
Bones and Joints	0				0				0			
Melanoma of the Skin	2	2.7	0.3	9.5	0				2	5.1	0.6	17.8
Breast (invasive)	71	86.6	67.1	109.9	0				71	158.9	123.2	201.6
Cervix									1	2.8	0.1	14.3
Corpus and Uterus, NOS									11	21.1	10.3	38.7
Ovary									4	10.5	2.8	26.5
Prostate					82	204.0	160.2	255.9				
Testis					1	2.5	0.1	14.8				
Urinary Bladder (includes in situ)	16	19.4	10.8	32.1	14	37.1	19.5	63.6	2	4.9	0.5	17.8
Kidney and Renal Pelvis	18	21.8	12.6	35.0	13	34.3	17.5	60.1	5	11.1	3.5	26.3
Brain and Nervous System	6	6.6	2.3	14.7	2	5.1	0.6	19.1	4	8.2	2.2	21.8
Hodgkin Lymphoma	5	5.7	1.8	13.6	4	8.3	2.1	23.0	1	2.6	0.1	13.8
Non-Hodgkin Lymphoma	12	16.0	8.1	28.2	7	19.2	7.5	39.8	5	12.9	4.1	29.9
Myeloma	7	9.8	3.8	20.3	2	5.9	0.6	21.1	5	12.2	3.8	28.7
Leukemia	10	12.7	5.9	23.6	4	11.6	2.7	30.6	6	13.7	4.8	30.2
All Other Sites	52	66.7	49.1	88.3	25	67.3	42.4	101.1	27	65.1	42.3	95.6
Breast in situ (not in total)									14	32.0	17.2	54.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,018	420.9	394.2	449.0	526	487.8	443.2	535.4	492	373.2	339.9	408.9
Oral Cavity and Pharynx	17	6.8	3.8	11.2	10	8.7	3.8	16.8	7	5.3	2.0	11.3
Esophagus	6	2.4	0.8	5.4	2	1.8	0.2	6.8	4	3.0	0.8	7.8
Stomach	22	10.4	6.4	15.8	12	13.4	6.6	23.6	10	8.2	3.8	15.2
Colon and Rectum	103	47.4	38.3	58.0	57	60.1	44.4	79.2	46	38.0	27.4	51.2
Liver	17	6.2	3.6	10.2	12	8.8	4.4	15.9	5	3.8	1.2	8.9
Pancreas	39	16.8	11.7	23.3	17	15.3	8.6	25.1	22	17.5	10.8	26.8
Lung and Bronchus	126	55.0	45.3	66.2	65	69.2	51.8	90.0	61	45.9	34.7	59.4
Bones and Joints	3	1.3	0.2	3.7	1	1.1	0.0	6.0	2	1.5	0.2	5.4
Melanoma of the Skin	2	1.1	0.1	3.8	2	3.1	0.3	10.5	0			
Breast (invasive)	152	61.3	51.6	72.3	1	0.8	0.0	5.1	151	111.7	94.1	131.5
Cervix									8	6.3	2.7	12.6
Corpus and Uterus, NOS									38	27.5	19.2	38.2
Ovary									10	7.7	3.6	14.2
Prostate					198	164.8	141.1	191.3				
Testis					6	3.6	1.3	8.9				
Urinary Bladder (includes in situ)	19	8.9	5.2	14.0	12	13.0	6.3	23.3	7	5.7	2.3	11.8
Kidney and Renal Pelvis	28	10.7	7.0	15.8	20	17.6	10.3	28.0	8	5.3	2.2	10.8
Brain and Nervous System	11	4.8	2.3	8.7	7	6.9	2.6	14.6	4	3.2	0.9	8.3
Hodgkin Lymphoma	6	2.0	0.7	4.6	3	2.2	0.4	7.3	3	1.8	0.4	5.8
Non-Hodgkin Lymphoma	26	10.9	6.9	16.2	17	16.4	8.9	27.4	9	7.0	3.1	13.4
Myeloma	42	18.8	13.3	25.7	22	25.8	15.4	39.9	20	14.9	8.9	23.3
Leukemia	30	11.3	7.5	16.5	18	15.2	8.6	24.9	12	8.5	4.2	15.2
All Other Sites	109	45.7	37.2	55.6	44	40.1	28.1	55.3	65	50.5	38.7	64.8
Breast in situ (not in total)									39	29.1	20.4	40.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	493	532.6	485.1	583.5	278	684.7	602.0	775.4	215	414.1	359.3	475.0
Oral Cavity and Pharynx	15	15.3	8.2	25.8	10	23.9	10.5	46.2	5	8.6	2.6	20.9
Esophagus	6	6.3	2.2	14.1	5	14.4	4.0	35.0	1	1.4	0.0	9.7
Stomach	5	6.7	2.1	15.5	3	10.0	1.6	29.4	2	4.4	0.5	15.3
Colon and Rectum	67	69.8	53.6	89.3	34	80.2	54.9	113.4	33	60.4	41.0	85.7
Liver	11	10.4	5.1	19.0	8	17.7	7.6	36.0	3	4.3	0.9	13.9
Pancreas	17	19.9	11.3	32.1	9	20.9	9.3	40.6	8	16.9	7.2	33.2
Lung and Bronchus	88	96.3	76.6	119.5	51	122.8	89.4	164.5	37	75.0	52.4	103.9
Bones and Joints	1	0.9	0.0	5.7	1	1.9	0.0	13.1	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	57	59.8	44.9	78.2	1	1.8	0.0	12.8	56	105.6	79.2	138.0
Cervix									1	2.6	0.1	12.9
Corpus and Uterus, NOS									13	24.6	12.9	42.6
Ovary									3	4.5	0.9	14.4
Prostate					77	184.9	144.1	233.7				
Testis					2	5.9	0.7	20.9				
Urinary Bladder (includes in situ)	13	14.8	7.6	25.7	8	24.7	9.6	50.0	5	9.2	2.9	22.1
Kidney and Renal Pelvis	24	26.9	17.0	40.4	16	42.5	23.4	70.4	8	15.0	6.3	30.1
Brain and Nervous System	4	3.5	1.0	9.5	4	7.4	2.0	20.9	0			
Hodgkin Lymphoma	2	2.8	0.3	9.5	2	6.2	0.8	21.6	0			
Non-Hodgkin Lymphoma	16	18.9	10.6	30.9	11	34.1	16.0	62.1	5	9.7	3.0	22.9
Myeloma	11	12.6	6.1	22.8	7	17.0	6.6	36.0	4	8.4	2.2	21.5
Leukemia	11	11.3	5.4	20.7	6	13.8	4.9	31.3	5	8.6	2.6	20.9
All Other Sites	49	55.4	40.6	73.8	23	54.5	33.9	83.2	26	55.0	35.5	80.9
Breast in situ (not in total)									17	33.8	19.4	54.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	534	523.7	478.4	571.9	273	632.6	554.7	717.8	261	446.1	392.1	505.2
Oral Cavity and Pharynx	13	11.5	6.0	20.0	9	17.1	7.7	33.6	4	6.8	1.7	17.7
Esophagus	5	5.8	1.7	13.5	4	11.9	2.7	30.6	1	1.9	0.0	10.0
Stomach	9	9.5	4.2	18.2	4	8.4	2.2	22.3	5	9.4	2.9	21.8
Colon and Rectum	48	52.4	38.1	70.0	27	72.5	46.3	107.1	21	38.6	23.5	59.5
Liver	6	4.6	1.7	10.5	5	7.9	2.6	20.2	1	1.9	0.0	9.9
Pancreas	13	15.1	7.8	25.8	6	16.9	6.0	36.4	7	13.3	5.1	27.5
Lung and Bronchus	90	89.8	71.5	111.1	39	101.4	70.3	140.6	51	84.2	62.2	111.4
Bones and Joints	1	0.7	0.0	4.7	0				1	1.4	0.0	8.6
Melanoma of the Skin	0				0				0			
Breast (invasive)	74	68.4	53.3	86.5	0				74	120.8	94.2	152.5
Cervix									3	5.4	1.0	15.8
Corpus and Uterus, NOS									19	35.0	20.8	54.9
Ovary									3	4.1	0.8	12.7
Prostate					94	192.2	153.6	237.7				
Testis					2	4.4	0.5	16.3				
Urinary Bladder (includes in situ)	8	10.6	4.4	20.5	7	24.8	9.4	50.2	1	1.9	0.0	10.0
Kidney and Renal Pelvis	27	27.3	17.7	40.1	19	44.2	25.8	70.3	8	14.9	6.3	29.2
Brain and Nervous System	8	9.1	3.8	17.8	5	13.9	4.0	32.8	3	5.6	1.2	16.0
Hodgkin Lymphoma	3	2.6	0.5	7.7	2	4.1	0.5	15.5	1	1.4	0.0	8.5
Non-Hodgkin Lymphoma	17	15.1	8.6	24.6	8	14.3	5.9	29.7	9	15.4	6.8	29.6
Myeloma	15	15.0	8.2	24.9	6	14.8	4.9	32.9	9	15.1	6.9	28.9
Leukemia	13	12.0	6.3	20.8	7	14.7	5.7	31.0	6	10.0	3.6	22.0
All Other Sites	63	63.1	47.9	81.4	29	69.0	44.6	101.3	34	58.9	40.3	82.9
Breast in situ (not in total)									23	38.1	24.0	57.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	800	540.0	501.5	580.5	435	661.3	596.7	730.7	365	448.7	402.3	498.9
Oral Cavity and Pharynx	13	7.8	4.0	13.6	13	17.7	9.1	31.0	0			
Esophagus	15	10.6	5.8	17.6	11	16.7	8.1	30.5	4	5.8	1.5	14.6
Stomach	13	9.0	4.7	15.6	7	11.3	4.2	24.0	6	7.8	2.8	17.1
Colon and Rectum	70	50.9	39.2	64.8	35	62.4	42.4	88.0	35	43.2	29.7	60.5
Liver	22	13.2	8.1	20.4	19	25.3	14.9	40.4	3	3.7	0.7	11.2
Pancreas	24	16.2	10.2	24.3	11	17.4	8.4	31.4	13	15.1	7.9	26.2
Lung and Bronchus	158	106.1	89.4	124.9	72	109.7	84.4	139.9	86	102.7	81.3	127.9
Bones and Joints	2	0.9	0.1	3.9	1	1.3	0.0	8.1	1	0.7	0.0	5.5
Melanoma of the Skin	0				0				0			
Breast (invasive)	96	69.9	56.1	85.9	2	6.3	0.8	19.4	94	119.4	95.8	146.9
Cervix									8	10.3	4.4	20.3
Corpus and Uterus, NOS									18	21.0	12.2	33.7
Ovary									4	4.3	1.2	11.3
Prostate					142	208.0	173.4	247.4				
Testis					2	3.4	0.4	12.1				
Urinary Bladder (includes in situ)	20	15.3	9.1	23.8	13	23.0	11.7	39.9	7	9.6	3.7	19.9
Kidney and Renal Pelvis	49	34.1	24.9	45.5	32	48.4	32.3	69.4	17	22.8	13.1	36.6
Brain and Nervous System	7	3.7	1.4	8.0	4	4.8	1.2	13.5	3	2.9	0.5	9.1
Hodgkin Lymphoma	9	4.6	2.0	9.1	5	5.9	1.8	14.9	4	3.5	0.9	9.7
Non-Hodgkin Lymphoma	27	18.5	11.9	27.2	19	29.2	17.0	46.5	8	10.0	4.1	19.9
Myeloma	19	12.0	7.0	19.2	12	17.5	8.3	31.9	7	8.3	3.2	17.5
Leukemia	18	11.6	6.7	18.7	10	13.3	5.7	26.1	8	10.5	4.4	20.7
All Other Sites	64	44.2	33.6	56.9	25	39.9	25.0	60.0	39	46.9	32.9	64.6
Breast in situ (not in total)									20	24.1	14.4	37.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Rock Island
Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	320	477.8	425.6	534.5	182	590.2	503.8	686.3	138	392.9	328.6	465.5
Oral Cavity and Pharynx	10	14.6	6.9	27.0	8	25.3	10.4	50.3	2	4.9	0.6	18.6
Esophagus	2	3.7	0.4	12.4	1	3.2	0.1	17.2	1	4.0	0.1	19.0
Stomach	6	10.0	3.5	21.6	3	8.6	1.7	25.4	3	10.2	2.1	28.5
Colon and Rectum	28	40.7	26.8	59.1	19	60.0	35.1	94.9	9	22.9	10.3	44.0
Liver	7	9.4	3.8	19.4	6	16.1	5.9	35.6	1	2.9	0.1	15.7
Pancreas	9	12.1	5.5	23.2	5	14.0	4.5	33.1	4	11.7	3.0	29.9
Lung and Bronchus	59	89.7	67.8	116.1	35	117.6	80.6	164.8	24	69.3	43.9	103.5
Bones and Joints	1	1.3	0.0	7.6	1	3.2	0.1	17.2	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	38	54.3	38.3	74.6	0				38	111.4	78.2	153.3
Cervix									2	4.9	0.6	18.6
Corpus and Uterus, NOS									5	12.9	4.1	30.4
Ovary									2	6.7	0.8	22.8
Prostate					49	167.4	122.1	222.9				
Testis					0							
Urinary Bladder (includes in situ)	5	7.1	2.3	16.5	3	9.7	2.0	27.8	2	5.2	0.6	19.1
Kidney and Renal Pelvis	16	26.8	15.1	43.5	8	24.6	10.4	48.7	8	26.3	11.3	51.0
Brain and Nervous System	4	4.2	1.1	11.7	1	1.7	0.0	13.6	3	7.1	1.3	22.1
Hodgkin Lymphoma	4	4.8	1.3	12.7	1	1.7	0.0	13.6	3	8.5	1.7	24.5
Non-Hodgkin Lymphoma	12	17.7	8.9	31.1	9	28.2	12.1	54.5	3	7.6	1.4	23.1
Myeloma	12	18.6	9.4	32.6	5	19.4	5.7	45.0	7	19.8	7.7	40.9
Leukemia	8	11.0	4.6	21.8	6	16.1	5.7	36.1	2	4.9	0.6	18.6
All Other Sites	41	62.2	44.1	85.0	22	73.5	44.6	112.7	19	51.7	30.6	81.4
Breast in situ (not in total)									12	34.2	17.3	60.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	585	544.9	499.6	593.1	286	588.7	518.1	666.0	299	501.8	444.6	564.1
Oral Cavity and Pharynx	12	10.0	5.1	17.7	10	19.1	9.0	36.1	2	2.4	0.3	9.8
Esophagus	6	4.3	1.6	9.9	4	6.4	1.7	18.2	2	2.4	0.3	9.8
Stomach	11	10.8	5.2	19.4	3	6.4	1.3	19.2	8	13.8	5.8	27.2
Colon and Rectum	57	57.0	42.5	74.4	29	65.6	43.1	95.3	28	48.8	31.8	71.2
Liver	20	17.4	10.4	27.2	14	27.8	14.8	47.8	6	8.7	3.1	19.3
Pancreas	17	16.5	9.4	26.6	8	18.1	7.5	36.2	9	14.8	6.6	28.1
Lung and Bronchus	82	77.9	61.2	97.6	35	68.4	47.0	96.3	47	81.2	58.9	108.7
Bones and Joints	3	1.7	0.3	5.7	1	1.1	0.0	10.1	2	2.2	0.3	9.3
Melanoma of the Skin	1	0.8	0.0	4.8	0				1	1.4	0.0	8.3
Breast (invasive)	83	78.0	61.4	97.6	3	5.2	1.1	16.6	80	133.5	104.9	167.2
Cervix									11	17.4	8.6	31.2
Corpus and Uterus, NOS									14	24.7	13.2	41.7
Ovary									3	6.3	1.2	17.6
Prostate					91	179.5	142.3	223.2				
Testis					3	4.6	0.8	15.8				
Urinary Bladder (includes in situ)	10	9.0	4.3	16.7	7	15.1	6.0	31.6	3	4.6	0.9	13.8
Kidney and Renal Pelvis	39	39.2	27.3	54.2	26	61.8	38.3	93.3	13	22.8	11.8	39.3
Brain and Nervous System	6	5.0	1.8	11.1	3	4.7	0.9	15.6	3	4.9	1.0	14.4
Hodgkin Lymphoma	2	1.5	0.2	5.9	1	2.1	0.1	12.4	1	1.0	0.0	7.5
Non-Hodgkin Lymphoma	22	20.0	12.2	30.7	10	21.3	9.3	40.9	12	19.4	9.8	34.2
Myeloma	16	17.0	9.4	27.9	6	13.3	4.6	29.8	10	17.8	8.2	33.0
Leukemia	11	9.8	4.7	17.9	7	13.2	5.3	28.1	4	6.2	1.5	16.5
All Other Sites	65	61.4	46.8	78.8	25	54.9	33.6	84.0	40	67.6	47.8	92.5
Breast in situ (not in total)									30	43.5	29.1	62.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,907	467.8	446.4	489.9	905	520.3	485.3	557.0	1,002	431.3	404.4	459.5
Oral Cavity and Pharynx	29	6.7	4.5	9.7	21	11.9	7.2	18.4	8	3.1	1.3	6.3
Esophagus	20	4.3	2.6	6.7	14	6.9	3.7	11.8	6	2.3	0.8	5.1
Stomach	33	8.0	5.5	11.3	18	10.4	6.0	16.7	15	6.3	3.5	10.5
Colon and Rectum	188	47.3	40.6	54.8	104	62.3	50.4	76.2	84	36.9	29.3	45.9
Liver	40	8.8	6.3	12.2	31	15.5	10.4	22.4	9	3.8	1.7	7.3
Pancreas	59	15.7	11.8	20.4	26	16.9	10.8	25.0	33	14.9	10.2	21.1
Lung and Bronchus	303	74.2	65.9	83.4	139	81.3	67.7	96.8	164	69.5	59.0	81.3
Bones and Joints	2	0.5	0.1	1.9	1	0.6	0.0	3.3	1	0.4	0.0	2.4
Melanoma of the Skin	1	0.2	0.0	1.3	0				1	0.3	0.0	2.2
Breast (invasive)	284	72.1	63.7	81.2	2	0.8	0.1	3.4	282	122.3	108.2	137.9
Cervix									20	8.4	5.1	13.2
Corpus and Uterus, NOS									97	40.5	32.7	49.7
Ovary									25	11.2	7.2	16.6
Prostate					277	150.8	132.7	170.5				
Testis					2	1.0	0.1	3.9				
Urinary Bladder (includes in situ)	51	14.1	10.4	18.6	34	24.8	16.9	34.8	17	7.6	4.4	12.3
Kidney and Renal Pelvis	102	24.9	20.2	30.4	66	37.5	28.7	48.1	36	15.8	11.0	22.1
Brain and Nervous System	16	3.8	2.1	6.2	9	4.4	2.0	8.7	7	3.1	1.2	6.4
Hodgkin Lymphoma	13	3.0	1.6	5.2	3	1.4	0.3	4.5	10	4.2	2.0	7.9
Non-Hodgkin Lymphoma	48	12.4	9.1	16.5	24	14.4	9.0	21.7	24	10.8	6.8	16.1
Myeloma	51	13.2	9.7	17.5	19	12.1	7.1	19.1	32	14.3	9.7	20.3
Leukemia	52	13.5	10.0	17.8	29	17.9	11.7	26.1	23	10.2	6.4	15.4
All Other Sites	194	47.2	40.6	54.5	86	49.4	39.1	61.5	108	45.2	36.9	54.8
Breast in situ (not in total)									80	32.2	25.3	40.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	213	481.6	416.7	553.4	134	687.1	566.6	823.9	79	331.7	260.6	415.7
Oral Cavity and Pharynx	5	11.9	3.8	27.6	4	19.9	5.1	51.8	1	5.8	0.1	28.3
Esophagus	3	8.1	1.5	23.1	1	9.2	0.2	41.0	2	8.4	1.0	30.4
Stomach	4	8.6	2.3	22.2	2	8.4	1.0	32.3	2	8.2	1.0	29.9
Colon and Rectum	18	41.8	24.4	66.4	8	44.2	17.6	88.8	10	40.9	19.4	75.7
Liver	9	20.4	9.1	39.1	8	43.0	17.4	86.1	1	3.6	0.1	21.8
Pancreas	8	17.4	7.1	35.0	5	20.1	6.5	48.9	3	15.3	2.8	43.9
Lung and Bronchus	42	97.5	69.0	133.1	25	130.1	81.0	196.0	17	71.8	40.8	116.3
Bones and Joints	1	1.7	0.0	11.0	1	3.0	0.1	23.0	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	16	37.8	21.3	61.5	1	4.4	0.1	26.5	15	68.5	37.7	113.4
Cervix									1	3.6	0.1	21.8
Corpus and Uterus, NOS									11	42.7	20.9	77.5
Ovary									0			
Prostate					42	214.8	151.4	294.4				
Testis					0							
Urinary Bladder (includes in situ)	3	8.2	1.6	23.3	2	15.9	1.4	53.6	1	4.8	0.1	25.1
Kidney and Renal Pelvis	12	27.0	13.3	48.2	10	54.7	23.1	105.5	2	6.8	0.7	27.2
Brain and Nervous System	4	8.2	2.2	21.4	3	11.4	2.3	36.2	1	2.9	0.1	20.1
Hodgkin Lymphoma	3	4.6	0.9	15.1	3	9.0	1.8	31.4	0			
Non-Hodgkin Lymphoma	3	5.0	1.0	15.8	2	7.3	0.9	30.0	1	2.9	0.1	20.1
Myeloma	1	2.0	0.1	11.8	0				1	3.7	0.1	22.3
Leukemia	5	13.3	4.0	30.8	4	20.2	4.6	53.9	1	6.6	0.2	30.8
All Other Sites	22	50.1	30.7	76.8	13	71.4	35.0	126.3	9	35.4	16.0	67.9
Breast in situ (not in total)									6	29.3	10.3	63.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,799	458.5	436.0	481.8	912	528.7	490.4	569.0	887	410.1	382.3	439.4
Oral Cavity and Pharynx	28	6.3	4.1	9.3	21	10.7	6.2	17.2	7	3.0	1.2	6.4
Esophagus	9	2.1	0.9	4.2	7	3.9	1.3	8.7	2	0.7	0.1	3.0
Stomach	35	10.5	7.1	14.8	21	15.8	8.7	25.6	14	7.6	4.0	12.8
Colon and Rectum	164	43.3	36.5	51.1	86	53.4	41.4	67.6	78	36.1	28.1	45.5
Liver	16	3.6	2.0	6.0	11	5.7	2.7	10.7	5	2.0	0.6	4.9
Pancreas	55	15.4	11.3	20.5	19	12.0	6.3	20.3	36	18.4	12.6	25.8
Lung and Bronchus	198	56.3	48.2	65.4	103	72.3	57.3	89.6	95	45.9	36.7	56.7
Bones and Joints	5	1.1	0.3	2.7	3	1.1	0.2	4.1	2	1.0	0.1	3.7
Melanoma of the Skin	1	0.2	0.0	1.3	1	0.4	0.0	3.1	0			
Breast (invasive)	322	79.4	70.4	89.1	3	1.3	0.3	4.4	319	142.0	126.2	159.2
Cervix									13	6.0	3.2	10.5
Corpus and Uterus, NOS									65	27.9	21.3	36.0
Ovary									14	6.0	3.2	10.3
Prostate					350	187.0	165.8	210.2				
Testis					4	1.7	0.4	5.0				
Urinary Bladder (includes in situ)	54	15.4	11.3	20.5	41	27.9	18.7	39.5	13	6.9	3.5	12.1
Kidney and Renal Pelvis	84	20.7	16.3	25.9	55	29.8	21.7	39.9	29	13.4	8.8	19.6
Brain and Nervous System	21	4.8	2.9	7.5	13	6.9	3.4	12.4	8	3.2	1.4	6.5
Hodgkin Lymphoma	14	3.2	1.8	5.5	5	2.2	0.7	5.7	9	4.1	1.9	8.0
Non-Hodgkin Lymphoma	52	14.6	10.6	19.5	27	15.8	9.8	24.1	25	13.2	8.4	19.8
Myeloma	50	12.2	8.8	16.5	25	12.2	7.7	18.6	25	11.5	7.2	17.3
Leukemia	46	12.4	8.8	16.8	24	14.7	9.0	22.6	22	10.5	6.4	16.2
All Other Sites	199	52.2	44.7	60.6	93	53.9	42.5	67.3	106	50.5	40.9	61.7
Breast in situ (not in total)									95	39.7	31.9	48.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	771	460.5	427.2	495.6	383	524.9	469.8	584.2	388	414.4	373.2	458.9
Oral Cavity and Pharynx	16	9.1	5.1	14.9	10	11.6	5.5	21.8	6	6.8	2.4	14.7
Esophagus	3	1.6	0.3	4.7	3	3.5	0.7	10.7	0			
Stomach	13	7.5	3.9	12.9	7	7.8	3.1	16.6	6	6.8	2.4	14.6
Colon and Rectum	71	43.4	33.6	55.1	38	53.8	37.1	75.1	33	35.8	24.4	50.5
Liver	20	10.6	6.4	16.6	9	11.3	4.9	22.1	11	10.0	4.9	18.3
Pancreas	35	22.9	15.6	32.2	16	23.0	12.5	38.2	19	21.9	12.9	34.4
Lung and Bronchus	108	69.4	56.4	84.3	58	93.7	69.6	122.7	50	53.9	39.7	71.4
Bones and Joints	1	0.6	0.0	3.4	1	1.3	0.0	7.6	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	107	64.0	52.2	77.7	0				107	114.0	93.1	138.2
Cervix									11	11.4	5.6	20.5
Corpus and Uterus, NOS									29	28.7	19.0	41.4
Ovary									4	4.1	1.1	10.6
Prostate					105	137.2	110.4	168.1				
Testis					3	2.9	0.5	9.6				
Urinary Bladder (includes in situ)	16	11.9	6.6	19.3	12	20.4	9.9	36.2	4	5.8	1.6	14.0
Kidney and Renal Pelvis	49	27.4	20.1	36.6	29	36.0	23.6	52.4	20	20.0	12.0	31.2
Brain and Nervous System	6	2.3	0.8	5.4	2	1.7	0.2	7.5	4	2.9	0.8	8.2
Hodgkin Lymphoma	2	0.8	0.1	3.4	2	1.8	0.2	7.9	0			
Non-Hodgkin Lymphoma	22	12.2	7.5	18.7	14	18.6	9.7	32.0	8	7.5	3.2	15.1
Myeloma	31	19.8	13.2	28.3	17	26.2	14.6	42.7	14	15.0	8.0	25.5
Leukemia	26	15.5	9.9	22.9	11	14.3	6.5	26.6	15	16.1	8.9	26.7
All Other Sites	93	57.0	45.5	70.3	46	59.8	42.9	81.0	47	53.7	39.1	71.7
Breast in situ (not in total)									21	21.3	13.1	32.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

SECTION V
County-specific Cancer Incidence Rates by Hispanic Ethnicity
Illinois, 2016-2020

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes *in situ*) and breast cancer *in situ* as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	324,560	471.2	469.5	472.9	162,709	511.2	508.7	513.8	161,851	445.3	443.0	447.6
Oral Cavity and Pharynx	8,917	12.8	12.5	13.1	6,303	19.4	18.9	19.9	2,614	7.0	6.8	7.3
Esophagus	3,571	4.9	4.8	5.1	2,754	8.4	8.1	8.7	817	2.1	1.9	2.2
Stomach	4,492	6.4	6.2	6.6	2,769	8.8	8.5	9.2	1,723	4.5	4.3	4.7
Colon and Rectum	27,724	40.6	40.1	41.1	14,521	47.0	46.2	47.8	13,203	35.2	34.6	35.9
Liver	4,278	5.8	5.6	6.0	3,095	9.1	8.8	9.4	1,183	3.0	2.8	3.2
Pancreas	10,070	14.1	13.8	14.4	5,182	16.3	15.8	16.7	4,888	12.2	11.9	12.6
Lung and Bronchus	45,014	62.3	61.7	62.9	22,422	69.9	68.9	70.8	22,592	56.8	56.1	57.6
Bones and Joints	545	1.0	0.9	1.0	300	1.1	1.0	1.2	245	0.9	0.7	1.0
Melanoma of the Skin	16,214	24.9	24.5	25.3	9,241	30.2	29.5	30.8	6,973	21.3	20.8	21.9
Breast (invasive)	48,463	73.2	72.5	73.9	451	1.4	1.3	1.6	48,012	136.2	134.9	137.5
Cervix									2,116	7.1	6.8	7.5
Corpus and Uterus, NOS									11,445	30.2	29.6	30.8
Ovary									3,685	10.3	10.0	10.7
Prostate					40,686	118.2	117.0	119.4				
Testis					1,529	6.3	5.9	6.6				
Urinary Bladder (includes <i>in situ</i>)	14,633	20.5	20.2	20.8	11,055	35.9	35.2	36.5	3,578	8.9	8.6	9.2
Kidney and Renal Pelvis	12,376	18.2	17.9	18.6	7,846	25.0	24.5	25.6	4,530	12.4	12.1	12.8
Brain and Nervous System	3,922	6.4	6.2	6.6	2,195	7.7	7.3	8.0	1,727	5.3	5.1	5.6
Hodgkin Lymphoma	1,606	3.0	2.8	3.1	879	3.3	3.1	3.5	727	2.6	2.5	2.9
Non-Hodgkin Lymphoma	12,899	19.0	18.6	19.3	7,049	23.1	22.5	23.6	5,850	15.7	15.3	16.1
Myeloma	4,877	6.9	6.7	7.1	2,619	8.3	8.0	8.6	2,258	5.8	5.6	6.0
Leukemia	9,012	13.6	13.3	13.9	5,241	17.5	17.0	18.0	3,771	10.6	10.2	10.9
All Other Sites	36,486	55.2	54.6	55.8	16,572	54.6	53.7	55.4	19,914	57.0	56.1	57.8
Breast <i>in situ</i> (not in total)									10,992	32.5	31.8	33.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	113,345	456.1	453.3	458.8	54,756	492.8	488.6	497.0	58,589	434.0	430.4	437.7
Oral Cavity and Pharynx	2,989	11.9	11.5	12.4	2,031	18.0	17.2	18.8	958	7.0	6.5	7.4
Esophagus	1,096	4.2	3.9	4.4	785	6.9	6.4	7.4	311	2.1	1.8	2.3
Stomach	1,962	7.8	7.5	8.2	1,144	10.5	9.9	11.2	818	5.7	5.3	6.2
Colon and Rectum	10,102	40.7	39.9	41.6	5,165	47.6	46.3	48.9	4,937	35.5	34.4	36.5
Liver	1,699	6.4	6.1	6.7	1,165	9.9	9.3	10.5	534	3.6	3.3	3.9
Pancreas	3,779	14.7	14.2	15.1	1,849	16.6	15.8	17.4	1,930	13.1	12.5	13.7
Lung and Bronchus	14,668	56.7	55.8	57.7	6,950	62.8	61.3	64.4	7,718	52.4	51.3	53.6
Bones and Joints	199	1.0	0.8	1.1	108	1.1	0.9	1.4	91	0.9	0.7	1.1
Melanoma of the Skin	4,315	18.1	17.5	18.6	2,443	22.7	21.7	23.6	1,872	15.0	14.3	15.7
Breast (invasive)	17,936	75.5	74.4	76.7	166	1.5	1.3	1.7	17,770	137.4	135.3	139.5
Cervix									832	7.2	6.7	7.7
Corpus and Uterus, NOS									4,401	31.4	30.5	32.4
Ovary									1,436	11.0	10.4	11.6
Prostate					15,085	126.8	124.7	128.8				
Testis					514	5.4	4.9	5.9				
Urinary Bladder (includes in situ)	4,737	18.4	17.9	18.9	3,432	32.1	31.0	33.2	1,305	8.7	8.2	9.2
Kidney and Renal Pelvis	3,802	15.5	15.0	16.0	2,357	21.5	20.6	22.4	1,445	10.6	10.0	11.2
Brain and Nervous System	1,270	5.7	5.4	6.0	700	6.9	6.4	7.4	570	4.7	4.3	5.1
Hodgkin Lymphoma	605	3.0	2.8	3.3	319	3.4	3.0	3.8	286	2.7	2.4	3.0
Non-Hodgkin Lymphoma	4,401	18.1	17.5	18.6	2,318	21.9	21.0	22.8	2,083	15.2	14.5	15.9
Myeloma	1,967	7.8	7.5	8.2	980	9.0	8.4	9.6	987	7.0	6.5	7.4
Leukemia	3,023	12.7	12.2	13.1	1,723	16.5	15.7	17.3	1,300	9.9	9.3	10.4
All Other Sites	12,527	52.1	51.1	53.0	5,522	51.9	50.5	53.3	7,005	53.1	51.8	54.4
Breast in situ (not in total)									4,314	34.6	33.6	35.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	23,488	453.2	447.2	459.2	11,536	480.5	471.5	489.7	11,952	438.4	430.2	446.7
Oral Cavity and Pharynx	636	11.9	11.0	12.9	458	18.3	16.6	20.2	178	6.4	5.5	7.5
Esophagus	210	3.9	3.4	4.5	137	5.8	4.8	6.9	73	2.4	1.9	3.1
Stomach	336	6.3	5.6	7.1	210	8.8	7.7	10.2	126	4.2	3.5	5.1
Colon and Rectum	1,850	36.2	34.5	37.9	978	41.6	39.0	44.4	872	31.7	29.5	34.0
Liver	240	4.4	3.9	5.0	177	7.1	6.1	8.3	63	2.3	1.7	2.9
Pancreas	700	13.3	12.3	14.3	373	16.0	14.4	17.8	327	11.0	9.8	12.4
Lung and Bronchus	2,577	48.2	46.3	50.1	1,193	50.1	47.2	53.2	1,384	47.0	44.5	49.7
Bones and Joints	49	1.2	0.9	1.6	27	1.3	0.9	1.9	22	1.2	0.7	1.8
Melanoma of the Skin	1,313	26.3	24.9	27.9	760	32.4	30.0	34.8	553	22.2	20.3	24.2
Breast (invasive)	3,981	78.3	75.8	80.9	37	1.7	1.2	2.4	3,944	146.1	141.3	150.9
Cervix									109	4.6	3.8	5.7
Corpus and Uterus, NOS									917	31.3	29.2	33.4
Ovary									294	10.8	9.6	12.2
Prostate					2,993	112.7	108.6	117.0				
Testis					131	7.2	6.0	8.6				
Urinary Bladder (includes in situ)	1,133	21.4	20.2	22.7	884	38.5	35.9	41.2	249	8.4	7.3	9.5
Kidney and Renal Pelvis	811	15.7	14.6	16.9	515	21.1	19.3	23.1	296	11.0	9.7	12.4
Brain and Nervous System	323	6.9	6.2	7.8	184	8.7	7.4	10.1	139	5.5	4.5	6.5
Hodgkin Lymphoma	135	3.5	2.9	4.1	63	3.2	2.4	4.1	72	3.7	2.9	4.7
Non-Hodgkin Lymphoma	1,027	20.2	18.9	21.5	592	25.7	23.6	28.0	435	15.7	14.2	17.3
Myeloma	351	6.6	5.9	7.3	195	8.4	7.2	9.7	156	5.3	4.5	6.2
Leukemia	720	14.3	13.3	15.5	442	19.4	17.6	21.4	278	10.3	9.1	11.7
All Other Sites	2,652	54.3	52.2	56.5	1,187	52.4	49.4	55.6	1,465	57.4	54.3	60.5
Breast in situ (not in total)									1,103	42.5	39.9	45.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,017	455.8	447.0	464.7	5,511	487.6	474.3	501.1	5,506	436.5	424.5	448.8
Oral Cavity and Pharynx	327	13.3	11.8	14.9	232	19.6	17.1	22.5	95	7.6	6.1	9.4
Esophagus	90	3.5	2.8	4.3	77	6.4	5.0	8.1	13	1.0	0.5	1.8
Stomach	154	6.4	5.4	7.6	106	9.6	7.8	11.6	48	3.8	2.8	5.2
Colon and Rectum	868	36.2	33.8	38.8	446	40.2	36.4	44.2	422	32.6	29.5	36.0
Liver	107	4.2	3.5	5.2	81	7.1	5.6	9.0	26	1.9	1.2	2.9
Pancreas	349	14.0	12.5	15.6	184	16.4	14.0	19.0	165	12.1	10.3	14.2
Lung and Bronchus	1,262	50.3	47.5	53.3	608	54.5	50.1	59.2	654	47.3	43.7	51.2
Bones and Joints	22	1.1	0.7	1.7	14	1.5	0.8	2.6	8	0.6	0.3	1.3
Melanoma of the Skin	628	27.4	25.2	29.8	349	31.8	28.4	35.4	279	24.6	21.6	27.8
Breast (invasive)	1,736	73.4	69.9	77.1	9	0.8	0.3	1.5	1,727	137.9	131.2	144.9
Cervix									55	5.1	3.8	6.8
Corpus and Uterus, NOS									373	27.2	24.4	30.2
Ovary									130	10.1	8.4	12.2
Prostate					1,514	121.2	115.0	127.7				
Testis					63	8.0	6.1	10.2				
Urinary Bladder (includes in situ)	531	21.8	20.0	23.8	416	39.3	35.5	43.4	115	8.3	6.8	10.0
Kidney and Renal Pelvis	393	16.4	14.7	18.2	252	22.6	19.8	25.7	141	11.1	9.3	13.2
Brain and Nervous System	142	6.8	5.7	8.1	76	7.5	5.9	9.5	66	6.0	4.6	7.7
Hodgkin Lymphoma	50	2.8	2.0	3.7	20	2.3	1.4	3.5	30	3.2	2.1	4.7
Non-Hodgkin Lymphoma	450	18.8	17.0	20.7	249	23.0	20.1	26.2	201	15.4	13.2	17.7
Myeloma	169	6.7	5.7	7.9	87	7.7	6.1	9.6	82	6.1	4.8	7.6
Leukemia	297	12.8	11.4	14.5	173	16.1	13.7	18.8	124	10.4	8.5	12.5
All Other Sites	1,307	57.4	54.2	60.7	555	52.2	47.8	56.9	752	64.1	59.4	69.2
Breast in situ (not in total)									395	32.6	29.3	36.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	16,554	465.9	458.5	473.3	8,304	495.2	484.2	506.4	8,250	447.3	437.3	457.6
Oral Cavity and Pharynx	399	10.5	9.5	11.7	289	16.3	14.4	18.4	110	5.5	4.5	6.7
Esophagus	178	4.9	4.2	5.7	132	8.0	6.7	9.6	46	2.3	1.7	3.1
Stomach	208	6.0	5.2	6.9	135	8.2	6.8	9.8	73	4.1	3.2	5.2
Colon and Rectum	1,252	35.9	33.9	38.1	660	41.1	37.9	44.5	592	31.4	28.8	34.1
Liver	160	4.3	3.6	5.0	121	6.8	5.6	8.2	39	2.2	1.5	3.1
Pancreas	516	14.0	12.8	15.3	290	17.0	15.0	19.1	226	11.3	9.8	12.9
Lung and Bronchus	1,922	52.3	49.9	54.8	908	55.0	51.4	58.8	1,014	50.5	47.3	53.8
Bones and Joints	28	1.0	0.6	1.4	17	1.2	0.7	2.0	11	0.7	0.3	1.3
Melanoma of the Skin	1,055	31.1	29.2	33.2	612	37.9	34.8	41.1	443	26.4	23.9	29.1
Breast (invasive)	2,653	76.1	73.1	79.2	24	1.4	0.9	2.2	2,629	143.4	137.7	149.3
Cervix									80	5.5	4.3	6.9
Corpus and Uterus, NOS									588	29.6	27.1	32.2
Ovary									183	10.1	8.6	11.8
Prostate					2,208	119.2	114.2	124.5				
Testis					78	6.8	5.4	8.5				
Urinary Bladder (includes in situ)	783	21.6	20.1	23.3	590	36.6	33.6	39.8	193	9.7	8.3	11.2
Kidney and Renal Pelvis	557	15.3	14.0	16.7	392	22.9	20.6	25.4	165	8.7	7.4	10.3
Brain and Nervous System	222	7.2	6.2	8.2	121	7.9	6.5	9.5	101	6.7	5.4	8.2
Hodgkin Lymphoma	72	2.6	2.0	3.3	36	2.5	1.7	3.5	36	2.8	2.0	4.0
Non-Hodgkin Lymphoma	774	22.2	20.6	23.9	437	27.4	24.8	30.2	337	18.1	16.2	20.3
Myeloma	260	7.1	6.2	8.0	142	8.5	7.1	10.0	118	5.9	4.9	7.2
Leukemia	517	15.4	14.0	16.8	300	19.4	17.2	21.8	217	12.3	10.6	14.1
All Other Sites	1,861	55.4	52.8	58.1	812	51.3	47.7	55.1	1,049	60.2	56.5	64.2
Breast in situ (not in total)									633	34.8	32.0	37.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Non-Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	16,317	482.1	474.5	489.7	8,288	526.8	515.1	538.8	8,029	451.7	441.6	461.9
Oral Cavity and Pharynx	420	11.9	10.8	13.1	301	17.5	15.5	19.7	119	6.8	5.6	8.2
Esophagus	163	4.7	4.0	5.5	134	8.1	6.7	9.7	29	1.7	1.1	2.4
Stomach	231	7.0	6.1	8.0	138	9.2	7.7	11.0	93	5.2	4.1	6.4
Colon and Rectum	1,327	39.6	37.5	41.9	752	48.2	44.7	51.9	575	32.1	29.5	34.9
Liver	169	4.8	4.1	5.6	122	7.3	6.0	8.8	47	2.6	1.9	3.5
Pancreas	453	13.6	12.3	14.9	238	15.6	13.6	17.8	215	11.9	10.3	13.7
Lung and Bronchus	2,030	59.7	57.0	62.4	1,007	66.4	62.2	70.8	1,023	54.9	51.5	58.4
Bones and Joints	27	0.8	0.5	1.2	19	1.2	0.7	2.0	8	0.5	0.2	1.0
Melanoma of the Skin	752	23.0	21.3	24.7	421	26.9	24.3	29.7	331	20.3	18.1	22.7
Breast (invasive)	2,520	74.8	71.9	77.9	18	1.2	0.7	1.9	2,502	140.8	135.2	146.6
Cervix									112	6.9	5.7	8.4
Corpus and Uterus, NOS									585	30.5	28.0	33.2
Ovary									166	9.1	7.8	10.7
Prostate					2,149	124.3	118.9	129.8				
Testis					82	6.0	4.8	7.5				
Urinary Bladder (includes in situ)	771	23.6	21.9	25.3	581	41.0	37.6	44.6	190	10.4	9.0	12.1
Kidney and Renal Pelvis	587	17.0	15.7	18.5	388	23.8	21.4	26.4	199	10.9	9.4	12.6
Brain and Nervous System	229	7.4	6.4	8.4	133	9.1	7.5	10.8	96	5.8	4.7	7.2
Hodgkin Lymphoma	104	3.6	2.9	4.4	56	4.0	3.0	5.2	48	3.3	2.4	4.4
Non-Hodgkin Lymphoma	669	20.4	18.9	22.1	378	25.5	22.9	28.3	291	16.5	14.6	18.6
Myeloma	247	7.1	6.2	8.1	140	9.2	7.6	10.9	107	5.6	4.6	6.9
Leukemia	524	16.2	14.8	17.7	307	20.9	18.5	23.4	217	12.3	10.7	14.1
All Other Sites	2,000	61.9	59.1	64.8	924	61.7	57.6	66.0	1,076	63.5	59.7	67.5
Breast in situ (not in total)									692	38.4	35.5	41.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	26,238	355.4	350.8	360.1	12,411	364.5	357.4	371.7	13,827	355.2	349.0	361.4
Oral Cavity and Pharynx	545	7.4	6.8	8.1	374	10.5	9.4	11.7	171	4.6	3.9	5.4
Esophagus	191	2.8	2.4	3.3	156	4.7	3.9	5.6	35	1.1	0.7	1.5
Stomach	777	11.3	10.5	12.2	414	12.9	11.5	14.3	363	10.1	9.0	11.2
Colon and Rectum	2,412	33.2	31.8	34.6	1,354	38.3	36.1	40.7	1,058	28.6	26.8	30.4
Liver	829	12.0	11.2	12.9	575	16.5	15.0	18.0	254	7.8	6.8	8.8
Pancreas	895	14.2	13.2	15.2	439	14.4	13.0	16.0	456	13.9	12.6	15.3
Lung and Bronchus	1,578	26.3	25.0	27.7	823	30.7	28.4	33.0	755	23.1	21.4	24.9
Bones and Joints	94	0.9	0.7	1.2	58	1.1	0.8	1.5	36	0.7	0.5	1.1
Melanoma of the Skin	370	4.9	4.3	5.4	152	4.8	4.0	5.8	218	5.2	4.5	6.0
Breast (invasive)	4,117	51.5	49.8	53.1	17	0.5	0.3	0.8	4,100	101.3	98.1	104.6
Cervix									423	9.8	8.8	10.8
Corpus and Uterus, NOS									1,170	27.8	26.2	29.5
Ovary									408	9.9	9.0	11.0
Prostate					2,883	88.2	84.7	91.7				
Testis					403	6.5	5.8	7.1				
Urinary Bladder (includes in situ)	581	9.9	9.0	10.7	439	16.4	14.8	18.1	142	4.5	3.8	5.3
Kidney and Renal Pelvis	1,366	17.7	16.7	18.7	873	23.2	21.5	24.9	493	12.6	11.4	13.8
Brain and Nervous System	455	5.2	4.7	5.7	267	6.3	5.5	7.3	188	4.2	3.6	4.9
Hodgkin Lymphoma	236	2.5	2.1	2.8	145	3.0	2.5	3.6	91	1.9	1.5	2.4
Non-Hodgkin Lymphoma	1,309	18.1	17.1	19.2	681	19.2	17.6	20.9	628	17.1	15.7	18.6
Myeloma	459	6.9	6.3	7.6	243	7.5	6.5	8.6	216	6.4	5.5	7.3
Leukemia	953	11.5	10.7	12.3	544	13.4	12.2	14.8	409	9.7	8.7	10.8
All Other Sites	3,784	50.1	48.4	51.9	1,571	46.4	43.8	49.0	2,213	55.1	52.7	57.6
Breast in situ (not in total)									1,035	25.0	23.5	26.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	16,531	347.0	341.4	352.7	7,869	358.9	350.3	367.6	8,662	344.4	336.9	352.0
Oral Cavity and Pharynx	352	7.5	6.7	8.4	238	10.5	9.1	12.1	114	4.8	3.9	5.8
Esophagus	127	2.8	2.3	3.3	104	4.6	3.7	5.7	23	1.1	0.7	1.6
Stomach	512	11.5	10.5	12.6	270	13.1	11.5	14.9	242	10.3	9.0	11.7
Colon and Rectum	1,575	33.5	31.8	35.3	885	39.3	36.5	42.2	690	28.6	26.4	30.9
Liver	561	12.3	11.2	13.4	397	17.4	15.6	19.4	164	7.5	6.3	8.7
Pancreas	597	14.2	13.0	15.4	280	13.8	12.1	15.6	317	14.4	12.8	16.2
Lung and Bronchus	978	24.8	23.2	26.4	527	29.7	27.1	32.6	451	21.0	19.0	23.0
Bones and Joints	62	1.0	0.8	1.4	36	1.2	0.8	1.7	26	0.9	0.6	1.3
Melanoma of the Skin	187	3.9	3.3	4.5	84	4.1	3.2	5.2	103	3.9	3.1	4.7
Breast (invasive)	2,537	49.6	47.6	51.7	10	0.5	0.2	0.9	2,527	97.0	93.1	101.0
Cervix									287	10.6	9.4	11.9
Corpus and Uterus, NOS									760	27.9	25.9	30.0
Ovary									278	10.6	9.4	12.0
Prostate					1,848	86.6	82.4	90.9				
Testis					241	6.5	5.7	7.5				
Urinary Bladder (includes in situ)	362	9.1	8.2	10.2	282	15.9	13.9	18.0	80	3.7	2.9	4.6
Kidney and Renal Pelvis	858	17.2	16.0	18.4	536	22.4	20.4	24.5	322	12.5	11.2	14.0
Brain and Nervous System	259	4.7	4.1	5.3	142	5.3	4.4	6.3	117	4.2	3.4	5.0
Hodgkin Lymphoma	150	2.6	2.2	3.1	85	2.9	2.3	3.7	65	2.2	1.7	2.9
Non-Hodgkin Lymphoma	817	17.6	16.4	19.0	413	18.4	16.5	20.5	404	16.9	15.3	18.7
Myeloma	295	6.8	6.0	7.6	159	7.6	6.4	9.0	136	6.0	5.0	7.1
Leukemia	580	11.1	10.2	12.2	332	13.3	11.7	15.0	248	9.2	8.1	10.5
All Other Sites	2,308	47.9	45.8	50.0	1,000	45.7	42.6	48.9	1,308	51.2	48.3	54.1
Breast in situ (not in total)									636	24.0	22.1	26.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,618	393.4	372.4	415.2	712	406.2	372.5	441.9	906	397.5	370.1	426.3
Oral Cavity and Pharynx	35	9.3	6.3	13.2	28	16.8	10.4	25.2	7	3.5	1.3	7.2
Esophagus	13	3.1	1.5	5.5	11	5.6	2.4	10.8	2	1.0	0.1	3.5
Stomach	44	10.1	7.1	13.9	23	11.3	6.8	17.6	21	9.0	5.4	14.1
Colon and Rectum	135	33.9	27.8	40.7	74	41.1	30.9	53.2	61	28.6	21.4	37.3
Liver	31	8.2	5.4	11.9	16	9.1	4.9	15.1	15	7.4	4.0	12.5
Pancreas	51	15.8	11.4	21.1	26	19.3	12.1	28.8	25	12.8	8.0	19.3
Lung and Bronchus	94	29.7	23.6	36.8	48	35.4	25.2	47.9	46	25.6	18.3	34.5
Bones and Joints	7	0.9	0.4	2.1	3	0.8	0.2	3.1	4	1.0	0.3	3.1
Melanoma of the Skin	21	5.0	2.9	8.0	6	5.1	1.7	11.0	15	5.7	3.1	9.7
Breast (invasive)	288	61.2	53.7	69.4	1	0.3	0.0	2.4	287	118.7	104.6	134.1
Cervix									15	5.2	2.9	8.7
Corpus and Uterus, NOS									69	28.7	22.0	36.8
Ovary									26	10.9	6.9	16.4
Prostate					180	110.9	93.6	130.2				
Testis					30	7.8	5.3	11.6				
Urinary Bladder (includes in situ)	38	12.8	8.8	17.8	28	20.9	13.2	31.0	10	6.5	3.0	11.9
Kidney and Renal Pelvis	71	16.1	12.3	20.7	53	24.9	17.9	33.6	18	8.1	4.6	13.0
Brain and Nervous System	24	4.3	2.7	6.7	15	5.3	2.8	9.2	9	3.3	1.4	6.7
Hodgkin Lymphoma	18	4.0	2.2	6.6	12	5.5	2.5	10.2	6	2.7	0.8	6.1
Non-Hodgkin Lymphoma	95	24.2	19.1	30.1	45	26.3	18.2	36.4	50	23.6	17.1	31.7
Myeloma	21	5.7	3.4	8.8	10	4.5	2.1	8.6	11	6.3	3.0	11.3
Leukemia	56	12.3	8.8	16.5	29	11.4	6.9	17.7	27	13.0	8.1	19.4
All Other Sites	256	58.9	51.1	67.6	74	43.9	32.9	57.0	182	75.8	64.4	88.6
Breast in situ (not in total)									90	38.7	30.6	48.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,646	318.7	301.6	336.4	811	339.8	313.2	367.8	835	304.4	282.2	327.8
Oral Cavity and Pharynx	24	4.3	2.6	6.5	15	5.6	2.8	9.8	9	3.0	1.3	5.9
Esophagus	12	2.8	1.3	5.0	11	5.3	2.3	9.9	1	0.6	0.0	2.6
Stomach	45	10.2	7.1	14.0	20	9.8	5.4	15.8	25	10.7	6.6	16.2
Colon and Rectum	128	23.3	19.0	28.2	80	30.1	23.1	38.4	48	16.8	12.0	22.7
Liver	44	10.3	7.2	14.0	30	13.5	8.5	20.1	14	7.2	3.8	12.1
Pancreas	47	11.9	8.5	16.1	23	12.5	7.5	19.2	24	11.3	7.0	17.1
Lung and Bronchus	91	23.1	18.2	28.8	50	30.0	21.6	40.3	41	17.6	12.3	24.3
Bones and Joints	7	0.8	0.3	1.7	6	1.2	0.4	3.1	1	0.3	0.0	1.9
Melanoma of the Skin	21	3.6	2.1	5.7	10	4.1	1.7	8.0	11	3.4	1.6	6.2
Breast (invasive)	255	43.7	38.0	50.0	1	0.6	0.0	2.8	254	87.6	76.4	100.0
Cervix									22	7.4	4.4	11.6
Corpus and Uterus, NOS									63	20.4	15.5	26.4
Ovary									14	4.1	2.1	7.2
Prostate					191	80.7	68.4	94.5				
Testis					34	6.8	4.7	9.9				
Urinary Bladder (includes in situ)	38	10.1	6.9	14.1	30	17.8	11.4	25.9	8	3.4	1.4	6.9
Kidney and Renal Pelvis	91	18.1	14.2	22.6	61	23.0	17.0	30.3	30	12.9	8.4	18.8
Brain and Nervous System	38	7.1	4.8	10.1	27	10.7	6.5	16.4	11	3.7	1.7	7.1
Hodgkin Lymphoma	14	1.5	0.8	2.7	6	1.4	0.5	3.4	8	1.7	0.7	3.7
Non-Hodgkin Lymphoma	94	18.8	14.8	23.5	57	22.3	16.2	29.9	37	15.1	10.2	21.2
Myeloma	35	8.7	5.8	12.3	17	9.0	4.9	14.8	18	8.5	4.8	13.6
Leukemia	65	10.2	7.5	13.5	40	13.7	9.0	19.7	25	7.1	4.3	11.0
All Other Sites	273	51.5	44.8	58.9	102	41.7	32.8	52.2	171	61.6	51.8	72.6
Breast in situ (not in total)									67	20.6	15.8	26.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,623	358.4	338.8	378.7	750	360.0	330.3	391.3	873	363.2	337.0	390.7
Oral Cavity and Pharynx	33	6.4	4.2	9.3	23	9.0	5.3	14.2	10	4.0	1.8	7.7
Esophagus	7	1.9	0.7	3.9	4	2.8	0.7	7.0	3	1.1	0.2	3.5
Stomach	56	12.7	9.2	17.0	34	16.4	10.5	24.1	22	9.5	5.7	14.8
Colon and Rectum	158	35.9	29.8	42.7	85	40.8	31.3	52.1	73	31.6	24.1	40.6
Liver	50	13.5	9.7	18.1	31	16.2	10.5	23.5	19	10.5	6.0	16.6
Pancreas	50	15.6	11.2	21.0	27	18.4	11.4	27.6	23	13.6	8.2	20.8
Lung and Bronchus	85	26.1	20.4	32.8	42	29.6	20.5	40.8	43	23.6	16.6	32.3
Bones and Joints	6	0.8	0.3	2.0	5	1.4	0.4	3.7	1	0.2	0.0	1.8
Melanoma of the Skin	24	4.7	2.8	7.3	9	4.8	1.9	9.7	15	4.8	2.6	8.3
Breast (invasive)	253	49.6	43.1	56.9	2	0.8	0.1	3.1	251	98.3	85.5	112.3
Cervix									22	8.4	5.0	13.2
Corpus and Uterus, NOS									76	29.4	22.8	37.3
Ovary									30	12.1	7.8	17.7
Prostate					156	79.6	66.2	94.8				
Testis					29	6.2	4.1	9.4				
Urinary Bladder (includes in situ)	29	9.3	6.0	13.6	22	16.0	9.5	24.8	7	3.9	1.4	8.1
Kidney and Renal Pelvis	83	17.4	13.5	22.1	61	25.5	18.7	33.9	22	9.5	5.6	14.8
Brain and Nervous System	38	6.4	4.2	9.3	22	8.6	4.7	14.3	16	4.5	2.5	7.6
Hodgkin Lymphoma	13	1.5	0.8	2.7	11	2.5	1.2	5.0	2	0.4	0.0	2.1
Non-Hodgkin Lymphoma	89	19.4	15.1	24.5	49	20.0	14.0	27.7	40	18.4	12.7	25.5
Myeloma	25	6.4	3.9	9.7	13	5.7	2.9	10.1	12	6.7	3.2	11.8
Leukemia	58	9.9	7.2	13.3	31	12.5	7.7	19.0	27	8.1	5.2	12.1
All Other Sites	253	54.2	46.7	62.4	94	43.2	33.5	54.5	159	64.7	53.9	77.0
Breast in situ (not in total)									63	22.9	17.3	29.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Hispanic, 2016-2020

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95% for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,394	392.5	369.8	416.1	645	403.6	368.4	441.0	749	393.0	363.0	424.7
Oral Cavity and Pharynx	21	6.0	3.5	9.3	13	8.3	4.1	14.6	8	3.8	1.6	7.7
Esophagus	7	2.6	1.0	5.2	5	3.8	1.1	9.0	2	1.4	0.1	4.6
Stomach	35	11.9	8.0	16.8	23	17.0	10.1	26.2	12	7.3	3.5	13.0
Colon and Rectum	117	34.5	27.9	42.1	60	35.8	26.0	47.8	57	33.3	24.7	43.8
Liver	38	12.5	8.6	17.4	22	14.0	8.3	21.9	16	10.7	5.9	17.5
Pancreas	46	16.2	11.5	22.0	24	17.7	10.6	27.3	22	15.0	9.0	22.9
Lung and Bronchus	85	30.3	23.8	37.9	36	30.5	20.5	42.9	49	31.9	23.2	42.6
Bones and Joints	3	0.6	0.1	1.9	2	0.8	0.1	3.4	1	0.4	0.0	2.5
Melanoma of the Skin	21	4.6	2.7	7.3	8	4.2	1.4	9.2	13	5.5	2.9	9.6
Breast (invasive)	248	59.9	52.0	68.7	2	0.7	0.1	3.2	246	119.0	103.5	136.0
Cervix									23	9.4	5.8	14.5
Corpus and Uterus, NOS									60	28.8	21.6	37.5
Ovary									16	6.8	3.8	11.2
Prostate					153	100.2	83.3	119.3				
Testis					21	6.2	3.8	10.0				
Urinary Bladder (includes in situ)	34	14.8	10.1	20.7	25	24.2	15.2	35.9	9	7.5	3.4	13.8
Kidney and Renal Pelvis	77	20.2	15.5	25.7	52	27.6	19.7	37.3	25	12.7	7.9	19.1
Brain and Nervous System	29	6.3	4.0	9.5	19	9.1	4.8	15.4	10	4.1	1.8	7.8
Hodgkin Lymphoma	14	2.6	1.3	4.8	10	4.1	1.5	8.6	4	1.4	0.4	4.0
Non-Hodgkin Lymphoma	59	16.1	11.8	21.2	34	19.1	12.3	28.0	25	13.4	8.4	20.2
Myeloma	30	9.7	6.3	14.2	16	9.7	5.1	16.2	14	9.3	4.8	15.7
Leukemia	68	17.1	12.7	22.4	38	16.8	11.3	24.1	30	16.5	10.5	24.4
All Other Sites	189	52.8	44.6	62.0	82	53.8	40.9	69.0	107	54.8	43.9	67.5
Breast in situ (not in total)									59	26.9	20.2	35.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2022

APPENDIX A
Illinois County Population Totals
2016-2020

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Illinois		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	375,792	277,052	70,866	360,255	265,193	67,982
1-4	1,556,549	1,155,571	287,866	1,489,306	1,101,568	278,556
5-9	1,996,455	1,498,463	355,370	1,911,331	1,432,311	341,915
10-14	2,081,350	1,583,094	357,422	2,001,553	1,514,155	348,964
15-19	2,118,001	1,609,753	368,114	2,025,316	1,531,662	357,447
20-24	2,151,309	1,602,376	387,904	2,084,098	1,544,817	383,195
25-29	2,272,726	1,693,582	398,698	2,213,386	1,620,231	405,388
30-34	2,192,029	1,683,891	317,009	2,148,957	1,614,385	341,461
35-39	2,123,909	1,655,496	286,847	2,119,133	1,602,605	327,588
40-44	1,967,656	1,543,410	262,465	1,976,936	1,496,882	307,572
45-49	2,010,623	1,592,002	269,435	2,049,149	1,564,565	323,655
50-54	2,034,140	1,646,132	266,421	2,091,408	1,641,452	316,106
55-59	2,106,858	1,728,568	272,518	2,209,831	1,760,706	328,079
60-64	1,903,605	1,576,685	230,883	2,055,763	1,642,695	299,131
65-69	1,536,976	1,284,662	171,159	1,727,768	1,387,997	241,049
70-74	1,126,010	944,095	119,528	1,333,427	1,085,610	174,200
75-79	751,136	630,506	79,404	970,768	795,678	126,309
80-84	483,319	408,569	50,495	695,646	576,305	88,998
85+	449,245	391,280	40,587	879,115	757,261	91,499
Total	31,237,688	24,505,187	4,592,991	32,343,146	24,936,078	5,149,094
Adams		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	2,059	1,819	212	1,910	1,686	198
1-4	8,638	7,666	788	7,949	6,986	748
5-9	10,655	9,577	928	9,801	8,941	727
10-14	10,652	9,667	835	10,178	9,194	853
15-19	10,034	9,045	798	9,473	8,597	779
20-24	9,223	8,343	755	9,135	8,273	619
25-29	9,831	9,122	617	10,090	9,363	602
30-34	9,845	9,147	555	9,938	9,304	489
35-39	9,896	9,270	480	9,837	9,302	362
40-44	8,955	8,354	449	8,712	8,149	384
45-49	9,143	8,737	299	9,281	8,877	293
50-54	10,124	9,632	357	10,564	10,093	318
55-59	11,692	11,165	404	11,935	11,446	362
60-64	10,783	10,336	358	11,458	10,989	323
65-69	9,452	9,107	251	9,929	9,585	258
70-74	6,921	6,698	149	8,164	7,908	186
75-79	5,155	5,039	85	6,362	6,215	102
80-84	3,858	3,756	73	4,934	4,764	127
85+	4,679	4,566	108	7,106	6,958	108
Total	161,595	151,046	8,501	166,756	156,630	7,838
Alexander		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	143	83	60	163	82	80
1-4	746	451	291	757	450	307
5-9	1,002	600	401	1,004	523	473
10-14	936	541	395	939	502	437
15-19	815	459	344	826	491	333
20-24	640	338	298	648	357	291
25-29	812	516	288	777	475	300
30-34	675	433	232	723	465	251
35-39	769	523	240	749	502	234
40-44	716	499	207	858	518	310
45-49	746	498	236	901	596	299
50-54	1,056	729	322	1,041	622	410
55-59	1,204	838	344	1,236	796	425
60-64	1,204	845	339	1,218	818	378
65-69	1,081	738	327	1,180	788	381
70-74	747	602	139	810	623	177
75-79	516	418	98	712	584	126
80-84	349	272	69	455	353	97
85+	324	205	117	577	438	134
Total	14,481	9,588	4,747	15,574	9,983	5,443

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Bond	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	383	357	23	347	318	22
1-4	1,599	1,470	104	1,550	1,437	91
5-9	2,186	2,049	95	2,061	1,944	98
10-14	2,417	2,297	81	2,342	2,226	95
15-19	2,505	2,320	92	2,189	2,057	97
20-24	2,528	2,114	278	2,045	1,894	132
25-29	3,137	2,434	570	2,427	2,227	139
30-34	3,473	2,545	829	2,326	2,152	107
35-39	3,285	2,597	627	2,331	2,149	139
40-44	2,895	2,409	437	2,391	2,233	110
45-49	2,716	2,423	257	2,254	2,136	100
50-54	2,921	2,645	251	2,531	2,446	60
55-59	3,130	2,955	158	3,182	3,053	84
60-64	2,876	2,712	144	2,865	2,767	71
65-69	2,514	2,445	57	2,628	2,539	76
70-74	1,751	1,664	78	1,907	1,839	52
75-79	1,197	1,153	33	1,481	1,459	18
80-84	856	830	24	1,096	1,072	22
85+	718	695	17	1,555	1,535	10
Total	43,087	38,114	4,155	39,508	37,483	1,523
Boone	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,409	1,302	73	1,303	1,196	71
1-4	6,364	5,920	275	5,768	5,293	329
5-9	8,937	8,165	526	8,258	7,563	457
10-14	10,622	9,759	527	10,165	9,374	459
15-19	10,587	9,708	453	10,125	9,408	429
20-24	8,720	8,069	415	8,102	7,574	293
25-29	7,612	7,100	334	7,013	6,509	309
30-34	6,976	6,561	229	7,270	6,772	291
35-39	7,690	7,172	273	8,323	7,790	296
40-44	8,326	7,826	249	8,354	7,853	245
45-49	9,524	8,919	348	9,801	9,042	258
50-54	9,695	9,207	271	9,424	8,961	212
55-59	9,317	8,898	286	9,082	8,729	170
60-64	8,000	7,708	158	7,918	7,619	138
65-69	6,479	6,275	90	6,880	6,596	113
70-74	5,179	5,023	62	5,855	5,674	64
75-79	3,825	3,727	39	4,275	4,205	35
80-84	2,165	2,111	19	2,627	2,554	29
85+	1,599	1,561	15	2,897	2,841	16
Total	133,026	125,011	4,642	133,440	125,553	4,214
Brown	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	165	162	3	144	140	3
1-4	635	624	5	545	537	6
5-9	744	727	14	690	672	13
10-14	703	683	16	789	764	21
15-19	925	703	193	584	570	8
20-24	2,250	999	1,073	594	572	14
25-29	2,619	1,327	1,160	743	716	22
30-34	2,255	1,178	986	731	723	8
35-39	2,036	1,147	869	678	670	0
40-44	1,717	1,023	679	648	642	3
45-49	1,509	939	554	753	751	2
50-54	1,367	994	368	724	715	6
55-59	1,213	1,051	159	830	817	1
60-64	962	894	50	795	787	2
65-69	713	686	20	727	716	0
70-74	475	471	0	603	602	0
75-79	404	399	5	462	462	0
80-84	283	283	0	338	334	0
85+	247	247	0	395	389	5
Total	21,222	14,537	6,154	11,773	11,579	114

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Bureau	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	828	781	27	788	746	28
1-4	3,634	3,447	129	3,399	3,242	111
5-9	4,759	4,588	117	4,573	4,317	160
10-14	5,303	5,097	147	5,193	4,907	148
15-19	5,155	4,903	176	4,996	4,666	166
20-24	4,468	4,255	151	4,236	4,049	100
25-29	4,609	4,443	81	4,409	4,273	71
30-34	4,340	4,159	106	4,257	4,054	59
35-39	4,802	4,635	74	4,616	4,399	88
40-44	4,514	4,399	62	4,462	4,278	124
45-49	4,851	4,713	69	4,988	4,818	53
50-54	5,573	5,434	63	5,464	5,246	30
55-59	5,879	5,760	51	6,165	6,051	32
60-64	5,849	5,786	26	6,224	6,106	44
65-69	5,346	5,272	20	5,435	5,337	21
70-74	4,009	3,951	10	4,476	4,390	19
75-79	2,900	2,852	11	3,504	3,449	11
80-84	2,042	2,024	0	2,743	2,734	4
85+	1,881	1,872	8	3,719	3,698	4
Total	80,742	78,371	1,328	83,647	80,760	1,273
Calhoun	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	110	107	3	97	93	2
1-4	457	450	5	500	488	9
5-9	690	681	9	692	677	10
10-14	779	763	8	692	688	0
15-19	663	641	18	609	604	1
20-24	580	567	9	588	567	6
25-29	612	602	2	498	482	14
30-34	609	603	5	525	517	7
35-39	538	536	2	626	617	9
40-44	713	710	3	615	611	4
45-49	760	758	2	741	726	4
50-54	857	855	2	872	863	2
55-59	1,013	1,002	4	900	887	0
60-64	984	981	3	911	903	0
65-69	856	853	3	748	742	2
70-74	665	664	1	750	745	1
75-79	541	541	0	573	566	0
80-84	336	336	0	469	464	0
85+	233	228	5	507	500	3
Total	11,996	11,878	84	11,913	11,740	74
Carroll	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	327	316	8	338	325	8
1-4	1,462	1,427	23	1,491	1,433	35
5-9	1,825	1,731	58	1,956	1,862	62
10-14	2,018	1,956	48	1,941	1,842	59
15-19	2,256	2,127	92	1,798	1,714	54
20-24	1,785	1,667	72	1,693	1,606	34
25-29	1,909	1,837	49	1,737	1,667	35
30-34	1,954	1,887	57	1,727	1,694	18
35-39	1,883	1,820	44	1,911	1,856	32
40-44	1,831	1,778	37	1,882	1,837	12
45-49	2,138	2,069	40	2,022	1,945	41
50-54	2,187	2,150	17	2,225	2,180	25
55-59	2,768	2,708	46	2,789	2,739	22
60-64	2,842	2,791	18	2,915	2,860	23
65-69	2,822	2,733	55	2,829	2,793	16
70-74	2,302	2,274	14	2,345	2,317	8
75-79	1,676	1,646	15	1,726	1,720	2
80-84	984	972	2	1,169	1,164	4
85+	928	920	5	1,599	1,560	34
Total	35,897	34,809	700	36,093	35,114	524

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Cass	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	424	357	60	417	356	52
1-4	1,680	1,401	240	1,647	1,400	230
5-9	2,154	1,915	195	1,804	1,595	183
10-14	2,266	2,023	174	2,057	1,901	124
15-19	2,117	1,951	135	1,784	1,683	78
20-24	1,810	1,645	117	1,696	1,575	79
25-29	1,776	1,598	135	1,784	1,609	134
30-34	1,867	1,648	180	1,715	1,568	110
35-39	1,997	1,766	198	1,853	1,688	125
40-44	1,960	1,686	235	1,866	1,748	84
45-49	1,873	1,729	128	1,900	1,817	58
50-54	1,979	1,866	74	2,041	1,961	52
55-59	2,227	2,108	100	2,111	2,013	63
60-64	1,961	1,919	34	2,012	1,900	75
65-69	1,726	1,672	42	1,668	1,638	14
70-74	1,160	1,138	9	1,367	1,350	10
75-79	840	835	1	1,067	1,058	2
80-84	569	559	5	864	855	8
85+	536	534	2	1,046	1,024	17
Total	30,922	28,350	2,064	30,699	28,739	1,498
Champaign	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	5,950	3,875	1,442	5,556	3,625	1,333
1-4	23,522	15,242	5,977	22,375	14,683	5,529
5-9	28,135	18,872	6,699	26,527	17,857	6,317
10-14	26,630	18,029	6,261	26,440	17,763	6,510
15-19	53,344	36,370	7,521	50,858	35,020	8,147
20-24	89,531	59,431	10,466	79,098	52,574	11,344
25-29	42,369	28,588	6,996	39,203	26,207	7,144
30-34	35,045	24,996	4,682	33,820	24,361	5,196
35-39	31,040	23,205	4,044	31,266	22,760	5,001
40-44	26,552	19,849	3,509	27,078	19,599	4,352
45-49	25,376	19,664	3,302	26,306	19,677	4,071
50-54	24,060	19,006	3,203	25,589	20,069	3,332
55-59	26,504	22,072	2,794	28,829	23,446	3,349
60-64	25,626	21,806	2,603	29,088	24,191	3,158
65-69	21,788	18,837	2,012	24,266	20,348	2,462
70-74	14,972	13,060	1,127	17,297	14,818	1,642
75-79	9,469	8,199	797	12,169	10,699	988
80-84	6,567	5,881	430	9,042	8,104	680
85+	6,607	6,112	301	12,134	11,116	720
Total	523,087	383,094	74,166	526,941	386,917	81,275
Christian	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	827	790	19	866	839	20
1-4	3,427	3,241	92	3,360	3,242	69
5-9	4,538	4,393	102	4,375	4,173	84
10-14	5,048	4,881	128	4,791	4,622	104
15-19	4,926	4,714	168	4,341	4,204	93
20-24	5,165	4,865	261	4,168	4,072	48
25-29	5,661	5,228	329	4,570	4,456	39
30-34	5,255	4,960	215	4,392	4,306	41
35-39	5,440	5,161	204	4,586	4,492	39
40-44	5,140	4,856	244	4,320	4,218	30
45-49	5,547	5,184	341	4,982	4,865	53
50-54	5,800	5,575	196	5,402	5,319	25
55-59	6,331	6,142	146	6,020	5,940	19
60-64	5,940	5,815	93	5,768	5,713	18
65-69	4,610	4,551	29	5,076	5,047	11
70-74	3,445	3,413	12	4,138	4,100	4
75-79	2,633	2,604	8	3,410	3,373	6
80-84	1,901	1,874	15	2,446	2,403	22
85+	1,614	1,596	12	3,265	3,213	19
Total	83,248	79,843	2,614	80,276	78,597	744

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Clark		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	467	461	4	434	426	6
1-4	1,963	1,930	18	1,714	1,683	20
5-9	2,610	2,567	35	2,309	2,285	18
10-14	2,552	2,493	46	2,487	2,424	40
15-19	2,437	2,394	35	2,313	2,252	30
20-24	2,068	2,035	25	2,035	1,981	31
25-29	2,174	2,132	20	2,130	2,076	23
30-34	2,234	2,174	25	2,200	2,161	21
35-39	2,285	2,264	10	2,394	2,346	22
40-44	2,174	2,146	15	2,100	2,047	22
45-49	2,512	2,479	18	2,300	2,262	13
50-54	2,636	2,601	20	2,677	2,651	6
55-59	2,944	2,929	9	2,965	2,910	10
60-64	2,823	2,796	14	2,630	2,592	14
65-69	2,321	2,303	11	2,418	2,401	3
70-74	1,649	1,647	2	2,011	2,000	3
75-79	1,374	1,371	3	1,598	1,592	5
80-84	787	786	1	1,076	1,062	9
85+	604	597	2	1,606	1,601	5
Total	38,614	38,105	313	39,397	38,752	301
Clay	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	390	381	6	372	362	6
1-4	1,671	1,641	20	1,518	1,478	21
5-9	2,119	2,071	41	2,074	2,006	47
10-14	2,199	2,162	30	2,096	2,025	42
15-19	1,914	1,883	24	1,896	1,854	20
20-24	1,737	1,687	21	1,709	1,652	21
25-29	2,103	2,032	23	1,961	1,909	26
30-34	1,752	1,706	26	1,775	1,748	13
35-39	1,963	1,926	21	1,886	1,845	18
40-44	1,796	1,763	16	1,799	1,709	4
45-49	2,057	1,984	35	1,869	1,819	13
50-54	2,194	2,156	10	2,116	2,074	10
55-59	2,423	2,400	10	2,467	2,416	11
60-64	2,275	2,237	21	2,395	2,354	8
65-69	2,150	2,133	5	2,092	2,064	10
70-74	1,597	1,591	2	1,769	1,752	5
75-79	1,017	1,006	2	1,345	1,339	4
80-84	674	666	0	1,002	996	1
85+	641	633	2	1,271	1,263	2
Total	32,672	32,058	315	33,412	32,665	282
Clinton	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,055	1,012	27	972	931	29
1-4	4,575	4,389	124	4,212	4,061	123
5-9	5,629	5,431	110	5,212	5,012	135
10-14	5,913	5,720	114	5,379	5,182	117
15-19	5,596	5,248	247	5,117	4,921	123
20-24	5,959	5,168	720	4,726	4,538	107
25-29	6,796	5,697	1,030	5,487	5,295	66
30-34	7,033	6,025	931	5,583	5,417	72
35-39	7,128	6,157	911	5,573	5,409	62
40-44	6,190	5,491	628	5,038	4,937	68
45-49	6,222	5,599	569	5,477	5,316	88
50-54	6,889	6,478	361	6,418	6,296	66
55-59	7,238	6,990	206	7,105	6,931	73
60-64	6,489	6,339	99	6,416	6,283	65
65-69	4,992	4,863	89	5,188	5,081	54
70-74	3,639	3,579	36	4,017	3,919	41
75-79	2,621	2,587	18	3,003	2,927	27
80-84	1,754	1,733	8	2,305	2,272	12
85+	1,721	1,700	3	3,080	3,019	31
Total	97,439	90,206	6,231	90,308	87,747	1,359

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Coles		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,244	1,098	124	1,193	1,081	89	
1-4	5,156	4,668	406	4,823	4,365	395	
5-9	6,529	5,975	451	6,159	5,697	382	
10-14	6,655	6,197	362	6,301	5,881	323	
15-19	9,514	8,626	746	10,368	9,139	1,057	
20-24	15,010	13,211	1,379	16,186	14,193	1,557	
25-29	8,989	8,072	687	9,052	8,268	646	
30-34	8,232	7,557	454	7,855	7,440	288	
35-39	7,337	6,960	230	7,166	6,799	262	
40-44	6,649	6,354	213	6,540	6,263	142	
45-49	7,001	6,678	236	6,736	6,452	153	
50-54	6,798	6,535	193	7,186	6,974	123	
55-59	7,940	7,686	148	8,519	8,299	138	
60-64	8,029	7,812	132	8,697	8,407	177	
65-69	6,474	6,316	106	7,301	7,093	96	
70-74	4,737	4,645	64	5,509	5,386	47	
75-79	3,277	3,234	25	4,290	4,246	23	
80-84	2,297	2,253	27	3,228	3,184	24	
85+	2,030	1,986	5	4,319	4,267	34	
Total	123,898	115,863	5,988	131,428	123,434	5,956	
Cook	Males			Females			
Age	Total Population	White	Black	Total Population	White	Black	
<1	161,811	104,071	42,055	155,241	99,825	40,510	
1-4	642,923	412,271	171,209	616,821	394,512	165,736	
5-9	792,471	511,349	212,549	763,539	490,846	206,598	
10-14	796,461	517,387	212,676	770,883	496,710	210,399	
15-19	780,994	503,530	213,871	769,202	492,191	214,483	
20-24	827,806	528,309	222,448	844,626	531,975	233,778	
25-29	1,076,176	718,023	247,155	1,087,332	700,217	268,570	
30-34	1,033,641	720,705	196,030	1,027,141	682,139	228,561	
35-39	919,633	643,665	175,719	930,856	607,867	219,153	
40-44	817,026	570,169	163,275	830,778	533,695	206,222	
45-49	800,551	552,678	171,252	831,295	524,858	223,222	
50-54	786,863	546,193	177,351	820,287	527,424	222,822	
55-59	795,169	549,442	188,831	856,384	553,057	237,415	
60-64	717,108	500,702	162,588	806,250	521,925	220,007	
65-69	568,184	400,127	121,312	673,906	437,579	179,458	
70-74	411,206	287,770	87,518	515,939	340,114	132,818	
75-79	270,419	186,481	60,539	377,894	248,906	99,797	
80-84	177,938	124,143	39,629	273,853	184,183	71,285	
85+	172,244	129,213	32,284	346,734	253,795	73,797	
Total	12,548,624	8,506,228	2,898,291	13,298,961	8,621,818	3,454,631	
Crawford	Males			Females			
Age	Total Population	White	Black	Total Population	White	Black	
<1	530	516	11	485	467	14	
1-4	2,037	1,989	44	2,003	1,938	55	
5-9	2,576	2,515	49	2,622	2,503	61	
10-14	2,693	2,592	86	2,599	2,507	47	
15-19	2,609	2,462	123	2,451	2,365	56	
20-24	3,005	2,478	472	2,141	2,056	59	
25-29	3,882	3,003	801	2,657	2,578	33	
30-34	3,666	2,859	782	2,653	2,581	41	
35-39	3,585	2,903	651	2,507	2,436	30	
40-44	3,315	2,639	618	2,535	2,484	21	
45-49	3,311	2,778	496	2,621	2,553	30	
50-54	3,267	2,986	255	2,885	2,835	17	
55-59	3,596	3,399	164	3,346	3,254	34	
60-64	3,287	3,196	71	3,267	3,205	24	
65-69	2,701	2,656	28	2,901	2,857	13	
70-74	2,042	2,034	3	2,363	2,342	6	
75-79	1,376	1,369	6	1,778	1,764	5	
80-84	975	965	0	1,380	1,365	3	
85+	790	773	7	1,728	1,718	2	
Total	49,243	44,112	4,667	44,922	43,808	551	

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Cumberland		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	304	300	3	289	284	5
1-4	1,315	1,276	26	1,296	1,265	28
5-9	1,724	1,691	27	1,620	1,591	25
10-14	1,798	1,764	22	1,684	1,640	35
15-19	1,563	1,537	16	1,526	1,418	40
20-24	1,317	1,250	19	1,352	1,312	22
25-29	1,568	1,534	24	1,475	1,455	7
30-34	1,566	1,548	12	1,498	1,450	13
35-39	1,682	1,650	18	1,619	1,592	13
40-44	1,610	1,592	11	1,493	1,480	4
45-49	1,657	1,627	24	1,605	1,592	4
50-54	1,828	1,807	11	1,719	1,702	2
55-59	2,069	2,048	3	2,067	1,984	13
60-64	2,035	2,016	12	2,006	1,992	6
65-69	1,686	1,658	13	1,720	1,711	4
70-74	1,240	1,221	8	1,289	1,273	3
75-79	864	863	0	959	956	3
80-84	603	598	1	739	736	1
85+	558	557	1	992	981	7
Total	26,987	26,537	251	26,948	26,414	235
DeKalb		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,852	2,306	457	2,706	2,204	425
1-4	12,289	10,270	1,704	11,821	9,620	1,865
5-9	16,077	13,791	1,881	15,419	12,899	1,974
10-14	15,980	13,967	1,582	15,562	13,446	1,603
15-19	23,170	19,472	2,877	22,756	18,408	3,437
20-24	37,555	30,143	4,283	38,071	28,872	6,043
25-29	19,060	15,824	2,360	18,521	14,981	2,853
30-34	16,381	14,597	1,301	15,492	13,362	1,648
35-39	15,797	14,336	1,004	15,474	13,680	1,192
40-44	13,816	12,517	803	13,733	12,360	843
45-49	14,071	13,016	641	13,922	12,828	608
50-54	14,208	13,294	487	14,424	13,459	587
55-59	15,100	14,258	468	15,522	14,526	515
60-64	13,553	12,852	403	13,646	12,939	461
65-69	10,591	10,216	248	11,599	11,059	352
70-74	7,643	7,429	105	8,589	8,280	167
75-79	5,008	4,877	56	6,279	6,088	115
80-84	3,219	3,150	39	4,690	4,565	59
85+	2,918	2,856	21	5,427	5,339	60
Total	259,288	229,171	20,720	263,653	228,915	24,807
DeWitt		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	416	403	12	421	410	8
1-4	1,618	1,555	56	1,867	1,809	44
5-9	2,323	2,245	61	2,186	2,123	45
10-14	2,565	2,472	69	2,257	2,181	59
15-19	2,503	2,443	32	2,368	2,302	36
20-24	1,955	1,859	61	1,989	1,935	28
25-29	2,295	2,187	67	2,162	2,102	33
30-34	2,342	2,217	110	2,207	2,164	28
35-39	2,403	2,325	64	2,446	2,384	50
40-44	2,385	2,320	56	2,280	2,231	22
45-49	2,582	2,532	19	2,394	2,343	19
50-54	2,763	2,714	11	2,788	2,726	30
55-59	3,088	3,040	13	3,000	2,964	22
60-64	3,034	3,007	17	2,937	2,902	10
65-69	2,316	2,307	4	2,452	2,429	5
70-74	1,792	1,782	9	2,016	2,002	0
75-79	1,273	1,261	9	1,609	1,591	3
80-84	747	745	2	1,087	1,079	1
85+	702	695	1	1,254	1,251	2
Total	39,102	38,109	673	39,720	38,928	445

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Douglas		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	663	642	16	582	570	11
1-4	2,685	2,575	68	2,539	2,455	55
5-9	3,293	3,185	56	3,231	3,120	76
10-14	3,561	3,472	65	3,437	3,329	74
15-19	3,437	3,342	66	3,149	3,067	52
20-24	2,747	2,631	75	2,604	2,528	59
25-29	3,030	2,927	70	2,969	2,884	55
30-34	3,079	3,001	41	2,991	2,934	22
35-39	2,898	2,825	39	2,953	2,874	22
40-44	2,837	2,804	16	2,871	2,812	10
45-49	2,713	2,614	26	2,798	2,720	33
50-54	3,050	2,935	37	2,793	2,740	24
55-59	3,308	3,255	24	3,275	3,241	13
60-64	3,264	3,216	16	3,332	3,298	6
65-69	2,606	2,569	16	2,736	2,705	5
70-74	1,994	1,973	2	2,139	2,122	8
75-79	1,354	1,350	0	1,706	1,703	2
80-84	1,049	1,037	5	1,575	1,570	2
85+	882	870	2	1,627	1,616	2
Total	48,450	47,223	640	49,307	48,288	531
DuPage	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	26,531	20,383	2,052	25,284	19,376	1,893
1-4	112,750	87,040	7,701	107,905	83,014	7,529
5-9	146,551	114,051	10,146	139,862	108,344	9,502
10-14	154,836	121,803	11,042	147,611	116,010	10,649
15-19	154,940	123,347	11,889	148,046	117,888	11,229
20-24	144,264	115,819	10,977	140,164	112,326	10,378
25-29	146,742	115,673	11,087	140,161	107,017	10,961
30-34	151,334	118,452	8,829	147,237	111,225	10,492
35-39	156,543	120,783	8,630	154,776	117,357	10,377
40-44	144,456	113,499	7,370	145,640	110,772	10,374
45-49	149,711	120,591	7,332	155,710	122,459	10,302
50-54	156,156	130,967	6,879	165,861	136,533	8,905
55-59	163,684	141,147	6,102	175,526	149,310	7,946
60-64	148,108	127,625	5,090	159,108	134,905	6,602
65-69	117,371	100,193	3,395	128,073	107,884	4,697
70-74	84,416	71,336	2,020	97,413	82,495	2,953
75-79	53,754	45,499	1,130	67,253	58,193	1,678
80-84	32,951	28,431	580	46,457	40,969	923
85+	30,677	27,972	379	62,165	57,350	1,022
Total	2,275,775	1,844,611	122,630	2,354,252	1,893,427	138,412
Edgar	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	436	431	4	418	413	3
1-4	1,896	1,863	27	1,699	1,662	22
5-9	2,406	2,364	40	2,233	2,183	32
10-14	2,582	2,518	40	2,583	2,528	24
15-19	2,543	2,490	29	2,453	2,401	31
20-24	2,253	2,204	26	2,229	2,188	31
25-29	2,329	2,283	36	2,338	2,290	31
30-34	2,379	2,322	38	2,316	2,258	31
35-39	2,445	2,395	20	2,669	2,573	43
40-44	2,477	2,437	15	2,483	2,433	25
45-49	2,854	2,804	18	2,585	2,562	18
50-54	2,686	2,650	24	2,653	2,622	13
55-59	3,368	3,338	16	3,370	3,331	14
60-64	3,306	3,263	37	3,433	3,409	10
65-69	2,896	2,867	16	2,873	2,858	6
70-74	2,115	2,104	8	2,524	2,497	8
75-79	1,544	1,533	11	1,911	1,898	5
80-84	891	881	6	1,498	1,482	6
85+	845	836	2	1,840	1,826	6
Total	42,251	41,583	413	44,108	43,414	359

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Edwards		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	194	191	3	216	211	3
1-4	698	686	7	828	801	16
5-9	951	916	19	1,009	970	19
10-14	1,104	1,077	17	1,002	977	20
15-19	1,006	980	14	927	878	33
20-24	798	774	16	779	747	28
25-29	884	874	7	831	806	8
30-34	782	773	5	787	773	6
35-39	911	901	4	932	909	3
40-44	917	906	6	947	924	6
45-49	1,068	1,049	12	954	933	6
50-54	1,076	1,051	9	1,036	1,028	0
55-59	1,162	1,143	11	1,110	1,097	5
60-64	1,171	1,160	7	1,196	1,185	3
65-69	1,001	996	5	1,116	1,114	0
70-74	815	808	6	864	855	3
75-79	551	544	0	674	671	0
80-84	320	317	0	561	554	0
85+	311	309	2	666	663	0
Total	15,720	15,455	150	16,435	16,096	159
Effingham		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,147	1,111	25	1,128	1,094	14
1-4	4,611	4,492	88	4,550	4,425	80
5-9	5,806	5,604	111	5,494	5,306	105
10-14	5,779	5,624	79	5,508	5,312	87
15-19	5,299	5,103	62	4,819	4,703	52
20-24	5,149	4,983	72	4,644	4,565	40
25-29	5,898	5,730	81	5,545	5,410	79
30-34	5,640	5,493	55	5,146	5,024	57
35-39	5,363	5,206	75	5,036	4,926	32
40-44	4,656	4,560	49	4,474	4,391	18
45-49	4,757	4,659	41	4,632	4,534	33
50-54	5,457	5,373	31	5,586	5,475	25
55-59	6,502	6,425	33	6,452	6,386	16
60-64	5,754	5,690	22	5,919	5,886	18
65-69	4,668	4,625	14	4,828	4,794	6
70-74	3,270	3,243	5	3,827	3,787	6
75-79	2,377	2,359	3	3,160	3,141	7
80-84	1,565	1,560	1	2,284	2,274	3
85+	1,345	1,339	2	2,681	2,670	1
Total	85,043	83,179	849	85,713	84,103	679
Fayette		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	607	594	7	553	545	6
1-4	2,574	2,517	32	2,354	2,300	33
5-9	3,106	3,031	37	2,815	2,725	57
10-14	3,247	3,180	55	3,183	3,071	61
15-19	3,487	3,197	279	2,905	2,825	43
20-24	3,894	2,996	859	2,686	2,629	33
25-29	4,118	3,230	829	3,005	2,964	16
30-34	3,546	2,937	571	2,871	2,819	21
35-39	3,827	3,157	638	2,980	2,934	23
40-44	3,886	3,309	541	2,783	2,747	20
45-49	3,710	3,237	456	3,037	2,996	18
50-54	3,754	3,428	297	3,149	3,106	14
55-59	3,909	3,762	128	3,662	3,626	11
60-64	3,669	3,619	39	3,501	3,487	6
65-69	2,983	2,952	22	3,042	3,005	17
70-74	2,263	2,244	8	2,592	2,569	7
75-79	1,593	1,583	5	2,012	1,994	2
80-84	1,235	1,229	3	1,619	1,609	3
85+	1,126	1,122	4	1,809	1,799	5
Total	56,534	51,324	4,810	50,558	49,750	396

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Ford		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	356	341	14	366	348	14
1-4	1,652	1,593	37	1,504	1,442	44
5-9	2,136	2,049	57	1,803	1,739	47
10-14	2,199	2,096	80	2,168	2,080	64
15-19	2,172	2,085	73	2,188	2,103	50
20-24	1,846	1,759	72	1,671	1,605	41
25-29	1,960	1,833	88	1,800	1,749	32
30-34	1,879	1,782	86	1,851	1,781	42
35-39	1,964	1,929	20	1,943	1,910	12
40-44	1,938	1,879	33	1,844	1,800	17
45-49	1,952	1,916	19	1,940	1,886	20
50-54	1,999	1,949	27	2,161	2,137	9
55-59	2,450	2,418	12	2,538	2,507	13
60-64	2,445	2,402	22	2,540	2,503	5
65-69	1,779	1,748	15	1,823	1,812	2
70-74	1,330	1,320	3	1,389	1,380	4
75-79	967	956	3	1,246	1,235	8
80-84	714	711	3	997	996	1
85+	583	576	7	1,680	1,674	1
Total	32,321	31,342	671	33,452	32,687	426
Franklin		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,174	1,147	20	1,130	1,105	21
1-4	4,865	4,737	85	4,424	4,307	85
5-9	6,126	5,924	148	5,429	5,248	122
10-14	6,335	6,132	125	5,695	5,540	102
15-19	5,989	5,831	107	5,574	5,390	118
20-24	5,169	5,054	82	4,862	4,713	92
25-29	5,843	5,708	90	5,545	5,436	58
30-34	5,341	5,245	75	5,327	5,202	63
35-39	5,450	5,349	64	5,691	5,546	43
40-44	5,552	5,471	47	5,938	5,816	33
45-49	6,192	6,075	49	6,104	5,998	40
50-54	6,375	6,290	34	6,541	6,450	19
55-59	6,738	6,662	42	6,958	6,884	27
60-64	6,622	6,502	86	6,689	6,633	16
65-69	5,768	5,717	21	6,309	6,246	7
70-74	4,642	4,596	20	5,378	5,324	18
75-79	3,458	3,425	11	4,360	4,295	22
80-84	2,170	2,127	9	2,866	2,838	9
85+	1,639	1,625	4	3,173	3,140	13
Total	95,448	93,617	1,119	97,993	96,111	908
Fulton		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	833	813	16	794	775	14
1-4	3,468	3,362	65	3,402	3,295	68
5-9	4,679	4,522	88	4,610	4,460	87
10-14	5,076	4,932	92	4,909	4,763	93
15-19	5,240	4,989	206	4,625	4,523	61
20-24	5,898	4,692	1,031	4,005	3,889	81
25-29	6,135	4,881	1,028	4,338	4,241	81
30-34	6,176	4,886	1,081	4,415	4,319	72
35-39	6,302	5,226	939	4,804	4,697	56
40-44	6,104	5,324	695	4,869	4,777	40
45-49	6,357	5,607	665	4,873	4,805	28
50-54	5,895	5,476	375	5,451	5,402	17
55-59	6,272	5,979	218	6,094	6,011	32
60-64	5,769	5,658	81	6,295	6,235	28
65-69	5,395	5,316	57	5,571	5,520	29
70-74	4,044	3,985	26	4,540	4,510	10
75-79	2,855	2,825	17	3,417	3,376	14
80-84	1,875	1,851	17	2,608	2,564	30
85+	1,813	1,788	17	3,464	3,429	27
Total	90,186	82,112	6,714	83,084	81,591	868

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Gallatin		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	121	121	0	97	95	2
1-4	545	537	8	498	487	8
5-9	638	620	14	752	720	18
10-14	767	756	10	749	732	16
15-19	672	646	15	675	655	18
20-24	546	519	19	594	576	9
25-29	713	700	10	658	637	7
30-34	650	646	4	639	634	3
35-39	723	709	12	696	675	12
40-44	735	720	9	787	770	11
45-49	846	826	18	752	743	5
50-54	863	836	26	775	771	4
55-59	883	852	18	979	965	4
60-64	818	805	6	844	839	4
65-69	782	777	5	972	965	3
70-74	759	748	8	855	843	2
75-79	558	553	1	658	651	4
80-84	324	321	0	483	480	2
85+	199	191	1	308	304	3
Total	12,142	11,883	184	12,771	12,542	135
Greene		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	339	338	1	322	316	4
1-4	1,450	1,424	11	1,346	1,320	17
5-9	1,932	1,892	28	1,835	1,816	15
10-14	2,003	1,973	24	2,081	2,039	34
15-19	1,963	1,926	30	1,851	1,798	44
20-24	1,931	1,848	67	1,658	1,618	26
25-29	2,019	1,903	93	1,724	1,707	11
30-34	1,929	1,789	128	1,665	1,648	8
35-39	2,046	1,954	80	1,734	1,726	8
40-44	2,048	1,942	98	1,883	1,860	11
45-49	2,141	2,011	116	1,974	1,955	11
50-54	2,280	2,218	52	2,251	2,219	13
55-59	2,527	2,494	25	2,498	2,479	6
60-64	2,418	2,383	24	2,394	2,376	1
65-69	1,944	1,928	12	1,975	1,964	2
70-74	1,402	1,391	4	1,665	1,648	6
75-79	1,078	1,069	1	1,347	1,330	4
80-84	680	671	2	961	952	1
85+	679	671	1	966	960	2
Total	32,809	31,825	797	32,130	31,731	224
Grundy		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,445	1,374	47	1,442	1,382	44
1-4	6,544	6,284	190	6,206	5,915	201
5-9	9,078	8,719	232	8,468	8,021	247
10-14	9,922	9,433	290	9,372	8,953	242
15-19	9,108	8,627	277	8,448	8,087	226
20-24	7,253	6,964	212	7,175	6,878	200
25-29	7,913	7,462	273	7,727	7,311	245
30-34	7,963	7,599	224	8,265	7,943	186
35-39	9,107	8,728	213	9,176	8,812	201
40-44	8,595	8,279	164	8,387	7,957	163
45-49	8,558	8,284	173	8,641	8,308	189
50-54	8,740	8,497	129	8,488	8,205	135
55-59	8,669	8,510	73	8,540	8,335	102
60-64	7,283	7,145	58	7,577	7,432	63
65-69	5,839	5,743	48	6,152	6,020	49
70-74	4,487	4,373	71	4,830	4,739	31
75-79	2,949	2,911	14	3,547	3,525	14
80-84	1,710	1,687	11	2,330	2,298	11
85+	1,247	1,217	13	2,807	2,776	8
Total	126,410	121,836	2,712	127,578	122,897	2,557

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Hamilton		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	212	210	2	209	207	2
1-4	894	861	13	906	892	11
5-9	1,197	1,148	28	1,191	1,164	19
10-14	1,349	1,315	24	1,368	1,330	25
15-19	1,268	1,246	18	1,166	1,139	18
20-24	1,077	1,042	25	990	968	13
25-29	1,092	1,065	13	1,041	1,024	7
30-34	1,040	1,019	7	1,109	1,095	8
35-39	1,231	1,217	10	1,192	1,165	8
40-44	1,140	1,101	19	1,269	1,152	2
45-49	1,199	1,178	8	1,175	1,155	9
50-54	1,319	1,288	29	1,240	1,219	7
55-59	1,517	1,501	16	1,438	1,403	22
60-64	1,471	1,459	5	1,580	1,564	10
65-69	1,280	1,264	8	1,304	1,296	2
70-74	1,044	1,030	10	1,090	1,084	5
75-79	743	741	2	926	907	5
80-84	479	473	2	744	736	0
85+	341	338	1	924	914	5
Total	19,893	19,496	240	20,862	20,414	178
Hancock		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	456	447	8	447	440	5
1-4	1,954	1,905	33	1,963	1,893	55
5-9	2,702	2,622	64	2,356	2,253	83
10-14	2,892	2,822	49	2,711	2,592	86
15-19	2,512	2,453	42	2,446	2,357	45
20-24	2,219	2,152	38	2,058	1,993	31
25-29	2,468	2,394	38	2,216	2,183	24
30-34	2,348	2,256	34	2,307	2,256	20
35-39	2,423	2,373	26	2,519	2,450	30
40-44	2,446	2,428	11	2,358	2,317	13
45-49	2,499	2,463	14	2,394	2,362	17
50-54	2,975	2,928	33	2,895	2,873	12
55-59	3,423	3,369	31	3,416	3,373	15
60-64	3,521	3,485	15	3,492	3,474	7
65-69	3,041	3,032	4	3,153	3,125	6
70-74	2,337	2,315	14	2,715	2,683	10
75-79	1,669	1,646	9	2,098	2,081	5
80-84	1,273	1,266	4	1,433	1,421	2
85+	1,066	1,057	1	1,901	1,894	4
Total	44,224	43,413	468	44,878	44,020	470
Hardin		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	82	79	2	80	79	1
1-4	280	272	7	335	321	14
5-9	491	485	6	420	400	14
10-14	546	527	13	510	473	20
15-19	579	551	6	501	483	8
20-24	407	382	17	491	468	6
25-29	464	446	3	372	355	4
30-34	441	428	6	433	425	5
35-39	510	502	4	513	509	1
40-44	543	525	0	491	486	1
45-49	683	673	5	604	595	0
50-54	710	697	12	706	696	2
55-59	774	747	13	761	737	7
60-64	736	717	4	834	806	9
65-69	791	785	1	883	872	4
70-74	695	690	4	665	663	0
75-79	528	527	1	459	443	7
80-84	266	265	1	348	335	2
85+	250	249	1	267	267	0
Total	9,776	9,547	106	9,673	9,413	105

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Henderson		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	161	160	1	149	148	1
1-4	722	712	10	623	604	18
5-9	876	852	19	826	794	24
10-14	828	813	11	889	846	28
15-19	846	822	17	872	831	27
20-24	795	765	19	790	774	15
25-29	812	790	13	801	795	3
30-34	816	778	30	769	760	2
35-39	843	826	13	828	825	2
40-44	866	856	2	820	793	2
45-49	863	851	8	1,051	999	9
50-54	1,131	1,118	4	1,207	1,183	9
55-59	1,483	1,458	6	1,444	1,427	6
60-64	1,487	1,465	12	1,479	1,465	4
65-69	1,260	1,259	1	1,214	1,198	6
70-74	1,036	1,023	4	1,005	997	5
75-79	815	814	0	878	876	1
80-84	499	499	0	620	611	1
85+	418	417	1	861	850	0
Total	16,557	16,278	171	17,126	16,776	163
Henry		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,200	1,125	64	1,273	1,191	67
1-4	5,479	5,143	289	5,530	5,147	312
5-9	7,701	7,257	367	7,253	6,863	306
10-14	8,262	7,858	300	7,658	7,279	280
15-19	8,614	7,869	636	6,782	6,439	232
20-24	6,638	6,208	346	5,859	5,541	211
25-29	6,743	6,427	252	6,302	6,023	213
30-34	6,671	6,407	209	6,690	6,424	197
35-39	7,469	7,225	171	7,367	7,136	163
40-44	7,537	7,218	234	7,208	7,005	127
45-49	7,327	7,118	123	7,634	7,467	96
50-54	7,838	7,657	134	8,056	7,872	98
55-59	8,991	8,821	116	9,243	9,091	79
60-64	8,755	8,572	145	8,824	8,639	98
65-69	7,782	7,658	92	8,017	7,871	95
70-74	5,886	5,835	41	6,382	6,272	74
75-79	4,296	4,246	28	4,865	4,796	31
80-84	2,569	2,541	18	3,482	3,434	21
85+	2,424	2,377	29	4,552	4,505	32
Total	122,182	117,562	3,594	122,977	118,995	2,732
Iroquois		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	780	749	24	723	695	23
1-4	3,023	2,908	95	3,019	2,920	95
5-9	3,914	3,739	107	3,984	3,851	104
10-14	4,417	4,195	145	4,222	4,069	99
15-19	4,659	4,366	224	4,038	3,819	113
20-24	3,804	3,624	139	3,412	3,274	71
25-29	3,717	3,531	126	3,436	3,345	48
30-34	3,490	3,375	78	3,613	3,496	40
35-39	3,755	3,641	73	4,009	3,930	44
40-44	3,902	3,804	64	3,791	3,712	33
45-49	3,978	3,859	80	3,968	3,861	49
50-54	4,305	4,208	66	4,630	4,559	41
55-59	5,148	5,069	46	5,388	5,291	57
60-64	5,101	5,020	48	5,395	5,313	31
65-69	4,273	4,222	31	4,301	4,227	39
70-74	3,331	3,287	26	3,838	3,796	22
75-79	2,471	2,435	19	3,038	3,012	8
80-84	1,720	1,688	22	2,099	2,062	12
85+	1,494	1,470	14	2,998	2,964	16
Total	67,282	65,190	1,427	69,902	68,196	945

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Jackson		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,619	1,192	378	1,603	1,139	413	
1-4	6,571	4,973	1,404	6,007	4,433	1,411	
5-9	7,262	5,411	1,563	7,102	5,329	1,571	
10-14	6,830	5,068	1,460	7,037	5,025	1,714	
15-19	12,153	8,763	2,838	11,266	7,855	2,939	
20-24	24,224	18,045	4,218	22,744	15,487	5,693	
25-29	11,521	8,432	2,413	10,523	7,641	2,325	
30-34	8,735	7,053	1,230	8,194	6,375	1,341	
35-39	7,709	6,304	957	7,345	5,769	1,084	
40-44	6,899	5,776	785	6,841	5,292	1,095	
45-49	6,906	5,857	712	6,887	5,612	963	
50-54	6,985	6,083	635	7,194	5,984	988	
55-59	7,734	6,759	774	8,507	7,189	985	
60-64	8,017	6,981	818	8,313	7,176	856	
65-69	7,193	6,392	622	7,640	6,701	717	
70-74	5,137	4,669	357	5,854	5,229	527	
75-79	3,257	3,034	172	4,089	3,706	335	
80-84	2,077	1,896	153	3,074	2,783	203	
85+	2,176	2,000	120	4,362	3,841	300	
Total	143,005	114,688	21,609	144,582	112,566	25,460	
Jasper		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	291	287	3	269	268	1	
1-4	1,203	1,198	4	1,111	1,093	12	
5-9	1,577	1,553	23	1,445	1,437	6	
10-14	1,591	1,570	13	1,432	1,414	7	
15-19	1,457	1,430	19	1,505	1,472	23	
20-24	1,120	1,106	10	1,251	1,216	17	
25-29	1,260	1,248	8	1,296	1,273	13	
30-34	1,340	1,316	12	1,238	1,227	6	
35-39	1,511	1,496	8	1,357	1,339	6	
40-44	1,403	1,387	11	1,218	1,204	3	
45-49	1,318	1,300	7	1,400	1,382	3	
50-54	1,621	1,608	9	1,700	1,683	5	
55-59	2,105	2,089	2	1,763	1,761	1	
60-64	1,675	1,661	8	1,809	1,797	0	
65-69	1,521	1,499	16	1,467	1,446	4	
70-74	1,074	1,067	5	1,171	1,163	4	
75-79	714	706	5	857	855	0	
80-84	607	601	1	651	640	1	
85+	538	532	1	867	844	3	
Total	23,926	23,654	165	23,807	23,514	115	
Jefferson		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,186	985	181	1,114	914	178	
1-4	4,903	4,133	688	4,710	3,889	749	
5-9	5,862	4,987	784	5,860	4,782	897	
10-14	5,755	4,962	709	5,680	4,900	669	
15-19	5,703	4,741	855	4,823	4,179	577	
20-24	5,950	4,647	1,204	4,626	3,960	592	
25-29	7,108	5,641	1,331	5,593	4,792	633	
30-34	6,278	5,013	1,171	5,140	4,582	451	
35-39	6,612	5,481	977	5,401	4,802	466	
40-44	6,273	5,216	900	4,994	4,484	392	
45-49	6,224	5,459	648	5,473	5,055	312	
50-54	6,467	5,814	559	5,743	5,401	283	
55-59	6,421	5,943	419	6,258	5,910	296	
60-64	6,151	5,827	259	6,515	6,107	316	
65-69	5,587	5,254	267	5,893	5,519	307	
70-74	4,287	4,060	173	4,718	4,501	166	
75-79	2,977	2,845	108	3,478	3,376	81	
80-84	1,889	1,821	44	2,474	2,367	83	
85+	1,598	1,542	28	3,145	3,055	64	
Total	97,231	84,371	11,305	91,638	82,575	7,512	

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Jersey		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	542	524	13	522	512	8
1-4	2,226	2,157	54	2,207	2,095	44
5-9	3,017	2,955	38	2,966	2,775	58
10-14	3,320	3,224	39	3,289	3,178	55
15-19	3,564	3,433	73	3,716	3,558	101
20-24	3,575	3,436	90	3,638	3,496	77
25-29	2,968	2,865	67	2,870	2,817	29
30-34	2,986	2,921	40	2,998	2,949	27
35-39	3,144	3,072	41	3,097	3,038	34
40-44	2,921	2,850	31	2,999	2,969	16
45-49	3,383	3,342	15	3,320	3,270	12
50-54	3,772	3,720	18	3,885	3,786	25
55-59	4,257	4,191	37	4,620	4,428	32
60-64	3,952	3,882	43	4,179	4,039	50
65-69	3,191	3,143	25	3,404	3,366	19
70-74	2,310	2,280	15	2,600	2,584	3
75-79	1,840	1,829	5	2,135	2,123	4
80-84	1,160	1,143	2	1,595	1,591	1
85+	958	952	1	1,752	1,728	8
Total	53,086	51,919	647	55,792	54,302	603
Jo Daviess	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	419	409	10	402	392	9
1-4	1,969	1,887	66	1,865	1,773	64
5-9	2,860	2,755	74	2,712	2,607	49
10-14	3,306	3,200	72	2,944	2,864	58
15-19	3,111	3,009	87	2,686	2,593	61
20-24	2,606	2,524	60	2,195	2,108	44
25-29	2,313	2,256	36	2,220	2,160	39
30-34	2,545	2,477	33	2,320	2,242	33
35-39	2,634	2,563	52	2,679	2,620	26
40-44	2,694	2,642	27	2,601	2,559	19
45-49	3,016	2,949	35	3,009	2,942	37
50-54	3,310	3,255	26	3,366	3,301	28
55-59	4,184	4,129	27	4,185	4,146	16
60-64	4,216	4,165	28	4,735	4,685	24
65-69	4,681	4,625	12	4,744	4,709	15
70-74	3,938	3,899	16	4,056	4,015	10
75-79	2,724	2,701	6	2,860	2,843	3
80-84	1,670	1,642	2	1,850	1,847	2
85+	1,307	1,289	0	2,215	2,196	3
Total	53,503	52,376	669	53,644	52,602	540
Johnson	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	252	250	1	264	261	3
1-4	1,150	1,132	13	1,167	1,140	23
5-9	1,596	1,556	26	1,555	1,526	8
10-14	1,670	1,618	40	1,667	1,625	28
15-19	2,063	1,781	263	1,501	1,456	19
20-24	2,376	1,594	739	1,280	1,243	23
25-29	2,636	1,874	720	1,454	1,428	19
30-34	2,345	1,676	626	1,459	1,438	13
35-39	2,131	1,663	453	1,539	1,513	13
40-44	2,222	1,732	476	1,487	1,458	15
45-49	2,320	1,874	441	1,594	1,571	13
50-54	2,186	1,898	280	1,955	1,908	35
55-59	2,345	2,166	172	2,176	2,137	19
60-64	2,049	2,010	34	2,180	2,161	10
65-69	2,093	2,058	14	2,018	2,000	10
70-74	1,711	1,676	28	1,756	1,737	13
75-79	1,332	1,318	12	1,313	1,299	5
80-84	823	820	3	852	841	4
85+	551	540	11	889	884	4
Total	33,851	29,236	4,352	28,106	27,626	277

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Kane		Males			Females	
Age	Total Population	White	Black	Total Population	White	Black
<1	16,414	14,098	1,451	15,454	13,228	1,368
1-4	69,590	60,257	5,749	65,921	56,756	5,703
5-9	92,942	79,584	7,448	89,841	76,919	7,387
10-14	103,074	88,387	7,994	98,165	84,032	7,464
15-19	101,057	86,539	8,251	95,531	81,649	7,591
20-24	85,674	73,159	7,400	82,996	71,210	6,981
25-29	80,897	68,430	7,392	76,947	65,081	6,757
30-34	81,925	71,052	5,578	79,273	67,862	5,862
35-39	90,027	78,565	5,644	87,404	75,388	5,857
40-44	88,454	77,227	4,998	88,231	75,986	5,559
45-49	93,541	82,041	5,131	94,000	81,954	5,412
50-54	91,899	82,431	4,605	91,480	81,148	4,925
55-59	89,675	81,249	4,410	90,308	81,104	4,679
60-64	75,195	68,135	3,719	78,440	70,520	4,001
65-69	59,857	54,414	2,825	66,282	59,867	3,421
70-74	43,455	39,756	1,763	50,648	46,332	2,159
75-79	28,185	25,799	1,092	34,879	31,970	1,582
80-84	17,173	15,825	574	22,754	21,127	836
85+	14,428	13,541	416	26,766	25,342	735
Total	1,323,462	1,160,489	86,440	1,335,320	1,167,475	88,279
Kankakee	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,218	2,402	770	3,094	2,306	745
1-4	13,412	10,148	3,079	12,679	9,499	3,043
5-9	17,018	13,076	3,622	16,261	12,488	3,503
10-14	18,779	14,657	3,794	17,931	14,008	3,585
15-19	20,865	16,252	4,174	20,858	16,828	3,593
20-24	20,724	16,636	3,617	20,831	17,074	3,324
25-29	18,016	14,069	3,613	17,217	13,135	3,781
30-34	15,765	12,683	2,790	15,975	12,744	2,877
35-39	16,376	13,445	2,683	16,763	13,671	2,756
40-44	15,565	13,046	2,223	16,074	13,141	2,582
45-49	16,643	14,013	2,290	16,630	13,657	2,605
50-54	17,188	14,581	2,335	17,709	14,896	2,545
55-59	18,521	15,926	2,345	18,987	16,106	2,655
60-64	17,117	14,785	2,099	17,709	15,137	2,359
65-69	14,102	12,292	1,546	15,330	13,126	1,959
70-74	10,322	9,205	1,013	12,002	10,619	1,228
75-79	7,036	6,408	561	8,666	7,739	833
80-84	4,932	4,420	440	6,262	5,590	606
85+	5,325	4,907	375	7,720	7,005	619
Total	270,924	222,951	43,369	278,698	228,769	45,198
Kendall	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	3,825	3,330	322	3,723	3,237	325
1-4	17,996	15,667	1,421	16,972	14,828	1,413
5-9	26,241	22,604	2,524	25,018	21,631	2,245
10-14	28,563	24,470	2,825	27,024	23,123	2,633
15-19	25,072	21,490	2,534	23,652	19,962	2,510
20-24	18,470	15,800	1,967	17,506	14,935	1,841
25-29	17,438	15,202	1,691	17,800	15,388	1,701
30-34	21,746	19,153	1,577	22,981	19,989	1,732
35-39	25,689	22,236	2,119	26,842	23,095	2,255
40-44	24,811	21,656	1,956	25,875	22,007	2,393
45-49	25,007	21,497	2,235	24,758	21,371	2,183
50-54	21,190	18,646	1,757	20,093	17,664	1,640
55-59	17,653	15,860	1,242	17,692	15,856	1,222
60-64	13,527	12,362	750	15,034	13,549	903
65-69	10,893	9,955	540	12,791	11,530	701
70-74	8,140	7,592	286	9,636	8,915	380
75-79	5,120	4,786	143	6,178	5,849	180
80-84	2,654	2,525	54	3,769	3,533	136
85+	2,292	2,177	62	4,242	3,986	107
Total	316,327	277,008	26,005	321,586	280,448	26,500

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Knox		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,492	1,168	295	1,320	1,057	227
1-4	6,084	4,700	1,291	5,350	4,239	974
5-9	6,701	5,598	990	6,387	5,278	1,002
10-14	7,058	6,096	861	6,728	5,761	867
15-19	7,909	6,784	970	7,778	6,744	784
20-24	9,173	7,007	1,764	8,155	6,960	909
25-29	8,548	6,406	1,951	6,721	5,875	743
30-34	8,158	6,258	1,749	6,237	5,619	528
35-39	7,784	6,352	1,333	6,507	5,895	517
40-44	7,613	6,282	1,256	6,523	6,040	367
45-49	7,333	6,333	920	6,735	6,245	311
50-54	7,663	6,962	607	7,702	7,307	311
55-59	8,513	7,913	493	8,851	8,463	296
60-64	8,654	8,170	398	9,134	8,731	294
65-69	7,975	7,635	288	8,565	8,270	213
70-74	5,946	5,751	155	6,959	6,711	194
75-79	4,389	4,220	141	5,078	4,912	139
80-84	2,772	2,687	81	4,074	3,917	126
85+	2,659	2,609	39	5,034	4,808	178
Total	126,424	108,931	15,582	123,838	112,832	8,980
Lake		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	18,548	14,503	2,127	17,948	13,945	2,087
1-4	83,459	65,838	8,842	80,392	63,368	8,619
5-9	117,109	91,904	11,612	112,007	88,675	10,965
10-14	129,631	103,706	12,077	124,957	99,222	11,549
15-19	143,481	117,331	13,530	126,646	102,163	11,854
20-24	136,088	111,035	13,995	114,398	92,363	11,831
25-29	104,835	82,250	11,546	92,919	71,705	11,577
30-34	97,642	77,079	8,741	95,682	73,274	9,849
35-39	107,296	85,028	8,165	108,747	83,795	9,348
40-44	109,746	86,776	7,209	111,849	87,388	8,609
45-49	118,491	97,289	7,420	121,804	98,437	8,398
50-54	123,235	104,927	7,570	127,596	107,428	8,510
55-59	125,416	108,958	7,944	129,796	111,496	8,613
60-64	107,370	94,144	6,375	112,315	96,827	7,237
65-69	82,402	72,764	4,344	88,922	77,179	5,122
70-74	59,646	52,777	2,757	66,476	58,342	3,344
75-79	37,550	33,266	1,574	45,849	40,430	2,217
80-84	23,364	20,933	935	31,629	28,042	1,632
85+	22,680	20,867	715	40,487	36,826	1,650
Total	1,747,989	1,441,375	137,478	1,750,419	1,430,905	143,011
LaSalle		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	2,943	2,753	131	2,766	2,578	129
1-4	12,566	11,756	562	11,704	10,889	549
5-9	16,010	15,000	662	15,047	14,121	503
10-14	17,145	16,243	620	16,882	15,635	658
15-19	17,599	16,371	1,013	16,254	15,436	606
20-24	17,088	15,026	1,834	14,473	13,748	461
25-29	17,806	15,750	1,788	15,686	14,833	508
30-34	17,316	15,731	1,266	15,087	14,402	370
35-39	17,414	16,075	1,104	15,964	15,283	348
40-44	16,204	14,909	1,077	14,497	13,989	223
45-49	16,797	15,664	930	16,104	15,628	212
50-54	18,663	17,826	588	18,363	17,740	241
55-59	21,237	20,643	382	20,992	20,494	236
60-64	19,773	19,364	231	19,657	19,308	158
65-69	16,295	16,019	130	16,469	16,182	126
70-74	11,297	11,140	77	12,548	12,336	75
75-79	8,059	7,980	29	10,141	10,016	25
80-84	5,442	5,409	17	7,403	7,319	40
85+	5,182	5,123	44	10,117	10,064	6
Total	274,836	258,782	12,485	270,154	260,001	5,474

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Lawrence		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	369	359	9	359	342	14
1-4	1,649	1,593	42	1,579	1,517	56
5-9	2,086	1,988	70	2,127	2,074	36
10-14	2,246	2,196	39	2,044	1,977	51
15-19	2,239	1,982	234	1,747	1,687	50
20-24	3,813	2,162	1,606	1,685	1,638	31
25-29	4,386	2,805	1,470	2,011	1,940	32
30-34	3,611	2,390	1,142	1,907	1,859	15
35-39	3,543	2,504	993	2,000	1,956	27
40-44	3,354	2,408	923	2,047	2,024	14
45-49	3,064	2,449	601	2,010	1,976	11
50-54	2,761	2,372	373	2,145	2,111	16
55-59	2,669	2,492	164	2,761	2,699	50
60-64	2,391	2,318	64	2,589	2,543	26
65-69	2,022	1,982	33	2,162	2,115	21
70-74	1,564	1,525	36	1,782	1,755	19
75-79	1,059	1,032	14	1,503	1,480	14
80-84	729	713	10	1,127	1,102	17
85+	655	629	21	1,354	1,327	16
Total	44,210	35,899	7,844	34,939	34,122	516
Lee		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	862	810	40	817	765	34
1-4	3,504	3,292	150	3,521	3,293	123
5-9	4,710	4,425	203	4,655	4,377	164
10-14	5,013	4,777	197	4,800	4,547	190
15-19	4,853	4,459	324	4,400	4,152	172
20-24	5,191	4,528	589	4,142	3,925	135
25-29	6,379	5,316	956	4,586	4,401	140
30-34	6,440	5,096	1,265	4,213	4,046	119
35-39	6,119	5,022	979	4,416	4,247	99
40-44	5,827	4,751	979	4,278	4,146	55
45-49	6,205	5,241	878	4,758	4,587	79
50-54	6,265	5,548	666	5,698	5,514	108
55-59	7,100	6,426	590	6,091	5,952	95
60-64	6,519	5,937	498	6,044	5,883	101
65-69	5,292	5,060	194	5,245	5,132	56
70-74	4,106	3,978	93	4,320	4,259	35
75-79	2,710	2,630	54	3,028	2,974	25
80-84	1,853	1,793	43	2,330	2,275	30
85+	1,693	1,672	11	3,038	2,990	17
Total	90,641	80,761	8,709	80,380	77,465	1,777
Livingston		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,064	989	62	1,022	954	58
1-4	4,173	3,899	212	3,927	3,748	150
5-9	5,431	5,092	233	4,963	4,660	228
10-14	5,880	5,558	255	5,175	4,895	189
15-19	6,030	5,606	353	5,042	4,787	215
20-24	5,510	4,812	626	5,113	4,656	396
25-29	5,948	5,143	677	5,297	4,809	397
30-34	5,648	4,989	533	5,326	4,817	377
35-39	5,500	4,918	493	5,215	4,822	325
40-44	5,264	4,725	466	4,981	4,570	362
45-49	5,417	4,895	474	5,129	4,810	268
50-54	5,908	5,462	403	5,814	5,569	193
55-59	6,714	6,460	235	6,701	6,528	118
60-64	6,337	6,190	101	6,282	6,153	80
65-69	5,239	5,154	62	5,311	5,207	43
70-74	3,514	3,468	23	4,228	4,203	16
75-79	2,703	2,673	8	3,240	3,217	9
80-84	1,840	1,824	5	2,427	2,382	19
85+	1,769	1,764	4	3,703	3,682	1
Total	89,889	83,621	5,225	88,896	84,469	3,444

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Logan		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	746	686	53	702	653	43	
1-4	3,139	2,919	185	2,924	2,776	129	
5-9	3,762	3,545	174	3,633	3,426	179	
10-14	4,010	3,832	125	3,866	3,669	142	
15-19	4,878	4,103	655	4,442	3,793	555	
20-24	5,791	4,514	1,178	4,575	3,948	535	
25-29	5,722	4,305	1,303	4,375	3,893	418	
30-34	5,582	4,182	1,300	4,323	3,822	450	
35-39	5,349	4,262	1,015	4,589	4,003	503	
40-44	4,464	3,615	801	4,389	3,753	579	
45-49	4,500	3,853	610	4,194	3,713	424	
50-54	4,504	4,020	417	4,260	3,973	244	
55-59	4,926	4,612	276	4,891	4,658	174	
60-64	4,561	4,418	113	4,683	4,571	81	
65-69	3,799	3,713	65	4,183	4,110	34	
70-74	2,816	2,766	29	3,286	3,227	17	
75-79	2,049	2,004	20	2,600	2,543	40	
80-84	1,332	1,305	8	2,179	2,157	8	
85+	1,318	1,302	3	2,749	2,709	29	
Total	73,248	63,956	8,330	70,843	65,397	4,584	
Macon		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	3,254	2,139	1,053	3,081	2,051	974	
1-4	13,326	8,819	4,204	12,617	8,350	4,039	
5-9	16,625	11,363	4,905	15,736	10,802	4,645	
10-14	16,450	11,786	4,356	15,982	11,305	4,369	
15-19	16,448	11,920	4,237	16,468	11,812	4,322	
20-24	15,712	11,323	4,053	16,610	11,990	4,296	
25-29	15,926	11,717	3,779	16,937	12,200	4,464	
30-34	13,899	11,075	2,498	15,419	11,770	3,255	
35-39	14,373	11,453	2,566	15,826	12,339	3,101	
40-44	14,033	11,336	2,369	15,564	12,228	3,027	
45-49	14,447	11,826	2,340	15,301	12,023	2,873	
50-54	15,166	12,624	2,209	16,188	13,215	2,707	
55-59	17,813	14,977	2,593	18,813	15,820	2,765	
60-64	17,749	15,362	2,216	19,564	16,676	2,714	
65-69	15,339	13,427	1,754	17,392	14,928	2,266	
70-74	11,669	10,336	1,236	13,313	11,653	1,520	
75-79	8,064	7,206	813	10,028	8,899	1,071	
80-84	5,299	4,931	332	7,457	6,753	669	
85+	5,057	4,738	286	10,496	9,734	709	
Total	250,649	198,358	47,799	272,792	214,548	53,786	
Macoupin		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,194	1,141	39	1,076	1,043	27	
1-4	4,951	4,797	124	4,555	4,423	104	
5-9	6,531	6,341	134	6,181	5,971	138	
10-14	7,702	7,504	123	6,784	6,584	136	
15-19	7,265	7,021	169	6,710	6,394	226	
20-24	6,323	6,100	181	5,970	5,722	203	
25-29	6,024	5,870	124	6,087	5,942	99	
30-34	6,278	6,159	75	6,415	6,277	71	
35-39	6,771	6,633	78	6,826	6,709	50	
40-44	6,579	6,401	97	6,709	6,536	57	
45-49	7,112	6,976	88	6,668	6,534	48	
50-54	7,352	7,239	83	7,902	7,771	48	
55-59	8,625	8,474	84	8,943	8,810	50	
60-64	8,507	8,392	70	8,694	8,549	67	
65-69	7,147	7,063	51	7,572	7,458	68	
70-74	5,087	5,014	21	5,855	5,789	44	
75-79	3,543	3,507	12	4,133	4,082	33	
80-84	2,344	2,317	16	3,346	3,312	17	
85+	2,200	2,174	18	4,256	4,205	18	
Total	111,535	109,123	1,587	114,682	112,111	1,504	

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Madison		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	7,356	6,030	1,188	6,983	5,720	1,118
1-4	31,388	26,057	4,676	29,780	24,823	4,349
5-9	41,246	34,431	5,768	39,264	33,053	5,332
10-14	42,294	35,577	5,879	40,163	33,887	5,328
15-19	41,515	35,457	5,277	38,717	32,702	5,176
20-24	38,209	32,350	5,094	38,867	32,013	5,767
25-29	44,875	39,071	5,042	44,892	37,831	6,253
30-34	43,498	38,983	3,792	44,086	38,128	5,208
35-39	41,394	37,434	3,237	42,846	37,526	4,351
40-44	37,171	33,627	2,852	39,738	34,959	3,912
45-49	40,492	36,697	3,036	42,447	37,726	3,891
50-54	43,176	39,648	2,875	44,334	40,045	3,537
55-59	48,050	44,622	2,728	49,673	45,460	3,516
60-64	44,633	41,597	2,539	47,065	43,402	3,014
65-69	34,350	32,175	1,873	39,210	36,306	2,409
70-74	25,407	23,989	1,159	30,475	28,426	1,681
75-79	17,523	16,527	725	22,826	21,554	1,038
80-84	11,289	10,794	416	16,416	15,592	692
85+	9,861	9,515	308	20,505	19,668	714
Total	643,727	574,581	58,464	678,287	598,821	67,286
Marion		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,216	1,082	123	1,133	1,010	114
1-4	4,916	4,441	444	4,726	4,241	446
5-9	6,248	5,651	531	6,035	5,421	565
10-14	6,300	5,670	556	5,939	5,396	488
15-19	5,383	4,889	445	5,326	4,805	450
20-24	5,150	4,630	439	4,929	4,538	344
25-29	5,972	5,513	395	5,911	5,414	333
30-34	5,238	4,911	271	5,250	4,905	275
35-39	5,373	5,040	245	5,389	5,136	207
40-44	5,225	4,914	245	5,192	4,910	224
45-49	5,511	5,197	263	5,542	5,323	164
50-54	5,873	5,570	223	6,026	5,733	213
55-59	6,541	6,296	199	7,160	6,822	271
60-64	6,423	6,122	225	6,894	6,587	222
65-69	5,418	5,197	162	5,912	5,682	166
70-74	4,144	3,963	137	4,803	4,615	135
75-79	2,957	2,856	72	3,659	3,537	93
80-84	2,044	1,986	40	2,676	2,585	77
85+	1,797	1,744	38	3,390	3,278	98
Total	91,729	85,672	5,053	95,892	89,938	4,885
Marshall		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	313	304	6	284	272	9
1-4	1,214	1,172	30	1,275	1,227	36
5-9	1,615	1,549	47	1,598	1,535	55
10-14	1,726	1,673	40	1,639	1,579	28
15-19	1,669	1,613	39	1,403	1,354	24
20-24	1,536	1,497	25	1,498	1,447	27
25-29	1,693	1,640	34	1,492	1,468	20
30-34	1,479	1,435	27	1,486	1,438	27
35-39	1,623	1,576	17	1,495	1,453	14
40-44	1,628	1,559	24	1,506	1,460	21
45-49	1,703	1,663	22	1,617	1,575	14
50-54	1,886	1,861	13	2,052	2,025	8
55-59	2,231	2,202	12	2,220	2,201	7
60-64	2,255	2,230	11	2,221	2,200	5
65-69	2,021	2,001	11	2,040	2,027	6
70-74	1,544	1,525	5	1,673	1,661	2
75-79	1,182	1,175	1	1,346	1,335	3
80-84	715	713	2	1,053	1,049	1
85+	657	652	0	1,223	1,204	1
Total	28,690	28,040	366	29,121	28,510	308

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Mason	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	320	311	6	324	317	6
1-4	1,352	1,314	19	1,381	1,356	21
5-9	2,017	1,966	32	1,766	1,707	38
10-14	1,991	1,927	35	2,201	2,161	22
15-19	1,990	1,929	38	2,016	1,945	40
20-24	1,779	1,731	28	1,640	1,595	27
25-29	1,881	1,834	36	1,732	1,693	17
30-34	1,659	1,597	54	1,695	1,658	14
35-39	1,885	1,787	55	1,977	1,940	9
40-44	1,964	1,897	35	1,946	1,903	22
45-49	2,172	2,134	24	2,031	1,988	12
50-54	2,357	2,320	26	2,230	2,195	14
55-59	2,557	2,527	20	2,660	2,623	8
60-64	2,379	2,359	8	2,459	2,431	5
65-69	2,300	2,277	13	2,222	2,199	4
70-74	1,836	1,824	1	1,993	1,974	1
75-79	1,330	1,326	0	1,424	1,411	3
80-84	769	769	0	1,051	1,050	0
85+	696	695	1	1,447	1,437	1
Total	33,234	32,524	431	34,195	33,583	264
Massac	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	361	314	45	375	319	53
1-4	1,584	1,388	184	1,555	1,314	232
5-9	2,108	1,857	226	2,082	1,856	202
10-14	2,218	1,959	236	2,397	2,172	201
15-19	2,058	1,817	188	2,102	1,882	181
20-24	1,766	1,605	141	1,719	1,547	159
25-29	1,822	1,693	116	1,820	1,677	119
30-34	1,711	1,586	99	1,791	1,642	125
35-39	1,833	1,681	136	2,243	2,094	108
40-44	2,036	1,871	147	2,138	1,963	148
45-49	2,280	2,077	171	2,251	2,120	99
50-54	2,369	2,199	153	2,350	2,153	166
55-59	2,622	2,371	218	2,732	2,481	215
60-64	2,381	2,194	175	2,714	2,498	171
65-69	1,949	1,806	136	2,126	1,969	134
70-74	1,618	1,495	93	1,917	1,812	95
75-79	1,218	1,142	51	1,506	1,436	59
80-84	851	802	44	1,159	1,100	58
85+	867	807	45	1,575	1,466	97
Total	33,652	30,664	2,604	36,552	33,501	2,622
McDonough	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	676	591	70	642	558	75
1-4	2,795	2,443	280	2,703	2,356	287
5-9	3,639	3,220	258	3,411	3,003	271
10-14	3,789	3,406	263	3,506	3,129	236
15-19	6,500	5,742	472	7,640	6,414	946
20-24	12,162	10,266	1,395	11,506	9,644	1,280
25-29	5,334	4,809	423	4,200	3,676	437
30-34	4,275	4,000	206	4,033	3,575	379
35-39	3,763	3,472	183	3,961	3,511	304
40-44	3,402	3,152	141	3,448	3,134	120
45-49	3,522	3,265	147	3,565	3,349	127
50-54	3,704	3,422	119	3,811	3,624	76
55-59	4,302	4,074	104	4,635	4,421	136
60-64	4,401	4,228	111	4,587	4,401	117
65-69	4,087	3,962	76	4,332	4,174	86
70-74	3,000	2,928	36	3,243	3,140	43
75-79	2,037	1,971	38	2,404	2,333	35
80-84	1,254	1,218	7	1,882	1,846	19
85+	1,296	1,266	14	3,088	3,064	14
Total	73,938	67,435	4,343	76,597	69,352	4,988

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
McHenry		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	7,772	7,246	237	7,490	6,932	241
1-4	34,903	32,563	1,028	33,635	31,191	1,081
5-9	49,522	45,810	1,694	47,066	43,438	1,408
10-14	56,340	51,975	1,738	53,714	49,540	1,465
15-19	55,845	51,813	1,531	52,267	48,546	1,293
20-24	46,963	44,004	1,234	44,130	41,118	1,148
25-29	44,345	41,562	1,154	41,842	39,115	1,016
30-34	44,981	42,240	1,137	43,120	40,338	871
35-39	48,698	45,540	1,072	48,056	44,847	932
40-44	48,204	44,782	1,121	48,766	45,112	989
45-49	54,752	51,066	1,196	56,267	52,678	872
50-54	59,388	56,422	970	61,029	57,849	950
55-59	60,436	57,922	974	60,950	58,211	718
60-64	50,402	48,567	560	51,267	49,089	509
65-69	38,265	36,981	316	40,696	38,991	352
70-74	27,508	26,629	150	31,338	30,113	228
75-79	18,176	17,528	91	21,835	21,118	124
80-84	10,163	9,852	48	13,324	12,887	84
85+	8,085	7,839	42	14,916	14,543	54
Total	764,748	720,341	16,293	771,708	725,656	14,335
McLean		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	4,899	3,708	703	4,750	3,551	663
1-4	20,603	15,551	2,879	20,138	15,103	2,887
5-9	25,750	20,356	3,459	25,417	19,972	3,365
10-14	26,508	21,582	3,290	25,618	20,874	3,209
15-19	34,444	28,894	3,997	39,019	33,065	4,387
20-24	52,762	44,694	5,547	56,079	47,286	6,109
25-29	28,569	22,708	3,383	28,740	22,779	3,260
30-34	26,866	20,791	2,435	26,827	21,627	2,644
35-39	26,994	21,651	2,292	27,164	22,207	2,443
40-44	24,619	20,488	1,780	24,508	20,698	2,134
45-49	24,290	20,633	2,141	24,250	20,956	2,058
50-54	23,748	20,991	1,889	25,339	22,203	2,074
55-59	25,305	22,887	1,712	26,800	24,217	1,847
60-64	22,212	20,412	1,309	24,683	22,672	1,372
65-69	18,226	16,842	968	20,706	19,400	854
70-74	13,331	12,626	420	14,452	13,643	561
75-79	8,317	7,959	186	10,488	9,921	352
80-84	5,458	5,260	134	7,604	7,189	282
85+	5,222	5,007	110	10,117	9,769	221
Total	418,123	353,040	38,634	442,699	377,132	40,722
Menard		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	318	309	9	281	268	10
1-4	1,379	1,323	39	1,322	1,291	24
5-9	1,839	1,774	45	1,738	1,690	40
10-14	2,025	1,948	59	2,078	1,995	66
15-19	1,915	1,861	29	1,787	1,713	51
20-24	1,613	1,574	24	1,452	1,377	38
25-29	1,573	1,524	40	1,659	1,619	26
30-34	1,586	1,547	23	1,789	1,750	25
35-39	1,937	1,874	53	1,986	1,949	21
40-44	1,857	1,789	47	1,832	1,791	22
45-49	1,690	1,652	21	1,854	1,824	14
50-54	2,087	2,066	17	2,279	2,237	18
55-59	2,428	2,406	15	2,501	2,448	17
60-64	2,323	2,310	13	2,242	2,217	9
65-69	1,842	1,824	10	2,022	2,001	5
70-74	1,438	1,411	13	1,613	1,601	6
75-79	907	890	5	1,142	1,128	5
80-84	640	631	7	811	809	0
85+	510	505	5	1,010	1,002	0
Total	29,907	29,218	474	31,398	30,710	397

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Mercer		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	361	350	9	347	336	10
1-4	1,610	1,546	50	1,563	1,519	33
5-9	2,116	2,048	50	2,278	2,207	44
10-14	2,525	2,449	52	2,536	2,433	32
15-19	2,484	2,428	38	2,262	2,194	40
20-24	2,046	1,980	36	1,774	1,715	41
25-29	2,084	1,987	67	1,843	1,810	19
30-34	2,066	2,024	33	1,935	1,892	29
35-39	2,215	2,152	39	2,325	2,292	14
40-44	2,302	2,242	40	2,211	2,189	12
45-49	2,360	2,327	22	2,413	2,384	11
50-54	2,593	2,543	30	2,805	2,765	15
55-59	3,054	3,012	14	3,008	2,958	33
60-64	2,858	2,823	11	2,731	2,710	5
65-69	2,601	2,585	2	2,561	2,540	8
70-74	1,956	1,940	8	2,089	2,084	0
75-79	1,544	1,531	6	1,669	1,664	5
80-84	862	856	3	1,114	1,113	1
85+	969	962	7	1,446	1,433	8
Total	38,606	37,785	517	38,910	38,238	360
Monroe		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	973	955	8	845	826	10
1-4	4,198	4,095	43	3,682	3,593	41
5-9	5,269	5,169	56	5,121	4,956	50
10-14	5,670	5,559	49	5,568	5,435	56
15-19	5,703	5,627	39	4,859	4,757	51
20-24	4,531	4,441	38	4,077	3,966	50
25-29	4,404	4,306	39	4,261	4,155	28
30-34	4,770	4,697	37	5,059	4,933	38
35-39	5,739	5,628	58	5,703	5,630	30
40-44	5,495	5,403	52	5,053	4,939	41
45-49	5,434	5,348	55	5,728	5,633	29
50-54	5,951	5,870	32	6,539	6,477	15
55-59	6,989	6,909	30	6,948	6,869	24
60-64	6,539	6,468	28	6,563	6,487	15
65-69	4,912	4,867	18	4,992	4,917	13
70-74	3,436	3,412	4	3,542	3,510	11
75-79	2,319	2,298	8	2,705	2,690	6
80-84	1,572	1,546	14	2,435	2,416	3
85+	1,622	1,607	2	3,015	3,002	7
Total	85,526	84,205	610	86,695	85,191	518
Montgomery		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	761	747	11	729	707	13
1-4	2,928	2,862	54	3,024	2,949	49
5-9	4,044	3,951	75	3,931	3,841	69
10-14	4,340	4,247	74	4,023	3,923	81
15-19	4,160	3,932	185	3,614	3,519	62
20-24	4,964	4,154	763	3,201	3,119	53
25-29	5,525	4,615	880	3,530	3,437	43
30-34	5,065	4,323	706	3,608	3,525	38
35-39	5,269	4,553	650	3,990	3,945	13
40-44	4,706	4,138	533	3,534	3,468	37
45-49	5,001	4,501	452	3,787	3,723	23
50-54	5,011	4,701	276	4,618	4,552	21
55-59	5,313	5,119	168	5,305	5,258	12
60-64	5,168	5,085	59	5,105	5,036	29
65-69	4,379	4,297	36	4,326	4,263	14
70-74	3,054	3,011	19	3,281	3,235	13
75-79	2,252	2,240	5	2,883	2,847	8
80-84	1,572	1,552	7	2,169	2,150	7
85+	1,549	1,532	9	3,270	3,230	16
Total	75,061	69,560	4,962	67,928	66,727	601

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Morgan		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	870	758	103	855	730	118
1-4	3,568	3,096	420	3,344	2,828	486
5-9	4,423	3,892	456	4,228	3,823	375
10-14	4,854	4,309	478	4,318	3,887	386
15-19	5,915	5,082	688	5,251	4,659	465
20-24	6,254	5,082	1,020	5,759	5,243	428
25-29	5,812	4,756	931	4,853	4,356	407
30-34	6,005	4,711	1,196	4,741	4,437	248
35-39	5,992	4,731	1,157	4,678	4,341	245
40-44	5,245	4,359	809	4,497	4,266	167
45-49	5,107	4,432	584	4,765	4,523	154
50-54	5,581	5,030	489	5,337	5,129	162
55-59	6,240	5,812	354	6,290	6,055	190
60-64	5,649	5,345	241	5,929	5,730	147
65-69	4,920	4,768	111	5,309	5,193	81
70-74	3,793	3,701	63	4,318	4,242	60
75-79	2,523	2,441	66	3,465	3,396	61
80-84	1,818	1,769	38	2,429	2,399	27
85+	1,590	1,572	11	3,535	3,505	12
Total	86,159	75,646	9,215	83,901	78,742	4,219
Moultrie		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	466	457	8	413	405	6
1-4	1,946	1,908	35	1,891	1,853	25
5-9	2,507	2,452	45	2,470	2,408	49
10-14	2,803	2,753	32	2,653	2,588	55
15-19	2,587	2,530	30	2,273	2,214	50
20-24	2,016	1,966	32	1,797	1,749	29
25-29	2,117	2,039	47	2,096	2,048	27
30-34	2,040	2,001	25	2,133	2,099	25
35-39	2,227	2,169	46	2,345	2,317	11
40-44	1,977	1,952	19	2,106	2,070	15
45-49	2,021	1,996	12	2,049	2,024	7
50-54	2,190	2,161	11	2,226	2,190	14
55-59	2,387	2,366	2	2,654	2,621	3
60-64	2,324	2,307	6	2,432	2,414	8
65-69	2,038	2,023	9	2,180	2,159	9
70-74	1,464	1,459	2	1,649	1,637	3
75-79	1,044	1,036	3	1,215	1,203	5
80-84	763	751	12	1,023	1,020	0
85+	712	706	6	1,553	1,551	0
Total	35,629	35,032	382	37,158	36,570	341
Ogle		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,326	1,260	47	1,288	1,231	36
1-4	5,795	5,525	205	5,500	5,185	228
5-9	7,834	7,499	237	7,570	7,138	319
10-14	8,601	8,228	222	8,478	8,100	265
15-19	8,363	7,995	213	8,200	7,884	228
20-24	7,158	6,799	248	6,765	6,474	195
25-29	7,508	7,158	242	7,054	6,801	120
30-34	7,095	6,857	171	7,172	6,967	123
35-39	7,607	7,303	176	7,424	7,207	100
40-44	7,234	6,941	199	7,253	7,022	78
45-49	8,150	7,875	128	8,096	7,913	86
50-54	8,887	8,712	107	8,784	8,629	69
55-59	9,940	9,752	96	10,032	9,862	93
60-64	8,704	8,573	75	8,732	8,605	37
65-69	7,235	7,104	72	7,350	7,252	28
70-74	5,759	5,684	26	6,268	6,207	11
75-79	4,036	3,997	9	4,733	4,650	16
80-84	2,638	2,622	6	3,271	3,255	4
85+	2,085	2,077	3	4,038	4,017	10
Total	125,955	121,961	2,482	128,008	124,399	2,046

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Peoria		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	6,358	3,923	2,057	6,127	3,781	1,936
1-4	25,751	15,919	8,258	24,501	14,728	7,861
5-9	31,074	19,449	9,552	28,705	17,922	8,854
10-14	29,785	19,067	9,096	28,534	18,522	8,270
15-19	29,197	20,012	7,994	29,002	19,853	7,970
20-24	27,916	19,215	7,221	28,878	19,776	8,028
25-29	31,456	22,366	7,169	32,020	21,890	8,592
30-34	29,396	21,956	5,070	30,533	21,614	6,749
35-39	28,881	21,296	4,693	28,613	20,751	5,772
40-44	25,585	19,654	4,070	26,798	20,237	4,939
45-49	25,733	20,279	3,913	27,606	21,124	4,967
50-54	26,620	21,643	3,873	27,630	21,717	4,692
55-59	27,486	22,894	3,767	30,323	24,688	4,792
60-64	26,673	22,319	3,629	30,294	25,155	4,484
65-69	23,267	19,918	2,811	26,550	22,315	3,586
70-74	17,679	15,478	1,765	20,813	18,033	2,378
75-79	11,789	10,499	1,040	14,629	12,894	1,431
80-84	7,525	6,665	630	10,649	9,540	936
85+	6,966	6,373	495	14,215	13,096	967
Total	439,137	328,925	87,103	466,420	347,636	97,204
Perry		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	475	457	18	496	466	27
1-4	2,035	1,929	99	2,143	2,023	103
5-9	2,697	2,494	179	2,646	2,482	128
10-14	3,198	2,916	252	2,999	2,788	168
15-19	3,682	2,979	640	2,509	2,381	109
20-24	4,987	3,066	1,828	2,232	2,105	105
25-29	4,975	3,619	1,258	2,647	2,544	94
30-34	4,370	3,100	1,198	2,499	2,395	77
35-39	4,130	3,089	968	2,729	2,652	55
40-44	3,897	3,058	781	2,863	2,782	61
45-49	3,859	3,145	671	2,897	2,811	42
50-54	3,595	3,148	400	3,060	2,956	68
55-59	3,769	3,442	267	3,442	3,313	95
60-64	3,501	3,288	183	3,380	3,289	74
65-69	2,995	2,911	62	3,164	3,076	59
70-74	2,260	2,198	47	2,778	2,714	48
75-79	1,659	1,639	12	1,902	1,841	40
80-84	1,071	1,049	18	1,299	1,266	23
85+	849	828	18	1,772	1,742	25
Total	58,004	48,355	8,899	47,457	45,626	1,401
Piatt		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	454	442	10	427	414	11
1-4	1,939	1,902	32	1,866	1,810	45
5-9	2,502	2,422	63	2,435	2,373	46
10-14	2,721	2,633	65	2,503	2,405	61
15-19	2,669	2,603	45	2,515	2,422	60
20-24	2,170	2,095	43	1,955	1,893	38
25-29	2,113	2,060	32	2,076	2,010	42
30-34	2,388	2,333	37	2,450	2,416	19
35-39	2,598	2,534	41	2,416	2,390	8
40-44	2,414	2,367	29	2,476	2,435	13
45-49	2,453	2,409	29	2,475	2,415	17
50-54	2,594	2,542	23	2,695	2,646	11
55-59	3,262	3,211	33	3,329	3,293	14
60-64	3,026	3,004	13	3,085	3,063	2
65-69	2,509	2,491	4	2,580	2,564	5
70-74	1,968	1,960	0	2,117	2,110	3
75-79	1,298	1,292	0	1,572	1,566	2
80-84	844	842	1	1,230	1,225	2
85+	796	787	5	1,139	1,131	3
Total	40,718	39,929	505	41,341	40,581	402

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Pike	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	485	479	6	501	492	9
1-4	1,977	1,945	29	1,863	1,847	15
5-9	2,413	2,369	30	2,261	2,230	23
10-14	2,559	2,513	26	2,408	2,390	15
15-19	2,412	2,318	68	2,165	2,113	39
20-24	2,256	2,078	147	1,873	1,823	36
25-29	2,292	2,105	165	2,173	2,152	20
30-34	2,297	2,095	174	2,186	2,166	20
35-39	2,349	2,230	106	2,146	2,131	6
40-44	2,130	1,966	143	2,028	1,999	16
45-49	2,453	2,346	89	2,230	2,211	3
50-54	2,484	2,411	52	2,413	2,383	1
55-59	2,560	2,513	32	2,900	2,870	8
60-64	2,862	2,839	13	2,729	2,704	11
65-69	2,468	2,446	16	2,437	2,420	3
70-74	1,791	1,778	7	1,934	1,903	9
75-79	1,390	1,371	6	1,739	1,731	4
80-84	947	937	2	1,252	1,247	4
85+	755	754	1	1,735	1,714	1
Total	38,880	37,493	1,112	38,973	38,526	243
Pope	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	57	52	5	63	58	5
1-4	255	245	10	185	172	12
5-9	325	285	38	291	268	15
10-14	421	382	30	366	343	22
15-19	827	472	345	486	316	167
20-24	773	498	265	464	376	82
25-29	413	371	33	423	402	10
30-34	387	363	13	450	433	8
35-39	547	531	14	503	493	9
40-44	541	532	4	545	532	5
45-49	616	588	22	648	635	2
50-54	815	782	25	693	680	7
55-59	1,001	968	21	1,009	978	12
60-64	950	918	18	1,059	1,038	4
65-69	966	951	6	891	876	4
70-74	735	729	5	686	669	6
75-79	528	516	7	520	513	3
80-84	382	373	4	332	332	0
85+	306	296	0	424	424	0
Total	10,845	9,852	865	10,038	9,538	373
Pulaski	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	133	86	46	168	112	56
1-4	569	381	171	694	434	257
5-9	724	451	250	727	474	241
10-14	889	565	309	894	542	333
15-19	829	531	291	811	465	339
20-24	683	430	227	629	386	216
25-29	815	495	312	743	505	220
30-34	680	482	191	754	516	234
35-39	707	488	206	710	514	186
40-44	725	509	213	790	519	254
45-49	689	480	208	776	488	279
50-54	808	577	219	771	515	247
55-59	1,026	736	276	1,072	672	390
60-64	1,057	701	345	1,165	755	392
65-69	953	688	263	1,104	778	314
70-74	678	488	190	775	519	253
75-79	470	299	168	591	380	207
80-84	381	275	104	394	288	106
85+	314	203	111	373	283	90
Total	13,130	8,865	4,100	13,941	9,145	4,614

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Putnam						
Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	107	103	4	113	111	2
1-4	593	571	21	575	526	38
5-9	841	810	24	699	666	18
10-14	880	851	18	777	771	4
15-19	874	842	27	797	751	20
20-24	800	760	33	629	593	19
25-29	771	747	19	664	627	16
30-34	718	702	11	741	712	21
35-39	860	837	5	809	795	7
40-44	740	725	7	723	704	11
45-49	830	813	8	791	767	3
50-54	949	946	2	1,027	1,016	3
55-59	1,185	1,176	2	1,186	1,174	6
60-64	1,253	1,239	10	1,077	1,066	5
65-69	1,171	1,164	7	1,053	1,048	0
70-74	828	824	4	903	894	0
75-79	575	572	3	610	600	0
80-84	384	384	0	404	403	1
85+	234	234	0	428	428	0
Total	14,593	14,300	205	14,006	13,652	174
Randolph						
Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	809	740	61	784	721	53
1-4	3,357	3,107	221	3,390	3,169	197
5-9	4,248	3,954	249	4,119	3,810	266
10-14	4,509	4,207	242	4,115	3,815	245
15-19	4,524	4,042	421	3,913	3,608	269
20-24	5,721	4,114	1,521	3,551	3,263	248
25-29	7,144	4,570	2,493	3,925	3,669	192
30-34	7,295	4,631	2,590	3,788	3,580	169
35-39	6,667	4,620	1,991	4,100	3,887	157
40-44	6,180	4,530	1,578	3,969	3,766	156
45-49	6,161	4,797	1,307	4,079	3,879	134
50-54	6,099	5,144	922	4,451	4,298	115
55-59	6,551	5,881	627	5,307	5,154	101
60-64	5,689	5,309	354	5,313	5,150	118
65-69	4,528	4,347	156	4,648	4,521	103
70-74	3,312	3,210	89	3,731	3,604	87
75-79	2,358	2,274	77	2,986	2,903	53
80-84	1,477	1,460	15	2,318	2,282	26
85+	1,522	1,488	33	3,225	3,184	32
Total	88,151	72,425	14,947	71,712	68,263	2,721
Richland						
Age	Males			Females		
	Total Population	White	Black	Total Population	White	Black
<1	451	441	7	439	426	8
1-4	2,004	1,957	26	2,012	1,942	49
5-9	2,618	2,515	65	2,346	2,269	44
10-14	2,595	2,493	69	2,359	2,251	56
15-19	2,370	2,263	66	2,103	2,033	50
20-24	1,964	1,894	34	1,842	1,785	34
25-29	2,435	2,333	28	2,292	2,178	41
30-34	2,311	2,220	41	2,345	2,210	47
35-39	2,316	2,231	42	2,276	2,210	30
40-44	2,251	2,189	42	2,141	2,098	14
45-49	2,248	2,197	26	2,243	2,191	4
50-54	2,432	2,400	13	2,520	2,487	4
55-59	2,825	2,789	21	2,938	2,904	14
60-64	2,778	2,724	39	2,836	2,793	13
65-69	2,271	2,238	19	2,384	2,355	6
70-74	1,593	1,571	8	1,860	1,826	8
75-79	1,392	1,374	4	1,616	1,584	4
80-84	960	952	1	1,305	1,301	2
85+	883	875	0	1,833	1,810	7
Total	38,697	37,656	551	39,690	38,653	435

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Rock Island		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	4,432	3,220	964	4,229	3,057	909
1-4	18,297	13,283	4,007	17,236	12,424	3,668
5-9	22,577	16,881	4,529	21,999	16,334	4,481
10-14	22,679	17,668	4,248	21,482	16,791	3,753
15-19	22,902	18,253	3,808	21,608	17,455	3,308
20-24	22,126	17,444	3,802	21,653	17,616	3,195
25-29	22,664	17,859	3,717	22,621	17,943	3,617
30-34	22,581	17,687	3,587	20,697	16,857	2,717
35-39	22,888	18,231	3,044	21,459	17,840	2,661
40-44	20,666	16,887	2,797	20,005	16,880	2,412
45-49	20,897	17,335	2,840	20,194	17,492	2,040
50-54	21,220	18,459	2,141	21,409	19,117	1,714
55-59	23,625	21,197	1,877	24,807	22,537	1,727
60-64	23,866	21,922	1,507	25,778	23,394	1,912
65-69	20,326	18,968	1,080	23,005	20,996	1,486
70-74	15,570	14,397	950	18,104	16,661	1,092
75-79	11,324	10,506	588	13,381	12,506	741
80-84	6,921	6,451	322	10,173	9,640	444
85+	6,395	6,110	241	12,209	11,621	460
Total	351,956	292,758	46,049	362,049	307,161	42,337
Saline		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	728	683	42	691	630	46
1-4	2,926	2,755	156	2,960	2,708	195
5-9	3,477	3,187	223	3,151	2,885	217
10-14	3,473	3,139	277	3,234	2,975	183
15-19	4,529	3,389	1,086	2,950	2,749	137
20-24	3,158	2,885	220	3,003	2,781	163
25-29	3,686	3,467	163	3,837	3,642	128
30-34	3,550	3,323	168	3,416	3,287	91
35-39	3,384	3,183	146	3,495	3,330	103
40-44	3,142	2,970	119	3,383	3,189	118
45-49	3,771	3,608	115	3,769	3,572	138
50-54	3,991	3,828	116	4,080	3,934	91
55-59	4,041	3,901	106	4,500	4,325	130
60-64	3,964	3,819	99	4,418	4,246	136
65-69	3,597	3,476	97	3,828	3,683	113
70-74	2,795	2,673	92	3,144	3,045	67
75-79	1,899	1,819	65	2,539	2,423	91
80-84	1,206	1,161	35	1,808	1,728	73
85+	1,110	1,105	4	2,043	1,956	62
Total	58,427	54,371	3,329	60,249	57,088	2,282
Sangamon		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	5,732	4,129	1,410	5,397	3,903	1,326
1-4	23,238	16,908	5,518	21,986	15,732	5,544
5-9	30,954	23,134	6,631	28,746	21,509	6,383
10-14	31,914	24,417	6,663	31,197	23,719	6,599
15-19	31,190	24,032	6,385	29,757	22,814	6,169
20-24	28,297	21,337	5,620	28,853	21,635	6,063
25-29	29,480	23,283	5,300	31,874	24,359	6,347
30-34	30,113	24,799	4,394	32,201	25,836	5,284
35-39	30,193	25,273	3,836	32,590	26,512	4,923
40-44	28,099	23,679	3,408	29,301	24,452	4,001
45-49	29,362	25,541	3,026	31,205	26,411	3,781
50-54	31,597	27,546	3,260	33,283	28,897	3,565
55-59	34,353	30,493	3,218	36,956	32,705	3,567
60-64	31,314	28,344	2,500	35,785	31,979	3,188
65-69	27,227	24,975	1,867	31,986	28,902	2,515
70-74	19,463	17,896	1,277	24,050	21,913	1,724
75-79	12,361	11,348	762	16,756	15,552	1,000
80-84	8,046	7,551	374	12,078	11,234	714
85+	7,242	6,928	273	15,638	14,689	727
Total	470,175	391,613	65,722	509,639	422,753	73,420

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Schuyler		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	150	136	13	143	130	12
1-4	601	567	34	533	501	24
5-9	848	805	40	890	856	22
10-14	921	902	17	1,027	968	54
15-19	908	887	15	953	924	26
20-24	867	844	18	730	719	9
25-29	1,047	951	91	814	793	13
30-34	1,053	855	187	856	789	53
35-39	1,247	1,089	141	877	854	13
40-44	1,309	1,168	141	863	843	14
45-49	1,393	1,226	167	1,061	1,014	36
50-54	1,429	1,276	145	1,102	1,058	27
55-59	1,356	1,217	129	1,229	1,213	9
60-64	1,306	1,268	37	1,218	1,200	9
65-69	1,192	1,170	21	1,183	1,168	5
70-74	985	966	11	901	901	0
75-79	643	636	6	716	714	2
80-84	425	420	5	579	576	3
85+	384	384	0	748	743	0
Total	18,064	16,767	1,218	16,423	15,964	331
Scott		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	101	97	1	118	114	1
1-4	540	530	8	474	464	5
5-9	761	743	15	687	666	18
10-14	823	788	23	832	824	8
15-19	795	771	15	688	671	12
20-24	653	634	13	644	622	9
25-29	622	608	8	678	570	11
30-34	561	545	14	700	688	6
35-39	687	673	13	744	730	4
40-44	788	782	6	744	731	6
45-49	772	753	13	808	803	1
50-54	857	847	6	895	885	2
55-59	1,094	1,091	0	1,027	1,021	2
60-64	989	981	4	875	875	0
65-69	718	716	1	791	782	7
70-74	467	466	1	600	593	7
75-79	439	439	0	533	533	0
80-84	362	357	5	355	352	3
85+	225	224	1	465	460	0
Total	12,254	12,045	147	12,658	12,384	102
Shelby		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	593	587	6	587	575	9
1-4	2,451	2,397	49	2,426	2,371	42
5-9	3,128	3,055	53	3,003	2,938	46
10-14	3,587	3,518	47	3,128	3,074	38
15-19	3,101	3,036	36	2,947	2,902	35
20-24	2,672	2,612	31	2,739	2,708	24
25-29	3,076	2,996	38	2,873	2,832	21
30-34	2,876	2,810	30	2,870	2,818	17
35-39	3,098	3,062	12	2,955	2,927	9
40-44	3,014	2,945	32	2,799	2,774	8
45-49	3,222	3,168	33	3,162	3,134	13
50-54	3,564	3,515	30	3,590	3,545	5
55-59	3,994	3,965	11	4,142	4,108	6
60-64	3,950	3,936	8	4,107	4,068	14
65-69	3,624	3,596	7	3,800	3,755	11
70-74	2,874	2,856	8	3,104	3,084	3
75-79	2,208	2,193	0	2,264	2,250	1
80-84	1,273	1,260	3	1,602	1,582	9
85+	1,378	1,362	2	2,335	2,324	1
Total	53,683	52,869	436	54,433	53,769	312

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

St Clair		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	8,066	4,583	3,260	7,602	4,291	3,094	
1-4	34,243	20,033	13,379	32,449	18,440	13,020	
5-9	43,789	26,205	16,359	40,934	24,288	15,489	
10-14	44,592	26,641	16,777	42,797	25,583	16,117	
15-19	41,925	25,174	15,676	39,453	22,945	15,553	
20-24	40,089	23,904	15,235	38,566	21,865	15,502	
25-29	42,943	26,879	14,807	44,027	25,903	16,777	
30-34	40,389	27,610	11,661	43,798	27,743	14,811	
35-39	41,993	30,096	10,843	44,818	29,218	14,291	
40-44	37,670	26,601	10,111	41,470	26,382	13,842	
45-49	37,868	26,307	10,603	42,398	26,666	14,378	
50-54	41,333	29,695	10,896	45,115	29,905	14,095	
55-59	45,324	33,498	11,100	48,954	34,052	13,789	
60-64	41,068	30,569	9,827	46,026	32,245	12,634	
65-69	32,424	24,546	7,383	37,124	25,841	10,271	
70-74	22,898	17,565	5,033	27,277	19,384	7,210	
75-79	14,756	11,374	3,129	19,508	14,347	4,699	
80-84	9,451	7,401	1,918	15,086	11,456	3,350	
85+	8,961	7,283	1,569	18,745	14,834	3,691	
Total	629,782	425,964	189,566	676,147	435,388	222,613	
Stark	Males			Females			
Age	Total Population	White	Black	Total Population	White	Black	
<1	152	145	7	137	131	6	
1-4	602	569	27	644	594	49	
5-9	752	719	23	854	798	36	
10-14	876	849	22	791	757	21	
15-19	804	778	18	855	827	16	
20-24	752	719	19	697	676	12	
25-29	734	712	13	702	675	16	
30-34	650	629	11	610	594	9	
35-39	739	715	18	696	686	5	
40-44	825	818	0	727	708	6	
45-49	734	729	3	823	806	11	
50-54	905	894	5	875	858	6	
55-59	1,036	1,026	6	903	899	0	
60-64	1,070	1,051	0	1,091	1,073	6	
65-69	834	827	2	911	879	4	
70-74	739	727	7	711	700	2	
75-79	553	545	5	598	597	0	
80-84	375	368	5	416	413	3	
85+	221	221	0	569	566	2	
Total	13,353	13,041	191	13,610	13,237	210	
Stephenson	Males			Females			
Age	Total Population	White	Black	Total Population	White	Black	
<1	1,227	887	320	1,158	860	280	
1-4	5,118	3,718	1,316	4,964	3,675	1,213	
5-9	6,584	5,096	1,386	6,474	5,020	1,350	
10-14	6,939	5,516	1,329	6,897	5,332	1,459	
15-19	6,869	5,625	1,140	6,285	4,931	1,236	
20-24	6,124	5,020	1,019	5,840	4,699	1,069	
25-29	6,046	4,925	1,008	5,998	4,870	1,043	
30-34	5,463	4,675	709	5,877	4,893	920	
35-39	5,769	4,980	720	6,092	5,249	729	
40-44	5,376	4,674	637	5,721	5,014	606	
45-49	6,643	5,817	744	6,528	5,865	574	
50-54	7,255	6,456	720	7,526	6,739	700	
55-59	8,400	7,671	671	8,771	7,922	758	
60-64	8,307	7,637	616	8,688	7,963	630	
65-69	7,292	6,819	412	7,716	7,253	375	
70-74	5,484	5,177	260	6,293	5,913	317	
75-79	3,966	3,775	175	4,825	4,532	259	
80-84	2,908	2,783	105	3,886	3,691	177	
85+	2,743	2,671	43	5,362	5,163	168	
Total	108,513	93,922	13,330	114,901	99,584	13,863	

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program

Tazewell		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	3,660	3,489	125	3,436	3,260	115	
1-4	16,001	15,266	490	14,795	14,092	468	
5-9	21,035	20,024	565	20,674	19,822	521	
10-14	22,237	21,246	573	21,819	20,755	529	
15-19	20,433	19,611	503	19,227	18,385	449	
20-24	17,760	16,870	575	16,386	15,806	381	
25-29	19,780	18,491	860	19,136	18,244	367	
30-34	21,030	19,713	918	19,970	19,260	369	
35-39	22,528	21,531	729	21,595	20,823	304	
40-44	20,983	20,085	560	20,712	20,023	246	
45-49	20,792	20,046	452	21,032	20,404	202	
50-54	20,888	20,294	333	21,292	20,798	199	
55-59	22,570	22,102	292	23,737	23,404	102	
60-64	21,570	21,300	118	23,127	22,843	106	
65-69	18,455	18,274	72	20,373	20,148	61	
70-74	14,008	13,880	42	16,268	16,074	24	
75-79	9,553	9,451	29	12,150	12,001	29	
80-84	6,607	6,573	17	9,263	9,146	33	
85+	6,182	6,138	14	11,555	11,467	20	
Total	326,072	314,384	7,267	336,547	326,755	4,525	

Union		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	457	441	12	442	434	7	
1-4	1,849	1,799	35	1,842	1,782	39	
5-9	2,390	2,288	69	2,243	2,144	62	
10-14	2,667	2,539	69	2,601	2,496	57	
15-19	2,527	2,393	79	2,401	2,310	58	
20-24	2,102	2,017	53	1,920	1,846	47	
25-29	2,685	2,574	86	2,444	2,363	53	
30-34	2,460	2,343	79	2,255	2,208	20	
35-39	2,491	2,335	98	2,317	2,226	39	
40-44	2,434	2,325	50	2,409	2,285	64	
45-49	2,662	2,517	79	2,652	2,559	38	
50-54	2,766	2,713	30	2,794	2,734	38	
55-59	3,148	3,075	49	3,065	3,013	23	
60-64	3,035	2,950	54	3,116	3,053	24	
65-69	2,738	2,667	41	2,714	2,657	18	
70-74	2,034	1,993	16	2,440	2,413	7	
75-79	1,649	1,624	13	1,817	1,801	7	
80-84	1,185	1,169	9	1,240	1,230	8	
85+	780	777	3	1,375	1,353	2	
Total	42,059	40,539	924	42,087	40,907	611	

Vermilion		Males			Females		
Age	Total Population	White	Black	Total Population	White	Black	
<1	2,367	1,703	635	2,372	1,702	641	
1-4	9,987	7,177	2,658	9,745	7,106	2,537	
5-9	12,943	9,698	3,046	12,328	9,424	2,736	
10-14	13,182	10,228	2,747	12,313	9,383	2,749	
15-19	12,270	9,706	2,374	11,316	8,935	2,188	
20-24	11,422	8,639	2,654	10,319	7,903	2,262	
25-29	12,239	9,199	2,826	11,332	8,999	2,194	
30-34	11,542	9,003	2,382	10,650	8,704	1,765	
35-39	11,514	9,112	2,258	10,927	8,992	1,702	
40-44	11,294	9,227	1,912	10,347	8,790	1,300	
45-49	11,383	9,667	1,539	10,806	9,330	1,239	
50-54	11,547	10,034	1,335	12,204	10,692	1,314	
55-59	13,385	12,000	1,236	13,656	12,153	1,353	
60-64	12,821	11,563	1,148	13,619	12,052	1,356	
65-69	10,892	9,976	771	12,308	11,217	917	
70-74	8,553	7,991	445	9,627	8,776	694	
75-79	6,206	5,723	304	7,397	6,788	483	
80-84	3,832	3,617	156	5,298	4,900	313	
85+	3,528	3,342	168	6,048	5,765	234	
Total	190,907	157,605	30,594	192,612	161,611	27,977	

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Wabash		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	352	342	8	348	333	10
1-4	1,502	1,413	53	1,233	1,183	38
5-9	1,869	1,761	86	1,655	1,609	36
10-14	1,828	1,766	41	1,719	1,638	40
15-19	1,671	1,620	28	1,512	1,456	39
20-24	1,534	1,375	44	1,397	1,351	26
25-29	1,919	1,789	48	1,649	1,577	32
30-34	1,534	1,471	39	1,639	1,570	19
35-39	1,797	1,747	17	1,566	1,524	7
40-44	1,639	1,578	16	1,463	1,438	7
45-49	1,468	1,426	13	1,684	1,645	16
50-54	1,699	1,652	37	1,680	1,639	14
55-59	2,138	2,105	16	2,163	2,110	21
60-64	2,113	2,087	11	2,308	2,274	11
65-69	1,863	1,834	22	1,812	1,791	10
70-74	1,315	1,294	12	1,467	1,460	4
75-79	941	921	10	1,029	1,024	0
80-84	625	622	0	876	866	1
85+	643	638	2	1,301	1,287	2
Total	28,450	27,441	503	28,501	27,775	333
Warren		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	512	448	40	528	457	50
1-4	2,102	1,793	186	1,964	1,711	167
5-9	2,688	2,375	168	2,340	2,092	140
10-14	2,504	2,320	120	2,643	2,430	145
15-19	3,390	3,139	176	3,477	3,236	170
20-24	3,368	3,088	167	3,306	3,081	169
25-29	2,196	1,928	131	2,096	1,885	93
30-34	2,304	1,935	157	2,270	2,013	54
35-39	2,446	2,189	131	2,301	2,147	74
40-44	2,352	2,123	120	2,267	2,108	63
45-49	2,316	2,196	64	2,340	2,228	57
50-54	2,458	2,311	97	2,421	2,340	50
55-59	2,777	2,642	88	2,995	2,897	59
60-64	2,897	2,743	40	2,926	2,850	33
65-69	2,629	2,563	44	2,664	2,597	27
70-74	1,894	1,848	33	2,044	2,016	17
75-79	1,424	1,398	13	1,684	1,665	11
80-84	981	969	2	1,257	1,223	29
85+	653	631	17	1,493	1,466	15
Total	41,891	38,639	1,794	43,016	40,442	1,423
Washington		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	389	376	10	375	366	8
1-4	1,595	1,530	41	1,582	1,532	46
5-9	1,905	1,818	67	1,935	1,888	35
10-14	2,218	2,134	58	2,149	2,069	62
15-19	2,045	1,939	91	1,979	1,867	80
20-24	1,681	1,598	58	1,694	1,632	35
25-29	2,065	2,006	40	1,948	1,919	20
30-34	2,011	1,964	37	1,977	1,950	16
35-39	2,099	2,052	31	2,065	2,016	33
40-44	2,090	2,059	19	1,966	1,937	16
45-49	2,141	2,094	33	2,092	2,050	13
50-54	2,374	2,327	34	2,340	2,309	12
55-59	2,829	2,802	7	2,826	2,815	7
60-64	2,780	2,747	17	2,502	2,473	12
65-69	2,311	2,289	11	2,014	1,999	4
70-74	1,589	1,574	3	1,698	1,675	14
75-79	1,145	1,139	4	1,466	1,451	1
80-84	826	820	2	991	983	0
85+	826	819	2	1,318	1,315	0
Total	34,919	34,087	565	34,917	34,246	414

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Wayne		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	481	472	6	525	509	11
1-4	1,977	1,949	19	2,098	2,044	38
5-9	2,568	2,514	32	2,552	2,472	62
10-14	2,682	2,589	64	2,469	2,390	58
15-19	2,392	2,313	52	2,351	2,256	45
20-24	2,037	1,968	22	1,942	1,904	18
25-29	2,421	2,370	32	2,217	2,156	43
30-34	2,322	2,298	21	2,119	2,062	24
35-39	2,294	2,281	6	2,498	2,385	16
40-44	2,218	2,177	20	2,260	2,216	6
45-49	2,380	2,325	15	2,379	2,323	20
50-54	2,582	2,530	23	2,601	2,579	7
55-59	2,959	2,900	29	2,921	2,898	9
60-64	2,905	2,865	21	2,840	2,824	13
65-69	2,453	2,424	21	2,655	2,639	3
70-74	2,021	2,001	2	2,249	2,237	1
75-79	1,610	1,588	7	1,865	1,861	0
80-84	1,137	1,130	4	1,337	1,328	1
85+	807	802	2	1,422	1,402	1
Total	40,246	39,496	398	41,300	40,485	376
White		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	371	358	10	321	315	5
1-4	1,705	1,652	46	1,476	1,420	20
5-9	2,161	2,106	27	2,234	2,157	25
10-14	2,192	2,145	36	2,135	2,094	27
15-19	1,897	1,852	26	1,787	1,756	17
20-24	1,684	1,603	52	1,530	1,488	30
25-29	1,822	1,755	44	1,854	1,816	21
30-34	2,054	1,974	56	1,935	1,905	10
35-39	2,106	2,056	32	2,075	2,055	9
40-44	1,805	1,781	11	1,900	1,867	26
45-49	1,918	1,843	48	1,907	1,855	16
50-54	2,265	2,211	25	2,203	2,179	7
55-59	2,639	2,593	29	2,685	2,637	20
60-64	2,456	2,422	17	2,604	2,576	9
65-69	2,027	1,995	19	2,199	2,172	10
70-74	1,647	1,625	4	1,855	1,843	4
75-79	1,254	1,241	7	1,487	1,472	2
80-84	892	880	3	1,228	1,220	6
85+	798	791	0	1,451	1,435	1
Total	33,693	32,883	492	34,866	34,262	265
Whiteside		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,519	1,393	105	1,499	1,393	95
1-4	6,489	6,002	406	6,263	5,830	351
5-9	8,743	8,247	418	8,031	7,498	416
10-14	9,058	8,554	357	8,679	8,172	369
15-19	8,953	8,462	351	8,188	7,691	355
20-24	7,746	7,293	343	7,430	7,032	300
25-29	8,160	7,740	324	7,689	7,384	208
30-34	7,439	7,040	290	7,572	7,218	232
35-39	7,757	7,364	287	7,487	7,200	167
40-44	7,667	7,330	241	7,540	7,286	148
45-49	8,767	8,483	155	8,594	8,344	135
50-54	8,940	8,652	167	9,039	8,853	111
55-59	10,036	9,820	139	10,442	10,185	160
60-64	10,169	9,950	105	10,392	10,176	102
65-69	8,774	8,570	99	9,147	8,952	77
70-74	6,458	6,355	56	7,331	7,223	42
75-79	4,740	4,687	33	5,528	5,432	38
80-84	3,222	3,162	43	4,062	4,009	26
85+	2,910	2,884	8	5,457	5,409	12
Total	137,547	131,988	3,927	140,370	135,287	3,344

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Will	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	18,611	14,605	2,790	18,308	14,221	2,828
1-4	83,151	65,474	11,912	80,671	63,278	11,464
5-9	117,104	91,683	15,844	112,233	87,906	15,094
10-14	133,510	105,301	17,752	128,684	100,699	17,457
15-19	134,746	105,155	20,364	124,898	98,235	17,659
20-24	114,917	89,459	19,014	107,842	84,590	16,778
25-29	104,552	81,257	17,328	99,368	76,843	15,895
30-34	102,155	82,085	13,775	101,015	79,546	13,381
35-39	113,217	91,101	13,770	116,672	91,032	14,841
40-44	117,165	92,945	13,712	120,518	93,850	15,302
45-49	128,512	102,645	15,024	131,332	102,954	17,183
50-54	127,046	105,142	13,682	127,545	103,950	15,369
55-59	118,111	98,900	13,059	119,611	98,899	14,368
60-64	96,910	81,827	9,823	99,648	82,400	11,679
65-69	74,086	62,820	7,375	82,081	68,324	9,208
70-74	55,373	47,506	5,007	63,413	53,807	6,275
75-79	35,019	30,537	2,653	43,480	37,488	3,661
80-84	20,207	17,519	1,400	28,800	25,100	2,305
85+	16,357	14,693	822	31,654	28,511	2,040
Total	1,710,749	1,380,654	215,106	1,737,773	1,391,633	222,787
Williamson	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,902	1,710	169	1,787	1,614	150
1-4	8,337	7,475	703	7,622	6,677	708
5-9	10,618	9,511	848	9,733	8,731	748
10-14	10,629	9,586	861	9,984	9,049	719
15-19	9,509	8,622	743	8,989	8,226	589
20-24	8,865	7,801	883	8,079	7,402	550
25-29	11,169	9,800	1,115	10,637	9,770	654
30-34	11,336	9,887	1,211	10,495	9,749	464
35-39	11,524	10,195	1,021	10,890	10,081	498
40-44	10,836	9,763	876	10,037	9,283	387
45-49	10,870	9,935	731	10,494	9,832	403
50-54	10,660	10,024	466	10,508	10,018	305
55-59	11,418	10,883	373	11,967	11,461	316
60-64	10,767	10,396	265	11,442	10,947	347
65-69	9,327	9,065	170	10,258	9,913	227
70-74	7,742	7,478	169	8,999	8,724	161
75-79	5,295	5,131	95	6,735	6,587	79
80-84	3,262	3,188	38	4,640	4,528	72
85+	2,615	2,515	68	4,668	4,588	52
Total	166,681	152,965	10,805	167,964	157,180	7,429
Winnebago	Males			Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	8,937	6,294	2,246	8,596	6,127	2,085
1-4	36,773	26,021	9,087	35,015	25,078	8,410
5-9	46,566	34,107	10,367	44,279	32,790	9,705
10-14	48,201	35,604	10,417	45,771	34,139	9,475
15-19	46,494	35,141	9,364	44,011	33,325	8,654
20-24	42,385	32,567	8,010	43,134	32,793	8,565
25-29	45,737	35,355	8,561	46,542	34,805	9,795
30-34	42,409	33,643	6,796	43,814	33,912	7,827
35-39	41,460	33,777	5,758	43,818	34,668	7,065
40-44	39,772	33,025	5,012	41,356	33,162	6,274
45-49	44,222	37,115	5,346	45,013	37,039	5,897
50-54	45,444	38,982	4,895	46,982	39,683	5,610
55-59	49,074	42,872	4,889	51,006	43,777	5,666
60-64	45,104	39,889	3,943	48,305	42,011	4,896
65-69	38,053	33,883	3,188	42,214	37,181	3,995
70-74	29,049	26,267	2,127	33,484	29,992	2,702
75-79	19,459	17,666	1,141	24,205	21,574	1,959
80-84	12,307	11,288	744	16,917	15,377	1,218
85+	11,092	10,360	529	21,177	19,890	997
Total	692,538	563,856	102,420	725,639	587,323	110,795

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Woodford		Males		Females		
Age	Total Population	White	Black	Total Population	White	Black
<1	1,067	1,031	27	1,008	977	25
1-4	4,734	4,616	91	4,325	4,215	89
5-9	6,770	6,482	145	6,204	6,001	146
10-14	7,179	6,925	147	6,598	6,426	110
15-19	7,028	6,763	148	6,577	6,401	120
20-24	5,683	5,473	123	5,451	5,251	127
25-29	5,154	5,022	90	4,786	4,672	64
30-34	5,137	5,021	76	5,304	5,139	46
35-39	6,093	5,971	80	6,280	6,071	41
40-44	5,743	5,647	51	5,605	5,518	30
45-49	5,724	5,632	41	5,721	5,601	23
50-54	6,314	6,196	58	6,256	6,131	31
55-59	6,930	6,820	39	6,913	6,813	30
60-64	6,686	6,619	24	6,662	6,568	46
65-69	5,574	5,498	26	5,515	5,398	30
70-74	3,864	3,811	11	3,984	3,936	12
75-79	2,612	2,590	8	3,234	3,206	4
80-84	1,736	1,725	4	2,393	2,373	8
85+	1,953	1,950	3	3,718	3,703	10
Total	95,981	93,792	1,192	96,534	94,400	992

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Illinois		Males			Females	
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	375,792	86,670	289,122	360,255	84,088	276,167
1-4	1,556,549	361,309	1,195,240	1,489,306	350,180	1,139,126
5-9	1,996,455	490,488	1,505,967	1,911,331	475,440	1,435,891
10-14	2,081,350	532,583	1,548,767	2,001,553	512,684	1,488,869
15-19	2,118,001	503,331	1,614,670	2,025,316	485,251	1,540,065
20-24	2,151,309	459,921	1,691,388	2,084,098	446,639	1,637,459
25-29	2,272,726	448,005	1,824,721	2,213,386	415,509	1,797,877
30-34	2,192,029	437,007	1,755,022	2,148,957	392,848	1,756,109
35-39	2,123,909	438,723	1,685,186	2,119,133	400,500	1,718,633
40-44	1,967,656	417,104	1,550,552	1,976,936	385,681	1,591,255
45-49	2,010,623	372,746	1,637,877	2,049,149	346,385	1,702,764
50-54	2,034,140	304,186	1,729,954	2,091,408	279,766	1,811,642
55-59	2,106,858	243,447	1,863,411	2,209,831	229,574	1,980,257
60-64	1,903,605	185,928	1,717,677	2,055,763	181,604	1,874,159
65-69	1,536,976	128,257	1,408,719	1,727,768	131,667	1,596,101
70-74	1,126,010	82,039	1,043,971	1,333,427	93,230	1,240,197
75-79	751,136	49,078	702,058	970,768	61,195	909,573
80-84	483,319	31,258	452,061	695,646	41,795	653,851
85+	449,245	27,367	421,878	879,115	43,143	835,972
Total	31,237,688	5,599,447	25,638,241	32,343,146	5,357,179	26,985,967
Cook	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	161,811	49,254	112,557	155,241	47,746	107,495
1-4	642,923	203,748	439,175	616,821	197,134	419,687
5-9	792,471	277,228	515,243	763,539	267,728	495,811
10-14	796,461	300,235	496,226	770,883	287,877	483,006
15-19	780,994	279,702	501,292	769,202	273,418	495,784
20-24	827,806	262,324	565,482	844,626	260,018	584,608
25-29	1,076,176	274,506	801,670	1,087,332	260,741	826,591
30-34	1,033,641	267,723	765,918	1,027,141	245,460	781,681
35-39	919,633	262,680	656,953	930,856	242,738	688,118
40-44	817,026	249,452	567,574	830,778	231,164	599,614
45-49	800,551	224,653	575,898	831,295	208,867	622,428
50-54	786,863	185,838	601,025	820,287	173,443	646,844
55-59	795,169	152,503	642,666	856,384	147,543	708,841
60-64	717,108	121,136	595,972	806,250	120,706	685,544
65-69	568,184	85,404	482,780	673,906	89,095	584,811
70-74	411,206	55,141	356,065	515,939	63,996	451,943
75-79	270,419	32,903	237,516	377,894	42,321	335,573
80-84	177,938	21,174	156,764	273,853	28,847	245,006
85+	172,244	18,294	153,950	346,734	29,419	317,315
Total	12,548,624	3,323,898	9,224,726	13,298,961	3,218,261	10,080,700
DuPage	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	26,531	5,460	21,071	25,284	5,319	19,965
1-4	112,750	22,339	90,411	107,905	21,775	86,130
5-9	146,551	31,210	115,341	139,862	30,616	109,246
10-14	154,836	34,152	120,684	147,611	32,856	114,755
15-19	154,940	31,118	123,822	148,046	30,118	117,928
20-24	144,264	27,116	117,148	140,164	26,242	113,922
25-29	146,742	25,338	121,404	140,161	22,933	117,228
30-34	151,334	25,985	125,349	147,237	22,964	124,273
35-39	156,543	27,027	129,516	154,776	24,727	130,049
40-44	144,456	25,711	118,745	145,640	24,315	121,325
45-49	149,711	22,686	127,025	155,710	22,327	133,383
50-54	156,156	19,063	137,093	165,861	17,579	148,282
55-59	163,684	14,567	149,117	175,526	14,166	161,360
60-64	148,108	10,227	137,881	159,108	10,340	148,768
65-69	117,371	6,762	110,609	128,073	6,985	121,088
70-74	84,416	4,015	80,401	97,413	4,914	92,499
75-79	53,754	2,400	51,354	67,253	3,078	64,175
80-84	32,951	1,588	31,363	46,457	2,080	44,377
85+	30,677	1,236	29,441	62,165	2,349	59,816
Total	2,275,775	338,000	1,937,775	2,354,252	325,683	2,028,569

Total five-year population, 2016-2020, used to calculate rates. SOURCE: U.S. Census Bureau's Population Estimates Program						
Kane	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	16,414	7,340	9,074	15,454	6,955	8,499
1-4	69,590	30,105	39,485	65,921	28,454	37,467
5-9	92,942	39,955	52,987	89,841	39,561	50,280
10-14	103,074	45,284	57,790	98,165	43,712	54,453
15-19	101,057	41,881	59,176	95,531	40,613	54,918
20-24	85,674	35,711	49,963	82,996	35,030	47,966
25-29	80,897	32,167	48,730	76,947	30,295	46,652
30-34	81,925	30,864	51,061	79,273	27,785	51,488
35-39	90,027	33,580	56,447	87,404	30,182	57,222
40-44	88,454	33,393	55,061	88,231	31,152	57,079
45-49	93,541	29,563	63,978	94,000	28,246	65,754
50-54	91,899	23,848	68,051	91,480	20,826	70,654
55-59	89,675	18,292	71,383	90,308	16,206	74,102
60-64	75,195	12,681	62,514	78,440	12,250	66,190
65-69	59,857	8,588	51,269	66,282	8,643	57,639
70-74	43,455	5,622	37,833	50,648	5,758	44,890
75-79	28,185	3,318	24,867	34,879	3,750	31,129
80-84	17,173	1,836	15,337	22,754	2,310	20,444
85+	14,428	1,584	12,844	26,766	2,165	24,601
Total	1,323,462	435,612	887,850	1,335,320	413,893	921,427
Lake	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	18,548	6,350	12,198	17,948	6,213	11,735
1-4	83,459	27,148	56,311	80,392	26,596	53,796
5-9	117,109	37,469	79,640	112,007	36,391	75,616
10-14	129,631	40,454	89,177	124,957	39,310	85,647
15-19	143,481	40,552	102,929	126,646	37,207	89,439
20-24	136,088	35,943	100,145	114,398	32,456	81,942
25-29	104,835	29,209	75,626	92,919	26,612	66,307
30-34	97,642	27,093	70,549	95,682	24,669	71,013
35-39	107,296	28,616	78,680	108,747	26,908	81,839
40-44	109,746	28,758	80,988	111,849	27,283	84,566
45-49	118,491	26,205	92,286	121,804	24,901	96,903
50-54	123,235	21,514	101,721	127,596	19,936	107,660
55-59	125,416	16,704	108,712	129,796	15,140	114,656
60-64	107,370	11,327	96,043	112,315	10,598	101,717
65-69	82,402	7,143	75,259	88,922	7,183	81,739
70-74	59,646	4,375	55,271	66,476	4,936	61,540
75-79	37,550	2,456	35,094	45,849	2,997	42,852
80-84	23,364	1,646	21,718	31,629	1,998	29,631
85+	22,680	1,248	21,432	40,487	1,946	38,541
Total	1,747,989	394,210	1,353,779	1,750,419	373,280	1,377,139
Will	Males			Females		
Age	Total Population	Hispanic	Non-Hispanic	Total Population	Hispanic	Non-Hispanic
<1	18,611	4,798	13,813	18,308	4,850	13,458
1-4	83,151	20,484	62,667	80,671	20,608	60,063
5-9	117,104	28,123	88,981	112,233	27,914	84,319
10-14	133,510	32,540	100,970	128,684	31,544	97,140
15-19	134,746	31,619	103,127	124,898	29,255	95,643
20-24	114,917	26,760	88,157	107,842	25,146	82,696
25-29	104,552	22,935	81,617	99,368	21,782	77,586
30-34	102,155	22,369	79,786	101,015	20,866	80,149
35-39	113,217	23,994	89,223	116,672	22,457	94,215
40-44	117,165	24,012	93,153	120,518	23,023	97,495
45-49	128,512	21,915	106,597	131,332	20,532	110,800
50-54	127,046	17,420	109,626	127,545	15,693	111,852
55-59	118,111	12,550	105,561	119,611	11,295	108,316
60-64	96,910	8,808	88,102	99,648	7,926	91,722
65-69	74,086	5,600	68,486	82,081	5,587	76,494
70-74	55,373	3,721	51,652	63,413	3,963	59,450
75-79	35,019	2,265	32,754	43,480	2,601	40,879
80-84	20,207	1,312	18,895	28,800	1,869	26,931
85+	16,357	1,114	15,243	31,654	1,801	29,853
Total	1,710,749	312,339	1,398,410	1,737,773	298,712	1,439,061

APPENDIX B

ISCR County Cancer Site Groups

ISCR cancer site groups used in county tables	SEER site recodes
1 oral cavity and pharynx	20010-20100
2 esophagus	21010
3 stomach	21020
4 colorectal	21041-21052
5 liver	21071
6 pancreas	21100
7 lung and bronchus	22030
8 bone	23000
9 melanoma of skin	25010
10 breast-invasive	26000 (behavior 3 only)
11 cervix	27010
12 uterus	27020-27030
13 ovary	27040
14 prostate	28010
15 testis	28020
16 urinary bladder	29010
17 kidney and renal pelvis	29020
18 brain and CNS	31010-31040
19 Hodgkin lymphoma	33011-33012
20 non-Hodgkin lymphoma	33041-33042
21 myeloma	34000
22 leukemia	35011-35043
23 all other sites	21030, 21060, 21072, 21080, 21090, 21110, 21120, 21130, 22010, 22020, 22050, 22060, 24000, 25020, 27050, 27060, 27070 28030, 28040, 29030, 29040, 30000, 32010, 32020, 36010, 36020, 37000
24 breast <i>in situ</i>	26000 (behavior 2 only)

APPENDIX C

Formulas for Rates

Age-Adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. The standard populations used for this report is the U.S. populations 2000. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^y \left[\left(\frac{count_i}{pop_i} \right) \times 100,000 \times \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right) \right]$$

where $count_i$ is the number of cases for the ith age group, pop_i is the relevant population for the same age group, and $stdmil_i$ is the standard population for the same age group.

Standard Error for an Age-Adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{Arate} = \left[\sum_{i=x}^y \left(\frac{stdmil_i}{\sum_{j=x}^y stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100,000$$

Age-Adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^y stdmil_j \right)}$$

$$\nu = \sum_{i=x}^y (w_i^2 \times count_i)$$

The endpoints of a $p \times 100\%$ confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(\frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

$$CI_{high} = \left(\frac{v}{2 \times rate} \right) \times \left(ChiInv \left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v} \right) \right) \times 100,000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studied is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

References:

Johnson NL, Kotz S. *Distributions in Statistics: Discrete Distributions*. Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.