

**Reportable Sexually Transmitted Diseases by Morbidity Responsibility Area**  
**Provisional Cases Reported 1/1/20 - 12/31/20 Compared to Cases Reported 1/1/19 - 12/31/19**

County	Chlamydia			Gonorrhea			Primary & Secondary Syphilis			Early Syphilis		
	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change
Adams	282	210	-26	142	157	11	1	2	100	2	2	0
Alexander	46	35	-24	42	26	-38	2	0	-100	2	0	-100
Bond	55	43	-22	13	10	-23	1	0	-100	1	0	-100
Boone	199	167	-16	42	33	-21	1	1	0	2	3	50
Brown	3	8	167	0	2	NA	1	0	-100	3	0	-100
Bureau	121	91	-25	11	21	91	0	0	NA	1	0	-100
Calhoun	4	5	25	2	0	-100	0	0	NA	0	0	NA
Carroll	35	37	6	16	2	-88	0	0	NA	0	0	NA
Cass	41	67	63	4	14	250	0	0	NA	2	0	-100
Champaign	1,907	1,307	-31	601	616	2	18	13	-28	36	17	-53
Christian	91	59	-35	21	5	-76	0	0	NA	3	0	-100
Clark	44	26	-41	7	4	-43	0	0	NA	0	0	NA
Clay	28	37	32	3	7	133	0	0	NA	0	0	NA
Clinton	96	90	-6	30	20	-33	1	0	-100	1	0	-100
Coles	357	380	6	96	144	50	0	1	NA	0	1	NA
<b>Cook County Total</b>	<b>45,414</b>	<b>24,052</b>	<b>-47</b>	<b>18,181</b>	<b>8,772</b>	<b>-52</b>	<b>1,008</b>	<b>780</b>	<b>-23</b>	<b>2,033</b>	<b>1,512</b>	<b>-26</b>
Chicago Department of Public Health	32,150	15,919	-50	14,315	5,981	-58	814	717	-12	1,624	1,393	-14
Cook County Department of Public Health	12,335	7,640	-38	3,574	2,648	-26	172	57	-67	366	106	-71
Evanston Health Department	417	171	-59	116	50	-57	7	2	-71	14	6	-57
Oak Park Department of Public Health	222	140	-37	97	43	-56	8	3	-63	16	4	-75
Skokie Health Department	164	103	-37	57	31	-46	3	1	-67	6	2	-67
Stickney Health Department	126	79	-37	22	19	-14	4	0	-100	7	1	-86
Crawford	36	26	-28	4	10	150	0	1	NA	0	1	NA
Cumberland	31	21	-32	9	6	-33	0	0	NA	0	0	NA
DeKalb	640	508	-21	133	170	28	1	0	-100	6	0	-100
DeWitt	48	38	-21	20	13	-35	0	1	NA	0	1	NA
Douglas	60	67	12	11	17	55	0	0	NA	0	0	NA
DuPage	2,699	1,612	-40	558	408	-27	40	12	-70	88	31	-65
Edgar	54	61	13	11	36	227	0	0	NA	0	0	NA
Edwards	21	24	14	10	3	-70	1	0	-100	1	0	-100
Effingham	70	66	-6	7	22	214	1	0	-100	3	0	-100
Fayette	52	37	-29	14	17	21	0	0	NA	0	0	NA
Ford	30	28	-7	10	6	-40	0	0	NA	0	0	NA
Franklin	150	88	-41	46	54	17	0	0	NA	2	0	-100
Fulton	85	80	-6	13	21	62	1	1	0	1	1	0
Gallatin	14	13	-7	4	8	100	0	0	NA	1	0	-100
Greene	25	11	-56	9	2	-78	0	0	NA	1	0	-100
Grundy	137	81	-41	28	23	-18	1	1	0	1	1	0
Hamilton	18	11	-39	8	2	-75	0	0	NA	0	0	NA
Hancock	45	41	-9	13	7	-46	0	0	NA	0	0	NA
Hardin	5	5	0	1	0	-100	0	0	NA	0	0	NA
Henderson	6	16	167	0	4	NA	0	0	NA	0	0	NA

Early Sphilis is defined as the stages of Primary, Secondary, and Early, Non-Primary Non-Secondary  
 2020 data are provisional  
 January 2021

Source: IDPH STD Section

**Reportable Sexually Transmitted Diseases by Morbidity Responsibility Area**  
**Provisional Cases Reported 1/1/20 - 12/31/20 Compared to Cases Reported 1/1/19 - 12/31/19**

County	Chlamydia			Gonorrhea			Primary & Secondary Syphilis			Early Syphilis		
	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change
Henry	128	65	-49	36	8	-78	2	1	-50	3	1	-67
Iroquois	69	56	-19	23	27	17	0	1	NA	0	2	NA
Jackson	597	370	-38	218	217	0	4	0	-100	10	1	-90
Jasper	16	20	25	2	2	0	0	0	NA	0	0	NA
Jefferson	216	99	-54	109	69	-37	1	0	-100	2	0	-100
Jersey	55	30	-45	17	12	-29	1	0	-100	2	0	-100
Jo Daviess	40	28	-30	4	2	-50	0	0	NA	0	0	NA
Johnson	28	21	-25	13	10	-23	0	0	NA	0	0	NA
Kane	2,309	1,561	-32	397	320	-19	23	7	-70	61	16	-74
Kankakee	701	554	-21	272	268	-1	4	1	-75	10	1	-90
Kendall	445	304	-32	63	61	-3	4	0	-100	10	0	-100
Knox	236	232	-2	90	123	37	6	4	-33	7	7	0
LaSalle	357	291	-18	77	87	13	1	1	0	3	1	-67
<b>Lake County Total</b>	<b>2,991</b>	<b>2,264</b>	<b>-24</b>	<b>540</b>	<b>456</b>	<b>-16</b>	<b>32</b>	<b>17</b>	<b>-47</b>	<b>64</b>	<b>27</b>	<b>-58</b>
Lake County Health Department	2,839	2,084	-27	524	440	-16	31	16	-48	61	26	-57
Great Lakes Naval Training Center	152	180	18	16	16	0	1	1	0	3	1	-67
Lawrence	32	28	-13	17	3	-82	0	0	NA	1	0	-100
Lee	113	78	-31	25	14	-44	3	0	-100	5	0	-100
Livingston	63	78	24	12	18	50	0	0	NA	1	0	-100
Logan	195	117	-40	75	74	-1	0	0	NA	0	0	NA
Macon	961	842	-12	685	601	-12	6	6	0	15	9	-40
Macoupin	134	86	-36	36	42	17	2	0	-100	2	0	-100
Madison	1,244	1,114	-10	441	532	21	15	10	-33	25	14	-44
Marion	227	192	-15	119	92	-23	1	2	100	2	4	100
Marshall	36	26	-28	8	9	13	0	0	NA	0	0	NA
Mason	44	37	-16	8	14	75	1	0	-100	1	0	-100
Massac	41	54	32	28	31	11	0	0	NA	0	0	NA
McDonough	283	200	-29	65	43	-34	3	2	-33	5	3	-40
McHenry	741	551	-26	81	80	-1	11	8	-27	12	13	8
McLean	1,135	877	-23	258	241	-7	22	11	-50	36	16	-56
Menard	24	23	-4	11	8	-27	0	0	NA	1	0	-100
Mercer	43	25	-42	7	6	-14	1	1	0	2	1	-50
Monroe	75	44	-41	16	9	-44	1	0	-100	1	0	-100
Montgomery	80	89	11	27	19	-30	1	0	-100	2	0	-100
Morgan	156	97	-38	36	30	-17	0	0	NA	0	1	NA
Moultrie	40	30	-25	10	10	0	0	0	NA	0	0	NA
Ogle	142	113	-20	26	15	-42	1	1	0	1	2	100
Peoria	1,578	1,556	-1	880	1209	37	13	10	-23	27	20	-26
Perry	86	43	-50	27	25	-7	0	0	NA	1	0	-100
Piatt	34	45	32	16	13	-19	1	0	-100	1	0	-100
Pike	33	18	-45	5	13	160	1	0	-100	1	0	-100
Pope	4	4	0	5	4	-20	0	0	NA	0	0	NA

Early Syphilis is defined as the stages of Primary, Secondary, and Early, Non-Primary Non-Secondary  
 2020 data are provisional  
 January 2021

Source: IDPH STD Section

**Reportable Sexually Transmitted Diseases by Morbidity Responsibility Area**  
**Provisional Cases Reported 1/1/20 - 12/31/20 Compared to Cases Reported 1/1/19 - 12/31/19**

County	Chlamydia			Gonorrhea			Primary & Secondary Syphilis			Early Syphilis		
	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change	2019	2020	% Change
Pulaski	25	27	8	16	28	75	0	0	NA	0	0	NA
Putnam	26	14	-46	5	1	-80	0	0	NA	0	0	NA
Randolph	128	83	-35	33	44	33	0	0	NA	0	0	NA
Richland	39	24	-38	8	15	88	1	0	-100	1	0	-100
Rock Island	807	605	-25	280	284	1	18	4	-78	26	7	-73
Saline	93	102	10	48	60	25	0	0	NA	0	0	NA
Sangamon	1,395	1,383	-1	539	846	57	14	12	-14	22	18	-18
Schuyler	10	9	-10	1	0	-100	1	0	-100	1	0	-100
Scott	17	8	-53	2	5	150	0	0	NA	0	0	NA
Shelby	57	46	-19	26	21	-19	1	0	-100	1	0	-100
<b>St. Clair County Total</b>	<b>2,335</b>	<b>2,058</b>	<b>-12</b>	<b>1,100</b>	<b>1,052</b>	<b>-4</b>	<b>32</b>	<b>42</b>	<b>31</b>	<b>52</b>	<b>58</b>	<b>12</b>
East Side Health District	1,113	884	-21	600	548	-9	15	22	47	18	26	44
St. Clair County Health Department	1,186	1,140	-4	497	501	1	16	20	25	33	32	-3
Scott Air Force Base	36	34	-6	3	3	0	1	0	-100	1	0	-100
Stark	13	7	-46	1	5	400	0	0	NA	0	0	NA
Stephenson	270	253	-6	61	142	133	1	0	-100	2	0	-100
Tazewell	363	352	-3	93	172	85	4	2	-50	6	3	-50
Union	45	51	13	17	25	47	1	0	-100	2	1	-50
Vermilion	559	561	0	204	262	28	3	10	233	3	13	333
Wabash	31	23	-26	11	11	0	0	0	NA	0	0	NA
Warren	43	43	0	10	19	90	0	0	NA	0	0	NA
Washington	32	23	-28	12	8	-33	0	0	NA	0	0	NA
Wayne	41	48	17	8	22	175	0	0	NA	0	0	NA
White	17	32	88	18	7	-61	0	0	NA	0	0	NA
Whiteside	286	160	-44	57	19	-67	4	0	-100	8	0	-100
Will	3,102	2,169	-30	822	776	-6	30	13	-57	56	21	-63
Williamson	296	228	-23	111	116	5	0	2	NA	1	2	100
Winnebago	2,211	1,939	-12	859	1,135	32	25	32	28	33	46	39
Woodford	90	58	-36	25	16	-36	0	0	NA	1	0	-100
<b>Total Illinois</b>	<b>81,012</b>	<b>52,016</b>	<b>-36</b>	<b>29,272</b>	<b>20,570</b>	<b>-30</b>	<b>1,374</b>	<b>1,013</b>	<b>-26</b>	<b>2,719</b>	<b>1,878</b>	<b>-31</b>
<b>Illinois Excluding Chicago</b>	<b>48,862</b>	<b>36,097</b>	<b>-26</b>	<b>14,957</b>	<b>14,589</b>	<b>-2</b>	<b>560</b>	<b>296</b>	<b>-47</b>	<b>1,095</b>	<b>485</b>	<b>-56</b>

Early Sphilis is defined as the stages of Primary, Secondary, and Early, Non-Primary Non-Secondary  
 2020 data are provisional  
 January 2021

Source: IDPH STD Section

**Demographic Characteristics of Cumulative Provisional STD Cases  
1/1/2020 - 12/31/2020**

Sex	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Male	18,085	34.8	11,249	54.7	872	86.1	1,618	86.2
Female	33,734	64.9	9,267	45.1	141	13.9	260	13.8
Unknown	197	0.4	54	0.3	0	0.0	0	0.0
<b>Total</b>	<b>52,016</b>		<b>20,570</b>		<b>1,013</b>		<b>1,878</b>	

Age Group	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
00-04	11	0.0	3	0.0	0	0.0	0	0.0
05-09	3	0.0	2	0.0	0	0.0	0	0.0
10-14	346	0.7	113	0.5	1	0.1	2	0.1
15-19	13,695	26.3	3,900	19.0	31	3.1	48	2.6
20-24	18,918	36.4	6,013	29.2	140	13.8	244	13.0
25-29	10,133	19.5	4,617	22.4	226	22.3	410	21.8
30-34	4,519	8.7	2,726	13.3	216	21.3	414	22.0
35-39	2,075	4.0	1,421	6.9	117	11.5	237	12.6
40-44	1,083	2.1	772	3.8	98	9.7	183	9.7
45-49	552	1.1	397	1.9	64	6.3	120	6.4
50+	681	1.3	606	2.9	120	11.8	218	11.6
Unknown	0	0.0	0	0.0	0	0.0	2	0.1
<b>Total</b>	<b>52,016</b>		<b>20,570</b>		<b>1,013</b>		<b>1,878</b>	

Race	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Asian	525	1.0	159	0.8	24	2.4	35	1.9
Native Hawaiian/Other Pacific Islander	1	0.0	0	0.0	2	0.2	3	0.2
Black	21,913	42.1	11,857	57.6	440	43.4	816	43.5
American Indian/Alaska Native	106	0.2	26	0.1	1	0.1	9	0.5
White	16,734	32.2	5,312	25.8	352	34.7	688	36.6
Multiple Races	411	0.8	177	0.9	2	0.2	4	0.2
Other	2,604	5.0	567	2.8	25	2.5	45	2.4
Unknown	9,722	18.7	2,472	12.0	167	16.5	278	14.8
<b>Total</b>	<b>52,016</b>		<b>20,570</b>		<b>1,013</b>		<b>1,878</b>	

Hispanic Ethnicity	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Hispanic	7,362	14.2	1,531	7.4	153	15.1	344	18.3
Non-Hispanic	32,415	62.3	15,411	74.9	617	60.9	1,135	60.4
Unknown	12,239	23.5	3,628	17.6	243	24.0	399	21.2
<b>Total</b>	<b>52,016</b>		<b>20,570</b>		<b>1,013</b>		<b>1,878</b>	

Race/Hispanic Ethnicity	Chlamydia		Gonorrhea		P&S Syphilis		Early Syphilis	
	Total	%	Total	%	Total	%	Total	%
Asian*	504	1.0	146	0.7	20	2.0	29	1.5
Native Hawaiian/Other Pacific Islander*	1	0.0	0	0.0	1	0.1	2	0.1
Black*	21,649	41.6	11,738	57.1	431	42.5	797	42.4
American Indian/Alaska Native*	62	0.1	17	0.1	0	0.0	3	0.2
White*	12,319	23.7	4,448	21.6	241	23.8	444	23.6
Hispanic**	7,362	14.2	1,531	7.4	153	15.1	344	18.3
Multiple Races*	292	0.6	141	0.7	2	0.2	4	0.2
Other*	891	1.7	265	1.3	12	1.2	19	1.0
Unknown	8,936	17.2	2,284	11.1	153	15.1	236	12.6
<b>Total</b>	<b>52,016</b>		<b>20,570</b>		<b>1,013</b>		<b>1,878</b>	

Early Syphilis: Primary, Secondary, and Early, NPNS

\*Non-Hispanic ethnicity

\*\*Any race, Hispanic ethnicity

2020 data are provisional

January 2021

Source: IDPH STD Section